6. Table Demonstrating Housing Capacity for Alternative Plan

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1145	003	813332	18.67	971099	0	55	80	2.5	1494	1494	2033330	1062231	RTO-C	80	form-based		true	true	0.55	3131	2.095716238	3131	2988	3578661	2607562	2607562	1.76
3734	091	459484	10.55	3075119	0	85	140	4	1477	1477	1837936	0	C-3-S	340	form-based		true		0.55	2687	1.819228172	2687	2687	2687013.5	0	0	1.461973
0695	007	104203	2.39	1015000	0	85	140	4	335	335	416812	0	RC-4	650	form-based		true	true	0.55	2435	7.268656731	2435	670	2435181.5	1420181.5	0	5.842398
1072	001	235286	5.4	203134	0	85	140	4	756	756	941144	738010	C-2	490	form-based		true	true	0.55	2364	3.126984119	2364	1512	2363851	2160717	1679154	2.511678
3723	115	329996	7.58	711978	0	85	140	4	1061	1061	1319984	608006	C-3-S	340	form-based		true		0.55	2188	2.062205553	2188	2122	2188484.5	1476506.5	1476506.5	1.657963
1094	001	298469	6.85	250843	0	85	140	4	959	959	1193876	943033	C-2	350	form-based		true	true	0.55	2103	2.192909241	2103	1918	2103105.75	1852262.75	1852262.75	1.761578
3705	050	188238	4.32	40985	0	95	160	4.5	691	691	847071	806086	C-3-R	400	form-based				0.55	1859	2.690303802	1859	1382	1858716.25	1817731.25	1653157	2.194286
3706	096	128263	2.94	3273696	5	85	140	4	412	407	513052	0	C-3-R	400	form-based		true		0.55	1628	3.951456308	1623	819	1627812.5	0	0	3.172802
3707	052	95105	2.18	591732	0	85	140	4	305	305	380420	0	C-3-O(SD)	600	form-based		true		0.55	1602	5.252459049	1602	610	1602154.25	1010422.25	169108	4.211541
7380	036	4775513	109.63	9031	0	75	120	3.5	13156	13156	16714296	16705265	RH-1(D)	40	density-lin	3000			0.55	1592	0.121009424	1592	1592	10506129	10497098	10497098	0.628571
4175	028	235706	5.41	0	0	65	100	3	541	541	707118	707118	PPS-MU	240	form-based				0.55	1465	2.707948208	1465	1082	1465468.125	1465468.125	1414236	2.072452
3930A	002	375837	8.63	231687	0	85	140	4	1208	1208	1503348	1271661	UMU	85	form-based		true		0.55	1447	1.197847724	1447	1447	1653682.875	1421995.875	1421995.875	1.1
7380	016	366772	8.42	141175	0	55	80	2.5	674	674	916930	775755	RTO-C	85	form-based			true	0.55	1412	2.094955444	1412	1348	1613796.875	1472621.875	1472621.875	1.76
3723	114	123554	2.84	2571972	0	85	140	4	398	398	494216	0	C-3-S	340	form-based		true		0.55	1394	3.502512455	1394	796	1393682.875	0	0	2.819987
3718	026	70072	1.61	547960	0	85	140	4	225	225	280288	0	C-3-O(SD)	550	form-based				0.55	1386	6.159999847	1386	450	1385777.25	837817.25	12616	4.944119
3539	001	309715	7.11	409895	0	85	140	4	995	995	1238860	828965	RTO-C	130	form-based		true	true	0.55	1354	1.360803962	1354	1354	1354402.75	944507.75	944507.75	1.093265
3507	040	131314	3.01	1320000	0	85	140	4	421	421	525256	0	C-3-G	320	form-based		true		0.55	1352	3.211401463	1352	842	1351558.875	31558.875	0	2.573143
3720	009	50285	1.15	1420430	0	75	120	3.5	138	138	175998	0	C-3-O(SD)	1000	form-based		true		0.55	1292	9.362318993	1292	276	1291597.25	0	0	7.338704
3722	367	74626	1.71	1498093	0	75	120	3.5	205	205	261191	0	C-3-O	500	form-based		true		0.55	1283	6.258536816	1283	410	1283310.125	0	0	4.913301
3712	025	131911	3.03	653000	0	95	160	4.5	485	485	593600	0	C-3-O(SD)	300	form-based		true		0.55	1282	2.643298864	1282	970	1281857.375	628857.375	534200	2.159463
0259	026	114514	2.63	1471929	0	75	120	3.5	316	316	400799	0	C-3-O	300	form-based		true		0.55	1215	3.844936609	1215	632	1214878.875	0	0	3.031142
2540	102	315451	7.24	191279	0	65	100	3	724	724	946353	755074	RTO-C	85	form-based		true	true	0.55	1214	1.676795602	1214	1214	1387984.375	1196705.375	1196705.375	1.466667
4175	500	170483	3.91	0	0	65	100	3	391	391	511449	511449	PPS-MU	240	form-based				0.55	1214	3.104859352	1214	782	1214359.5	1214359.5	1022898	2.374351
1107	008	796160	18.28	353634	155	65	100	3	1828	1673	2388480	2034846	RH-2	40	form-based		true	true	0.55	1314	0.718818367	1159	1159	1751552	1397918	1397918	0.733333
3180	212	367839	8.44	0	71	65	100	3	844	773	1103517	1103517	BR-MU	78	form-based				0.55	1214	1.438388586	1143	1143	1416180.125	1416180.125	1416180.125	1.283333
3711	019	82213	1.89	1584030	0	95	160	4.5	302	302	369958	0	C-3-O(SD)	400	form-based		true		0.55	1073	3.552980185	1073	604	1072520	0	0	2.899032
3746	669	75761	1.74	841062	0	65	100	3	174	174	227283	0	RH DTR	400	form-based		true		0.55	1048	6.022988319	1048	348	1047679.875	206617.875	0	4.609583
0263	011	75625	1.74	1300000	0	85	140	4	244	244	302500	0	C-3-O	400	form-based		true		0.55	1047	4.290983677	1047	488	1047156.25	0	0	3.461673
1354	001	271512	6.23	121967	0	55	80	2.5	498	498	678780	556813	RH-3	85	form-based			true	0.55	1045	2.098393679	1045	996	1194652.875	1072685.875	1072685.875	1.76
3708	055	18288	0.42	144000	0	75	120	3.5	50	50	64008	0	C-3-O(SD)	850	form-based		true		0.8	1014	20.28000069	1014	100	1014012	870012	0	15.84196
3506	012	110337	2.53	2413560	550	85	140	4	354	0	441348	0	C-3-G	400	form-based		true		0.55	1559	4.403954983	1009	158	1558797.5	0	0	3.531901
3716	021	150697	3.46	236161	0	75	120	3.5	415	415	527440	291279	C-3-O(SD)	200	form-based		true		0.55	994	2.395180702	994	830	994183.4375	758022.4375	758022.4375	1.884922
1077	027	113108	2.6	346570	0	65	100	3	260	260	339324	0	NC-3	240	form-based		true	true	0.55	993	3.819230795	993	520	993465.8125	646895.8125	332078	2.927779
3706	276	87525	2.01	1000163	292	85	140	4	281	0	350100	0	C-3-R	480	form-based		true		0.55	1285	4.572953701	993	270	1284971.25	284808.25	0	3.670298
0711	032	190593	4.38	99440	0	85	140	4	613	613	762372	662932	RM-4	240	density-lin	200	true		0.55	953	1.554649234	953	953	1291783	1192343	1192343	1.694426
0325	031	113567	2.61	1424230	0	75	120	3.5	313	313	397484	0	C-3-G	225	form-based		true		0.55	941	3.006389856	941	626	941232.9375	0	0	2.367977
1849	054	200280	4.6	232328	0	65	100	3	460	460	600840	368512	RTO-C	130	form-based		true	true	0.55	933	2.028260946	933	920	933078	700750	700750	1.552956
3744	002	151160	3.47	1474	67	85	140	4	486	419	604640	603166	RH DTR	200	form-based		true		0.55	996	2.049382687	929	905	995966	994492	994492	1.647205
3506	001	64297	1.48	656844	0	85	140	4	207	207	257188	0	C-3-G	650	form-based		true		0.55	926	4.473430157	926	414	925543.4375	268699.4375	0	3.598704
3737	030	75383	1.73	614740	0	75	120	3.5	208	208	263840	0	C-3-O(SD)	350	form-based		true		0.55	926	4.451922894	926	416	926224.5625	311484.5625	0	3.510554
3708	098	33208	0.76	368168	0	75	120	3.5	91	91	116228	0	C-3-O(SD)	700	form-based		true		0.8	912	10.02197838	912	182	912342	544174	0	7.849589
1191	041	194628	4.47	422544	0	55	80	2.5	358	358	486570	64026	RTO-C	130	form-based		true	true	0.55	911	2.544692755	911	716	911317.8125	488773.8125	488773.8125	1.872943
3719	018	32570	0.75	769254	0	75	120	3.5	90	90	113995	0	C-3-O(SD)	700	form-based		true		0.8	909	10.10000038	909	180	908992.5	139738.5	0	7.973968
0725	030	163942	3.76	47872	0	85	140	4	526	526	655768	607896	NCT-FILLM	160	form-based				0.55	901	1.712927699	901	901	901176.6875	853304.6875	853304.6875	1.374231
3721	136	18379	0.42	0	0	95	160	4.5	67	67	82706	82706	C-3-O(SD)	750	form-based				0.8	894	13.34328365	894	134	894489.75	894489.75	165412	10.81529
3803	005	226918	5.21	885581	0	75	120	3.5	625	625	794213	0	MUO	90	form-based		true		0.55	892	1.42719996	892	892	891634.3125	6053.3125	6053.3125	1.122664
0694	029	36149	0.83	246069	2	85	140	4	116	114	144596	0	RC-4	650	form-based		true	true	0.75	868	7.482758522	866	230	867782.25	621713.25	43123	6.001426
3786	037	115650	2.65	288570	0	75	120	3.5	318	318	404775	116205	CMUO	200	form-based		true		0.55	859	2.701257944	859	636	859252.5	570682.5	520980	2.12279
3713	007	112613	2.59	1534312	0	85	140	4	363	363	450452	0	C-3-O(SD)	200	form-based		true		0.55	848	2.336088181	848	726	847560.0625	0	0	1.881577
3710	017	18910	0.43	492980	0	75	120	3.5	52	52	66185	0	C-3-O(SD)	700	form-based		true		0.8	837	16.09615326	837	104	837277.5	344297.5	0	12.65056
0691	005	29508	0.68	116810	0	65	100	3	68	68	88524	0	RC-4	650	form-based		true	true	0.75	833	12.25	833	136	832917	716107	60238	9.40894
2094	006	496071	11.39	194477	0	55	80	2.5	911	911	1240178	1045701	RH-1	40	form-based		true	true	0.55	819	0.899012089	819	819	1091356.25	896879.25	896879.25	0.88
0231	023	75625	1.74	725000	0	85	140	4	244	244	302500	0	C-3-O	300	form-based		true		0.55	807	3.3073771	807	488	807156.25	82156.25	0	2.668285
0232	016	75625	1.74	950741	0	85	140	4	244	244	302500	0	C-3-O	300	form-based		true		0.55	807	3.3073771	807	488	807156.25	0	0	2.668285
0230	028	74952	1.72	914264	0	85	140	4	241	241	299808	0	C-3-O	300	form-based		true		0.55	805	3.340249062	805	482	804565.1875	0	0	2.683601
3536	001	120384	2.76	69452	0	85	140	4	386	386	481536	412084	NCT-3	180	form-based		true	true	0.55	805	2.085492134	805	772	805478.375	736026.375	736026.375	1.672727
3506	004	48998	1.12	448709	0	85	140	4	157	157	195992	0	C-3-G	590	form-based		true		0.55	795	5.063694477	795	314	794642.3125	345933.3125	0	4.054463
3709	019	59235	1.36	914037	0	75	120	3.5	163	163	207322	0	C-3-O(SD)	550	form-based		true		0.55	786	4.822085857	786	326	786054.75	0	0	3.791468
0714	017	17994	0.41	40470	0	65	100	3	41	41	53982	13512	NC-3	650	form-based		true	true	0.75	772	18.8292675	772	82	772468.5	731998.5	67494	14.30974
3708	095	39763	0.91	667782	0	75	120	3.5	109	109	139170	0	C-3-O(SD)	550	form-based		true		0.8	767	7.036697388	767	218	766755.75	98973.75	0	5.50949
3778	005	81664	1.87	55199	0	65	100	3	187	187	244992	189793	MUR	270	form-based		true		0.55	758	4.053475857	758	374	758406.375	703207.375	434785	3.095637
0714	015	14464	0.33	14166	0	65	100	3	33	33	43392	29226	NC-3	650	form-based		true	true	0.75	754	22.84848404	754	66	753936	739770	72618	17.375
3719	450	15313	0.35	1658	67	75	120	3.5	42	0	53596	51938	C-3-O(SD)	700	form-based				0.8	818	19.47619057	751	17	818393.25	816735.25	105534	15.26967
0694	011	12605	0.29	74825	0	85	140	4	41	41	50420	0	RC-4	650	form-based		true	true	0.75	744	18.14634132	744	82	744176.25	669351.25	26015	14.75954

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0714	028	12259	0.28	90513	0	85	140	4	39	39	49036	0	RC-4	650	form-based		true	true	0.75	742	19.02564049	742	78	742359.75	651846.75	7559	15.13908
3721	120	34418	0.79	690442	0	75	120	3.5	95	95	120463	0	C-3-O(SD)	550	form-based				0.8	739	7.778947353	739	190	738694.5	48252.5	0	6.132128
3709	014	44672	1.03	996760	0	85	140	4	144	144	178688	0	C-3-O(SD)	500	form-based		true		0.55	733	5.090277672	733	288	732528	0	0	4.099481
3708	056	44039	1.01	1086700	0	85	140	4	141	141	176156	0	C-3-O(SD)	500	form-based		true		0.55	729	5.170212746	729	282	729204.75	0	0	4.13954
1144	001	188311	4.32	3071	0	55	80	2.5	346	346	470778	467707	RH-2	80	form-based		true	true	0.55	725	2.095375776	725	692	828568.4375	825497.4375	825497.4375	1.759998
0835	004	38387	0.88	232211	0	85	140	4	123	123	153548	0	C-3-G	520	form-based		true		0.8	724	5.88617897	724	246	723531.75	491320.75	74885	4.712089
3778	004	69269	1.59	55206	0	65	100	3	159	159	207807	152601	CMUO	270	form-based				0.55	711	4.471698284	711	318	710685.625	655479.625	360408	3.419931
3718	027	28357	0.65	17607	0	85	140	4	91	91	113428	95821	C-3-O(SD)	550	form-based		true		0.8	707	7.769230843	707	182	706874.25	689267.25	209249	6.23192
3718	040	28260	0.65	764661	0	75	120	3.5	78	78	98910	0	TB DTR	550	form-based		true		0.8	706	9.051281929	706	156	706365	0	0	7.141492
3737	041	25959	0.6	602800	0	75	120	3.5	72	72	90856	0	C-3-O(SD)	550	form-based				0.8	694	9.638889313	694	144	694284.75	91484.75	0	7.641595
3749	062	137463	3.16	809986	0	75	120	3.5	379	379	481120	0	MUO	130	form-based		true		0.55	691	1.823218942	691	691	691232.5625	0	0	1.436715
3708	174	36410	0.84	333038	0	85	140	4	118	118	145640	0	C-3-O(SD)	500	form-based				0.8	689	5.838983059	689	236	689152.5	356114.5	0	4.73189
0726	021	112698	2.59	280158	22	65	100	3	259	237	338094	57936	NCT-FILLM	160	form-based		true		0.55	704	2.718146801	682	496	703887.3125	423729.3125	396030	2.081928
0290	011	46689	1.07	319234	0	85	140	4	150	150	186756	0	C-3-O	500	form-based		true		0.55	678	4.519999981	678	300	677752.625	358518.625	54278	3.629081
3710	020	44264	1.02	694334	0	85	140	4	143	143	177056	0	C-3-O(SD)	450	form-based		true		0.55	670	4.685314655	670	286	670386	0	0	3.786294
3180	002	396617	9.11	161437	0	65	100	3	911	911	1189851	1028414	RH-1(D)	40	form-based		true	true	0.55	654	0.717892408	654	654	872557.4375	711120.4375	711120.4375	0.733333
0696	024	29604	0.68	20355	0	65	100	3	68	68	88812	68457	NC-3	500	form-based		true	true	0.75	653	9.602941513	653	136	653421	633066	157269	7.35735
3721	122	16389	0.38	354000	0	95	160	4.5	61	61	73750	0	C-3-O(SD)	550	form-based		true		0.8	644	10.55737686	644	122	644042.25	290042.25	0	8.732777
0714	016	31528	0.72	89551	201	85	140	4	101	0	126112	36561	RC-4	650	form-based		true	true	0.75	844	8.356435776	643	1	843522	753971	162673	6.688673
3721	089	27572	0.63	394250	0	75	120	3.5	76	76	96502	0	C-3-O(SD)	500	form-based		true		0.8	643	8.460526466	643	152	642753	248503	0	6.660515
0690	016	26234	0.6	82250	0	65	100	3	60	60	78702	0	NC-3	500	form-based		true	true	0.75	636	10.60000038	636	120	635728.5	553478.5	75154	8.077666
3721	084	14881	0.34	14800	0	95	160	4.5	54	54	66964	52164	C-3-O(SD)	550	form-based				0.8	636	11.77777767	636	108	636125.25	621325.25	119128	9.499511
3709	008	14677	0.34	77369	0	75	120	3.5	41	41	51370	0	C-3-O(SD)	550	form-based		true		0.8	635	15.48780441	635	82	635054.25	557685.25	25371	12.36236
2540	104	163635	3.76	4810	0	65	100	3	376	376	490905	486095	RTO-C	85	form-based		true	true	0.55	630	1.675531864	630	630	719994	715184	715184	1.466667
3722	081	22400	0.51	291200	0	75	120	3.5	61	61	78400	0	C-3-S	500	form-based		true		0.8	616	10.09836102	616	122	615600	324400	0	7.852041
0261	017	44919	1.03	157565	0	75	120	3.5	124	124	157216	0	C-3-O	400	form-based				0.55	614	4.951612949	614	248	613824.75	456259.75	156867	3.90434
3739	010	45356	1.04	13354	0	75	120	3.5	125	125	158746	145392	TB DTR	450	form-based		true		0.55	613	4.903999805	613	250	612620.625	599266.625	304138	3.859125
0264	004	44502	1.02	570000	0	95	160	4.5	163	163	200259	0	C-3-O	400	form-based		true		0.55	612	3.75460124	612	326	611635.5	41635.5	0	3.054222
0719	001	21420	0.49	53545	0	85	140	4	69	69	85680	32135	RC-4	500	form-based		true	true	0.75	610	8.840579987	610	138	610455	556910	117815	7.124825
3725	128	32483	0.75	257374	0	75	120	3.5	90	90	113690	0	C-3-S	450	form-based				0.8	609	6.766666889	609	180	608535.75	351161.75	0	5.352588
3508	001	85833	1.97	741667	0	85	140	4	276	276	343332	0	C-3-G	200	form-based		true		0.55	606	2.195652246	606	552	606457.0625	0	0	1.766387
3708	028	20624	0.47	348000	0	75	120	3.5	56	56	72184	0	C-3-O(SD)	500	form-based				0.8	606	10.8214283	606	112	606276	258276	0	8.399035
0234	017	85441	1.96	863441	0	85	140	4	274	274	341764	0	C-3-O	200	form-based		true		0.55	605	2.20802927	605	548	604947.875	0	0	1.770075
3710	018	31507	0.72	730136	0	75	120	3.5	86	86	110274	0	C-3-O(SD)	450	form-based		true		0.8	603	7.011627674	603	172	603411.75	0	0	5.471931
3710	019	31517	0.72	692000	0	85	140	4	101	101	126068	0	C-3-O(SD)	450	form-based				0.8	603	5.97029686	603	202	603464.25	0	0	4.786816
0689	200	18884	0.43	10000	0	65	100	3	43	43	56652	46652	NC-3	500	form-based		true	true	0.75	597	13.88372135	597	86	597141	587141	103304	10.54051
0696	002	18928	0.43	20355	0	65	100	3	43	43	56784	36429	NC-3	500	form-based		true	true	0.75	597	13.88372135	597	86	597372	577017	93213	10.52008
3709	011	18866	0.43	459696	0	85	140	4	60	60	75464	0	C-3-O(SD)	500	form-based				0.8	597	9.949999809	597	120	597046.5	137350.5	0	7.911673
0713	035	44676	1.03	1500	137	85	140	4	144	7	178704	177204	RTO-C	500	form-based			true	0.55	733	5.090277672	596	151	732549	731049	355908	4.099231
3708	175	17841	0.41	505120	0	85	140	4	57	57	71364	0	C-3-O(SD)	500	form-based				0.8	592	10.38596535	592	114	591665.25	86545.25	0	8.290809
0715	009	17645	0.41	65417	0	85	140	4	57	57	70580	5163	RC-4	500	form-based		true	true	0.75	591	10.3684206	591	114	590636.25	525219.25	75743	8.368323
2540	009	174212	4	1240	84	65	100	3	400	316	522636	521396	RTO-C	85	form-based			true	0.55	671	1.67750001	587	587	766532.8125	765292.8125	765292.8125	1.466667
0289	001	28249	0.65	501686	0	85	140	4	91	91	112996	0	C-3-O	450	form-based		true		0.8	586	6.439560413	586	182	586307.25	84621.25	0	5.188744
3706	074	39594	0.91	490000	0	85	140	4	127	127	158376	0	C-3-R	400	form-based		true		0.8	586	4.614173412	586	254	585868.5	95868.5	0	3.699225
3738	012	53539	1.23	385558	0	75	120	3.5	148	148	187386	0	C-3-O(SD)	400	form-based		true		0.55	584	3.945945978	584	296	584125.125	198567.125	0	3.117229
1098	050	131525	3.02	384808	0	85	140	4	423	423	526100	141292	NC-3	105	form-based		true	true	0.55	578	1.366430283	578	578	578371.25	193563.25	193563.25	1.099356
3722	257	33056	0.76	1527	102	85	140	4	106	4	132224	130697	C-3-O	500	form-based		true		0.8	672	6.339622498	570	110	671544	670017	262921	5.078836
3787	028	36297	0.83	41125	0	75	120	3.5	100	100	127040	85915	CMUO	400	form-based		true		0.8	569	5.690000057	569	200	568559.25	527434.25	212955	4.475435
0244	001	113402	2.6	804136	0	65	100	3	260	260	340206	0	RM-4	320	density-lim	200	true		0.55	567	2.180769205	567	520	1282597.75	478461.75	0	3.770062
0246	001	113329	2.6	121679	0	55	80	2.5	208	208	283322	161643	RM-4	65	density-lim	200	true		0.55	567	2.725961447	567	416	373985.7188	252306.7188	252306.7188	1.320002
0718	021	13080	0.3	42040	0	85	140	4	42	42	52320	10280	RC-4	500	form-based		true	true	0.75	567	13.5	567	84	566670	524630	62600	10.83085
2468A	003	343872	7.89	86651	0	55	80	2.5	631	631	859680	773029	RH-1	40	form-based		true	true	0.55	567	0.898573697	567	567	756518.4375	669867.4375	669867.4375	0.88
3709	012	12605	0.29	459696	0	85	140	4	41	41	50420	0	C-3-O(SD)	500	form-based		true		0.8	564	13.75609779	564	82	564176.25	104480.25	0	11.18953
0233	044	73973	1.7	1084662	0	75	120	3.5	204	204	258906	0	C-3-O	200	form-based				0.55	561	2.75	561	408	560796.0625	0	0	2.166022
0696	025	25061	0.58	1296	72	85	140	4	81	9	100244	98948	NC-3	500	form-based		true	true	0.75	630	7.777777672	558	90	629570.25	628274.25	199192	6.280378
3777	045	97941	2.25	38200	0	75	120	3.5	270	270	342794	304594	CMUO	160	form-based		true		0.55	557	2.062963009	557	540	557072.875	518872.875	518872.875	1.625095
3725	129	40539	0.93	649376	0	75	120	3.5	112	112	141886	0	C-3-S	365	form-based		true		0.8	549	4.901785851	549	224	548829.75	0	0	3.868104
3736	123	43605	1	508334	0	75	120	3.5	120	120	152618	0	C-3-O(SD)	350	form-based		true		0.8	547	4.558333397	547	240	546926.25	38592.25	0	3.583629
3708	121	16205	0.37	944	102	75	120	3.5	44	0	56718	55774	C-3-O(SD)	550	form-based		true		0.8	643	14.61363602	541	0	643076.25	642132.25	112492	11.33813
0267	010	18932	0.43	224651	0	75	120	3.5	52	52	66262	0	C-3-O	450	form-based		true		0.8	537	10.32692337	537	104	537393	312742	0	8.110124
3724	018	91924	2.11	2762975	0	75	120	3.5	253	253	321734	0	C-3-S	160	form-based				0.55	534	2.110671997	534	506	533907.375	0	0	1.659468
3748	031	28860	0.66	484177	0	65	100	3	66	66	86580	0	RH DTR	400	form-based		true		0.8	530	8.030303001	530	132	529515	45338	0	6.115904
0267	004	17345	0.4	246458	0	75	120	3.5	48	48	60708	0	C-3-O	450	form-based		true		0.8	529	11.02083302	529	96	529061.25	282603.25	0	8.714852
0719	040	13200	0.3	640	39	65	100	3	30	0	39600	38960	RM-4	500	form-based		true	true	0.75	567	18.89999962	528	21	567300	566660	78560	14.32576

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0289	003	16878	0.39	33814	0	85	140	4	55	55	67512	33698	C-3-O	450	form-based		true		0.8	527	9.581818581	527	110	526609.5	492795.5	101210	7.800236
0289	004	16809	0.39	611000	0	85	140	4	55	55	67236	0	C-3-O	450	form-based				0.8	526	9.56363678	526	110	526247.25	0	0	7.826867
3762	152	89311	2.05	0	0	65	100	3	205	205	267933	267933	CMUO	160	form-based		true		0.55	524	2.556097507	524	410	523847.3438	523847.3438	523847.3438	1.955143
3783	011	188686	4.33	674317	0	65	100	3	433	433	566058	0	UMU	68	form-based		true		0.55	519	1.198614359	519	519	622663.8125	0	0	1.1
3724	070	54687	1.26	260523	0	85	140	4	176	176	218748	0	C-3-S	340	form-based		true		0.55	517	2.9375	517	352	516544.9375	256021.9375	176973	2.36137
0236	017	37799	0.87	266237	0	85	140	4	122	122	151196	0	C-3-O	350	form-based		true		0.8	516	4.2295084	516	244	516444.75	250207.75	36155	3.41573
3741	046	93509	2.15	544813	120	85	140	4	301	181	374036	0	C-3-O(SD)	200	form-based		true		0.55	636	2.112956762	516	482	636009.625	91196.625	91196.625	1.700397
3719	020	50667	1.16	1652	418	75	120	3.5	139	0	177334	175682	C-3-O(SD)	700	form-based		true		0.55	933	6.712230206	515	0	933067.9375	931415.9375	353016	5.261642
0646	016	36991	0.85	282783	0	65	100	3	85	85	110973	0	RC-4	350	form-based		true	true	0.75	512	6.02352953	512	170	512202.75	229419.75	0	4.615562
0691	021	21797	0.5	106602	107	85	140	4	70	0	87188	0	RC-4	500	form-based		true	true	0.75	612	8.742856979	505	33	612434.25	505832.25	67774	7.024295
0266	001	12634	0.29	206034	0	75	120	3.5	35	35	44219	0	C-3-O	450	form-based		true		0.8	504	14.39999962	504	70	504328.5	298294.5	0	11.40524
0266	007	12653	0.29	51233	0	75	120	3.5	35	35	44286	0	C-3-O	450	form-based				0.8	504	14.39999962	504	70	504428.25	453195.25	37339	11.39024
3710	014	12631	0.29	21925	0	75	120	3.5	35	35	44208	22283	C-3-O(SD)	450	form-based				0.8	504	14.39999962	504	70	504312.75	482387.75	66491	11.40773
0266	008	12401	0.28	65675	0	75	120	3.5	34	34	43404	0	C-3-O	450	form-based		true		0.8	503	14.79411793	503	68	503105.25	437430.25	21133	11.59122
3721	013	12267	0.28	0	0	95	160	4.5	45	45	55202	55202	C-3-O(SD)	450	form-based				0.8	502	11.15555573	502	90	502401.75	502401.75	110404	9.101151
3724	071	57180	1.31	358400	0	75	120	3.5	157	157	200130	0	C-3-S	320	form-based		true		0.55	502	3.197452307	502	314	502143	143743	41860	2.509084
7380	033	129156	2.97	21283	0	55	80	2.5	238	238	322890	301607	RTO-C	85	form-based			true	0.55	497	2.088235378	497	476	568286.4375	547003.4375	547003.4375	1.76
3735	060	40017	0.92	359820	0	85	140	4	129	129	160068	0	C-3-S	320	form-based		true		0.8	492	3.8139534	492	258	492089.25	132269.25	0	3.074251
0262	013	21446	0.49	176869	0	75	120	3.5	59	59	75061	0	C-3-O	400	form-based		true		0.8	491	8.322033882	491	118	490591.5	313722.5	0	6.535904
0204	020	44110	1.01	16775	0	85	140	4	141	141	176440	159665	C-3-O	300	form-based				0.55	490	3.475177288	490	282	489577.5	472802.5	336105	2.774754
0613	029	80442	1.85	123941	0	65	100	3	185	185	241326	117385	RM-2	160	form-based			true	0.55	490	2.648648739	490	370	489701.6875	365760.6875	358711	2.029212
3724	072	39242	0.9	564614	0	75	120	3.5	108	108	137347	0	C-3-S	320	form-based		true		0.8	488	4.518518448	488	216	488020.5	0	0	3.553194
0204	022	43566	1	0	0	85	140	4	140	140	174264	174264	C-3-O	300	form-based		true		0.8	487	3.478571415	487	280	486721.5	486721.5	348528	2.793012
3764	066	106342	2.44	47192	0	65	100	3	244	244	319026	271834	SB-DTR	105	form-based		true		0.55	481	1.97131145	481	481	481416.6875	434224.6875	434224.6875	1.50902
0239	026	30813	0.71	409013	0	65	100	3	71	71	92439	0	C-3-O	350	form-based		true		0.8	480	6.760563374	480	142	479768.25	70755.25	0	5.190106
3787	026	19249	0.44	17640	0	75	120	3.5	53	53	67372	49732	CMUO	400	form-based				0.8	479	9.037735939	479	106	479057.25	461417.25	117104	7.110628
3706	068	19040	0.44	29440	0	75	120	3.5	53	53	66640	37200	C-3-R	400	form-based				0.8	478	9.018867493	478	106	477960	448320	103840	7.172269
3735	013	37419	0.86	456131	0	85	140	4	120	120	149676	0	C-3-O(SD)	320	form-based		true		0.8	478	3.983333349	478	240	478449.75	22318.75	0	3.19657
3745	008	41921	0.96	190000	0	65	100	3	96	96	125763	0	RH DTR	300	form-based		true		0.8	478	4.979166508	478	192	478085.25	288085.25	61526	3.801478
0268	008	29838	0.68	251302	0	75	120	3.5	82	82	104433	0	C-3-O	350	form-based				0.8	475	5.792683125	475	164	474649.5	223347.5	0	4.545014
0269	001	40843	0.94	653245	0	75	120	3.5	113	113	142950	0	C-3-O	300	form-based		true		0.8	472	4.176990986	472	226	472425.75	0	0	3.304832
3738	011	17961	0.41	328501	0	75	120	3.5	49	49	62864	0	C-3-O(SD)	400	form-based		true		0.8	472	9.632653236	472	98	472295.25	143794.25	0	7.512969
0262	021	17669	0.41	262161	0	75	120	3.5	49	49	61842	0	C-3-O	400	form-based		true		0.8	471	9.612244606	471	98	470762.25	208601.25	0	7.612339
3706	127	60150	1.38	2576	139	85	140	4	193	54	240600	238024	C-3-R	400	form-based		true		0.55	610	3.160621643	471	247	609577.5	607001.5	478624	2.533572
0265	003	18081	0.42	1134	63	85	140	4	59	0	72324	71190	C-3-O	450	form-based		true		0.8	533	9.033898354	470	55	532925.25	531791.25	143514	7.368581
3764	055	17469	0.4	24000	0	65	100	3	40	40	52407	28407	RH DTR	400	form-based				0.8	470	11.75	470	80	469712.25	445712.25	80814	8.962777
1095	005	103135	2.37	267767	0	85	140	4	332	332	412540	144773	NC-3	105	form-based		true	true	0.55	469	1.412650585	469	469	469069.75	201302.75	201302.75	1.137029
0235	022	40056	0.92	663487	0	85	140	4	129	129	160224	0	C-3-O	300	form-based		true		0.8	468	3.627907038	468	258	468294	0	0	2.922746
3735	062	35036	0.8	360000	0	75	120	3.5	96	96	122626	0	C-3-O(SD)	320	form-based				0.8	466	4.854166508	466	192	465939	105939	0	3.799675
3735	059	34724	0.8	340000	0	65	100	3	80	80	104172	0	C-3-S	320	form-based		true		0.8	464	5.800000191	464	160	464301	124301	0	4.457061
6972	036	120353	2.76	129484	0	85	140	4	386	386	481412	351928	NCT-2	85	form-based		true	true	0.55	463	1.199481845	463	463	529553.1875	400069.1875	400069.1875	1.1
0628	014	73348	1.68	662281	0	65	100	3	168	168	220044	0	RM-2	160	form-based		true	true	0.55	462	2.75	462	336	462389.8125	0	0	2.101351
0671	001	27161	0.62	177704	0	85	140	4	87	87	108644	0	RC-4	350	form-based		true	true	0.75	461	5.298850536	461	174	460595.25	282891.25	39584	4.239491
3705	042	73057	1.68	1308682	0	95	160	4.5	269	269	328756	0	C-3-R	160	form-based		true		0.55	461	1.713754654	461	461	461269.4375	0	0	1.403075
0262	020	15623	0.36	365809	0	75	120	3.5	43	43	54680	0	C-3-O	400	form-based		true		0.8	460	10.69767475	460	86	460020.75	94211.75	0	8.412962
0238	002	15097	0.35	144382	0	85	140	4	49	49	60388	0	C-3-O	400	form-based		true		0.8	457	9.326530457	457	98	457259.25	312877.25	0	7.572022
0262	018	14735	0.34	96082	0	75	120	3.5	41	41	51572	0	C-3-O	400	form-based		true		0.8	455	11.09756088	455	82	455358.75	359276.75	7062	8.829574
3705Z	001	70590	1.62	103350	0	85	140	4	227	227	282360	179010	C-3-R	160	form-based		true		0.55	452	1.99118948	452	452	451771.5	348421.5	348421.5	1.599984
3722	368	25083	0.58	85410	0	75	120	3.5	70	70	87790	2380	C-3-O(SD)	350	form-based				0.8	450	6.428571224	450	140	449685.75	364275.75	90170	5.122289
3785	132	70059	1.61	73687	0	75	120	3.5	193	193	245206	171519	MUG	160	form-based		true		0.55	450	2.33160615	450	386	449727.1563	376040.1563	376040.1563	1.834079
0260	010	24485	0.56	211947	0	75	120	3.5	67	67	85698	0	C-3-O	350	form-based		true		0.8	447	6.671641827	447	134	446546.25	234599.25	0	5.210696
0594	001	24313	0.56	11160	0	85	140	4	78	78	97252	86092	RC-4	350	form-based		true	true	0.75	446	5.717948914	446	156	445643.25	434483.25	183344	4.582355
3711	013	12604	0.29	2089769	0	75	120	3.5	35	35	44114	0	C-3-O(SD)	400	form-based				0.8	444	12.68571472	444	70	444171	0	0	10.06871
3735	063	24008	0.55	475791	0	75	120	3.5	66	66	84028	0	C-3-O(SD)	350	form-based		true		0.8	444	6.727272511	444	132	444042	0	0	5.284453
0260	015	23748	0.55	265363	0	75	120	3.5	66	66	83118	0	C-3-O	350	form-based		true		0.8	443	6.71212101	443	132	442677	177314	0	5.325886
0836	013	12219	0.28	0	0	65	100	3	28	28	36657	36657	C-3-G	400	form-based		true		0.8	442	15.78571415	442	56	442149.75	442149.75	73314	12.06181
3511	093	63451	1.46	99880	0	65	100	3	146	146	190353	90473	C-3-G	250	form-based		true	true	0.55	442	3.027397156	442	292	442286.3438	342406.3438	280826	2.323506
0019	001	113791	2.61	11640	0	85	140	4	365	365	455164	443524	C-2	85	form-based		true	true	0.55	438	1.200000048	438	438	500680.4063	489040.4063	489040.4063	1.1
0020	001	113503	2.61	340000	0	85	140	4	365	365	454012	114012	C-2	85	form-based		true	true	0.55	437	1.197260261	437	437	499413.2188	159413.2188	159413.2188	1.1
0642	003	22698	0.52	84883	0	85	140	4	73	73	90792	5909	RC-4	350	form-based			true	0.75	437	5.986301422	437	146	437164.5	352281.5	96701	4.815011
3736	156	12103	0.28	113766	6	75	120	3.5	34	28	42360	0	TB DTR	400	form-based		true		0.8	442	13	436	62	441540.75	327774.75	0	10.42353
0291	012	22373	0.51	750491	0	95	160	4.5	82	82	100678	0	C-3-O	350	form-based		true		0.8	435	5.304878235	435	164	435458.25	0	0	4.325257
0021	001	112719	2.59	31656	0	85	140	4	363	363	450876	419220	C-2	85	form-based		true	true	0.55	434	1.195592284	434	434	495963.625	464307.625	464307.625	1.1
0314	018	84694	1.94	922758	0	85	140	4	272	272	338776	0	C-3-R	130	form-based				0.55	434	1.595588207	434	434	434071.9063	0	0	1.281295

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0743	203	21980	0.5	141369	0	65	100	3	50	50	65940	0	RC-4	350	form-based		true	true	0.75	433	8.659999847	433	100	433395	292026	0	6.572566
0690	017	46157	1.06	1149	245	65	100	3	106	0	138471	137322	NC-3	500	form-based		true	true	0.55	676	6.377358437	431	0	675704.4375	674555.4375	275793	4.879754
3504	029	43386	1	161575	0	85	140	4	140	140	173544	11969	NCT-3	250	form-based		true	true	0.75	426	3.04285717	426	280	425776.5	264201.5	185513	2.453421
0289	005	20321	0.47	428295	0	75	120	3.5	56	56	71124	0	C-3-O	350	form-based		true		0.8	425	7.589285851	425	112	424685.25	0	0	5.971054
3778	001B	52854	1.21	48800	0	65	100	3	121	121	158562	109762	CMUO	270	form-based				0.55	425	3.512396812	425	242	425487.9063	376687.9063	268324	2.683417
0671	002	20063	0.46	46800	0	85	140	4	64	64	80252	33452	RC-4	350	form-based		true	true	0.75	423	6.609375	423	128	423330.75	376530.75	113704	5.275018
1076	034	44576	1.02	70052	0	65	100	3	102	102	133728	63676	NC-3	240	form-based		true	true	0.55	420	4.117647171	420	204	420024	349972	197404	3.140883
3702	055	44559	1.02	815813	0	75	120	3.5	122	122	155956	0	C-3-G	240	form-based				0.55	420	3.4426229	420	244	419934.75	0	0	2.692649
0671	009	19200	0.44	216909	0	65	100	3	44	44	57600	0	NC-3	350	form-based		true	true	0.75	419	9.522727013	419	88	418800	201891	0	7.270833
0238	008	18966	0.44	286332	0	75	120	3.5	53	53	66381	0	C-3-O	350	form-based		true		0.8	418	7.88679266	418	106	417571.5	131239.5	0	6.290527
3786	014	30523	0.7	60976	0	75	120	3.5	84	84	106830	45854	CMUO	300	form-based				0.8	418	4.976190567	418	168	418245.75	357269.75	152684	3.915059
7304	001	347537	7.98	31463	16	55	80	2.5	638	622	868842	837379	RM-1	40	density-lin	800	true		0.55	434	0.680250764	418	418	764581.4375	733118.4375	733118.4375	0.880001
3722	079	18729	0.43	125000	0	75	120	3.5	52	52	65552	0	C-3-O(SD)	350	form-based				0.8	416	8	416	104	416327.25	291327.25	6104	6.351099
4117	002	43898	1.01	0	0	65	100	3	101	101	131694	131694	P70-MU	240	form-based				0.55	416	4.118812084	416	202	416464.5	416464.5	263388	3.162365
0289	009	18465	0.42	281527	0	75	120	3.5	50	50	64628	0	C-3-O	350	form-based				0.8	415	8.300000191	415	100	414941.25	133414.25	0	6.420456
3735	046	25416	0.58	135642	0	75	120	3.5	70	70	88956	0	C-3-O(SD)	320	form-based				0.8	415	5.928571224	415	140	415434	279792	42270	4.670106
3783	009	151011	3.47	717234	0	65	100	3	347	347	453033	0	UMU	68	form-based		true		0.55	415	1.195965409	415	415	498336.3125	0	0	1.1
0168	005	93129	2.14	1602	52	85	140	4	300	248	372516	370914	RC-4	275	density-lin	200	true		0.55	466	1.553333282	414	414	814546.625	812944.625	743430	2.186608
0257	012	79415	1.82	420654	0	65	100	3	182	182	238245	0	C-3-G	130	form-based		true		0.55	414	2.274725199	414	364	413747.75	0	0	1.736648
4175	025	58965	1.35	0	0	65	100	3	135	135	176895	176895	PPS-MU	240	form-based				0.55	413	3.059259176	413	270	413015.25	413015.25	353790	2.334805
0672	001	17812	0.41	51529	0	65	100	3	41	41	53436	1907	NC-3	350	form-based		true	true	0.75	412	10.04878044	412	82	411513	359984	55343	7.701044
4232	011	42960	0.99	0	0	65	100	3	99	99	128880	128880	PPS-MU	240	form-based				0.75	412	4.161616325	412	198	411540	411540	257760	3.193203
3738	018	29086	0.67	124347	0	75	120	3.5	80	80	101801	0	TB DTR	300	form-based				0.8	411	5.137499809	411	160	410701.5	286354.5	79255	4.034356
0687	036	131006	3.01	94355	245	65	100	3	301	56	393018	298663	RM-4	50	density-lin	200			0.55	655	2.17607975	410	357	360266.5	265911.5	265911.5	0.916667
0738	019	16500	0.38	116000	0	65	100	3	38	38	49500	0	RC-4	350	form-based			true	0.75	405	10.65789509	405	76	404625	288625	0	8.174242
0204	021	27841	0.64	615957	0	85	140	4	90	90	111364	0	C-3-O	300	form-based				0.8	404	4.488888741	404	180	404165.25	0	0	3.629227
4115	003	40843	0.94	0	0	65	100	3	94	94	122529	122529	P70-MU	240	form-based				0.75	400	4.255319118	400	188	400425.75	400425.75	245058	3.268008
3735	017	22205	0.51	161524	0	75	120	3.5	61	61	77718	0	C-3-O(SD)	320	form-based				0.8	399	6.540983677	399	122	398576.25	237052.25	0	5.128493
0236	019	15241	0.35	249759	0	75	120	3.5	42	42	53344	0	C-3-O	350	form-based		true		0.8	398	9.476190567	398	84	398015.25	148256.25	0	7.461294
0277	025	69117	1.59	400598	0	65	100	3	159	159	207351	0	RTO-C	140	form-based		true	true	0.55	398	2.503144741	398	318	398100.4375	0	0	1.919935
1071	001	55008	1.26	33802	0	65	100	3	126	126	165024	131222	NCD-GEAR	240	form-based			true	0.55	398	3.158730268	398	252	397780.8125	363978.8125	296246	2.410442
3763	001	15200	0.35	65150	0	65	100	3	35	35	45600	0	CMUO	350	form-based		true		0.8	398	11.37142849	398	70	397800	332650	26050	8.723684
0743	001	15000	0.34	45000	0	85	140	4	48	48	60000	15000	RC-4	350	form-based		true	true	0.75	397	8.270833015	397	96	396750	351750	75000	6.6125
7295	023	117067	2.69	52085	54	65	100	3	269	215	351201	299116	RTO-C	85	form-based			true	0.55	451	1.676579952	397	397	515094.8125	463009.8125	463009.8125	1.466667
0167	010	89586	2.06	1678	53	65	100	3	206	153	268758	267080	RC-4	275	density-lin	200	true		0.55	448	2.174757242	395	359	800906.125	799228.125	535838	2.980027
0647	004	14593	0.34	3703	0	65	100	3	34	34	43779	40076	RC-4	350	form-based		true	true	0.75	395	11.61764717	395	68	394613.25	390910.25	83855	9.013757
0670	013	14748	0.34	57425	0	85	140	4	48	48	58992	1567	RC-4	350	form-based		true	true	0.75	395	8.229166985	395	96	395427	338002	60559	6.703062
3735	055	21480	0.49	19912	0	75	120	3.5	59	59	75180	55268	C-3-O(SD)	320	form-based		true		0.8	395	6.694915295	395	118	394770	374858	130448	5.250998
4232	014	39896	0.92	0	0	65	100	3	92	92	119688	119688	PPS-MU	240	form-based				0.75	395	4.293478489	395	184	395454	395454	239376	3.30404
0260	016	14411	0.33	108925	0	75	120	3.5	40	40	50438	0	C-3-O	350	form-based		true		0.8	394	9.850000381	394	80	393657.75	284732.75	0	7.804785
0642	036	23432	0.54	6444	47	65	100	3	54	7	70296	63852	RC-4	350	form-based		true	true	0.75	441	8.166666985	394	61	441018	434574	134148	6.273728
3736	111	14500	0.33	75000	0	75	120	3.5	40	40	50750	0	C-3-O(SD)	350	form-based				0.8	394	9.850000381	394	80	394125	319125	26500	7.76601
0643	018	14219	0.33	45220	0	85	140	4	46	46	56876	11656	RC-4	350	form-based		true	true	0.75	393	8.543478012	393	92	392649.75	347429.75	68532	6.903611
3708	096	25771	0.59	379330	0	75	120	3.5	71	71	90198	0	C-3-O(SD)	300	form-based		true		0.8	393	5.535211086	393	142	393297.75	13967.75	0	4.360382
4116	001	98910	2.27	0	0	55	80	2.5	182	182	247275	247275	P70-MU	90	form-based				0.55	393	2.15934062	393	364	392803.5	392803.5	392803.5	1.588529
0646	012	14083	0.32	28154	0	65	100	3	32	32	42249	14095	RC-4	350	form-based		true	true	0.75	392	12.25	392	64	391935.75	363781.75	56344	9.276805
3717	022	25517	0.59	387598	0	85	140	4	83	83	102068	0	C-3-O(SD)	300	form-based		true		0.8	392	4.722891331	392	166	391964.25	4366.25	0	3.840227
0647	014	13907	0.32	51908	0	65	100	3	32	32	41721	0	NC-3	350	form-based			true	0.75	391	12.21875	391	64	391011.75	339103.75	31534	9.372061
7231	003	237201	5.45	81756	0	65	100	3	545	545	711603	629847	RH-1(D)	40	form-based			true	0.55	391	0.717431188	391	391	521842.2188	440086.2188	440086.2188	0.733333
0618	001	13694	0.31	63608	0	65	100	3	31	31	41082	0	RC-4	350	form-based		true	true	0.75	390	12.58064556	390	62	389893.5	326285.5	18556	9.490617
4232	019	38925	0.89	0	0	65	100	3	89	89	116775	116775	PPS-MU	240	form-based				0.75	390	4.382022381	390	178	390356.25	390356.25	233550	3.342807
0646	005	13544	0.31	40199	0	65	100	3	31	31	40632	433	NCD-POLK	350	form-based			true	0.75	389	12.54838753	389	62	389106	348907	41065	9.576344
4167	004	233209	5.35	110530	0	75	120	3.5	642	642	816232	705702	RM-2	65	density-lin	600	true		0.55	389	0.605919003	389	389	769589.6875	659059.6875	659059.6875	0.942857
0330	026	41998	0.96	696431	0	75	120	3.5	115	115	146993	0	C-3-G	225	form-based		true		0.8	388	3.37391305	388	230	388489.5	0	0	2.642912
0622	019	13338	0.31	23846	0	85	140	4	43	43	53352	29506	RC-4	350	form-based			true	0.75	388	9.023255348	388	86	388024.5	364178.5	82858	7.272914
0239	029	13020	0.3	295783	0	65	100	3	30	30	39060	0	C-3-O	350	form-based		true		0.8	386	12.86666679	386	60	386355	90572	0	9.891321
0595	006	12933	0.3	27948	0	85	140	4	42	42	51732	23784	RC-4	350	form-based			true	0.75	386	9.190476418	386	84	385898.25	357950.25	75516	7.459566
7380	025	100357	2.3	20961	0	55	80	2.5	184	184	250892	229931	RTO-C	85	form-based			true	0.55	386	2.097826004	386	368	441570.8125	420609.8125	420609.8125	1.760004
7380	026	100226	2.3	20924	1	55	80	2.5	184	183	250565	229641	RTO-C	85	form-based			true	0.55	386	2.097826004	385	367	440994.4063	420070.4063	420070.4063	1.76
0236	018	12612	0.29	95955	0	75	120	3.5	35	35	44142	0	C-3-O	350	form-based		true		0.8	384	10.97142887	384	70	384213	288258	0	8.704023
0239	030	24083	0.55	401691	0	85	140	4	77	77	96332	0	C-3-O	300	form-based		true		0.8	384	4.987012863	384	154	384435.75	0	0	3.990738
0240	020	35462	0.81	332672	0	65	100	3	81	81	106386	0	C-3-O	250	form-based		true		0.8	384	4.740740776	384	162	384175.5	51503.5	0	3.611147
0618	001B	12485	0.29	49950	0	65	100	3	29	29	37455	0	RC-4	350	form-based			true	0.75	384	13.24137974	384	58	383546.25	333596.25	24960	10.24019
0647	012	12552	0.29	22464	0	65	100	3	29	29	37656	15192	NC-3	350	form-based		true	true	0.75	384	13.24137974	384	58	383898	361434	52848	10.19487

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0598	012	12352	0.28	11929	0	65	100	3	28	28	37056	25127	NCD-POLK	350	form-based			true	0.75	383	13.6785717	383	56	382848	370919	62183	10.33161
4117	003	36917	0.85	0	0	55	80	2.5	68	68	92292	92292	P70-MU	240	form-based				0.75	380	5.588235378	380	136	379814.25	379814.25	184584	4.115354
0269	028	34541	0.79	385000	0	75	120	3.5	95	95	120894	0	C-3-O	250	form-based				0.8	379	3.989473581	379	190	379340.25	0	0	3.137792
4175	027	50102	1.15	505216	0	65	100	3	115	115	150306	0	PPS-MU	240	form-based				0.55	379	3.295652151	379	230	378892.6875	0	0	2.520809
0574	028	15611	0.36	809	24	65	100	3	36	12	46833	46024	NCD-POLK	350	form-based			true	0.75	400	11.11111069	376	48	399957.75	399148.75	92857	8.540084
4232	022	49302	1.13	0	0	55	80	2.5	90	90	123255	123255	PPS-MU	240	form-based				0.55	376	4.177777767	376	180	375812.6875	375812.6875	246510	3.049067
0770	027	224560	5.16	206860	0	65	100	3	516	516	673680	466820	RTO-1	50	density-lim	600	true		0.55	374	0.72480619	374	374	617540	410680	410680	0.916667
3735	010	17550	0.4	48200	0	75	120	3.5	48	48	61425	13225	C-3-O(SD)	320	form-based				0.8	374	7.791666508	374	96	374137.5	325937.5	74650	6.090965
0266	009	27633	0.63	605459	0	85	140	4	88	88	110532	0	C-3-O	275	form-based		true		0.8	373	4.238636494	373	176	373073.25	0	0	3.375251
0599	129	38432	0.88	745	149	85	140	4	123	0	153728	152983	RC-4	350	form-based		true	true	0.75	520	4.227642059	371	97	519768	519023	306711	3.381089
3735	012	16875	0.39	84375	0	75	120	3.5	47	47	59062	0	C-3-O(SD)	320	form-based		true		0.8	371	7.893617153	371	94	370593.75	286218.75	33749	6.274656
0622	020	19662	0.45	10000	51	85	140	4	63	12	78648	68648	RC-4	350	form-based		true	true	0.75	421	6.682539463	370	75	421225.5	411225.5	147296	5.355832
0171	018	83732	1.92	2251	50	65	100	3	192	142	251196	248945	RC-4	275	density-lim	200	true		0.55	419	2.182291746	369	334	778368.1875	776117.1875	500141	3.098649
4115	004	34840	0.8	28518	0	65	100	3	80	80	104520	76002	P70-MU	240	form-based				0.75	369	4.612500191	369	160	368910	340392	180522	3.529564
0316	002	38161	0.88	393285	0	75	120	3.5	106	106	133564	0	C-3-G	225	form-based		true		0.8	368	3.471698046	368	212	368345.25	0	0	2.757818
0773	029	91951	2.11	95915	92	55	80	2.5	169	77	229878	133963	RM-4	50	density-lim	200	true		0.55	460	2.721893549	368	246	252865.25	156950.25	156950.25	1.099998
3750	073	43863	1.01	218645	0	65	100	3	101	101	131589	0	CMUO	200	form-based		true		0.55	368	3.643564463	368	202	368280.75	149635.75	44533	2.79872
0241	027	31859	0.73	403629	0	65	100	3	73	73	95577	0	C-3-O	250	form-based		true		0.8	365	5	365	146	365259.75	0	0	3.821628
4175	026	46475	1.07	0	0	65	100	3	107	107	139425	139425	PPS-MU	240	form-based				0.55	365	3.411215067	365	214	364928.75	364928.75	278850	2.617384
0031	007	113330	2.6	1050	72	65	100	3	260	188	339990	338940	C-2	85	form-based		true	true	0.55	436	1.676923037	364	364	498652	497602	497602	1.466667
0595	162	16141	0.37	1228	39	85	140	4	52	13	64564	63336	NCD-POLK	350	form-based			true	0.75	403	7.75	364	65	402740.25	401512.25	127900	6.237845
3793	005	82157	1.89	61293	233	85	140	4	265	32	328628	267335	SB-DTR	200	form-based		true		0.55	592	2.233962297	359	297	592304.4375	531011.4375	531011.4375	1.802355
2636	001	268820	6.17	70120	86	55	80	2.5	494	408	672050	601930	RM-2	40	form-based			true	0.55	444	0.898785412	358	358	591404	521284	521284	0.88
3735	015	14400	0.33	26080	0	85	140	4	46	46	57600	31520	C-3-S	320	form-based		true		0.8	358	7.782608509	358	92	357600	331520	89120	6.208333
0240	003	18888	0.43	266464	0	65	100	3	43	43	56664	0	C-3-O	300	form-based		true		0.8	357	8.302325249	357	86	357162	90698	0	6.303155
3712	023	18923	0.43	157841	0	85	140	4	60	60	75692	0	C-3-O(SD)	300	form-based		true		0.8	357	5.949999809	357	120	357345.75	199504.75	0	4.72105
0738	045	13170	0.3	1577	32	85	140	4	42	10	52680	51103	RC-4	350	form-based		true	true	0.75	387	9.214285851	355	52	387142.5	385565.5	103783	7.348947
0207	032	55797	1.28	512395	0	65	100	3	128	128	167391	0	C-3-O	200	form-based		true		0.55	353	2.7578125	353	256	352818.4375	0	0	2.10775
0619	051	25662	0.59	702	101	85	140	4	83	0	102648	101946	RC-4	350	form-based		true	true	0.75	453	5.457831383	352	65	452725.5	452023.5	204594	4.410466
7380	038	90723	2.08	58423	0	55	80	2.5	166	166	226808	168385	RTO-C	85	form-based			true	0.55	349	2.102409601	349	332	399181.2188	340758.2188	340758.2188	1.759996
3701	053	44509	1.02	170465	0	85	140	4	143	143	178036	7571	C-3-G	180	form-based		true		0.55	348	2.433566332	348	286	347672.25	177207.25	177207.25	1.95282
3751	157	90432	2.08	428194	0	65	100	3	208	208	271296	0	CMUO	85	form-based		true		0.55	348	1.673076868	348	348	397900.8125	0	0	1.466667
0204	023	16528	0.38	16302	0	85	140	4	53	53	66112	49810	C-3-O	300	form-based				0.8	345	6.509433746	345	106	344772	328470	115922	5.214969
0292	015	27944	0.64	139070	0	75	120	3.5	77	77	97804	0	C-3-O	250	form-based				0.8	345	4.480519295	345	154	344706	205636	56538	3.524457
0766	013	16380	0.38	39166	0	65	100	3	38	38	49140	9974	RC-4	300	form-based		true	true	0.75	344	9.052631378	344	76	343995	304829	59114	7.000305
3508	039	39095	0.9	355120	0	75	120	3.5	108	108	136832	0	C-3-G	200	form-based		true		0.8	343	3.17592597	343	216	343248.75	0	0	2.508542
4232	021	29893	0.69	0	0	65	100	3	69	69	89679	89679	PPS-MU	240	form-based				0.75	343	4.9710145	343	138	342938.25	342938.25	179358	3.824064
3708	059	15500	0.36	476189	0	95	160	4.5	58	58	69750	0	C-3-O(SD)	300	form-based		true		0.8	339	5.844827652	339	116	339375	0	0	4.865592
3750	087	38031	0.87	513478	0	75	120	3.5	104	104	133108	0	C-3-S	200	form-based		true		0.8	338	3.25	338	208	337662.75	0	0	2.536758
0742	009	14817	0.34	24787	0	85	140	4	48	48	59268	34481	RC-4	300	form-based		true	true	0.75	336	7	336	96	335789.25	311002.25	93749	5.665608
4232	023	28492	0.65	0	0	55	80	2.5	52	52	71230	71230	PPS-MU	240	form-based				0.75	336	6.461538315	336	104	335583	335583	142460	4.711259
0241	025	26038	0.6	461138	0	65	100	3	60	60	78114	0	C-3-O	250	form-based				0.8	335	5.583333492	335	120	334699.5	0	0	4.284757
3786	322	26003	0.6	178347	0	85	140	4	84	84	104012	0	CMUO	250	form-based				0.8	335	3.988095284	335	168	334515.75	156168.75	29677	3.216126
3180	770	101089	2.32	0	0	65	100	3	232	232	303267	303267	BR-MU	78	form-based				0.55	334	1.439655185	334	334	389192.6563	389192.6563	389192.6563	1.283333
3741	032	37295	0.86	296075	0	65	100	3	86	86	111885	0	C-3-O(SD)	200	form-based		true		0.8	334	3.883720875	334	172	333798.75	37723.75	0	2.983409
3763	105	37362	0.86	148076	0	65	100	3	86	86	112086	0	CMUO	200	form-based		true		0.8	334	3.883720875	334	172	334150.5	186074.5	76096	2.981197
0258	041	13851	0.32	57747	0	75	120	3.5	38	38	48478	0	C-3-O	300	form-based		true		0.8	331	8.710526466	331	76	330717.75	272970.75	39209	6.822017
3713	006	36740	0.84	434396	0	75	120	3.5	101	101	128590	0	C-3-O(SD)	200	form-based		true		0.8	331	3.27722764	331	202	330885	0	0	2.573178
4232	013	27427	0.63	126008	0	55	80	2.5	50	50	68568	0	PPS-MU	240	form-based				0.75	330	6.599999905	330	100	329991.75	203983.75	11128	4.81262
3776	025	36295	0.83	6048	0	85	140	4	116	116	145180	139132	CMUO	200	form-based		true		0.8	329	2.836206913	329	232	328548.75	322500.75	284312	2.263044
0763	009	13080	0.3	10770	0	65	100	3	30	30	39240	28470	RC-4	300	form-based		true	true	0.75	327	10.89999962	327	60	326670	315900	67710	8.324924
0237	014	12897	0.3	252050	0	85	140	4	42	42	51588	0	C-3-O	300	form-based		true		0.8	326	7.761904716	326	84	325709.25	73659.25	0	6.313663
0595	017	14631	0.34	69929	69	85	140	4	48	0	58524	0	RC-4	350	form-based			true	0.75	395	8.229166985	326	27	394812.75	324883.75	47119	6.746168
3717	001	12798	0.29	215062	0	75	120	3.5	35	35	44793	0	C-3-O(SD)	300	form-based		true		0.8	325	9.285714149	325	70	325189.5	110127.5	0	7.259829
3717	012	12698	0.29	417295	0	75	120	3.5	35	35	44443	0	C-3-O(SD)	300	form-based				0.8	325	9.285714149	325	70	324664.5	0	0	7.305189
4220A	001	194228	4.46	81015	0	65	100	3	446	446	582684	501669	RM-2	65	density-lim	600	true		0.55	324	0.726457417	324	324	640952.4375	559937.4375	559937.4375	1.1
0208	024	34786	0.8	323435	0	65	100	3	80	80	104358	0	C-3-O	200	form-based		true		0.8	321	4.012499809	321	160	320626.5	0	0	3.072371
0288	032	32088	0.74	1668	45	75	120	3.5	89	44	112308	110640	C-3-O	250	form-based		true		0.8	366	4.112359524	321	133	366462	364794	222948	3.263009
3514	022	43894	1.01	228025	0	65	100	3	101	101	131682	0	NCT-3	160	form-based			true	0.55	320	3.168316841	320	202	320443.5	92418.5	35339	2.433465
3740	034	47400	1.09	434078	0	65	100	3	109	109	142200	0	C-3-O(SD)	200	form-based				0.55	320	2.93577981	320	218	320490	0	0	2.253798
4232	017	25588	0.59	0	0	55	80	2.5	47	47	63970	63970	PPS-MU	240	form-based				0.75	320	6.80851078	320	94	320337	320337	127940	5.007613
0311	015	22869	0.52	488882	0	85	140	4	73	73	91476	0	C-3-O	250	form-based		true		0.8	318	4.356164455	318	146	318062.25	0	0	3.477002
3778	047	59206	1.36	27088	0	75	120	3.5	163	163	207221	180133	CMUO	160	form-based		true		0.55	318	1.950920224	318	318	317943.0938	290855.0938	290855.0938	1.534319
3778	002B	18140	0.42	10500	0	65	100	3	42	42	54420	43920	CMUO	270	form-based				0.8	317	7.547618866	317	84	317235	306735	98340	5.829382

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0671	051	12319	0.28	1266	69	65	100	3	28	0	36957	35691	NC-3	350	form-based		true	true	0.75	383	13.6785717	314	0	382674.75	381408.75	72648	10.35459
3765	715	114351	2.63	0	0	65	100	3	263	263	343053	343053	SB-DTR	65	form-based				0.55	314	1.193916321	314	314	377358.3125	377358.3125	377358.3125	1.1
0014	002	112881	2.59	220932	0	85	140	4	363	363	451524	230592	C-2	65	form-based		true	true	0.55	310	0.853994489	310	310	372507.3125	151575.3125	151575.3125	0.825
0023	005	80120	1.84	249352	0	65	100	3	184	184	240360	0	C-2	85	form-based		true	true	0.55	308	1.673913002	308	308	352528	103176	103176	1.466667
0228	039	21001	0.48	483425	0	85	140	4	67	67	84004	0	C-3-O	250	form-based		true		0.8	308	4.597014904	308	134	308255.25	0	0	3.669531
0711	031	61106	1.4	99934	0	65	100	3	140	140	183318	83384	RM-4	240	density-lin	200			0.55	306	2.185714245	306	280	421258.0938	321324.0938	266702	2.297964
1078	032	22699	0.52	0	0	85	140	4	73	73	90796	90796	NC-3	240	form-based			true	0.75	305	4.178081989	305	146	305169.75	305169.75	181592	3.361048
0666	030	44871	1.03	524271	250	65	100	3	103	0	134613	0	RC-4	350	form-based		true	true	0.55	554	5.378640652	304	0	553572.75	29301.75	0	4.112328
3764	064	110331	2.53	0	0	65	100	3	253	253	330993	330993	SB-DTR	65	form-based		true		0.55	303	1.197628498	303	303	364092.3125	364092.3125	364092.3125	1.1
3740	033	31202	0.72	417226	0	65	100	3	72	72	93606	0	C-3-O(SD)	200	form-based		true		0.8	302	4.194444656	302	144	301810.5	0	0	3.224264
3750	079	31038	0.71	0	0	65	100	3	71	71	93114	93114	C-3-S	200	form-based		true		0.8	301	4.239436626	301	142	300949.5	300949.5	186228	3.232054
3786	263	16600	0.38	1472	45	75	120	3.5	46	1	58100	56628	CMUO	300	form-based				0.8	345	7.5	300	47	345150	343678	114728	5.940619
0575	013	21567	0.5	38522	0	65	100	3	50	50	64701	26179	RTO-C	240	form-based		true	true	0.75	299	5.980000019	299	100	299226.75	260704.75	90880	4.624763
0680	003	77466	1.78	16954	0	65	100	3	178	178	232398	215444	NC-2	85	form-based		true	true	0.55	298	1.674157262	298	298	340850.4063	323896.4063	323896.4063	1.466667
0240	016	18730	0.43	173259	0	65	100	3	43	43	56190	0	C-3-O	250	form-based		true		0.8	296	6.883720875	296	86	296332.5	123073.5	0	5.273759
3735	041	18633	0.43	29280	0	75	120	3.5	52	52	65216	35936	C-3-O(SD)	250	form-based				0.8	296	5.692307472	296	104	295823.25	266543.25	101152	4.536053
3749	058	18750	0.43	11402	180	65	100	3	43	0	56250	44848	RH DTR	400	form-based		true		0.8	476	11.069767	296	0	476437.5	465035.5	101098	8.47
0667	047	14554	0.33	1131	100	65	100	3	33	0	43662	42531	RC-4	350	form-based			true	0.75	394	11.939394	294	0	394408.5	393277.5	86193	9.033221
1539	003	76281	1.75	119316	0	85	140	4	245	245	305124	185808	NCD-GEAR	85	form-based		true	true	0.55	294	1.200000048	294	294	335636.4063	216320.4063	216320.4063	1.1
7380	037	75965	1.74	15197	0	65	100	3	174	174	227895	212698	RTO-C	85	form-based			true	0.55	292	1.678160906	292	292	334246	319049	319049	1.466667
3786	035	17723	0.41	14390	0	85	140	4	57	57	70892	56502	CMUO	250	form-based		true		0.8	291	5.105263233	291	114	291045.75	276655.75	127394	4.105481
0245	001	57951	1.33	111954	0	65	100	3	133	133	173853	61899	RM-4	65	density-lin	200	true		0.55	290	2.180451155	290	266	191238.2969	79284.29688	79284.29688	1.1
3702	392	19860	0.46	213553	0	85	140	4	64	64	79440	0	C-3-G	240	form-based		true		0.8	290	4.53125	290	128	290265	76712	0	3.65389
3733	171	31672	0.73	144256	182	85	140	4	102	0	126688	0	C-3-S	340	form-based		true		0.8	472	4.627450943	290	22	472278	328022	109120	3.727883
1078	034	19445	0.45	844	0	85	140	4	63	63	77780	76936	NC-3	240	form-based		true	true	0.75	288	4.571428776	288	126	288086.25	287242.25	154716	3.70386
3736	027	16953	0.39	320256	0	75	120	3.5	47	47	59336	0	C-3-O(SD)	250	form-based				0.8	287	6.106382847	287	94	287003.25	0	0	4.836916
0255	001	57241	1.31	250928	0	65	100	3	131	131	171723	0	RM-4	320	density-lin	200	true		0.55	286	2.183206081	286	262	502377.8438	251449.8438	92518	2.925513
3514	039	51009	1.17	21247	0	65	100	3	117	117	153027	131780	NCT-3	160	form-based		true	true	0.55	286	2.444444418	286	234	286384.6563	265137.6563	265137.6563	1.871465
1071	004	18944	0.43	91200	0	65	100	3	43	43	56832	0	NCD-GEAR	240	form-based		true	true	0.75	285	6.627906799	285	86	285456	194256	22464	5.022804
0255	002	56833	1.3	310000	0	65	100	3	130	130	170499	0	RM-4	320	density-lin	200	true		0.55	284	2.184615374	284	260	500807.0625	190807.0625	30998	2.937302
0642	006	18608	0.43	42324	0	65	100	3	43	43	55824	13500	RTO-C	240	form-based		true	true	0.75	284	6.604650974	284	86	283692	241368	69324	5.0819
0731	018	120192	2.76	260968	16	65	100	3	276	260	360576	99608	RM-3	160	density-lin	400	true		0.55	300	1.086956501	284	284	732739.1875	471771.1875	460184	2.032135
1079	024	18726	0.43	20659	0	85	140	4	60	60	74904	54245	NC-3	240	form-based		true	true	0.75	284	4.733333111	284	120	284311.5	263652.5	129149	3.795678
0059	005	94533	2.17	1238	190	85	140	4	304	114	378132	376894	RC-4	84	density-lin	200	true		0.55	473	1.555921078	283	283	415945.2188	414707.2188	414707.2188	1.1
0292	001	16281	0.37	286182	0	75	120	3.5	44	44	56984	0	C-3-O	250	form-based		true		0.8	283	6.431818008	283	88	283475.25	0	0	4.974647
0750	019	113437	2.6	277273	1	65	100	3	260	259	340311	63038	RM-3	130	density-lin	400	true		0.55	284	1.092307687	283	283	598732.4375	321459.4375	321459.4375	1.759368
7380	010	73394	1.68	58394	0	65	100	3	168	168	220182	161788	RTO-C	85	form-based			true	0.55	283	1.684523821	283	283	322933.5938	264539.5938	264539.5938	1.466667
0240	007	15937	0.37	357700	0	65	100	3	37	37	47811	0	C-3-O	250	form-based		true		0.8	282	7.621621609	282	74	281669.25	0	0	5.891306
0292	001A	16000	0.37	28903	0	75	120	3.5	44	44	56000	27097	C-3-O	250	form-based				0.8	282	6.409090996	282	88	282000	253097	83097	5.035714
2737	COM	170324	3.91	0	0	55	80	2.5	313	313	425810	425810	RH-1	40	form-based		true	true	0.55	281	0.89776355	281	281	374712.8125	374712.8125	374712.8125	0.88
0229	020	15541	0.36	281581	0	85	140	4	50	50	62164	0	C-3-O	250	form-based		true		0.8	280	5.599999905	280	100	279590.25	0	0	4.497623
3536	010	17868	0.41	0	0	85	140	4	57	57	71472	71472	NCT-3	240	form-based		true	true	0.75	280	4.91228056	280	114	279807	279807	142944	3.914918
3283	124	87122	2	1332	56	85	140	4	280	224	348488	347156	NCT-OCEA	85	form-based			true	0.55	335	1.196428537	279	279	383336.8125	382004.8125	382004.8125	1.1
1737	005	72167	1.66	36999	0	65	100	3	166	166	216501	179502	NCD-INNE	85	form-based		true	true	0.55	278	1.67469883	278	278	317534.8125	280535.8125	280535.8125	1.466667
3736	183	38025	0.87	307000	0	75	120	3.5	104	104	133088	0	C-3-O(SD)	150	form-based		true		0.8	278	2.673076868	278	208	277631.25	0	0	2.086073
1078	031	17252	0.4	3998	0	85	140	4	56	56	69008	65010	NC-3	240	form-based		true	true	0.75	277	4.946428776	277	112	276573	272575	134018	4.00784
0313	018	42264	0.97	331356	0	85	140	4	136	136	169056	0	C-3-R	130	form-based		true		0.8	276	2.029411793	276	272	275886	0	0	1.631921
0692	013	17068	0.39	32840	0	65	100	3	39	39	51204	18364	NCD-POLK	240	form-based		true	true	0.75	276	7.076922894	276	78	275607	242767	69568	5.382529
1111	003	54482	1.25	85941	0	65	100	3	125	125	163446	77505	RTO-C	140	form-based		true	true	0.55	276	2.207999945	276	250	275755.6875	189814.6875	189814.6875	1.687136
4175	020	17104	0.39	0	0	65	100	3	39	39	51312	51312	PPS-MU	240	form-based				0.75	276	7.076922894	276	78	275796	275796	102624	5.374883
0107	007	71541	1.64	360713	0	65	100	3	164	164	214623	0	C-2	84	form-base	800	true		0.55	275	1.676829219	275	275	314780.4063	0	0	1.466667
6950	004	44435	1.02	25603	0	85	140	4	143	143	177740	152137	NCT-2	120	form-based		true	true	0.55	275	1.923076868	275	275	275283.75	249680.75	249680.75	1.5488
1078	029	16804	0.39	20729	0	85	140	4	55	55	67216	46487	NC-3	240	form-based			true	0.75	274	4.981818199	274	110	274221	253492	113703	4.079698
3515	037	71107	1.63	382	0	65	100	3	163	163	213321	212939	WMUG	85	form-based			true	0.55	274	1.680981636	274	274	312870.8125	312488.8125	312488.8125	1.466667
3512	008	44006	1.01	216712	0	65	100	3	101	101	132018	0	C-3-G	120	form-based			true	0.55	273	2.702970266	273	202	273031.5	56319.5	47324	2.068138
3777	177	47598	1.09	22322	0	75	120	3.5	131	131	166593	144271	CMUO	160	form-based				0.8	273	2.083969355	273	262	273252.3125	250930.3125	250930.3125	1.640239
3701	065	59700	1.37	342727	0	85	140	4	192	192	238800	0	C-3-G	120	form-based		true		0.55	272	1.416666627	272	272	271845	0	0	1.138379
7380	034	817042	18.76	0	0	65	100	3	1876	1876	2451126	2451126	RH-1(D)	40	density-lin	3000			0.55	272	0.144989341	272	272	1797492.5	1797492.5	1797492.5	0.733333
0307	001	56250	1.29	508714	0	85	140	4	181	181	225000	0	C-3-R	130	form-based		true		0.55	271	1.497237563	271	271	270562.5	0	0	1.2025
0729	048	108548	2.49	61009	0	65	100	3	249	249	325644	264635	RM-3	65	density-lin	400	true		0.55	271	1.088353395	271	271	358208.4063	297199.4063	297199.4063	1.1
2819	051	70373	1.62	15939	0	65	100	3	162	162	211119	195180	RTO-C	85	form-based			true	0.55	271	1.672839522	271	271	309641.2188	293702.2188	293702.2188	1.466667
3717	019	25372	0.58	220000	0	75	120	3.5	70	70	88802	0	C-3-O(SD)	200	form-based		true		0.8	271	3.87142849	271	140	271203	51203	0	3.054019
3786	321	13582	0.31	8475	0	85	140	4	43	43	54328	45853	CMUO	250	form-based		true		0.8	269	6.255814075	269	86	269305.5	260830.5	100181	4.957029
0316	010	19126	0.44	86473	0	75	120	3.5	53	53	66941	0	C-3-G	225	form-based		true		0.8	268	5.056603909	268	106	268411.5	181938.5	47409	4.009673

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7380	040	69618	1.6	70958	0	65	100	3	160	160	208854	137896	RTO-C	85	form-based			true	0.55	268	1.674999952	268	268	306319.2188	235361.2188	235361.2188	1.466667
0311	005	13202	0.3	42104	0	85	140	4	42	42	52808	10704	C-3-O	250	form-based				0.8	267	6.357142925	267	84	267310.5	225206.5	63512	5.061932
0326	011	18906	0.43	574080	0	75	120	3.5	52	52	66171	0	C-3-G	225	form-based		true		0.8	267	5.134615421	267	104	267256.5	0	0	4.038877
3702A	005	15492	0.36	0	0	85	140	4	50	50	61968	61968	C-3-G	240	form-based		true		0.8	267	5.340000153	267	100	267333	267333	123936	4.314049
3750	003	24611	0.56	0	0	65	100	3	56	56	73833	73833	CMUO	200	form-based		true		0.8	267	4.767857075	267	112	267207.75	267207.75	147666	3.619083
3764	063	12998	0.3	16000	0	65	100	3	30	30	38994	22994	RH DTR	250	form-based				0.8	266	8.866666794	266	60	266239.5	250239.5	61988	6.827704
0629	041	33391	0.77	114441	0	65	100	3	77	77	100173	0	RM-1	160	form-based		true	true	0.7	265	3.441558361	265	154	265302.75	150861.75	85905	2.648446
3747	022	35461	0.81	1640	59	75	120	3.5	97	38	124114	122474	RH DTR	200	form-based		true		0.8	324	3.340206146	265	135	324170.25	322530.25	246588	2.611875
3702	307	14792	0.34	309000	0	85	140	4	48	48	59168	0	C-3-G	240	form-based				0.8	264	5.5	264	96	263658	0	0	4.456091
0278	020	37532	0.86	97276	0	65	100	3	86	86	112596	15320	RTO-C	140	form-based		true	true	0.75	263	3.058139563	263	172	263043	165767	127916	2.336166
2540	001	68341	1.57	32692	0	85	140	4	220	220	273364	240672	RTO-C	85	form-based			true	0.55	263	1.195454597	263	263	300700.4063	268008.4063	268008.4063	1.1
3733	079	54246	1.25	255000	0	65	100	3	125	125	162738	0	C-3-S	130	form-based		true		0.55	263	2.104000092	263	250	262847.0938	7847.09375	7847.09375	1.615155
3750	086	23528	0.54	0	0	65	100	3	54	54	70584	70584	MUR	200	form-based		true		0.75	262	4.85185194	262	108	261522	261522	141168	3.705117
0292	002	12000	0.28	30470	0	85	140	4	39	39	48000	17530	C-3-O	250	form-based		true		0.8	261	6.692307472	261	78	261000	230530	65530	5.4375
0738	018	13200	0.3	95303	126	85	140	4	42	0	52800	0	RC-4	350	form-based			true	0.75	387	9.214285851	261	0	387300	291997	10297	7.335227
0628	013	32213	0.74	127189	0	65	100	3	74	74	96639	0	RM-2	160	form-based		true	true	0.7	259	3.5	259	148	259118.25	131929.25	66089	2.681301
3735	065	12933	0.3	668	91	75	120	3.5	36	0	45266	44598	C-3-O(SD)	320	form-based				0.8	350	9.722222328	259	0	349898.25	349230.25	89864	7.729825
3789	518	82966	1.9	1103	336	65	100	3	190	0	248898	247795	SB-DTR	200	form-based		true		0.55	595	3.131578922	259	44	595419.125	594316.125	496693	2.392221
1076	035	13623	0.31	51000	0	65	100	3	31	31	40869	0	NC-3	240	form-based		true	true	0.75	258	8.322580338	258	62	257520.75	206520.75	30738	6.301127
3721	119	34013	0.78	232801	0	95	160	4.5	125	125	153058	0	C-3-O(SD)	150	form-based		true		0.8	257	2.055999994	257	250	256568.25	23767.25	23767.25	1.676281
4175	022	13331	0.31	0	0	65	100	3	31	31	39993	39993	PPS-MU	240	form-based				0.75	256	8.25806427	256	62	255987.75	255987.75	79986	6.400814
0669	011	13200	0.3	39668	0	65	100	3	30	30	39600	0	NCD-POLK	240	form-based		true	true	0.75	255	8.5	255	60	255300	215632	39532	6.44697
0772	022	102094	2.34	21914	0	55	80	2.5	187	187	255235	233321	RM-3	50	density-lin	400	true		0.55	255	1.363636374	255	255	280758.5	258844.5	258844.5	1.1
1099	031	102531	2.35	159580	140	85	140	4	329	189	410124	250544	RTO-C	85	form-based		true	true	0.55	395	1.200607896	255	255	451136.4063	291556.4063	291556.4063	1.1
4120	002	64584	1.48	0	0	65	100	3	148	148	193752	193752	P70-MU	90	form-based				0.55	255	1.722972989	255	255	254648.4063	254648.4063	254648.4063	1.314301
7295	001	35962	0.83	22601	0	85	140	4	116	116	143848	121247	RTO-C	140	form-based		true	true	0.75	255	2.198275805	255	232	254800.5	232199.5	232199.5	1.771318
4114	010	64300	1.48	331684	0	65	100	3	148	148	192900	0	P70-MU	90	form-based				0.55	254	1.716216207	254	254	253555	0	0	1.314438
0293	009	37913	0.87	241918	0	85	140	4	122	122	151652	0	C-3-R	130	form-based		true		0.8	253	2.073770523	253	244	253043.25	11125.25	11125.25	1.668578
1071	003	12839	0.29	3879	0	85	140	4	41	41	51356	47477	NCD-GEAR	240	form-based		true	true	0.75	253	6.170731544	253	82	253404.75	249525.75	98833	4.934278
3720	008	45250	1.04	370128	0	75	120	3.5	125	125	158375	0	C-3-O(SD)	150	form-based		true		0.55	252	2.016000032	252	250	252212.5	0	0	1.592502
3750	089	132271	3.04	419790	419	65	100	3	304	0	396813	0	C-3-O	130	form-based		true		0.55	671	2.207236767	252	189	671243.375	251453.375	251453.375	1.691586
1079	003	12468	0.29	30226	0	85	140	4	41	41	49872	19646	NC-3	240	form-based		true	true	0.75	251	6.121951103	251	82	251457	221231	69518	5.042048
1433	009	35284	0.81	71750	0	85	140	4	113	113	141136	69386	NCD-GEAR	140	form-based		true	true	0.75	251	2.221238852	251	226	251241	179491	179491	1.780134
4232	020	12392	0.28	0	0	65	100	3	28	28	37176	37176	PPS-MU	240	form-based				0.75	251	8.964285851	251	56	251058	251058	74352	6.753228
0253	020	50092	1.15	347204	0	55	80	2.5	92	92	125230	0	RM-4	65	density-lin	200	true		0.55	250	2.717391253	250	184	165303.6094	0	0	1.32
0570	007	12196	0.28	20541	0	65	100	3	28	28	36588	16047	RC-3	240	form-based		true	true	0.75	250	8.928571701	250	56	250029	229488	52635	6.833634
0697	039	95098	2.18	406047	225	85	140	4	305	80	380392	0	RM-4	240	density-lin	200	true		0.55	475	1.5573771	250	250	738127.3125	332080.3125	332080.3125	1.940439
2607	117	90869	2.09	1103	101	55	80	2.5	167	66	227172	226069	RH-3	80	form-based		true	true	0.55	350	2.095808268	249	233	399823.5938	398720.5938	398720.5938	1.760004
3781	003	151151	3.47	149402	0	65	100	3	347	347	453453	304051	UMU	48	form-based		true		0.55	249	0.717579246	249	249	332532.2188	183130.2188	183130.2188	0.733333
4223	001	149134	3.42	59024	0	75	120	3.5	410	410	521969	462945	RM-2	65	density-lin	600	true		0.55	249	0.60731709	249	249	492142.2188	433118.2188	433118.2188	0.942857
0029	007	64437	1.48	198544	0	65	100	3	148	148	193311	0	C-2	85	form-based		true	true	0.55	248	1.675675631	248	248	283522.8125	84978.8125	84978.8125	1.466667
1079	025	34344	0.79	420000	0	85	140	4	111	111	137376	0	NC-3	140	form-based		true	true	0.75	246	2.216216326	246	222	246306	0	0	1.792933
1105	026	63800	1.46	37671	0	65	100	3	146	146	191400	153729	RM-1	85	form-based		true	true	0.55	246	1.684931517	246	246	280720	243049	243049	1.466667
1190	001	63838	1.47	63579	0	55	80	2.5	118	118	159595	96016	RTO-C	85	form-based		true	true	0.55	246	2.084745646	246	236	280887.2188	217308.2188	217308.2188	1.76
3553	052	57615	1.32	36756	0	95	160	4.5	211	211	259268	222512	NCT-MISSI	105	form-based		true		0.55	246	1.165876746	246	246	245817.75	209061.75	209061.75	0.948122
7295	032	89411	2.05	9796	0	65	100	3	205	205	268233	258437	RTO-C	65	form-based			true	0.55	246	1.200000048	246	246	295056.3125	285260.3125	285260.3125	1.1
0647	026	35506	0.82	745	259	65	100	3	82	0	106518	105773	NC-3	350	form-based		true	true	0.75	504	6.146341324	245	0	504406.5	503661.5	212291	4.735411
3180	498	74230	1.7	0	0	65	100	3	170	170	222690	222690	BR-MU	78	form-based				0.55	245	1.441176414	245	245	285785.5	285785.5	285785.5	1.283333
3741	047	20415	0.47	146	0	65	100	3	47	47	61245	61099	C-3-O(SD)	200	form-based		true		0.8	245	5.212766171	245	94	245178.75	245032.75	122344	4.003245
1175	031	98108	2.25	707	134	55	80	2.5	180	46	245270	244563	NC-S	85	form-based		true	true	0.55	378	2.099999905	244	226	431675.2188	430968.2188	430968.2188	1.76
3704	045	29411	0.68	0	0	75	120	3.5	82	82	102938	102938	C-3-G	160	form-based				0.8	244	2.975609779	244	164	244407.75	244407.75	205876	2.37432
2540	004A	63134	1.45	86419	0	65	100	3	145	145	189402	102983	RTO-C	85	form-based		true	true	0.55	243	1.675862074	243	243	277789.5938	191370.5938	191370.5938	1.466667
0295	017	35894	0.82	610645	0	65	100	3	82	82	107682	0	C-3-R	130	form-based		true		0.8	242	2.951219559	242	164	242443.5	0	0	2.251477
4052	003	44752	1.03	0	0	55	80	2.5	82	82	111880	111880	P70-MU	90	form-based				0.55	241	2.939024448	241	164	240948	240948	223760	2.153629
3717	020	19098	0.44	205690	0	75	120	3.5	53	53	66843	0	C-3-O(SD)	200	form-based		true		0.8	238	4.490566254	238	106	238264.5	32574.5	0	3.564539
3717	021	19028	0.44	263039	0	75	120	3.5	53	53	66598	0	C-3-O(SD)	200	form-based				0.8	238	4.490566254	238	106	237897	0	0	3.572134
3725	133	18976	0.44	14	0	75	120	3.5	53	53	66416	66402	C-3-S	200	form-based		true		0.8	238	4.490566254	238	106	237624	237610	132818	3.577813
0028	016	42299	0.97	180570	0	65	100	3	97	97	126897	0	C-2	85	form-based		true	true	0.8	237	2.443299055	237	194	270713.5938	90143.59375	73224	2.133333
0207	033	18771	0.43	0	0	85	140	4	60	60	75084	75084	C-3-O	200	form-based				0.8	237	3.950000048	237	120	236547.75	236547.75	150168	3.150441
0713	034	47374	1.09	35869	0	65	100	3	109	109	142122	106253	RM-4	130	density-lin	200	true		0.55	237	2.174311876	237	218	236389.9063	200520.9063	200520.9063	1.663289
0795	025	107757	2.47	67875	0	55	80	2.5	198	198	269392	201517	RM-2	50	form-based		true	true	0.55	237	1.196969748	237	237	296331.75	228456.75	228456.75	1.100002
3740	001	18882	0.43	114556	0	65	100	3	43	43	56646	0	C-3-O(SD)	200	form-based		true		0.8	237	5.511627674	237	86	237130.5	122574.5	0	4.186182
3767	003	61502	1.41	32069	0	65	100	3	141	141	184506	152437	RH DTR	84	form-based				0.55	237	1.680851102	237	237	270608.8125	238539.8125	238539.8125	1.466667
0335	037	47289	1.09	73236	0	65	100	3	109	109	141867	68631	RC-4	80	density-lin	200	true		0.55	236	2.165137529	236	218	208071.6094	134835.6094	134835.6094	1.466667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0329	005	34543	0.79	285570	0	95	160	4.5	126	126	155444	0	C-3-R	130	form-based		true		0.8	235	1.865079403	235	235	235350.75	0	0	1.514055
0697	037	80864	1.86	201318	169	85	140	4	260	91	323456	122138	RM-4	240	density-lim	200	true		0.55	404	1.553846121	235	235	683326.375	482008.375	445594	2.112579
0709	027	127539	2.93	1050	84	85	140	4	410	326	510156	509106	RM-3	50	density-lim	400	true		0.55	319	0.778048754	235	235	350732.25	349682.25	349682.25	0.6875
0725	029	27497	0.63	66500	0	65	100	3	63	63	82491	15991	NCT-FILLM	160	form-based				0.75	234	3.714285612	234	126	234359.25	167859.25	98482	2.841028
1392	037	141991	3.26	50180	0	55	80	2.5	261	261	354978	304798	RH-1(D)	40	form-based			true	0.55	234	0.896551728	234	234	312380.2188	262200.2188	262200.2188	0.879999
3513	080	27470	0.63	113900	0	65	100	3	63	63	82410	0	NCT-3	160	form-based			true	0.75	234	3.714285612	234	126	234217.5	120317.5	50920	2.8421
3725	093	43237	0.99	178720	0	85	140	4	139	139	172948	0	C-3-S	90	form-based		true		0.8	233	1.676259041	233	233	232994.25	54274.25	54274.25	1.347193
3785	004A	41606	0.96	73100	0	75	120	3.5	115	115	145621	72521	CMUO	85	form-based				0.8	233	2.026087046	233	230	266278.4063	193178.4063	193178.4063	1.828571
4052	012	43143	0.99	980	0	55	80	2.5	79	79	107858	106878	P70-MU	90	form-based				0.75	233	2.949367046	233	158	232500.75	231520.75	214736	2.155619
0171	069	46266	1.06	0	0	65	100	3	106	106	138798	138798	RC-4	84	density-lim	200			0.55	231	2.179245234	231	212	203570.4063	203570.4063	203570.4063	1.466667
3515	040	59890	1.37	39690	0	65	100	3	137	137	179670	139980	WMUG	85	form-based		true	true	0.55	231	1.686131358	231	231	263516	223826	223826	1.466667
0780	034	77613	1.78	78912	158	55	80	2.5	142	0	194032	115120	RM-4	50	density-lim	200	true		0.55	388	2.732394457	230	126	213435.75	134523.75	134523.75	1.100003
0201	012	45423	1.04	0	0	85	140	4	146	146	181692	181692	RC-4	84	density-lim	200	true		0.55	227	1.55479455	227	227	199861.2031	199861.2031	199861.2031	1.1
0204	019	17015	0.39	16775	0	85	140	4	55	55	68060	51285	C-3-O	200	form-based				0.8	227	4.127272606	227	110	227328.75	210553.75	119345	3.340123
0526	021	30692	0.7	54298	0	85	140	4	98	98	122768	68470	RTO-C	140	form-based		true	true	0.75	227	2.316326618	227	196	227133	172835	172835	1.850099
1016	002	59046	1.36	36851	0	55	80	2.5	109	109	147615	110764	RTO-C	85	form-based		true	true	0.55	227	2.082568884	227	218	259802.4063	222951.4063	222951.4063	1.76
4232	018	27735	0.64	0	105	65	100	3	64	0	83205	83205	PPS-MU	240	form-based				0.75	332	5.1875	227	23	331608.75	331608.75	166410	3.985443
0206	008	16775	0.39	159289	0	85	140	4	55	55	67100	0	C-3-O	200	form-based		true		0.8	226	4.109090805	226	110	226068.75	66779.75	0	3.369132
0227	048	16497	0.38	261839	0	65	100	3	38	38	49491	0	C-3-O	200	form-based		true		0.8	225	5.921052456	225	76	224609.25	0	0	4.538386
0707	043	27094	0.62	91300	7	65	100	3	62	55	81282	0	NCT-FILLM	160	form-based		true		0.75	232	3.741935492	225	117	232243.5	140943.5	71264	2.857256
0173	115	40014	0.92	80607	0	65	100	3	92	92	120042	39435	C-2	84	form-base	800	true		0.8	224	2.434782505	224	184	256089.6094	175482.6094	159477	2.133333
3787	031	81472	1.87	255000	0	85	140	4	262	262	325888	70888	CMUO	65	form-based				0.55	224	0.854961812	224	224	268857.5938	13857.59375	13857.59375	0.825
0570	045	13611	0.31	1553	34	65	100	3	31	0	40833	39280	RTO-C	240	form-based			true	0.75	257	8.290322304	223	28	257457.75	255904.75	80113	6.305139
3514	043	25241	0.58	4429	0	65	100	3	58	58	75723	71294	C-3-G	160	form-based		true	true	0.8	223	3.844827652	223	116	222515.25	218086.25	147017	2.938542
3794	025	37813	0.87	323983	0	65	100	3	87	87	113439	0	MUO	105	form-based				0.75	223	2.563218355	223	174	222518.25	0	0	1.961567
3969	001	80078	1.84	185042	0	65	100	3	184	184	240234	55192	UMU	68	form-based		true		0.55	220	1.195652127	220	220	264257.4063	79215.40625	79215.40625	1.1
4116	009	55548	1.28	0	0	55	80	2.5	102	102	138870	138870	P70-MU	90	form-based				0.55	220	2.156862736	220	204	219859.7969	219859.7969	219859.7969	1.583206
0313	017	31440	0.72	263640	0	85	140	4	101	101	125760	0	C-3-R	130	form-based		true		0.8	219	2.168316841	219	202	219060	0	0	1.741889
0328	001	31368	0.72	327339	0	85	140	4	101	101	125472	0	C-3-R	130	form-based		true		0.8	219	2.168316841	219	202	218682	0	0	1.742875
1107	009	204353	4.69	948	118	65	100	3	469	351	613059	612111	RH-2	40	form-based		true	true	0.55	337	0.718550086	219	219	449576.625	448628.625	448628.625	0.733333
3704	240	45758	1.05	368488	0	85	140	4	147	147	183032	0	C-3-G	120	form-based				0.55	218	1.482993245	218	218	218168.2969	0	0	1.191968
3750	600	38089	0.87	1054	120	65	100	3	87	0	114267	113213	C-3-S	200	form-based				0.8	338	3.885057449	218	54	337967.25	336913.25	227480	2.957698
0022	015	38680	0.89	164650	0	85	140	4	125	125	154720	0	C-2	85	form-based			true	0.8	217	1.735999942	217	217	247552	82902	82902	1.6
0208	026	14953	0.34	245733	0	65	100	3	34	34	44859	0	C-3-O	200	form-based		true		0.8	217	6.382352829	217	68	216503.25	0	0	4.826306
0682	010	56491	1.3	581	0	65	100	3	130	130	169473	168892	RTO-C	85	form-based		true	true	0.55	217	1.669230819	217	217	248560.4063	247979.4063	247979.4063	1.466667
0084	010	38631	0.89	145762	0	65	100	3	89	89	115893	0	C-2	84	form-base	800	true		0.8	216	2.42696619	216	178	247238.4063	101476.4063	86024	2.133333
1355	001	130221	2.99	9245	0	55	80	2.5	239	239	325552	316307	RH-1(D)	40	form-based			true	0.55	215	0.899581611	215	215	286486.2188	277241.2188	277241.2188	0.880001
3707	058	32979	0.76	442135	0	75	120	3.5	91	91	115426	0	C-3-O	120	form-based		true		0.8	215	2.362637281	215	182	215139.75	0	0	1.863876
7295	036	78191	1.8	54131	0	65	100	3	180	180	234573	180442	C-2	65	form-based			true	0.55	215	1.194444418	215	215	258030.3125	203899.3125	203899.3125	1.1
0594	008	13232	0.3	28451	41	85	140	4	42	1	52928	24477	RTO-C	240	form-based			true	0.75	255	6.071428776	214	43	255468	227017	77405	4.826708
0732	032	52937	1.22	1407	80	65	100	3	122	42	158811	157404	NCT-FILLM	160	form-based		true		0.55	294	2.409836054	214	164	293807.4375	292400.4375	292400.4375	1.850045
4111	009	53992	1.24	0	0	65	100	3	124	124	161976	161976	P70-MU	90	form-based				0.55	214	1.725806475	214	214	213869.2031	213869.2031	213869.2031	1.320376
1017	028	55322	1.27	114598	0	55	80	2.5	102	102	138305	23707	RTO-C	85	form-based		true	true	0.55	213	2.088235378	213	204	243416.8125	128818.8125	128818.8125	1.76
3785	005	37977	0.87	113436	0	65	100	3	87	87	113931	495	CMUO	85	form-based		true		0.8	213	2.448275805	213	174	243052.7969	129616.7969	114426	2.133333
0742	029	15582	0.36	779	130	85	140	4	50	0	62328	61549	RC-4	300	form-based			true	0.75	340	6.800000191	210	0	339805.5	339026.5	123877	5.451891
3516	019	54559	1.25	248550	0	65	100	3	125	125	163677	0	WMUG	85	form-based		true	true	0.55	210	1.679999948	210	210	240059.6094	0	0	1.466667
3736	006	13650	0.31	100800	0	75	120	3.5	37	37	47775	0	C-3-O(SD)	200	form-based		true		0.8	210	5.675675869	210	74	209662.5	108862.5	0	4.38854
3750	008	13670	0.31	59169	0	65	100	3	31	31	41010	0	CMUO	200	form-based		true		0.8	210	6.774193764	210	62	209767.5	150598.5	22851	5.115033
0206	025	13400	0.31	92985	0	85	140	4	43	43	53600	0	C-3-O	200	form-based		true		0.8	208	4.837209225	208	86	208350	115365	14215	3.887127
3739	015	21241	0.49	57413	0	75	120	3.5	59	59	74344	16931	TB DTR	165	form-based		true		0.8	208	3.525423765	208	118	207515.25	150102.25	91275	2.791284
3799	001	75804	1.74	287649	0	65	100	3	174	174	227412	0	UMU	68	form-based		true		0.55	208	1.195402265	208	208	250153.2031	0	0	1.1
0814	010	13080	0.3	22288	0	75	120	3.5	36	36	45780	23492	C-3-G	200	form-based				0.8	207	5.75	207	72	206670	184382	69272	4.514417
2662	020	125174	2.87	0	0	55	80	2.5	230	230	312935	312935	RH-1(D)	40	form-based		true	true	0.55	207	0.899999976	207	207	275382.8125	275382.8125	275382.8125	0.88
3513	008	22239	0.51	319653	0	65	100	3	51	51	66717	0	C-3-G	160	form-based			true	0.8	207	4.058823586	207	102	206754.75	0	0	3.098982
3701	021	13086	0.3	1192	0	85	140	4	42	42	52344	51152	C-3-G	200	form-based		true		0.8	207	4.928571224	207	84	206701.5	205509.5	103496	3.948905
0564	070	74790	1.72	117200	0	55	80	2.5	138	138	186975	69775	RTO-C	65	form-based		true	true	0.55	206	1.492753625	206	206	246807	129607	129607	1.32
1768	001	53610	1.23	24750	0	65	100	3	123	123	160830	136080	RTO-C	85	form-based		true	true	0.55	206	1.6747967	206	206	235884	211134	211134	1.466667
1768	008	39216	0.9	183158	0	85	140	4	126	126	156864	0	RTO-C	85	form-based		true	true	0.75	206	1.634920597	206	206	235296	52138	52138	1.5
0711	019	105570	2.42	111796	60	65	100	3	242	182	316710	204914	RM-3	80	density-lim	400	true		0.55	264	1.090909123	204	204	464508	352712	352712	1.466667
3745	009	34348	0.79	150000	0	65	100	3	79	79	103044	0	RH DTR	105	form-based		true		0.8	204	2.58227849	204	158	204327	54327	54327	1.98291
3737	042	49693	1.14	1121126	546	75	120	3.5	137	0	173926	0	TB DTR	550	form-based		true		0.55	749	5.467153072	203	0	749318.0625	0	0	4.308258
3514	029	21310	0.49	0	0	65	100	3	49	49	63930	63930	NCT-3	160	form-based		true	true	0.75	202	4.122448921	202	98	201877.5	201877.5	127860	3.15779
4052	008	51005	1.17	0	0	55	80	2.5	94	94	127512	127512	P70-MU	90	form-based				0.55	202	2.148936272	202	188	202369.25	202369.25	202369.25	1.58706
4116	008	50875	1.17	0	0	55	80	2.5	94	94	127188	127188	P70-MU	90	form-based				0.55	202	2.148936272	202	188	201868.75	201868.75	201868.75	1.587168

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1021	038	52286	1.2	182595	0	85	140	4	168	168	209144	26549	RM-1	85	form-based		true	true	0.55	201	1.196428537	201	201	230058.4063	47463.40625	47463.40625	1.1
1865	004	38344	0.88	84786	0	65	100	3	88	88	115032	30246	RTO-C	85	form-based			true	0.75	201	2.284090996	201	176	230064	145278	145278	2
2019	016	52171	1.2	34176	0	55	80	2.5	96	96	130428	96252	NCD-NORI	85	form-based		true	true	0.55	201	2.09375	201	192	229552.4063	195376.4063	195376.4063	1.759993
3722	080	23511	0.54	342574	0	75	120	3.5	65	65	82288	0	C-3-O(SD)	150	form-based		true		0.8	201	3.092307806	201	130	201432.75	0	0	2.447899
3768	015	35889	0.82	51460	0	65	100	3	82	82	107667	56207	RH DTR	84	form-based				0.8	201	2.451219559	201	164	229689.6094	178229.6094	163874	2.133333
3789	028	141815	3.26	433191	417	65	100	3	326	0	425445	0	SB-DTR	105	form-based		true		0.55	618	1.895705581	201	201	617987.75	184796.75	184796.75	1.452568
0250	001	30106	0.69	1	0	65	100	3	69	69	90318	90317	NCD-POLK	120	form-based		true	true	0.75	200	2.898550749	200	138	200056.5	200055.5	180635	2.215024
3504	033	25534	0.59	18600	0	65	100	3	59	59	76602	58002	NCT-3	140	form-based		true	true	0.75	200	3.389830589	200	118	200053.5	181453.5	134604	2.611596
3705	037	21038	0.48	136850	0	85	140	4	67	67	84152	0	C-3-R	160	form-based				0.8	200	2.98507452	200	134	200449.5	63599.5	31454	2.381993
7380	039	83077	1.91	100000	120	65	100	3	191	71	249231	149231	RTO-C	85	form-based		true	true	0.55	320	1.675392628	200	200	365538.8125	265538.8125	265538.8125	1.466667
0506	036	25422	0.58	16371	0	55	80	2.5	46	46	63555	47184	NC-3	140	form-based			true	0.75	199	4.326086998	199	92	199465.5	183094.5	110739	3.138471
0208	028	17722	0.41	242197	33	65	100	3	41	8	53166	0	C-3-O	200	form-based		true		0.8	231	5.634146214	198	49	231040.5	0	0	4.345644
3707	014	22694	0.52	124526	0	75	120	3.5	62	62	79429	0	C-3-O(SD)	150	form-based		true		0.8	197	3.177419424	197	124	197143.5	72617.5	34332	2.482009
1265A	001	112621	2.59	1472	114	85	140	4	363	249	450484	449012	RTO-C	65	form-based			true	0.55	310	0.853994489	196	196	371649.3125	370177.3125	370177.3125	0.825
1401	002	71434	1.64	34253	0	65	100	3	164	164	214302	180049	NC-S	65	form-based		true	true	0.55	196	1.195122004	196	196	235732.2031	201479.2031	201479.2031	1.1
0693	014	13146	0.3	41385	60	65	100	3	30	0	39438	0	RC-4	240	form-based		true	true	0.75	255	8.5	195	0	255016.5	213631.5	37491	6.466263
3714	019	34813	0.8	241634	0	85	140	4	112	112	139252	0	C-2	84	form-base	800	true		0.8	195	1.741071463	195	195	222803.2031	0	0	1.6
3748	390	31434	0.72	293140	348	75	120	3.5	86	0	110019	0	RH DTR	400	form-based				0.8	543	6.3139534	195	0	543028.5	249888.5	0	4.93577
3704	001	28734	0.66	217707	0	85	140	4	92	92	114936	0	C-3-R	120	form-based		true		0.8	193	2.097826004	193	184	192853.5	0	0	1.677921
3733	093	14929	0.34	184	0	85	140	4	48	48	59716	59532	MUR	180	form-based		true		0.75	192	4	192	96	192377.25	192193.25	119248	3.221536
7080	024	36501	0.84	37218	0	85	140	4	118	118	146004	108786	NC-1	85	form-based		true	true	0.75	192	1.627118587	192	192	219006	181788	181788	1.5
0673	012	38173	0.88	141397	0	65	100	3	88	88	114519	0	RM-4	50	density-lin	200			0.75	191	2.170454502	191	176	143148.75	1751.75	1751.75	1.25
0833	003	49539	1.14	159716	0	65	100	3	114	114	148617	0	NCT-HAYE	85	form-based		true		0.55	191	1.675438643	191	191	217971.6094	58255.60938	58255.60938	1.466667
3735	005	21450	0.49	95976	0	75	120	3.5	59	59	75075	0	C-3-O(SD)	150	form-based				0.8	191	3.237288237	191	118	190612.5	94636.5	54174	2.538961
0283	022	18970	0.44	101662	0	65	100	3	44	44	56910	0	C-3-G	160	form-based				0.8	190	4.318181992	190	88	189592.5	87930.5	12158	3.331445
0312	009	25819	0.59	151546	0	85	140	4	83	83	103276	0	C-3-R	130	form-based				0.8	190	2.289156675	190	166	189549.75	38003.75	38003.75	1.835371
1191	038	25864	0.59	52000	0	55	80	2.5	47	47	64660	12660	RTO-C	130	form-based		true	true	0.75	190	4.042553425	190	94	189786	137786	77320	2.935138
3547	001	68960	1.58	210935	0	85	140	4	221	221	275840	64905	UMU	68	form-based		true		0.55	190	0.859728515	190	190	227568	16633	16633	0.825
3722	022	21413	0.49	172178	0	75	120	3.5	59	59	74946	0	C-3-O(SD)	150	form-based		true		0.8	190	3.22033906	190	118	190418.25	18240.25	0	2.540739
0741	012	37812	0.87	21895	0	65	100	3	87	87	113436	91541	RC-4	80	density-lin	200	true		0.75	189	2.172413826	189	174	226872	204977	204977	2
0782	036	113438	2.6	95366	0	55	80	2.5	208	208	283595	188229	RM-2	50	density-lin	600	true		0.55	189	0.908653855	189	189	311954.5	216588.5	216588.5	1.1
3777	050	18880	0.43	46508	0	75	120	3.5	52	52	66080	19572	CMUO	160	form-based				0.8	189	3.634615421	189	104	189120	142612	85652	2.861985
1080	034	23179	0.53	24351	0	85	140	4	74	74	92716	68365	RTO-C	140	form-based			true	0.75	188	2.540540457	188	148	187689.75	163338.75	161081	2.024351
3708	019	20992	0.48	124245	0	75	120	3.5	58	58	73472	0	C-3-O(SD)	150	form-based		true		0.8	188	3.241379261	188	116	188208	63963	22699	2.561629
3747	332	13618	0.31	73296	82	75	120	3.5	37	0	47663	0	RH DTR	250	form-based				0.8	269	7.270270348	187	0	269494.5	196198.5	22030	5.654166
4110	012	67988	1.56	0	0	65	100	3	156	156	203964	203964	P70-MU	65	form-based				0.55	187	1.198717952	187	187	224360.4063	224360.4063	224360.4063	1.1
2892	004	35518	0.82	19744	0	55	80	2.5	66	66	88795	69051	RTO-C	85	form-based		true	true	0.75	186	2.818181753	186	132	213108	193364	157846	2.4
0270	037	25037	0.57	210299	0	75	120	3.5	68	68	87630	0	C-3-R	130	form-based				0.8	185	2.720588207	185	136	185444.25	0	0	2.116219
0498	029	22708	0.52	30412	0	65	100	3	52	52	68124	37712	NC-3	140	form-based			true	0.75	185	3.557692289	185	104	185217	154805	105836	2.718822
0629	064	47276	1.09	3175	87	65	100	3	109	22	141828	138653	RM-1	160	form-based		true	true	0.55	272	2.495412827	185	131	272012.5938	268837.5938	268837.5938	1.917905
0723	043	114725	2.63	850	102	65	100	3	263	161	344175	343325	RM-3	50	density-lin	400	true		0.55	287	1.091254711	185	185	315493.75	314643.75	314643.75	0.916667
1145	002	48125	1.1	83980	0	55	80	2.5	88	88	120312	36332	RTO-C	80	form-based		true	true	0.55	185	2.102272749	185	176	211750	127770	127770	1.760007
4116	003	34175	0.78	0	0	55	80	2.5	62	62	85438	85438	P70-MU	90	form-based				0.75	185	2.983870983	185	124	185418.75	185418.75	170876	2.170214
3767	004	32806	0.75	22311	0	65	100	3	75	75	98418	76107	RH DTR	84	form-based		true		0.8	184	2.453333378	184	150	209958.4063	187647.4063	174525	2.133333
3180	720	55383	1.27	0	0	65	100	3	127	127	166149	166149	BR-MU	78	form-based				0.55	183	1.44094491	183	183	213224.5469	213224.5469	213224.5469	1.283333
3515	019	34942	0.8	19407	0	65	100	3	80	80	104826	85419	WMUG	85	form-based			true	0.75	183	2.287499905	183	160	209652	190245	190245	2
3516	044	34871	0.8	68874	0	65	100	3	80	80	104613	35739	WMUG	85	form-based		true	true	0.75	183	2.287499905	183	160	209226	140352	140352	2
3773	291	110729	2.54	243570	0	85	140	4	356	356	442916	199346	SB-DTR	45	form-based		true		0.55	183	0.51404494	183	183	243603.8125	33.8125	33.8125	0.55
3785	009	34793	0.8	173125	0	65	100	3	80	80	104379	0	MUG	85	form-based				0.75	183	2.287499905	183	160	208758	35633	35633	2
6973	038	47525	1.09	1196	0	85	140	4	153	153	190100	188904	NCT-2	85	form-based				0.55	183	1.19607842	183	183	209110	207914	207914	1.1
0343	031	26606	0.61	182452	0	85	140	4	85	85	106424	0	C-3-G	120	form-based		true		0.8	182	2.141176462	182	170	181681.5	0	0	1.707148
3513	001	34741	0.8	215169	0	65	100	3	80	80	104223	0	NCT-3	85	form-based		true		0.75	182	2.275000095	182	160	208446	0	0	2
3701	060	35856	0.82	202661	120	85	140	4	115	0	143424	0	C-3-G	180	form-based				0.8	302	2.62608695	182	110	302244	99583	84187	2.107346
6901	001A	22085	0.51	31622	0	85	140	4	71	71	88340	56718	NC-1	140	form-based			true	0.75	182	2.563380241	182	142	181946.25	150324.25	145058	2.059613
0681	044	34459	0.79	195791	0	65	100	3	79	79	103377	0	NC-3	85	form-based		true	true	0.75	181	2.291139126	181	158	206754	10963	10963	2
0708	021	64217	1.47	64192	156	85	140	4	206	50	256868	192676	NCT-FILLM	160	form-based		true		0.55	337	1.635922313	181	181	337235.4375	273043.4375	273043.4375	1.312874
1091	032	21857	0.5	21000	0	85	140	4	70	70	87428	66428	NCD-GEAR	140	form-based			true	0.75	181	2.58571434	181	140	180749.25	159749.25	153856	2.067407
4052	011	33357	0.77	0	0	55	80	2.5	62	62	83392	83392	P70-MU	90	form-based				0.75	181	2.919354916	181	124	181124.25	181124.25	166784	2.171962
4110	008A	65712	1.51	2976	0	65	100	3	151	151	197136	194160	P70-MU	65	form-based		true		0.55	181	1.198675513	181	181	216849.6094	213873.6094	213873.6094	1.1
0599	028	14332	0.33	976	81	65	100	3	33	0	42996	42020	RTO-C	240	form-based		true	true	0.75	261	7.909090996	180	0	261243	260267	85016	6.075984
2735	COM	109150	2.51	0	0	55	80	2.5	201	201	272875	272875	RH-1	40	form-based			true	0.55	180	0.895522416	180	180	240130	240130	240130	0.88
0720	037	56408	1.29	113527	103	65	100	3	129	26	169224	55697	RM-4	240	density-lin	200	true		0.55	282	2.1860466	179	155	403170.8125	289643.8125	224921	2.382468
3706	047	16963	0.39	155871	0	85	140	4	55	55	67852	0	C-3-R	160	form-based		true		0.8	179	3.25454545	179	110	179055.75	23184.75	0	2.638916
3786	014B	23829	0.55	114000	0	75	120	3.5	66	66	83402	0	CMUO	130	form-based				0.8	179	2.712121248	179	132	179102.25	65102.25	52804	2.147458

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0285	006	23597	0.54	294416	0	85	140	4	76	76	94388	0	C-3-R	130	form-based				0.8	178	2.34210515	178	152	177884.25	0	0	1.884607
0658	002	33860	0.78	138210	0	65	100	3	78	78	101580	0	RTO-C	85	form-based		true	true	0.75	178	2.282051325	178	156	203160	64950	64950	2
2514	008	30389	0.7	6300	0	85	140	4	98	98	121556	115256	NC-2	100	form-based		true	true	0.75	178	1.816326499	178	178	177542.25	171242.25	171242.25	1.46058
0297	005	23523	0.54	141058	0	65	100	3	54	54	70569	0	C-3-G	130	form-based				0.8	177	3.277777672	177	108	177495.75	36437.75	80	2.515208
0307	013	23459	0.54	475679	0	75	120	3.5	65	65	82106	0	C-3-G	130	form-based				0.8	177	2.72307682	177	130	177159.75	0	0	2.157696
3778	048	16500	0.38	8014	0	65	100	3	38	38	49500	41486	CMUO	160	form-based				0.8	177	4.657894611	177	76	176625	168611	90986	3.568182
3283	195	52330	1.2	24707	26	85	140	4	168	142	209320	184613	NCT-OCEA	85	form-based		true	true	0.55	201	1.196428537	175	175	230252	205545	205545	1.1
7380	032	45500	1.04	21500	0	55	80	2.5	83	83	113750	92250	RTO-C	85	form-based			true	0.55	175	2.108433723	175	166	200200	178700	178700	1.76
6568	034	63350	1.45	73657	0	65	100	3	145	145	190050	116393	NCT-VALEI	65	form-based		true		0.55	174	1.200000048	174	174	209055	135398	135398	1.1
0043	008	88279	2.03	135952	48	65	100	3	203	155	264837	128885	RM-3	40	density-lim	400	true		0.55	221	1.088669896	173	173	194213.7969	58261.79688	58261.79688	0.733333
3180	194	62968	1.45	7733	0	85	140	4	203	203	251872	244139	NCT-OCEA	65	form-based		true		0.55	173	0.852216721	173	173	207794.4063	200061.4063	200061.4063	0.825
3769	002A	30880	0.71	161650	0	65	100	3	71	71	92640	0	RH DTR	84	form-based		true		0.8	173	2.436619759	173	142	197632	35982	23630	2.133333
0012	003A	43083	0.99	6100	0	85	140	4	139	139	172332	166232	C-2	65	form-based		true	true	0.8	172	1.237410069	172	172	206798.4063	200698.4063	200698.4063	1.2
0351	022	30758	0.71	117498	0	95	160	4.5	114	114	138411	20913	C-3-G	80	form-based		true		0.8	172	1.508771896	172	172	196851.2031	79353.20313	79353.20313	1.422222
3707	063	32256	0.74	482781	495	85	140	4	104	0	129024	0	C-3-O	500	form-based		true		0.8	667	6.413461685	172	0	667344	184563	0	5.172247
0295	007	22380	0.51	136000	0	65	100	3	51	51	67140	0	C-3-R	130	form-based		true		0.8	171	3.352941275	171	102	171495	35495	0	2.55429
1035	006	32553	0.75	15516	0	55	80	2.5	60	60	81382	65866	NC-S	85	form-based			true	0.75	171	2.849999905	171	120	195318	179802	147248	2.400015
3535	043	31285	0.72	23751	83	85	140	4	101	18	125140	101389	NCT-3	160	form-based		true	true	0.75	254	2.51485157	171	119	254246.25	230495.25	226529	2.031694
3704	039	15377	0.35	11450	0	75	120	3.5	42	42	53820	42370	C-3-G	160	form-based				0.8	171	4.071428776	171	84	170729.25	159279.25	96190	3.172227
1084	005	19816	0.45	11999	0	85	140	4	63	63	79264	67265	NCD-GEAR	140	form-based			true	0.75	170	2.698412657	170	126	170034	158035	146529	2.14516
3725	078	15183	0.35	19075	0	85	140	4	49	49	60732	41657	C-3-S	160	form-based				0.8	170	3.46938777	170	98	169710.75	150635.75	102389	2.79442
3776	115	31146	0.72	140375	4	65	100	3	72	68	93438	0	CMUO	85	form-based		true		0.8	174	2.416666746	170	140	199334.4063	58959.40625	46501	2.133333
0710	027	112718	2.59	850	113	85	140	4	363	250	450872	450022	RM-3	50	density-lim	400	true		0.55	282	0.776859522	169	169	309974.5	309124.5	309124.5	0.6875
3762	149	15052	0.35	31243	0	65	100	3	35	35	45156	13913	CMUO	160	form-based				0.8	169	4.82857132	169	70	169023	137780	59069	3.743091
0577	018	19428	0.45	15978	0	65	100	3	45	45	58284	42306	RTO-C	140	form-based		true	true	0.75	168	3.733333349	168	90	167997	152019	100590	2.882386
0315	022	21512	0.49	157075	0	85	140	4	69	69	86048	0	C-3-G	130	form-based				0.8	167	2.420289755	167	138	166938	9863	9863	1.940057
1275	059	21419	0.49	146036	0	65	100	3	49	49	64257	0	RH-3	130	form-based		true	true	0.7	166	3.387755156	166	98	166449.75	20413.75	0	2.590375
0737	001	33000	0.76	131130	0	65	100	3	76	76	99000	0	RM-4	80	density-lim	200	true		0.75	165	2.171052694	165	152	198000	66870	66870	2
0755	013	66000	1.52	18462	0	55	80	2.5	122	122	165000	146538	RM-3	65	density-lim	400	true		0.55	165	1.352459073	165	165	217800	199338	199338	1.32
3707	062	16562	0.38	244804	0	95	160	4.5	61	61	74529	0	C-3-O(SD)	150	form-based		true		0.8	165	2.704918146	165	122	164950.5	0	0	2.213239
7535	107	131324	3.01	93428	52	55	80	2.5	241	189	328310	234882	RM-1	40	form-based		true	true	0.55	217	0.900414944	165	165	288912.8125	195484.8125	195484.8125	0.88
3722	071	16337	0.38	135489	0	75	120	3.5	46	46	57180	0	C-3-O(SD)	150	form-based		true		0.8	164	3.565217495	164	92	163769.25	28280.25	0	2.8641
4167	013	99151	2.28	0	0	75	120	3.5	274	274	347028	347028	UMU	40	form-based				0.55	164	0.598540127	164	164	218132.2031	218132.2031	218132.2031	0.628572
3755	056	36133	0.83	72324	0	65	100	3	83	83	108399	36075	NCT-FOLS(	75	form-based		true		0.75	163	1.963855386	163	163	189698.25	117374.25	117374.25	1.75
3783	008	43361	1	215875	0	65	100	3	100	100	130083	0	UMU	68	form-based				0.75	163	1.629999995	163	163	195124.5	0	0	1.5
7546	102	145736	3.35	73548	77	65	100	3	335	258	437208	363660	RH-1	40	form-based		true	true	0.55	240	0.716417909	163	163	320619.2188	247071.2188	247071.2188	0.733333
0022	010	28877	0.66	73000	0	85	140	4	92	92	115508	42508	C-2	85	form-based		true	true	0.8	162	1.760869622	162	162	184812.7969	111812.7969	111812.7969	1.6
0270	039	20631	0.47	535294	0	75	120	3.5	56	56	72208	0	C-3-R	130	form-based		true		0.8	162	2.892857075	162	112	162312.75	0	0	2.24785
0748	032	91948	2.11	67563	68	65	100	3	211	143	275844	208281	RM-3	50	density-lim	400	true		0.55	230	1.090047359	162	162	252857	185294	185294	0.916667
1214	017	98061	2.25	33705	0	55	80	2.5	180	180	245152	211447	RM-2	40	form-based		true	true	0.55	162	0.899999976	162	162	215734.2031	182029.2031	182029.2031	0.880002
3541	010	13733	0.32	5160	0	85	140	4	45	45	54932	49772	NCT-UPPE(	160	form-based		true	true	0.75	162	3.599999905	162	90	162098.25	156938.25	104704	2.950889
3707	051	22800	0.52	219831	0	85	140	4	73	73	91200	0	C-3-O	120	form-based		true		0.8	162	2.2191782	162	146	161700	0	0	1.773026
3732	761	20359	0.47	61418	203	65	100	3	47	0	61077	0	MUR	300	form-based				0.75	365	7.765957355	162	0	364884.75	303466.75	60736	5.974176
3790	001	98045	2.25	236885	0	65	100	3	225	225	294135	57250	SB-DTR	45	form-based		true		0.55	162	0.720000029	162	162	215699	0	0	0.733333
4020	002	43284	0.99	172059	0	65	100	3	99	99	129852	0	UMU	68	form-based		true		0.75	162	1.636363626	162	162	194778	22719	22719	1.5
0571	005	52473	1.2	113305	227	85	140	4	168	0	209892	96587	RC-3	240	form-based		true	true	0.55	388	2.309523821	161	109	388021.0625	274716.0625	274716.0625	1.84867
3739	013	12347	0.28	0	0	75	120	3.5	34	34	43214	43214	TB DTR	165	form-based				0.8	161	4.735294342	161	68	160821.75	160821.75	86428	3.72152
0178	001	55499	1.27	98781	117	65	100	3	127	10	166497	67716	RM-4	85	density-lim	200	true		0.55	277	2.181102276	160	137	244195.6094	145414.6094	145414.6094	1.466667
3776	041	20239	0.46	55616	0	65	100	3	46	46	60717	5101	CMUO	130	form-based		true		0.8	160	3.478260756	160	92	160254.75	104638.75	65818	2.639372
3901	005	58025	1.33	46743	0	65	100	3	133	133	174075	127332	UMU	68	form-based		true		0.55	160	1.20300746	160	160	191482.5	144739.5	144739.5	1.1
0011	008	57997	1.33	198525	0	85	140	4	186	186	231988	33463	C-2	65	form-based		true	true	0.55	159	0.854838729	159	159	191390.1094	0	0	0.825
0567	125	21000	0.48	2000	17	55	80	2.5	38	21	52500	50500	RTO-C	140	form-based			true	0.75	176	4.631578922	159	59	176250	174250	103000	3.357143
1170	034	30370	0.7	71294	0	55	80	2.5	56	56	75925	4631	RTO-C	85	form-based		true	true	0.75	159	2.839285612	159	112	182220	110926	80556	2.4
3785	002	13181	0.3	60900	0	75	120	3.5	36	36	46134	0	CMUO	160	form-based		true		0.8	159	4.416666508	159	72	159200.25	98300.25	31368	3.450823
0229	003	32858	0.75	185851	0	85	140	4	105	105	131432	0	C-3-O	75	form-based		true		0.8	158	1.504761934	158	158	184004.7969	0	0	1.4
0268	001	15189	0.35	15004	0	75	120	3.5	42	42	53162	38158	C-3-O	150	form-based		true		0.8	158	3.761904716	158	84	157742.25	142738.25	91320	2.967199
3180	201	47841	1.1	0	0	65	100	3	110	110	143523	143523	BR-MU	78	form-based				0.55	158	1.436363578	158	158	184187.8594	184187.8594	184187.8594	1.283333
0297	028	19649	0.45	297170	0	65	100	3	45	45	58947	0	C-3-G	130	form-based		true		0.8	157	3.488888979	157	90	157157.25	0	0	2.666077
0451	004	57028	1.31	140158	0	85	140	4	183	183	228112	87954	C-2	65	form-based		true	true	0.55	157	0.857923508	157	157	188192.4063	48034.40625	48034.40625	0.825
0502	005G	17309	0.4	24824	0	65	100	3	40	40	51927	27103	RC-3	140	form-based		true	true	0.75	157	3.924999952	157	80	156872.25	132048.25	79030	3.021015
3751	105	29992	0.69	343341	0	85	140	4	97	97	119968	0	MUR	85	form-based		true		0.75	157	1.618556738	157	157	179952	0	0	1.5
0010	001	56259	1.29	133675	0	65	100	3	129	129	168777	35102	C-2	65	form-based		true	true	0.55	155	1.201550364	155	155	185654.7031	51979.70313	51979.70313	1.1
0011	007	56351	1.29	64000	0	65	100	3	129	129	169053	105053	C-2	65	form-based		true	true	0.55	155	1.201550364	155	155	185958.2969	121958.2969	121958.2969	1.1
3704	021	12344	0.28	60000	0	85	140	4	39	39	49376	0	C-3-G	160	form-based				0.8	155	3.974359035	155	78	154806	94806	38752	3.135248

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3705	039	12365	0.28	105905	0	75	120	3.5	34	34	43278	0	C-3-R	160	form-based		true		0.8	155	4.558823586	155	68	154916.25	49011.25	0	3.579561
3774	067	41256	0.95	248888	0	65	100	3	95	95	123768	0	MUO	65	form-based		true		0.75	155	1.631578922	155	155	185652	0	0	1.5
3786	019A	19243	0.44	12921	0	75	120	3.5	53	53	67350	54429	CMUO	130	form-based				0.8	155	2.92452836	155	106	155025.75	142104.75	121779	2.301793
0503	030	16830	0.39	62520	0	65	100	3	39	39	50490	0	RC-3	140	form-based		true	true	0.75	154	3.948717833	154	78	154357.5	91837.5	38460	3.057189
3750	515	18962	0.44	1162	84	65	100	3	44	0	56886	55724	CMUO	200	form-based				0.8	238	5.409090996	154	4	237550.5	236388.5	112610	4.175904
0285	020	18865	0.43	40010	0	65	100	3	43	43	56595	16585	C-3-R	130	form-based		true		0.8	153	3.558139563	153	86	153041.25	113031.25	73180	2.704148
0296	015	18906	0.43	626	0	65	100	3	43	43	56718	56092	C-3-G	130	form-based		true		0.8	153	3.558139563	153	86	153256.5	152630.5	112810	2.702079
0316	013	18810	0.43	271387	0	85	140	4	60	60	75240	0	C-3-G	130	form-based		true		0.8	153	2.549999952	153	120	152752.5	0	0	2.030203
0317	001	18888	0.43	108390	0	85	140	4	60	60	75552	0	C-3-G	130	form-based		true		0.8	153	2.549999952	153	120	153162	44772	42714	2.02724
3704	018	12047	0.28	23720	0	75	120	3.5	34	34	42164	18444	C-3-G	160	form-based				0.8	153	4.5	153	68	153246.75	129526.75	60608	3.63454
3774	026	40861	0.94	213000	0	65	100	3	94	94	122583	0	MUO	65	form-based				0.75	153	1.627659559	153	153	183874.5	0	0	1.5
0056	002	38058	0.87	61533	0	65	100	3	87	87	114174	52641	C-2	65	form-base	800	true		0.8	152	1.74712646	152	152	182678.4063	121145.4063	121145.4063	1.6
0297	007	18738	0.43	118969	0	65	100	3	43	43	56214	0	C-3-G	130	form-based		true		0.8	152	3.534883738	152	86	152374.5	33405.5	0	2.710615
0654	025	28967	0.66	11775	0	85	140	4	92	92	115868	104093	NCD-UPPE	85	form-based			true	0.75	152	1.652173877	152	152	173802	162027	162027	1.5
3777	051	18636	0.43	51319	0	75	120	3.5	52	52	65226	13907	CMUO	130	form-based				0.8	152	2.923076868	152	104	151839	100520	79133	2.327891
0018	001	37747	0.87	104424	0	85	140	4	122	122	150988	46564	C-2	65	form-based		true	true	0.8	151	1.237704873	151	151	181185.6094	76761.60938	76761.60938	1.2
0018	004	37707	0.87	43366	0	85	140	4	122	122	150828	107462	C-2	65	form-based		true	true	0.8	151	1.237704873	151	151	180993.6094	137627.6094	137627.6094	1.2
0018	005	37812	0.87	69204	0	65	100	3	87	87	113436	44232	C-2	65	form-based		true	true	0.8	151	1.735632181	151	151	181497.6094	112293.6094	112293.6094	1.6
0197	001	37756	0.87	221054	0	65	100	3	87	87	113268	0	C-2	65	form-base	800	true		0.8	151	1.735632181	151	151	181228.7969	0	0	1.6
3510	057	26969	0.62	83000	0	85	140	4	87	87	107876	24876	C-3-G	85	form-based				0.8	151	1.735632181	151	151	172601.6094	89601.60938	89601.60938	1.6
3787	052	42148	0.97	1899	85	85	140	4	136	51	168592	166693	CMUO	85	form-based		true		0.8	236	1.735294104	151	151	269747.2188	267848.2188	267848.2188	1.6
0856	003	30353	0.7	66965	0	65	100	3	70	70	91059	24094	RTO-1	85	form-based		true	true	0.7	149	2.12857151	149	140	169976.7969	103011.7969	103011.7969	1.866667
1650	036	54309	1.25	27725	0	55	80	2.5	100	100	135772	108047	NC-2	65	form-based		true	true	0.55	149	1.49000001	149	149	179219.7031	151494.7031	151494.7031	1.320005
6959	031	89236	2.05	36000	0	65	100	3	205	205	267708	231708	NCD-EXCE	40	density-lim	600			0.55	149	0.72682929	149	149	196319.2031	160319.2031	160319.2031	0.733333
0719	002	29670	0.68	87628	0	85	140	4	95	95	118680	31052	RC-4	130	density-lim	200	true		0.75	148	1.557894707	148	148	209767.5	122139.5	122139.5	1.767505
0700	035	128776	2.96	8091	175	85	140	4	414	239	515104	507013	NCD-JAPAI	50	density-lim	400			0.55	322	0.777777791	147	147	354134	346043	346043	0.6875
3731	094	28079	0.64	158689	0	65	100	3	64	64	84237	0	MUG	85	form-based		true		0.75	147	2.296875	147	128	168474	9785	9785	2
0349	012	19725	0.45	31480	0	75	120	3.5	54	54	69038	37558	C-3-G	120	form-based				0.8	146	2.703703642	146	108	145556.25	114076.25	106596	2.10835
0811	022	19800	0.45	138460	0	75	120	3.5	54	54	69300	0	C-3-G	120	form-based				0.8	146	2.703703642	146	108	145950	7490	140	2.106061
3593	001	38997	0.9	82097	0	65	100	3	90	90	116991	34894	UMU	68	form-based		true		0.75	146	1.622222185	146	146	175486.5	93389.5	93389.5	1.5
3788	042	36581	0.84	185602	0	65	100	3	84	84	109743	0	CMUO	65	form-based		true		0.8	146	1.738095284	146	146	175588.7969	0	0	1.6
0030	001	25854	0.59	135000	0	65	100	3	59	59	77562	0	C-2	85	form-based		true	true	0.8	145	2.457627058	145	118	165465.6094	30465.60938	20124	2.133333
0342	018	19676	0.45	123638	0	85	140	4	63	63	78704	0	C-3-G	120	form-based		true		0.8	145	2.301587343	145	126	145299	21661	21661	1.846145
0834	004	19684	0.45	225310	0	85	140	4	63	63	78736	0	C-3-G	120	form-based		true		0.8	145	2.301587343	145	126	145341	0	0	1.845928
1051	013	27500	0.63	55300	0	65	100	3	63	63	82500	27200	NC-3	85	form-based			true	0.75	144	2.285714388	144	126	165000	109700	109700	2
3722	007	12520	0.29	70079	0	75	120	3.5	35	35	43820	0	C-3-O(SD)	150	form-based		true		0.8	144	4.114285946	144	70	143730	73651	17561	3.280009
0057	001	86778	1.99	142968	0	85	140	4	279	279	347112	204144	C-2	40	form-base	800	true		0.55	143	0.512544811	143	143	190911.6094	47943.60938	47943.60938	0.55
2348	013	14580	0.33	4591	0	85	140	4	46	46	58320	53729	NCD-TARA	140	form-based		true	true	0.75	143	3.108695745	143	92	142545	137954	112049	2.444187
3707	035	12300	0.28	100004	0	75	120	3.5	34	34	43050	0	C-3-O(SD)	150	form-based		true		0.8	143	4.205882549	143	68	142575	42571	0	3.311847
3794	010	22745	0.52	136950	0	85	140	4	73	73	90980	0	MUO	105	form-based				0.75	143	1.958904147	143	143	143411.25	6461.25	6461.25	1.576294
1448	045	27070	0.62	96000	0	85	140	4	87	87	108280	12280	NCD-GEAR	85	form-based		true	true	0.75	142	1.632183909	142	142	162420	66420	66420	1.5
3780	072	37946	0.87	130995	0	65	100	3	87	87	113838	0	UMU	68	form-based				0.75	142	1.632183909	142	142	170757	39762	39762	1.5
0328	002	16607	0.38	74479	0	85	140	4	53	53	66428	0	C-3-R	130	form-based				0.8	141	2.660377264	141	106	141186.75	66707.75	58377	2.12541
0349	003	18906	0.43	41069	0	75	120	3.5	52	52	66171	25102	C-3-G	120	form-based		true		0.8	141	2.711538553	141	104	141256.5	100187.5	91273	2.134719
1455	018	26892	0.62	18177	0	65	100	3	62	62	80676	62499	NCD-GEAR	85	form-based		true	true	0.75	141	2.274193525	141	124	161352	143175	143175	2
0747	001	113438	2.6	132406	144	65	100	3	260	116	340314	207908	RM-3	50	density-lim	400	true		0.55	284	1.092307687	140	140	311954.5	179548.5	179548.5	0.916667
0749	019	16481	0.38	24599	1	65	100	3	38	37	49443	24844	NCT-FILLM	130	form-based		true		0.75	141	3.710526228	140	75	140525.25	115926.25	74287	2.842167
1061	018	14000	0.32	19200	0	85	140	4	45	45	56000	36800	NCD-GEAR	140	form-based		true	true	0.75	140	3.111111164	140	90	139500	120300	92800	2.491071
1144	001B	84826	1.95	74268	0	55	80	2.5	156	156	212065	137797	RH-2	40	form-based		true	true	0.55	140	0.897435904	140	140	186617.2031	112349.2031	112349.2031	0.88
3733	110	21547	0.49	1566	27	65	100	3	49	22	64641	63075	C-3-S	130	form-based		true		0.8	167	3.408163309	140	71	167121.75	165555.75	127716	2.585383
3786	015	16384	0.38	49920	0	75	120	3.5	46	46	57344	7424	CMUO	130	form-based				0.8	140	3.043478251	140	92	140016	90096	64768	2.441685
2515	004	33763	0.78	906	56	85	140	4	109	53	135052	134146	NC-2	100	form-based		true	true	0.75	195	1.788990855	139	139	195255.75	194349.75	194349.75	1.445782
3560	031	18462	0.42	20456	0	85	140	4	59	59	73848	53392	NCT-UPPE	120	form-based			true	0.75	139	2.355932236	139	118	138925.5	118469.5	118469.5	1.881236
3777	048	16166	0.37	32000	0	65	100	3	37	37	48498	16498	MUG	130	form-based				0.75	139	3.756756783	139	74	138871.5	106871.5	64996	2.863448
3901	004	50448	1.16	0	0	65	100	3	116	116	151344	151344	UMU	68	form-based				0.55	139	1.198275805	139	139	166478.4063	166478.4063	166478.4063	1.1
0288	027	16065	0.37	108432	0	75	120	3.5	44	44	56228	0	C-3-O	130	form-based				0.8	138	3.136363745	138	88	138341.25	29909.25	4024	2.460362
0295	008	15976	0.37	232984	0	65	100	3	37	37	47928	0	C-3-R	130	form-based		true		0.8	138	3.729729652	138	74	137874	0	0	2.87669
1052	025	13750	0.32	250000	0	65	100	3	32	32	41250	0	NC-3	140	form-based		true	true	0.75	138	4.3125	138	64	138187.5	0	0	3.35
3774	241	72899	1.67	1514	191	65	100	3	167	0	218697	217183	SB-DTR	105	form-based		true		0.55	329	1.970059872	138	138	328661.1563	327147.1563	327147.1563	1.502815
3774	025	36756	0.84	104000	0	65	100	3	84	84	110268	6268	MUO	65	form-based				0.75	138	1.642857194	138	138	165402	61402	61402	1.5
0223	008	38510	0.88	128820	56	65	100	3	88	32	115530	0	RM-4	65	density-lim	200	true		0.75	193	2.193181753	137	120	173295	44475	44475	1.5
0684	045	83435	1.92	79716	72	65	100	3	192	120	250305	170589	RM-3	50	density-lim	400	true		0.55	209	1.088541627	137	137	229446.25	149730.25	149730.25	0.916667
3517	013	36463	0.84	75169	0	65	100	3	84	84	109389	34220	RCD	65	form-based		true		0.75	137	1.630952358	137	137	164083.5	88914.5	88914.5	1.5
3728	089	36629	0.84	118400	0	85	140	4	118	118	146516	28116	MUO	65	form-based				0.75	137	1.161016941	137	137	164830.5	46430.5	46430.5	1.125

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3749	059	15000	0.34	471334	320	65	100	3	34	0	45000	0	RH DTR	400	form-based				0.8	457	13.44117641	137	0	456750	0	0	10.15
0855	010	13247	0.3	25108	0	65	100	3	30	30	39741	14633	NCT-3	140	form-based			true	0.75	136	4.533333302	136	60	135546.75	110438.75	54374	3.410753
4114	008	24692	0.57	0	0	65	100	3	57	57	74076	74076	P70-MU	90	form-based				0.75	136	2.38596487	136	114	135633	135633	135633	1.830998
6635	055	81685	1.88	32386	0	85	140	4	263	263	326740	294354	NCD-MISS	40	density-lim	600			0.55	136	0.517110288	136	136	179707	147321	147321	0.55
0215	001	32952	0.76	1840	128	55	80	2.5	61	0	82380	80540	RM-4	160	form-based		true	true	0.75	263	4.311475277	135	0	262998	261158	162920	3.192498
0287	009	15463	0.35	127289	0	85	140	4	49	49	61852	0	C-3-R	130	form-based		true		0.8	135	2.755102158	135	98	135180.75	7891.75	0	2.185552
0307	009	15455	0.35	39936	0	75	120	3.5	42	42	54092	14156	C-3-G	130	form-based		true		0.8	135	3.214285612	135	84	135138.75	95202.75	68248	2.498313
0315	011	15489	0.36	47585	0	75	120	3.5	43	43	54212	6627	C-3-G	130	form-based				0.8	135	3.13953495	135	86	135317.25	87732.25	60839	2.496076
1441	035	25667	0.59	82503	0	85	140	4	83	83	102668	20165	NCD-GEAR	85	form-based		true	true	0.75	135	1.626505971	135	135	154002	71499	71499	1.5
2643A	025	82091	1.88	0	0	55	80	2.5	150	150	205228	205228	RH-1	40	form-based			true	0.55	135	0.899999976	135	135	180600.2031	180600.2031	180600.2031	0.879998
4113	001	24536	0.56	0	0	65	100	3	56	56	73608	73608	P70-MU	90	form-based				0.75	135	2.410714388	135	112	134814	134814	134814	1.831513
4114	007	24552	0.56	0	0	65	100	3	56	56	73656	73656	P70-MU	90	form-based				0.75	135	2.410714388	135	112	134898	134898	134898	1.83146
7295	014	36056	0.83	20106	0	65	100	3	83	83	108168	88062	RTO-C	65	form-based			true	0.75	135	1.626505971	135	135	162252	142146	142146	1.5
0056	007	48590	1.12	225209	0	65	100	3	112	112	145770	0	C-2	65	form-base	800	true		0.55	134	1.196428537	134	134	160347	0	0	1.1
0197	002	33537	0.77	569314	0	65	100	3	77	77	100611	0	C-2	65	form-base	800	true		0.8	134	1.740259767	134	134	160977.6094	0	0	1.6
0296	006	15250	0.35	61807	0	65	100	3	35	35	45750	0	C-3-R	130	form-based		true		0.8	134	3.82857132	134	70	134062.5	72255.5	29693	2.930328
0637	011	25506	0.59	102285	0	65	100	3	59	59	76518	0	RTO-C	85	form-based		true	true	0.75	134	2.271186352	134	118	153036	50751	50751	2
0834	027	17580	0.4	73000	0	65	100	3	40	40	52740	0	C-3-G	120	form-based				0.8	134	3.349999905	134	80	134295	61295	32480	2.54636
3180	215	29794	0.68	0	0	65	100	3	68	68	89382	89382	BR-MU	78	form-based				0.75	134	1.970588207	134	134	156418.5	156418.5	156418.5	1.75
3517	041	48638	1.12	28650	0	65	100	3	112	112	145914	117264	RCD	65	form-based				0.55	134	1.196428537	134	134	160505.4063	131855.4063	131855.4063	1.1
3707	064	17865	0.41	1086	218	75	120	3.5	49	0	62528	61442	C-3-O(SD)	300	form-based		true		0.8	352	7.183673382	134	0	351791.25	350705.25	123970	5.62614
3777	049	15327	0.35	16490	0	65	100	3	35	35	45981	29491	MUG	130	form-based				0.75	134	3.82857132	134	70	134466.75	117976.75	75472	2.924398
3780	007A	35605	0.82	147826	0	65	100	3	82	82	106815	0	UMU	68	form-based		true		0.75	134	1.634146333	134	134	160222.5	12396.5	12396.5	1.5
0085	048	23664	0.54	66732	0	65	100	3	54	54	70992	4260	C-2	84	form-base	800	true		0.8	133	2.462962866	133	108	151449.6094	84717.60938	75252	2.133333
0282	022	26654	0.61	130934	0	65	100	3	61	61	79962	0	RC-4	80	density-lim	200			0.75	133	2.180327892	133	122	159924	28990	28990	2
0707	017	15125	0.35	9378	0	65	100	3	35	35	45375	35997	NCT-FILLM	130	form-based		true		0.75	133	3.799999952	133	70	133406.25	124028.25	81372	2.940083
3787	151	33298	0.76	36990	0	75	120	3.5	91	91	116543	79553	CMUO	65	form-based				0.8	133	1.461538434	133	133	159830.4063	122840.4063	122840.4063	1.371429
6745	072	15674	0.36	8493	15	75	120	3.5	43	28	54859	46366	NCT-GLEN	140	form-based		true	true	0.75	148	3.441860437	133	71	148288.5	139795.5	101225	2.703084
0278	019	12479	0.29	51587	0	65	100	3	29	29	37437	0	RTO-C	140	form-based			true	0.75	132	4.551723957	132	58	131514.75	79927.75	23287	3.512962
0855	053	12544	0.29	1001	0	65	100	3	29	29	37632	36631	NCT-HAYE	140	form-based			true	0.75	132	4.551723957	132	58	131856	130855	74263	3.503827
1605	001	35327	0.81	24003	0	55	80	2.5	65	65	88318	64315	RTO-C	65	form-based		true	true	0.75	132	2.030769348	132	130	158971.5	134968.5	134968.5	1.79999
1732	022	12500	0.29	1996	0	65	100	3	29	29	37500	35504	NCD-INNE	140	form-based		true	true	0.75	132	4.551723957	132	58	131625	129629	73004	3.51
3257	017	25190	0.58	14418	0	85	140	4	81	81	100760	86342	RTO-C	85	form-based		true	true	0.75	132	1.629629612	132	132	151140	136722	136722	1.5
3789	007	35088	0.81	171187	0	65	100	3	81	81	105264	0	MUO	65	form-based				0.75	132	1.629629612	132	132	157896	0	0	1.5
3979	001	79699	1.83	176000	0	65	100	3	183	183	239097	63097	UMU	48	form-based		true		0.55	132	0.72131145	132	132	175337.7969	0	0	0.733333
0293	006	14736	0.34	117435	0	85	140	4	48	48	58944	0	C-3-R	130	form-based		true		0.8	131	2.729166746	131	96	131364	13929	453	2.228624
0316	001A	14750	0.34	62776	0	75	120	3.5	41	41	51625	0	C-3-G	130	form-based				0.8	131	3.195122004	131	82	131437.5	68661.5	40474	2.546005
0278	008	16706	0.38	37812	0	65	100	3	38	38	50118	12306	NCD-POLK	120	form-based		true	true	0.75	130	3.421052694	130	76	129706.5	91894.5	62424	2.588022
0316	018A	14490	0.33	29641	0	75	120	3.5	40	40	50715	21074	C-3-G	130	form-based				0.8	130	3.25	130	80	130072.5	100431.5	71789	2.564774
0446	002	78906	1.81	40212	0	55	80	2.5	145	145	197265	157053	NC-S	40	form-based		true	true	0.55	130	0.896551728	130	130	173593.2031	133381.2031	133381.2031	0.88
0674	001	25967	0.6	31914	0	65	100	3	60	60	77901	45987	RM-4	50	density-lim	200	true		0.75	130	2.166666746	130	120	97376.25	65462.25	65462.25	1.25
3704	068	16692	0.38	97512	0	85	140	4	53	53	66768	0	C-3-G	120	form-based				0.8	130	2.452830076	130	106	129633	32121	32121	1.941544
0761	001	16500	0.38	60203	0	65	100	3	38	38	49500	0	NCT-3	120	form-based		true		0.75	129	3.394736767	129	76	128625	68422	38797	2.598485
1051	037	24549	0.56	115005	0	65	100	3	56	56	73647	0	NC-3	85	form-based			true	0.75	129	2.303571463	129	112	147294	32289	32289	2
1129	039	30997	0.71	1243	34	65	100	3	71	37	92991	91748	NCT-DIVIS	85	form-based		true	true	0.75	163	2.295774698	129	108	185982	184739	184739	2
6972	019	24496	0.56	20720	0	85	140	4	78	78	97984	77264	RTO-C	85	form-based		true	true	0.75	129	1.653846145	129	129	146976	126256	126256	1.5
4044	052	34167	0.78	40000	0	65	100	3	78	78	102501	62501	UMU	68	form-based		true		0.75	128	1.641025662	128	128	153751.5	113751.5	113751.5	1.5
0312	008	13931	0.32	132356	0	75	120	3.5	38	38	48758	0	C-3-R	130	form-based		true		0.8	127	3.34210515	127	76	127137.75	0	0	2.607526
3520	004	33854	0.78	33436	0	65	100	3	78	78	101562	68126	RCD	65	form-based				0.75	127	1.62820518	127	127	152343	118907	118907	1.5
6575	005	190554	4.37	248303	0	65	100	3	437	437	571662	323359	RH-2	145	density-lim	1500	true		0.55	127	0.290617853	127	127	949632.875	701329.875	701329.875	1.661179
0295	010	13721	0.31	81123	0	65	100	3	31	31	41163	0	C-3-R	130	form-based				0.8	126	4.064516068	126	62	126035.25	44912.25	1203	3.061858
3520	051	33535	0.77	55251	0	55	80	2.5	62	62	83838	28587	WMUG	65	form-based				0.75	126	2.032258034	126	124	150907.5	95656.5	95656.5	1.799989
3534	057	16091	0.37	10500	0	85	140	4	52	52	64364	53864	NCT-3	120	form-based		true	true	0.75	126	2.423076868	126	104	126477.75	115977.75	115977.75	1.965039
3768	016	22472	0.52	57131	0	65	100	3	52	52	67416	10285	RH DTR	84	form-based		true		0.8	126	2.423076868	126	104	143820.7969	86689.79688	77701	2.133333
3747	320	36931	0.85	370694	447	65	100	3	85	0	110793	0	RH DTR	400	form-based		true		0.8	572	6.729411602	125	0	571887.75	201193.75	0	5.161768
4022	029	45491	1.04	199678	0	65	100	3	104	104	136473	0	UMU	68	form-based		true		0.55	125	1.201923132	125	125	150120.2969	0	0	1.1
4285B	004	74776	1.72	0	0	65	100	3	172	172	224328	224328	RM-2	65	density-lim	600	true		0.55	125	0.726744175	125	125	246760.8125	246760.8125	246760.8125	1.1
0108	007	75298	1.73	215359	0	65	100	3	173	173	225894	10535	C-2	40	form-base	800	true		0.55	124	0.71676302	124	124	165655.6094	0	0	0.733333
0270	007	13365	0.31	42652	0	75	120	3.5	37	37	46778	4126	C-3-O	130	form-based		true		0.8	124	3.351351261	124	74	124166.25	81514.25	50904	2.654373
0317	002	13263	0.3	26524	0	85	140	4	42	42	53052	26528	C-3-G	130	form-based				0.8	124	2.952380896	124	84	123630.75	97106.75	79580	2.330369
2876	COM	75017	1.72	0	0	55	80	2.5	138	138	187542	187542	RH-1(D)	40	form-based			true	0.55	124	0.898550749	124	124	165037.4063	165037.4063	165037.4063	0.880002
3787	024	30925	0.71	96445	0	75	120	3.5	85	85	108238	11793	CMUO	65	form-based		true		0.8	124	1.458823562	124	124	148440	51995	51995	1.371422
4083	002	41497	0.95	56160	0	55	80	2.5	76	76	103742	47582	UMU	58	form-based		true		0.75	124	1.631578922	124	124	155613.75	99453.75	99453.75	1.500007
4112	002	22400	0.51	0	0	65	100	3	51	51	67200	67200	P70-MU	90	form-based				0.75	124	2.431372643	124	102	123600	123600	123600	1.839286

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0309	028	13209	0.3	90210	0	75	120	3.5	36	36	46232	0	C-3-R	130	form-based		true		0.8	123	3.416666746	123	72	123347.25	33137.25	2254	2.668006
0761	066	15366	0.35	0	0	65	100	3	35	35	46098	46098	NCT-3	120	form-based		true		0.75	123	3.514285803	123	70	122671.5	122671.5	92196	2.661103
3776	455	21920	0.5	0	0	75	120	3.5	60	60	76720	76720	CMUO	85	form-based		true		0.8	123	2.049999952	123	120	140288	140288	140288	1.828571
3559	002	21346	0.49	54945	32	85	140	4	69	37	85384	30439	NCT-UPPE	120	form-based			true	0.75	154	2.231884003	122	106	154066.5	99121.5	99121.5	1.804395
3754	067	23298	0.53	5399	0	65	100	3	53	53	69894	64495	MUG	85	form-based		true		0.75	122	2.301886797	122	106	139788	134389	134389	2
3777	042	12892	0.3	24000	0	75	120	3.5	36	36	45122	21122	MUG	130	form-based				0.75	122	3.388888836	122	72	121683	97683	66244	2.696755
3777	047	12956	0.3	38400	0	65	100	3	30	30	38868	468	MUG	130	form-based		true		0.75	122	4.066666603	122	60	122019	83619	39336	3.139318
3901	003	44214	1.02	0	0	65	100	3	102	102	132642	132642	UMU	68	form-based		true		0.55	122	1.19607842	122	122	145906.2031	145906.2031	145906.2031	1.1
0565	060	43940	1.01	85350	0	55	80	2.5	81	81	109850	24500	RTO-C	65	form-based			true	0.55	121	1.493827105	121	121	145002	59652	59652	1.32
3637	069	44114	1.01	90669	0	85	140	4	141	141	176456	85787	NCT-MISSI	65	form-based		true		0.55	121	0.858156025	121	121	145576.2031	54907.20313	54907.20313	0.825
3768	090	29797	0.68	1012	46	65	100	3	68	22	89391	88379	RH DTR	84	form-based		true		0.8	167	2.455882311	121	90	190700.7969	189688.7969	177770	2.133333
3783	007	32321	0.74	82862	0	65	100	3	74	74	96963	14101	UMU	68	form-based		true		0.75	121	1.635135174	121	121	145444.5	62582.5	62582.5	1.5
4285B	003	72412	1.66	0	0	65	100	3	166	166	217236	217236	RM-2	65	density-lim	600	true		0.55	121	0.728915691	121	121	238959.6094	238959.6094	238959.6094	1.1
7544	COM	73112	1.68	0	0	65	100	3	168	168	219336	219336	RM-1	40	form-based		true	true	0.55	121	0.72023809	121	121	160846.4063	160846.4063	160846.4063	0.733333
0296	009	12478	0.29	162214	0	65	100	3	29	29	37434	0	C-3-G	130	form-based				0.8	120	4.13793087	120	58	119509.5	0	0	3.192539
0298	033	12514	0.29	16395	0	65	100	3	29	29	37542	21147	C-3-G	130	form-based				0.8	120	4.13793087	120	58	119698.5	103303.5	58689	3.188389
0575	015	23960	0.55	20100	0	85	140	4	77	77	95840	75740	RC-4	80	density-lim	200	true		0.75	120	1.55844152	120	120	143760	123660	123660	1.5
0707	001	12492	0.29	48970	0	85	140	4	41	41	49968	998	NCT-FILLM	130	form-based		true		0.75	120	2.926829338	120	82	119583	70613	50966	2.393192
1149	046	45100	1.04	15673	4	55	80	2.5	83	79	112750	97077	RTO-C	65	form-based		true	true	0.55	124	1.493975878	120	120	148830	133157	133157	1.32
4052	009	21717	0.5	19756	0	55	80	2.5	40	40	54292	34536	P70-MU	90	form-based				0.75	120	3	120	80	120014.25	100258.25	88828	2.210533
0737	016	23700	0.54	79000	0	65	100	3	54	54	71100	0	RM-4	80	density-lim	200			0.75	119	2.203703642	119	108	142200	63200	63200	2
3510	049	21280	0.49	63852	0	85	140	4	69	69	85120	21268	C-3-G	85	form-based		true		0.8	119	1.724637628	119	119	136192	72340	72340	1.6
3702	820	14628	0.34	169109	0	85	140	4	48	48	58512	0	C-3-G	120	form-based				0.8	119	2.479166746	119	96	118797	0	0	2.030302
7533	COM	71890	1.65	0	0	65	100	3	165	165	215670	215670	RM-1	40	form-based		true	true	0.55	119	0.721212149	119	119	158158	158158	158158	0.733333
0294	009	12184	0.28	38475	0	65	100	3	28	28	36552	0	C-3-R	130	form-based				0.8	118	4.214285851	118	56	117966	79491	34629	3.227347
0310	021	12267	0.28	66964	0	85	140	4	39	39	49068	0	C-3-R	130	form-based				0.8	118	3.025640965	118	78	118401.75	51437.75	31172	2.413013
1517	037	22403	0.51	12360	0	85	140	4	71	71	89612	77252	NCD-GEAR	85	form-based		true	true	0.75	118	1.661971807	118	118	134418	122058	122058	1.5
3513	083	43359	1	904	110	65	100	3	100	0	130077	129173	NCT-3	85	form-based		true		0.75	228	2.279999971	118	90	260154	259250	259250	2
3706	062	14469	0.33	92951	0	85	140	4	46	46	57876	0	C-3-R	120	form-based				0.8	118	2.565217495	118	92	117962.25	25011.25	22801	2.038189
3780	006	31528	0.72	112470	0	65	100	3	72	72	94584	0	UMU	68	form-based				0.75	118	1.638888836	118	118	141876	29406	29406	1.5
3786	027	12161	0.28	33770	0	75	120	3.5	34	34	42564	8794	CMUO	130	form-based				0.8	118	3.470588207	118	68	117845.25	84075.25	51358	2.76866
3786	104	22427	0.51	912	54	75	120	3.5	61	7	78494	77582	CMUO	130	form-based		true		0.8	172	2.819672108	118	68	171741.75	170829.75	156076	2.18796
3997	004	39448	0.91	36600	0	65	100	3	91	91	118344	81744	UMU	58	form-based		true		0.75	118	1.296703339	118	118	147930	111330	111330	1.25
0283	004A	12768	0.29	51085	4	65	100	3	29	25	38304	0	C-3-G	130	form-based				0.8	121	4.172413826	117	54	121032	69947	25523	3.159775
0796	004	102094	2.34	128285	108	55	80	2.5	187	79	255235	126950	RH-3	50	form-based		true	true	0.55	225	1.203208566	117	117	280758.5	152473.5	152473.5	1.1
3707	057	14306	0.33	267965	0	85	140	4	46	46	57224	0	C-3-O	120	form-based		true		0.8	117	2.543478251	117	92	117106.5	0	0	2.046458
3768	021	32017	0.74	1073	62	65	100	3	74	12	96051	94978	RH DTR	84	form-based		true		0.8	179	2.418918848	117	86	204908.7969	203835.7969	191029	2.133333
0728	054	75086	1.72	875	72	65	100	3	172	100	225258	224383	RM-3	65	density-lim	400	true		0.55	188	1.0930233	116	116	247783.8125	246908.8125	246908.8125	1.1
0757	029	67281	1.54	177074	52	55	80	2.5	123	71	168202	0	RM-3	50	density-lim	400	true		0.55	168	1.365853667	116	116	185022.75	7948.75	7948.75	1.100003
1107	006	70309	1.61	50481	0	65	100	3	161	161	210927	160446	RH-2	40	form-based			true	0.55	116	0.720496893	116	116	154679.7969	104198.7969	104198.7969	0.733333
3560	013	14030	0.32	25213	0	85	140	4	45	45	56120	30907	NCT-UPPE	120	form-based			true	0.75	116	2.577777863	116	90	115657.5	90444.5	87027	2.060896
3785	016	22092	0.51	9600	0	75	120	3.5	61	61	77322	67722	MUG	85	form-based				0.75	116	1.901639342	116	116	132552	122952	122952	1.714286
4017	002	30904	0.71	54765	0	65	100	3	71	71	92712	37947	UMU	68	form-based		true		0.75	116	1.633802772	116	116	139068	84303	84303	1.5
3076	026	69670	1.6	2305	0	65	100	3	160	160	209010	206705	RH-1(D)	40	form-based		true	true	0.55	115	0.71875	115	115	153274	150969	150969	0.733333
0644	012	13642	0.31	18551	0	65	100	3	31	31	40926	22375	NCD-POLK	120	form-based			true	0.75	114	3.677419424	114	62	113620.5	95069.5	63301	2.776242
0644	013	13760	0.32	13330	0	65	100	3	32	32	41280	27950	NCD-POLK	120	form-based			true	0.75	114	3.5625	114	64	114240	100910	69230	2.767442
0645	007	13750	0.32	14938	0	65	100	3	32	32	41250	26312	NCD-POLK	120	form-based			true	0.75	114	3.5625	114	64	114187.5	99249.5	67562	2.768182
1015	054	21779	0.5	93904	0	55	80	2.5	40	40	54448	0	RTO-C	85	form-based			true	0.75	114	2.849999905	114	80	130674	36770	14992	2.399978
1092	050	13276	0.3	870	22	65	100	3	30	8	39828	38958	NCD-GEAR	140	form-based		true	true	0.75	136	4.533333302	114	38	135699	134829	78786	3.407126
0192	041	22516	0.52	146075	0	65	100	3	52	52	67548	0	CRNC	110	density-lim	200	true		0.75	113	2.173076868	113	104	148209	2134	0	2.194129
0335	027	22596	0.52	50099	0	65	100	3	52	52	67788	17689	RC-4	80	density-lim	200			0.75	113	2.173076868	113	104	135576	85477	85477	2
3512	001	13462	0.31	8600	0	65	100	3	31	31	40386	31786	C-3-G	120	form-based		true		0.8	113	3.64516139	113	62	112675.5	104075.5	72172	2.789964
6619	003	30136	0.69	46522	0	85	140	4	97	97	120544	74022	RTO-C	65	form-based		true	true	0.75	113	1.164948463	113	113	135612	89090	89090	1.125
0013	016	27976	0.64	80839	0	85	140	4	90	90	111904	31065	C-2	65	form-based			true	0.8	112	1.244444489	112	112	134284.7969	53445.79688	53445.79688	1.2
0546	069	16526	0.38	1124	41	85	140	4	53	12	66104	64980	RC-3	140	form-based		true	true	0.75	153	2.886792421	112	65	152761.5	151637.5	131084	2.310927
1438	029	29901	0.69	17980	0	65	100	3	69	69	89703	71723	NCD-INNE	65	form-based			true	0.75	112	1.623188376	112	112	134554.5	116574.5	116574.5	1.5
3512	005	13389	0.31	75321	0	65	100	3	31	31	40167	0	C-3-G	120	form-based			true	0.8	112	3.612903118	112	62	112292.25	36971.25	5013	2.795635
3577	074	37203	0.85	0	0	75	120	3.5	102	102	130210	130210	NCT-VALE	55	form-based				0.75	112	1.098039269	112	112	139511.25	139511.25	139511.25	1.071433
0855	051	17500	0.4	53900	47	65	100	3	40	0	52500	0	NCT-3	140	form-based		true	true	0.75	158	3.950000048	111	33	157875	103975	51100	3.007143
2441	052	67313	1.55	46750	0	65	100	3	155	155	201939	155189	RH-1	40	form-based		true	true	0.55	111	0.716129005	111	111	148088.6094	101338.6094	101338.6094	0.733333
3654	041	29618	0.68	25361	0	65	100	3	68	68	88854	63493	NCD-24TH	65	form-based			true	0.75	111	1.632352948	111	111	133281	107920	107920	1.5
3785	002A	19820	0.46	141940	0	75	120	3.5	55	55	69370	0	CMUO	85	form-based				0.8	111	2.018181801	111	110	126848	0	0	1.828571
4114	009	19937	0.46	124644	0	65	100	3	46	46	59811	0	P70-MU	90	form-based				0.75	111	2.413043499	111	92	110669.25	0	0	1.850316
1098	038	16437	0.38	0	0	85	140	4	53	53	65748	65748	NC-3	105	form-based		true	true	0.75	110	2.07547164	110	106	110294.25	110294.25	110294.25	1.67753

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3566	055	49885	1.15	40021	0	85	140	4	161	161	199540	159519	RH-3	50	form-based			true	0.55	110	0.683229804	110	110	137183.75	97162.75	97162.75	0.6875
3794	023	16386	0.38	46473	0	85	140	4	53	53	65544	19071	MUO	105	form-based				0.75	110	2.07547164	110	106	110026.5	63553.5	63553.5	1.678666
3514	004	12677	0.29	10285	0	65	100	3	29	29	38031	27746	NCT-3	120	form-based			true	0.75	109	3.758620739	109	58	108554.25	98269.25	65777	2.854362
7102	025	87281	2	23100	0	65	100	3	200	200	261843	238743	NC-S	40	density-lim	800	true		0.55	109	0.545000017	109	109	192018.2031	168918.2031	168918.2031	0.733333
7295	004	87452	2.01	377438	0	65	100	3	201	201	262356	0	C-2	65	density-lim	800			0.55	109	0.542288542	109	109	288591.5938	0	0	1.1
0297	001	11980	0.28	160062	0	65	100	3	28	28	35940	0	C-3-G	130	form-based		true		0.8	108	3.857142925	108	56	107820	0	0	3
0327	026	18882	0.43	45822	45	85	140	4	60	15	75528	29706	C-3-R	130	form-based		true		0.8	153	2.549999952	108	75	153130.5	107308.5	105234	2.027467
1440	011	65225	1.5	68065	0	85	140	4	210	210	260900	192835	RM-1	40	form-based			true	0.55	108	0.514285743	108	108	143495	75430	75430	0.55
3077	002	65415	1.5	0	0	55	80	2.5	120	120	163538	163538	RH-1(D)	40	form-based		true	true	0.55	108	0.899999976	108	108	143913	143913	143913	0.879997
3752	095	20515	0.47	38712	0	65	100	3	47	47	61545	22833	MUR	85	form-based		true		0.75	108	2.297872305	108	94	123090	84378	84378	2
4062	004	49152	1.13	0	0	75	120	3.5	136	136	172032	172032	UMU	58	form-based		true		0.55	108	0.79411763	108	108	135168	135168	135168	0.785714
0022	001	19100	0.44	9656	0	65	100	3	44	44	57300	47644	C-2	85	form-based		true	true	0.8	107	2.431818247	107	88	122240	112584	104944	2.133333
0056	003	26790	0.62	17263	0	65	100	3	62	62	80370	63107	C-2	65	form-base	800	true		0.8	107	1.725806475	107	107	128592	111329	111329	1.6
0166	008	19080	0.44	102343	0	65	100	3	44	44	57240	0	C-2	84	form-base	800	true		0.8	107	2.431818247	107	88	122112	19769	12137	2.133333
0292	009	11944	0.27	109673	0	85	140	4	38	38	47776	0	C-3-O	130	form-based		true		0.8	107	2.815789461	107	76	107496	0	0	2.25
0348	026	19044	0.44	38795	0	75	120	3.5	53	53	66654	27859	C-3-G	80	form-based		true		0.8	107	2.01886797	107	106	121881.6016	83086.60156	83086.60156	1.828571
0820	026	87122	2	132660	85	55	80	2.5	160	75	217805	85145	RM-2	50	form-based		true	true	0.55	192	1.200000048	107	107	239585.5	106925.5	106925.5	1.1
1128	020	20362	0.47	9540	0	65	100	3	47	47	61086	51546	NCT-DIVIS	85	form-based		true	true	0.75	107	2.276595831	107	94	122172	112632	112632	2
1215	016	20400	0.47	16575	0	55	80	2.5	38	38	51000	34425	NCT-DIVIS	85	form-based		true	true	0.75	107	2.815789461	107	76	122400	105825	85425	2.4
1434	046	11925	0.27	10675	0	65	100	3	27	27	35775	25100	NCD-GEAR	140	form-based		true	true	0.75	107	3.962962866	107	54	107325	96650	60875	3
2979A	019	20432	0.47	12884	0	65	100	3	47	47	61296	48412	NCD-WEST	85	form-based			true	0.75	107	2.276595831	107	94	122592	109708	109708	2
3702	047	12375	0.28	0	0	85	140	4	39	39	49500	49500	C-3-G	120	form-based				0.8	107	2.74358964	107	78	106968.75	106968.75	99000	2.160985
3705	007	11919	0.27	76975	0	85	140	4	38	38	47676	0	C-3-R	160	form-based				0.8	107	2.815789461	107	76	107271	30296	18377	2.25
3715	007	19112	0.44	54186	0	75	120	3.5	53	53	66892	12706	C-3-O	84	form-based				0.8	107	2.01886797	107	106	122316.8047	68130.80469	68130.80469	1.828572
3724	068	11897	0.27	38925	0	75	120	3.5	32	32	41640	2715	C-3-S	160	form-based				0.8	107	3.34375	107	64	107073	68148	44355	2.571398
3785	003	11926	0.27	13256	0	75	120	3.5	32	32	41741	28485	CMUO	160	form-based		true		0.8	107	3.34375	107	64	107334	94078	70226	2.571429
4111	006	19331	0.44	126932	0	65	100	3	44	44	57993	0	P70-MU	90	form-based				0.75	107	2.431818247	107	88	107487.75	0	0	1.853461
0030	013	18906	0.43	64159	0	65	100	3	43	43	56718	0	C-2	85	form-based			true	0.8	106	2.465116262	106	86	120998.3984	56839.39844	49277	2.133333
0059	003	18907	0.43	39796	0	65	100	3	43	43	56721	16925	C-2	84	form-base	800	true		0.8	106	2.465116262	106	86	121004.8047	81208.80469	73646	2.133333
0348	006	18921	0.43	258452	0	75	120	3.5	52	52	66224	0	C-3-G	80	form-based		true		0.8	106	2.038461447	106	104	121094.3984	0	0	1.828558
0707	019	11776	0.27	49499	0	85	140	4	38	38	47104	0	NCT-FILLM	130	form-based				0.75	106	2.789473772	106	76	105984	56485	44709	2.25
0854	002	11752	0.27	48177	0	65	100	3	27	27	35256	0	NCT-3	140	form-based		true	true	0.75	106	3.92592597	106	54	105768	57591	22335	3
1016	003	20257	0.47	97229	0	55	80	2.5	38	38	50642	0	RTO-C	85	form-based		true	true	0.75	106	2.789473772	106	76	121542	24313	4055	2.400024
1068	002	11796	0.27	10633	0	85	140	4	38	38	47184	36551	NCD-GEAR	140	form-based		true	true	0.75	106	2.789473772	106	76	106164	95531	83735	2.25
2607	099	21714	0.5	31192	0	55	80	2.5	40	40	54285	23093	RH-2	80	form-based			true	0.7	106	2.650000095	106	80	121598.3984	90406.39844	77378	2.24
3514	003	11805	0.27	9600	0	65	100	3	27	27	35415	25815	C-3-G	120	form-based		true	true	0.8	106	3.92592597	106	54	106245	96645	61230	3
3543	010	12178	0.28	24017	0	65	100	3	28	28	36534	12517	NCT-UPPE	120	form-based			true	0.75	106	3.785714388	106	56	105934.5	81917.5	49051	2.899614
3560	091	22762	0.52	714	56	65	100	3	52	0	68286	67572	NCT-UPPE	120	form-based			true	0.75	162	3.115384579	106	48	161500.5	160786.5	135858	2.36506
3702	058	43557	1	745	309	75	120	3.5	120	0	152450	151705	C-3-G	240	form-based				0.8	415	3.458333254	106	0	414674.25	413929.25	304155	2.720067
3703	088	12239	0.28	163530	0	85	140	4	39	39	48956	0	C-3-G	120	form-based				0.8	106	2.717948675	106	78	106254.75	0	0	2.170413
3736	029	11746	0.27	1800	0	75	120	3.5	32	32	41111	39311	C-3-O(SD)	250	form-based		true		0.8	106	3.3125	106	64	105714	103914	80422	2.571429
0288	010	11620	0.27	35243	0	75	120	3.5	32	32	40670	5427	C-3-O	130	form-based				0.8	105	3.28125	105	64	104580	69337	46097	2.571429
0294	011	11627	0.27	84172	0	65	100	3	27	27	34881	0	C-3-R	130	form-based		true		0.8	105	3.888888836	105	54	104643	20471	0	3
3501	015	12048	0.28	12418	0	85	140	4	39	39	48192	35774	NCT-3	120	form-based			true	0.75	105	2.692307711	105	78	105252	92834	83966	2.184014
3563	030	13921	0.32	13847	10	85	140	4	45	35	55684	41837	NCT-UPPE	120	form-based			true	0.75	115	2.555555582	105	80	115085.25	101238.25	97521	2.066756
4052	005	11686	0.27	0	0	55	80	2.5	22	22	29215	29215	P70-MU	90	form-based				0.75	105	4.772727489	105	44	105174	105174	58430	3.6
6943	054	20016	0.46	4279	0	65	100	3	46	46	60048	55769	NCT-OCEA	85	form-based		true	true	0.75	105	2.282608747	105	92	120096	115817	115817	2
7226	023	19959	0.46	29775	0	85	140	4	64	64	79836	50061	NCD-LAKE	85	form-based			true	0.75	105	1.640625	105	105	119754	89979	89979	1.5
0261	010A	11553	0.27	140000	0	75	120	3.5	32	32	40436	0	C-3-O	400	form-based		true		0.8	104	3.25	104	64	103977	0	0	2.571397
0715	015	20840	0.48	154056	0	65	100	3	48	48	62520	0	RC-4	130	density-lim	200	true		0.75	104	2.166666746	104	96	163410	9354	0	2.613724
1022	013	19889	0.46	14525	0	85	140	4	64	64	79556	65031	NC-2	85	form-based			true	0.75	104	1.625	104	104	119334	104809	104809	1.5
1069	013	11572	0.27	9320	0	85	140	4	38	38	46288	36968	NCD-GEAR	140	form-based		true	true	0.75	104	2.736842155	104	76	104148	94828	83256	2.25
1128	001	86654	1.99	80251	87	65	100	3	199	112	259962	179711	RM-3	50	form-based		true	true	0.55	191	0.959798992	104	104	238298.5	158047.5	158047.5	0.916667
2636	COMB	63027	1.45	3859	0	55	80	2.5	116	116	157568	153709	RM-1	40	form-based			true	0.55	104	0.896551728	104	104	138659.4063	134800.4063	134800.4063	0.879997
3532	091	47059	1.08	49669	0	75	120	3.5	130	130	164706	115037	NCT-3	50	form-based				0.55	104	0.800000012	104	104	129412.25	79743.25	79743.25	0.785717
3547	261	27618	0.63	2914	0	85	140	4	88	88	110472	107558	NCT-MISSI	65	form-based				0.75	104	1.181818128	104	104	124281	121367	121367	1.125
3708	006	11506	0.26	12467	0	75	120	3.5	31	31	40271	27804	C-3-O(SD)	850	form-based		true		0.8	104	3.35483861	104	62	103554	91087	68075	2.571429
3789	973	29305	0.67	1136	74	65	100	3	67	0	87915	86779	SB-DTR	105	form-based		true		0.8	178	2.656716347	104	60	177851.25	176715.25	174694	2.022991
3789A	001	29305	0.67	1136	74	65	100	3	67	0	87915	86779	SB-DTR	105	form-based		true		0.8	178	2.656716347	104	60	177851.25	176715.25	174694	2.022991
3794	022	11579	0.27	61000	0	65	100	3	27	27	34737	0	MUO	105	form-based				0.75	104	3.85185194	104	54	104211	43211	8474	3
4113	003	11520	0.26	0	0	65	100	3	26	26	34560	34560	P70-MU	90	form-based				0.75	104	4	104	52	103680	103680	69120	3
0207	037	11426	0.26	191142	0	85	140	4	36	36	45704	0	C-3-O	200	form-based		true		0.8	103	2.861111164	103	72	102834	0	0	2.25
0238	006	11458	0.26	120787	0	85	140	4	36	36	45832	0	C-3-O	350	form-based		true		0.8	103	2.861111164	103	72	103122	0	0	2.25
0238	007	11480	0.26	57265	0	85	140	4	36	36	45920	0	C-3-O	400	form-based				0.8	103	2.861111164	103	72	103320	46055	34575	2.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0567	028	16839	0.39	3576	9	55	80	2.5	31	22	42098	38522	RTO-C	105	form-based			true	0.75	112	3.612903118	103	53	112404.75	108828.75	80620	2.670074
0595	002	19614	0.45	54304	0	65	100	3	45	45	58842	4538	NCD-POLK	85	form-based		true	true	0.75	103	2.288888931	103	90	117684	63380	63380	2
0617	004	11462	0.26	8577	0	65	100	3	26	26	34386	25809	RTO-C	140	form-based		true	true	0.75	103	3.961538553	103	52	103158	94581	60195	3
1070	001A	33825	0.78	28773	75	65	100	3	78	3	101475	72702	NCD-GEAR	85	form-based		true	true	0.75	178	2.282051325	103	81	202950	174177	174177	2
2513	026	16250	0.37	21263	0	65	100	3	37	37	48750	27487	NC-2	100	form-based		true	true	0.75	103	2.783783674	103	74	103312.5	82049.5	76237	2.119231
2540	004B	19594	0.45	636	0	65	100	3	45	45	58782	58146	RTO-C	85	form-based			true	0.75	103	2.288888931	103	90	117564	116928	116928	2
3180	005	27372	0.63	83862	0	85	140	4	88	88	109488	25626	NCT-OCEA	65	form-based				0.75	103	1.170454502	103	103	123174	39312	39312	1.125
3702	035	11405	0.26	249	0	85	140	4	36	36	45620	45371	C-3-G	180	form-based				0.8	103	2.861111164	103	72	102645	102396	90991	2.25
3754	017	27432	0.63	42039	0	85	140	4	88	88	109728	67689	MUG	65	form-based		true		0.75	103	1.170454502	103	103	123444	81405	81405	1.125
3998	021	34499	0.79	157094	0	65	100	3	79	79	103497	0	UMU	58	form-based		true		0.75	103	1.303797483	103	103	129371.25	0	0	1.25
4167	004A	61591	1.41	23455	0	75	120	3.5	169	169	215568	192113	RM-2	65	density-lim	600	true		0.55	103	0.609467447	103	103	203250.2969	179795.2969	179795.2969	0.942859
0022	014	18155	0.42	19733	0	65	100	3	42	42	54465	34732	C-2	85	form-based		true	true	0.8	102	2.428571463	102	84	116192	96459	89197	2.133333
0293	010	11340	0.26	60445	0	85	140	4	36	36	45360	0	C-3-O	130	form-based				0.8	102	2.833333254	102	72	102060	41615	30275	2.25
0343	009	11350	0.26	22686	0	65	100	3	26	26	34050	11364	C-3-G	120	form-based				0.8	102	3.923076868	102	52	102150	79464	45414	3
0643	016	11375	0.26	0	0	65	100	3	26	26	34125	34125	NCD-POLK	120	form-based			true	0.75	102	3.923076868	102	52	102375	102375	68250	3
0645	036	18830	0.43	31174	39	65	100	3	43	4	56490	25316	NCD-POLK	120	form-based		true	true	0.75	141	3.279069662	102	47	140857.5	109683.5	81806	2.493495
0707	018	11344	0.26	0	0	65	100	3	26	26	34032	34032	NCT-FILLM	130	form-based				0.75	102	3.923076868	102	52	102096	102096	68064	3
0768	015	46433	1.07	64287	0	65	100	3	107	107	139299	75012	NCT-3	50	form-based				0.55	102	0.953271031	102	102	127690.75	63403.75	63403.75	0.916667
0238	001	11170	0.26	447372	0	85	140	4	36	36	44680	0	C-3-O	400	form-based		true		0.8	101	2.805555582	101	72	100530	0	0	2.25
0251	009	11265	0.26	46032	0	55	80	2.5	21	21	28162	0	RTO-C	140	form-based			true	0.75	101	4.809523582	101	42	101385	55353	10292	3.600064
0331	016	20281	0.47	56718	0	75	120	3.5	56	56	70984	14266	RC-4	130	density-lim	200			0.75	101	1.803571463	101	101	160475.25	103757.25	85250	2.260724
0667	011	11179	0.26	27160	0	65	100	3	26	26	33537	6377	RC-4	350	form-based		true	true	0.75	101	3.884615421	101	52	100611	73451	39914	3
1051	038	11224	0.26	4766	0	65	100	3	26	26	33672	28906	NC-3	140	form-based		true	true	0.75	101	3.884615421	101	52	101016	96250	62578	3
1724	038	19163	0.44	22851	0	65	100	3	44	44	57489	34638	NCD-IRVIN	85	form-based		true	true	0.75	101	2.295454502	101	88	114978	92127	92127	2
1732	059	19304	0.44	2441	0	65	100	3	44	44	57912	55471	RTO-C	85	form-based		true	true	0.75	101	2.295454502	101	88	115824	113383	113383	2
3722	073	11239	0.26	66000	0	75	120	3.5	31	31	39336	0	C-3-O(SD)	150	form-based		true		0.8	101	3.258064508	101	62	101151	35151	12672	2.571461
3748	001	11250	0.26	224522	0	75	120	3.5	31	31	39375	0	RH DTR	200	form-based		true		0.8	101	3.258064508	101	62	101250	0	0	2.571429
3776	034	11232	0.26	45044	0	75	120	3.5	31	31	39312	0	CMUO	130	form-based				0.8	101	3.258064508	101	62	101088	56044	33580	2.571429
3794	021	14707	0.34	62927	0	65	100	3	34	34	44121	0	MUO	105	form-based				0.75	101	2.970588207	101	68	101211.75	38284.75	25315	2.293959
0622	013	11104	0.25	30642	0	85	140	4	35	35	44416	13774	RC-4	350	form-based		true	true	0.75	100	2.857142925	100	70	99936	69294	58190	2.25
0645	014	11159	0.26	11746	0	65	100	3	26	26	33477	21731	NCD-POLK	120	form-based			true	0.75	100	3.846153736	100	52	100431	88685	55208	3
0779	091	41262	0.95	49284	106	55	80	2.5	76	0	103155	53871	RM-4	40	density-lim	200			0.75	206	2.710526228	100	46	123786	74502	74502	1.2
1068	001J	11111	0.26	12870	0	85	140	4	36	36	44444	31574	NCD-GEAR	140	form-based		true	true	0.75	100	2.777777672	100	72	99999	87129	76018	2.25
1455	013	19047	0.44	29756	0	85	140	4	62	62	76188	46432	NCD-GEAR	85	form-based		true	true	0.75	100	1.612903237	100	100	114282	84526	84526	1.5
1539	004	60673	1.39	91723	0	65	100	3	139	139	182019	90296	RM-1	40	form-based		true	true	0.55	100	0.719424486	100	100	133480.6094	41757.60938	41757.60938	0.733333
2819	052	19014	0.44	10286	0	65	100	3	44	44	57042	46756	RTO-C	85	form-based			true	0.75	100	2.272727251	100	88	114084	103798	103798	2
3543	025	18588	0.43	50461	88	85	140	4	60	0	74352	23891	NCT-UPPE	160	form-based		true	true	0.75	188	3.133333445	100	32	187587	137126	98243	2.522958
3702	034	11133	0.26	169402	0	85	140	4	36	36	44532	0	C-3-G	150	form-based				0.8	100	2.777777672	100	72	100197	0	0	2.25
3724	074	11114	0.26	0	0	75	120	3.5	31	31	38899	38899	C-3-S	160	form-based				0.8	100	3.225806475	100	62	100026	100026	77798	2.571429
3764	056	24994	0.57	0	0	65	100	3	57	57	74982	74982	SB-DTR	65	form-based				0.8	100	1.754385948	100	100	119971.2031	119971.2031	119971.2031	1.6
0350	004	11003	0.25	26880	0	85	140	4	35	35	44012	17132	C-3-G	120	form-based		true		0.8	99	2.82857132	99	70	99027	72147	61144	2.25
0522	019	12161	0.28	865	31	65	100	3	28	0	36483	35618	RC-3	140	form-based		true	true	0.75	130	4.642857075	99	25	129845.25	128980.25	72101	3.559062
0594	002	11024	0.25	27281	0	85	140	4	35	35	44096	16815	RC-4	350	form-based		true	true	0.75	99	2.82857132	99	70	99216	71935	60911	2.25
1084	003	11004	0.25	9055	0	65	100	3	25	25	33012	23957	NCD-GEAR	140	form-based			true	0.75	99	3.960000038	99	50	99036	89981	56969	3
3533	007	44954	1.03	71874	0	65	100	3	103	103	134862	62988	NCT-3	50	form-based		true		0.55	99	0.961165071	99	99	123623.5	51749.5	51749.5	0.916667
3702	032	11017	0.25	0	0	85	140	4	35	35	44068	44068	C-3-G	120	form-based				0.8	99	2.82857132	99	70	99153	99153	88136	2.25
3702	033	11006	0.25	0	0	85	140	4	35	35	44024	44024	C-3-G	150	form-based				0.8	99	2.82857132	99	70	99054	99054	88048	2.25
3704	078	10983	0.25	90552	0	85	140	4	35	35	43932	0	C-3-G	120	form-based		true		0.8	99	2.82857132	99	70	98847	8295	0	2.25
3732	762	10956	0.25	2917	0	65	100	3	25	25	32868	29951	MUR	300	form-based		true		0.75	99	3.960000038	99	50	98604	95687	62819	3
3750	054	10969	0.25	14250	0	65	100	3	25	25	32907	18657	MUR	130	form-based				0.75	99	3.960000038	99	50	98721	84471	51564	3
3786	018	11000	0.25	56845	0	75	120	3.5	30	30	38500	0	CMUO	130	form-based				0.8	99	3.299999952	99	60	99000	42155	20155	2.571429
4052	004	17715	0.41	980	0	55	80	2.5	33	33	44288	43308	P70-MU	90	form-based				0.75	99	3	99	66	99003.75	98023.75	87596	2.235453
4112	001	17724	0.41	0	0	65	100	3	41	41	53172	53172	P70-MU	90	form-based				0.75	99	2.414634228	99	82	99051	99051	99051	1.862841
4212	019	26507	0.61	10875	0	85	140	4	85	85	106028	95153	NCT-24TH-	65	form-based		true		0.75	99	1.164705873	99	99	119281.5	108406.5	108406.5	1.125
0084	008	24513	0.56	88225	0	65	100	3	56	56	73539	0	C-2	65	form-base	800	true		0.8	98	1.75	98	98	117662.3984	29437.39844	29437.39844	1.6
0166	001	17559	0.4	86171	0	65	100	3	40	40	52677	0	C-2	84	form-base	800	true		0.8	98	2.450000048	98	80	112377.6016	26206.60156	19183	2.133333
0239	003	10938	0.25	33028	0	75	120	3.5	30	30	38283	5255	C-3-O	350	form-based		true		0.8	98	3.266666651	98	60	98442	65414	43538	2.571429
0290	012	10932	0.25	6700	0	85	140	4	35	35	43728	37028	C-3-O	500	form-based		true		0.8	98	2.799999952	98	70	98388	91688	80756	2.25
0522	002A	10869	0.25	0	0	65	100	3	25	25	32607	32607	RC-3	140	form-based		true	true	0.75	98	3.920000076	98	50	97821	97821	65214	3
0568	012	14329	0.33	62268	43	65	100	3	33	0	42987	0	RTO-C	140	form-based		true	true	0.75	141	4.272727489	98	23	141227.25	78959.25	23706	3.285348
1050	010	18631	0.43	29522	0	65	100	3	43	43	55893	26371	RTO-C	85	form-based			true	0.75	98	2.279069662	98	86	111786	82264	82264	2
1249	016	26183	0.6	24209	0	65	100	3	60	60	78549	54340	NCD-HAIG	65	form-based			true	0.75	98	1.633333325	98	98	117823.5	93614.5	93614.5	1.5
3542	061	18115	0.42	70563	87	85	140	4	59	0	72460	1897	NCT-UPPE	160	form-based		true	true	0.75	185	3.135593176	98	31	185103.75	114540.75	74357	2.554564
3725	087	10915	0.25	72991	0	85	140	4	35	35	43660	0	C-3-S	160	form-based				0.8	98	2.799999952	98	70	98235	25244	14329	2.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3733	081	10931	0.25	32160	0	65	100	3	25	25	32793	633	C-3-S	130	form-based				0.8	98	3.920000076	98	50	98379	66219	33426	3
3735A	001	12409	0.28	2693	165	75	120	3.5	34	0	43432	40739	C-3-O(SD)	250	form-based		true		0.8	263	7.735294342	98	0	263147.25	260454.25	84171	6.058833
3788	041	24495	0.56	134445	0	75	120	3.5	67	67	85732	0	CMUO	65	form-based				0.8	98	1.462686539	98	98	117576	0	0	1.371437
6619	001	26079	0.6	62277	0	65	100	3	60	60	78237	15960	RTO-C	65	form-based		true	true	0.75	98	1.633333325	98	98	117355.5	55078.5	55078.5	1.5
7244	017	18698	0.43	440	0	65	100	3	43	43	56094	55654	NC-1	85	form-based			true	0.75	98	2.279069662	98	86	112188	111748	111748	2
0030	012	17253	0.4	14943	0	65	100	3	40	40	51759	36816	C-2	85	form-based		true	true	0.8	97	2.424999952	97	80	110419.2031	95476.20313	88575	2.133333
0600	009A	18119	0.42	73872	64	65	100	3	42	0	54357	0	RTO-C	140	form-based		true	true	0.75	161	3.833333254	97	20	161124.75	87252.75	34842	2.964195
0711	033	19509	0.45	16918	1	65	100	3	45	44	58527	41609	RM-4	240	density-lin	200	true		0.75	98	2.177777767	97	89	288422.25	271504.25	100136	4.92802
3515	022	18492	0.42	24795	0	65	100	3	42	42	55476	30681	WMUG	85	form-based			true	0.75	97	2.309523821	97	84	110952	86157	86157	2
3517	039	25861	0.59	23189	0	65	100	3	59	59	77583	54394	RCD	65	form-based		true		0.75	97	1.644067764	97	97	116374.5	93185.5	93185.5	1.5
3534	139	19819	0.45	924	0	85	140	4	63	63	79276	78352	RTO-1	85	form-based			true	0.7	97	1.539682508	97	97	110986.3984	110062.3984	110062.3984	1.4
3546	002	216073	4.96	295521	260	75	120	3.5	595	335	756256	460735	RTO-M	45	form-based		true		0.55	357	0.600000024	97	97	475360.625	179839.625	179839.625	0.628571
3563	044	10802	0.25	10800	0	85	140	4	35	35	43208	32408	NCT-UPPE	160	form-based			true	0.75	97	2.771428585	97	70	97218	86418	75616	2.25
3705	006	10786	0.25	143386	0	85	140	4	35	35	43144	0	C-3-R	400	form-based		true		0.8	97	2.771428585	97	70	97074	0	0	2.25
3706	114	10800	0.25	0	0	85	140	4	35	35	43200	43200	C-3-R	400	form-based				0.8	97	2.771428585	97	70	97200	97200	86400	2.25
3777	044	10764	0.25	15762	0	75	120	3.5	30	30	37674	21912	MUG	130	form-based				0.75	97	3.233333349	97	60	96876	81114	59586	2.571429
3786	016	10725	0.25	24066	0	75	120	3.5	30	30	37538	13472	CMUO	130	form-based				0.8	97	3.233333349	97	60	96525	72459	51010	2.571394
0229	018	10713	0.25	135000	0	85	140	4	35	35	42852	0	C-3-O	250	form-based		true		0.8	96	2.742857218	96	70	96417	0	0	2.25
0771	025	108090	2.48	103751	84	55	80	2.5	198	114	270225	166474	RM-2	50	density-lin	600	true		0.55	180	0.909090936	96	96	297247.5	193496.5	193496.5	1.1
1034	004	18245	0.42	9370	0	65	100	3	42	42	54735	45365	NC-S	85	form-based			true	0.75	96	2.285714388	96	84	109470	100100	100100	2
1540	050	18303	0.42	22846	0	65	100	3	42	42	54909	32063	NCD-GEAR	85	form-based		true	true	0.75	96	2.285714388	96	84	109818	86972	86972	2
3511	012	18276	0.42	29221	0	65	100	3	42	42	54828	25607	WMUG	85	form-based		true	true	0.75	96	2.285714388	96	84	109656	80435	80435	2
3733	106	10622	0.24	10673	0	65	100	3	24	24	31866	21193	C-3-S	130	form-based		true		0.8	96	4	96	48	95598	84925	53059	3
3750	009	10695	0.25	55780	0	65	100	3	25	25	32085	0	MUR	130	form-based		true		0.75	96	3.839999914	96	50	96255	40475	8390	3
3781	011	42725	0.98	67690	0	65	100	3	98	98	128175	60485	UMU	48	form-based				0.75	96	0.979591846	96	96	128175	60485	60485	1
3794	006	13750	0.32	103105	0	75	120	3.5	38	38	48125	0	MUO	105	form-based		true		0.75	96	2.526315689	96	76	96187.5	0	0	1.998701
4112	003	10722	0.25	0	0	65	100	3	25	25	32166	32166	P70-MU	90	form-based				0.75	96	3.839999914	96	50	96498	96498	64332	3
0254	024	18951	0.44	143673	0	55	80	2.5	35	35	47378	0	RM-4	65	density-lin	200	true		0.75	95	2.714285612	95	70	85279.5	0	0	1.799981
0312	031	10548	0.24	151830	0	85	140	4	34	34	42192	0	C-3-O	150	form-based		true		0.8	95	2.794117689	95	68	94932	0	0	2.25
0322	005	18906	0.43	0	0	65	100	3	43	43	56718	56718	RC-4	80	density-lin	200			0.75	95	2.209302425	95	86	113436	113436	113436	2
0336	020	19092	0.44	33156	0	65	100	3	44	44	57276	24120	RC-4	80	density-lin	200	true		0.75	95	2.159090996	95	88	114552	81396	81396	2
0744	119	18906	0.43	15781	0	65	100	3	43	43	56718	40937	RM-4	80	density-lin	200			0.75	95	2.209302425	95	86	113436	97655	97655	2
1440	014	18014	0.41	16766	0	85	140	4	57	57	72056	55290	NCD-GEAR	85	form-based		true	true	0.75	95	1.666666627	95	95	108084	91318	91318	1.5
2139	026	18000	0.41	50814	0	55	80	2.5	33	33	45000	0	RTO-C	85	form-based			true	0.75	95	2.878787994	95	66	108000	57186	39186	2.4
3504	044	10515	0.24	33000	0	85	140	4	34	34	42060	9060	NCT-3	140	form-based		true	true	0.75	95	2.794117689	95	68	94635	61635	51120	2.25
3706	064	10579	0.24	74366	0	85	140	4	34	34	42316	0	C-3-R	120	form-based				0.8	95	2.794117689	95	68	95211	20845	10266	2.25
3774	008	25443	0.58	117200	0	65	100	3	58	58	76329	0	MUO	65	form-based		true		0.75	95	1.637930989	95	95	114493.5	0	0	1.5
0010	002	57162	1.31	203840	0	65	100	3	131	131	171486	0	C-2	40	form-base	800	true		0.55	94	0.717557251	94	94	125756.4063	0	0	0.733333
0242	027	18793	0.43	51472	0	65	100	3	43	43	56379	4907	CRNC	65	density-lin	200			0.75	94	2.1860466	94	86	84568.5	33096.5	33096.5	1.5
0287	035	10448	0.24	71508	0	85	140	4	34	34	41792	0	C-3-R	130	form-based		true		0.8	94	2.764705896	94	68	94032	22524	12076	2.25
0288	031	10430	0.24	277895	0	75	120	3.5	29	29	36505	0	C-3-O	250	form-based				0.8	94	3.241379261	94	58	93870	0	0	2.571429
0306	003	10475	0.24	28184	0	65	100	3	24	24	31425	3241	C-3-G	130	form-based				0.8	94	3.916666746	94	48	94275	66091	34666	3
0344	005	18740	0.43	57171	0	75	120	3.5	52	52	65590	8419	RC-4	120	density-lin	200	true		0.75	94	1.807692289	94	94	140385	83214	74009	2.140342
0595	008	10402	0.24	12242	0	85	140	4	34	34	41608	29366	RC-4	350	form-based		true	true	0.75	94	2.764705896	94	68	93618	81376	70974	2.25
0666	006A	10484	0.24	20980	0	65	100	3	24	24	31452	10472	RC-4	350	form-based			true	0.75	94	3.916666746	94	48	94356	73376	41924	3
0667	009	10432	0.24	23190	0	85	140	4	34	34	41728	18538	RC-4	350	form-based		true	true	0.75	94	2.764705896	94	68	93888	70698	60266	2.25
0669	012	10497	0.24	53931	0	65	100	3	24	24	31491	0	NCD-POLK	240	form-based		true	true	0.75	94	3.916666746	94	48	94473	40542	9051	3
0713	033	18741	0.43	0	0	65	100	3	43	43	56223	56223	RM-4	240	density-lin	200	true		0.75	94	2.1860466	94	86	284390.25	284390.25	112446	5.058255
1029	098	17903	0.41	38353	0	65	100	3	41	41	53709	15356	RTO-C	85	form-based		true	true	0.75	94	2.292682886	94	82	107418	69065	69065	2
1079	014	10437	0.24	9908	0	65	100	3	24	24	31311	21403	RTO-C	240	form-based			true	0.75	94	3.916666746	94	48	93933	84025	52714	3
3702	001	10450	0.24	92383	0	85	140	4	34	34	41800	0	C-3-G	90	form-based		true		0.8	94	2.764705896	94	68	94050	1667	0	2.25
3748	029	10438	0.24	37927	0	75	120	3.5	29	29	36533	0	RH DTR	200	form-based		true		0.8	94	3.241379261	94	58	93942	56015	35139	2.571429
3780	078	24947	0.57	47101	0	65	100	3	57	57	74841	27740	UMU	68	form-based				0.75	94	1.649122834	94	94	112261.5	65160.5	65160.5	1.5
4105	005	31485	0.72	0	0	75	120	3.5	86	86	110198	110198	UMU	58	form-based		true		0.75	94	1.0930233	94	94	118068.75	118068.75	118068.75	1.071424
4115	002	10452	0.24	0	0	65	100	3	24	24	31356	31356	P70-MU	240	form-based				0.75	94	3.916666746	94	48	94068	94068	62712	3
4232	015	10464	0.24	0	0	55	80	2.5	19	19	26160	26160	PPS-MU	240	form-based				0.75	94	4.947368622	94	38	94176	94176	52320	3.6
7079	049	24964	0.57	0	0	65	100	3	57	57	74892	74892	RTO-C	65	form-based		true	true	0.75	94	1.649122834	94	94	112338	112338	112338	1.5
0233	045	10369	0.24	17429	0	75	120	3.5	29	29	36292	18863	C-3-O	200	form-based				0.8	93	3.206896544	93	58	93321	75892	55155	2.571393
0295	006	10313	0.24	110893	0	65	100	3	24	24	30939	0	C-3-R	130	form-based				0.8	93	3.875	93	48	92817	0	0	3
0496	007	10313	0.24	5270	0	65	100	3	24	24	30939	25669	NC-3	140	form-based			true	0.75	93	3.875	93	48	92817	87547	56608	3
0701	007	37148	0.85	70600	0	85	140	4	119	119	148592	77992	NCD-JAPAI	50	density-lin	400	true		0.75	93	0.781512618	93	93	139305	68705	68705	0.9375
0779	031	30937	0.71	15625	0	55	80	2.5	57	57	77342	61717	NCT-FILLM	50	form-based		true		0.75	93	1.631578922	93	93	116013.75	100388.75	100388.75	1.50001
0785	035	24815	0.57	74153	0	65	100	3	57	57	74445	292	NCT-3	65	form-based		true		0.75	93	1.631578922	93	93	111667.5	37514.5	37514.5	1.5
0872	002	10359	0.24	14800	0	85	140	4	34	34	41436	26636	NCT-3	120	form-based			true	0.75	93	2.735294104	93	68	93231	78431	68072	2.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1015	053	17635	0.4	69962	0	55	80	2.5	32	32	44088	0	RTO-C	85	form-based		true	true	0.75	93	2.90625	93	64	105810	35848	18214	2.399973
2647	036	11650	0.27	1288	12	85	140	4	38	26	46600	45312	RTO-C	160	form-based			true	0.75	105	2.763157845	93	64	104850	103562	91912	2.25
3511	031	10351	0.24	50024	0	65	100	3	24	24	31053	0	C-3-G	120	form-based				0.8	93	3.875	93	48	93159	43135	12082	3
3721	015	10350	0.24	43100	0	75	120	3.5	29	29	36225	0	C-3-O(SD)	450	form-based				0.8	93	3.206896544	93	58	93150	50050	29350	2.571429
3774	192	22441	0.52	1049	49	65	100	3	52	3	67323	66274	SB-DTR	105	form-based		true		0.8	142	2.730769157	93	55	141815.25	140766.25	133597	2.10649
3788	010	23211	0.53	45580	0	65	100	3	53	53	69633	24053	CMUO	65	form-based				0.8	93	1.754716992	93	93	111412.8047	65832.80469	65832.80469	1.6
3788	039	23343	0.54	110000	0	65	100	3	54	54	70029	0	CMUO	65	form-based				0.8	93	1.722222209	93	93	112046.3984	2046.398438	2046.398438	1.6
4052	002	16655	0.38	0	0	55	80	2.5	30	30	41638	41638	P70-MU	90	form-based				0.75	93	3.099999905	93	60	93438.75	93438.75	83276	2.244074
4062	007	30928	0.71	15068	0	75	120	3.5	85	85	108248	93180	UMU	58	form-based		true		0.75	93	1.094117641	93	93	115980	100912	100912	1.071429
4113	002	16589	0.38	0	0	65	100	3	38	38	49767	49767	P70-MU	90	form-based				0.75	93	2.447368383	93	76	93092.25	93092.25	93092.25	1.870562
0267	015	10213	0.23	149279	0	75	120	3.5	28	28	35746	0	C-3-O	450	form-based				0.8	92	3.285714388	92	56	91917	0	0	2.571393
0642	001	10269	0.24	41100	0	85	140	4	34	34	41076	0	RC-4	350	form-based		true	true	0.75	92	2.705882311	92	68	92421	51321	41052	2.25
0767	007	10200	0.23	0	0	65	100	3	23	23	30600	30600	C-2	130	form-base	800			0.8	92	4	92	46	91800	91800	61200	3
0767	009	10200	0.23	0	0	65	100	3	23	23	30600	30600	C-2	130	form-base	800	true		0.8	92	4	92	46	91800	91800	61200	3
1076	012	10232	0.23	10762	0	65	100	3	23	23	30696	19934	RTO-C	240	form-based			true	0.75	92	4	92	46	92088	81326	50630	3
1084	010	46034	1.06	230310	151	85	140	4	148	0	184136	0	NCD-GEAR	140	form-based			true	0.55	243	1.641891837	92	92	243230.9063	12920.90625	12920.90625	1.320931
2513	002	10263	0.24	13183	0	65	100	3	24	24	30789	17606	NC-2	100	form-based		true	true	0.75	92	3.833333254	92	48	92367	79184	48395	3
3733	008	10250	0.24	111128	0	85	140	4	34	34	41000	0	C-3-S	130	form-based		true		0.8	92	2.705882311	92	68	92250	0	0	2.25
3751	158	16359	0.38	83000	0	65	100	3	38	38	49077	0	CMUO	85	form-based		true		0.8	92	2.421052694	92	76	104697.6016	21697.60156	15154	2.133333
3755	130	24665	0.57	25131	0	65	100	3	57	57	73995	48864	WMUG	65	form-based				0.75	92	1.61403513	92	92	110992.5	85861.5	85861.5	1.5
4222A	001	390970	8.98	140171	560	65	100	3	898	338	1172910	1032739	RM-2	65	density-lim	600	true		0.55	652	0.726057887	92	92	1290201	1150030	1150030	1.1
6901	001	17512	0.4	14628	0	65	100	3	40	40	52536	37908	NC-1	85	form-based			true	0.75	92	2.299999952	92	80	105072	90444	90444	2
0081	002	37840	0.87	48029	0	65	100	3	87	87	113520	65491	C-2	40	form-base	800	true		0.8	91	1.045976996	91	91	121088	73059	73059	1.066667
0258	032	10089	0.23	291463	0	65	100	3	23	23	30267	0	C-3-O	250	form-based		true		0.8	91	3.956521749	91	46	90801	0	0	3
2030	010	10057	0.23	2384	0	55	80	2.5	18	18	25142	22758	NCD-NORI	140	form-based		true	true	0.75	91	5.055555344	91	36	90513	88129	47900	3.600072
0023	002	16120	0.37	21556	0	85	140	4	52	52	64480	42924	C-2	85	form-based		true	true	0.8	90	1.730769277	90	90	103168	81612	81612	1.6
0037	001	54582	1.25	130168	0	85	140	4	175	175	218328	88160	C-2	40	form-base	800	true		0.55	90	0.514285743	90	90	120080.4063	0	0	0.55
0267	016	10003	0.23	151326	0	75	120	3.5	28	28	35010	0	C-3-O	450	form-based		true		0.8	90	3.214285612	90	56	90027	0	0	2.571465
0297	011	10014	0.23	76647	0	65	100	3	23	23	30042	0	C-3-G	130	form-based				0.8	90	3.913043499	90	46	90126	13479	0	3
0623	002	9986	0.23	39721	0	85	140	4	32	32	39944	223	RC-4	350	form-based		true	true	0.75	90	2.8125	90	64	89874	50153	40167	2.25
0670	012	9960	0.23	40100	0	85	140	4	32	32	39840	0	RC-4	240	form-based			true	0.75	90	2.8125	90	64	89640	49540	39580	2.25
1111	002	10000	0.23	0	0	65	100	3	23	23	30000	30000	RTO-C	140	form-based		true	true	0.75	90	3.913043499	90	46	90000	90000	60000	3
1776	011B	12505	0.29	19695	0	65	100	3	29	29	37515	17820	NCD-IRVIN	105	form-based		true	true	0.75	90	3.103448391	90	58	89651.25	69956.25	55335	2.389744
3703	076	9980	0.23	77225	0	85	140	4	32	32	39920	0	C-3-G	120	form-based				0.8	90	2.8125	90	64	89820	12595	2615	2.25
3707	016	10041	0.23	132661	0	75	120	3.5	28	28	35144	0	C-3-O(SD)	300	form-based		true		0.8	90	3.214285612	90	56	90369	0	0	2.571392
3731	240	23887	0.55	130071	0	85	140	4	77	77	95548	0	RED	65	form-based				0.75	90	1.16883111	90	90	107491.5	0	0	1.125
3749	500	16096	0.37	23135	0	75	120	3.5	44	44	56336	33201	RH DTR	85	form-based				0.8	90	2.045454502	90	88	103014.3984	79879.39844	79879.39844	1.828571
3750	081	9945	0.23	17727	0	65	100	3	23	23	29835	12108	MUR	130	form-based				0.75	90	3.913043499	90	46	89505	71778	41943	3
3776	117	10014	0.23	12400	0	75	120	3.5	28	28	35049	22649	CMUO	130	form-based		true		0.8	90	3.214285612	90	56	90126	77726	57698	2.571429
6736	034	54456	1.25	44108	0	75	120	3.5	150	150	190596	146488	RH-1	40	form-based		true	true	0.55	90	0.600000024	90	90	119803.2031	75695.20313	75695.20313	0.628571
0239	009	9944	0.23	99510	0	65	100	3	23	23	29832	0	C-3-O	300	form-based		true		0.8	89	3.869565248	89	46	89496	0	0	3
0289	007	9898	0.23	0	0	75	120	3.5	28	28	34643	34643	C-3-O	350	form-based				0.8	89	3.178571463	89	56	89082	89082	69286	2.571429
0574	014	9854	0.23	12369	0	85	140	4	32	32	39416	27047	RC-4	350	form-based		true	true	0.75	89	2.78125	89	64	88686	76317	66463	2.25
0575	003	9915	0.23	27257	0	85	140	4	32	32	39660	12403	RC-4	350	form-based		true	true	0.75	89	2.78125	89	64	89235	61978	52063	2.25
0665	015	17700	0.41	56180	0	65	100	3	41	41	53100	0	RM-4	80	density-lim	200	true		0.75	89	2.170731783	89	82	106200	50020	50020	2
1834	037	9839	0.23	3	0	85	140	4	32	32	39356	39353	RTO-C	140	form-based		true	true	0.75	89	2.78125	89	64	88551	88548	78709	2.25
2331	019	17010	0.39	7888	0	65	100	3	39	39	51030	43142	RTO-C	85	form-based			true	0.75	89	2.282051325	89	78	102060	94172	94172	2
3747	094	40175	0.92	262900	260	65	100	3	92	0	120525	0	RH DTR	200	form-based		true		0.8	349	3.793478251	89	0	348918.75	86018.75	0	2.894991
3762	003	9875	0.23	10800	0	65	100	3	23	23	29625	18825	CMUO	130	form-based		true		0.8	89	3.869565248	89	46	88875	78075	48450	3
3788	008	22284	0.51	9600	0	65	100	3	51	51	66852	57252	CMUO	65	form-based		true		0.8	89	1.745097995	89	89	106963.2031	97363.20313	97363.20313	1.6
3794	024	9900	0.23	89778	0	65	100	3	23	23	29700	0	MUO	105	form-based				0.75	89	3.869565248	89	46	89100	0	0	3
0694	004	9900	0.23	37125	1	65	100	3	23	22	29700	0	RC-4	240	form-based		true	true	0.75	89	3.869565248	88	45	89100	51975	22275	3
1775	052	15648	0.36	46500	18	65	100	3	36	18	46944	444	NCD-IRVIN	105	form-based		true	true	0.75	106	2.944444418	88	54	106152	59652	47388	2.261247
2644	009A	42086	0.97	0	0	65	100	3	97	97	126258	126258	RH-1	40	form-based			true	0.7	88	0.907216489	88	88	117840.7969	117840.7969	117840.7969	0.933333
2915	001	41769	0.96	32720	0	55	80	2.5	77	77	104422	71702	RH-1(D)	40	form-based		true	true	0.7	88	1.142857194	88	88	116953.1953	84233.19531	84233.19531	1.120005
3536	012	9792	0.22	0	0	85	140	4	31	31	39168	39168	NCT-3	240	form-based		true	true	0.75	88	2.838709593	88	62	88128	88128	78336	2.25
3563	034	9806	0.23	17902	0	85	140	4	32	32	39224	21322	NCT-UPPE	160	form-based		true	true	0.75	88	2.75	88	64	88254	70352	60546	2.25
3566	054	23502	0.54	24434	0	85	140	4	76	76	94008	69574	RTO-C	65	form-based		true	true	0.75	88	1.157894731	88	88	105759	81325	81325	1.125
3729	086	23532	0.54	35020	0	65	100	3	54	54	70596	35576	WMUG	65	form-based				0.75	88	1.629629612	88	88	105894	70874	70874	1.5
3762	118	9788	0.22	14349	0	65	100	3	22	22	29364	15015	CMUO	130	form-based				0.8	88	4	88	44	88092	73743	44379	3
3765	023	56023	1.29	840	686	65	100	3	129	0	168069	167229	RH DTR	550	form-based		true		0.55	774	6	88	0	773688.5625	772848.5625	335298	4.603398
3774	073	23359	0.54	126250	0	65	100	3	54	54	70077	0	MUO	65	form-based				0.75	88	1.629629612	88	88	105115.5	0	0	1.5
3794	015	12268	0.28	33750	0	85	140	4	39	39	49072	15322	MUO	105	form-based		true		0.75	88	2.25641036	88	78	88407	54657	54657	1.801577
0235	025	9657	0.22	1754	0	85	140	4	31	31	38628	36874	C-3-O	300	form-based				0.8	87	2.806451559	87	62	86913	85159	75502	2.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0320	024	17308	0.4	33564	0	85	140	4	56	56	69232	35668	RC-4	80	density-lin	200	true		0.75	87	1.553571463	87	87	103848	70284	70284	1.5
0718	006	9630	0.22	19260	0	65	100	3	22	22	28890	9630	RC-4	500	form-based			true	0.75	87	3.954545498	87	44	86670	67410	38520	3
0761	029	16500	0.38	97774	0	65	100	3	38	38	49500	0	NCT-3	85	form-based		true		0.75	87	2.289473772	87	76	99000	1226	1226	2
0774	021	66924	1.54	216468	248	55	80	2.5	123	0	167310	0	RM-4	50	density-lin	200	true		0.55	335	2.723577261	87	0	184041	0	0	1.1
1446	054	23072	0.53	31636	0	65	100	3	53	53	69216	37580	RTO-C	65	form-based		true	true	0.75	87	1.641509414	87	87	103824	72188	72188	1.5
1541	040	16581	0.38	13232	0	85	140	4	53	53	66324	53092	NCD-GEAR	85	form-based			true	0.75	87	1.641509414	87	87	99486	86254	86254	1.5
2043	002	52908	1.21	0	0	55	80	2.5	97	97	132270	132270	RH-1(D)	40	form-based			true	0.55	87	0.89690721	87	87	116397.6016	116397.6016	116397.6016	0.88
3787	008	21734	0.5	88000	0	75	120	3.5	60	60	76069	0	CMUO	65	form-based				0.8	87	1.450000048	87	87	104323.2031	16323.20313	16323.20313	1.371429
6940	001	41622	0.96	58931	0	65	100	3	96	96	124866	65935	RH-1	40	form-based		true	true	0.7	87	0.90625	87	87	116541.6016	57610.60156	57610.60156	0.933333
6973	040	29031	0.67	144100	65	85	140	4	94	29	116124	0	NCT-2	85	form-based		true		0.75	152	1.617021322	87	87	174186	30086	30086	1.5
0040	017	15372	0.35	35590	0	65	100	3	35	35	46116	10526	C-2	85	form-based		true	true	0.8	86	2.45714283	86	70	98380.80469	62790.80469	56642	2.133333
0240	002	9605	0.22	94537	0	65	100	3	22	22	28815	0	C-3-O	250	form-based				0.8	86	3.909090996	86	44	86445	0	0	3
0307	008	9565	0.22	57825	0	75	120	3.5	26	26	33478	0	C-3-G	130	form-based				0.8	86	3.307692289	86	52	86085	28260	9131	2.57139
0648	026	27277	0.63	542	57	65	100	3	63	6	81831	81289	RTO-C	85	form-based			true	0.75	143	2.269841194	86	69	163662	163120	163120	2
0744	009	17121	0.39	9360	0	65	100	3	39	39	51363	42003	RM-4	80	density-lin	200	true		0.75	86	2.205128193	86	78	102726	93366	93366	2
0836	005	9510	0.22	48225	0	85	140	4	31	31	38040	0	C-3-G	450	form-based			true	0.8	86	2.774193525	86	62	85590	37365	27855	2.25
3717	010	9538	0.22	0	0	75	120	3.5	26	26	33383	33383	C-3-O(SD)	200	form-based				0.8	86	3.307692289	86	52	85842	85842	66766	2.571429
3717	011	9532	0.22	391050	0	75	120	3.5	26	26	33362	0	C-3-O(SD)	200	form-based				0.8	86	3.307692289	86	52	85788	0	0	2.571429
3725	127	15371	0.35	224	0	75	120	3.5	42	42	53798	53574	C-3-S	85	form-based				0.8	86	2.047619104	86	84	98374.39844	98150.39844	98150.39844	1.828588
3726	110	16296	0.37	32000	0	85	140	4	52	52	65184	33184	MUG	85	form-based				0.75	86	1.653846145	86	86	97776	65776	65776	1.5
3753	122	16392	0.38	3691	0	65	100	3	38	38	49176	45485	MUR	85	form-based		true		0.75	86	2.263157845	86	76	98352	94661	94661	2
3787	005	21523	0.49	41680	0	75	120	3.5	59	59	75330	33650	CMUO	65	form-based				0.8	86	1.457627177	86	86	103310.3984	61630.39844	61630.39844	1.371438
6976	016	52107	1.2	12801	0	75	120	3.5	144	144	182374	169573	RH-1	40	form-based			true	0.55	86	0.597222209	86	86	114635.4063	101834.4063	101834.4063	0.628573
7296	006	68586	1.57	176000	0	65	100	3	157	157	205758	29758	C-2	65	density-lin	800			0.55	86	0.547770679	86	86	226333.8125	50333.8125	50333.8125	1.1
7526	102	66517	1.53	22464	24	65	100	3	153	129	199551	177087	RH-1	40	form-based		true	true	0.55	110	0.718954265	86	86	146337.4063	123873.4063	123873.4063	0.733333
0268	007	9441	0.22	76734	0	75	120	3.5	26	26	33044	0	C-3-O	450	form-based				0.8	85	3.269230843	85	52	84969	8235	0	2.57139
0505	015	10824	0.25	11940	12	65	100	3	25	13	32472	20532	NC-3	140	form-based			true	0.75	97	3.880000114	85	38	97416	85476	53004	3
1092	036	9462	0.22	2960	0	65	100	3	22	22	28386	25426	NCD-GEAR	240	form-based			true	0.75	85	3.863636255	85	44	85158	82198	53812	3
2466A	001	40597	0.93	11439	0	55	80	2.5	74	74	101492	90053	RH-1	40	form-based		true	true	0.7	85	1.14864862	85	85	113671.6016	102232.6016	102232.6016	1.120005
2540	004G	16145	0.37	9211	0	65	100	3	37	37	48435	39224	RTO-C	85	form-based			true	0.75	85	2.297297239	85	74	96870	87659	87659	2
3512	009	9491	0.22	36753	0	65	100	3	22	22	28473	0	C-3-G	120	form-based			true	0.8	85	3.863636255	85	44	85419	48666	20193	3
3518	044	22710	0.52	15420	0	65	100	3	52	52	68130	52710	RCD	65	form-based		true		0.75	85	1.634615421	85	85	102195	86775	86775	1.5
3704	035	9448	0.22	14347	0	75	120	3.5	26	26	33068	18721	C-3-G	160	form-based				0.8	85	3.269230843	85	52	85032	70685	51789	2.571429
3721	005	9470	0.22	0	0	95	160	4.5	35	35	42615	42615	C-3-O(SD)	350	form-based		true		0.8	85	2.428571463	85	70	85230	85230	85230	2
3763	016	15106	0.35	17237	0	85	140	4	49	49	60424	43187	CMUO	85	form-based				0.8	85	1.734693885	85	85	96678.39844	79441.39844	79441.39844	1.6
4116	005	9396	0.22	0	0	55	80	2.5	18	18	23490	23490	P70-MU	90	form-based				0.75	85	4.722222328	85	36	84564	84564	46980	3.6
6574	069	50750	1.17	117920	0	65	100	3	117	117	152250	34330	NCD-MISSI	50	density-lin	600			0.55	85	0.726495743	85	85	139562.5	21642.5	21642.5	0.916667
0024	025	20909	0.48	68312	0	65	100	3	48	48	62727	0	C-2	65	form-based		true	true	0.8	84	1.75	84	84	100363.2031	32051.20313	32051.20313	1.6
0235	009	9281	0.21	51137	0	75	120	3.5	25	25	32484	0	C-3-O	300	form-based				0.8	84	3.359999895	84	50	83529	32392	13831	2.571389
0268	002	9290	0.21	135805	0	75	120	3.5	25	25	32515	0	C-3-O	450	form-based		true		0.8	84	3.359999895	84	50	83610	0	0	2.571429
0284	009	9321	0.21	27064	0	65	100	3	21	21	27963	899	C-3-R	130	form-based				0.8	84	4	84	42	83889	56825	28862	3
0315	003	9577	0.22	0	2	85	140	4	31	29	38308	38308	C-3-R	130	form-based				0.8	86	2.774193525	84	60	86193	86193	76616	2.25
0333	012	18906	0.43	85634	11	65	100	3	43	32	56718	0	RC-4	80	density-lin	200	true		0.75	95	2.209302425	84	75	113436	27802	27802	2
0785	030	22313	0.51	0	0	65	100	3	51	51	66939	66939	NCT-3	65	form-based				0.75	84	1.647058845	84	84	100408.5	100408.5	100408.5	1.5
2411	021M	15986	0.37	9938	0	85	140	4	52	52	63944	54006	NCD-INNE	85	form-based		true	true	0.75	84	1.615384579	84	84	95916	85978	85978	1.5
3508	024	9350	0.21	37400	0	85	140	4	29	29	37400	0	C-3-G	200	form-based				0.8	84	2.896551609	84	58	84150	46750	37400	2.25
3708	012	9353	0.21	0	0	75	120	3.5	25	25	32736	32736	C-3-O(SD)	550	form-based		true		0.8	84	3.359999895	84	50	84177	84177	65472	2.571389
3722	020	9323	0.21	55200	0	75	120	3.5	25	25	32630	0	C-3-O(SD)	150	form-based				0.8	84	3.359999895	84	50	83907	28707	10060	2.571468
4017	005	22306	0.51	41500	0	65	100	3	51	51	66918	25418	UMU	68	form-based		true		0.75	84	1.647058845	84	84	100377	58877	58877	1.5
4060	001	37390	0.86	38520	0	65	100	3	86	86	112170	73650	UMU	45	form-based		true		0.75	84	0.976744175	84	84	112170	73650	73650	1
4232	012	9386	0.22	0	0	65	100	3	22	22	28158	28158	PPS-MU	240	form-based				0.75	84	3.818181753	84	44	84474	84474	56316	3
7544	045	66311	1.52	29539	25	65	100	3	152	127	198933	169394	RH-1	40	form-based		true	true	0.55	109	0.717105269	84	84	145884.2031	116345.2031	116345.2031	0.733333
0261	015	9222	0.21	81618	0	75	120	3.5	25	25	32277	0	C-3-O	400	form-based		true		0.8	83	3.319999933	83	50	82998	1380	0	2.571429
0574	026	9265	0.21	15937	0	65	100	3	21	21	27795	11858	NCD-POLK	350	form-based			true	0.75	83	3.952380896	83	42	83385	67448	39653	3
0619	161	9203	0.21	650	0	65	100	3	21	21	27609	26959	RC-4	350	form-based		true	true	0.75	83	3.952380896	83	42	82827	82177	54568	3
0646	001	9261	0.21	15450	0	65	100	3	21	21	27783	12333	NCD-POLK	240	form-based		true	true	0.75	83	3.952380896	83	42	83349	67899	40116	3
1078	072	9246	0.21	1538	0	85	140	4	29	29	36984	35446	NC-3	240	form-based		true	true	0.75	83	2.862068892	83	58	83214	81676	72430	2.25
2987	016	15833	0.36	3652	0	65	100	3	36	36	47499	43847	NCD-WEST	85	form-based		true	true	0.75	83	2.305555582	83	72	94998	91346	91346	2
3280	018	36938	0.85	30940	0	85	140	4	119	119	147752	116812	NCT-OCEA	45	form-based		true		0.75	83	0.69747901	83	83	110814	79874	79874	0.75
3510	011	22046	0.51	47730	0	65	100	3	51	51	66138	18408	RCD	65	form-based		true		0.75	83	1.627450943	83	83	99207	51477	51477	1.5
3642	032	15875	0.36	11183	0	75	120	3.5	43	43	55562	44379	NCT-MISSI	80	form-based		true		0.75	83	1.930232525	83	83	95250	84067	84067	1.714301
3706	061	9180	0.21	59300	0	85	140	4	29	29	36720	0	C-3-R	120	form-based		true		0.8	83	2.862068892	83	58	82620	23320	14140	2.25
3726	117	15783	0.36	172481	0	85	140	4	50	50	63132	0	MUG	85	form-based		true		0.75	83	1.659999967	83	83	94698	0	0	1.5
3762	121	9200	0.21	5654	0	65	100	3	21	21	27600	21946	CMUO	130	form-based		true		0.8	83	3.952380896	83	42	82800	77146	49546	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4041	003	27785	0.64	0	0	65	100	3	64	64	83355	83355	UMU	58	form-based				0.75	83	1.296875	83	83	104193.75	104193.75	104193.75	1.25
7307	001	119160	2.74	51839	66	55	80	2.5	219	153	297900	246061	RM-1	40	density-lin	800	true		0.55	149	0.680365324	83	83	262152	210313	210313	0.88
0206	017	9138	0.21	26490	0	65	100	3	21	21	27414	924	C-3-O	555	form-based		true		0.8	82	3.904761791	82	42	82242	55752	28338	3
0720	036	41274	0.95	95230	124	65	100	3	95	0	123822	28592	RM-4	240	density-lin	200	true		0.75	206	2.16842103	82	66	402688.5	307458.5	152414	3.252156
1853	028	21807	0.5	16253	0	65	100	3	50	50	65421	49168	RTO-C	65	form-based		true	true	0.75	82	1.639999986	82	82	98131.5	81878.5	81878.5	1.5
2623	006	9123	0.21	1	0	85	140	4	29	29	36492	36491	NCT-UPPE	160	form-based		true	true	0.75	82	2.827586174	82	58	82107	82106	72983	2.25
3049	032	39079	0.9	5760	0	55	80	2.5	72	72	97698	91938	RH-1(D)	40	form-based			true	0.7	82	1.138888836	82	82	109421.1953	103661.1953	103661.1953	1.119994
3780	079	49972	1.15	40410	0	65	100	3	115	115	149916	109506	UMU	48	form-based				0.55	82	0.713043451	82	82	109938.4063	69528.40625	69528.40625	0.733333
3785	004	14557	0.33	14666	0	75	120	3.5	40	40	50950	36284	CMUO	85	form-based				0.8	82	2.049999952	82	80	93164.80469	78498.80469	78498.80469	1.828554
3799	009	21942	0.5	73324	0	65	100	3	50	50	65826	0	UMU	68	form-based				0.75	82	1.639999986	82	82	98739	25415	25415	1.5
4052	006	9064	0.21	0	0	55	80	2.5	17	17	22660	22660	P70-MU	90	form-based				0.75	82	4.823529243	82	34	81576	81576	45320	3.6
7380	011	15643	0.36	1878	0	65	100	3	36	36	46929	45051	RTO-C	85	form-based		true	true	0.75	82	2.277777672	82	72	93858	91980	91980	2
0293	007	8948	0.21	39021	0	75	120	3.5	25	25	31318	0	C-3-R	130	form-based		true		0.8	81	3.24000001	81	50	80532	41511	23615	2.571429
0294	008	9032	0.21	32187	0	75	120	3.5	25	25	31612	0	C-3-R	130	form-based				0.8	81	3.24000001	81	50	81288	49101	31037	2.571429
0305	023	16199	0.37	48972	0	65	100	3	37	37	48597	0	RC-4	130	density-lin	200	true		0.75	81	2.189189196	81	74	139044.75	90072.75	48222	2.86118
0554	010	10229	0.23	3200	11	55	80	2.5	18	7	25572	22372	RTO-C	105	form-based			true	0.75	92	5.111111164	81	25	92061	88861	47944	3.60007
0621	022	9032	0.21	8330	0	65	100	3	21	21	27096	18766	NCD-POLK	120	form-based		true	true	0.75	81	3.857142925	81	42	81288	72958	45862	3
1052	002	9034	0.21	18024	0	65	100	3	21	21	27102	9078	NC-3	140	form-based			true	0.75	81	3.857142925	81	42	81306	63282	36180	3
1083	007	9033	0.21	1995	0	85	140	4	29	29	36132	34137	NCD-GEAR	140	form-based		true	true	0.75	81	2.793103456	81	58	81297	79302	70269	2.25
2418	004B	49209	1.13	43330	0	65	100	3	113	113	147627	104297	RH-1	40	form-based		true	true	0.55	81	0.71681416	81	81	108259.8047	64929.80469	64929.80469	0.733333
3505	049	9017	0.21	92534	0	65	100	3	21	21	27051	0	NCT-3	140	form-based		true	true	0.75	81	3.857142925	81	42	81153	0	0	3
3708	040	8958	0.21	137747	0	75	120	3.5	25	25	31353	0	C-3-O(SD)	500	form-based		true		0.8	81	3.24000001	81	50	80622	0	0	2.571429
0161	041	15971	0.37	810	0	65	100	3	37	37	47913	47103	CRNC	65	density-lin	200			0.75	80	2.162162066	80	74	71869.5	71059.5	71059.5	1.5
0287	010	8890	0.2	54292	0	85	140	4	28	28	35560	0	C-3-R	130	form-based				0.8	80	2.857142925	80	56	80010	25718	16828	2.25
0287	023	8938	0.21	42992	0	85	140	4	29	29	35752	0	C-3-O	130	form-based		true		0.8	80	2.758620739	80	58	80442	37450	28512	2.25
0294	006	8865	0.2	96870	0	75	120	3.5	24	24	31028	0	C-3-R	130	form-based		true		0.8	80	3.333333254	80	48	79785	0	0	2.571387
0689	025	8927	0.2	17789	0	65	100	3	20	20	26781	8992	NC-3	500	form-based			true	0.75	80	4	80	40	80343	62554	35773	3
0756	019	26708	0.61	626	0	55	80	2.5	49	49	66770	66144	NCT-FILLM	50	form-based				0.75	80	1.632653117	80	80	100155	99529	99529	1.5
1216	017	15222	0.35	4250	0	55	80	2.5	28	28	38055	33805	NCT-DIVIS	85	form-based		true	true	0.75	80	2.857142925	80	56	91332	87082	71860	2.4
1450	048	15313	0.35	13248	0	65	100	3	35	35	45939	32691	NCD-GEAR	85	form-based		true	true	0.75	80	2.285714388	80	70	91878	78630	78630	2
2025	003	15285	0.35	1618	0	55	80	2.5	28	28	38212	36594	NCD-NORI	85	form-based		true	true	0.75	80	2.857142925	80	56	91710	90092	74806	2.400031
3503	005	14541	0.33	46928	62	65	100	3	33	0	43623	0	NCT-3	140	form-based		true	true	0.75	142	4.303030491	80	4	142340.25	95412.25	40318	3.262963
3701	005	8912	0.2	0	0	75	120	3.5	24	24	31192	31192	C-3-G	180	form-based		true		0.8	80	3.333333254	80	48	80208	80208	62384	2.571429
3703	033	8898	0.2	17874	0	85	140	4	28	28	35592	17718	C-3-G	120	form-based				0.8	80	2.857142925	80	56	80082	62208	53310	2.25
3706	278	8900	0.2	51743	0	85	140	4	28	28	35600	0	C-3-R	120	form-based		true		0.8	80	2.857142925	80	56	80100	28357	19457	2.25
3748	010	8834	0.2	8605	0	65	100	3	20	20	26502	17897	RH DTR	400	form-based		true		0.8	80	4	80	40	79506	70901	44399	3
3762	032	8871	0.2	13200	0	65	100	3	20	20	26613	13413	CMUO	130	form-based		true		0.8	80	4	80	40	79839	66639	40026	3
7312	001	116594	2.68	48491	66	65	100	3	268	202	349782	301291	RM-1	40	density-lin	800	true		0.55	146	0.544776142	80	80	256506.8125	208015.8125	208015.8125	0.733333
0177	022	27106	0.62	32358	57	65	100	3	62	5	81318	48960	RM-4	65	density-lin	200	true		0.75	136	2.193548441	79	67	121977	89619	89619	1.5
0326	003	8743	0.2	27547	0	85	140	4	28	28	34972	7425	C-3-R	130	form-based				0.8	79	2.821428537	79	56	78687	51140	42397	2.25
0326	004	8742	0.2	29000	0	85	140	4	28	28	34968	5968	C-3-R	130	form-based				0.8	79	2.821428537	79	56	78678	49678	40936	2.25
0446	003	35061	0.8	0	0	55	80	2.5	64	64	87652	87652	NC-S	40	form-based		true	true	0.75	79	1.234375	79	79	105183	105183	105183	1.200007
0622	016	8736	0.2	8643	0	65	100	3	20	20	26208	17565	NCD-POLK	120	form-based			true	0.75	79	3.950000048	79	40	78624	69981	43773	3
0738	022	8780	0.2	3401	0	85	140	4	28	28	35120	31719	RC-4	350	form-based		true	true	0.75	79	2.821428537	79	56	79020	75619	66839	2.25
0742	015	8728	0.2	26306	0	65	100	3	20	20	26184	0	RC-4	300	form-based		true	true	0.75	79	3.950000048	79	40	78552	52246	26062	3
0767	014	8741	0.2	0	0	85	140	4	28	28	34964	34964	C-2	130	form-base	800			0.8	79	2.821428537	79	56	78669	78669	69928	2.25
1082	027	10639	0.24	23349	17	65	100	3	24	7	31917	8568	NC-3	240	form-based		true	true	0.75	96	4	79	31	95751	72402	40485	3
1182	032	18906	0.43	1453	20	55	80	2.5	34	14	47265	45812	NCT-DIVIS	85	form-based		true	true	0.75	99	2.911764622	79	48	113436	111983	93077	2.4
2636	025	47863	1.1	0	0	55	80	2.5	88	88	119658	119658	RM-1	40	form-based			true	0.55	79	0.897727251	79	79	105298.6016	105298.6016	105298.6016	0.879996
3502	070	9417	0.22	14283	6	65	100	3	22	16	28251	13968	NCT-3	120	form-based		true	true	0.75	85	3.863636255	79	38	84753	70470	42219	3
3505	009	15100	0.35	30000	0	65	100	3	35	35	45300	15300	NCT-3	85	form-based				0.75	79	2.257142782	79	70	90600	60600	60600	2
3725	086	8794	0.2	338	0	85	140	4	28	28	35176	34838	C-3-S	160	form-based				0.8	79	2.821428537	79	56	79146	78808	70014	2.25
3762	001	8800	0.2	0	0	65	100	3	20	20	26400	26400	CMUO	130	form-based		true		0.8	79	3.950000048	79	40	79200	79200	52800	3
3786	083	11007	0.25	976	20	75	120	3.5	30	10	38524	37548	CMUO	130	form-based		true		0.8	99	3.299999952	79	40	99063	98087	76072	2.571462
0044	001	19514	0.45	9203	0	65	100	3	45	45	58542	49339	C-2	65	form-based		true	true	0.8	78	1.733333349	78	78	93667.20313	84464.20313	84464.20313	1.6
0050	004	20815	0.48	20058	0	65	100	3	48	48	62445	42387	NCD-NORT	65	form-based		true	true	0.75	78	1.625	78	78	93667.5	73609.5	73609.5	1.5
0268	012	8719	0.2	67507	0	75	120	3.5	24	24	30516	0	C-3-O	150	form-based				0.8	78	3.25	78	48	78471	10964	0	2.571471
0284	004	8719	0.2	55414	0	65	100	3	20	20	26157	0	C-3-R	130	form-based		true		0.8	78	3.900000095	78	40	78471	23057	0	3
0291	006	8716	0.2	75482	0	95	160	4.5	32	32	39222	0	C-3-O	350	form-based				0.8	78	2.4375	78	64	78444	2962	2962	2
0347	004	13961	0.32	23262	0	75	120	3.5	38	38	48864	25602	C-3-G	80	form-based				0.8	78	2.052631617	78	76	89350.39844	66088.39844	66088.39844	1.828553
0636	033	14807	0.34	16548	0	65	100	3	34	34	44421	27873	RTO-C	85	form-based		true	true	0.75	78	2.294117689	78	68	88842	72294	72294	2
0692	030	31276	0.72	21672	0	65	100	3	72	72	93828	72156	NCD-POLK	130	density-lin	400			0.75	78	1.083333373	78	78	218199	196527	165984	2.325521
0732	026	8662	0.2	45663	0	65	100	3	20	20	25986	0	NCT-FILLM	130	form-based				0.75	78	3.900000095	78	40	77958	32295	6309	3
0751	001	113101	2.6	115095	111	65	100	3	260	149	339303	224208	RM-2	65	density-lin	600	true		0.55	189	0.726923048	78	78	373233.3125	258138.3125	258138.3125	1.1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0762	026	105806	2.43	556	451	65	100	3	243	0	317418	316862	RC-4	130	density-lin	200	true		0.55	529	2.176954746	78	35	569353.125	568797.125	568797.125	1.793701
1730	050	8619	0.2	0	0	65	100	3	20	20	25857	25857	NCD-IRVIN	105	form-based			true	0.75	78	3.900000095	78	40	77571	77571	51714	3
1764	001	14803	0.34	13331	0	85	140	4	48	48	59212	45881	NCD-INNE	85	form-based		true	true	0.75	78	1.625	78	78	88818	75487	75487	1.5
3514	042	14878	0.34	49042	0	65	100	3	34	34	44634	0	NCT-3	85	form-based				0.75	78	2.294117689	78	68	89268	40226	40226	2
3556	068	46807	1.07	0	0	65	100	3	107	107	140421	140421	RTO-1	40	density-lin	600			0.55	78	0.728971958	78	78	102975.3984	102975.3984	102975.3984	0.733333
3733	105	15939	0.37	15600	120	85	140	4	52	0	63756	48156	MUR	180	form-based				0.75	198	3.807692289	78	0	197679.75	182079.75	111912	3.100567
3786	043	10856	0.25	1373	20	75	120	3.5	30	10	37996	36623	CMUO	130	form-based				0.8	98	3.266666651	78	40	97704	96331	74619	2.571429
4277	015	34864	0.8	24313	0	65	100	3	80	80	104592	80279	MUR	40	form-based				0.75	78	0.975000024	78	78	104592	80279	80279	1
0083	001	46616	1.07	0	0	85	140	4	150	150	186464	186464	C-2	40	form-base	800	true		0.55	77	0.513333321	77	77	102555.2031	102555.2031	102555.2031	0.55
0207	035	8573	0.2	59669	0	65	100	3	20	20	25719	0	C-3-O	200	form-based		true		0.8	77	3.849999905	77	40	77157	17488	0	3
0254	031	15419	0.35	71981	0	65	100	3	35	35	46257	0	RM-4	65	density-lin	200			0.75	77	2.200000048	77	70	69385.5	0	0	1.5
0306	016	8574	0.2	25580	0	85	140	4	28	28	34296	8716	C-3-G	130	form-based				0.8	77	2.75	77	56	77166	51586	43012	2.25
0341	009	8594	0.2	77750	0	85	140	4	28	28	34376	0	C-3-G	110	form-based		true		0.8	77	2.75	77	56	77346	0	0	2.25
0347	016	25586	0.59	135302	51	75	120	3.5	71	20	89551	0	RC-4	80	density-lin	200	true		0.75	128	1.802816868	77	77	153516	18214	18214	1.714286
0691	011	8505	0.2	17800	0	65	100	3	20	20	25515	7715	RC-4	240	form-based			true	0.75	77	3.849999905	77	40	76545	58745	33230	3
0767	013	8610	0.2	0	0	65	100	3	20	20	25830	25830	C-2	130	form-base	800			0.8	77	3.849999905	77	40	77490	77490	51660	3
0814	023	22431	0.51	251985	179	75	120	3.5	61	0	78508	0	C-3-G	200	form-based		true		0.8	256	4.196721077	77	0	255762.75	3777.75	0	3.257792
0835	003	8561	0.2	16994	0	65	100	3	20	20	25683	8689	C-3-G	320	form-based				0.8	77	3.849999905	77	40	77049	60055	34372	3
1019	011	14598	0.34	11030	0	65	100	3	34	34	43794	32764	NC-S	85	form-based			true	0.75	77	2.264705896	77	68	87588	76558	76558	2
1731	001	14620	0.34	10538	0	65	100	3	34	34	43860	33322	RTO-C	85	form-based		true	true	0.75	77	2.264705896	77	68	87720	77182	77182	2
3740	035	54884	1.26	567	392	65	100	3	126	0	164652	164085	TB DTR	300	form-based		true		0.55	469	3.722222328	77	0	469303.4063	468736.4063	328737	2.850275
3786	063	10824	0.25	963	20	75	120	3.5	30	10	37884	36921	CMUO	130	form-based		true		0.8	97	3.233333349	77	40	97416	96453	74805	2.571429
4116	002	8547	0.2	0	0	55	80	2.5	16	16	21368	21368	P70-MU	90	form-based				0.75	77	4.8125	77	32	76923	76923	42736	3.599916
7080	009	14744	0.34	29338	0	85	140	4	48	48	58976	29638	NC-1	85	form-based			true	0.75	77	1.604166627	77	77	88464	59126	59126	1.5
7548	033	55362	1.27	15864	14	75	120	3.5	152	138	193767	177903	RH-1	40	form-based			true	0.55	91	0.598684192	77	77	121796.4063	105932.4063	105932.4063	0.628571
0012	001	19094	0.44	24627	0	85	140	4	62	62	76376	51749	C-2	65	form-based		true	true	0.8	76	1.225806475	76	76	91651.20313	67024.20313	67024.20313	1.2
0013	004	18906	0.43	81488	0	85	140	4	60	60	75624	0	C-2	65	form-based			true	0.8	76	1.266666651	76	76	90748.80469	9260.804688	9260.804688	1.2
0013	005	18906	0.43	54068	0	85	140	4	60	60	75624	21556	C-2	65	form-based		true	true	0.8	76	1.266666651	76	76	90748.80469	36680.80469	36680.80469	1.2
0049	001	75581	1.74	91843	0	65	100	3	174	174	226743	134900	RH-3	40	density-lin	1000	true		0.55	76	0.436781615	76	76	166278.2031	74435.20313	74435.20313	0.733333
0292	004	8393	0.19	816735	0	75	120	3.5	23	23	29376	0	C-3-O	250	form-based				0.8	76	3.304347754	76	46	75537	0	0	2.571385
0327	011	8424	0.19	73794	0	75	120	3.5	23	23	29484	0	C-3-R	130	form-based				0.8	76	3.304347754	76	46	75816	2022	0	2.571429
0351	001	9324	0.21	64225	8	85	140	4	29	21	37296	0	C-3-G	120	form-based		true		0.8	84	2.896551609	76	50	83916	19691	10367	2.25
0570	031	17176	0.39	69915	80	65	100	3	39	0	51528	0	RTO-C	140	form-based		true	true	0.75	156	4	76	0	156174	86259	33141	3.030857
0576	047	10542	0.24	707	19	65	100	3	24	5	31626	30919	RTO-C	140	form-based			true	0.75	95	3.958333254	76	29	94878	94171	62545	3
0643	015	8419	0.19	29959	0	85	140	4	27	27	33676	3717	RC-4	350	form-based		true	true	0.75	76	2.814814806	76	54	75771	45812	37393	2.25
1086	025	14517	0.33	3786	0	85	140	4	46	46	58068	54282	NCD-GEAR	85	form-based		true	true	0.75	76	1.652173877	76	76	87102	83316	83316	1.5
1107	005	36083	0.83	45468	0	65	100	3	83	83	108249	62781	RH-2	40	form-based			true	0.7	76	0.915662646	76	76	101032.3984	55564.39844	55564.39844	0.933333
1215	015	14399	0.33	1930	0	55	80	2.5	26	26	35998	34068	NCT-DIVIS	85	form-based		true	true	0.75	76	2.923076868	76	52	86394	84464	70066	2.399967
2989B	033	14489	0.33	3804	0	85	140	4	46	46	57956	54152	NCD-WEST	85	form-based			true	0.75	76	1.652173877	76	76	86934	83130	83130	1.5
3706	075	8481	0.19	93455	0	85	140	4	27	27	33924	0	C-3-R	160	form-based				0.8	76	2.814814806	76	54	76329	0	0	2.25
0297	012	8319	0.19	37716	0	65	100	3	19	19	24957	0	C-3-G	130	form-based				0.8	75	3.947368383	75	38	74871	37155	12198	3
0504	011	8321	0.19	13098	0	65	100	3	19	19	24963	11865	NC-3	140	form-based		true	true	0.75	75	3.947368383	75	38	74889	61791	36828	3
0601	002	9022	0.21	4339	6	65	100	3	21	15	27066	22727	RTO-C	140	form-based		true	true	0.75	81	3.857142925	75	36	81198	76859	49793	3
0647	013	8323	0.19	23823	0	65	100	3	19	19	24969	1146	NC-3	350	form-based			true	0.75	75	3.947368383	75	38	74907	51084	26115	3
0749	009	31131	0.71	110410	142	65	100	3	71	0	93393	0	NCT-FILLM	130	form-based		true		0.75	217	3.056338072	75	0	217437.75	107027.75	76376	2.328202
0752	001	113541	2.61	77875	209	65	100	3	261	52	340623	262748	RM-3	40	density-lin	400	true		0.55	284	1.088122606	75	75	249790.2031	171915.2031	171915.2031	0.733333
1355	011	45719	1.05	107588	0	55	80	2.5	84	84	114298	6710	RM-1	40	form-based		true	true	0.55	75	0.892857134	75	75	100581.8047	0	0	0.879996
1630	001	19918	0.46	10992	0	55	80	2.5	37	37	49795	38803	RTO-C	65	form-based		true	true	0.75	75	2.02702713	75	74	89631	78639	78639	1.8
3704	070	8333	0.19	26704	0	85	140	4	27	27	33332	6628	C-3-G	120	form-based				0.8	75	2.777777672	75	54	74997	48293	39960	2.25
3715	013	13469	0.31	92093	0	65	100	3	31	31	40407	0	C-3-O(SD)	84	form-based		true		0.8	75	2.419354916	75	62	86201.60156	0	0	2.133333
3733	084	8297	0.19	34963	0	65	100	3	19	19	24891	0	C-3-S	130	form-based				0.8	75	3.947368383	75	38	74673	39710	14819	3
3776	151	13308	0.31	25000	0	75	120	3.5	37	37	46578	21578	CMUO	85	form-based		true		0.8	75	2.02702713	75	74	85171.20313	60171.20313	60171.20313	1.828571
3788	009	18794	0.43	9980	0	65	100	3	43	43	56382	46402	CMUO	65	form-based				0.8	75	1.744186044	75	75	90211.20313	80231.20313	80231.20313	1.6
3986	001	45701	1.05	64966	0	65	100	3	105	105	137103	72137	UMU	48	form-based		true		0.55	75	0.714285731	75	75	100542.2031	35576.20313	35576.20313	0.733333
4023	003	19972	0.46	37818	0	65	100	3	46	46	59916	22098	UMU	68	form-based				0.75	75	1.630434752	75	75	89874	52056	52056	1.5
4052	010	13081	0.3	0	0	55	80	2.5	24	24	32702	32702	P70-MU	90	form-based				0.75	75	3.125	75	48	74675.25	74675.25	65404	2.283507
4111	005	8380	0.19	0	0	65	100	3	19	19	25140	25140	P70-MU	90	form-based				0.75	75	3.947368383	75	38	75420	75420	50280	3
0271	023	18420	0.42	45749	0	65	100	3	42	42	55260	9511	C-3-G	65	form-based				0.8	74	1.761904716	74	74	88416	42667	42667	1.6
0296	151	8270	0.19	29959	0	65	100	3	19	19	24810	0	C-3-R	130	form-based				0.8	74	3.894736767	74	38	74430	44471	19661	3
0351	050	13224	0.3	76500	0	85	140	4	42	42	52896	0	C-3-G	80	form-based				0.8	74	1.761904716	74	74	84633.60156	8133.601563	8133.601563	1.6
0497	010	8256	0.19	15145	0	65	100	3	19	19	24768	9623	NC-3	140	form-based			true	0.75	74	3.894736767	74	38	74304	59159	34391	3
0554	043	9323	0.21	2718	10	55	80	2.5	17	7	23308	20590	RTO-C	105	form-based			true	0.75	84	4.941176414	74	24	83907	81189	43898	3.599923
0590	002	9594	0.22	33049	12	55	80	2.5	18	6	23985	0	RTO-C	105	form-based		true	true	0.75	86	4.777777672	74	24	86346	53297	14921	3.6
0593	004	11547	0.27	1309	30	65	100	3	27	0	34641	33332	RTO-C	140	form-based		true	true	0.75	104	3.85185194	74	24	103923	102614	67973	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0595	005	8241	0.19	46183	0	85	140	4	27	27	32964	0	RC-4	350	form-based		true	true	0.75	74	2.740740776	74	54	74169	27986	19745	2.25
0643	001A	8217	0.19	22755	0	65	100	3	19	19	24651	1896	NCD-POLK	120	form-based			true	0.75	74	3.894736767	74	38	73953	51198	26547	3
0655	071	14187	0.33	4726	0	85	140	4	46	46	56748	52022	NCD-UPPE	85	form-based		true	true	0.75	74	1.608695626	74	74	85122	80396	80396	1.5
0691	003	8268	0.19	52010	0	65	100	3	19	19	24804	0	RC-4	240	form-based			true	0.75	74	3.894736767	74	38	74412	22402	0	3
0719	013	8250	0.19	24000	0	85	140	4	27	27	33000	9000	RC-4	500	form-based			true	0.75	74	2.740740776	74	54	74250	50250	42000	2.25
0854	011	25801	0.59	18747	127	85	140	4	83	0	103204	84457	NCT-3	140	form-based		true	true	0.75	201	2.421686649	74	39	201455.25	182708.25	182708.25	1.95201
0978	018	35002	0.8	54540	0	55	80	2.5	64	64	87505	32965	RH-2	40	form-based		true	true	0.7	74	1.15625	74	74	98005.60156	43465.60156	43465.60156	1.12
1458	078	14190	0.33	16586	0	65	100	3	33	33	42570	25984	NCD-GEAR	85	form-based			true	0.75	74	2.24242425	74	66	85140	68554	68554	2
3212	023	8270	0.19	12428	0	85	140	4	27	27	33080	20652	NCT-1	120	form-based			true	0.75	74	2.740740776	74	54	74430	62002	53732	2.25
3250	006	35055	0.8	40389	0	85	140	4	112	112	140220	99831	RH-1(D)	40	form-based		true	true	0.7	74	0.660714269	74	74	98154	57765	57765	0.7
3702	046	8238	0.19	21817	0	85	140	4	27	27	32952	11135	C-3-G	120	form-based				0.8	74	2.740740776	74	54	74142	52325	44087	2.25
3703	059	8256	0.19	59794	0	85	140	4	27	27	33024	0	C-3-G	90	form-based		true		0.8	74	2.740740776	74	54	74304	14510	6254	2.25
3703	060	8200	0.19	8000	0	85	140	4	27	27	32800	24800	C-3-G	90	form-based				0.8	74	2.740740776	74	54	73800	65800	57600	2.25
3703	061	8196	0.19	56583	0	85	140	4	27	27	32784	0	C-3-G	90	form-based				0.8	74	2.740740776	74	54	73764	17181	8985	2.25
3703	063	8186	0.19	28500	0	85	140	4	27	27	32744	4244	C-3-G	90	form-based				0.8	74	2.740740776	74	54	73674	45174	36988	2.25
3703	065	8180	0.19	58100	0	85	140	4	27	27	32720	0	C-3-G	90	form-based				0.8	74	2.740740776	74	54	73620	15520	7340	2.25
3703	066	8176	0.19	71141	0	85	140	4	27	27	32704	0	C-3-G	90	form-based				0.8	74	2.740740776	74	54	73584	2443	0	2.25
3703	067	8172	0.19	56800	0	85	140	4	27	27	32688	0	C-3-G	90	form-based				0.8	74	2.740740776	74	54	73548	16748	8576	2.25
3704	022	8175	0.19	47067	0	85	140	4	27	27	32700	0	C-3-G	160	form-based				0.8	74	2.740740776	74	54	73575	26508	18333	2.25
3704	024	8174	0.19	45060	0	85	140	4	27	27	32696	0	C-3-G	160	form-based				0.8	74	2.740740776	74	54	73566	28506	20332	2.25
3733	024	14169	0.33	12100	0	65	100	3	33	33	42507	30407	MUR	85	form-based				0.75	74	2.24242425	74	66	85014	72914	72914	2
3736	086	8250	0.19	24885	0	75	120	3.5	23	23	28875	3990	C-3-O(SD)	350	form-based				0.8	74	3.217391253	74	46	74250	49365	32865	2.571429
3736	099	8250	0.19	34500	0	75	120	3.5	23	23	28875	0	C-3-O(SD)	350	form-based				0.8	74	3.217391253	74	46	74250	39750	23250	2.571429
3752	394	28875	0.66	1013	78	85	140	4	92	14	115500	114487	MUR	85	form-based				0.75	152	1.652173877	74	74	173250	172237	172237	1.5
6956	023	44568	1.02	121666	0	65	100	3	102	102	133704	12038	NCD-EXCE	65	density-lim	600	true		0.55	74	0.725490212	74	74	147074.4063	25408.40625	25408.40625	1.1
0037	004	44129	1.01	152000	0	85	140	4	141	141	176516	24516	C-2	40	form-base	800	true		0.55	73	0.517730474	73	73	97083.80469	0	0	0.55
0179	021	26662	0.61	43886	60	65	100	3	61	1	79986	36100	RM-4	65	density-lim	200	true		0.75	133	2.180327892	73	62	119979	76093	76093	1.5
0294	013	8142	0.19	92000	0	65	100	3	19	19	24426	0	C-3-R	130	form-based		true		0.8	73	3.84210515	73	38	73278	0	0	3
0309	023	8100	0.19	64800	0	85	140	4	27	27	32400	0	C-3-R	130	form-based				0.8	73	2.703703642	73	54	72900	8100	0	2.25
0646	003	8118	0.19	8000	0	65	100	3	19	19	24354	16354	NCD-POLK	240	form-based			true	0.75	73	3.84210515	73	38	73062	65062	40708	3
0715	014	25240	0.58	49614	53	85	140	4	81	28	100960	51346	RC-4	130	density-lim	200	true		0.75	126	1.555555582	73	73	186510	136896	136896	1.847365
1157	008	25908	0.59	62336	0	55	80	2.5	47	47	64770	2434	RM-1	50	form-based			true	0.7	73	1.553191543	73	73	90678	28342	28342	1.4
1503	061	13887	0.32	8050	0	55	80	2.5	26	26	34718	26668	RTO-C	85	form-based		true	true	0.75	73	2.807692289	73	52	83322	75272	61386	2.399966
3763	101	8080	0.19	7000	0	65	100	3	19	19	24240	17240	CMUO	350	form-based				0.8	73	3.84210515	73	38	72720	65720	41480	3
3788	024	18231	0.42	15400	0	65	100	3	42	42	54693	39293	CMUO	65	form-based				0.8	73	1.738095284	73	73	87508.80469	72108.80469	72108.80469	1.6
3794	002B	8161	0.19	8904	0	85	140	4	27	27	32644	23740	MUO	105	form-based				0.75	73	2.703703642	73	54	73449	64545	56384	2.25
6933	040	13828	0.32	5148	0	85	140	4	45	45	55312	50164	NCT-OCEA	85	form-based		true	true	0.75	73	1.622222185	73	73	82968	77820	77820	1.5
0174	003	18005	0.41	97848	0	65	100	3	41	41	54015	0	C-2	65	form-base	800			0.8	72	1.756097555	72	72	86424	0	0	1.6
0315	001	8028	0.18	68333	0	85	140	4	25	25	32112	0	C-3-R	130	form-based		true		0.8	72	2.880000114	72	50	72252	3919	0	2.25
0571	004	13750	0.32	14055	0	65	100	3	32	32	41250	27195	NCD-POLK	85	form-based		true	true	0.75	72	2.25	72	64	82500	68445	68445	2
0643	001	8023	0.18	7233	0	65	100	3	18	18	24069	16836	NCD-POLK	120	form-based		true	true	0.75	72	4	72	36	72207	64974	40905	3
0643	013	7988	0.18	8663	0	85	140	4	25	25	31952	23289	RC-4	350	form-based			true	0.75	72	2.880000114	72	50	71892	63229	55241	2.25
0647	001	8044	0.18	36000	0	65	100	3	18	18	24132	0	RC-4	350	form-based		true	true	0.75	72	4	72	36	72396	36396	12264	3
0647	002	8043	0.18	0	0	65	100	3	18	18	24129	24129	RC-4	350	form-based			true	0.75	72	4	72	36	72387	72387	48258	3
0671	007	7949	0.18	15480	0	65	100	3	18	18	23847	8367	RC-4	350	form-based			true	0.75	72	4	72	36	71541	56061	32214	3
0768	073	13671	0.31	0	0	65	100	3	31	31	41013	41013	NCT-3	85	form-based		true		0.75	72	2.322580576	72	62	82026	82026	82026	2
1035	004	13765	0.32	7400	0	55	80	2.5	26	26	34412	27012	NC-S	85	form-based			true	0.75	72	2.769230843	72	52	82590	75190	61424	2.400035
1090	001	9456	0.22	18274	13	85	140	4	31	18	37824	19550	NCD-GEAR	140	form-based		true	true	0.75	85	2.741935492	72	49	85104	66830	57374	2.25
1127	039	13778	0.32	12328	0	65	100	3	32	32	41334	29006	NCT-DIVIS	85	form-based			true	0.75	72	2.25	72	64	82668	70340	70340	2
1444	041	19164	0.44	20884	0	65	100	3	44	44	57492	36608	NCD-INNE	65	form-based		true	true	0.75	72	1.636363626	72	72	86238	65354	65354	1.5
1780	045	13663	0.31	16138	0	65	100	3	31	31	40989	24851	NCD-IRVIN	85	form-based			true	0.75	72	2.322580576	72	62	81978	65840	65840	2
3508	055	8050	0.18	0	0	75	120	3.5	22	22	28175	28175	C-3-G	200	form-based				0.8	72	3.272727251	72	44	72450	72450	56350	2.571429
3534	058	7945	0.18	15406	0	85	140	4	25	25	31780	16374	NCT-3	120	form-based		true	true	0.75	72	2.880000114	72	50	71505	56099	48154	2.25
3574	087	24028	0.55	20003	0	75	120	3.5	66	66	84098	64095	UMU	58	form-based				0.75	72	1.090909123	72	72	90105	70102	70102	1.071429
3704	015	8019	0.18	88216	0	75	120	3.5	22	22	28066	0	C-3-G	160	form-based				0.8	72	3.272727251	72	44	72171	0	0	2.571474
3733	014	8000	0.18	8600	0	85	140	4	25	25	32000	23400	CMUO	180	form-based				0.8	72	2.880000114	72	50	72000	63400	55400	2.25
3735	014	8000	0.18	0	0	85	140	4	25	25	32000	32000	C-3-S	320	form-based				0.8	72	2.880000114	72	50	72000	72000	64000	2.25
3778	001	13701	0.31	33075	0	65	100	3	31	31	41103	8028	MUG	85	form-based		true		0.75	72	2.322580576	72	62	82206	49131	49131	2
3788	020	18046	0.41	14360	0	75	120	3.5	49	49	63161	48801	CMUO	65	form-based		true		0.8	72	1.46938777	72	72	86620.80469	72260.80469	72260.80469	1.371429
VACST	WIL	14437	0.33	0	0	65	100	3	33	33	43311	43311	RM-4	80	density-lim	200	true		0.75	72	2.181818247	72	66	86622	86622	86622	2
0161	039	14177	0.33	29503	0	65	100	3	33	33	42531	13028	CCB	65	density-lim	200			0.75	71	2.151515245	71	66	63796.5	34293.5	34293.5	1.5
0240	001	7908	0.18	18908	0	65	100	3	18	18	23724	4816	C-3-O	250	form-based		true		0.8	71	3.944444418	71	36	71172	52264	28540	3
0291	005	7880	0.18	64955	0	95	160	4.5	29	29	35460	0	C-3-O	300	form-based				0.8	71	2.448275805	71	58	70920	5965	5965	2
0296	001	7836	0.18	34173	0	65	100	3	18	18	23508	0	C-3-R	130	form-based		true		0.8	71	3.944444418	71	36	70524	36351	12843	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0309	001	7838	0.18	99223	0	75	120	3.5	22	22	27433	0	C-3-R	130	form-based		true		0.8	71	3.227272749	71	44	70542	0	0	2.571429
0326	018	8181	0.19	39212	3	85	140	4	27	24	32724	0	C-3-G	130	form-based		true		0.8	74	2.740740776	71	51	73629	34417	26236	2.25
0340	002	7927	0.18	0	0	75	120	3.5	22	22	27744	27744	C-3-G	120	form-based				0.8	71	3.227272749	71	44	71343	71343	55488	2.571475
0495	011	7838	0.18	4230	0	55	80	2.5	14	14	19595	15365	NC-3	140	form-based			true	0.75	71	5.071428776	71	28	70542	66312	34960	3.6
0527	052	10901	0.25	1662	27	65	100	3	25	0	32703	31041	RC-3	140	form-based		true	true	0.75	98	3.920000076	71	23	98109	96447	63744	3
0758	028	101174	2.32	98315	98	55	80	2.5	186	88	252935	154620	RM-2	50	density-lin	600	true		0.55	169	0.908602178	71	71	278228.5	179913.5	179913.5	1.1
1017	027	13570	0.31	0	0	55	80	2.5	25	25	33925	33925	RTO-C	85	form-based			true	0.75	71	2.839999914	71	50	81420	81420	67850	2.4
1061	048	7907	0.18	0	0	85	140	4	25	25	31628	31628	NCD-GEAR	140	form-based		true	true	0.75	71	2.839999914	71	50	71163	71163	63256	2.25
1082	026	10953	0.25	21505	28	65	100	3	25	0	32859	11354	NC-3	240	form-based			true	0.75	99	3.960000038	71	22	98577	77072	44213	3
1800	010D	13519	0.31	7954	0	85	140	4	43	43	54076	46122	NC-1	85	form-based		true	true	0.75	71	1.651162744	71	71	81114	73160	73160	1.5
2514	007	7895	0.18	1700	0	85	140	4	25	25	31580	29880	NC-2	100	form-based		true	true	0.75	71	2.839999914	71	50	71055	69355	61460	2.25
2901B	027	13452	0.31	18665	0	55	80	2.5	25	25	33630	14965	NC-1	85	form-based		true	true	0.75	71	2.839999914	71	50	80712	62047	48595	2.4
3155	039	33952	0.78	0	0	65	100	3	78	78	101856	101856	RH-1	40	form-based		true	true	0.7	71	0.910256386	71	71	95065.60156	95065.60156	95065.60156	0.933333
3715	025	12741	0.29	102708	0	75	120	3.5	35	35	44594	0	C-3-O	84	form-based				0.8	71	2.028571367	71	70	81542.39844	0	0	1.828551
3722	001	7908	0.18	49518	0	75	120	3.5	22	22	27678	0	C-3-O(SD)	150	form-based		true		0.8	71	3.227272749	71	44	71172	21654	5838	2.571429
3735	008	7907	0.18	28720	0	75	120	3.5	22	22	27674	0	C-3-O(SD)	320	form-based		true		0.8	71	3.227272749	71	44	71163	42443	26628	2.571475
3788	024A	17680	0.41	88526	0	65	100	3	41	41	53040	0	CMUO	65	form-based				0.8	71	1.731707335	71	71	84864	0	0	1.6
0293	004	7824	0.18	37160	0	75	120	3.5	22	22	27384	0	C-3-O	130	form-based		true		0.8	70	3.181818247	70	44	70416	33256	17608	2.571429
0527	092	10930	0.25	1193	28	85	140	4	35	7	43720	42527	RC-3	140	form-based			true	0.75	98	2.799999952	70	42	98370	97177	86247	2.25
0574	012	7759	0.18	15524	0	85	140	4	25	25	31036	15512	NCD-POLK	350	form-based			true	0.75	70	2.799999952	70	50	69831	54307	46548	2.25
0635	009	13269	0.3	100	0	85	140	4	42	42	53076	52976	NCD-UPPE	85	form-based			true	0.75	70	1.666666627	70	70	79614	79514	79514	1.5
0792	031	18734	0.43	62140	0	65	100	3	43	43	56202	0	NCT-3	65	form-based		true		0.75	70	1.627906919	70	70	84303	22163	22163	1.5
0837	067	23370	0.54	6240	0	65	100	3	54	54	70110	63870	NCT-HAYE	50	form-based				0.75	70	1.296296239	70	70	87637.5	81397.5	81397.5	1.25
1085	044	19644	0.45	806	33	85	140	4	63	30	78576	77770	NCD-GEAR	85	form-based		true	true	0.75	103	1.634920597	70	70	117864	117058	117058	1.5
1535	041	13415	0.31	17639	0	85	140	4	43	43	53660	36021	NCD-GEAR	85	form-based		true	true	0.75	70	1.627906919	70	70	80490	62851	62851	1.5
2198	033	13390	0.31	10800	0	55	80	2.5	25	25	33475	22675	RTO-C	85	form-based			true	0.75	70	2.799999952	70	50	80340	69540	56150	2.4
2346	014	13244	0.3	28057	0	65	100	3	30	30	39732	11675	NCD-INNE	85	form-based		true	true	0.75	70	2.333333254	70	60	79464	51407	51407	2
3511	075	12461	0.29	34842	0	85	140	4	41	41	49844	15002	C-3-G	85	form-based				0.8	70	1.707317114	70	70	79750.39844	44908.39844	44908.39844	1.6
3514	041	13289	0.31	6615	0	65	100	3	31	31	39867	33252	NCT-3	85	form-based				0.75	70	2.258064508	70	62	79734	73119	73119	2
3703	058	7748	0.18	48325	0	85	140	4	25	25	30992	0	C-3-G	120	form-based				0.8	70	2.799999952	70	50	69732	21407	13659	2.25
3708	044	7750	0.18	28042	0	95	160	4.5	29	29	34875	6833	C-3-O(SD)	300	form-based				0.8	70	2.413793087	70	58	69750	41708	41708	2
3708	097	7734	0.18	127215	0	75	120	3.5	22	22	27069	0	C-3-O(SD)	550	form-based		true		0.8	70	3.181818247	70	44	69606	0	0	2.571429
3721	087	7807	0.18	981523	0	95	160	4.5	29	29	35132	0	C-3-O(SD)	350	form-based				0.8	70	2.413793087	70	58	70263	0	0	1.999972
3731	095	13413	0.31	18387	0	65	100	3	31	31	40239	21852	MUG	85	form-based		true		0.75	70	2.258064508	70	62	80478	62091	62091	2
3751	411	41107	0.94	4539	160	65	100	3	94	0	123321	118782	CMUO	85	form-based		true		0.8	230	2.446808577	70	28	263084.8125	258545.8125	242103	2.133333
4111	010	7790	0.18	0	0	65	100	3	18	18	23370	23370	P70-MU	90	form-based				0.75	70	3.888888836	70	36	70110	70110	46740	3
4175	021	7764	0.18	0	0	65	100	3	18	18	23292	23292	PPS-MU	240	form-based				0.75	70	3.888888836	70	36	69876	69876	46584	3
0025	020	17188	0.39	15488	0	65	100	3	39	39	51564	36076	C-2	65	form-based			true	0.8	69	1.769230723	69	69	82502.39844	67014.39844	67014.39844	1.6
0239	014	7655	0.18	357134	0	65	100	3	18	18	22965	0	C-3-O	300	form-based				0.8	69	3.833333254	69	36	68895	0	0	3
0260	001	7656	0.18	206191	0	75	120	3.5	22	22	26796	0	C-3-O	350	form-based		true		0.8	69	3.136363745	69	44	68904	0	0	2.571429
0291	007	7632	0.18	20130	0	95	160	4.5	29	29	34344	14214	C-3-O	350	form-based		true		0.8	69	2.379310369	69	58	68688	48558	48558	2
0302	021	13750	0.32	21050	0	65	100	3	32	32	41250	20200	RC-4	80	density-lin	200			0.75	69	2.15625	69	64	82500	61450	61450	2
0314	015	7627	0.18	0	0	85	140	4	25	25	30508	30508	C-3-R	130	form-based				0.8	69	2.75999999	69	50	68643	68643	61016	2.25
0338	023	13703	0.31	28600	0	65	100	3	31	31	41109	12509	RC-4	80	density-lin	200	true		0.75	69	2.225806475	69	62	82218	53618	53618	2
0618	001A	7644	0.18	0	0	85	140	4	25	25	30576	30576	RC-4	350	form-based			true	0.75	69	2.75999999	69	50	68796	68796	61152	2.25
0648	004	7691	0.18	22680	0	65	100	3	18	18	23073	393	NC-3	350	form-based		true	true	0.75	69	3.833333254	69	36	69219	46539	23466	3
1536	048	13088	0.3	4183	0	85	140	4	42	42	52352	48169	NCD-GEAR	85	form-based		true	true	0.75	69	1.642857194	69	69	78528	74345	74345	1.5
1701	007	30468	0.7	8949	0	65	100	3	70	70	91404	82455	NC-2	40	form-based			true	0.75	69	0.985714257	69	69	91404	82455	82455	1
1774	042	7700	0.18	7724	0	65	100	3	18	18	23100	15376	NCD-IRVIN	105	form-based		true	true	0.75	69	3.833333254	69	36	69300	61576	38476	3
2623	083	12725	0.29	28615	40	65	100	3	29	0	38175	9560	RTO-C	120	form-based			true	0.75	109	3.758620739	69	18	108806.25	80191.25	47735	2.850196
3516	066	13171	0.3	9972	0	65	100	3	30	30	39513	29541	WMUG	85	form-based			true	0.75	69	2.299999952	69	60	79026	69054	69054	2
3704	013	8020	0.18	66135	3	75	120	3.5	22	19	28070	0	C-3-G	90	form-based				0.8	72	3.272727251	69	41	72180	6045	0	2.571429
4114	004	12012	0.28	331684	0	65	100	3	28	28	36036	0	P70-MU	90	form-based				0.75	69	2.464285612	69	56	69063	0	0	1.9165
4277	013	30448	0.7	62760	0	65	100	3	70	70	91344	28584	MUR	40	form-based		true		0.75	69	0.985714257	69	69	91344	28584	28584	1
7555	101	51719	1.19	19776	16	65	100	3	119	103	155157	135381	RH-1	40	form-based		true	true	0.55	85	0.714285731	69	69	113781.8047	94005.80469	94005.80469	0.733333
0069	027	50192	1.15	1450	42	65	100	3	115	73	150576	149126	RH-3	50	form-based			true	0.55	110	0.956521749	68	68	138028	136578	136578	0.916667
0165	022	16888	0.39	32667	0	65	100	3	39	39	50664	17997	C-2	65	form-base	800			0.8	68	1.743589759	68	68	81062.39844	48395.39844	48395.39844	1.6
0260	007	7599	0.17	61632	0	75	120	3.5	20	20	26596	0	C-3-O	150	form-based		true		0.8	68	3.400000095	68	40	68391	6759	0	2.571477
0310	020	7603	0.17	46314	0	75	120	3.5	20	20	26610	0	C-3-R	130	form-based				0.8	68	3.400000095	68	40	68427	22113	6906	2.571477
0598	010A	7523	0.17	25350	0	85	140	4	24	24	30092	4742	RC-4	350	form-based		true	true	0.75	68	2.833333254	68	48	67707	42357	34834	2.25
0601	002A	8861	0.2	5360	12	65	100	3	20	8	26583	21223	RTO-C	140	form-based			true	0.75	80	4	68	28	79749	74389	47806	3
0658	001	32399	0.74	18991	0	65	100	3	74	74	97197	78206	RH-3	40	form-based		true	true	0.7	68	0.918918908	68	68	90717.19531	71726.19531	71726.19531	0.933333
0701	001	27098	0.62	63000	0	85	140	4	87	87	108392	45392	NCD-JAPAI	65	density-lin	400	true		0.75	68	0.781609178	68	68	121941	58941	58941	1.125
0707	016	7562	0.17	7512	0	65	100	3	17	17	22686	15174	NCT-FILLM	130	form-based				0.75	68	4	68	34	68058	60546	37860	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0756	013	27178	0.62	8800	0	55	80	2.5	50	50	67945	59145	RM-3	50	density-lin	400	true		0.75	68	1.360000014	68	68	101917.5	93117.5	93117.5	1.5
0836	008	7509	0.17	0	0	65	100	3	17	17	22527	22527	C-3-G	400	form-based				0.8	68	4	68	34	67581	67581	45054	3
1213	014	18220	0.42	24755	0	55	80	2.5	34	34	45550	20795	RTO-C	65	form-based		true	true	0.75	68	2	68	68	81990	57235	57235	1.8
2198	034	13038	0.3	10800	0	55	80	2.5	24	24	32595	21795	RTO-C	85	form-based			true	0.75	68	2.833333254	68	48	78228	67428	54390	2.4
2457	049	18149	0.42	13354	0	55	80	2.5	34	34	45372	32018	NC-1	65	form-based		true	true	0.75	68	2	68	68	81670.5	68316.5	68316.5	1.80002
2623	014	8481	0.19	9489	8	65	100	3	19	11	25443	15954	RTO-C	120	form-based			true	0.75	76	4	68	30	76329	66840	41397	3
3536	007	7500	0.17	0	0	65	100	3	17	17	22500	22500	NCT-3	240	form-based			true	0.75	68	4	68	34	67500	67500	45000	3
3788	009A	17109	0.39	45000	0	65	100	3	39	39	51327	6327	CMUO	65	form-based				0.8	68	1.743589759	68	68	82123.20313	37123.20313	37123.20313	1.6
4083	001A	18194	0.42	54900	0	55	80	2.5	34	34	45485	0	UMU	68	form-based				0.75	68	2	68	68	81873	26973	26973	1.8
4105	011	22705	0.52	17600	0	75	120	3.5	62	62	79468	61868	UMU	58	form-based				0.75	68	1.09677422	68	68	85143.75	67543.75	67543.75	1.071422
0266	006	7440	0.17	66032	0	85	140	4	24	24	29760	0	C-3-O	450	form-based				0.8	67	2.791666746	67	48	66960	928	0	2.25
0285	005A	7454	0.17	12668	0	85	140	4	24	24	29816	17148	C-3-R	130	form-based				0.8	67	2.791666746	67	48	67086	54418	46964	2.25
0329	002	7461	0.17	41464	0	85	140	4	24	24	29844	0	C-3-R	130	form-based				0.8	67	2.791666746	67	48	67149	25685	18224	2.25
0348	015	11982	0.28	65416	0	75	120	3.5	34	34	41937	0	C-3-G	80	form-based				0.8	67	1.970588207	67	67	76684.80469	11268.80469	11268.80469	1.828572
0502	005H	7400	0.17	0	0	65	100	3	17	17	22200	22200	RC-3	140	form-based		true	true	0.75	67	3.941176414	67	34	66600	66600	44400	3
0503	028	7441	0.17	20340	0	65	100	3	17	17	22323	1983	NC-3	140	form-based		true	true	0.75	67	3.941176414	67	34	66969	46629	24306	3
0541	024	17781	0.41	84236	0	55	80	2.5	33	33	44452	0	NCD-UNIO	65	form-based		true	true	0.75	67	2.030303001	67	66	80014.5	0	0	1.80002
0579	003	9453	0.22	1874	18	55	80	2.5	18	0	23632	21758	RTO-C	105	form-based		true	true	0.75	85	4.722222328	67	18	85077	83203	45390	3.600076
0590	001	14379	0.33	48298	32	55	80	2.5	26	0	35948	0	RTO-C	105	form-based		true	true	0.75	99	3.807692289	67	20	99489.75	51191.75	23598	2.767602
0593	051	8384	0.19	1921	8	65	100	3	19	11	25152	23231	RTO-C	140	form-based			true	0.75	75	3.947368383	67	30	75456	73535	48383	3
0601	021	7719	0.18	5333	2	65	100	3	18	16	23157	17824	RTO-C	140	form-based		true	true	0.75	69	3.833333254	67	34	69471	64138	40981	3
1885	053	31765	0.73	27559	0	65	100	3	73	73	95295	67736	RH-1	40	form-based			true	0.7	67	0.917808235	67	67	88942	61383	61383	0.933333
2405	037	12717	0.29	12040	0	65	100	3	29	29	38151	26111	NCD-TARA	85	form-based		true	true	0.75	67	2.310344934	67	58	76302	64262	64262	2
3735	040	7397	0.17	12017	0	65	100	3	17	17	22191	10174	C-3-O(SD)	250	form-based				0.8	67	3.941176414	67	34	66573	54556	32365	3
3751	150	12000	0.28	13243	0	65	100	3	28	28	36000	22757	CMUO	85	form-based				0.8	67	2.392857075	67	56	76800	63557	58757	2.133333
3763	125	7436	0.17	0	0	65	100	3	17	17	22308	22308	CMUO	350	form-based				0.8	67	3.941176414	67	34	66924	66924	44616	3
3774	074	17894	0.41	99580	0	65	100	3	41	41	53682	0	MUO	65	form-based				0.75	67	1.634146333	67	67	80523	0	0	1.5
3774	133	9207	0.21	711	16	65	100	3	21	5	27621	26910	SB-DTR	105	form-based		true		0.8	83	3.952380896	67	26	82863	82152	54531	3
3780	004D	17979	0.41	41910	0	85	140	4	57	57	71916	30006	UMU	68	form-based		true		0.75	67	1.175438643	67	67	80905.5	38995.5	38995.5	1.125
4041	002	22222	0.51	0	0	65	100	3	51	51	66666	66666	UMU	58	form-based		true		0.75	67	1.313725471	67	67	83332.5	83332.5	83332.5	1.25
4082	010	17893	0.41	53581	0	65	100	3	41	41	53679	98	UMU	68	form-based		true		0.75	67	1.634146333	67	67	80518.5	26937.5	26937.5	1.5
7306	001	75199	1.73	36040	27	55	80	2.5	138	111	187998	151958	RM-1	40	density-lin	800	true		0.55	94	0.681159437	67	67	165437.7969	129397.7969	129397.7969	0.879998
0310	008	7365	0.17	59550	0	85	140	4	24	24	29460	0	C-3-R	130	form-based				0.8	66	2.75	66	48	66285	6735	0	2.25
0593	069	10104	0.23	1220	25	65	100	3	23	0	30312	29092	RTO-C	140	form-based			true	0.75	91	3.956521749	66	21	90936	89716	59404	3
0644	014	7319	0.17	12250	0	65	100	3	17	17	21957	9707	NCD-POLK	120	form-based		true	true	0.75	66	3.882352829	66	34	65871	53621	31664	3
0672	003	7320	0.17	12555	0	65	100	3	17	17	21960	9405	NC-3	350	form-based			true	0.75	66	3.882352829	66	34	65880	53325	31365	3
0680	001	12647	0.29	12600	0	65	100	3	29	29	37941	25341	RTO-C	85	form-based		true	true	0.75	66	2.275861979	66	58	75882	63282	63282	2
0732	011	7356	0.17	14231	0	65	100	3	17	17	22068	7837	NCT-FILLM	130	form-based				0.75	66	3.882352829	66	34	66204	51973	29905	3
1082	028	10150	0.23	29492	25	65	100	3	23	0	30450	958	NC-3	240	form-based			true	0.75	91	3.956521749	66	21	91350	61858	31408	3
1202	002B	12500	0.29	14500	0	55	80	2.5	23	23	31250	16750	NCT-DIVIS	85	form-based		true	true	0.75	66	2.869565248	66	46	75000	60500	48000	2.4
1438	038	17500	0.4	17366	0	65	100	3	40	40	52500	35134	NCD-INNE	65	form-based			true	0.75	66	1.649999976	66	66	78750	61384	61384	1.5
1924	004	99364	2.28	90539	0	55	80	2.5	182	182	248410	157871	RH-2	40	density-lin	1500	true		0.55	66	0.362637371	66	66	218600.8125	128061.8125	128061.8125	0.88
3507	043	66439	1.53	2379260	754	75	120	3.5	184	0	232536	0	C-3-G	320	form-based		true		0.55	820	4.456521511	66	0	819790.125	0	0	3.525433
3643	003	12556	0.29	28693	0	75	120	3.5	35	35	43946	15253	NCT-MISSI	80	form-based				0.75	66	1.885714293	66	66	75336	46643	46643	1.714286
3704	038	7338	0.17	763	0	75	120	3.5	20	20	25683	24920	C-3-G	160	form-based				0.8	66	3.299999952	66	40	66042	65279	50603	2.571429
3733	088	7374	0.17	15500	0	65	100	3	17	17	22122	6622	C-3-S	130	form-based				0.8	66	3.882352829	66	34	66366	50866	28744	3
3750	013	7300	0.17	7300	0	65	100	3	17	17	21900	14600	MUR	130	form-based				0.75	66	3.882352829	66	34	65700	58400	36500	3
3763	015A	11712	0.27	41762	0	65	100	3	27	27	35136	0	CMUO	85	form-based				0.8	66	2.444444418	66	54	74956.80469	33194.80469	28510	2.133333
3763	015C	11749	0.27	18423	0	65	100	3	27	27	35247	16824	CMUO	85	form-based				0.8	66	2.444444418	66	54	75193.60156	56770.60156	52071	2.133333
3785	017	12604	0.29	9100	0	75	120	3.5	35	35	44114	35014	MUG	85	form-based				0.75	66	1.885714293	66	66	75624	66524	66524	1.714286
3788	037	16608	0.38	80640	0	65	100	3	38	38	49824	0	CMUO	65	form-based		true		0.8	66	1.736842155	66	66	79718.39844	0	0	1.6
0271	027	16305	0.37	98210	0	65	100	3	37	37	48915	0	C-3-G	65	form-based		true		0.8	65	1.756756783	65	65	78264	0	0	1.6
0275	009	12994	0.3	36213	0	65	100	3	30	30	38982	2769	RM-4	65	density-lin	200			0.75	65	2.166666746	65	60	58473	22260	22260	1.5
0283	006	7188	0.17	0	0	65	100	3	17	17	21564	21564	C-3-G	160	form-based				0.8	65	3.823529482	65	34	64692	64692	43128	3
0315	016	7200	0.17	49060	0	75	120	3.5	20	20	25200	0	C-3-G	130	form-based		true		0.8	65	3.25	65	40	64800	15740	1340	2.571429
0328	004	7219	0.17	68472	0	85	140	4	24	24	28876	0	C-3-R	130	form-based		true		0.8	65	2.708333254	65	48	64971	0	0	2.25
0644	015	7260	0.17	21799	0	65	100	3	17	17	21780	0	NCD-POLK	120	form-based			true	0.75	65	3.823529482	65	34	65340	43541	21761	3
0645	024	8938	0.21	3897	15	65	100	3	21	6	26814	22917	NCD-POLK	120	form-based			true	0.75	80	3.809523821	65	27	80442	76545	49731	3
0674	033	13035	0.3	37556	0	65	100	3	30	30	39105	1549	RM-4	50	density-lin	200	true		0.75	65	2.166666746	65	60	48881.25	11325.25	11325.25	1.25
1215	018	49213	1.13	35100	70	55	80	2.5	90	20	123032	87932	NCT-DIVIS	65	form-based		true	true	0.55	135	1.5	65	65	162402.9063	127302.9063	127302.9063	1.320005
1265	040	17340	0.4	50712	0	85	140	4	56	56	69360	18648	RTO-C	65	form-based			true	0.75	65	1.160714269	65	65	78030	27318	27318	1.125
2023	021	12325	0.28	13917	0	55	80	2.5	22	22	30812	16895	NCD-NORI	85	form-based		true	true	0.75	65	2.954545498	65	44	73950	60033	47707	2.400039
2864	001G	12342	0.28	7100	0	85	140	4	39	39	49368	42268	NC-1	85	form-based			true	0.75	65	1.666666627	65	65	74052	66952	66952	1.5
3558	137	8182	0.19	20470	9	85	140	4	27	18	32728	12258	NCT-UPPE	160	form-based		true	true	0.75	74	2.740740776	65	45	73638	53168	44986	2.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3567	057	51893	1.19	22050	0	85	140	4	167	167	207572	185522	RM-1	40	density-lin	800			0.55	65	0.389221549	65	65	114164.6016	92114.60156	92114.60156	0.55
3702	044	7262	0.17	161810	0	85	140	4	24	24	29048	0	C-3-G	120	form-based				0.8	65	2.708333254	65	48	65358	0	0	2.25
3702	044A	7258	0.17	243889	0	85	140	4	24	24	29032	0	C-3-G	120	form-based				0.8	65	2.708333254	65	48	65322	0	0	2.25
3707	044	7229	0.17	36000	0	75	120	3.5	20	20	25302	0	C-3-O(SD)	150	form-based				0.8	65	3.25	65	40	65061	29061	14604	2.571378
3775	181	16754	0.38	831	2	65	100	3	38	36	50262	49431	CMUO	65	form-based		true		0.8	67	1.763157845	65	65	80419.20313	79588.20313	79588.20313	1.6
3789	008	17445	0.4	105186	0	65	100	3	40	40	52335	0	MUO	65	form-based		true		0.75	65	1.625	65	65	78502.5	0	0	1.5
4017	003	17316	0.4	95267	0	65	100	3	40	40	51948	0	UMU	68	form-based				0.75	65	1.625	65	65	77922	0	0	1.5
7313	001	100389	2.3	49536	60	65	100	3	230	170	301167	251631	RM-1	40	density-lin	800	true		0.55	125	0.543478251	65	65	220855.8125	171319.8125	171319.8125	0.733333
7543	100	42797	0.98	23958	25	65	100	3	98	73	128391	104433	RH-1	40	form-based			true	0.7	90	0.918367326	65	65	119831.6016	95873.60156	95873.60156	0.933333
0168	058	12868	0.3	0	0	85	140	4	42	42	51472	51472	RC-4	275	density-lin	200			0.75	64	1.523809552	64	64	295557	295557	102944	5.742093
0495	006	7109	0.16	2246	0	55	80	2.5	13	13	17772	15526	NC-3	140	form-based		true	true	0.75	64	4.923077106	64	26	63981	61735	33298	3.600101
0643	017	7152	0.16	15975	0	65	100	3	16	16	21456	5481	RC-4	350	form-based			true	0.75	64	4	64	32	64368	48393	26937	3
1064	060	12220	0.28	19913	0	65	100	3	28	28	36660	16747	NCD-GEAR	85	form-based			true	0.75	64	2.285714388	64	56	73320	53407	53407	2
1443	016	12124	0.28	10106	0	65	100	3	28	28	36372	26266	NCD-GEAR	85	form-based		true	true	0.75	64	2.285714388	64	56	72744	62638	62638	2
1729	019	7117	0.16	9711	0	65	100	3	16	16	21351	11640	NCD-IRVIN	105	form-based		true	true	0.75	64	4	64	32	64053	54342	32991	3
2876	021	30471	0.7	6153	0	55	80	2.5	56	56	76178	70025	RH-1(D)	40	form-based			true	0.7	64	1.142857194	64	64	85318.79688	79165.79688	79165.79688	1.119993
3544	065	8214	0.19	23184	10	85	140	4	27	17	32856	9672	NCT-UPPE	160	form-based		true	true	0.75	74	2.740740776	64	44	73926	50742	42528	2.25
3562	015	7114	0.16	14114	0	85	140	4	22	22	28456	14342	NCT-UPPE	160	form-based		true	true	0.75	64	2.909090996	64	44	64026	49912	42798	2.25
3707	021	7110	0.16	16310	0	75	120	3.5	19	19	24885	8575	C-3-O	300	form-based		true		0.8	64	3.368421078	64	38	63990	47680	33460	2.571429
3708	023	7164	0.16	50790	0	75	120	3.5	19	19	25074	0	C-3-O(SD)	500	form-based		true		0.8	64	3.368421078	64	38	64476	13686	0	2.571429
3764	061	16959	0.39	65547	0	65	100	3	39	39	50877	0	MUO	65	form-based		true		0.75	64	1.641025662	64	64	76315.5	10768.5	10768.5	1.5
3788	038	16102	0.37	49500	0	65	100	3	37	37	48306	0	CMUO	65	form-based				0.8	64	1.729729772	64	64	77289.60156	27789.60156	27789.60156	1.6
6472	002	38413	0.88	25288	0	55	80	2.5	70	70	96032	70744	NCD-EXCE	40	density-lin	600			0.75	64	0.914285719	64	64	115239	89951	89951	1.200006
0293	003	7015	0.16	24759	0	85	140	4	22	22	28060	3301	C-3-O	130	form-based				0.8	63	2.863636255	63	44	63135	38376	31361	2.25
0311	013	6960	0.16	59751	0	85	140	4	22	22	27840	0	C-3-O	250	form-based				0.8	63	2.863636255	63	44	62640	2889	0	2.25
0312	006	7045	0.16	44685	0	85	140	4	22	22	28180	0	C-3-R	130	form-based		true		0.8	63	2.863636255	63	44	63405	18720	11675	2.25
0313	008	7006	0.16	28515	0	85	140	4	22	22	28024	0	C-3-R	130	form-based		true		0.8	63	2.863636255	63	44	63054	34539	27533	2.25
0317	003	7656	0.18	107758	6	85	140	4	25	19	30624	0	C-3-G	130	form-based		true		0.8	69	2.75999999	63	44	68904	0	0	2.25
0618	002	7018	0.16	16890	0	85	140	4	22	22	28072	11182	RC-4	350	form-based		true	true	0.75	63	2.863636255	63	44	63162	46272	39254	2.25
0738	015	12600	0.29	22551	0	65	100	3	29	29	37800	15249	RM-4	130	density-lin	200	true		0.75	63	2.172413826	63	58	120150	97599	53049	3.178571
0850	012	105491	2.42	110130	111	65	100	3	242	131	316473	206343	RTO-1	40	form-based		true	true	0.55	174	0.719008267	63	63	232080.2031	121950.2031	121950.2031	0.733333
1182	023	12031	0.28	13781	0	55	80	2.5	22	22	30078	16297	NCT-DIVIS	85	form-based			true	0.75	63	2.863636255	63	44	72186	58405	46375	2.39996
1228	005	20848	0.48	23060	0	55	80	2.5	38	38	52120	29060	NCD-HAIG	50	form-based			true	0.75	63	1.657894731	63	63	78180	55120	55120	1.5
1763	044	11927	0.27	0	0	85	140	4	38	38	47708	47708	NCD-INNE	85	form-based			true	0.75	63	1.657894731	63	63	71562	71562	71562	1.5
1790	010G	11938	0.27	14780	0	85	140	4	38	38	47752	32972	RTO-C	85	form-based		true	true	0.75	63	1.657894731	63	63	71628	56848	56848	1.5
1835	043	6955	0.16	1180	0	85	140	4	22	22	27820	26640	RTO-C	140	form-based		true	true	0.75	63	2.863636255	63	44	62595	61415	54460	2.25
2397	035	12000	0.28	2	0	65	100	3	28	28	36000	35998	NCD-TARA	85	form-based		true	true	0.75	63	2.25	63	56	72000	71998	71998	2
3514	030	12083	0.28	91995	0	65	100	3	28	28	36249	0	NCT-3	85	form-based		true		0.75	63	2.25	63	56	72498	0	0	2
3515	021	12038	0.28	12198	0	65	100	3	28	28	36114	23916	WMUG	85	form-based		true	true	0.75	63	2.25	63	56	72228	60030	60030	2
3727	233	16874	0.39	30578	0	85	140	4	55	55	67496	36918	MUO	65	form-based		true		0.75	63	1.145454526	63	63	75933	45355	45355	1.125
3752	010	12000	0.28	6035	0	65	100	3	28	28	36000	29965	MUR	85	form-based		true		0.75	63	2.25	63	56	72000	65965	65965	2
3788	006	15786	0.36	90154	0	65	100	3	36	36	47358	0	CMUO	65	form-based		true		0.8	63	1.75	63	63	75772.80469	0	0	1.6
3789	009	16796	0.39	52182	0	65	100	3	39	39	50388	0	MUO	65	form-based		true		0.75	63	1.615384579	63	63	75582	23400	23400	1.5
3774	031	16878	0.39	30480	0	65	100	3	39	39	50634	20154	MUO	65	form-based		true		0.75	63	1.615384579	63	63	75951	45471	45471	1.5
3799	008	16733	0.38	55853	0	65	100	3	38	38	50199	0	UMU	68	form-based				0.75	63	1.657894731	63	63	75298.5	19445.5	19445.5	1.5
4115	001	6968	0.16	0	0	65	100	3	16	16	20904	20904	P70-MU	240	form-based				0.75	63	3.9375	63	32	62712	62712	41808	3
4117	001	6968	0.16	0	0	55	80	2.5	13	13	17420	17420	P70-MU	240	form-based				0.75	63	4.846153736	63	26	62712	62712	34840	3.6
6515	037	21059	0.48	18313	0	75	120	3.5	58	58	73706	55393	NCT-VALE	55	form-based		true		0.75	63	1.086206913	63	63	78971.25	60658.25	60658.25	1.071436
6527	045	22404	0.51	132933	0	75	120	3.5	61	61	78414	0	RTO-M	55	form-based		true		0.7	63	1.032786846	63	63	78414	0	0	1
0260	006	6933	0.16	51522	0	75	120	3.5	19	19	24266	0	C-3-O	150	form-based				0.8	62	3.263157845	62	38	62397	10875	0	2.571376
0268	006	6868	0.16	147489	0	75	120	3.5	19	19	24038	0	C-3-O	450	form-based				0.8	62	3.263157845	62	38	61812	0	0	2.571429
0285	009	6875	0.16	30037	0	65	100	3	16	16	20625	0	C-3-R	130	form-based		true		0.8	62	3.875	62	32	61875	31838	11213	3
0291	013	6883	0.16	16195	0	95	160	4.5	26	26	30974	14779	C-3-O	300	form-based				0.8	62	2.384615421	62	52	61947	45752	45752	1.999968
0293	005	6875	0.16	40290	0	85	140	4	22	22	27500	0	C-3-R	130	form-based		true		0.8	62	2.818181753	62	44	61875	21585	14710	2.25
0309	024	6875	0.16	37088	0	65	100	3	16	16	20625	0	C-3-R	130	form-based				0.8	62	3.875	62	32	61875	24787	4162	3
0577	011	7954	0.18	8005	10	65	100	3	18	8	23862	15857	RTO-C	140	form-based			true	0.75	72	4	62	26	71586	63581	39719	3
0681	039	26031	0.6	97000	75	65	100	3	60	0	78093	0	RTO-C	85	form-based			true	0.75	137	2.283333302	62	45	156186	59186	59186	2
0690	001	6867	0.16	13954	0	85	140	4	22	22	27468	13514	RC-4	500	form-based		true	true	0.75	62	2.818181753	62	44	61803	47849	40982	2.25
0725	026	6875	0.16	0	0	65	100	3	16	16	20625	20625	NCT-FILLM	160	form-based				0.75	62	3.875	62	32	61875	61875	41250	3
0743	204	6870	0.16	14958	0	85	140	4	22	22	27480	12522	RC-4	350	form-based			true	0.75	62	2.818181753	62	44	61830	46872	40002	2.25
0816	003	16565	0.38	36522	0	65	100	3	38	38	49695	13173	NCT-HAYE	65	form-based		true		0.75	62	1.631578922	62	62	74542.5	38020.5	38020.5	1.5
1018	019	11776	0.27	7925	0	55	80	2.5	22	22	29440	21515	NC-S	85	form-based			true	0.75	62	2.818181753	62	44	70656	62731	50955	2.4
1101	027	11900	0.27	0	0	65	100	3	27	27	35700	35700	RM-3	85	form-based			true	0.75	62	2.296296358	62	54	71400	71400	71400	2
1216	011	11762	0.27	1360	0	55	80	2.5	22	22	29405	28045	NCT-DIVIS	85	form-based		true	true	0.75	62	2.818181753	62	44	70572	69212	57450	2.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1543	050	8281	0.19	1883	13	85	140	4	27	14	33124	31241	NCD-GEAR	140	form-based		true	true	0.75	75	2.777777672	62	41	74529	72646	64365	2.25
2018	003	11794	0.27	17183	0	55	80	2.5	22	22	29485	12302	NCD-NORI	85	form-based		true	true	0.75	62	2.818181753	62	44	70764	53581	41787	2.4
3279	012	11900	0.27	12015	0	85	140	4	38	38	47600	35585	NCT-OCEA	85	form-based			true	0.75	62	1.631578922	62	62	71400	59385	59385	1.5
3555	063	20510	0.47	35100	0	85	140	4	66	66	82040	46940	NCT-VALEI	55	form-based				0.75	62	0.939393938	62	62	76912.5	41812.5	41812.5	0.9375
3559	013	6936	0.16	21138	0	85	140	4	22	22	27744	6606	NCT-UPPEI	120	form-based			true	0.75	62	2.818181753	62	44	62424	41286	34350	2.25
3794	014	6854	0.16	18186	0	85	140	4	22	22	27416	9230	MUO	105	form-based				0.75	62	2.818181753	62	44	61686	43500	36646	2.25
0241	012	18987	0.44	34850	0	65	100	3	44	44	56961	22111	C-3-O	50	form-based				0.8	61	1.386363626	61	61	75948	41098	41098	1.333333
0292	016	6778	0.16	24202	0	75	120	3.5	19	19	23723	0	C-3-O	250	form-based				0.8	61	3.210526228	61	38	61002	36800	23244	2.571429
0317	007	12200	0.28	26904	0	85	140	4	39	39	48800	21896	RC-4	130	density-lin	200	true		0.75	61	1.56410253	61	61	118050	91146	70696	2.419057
0576	080	7686	0.18	7380	8	65	100	3	18	10	23058	15678	RTO-C	140	form-based			true	0.75	69	3.833333254	61	28	69174	61794	38736	3
0623	006	8805	0.2	24800	18	65	100	3	20	2	26415	1615	RTO-C	240	form-based		true	true	0.75	79	3.950000048	61	22	79245	54445	28030	3
0667	005	6795	0.16	6752	0	65	100	3	16	16	20385	13633	RC-4	350	form-based			true	0.75	61	3.8125	61	32	61155	54403	34018	3
0733	013	24433	0.56	17947	0	65	100	3	56	56	73299	55352	RM-3	50	density-lin	400			0.75	61	1.089285731	61	61	91623.75	73676.75	73676.75	1.25
0739	010	6768	0.16	13830	0	65	100	3	16	16	20304	6474	RC-4	300	form-based			true	0.75	61	3.8125	61	32	60912	47082	26778	3
1016	001	11623	0.27	2356	0	55	80	2.5	22	22	29058	26702	RTO-C	80	form-based		true	true	0.75	61	2.772727251	61	44	69738	67382	55760	2.399959
3501	008	6762	0.16	4436	0	85	140	4	22	22	27048	22612	NCT-3	120	form-based			true	0.75	61	2.772727251	61	44	60858	56422	49660	2.25
3557	064	26284	0.6	683	31	65	100	3	60	29	78852	78169	RTO-1	65	form-based			true	0.7	92	1.533333302	61	61	110392.7969	109709.7969	109709.7969	1.4
3702	029	6773	0.16	0	0	85	140	4	22	22	27092	27092	C-3-G	90	form-based				0.8	61	2.772727251	61	44	60957	60957	54184	2.25
3702	031	6800	0.16	0	0	85	140	4	22	22	27200	27200	C-3-G	90	form-based		true		0.8	61	2.772727251	61	44	61200	61200	54400	2.25
3735	009	6750	0.15	13000	0	75	120	3.5	18	18	23625	10625	C-3-O(SD)	320	form-based				0.8	61	3.388888836	61	36	60750	47750	34250	2.571429
3763	100	6745	0.15	6625	0	65	100	3	15	15	20235	13610	CMUO	350	form-based				0.8	61	4.066666603	61	30	60705	54080	33845	3
6985	029	62322	1.43	1306	42	65	100	3	143	101	186966	185660	RH-2	40	form-based		true	true	0.55	103	0.720279694	61	61	137108.4063	135802.4063	135802.4063	0.733333
0013	009	15096	0.35	15882	0	85	140	4	49	49	60384	44502	C-2	65	form-based		true	true	0.8	60	1.224489808	60	60	72460.80469	56578.80469	56578.80469	1.2
0206	002	6720	0.15	20154	0	65	100	3	15	15	20160	6	C-3-O	200	form-based		true		0.8	60	4	60	30	60480	40326	20166	3
0273	007	11961	0.27	48124	0	65	100	3	27	27	35883	0	RC-4	65	density-lin	200			0.75	60	2.222222328	60	54	53824.5	5700.5	5700.5	1.5
0297	014	6663	0.15	26322	0	65	100	3	15	15	19989	0	C-3-G	130	form-based				0.8	60	4	60	30	59967	33645	13656	3
0314	016	6672	0.15	41622	0	85	140	4	21	21	26688	0	C-3-R	130	form-based		true		0.8	60	2.857142925	60	42	60048	18426	11754	2.25
0346	003A	10706	0.25	7505	0	75	120	3.5	30	30	37471	29966	C-3-G	80	form-based		true		0.8	60	2	60	60	68518.39844	61013.39844	61013.39844	1.828571
0546	001B	16039	0.37	21270	0	65	100	3	37	37	48117	26847	NCD-UNIO	65	form-based			true	0.75	60	1.621621609	60	60	72175.5	50905.5	50905.5	1.5
0593	001A	7661	0.18	27671	9	65	100	3	18	9	22983	0	RTO-C	140	form-based			true	0.75	69	3.833333254	60	27	68949	41278	18295	3
0718	008	6690	0.15	6596	0	65	100	3	15	15	20070	13474	RC-4	500	form-based			true	0.75	60	4	60	30	60210	53614	33544	3
0855	019	8033	0.18	4441	12	85	140	4	25	13	32132	27691	NCT-3	140	form-based			true	0.75	72	2.880000114	60	38	72297	67856	59823	2.25
1035	001	11417	0.26	6358	0	55	80	2.5	21	21	28542	22184	NC-S	85	form-based		true	true	0.75	60	2.857142925	60	42	68502	62144	50726	2.400042
1051	036	11491	0.26	14436	0	65	100	3	26	26	34473	20037	NC-3	85	form-based			true	0.75	60	2.307692289	60	52	68946	54510	54510	2
3196	017	11432	0.26	6096	0	65	100	3	26	26	34296	28200	NCT-OCEA	85	form-based		true	true	0.75	60	2.307692289	60	52	68592	62496	62496	2
3750	050	6715	0.15	49770	0	65	100	3	15	15	20145	0	MUR	130	form-based		true		0.75	60	4	60	30	60435	10665	0	3
3752	162	17082	0.39	1284	30	65	100	3	39	9	51246	49962	MUR	85	form-based		true		0.75	90	2.307692289	60	48	102492	101208	101208	2
3752	590	11367	0.26	13598	0	65	100	3	26	26	34101	20503	MUR	85	form-based		true		0.75	60	2.307692289	60	52	68202	54604	54604	2
3788	088	19620	0.45	1308	18	75	120	3.5	54	36	68670	67362	CMUO	65	form-based				0.8	78	1.444444418	60	60	94176	92868	92868	1.371429
3794	005	6634	0.15	6634	0	75	120	3.5	18	18	23219	16585	MUO	105	form-based		true		0.75	60	3.333333254	60	36	59706	53072	39804	2.571429
4232	016	6615	0.15	0	0	55	80	2.5	12	12	16538	16538	PPS-MU	240	form-based				0.75	60	5	60	24	59535	59535	33076	3.599891
0064	014	20938	0.48	14829	0	55	80	2.5	38	38	52345	37516	RM-2	50	form-based		true	true	0.7	59	1.552631617	59	59	73283	58454	58454	1.4
0242	005	14792	0.34	81065	0	65	100	3	34	34	44376	0	C-3-G	65	form-based		true		0.8	59	1.735294104	59	59	71001.60156	0	0	1.6
0294	007	6596	0.15	38400	0	75	120	3.5	18	18	23086	0	C-3-R	130	form-based				0.8	59	3.277777672	59	36	59364	20964	7772	2.571429
0318	009	11808	0.27	36712	0	85	140	4	38	38	47232	10520	RC-4	130	density-lin	200			0.75	59	1.552631617	59	59	106272	69560	57752	2.25
0327	005	6525	0.15	18555	0	85	140	4	21	21	26100	7545	C-3-R	130	form-based				0.8	59	2.809523821	59	42	58725	40170	33645	2.25
0327	008	6523	0.15	21600	0	75	120	3.5	18	18	22830	1230	C-3-R	130	form-based				0.8	59	3.277777672	59	36	58707	37107	24060	2.571485
0494	012	16560	0.38	35900	28	55	80	2.5	30	2	41400	5500	NC-3	85	form-based		true	true	0.75	87	2.900000095	59	32	99360	63460	46900	2.4
0576	027	8537	0.2	2631	18	65	100	3	20	2	25611	22980	RTO-C	140	form-based		true	true	0.75	77	3.849999905	59	22	76833	74202	48591	3
0619	007	6500	0.15	2884	0	65	100	3	15	15	19500	16616	NCD-POLK	350	form-based			true	0.75	59	3.933333397	59	30	58500	55616	36116	3
0690	001A	6585	0.15	18710	0	85	140	4	21	21	26340	7630	RC-4	500	form-based		true	true	0.75	59	2.809523821	59	42	59265	40555	33970	2.25
0761	061	19800	0.45	36700	0	65	100	3	45	45	59400	22700	NCT-3	50	form-based		true		0.75	59	1.311111093	59	59	74250	37550	37550	1.25
0767	004	6585	0.15	0	0	85	140	4	21	21	26340	26340	C-2	96	form-base	800			0.8	59	2.809523821	59	42	59265	59265	52680	2.25
0767	005	6585	0.15	0	0	85	140	4	21	21	26340	26340	C-2	96	form-base	800	true		0.8	59	2.809523821	59	42	59265	59265	52680	2.25
0767	006	6600	0.15	0	0	85	140	4	21	21	26400	26400	C-2	96	form-base	800			0.8	59	2.809523821	59	42	59400	59400	52800	2.25
1019	044	14700	0.34	927	18	65	100	3	34	16	44100	43173	NC-S	85	form-based		true	true	0.75	77	2.264705896	59	50	88200	87273	87273	2
1022	026	11330	0.26	25448	0	85	140	4	36	36	45320	19872	NC-2	85	form-based		true	true	0.75	59	1.638888836	59	59	67980	42532	42532	1.5
1213	011A	15741	0.36	56730	0	55	80	2.5	29	29	39352	0	RTO-C	65	form-based			true	0.75	59	2.034482718	59	58	70834.5	14104.5	14104.5	1.800023
2540	103	28179	0.65	3697	0	65	100	3	65	65	84537	80840	RH-2	40	form-based			true	0.7	59	0.907692313	59	59	78901.19531	75204.19531	75204.19531	0.933333
2989B	034	11263	0.26	5350	0	65	100	3	26	26	33789	28439	NCD-WEST	85	form-based			true	0.75	59	2.269230843	59	52	67578	62228	62228	2
3505	047	6588	0.15	31999	0	65	100	3	15	15	19764	0	NCT-3	140	form-based			true	0.75	59	3.933333397	59	30	59292	27293	7529	3
3513	081	6591	0.15	4400	0	65	100	3	15	15	19773	15373	C-3-G	160	form-based			true	0.8	59	3.933333397	59	30	59319	54919	35146	3
3639	006	26195	0.6	22111	0	65	100	3	60	60	78585	56474	UMU	48	form-based				0.75	59	0.983333349	59	59	78585	56474	56474	1
3710	015	6503	0.15	0	0	75	120	3.5	18	18	22760	22760	C-3-O(SD)	450	form-based				0.8	59	3.277777672	59	36	58527	58527	45520	2.571485

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3774	444	15701	0.36	89074	0	65	100	3	36	36	47103	0	MUO	65	form-based				0.75	59	1.638888836	59	59	70654.5	0	0	1.5
3785	023	10472	0.24	17280	0	75	120	3.5	29	29	36652	19372	CMUO	85	form-based				0.8	59	2.034482718	59	58	67020.80469	49740.80469	49740.80469	1.828572
7380	005	177237	4.07	21231	0	55	80	2.5	326	326	443092	421861	RH-1(D)	40	density-lim	3000			0.55	59	0.180981591	59	59	389921.4063	368690.4063	368690.4063	0.880001
0177	001	13305	0.31	36700	9	65	100	3	31	22	39915	3215	CCB	65	density-lim	200	true		0.75	67	2.161290407	58	53	59872.5	23172.5	23172.5	1.5
0262	008	6448	0.15	29843	0	75	120	3.5	18	18	22568	0	C-3-O	400	form-based				0.8	58	3.222222328	58	36	58032	28189	15293	2.571429
0268	001A	6428	0.15	68974	0	75	120	3.5	18	18	22498	0	C-3-O	150	form-based				0.8	58	3.222222328	58	36	57852	0	0	2.571429
0299	005	11687	0.27	22240	0	65	100	3	27	27	35061	12821	RC-4	80	density-lim	200			0.75	58	2.14814806	58	54	70122	47882	47882	2
0307	007	6444	0.15	72079	0	75	120	3.5	18	18	22554	0	C-3-G	130	form-based		true		0.8	58	3.222222328	58	36	57996	0	0	2.571429
0310	019	6498	0.15	59786	0	75	120	3.5	18	18	22743	0	C-3-R	130	form-based				0.8	58	3.222222328	58	36	58482	0	0	2.571429
0326	020	6417	0.15	574080	0	75	120	3.5	18	18	22460	0	C-3-G	225	form-based		true		0.8	58	3.222222328	58	36	57753	0	0	2.571371
0547	025	17413	0.4	59141	33	65	100	3	40	7	52239	0	NCD-POLK	85	form-based			true	0.75	91	2.275000095	58	47	104478	45337	45337	2
0550	018	9113	0.21	20690	24	85	140	4	29	5	36452	15762	RC-3	240	form-based		true	true	0.75	82	2.827586174	58	34	82017	61327	52214	2.25
0622	002	6484	0.15	9327	0	65	100	3	15	15	19452	10125	NCD-POLK	120	form-based			true	0.75	58	3.866666555	58	30	58356	49029	29577	3
0646	017	10412	0.24	4922	36	65	100	3	24	0	31236	26314	NCD-POLK	350	form-based			true	0.75	94	3.916666746	58	12	93708	88786	57550	3
0658	002A	11310	0.26	15000	1	65	100	3	26	25	33930	18930	RTO-C	85	form-based		true	true	0.75	59	2.269230843	58	51	67860	52860	52860	2
0723	041	23003	0.53	16639	0	65	100	3	53	53	69009	52370	RM-3	50	density-lim	400			0.75	58	1.094339609	58	58	86261.25	69622.25	69622.25	1.25
1063	019	11000	0.25	17537	0	85	140	4	35	35	44000	26463	NCD-GEAR	85	form-based		true	true	0.75	58	1.657142878	58	58	66000	48463	48463	1.5
1098	009	6952	0.16	16952	5	85	140	4	22	17	27808	10856	NC-3	105	form-based		true	true	0.75	63	2.863636255	58	39	62568	45616	38664	2.25
1202	008	11073	0.25	13207	0	55	80	2.5	20	20	27682	14475	NCT-DIVIS	85	form-based			true	0.75	58	2.900000095	58	40	66438	53231	42157	2.400043
1228	004	15352	0.35	7300	0	55	80	2.5	28	28	38380	31080	NCD-HAIG	65	form-based		true	true	0.75	58	2.071428537	58	56	69084	61784	61784	1.8
1798	059	11078	0.25	13239	0	85	140	4	35	35	44312	31073	RTO-C	85	form-based		true	true	0.75	58	1.657142878	58	58	66468	53229	53229	1.5
3515	005	11025	0.25	9144	0	65	100	3	25	25	33075	23931	WMUG	85	form-based			true	0.75	58	2.319999933	58	50	66150	57006	57006	2
3542	009	6417	0.15	0	0	85	140	4	21	21	25668	25668	NCT-UPPE	120	form-based			true	0.75	58	2.761904716	58	42	57753	57753	51336	2.25
3555	062	39074	0.9	71568	59	75	120	3.5	108	49	136759	65191	NCT-VALE	55	form-based				0.75	117	1.083333373	58	58	146527.5	74959.5	74959.5	1.071429
3556	025	27746	0.64	25000	0	85	140	4	90	90	110984	85984	RTO-1	40	form-based		true	true	0.7	58	0.644444466	58	58	77688.79688	52688.79688	52688.79688	0.7
3702	016	6400	0.15	0	0	75	120	3.5	18	18	22400	22400	C-3-G	90	form-based				0.8	58	3.222222328	58	36	57600	57600	44800	2.571429
3711	010	6463	0.15	0	0	85	140	4	21	21	25852	25852	C-3-O(SD)	400	form-based				0.8	58	2.761904716	58	42	58167	58167	51704	2.25
3722	006	6402	0.15	18840	0	75	120	3.5	18	18	22407	3567	C-3-O(SD)	150	form-based				0.8	58	3.222222328	58	36	57618	38778	25974	2.571429
3722	076	6480	0.15	44800	0	75	120	3.5	18	18	22680	0	C-3-O(SD)	150	form-based				0.8	58	3.222222328	58	36	58320	13520	560	2.571429
3732	074	11042	0.25	31954	0	65	100	3	25	25	33126	1172	NCT-SOMA	85	form-based				0.75	58	2.319999933	58	50	66252	34298	34298	2
3733	017	11116	0.26	53623	0	65	100	3	26	26	33348	0	MUR	85	form-based				0.75	58	2.230769157	58	52	66696	13073	13073	2
3751	170	36721	0.84	152585	189	65	100	3	84	0	110163	0	MUR	130	form-based		true		0.75	247	2.940476179	58	0	246785.25	94200.25	67741	2.240183
3763	015	10431	0.24	11850	0	65	100	3	24	24	31293	19443	CMUO	85	form-based				0.8	58	2.416666746	58	48	66758.39844	54908.39844	50736	2.133333
3785	272	15573	0.36	79459	0	65	100	3	36	36	46719	0	MUG	65	form-based		true		0.75	58	1.611111164	58	58	70078.5	0	0	1.5
0198	008	94531	2.17	487198	416	65	100	3	217	0	283593	0	RC-4	275	density-lim	200	true		0.55	473	2.179723501	57	18	819944.375	332746.375	79988	2.891272
0286	007	6326	0.15	46538	0	75	120	3.5	18	18	22141	0	C-3-R	130	form-based				0.8	57	3.166666746	57	36	56934	10396	0	2.571429
0297	013	6375	0.15	43860	0	65	100	3	15	15	19125	0	C-3-G	130	form-based				0.8	57	3.799999952	57	30	57375	13515	0	3
0310	004	6302	0.14	45354	0	85	140	4	20	20	25208	0	C-3-O	130	form-based		true		0.8	57	2.849999905	57	40	56718	11364	5062	2.25
0320	019	11335	0.26	34029	0	65	100	3	26	26	34005	0	RC-4	80	density-lim	200			0.75	57	2.192307711	57	52	68010	33981	33981	2
0547	011	8695	0.2	14865	21	85	140	4	28	7	34780	19915	RC-3	140	form-based			true	0.75	78	2.785714388	57	35	78255	63390	54695	2.25
0576	026	12058	0.28	79820	72	65	100	3	28	0	36174	0	RTO-C	140	form-based		true	true	0.75	129	4.607142925	57	0	129304.5	49484.5	0	3.574515
0619	008	6312	0.14	12442	0	65	100	3	14	14	18936	6494	NCD-POLK	350	form-based			true	0.75	57	4.071428776	57	28	56808	44366	25430	3
0696	022	10731	0.25	25660	40	65	100	3	25	0	32193	6533	NC-3	500	form-based		true	true	0.75	97	3.880000114	57	10	96579	70919	38726	3
0982	034	27204	0.62	48931	0	65	100	3	62	62	81612	32681	RH-3	40	form-based			true	0.7	57	0.919354856	57	57	76171.19531	27240.19531	27240.19531	0.933333
1179	029	14648	0.34	1020	20	55	80	2.5	27	7	36620	35600	NCT-DIVIS	85	form-based		true	true	0.75	77	2.85185194	57	34	87888	86868	72220	2.4
1232	042	20353	0.47	47824	0	55	80	2.5	38	38	50882	3058	RM-1	50	form-based			true	0.7	57	1.5	57	57	71235.5	23411.5	23411.5	1.400014
1312	001	27800	0.64	3901	1	55	80	2.5	51	50	69500	65599	RH-1(D)	40	form-based			true	0.7	58	1.137254953	57	57	77840	73939	73939	1.12
1537	049	13459	0.31	3125	14	65	100	3	31	17	40377	37252	NCD-GEAR	85	form-based		true	true	0.75	71	2.290322542	57	48	80754	77629	77629	2
1542	042	10872	0.25	21500	0	85	140	4	35	35	43488	21988	NCD-GEAR	85	form-based		true	true	0.75	57	1.628571391	57	57	65232	43732	43732	1.5
1768	009	10793	0.25	14001	0	85	140	4	35	35	43172	29171	RTO-C	85	form-based		true	true	0.75	57	1.628571391	57	57	64758	50757	50757	1.5
2380	042	10781	0.25	8010	0	85	140	4	35	35	43124	35114	NC-1	85	form-based		true	true	0.75	57	1.628571391	57	57	64686	56676	56676	1.5
2385	046	10812	0.25	10750	0	85	140	4	35	35	43248	32498	NC-1	85	form-based		true	true	0.75	57	1.628571391	57	57	64872	54122	54122	1.5
3511	023	18973	0.44	58186	0	65	100	3	44	44	56919	0	NCT-3	50	form-based		true		0.75	57	1.295454502	57	57	71148.75	12962.75	12962.75	1.25
3591	018	19095	0.44	10013	0	65	100	3	44	44	57285	47272	UMU	58	form-based		true		0.75	57	1.295454502	57	57	71606.25	61593.25	61593.25	1.25
3703	056	6325	0.15	9000	0	85	140	4	21	21	25300	16300	C-3-G	120	form-based				0.8	57	2.714285612	57	42	56925	47925	41600	2.25
3705	053	6360	0.15	0	0	85	140	4	21	21	25440	25440	C-3-R	400	form-based				0.8	57	2.714285612	57	42	57240	57240	50880	2.25
3705	054	6373	0.15	0	0	85	140	4	21	21	25492	25492	C-3-R	400	form-based				0.8	57	2.714285612	57	42	57357	57357	50984	2.25
3711	005	6298	0.14	0	0	85	140	4	20	20	25192	25192	C-3-O(SD)	400	form-based				0.8	57	2.849999905	57	40	56682	56682	50384	2.25
3711	006	6307	0.14	0	0	85	140	4	20	20	25228	25228	C-3-O(SD)	400	form-based				0.8	57	2.849999905	57	40	56763	56763	50456	2.25
3711	007	6311	0.14	1097	0	85	140	4	20	20	25244	24147	C-3-O(SD)	400	form-based		true		0.8	57	2.849999905	57	40	56799	55702	49391	2.25
3711	008	6298	0.14	0	0	85	140	4	20	20	25192	25192	C-3-O(SD)	400	form-based				0.8	57	2.849999905	57	40	56682	56682	50384	2.25
3711	009	6298	0.14	0	0	85	140	4	20	20	25192	25192	C-3-O(SD)	400	form-based				0.8	57	2.849999905	57	40	56682	56682	50384	2.25
3711	014	6302	0.14	0	0	75	120	3.5	17	17	22057	22057	C-3-O(SD)	400	form-based				0.8	57	3.352941275	57	34	56718	56718	44114	2.571429
3717	005	6342	0.15	0	0	75	120	3.5	18	18	22197	22197	C-3-O(SD)	200	form-based				0.8	57	3.166666746	57	36	57078	57078	44394	2.571429

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3725	015	10918	0.25	22000	0	75	120	3.5	30	30	38213	16213	MUR	85	form-based				0.75	57	1.899999976	57	57	65508	43508	43508	1.714286
3739	017	21261	0.49	57413	151	65	100	3	49	0	63783	6370	TB DTR	165	form-based		true		0.8	208	4.244897842	57	0	207620.25	150207.25	70153	3.255103
3748	033	38571	0.89	709	343	75	120	3.5	107	0	134998	134289	RH DTR	250	form-based		true		0.8	400	3.738317728	57	0	400497.75	399788.75	269287	2.966694
3755	131	15287	0.35	4987	0	65	100	3	35	35	45861	40874	NCT-FOLSO	65	form-based		true		0.75	57	1.628571391	57	57	68791.5	63804.5	63804.5	1.5
3763	007	10161	0.23	39318	0	65	100	3	23	23	30483	0	CMUO	85	form-based		true		0.8	57	2.478260756	57	46	65030.40234	25712.40234	21648	2.133333
3764	065	14277	0.33	0	0	65	100	3	33	33	42831	42831	SB-DTR	65	form-based				0.8	57	1.727272749	57	57	68529.60156	68529.60156	68529.60156	1.6
3777	017	14318	0.33	28000	0	75	120	3.5	40	40	50113	22113	CMUO	65	form-based		true		0.8	57	1.424999952	57	57	68726.39844	40726.39844	40726.39844	1.371428
3984	001	25475	0.58	26100	0	65	100	3	58	58	76425	50325	UMU	48	form-based		true		0.75	57	0.982758641	57	57	76425	50325	50325	1
4043	016	25186	0.58	20396	0	65	100	3	58	58	75558	55162	UMU	45	form-based		true		0.75	57	0.982758641	57	57	75558	55162	55162	1
4045	007	15315	0.35	0	0	65	100	3	35	35	45945	45945	UMU	68	form-based		true		0.75	57	1.628571391	57	57	68917.5	68917.5	68917.5	1.5
0013	006	13941	0.32	40017	0	85	140	4	45	45	55764	15747	C-2	65	form-based		true	true	0.8	56	1.244444489	56	56	66916.80469	26899.80469	26899.80469	1.2
0030	011	9914	0.23	0	0	65	100	3	23	23	29742	29742	C-2	85	form-based			true	0.8	56	2.434782505	56	46	63449.60156	63449.60156	59484	2.133333
0030	012A	9923	0.23	1610	0	65	100	3	23	23	29769	28159	C-2	85	form-based		true	true	0.8	56	2.434782505	56	46	63507.19922	61897.19922	57928	2.133333
0207	036	6179	0.14	21651	0	65	100	3	14	14	18537	0	C-3-O	200	form-based				0.8	56	4	56	28	55611	33960	15423	3
0224	008	11132	0.26	22311	0	65	100	3	26	26	33396	11085	RM-4	65	density-lin	200	true		0.75	56	2.153846264	56	52	50094	27783	27783	1.5
0261	005	6269	0.14	46225	0	75	120	3.5	17	17	21942	0	C-3-O	400	form-based		true		0.8	56	3.294117689	56	34	56421	10196	0	2.57137
0280	031	11208	0.26	66090	0	65	100	3	26	26	33624	0	RC-4	80	density-lin	200	true		0.75	56	2.153846264	56	52	67248	1158	1158	2
0285	005	6254	0.14	21669	0	85	140	4	20	20	25016	3347	C-3-R	130	form-based		true		0.8	56	2.799999952	56	40	56286	34617	28363	2.25
0296	013A	6199	0.14	21214	0	65	100	3	14	14	18597	0	C-3-R	130	form-based				0.8	56	4	56	28	55791	34577	15980	3
0310	015	6184	0.14	49448	0	75	120	3.5	17	17	21644	0	C-3-R	130	form-based		true		0.8	56	3.294117689	56	34	55656	6208	0	2.571429
0315	026	6196	0.14	6187	0	85	140	4	20	20	24784	18597	C-3-G	130	form-based				0.8	56	2.799999952	56	40	55764	49577	43381	2.25
0497	030	7582	0.17	789	12	65	100	3	17	5	22746	21957	NC-3	140	form-based			true	0.75	68	4	56	22	68238	67449	44703	3
0523	015	8568	0.2	18687	21	65	100	3	20	0	25704	7017	RC-3	140	form-based			true	0.75	77	3.849999905	56	19	77112	58425	32721	3
0570	029	6332	0.15	7820	1	85	140	4	21	20	25328	17508	RC-3	240	form-based			true	0.75	57	2.714285612	56	41	56988	49168	42836	2.25
0575	016	8108	0.19	1500	17	65	100	3	19	2	24324	22824	RTO-C	350	form-based			true	0.75	73	3.84210515	56	21	72972	71472	47148	3
0593	034	7161	0.16	1750	8	65	100	3	16	8	21483	19733	RTO-C	140	form-based			true	0.75	64	4	56	24	64449	62699	41216	3
0598	001	13789	0.32	22105	16	65	100	3	32	16	41367	19262	NCD-POLK	85	form-based		true	true	0.75	72	2.25	56	48	82734	60629	60629	2
0599	018	7299	0.17	1985	10	65	100	3	17	7	21897	19912	RTO-C	240	form-based			true	0.75	66	3.882352829	56	24	65691	63706	41809	3
0670	020	6180	0.14	9000	0	85	140	4	20	20	24720	15720	RC-4	350	form-based			true	0.75	56	2.799999952	56	40	55620	46620	40440	2.25
0871	016	24262	0.56	140380	113	85	140	4	78	0	97048	0	NCT-3	120	form-based			true	0.75	169	2.166666746	56	43	169375.5	28995.5	28995.5	1.745275
1070	003	10750	0.25	17246	0	65	100	3	25	25	32250	15004	NCD-GEAR	85	form-based		true	true	0.75	56	2.24000001	56	50	64500	47254	47254	2
1084	003A	6178	0.14	7210	0	85	140	4	20	20	24712	17502	NCD-GEAR	140	form-based			true	0.75	56	2.799999952	56	40	55602	48392	42214	2.25
1444	023	10760	0.25	2022	0	85	140	4	35	35	43040	41018	NCD-GEAR	85	form-based		true	true	0.75	56	1.600000024	56	56	64560	62538	62538	1.5
1726	022	10757	0.25	46836	0	65	100	3	25	25	32271	0	NCD-IRVIN	85	form-based		true	true	0.75	56	2.24000001	56	50	64542	17706	17706	2
1924	COMA	26837	0.62	0	0	55	80	2.5	50	50	67092	67092	RH-2	40	form-based			true	0.7	56	1.120000005	56	56	75143.60156	75143.60156	75143.60156	1.120008
3520	031	18506	0.42	12330	0	65	100	3	42	42	55518	43188	WMUG	55	form-based		true		0.75	56	1.333333373	56	56	69397.5	57067.5	57067.5	1.25
3535	016	7532	0.17	5000	12	85	140	4	24	12	30128	25128	NCT-3	160	form-based			true	0.75	68	2.833333254	56	36	67788	62788	55256	2.25
3701	050	6258	0.14	10702	0	95	160	4.5	22	22	28161	17459	C-3-G	120	form-based		true		0.8	56	2.545454502	56	44	56322	45620	45620	2
3705	004	6277	0.14	42805	0	75	120	3.5	17	17	21970	0	C-3-R	160	form-based		true		0.8	56	3.294117689	56	34	56493	13688	1135	2.57137
3708	043	6200	0.14	476189	0	95	160	4.5	22	22	27900	0	C-3-O(SD)	300	form-based				0.8	56	2.545454502	56	44	55800	0	0	2
3710	002	6273	0.14	0	0	75	120	3.5	17	17	21956	21956	C-3-O(SD)	450	form-based				0.8	56	3.294117689	56	34	56457	56457	43912	2.57137
3711	011	6188	0.14	0	0	75	120	3.5	17	17	21658	21658	C-3-O(SD)	400	form-based				0.8	56	3.294117689	56	34	55692	55692	43316	2.571429
3711	012	6256	0.14	0	0	75	120	3.5	17	17	21896	21896	C-3-O(SD)	400	form-based		true		0.8	56	3.294117689	56	34	56304	56304	43792	2.571429
3722	019	6217	0.14	63818	0	75	120	3.5	17	17	21760	0	C-3-O(SD)	150	form-based		true		0.8	56	3.294117689	56	34	55953	0	0	2.571369
3722	069	6198	0.14	40274	0	75	120	3.5	17	17	21693	0	C-3-O(SD)	350	form-based				0.8	56	3.294117689	56	34	55782	15508	3112	2.571429
3724	069	6216	0.14	0	0	75	120	3.5	17	17	21756	21756	C-3-S	160	form-based				0.8	56	3.294117689	56	34	55944	55944	43512	2.571429
3725	104	8400	0.19	769	20	75	120	3.5	23	3	29400	28631	C-3-S	120	form-based				0.8	76	3.304347754	56	26	75600	74831	58031	2.571429
3748	012	6188	0.14	3926	0	65	100	3	14	14	18564	14638	RH DTR	400	form-based				0.8	56	4	56	28	55692	51766	33202	3
3762	037	6184	0.14	25069	0	65	100	3	14	14	18552	0	CMUO	130	form-based				0.8	56	4	56	28	55656	30587	12035	3
3998	009	18539	0.43	0	0	65	100	3	43	43	55617	55617	UMU	58	form-based				0.75	56	1.302325606	56	56	69521.25	69521.25	69521.25	1.25
4023	004	14958	0.34	21000	0	65	100	3	34	34	44874	23874	UMU	68	form-based		true		0.75	56	1.647058845	56	56	67311	46311	46311	1.5
4052	007	6272	0.14	34293	0	55	80	2.5	11	11	15680	0	P70-MU	90	form-based				0.75	56	5.090909004	56	22	56448	22155	0	3.6
7550	102	51331	1.18	27934	29	65	100	3	118	89	153993	126059	RH-1	40	form-based			true	0.55	85	0.720339	56	56	112928.2031	84994.20313	84994.20313	0.733333
0160	005	10921	0.25	19818	0	65	100	3	25	25	32763	12945	CRNC	85	density-lin	200	true		0.75	55	2.200000048	55	50	65526	45708	45708	2
0243	054	10973	0.25	2556	0	65	100	3	25	25	32919	30363	RM-4	65	density-lin	200			0.75	55	2.200000048	55	50	49378.5	46822.5	46822.5	1.5
0248	014	6188	0.14	23436	1	55	80	2.5	11	10	15470	0	NCD-POLK	120	form-based		true	true	0.75	56	5.090909004	55	21	55692	32256	7504	3.6
0295	013	6156	0.14	17097	0	65	100	3	14	14	18468	1371	C-3-R	130	form-based				0.8	55	3.928571463	55	28	55404	38307	19839	3
0296	013B	6092	0.14	20765	0	65	100	3	14	14	18276	0	C-3-R	130	form-based				0.8	55	3.928571463	55	28	54828	34063	15787	3
0296	013C	6089	0.14	22121	0	65	100	3	14	14	18267	0	C-3-R	130	form-based				0.8	55	3.928571463	55	28	54801	32680	14413	3
0310	013	6118	0.14	120334	0	75	120	3.5	17	17	21413	0	C-3-R	130	form-based				0.8	55	3.235294104	55	34	55062	0	0	2.571429
0330	003	6156	0.14	9554	0	75	120	3.5	17	17	21546	11992	C-3-R	130	form-based				0.8	55	3.235294104	55	34	55404	45850	33538	2.571429
0355	008	9902	0.23	24804	0	85	140	4	32	32	39608	14804	C-3-G	80	form-based				0.8	55	1.71875	55	55	63372.80078	38568.80078	38568.80078	1.6
0554	012	7115	0.16	2120	9	55	80	2.5	13	4	17788	15668	RTO-C	105	form-based			true	0.75	64	4.923077106	55	17	64035	61915	33456	3.599899
0578	016	9247	0.21	30080	28	55	80	2.5	17	0	23118	0	RTO-C	105	form-based			true	0.75	83	4.882352829	55	6	83223	53143	16156	3.599922

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0578	016A	9247	0.21	30080	28	55	80	2.5	17	0	23118	0	RTO-C	105	form-based			true	0.75	83	4.882352829	55	6	83223	53143	16156	3.599922
0597	029	14963	0.34	668	24	65	100	3	34	10	44889	44221	NCD-POLK	85	form-based		true	true	0.75	79	2.323529482	55	44	89778	89110	89110	2
0668	004	6059	0.14	12300	0	65	100	3	14	14	18177	5877	NCD-POLK	240	form-based			true	0.75	55	3.928571463	55	28	54531	42231	24054	3
0694	017	6087	0.14	18577	0	65	100	3	14	14	18261	0	RC-4	240	form-based			true	0.75	55	3.928571463	55	28	54783	36206	17945	3
0744	018	11000	0.25	3	0	65	100	3	25	25	33000	32997	RM-4	80	density-lim	200	true		0.75	55	2.200000048	55	50	66000	65997	65997	2
0754	028	64046	1.47	48525	52	55	80	2.5	118	66	160115	111590	RM-2	40	density-lim	600	true		0.55	107	0.906779647	55	55	140901.2031	92376.20313	92376.20313	0.88
1052	023	14609	0.34	89000	0	65	100	3	34	34	43827	0	NC-3	65	form-based			true	0.75	55	1.617647052	55	55	65740.5	0	0	1.5
1084	012	7603	0.17	1256	13	85	140	4	24	11	30412	29156	NCD-GEAR	140	form-based		true	true	0.75	68	2.833333254	55	35	68427	67171	59568	2.25
1107	004	26016	0.6	27572	0	65	100	3	60	60	78048	50476	RH-2	40	form-based		true	true	0.7	55	0.916666687	55	55	72844.79688	45272.79688	45272.79688	0.933333
1753	013	10522	0.24	8291	0	85	140	4	34	34	42088	33797	RTO-C	85	form-based		true	true	0.75	55	1.617647052	55	55	63132	54841	54841	1.5
2025	003B	10439	0.24	12502	0	55	80	2.5	19	19	26098	13596	NCD-NORI	85	form-based		true	true	0.75	55	2.894736767	55	38	62634	50132	39694	2.399954
2348	045	10389	0.24	7384	0	85	140	4	34	34	41556	34172	NCD-TARA	85	form-based			true	0.75	55	1.617647052	55	55	62334	54950	54950	1.5
3505	051	10489	0.24	0	0	65	100	3	24	24	31467	31467	NCT-3	85	form-based				0.75	55	2.291666746	55	48	62934	62934	62934	2
3560	053	8532	0.2	2925	22	85	140	4	28	6	34128	31203	NCT-UPPE	160	form-based		true	true	0.75	77	2.75	55	34	76788	73863	65331	2.25
3702	048	6153	0.14	10531	0	85	140	4	20	20	24612	14081	C-3-G	120	form-based				0.8	55	2.75	55	40	55377	44846	38693	2.25
3702	048A	6150	0.14	17000	0	85	140	4	20	20	24600	7600	C-3-G	120	form-based				0.8	55	2.75	55	40	55350	38350	32200	2.25
3717	013	6058	0.14	0	0	75	120	3.5	17	17	21203	21203	C-3-O(SD)	300	form-based				0.8	55	3.235294104	55	34	54522	54522	42406	2.571429
3730	038	18347	0.42	19432	0	65	100	3	42	42	55041	35609	WMUG	55	form-based		true		0.75	55	1.309523821	55	55	68801.25	49369.25	49369.25	1.25
3733	030	6127	0.14	18000	0	65	100	3	14	14	18381	381	MUR	130	form-based		true		0.75	55	3.928571463	55	28	55143	37143	18762	3
3767	306	9798	0.22	28359	0	65	100	3	22	22	29394	1035	RH DTR	84	form-based				0.8	55	2.5	55	44	62707.19922	34348.19922	30429	2.133333
3786	028	6166	0.14	17936	0	75	120	3.5	17	17	21581	3645	CMUO	130	form-based				0.8	55	3.235294104	55	34	55494	37558	25226	2.571429
3788	074	16815	0.39	2113	12	65	100	3	39	27	50445	48332	CMUO	65	form-based				0.8	67	1.717948675	55	55	80712	78599	78599	1.6
6507	013A	14794	0.34	7795	0	55	80	2.5	27	27	36985	29190	NCD-24TH	65	form-based		true	true	0.75	55	2.037037134	55	54	66573	58778	58778	1.8
7520	008	26304	0.6	15952	0	55	80	2.5	48	48	65760	49808	RM-1	40	form-based			true	0.7	55	1.145833373	55	55	73651.19531	57699.19531	57699.19531	1.12
0165	017	13381	0.31	60758	0	65	100	3	31	31	40143	0	C-2	65	form-base	800			0.8	54	1.741935492	54	54	64228.80078	3470.800781	3470.800781	1.6
0195	010	10805	0.25	45	0	65	100	3	25	25	32415	32370	CCB	65	density-lim	200	true		0.75	54	2.160000086	54	50	48622.5	48577.5	48577.5	1.5
0210	047	10873	0.25	44734	0	85	140	4	35	35	43492	0	CRNC	85	density-lim	200	true		0.75	54	1.54285717	54	54	65238	20504	20504	1.5
0284	007	6050	0.14	17160	0	65	100	3	14	14	18150	990	C-3-R	130	form-based				0.8	54	3.857142925	54	28	54450	37290	19140	3
0296	013D	6052	0.14	14778	0	65	100	3	14	14	18156	3378	C-3-R	130	form-based				0.8	54	3.857142925	54	28	54468	39690	21534	3
0327	003	6046	0.14	100715	0	75	120	3.5	17	17	21161	0	C-3-R	130	form-based				0.8	54	3.176470518	54	34	54414	0	0	2.571429
0345	005	9654	0.22	29482	0	75	120	3.5	26	26	33789	4307	C-3-G	80	form-based				0.8	54	2.076923132	54	52	61785.60156	32303.60156	32303.60156	1.828571
0574	027	6034	0.14	9903	0	65	100	3	14	14	18102	8199	NCD-POLK	350	form-based			true	0.75	54	3.857142925	54	28	54306	44403	26301	3
0602	035	26224	0.6	16506	1	55	80	2.5	48	47	65560	49054	RH-2	40	form-based			true	0.7	55	1.145833373	54	54	73427.19531	56921.19531	56921.19531	1.12
0666	004	6000	0.14	12000	0	85	140	4	20	20	24000	12000	RC-4	350	form-based		true	true	0.75	54	2.700000048	54	40	54000	42000	36000	2.25
0666	006	6012	0.14	15741	0	85	140	4	20	20	24048	8307	RC-4	350	form-based			true	0.75	54	2.700000048	54	40	54108	38367	32355	2.25
0708	013	6000	0.14	5645	0	85	140	4	20	20	24000	18355	NCT-FILLM	130	form-based				0.75	54	2.700000048	54	40	54000	48355	42355	2.25
0711	013	21505	0.49	26002	0	85	140	4	69	69	86020	60018	RM-3	160	density-lim	400			0.75	54	0.782608688	54	54	202901.25	176899.25	146038	2.358768
0756	014	18106	0.42	4200	0	55	80	2.5	34	34	45265	41065	NCT-FILLM	50	form-based		true		0.75	54	1.588235259	54	54	67897.5	63697.5	63697.5	1.5
0763	014	10800	0.25	0	0	65	100	3	25	25	32400	32400	RC-4	130	density-lim	200			0.75	54	2.160000086	54	50	97200	97200	64800	3
0767	010	6000	0.14	338676	0	65	100	3	14	14	18000	0	C-2	130	form-base	800			0.8	54	3.857142925	54	28	54000	0	0	3
1026	027	10313	0.24	7530	0	65	100	3	24	24	30939	23409	RTO-C	85	form-based			true	0.75	54	2.25	54	48	61878	54348	54348	2
1035	005	10308	0.24	5040	0	55	80	2.5	19	19	25770	20730	NC-S	85	form-based			true	0.75	54	2.84210515	54	38	61848	56808	46500	2.4
1083	004A	5948	0.14	4616	0	85	140	4	20	20	23792	19176	NCD-GEAR	140	form-based			true	0.75	54	2.700000048	54	40	53532	48916	42968	2.25
1083	006	5959	0.14	1861	0	85	140	4	20	20	23836	21975	NCD-GEAR	140	form-based			true	0.75	54	2.700000048	54	40	53631	51770	45811	2.25
2892	022	13176	0.3	21121	15	55	80	2.5	24	9	32940	11819	NC-1	85	form-based		true	true	0.75	69	2.875	54	33	79056	57935	44759	2.4
3078	021	26368	0.61	10863	1	55	80	2.5	49	48	65920	55057	RH-1(D)	40	form-based		true	true	0.7	55	1.122448921	54	54	73830.39844	62967.39844	62967.39844	1.12
3548	035	14376	0.33	14400	0	85	140	4	46	46	57504	43104	NCT-MISSI	65	form-based				0.75	54	1.173913002	54	54	64692	50292	50292	1.125
3593	033	14377	0.33	10404	0	65	100	3	33	33	43131	32727	UMU	68	form-based		true		0.75	54	1.636363626	54	54	64696.5	54292.5	54292.5	1.5
3704	017	6269	0.14	15224	2	75	120	3.5	17	15	21942	6718	C-3-G	160	form-based				0.8	56	3.294117689	54	32	56421	41197	28660	2.57137
3705	008	5961	0.14	28516	0	85	140	4	20	20	23844	0	C-3-R	160	form-based				0.8	54	2.700000048	54	40	53649	25133	19172	2.25
3717	002	5988	0.14	25208	0	75	120	3.5	17	17	20958	0	C-3-O(SD)	200	form-based				0.8	54	3.176470518	54	34	53892	28684	16708	2.571429
3721	022	6025	0.14	53496	0	75	120	3.5	17	17	21088	0	C-3-O(SD)	150	form-based		true		0.8	54	3.176470518	54	34	54225	729	0	2.571368
3721	082	5974	0.14	28465	0	75	120	3.5	17	17	20909	0	C-3-O(SD)	550	form-based		true		0.8	54	3.176470518	54	34	53766	25301	13353	2.571429
3722	003	6020	0.14	38000	0	75	120	3.5	17	17	21070	0	C-3-O(SD)	150	form-based		true		0.8	54	3.176470518	54	34	54180	16180	4140	2.571429
3725	019	10228	0.23	41715	0	65	100	3	23	23	30684	0	MUR	85	form-based				0.75	54	2.347826004	54	46	61368	19653	19653	2
3752	130	14872	0.34	1426	24	65	100	3	34	10	44616	43190	MUR	85	form-based		true		0.75	78	2.294117689	54	44	89232	87806	87806	2
0024	012	13750	0.32	28444	2	65	100	3	32	30	41250	12806	C-2	65	form-based			true	0.8	55	1.71875	53	53	66000	37556	37556	1.6
0300	009	10664	0.24	31968	0	65	100	3	24	24	31992	24	RC-4	130	density-lim	200	true		0.75	53	2.208333254	53	48	95976	64008	32016	3
0312	004	5926	0.14	55584	0	85	140	4	20	20	23704	0	C-3-R	130	form-based				0.8	53	2.650000095	53	40	53334	0	0	2.25
0339	015	10553	0.24	50830	0	75	120	3.5	29	29	36936	0	RC-4	80	density-lim	200			0.75	53	1.827586174	53	53	63318	12488	12488	1.714262
0340	016	10551	0.24	24780	0	75	120	3.5	29	29	36928	12148	RC-4	120	density-lim	200			0.75	53	1.827586174	53	53	94959	70179	49076	2.571463
0569	009	6875	0.16	5822	9	65	100	3	16	7	20625	14803	RTO-C	140	form-based			true	0.75	62	3.875	53	23	61875	56053	35428	3
0596	024	17847	0.41	77043	41	65	100	3	41	0	53541	0	NCD-POLK	85	form-based		true	true	0.75	94	2.292682886	53	41	107082	30039	30039	2
0804	013	18906	0.43	32352	0	55	80	2.5	34	34	47265	14913	RM-1	50	form-based		true	true	0.7	53	1.558823586	53	53	66171	33819	33819	1.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1051	034	10002	0.23	14436	0	65	100	3	23	23	30006	15570	NC-3	85	form-based			true	0.75	53	2.304347754	53	46	60012	45576	45576	2
1100	065	13500	0.31	15772	18	65	100	3	31	13	40500	24728	NCT-DIVIS/	85	form-based		true	true	0.75	71	2.290322542	53	44	81000	65228	65228	2
1465	032	13250	0.3	1648	17	85	140	4	42	25	53000	51352	NC-1	85	form-based		true	true	0.75	70	1.666666627	53	53	79500	77852	77852	1.5
1731	028	6000	0.14	6200	1	65	100	3	14	13	18000	11800	NCD-IRVIN	105	form-based			true	0.75	54	3.857142925	53	27	54000	47800	29800	3
2369	011	10000	0.23	10231	0	85	140	4	32	32	40000	29769	NC-1	85	form-based			true	0.75	53	1.65625	53	53	60000	49769	49769	1.5
3196	011	10034	0.23	6165	0	65	100	3	23	23	30102	23937	NCT-OCEA	85	form-based			true	0.75	53	2.304347754	53	46	60204	54039	54039	2
3504	047	17722	0.41	34779	0	65	100	3	41	41	53166	18387	NCT-3	50	form-based		true		0.75	53	1.292682886	53	53	66457.5	31678.5	31678.5	1.25
3516	067	10132	0.23	0	0	65	100	3	23	23	30396	30396	WMUG	85	form-based			true	0.75	53	2.304347754	53	46	60792	60792	60792	2
3577	001	17555	0.4	0	0	75	120	3.5	48	48	61442	61442	NCT-VALEI	55	form-based		true		0.75	53	1.104166627	53	53	65831.25	65831.25	65831.25	1.071437
3721	138	5842	0.13	0	0	75	120	3.5	16	16	20447	20447	C-3-O(SD)	750	form-based				0.8	53	3.3125	53	32	52578	52578	40894	2.571429
3733	026	10084	0.23	4000	0	65	100	3	23	23	30252	26252	MUR	85	form-based				0.75	53	2.304347754	53	46	60504	56504	56504	2
4106	024	23488	0.54	20146	0	75	120	3.5	65	65	82208	62062	UMU	40	form-based				0.75	53	0.815384626	53	53	70464	50318	50318	0.857143
7226	019	10067	0.23	9672	0	85	140	4	32	32	40268	30596	NCD-LAKES	85	form-based			true	0.75	53	1.65625	53	53	60402	50730	50730	1.5
0237	020	5757	0.13	5112	0	75	120	3.5	16	16	20150	15038	C-3-O	300	form-based		true		0.8	52	3.25	52	32	51813	46701	35188	2.571365
0329	001	5825	0.13	50163	0	85	140	4	18	18	23300	0	C-3-R	130	form-based		true		0.8	52	2.888888836	52	36	52425	2262	0	2.25
0508	028	9870	0.23	31541	0	55	80	2.5	18	18	24675	0	NC-3	85	form-based		true	true	0.75	52	2.888888836	52	36	59220	27679	17809	2.4
0554	032	6875	0.16	3358	10	55	80	2.5	13	3	17188	13830	RTO-C	105	form-based			true	0.75	62	4.769230843	52	16	61875	58517	31018	3.599895
0569	006	9797	0.22	44082	36	65	100	3	22	0	29391	0	RTO-C	140	form-based			true	0.75	88	4	52	8	88173	44091	14700	3
0578	052	12215	0.28	916	36	55	80	2.5	22	0	30538	29622	RTO-C	105	form-based		true	true	0.75	88	4	52	8	88128.75	87212.75	60160	2.885872
0579	005	8778	0.2	39966	27	55	80	2.5	16	0	21945	0	RTO-C	105	form-based			true	0.75	79	4.9375	52	5	79002	39036	3924	3.6
0593	001B	7661	0.18	21992	17	65	100	3	18	1	22983	991	RTO-C	140	form-based			true	0.75	69	3.833333254	52	19	68949	46957	23974	3
0723	040	20981	0.48	13969	0	65	100	3	48	48	62943	48974	RM-3	50	density-lim	400	true		0.75	52	1.083333373	52	52	78678.75	64709.75	64709.75	1.25
0735	031	64195	1.47	69000	108	65	100	3	147	39	192585	123585	RM-3	80	density-lim	400	true		0.55	160	1.088435411	52	52	282458	213458	213458	1.466667
1064	032	9823	0.23	29794	0	85	140	4	32	32	39292	9498	NCD-GEAR	85	form-based		true	true	0.75	52	1.625	52	52	58938	29144	29144	1.5
1126	034	9881	0.23	4524	0	65	100	3	23	23	29643	25119	NCT-DIVIS/	85	form-based		true	true	0.75	52	2.260869503	52	46	59286	54762	54762	2
1228	006	13823	0.32	98	0	55	80	2.5	26	26	34558	34460	NCD-HAIG	65	form-based		true	true	0.75	52	2	52	52	62203.5	62105.5	62105.5	1.799974
1312	022	25116	0.58	3734	1	55	80	2.5	46	45	62790	59056	RH-1(D)	40	form-based			true	0.7	53	1.152173877	52	52	70324.79688	66590.79688	66590.79688	1.12
1368	049	9948	0.23	6780	0	55	80	2.5	18	18	24870	18090	RTO-C	85	form-based			true	0.75	52	2.888888836	52	36	59688	52908	42960	2.4
2412	039	13804	0.32	17979	0	65	100	3	32	32	41412	23433	NCD-INNE	65	form-based		true	true	0.75	52	1.625	52	52	62118	44139	44139	1.5
2413	038	13788	0.32	0	0	65	100	3	32	32	41364	41364	NCD-INNE	65	form-based			true	0.75	52	1.625	52	52	62046	62046	62046	1.5
2540	006	9964	0.23	24795	0	65	100	3	23	23	29892	5097	RTO-C	85	form-based			true	0.75	52	2.260869503	52	46	59784	34989	34989	2
2988A	009	9978	0.23	16699	0	65	100	3	23	23	29934	13235	NCD-WEST	85	form-based			true	0.75	52	2.260869503	52	46	59868	43169	43169	2
3509	011	17186	0.39	98049	0	65	100	3	39	39	51558	0	RCD	55	form-based		true		0.75	52	1.333333373	52	52	64447.5	0	0	1.25
3537	001	9868	0.23	20000	0	85	140	4	32	32	39472	19472	NCT-UPPE	85	form-based		true	true	0.75	52	1.625	52	52	59208	39208	39208	1.5
3543	003A	5800	0.13	9600	0	85	140	4	18	18	23200	13600	NCT-UPPE	120	form-based			true	0.75	52	2.888888836	52	36	52200	42600	36800	2.25
3544	067	9863	0.23	29335	37	85	140	4	32	0	39452	10117	NCT-UPPE	160	form-based		true	true	0.75	89	2.78125	52	27	88767	59432	49569	2.25
3547	017	17435	0.4	54000	0	75	120	3.5	48	48	61022	7022	NCT-VALEI	55	form-based				0.75	52	1.083333373	52	52	65381.25	11381.25	11381.25	1.071437
3701	066	35597	0.82	241907	273	75	120	3.5	98	0	124590	0	C-3-G	200	form-based				0.8	325	3.316326618	52	0	324884.25	82977.25	7273	2.607627
3703	054	5824	0.13	11250	0	65	100	3	13	13	17472	6222	C-3-G	160	form-based				0.8	52	4	52	26	52416	41166	23694	3
3725	099	9313	0.21	10800	0	75	120	3.5	25	25	32596	21796	C-3-S	85	form-based				0.8	52	2.079999924	52	50	59603.19922	48803.19922	48803.19922	1.828543
3753	150	13918	0.32	15150	0	65	100	3	32	32	41754	26604	MUR	65	form-based				0.75	52	1.625	52	52	62631	47481	47481	1.5
3767	305	9309	0.21	7269	0	65	100	3	21	21	27927	20658	RH DTR	84	form-based				0.8	52	2.476190567	52	42	59577.60156	52308.60156	48585	2.133333
3794	077	42969	0.99	1092	198	75	120	3.5	119	0	150392	149300	MUO	105	form-based				0.75	250	2.10084033	52	40	249587.25	248495.25	248495.25	1.659578
6516	007	9859	0.23	30235	0	75	120	3.5	28	28	34506	4271	NCT-MISSI	80	form-based				0.75	52	1.857142806	52	52	59154	28919	28919	1.714311
7545	040	66364	1.52	32901	58	65	100	3	152	94	199092	166191	RH-1	40	form-based			true	0.55	110	0.723684192	52	52	146000.7969	113099.7969	113099.7969	0.733333
0084	009	12755	0.29	0	0	65	100	3	29	29	38265	38265	C-2	65	form-base	800	true		0.8	51	1.758620739	51	51	61224	61224	61224	1.6
0270	042	5658	0.13	28535	0	75	120	3.5	16	16	19803	0	C-3-R	130	form-based				0.8	51	3.1875	51	32	50922	22387	11071	2.571429
0294	017	5689	0.13	18500	0	65	100	3	13	13	17067	0	C-3-R	130	form-based				0.8	51	3.923076868	51	26	51201	32701	15634	3
0311	008	5680	0.13	260624	0	85	140	4	18	18	22720	0	C-3-O	250	form-based				0.8	51	2.833333254	51	36	51120	0	0	2.25
0330	027	12375	0.28	991	44	95	160	4.5	45	1	55688	54697	C-3-R	110	form-based		true		0.8	95	2.111111164	51	46	94968.75	93977.75	93977.75	1.705372
0341	006	5671	0.13	42822	0	85	140	4	18	18	22684	0	C-3-G	110	form-based		true		0.8	51	2.833333254	51	36	51039	8217	2546	2.25
0526	017	7015	0.16	15163	12	85	140	4	22	10	28060	12897	RC-3	140	form-based			true	0.75	63	2.863636255	51	32	63135	47972	40957	2.25
0551	020	6875	0.16	9940	11	65	100	3	16	5	20625	10685	RTO-C	240	form-based			true	0.75	62	3.875	51	21	61875	51935	31310	3
0572	017	9760	0.22	19456	0	65	100	3	22	22	29280	9824	NCD-POLK	85	form-based			true	0.75	51	2.318181753	51	44	58560	39104	39104	2
0598	009	5634	0.13	18159	0	65	100	3	13	13	16902	0	RC-4	350	form-based		true	true	0.75	51	3.923076868	51	26	50706	32547	15645	3
0598	009B	5625	0.13	5384	0	85	140	4	18	18	22500	17116	RC-4	350	form-based			true	0.75	51	2.833333254	51	36	50625	45241	39616	2.25
0691	002	8268	0.19	24600	23	65	100	3	19	0	24804	204	NCD-POLK	240	form-based		true	true	0.75	74	3.894736767	51	15	74412	49812	25008	3
0707	002	5700	0.13	5700	0	65	100	3	13	13	17100	11400	NCT-FILLM	160	form-based				0.75	51	3.923076868	51	26	51300	45600	28500	3
0744	002	10312	0.24	5170	1	65	100	3	24	23	30936	25766	RM-4	80	density-lim	200			0.75	52	2.166666746	51	47	61872	56702	56702	2
0767	011	5640	0.13	0	0	65	100	3	13	13	16920	16920	C-2	130	form-base	800			0.8	51	3.923076868	51	26	50760	50760	33840	3
1075	001	113182	2.6	77582	136	65	100	3	260	124	339546	261964	RM-1	40	form-based		true	true	0.55	187	0.719230771	51	51	249000.4063	171418.4063	171418.4063	0.733333
1227	010	24062	0.55	24884	0	55	80	2.5	44	44	60155	35271	RM-2	40	form-based			true	0.7	51	1.159090877	51	51	67373.60156	42489.60156	42489.60156	1.12
1440	040	17250	0.4	9902	14	65	100	3	40	26	51750	41848	NCD-INNE	65	form-based		true	true	0.75	65	1.625	51	51	77625	67723	67723	1.5
1580	003A	13726	0.32	11907	0	55	80	2.5	26	26	34315	22408	NCD-OUTE	65	form-based			true	0.75	51	1.961538434	51	51	61767	49860	49860	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1725	052	9784	0.22	0	0	65	100	3	22	22	29352	29352	NCD-IRVIN	85	form-based		true	true	0.75	51	2.318181753	51	44	58704	58704	58704	2
2346	010	9675	0.22	0	0	85	140	4	31	31	38700	38700	NCD-INNE	85	form-based		true	true	0.75	51	1.645161271	51	51	58050	58050	58050	1.5
3191	010	9724	0.22	5462	0	65	100	3	22	22	29172	23710	NCT-OCEA	85	form-based		true	true	0.75	51	2.318181753	51	44	58344	52882	52882	2
3212	023B	5718	0.13	1021	0	85	140	4	18	18	22872	21851	NCT-1	120	form-based		true	true	0.75	51	2.833333254	51	36	51462	50441	44723	2.25
3509	008A	16965	0.39	45000	0	75	120	3.5	47	47	59378	14378	RCD	55	form-based		true		0.75	51	1.085106373	51	51	63618.75	18618.75	18618.75	1.07142
3509	042	5710	0.13	0	0	75	120	3.5	16	16	19985	19985	C-3-G	160	form-based		true		0.8	51	3.1875	51	32	51390	51390	39970	2.571429
3519	001	13580	0.31	38033	0	65	100	3	31	31	40740	2707	NCT-FOLS	65	form-based		true		0.75	51	1.645161271	51	51	61110	23077	23077	1.5
3562	035	5625	0.13	3826	0	65	100	3	13	13	16875	13049	NCT-UPPE	160	form-based			true	0.75	51	3.923076868	51	26	50625	46799	29924	3
3636	009	13631	0.31	45448	0	75	120	3.5	37	37	47708	2260	NCT-MISSI	65	form-based				0.75	51	1.378378391	51	51	61339.5	15891.5	15891.5	1.285728
3639	036	22833	0.52	0	0	65	100	3	52	52	68499	68499	UMU	48	form-based		true		0.75	51	0.980769217	51	51	68499	68499	68499	1
3702	045	9067	0.21	27225	31	85	140	4	29	0	36268	9043	C-3-G	120	form-based				0.8	82	2.827586174	51	27	81603	54378	45311	2.25
3703	007	5625	0.13	11250	0	65	100	3	13	13	16875	5625	C-3-G	160	form-based				0.8	51	3.923076868	51	26	50625	39375	22500	3
3725	066	5680	0.13	13305	0	65	100	3	13	13	17040	3735	C-3-S	120	form-based				0.8	51	3.923076868	51	26	51120	37815	20775	3
3732	110	9801	0.23	13050	0	65	100	3	23	23	29403	16353	MUR	85	form-based				0.75	51	2.217391253	51	46	58806	45756	45756	2
3732	119	9795	0.22	19250	0	65	100	3	22	22	29385	10135	MUR	85	form-based				0.75	51	2.318181753	51	44	58770	39520	39520	2
3735	050	5638	0.13	16846	0	75	120	3.5	16	16	19733	2887	C-3-O(SD)	150	form-based				0.8	51	3.1875	51	32	50742	33896	22620	2.571429
3747	087	5634	0.13	370	0	75	120	3.5	16	16	19719	19349	RH DTR	200	form-based				0.8	51	3.1875	51	32	50706	50336	39068	2.571429
3751	155	9652	0.22	244800	0	85	140	4	31	31	38608	0	MUR	85	form-based				0.75	51	1.645161271	51	51	57912	0	0	1.5
3787	162	5704	0.13	4139	0	75	120	3.5	16	16	19964	15825	CMUO	400	form-based				0.8	51	3.1875	51	32	51336	47197	35789	2.571429
4080	067	47099	1.08	736	79	65	100	3	108	29	141297	140561	UMU	68	form-based		true		0.55	130	1.203703761	51	51	155426.7031	154690.7031	154690.7031	1.1
6657	063	24329	0.56	41656	0	85	140	4	78	78	97316	55660	RH-2	40	form-based			true	0.7	51	0.653846145	51	51	68121.19531	26465.19531	26465.19531	0.7
6745	060	5695	0.13	6600	0	95	160	4.5	21	21	25628	19028	NCT-GLEN	140	form-based		true	true	0.75	51	2.428571463	51	42	51255	44655	44655	1.999961
7080	025	9720	0.22	4970	0	85	140	4	31	31	38880	33910	NC-1	85	form-based			true	0.75	51	1.645161271	51	51	58320	53350	53350	1.5
0022	012	8939	0.21	0	0	65	100	3	21	21	26817	26817	C-2	85	form-based		true	true	0.8	50	2.380952358	50	42	57209.60156	57209.60156	53634	2.133333
0174	010	12394	0.28	12590	0	65	100	3	28	28	37182	24592	C-2	65	form-base	800	true		0.8	50	1.785714269	50	50	59491.19922	46901.19922	46901.19922	1.6
0315	017	5617	0.13	43074	1	75	120	3.5	16	15	19660	0	C-3-G	130	form-based		true		0.8	51	3.1875	50	31	50553	7479	0	2.571363
0326	002	5882	0.14	45213	3	85	140	4	20	17	23528	0	C-3-R	130	form-based				0.8	53	2.650000095	50	37	52938	7725	1843	2.25
0342	015	5540	0.13	5480	0	85	140	4	18	18	22160	16680	C-3-G	120	form-based				0.8	50	2.777777672	50	36	49860	44380	38840	2.25
0578	011	8780	0.2	32754	29	55	80	2.5	16	0	21950	0	RTO-C	105	form-based			true	0.75	79	4.9375	50	3	79020	46266	11146	3.6
0636	038	23765	0.55	52317	0	65	100	3	55	55	71295	18978	RM-1	40	form-based			true	0.7	50	0.909090936	50	50	66542	14225	14225	0.933333
0645	038	8147	0.19	39312	23	65	100	3	19	0	24441	0	NCD-POLK	120	form-based			true	0.75	73	3.84210515	50	15	73323	34011	9570	3
0669	001	19989	0.46	69280	0	65	100	3	46	46	59967	0	NCD-POLK	130	density-lin	400	true		0.75	50	1.086956501	50	50	158942.25	89662.25	50654	2.650495
0689	001	5565	0.13	15900	0	65	100	3	13	13	16695	795	NC-3	500	form-based		true	true	0.75	50	3.846153736	50	26	50085	34185	17490	3
0763	015	9900	0.23	91318	0	65	100	3	23	23	29700	0	RC-4	130	density-lin	200			0.75	50	2.173913002	50	46	89100	0	0	3
0834	008	8850	0.2	0	0	65	100	3	20	20	26550	26550	C-3-G	85	form-based		true		0.8	50	2.5	50	40	56640	56640	53100	2.133333
1725	053	9500	0.22	3825	0	65	100	3	22	22	28500	24675	NCD-IRVIN	85	form-based		true	true	0.75	50	2.272727251	50	44	57000	53175	53175	2
2979A	027	9509	0.22	11030	0	85	140	4	31	31	38036	27006	NCD-WEST	85	form-based			true	0.75	50	1.612903237	50	50	57054	46024	46024	1.5
3504	030	27503	0.63	126849	160	85	140	4	88	0	110012	0	NCT-3	140	form-based			true	0.75	210	2.386363745	50	16	210390.75	83541.75	83541.75	1.912435
3751	165	8989	0.21	56696	0	65	100	3	21	21	26967	0	CMUO	85	form-based				0.8	50	2.380952358	50	42	57529.60156	833.6015625	0	2.133333
3776	080	8875	0.2	9800	0	75	120	3.5	24	24	31062	21262	CMUO	85	form-based				0.8	50	2.083333254	50	48	56800	47000	47000	1.828601
3786	020	5500	0.13	10800	0	75	120	3.5	16	16	19250	8450	CMUO	130	form-based				0.8	50	3.125	50	32	49500	38700	27700	2.571429
3787	050	5585	0.13	0	0	75	120	3.5	16	16	19548	19548	CMUO	400	form-based				0.8	50	3.125	50	32	50265	50265	39096	2.571363
0094	001	23156	0.53	2100	16	55	80	2.5	42	26	57890	55790	RM-1	50	form-based		true	true	0.7	65	1.547619104	49	49	81046	78946	78946	1.4
0227	007	5427	0.12	354054	0	65	100	3	12	12	16281	0	C-3-O	250	form-based		true		0.8	49	4.083333492	49	24	48843	0	0	3
0243	038	12703	0.29	2950	15	65	100	3	29	14	38109	35159	RM-4	65	density-lin	200			0.75	64	2.206896544	49	43	57163.5	54213.5	54213.5	1.5
0268	016	5487	0.13	23534	0	75	120	3.5	16	16	19204	0	C-3-O	150	form-based		true		0.8	49	3.0625	49	32	49383	25849	14874	2.571496
0294	021	5836	0.13	38237	4	75	120	3.5	16	12	20426	0	C-3-R	130	form-based				0.8	53	3.3125	49	28	52524	14287	2615	2.571429
0309	006	5474	0.13	56933	0	75	120	3.5	16	16	19159	0	C-3-R	130	form-based				0.8	49	3.0625	49	32	49266	0	0	2.571429
0309	011	5445	0.13	44500	0	85	140	4	18	18	21780	0	C-3-R	130	form-based		true		0.8	49	2.722222328	49	36	49005	4505	0	2.25
0531	006	13098	0.3	19927	0	55	80	2.5	24	24	32745	12818	NCD-UNIO	65	form-based			true	0.75	49	2.041666746	49	48	58941	39014	39014	1.8
0568	028	7740	0.18	550	21	65	100	3	18	0	23220	22670	RTO-C	140	form-based			true	0.75	70	3.888888836	49	15	69660	69110	45890	3
0578	018	6750	0.15	2200	12	55	80	2.5	12	0	16875	14675	RTO-C	105	form-based		true	true	0.75	61	5.083333492	49	12	60750	58550	31550	3.6
0594	004E	6021	0.14	4936	5	65	100	3	14	9	18063	13127	RTO-C	240	form-based			true	0.75	54	3.857142925	49	23	54189	49253	31190	3
0600	021	6524	0.15	865	10	65	100	3	15	5	19572	18707	RTO-C	140	form-based			true	0.75	59	3.933333397	49	20	58716	57851	38279	3
0642	023	6873	0.16	1456	13	65	100	3	16	3	20619	19163	RTO-C	240	form-based			true	0.75	62	3.875	49	19	61857	60401	39782	3
0659	066	29543	0.68	147286	0	65	100	3	68	68	88629	0	NCD-UPPE	40	density-lin	600	true		0.75	49	0.720588207	49	49	88629	0	0	1
0763	012	5450	0.13	5292	0	65	100	3	13	13	16350	11058	RC-4	300	form-based		true	true	0.75	49	3.769230843	49	26	49050	43758	27408	3
0809	050	16469	0.38	7609	0	65	100	3	38	38	49407	41798	NCT-HAYE	50	form-based		true		0.75	49	1.289473653	49	49	61758.75	54149.75	54149.75	1.25
0871	014	9239	0.21	37758	0	65	100	3	21	21	27717	0	NCT-3	85	form-based		true		0.75	49	2.333333254	49	42	55434	17676	17676	2
1038	010	23160	0.53	6922	0	65	100	3	53	53	69480	62558	RH-1(D)	40	form-based			true	0.7	49	0.924528301	49	49	64848	57926	57926	0.933333
1065	053	15240	0.35	34390	31	85	140	4	49	18	60960	26570	NCD-GEAR	85	form-based			true	0.75	80	1.632653117	49	49	91440	57050	57050	1.5
1254	011	23306	0.54	45042	0	65	100	3	54	54	69918	24876	RH-3	40	form-based			true	0.7	49	0.907407403	49	49	65256.80078	20214.80078	20214.80078	0.933333
1455	041	23385	0.54	1008	0	65	100	3	54	54	70155	69147	RM-1	40	form-based			true	0.7	49	0.907407403	49	49	65478	64470	64470	0.933333
1806	037	9357	0.21	8545	0	85	140	4	29	29	37428	28883	RTO-C	85	form-based		true	true	0.75	49	1.689655185	49	49	56142	47597	47597	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2418	004D	23400	0.54	88313	0	65	100	3	54	54	70200	0	RH-1	40	form-based		true	true	0.7	49	0.907407403	49	49	65520	0	0	0.933333
3514	004A	5421	0.12	5704	0	65	100	3	12	12	16263	10559	NCT-3	120	form-based		true	true	0.75	49	4.083333492	49	24	48789	43085	26822	3
3514	007	9348	0.21	5610	0	65	100	3	21	21	28044	22434	NCT-3	85	form-based				0.75	49	2.333333254	49	42	56088	50478	50478	2
3518	002	16204	0.37	24371	0	65	100	3	37	37	48612	24241	RCD	55	form-based				0.75	49	1.324324369	49	49	60765	36394	36394	1.25
3566	002	17655	0.41	0	0	85	140	4	57	57	70620	70620	RH-3	50	form-based		true	true	0.7	49	0.859649122	49	49	61792.5	61792.5	61792.5	0.875
3701	008	5472	0.13	5760	0	85	140	4	18	18	21888	16128	C-3-G	150	form-based		true		0.8	49	2.722222328	49	36	49248	43488	38016	2.25
3721	092	7845	0.18	1226	22	75	120	3.5	22	0	27458	26232	C-3-O(SD)	450	form-based				0.8	71	3.227272749	49	22	70605	69379	53690	2.571382
3762	021	8763	0.2	17387	0	65	100	3	20	20	26289	8902	CMUO	85	form-based				0.8	49	2.450000048	49	40	56083.19922	38696.19922	35191	2.133333
3775	008	12300	0.28	68884	0	65	100	3	28	28	36900	0	CMUO	65	form-based		true		0.8	49	1.75	49	49	59040	0	0	1.6
3780	004E	12991	0.3	12605	0	65	100	3	30	30	38973	26368	UMU	68	form-based				0.75	49	1.633333325	49	49	58459.5	45854.5	45854.5	1.5
3780	077	21765	0.5	13125	0	65	100	3	50	50	65295	52170	UMU	48	form-based		true		0.75	49	0.980000019	49	49	65295	52170	52170	1
3788	043	12228	0.28	59639	0	65	100	3	28	28	36684	0	CMUO	65	form-based				0.8	49	1.75	49	49	58694.40234	0	0	1.6
3999	015	21625	0.5	38258	0	65	100	3	50	50	64875	26617	UMU	40	form-based		true		0.75	49	0.980000019	49	49	64875	26617	26617	1
4058	009	13023	0.3	46230	0	65	100	3	30	30	39069	0	UMU	68	form-based		true		0.75	49	1.633333325	49	49	58603.5	12373.5	12373.5	1.5
6571	012	12948	0.3	13000	0	65	100	3	30	30	38844	25844	NCT-MISSI	65	form-based				0.75	49	1.633333325	49	49	58266	45266	45266	1.5
6935	026	9367	0.22	3825	0	65	100	3	22	22	28101	24276	NCT-OCEA	85	form-based			true	0.75	49	2.227272749	49	44	56202	52377	52377	2
6943	049	9387	0.22	0	0	65	100	3	22	22	28161	28161	NCT-OCEA	85	form-based		true	true	0.75	49	2.227272749	49	44	56322	56322	56322	2
7179	021	11145	0.26	4533	6	75	120	3.5	31	25	39008	34475	RH-1	85	form-based			true	0.7	55	1.774193525	49	49	62412	57879	57879	1.59998
0033	003	56715	1.3	131785	170	65	100	3	130	0	170145	38360	RTO-C	85	form-based		true	true	0.55	218	1.676923037	48	48	249546	117761	117761	1.466667
0188	006	9607	0.22	18906	0	55	80	2.5	18	18	24018	5112	RM-4	65	density-lin	200			0.75	48	2.666666746	48	36	43231.5	24325.5	24325.5	1.799963
0237	010	5328	0.12	39384	0	75	120	3.5	14	14	18648	0	C-3-O	300	form-based				0.8	48	3.428571463	48	28	47952	8568	0	2.571429
0249	009A	6944	0.16	10753	14	65	100	3	16	2	20832	10079	NCD-POLK	120	form-based			true	0.75	62	3.875	48	18	62496	51743	30911	3
0309	038	5378	0.12	95735	0	85	140	4	17	17	21512	0	C-3-R	130	form-based				0.8	48	2.823529482	48	34	48402	0	0	2.25
0318	005	9621	0.22	285584	0	85	140	4	31	31	38484	0	RC-4	130	density-lin	200			0.75	48	1.548387051	48	48	86589	0	0	2.25
0327	025	5280	0.12	15613	0	85	140	4	17	17	21120	5507	C-3-R	130	form-based				0.8	48	2.823529482	48	34	47520	31907	26627	2.25
0343	016	9629	0.22	67375	0	65	100	3	22	22	28887	0	RC-4	120	density-lin	200			0.75	48	2.181818247	48	44	86661	19286	0	3
0549	015	17320	0.4	48377	43	65	100	3	40	0	51960	3583	NCD-POLK	85	form-based		true	true	0.75	91	2.275000095	48	37	103920	55543	55543	2
0555	032	14575	0.33	135283	53	55	80	2.5	26	0	36438	0	RTO-C	105	form-based			true	0.75	101	3.884615421	48	0	100518.75	0	0	2.758624
0569	004	9376	0.22	46176	36	65	100	3	22	0	28128	0	RTO-C	140	form-based		true	true	0.75	84	3.818181753	48	8	84384	38208	10080	3
0593	002C	7088	0.16	21672	16	65	100	3	16	0	21264	0	RTO-C	140	form-based			true	0.75	64	4	48	16	63792	42120	20856	3
0600	017	9575	0.22	39827	38	65	100	3	22	0	28725	0	RTO-C	140	form-based		true	true	0.75	86	3.909090996	48	6	86175	46348	17623	3
0643	010	8869	0.2	21612	32	65	100	3	20	0	26607	4995	NCD-POLK	120	form-based			true	0.75	80	4	48	8	79821	58209	31602	3
0647	003	5322	0.12	15960	0	65	100	3	12	12	15966	6	RC-4	350	form-based			true	0.75	48	4	48	24	47898	31938	15972	3
0654	019A	9097	0.21	0	0	85	140	4	29	29	36388	36388	NCD-UPPE	85	form-based		true	true	0.75	48	1.655172467	48	48	54582	54582	54582	1.5
0685	050	19319	0.44	0	0	65	100	3	44	44	57957	57957	NCD-JAPAI	50	density-lin	400			0.75	48	1.090909123	48	48	72446.25	72446.25	72446.25	1.25
0720	028	9631	0.22	14600	0	65	100	3	22	22	28893	14293	RM-4	80	density-lin	200			0.75	48	2.181818247	48	44	57786	43186	43186	2
1742	061	12000	0.28	20118	15	85	140	4	39	24	48000	27882	NCD-INNE	85	form-based			true	0.75	63	1.615384579	48	48	72000	51882	51882	1.5
2028	014	9143	0.21	4800	0	55	80	2.5	17	17	22858	18058	NCD-NORI	85	form-based		true	true	0.75	48	2.823529482	48	34	54858	50058	40916	2.399947
2406	040	11656	0.27	886	13	85	140	4	38	25	46624	45738	NCD-TARA	85	form-based			true	0.75	61	1.605263114	48	48	69936	69050	69050	1.5
2463A	014	12677	0.29	6034	0	55	80	2.5	23	23	31692	25658	NC-1	65	form-based		true	true	0.75	48	2.086956501	48	46	57046.5	51012.5	51012.5	1.800028
2636	028	22898	0.53	3412	0	55	80	2.5	42	42	57245	53833	RM-1	40	form-based			true	0.7	48	1.142857194	48	48	64114.39844	60702.39844	60702.39844	1.12
2694	028	22625	0.52	19116	0	65	100	3	52	52	67875	48759	RH-3	40	form-based			true	0.7	48	0.923076928	48	48	63350	44234	44234	0.933333
3180	213	10567	0.24	0	0	65	100	3	24	24	31701	31701	BR-MU	78	form-based				0.75	48	2	48	48	55476.75	55476.75	55476.75	1.75
3516	009	9069	0.21	8223	0	65	100	3	21	21	27207	18984	WMUG	85	form-based		true	true	0.75	48	2.285714388	48	42	54414	46191	46191	2
3564	162	7316	0.17	5056	18	85	140	4	24	6	29264	24208	NCT-UPPEI	120	form-based		true	true	0.75	66	2.75	48	30	65844	60788	53472	2.25
3582	103	9100	0.21	9524	0	65	100	3	21	21	27300	17776	NCD-CAST	85	form-based			true	0.75	48	2.285714388	48	42	54600	45076	45076	2
3702	015	5344	0.12	0	0	75	120	3.5	14	14	18704	18704	C-3-G	90	form-based		true		0.8	48	3.428571463	48	28	48096	48096	37408	2.571429
3702	036	5337	0.12	0	0	75	120	3.5	14	14	18680	18680	C-3-G	180	form-based				0.8	48	3.428571463	48	28	48033	48033	37360	2.57136
3722	004	5350	0.12	30701	0	75	120	3.5	14	14	18725	0	C-3-O(SD)	150	form-based				0.8	48	3.428571463	48	28	48150	17449	6749	2.571429
3725	071	5338	0.12	7510	0	75	120	3.5	14	14	18683	11173	C-3-S	160	form-based				0.8	48	3.428571463	48	28	48042	40532	29856	2.571429
3750	082	5298	0.12	5974	0	65	100	3	12	12	15894	9920	MUR	130	form-based				0.75	48	4	48	24	47682	41708	25814	3
3763	113	5344	0.12	0	0	65	100	3	12	12	16032	16032	CMUO	350	form-based				0.8	48	4	48	24	48096	48096	32064	3
3776	005	11896	0.27	19997	0	65	100	3	27	27	35688	15691	CMUO	65	form-based				0.8	48	1.777777791	48	48	57100.80078	37103.80078	37103.80078	1.6
4082	005	12741	0.29	14472	0	65	100	3	29	29	38223	23751	UMU	68	form-based				0.75	48	1.655172467	48	48	57334.5	42862.5	42862.5	1.5
4106	023	21296	0.49	20146	0	75	120	3.5	59	59	74536	54390	UMU	40	form-based		true		0.75	48	0.813559294	48	48	63888	43742	43742	0.857143
4265	026	39157	0.9	60404	50	85	140	4	126	76	156628	96224	RM-3	65	density-lin	400	true		0.75	98	0.777777791	48	48	176206.5	115802.5	115802.5	1.125
0028	014	16771	0.39	44040	20	65	100	3	39	19	50313	6273	C-2	65	form-based		true	true	0.8	67	1.717948675	47	47	80500.80469	36460.80469	36460.80469	1.6
0098	001	36209	0.83	2370	29	55	80	2.5	66	37	90522	88152	RM-2	40	form-based		true	true	0.7	76	1.151515126	47	47	101385.1953	99015.19531	99015.19531	1.120006
0134	001	37383	0.86	89010	0	65	100	3	86	86	112149	23139	C-2	84	density-lin	800	true		0.8	47	0.54651165	47	47	239251.2031	150241.2031	135288	2.133333
0142	001	37849	0.87	233609	0	65	100	3	87	87	113547	0	C-2	84	density-lin	800	true		0.8	47	0.540229857	47	47	242233.6094	8624.609375	0	2.133333
0146	006	9444	0.22	42500	0	65	100	3	22	22	28332	0	CCB	65	density-lin	200			0.75	47	2.136363745	47	44	42498	0	0	1.5
0147	029	18838	0.43	49068	0	65	100	3	43	43	56514	7446	NCD-NORT	40	density-lin	400	true		0.75	47	1.0930233	47	47	56514	7446	7446	1
0191	005	9497	0.22	4805	0	65	100	3	22	22	28491	23686	CRNC	65	density-lin	200			0.75	47	2.136363745	47	44	42736.5	37931.5	37931.5	1.5
0223	032	9491	0.22	0	0	65	100	3	22	22	28473	28473	RC-4	105	density-lin	200			0.75	47	2.136363745	47	44	85419	85419	56946	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0242	002	9399	0.22	18906	0	65	100	3	22	22	28197	9291	CVR	50	density-lim	200			0.75	47	2.136363745	47	44	35246.25	16340.25	16340.25	1.25
0281	004	9379	0.22	27636	0	65	100	3	22	22	28137	501	RC-4	80	density-lim	200			0.75	47	2.136363745	47	44	56274	28638	28638	2
0281	012	9453	0.22	18906	0	65	100	3	22	22	28359	9453	RC-4	80	density-lim	200			0.75	47	2.136363745	47	44	56718	37812	37812	2
0293	008	5267	0.12	32040	0	75	120	3.5	14	14	18434	0	C-3-R	130	form-based				0.8	47	3.357142925	47	28	47403	15363	4828	2.571498
0336	016	9455	0.22	27960	0	65	100	3	22	22	28365	405	RC-4	80	density-lim	200			0.75	47	2.136363745	47	44	56730	28770	28770	2
0344	003	9349	0.21	18975	0	75	120	3.5	25	25	32722	13747	RC-4	120	density-lim	200			0.75	47	1.879999995	47	47	84141	65166	46469	2.571389
0344	004	9330	0.21	41320	0	75	120	3.5	25	25	32655	0	RC-4	120	density-lim	200			0.75	47	1.879999995	47	47	83970	42650	23990	2.571429
0568	004	9236	0.21	42120	36	65	100	3	21	0	27708	0	RTO-C	140	form-based		true	true	0.75	83	3.952380896	47	6	83124	41004	13296	3
0593	002D	7228	0.17	14964	18	65	100	3	17	0	21684	6720	RTO-C	140	form-based			true	0.75	65	3.823529482	47	16	65052	50088	28404	3
0598	010	5178	0.12	5500	0	85	140	4	17	17	20712	15212	RC-4	350	form-based			true	0.75	47	2.764705896	47	34	46602	41102	35924	2.25
0618	011	7176	0.16	15868	18	65	100	3	16	0	21528	5660	RTO-C	240	form-based			true	0.75	65	4.0625	47	14	64584	48716	27188	3
0624	001	8535	0.2	34741	30	65	100	3	20	0	25605	0	RTO-C	140	form-based		true	true	0.75	77	3.849999905	47	10	76815	42074	16469	3
0658	004	22515	0.52	2870	0	65	100	3	52	52	67545	64675	RH-3	40	form-based		true	true	0.7	47	0.903846145	47	47	63042	60172	60172	0.933333
0677	072	27617	0.63	448	36	65	100	3	63	27	82851	82403	NCT-FILLM	50	form-based		true		0.75	83	1.317460299	47	47	103563.75	103115.75	103115.75	1.25
0735	020	18906	0.43	200	0	65	100	3	43	43	56718	56518	RM-3	80	density-lim	400	true		0.75	47	1.0930233	47	47	113436	113236	113236	2
0741	005	9453	0.22	18414	0	65	100	3	22	22	28359	9945	RC-4	80	density-lim	200			0.75	47	2.136363745	47	44	56718	38304	38304	2
0757	026	18906	0.43	0	0	55	80	2.5	34	34	47265	47265	RM-3	50	density-lim	400			0.75	47	1.382352948	47	47	70897.5	70897.5	70897.5	1.5
0767	002	5184	0.12	0	0	65	100	3	12	12	15552	15552	C-2	130	form-base	800			0.8	47	3.916666746	47	24	46656	46656	31104	3
0767	003	5184	0.12	0	0	85	140	4	17	17	20736	20736	C-2	130	form-base	800			0.8	47	2.764705896	47	34	46656	46656	41472	2.25
0772	023	18906	0.43	0	0	55	80	2.5	34	34	47265	47265	RM-3	50	density-lim	400			0.75	47	1.382352948	47	47	70897.5	70897.5	70897.5	1.5
0785	061	12510	0.29	371	0	65	100	3	29	29	37530	37159	NCT-3	65	form-based		true		0.75	47	1.620689631	47	47	56295	55924	55924	1.5
1062	027	9028	0.21	12450	0	65	100	3	21	21	27084	14634	NCD-GEAR	85	form-based		true	true	0.75	47	2.238095284	47	42	54168	41718	41718	2
1090	042	6267	0.14	17488	9	85	140	4	20	11	25068	7580	NCD-GEAR	140	form-based			true	0.75	56	2.799999952	47	31	56403	38915	32648	2.25
1101	013	15781	0.36	37497	0	65	100	3	36	36	47343	9846	RM-3	50	form-based		true	true	0.75	47	1.305555582	47	47	59178.75	21681.75	21681.75	1.25
1541	001	8910	0.2	400	0	85	140	4	28	28	35640	35240	NCD-GEAR	85	form-based		true	true	0.75	47	1.678571463	47	47	53460	53060	53060	1.5
1605	036	12604	0.29	17028	0	55	80	2.5	23	23	31510	14482	RTO-C	65	form-based		true	true	0.75	47	2.043478251	47	46	56718	39690	39690	1.8
1731	019	5273	0.12	3750	0	65	100	3	12	12	15819	12069	NCD-IRVIN	140	form-based		true	true	0.75	47	3.916666746	47	24	47457	43707	27888	3
1764	009A	9040	0.21	11631	0	85	140	4	29	29	36160	24529	NCD-INNE	85	form-based			true	0.75	47	1.620689631	47	47	54240	42609	42609	1.5
1768	017	9000	0.21	12688	0	65	100	3	21	21	27000	14312	RTO-C	85	form-based			true	0.75	47	2.238095284	47	42	54000	41312	41312	2
1768	027	9042	0.21	0	0	65	100	3	21	21	27126	27126	RTO-C	85	form-based			true	0.75	47	2.238095284	47	42	54252	54252	54252	2
1775	046	5255	0.12	4786	0	65	100	3	12	12	15765	10979	NCD-IRVIN	105	form-based		true	true	0.75	47	3.916666746	47	24	47295	42509	26744	3
2348	001	8935	0.21	440	0	65	100	3	21	21	26805	26365	RTO-C	85	form-based		true	true	0.75	47	2.238095284	47	42	53610	53170	53170	2
2864	051	13130	0.3	794	22	85	140	4	42	20	52520	51726	RTO-C	85	form-based		true	true	0.75	69	1.642857194	47	47	78780	77986	77986	1.5
2901A	050	11677	0.27	5353	14	55	80	2.5	22	8	29192	23839	NC-1	85	form-based			true	0.75	61	2.772727251	47	30	70062	64709	53031	2.400041
2988A	032	8975	0.21	7260	0	85	140	4	29	29	35900	28640	NCD-WEST	85	form-based		true	true	0.75	47	1.620689631	47	47	53850	46590	46590	1.5
3511	006	8997	0.21	9200	0	65	100	3	21	21	26991	17791	WMUG	85	form-based		true	true	0.75	47	2.238095284	47	42	53982	44782	44782	2
3532	013	15535	0.36	0	0	75	120	3.5	43	43	54372	54372	UMU	58	form-based		true		0.75	47	1.0930233	47	47	58256.25	58256.25	58256.25	1.071438
3554	056	12513	0.29	11980	0	75	120	3.5	35	35	43796	31816	NCT-VALEI	65	form-based		true		0.75	47	1.342857122	47	47	56308.5	44328.5	44328.5	1.2857
3706	001	5218	0.12	115260	0	85	140	4	17	17	20872	0	C-3-R	120	form-based		true		0.8	47	2.764705896	47	34	46962	0	0	2.25
3721	014	5199	0.12	25955	0	95	160	4.5	19	19	23396	0	C-3-O(SD)	450	form-based				0.8	47	2.473684311	47	38	46791	20836	20836	1.999957
3721	049	5245	0.12	37532	0	75	120	3.5	14	14	18358	0	C-3-O(SD)	150	form-based				0.8	47	3.357142925	47	28	47205	9673	0	2.571358
3725	101	11902	0.27	41331	60	65	100	3	27	0	35706	0	C-3-S	120	form-based				0.8	107	3.962962866	47	0	107118	65787	30081	3
3729	006	12460	0.29	12165	0	65	100	3	29	29	37380	25215	NCT-FOLSO	65	form-based		true		0.75	47	1.620689631	47	47	56070	43905	43905	1.5
3788	045	11701	0.27	45728	0	75	120	3.5	32	32	40954	0	CMUO	65	form-based				0.8	47	1.46875	47	47	56164.80078	10436.80078	10436.80078	1.371412
3994	045	21868	0.5	54919	35	65	100	3	50	15	65604	10685	UMU	68	form-based		true		0.75	82	1.639999986	47	47	98406	43487	43487	1.5
6569	036	12459	0.29	11859	0	65	100	3	29	29	37377	25518	NCT-VALEI	65	form-based				0.75	47	1.620689631	47	47	56065.5	44206.5	44206.5	1.5
7030	039	28754	0.66	9190	1	65	100	3	66	65	86262	77072	NCD-EXCE	65	density-lim	600			0.75	48	0.727272749	47	47	129393	120203	120203	1.5
7220	014	8966	0.21	3526	0	65	100	3	21	21	26898	23372	RTO-C	85	form-based		true	true	0.75	47	2.238095284	47	42	53796	50270	50270	2
0041	102	8250	0.19	11507	0	65	100	3	19	19	24750	13243	C-2	85	form-based		true	true	0.8	46	2.421052694	46	38	52800	41293	37993	2.133333
0085	005	8126	0.19	35466	0	65	100	3	19	19	24378	0	C-2	84	form-base	800	true		0.8	46	2.421052694	46	38	52006.40234	16540.40234	13290	2.133333
0161	015	9279	0.21	13271	0	65	100	3	21	21	27837	14566	CRNC	65	density-lim	200			0.75	46	2.190476179	46	42	41755.5	28484.5	28484.5	1.5
0173	005	8215	0.19	15132	0	65	100	3	19	19	24645	9513	C-2	84	form-base	800			0.8	46	2.421052694	46	38	52576	37444	34158	2.133333
0284	006	5156	0.12	37865	0	65	100	3	12	12	15468	0	C-3-R	130	form-based				0.8	46	3.833333254	46	24	46404	8539	0	3
0295	005	5156	0.12	19774	0	65	100	3	12	12	15468	0	C-3-R	130	form-based				0.8	46	3.833333254	46	24	46404	26630	11162	3
0302	034	9145	0.21	8875	0	65	100	3	21	21	27435	18560	RC-4	80	density-lim	200			0.75	46	2.190476179	46	42	54870	45995	45995	2
0340	007	9487	0.22	58718	1	75	120	3.5	26	25	33204	0	RC-4	120	density-lim	200			0.75	47	1.807692289	46	46	85383	26665	7690	2.571467
0349	011	5086	0.12	15630	0	75	120	3.5	14	14	17801	2171	C-3-G	120	form-based				0.8	46	3.285714388	46	28	45774	30144	19972	2.571429
0503	004	6809	0.16	14091	15	65	100	3	16	1	20427	6336	RC-3	140	form-based			true	0.75	61	3.8125	46	17	61281	47190	26763	3
0522	015	9052	0.21	19485	35	65	100	3	21	0	27156	7671	RTO-C	140	form-based			true	0.75	81	3.857142925	46	7	81468	61983	34827	3
0553	057	11047	0.25	1798	12	65	100	3	25	13	33141	31343	RTO-C	85	form-based			true	0.75	58	2.319999933	46	38	66282	64484	64484	2
0569	024	9712	0.22	34236	41	65	100	3	22	0	29136	0	RTO-C	140	form-based		true	true	0.75	87	3.954545498	46	3	87408	53172	24036	3
0572	062	13621	0.31	1037	21	65	100	3	31	10	40863	39826	RM-2	85	form-based			true	0.7	67	2.161290407	46	41	76277.60156	75240.60156	75240.60156	1.866667
0576	014	8192	0.19	36690	28	65	100	3	19	0	24576	0	RTO-C	140	form-based			true	0.75	74	3.894736767	46	10	73728	37038	12462	3
0593	001F	6459	0.15	13008	12	65	100	3	15	3	19377	6369	RTO-C	140	form-based			true	0.75	58	3.866666555	46	18	58131	45123	25746	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0599	109	7023	0.16	1257	17	65	100	3	16	0	21069	19812	RTO-C	240	form-based			true	0.75	63	3.9375	46	15	63207	61950	40881	3
0656	023	9414	0.22	4394	3	85	140	4	31	28	37656	33262	RTO-C	85	form-based			true	0.75	49	1.580645204	46	46	56484	52090	52090	1.5
0673	008	9348	0.21	28300	1	65	100	3	21	20	28044	0	RM-4	50	density-lim	200	true		0.75	47	2.238095284	46	41	35055	6755	6755	1.25
0717	019	9186	0.21	29841	0	85	140	4	29	29	36744	6903	RC-4	80	density-lim	200			0.75	46	1.586206913	46	46	55116	25275	25275	1.5
0724	033	18315	0.42	15204	0	65	100	3	42	42	54945	39741	RM-3	50	density-lim	400	true		0.75	46	1.09523809	46	46	68681.25	53477.25	53477.25	1.25
0980	082	21946	0.5	20861	0	65	100	3	50	50	65838	44977	RM-1	40	form-based			true	0.7	46	0.920000017	46	46	61448.80078	40587.80078	40587.80078	0.933333
1028	021	8832	0.2	18700	0	65	100	3	20	20	26496	7796	RTO-C	85	form-based		true	true	0.75	46	2.299999952	46	40	52992	34292	34292	2
1091	024	5149	0.12	600	0	85	140	4	17	17	20596	19996	NCD-GEAR	140	form-based		true	true	0.75	46	2.705882311	46	34	46341	45741	40592	2.25
1156	034	8725	0.2	1596	0	55	80	2.5	16	16	21812	20216	NCT-DIVIS	85	form-based		true	true	0.75	46	2.875	46	32	52350	50754	42028	2.400055
1182	030	8718	0.2	13500	0	55	80	2.5	16	16	21795	8295	NCT-DIVIS	85	form-based			true	0.75	46	2.875	46	32	52308	38808	30090	2.4
1254	076	21867	0.5	21805	0	65	100	3	50	50	65601	43796	RH-3	40	form-based			true	0.7	46	0.920000017	46	46	61227.59766	39422.59766	39422.59766	0.933333
1511	056	11622	0.27	471	15	85	140	4	38	23	46488	46017	NC-1	85	form-based		true	true	0.75	61	1.605263114	46	46	69732	69261	69261	1.5
1567	012	12235	0.28	21035	0	65	100	3	28	28	36705	15670	RTO-C	65	form-based		true	true	0.75	46	1.642857194	46	46	55057.5	34022.5	34022.5	1.5
1651	047	13267	0.3	6212	24	55	80	2.5	24	0	33168	26956	NC-1	85	form-based		true	true	0.75	70	2.916666746	46	24	79602	73390	60124	2.399964
2512	005	6114	0.14	6804	9	65	100	3	14	5	18342	11538	NC-2	100	form-based		true	true	0.75	55	3.928571463	46	19	55026	48222	29880	3
3514	045	43147	0.99	0	223	65	100	3	99	0	129441	129441	NCT-3	120	form-based				0.75	269	2.717171669	46	0	268521.75	268521.75	258882	2.074472
3563	023	5136	0.12	1547	0	85	140	4	17	17	20544	18997	NCT-UPPE	160	form-based		true	true	0.75	46	2.705882311	46	34	46224	44677	39541	2.25
3643	010A	8846	0.2	17179	0	95	160	4.5	32	32	39807	22628	NCT-MISSI	85	form-based		true		0.75	46	1.4375	46	46	53076	35897	35897	1.333333
3701	024	5111	0.12	9880	0	85	140	4	17	17	20444	10564	C-3-G	120	form-based				0.8	46	2.705882311	46	34	45999	36119	31008	2.25
3752	011A	8800	0.2	35487	0	65	100	3	20	20	26400	0	MUR	85	form-based		true		0.75	46	2.299999952	46	40	52800	17313	17313	2
3753	001	8821	0.2	2967	0	65	100	3	20	20	26463	23496	MUR	85	form-based		true		0.75	46	2.299999952	46	40	52926	49959	49959	2
3763	006	8150	0.19	24682	0	65	100	3	19	19	24450	0	CMUO	85	form-based		true		0.8	46	2.421052694	46	38	52160	27478	24218	2.133333
3780	056A	12312	0.28	21701	0	65	100	3	28	28	36936	15235	UMU	68	form-based				0.75	46	1.642857194	46	46	55404	33703	33703	1.5
0012	005	11207	0.26	4000	0	85	140	4	36	36	44828	40828	C-2	65	form-based		true	true	0.8	45	1.25	45	45	53793.60156	49793.60156	49793.60156	1.2
0023	004	7975	0.18	0	0	85	140	4	25	25	31900	31900	C-2	85	form-based			true	0.8	45	1.799999952	45	45	51040	51040	51040	1.6
0081	001	18840	0.43	97645	0	65	100	3	43	43	56520	0	C-2	40	form-base	800	true		0.8	45	1.04651165	45	45	60288	0	0	1.066667
0081	003	18837	0.43	51290	0	65	100	3	43	43	56511	5221	C-2	40	form-base	800	true		0.8	45	1.04651165	45	45	60278.40234	8988.402344	8988.402344	1.066667
0160	030	50175	1.15	131477	206	65	100	3	115	0	150525	19048	RM-4	65	density-lim	200	true		0.55	251	2.182608604	45	24	165577.5	34100.5	34100.5	1.1
0279	005	8937	0.21	78950	0	65	100	3	21	21	26811	0	RC-4	130	density-lim	200	true		0.75	45	2.142857075	45	42	80433	1483	0	3
0298	038	8955	0.21	0	0	65	100	3	21	21	26865	26865	RC-4	80	density-lim	200			0.75	45	2.142857075	45	42	53730	53730	53730	2
0301	017	9250	0.21	62088	1	65	100	3	21	20	27750	0	RC-4	130	density-lim	200			0.75	46	2.190476179	45	41	83250	21162	0	3
0331	018	13689	0.31	113386	81	75	120	3.5	37	0	47912	0	C-3-G	130	form-based				0.8	126	3.405405521	45	0	125867.25	12481.25	0	2.627051
0495	028	5844	0.13	564	8	55	80	2.5	10	2	14610	14046	NC-3	140	form-based			true	0.75	53	5.300000191	45	12	52596	52032	28656	3.6
0523	016	6350	0.15	11700	12	65	100	3	15	3	19050	7350	RM-3	140	form-based			true	0.75	57	3.799999952	45	18	57150	45450	26400	3
0568	005	5156	0.12	5316	1	65	100	3	12	11	15468	10152	RTO-C	140	form-based			true	0.75	46	3.833333254	45	23	46404	41088	25620	3
0579	004	9453	0.22	30632	40	55	80	2.5	18	0	23632	0	RTO-C	105	form-based			true	0.75	85	4.722222328	45	0	85077	54445	16632	3.600076
0599	014A	7300	0.17	15621	21	65	100	3	17	0	21900	6279	RTO-C	240	form-based			true	0.75	66	3.882352829	45	13	65700	50079	28179	3
0618	003A	7342	0.17	26650	21	85	140	4	24	3	29368	2718	RTO-C	240	form-based			true	0.75	66	2.75	45	27	66078	39428	32086	2.25
0783	023	27240	0.63	12135	0	65	100	3	63	63	81720	69585	RTO-1	50	density-lim	600	true		0.7	45	0.714285731	45	45	95340	83205	83205	1.166667
1034	001	8541	0.2	4150	0	65	100	3	20	20	25623	21473	NC-S	85	form-based		true	true	0.75	45	2.25	45	40	51246	47096	47096	2
1034	005	8618	0.2	4150	0	65	100	3	20	20	25854	21704	NC-S	85	form-based			true	0.75	45	2.25	45	40	51708	47558	47558	2
1034	006	8628	0.2	8300	0	65	100	3	20	20	25884	17584	NC-S	85	form-based			true	0.75	45	2.25	45	40	51768	43468	43468	2
1034	007	8636	0.2	4150	0	65	100	3	20	20	25908	21758	NC-S	85	form-based			true	0.75	45	2.25	45	40	51816	47666	47666	2
1034	008	8629	0.2	8400	0	55	80	2.5	16	16	21572	13172	NC-S	85	form-based		true	true	0.75	45	2.8125	45	32	51774	43374	34744	2.400056
1052	052	33520	0.77	974	81	65	100	3	77	0	100560	99586	NC-3	65	form-based		true	true	0.75	126	1.636363626	45	45	150840	149866	149866	1.5
1057	009	7786	0.18	16631	25	65	100	3	18	0	23358	6727	RTO-C	240	form-based			true	0.75	70	3.888888836	45	11	70074	53443	30085	3
1080	035	5031	0.12	7937	0	85	140	4	17	17	20124	12187	RTO-C	140	form-based		true	true	0.75	45	2.647058725	45	34	45279	37342	32311	2.25
1090	024	5008	0.11	5000	0	65	100	3	11	11	15024	10024	NCD-GEAR	140	form-based		true	true	0.75	45	4.090909004	45	22	45072	40072	25048	3
1307	007	21976	0.5	5245	1	55	80	2.5	40	39	54940	49695	RH-1(D)	40	form-based			true	0.7	46	1.149999976	45	45	61532.80078	56287.80078	56287.80078	1.12
1433	061	5000	0.11	4845	0	85	140	4	15	15	20000	15155	NCD-GEAR	140	form-based			true	0.75	45	3	45	30	45000	40155	35155	2.25
1434	017	5000	0.11	0	0	65	100	3	11	11	15000	15000	NCD-GEAR	140	form-based			true	0.75	45	4.090909004	45	22	45000	45000	30000	3
1438	002	12000	0.28	7492	0	65	100	3	28	28	36000	28508	NCD-INNE	65	form-based			true	0.75	45	1.607142806	45	45	54000	46508	46508	1.5
1729	027	5000	0.11	7500	0	65	100	3	11	11	15000	7500	NCD-IRVIN	105	form-based			true	0.75	45	4.090909004	45	22	45000	37500	22500	3
1730	022	4999	0.11	4500	0	65	100	3	11	11	14997	10497	NCD-IRVIN	105	form-based		true	true	0.75	45	4.090909004	45	22	44991	40491	25494	3
1731	023	5015	0.12	4074	0	65	100	3	12	12	15045	10971	NCD-IRVIN	105	form-based			true	0.75	45	3.75	45	24	45135	41061	26016	3
1762	001	8483	0.19	7874	0	65	100	3	19	19	25449	17575	NCD-INNE	85	form-based		true	true	0.75	45	2.368421078	45	38	50898	43024	43024	2
1777	037	8500	0.2	12122	0	65	100	3	20	20	25500	13378	NCD-IRVIN	85	form-based		true	true	0.75	45	2.25	45	40	51000	38878	38878	2
3180	209	10000	0.23	0	0	65	100	3	23	23	30000	30000	BR-MU	78	form-based				0.75	45	1.956521749	45	45	52500	52500	52500	1.75
3508	040	7525	0.17	943	23	85	140	4	24	1	30100	29157	C-3-G	120	form-based				0.8	68	2.833333254	45	25	67725	66782	59257	2.25
3509	041	5016	0.12	12864	0	75	120	3.5	14	14	17556	4692	C-3-G	160	form-based				0.8	45	3.214285612	45	28	45144	32280	22248	2.571429
3512	006	4997	0.11	6114	0	65	100	3	11	11	14991	8877	C-3-G	120	form-based			true	0.8	45	4.090909004	45	22	44973	38859	23868	3
3535	015	5000	0.11	7040	0	65	100	3	11	11	15000	7960	NCT-3	160	form-based			true	0.75	45	4.090909004	45	22	45000	37960	22960	3
3536	005	5000	0.11	0	0	65	100	3	11	11	15000	15000	NCT-3	240	form-based			true	0.75	45	4.090909004	45	22	45000	45000	30000	3
3591	022	14843	0.34	29686	0	65	100	3	34	34	44529	14843	UMU	58	form-based				0.75	45	1.323529363	45	45	55661.25	25975.25	25975.25	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3704	074	5041	0.12	53741	0	85	140	4	17	17	20164	0	C-3-R	120	form-based				0.8	45	2.647058725	45	34	45369	0	0	2.25
3706	065	4979	0.11	42121	0	85	140	4	15	15	19916	0	C-3-R	120	form-based				0.8	45	3	45	30	44811	2690	0	2.25
3721	023	4950	0.11	13840	0	75	120	3.5	13	13	17325	3485	C-3-O(SD)	150	form-based				0.8	45	3.461538553	45	26	44550	30710	20810	2.571429
3721	109	6126	0.14	2100	10	75	120	3.5	17	7	21441	19341	C-3-O(SD)	450	form-based				0.8	55	3.235294104	45	24	55134	53034	40782	2.571429
3727	091	11921	0.27	24000	0	85	140	4	38	38	47684	23684	MUO	65	form-based				0.75	45	1.184210539	45	45	53644.5	29644.5	29644.5	1.125
3727	103	11939	0.27	74000	0	85	140	4	38	38	47756	0	MUO	65	form-based		true		0.75	45	1.184210539	45	45	53725.5	0	0	1.125
3752	079	8580	0.2	9642	0	65	100	3	20	20	25740	16098	MUR	85	form-based				0.75	45	2.25	45	40	51480	41838	41838	2
3778	017	15160	0.35	15434	0	65	100	3	35	35	45480	30046	MUG	55	form-based				0.75	45	1.285714269	45	45	56850	41416	41416	1.25
3780	004	11867	0.27	18675	0	85	140	4	38	38	47468	28793	UMU	68	form-based				0.75	45	1.184210539	45	45	53401.5	34726.5	34726.5	1.125
4043	012A	15000	0.34	32850	0	65	100	3	34	34	45000	12150	UMU	50	form-based		true		0.75	45	1.323529363	45	45	56250	23400	23400	1.25
6657	067	24624	0.57	9200	7	65	100	3	57	50	73872	64672	RH-2	40	form-based			true	0.7	52	0.912280679	45	45	68947.19531	59747.19531	59747.19531	0.933333
7098	012	27164	0.62	20977	0	55	80	2.5	50	50	67910	46933	NCD-EXCE	40	density-lin	600			0.75	45	0.899999976	45	45	81492	60515	60515	1.2
0050	001	11758	0.27	10572	0	65	100	3	27	27	35274	24702	NCD-NORT	65	form-based		true	true	0.75	44	1.629629612	44	44	52911	42339	42339	1.5
0166	009	20241	0.46	874	69	65	100	3	46	0	60723	59849	C-2	84	form-base	800	true		0.8	113	2.456521749	44	23	129542.3984	128668.3984	120572	2.133333
0206	013	4838	0.11	17800	0	65	100	3	11	11	14514	0	C-3-O	555	form-based				0.8	44	4	44	22	43542	25742	11228	3
0256	018	8860	0.2	27433	0	65	100	3	20	20	26580	0	RM-4	65	density-lin	200	true		0.75	44	2.200000048	44	40	39870	12437	12437	1.5
0301	018	8925	0.2	26814	1	65	100	3	20	19	26775	0	RC-4	130	density-lin	200			0.75	45	2.25	44	39	80325	53511	26736	3
0315	002	4918	0.11	35873	0	85	140	4	15	15	19672	0	C-3-R	130	form-based				0.8	44	2.933333397	44	30	44262	8389	3471	2.25
0340	017	8851	0.2	262	0	75	120	3.5	24	24	30978	30716	RC-4	120	density-lin	200			0.75	44	1.833333373	44	44	79659	79397	61694	2.57147
0495	012	8036	0.18	16760	28	55	80	2.5	14	0	20090	3330	NC-3	140	form-based			true	0.75	72	5.142857075	44	0	72324	55564	23420	3.6
0505	001	6379	0.15	12915	13	65	100	3	15	2	19137	6222	NC-3	140	form-based		true	true	0.75	57	3.799999952	44	17	57411	44496	25359	3
0526	015	6875	0.16	12380	18	85	140	4	22	4	27500	15120	RTO-C	140	form-based			true	0.75	62	2.818181753	44	26	61875	49495	42620	2.25
0547	014B	6180	0.14	13110	12	85	140	4	20	8	24720	11610	NCD-POLK	140	form-based			true	0.75	56	2.799999952	44	28	55620	42510	36330	2.25
0570	030	6668	0.15	15525	16	85	140	4	21	5	26672	11147	RTO-C	240	form-based			true	0.75	60	2.857142925	44	26	60012	44487	37819	2.25
0575	053	6065	0.14	687	11	65	100	3	14	3	18195	17508	RTO-C	350	form-based			true	0.75	55	3.928571463	44	17	54585	53898	35703	3
0590	016	5733	0.13	1062	8	55	80	2.5	10	2	14332	13270	RTO-C	105	form-based			true	0.75	52	5.199999809	44	12	51597	50535	27602	3.600126
0598	009A	4933	0.11	6320	0	65	100	3	11	11	14799	8479	RC-4	350	form-based			true	0.75	44	4	44	22	44397	38077	23278	3
0618	005	6188	0.14	8046	12	65	100	3	14	2	18564	10518	RTO-C	240	form-based			true	0.75	56	4	44	16	55692	47646	29082	3
0618	006	6190	0.14	8046	12	65	100	3	14	2	18570	10524	RTO-C	240	form-based			true	0.75	56	4	44	16	55710	47664	29094	3
0624	003B	6894	0.16	19668	18	65	100	3	16	0	20682	1014	RTO-C	140	form-based			true	0.75	62	3.875	44	14	62046	42378	21696	3
0737	014	8760	0.2	20527	0	65	100	3	20	20	26280	5753	RM-4	80	density-lin	200			0.75	44	2.200000048	44	40	52560	32033	32033	2
0781	034	26469	0.61	0	0	55	80	2.5	49	49	66172	66172	RM-2	50	density-lin	600			0.7	44	0.897959173	44	44	92641.5	92641.5	92641.5	1.400011
1127	008	11750	0.27	41086	0	65	100	3	27	27	35250	0	RTO-C	65	form-based			true	0.75	44	1.629629612	44	44	52875	11789	11789	1.5
1202	007	8338	0.19	5365	0	55	80	2.5	15	15	20845	15480	NCT-DIVIS	85	form-based			true	0.75	44	2.933333397	44	30	50028	44663	36325	2.4
1456	016	8399	0.19	1995	0	85	140	4	27	27	33596	31601	NCD-GEAR	85	form-based		true	true	0.75	44	1.629629612	44	44	50394	48399	48399	1.5
1515	041	8376	0.19	8185	0	85	140	4	27	27	33504	25319	RTO-C	85	form-based		true	true	0.75	44	1.629629612	44	44	50256	42071	42071	1.5
1608	018	11764	0.27	15350	0	55	80	2.5	22	22	29410	14060	NCD-OUTE	65	form-based		true	true	0.75	44	2	44	44	52938	37588	37588	1.8
1773	018	8449	0.19	7324	0	85	140	4	27	27	33796	26472	RTO-C	85	form-based			true	0.75	44	1.629629612	44	44	50694	43370	43370	1.5
1885	052	20915	0.48	114175	0	65	100	3	48	48	62745	0	RH-1	40	form-based		true	true	0.7	44	0.916666687	44	44	58562	0	0	0.933333
2034A	004	21172	0.49	0	0	55	80	2.5	39	39	52930	52930	RH-1	40	form-based		true	true	0.7	44	1.12820518	44	44	59281.59766	59281.59766	59281.59766	1.12
2357	009	8297	0.19	7244	0	65	100	3	19	19	24891	17647	NCD-TARA	85	form-based		true	true	0.75	44	2.315789461	44	38	49782	42538	42538	2
2392	001	8396	0.19	4800	0	65	100	3	19	19	25188	20388	NCD-TARA	85	form-based		true	true	0.75	44	2.315789461	44	38	50376	45576	45576	2
2831	024	15775	0.36	34337	0	55	80	2.5	29	29	39438	5101	RH-2	50	form-based			true	0.7	44	1.517241359	44	44	55212.5	20875.5	20875.5	1.399982
2901C	001	8447	0.19	10656	0	55	80	2.5	15	15	21118	10462	NC-1	85	form-based		true	true	0.75	44	2.933333397	44	30	50682	40026	31580	2.399943
3105A	009	21547	0.49	7601	1	55	80	2.5	39	38	53868	46267	RH-1(D)	40	form-based		true	true	0.7	45	1.153846145	44	44	60331.59766	52730.59766	52730.59766	1.11999
3260	021	21214	0.49	5031	1	65	100	3	49	48	63642	58611	RH-1(D)	40	form-based			true	0.7	45	0.918367326	44	44	59399.19922	54368.19922	54368.19922	0.933333
3517	031	14749	0.34	29000	0	65	100	3	34	34	44247	15247	WMUG	55	form-based		true		0.75	44	1.294117689	44	44	55308.75	26308.75	26308.75	1.25
3636	011	11612	0.27	22962	0	75	120	3.5	32	32	40642	17680	NCT-MISSI	65	form-based		true		0.75	44	1.375	44	44	52254	29292	29292	1.285714
3707	061	4844	0.11	119962	0	85	140	4	15	15	19376	0	C-3-O(SD)	150	form-based		true		0.8	44	2.933333397	44	30	43596	0	0	2.25
3726	026	8439	0.19	16668	0	65	100	3	19	19	25317	8649	MUG	85	form-based				0.75	44	2.315789461	44	38	50634	33966	33966	2
3736	095	4896	0.11	22687	0	75	120	3.5	13	13	17136	0	C-3-O(SD)	350	form-based		true		0.8	44	3.384615421	44	26	44064	21377	11585	2.571429
3736	097	4896	0.11	0	0	75	120	3.5	13	13	17136	17136	C-3-O(SD)	350	form-based		true		0.8	44	3.384615421	44	26	44064	44064	34272	2.571429
3753	241	23929	0.55	1642	46	65	100	3	55	9	71787	70145	MUR	65	form-based				0.75	90	1.636363626	44	44	107680.5	106038.5	106038.5	1.5
3763	015B	7777	0.18	55359	0	65	100	3	18	18	23331	0	CMUO	85	form-based				0.8	44	2.444444418	44	36	49772.80078	0	0	2.133333
3787	161	5235	0.12	0	3	75	120	3.5	14	11	18322	18322	CMUO	400	form-based				0.8	47	3.357142925	44	25	47115	47115	36644	2.571499
3794	031	12272	0.28	150951	44	75	120	3.5	34	0	42952	0	MUO	105	form-based				0.75	88	2.588235378	44	24	88428	0	0	2.058763
4059	011	14611	0.34	6530	0	85	140	4	48	48	58444	51914	UMU	58	form-based		true		0.75	44	0.916666687	44	44	54791.25	48261.25	48261.25	0.9375
6529	051	11726	0.27	5161	0	75	120	3.5	32	32	41041	35880	NCT-MISSI	65	form-based				0.75	44	1.375	44	44	52767	47606	47606	1.285714
6571	011	11776	0.27	4528	0	65	100	3	27	27	35328	30800	NCT-MISSI	65	form-based		true		0.75	44	1.629629612	44	44	52992	48464	48464	1.5
6934	022	8341	0.19	1108	0	85	140	4	27	27	33364	32256	NCT-OCEA	85	form-based		true	true	0.75	44	1.629629612	44	44	50046	48938	48938	1.5
0209	005	8608	0.2	62370	0	65	100	3	20	20	25824	0	CVR	50	density-lin	200			0.75	43	2.150000095	43	40	32280	0	0	1.25
0287	018	4802	0.11	18750	0	75	120	3.5	13	13	16807	0	C-3-R	130	form-based				0.8	43	3.307692289	43	26	43218	24468	14864	2.571429
0287	026	4825	0.11	3657	0	85	140	4	15	15	19300	15643	C-3-R	130	form-based		true		0.8	43	2.866666555	43	30	43425	39768	34943	2.25
0288	007	4798	0.11	47665	0	75	120	3.5	13	13	16793	0	C-3-O	250	form-based		true		0.8	43	3.307692289	43	26	43182	0	0	2.571429

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0306	029	4755	0.11	20295	0	65	100	3	11	11	14265	0	C-3-G	130	form-based				0.8	43	3.909090996	43	22	42795	22500	8235	3
0310	024	4825	0.11	19327	0	85	140	4	15	15	19300	0	C-3-R	130	form-based				0.8	43	2.866666555	43	30	43425	24098	19273	2.25
0326	012	4745	0.11	574080	0	75	120	3.5	13	13	16608	0	C-3-G	225	form-based		true		0.8	43	3.307692289	43	26	42705	0	0	2.571351
0343	010	4730	0.11	11180	0	65	100	3	11	11	14190	3010	C-3-G	120	form-based		true		0.8	43	3.909090996	43	22	42570	31390	17200	3
0346	015	9194	0.21	30960	3	75	120	3.5	25	22	32179	1219	RC-4	80	density-lim	200			0.75	46	1.840000033	43	43	55164	24204	24204	1.714286
0495	037	5844	0.13	688	10	55	80	2.5	10	0	14610	13922	NC-3	140	form-based			true	0.75	53	5.300000191	43	10	52596	51908	28532	3.6
0503	031	11915	0.27	785	64	65	100	3	27	0	35745	34960	RC-3	140	form-based		true	true	0.75	107	3.962962866	43	0	107235	106450	70705	3
0568	027	7300	0.17	20958	23	65	100	3	17	0	21900	942	RTO-C	140	form-based			true	0.75	66	3.882352829	43	11	65700	44742	22842	3
0622	009	6874	0.16	15321	19	65	100	3	16	0	20622	5301	NCD-POLK	120	form-based			true	0.75	62	3.875	43	13	61866	46545	25923	3
0644	017	4829	0.11	14028	0	65	100	3	11	11	14487	459	NCD-POLK	120	form-based		true	true	0.75	43	3.909090996	43	22	43461	29433	14946	3
0648	001	8250	0.19	34827	31	65	100	3	19	0	24750	0	RTO-C	350	form-based		true	true	0.75	74	3.894736767	43	7	74250	39423	14673	3
0667	010	4730	0.11	19405	0	85	140	4	15	15	18920	0	RC-4	350	form-based		true	true	0.75	43	2.866666555	43	30	42570	23165	18435	2.25
0668	083	8692	0.2	35430	35	65	100	3	20	0	26076	0	NCD-POLK	240	form-based			true	0.75	78	3.900000095	43	5	78228	42798	16722	3
0691	012	4806	0.11	9294	0	65	100	3	11	11	14418	5124	RC-4	240	form-based			true	0.75	43	3.909090996	43	22	43254	33960	19542	3
0718	020	4800	0.11	9398	0	65	100	3	11	11	14400	5002	RC-4	500	form-based			true	0.75	43	3.909090996	43	22	43200	33802	19402	3
0761	063	14334	0.33	0	0	65	100	3	33	33	43002	43002	NCT-3	50	form-based				0.75	43	1.303030252	43	43	53752.5	53752.5	53752.5	1.25
0761	064	14334	0.33	0	0	65	100	3	33	33	43002	43002	NCT-3	50	form-based				0.75	43	1.303030252	43	43	53752.5	53752.5	53752.5	1.25
0761	065	14334	0.33	0	0	65	100	3	33	33	43002	43002	NCT-3	50	form-based				0.75	43	1.303030252	43	43	53752.5	53752.5	53752.5	1.25
1015	025	8244	0.19	2197	0	55	80	2.5	15	15	20610	18413	RTO-C	85	form-based		true	true	0.75	43	2.866666555	43	30	49464	47267	39023	2.4
1026	005	8250	0.19	5767	0	65	100	3	19	19	24750	18983	RTO-C	85	form-based			true	0.75	43	2.263157845	43	38	49500	43733	43733	2
1028	046	10580	0.24	1340	13	85	140	4	34	21	42320	40980	NC-2	85	form-based			true	0.75	56	1.647058845	43	43	63480	62140	62140	1.5
1236	027	11344	0.26	5964	0	55	80	2.5	21	21	28360	22396	RTO-C	65	form-based			true	0.75	43	2.047619104	43	42	51048	45084	45084	1.8
1312	021	21020	0.48	3588	1	55	80	2.5	38	37	52550	48962	RH-1(D)	40	form-based			true	0.7	44	1.157894731	43	43	58856	55268	55268	1.12
1430	047	15200	0.35	18500	14	65	100	3	35	21	45600	27100	NCD-INNE	65	form-based			true	0.75	57	1.628571391	43	43	68400	49900	49900	1.5
1520	043	8141	0.19	4208	0	85	140	4	27	27	32564	28356	NCD-GEAR	85	form-based		true	true	0.75	43	1.592592597	43	43	48846	44638	44638	1.5
1535	001	8173	0.19	3167	0	85	140	4	27	27	32692	29525	NCD-GEAR	85	form-based		true	true	0.75	43	1.592592597	43	43	49038	45871	45871	1.5
1540	051	8132	0.19	0	0	65	100	3	19	19	24396	24396	NCD-GEAR	85	form-based		true	true	0.75	43	2.263157845	43	38	48792	48792	48792	2
1743	050	11483	0.26	3328	0	65	100	3	26	26	34449	31121	RTO-C	65	form-based		true	true	0.75	43	1.653846145	43	43	51673.5	48345.5	48345.5	1.5
1774	021	4830	0.11	8317	0	85	140	4	15	15	19320	11003	RTO-C	140	form-based		true	true	0.75	43	2.866666555	43	30	43470	35153	30323	2.25
2349	014	8270	0.19	6800	0	65	100	3	19	19	24810	18010	NCD-TARA	85	form-based		true	true	0.75	43	2.263157845	43	38	49620	42820	42820	2
2360	019	8250	0.19	5300	0	85	140	4	27	27	33000	27700	NCD-TARA	85	form-based		true	true	0.75	43	1.592592597	43	43	49500	44200	44200	1.5
2369	014	8250	0.19	5277	0	85	140	4	27	27	33000	27723	NC-1	85	form-based		true	true	0.75	43	1.592592597	43	43	49500	44223	44223	1.5
3517	040	11375	0.26	9557	0	65	100	3	26	26	34125	24568	WMUG	65	form-based				0.75	43	1.653846145	43	43	51187.5	41630.5	41630.5	1.5
3526	006	18998	0.44	42346	0	55	80	2.5	35	35	47495	5149	UMU	48	form-based				0.75	43	1.228571415	43	43	56994	14648	14648	1.2
3567	007	25951	0.6	32907	0	65	100	3	60	60	77853	44946	RM-2	40	density-lim	600			0.7	43	0.716666639	43	43	72662.79688	39755.79688	39755.79688	0.933333
3582	087	8199	0.19	0	0	65	100	3	19	19	24597	24597	NCD-CAST	85	form-based			true	0.75	43	2.263157845	43	38	49194	49194	49194	2
3708	011	4776	0.11	23330	0	75	120	3.5	13	13	16716	0	C-3-O(SD)	550	form-based				0.8	43	3.307692289	43	26	42984	19654	10102	2.571429
3722	072	4760	0.11	30620	0	75	120	3.5	13	13	16660	0	C-3-O(SD)	150	form-based		true		0.8	43	3.307692289	43	26	42840	12220	2700	2.571429
3747	015	4805	0.11	12171	0	75	120	3.5	13	13	16818	4647	RH DTR	200	form-based		true		0.8	43	3.307692289	43	26	43245	31074	21465	2.571352
3748	004	4750	0.11	184765	0	75	120	3.5	13	13	16625	0	RH DTR	250	form-based				0.8	43	3.307692289	43	26	42750	0	0	2.571429
3752	076	8250	0.19	24953	0	65	100	3	19	19	24750	0	MUR	85	form-based				0.75	43	2.263157845	43	38	49500	24547	24547	2
3762	026	4800	0.11	14494	0	65	100	3	11	11	14400	0	CMUO	130	form-based				0.8	43	3.909090996	43	22	43200	28706	14306	3
3777	176	13298	0.31	22322	0	75	120	3.5	37	37	46543	24221	CMUO	50	form-based				0.8	43	1.162162185	43	43	53192	30870	30870	1.142857
3794	291	6329	0.15	350	14	85	140	4	21	7	25316	24966	MUO	105	form-based				0.75	57	2.714285612	43	28	56961	56611	50282	2.25
4108	003O	19213	0.44	22665	0	75	120	3.5	53	53	67246	44581	UMU	45	form-based				0.75	43	0.811320782	43	43	57639	34974	34974	0.857136
6946	061	8202	0.19	0	0	85	140	4	27	27	32808	32808	NCT-OCEA	85	form-based			true	0.75	43	1.592592597	43	43	49212	49212	49212	1.5
7083	010	34562	0.79	36358	0	85	140	4	111	111	138248	101890	NC-1	26	density-lim	800	true		0.75	43	0.387387395	43	43	51843	15485	15485	0.375
0012	007A	10542	0.24	15397	0	65	100	3	24	24	31626	16229	C-2	65	form-based			true	0.8	42	1.75	42	42	50601.60156	35204.60156	35204.60156	1.6
0177	006	8359	0.19	9168	0	65	100	3	19	19	25077	15909	CVR	50	density-lim	200			0.75	42	2.210526228	42	38	31346.25	22178.25	22178.25	1.25
0193	019	8367	0.19	29488	0	85	140	4	27	27	33468	3980	CRNC	85	density-lim	200	true		0.75	42	1.555555582	42	42	50202	20714	20714	1.5
0226	018	8475	0.19	32068	0	65	100	3	19	19	25425	0	CVR	50	density-lim	200	true		0.75	42	2.210526228	42	38	31781.25	0	0	1.25
0227	011	8410	0.19	32564	0	65	100	3	19	19	25230	0	CCB	50	density-lim	200			0.75	42	2.210526228	42	38	31537.5	0	0	1.25
0291	005B	4632	0.11	35162	0	95	160	4.5	18	18	20844	0	C-3-O	350	form-based				0.8	42	2.333333254	42	36	41688	6526	6526	2
0296	012B	4688	0.11	12270	0	65	100	3	11	11	14064	1794	C-3-R	130	form-based		true		0.8	42	3.818181753	42	22	42192	29922	15858	3
0306	002	4650	0.11	36720	0	75	120	3.5	13	13	16275	0	C-3-G	130	form-based		true		0.8	42	3.230769157	42	26	41850	5130	0	2.571429
0306	044	4709	0.11	20295	0	65	100	3	11	11	14127	0	C-3-G	130	form-based				0.8	42	3.818181753	42	22	42381	22086	7959	3
0346	002	7521	0.17	4950	0	75	120	3.5	20	20	26324	21374	C-3-G	80	form-based				0.8	42	2.099999905	42	40	48134.40234	43184.40234	43184.40234	1.828537
0349	010A	8411	0.19	8250	0	75	120	3.5	23	23	29438	21188	RC-4	120	density-lim	200	true		0.75	42	1.826086998	42	42	75699	67449	50626	2.571472
0496	013	4654	0.11	11268	0	55	80	2.5	9	9	11635	367	NC-3	140	form-based		true	true	0.75	42	4.666666508	42	18	41886	30618	12002	3.6
0499	009	11264	0.26	12059	0	85	140	4	36	36	45056	32997	RC-3	65	form-based		true	true	0.75	42	1.166666627	42	42	50688	38629	38629	1.125
0572	016	7916	0.18	448	0	65	100	3	18	18	23748	23300	NCD-POLK	85	form-based		true	true	0.75	42	2.333333254	42	36	47496	47048	47048	2
0594	007	4634	0.11	8750	0	65	100	3	11	11	13902	5152	RTO-C	240	form-based			true	0.75	42	3.818181753	42	22	41706	32956	19054	3
0596	033	7947	0.18	13611	0	65	100	3	18	18	23841	10230	NCD-PACIF	85	form-based			true	0.75	42	2.333333254	42	36	47682	34071	34071	2
0619	033	6484	0.15	908	16	65	100	3	15	0	19452	18544	NCD-POLK	350	form-based			true	0.75	58	3.866666555	42	14	58356	57448	37996	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0621	014	6875	0.16	16725	20	65	100	3	16	0	20625	3900	NCD-POLK	120	form-based			true	0.75	62	3.875	42	12	61875	45150	24525	3
0732	025	4641	0.11	3233	0	65	100	3	11	11	13923	10690	NCT-FILLM	130	form-based				0.75	42	3.818181753	42	22	41769	38536	24613	3
0768	072	8071	0.19	0	0	65	100	3	19	19	24213	24213	NCT-3	85	form-based		true		0.75	42	2.210526228	42	38	48426	48426	48426	2
0851	029	19908	0.46	24000	0	65	100	3	46	46	59724	35724	RTO-1	40	form-based			true	0.7	42	0.913043499	42	42	55742.39844	31742.39844	31742.39844	0.933333
1015	052	15001	0.34	16652	0	55	80	2.5	27	27	37502	20850	RH-2	50	form-based			true	0.7	42	1.555555582	42	42	52503.5	35851.5	35851.5	1.400019
1090	027	4698	0.11	7895	0	65	100	3	11	11	14094	6199	NCD-GEAR	140	form-based			true	0.75	42	3.818181753	42	22	42282	34387	20293	3
1118	005	19808	0.45	8608	0	65	100	3	45	45	59424	50816	RM-1	40	form-based		true	true	0.7	42	0.933333337	42	42	55462.39844	46854.39844	46854.39844	0.933333
1223	043	19855	0.46	13800	0	55	80	2.5	37	37	49638	35838	RM-1	40	form-based			true	0.7	42	1.135135174	42	42	55594	41794	41794	1.119989
1464	030	12084	0.28	1748	21	85	140	4	39	18	48336	46588	NC-1	85	form-based		true	true	0.75	63	1.615384579	42	42	72504	70756	70756	1.5
1472	024	11794	0.27	16001	20	55	80	2.5	22	2	29485	13484	RTO-C	85	form-based			true	0.75	62	2.818181753	42	24	70764	54763	42969	2.4
1523	049	7968	0.18	14023	0	85	140	4	25	25	31872	17849	NCD-GEAR	85	form-based		true	true	0.75	42	1.679999948	42	42	47808	33785	33785	1.5
1524	037	8031	0.18	6622	0	85	140	4	25	25	32124	25502	NCD-GEAR	85	form-based			true	0.75	42	1.679999948	42	42	48186	41564	41564	1.5
1537	001	7957	0.18	12733	0	65	100	3	18	18	23871	11138	NCD-GEAR	85	form-based		true	true	0.75	42	2.333333254	42	36	47742	35009	35009	2
2330	006A	7998	0.18	4949	0	65	100	3	18	18	23994	19045	RTO-C	85	form-based		true	true	0.75	42	2.333333254	42	36	47988	43039	43039	2
2364	050	7995	0.18	6843	0	85	140	4	25	25	31980	25137	NCD-TARA	85	form-based		true	true	0.75	42	1.679999948	42	42	47970	41127	41127	1.5
2623	168	45620	1.05	1868	33	65	100	3	105	72	136860	134992	RH-3	40	form-based			true	0.55	75	0.714285731	42	42	100364	98496	98496	0.733333
3180	210	9241	0.21	0	0	65	100	3	21	21	27723	27723	BR-MU	78	form-based				0.75	42	2	42	42	48515.25	48515.25	48515.25	1.75
3508	053	33607	0.77	183933	272	85	140	4	108	0	134428	0	C-3-G	200	form-based		true		0.8	314	2.907407522	42	0	314436.75	130503.75	84923	2.339072
3547	052	6615	0.15	3300	-7	75	120	3.5	18	25	23152	19852	NCT-VALEI	80	form-based				0.75	35	1.944444418	42	42	39690	36390	36390	1.714323
3554	008	7920	0.18	21713	0	95	160	4.5	29	29	35640	13927	NCT-MISSI	85	form-based				0.75	42	1.448275805	42	42	47520	25807	25807	1.333333
3563	036	4665	0.11	7765	0	85	140	4	15	15	18660	10895	NCT-UPPE	160	form-based			true	0.75	42	2.799999952	42	30	41985	34220	29555	2.25
3580	080	34821	0.8	650	55	65	100	3	80	25	104463	103813	RM-2	50	form-based		true	true	0.7	97	1.212499976	42	42	121873.5	121223.5	121223.5	1.166667
3708	031	4652	0.11	19974	0	75	120	3.5	13	13	16282	0	C-3-O(SD)	500	form-based				0.8	42	3.230769157	42	26	41868	21894	12590	2.571429
3722	002	4701	0.11	50771	0	75	120	3.5	13	13	16454	0	C-3-O(SD)	150	form-based		true		0.8	42	3.230769157	42	26	42309	0	0	2.57135
3722	005	4682	0.11	33787	0	75	120	3.5	13	13	16387	0	C-3-O(SD)	150	form-based		true		0.8	42	3.230769157	42	26	42138	8351	0	2.571429
3725	021	7976	0.18	0	0	65	100	3	18	18	23928	23928	MUR	85	form-based				0.75	42	2.333333254	42	36	47856	47856	47856	2
3732	023	7975	0.18	8000	0	65	100	3	18	18	23925	15925	MUR	85	form-based				0.75	42	2.333333254	42	36	47850	39850	39850	2
3753	132	8008	0.18	8210	0	65	100	3	18	18	24024	15814	MUR	85	form-based				0.75	42	2.333333254	42	36	48048	39838	39838	2
3755	136	14071	0.32	21000	0	65	100	3	32	32	42213	21213	WMUG	55	form-based		true		0.75	42	1.3125	42	42	52766.25	31766.25	31766.25	1.25
3785	024	10500	0.24	16275	0	65	100	3	24	24	31500	15225	CMUO	65	form-based				0.8	42	1.75	42	42	50400	34125	34125	1.6
3785	185	17137	0.39	67241	48	65	100	3	39	0	51411	0	MUG	85	form-based				0.75	90	2.307692289	42	30	102822	35581	35581	2
3787	013	10618	0.24	13836	0	75	120	3.5	29	29	37163	23327	CMUO	65	form-based		true		0.8	42	1.448275805	42	42	50966.40234	37130.40234	37130.40234	1.371429
6515	024A	13845	0.32	26212	0	75	120	3.5	38	38	48458	22246	NCT-VALEI	55	form-based				0.75	42	1.105263114	42	42	51918.75	25706.75	25706.75	1.071418
6935	027	8069	0.19	6180	0	65	100	3	19	19	24207	18027	NCT-OCEA	85	form-based		true	true	0.75	42	2.210526228	42	38	48414	42234	42234	2
7219	010	11383	0.26	3624	1	65	100	3	26	25	34149	30525	RTO-C	65	form-based		true	true	0.75	43	1.653846145	42	42	51223.5	47599.5	47599.5	1.5
7226	016	8091	0.19	0	0	85	140	4	27	27	32364	32364	NCD-LAKES	85	form-based		true	true	0.75	42	1.555555582	42	42	48546	48546	48546	1.5
7231	008	20278	0.47	4206	1	65	100	3	47	46	60834	56628	RH-1(D)	40	form-based			true	0.7	43	0.914893627	42	42	56778.39844	52572.39844	52572.39844	0.933333
0111	002	33000	0.76	101160	0	65	100	3	76	76	99000	0	C-2	65	density-lim	800	true		0.8	41	0.539473712	41	41	158400	57240	57240	1.6
0302	025	8238	0.19	6477	0	65	100	3	19	19	24714	18237	RC-4	80	density-lim	200			0.75	41	2.15789485	41	38	49428	42951	42951	2
0304	015	8250	0.19	57972	0	65	100	3	19	19	24750	0	RC-4	130	density-lim	200			0.75	41	2.15789485	41	38	74250	16278	0	3
0327	020	4546	0.1	100715	0	75	120	3.5	12	12	15911	0	C-3-R	130	form-based				0.8	41	3.416666746	41	24	40914	0	0	2.571429
0547	002B	7799	0.18	8770	0	65	100	3	18	18	23397	14627	NCD-POLK	85	form-based			true	0.75	41	2.277777672	41	36	46794	38024	38024	2
0645	007A	4538	0.1	3600	0	65	100	3	10	10	13614	10014	NCD-POLK	120	form-based			true	0.75	41	4.099999905	41	20	40842	37242	23628	3
0657	037	28604	0.66	44484	19	65	100	3	66	47	85812	41328	RH-2	40	form-based		true	true	0.7	60	0.909090936	41	41	80091.19531	35607.19531	35607.19531	0.933333
0668	009	4524	0.1	1932	0	65	100	3	10	10	13572	11640	NCD-POLK	240	form-based			true	0.75	41	4.099999905	41	20	40716	38784	25212	3
0689	029	4589	0.11	6150	0	65	100	3	11	11	13767	7617	NC-3	500	form-based			true	0.75	41	3.727272749	41	22	41301	35151	21384	3
0717	018	24300	0.56	22709	0	65	100	3	56	56	72900	50191	NCD-LOWI	130	density-lim	600	true		0.75	41	0.732142866	41	41	181575	158866	123091	2.490741
0737	009	8220	0.19	15170	0	65	100	3	19	19	24660	9490	RM-4	80	density-lim	200	true		0.75	41	2.15789485	41	38	49320	34150	34150	2
0738	021	8250	0.19	2970	0	65	100	3	19	19	24750	21780	RM-4	130	density-lim	200			0.75	41	2.15789485	41	38	74250	71280	46530	3
0785	028	10863	0.25	17290	0	65	100	3	25	25	32589	15299	NCT-3	65	form-based		true		0.75	41	1.639999986	41	41	48883.5	31593.5	31593.5	1.5
0836	004	4596	0.11	0	0	85	140	4	15	15	18384	18384	C-3-G	450	form-based			true	0.8	41	2.733333349	41	30	41364	41364	36768	2.25
0855	017	5634	0.13	1469	10	85	140	4	18	8	22536	21067	NCT-3	140	form-based			true	0.75	51	2.833333254	41	26	50706	49237	43603	2.25
1092	001	5174	0.12	9970	6	65	100	3	12	6	15522	5552	NCD-GEAR	240	form-based		true	true	0.75	47	3.916666746	41	18	46566	36596	21074	3
1729	028	4500	0.1	0	0	65	100	3	10	10	13500	13500	NCD-IRVIN	105	form-based		true	true	0.75	41	4.099999905	41	20	40500	40500	27000	3
2364	049	7755	0.18	11540	0	65	100	3	18	18	23265	11725	NCD-TARA	85	form-based			true	0.75	41	2.277777672	41	36	46530	34990	34990	2
2454	047	10921	0.25	11411	0	65	100	3	25	25	32763	21352	NC-1	65	form-based		true	true	0.75	41	1.639999986	41	41	49144.5	37733.5	37733.5	1.5
2623	010	6585	0.15	14111	18	85	140	4	21	3	26340	12229	RTO-C	120	form-based			true	0.75	59	2.809523821	41	24	59265	45154	38569	2.25
2623	016	4614	0.11	3038	1	65	100	3	11	10	13842	10804	RTO-C	120	form-based			true	0.75	42	3.818181753	41	21	41526	38488	24646	3
2647	033	9507	0.22	17423	9	65	100	3	22	13	28521	11098	NCD-CAST	85	form-based		true	true	0.75	50	2.272727251	41	35	57042	39619	39619	2
2647	035	4591	0.11	5622	0	85	140	4	15	15	18364	12742	NCD-CAST	160	form-based		true	true	0.75	41	2.733333349	41	30	41319	35697	31106	2.25
3121	037	19725	0.45	19492	0	55	80	2.5	36	36	49312	29820	RH-1	40	form-based			true	0.7	41	1.138888836	41	41	55230	35738	35738	1.120011
3279	012A	7833	0.18	7625	0	65	100	3	18	18	23499	15874	NCT-OCEA	85	form-based		true	true	0.75	41	2.277777672	41	36	46998	39373	39373	2
3501	001	7979	0.18	19567	31	85	140	4	25	0	31916	12349	NCT-3	120	form-based		true	true	0.75	72	2.880000114	41	19	71811	52244	44265	2.25
3639	004B	18272	0.42	26903	0	65	100	3	42	42	54816	27913	UMU	48	form-based		true		0.75	41	0.976190448	41	41	54816	27913	27913	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3703	070	4500	0.1	37000	0	85	140	4	14	14	18000	0	C-3-G	120	form-based				0.8	41	2.928571463	41	28	40500	3500	0	2.25
3725	051	4600	0.11	4600	0	75	120	3.5	13	13	16100	11500	C-3-S	160	form-based				0.8	41	3.153846264	41	26	41400	36800	27600	2.571429
3755	075	11019	0.25	11238	0	65	100	3	25	25	33057	21819	NCT-FOLS(	65	form-based				0.75	41	1.639999986	41	41	49585.5	38347.5	38347.5	1.5
3763	099	4600	0.11	7440	0	65	100	3	11	11	13800	6360	CMUO	350	form-based				0.8	41	3.727272749	41	22	41400	33960	20160	3
3776	094	10313	0.24	12435	0	65	100	3	24	24	30939	18504	CMUO	65	form-based		true		0.8	41	1.708333373	41	41	49502.40234	37067.40234	37067.40234	1.6
3776	113	7243	0.17	5454	0	75	120	3.5	20	20	25350	19896	CMUO	85	form-based				0.8	41	2.049999952	41	40	46355.19922	40901.19922	40901.19922	1.828607
4266	036	13511	0.31	14461	0	65	100	3	31	31	40533	26072	NCT-24TH-	55	form-based				0.75	41	1.322580695	41	41	50666.25	36205.25	36205.25	1.25
7203	014	7873	0.18	0	0	65	100	3	18	18	23619	23619	RTO-C	85	form-based		true	true	0.75	41	2.277777672	41	36	47238	47238	47238	2
0032	002	57073	1.31	134236	180	65	100	3	131	0	171219	36983	RTO-C	85	form-based		true	true	0.55	220	1.679389358	40	40	251121.2031	116885.2031	116885.2031	1.466667
0162	009	7975	0.18	15039	0	65	100	3	18	18	23925	8886	CRNC	65	density-lim	200			0.75	40	2.222222328	40	36	35887.5	20848.5	20848.5	1.5
0223	005	7986	0.18	15646	0	65	100	3	18	18	23958	8312	RM-4	105	density-lim	200			0.75	40	2.222222328	40	36	71874	56228	32270	3
0228	006	8321	0.19	32294	0	85	140	4	27	27	33284	990	C-3-O	75	form-based		true		0.8	40	1.481481433	40	40	46597.60156	14303.60156	14303.60156	1.4
0267	001	4468	0.1	26808	0	75	120	3.5	12	12	15638	0	C-3-O	450	form-based		true		0.8	40	3.333333254	40	24	40212	13404	4468	2.571429
0267	002	4468	0.1	16502	0	75	120	3.5	12	12	15638	0	C-3-O	450	form-based				0.8	40	3.333333254	40	24	40212	23710	14774	2.571429
0267	003	4468	0.1	12488	0	75	120	3.5	12	12	15638	3150	C-3-O	450	form-based				0.8	40	3.333333254	40	24	40212	27724	18788	2.571429
0284	011	4422	0.1	4388	0	65	100	3	10	10	13266	8878	C-3-R	130	form-based				0.8	40	4	40	20	39798	35410	22144	3
0294	019	4439	0.1	14750	0	65	100	3	10	10	13317	0	C-3-R	130	form-based				0.8	40	4	40	20	39951	25201	11884	3
0299	021	8563	0.2	51990	3	65	100	3	20	17	25689	0	RC-4	80	density-lim	200			0.75	43	2.150000095	40	37	51378	0	0	2
0304	018	8181	0.19	36780	1	85	140	4	27	26	32724	0	RC-4	130	density-lim	200			0.75	41	1.518518567	40	40	73629	36849	28668	2.25
0330	014	4469	0.1	34188	0	75	120	3.5	12	12	15642	0	C-3-G	225	form-based				0.8	40	3.333333254	40	24	40221	6033	0	2.571346
0334	011	7936	0.18	23427	0	65	100	3	18	18	23808	381	RC-4	80	density-lim	200			0.75	40	2.222222328	40	36	47616	24189	24189	2
0340	006	4469	0.1	0	0	75	120	3.5	12	12	15642	15642	C-3-G	120	form-based				0.8	40	3.333333254	40	24	40221	40221	31284	2.571346
0523	015A	6607	0.15	15684	19	65	100	3	15	0	19821	4137	RC-3	140	form-based			true	0.75	59	3.933333397	40	11	59463	43779	23958	3
0573	014	11174	0.26	1353	19	65	100	3	26	7	33522	32169	NCD-POLK	85	form-based			true	0.75	59	2.269230843	40	33	67044	65691	65691	2
0577	017	6950	0.16	18862	23	55	80	2.5	13	0	17375	0	RTO-C	140	form-based		true	true	0.75	63	4.846153736	40	3	62550	43688	15888	3.6
0599	011B	6499	0.15	19800	18	65	100	3	15	0	19497	0	RTO-C	240	form-based			true	0.75	58	3.866666555	40	12	58491	38691	19194	3
0621	015	4455	0.1	3604	0	65	100	3	10	10	13365	9761	NCD-POLK	120	form-based			true	0.75	40	4	40	20	40095	36491	23126	3
0621	023	6603	0.15	35890	19	65	100	3	15	0	19809	0	NCD-POLK	120	form-based		true	true	0.75	59	3.933333397	40	11	59427	23537	3728	3
0624	003A	6000	0.14	18480	14	65	100	3	14	0	18000	0	RTO-C	140	form-based			true	0.75	54	3.857142925	40	14	54000	35520	17520	3
0646	015	6942	0.16	15052	22	65	100	3	16	0	20826	5774	NCD-POLK	350	form-based			true	0.75	62	3.875	40	10	62478	47426	26600	3
0875	001	18871	0.43	11564	0	65	100	3	43	43	56613	45049	RTO-1	40	form-based		true	true	0.7	40	0.930232584	40	40	52838.80078	41274.80078	41274.80078	0.933333
1049	034	7527	0.17	40345	0	65	100	3	17	17	22581	0	NC-2	85	form-based		true	true	0.75	40	2.352941275	40	34	45162	4817	4817	2
1057	024	16404	0.38	25136	22	65	100	3	38	16	49212	24076	RTO-C	65	form-based		true	true	0.75	62	1.631578922	40	40	73818	48682	48682	1.5
1078	021	4469	0.1	5930	0	65	100	3	10	10	13407	7477	NC-3	240	form-based			true	0.75	40	4	40	20	40221	34291	20884	3
1090	026	4696	0.11	3000	2	65	100	3	11	9	14088	11088	NCD-GEAR	140	form-based			true	0.75	42	3.818181753	40	20	42264	39264	25176	3
1182	002	7562	0.17	7526	0	55	80	2.5	14	14	18905	11379	NCT-DIVIS/	85	form-based			true	0.75	40	2.857142925	40	28	45372	37846	30284	2.4
2623	227	4787	0.11	743	3	65	100	3	11	8	14361	13618	RTO-C	120	form-based			true	0.75	43	3.909090996	40	19	43083	42340	27979	3
2636	027	18926	0.43	0	0	55	80	2.5	34	34	47315	47315	RM-1	40	form-based			true	0.7	40	1.176470637	40	40	52992.80078	52992.80078	52992.80078	1.12
2989A	036	19255	0.44	1565	0	65	100	3	44	44	57765	56200	RH-1(D)	40	form-based			true	0.7	40	0.909090936	40	40	53914	52349	52349	0.933333
3509	010	13450	0.31	13000	0	65	100	3	31	31	40350	27350	WMUG	55	form-based		true		0.75	40	1.290322542	40	40	50437.5	37437.5	37437.5	1.25
3511	001	7231	0.17	4806	0	85	140	4	24	24	28924	24118	C-3-G	85	form-based		true		0.8	40	1.666666627	40	40	46278.40234	41472.40234	41472.40234	1.6
3642	067	14208	0.33	8636	0	75	120	3.5	40	40	49728	41092	RTO-M	50	form-based				0.7	40	1	40	40	49728	41092	41092	1
3703	026	4453	0.1	0	0	85	140	4	14	14	17812	17812	C-3-G	160	form-based				0.8	40	2.857142925	40	28	40077	40077	35624	2.25
3722	024	4410	0.1	5750	0	75	120	3.5	12	12	15435	9685	C-3-O(SD)	350	form-based				0.8	40	3.333333254	40	24	39690	33940	25120	2.571429
3721	071	4440	0.1	36724	0	75	120	3.5	12	12	15540	0	C-3-O(SD)	150	form-based		true		0.8	40	3.333333254	40	24	39960	3236	0	2.571429
3721	135	4440	0.1	0	0	75	120	3.5	12	12	15540	15540	C-3-O(SD)	750	form-based				0.8	40	3.333333254	40	24	39960	39960	31080	2.571429
3730	032	13471	0.31	25800	0	65	100	3	31	31	40413	14613	WMUG	55	form-based		true		0.75	40	1.290322542	40	40	50516.25	24716.25	24716.25	1.25
3732	029	7662	0.18	22240	0	65	100	3	18	18	22986	746	MUR	85	form-based				0.75	40	2.222222328	40	36	45972	23732	23732	2
3733	148	5600	0.13	39175	10	65	100	3	13	3	16800	0	MUR	180	form-based				0.75	50	3.846153736	40	16	50400	11225	0	3
3748	003	4475	0.1	39258	0	75	120	3.5	12	12	15662	0	RH DTR	200	form-based				0.8	40	3.333333254	40	24	40275	1017	0	2.571511
3780	007	10780	0.25	10720	0	65	100	3	25	25	32340	21620	UMU	68	form-based				0.75	40	1.600000024	40	40	48510	37790	37790	1.5
3785	022	10000	0.23	17500	0	75	120	3.5	28	28	35000	17500	CMUO	65	form-based				0.8	40	1.428571463	40	40	48000	30500	30500	1.371429
3788	013	10000	0.23	41125	0	75	120	3.5	28	28	35000	0	CMUO	65	form-based		true		0.8	40	1.428571463	40	40	48000	6875	6875	1.371429
3791	002	16522	0.38	0	0	85	140	4	53	53	66088	66088	SB-DTR	45	form-based				0.8	40	0.754716992	40	40	52870.40234	52870.40234	52870.40234	0.8
4175	023	4481	0.1	0	0	65	100	3	10	10	13443	13443	PPS-MU	240	form-based				0.75	40	4	40	20	40329	40329	26886	3
6569	013	10625	0.24	10710	0	65	100	3	24	24	31875	21165	NCT-VALEI	65	form-based		true		0.75	40	1.666666627	40	40	47812.5	37102.5	37102.5	1.5
7219	001	7828	0.18	2779	1	65	100	3	18	17	23484	20705	RTO-C	85	form-based		true	true	0.75	41	2.277777672	40	35	46968	44189	44189	2
7225	013	7556	0.17	0	0	85	140	4	24	24	30224	30224	NCD-LAKES	85	form-based		true	true	0.75	40	1.666666627	40	40	45336	45336	45336	1.5
0012	006	9797	0.22	3500	0	85	140	4	31	31	39188	35688	C-2	65	form-based			true	0.8	39	1.258064508	39	39	47025.60156	43525.60156	43525.60156	1.2
0066	001	10370	0.24	20880	0	55	80	2.5	19	19	25925	5045	NCD-NORT	65	form-based		true	true	0.75	39	2.052631617	39	38	46665	25785	25785	1.8
0106	001	6987	0.16	44050	0	65	100	3	16	16	20961	0	C-2	84	form-base	800	true		0.8	39	2.4375	39	32	44716.80078	666.8007813	0	2.133333
0192	014	7830	0.18	23310	0	65	100	3	18	18	23490	180	CRNC	65	density-lim	200			0.75	39	2.166666746	39	36	35235	11925	11925	1.5
0235	008	4363	0.1	37586	0	85	140	4	14	14	17452	0	C-3-O	300	form-based		true		0.8	39	2.785714388	39	28	39267	1681	0	2.25
0254	035	16730	0.38	700	45	65	100	3	38	0	50190	49490	RM-4	65	density-lim	200	true		0.75	84	2.210526228	39	31	75285	74585	74585	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0260	002	4375	0.1	55928	0	75	120	3.5	12	12	15312	0	C-3-O	150	form-based				0.8	39	3.25	39	24	39375	0	0	2.571512
0275	008	7725	0.18	1875	0	65	100	3	18	18	23175	21300	RM-4	65	density-lim	200			0.75	39	2.166666746	39	36	34762.5	32887.5	32887.5	1.5
0288	029	4281	0.1	138600	0	75	120	3.5	12	12	14984	0	C-3-O	130	form-based		true		0.8	39	3.25	39	24	38529	0	0	2.571343
0310	001	4287	0.1	19875	0	75	120	3.5	12	12	15004	0	C-3-O	130	form-based		true		0.8	39	3.25	39	24	38583	18708	10133	2.571514
0504	001	4375	0.1	0	0	65	100	3	10	10	13125	13125	NC-3	140	form-based		true	true	0.75	39	3.900000095	39	20	39375	39375	26250	3
0507	001	7348	0.17	8060	0	55	80	2.5	14	14	18370	10310	NC-3	85	form-based		true	true	0.75	39	2.785714388	39	28	44088	36028	28680	2.4
0567	018	5750	0.13	13372	13	55	80	2.5	10	0	14375	1003	RTO-C	105	form-based			true	0.75	52	5.199999809	39	7	51750	38378	15378	3.6
0568	006	4538	0.1	3776	2	65	100	3	10	8	13614	9838	RTO-C	140	form-based			true	0.75	41	4.099999905	39	18	40842	37066	23452	3
0568	007	4469	0.1	5108	1	65	100	3	10	9	13407	8299	RTO-C	140	form-based			true	0.75	40	4	39	19	40221	35113	21706	3
0573	046	17466	0.4	2366	53	65	100	3	40	0	52398	50032	NCD-POLK	85	form-based		true	true	0.75	92	2.299999952	39	27	104796	102430	102430	2
0576	045	4537	0.1	2564	2	65	100	3	10	8	13611	11047	RTO-C	140	form-based			true	0.75	41	4.099999905	39	18	40833	38269	24658	3
0578	017	4389	0.1	2727	1	55	80	2.5	8	7	10972	8245	RTO-C	140	form-based			true	0.75	40	5	39	15	39501	36774	19217	3.600164
0612	019	10332	0.24	44000	0	65	100	3	24	24	30996	0	NCD-UPPE	65	form-based			true	0.75	39	1.625	39	39	46494	2494	2494	1.5
0642	010	5001	0.11	9335	6	65	100	3	11	5	15003	5668	RTO-C	240	form-based			true	0.75	45	4.090909004	39	16	45009	35674	20671	3
0645	014A	4279	0.1	4269	0	65	100	3	10	10	12837	8568	NCD-POLK	120	form-based		true	true	0.75	39	3.900000095	39	20	38511	34242	21405	3
0659	005	10286	0.24	10594	0	65	100	3	24	24	30858	20264	NCD-UPPE	65	form-based		true	true	0.75	39	1.625	39	39	46287	35693	35693	1.5
0833	015	13096	0.3	0	0	65	100	3	30	30	39288	39288	NCT-HAYE	50	form-based				0.75	39	1.299999952	39	39	49110	49110	49110	1.25
1086	001	7474	0.17	7075	0	65	100	3	17	17	22422	15347	NCD-GEAR	85	form-based		true	true	0.75	39	2.294117689	39	34	44844	37769	37769	2
1427	001	11946	0.27	24015	24	65	100	3	27	3	35838	11823	NC-1	85	form-based		true	true	0.75	63	2.333333254	39	30	71676	47661	47661	2
1443	042	7500	0.17	6183	0	65	100	3	17	17	22500	16317	NCD-GEAR	85	form-based			true	0.75	39	2.294117689	39	34	45000	38817	38817	2
1453	020	7384	0.17	0	0	85	140	4	24	24	29536	29536	NCD-GEAR	85	form-based			true	0.75	39	1.625	39	39	44304	44304	44304	1.5
1462	051	9968	0.23	471	13	85	140	4	32	19	39872	39401	RTO-C	85	form-based			true	0.75	52	1.625	39	39	59808	59337	59337	1.5
1518	033	7436	0.17	17760	0	65	100	3	17	17	22308	4548	NCD-GEAR	85	form-based			true	0.75	39	2.294117689	39	34	44616	26856	26856	2
1781	059	7500	0.17	0	0	65	100	3	17	17	22500	22500	NCD-IRVIN	85	form-based			true	0.75	39	2.294117689	39	34	45000	45000	45000	2
1794	017	7483	0.17	5250	0	85	140	4	24	24	29932	24682	NC-1	85	form-based			true	0.75	39	1.625	39	39	44898	39648	39648	1.5
1865	012	12521	0.29	23004	27	65	100	3	29	2	37563	14559	RTO-C	85	form-based		true	true	0.75	66	2.275861979	39	31	75126	52122	52122	2
1916	008	10495	0.24	3295	0	55	80	2.5	19	19	26238	22943	RTO-C	65	form-based		true	true	0.75	39	2.052631617	39	38	47227.5	43932.5	43932.5	1.799966
2017	021	7421	0.17	7699	0	55	80	2.5	14	14	18552	10853	NCD-NORI	85	form-based		true	true	0.75	39	2.785714388	39	28	44526	36827	29405	2.400065
2349	018	7500	0.17	6454	0	65	100	3	17	17	22500	16046	NCD-TARA	85	form-based			true	0.75	39	2.294117689	39	34	45000	38546	38546	2
2483	002	7358	0.17	4975	0	85	140	4	24	24	29432	24457	NCD-WEST	85	form-based		true	true	0.75	39	1.625	39	39	44148	39173	39173	1.5
2988A	001	7509	0.17	7154	0	65	100	3	17	17	22527	15373	NCD-WEST	85	form-based		true	true	0.75	39	2.294117689	39	34	45054	37900	37900	2
3502	068	4309	0.1	3840	0	65	100	3	10	10	12927	9087	NCT-3	120	form-based		true	true	0.75	39	3.900000095	39	20	38781	34941	22014	3
3511	003	7514	0.17	8800	0	85	140	4	24	24	30056	21256	WMUG	85	form-based		true	true	0.75	39	1.625	39	39	45084	36284	36284	1.5
3515	027	7345	0.17	3108	0	65	100	3	17	17	22035	18927	WMUG	85	form-based			true	0.75	39	2.294117689	39	34	44070	40962	40962	2
3515	038	7392	0.17	2562	0	65	100	3	17	17	22176	19614	WMUG	85	form-based			true	0.75	39	2.294117689	39	34	44352	41790	41790	2
3593	038	10471	0.24	10500	0	65	100	3	24	24	31413	20913	UMU	68	form-based				0.75	39	1.625	39	39	47119.5	36619.5	36619.5	1.5
3703	028	7949	0.18	33952	3	85	140	4	25	22	31796	0	NCT-SOMA	85	form-based				0.75	42	1.679999948	39	39	47694	13742	13742	1.5
3707	020	4335	0.1	23690	0	75	120	3.5	12	12	15172	0	C-3-O(SD)	300	form-based		true		0.8	39	3.25	39	24	39015	15325	6654	2.571513
3754	057	7519	0.17	16405	0	65	100	3	17	17	22557	6152	NCT-SOMA	85	form-based		true		0.75	39	2.294117689	39	34	45114	28709	28709	2
3754	058	23820	0.55	78110	50	65	100	3	55	5	71460	0	NCT-SOMA	65	form-based		true		0.75	89	1.618181825	39	39	107190	29080	29080	1.5
4175	024	4327	0.1	0	0	65	100	3	10	10	12981	12981	PPS-MU	240	form-based				0.75	39	3.900000095	39	20	38943	38943	25962	3
7203	006A	7604	0.17	3144	1	65	100	3	17	16	22812	19668	RTO-C	85	form-based		true	true	0.75	40	2.352941275	39	33	45624	42480	42480	2
0025	012	9453	0.22	14198	0	65	100	3	22	22	28359	14161	C-2	65	form-based		true	true	0.8	38	1.727272749	38	38	45374.40234	31176.40234	31176.40234	1.6
0025	014	9453	0.22	38247	0	65	100	3	22	22	28359	0	C-2	65	form-based			true	0.8	38	1.727272749	38	38	45374.40234	7127.402344	7127.402344	1.6
0165	006	9484	0.22	0	0	65	100	3	22	22	28452	28452	C-2	65	form-base	800			0.8	38	1.727272749	38	38	45523.19922	45523.19922	45523.19922	1.6
0165	007	9473	0.22	54700	0	65	100	3	22	22	28419	0	C-2	65	form-base	800	true		0.8	38	1.727272749	38	38	45470.40234	0	0	1.6
0174	004	9392	0.22	56718	0	65	100	3	22	22	28176	0	C-2	65	form-base	800	true		0.8	38	1.727272749	38	38	45081.60156	0	0	1.6
0190	016	24270	0.56	29475	23	65	100	3	56	33	72810	43335	RM-3	65	density-lim	400	true		0.75	61	1.089285731	38	38	109215	79740	79740	1.5
0224	004	7694	0.18	16716	0	65	100	3	18	18	23082	6366	CRNC	85	density-lim	200			0.75	38	2.111111164	38	36	46164	29448	29448	2
0235	018	4170	0.1	8310	0	85	140	4	14	14	16680	8370	C-3-O	300	form-based				0.8	38	2.714285612	38	28	37530	29220	25050	2.25
0267	011	4176	0.1	23087	0	75	120	3.5	12	12	14616	0	C-3-O	450	form-based				0.8	38	3.166666746	38	24	37584	14497	6145	2.571429
0288	011	4270	0.1	25643	0	85	140	4	14	14	17080	0	C-3-O	130	form-based		true		0.8	38	2.714285612	38	28	38430	12787	8517	2.25
0305	009	7661	0.18	94854	0	65	100	3	18	18	22983	0	RC-4	130	density-lim	200	true		0.75	38	2.111111164	38	36	68949	0	0	3
0309	020	4200	0.1	45260	0	85	140	4	14	14	16800	0	C-3-R	130	form-based		true		0.8	38	2.714285612	38	28	37800	0	0	2.25
0316	018	4320	0.1	22247	1	75	120	3.5	12	11	15120	0	C-3-G	130	form-based				0.8	39	3.25	38	23	38880	16633	7993	2.571429
0332	016	7505	0.17	20985	0	75	120	3.5	20	20	26268	5283	RC-4	80	density-lim	200			0.75	38	1.899999976	38	38	45030	24045	24045	1.714253
0334	027	7562	0.17	15306	0	65	100	3	17	17	22686	7380	RC-4	80	density-lim	200			0.75	38	2.235294104	38	34	45372	30066	30066	2
0337	021	7657	0.18	0	0	65	100	3	18	18	22971	22971	RC-4	80	density-lim	200	true		0.75	38	2.111111164	38	36	45942	45942	45942	2
0339	008	7563	0.17	22515	0	75	120	3.5	20	20	26470	3955	RC-4	120	density-lim	200			0.75	38	1.899999976	38	38	68067	45552	30425	2.571477
0523	036	4852	0.11	1915	6	65	100	3	11	5	14556	12641	RC-3	140	form-based		true	true	0.75	44	4	38	16	43668	41753	27197	3
0550	020	5293	0.12	8293	10	85	140	4	17	7	21172	12879	RC-3	240	form-based			true	0.75	48	2.823529482	38	24	47637	39344	34051	2.25
0575	014	4216	0.1	8151	0	65	100	3	10	10	12648	4497	RTO-C	350	form-based			true	0.75	38	3.799999952	38	20	37944	29793	17145	3
0579	019	4700	0.11	3765	4	55	80	2.5	9	5	11750	7985	RTO-C	105	form-based			true	0.75	42	4.666666508	38	14	42300	38535	19735	3.6
0594	004A	7505	0.17	38322	30	65	100	3	17	0	22515	0	RTO-C	240	form-based		true	true	0.75	68	4	38	4	67545	29223	6708	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0618	009	6678	0.15	13230	22	65	100	3	15	0	20034	6804	RTO-C	240	form-based		true	true	0.75	60	4	38	8	60102	46872	26838	3
0622	003	9208	0.21	30935	45	65	100	3	21	0	27624	0	NCD-POLK	120	form-based			true	0.75	83	3.952380896	38	0	82872	51937	24313	3
0667	014	5445	0.12	10015	11	65	100	3	12	1	16335	6320	RC-4	350	form-based			true	0.75	49	4.083333492	38	13	49005	38990	22655	3
0668	002	19226	0.44	92472	117	65	100	3	44	0	57678	0	NCD-POLK	130	form-based		true	true	0.75	155	3.522727251	38	0	154936.5	62464.5	22884	2.686232
0848	024	14883	0.34	1648	18	65	100	3	34	16	44649	43001	NCD-LOWI	65	form-based			true	0.75	56	1.647058845	38	38	66973.5	65325.5	65325.5	1.5
0872	025	21141	0.49	606	115	85	140	4	69	0	84564	83958	NCT-3	120	form-based		true	true	0.75	153	2.217391253	38	23	152990.25	152384.25	152384.25	1.809165
1015	017	10342	0.24	14188	16	55	80	2.5	19	3	25855	11667	RTO-C	85	form-based			true	0.75	54	2.84210515	38	22	62052	47864	37522	2.4
1080	036	5000	0.11	8474	7	65	100	3	11	4	15000	6526	RTO-C	140	form-based			true	0.75	45	4.090909004	38	15	45000	36526	21526	3
1218	032	8624	0.2	5881	7	55	80	2.5	16	9	21560	15679	NCT-DIVIS	85	form-based			true	0.75	45	2.8125	38	25	51744	45863	37239	2.4
1227	020	10000	0.23	10000	0	55	80	2.5	18	18	25000	15000	NC-1	65	form-based			true	0.75	38	2.111111164	38	36	45000	35000	35000	1.8
1237	004	7313	0.17	8308	0	55	80	2.5	14	14	18282	9974	NCT-DIVIS	85	form-based			true	0.75	38	2.714285612	38	28	43878	35570	28256	2.400066
1312	019	18435	0.42	2750	1	55	80	2.5	34	33	46088	43338	RH-1(D)	40	form-based			true	0.7	39	1.147058845	38	38	51618	48868	48868	1.119988
1312	020	18445	0.42	6444	1	55	80	2.5	34	33	46112	39668	RH-1(D)	40	form-based			true	0.7	39	1.147058845	38	38	51646	45202	45202	1.120012
1312	025	18692	0.43	6330	1	55	80	2.5	34	33	46730	40400	RH-1(D)	40	form-based			true	0.7	39	1.147058845	38	38	52337.59766	46007.59766	46007.59766	1.12
1507	034	7189	0.17	2820	0	55	80	2.5	14	14	17972	15152	RTO-C	85	form-based		true	true	0.75	38	2.714285612	38	28	43134	40314	33124	2.400067
1619	028	18004	0.41	11094	0	55	80	2.5	33	33	45010	33916	RH-2	40	form-based			true	0.7	38	1.151515126	38	38	50411.19922	39317.19922	39317.19922	1.12
1921	001	18235	0.42	18756	0	55	80	2.5	34	34	45588	26832	RH-1	40	form-based		true	true	0.7	38	1.117647052	38	38	51058	32302	32302	1.119988
2642	010	18422	0.42	2592	1	65	100	3	42	41	55266	52674	RH-1	40	form-based			true	0.7	39	0.928571403	38	38	51581.59766	48989.59766	48989.59766	0.933333
3514	010	7176	0.16	4500	0	65	100	3	16	16	21528	17028	NCT-3	85	form-based		true		0.75	38	2.375	38	32	43056	38556	38556	2
3516	064	7214	0.17	0	0	65	100	3	17	17	21642	21642	WMUG	85	form-based			true	0.75	38	2.235294104	38	34	43284	43284	43284	2
3519	067	12503	0.29	24439	0	65	100	3	29	29	37509	13070	RCD	55	form-based				0.75	38	1.310344815	38	38	46886.25	22447.25	22447.25	1.25
3559	014	4275	0.1	4507	0	85	140	4	14	14	17100	12593	NCT-UPPEI	160	form-based		true	true	0.75	38	2.714285612	38	28	38475	33968	29693	2.25
3703	162	15129	0.35	101009	83	85	140	4	49	0	60516	0	C-3-G	120	form-based				0.8	121	2.46938777	38	15	121427.25	20418.25	20023	2.006531
3708	029	4178	0.1	0	0	75	120	3.5	12	12	14623	14623	C-3-O(SD)	500	form-based				0.8	38	3.166666746	38	24	37602	37602	29246	2.571429
3736	096	4233	0.1	15500	0	75	120	3.5	12	12	14816	0	C-3-O(SD)	350	form-based				0.8	38	3.166666746	38	24	38097	22597	14132	2.571342
3736	124	7777	0.18	683	32	75	120	3.5	22	0	27220	26537	TB DTR	400	form-based				0.8	70	3.181818247	38	12	69993	69310	53757	2.571381
3781	001A	16830	0.39	32953	0	65	100	3	39	39	50490	17537	UMU	48	form-based				0.75	38	0.974358976	38	38	50490	17537	17537	1
3787	033	9447	0.22	19500	0	75	120	3.5	26	26	33064	13564	CMUO	65	form-based		true		0.8	38	1.461538434	38	38	45345.60156	25845.60156	25845.60156	1.371449
4082	008	12776	0.29	14471	0	65	100	3	29	29	38328	23857	UMU	58	form-based		true		0.75	38	1.310344815	38	38	47910	33439	33439	1.25
4083	004	10085	0.23	8296	0	55	80	2.5	18	18	25212	16916	UMU	68	form-based		true		0.75	38	2.111111164	38	36	45382.5	37086.5	37086.5	1.800036
6632	063	26336	0.6	51229	36	85	140	4	84	48	105344	54115	RM-1	50	form-based			true	0.7	74	0.880952358	38	38	92176	40947	40947	0.875
6744	031	7168	0.16	0	0	75	120	3.5	19	19	25088	25088	NCT-GLEN	85	form-based		true	true	0.75	38	2	38	38	43008	43008	43008	1.714286
7079	023	7167	0.16	0	0	85	140	4	22	22	28668	28668	NC-1	85	form-based		true	true	0.75	38	1.727272749	38	38	43002	43002	43002	1.5
0030	010	6577	0.15	120370	0	65	100	3	15	15	19731	0	C-2	85	form-based			true	0.8	37	2.466666698	37	30	42092.80078	0	0	2.133333
0041	040	6693	0.15	20795	0	65	100	3	15	15	20079	0	C-2	85	form-based			true	0.8	37	2.466666698	37	30	42835.19922	22040.19922	19363	2.133333
0045	003	18202	0.42	7723	1	65	100	3	42	41	54606	46883	RH-1(D)	40	form-based			true	0.7	38	0.90476191	38	37	50965.59766	43242.59766	43242.59766	0.933333
0089	015	17844	0.41	124279	0	55	80	2.5	33	33	44610	0	RM-1	40	form-based			true	0.7	37	1.121212125	37	37	49963.19922	0	0	1.12
0131	026	14954	0.34	18856	0	55	80	2.5	27	27	37385	18529	NCD-NORT	40	density-lim	400	true		0.75	37	1.370370388	37	37	44862	26006	26006	1.2
0173	007	6554	0.15	30229	0	65	100	3	15	15	19662	0	C-2	84	form-base	800			0.8	37	2.466666698	37	30	41945.60156	11716.60156	9095	2.133333
0178	002	9474	0.22	16085	10	65	100	3	22	12	28422	12337	CRNC	50	density-lim	200			0.75	47	2.136363745	37	34	35527.5	19442.5	19442.5	1.25
0206	014	4136	0.09	12973	0	65	100	3	9	9	12408	0	C-3-O	555	form-based				0.8	37	4.111111164	37	18	37224	24251	11843	3
0237	008	7769	0.18	42550	0	75	120	3.5	22	22	27192	0	C-3-O	75	form-based				0.8	37	1.681818128	37	37	43506.40234	956.4023438	956.4023438	1.599971
0288	001	4154	0.1	67860	0	75	120	3.5	12	12	14539	0	C-3-O	250	form-based		true		0.8	37	3.083333254	37	24	37386	0	0	2.571429
0295	012	4142	0.1	13065	0	65	100	3	10	10	12426	0	C-3-R	130	form-based				0.8	37	3.700000048	37	20	37278	24213	11787	3
0302	019	7462	0.17	4380	0	65	100	3	17	17	22386	18006	RC-4	80	density-lim	200	true		0.75	37	2.176470518	37	34	44772	40392	40392	2
0303	021	7375	0.17	3594	0	85	140	4	24	24	29500	25906	RC-4	80	density-lim	200			0.75	37	1.541666627	37	37	44250	40656	40656	1.5
0306	004	4123	0.09	10580	0	75	120	3.5	11	11	14430	3850	C-3-G	130	form-based		true		0.8	37	3.363636255	37	22	37107	26527	18280	2.571518
0310	003	4133	0.09	28660	0	85	140	4	13	13	16532	0	C-3-O	130	form-based		true		0.8	37	2.846153736	37	26	37197	8537	4404	2.25
0313	010	4057	0.09	37760	0	85	140	4	13	13	16228	0	C-3-R	130	form-based		true		0.8	37	2.846153736	37	26	36513	0	0	2.25
0322	006	7493	0.17	22689	0	65	100	3	17	17	22479	0	RC-4	80	density-lim	200			0.75	37	2.176470518	37	34	44958	22269	22269	2
0326	022	4111	0.09	12475	0	75	120	3.5	11	11	14388	1913	C-3-G	225	form-based		true		0.8	37	3.363636255	37	22	36999	24524	16301	2.571518
0327	018	4123	0.09	27640	0	75	120	3.5	11	11	14430	0	C-3-R	130	form-based				0.8	37	3.363636255	37	22	37107	9467	1220	2.571518
0548	022	14932	0.34	17888	0	65	100	3	34	34	44796	26908	NCD-POLK	65	density-lim	400			0.75	37	1.088235259	37	37	67194	49306	49306	1.5
0576	021	4263	0.1	4864	1	65	100	3	10	9	12789	7925	RTO-C	140	form-based			true	0.75	38	3.799999952	37	19	38367	33503	20714	3
0599	011D	5872	0.13	19552	16	65	100	3	13	0	17616	0	RTO-C	240	form-based		true	true	0.75	53	4.076922894	37	10	52848	33296	15680	3
0599	281	7023	0.16	824	26	65	100	3	16	0	21069	20245	RC-4	350	form-based			true	0.75	63	3.9375	37	6	63207	62383	41314	3
0617	003	9226	0.21	42000	46	65	100	3	21	0	27678	0	RTO-C	140	form-based			true	0.75	83	3.952380896	37	0	83034	41034	13356	3
0622	006	5339	0.12	17658	11	65	100	3	12	1	16017	0	NCD-POLK	120	form-based			true	0.75	48	4	37	13	48051	30393	14376	3
0623	001B	6817	0.16	22416	24	85	140	4	22	0	27268	4852	RC-4	350	form-based			true	0.75	61	2.772727251	37	20	61353	38937	32120	2.25
0623	011	5270	0.12	6079	10	65	100	3	12	2	15810	9731	RTO-C	240	form-based			true	0.75	47	3.916666746	37	14	47430	41351	25541	3
0623	021	5029	0.12	1670	8	65	100	3	12	4	15087	13417	RTO-C	240	form-based			true	0.75	45	3.75	37	16	45261	43591	28504	3
0645	002	4069	0.09	4014	0	65	100	3	9	9	12207	8193	NCD-POLK	120	form-based			true	0.75	37	4.111111164	37	18	36621	32607	20400	3
0667	004	4065	0.09	4065	0	65	100	3	9	9	12195	8130	NCD-POLK	240	form-based			true	0.75	37	4.111111164	37	18	36585	32520	20325	3
0670	005	4125	0.09	4100	0	65	100	3	9	9	12375	8275	NCD-POLK	240	form-based		true	true	0.75	37	4.111111164	37	18	37125	33025	20650	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0673	004	12031	0.28	18862	23	65	100	3	28	5	36093	17231	RM-4	80	density-lim	200			0.75	60	2.142857075	37	33	72186	53324	53324	2
0676	072	17089	0.39	71780	6	65	100	3	39	33	51267	0	NCD-JAPAI	50	density-lim	400	true		0.75	43	1.102564096	37	37	64083.75	0	0	1.25
0710	014	14911	0.34	22558	0	65	100	3	34	34	44733	22175	RM-3	50	density-lim	400			0.75	37	1.088235259	37	37	55916.25	33358.25	33358.25	1.25
0714	001	4118	0.09	6000	0	85	140	4	13	13	16472	10472	RC-4	650	form-based		true	true	0.75	37	2.846153736	37	26	37062	31062	26944	2.25
1025	037	9243	0.21	1154	12	85	140	4	29	17	36972	35818	NC-2	85	form-based		true	true	0.75	49	1.689655185	37	37	55458	54304	54304	1.5
1067	023	6975	0.16	9500	0	65	100	3	16	16	20925	11425	NCD-GEAR	85	form-based		true	true	0.75	37	2.3125	37	32	41850	32350	32350	2
1078	020	4125	0.09	7500	0	65	100	3	9	9	12375	4875	NC-3	240	form-based			true	0.75	37	4.111111164	37	18	37125	29625	17250	3
1087	022	7134	0.16	17041	0	85	140	4	22	22	28536	11495	NCD-GEAR	85	form-based		true	true	0.75	37	1.681818128	37	37	42804	25763	25763	1.5
1246	029	9796	0.22	16893	0	65	100	3	22	22	29388	12495	NCD-HAIG	65	form-based		true	true	0.75	37	1.681818128	37	37	44082	27189	27189	1.5
1253	047	13146	0.3	18530	0	65	100	3	30	30	39438	20908	RH-3	50	form-based		true	true	0.7	37	1.233333349	37	37	46011	27481	27481	1.166667
1265	038	9824	0.23	30940	0	65	100	3	23	23	29472	0	RTO-C	65	form-based			true	0.75	37	1.608695626	37	37	44208	13268	13268	1.5
1276	021	9960	0.23	9627	0	65	100	3	23	23	29880	20253	NC-1	65	form-based		true	true	0.75	37	1.608695626	37	37	44820	35193	35193	1.5
1339	002	18123	0.42	4383	1	55	80	2.5	34	33	45308	40925	RH-1	40	form-based			true	0.7	38	1.117647052	37	37	50744.39844	46361.39844	46361.39844	1.119988
1450	019A	7087	0.16	10500	0	65	100	3	16	16	21261	10761	NCD-GEAR	85	form-based			true	0.75	37	2.3125	37	32	42522	32022	32022	2
2992	028	17916	0.41	3540	1	55	80	2.5	33	32	44790	41250	RH-1(D)	40	form-based			true	0.7	38	1.151515126	37	37	50164.80078	46624.80078	46624.80078	1.12
3197	021	9911	0.23	897	15	85	140	4	32	17	39644	38747	NCT-OCEA	85	form-based		true	true	0.75	52	1.625	37	37	59466	58569	58569	1.5
3532	012	9875	0.23	16353	0	75	120	3.5	28	28	34562	18209	UMU	68	form-based		true		0.75	37	1.321428537	37	37	44437.5	28084.5	28084.5	1.285733
3537	091	7038	0.16	4265	0	65	100	3	16	16	21114	16849	NCT-UPPE	85	form-based			true	0.75	37	2.3125	37	32	42228	37963	37963	2
3559	001	4163	0.1	3788	0	85	140	4	14	14	16652	12864	NCT-UPPE	160	form-based		true	true	0.75	37	2.642857075	37	28	37467	33679	29516	2.25
3566	053	9834	0.23	7854	0	85	140	4	32	32	39336	31482	RTO-C	65	form-based		true	true	0.75	37	1.15625	37	37	44253	36399	36399	1.125
3703	064	4092	0.09	8250	0	85	140	4	13	13	16368	8118	C-3-G	90	form-based				0.8	37	2.846153736	37	26	36828	28578	24486	2.25
3703	068	4085	0.09	25475	0	85	140	4	13	13	16340	0	C-3-G	120	form-based				0.8	37	2.846153736	37	26	36765	11290	7205	2.25
3705	023	4080	0.09	24000	0	85	140	4	13	13	16320	0	C-3-R	90	form-based		true		0.8	37	2.846153736	37	26	36720	12720	8640	2.25
3707	002	4133	0.09	28383	0	95	160	4.5	14	14	18598	0	C-3-O(SD)	150	form-based				0.8	37	2.642857075	37	28	37197	8814	8813	2.000054
3722	017	4060	0.09	0	0	75	120	3.5	11	11	14210	14210	C-3-O(SD)	150	form-based				0.8	37	3.363636255	37	22	36540	36540	28420	2.571429
3724	036	4164	0.1	0	0	75	120	3.5	12	12	14574	14574	C-3-S	160	form-based				0.8	37	3.083333254	37	24	37476	37476	29148	2.571429
3727	135	9970	0.23	20606	0	85	140	4	32	32	39880	19274	WMUG	65	form-based				0.75	37	1.15625	37	37	44865	24259	24259	1.125
3733	083	4129	0.09	15277	0	65	100	3	9	9	12387	0	C-3-S	130	form-based				0.8	37	4.111111164	37	18	37161	21884	9497	3
3735	039	4110	0.09	8000	0	65	100	3	9	9	12330	4330	C-3-O(SD)	250	form-based				0.8	37	4.111111164	37	18	36990	28990	16660	3
3736	107	4125	0.09	12375	0	75	120	3.5	11	11	14438	2063	C-3-O(SD)	350	form-based				0.8	37	3.363636255	37	22	37125	24750	16501	2.57134
3750	078	4105	0.09	8187	0	65	100	3	9	9	12315	4128	MUR	130	form-based				0.75	37	4.111111164	37	18	36945	28758	16443	3
3776	062	6600	0.15	7600	0	75	120	3.5	18	18	23100	15500	CMUO	85	form-based		true		0.8	37	2.055555582	37	36	42240	34640	34640	1.828571
3792	002	65870	1.51	277552	108	65	100	3	151	43	197610	0	SB-DTR	55	form-based		true		0.55	145	0.960264921	37	37	181142.5	0	0	0.916667
3996	015	12337	0.28	20710	0	65	100	3	28	28	37011	16301	UMU	58	form-based		true		0.75	37	1.321428537	37	37	46263.75	25553.75	25553.75	1.25
4023	002	9986	0.23	0	0	65	100	3	23	23	29958	29958	UMU	68	form-based				0.75	37	1.608695626	37	37	44937	44937	44937	1.5
4023	005	9920	0.23	10145	0	65	100	3	23	23	29760	19615	UMU	68	form-based		true		0.75	37	1.608695626	37	37	44640	34495	34495	1.5
6964	025	7040	0.16	1880	0	85	140	4	22	22	28160	26280	NCT-1	85	form-based		true	true	0.75	37	1.681818128	37	37	42240	40360	40360	1.5
7126A	012	325629	7.48	950	370	75	120	3.5	898	528	1139702	1138752	NC-S	40	density-lim	800	true		0.55	407	0.453229398	37	37	716383.8125	715433.8125	715433.8125	0.628571
7547	032	22500	0.52	12000	10	65	100	3	52	42	67500	55500	RH-1	40	form-based			true	0.7	47	0.903846145	37	37	63000	51000	51000	0.933333
0041	154	7162	0.16	7904	4	65	100	3	16	12	21486	13582	C-2	85	form-based		true	true	0.8	40	2.5	36	28	45836.80078	37932.80078	35068	2.133333
0043	007	6436	0.15	6300	0	65	100	3	15	15	19308	13008	C-2	85	form-based		true	true	0.8	36	2.400000095	36	30	41190.40234	34890.40234	32316	2.133333
0052	041	44663	1.03	1197	76	65	100	3	103	27	133989	132792	NCD-NORT	40	density-lim	400			0.55	112	1.087378621	36	36	98258.60156	97061.60156	97061.60156	0.733333
0130	043	14256	0.33	67855	0	55	80	2.5	26	26	35640	0	NCD-NORT	40	density-lim	400	true		0.75	36	1.384615421	36	36	42768	0	0	1.2
0195	004	7157	0.16	14190	0	65	100	3	16	16	21471	7281	CCB	40	density-lim	200	true		0.75	36	2.25	36	32	21471	7281	7281	1
0271	012	9015	0.21	14150	0	65	100	3	21	21	27045	12895	C-3-G	65	form-based		true		0.8	36	1.714285731	36	36	43272	29122	29122	1.6
0272	006	7313	0.17	46067	1	65	100	3	17	16	21939	0	RC-4	65	density-lim	200	true		0.75	37	2.176470518	36	33	32908.5	0	0	1.5
0355	004	6469	0.15	12846	0	85	140	4	21	21	25876	13030	C-3-G	80	form-based				0.8	36	1.714285731	36	36	41401.60156	28555.60156	28555.60156	1.6
0505	001A	5146	0.12	7996	10	65	100	3	12	2	15438	7442	RTO-C	140	form-based			true	0.75	46	3.833333254	36	14	46314	38318	22880	3
0571	003	6875	0.16	6810	0	65	100	3	16	16	20625	13815	NCD-POLK	85	form-based			true	0.75	36	2.25	36	32	41250	34440	34440	2
0593	044	4825	0.11	1700	7	65	100	3	11	4	14475	12775	RTO-C	140	form-based		true	true	0.75	43	3.909090996	36	15	43425	41725	27250	3
0593	094	7202	0.17	1167	29	65	100	3	17	0	21606	20439	RTO-C	140	form-based		true	true	0.75	65	3.823529482	36	5	64818	63651	42045	3
0598	006	5279	0.12	10962	12	65	100	3	12	0	15837	4875	NCD-POLK	350	form-based			true	0.75	48	4	36	12	47511	36549	20712	3
0639	003A	9800	0.22	29378	15	55	80	2.5	18	3	24500	0	RTO-C	85	form-based		true	true	0.75	51	2.833333254	36	21	58800	29422	19622	2.4
0670	022	4018	0.09	10000	0	65	100	3	9	9	12054	2054	RC-4	350	form-based			true	0.75	36	4	36	18	36162	26162	14108	3
0673	009	19162	0.44	32811	60	65	100	3	44	0	57486	24675	RM-4	50	density-lim	200	true		0.75	96	2.181818247	36	28	71857.5	39046.5	39046.5	1.25
0690	012	4037	0.09	15180	0	65	100	3	9	9	12111	0	NC-3	500	form-based			true	0.75	36	4	36	18	36333	21153	9042	3
0707	021	22344	0.51	1169	20	65	100	3	51	31	67032	65863	RM-3	130	density-lim	400	true		0.75	56	1.098039269	36	36	171306	170137	132895	2.555585
0741	006	7219	0.17	0	0	65	100	3	17	17	21657	21657	RC-4	80	density-lim	200			0.75	36	2.117647171	36	34	43314	43314	43314	2
1015	020	10342	0.24	14188	18	55	80	2.5	19	1	25855	11667	RTO-C	85	form-based			true	0.75	54	2.84210515	36	20	62052	47864	37522	2.4
1016	004	6791	0.16	41037	0	55	80	2.5	13	13	16978	0	RTO-C	80	form-based			true	0.75	36	2.769230843	36	26	40746	0	0	2.399929
1035	003	6836	0.16	8300	0	55	80	2.5	13	13	17090	8790	NC-S	85	form-based		true	true	0.75	36	2.769230843	36	26	41016	32716	25880	2.4
1050	013	7452	0.17	5916	3	65	100	3	17	14	22356	16440	NC-2	85	form-based			true	0.75	39	2.294117689	36	31	44712	38796	38796	2
1089	035	13000	0.3	25512	32	65	100	3	30	0	39000	13488	RTO-C	85	form-based		true	true	0.75	68	2.266666651	36	28	78000	52488	52488	2
1101	001	6901	0.16	16952	0	65	100	3	16	16	20703	3751	NCT-DIVIS	85	form-based		true	true	0.75	36	2.25	36	32	41406	24454	24454	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1168	007	6966	0.16	8160	1	55	80	2.5	13	12	17415	9255	RTO-C	85	form-based		true	true	0.75	37	2.846153736	36	25	41796	33636	26670	2.4
1215	012	6776	0.16	5132	0	55	80	2.5	13	13	16940	11808	NCT-DIVIS	85	form-based			true	0.75	36	2.769230843	36	26	40656	35524	28748	2.4
1215	014	6776	0.16	15553	0	55	80	2.5	13	13	16940	1387	NCT-DIVIS	85	form-based			true	0.75	36	2.769230843	36	26	40656	25103	18327	2.4
1216	019	12888	0.3	0	0	55	80	2.5	24	24	32220	32220	RH-3	50	form-based			true	0.7	36	1.5	36	36	45108	45108	45108	1.4
1271	024B	9699	0.22	9640	0	85	140	4	31	31	38796	29156	NCD-COLE	65	form-based			true	0.75	36	1.161290288	36	36	43645.5	34005.5	34005.5	1.125
1415	004	35936	0.82	36849	0	65	100	3	82	82	107808	70959	RH-3	40	density-lin	1000			0.7	36	0.439024389	36	36	100620.7969	63771.79688	63771.79688	0.933333
1730	021	4000	0.09	3760	0	65	100	3	9	9	12000	8240	NCD-IRVIN	105	form-based			true	0.75	36	4	36	18	36000	32240	20240	3
1762	053	8858	0.2	3332	11	65	100	3	20	9	26574	23242	NCD-INNE	85	form-based			true	0.75	47	2.349999905	36	29	53148	49816	49816	2
1763	039	6875	0.16	6875	0	85	140	4	22	22	27500	20625	NCD-INNE	85	form-based		true	true	0.75	36	1.636363626	36	36	41250	34375	34375	1.5
1823	055	10750	0.25	1276	20	85	140	4	35	15	43000	41724	NCD-JUDA	85	form-based		true	true	0.75	56	1.600000024	36	36	64500	63224	63224	1.5
1901	001	9587	0.22	1463	0	55	80	2.5	18	18	23968	22505	NC-1	65	form-based		true	true	0.75	36	2	36	36	43141.5	41678.5	41678.5	1.799962
2406	001	4009	0.09	7260	0	85	140	4	13	13	16036	8776	NCD-TARA	140	form-based		true	true	0.75	36	2.769230843	36	26	36081	28821	24812	2.25
2623	013	4129	0.09	2742	1	65	100	3	9	8	12387	9645	RTO-C	120	form-based			true	0.75	37	4.111111164	36	17	37161	34419	22032	3
2623	015	4323	0.1	3116	3	65	100	3	10	7	12969	9853	RTO-C	120	form-based			true	0.75	39	3.900000095	36	17	38907	35791	22822	3
2988A	006	6909	0.16	6387	0	65	100	3	16	16	20727	14340	NCD-WEST	85	form-based			true	0.75	36	2.25	36	32	41454	35067	35067	2
3049	008	17426	0.4	3570	1	55	80	2.5	32	31	43565	39995	RH-1(D)	40	form-based			true	0.7	37	1.15625	36	36	48792.80078	45222.80078	45222.80078	1.12
3515	032	6838	0.16	0	0	65	100	3	16	16	20514	20514	WMUG	85	form-based			true	0.75	36	2.25	36	32	41028	41028	41028	2
3521	086	6907	0.16	6692	0	65	100	3	16	16	20721	14029	WMUG	85	form-based			true	0.75	36	2.25	36	32	41442	34750	34750	2
3521	092	6771	0.16	13655	0	65	100	3	16	16	20313	6658	WMUG	85	form-based		true	true	0.75	36	2.25	36	32	40626	26971	26971	2
3542	013	4817	0.11	6719	7	65	100	3	11	4	14451	7732	NCT-UPPE	120	form-based			true	0.75	43	3.909090996	36	15	43353	36634	22183	3
3554	010	6865	0.16	10700	0	95	160	4.5	26	26	30892	20192	NCT-MISSI	85	form-based				0.75	36	1.384615421	36	36	41190	30490	30490	1.333355
3559	017	5500	0.13	13326	14	65	100	3	13	0	16500	3174	NCT-UPPE	120	form-based			true	0.75	50	3.846153736	36	12	49500	36174	19674	3
3703	081	4250	0.1	35215	2	85	140	4	14	12	17000	0	C-3-G	160	form-based				0.8	38	2.714285612	36	26	38250	3035	0	2.25
3703	085	3958	0.09	7500	0	65	100	3	9	9	11874	4374	C-3-G	120	form-based				0.8	36	4	36	18	35622	28122	16248	3
3704	012	4010	0.09	26958	0	75	120	3.5	11	11	14035	0	C-3-G	90	form-based		true		0.8	36	3.272727251	36	22	36090	9132	1112	2.571429
3704	020	4008	0.09	0	0	85	140	4	13	13	16032	16032	C-3-G	160	form-based				0.8	36	2.769230843	36	26	36072	36072	32064	2.25
3707	001	3977	0.09	58822	0	95	160	4.5	14	14	17896	0	C-3-O(SD)	150	form-based		true		0.8	36	2.571428537	36	28	35793	0	0	2.000056
3708	008	3948	0.09	19800	0	75	120	3.5	11	11	13818	0	C-3-O(SD)	550	form-based		true		0.8	36	3.272727251	36	22	35532	15732	7836	2.571429
3715	002	6371	0.15	23549	0	75	120	3.5	18	18	22298	0	C-3-O	84	form-based				0.8	36	2	36	36	40774.40234	17225.40234	17225.40234	1.828613
3715	003	6371	0.15	44107	0	75	120	3.5	18	18	22298	0	C-3-O	84	form-based				0.8	36	2	36	36	40774.40234	0	0	1.828613
3715	006	6371	0.15	31400	0	75	120	3.5	18	18	22298	0	C-3-O	84	form-based				0.8	36	2	36	36	40774.40234	9374.402344	9374.402344	1.828613
3721	050	4000	0.09	21932	0	75	120	3.5	11	11	14000	0	C-3-O(SD)	150	form-based				0.8	36	3.272727251	36	22	36000	14068	6068	2.571429
3725	049	4000	0.09	9100	0	75	120	3.5	11	11	14000	4900	C-3-S	160	form-based				0.8	36	3.272727251	36	22	36000	26900	18900	2.571429
3725	082	3971	0.09	7750	0	85	140	4	13	13	15884	8134	C-3-S	120	form-based				0.8	36	2.769230843	36	26	35739	27989	24018	2.25
3731	004	9563	0.22	11500	0	65	100	3	22	22	28689	17189	NCT-SOMA	65	form-based				0.75	36	1.636363626	36	36	43033.5	31533.5	31533.5	1.5
3733	080	4000	0.09	6884	0	65	100	3	9	9	12000	5116	C-3-S	130	form-based				0.8	36	4	36	18	36000	29116	17116	3
3736	025	4000	0.09	15460	0	75	120	3.5	11	11	14000	0	C-3-O(SD)	250	form-based				0.8	36	3.272727251	36	22	36000	20540	12540	2.571429
3749	505	6491	0.15	0	0	75	120	3.5	18	18	22718	22718	TB DTR	85	form-based				0.8	36	2	36	36	41542.40234	41542.40234	41542.40234	1.828612
3752	002	6946	0.16	8655	0	85	140	4	22	22	27784	19129	MUR	85	form-based				0.75	36	1.636363626	36	36	41676	33021	33021	1.5
3752	018	15956	0.37	28979	0	65	100	3	37	37	47868	18889	MUR	45	form-based				0.75	36	0.972972989	36	36	47868	18889	18889	1
3762	025	4000	0.09	3800	0	65	100	3	9	9	12000	8200	CMUO	130	form-based				0.8	36	4	36	18	36000	32200	20200	3
3774	075	21369	0.49	1045	44	65	100	3	49	5	64107	63062	MUO	65	form-based				0.75	80	1.632653117	36	36	96160.5	95115.5	95115.5	1.5
3776	004	9027	0.21	0	0	65	100	3	21	21	27081	27081	CMUO	65	form-based				0.8	36	1.714285731	36	36	43329.60156	43329.60156	43329.60156	1.6
3776	039	4052	0.09	1000	0	65	100	3	9	9	12156	11156	CMUO	130	form-based				0.8	36	4	36	18	36468	35468	23312	3
3789	444	61922	1.42	1497	66	65	100	3	142	76	185766	184269	SB-DTR	45	form-based				0.55	102	0.718309879	36	36	136228.4063	134731.4063	134731.4063	0.733333
4081	026	15616	0.36	1134	11	65	100	3	36	25	46848	45714	UMU	58	form-based		true		0.75	47	1.305555582	36	36	58560	57426	57426	1.25
4081	055	9498	0.22	1024	0	65	100	3	22	22	28494	27470	UMU	68	form-based				0.75	36	1.636363626	36	36	42741	41717	41717	1.5
7550	026	17190	0.39	7150	0	65	100	3	39	39	51570	44420	RH-1	40	form-based		true	true	0.7	36	0.923076928	36	36	48132	40982	40982	0.933333
0065	015	10035	0.23	21954	3	55	80	2.5	18	15	25088	3134	NCD-NORT	65	form-based		true	true	0.75	38	2.111111164	35	33	45157.5	23203.5	23203.5	1.799964
0173	006	6245	0.14	24888	0	65	100	3	14	14	18735	0	C-2	84	form-base	800	true		0.8	35	2.5	35	28	39968	15080	12582	2.133333
0250	005	7913	0.18	18750	36	65	100	3	18	0	23739	4989	RTO-C	140	form-based			true	0.75	71	3.944444418	35	0	71217	52467	28728	3
0251	013	6526	0.15	14565	24	55	80	2.5	12	0	16315	1750	RTO-C	140	form-based			true	0.75	59	4.916666508	35	0	58734	44169	18065	3.6
0261	007	3896	0.09	63272	0	75	120	3.5	11	11	13636	0	C-3-O	150	form-based		true		0.8	35	3.181818247	35	22	35064	0	0	2.571429
0274	010	7099	0.16	4700	0	65	100	3	16	16	21297	16597	RC-4	65	density-lin	200			0.75	35	2.1875	35	32	31945.5	27245.5	27245.5	1.5
0278	010	4254	0.1	9552	3	65	100	3	10	7	12762	3210	NCD-POLK	120	form-based			true	0.75	38	3.799999952	35	17	38286	28734	15972	3
0287	001	3860	0.09	31978	0	75	120	3.5	11	11	13510	0	C-3-O	130	form-based		true		0.8	35	3.181818247	35	22	34740	2762	0	2.571429
0299	007	7047	0.16	1400	0	65	100	3	16	16	21141	19741	RC-4	80	density-lin	200			0.75	35	2.1875	35	32	42282	40882	40882	2
0302	013	6953	0.16	3750	0	85	140	4	22	22	27812	24062	RC-4	80	density-lin	200			0.75	35	1.590909123	35	35	41718	37968	37968	1.5
0316	001	3843	0.09	7760	0	75	120	3.5	11	11	13450	5690	C-3-G	130	form-based		true		0.8	35	3.181818247	35	22	34587	26827	19140	2.571524
0318	020	7075	0.16	13260	0	85	140	4	22	22	28300	15040	RC-4	130	density-lin	200			0.75	35	1.590909123	35	35	63675	50415	43340	2.25
0338	009	6915	0.16	21125	0	65	100	3	16	16	20745	0	RC-4	120	density-lin	200			0.75	35	2.1875	35	32	62235	41110	20365	3
0346	016	6302	0.14	10065	0	75	120	3.5	17	17	22057	11992	C-3-G	80	form-based				0.8	35	2.058823586	35	34	40332.80078	30267.80078	30267.80078	1.828571
0493	007	6600	0.15	13700	0	55	80	2.5	12	12	16500	2800	NC-3	85	form-based			true	0.75	35	2.916666746	35	24	39600	25900	19300	2.4
0496	006	3844	0.09	2650	0	65	100	3	9	9	11532	8882	NC-3	140	form-based			true	0.75	35	3.888888836	35	18	34596	31946	20414	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0502	005	9879	0.23	0	0	65	100	3	23	23	29637	29637	RH-3	65	form-based			true	0.7	35	1.521739125	35	35	41491.80078	41491.80078	41491.80078	1.4
0532	010	9452	0.22	10841	0	55	80	2.5	18	18	23630	12789	NCD-UNIO	65	form-based			true	0.75	35	1.944444418	35	35	42534	31693	31693	1.8
0546	004	3871	0.09	5315	0	65	100	3	9	9	11613	6298	RC-3	140	form-based		true	true	0.75	35	3.888888836	35	18	34839	29524	17911	3
0551	010	4125	0.09	4143	2	65	100	3	9	7	12375	8232	RTO-C	240	form-based			true	0.75	37	4.111111164	35	16	37125	32982	20607	3
0566	011	9625	0.22	8230	1	55	80	2.5	18	17	24062	15832	RTO-C	65	form-based			true	0.75	36	2	35	35	43312.5	35082.5	35082.5	1.800037
0569	005	4125	0.09	3479	2	65	100	3	9	7	12375	8896	RTO-C	140	form-based			true	0.75	37	4.111111164	35	16	37125	33646	21271	3
0576	022	4247	0.1	4691	3	65	100	3	10	7	12741	8050	RTO-C	140	form-based			true	0.75	38	3.799999952	35	17	38223	33532	20791	3
0638	008	9004	0.21	10200	12	55	80	2.5	17	5	22510	12310	RTO-C	85	form-based			true	0.75	47	2.764705896	35	22	54024	43824	34820	2.4
0702	039	14177	0.33	36970	0	65	100	3	33	33	42531	5561	RM-3	50	density-lim	400	true		0.75	35	1.060606003	35	35	53163.75	16193.75	16193.75	1.25
0717	006	6900	0.16	7062	0	65	100	3	16	16	20700	13638	RC-4	80	density-lim	200			0.75	35	2.1875	35	32	41400	34338	34338	2
0835	002	3865	0.09	23260	0	65	100	3	9	9	11595	0	C-3-G	320	form-based				0.8	35	3.888888836	35	18	34785	11525	0	3
1010	028	10534	0.24	6755	5	65	100	3	24	19	31602	24847	NCD-SACR	65	form-based			true	0.75	40	1.666666627	35	35	47403	40648	40648	1.5
1081	004	4125	0.09	2870	2	85	140	4	13	11	16500	13630	RTO-C	140	form-based			true	0.75	37	2.846153736	35	24	37125	34255	30130	2.25
1218	005	6575	0.15	7340	0	55	80	2.5	12	12	16438	9098	NCT-DIVIS	85	form-based			true	0.75	35	2.916666746	35	24	39450	32110	25536	2.399927
1223	045	16808	0.39	54400	0	55	80	2.5	31	31	42020	0	RM-1	40	form-based			true	0.7	35	1.129032254	35	35	47062.39844	0	0	1.12
1241	015	9281	0.21	9405	0	55	80	2.5	17	17	23202	13797	RTO-C	65	form-based			true	0.75	35	2.058823586	35	34	41764.5	32359.5	32359.5	1.800039
1452	022	6587	0.15	13000	0	85	140	4	21	21	26348	13348	NCD-GEAR	85	form-based		true	true	0.75	35	1.666666627	35	35	39522	26522	26522	1.5
1460	026	11323	0.26	20385	24	85	140	4	36	12	45292	24907	RTO-C	85	form-based			true	0.75	59	1.638888836	35	35	67938	47553	47553	1.5
1534	038	6612	0.15	1399	0	65	100	3	15	15	19836	18437	NCD-GEAR	85	form-based		true	true	0.75	35	2.333333254	35	30	39672	38273	38273	2
1864	001O	6588	0.15	1125	0	65	100	3	15	15	19764	18639	RTO-C	85	form-based		true	true	0.75	35	2.333333254	35	30	39528	38403	38403	2
2198	037	6576	0.15	0	0	55	80	2.5	12	12	16440	16440	RTO-C	85	form-based			true	0.75	35	2.916666746	35	24	39456	39456	32880	2.4
2451	003	16800	0.39	7544	0	85	140	4	55	55	67200	59656	RH-1	40	form-based		true	true	0.7	35	0.636363626	35	35	47040	39496	39496	0.7
2979A	025	6608	0.15	11116	0	65	100	3	15	15	19824	8708	NCD-WEST	85	form-based			true	0.75	35	2.333333254	35	30	39648	28532	28532	2
3077	027	16970	0.39	2792	1	55	80	2.5	31	30	42425	39633	RH-1(D)	40	form-based			true	0.7	36	1.161290288	35	35	47516	44724	44724	1.12
3511	074	6161	0.14	12611	0	85	140	4	20	20	24644	12033	C-3-G	85	form-based				0.8	35	1.75	35	35	39430.40234	26819.40234	26819.40234	1.6
3516	068	15719	0.36	1775	0	65	100	3	36	36	47157	45382	RED-MX	40	form-based				0.75	35	0.972222209	35	35	47157	45382	45382	1
3542	011	4174	0.1	4750	3	65	100	3	10	7	12522	7772	NCT-UPPE	120	form-based			true	0.75	38	3.799999952	35	17	37566	32816	20294	3
3542	041	10566	0.24	4406	60	85	140	4	34	0	42264	37858	NCT-UPPE	160	form-based		true	true	0.75	95	2.794117689	35	8	95094	90688	80122	2.25
3543	001	6510	0.15	17241	24	85	140	4	21	0	26040	8799	NCT-UPPE	160	form-based		true	true	0.75	59	2.809523821	35	18	58590	41349	34839	2.25
3558	078	18656	0.43	44415	30	85	140	4	60	30	74624	30209	RTO-1	65	form-based			true	0.7	65	1.083333373	35	35	78355.19531	33940.19531	33940.19531	1.05
3561	015	3928	0.09	6032	0	85	140	4	13	13	15712	9680	NCT-UPPE	160	form-based		true	true	0.75	35	2.692307711	35	26	35352	29320	25392	2.25
3564	093	5169	0.12	8146	12	85	140	4	17	5	20676	12530	NCT-UPPE	120	form-based		true	true	0.75	47	2.764705896	35	22	46521	38375	33206	2.25
3642	025	6741	0.15	3966	0	95	160	4.5	24	24	30334	26368	NCT-MISSI	85	form-based				0.75	35	1.458333373	35	35	40446	36480	36480	1.333355
3643	005	6686	0.15	6250	0	75	120	3.5	18	18	23401	17151	NCT-MISSI	80	form-based				0.75	35	1.944444418	35	35	40116	33866	33866	1.714286
3644	005	11798	0.27	8332	0	75	120	3.5	32	32	41293	32961	NCT-VALE	55	form-based				0.75	35	1.09375	35	35	44242.5	35910.5	35910.5	1.071429
3715	011	6274	0.14	0	0	65	100	3	14	14	18822	18822	C-3-O(SD)	84	form-based		true		0.8	35	2.5	35	28	40153.60156	40153.60156	37644	2.133333
3728	007	11648	0.27	38500	0	75	120	3.5	32	32	40768	2268	WMUG	55	form-based		true		0.75	35	1.09375	35	35	43680	5180	5180	1.071429
3749	001	8643	0.2	85347	0	75	120	3.5	24	24	30250	0	RH DTR	65	form-based		true		0.8	35	1.458333373	35	35	41486.40234	0	0	1.371451
3762	124	6328	0.15	6928	0	65	100	3	15	15	18984	12056	CMUO	85	form-based				0.8	35	2.333333254	35	30	40499.19922	33571.19922	31040	2.133333
3774	070	9438	0.22	9898	0	65	100	3	22	22	28314	18416	MUO	65	form-based				0.75	35	1.590909123	35	35	42471	32573	32573	1.5
3775	025	8731	0.2	8964	0	65	100	3	20	20	26193	17229	CMUO	65	form-based		true		0.8	35	1.75	35	35	41908.80078	32944.80078	32944.80078	1.6
3778	001F	6709	0.15	18891	0	65	100	3	15	15	20127	1236	MUG	85	form-based				0.75	35	2.333333254	35	30	40254	21363	21363	2
3788	002	8849	0.2	23961	0	65	100	3	20	20	26547	2586	CMUO	65	form-based				0.8	35	1.75	35	35	42475.19922	18514.19922	18514.19922	1.6
6915	001	6733	0.15	11182	0	65	100	3	15	15	20199	9017	NCT-OCEA	85	form-based		true	true	0.75	35	2.333333254	35	30	40398	29216	29216	2
0080	011	113438	2.6	220000	403	65	100	3	260	0	340314	120314	C-2	84	form-base	800	true		0.55	437	1.680769205	34	34	499127.2188	279127.2188	279127.2188	1.466667
0125	021	12768	0.29	18717	11	55	80	2.5	23	12	31920	13203	RH-3	65	form-based			true	0.7	45	1.956521749	34	34	53625.59766	34908.59766	34908.59766	1.68
0141	002	26980	0.62	64923	0	65	100	3	62	62	80940	16017	C-2	65	density-lim	800			0.8	34	0.54838711	34	34	129504	64581	64581	1.6
0163	002	13570	0.31	21724	0	65	100	3	31	31	40710	18986	NCD-BROA	65	density-lim	400	true		0.75	34	1.09677422	34	34	61065	39341	39341	1.5
0195	005	6775	0.16	40627	0	65	100	3	16	16	20325	0	CCB	40	density-lim	200	true		0.75	34	2.125	34	32	20325	0	0	1
0237	009	3749	0.09	12519	0	75	120	3.5	11	11	13122	603	C-3-O	300	form-based				0.8	34	3.090909004	34	22	33741	21222	13725	2.571331
0250	020	3796	0.09	3781	0	65	100	3	9	9	11388	7607	NCD-POLK	120	form-based			true	0.75	34	3.777777672	34	18	34164	30383	18995	3
0256	086	15549	0.36	1825	44	65	100	3	36	0	46647	44822	RM-4	65	density-lim	200	true		0.75	78	2.166666746	34	28	69970.5	68145.5	68145.5	1.5
0257	001	6875	0.16	21505	0	65	100	3	16	16	20625	0	CCB	50	density-lim	200	true		0.75	34	2.125	34	32	25781.25	4276.25	4276.25	1.25
0270	041	3766	0.09	7562	0	75	120	3.5	11	11	13181	5619	C-3-R	130	form-based				0.8	34	3.090909004	34	22	33894	26332	18800	2.571429
0279	004	6871	0.16	16500	0	65	100	3	16	16	20613	4113	RC-4	130	density-lim	200			0.75	34	2.125	34	32	61839	45339	24726	3
0286	026	8101	0.19	11990	39	75	120	3.5	23	0	28354	16364	C-3-R	130	form-based		true		0.8	73	3.173913002	34	7	72909	60919	44718	2.571383
0292	014	3833	0.09	0	0	75	120	3.5	11	11	13416	13416	C-3-O	250	form-based				0.8	34	3.090909004	34	22	34497	34497	26832	2.571333
0297	015	3742	0.09	13200	0	65	100	3	9	9	11226	0	C-3-G	130	form-based				0.8	34	3.777777672	34	18	33678	20478	9252	3
0319	010	6875	0.16	20625	0	65	100	3	16	16	20625	0	RC-4	80	density-lim	200			0.75	34	2.125	34	32	41250	20625	20625	2
0324	027	6834	0.16	35738	0	85	140	4	22	22	27336	0	RC-4	130	density-lim	200			0.75	34	1.545454502	34	34	61506	25768	18934	2.25
0327	004	3779	0.09	11469	0	75	120	3.5	11	11	13226	1757	C-3-R	130	form-based				0.8	34	3.090909004	34	22	34011	22542	14983	2.571526
0333	005	6879	0.16	13740	0	65	100	3	16	16	20637	6897	RC-4	80	density-lim	200			0.75	34	2.125	34	32	41274	27534	27534	2
0334	009	7245	0.17	33580	2	65	100	3	17	15	21735	0	RC-4	80	density-lim	200			0.75	36	2.117647171	34	32	43470	9890	9890	2
0337	009	6875	0.16	48500	0	65	100	3	16	16	20625	0	RC-4	80	density-lim	200			0.75	34	2.125	34	32	41250	0	0	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0340	018	7478	0.17	39569	3	75	120	3.5	20	17	26173	0	RC-4	120	density-lim	200			0.75	37	1.850000024	34	34	67302	27733	12777	2.571429
0343	018	6875	0.16	15500	0	75	120	3.5	19	19	24062	8562	RC-4	120	density-lim	200			0.75	34	1.789473653	34	34	61875	46375	32624	2.571482
0494	005	6560	0.15	45000	0	55	80	2.5	12	12	16400	0	NC-3	85	form-based		true	true	0.75	34	2.833333254	34	24	39360	0	0	2.4
0522	003A	5156	0.12	11205	12	65	100	3	12	0	15468	4263	RTO-C	140	form-based			true	0.75	46	3.833333254	34	12	46404	35199	19731	3
0522	014	5108	0.12	9990	12	65	100	3	12	0	15324	5334	RTO-C	140	form-based			true	0.75	46	3.833333254	34	12	45972	35982	20658	3
0551	006	3770	0.09	4112	0	85	140	4	13	13	15080	10968	RTO-C	240	form-based			true	0.75	34	2.615384579	34	26	33930	29818	26048	2.25
0564	019	8979	0.21	4000	0	55	80	2.5	17	17	22448	18448	RTO-C	65	form-based		true	true	0.75	34	2	34	34	40405.5	36405.5	36405.5	1.79996
0569	007	4125	0.09	3375	3	65	100	3	9	6	12375	9000	RTO-C	140	form-based			true	0.75	37	4.111111164	34	15	37125	33750	21375	3
0570	036	3959	0.09	2150	2	65	100	3	9	7	11877	9727	RTO-C	240	form-based			true	0.75	36	4	34	16	35631	33481	21604	3
0576	004	4054	0.09	4258	2	65	100	3	9	7	12162	7904	RTO-C	140	form-based			true	0.75	36	4	34	16	36486	32228	20066	3
0576	024	4257	0.1	3590	4	65	100	3	10	6	12771	9181	RTO-C	140	form-based			true	0.75	38	3.799999952	34	16	38313	34723	21952	3
0577	010A	3844	0.09	4423	1	65	100	3	9	8	11532	7109	RTO-C	140	form-based			true	0.75	35	3.888888836	34	17	34596	30173	18641	3
0577	052	4024	0.09	1815	2	65	100	3	9	7	12072	10257	RTO-C	140	form-based			true	0.75	36	4	34	16	36216	34401	22329	3
0619	011	4800	0.11	12424	9	85	140	4	15	6	19200	6776	RC-4	350	form-based			true	0.75	43	2.866666555	34	21	43200	30776	25976	2.25
0622	004	3751	0.09	6936	0	65	100	3	9	9	11253	4317	NCD-POLK	120	form-based		true	true	0.75	34	3.777777672	34	18	33759	26823	15570	3
0668	006	3750	0.09	7500	0	65	100	3	9	9	11250	3750	NCD-POLK	240	form-based		true	true	0.75	34	3.777777672	34	18	33750	26250	15000	3
0672	019	9254	0.21	934	12	65	100	3	21	9	27762	26828	RM-4	80	density-lim	200			0.75	46	2.190476179	34	30	55524	54590	54590	2
0688	031	6875	0.16	9210	0	65	100	3	16	16	20625	11415	RM-4	50	density-lim	200			0.75	34	2.125	34	32	25781.25	16571.25	16571.25	1.25
0817	068	11486	0.26	0	0	65	100	3	26	26	34458	34458	NCT-HAYE	50	form-based		true		0.75	34	1.307692289	34	34	43072.5	43072.5	43072.5	1.25
0828	022A	13456	0.31	14734	0	55	80	2.5	25	25	33640	18906	RM-3	40	density-lim	400			0.75	34	1.360000014	34	34	40368	25634	25634	1.2
0872	004	3794	0.09	2364	0	85	140	4	13	13	15176	12812	NCT-3	120	form-based			true	0.75	34	2.615384579	34	26	34146	31782	27988	2.25
0874	003	21501	0.49	61414	79	85	140	4	69	0	86004	24590	RTO-C	85	form-based		true	true	0.75	113	1.637681127	34	34	129006	67592	67592	1.5
0875	022	11255	0.26	20850	25	65	100	3	26	1	33765	12915	RTO-C	85	form-based			true	0.75	59	2.269230843	34	27	67530	46680	46680	2
0964	001	16697	0.38	6848	1	55	80	2.5	30	29	41742	34894	RH-1(D)	40	form-based		true	true	0.7	35	1.166666627	34	34	46751.59766	39903.59766	39903.59766	1.120013
1018	005A	6542	0.15	0	0	55	80	2.5	12	12	16355	16355	NC-S	85	form-based		true	true	0.75	34	2.833333254	34	24	39252	39252	32710	2.4
1079	018	6250	0.14	15750	22	65	100	3	14	0	18750	3000	NC-3	240	form-based			true	0.75	56	4	34	6	56250	40500	21750	3
1081	016	3781	0.09	8000	0	65	100	3	9	9	11343	3343	RTO-C	140	form-based			true	0.75	34	3.777777672	34	18	34029	26029	14686	3
1081	057	4102	0.09	1032	3	85	140	4	13	10	16408	15376	RTO-C	140	form-based			true	0.75	37	2.846153736	34	23	36918	35886	31784	2.25
1186	009D	7622	0.17	6660	6	55	80	2.5	14	8	19055	12395	NC-1	85	form-based			true	0.75	40	2.857142925	34	22	45732	39072	31450	2.4
1203	037	6563	0.15	5450	0	55	80	2.5	12	12	16408	10958	NCT-DIVIS	85	form-based		true	true	0.75	34	2.833333254	34	24	39378	33928	27366	2.399927
1447	022	6706	0.15	1685	1	65	100	3	15	14	20118	18433	NCD-GEAR	85	form-based			true	0.75	35	2.333333254	34	29	40236	38551	38551	2
1449	020	7500	0.17	9430	5	85	140	4	24	19	30000	20570	NCD-GEAR	85	form-based			true	0.75	39	1.625	34	34	45000	35570	35570	1.5
1742	051	6500	0.15	6449	0	65	100	3	15	15	19500	13051	NCD-INNE	85	form-based		true	true	0.75	34	2.266666651	34	30	39000	32551	32551	2
1762	007	9045	0.21	14685	0	65	100	3	21	21	27135	12450	RTO-C	65	form-based			true	0.75	34	1.619047642	34	34	40702.5	26017.5	26017.5	1.5
2011	017	9010	0.21	18237	0	55	80	2.5	17	17	22525	4288	NC-1	65	form-based		true	true	0.75	34	2	34	34	40545	22308	22308	1.8
2012	020	8944	0.21	4634	0	55	80	2.5	17	17	22360	17726	RTO-C	65	form-based		true	true	0.75	34	2	34	34	40248	35614	35614	1.8
3212	023A	4095	0.09	4800	3	85	140	4	13	10	16380	11580	NCT-1	120	form-based			true	0.75	37	2.846153736	34	23	36855	32055	27960	2.25
3508	019	3800	0.09	5320	0	85	140	4	13	13	15200	9880	C-3-G	120	form-based				0.8	34	2.615384579	34	26	34200	28880	25080	2.25
3508	022	3775	0.09	10800	0	85	140	4	13	13	15100	4300	C-3-G	120	form-based				0.8	34	2.615384579	34	26	33975	23175	19400	2.25
3542	014	3782	0.09	9994	0	65	100	3	9	9	11346	1352	NCT-UPPE	120	form-based			true	0.75	34	3.777777672	34	18	34038	24044	12698	3
3542	063	4471	0.1	1232	6	65	100	3	10	4	13413	12181	NCT-UPPE	120	form-based			true	0.75	40	4	34	14	40239	39007	25594	3
3554	005	36433	0.84	12354	157	95	160	4.5	134	0	163948	151594	NCT-MISSI	85	form-based				0.75	191	1.425373077	34	34	218598	206244	206244	1.333337
3637	023	9187	0.21	25263	0	75	120	3.5	25	25	32154	6891	NCT-MISSI	65	form-based				0.75	34	1.360000014	34	34	41341.5	16078.5	16078.5	1.285734
3721	001	3750	0.09	460577	0	75	120	3.5	11	11	13125	0	C-3-O(SD)	350	form-based		true		0.8	34	3.090909004	34	22	33750	0	0	2.571429
3722	012	3790	0.09	20068	0	75	120	3.5	11	11	13265	0	C-3-O(SD)	350	form-based				0.8	34	3.090909004	34	22	34110	14042	6462	2.571429
3722	058	3740	0.09	8988	0	75	120	3.5	11	11	13090	4102	C-3-O(SD)	150	form-based				0.8	34	3.090909004	34	22	33660	24672	17192	2.571429
3731	072	6515	0.15	7765	0	65	100	3	15	15	19545	11780	MUG	85	form-based				0.75	34	2.266666651	34	30	39090	31325	31325	2
3733	029	4000	0.09	3291	2	65	100	3	9	7	12000	8709	MUR	130	form-based		true		0.75	36	4	34	16	36000	32709	20709	3
3733	082	3825	0.09	8325	0	65	100	3	9	9	11475	3150	C-3-S	130	form-based				0.8	34	3.777777672	34	18	34425	26100	14625	3
3749	067	16800	0.39	900	33	65	100	3	39	6	50400	49500	RH DTR	65	form-based				0.8	67	1.717948675	34	34	80640	79740	79740	1.6
3754	015	9165	0.21	27148	0	65	100	3	21	21	27495	347	MUG	65	form-based		true		0.75	34	1.619047642	34	34	41242.5	14094.5	14094.5	1.5
3787	018	8564	0.2	17718	0	75	120	3.5	24	24	29974	12256	CMUO	65	form-based		true		0.8	34	1.416666627	34	34	41107.19922	23389.19922	23389.19922	1.371428
3794	002	3795	0.09	0	0	85	140	4	13	13	15180	15180	MUO	105	form-based		true		0.75	34	2.615384579	34	26	34155	34155	30360	2.25
4005	007	14978	0.34	9816	0	65	100	3	34	34	44934	35118	UMU	40	form-based				0.75	34	1	34	34	44934	35118	35118	1
4017	004	9153	0.21	18400	0	65	100	3	21	21	27459	9059	UMU	68	form-based				0.75	34	1.619047642	34	34	41188.5	22788.5	22788.5	1.5
6569	052	30646	0.7	113373	58	85	140	4	98	40	122584	9211	NCT-MISSI	55	form-based		true		0.75	92	0.938775539	34	34	114922.5	1549.5	1549.5	0.9375
6946	030	6468	0.15	775	0	65	100	3	15	15	19404	18629	NCT-OCEA	85	form-based		true	true	0.75	34	2.266666651	34	30	38808	38033	38033	2
0166	081	11802	0.27	1825	33	65	100	3	27	0	35406	33581	C-2	84	form-base	800			0.8	66	2.444444418	33	21	75532.80469	73707.80469	68987	2.133333
0185	029	8779	0.2	12270	0	65	100	3	20	20	26337	14067	NCD-PACI	65	form-based			true	0.75	33	1.649999976	33	33	39505.5	27235.5	27235.5	1.5
0211	002	6531	0.15	18000	0	85	140	4	21	21	26124	8124	CRNC	85	density-lim	200			0.75	33	1.571428537	33	33	39186	21186	21186	1.5
0243	017	6508	0.15	26360	0	65	100	3	15	15	19524	0	RM-4	65	density-lim	200	true		0.75	33	2.200000048	33	30	29286	2926	2926	1.5
0251	023	3667	0.08	4441	0	55	80	2.5	6	6	9168	4727	NCD-POLK	120	form-based		true	true	0.75	33	5.5	33	12	33003	28562	13895	3.599804
0310	007	3641	0.08	7250	0	85	140	4	11	11	14564	7314	C-3-O	130	form-based				0.8	33	3	33	22	32769	25519	21878	2.25
0313	007	3694	0.08	22140	0	85	140	4	11	11	14776	0	C-3-R	130	form-based				0.8	33	3	33	22	33246	11106	7412	2.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0320	010	6635	0.15	13152	0	85	140	4	21	21	26540	13388	RC-4	80	density-lim	200			0.75	33	1.571428537	33	33	39810	26658	26658	1.5
0340	015	8215	0.19	25692	8	75	120	3.5	23	15	28752	3060	RC-4	120	density-lim	200	true		0.75	41	1.782608747	33	33	73935	48243	31812	2.571473
0355	005	5819	0.13	17650	0	75	120	3.5	16	16	20366	2716	C-3-G	80	form-based				0.8	33	2.0625	33	32	37241.60156	19591.60156	19591.60156	1.828616
0499	004	3815	0.09	4266	1	65	100	3	9	8	11445	7179	RC-3	140	form-based			true	0.75	34	3.777777672	33	17	34335	30069	18624	3
0503	113	5257	0.12	9950	14	65	100	3	12	0	15771	5821	NC-3	140	form-based			true	0.75	47	3.916666746	33	10	47313	37363	21592	3
0547	018	4375	0.1	1421	6	85	140	4	14	8	17500	16079	RC-3	140	form-based			true	0.75	39	2.785714388	33	22	39375	37954	33579	2.25
0574	015	6306	0.14	20708	24	85	140	4	20	0	25224	4516	RC-4	350	form-based			true	0.75	57	2.849999905	33	16	56754	36046	29740	2.25
0576	025	4257	0.1	4010	5	65	100	3	10	5	12771	8761	RTO-C	140	form-based			true	0.75	38	3.799999952	33	15	38313	34303	21532	3
0590	003	6384	0.15	29064	24	55	80	2.5	12	0	15960	0	RTO-C	105	form-based			true	0.75	57	4.75	33	0	57456	28392	2856	3.6
0593	043	4636	0.11	9782	9	65	100	3	11	2	13908	4126	RTO-C	140	form-based			true	0.75	42	3.818181753	33	13	41724	31942	18034	3
0617	002	3738	0.09	6957	1	65	100	3	9	8	11214	4257	RTO-C	140	form-based			true	0.75	34	3.777777672	33	17	33642	26685	15471	3
0634	003	6196	0.14	2265	0	85	140	4	20	20	24784	22519	NCD-UPPE	85	form-based		true	true	0.75	33	1.649999976	33	33	37176	34911	34911	1.5
0655	041	9489	0.22	27500	17	85	140	4	31	14	37956	10456	NCD-UPPE	85	form-based			true	0.75	50	1.612903237	33	33	56934	29434	29434	1.5
0670	003	3651	0.08	8692	0	65	100	3	8	8	10953	2261	NCD-POLK	240	form-based			true	0.75	33	4.125	33	16	32859	24167	13214	3
0691	012A	3709	0.09	4270	0	65	100	3	9	9	11127	6857	RC-4	240	form-based			true	0.75	33	3.666666746	33	18	33381	29111	17984	3
0708	012	3655	0.08	4000	0	65	100	3	8	8	10965	6965	NCT-FILLM	160	form-based				0.75	33	4.125	33	16	32895	28895	17930	3
0708	012A	3655	0.08	6980	0	65	100	3	8	8	10965	3985	NCT-FILLM	160	form-based				0.75	33	4.125	33	16	32895	25915	14950	3
0808	043	14709	0.34	12953	0	55	80	2.5	27	27	36772	23819	NCT-HAYE	40	form-based				0.75	33	1.222222209	33	33	44127	31174	31174	1.200016
0832	067	38318	0.88	102671	82	65	100	3	88	6	114954	12283	NCT-HAYE	50	form-based		true		0.75	115	1.306818128	33	33	143692.5	41021.5	41021.5	1.25
1073	055	22160	0.51	65700	50	65	100	3	51	1	66480	780	RTO-C	65	form-based		true	true	0.75	83	1.627450943	33	33	99720	34020	34020	1.5
1087	024	6210	0.14	7150	0	85	140	4	20	20	24840	17690	NCD-GEAR	85	form-based			true	0.75	33	1.649999976	33	33	37260	30110	30110	1.5
1128	021	6300	0.14	0	0	65	100	3	14	14	18900	18900	NCT-DIVIS	85	form-based		true	true	0.75	33	2.357142925	33	28	37800	37800	37800	2
1216	018	6240	0.14	4979	0	55	80	2.5	11	11	15600	10621	NCT-DIVIS	85	form-based			true	0.75	33	3	33	22	37440	32461	26221	2.4
1440	018A	6250	0.14	8880	0	85	140	4	20	20	25000	16120	NCD-GEAR	85	form-based			true	0.75	33	1.649999976	33	33	37500	28620	28620	1.5
1442	049	6250	0.14	13923	0	65	100	3	14	14	18750	4827	NCD-GEAR	85	form-based			true	0.75	33	2.357142925	33	28	37500	23577	23577	2
1722	001	8946	0.21	3300	1	65	100	3	21	20	26838	23538	RTO-C	65	form-based		true	true	0.75	34	1.619047642	33	33	40257	36957	36957	1.5
1775	048	3700	0.08	4440	0	65	100	3	8	8	11100	6660	NCD-IRVIN	105	form-based			true	0.75	33	4.125	33	16	33300	28860	17760	3
2012	049	15605	0.36	25506	0	55	80	2.5	29	29	39012	13506	RH-1	40	form-based		true	true	0.7	33	1.137930989	33	33	43694	18188	18188	1.120014
2139	012	6378	0.15	399	0	55	80	2.5	12	12	15945	15546	RTO-C	85	form-based		true	true	0.75	33	2.75	33	24	38268	37869	31491	2.4
2540	004H	6321	0.15	14808	0	65	100	3	15	15	18963	4155	RTO-C	85	form-based			true	0.75	33	2.200000048	33	30	37926	23118	23118	2
2990	028	16289	0.37	9731	1	55	80	2.5	30	29	40722	30991	RH-1(D)	40	form-based			true	0.7	34	1.133333325	33	33	45609.19922	35878.19922	35878.19922	1.120014
3260	019	16271	0.37	3843	1	65	100	3	37	36	48813	44970	RH-1(D)	40	form-based			true	0.7	34	0.918918908	33	33	45558.80078	41715.80078	41715.80078	0.933333
3281	035	10264	0.24	902	21	65	100	3	24	3	30792	29890	NCT-OCEA	85	form-based		true	true	0.75	54	2.25	33	27	61584	60682	60682	2
3501	009	3656	0.08	0	0	85	140	4	11	11	14624	14624	NCT-3	120	form-based			true	0.75	33	3	33	22	32904	32904	29248	2.25
3504	049	5053	0.12	689	12	65	100	3	12	0	15159	14470	NCT-3	140	form-based			true	0.75	45	3.75	33	12	45477	44788	29629	3
3519	006	11011	0.25	7528	0	65	100	3	25	25	33033	25505	RCD	55	form-based		true		0.75	33	1.320000052	33	33	41291.25	33763.25	33763.25	1.25
3537	013	6191	0.14	4265	0	65	100	3	14	14	18573	14308	NCT-UPPE	85	form-based			true	0.75	33	2.357142925	33	28	37146	32881	32881	2
3537	074	12500	0.29	18964	2	65	100	3	29	27	37500	18536	RTO-1	50	form-based			true	0.7	35	1.206896544	33	33	43750	24786	24786	1.166667
3543	003B	3700	0.08	11259	0	65	100	3	8	8	11100	0	NCT-UPPE	120	form-based			true	0.75	33	4.125	33	16	33300	22041	10941	3
3548	031	8779	0.2	24600	0	75	120	3.5	24	24	30726	6126	UMU	68	form-based		true		0.75	33	1.375	33	33	39505.5	14905.5	14905.5	1.285735
3554	059	9108	0.21	1434	15	75	120	3.5	25	10	31878	30444	NCT-MISSI	80	form-based				0.75	48	1.919999957	33	33	54648	53214	53214	1.714286
3566	001	33414	0.77	84521	0	85	140	4	108	108	133656	49135	RH-3	40	density-lim	1000	true		0.7	33	0.305555552	33	33	93559.19531	9038.195313	9038.195313	0.7
3582	077A	6753	0.16	19080	28	85	140	4	22	0	27012	7932	RTO-C	140	form-based		true	true	0.75	61	2.772727251	33	16	60777	41697	34944	2.25
3643	006	6311	0.14	5234	0	95	160	4.5	22	22	28400	23166	NCT-MISSI	85	form-based				0.75	33	1.5	33	33	37866	32632	32632	1.33331
3643	053	8534	0.2	21201	12	75	120	3.5	24	12	29869	8668	NCT-MISSI	80	form-based		true		0.75	45	1.875	33	33	51204	30003	30003	1.714286
3704	026	6212	0.14	12000	0	85	140	4	20	20	24848	12848	NCT-SOMA	85	form-based		true		0.75	33	1.649999976	33	33	37272	25272	25272	1.5
3715	001	5906	0.14	24908	0	75	120	3.5	17	17	20671	0	C-3-O	84	form-based		true		0.8	33	1.941176414	33	33	37798.40234	12890.40234	12890.40234	1.828572
3728	072	8926	0.2	13372	0	85	140	4	28	28	35704	22332	MUO	65	form-based		true		0.75	33	1.178571463	33	33	40167	26795	26795	1.125
3762	122	5849	0.13	7650	0	85	140	4	18	18	23396	15746	CMUO	85	form-based				0.8	33	1.833333373	33	33	37433.60156	29783.60156	29783.60156	1.6
3764	014	8710	0.2	48910	0	65	100	3	20	20	26130	0	MUO	65	form-based				0.75	33	1.649999976	33	33	39195	0	0	1.5
3788	044	8343	0.19	59639	0	65	100	3	19	19	25029	0	CMUO	65	form-based				0.8	33	1.736842155	33	33	40046.40234	0	0	1.6
3789	010	3649	0.08	9477	0	65	100	3	8	8	10947	1470	SB-DTR	105	form-based				0.8	33	4.125	33	16	32841	23364	12417	3
3791	001	13858	0.32	59221	0	85	140	4	45	45	55432	0	SB-DTR	45	form-based		true		0.8	33	0.733333349	33	33	44345.60156	0	0	0.8
4000	024	14732	0.34	25000	0	65	100	3	34	34	44196	19196	UMU	40	form-based		true		0.75	33	0.970588207	33	33	44196	19196	19196	1
4060	006	40243	0.92	737	58	65	100	3	92	34	120729	119992	UMU	45	form-based		true		0.75	91	0.989130437	33	33	120729	119992	119992	1
4081	010	11113	0.26	18739	0	65	100	3	26	26	33339	14600	UMU	58	form-based		true		0.75	33	1.269230723	33	33	41673.75	22934.75	22934.75	1.25
4280	025	14881	0.34	7108	0	65	100	3	34	34	44643	37535	UMU	40	form-based		true		0.75	33	0.970588207	33	33	44643	37535	37535	1
6574	022	19880	0.46	29169	0	65	100	3	46	46	59640	30471	NCD-MISSI	50	density-lim	600			0.75	33	0.717391312	33	33	74550	45381	45381	1.25
6596	017	19824	0.46	6388	0	85	140	4	64	64	79296	72908	NCD-MISSI	40	density-lim	600			0.75	33	0.515625	33	33	59472	53084	53084	0.75
6942	055	6254	0.14	5362	0	65	100	3	14	14	18762	13400	NCT-OCEA	85	form-based			true	0.75	33	2.357142925	33	28	37524	32162	32162	2
7543	031	23011	0.53	16368	15	65	100	3	53	38	69033	52665	RH-1	40	form-based			true	0.7	48	0.905660391	33	33	64430.80078	48062.80078	48062.80078	0.933333
7551	102	19990	0.46	11036	9	65	100	3	46	37	59970	48934	RH-1	40	form-based		true	true	0.7	42	0.913043499	33	33	55972	44936	44936	0.933333
0185	041	8627	0.2	8500	0	65	100	3	20	20	25881	17381	NCD-PACIF	65	form-based			true	0.75	32	1.600000024	32	32	38821.5	30321.5	30321.5	1.5
0192	005	6421	0.15	16768	0	85	140	4	21	21	25684	8916	CRNC	65	density-lim	200	true		0.75	32	1.523809552	32	32	28894.5	12126.5	12126.5	1.125

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0192	019	6473	0.15	15626	0	65	100	3	15	15	19419	3793	CRNC	65	density-lin	200	true		0.75	32	2.133333445	32	30	29128.5	13502.5	13502.5	1.5
0193	009	6469	0.15	21679	0	65	100	3	15	15	19407	0	CVR	50	density-lin	200			0.75	32	2.133333445	32	30	24258.75	2579.75	2579.75	1.25
0249	007	7658	0.18	31740	37	55	80	2.5	14	0	19145	0	NCD-POLK	120	form-based		true	true	0.75	69	4.928571224	32	0	68922	37182	6550	3.6
0260	003	3544	0.08	18963	0	75	120	3.5	10	10	12404	0	C-3-O	150	form-based				0.8	32	3.200000048	32	20	31896	12933	5845	2.571429
0284	008	3535	0.08	5429	0	65	100	3	8	8	10605	5176	C-3-R	130	form-based				0.8	32	4	32	16	31815	26386	15781	3
0292	008	3600	0.08	0	0	75	120	3.5	10	10	12600	12600	C-3-O	250	form-based		true		0.8	32	3.200000048	32	20	32400	32400	25200	2.571429
0293	001	3513	0.08	42819	0	85	140	4	11	11	14052	0	C-3-O	130	form-based		true		0.8	32	2.909090996	32	22	31617	0	0	2.25
0294	015	3528	0.08	34215	0	65	100	3	8	8	10584	0	C-3-R	130	form-based		true		0.8	32	4	32	16	31752	0	0	3
0305	008	6450	0.15	0	0	85	140	4	21	21	25800	25800	RC-4	130	density-lin	200	true		0.75	32	1.523809552	32	32	58050	58050	51600	2.25
0306	018	3566	0.08	11250	0	65	100	3	8	8	10698	0	C-3-G	130	form-based				0.8	32	4	32	16	32094	20844	10146	3
0309	027	3520	0.08	17335	0	75	120	3.5	10	10	12320	0	C-3-R	130	form-based				0.8	32	3.200000048	32	20	31680	14345	7305	2.571429
0310	018	3600	0.08	31477	0	75	120	3.5	10	10	12600	0	C-3-R	130	form-based		true		0.8	32	3.200000048	32	20	32400	923	0	2.571429
0317	009	6469	0.15	10005	0	85	140	4	21	21	25876	15871	RC-4	130	density-lin	200			0.75	32	1.523809552	32	32	58221	48216	41747	2.25
0330	001	3579	0.08	17358	0	75	120	3.5	10	10	12526	0	C-3-R	130	form-based		true		0.8	32	3.200000048	32	20	32211	14853	7694	2.571531
0337	014A	6766	0.16	20685	2	65	100	3	16	14	20298	0	RC-4	80	density-lin	200			0.75	34	2.125	32	30	40596	19911	19911	2
0355	011	5634	0.13	0	0	85	140	4	18	18	22536	22536	C-3-G	80	form-based				0.8	32	1.777777791	32	32	36057.60156	36057.60156	36057.60156	1.6
0499	003	3543	0.08	7700	0	65	100	3	8	8	10629	2929	RC-3	140	form-based		true	true	0.75	32	4	32	16	31887	24187	13558	3
0517	001	15235	0.35	16270	0	55	80	2.5	28	28	38088	21818	RM-2	40	form-based		true	true	0.7	32	1.142857194	32	32	42658	26388	26388	1.119985
0527	009	3596	0.08	9741	0	85	140	4	11	11	14384	4643	RC-3	140	form-based		true	true	0.75	32	2.909090996	32	22	32364	22623	19027	2.25
0541	021	8485	0.19	7330	0	55	80	2.5	15	15	21212	13882	NCD-UNIO	65	form-based			true	0.75	32	2.133333445	32	30	38182.5	30852.5	30852.5	1.800042
0574	016	3519	0.08	6435	0	85	140	4	11	11	14076	7641	RC-4	350	form-based			true	0.75	32	2.909090996	32	22	31671	25236	21717	2.25
0594	005	4940	0.11	10926	12	65	100	3	11	0	14820	3894	RTO-C	240	form-based			true	0.75	44	4	32	10	44460	33534	18714	3
0620	020	6086	0.14	6707	0	65	100	3	14	14	18258	11551	NCD-POLK	85	form-based		true	true	0.75	32	2.285714388	32	28	36516	29809	29809	2
0623	010	4243	0.1	9138	6	65	100	3	10	4	12729	3591	RTO-C	240	form-based			true	0.75	38	3.799999952	32	14	38187	29049	16320	3
0635	001	8447	0.19	8071	0	65	100	3	19	19	25341	17270	NCD-UPPE	65	form-based		true	true	0.75	32	1.684210539	32	32	38011.5	29940.5	29940.5	1.5
0646	004	3570	0.08	3578	0	65	100	3	8	8	10710	7132	NCD-POLK	240	form-based		true	true	0.75	32	4	32	16	32130	28552	17842	3
0667	023	6000	0.14	1328	22	85	140	4	20	0	24000	22672	RC-4	350	form-based			true	0.75	54	2.700000048	32	18	54000	52672	46672	2.25
0693	015	8497	0.2	37687	44	65	100	3	20	0	25491	0	RC-4	240	form-based		true	true	0.75	76	3.799999952	32	0	76473	38786	13295	3
0711A	001	17482	0.4	1268	12	65	100	3	40	28	52446	51178	RM-3	80	density-lin	400	true		0.75	44	1.100000024	32	32	104892	103624	103624	2
0718	017	3600	0.08	3665	0	85	140	4	11	11	14400	10735	RC-4	500	form-based			true	0.75	32	2.909090996	32	22	32400	28735	25135	2.25
0742	002	18906	0.43	83281	0	65	100	3	43	43	56718	0	NCD-LOWI	130	density-lin	600	true		0.75	32	0.744186044	32	32	153256.5	69975.5	30155	2.702079
0749	023	5326	0.12	1533	16	65	100	3	12	0	15978	14445	NCT-FILLM	130	form-based				0.75	48	4	32	8	47934	46401	30423	3
0781	035	18906	0.43	0	0	55	80	2.5	34	34	47265	47265	RM-2	50	density-lin	600			0.7	32	0.941176474	32	32	66171	66171	66171	1.4
0795	028	11550	0.27	0	0	55	80	2.5	22	22	28875	28875	RM-2	50	form-based			true	0.7	32	1.454545498	32	32	40425	40425	40425	1.4
0853	023	10500	0.24	21154	0	85	140	4	34	34	42000	20846	NCT-3	50	form-based				0.75	32	0.941176474	32	32	39375	18221	18221	0.9375
0957	031	15546	0.36	12730	1	55	80	2.5	29	28	38865	26135	RH-1(D)	40	form-based			true	0.7	33	1.137930989	32	32	43528.80078	30798.80078	30798.80078	1.12
1092	003	3615	0.08	1310	1	65	100	3	8	7	10845	9535	RTO-C	240	form-based			true	0.75	33	4.125	32	15	32535	31225	20380	3
1092	004	3615	0.08	1222	1	65	100	3	8	7	10845	9623	RTO-C	240	form-based			true	0.75	33	4.125	32	15	32535	31313	20468	3
1092	005	3615	0.08	1150	1	65	100	3	8	7	10845	9695	RTO-C	240	form-based			true	0.75	33	4.125	32	15	32535	31385	20540	3
1092	006	3615	0.08	1180	1	65	100	3	8	7	10845	9665	RTO-C	240	form-based			true	0.75	33	4.125	32	15	32535	31355	20510	3
1092	008	3615	0.08	2075	1	65	100	3	8	7	10845	8770	RTO-C	240	form-based			true	0.75	33	4.125	32	15	32535	30460	19615	3
1202	002C	11570	0.27	12200	0	55	80	2.5	22	22	28925	16725	RH-3	50	form-based			true	0.7	32	1.454545498	32	32	40495	28295	28295	1.4
1248	023	8404	0.19	4819	0	65	100	3	19	19	25212	20393	NCD-HAIG	65	form-based			true	0.75	32	1.684210539	32	32	37818	32999	32999	1.5
1439	023	6186	0.14	12469	0	65	100	3	14	14	18558	6089	NCD-GEAR	85	form-based		true	true	0.75	32	2.285714388	32	28	37116	24647	24647	2
1526	029	6043	0.14	9862	0	65	100	3	14	14	18129	8267	NCD-GEAR	85	form-based		true	true	0.75	32	2.285714388	32	28	36258	26396	26396	2
1644	012	6079	0.14	7313	0	55	80	2.5	11	11	15198	7885	RTO-C	85	form-based		true	true	0.75	32	2.909090996	32	22	36474	29161	23083	2.399921
1730	020	3587	0.08	3900	0	65	100	3	8	8	10761	6861	NCD-IRVIN	105	form-based			true	0.75	32	4	32	16	32283	28383	17622	3
1741	002	6026	0.14	11957	0	65	100	3	14	14	18078	6121	NCD-INNE	85	form-based			true	0.75	32	2.285714388	32	28	36156	24199	24199	2
1741	060	6026	0.14	6525	0	65	100	3	14	14	18078	11553	NCD-INNE	85	form-based			true	0.75	32	2.285714388	32	28	36156	29631	29631	2
1768	018	6000	0.14	8030	0	65	100	3	14	14	18000	9970	RTO-C	85	form-based			true	0.75	32	2.285714388	32	28	36000	27970	27970	2
1777	001	6000	0.14	7260	0	65	100	3	14	14	18000	10740	NCD-IRVIN	85	form-based		true	true	0.75	32	2.285714388	32	28	36000	28740	28740	2
1777	001A	6000	0.14	4532	0	65	100	3	14	14	18000	13468	NCD-IRVIN	85	form-based			true	0.75	32	2.285714388	32	28	36000	31468	31468	2
2018	004F	6045	0.14	6045	0	55	80	2.5	11	11	15112	9067	NCD-NORI	85	form-based		true	true	0.75	32	2.909090996	32	22	36270	30225	24179	2.400079
2198	031	6000	0.14	0	0	55	80	2.5	11	11	15000	15000	RTO-C	85	form-based			true	0.75	32	2.909090996	32	22	36000	36000	30000	2.4
2418	004	15235	0.35	16879	0	65	100	3	35	35	45705	28826	RH-1	40	form-based			true	0.7	32	0.914285719	32	32	42658	25779	25779	0.933333
2623	011	3612	0.08	1000	1	65	100	3	8	7	10836	9836	RTO-C	120	form-based			true	0.75	33	4.125	32	15	32508	31508	20672	3
2695	001	6034	0.14	12070	0	65	100	3	14	14	18102	6032	NCD-CAST	85	form-based		true	true	0.75	32	2.285714388	32	28	36204	24134	24134	2
2901B	028	6030	0.14	0	0	55	80	2.5	11	11	15075	15075	NC-1	85	form-based		true	true	0.75	32	2.909090996	32	22	36180	36180	30150	2.4
2936B	001	15466	0.36	15373	0	55	80	2.5	29	29	38665	23292	RH-1(D)	40	form-based		true	true	0.7	32	1.103448272	32	32	43304.80078	27931.80078	27931.80078	1.12
2988A	007	6168	0.14	0	0	65	100	3	14	14	18504	18504	NCD-WEST	85	form-based			true	0.75	32	2.285714388	32	28	37008	37008	37008	2
3196	010	6012	0.14	4384	0	65	100	3	14	14	18036	13652	NCT-OCEA	85	form-based			true	0.75	32	2.285714388	32	28	36072	31688	31688	2
3509	040	3554	0.08	10200	0	85	140	4	11	11	14216	4016	C-3-G	160	form-based		true		0.8	32	2.909090996	32	22	31986	21786	18232	2.25
3511	080	5684	0.13	22528	0	65	100	3	13	13	17052	0	C-3-G	85	form-based		true		0.8	32	2.461538553	32	26	36377.60156	13849.60156	11576	2.133333
3515	001	9030	0.21	14776	15	65	100	3	21	6	27090	12314	WMUG	85	form-based		true	true	0.75	47	2.238095284	32	27	54180	39404	39404	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3519	010	10640	0.24	8466	0	65	100	3	24	24	31920	23454	WMUG	55	form-based				0.75	32	1.333333373	32	32	39900	31434	31434	1.25
3537	090	23197	0.53	51269	90	65	100	3	53	0	69591	18322	RTO-C	85	form-based		true	true	0.75	122	2.301886797	32	16	139182	87913	87913	2
3542	006	5035	0.12	12490	13	85	140	4	17	4	20140	7650	NCT-UPPEI	120	form-based			true	0.75	45	2.647058725	32	21	45315	32825	27790	2.25
3554	006	6025	0.14	11950	0	95	160	4.5	22	22	27112	15162	NCT-MISSI	85	form-based				0.75	32	1.454545498	32	32	36150	24200	24200	1.333358
3562	007	3873	0.09	2925	3	65	100	3	9	6	11619	8694	NCT-UPPEI	120	form-based			true	0.75	35	3.888888836	32	15	34857	31932	20313	3
3593	039	8627	0.2	8740	0	65	100	3	20	20	25881	17141	UMU	68	form-based				0.75	32	1.600000024	32	32	38821.5	30081.5	30081.5	1.5
3643	010	6057	0.14	8090	0	95	160	4.5	22	22	27256	19166	NCT-MISSI	85	form-based				0.75	32	1.454545498	32	32	36342	28252	28252	1.333358
3704	034	3534	0.08	35660	0	75	120	3.5	10	10	12369	0	C-3-G	90	form-based		true		0.8	32	3.200000048	32	20	31806	0	0	2.571429
3704	043	3600	0.08	633	0	75	120	3.5	10	10	12600	11967	C-3-G	160	form-based				0.8	32	3.200000048	32	20	32400	31767	24567	2.571429
3707	011	3500	0.08	10542	0	75	120	3.5	10	10	12250	1708	C-3-O(SD)	150	form-based				0.8	32	3.200000048	32	20	31500	20958	13958	2.571429
3707	019	3574	0.08	11564	0	75	120	3.5	10	10	12509	945	C-3-O(SD)	300	form-based				0.8	32	3.200000048	32	20	32166	20602	13454	2.571429
3708	176	3575	0.08	0	0	75	120	3.5	10	10	12512	12512	C-3-O(SD)	850	form-based				0.8	32	3.200000048	32	20	32175	32175	25024	2.571531
3721	025	3525	0.08	25120	0	75	120	3.5	10	10	12338	0	C-3-O(SD)	150	form-based		true		0.8	32	3.200000048	32	20	31725	6605	0	2.571324
3726	006	6183	0.14	20545	0	65	100	3	14	14	18549	0	NCT-SOMA	85	form-based				0.75	32	2.285714388	32	28	37098	16553	16553	2
3732	045	6112	0.14	10300	0	65	100	3	14	14	18336	8036	MUR	85	form-based				0.75	32	2.285714388	32	28	36672	26372	26372	2
3733	137	3946	0.09	1403	4	65	100	3	9	5	11838	10435	C-3-S	130	form-based				0.8	36	4	32	14	35514	34111	22273	3
3753	022	8402	0.19	17315	0	65	100	3	19	19	25206	7891	MUR	65	form-based				0.75	32	1.684210539	32	32	37809	20494	20494	1.5
3763	078	3500	0.08	0	0	65	100	3	8	8	10500	10500	CMUO	350	form-based				0.8	32	4	32	16	31500	31500	21000	3
3763	096	3574	0.08	17912	0	65	100	3	8	8	10722	0	CMUO	130	form-based				0.8	32	4	32	16	32166	14254	3532	3
3776	011	5734	0.13	19548	0	75	120	3.5	16	16	20069	521	CMUO	85	form-based		true		0.8	32	2	32	32	36697.60156	17149.60156	17149.60156	1.828572
3777	011	7892	0.18	32375	0	75	120	3.5	22	22	27622	0	CMUO	65	form-based				0.8	32	1.454545498	32	32	37881.60156	5506.601563	5506.601563	1.371429
6933	012	15133	0.35	0	0	65	100	3	35	35	45399	45399	RH-1	40	form-based		true	true	0.7	32	0.914285719	32	32	42372.39844	42372.39844	42372.39844	0.933333
6933	032	6131	0.14	8800	0	85	140	4	20	20	24524	15724	NCT-OCEA	85	form-based		true	true	0.75	32	1.600000024	32	32	36786	27986	27986	1.5
7203	002	6201	0.14	3372	1	65	100	3	14	13	18603	15231	RTO-C	85	form-based			true	0.75	33	2.357142925	32	27	37206	33834	33834	2
7203	002A	6199	0.14	2742	1	65	100	3	14	13	18597	15855	RTO-C	85	form-based			true	0.75	33	2.357142925	32	27	37194	34452	34452	2
7203	003	6198	0.14	3483	1	65	100	3	14	13	18594	15111	RTO-C	85	form-based			true	0.75	33	2.357142925	32	27	37188	33705	33705	2
7203	003A	6197	0.14	2828	1	65	100	3	14	13	18591	15763	RTO-C	85	form-based			true	0.75	33	2.357142925	32	27	37182	34354	34354	2
7203	004	6195	0.14	2367	1	65	100	3	14	13	18585	16218	RTO-C	85	form-based			true	0.75	33	2.357142925	32	27	37170	34803	34803	2
7203	004A	6194	0.14	2407	1	65	100	3	14	13	18582	16175	RTO-C	85	form-based			true	0.75	33	2.357142925	32	27	37164	34757	34757	2
7203	005	6192	0.14	3573	1	65	100	3	14	13	18576	15003	RTO-C	85	form-based			true	0.75	33	2.357142925	32	27	37152	33579	33579	2
7203	005A	6191	0.14	2490	1	65	100	3	14	13	18573	16083	RTO-C	85	form-based			true	0.75	33	2.357142925	32	27	37146	34656	34656	2
7226	017	6074	0.14	6852	0	85	140	4	20	20	24296	17444	NCD-LAKES	85	form-based			true	0.75	32	1.600000024	32	32	36444	29592	29592	1.5
0028	003	7781	0.18	9047	0	65	100	3	18	18	23343	14296	C-2	65	form-based		true	true	0.8	31	1.722222209	31	31	37348.80078	28301.80078	28301.80078	1.6
0067	041	15811	0.36	9500	2	55	80	2.5	29	27	39528	30028	RH-1	40	form-based			true	0.7	33	1.137930989	31	31	44270.80078	34770.80078	34770.80078	1.119986
0095	049	10949	0.25	3045	0	65	100	3	25	25	32847	29802	RH-3	50	form-based			true	0.7	31	1.24000001	31	31	38321.5	35276.5	35276.5	1.166667
0166	007	5542	0.13	6500	0	65	100	3	13	13	16626	10126	C-2	84	form-base	800			0.8	31	2.384615421	31	26	35468.80078	28968.80078	26752	2.133333
0173	003	5500	0.13	10540	0	65	100	3	13	13	16500	5960	C-2	84	form-base	800			0.8	31	2.384615421	31	26	35200	24660	22460	2.133333
0241	018	6255	0.14	10728	0	65	100	3	14	14	18765	8037	CCB	50	density-lim	200			0.75	31	2.214285612	31	28	23456.25	12728.25	12728.25	1.25
0250	007	4750	0.11	11760	12	65	100	3	11	0	14250	2490	RTO-C	140	form-based			true	0.75	43	3.909090996	31	10	42750	30990	16740	3
0299	003	6252	0.14	5500	0	65	100	3	14	14	18756	13256	RC-4	80	density-lim	200	true		0.75	31	2.214285612	31	28	37512	32012	32012	2
0306	012	3450	0.08	27600	0	85	140	4	11	11	13800	0	C-3-G	130	form-based		true		0.8	31	2.818181753	31	22	31050	3450	0	2.25
0309	017	3438	0.08	24331	0	75	120	3.5	10	10	12033	0	C-3-R	130	form-based				0.8	31	3.099999905	31	20	30942	6611	0	2.571429
0310	022	3409	0.08	18130	0	85	140	4	11	11	13636	0	C-3-R	130	form-based				0.8	31	2.818181753	31	22	30681	12551	9142	2.25
0331	015	6125	0.14	7995	0	75	120	3.5	17	17	21438	13443	RC-4	130	density-lim	200			0.75	31	1.823529363	31	31	55125	47130	34881	2.571369
0332	005	6875	0.16	45775	3	75	120	3.5	19	16	24062	0	RC-4	80	density-lim	200			0.75	34	1.789473653	31	31	41250	0	0	1.714321
0333	021	6783	0.16	21076	3	65	100	3	16	13	20349	0	RC-4	80	density-lim	200			0.75	34	2.125	31	29	40698	19622	19622	2
0339	013	6181	0.14	16793	0	65	100	3	14	14	18543	1750	RC-4	120	density-lim	200			0.75	31	2.214285612	31	28	55629	38836	20293	3
0340	012	6261	0.14	23939	0	75	120	3.5	17	17	21914	0	RC-4	120	density-lim	200	true		0.75	31	1.823529363	31	31	56349	32410	19889	2.57137
0351	051	5600	0.13	41100	0	85	140	4	18	18	22400	0	C-3-G	80	form-based				0.8	31	1.722222209	31	31	35840	0	0	1.6
0498	012	3850	0.09	3680	4	65	100	3	9	5	11550	7870	RC-3	140	form-based			true	0.75	35	3.888888836	31	14	34650	30970	19420	3
0501	038	18170	0.42	900	33	65	100	3	42	9	54510	53610	RM-2	65	form-based		true	true	0.7	64	1.523809552	31	31	76314	75414	75414	1.4
0506	042	3409	0.08	3438	0	55	80	2.5	6	6	8522	5084	NC-3	140	form-based			true	0.75	31	5.166666508	31	12	30681	27243	13606	3.600211
0522	003	5156	0.12	11721	15	65	100	3	12	0	15468	3747	RTO-C	140	form-based			true	0.75	46	3.833333254	31	9	46404	34683	19215	3
0523	014D	3841	0.09	4000	4	65	100	3	9	5	11523	7523	RC-3	140	form-based			true	0.75	35	3.888888836	31	14	34569	30569	19046	3
0547	005	4428	0.1	13444	9	65	100	3	10	1	13284	0	NCD-POLK	140	form-based			true	0.75	40	4	31	11	39852	26408	13124	3
0547	014	4750	0.11	8340	12	85	140	4	15	3	19000	10660	RC-3	140	form-based		true	true	0.75	43	2.866666555	31	18	42750	34410	29660	2.25
0555	031	4159	0.1	8028	6	55	80	2.5	8	2	10398	2370	RTO-C	105	form-based			true	0.75	37	4.625	31	10	37431	29403	12768	3.599827
0569	008	3438	0.08	3728	0	65	100	3	8	8	10314	6586	RTO-C	140	form-based			true	0.75	31	3.875	31	16	30942	27214	16900	3
0570	005	3741	0.09	4688	3	85	140	4	13	10	14964	10276	RC-3	240	form-based			true	0.75	34	2.615384579	31	23	33669	28981	25240	2.25
0571	014	3438	0.08	0	0	85	140	4	11	11	13752	13752	RTO-C	240	form-based			true	0.75	31	2.818181753	31	22	30942	30942	27504	2.25
0577	001B	3520	0.08	3670	1	65	100	3	8	7	10560	6890	RTO-C	140	form-based			true	0.75	32	4	31	15	31680	28010	17450	3
0577	054	3832	0.09	2262	3	65	100	3	9	6	11496	9234	RTO-C	140	form-based			true	0.75	34	3.777777672	31	15	34488	32226	20730	3
0579	002	3518	0.08	4476	1	55	80	2.5	6	5	8795	4319	RTO-C	105	form-based			true	0.75	32	5.333333492	31	11	31662	27186	13114	3.6
0593	001G	5077	0.12	12375	15	65	100	3	12	0	15231	2856	RTO-C	140	form-based			true	0.75	46	3.833333254	31	9	45693	33318	18087	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0622	017	4479	0.1	9594	9	65	100	3	10	1	13437	3843	NCD-POLK	120	form-based			true	0.75	40	4	31	11	40311	30717	17280	3
0623	001D	5194	0.12	13760	16	85	140	4	17	1	20776	7016	RTO-C	240	form-based			true	0.75	47	2.764705896	31	18	46746	32986	27792	2.25
0638	004	9419	0.22	20022	18	55	80	2.5	18	0	23548	3526	RTO-C	85	form-based			true	0.75	49	2.722222328	31	18	56514	36492	27074	2.399949
0642	013	4514	0.1	981	10	65	100	3	10	0	13542	12561	RTO-C	240	form-based			true	0.75	41	4.099999905	31	10	40626	39645	26103	3
0666	013	3435	0.08	10090	0	65	100	3	8	8	10305	215	NC-3	350	form-based		true	true	0.75	31	3.875	31	16	30915	20825	10520	3
0670	023	3400	0.08	3712	0	65	100	3	8	8	10200	6488	RC-4	240	form-based			true	0.75	31	3.875	31	16	30600	26888	16688	3
0692	012	9515	0.22	33725	55	65	100	3	22	0	28545	0	NCD-POLK	240	form-based		true	true	0.75	86	3.909090996	31	0	85635	51910	23365	3
0711	012	12513	0.29	30692	0	85	140	4	41	41	50052	19360	RM-3	160	density-lin	400	true		0.75	31	0.756097555	31	31	155693.25	125001.25	69412	3.11063
0718	022	6540	0.15	798	28	65	100	3	15	0	19620	18822	RC-4	500	form-based		true	true	0.75	59	3.933333397	31	2	58860	58062	38442	3
0720	035	6191	0.14	0	0	65	100	3	14	14	18573	18573	RM-4	240	density-lin	200			0.75	31	2.214285612	31	28	55719	55719	37146	3
0738	007	7200	0.17	13976	34	65	100	3	17	0	21600	7624	RC-4	350	form-based			true	0.75	65	3.823529482	31	0	64800	50824	29224	3
0833	019	10420	0.24	11432	0	65	100	3	24	24	31260	19828	NCT-HAYE	50	form-based				0.75	31	1.291666627	31	31	39075	27643	27643	1.25
0848	004	12315	0.28	29410	15	65	100	3	28	13	36945	7535	NCD-LOWI	65	form-based		true	true	0.75	46	1.642857194	31	31	55417.5	26007.5	26007.5	1.5
1025	004	5830	0.13	11660	0	85	140	4	18	18	23320	11660	NC-2	85	form-based			true	0.75	31	1.722222209	31	31	34980	23320	23320	1.5
1036	049	13728	0.32	1235	0	55	80	2.5	26	26	34320	33085	NC-S	40	form-based			true	0.75	31	1.192307711	31	31	41184	39949	39949	1.2
1063	026	5835	0.13	12785	0	85	140	4	18	18	23340	10555	NCD-GEAR	85	form-based		true	true	0.75	31	1.722222209	31	31	35010	22225	22225	1.5
1089	026	5823	0.13	384	0	65	100	3	13	13	17469	17085	NCD-GEAR	85	form-based		true	true	0.75	31	2.384615421	31	26	34938	34554	34554	2
1235	041	12998	0.3	1337	18	55	80	2.5	24	6	32495	31158	RTO-C	65	form-based		true	true	0.75	49	2.041666746	31	30	58491	57154	57154	1.8
1307	002D	14589	0.33	0	0	55	80	2.5	26	26	36472	36472	RH-1(D)	40	form-based			true	0.7	31	1.192307711	31	31	40849.19922	40849.19922	40849.19922	1.120015
1307	004	15019	0.34	3712	1	55	80	2.5	27	26	37548	33836	RH-1(D)	40	form-based			true	0.7	32	1.185185194	31	31	42053.19922	38341.19922	38341.19922	1.119985
1355	010	15261	0.35	8180	1	55	80	2.5	28	27	38152	29972	RH-1(D)	40	form-based			true	0.7	32	1.142857194	31	31	42730.80078	34550.80078	34550.80078	1.120015
1408	001	8368	0.19	2184	0	65	100	3	19	19	25104	22920	NC-1	65	form-based		true	true	0.75	31	1.631578922	31	31	37656	35472	35472	1.5
1434	018	3437	0.08	0	0	85	140	4	11	11	13748	13748	NCD-GEAR	140	form-based			true	0.75	31	2.818181753	31	22	30933	30933	27496	2.25
1449	025	14874	0.34	5723	0	65	100	3	34	34	44622	38899	RH-2	40	form-based			true	0.7	31	0.911764681	31	31	41647.19922	35924.19922	35924.19922	0.933333
1451	020	5932	0.14	4460	0	85	140	4	20	20	23728	19268	NCD-GEAR	85	form-based			true	0.75	31	1.549999952	31	31	35592	31132	31132	1.5
1526	002	5925	0.14	0	0	65	100	3	14	14	17775	17775	NCD-GEAR	85	form-based			true	0.75	31	2.214285612	31	28	35550	35550	35550	2
1538	031	5875	0.13	5750	0	85	140	4	18	18	23500	17750	NCD-GEAR	85	form-based		true	true	0.75	31	1.722222209	31	31	35250	29500	29500	1.5
1741	051	5816	0.13	5801	0	65	100	3	13	13	17448	11647	NCD-INNE	85	form-based		true	true	0.75	31	2.384615421	31	26	34896	29095	29095	2
1778	001	5825	0.13	11500	0	65	100	3	13	13	17475	5975	NCD-IRVIN	85	form-based		true	true	0.75	31	2.384615421	31	26	34950	23450	23450	2
1865	007	5917	0.14	0	0	65	100	3	14	14	17751	17751	RTO-C	85	form-based			true	0.75	31	2.214285612	31	28	35502	35502	35502	2
2139	025	14587	0.33	13200	0	55	80	2.5	26	26	36468	23268	RH-1	40	form-based		true	true	0.7	31	1.192307711	31	31	40843.59766	27643.59766	27643.59766	1.119985
2198	001	5956	0.14	0	0	55	80	2.5	11	11	14890	14890	RTO-C	85	form-based		true	true	0.75	31	2.818181753	31	22	35736	35736	29780	2.4
2382	015	8115	0.19	6808	12	85	140	4	27	15	32460	25652	RTO-C	85	form-based			true	0.75	43	1.592592597	31	31	48690	41882	41882	1.5
2879	001	5844	0.13	5590	0	65	100	3	13	13	17532	11942	RTO-C	85	form-based		true	true	0.75	31	2.384615421	31	26	35064	29474	29474	2
2973A	043	15194	0.35	3390	1	55	80	2.5	28	27	37985	34595	RH-1(D)	40	form-based		true	true	0.7	32	1.142857194	31	31	42543.19922	39153.19922	39153.19922	1.12
3078	038	15340	0.35	1700	1	55	80	2.5	28	27	38350	36650	RH-1(D)	40	form-based			true	0.7	32	1.142857194	31	31	42952	41252	41252	1.12
3502	141	10916	0.25	58838	2	65	100	3	25	23	32748	0	NCT-3	50	form-based				0.75	33	1.320000052	31	31	40935	0	0	1.25
3518	001	10363	0.24	10328	0	65	100	3	24	24	31089	20761	RCD	55	form-based		true		0.75	31	1.291666627	31	31	38861.25	28533.25	28533.25	1.25
3521	027	5932	0.14	15323	0	65	100	3	14	14	17796	2473	WMUG	85	form-based		true	true	0.75	31	2.214285612	31	28	35592	20269	20269	2
3555	018	10409	0.24	20400	0	85	140	4	34	34	41636	21236	NCT-VALE	55	form-based		true		0.75	31	0.911764681	31	31	39033.75	18633.75	18633.75	0.9375
3568	059	22011	0.51	47312	35	75	120	3.5	61	26	77038	29726	NCT-VALE	55	form-based		true		0.75	66	1.081967235	31	31	82541.25	35229.25	35229.25	1.071436
3704	003	3750	0.09	17790	3	75	120	3.5	11	8	13125	0	C-3-G	90	form-based		true		0.8	34	3.090909004	31	19	33750	15960	8460	2.571429
3722	026	3401	0.08	22132	0	75	120	3.5	10	10	11904	0	C-3-O(SD)	350	form-based				0.8	31	3.099999905	31	20	30609	8477	1676	2.571321
3725	081	5903	0.14	11502	0	85	140	4	20	20	23612	12110	NCT-SOMA	85	form-based		true		0.75	31	1.549999952	31	31	35418	23916	23916	1.5
3732	025	5852	0.13	8375	0	65	100	3	13	13	17556	9181	MUR	85	form-based				0.75	31	2.384615421	31	26	35112	26737	26737	2
3732	103	5903	0.14	6269	0	65	100	3	14	14	17709	11440	MUR	85	form-based				0.75	31	2.214285612	31	28	35418	29149	29149	2
3753	007	5888	0.14	0	0	65	100	3	14	14	17664	17664	MUR	85	form-based		true		0.75	31	2.214285612	31	28	35328	35328	35328	2
3754	078	9595	0.22	65581	19	65	100	3	22	3	28785	0	MUG	85	form-based				0.75	50	2.272727251	31	25	57570	0	0	2
3756	041	8214	0.19	9250	0	65	100	3	19	19	24642	15392	NCT-FOLS	65	form-based				0.75	31	1.631578922	31	31	36963	27713	27713	1.5
3763	009	5600	0.13	12900	0	65	100	3	13	13	16800	3900	CMUO	85	form-based				0.8	31	2.384615421	31	26	35840	22940	20700	2.133333
3774	063	8187	0.19	0	0	65	100	3	19	19	24561	24561	MUO	65	form-based				0.75	31	1.631578922	31	31	36841.5	36841.5	36841.5	1.5
3776	019	5615	0.13	22595	0	75	120	3.5	16	16	19652	0	CMUO	85	form-based		true		0.8	31	1.9375	31	31	35936	13341	13341	1.828618
4218	050	92121	2.11	0	0	65	100	3	211	211	276363	276363	RH-1	40	density-lin	3000	true		0.55	31	0.146919429	31	31	202666.2031	202666.2031	202666.2031	0.733333
6517	030	6963	0.16	8002	6	85	140	4	22	16	27852	19850	NCT-MISSI	85	form-based				0.75	37	1.681818128	31	31	41778	33776	33776	1.5
6517	039	5893	0.14	4841	0	95	160	4.5	22	22	26518	21677	NCT-MISSI	85	form-based		true		0.75	31	1.409090877	31	31	35358	30517	30517	1.333359
6571	025	14856	0.34	37166	25	65	100	3	34	9	44568	7402	NCT-MISSI	65	form-based				0.75	56	1.647058845	31	31	66852	29686	29686	1.5
6759	037	24292	0.56	1289	20	75	120	3.5	67	47	85022	83733	RH-2	40	form-based		true	true	0.7	51	0.76119405	31	31	68017.60156	66728.60156	66728.60156	0.8
6914	002	8433	0.19	2514	1	85	140	4	27	26	33732	31218	RTO-C	65	form-based			true	0.75	32	1.185185194	31	31	37948.5	35434.5	35434.5	1.125
6934	025	5943	0.14	5250	0	85	140	4	20	20	23772	18522	NCT-OCEA	85	form-based			true	0.75	31	1.549999952	31	31	35658	30408	30408	1.5
7203	006	6189	0.14	2587	1	65	100	3	14	13	18567	15980	RTO-C	85	form-based			true	0.75	32	2.285714388	31	27	37134	34547	34547	2
7219	001A	6185	0.14	3086	1	65	100	3	14	13	18555	15469	RTO-C	85	form-based			true	0.75	32	2.285714388	31	27	37110	34024	34024	2
7219	001B	6184	0.14	2608	1	65	100	3	14	13	18552	15944	RTO-C	85	form-based			true	0.75	32	2.285714388	31	27	37104	34496	34496	2
7219	002	6182	0.14	2045	1	65	100	3	14	13	18546	16501	RTO-C	85	form-based			true	0.75	32	2.285714388	31	27	37092	35047	35047	2
7219	002A	6181	0.14	2868	1	65	100	3	14	13	18543	15675	RTO-C	85	form-based			true	0.75	32	2.285714388	31	27	37086	34218	34218	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7219	003	6179	0.14	2506	1	65	100	3	14	13	18537	16031	RTO-C	85	form-based			true	0.75	32	2.285714388	31	27	37074	34568	34568	2
7219	003A	6178	0.14	3671	1	65	100	3	14	13	18534	14863	RTO-C	85	form-based			true	0.75	32	2.285714388	31	27	37068	33397	33397	2
7219	004	6176	0.14	2581	1	65	100	3	14	13	18528	15947	RTO-C	85	form-based			true	0.75	32	2.285714388	31	27	37056	34475	34475	2
7225	014A	5823	0.13	7072	0	65	100	3	13	13	17469	10397	NCD-LAKE	85	form-based			true	0.75	31	2.384615421	31	26	34938	27866	27866	2
7541	006	15404	0.35	2708	1	65	100	3	35	34	46212	43504	RH-1	40	form-based			true	0.7	32	0.914285719	31	31	43131.19922	40423.19922	40423.19922	0.933333
7543	026	14562	0.33	0	0	65	100	3	33	33	43686	43686	RM-1	40	form-based			true	0.7	31	0.939393938	31	31	40773.59766	40773.59766	40773.59766	0.933333
0037	003	12586	0.29	7800	0	85	140	4	41	41	50344	42544	C-2	40	form-base	800			0.8	30	0.731707335	30	30	40275.19922	32475.19922	32475.19922	0.8
0178	010	6093	0.14	20018	0	65	100	3	14	14	18279	0	CRNC	50	density-lin	200			0.75	30	2.142857075	30	28	22848.75	2830.75	2830.75	1.25
0215	030	13212	0.3	1140	20	55	80	2.5	24	4	33030	31890	RM-3	65	form-based		true	true	0.75	50	2.083333254	30	28	59454	58314	58314	1.8
0236	008	6307	0.14	18422	0	75	120	3.5	17	17	22074	3652	C-3-O	75	form-based				0.8	30	1.764705896	30	30	35319.19922	16897.19922	16897.19922	1.600036
0249	035	4149	0.1	1326	7	65	100	3	10	3	12447	11121	NCD-POLK	120	form-based			true	0.75	37	3.700000048	30	13	37341	36015	23568	3
0250	008	6708	0.15	16365	30	65	100	3	15	0	20124	3759	RTO-C	140	form-based			true	0.75	60	4	30	0	60372	44007	23883	3
0250	014	3716	0.09	5700	3	65	100	3	9	6	11148	5448	NCD-POLK	120	form-based			true	0.75	33	3.666666746	30	15	33444	27744	16596	3
0254	030	9061	0.21	37518	15	55	80	2.5	17	2	22652	0	RM-4	65	density-lin	200			0.75	45	2.647058725	30	19	40774.5	3256.5	3256.5	1.80004
0260	008	3360	0.08	21420	0	75	120	3.5	10	10	11760	0	C-3-O	150	form-based		true		0.8	30	3	30	20	30240	8820	2100	2.571429
0270	002	3368	0.08	23177	0	75	120	3.5	10	10	11788	0	C-3-O	130	form-based				0.8	30	3	30	20	30312	7135	399	2.571429
0278	016	4673	0.11	8414	12	65	100	3	11	0	14019	5605	RTO-C	140	form-based			true	0.75	42	3.818181753	30	10	42057	33643	19624	3
0280	026	5921	0.14	10456	0	65	100	3	14	14	17763	7307	RC-4	65	density-lin	200			0.75	30	2.142857075	30	28	26644.5	16188.5	16188.5	1.5
0296	007	3352	0.08	19170	0	65	100	3	8	8	10056	0	C-3-G	130	form-based				0.8	30	3.75	30	16	30168	10998	942	3
0329	002A	3375	0.08	14966	0	85	140	4	11	11	13500	0	C-3-R	130	form-based				0.8	30	2.727272749	30	22	30375	15409	12034	2.25
0334	031	13540	0.31	49880	38	65	100	3	31	0	40620	0	RC-4	80	density-lin	200			0.75	68	2.193548441	30	24	81240	31360	31360	2
0341	007	3375	0.08	12375	0	75	120	3.5	10	10	11812	0	C-3-G	110	form-based				0.8	30	3	30	20	30375	18000	11249	2.571537
0459	032	13178	0.3	3688	0	55	80	2.5	24	24	32945	29257	NC-2	40	form-based			true	0.75	30	1.25	30	30	39534	35846	35846	1.2
0497	006C	3798	0.09	4100	4	65	100	3	9	5	11394	7294	NC-3	140	form-based			true	0.75	34	3.777777672	30	14	34182	30082	18688	3
0497	006D	3798	0.09	4100	4	65	100	3	9	5	11394	7294	NC-3	140	form-based			true	0.75	34	3.777777672	30	14	34182	30082	18688	3
0523	013	11422	0.26	51660	73	65	100	3	26	0	34266	0	RM-3	140	form-based			true	0.75	103	3.961538553	30	0	102798	51138	16872	3
0532	009	7949	0.18	11191	0	55	80	2.5	14	14	19872	8681	NCD-UNIO	65	form-based			true	0.75	30	2.142857075	30	28	35770.5	24579.5	24579.5	1.800045
0550	026	4076	0.09	7360	7	65	100	3	9	2	12228	4868	RC-3	240	form-based			true	0.75	37	4.111111164	30	11	36684	29324	17096	3
0551	035	5520	0.13	17701	20	85	140	4	18	0	22080	4379	RC-3	240	form-based			true	0.75	50	2.777777672	30	16	49680	31979	26459	2.25
0555	008	3450	0.08	4500	1	55	80	2.5	6	5	8625	4125	RTO-C	105	form-based			true	0.75	31	5.166666508	30	11	31050	26550	12750	3.6
0567	008	3500	0.08	2460	2	55	80	2.5	6	4	8750	6290	RTO-C	140	form-based			true	0.75	32	5.333333492	30	10	31500	29040	15040	3.6
0568	008	3713	0.09	4734	3	65	100	3	9	6	11139	6405	RTO-C	140	form-based			true	0.75	33	3.666666746	30	15	33417	28683	17544	3
0570	002	3366	0.08	5790	0	85	140	4	11	11	13464	7674	RC-3	240	form-based			true	0.75	30	2.727272749	30	22	30294	24504	21138	2.25
0570	004	3304	0.08	3474	0	85	140	4	11	11	13216	9742	RC-3	240	form-based			true	0.75	30	2.727272749	30	22	29736	26262	22958	2.25
0575	004	5969	0.14	14571	24	85	140	4	20	0	23876	9305	RTO-C	350	form-based			true	0.75	54	2.700000048	30	16	53721	39150	33181	2.25
0575	005	3831	0.09	2883	4	65	100	3	9	5	11493	8610	RTO-C	350	form-based			true	0.75	34	3.777777672	30	14	34479	31596	20103	3
0576	066	4209	0.1	1825	8	65	100	3	10	2	12627	10802	RTO-C	140	form-based		true	true	0.75	38	3.799999952	30	12	37881	36056	23429	3
0577	009	3485	0.08	2130	1	55	80	2.5	6	5	8712	6582	RTO-C	140	form-based			true	0.75	31	5.166666508	30	11	31365	29235	15294	3.600207
0598	010B	3326	0.08	3130	0	85	140	4	11	11	13304	10174	RC-4	350	form-based			true	0.75	30	2.727272749	30	22	29934	26804	23478	2.25
0611	001A	7969	0.18	18911	0	65	100	3	18	18	23907	4996	NCD-UPPE	65	form-based			true	0.75	30	1.666666627	30	30	35860.5	16949.5	16949.5	1.5
0623	001	8928	0.2	47390	50	85	140	4	28	0	35712	0	RC-4	350	form-based		true	true	0.75	80	2.857142925	30	6	80352	32962	24034	2.25
0623	001C	5112	0.12	13760	16	85	140	4	17	1	20448	6688	RTO-C	350	form-based			true	0.75	46	2.705882311	30	18	46008	32248	27136	2.25
0624	020	8300	0.19	1400	45	65	100	3	19	0	24900	23500	RTO-C	140	form-based			true	0.75	75	3.947368383	30	0	74700	73300	48400	3
0638	009	9859	0.23	13841	22	55	80	2.5	18	0	24648	10807	RTO-C	85	form-based		true	true	0.75	52	2.888888836	30	14	59154	45313	35455	2.399951
0639	046	6875	0.16	1595	6	55	80	2.5	13	7	17188	15593	RTO-C	85	form-based			true	0.75	36	2.769230843	30	20	41250	39655	32781	2.39993
0643	007	3281	0.08	4890	0	65	100	3	8	8	9843	4953	NCD-POLK	120	form-based			true	0.75	30	3.75	30	16	29529	24639	14796	3
0645	015	3380	0.08	0	0	65	100	3	8	8	10140	10140	NCD-POLK	120	form-based			true	0.75	30	3.75	30	16	30420	30420	20280	3
0657	036	14341	0.33	20000	0	65	100	3	33	33	43023	23023	RH-2	40	form-based			true	0.7	30	0.909090936	30	30	40154.80078	20154.80078	20154.80078	0.933333
0665	039	4163	0.1	580	7	65	100	3	10	3	12489	11909	NC-3	350	form-based		true	true	0.75	37	3.700000048	30	13	37467	36887	24398	3
0668	004A	3337	0.08	11904	0	65	100	3	8	8	10011	0	NCD-POLK	240	form-based		true	true	0.75	30	3.75	30	16	30033	18129	8118	3
0668	014	6909	0.16	32083	32	65	100	3	16	0	20727	0	NCD-POLK	240	form-based		true	true	0.75	62	3.875	30	0	62181	30098	9371	3
0670	004	3300	0.08	9000	0	65	100	3	8	8	9900	900	NCD-POLK	240	form-based		true	true	0.75	30	3.75	30	16	29700	20700	10800	3
0670	009	3285	0.08	6570	0	65	100	3	8	8	9855	3285	RC-4	240	form-based			true	0.75	30	3.75	30	16	29565	22995	13140	3
0670	016	3345	0.08	3360	0	85	140	4	11	11	13380	10020	RC-4	350	form-based			true	0.75	30	2.727272749	30	22	30105	26745	23400	2.25
0675	042	12094	0.28	14035	0	65	100	3	28	28	36282	22247	RM-3	50	density-lin	400	true		0.75	30	1.071428537	30	30	45352.5	31317.5	31317.5	1.25
0690	012A	3305	0.08	5580	0	85	140	4	11	11	13220	7640	NC-3	500	form-based			true	0.75	30	2.727272749	30	22	29745	24165	20860	2.25
0717	002	5950	0.14	6400	0	85	140	4	20	20	23800	17400	RC-4	80	density-lin	200	true		0.75	30	1.5	30	30	35700	29300	29300	1.5
0718	009	3300	0.08	3300	0	65	100	3	8	8	9900	6600	RC-4	500	form-based			true	0.75	30	3.75	30	16	29700	26400	16500	3
0718	018	3300	0.08	0	0	65	100	3	8	8	9900	9900	RC-4	500	form-based			true	0.75	30	3.75	30	16	29700	29700	19800	3
0732	001	3356	0.08	8800	0	65	100	3	8	8	10068	1268	NCT-FILLM	130	form-based				0.75	30	3.75	30	16	30204	21404	11336	3
0741	003	6016	0.14	0	0	65	100	3	14	14	18048	18048	RC-4	80	density-lin	200			0.75	30	2.142857075	30	28	36096	36096	36096	2
0742	010	4713	0.11	12283	12	85	140	4	15	3	18852	6569	RC-4	300	form-based			true	0.75	42	2.799999952	30	18	42417	30134	25421	2.25
0756	016	9925	0.23	0	0	55	80	2.5	18	18	24812	24812	NCT-FILLM	50	form-based				0.75	30	1.666666627	30	30	37218.75	37218.75	37218.75	1.50003
0778	013	23775	0.55	44834	0	55	80	2.5	44	44	59438	14604	RM-1	40	density-lin	800	true		0.7	30	0.681818187	30	30	66570	21736	21736	1.119991

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1018	020	7976	0.18	5040	0	55	80	2.5	14	14	19940	14900	NCD-SACR	65	form-based			true	0.75	30	2.142857075	30	28	35892	30852	30852	1.8
1028	006	7013	0.16	12374	7	65	100	3	16	9	21039	8665	NC-2	85	form-based		true	true	0.75	37	2.3125	30	25	42078	29704	29704	2
1051	016	3281	0.08	9186	0	65	100	3	8	8	9843	657	NC-3	140	form-based		true	true	0.75	30	3.75	30	16	29529	20343	10500	3
1067	052	6179	0.14	3723	2	65	100	3	14	12	18537	14814	NCD-GEAR	85	form-based			true	0.75	32	2.285714388	30	26	37074	33351	33351	2
1078	001	3292	0.08	12390	0	65	100	3	8	8	9876	0	NC-3	240	form-based		true	true	0.75	30	3.75	30	16	29628	17238	7362	3
1081	015	3781	0.09	5835	4	65	100	3	9	5	11343	5508	RTO-C	140	form-based			true	0.75	34	3.777777672	30	14	34029	28194	16851	3
1153	003	6250	0.14	5137	3	55	80	2.5	11	8	15625	10488	NCT-DIVIS	85	form-based			true	0.75	33	3	30	19	37500	32363	26113	2.4
1229	039	16497	0.38	859	32	55	80	2.5	30	0	41242	40383	NCD-HAIG	65	form-based			true	0.75	62	2.066666603	30	28	74236.5	73377.5	73377.5	1.800022
1232	004	8105	0.19	11160	0	55	80	2.5	15	15	20262	9102	NCD-HAIG	65	form-based		true	true	0.75	30	2	30	30	36472.5	25312.5	25312.5	1.800044
1307	001W	14804	0.34	6854	1	55	80	2.5	27	26	37010	30156	RH-1(D)	40	form-based			true	0.7	31	1.148148179	30	30	41451.19922	34597.19922	34597.19922	1.12
1338	022	14755	0.34	0	1	55	80	2.5	27	26	36888	36888	RH-1	40	form-based			true	0.7	31	1.148148179	30	30	41314	41314	41314	1.119985
1435	014	5950	0.14	7140	1	85	140	4	20	19	23800	16660	NCD-GEAR	85	form-based			true	0.75	31	1.549999952	30	30	35700	28560	28560	1.5
1437	046	5750	0.13	2824	0	85	140	4	18	18	23000	20176	NCD-GEAR	85	form-based		true	true	0.75	30	1.666666627	30	30	34500	31676	31676	1.5
1438	020	5760	0.13	215	0	85	140	4	18	18	23040	22825	NCD-GEAR	85	form-based		true	true	0.75	30	1.666666627	30	30	34560	34345	34345	1.5
1457	069	5744	0.13	5764	0	85	140	4	18	18	22976	17212	NCD-GEAR	85	form-based		true	true	0.75	30	1.666666627	30	30	34464	28700	28700	1.5
1458	036	7938	0.18	16000	0	65	100	3	18	18	23814	7814	NCD-OUTE	65	form-based			true	0.75	30	1.666666627	30	30	35721	19721	19721	1.5
1726	018	5750	0.13	7574	0	65	100	3	13	13	17250	9676	NCD-IRVIN	85	form-based		true	true	0.75	30	2.307692289	30	26	34500	26926	26926	2
1774	046	3750	0.09	5120	4	65	100	3	9	5	11250	6130	NCD-IRVIN	105	form-based			true	0.75	34	3.777777672	30	14	33750	28630	17380	3
1778	040	5760	0.13	5301	0	65	100	3	13	13	17280	11979	NCD-IRVIN	85	form-based		true	true	0.75	30	2.307692289	30	26	34560	29259	29259	2
1783	013	8088	0.19	14436	12	85	140	4	27	15	32352	17916	NC-1	85	form-based		true	true	0.75	42	1.555555582	30	30	48528	34092	34092	1.5
1844	001	5803	0.13	17250	0	85	140	4	18	18	23212	5962	NCD-INNE	85	form-based		true	true	0.75	30	1.666666627	30	30	34818	17568	17568	1.5
1845	042	5750	0.13	5250	0	85	140	4	18	18	23000	17750	NCD-INNE	85	form-based		true	true	0.75	30	1.666666627	30	30	34500	29250	29250	1.5
2028	013	5627	0.13	4200	0	55	80	2.5	10	10	14068	9868	NCD-NORI	85	form-based			true	0.75	30	3	30	20	33762	29562	23936	2.399915
2361	014	5789	0.13	0	0	85	140	4	18	18	23156	23156	NCD-TARA	85	form-based		true	true	0.75	30	1.666666627	30	30	34734	34734	34734	1.5
2403	001	5760	0.13	5750	0	85	140	4	18	18	23040	17290	NCD-TARA	85	form-based		true	true	0.75	30	1.666666627	30	30	34560	28810	28810	1.5
2647	012	5785	0.13	11506	0	65	100	3	13	13	17355	5849	NCD-CAST	85	form-based			true	0.75	30	2.307692289	30	26	34710	23204	23204	2
2841	004	5870	0.13	1645	1	65	100	3	13	12	17610	15965	RTO-C	85	form-based			true	0.75	31	2.384615421	30	25	35220	33575	33575	2
2988A	031	5701	0.13	5793	0	65	100	3	13	13	17103	11310	NCD-WEST	85	form-based			true	0.75	30	2.307692289	30	26	34206	28413	28413	2
2989B	017	5807	0.13	4982	0	85	140	4	18	18	23228	18246	NCD-WEST	85	form-based			true	0.75	30	1.666666627	30	30	34842	29860	29860	1.5
2989B	031	5666	0.13	3952	0	65	100	3	13	13	16998	13046	NCD-WEST	85	form-based			true	0.75	30	2.307692289	30	26	33996	30044	30044	2
3014	004	5901	0.14	3480	1	65	100	3	14	13	17703	14223	RTO-C	85	form-based			true	0.75	31	2.214285612	30	27	35406	31926	31926	2
3069	020	14821	0.34	3736	1	85	140	4	48	47	59284	55548	RH-1(D)	40	form-based			true	0.7	31	0.645833313	30	30	41498.80078	37762.80078	37762.80078	0.7
3078	037	14209	0.33	4930	0	55	80	2.5	26	26	35522	30592	RH-1(D)	40	form-based			true	0.7	30	1.153846145	30	30	39785.19922	34855.19922	34855.19922	1.120016
3509	019	3283	0.08	3288	0	85	140	4	11	11	13132	9844	C-3-G	160	form-based				0.8	30	2.727272749	30	22	29547	26259	22976	2.25
3516	001	5767	0.13	7905	0	65	100	3	13	13	17301	9396	WMUG	85	form-based		true	true	0.75	30	2.307692289	30	26	34602	26697	26697	2
3518	018	9915	0.23	20541	0	65	100	3	23	23	29745	9204	RCD	55	form-based				0.75	30	1.304347873	30	30	37181.25	16640.25	16640.25	1.25
3522	038	5668	0.13	5165	0	65	100	3	13	13	17004	11839	WMUG	85	form-based		true	true	0.75	30	2.307692289	30	26	34008	28843	28843	2
3555	057	9966	0.23	10470	0	75	120	3.5	28	28	34881	24411	NCT-VALEI	55	form-based				0.75	30	1.071428537	30	30	37372.5	26902.5	26902.5	1.071429
3617	085	10114	0.23	11004	0	65	100	3	23	23	30342	19338	NCT-VALEI	55	form-based		true		0.75	30	1.304347873	30	30	37927.5	26923.5	26923.5	1.25
3636	048	10051	0.23	8873	0	85	140	4	32	32	40204	31331	NCT-MISSI	55	form-based		true		0.75	30	0.9375	30	30	37691.25	28818.25	28818.25	0.9375
3703	002	3538	0.08	16812	2	85	140	4	11	9	14152	0	C-3-G	120	form-based				0.8	32	2.909090996	30	20	31842	15030	11492	2.25
3708	009	3300	0.08	19800	0	75	120	3.5	10	10	11550	0	C-3-O(SD)	550	form-based		true		0.8	30	3	30	20	29700	9900	3300	2.571429
3721	016	3352	0.08	0	0	75	120	3.5	10	10	11732	11732	C-3-O(SD)	750	form-based				0.8	30	3	30	20	30168	30168	23464	2.571429
3721	052	3360	0.08	13445	0	75	120	3.5	10	10	11760	0	C-3-O(SD)	500	form-based				0.8	30	3	30	20	30240	16795	10075	2.571429
3724	073	3316	0.08	0	0	75	120	3.5	10	10	11606	11606	C-3-S	320	form-based				0.8	30	3	30	20	29844	29844	23212	2.571429
3727	120	7962	0.18	32000	0	85	140	4	25	25	31848	0	MUO	65	form-based		true		0.75	30	1.200000048	30	30	35829	3829	3829	1.125
3728	001	8120	0.19	0	0	85	140	4	27	27	32480	32480	MUO	65	form-based		true		0.75	30	1.111111164	30	30	36540	36540	36540	1.125
3729	002	10162	0.23	12102	0	65	100	3	23	23	30486	18384	WMUG	55	form-based				0.75	30	1.304347873	30	30	38107.5	26005.5	26005.5	1.25
3731	031	8041	0.18	7200	0	65	100	3	18	18	24123	16923	MUG	65	form-based				0.75	30	1.666666627	30	30	36184.5	28984.5	28984.5	1.5
3732	111	5768	0.13	836	0	65	100	3	13	13	17304	16468	MUR	85	form-based				0.75	30	2.307692289	30	26	34608	33772	33772	2
3732	122	5621	0.13	14598	0	65	100	3	13	13	16863	2265	NCT-SOMA	85	form-based		true		0.75	30	2.307692289	30	26	33726	19128	19128	2
3735	042	3360	0.08	6720	0	75	120	3.5	10	10	11760	5040	C-3-O(SD)	250	form-based		true		0.8	30	3	30	20	30240	23520	16800	2.571429
3753	056	7940	0.18	10500	0	65	100	3	18	18	23820	13320	MUR	65	form-based				0.75	30	1.666666627	30	30	35730	25230	25230	1.5
3755	029	9946	0.23	21522	0	65	100	3	23	23	29838	8316	WMUG	55	form-based		true		0.75	30	1.304347873	30	30	37297.5	15775.5	15775.5	1.25
3756	010	9884	0.23	30000	0	65	100	3	23	23	29652	0	RCD	55	form-based				0.75	30	1.304347873	30	30	37065	7065	7065	1.25
3776	114	5320	0.12	21698	0	75	120	3.5	14	14	18620	0	CMUO	85	form-based		true		0.8	30	2.142857075	30	28	34048	12350	12350	1.828571
3780	004F	7897	0.18	12000	0	85	140	4	25	25	31588	19588	UMU	68	form-based				0.75	30	1.200000048	30	30	35536.5	23536.5	23536.5	1.125
3780	069	13277	0.3	8485	0	65	100	3	30	30	39831	31346	UMU	48	form-based				0.75	30	1	30	30	39831	31346	31346	1
3788	023	7546	0.17	7562	0	65	100	3	17	17	22638	15076	CMUO	65	form-based				0.8	30	1.764705896	30	30	36220.80078	28658.80078	28658.80078	1.6
3985	001	13416	0.31	0	0	65	100	3	31	31	40248	40248	UMU	48	form-based		true		0.75	30	0.967741907	30	30	40248	40248	40248	1
3996	012	9987	0.23	10000	0	65	100	3	23	23	29961	19961	UMU	50	form-based				0.75	30	1.304347873	30	30	37451.25	27451.25	27451.25	1.25
3996	014	9985	0.23	11840	0	65	100	3	23	23	29955	18115	UMU	58	form-based				0.75	30	1.304347873	30	30	37443.75	25603.75	25603.75	1.25
3996	017	10000	0.23	13300	0	65	100	3	23	23	30000	16700	UMU	50	form-based				0.75	30	1.304347873	30	30	37500	24200	24200	1.25
3996	018	10000	0.23	13300	0	65	100	3	23	23	30000	16700	UMU	50	form-based		true		0.75	30	1.304347873	30	30	37500	24200	24200	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4005	006	13309	0.31	50196	0	65	100	3	31	31	39927	0	UMU	40	form-based		true		0.75	30	0.967741907	30	30	39927	0	0	1
4059	001	8000	0.18	12983	0	65	100	3	18	18	24000	11017	UMU	68	form-based		true		0.75	30	1.666666627	30	30	36000	23017	23017	1.5
4059	001C	8000	0.18	5600	0	65	100	3	18	18	24000	18400	UMU	68	form-based				0.75	30	1.666666627	30	30	36000	30400	30400	1.5
5615	099	48024	1.1	16888	50	65	100	3	110	60	144072	127184	NCD-MISSI	40	density-lim	600			0.55	80	0.727272749	30	30	105652.8047	88764.80469	88764.80469	0.733333
6517	025	5752	0.13	8200	0	75	120	3.5	16	16	20132	11932	NCT-MISSI	80	form-based				0.75	30	1.875	30	30	34512	26312	26312	1.714286
6596	001	18057	0.41	9095	0	85	140	4	57	57	72228	63133	NCD-MISSI	40	density-lim	600			0.75	30	0.526315808	30	30	54171	45076	45076	0.75
6603	057	29462	0.68	30792	32	55	80	2.5	54	22	73655	42863	RM-1	40	form-based		true	true	0.7	62	1.148148179	30	30	82493.60156	51701.60156	51701.60156	1.12
6946	057	9092	0.21	11604	18	85	140	4	29	11	36368	24764	NCT-OCEA	85	form-based			true	0.75	48	1.655172467	30	30	54552	42948	42948	1.5
0030	011A	5156	0.12	0	0	65	100	3	12	12	15468	15468	C-2	85	form-based			true	0.8	29	2.416666746	29	24	32998.40234	32998.40234	30936	2.133333
0036	001	12242	0.28	7839	0	65	100	3	28	28	36726	28887	C-2	40	form-base	800			0.8	29	1.035714269	29	29	39174.40234	31335.40234	31335.40234	1.066667
0208	008	6498	0.15	27578	3	65	100	3	15	12	19494	0	CCB	65	density-lim	200			0.75	32	2.133333445	29	27	29241	1663	1663	1.5
0208	009	5845	0.13	11623	0	65	100	3	13	13	17535	5912	CCB	65	density-lim	200			0.75	29	2.230769157	29	26	26302.5	14679.5	14679.5	1.5
0228	024	6132	0.14	65966	0	65	100	3	14	14	18396	0	C-3-O	75	form-based		true		0.8	29	2.071428537	29	28	34339.19922	0	0	1.866667
0235	001	3264	0.07	7809	0	85	140	4	10	10	13056	5247	C-3-O	300	form-based		true		0.8	29	2.900000095	29	20	29376	21567	18303	2.25
0249	014	4605	0.11	12810	12	65	100	3	11	0	13815	1005	NCD-POLK	120	form-based			true	0.75	41	3.727272749	29	10	41445	28635	14820	3
0250	019	3851	0.09	8989	6	65	100	3	9	3	11553	2564	NCD-POLK	120	form-based			true	0.75	35	3.888888836	29	12	34659	25670	14117	3
0251	004	4892	0.11	11565	15	55	80	2.5	9	0	12230	665	RTO-C	120	form-based			true	0.75	44	4.888888836	29	3	44028	32463	12895	3.6
0251	026	3782	0.09	3200	5	55	80	2.5	7	2	9455	6255	RTO-C	120	form-based			true	0.75	34	4.857142925	29	9	34038	30838	15710	3.6
0251	046	3668	0.08	6301	4	55	80	2.5	6	2	9170	2869	NCD-POLK	120	form-based			true	0.75	33	5.5	29	8	33012	26711	12039	3.6
0268	019	3185	0.07	111778	0	75	120	3.5	8	8	11148	0	C-3-O	300	form-based		true		0.8	29	3.625	29	16	28665	0	0	2.571313
0283	018	5810	0.13	16210	0	65	100	3	13	13	17430	1220	RC-4	65	density-lim	200			0.75	29	2.230769157	29	26	26145	9935	9935	1.5
0284	001	5894	0.14	12092	0	65	100	3	14	14	17682	5590	RC-4	65	density-lim	200	true		0.75	29	2.071428537	29	28	26523	14431	14431	1.5
0294	016	3189	0.07	26620	0	65	100	3	7	7	9567	0	C-3-R	130	form-based				0.8	29	4.142857075	29	14	28701	2081	0	3
0296	008	3214	0.07	32647	0	65	100	3	7	7	9642	0	C-3-G	130	form-based				0.8	29	4.142857075	29	14	28926	0	0	3
0305	011	5768	0.13	5812	0	85	140	4	18	18	23072	17260	RC-4	130	density-lim	200			0.75	29	1.611111164	29	29	51912	46100	40332	2.25
0306	017	6725	0.15	36607	5	65	100	3	15	10	20175	0	RC-4	130	density-lim	200	true		0.75	34	2.266666651	29	25	60525	23918	3743	3
0315	004	3261	0.07	23217	0	85	140	4	10	10	13044	0	C-3-R	130	form-based				0.8	29	2.900000095	29	20	29349	6132	2871	2.25
0330	002	3430	0.08	24168	2	75	120	3.5	10	8	12005	0	C-3-R	130	form-based				0.8	31	3.099999905	29	18	30870	6702	0	2.571429
0496	008	3438	0.08	2460	2	65	100	3	8	6	10314	7854	NC-3	140	form-based			true	0.75	31	3.875	29	14	30942	28482	18168	3
0496	010	3438	0.08	2180	2	65	100	3	8	6	10314	8134	NC-3	140	form-based			true	0.75	31	3.875	29	14	30942	28762	18448	3
0526	019	4587	0.11	10275	12	85	140	4	15	3	18348	8073	RC-3	140	form-based			true	0.75	41	2.733333349	29	18	41283	31008	26421	2.25
0526	045	3438	0.08	1461	2	65	100	3	8	6	10314	8853	RTO-C	140	form-based			true	0.75	31	3.875	29	14	30942	29481	19167	3
0551	004A	3256	0.07	5565	0	85	140	4	10	10	13024	7459	RC-3	240	form-based			true	0.75	29	2.900000095	29	20	29304	23739	20483	2.25
0551	008	3437	0.08	2760	2	65	100	3	8	6	10311	7551	RTO-C	240	form-based			true	0.75	31	3.875	29	14	30933	28173	17862	3
0551	009	4125	0.09	9186	8	65	100	3	9	1	12375	3189	RTO-C	240	form-based			true	0.75	37	4.111111164	29	10	37125	27939	15564	3
0575	007	4214	0.1	7493	9	65	100	3	10	1	12642	5149	RTO-C	350	form-based			true	0.75	38	3.799999952	29	11	37926	30433	17791	3
0576	013	6546	0.15	26664	30	65	100	3	15	0	19638	0	RTO-C	140	form-based			true	0.75	59	3.933333397	29	0	58914	32250	12612	3
0576	074	3582	0.08	1463	3	65	100	3	8	5	10746	9283	RTO-C	140	form-based			true	0.75	32	4	29	13	32238	30775	20029	3
0580	014	7706	0.18	8992	0	55	80	2.5	14	14	19265	10273	RTO-C	65	form-based		true	true	0.75	29	2.071428537	29	28	34677	25685	25685	1.8
0593	003A	3228	0.07	2146	0	65	100	3	7	7	9684	7538	RTO-C	140	form-based			true	0.75	29	4.142857075	29	14	29052	26906	17222	3
0594	034	3499	0.08	1983	2	65	100	3	8	6	10497	8514	RTO-C	240	form-based			true	0.75	31	3.875	29	14	31491	29508	19011	3
0623	009	3891	0.09	8268	6	65	100	3	9	3	11673	3405	RTO-C	240	form-based			true	0.75	35	3.888888836	29	12	35019	26751	15078	3
0625	004	17557	0.4	57322	15	65	100	3	40	25	52671	0	RM-3	80	density-lim	400			0.75	44	1.100000024	29	29	105342	48020	48020	2
0635	009A	5548	0.13	0	0	85	140	4	18	18	22192	22192	NCD-UPPE	85	form-based			true	0.75	29	1.611111164	29	29	33288	33288	33288	1.5
0640	005	6384	0.15	10395	5	65	100	3	15	10	19152	8757	RTO-C	85	form-based			true	0.75	34	2.266666651	29	25	38304	27909	27909	2
0641	001B	4962	0.11	11184	16	65	100	3	11	0	14886	3702	RM-3	105	form-based			true	0.75	45	4.090909004	29	6	44658	33474	18588	3
0643	004	6897	0.16	23890	33	65	100	3	16	0	20691	0	NCD-POLK	120	form-based		true	true	0.75	62	3.875	29	0	62073	38183	17492	3
0645	016	3276	0.08	2736	0	65	100	3	8	8	9828	7092	NCD-POLK	120	form-based			true	0.75	29	3.625	29	16	29484	26748	16920	3
0694	012	3188	0.07	3705	0	65	100	3	7	7	9564	5859	RC-4	650	form-based			true	0.75	29	4.142857075	29	14	28692	24987	15423	3
0694	013	3188	0.07	7216	0	65	100	3	7	7	9564	2348	RC-4	650	form-based			true	0.75	29	4.142857075	29	14	28692	21476	11912	3
0694	015	3188	0.07	5160	0	65	100	3	7	7	9564	4404	RC-4	240	form-based			true	0.75	29	4.142857075	29	14	28692	23532	13968	3
0718	013	3270	0.08	3000	0	65	100	3	8	8	9810	6810	RC-4	500	form-based		true	true	0.75	29	3.625	29	16	29430	26430	16620	3
0732	031	3197	0.07	4912	0	65	100	3	7	7	9591	4679	NCT-FILLM	160	form-based				0.75	29	4.142857075	29	14	28773	23861	14270	3
0739	005	3270	0.08	8190	0	85	140	4	11	11	13080	4890	RC-4	300	form-based		true	true	0.75	29	2.636363745	29	22	29430	21240	17970	2.25
0768	013	16500	0.38	110393	100	65	100	3	38	0	49500	0	NCT-3	120	form-based		true		0.75	129	3.394736767	29	0	128625	18232	0	2.598485
0817	011	12900	0.3	19457	0	65	100	3	30	30	38700	19243	NCT-HAYE	40	form-based				0.75	29	0.966666639	29	29	38700	19243	19243	1
0963	001	14096	0.32	7574	1	55	80	2.5	26	25	35240	27666	RH-1(D)	40	form-based		true	true	0.7	30	1.153846145	29	29	39468.80078	31894.80078	31894.80078	1.12
0973	039	14084	0.32	15858	1	55	80	2.5	26	25	35210	19352	RH-1	40	form-based			true	0.7	30	1.153846145	29	29	39435.19922	23577.19922	23577.19922	1.12
1007	008	7702	0.18	15600	0	65	100	3	18	18	23106	7506	NCD-SACR	65	form-based			true	0.75	29	1.611111164	29	29	34659	19059	19059	1.5
1049	004	7500	0.17	10872	10	65	100	3	17	7	22500	11628	NC-2	85	form-based			true	0.75	39	2.294117689	29	24	45000	34128	34128	2
1051	039	5546	0.13	0	0	65	100	3	13	13	16638	16638	NC-3	85	form-based			true	0.75	29	2.230769157	29	26	33276	33276	33276	2
1066	060	5434	0.12	941	0	85	140	4	17	17	21736	20795	NCD-GEAR	85	form-based		true	true	0.75	29	1.705882311	29	29	32604	31663	31663	1.5
1076	011	3410	0.08	3190	2	65	100	3	8	6	10230	7040	NC-3	240	form-based			true	0.75	31	3.875	29	14	30690	27500	17270	3
1080	015	3781	0.09	4340	5	65	100	3	9	4	11343	7003	RTO-C	140	form-based			true	0.75	34	3.777777672	29	13	34029	29689	18346	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1081	017	3438	0.08	2445	2	65	100	3	8	6	10314	7869	RTO-C	140	form-based			true	0.75	31	3.875	29	14	30942	28497	18183	3
1087	001	5573	0.13	274	0	85	140	4	18	18	22292	22018	NCD-GEAR	85	form-based		true	true	0.75	29	1.611111164	29	29	33438	33164	33164	1.5
1092	009	3615	0.08	3500	4	65	100	3	8	4	10845	7345	RTO-C	240	form-based			true	0.75	33	4.125	29	12	32535	29035	18190	3
1153	004	6250	0.14	4185	4	55	80	2.5	11	7	15625	11440	NCT-DIVIS	85	form-based			true	0.75	33	3	29	18	37500	33315	27065	2.4
1156	013	10287	0.24	20624	0	55	80	2.5	19	19	25718	5094	RM-1	50	form-based			true	0.7	29	1.526315808	29	29	36004.5	15380.5	15380.5	1.399973
1236	018	7906	0.18	7275	1	55	80	2.5	14	13	19765	12490	RTO-C	65	form-based		true	true	0.75	30	2.142857075	29	27	35577	28302	28302	1.8
1237	037	13562	0.31	720	22	55	80	2.5	25	3	33905	33185	RTO-C	65	form-based			true	0.75	51	2.039999962	29	28	61029	60309	60309	1.8
1250	025	7800	0.18	21875	0	65	100	3	18	18	23400	1525	NCD-HAIG	65	form-based		true	true	0.75	29	1.611111164	29	29	35100	13225	13225	1.5
1294	043	19541	0.45	9532	12	55	80	2.5	36	24	48852	39320	RH-2	40	form-based			true	0.7	41	1.138888836	29	29	54714.80078	45182.80078	45182.80078	1.120011
1337	022	14198	0.33	5121	1	55	80	2.5	26	25	35495	30374	RH-1(D)	40	form-based			true	0.7	30	1.153846145	29	29	39754.39844	34633.39844	34633.39844	1.12
1442	020	5589	0.13	5750	0	65	100	3	13	13	16767	11017	NCD-GEAR	85	form-based		true	true	0.75	29	2.230769157	29	26	33534	27784	27784	2
1529	001	8492	0.19	17650	16	65	100	3	19	3	25476	7826	NCD-GEAR	85	form-based		true	true	0.75	45	2.368421078	29	22	50952	33302	33302	2
1532	042	8203	0.19	1392	14	65	100	3	19	5	24609	23217	NCD-GEAR	85	form-based		true	true	0.75	43	2.263157845	29	24	49218	47826	47826	2
1761	041	7125	0.16	17050	8	65	100	3	16	8	21375	4325	NCD-INNE	85	form-based		true	true	0.75	37	2.3125	29	24	42750	25700	25700	2
2359	014	8260	0.19	15000	14	85	140	4	27	13	33040	18040	NCD-TARA	85	form-based		true	true	0.75	43	1.592592597	29	29	49560	34560	34560	1.5
2410	031	7750	0.18	17600	12	85	140	4	25	13	31000	13400	NCD-INNE	85	form-based		true	true	0.75	41	1.639999986	29	29	46500	28900	28900	1.5
2540	004	5603	0.13	0	0	65	100	3	13	13	16809	16809	RTO-C	85	form-based			true	0.75	29	2.230769157	29	26	33618	33618	33618	2
2831	023	10388	0.24	33179	0	55	80	2.5	19	19	25970	0	RH-2	50	form-based		true	true	0.7	29	1.526315808	29	29	36358	3179	3179	1.4
2923	067	13918	0.32	0	0	55	80	2.5	26	26	34795	34795	RH-1(D)	40	form-based			true	0.7	29	1.115384579	29	29	38970.39844	38970.39844	38970.39844	1.12
2936B	025	13732	0.32	5624	0	55	80	2.5	26	26	34330	28706	RH-1(D)	40	form-based		true	true	0.7	29	1.115384579	29	29	38449.59766	32825.59766	32825.59766	1.12
2989B	032	5510	0.13	8170	0	65	100	3	13	13	16530	8360	NCD-WEST	85	form-based		true	true	0.75	29	2.230769157	29	26	33060	24890	24890	2
3071	021	14337	0.33	3409	1	65	100	3	33	32	43011	39602	RH-1(D)	40	form-based			true	0.7	30	0.909090936	29	29	40143.59766	36734.59766	36734.59766	0.933333
3504	039	3207	0.07	0	0	85	140	4	10	10	12828	12828	NCT-3	140	form-based			true	0.75	29	2.900000095	29	20	28863	28863	25656	2.25
3505	052	7750	0.18	0	0	65	100	3	18	18	23250	23250	NCT-3	68	form-based		true		0.75	29	1.611111164	29	29	34875	34875	34875	1.5
3509	036	3178	0.07	4296	0	85	140	4	10	10	12712	8416	C-3-G	160	form-based				0.8	29	2.900000095	29	20	28602	24306	21128	2.25
3536	002	3238	0.07	0	0	85	140	4	10	10	12952	12952	NCT-3	240	form-based		true	true	0.75	29	2.900000095	29	20	29142	29142	25904	2.25
3536	013	3228	0.07	0	0	65	100	3	7	7	9684	9684	NCT-3	240	form-based			true	0.75	29	4.142857075	29	14	29052	29052	19368	3
3560	010	4044	0.09	7932	7	65	100	3	9	2	12132	4200	NCT-UPPEI	120	form-based			true	0.75	36	4	29	11	36396	28464	16332	3
3594	011	23232	0.53	46386	0	65	100	3	53	53	69696	23310	NC-2	45	density-lin	800	true		0.75	29	0.547169805	29	29	69696	23310	23310	1
3644	021	9552	0.22	3115	0	75	120	3.5	26	26	33432	30317	NCT-VALEI	55	form-based		true		0.75	29	1.115384579	29	29	35820	32705	32705	1.071429
3708	003	3200	0.07	16000	0	75	120	3.5	8	8	11200	0	C-3-O(SD)	850	form-based		true		0.8	29	3.625	29	16	28800	12800	6400	2.571429
3722	013	3200	0.07	26911	0	75	120	3.5	8	8	11200	0	C-3-O(SD)	350	form-based				0.8	29	3.625	29	16	28800	1889	0	2.571429
3725	103	10125	0.23	35352	24	65	100	3	23	0	30375	0	MUR	85	form-based				0.75	53	2.304347754	29	22	60750	25398	25398	2
3729	004	9512	0.22	19520	0	65	100	3	22	22	28536	9016	WMUG	55	form-based		true		0.75	29	1.318181872	29	29	35670	16150	16150	1.25
3730	006	7710	0.18	8729	0	65	100	3	18	18	23130	14401	WMUG	65	form-based				0.75	29	1.611111164	29	29	34695	25966	25966	1.5
3730	007	7720	0.18	7837	0	65	100	3	18	18	23160	15323	WMUG	65	form-based				0.75	29	1.611111164	29	29	34740	26903	26903	1.5
3733	018	5558	0.13	29301	0	65	100	3	13	13	16674	0	MUR	85	form-based				0.75	29	2.230769157	29	26	33348	4047	4047	2
3733	019	5558	0.13	7553	0	65	100	3	13	13	16674	9121	MUR	85	form-based				0.75	29	2.230769157	29	26	33348	25795	25795	2
3733	020	5619	0.13	9931	0	65	100	3	13	13	16857	6926	MUR	85	form-based				0.75	29	2.230769157	29	26	33714	23783	23783	2
3733	020A	5497	0.13	10880	0	65	100	3	13	13	16491	5611	MUR	85	form-based				0.75	29	2.230769157	29	26	32982	22102	22102	2
3733	091	5616	0.13	10936	0	65	100	3	13	13	16848	5912	MUR	85	form-based				0.75	29	2.230769157	29	26	33696	22760	22760	2
3747	014	3220	0.07	0	0	75	120	3.5	8	8	11270	11270	RH DTR	250	form-based				0.8	29	3.625	29	16	28980	28980	22540	2.571429
3753	225	8332	0.19	1450	15	65	100	3	19	4	24996	23546	MUR	85	form-based				0.75	44	2.315789461	29	23	49992	48542	48542	2
3756	011	9606	0.22	23375	0	65	100	3	22	22	28818	5443	RCD	55	form-based		true		0.75	29	1.318181872	29	29	36022.5	12647.5	12647.5	1.25
3775	042	12738	0.29	24680	0	65	100	3	29	29	38214	13534	SPD	40	form-based				0.75	29	1	29	29	38214	13534	13534	1
3776	044	3220	0.07	9701	0	75	120	3.5	8	8	11270	1569	CMUO	130	form-based				0.8	29	3.625	29	16	28980	19279	12839	2.571429
3780	004C	7690	0.18	17738	0	65	100	3	18	18	23070	5332	UMU	68	form-based				0.75	29	1.611111164	29	29	34605	16867	16867	1.5
3774	005	7625	0.18	109898	0	65	100	3	18	18	22875	0	MUO	65	form-based				0.75	29	1.611111164	29	29	34312.5	0	0	1.5
3789	858	37623	0.86	581	112	65	100	3	86	0	112869	112288	MUO	65	form-based		true		0.75	141	1.639534831	29	29	169303.5	168722.5	168722.5	1.5
3980	057	12704	0.29	885	0	65	100	3	29	29	38112	37227	UMU	48	form-based		true		0.75	29	1	29	29	38112	37227	37227	1
6473	047	17586	0.4	11952	0	55	80	2.5	32	32	43965	32013	NCD-EXCE	40	density-lin	600			0.75	29	0.90625	29	29	52758	40806	40806	1.2
6903	001	5539	0.13	4245	0	65	100	3	13	13	16617	12372	NC-1	85	form-based		true	true	0.75	29	2.230769157	29	26	33234	28989	28989	2
6908	008	7927	0.18	2583	1	85	140	4	25	24	31708	29125	RTO-C	65	form-based			true	0.75	30	1.200000048	29	29	35671.5	33088.5	33088.5	1.125
6914	008	13686	0.31	0	0	65	100	3	31	31	41058	41058	RH-1(D)	40	form-based			true	0.7	29	0.935483873	29	29	38320.80078	38320.80078	38320.80078	0.933333
6914	023	7914	0.18	2240	1	65	100	3	18	17	23742	21502	RTO-C	65	form-based			true	0.75	30	1.666666627	29	29	35613	33373	33373	1.5
6942	058	5462	0.13	1050	0	65	100	3	13	13	16386	15336	NCT-OCEA	85	form-based		true	true	0.75	29	2.230769157	29	26	32772	31722	31722	2
6944	046	7642	0.18	1546	11	85	140	4	25	14	30568	29022	NCT-OCEA	85	form-based			true	0.75	40	1.600000024	29	29	45852	44306	44306	1.5
6964	008	5672	0.13	980	1	85	140	4	18	17	22688	21708	NCT-1	85	form-based			true	0.75	30	1.666666627	29	29	34032	33052	33052	1.5
7000	001	13690	0.31	1684	0	65	100	3	31	31	41070	39386	RH-1	40	form-based		true	true	0.7	29	0.935483873	29	29	38332	36648	36648	0.933333
7217	004	7972	0.18	2726	1	65	100	3	18	17	23916	21190	RTO-C	65	form-based		true	true	0.75	30	1.666666627	29	29	35874	33148	33148	1.5
7314	001	44673	1.03	300335	27	65	100	3	103	76	134019	0	RM-1	40	density-lin	800	true		0.55	56	0.543689311	29	29	98280.60156	0	0	0.733333
7543	027	13622	0.31	0	0	65	100	3	31	31	40866	40866	RM-1	40	form-based			true	0.7	29	0.935483873	29	29	38141.59766	38141.59766	38141.59766	0.933333
0012	007	6993	0.16	2500	0	65	100	3	16	16	20979	18479	C-2	65	form-based			true	0.8	28	1.75	28	28	33566.40234	31066.40234	31066.40234	1.6
0013	007	6970	0.16	8954	0	85	140	4	22	22	27880	18926	C-2	65	form-based			true	0.8	28	1.272727251	28	28	33456	24502	24502	1.2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0101	031	11005	0.25	21552	0	55	80	2.5	20	20	27512	5960	NCD-NORT	40	density-lin	400			0.75	28	1.399999976	28	28	33015	11463	11463	1.200022
0173	002	4927	0.11	19322	0	65	100	3	11	11	14781	0	C-2	84	form-base	800			0.8	28	2.545454502	28	22	31532.80078	12210.80078	10240	2.133333
0193	018	7642	0.18	26905	10	85	140	4	25	15	30568	3663	CRNC	50	density-lin	200			0.75	38	1.519999981	28	28	28657.5	1752.5	1752.5	0.9375
0224	079	5579	0.13	10721	0	65	100	3	13	13	16737	6016	RM-4	65	density-lin	200	true		0.75	28	2.153846264	28	26	25105.5	14384.5	14384.5	1.5
0228	010	5797	0.13	28840	0	65	100	3	13	13	17391	0	C-3-O	75	form-based		true		0.8	28	2.153846264	28	26	32463.20117	3623.201172	3623.201172	1.866667
0251	025	3954	0.09	5736	8	55	80	2.5	7	0	9885	4149	RTO-C	120	form-based			true	0.75	36	5.142857075	28	6	35586	29850	14034	3.6
0251	037	3503	0.08	2097	4	55	80	2.5	6	2	8758	6661	RTO-C	120	form-based			true	0.75	32	5.333333492	28	8	31527	29430	15419	3.599794
0256	003	10145	0.23	16047	23	65	100	3	23	0	30435	14388	RM-4	65	density-lin	200			0.75	51	2.217391253	28	23	45652.5	29605.5	29605.5	1.5
0268	017	3150	0.07	115878	0	75	120	3.5	8	8	11025	0	C-3-O	300	form-based				0.8	28	3.5	28	16	28350	0	0	2.571429
0284	005	3094	0.07	9282	0	65	100	3	7	7	9282	0	C-3-R	130	form-based				0.8	28	4	28	14	27846	18564	9282	3
0307	006	3122	0.07	6120	0	75	120	3.5	8	8	10927	4807	C-3-G	130	form-based				0.8	28	3.5	28	16	28098	21978	15734	2.571429
0320	018A	5595	0.13	12160	0	85	140	4	18	18	22380	10220	RC-4	80	density-lin	200			0.75	28	1.555555582	28	28	33570	21410	21410	1.5
0324	026	5606	0.13	19662	0	75	120	3.5	16	16	19621	0	RC-4	130	density-lin	200	true		0.75	28	1.75	28	28	50454	30792	19580	2.571429
0329	003	3078	0.07	7365	0	85	140	4	10	10	12312	4947	C-3-R	130	form-based				0.8	28	2.799999952	28	20	27702	20337	17259	2.25
0341	004	3082	0.07	3170	0	85	140	4	10	10	12328	9158	C-3-G	110	form-based				0.8	28	2.799999952	28	20	27738	24568	21486	2.25
0341	008	6937	0.16	35610	7	75	120	3.5	19	12	24280	0	RC-4	120	density-lin	200	true		0.75	35	1.842105269	28	28	62433	26823	12950	2.571376
0351	047	3113	0.07	2500	0	85	140	4	10	10	12452	9952	C-3-G	120	form-based		true		0.8	28	2.799999952	28	20	28017	25517	22404	2.25
0355	007	5000	0.11	14000	0	75	120	3.5	13	13	17500	3500	C-3-G	80	form-based				0.8	28	2.153846264	28	26	32000	18000	18000	1.828571
0474	036	13099	0.3	1134	21	85	140	4	42	21	52396	51262	RTO-C	65	form-based		true	true	0.75	49	1.166666627	28	28	58945.5	57811.5	57811.5	1.125
0496	003	4469	0.1	8463	12	65	100	3	10	0	13407	4944	NC-3	140	form-based			true	0.75	40	4	28	8	40221	31758	18351	3
0496	005	3850	0.09	7929	7	65	100	3	9	2	11550	3621	NC-3	140	form-based			true	0.75	35	3.888888836	28	11	34650	26721	15171	3
0497	007	3440	0.08	3094	3	65	100	3	8	5	10320	7226	NC-3	140	form-based			true	0.75	31	3.875	28	13	30960	27866	17546	3
0504	012	8718	0.2	44000	50	65	100	3	20	0	26154	0	NC-3	140	form-based		true	true	0.75	78	3.900000095	28	0	78462	34462	8308	3
0523	016A	12127	0.28	36800	36	65	100	3	28	0	36381	0	RM-3	85	form-based			true	0.75	64	2.285714388	28	20	72762	35962	35962	2
0527	007	3560	0.08	6934	4	85	140	4	11	7	14240	7306	RC-3	140	form-based			true	0.75	32	2.909090996	28	18	32040	25106	21546	2.25
0547	013	3750	0.09	5644	6	85	140	4	13	7	15000	9356	RC-3	140	form-based			true	0.75	34	2.615384579	28	20	33750	28106	24356	2.25
0570	009	3781	0.09	7902	6	65	100	3	9	3	11343	3441	RTO-C	240	form-based			true	0.75	34	3.777777672	28	12	34029	26127	14784	3
0571	016	3438	0.08	3178	3	65	100	3	8	5	10314	7136	RTO-C	240	form-based			true	0.75	31	3.875	28	13	30942	27764	17450	3
0574	017	4500	0.1	9779	13	65	100	3	10	0	13500	3721	RC-4	350	form-based			true	0.75	41	4.099999905	28	7	40500	30721	17221	3
0575	011	3105	0.07	10320	0	65	100	3	7	7	9315	0	RTO-C	240	form-based			true	0.75	28	4	28	14	27945	17625	8310	3
0598	011	3250	0.07	2392	1	85	140	4	10	9	13000	10608	NCD-POLK	350	form-based			true	0.75	29	2.900000095	28	19	29250	26858	23608	2.25
0598	007	4399	0.1	8361	12	65	100	3	10	0	13197	4836	NCD-POLK	350	form-based			true	0.75	40	4	28	8	39591	31230	18033	3
0623	001A	7056	0.16	31812	36	85	140	4	22	0	28224	0	RC-4	350	form-based			true	0.75	64	2.909090996	28	8	63504	31692	24636	2.25
0623	003	3310	0.08	3728	2	65	100	3	8	6	9930	6202	RTO-C	240	form-based			true	0.75	30	3.75	28	14	29790	26062	16132	3
0670	019	3089	0.07	5000	0	85	140	4	10	10	12356	7356	RC-4	350	form-based			true	0.75	28	2.799999952	28	20	27801	22801	19712	2.25
0674	002	5529	0.13	0	0	65	100	3	13	13	16587	16587	RM-4	50	density-lin	200			0.75	28	2.153846264	28	26	20733.75	20733.75	20733.75	1.25
0733	010	11313	0.26	0	0	65	100	3	26	26	33939	33939	RM-3	50	density-lin	400	true		0.75	28	1.076923132	28	28	42423.75	42423.75	42423.75	1.25
0780	013	5500	0.13	14211	0	55	80	2.5	10	10	13750	0	RM-4	50	density-lin	200			0.75	28	2.799999952	28	20	20625	6414	6414	1.5
0795	027	10420	0.24	8126	1	55	80	2.5	19	18	26050	17924	RM-2	50	form-based			true	0.7	29	1.526315808	28	28	36470	28344	28344	1.4
0806	041	49687	1.14	32860	54	55	80	2.5	91	37	124218	91358	RTO-1	40	form-based		true	true	0.55	82	0.901098907	28	28	109311.4063	76451.40625	76451.40625	0.879996
0834	019	4917	0.11	4803	0	65	100	3	11	11	14751	9948	C-3-G	85	form-based				0.8	28	2.545454502	28	22	31468.80078	26665.80078	24699	2.133333
0969	007	13974	0.32	11637	1	55	80	2.5	26	25	34935	23298	RH-1	40	form-based			true	0.7	29	1.115384579	28	28	39127.19922	27490.19922	27490.19922	1.12
0988	016	13818	0.32	15623	1	55	80	2.5	26	25	34545	18922	RH-1	40	form-based		true	true	0.7	29	1.115384579	28	28	38690.39844	23067.39844	23067.39844	1.12
1066	021	5333	0.12	7690	0	85	140	4	17	17	21332	13642	NCD-GEAR	85	form-based		true	true	0.75	28	1.647058845	28	28	31998	24308	24308	1.5
1067	019	5400	0.12	5564	0	65	100	3	12	12	16200	10636	NCD-GEAR	85	form-based			true	0.75	28	2.333333254	28	24	32400	26836	26836	2
1079	015	3125	0.07	0	0	65	100	3	7	7	9375	9375	NC-3	240	form-based			true	0.75	28	4	28	14	28125	28125	18750	3
1079	016	3125	0.07	0	0	65	100	3	7	7	9375	9375	NC-3	240	form-based			true	0.75	28	4	28	14	28125	28125	18750	3
1079	017	3125	0.07	0	0	65	100	3	7	7	9375	9375	NC-3	240	form-based			true	0.75	28	4	28	14	28125	28125	18750	3
1080	014	3438	0.08	2958	3	65	100	3	8	5	10314	7356	RTO-C	140	form-based			true	0.75	31	3.875	28	13	30942	27984	17670	3
1081	063	3470	0.08	1423	3	65	100	3	8	5	10410	8987	RTO-C	140	form-based			true	0.75	31	3.875	28	13	31230	29807	19397	3
1081	072	3461	0.08	1820	3	85	140	4	11	8	13844	12024	RTO-C	140	form-based			true	0.75	31	2.818181753	28	19	31149	29329	25868	2.25
1086	027	5310	0.12	0	0	65	100	3	12	12	15930	15930	NCD-GEAR	85	form-based			true	0.75	28	2.333333254	28	24	31860	31860	31860	2
1180	015	5313	0.12	10600	0	55	80	2.5	10	10	13282	2682	NCT-DIVIS	85	form-based			true	0.75	28	2.799999952	28	20	31878	21278	15964	2.400009
1218	006	6181	0.14	8406	4	55	80	2.5	11	7	15452	7046	NCT-DIVIS	85	form-based			true	0.75	32	2.909090996	28	18	37086	28680	22498	2.400078
1272	003	7500	0.17	5544	0	85	140	4	24	24	30000	24456	NCD-COLE	65	form-based			true	0.75	28	1.166666627	28	28	33750	28206	28206	1.125
1363	059	5417	0.12	1654	0	55	80	2.5	10	10	13542	11888	RTO-C	85	form-based		true	true	0.75	28	2.799999952	28	20	32502	30848	25430	2.400089
1424	020	7500	0.17	4500	0	65	100	3	17	17	22500	18000	NCD-INNE	65	form-based			true	0.75	28	1.647058845	28	28	33750	29250	29250	1.5
1524	001	5243	0.12	3800	0	85	140	4	17	17	20972	17172	NCD-GEAR	85	form-based		true	true	0.75	28	1.647058845	28	28	31458	27658	27658	1.5
1524	036	5421	0.12	10660	0	85	140	4	17	17	21684	11024	NCD-GEAR	85	form-based		true	true	0.75	28	1.647058845	28	28	32526	21866	21866	1.5
1742	045	6000	0.14	6242	4	65	100	3	14	10	18000	11758	NCD-INNE	85	form-based			true	0.75	32	2.285714388	28	24	36000	29758	29758	2
1771	041	5357	0.12	6110	0	65	100	3	12	12	16071	9961	NCD-INNE	85	form-based		true	true	0.75	28	2.333333254	28	24	32142	26032	26032	2
1794	041	7463	0.17	1087	0	65	100	3	17	17	22389	21302	RTO-C	65	form-based		true	true	0.75	28	1.647058845	28	28	33583.5	32496.5	32496.5	1.5
1901	044	7476	0.17	7500	0	55	80	2.5	14	14	18690	11190	NC-1	65	form-based			true	0.75	28	2	28	28	33642	26142	26142	1.8
2138	029	5250	0.12	1967	0	55	80	2.5	10	10	13125	11158	RTO-C	85	form-based		true	true	0.75	28	2.799999952	28	20	31500	29533	24283	2.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2330	006	8551	0.2	15462	17	65	100	3	20	3	25653	10191	RTO-C	85	form-based			true	0.75	45	2.25	28	23	51306	35844	35844	2
2331	008	5376	0.12	2083	0	65	100	3	12	12	16128	14045	RTO-C	85	form-based		true	true	0.75	28	2.333333254	28	24	32256	30173	30173	2
2443	016	7500	0.17	4485	0	65	100	3	17	17	22500	18015	NC-1	65	form-based			true	0.75	28	1.647058845	28	28	33750	29265	29265	1.5
2633	004	7360	0.17	0	0	65	100	3	17	17	22080	22080	RTO-C	65	form-based			true	0.75	28	1.647058845	28	28	33120	33120	33120	1.5
2892	003	5412	0.12	486	0	55	80	2.5	10	10	13530	13044	NC-1	85	form-based			true	0.75	28	2.799999952	28	20	32472	31986	26574	2.4
2923	037	13799	0.32	2616	1	55	80	2.5	26	25	34498	31882	RH-1(D)	40	form-based			true	0.7	29	1.115384579	28	28	38637.19922	36021.19922	36021.19922	1.119984
2931	006	5247	0.12	3500	0	65	100	3	12	12	15741	12241	NCD-WEST	85	form-based			true	0.75	28	2.333333254	28	24	31482	27982	27982	2
2957A	044	12303	0.28	10236	0	55	80	2.5	22	22	30758	20522	NC-1	40	form-based		true	true	0.75	28	1.272727251	28	28	36909	26673	26673	1.19998
2979A	034	5352	0.12	0	0	85	140	4	17	17	21408	21408	NCD-WEST	85	form-based		true	true	0.75	28	1.647058845	28	28	32112	32112	32112	1.5
2992	024	13756	0.32	4202	1	55	80	2.5	26	25	34390	30188	RH-1(D)	40	form-based		true	true	0.7	29	1.115384579	28	28	38516.80078	34314.80078	34314.80078	1.12
3014	001	5479	0.13	2860	1	65	100	3	13	12	16437	13577	RTO-C	85	form-based		true	true	0.75	29	2.230769157	28	25	32874	30014	30014	2
3078	020	13883	0.32	6131	1	55	80	2.5	26	25	34708	28577	RH-1(D)	40	form-based			true	0.7	29	1.115384579	28	28	38872.39844	32741.39844	32741.39844	1.119984
3103	006	13425	0.31	0	0	55	80	2.5	25	25	33562	33562	RH-1(D)	40	form-based		true	true	0.7	28	1.120000005	28	28	37590	37590	37590	1.120017
3260	022	13663	0.31	4094	1	65	100	3	31	30	40989	36895	RH-1(D)	40	form-based			true	0.7	29	0.935483873	28	28	38256.39844	34162.39844	34162.39844	0.933333
3274	023	14194	0.33	3700	2	55	80	2.5	26	24	35485	31785	RH-1(D)	40	form-based			true	0.7	30	1.153846145	28	28	39743.19922	36043.19922	36043.19922	1.12
3502	114	3435	0.08	5780	3	85	140	4	11	8	13740	7960	NCT-3	120	form-based		true	true	0.75	31	2.818181753	28	19	30915	25135	21700	2.25
3508	052	3113	0.07	6428	0	85	140	4	10	10	12452	6024	C-3-G	120	form-based				0.8	28	2.799999952	28	20	28017	21589	18476	2.25
3514	031	5398	0.12	31662	0	65	100	3	12	12	16194	0	NCT-3	85	form-based				0.75	28	2.333333254	28	24	32388	726	726	2
3522	033	5284	0.12	4632	0	65	100	3	12	12	15852	11220	WMUG	85	form-based		true	true	0.75	28	2.333333254	28	24	31704	27072	27072	2
3522	054	5323	0.12	4824	0	65	100	3	12	12	15969	11145	WMUG	85	form-based		true	true	0.75	28	2.333333254	28	24	31938	27114	27114	2
3537	007	5867	0.13	6792	3	85	140	4	18	15	23468	16676	NCT-UPPE	85	form-based			true	0.75	31	1.722222209	28	28	35202	28410	28410	1.5
3543	003	5252	0.12	3470	0	85	140	4	17	17	21008	17538	NCT-UPPE	85	form-based			true	0.75	28	1.647058845	28	28	31512	28042	28042	1.5
3559	009	9187	0.21	9130	0	65	100	3	21	21	27561	18431	NCT-UPPE	50	form-based			true	0.75	28	1.333333373	28	28	34451.25	25321.25	25321.25	1.25
3560	011	4081	0.09	9768	9	85	140	4	13	4	16324	6556	NCT-UPPE	120	form-based			true	0.75	37	2.846153736	28	17	36729	26961	22880	2.25
3564	092	3102	0.07	2101	0	85	140	4	10	10	12408	10307	NCT-UPPE	120	form-based			true	0.75	28	2.799999952	28	20	27918	25817	22715	2.25
3577	060	9291	0.21	9500	0	75	120	3.5	25	25	32518	23018	NCT-VALE	55	form-based				0.75	28	1.120000005	28	28	34841.25	25341.25	25341.25	1.071445
3606	084	10658	0.24	15957	12	85	140	4	34	22	42632	26675	RTO-C	65	form-based		true	true	0.75	40	1.176470637	28	28	47961	32004	32004	1.125
3636	006	7573	0.17	7500	0	85	140	4	24	24	30292	22792	NCT-MISSI	65	form-based				0.75	28	1.166666627	28	28	34078.5	26578.5	26578.5	1.125
3656	022	8550	0.2	6040	4	55	80	2.5	16	12	21375	15335	NCD-24TH	65	form-based			true	0.75	32	2	28	28	38475	32435	32435	1.8
3701	020	3139	0.07	0	0	75	120	3.5	8	8	10986	10986	C-3-G	200	form-based				0.8	28	3.5	28	16	28251	28251	21972	2.571546
3707	018	3140	0.07	9120	0	75	120	3.5	8	8	10990	1870	C-3-O(SD)	300	form-based				0.8	28	3.5	28	16	28260	19140	12860	2.571429
3726	022	5400	0.12	15900	0	65	100	3	12	12	16200	300	MUG	85	form-based				0.75	28	2.333333254	28	24	32400	16500	16500	2
3726	114	5401	0.12	29270	0	65	100	3	12	12	16203	0	MUG	85	form-based		true		0.75	28	2.333333254	28	24	32406	3136	3136	2
3736	191	19290	0.44	278138	403	75	120	3.5	53	0	67515	0	C-3-O(SD)	360	form-based				0.8	431	8.13207531	28	0	431272.5	153134.5	0	6.387803
3747	088	3385	0.08	981	2	75	120	3.5	10	8	11848	10867	RH DTR	200	form-based		true		0.8	30	3	28	18	30465	29484	22715	2.57132
3775	004	6914	0.16	13475	0	65	100	3	16	16	20742	7267	CMUO	65	form-based		true		0.8	28	1.75	28	28	33187.19922	19712.19922	19712.19922	1.6
3778	001C	5389	0.12	5888	0	65	100	3	12	12	16167	10279	MUG	85	form-based				0.75	28	2.333333254	28	24	32334	26446	26446	2
3778	001D	5400	0.12	10000	0	65	100	3	12	12	16200	6200	MUG	85	form-based				0.75	28	2.333333254	28	24	32400	22400	22400	2
3778	001E	5379	0.12	5600	0	65	100	3	12	12	16137	10537	MUG	85	form-based				0.75	28	2.333333254	28	24	32274	26674	26674	2
3784	181	12320	0.28	12880	0	65	100	3	28	28	36960	24080	RED-MX	45	form-based		true		0.75	28	1	28	28	36960	24080	24080	1
3785	004B	4966	0.11	0	0	75	120	3.5	13	13	17381	17381	CMUO	85	form-based				0.8	28	2.153846264	28	26	31782.40039	31782.40039	31782.40039	1.828571
3788	022	7005	0.16	6875	0	65	100	3	16	16	21015	14140	CMUO	65	form-based				0.8	28	1.75	28	28	33624	26749	26749	1.6
3774	004	7420	0.17	0	0	65	100	3	17	17	22260	22260	MUO	65	form-based				0.75	28	1.647058845	28	28	33390	33390	33390	1.5
3986	014	12652	0.29	13679	0	65	100	3	29	29	37956	24277	UMU	40	form-based				0.75	28	0.965517223	28	28	37956	24277	24277	1
4102	043	12488	0.29	8021	0	75	120	3.5	35	35	43708	35687	MUR	40	form-based				0.75	28	0.800000012	28	28	37464	29443	29443	0.857143
4211	036	7459	0.17	2540	0	65	100	3	17	17	22377	19837	NCT-24TH	65	form-based				0.75	28	1.647058845	28	28	33565.5	31025.5	31025.5	1.5
4269	028	41431	0.95	14932	0	65	100	3	95	95	124293	109361	RH-2	40	density-lim	1500	true		0.7	28	0.294736832	28	28	116006.7969	101074.7969	101074.7969	0.933333
5714	001	116515	2.67	79852	118	65	100	3	267	149	349545	269693	RM-1	40	density-lim	800	true		0.55	146	0.546816468	28	28	256333	176481	176481	0.733333
6516	028	7997	0.18	11944	14	85	140	4	25	11	31988	20044	NCT-MISSI	85	form-based				0.75	42	1.679999948	28	28	47982	36038	36038	1.5
6528	037	7477	0.17	19540	0	75	120	3.5	20	20	26170	6630	NCT-MISSI	65	form-based				0.75	28	1.399999976	28	28	33646.5	14106.5	14106.5	1.28569
6568	029	7540	0.17	14980	0	65	100	3	17	17	22620	7640	NCT-VALE	65	form-based				0.75	28	1.647058845	28	28	33930	18950	18950	1.5
6657	064	13214	0.3	0	0	65	100	3	30	30	39642	39642	RH-2	40	form-based			true	0.7	28	0.933333337	28	28	36999.19922	36999.19922	36999.19922	0.933333
6908	007	7850	0.18	1565	1	85	140	4	25	24	31400	29835	RTO-C	65	form-based			true	0.75	29	1.159999967	28	28	35325	33760	33760	1.125
6915	017	5644	0.13	1530	2	85	140	4	18	16	22576	21046	NCT-OCEA	85	form-based		true	true	0.75	30	1.666666627	28	28	33864	32334	32334	1.5
6964	009	5518	0.13	1430	1	85	140	4	18	17	22072	20642	NCT-1	85	form-based			true	0.75	29	1.611111164	28	28	33108	31678	31678	1.5
7044A	004	16747	0.38	1364	0	55	80	2.5	30	30	41868	40504	NCD-EXCE	40	density-lim	600			0.75	28	0.933333337	28	28	50241	48877	48877	1.199986
7553	043	16114	0.37	7200	6	65	100	3	37	31	48342	41142	RH-1	40	form-based			true	0.7	34	0.918918908	28	28	45119.19922	37919.19922	37919.19922	0.933333
0012	003	6765	0.16	6800	0	65	100	3	16	16	20295	13495	C-2	65	form-based			true	0.8	27	1.6875	27	27	32472	25672	25672	1.6
0041	104	8580	0.2	659	21	65	100	3	20	0	25740	25081	C-2	85	form-based			true	0.8	48	2.400000095	27	19	54912	54253	50821	2.133333
0050	021	7158	0.16	23354	0	65	100	3	16	16	21474	0	NCD-NORT	65	form-based		true	true	0.75	27	1.6875	27	27	32211	8857	8857	1.5
0065	027	11987	0.28	1915	18	55	80	2.5	22	4	29968	28053	NCD-NORT	65	form-based			true	0.75	45	2.045454502	27	26	53941.5	52026.5	52026.5	1.79997
0112	009	21835	0.5	160000	0	65	100	3	50	50	65505	0	C-2	84	density-lim	800	true		0.8	27	0.540000021	27	27	139744	0	0	2.133333
0131	021	10979	0.25	5055	0	55	80	2.5	20	20	27448	22393	NCD-NORT	40	density-lim	400			0.75	27	1.350000024	27	27	32937	27882	27882	1.199978
0145	013	10648	0.24	29590	0	65	100	3	24	24	31944	2354	NCD-BROA	65	density-lim	400	true		0.75	27	1.125	27	27	47916	18326	18326	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0193	020	6055	0.14	11658	3	65	100	3	14	11	18165	6507	CRNC	85	density-lin	200			0.75	30	2.142857075	27	25	36330	24672	24672	2
0209	002	5345	0.12	14158	0	65	100	3	12	12	16035	1877	CVR	50	density-lin	200	true		0.75	27	2.25	27	24	20043.75	5885.75	5885.75	1.25
0211	001	10122	0.23	26400	24	85	140	4	32	8	40488	14088	CRNC	85	density-lin	200	true		0.75	51	1.59375	27	27	60732	34332	34332	1.5
0222	048	14843	0.34	2121	29	65	100	3	34	5	44529	42408	RM-4	65	form-based		true	true	0.75	56	1.647058845	27	27	66793.5	64672.5	64672.5	1.5
0225	006	5395	0.12	22316	0	65	100	3	12	12	16185	0	CVR	50	density-lin	200	true		0.75	27	2.25	27	24	20231.25	0	0	1.25
0251	011	3318	0.08	6580	3	55	80	2.5	6	3	8295	1715	RTO-C	140	form-based			true	0.75	30	5	27	9	29862	23282	10010	3.6
0251	012	3305	0.08	5805	3	55	80	2.5	6	3	8262	2457	RTO-C	140	form-based			true	0.75	30	5	27	9	29745	23940	10719	3.600218
0257	002	9453	0.22	18232	20	65	100	3	22	2	28359	10127	CCB	50	density-lin	200			0.75	47	2.136363745	27	24	35448.75	17216.75	17216.75	1.25
0278	004	4727	0.11	11169	16	65	100	3	11	0	14181	3012	RTO-C	120	form-based			true	0.75	43	3.909090996	27	6	42543	31374	17193	3
0291	001	2975	0.07	37544	0	85	140	4	10	10	11900	0	C-3-O	300	form-based		true		0.8	27	2.700000048	27	20	26775	0	0	2.25
0309	014	3048	0.07	18425	0	85	140	4	10	10	12192	0	C-3-R	130	form-based		true		0.8	27	2.700000048	27	20	27432	9007	5959	2.25
0311	007	3045	0.07	260624	0	85	140	4	10	10	12180	0	C-3-O	250	form-based				0.8	27	2.700000048	27	20	27405	0	0	2.25
0324	022	5332	0.12	24042	0	85	140	4	17	17	21328	0	RC-4	130	density-lin	200			0.75	27	1.588235259	27	27	47988	23946	18614	2.25
0326	001	2957	0.07	12672	0	85	140	4	10	10	11828	0	C-3-R	130	form-based		true		0.8	27	2.700000048	27	20	26613	13941	10984	2.25
0355	012	4762	0.11	0	0	75	120	3.5	13	13	16667	16667	C-3-G	80	form-based				0.8	27	2.076923132	27	26	30476.80078	30476.80078	30476.80078	1.828571
0496	004	4469	0.1	8813	13	65	100	3	10	0	13407	4594	NC-3	140	form-based			true	0.75	40	4	27	7	40221	31408	18001	3
0496	019	3612	0.08	7800	6	65	100	3	8	2	10836	3036	NC-3	140	form-based		true	true	0.75	33	4.125	27	10	32508	24708	13872	3
0497	007B	4380	0.1	10800	12	65	100	3	10	0	13140	2340	NC-3	140	form-based		true	true	0.75	39	3.900000095	27	8	39420	28620	15480	3
0525	030	5553	0.13	9442	0	65	100	3	13	13	16659	7217	RH-2	85	form-based			true	0.7	27	2.076923132	27	26	31096.79883	21654.79883	21654.79883	1.866667
0526	023	3437	0.08	1170	4	65	100	3	8	4	10311	9141	RTO-C	140	form-based			true	0.75	31	3.875	27	12	30933	29763	19452	3
0542	038	7500	0.17	7044	1	55	80	2.5	14	13	18750	11706	NCD-UNIO	65	form-based			true	0.75	28	2	27	27	33750	26706	26706	1.8
0552	045	13843	0.32	2144	2	65	100	3	32	30	41529	39385	RH-2	40	form-based			true	0.7	29	0.90625	27	27	38760.39844	36616.39844	36616.39844	0.933333
0566	003	2960	0.07	4489	0	55	80	2.5	6	6	7400	2911	RTO-C	105	form-based			true	0.75	27	4.5	27	12	26640	22151	10311	3.6
0567	030	3765	0.09	2068	7	55	80	2.5	7	0	9412	7344	RTO-C	140	form-based		true	true	0.75	34	4.857142925	27	7	33885	31817	16756	3.600191
0573	042	5642	0.13	3560	3	65	100	3	13	10	16926	13366	NCD-PACIF	85	form-based			true	0.75	30	2.307692289	27	23	33852	30292	30292	2
0594	010	3277	0.08	2122	2	65	100	3	8	6	9831	7709	RTO-C	240	form-based			true	0.75	29	3.625	27	14	29493	27371	17540	3
0594	032	3255	0.07	1950	2	65	100	3	7	5	9765	7815	RTO-C	240	form-based			true	0.75	29	4.142857075	27	12	29295	27345	17580	3
0643	002	3006	0.07	4080	0	65	100	3	7	7	9018	4938	NCD-POLK	120	form-based			true	0.75	27	3.857142925	27	14	27054	22974	13956	3
0643	019	12956	0.3	61269	83	65	100	3	30	0	38868	0	NCD-POLK	120	form-based			true	0.75	110	3.666666746	27	0	110019	48750	16467	2.83058
0658	003	12963	0.3	0	0	65	100	3	30	30	38889	38889	RH-3	40	form-based			true	0.7	27	0.899999976	27	27	36296.39844	36296.39844	36296.39844	0.933333
0667	002	3042	0.07	4992	0	65	100	3	7	7	9126	4134	NCD-POLK	240	form-based		true	true	0.75	27	3.857142925	27	14	27378	22386	13260	3
0670	007	3000	0.07	6000	0	65	100	3	7	7	9000	3000	NCD-POLK	240	form-based		true	true	0.75	27	3.857142925	27	14	27000	21000	12000	3
0670	010	3315	0.08	5332	3	65	100	3	8	5	9945	4613	RC-4	240	form-based			true	0.75	30	3.75	27	13	29835	24503	14558	3
0686	001	10895	0.25	6926	0	65	100	3	25	25	32685	25759	RM-3	50	density-lin	400	true		0.75	27	1.080000043	27	27	40856.25	33930.25	33930.25	1.25
0719	007	3300	0.08	7223	3	65	100	3	8	5	9900	2677	RM-4	500	form-based			true	0.75	30	3.75	27	13	29700	22477	12577	3
0748	033	10656	0.24	0	0	65	100	3	24	24	31968	31968	RM-3	50	density-lin	400			0.75	27	1.125	27	27	39960	39960	39960	1.25
0763	008	3000	0.07	0	0	65	100	3	7	7	9000	9000	RC-4	300	form-based			true	0.75	27	3.857142925	27	14	27000	27000	18000	3
0793	041	21629	0.5	1506	22	65	100	3	50	28	64887	63381	NCT-HAYE	40	form-based				0.75	49	0.980000019	27	27	64887	63381	63381	1
0814	003	3034	0.07	6580	0	75	120	3.5	8	8	10619	4039	C-3-G	120	form-based				0.8	27	3.375	27	16	27306	20726	14658	2.571429
0840	002	12993	0.3	32636	0	65	100	3	30	30	38979	6343	RTO-1	40	form-based		true	true	0.7	27	0.899999976	27	27	36380.39844	3744.398438	3744.398438	0.933333
0854	006	6600	0.15	17940	32	85	140	4	21	0	26400	8460	NCT-3	140	form-based		true	true	0.75	59	2.809523821	27	10	59400	41460	34860	2.25
1006	029	14529	0.33	1397	14	65	100	3	33	19	43587	42190	RH-2	50	form-based		true	true	0.7	41	1.24242425	27	27	50851.5	49454.5	49454.5	1.166667
1023	008	5073	0.12	7308	0	85	140	4	17	17	20292	12984	RTO-C	85	form-based		true	true	0.75	27	1.588235259	27	27	30438	23130	23130	1.5
1024	012	5304	0.12	4905	1	85	140	4	17	16	21216	16311	RTO-C	85	form-based			true	0.75	28	1.647058845	27	27	31824	26919	26919	1.5
1025	018	5775	0.13	8900	3	65	100	3	13	10	17325	8425	NC-2	85	form-based			true	0.75	30	2.307692289	27	23	34650	25750	25750	2
1026	010	5248	0.12	3560	1	65	100	3	12	11	15744	12184	RTO-C	85	form-based			true	0.75	28	2.333333254	27	23	31488	27928	27928	2
1034	002B	5147	0.12	3930	0	65	100	3	12	12	15441	11511	NC-S	85	form-based			true	0.75	27	2.25	27	24	30882	26952	26952	2
1034	003	5151	0.12	3930	0	65	100	3	12	12	15453	11523	NC-S	85	form-based			true	0.75	27	2.25	27	24	30906	26976	26976	2
1054	035	13728	0.32	9609	2	65	100	3	32	30	41184	31575	RH-3	40	form-based			true	0.7	29	0.90625	27	27	38438.39844	28829.39844	28829.39844	0.933333
1079	004	4719	0.11	11361	15	85	140	4	15	0	18876	7515	NC-3	240	form-based			true	0.75	42	2.799999952	27	15	42471	31110	26391	2.25
1092	007	3615	0.08	7755	6	65	100	3	8	2	10845	3090	RTO-C	240	form-based			true	0.75	33	4.125	27	10	32535	24780	13935	3
1159	014	9471	0.22	18374	0	55	80	2.5	18	18	23678	5304	RM-1	50	form-based			true	0.7	27	1.5	27	27	33148.5	14774.5	14774.5	1.39997
1173	017	5350	0.12	2350	1	55	80	2.5	10	9	13375	11025	RTO-C	85	form-based			true	0.75	28	2.799999952	27	19	32100	29750	24400	2.4
1258	026	13194	0.3	9590	1	65	100	3	30	29	39582	29992	RH-3	40	form-based		true	true	0.7	28	0.933333337	27	27	36943.19922	27353.19922	27353.19922	0.933333
1275	032	3111	0.07	2710	1	65	100	3	7	6	9333	6623	RH-3	130	form-based		true	true	0.7	28	4	27	13	27999	25289	15956	3
1361	064	6705	0.15	1798	8	55	80	2.5	12	4	16762	14964	RTO-C	85	form-based		true	true	0.75	35	2.916666746	27	16	40230	38432	31726	2.400072
1438	028	12002	0.28	0	0	65	100	3	28	28	36006	36006	NCD-INNE	40	form-based			true	0.75	27	0.964285731	27	27	36006	36006	36006	1
1443	040	7125	0.16	13000	0	65	100	3	16	16	21375	8375	NCD-INNE	65	form-based			true	0.75	27	1.6875	27	27	32062.5	19062.5	19062.5	1.5
1455	017	5108	0.12	11875	0	85	140	4	17	17	20432	8557	NCD-GEAR	85	form-based			true	0.75	27	1.588235259	27	27	30648	18773	18773	1.5
1519	001	5232	0.12	4464	0	85	140	4	17	17	20928	16464	NCD-GEAR	85	form-based		true	true	0.75	27	1.588235259	27	27	31392	26928	26928	1.5
1548	027	7191	0.17	6584	0	65	100	3	17	17	21573	14989	NCD-INNE	65	form-based		true	true	0.75	27	1.588235259	27	27	32359.5	25775.5	25775.5	1.5
1741	022	5056	0.12	5000	0	65	100	3	12	12	15168	10168	NCD-INNE	85	form-based			true	0.75	27	2.25	27	24	30336	25336	25336	2
2367	012	5150	0.12	4312	0	65	100	3	12	12	15450	11138	RTO-C	85	form-based		true	true	0.75	27	2.25	27	24	30900	26588	26588	2
2367	034	7500	0.17	6192	12	65	100	3	17	5	22500	16308	RTO-C	85	form-based			true	0.75	39	2.294117689	27	22	45000	38808	38808	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2372	050	7500	0.17	6498	12	85	140	4	24	12	30000	23502	RTO-C	85	form-based			true	0.75	39	1.625	27	27	45000	38502	38502	1.5
2373	050	7500	0.17	6184	12	85	140	4	24	12	30000	23816	RTO-C	85	form-based			true	0.75	39	1.625	27	27	45000	38816	38816	1.5
2383	029	7500	0.17	6192	12	85	140	4	24	12	30000	23808	RTO-C	85	form-based			true	0.75	39	1.625	27	27	45000	38808	38808	1.5
2383	030	7500	0.17	6192	12	85	140	4	24	12	30000	23808	RTO-C	85	form-based			true	0.75	39	1.625	27	27	45000	38808	38808	1.5
2409	062	6875	0.16	12519	9	85	140	4	22	13	27500	14981	NCD-INNE	85	form-based			true	0.75	36	1.636363626	27	27	41250	28731	28731	1.5
2513	005	3000	0.07	0	0	65	100	3	7	7	9000	9000	NC-2	100	form-based			true	0.75	27	3.857142925	27	14	27000	27000	18000	3
2540	004E	5292	0.12	2457	1	65	100	3	12	11	15876	13419	RTO-C	85	form-based			true	0.75	28	2.333333254	27	23	31752	29295	29295	2
2648	007A	3083	0.07	1270	1	65	100	3	7	6	9249	7979	RTO-C	140	form-based			true	0.75	28	4	27	13	27747	26477	17228	3
2931	005	5207	0.12	3250	0	65	100	3	12	12	15621	12371	NCD-WEST	85	form-based			true	0.75	27	2.25	27	24	31242	27992	27992	2
2934	021	12659	0.29	0	0	55	80	2.5	23	23	31648	31648	RH-1(D)	40	form-based			true	0.7	27	1.173913002	27	27	35445.19922	35445.19922	35445.19922	1.119982
2979	052	5120	0.12	2376	0	85	140	4	17	17	20480	18104	NCD-WEST	85	form-based		true	true	0.75	27	1.588235259	27	27	30720	28344	28344	1.5
3012	019	5160	0.12	5510	0	65	100	3	12	12	15480	9970	NCD-WEST	85	form-based			true	0.75	27	2.25	27	24	30960	25450	25450	2
3014	002B	5251	0.12	2828	1	65	100	3	12	11	15753	12925	RTO-C	85	form-based			true	0.75	28	2.333333254	27	23	31506	28678	28678	2
3047	004	13219	0.3	4655	1	55	80	2.5	24	23	33048	28393	RH-1(D)	40	form-based			true	0.7	28	1.166666627	27	27	37013.19922	32358.19922	32358.19922	1.119983
3208A	005	16442	0.38	3916	0	55	80	2.5	30	30	41105	37189	NCD-EXCE	40	density-lin	600	true		0.75	27	0.899999976	27	27	49326	45410	45410	1.2
3502	040	3801	0.09	7450	7	85	140	4	13	6	15204	7754	NCT-3	120	form-based		true	true	0.75	34	2.615384579	27	19	34209	26759	22958	2.25
3504	040	5053	0.12	40413	0	85	140	4	17	17	20212	0	NCT-3	85	form-based		true		0.75	27	1.588235259	27	27	30318	0	0	1.5
3511	025	8872	0.2	9192	0	65	100	3	20	20	26616	17424	NCT-3	50	form-based				0.75	27	1.350000024	27	27	33270	24078	24078	1.25
3538	051	5155	0.12	13808	0	85	140	4	17	17	20620	6812	RTO-C	85	form-based		true	true	0.75	27	1.588235259	27	27	30930	17122	17122	1.5
3552	047	7178	0.16	4225	0	75	120	3.5	19	19	25123	20898	UMU	68	form-based		true		0.75	27	1.421052575	27	27	32301	28076	28076	1.285714
3560	012	3321	0.08	5256	3	85	140	4	11	8	13284	8028	NCT-UPPE	120	form-based			true	0.75	30	2.727272749	27	19	29889	24633	21312	2.25
3562	009	2991	0.07	1953	0	65	100	3	7	7	8973	7020	NCT-UPPE	120	form-based			true	0.75	27	3.857142925	27	14	26919	24966	15993	3
3606	035	10151	0.23	3980	1	85	140	4	32	31	40604	36624	RM-1	50	form-based			true	0.7	28	0.875	27	27	35528.5	31548.5	31548.5	0.875
3643	004	6316	0.14	9750	6	75	120	3.5	17	11	22106	12356	NCT-MISSI	80	form-based				0.75	33	1.941176414	27	27	37896	28146	28146	1.714286
3722	011	3041	0.07	5775	0	75	120	3.5	8	8	10644	4869	C-3-O(SD)	350	form-based				0.8	27	3.375	27	16	27369	21594	15513	2.571308
3724	038	3035	0.07	0	0	75	120	3.5	8	8	10622	10622	C-3-S	160	form-based				0.8	27	3.375	27	16	27315	27315	21244	2.57155
3726	152	10762	0.25	50697	30	85	140	4	35	5	43048	0	NCT-SOMA	85	form-based		true		0.75	57	1.628571391	27	27	64572	13875	13875	1.5
3732	151	5198	0.12	21347	0	65	100	3	12	12	15594	0	MUR	85	form-based				0.75	27	2.25	27	24	31188	9841	9841	2
3751	169	45324	1.04	248741	147	65	100	3	104	0	135972	0	MUR	85	form-based				0.55	174	1.673076868	27	27	199425.6094	0	0	1.466667
3754	018	7269	0.17	35629	0	65	100	3	17	17	21807	0	MUG	65	form-based		true		0.75	27	1.588235259	27	27	32710.5	0	0	1.5
3762	018	4800	0.11	5200	0	65	100	3	11	11	14400	9200	CMUO	85	form-based				0.8	27	2.454545498	27	22	30720	25520	23600	2.133333
3775	005	6738	0.15	61377	0	65	100	3	15	15	20214	0	CMUO	65	form-based		true		0.8	27	1.799999952	27	27	32342.40039	0	0	1.6
3776	021	4814	0.11	20667	0	75	120	3.5	13	13	16849	0	CMUO	85	form-based				0.8	27	2.076923132	27	26	30809.59961	10142.59961	10142.59961	1.828571
4105	010	9105	0.21	17600	0	75	120	3.5	25	25	31868	14268	UMU	58	form-based				0.75	27	1.080000043	27	27	34143.75	16543.75	16543.75	1.071412
6517	032	5075	0.12	9299	0	95	160	4.5	19	19	22838	13539	NCT-MISSI	85	form-based				0.75	27	1.421052575	27	27	30450	21151	21151	1.333304
6700	033	13402	0.31	1641	1	65	100	3	31	30	40206	38565	RH-1	40	form-based			true	0.7	28	0.90322578	27	27	37525.59766	35884.59766	35884.59766	0.933333
6934	001	5232	0.12	5095	0	85	140	4	17	17	20928	15833	NCT-OCEA	85	form-based		true	true	0.75	27	1.588235259	27	27	31392	26297	26297	1.5
6945	045	5138	0.12	6450	0	85	140	4	17	17	20552	14102	NCT-OCEA	85	form-based		true	true	0.75	27	1.588235259	27	27	30828	24378	24378	1.5
7081B	001	5172	0.12	1094	0	85	140	4	17	17	20688	19594	NC-1	85	form-based			true	0.75	27	1.588235259	27	27	31032	29938	29938	1.5
7203	013	5188	0.12	0	0	65	100	3	12	12	15564	15564	RTO-C	85	form-based			true	0.75	27	2.25	27	24	31128	31128	31128	2
7220	003	5227	0.12	5793	0	85	140	4	17	17	20908	15115	NCD-LAKE	85	form-based		true	true	0.75	27	1.588235259	27	27	31362	25569	25569	1.5
7226	019A	5061	0.12	4500	0	85	140	4	17	17	20244	15744	NCD-LAKE	85	form-based			true	0.75	27	1.588235259	27	27	30366	25866	25866	1.5
7226	020	5062	0.12	4750	0	85	140	4	17	17	20248	15498	NCD-LAKE	85	form-based			true	0.75	27	1.588235259	27	27	30372	25622	25622	1.5
0131	009	10294	0.24	17684	0	55	80	2.5	19	19	25735	8051	NCD-NORT	40	density-lin	400			0.75	26	1.368421078	26	26	30882	13198	13198	1.2
0147	003	11529	0.26	49932	3	65	100	3	26	23	34587	0	NCD-NORT	40	density-lin	400			0.75	29	1.115384579	26	26	34587	0	0	1
0192	004	5285	0.12	15180	0	85	140	4	17	17	21140	5960	CRNC	85	density-lin	200	true		0.75	26	1.529411793	26	26	31710	16530	16530	1.5
0194	012	5145	0.12	16616	0	65	100	3	12	12	15435	0	CVR	50	density-lin	200	true		0.75	26	2.166666746	26	24	19293.75	2677.75	2677.75	1.25
0208	065	6303	0.14	12348	6	65	100	3	14	8	18909	6561	CCB	65	density-lin	200	true		0.75	32	2.285714388	26	22	28363.5	16015.5	16015.5	1.5
0228	013	5400	0.12	10980	0	65	100	3	12	12	16200	5220	C-3-O	75	form-based		true		0.8	26	2.166666746	26	24	30240	19260	19260	1.866667
0249	012	3782	0.09	5512	8	65	100	3	9	1	11346	5834	NCD-POLK	120	form-based			true	0.75	34	3.777777672	26	10	34038	28526	17180	3
0250	015	3548	0.08	8949	6	65	100	3	8	2	10644	1695	NCD-POLK	120	form-based			true	0.75	32	4	26	10	31932	22983	12339	3
0251	036	3763	0.09	5430	8	55	80	2.5	7	0	9408	3978	RTO-C	120	form-based			true	0.75	34	4.857142925	26	6	33867	28437	13386	3.599809
0271	028	5212	0.12	29400	0	65	100	3	12	12	15636	0	CCB	50	density-lin	200			0.75	26	2.166666746	26	24	19545	0	0	1.25
0273	002	9601	0.22	24415	22	65	100	3	22	0	28803	4388	RM-4	65	density-lin	200			0.75	48	2.181818247	26	22	43204.5	18789.5	18789.5	1.5
0291	004	2929	0.07	11734	0	85	140	4	10	10	11716	0	C-3-O	300	form-based				0.8	26	2.599999905	26	20	26361	14627	11698	2.25
0294	020	2844	0.07	5387	0	75	120	3.5	8	8	9954	4567	C-3-R	130	form-based				0.8	26	3.25	26	16	25596	20209	14521	2.571429
0298	035	2884	0.07	2970	0	65	100	3	7	7	8652	5682	C-3-G	130	form-based				0.8	26	3.714285612	26	14	25956	22986	14334	3
0304	005	5617	0.13	39880	2	85	140	4	18	16	22468	0	RC-4	130	density-lin	200			0.75	28	1.555555582	26	26	50553	10673	5056	2.25
0314	009	2890	0.07	7507	0	85	140	4	10	10	11560	4053	C-3-R	130	form-based				0.8	26	2.599999905	26	20	26010	18503	15613	2.25
0324	005	5159	0.12	0	0	85	140	4	17	17	20636	20636	RC-4	130	density-lin	200			0.75	26	1.529411793	26	26	46431	46431	41272	2.25
0331	005	2887	0.07	2062	0	75	120	3.5	8	8	10104	8042	C-3-G	130	form-based				0.8	26	3.25	26	16	25983	23921	18146	2.571556
0331	006	3623	0.08	26310	7	75	120	3.5	10	3	12680	0	C-3-G	130	form-based		true		0.8	33	3.299999952	26	13	32607	6297	0	2.57153
0333	015	5264	0.12	11777	0	65	100	3	12	12	15792	4015	RC-4	80	density-lin	200	true		0.75	26	2.166666746	26	24	31584	19807	19807	2
0348	017	4700	0.11	6650	0	75	120	3.5	13	13	16450	9800	C-3-G	80	form-based		true		0.8	26	2	26	26	30080	23430	23430	1.828571

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0355	003	4619	0.11	17808	0	95	160	4.5	18	18	20786	2978	C-3-G	80	form-based				0.8	26	1.444444418	26	26	29561.59961	11753.59961	11753.59961	1.422188
0496	009	3437	0.08	6401	5	65	100	3	8	3	10311	3910	NC-3	140	form-based			true	0.75	31	3.875	26	11	30933	24532	14221	3
0498	011	3438	0.08	4285	5	65	100	3	8	3	10314	6029	RC-3	140	form-based			true	0.75	31	3.875	26	11	30942	26657	16343	3
0499	002D	27363	0.63	64980	77	65	100	3	63	0	82089	17109	RM-3	65	form-based			true	0.75	103	1.634920597	26	26	123133.5	58153.5	58153.5	1.5
0524	014	5531	0.13	2870	1	65	100	3	13	12	16593	13723	RH-2	85	form-based			true	0.7	27	2.076923132	26	25	30973.59961	28103.59961	28103.59961	1.866667
0527	013	6897	0.16	13750	0	65	100	3	16	16	20691	6941	NCD-UNIO	65	form-based			true	0.75	26	1.625	26	26	31036.5	17286.5	17286.5	1.5
0546	001A	6875	0.16	6955	0	85	140	4	22	22	27500	20545	NCD-UNIO	65	form-based			true	0.75	26	1.181818128	26	26	30937.5	23982.5	23982.5	1.125
0547	006	3162	0.07	2125	2	65	100	3	7	5	9486	7361	NCD-POLK	140	form-based			true	0.75	28	4	26	12	28458	26333	16847	3
0551	004	3255	0.07	6000	3	85	140	4	10	7	13020	7020	RC-3	240	form-based			true	0.75	29	2.900000095	26	17	29295	23295	20040	2.25
0551	007	3438	0.08	3801	5	85	140	4	11	6	13752	9951	RTO-C	240	form-based			true	0.75	31	2.818181753	26	17	30942	27141	23703	2.25
0561	011	12891	0.3	6076	1	55	80	2.5	24	23	32228	26152	RH-1	40	form-based			true	0.7	27	1.125	26	26	36094.80078	30018.80078	30018.80078	1.119983
0569	010	6875	0.16	28968	36	65	100	3	16	0	20625	0	RTO-C	140	form-based			true	0.75	62	3.875	26	0	61875	32907	12282	3
0571	010	3293	0.08	6600	4	85	140	4	11	7	13172	6572	RC-3	240	form-based			true	0.75	30	2.727272749	26	18	29637	23037	19744	2.25
0572	018A	5000	0.11	4920	0	65	100	3	11	11	15000	10080	NCD-POLK	85	form-based			true	0.75	26	2.363636255	26	22	30000	25080	25080	2
0572	019	5000	0.11	5085	0	65	100	3	11	11	15000	9915	NCD-POLK	85	form-based			true	0.75	26	2.363636255	26	22	30000	24915	24915	2
0577	001C	3493	0.08	5024	5	65	100	3	8	3	10479	5455	RTO-C	140	form-based			true	0.75	31	3.875	26	11	31437	26413	15934	3
0577	001D	3503	0.08	4700	6	65	100	3	8	2	10509	5809	RTO-C	140	form-based			true	0.75	32	4	26	10	31527	26827	16318	3
0578	015	2978	0.07	2418	1	55	80	2.5	6	5	7445	5027	RTO-C	105	form-based			true	0.75	27	4.5	26	11	26802	24384	12472	3.6
0578	088	3094	0.07	1978	2	55	80	2.5	6	4	7735	5757	RTO-C	105	form-based			true	0.75	28	4.666666508	26	10	27846	25868	13492	3.6
0592	003	4031	0.09	7707	10	65	100	3	9	0	12093	4386	RTO-C	140	form-based			true	0.75	36	4	26	8	36279	28572	16479	3
0593	003	3550	0.08	8394	6	65	100	3	8	2	10650	2256	RTO-C	140	form-based			true	0.75	32	4	26	10	31950	23556	12906	3
0618	003	5107	0.12	16587	20	65	100	3	12	0	15321	0	RTO-C	240	form-based			true	0.75	46	3.833333254	26	4	45963	29376	14055	3
0618	003B	5107	0.12	16590	20	65	100	3	12	0	15321	0	RTO-C	240	form-based			true	0.75	46	3.833333254	26	4	45963	29373	14052	3
0619	014A	3566	0.08	7660	6	65	100	3	8	2	10698	3038	NCD-POLK	350	form-based			true	0.75	32	4	26	10	32094	24434	13736	3
0645	018	3276	0.08	4380	3	65	100	3	8	5	9828	5448	NCD-POLK	120	form-based			true	0.75	29	3.625	26	13	29484	25104	15276	3
0667	020	2903	0.07	2	0	65	100	3	7	7	8709	8707	NCD-POLK	240	form-based			true	0.75	26	3.714285612	26	14	26127	26125	17416	3
0674	021	8735	0.2	15249	18	65	100	3	20	2	26205	10956	RM-4	50	density-lim	200			0.75	44	2.200000048	26	22	32756.25	17507.25	17507.25	1.25
0675	051	10333	0.24	13512	0	65	100	3	24	24	30999	17487	NCD-JAPAI	50	density-lim	400			0.75	26	1.083333373	26	26	38748.75	25236.75	25236.75	1.25
0714	020	3828	0.09	936	8	65	100	3	9	1	11484	10548	NC-3	650	form-based			true	0.75	34	3.777777672	26	10	34452	33516	22032	3
0849	019	7125	0.16	3215	1	65	100	3	16	15	21375	18160	NCD-LOWI	65	form-based			true	0.75	27	1.6875	26	26	32062.5	28847.5	28847.5	1.5
0854	003	2940	0.07	6286	0	85	140	4	10	10	11760	5474	NCT-3	140	form-based		true	true	0.75	26	2.599999905	26	20	26460	20174	17234	2.25
0856	020	9452	0.22	0	0	65	100	3	22	22	28356	28356	RTO-1	50	form-based			true	0.7	26	1.181818128	26	26	33082	33082	33082	1.166667
0859	038	6871	0.16	3800	0	65	100	3	16	16	20613	16813	NCD-LOWI	65	form-based			true	0.75	26	1.625	26	26	30919.5	27119.5	27119.5	1.5
0958	030	13037	0.3	19022	1	55	80	2.5	24	23	32592	13570	RH-1(D)	40	form-based			true	0.7	27	1.125	26	26	36503.59766	17481.59766	17481.59766	1.120017
0996	030	12630	0.29	5150	1	65	100	3	29	28	37890	32740	RH-1	40	form-based		true	true	0.7	27	0.931034505	26	26	35364	30214	30214	0.933333
1018	011	6978	0.16	8235	0	55	80	2.5	13	13	17445	9210	NCD-SACR	65	form-based			true	0.75	26	2	26	26	31401	23166	23166	1.8
1028	004	6050	0.14	8984	6	85	140	4	20	14	24200	15216	NC-2	85	form-based			true	0.75	32	1.600000024	26	26	36300	27316	27316	1.5
1049	005	5000	0.11	6169	0	65	100	3	11	11	15000	8831	NC-2	85	form-based			true	0.75	26	2.363636255	26	22	30000	23831	23831	2
1052	009	11584	0.27	37020	0	65	100	3	27	27	34752	0	NC-3	40	form-based			true	0.75	26	0.962962985	26	26	34752	0	0	1
1066	054	12481	0.29	3770	0	65	100	3	29	29	37443	33673	RM-2	40	form-based			true	0.7	26	0.896551728	26	26	34946.80078	31176.80078	31176.80078	0.933333
1088	053	4982	0.11	1065	0	85	140	4	15	15	19928	18863	NCD-GEAR	85	form-based			true	0.75	26	1.733333349	26	26	29892	28827	28827	1.5
1089	001	5003	0.11	3000	0	65	100	3	11	11	15009	12009	NCD-GEAR	85	form-based		true	true	0.75	26	2.363636255	26	22	30018	27018	27018	2
1091	025	3140	0.07	2400	2	85	140	4	10	8	12560	10160	NCD-GEAR	140	form-based			true	0.75	28	2.799999952	26	18	28260	25860	22720	2.25
1191	042	6676	0.15	1392	9	55	80	2.5	12	3	16690	15298	RTO-C	85	form-based			true	0.75	35	2.916666746	26	15	40056	38664	31988	2.4
1217	079	5197	0.12	1450	1	55	80	2.5	10	9	12992	11542	NCT-DIVIS	85	form-based			true	0.75	27	2.700000048	26	19	31182	29732	24534	2.400092
1231	052	6880	0.16	8020	0	55	80	2.5	13	13	17200	9180	NCD-HAIG	65	form-based			true	0.75	26	2	26	26	30960	22940	22940	1.8
1232	001	9413	0.22	11015	0	55	80	2.5	18	18	23532	12517	RM-1	50	form-based		true	true	0.7	26	1.444444418	26	26	32945.5	21930.5	21930.5	1.40003
1232	007	6875	0.16	5319	0	55	80	2.5	13	13	17188	11869	NCD-HAIG	65	form-based			true	0.75	26	2	26	26	30937.5	25618.5	25618.5	1.799948
1245	033	6896	0.16	4989	0	55	80	2.5	13	13	17240	12251	NCD-HAIG	65	form-based			true	0.75	26	2	26	26	31032	26043	26043	1.8
1307	001Y	13068	0.3	7985	1	55	80	2.5	24	23	32670	24685	RH-1(D)	40	form-based			true	0.7	27	1.125	26	26	36590.39844	28605.39844	28605.39844	1.12
1312	026	12584	0.29	8269	0	55	80	2.5	23	23	31460	23191	RH-1(D)	40	form-based			true	0.7	26	1.130434752	26	26	35235.19922	26966.19922	26966.19922	1.12
1337	001	12865	0.3	5663	1	55	80	2.5	24	23	32162	26499	RH-1	40	form-based			true	0.7	27	1.125	26	26	36022	30359	30359	1.120017
1410	057	10000	0.23	1456	12	65	100	3	23	11	30000	28544	NCD-OUTE	65	form-based			true	0.75	38	1.652173877	26	26	45000	43544	43544	1.5
1434	020	6608	0.15	10716	9	85	140	4	21	12	26432	15716	NCD-GEAR	85	form-based			true	0.75	35	1.666666627	26	26	39648	28932	28932	1.5
1436	021	5000	0.11	636	0	65	100	3	11	11	15000	14364	NCD-GEAR	85	form-based			true	0.75	26	2.363636255	26	22	30000	29364	29364	2
1438	019	5000	0.11	5000	0	85	140	4	15	15	20000	15000	NCD-GEAR	85	form-based			true	0.75	26	1.733333349	26	26	30000	25000	25000	1.5
1440	039	5000	0.11	11294	0	85	140	4	15	15	20000	8706	NCD-GEAR	85	form-based			true	0.75	26	1.733333349	26	26	30000	18706	18706	1.5
1444	019	5000	0.11	6000	0	65	100	3	11	11	15000	9000	NCD-GEAR	85	form-based			true	0.75	26	2.363636255	26	22	30000	24000	24000	2
1446	024	4934	0.11	10009	0	85	140	4	15	15	19736	9727	NCD-GEAR	85	form-based		true	true	0.75	26	1.733333349	26	26	29604	19595	19595	1.5
1451	047	4969	0.11	8000	0	85	140	4	15	15	19876	11876	NCD-GEAR	85	form-based		true	true	0.75	26	1.733333349	26	26	29814	21814	21814	1.5
1452	019	5000	0.11	9164	0	85	140	4	15	15	20000	10836	NCD-GEAR	85	form-based			true	0.75	26	1.733333349	26	26	30000	20836	20836	1.5
1452	020	5000	0.11	5000	0	85	140	4	15	15	20000	15000	NCD-GEAR	85	form-based			true	0.75	26	1.733333349	26	26	30000	25000	25000	1.5
1452	045	5000	0.11	6175	0	85	140	4	15	15	20000	13825	NCD-GEAR	85	form-based		true	true	0.75	26	1.733333349	26	26	30000	23825	23825	1.5
1454	019	6500	0.15	11325	8	85	140	4	21	13	26000	14675	NCD-GEAR	85	form-based			true	0.75	34	1.619047642	26	26	39000	27675	27675	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1526	035	5020	0.12	4968	0	65	100	3	12	12	15060	10092	NCD-GEAR	85	form-based			true	0.75	26	2.166666746	26	24	30120	25152	25152	2
1527	037	5019	0.12	5193	0	65	100	3	12	12	15057	9864	NCD-GEAR	85	form-based			true	0.75	26	2.166666746	26	24	30114	24921	24921	2
1528	033	5023	0.12	7273	0	85	140	4	17	17	20092	12819	NCD-GEAR	85	form-based		true	true	0.75	26	1.529411793	26	26	30138	22865	22865	1.5
1528	036	5018	0.12	5152	0	85	140	4	17	17	20072	14920	NCD-GEAR	85	form-based			true	0.75	26	1.529411793	26	26	30108	24956	24956	1.5
1536	041	5008	0.11	5000	0	85	140	4	15	15	20032	15032	NCD-GEAR	85	form-based			true	0.75	26	1.733333349	26	26	30048	25048	25048	1.5
1736	039	10000	0.23	26055	27	65	100	3	23	0	30000	3945	NCD-INNE	85	form-based		true	true	0.75	53	2.304347754	26	19	60000	33945	33945	2
1778	042	5000	0.11	3800	0	65	100	3	11	11	15000	11200	NCD-IRVIN	85	form-based			true	0.75	26	2.363636255	26	22	30000	26200	26200	2
1778	045	5000	0.11	3000	0	65	100	3	11	11	15000	12000	NCD-IRVIN	85	form-based			true	0.75	26	2.363636255	26	22	30000	27000	27000	2
1779	040	5000	0.11	6079	0	65	100	3	11	11	15000	8921	NCD-IRVIN	85	form-based			true	0.75	26	2.363636255	26	22	30000	23921	23921	2
1785	032	4954	0.11	8800	0	85	140	4	15	15	19816	11016	NCD-JUDA	85	form-based			true	0.75	26	1.733333349	26	26	29724	20924	20924	1.5
1785	036	4953	0.11	5000	0	85	140	4	15	15	19812	14812	NCD-JUDA	85	form-based			true	0.75	26	1.733333349	26	26	29718	24718	24718	1.5
1799	018	5009	0.11	4625	0	65	100	3	11	11	15027	10402	NC-1	85	form-based			true	0.75	26	2.363636255	26	22	30054	25429	25429	2
1801	017	5000	0.11	4951	0	85	140	4	15	15	20000	15049	NC-1	85	form-based			true	0.75	26	1.733333349	26	26	30000	25049	25049	1.5
1809	029	5000	0.11	6436	0	65	100	3	11	11	15000	8564	NC-1	85	form-based			true	0.75	26	2.363636255	26	22	30000	23564	23564	2
2029	026	4928	0.11	6335	0	55	80	2.5	9	9	12320	5985	NCD-NORI	85	form-based		true	true	0.75	26	2.888888836	26	18	29568	23233	18305	2.4
2030	012	4939	0.11	4426	0	55	80	2.5	9	9	12348	7922	NCD-NORI	85	form-based			true	0.75	26	2.888888836	26	18	29634	25208	20270	2.399903
2350	020	5000	0.11	6350	0	85	140	4	15	15	20000	13650	NCD-TARA	85	form-based			true	0.75	26	1.733333349	26	26	30000	23650	23650	1.5
2353	011	5000	0.11	7900	0	65	100	3	11	11	15000	7100	NCD-TARA	85	form-based			true	0.75	26	2.363636255	26	22	30000	22100	22100	2
2354	037	5000	0.11	3677	0	85	140	4	15	15	20000	16323	NCD-TARA	85	form-based			true	0.75	26	1.733333349	26	26	30000	26323	26323	1.5
2355	035	5000	0.11	5000	0	85	140	4	15	15	20000	15000	NCD-TARA	85	form-based			true	0.75	26	1.733333349	26	26	30000	25000	25000	1.5
2357	014	5000	0.11	4906	0	65	100	3	11	11	15000	10094	NCD-TARA	85	form-based			true	0.75	26	2.363636255	26	22	30000	25094	25094	2
2360	014	5000	0.11	5000	0	85	140	4	15	15	20000	15000	NCD-TARA	85	form-based			true	0.75	26	1.733333349	26	26	30000	25000	25000	1.5
2361	015	5000	0.11	5000	0	85	140	4	15	15	20000	15000	NCD-TARA	85	form-based			true	0.75	26	1.733333349	26	26	30000	25000	25000	1.5
2411	001	6883	0.16	13666	0	65	100	3	16	16	20649	6983	NCD-INNE	65	form-based		true	true	0.75	26	1.625	26	26	30973.5	17307.5	17307.5	1.5
2423	021	6976	0.16	16570	0	65	100	3	16	16	20928	4358	NC-1	65	form-based		true	true	0.75	26	1.625	26	26	31392	14822	14822	1.5
2540	004D	5109	0.12	2235	1	65	100	3	12	11	15327	13092	RTO-C	85	form-based			true	0.75	27	2.25	26	23	30654	28419	28419	2
2635	047	20400	0.47	18285	20	55	80	2.5	38	18	51000	32715	RM-4	40	form-based			true	0.75	46	1.210526347	26	26	61200	42915	42915	1.2
2648	089	3083	0.07	1162	2	65	100	3	7	5	9249	8087	RTO-C	140	form-based			true	0.75	28	4	26	12	27747	26585	17336	3
2648	095	3083	0.07	1222	2	65	100	3	7	5	9249	8027	RTO-C	160	form-based			true	0.75	28	4	26	12	27747	26525	17276	3
2648	097	3083	0.07	1272	2	65	100	3	7	5	9249	7977	RTO-C	160	form-based			true	0.75	28	4	26	12	27747	26475	17226	3
2693	002	12333	0.28	31737	0	65	100	3	28	28	36999	5262	RH-3	40	form-based			true	0.7	26	0.928571403	26	26	34532.39844	2795.398438	2795.398438	0.933333
2789	038	13001	0.3	2669	1	55	80	2.5	24	23	32502	29833	RH-1(D)	40	form-based			true	0.7	27	1.125	26	26	36402.80078	33733.80078	33733.80078	1.120017
2879	028	5112	0.12	1905	1	65	100	3	12	11	15336	13431	RTO-C	85	form-based			true	0.75	27	2.25	26	23	30672	28767	28767	2
2879	029	5103	0.12	2162	1	65	100	3	12	11	15309	13147	RTO-C	85	form-based			true	0.75	27	2.25	26	23	30618	28456	28456	2
2888A	001	12340	0.28	1625	0	65	100	3	28	28	37020	35395	RH-1(D)	40	form-based		true	true	0.7	26	0.928571403	26	26	34552	32927	32927	0.933333
2901B	017	6503	0.15	15125	8	55	80	2.5	12	4	16258	1133	NC-1	85	form-based			true	0.75	34	2.833333254	26	16	39018	23893	17391	2.399926
2923	054	12425	0.29	0	0	55	80	2.5	23	23	31062	31062	RH-1(D)	40	form-based			true	0.7	26	1.130434752	26	26	34790	34790	34790	1.120018
2931	003	4891	0.11	5972	0	85	140	4	15	15	19564	13592	NCD-WEST	85	form-based			true	0.75	26	1.733333349	26	26	29346	23374	23374	1.5
2931	010	4958	0.11	16697	0	65	100	3	11	11	14874	0	NCD-WEST	85	form-based		true	true	0.75	26	2.363636255	26	22	29748	13051	13051	2
2935	007	12949	0.3	2390	1	55	80	2.5	24	23	32372	29982	RH-1(D)	40	form-based			true	0.7	27	1.125	26	26	36257.19922	33867.19922	33867.19922	1.120017
2935	017	12209	0.28	2546	0	55	80	2.5	22	22	30522	27976	RH-1(D)	40	form-based			true	0.7	26	1.181818128	26	26	34185.19922	31639.19922	31639.19922	1.120018
2979A	026	6518	0.15	11600	8	65	100	3	15	7	19554	7954	NCD-WEST	85	form-based			true	0.75	34	2.266666651	26	22	39108	27508	27508	2
2988A	003	4934	0.11	6050	0	65	100	3	11	11	14802	8752	NCD-WEST	85	form-based			true	0.75	26	2.363636255	26	22	29604	23554	23554	2
2988A	011	4938	0.11	4339	0	65	100	3	11	11	14814	10475	NCD-WEST	85	form-based			true	0.75	26	2.363636255	26	22	29628	25289	25289	2
2989B	021	4903	0.11	4470	0	65	100	3	11	11	14709	10239	NCD-WEST	85	form-based			true	0.75	26	2.363636255	26	22	29418	24948	24948	2
2989B	022	4970	0.11	3606	0	65	100	3	11	11	14910	11304	NCD-WEST	85	form-based			true	0.75	26	2.363636255	26	22	29820	26214	26214	2
2989B	026	4911	0.11	3479	0	65	100	3	11	11	14733	11254	NCD-WEST	85	form-based			true	0.75	26	2.363636255	26	22	29466	25987	25987	2
2991	035	12622	0.29	3883	1	55	80	2.5	23	22	31555	27672	RH-1(D)	40	form-based			true	0.7	27	1.173913002	26	26	35341.59766	31458.59766	31458.59766	1.12
2992	027	12638	0.29	3127	1	55	80	2.5	23	22	31595	28468	RH-1(D)	40	form-based			true	0.7	27	1.173913002	26	26	35386.39844	32259.39844	32259.39844	1.12
3012	017	4935	0.11	3744	0	65	100	3	11	11	14805	11061	NCD-WEST	85	form-based			true	0.75	26	2.363636255	26	22	29610	25866	25866	2
3012	023	4902	0.11	5593	0	85	140	4	15	15	19608	14015	NCD-WEST	85	form-based			true	0.75	26	1.733333349	26	26	29412	23819	23819	1.5
3196	003	5555	0.13	1999	1	85	140	4	18	17	22220	20221	RH-1(D)	85	form-based			true	0.7	27	1.5	26	26	31108	29109	29109	1.4
3502	113	4929	0.11	9546	0	65	100	3	11	11	14787	5241	NCT-3	85	form-based		true		0.75	26	2.363636255	26	22	29574	20028	20028	2
3508	018	3634	0.08	11670	7	85	140	4	11	4	14536	2866	C-3-G	120	form-based		true		0.8	33	3	26	15	32706	21036	17402	2.25
3509	004	8523	0.2	25250	0	85	140	4	28	28	34092	8842	RCD	55	form-based				0.75	26	0.928571403	26	26	31961.25	6711.25	6711.25	0.9375
3509	008	8528	0.2	34479	0	75	120	3.5	24	24	29848	0	RCD	55	form-based				0.75	26	1.083333373	26	26	31980	0	0	1.071429
3509	014	8766	0.2	9388	0	65	100	3	20	20	26298	16910	RCD	55	form-based				0.75	26	1.299999952	26	26	32872.5	23484.5	23484.5	1.25
3511	010	4957	0.11	6600	0	65	100	3	11	11	14871	8271	WMUG	85	form-based		true	true	0.75	26	2.363636255	26	22	29742	23142	23142	2
3515	003	4975	0.11	8856	0	65	100	3	11	11	14925	6069	WMUG	85	form-based			true	0.75	26	2.363636255	26	22	29850	20994	20994	2
3516	007	4995	0.11	4375	0	65	100	3	11	11	14985	10610	WMUG	85	form-based			true	0.75	26	2.363636255	26	22	29970	25595	25595	2
3518	016	8804	0.2	25766	0	65	100	3	20	20	26412	646	RCD	55	form-based				0.75	26	1.299999952	26	26	33015	7249	7249	1.25
3519	009	8596	0.2	9174	0	65	100	3	20	20	25788	16614	RCD	55	form-based		true		0.75	26	1.299999952	26	26	32235	23061	23061	1.25
3520	043	8580	0.2	9776	0	65	100	3	20	20	25740	15964	WMUG	55	form-based				0.75	26	1.299999952	26	26	32175	22399	22399	1.25
3535	012	2878	0.07	3850	0	65	100	3	7	7	8634	4784	NCT-3	160	form-based			true	0.75	26	3.714285612	26	14	25902	22052	13418	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3542	015	3265	0.07	10868	3	65	100	3	7	4	9795	0	NCT-UPPE	120	form-based			true	0.75	29	4.142857075	26	11	29385	18517	8722	3
3554	030	9352	0.21	7284	0	75	120	3.5	25	25	32732	25448	RTO-M	55	form-based		true		0.7	26	1.039999962	26	26	32732	25448	25448	1
3573	046	17315	0.4	925	26	65	100	3	40	14	51945	51020	UMU	58	form-based				0.75	52	1.299999952	26	26	64931.25	64006.25	64006.25	1.25
3642	030	4903	0.11	9416	0	75	120	3.5	13	13	17160	7744	NCT-MISSI	80	form-based				0.75	26	2	26	26	29418	20002	20002	1.714336
3707	005	2850	0.07	10275	0	75	120	3.5	8	8	9975	0	C-3-O(SD)	150	form-based				0.8	26	3.25	26	16	25650	15375	9675	2.571429
3708	032	2870	0.07	8556	0	75	120	3.5	8	8	10045	1489	C-3-O(SD)	500	form-based		true		0.8	26	3.25	26	16	25830	17274	11534	2.571429
3725	131	4686	0.11	1939	0	75	120	3.5	13	13	16401	14462	C-3-S	85	form-based				0.8	26	2	26	26	29990.40039	28051.40039	28051.40039	1.828571
3730	060	8660	0.2	15508	0	65	100	3	20	20	25980	10472	WMUG	55	form-based				0.75	26	1.299999952	26	26	32475	16967	16967	1.25
3732	030	5024	0.12	1870	0	65	100	3	12	12	15072	13202	MUR	85	form-based		true		0.75	26	2.166666746	26	24	30144	28274	28274	2
3732	112	4903	0.11	5805	0	65	100	3	11	11	14709	8904	MUR	85	form-based				0.75	26	2.363636255	26	22	29418	23613	23613	2
3756	001	6841	0.16	26450	0	65	100	3	16	16	20523	0	NCT-FOLS	65	form-based		true		0.75	26	1.625	26	26	30784.5	4334.5	4334.5	1.5
3777	003	6400	0.15	10000	0	75	120	3.5	18	18	22400	12400	CMUO	65	form-based		true		0.8	26	1.444444418	26	26	30720	20720	20720	1.371429
3777	175	6492	0.15	2395	0	85	140	4	21	21	25968	23573	CMUO	65	form-based				0.8	26	1.238095284	26	26	31161.59961	28766.59961	28766.59961	1.2
3987	024	11443	0.26	0	0	65	100	3	26	26	34329	34329	UMU	40	form-based				0.75	26	1	26	26	34329	34329	34329	1
3998	008	8726	0.2	0	0	65	100	3	20	20	26178	26178	UMU	58	form-based		true		0.75	26	1.299999952	26	26	32722.5	32722.5	32722.5	1.25
4080	061	6840	0.16	5948	0	65	100	3	16	16	20520	14572	UMU	68	form-based		true		0.75	26	1.625	26	26	30780	24832	24832	1.5
4107	022	11762	0.27	11300	0	75	120	3.5	32	32	41167	29867	UMU	40	form-based				0.75	26	0.8125	26	26	35286	23986	23986	0.857143
4277	006	11421	0.26	17362	0	65	100	3	26	26	34263	16901	MUR	40	form-based				0.75	26	1	26	26	34263	16901	16901	1
6512	029	25683	0.59	31827	0	65	100	3	59	59	77049	45222	RH-3	40	density-lin	1000			0.7	26	0.440677971	26	26	71912.39844	40085.39844	40085.39844	0.933333
6516	006	4881	0.11	4599	0	75	120	3.5	13	13	17084	12485	NCT-MISSI	80	form-based				0.75	26	2	26	26	29286	24687	24687	1.714236
6589	002Z	12260	0.28	0	0	55	80	2.5	22	22	30650	30650	RH-1	40	form-based			true	0.7	26	1.181818128	26	26	34328	34328	34328	1.12
6914	001	7262	0.17	3205	1	85	140	4	24	23	29048	25843	RTO-C	65	form-based		true	true	0.75	27	1.125	26	26	32679	29474	29474	1.125
6916	023	12678	0.29	1864	1	55	80	2.5	23	22	31695	29831	RH-1(D)	40	form-based			true	0.7	27	1.173913002	26	26	35498.39844	33634.39844	33634.39844	1.12
7223	004	4963	0.11	4565	0	85	140	4	15	15	19852	15287	NCD-LAKE	85	form-based		true	true	0.75	26	1.733333349	26	26	29778	25213	25213	1.5
7222	005	5202	0.12	2600	1	65	100	3	12	11	15606	13006	RTO-C	85	form-based			true	0.75	27	2.25	26	23	31212	28612	28612	2
7222	006	5102	0.12	2142	1	65	100	3	12	11	15306	13164	RTO-C	85	form-based		true	true	0.75	27	2.25	26	23	30612	28470	28470	2
7224	002	4861	0.11	4829	0	85	140	4	15	15	19444	14615	NCD-LAKE	85	form-based		true	true	0.75	26	1.733333349	26	26	29166	24337	24337	1.5
7537	060	12222	0.28	0	0	55	80	2.5	22	22	30555	30555	RH-1	40	form-based			true	0.7	26	1.181818128	26	26	34221.59766	34221.59766	34221.59766	1.12
0012	002	6228	0.14	6841	0	65	100	3	14	14	18684	11843	C-2	65	form-based		true	true	0.8	25	1.785714269	25	25	29894.40039	23053.40039	23053.40039	1.6
0040	033	4535	0.1	11531	0	65	100	3	10	10	13605	2074	C-2	85	form-based		true	true	0.8	25	2.5	25	20	29024	17493	15679	2.133333
0040	034	4390	0.1	0	0	65	100	3	10	10	13170	13170	C-2	85	form-based			true	0.8	25	2.5	25	20	28096	28096	26340	2.133333
0146	004	9848	0.23	9264	0	65	100	3	23	23	29544	20280	NCD-BROA	65	density-lin	400			0.75	25	1.086956501	25	25	44316	35052	35052	1.5
0160	031	11245	0.26	29097	31	65	100	3	26	0	33735	4638	RM-4	65	density-lin	200	true		0.75	56	2.153846264	25	21	50602.5	21505.5	21505.5	1.5
0173	004	4446	0.1	9993	0	65	100	3	10	10	13338	3345	C-2	84	form-base	800			0.8	25	2.5	25	20	28454.40039	18461.40039	16683	2.133333
0174	008	6302	0.14	21790	0	65	100	3	14	14	18906	0	C-2	65	form-base	800			0.8	25	1.785714269	25	25	30249.59961	8459.599609	8459.599609	1.6
0176	010	24185	0.56	32984	5	65	100	3	56	51	72555	39571	C-2	65	density-lin	800	true		0.8	30	0.535714269	25	25	116088	83104	83104	1.6
0176	011	5079	0.12	36068	0	65	100	3	12	12	15237	0	CCB	65	density-lin	200	true		0.75	25	2.083333254	25	24	22855.5	0	0	1.5
0194	006	4900	0.11	15507	0	65	100	3	11	11	14700	0	CCB	65	density-lin	200			0.75	25	2.272727251	25	22	22050	6543	6543	1.5
0206	006	2750	0.06	5257	0	85	140	4	8	8	11000	5743	C-3-O	200	form-based				0.8	25	3.125	25	16	24750	19493	16743	2.25
0206	018	2785	0.06	1510	0	65	100	3	6	6	8355	6845	C-3-O	200	form-based		true		0.8	25	4.166666508	25	12	25065	23555	15200	3
0224	002	5047	0.12	12264	0	65	100	3	12	12	15141	2877	CRNC	85	density-lin	200			0.75	25	2.083333254	25	24	30282	18018	18018	2
0224	081	5000	0.11	1748	0	65	100	3	11	11	15000	13252	CRNC	85	density-lin	200			0.75	25	2.272727251	25	22	30000	28252	28252	2
0225	003	4981	0.11	14700	0	65	100	3	11	11	14943	243	CVR	50	density-lin	200			0.75	25	2.272727251	25	22	18678.75	3978.75	3978.75	1.25
0227	042	5095	0.12	17870	0	65	100	3	12	12	15285	0	CCB	50	density-lin	200			0.75	25	2.083333254	25	24	19106.25	1236.25	1236.25	1.25
0239	013	2829	0.06	357134	0	65	100	3	6	6	8487	0	C-3-O	300	form-based				0.8	25	4.166666508	25	12	25461	0	0	3
0249	010	3415	0.08	6126	6	65	100	3	8	2	10245	4119	NCD-POLK	120	form-based			true	0.75	31	3.875	25	10	30735	24609	14364	3
0260	009	2738	0.06	18312	0	75	120	3.5	7	7	9583	0	C-3-O	150	form-based				0.8	25	3.571428537	25	14	24642	6330	854	2.571429
0268	014	2812	0.06	0	0	75	120	3.5	7	7	9842	9842	C-3-O	150	form-based				0.8	25	3.571428537	25	14	25308	25308	19684	2.571429
0278	004A	4727	0.11	12568	18	65	100	3	11	0	14181	1613	RTO-C	120	form-based			true	0.75	43	3.909090996	25	4	42543	29975	15794	3
0278	005	3151	0.07	3391	3	65	100	3	7	4	9453	6062	RTO-C	120	form-based			true	0.75	28	4	25	11	28359	24968	15515	3
0296	014	4056	0.09	15422	12	65	100	3	9	0	12168	0	C-3-R	130	form-based				0.8	37	4.111111164	25	6	36504	21082	8914	3
0309	007	2738	0.06	12400	0	75	120	3.5	7	7	9583	0	C-3-R	130	form-based				0.8	25	3.571428537	25	14	24642	12242	6766	2.571429
0309	008	2738	0.06	9250	0	75	120	3.5	7	7	9583	333	C-3-R	130	form-based				0.8	25	3.571428537	25	14	24642	15392	9916	2.571429
0309	009	2738	0.06	11025	0	85	140	4	8	8	10952	0	C-3-R	130	form-based				0.8	25	3.125	25	16	24642	13617	10879	2.25
0309	019	2750	0.06	7902	0	65	100	3	6	6	8250	348	C-3-R	130	form-based				0.8	25	4.166666508	25	12	24750	16848	8598	3
0315	019	2765	0.06	14761	0	75	120	3.5	7	7	9678	0	C-3-G	130	form-based		true		0.8	25	3.571428537	25	14	24885	10124	4595	2.571296
0336	003	4909	0.11	0	0	65	100	3	11	11	14727	14727	RC-4	80	density-lin	200	true		0.75	25	2.272727251	25	22	29454	29454	29454	2
0336	014A	5026	0.12	34202	0	65	100	3	12	12	15078	0	RC-4	80	density-lin	200	true		0.75	25	2.083333254	25	24	30156	0	0	2
0497	063	3440	0.08	714	6	65	100	3	8	2	10320	9606	NC-3	140	form-based			true	0.75	31	3.875	25	10	30960	30246	19926	3
0522	002	4075	0.09	9711	12	65	100	3	9	0	12225	2514	RC-3	140	form-based			true	0.75	37	4.111111164	25	6	36675	26964	14739	3
0524	035	7426	0.17	775	11	65	100	3	17	6	22278	21503	RM-2	85	form-based			true	0.7	36	2.117647171	25	23	41585.59766	40810.59766	40810.59766	1.866667
0563	001	12022	0.28	14423	0	55	80	2.5	22	22	30055	15632	RH-1	40	form-based		true	true	0.7	25	1.136363626	25	25	33661.59766	19238.59766	19238.59766	1.12
0566	023	3310	0.08	4198	5	55	80	2.5	6	1	8275	4077	RTO-C	105	form-based			true	0.75	30	5	25	7	29790	25592	12352	3.6
0568	001	5023	0.12	5269	1	65	100	3	12	11	15069	9800	RTO-C	85	form-based		true	true	0.75	26	2.166666746	25	23	30138	24869	24869	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0571	015	3437	0.08	5571	6	85	140	4	11	5	13748	8177	RTO-C	240	form-based			true	0.75	31	2.818181753	25	16	30933	25362	21925	2.25
0571	017	3437	0.08	5931	6	65	100	3	8	2	10311	4380	RTO-C	240	form-based			true	0.75	31	3.875	25	10	30933	25002	14691	3
0576	077	3094	0.07	2228	3	65	100	3	7	4	9282	7054	RTO-C	140	form-based			true	0.75	28	4	25	11	27846	25618	16336	3
0577	001A	3410	0.08	7380	6	65	100	3	8	2	10230	2850	RTO-C	140	form-based			true	0.75	31	3.875	25	10	30690	23310	13080	3
0578	035	3060	0.07	1930	3	55	80	2.5	6	3	7650	5720	RTO-C	105	form-based			true	0.75	28	4.666666508	25	9	27540	25610	13370	3.6
0579	043	3000	0.07	2960	2	55	80	2.5	6	4	7500	4540	RTO-C	105	form-based			true	0.75	27	4.5	25	10	27000	24040	12040	3.6
0593	059	3928	0.09	2300	10	65	100	3	9	0	11784	9484	RTO-C	140	form-based		true	true	0.75	35	3.888888836	25	8	35352	33052	21268	3
0622	005	3597	0.08	6172	7	65	100	3	8	1	10791	4619	NCD-POLK	120	form-based			true	0.75	32	4	25	9	32373	26201	15410	3
0645	001	2770	0.06	9800	0	65	100	3	6	6	8310	0	NCD-POLK	120	form-based		true	true	0.75	25	4.166666508	25	12	24930	15130	6820	3
0645	017	3276	0.08	4338	4	65	100	3	8	4	9828	5490	NCD-POLK	120	form-based			true	0.75	29	3.625	25	12	29484	25146	15318	3
0648	012	7236	0.17	19915	13	65	100	3	17	4	21708	1793	RTO-C	85	form-based		true	true	0.75	38	2.235294104	25	21	43416	23501	23501	2
0654	001F	4736	0.11	4700	0	65	100	3	11	11	14208	9508	NCD-UPPE	85	form-based			true	0.75	25	2.272727251	25	22	28416	23716	23716	2
0732	006	2750	0.06	0	0	65	100	3	6	6	8250	8250	NCT-FILLM	130	form-based				0.75	25	4.166666508	25	12	24750	24750	16500	3
0732	007	2750	0.06	28222	0	65	100	3	6	6	8250	0	NCT-FILLM	130	form-based				0.75	25	4.166666508	25	12	24750	0	0	3
0732	008	2750	0.06	1100	0	65	100	3	6	6	8250	7150	NCT-FILLM	130	form-based				0.75	25	4.166666508	25	12	24750	23650	15400	3
0732	009	2750	0.06	0	0	65	100	3	6	6	8250	8250	NCT-FILLM	130	form-based				0.75	25	4.166666508	25	12	24750	24750	16500	3
0735	022	10175	0.23	0	0	65	100	3	23	23	30525	30525	RM-3	80	density-lim	400			0.75	25	1.086956501	25	25	61050	61050	61050	2
0739	011	2787	0.06	5450	0	65	100	3	6	6	8361	2911	RC-4	300	form-based		true	true	0.75	25	4.166666508	25	12	25083	19633	11272	3
0763	011	5087	0.12	0	0	65	100	3	12	12	15261	15261	RC-4	130	density-lim	200			0.75	25	2.083333254	25	24	45783	45783	30522	3
0767	012	2760	0.06	0	0	65	100	3	6	6	8280	8280	C-2	130	form-base	800			0.8	25	4.166666508	25	12	24840	24840	16560	3
0834	032	13040	0.3	106367	48	65	100	3	30	0	39120	0	C-3-G	85	form-based		true		0.8	73	2.433333397	25	12	83456	0	0	2.133333
0875	024	6692	0.15	11000	10	65	100	3	15	5	20076	9076	RTO-C	85	form-based		true	true	0.75	35	2.333333254	25	20	40152	29152	29152	2
0963	013	12284	0.28	11500	1	55	80	2.5	22	21	30710	19210	RH-1(D)	40	form-based			true	0.7	26	1.181818128	25	25	34395.19922	22895.19922	22895.19922	1.12
0964	009	12283	0.28	7050	1	55	80	2.5	22	21	30708	23658	RH-1(D)	40	form-based			true	0.7	26	1.181818128	25	25	34392.39844	27342.39844	27342.39844	1.119982
1018	012	6646	0.15	12250	0	55	80	2.5	12	12	16615	4365	NCD-SACR	65	form-based			true	0.75	25	2.083333254	25	24	29907	17657	17657	1.8
1036	037	7665	0.18	16380	15	55	80	2.5	14	0	19162	2782	RTO-C	85	form-based		true	true	0.75	40	2.857142925	25	13	45990	29610	21944	2.400063
1036	044	4707	0.11	10000	0	55	80	2.5	9	9	11768	1768	NC-S	85	form-based		true	true	0.75	25	2.777777672	25	18	28242	18242	13536	2.399898
1081	012	3781	0.09	7992	9	85	140	4	13	4	15124	7132	RTO-C	140	form-based			true	0.75	34	2.615384579	25	17	34029	26037	22256	2.25
1081	043	3072	0.07	1676	3	65	100	3	7	4	9216	7540	RTO-C	140	form-based			true	0.75	28	4	25	11	27648	25972	16756	3
1091	001	3146	0.07	3192	3	85	140	4	10	7	12584	9392	NCD-GEAR	140	form-based		true	true	0.75	28	2.799999952	25	17	28314	25122	21976	2.25
1155	020	6250	0.14	14358	8	55	80	2.5	11	3	15625	1267	NCT-DIVIS	85	form-based			true	0.75	33	3	25	14	37500	23142	16892	2.4
1182	004	4667	0.11	0	0	55	80	2.5	9	9	11668	11668	NCT-DIVIS	85	form-based		true	true	0.75	25	2.777777672	25	18	28002	28002	23336	2.399897
1220	001	12101	0.28	9396	0	55	80	2.5	22	22	30252	20856	RH-3	40	form-based		true	true	0.7	25	1.136363626	25	25	33882.80078	24486.80078	24486.80078	1.120018
1245	031	6535	0.15	3250	0	55	80	2.5	12	12	16338	13088	NCD-HAIG	65	form-based			true	0.75	25	2.083333254	25	24	29407.5	26157.5	26157.5	1.799945
1271	024A	6541	0.15	4665	0	65	100	3	15	15	19623	14958	NCD-COLE	65	form-based			true	0.75	25	1.666666627	25	25	29434.5	24769.5	24769.5	1.5
1340	014	12585	0.29	4008	1	55	80	2.5	23	22	31462	27454	RH-1	40	form-based			true	0.7	26	1.130434752	25	25	35238	31230	31230	1.120018
1464	028	11834	0.27	14748	0	65	100	3	27	27	35502	20754	RH-2	40	form-based			true	0.7	25	0.92592591	25	25	33135.19922	18387.19922	18387.19922	0.933333
1526	031	4708	0.11	4963	0	65	100	3	11	11	14124	9161	NCD-GEAR	85	form-based			true	0.75	25	2.272727251	25	22	28248	23285	23285	2
1535	049	12043	0.28	18589	0	65	100	3	28	28	36129	17540	RM-1	40	form-based			true	0.7	25	0.892857134	25	25	33720.39844	15131.39844	15131.39844	0.933333
1543	003	3006	0.07	3714	2	85	140	4	10	8	12024	8310	NCD-GEAR	140	form-based			true	0.75	27	2.700000048	25	18	27054	23340	20334	2.25
1543	042	3318	0.08	6860	5	65	100	3	8	3	9954	3094	NCD-GEAR	140	form-based		true	true	0.75	30	3.75	25	11	29862	23002	13048	3
1646	014	4978	0.11	4506	1	55	80	2.5	9	8	12445	7939	RTO-C	85	form-based			true	0.75	26	2.888888836	25	17	29868	25362	20384	2.4
1671	007N	5000	0.11	2100	1	55	80	2.5	9	8	12500	10400	RTO-C	85	form-based			true	0.75	26	2.888888836	25	17	30000	27900	22900	2.4
1731	030	3000	0.07	1356	2	65	100	3	7	5	9000	7644	NCD-IRVIN	105	form-based			true	0.75	27	3.857142925	25	12	27000	25644	16644	3
1742	016	4700	0.11	4306	0	85	140	4	15	15	18800	14494	NCD-INNE	85	form-based			true	0.75	25	1.666666627	25	25	28200	23894	23894	1.5
1743	024	4750	0.11	4370	0	85	140	4	15	15	19000	14630	NCD-INNE	85	form-based		true	true	0.75	25	1.666666627	25	25	28500	24130	24130	1.5
1774	007	4863	0.11	2944	1	65	100	3	11	10	14589	11645	RTO-C	85	form-based			true	0.75	26	2.363636255	25	21	29178	26234	26234	2
1799	016	4773	0.11	5180	0	65	100	3	11	11	14319	9139	NC-1	85	form-based		true	true	0.75	25	2.272727251	25	22	28638	23458	23458	2
1809	028	4754	0.11	1573	0	65	100	3	11	11	14262	12689	NC-1	85	form-based		true	true	0.75	25	2.272727251	25	22	28524	26951	26951	2
2021	025	12000	0.28	9932	0	55	80	2.5	22	22	30000	20068	RH-1	40	form-based			true	0.7	25	1.136363626	25	25	33600	23668	23668	1.12
2031	015	2788	0.06	8685	0	55	80	2.5	5	5	6970	0	NCD-NORI	140	form-based		true	true	0.75	25	5	25	10	25092	16407	5255	3.6
2197	001	12104	0.28	9360	0	55	80	2.5	22	22	30260	20900	RH-1	40	form-based		true	true	0.7	25	1.136363626	25	25	33891.19922	24531.19922	24531.19922	1.12
2305	014	12019	0.28	0	0	65	100	3	28	28	36057	36057	RH-1	40	form-based			true	0.7	25	0.892857134	25	25	33653.19922	33653.19922	33653.19922	0.933333
2406	032	2766	0.06	2851	0	85	140	4	8	8	11064	8213	NCD-TARA	140	form-based			true	0.75	25	3.125	25	16	24894	22043	19277	2.25
2408	051	5000	0.11	10342	1	65	100	3	11	10	15000	4658	NCD-INNE	85	form-based			true	0.75	26	2.363636255	25	21	30000	19658	19658	2
2483	012	4855	0.11	7077	0	65	100	3	11	11	14565	7488	NCD-WEST	85	form-based			true	0.75	25	2.272727251	25	22	29130	22053	22053	2
2540	004C	5001	0.11	2098	1	65	100	3	11	10	15003	12905	RTO-C	85	form-based			true	0.75	26	2.363636255	25	21	30006	27908	27908	2
2540	004F	5001	0.11	1595	1	65	100	3	11	10	15003	13408	RTO-C	85	form-based			true	0.75	26	2.363636255	25	21	30006	28411	28411	2
2647	023	3111	0.07	4029	3	65	100	3	7	4	9333	5304	RTO-C	140	form-based			true	0.75	28	4	25	11	27999	23970	14637	3
2879	003	4959	0.11	3720	1	65	100	3	11	10	14877	11157	RTO-C	85	form-based			true	0.75	26	2.363636255	25	21	29754	26034	26034	2
2879	004	4950	0.11	3122	1	65	100	3	11	10	14850	11728	RTO-C	85	form-based			true	0.75	26	2.363636255	25	21	29700	26578	26578	2
2879	005	4942	0.11	1685	1	65	100	3	11	10	14826	13141	RTO-C	85	form-based			true	0.75	26	2.363636255	25	21	29652	27967	27967	2
2989B	023	4820	0.11	6847	0	65	100	3	11	11	14460	7613	NCD-WEST	85	form-based			true	0.75	25	2.272727251	25	22	28920	22073	22073	2
2989B	024	4718	0.11	3817	0	65	100	3	11	11	14154	10337	NCD-WEST	85	form-based			true	0.75	25	2.272727251	25	22	28308	24491	24491	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3012	024	4687	0.11	4465	0	85	140	4	15	15	18748	14283	NCD-WEST	85	form-based		true	true	0.75	25	1.666666627	25	25	28122	23657	23657	1.5
3012	016	4722	0.11	4594	0	65	100	3	11	11	14166	9572	NCD-WEST	85	form-based			true	0.75	25	2.272727251	25	22	28332	23738	23738	2
3012	018	4698	0.11	11113	0	65	100	3	11	11	14094	2981	NCD-WEST	85	form-based			true	0.75	25	2.272727251	25	22	28188	17075	17075	2
3047	017	12542	0.29	3083	1	55	80	2.5	23	22	31355	28272	RH-1(D)	40	form-based		true	true	0.7	26	1.130434752	25	25	35117.59766	32034.59766	32034.59766	1.12
3049	028	12190	0.28	4029	1	55	80	2.5	22	21	30475	26446	RH-1(D)	40	form-based			true	0.7	26	1.181818128	25	25	34132	30103	30103	1.12
3199	017	10914	0.25	13967	0	65	100	3	25	25	32742	18775	NCT-OCEA	45	form-based		true		0.75	25	1	25	25	32742	18775	18775	1
3502	013	8259	0.19	31392	0	65	100	3	19	19	24777	0	NCT-3	50	form-based				0.75	25	1.315789461	25	25	30971.25	0	0	1.25
3502	042	2783	0.06	3411	0	85	140	4	8	8	11132	7721	NCT-3	120	form-based			true	0.75	25	3.125	25	16	25047	21636	18853	2.25
3504	019	8362	0.19	22019	0	65	100	3	19	19	25086	3067	NCT-3	50	form-based		true		0.75	25	1.315789461	25	25	31357.5	9338.5	9338.5	1.25
3504	045	3113	0.07	3000	3	85	140	4	10	7	12452	9452	NCT-3	140	form-based			true	0.75	28	2.799999952	25	17	28017	25017	21904	2.25
3506	003A	2768	0.06	0	0	65	100	3	6	6	8304	8304	C-3-G	590	form-based		true		0.8	25	4.166666508	25	12	24912	24912	16608	3
3518	035	8200	0.19	8200	0	65	100	3	19	19	24600	16400	WMUG	55	form-based		true		0.75	25	1.315789461	25	25	30750	22550	22550	1.25
3537	009	5949	0.14	9800	6	85	140	4	20	14	23796	13996	NCT-UPPEI	85	form-based			true	0.75	31	1.549999952	25	25	35694	25894	25894	1.5
3559	016	3497	0.08	5710	6	65	100	3	8	2	10491	4781	NCT-UPPEI	120	form-based			true	0.75	31	3.875	25	10	31473	25763	15272	3
3559	019	3043	0.07	4399	2	65	100	3	7	5	9129	4730	NCT-UPPEI	120	form-based			true	0.75	27	3.857142925	25	12	27387	22988	13859	3
3563	014	5200	0.12	3898	2	85	140	4	17	15	20800	16902	RTO-C	85	form-based			true	0.75	27	1.588235259	25	25	31200	27302	27302	1.5
3582	085	15150	0.35	22243	0	85	140	4	49	49	60600	38357	NCD-CAST	65	density-lin	600			0.75	25	0.510204077	25	25	68175	45932	45932	1.125
3588	082	8756	0.2	28252	0	65	100	3	20	20	26268	0	RTO-M	55	form-based		true		0.7	25	1.25	25	25	30646	2394	2394	1.166667
3642	029	5270	0.12	14620	3	75	120	3.5	14	11	18445	3825	NCT-MISSI	80	form-based				0.75	28	2	25	25	31620	17000	17000	1.714286
3650	019	9832	0.23	23237	4	85	140	4	32	28	39328	16091	NCD-24TH	50	form-based			true	0.75	29	0.90625	25	25	36870	13633	13633	0.9375
3707	008	2825	0.06	28057	0	75	120	3.5	7	7	9888	0	C-3-O(SD)	150	form-based		true		0.8	25	3.571428537	25	14	25425	0	0	2.571299
3707	013	2732	0.06	27708	0	75	120	3.5	7	7	9562	0	C-3-O(SD)	150	form-based				0.8	25	3.571428537	25	14	24588	0	0	2.571429
3727	168	6748	0.15	8500	0	75	120	3.5	18	18	23618	15118	MUO	65	form-based				0.75	25	1.388888836	25	25	30366	21866	21866	1.285714
3730	011	6660	0.15	13600	0	65	100	3	15	15	19980	6380	NCT-FOLS(	65	form-based		true		0.75	25	1.666666627	25	25	29970	16370	16370	1.5
3731	043	4829	0.11	25365	0	85	140	4	15	15	19316	0	MUG	85	form-based		true		0.75	25	1.666666627	25	25	28974	3609	3609	1.5
3732	114	4904	0.11	4280	1	65	100	3	11	10	14712	10432	MUR	85	form-based				0.75	26	2.363636255	25	21	29424	25144	25144	2
3742	007	6302	0.14	0	0	65	100	3	14	14	18906	18906	C-3-S	65	form-based				0.8	25	1.785714269	25	25	30249.59961	30249.59961	30249.59961	1.6
3742	008	6302	0.14	0	0	65	100	3	14	14	18906	18906	C-3-S	65	form-based				0.8	25	1.785714269	25	25	30249.59961	30249.59961	30249.59961	1.6
3742	008A	6302	0.14	0	0	85	140	4	20	20	25208	25208	C-3-S	65	form-based				0.8	25	1.25	25	25	30249.59961	30249.59961	30249.59961	1.2
3742	009	6302	0.14	0	0	85	140	4	20	20	25208	25208	C-3-S	65	form-based				0.8	25	1.25	25	25	30249.59961	30249.59961	30249.59961	1.2
3776	032	2800	0.06	1782	0	65	100	3	6	6	8400	6618	CMUO	130	form-based		true		0.8	25	4.166666508	25	12	25200	23418	15018	3
3777	055	6213	0.14	13000	0	65	100	3	14	14	18639	5639	CMUO	65	form-based				0.8	25	1.785714269	25	25	29822.40039	16822.40039	16822.40039	1.6
3787	012	6200	0.14	4400	0	75	120	3.5	17	17	21700	17300	CMUO	65	form-based		true		0.8	25	1.470588207	25	25	29760	25360	25360	1.371429
3787	022	6173	0.14	16421	0	75	120	3.5	17	17	21606	5185	CMUO	65	form-based				0.8	25	1.470588207	25	25	29630.40039	13209.40039	13209.40039	1.371397
6530	026	8225	0.19	8225	0	75	120	3.5	23	23	28788	20563	NCT-VALEI	55	form-based				0.75	25	1.086956501	25	25	30843.75	22618.75	22618.75	1.07141
6665	061	12389	0.28	3998	1	65	100	3	28	27	37167	33169	RH-1	40	form-based			true	0.7	26	0.928571403	25	25	34689.19922	30691.19922	30691.19922	0.933333
6908	002	6988	0.16	2350	1	85	140	4	22	21	27952	25602	RTO-C	65	form-based			true	0.75	26	1.181818128	25	25	31446	29096	29096	1.125
6910	010	12264	0.28	4400	1	65	100	3	28	27	36792	32392	RH-1(D)	40	form-based			true	0.7	26	0.928571403	25	25	34339.19922	29939.19922	29939.19922	0.933333
6915	020	4721	0.11	3000	0	85	140	4	15	15	18884	15884	NCT-OCEA	85	form-based			true	0.75	25	1.666666627	25	25	28326	25326	25326	1.5
6945	043	4851	0.11	626	0	85	140	4	15	15	19404	18778	NCT-OCEA	85	form-based		true	true	0.75	25	1.666666627	25	25	29106	28480	28480	1.5
6954	036	15000	0.34	6080	0	65	100	3	34	34	45000	38920	NCD-EXCE	40	density-lin	600	true		0.75	25	0.735294104	25	25	45000	38920	38920	1
6955	033	14708	0.34	9952	0	55	80	2.5	27	27	36770	26818	NCD-EXCE	65	density-lin	600	true		0.75	25	0.92592591	25	25	66186	56234	56234	1.8
7221	001A	4940	0.11	2315	1	65	100	3	11	10	14820	12505	RTO-C	85	form-based			true	0.75	26	2.363636255	25	21	29640	27325	27325	2
7542	038	12354	0.28	2100	1	65	100	3	28	27	37062	34962	RH-1	40	form-based			true	0.7	26	0.928571403	25	25	34591.19922	32491.19922	32491.19922	0.933333
0023	003	4325	0.1	15706	0	85	140	4	14	14	17300	1594	C-2	85	form-based			true	0.8	24	1.714285731	24	24	27680	11974	11974	1.6
0095	005	19111	0.44	858	30	55	80	2.5	35	5	47778	46920	RM-2	50	form-based		true	true	0.7	54	1.54285717	24	24	66888.5	66030.5	66030.5	1.399985
0135	003	18955	0.44	92465	0	65	100	3	44	44	56865	0	C-2	65	density-lin	800	true		0.8	24	0.545454562	24	24	90984	0	0	1.6
0140	001	19129	0.44	25194	0	65	100	3	44	44	57387	32193	C-2	65	density-lin	800			0.8	24	0.545454562	24	24	91819.20313	66625.20313	66625.20313	1.6
0143	001	18875	0.43	52180	0	65	100	3	43	43	56625	4445	C-2	84	density-lin	800	true		0.8	24	0.558139563	24	24	120800	68620	61070	2.133333
0143	002	19009	0.44	43530	0	65	100	3	44	44	57027	13497	C-2	84	density-lin	800	true		0.8	24	0.545454562	24	24	121657.6016	78127.60156	70524	2.133333
0144	033	9557	0.22	8753	0	55	80	2.5	18	18	23892	15139	NCD-BROA	65	density-lin	400			0.75	24	1.333333373	24	24	43006.5	34253.5	34253.5	1.800038
0147	011	5469	0.13	14375	3	65	100	3	13	10	16407	2032	CCB	65	density-lin	200	true		0.75	27	2.076923132	24	23	24610.5	10235.5	10235.5	1.5
0163	005	18903	0.43	110000	0	65	100	3	43	43	56709	0	C-2	65	density-lin	800	true		0.8	24	0.558139563	24	24	90734.39844	0	0	1.6
0178	009	4730	0.11	13306	0	65	100	3	11	11	14190	884	CRNC	50	density-lin	200			0.75	24	2.181818247	24	22	17737.5	4431.5	4431.5	1.25
0180	005	4839	0.11	8086	0	65	100	3	11	11	14517	6431	CRNC	65	density-lin	200			0.75	24	2.181818247	24	22	21775.5	13689.5	13689.5	1.5
0196	027	18987	0.44	60484	0	65	100	3	44	44	56961	0	C-2	65	density-lin	800			0.8	24	0.545454562	24	24	91137.60156	30653.60156	30653.60156	1.6
0214	022	22394	0.51	575	60	55	80	2.5	41	0	55985	55410	RM-3	65	form-based			true	0.75	84	2.048780441	24	22	100773	100198	100198	1.8
0225	004	4884	0.11	16131	0	65	100	3	11	11	14652	0	CVR	50	density-lin	200			0.75	24	2.181818247	24	22	18315	2184	2184	1.25
0226	010	4846	0.11	17000	0	65	100	3	11	11	14538	0	CCB	50	density-lin	200			0.75	24	2.181818247	24	22	18172.5	1172.5	1172.5	1.25
0228	002	4950	0.11	6187	0	85	140	4	15	15	19800	13613	C-3-O	75	form-based		true		0.8	24	1.600000024	24	24	27720	21533	21533	1.4
0237	013	2674	0.06	5096	0	75	120	3.5	7	7	9359	4263	C-3-O	300	form-based		true		0.8	24	3.428571463	24	14	24066	18970	13622	2.571429
0237	047	4994	0.11	10129	0	75	120	3.5	13	13	17479	7350	C-3-O	75	form-based		true		0.8	24	1.846153855	24	24	27966.40039	17837.40039	17837.40039	1.6
0242	007	4840	0.11	0	0	65	100	3	11	11	14520	14520	CRNC	65	density-lin	200			0.75	24	2.181818247	24	22	21780	21780	21780	1.5
0242	055	4843	0.11	19108	0	65	100	3	11	11	14529	0	CVR	50	density-lin	200			0.75	24	2.181818247	24	22	18161.25	0	0	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0260	004	2713	0.06	10588	0	75	120	3.5	7	7	9496	0	C-3-O	150	form-based				0.8	24	3.428571463	24	14	24417	13829	8404	2.571293
0298	001	2656	0.06	19250	0	65	100	3	6	6	7968	0	C-3-G	130	form-based		true		0.8	24	4	24	12	23904	4654	0	3
0303	015	4735	0.11	4658	0	65	100	3	11	11	14205	9547	RC-4	80	density-lim	200			0.75	24	2.181818247	24	22	28410	23752	23752	2
0321	014	4727	0.11	4726	0	65	100	3	11	11	14181	9455	RC-4	80	density-lim	200			0.75	24	2.181818247	24	22	28362	23636	23636	2
0335	023	7200	0.17	11808	12	65	100	3	17	5	21600	9792	RC-4	80	density-lim	200			0.75	36	2.117647171	24	22	43200	31392	31392	2
0340	013	4876	0.11	0	0	75	120	3.5	13	13	17066	17066	RC-4	120	density-lim	200			0.75	24	1.846153855	24	24	43884	43884	34132	2.571429
0498	007	4000	0.09	10008	12	65	100	3	9	0	12000	1992	RC-3	140	form-based			true	0.75	36	4	24	6	36000	25992	13992	3
0498	009	4000	0.09	10008	12	65	100	3	9	0	12000	1992	RC-3	140	form-based			true	0.75	36	4	24	6	36000	25992	13992	3
0499	005	2725	0.06	2300	1	65	100	3	6	5	8175	5875	RC-3	140	form-based			true	0.75	25	4.166666508	24	11	24525	22225	14050	3
0503	104	2627	0.06	4930	0	65	100	3	6	6	7881	2951	NC-3	140	form-based			true	0.75	24	4	24	12	23643	18713	10832	3
0504	004	3150	0.07	3550	4	65	100	3	7	3	9450	5900	RTO-C	140	form-based			true	0.75	28	4	24	10	28350	24800	15350	3
0527	008	2961	0.07	5400	3	85	140	4	10	7	11844	6444	RC-3	140	form-based			true	0.75	27	2.700000048	24	17	26649	21249	18288	2.25
0547	010	3125	0.07	3900	4	85	140	4	10	6	12500	8600	RC-3	140	form-based			true	0.75	28	2.799999952	24	16	28125	24225	21100	2.25
0550	015	3063	0.07	4895	4	65	100	3	7	3	9189	4294	RTO-C	240	form-based			true	0.75	28	4	24	10	27567	22672	13483	3
0550	016	3062	0.07	3946	4	85	140	4	10	6	12248	8302	RTO-C	240	form-based			true	0.75	28	2.799999952	24	16	27558	23612	20550	2.25
0551	018	8305	0.19	15306	20	65	100	3	19	0	24915	9609	RTO-C	85	form-based			true	0.75	44	2.315789461	24	18	49830	34524	34524	2
0565	008	6531	0.15	10135	0	55	80	2.5	12	12	16328	6193	RTO-C	65	form-based			true	0.75	24	2	24	24	29389.5	19254.5	19254.5	1.799945
0566	001	2988	0.07	4200	3	55	80	2.5	6	3	7470	3270	RTO-C	105	form-based		true	true	0.75	27	4.5	24	9	26892	22692	10740	3.6
0566	030	9447	0.22	2215	11	55	80	2.5	18	7	23618	21403	RTO-C	65	form-based			true	0.75	35	1.944444418	24	24	42511.5	40296.5	40296.5	1.799962
0567	009	2750	0.06	3343	1	55	80	2.5	5	4	6875	3532	RTO-C	140	form-based			true	0.75	25	5	24	9	24750	21407	10407	3.6
0568	049	5451	0.13	1557	5	65	100	3	13	8	16353	14796	RTO-C	85	form-based			true	0.75	29	2.230769157	24	21	32706	31149	31149	2
0568	071	3000	0.07	4308	3	65	100	3	7	4	9000	4692	RTO-C	140	form-based			true	0.75	27	3.857142925	24	11	27000	22692	13692	3
0571	018	2847	0.07	1685	2	85	140	4	10	8	11388	9703	RC-3	240	form-based		true	true	0.75	26	2.599999905	24	18	25623	23938	21091	2.25
0573	010	4570	0.1	4678	0	65	100	3	10	10	13710	9032	NCD-PACIF	85	form-based			true	0.75	24	2.400000095	24	20	27420	22742	22742	2
0578	001	2825	0.06	4410	1	55	80	2.5	5	4	7062	2652	RTO-C	140	form-based		true	true	0.75	25	5	24	9	25425	21015	9714	3.600255
0618	010	4492	0.1	12312	16	65	100	3	10	0	13476	1164	RTO-C	240	form-based			true	0.75	40	4	24	4	40428	28116	14640	3
0655	006	6411	0.15	24778	0	65	100	3	15	15	19233	0	NCD-UPPE	65	form-based		true	true	0.75	24	1.600000024	24	24	28849.5	4071.5	4071.5	1.5
0665	007	2665	0.06	5521	0	65	100	3	6	6	7995	2474	NC-3	350	form-based		true	true	0.75	24	4	24	12	23985	18464	10469	3
0668	010	2899	0.07	1857	2	65	100	3	7	5	8697	6840	NCD-POLK	240	form-based			true	0.75	26	3.714285612	24	12	26091	24234	15537	3
0668	011	2898	0.07	5600	2	65	100	3	7	5	8694	3094	NCD-POLK	240	form-based			true	0.75	26	3.714285612	24	12	26082	20482	11788	3
0670	026	2700	0.06	11960	0	65	100	3	6	6	8100	0	NCD-POLK	240	form-based		true	true	0.75	24	4	24	12	24300	12340	4240	3
0679	018	5156	0.12	4490	3	65	100	3	12	9	15468	10978	RTO-C	85	form-based			true	0.75	27	2.25	24	21	30936	26446	26446	2
0688	206	10328	0.24	620	28	65	100	3	24	0	30984	30364	RM-4	50	density-lim	200			0.75	52	2.166666746	24	20	38730	38110	38110	1.25
0693	003	4750	0.11	5575	0	85	140	4	15	15	19000	13425	RC-4	80	density-lim	200	true		0.75	24	1.600000024	24	24	28500	22925	22925	1.5
0693	006	4800	0.11	13875	0	85	140	4	15	15	19200	5325	RC-4	80	density-lim	200	true		0.75	24	1.600000024	24	24	28800	14925	14925	1.5
0702	038	18774	0.43	17448	32	65	100	3	43	11	56322	38874	NCT-FILLM	50	form-based		true		0.75	56	1.302325606	24	24	70402.5	52954.5	52954.5	1.25
0720	038	4759	0.11	0	0	65	100	3	11	11	14277	14277	RM-4	240	density-lim	200			0.75	24	2.181818247	24	22	42831	42831	28554	3
0743	015	4800	0.11	3512	0	65	100	3	11	11	14400	10888	RC-4	130	density-lim	200			0.75	24	2.181818247	24	22	43200	39688	25288	3
0755	003	7906	0.18	19969	0	55	80	2.5	14	14	19765	0	NCT-FILLM	50	form-based				0.75	24	1.714285731	24	24	29647.5	9678.5	9678.5	1.5
0755	005	9453	0.22	10303	0	55	80	2.5	18	18	23632	13329	RM-3	65	density-lim	400			0.75	24	1.333333373	24	24	42538.5	32235.5	32235.5	1.800038
0836	009	2666	0.06	0	0	65	100	3	6	6	7998	7998	C-3-G	400	form-based		true		0.8	24	4	24	12	23994	23994	15996	3
0957	019	11681	0.27	7320	1	55	80	2.5	22	21	29202	21882	RH-1(D)	40	form-based			true	0.7	25	1.136363626	24	24	32706.79883	25386.79883	25386.79883	1.120019
0963	039	11878	0.27	13278	1	55	80	2.5	22	21	29695	16417	RH-1(D)	40	form-based			true	0.7	25	1.136363626	24	24	33258.39844	19980.39844	19980.39844	1.12
0993	022	11992	0.28	11287	1	55	80	2.5	22	21	29980	18693	RH-1	40	form-based		true	true	0.7	25	1.136363626	24	24	33577.59766	22290.59766	22290.59766	1.12
1003	023	11395	0.26	30090	0	65	100	3	26	26	34185	4095	RH-3	40	form-based		true	true	0.7	24	0.923076928	24	24	31906	1816	1816	0.933333
1011	010	6384	0.15	4400	0	55	80	2.5	12	12	15960	11560	NCD-SACR	65	form-based			true	0.75	24	2	24	24	28728	24328	24328	1.8
1018	003	6120	0.14	7400	8	55	80	2.5	11	3	15300	7900	NCD-SACR	85	form-based			true	0.75	32	2.909090996	24	14	36720	29320	23200	2.4
1018	004A	5370	0.12	3700	4	55	80	2.5	10	6	13425	9725	NC-S	85	form-based			true	0.75	28	2.799999952	24	16	32220	28520	23150	2.4
1084	003B	2715	0.06	3450	0	65	100	3	6	6	8145	4695	NCD-GEAR	140	form-based			true	0.75	24	4	24	12	24435	20985	12840	3
1092	032	3152	0.07	3180	4	65	100	3	7	3	9456	6276	NCD-GEAR	240	form-based			true	0.75	28	4	24	10	28368	25188	15732	3
1186	009I	4479	0.1	4437	0	55	80	2.5	8	8	11198	6761	NC-1	85	form-based			true	0.75	24	3	24	16	26874	22437	17959	2.399893
1229	036	6905	0.16	6905	2	55	80	2.5	13	11	17262	10357	NCD-HAIG	65	form-based			true	0.75	26	2	24	24	31072.5	24167.5	24167.5	1.800052
1244	001	6279	0.14	5500	0	55	80	2.5	11	11	15698	10198	NCD-HAIG	65	form-based		true	true	0.75	24	2.181818247	24	22	28255.5	22755.5	22755.5	1.799943
1254	007	11487	0.26	68	0	65	100	3	26	26	34461	34393	RH-2	40	form-based			true	0.7	24	0.923076928	24	24	32163.59961	32095.59961	32095.59961	0.933333
1263	007	7968	0.18	9666	0	65	100	3	18	18	23904	14238	NC-1	50	form-based			true	0.75	24	1.333333373	24	24	29880	20214	20214	1.25
1271	025	6380	0.15	5413	0	85	140	4	21	21	25520	20107	NCD-COLE	65	form-based		true	true	0.75	24	1.142857194	24	24	28710	23297	23297	1.125
1355	032	11673	0.27	5728	1	55	80	2.5	22	21	29182	23454	RH-1(D)	40	form-based			true	0.7	25	1.136363626	24	24	32684.40039	26956.40039	26956.40039	1.120019
1417	015	6396	0.15	6081	0	65	100	3	15	15	19188	13107	RTO-C	65	form-based		true	true	0.75	24	1.600000024	24	24	28782	22701	22701	1.5
1441	018	4495	0.1	7870	0	85	140	4	14	14	17980	10110	NCD-GEAR	85	form-based		true	true	0.75	24	1.714285731	24	24	26970	19100	19100	1.5
1451	024	4518	0.1	4730	0	85	140	4	14	14	18072	13342	NCD-GEAR	85	form-based		true	true	0.75	24	1.714285731	24	24	27108	22378	22378	1.5
1458	018	4521	0.1	4100	0	65	100	3	10	10	13563	9463	NCD-GEAR	85	form-based		true	true	0.75	24	2.400000095	24	20	27126	23026	23026	2
1471	023B	5892	0.14	5708	7	55	80	2.5	11	4	14730	9022	RTO-C	85	form-based			true	0.75	31	2.818181753	24	15	35352	29644	23752	2.4
1518	027A	5634	0.13	11550	6	65	100	3	13	7	16902	5352	NCD-GEAR	85	form-based		true	true	0.75	30	2.307692289	24	20	33804	22254	22254	2
1579	020	9735	0.22	1281	13	55	80	2.5	18	5	24338	23057	NCD-OUTE	65	form-based		true	true	0.75	37	2.055555582	24	23	43807.5	42526.5	42526.5	1.799963

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1728	021	4530	0.1	4200	0	65	100	3	10	10	13590	9390	NCD-IRVIN	85	form-based		true	true	0.75	24	2.400000095	24	20	27180	22980	22980	2
1737	014	12741	0.29	18858	24	65	100	3	29	5	38223	19365	RTO-C	65	form-based			true	0.75	48	1.655172467	24	24	57334.5	38476.5	38476.5	1.5
1742	015A	4630	0.11	4750	0	85	140	4	15	15	18520	13770	NCD-INNE	85	form-based		true	true	0.75	24	1.600000024	24	24	27780	23030	23030	1.5
1763	045	6000	0.14	1377	8	85	140	4	20	12	24000	22623	NCD-INNE	85	form-based			true	0.75	32	1.600000024	24	24	36000	34623	34623	1.5
1765	047	7500	0.17	17057	15	65	100	3	17	2	22500	5443	NCD-INNE	85	form-based			true	0.75	39	2.294117689	24	19	45000	27943	27943	2
1936	COM	11546	0.27	0	0	55	80	2.5	22	22	28865	28865	RH-1	40	form-based			true	0.7	24	1.090909123	24	24	32328.79883	32328.79883	32328.79883	1.12
2018	004	4650	0.11	3785	0	55	80	2.5	9	9	11625	7840	NCD-NORI	85	form-based			true	0.75	24	2.666666746	24	18	27900	24115	19465	2.4
2025	003A	4596	0.11	3000	0	55	80	2.5	9	9	11490	8490	NCD-NORI	85	form-based			true	0.75	24	2.666666746	24	18	27576	24576	19980	2.4
2027	015	4710	0.11	11760	1	55	80	2.5	9	8	11775	15	NCD-NORI	85	form-based			true	0.75	25	2.777777672	24	17	28260	16500	11790	2.4
2029	022	4547	0.1	4500	0	55	80	2.5	8	8	11368	6868	NCD-NORI	85	form-based		true	true	0.75	24	3	24	16	27282	22782	18236	2.399894
2381	048	5805	0.13	17707	6	85	140	4	18	12	23220	5513	RTO-C	85	form-based		true	true	0.75	30	1.666666627	24	24	34830	17123	17123	1.5
2410	027	4588	0.11	4302	0	65	100	3	11	11	13764	9462	NCD-INNE	85	form-based		true	true	0.75	24	2.181818247	24	22	27528	23226	23226	2
2483	004	4508	0.1	4050	0	85	140	4	14	14	18032	13982	NCD-WEST	85	form-based			true	0.75	24	1.714285731	24	24	27048	22998	22998	1.5
2483	005	4506	0.1	4258	0	85	140	4	14	14	18024	13766	NCD-WEST	85	form-based			true	0.75	24	1.714285731	24	24	27036	22778	22778	1.5
2483	007	4519	0.1	3649	0	65	100	3	10	10	13557	9908	NCD-WEST	85	form-based			true	0.75	24	2.400000095	24	20	27114	23465	23465	2
2483	008	4626	0.11	3663	0	65	100	3	11	11	13878	10215	NCD-WEST	85	form-based			true	0.75	24	2.181818247	24	22	27756	24093	24093	2
2483	009	4549	0.1	6542	0	65	100	3	10	10	13647	7105	NCD-WEST	85	form-based			true	0.75	24	2.400000095	24	20	27294	20752	20752	2
2483	010	4492	0.1	3972	0	65	100	3	10	10	13476	9504	NCD-WEST	85	form-based			true	0.75	24	2.400000095	24	20	26952	22980	22980	2
2634	073	11586	0.27	0	0	55	80	2.5	22	22	28965	28965	RH-1(D)	40	form-based			true	0.7	24	1.090909123	24	24	32440.79883	32440.79883	32440.79883	1.12
2641	033	13033	0.3	3905	3	55	80	2.5	24	21	32582	28677	RH-1(D)	40	form-based			true	0.7	27	1.125	24	24	36492.39844	32587.39844	32587.39844	1.120017
2642	036	12065	0.28	2900	1	55	80	2.5	22	21	30162	27262	RH-1(D)	40	form-based			true	0.7	25	1.136363626	24	24	33782	30882	30882	1.120019
2648	041	2950	0.07	2336	3	65	100	3	7	4	8850	6514	RTO-C	160	form-based			true	0.75	27	3.857142925	24	11	26550	24214	15364	3
2863	035	11719	0.27	3899	1	65	100	3	27	26	35157	31258	RH-1(D)	40	form-based		true	true	0.7	25	0.92592591	24	24	32813.19922	28914.19922	28914.19922	0.933333
2864	001J	4773	0.11	1975	1	65	100	3	11	10	14319	12344	RTO-C	85	form-based			true	0.75	25	2.272727251	24	21	28638	26663	26663	2
2931	002	4610	0.11	2600	0	85	140	4	15	15	18440	15840	NCD-WEST	85	form-based			true	0.75	24	1.600000024	24	24	27660	25060	25060	1.5
2931	007	4544	0.1	4138	0	65	100	3	10	10	13632	9494	NCD-WEST	85	form-based			true	0.75	24	2.400000095	24	20	27264	23126	23126	2
2974	013	11798	0.27	3295	1	55	80	2.5	22	21	29495	26200	RH-1(D)	40	form-based		true	true	0.7	25	1.136363626	24	24	33034.39844	29739.39844	29739.39844	1.12
2974	015	11672	0.27	3971	1	55	80	2.5	22	21	29180	25209	RH-1(D)	40	form-based			true	0.7	25	1.136363626	24	24	32681.59961	28710.59961	28710.59961	1.12
2990	014	11807	0.27	2461	1	55	80	2.5	22	21	29518	27057	RH-1(D)	40	form-based			true	0.7	25	1.136363626	24	24	33059.59766	30598.59766	30598.59766	1.119981
2990	015	12112	0.28	3169	1	55	80	2.5	22	21	30280	27111	RH-1(D)	40	form-based			true	0.7	25	1.136363626	24	24	33913.59766	30744.59766	30744.59766	1.12
2990	017	11832	0.27	3264	1	55	80	2.5	22	21	29580	26316	RH-1(D)	40	form-based		true	true	0.7	25	1.136363626	24	24	33129.59766	29865.59766	29865.59766	1.12
2990	018	11745	0.27	2032	1	55	80	2.5	22	21	29362	27330	RH-1(D)	40	form-based			true	0.7	25	1.136363626	24	24	32886	30854	30854	1.120019
2992	021	11702	0.27	2908	1	55	80	2.5	22	21	29255	26347	RH-1(D)	40	form-based			true	0.7	25	1.136363626	24	24	32765.59961	29857.59961	29857.59961	1.12
3012	015	4531	0.1	2777	0	65	100	3	10	10	13593	10816	NCD-WEST	85	form-based			true	0.75	24	2.400000095	24	20	27186	24409	24409	2
3046	033	11754	0.27	3121	1	55	80	2.5	22	21	29385	26264	RH-1(D)	40	form-based			true	0.7	25	1.136363626	24	24	32911.19922	29790.19922	29790.19922	1.12
3049	004	12058	0.28	6160	1	55	80	2.5	22	21	30145	23985	RH-1(D)	40	form-based			true	0.7	25	1.136363626	24	24	33762.39844	27602.39844	27602.39844	1.12
3069	006	11718	0.27	3536	1	65	100	3	27	26	35154	31618	RH-1(D)	40	form-based		true	true	0.7	25	0.92592591	24	24	32810.39844	29274.39844	29274.39844	0.933333
3070	020	12115	0.28	3712	1	65	100	3	28	27	36345	32633	RH-1(D)	40	form-based		true	true	0.7	25	0.892857134	24	24	33922	30210	30210	0.933333
3180	211	5253	0.12	0	0	65	100	3	12	12	15759	15759	BR-MU	78	form-based				0.75	24	2	24	24	27578.25	27578.25	27578.25	1.75
3260	020	12029	0.28	3230	1	65	100	3	28	27	36087	32857	RH-1(D)	40	form-based			true	0.7	25	0.892857134	24	24	33681.19922	30451.19922	30451.19922	0.933333
3281	020E	4509	0.1	3505	0	65	100	3	10	10	13527	10022	NCT-OCEA	85	form-based			true	0.75	24	2.400000095	24	20	27054	23549	23549	2
3501	003	4500	0.1	1200	0	85	140	4	14	14	18000	16800	NCT-3	85	form-based		true	true	0.75	24	1.714285731	24	24	27000	25800	25800	1.5
3502	043	3172	0.07	6503	5	85	140	4	10	5	12688	6185	NCT-3	120	form-based		true	true	0.75	29	2.900000095	24	15	28548	22045	18873	2.25
3502	044	2654	0.06	8100	0	85	140	4	8	8	10616	2516	NCT-3	120	form-based			true	0.75	24	3	24	16	23886	15786	13132	2.25
3508	025	2628	0.06	9861	0	85	140	4	8	8	10512	651	C-3-G	150	form-based				0.8	24	3	24	16	23652	13791	11163	2.25
3510	006	8084	0.19	9659	0	65	100	3	19	19	24252	14593	RCD	55	form-based		true		0.75	24	1.263157845	24	24	30315	20656	20656	1.25
3536	003	2618	0.06	0	0	65	100	3	6	6	7854	7854	NCT-3	240	form-based			true	0.75	24	4	24	12	23562	23562	15708	3
3562	010	2711	0.06	4625	0	65	100	3	6	6	8133	3508	NCT-UPPEI	120	form-based			true	0.75	24	4	24	12	24399	19774	11641	3
3563	026	2703	0.06	2800	0	65	100	3	6	6	8109	5309	NCT-UPPEI	120	form-based			true	0.75	24	4	24	12	24327	21527	13418	3
3564	090	3028	0.07	6228	3	85	140	4	10	7	12112	5884	NCT-UPPEI	120	form-based			true	0.75	27	2.700000048	24	17	27252	21024	17996	2.25
3567	001	10783	0.25	1800	0	65	100	3	25	25	32349	30549	NCT-VALEI	40	form-based		true		0.75	24	0.959999979	24	24	32349	30549	30549	1
3620	102	11680	0.27	4733	1	65	100	3	27	26	35040	30307	RH-1	40	form-based		true	true	0.7	25	0.92592591	24	24	32704	27971	27971	0.933333
3628	014	7867	0.18	7864	6	65	100	3	18	12	23601	15737	RTO-C	65	form-based		true	true	0.75	30	1.666666627	24	24	35401.5	27537.5	27537.5	1.5
3654	042	11456	0.26	728	19	65	100	3	26	7	34368	33640	NCD-24TH	65	form-based			true	0.75	43	1.653846145	24	24	51552	50824	50824	1.5
3707	002A	2649	0.06	16485	0	95	160	4.5	10	10	11920	0	C-3-O(SD)	150	form-based				0.8	24	2.400000095	24	20	23841	7356	7355	2.000084
3708	007	2700	0.06	16200	0	75	120	3.5	7	7	9450	0	C-3-O(SD)	550	form-based		true		0.8	24	3.428571463	24	14	24300	8100	2700	2.571429
3725	074	2674	0.06	2700	0	75	120	3.5	7	7	9359	6659	C-3-S	160	form-based				0.8	24	3.428571463	24	14	24066	21366	16018	2.571429
3728	002	6400	0.15	23290	0	85	140	4	21	21	25600	2310	WMUG	65	form-based		true		0.75	24	1.142857194	24	24	28800	5510	5510	1.125
3728	076	6399	0.15	28570	0	85	140	4	21	21	25596	0	MUO	65	form-based				0.75	24	1.142857194	24	24	28795.5	225.5	225.5	1.125
3729	097	14956	0.34	1970	21	65	100	3	34	13	44868	42898	WMUG	55	form-based				0.75	45	1.323529363	24	24	56085	54115	54115	1.25
3731	030	6400	0.15	4800	0	65	100	3	15	15	19200	14400	NCT-SOMA	65	form-based		true		0.75	24	1.600000024	24	24	28800	24000	24000	1.5
3736	016	2673	0.06	6458	0	75	120	3.5	7	7	9356	2898	TB DTR	400	form-based		true		0.8	24	3.428571463	24	14	24057	17599	12254	2.571291
3736	189	2700	0.06	443300	0	75	120	3.5	7	7	9450	0	C-3-O(SD)	360	form-based				0.8	24	3.428571463	24	14	24300	0	0	2.571429
3742	010	5903	0.14	0	0	85	140	4	20	20	23612	23612	C-3-S	65	form-based				0.8	24	1.200000048	24	24	28334.40039	28334.40039	28334.40039	1.2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3753	145	4615	0.11	16800	0	65	100	3	11	11	13845	0	MUR	85	form-based				0.75	24	2.181818247	24	22	27690	10890	10890	2
3754	001	4593	0.11	4500	0	65	100	3	11	11	13779	9279	NCT-SOMA	85	form-based		true		0.75	24	2.181818247	24	22	27558	23058	23058	2
3754	007	4505	0.1	18000	0	65	100	3	10	10	13515	0	MUG	85	form-based				0.75	24	2.400000095	24	20	27030	9030	9030	2
3756	036	6276	0.14	8000	0	65	100	3	14	14	18828	10828	NCT-FOLS	65	form-based				0.75	24	1.714285731	24	24	28242	20242	20242	1.5
3756	037	6282	0.14	5526	0	65	100	3	14	14	18846	13320	NCT-FOLS	65	form-based				0.75	24	1.714285731	24	24	28269	22743	22743	1.5
3775	073	6100	0.14	18300	0	85	140	4	20	20	24400	6100	CMUO	65	form-based		true		0.8	24	1.200000048	24	24	29280	10980	10980	1.2
3788	014	6103	0.14	6252	0	75	120	3.5	17	17	21360	15108	CMUO	65	form-based		true		0.8	24	1.411764741	24	24	29294.40039	23042.40039	23042.40039	1.371461
3774	007	6486	0.15	0	0	65	100	3	15	15	19458	19458	MUO	65	form-based		true		0.75	24	1.600000024	24	24	29187	29187	29187	1.5
3995	125	16637	0.38	776	38	85	140	4	53	15	66548	65772	UMU	68	form-based		true		0.75	62	1.169811368	24	24	74866.5	74090.5	74090.5	1.125
3998	017	7906	0.18	5000	0	65	100	3	18	18	23718	18718	UMU	58	form-based				0.75	24	1.333333373	24	24	29647.5	24647.5	24647.5	1.25
4224	048	10700	0.25	9983	0	75	120	3.5	30	30	37450	27467	UMU	40	form-based				0.75	24	0.800000012	24	24	32100	22117	22117	0.857143
4277	016	10766	0.25	17362	0	65	100	3	25	25	32298	14936	MUR	40	form-based				0.75	24	0.959999979	24	24	32298	14936	14936	1
6517	027	4601	0.11	4730	0	75	120	3.5	13	13	16104	11374	NCT-MISSI	80	form-based				0.75	24	1.846153855	24	24	27606	22876	22876	1.714232
6910	008	11894	0.27	4950	1	65	100	3	27	26	35682	30732	RH-1(D)	40	form-based			true	0.7	25	0.92592591	24	24	33303.19922	28353.19922	28353.19922	0.933333
6913	001	6716	0.15	2663	1	65	100	3	15	14	20148	17485	RTO-C	65	form-based		true	true	0.75	25	1.666666627	24	24	30222	27559	27559	1.5
6914	020	6667	0.15	1565	1	65	100	3	15	14	20001	18436	RTO-C	65	form-based			true	0.75	25	1.666666627	24	24	30001.5	28436.5	28436.5	1.5
6915	022	4634	0.11	4950	0	65	100	3	11	11	13902	8952	NCT-OCEA	85	form-based			true	0.75	24	2.181818247	24	22	27804	22854	22854	2
6915	027	4650	0.11	3450	0	65	100	3	11	11	13950	10500	NCT-OCEA	85	form-based			true	0.75	24	2.181818247	24	22	27900	24450	24450	2
6915	032	4558	0.1	3600	0	65	100	3	10	10	13674	10074	NCT-OCEA	85	form-based			true	0.75	24	2.400000095	24	20	27348	23748	23748	2
7220	001F	4733	0.11	2445	1	65	100	3	11	10	14199	11754	RTO-C	85	form-based			true	0.75	25	2.272727251	24	21	28398	25953	25953	2
7220	005	4716	0.11	2389	1	65	100	3	11	10	14148	11759	RTO-C	85	form-based			true	0.75	25	2.272727251	24	21	28296	25907	25907	2
7220	009	4716	0.11	2549	1	65	100	3	11	10	14148	11599	RTO-C	85	form-based			true	0.75	25	2.272727251	24	21	28296	25747	25747	2
7220	010	4716	0.11	1813	1	65	100	3	11	10	14148	12335	RTO-C	85	form-based			true	0.75	25	2.272727251	24	21	28296	26483	26483	2
7220	011	4716	0.11	1774	1	65	100	3	11	10	14148	12374	RTO-C	85	form-based			true	0.75	25	2.272727251	24	21	28296	26522	26522	2
7220	012	4716	0.11	2946	1	65	100	3	11	10	14148	11202	RTO-C	85	form-based			true	0.75	25	2.272727251	24	21	28296	25350	25350	2
7224	002A	4504	0.1	4073	0	85	140	4	14	14	18016	13943	NCD-LAKES	85	form-based			true	0.75	24	1.714285731	24	24	27024	22951	22951	1.5
7231	009	11914	0.27	3849	1	65	100	3	27	26	35742	31893	RH-1(D)	40	form-based			true	0.7	25	0.92592591	24	24	33359.19922	29510.19922	29510.19922	0.933333
0030	008	4180	0.1	0	0	65	100	3	10	10	12540	12540	C-2	85	form-based			true	0.8	23	2.299999952	23	20	26752	26752	25080	2.133333
0147	005	4685	0.11	13782	0	65	100	3	11	11	14055	273	CCB	65	density-lim	200	true		0.75	23	2.090909004	23	22	21082.5	7300.5	7300.5	1.5
0177	003	4543	0.1	8401	0	65	100	3	10	10	13629	5228	CRNC	50	density-lim	200			0.75	23	2.299999952	23	20	17036.25	8635.25	8635.25	1.25
0179	037	4574	0.11	6369	0	65	100	3	11	11	13722	7353	CRNC	65	density-lim	200	true		0.75	23	2.090909004	23	22	20583	14214	14214	1.5
0193	013	4691	0.11	13950	0	65	100	3	11	11	14073	123	CVR	50	density-lim	200			0.75	23	2.090909004	23	22	17591.25	3641.25	3641.25	1.25
0194	003	5334	0.12	12380	4	65	100	3	12	8	16002	3622	CCB	65	density-lim	200			0.75	27	2.25	23	20	24003	11623	11623	1.5
0194	007A	4631	0.11	0	0	65	100	3	11	11	13893	13893	CVR	50	density-lim	200			0.75	23	2.090909004	23	22	17366.25	17366.25	17366.25	1.25
0196	023	18631	0.43	115568	0	65	100	3	43	43	55893	0	C-2	65	density-lim	800	true		0.8	23	0.534883738	23	23	89428.80469	0	0	1.6
0225	014	4630	0.11	4606	0	65	100	3	11	11	13890	9284	CRNC	65	density-lim	200			0.75	23	2.090909004	23	22	20835	16229	16229	1.5
0227	006	2503	0.06	0	0	65	100	3	6	6	7509	7509	C-3-O	250	form-based				0.8	23	3.833333254	23	12	22527	22527	15018	3
0227	009	2508	0.06	0	0	65	100	3	6	6	7524	7524	C-3-O	250	form-based				0.8	23	3.833333254	23	12	22572	22572	15048	3
0237	016	2600	0.06	0	0	85	140	4	8	8	10400	10400	C-3-O	300	form-based				0.8	23	2.875	23	16	23400	23400	20800	2.25
0242	056	4592	0.11	19108	0	65	100	3	11	11	13776	0	CVR	50	density-lim	200	true		0.75	23	2.090909004	23	22	17220	0	0	1.25
0251	027	3782	0.09	8475	11	55	80	2.5	7	0	9455	980	RTO-C	120	form-based			true	0.75	34	4.857142925	23	3	34038	25563	10435	3.6
0270	011	4650	0.11	21720	0	75	120	3.5	13	13	16275	0	CCB	50	density-lim	200	true		0.75	23	1.769230723	23	23	17437.5	0	0	1.071429
0270	016	4575	0.11	1649	0	65	100	3	11	11	13725	12076	CCB	50	density-lim	200	true		0.75	23	2.090909004	23	22	17156.25	15507.25	15507.25	1.25
0271	005	4624	0.11	29425	0	65	100	3	11	11	13872	0	CCB	50	density-lim	200	true		0.75	23	2.090909004	23	22	17340	0	0	1.25
0277	026	2920	0.07	1575	3	65	100	3	7	4	8760	7185	RTO-C	120	form-based			true	0.75	26	3.714285612	23	11	26280	24705	15945	3
0285	012	4658	0.11	67913	0	65	100	3	11	11	13974	0	RC-4	130	density-lim	200			0.75	23	2.090909004	23	22	41922	0	0	3
0289	006	2596	0.06	18646	0	75	120	3.5	7	7	9086	0	C-3-O	300	form-based				0.8	23	3.285714388	23	14	23364	4718	0	2.571429
0310	017	2550	0.06	8420	0	75	120	3.5	7	7	8925	505	C-3-R	130	form-based				0.8	23	3.285714388	23	14	22950	14530	9430	2.571429
0315	021	2610	0.06	2575	0	75	120	3.5	7	7	9135	6560	C-3-G	130	form-based				0.8	23	3.285714388	23	14	23490	20915	15695	2.571429
0320	015	4575	0.11	7075	0	85	140	4	15	15	18300	11225	RC-4	80	density-lim	200			0.75	23	1.533333302	23	23	27450	20375	20375	1.5
0335	016	4696	0.11	24544	0	65	100	3	11	11	14088	0	RC-4	80	density-lim	200			0.75	23	2.090909004	23	22	28176	3632	3632	2
0336	006	4667	0.11	8730	0	65	100	3	11	11	14001	5271	RC-4	80	density-lim	200			0.75	23	2.090909004	23	22	28002	19272	19272	2
0346	003	4180	0.1	7170	0	75	120	3.5	12	12	14630	7460	C-3-G	80	form-based				0.8	23	1.916666627	23	23	26752	19582	19582	1.828571
0346	003B	4139	0.1	7200	0	75	120	3.5	12	12	14486	7286	C-3-G	80	form-based				0.8	23	1.916666627	23	23	26489.59961	19289.59961	19289.59961	1.828635
0478	021	18398	0.42	1075	16	85	140	4	59	43	73592	72517	RM-1	40	form-based			true	0.7	39	0.661016941	23	23	51514.39844	50439.39844	50439.39844	0.7
0479	013	18906	0.43	23050	17	85	140	4	60	43	75624	52574	RM-1	40	form-based			true	0.7	40	0.666666687	23	23	52936.80078	29886.80078	29886.80078	0.7
0495	005B	2812	0.06	3700	2	55	80	2.5	5	3	7030	3330	NC-3	140	form-based			true	0.75	25	5	23	8	25308	21608	10360	3.6
0496	011	2750	0.06	2474	2	65	100	3	6	4	8250	5776	NC-3	140	form-based			true	0.75	25	4.166666508	23	10	24750	22276	14026	3
0496	017	10901	0.25	21600	18	65	100	3	25	7	32703	11103	RTO-C	65	form-based			true	0.75	41	1.639999986	23	23	49054.5	27454.5	27454.5	1.5
0523	014B	3401	0.08	4000	8	65	100	3	8	0	10203	6203	RC-3	140	form-based			true	0.75	31	3.875	23	8	30609	26609	16406	3
0529	021	24060	0.55	1018	28	65	100	3	55	27	72180	71162	RH-3	40	form-based			true	0.7	51	0.927272737	23	23	67368	66350	66350	0.933333
0530	031	6211	0.14	8000	0	55	80	2.5	11	11	15528	7528	NCD-UNIO	65	form-based			true	0.75	23	2.090909004	23	22	27949.5	19949.5	19949.5	1.799942
0547	003	5461	0.13	5350	6	65	100	3	13	7	16383	11033	NCD-POLK	85	form-based			true	0.75	29	2.230769157	23	20	32766	27416	27416	2
0550	017	3685	0.08	7683	10	85	140	4	11	1	14740	7057	RC-3	240	form-based			true	0.75	33	3	23	12	33165	25482	21797	2.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0550	025	5107	0.12	14982	23	65	100	3	12	0	15321	339	RC-3	240	form-based		true	true	0.75	46	3.833333254	23	1	45963	30981	15660	3
0554	014	2500	0.06	0	0	55	80	2.5	5	5	6250	6250	RTO-C	105	form-based			true	0.75	23	4.599999905	23	10	22500	22500	12500	3.6
0569	023A	4533	0.1	3070	1	65	100	3	10	9	13599	10529	RTO-C	85	form-based			true	0.75	24	2.400000095	23	19	27198	24128	24128	2
0570	003	3366	0.08	4940	7	85	140	4	11	4	13464	8524	RC-3	240	form-based			true	0.75	30	2.727272749	23	15	30294	25354	21988	2.25
0570	021	2985	0.07	3675	4	65	100	3	7	3	8955	5280	RTO-C	240	form-based			true	0.75	27	3.857142925	23	10	26865	23190	14235	3
0570	022	2986	0.07	3707	4	65	100	3	7	3	8958	5251	RTO-C	240	form-based			true	0.75	27	3.857142925	23	10	26874	23167	14209	3
0570	025	2659	0.06	3110	1	65	100	3	6	5	7977	4867	RTO-C	240	form-based			true	0.75	24	4	23	11	23931	20821	12844	3
0573	009	4389	0.1	2810	0	65	100	3	10	10	13167	10357	NCD-PACIF	85	form-based			true	0.75	23	2.299999952	23	20	26334	23524	23524	2
0574	019	4074	0.09	8355	14	65	100	3	9	0	12222	3867	NCD-POLK	350	form-based			true	0.75	37	4.111111164	23	4	36666	28311	16089	3
0595	145	7361	0.17	759	16	65	100	3	17	1	22083	21324	NCD-POLK	85	form-based		true	true	0.75	39	2.294117689	23	18	44166	43407	43407	2
0612	034	6017	0.14	5868	0	65	100	3	14	14	18051	12183	NCD-UPPE	65	form-based			true	0.75	23	1.642857194	23	23	27076.5	21208.5	21208.5	1.5
0619	014B	3242	0.07	5793	6	65	100	3	7	1	9726	3933	NCD-POLK	350	form-based			true	0.75	29	4.142857075	23	8	29178	23385	13659	3
0622	001	2530	0.06	7520	0	65	100	3	6	6	7590	70	NCD-POLK	120	form-based		true	true	0.75	23	3.833333254	23	12	22770	15250	7660	3
0622	008	3917	0.09	9192	12	65	100	3	9	0	11751	2559	NCD-POLK	120	form-based			true	0.75	35	3.888888836	23	6	35253	26061	14310	3
0636	018A	4370	0.1	6506	0	65	100	3	10	10	13110	6604	NCD-UPPE	85	form-based		true	true	0.75	23	2.299999952	23	20	26220	19714	19714	2
0639	005	4555	0.1	4236	1	55	80	2.5	8	7	11388	7152	RTO-C	85	form-based			true	0.75	24	3	23	15	27330	23094	18540	2.399895
0639	006	4555	0.1	3166	1	55	80	2.5	8	7	11388	8222	RTO-C	85	form-based			true	0.75	24	3	23	15	27330	24164	19610	2.399895
0639	007	4555	0.1	8078	1	55	80	2.5	8	7	11388	3310	RTO-C	85	form-based			true	0.75	24	3	23	15	27330	19252	14698	2.399895
0639	008	4555	0.1	3316	1	55	80	2.5	8	7	11388	8072	RTO-C	85	form-based			true	0.75	24	3	23	15	27330	24014	19460	2.399895
0666	005	6000	0.14	34744	31	85	140	4	20	0	24000	0	RC-4	350	form-based		true	true	0.75	54	2.700000048	23	9	54000	19256	13256	2.25
0674	022	7563	0.17	14460	15	65	100	3	17	2	22689	8229	RM-4	50	density-lim	200			0.75	38	2.235294104	23	19	28361.25	13901.25	13901.25	1.25
0676	071	9230	0.21	14275	0	65	100	3	21	21	27690	13415	RM-3	40	density-lim	400			0.75	23	1.09523809	23	23	27690	13415	13415	1
0678	029	10387	0.24	8500	0	65	100	3	24	24	31161	22661	NCT-FILLM	40	form-based				0.75	23	0.958333313	23	23	31161	22661	22661	1
0686	038	9072	0.21	0	0	65	100	3	21	21	27216	27216	NCD-JAPAI	50	density-lim	400			0.75	23	1.09523809	23	23	34020	34020	34020	1.25
0691	136	8526	0.2	509	54	65	100	3	20	0	25578	25069	NCD-POLK	240	form-based		true	true	0.75	77	3.849999905	23	0	76734	76225	50647	3
0702	001	6077	0.14	6001	0	85	140	4	20	20	24308	18307	NCT-FILLM	65	form-based		true		0.75	23	1.149999976	23	23	27346.5	21345.5	21345.5	1.125
0716	010	4659	0.11	4800	0	85	140	4	15	15	18636	13836	RC-4	80	density-lim	200			0.75	23	1.533333302	23	23	27954	23154	23154	1.5
0767	001	2592	0.06	0	0	65	100	3	6	6	7776	7776	C-2	130	form-base	800	true		0.8	23	3.833333254	23	12	23328	23328	15552	3
0793	028	10287	0.24	17544	0	65	100	3	24	24	30861	13317	NCT-HAYE	40	form-based				0.75	23	0.958333313	23	23	30861	13317	13317	1
0832	091	7604	0.17	0	0	65	100	3	17	17	22812	22812	NCT-HAYE	50	form-based		true		0.75	23	1.352941155	23	23	28515	28515	28515	1.25
0832	093	7654	0.18	0	0	65	100	3	18	18	22962	22962	NCT-HAYE	50	form-based		true		0.75	23	1.277777791	23	23	28702.5	28702.5	28702.5	1.25
0837	002	6608	0.15	9780	12	65	100	3	15	3	19824	10044	NCT-3	85	form-based		true		0.75	35	2.333333254	23	18	39648	29868	29868	2
0838	093	7579	0.17	0	0	65	100	3	17	17	22737	22737	NCT-HAYE	50	form-based		true		0.75	23	1.352941155	23	23	28421.25	28421.25	28421.25	1.25
0838	095	7666	0.18	0	0	65	100	3	18	18	22998	22998	NCT-HAYE	50	form-based		true		0.75	23	1.277777791	23	23	28747.5	28747.5	28747.5	1.25
0853	031	7619	0.17	0	0	65	100	3	17	17	22857	22857	NCT-HAYE	50	form-based		true	true	0.75	23	1.352941155	23	23	28571.25	28571.25	28571.25	1.25
0853	033	7651	0.18	0	0	65	100	3	18	18	22953	22953	NCT-HAYE	50	form-based		true		0.75	23	1.277777791	23	23	28691.25	28691.25	28691.25	1.25
0854	141	5242	0.12	802	24	65	100	3	12	0	15726	14924	NCT-3	140	form-based		true	true	0.75	47	3.916666746	23	0	47178	46376	30650	3
0955	010	11344	0.26	10591	1	55	80	2.5	21	20	28360	17769	RH-1(D)	40	form-based			true	0.7	24	1.142857194	23	23	31763.19922	21172.19922	21172.19922	1.12
0969	009	11475	0.26	12332	1	55	80	2.5	21	20	28688	16356	RH-1	40	form-based		true	true	0.7	24	1.142857194	23	23	32130	19798	19798	1.11998
0988	015	11197	0.26	10351	1	55	80	2.5	21	20	27992	17641	RH-1	40	form-based			true	0.7	24	1.142857194	23	23	31351.59961	21000.59961	21000.59961	1.12002
0992	034	11182	0.26	6596	0	55	80	2.5	21	21	27955	21359	RH-1	40	form-based			true	0.7	23	1.09523809	23	23	31309.59961	24713.59961	24713.59961	1.12
1011	011	7981	0.18	14422	7	55	80	2.5	14	7	19952	5530	NCD-SACR	65	form-based			true	0.75	30	2.142857075	23	21	35914.5	21492.5	21492.5	1.800045
1036	039	4406	0.1	3189	0	55	80	2.5	8	8	11015	7826	NC-S	85	form-based			true	0.75	23	2.875	23	16	26436	23247	18841	2.4
1037	001	4440	0.1	2752	0	55	80	2.5	8	8	11100	8348	RTO-C	85	form-based		true	true	0.75	23	2.875	23	16	26640	23888	19448	2.4
1063	023	7000	0.16	12755	14	85	140	4	22	8	28000	15245	NCD-GEAR	85	form-based			true	0.75	37	1.681818128	23	23	42000	29245	29245	1.5
1069	045	4328	0.1	14240	16	85	140	4	14	0	17312	3072	NCD-GEAR	140	form-based		true	true	0.75	39	2.785714388	23	12	38952	24712	20384	2.25
1076	001A	2970	0.07	4932	4	65	100	3	7	3	8910	3978	NC-3	140	form-based			true	0.75	27	3.857142925	23	10	26730	21798	12888	3
1082	007	2500	0.06	328	0	65	100	3	6	6	7500	7172	NC-3	140	form-based		true	true	0.75	23	3.833333254	23	12	22500	22172	14672	3
1092	031	3152	0.07	4023	5	65	100	3	7	2	9456	5433	NCD-GEAR	240	form-based			true	0.75	28	4	23	9	28368	24345	14889	3
1168	017	6892	0.16	16873	13	55	80	2.5	13	0	17230	357	RTO-C	85	form-based			true	0.75	36	2.769230843	23	13	41352	24479	17587	2.4
1170	035	6615	0.15	13162	12	55	80	2.5	12	0	16538	3376	RTO-C	85	form-based			true	0.75	35	2.916666746	23	12	39690	26528	19914	2.399927
1173	018	4637	0.11	2340	1	55	80	2.5	9	8	11592	9252	RTO-C	85	form-based			true	0.75	24	2.666666746	23	17	27822	25482	20844	2.400104
1244	030	7327	0.17	8904	4	55	80	2.5	14	10	18318	9414	NCD-HAIG	65	form-based			true	0.75	27	1.928571463	23	23	32971.5	24067.5	24067.5	1.799951
1256	078	11394	0.26	10520	1	55	80	2.5	21	20	28485	17965	RH-3	40	form-based			true	0.7	24	1.142857194	23	23	31903.19922	21383.19922	21383.19922	1.12
1257	001	10915	0.25	28744	0	55	80	2.5	20	20	27288	0	RH-3	40	form-based		true	true	0.7	23	1.149999976	23	23	30562	1818	1818	1.11998
1289	032	11477	0.26	2814	1	55	80	2.5	21	20	28692	25878	RH-1(D)	40	form-based			true	0.7	24	1.142857194	23	23	32135.59961	29321.59961	29321.59961	1.12002
1307	002A	11330	0.26	4080	1	55	80	2.5	21	20	28325	24245	RH-1(D)	40	form-based			true	0.7	24	1.142857194	23	23	31724	27644	27644	1.12
1307	002C	11102	0.25	4381	0	55	80	2.5	20	20	27755	23374	RH-1(D)	40	form-based			true	0.7	23	1.149999976	23	23	31085.59961	26704.59961	26704.59961	1.12
1433	065	2500	0.06	995	0	85	140	4	8	8	10000	9005	NCD-GEAR	140	form-based			true	0.75	23	2.875	23	16	22500	21505	19005	2.25
1438	006	6000	0.14	0	0	65	100	3	14	14	18000	18000	NCD-INNE	65	form-based			true	0.75	23	1.642857194	23	23	27000	27000	27000	1.5
1449	021A	4345	0.1	6640	0	65	100	3	10	10	13035	6395	NCD-GEAR	85	form-based		true	true	0.75	23	2.299999952	23	20	26070	19430	19430	2
1462	023	8381	0.19	19728	21	85	140	4	27	6	33524	13796	RTO-C	85	form-based		true	true	0.75	44	1.629629612	23	23	50286	30558	30558	1.5
1464	052	6250	0.14	1093	10	85	140	4	20	10	25000	23907	RTO-C	85	form-based			true	0.75	33	1.649999976	23	23	37500	36407	36407	1.5
1505	039	7756	0.18	17802	18	55	80	2.5	14	0	19390	1588	RTO-C	85	form-based		true	true	0.75	41	2.928571463	23	10	46536	28734	20978	2.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1541	042	4603	0.11	5101	1	85	140	4	15	14	18412	13311	NCD-GEAR	85	form-based		true	true	0.75	24	1.600000024	23	23	27618	22517	22517	1.5
1542	001	3086	0.07	6168	5	65	100	3	7	2	9258	3090	NCD-GEAR	140	form-based		true	true	0.75	28	4	23	9	27774	21606	12348	3
1605	037	6379	0.15	7276	1	55	80	2.5	12	11	15948	8672	RTO-C	65	form-based			true	0.75	24	2	23	23	28705.5	21429.5	21429.5	1.799944
1606	001	6008	0.14	7000	0	55	80	2.5	11	11	15020	8020	NCD-OUTE	65	form-based		true	true	0.75	23	2.090909004	23	22	27036	20036	20036	1.8
1676	008	4500	0.1	1088	1	55	80	2.5	8	7	11250	10162	RTO-C	85	form-based			true	0.75	24	3	23	15	27000	25912	21412	2.4
1729	022	2500	0.06	1930	0	65	100	3	6	6	7500	5570	NCD-IRVIN	105	form-based			true	0.75	23	3.833333254	23	12	22500	20570	13070	3
1730	014	3030	0.07	2177	4	65	100	3	7	3	9090	6913	NCD-IRVIN	105	form-based			true	0.75	27	3.857142925	23	10	27270	25093	16003	3
1774	045	2550	0.06	2550	0	65	100	3	6	6	7650	5100	NCD-IRVIN	105	form-based			true	0.75	23	3.833333254	23	12	22950	20400	12750	3
1775	049	2500	0.06	2500	0	65	100	3	6	6	7500	5000	NCD-IRVIN	105	form-based			true	0.75	23	3.833333254	23	12	22500	20000	12500	3
1776	012	2500	0.06	1564	0	65	100	3	6	6	7500	5936	NCD-IRVIN	105	form-based			true	0.75	23	3.833333254	23	12	22500	20936	13436	3
1810	044	4312	0.1	4275	0	85	140	4	14	14	17248	12973	NC-1	85	form-based		true	true	0.75	23	1.642857194	23	23	25872	21597	21597	1.5
1835	026	4701	0.11	4400	2	65	100	3	11	9	14103	9703	RTO-C	85	form-based			true	0.75	25	2.272727251	23	20	28206	23806	23806	2
1865	011A	4611	0.11	1565	1	65	100	3	11	10	13833	12268	RTO-C	85	form-based			true	0.75	24	2.181818247	23	21	27666	26101	26101	2
1885	010A	11010	0.25	7210	0	65	100	3	25	25	33030	25820	RH-1	40	form-based		true	true	0.7	23	0.920000017	23	23	30828	23618	23618	0.933333
1935	049	11410	0.26	3147	1	55	80	2.5	21	20	28525	25378	RH-1	40	form-based		true	true	0.7	24	1.142857194	23	23	31948	28801	28801	1.12
2011	016	11792	0.27	21560	21	55	80	2.5	22	1	29480	7920	NC-1	65	form-based		true	true	0.75	44	2	23	23	53064	31504	31504	1.8
2138	035	4461	0.1	2922	0	55	80	2.5	8	8	11152	8230	RTO-C	85	form-based			true	0.75	23	2.875	23	16	26766	23844	19382	2.400108
2198	011	5777	0.13	8280	7	55	80	2.5	10	3	14442	6162	RTO-C	85	form-based		true	true	0.75	30	3	23	13	34662	26382	20604	2.400083
2347	028	2545	0.06	4125	0	85	140	4	8	8	10180	6055	NCD-INNE	140	form-based			true	0.75	23	2.875	23	16	22905	18780	16235	2.25
2347	029	2545	0.06	4125	0	85	140	4	8	8	10180	6055	NCD-INNE	140	form-based			true	0.75	23	2.875	23	16	22905	18780	16235	2.25
2347	030	2545	0.06	4125	0	85	140	4	8	8	10180	6055	NCD-INNE	140	form-based			true	0.75	23	2.875	23	16	22905	18780	16235	2.25
2347	031	2545	0.06	4125	0	85	140	4	8	8	10180	6055	NCD-INNE	140	form-based		true	true	0.75	23	2.875	23	16	22905	18780	16235	2.25
2356	010	5000	0.11	2996	3	65	100	3	11	8	15000	12004	NCD-TARA	85	form-based			true	0.75	26	2.363636255	23	19	30000	27004	27004	2
2400	075	5750	0.13	2010	7	85	140	4	18	11	23000	20990	NCD-TARA	85	form-based		true	true	0.75	30	1.666666627	23	23	34500	32490	32490	1.5
2406	032A	2766	0.06	2822	2	85	140	4	8	6	11064	8242	NCD-TARA	140	form-based			true	0.75	25	3.125	23	14	24894	22072	19306	2.25
2407	028A	2517	0.06	4000	0	85	140	4	8	8	10068	6068	NCD-INNE	140	form-based			true	0.75	23	2.875	23	16	22653	18653	16136	2.25
2407	029	2509	0.06	2227	0	85	140	4	8	8	10036	7809	NCD-INNE	140	form-based		true	true	0.75	23	2.875	23	16	22581	20354	17845	2.25
2412	034	6042	0.14	18000	0	65	100	3	14	14	18126	126	NCD-INNE	65	form-based		true	true	0.75	23	1.642857194	23	23	27189	9189	9189	1.5
2434	001	10818	0.25	6007	0	65	100	3	25	25	32454	26447	RH-1	40	form-based		true	true	0.7	23	0.920000017	23	23	30290.40039	24283.40039	24283.40039	0.933333
2441	006	11115	0.26	17967	0	65	100	3	26	26	33345	15378	RH-1	40	form-based			true	0.7	23	0.884615362	23	23	31122	13155	13155	0.933333
2622	087	4690	0.11	2451	2	65	100	3	11	9	14070	11619	RTO-C	85	form-based			true	0.75	25	2.272727251	23	20	28140	25689	25689	2
2648	003	2778	0.06	2242	2	65	100	3	6	4	8334	6092	RTO-C	160	form-based		true	true	0.75	25	4.166666508	23	10	25002	22760	14426	3
2716	049	11164	0.26	0	0	55	80	2.5	21	21	27910	27910	RH-1(S)	40	form-based			true	0.7	23	1.09523809	23	23	31259.19922	31259.19922	31259.19922	1.12
2789	039	11450	0.26	1200	1	55	80	2.5	21	20	28625	27425	RH-1(D)	40	form-based			true	0.7	24	1.142857194	23	23	32060	30860	30860	1.12
2820	013	11601	0.27	937	1	55	80	2.5	22	21	29002	28065	RH-1(D)	40	form-based			true	0.7	24	1.090909123	23	23	32482.79883	31545.79883	31545.79883	1.120019
2841	003	4556	0.1	1273	1	65	100	3	10	9	13668	12395	RTO-C	85	form-based			true	0.75	24	2.400000095	23	19	27336	26063	26063	2
2857	024	11270	0.26	2902	1	65	100	3	26	25	33810	30908	RH-1(D)	40	form-based			true	0.7	24	0.923076928	23	23	31556	28654	28654	0.933333
2931	008	4351	0.1	6434	0	65	100	3	10	10	13053	6619	NCD-WEST	85	form-based			true	0.75	23	2.299999952	23	20	26106	19672	19672	2
2979A	024A	4472	0.1	3650	0	65	100	3	10	10	13416	9766	NCD-WEST	85	form-based			true	0.75	23	2.299999952	23	20	26832	23182	23182	2
2990	013	11332	0.26	1700	1	55	80	2.5	21	20	28330	26630	RH-1(D)	40	form-based			true	0.7	24	1.142857194	23	23	31729.59961	30029.59961	30029.59961	1.12
2990	019	11222	0.26	2653	1	55	80	2.5	21	20	28055	25402	RH-1(D)	40	form-based			true	0.7	24	1.142857194	23	23	31421.59961	28768.59961	28768.59961	1.12
2992	020	11303	0.26	5000	1	55	80	2.5	21	20	28258	23258	RH-1(D)	40	form-based			true	0.7	24	1.142857194	23	23	31648.40039	26648.40039	26648.40039	1.11998
3077	006	11407	0.26	3900	1	55	80	2.5	21	20	28518	24618	RH-1(D)	40	form-based			true	0.7	24	1.142857194	23	23	31939.59961	28039.59961	28039.59961	1.11998
3098	020	11223	0.26	2663	1	85	140	4	36	35	44892	42229	RH-1(D)	40	form-based			true	0.7	24	0.666666687	23	23	31424.40039	28761.40039	28761.40039	0.7
3105	012	11323	0.26	3990	1	55	80	2.5	21	20	28308	24318	RH-1(D)	40	form-based			true	0.7	24	1.142857194	23	23	31704.40039	27714.40039	27714.40039	1.11998
3259	024	6351	0.15	3190	1	65	100	3	15	14	19053	15863	RTO-C	65	form-based		true	true	0.75	24	1.600000024	23	23	28579.5	25389.5	25389.5	1.5
3503	004	4453	0.1	0	0	65	100	3	10	10	13359	13359	NCT-3	85	form-based				0.75	23	2.299999952	23	20	26718	26718	26718	2
3509	009	7736	0.18	13027	0	65	100	3	18	18	23208	10181	WMUG	55	form-based		true		0.75	23	1.277777791	23	23	29010	15983	15983	1.25
3509	018	2550	0.06	2550	0	85	140	4	8	8	10200	7650	C-3-G	160	form-based		true		0.8	23	2.875	23	16	22950	20400	17850	2.25
3510	003	2506	0.06	7549	0	85	140	4	8	8	10024	2475	C-3-G	130	form-based		true		0.8	23	2.875	23	16	22554	15005	12499	2.25
3511	082	4031	0.09	0	0	65	100	3	9	9	12093	12093	C-3-G	85	form-based				0.8	23	2.555555582	23	18	25798.40039	25798.40039	24186	2.133333
3519	046	7666	0.18	10125	0	65	100	3	18	18	22998	12873	RCD	55	form-based		true		0.75	23	1.277777791	23	23	28747.5	18622.5	18622.5	1.25
3536	004	2500	0.06	0	0	65	100	3	6	6	7500	7500	NCT-3	240	form-based			true	0.75	23	3.833333254	23	12	22500	22500	15000	3
3542	004	2578	0.06	6082	0	85	140	4	8	8	10312	4230	NCT-UPPE	120	form-based			true	0.75	23	2.875	23	16	23202	17120	14542	2.25
3544	060	6224	0.14	10452	10	85	140	4	20	10	24896	14444	NCT-UPPE	85	form-based			true	0.75	33	1.649999976	23	23	37344	26892	26892	1.5
3547	051	13405	0.31	17000	7	75	120	3.5	37	30	46918	29918	NCT-VALE	45	form-based				0.75	30	0.810810804	23	23	40215	23215	23215	0.857134
3548	235	7650	0.18	1200	0	75	120	3.5	22	22	26775	25575	UMU	58	form-based		true		0.75	23	1.045454502	23	23	28687.5	27487.5	27487.5	1.071429
3583	071	4402	0.1	6092	0	65	100	3	10	10	13206	7114	NCD-CAST	85	form-based			true	0.75	23	2.299999952	23	20	26412	20320	20320	2
3583	093	8899	0.2	4672	4	65	100	3	20	16	26697	22025	NCD-CAST	50	form-based			true	0.75	27	1.350000024	23	23	33371.25	28699.25	28699.25	1.25
3588	006	7519	0.17	7500	0	65	100	3	17	17	22557	15057	NCT-VALE	55	form-based				0.75	23	1.352941155	23	23	28196.25	20696.25	20696.25	1.25
3600	131	6355	0.15	5089	1	65	100	3	15	14	19065	13976	RTO-C	65	form-based		true	true	0.75	24	1.600000024	23	23	28597.5	23508.5	23508.5	1.5
3639	004A	13625	0.31	19430	8	65	100	3	31	23	40875	21445	UMU	48	form-based				0.75	31	1	23	23	40875	21445	21445	1
3642	031	4290	0.1	3600	0	75	120	3.5	12	12	15015	11415	NCT-MISSI	80	form-based				0.75	23	1.916666627	23	23	25740	22140	22140	1.714286
3644	003	7786	0.18	14934	0	75	120	3.5	22	22	27251	12317	NCT-VALE	55	form-based				0.75	23	1.045454502	23	23	29197.5	14263.5	14263.5	1.071429

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3652	044	7339	0.17	2464	5	65	100	3	17	12	22017	19553	NCD-24TH	65	form-based		true	true	0.75	28	1.647058845	23	23	33025.5	30561.5	30561.5	1.5
3704	062	2536	0.06	41436	0	85	140	4	8	8	10144	0	C-3-R	120	form-based				0.8	23	2.875	23	16	22824	0	0	2.25
3704	075	2500	0.06	23826	0	85	140	4	8	8	10000	0	C-3-R	120	form-based				0.8	23	2.875	23	16	22500	0	0	2.25
3704	076	2500	0.06	5322	0	85	140	4	8	8	10000	4678	C-3-R	120	form-based				0.8	23	2.875	23	16	22500	17178	14678	2.25
3704	077	2500	0.06	28589	0	85	140	4	8	8	10000	0	C-3-R	120	form-based				0.8	23	2.875	23	16	22500	0	0	2.25
3719	009	2500	0.06	2500	0	75	120	3.5	7	7	8750	6250	C-3-O(SD)	700	form-based				0.8	23	3.285714388	23	14	22500	20000	15000	2.571429
3725	026	5559	0.13	26125	6	65	100	3	13	7	16677	0	NCT-SOMA	85	form-based		true		0.75	29	2.230769157	23	20	33354	7229	7229	2
3726	020	4362	0.1	16787	0	65	100	3	10	10	13086	0	MUG	85	form-based		true		0.75	23	2.299999952	23	20	26172	9385	9385	2
3727	002	7803	0.18	26000	0	75	120	3.5	22	22	27310	1310	WMUG	55	form-based		true		0.75	23	1.045454502	23	23	29261.25	3261.25	3261.25	1.071448
3727	096	6076	0.14	0	0	85	140	4	20	20	24304	24304	MUO	65	form-based				0.75	23	1.149999976	23	23	27342	27342	27342	1.125
3729	005	7516	0.17	10500	0	65	100	3	17	17	22548	12048	WMUG	55	form-based		true		0.75	23	1.352941155	23	23	28185	17685	17685	1.25
3729	024	7580	0.17	22549	0	65	100	3	17	17	22740	191	RCD	55	form-based		true		0.75	23	1.352941155	23	23	28425	5876	5876	1.25
3730	028	6000	0.14	7890	0	65	100	3	14	14	18000	10110	NCT-FOLS	65	form-based		true		0.75	23	1.642857194	23	23	27000	19110	19110	1.5
3730	029	6081	0.14	18000	0	65	100	3	14	14	18243	243	WMUG	65	form-based		true		0.75	23	1.642857194	23	23	27364.5	9364.5	9364.5	1.5
3730	119	6105	0.14	10285	0	65	100	3	14	14	18315	8030	WMUG	65	form-based				0.75	23	1.642857194	23	23	27472.5	17187.5	17187.5	1.5
3730	290	6148	0.14	5641	0	65	100	3	14	14	18444	12803	WMUG	65	form-based				0.75	23	1.642857194	23	23	27666	22025	22025	1.5
3731	128	11898	0.27	1056	22	85	140	4	38	16	47592	46536	MUG	65	form-based		true		0.75	45	1.184210539	23	23	53541	52485	52485	1.125
3732	033	4475	0.1	4475	0	65	100	3	10	10	13425	8950	NCT-SOMA	85	form-based		true		0.75	23	2.299999952	23	20	26850	22375	22375	2
3736	098	2550	0.06	15600	0	75	120	3.5	7	7	8925	0	C-3-O(SD)	350	form-based		true		0.8	23	3.285714388	23	14	22950	7350	2250	2.571429
3754	046	10260	0.24	11080	0	65	100	3	24	24	30780	19700	MUG	45	form-based				0.75	23	0.958333313	23	23	30780	19700	19700	1
3754	049	10249	0.24	10966	0	65	100	3	24	24	30747	19781	MUG	45	form-based				0.75	23	0.958333313	23	23	30747	19781	19781	1
3756	002	7580	0.17	22480	0	65	100	3	17	17	22740	260	WMUG	55	form-based		true		0.75	23	1.352941155	23	23	28425	5945	5945	1.25
3762	127	6201	0.14	1288	12	85	140	4	20	8	24804	23516	CMUO	85	form-based		true		0.8	35	1.75	23	23	39686.40234	38398.40234	38398.40234	1.6
3763	012	4027	0.09	26373	0	65	100	3	9	9	12081	0	CMUO	85	form-based				0.8	23	2.555555582	23	18	25772.80078	0	0	2.133333
3774	150	6883	0.16	1306	39	65	100	3	16	0	20649	19343	SB-DTR	105	form-based		true		0.8	62	3.875	23	0	61947	60641	39992	3
3777	002	5657	0.13	10400	0	65	100	3	13	13	16971	6571	CMUO	65	form-based				0.8	23	1.769230723	23	23	27153.59961	16753.59961	16753.59961	1.6
3784	014	10000	0.23	10000	0	65	100	3	23	23	30000	20000	RED-MX	45	form-based				0.75	23	1	23	23	30000	20000	20000	1
3787	040	5811	0.13	16800	0	75	120	3.5	16	16	20338	3538	CMUO	65	form-based				0.8	23	1.4375	23	23	27892.80078	11092.80078	11092.80078	1.371462
3996	016	7500	0.17	8235	0	65	100	3	17	17	22500	14265	UMU	58	form-based				0.75	23	1.352941155	23	23	28125	19890	19890	1.25
4020	001	6193	0.14	12400	0	65	100	3	14	14	18579	6179	UMU	68	form-based		true		0.75	23	1.642857194	23	23	27868.5	15468.5	15468.5	1.5
6474	034	14046	0.32	11511	0	55	80	2.5	26	26	35115	23604	NCD-EXCE	40	density-lim	600	true		0.75	23	0.884615362	23	23	42138	30627	30627	1.2
6530	015	7637	0.18	14137	0	75	120	3.5	22	22	26730	12593	NCT-VALE	55	form-based				0.75	23	1.045454502	23	23	28638.75	14501.75	14501.75	1.071409
6908	003	6471	0.15	2700	1	85	140	4	21	20	25884	23184	RTO-C	65	form-based			true	0.75	24	1.142857194	23	23	29119.5	26419.5	26419.5	1.125
6909	001	6426	0.15	2040	1	65	100	3	15	14	19278	17238	RTO-C	65	form-based		true	true	0.75	24	1.600000024	23	23	28917	26877	26877	1.5
6912	013	11262	0.26	5757	1	55	80	2.5	21	20	28155	22398	RH-1(D)	40	form-based			true	0.7	24	1.142857194	23	23	31533.59961	25776.59961	25776.59961	1.12
6913	002	6370	0.15	2679	1	65	100	3	15	14	19110	16431	RTO-C	65	form-based			true	0.75	24	1.600000024	23	23	28665	25986	25986	1.5
6914	015	11643	0.27	1609	1	65	100	3	27	26	34929	33320	RH-1(D)	40	form-based			true	0.7	24	0.888888896	23	23	32600.40039	30991.40039	30991.40039	0.933333
6914	022	6505	0.15	1528	1	65	100	3	15	14	19515	17987	RTO-C	65	form-based			true	0.75	24	1.600000024	23	23	29272.5	27744.5	27744.5	1.5
6914	024	6290	0.14	1484	1	65	100	3	14	13	18870	17386	RTO-C	65	form-based			true	0.75	24	1.714285731	23	23	28305	26821	26821	1.5
6914	025	6409	0.15	1394	1	65	100	3	15	14	19227	17833	RTO-C	65	form-based			true	0.75	24	1.600000024	23	23	28840.5	27446.5	27446.5	1.5
6914	027	6363	0.15	1740	1	85	140	4	21	20	25452	23712	RTO-C	65	form-based			true	0.75	24	1.142857194	23	23	28633.5	26893.5	26893.5	1.125
6914	028	6327	0.15	2060	1	85	140	4	21	20	25308	23248	RTO-C	65	form-based			true	0.75	24	1.142857194	23	23	28471.5	26411.5	26411.5	1.125
6940	040	11152	0.26	30028	0	65	100	3	26	26	33456	3428	RH-1	40	form-based		true	true	0.7	23	0.884615362	23	23	31225.59961	1197.599609	1197.599609	0.933333
6942	050	10421	0.24	17600	0	65	100	3	24	24	31263	13663	NCT-OCEA	45	form-based		true		0.75	23	0.958333313	23	23	31263	13663	13663	1
7219	004A	4660	0.11	2541	1	65	100	3	11	10	13980	11439	RTO-C	85	form-based		true	true	0.75	24	2.181818247	23	21	27960	25419	25419	2
7220	001	4528	0.1	2490	1	65	100	3	10	9	13584	11094	RTO-C	85	form-based		true	true	0.75	24	2.400000095	23	19	27168	24678	24678	2
7220	003A	4434	0.1	2930	0	65	100	3	10	10	13302	10372	NCD-LAKE	85	form-based			true	0.75	23	2.299999952	23	20	26604	23674	23674	2
7220	004A	4515	0.1	2557	1	65	100	3	10	9	13545	10988	RTO-C	85	form-based			true	0.75	24	2.400000095	23	19	27090	24533	24533	2
7225	014C	4289	0.1	7260	0	65	100	3	10	10	12867	5607	NCD-LAKE	85	form-based		true	true	0.75	23	2.299999952	23	20	25734	18474	18474	2
7226	021	4299	0.1	12194	0	65	100	3	10	10	12897	703	NCD-LAKE	85	form-based			true	0.75	23	2.299999952	23	20	25794	13600	13600	2
0048	020	11000	0.25	9699	1	55	80	2.5	20	19	27500	17801	RH-1(D)	40	form-based			true	0.7	23	1.149999976	22	22	30800	21101	21101	1.12
0095	002	7998	0.18	9720	0	55	80	2.5	14	14	19995	10275	RM-2	50	form-based			true	0.7	22	1.571428537	22	22	27993	18273	18273	1.4
0131	019	8921	0.2	9204	0	55	80	2.5	16	16	22302	13098	NCD-NORT	40	density-lim	400			0.75	22	1.375	22	22	26763	17559	17559	1.200027
0136	004	17953	0.41	71772	0	65	100	3	41	41	53859	0	C-2	65	density-lim	800	true		0.8	22	0.536585391	22	22	86174.39844	14402.39844	14402.39844	1.6
0146	005	4730	0.11	8724	2	65	100	3	11	9	14190	5466	CCB	65	density-lim	200			0.75	24	2.181818247	22	20	21285	12561	12561	1.5
0146	007	4713	0.11	8792	2	65	100	3	11	9	14139	5347	CCB	65	density-lim	200			0.75	24	2.181818247	22	20	21208.5	12416.5	12416.5	1.5
0228	011	4496	0.1	19800	0	65	100	3	10	10	13488	0	C-3-O	75	form-based				0.8	22	2.200000048	22	20	25177.59961	5377.599609	5377.599609	1.866667
0237	006	4542	0.1	22330	0	75	120	3.5	12	12	15897	0	C-3-O	75	form-based		true		0.8	22	1.833333373	22	22	25435.20117	3105.201172	3105.201172	1.6
0242	010	4305	0.1	0	0	65	100	3	10	10	12915	12915	CRNC	65	density-lim	200	true		0.75	22	2.200000048	22	20	19372.5	19372.5	19372.5	1.5
0248	036	14172	0.33	791	31	55	80	2.5	26	0	35430	34639	RM-3	65	form-based			true	0.75	53	2.038461447	22	21	63774	62983	62983	1.8
0249	013	5072	0.12	13595	24	65	100	3	12	0	15216	1621	NCD-POLK	120	form-based			true	0.75	46	3.833333254	22	0	45648	32053	16837	3
0250	006	5576	0.13	17864	28	65	100	3	13	0	16728	0	RTO-C	140	form-based			true	0.75	50	3.846153736	22	0	50184	32320	15592	3
0251	035	3782	0.09	9060	12	55	80	2.5	7	0	9455	395	RTO-C	120	form-based			true	0.75	34	4.857142925	22	2	34038	24978	9850	3.6
0276	029	16963	0.39	46982	63	65	100	3	39	0	50889	3907	RM-4	65	density-lim	200			0.75	85	2.179487228	22	15	76333.5	29351.5	29351.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0277	021	3781	0.09	9981	12	65	100	3	9	0	11343	1362	RTO-C	140	form-based			true	0.75	34	3.777777672	22	6	34029	24048	12705	3
0277	022	3781	0.09	9981	12	65	100	3	9	0	11343	1362	RTO-C	140	form-based			true	0.75	34	3.777777672	22	6	34029	24048	12705	3
0278	007	3151	0.07	4167	6	65	100	3	7	1	9453	5286	RTO-C	120	form-based			true	0.75	28	4	22	8	28359	24192	14739	3
0280	014	4375	0.1	4350	0	65	100	3	10	10	13125	8775	RC-4	80	density-lim	200			0.75	22	2.200000048	22	20	26250	21900	21900	2
0292	006	2400	0.06	0	0	75	120	3.5	7	7	8400	8400	C-3-O	250	form-based				0.8	22	3.142857075	22	14	21600	21600	16800	2.571429
0294	023	2475	0.06	5610	0	75	120	3.5	7	7	8662	3052	C-3-R	130	form-based				0.8	22	3.142857075	22	14	22275	16665	11714	2.571577
0301	019	4432	0.1	7300	0	65	100	3	10	10	13296	5996	RC-4	130	density-lim	200			0.75	22	2.200000048	22	20	39888	32588	19292	3
0309	003	2443	0.06	10000	0	75	120	3.5	7	7	8550	0	C-3-R	130	form-based		true		0.8	22	3.142857075	22	14	21987	11987	7100	2.571579
0310	014	2410	0.06	18160	0	75	120	3.5	7	7	8435	0	C-3-R	130	form-based				0.8	22	3.142857075	22	14	21690	3530	0	2.571429
0323	010	4440	0.1	8140	0	65	100	3	10	10	13320	5180	RC-4	80	density-lim	200			0.75	22	2.200000048	22	20	26640	18500	18500	2
0324	011	4375	0.1	4000	0	65	100	3	10	10	13125	9125	RC-4	80	density-lim	200			0.75	22	2.200000048	22	20	26250	22250	22250	2
0329	004	2470	0.06	9171	0	95	160	4.5	10	10	11115	1944	C-3-R	130	form-based				0.8	22	2.200000048	22	20	22230	13059	13059	2
0338	012	4408	0.1	12455	0	65	100	3	10	10	13224	769	RC-4	120	density-lim	200			0.75	22	2.200000048	22	20	39672	27217	13993	3
0340	009	4727	0.11	23856	2	75	120	3.5	13	11	16544	0	RC-4	120	density-lim	200			0.75	24	1.846153855	22	22	42543	18687	9232	2.571506
0345	009	4392	0.1	12105	0	75	120	3.5	12	12	15372	3267	RC-4	80	density-lim	200	true		0.75	22	1.833333373	22	22	26352	14247	14247	1.714286
0345	015	4375	0.1	12859	0	65	100	3	10	10	13125	266	RC-4	80	density-lim	200			0.75	22	2.200000048	22	20	26250	13391	13391	2
0502	005F	6527	0.15	3560	2	65	100	3	15	13	19581	16021	RM-3	65	form-based			true	0.75	24	1.600000024	22	22	29371.5	25811.5	25811.5	1.5
0503	015	2744	0.06	4351	3	65	100	3	6	3	8232	3881	NC-3	140	form-based			true	0.75	25	4.166666508	22	9	24696	20345	12113	3
0504	018	3483	0.08	8143	9	65	100	3	8	0	10449	2306	NC-3	140	form-based			true	0.75	31	3.875	22	7	31347	23204	12755	3
0505	012	2500	0.06	3473	1	55	80	2.5	5	4	6250	2777	RTO-C	140	form-based			true	0.75	23	4.599999905	22	9	22500	19027	9027	3.6
0506	053	2656	0.06	1520	2	55	80	2.5	5	3	6640	5120	RTO-C	140	form-based			true	0.75	24	4.800000191	22	8	23904	22384	11760	3.6
0522	006	4583	0.11	4600	2	65	100	3	11	9	13749	9149	RTO-C	85	form-based			true	0.75	24	2.181818247	22	20	27498	22898	22898	2
0525	052	7832	0.18	914	16	65	100	3	18	2	23496	22582	RM-2	85	form-based			true	0.7	38	2.111111164	22	20	43859.19922	42945.19922	42945.19922	1.866667
0531	006A	5801	0.13	11006	0	55	80	2.5	10	10	14502	3496	NCD-UNIO	65	form-based		true	true	0.75	22	2.200000048	22	20	26104.5	15098.5	15098.5	1.800062
0531	013	5844	0.13	8860	0	55	80	2.5	10	10	14610	5750	NCD-UNIO	65	form-based			true	0.75	22	2.200000048	22	20	26298	17438	17438	1.8
0547	008	3750	0.09	11592	12	65	100	3	9	0	11250	0	RC-3	140	form-based			true	0.75	34	3.777777672	22	6	33750	22158	10908	3
0550	020A	3394	0.08	6401	9	85	140	4	11	2	13576	7175	RC-3	240	form-based			true	0.75	31	2.818181753	22	13	30546	24145	20751	2.25
0555	007	4817	0.11	13864	21	55	80	2.5	9	0	12042	0	RTO-C	105	form-based		true	true	0.75	43	4.777777672	22	0	43353	29489	10220	3.600149
0565	006	6188	0.14	8900	1	55	80	2.5	11	10	15470	6570	RTO-C	65	form-based		true	true	0.75	23	2.090909004	22	21	27846	18946	18946	1.8
0566	002	2960	0.07	5267	5	55	80	2.5	6	1	7400	2133	RTO-C	105	form-based			true	0.75	27	4.5	22	7	26640	21373	9533	3.6
0566	004	2960	0.07	3488	5	55	80	2.5	6	1	7400	3912	RTO-C	105	form-based			true	0.75	27	4.5	22	7	26640	23152	11312	3.6
0567	019	2500	0.06	2720	1	55	80	2.5	5	4	6250	3530	RTO-C	105	form-based			true	0.75	23	4.599999905	22	9	22500	19780	9780	3.6
0567	038	15195	0.35	1390	82	55	80	2.5	28	0	37988	36598	RTO-C	105	form-based		true	true	0.75	104	3.714285612	22	0	103773.75	102383.75	74586	2.731751
0569	031	4531	0.1	2370	2	65	100	3	10	8	13593	11223	RTO-C	85	form-based			true	0.75	24	2.400000095	22	18	27186	24816	24816	2
0569	033	4534	0.1	930	2	65	100	3	10	8	13602	12672	RTO-C	85	form-based			true	0.75	24	2.400000095	22	18	27204	26274	26274	2
0570	023	2986	0.07	3635	5	65	100	3	7	2	8958	5323	RTO-C	240	form-based			true	0.75	27	3.857142925	22	9	26874	23239	14281	3
0573	035	5300	0.12	3560	6	65	100	3	12	6	15900	12340	NCD-PACIF	85	form-based			true	0.75	28	2.333333254	22	18	31800	28240	28240	2
0576	008	6522	0.15	25818	37	65	100	3	15	0	19566	0	RTO-C	140	form-based			true	0.75	59	3.933333397	22	0	58698	32880	13314	3
0583	009	10892	0.25	11320	1	55	80	2.5	20	19	27230	15910	RH-1	40	form-based			true	0.7	23	1.149999976	22	22	30497.59961	19177.59961	19177.59961	1.12
0587	027	33658	0.77	77641	0	65	100	3	77	77	100974	23333	RH-2	40	density-lim	1500	true		0.7	22	0.285714298	22	22	94242.39844	16601.39844	16601.39844	0.933333
0613	028	2638	0.06	5535	2	65	100	3	6	4	7914	2379	RM-2	160	form-based			true	0.7	24	4	22	10	23742	18207	10293	3
0633	004	5285	0.12	3400	6	85	140	4	17	11	21140	17740	RTO-C	85	form-based			true	0.75	28	1.647058845	22	22	31710	28310	28310	1.5
0648	015A	5546	0.13	10590	7	65	100	3	13	6	16638	6048	RTO-C	85	form-based			true	0.75	29	2.230769157	22	19	33276	22686	22686	2
0648	083	5545	0.13	660	7	65	100	3	13	6	16635	15975	RTO-C	85	form-based			true	0.75	29	2.230769157	22	19	33270	32610	32610	2
0666	007	2784	0.06	4638	3	65	100	3	6	3	8352	3714	RC-4	350	form-based			true	0.75	25	4.166666508	22	9	25056	20418	12066	3
0667	003	10500	0.24	42025	73	65	100	3	24	0	31500	0	NCD-POLK	240	form-based		true	true	0.75	95	3.958333254	22	0	94500	52475	20975	3
0674	017	5242	0.12	8313	4	65	100	3	12	8	15726	7413	RM-4	50	density-lim	200			0.75	26	2.166666746	22	20	19657.5	11344.5	11344.5	1.25
0674	019	7927	0.18	13878	18	65	100	3	18	0	23781	9903	RM-4	50	density-lim	200			0.75	40	2.222222328	22	18	29726.25	15848.25	15848.25	1.25
0678	001	9805	0.23	7424	0	65	100	3	23	23	29415	21991	NCT-FILLM	40	form-based		true		0.75	22	0.956521749	22	22	29415	21991	21991	1
0679	037	4125	0.09	0	0	65	100	3	9	9	12375	12375	RTO-C	85	form-based			true	0.75	22	2.444444418	22	18	24750	24750	24750	2
0683	035	50023	1.15	59191	103	65	100	3	115	12	150069	90878	RM-3	50	density-lim	400	true		0.55	125	1.086956501	22	22	137563.25	78372.25	78372.25	0.916667
0719	083	3330	0.08	997	8	65	100	3	8	0	9990	8993	RM-4	500	form-based			true	0.75	30	3.75	22	8	29970	28973	18983	3
0735	021	8731	0.2	0	0	65	100	3	20	20	26193	26193	RM-3	80	density-lim	400			0.75	22	1.100000024	22	22	52386	52386	52386	2
0737	008	4440	0.1	2525	0	65	100	3	10	10	13320	10795	RM-4	80	density-lim	200			0.75	22	2.200000048	22	20	26640	24115	24115	2
0740	001	4343	0.1	8224	0	65	100	3	10	10	13029	4805	RC-4	80	density-lim	200	true		0.75	22	2.200000048	22	20	26058	17834	17834	2
0740	018	13200	0.3	49600	0	65	100	3	30	30	39600	0	NCD-LOWI	130	density-lim	600	true		0.75	22	0.733333349	22	22	123300	73700	29600	3.113636
0761	032	9600	0.22	1183	28	65	100	3	22	0	28800	27617	NCT-3	85	form-based				0.75	50	2.272727251	22	16	57600	56417	56417	2
0783	025	13075	0.3	6966	0	55	80	2.5	24	24	32688	25722	RTO-1	40	density-lim	600	true		0.7	22	0.916666687	22	22	36610	29644	29644	1.119983
0811	020	4675	0.11	9450	0	75	120	3.5	13	13	16362	6912	C-3-G	70	form-based		true		0.8	22	1.692307711	22	22	26180	16730	16730	1.600049
0855	013	3102	0.07	5025	6	65	100	3	7	1	9306	4281	NCT-3	140	form-based			true	0.75	28	4	22	8	27918	22893	13587	3
0871	004	2400	0.06	3	0	85	140	4	8	8	9600	9597	NCT-3	120	form-based			true	0.75	22	2.75	22	16	21600	21597	19197	2.25
0961	021	10614	0.24	0	0	55	80	2.5	19	19	26535	26535	RH-1(D)	40	form-based			true	0.7	22	1.157894731	22	22	29719.19922	29719.19922	29719.19922	1.12
0985	037	11096	0.25	8026	1	65	100	3	25	24	33288	25262	RH-1	40	form-based		true	true	0.7	23	0.920000017	22	22	31068.79883	23042.79883	23042.79883	0.933333
1038	043	6496	0.15	1170	12	55	80	2.5	12	0	16240	15070	RTO-C	85	form-based		true	true	0.75	34	2.833333254	22	12	38976	37806	31310	2.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1046	013	11375	0.26	3770	2	65	100	3	26	24	34125	30355	RH-2	40	form-based			true	0.7	24	0.923076928	22	22	31850	28080	28080	0.933333
1069	017B	2770	0.06	3220	3	85	140	4	8	5	11080	7860	NCD-GEAR	140	form-based			true	0.75	25	3.125	22	13	24930	21710	18940	2.25
1080	008	2500	0.06	1345	1	65	100	3	6	5	7500	6155	RTO-C	140	form-based			true	0.75	23	3.833333254	22	11	22500	21155	13655	3
1092	015	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RTO-C	240	form-based			true	0.75	23	3.833333254	22	11	22500	21300	13800	3
1092	016	2500	0.06	1352	1	65	100	3	6	5	7500	6148	RTO-C	240	form-based			true	0.75	23	3.833333254	22	11	22500	21148	13648	3
1100	097	8432	0.19	1335	10	65	100	3	19	9	25296	23961	RTO-C	65	form-based		true	true	0.75	32	1.684210539	22	22	37944	36609	36609	1.5
1144	020	5702	0.13	8496	6	55	80	2.5	10	4	14255	5759	RH-2	80	form-based		true	true	0.7	28	2.799999952	22	14	31931.19922	23435.19922	20014	2.24
1203	036	4616	0.11	3200	2	55	80	2.5	9	7	11540	8340	NCT-DIVIS	85	form-based			true	0.75	24	2.666666746	22	16	27696	24496	19880	2.4
1215	008	4250	0.1	6272	0	55	80	2.5	8	8	10625	4353	NCT-DIVIS	85	form-based			true	0.75	22	2.75	22	16	25500	19228	14978	2.4
1244	029	7327	0.17	5600	5	55	80	2.5	14	9	18318	12718	NCD-HAIG	65	form-based			true	0.75	27	1.928571463	22	22	32971.5	27371.5	27371.5	1.799951
1309	004	10606	0.24	5196	0	55	80	2.5	19	19	26515	21319	RH-1(D)	40	form-based			true	0.7	22	1.157894731	22	22	29696.79883	24500.79883	24500.79883	1.12
1309	008	11069	0.25	3674	1	55	80	2.5	20	19	27672	23998	RH-1(D)	40	form-based			true	0.7	23	1.149999976	22	22	30993.19922	27319.19922	27319.19922	1.12002
1327	007	11051	0.25	4543	1	55	80	2.5	20	19	27628	23085	RH-1(D)	40	form-based			true	0.7	23	1.149999976	22	22	30942.79883	26399.79883	26399.79883	1.11998
1336	011	10860	0.25	5730	1	55	80	2.5	20	19	27150	21420	RH-1(D)	40	form-based			true	0.7	23	1.149999976	22	22	30408	24678	24678	1.12
1364	045	4122	0.09	8280	0	55	80	2.5	7	7	10305	2025	NC-1	85	form-based		true	true	0.75	22	3.142857075	22	14	24732	16452	12330	2.4
1402	024	5955	0.14	1352	0	65	100	3	14	14	17865	16513	NC-1	65	form-based		true	true	0.75	22	1.571428537	22	22	26797.5	25445.5	25445.5	1.5
1419	042	6810	0.16	5736	4	65	100	3	16	12	20430	14694	RTO-C	65	form-based			true	0.75	26	1.625	22	22	30645	24909	24909	1.5
1419	051	6940	0.16	1140	4	65	100	3	16	12	20820	19680	RTO-C	65	form-based			true	0.75	26	1.625	22	22	31230	30090	30090	1.5
1427	018	5772	0.13	5666	0	65	100	3	13	13	17316	11650	NCD-INNE	65	form-based			true	0.75	22	1.692307711	22	22	25974	20308	20308	1.5
1428	018	5821	0.13	11695	0	65	100	3	13	13	17463	5768	NCD-INNE	65	form-based		true	true	0.75	22	1.692307711	22	22	26194.5	14499.5	14499.5	1.5
1433	014	3158	0.07	4386	6	65	100	3	7	1	9474	5088	NCD-GEAR	140	form-based		true	true	0.75	28	4	22	8	28422	24036	14562	3
1447	023C	4200	0.1	5725	0	65	100	3	10	10	12600	6875	NCD-GEAR	85	form-based		true	true	0.75	22	2.200000048	22	20	25200	19475	19475	2
1542	047	2493	0.06	1740	0	65	100	3	6	6	7479	5739	NCD-GEAR	140	form-based			true	0.75	22	3.666666746	22	12	22437	20697	13218	3
1542	048	2492	0.06	4000	0	65	100	3	6	6	7476	3476	NCD-GEAR	140	form-based			true	0.75	22	3.666666746	22	12	22428	18428	10952	3
1630	007	10361	0.24	20300	0	55	80	2.5	19	19	25902	5602	RM-1	40	form-based			true	0.7	22	1.157894731	22	22	29010.79883	8710.798828	8710.798828	1.120022
1649	034	7411	0.17	1020	17	55	80	2.5	14	0	18528	17508	RTO-C	85	form-based		true	true	0.75	39	2.785714388	22	11	44466	43446	36036	2.399935
1650	042	7975	0.18	1123	20	55	80	2.5	14	0	19938	18815	NC-1	85	form-based		true	true	0.75	42	3	22	8	47850	46727	38753	2.39994
1727	025	4320	0.1	4394	1	65	100	3	10	9	12960	8566	NCD-IRVIN	85	form-based		true	true	0.75	23	2.299999952	22	19	25920	21526	21526	2
1730	015	3030	0.07	3143	5	65	100	3	7	2	9090	5947	NCD-IRVIN	105	form-based			true	0.75	27	3.857142925	22	9	27270	24127	15037	3
1736	018A	4271	0.1	3750	0	65	100	3	10	10	12813	9063	NCD-INNE	85	form-based			true	0.75	22	2.200000048	22	20	25626	21876	21876	2
1742	052	4250	0.1	0	0	65	100	3	10	10	12750	12750	NCD-INNE	85	form-based			true	0.75	22	2.200000048	22	20	25500	25500	25500	2
1763	043	4265	0.1	4339	0	85	140	4	14	14	17060	12721	NCD-INNE	85	form-based			true	0.75	22	1.571428537	22	22	25590	21251	21251	1.5
1842	041C	4171	0.1	2228	0	85	140	4	14	14	16684	14456	RTO-C	85	form-based		true	true	0.75	22	1.571428537	22	22	25026	22798	22798	1.5
2028	030	4152	0.1	5960	0	55	80	2.5	8	8	10380	4420	NCD-NORI	85	form-based		true	true	0.75	22	2.75	22	16	24912	18952	14800	2.4
2031	014	2543	0.06	2017	1	55	80	2.5	5	4	6358	4341	RTO-C	140	form-based			true	0.75	23	4.599999905	22	9	22887	20870	10699	3.599717
2031	029	2543	0.06	1275	1	55	80	2.5	5	4	6358	5083	RTO-C	140	form-based			true	0.75	23	4.599999905	22	9	22887	21612	11441	3.599717
2136	003	11065	0.25	6350	1	55	80	2.5	20	19	27662	21312	RH-1(D)	40	form-based			true	0.7	23	1.149999976	22	22	30982	24632	24632	1.12002
2346	009	4170	0.1	0	0	85	140	4	14	14	16680	16680	NCD-INNE	85	form-based			true	0.75	22	1.571428537	22	22	25020	25020	25020	1.5
2372	048	5828	0.13	6316	9	85	140	4	18	9	23312	16996	RTO-C	85	form-based		true	true	0.75	31	1.722222209	22	22	34968	28652	28652	1.5
2404	002	4414	0.1	2650	1	85	140	4	14	13	17656	15006	NCD-TARA	85	form-based			true	0.75	23	1.642857194	22	22	26484	23834	23834	1.5
2406	024	6000	0.14	2110	1	65	100	3	14	13	18000	15890	RTO-C	65	form-based			true	0.75	23	1.642857194	22	22	27000	24890	24890	1.5
2406	025	6024	0.14	5740	1	65	100	3	14	13	18072	12332	RTO-C	65	form-based			true	0.75	23	1.642857194	22	22	27108	21368	21368	1.5
2407	027	2534	0.06	1355	1	85	140	4	8	7	10136	8781	NCD-INNE	140	form-based			true	0.75	23	2.875	22	15	22806	21451	18917	2.25
2407	028	2526	0.06	1165	1	85	140	4	8	7	10104	8939	NCD-INNE	140	form-based			true	0.75	23	2.875	22	15	22734	21569	19043	2.25
2457	048	5940	0.14	5940	0	55	80	2.5	11	11	14850	8910	NC-1	65	form-based		true	true	0.75	22	2	22	22	26730	20790	20790	1.8
2541	005	4193	0.1	2830	0	65	100	3	10	10	12579	9749	RTO-C	85	form-based			true	0.75	22	2.200000048	22	20	25158	22328	22328	2
2642	043	11160	0.26	4676	1	65	100	3	26	25	33480	28804	RH-1(D)	40	form-based			true	0.7	23	0.884615362	22	22	31248	26572	26572	0.933333
2647	024	2500	0.06	2025	1	65	100	3	6	5	7500	5475	RTO-C	140	form-based			true	0.75	23	3.833333254	22	11	22500	20475	12975	3
2816	010	11047	0.25	4414	1	55	80	2.5	20	19	27618	23204	RH-1(D)	40	form-based		true	true	0.7	23	1.149999976	22	22	30931.59961	26517.59961	26517.59961	1.11998
2836	024	11074	0.25	1771	1	65	100	3	25	24	33222	31451	RH-1(D)	40	form-based			true	0.7	23	0.920000017	22	22	31007.19922	29236.19922	29236.19922	0.933333
2837	032	10586	0.24	4319	0	65	100	3	24	24	31758	27439	RH-1(D)	40	form-based		true	true	0.7	22	0.916666687	22	22	29640.79883	25321.79883	25321.79883	0.933333
2841	001	4405	0.1	2880	1	65	100	3	10	9	13215	10335	RTO-C	85	form-based		true	true	0.75	23	2.299999952	22	19	26430	23550	23550	2
2931	001	4260	0.1	8000	0	85	140	4	14	14	17040	9040	NCD-WEST	85	form-based		true	true	0.75	22	1.571428537	22	22	25560	17560	17560	1.5
2973A	051	10443	0.24	0	0	55	80	2.5	19	19	26108	26108	RH-1(D)	40	form-based			true	0.7	22	1.157894731	22	22	29240.40039	29240.40039	29240.40039	1.119979
2986	010	4203	0.1	3305	0	65	100	3	10	10	12609	9304	NCD-WEST	85	form-based		true	true	0.75	22	2.200000048	22	20	25218	21913	21913	2
2991	011	10808	0.25	2881	1	55	80	2.5	20	19	27020	24139	RH-1(D)	40	form-based			true	0.7	23	1.149999976	22	22	30262.40039	27381.40039	27381.40039	1.12
2991	012	11176	0.26	3409	1	55	80	2.5	21	20	27940	24531	RH-1(D)	40	form-based			true	0.7	23	1.09523809	22	22	31292.79883	27883.79883	27883.79883	1.12
2992	022	10977	0.25	3740	1	55	80	2.5	20	19	27442	23702	RH-1(D)	40	form-based			true	0.7	23	1.149999976	22	22	30735.59961	26995.59961	26995.59961	1.12002
2992	026	10970	0.25	2830	1	55	80	2.5	20	19	27425	24595	RH-1(D)	40	form-based			true	0.7	23	1.149999976	22	22	30716	27886	27886	1.12
3011	039	10751	0.25	3900	1	55	80	2.5	20	19	26878	22978	RH-1(D)	40	form-based		true	true	0.7	23	1.149999976	22	22	30102.79883	26202.79883	26202.79883	1.119979
3044	010	10741	0.25	2430	1	55	80	2.5	20	19	26852	24422	RH-1(D)	40	form-based			true	0.7	23	1.149999976	22	22	30074.79883	27644.79883	27644.79883	1.120021
3047	006	11027	0.25	1840	1	55	80	2.5	20	19	27568	25728	RH-1(D)	40	form-based			true	0.7	23	1.149999976	22	22	30875.59961	29035.59961	29035.59961	1.11998
3049	006	10763	0.25	2455	1	55	80	2.5	20	19	26908	24453	RH-1(D)	40	form-based			true	0.7	23	1.149999976	22	22	30136.40039	27681.40039	27681.40039	1.119979
3049	011	10921	0.25	2054	1	55	80	2.5	20	19	27302	25248	RH-1(D)	40	form-based			true	0.7	23	1.149999976	22	22	30578.79883	28524.79883	28524.79883	1.120021

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3076	020	10929	0.25	7271	1	65	100	3	25	24	32787	25516	RH-1(D)	40	form-based			true	0.7	23	0.920000017	22	22	30601.19922	23330.19922	23330.19922	0.933333
3078	019	11163	0.26	2079	1	55	80	2.5	21	20	27908	25829	RH-1(D)	40	form-based			true	0.7	23	1.09523809	22	22	31256.40039	29177.40039	29177.40039	1.11998
3104	030	10957	0.25	5592	1	55	80	2.5	20	19	27392	21800	RH-1(D)	40	form-based		true	true	0.7	23	1.149999976	22	22	30679.59961	25087.59961	25087.59961	1.12002
3121	001	10340	0.24	19319	0	55	80	2.5	19	19	25850	6531	RH-1	40	form-based		true	true	0.7	22	1.157894731	22	22	28952	9633	9633	1.12
3196	029	4177	0.1	3420	0	85	140	4	14	14	16708	13288	NCT-OCEA	85	form-based			true	0.75	22	1.571428537	22	22	25062	21642	21642	1.5
3197	008	4136	0.09	2625	0	85	140	4	13	13	16544	13919	NCT-OCEA	85	form-based			true	0.75	22	1.692307711	22	22	24816	22191	22191	1.5
3250	016	10344	0.24	0	0	85	140	4	34	34	41376	41376	RH-1(D)	40	form-based		true	true	0.7	22	0.647058845	22	22	28963.19922	28963.19922	28963.19922	0.7
3260	023	10753	0.25	2392	1	65	100	3	25	24	32259	29867	RH-1(D)	40	form-based			true	0.7	23	0.920000017	22	22	30108.40039	27716.40039	27716.40039	0.933333
3510	059	3780	0.09	6708	12	85	140	4	13	1	15120	8412	C-3-G	130	form-based				0.8	34	2.615384579	22	14	34020	27312	23532	2.25
3511	033	8683	0.2	18276	27	65	100	3	20	0	26049	7773	C-3-G	85	form-based		true		0.8	49	2.450000048	22	13	55571.19922	37295.19922	33822	2.133333
3516	054	4164	0.1	4373	0	65	100	3	10	10	12492	8119	WMUG	85	form-based			true	0.75	22	2.200000048	22	20	24984	20611	20611	2
3519	017	7600	0.17	2112	1	65	100	3	17	16	22800	20688	RCD	55	form-based		true		0.75	23	1.352941155	22	22	28500	26388	26388	1.25
3522	064	9746	0.22	12610	0	65	100	3	22	22	29238	16628	RED	40	form-based				0.75	22	1	22	22	29238	16628	16628	1
3534	059	4551	0.1	0	0	85	140	4	14	14	18204	18204	RTO-1	85	form-based			true	0.7	22	1.571428537	22	22	25485.59961	25485.59961	25485.59961	1.4
3542	016	2407	0.06	2400	0	85	140	4	8	8	9628	7228	NCT-UPPE	120	form-based			true	0.75	22	2.75	22	16	21663	19263	16856	2.25
3552	020	7326	0.17	8350	0	75	120	3.5	20	20	25641	17291	UMU	58	form-based				0.75	22	1.100000024	22	22	27472.5	19122.5	19122.5	1.071429
3552	022	7452	0.17	0	0	75	120	3.5	20	20	26082	26082	UMU	58	form-based				0.75	22	1.100000024	22	22	27945	27945	27945	1.071429
3553	063	8670	0.2	26615	24	75	120	3.5	24	0	30345	3730	NCT-MISSI	80	form-based		true		0.75	46	1.916666627	22	22	52020	25405	25405	1.714286
3559	018	2750	0.06	4566	3	65	100	3	6	3	8250	3684	NCT-UPPE	120	form-based			true	0.75	25	4.166666508	22	9	24750	20184	11934	3
3562	031	4877	0.11	4890	4	65	100	3	11	7	14631	9741	RTO-C	85	form-based			true	0.75	26	2.363636255	22	18	29262	24372	24372	2
3591	019	7386	0.17	7350	0	65	100	3	17	17	22158	14808	UMU	58	form-based				0.75	22	1.294117689	22	22	27697.5	20347.5	20347.5	1.25
3591	021	7350	0.17	7350	0	65	100	3	17	17	22050	14700	UMU	58	form-based				0.75	22	1.294117689	22	22	27562.5	20212.5	20212.5	1.25
3643	008	4520	0.1	12267	2	95	160	4.5	16	14	20340	8073	NCT-MISSI	85	form-based				0.75	24	1.5	22	22	27120	14853	14853	1.333333
3651	014	5794	0.13	4189	0	85	140	4	18	18	23176	18987	NCD-24TH	65	form-based		true	true	0.75	22	1.222222209	22	22	26073	21884	21884	1.125
3705	005	2404	0.06	6240	0	85	140	4	8	8	9616	3376	C-3-R	400	form-based		true		0.8	22	2.75	22	16	21636	15396	12992	2.25
3706	014	2400	0.06	9380	0	75	120	3.5	7	7	8400	0	C-3-R	400	form-based				0.8	22	3.142857075	22	14	21600	12220	7420	2.571429
3706	063	2490	0.06	6650	0	85	140	4	8	8	9960	3310	C-3-R	120	form-based				0.8	22	2.75	22	16	22410	15760	13270	2.25
3721	051	2400	0.06	17463	0	75	120	3.5	7	7	8400	0	C-3-O(SD)	150	form-based		true		0.8	22	3.142857075	22	14	21600	4137	0	2.571429
3722	016	2400	0.06	9600	0	75	120	3.5	7	7	8400	0	C-3-O(SD)	150	form-based		true		0.8	22	3.142857075	22	14	21600	12000	7200	2.571429
3725	100	3901	0.09	2490	0	75	120	3.5	11	11	13654	11164	C-3-S	85	form-based				0.8	22	2	22	22	24966.40039	22476.40039	22476.40039	1.828504
3728	048	7497	0.17	27729	0	75	120	3.5	20	20	26240	0	RCD	55	form-based		true		0.75	22	1.100000024	22	22	28113.75	384.75	384.75	1.071408
3732	024	4250	0.1	8992	0	65	100	3	10	10	12750	3758	MUR	85	form-based				0.75	22	2.200000048	22	20	25500	16508	16508	2
3735	016	2400	0.06	0	0	85	140	4	8	8	9600	9600	C-3-S	320	form-based		true		0.8	22	2.75	22	16	21600	21600	19200	2.25
3736	094	2400	0.06	13653	0	75	120	3.5	7	7	8400	0	C-3-O(SD)	350	form-based		true		0.8	22	3.142857075	22	14	21600	7947	3147	2.571429
3748	005	2425	0.06	0	0	75	120	3.5	7	7	8488	8488	RH DTR	250	form-based				0.8	22	3.142857075	22	14	21825	21825	16976	2.571277
3752	009	4146	0.1	2900	0	65	100	3	10	10	12438	9538	MUR	85	form-based		true		0.75	22	2.200000048	22	20	24876	21976	21976	2
3752	081	4245	0.1	5890	0	65	100	3	10	10	12735	6845	MUR	85	form-based		true		0.75	22	2.200000048	22	20	25470	19580	19580	2
3753	120	4133	0.09	2467	0	65	100	3	9	9	12399	9932	MUR	85	form-based				0.75	22	2.444444418	22	18	24798	22331	22331	2
3753	121	4241	0.1	10908	0	65	100	3	10	10	12723	1815	MUR	85	form-based				0.75	22	2.200000048	22	20	25446	14538	14538	2
3762	007	3956	0.09	16401	0	85	140	4	13	13	15824	0	CMUO	85	form-based		true		0.8	22	1.692307711	22	22	25318.40039	8917.400391	8917.400391	1.6
3762	014	3840	0.09	5000	0	65	100	3	9	9	11520	6520	CMUO	85	form-based				0.8	22	2.444444418	22	18	24576	19576	18040	2.133333
3762	024	4017	0.09	4000	0	65	100	3	9	9	12051	8051	CMUO	85	form-based				0.8	22	2.444444418	22	18	25708.80078	21708.80078	20102	2.133333
3776	020	3986	0.09	15580	0	75	120	3.5	11	11	13951	0	CMUO	85	form-based				0.8	22	2	22	22	25510.40039	9930.400391	9930.400391	1.828571
3776	049	2400	0.06	4800	0	75	120	3.5	7	7	8400	3600	CMUO	130	form-based				0.8	22	3.142857075	22	14	21600	16800	12000	2.571429
3776	118	2412	0.06	2850	0	65	100	3	6	6	7236	4386	CMUO	130	form-based				0.8	22	3.666666746	22	12	21708	18858	11622	3
3785	030	30938	0.71	906	102	65	100	3	71	0	92814	91908	CMUO	65	form-based		true		0.8	124	1.746478915	22	22	148502.4063	147596.4063	147596.4063	1.6
3788	021	5404	0.12	5156	0	65	100	3	12	12	16212	11056	CMUO	65	form-based				0.8	22	1.833333373	22	22	25939.20117	20783.20117	20783.20117	1.6
3774	013	5790	0.13	27122	0	65	100	3	13	13	17370	0	MUO	65	form-based				0.75	22	1.692307711	22	22	26055	0	0	1.5
3996	013	7354	0.17	7500	0	65	100	3	17	17	22062	14562	UMU	58	form-based		true		0.75	22	1.294117689	22	22	27577.5	20077.5	20077.5	1.25
4211	035	8454	0.19	11300	10	85	140	4	27	17	33816	22516	NCT-24TH-	65	form-based		true		0.75	32	1.185185194	22	22	38043	26743	26743	1.125
6508	034	5805	0.13	5490	0	65	100	3	13	13	17415	11925	NCD-24TH	65	form-based			true	0.75	22	1.692307711	22	22	26122.5	20632.5	20632.5	1.5
6517	031	4125	0.09	3681	0	85	140	4	13	13	16500	12819	NCT-MISSI	85	form-based				0.75	22	1.692307711	22	22	24750	21069	21069	1.5
6528	029	5752	0.13	5703	0	75	120	3.5	16	16	20132	14429	NCT-MISSI	65	form-based				0.75	22	1.375	22	22	25884	20181	20181	1.285714
6909	002	6013	0.14	1753	1	65	100	3	14	13	18039	16286	RTO-C	65	form-based		true	true	0.75	23	1.642857194	22	22	27058.5	25305.5	25305.5	1.5
6914	021	6098	0.14	2802	1	65	100	3	14	13	18294	15492	RTO-C	65	form-based			true	0.75	23	1.642857194	22	22	27441	24639	24639	1.5
6914	026	6261	0.14	1582	1	65	100	3	14	13	18783	17201	RTO-C	65	form-based			true	0.75	23	1.642857194	22	22	28174.5	26592.5	26592.5	1.5
6915	025	4198	0.1	2470	0	65	100	3	10	10	12594	10124	NCT-OCEA	85	form-based		true	true	0.75	22	2.200000048	22	20	25188	22718	22718	2
6915	035	4320	0.1	4553	1	65	100	3	10	9	12960	8407	NCT-OCEA	85	form-based			true	0.75	23	2.299999952	22	19	25920	21367	21367	2
6916	030	11075	0.25	2370	1	55	80	2.5	20	19	27688	25318	RH-1(D)	40	form-based			true	0.7	23	1.149999976	22	22	31010	28640	28640	1.11998
6956	028	13385	0.31	20000	0	55	80	2.5	25	25	33462	13462	NCD-EXCE	65	density-lim	600			0.75	22	0.879999995	22	22	60232.5	40232.5	40232.5	1.800027
6964	007	5826	0.13	6330	9	85	140	4	18	9	23304	16974	NCT-1	85	form-based			true	0.75	31	1.722222209	22	22	34956	28626	28626	1.5
7220	006	4306	0.1	2445	1	65	100	3	10	9	12918	10473	RTO-C	85	form-based			true	0.75	23	2.299999952	22	19	25836	23391	23391	2
7220	007	4306	0.1	2543	1	65	100	3	10	9	12918	10375	RTO-C	85	form-based			true	0.75	23	2.299999952	22	19	25836	23293	23293	2
7220	008	4306	0.1	2512	1	65	100	3	10	9	12918	10406	RTO-C	85	form-based			true	0.75	23	2.299999952	22	19	25836	23324	23324	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7220	013	4409	0.1	1899	1	65	100	3	10	9	13227	11328	RTO-C	85	form-based			true	0.75	23	2.299999952	22	19	26454	24555	24555	2
7221	001	4416	0.1	2166	1	65	100	3	10	9	13248	11082	RTO-C	85	form-based		true	true	0.75	23	2.299999952	22	19	26496	24330	24330	2
7221	016	4401	0.1	1836	1	65	100	3	10	9	13203	11367	RTO-C	85	form-based			true	0.75	23	2.299999952	22	19	26406	24570	24570	2
7221	017	4415	0.1	1897	1	65	100	3	10	9	13245	11348	RTO-C	85	form-based		true	true	0.75	23	2.299999952	22	19	26490	24593	24593	2
7543	028	10663	0.24	0	0	65	100	3	24	24	31989	31989	RM-1	40	form-based			true	0.7	22	0.916666687	22	22	29856.40039	29856.40039	29856.40039	0.933333
0013	006A	5228	0.12	6776	0	85	140	4	17	17	20912	14136	C-2	65	form-based			true	0.8	21	1.235294104	21	21	25094.40039	18318.40039	18318.40039	1.2
0025	021	5294	0.12	10450	0	65	100	3	12	12	15882	5432	C-2	65	form-based			true	0.8	21	1.75	21	21	25411.20117	14961.20117	14961.20117	1.6
0067	015	10244	0.24	2562	1	55	80	2.5	19	18	25610	23048	RH-1	40	form-based			true	0.7	22	1.157894731	21	21	28683.19922	26121.19922	26121.19922	1.12
0067	016	10313	0.24	5359	1	55	80	2.5	19	18	25782	20423	RH-1	40	form-based			true	0.7	22	1.157894731	21	21	28876.40039	23517.40039	23517.40039	1.120022
0069	080	9231	0.21	2348	5	65	100	3	21	16	27693	25345	RH-3	50	form-based			true	0.7	26	1.238095284	21	21	32308.5	29960.5	29960.5	1.166667
0089	051	10157	0.23	22481	0	55	80	2.5	18	18	25392	2911	RM-1	40	form-based		true	true	0.7	21	1.166666627	21	21	28439.59961	5958.599609	5958.599609	1.120022
0135	007	16532	0.38	41226	0	65	100	3	38	38	49596	8370	C-2	65	density-lim	800	true		0.8	21	0.552631557	21	21	79353.60156	38127.60156	38127.60156	1.6
0162	002	8286	0.19	23378	0	65	100	3	19	19	24858	1480	NCD-BROA	65	density-lim	400	true		0.75	21	1.105263114	21	21	37287	13909	13909	1.5
0179	042	4514	0.1	12996	2	65	100	3	10	8	13542	546	CRNC	85	density-lim	200			0.75	23	2.299999952	21	18	27084	14088	14088	2
0194	014	5220	0.12	20880	5	65	100	3	12	7	15660	0	CVR	50	density-lim	200			0.75	26	2.166666746	21	19	19575	0	0	1.25
0194	035	4230	0.1	15660	0	65	100	3	10	10	12690	0	CVR	50	density-lim	200			0.75	21	2.099999905	21	20	15862.5	202.5	202.5	1.25
0227	014	4238	0.1	14231	0	65	100	3	10	10	12714	0	CCB	50	density-lim	200			0.75	21	2.099999905	21	20	15892.5	1661.5	1661.5	1.25
0237	046	4362	0.1	8250	0	75	120	3.5	12	12	15267	7017	C-3-O	75	form-based				0.8	21	1.75	21	21	24427.20117	16177.20117	16177.20117	1.6
0243	027	6013	0.14	985	9	65	100	3	14	5	18039	17054	RM-4	65	density-lim	200	true		0.75	30	2.142857075	21	19	27058.5	26073.5	26073.5	1.5
0249	016	3617	0.08	7770	12	65	100	3	8	0	10851	3081	NCD-POLK	120	form-based			true	0.75	33	4.125	21	4	32553	24783	13932	3
0269	021	2300	0.05	12760	0	75	120	3.5	6	6	8050	0	C-3-O	250	form-based				0.8	21	3.5	21	12	20700	7940	3340	2.571429
0274	008	4103	0.09	2490	0	65	100	3	9	9	12309	9819	RC-4	65	density-lim	200			0.75	21	2.333333254	21	18	18463.5	15973.5	15973.5	1.5
0277	006	2863	0.07	5243	5	65	100	3	7	2	8589	3346	RTO-C	120	form-based			true	0.75	26	3.714285612	21	9	25767	20524	11935	3
0281	017	7391	0.17	20354	16	65	100	3	17	1	22173	1819	RC-4	65	density-lim	200			0.75	37	2.176470518	21	18	33259.5	12905.5	12905.5	1.5
0285	001	2370	0.05	7285	0	85	140	4	7	7	9480	2195	C-3-R	130	form-based		true		0.8	21	3	21	14	21330	14045	11675	2.25
0300	008	4132	0.09	3750	0	65	100	3	9	9	12396	8646	RC-4	130	density-lim	200			0.75	21	2.333333254	21	18	37188	33438	21042	3
0302	014	4842	0.11	6473	3	85	140	4	15	12	19368	12895	RC-4	80	density-lim	200			0.75	24	1.600000024	21	21	29052	22579	22579	1.5
0302	017	4289	0.1	9770	0	85	140	4	14	14	17156	7386	RC-4	80	density-lim	200			0.75	21	1.5	21	21	25734	15964	15964	1.5
0309	021	2350	0.05	20986	0	65	100	3	5	5	7050	0	C-3-R	130	form-based				0.8	21	4.199999809	21	10	21150	164	0	3
0310	005	2321	0.05	19260	0	85	140	4	7	7	9284	0	C-3-O	130	form-based				0.8	21	3	21	14	20889	1629	0	2.25
0313	001	2360	0.05	12540	0	75	120	3.5	6	6	8260	0	C-3-R	130	form-based		true		0.8	21	3.5	21	12	21240	8700	3980	2.571429
0313	004	2280	0.05	6840	0	75	120	3.5	6	6	7980	1140	C-3-R	130	form-based				0.8	21	3.5	21	12	20520	13680	9120	2.571429
0327	001	2287	0.05	100715	0	75	120	3.5	6	6	8004	0	C-3-R	130	form-based		true		0.8	21	3.5	21	12	20583	0	0	2.571589
0339	010	4205	0.1	0	0	65	100	3	10	10	12615	12615	RC-4	120	density-lim	200			0.75	21	2.099999905	21	20	37845	37845	25230	3
0340	010	4359	0.1	15168	1	75	120	3.5	12	11	15256	88	RC-4	120	density-lim	200			0.75	22	1.833333373	21	21	39231	24063	15344	2.571513
0343	011	2363	0.05	2357	0	65	100	3	5	5	7089	4732	C-3-G	120	form-based				0.8	21	4.199999809	21	10	21267	18910	11821	3
0344	006	4125	0.09	12143	0	65	100	3	9	9	12375	232	RC-4	120	density-lim	200			0.75	21	2.333333254	21	18	37125	24982	12607	3
0345	007	15253	0.35	49406	64	75	120	3.5	42	0	53386	3980	C-3-G	80	form-based				0.8	85	2.023809433	21	20	97619.20313	48213.20313	48213.20313	1.828554
0496	031	2750	0.06	819	4	55	80	2.5	5	1	6875	6056	NC-3	140	form-based			true	0.75	25	5	21	6	24750	23931	12931	3.6
0497	004B	2500	0.06	2744	2	65	100	3	6	4	7500	4756	NC-3	140	form-based			true	0.75	23	3.833333254	21	10	22500	19756	12256	3
0506	021	2658	0.06	3196	3	55	80	2.5	5	2	6645	3449	RTO-C	140	form-based			true	0.75	24	4.800000191	21	7	23922	20726	10094	3.6
0506	027	2651	0.06	3338	3	55	80	2.5	5	2	6628	3290	NC-3	140	form-based			true	0.75	24	4.800000191	21	7	23859	20521	9918	3.599728
0542	041	5500	0.13	5761	0	55	80	2.5	10	10	13750	7989	NCD-UNIO	65	form-based			true	0.75	21	2.099999905	21	20	24750	18989	18989	1.8
0543	033	5493	0.13	9425	0	55	80	2.5	10	10	13732	4307	NCD-UNIO	65	form-based			true	0.75	21	2.099999905	21	20	24718.5	15293.5	15293.5	1.800066
0544	001B	5500	0.13	11200	0	65	100	3	13	13	16500	5300	NCD-UNIO	65	form-based			true	0.75	21	1.615384579	21	21	24750	13550	13550	1.5
0549	026	8084	0.19	14364	19	65	100	3	19	0	24252	9888	RM-2	85	form-based			true	0.7	40	2.105263233	21	19	45270.39844	30906.39844	30906.39844	1.866667
0551	001	4663	0.11	17210	21	65	100	3	11	0	13989	0	RC-3	240	form-based		true	true	0.75	42	3.818181753	21	1	41967	24757	10768	3
0551	015	7481	0.17	14433	18	65	100	3	17	0	22443	8010	RTO-C	85	form-based			true	0.75	39	2.294117689	21	16	44886	30453	30453	2
0551	037	3179	0.07	900	8	85	140	4	10	2	12716	11816	RC-3	240	form-based			true	0.75	29	2.900000095	21	12	28611	27711	24532	2.25
0553	012	4128	0.09	3900	1	65	100	3	9	8	12384	8484	RTO-C	85	form-based			true	0.75	22	2.444444418	21	17	24768	20868	20868	2
0561	034	10357	0.24	8521	1	55	80	2.5	19	18	25892	17371	RH-1	40	form-based			true	0.7	22	1.157894731	21	21	28999.59961	20478.59961	20478.59961	1.120022
0565	007	6187	0.14	9735	2	55	80	2.5	11	9	15468	5733	RTO-C	65	form-based			true	0.75	23	2.090909004	21	20	27841.5	18106.5	18106.5	1.799942
0567	022	2430	0.06	2815	1	55	80	2.5	5	4	6075	3260	RTO-C	105	form-based			true	0.75	22	4.400000095	21	9	21870	19055	9335	3.6
0567	023	2443	0.06	3504	1	55	80	2.5	5	4	6108	2604	RTO-C	105	form-based			true	0.75	22	4.400000095	21	9	21987	18483	8712	3.599705
0569	022	6342	0.15	13036	12	65	100	3	15	3	19026	5990	RTO-C	85	form-based			true	0.75	33	2.200000048	21	18	38052	25016	25016	2
0572	012	5969	0.14	5508	8	65	100	3	14	6	17907	12399	RM-2	85	form-based			true	0.7	29	2.071428537	21	20	33426.39844	27918.39844	27918.39844	1.866667
0574	006	5000	0.11	9506	5	65	100	3	11	6	15000	5494	NCD-POLK	85	form-based		true	true	0.75	26	2.363636255	21	17	30000	20494	20494	2
0583	007	10706	0.25	8499	1	55	80	2.5	20	19	26765	18266	RH-1	40	form-based			true	0.7	22	1.100000024	21	21	29976.79883	21477.79883	21477.79883	1.12
0592	002	2421	0.06	4044	1	65	100	3	6	5	7263	3219	RTO-C	140	form-based			true	0.75	22	3.666666746	21	11	21789	17745	10482	3
0598	002	6269	0.14	10080	12	65	100	3	14	2	18807	8727	NCD-POLK	85	form-based			true	0.75	33	2.357142925	21	16	37614	27534	27534	2
0619	003	3923	0.09	3348	0	65	100	3	9	9	11769	8421	NCD-POLK	85	form-based			true	0.75	21	2.333333254	21	18	23538	20190	20190	2
0619	014	3566	0.08	7656	11	65	100	3	8	0	10698	3042	NCD-POLK	350	form-based			true	0.75	32	4	21	5	32094	24438	13740	3
0623	007C	3209	0.07	9777	8	65	100	3	7	0	9627	0	RTO-C	240	form-based		true	true	0.75	29	4.142857075	21	6	28881	19104	9477	3
0624	003	7660	0.18	26972	48	65	100	3	18	0	22980	0	RTO-C	140	form-based		true	true	0.75	69	3.833333254	21	0	68940	41968	18988	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0633	005	4624	0.11	7225	3	65	100	3	11	8	13872	6647	RTO-C	85	form-based			true	0.75	24	2.181818247	21	19	27744	20519	20519	2
0638	005	7368	0.17	15132	18	55	80	2.5	14	0	18420	3288	RTO-C	85	form-based			true	0.75	39	2.785714388	21	10	44208	29076	21708	2.4
0638	077	4707	0.11	1230	4	55	80	2.5	9	5	11768	10538	RTO-C	85	form-based			true	0.75	25	2.777777672	21	14	28242	27012	22306	2.399898
0639	030	6233	0.14	920	12	55	80	2.5	11	0	15582	14662	RTO-C	85	form-based			true	0.75	33	3	21	10	37398	36478	30244	2.400077
0655	029	4140	0.1	3480	1	85	140	4	14	13	16560	13080	RTO-C	85	form-based			true	0.75	22	1.571428537	21	21	24840	21360	21360	1.5
0655	030	4744	0.11	4640	4	85	140	4	15	11	18976	14336	RTO-C	85	form-based			true	0.75	25	1.666666627	21	21	28464	23824	23824	1.5
0670	066	6802	0.16	13120	40	65	100	3	16	0	20406	7286	RC-4	240	form-based			true	0.75	61	3.8125	21	0	61218	48098	27692	3
0671	003	6900	0.16	29450	41	65	100	3	16	0	20700	0	NC-3	350	form-based			true	0.75	62	3.875	21	0	62100	32650	11950	3
0673	002	5378	0.12	4312	6	65	100	3	12	6	16134	11822	RM-4	80	density-lim	200			0.75	27	2.25	21	18	32268	27956	27956	2
0675	037	8336	0.19	9443	0	65	100	3	19	19	25008	15565	RM-3	40	density-lim	400	true		0.75	21	1.105263114	21	21	25008	15565	15565	1
0676	027	8545	0.2	16335	0	65	100	3	20	20	25635	9300	RM-3	40	density-lim	400			0.75	21	1.049999952	21	21	25635	9300	9300	1
0678	031	6950	0.16	0	0	65	100	3	16	16	20850	20850	NCT-FILLM	50	form-based				0.75	21	1.3125	21	21	26062.5	26062.5	26062.5	1.25
0678	037	35698	0.82	1231	68	65	100	3	82	14	107094	105863	RM-3	50	density-lim	400	true		0.75	89	1.085365891	21	21	133867.5	132636.5	132636.5	1.25
0681	030A	4757	0.11	5000	4	65	100	3	11	7	14271	9271	RTO-C	85	form-based			true	0.75	25	2.272727251	21	18	28542	23542	23542	2
0719	081	4920	0.11	13600	23	65	100	3	11	0	14760	1160	RM-4	500	form-based		true	true	0.75	44	4	21	0	44280	30680	15920	3
0744	012	9453	0.22	32418	26	65	100	3	22	0	28359	0	RM-4	80	density-lim	200			0.75	47	2.136363745	21	18	56718	24300	24300	2
0744	019	9000	0.21	20546	24	65	100	3	21	0	27000	6454	RM-4	80	density-lim	200			0.75	45	2.142857075	21	18	54000	33454	33454	2
0754	029	11243	0.26	2174	7	55	80	2.5	21	14	28108	25934	RM-3	40	density-lim	400	true		0.75	28	1.333333373	21	21	33729	31555	31555	1.199979
0853	006	6912	0.16	11209	0	65	100	3	16	16	20736	9527	NCT-3	50	form-based				0.75	21	1.3125	21	21	25920	14711	14711	1.25
0871	007	2650	0.06	6685	3	85	140	4	8	5	10600	3915	NCT-3	120	form-based			true	0.75	24	3	21	13	23850	17165	14515	2.25
0963	041	10696	0.25	11156	1	55	80	2.5	20	19	26740	15584	RH-1(D)	40	form-based			true	0.7	22	1.100000024	21	21	29948.79883	18792.79883	18792.79883	1.12
0974	001	10279	0.24	9552	1	55	80	2.5	19	18	25698	16146	RH-1	40	form-based		true	true	0.7	22	1.157894731	21	21	28781.19922	19229.19922	19229.19922	1.119978
0994	003	10682	0.25	6650	1	55	80	2.5	20	19	26705	20055	RH-1	40	form-based			true	0.7	22	1.100000024	21	21	29909.59961	23259.59961	23259.59961	1.12
1010	014	9582	0.22	17031	15	65	100	3	22	7	28746	11715	NCD-SACR	65	form-based			true	0.75	36	1.636363626	21	21	43119	26088	26088	1.5
1020	069	7982	0.18	1974	9	65	100	3	18	9	23946	21972	NCD-SACR	65	form-based			true	0.75	30	1.666666627	21	21	35919	33945	33945	1.5
1069	017C	2469	0.06	2934	1	85	140	4	8	7	9876	6942	NCD-GEAR	140	form-based			true	0.75	22	2.75	21	15	22221	19287	16818	2.25
1082	005	2500	0.06	2365	2	65	100	3	6	4	7500	5135	RTO-C	140	form-based			true	0.75	23	3.833333254	21	10	22500	20135	12635	3
1092	012	2500	0.06	3756	2	65	100	3	6	4	7500	3744	RTO-C	240	form-based			true	0.75	23	3.833333254	21	10	22500	18744	11244	3
1092	013	2500	0.06	3756	2	65	100	3	6	4	7500	3744	RTO-C	240	form-based			true	0.75	23	3.833333254	21	10	22500	18744	11244	3
1092	014	2500	0.06	3756	2	65	100	3	6	4	7500	3744	RTO-C	240	form-based			true	0.75	23	3.833333254	21	10	22500	18744	11244	3
1101	063	8090	0.19	761	21	65	100	3	19	0	24270	23509	NCT-DIVIS	85	form-based		true	true	0.75	42	2.210526228	21	17	48540	47779	47779	2
1184	009	9919	0.23	4274	0	55	80	2.5	18	18	24798	20524	RM-1	40	form-based		true	true	0.7	21	1.166666627	21	21	27773.19922	23499.19922	23499.19922	1.119977
1232	009	6875	0.16	6740	5	55	80	2.5	13	8	17188	10448	NCD-HAIG	65	form-based			true	0.75	26	2	21	21	30937.5	24197.5	24197.5	1.799948
1249	025	5657	0.13	3330	0	65	100	3	13	13	16971	13641	NCD-HAIG	65	form-based		true	true	0.75	21	1.615384579	21	21	25456.5	22126.5	22126.5	1.5
1337	021	10412	0.24	7465	1	55	80	2.5	19	18	26030	18565	RH-1(D)	40	form-based			true	0.7	22	1.157894731	21	21	29153.59961	21688.59961	21688.59961	1.12
1355	025	10499	0.24	8223	1	55	80	2.5	19	18	26248	18025	RH-1(D)	40	form-based			true	0.7	22	1.157894731	21	21	29397.19922	21174.19922	21174.19922	1.119979
1355	026	10448	0.24	3848	1	55	80	2.5	19	18	26120	22272	RH-1(D)	40	form-based			true	0.7	22	1.157894731	21	21	29254.40039	25406.40039	25406.40039	1.12
1355	052	10340	0.24	5850	1	55	80	2.5	19	18	25850	20000	RH-1(D)	40	form-based			true	0.7	22	1.157894731	21	21	28952	23102	23102	1.12
1385	019	6562	0.15	4780	4	55	80	2.5	12	8	16405	11625	RTO-C	65	form-based			true	0.75	25	2.083333254	21	20	29529	24749	24749	1.8
1433	013	2500	0.06	3400	2	65	100	3	6	4	7500	4100	NCD-GEAR	140	form-based			true	0.75	23	3.833333254	21	10	22500	19100	11600	3
1465	023	5750	0.13	1344	9	65	100	3	13	4	17250	15906	NC-1	85	form-based		true	true	0.75	30	2.307692289	21	17	34500	33156	33156	2
1543	002	3006	0.07	4524	6	85	140	4	10	4	12024	7500	NCD-GEAR	140	form-based			true	0.75	27	2.700000048	21	14	27054	22530	19524	2.25
1543	002A	3006	0.07	4524	6	85	140	4	10	4	12024	7500	NCD-GEAR	140	form-based			true	0.75	27	2.700000048	21	14	27054	22530	19524	2.25
1543	044	2502	0.06	3477	2	65	100	3	6	4	7506	4029	NCD-GEAR	140	form-based			true	0.75	23	3.833333254	21	10	22518	19041	11535	3
1543	045	2502	0.06	3050	2	85	140	4	8	6	10008	6958	NCD-GEAR	140	form-based			true	0.75	23	2.875	21	14	22518	19468	16966	2.25
1543	047	2502	0.06	3705	2	85	140	4	8	6	10008	6303	NCD-GEAR	140	form-based			true	0.75	23	2.875	21	14	22518	18813	16311	2.25
1723	048	6112	0.14	4036	2	65	100	3	14	12	18336	14300	RTO-C	65	form-based		true	true	0.75	23	1.642857194	21	21	27504	23468	23468	1.5
1729	023	2500	0.06	3175	2	65	100	3	6	4	7500	4325	NCD-IRVIN	105	form-based			true	0.75	23	3.833333254	21	10	22500	19325	11825	3
1730	024	2489	0.06	1750	1	65	100	3	6	5	7467	5717	NCD-IRVIN	105	form-based			true	0.75	22	3.666666746	21	11	22401	20651	13184	3
1731	027	3000	0.07	7614	6	65	100	3	7	1	9000	1386	NCD-IRVIN	105	form-based			true	0.75	27	3.857142925	21	8	27000	19386	10386	3
1733	021	3954	0.09	1442	0	65	100	3	9	9	11862	10420	NCD-INNE	85	form-based			true	0.75	21	2.333333254	21	18	23724	22282	22282	2
1737	012	11899	0.27	18858	24	65	100	3	27	3	35697	16839	RTO-C	65	form-based			true	0.75	45	1.666666627	21	21	53545.5	34687.5	34687.5	1.5
1737	013	11947	0.27	18858	24	65	100	3	27	3	35841	16983	RTO-C	65	form-based			true	0.75	45	1.666666627	21	21	53761.5	34903.5	34903.5	1.5
1767	043	5000	0.11	9631	5	65	100	3	11	6	15000	5369	NCD-INNE	85	form-based			true	0.75	26	2.363636255	21	17	30000	20369	20369	2
1768	019	4042	0.09	15876	0	65	100	3	9	9	12126	0	RTO-C	85	form-based		true	true	0.75	21	2.333333254	21	18	24252	8376	8376	2
1773	012	2540	0.06	2300	2	85	140	4	8	6	10160	7860	RTO-C	140	form-based			true	0.75	23	2.875	21	14	22860	20560	18020	2.25
1774	020	2457	0.06	1245	1	85	140	4	8	7	9828	8583	RTO-C	140	form-based			true	0.75	22	2.75	21	15	22113	20868	18411	2.25
1776	001	2375	0.05	2310	0	65	100	3	5	5	7125	4815	NCD-IRVIN	105	form-based		true	true	0.75	21	4.199999809	21	10	21375	19065	11940	3
1783	017A	3957	0.09	1920	0	85	140	4	13	13	15828	13908	NC-1	85	form-based			true	0.75	21	1.615384579	21	21	23742	21822	21822	1.5
1835	045	2500	0.06	1924	2	85	140	4	8	6	10000	8076	RTO-C	140	form-based			true	0.75	23	2.875	21	14	22500	20576	18076	2.25
1935	COM	10110	0.23	0	0	55	80	2.5	18	18	25275	25275	RH-1	40	form-based			true	0.7	21	1.166666627	21	21	28308	28308	28308	1.12
2031	014A	2543	0.06	1600	2	55	80	2.5	5	3	6358	4758	RTO-C	140	form-based			true	0.75	23	4.599999905	21	8	22887	21287	11116	3.599717
2206	096	10493	0.24	3308	1	55	80	2.5	19	18	26232	22924	RH-1	40	form-based			true	0.7	22	1.157894731	21	21	29380.40039	26072.40039	26072.40039	1.120021
2369	010	4069	0.09	3450	0	85	140	4	13	13	16276	12826	NC-1	85	form-based		true	true	0.75	21	1.615384579	21	21	24414	20964	20964	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2387	042	5632	0.13	6316	9	65	100	3	13	4	16896	10580	RTO-C	85	form-based		true	true	0.75	30	2.307692289	21	17	33792	27476	27476	2
2404	001	4008	0.09	4102	0	85	140	4	13	13	16032	11930	NCD-TARA	85	form-based		true	true	0.75	21	1.615384579	21	21	24048	19946	19946	1.5
2404	035	3981	0.09	5413	0	85	140	4	13	13	15924	10511	NCD-TARA	85	form-based		true	true	0.75	21	1.615384579	21	21	23886	18473	18473	1.5
2405	035	4000	0.09	4047	0	65	100	3	9	9	12000	7953	NCD-TARA	85	form-based		true	true	0.75	21	2.333333254	21	18	24000	19953	19953	2
2406	004	3908	0.09	243	0	85	140	4	13	13	15632	15389	NCD-TARA	85	form-based			true	0.75	21	1.615384579	21	21	23448	23205	23205	1.5
2418	004C	10237	0.23	40051	0	65	100	3	23	23	30711	0	RH-1	40	form-based			true	0.7	21	0.913043499	21	21	28663.59961	0	0	0.933333
2463A	016	8564	0.2	15194	11	55	80	2.5	16	5	21410	6216	NC-1	65	form-based		true	true	0.75	32	2	21	21	38538	23344	23344	1.8
2540	004I	4094	0.09	0	0	65	100	3	9	9	12282	12282	RTO-C	85	form-based			true	0.75	21	2.333333254	21	18	24564	24564	24564	2
2541	004	4103	0.09	2175	1	65	100	3	9	8	12309	10134	RTO-C	85	form-based			true	0.75	22	2.444444418	21	17	24618	22443	22443	2
2541	006	4225	0.1	2250	1	65	100	3	10	9	12675	10425	RTO-C	85	form-based			true	0.75	22	2.200000048	21	19	25350	23100	23100	2
2541	007	4203	0.1	2200	1	65	100	3	10	9	12609	10409	RTO-C	85	form-based			true	0.75	22	2.200000048	21	19	25218	23018	23018	2
2541	008	4124	0.09	2238	1	85	140	4	13	12	16496	14258	RTO-C	85	form-based			true	0.75	22	1.692307711	21	21	24744	22506	22506	1.5
2648	001	2374	0.05	3392	0	65	100	3	5	5	7122	3730	RTO-C	160	form-based		true	true	0.75	21	4.199999809	21	10	21366	17974	10852	3
2694	001	9423	0.22	2764	0	65	100	3	22	22	28269	25505	NCD-CAST	40	form-based		true	true	0.75	21	0.954545438	21	21	28269	25505	25505	1
2857	030	10316	0.24	4799	1	65	100	3	24	23	30948	26149	RH-1(D)	40	form-based		true	true	0.7	22	0.916666687	21	21	28884.79883	24085.79883	24085.79883	0.933333
2864	047	4246	0.1	1400	1	85	140	4	14	13	16984	15584	RTO-C	85	form-based			true	0.75	22	1.571428537	21	21	25476	24076	24076	1.5
2879	002	4120	0.09	2134	1	65	100	3	9	8	12360	10226	RTO-C	85	form-based		true	true	0.75	22	2.444444418	21	17	24720	22586	22586	2
2880	009	10511	0.24	3200	1	55	80	2.5	19	18	26278	23078	RH-1(D)	40	form-based		true	true	0.7	22	1.157894731	21	21	29430.79883	26230.79883	26230.79883	1.119979
2882	036	10256	0.24	2303	1	55	80	2.5	19	18	25640	23337	RH-1(D)	40	form-based			true	0.7	22	1.157894731	21	21	28716.79883	26413.79883	26413.79883	1.12
2931	025	5594	0.13	2626	0	85	140	4	18	18	22376	19750	RTO-C	65	form-based		true	true	0.75	21	1.166666627	21	21	25173	22547	22547	1.125
2973A	052	10048	0.23	4008	0	55	80	2.5	18	18	25120	21112	RH-1(D)	40	form-based			true	0.7	21	1.166666627	21	21	28134.40039	24126.40039	24126.40039	1.12
2988A	013	3958	0.09	2955	0	85	140	4	13	13	15832	12877	NCD-WEST	85	form-based			true	0.75	21	1.615384579	21	21	23748	20793	20793	1.5
2990	016	10678	0.25	3851	1	55	80	2.5	20	19	26695	22844	RH-1(D)	40	form-based			true	0.7	22	1.100000024	21	21	29898.40039	26047.40039	26047.40039	1.12
3011	045	10245	0.24	5113	1	55	80	2.5	19	18	25612	20499	RH-1(D)	40	form-based			true	0.7	22	1.157894731	21	21	28686	23573	23573	1.120022
3011	073	10589	0.24	3163	1	55	80	2.5	19	18	26472	23309	RH-1(D)	40	form-based			true	0.7	22	1.157894731	21	21	29649.19922	26486.19922	26486.19922	1.120021
3076	001	10286	0.24	3482	1	55	80	2.5	19	18	25715	22233	RH-1(D)	40	form-based		true	true	0.7	22	1.157894731	21	21	28800.79883	25318.79883	25318.79883	1.12
3103	024	10438	0.24	4916	1	55	80	2.5	19	18	26095	21179	RH-1(D)	40	form-based			true	0.7	22	1.157894731	21	21	29226.40039	24310.40039	24310.40039	1.12
3105A	019	10546	0.24	3082	1	55	80	2.5	19	18	26365	23283	RH-1(D)	40	form-based			true	0.7	22	1.157894731	21	21	29528.79883	26446.79883	26446.79883	1.12
3267	018	5935	0.14	3867	1	85	140	4	20	19	23740	19873	RTO-C	65	form-based		true	true	0.75	22	1.100000024	21	21	26707.5	22840.5	22840.5	1.125
3281	020C	4083	0.09	4450	0	85	140	4	13	13	16332	11882	NCT-OCEA	85	form-based		true	true	0.75	21	1.615384579	21	21	24498	20048	20048	1.5
3509	015B	6920	0.16	17776	0	75	120	3.5	19	19	24220	6444	RCD	55	form-based				0.75	21	1.105263114	21	21	25950	8174	8174	1.071429
3515	039	3959	0.09	3200	0	65	100	3	9	9	11877	8677	WMUG	85	form-based			true	0.75	21	2.333333254	21	18	23754	20554	20554	2
3516	055	4089	0.09	5250	0	65	100	3	9	9	12267	7017	WMUG	85	form-based			true	0.75	21	2.333333254	21	18	24534	19284	19284	2
3516	056	4020	0.09	0	0	65	100	3	9	9	12060	12060	WMUG	85	form-based			true	0.75	21	2.333333254	21	18	24120	24120	24120	2
3520	044	7020	0.16	7245	0	65	100	3	16	16	21060	13815	WMUG	55	form-based		true		0.75	21	1.3125	21	21	26325	19080	19080	1.25
3522	017	3974	0.09	6254	0	65	100	3	9	9	11922	5668	WMUG	85	form-based		true	true	0.75	21	2.333333254	21	18	23844	17590	17590	2
3534	026A	5622	0.13	9081	7	65	100	3	13	6	16866	7785	RTO-1	85	form-based			true	0.7	28	2.153846264	21	19	31483.19922	22402.19922	22402.19922	1.866667
3535	013	7256	0.17	23260	44	85	140	4	24	0	29024	5764	NCT-3	160	form-based		true	true	0.75	65	2.708333254	21	4	65304	42044	34788	2.25
3542	007	2652	0.06	4725	3	85	140	4	8	5	10608	5883	NCT-UPPEI	120	form-based			true	0.75	24	3	21	13	23868	19143	16491	2.25
3542	008	2356	0.05	2375	0	85	140	4	7	7	9424	7049	NCT-UPPEI	120	form-based			true	0.75	21	3	21	14	21204	18829	16473	2.25
3544	056	6229	0.14	8920	12	65	100	3	14	2	18687	9767	NCT-UPPEI	85	form-based			true	0.75	33	2.357142925	21	16	37374	28454	28454	2
3547	013	7159	0.16	14170	0	75	120	3.5	19	19	25056	10886	NCT-VALEI	55	form-based				0.75	21	1.105263114	21	21	26846.25	12676.25	12676.25	1.07145
3552	025	7066	0.16	0	0	75	120	3.5	19	19	24731	24731	UMU	58	form-based		true		0.75	21	1.105263114	21	21	26497.5	26497.5	26497.5	1.071429
3553	055	6930	0.16	10130	0	75	120	3.5	19	19	24255	14125	UMU	58	form-based				0.75	21	1.105263114	21	21	25987.5	15857.5	15857.5	1.071429
3555	002	7005	0.16	6775	0	75	120	3.5	19	19	24518	17743	NCT-VALEI	55	form-based				0.75	21	1.105263114	21	21	26268.75	19493.75	19493.75	1.071407
3563	027	2937	0.07	5755	5	65	100	3	7	2	8811	3056	NCT-UPPEI	120	form-based			true	0.75	26	3.714285612	21	9	26433	20678	11867	3
3564	087	2524	0.06	3574	2	85	140	4	8	6	10096	6522	NCT-UPPEI	120	form-based			true	0.75	23	2.875	21	14	22716	19142	16618	2.25
3591	014	12381	0.28	29967	0	65	100	3	28	28	37143	7176	RM-2	55	density-lim	600	true		0.7	21	0.75	21	21	43333.5	13366.5	13366.5	1.166667
3628	010	5755	0.13	3100	1	65	100	3	13	12	17265	14165	RTO-C	65	form-based			true	0.75	22	1.692307711	21	21	25897.5	22797.5	22797.5	1.5
3635	031	6854	0.16	0	0	75	120	3.5	19	19	23989	23989	NCT-VALEI	55	form-based				0.75	21	1.105263114	21	21	25702.5	25702.5	25702.5	1.071429
3642	024	3922	0.09	2700	0	95	160	4.5	14	14	17649	14949	NCT-MISSI	85	form-based				0.75	21	1.5	21	21	23532	20832	20832	1.333333
3642	035	7431	0.17	36012	0	75	120	3.5	20	20	26008	0	RTO-M	55	form-based		true		0.7	21	1.049999952	21	21	26008.5	0	0	1.000019
3642	068	4045	0.09	2475	0	95	160	4.5	14	14	18202	15727	NCT-MISSI	85	form-based				0.75	21	1.5	21	21	24270	21795	21795	1.33337
3642	069	3922	0.09	2976	0	95	160	4.5	14	14	17649	14673	NCT-MISSI	85	form-based				0.75	21	1.5	21	21	23532	20556	20556	1.333333
3652	033	7585	0.17	18940	0	65	100	3	17	17	22755	3815	RH-3	50	form-based			true	0.7	21	1.235294104	21	21	26547.5	7607.5	7607.5	1.166667
3656	012	5700	0.13	4824	0	55	80	2.5	10	10	14250	9426	NCD-24TH	65	form-based			true	0.75	21	2.099999905	21	20	25650	20826	20826	1.8
3656	015	5700	0.13	11400	0	55	80	2.5	10	10	14250	2850	NCD-24TH	65	form-based			true	0.75	21	2.099999905	21	20	25650	14250	14250	1.8
3703	025	2326	0.05	14366	0	85	140	4	7	7	9304	0	C-3-G	160	form-based				0.8	21	3	21	14	20934	6568	4242	2.25
3707	004	2375	0.05	15150	0	75	120	3.5	6	6	8312	0	C-3-O(SD)	150	form-based		true		0.8	21	3.5	21	12	21375	6225	1474	2.571583
3707	006	2375	0.05	12240	0	75	120	3.5	6	6	8312	0	C-3-O(SD)	150	form-based				0.8	21	3.5	21	12	21375	9135	4384	2.571583
3725	068	2286	0.05	0	0	75	120	3.5	6	6	8001	8001	C-3-S	120	form-based				0.8	21	3.5	21	12	20574	20574	16002	2.571429
3726	111	4080	0.09	12000	0	85	140	4	13	13	16320	4320	MUG	85	form-based				0.75	21	1.615384579	21	21	24480	12480	12480	1.5
3728	049	6894	0.16	21600	0	75	120	3.5	19	19	24129	2529	RCD	55	form-based		true		0.75	21	1.105263114	21	21	25852.5	4252.5	4252.5	1.071429
3733	025	4000	0.09	4000	0	65	100	3	9	9	12000	8000	MUR	85	form-based				0.75	21	2.333333254	21	18	24000	20000	20000	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3752	011	4041	0.09	5098	0	65	100	3	9	9	12123	7025	MUR	85	form-based		true		0.75	21	2.333333254	21	18	24246	19148	19148	2
3753	114	4028	0.09	2125	0	65	100	3	9	9	12084	9959	MUR	85	form-based				0.75	21	2.333333254	21	18	24168	22043	22043	2
3753	147	3948	0.09	0	0	65	100	3	9	9	11844	11844	MUR	85	form-based				0.75	21	2.333333254	21	18	23688	23688	23688	2
3755	044	6911	0.16	26162	0	65	100	3	16	16	20733	0	WMUG	55	form-based				0.75	21	1.3125	21	21	25916.25	0	0	1.25
3775	015	8549	0.2	41880	0	65	100	3	20	20	25647	0	CMUO	45	form-based		true		0.8	21	1.049999952	21	21	27356.80078	0	0	1.066667
3987	007	9271	0.21	28454	0	65	100	3	21	21	27813	0	UMU	40	form-based				0.75	21	1	21	21	27813	0	0	1
3987	051	9411	0.22	1032	0	65	100	3	22	22	28233	27201	UMU	48	form-based		true		0.75	21	0.954545438	21	21	28233	27201	27201	1
3994	002	5616	0.13	4482	0	65	100	3	13	13	16848	12366	UMU	68	form-based		true		0.75	21	1.615384579	21	21	25272	20790	20790	1.5
4058	002	5499	0.13	9200	0	85	140	4	18	18	21996	12796	UMU	68	form-based		true		0.75	21	1.166666627	21	21	24745.5	15545.5	15545.5	1.125
4107	026	18947	0.43	800	22	75	120	3.5	52	30	66314	65514	UMU	40	form-based		true		0.75	43	0.826923072	21	21	56841	56041	56041	0.857149
4108	003C	9550	0.22	9550	0	75	120	3.5	26	26	33425	23875	UMU	40	form-based				0.75	21	0.807692289	21	21	28650	19100	19100	0.857143
4267	030	9846	0.23	12060	9	65	100	3	23	14	29538	17478	NCT-24TH-	55	form-based		true		0.75	30	1.304347873	21	21	36922.5	24862.5	24862.5	1.25
6507	023	5700	0.13	0	0	55	80	2.5	10	10	14250	14250	NCD-24TH	65	form-based			true	0.75	21	2.099999905	21	20	25650	25650	25650	1.8
6507	035	5681	0.13	5774	0	55	80	2.5	10	10	14202	8428	NCD-24TH	65	form-based			true	0.75	21	2.099999905	21	20	25564.5	19790.5	19790.5	1.800063
6515	025	7159	0.16	6345	0	75	120	3.5	19	19	25056	18711	NCT-VALEI	55	form-based		true		0.75	21	1.105263114	21	21	26846.25	20501.25	20501.25	1.07145
6633	026	8618	0.2	5962	3	85	140	4	28	25	34472	28510	RH-2	50	form-based			true	0.7	24	0.857142866	21	21	30163	24201	24201	0.875
6660	058	12736	0.29	2234	0	85	140	4	41	41	50944	48710	NCD-MISS	40	density-lim	600	true		0.75	21	0.51219511	21	21	38208	35974	35974	0.75
6660	060	12741	0.29	1530	0	85	140	4	41	41	50964	49434	NCD-MISS	40	density-lim	600	true		0.75	21	0.51219511	21	21	38223	36693	36693	0.75
6739	032	6251	0.14	3254	2	75	120	3.5	17	15	21878	18624	RTO-C	65	form-based			true	0.75	23	1.352941155	21	21	28129.5	24875.5	24875.5	1.285744
6745	030	2464	0.06	1558	1	75	120	3.5	7	6	8624	7066	RTO-C	140	form-based			true	0.75	22	3.142857075	21	13	22176	20618	15690	2.571429
6745	032	2446	0.06	1644	1	75	120	3.5	7	6	8561	6917	RTO-C	140	form-based			true	0.75	22	3.142857075	21	13	22014	20370	15478	2.571429
6745	033	2438	0.06	1125	1	75	120	3.5	7	6	8533	7408	RTO-C	140	form-based			true	0.75	22	3.142857075	21	13	21942	20817	15941	2.571429
6908	004	5781	0.13	1995	1	85	140	4	18	17	23124	21129	RTO-C	65	form-based			true	0.75	22	1.222222209	21	21	26014.5	24019.5	24019.5	1.125
6908	009	5941	0.14	2324	1	85	140	4	20	19	23764	21440	RTO-C	65	form-based			true	0.75	22	1.100000024	21	21	26734.5	24410.5	24410.5	1.125
6908	030	5927	0.14	2282	1	85	140	4	20	19	23708	21426	RTO-C	65	form-based			true	0.75	22	1.100000024	21	21	26671.5	24389.5	24389.5	1.125
6916	024	10435	0.24	2130	1	55	80	2.5	19	18	26088	23958	RH-1(D)	40	form-based		true	true	0.7	22	1.157894731	21	21	29218	27088	27088	1.119979
6944	065	9109	0.21	20790	27	85	140	4	29	2	36436	15646	NCT-OCEA	85	form-based		true	true	0.75	48	1.655172467	21	21	54654	33864	33864	1.5
6962	001A	4160	0.1	2759	1	75	120	3.5	12	11	14560	11801	RTO-C	85	form-based			true	0.75	22	1.833333373	21	21	24960	22201	22201	1.714286
7012	053	10242	0.24	2265	1	55	80	2.5	19	18	25605	23340	RH-1	40	form-based		true	true	0.7	22	1.157894731	21	21	28677.59961	26412.59961	26412.59961	1.12
7027B	017	4103	0.09	2487	1	75	120	3.5	11	10	14360	11873	RTO-C	85	form-based		true	true	0.75	22	2	21	21	24618	22131	22131	1.714345
7205	012B	5984	0.14	2981	1	55	80	2.5	11	10	14960	11979	RTO-C	65	form-based		true	true	0.75	22	2	21	21	26928	23947	23947	1.8
7220	013A	4255	0.1	1568	1	65	100	3	10	9	12765	11197	RTO-C	85	form-based			true	0.75	22	2.200000048	21	19	25530	23962	23962	2
7220	013B	4255	0.1	1538	1	65	100	3	10	9	12765	11227	RTO-C	85	form-based			true	0.75	22	2.200000048	21	19	25530	23992	23992	2
7226	001	4307	0.1	3828	2	65	100	3	10	8	12921	9093	RTO-C	85	form-based			true	0.75	23	2.299999952	21	18	25842	22014	22014	2
7226	021B	4033	0.09	9500	0	65	100	3	9	9	12099	2599	NCD-LAKES	85	form-based			true	0.75	21	2.333333254	21	18	24198	14698	14698	2
7228	001	4225	0.1	1272	1	85	140	4	14	13	16900	15628	RTO-C	85	form-based		true	true	0.75	22	1.571428537	21	21	25350	24078	24078	1.5
7537	032	10406	0.24	1940	1	55	80	2.5	19	18	26015	24075	RH-1	40	form-based			true	0.7	22	1.157894731	21	21	29136.79883	27196.79883	27196.79883	1.12
7539	018	10293	0.24	3214	1	55	80	2.5	19	18	25732	22518	RH-1	40	form-based			true	0.7	22	1.157894731	21	21	28820.40039	25606.40039	25606.40039	1.120022
7539	019	10639	0.24	3380	1	55	80	2.5	19	18	26598	23218	RH-1	40	form-based			true	0.7	22	1.157894731	21	21	29789.19922	26409.19922	26409.19922	1.119979
VACST	MIN	2365	0.05	0	0	85	140	4	7	7	9460	9460	C-3-S	340	form-based				0.8	21	3	21	14	21285	21285	18920	2.25
0048	013	9769	0.22	5187	1	65	100	3	22	21	29307	24120	RH-1(D)	40	form-based			true	0.7	21	0.954545438	20	20	27353.19922	22166.19922	22166.19922	0.933333
0051	117	15089	0.35	1266	37	65	100	3	35	0	45267	44001	NCD-NORT	65	form-based		true	true	0.75	57	1.628571391	20	20	67900.5	66634.5	66634.5	1.5
0106	042	3573	0.08	0	0	65	100	3	8	8	10719	10719	C-2	84	form-base	800	true		0.8	20	2.5	20	16	22867.20117	22867.20117	21438	2.133333
0116	020B	7890	0.18	46470	0	55	80	2.5	14	14	19725	0	NCD-NORT	40	density-lim	400			0.75	20	1.428571463	20	20	23670	0	0	1.2
0118	005	7832	0.18	8518	0	55	80	2.5	14	14	19580	11062	NCD-NORT	40	density-lim	400			0.75	20	1.428571463	20	20	23496	14978	14978	1.2
0125	090	5901	0.14	562	1	55	80	2.5	11	10	14752	14190	RH-3	65	form-based			true	0.7	21	1.909090877	20	20	24784.19922	24222.19922	24222.19922	1.680057
0130	039	7972	0.18	19319	0	55	80	2.5	14	14	19930	611	NCD-NORT	40	density-lim	400			0.75	20	1.428571463	20	20	23916	4597	4597	1.2
0130	040	7901	0.18	0	0	55	80	2.5	14	14	19752	19752	NCD-NORT	40	density-lim	400			0.75	20	1.428571463	20	20	23703	23703	23703	1.20003
0160	002	4000	0.09	4000	0	65	100	3	9	9	12000	8000	CCB	85	density-lim	200			0.75	20	2.222222328	20	18	24000	20000	20000	2
0161	035	4730	0.11	12751	4	65	100	3	11	7	14190	1439	CCB	65	density-lim	200			0.75	24	2.181818247	20	18	21285	8534	8534	1.5
0177	007	6389	0.15	12300	12	65	100	3	15	3	19167	6867	CVR	50	density-lim	200			0.75	32	2.133333445	20	18	23958.75	11658.75	11658.75	1.25
0178	003	4733	0.11	20685	4	65	100	3	11	7	14199	0	CVR	50	density-lim	200	true		0.75	24	2.181818247	20	18	17748.75	0	0	1.25
0195	023	8330	0.19	31732	22	65	100	3	19	0	24990	0	CRNC	40	density-lim	200	true		0.75	42	2.210526228	20	16	24990	0	0	1
0210	004	4044	0.09	16960	0	65	100	3	9	9	12132	0	CVR	50	density-lim	200			0.75	20	2.222222328	20	18	15165	0	0	1.25
0222	009	14574	0.33	76783	35	65	100	3	33	0	43722	0	RM-4	65	form-based		true	true	0.75	55	1.666666627	20	20	65583	0	0	1.5
0237	007	4160	0.1	9236	0	75	120	3.5	12	12	14560	5324	C-3-O	75	form-based				0.8	20	1.666666627	20	20	23296	14060	14060	1.6
0249	008	2583	0.06	3920	3	55	80	2.5	5	2	6458	2538	NCD-POLK	120	form-based			true	0.75	23	4.599999905	20	7	23247	19327	8996	3.599721
0271	001	4343	0.1	27701	2	65	100	3	10	8	13029	0	CCB	50	density-lim	200	true		0.75	22	2.200000048	20	18	16286.25	0	0	1.25
0271	001B	4950	0.11	12756	0	65	100	3	11	11	14850	2094	C-3-G	65	form-based				0.8	20	1.818181872	20	20	23760	11004	11004	1.6
0277	005	5029	0.12	12292	25	65	100	3	12	0	15087	2795	RTO-C	120	form-based			true	0.75	45	3.75	20	0	45261	32969	17882	3
0287	002	2207	0.05	7735	0	85	140	4	7	7	8828	1093	C-3-O	130	form-based				0.8	20	2.857142925	20	14	19863	12128	9921	2.25
0287	003	2177	0.05	6122	0	85	140	4	7	7	8708	2586	C-3-O	130	form-based				0.8	20	2.857142925	20	14	19593	13471	11294	2.25
0287	008	2207	0.05	13400	0	85	140	4	7	7	8828	0	C-3-O	130	form-based		true		0.8	20	2.857142925	20	14	19863	6463	4256	2.25
0306	009	2400	0.06	18720	2	85	140	4	8	6	9600	0	C-3-G	130	form-based				0.8	22	2.75	20	14	21600	2880	480	2.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0313	002	2200	0.05	9001	0	75	120	3.5	6	6	7700	0	C-3-R	130	form-based				0.8	20	3.333333254	20	12	19800	10799	6399	2.571429
0313	003	2200	0.05	12843	0	75	120	3.5	6	6	7700	0	C-3-R	130	form-based				0.8	20	3.333333254	20	12	19800	6957	2557	2.571429
0315	018	2190	0.05	4374	0	75	120	3.5	6	6	7665	3291	C-3-G	130	form-based				0.8	20	3.333333254	20	12	19710	15336	10956	2.571429
0327	002	2266	0.05	100715	0	75	120	3.5	6	6	7931	0	C-3-R	130	form-based				0.8	20	3.333333254	20	12	20394	0	0	2.571429
0328	003	2250	0.05	68472	0	85	140	4	7	7	9000	0	C-3-R	130	form-based				0.8	20	2.857142925	20	14	20250	0	0	2.25
0331	001A	4538	0.1	17340	3	75	120	3.5	12	9	15883	0	RC-4	130	density-lin	200			0.75	23	1.916666627	20	20	40842	23502	14426	2.571429
0497	003	2700	0.06	3840	4	65	100	3	6	2	8100	4260	NC-3	140	form-based		true	true	0.75	24	4	20	8	24300	20460	12360	3
0504	003I	2495	0.06	2700	2	65	100	3	6	4	7485	4785	NC-3	140	form-based			true	0.75	22	3.666666746	20	10	22455	19755	12270	3
0504	026	2494	0.06	2039	2	65	100	3	6	4	7482	5443	NC-3	140	form-based			true	0.75	22	3.666666746	20	10	22446	20407	12925	3
0541	018	12237	0.28	8929	0	55	80	2.5	22	22	30592	21663	NCD-UNIO	40	density-lin	600			0.75	20	0.909090936	20	20	36711	27782	27782	1.20002
0551	016	9994	0.23	23670	32	65	100	3	23	0	29982	6312	RTO-C	85	form-based		true	true	0.75	52	2.260869503	20	14	59964	36294	36294	2
0552	010	6612	0.15	9570	15	65	100	3	15	0	19836	10266	RTO-C	85	form-based			true	0.75	35	2.333333254	20	15	39672	30102	30102	2
0567	020	2445	0.06	3198	2	55	80	2.5	5	3	6112	2914	RTO-C	105	form-based			true	0.75	22	4.400000095	20	8	22005	18807	9026	3.600295
0568	016	5344	0.12	7257	8	65	100	3	12	4	16032	8775	RTO-C	85	form-based			true	0.75	28	2.333333254	20	16	32064	24807	24807	2
0569	013	2319	0.05	3020	1	65	100	3	5	4	6957	3937	RTO-C	140	form-based			true	0.75	21	4.199999809	20	9	20871	17851	10894	3
0570	001	3079	0.07	9570	8	85	140	4	10	2	12316	2746	RC-3	240	form-based		true	true	0.75	28	2.799999952	20	12	27711	18141	15062	2.25
0570	018A	2554	0.06	5886	3	65	100	3	6	3	7662	1776	RTO-C	140	form-based			true	0.75	23	3.833333254	20	9	22986	17100	9438	3
0570	019	2554	0.06	3163	3	65	100	3	6	3	7662	4499	RTO-C	140	form-based			true	0.75	23	3.833333254	20	9	22986	19823	12161	3
0570	042	2554	0.06	1807	3	65	100	3	6	3	7662	5855	RTO-C	140	form-based			true	0.75	23	3.833333254	20	9	22986	21179	13517	3
0571	002	3875	0.09	3364	0	65	100	3	9	9	11625	8261	NCD-POLK	85	form-based			true	0.75	20	2.222222328	20	18	23250	19886	19886	2
0576	015	2292	0.05	3968	1	65	100	3	5	4	6876	2908	RTO-C	140	form-based			true	0.75	21	4.199999809	20	9	20628	16660	9784	3
0580	017	7105	0.16	2781	7	55	80	2.5	13	6	17762	14981	RTO-C	65	form-based			true	0.75	27	2.076923132	20	19	31972.5	29191.5	29191.5	1.800051
0582	009	10168	0.23	6180	1	55	80	2.5	18	17	25420	19240	RH-1	40	form-based			true	0.7	21	1.166666627	20	20	28470.40039	22290.40039	22290.40039	1.12
0586	009	9785	0.22	8205	1	55	80	2.5	18	17	24462	16257	RH-1	40	form-based		true	true	0.7	21	1.166666627	20	20	27398	19193	19193	1.120023
0594	004G	2643	0.06	4136	4	65	100	3	6	2	7929	3793	RTO-C	240	form-based		true	true	0.75	24	4	20	8	23787	19651	11722	3
0637	018	9720	0.22	16489	0	65	100	3	22	22	29160	12671	RM-1	40	form-based			true	0.7	20	0.909090936	20	20	27216	10727	10727	0.933333
0640	011	9569	0.22	11544	0	65	100	3	22	22	28707	17163	RH-2	40	form-based			true	0.7	20	0.909090936	20	20	26793.19922	15249.19922	15249.19922	0.933333
0648	002	3781	0.09	8793	14	65	100	3	9	0	11343	2550	RTO-C	350	form-based			true	0.75	34	3.777777672	20	4	34029	25236	13893	3
0656	019	3934	0.09	4311	1	65	100	3	9	8	11802	7491	RTO-C	85	form-based			true	0.75	21	2.333333254	20	17	23604	19293	19293	2
0667	007	3510	0.08	12430	12	65	100	3	8	0	10530	0	RC-4	350	form-based			true	0.75	32	4	20	4	31590	19160	8630	3
0670	002	2400	0.06	4078	2	65	100	3	6	4	7200	3122	NCD-POLK	240	form-based			true	0.75	22	3.666666746	20	10	21600	17522	10322	3
0680	009	4453	0.1	1900	3	65	100	3	10	7	13359	11459	RTO-C	85	form-based			true	0.75	23	2.299999952	20	17	26718	24818	24818	2
0685	043	8100	0.19	19500	0	65	100	3	19	19	24300	4800	NCD-JAPAI	50	density-lin	400	true		0.75	20	1.052631617	20	20	30375	10875	10875	1.25
0688	002	4705	0.11	6900	4	65	100	3	11	7	14115	7215	RM-4	50	density-lin	200			0.75	24	2.181818247	20	18	17643.75	10743.75	10743.75	1.25
0688	036	4723	0.11	6960	4	65	100	3	11	7	14169	7209	RM-4	50	density-lin	200			0.75	24	2.181818247	20	18	17711.25	10751.25	10751.25	1.25
0694	003	2200	0.05	4664	0	65	100	3	5	5	6600	1936	RC-4	240	form-based		true	true	0.75	20	4	20	10	19800	15136	8536	3
0701	002	8107	0.19	24000	0	85	140	4	27	27	32428	8428	NCD-JAPAI	50	density-lin	400			0.75	20	0.740740716	20	20	30401.25	6401.25	6401.25	0.9375
0732	002	2237	0.05	4053	0	65	100	3	5	5	6711	2658	NCT-FILLM	130	form-based				0.75	20	4	20	10	20133	16080	9369	3
0732	003	2238	0.05	0	0	65	100	3	5	5	6714	6714	NCT-FILLM	130	form-based				0.75	20	4	20	10	20142	20142	13428	3
0732	004	2238	0.05	0	0	65	100	3	5	5	6714	6714	NCT-FILLM	130	form-based				0.75	20	4	20	10	20142	20142	13428	3
0732	005	2237	0.05	26400	0	65	100	3	5	5	6711	0	NCT-FILLM	130	form-based				0.75	20	4	20	10	20133	0	0	3
0775	020A	20425	0.47	21632	0	55	80	2.5	38	38	51062	29430	RH-3	40	density-lin	1000			0.7	20	0.526315808	20	20	57190	35558	35558	1.120011
0816	005	6600	0.15	14458	0	65	100	3	15	15	19800	5342	NCT-HAYE	50	form-based				0.75	20	1.333333373	20	20	24750	10292	10292	1.25
0817	025	9047	0.21	9051	0	65	100	3	21	21	27141	18090	NCT-HAYE	40	form-based				0.75	20	0.952380955	20	20	27141	18090	18090	1
0818	031	6731	0.15	5745	0	55	80	2.5	12	12	16828	11083	NCT-HAYE	50	form-based				0.75	20	1.666666627	20	20	25241.25	19496.25	19496.25	1.499955
0837	006	6540	0.15	36186	0	65	100	3	15	15	19620	0	NCT-3	50	form-based				0.75	20	1.333333373	20	20	24525	0	0	1.25
0837	008	6600	0.15	13200	0	65	100	3	15	15	19800	6600	NCT-3	50	form-based				0.75	20	1.333333373	20	20	24750	11550	11550	1.25
0837	011	6600	0.15	1	0	65	100	3	15	15	19800	19799	NCT-3	50	form-based				0.75	20	1.333333373	20	20	24750	24749	24749	1.25
0954	001E	9350	0.21	9288	0	55	80	2.5	17	17	23375	14087	RH-1(D)	40	form-based		true	true	0.7	20	1.176470637	20	20	26180	16892	16892	1.12
0961	024	10013	0.23	9406	1	55	80	2.5	18	17	25032	15626	RH-1(D)	40	form-based		true	true	0.7	21	1.166666627	20	20	28036.40039	18630.40039	18630.40039	1.120022
0969	005	10040	0.23	9758	1	55	80	2.5	18	17	25100	15342	RH-1	40	form-based			true	0.7	21	1.166666627	20	20	28112	18354	18354	1.12
0969	008	9922	0.23	13905	1	55	80	2.5	18	17	24805	10900	RH-1	40	form-based			true	0.7	21	1.166666627	20	20	27781.59961	13876.59961	13876.59961	1.12
0987	013	9896	0.23	12319	1	55	80	2.5	18	17	24740	12421	RH-1	40	form-based		true	true	0.7	21	1.166666627	20	20	27708.79883	15389.79883	15389.79883	1.12
1015	028	3929	0.09	2308	1	55	80	2.5	7	6	9822	7514	RTO-C	85	form-based			true	0.75	21	3	20	13	23574	21266	17336	2.400122
1032	002	16310	0.37	24627	0	85	140	4	52	52	65240	40613	NC-2	40	density-lin	800	true		0.75	20	0.384615391	20	20	48930	24303	24303	0.75
1038	003	4080	0.09	4067	1	55	80	2.5	7	6	10200	6133	RTO-C	85	form-based			true	0.75	21	3	20	13	24480	20413	16333	2.4
1070	002	5653	0.13	0	0	65	100	3	13	13	16959	16959	RH-2	65	form-based			true	0.7	20	1.538461566	20	20	23742.59961	23742.59961	23742.59961	1.4
1078	025	2188	0.05	2427	0	65	100	3	5	5	6564	4137	NC-3	240	form-based			true	0.75	20	4	20	10	19692	17265	10701	3
1080	013	2500	0.06	2890	3	65	100	3	6	3	7500	4610	RTO-C	140	form-based			true	0.75	23	3.833333254	20	9	22500	19610	12110	3
1080	020B	2188	0.05	3200	0	85	140	4	7	7	8752	5552	RTO-C	140	form-based			true	0.75	20	2.857142925	20	14	19692	16492	14304	2.25
1080	033	9375	0.22	12417	0	65	100	3	22	22	28125	15708	RH-3	40	form-based			true	0.7	20	0.909090936	20	20	26250	13833	13833	0.933333
1178	010	9609	0.22	5840	0	55	80	2.5	18	18	24022	18182	RM-1	40	form-based			true	0.7	20	1.111111164	20	20	26905.19922	21065.19922	21065.19922	1.120023
1186	018A	3800	0.09	8560	0	55	80	2.5	7	7	9500	940	NC-1	85	form-based			true	0.75	20	2.857142925	20	14	22800	14240	10440	2.4
1213	039	5244	0.12	1166	0	55	80	2.5	10	10	13110	11944	RTO-C	65	form-based			true	0.75	20	2	20	20	23598	22432	22432	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1248	016	6731	0.15	6725	0	65	100	3	15	15	20193	13468	NCD-HAIG	50	form-based			true	0.75	20	1.333333373	20	20	25241.25	18516.25	18516.25	1.25
1307	002B	10153	0.23	3728	1	55	80	2.5	18	17	25382	21654	RH-1(D)	40	form-based			true	0.7	21	1.166666627	20	20	28428.40039	24700.40039	24700.40039	1.120022
1309	008A	10039	0.23	5500	1	55	80	2.5	18	17	25098	19598	RH-1(D)	40	form-based			true	0.7	21	1.166666627	20	20	28109.19922	22609.19922	22609.19922	1.119978
1326	013	9784	0.22	8297	1	55	80	2.5	18	17	24460	16163	RH-1(D)	40	form-based		true	true	0.7	21	1.166666627	20	20	27395.19922	19098.19922	19098.19922	1.12
1329	016	10004	0.23	6574	1	55	80	2.5	18	17	25010	18436	RH-1(D)	40	form-based			true	0.7	21	1.166666627	20	20	28011.19922	21437.19922	21437.19922	1.12
1339	001	9644	0.22	0	0	55	80	2.5	18	18	24110	24110	RH-1	40	form-based			true	0.7	20	1.111111164	20	20	27003.19922	27003.19922	27003.19922	1.12
1340	015	9829	0.23	5025	1	55	80	2.5	18	17	24572	19547	RH-1	40	form-based			true	0.7	21	1.166666627	20	20	27521.19922	22496.19922	22496.19922	1.120023
1432	003	11748	0.27	4020	0	65	100	3	27	27	35244	31224	RM-2	40	density-lin	600			0.7	20	0.740740716	20	20	32894.39844	28874.39844	28874.39844	0.933333
1439	050	5292	0.12	7770	0	65	100	3	12	12	15876	8106	NCD-INNE	65	form-based		true	true	0.75	20	1.666666627	20	20	23814	16044	16044	1.5
1440	036	5200	0.12	5200	0	65	100	3	12	12	15600	10400	NCD-INNE	65	form-based			true	0.75	20	1.666666627	20	20	23400	18200	18200	1.5
1442	021	3750	0.09	2812	0	65	100	3	9	9	11250	8438	NCD-GEAR	85	form-based			true	0.75	20	2.222222328	20	18	22500	19688	19688	2
1465	022	5000	0.11	4160	6	85	140	4	15	9	20000	15840	NC-1	85	form-based			true	0.75	26	1.733333349	20	20	30000	25840	25840	1.5
1505	001	3795	0.09	2118	0	55	80	2.5	7	7	9488	7370	RTO-C	85	form-based		true	true	0.75	20	2.857142925	20	14	22770	20652	16858	2.399873
1522	034D	3770	0.09	6500	0	85	140	4	13	13	15080	8580	NCD-GEAR	85	form-based			true	0.75	20	1.538461566	20	20	22620	16120	16120	1.5
1528	039	3767	0.09	3494	0	85	140	4	13	13	15068	11574	NCD-GEAR	85	form-based			true	0.75	20	1.538461566	20	20	22602	19108	19108	1.5
1530	029	3716	0.09	3180	0	65	100	3	9	9	11148	7968	NCD-GEAR	85	form-based			true	0.75	20	2.222222328	20	18	22296	19116	19116	2
1540	001A	3750	0.09	0	0	65	100	3	9	9	11250	11250	NCD-GEAR	85	form-based			true	0.75	20	2.222222328	20	18	22500	22500	22500	2
1542	046	2493	0.06	3688	2	85	140	4	8	6	9972	6284	NCD-GEAR	140	form-based			true	0.75	22	2.75	20	14	22437	18749	16256	2.25
1543	043	2502	0.06	3980	3	65	100	3	6	3	7506	3526	NCD-GEAR	140	form-based			true	0.75	23	3.833333254	20	9	22518	18538	11032	3
1557	014	5587	0.13	6726	1	65	100	3	13	12	16761	10035	RTO-C	65	form-based		true	true	0.75	21	1.615384579	20	20	25141.5	18415.5	18415.5	1.5
1561	018	7379	0.17	9854	8	65	100	3	17	9	22137	12283	RTO-C	65	form-based			true	0.75	28	1.647058845	20	20	33205.5	23351.5	23351.5	1.5
1610	040	5290	0.12	2977	0	55	80	2.5	10	10	13225	10248	NCD-OUTE	65	form-based			true	0.75	20	2	20	20	23805	20828	20828	1.8
1676	006	5400	0.12	6706	8	55	80	2.5	10	2	13500	6794	RTO-C	85	form-based			true	0.75	28	2.799999952	20	12	32400	25694	20294	2.4
1704	017	5393	0.12	3753	0	65	100	3	12	12	16179	12426	NC-1	65	form-based			true	0.75	20	1.666666627	20	20	24268.5	20515.5	20515.5	1.5
1722	038	5625	0.13	3002	1	65	100	3	13	12	16875	13873	RTO-C	65	form-based		true	true	0.75	21	1.615384579	20	20	25312.5	22310.5	22310.5	1.5
1731	022	2508	0.06	4250	3	65	100	3	6	3	7524	3274	NCD-IRVIN	105	form-based			true	0.75	23	3.833333254	20	9	22572	18322	10798	3
1732	034	6000	0.14	8158	12	65	100	3	14	2	18000	9842	RTO-C	85	form-based			true	0.75	32	2.285714388	20	16	36000	27842	27842	2
1732	051	6000	0.14	8504	12	65	100	3	14	2	18000	9496	RTO-C	85	form-based			true	0.75	32	2.285714388	20	16	36000	27496	27496	2
1736	018B	3798	0.09	3718	0	65	100	3	9	9	11394	7676	NCD-INNE	85	form-based		true	true	0.75	20	2.222222328	20	18	22788	19070	19070	2
1737	010	11719	0.27	18858	24	65	100	3	27	3	35157	16299	RTO-C	65	form-based			true	0.75	44	1.629629612	20	20	52735.5	33877.5	33877.5	1.5
1773	011	2463	0.06	2650	2	85	140	4	8	6	9852	7202	RTO-C	140	form-based			true	0.75	22	2.75	20	14	22167	19517	17054	2.25
1774	019	2447	0.06	2500	2	85	140	4	8	6	9788	7288	RTO-C	140	form-based			true	0.75	22	2.75	20	14	22023	19523	17076	2.25
1776	003	2375	0.05	1380	1	65	100	3	5	4	7125	5745	RH-2	105	form-based			true	0.7	21	4.199999809	20	9	21375	19995	12870	3
1776	004	2375	0.05	1416	1	65	100	3	5	4	7125	5709	RH-2	105	form-based			true	0.7	21	4.199999809	20	9	21375	19959	12834	3
1784	021	6439	0.15	11954	14	65	100	3	15	1	19317	7363	NCD-JUDA	85	form-based		true	true	0.75	34	2.266666651	20	16	38634	26680	26680	2
1801	050	5000	0.11	4156	6	85	140	4	15	9	20000	15844	RTO-C	85	form-based			true	0.75	26	1.733333349	20	20	30000	25844	25844	1.5
1865	009	4035	0.09	1686	1	65	100	3	9	8	12105	10419	RTO-C	85	form-based			true	0.75	21	2.333333254	20	17	24210	22524	22524	2
1865	011	4035	0.09	1881	1	65	100	3	9	8	12105	10224	RTO-C	85	form-based			true	0.75	21	2.333333254	20	17	24210	22329	22329	2
2136	002A	9866	0.23	5080	1	55	80	2.5	18	17	24665	19585	RH-1(D)	40	form-based			true	0.7	21	1.166666627	20	20	27624.79883	22544.79883	22544.79883	1.12
2203	056	9876	0.23	3498	1	55	80	2.5	18	17	24690	21192	RH-1(D)	40	form-based			true	0.7	21	1.166666627	20	20	27652.79883	24154.79883	24154.79883	1.12
2370	050	5000	0.11	4138	6	85	140	4	15	9	20000	15862	RTO-C	85	form-based			true	0.75	26	1.733333349	20	20	30000	25862	25862	1.5
2370	051	5000	0.11	4064	6	85	140	4	15	9	20000	15936	RTO-C	85	form-based			true	0.75	26	1.733333349	20	20	30000	25936	25936	1.5
2374	020	5000	0.11	4064	6	85	140	4	15	9	20000	15936	NC-1	85	form-based			true	0.75	26	1.733333349	20	20	30000	25936	25936	1.5
2386	049	5000	0.11	4139	6	85	140	4	15	9	20000	15861	RTO-C	85	form-based			true	0.75	26	1.733333349	20	20	30000	25861	25861	1.5
2393	048	5750	0.13	18099	10	85	140	4	18	8	23000	4901	NCD-TARA	85	form-based		true	true	0.75	30	1.666666627	20	20	34500	16401	16401	1.5
2404	033	4008	0.09	1067	1	85	140	4	13	12	16032	14965	NCD-TARA	85	form-based			true	0.75	21	1.615384579	20	20	24048	22981	22981	1.5
2404	034	4008	0.09	2482	1	85	140	4	13	12	16032	13550	NCD-TARA	85	form-based			true	0.75	21	1.615384579	20	20	24048	21566	21566	1.5
2405	004	4018	0.09	1650	1	65	100	3	9	8	12054	10404	RTO-C	85	form-based			true	0.75	21	2.333333254	20	17	24108	22458	22458	2
2405	033	4000	0.09	985	1	65	100	3	9	8	12000	11015	RTO-C	85	form-based			true	0.75	21	2.333333254	20	17	24000	23015	23015	2
2406	005	3893	0.09	0	0	85	140	4	13	13	15572	15572	RTO-C	85	form-based			true	0.75	20	1.538461566	20	20	23358	23358	23358	1.5
2406	006	3877	0.09	429	0	85	140	4	13	13	15508	15079	RTO-C	85	form-based			true	0.75	20	1.538461566	20	20	23262	22833	22833	1.5
2406	015	4073	0.09	1625	1	65	100	3	9	8	12219	10594	RTO-C	85	form-based			true	0.75	21	2.333333254	20	17	24438	22813	22813	2
2407	040	5000	0.11	2843	6	85	140	4	15	9	20000	17157	NCD-INNE	85	form-based			true	0.75	26	1.733333349	20	20	30000	27157	27157	1.5
2441	051	9538	0.22	9360	0	65	100	3	22	22	28614	19254	RH-1	40	form-based			true	0.7	20	0.909090936	20	20	26706.40039	17346.40039	17346.40039	0.933333
2516	004	2424	0.06	4515	2	65	100	3	6	4	7272	2757	NC-2	100	form-based			true	0.75	22	3.666666746	20	10	21816	17301	10029	3
2541	022	3788	0.09	2785	0	65	100	3	9	9	11364	8579	RTO-C	85	form-based			true	0.75	20	2.222222328	20	18	22728	19943	19943	2
2541	023	4013	0.09	1966	1	65	100	3	9	8	12039	10073	RTO-C	85	form-based			true	0.75	21	2.333333254	20	17	24078	22112	22112	2
2647	027	2500	0.06	2400	3	65	100	3	6	3	7500	5100	RTO-C	160	form-based			true	0.75	23	3.833333254	20	9	22500	20100	12600	3
2647	034	3848	0.09	0	0	65	100	3	9	9	11544	11544	NCD-CAST	85	form-based			true	0.75	20	2.222222328	20	18	23088	23088	23088	2
2647	053	2500	0.06	1576	3	65	100	3	6	3	7500	5924	RTO-C	140	form-based			true	0.75	23	3.833333254	20	9	22500	20924	13424	3
2647	070	2500	0.06	1515	3	65	100	3	6	3	7500	5985	RTO-C	140	form-based			true	0.75	23	3.833333254	20	9	22500	20985	13485	3
2695	042	3853	0.09	3750	0	65	100	3	9	9	11559	7809	NCD-CAST	85	form-based			true	0.75	20	2.222222328	20	18	23118	19368	19368	2
2789	040	9797	0.22	1200	1	55	80	2.5	18	17	24492	23292	RH-1(D)	40	form-based			true	0.7	21	1.166666627	20	20	27431.59961	26231.59961	26231.59961	1.120023
2819	022	10034	0.23	2010	1	65	100	3	23	22	30102	28092	RH-1(D)	40	form-based			true	0.7	21	0.913043499	20	20	28095.19922	26085.19922	26085.19922	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2819	027	10167	0.23	2806	1	65	100	3	23	22	30501	27695	RH-1(D)	40	form-based			true	0.7	21	0.913043499	20	20	28467.59961	25661.59961	25661.59961	0.933333
2838	009	10207	0.23	2238	1	55	80	2.5	18	17	25518	23280	RH-1(D)	40	form-based			true	0.7	21	1.166666627	20	20	28579.59961	26341.59961	26341.59961	1.119978
2864	046	4065	0.09	3000	1	85	140	4	13	12	16260	13260	RTO-C	85	form-based			true	0.75	21	1.615384579	20	20	24390	21390	21390	1.5
2879	027	3993	0.09	3373	1	65	100	3	9	8	11979	8606	RTO-C	85	form-based			true	0.75	21	2.333333254	20	17	23958	20585	20585	2
2920	019	5664	0.13	2640	1	65	100	3	13	12	16992	14352	RTO-C	65	form-based		true	true	0.75	21	1.615384579	20	20	25488	22848	22848	1.5
2925	021	9898	0.23	4030	1	65	100	3	23	22	29694	25664	RH-1(D)	40	form-based		true	true	0.7	21	0.913043499	20	20	27714.40039	23684.40039	23684.40039	0.933333
2934	012	9513	0.22	0	0	55	80	2.5	18	18	23782	23782	RH-1(D)	40	form-based			true	0.7	20	1.111111164	20	20	26636.40039	26636.40039	26636.40039	1.120024
2936B	007	9568	0.22	8609	0	55	80	2.5	18	18	23920	15311	RH-1(D)	40	form-based			true	0.7	20	1.111111164	20	20	26790.40039	18181.40039	18181.40039	1.12
2988A	008	3830	0.09	3150	0	65	100	3	9	9	11490	8340	NCD-WEST	85	form-based			true	0.75	20	2.222222328	20	18	22980	19830	19830	2
2991	033	10101	0.23	2602	1	55	80	2.5	18	17	25252	22650	RH-1(D)	40	form-based			true	0.7	21	1.166666627	20	20	28282.79883	25680.79883	25680.79883	1.120022
3011	068	10044	0.23	3052	1	55	80	2.5	18	17	25110	22058	RH-1(D)	40	form-based			true	0.7	21	1.166666627	20	20	28123.19922	25071.19922	25071.19922	1.12
3013A	030	9880	0.23	3508	1	65	100	3	23	22	29640	26132	RH-1(D)	40	form-based		true	true	0.7	21	0.913043499	20	20	27664	24156	24156	0.933333
3047	043	9966	0.23	2720	1	55	80	2.5	18	17	24915	22195	RH-1(D)	40	form-based			true	0.7	21	1.166666627	20	20	27904.79883	25184.79883	25184.79883	1.12
3049	002	9793	0.22	2620	1	55	80	2.5	18	17	24482	21862	RH-1(D)	40	form-based			true	0.7	21	1.166666627	20	20	27420.40039	24800.40039	24800.40039	1.120023
3071	014	9941	0.23	3544	1	65	100	3	23	22	29823	26279	RH-1(D)	40	form-based		true	true	0.7	21	0.913043499	20	20	27834.79883	24290.79883	24290.79883	0.933333
3075	005	9885	0.23	4937	1	55	80	2.5	18	17	24712	19775	RH-1(D)	40	form-based		true	true	0.7	21	1.166666627	20	20	27678	22741	22741	1.120023
3078	036	9318	0.21	6000	0	55	80	2.5	17	17	23295	17295	RH-1(D)	40	form-based			true	0.7	20	1.176470637	20	20	26090.40039	20090.40039	20090.40039	1.12
3101	009	9995	0.23	5454	1	65	100	3	23	22	29985	24531	RH-1(D)	40	form-based		true	true	0.7	21	0.913043499	20	20	27986	22532	22532	0.933333
3103	009	10132	0.23	4040	1	55	80	2.5	18	17	25330	21290	RH-1(D)	40	form-based			true	0.7	21	1.166666627	20	20	28369.59961	24329.59961	24329.59961	1.12
3103	015	10030	0.23	4792	1	55	80	2.5	18	17	25075	20283	RH-1(D)	40	form-based			true	0.7	21	1.166666627	20	20	28084	23292	23292	1.12
3104	001	10208	0.23	9071	1	55	80	2.5	18	17	25520	16449	RH-1(D)	40	form-based		true	true	0.7	21	1.166666627	20	20	28582.40039	19511.40039	19511.40039	1.12
3104	008	9839	0.23	3804	1	55	80	2.5	18	17	24598	20794	RH-1(D)	40	form-based			true	0.7	21	1.166666627	20	20	27549.19922	23745.19922	23745.19922	1.119977
3267	019	5532	0.13	2272	1	85	140	4	18	17	22128	19856	RTO-C	65	form-based			true	0.75	21	1.166666627	20	20	24894	22622	22622	1.125
3282	028	6150	0.14	803	12	65	100	3	14	2	18450	17647	NCT-OCEA	85	form-based		true	true	0.75	32	2.285714388	20	16	36900	36097	36097	2
3502	041	2230	0.05	1644	0	85	140	4	7	7	8920	7276	NCT-3	120	form-based			true	0.75	20	2.857142925	20	14	20070	18426	16196	2.25
3505	004	3796	0.09	7600	0	65	100	3	9	9	11388	3788	NCT-3	85	form-based		true		0.75	20	2.222222328	20	18	22776	15176	15176	2
3505	005	3796	0.09	3800	0	65	100	3	9	9	11388	7588	NCT-3	85	form-based				0.75	20	2.222222328	20	18	22776	18976	18976	2
3510	020	6620	0.15	6953	0	65	100	3	15	15	19860	12907	WMUG	55	form-based		true		0.75	20	1.333333373	20	20	24825	17872	17872	1.25
3514	005	5963	0.14	20173	11	65	100	3	14	3	17889	0	NCT-3	85	form-based				0.75	31	2.214285612	20	17	35778	15605	15605	2
3515	030	3790	0.09	0	0	65	100	3	9	9	11370	11370	WMUG	85	form-based			true	0.75	20	2.222222328	20	18	22740	22740	22740	2
3516	004	3810	0.09	3990	0	65	100	3	9	9	11430	7440	WMUG	85	form-based			true	0.75	20	2.222222328	20	18	22860	18870	18870	2
3521	096	3839	0.09	0	0	65	100	3	9	9	11517	11517	WMUG	85	form-based			true	0.75	20	2.222222328	20	18	23034	23034	23034	2
3535	008	2500	0.06	2550	3	65	100	3	6	3	7500	4950	NCT-3	160	form-based			true	0.75	23	3.833333254	20	9	22500	19950	12450	3
3537	064	9407	0.22	6822	0	65	100	3	22	22	28221	21399	RTO-1	40	form-based			true	0.7	20	0.909090936	20	20	26339.59961	19517.59961	19517.59961	0.933333
3537	136	4948	0.11	7695	6	85	140	4	15	9	19792	12097	RTO-C	85	form-based			true	0.75	26	1.733333349	20	20	29688	21993	21993	1.5
3554	002	4354	0.1	8803	3	75	120	3.5	12	9	15239	6436	NCT-MISSI	80	form-based				0.75	23	1.916666627	20	20	26124	17321	17321	1.714286
3559	013A	2476	0.06	4470	2	85	140	4	8	6	9904	5434	NCT-UPPEI	120	form-based			true	0.75	22	2.75	20	14	22284	17814	15338	2.25
3563	022	2187	0.05	1438	0	85	140	4	7	7	8748	7310	NCT-UPPEI	160	form-based			true	0.75	20	2.857142925	20	14	19683	18245	16058	2.25
3564	088	2523	0.06	1986	3	85	140	4	8	5	10092	8106	NCT-UPPEI	120	form-based			true	0.75	23	2.875	20	13	22707	20721	18198	2.25
3568	067	6616	0.15	6510	0	85	140	4	21	21	26464	19954	NCT-VALEI	55	form-based				0.75	20	0.952380955	20	20	24810	18300	18300	0.9375
3580	041	5672	0.13	1690	1	85	140	4	18	17	22688	20998	RTO-C	65	form-based			true	0.75	21	1.166666627	20	20	25524	23834	23834	1.125
3582	073	2470	0.06	4000	2	85	140	4	8	6	9880	5880	NCD-CAST	160	form-based			true	0.75	22	2.75	20	14	22230	18230	15760	2.25
3582	104	3840	0.09	1590	0	65	100	3	9	9	11520	9930	NCD-CAST	85	form-based			true	0.75	20	2.222222328	20	18	23040	21450	21450	2
3644	009	6509	0.15	5616	0	75	120	3.5	18	18	22782	17166	NCT-VALEI	55	form-based				0.75	20	1.111111164	20	20	24408.75	18792.75	18792.75	1.071405
3703	003	2250	0.05	5448	0	85	140	4	7	7	9000	3552	C-3-G	120	form-based		true		0.8	20	2.857142925	20	14	20250	14802	12552	2.25
3703	075	2250	0.05	6750	0	85	140	4	7	7	9000	2250	C-3-G	120	form-based				0.8	20	2.857142925	20	14	20250	13500	11250	2.25
3704	067	2250	0.05	25012	0	85	140	4	7	7	9000	0	C-3-G	120	form-based				0.8	20	2.857142925	20	14	20250	0	0	2.25
3704	019	2258	0.05	6150	0	85	140	4	7	7	9032	2882	C-3-G	160	form-based				0.8	20	2.857142925	20	14	20322	14172	11914	2.25
3722	023	2250	0.05	0	0	75	120	3.5	6	6	7875	7875	C-3-O(SD)	150	form-based				0.8	20	3.333333254	20	12	20250	20250	15750	2.571429
3724	035	2182	0.05	0	0	75	120	3.5	6	6	7637	7637	C-3-S	160	form-based				0.8	20	3.333333254	20	12	19638	19638	15274	2.571429
3726	108	3876	0.09	5218	0	85	140	4	13	13	15504	10286	MUG	85	form-based				0.75	20	1.538461566	20	20	23256	18038	18038	1.5
3731	071	3750	0.09	13808	0	65	100	3	9	9	11250	0	MUG	85	form-based		true		0.75	20	2.222222328	20	18	22500	8692	8692	2
3732	026	3716	0.09	5400	0	65	100	3	9	9	11148	5748	MUR	85	form-based				0.75	20	2.222222328	20	18	22296	16896	16896	2
3732	140	3890	0.09	4000	0	65	100	3	9	9	11670	7670	MUR	85	form-based				0.75	20	2.222222328	20	18	23340	19340	19340	2
3748	028	2188	0.05	14993	0	75	120	3.5	6	6	7658	0	RH DTR	200	form-based				0.8	20	3.333333254	20	12	19692	4699	323	2.571429
3762	012	3600	0.08	9450	0	65	100	3	8	8	10800	1350	CMUO	85	form-based				0.8	20	2.5	20	16	23040	13590	12150	2.133333
3763	032	3621	0.08	4912	0	65	100	3	8	8	10863	5951	CMUO	85	form-based				0.8	20	2.5	20	16	23174.40039	18262.40039	16814	2.133333
3776	144	7714	0.18	2647	5	65	100	3	18	13	23142	20495	CMUO	55	form-based				0.8	25	1.388888836	20	20	30856	28209	28209	1.333333
3778	018	6700	0.15	11450	0	65	100	3	15	15	20100	8650	MUG	55	form-based				0.75	20	1.333333373	20	20	25125	13675	13675	1.25
3780	008	9063	0.21	12250	0	65	100	3	21	21	27189	14939	UMU	48	form-based				0.75	20	0.952380955	20	20	27189	14939	14939	1
4080	015	21729	0.5	1038	45	65	100	3	50	5	65187	64149	UMU	58	form-based		true		0.75	65	1.299999952	20	20	81483.75	80445.75	80445.75	1.25
4265	027	16659	0.38	40591	22	65	100	3	38	16	49977	9386	RM-3	55	density-lim	400			0.75	42	1.105263114	20	20	62471.25	21880.25	21880.25	1.25
6516	009	7619	0.17	15270	20	75	120	3.5	20	0	26666	11396	NCT-MISSI	80	form-based		true		0.75	40	2	20	20	45714	30444	30444	1.714318
6529	001	5239	0.12	4991	0	75	120	3.5	14	14	18336	13345	NCT-MISSI	65	form-based		true		0.75	20	1.428571463	20	20	23575.5	18584.5	18584.5	1.285749

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6732	066	9790	0.22	1959	1	75	120	3.5	26	25	34265	32306	RH-1	40	form-based			true	0.7	21	0.807692289	20	20	27412	25453	25453	0.8
6744	026	4364	0.1	4364	3	75	120	3.5	12	9	15274	10910	NCT-GLEN	85	form-based			true	0.75	23	1.916666627	20	20	26184	21820	21820	1.714286
6745	106	2250	0.05	2673	0	75	120	3.5	6	6	7875	5202	RTO-C	140	form-based			true	0.75	20	3.333333254	20	12	20250	17577	13077	2.571429
6804	024	11750	0.27	0	0	65	100	3	27	27	35250	35250	NCD-EXCE	40	density-lin	600			0.75	20	0.740740716	20	20	35250	35250	35250	1
6908	001	6187	0.14	2555	3	85	140	4	20	17	24748	22193	RTO-C	65	form-based		true	true	0.75	23	1.149999976	20	20	27841.5	25286.5	25286.5	1.125
6908	005	5524	0.13	1620	1	85	140	4	18	17	22096	20476	RTO-C	65	form-based			true	0.75	21	1.166666627	20	20	24858	23238	23238	1.125
6908	006	5683	0.13	1680	1	85	140	4	18	17	22732	21052	RTO-C	65	form-based			true	0.75	21	1.166666627	20	20	25573.5	23893.5	23893.5	1.125
6908	010	10187	0.23	2753	1	65	100	3	23	22	30561	27808	RH-1(D)	40	form-based			true	0.7	21	0.913043499	20	20	28523.59961	25770.59961	25770.59961	0.933333
6908	031	10160	0.23	2154	1	65	100	3	23	22	30480	28326	RH-1(D)	40	form-based			true	0.7	21	0.913043499	20	20	28448	26294	26294	0.933333
6908	032	10127	0.23	3360	1	65	100	3	23	22	30381	27021	RH-1(D)	40	form-based			true	0.7	21	0.913043499	20	20	28355.59961	24995.59961	24995.59961	0.933333
6912	021	10193	0.23	2582	1	65	100	3	23	22	30579	27997	RH-1(D)	40	form-based			true	0.7	21	0.913043499	20	20	28540.40039	25958.40039	25958.40039	0.933333
6914	019	5583	0.13	3331	1	65	100	3	13	12	16749	13418	RTO-C	65	form-based			true	0.75	21	1.615384579	20	20	25123.5	21792.5	21792.5	1.5
6915	011	9869	0.23	5406	1	65	100	3	23	22	29607	24201	RH-1(D)	40	form-based		true	true	0.7	21	0.913043499	20	20	27633.19922	22227.19922	22227.19922	0.933333
6931	022	9880	0.23	1566	1	65	100	3	23	22	29640	28074	RH-1(D)	40	form-based		true	true	0.7	21	0.913043499	20	20	27664	26098	26098	0.933333
6934	001A	3788	0.09	3750	0	65	100	3	9	9	11364	7614	NCT-OCEA	85	form-based			true	0.75	20	2.222222328	20	18	22728	18978	18978	2
6945	041	5687	0.13	7492	10	85	140	4	18	8	22748	15256	NCT-OCEA	85	form-based			true	0.75	30	1.666666627	20	20	34122	26630	26630	1.5
7027A	009	4046	0.09	1366	1	85	140	4	13	12	16184	14818	RTO-C	85	form-based		true	true	0.75	21	1.615384579	20	20	24276	22910	22910	1.5
7027A	010	4077	0.09	1575	1	85	140	4	13	12	16308	14733	RTO-C	85	form-based		true	true	0.75	21	1.615384579	20	20	24462	22887	22887	1.5
7220	004	3947	0.09	1384	1	65	100	3	9	8	11841	10457	RTO-C	85	form-based			true	0.75	21	2.333333254	20	17	23682	22298	22298	2
7220	013C	3947	0.09	1595	1	65	100	3	9	8	11841	10246	RTO-C	85	form-based			true	0.75	21	2.333333254	20	17	23682	22087	22087	2
7226	006	3939	0.09	2103	1	85	140	4	13	12	15756	13653	RTO-C	85	form-based			true	0.75	21	1.615384579	20	20	23634	21531	21531	1.5
7226	007	3862	0.09	0	0	85	140	4	13	13	15448	15448	RTO-C	85	form-based			true	0.75	20	1.538461566	20	20	23172	23172	23172	1.5
7226	022	3715	0.09	7114	0	85	140	4	13	13	14860	7746	NCD-LAKE	85	form-based		true	true	0.75	20	1.538461566	20	20	22290	15176	15176	1.5
7231	006	10076	0.23	4204	1	65	100	3	23	22	30228	26024	RH-1(D)	40	form-based			true	0.7	21	0.913043499	20	20	28212.79883	24008.79883	24008.79883	0.933333
7231	006A	9770	0.22	4084	1	65	100	3	22	21	29310	25226	RH-1(D)	40	form-based			true	0.7	21	0.954545438	20	20	27356	23272	23272	0.933333
7554	004	9834	0.23	2481	1	65	100	3	23	22	29502	27021	RH-1	40	form-based			true	0.7	21	0.913043499	20	20	27535.19922	25054.19922	25054.19922	0.933333
0024	011	5000	0.11	3750	0	65	100	3	11	11	15000	11250	NC-1	65	form-based			true	0.75	19	1.727272749	19	19	22500	18750	18750	1.5
0048	008	9453	0.22	4732	1	55	80	2.5	18	17	23632	18900	RH-1(D)	40	form-based			true	0.7	20	1.111111164	19	19	26468.40039	21736.40039	21736.40039	1.120024
0111	001	15044	0.35	30000	0	65	100	3	35	35	45132	15132	C-2	40	density-lin	800	true		0.8	19	0.54285717	19	19	48140.80078	18140.80078	18140.80078	1.066667
0135	009	15297	0.35	63288	0	65	100	3	35	35	45891	0	C-2	65	density-lin	800	true		0.8	19	0.54285717	19	19	73425.60156	10137.60156	10137.60156	1.6
0146	015	9460	0.22	23039	5	65	100	3	22	17	28380	5341	NCD-NORT	40	density-lin	400			0.75	24	1.090909123	19	19	28380	5341	5341	1
0146	016	9446	0.22	26261	5	65	100	3	22	17	28338	2077	NCD-NORT	40	density-lin	400	true		0.75	24	1.090909123	19	19	28338	2077	2077	1
0149	009	11616	0.27	15012	0	55	80	2.5	22	22	29040	14028	RM-2	40	density-lin	600			0.7	19	0.863636374	19	19	32524.79883	17512.79883	17512.79883	1.12
0159	038	3883	0.09	6850	0	65	100	3	9	9	11649	4799	CCB	65	density-lin	200			0.75	19	2.111111164	19	18	17473.5	10623.5	10623.5	1.5
0159	046	11250	0.26	55701	0	65	100	3	26	26	33750	0	RM-2	40	density-lin	600			0.7	19	0.730769217	19	19	31500	0	0	0.933333
0174	001	4761	0.11	14568	0	65	100	3	11	11	14283	0	C-2	65	form-base	800	true		0.8	19	1.727272749	19	19	22852.80078	8284.800781	8284.800781	1.6
0177	012	3743	0.09	11385	0	65	100	3	9	9	11229	0	CVR	50	density-lin	200	true		0.75	19	2.111111164	19	18	14036.25	2651.25	2651.25	1.25
0194	005	3727	0.09	8428	0	65	100	3	9	9	11181	2753	CCB	65	density-lin	200			0.75	19	2.111111164	19	18	16771.5	8343.5	8343.5	1.5
0194	009	3761	0.09	10229	0	65	100	3	9	9	11283	1054	CVR	50	density-lin	200			0.75	19	2.111111164	19	18	14103.75	3874.75	3874.75	1.25
0225	022	3731	0.09	13083	0	65	100	3	9	9	11193	0	CRNC	50	density-lin	200	true		0.75	19	2.111111164	19	18	13991.25	908.25	908.25	1.25
0228	003	3917	0.09	17854	0	85	140	4	13	13	15668	0	C-3-O	75	form-based				0.8	19	1.461538434	19	19	21935.20117	4081.201172	4081.201172	1.4
0235	007	2125	0.05	5820	0	75	120	3.5	6	6	7438	1618	C-3-O	300	form-based				0.8	19	3.166666746	19	12	19125	13305	9056	2.571256
0237	015	2103	0.05	0	0	85	140	4	7	7	8412	8412	C-3-O	300	form-based		true		0.8	19	2.714285612	19	14	18927	18927	16824	2.25
0241	014	3798	0.09	13884	0	65	100	3	9	9	11394	0	CVR	50	density-lin	200			0.75	19	2.111111164	19	18	14242.5	358.5	358.5	1.25
0250	003A	2928	0.07	5250	7	55	80	2.5	6	0	7320	2070	RTO-C	120	form-based			true	0.75	26	4.333333492	19	5	26352	21102	9390	3.6
0250	018	2763	0.06	5025	6	65	100	3	6	0	8289	3264	NCD-POLK	120	form-based			true	0.75	25	4.166666508	19	6	24867	19842	11553	3
0250	034	2418	0.06	1306	3	65	100	3	6	3	7254	5948	NCD-POLK	120	form-based			true	0.75	22	3.666666746	19	9	21762	20456	13202	3
0251	006	2404	0.06	5568	3	55	80	2.5	5	2	6010	442	RTO-C	120	form-based			true	0.75	22	4.400000095	19	7	21636	16068	6452	3.6
0251	010	3331	0.08	7950	11	55	80	2.5	6	0	8328	378	RTO-C	140	form-based			true	0.75	30	5	19	1	29979	22029	8706	3.599784
0270	006	2056	0.05	6168	0	75	120	3.5	6	6	7196	1028	C-3-O	130	form-based		true		0.8	19	3.166666746	19	12	18504	12336	8224	2.571429
0271	001C	4744	0.11	0	0	65	100	3	11	11	14232	14232	C-3-G	65	form-based				0.8	19	1.727272749	19	19	22771.20117	22771.20117	22771.20117	1.6
0278	006	3151	0.07	4673	9	65	100	3	7	0	9453	4780	RTO-C	120	form-based			true	0.75	28	4	19	5	28359	23686	14233	3
0279	016	7586	0.17	15436	0	65	100	3	17	17	22758	7322	NCD-POLK	80	density-lin	400			0.75	19	1.117647052	19	19	45516	30080	30080	2
0280	027	3830	0.09	5630	0	65	100	3	9	9	11490	5860	RC-4	65	density-lin	200			0.75	19	2.111111164	19	18	17235	11605	11605	1.5
0284	022	3780	0.09	3795	0	65	100	3	9	9	11340	7545	RC-4	65	density-lin	200			0.75	19	2.111111164	19	18	17010	13215	13215	1.5
0287	019	2068	0.05	4080	0	75	120	3.5	6	6	7238	3158	C-3-R	130	form-based				0.8	19	3.166666746	19	12	18612	14532	10396	2.571429
0296	002	2125	0.05	3958	0	65	100	3	5	5	6375	2417	C-3-R	130	form-based				0.8	19	3.799999952	19	10	19125	15167	8792	3
0306	014	2100	0.05	6300	0	85	140	4	7	7	8400	2100	C-3-G	130	form-based				0.8	19	2.714285612	19	14	18900	12600	10500	2.25
0309	025	2063	0.05	5985	0	75	120	3.5	6	6	7220	1235	C-3-R	130	form-based				0.8	19	3.166666746	19	12	18567	12582	8455	2.571607
0311	011	2165	0.05	260624	0	75	120	3.5	6	6	7578	0	C-3-O	250	form-based				0.8	19	3.166666746	19	12	19485	0	0	2.571259
0313	005	2120	0.05	9505	0	75	120	3.5	6	6	7420	0	C-3-R	130	form-based				0.8	19	3.166666746	19	12	19080	9575	5335	2.571429
0314	007	2150	0.05	8243	0	85	140	4	7	7	8600	357	C-3-R	130	form-based		true		0.8	19	2.714285612	19	14	19350	11107	8957	2.25
0314	008	2064	0.05	6089	0	85	140	4	7	7	8256	2167	C-3-R	130	form-based				0.8	19	2.714285612	19	14	18576	12487	10423	2.25
0315	020	2081	0.05	14761	0	75	120	3.5	6	6	7284	0	C-3-G	130	form-based				0.8	19	3.166666746	19	12	18729	3968	0	2.571252

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0315	020A	2085	0.05	4160	0	75	120	3.5	6	6	7298	3138	C-3-G	130	form-based				0.8	19	3.166666746	19	12	18765	14605	10436	2.571252
0318	018	3750	0.09	1890	0	85	140	4	13	13	15000	13110	RC-4	130	density-lim	200			0.75	19	1.461538434	19	19	33750	31860	28110	2.25
0326	013	2155	0.05	574080	0	75	120	3.5	6	6	7542	0	C-3-G	225	form-based				0.8	19	3.166666746	19	12	19395	0	0	2.571599
0332	010	4125	0.09	21065	2	65	100	3	9	7	12375	0	RC-4	80	density-lim	200			0.75	21	2.333333254	19	16	24750	3685	3685	2
0332	012	4753	0.11	25482	5	65	100	3	11	6	14259	0	RC-4	80	density-lim	200	true		0.75	24	2.181818247	19	17	28518	3036	3036	2
0332	015	3752	0.09	6655	0	65	100	3	9	9	11256	4601	RC-4	80	density-lim	200			0.75	19	2.111111164	19	18	22512	15857	15857	2
0334	007	4002	0.09	13408	1	65	100	3	9	8	12006	0	RC-4	80	density-lim	200			0.75	20	2.222222328	19	17	24012	10604	10604	2
0334	028	3781	0.09	0	0	65	100	3	9	9	11343	11343	RC-4	80	density-lim	200			0.75	19	2.111111164	19	18	22686	22686	22686	2
0339	006	3781	0.09	11045	0	75	120	3.5	11	11	13234	2189	RC-4	120	density-lim	200			0.75	19	1.727272749	19	19	34029	22984	15423	2.571332
0339	007	3781	0.09	10740	0	75	120	3.5	11	11	13234	2494	RC-4	120	density-lim	200			0.75	19	1.727272749	19	19	34029	23289	15728	2.571332
0493	002	3600	0.08	7017	0	55	80	2.5	6	6	9000	1983	NC-3	85	form-based		true	true	0.75	19	3.166666746	19	12	21600	14583	10983	2.4
0495	002A	2578	0.06	4300	4	55	80	2.5	5	1	6445	2145	NC-3	140	form-based		true	true	0.75	23	4.599999905	19	6	23202	18902	8590	3.6
0497	004	2760	0.06	5124	6	65	100	3	6	0	8280	3156	NC-3	140	form-based			true	0.75	25	4.166666508	19	6	24840	19716	11436	3
0497	007D	2190	0.05	2070	1	65	100	3	5	4	6570	4500	RTO-C	140	form-based			true	0.75	20	4	19	9	19710	17640	11070	3
0499	007	5450	0.13	5479	1	65	100	3	13	12	16350	10871	RC-3	65	form-based			true	0.75	20	1.538461566	19	19	24525	19046	19046	1.5
0503	105	2626	0.06	3004	5	65	100	3	6	1	7878	4874	NC-3	140	form-based			true	0.75	24	4	19	7	23634	20630	12752	3
0505	011	2500	0.06	5184	4	55	80	2.5	5	1	6250	1066	RTO-C	140	form-based			true	0.75	23	4.599999905	19	6	22500	17316	7316	3.6
0506	022	2152	0.05	2148	0	55	80	2.5	4	4	5380	3232	NC-3	140	form-based		true	true	0.75	19	4.75	19	8	19368	17220	8612	3.6
0508	014A	4933	0.11	6476	7	55	80	2.5	9	2	12332	5856	NC-3	85	form-based			true	0.75	26	2.888888836	19	11	29598	23122	18188	2.400097
0521	010	3922	0.09	2584	2	65	100	3	9	7	11766	9182	RTO-C	85	form-based			true	0.75	21	2.333333254	19	16	23532	20948	20948	2
0528	019	7012	0.16	13635	18	65	100	3	16	0	21036	7401	RTO-C	85	form-based			true	0.75	37	2.3125	19	14	42072	28437	28437	2
0542	037	5000	0.11	2350	0	55	80	2.5	9	9	12500	10150	NCD-UNIO	65	form-based			true	0.75	19	2.111111164	19	18	22500	20150	20150	1.8
0546	013B	3720	0.09	1795	1	65	100	3	9	8	11160	9365	RTO-C	85	form-based			true	0.75	20	2.222222328	19	17	22320	20525	20525	2
0549	025	6300	0.14	12520	12	65	100	3	14	2	18900	6380	RM-2	85	form-based			true	0.7	31	2.214285612	19	16	35280	22760	22760	1.866667
0552	027	3972	0.09	1518	2	65	100	3	9	7	11916	10398	RTO-C	85	form-based			true	0.75	21	2.333333254	19	16	23832	22314	22314	2
0552	055	4219	0.1	2200	3	65	100	3	10	7	12657	10457	RTO-C	85	form-based		true	true	0.75	22	2.200000048	19	17	25314	23114	23114	2
0553	011	4816	0.11	7898	6	65	100	3	11	5	14448	6550	RTO-C	85	form-based			true	0.75	25	2.272727251	19	16	28896	20998	20998	2
0567	021	2431	0.06	3471	3	55	80	2.5	5	2	6078	2607	RTO-C	105	form-based			true	0.75	22	4.400000095	19	7	21879	18408	8685	3.599704
0567	120	2449	0.06	2225	3	55	80	2.5	5	2	6122	3897	RTO-C	105	form-based		true	true	0.75	22	4.400000095	19	7	22041	19816	10019	3.600294
0568	023	3738	0.09	4124	1	65	100	3	9	8	11214	7090	RTO-C	85	form-based			true	0.75	20	2.222222328	19	17	22428	18304	18304	2
0568	024	3882	0.09	4204	1	65	100	3	9	8	11646	7442	RTO-C	85	form-based			true	0.75	20	2.222222328	19	17	23292	19088	19088	2
0571	011	2792	0.06	5862	6	85	140	4	8	2	11168	5306	RC-3	240	form-based			true	0.75	25	3.125	19	10	25128	19266	16474	2.25
0572	014	5069	0.12	6930	6	65	100	3	12	6	15207	8277	RM-2	85	form-based			true	0.7	25	2.083333254	19	18	28386.40039	21456.40039	21456.40039	1.866667
0575	006	3831	0.09	9045	15	65	100	3	9	0	11493	2448	RTO-C	350	form-based			true	0.75	34	3.777777672	19	3	34479	25434	13941	3
0576	017	2349	0.05	3647	2	65	100	3	5	3	7047	3400	RTO-C	140	form-based			true	0.75	21	4.199999809	19	8	21141	17494	10447	3
0579	017	6206	0.14	3588	4	55	80	2.5	11	7	15515	11927	RTO-C	65	form-based			true	0.75	23	2.090909004	19	18	27927	24339	24339	1.8
0581	015A	5500	0.13	5845	2	55	80	2.5	10	8	13750	7905	RTO-C	65	form-based			true	0.75	21	2.099999905	19	18	24750	18905	18905	1.8
0582	022	9535	0.22	7542	1	55	80	2.5	18	17	23838	16296	RH-1	40	form-based			true	0.7	20	1.111111164	19	19	26698	19156	19156	1.119977
0583	011	9393	0.22	9654	1	55	80	2.5	18	17	23482	13828	RH-1	40	form-based			true	0.7	20	1.111111164	19	19	26300.40039	16646.40039	16646.40039	1.120024
0597	054	5904	0.14	3052	12	65	100	3	14	2	17712	14660	NCD-POLK	85	form-based			true	0.75	31	2.214285612	19	16	35424	32372	32372	2
0598	008	2450	0.06	5139	3	65	100	3	6	3	7350	2211	NCD-POLK	350	form-based			true	0.75	22	3.666666746	19	9	22050	16911	9561	3
0621	008	6384	0.15	19212	15	65	100	3	15	0	19152	0	RM-3	85	form-based			true	0.75	34	2.266666651	19	15	38304	19092	19092	2
0637	020	4668	0.11	1700	6	55	80	2.5	9	3	11670	9970	RTO-C	85	form-based		true	true	0.75	25	2.777777672	19	12	28008	26308	21640	2.4
0645	022	2535	0.06	3880	4	65	100	3	6	2	7605	3725	NCD-POLK	120	form-based			true	0.75	23	3.833333254	19	8	22815	18935	11330	3
0648	003	3781	0.09	7700	15	65	100	3	9	0	11343	3643	RTO-C	350	form-based			true	0.75	34	3.777777672	19	3	34029	26329	14986	3
0655	035	5133	0.12	0	0	65	100	3	12	12	15399	15399	NCD-UPPE	65	form-based			true	0.75	19	1.583333373	19	19	23098.5	23098.5	23098.5	1.5
0669	012A	7709	0.18	20839	0	65	100	3	18	18	23127	2288	NCD-POLK	65	density-lim	400			0.75	19	1.055555582	19	19	34690.5	13851.5	13851.5	1.5
0673	003	7912	0.18	17886	21	65	100	3	18	0	23736	5850	RM-4	80	density-lim	200			0.75	40	2.222222328	19	15	47472	29586	29586	2
0674	020	6187	0.14	10233	12	65	100	3	14	2	18561	8328	RM-4	50	density-lim	200			0.75	31	2.214285612	19	16	23201.25	12968.25	12968.25	1.25
0679	006	5370	0.12	9780	9	65	100	3	12	3	16110	6330	NC-2	85	form-based		true	true	0.75	28	2.333333254	19	15	32220	22440	22440	2
0683	038	22729	0.52	1084	38	65	100	3	52	14	68187	67103	RM-3	50	density-lim	400	true		0.75	57	1.096153855	19	19	85233.75	84149.75	84149.75	1.25
0693	018	3719	0.09	10697	0	65	100	3	9	9	11157	460	RC-4	80	density-lim	200			0.75	19	2.111111164	19	18	22314	11617	11617	2
0708	013A	7753	0.18	31426	51	85	140	4	25	0	31012	0	NCT-FILLM	130	form-based		true		0.75	70	2.799999952	19	0	69777	38351	30598	2.25
0735	105	22029	0.51	1197	9	65	100	3	51	42	66087	64890	NC-S	80	density-lim	800			0.75	28	0.549019635	19	19	132174	130977	130977	2
0737	015	7740	0.18	188	0	65	100	3	18	18	23220	23032	RM-3	80	density-lim	400	true		0.75	19	1.055555582	19	19	46440	46252	46252	2
0739	012	3300	0.08	6600	11	65	100	3	8	0	9900	3300	RC-4	300	form-based			true	0.75	30	3.75	19	5	29700	23100	13200	3
0756	015	6335	0.15	6335	0	55	80	2.5	12	12	15838	9503	NCT-FILLM	50	form-based		true		0.75	19	1.583333373	19	19	23756.25	17421.25	17421.25	1.499953
0781	010	11344	0.26	34430	0	55	80	2.5	21	21	28360	0	RM-2	50	density-lim	600			0.7	19	0.90476191	19	19	39704	5274	5274	1.4
0807	017	9151	0.21	3935	0	55	80	2.5	17	17	22878	18943	RTO-1	40	form-based			true	0.7	19	1.117647052	19	19	25622.79883	21687.79883	21687.79883	1.119975
0816	070	13254	0.3	1195	31	65	100	3	30	0	39762	38567	NCT-HAYE	65	form-based		true		0.75	50	1.666666627	19	19	59643	58448	58448	1.5
0828	022	15321	0.35	20046	0	55	80	2.5	28	28	38302	18256	RM-1	40	density-lim	800	true		0.7	19	0.678571403	19	19	42898.80078	22852.80078	22852.80078	1.120015
0836	006	2111	0.05	6034	0	65	100	3	5	5	6333	299	C-3-G	120	form-based				0.8	19	3.799999952	19	10	18999	12965	6632	3
0847	033	6871	0.16	9750	0	65	100	3	16	16	20613	10863	RH-3	50	form-based			true	0.7	19	1.1875	19	19	24048.5	14298.5	14298.5	1.166667
0861	046	10332	0.24	821	20	65	100	3	24	4	30996	30175	NC-1	65	form-based			true	0.75	39	1.625	19	19	46494	45673	45673	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0871	008	3003	0.07	8000	8	85	140	4	10	2	12012	4012	NCT-3	120	form-based			true	0.75	27	2.700000048	19	12	27027	19027	16024	2.25
0871	017	4689	0.11	516	4	85	140	4	15	11	18756	18240	RTO-1	85	form-based			true	0.7	23	1.533333302	19	19	26258.40039	25742.40039	25742.40039	1.4
0953	005	9453	0.22	5040	1	55	80	2.5	18	17	23632	18592	RH-1(D)	40	form-based		true	true	0.7	20	1.111111164	19	19	26468.40039	21428.40039	21428.40039	1.120024
0956	008	9625	0.22	6100	1	55	80	2.5	18	17	24062	17962	RH-1(D)	40	form-based			true	0.7	20	1.111111164	19	19	26950	20850	20850	1.120023
0962	007	9525	0.22	7360	1	55	80	2.5	18	17	23812	16452	RH-1(D)	40	form-based			true	0.7	20	1.111111164	19	19	26670	19310	19310	1.120023
0983	004	8861	0.2	4568	0	65	100	3	20	20	26583	22015	RH-2	40	form-based		true	true	0.7	19	0.949999988	19	19	24810.79883	20242.79883	20242.79883	0.933333
0985	011	9577	0.22	9504	1	65	100	3	22	21	28731	19227	RH-1	40	form-based			true	0.7	20	0.909090936	19	19	26815.59961	17311.59961	17311.59961	0.933333
1027	025	5156	0.12	818	6	65	100	3	12	6	15468	14650	RH-2	85	form-based			true	0.7	25	2.083333254	19	18	28873.59961	28055.59961	28055.59961	1.866667
1028	024	3778	0.09	8134	1	85	140	4	13	12	15112	6978	NC-2	85	form-based			true	0.75	20	1.538461566	19	19	22668	14534	14534	1.5
1029	032	3780	0.09	1355	1	85	140	4	13	12	15120	13765	RTO-C	85	form-based			true	0.75	20	1.538461566	19	19	22680	21325	21325	1.5
1036	066	5424	0.12	3270	9	55	80	2.5	10	1	13560	10290	NC-S	85	form-based			true	0.75	28	2.799999952	19	11	32544	29274	23850	2.4
1038	040	5370	0.12	9702	9	55	80	2.5	10	1	13425	3723	RTO-C	85	form-based			true	0.75	28	2.799999952	19	11	32220	22518	17148	2.4
1081	011	2464	0.06	3740	3	85	140	4	8	5	9856	6116	RTO-C	140	form-based			true	0.75	22	2.75	19	13	22176	18436	15972	2.25
1081	019	2080	0.05	1444	0	65	100	3	5	5	6240	4796	RTO-C	140	form-based			true	0.75	19	3.799999952	19	10	18720	17276	11036	3
1081	038	2464	0.06	736	3	85	140	4	8	5	9856	9120	RTO-C	140	form-based			true	0.75	22	2.75	19	13	22176	21440	18976	2.25
1081	066	2292	0.05	1400	2	85	140	4	7	5	9168	7768	RTO-C	140	form-based			true	0.75	21	3	19	12	20628	19228	16936	2.25
1086	035	6200	0.14	11426	14	65	100	3	14	0	18600	7174	RTO-C	85	form-based			true	0.75	33	2.357142925	19	14	37200	25774	25774	2
1086	036	6250	0.14	11426	14	65	100	3	14	0	18750	7324	RTO-C	85	form-based			true	0.75	33	2.357142925	19	14	37500	26074	26074	2
1092	002	2400	0.06	2256	3	65	100	3	6	3	7200	4944	NCD-GEAR	240	form-based			true	0.75	22	3.666666746	19	9	21600	19344	12144	3
1127	007A	7689	0.18	15984	0	65	100	3	18	18	23067	7083	RM-3	65	density-lin	400			0.75	19	1.055555582	19	19	34600.5	18616.5	18616.5	1.5
1129	034	8050	0.18	1900	5	65	100	3	18	13	24150	22250	RM-3	50	form-based		true	true	0.75	24	1.333333373	19	19	30187.5	28287.5	28287.5	1.25
1175	018	7500	0.17	1024	9	55	80	2.5	14	5	18750	17726	NC-S	65	form-based		true	true	0.75	28	2	19	19	33750	32726	32726	1.8
1179	027	4751	0.11	5142	6	55	80	2.5	9	3	11878	6736	NCT-DIVIS	85	form-based			true	0.75	25	2.777777672	19	12	28506	23364	18614	2.399899
1182	073	5000	0.11	906	7	55	80	2.5	9	2	12500	11594	NCT-DIVIS	85	form-based			true	0.75	26	2.888888836	19	11	30000	29094	24094	2.4
1189	021	4063	0.09	3250	2	55	80	2.5	7	5	10158	6908	RTO-C	85	form-based			true	0.75	21	3	19	12	24378	21128	17066	2.399882
1201	002	5720	0.13	14068	11	55	80	2.5	10	0	14300	232	NCT-DIVIS	85	form-based			true	0.75	30	3	19	9	34320	20252	14532	2.4
1223	008	8938	0.21	12025	0	55	80	2.5	17	17	22345	10320	RM-1	40	form-based			true	0.7	19	1.117647052	19	19	25026.40039	13001.40039	13001.40039	1.12
1229	011	5031	0.12	3405	0	55	80	2.5	10	10	12578	9173	NCD-HAIG	65	form-based			true	0.75	19	1.899999976	19	19	22639.5	19234.5	19234.5	1.799928
1230	013	4984	0.11	4871	0	55	80	2.5	9	9	12460	7589	NCD-HAIG	65	form-based			true	0.75	19	2.111111164	19	18	22428	17557	17557	1.8
1244	011	6772	0.16	11306	0	55	80	2.5	13	13	16930	5624	RH-3	50	form-based			true	0.7	19	1.461538434	19	19	23702	12396	12396	1.4
1244	025	5021	0.12	4000	0	55	80	2.5	10	10	12552	8552	NCD-HAIG	65	form-based			true	0.75	19	1.899999976	19	19	22594.5	18594.5	18594.5	1.800072
1245	029	4965	0.11	3600	0	55	80	2.5	9	9	12412	8812	NCD-HAIG	65	form-based			true	0.75	19	2.111111164	19	18	22342.5	18742.5	18742.5	1.800073
1256	063	9118	0.21	4711	0	55	80	2.5	17	17	22795	18084	RH-3	40	form-based			true	0.7	19	1.117647052	19	19	25530.40039	20819.40039	20819.40039	1.12
1272	004	5000	0.11	2500	0	85	140	4	15	15	20000	17500	NCD-COLE	65	form-based			true	0.75	19	1.266666651	19	19	22500	20000	20000	1.125
1274	038	6875	0.16	1126	7	85	140	4	22	15	27500	26374	RTO-C	65	form-based			true	0.75	26	1.181818128	19	19	30937.5	29811.5	29811.5	1.125
1307	001Q	9413	0.22	6161	1	55	80	2.5	18	17	23532	17371	RH-1(D)	40	form-based			true	0.7	20	1.111111164	19	19	26356.40039	20195.40039	20195.40039	1.120024
1334	003	9000	0.21	4855	0	55	80	2.5	17	17	22500	17645	RH-1(D)	40	form-based			true	0.7	19	1.117647052	19	19	25200	20345	20345	1.12
1334	042	10200	0.23	2834	2	55	80	2.5	18	16	25500	22666	RH-1(D)	40	form-based			true	0.7	21	1.166666627	19	19	28560	25726	25726	1.12
1336	039	9272	0.21	8113	0	55	80	2.5	17	17	23180	15067	RH-1(D)	40	form-based		true	true	0.7	19	1.117647052	19	19	25961.59961	17848.59961	17848.59961	1.12
1338	020	9551	0.22	6449	1	55	80	2.5	18	17	23878	17429	RH-1	40	form-based			true	0.7	20	1.111111164	19	19	26742.79883	20293.79883	20293.79883	1.119977
1355	033	9632	0.22	10120	1	55	80	2.5	18	17	24080	13960	RH-1(D)	40	form-based			true	0.7	20	1.111111164	19	19	26969.59961	16849.59961	16849.59961	1.12
1364	075	4855	0.11	801	6	55	80	2.5	9	3	12138	11337	NC-1	85	form-based		true	true	0.75	25	2.777777672	19	12	29130	28329	23475	2.399901
1408	042	5000	0.11	3009	0	65	100	3	11	11	15000	11991	NCD-OUTE	65	form-based			true	0.75	19	1.727272749	19	19	22500	19491	19491	1.5
1409	051	5000	0.11	4250	0	65	100	3	11	11	15000	10750	NCD-OUTE	65	form-based			true	0.75	19	1.727272749	19	19	22500	18250	18250	1.5
1413	021	5059	0.12	10000	0	65	100	3	12	12	15177	5177	NCD-OUTE	65	form-based			true	0.75	19	1.583333373	19	19	22765.5	12765.5	12765.5	1.5
1414	047	5000	0.11	2860	0	65	100	3	11	11	15000	12140	NCD-OUTE	65	form-based			true	0.75	19	1.727272749	19	19	22500	19640	19640	1.5
1424	019	5000	0.11	4600	0	65	100	3	11	11	15000	10400	NCD-INNE	65	form-based			true	0.75	19	1.727272749	19	19	22500	17900	17900	1.5
1431	050	5000	0.11	4250	0	65	100	3	11	11	15000	10750	NCD-INNE	65	form-based			true	0.75	19	1.727272749	19	19	22500	18250	18250	1.5
1433	037	5040	0.12	12872	0	65	100	3	12	12	15120	2248	NCD-INNE	65	form-based		true	true	0.75	19	1.583333373	19	19	22680	9808	9808	1.5
1437	039	5000	0.11	8351	0	65	100	3	11	11	15000	6649	NCD-INNE	65	form-based			true	0.75	19	1.727272749	19	19	22500	14149	14149	1.5
1440	038	5150	0.12	10300	0	65	100	3	12	12	15450	5150	NCD-INNE	65	form-based			true	0.75	19	1.583333373	19	19	23175	12875	12875	1.5
1441	030	5175	0.12	4590	0	65	100	3	12	12	15525	10935	NCD-INNE	65	form-based		true	true	0.75	19	1.583333373	19	19	23287.5	18697.5	18697.5	1.5
1449	021B	3555	0.08	8550	0	65	100	3	8	8	10665	2115	NCD-GEAR	85	form-based			true	0.75	19	2.375	19	16	21330	12780	12780	2
1452	041	4985	0.11	300	0	65	100	3	11	11	14955	14655	NCD-OUTE	65	form-based			true	0.75	19	1.727272749	19	19	22432.5	22132.5	22132.5	1.5
1455	034	5010	0.12	4000	0	65	100	3	12	12	15030	11030	NCD-OUTE	65	form-based			true	0.75	19	1.583333373	19	19	22545	18545	18545	1.5
1469	001	9475	0.22	5236	1	65	100	3	22	21	28425	23189	RH-1(D)	40	form-based		true	true	0.7	20	0.909090936	19	19	26530	21294	21294	0.933333
1518	029	3689	0.08	4185	0	65	100	3	8	8	11067	6882	NCD-GEAR	85	form-based			true	0.75	19	2.375	19	16	22134	17949	17949	2
1525	001	3614	0.08	2905	0	65	100	3	8	8	10842	7937	NCD-GEAR	85	form-based		true	true	0.75	19	2.375	19	16	21684	18779	18779	2
1535	016	8852	0.2	4953	0	65	100	3	20	20	26556	21603	RM-1	40	form-based			true	0.7	19	0.949999988	19	19	24785.59961	19832.59961	19832.59961	0.933333
1542	045	2493	0.06	3220	3	85	140	4	8	5	9972	6752	NCD-GEAR	140	form-based			true	0.75	22	2.75	19	13	22437	19217	16724	2.25
1546	048	6485	0.15	2500	5	65	100	3	15	10	19455	16955	NCD-INNE	65	form-based			true	0.75	24	1.600000024	19	19	29182.5	26682.5	26682.5	1.5
1578	014D	4934	0.11	2093	0	55	80	2.5	9	9	12335	10242	NCD-OUTE	65	form-based			true	0.75	19	2.111111164	19	18	22203	20110	20110	1.8
1606	044	5046	0.12	3000	0	55	80	2.5	10	10	12615	9615	NCD-OUTE	65	form-based			true	0.75	19	1.899999976	19	19	22707	19707	19707	1.8
1606	045	5045	0.12	4000	0	55	80	2.5	10	10	12612	8612	NCD-OUTE	65	form-based			true	0.75	19	1.899999976	19	19	22702.5	18702.5	18702.5	1.800071

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1609	023	5041	0.12	3000	0	55	80	2.5	10	10	12602	9602	NCD-OUTE	65	form-based			true	0.75	19	1.899999976	19	19	22684.5	19684.5	19684.5	1.800071
1611	001C	5039	0.12	4400	0	55	80	2.5	10	10	12598	8198	NCD-OUTE	65	form-based			true	0.75	19	1.899999976	19	19	22675.5	18275.5	18275.5	1.799929
1611	001E	5039	0.12	4400	0	55	80	2.5	10	10	12598	8198	NCD-OUTE	65	form-based			true	0.75	19	1.899999976	19	19	22675.5	18275.5	18275.5	1.799929
1702	019	8243	0.19	2677	0	65	100	3	19	19	24729	22052	NC-2	40	form-based		true	true	0.75	19	1	19	19	24729	22052	22052	1
1730	019A	2127	0.05	2660	0	65	100	3	5	5	6381	3721	NCD-IRVIN	105	form-based			true	0.75	19	3.799999952	19	10	19143	16483	10102	3
1735	020	3572	0.08	5019	0	65	100	3	8	8	10716	5697	NCD-INNE	85	form-based			true	0.75	19	2.375	19	16	21432	16413	16413	2
1742	018	5000	0.11	7640	7	85	140	4	15	8	20000	12360	NCD-INNE	85	form-based		true	true	0.75	26	1.733333349	19	19	30000	22360	22360	1.5
1764	047	4684	0.11	889	6	85	140	4	15	9	18736	17847	NCD-INNE	85	form-based		true	true	0.75	25	1.666666627	19	19	28104	27215	27215	1.5
1776	002	2375	0.05	2640	2	65	100	3	5	3	7125	4485	RH-2	105	form-based			true	0.7	21	4.199999809	19	8	21375	18735	11610	3
1777	039	3533	0.08	3500	0	65	100	3	8	8	10599	7099	NCD-IRVIN	85	form-based			true	0.75	19	2.375	19	16	21198	17698	17698	2
1780	023	3738	0.09	1145	1	85	140	4	13	12	14952	13807	RTO-C	85	form-based			true	0.75	20	1.538461566	19	19	22428	21283	21283	1.5
1823	053	5000	0.11	8744	7	85	140	4	15	8	20000	11256	NCD-JUDA	85	form-based			true	0.75	26	1.733333349	19	19	30000	21256	21256	1.5
1823	054	5000	0.11	8744	7	85	140	4	15	8	20000	11256	NCD-JUDA	85	form-based			true	0.75	26	1.733333349	19	19	30000	21256	21256	1.5
1860A	018	9718	0.22	2777	1	65	100	3	22	21	29154	26377	RH-1(D)	40	form-based		true	true	0.7	20	0.909090936	19	19	27210.40039	24433.40039	24433.40039	0.933333
1871	014B	5005	0.11	2900	0	65	100	3	11	11	15015	12115	NC-1	65	form-based			true	0.75	19	1.727272749	19	19	22522.5	19622.5	19622.5	1.5
1871	023	5006	0.11	3800	0	65	100	3	11	11	15018	11218	NC-1	65	form-based			true	0.75	19	1.727272749	19	19	22527	18727	18727	1.5
1884	057	8865	0.2	5990	0	65	100	3	20	20	26595	20605	RH-1	40	form-based		true	true	0.7	19	0.949999988	19	19	24822	18832	18832	0.933333
1885	051	8939	0.21	15982	0	65	100	3	21	21	26817	10835	RH-1	40	form-based			true	0.7	19	0.90476191	19	19	25029.19922	9047.199219	9047.199219	0.933333
2129	014	9760	0.22	3131	1	55	80	2.5	18	17	24400	21269	RH-1	40	form-based			true	0.7	20	1.111111164	19	19	27328	24197	24197	1.12
2301	006	16639	0.38	13361	16	65	100	3	38	22	49917	36556	RH-2	40	form-based		true	true	0.7	35	0.921052635	19	19	46589.19922	33228.19922	33228.19922	0.933333
2355	008A	6199	0.14	14480	14	85	140	4	20	6	24796	10316	NCD-TARA	85	form-based		true	true	0.75	33	1.649999976	19	19	37194	22714	22714	1.5
2367	038	3824	0.09	3705	1	65	100	3	9	8	11472	7767	RTO-C	85	form-based		true	true	0.75	20	2.222222328	19	17	22944	19239	19239	2
2406	007	3862	0.09	1398	1	65	100	3	9	8	11586	10188	RTO-C	85	form-based			true	0.75	20	2.222222328	19	17	23172	21774	21774	2
2406	008	3846	0.09	1575	1	65	100	3	9	8	11538	9963	RTO-C	85	form-based			true	0.75	20	2.222222328	19	17	23076	21501	21501	2
2406	011	3799	0.09	1478	1	65	100	3	9	8	11397	9919	RTO-C	85	form-based			true	0.75	20	2.222222328	19	17	22794	21316	21316	2
2406	013	3768	0.09	1733	1	65	100	3	9	8	11304	9571	RTO-C	85	form-based			true	0.75	20	2.222222328	19	17	22608	20875	20875	2
2406	038	3838	0.09	3839	1	65	100	3	9	8	11514	7675	RTO-C	85	form-based			true	0.75	20	2.222222328	19	17	23028	19189	19189	2
2414	001	5383	0.12	1970	1	85	140	4	17	16	21532	19562	RTO-C	65	form-based			true	0.75	20	1.176470637	19	19	24223.5	22253.5	22253.5	1.125
2418	004A	9270	0.21	16094	0	65	100	3	21	21	27810	11716	RH-1	40	form-based			true	0.7	19	0.90476191	19	19	25956	9862	9862	0.933333
2509	011	9571	0.22	1947	1	55	80	2.5	18	17	23928	21981	RH-1	40	form-based			true	0.7	20	1.111111164	19	19	26798.79883	24851.79883	24851.79883	1.119977
2541	003	3851	0.09	1963	1	65	100	3	9	8	11553	9590	RTO-C	85	form-based			true	0.75	20	2.222222328	19	17	23106	21143	21143	2
2541	024	3875	0.09	1853	1	65	100	3	9	8	11625	9772	RTO-C	85	form-based			true	0.75	20	2.222222328	19	17	23250	21397	21397	2
2617A	009	9516	0.22	1950	1	55	80	2.5	18	17	23790	21840	RH-1(D)	40	form-based			true	0.7	20	1.111111164	19	19	26644.79883	24694.79883	24694.79883	1.12
2644	011	8933	0.21	0	0	65	100	3	21	21	26799	26799	RH-1	40	form-based			true	0.7	19	0.90476191	19	19	25012.40039	25012.40039	25012.40039	0.933333
2686	001	9523	0.22	3070	1	55	80	2.5	18	17	23808	20738	RH-1(D)	40	form-based		true	true	0.7	20	1.111111164	19	19	26664.40039	23594.40039	23594.40039	1.119977
2751	041	9294	0.21	5216	1	55	80	2.5	17	16	23235	18019	RH-2	40	form-based			true	0.7	20	1.176470637	19	19	26023.19922	20807.19922	20807.19922	1.12
2818	003	9036	0.21	4722	0	55	80	2.5	17	17	22590	17868	RH-1(D)	40	form-based			true	0.7	19	1.117647052	19	19	25300.79883	20578.79883	20578.79883	1.12
2841	002	3785	0.09	3000	1	65	100	3	9	8	11355	8355	RTO-C	85	form-based		true	true	0.75	20	2.222222328	19	17	22710	19710	19710	2
2857	027	9753	0.22	3793	1	65	100	3	22	21	29259	25466	RH-1(D)	40	form-based		true	true	0.7	20	0.909090936	19	19	27308.40039	23515.40039	23515.40039	0.933333
2858	012	9409	0.22	3620	1	65	100	3	22	21	28227	24607	RH-1(D)	40	form-based		true	true	0.7	20	0.909090936	19	19	26345.19922	22725.19922	22725.19922	0.933333
2859	033	9526	0.22	2633	1	55	80	2.5	18	17	23815	21182	RH-1(D)	40	form-based		true	true	0.7	20	1.111111164	19	19	26672.79883	24039.79883	24039.79883	1.12
2862	014	9377	0.22	3907	1	65	100	3	22	21	28131	24224	RH-1(D)	40	form-based		true	true	0.7	20	0.909090936	19	19	26255.59961	22348.59961	22348.59961	0.933333
2864	003	3729	0.09	1853	1	65	100	3	9	8	11187	9334	RTO-C	85	form-based			true	0.75	20	2.222222328	19	17	22374	20521	20521	2
2864	004	3750	0.09	1780	1	65	100	3	9	8	11250	9470	RTO-C	85	form-based			true	0.75	20	2.222222328	19	17	22500	20720	20720	2
2864	006	3731	0.09	1781	1	65	100	3	9	8	11193	9412	RTO-C	85	form-based			true	0.75	20	2.222222328	19	17	22386	20605	20605	2
2864	082	9049	0.21	4265	0	65	100	3	21	21	27147	22882	RH-1(D)	40	form-based			true	0.7	19	0.90476191	19	19	25337.19922	21072.19922	21072.19922	0.933333
2902	050	8951	0.21	0	0	55	80	2.5	17	17	22378	22378	RH-1(D)	40	form-based		true	true	0.7	19	1.117647052	19	19	25062.79883	25062.79883	25062.79883	1.119975
2934	013	9038	0.21	0	0	55	80	2.5	17	17	22595	22595	RH-1(D)	40	form-based			true	0.7	19	1.117647052	19	19	25306.40039	25306.40039	25306.40039	1.12
2982	010	9408	0.22	2620	1	55	80	2.5	18	17	23520	20900	RH-1(D)	40	form-based			true	0.7	20	1.111111164	19	19	26342.40039	23722.40039	23722.40039	1.12
2991	021	9316	0.21	2113	1	55	80	2.5	17	16	23290	21177	RH-1(D)	40	form-based		true	true	0.7	20	1.176470637	19	19	26084.79883	23971.79883	23971.79883	1.12
2992	059	9617	0.22	7120	1	55	80	2.5	18	17	24042	16922	RH-1(D)	40	form-based			true	0.7	20	1.111111164	19	19	26927.59961	19807.59961	19807.59961	1.120023
3011	078	9489	0.22	5174	1	55	80	2.5	18	17	23722	18548	RH-1(D)	40	form-based			true	0.7	20	1.111111164	19	19	26569.19922	21395.19922	21395.19922	1.120024
3011A	015	9739	0.22	2102	1	55	80	2.5	18	17	24348	22246	RH-1(D)	40	form-based			true	0.7	20	1.111111164	19	19	27269.19922	25167.19922	25167.19922	1.119977
3042	045	9357	0.21	4222	1	55	80	2.5	17	16	23392	19170	RH-1(D)	40	form-based		true	true	0.7	20	1.176470637	19	19	26199.59961	21977.59961	21977.59961	1.120024
3042	046	9999	0.23	5627	2	55	80	2.5	18	16	24998	19371	RH-1(D)	40	form-based			true	0.7	21	1.166666627	19	19	27997.19922	22370.19922	22370.19922	1.119978
3073	001	9399	0.22	3513	1	65	100	3	22	21	28197	24684	RH-1(D)	40	form-based			true	0.7	20	0.909090936	19	19	26317.19922	22804.19922	22804.19922	0.933333
3091	077	18700	0.43	807	20	55	80	2.5	34	14	46750	45943	RM-1	40	form-based			true	0.7	39	1.147058845	19	19	52360	51553	51553	1.12
3198	012	3536	0.08	2648	0	65	100	3	8	8	10608	7960	NCT-OCEA	85	form-based			true	0.75	19	2.375	19	16	21216	18568	18568	2
3259	026	5213	0.12	3840	1	65	100	3	12	11	15639	11799	RTO-C	65	form-based			true	0.75	20	1.666666627	19	19	23458.5	19618.5	19618.5	1.5
3509	015C	6344	0.15	14050	0	75	120	3.5	18	18	22204	8154	RCD	55	form-based				0.75	19	1.055555582	19	19	23790	9740	9740	1.071429
3515	034	3685	0.08	0	0	65	100	3	8	8	11055	11055	WMUG	85	form-based			true	0.75	19	2.375	19	16	22110	22110	22110	2
3516	003	3633	0.08	3996	0	65	100	3	8	8	10899	6903	WMUG	85	form-based			true	0.75	19	2.375	19	16	21798	17802	17802	2
3517	016	6475	0.15	19425	0	65	100	3	15	15	19425	0	WMUG	55	form-based		true		0.75	19	1.266666651	19	19	24281.25	4856.25	4856.25	1.25
3532	005	5000	0.11	4659	0	65	100	3	11	11	15000	10341	UMU	68	form-based				0.75	19	1.727272749	19	19	22500	17841	17841	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3548	001	6271	0.14	13560	0	75	120	3.5	17	17	21948	8388	UMU	58	form-based		true		0.75	19	1.117647052	19	19	23516.25	9956.25	9956.25	1.071453
3548	095	8526	0.2	6246	0	75	120	3.5	24	24	29841	23595	UMU	48	form-based				0.75	19	0.791666687	19	19	25578	19332	19332	0.857143
3554	007	3600	0.08	17572	0	95	160	4.5	13	13	16200	0	NCT-MISSI	85	form-based		true		0.75	19	1.461538434	19	19	21600	4028	4028	1.333333
3555	022	6305	0.14	6000	0	75	120	3.5	17	17	22068	16068	NCT-VALEI	55	form-based				0.75	19	1.117647052	19	19	23643.75	17643.75	17643.75	1.071404
3562	008	2473	0.06	3340	3	65	100	3	6	3	7419	4079	NCT-UPPEI	120	form-based			true	0.75	22	3.666666746	19	9	22257	18917	11498	3
3563	029	3556	0.08	8280	13	65	100	3	8	0	10668	2388	NCT-UPPEI	120	form-based			true	0.75	32	4	19	3	32004	23724	13056	3
3564	111	2524	0.06	720	4	85	140	4	8	4	10096	9376	NCT-UPPEI	120	form-based			true	0.75	23	2.875	19	12	22716	21996	19472	2.25
3580	003	5250	0.12	4095	1	85	140	4	17	16	21000	16905	RTO-C	65	form-based			true	0.75	20	1.176470637	19	19	23625	19530	19530	1.125
3582	072	2470	0.06	6934	3	85	140	4	8	5	9880	2946	NCD-CAST	160	form-based			true	0.75	22	2.75	19	13	22230	15296	12826	2.25
3617	008B	6375	0.15	11135	0	65	100	3	15	15	19125	7990	NCT-VALEI	55	form-based				0.75	19	1.266666651	19	19	23906.25	12771.25	12771.25	1.25
3629	021	5405	0.12	3150	1	65	100	3	12	11	16215	13065	RTO-C	65	form-based		true	true	0.75	20	1.666666627	19	19	24322.5	21172.5	21172.5	1.5
3636	001	5101	0.12	10392	0	85	140	4	17	17	20404	10012	NCT-MISSI	65	form-based		true		0.75	19	1.117647052	19	19	22954.5	12562.5	12562.5	1.125
3636	002	5049	0.12	12487	0	85	140	4	17	17	20196	7709	NCT-MISSI	65	form-based				0.75	19	1.117647052	19	19	22720.5	10233.5	10233.5	1.125
3636	003	5049	0.12	5000	0	85	140	4	17	17	20196	15196	NCT-MISSI	65	form-based				0.75	19	1.117647052	19	19	22720.5	17720.5	17720.5	1.125
3636	004	5049	0.12	7315	0	85	140	4	17	17	20196	12881	NCT-MISSI	65	form-based				0.75	19	1.117647052	19	19	22720.5	15405.5	15405.5	1.125
3636	005	5049	0.12	15560	0	85	140	4	17	17	20196	4636	NCT-MISSI	65	form-based				0.75	19	1.117647052	19	19	22720.5	7160.5	7160.5	1.125
3639	025	8569	0.2	8539	0	65	100	3	20	20	25707	17168	UMU	48	form-based				0.75	19	0.949999988	19	19	25707	17168	17168	1
3654	017	8722	0.2	13086	14	65	100	3	20	6	26166	13080	NCD-24TH	65	form-based			true	0.75	33	1.649999976	19	19	39249	26163	26163	1.5
3703	078	2125	0.05	4250	0	85	140	4	7	7	8500	4250	C-3-G	120	form-based				0.8	19	2.714285612	19	14	19125	14875	12750	2.25
3704	059	2135	0.05	3374	0	75	120	3.5	6	6	7472	4098	C-3-G	160	form-based				0.8	19	3.166666746	19	12	19215	15841	11570	2.571601
3722	070	2074	0.05	5220	0	75	120	3.5	6	6	7259	2039	C-3-O(SD)	150	form-based				0.8	19	3.166666746	19	12	18666	13446	9298	2.571429
3725	014	3666	0.08	10998	0	65	100	3	8	8	10998	0	MUR	85	form-based		true		0.75	19	2.375	19	16	21996	10998	10998	2
3727	014	8295	0.19	21194	0	75	120	3.5	23	23	29032	7838	RED	40	form-based				0.75	19	0.826086938	19	19	24885	3691	3691	0.857158
3730	082	8400	0.19	10275	0	65	100	3	19	19	25200	14925	RED	40	form-based				0.75	19	1	19	19	25200	14925	14925	1
3736	100	2125	0.05	15946	0	75	120	3.5	6	6	7438	0	C-3-O(SD)	350	form-based				0.8	19	3.166666746	19	12	19125	3179	0	2.571256
3736	101	2125	0.05	2125	0	75	120	3.5	6	6	7438	5313	C-3-O(SD)	350	form-based				0.8	19	3.166666746	19	12	19125	17000	12751	2.571256
3736	102	2125	0.05	2625	0	75	120	3.5	6	6	7438	4813	C-3-O(SD)	350	form-based				0.8	19	3.166666746	19	12	19125	16500	12251	2.571256
3736	110	2125	0.05	6375	0	75	120	3.5	6	6	7438	1063	C-3-O(SD)	350	form-based				0.8	19	3.166666746	19	12	19125	12750	8501	2.571256
3736	112	2125	0.05	8050	0	75	120	3.5	6	6	7438	0	C-3-O(SD)	350	form-based				0.8	19	3.166666746	19	12	19125	11075	6826	2.571256
3736	596	2125	0.05	10500	0	75	120	3.5	6	6	7438	0	C-3-O(SD)	350	form-based				0.8	19	3.166666746	19	12	19125	8625	4376	2.571256
3752	001	3625	0.08	18000	0	85	140	4	11	11	14500	0	MUR	85	form-based		true		0.75	19	1.727272749	19	19	21750	3750	3750	1.5
3752	008	8229	0.19	6700	0	65	100	3	19	19	24687	17987	MUR	45	form-based				0.75	19	1	19	19	24687	17987	17987	1
3752	080	3675	0.08	7513	0	65	100	3	8	8	11025	3512	MUR	85	form-based		true		0.75	19	2.375	19	16	22050	14537	14537	2
3763	034	3363	0.08	5800	0	65	100	3	8	8	10089	4289	CMUO	85	form-based				0.8	19	2.375	19	16	21523.20117	15723.20117	14378	2.133333
3994	009	4981	0.11	4956	0	85	140	4	15	15	19924	14968	UMU	68	form-based		true		0.75	19	1.266666651	19	19	22414.5	17458.5	17458.5	1.125
3994	011	5162	0.12	4956	0	85	140	4	17	17	20648	15692	UMU	68	form-based		true		0.75	19	1.117647052	19	19	23229	18273	18273	1.125
3994	042	4968	0.11	2371	0	85	140	4	15	15	19872	17501	UMU	68	form-based				0.75	19	1.266666651	19	19	22356	19985	19985	1.125
3995	007	5099	0.12	3440	0	65	100	3	12	12	15297	11857	UMU	68	form-based		true		0.75	19	1.583333373	19	19	22945.5	19505.5	19505.5	1.5
3995	020	8300	0.19	7489	0	65	100	3	19	19	24900	17411	UMU	45	form-based		true		0.75	19	1	19	19	24900	17411	17411	1
3998	018	6301	0.14	5000	0	65	100	3	14	14	18903	13903	UMU	58	form-based				0.75	19	1.357142806	19	19	23628.75	18628.75	18628.75	1.25
4044	031	14761	0.34	1514	36	65	100	3	34	0	44283	42769	UMU	68	form-based		true		0.75	55	1.617647052	19	19	66424.5	64910.5	64910.5	1.5
4080	066	5134	0.12	6320	0	65	100	3	12	12	15402	9082	UMU	68	form-based				0.75	19	1.583333373	19	19	23103	16783	16783	1.5
6553	001	9176	0.21	9806	0	65	100	3	21	21	27528	17722	RH-2	40	form-based		true	true	0.7	19	0.90476191	19	19	25692.79883	15886.79883	15886.79883	0.933333
6618	040	10638	0.24	1429	13	65	100	3	24	11	31914	30485	NC-1	50	form-based		true	true	0.75	32	1.333333373	19	19	39892.5	38463.5	38463.5	1.25
6802	023	11345	0.26	1461	0	65	100	3	26	26	34035	32574	NCD-EXCE	40	density-lim	600	true		0.75	19	0.730769217	19	19	34035	32574	32574	1
6902	011	3546	0.08	2281	0	65	100	3	8	8	10638	8357	NC-1	85	form-based			true	0.75	19	2.375	19	16	21276	18995	18995	2
6903	017	3588	0.08	2922	0	85	140	4	11	11	14352	11430	NC-1	85	form-based			true	0.75	19	1.727272749	19	19	21528	18606	18606	1.5
6905	020	9373	0.22	3635	1	65	100	3	22	21	28119	24484	RH-1(D)	40	form-based		true	true	0.7	20	0.909090936	19	19	26244.40039	22609.40039	22609.40039	0.933333
6907	001	9322	0.21	3759	1	65	100	3	21	20	27966	24207	RH-1(D)	40	form-based		true	true	0.7	20	0.952380955	19	19	26101.59961	22342.59961	22342.59961	0.933333
6907	022	9442	0.22	4024	1	65	100	3	22	21	28326	24302	RH-1(D)	40	form-based		true	true	0.7	20	0.909090936	19	19	26437.59961	22413.59961	22413.59961	0.933333
6908	021	9451	0.22	3005	1	85	140	4	31	30	37804	34799	RH-1(D)	40	form-based			true	0.7	20	0.645161271	19	19	26462.79883	23457.79883	23457.79883	0.7
6909	020	5300	0.12	1724	1	65	100	3	12	11	15900	14176	RTO-C	65	form-based			true	0.75	20	1.666666627	19	19	23850	22126	22126	1.5
6909	021	9441	0.22	4038	1	65	100	3	22	21	28323	24285	RH-1(D)	40	form-based		true	true	0.7	20	0.909090936	19	19	26434.79883	22396.79883	22396.79883	0.933333
6911	001	9286	0.21	5883	1	65	100	3	21	20	27858	21975	RH-1(D)	40	form-based		true	true	0.7	20	0.952380955	19	19	26000.79883	20117.79883	20117.79883	0.933333
6913	005	9422	0.22	3027	1	65	100	3	22	21	28266	25239	RH-1(D)	40	form-based			true	0.7	20	0.909090936	19	19	26381.59961	23354.59961	23354.59961	0.933333
6913	006	9354	0.21	2092	1	65	100	3	21	20	28062	25970	RH-1(D)	40	form-based			true	0.7	20	0.952380955	19	19	26191.19922	24099.19922	24099.19922	0.933333
6913	025	9513	0.22	3928	1	65	100	3	22	21	28539	24611	RH-1(D)	40	form-based			true	0.7	20	0.909090936	19	19	26636.40039	22708.40039	22708.40039	0.933333
6923	009	9731	0.22	1021	1	65	100	3	22	21	29193	28172	RH-1(D)	40	form-based			true	0.7	20	0.909090936	19	19	27246.79883	26225.79883	26225.79883	0.933333
6944	043	4086	0.09	2808	2	85	140	4	13	11	16344	13536	NCT-OCEA	85	form-based			true	0.75	21	1.615384579	19	19	24516	21708	21708	1.5
6962	007	3805	0.09	1296	1	75	120	3.5	11	10	13318	12022	NCT-1	85	form-based			true	0.75	20	1.818181872	19	19	22830	21534	21534	1.714221
6964	009A	3847	0.09	1550	1	85	140	4	13	12	15388	13838	NCT-1	85	form-based			true	0.75	20	1.538461566	19	19	23082	21532	21532	1.5
6964	010	3769	0.09	1056	1	85	140	4	13	12	15076	14020	NCT-1	85	form-based			true	0.75	20	1.538461566	19	19	22614	21558	21558	1.5
7204	001	5250	0.12	3030	1	65	100	3	12	11	15750	12720	RTO-C	65	form-based		true	true	0.75	20	1.666666627	19	19	23625	20595	20595	1.5
7204	012B	5214	0.12	2046	1	65	100	3	12	11	15642	13596	RTO-C	65	form-based		true	true	0.75	20	1.666666627	19	19	23463	21417	21417	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7220	013D	3742	0.09	1503	1	65	100	3	9	8	11226	9723	RTO-C	85	form-based		true	true	0.75	20	2.222222328	19	17	22452	20949	20949	2
7226	013	3715	0.09	1941	1	85	140	4	13	12	14860	12919	RTO-C	85	form-based			true	0.75	20	1.538461566	19	19	22290	20349	20349	1.5
7542	040	9494	0.22	5699	1	65	100	3	22	21	28482	22783	RH-1	40	form-based			true	0.7	20	0.909090936	19	19	26583.19922	20884.19922	20884.19922	0.933333
0030	003	3285	0.08	2981	0	65	100	3	8	8	9855	6874	C-2	85	form-based		true	true	0.8	18	2.25	18	16	21024	18043	16729	2.133333
0030	009	3295	0.08	0	0	65	100	3	8	8	9885	9885	C-2	85	form-based			true	0.8	18	2.25	18	16	21088	21088	19770	2.133333
0041	005	3381	0.08	4264	0	65	100	3	8	8	10143	5879	NCD-NORT	85	form-based		true	true	0.75	18	2.25	18	16	20286	16022	16022	2
0067	014	8547	0.2	278	0	55	80	2.5	16	16	21368	21090	RH-1	40	form-based			true	0.7	18	1.125	18	18	23931.59961	23653.59961	23653.59961	1.119974
0069	020	6767	0.16	4637	1	65	100	3	16	15	20301	15664	RH-3	50	form-based		true	true	0.7	19	1.1875	18	18	23684.5	19047.5	19047.5	1.166667
0097	012	6322	0.15	5945	4	55	80	2.5	12	8	15805	9860	RH-3	65	form-based			true	0.7	22	1.833333373	18	18	26552.40039	20607.40039	20607.40039	1.68
0097	020	5128	0.12	5887	0	55	80	2.5	10	10	12820	6933	RH-3	65	form-based			true	0.7	18	1.799999952	18	18	21537.59961	15650.59961	15650.59961	1.68
0097	035	5891	0.14	5730	3	55	80	2.5	11	8	14728	8998	RH-3	65	form-based			true	0.7	21	1.909090877	18	18	24742.19922	19012.19922	19012.19922	1.679943
0123	093	6750	0.15	780	7	65	100	3	15	8	20250	19470	NC-1	65	form-based		true	true	0.75	25	1.666666627	18	18	30375	29595	29595	1.5
0134	032	8513	0.2	0	0	65	100	3	20	20	25539	25539	RH-3	40	form-based			true	0.7	18	0.899999976	18	18	23836.40039	23836.40039	23836.40039	0.933333
0154	022	6056	0.14	3800	3	65	100	3	14	11	18168	14368	RH-3	65	form-based			true	0.7	21	1.5	18	18	25435.19922	21635.19922	21635.19922	1.4
0161	023	3602	0.08	7214	0	65	100	3	8	8	10806	3592	CRNC	85	density-lim	200			0.75	18	2.25	18	16	21612	14398	14398	2
0163	026	8321	0.19	15333	3	55	80	2.5	15	12	20802	5469	NCD-BROA	65	density-lim	400	true		0.75	21	1.399999976	18	18	37444.5	22111.5	22111.5	1.800043
0193	021A	4536	0.1	10593	5	65	100	3	10	5	13608	3015	CRNC	50	density-lim	200			0.75	23	2.299999952	18	15	17010	6417	6417	1.25
0211	024	3523	0.08	11142	0	65	100	3	8	8	10569	0	RC-4	65	density-lim	200			0.75	18	2.25	18	16	15853.5	4711.5	4711.5	1.5
0220	013	4795	0.11	11188	0	55	80	2.5	9	9	11988	800	RM-3	65	form-based			true	0.75	18	2	18	18	21577.5	10389.5	10389.5	1.799925
0226	029	3624	0.08	6801	0	65	100	3	8	8	10872	4071	CCB	50	density-lim	200			0.75	18	2.25	18	16	13590	6789	6789	1.25
0227	043	4116	0.09	19977	3	65	100	3	9	6	12348	0	CCB	50	density-lim	200			0.75	21	2.333333254	18	15	15435	0	0	1.25
0228	038	2025	0.05	0	0	85	140	4	7	7	8100	8100	C-3-O	250	form-based		true		0.8	18	2.571428537	18	14	18225	18225	16200	2.25
0236	006	3806	0.09	23979	0	75	120	3.5	11	11	13321	0	C-3-O	75	form-based				0.8	18	1.636363626	18	18	21313.59961	0	0	1.6
0241	015	4202	0.1	16294	3	65	100	3	10	7	12606	0	CVR	50	density-lim	200	true		0.75	21	2.099999905	18	17	15757.5	0	0	1.25
0270	001	1998	0.05	9729	0	75	120	3.5	6	6	6993	0	C-3-O	130	form-based		true		0.8	18	3	18	12	17982	8253	4257	2.571429
0273	001E	7288	0.17	20265	18	65	100	3	17	0	21864	1599	RM-4	65	density-lim	200			0.75	36	2.117647171	18	16	32796	12531	12531	1.5
0278	001B	3750	0.09	11200	16	65	100	3	9	0	11250	50	RTO-C	120	form-based			true	0.75	34	3.777777672	18	2	33750	22550	11300	3
0283	012	3594	0.08	8913	0	65	100	3	8	8	10782	1869	RC-4	65	density-lim	200			0.75	18	2.25	18	16	16173	7260	7260	1.5
0286	006	2050	0.05	8150	0	75	120	3.5	6	6	7175	0	C-3-R	130	form-based				0.8	18	3	18	12	18450	10300	6200	2.571429
0288	006	1975	0.05	33830	0	75	120	3.5	6	6	6912	0	C-3-O	250	form-based		true		0.8	18	3	18	12	17775	0	0	2.571615
0302	029	3528	0.08	2800	0	65	100	3	8	8	10584	7784	RC-4	80	density-lim	200			0.75	18	2.25	18	16	21168	18368	18368	2
0317	010A	4500	0.1	36264	5	65	100	3	10	5	13500	0	RC-4	130	density-lim	200	true		0.75	23	2.299999952	18	15	40500	4236	0	3
0317	020	3584	0.08	7000	0	65	100	3	8	8	10752	3752	RC-4	130	density-lim	200	true		0.75	18	2.25	18	16	32256	25256	14504	3
0331	007	4347	0.1	15900	4	75	120	3.5	12	8	15214	0	RC-4	130	density-lim	200			0.75	22	1.833333373	18	18	39123	23223	14528	2.571513
0334	008	3588	0.08	0	0	65	100	3	8	8	10764	10764	RC-4	80	density-lim	200			0.75	18	2.25	18	16	21528	21528	21528	2
0343	012	2366	0.05	6692	3	65	100	3	5	2	7098	406	C-3-G	120	form-based				0.8	21	4.199999809	18	7	21294	14602	7504	3
0345	010	3692	0.08	6914	0	75	120	3.5	10	10	12922	6008	RC-4	80	density-lim	200			0.75	18	1.799999952	18	18	22152	15238	15238	1.714286
0349	013	2024	0.05	10194	0	75	120	3.5	6	6	7084	0	C-3-G	120	form-based				0.8	18	3	18	12	18216	8022	3974	2.571429
0481	007	5000	0.11	4026	1	65	100	3	11	10	15000	10974	RTO-C	65	form-based			true	0.75	19	1.727272749	18	18	22500	18474	18474	1.5
0497	004A	2500	0.06	5464	5	65	100	3	6	1	7500	2036	NC-3	140	form-based			true	0.75	23	3.833333254	18	7	22500	17036	9536	3
0498	017	3238	0.07	8561	11	65	100	3	7	0	9714	1153	NC-3	140	form-based		true	true	0.75	29	4.142857075	18	3	29142	20581	10867	3
0498	018	2231	0.05	2560	2	65	100	3	5	3	6693	4133	RTO-C	140	form-based			true	0.75	20	4	18	8	20079	17519	10826	3
0498	019	2187	0.05	3528	2	65	100	3	5	3	6561	3033	RTO-C	140	form-based			true	0.75	20	4	18	8	19683	16155	9594	3
0498	034	2188	0.05	1766	2	65	100	3	5	3	6564	4798	RTO-C	140	form-based			true	0.75	20	4	18	8	19692	17926	11362	3
0505	013	2500	0.06	4338	5	55	80	2.5	5	0	6250	1912	NC-3	140	form-based		true	true	0.75	23	4.599999905	18	5	22500	18162	8162	3.6
0521	031	4117	0.09	3342	4	65	100	3	9	5	12351	9009	RTO-C	85	form-based			true	0.75	22	2.444444418	18	14	24702	21360	21360	2
0528	009B	4807	0.11	12093	0	65	100	3	11	11	14421	2328	NCD-UNIO	65	form-based		true	true	0.75	18	1.636363626	18	18	21631.5	9538.5	9538.5	1.5
0528	017	3903	0.09	2880	2	65	100	3	9	7	11709	8829	RTO-C	85	form-based			true	0.75	20	2.222222328	18	16	23418	20538	20538	2
0529	005	4740	0.11	5430	0	65	100	3	11	11	14220	8790	NCD-UNIO	65	form-based			true	0.75	18	1.636363626	18	18	21330	15900	15900	1.5
0544	011	6502	0.15	8100	6	65	100	3	15	9	19506	11406	NCD-UNIO	65	form-based			true	0.75	24	1.600000024	18	18	29259	21159	21159	1.5
0546	009	3815	0.09	3410	2	65	100	3	9	7	11445	8035	RTO-C	85	form-based			true	0.75	20	2.222222328	18	16	22890	19480	19480	2
0547	007	5806	0.13	20700	34	65	100	3	13	0	17418	0	RC-3	140	form-based		true	true	0.75	52	4	18	0	52254	31554	14136	3
0550	027	2124	0.05	1375	1	65	100	3	5	4	6372	4997	RTO-C	240	form-based			true	0.75	19	3.799999952	18	9	19116	17741	11369	3
0552	011	11014	0.25	48250	40	65	100	3	25	0	33042	0	RTO-C	85	form-based			true	0.75	58	2.319999933	18	10	66084	17834	17834	2
0553	028	4003	0.09	6180	3	55	80	2.5	7	4	10008	3828	RTO-C	85	form-based		true	true	0.75	21	3	18	11	24018	17838	13836	2.39988
0553	041	4127	0.09	828	4	55	80	2.5	7	3	10318	9490	RTO-C	85	form-based			true	0.75	22	3.142857075	18	10	24762	23934	19808	2.399884
0574	003	3433	0.08	4609	0	65	100	3	8	8	10299	5690	NCD-POLK	85	form-based			true	0.75	18	2.25	18	16	20598	15989	15989	2
0574	004	3500	0.08	2859	0	65	100	3	8	8	10500	7641	NCD-POLK	85	form-based			true	0.75	18	2.25	18	16	21000	18141	18141	2
0576	011	4355	0.1	11988	21	65	100	3	10	0	13065	1077	RTO-C	140	form-based			true	0.75	39	3.900000095	18	0	39195	27207	14142	3
0576	016	2349	0.05	4794	3	65	100	3	5	2	7047	2253	RTO-C	140	form-based		true	true	0.75	21	4.199999809	18	7	21141	16347	9300	3
0577	001	3320	0.08	17070	12	65	100	3	8	0	9960	0	RTO-C	140	form-based		true	true	0.75	30	3.75	18	4	29880	12810	2850	3
0577	016	3289	0.08	7557	12	55	80	2.5	6	0	8222	665	RTO-C	140	form-based			true	0.75	30	5	18	0	29601	22044	8887	3.600219
0578	005	2591	0.06	5399	5	55	80	2.5	5	0	6478	1079	RTO-C	140	form-based			true	0.75	23	4.599999905	18	5	23319	17920	7557	3.599722
0581	020	11332	0.26	19800	24	55	80	2.5	21	0	28330	8530	RTO-C	65	form-based			true	0.75	42	2	18	18	50994	31194	31194	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0582	013	9018	0.21	12027	1	55	80	2.5	17	16	22545	10518	RH-1	40	form-based		true	true	0.7	19	1.117647052	18	18	25250.40039	13223.40039	13223.40039	1.12
0586	007	8946	0.21	5862	1	65	100	3	21	20	26838	20976	RH-1	40	form-based			true	0.7	19	0.90476191	18	18	25048.79883	19186.79883	19186.79883	0.933333
0592	006	8806	0.2	13418	0	65	100	3	20	20	26418	13000	RH-2	40	form-based			true	0.7	18	0.899999976	18	18	24656.79883	11238.79883	11238.79883	0.933333
0595	129	6466	0.15	838	16	65	100	3	15	0	19398	18560	NCD-POLK	85	form-based			true	0.75	34	2.266666651	18	14	38796	37958	37958	2
0620	024	5115	0.12	9780	7	65	100	3	12	5	15345	5565	RM-2	85	form-based			true	0.7	25	2.083333254	18	17	28644	18864	18864	1.866667
0623	007	2765	0.06	6348	7	65	100	3	6	0	8295	1947	RTO-C	240	form-based			true	0.75	25	4.166666508	18	5	24885	18537	10242	3
0636	017	3381	0.08	2839	0	65	100	3	8	8	10143	7304	RTO-C	85	form-based			true	0.75	18	2.25	18	16	20286	17447	17447	2
0636	022	7819	0.18	10800	11	65	100	3	18	7	23457	12657	NCD-UPPE	65	form-based			true	0.75	29	1.611111164	18	18	35185.5	24385.5	24385.5	1.5
0637	035	3809	0.09	2125	2	55	80	2.5	7	5	9522	7397	RTO-C	85	form-based			true	0.75	20	2.857142925	18	12	22854	20729	16919	2.400126
0640	009	4727	0.11	7170	7	65	100	3	11	4	14181	7011	RTO-C	85	form-based			true	0.75	25	2.272727251	18	15	28362	21192	21192	2
0641	006B	4700	0.11	3455	7	65	100	3	11	4	14100	10645	RM-3	80	form-based		true	true	0.75	25	2.272727251	18	15	28200	24745	24745	2
0642	009	2786	0.06	6633	7	65	100	3	6	0	8358	1725	RTO-C	240	form-based			true	0.75	25	4.166666508	18	5	25074	18441	10083	3
0644	023	6490	0.15	13564	16	65	100	3	15	0	19470	5906	RM-3	85	form-based			true	0.75	34	2.266666651	18	14	38940	25376	25376	2
0648	131	3904	0.09	2665	2	65	100	3	9	7	11712	9047	RTO-C	85	form-based			true	0.75	20	2.222222328	18	16	23424	20759	20759	2
0654	001D	3470	0.08	4700	0	65	100	3	8	8	10410	5710	NCD-UPPE	85	form-based			true	0.75	18	2.25	18	16	20820	16120	16120	2
0657	034	3781	0.09	1446	2	65	100	3	9	7	11343	9897	RTO-C	85	form-based			true	0.75	20	2.222222328	18	16	22686	21240	21240	2
0669	005	7034	0.16	31995	0	65	100	3	16	16	21102	0	NCD-POLK	130	density-lin	400	true		0.75	18	1.125	18	18	63306	31311	10209	3
0670	017	2024	0.05	10003	0	85	140	4	7	7	8096	0	RC-4	350	form-based		true	true	0.75	18	2.571428537	18	14	18216	8213	6189	2.25
0674	004	8319	0.19	17853	24	65	100	3	19	0	24957	7104	RM-4	50	density-lin	200			0.75	42	2.210526228	18	14	31196.25	13343.25	13343.25	1.25
0679	050	3781	0.09	2523	2	65	100	3	9	7	11343	8820	NC-2	85	form-based			true	0.75	20	2.222222328	18	16	22686	20163	20163	2
0688	030	4035	0.09	6936	2	65	100	3	9	7	12105	5169	RM-4	50	density-lin	200			0.75	20	2.222222328	18	16	15131.25	8195.25	8195.25	1.25
0702	003	4726	0.11	7795	0	85	140	4	15	15	18904	11109	NCT-FILLM	65	form-based				0.75	18	1.200000048	18	18	21267	13472	13472	1.125
0702	004	4726	0.11	5525	0	85	140	4	15	15	18904	13379	NCT-FILLM	65	form-based				0.75	18	1.200000048	18	18	21267	15742	15742	1.125
0717	008	3600	0.08	7200	0	65	100	3	8	8	10800	3600	RC-4	80	density-lin	200			0.75	18	2.25	18	16	21600	14400	14400	2
0718	014	6300	0.14	19800	39	65	100	3	14	0	18900	0	RC-4	500	form-based			true	0.75	57	4.071428776	18	0	56700	36900	18000	3
0733	011	7189	0.17	0	0	65	100	3	17	17	21567	21567	RM-3	50	density-lin	400			0.75	18	1.058823586	18	18	26958.75	26958.75	26958.75	1.25
0737	007	3840	0.09	4710	1	65	100	3	9	8	11520	6810	RM-4	80	density-lin	200			0.75	19	2.111111164	18	17	23040	18330	18330	2
0749	007	16986	0.39	29794	24	65	100	3	39	15	50958	21164	RM-3	130	density-lin	400			0.75	42	1.076923132	18	18	143176.5	113382.5	72122	2.809696
0770	026	10500	0.24	10008	0	55	80	2.5	19	19	26250	16242	RTO-1	40	density-lin	600	true		0.7	18	0.947368443	18	18	29400	19392	19392	1.12
0776	034	17875	0.41	33332	0	55	80	2.5	33	33	44688	11356	RH-3	40	density-lin	1000			0.7	18	0.545454562	18	18	50050	16718	16718	1.119987
0779	015	3798	0.09	2500	1	55	80	2.5	7	6	9495	6995	RM-4	40	density-lin	200			0.75	19	2.714285612	18	13	11394	8894	8894	1.2
0785	033	5961	0.14	0	0	65	100	3	14	14	17883	17883	NCT-3	50	form-based				0.75	18	1.285714269	18	18	22353.75	22353.75	22353.75	1.25
0781	033	64281	1.48	62128	89	55	80	2.5	118	29	160702	98574	RM-2	50	density-lin	600	true		0.55	107	0.906779647	18	18	176772.75	114644.75	114644.75	1.100003
0809	011	6000	0.14	10175	0	65	100	3	14	14	18000	7825	NCT-HAYE	50	form-based				0.75	18	1.285714269	18	18	22500	12325	12325	1.25
0817	078	5976	0.14	0	0	65	100	3	14	14	17928	17928	NCT-HAYE	50	form-based		true		0.75	18	1.285714269	18	18	22410	22410	22410	1.25
0834	014	3277	0.08	2194	0	65	100	3	8	8	9831	7637	C-3-G	85	form-based				0.8	18	2.25	18	16	20972.80078	18778.80078	17468	2.133333
0834	015	3277	0.08	5415	0	65	100	3	8	8	9831	4416	C-3-G	85	form-based				0.8	18	2.25	18	16	20972.80078	15557.80078	14247	2.133333
0834	016	3277	0.08	3142	0	65	100	3	8	8	9831	6689	C-3-G	85	form-based				0.8	18	2.25	18	16	20972.80078	17830.80078	16520	2.133333
0834	017	3277	0.08	4300	0	65	100	3	8	8	9831	5531	C-3-G	85	form-based				0.8	18	2.25	18	16	20972.80078	16672.80078	15362	2.133333
0837	001	3366	0.08	10098	0	65	100	3	8	8	10098	0	NCT-3	85	form-based		true		0.75	18	2.25	18	16	20196	10098	10098	2
0855	012	2684	0.06	5025	6	65	100	3	6	0	8052	3027	NCT-3	140	form-based			true	0.75	24	4	18	6	24156	19131	11079	3
0862	021	4881	0.11	4899	0	65	100	3	11	11	14643	9744	NC-1	65	form-based		true	true	0.75	18	1.636363626	18	18	21964.5	17065.5	17065.5	1.5
0961	022	9187	0.21	13347	1	55	80	2.5	17	16	22968	9621	RH-1(D)	40	form-based			true	0.7	19	1.117647052	18	18	25723.59961	12376.59961	12376.59961	1.119976
0962	001	9201	0.21	14910	1	55	80	2.5	17	16	23002	8092	RH-1(D)	40	form-based		true	true	0.7	19	1.117647052	18	18	25762.79883	10852.79883	10852.79883	1.120024
0962	003	9133	0.21	8400	1	55	80	2.5	17	16	22832	14432	RH-1(D)	40	form-based			true	0.7	19	1.117647052	18	18	25572.40039	17172.40039	17172.40039	1.120025
0962	004	9130	0.21	8120	1	55	80	2.5	17	16	22825	14705	RH-1(D)	40	form-based		true	true	0.7	19	1.117647052	18	18	25564	17444	17444	1.12
0964	008	9011	0.21	8700	1	55	80	2.5	17	16	22528	13828	RH-1(D)	40	form-based			true	0.7	19	1.117647052	18	18	25230.79883	16530.79883	16530.79883	1.119975
0969	006	8920	0.2	11253	1	55	80	2.5	16	15	22300	11047	RH-1	40	form-based			true	0.7	19	1.1875	18	18	24976	13723	13723	1.12
0977	015	8962	0.21	7300	1	55	80	2.5	17	16	22405	15105	RH-1(D)	40	form-based		true	true	0.7	19	1.117647052	18	18	25093.59961	17793.59961	17793.59961	1.12
0988	019	9181	0.21	7680	1	55	80	2.5	17	16	22952	15272	RH-1	40	form-based			true	0.7	19	1.117647052	18	18	25706.79883	18026.79883	18026.79883	1.120024
0993	018	8870	0.2	10396	1	55	80	2.5	16	15	22175	11779	RH-1	40	form-based			true	0.7	19	1.1875	18	18	24836	14440	14440	1.12
0995	011	8856	0.2	6958	1	55	80	2.5	16	15	22140	15182	RH-1	40	form-based		true	true	0.7	19	1.1875	18	18	24796.79883	17838.79883	17838.79883	1.12
1024	011	5635	0.13	13137	12	85	140	4	18	6	22540	9403	RTO-C	85	form-based			true	0.75	30	1.666666627	18	18	33810	20673	20673	1.5
1026	004	3807	0.09	5926	2	65	100	3	9	7	11421	5495	RTO-C	85	form-based			true	0.75	20	2.222222328	18	16	22842	16916	16916	2
1026	017	5630	0.13	11400	12	65	100	3	13	1	16890	5490	NC-2	85	form-based			true	0.75	30	2.307692289	18	14	33780	22380	22380	2
1027	040	4119	0.09	1850	4	65	100	3	9	5	12357	10507	RTO-C	85	form-based			true	0.75	22	2.444444418	18	14	24714	22864	22864	2
1028	027	3778	0.09	3574	2	85	140	4	13	11	15112	11538	NC-2	85	form-based			true	0.75	20	1.538461566	18	18	22668	19094	19094	1.5
1034	002	3428	0.08	2260	0	65	100	3	8	8	10284	8024	NC-S	85	form-based			true	0.75	18	2.25	18	16	20568	18308	18308	2
1034	002A	3430	0.08	1660	0	65	100	3	8	8	10290	8630	NC-S	85	form-based			true	0.75	18	2.25	18	16	20580	18920	18920	2
1036	036	5779	0.13	13050	12	55	80	2.5	10	0	14448	1398	RTO-C	85	form-based			true	0.75	30	3	18	8	34674	21624	15846	2.399917
1040	063	3795	0.09	685	2	55	80	2.5	7	5	9488	8803	RTO-C	85	form-based			true	0.75	20	2.857142925	18	12	22770	22085	18291	2.399873
1050	009	3726	0.09	5141	2	65	100	3	9	7	11178	6037	RTO-C	85	form-based			true	0.75	20	2.222222328	18	16	22356	17215	17215	2
1051	017	2187	0.05	3515	2	65	100	3	5	3	6561	3046	NC-3	140	form-based			true	0.75	20	4	18	8	19683	16168	9607	3
1051	018	2188	0.05	2415	2	65	100	3	5	3	6564	4149	NC-3	140	form-based			true	0.75	20	4	18	8	19692	17277	10713	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1051	020	2187	0.05	3238	2	65	100	3	5	3	6561	3323	NC-3	140	form-based			true	0.75	20	4	18	8	19683	16445	9884	3
1061	023	2000	0.05	0	0	85	140	4	7	7	8000	8000	NCD-GEAR	140	form-based			true	0.75	18	2.571428537	18	14	18000	18000	16000	2.25
1079	032	2380	0.05	1341	3	65	100	3	5	2	7140	5799	RTO-C	240	form-based			true	0.75	21	4.199999809	18	7	21420	20079	12939	3
1081	007	2234	0.05	1590	2	85	140	4	7	5	8936	7346	RTO-C	140	form-based			true	0.75	20	2.857142925	18	12	20106	18516	16282	2.25
1082	006	2500	0.06	3150	5	65	100	3	6	1	7500	4350	RTO-C	140	form-based			true	0.75	23	3.833333254	18	7	22500	19350	11850	3
1085	040	5561	0.13	7836	11	65	100	3	13	2	16683	8847	RTO-C	85	form-based			true	0.75	29	2.230769157	18	15	33366	25530	25530	2
1092	023	3645	0.08	1016	1	65	100	3	8	7	10935	9919	RTO-C	85	form-based			true	0.75	19	2.375	18	15	21870	20854	20854	2
1129	014A	6370	0.15	4048	1	65	100	3	15	14	19110	15062	RM-3	50	form-based			true	0.75	19	1.266666651	18	18	23887.5	19839.5	19839.5	1.25
1174	002B	4600	0.11	5619	6	55	80	2.5	9	3	11500	5881	RTO-C	85	form-based			true	0.75	24	2.666666746	18	12	27600	21981	17381	2.4
1180	017	6641	0.15	18133	17	55	80	2.5	12	0	16602	0	NCT-DIVIS	85	form-based		true	true	0.75	35	2.916666746	18	7	39846	21713	15071	2.400072
1181	015	3463	0.08	1439	0	55	80	2.5	6	6	8658	7219	NCT-DIVIS	85	form-based			true	0.75	18	3	18	12	20778	19339	15877	2.399861
1186	009J	3439	0.08	2369	0	55	80	2.5	6	6	8598	6229	NC-1	85	form-based			true	0.75	18	3	18	12	20634	18265	14827	2.39986
1186	028	3839	0.09	1542	2	55	80	2.5	7	5	9598	8056	RTO-C	85	form-based			true	0.75	20	2.857142925	18	12	23034	21492	17654	2.399875
1187	003H	8565	0.2	0	0	55	80	2.5	16	16	21412	21412	RH-2	40	form-based			true	0.7	18	1.125	18	18	23982	23982	23982	1.120026
1230	009	6875	0.16	9900	8	55	80	2.5	13	5	17188	7288	NCD-HAIG	65	form-based			true	0.75	26	2	18	18	30937.5	21037.5	21037.5	1.799948
1251	028	6356	0.15	4325	0	65	100	3	15	15	19068	14743	RH-3	50	form-based			true	0.7	18	1.200000048	18	18	22246	17921	17921	1.166667
1273	036	4750	0.11	6350	0	85	140	4	15	15	19000	12650	RTO-C	65	form-based			true	0.75	18	1.200000048	18	18	21375	15025	15025	1.125
1335	001	9258	0.21	5112	1	55	80	2.5	17	16	23145	18033	RH-1(D)	40	form-based		true	true	0.7	19	1.117647052	18	18	25922.40039	20810.40039	20810.40039	1.12
1351	041	8610	0.2	3915	0	55	80	2.5	16	16	21525	17610	RH-2	40	form-based			true	0.7	18	1.125	18	18	24108	20193	20193	1.12
1355	031	9116	0.21	7214	1	55	80	2.5	17	16	22790	15576	RH-1(D)	40	form-based			true	0.7	19	1.117647052	18	18	25524.79883	18310.79883	18310.79883	1.12
1372	023	6314	0.14	16545	15	55	80	2.5	11	0	15785	0	RTO-C	85	form-based		true	true	0.75	33	3	18	7	37884	21339	15025	2.4
1427	012	7791	0.18	6550	0	65	100	3	18	18	23373	16823	NCD-INNE	40	form-based			true	0.75	18	1	18	18	23373	16823	16823	1
1432	017	4842	0.11	8096	0	65	100	3	11	11	14526	6430	NCD-INNE	65	form-based		true	true	0.75	18	1.636363626	18	18	21789	13693	13693	1.5
1442	001	4920	0.11	4500	0	65	100	3	11	11	14760	10260	NCD-INNE	65	form-based		true	true	0.75	18	1.636363626	18	18	22140	17640	17640	1.5
1447	050	3375	0.08	1424	0	65	100	3	8	8	10125	8701	NCD-GEAR	85	form-based			true	0.75	18	2.25	18	16	20250	18826	18826	2
1449	019A	3504	0.08	8604	0	85	140	4	11	11	14016	5412	NCD-GEAR	85	form-based		true	true	0.75	18	1.636363626	18	18	21024	12420	12420	1.5
1451	041	7033	0.16	10150	8	65	100	3	16	8	21099	10949	NCD-OUTE	65	form-based		true	true	0.75	26	1.625	18	18	31648.5	21498.5	21498.5	1.5
1453	018	3500	0.08	4625	0	65	100	3	8	8	10500	5875	NCD-GEAR	85	form-based			true	0.75	18	2.25	18	16	21000	16375	16375	2
1463	001	4731	0.11	11370	0	65	100	3	11	11	14193	2823	NC-1	65	form-based		true	true	0.75	18	1.636363626	18	18	21289.5	9919.5	9919.5	1.5
1464	011	5750	0.13	20400	12	85	140	4	18	6	23000	2600	RTO-C	85	form-based		true	true	0.75	30	1.666666627	18	18	34500	14100	14100	1.5
1512	046	5326	0.12	5632	10	85	140	4	17	7	21304	15672	RTO-C	85	form-based			true	0.75	28	1.647058845	18	18	31956	26324	26324	1.5
1515	043	5016	0.12	576	8	85	140	4	17	9	20064	19488	RTO-C	85	form-based			true	0.75	26	1.529411793	18	18	30096	29520	29520	1.5
1516	046	4913	0.11	5746	8	85	140	4	15	7	19652	13906	RTO-C	85	form-based			true	0.75	26	1.733333349	18	18	29478	23732	23732	1.5
1543	046	2502	0.06	4000	5	85	140	4	8	3	10008	6008	NCD-GEAR	140	form-based			true	0.75	23	2.875	18	11	22518	18518	16016	2.25
1548	023	4794	0.11	3325	0	65	100	3	11	11	14382	11057	NCD-INNE	65	form-based		true	true	0.75	18	1.636363626	18	18	21573	18248	18248	1.5
1553	019	5035	0.12	3650	1	65	100	3	12	11	15105	11455	RTO-C	65	form-based			true	0.75	19	1.583333373	18	18	22657.5	19007.5	19007.5	1.5
1572	013A	5038	0.12	2225	1	65	100	3	12	11	15114	12889	RTO-C	65	form-based			true	0.75	19	1.583333373	18	18	22671	20446	20446	1.5
1579	017	4764	0.11	3410	0	55	80	2.5	9	9	11910	8500	NCD-OUTE	65	form-based			true	0.75	18	2	18	18	21438	18028	18028	1.8
1583	024	4702	0.11	10772	0	55	80	2.5	9	9	11755	983	RTO-C	65	form-based		true	true	0.75	18	2	18	18	21159	10387	10387	1.8
1607	001	4879	0.11	5085	0	55	80	2.5	9	9	12198	7113	NCD-OUTE	65	form-based		true	true	0.75	18	2	18	18	21955.5	16870.5	16870.5	1.799926
1639	046	4767	0.11	4275	0	55	80	2.5	9	9	11918	7643	NCD-INNE	65	form-based		true	true	0.75	18	2	18	18	21451.5	17176.5	17176.5	1.799924
1668	018	9050	0.21	20775	30	55	80	2.5	17	0	22625	1850	RTO-C	85	form-based		true	true	0.75	48	2.823529482	18	4	54300	33525	24475	2.4
1676	005	3600	0.08	1400	1	55	80	2.5	6	5	9000	7600	RTO-C	85	form-based		true	true	0.75	19	3.166666746	18	11	21600	20200	16600	2.4
1728	018	3475	0.08	2400	0	65	100	3	8	8	10425	8025	NCD-IRVIN	85	form-based			true	0.75	18	2.25	18	16	20850	18450	18450	2
1731	047	5000	0.11	6678	8	65	100	3	11	3	15000	8322	RTO-C	85	form-based			true	0.75	26	2.363636255	18	14	30000	23322	23322	2
1733	019	5000	0.11	9114	8	65	100	3	11	3	15000	5886	NCD-INNE	85	form-based		true	true	0.75	26	2.363636255	18	14	30000	20886	20886	2
1737	009	12056	0.28	18858	27	65	100	3	28	1	36168	17310	RTO-C	65	form-based		true	true	0.75	45	1.607142806	18	18	54252	35394	35394	1.5
1741	026	3339	0.08	3250	0	65	100	3	8	8	10017	6767	NCD-INNE	85	form-based		true	true	0.75	18	2.25	18	16	20034	16784	16784	2
1754	010	3391	0.08	3325	0	85	140	4	11	11	13564	10239	NCD-INNE	85	form-based		true	true	0.75	18	1.636363626	18	18	20346	17021	17021	1.5
1768	015B	3600	0.08	2653	1	65	100	3	8	7	10800	8147	RTO-C	85	form-based			true	0.75	19	2.375	18	15	21600	18947	18947	2
1774	002	1977	0.05	1810	0	65	100	3	5	5	5931	4121	NCD-IRVIN	140	form-based			true	0.75	18	3.599999905	18	10	17793	15983	10052	3
1783	017	3462	0.08	3900	0	85	140	4	11	11	13848	9948	NC-1	85	form-based			true	0.75	18	1.636363626	18	18	20772	16872	16872	1.5
1792	019	4981	0.11	7140	8	65	100	3	11	3	14943	7803	RTO-C	85	form-based			true	0.75	26	2.363636255	18	14	29886	22746	22746	2
1802	050	5000	0.11	6344	8	85	140	4	15	7	20000	13656	RTO-C	85	form-based			true	0.75	26	1.733333349	18	18	30000	23656	23656	1.5
1824	048	5000	0.11	7174	8	65	100	3	11	3	15000	7826	NCD-JUDA	85	form-based			true	0.75	26	2.363636255	18	14	30000	22826	22826	2
1824	051	5000	0.11	7174	8	65	100	3	11	3	15000	7826	NCD-JUDA	85	form-based			true	0.75	26	2.363636255	18	14	30000	22826	22826	2
1844	047	3500	0.08	20	0	85	140	4	11	11	14000	13980	NCD-INNE	85	form-based			true	0.75	18	1.636363626	18	18	21000	20980	20980	1.5
1860A	016	9237	0.21	1200	1	65	100	3	21	20	27711	26511	RH-1(D)	40	form-based			true	0.7	19	0.90476191	18	18	25863.59961	24663.59961	24663.59961	0.933333
1918	048	4868	0.11	6350	0	55	80	2.5	9	9	12170	5820	NC-1	65	form-based			true	0.75	18	2	18	18	21906	15556	15556	1.8
2027	018	5426	0.12	10880	10	55	80	2.5	10	0	13565	2685	NCD-NORI	85	form-based		true	true	0.75	28	2.799999952	18	10	32556	21676	16250	2.4
2030	011	2023	0.05	1320	0	55	80	2.5	4	4	5058	3738	NCD-NORI	140	form-based			true	0.75	18	4.5	18	8	18207	16887	8796	3.599644
2348	023	3500	0.08	6560	0	65	100	3	8	8	10500	3940	NCD-TARA	85	form-based		true	true	0.75	18	2.25	18	16	21000	14440	14440	2
2353	008	5777	0.13	17986	12	65	100	3	13	1	17331	0	NCD-TARA	85	form-based		true	true	0.75	30	2.307692289	18	14	34662	16676	16676	2
2358	034	5000	0.11	6288	8	85	140	4	15	7	20000	13712	NCD-TARA	85	form-based			true	0.75	26	1.733333349	18	18	30000	23712	23712	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2371	015A	5000	0.11	6632	8	85	140	4	15	7	20000	13368	RTO-C	85	form-based			true	0.75	26	1.733333349	18	18	30000	23368	23368	1.5
2375	050	4375	0.1	3445	5	65	100	3	10	5	13125	9680	NC-1	85	form-based			true	0.75	23	2.299999952	18	15	26250	22805	22805	2
2390	048	5000	0.11	6244	8	65	100	3	11	3	15000	8756	NCD-TARA	85	form-based			true	0.75	26	2.363636255	18	14	30000	23756	23756	2
2404	003	3611	0.08	2025	1	85	140	4	11	10	14444	12419	NCD-TARA	85	form-based			true	0.75	19	1.727272749	18	18	21666	19641	19641	1.5
2406	012	3784	0.09	3055	2	65	100	3	9	7	11352	8297	RTO-C	85	form-based			true	0.75	20	2.222222328	18	16	22704	19649	19649	2
2406	014	3416	0.08	2702	0	65	100	3	8	8	10248	7546	RTO-C	85	form-based			true	0.75	18	2.25	18	16	20496	17794	17794	2
2406	016	3714	0.09	1634	1	65	100	3	9	8	11142	9508	RTO-C	85	form-based			true	0.75	19	2.111111164	18	17	22284	20650	20650	2
2406	017	3695	0.08	2666	1	65	100	3	8	7	11085	8419	RTO-C	85	form-based			true	0.75	19	2.375	18	15	22170	19504	19504	2
2406	018	3528	0.08	2044	1	65	100	3	8	7	10584	8540	RTO-C	85	form-based	true	true	true	0.75	19	2.375	18	15	21168	19124	19124	2
2406	037	3792	0.09	3028	2	65	100	3	9	7	11376	8348	RTO-C	85	form-based			true	0.75	20	2.222222328	18	16	22752	19724	19724	2
2441	010	8732	0.2	11341	0	65	100	3	20	20	26196	14855	RH-1	40	form-based			true	0.7	18	0.899999976	18	18	24449.59961	13108.59961	13108.59961	0.933333
2454	057	7662	0.18	20369	11	65	100	3	18	7	22986	2617	NC-1	65	form-based	true	true	true	0.75	29	1.611111164	18	18	34479	14110	14110	1.5
2513	022	2709	0.06	4300	6	65	100	3	6	0	8127	3827	RM-2	100	form-based	true	true	true	0.7	24	4	18	6	24381	20081	11954	3
2513	023	2709	0.06	4000	6	65	100	3	6	0	8127	4127	RM-2	100	form-based			true	0.7	24	4	18	6	24381	20381	12254	3
2513	024	2709	0.06	4000	6	65	100	3	6	0	8127	4127	RM-2	100	form-based			true	0.7	24	4	18	6	24381	20381	12254	3
2513	025	2709	0.06	4000	6	65	100	3	6	0	8127	4127	RM-2	100	form-based			true	0.7	24	4	18	6	24381	20381	12254	3
2541	001	3567	0.08	1800	1	65	100	3	8	7	10701	8901	RTO-C	85	form-based			true	0.75	19	2.375	18	15	21402	19602	19602	2
2647	028	2281	0.05	4145	3	65	100	3	5	2	6843	2698	RTO-C	160	form-based			true	0.75	21	4.199999809	18	7	20529	16384	9541	3
2695	021	9137	0.21	8760	8	65	100	3	21	13	27411	18651	RH-3	50	form-based			true	0.7	26	1.238095284	18	18	31979.5	23219.5	23219.5	1.166667
2819	010	9283	0.21	5181	1	65	100	3	21	20	27849	22668	RH-1(D)	40	form-based			true	0.7	19	0.90476191	18	18	25992.40039	20811.40039	20811.40039	0.933333
2859	016	9002	0.21	2755	1	55	80	2.5	17	16	22505	19750	RH-1(D)	40	form-based	true	true	true	0.7	19	1.117647052	18	18	25205.59961	22450.59961	22450.59961	1.12
2861	041	9277	0.21	2223	1	55	80	2.5	17	16	23192	20969	RH-1(D)	40	form-based			true	0.7	19	1.117647052	18	18	25975.59961	23752.59961	23752.59961	1.120024
2864	005	3638	0.08	1620	1	65	100	3	8	7	10914	9294	RTO-C	85	form-based			true	0.75	19	2.375	18	15	21828	20208	20208	2
2877	009	9272	0.21	4100	1	65	100	3	21	20	27816	23716	RH-1(D)	40	form-based	true	true	true	0.7	19	0.90476191	18	18	25961.59961	21861.59961	21861.59961	0.933333
2923	077	8359	0.19	6300	0	55	80	2.5	15	15	20898	14598	RH-1(D)	40	form-based			true	0.7	18	1.200000048	18	18	23405.19922	17105.19922	17105.19922	1.119973
2935	005	9073	0.21	2878	1	55	80	2.5	17	16	22682	19804	RH-1(D)	40	form-based			true	0.7	19	1.117647052	18	18	25404.40039	22526.40039	22526.40039	1.120025
2973A	050	8866	0.2	2078	1	55	80	2.5	16	15	22165	20087	RH-1(D)	40	form-based			true	0.7	19	1.1875	18	18	24824.79883	22746.79883	22746.79883	1.12
2979	009	3348	0.08	1778	0	85	140	4	11	11	13392	11614	NCD-WEST	85	form-based			true	0.75	18	1.636363626	18	18	20088	18310	18310	1.5
2979A	002	3353	0.08	0	0	65	100	3	8	8	10059	10059	NCD-WEST	85	form-based			true	0.75	18	2.25	18	16	20118	20118	20118	2
2988A	005	3502	0.08	4525	0	65	100	3	8	8	10506	5981	NCD-WEST	85	form-based			true	0.75	18	2.25	18	16	21012	16487	16487	2
2988A	012	3452	0.08	2416	0	65	100	3	8	8	10356	7940	NCD-WEST	85	form-based			true	0.75	18	2.25	18	16	20712	18296	18296	2
2991	034	8868	0.2	4144	1	55	80	2.5	16	15	22170	18026	RH-1(D)	40	form-based			true	0.7	19	1.1875	18	18	24830.40039	20686.40039	20686.40039	1.12
3011	053	9095	0.21	6762	1	55	80	2.5	17	16	22738	15976	RH-1(D)	40	form-based			true	0.7	19	1.117647052	18	18	25466	18704	18704	1.119975
3013B	001	8339	0.19	0	0	65	100	3	19	19	25017	25017	RH-1(D)	40	form-based	true	true	true	0.7	18	0.947368443	18	18	23349.19922	23349.19922	23349.19922	0.933333
3044	014	9265	0.21	6004	1	55	80	2.5	17	16	23162	17158	RH-1(D)	40	form-based			true	0.7	19	1.117647052	18	18	25942	19938	19938	1.120024
3046	034	9235	0.21	4094	1	55	80	2.5	17	16	23088	18994	RH-1(D)	40	form-based			true	0.7	19	1.117647052	18	18	25858	21764	21764	1.119976
3069	008	8891	0.2	4655	1	65	100	3	20	19	26673	22018	RH-1(D)	40	form-based			true	0.7	19	0.949999988	18	18	24894.79883	20239.79883	20239.79883	0.933333
3073	006	8642	0.2	0	0	65	100	3	20	20	25926	25926	RH-1(D)	40	form-based	true	true	true	0.7	18	0.899999976	18	18	24197.59961	24197.59961	24197.59961	0.933333
3076	063	9157	0.21	3238	1	65	100	3	21	20	27471	24233	RH-1(D)	40	form-based			true	0.7	19	0.90476191	18	18	25639.59961	22401.59961	22401.59961	0.933333
3076A	010	9175	0.21	2976	1	65	100	3	21	20	27525	24549	RH-1(D)	40	form-based			true	0.7	19	0.90476191	18	18	25690	22714	22714	0.933333
3077	016	9213	0.21	3325	1	55	80	2.5	17	16	23032	19707	RH-1(D)	40	form-based			true	0.7	19	1.117647052	18	18	25796.40039	22471.40039	22471.40039	1.120024
3105	006	9196	0.21	4116	1	55	80	2.5	17	16	22990	18874	RH-1(D)	40	form-based	true	true	true	0.7	19	1.117647052	18	18	25748.79883	21632.79883	21632.79883	1.12
3105	011	9161	0.21	4716	1	55	80	2.5	17	16	22902	18186	RH-1(D)	40	form-based	true	true	true	0.7	19	1.117647052	18	18	25650.79883	20934.79883	20934.79883	1.120024
3105A	001	9127	0.21	3706	1	55	80	2.5	17	16	22818	19112	RH-1(D)	40	form-based	true	true	true	0.7	19	1.117647052	18	18	25555.59961	21849.59961	21849.59961	1.119975
3105A	005	8941	0.21	5405	1	55	80	2.5	17	16	22352	16947	RH-1(D)	40	form-based			true	0.7	19	1.117647052	18	18	25034.79883	19629.79883	19629.79883	1.120025
3105A	007	9025	0.21	2704	1	55	80	2.5	17	16	22562	19858	RH-1(D)	40	form-based			true	0.7	19	1.117647052	18	18	25270	22566	22566	1.120025
3207	005	10941	0.25	16644	0	55	80	2.5	20	20	27352	10708	NCD-EXCE	65	density-lin	600			0.75	18	0.899999976	18	18	49234.5	32590.5	32590.5	1.800033
3212	023E	2137	0.05	2086	1	85	140	4	7	6	8548	6462	NCT-1	120	form-based			true	0.75	19	2.714285612	18	13	19233	17147	15010	2.25
3259	023	5149	0.12	3469	1	65	100	3	12	11	15447	11978	RTO-C	65	form-based	true	true	true	0.75	19	1.583333373	18	18	23170.5	19701.5	19701.5	1.5
3509	037	2053	0.05	4513	0	85	140	4	7	7	8212	3699	C-3-G	160	form-based	true			0.8	18	2.571428537	18	14	18477	13964	11911	2.25
3514	008	3385	0.08	6435	0	65	100	3	8	8	10155	3720	NCT-3	85	form-based				0.75	18	2.25	18	16	20310	13875	13875	2
3515	035	3460	0.08	3300	0	65	100	3	8	8	10380	7080	WMUG	85	form-based			true	0.75	18	2.25	18	16	20760	17460	17460	2
3516	053	3343	0.08	6562	0	65	100	3	8	8	10029	3467	WMUG	85	form-based	true	true	true	0.75	18	2.25	18	16	20058	13496	13496	2
3519	005	6003	0.14	21500	0	65	100	3	14	14	18009	0	RCD	55	form-based	true			0.75	18	1.285714269	18	18	22511.25	1011.25	1011.25	1.25
3520	001	6160	0.14	0	0	65	100	3	14	14	18480	18480	RCD	55	form-based	true			0.75	18	1.285714269	18	18	23100	23100	23100	1.25
3520	028	6020	0.14	0	0	65	100	3	14	14	18060	18060	WMUG	55	form-based				0.75	18	1.285714269	18	18	22575	22575	22575	1.25
3532	011	4900	0.11	4900	0	75	120	3.5	13	13	17150	12250	UMU	68	form-based				0.75	18	1.384615421	18	18	22050	17150	17150	1.285714
3532	035	6001	0.14	17080	0	65	100	3	14	14	18003	923	NCT-3	50	form-based	true			0.75	18	1.285714269	18	18	22503.75	5423.75	5423.75	1.25
3542	005	2516	0.06	4956	5	85	140	4	8	3	10064	5108	NCT-UPPE	120	form-based			true	0.75	23	2.875	18	11	22644	17688	15172	2.25
3553	023	6125	0.14	12250	14	75	120	3.5	17	3	21438	9188	NCT-MISSI	80	form-based				0.75	32	1.882352948	18	18	36750	24500	24500	1.714246
3554	025	5955	0.14	1434	0	75	120	3.5	17	17	20842	19408	NCT-VALE	55	form-based				0.75	18	1.058823586	18	18	22331.25	20897.25	20897.25	1.071454
3555	017	6044	0.14	5100	0	85	140	4	20	20	24176	19076	NCT-VALE	55	form-based				0.75	18	0.899999976	18	18	22665	17565	17565	0.9375
3555	056	6146	0.14	19500	0	75	120	3.5	17	17	21511	2011	NCT-VALE	55	form-based	true			0.75	18	1.058823586	18	18	23047.5	3547.5	3547.5	1.071429
3558	114	9334	0.21	523	15	65	100	3	21	6	28002	27479	RTO-1	65	form-based			true	0.7	33	1.571428537	18	18	39202.80078	38679.80078	38679.80078	1.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3560	015	2033	0.05	954	0	85	140	4	7	7	8132	7178	NCT-UPPE	160	form-based		true	true	0.75	18	2.571428537	18	14	18297	17343	15310	2.25
3562	006	2035	0.05	3809	0	65	100	3	5	5	6105	2296	NCT-UPPE	120	form-based			true	0.75	18	3.599999905	18	10	18315	14506	8401	3
3562	029	3813	0.09	1785	2	65	100	3	9	7	11439	9654	RTO-C	85	form-based			true	0.75	20	2.222222328	18	16	22878	21093	21093	2
3573	037	6094	0.14	899	0	65	100	3	14	14	18282	17383	UMU	58	form-based				0.75	18	1.285714269	18	18	22852.5	21953.5	21953.5	1.25
3574	085	18098	0.42	14570	0	75	120	3.5	50	50	63343	48773	RH-3	55	density-lim	1000	true		0.7	18	0.360000014	18	18	63343	48773	48773	1
3582	075	2470	0.06	3020	4	85	140	4	8	4	9880	6860	NCD-CAST	140	form-based			true	0.75	22	2.75	18	12	22230	19210	16740	2.25
3629	033	4971	0.11	2535	1	85	140	4	15	14	19884	17349	RTO-C	65	form-based			true	0.75	19	1.266666651	18	18	22369.5	19834.5	19834.5	1.125
3656	044	4895	0.11	7344	0	55	80	2.5	9	9	12238	4894	NCD-24TH	65	form-based		true	true	0.75	18	2	18	18	22027.5	14683.5	14683.5	1.799926
3704	079	7776	0.18	1240	52	75	120	3.5	22	0	27216	25976	C-3-G	90	form-based		true		0.8	70	3.181818247	18	0	69984	68744	53192	2.571429
3725	042	3200	0.07	8939	0	75	120	3.5	8	8	11200	2261	C-3-S	85	form-based				0.8	18	2.25	18	16	20480	11541	11541	1.828571
3725	064	3782	0.09	15000	2	65	100	3	9	7	11346	0	NCT-SOMA	85	form-based				0.75	20	2.222222328	18	16	22692	7692	7692	2
3726	012	3376	0.08	6424	0	65	100	3	8	8	10128	3704	MUG	85	form-based				0.75	18	2.25	18	16	20256	13832	13832	2
3729	074	5947	0.14	7889	0	65	100	3	14	14	17841	9952	WMUG	55	form-based				0.75	18	1.285714269	18	18	22301.25	14412.25	14412.25	1.25
3731	077	4919	0.11	8700	0	65	100	3	11	11	14757	6057	RED	65	form-based				0.75	18	1.636363626	18	18	22135.5	13435.5	13435.5	1.5
3732	180	5770	0.13	926	12	65	100	3	13	1	17310	16384	MUR	85	form-based				0.75	30	2.307692289	18	14	34620	33694	33694	2
3733	028	2000	0.05	2500	0	65	100	3	5	5	6000	3500	MUR	130	form-based				0.75	18	3.599999905	18	10	18000	15500	9500	3
3733	059	1973	0.05	2000	0	65	100	3	5	5	5919	3919	C-3-S	130	form-based				0.8	18	3.599999905	18	10	17757	15757	9838	3
3736	023	2000	0.05	2925	0	75	120	3.5	6	6	7000	4075	C-3-O(SD)	250	form-based				0.8	18	3	18	12	18000	15075	11075	2.571429
3736	083A	2000	0.05	0	0	75	120	3.5	6	6	7000	7000	C-3-O(SD)	350	form-based				0.8	18	3	18	12	18000	18000	14000	2.571429
3736	084	2000	0.05	0	0	75	120	3.5	6	6	7000	7000	C-3-O(SD)	350	form-based				0.8	18	3	18	12	18000	18000	14000	2.571429
3736	085	2000	0.05	0	0	75	120	3.5	6	6	7000	7000	C-3-O(SD)	350	form-based				0.8	18	3	18	12	18000	18000	14000	2.571429
3736	088	2000	0.05	4000	0	75	120	3.5	6	6	7000	3000	C-3-O(SD)	350	form-based				0.8	18	3	18	12	18000	14000	10000	2.571429
3736	091	2000	0.05	3625	0	75	120	3.5	6	6	7000	3375	C-3-O(SD)	350	form-based				0.8	18	3	18	12	18000	14375	10375	2.571429
3736	092	2000	0.05	4000	0	75	120	3.5	6	6	7000	3000	C-3-O(SD)	350	form-based				0.8	18	3	18	12	18000	14000	10000	2.571429
3736	093	2000	0.05	6218	0	75	120	3.5	6	6	7000	782	C-3-O(SD)	350	form-based				0.8	18	3	18	12	18000	11782	7782	2.571429
3736	597	2000	0.05	0	0	75	120	3.5	6	6	7000	7000	C-3-O(SD)	350	form-based				0.8	18	3	18	12	18000	18000	14000	2.571429
3752	015	7991	0.18	8000	0	65	100	3	18	18	23973	15973	MUR	45	form-based				0.75	18	1	18	18	23973	15973	15973	1
3762	119	3200	0.07	3648	0	85	140	4	10	10	12800	9152	CMUO	85	form-based				0.8	18	1.799999952	18	18	20480	16832	16832	1.6
3762	123	3200	0.07	6400	0	85	140	4	10	10	12800	6400	CMUO	85	form-based				0.8	18	1.799999952	18	18	20480	14080	14080	1.6
3763	093	2000	0.05	3020	0	65	100	3	5	5	6000	2980	CMUO	130	form-based				0.8	18	3.599999905	18	10	18000	14980	8980	3
3763	094	2000	0.05	2375	0	65	100	3	5	5	6000	3625	CMUO	130	form-based				0.8	18	3.599999905	18	10	18000	15625	9625	3
3763	095	2000	0.05	10464	0	65	100	3	5	5	6000	0	CMUO	130	form-based				0.8	18	3.599999905	18	10	18000	7536	1536	3
3775	102	8112	0.19	16420	0	65	100	3	19	19	24336	7916	SPD	40	form-based				0.75	18	0.947368443	18	18	24336	7916	7916	1
3775	140	10406	0.24	2074	24	65	100	3	24	0	31218	29144	CMUO	65	form-based		true		0.8	42	1.75	18	18	49948.80078	47874.80078	47874.80078	1.6
3776	038	2022	0.05	3243	0	65	100	3	5	5	6066	2823	CMUO	130	form-based				0.8	18	3.599999905	18	10	18198	14955	8889	3
3787	019	4420	0.1	27471	0	75	120	3.5	12	12	15470	0	CMUO	65	form-based				0.8	18	1.5	18	18	21216	0	0	1.371429
3788	049	10238	0.24	1565	23	65	100	3	24	1	30714	29149	CMUO	65	form-based				0.8	41	1.708333373	18	18	49142.40234	47577.40234	47577.40234	1.6
3987	008	7814	0.18	15770	0	65	100	3	18	18	23442	7672	UMU	48	form-based		true		0.75	18	1	18	18	23442	7672	7672	1
3987	009B	8039	0.18	9254	0	65	100	3	18	18	24117	14863	UMU	40	form-based		true		0.75	18	1	18	18	24117	14863	14863	1
6512	027	18074	0.41	52974	0	65	100	3	41	41	54222	1248	RH-3	40	density-lim	1000	true		0.7	18	0.439024389	18	18	50607.19922	0	0	0.933333
6514	005	5858	0.13	0	0	75	120	3.5	16	16	20503	20503	NCT-VALE	55	form-based				0.75	18	1.125	18	18	21967.5	21967.5	21967.5	1.071429
6516	005B	3516	0.08	2893	0	75	120	3.5	10	10	12306	9413	NCT-MISSI	80	form-based				0.75	18	1.799999952	18	18	21096	18203	18203	1.714286
6516	027	3387	0.08	1890	0	85	140	4	11	11	13548	11658	NCT-MISSI	85	form-based				0.75	18	1.636363626	18	18	20322	18432	18432	1.5
6528	052	4745	0.11	4647	0	75	120	3.5	13	13	16608	11961	NCT-MISSI	65	form-based		true		0.75	18	1.384615421	18	18	21352.5	16705.5	16705.5	1.285676
6574	001B	10896	0.25	10258	0	65	100	3	25	25	32688	22430	NCD-MISSI	50	density-lim	600			0.75	18	0.720000029	18	18	40860	30602	30602	1.25
6619	002	4747	0.11	15395	0	65	100	3	11	11	14241	0	RTO-C	65	form-based			true	0.75	18	1.636363626	18	18	21361.5	5966.5	5966.5	1.5
6745	001	2059	0.05	1365	1	75	120	3.5	6	5	7206	5841	RTO-C	140	form-based		true	true	0.75	19	3.166666746	18	11	18531	17166	13047	2.571607
6745	101	2455	0.06	645	4	75	120	3.5	7	3	8592	7947	RTO-C	140	form-based			true	0.75	22	3.142857075	18	10	22095	21450	16539	2.571578
6756	011	4802	0.11	8706	7	75	120	3.5	13	6	16807	8101	NCT-GLEN	85	form-based		true	true	0.75	25	1.923076868	18	18	28812	20106	20106	1.714286
6903	015	3489	0.08	2960	0	85	140	4	11	11	13956	10996	NC-1	85	form-based			true	0.75	18	1.636363626	18	18	20934	17974	17974	1.5
6905	009	8380	0.19	0	0	65	100	3	19	19	25140	25140	RH-1(D)	40	form-based			true	0.7	18	0.947368443	18	18	23464	23464	23464	0.933333
6908	019	9011	0.21	3703	1	65	100	3	21	20	27033	23330	RH-1(D)	40	form-based			true	0.7	19	0.90476191	18	18	25230.79883	21527.79883	21527.79883	0.933333
6909	003	5035	0.12	2835	1	65	100	3	12	11	15105	12270	RTO-C	65	form-based			true	0.75	19	1.583333373	18	18	22657.5	19822.5	19822.5	1.5
6912	032	9221	0.21	3535	1	65	100	3	21	20	27663	24128	RH-1(D)	40	form-based			true	0.7	19	0.90476191	18	18	25818.79883	22283.79883	22283.79883	0.933333
6914	017	9055	0.21	1515	1	65	100	3	21	20	27165	25650	RH-1(D)	40	form-based		true	true	0.7	19	0.90476191	18	18	25354	23839	23839	0.933333
6923	030	9236	0.21	1760	1	65	100	3	21	20	27708	25948	RH-1(D)	40	form-based			true	0.7	19	0.90476191	18	18	25860.79883	24100.79883	24100.79883	0.933333
6934	027	3337	0.08	3300	0	85	140	4	11	11	13348	10048	NCT-OCEA	85	form-based			true	0.75	18	1.636363626	18	18	20022	16722	16722	1.5
6935	021	3449	0.08	1880	0	65	100	3	8	8	10347	8467	NCT-OCEA	85	form-based			true	0.75	18	2.25	18	16	20694	18814	18814	2
6941	063	3381	0.08	5285	0	85	140	4	11	11	13524	8239	NCT-OCEA	85	form-based			true	0.75	18	1.636363626	18	18	20286	15001	15001	1.5
6964	011	3691	0.08	1056	1	85	140	4	11	10	14764	13708	NCT-1	85	form-based			true	0.75	19	1.727272749	18	18	22146	21090	21090	1.5
7179	012	3750	0.09	0	0	75	120	3.5	11	11	13125	13125	RH-1	85	form-based			true	0.7	18	1.636363626	18	18	21000	21000	21000	1.6
7204	001A	4979	0.11	3773	1	65	100	3	11	10	14937	11164	RTO-C	65	form-based			true	0.75	19	1.727272749	18	18	22405.5	18632.5	18632.5	1.5
7207	001	5054	0.12	2012	1	55	80	2.5	10	9	12635	10623	RTO-C	65	form-based		true	true	0.75	19	1.899999976	18	18	22743	20731	20731	1.8
7209	001	5116	0.12	1805	1	55	80	2.5	10	9	12790	10985	RTO-C	65	form-based		true	true	0.75	19	1.899999976	18	18	23022	21217	21217	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7209	012B	5133	0.12	1942	1	55	80	2.5	10	9	12832	10890	RTO-C	65	form-based		true	true	0.75	19	1.899999976	18	18	23098.5	21156.5	21156.5	1.80007
7210	001	5085	0.12	3341	1	55	80	2.5	10	9	12712	9371	RTO-C	65	form-based		true	true	0.75	19	1.899999976	18	18	22882.5	19541.5	19541.5	1.800071
7224	002B	3423	0.08	6715	0	85	140	4	11	11	13692	6977	NCD-LAKE	85	form-based			true	0.75	18	1.636363626	18	18	20538	13823	13823	1.5
7225	001	8833	0.2	3459	1	65	100	3	20	19	26499	23040	RH-1(D)	40	form-based		true	true	0.7	19	0.949999988	18	18	24732.40039	21273.40039	21273.40039	0.933333
7226	014	3644	0.08	1711	1	85	140	4	11	10	14576	12865	RTO-C	85	form-based			true	0.75	19	1.727272749	18	18	21864	20153	20153	1.5
7226	010	3694	0.08	1711	1	85	140	4	11	10	14776	13065	RTO-C	85	form-based			true	0.75	19	1.727272749	18	18	22164	20453	20453	1.5
7226	011	3701	0.08	1711	1	85	140	4	11	10	14804	13093	RTO-C	85	form-based			true	0.75	19	1.727272749	18	18	22206	20495	20495	1.5
7226	012	3708	0.09	1574	1	85	140	4	13	12	14832	13258	RTO-C	85	form-based			true	0.75	19	1.461538434	18	18	22248	20674	20674	1.5
7238	008	9075	0.21	1691	1	65	100	3	21	20	27225	25534	RH-1(D)	40	form-based			true	0.7	19	0.90476191	18	18	25410	23719	23719	0.933333
7238	009	9221	0.21	2276	1	65	100	3	21	20	27663	25387	RH-1(D)	40	form-based			true	0.7	19	0.90476191	18	18	25818.79883	23542.79883	23542.79883	0.933333
7535	108	33124	0.76	0	52	55	80	2.5	61	9	82810	82810	RM-1	40	form-based		true	true	0.7	70	1.147540927	18	18	92747.19531	92747.19531	92747.19531	1.12
7543	025	8343	0.19	0	0	65	100	3	19	19	25029	25029	RM-1	40	form-based			true	0.7	18	0.947368443	18	18	23360.40039	23360.40039	23360.40039	0.933333
0051	037	20291	0.47	1399	44	65	100	3	47	3	60873	59474	NCD-NORT	50	form-based		true	true	0.75	61	1.297872305	17	17	76091.25	74692.25	74692.25	1.25
0051	081	17644	0.41	940	36	65	100	3	41	5	52932	51992	NCD-NORT	50	form-based			true	0.75	53	1.292682886	17	17	66165	65225	65225	1.25
0069	005	6657	0.15	7930	2	55	80	2.5	12	10	16642	8712	RH-3	50	form-based		true	true	0.7	19	1.583333373	17	17	23299.5	15369.5	15369.5	1.400042
0088	020	6870	0.16	11196	0	55	80	2.5	13	13	17175	5979	NCD-NORT	40	density-lim	400			0.75	17	1.307692289	17	17	20610	9414	9414	1.2
0125	118	6021	0.14	1603	4	55	80	2.5	11	7	15052	13449	RH-3	65	form-based			true	0.7	21	1.909090877	17	17	25288.19922	23685.19922	23685.19922	1.680056
0132	028	12546	0.29	15800	14	55	80	2.5	23	9	31365	15565	NCD-NORT	40	density-lim	400	true		0.75	31	1.347826123	17	17	37638	21838	21838	1.2
0160	014A	3483	0.08	5600	0	65	100	3	8	8	10449	4849	CRNC	65	density-lim	200	true		0.75	17	2.125	17	16	15673.5	10073.5	10073.5	1.5
0174	009	4215	0.1	8760	0	65	100	3	10	10	12645	3885	C-2	65	form-base	800			0.8	17	1.700000048	17	17	20232	11472	11472	1.6
0176	016	13800	0.32	76431	0	65	100	3	32	32	41400	0	C-2	65	density-lim	800	true		0.8	17	0.53125	17	17	66240	0	0	1.6
0178	011	3324	0.08	10923	0	65	100	3	8	8	9972	0	CRNC	85	density-lim	200	true		0.75	17	2.125	17	16	19944	9021	9021	2
0178	012	3421	0.08	6547	0	65	100	3	8	8	10263	3716	CRNC	85	density-lim	200			0.75	17	2.125	17	16	20526	13979	13979	2
0179	001	3850	0.09	7202	2	65	100	3	9	7	11550	4348	CRNC	85	density-lim	200	true		0.75	19	2.111111164	17	16	23100	15898	15898	2
0179	041	4982	0.11	8604	8	65	100	3	11	3	14946	6342	CRNC	85	density-lim	200			0.75	25	2.272727251	17	14	29892	21288	21288	2
0187	036	8365	0.19	14070	14	55	80	2.5	15	1	20912	6842	RM-3	65	form-based			true	0.75	31	2.066666603	17	16	37642.5	23572.5	23572.5	1.800043
0193	017	9688	0.22	34288	31	85	140	4	31	0	38752	4464	CRNC	50	density-lim	200	true		0.75	48	1.548387051	17	17	36330	2042	2042	0.9375
0214	014	8490	0.19	8477	15	55	80	2.5	15	0	21225	12748	RM-4	65	form-based			true	0.75	32	2.133333445	17	15	38205	29728	29728	1.8
0224	027	3360	0.08	0	0	65	100	3	8	8	10080	10080	RM-4	65	density-lim	200			0.75	17	2.125	17	16	15120	15120	15120	1.5
0225	019	3930	0.09	16028	3	65	100	3	9	6	11790	0	CRNC	65	density-lim	200			0.75	20	2.222222328	17	15	17685	1657	1657	1.5
0227	033	4630	0.11	18483	6	65	100	3	11	5	13890	0	CCB	50	density-lim	200			0.75	23	2.090909004	17	16	17362.5	0	0	1.25
0237	001	3626	0.08	19516	0	75	120	3.5	10	10	12691	0	C-3-O	75	form-based		true		0.8	17	1.700000048	17	17	20305.59961	789.5996094	789.5996094	1.6
0239	012	1891	0.04	0	0	65	100	3	4	4	5673	5673	C-3-O	300	form-based				0.8	17	4.25	17	8	17019	17019	11346	3
0249	009	3438	0.08	9160	14	65	100	3	8	0	10314	1154	NCD-POLK	120	form-based			true	0.75	31	3.875	17	2	30942	21782	11468	3
0250	012	2190	0.05	4518	3	65	100	3	5	2	6570	2052	NCD-POLK	120	form-based			true	0.75	20	4	17	7	19710	15192	8622	3
0250	031	2190	0.05	1373	3	65	100	3	5	2	6570	5197	NCD-POLK	120	form-based			true	0.75	20	4	17	7	19710	18337	11767	3
0252	012	3438	0.08	3055	0	55	80	2.5	6	6	8595	5540	RM-4	65	density-lim	200			0.75	17	2.833333254	17	12	15471	12416	12416	1.8
0268	013	1929	0.04	0	0	75	120	3.5	5	5	6752	6752	C-3-O	150	form-based				0.8	17	3.400000095	17	10	17361	17361	13504	2.571238
0277	003	2814	0.06	5955	8	65	100	3	6	0	8442	2487	RTO-C	120	form-based			true	0.75	25	4.166666508	17	4	25326	19371	10929	3
0283	017	3472	0.08	3900	0	65	100	3	8	8	10416	6516	RC-4	65	density-lim	200			0.75	17	2.125	17	16	15624	11724	11724	1.5
0298	029A	3422	0.08	3018	0	65	100	3	8	8	10266	7248	RC-4	80	density-lim	200			0.75	17	2.125	17	16	20532	17514	17514	2
0298	039	6944	0.16	1784	18	65	100	3	16	0	20832	19048	RC-4	80	density-lim	200	true		0.75	35	2.1875	17	14	41664	39880	39880	2
0299	018	3475	0.08	5195	0	65	100	3	8	8	10425	5230	RC-4	80	density-lim	200			0.75	17	2.125	17	16	20850	15655	15655	2
0301	013	9481	0.22	22310	30	65	100	3	22	0	28443	6133	RC-4	130	density-lim	200			0.75	47	2.136363745	17	14	85329	63019	34576	3
0309	022	1850	0.04	13081	0	65	100	3	4	4	5550	0	C-3-R	130	form-based		true		0.8	17	4.25	17	8	16650	3569	0	3
0311	010	1935	0.04	260624	0	75	120	3.5	5	5	6772	0	C-3-O	250	form-based		true		0.8	17	3.400000095	17	10	17415	0	0	2.571618
0317	011	3448	0.08	4110	0	65	100	3	8	8	10344	6234	RC-4	130	density-lim	200			0.75	17	2.125	17	16	31032	26922	16578	3
0321	036	3421	0.08	1446	0	85	140	4	11	11	13684	12238	RC-4	80	density-lim	200			0.75	17	1.545454502	17	17	20526	19080	19080	1.5
0329	006	1854	0.04	2130	0	85	140	4	6	6	7416	5286	C-3-R	130	form-based				0.8	17	2.833333254	17	12	16686	14556	12702	2.25
0333	008	3437	0.08	0	0	65	100	3	8	8	10311	10311	RC-4	80	density-lim	200			0.75	17	2.125	17	16	20622	20622	20622	2
0334	006	3748	0.09	13800	2	65	100	3	9	7	11244	0	RC-4	80	density-lim	200			0.75	19	2.111111164	17	16	22488	8688	8688	2
0334	013	3451	0.08	3474	0	65	100	3	8	8	10353	6879	RC-4	80	density-lim	200			0.75	17	2.125	17	16	20706	17232	17232	2
0334	044	3438	0.08	0	0	65	100	3	8	8	10314	10314	RC-4	80	density-lim	200			0.75	17	2.125	17	16	20628	20628	20628	2
0338	013	3303	0.08	10218	0	65	100	3	8	8	9909	0	RC-4	120	density-lim	200	true		0.75	17	2.125	17	16	29727	19509	9600	3
0340	005	1875	0.04	0	0	75	120	3.5	5	5	6562	6562	C-3-G	120	form-based				0.8	17	3.400000095	17	10	16875	16875	13124	2.571625
0340	011	3375	0.08	6300	0	75	120	3.5	10	10	11812	5512	RC-4	120	density-lim	200			0.75	17	1.700000048	17	17	30375	24075	17324	2.571537
0445A	004	7500	0.17	23736	0	55	80	2.5	14	14	18750	0	NC-2	40	form-based			true	0.75	17	1.214285731	17	17	22500	0	0	1.2
0495	002B	2063	0.05	3040	2	55	80	2.5	4	2	5158	2118	NC-3	140	form-based			true	0.75	19	4.75	17	6	18567	15527	7276	3.599651
0495	002C	2063	0.05	4125	2	55	80	2.5	4	2	5158	1033	NC-3	140	form-based			true	0.75	19	4.75	17	6	18567	14442	6191	3.599651
0495	002D	2063	0.05	2860	2	55	80	2.5	4	2	5158	2298	NC-3	140	form-based			true	0.75	19	4.75	17	6	18567	15707	7456	3.599651
0521	011	3921	0.09	3896	4	65	100	3	9	5	11763	7867	RTO-C	85	form-based			true	0.75	21	2.333333254	17	14	23526	19630	19630	2
0521	045	3875	0.09	2888	3	65	100	3	9	6	11625	8737	RTO-C	85	form-based			true	0.75	20	2.222222328	17	15	23250	20362	20362	2
0522	007A	4000	0.09	5626	4	65	100	3	9	5	12000	6374	RTO-C	85	form-based			true	0.75	21	2.333333254	17	14	24000	18374	18374	2
0525	021	3750	0.09	2590	3	65	100	3	9	6	11250	8660	NCD-POLK	85	form-based			true	0.75	20	2.222222328	17	15	22500	19910	19910	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0526	016	3238	0.07	8280	12	85	140	4	10	0	12952	4672	RC-3	140	form-based		true	true	0.75	29	2.900000095	17	8	29142	20862	17624	2.25
0527	021	3915	0.09	3940	4	65	100	3	9	5	11745	7805	RTO-C	85	form-based			true	0.75	21	2.333333254	17	14	23490	19550	19550	2
0530	032	4538	0.1	2000	0	55	80	2.5	8	8	11345	9345	NCD-UNIO	65	form-based			true	0.75	17	2.125	17	16	20421	18421	18421	1.8
0546	007	3816	0.09	4650	3	65	100	3	9	6	11448	6798	RTO-C	85	form-based			true	0.75	20	2.222222328	17	15	22896	18246	18246	2
0546	062	3543	0.08	1489	2	65	100	3	8	6	10629	9140	RTO-C	85	form-based			true	0.75	19	2.375	17	14	21258	19769	19769	2
0547	003A	5391	0.12	13500	11	65	100	3	12	1	16173	2673	NCD-POLK	85	form-based		true	true	0.75	28	2.333333254	17	13	32346	18846	18846	2
0548	010	3589	0.08	2175	1	65	100	3	8	7	10767	8592	RM-2	85	form-based			true	0.7	18	2.25	17	15	20098.40039	17923.40039	17923.40039	1.866667
0553	010	3600	0.08	4020	2	65	100	3	8	6	10800	6780	RTO-C	85	form-based			true	0.75	19	2.375	17	14	21600	17580	17580	2
0553	032	4867	0.11	758	9	65	100	3	11	2	14601	13843	RTO-C	85	form-based			true	0.75	26	2.363636255	17	13	29202	28444	28444	2
0570	017	2554	0.06	5909	6	65	100	3	6	0	7662	1753	RTO-C	140	form-based			true	0.75	23	3.833333254	17	6	22986	17077	9415	3
0571	012	3298	0.08	6744	13	85	140	4	11	0	13192	6448	RC-3	240	form-based			true	0.75	30	2.727272749	17	9	29682	22938	19640	2.25
0572	089	5082	0.12	1083	8	65	100	3	12	4	15246	14163	RM-2	85	form-based			true	0.7	25	2.083333254	17	16	28459.19922	27376.19922	27376.19922	1.866667
0578	002	2591	0.06	4592	6	55	80	2.5	5	0	6478	1886	RTO-C	140	form-based			true	0.75	23	4.599999905	17	4	23319	18727	8364	3.599722
0585	015	8607	0.2	3205	1	55	80	2.5	16	15	21518	18313	RH-1	40	form-based			true	0.7	18	1.125	17	17	24099.59961	20894.59961	20894.59961	1.119974
0592	005	8119	0.19	11414	0	65	100	3	19	19	24357	12943	RH-2	40	form-based			true	0.7	17	0.894736826	17	17	22733.19922	11319.19922	11319.19922	0.933333
0594	004B	2133	0.05	3206	2	65	100	3	5	3	6399	3193	RTO-C	240	form-based			true	0.75	19	3.799999952	17	8	19197	15991	9592	3
0594	004C	2085	0.05	3206	2	65	100	3	5	3	6255	3049	RTO-C	240	form-based			true	0.75	19	3.799999952	17	8	18765	15559	9304	3
0598	014	6300	0.14	1419	16	65	100	3	14	0	18900	17481	NCD-POLK	85	form-based		true	true	0.75	33	2.357142925	17	12	37800	36381	36381	2
0619	017	6105	0.14	15750	15	65	100	3	14	0	18315	2565	NCD-POLK	85	form-based		true	true	0.75	32	2.285714388	17	13	36630	20880	20880	2
0621	042	4788	0.11	1054	8	65	100	3	11	3	14364	13310	RM-3	85	form-based			true	0.75	25	2.272727251	17	14	28728	27674	27674	2
0627	006	8619	0.2	7505	1	55	80	2.5	16	15	21548	14043	RH-2	40	form-based			true	0.7	18	1.125	17	17	24133.19922	16628.19922	16628.19922	1.119974
0629	021A	4525	0.1	9000	0	65	100	3	10	10	13575	4575	NCD-UPPE	65	form-based			true	0.75	17	1.700000048	17	17	20362.5	11362.5	11362.5	1.5
0633	001G	3461	0.08	3100	1	85	140	4	11	10	13844	10744	RTO-C	85	form-based			true	0.75	18	1.636363626	17	17	20766	17666	17666	1.5
0633	001H	3473	0.08	3350	1	85	140	4	11	10	13892	10542	RTO-C	85	form-based			true	0.75	18	1.636363626	17	17	20838	17488	17488	1.5
0633	001N	3515	0.08	3921	1	85	140	4	11	10	14060	10139	RTO-C	85	form-based			true	0.75	18	1.636363626	17	17	21090	17169	17169	1.5
0634	009	3540	0.08	5454	2	85	140	4	11	9	14160	8706	NCD-UPPE	85	form-based			true	0.75	19	1.727272749	17	17	21240	15786	15786	1.5
0635	006	3317	0.08	5075	0	65	100	3	8	8	9951	4876	NCD-UPPE	85	form-based			true	0.75	17	2.125	17	16	19902	14827	14827	2
0635	008A	3848	0.09	7500	3	65	100	3	9	6	11544	4044	NCD-UPPE	85	form-based			true	0.75	20	2.222222328	17	15	23088	15588	15588	2
0636	012	3381	0.08	3090	1	65	100	3	8	7	10143	7053	RTO-C	85	form-based			true	0.75	18	2.25	17	15	20286	17196	17196	2
0636	013	3381	0.08	2267	1	65	100	3	8	7	10143	7876	RTO-C	85	form-based			true	0.75	18	2.25	17	15	20286	18019	18019	2
0636	016	3381	0.08	2145	1	65	100	3	8	7	10143	7998	RTO-C	85	form-based			true	0.75	18	2.25	17	15	20286	18141	18141	2
0637	038	3644	0.08	2657	2	65	100	3	8	6	10932	8275	RTO-C	85	form-based			true	0.75	19	2.375	17	14	21864	19207	19207	2
0641	001A	3780	0.09	15445	17	65	100	3	9	0	11340	0	RTO-C	140	form-based			true	0.75	34	3.777777672	17	1	34020	18575	7235	3
0641	006C	4363	0.1	9900	6	65	100	3	10	4	13089	3189	RM-3	80	form-based			true	0.75	23	2.299999952	17	14	26178	16278	16278	2
0642	008	3415	0.08	10128	14	65	100	3	8	0	10245	117	RTO-C	240	form-based		true	true	0.75	31	3.875	17	2	30735	20607	10362	3
0644	007	2643	0.06	9249	7	65	100	3	6	0	7929	0	NCD-POLK	120	form-based		true	true	0.75	24	4	17	5	23787	14538	6609	3
0644	019	3540	0.08	8576	2	65	100	3	8	6	10620	2044	RM-3	85	form-based			true	0.75	19	2.375	17	14	21240	12664	12664	2
0648	019	4505	0.1	1350	7	65	100	3	10	3	13515	12165	RTO-C	85	form-based			true	0.75	24	2.400000095	17	13	27030	25680	25680	2
0654	001B	4653	0.11	4649	0	65	100	3	11	11	13959	9310	NCD-UPPE	65	form-based			true	0.75	17	1.545454502	17	17	20938.5	16289.5	16289.5	1.5
0655	028	3410	0.08	1980	1	85	140	4	11	10	13640	11660	RTO-C	85	form-based			true	0.75	18	1.636363626	17	17	20460	18480	18480	1.5
0655	031	4744	0.11	11472	8	85	140	4	15	7	18976	7504	RTO-C	85	form-based			true	0.75	25	1.666666627	17	17	28464	16992	16992	1.5
0657	027	3781	0.09	1496	3	65	100	3	9	6	11343	9847	RTO-C	85	form-based			true	0.75	20	2.222222328	17	15	22686	21190	21190	2
0657	041	3781	0.09	1431	3	65	100	3	9	6	11343	9912	RTO-C	85	form-based			true	0.75	20	2.222222328	17	15	22686	21255	21255	2
0665	002	2250	0.05	5100	3	65	100	3	5	2	6750	1650	NC-3	350	form-based			true	0.75	20	4	17	7	20250	15150	8400	3
0665	003	2250	0.05	5103	3	65	100	3	5	2	6750	1647	NC-3	350	form-based			true	0.75	20	4	17	7	20250	15147	8397	3
0668	007	1875	0.04	1932	0	65	100	3	4	4	5625	3693	NCD-POLK	240	form-based			true	0.75	17	4.25	17	8	16875	14943	9318	3
0678	105	10687	0.25	20452	15	65	100	3	25	10	32061	11609	NCT-FILLM	50	form-based		true		0.75	32	1.279999971	17	17	40076.25	19624.25	19624.25	1.25
0679	010	3801	0.09	4274	3	65	100	3	9	6	11403	7129	NC-2	85	form-based			true	0.75	20	2.222222328	17	15	22806	18532	18532	2
0679	012	3781	0.09	3960	3	65	100	3	9	6	11343	7383	NC-2	85	form-based			true	0.75	20	2.222222328	17	15	22686	18726	18726	2
0679	042	3781	0.09	1872	3	65	100	3	9	6	11343	9471	NC-2	85	form-based			true	0.75	20	2.222222328	17	15	22686	20814	20814	2
0679	055	3761	0.09	770	3	65	100	3	9	6	11283	10513	NC-2	85	form-based			true	0.75	20	2.222222328	17	15	22566	21796	21796	2
0679	061	3650	0.08	935	2	65	100	3	8	6	10950	10015	NC-2	85	form-based			true	0.75	19	2.375	17	14	21900	20965	20965	2
0681	032	3742	0.09	3758	3	65	100	3	9	6	11226	7468	RTO-C	85	form-based			true	0.75	20	2.222222328	17	15	22452	18694	18694	2
0681	061	3740	0.09	1592	3	65	100	3	9	6	11220	9628	RTO-C	85	form-based			true	0.75	20	2.222222328	17	15	22440	20848	20848	2
0688	028	3438	0.08	3467	0	65	100	3	8	8	10314	6847	RM-4	50	density-lim	200			0.75	17	2.125	17	16	12892.5	9425.5	9425.5	1.25
0693	004	3300	0.08	8871	0	85	140	4	11	11	13200	4329	RC-4	80	density-lim	200	true		0.75	17	1.545454502	17	17	19800	10929	10929	1.5
0693	011	3300	0.08	3900	0	85	140	4	11	11	13200	9300	RC-4	80	density-lim	200			0.75	17	1.545454502	17	17	19800	15900	15900	1.5
0702	033	4484	0.1	4860	0	85	140	4	14	14	17936	13076	NCT-FILLM	65	form-based		true		0.75	17	1.214285731	17	17	20178	15318	15318	1.125
0718	005	10080	0.23	10080	0	65	100	3	23	23	30240	20160	NCD-LOWI	130	density-lim	600	true		0.75	17	0.739130437	17	17	90720	80640	50400	3
0728	032	12375	0.28	705	14	65	100	3	28	14	37125	36420	RM-3	65	density-lim	400			0.75	31	1.107142806	17	17	55687.5	54982.5	54982.5	1.5
0739	002	10200	0.23	18620	0	65	100	3	23	23	30600	11980	NCD-LOWI	130	density-lim	600	true		0.75	17	0.739130437	17	17	91800	73180	42580	3
0740	007	3432	0.08	2892	0	65	100	3	8	8	10296	7404	RC-4	80	density-lim	200			0.75	17	2.125	17	16	20592	17700	17700	2
0740	020	3300	0.08	3268	0	65	100	3	8	8	9900	6632	RC-4	80	density-lim	200			0.75	17	2.125	17	16	19800	16532	16532	2
0740	021	3300	0.08	3363	0	65	100	3	8	8	9900	6537	RC-4	80	density-lim	200			0.75	17	2.125	17	16	19800	16437	16437	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0741	004	3437	0.08	0	0	65	100	3	8	8	10311	10311	RC-4	80	density-lim	200			0.75	17	2.125	17	16	20622	20622	20622	2
0763	002	9900	0.23	43391	0	65	100	3	23	23	29700	0	NCD-LOWI	130	density-lim	600	true		0.75	17	0.739130437	17	17	89100	45709	16009	3
0763	013	3300	0.08	0	0	65	100	3	8	8	9900	9900	RC-4	130	density-lim	200			0.75	17	2.125	17	16	29700	29700	19800	3
0779	021	5250	0.12	11100	9	55	80	2.5	10	1	13125	2025	RM-4	40	density-lim	200			0.75	26	2.599999905	17	11	15750	4650	4650	1.2
0805	003	5949	0.14	8773	0	55	80	2.5	11	11	14872	6099	RH-3	50	form-based		true	true	0.7	17	1.545454502	17	17	20821.5	12048.5	12048.5	1.400047
0816	033	16500	0.38	747	33	65	100	3	38	5	49500	48753	NCT-HAYE	50	form-based		true		0.75	50	1.315789461	17	17	61875	61128	61128	1.25
0833	022	7168	0.16	446	21	65	100	3	16	0	21504	21058	NCT-HAYE	85	form-based		true		0.75	38	2.375	17	11	43008	42562	42562	2
0846	016	4727	0.11	2600	1	65	100	3	11	10	14181	11581	RTO-C	65	form-based			true	0.75	18	1.636363626	17	17	21271.5	18671.5	18671.5	1.5
0871	006	2364	0.05	3150	4	85	140	4	7	3	9456	6306	NCT-3	120	form-based		true	true	0.75	21	3	17	10	21276	18126	15762	2.25
0953	006	8680	0.2	8614	1	55	80	2.5	16	15	21700	13086	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	24304	15690	15690	1.12
0959	007	8800	0.2	10841	1	55	80	2.5	16	15	22000	11159	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	24640	13799	13799	1.12
0993	001	8559	0.2	8531	1	55	80	2.5	16	15	21398	12867	RH-1	40	form-based		true	true	0.7	18	1.125	17	17	23965.19922	15434.19922	15434.19922	1.119974
0993	021	8559	0.2	12370	1	55	80	2.5	16	15	21398	9028	RH-1	40	form-based			true	0.7	18	1.125	17	17	23965.19922	11595.19922	11595.19922	1.119974
1015	016	3610	0.08	4821	2	55	80	2.5	6	4	9025	4204	RTO-C	85	form-based			true	0.75	19	3.166666746	17	10	21660	16839	13229	2.4
1018	029	3570	0.08	1050	2	55	80	2.5	6	4	8925	7875	NC-S	85	form-based			true	0.75	19	3.166666746	17	10	21420	20370	16800	2.4
1021	026	6405	0.15	10200	7	65	100	3	15	8	19215	9015	NCD-SACR	65	form-based			true	0.75	24	1.600000024	17	17	28822.5	18622.5	18622.5	1.5
1026	007	3437	0.08	2332	1	65	100	3	8	7	10311	7979	RTO-C	85	form-based			true	0.75	18	2.25	17	15	20622	18290	18290	2
1026	008	3438	0.08	3544	1	65	100	3	8	7	10314	6770	RTO-C	85	form-based			true	0.75	18	2.25	17	15	20628	17084	17084	2
1028	002A	3163	0.07	7179	0	85	140	4	10	10	12652	5473	NC-2	85	form-based			true	0.75	17	1.700000048	17	17	18978	11799	11799	1.5
1028	002B	3162	0.07	7179	0	85	140	4	10	10	12648	5469	NC-2	85	form-based			true	0.75	17	1.700000048	17	17	18972	11793	11793	1.5
1028	039	3778	0.09	3468	3	65	100	3	9	6	11334	7866	NC-2	85	form-based			true	0.75	20	2.222222328	17	15	22668	19200	19200	2
1036	002	7659	0.18	4418	0	55	80	2.5	14	14	19148	14730	NC-S	40	form-based			true	0.75	17	1.214285731	17	17	22977	18559	18559	1.199969
1051	019	2187	0.05	2800	3	65	100	3	5	2	6561	3761	NC-3	140	form-based			true	0.75	20	4	17	7	19683	16883	10322	3
1051	021	2188	0.05	4275	3	65	100	3	5	2	6564	2289	NC-3	140	form-based			true	0.75	20	4	17	7	19692	15417	8853	3
1065	026A	4675	0.11	6815	8	65	100	3	11	3	14025	7210	NCD-GEAR	85	form-based		true	true	0.75	25	2.272727251	17	14	28050	21235	21235	2
1073	033	5712	0.13	4540	3	65	100	3	13	10	17136	12596	RM-1	65	form-based			true	0.7	20	1.538461566	17	17	23990.40039	19450.40039	19450.40039	1.4
1079	035	2210	0.05	1174	3	65	100	3	5	2	6630	5456	RTO-C	240	form-based		true	true	0.75	20	4	17	7	19890	18716	12086	3
1086	031	4725	0.11	7764	8	65	100	3	11	3	14175	6411	RTO-C	85	form-based			true	0.75	25	2.272727251	17	14	28350	20586	20586	2
1092	021	3645	0.08	2500	2	65	100	3	8	6	10935	8435	RTO-C	85	form-based			true	0.75	19	2.375	17	14	21870	19370	19370	2
1101	009B	6467	0.15	2950	2	65	100	3	15	13	19401	16451	RM-3	50	form-based			true	0.75	19	1.266666651	17	17	24251.25	21301.25	21301.25	1.25
1126	013	6226	0.14	2424	2	65	100	3	14	12	18678	16254	RM-3	50	form-based			true	0.75	19	1.357142806	17	17	23347.5	20923.5	20923.5	1.25
1126	027	6188	0.14	2155	2	65	100	3	14	12	18564	16409	RM-3	50	form-based			true	0.75	19	1.357142806	17	17	23205	21050	21050	1.25
1153	057	6188	0.14	1230	0	55	80	2.5	11	11	15470	14240	RM-1	50	form-based			true	0.7	17	1.545454502	17	17	21658	20428	20428	1.4
1179	001C	4728	0.11	5900	8	55	80	2.5	9	1	11820	5920	NCT-DIVIS	85	form-based			true	0.75	25	2.777777672	17	10	28368	22468	17740	2.4
1188	013F	3437	0.08	1305	1	55	80	2.5	6	5	8592	7287	RTO-C	85	form-based			true	0.75	18	3	17	11	20622	19317	15879	2.40014
1189	022	3438	0.08	1125	1	55	80	2.5	6	5	8595	7470	RTO-C	85	form-based			true	0.75	18	3	17	11	20628	19503	16065	2.4
1189	022A	3437	0.08	1875	1	55	80	2.5	6	5	8592	6717	RTO-C	85	form-based			true	0.75	18	3	17	11	20622	18747	15309	2.40014
1239	028	4692	0.11	2180	1	65	100	3	11	10	14076	11896	RTO-C	65	form-based			true	0.75	18	1.636363626	17	17	21114	18934	18934	1.5
1271	060	5450	0.13	1762	3	65	100	3	13	10	16350	14588	RTO-C	65	form-based			true	0.75	20	1.538461566	17	17	24525	22763	22763	1.5
1275	050	4945	0.11	2800	2	65	100	3	11	9	14835	12035	RTO-C	65	form-based			true	0.75	19	1.727272749	17	17	22252.5	19452.5	19452.5	1.5
1289	073	8688	0.2	2633	1	55	80	2.5	16	15	21720	19087	RH-2	40	form-based			true	0.7	18	1.125	17	17	24326.40039	21693.40039	21693.40039	1.12
1307	002	8740	0.2	4044	1	55	80	2.5	16	15	21850	17806	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	24472	20428	20428	1.12
1327	008	8788	0.2	4160	1	55	80	2.5	16	15	21970	17810	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	24606.40039	20446.40039	20446.40039	1.12
1327	018	8563	0.2	4581	1	55	80	2.5	16	15	21408	16827	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	23976.40039	19395.40039	19395.40039	1.119974
1336	037	8194	0.19	4306	0	55	80	2.5	15	15	20485	16179	RH-1(D)	40	form-based			true	0.7	17	1.133333325	17	17	22943.19922	18637.19922	18637.19922	1.12
1355	068	8521	0.2	9205	1	55	80	2.5	16	15	21302	12097	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	23858.79883	14653.79883	14653.79883	1.120026
1362	027	4034	0.09	5100	4	55	80	2.5	7	3	10085	4985	RTO-C	85	form-based		true	true	0.75	21	3	17	10	24204	19104	15070	2.4
1421	038	4659	0.11	4255	0	65	100	3	11	11	13977	9722	NCD-INNE	65	form-based		true	true	0.75	17	1.545454502	17	17	20965.5	16710.5	16710.5	1.5
1429	025	5746	0.13	10295	5	65	100	3	13	8	17238	6943	NCD-INNE	65	form-based		true	true	0.75	22	1.692307711	17	17	25857	15562	15562	1.5
1436	048	3326	0.08	11390	0	65	100	3	8	8	9978	0	NCD-GEAR	85	form-based		true	true	0.75	17	2.125	17	16	19956	8566	8566	2
1439	043	4500	0.1	3900	0	65	100	3	10	10	13500	9600	NCD-INNE	65	form-based			true	0.75	17	1.700000048	17	17	20250	16350	16350	1.5
1441	038	4411	0.1	8624	0	65	100	3	10	10	13233	4609	NCD-INNE	65	form-based		true	true	0.75	17	1.700000048	17	17	19849.5	11225.5	11225.5	1.5
1442	048	4500	0.1	9000	0	65	100	3	10	10	13500	4500	NCD-INNE	65	form-based			true	0.75	17	1.700000048	17	17	20250	11250	11250	1.5
1447	019	3200	0.07	1800	0	65	100	3	7	7	9600	7800	NCD-GEAR	85	form-based		true	true	0.75	17	2.428571463	17	14	19200	17400	17400	2
1468	001	4825	0.11	3228	1	65	100	3	11	10	14475	11247	RTO-C	65	form-based		true	true	0.75	18	1.636363626	17	17	21712.5	18484.5	18484.5	1.5
1494	001	4604	0.11	7645	0	55	80	2.5	9	9	11510	3865	RTO-C	65	form-based		true	true	0.75	17	1.888888836	17	17	20718	13073	13073	1.8
1519	043	4744	0.11	855	8	85	140	4	15	7	18976	18121	NCD-GEAR	85	form-based			true	0.75	25	1.666666627	17	17	28464	27609	27609	1.5
1520	035	3158	0.07	3110	0	85	140	4	10	10	12632	9522	NCD-GEAR	85	form-based		true	true	0.75	17	1.700000048	17	17	18948	15838	15838	1.5
1607	022C	4554	0.1	3900	0	55	80	2.5	8	8	11385	7485	NCD-OUTE	65	form-based			true	0.75	17	2.125	17	16	20493	16593	16593	1.8
1651	001	8333	0.19	5828	0	55	80	2.5	15	15	20832	15004	RH-2	40	form-based		true	true	0.7	17	1.133333325	17	17	23332.40039	17504.40039	17504.40039	1.120027
1669	025	3949	0.09	3548	4	55	80	2.5	7	3	9872	6324	RTO-C	85	form-based			true	0.75	21	3	17	10	23694	20146	16196	2.400121
1704	018	5863	0.13	5661	5	65	100	3	13	8	17589	11928	NC-1	65	form-based		true	true	0.75	22	1.692307711	17	17	26383.5	20722.5	20722.5	1.5
1721	001	4875	0.11	2408	1	65	100	3	11	10	14625	12217	RTO-C	65	form-based		true	true	0.75	18	1.636363626	17	17	21937.5	19529.5	19529.5	1.5
1727	018	3325	0.08	3363	0	65	100	3	8	8	9975	6612	NCD-IRVIN	85	form-based		true	true	0.75	17	2.125	17	16	19950	16587	16587	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1727	022	3200	0.07	1366	0	65	100	3	7	7	9600	8234	NCD-IRVIN	85	form-based			true	0.75	17	2.428571463	17	14	19200	17834	17834	2
1730	019	1875	0.04	1781	0	65	100	3	4	4	5625	3844	NCD-IRVIN	105	form-based		true	true	0.75	17	4.25	17	8	16875	15094	9469	3
1731	043	3250	0.07	3250	0	65	100	3	7	7	9750	6500	RTO-C	85	form-based		true	true	0.75	17	2.428571463	17	14	19500	16250	16250	2
1732	020	5000	0.11	6088	9	65	100	3	11	2	15000	8912	NCD-INNE	85	form-based			true	0.75	26	2.363636255	17	13	30000	23912	23912	2
1741	001	3250	0.07	6450	0	65	100	3	7	7	9750	3300	NCD-INNE	85	form-based		true	true	0.75	17	2.428571463	17	14	19500	13050	13050	2
1762	045	5000	0.11	7388	9	85	140	4	15	6	20000	12612	NCD-INNE	85	form-based			true	0.75	26	1.733333349	17	17	30000	22612	22612	1.5
1764	042	3325	0.08	2945	0	65	100	3	8	8	9975	7030	NCD-INNE	85	form-based		true	true	0.75	17	2.125	17	16	19950	17005	17005	2
1779	001	3257	0.07	3250	0	65	100	3	7	7	9771	6521	NCD-IRVIN	85	form-based		true	true	0.75	17	2.428571463	17	14	19542	16292	16292	2
1780	018	3305	0.08	2275	0	85	140	4	11	11	13220	10945	RTO-C	85	form-based		true	true	0.75	17	1.545454502	17	17	19830	17555	17555	1.5
1786	016	3639	0.08	3648	2	65	100	3	8	6	10917	7269	NCD-JUDA	85	form-based		true	true	0.75	19	2.375	17	14	21834	18186	18186	2
1801	016	3250	0.07	3250	0	85	140	4	10	10	13000	9750	NC-1	85	form-based		true	true	0.75	17	1.700000048	17	17	19500	16250	16250	1.5
1802	019	3250	0.07	3500	0	85	140	4	10	10	13000	9500	RTO-C	85	form-based		true	true	0.75	17	1.700000048	17	17	19500	16000	16000	1.5
1806	042	5000	0.11	6350	9	85	140	4	15	6	20000	13650	RTO-C	85	form-based			true	0.75	26	1.733333349	17	17	30000	23650	23650	1.5
1807	001	3261	0.07	6200	0	85	140	4	10	10	13044	6844	NC-1	85	form-based		true	true	0.75	17	1.700000048	17	17	19566	13366	13366	1.5
1812	045	4000	0.09	2128	4	65	100	3	9	5	12000	9872	RTO-C	85	form-based			true	0.75	21	2.333333254	17	14	24000	21872	21872	2
1836	009A	4759	0.11	3350	1	65	100	3	11	10	14277	10927	RTO-C	65	form-based		true	true	0.75	18	1.636363626	17	17	21415.5	18065.5	18065.5	1.5
2168	042	8661	0.2	3484	1	55	80	2.5	16	15	21652	18168	RH-2	40	form-based			true	0.7	18	1.125	17	17	24250.79883	20766.79883	20766.79883	1.120026
2350	017	3185	0.07	4740	0	85	140	4	10	10	12740	8000	NCD-TARA	85	form-based		true	true	0.75	17	1.700000048	17	17	19110	14370	14370	1.5
2350	024	3260	0.07	1518	0	85	140	4	10	10	13040	11522	NCD-TARA	85	form-based		true	true	0.75	17	1.700000048	17	17	19560	18042	18042	1.5
2360	013	3322	0.08	3078	0	65	100	3	8	8	9966	6888	NCD-TARA	85	form-based		true	true	0.75	17	2.125	17	16	19932	16854	16854	2
2363	022	3260	0.07	6900	0	65	100	3	7	7	9780	2880	NCD-TARA	85	form-based		true	true	0.75	17	2.428571463	17	14	19560	12660	12660	2
2394	040	3315	0.08	3250	0	85	140	4	11	11	13260	10010	NCD-TARA	85	form-based		true	true	0.75	17	1.545454502	17	17	19890	16640	16640	1.5
2395	037	3260	0.07	576	0	85	140	4	10	10	13040	12464	NCD-TARA	85	form-based		true	true	0.75	17	1.700000048	17	17	19560	18984	18984	1.5
2397	038	3816	0.09	3388	3	65	100	3	9	6	11448	8060	NCD-TARA	85	form-based			true	0.75	20	2.222222328	17	15	22896	19508	19508	2
2399	041	5000	0.11	7990	9	85	140	4	15	6	20000	12010	NCD-TARA	85	form-based			true	0.75	26	1.733333349	17	17	30000	22010	22010	1.5
2401	036	3263	0.07	3164	0	65	100	3	7	7	9789	6625	NCD-TARA	85	form-based		true	true	0.75	17	2.428571463	17	14	19578	16414	16414	2
2409	001	3260	0.07	6206	0	85	140	4	10	10	13040	6834	NCD-INNE	85	form-based		true	true	0.75	17	1.700000048	17	17	19560	13354	13354	1.5
2541	002	3502	0.08	1820	1	65	100	3	8	7	10506	8686	RTO-C	85	form-based			true	0.75	18	2.25	17	15	21012	19192	19192	2
2541	021	3476	0.08	2125	1	65	100	3	8	7	10428	8303	RTO-C	85	form-based			true	0.75	18	2.25	17	15	20856	18731	18731	2
2647	002B	3322	0.08	2940	0	85	140	4	11	11	13288	10348	NCD-CAST	85	form-based			true	0.75	17	1.545454502	17	17	19932	16992	16992	1.5
2647	016	5547	0.13	7500	0	65	100	3	13	13	16641	9141	NCD-CAST	50	form-based		true	true	0.75	17	1.307692289	17	17	20801.25	13301.25	13301.25	1.25
2655	042	25079	0.58	24210	36	55	80	2.5	46	10	62698	38488	RM-1	40	form-based		true	true	0.7	53	1.152173877	17	17	70221.19531	46011.19531	46011.19531	1.119991
2662	015	8577	0.2	3724	1	55	80	2.5	16	15	21442	17718	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	24015.59961	20291.59961	20291.59961	1.120026
2817	015	8441	0.19	2903	1	65	100	3	19	18	25323	22420	RH-1(D)	40	form-based		true	true	0.7	18	0.947368443	17	17	23634.79883	20731.79883	20731.79883	0.933333
2819	033	8058	0.18	0	0	65	100	3	18	18	24174	24174	RH-1(D)	40	form-based			true	0.7	17	0.944444418	17	17	22562.40039	22562.40039	22562.40039	0.933333
2864	001D	5558	0.13	12222	12	85	140	4	18	6	22232	10010	RTO-C	85	form-based			true	0.75	29	1.611111164	17	17	33348	21126	21126	1.5
2881	025	8592	0.2	3510	1	55	80	2.5	16	15	21480	17970	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	24057.59961	20547.59961	20547.59961	1.12
2882	008	8561	0.2	2200	1	55	80	2.5	16	15	21402	19202	RH-1(D)	40	form-based		true	true	0.7	18	1.125	17	17	23970.79883	21770.79883	21770.79883	1.120026
2886	003	8682	0.2	3877	1	65	100	3	20	19	26046	22169	RH-1(D)	40	form-based		true	true	0.7	18	0.899999976	17	17	24309.59961	20432.59961	20432.59961	0.933333
2901C	010	3286	0.08	2833	0	55	80	2.5	6	6	8215	5382	NC-1	85	form-based		true	true	0.75	17	2.833333254	17	12	19716	16883	13597	2.4
2901B	016	6529	0.15	15125	17	55	80	2.5	12	0	16322	1197	NC-1	85	form-based			true	0.75	34	2.833333254	17	7	39174	24049	17519	2.400074
2923	017	8311	0.19	0	0	55	80	2.5	15	15	20778	20778	RH-1(D)	40	form-based			true	0.7	17	1.133333325	17	17	23270.79883	23270.79883	23270.79883	1.119973
2936A	002	8641	0.2	3890	1	55	80	2.5	16	15	21602	17712	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	24194.79883	20304.79883	20304.79883	1.120026
2973	012	8584	0.2	2877	1	55	80	2.5	16	15	21460	18583	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	24035.19922	21158.19922	21158.19922	1.12
2979A	029	3151	0.07	4449	0	85	140	4	10	10	12604	8155	NCD-WEST	85	form-based			true	0.75	17	1.700000048	17	17	18906	14457	14457	1.5
3011	042	8563	0.2	3800	1	55	80	2.5	16	15	21408	17608	RH-1(D)	40	form-based		true	true	0.7	18	1.125	17	17	23976.40039	20176.40039	20176.40039	1.119974
3011	051	8622	0.2	3520	1	55	80	2.5	16	15	21555	18035	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	24141.59961	20621.59961	20621.59961	1.12
3011	072	8441	0.19	2780	1	55	80	2.5	15	14	21102	18322	RH-1(D)	40	form-based			true	0.7	18	1.200000048	17	17	23634.79883	20854.79883	20854.79883	1.120026
3012	011	8620	0.2	4482	1	65	100	3	20	19	25860	21378	RH-1(D)	40	form-based		true	true	0.7	18	0.899999976	17	17	24136	19654	19654	0.933333
3046	013	8789	0.2	4059	1	55	80	2.5	16	15	21972	17913	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	24609.19922	20550.19922	20550.19922	1.120025
3046	032	8423	0.19	1812	1	55	80	2.5	15	14	21058	19246	RH-1(D)	40	form-based			true	0.7	18	1.200000048	17	17	23584.40039	21772.40039	21772.40039	1.119973
3046	039	8637	0.2	5130	1	55	80	2.5	16	15	21592	16462	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	24183.59961	19053.59961	19053.59961	1.120026
3047	031	8617	0.2	3465	1	55	80	2.5	16	15	21542	18077	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	24127.59961	20662.59961	20662.59961	1.120026
3074	005	8434	0.19	4225	1	65	100	3	19	18	25302	21077	RH-1(D)	40	form-based			true	0.7	18	0.947368443	17	17	23615.19922	19390.19922	19390.19922	0.933333
3074	008	8713	0.2	5272	1	65	100	3	20	19	26139	20867	RH-1(D)	40	form-based		true	true	0.7	18	0.899999976	17	17	24396.40039	19124.40039	19124.40039	0.933333
3076	045	8396	0.19	2818	1	55	80	2.5	15	14	20990	18172	RH-1(D)	40	form-based			true	0.7	18	1.200000048	17	17	23508.79883	20690.79883	20690.79883	1.12
3077	009	8438	0.19	3124	1	55	80	2.5	15	14	21095	17971	RH-1(D)	40	form-based			true	0.7	18	1.200000048	17	17	23626.40039	20502.40039	20502.40039	1.12
3104	018	8604	0.2	5281	1	55	80	2.5	16	15	21510	16229	RH-1(D)	40	form-based			true	0.7	18	1.125	17	17	24091.19922	18810.19922	18810.19922	1.12
3148	001	9981	0.23	14507	0	55	80	2.5	18	18	24952	10445	NCD-EXCE	56	density-lin	600	true		0.75	17	0.944444418	17	17	37428.75	22921.75	22921.75	1.50003
3175	029	8589	0.2	2095	1	65	100	3	20	19	25767	23672	RH-1(D)	40	form-based		true	true	0.7	18	0.899999976	17	17	24049.19922	21954.19922	21954.19922	0.933333
3197	007	3181	0.07	2550	0	85	140	4	10	10	12724	10174	NCT-OCEA	85	form-based			true	0.75	17	1.700000048	17	17	19086	16536	16536	1.5
3198	011	3168	0.07	2659	0	65	100	3	7	7	9504	6845	NCT-OCEA	85	form-based		true	true	0.75	17	2.428571463	17	14	19008	16349	16349	2
3260	018	8424	0.19	3222	1	65	100	3	19	18	25272	22050	RH-1(D)	40	form-based		true	true	0.7	18	0.947368443	17	17	23587.19922	20365.19922	20365.19922	0.933333
3267	020	4775	0.11	3662	1	65	100	3	11	10	14325	10663	RTO-C	65	form-based			true	0.75	18	1.636363626	17	17	21487.5	17825.5	17825.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3273	037	8808	0.2	3917	1	55	80	2.5	16	15	22020	18103	RH-1(D)	40	form-based		true	true	0.7	18	1.125	17	17	24662.40039	20745.40039	20745.40039	1.12
3510	021	5631	0.13	22251	0	65	100	3	13	13	16893	0	WMUG	55	form-based		true		0.75	17	1.307692289	17	17	21116.25	0	0	1.25
3510	055	5625	0.13	5350	0	65	100	3	13	13	16875	11525	WMUG	55	form-based				0.75	17	1.307692289	17	17	21093.75	15743.75	15743.75	1.25
3515	029	3253	0.07	20	0	65	100	3	7	7	9759	9739	WMUG	85	form-based			true	0.75	17	2.428571463	17	14	19518	19498	19498	2
3515	031	3215	0.07	42	0	65	100	3	7	7	9645	9603	WMUG	85	form-based			true	0.75	17	2.428571463	17	14	19290	19248	19248	2
3520	087	15831	0.36	1287	30	65	100	3	36	6	47493	46206	RCD	55	form-based		true		0.75	47	1.305555582	17	17	59366.25	58079.25	58079.25	1.25
3522	019	3314	0.08	4169	0	65	100	3	8	8	9942	5773	WMUG	85	form-based		true	true	0.75	17	2.125	17	16	19884	15715	15715	2
3725	070	1875	0.04	0	0	75	120	3.5	5	5	6562	6562	C-3-S	120	form-based				0.8	17	3.400000095	17	10	16875	16875	13124	2.571625
3547	016	5712	0.13	10788	0	75	120	3.5	16	16	19992	9204	NCT-VALEI	55	form-based				0.75	17	1.0625	17	17	21420	10632	10632	1.071429
3562	004	2765	0.06	7586	8	85	140	4	8	0	11060	3474	NCT-UPPEI	120	form-based			true	0.75	25	3.125	17	8	24885	17299	14534	2.25
3562	022	3450	0.08	1000	1	65	100	3	8	7	10350	9350	RTO-C	85	form-based			true	0.75	18	2.25	17	15	20700	19700	19700	2
3563	028	3022	0.07	8424	10	65	100	3	7	0	9066	642	NCT-UPPEI	120	form-based			true	0.75	27	3.857142925	17	4	27198	18774	9708	3
3574	088	5702	0.13	7360	0	75	120	3.5	16	16	19957	12597	UMU	58	form-based				0.75	17	1.0625	17	17	21382.5	14022.5	14022.5	1.071429
3577	001A	5500	0.13	10928	0	75	120	3.5	16	16	19250	8322	NCT-VALEI	55	form-based				0.75	17	1.0625	17	17	20625	9697	9697	1.071429
3582	076	2272	0.05	1824	3	85	140	4	7	4	9088	7264	NCD-CAST	140	form-based			true	0.75	20	2.857142925	17	11	20448	18624	16352	2.25
3597	001	12486	0.29	25010	20	65	100	3	29	9	37458	12448	NCT-VALEI	55	form-based		true		0.75	37	1.275862098	17	17	46822.5	21812.5	21812.5	1.25
3604	019	8550	0.2	3915	1	65	100	3	20	19	25650	21735	RH-1	40	form-based			true	0.7	18	0.899999976	17	17	23940	20025	20025	0.933333
3629	032	4973	0.11	5415	2	85	140	4	15	13	19892	14477	RTO-C	65	form-based			true	0.75	19	1.266666651	17	17	22378.5	16963.5	16963.5	1.125
3637	021	5512	0.13	2480	4	75	120	3.5	16	12	19292	16812	NCT-MISSI	65	form-based				0.75	21	1.3125	17	17	24804	22324	22324	1.285714
3637	022	5513	0.13	12276	4	75	120	3.5	16	12	19296	7020	NCT-MISSI	65	form-based				0.75	21	1.3125	17	17	24808.5	12532.5	12532.5	1.285681
3643	002	3155	0.07	3025	0	75	120	3.5	8	8	11042	8017	NCT-MISSI	80	form-based				0.75	17	2.125	17	16	18930	15905	15905	1.714363
3643	007	3155	0.07	5450	0	95	160	4.5	11	11	14198	8748	NCT-MISSI	85	form-based				0.75	17	1.545454502	17	17	18930	13480	13480	1.333286
3701	012	1834	0.04	0	0	75	120	3.5	5	5	6419	6419	C-3-G	150	form-based				0.8	17	3.400000095	17	10	16506	16506	12838	2.571429
3705	034	1875	0.04	5875	0	75	120	3.5	5	5	6562	687	C-3-R	160	form-based				0.8	17	3.400000095	17	10	16875	11000	7249	2.571625
3702	002	1875	0.04	5625	0	85	140	4	6	6	7500	1875	C-3-G	90	form-based		true		0.8	17	2.833333254	17	12	16875	11250	9375	2.25
3703	010	1875	0.04	3200	0	65	100	3	4	4	5625	2425	C-3-G	160	form-based				0.8	17	4.25	17	8	16875	13675	8050	3
3703	011	1875	0.04	3750	0	65	100	3	4	4	5625	1875	C-3-G	160	form-based				0.8	17	4.25	17	8	16875	13125	7500	3
3703	050	1937	0.04	18948	0	65	100	3	4	4	5811	0	C-3-G	120	form-based				0.8	17	4.25	17	8	17433	0	0	3
3703	053	1939	0.04	1875	0	65	100	3	4	4	5817	3942	C-3-G	120	form-based				0.8	17	4.25	17	8	17451	15576	9759	3
3704	029	1890	0.04	6000	0	75	120	3.5	5	5	6615	615	C-3-G	160	form-based				0.8	17	3.400000095	17	10	17010	11010	7230	2.571429
3704	042	1840	0.04	326	0	75	120	3.5	5	5	6440	6114	C-3-G	160	form-based				0.8	17	3.400000095	17	10	16560	16234	12554	2.571429
3708	038	1920	0.04	0	0	75	120	3.5	5	5	6720	6720	C-3-O(SD)	500	form-based				0.8	17	3.400000095	17	10	17280	17280	13440	2.571429
3708	039	1920	0.04	0	0	75	120	3.5	5	5	6720	6720	C-3-O(SD)	500	form-based				0.8	17	3.400000095	17	10	17280	17280	13440	2.571429
3721	048	1880	0.04	7500	0	75	120	3.5	5	5	6580	0	C-3-O(SD)	150	form-based		true		0.8	17	3.400000095	17	10	16920	9420	5660	2.571429
3722	014	1875	0.04	13589	0	75	120	3.5	5	5	6562	0	C-3-O(SD)	350	form-based				0.8	17	3.400000095	17	10	16875	3286	0	2.571625
3725	048	1853	0.04	1840	0	75	120	3.5	5	5	6486	4646	C-3-S	160	form-based				0.8	17	3.400000095	17	10	16677	14837	11132	2.57123
3725	063	3873	0.09	15000	3	65	100	3	9	6	11619	0	NCT-SOMA	85	form-based				0.75	20	2.222222328	17	15	23238	8238	8238	2
3725	076	2954	0.07	24622	0	75	120	3.5	8	8	10339	0	C-3-S	85	form-based				0.8	17	2.125	17	16	18905.59961	0	0	1.828571
3726	019	3241	0.07	3226	0	65	100	3	7	7	9723	6497	MUG	85	form-based		true		0.75	17	2.428571463	17	14	19446	16220	16220	2
3727	136	7598	0.17	0	0	75	120	3.5	20	20	26593	26593	RED	40	form-based				0.75	17	0.850000024	17	17	22794	22794	22794	0.857143
3729	020	4500	0.1	5829	0	65	100	3	10	10	13500	7671	NCT-FOLS(	65	form-based				0.75	17	1.700000048	17	17	20250	14421	14421	1.5
3729	014	4500	0.1	7716	0	65	100	3	10	10	13500	5784	NCT-FOLS(	65	form-based				0.75	17	1.700000048	17	17	20250	12534	12534	1.5
3729	017	4500	0.1	4500	0	65	100	3	10	10	13500	9000	NCT-FOLS(	65	form-based				0.75	17	1.700000048	17	17	20250	15750	15750	1.5
3729	018	4500	0.1	5500	0	65	100	3	10	10	13500	8000	NCT-FOLS(	65	form-based				0.75	17	1.700000048	17	17	20250	14750	14750	1.5
3729	023	4408	0.1	10248	0	65	100	3	10	10	13224	2976	NCT-FOLS(	65	form-based		true		0.75	17	1.700000048	17	17	19836	9588	9588	1.5
3730	059	5727	0.13	16865	0	65	100	3	13	13	17181	316	WMUG	55	form-based		true		0.75	17	1.307692289	17	17	21476.25	4611.25	4611.25	1.25
3730	142	8400	0.19	1413	15	65	100	3	19	4	25200	23787	NCT-FOLS(	65	form-based		true		0.75	32	1.684210539	17	17	37800	36387	36387	1.5
3731	024	4540	0.1	12000	0	65	100	3	10	10	13620	1620	NCT-SOMA	65	form-based				0.75	17	1.700000048	17	17	20430	8430	8430	1.5
3731	087	4558	0.1	0	0	65	100	3	10	10	13674	13674	RED	65	form-based				0.75	17	1.700000048	17	17	20511	20511	20511	1.5
3736	184	1875	0.04	952	0	75	120	3.5	5	5	6562	5610	C-3-O(SD)	200	form-based				0.8	17	3.400000095	17	10	16875	15923	12172	2.571625
3753	070	7686	0.18	8500	0	65	100	3	18	18	23058	14558	MUR	45	form-based				0.75	17	0.944444418	17	17	23058	14558	14558	1
3754	040	4583	0.11	9900	0	65	100	3	11	11	13749	3849	NCT-SOMA	65	form-based				0.75	17	1.545454502	17	17	20623.5	10723.5	10723.5	1.5
3754	065	4555	0.1	5130	0	65	100	3	10	10	13665	8535	NCT-SOMA	65	form-based				0.75	17	1.700000048	17	17	20497.5	15367.5	15367.5	1.5
3754	097	6025	0.14	1171	15	65	100	3	14	0	18075	16904	MUG	85	form-based				0.75	32	2.285714388	17	13	36150	34979	34979	2
3756	032	5579	0.13	16875	0	65	100	3	13	13	16737	0	RCD	55	form-based		true		0.75	17	1.307692289	17	17	20921.25	4046.25	4046.25	1.25
3762	041	3112	0.07	4800	0	65	100	3	7	7	9336	4536	CMUO	85	form-based				0.8	17	2.428571463	17	14	19916.80078	15116.80078	13872	2.133333
3763	079	1875	0.04	0	0	65	100	3	4	4	5625	5625	CMUO	350	form-based				0.8	17	4.25	17	8	16875	16875	11250	3
3777	054	4142	0.1	30485	0	65	100	3	10	10	12426	0	CMUO	65	form-based				0.8	17	1.700000048	17	17	19881.59961	0	0	1.6
3778	032	5625	0.13	17073	0	65	100	3	13	13	16875	0	MUG	55	form-based				0.75	17	1.307692289	17	17	21093.75	4020.75	4020.75	1.25
3785	018	4642	0.11	0	0	65	100	3	11	11	13926	13926	MUG	65	form-based		true		0.75	17	1.545454502	17	17	20889	20889	20889	1.5
3986	008	7575	0.17	12500	0	65	100	3	17	17	22725	10225	UMU	40	form-based		true		0.75	17	1	17	17	22725	10225	10225	1
3987	012	7729	0.18	9932	0	65	100	3	18	18	23187	13255	UMU	40	form-based				0.75	17	0.944444418	17	17	23187	13255	13255	1
4008	001	7431	0.17	2404	0	65	100	3	17	17	22293	19889	UMU	40	form-based		true		0.75	17	1	17	17	22293	19889	19889	1
4008	001A	7544	0.17	6360	0	65	100	3	17	17	22632	16272	UMU	40	form-based				0.75	17	1	17	17	22632	16272	16272	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4279	029	7378	0.17	278	0	65	100	3	17	17	22134	21856	MUR	40	form-based				0.75	17	1	17	17	22134	21856	21856	1
6516	001B	3322	0.08	3314	0	85	140	4	11	11	13288	9974	NCT-MISSI	85	form-based				0.75	17	1.545454502	17	17	19932	16618	16618	1.5
6516	025	5688	0.13	4110	0	95	160	4.5	21	21	25596	21486	NCT-MISSI	55	form-based		true		0.75	17	0.809523821	17	17	21330	17220	17220	0.833333
6528	032	4601	0.11	2800	0	75	120	3.5	13	13	16104	13304	NCT-MISSI	65	form-based				0.75	17	1.307692289	17	17	20704.5	17904.5	17904.5	1.285674
6732	006	6505	0.15	1687	1	75	120	3.5	18	17	22768	21081	RH-1	50	form-based		true	true	0.7	18	1	17	17	22767.5	21080.5	21080.5	0.999978
6744	017	3296	0.08	0	0	75	120	3.5	10	10	11536	11536	RTO-C	85	form-based			true	0.75	17	1.700000048	17	17	19776	19776	19776	1.714286
6744	025	4696	0.11	10573	8	75	120	3.5	13	5	16436	5863	NCT-GLEN	85	form-based		true	true	0.75	25	1.923076868	17	17	28176	17603	17603	1.714286
6745	001B	2018	0.05	1400	1	75	120	3.5	6	5	7063	5663	RTO-C	140	form-based			true	0.75	18	3	17	11	18162	16762	12726	2.571429
6902	012	3326	0.08	1840	0	65	100	3	8	8	9978	8138	NC-1	85	form-based			true	0.75	17	2.125	17	16	19956	18116	18116	2
6902	013	3155	0.07	1720	0	65	100	3	7	7	9465	7745	NC-1	85	form-based			true	0.75	17	2.428571463	17	14	18930	17210	17210	2
6903	016	3327	0.08	2344	0	85	140	4	11	11	13308	10964	NC-1	85	form-based			true	0.75	17	1.545454502	17	17	19962	17618	17618	1.5
6905	016	8432	0.19	3995	1	65	100	3	19	18	25296	21301	RH-1(D)	40	form-based		true	true	0.7	18	0.947368443	17	17	23609.59961	19614.59961	19614.59961	0.933333
6908	034	8698	0.2	2487	1	65	100	3	20	19	26094	23607	RH-1(D)	40	form-based			true	0.7	18	0.899999976	17	17	24354.40039	21867.40039	21867.40039	0.933333
6911	021	8523	0.2	3583	1	65	100	3	20	19	25569	21986	RH-1(D)	40	form-based			true	0.7	18	0.899999976	17	17	23864.40039	20281.40039	20281.40039	0.933333
6912	025A	8523	0.2	1928	1	65	100	3	20	19	25569	23641	RH-1(D)	40	form-based			true	0.7	18	0.899999976	17	17	23864.40039	21936.40039	21936.40039	0.933333
6915	010	8378	0.19	1350	1	65	100	3	19	18	25134	23784	RH-1(D)	40	form-based		true	true	0.7	18	0.947368443	17	17	23458.40039	22108.40039	22108.40039	0.933333
6914	007	8411	0.19	5241	1	65	100	3	19	18	25233	19992	RH-1(D)	40	form-based			true	0.7	18	0.947368443	17	17	23550.79883	18309.79883	18309.79883	0.933333
6914	016	8750	0.2	3230	1	65	100	3	20	19	26250	23020	RH-1(D)	40	form-based			true	0.7	18	0.899999976	17	17	24500	21270	21270	0.933333
6914	018	4925	0.11	2090	1	65	100	3	11	10	14775	12685	RTO-C	65	form-based		true	true	0.75	18	1.636363626	17	17	22162.5	20072.5	20072.5	1.5
6916	004	8336	0.19	2210	1	55	80	2.5	15	14	20840	18630	RH-1(D)	40	form-based			true	0.7	18	1.200000048	17	17	23340.79883	21130.79883	21130.79883	1.12
6916	022	8399	0.19	1439	1	55	80	2.5	15	14	20998	19559	RH-1(D)	40	form-based			true	0.7	18	1.200000048	17	17	23517.19922	22078.19922	22078.19922	1.119973
6932	025	8729	0.2	1620	1	65	100	3	20	19	26187	24567	RH-1(D)	40	form-based			true	0.7	18	0.899999976	17	17	24441.19922	22821.19922	22821.19922	0.933333
6936	015	3174	0.07	1595	0	85	140	4	10	10	12696	11101	NCT-OCEA	85	form-based			true	0.75	17	1.700000048	17	17	19044	17449	17449	1.5
6941	064	3215	0.07	0	0	85	140	4	10	10	12860	12860	NCT-OCEA	85	form-based			true	0.75	17	1.700000048	17	17	19290	19290	19290	1.5
6955	044	10486	0.24	1299	0	55	80	2.5	19	19	26215	24916	NCD-EXCE	65	density-lin	600	true		0.75	17	0.894736826	17	17	47187	45888	45888	1.8
6962	006H	3380	0.08	1762	1	85	140	4	11	10	13520	11758	RTO-C	85	form-based			true	0.75	18	1.636363626	17	17	20280	18518	18518	1.5
6962	006I	3380	0.08	1650	1	85	140	4	11	10	13520	11870	RTO-C	85	form-based			true	0.75	18	1.636363626	17	17	20280	18630	18630	1.5
6964	003H	3393	0.08	2602	1	85	140	4	11	10	13572	10970	RTO-C	85	form-based			true	0.75	18	1.636363626	17	17	20358	17756	17756	1.5
6964	004H	3466	0.08	1325	1	75	120	3.5	10	9	12131	10806	RTO-C	85	form-based			true	0.75	18	1.799999952	17	17	20796	19471	19471	1.714286
7030	030	9924	0.23	0	0	65	100	3	23	23	29772	29772	NCD-EXCE	40	density-lin	600	true		0.75	17	0.739130437	17	17	29772	29772	29772	1
7203	012B	4812	0.11	4038	1	65	100	3	11	10	14436	10398	RTO-C	65	form-based		true	true	0.75	18	1.636363626	17	17	21654	17616	17616	1.5
7205	001	4931	0.11	1951	1	65	100	3	11	10	14793	12842	RTO-C	65	form-based		true	true	0.75	18	1.636363626	17	17	22189.5	20238.5	20238.5	1.5
7207	012B	4745	0.11	2488	1	55	80	2.5	9	8	11862	9374	RTO-C	65	form-based		true	true	0.75	18	2	17	17	21352.5	18864.5	18864.5	1.800076
7208	001	4778	0.11	2250	1	55	80	2.5	9	8	11945	9695	RTO-C	65	form-based		true	true	0.75	18	2	17	17	21501	19251	19251	1.8
7208	012B	4835	0.11	2410	1	55	80	2.5	9	8	12088	9678	RTO-C	65	form-based		true	true	0.75	18	2	17	17	21757.5	19347.5	19347.5	1.799926
7226	015	3411	0.08	1583	1	85	140	4	11	10	13644	12061	RTO-C	85	form-based			true	0.75	18	1.636363626	17	17	20466	18883	18883	1.5
7226	009	3440	0.08	1711	1	85	140	4	11	10	13760	12049	RTO-C	85	form-based		true	true	0.75	18	1.636363626	17	17	20640	18929	18929	1.5
7231	002H	8372	0.19	2449	1	65	100	3	19	18	25116	22667	RH-1(D)	40	form-based		true	true	0.7	18	0.947368443	17	17	23441.59961	20992.59961	20992.59961	0.933333
7238A	016	8145	0.19	2186	0	85	140	4	27	27	32580	30394	RH-1(D)	40	form-based		true	true	0.7	17	0.629629612	17	17	22806	20620	20620	0.7
7346	001	13687	0.31	0	0	55	80	2.5	25	25	34218	34218	RM-1	40	density-lin	800			0.7	17	0.680000007	17	17	38323.59766	38323.59766	38323.59766	1.119984
7536	038	8550	0.2	462	1	55	80	2.5	16	15	21375	20913	RH-1	40	form-based			true	0.7	18	1.125	17	17	23940	23478	23478	1.12
7549	026	8053	0.18	0	0	65	100	3	18	18	24159	24159	RH-1	40	form-based			true	0.7	17	0.944444418	17	17	22548.40039	22548.40039	22548.40039	0.933333
0030	004	4380	0.1	4374	9	65	100	3	10	1	13140	8766	C-2	85	form-based			true	0.8	25	2.5	16	11	28032	23658	21906	2.133333
0060	010	7690	0.18	0	0	65	100	3	18	18	23070	23070	RM-2	40	form-based		true	true	0.7	16	0.888888896	16	16	21532	21532	21532	0.933333
0065	048	4319	0.1	16900	0	55	80	2.5	8	8	10798	0	NCD-NORT	65	form-based		true	true	0.75	16	2	16	16	19435.5	2535.5	2535.5	1.799917
0068	034	7820	0.18	1474	6	55	80	2.5	14	8	19550	18076	RH-3	50	form-based			true	0.7	22	1.571428537	16	16	27370	25896	25896	1.4
0071	067	6492	0.15	1760	2	55	80	2.5	12	10	16230	14470	RH-3	50	form-based			true	0.7	18	1.5	16	16	22722	20962	20962	1.4
0101	045	6469	0.15	3270	0	55	80	2.5	12	12	16172	12902	NCD-NORT	40	density-lin	400	true		0.75	16	1.333333373	16	16	19407	16137	16137	1.200037
0103	014	6258	0.14	17075	0	55	80	2.5	11	11	15645	0	NCD-NORT	40	density-lin	400	true		0.75	16	1.454545498	16	16	18774	1699	1699	1.2
0107	008	2769	0.06	6000	0	65	100	3	6	6	8307	2307	C-2	84	form-base	800	true		0.8	16	2.666666746	16	12	17721.59961	11721.59961	10614	2.133333
0112	001	12547	0.29	60000	0	65	100	3	29	29	37641	0	C-2	84	density-lin	800	true		0.8	16	0.551724136	16	16	80300.80469	20300.80469	15282	2.133333
0120	007C	8100	0.19	3075	1	55	80	2.5	15	14	20250	17175	RH-2	40	form-based			true	0.7	17	1.133333325	16	16	22680	19605	19605	1.12
0125	115	5316	0.12	2088	3	55	80	2.5	10	7	13290	11202	RH-3	65	form-based			true	0.7	19	1.899999976	16	16	22327.19922	20239.19922	20239.19922	1.68
0135	001	12861	0.3	59052	0	65	100	3	30	30	38583	0	C-2	65	density-lin	800	true		0.8	16	0.533333361	16	16	61732.80078	2680.800781	2680.800781	1.6
0136	002	12467	0.29	20010	0	65	100	3	29	29	37401	17391	C-2	65	density-lin	800			0.8	16	0.551724136	16	16	59841.60156	39831.60156	39831.60156	1.6
0136	003	12728	0.29	20280	0	65	100	3	29	29	38184	17904	C-2	65	density-lin	800	true		0.8	16	0.551724136	16	16	61094.40234	40814.40234	40814.40234	1.6
0145	010	7971	0.18	18878	4	65	100	3	18	14	23913	5035	NCD-BROA	65	density-lin	400	true		0.75	20	1.111111164	16	16	35869.5	16991.5	16991.5	1.5
0146	009	3146	0.07	5910	0	65	100	3	7	7	9438	3528	CCB	65	density-lin	200			0.75	16	2.285714388	16	14	14157	8247	8247	1.5
0147	012	4470	0.1	7796	6	65	100	3	10	4	13410	5614	CCB	65	density-lin	200	true		0.75	22	2.200000048	16	14	20115	12319	12319	1.5
0159	002	4391	0.1	7269	6	65	100	3	10	4	13173	5904	CCB	65	density-lin	200			0.75	22	2.200000048	16	14	19759.5	12490.5	12490.5	1.5
0162	008	4000	0.09	8535	4	65	100	3	9	5	12000	3465	CRNC	65	density-lin	200			0.75	20	2.222222328	16	14	18000	9465	9465	1.5
0164	003	12843	0.29	38550	0	65	100	3	29	29	38529	0	C-2	65	density-lin	800			0.8	16	0.551724136	16	16	61646.40234	23096.40234	23096.40234	1.6
0174	011	4041	0.09	10047	0	65	100	3	9	9	12123	2076	C-2	65	form-base	800			0.8	16	1.777777791	16	16	19396.80078	9349.800781	9349.800781	1.6
0174	012	6302	0.14	2368	9	65	100	3	14	5	18906	16538	C-2	65	form-base	800	true		0.8	25	1.785714269	16	16	30249.59961	27881.59961	27881.59961	1.6

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0177	002	5124	0.12	22706	10	65	100	3	12	2	15372	0	CCB	65	density-lim	200	true		0.75	26	2.166666746	16	14	23058	352	352	1.5
0177	018	3225	0.07	12648	0	65	100	3	7	7	9675	0	CRNC	50	density-lim	200	true		0.75	16	2.285714388	16	14	12093.75	0	0	1.25
0193	026	3214	0.07	13692	0	65	100	3	7	7	9642	0	CRNC	50	density-lim	200	true		0.75	16	2.285714388	16	14	12052.5	0	0	1.25
0210	003	3270	0.08	9760	0	65	100	3	8	8	9810	50	CVR	50	density-lim	200			0.75	16	2	16	16	12262.5	2502.5	2502.5	1.25
0214	021	5360	0.12	5900	4	55	80	2.5	10	6	13400	7500	RM-3	65	form-based			true	0.75	20	2	16	16	24120	18220	18220	1.8
0218	001	4323	0.1	5640	0	55	80	2.5	8	8	10808	5168	RM-3	65	form-based		true	true	0.75	16	2	16	16	19453.5	13813.5	13813.5	1.799917
0224	001	3227	0.07	13136	0	65	100	3	7	7	9681	0	CRNC	85	density-lim	200	true		0.75	16	2.285714388	16	14	19362	6226	6226	2
0228	031	3274	0.08	17030	0	65	100	3	8	8	9822	0	C-3-O	75	form-based				0.8	16	2	16	16	18334.40039	1304.400391	1304.400391	1.866667
0241	019	3162	0.07	7732	0	65	100	3	7	7	9486	1754	CCB	50	density-lim	200			0.75	16	2.285714388	16	14	11857.5	4125.5	4125.5	1.25
0250	009	3066	0.07	7735	12	65	100	3	7	0	9198	1463	NCD-POLK	140	form-based		true	true	0.75	28	4	16	2	27594	19859	10661	3
0250	013	1991	0.05	3270	2	65	100	3	5	3	5973	2703	NCD-POLK	120	form-based			true	0.75	18	3.599999905	16	8	17919	14649	8676	3
0251	002	2401	0.06	6765	6	55	80	2.5	5	0	6002	0	RTO-C	120	form-based			true	0.75	22	4.400000095	16	4	21609	14844	5239	3.6003
0251	005	2405	0.06	5565	6	55	80	2.5	5	0	6012	447	RTO-C	120	form-based			true	0.75	22	4.400000095	16	4	21645	16080	6459	3.600299
0251	024	3954	0.09	8898	20	55	80	2.5	7	0	9885	987	RTO-C	120	form-based			true	0.75	36	5.142857075	16	0	35586	26688	10872	3.6
0251	030	2698	0.06	7600	8	55	80	2.5	5	0	6745	0	RTO-C	120	form-based			true	0.75	24	4.800000191	16	2	24282	16682	5890	3.6
0252	007	3982	0.09	5763	4	55	80	2.5	7	3	9955	4192	RM-4	65	density-lim	200			0.75	20	2.857142925	16	10	17919	12156	12156	1.8
0252	026	9462	0.22	620	31	55	80	2.5	18	0	23655	23035	RM-4	65	density-lim	200			0.75	47	2.611111164	16	5	42579	41959	41959	1.8
0268	018	1750	0.04	111778	0	75	120	3.5	5	5	6125	0	C-3-O	300	form-based				0.8	16	3.200000048	16	10	15750	0	0	2.571429
0273	001F	6875	0.16	18456	18	65	100	3	16	0	20625	2169	RM-4	65	density-lim	200			0.75	34	2.125	16	14	30937.5	12481.5	12481.5	1.5
0277	023	3795	0.09	9711	18	65	100	3	9	0	11385	1674	RTO-C	140	form-based			true	0.75	34	3.777777672	16	0	34155	24444	13059	3
0278	001	4000	0.09	12570	20	55	80	2.5	7	0	10000	0	RTO-C	140	form-based		true	true	0.75	36	5.142857075	16	0	36000	23430	7430	3.6
0278	001A	3000	0.07	6645	11	65	100	3	7	0	9000	2355	RTO-C	120	form-based			true	0.75	27	3.857142925	16	3	27000	20355	11355	3
0278	001D	3000	0.07	6675	11	65	100	3	7	0	9000	2325	RTO-C	120	form-based			true	0.75	27	3.857142925	16	3	27000	20325	11325	3
0280	012	3438	0.08	11731	1	65	100	3	8	7	10314	0	RC-4	80	density-lim	200			0.75	17	2.125	16	15	20628	8897	8897	2
0281	002B	6330	0.15	14280	16	65	100	3	15	0	18990	4710	RC-4	80	density-lim	200			0.75	32	2.133333445	16	14	37980	23700	23700	2
0282	004A	8411	0.19	34589	60	65	100	3	19	0	25233	0	C-3-G	130	form-based		true		0.8	76	4	16	0	75699	41110	15877	3
0284	024	3370	0.08	18720	1	65	100	3	8	7	10110	0	RC-4	65	density-lim	200			0.75	17	2.125	16	15	15165	0	0	1.5
0286	003	2105	0.05	23100	3	75	120	3.5	6	3	7368	0	C-3-R	130	form-based		true		0.8	19	3.166666746	16	9	18945	0	0	2.571254
0287	011	1800	0.04	14850	0	85	140	4	6	6	7200	0	C-3-R	130	form-based				0.8	16	2.666666746	16	12	16200	1350	0	2.25
0287	012	1800	0.04	8280	0	85	140	4	6	6	7200	0	C-3-R	130	form-based				0.8	16	2.666666746	16	12	16200	7920	6120	2.25
0291	003	1813	0.04	5898	0	85	140	4	6	6	7252	1354	C-3-O	300	form-based				0.8	16	2.666666746	16	12	16317	10419	8606	2.25
0294	004	1765	0.04	10650	0	75	120	3.5	5	5	6178	0	C-3-R	130	form-based		true		0.8	16	3.200000048	16	10	15885	5235	1706	2.57122
0299	004	3151	0.07	7162	0	65	100	3	7	7	9453	2291	RC-4	80	density-lim	200			0.75	16	2.285714388	16	14	18906	11744	11744	2
0300	015	3420	0.08	4767	1	65	100	3	8	7	10260	5493	RC-4	80	density-lim	200			0.75	17	2.125	16	15	20520	15753	15753	2
0313	006	1821	0.04	6232	0	75	120	3.5	5	5	6374	142	C-3-R	130	form-based				0.8	16	3.200000048	16	10	16389	10157	6516	2.571227
0333	004	3282	0.08	3500	0	65	100	3	8	8	9846	6346	RC-4	80	density-lim	200			0.75	16	2	16	16	19692	16192	16192	2
0500	002	6094	0.14	4086	1	65	100	3	14	13	18282	14196	RH-2	50	form-based			true	0.7	17	1.214285731	16	16	21329	17243	17243	1.166667
0506	001	2128	0.05	2700	3	55	80	2.5	4	1	5320	2620	NC-3	140	form-based		true	true	0.75	19	4.75	16	5	19152	16452	7940	3.6
0521	006	4133	0.09	5564	6	65	100	3	9	3	12399	6835	RTO-C	85	form-based			true	0.75	22	2.444444418	16	12	24798	19234	19234	2
0521	018	3469	0.08	2896	2	65	100	3	8	6	10407	7511	RTO-C	85	form-based			true	0.75	18	2.25	16	14	20814	17918	17918	2
0522	004	5317	0.12	11265	12	65	100	3	12	0	15951	4686	RTO-C	85	form-based			true	0.75	28	2.333333254	16	12	31902	20637	20637	2
0522	009	5300	0.12	12720	12	65	100	3	12	0	15900	3180	RTO-C	85	form-based			true	0.75	28	2.333333254	16	12	31800	19080	19080	2
0525	020	3125	0.07	2500	0	65	100	3	7	7	9375	6875	NCD-POLK	85	form-based			true	0.75	16	2.285714388	16	14	18750	16250	16250	2
0527	011	5837	0.13	10500	6	85	140	4	18	12	23348	12848	NCD-UNIO	65	form-based			true	0.75	22	1.222222209	16	16	26266.5	15766.5	15766.5	1.125
0527	021A	3890	0.09	5910	4	65	100	3	9	5	11670	5760	RTO-C	85	form-based			true	0.75	20	2.222222328	16	14	23340	17430	17430	2
0528	013	5858	0.13	14679	15	65	100	3	13	0	17574	2895	RTO-C	85	form-based		true	true	0.75	31	2.384615421	16	11	35148	20469	20469	2
0528	016	3438	0.08	2450	2	65	100	3	8	6	10314	7864	RTO-C	85	form-based			true	0.75	18	2.25	16	14	20628	18178	18178	2
0528	021	3438	0.08	3994	2	65	100	3	8	6	10314	6320	RTO-C	85	form-based			true	0.75	18	2.25	16	14	20628	16634	16634	2
0528	022	4060	0.09	2455	5	65	100	3	9	4	12180	9725	RTO-C	85	form-based			true	0.75	21	2.333333254	16	13	24360	21905	21905	2
0532	030	4352	0.1	6806	0	55	80	2.5	8	8	10880	4074	NCD-UNIO	65	form-based		true	true	0.75	16	2	16	16	19584	12778	12778	1.8
0543	030	6173	0.14	6707	7	55	80	2.5	11	4	15432	8725	NCD-UNIO	65	form-based			true	0.75	23	2.090909004	16	15	27778.5	21071.5	21071.5	1.800058
0549	009	3813	0.09	5700	3	65	100	3	9	6	11439	5739	RH-3	85	form-based			true	0.7	19	2.111111164	16	15	21352.79883	15652.79883	15652.79883	1.866667
0549	014	4494	0.1	9750	8	65	100	3	10	2	13482	3732	NCD-POLK	85	form-based			true	0.75	24	2.400000095	16	12	26964	17214	17214	2
0549	020	3897	0.09	4034	3	65	100	3	9	6	11691	7657	RM-2	85	form-based			true	0.7	19	2.111111164	16	15	21823.19922	17789.19922	17789.19922	1.866667
0549	024	6054	0.14	13077	14	65	100	3	14	0	18162	5085	RM-2	85	form-based			true	0.7	30	2.142857075	16	14	33902.39844	20825.39844	20825.39844	1.866667
0565	027	10136	0.23	2327	22	55	80	2.5	18	0	25340	23013	RTO-C	65	form-based		true	true	0.75	38	2.111111164	16	14	45612	43285	43285	1.8
0566	043	5500	0.13	1601	5	55	80	2.5	10	5	13750	12149	RTO-C	65	form-based			true	0.75	21	2.099999905	16	15	24750	23149	23149	1.8
0568	002	3029	0.07	5380	0	65	100	3	7	7	9087	3707	RTO-C	85	form-based			true	0.75	16	2.285714388	16	14	18174	12794	12794	2
0569	002	3584	0.08	4300	3	65	100	3	8	5	10752	6452	RTO-C	85	form-based			true	0.75	19	2.375	16	13	21504	17204	17204	2
0571	001	3030	0.07	3330	0	65	100	3	7	7	9090	5760	NCD-POLK	85	form-based		true	true	0.75	16	2.285714388	16	14	18180	14850	14850	2
0572	034	12448	0.29	625	28	65	100	3	29	1	37344	36719	RM-2	65	form-based			true	0.7	44	1.517241359	16	16	52281.59766	51656.59766	51656.59766	1.4
0578	003	2591	0.06	5950	7	55	80	2.5	5	0	6478	528	RTO-C	140	form-based			true	0.75	23	4.599999905	16	3	23319	17369	7006	3.599722
0584	010	8220	0.19	10734	1	55	80	2.5	15	14	20550	9816	RH-1	40	form-based		true	true	0.7	17	1.133333325	16	16	23016	12282	12282	1.12
0594	004H	1992	0.05	2762	2	65	100	3	5	3	5976	3214	RTO-C	240	form-based			true	0.75	18	3.599999905	16	8	17928	15166	9190	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0594	006	4344	0.1	19746	23	65	100	3	10	0	13032	0	RTO-C	240	form-based			true	0.75	39	3.900000095	16	0	39096	19350	6318	3
0597	009	5761	0.13	10989	12	65	100	3	13	1	17283	6294	RM-2	85	form-based			true	0.7	28	2.153846264	16	14	32261.59961	21272.59961	21272.59961	1.866667
0598	004	4148	0.1	9402	6	65	100	3	10	4	12444	3042	NCD-POLK	85	form-based			true	0.75	22	2.200000048	16	14	24888	15486	15486	2
0620	051	11369	0.26	29700	27	65	100	3	26	0	34107	4407	RM-3	65	form-based		true	true	0.75	43	1.653846145	16	16	51160.5	21460.5	21460.5	1.5
0623	007A	2547	0.06	6348	7	65	100	3	6	0	7641	1293	RTO-C	240	form-based			true	0.75	23	3.833333254	16	5	22923	16575	8934	3
0623	007B	2547	0.06	6348	7	65	100	3	6	0	7641	1293	RTO-C	240	form-based			true	0.75	23	3.833333254	16	5	22923	16575	8934	3
0633	002	3303	0.08	3750	1	85	140	4	11	10	13212	9462	RTO-C	85	form-based			true	0.75	17	1.545454502	16	16	19818	16068	16068	1.5
0633	003	3303	0.08	4125	1	85	140	4	11	10	13212	9087	RTO-C	85	form-based			true	0.75	17	1.545454502	16	16	19818	15693	15693	1.5
0633	041	6786	0.16	1216	3	65	100	3	16	13	20358	19142	RH-2	50	form-based			true	0.7	19	1.1875	16	16	23751	22535	22535	1.166667
0634	004	3040	0.07	1240	0	85	140	4	10	10	12160	10920	NCD-UPPE	85	form-based			true	0.75	16	1.600000024	16	16	18240	17000	17000	1.5
0636	023	4242	0.1	4232	0	65	100	3	10	10	12726	8494	NCD-UPPE	65	form-based		true	true	0.75	16	1.600000024	16	16	19089	14857	14857	1.5
0636	035	3381	0.08	1925	2	65	100	3	8	6	10143	8218	RTO-C	85	form-based			true	0.75	18	2.25	16	14	20286	18361	18361	2
0636	037	4342	0.1	0	0	65	100	3	10	10	13026	13026	NCD-UPPE	65	form-based			true	0.75	16	1.600000024	16	16	19539	19539	19539	1.5
0640	006	3352	0.08	3442	2	65	100	3	8	6	10056	6614	RTO-C	85	form-based			true	0.75	18	2.25	16	14	20112	16670	16670	2
0640	006A	3352	0.08	2682	2	65	100	3	8	6	10056	7374	RTO-C	85	form-based			true	0.75	18	2.25	16	14	20112	17430	17430	2
0640	006B	3352	0.08	2897	2	65	100	3	8	6	10056	7159	RTO-C	85	form-based			true	0.75	18	2.25	16	14	20112	17215	17215	2
0640	006C	3352	0.08	5187	2	65	100	3	8	6	10056	4869	RTO-C	85	form-based			true	0.75	18	2.25	16	14	20112	14925	14925	2
0640	007	5746	0.13	10274	14	65	100	3	13	0	17238	6964	RTO-C	85	form-based			true	0.75	30	2.307692289	16	12	34476	24202	24202	2
0644	010	2067	0.05	3125	3	65	100	3	5	2	6201	3076	NCD-POLK	120	form-based			true	0.75	19	3.799999952	16	7	18603	15478	9277	3
0644	022	3540	0.08	6386	3	65	100	3	8	5	10620	4234	RM-3	85	form-based			true	0.75	19	2.375	16	13	21240	14854	14854	2
0646	002	3062	0.07	6753	12	65	100	3	7	0	9186	2433	NCD-POLK	240	form-based			true	0.75	28	4	16	2	27558	20805	11619	3
0650	005	9350	0.21	12705	0	55	80	2.5	17	17	23375	10670	RM-2	40	density-lin	600	true		0.7	16	0.941176474	16	16	26180	13475	13475	1.12
0653	022	4984	0.11	11407	3	65	100	3	11	8	14952	3545	NCD-UPPE	65	form-based			true	0.75	19	1.727272749	16	16	22428	11021	11021	1.5
0657	008	3781	0.09	4000	4	65	100	3	9	5	11343	7343	RTO-C	85	form-based			true	0.75	20	2.222222328	16	14	22686	18686	18686	2
0661	030	24472	0.56	22500	0	65	100	3	56	56	73416	50916	RH-2	40	density-lin	1500			0.7	16	0.285714298	16	16	68521.60156	46021.60156	46021.60156	0.933333
0675	038	11156	0.26	11000	12	65	100	3	26	14	33468	22468	RM-3	40	density-lin	400			0.75	28	1.076923132	16	16	33468	22468	22468	1
0679	026	3591	0.08	5160	3	65	100	3	8	5	10773	5613	RTO-C	85	form-based			true	0.75	19	2.375	16	13	21546	16386	16386	2
0679	027	3454	0.08	4815	2	65	100	3	8	6	10362	5547	RTO-C	85	form-based			true	0.75	18	2.25	16	14	20724	15909	15909	2
0679	045	3451	0.08	1500	2	65	100	3	8	6	10353	8853	RTO-C	85	form-based			true	0.75	18	2.25	16	14	20706	19206	19206	2
0679	065	3454	0.08	1549	2	65	100	3	8	6	10362	8813	RTO-C	85	form-based			true	0.75	18	2.25	16	14	20724	19175	19175	2
0680	006	2967	0.07	7709	0	65	100	3	7	7	8901	1192	NC-3	85	form-based		true	true	0.75	16	2.285714388	16	14	17802	10093	10093	2
0681	067	3625	0.08	674	3	65	100	3	8	5	10875	10201	RTO-C	85	form-based			true	0.75	19	2.375	16	13	21750	21076	21076	2
0686	052	6309	0.14	23263	0	65	100	3	14	14	18927	0	NCD-JAPAI	50	density-lin	400	true		0.75	16	1.142857194	16	16	23658.75	395.75	395.75	1.25
0693	008	3285	0.08	3240	0	85	140	4	11	11	13140	9900	RC-4	80	density-lin	200			0.75	16	1.454545498	16	16	19710	16470	16470	1.5
0717	013	9408	0.22	12920	0	65	100	3	22	22	28224	15304	NCD-LOWI	130	density-lin	600	true		0.75	16	0.727272749	16	16	84672	71752	43528	3
0724	045	8779	0.2	1660	6	65	100	3	20	14	26337	24677	RM-3	50	density-lin	400	true		0.75	22	1.100000024	16	16	32921.25	31261.25	31261.25	1.25
0743	201	1792	0.04	0	0	65	100	3	4	4	5376	5376	C-2	130	form-base	800			0.8	16	4	16	8	16128	16128	10752	3
0766	014	7920	0.18	1378	55	65	100	3	18	0	23760	22382	RC-4	300	form-based			true	0.75	71	3.944444418	16	0	71280	69902	46142	3
0774	022	6270	0.14	1212	15	55	80	2.5	11	0	15675	14463	RM-4	40	density-lin	200	true		0.75	31	2.818181753	16	7	18810	17598	17598	1.2
0785	036	5287	0.12	0	0	65	100	3	12	12	15861	15861	NCT-3	50	form-based				0.75	16	1.333333373	16	16	19826.25	19826.25	19826.25	1.25
0794	001	5250	0.12	3658	0	55	80	2.5	10	10	13125	9467	NCT-HAYES	50	form-based		true	true	0.75	16	1.600000024	16	16	19687.5	16029.5	16029.5	1.5
0814	019	5273	0.12	15600	31	75	120	3.5	14	0	18456	2856	C-3-G	120	form-based				0.8	47	3.357142925	16	0	47457	31857	21312	2.571359
0826	006	7661	0.18	0	0	55	80	2.5	14	14	19152	19152	RM-1	40	form-based			true	0.7	16	1.142857194	16	16	21450.79883	21450.79883	21450.79883	1.120029
0836	003	1775	0.04	0	0	85	140	4	6	6	7100	7100	C-3-G	450	form-based			true	0.8	16	2.666666746	16	12	15975	15975	14200	2.25
0859	033	7404	0.17	1520	5	65	100	3	17	12	22212	20692	RH-3	50	form-based			true	0.7	21	1.235294104	16	16	25914	24394	24394	1.166667
0954	031	8250	0.19	6654	1	55	80	2.5	15	14	20625	13971	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	23100	16446	16446	1.12
0956	010	7956	0.18	8614	1	55	80	2.5	14	13	19890	11276	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22276.79883	13662.79883	13662.79883	1.12
0956	030	8142	0.19	7887	1	55	80	2.5	15	14	20355	12468	RH-1(D)	40	form-based		true	true	0.7	17	1.133333325	16	16	22797.59961	14910.59961	14910.59961	1.12
0957	003	7872	0.18	11455	1	55	80	2.5	14	13	19680	8225	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22041.59961	10586.59961	10586.59961	1.12
0957	007	7929	0.18	15499	1	55	80	2.5	14	13	19822	4323	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22201.19922	6702.199219	6702.199219	1.120028
0958	003	8252	0.19	8861	1	55	80	2.5	15	14	20630	11769	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	23105.59961	14244.59961	14244.59961	1.12
0959	014	8188	0.19	12150	1	55	80	2.5	15	14	20470	8320	RH-1(D)	40	form-based		true	true	0.7	17	1.133333325	16	16	22926.40039	10776.40039	10776.40039	1.12
0962	006	7978	0.18	9500	1	55	80	2.5	14	13	19945	10445	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22338.40039	12838.40039	12838.40039	1.12
0973	010	8140	0.19	7000	1	55	80	2.5	15	14	20350	13350	RH-1	40	form-based			true	0.7	17	1.133333325	16	16	22792	15792	15792	1.12
0985	004	7734	0.18	8718	0	65	100	3	18	18	23202	14484	RH-1	40	form-based		true	true	0.7	16	0.888888896	16	16	21655.19922	12937.19922	12937.19922	0.933333
0988	005	8086	0.19	4080	1	55	80	2.5	15	14	20215	16135	RH-1	40	form-based		true	true	0.7	17	1.133333325	16	16	22640.79883	18560.79883	18560.79883	1.12
0988	012	7993	0.18	6740	1	55	80	2.5	14	13	19982	13242	RH-1	40	form-based			true	0.7	17	1.214285731	16	16	22380.40039	15640.40039	15640.40039	1.120028
0988	017	7513	0.17	0	0	55	80	2.5	14	14	18782	18782	RH-1	40	form-based		true	true	0.7	16	1.142857194	16	16	21036.40039	21036.40039	21036.40039	1.12003
0988	027	8234	0.19	4998	1	55	80	2.5	15	14	20585	15587	RH-1	40	form-based			true	0.7	17	1.133333325	16	16	23055.19922	18057.19922	18057.19922	1.12
1018	002	4482	0.1	1795	1	55	80	2.5	8	7	11205	9410	NCD-SACR	65	form-based			true	0.75	17	2.125	16	15	20169	18374	18374	1.8
1020	035	5837	0.13	11713	6	65	100	3	13	7	17511	5798	NCD-SACR	65	form-based			true	0.75	22	1.692307711	16	16	26266.5	14553.5	14553.5	1.5
1022	033	4000	0.09	2155	5	65	100	3	9	4	12000	9845	NC-2	85	form-based			true	0.75	21	2.333333254	16	13	24000	21845	21845	2
1023	013	3192	0.07	4235	1	65	100	3	7	6	9576	5341	RTO-C	85	form-based			true	0.75	17	2.428571463	16	13	19152	14917	14917	2
1024	059	3646	0.08	2070	3	85	140	4	11	8	14584	12514	RTO-C	85	form-based			true	0.75	19	1.727272749	16	16	21876	19806	19806	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1025	011	3646	0.08	4150	3	85	140	4	11	8	14584	10434	NC-2	85	form-based			true	0.75	19	1.727272749	16	16	21876	17726	17726	1.5
1025	012	3628	0.08	5541	3	85	140	4	11	8	14512	8971	NC-2	85	form-based			true	0.75	19	1.727272749	16	16	21768	16227	16227	1.5
1025	013	3664	0.08	4890	3	85	140	4	11	8	14656	9766	NC-2	85	form-based			true	0.75	19	1.727272749	16	16	21984	17094	17094	1.5
1026	003A	3246	0.07	3319	1	65	100	3	7	6	9738	6419	RTO-C	85	form-based		true	true	0.75	17	2.428571463	16	13	19476	16157	16157	2
1029	027	3781	0.09	4643	4	85	140	4	13	9	15124	10481	RTO-C	85	form-based			true	0.75	20	1.538461566	16	16	22686	18043	18043	1.5
1029	083	3781	0.09	1519	4	85	140	4	13	9	15124	13605	RTO-C	85	form-based			true	0.75	20	1.538461566	16	16	22686	21167	21167	1.5
1030	053	3439	0.08	2169	2	65	100	3	8	6	10317	8148	RTO-C	85	form-based			true	0.75	18	2.25	16	14	20634	18465	18465	2
1030	030	3440	0.08	4464	2	65	100	3	8	6	10320	5856	RTO-C	85	form-based			true	0.75	18	2.25	16	14	20640	16176	16176	2
1030	042	3439	0.08	1782	2	85	140	4	11	9	13756	11974	RTO-C	85	form-based			true	0.75	18	1.636363626	16	16	20634	18852	18852	1.5
1030	083	3440	0.08	1360	2	65	100	3	8	6	10320	8960	RTO-C	85	form-based			true	0.75	18	2.25	16	14	20640	19280	19280	2
1031	028	5370	0.12	9921	12	65	100	3	12	0	16110	6189	RTO-C	85	form-based			true	0.75	28	2.333333254	16	12	32220	22299	22299	2
1037	038	3727	0.09	4690	4	55	80	2.5	7	3	9318	4628	RTO-C	85	form-based			true	0.75	20	2.857142925	16	10	22362	17672	13946	2.399871
1038	037	3183	0.07	3140	1	55	80	2.5	6	5	7958	4818	RTO-C	85	form-based			true	0.75	17	2.833333254	16	11	19098	15958	12776	2.399849
1050	020	4287	0.1	6879	7	65	100	3	10	3	12861	5982	NC-2	85	form-based		true	true	0.75	23	2.299999952	16	13	25722	18843	18843	2
1050	036	3726	0.09	475	4	65	100	3	9	5	11178	10703	RTO-C	85	form-based			true	0.75	20	2.222222328	16	14	22356	21881	21881	2
1062	022	3000	0.07	8910	0	85	140	4	10	10	12000	3090	NCD-GEAR	85	form-based		true	true	0.75	16	1.600000024	16	16	18000	9090	9090	1.5
1062	023	3000	0.07	3660	0	85	140	4	10	10	12000	8340	NCD-GEAR	85	form-based			true	0.75	16	1.600000024	16	16	18000	14340	14340	1.5
1062	024	3000	0.07	4850	0	85	140	4	10	10	12000	7150	NCD-GEAR	85	form-based			true	0.75	16	1.600000024	16	16	18000	13150	13150	1.5
1062	025	3000	0.07	3524	0	65	100	3	7	7	9000	5476	NCD-GEAR	85	form-based			true	0.75	16	2.285714388	16	14	18000	14476	14476	2
1062	026	3000	0.07	0	0	65	100	3	7	7	9000	9000	NCD-GEAR	85	form-based			true	0.75	16	2.285714388	16	14	18000	18000	18000	2
1064	040	8138	0.19	4200	1	65	100	3	19	18	24414	20214	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22786.40039	18586.40039	18586.40039	0.933333
1069	015	2457	0.06	3020	6	85	140	4	8	2	9828	6808	NCD-GEAR	140	form-based			true	0.75	22	2.75	16	10	22113	19093	16636	2.25
1070	011	8115	0.19	1100	1	65	100	3	19	18	24345	23245	RH-2	40	form-based			true	0.7	17	0.894736826	16	16	22722	21622	21622	0.933333
1079	029	2161	0.05	1179	3	65	100	3	5	2	6483	5304	RTO-C	240	form-based		true	true	0.75	19	3.799999952	16	7	19449	18270	11787	3
1081	018	1960	0.04	1924	2	65	100	3	4	2	5880	3956	RTO-C	140	form-based			true	0.75	18	4.5	16	6	17640	15716	9836	3
1086	002	3025	0.07	0	0	65	100	3	7	7	9075	9075	NCD-GEAR	85	form-based			true	0.75	16	2.285714388	16	14	18150	18150	18150	2
1086	033	4000	0.09	4800	5	65	100	3	9	4	12000	7200	RTO-C	85	form-based		true	true	0.75	21	2.333333254	16	13	24000	19200	19200	2
1087	026	3106	0.07	908	0	85	140	4	10	10	12424	11516	NCD-GEAR	85	form-based			true	0.75	16	1.600000024	16	16	18636	17728	17728	1.5
1089	028	3122	0.07	0	0	65	100	3	7	7	9366	9366	NCD-GEAR	85	form-based			true	0.75	16	2.285714388	16	14	18732	18732	18732	2
1089	029	3123	0.07	0	0	65	100	3	7	7	9369	9369	NCD-GEAR	85	form-based			true	0.75	16	2.285714388	16	14	18738	18738	18738	2
1089	030	3124	0.07	1508	0	65	100	3	7	7	9372	7864	NCD-GEAR	85	form-based			true	0.75	16	2.285714388	16	14	18744	17236	17236	2
1089	031	3125	0.07	4700	0	65	100	3	7	7	9375	4675	NCD-GEAR	85	form-based			true	0.75	16	2.285714388	16	14	18750	14050	14050	2
1090	016	4040	0.09	5790	5	65	100	3	9	4	12120	6330	RTO-C	85	form-based		true	true	0.75	21	2.333333254	16	13	24240	18450	18450	2
1092	040	2100	0.05	718	3	65	100	3	5	2	6300	5582	RTO-C	240	form-based			true	0.75	19	3.799999952	16	7	18900	18182	11882	3
1092	043	2100	0.05	772	3	65	100	3	5	2	6300	5528	RTO-C	240	form-based			true	0.75	19	3.799999952	16	7	18900	18128	11828	3
1092	046	3645	0.08	1600	3	65	100	3	8	5	10935	9335	RTO-C	85	form-based			true	0.75	19	2.375	16	13	21870	20270	20270	2
1156	005	3087	0.07	2025	0	55	80	2.5	6	6	7718	5693	NCT-DIVIS.	85	form-based			true	0.75	16	2.666666746	16	12	18522	16497	13411	2.399844
1170	020A	3125	0.07	3300	0	55	80	2.5	6	6	7812	4512	RTO-C	85	form-based		true	true	0.75	16	2.666666746	16	12	18750	15450	12324	2.400154
1182	022	3438	0.08	4600	2	55	80	2.5	6	4	8595	3995	NCT-DIVIS.	85	form-based			true	0.75	18	3	16	10	20628	16028	12590	2.4
1184	035	7500	0.17	18202	0	55	80	2.5	14	14	18750	548	RM-1	40	form-based			true	0.7	16	1.142857194	16	16	21000	2798	2798	1.12
1186	009K	3449	0.08	3050	2	55	80	2.5	6	4	8622	5572	RTO-C	85	form-based			true	0.75	18	3	16	10	20694	17644	14194	2.400139
1188	013G	3438	0.08	3188	2	55	80	2.5	6	4	8595	5407	RTO-C	85	form-based			true	0.75	18	3	16	10	20628	17440	14002	2.4
1188	014	3438	0.08	2530	2	55	80	2.5	6	4	8595	6065	RTO-C	85	form-based			true	0.75	18	3	16	10	20628	18098	14660	2.4
1188	014A	3438	0.08	2530	2	55	80	2.5	6	4	8595	6065	RTO-C	85	form-based			true	0.75	18	3	16	10	20628	18098	14660	2.4
1188	014B	3437	0.08	2800	2	55	80	2.5	6	4	8592	5792	RTO-C	85	form-based			true	0.75	18	3	16	10	20622	17822	14384	2.40014
1188	014C	3438	0.08	2530	2	55	80	2.5	6	4	8595	6065	RTO-C	85	form-based			true	0.75	18	3	16	10	20628	18098	14660	2.4
1189	001A	3438	0.08	2810	2	55	80	2.5	6	4	8595	5785	RTO-C	85	form-based			true	0.75	18	3	16	10	20628	17818	14380	2.4
1189	001G	3438	0.08	3410	2	55	80	2.5	6	4	8595	5185	RTO-C	85	form-based			true	0.75	18	3	16	10	20628	17218	13780	2.4
1189	023	3438	0.08	3360	2	55	80	2.5	6	4	8595	5235	RTO-C	85	form-based			true	0.75	18	3	16	10	20628	17268	13830	2.4
1189	024	3438	0.08	3500	2	55	80	2.5	6	4	8595	5095	RTO-C	85	form-based			true	0.75	18	3	16	10	20628	17128	13690	2.4
1191	029	5321	0.12	10560	12	55	80	2.5	10	0	13302	2742	RTO-C	85	form-based			true	0.75	28	2.799999952	16	8	31926	21366	16044	2.40009
1191	060	3603	0.08	2058	3	55	80	2.5	6	3	9008	6950	RTO-C	85	form-based			true	0.75	19	3.166666746	16	9	21618	19560	15958	2.399867
1201	004	3437	0.08	3870	2	55	80	2.5	6	4	8592	4722	NCT-DIVIS.	85	form-based			true	0.75	18	3	16	10	20622	16752	13314	2.40014
1218	029	6899	0.16	7200	0	55	80	2.5	13	13	17248	10048	NCT-DIVIS.	40	form-based				0.75	16	1.230769277	16	16	20697	13497	13497	1.199965
1218	050	6899	0.16	3483	0	55	80	2.5	13	13	17248	13765	NCT-DIVIS.	40	form-based				0.75	16	1.230769277	16	16	20697	17214	17214	1.199965
1229	034	4428	0.1	36894	1	55	80	2.5	8	7	11070	0	NCD-HAIG	65	form-based			true	0.75	17	2.125	16	15	19926	0	0	1.8
1230	015	4375	0.1	4250	0	55	80	2.5	8	8	10938	6688	NCD-HAIG	65	form-based			true	0.75	16	2	16	16	19687.5	15437.5	15437.5	1.799918
1235	061	5016	0.12	1906	3	55	80	2.5	10	7	12540	10634	RTO-C	65	form-based			true	0.75	19	1.899999976	16	16	22572	20666	20666	1.8
1245	026	4138	0.09	1852	0	55	80	2.5	7	7	10345	8493	NCD-HAIG	65	form-based			true	0.75	16	2.285714388	16	14	18621	16769	16769	1.8
1247	001	4211	0.1	6770	0	65	100	3	10	10	12633	5863	NCD-HAIG	65	form-based		true	true	0.75	16	1.600000024	16	16	18949.5	12179.5	12179.5	1.5
1249	017	7586	0.17	6015	12	65	100	3	17	5	22758	16743	NCD-HAIG	65	form-based			true	0.75	28	1.647058845	16	16	34137	28122	28122	1.5
1307	001V	8310	0.19	7363	1	55	80	2.5	15	14	20775	13412	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	23268	15905	15905	1.12
1327	001	8020	0.18	5007	1	55	80	2.5	14	13	20050	15043	RH-1(D)	40	form-based		true	true	0.7	17	1.214285731	16	16	22456	17449	17449	1.12
1335	012	8210	0.19	5290	1	55	80	2.5	15	14	20525	15235	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	22988	17698	17698	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1338	021	7765	0.18	0	0	55	80	2.5	14	14	19412	19412	RH-1	40	form-based			true	0.7	16	1.142857194	16	16	21742	21742	21742	1.120029
1355	009	7882	0.18	7320	1	55	80	2.5	14	13	19705	12385	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22069.59961	14749.59961	14749.59961	1.12
1355	054	7933	0.18	5342	1	55	80	2.5	14	13	19832	14490	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22212.40039	16870.40039	16870.40039	1.120028
1355	050	7933	0.18	9245	1	55	80	2.5	14	13	19832	10587	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22212.40039	12967.40039	12967.40039	1.120028
1365	016	4972	0.11	8030	10	55	80	2.5	9	0	12430	4400	NC-1	85	form-based			true	0.75	26	2.888888836	16	8	29832	21802	16830	2.4
1369	018	4407	0.1	6906	7	55	80	2.5	8	1	11018	4112	RTO-C	85	form-based		true	true	0.75	23	2.875	16	9	26442	19536	15130	2.399891
1372	018	5847	0.13	14574	15	55	80	2.5	10	0	14618	44	RTO-C	85	form-based		true	true	0.75	31	3.099999905	16	5	35082	20508	14662	2.399918
1411	013	4298	0.1	5994	0	65	100	3	10	10	12894	6900	NCD-OUTE	65	form-based		true	true	0.75	16	1.600000024	16	16	19341	13347	13347	1.5
1423	045	3823	0.09	4080	4	65	100	3	9	5	11469	7389	RTO-C	85	form-based			true	0.75	20	2.222222328	16	14	22938	18858	18858	2
1423	046	3821	0.09	4080	4	65	100	3	9	5	11463	7383	RTO-C	85	form-based			true	0.75	20	2.222222328	16	14	22926	18846	18846	2
1435	013B	3109	0.07	7680	0	85	140	4	10	10	12436	4756	NCD-GEAR	85	form-based		true	true	0.75	16	1.600000024	16	16	18654	10974	10974	1.5
1435	016	3050	0.07	5035	0	85	140	4	10	10	12200	7165	NCD-GEAR	85	form-based			true	0.75	16	1.600000024	16	16	18300	13265	13265	1.5
1439	022	3012	0.07	247	0	65	100	3	7	7	9036	8789	NCD-GEAR	85	form-based			true	0.75	16	2.285714388	16	14	18072	17825	17825	2
1449	021	4000	0.09	4800	5	85	140	4	13	8	16000	11200	NCD-GEAR	85	form-based			true	0.75	21	1.615384579	16	16	24000	19200	19200	1.5
1453	024	2968	0.07	5060	0	85	140	4	10	10	11872	6812	NCD-GEAR	85	form-based		true	true	0.75	16	1.600000024	16	16	17808	12748	12748	1.5
1466	024	3241	0.07	2679	1	65	100	3	7	6	9723	7044	RTO-C	85	form-based		true	true	0.75	17	2.428571463	16	13	19446	16767	16767	2
1467	045	4431	0.1	3968	1	65	100	3	10	9	13293	9325	RTO-C	65	form-based			true	0.75	17	1.700000048	16	16	19939.5	15971.5	15971.5	1.5
1525	042	3016	0.07	5305	0	85	140	4	10	10	12064	6759	NCD-GEAR	85	form-based			true	0.75	16	1.600000024	16	16	18096	12791	12791	1.5
1526	028	2989	0.07	1790	0	65	100	3	7	7	8967	7177	NCD-GEAR	85	form-based			true	0.75	16	2.285714388	16	14	17934	16144	16144	2
1526	028A	2989	0.07	1110	0	65	100	3	7	7	8967	7857	NCD-GEAR	85	form-based			true	0.75	16	2.285714388	16	14	17934	16824	16824	2
1528	001	3014	0.07	2880	0	85	140	4	10	10	12056	9176	NCD-GEAR	85	form-based		true	true	0.75	16	1.600000024	16	16	18084	15204	15204	1.5
1529	048	5099	0.12	10282	11	65	100	3	12	1	15297	5015	NCD-GEAR	85	form-based			true	0.75	27	2.25	16	13	30594	20312	20312	2
1530	001	3139	0.07	5986	0	85	140	4	10	10	12556	6570	NCD-GEAR	85	form-based		true	true	0.75	16	1.600000024	16	16	18834	12848	12848	1.5
1530	031	5019	0.12	9600	10	85	140	4	17	7	20076	10476	NCD-GEAR	85	form-based			true	0.75	26	1.529411793	16	16	30114	20514	20514	1.5
1541	002	2977	0.07	0	0	85	140	4	10	10	11908	11908	NCD-GEAR	85	form-based			true	0.75	16	1.600000024	16	16	17862	17862	17862	1.5
1541	045	3001	0.07	0	0	85	140	4	10	10	12004	12004	NCD-GEAR	85	form-based			true	0.75	16	1.600000024	16	16	18006	18006	18006	1.5
1570	030	4942	0.11	1176	3	65	100	3	11	8	14826	13650	RTO-C	65	form-based			true	0.75	19	1.727272749	16	16	22239	21063	21063	1.5
1575	018	8219	0.19	14214	15	65	100	3	19	4	24657	10443	NCD-OUTE	65	form-based		true	true	0.75	31	1.631578922	16	16	36985.5	22771.5	22771.5	1.5
1619	026	4866	0.11	2226	2	55	80	2.5	9	7	12165	9939	RTO-C	65	form-based			true	0.75	18	2	16	16	21897	19671	19671	1.8
1645	019	3319	0.08	6165	1	55	80	2.5	6	5	8298	2133	RTO-C	85	form-based		true	true	0.75	17	2.833333254	16	11	19914	13749	10431	2.399855
1647	020	3231	0.07	1990	1	55	80	2.5	6	5	8078	6088	RTO-C	85	form-based		true	true	0.75	17	2.833333254	16	11	19386	17396	14166	2.399852
1652	014	3192	0.07	1600	1	55	80	2.5	6	5	7980	6380	RTO-C	85	form-based		true	true	0.75	17	2.833333254	16	11	19152	17552	14360	2.4
1655	033	8222	0.19	3415	1	55	80	2.5	15	14	20555	17140	RH-1	40	form-based			true	0.7	17	1.133333325	16	16	23021.59961	19606.59961	19606.59961	1.12
1663	022A	3746	0.09	4456	4	55	80	2.5	7	3	9365	4909	RTO-C	85	form-based			true	0.75	20	2.857142925	16	10	22476	18020	14274	2.4
1676	003I	3145	0.07	2882	1	55	80	2.5	6	5	7862	4980	RTO-C	85	form-based			true	0.75	17	2.833333254	16	11	18870	15988	12842	2.400153
1722	036	7920	0.18	5688	1	65	100	3	18	17	23760	18072	RH-1(D)	40	form-based			true	0.7	17	0.944444418	16	16	22176	16488	16488	0.933333
1730	036	4483	0.1	1484	1	65	100	3	10	9	13449	11965	RTO-C	65	form-based			true	0.75	17	1.700000048	16	16	20173.5	18689.5	18689.5	1.5
1731	025	6432	0.15	39228	42	65	100	3	15	0	19296	0	NCD-IRVIN	105	form-based		true	true	0.75	58	3.866666555	16	0	57888	18660	0	3
1732	019	3088	0.07	1659	0	65	100	3	7	7	9264	7605	NCD-INNE	85	form-based			true	0.75	16	2.285714388	16	14	18528	16869	16869	2
1733	051	3750	0.09	1371	4	65	100	3	9	5	11250	9879	RTO-C	85	form-based			true	0.75	20	2.222222328	16	14	22500	21129	21129	2
1741	004	3013	0.07	3000	0	65	100	3	7	7	9039	6039	NCD-INNE	85	form-based			true	0.75	16	2.285714388	16	14	18078	15078	15078	2
1741	008	3013	0.07	5000	0	65	100	3	7	7	9039	4039	NCD-INNE	85	form-based			true	0.75	16	2.285714388	16	14	18078	13078	13078	2
1742	029	3000	0.07	3070	0	65	100	3	7	7	9000	5930	NCD-INNE	85	form-based			true	0.75	16	2.285714388	16	14	18000	14930	14930	2
1742	032	3000	0.07	2983	0	65	100	3	7	7	9000	6017	NCD-INNE	85	form-based			true	0.75	16	2.285714388	16	14	18000	15017	15017	2
1755	010	3366	0.08	4400	2	85	140	4	11	9	13464	9064	NCD-INNE	85	form-based		true	true	0.75	18	1.636363626	16	16	20196	15796	15796	1.5
1763	025	3000	0.07	684	0	85	140	4	10	10	12000	11316	NCD-INNE	85	form-based			true	0.75	16	1.600000024	16	16	18000	17316	17316	1.5
1763	036A	3000	0.07	2875	0	85	140	4	10	10	12000	9125	NCD-INNE	85	form-based			true	0.75	16	1.600000024	16	16	18000	15125	15125	1.5
1764	009	3013	0.07	0	0	85	140	4	10	10	12052	12052	NCD-INNE	85	form-based			true	0.75	16	1.600000024	16	16	18078	18078	18078	1.5
1768	026	3014	0.07	0	0	65	100	3	7	7	9042	9042	RTO-C	85	form-based			true	0.75	16	2.285714388	16	14	18084	18084	18084	2
1772	004	4782	0.11	5040	2	65	100	3	11	9	14346	9306	RTO-C	65	form-based			true	0.75	18	1.636363626	16	16	21519	16479	16479	1.5
1785	035	5793	0.13	13401	14	85	140	4	18	4	23172	9771	NCD-JUDA	85	form-based		true	true	0.75	30	1.666666627	16	16	34758	21357	21357	1.5
1801	053	8186	0.19	1498	15	65	100	3	19	4	24558	23060	NC-1	65	form-based		true	true	0.75	31	1.631578922	16	16	36837	35339	35339	1.5
1803	037	7500	0.17	9404	0	85	140	4	24	24	30000	20596	RM-1	40	form-based			true	0.7	16	0.666666687	16	16	21000	11596	11596	0.7
1815	010	3000	0.07	1740	0	65	100	3	7	7	9000	7260	NC-1	85	form-based			true	0.75	16	2.285714388	16	14	18000	16260	16260	2
1822	034	5000	0.11	6144	10	85	140	4	15	5	20000	13856	NCD-JUDA	85	form-based			true	0.75	26	1.733333349	16	16	30000	23856	23856	1.5
1827	037	3293	0.08	875	1	65	100	3	8	7	9879	9004	RTO-C	85	form-based		true	true	0.75	17	2.125	16	15	19758	18883	18883	2
1845	001	5642	0.13	13158	14	65	100	3	13	0	16926	3768	NCD-INNE	85	form-based		true	true	0.75	30	2.307692289	16	12	33852	20694	20694	2
1865	009A	4035	0.09	3002	5	65	100	3	9	4	12105	9103	RTO-C	85	form-based			true	0.75	21	2.333333254	16	13	24210	21208	21208	2
1865	010	4035	0.09	2678	5	65	100	3	9	4	12105	9427	RTO-C	85	form-based			true	0.75	21	2.333333254	16	13	24210	21532	21532	2
1888	003	7467	0.17	24421	12	65	100	3	17	5	22401	0	NC-1	65	form-based			true	0.75	28	1.647058845	16	16	33601.5	9180.5	9180.5	1.5
2029	023	3025	0.07	2512	0	55	80	2.5	6	6	7562	5050	NCD-NORI	85	form-based			true	0.75	16	2.666666746	16	12	18150	15638	12612	2.400159
2030	012B	3092	0.07	2660	0	55	80	2.5	6	6	7730	5070	NCD-NORI	85	form-based		true	true	0.75	16	2.666666746	16	12	18552	15892	12800	2.4
2127	014	8089	0.19	1660	1	55	80	2.5	15	14	20222	18562	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	22649.19922	20989.19922	20989.19922	1.120028
2206	084	8229	0.19	5553	1	55	80	2.5	15	14	20572	15019	RH-1	40	form-based			true	0.7	17	1.133333325	16	16	23041.19922	17488.19922	17488.19922	1.120027

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2346	019	3093	0.07	0	0	65	100	3	7	7	9279	9279	RTO-C	85	form-based			true	0.75	16	2.285714388	16	14	18558	18558	18558	2
2362	045	5000	0.11	9712	10	65	100	3	11	1	15000	5288	NCD-TARA	85	form-based		true	true	0.75	26	2.363636255	16	12	30000	20288	20288	2
2368	045	5000	0.11	6120	10	85	140	4	15	5	20000	13880	RTO-C	85	form-based			true	0.75	26	1.733333349	16	16	30000	23880	23880	1.5
2372	024A	3250	0.07	2766	1	85	140	4	10	9	13000	10234	RTO-C	85	form-based		true	true	0.75	17	1.700000048	16	16	19500	16734	16734	1.5
2391	001	3217	0.07	1325	1	65	100	3	7	6	9651	8326	NCD-TARA	85	form-based		true	true	0.75	17	2.428571463	16	13	19302	17977	17977	2
2406	031D	2280	0.05	6693	5	85	140	4	7	2	9120	2427	NCD-TARA	140	form-based			true	0.75	21	3	16	9	20520	13827	11547	2.25
2413	040	4543	0.1	2365	1	65	100	3	10	9	13629	11264	RTO-C	65	form-based			true	0.75	17	1.700000048	16	16	20443.5	18078.5	18078.5	1.5
2414	014	4486	0.1	2990	1	65	100	3	10	9	13458	10468	RTO-C	65	form-based		true	true	0.75	17	1.700000048	16	16	20187	17197	17197	1.5
2484	006	3208	0.07	2280	1	65	100	3	7	6	9624	7344	RTO-C	85	form-based			true	0.75	17	2.428571463	16	13	19248	16968	16968	2
2499A	010	8001	0.18	2525	1	55	80	2.5	14	13	20002	17477	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22402.79883	19877.79883	19877.79883	1.120028
2499A	033	8038	0.18	1260	1	55	80	2.5	14	13	20095	18835	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22506.40039	21246.40039	21246.40039	1.12
2541	009	3243	0.07	1680	1	85	140	4	10	9	12972	11292	RTO-C	85	form-based			true	0.75	17	1.700000048	16	16	19458	17778	17778	1.5
2541	020	3263	0.07	2050	1	65	100	3	7	6	9789	7739	RTO-C	85	form-based			true	0.75	17	2.428571463	16	13	19578	17528	17528	2
2623	008B	1984	0.05	2430	2	85	140	4	7	5	7936	5506	RTO-C	120	form-based			true	0.75	18	2.571428537	16	12	17856	15426	13442	2.25
2623	116	19533	0.45	564	39	65	100	3	45	6	58599	58035	RH-3	50	form-based			true	0.7	55	1.222222209	16	16	68365.5	67801.5	67801.5	1.166667
2642	041	8272	0.19	4713	1	65	100	3	19	18	24816	20103	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	23161.59961	18448.59961	18448.59961	0.933333
2647	006	3101	0.07	6000	0	65	100	3	7	7	9303	3303	NCD-CAST	85	form-based			true	0.75	16	2.285714388	16	14	18606	12606	12606	2
2789	041	8125	0.19	1410	1	55	80	2.5	15	14	20312	18902	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	22750	21340	21340	1.120028
2819	024	8176	0.19	2361	1	65	100	3	19	18	24528	22167	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22892.79883	20531.79883	20531.79883	0.933333
2819	026	8213	0.19	3118	1	65	100	3	19	18	24639	21521	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22996.40039	19878.40039	19878.40039	0.933333
2861	032	8089	0.19	2482	1	55	80	2.5	15	14	20222	17740	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	22649.19922	20167.19922	20167.19922	1.120028
2861	037	7972	0.18	3882	1	55	80	2.5	14	13	19930	16048	RH-1(D)	40	form-based		true	true	0.7	17	1.214285731	16	16	22321.59961	18439.59961	18439.59961	1.12
2861	042	7928	0.18	3202	1	55	80	2.5	14	13	19820	16618	RH-1(D)	40	form-based		true	true	0.7	17	1.214285731	16	16	22198.40039	18996.40039	18996.40039	1.12
2862	003	8197	0.19	2943	1	65	100	3	19	18	24591	21648	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22951.59961	20008.59961	20008.59961	0.933333
2863	019	7983	0.18	2725	1	65	100	3	18	17	23949	21224	RH-1(D)	40	form-based			true	0.7	17	0.944444418	16	16	22352.40039	19627.40039	19627.40039	0.933333
2864	002	3323	0.08	1669	1	65	100	3	8	7	9969	8300	RTO-C	85	form-based			true	0.75	17	2.125	16	15	19938	18269	18269	2
2878	002	8130	0.19	2670	1	65	100	3	19	18	24390	21720	RH-1(D)	40	form-based		true	true	0.7	17	0.894736826	16	16	22764	20094	20094	0.933333
2880	019	8179	0.19	3398	1	65	100	3	19	18	24537	21139	RH-1(D)	40	form-based		true	true	0.7	17	0.894736826	16	16	22901.19922	19503.19922	19503.19922	0.933333
2883	002	7863	0.18	2432	1	55	80	2.5	14	13	19658	17226	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22016.40039	19584.40039	19584.40039	1.119972
2901B	026	5040	0.12	7535	10	55	80	2.5	10	0	12600	5065	NC-1	85	form-based		true	true	0.75	26	2.599999905	16	10	30240	22705	17665	2.4
2926	005	7973	0.18	3921	1	65	100	3	18	17	23919	19998	RH-1(D)	40	form-based		true	true	0.7	17	0.944444418	16	16	22324.40039	18403.40039	18403.40039	0.933333
2930	020	4400	0.1	2055	1	65	100	3	10	9	13200	11145	RTO-C	65	form-based		true	true	0.75	17	1.700000048	16	16	19800	17745	17745	1.5
2936B	016	8019	0.18	2880	1	55	80	2.5	14	13	20048	17168	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22453.19922	19573.19922	19573.19922	1.119972
2973	035	7972	0.18	3284	1	55	80	2.5	14	13	19930	16646	RH-1(D)	40	form-based		true	true	0.7	17	1.214285731	16	16	22321.59961	19037.59961	19037.59961	1.12
2973	032	8306	0.19	3768	1	55	80	2.5	15	14	20765	16997	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	23256.79883	19488.79883	19488.79883	1.12
2979	013	3033	0.07	1920	0	85	140	4	10	10	12132	10212	NCD-WEST	85	form-based			true	0.75	16	1.600000024	16	16	18198	16278	16278	1.5
2979A	021A	3113	0.07	5598	0	65	100	3	7	7	9339	3741	NCD-WEST	85	form-based		true	true	0.75	16	2.285714388	16	14	18678	13080	13080	2
2979A	035	2974	0.07	3450	0	85	140	4	10	10	11896	8446	NCD-WEST	85	form-based		true	true	0.75	16	1.600000024	16	16	17844	14394	14394	1.5
2989B	028	3114	0.07	4922	0	65	100	3	7	7	9342	4420	NCD-WEST	85	form-based			true	0.75	16	2.285714388	16	14	18684	13762	13762	2
2991	019	8131	0.19	3099	1	55	80	2.5	15	14	20328	17229	RH-1(D)	40	form-based		true	true	0.7	17	1.133333325	16	16	22766.79883	19667.79883	19667.79883	1.119972
3012	029	3012	0.07	4000	0	65	100	3	7	7	9036	5036	NCD-WEST	85	form-based			true	0.75	16	2.285714388	16	14	18072	14072	14072	2
3013A	012	8056	0.18	4767	1	65	100	3	18	17	24168	19401	RH-1(D)	40	form-based			true	0.7	17	0.944444418	16	16	22556.79883	17789.79883	17789.79883	0.933333
3014	002C	3302	0.08	2520	1	65	100	3	8	7	9906	7386	RTO-C	85	form-based			true	0.75	17	2.125	16	15	19812	17292	17292	2
3044	012	7989	0.18	2500	1	55	80	2.5	14	13	19972	17472	RH-1(D)	40	form-based		true	true	0.7	17	1.214285731	16	16	22369.19922	19869.19922	19869.19922	1.120028
3046	014	8032	0.18	1800	1	55	80	2.5	14	13	20080	18280	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22489.59961	20689.59961	20689.59961	1.12
3046	036	8251	0.19	2852	1	55	80	2.5	15	14	20628	17776	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	23102.79883	20250.79883	20250.79883	1.119973
3069	002	8162	0.19	4415	1	65	100	3	19	18	24486	20071	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22853.59961	18438.59961	18438.59961	0.933333
3076	017	7960	0.18	2944	1	55	80	2.5	14	13	19900	16956	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22288	19344	19344	1.12
3070	017	8022	0.18	4477	1	65	100	3	18	17	24066	19589	RH-1(D)	40	form-based			true	0.7	17	0.944444418	16	16	22461.59961	17984.59961	17984.59961	0.933333
3071	032	8278	0.19	2390	1	65	100	3	19	18	24834	22444	RH-1(D)	40	form-based		true	true	0.7	17	0.894736826	16	16	23178.40039	20788.40039	20788.40039	0.933333
3072	001	8051	0.18	2778	1	65	100	3	18	17	24153	21375	RH-1(D)	40	form-based			true	0.7	17	0.944444418	16	16	22542.79883	19764.79883	19764.79883	0.933333
3075	006	8194	0.19	2246	1	55	80	2.5	15	14	20485	18239	RH-1(D)	40	form-based		true	true	0.7	17	1.133333325	16	16	22943.19922	20697.19922	20697.19922	1.12
3076A	004	7901	0.18	3585	1	55	80	2.5	14	13	19752	16167	RH-1(D)	40	form-based		true	true	0.7	17	1.214285731	16	16	22122.79883	18537.79883	18537.79883	1.120028
3077	013	8022	0.18	2616	1	55	80	2.5	14	13	20055	17439	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22461.59961	19845.59961	19845.59961	1.12
3077	015	8315	0.19	3054	1	55	80	2.5	15	14	20788	17734	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	23282	20228	20228	1.119973
3098	010	7998	0.18	3340	1	65	100	3	18	17	23994	20654	RH-1(D)	40	form-based		true	true	0.7	17	0.944444418	16	16	22394.40039	19054.40039	19054.40039	0.933333
3098	014	8098	0.19	2229	1	65	100	3	19	18	24294	22065	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22674.40039	20445.40039	20445.40039	0.933333
3104	006	8234	0.19	3465	1	55	80	2.5	15	14	20585	17120	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	23055.19922	19590.19922	19590.19922	1.12
3105	003	7863	0.18	3110	1	55	80	2.5	14	13	19658	16548	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22016.40039	18906.40039	18906.40039	1.119972
3105A	003	8246	0.19	4605	1	55	80	2.5	15	14	20615	16010	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	23088.79883	18483.79883	18483.79883	1.12
3105A	008	8077	0.19	3926	1	55	80	2.5	15	14	20192	16266	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	22615.59961	18689.59961	18689.59961	1.120028
3135	016	8136	0.19	2925	1	55	80	2.5	15	14	20340	17415	RH-1(D)	40	form-based		true	true	0.7	17	1.133333325	16	16	22780.79883	19855.79883	19855.79883	1.12
3198	015	3066	0.07	1320	0	65	100	3	7	7	9198	7878	NCT-OCEA	85	form-based			true	0.75	16	2.285714388	16	14	18396	17076	17076	2
3252	018	8108	0.19	3139	1	65	100	3	19	18	24324	21185	RH-1(D)	40	form-based		true	true	0.7	17	0.894736826	16	16	22702.40039	19563.40039	19563.40039	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3267	017A	4628	0.11	2404	1	85	140	4	15	14	18512	16108	RTO-C	65	form-based		true	true	0.75	17	1.133333325	16	16	20826	18422	18422	1.125
3504	038	3376	0.08	35997	2	85	140	4	11	9	13504	0	NCT-3	85	form-based				0.75	18	1.636363626	16	16	20256	0	0	1.5
3509	015	5190	0.12	10200	0	65	100	3	12	12	15570	5370	RCD	55	form-based				0.75	16	1.333333373	16	16	19462.5	9262.5	9262.5	1.25
3514	006	5204	0.12	12100	11	65	100	3	12	1	15612	3512	NCT-3	85	form-based				0.75	27	2.25	16	13	31224	19124	19124	2
3521	030	3046	0.07	9600	0	65	100	3	7	7	9138	0	WMUG	85	form-based			true	0.75	16	2.285714388	16	14	18276	8676	8676	2
3521	093	2957	0.07	11000	0	55	80	2.5	6	6	7392	0	WMUG	85	form-based			true	0.75	16	2.666666746	16	12	17742	6742	3784	2.400162
3534	022	7298	0.17	4168	4	65	100	3	17	13	21894	17726	RTO-1	50	form-based			true	0.7	20	1.176470637	16	16	25543	21375	21375	1.166667
3535	014	2038	0.05	2394	2	65	100	3	5	3	6114	3720	NCT-3	160	form-based			true	0.75	18	3.599999905	16	8	18342	15948	9834	3
3537	010	7208	0.17	12348	0	65	100	3	17	17	21624	9276	NCT-UPPEI	40	form-based				0.75	16	0.941176474	16	16	21624	9276	9276	1
3537	014	3095	0.07	3274	0	65	100	3	7	7	9285	6011	NCT-UPPEI	85	form-based			true	0.75	16	2.285714388	16	14	18570	15296	15296	2
3542	062	5246	0.12	15229	0	85	140	4	17	17	20984	5755	NCT-UPPEI	50	form-based				0.75	16	0.941176474	16	16	19672.5	4443.5	4443.5	0.9375
3544	059	3113	0.07	2917	0	85	140	4	10	10	12452	9535	NCT-UPPEI	85	form-based			true	0.75	16	1.600000024	16	16	18678	15761	15761	1.5
3544	062	3111	0.07	2780	0	85	140	4	10	10	12444	9664	NCT-UPPEI	85	form-based			true	0.75	16	1.600000024	16	16	18666	15886	15886	1.5
3552	023	7452	0.17	10568	6	75	120	3.5	20	14	26082	15514	UMU	58	form-based				0.75	22	1.100000024	16	16	27945	17377	17377	1.071429
3555	040	5281	0.12	5000	0	75	120	3.5	14	14	18484	13484	NCT-VALEI	55	form-based		true		0.75	16	1.142857194	16	16	19803.75	14803.75	14803.75	1.0714
3558	036	2516	0.06	6495	7	85	140	4	8	1	10064	3569	NCT-UPPEI	160	form-based		true	true	0.75	23	2.875	16	9	22644	16149	13633	2.25
3559	015	1738	0.04	2400	0	65	100	3	4	4	5214	2814	NCT-UPPEI	120	form-based			true	0.75	16	4	16	8	15642	13242	8028	3
3561	012	2045	0.05	2152	2	85	140	4	7	5	8180	6028	NCT-UPPEI	120	form-based			true	0.75	18	2.571428537	16	12	18405	16253	14208	2.25
3561	013	1963	0.05	2760	2	85	140	4	7	5	7852	5092	NCT-UPPEI	120	form-based			true	0.75	18	2.571428537	16	12	17667	14907	12944	2.25
3562	001	5834	0.13	24372	37	85	140	4	18	0	23336	0	NCT-UPPEI	120	form-based		true	true	0.75	53	2.944444418	16	0	52506	28134	22300	2.25
3566	002A	5870	0.13	12062	0	65	100	3	13	13	17610	5548	RH-3	50	form-based			true	0.7	16	1.230769277	16	16	20545	8483	8483	1.166667
3567	037	7084	0.16	13650	0	65	100	3	16	16	21252	7602	NCT-VALEI	40	form-based				0.75	16	1	16	16	21252	7602	7602	1
3568	008	5396	0.12	3634	0	75	120	3.5	14	14	18886	15252	NCT-VALEI	55	form-based				0.75	16	1.142857194	16	16	20235	16601	16601	1.071429
3568	009	5292	0.12	4984	0	75	120	3.5	14	14	18522	13538	NCT-VALEI	55	form-based				0.75	16	1.142857194	16	16	19845	14861	14861	1.071429
3568	011	5344	0.12	5040	0	75	120	3.5	14	14	18704	13664	NCT-VALEI	55	form-based				0.75	16	1.142857194	16	16	20040	15000	15000	1.071429
3568	015	5400	0.12	11200	0	75	120	3.5	14	14	18900	7700	NCT-VALEI	55	form-based		true		0.75	16	1.142857194	16	16	20250	9050	9050	1.071429
3583	072	3000	0.07	5350	0	65	100	3	7	7	9000	3650	NCD-CAST	85	form-based		true	true	0.75	16	2.285714388	16	14	18000	12650	12650	2
3628	008	4848	0.11	2835	2	85	140	4	15	13	19392	16557	RTO-C	65	form-based			true	0.75	18	1.200000048	16	16	21816	18981	18981	1.125
3628	027	6337	0.15	2596	2	85	140	4	21	19	25348	22752	RH-2	50	form-based			true	0.7	18	0.857142866	16	16	22179.5	19583.5	19583.5	0.875
3650	011	7734	0.18	4632	6	65	100	3	18	12	23202	18570	RH-2	50	form-based			true	0.7	22	1.222222209	16	16	27069	22437	22437	1.166667
3704	028	1750	0.04	4650	0	75	120	3.5	5	5	6125	1475	C-3-G	160	form-based				0.8	16	3.200000048	16	10	15750	11100	7600	2.571429
3707	009	1750	0.04	7640	0	75	120	3.5	5	5	6125	0	C-3-O(SD)	150	form-based		true		0.8	16	3.200000048	16	10	15750	8110	4610	2.571429
3707	010	1750	0.04	5628	0	75	120	3.5	5	5	6125	497	C-3-O(SD)	150	form-based				0.8	16	3.200000048	16	10	15750	10122	6622	2.571429
3709	006A	1813	0.04	0	0	75	120	3.5	5	5	6346	6346	C-3-O(SD)	550	form-based				0.8	16	3.200000048	16	10	16317	16317	12692	2.571226
3726	008	3575	0.08	7185	3	65	100	3	8	5	10725	3540	NCT-SOMA	85	form-based		true		0.75	19	2.375	16	13	21450	14265	14265	2
3726	107	3009	0.07	8400	0	85	140	4	10	10	12036	3636	MUG	85	form-based				0.75	16	1.600000024	16	16	18054	9654	9654	1.5
3729	011	4375	0.1	8700	0	65	100	3	10	10	13125	4425	NCT-FOLS(	65	form-based				0.75	16	1.600000024	16	16	19687.5	10987.5	10987.5	1.5
3730	008	4137	0.09	4250	0	65	100	3	9	9	12411	8161	WMUG	65	form-based				0.75	16	1.777777791	16	16	18616.5	14366.5	14366.5	1.5
3730	026	4250	0.1	4251	0	65	100	3	10	10	12750	8499	NCT-FOLS(	65	form-based				0.75	16	1.600000024	16	16	19125	14874	14874	1.5
3733	141	1973	0.05	1487	2	65	100	3	5	3	5919	4432	C-3-S	130	form-based		true		0.8	18	3.599999905	16	8	17757	16270	10351	3
3754	002	3033	0.07	3000	0	65	100	3	7	7	9099	6099	MUG	85	form-based				0.75	16	2.285714388	16	14	18198	15198	15198	2
3754	041	4388	0.1	9710	0	65	100	3	10	10	13164	3454	NCT-SOMA	65	form-based		true		0.75	16	1.600000024	16	16	19746	10036	10036	1.5
3755	076	4261	0.1	4125	0	65	100	3	10	10	12783	8658	NCT-FOLS(	65	form-based				0.75	16	1.600000024	16	16	19174.5	15049.5	15049.5	1.5
3755	079	4299	0.1	11905	0	65	100	3	10	10	12897	992	NCT-FOLS(	65	form-based		true		0.75	16	1.600000024	16	16	19345.5	7440.5	7440.5	1.5
3756	033	4379	0.1	7920	0	65	100	3	10	10	13137	5217	NCT-FOLS(	65	form-based		true		0.75	16	1.600000024	16	16	19705.5	11785.5	11785.5	1.5
3762	049	2913	0.07	5891	0	65	100	3	7	7	8739	2848	CMUO	85	form-based				0.8	16	2.285714388	16	14	18643.20117	12752.20117	11587	2.133333
3762	054	2920	0.07	882	0	65	100	3	7	7	8760	7878	CMUO	85	form-based				0.8	16	2.285714388	16	14	18688	17806	16638	2.133333
3762	055	2905	0.07	4070	0	65	100	3	7	7	8715	4645	CMUO	85	form-based				0.8	16	2.285714388	16	14	18592	14522	13360	2.133333
3763	019	2795	0.06	0	0	85	140	4	8	8	11180	11180	CMUO	85	form-based		true		0.8	16	2	16	16	17888	17888	17888	1.6
3776	099	4023	0.09	5802	0	65	100	3	9	9	12069	6267	CMUO	65	form-based		true		0.8	16	1.777777791	16	16	19310.40039	13508.40039	13508.40039	1.6
3777	019	4000	0.09	5000	0	75	120	3.5	11	11	14000	9000	CMUO	65	form-based				0.8	16	1.454545498	16	16	19200	14200	14200	1.371429
3777	031	4000	0.09	11975	0	85	140	4	13	13	16000	4025	CMUO	65	form-based				0.8	16	1.230769277	16	16	19200	7225	7225	1.2
3778	046B	5410	0.12	19540	0	65	100	3	12	12	16230	0	MUG	55	form-based				0.75	16	1.333333373	16	16	20287.5	747.5	747.5	1.25
3778	046C	5436	0.12	5800	0	65	100	3	12	12	16308	10508	MUG	55	form-based				0.75	16	1.333333373	16	16	20385	14585	14585	1.25
3778	046D	5473	0.13	0	0	65	100	3	13	13	16419	16419	MUG	55	form-based				0.75	16	1.230769277	16	16	20523.75	20523.75	20523.75	1.25
3778	046F	5455	0.13	5800	0	65	100	3	13	13	16365	10565	MUG	55	form-based				0.75	16	1.230769277	16	16	20456.25	14656.25	14656.25	1.25
3785	137	17126	0.39	52800	48	65	100	3	39	0	51378	0	MUG	65	form-based				0.75	64	1.641025662	16	16	77067	24267	24267	1.5
3787	003	3918	0.09	863	0	75	120	3.5	11	11	13713	12850	CMUO	65	form-based				0.8	16	1.454545498	16	16	18806.40039	17943.40039	17943.40039	1.371429
3787	007	3924	0.09	0	0	75	120	3.5	11	11	13734	13734	CMUO	65	form-based				0.8	16	1.454545498	16	16	18835.20117	18835.20117	18835.20117	1.371429
3787	048	3994	0.09	7650	0	75	120	3.5	11	11	13979	6329	CMUO	65	form-based		true		0.8	16	1.454545498	16	16	19171.20117	11521.20117	11521.20117	1.371429
3788	015	4069	0.09	20878	0	75	120	3.5	11	11	14242	0	CMUO	65	form-based				0.8	16	1.454545498	16	16	19531.20117	0	0	1.37138
3775	104	6791	0.16	9600	0	65	100	3	16	16	20373	10773	CMUO	45	form-based				0.8	16	1	16	16	21731.20117	12131.20117	12131.20117	1.066667
4068	021	24024	0.55	10712	0	65	100	3	55	55	72072	61360	RH-2	40	density-lin	1500			0.7	16	0.290909082	16	16	67267.19531	56555.19531	56555.19531	0.933333
4108	018	7275	0.17	14050	0	85	140	4	24	24	29100	15050	UMU	40	form-based				0.75	16	0.666666687	16	16	21825	7775	7775	0.75

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4279	028	7189	0.17	6076	0	65	100	3	17	17	21567	15491	MUR	40	form-based				0.75	16	0.941176474	16	16	21567	15491	15491	1
5512	028	12602	0.29	1575	0	55	80	2.5	23	23	31505	29930	NC-1	40	density-lin	800	true		0.75	16	0.695652187	16	16	37806	36231	36231	1.2
6528	038	7477	0.17	1654	12	75	120	3.5	20	8	26170	24516	NCT-MISSI	65	form-based				0.75	28	1.399999976	16	16	33646.5	31992.5	31992.5	1.28569
6552	014	5646	0.13	4701	0	65	100	3	13	13	16938	12237	RH-2	50	form-based			true	0.7	16	1.230769277	16	16	19761	15060	15060	1.166667
6569	009B	4329	0.1	288	0	65	100	3	10	10	12987	12699	NCT-VALEI	65	form-based		true		0.75	16	1.600000024	16	16	19480.5	19192.5	19192.5	1.5
6570	007	5209	0.12	117	0	85	140	4	17	17	20836	20719	NCT-MISSI	55	form-based				0.75	16	0.941176474	16	16	19533.75	19416.75	19416.75	0.9375
6613	049	11103	0.25	1484	7	65	100	3	25	18	33309	31825	RH-2	40	form-based		true	true	0.7	23	0.920000017	16	16	31088.40039	29604.40039	29604.40039	0.933333
6700	034	8224	0.19	1210	1	65	100	3	19	18	24672	23462	RH-1	40	form-based			true	0.7	17	0.894736826	16	16	23027.19922	21817.19922	21817.19922	0.933333
6742	004	3177	0.07	1778	1	75	120	3.5	8	7	11120	9342	NCT-GLEN	85	form-based			true	0.75	17	2.125	16	15	19062	17284	17284	1.714209
6742	029	2974	0.07	2236	0	75	120	3.5	8	8	10409	8173	NCT-GLEN	85	form-based			true	0.75	16	2	16	16	17844	15608	15608	1.714286
6748	061	23254	0.53	32273	0	65	100	3	53	53	69762	37489	RH-2	40	density-lin	1500			0.7	16	0.301886797	16	16	65111.19922	32838.19922	32838.19922	0.933333
6902	014	2993	0.07	1698	0	85	140	4	10	10	11972	10274	NC-1	85	form-based			true	0.75	16	1.600000024	16	16	17958	16260	16260	1.5
6903	014	2996	0.07	1179	0	85	140	4	10	10	11984	10805	NC-1	85	form-based			true	0.75	16	1.600000024	16	16	17976	16797	16797	1.5
6904	012	7867	0.18	2106	1	65	100	3	18	17	23601	21495	RH-1(D)	40	form-based		true	true	0.7	17	0.944444418	16	16	22027.59961	19921.59961	19921.59961	0.933333
6904	013	8119	0.19	2868	1	65	100	3	19	18	24357	21489	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22733.19922	19865.19922	19865.19922	0.933333
6904	014	8110	0.19	1920	1	65	100	3	19	18	24330	22410	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22708	20788	20788	0.933333
6904	015	8005	0.18	2396	1	65	100	3	18	17	24015	21619	RH-1(D)	40	form-based		true	true	0.7	17	0.944444418	16	16	22414	20018	20018	0.933333
6904	017	8124	0.19	2590	1	65	100	3	19	18	24372	21782	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22747.19922	20157.19922	20157.19922	0.933333
6905	007	8131	0.19	2620	1	65	100	3	19	18	24393	21773	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22766.79883	20146.79883	20146.79883	0.933333
6905	008	7901	0.18	3330	1	65	100	3	18	17	23703	20373	RH-1(D)	40	form-based			true	0.7	17	0.944444418	16	16	22122.79883	18792.79883	18792.79883	0.933333
6908	024	7969	0.18	2275	1	85	140	4	25	24	31876	29601	RH-1(D)	40	form-based			true	0.7	17	0.680000007	16	16	22313.19922	20038.19922	20038.19922	0.7
6905	017	8268	0.19	2188	1	65	100	3	19	18	24804	22616	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	23150.40039	20962.40039	20962.40039	0.933333
6905	018	8266	0.19	2452	1	65	100	3	19	18	24798	22346	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	23144.79883	20692.79883	20692.79883	0.933333
6905	019	8263	0.19	2188	1	65	100	3	19	18	24789	22601	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	23136.40039	20948.40039	20948.40039	0.933333
6907	021	7942	0.18	3236	1	65	100	3	18	17	23826	20590	RH-1(D)	40	form-based			true	0.7	17	0.944444418	16	16	22237.59961	19001.59961	19001.59961	0.933333
6907	003	8072	0.19	2928	1	65	100	3	19	18	24216	21288	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22601.59961	19673.59961	19673.59961	0.933333
6907	004	8152	0.19	4840	1	65	100	3	19	18	24456	19616	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22825.59961	17985.59961	17985.59961	0.933333
6908	020	8106	0.19	2850	1	65	100	3	19	18	24318	21468	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22696.79883	19846.79883	19846.79883	0.933333
6909	015	8025	0.18	3368	1	65	100	3	18	17	24075	20707	RH-1(D)	40	form-based			true	0.7	17	0.944444418	16	16	22470	19102	19102	0.933333
6912	014	8080	0.19	3978	1	65	100	3	19	18	24240	20262	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22624	18646	18646	0.933333
6912	022	7937	0.18	3261	1	65	100	3	18	17	23811	20550	RH-1(D)	40	form-based			true	0.7	17	0.944444418	16	16	22223.59961	18962.59961	18962.59961	0.933333
6912	031	8148	0.19	2879	1	65	100	3	19	18	24444	21565	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22814.40039	19935.40039	19935.40039	0.933333
6912	035	8077	0.19	1888	1	65	100	3	19	18	24231	22343	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22615.59961	20727.59961	20727.59961	0.933333
6914	014	8187	0.19	1336	1	65	100	3	19	18	24561	23225	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22923.59961	21587.59961	21587.59961	0.933333
6916	025	7966	0.18	1855	1	55	80	2.5	14	13	19915	18060	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22304.79883	20449.79883	20449.79883	1.12
6916	027	8168	0.19	2500	1	55	80	2.5	15	14	20420	17920	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	22870.40039	20370.40039	20370.40039	1.12
6916	028	8106	0.19	1250	1	55	80	2.5	15	14	20265	19015	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	22696.79883	21446.79883	21446.79883	1.12
6916	029	8261	0.19	1840	1	55	80	2.5	15	14	20652	18812	RH-1(D)	40	form-based			true	0.7	17	1.133333325	16	16	23130.79883	21290.79883	21290.79883	1.120027
6918	008	8144	0.19	2760	1	65	100	3	19	18	24432	21672	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22803.19922	20043.19922	20043.19922	0.933333
6918	009	8206	0.19	2026	1	65	100	3	19	18	24618	22592	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	22976.79883	20950.79883	20950.79883	0.933333
6923	006	7883	0.18	3206	1	65	100	3	18	17	23649	20443	RH-1(D)	40	form-based			true	0.7	17	0.944444418	16	16	22072.40039	18866.40039	18866.40039	0.933333
6940	033	7521	0.17	9168	0	65	100	3	17	17	22563	13395	RH-1	40	form-based			true	0.7	16	0.941176474	16	16	21058.79883	11890.79883	11890.79883	0.933333
6941	062	3547	0.08	3880	3	85	140	4	11	8	14188	10308	NCT-OCEA	85	form-based			true	0.75	19	1.727272749	16	16	21282	17402	17402	1.5
6945	036	3093	0.07	3500	0	85	140	4	10	10	12372	8872	NCT-OCEA	85	form-based			true	0.75	16	1.600000024	16	16	18558	15058	15058	1.5
6962	006B	3205	0.07	1430	1	75	120	3.5	8	7	11218	9788	NCT-1	85	form-based			true	0.75	17	2.125	16	15	19230	17800	17800	1.714209
6969	016	9795	0.22	1369	0	65	100	3	22	22	29385	28016	NCD-EXCE	65	density-lin	600	true		0.75	16	0.727272749	16	16	44077.5	42708.5	42708.5	1.5
7013	002	7935	0.18	3873	1	55	80	2.5	14	13	19838	15965	RH-1	40	form-based			true	0.7	17	1.214285731	16	16	22218	18345	18345	1.119972
7066	007	9404	0.22	9324	0	55	80	2.5	18	18	23510	14186	NCD-EXCE	40	density-lin	600			0.75	16	0.888888896	16	16	28212	18888	18888	1.2
7082	001	12446	0.29	7840	0	85	140	4	41	41	49784	41944	NC-1	26	density-lin	800	true		0.75	16	0.390243888	16	16	18669	10829	10829	0.375
7207	012A	4591	0.11	2340	1	55	80	2.5	9	8	11478	9138	RTO-C	65	form-based			true	0.75	17	1.888888836	16	16	20659.5	18319.5	18319.5	1.799922
7209	012A	4400	0.1	2876	1	55	80	2.5	8	7	11000	8124	RTO-C	65	form-based			true	0.75	17	2.125	16	15	19800	16924	16924	1.8
7211	004	4553	0.1	1628	1	55	80	2.5	8	7	11382	9754	RTO-C	65	form-based			true	0.75	17	2.125	16	15	20488.5	18860.5	18860.5	1.800079
7213	005	4569	0.1	2060	1	55	80	2.5	8	7	11422	9362	RTO-C	65	form-based		true	true	0.75	17	2.125	16	15	20560.5	18500.5	18500.5	1.800079
7214	009	8000	0.18	3120	1	55	80	2.5	14	13	20000	16880	RH-1(D)	40	form-based			true	0.7	17	1.214285731	16	16	22400	19280	19280	1.12
7217	007A	8327	0.19	5057	1	65	100	3	19	18	24981	19924	RH-1(D)	40	form-based		true	true	0.7	17	0.894736826	16	16	23315.59961	18258.59961	18258.59961	0.933333
7231	001C	7984	0.18	2199	1	65	100	3	18	17	23952	21753	RH-1(D)	40	form-based		true	true	0.7	17	0.944444418	16	16	22355.19922	20156.19922	20156.19922	0.933333
7231	007A	8296	0.19	3642	1	65	100	3	19	18	24888	21246	RH-1(D)	40	form-based			true	0.7	17	0.894736826	16	16	23228.79883	19586.79883	19586.79883	0.933333
7539	013	10280	0.24	6743	6	55	80	2.5	19	13	25700	18957	RM-1	40	form-based		true	true	0.7	22	1.157894731	16	16	28784	22041	22041	1.12
7539	017	8189	0.19	3246	1	55	80	2.5	15	14	20472	17226	RH-1	40	form-based			true	0.7	17	1.133333325	16	16	22929.19922	19683.19922	19683.19922	1.120027
7540	003	8217	0.19	4486	1	65	100	3	19	18	24651	20165	RH-1	40	form-based			true	0.7	17	0.894736826	16	16	23007.59961	18521.59961	18521.59961	0.933333
0013	010	3750	0.09	82	0	85	140	4	13	13	15000	14918	C-2	65	form-based			true	0.8	15	1.153846145	15	15	18000	17918	17918	1.2
0024	001	3765	0.09	0	0	65	100	3	9	9	11295	11295	C-2	65	form-based		true	true	0.8	15	1.666666627	15	15	18072	18072	18072	1.6
0025	004D	6888	0.16	13280	0	65	100	3	16	16	20664	7384	NC-1	40	form-based			true	0.75	15	0.9375	15	15	20664	7384	7384	1
0041	039	2750	0.06	2332	0	65	100	3	6	6	8250	5918	C-2	85	form-based			true	0.8	15	2.5	15	12	17600	15268	14168	2.133333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0045	017	7545	0.17	2628	1	65	100	3	17	16	22635	20007	RH-3	40	form-based			true	0.7	16	0.941176474	15	15	21126	18498	18498	0.933333
0066	024	5328	0.12	4761	0	55	80	2.5	10	10	13320	8559	RM-1	50	form-based			true	0.7	15	1.5	15	15	18648	13887	13887	1.4
0103	015	6188	0.14	7886	0	55	80	2.5	11	11	15470	7584	NCD-NORT	40	density-lin	400			0.75	15	1.363636374	15	15	18564	10678	10678	1.2
0106	002	2667	0.06	0	0	65	100	3	6	6	8001	8001	C-2	84	form-base	800	true		0.8	15	2.5	15	12	17068.80078	17068.80078	16002	2.133333
0112	008	11754	0.27	29772	0	65	100	3	27	27	35262	5490	C-2	65	density-lin	800	true		0.8	15	0.555555582	15	15	56419.19922	26647.19922	26647.19922	1.6
0117	010	5964	0.14	16380	0	55	80	2.5	11	11	14910	0	NCD-NORT	40	density-lin	400			0.75	15	1.363636374	15	15	17892	1512	1512	1.2
0122	010	5604	0.13	6897	5	55	80	2.5	10	5	14010	7113	RH-3	65	form-based			true	0.7	20	2	15	15	23536.79883	16639.79883	16639.79883	1.68
0124	049	4391	0.1	0	0	65	100	3	10	10	13173	13173	RM-1	65	form-based			true	0.7	15	1.5	15	15	18442.19922	18442.19922	18442.19922	1.4
0130	001	5872	0.13	12606	0	55	80	2.5	10	10	14680	2074	NCD-NORT	40	density-lin	400	true		0.75	15	1.5	15	15	17616	5010	5010	1.2
0138	003	12186	0.28	0	0	85	140	4	39	39	48744	48744	C-2	40	density-lin	800	true		0.8	15	0.384615391	15	15	38995.19922	38995.19922	38995.19922	0.8
0144	082	6007	0.14	10560	0	55	80	2.5	11	11	15018	4458	NCD-BROA	65	density-lin	400	true		0.75	15	1.363636374	15	15	27031.5	16471.5	16471.5	1.79994
0147	008B	3698	0.08	14992	3	65	100	3	8	5	11094	0	CCB	65	density-lin	200			0.75	18	2.25	15	13	16641	1649	1649	1.5
0147	013	3492	0.08	7531	2	65	100	3	8	6	10476	2945	CCB	65	density-lin	200			0.75	17	2.125	15	14	15714	8183	8183	1.5
0147	015	6107	0.14	30997	0	65	100	3	14	14	18321	0	NCD-NORT	40	density-lin	400			0.75	15	1.071428537	15	15	18321	0	0	1
0161	011	3034	0.07	0	0	65	100	3	7	7	9102	9102	CRNC	65	density-lin	200			0.75	15	2.142857075	15	14	13653	13653	13653	1.5
0162	012	2912	0.07	2638	0	65	100	3	7	7	8736	6098	CRNC	50	density-lin	200			0.75	15	2.142857075	15	14	10920	8282	8282	1.25
0162	016	3000	0.07	10640	0	65	100	3	7	7	9000	0	CCB	65	density-lin	200	true		0.75	15	2.142857075	15	14	13500	2860	2860	1.5
0163	028	6149	0.14	12222	0	55	80	2.5	11	11	15372	3150	NCD-BROA	65	density-lin	400	true		0.75	15	1.363636374	15	15	27670.5	15448.5	15448.5	1.800059
0177	005	3010	0.07	6601	0	65	100	3	7	7	9030	2429	CRNC	50	density-lin	200			0.75	15	2.142857075	15	14	11287.5	4686.5	4686.5	1.25
0179	039	2969	0.07	8424	0	65	100	3	7	7	8907	483	CRNC	65	density-lin	200			0.75	15	2.142857075	15	14	13360.5	4936.5	4936.5	1.5
0184	025	6170	0.14	4380	8	55	80	2.5	11	3	15425	11045	NCD-PACIF	65	form-based			true	0.75	23	2.090909004	15	14	27765	23385	23385	1.8
0187	028	4733	0.11	4560	3	55	80	2.5	9	6	11832	7272	RM-3	65	form-based			true	0.75	18	2	15	15	21298.5	16738.5	16738.5	1.800076
0193	011	3036	0.07	8015	0	65	100	3	7	7	9108	1093	CVR	50	density-lin	200	true		0.75	15	2.142857075	15	14	11385	3370	3370	1.25
0193	033	2964	0.07	9655	0	65	100	3	7	7	8892	0	CRNC	50	density-lin	200			0.75	15	2.142857075	15	14	11115	1460	1460	1.25
0194	004	3184	0.07	4020	1	65	100	3	7	6	9552	5532	CCB	65	density-lin	200			0.75	16	2.285714388	15	13	14328	10308	10308	1.5
0194	028	3074	0.07	10410	0	65	100	3	7	7	9222	0	CVR	50	density-lin	200	true		0.75	15	2.142857075	15	14	11527.5	1117.5	1117.5	1.25
0215	008	5503	0.13	4427	6	55	80	2.5	10	4	13758	9331	RM-3	65	form-based			true	0.75	21	2.099999905	15	14	24763.5	20336.5	20336.5	1.799935
0217	015	4675	0.11	6210	3	65	100	3	11	8	14025	7815	RM-3	65	form-based			true	0.75	18	1.636363626	15	15	21037.5	14827.5	14827.5	1.5
0217	025	27158	0.62	99126	87	65	100	3	62	0	81474	0	RM-3	65	form-based		true	true	0.75	102	1.645161271	15	15	122211	23085	23085	1.5
0218	010	4200	0.1	2860	1	65	100	3	10	9	12600	9740	RM-3	65	form-based			true	0.75	16	1.600000024	15	15	18900	16040	16040	1.5
0222	084	8279	0.19	565	16	65	100	3	19	3	24837	24272	RM-3	65	form-based		true	true	0.75	31	1.631578922	15	15	37255.5	36690.5	36690.5	1.5
0224	030	2970	0.07	0	0	65	100	3	7	7	8910	8910	RM-4	85	density-lin	200			0.75	15	2.142857075	15	14	17820	17820	17820	2
0225	025	3087	0.07	11088	0	65	100	3	7	7	9261	0	CRNC	50	density-lin	200			0.75	15	2.142857075	15	14	11576.25	488.25	488.25	1.25
0226	001	2916	0.07	29700	0	65	100	3	7	7	8748	0	CCB	50	density-lin	200	true		0.75	15	2.142857075	15	14	10935	0	0	1.25
0226	025	5027	0.12	8386	10	65	100	3	12	2	15081	6695	CCB	50	density-lin	200			0.75	25	2.083333254	15	14	18851.25	10465.25	10465.25	1.25
0235	003	1649	0.04	3572	0	75	120	3.5	5	5	5772	2200	C-3-O	300	form-based				0.8	15	3	15	10	14841	11269	7972	2.571206
0243	059	11027	0.25	2778	40	65	100	3	25	0	33081	30303	RM-4	65	density-lin	200	true		0.75	55	2.200000048	15	10	49621.5	46843.5	46843.5	1.5
0251	022	1834	0.04	3375	2	55	80	2.5	3	1	4585	1210	NCD-POLK	120	form-based			true	0.75	17	5.666666508	15	4	16506	13131	5795	3.6
0251	041	1950	0.04	1200	3	55	80	2.5	3	0	4875	3675	RTO-C	120	form-based			true	0.75	18	6	15	3	17550	16350	8550	3.6
0256	011	4118	0.09	8085	6	65	100	3	9	3	12354	4269	RM-4	65	density-lin	200			0.75	21	2.333333254	15	12	18531	10446	10446	1.5
0269	004	4602	0.11	9445	0	75	120	3.5	13	13	16107	6662	C-3-O	50	form-based		true		0.8	15	1.153846145	15	15	18408	8963	8963	1.142857
0269	027	4543	0.1	14867	0	75	120	3.5	12	12	15900	1033	C-3-O	50	form-based		true		0.8	15	1.25	15	15	18172	3305	3305	1.142893
0274	025	6472	0.15	14256	17	65	100	3	15	0	19416	5160	RM-4	65	density-lin	200			0.75	32	2.133333445	15	13	29124	14868	14868	1.5
0277	002A	2811	0.06	5685	10	65	100	3	6	0	8433	2748	RTO-C	120	form-based			true	0.75	25	4.166666508	15	2	25299	19614	11181	3
0279	009	4813	0.11	8325	9	65	100	3	11	2	14439	6114	RC-4	130	density-lin	200			0.75	24	2.181818247	15	13	43317	34992	20553	3
0288	017	1616	0.04	15682	0	75	120	3.5	5	5	5656	0	C-3-O	130	form-based		true		0.8	15	3	15	10	14544	0	0	2.571429
0294	022	1672	0.04	10120	0	75	120	3.5	5	5	5852	0	C-3-R	130	form-based				0.8	15	3	15	10	15048	4928	1584	2.571429
0304	014	18906	0.43	87240	80	85	140	4	60	0	75624	0	RC-4	80	density-lin	200	true		0.75	95	1.583333373	15	15	113436	26196	26196	1.5
0315	006	1854	0.04	0	2	85	140	4	6	4	7416	7416	C-3-R	130	form-based		true		0.8	17	2.833333254	15	10	16686	16686	14832	2.25
0320	008	3094	0.07	2750	0	65	100	3	7	7	9282	6532	RC-4	80	density-lin	200			0.75	15	2.142857075	15	14	18564	15814	15814	2
0323	009	3000	0.07	11500	0	65	100	3	7	7	9000	0	RC-4	80	density-lin	200			0.75	15	2.142857075	15	14	18000	6500	6500	2
0339	012	2956	0.07	5812	0	65	100	3	7	7	8868	3056	RC-4	120	density-lin	200			0.75	15	2.142857075	15	14	26604	20792	11924	3
0349	010	3094	0.07	0	0	75	120	3.5	8	8	10829	10829	RC-4	120	density-lin	200			0.75	15	1.875	15	15	27846	27846	21658	2.571429
0355	015	2762	0.06	6070	0	95	160	4.5	10	10	12429	6359	C-3-G	80	form-based		true		0.8	15	1.5	15	15	17676.80078	11606.80078	11606.80078	1.422222
0494	007	3341	0.08	5307	3	55	80	2.5	6	3	8352	3045	NC-3	85	form-based			true	0.75	18	3	15	9	20046	14739	11397	2.400144
0494	008	3339	0.08	3574	3	55	80	2.5	6	3	8348	4774	NC-3	85	form-based			true	0.75	18	3	15	9	20034	16460	13122	2.399856
0495	013	6856	0.16	640	11	55	80	2.5	13	2	17140	16500	RTO-C	65	form-based			true	0.75	26	2	15	15	30852	30212	30212	1.8
0506	026	1722	0.04	1712	0	55	80	2.5	3	3	4305	2593	NC-3	140	form-based			true	0.75	15	5	15	6	15498	13786	6898	3.6
0521	003	3250	0.07	2396	2	65	100	3	7	5	9750	7354	RTO-C	85	form-based			true	0.75	17	2.428571463	15	12	19500	17104	17104	2
0521	004	3375	0.08	3742	3	65	100	3	8	5	10125	6383	RTO-C	85	form-based			true	0.75	18	2.25	15	13	20250	16508	16508	2
0521	012	3232	0.07	3000	2	65	100	3	7	5	9696	6696	RTO-C	85	form-based			true	0.75	17	2.428571463	15	12	19392	16392	16392	2
0522	004A	5108	0.12	9990	12	65	100	3	12	0	15324	5334	RTO-C	85	form-based			true	0.75	27	2.25	15	12	30648	20658	20658	2
0524	050	3457	0.08	1800	2	65	100	3	8	6	10371	8571	RH-2	85	form-based			true	0.7	17	2.125	15	14	19359.19922	17559.19922	17559.19922	1.866667
0525	049	5267	0.12	1992	3	65	100	3	12	9	15801	13809	RH-2	65	form-based			true	0.7	18	1.5	15	15	22121.40039	20129.40039	20129.40039	1.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0528	040	3445	0.08	1023	3	65	100	3	8	5	10335	9312	RTO-C	85	form-based			true	0.75	18	2.25	15	13	20670	19647	19647	2
0543	023	3897	0.09	7400	0	55	80	2.5	7	7	9742	2342	NCD-UNIO	65	form-based		true	true	0.75	15	2.142857075	15	14	17536.5	10136.5	10136.5	1.800092
0546	005	1650	0.04	3820	0	65	100	3	4	4	4950	1130	RC-3	140	form-based			true	0.75	15	3.75	15	8	14850	11030	6080	3
0549	031	3509	0.08	1329	2	65	100	3	8	6	10527	9198	RM-2	85	form-based			true	0.7	17	2.125	15	14	19650.40039	18321.40039	18321.40039	1.866667
0550	028	1909	0.04	2200	2	65	100	3	4	2	5727	3527	RTO-C	240	form-based			true	0.75	17	4.25	15	6	17181	14981	9254	3
0551	017	5180	0.12	10542	12	65	100	3	12	0	15540	4998	RTO-C	85	form-based			true	0.75	27	2.25	15	12	31080	20538	20538	2
0552	031	3000	0.07	2200	1	65	100	3	7	6	9000	6800	RTO-C	85	form-based		true	true	0.75	16	2.285714388	15	13	18000	15800	15800	2
0553	006	3013	0.07	3780	1	65	100	3	7	6	9039	5259	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18078	14298	14298	2
0558	004	7703	0.18	5400	1	55	80	2.5	14	13	19258	13858	RH-2	40	form-based			true	0.7	16	1.142857194	15	15	21568.40039	16168.40039	16168.40039	1.119971
0560	007	7473	0.17	6828	1	55	80	2.5	14	13	18682	11854	RH-1	40	form-based		true	true	0.7	16	1.142857194	15	15	20924.40039	14096.40039	14096.40039	1.12003
0561	010	7563	0.17	3971	1	55	80	2.5	14	13	18908	14937	RH-1	40	form-based			true	0.7	16	1.142857194	15	15	21176.40039	17205.40039	17205.40039	1.11997
0563	012	7906	0.18	6820	2	55	80	2.5	14	12	19765	12945	RH-1	40	form-based		true	true	0.7	17	1.214285731	15	15	22136.79883	15316.79883	15316.79883	1.12
0563	024	7554	0.17	5444	1	55	80	2.5	14	13	18885	13441	RH-1	40	form-based			true	0.7	16	1.142857194	15	15	21151.19922	15707.19922	15707.19922	1.12
0568	019	3029	0.07	2480	1	65	100	3	7	6	9087	6607	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18174	15694	15694	2
0572	018	3383	0.08	5187	3	65	100	3	8	5	10149	4962	NCD-POLK	85	form-based			true	0.75	18	2.25	15	13	20298	15111	15111	2
0572	026	4371	0.1	1678	6	65	100	3	10	4	13113	11435	RM-2	85	form-based			true	0.7	21	2.099999905	15	14	24477.59961	22799.59961	22799.59961	1.866667
0578	004	2591	0.06	5094	8	55	80	2.5	5	0	6478	1384	RTO-C	140	form-based			true	0.75	23	4.599999905	15	2	23319	18225	7862	3.599722
0579	001	5009	0.11	14577	30	55	80	2.5	9	0	12522	0	RTO-C	105	form-based		true	true	0.75	45	5	15	0	45081	30504	10467	3.600144
0581	001	4110	0.09	9230	0	55	80	2.5	7	7	10275	1045	RTO-C	65	form-based		true	true	0.75	15	2.142857075	15	14	18495	9265	9265	1.8
0581	003	4307	0.1	6957	1	55	80	2.5	8	7	10768	3811	RTO-C	65	form-based			true	0.75	16	2	15	15	19381.5	12424.5	12424.5	1.799916
0583	012	7402	0.17	14598	1	55	80	2.5	14	13	18505	3907	RH-1	40	form-based			true	0.7	16	1.142857194	15	15	20725.59961	6127.599609	6127.599609	1.12
0584	003	7661	0.18	10204	1	55	80	2.5	14	13	19152	8948	RH-1	40	form-based		true	true	0.7	16	1.142857194	15	15	21450.79883	11246.79883	11246.79883	1.120029
0584	009	7680	0.18	7864	1	55	80	2.5	14	13	19200	11336	RH-1	40	form-based			true	0.7	16	1.142857194	15	15	21504	13640	13640	1.12
0586	005	7668	0.18	13030	1	65	100	3	18	17	23004	9974	RH-1	40	form-based			true	0.7	16	0.888888896	15	15	21470.40039	8440.400391	8440.400391	0.933333
0592	001	2555	0.06	5772	8	65	100	3	6	0	7665	1893	RTO-C	140	form-based		true	true	0.75	23	3.833333254	15	4	22995	17223	9558	3
0592	003A	2168	0.05	3489	5	65	100	3	5	0	6504	3015	RTO-C	140	form-based			true	0.75	20	4	15	5	19512	16023	9519	3
0592	004	2168	0.05	3489	5	65	100	3	5	0	6504	3015	RTO-C	140	form-based			true	0.75	20	4	15	5	19512	16023	9519	3
0592	004A	2697	0.06	7152	9	65	100	3	6	0	8091	939	RTO-C	140	form-based		true	true	0.75	24	4	15	3	24273	17121	9030	3
0594	036	1875	0.04	1202	2	65	100	3	4	2	5625	4423	RTO-C	240	form-based			true	0.75	17	4.25	15	6	16875	15673	10048	3
0595	003	2926	0.07	2927	0	65	100	3	7	7	8778	5851	NCD-POLK	85	form-based			true	0.75	15	2.142857075	15	14	17556	14629	14629	2
0598	013	4552	0.1	9720	9	65	100	3	10	1	13656	3936	NCD-POLK	85	form-based			true	0.75	24	2.400000095	15	11	27312	17592	17592	2
0614	004	7661	0.18	9259	1	55	80	2.5	14	13	19152	9893	RH-2	40	form-based			true	0.7	16	1.142857194	15	15	21450.79883	12191.79883	12191.79883	1.120029
0614	005	7680	0.18	5352	1	55	80	2.5	14	13	19200	13848	RH-2	40	form-based			true	0.7	16	1.142857194	15	15	21504	16152	16152	1.12
0617	103	8137	0.19	6277	2	65	100	3	19	17	24411	18134	RH-2	40	form-based			true	0.7	17	0.894736826	15	15	22783.59961	16506.59961	16506.59961	0.933333
0620	012	3195	0.07	3400	2	65	100	3	7	5	9585	6185	RM-3	85	form-based			true	0.75	17	2.428571463	15	12	19170	15770	15770	2
0620	027	3839	0.09	4500	4	65	100	3	9	5	11517	7017	RM-2	85	form-based			true	0.7	19	2.111111164	15	14	21498.40039	16998.40039	16998.40039	1.866667
0621	017A	5112	0.12	8751	12	65	100	3	12	0	15336	6585	RM-3	85	form-based			true	0.75	27	2.25	15	12	30672	21921	21921	2
0624	008	10370	0.24	48578	39	65	100	3	24	0	31110	0	RM-3	80	form-based		true	true	0.75	54	2.25	15	9	62220	13642	13642	2
0630	058	3958	0.09	3958	0	65	100	3	9	9	11874	7916	NCD-UPPE	65	form-based			true	0.75	15	1.666666627	15	15	17811	13853	13853	1.5
0637	016	11665	0.27	23200	0	65	100	3	27	27	34995	11795	RM-1	40	density-lim	800	true		0.7	15	0.555555582	15	15	32662	9462	9462	0.933333
0637	061	3644	0.08	744	4	65	100	3	8	4	10932	10188	RTO-C	85	form-based			true	0.75	19	2.375	15	12	21864	21120	21120	2
0637	065	3137	0.07	10377	0	65	100	3	7	7	9411	0	RM-1	85	form-based			true	0.7	15	2.142857075	15	14	17567.19922	7190.199219	7190.199219	1.866667
0639	004	4555	0.1	5269	9	55	80	2.5	8	0	11388	6119	RTO-C	85	form-based			true	0.75	24	3	15	7	27330	22061	17507	2.399895
0645	019	2270	0.05	5814	5	65	100	3	5	0	6810	996	NCD-POLK	120	form-based			true	0.75	20	4	15	5	20430	14616	7806	3
0655	027	3404	0.08	2858	3	85	140	4	11	8	13616	10758	RTO-C	85	form-based			true	0.75	18	1.636363626	15	15	20424	17566	17566	1.5
0656	022A	5942	0.14	18980	16	85	140	4	20	4	23768	4788	RTO-C	85	form-based			true	0.75	31	1.549999952	15	15	35652	16672	16672	1.5
0656	036	3605	0.08	1386	4	65	100	3	8	4	10815	9429	RTO-C	85	form-based			true	0.75	19	2.375	15	12	21630	20244	20244	2
0656	042	3448	0.08	2040	3	65	100	3	8	5	10344	8304	RTO-C	85	form-based			true	0.75	18	2.25	15	13	20688	18648	18648	2
0657	006	3000	0.07	1718	1	65	100	3	7	6	9000	7282	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	16282	16282	2
0660	022	4062	0.09	3854	0	65	100	3	9	9	12186	8332	NCD-UPPE	65	form-based			true	0.75	15	1.666666627	15	15	18279	14425	14425	1.5
0660	023	3979	0.09	5200	0	65	100	3	9	9	11937	6737	NCD-UPPE	65	form-based		true	true	0.75	15	1.666666627	15	15	17905.5	12705.5	12705.5	1.5
0666	016	1852	0.04	3404	2	65	100	3	4	2	5556	2152	NC-3	350	form-based		true	true	0.75	17	4.25	15	6	16668	13264	7708	3
0668	004B	1641	0.04	11904	0	65	100	3	4	4	4923	0	NCD-POLK	240	form-based			true	0.75	15	3.75	15	8	14769	2865	0	3
0669	013	6072	0.14	16560	0	65	100	3	14	14	18216	1656	NCD-POLK	65	density-lim	400			0.75	15	1.071428537	15	15	27324	10764	10764	1.5
0669	014	6074	0.14	11975	0	65	100	3	14	14	18222	6247	NCD-POLK	65	density-lim	400			0.75	15	1.071428537	15	15	27333	15358	15358	1.5
0678	004	5000	0.11	14355	0	65	100	3	11	11	15000	645	NCT-FILLM	50	form-based				0.75	15	1.363636374	15	15	18750	4395	4395	1.25
0679	011	3781	0.09	5674	5	65	100	3	9	4	11343	5669	NC-2	85	form-based			true	0.75	20	2.222222328	15	13	22686	17012	17012	2
0679	029	2769	0.06	4000	0	65	100	3	6	6	8307	4307	RTO-C	85	form-based			true	0.75	15	2.5	15	12	16614	12614	12614	2
0679	047	3452	0.08	1465	3	65	100	3	8	5	10356	8891	RTO-C	85	form-based			true	0.75	18	2.25	15	13	20712	19247	19247	2
0680	027	3630	0.08	1289	4	65	100	3	8	4	10890	9601	NC-2	85	form-based			true	0.75	19	2.375	15	12	21780	20491	20491	2
0684	018	5115	0.12	5665	0	65	100	3	12	12	15345	9680	NCT-FILLM	50	form-based			true	0.75	15	1.25	15	15	19181.25	13516.25	13516.25	1.25
0686	034	6094	0.14	17300	0	65	100	3	14	14	18282	982	NCD-JAPAI	50	density-lim	400	true		0.75	15	1.071428537	15	15	22852.5	5552.5	5552.5	1.25
0688	019	5159	0.12	9525	11	65	100	3	12	1	15477	5952	RM-4	50	density-lim	200			0.75	26	2.166666746	15	13	19346.25	9821.25	9821.25	1.25
0693	021	3048	0.07	3925	0	65	100	3	7	7	9144	5219	RC-4	80	density-lim	200			0.75	15	2.142857075	15	14	18288	14363	14363	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0693	025	3048	0.07	3700	0	65	100	3	7	7	9144	5444	RC-4	80	density-lim	200			0.75	15	2.142857075	15	14	18288	14588	14588	2
0702	028	3975	0.09	3975	0	65	100	3	9	9	11925	7950	NCT-FILLM	65	form-based		true		0.75	15	1.666666627	15	15	17887.5	13912.5	13912.5	1.5
0717	005	3000	0.07	2	0	65	100	3	7	7	9000	8998	RC-4	80	density-lim	200			0.75	15	2.142857075	15	14	18000	17998	17998	2
0733	006A	6050	0.14	0	0	65	100	3	14	14	18150	18150	RM-3	50	density-lim	400			0.75	15	1.071428537	15	15	22687.5	22687.5	22687.5	1.25
0741	010	3094	0.07	1296	0	65	100	3	7	7	9282	7986	RC-4	80	density-lim	200	true		0.75	15	2.142857075	15	14	18564	17268	17268	2
0763	001	9000	0.21	19582	0	65	100	3	21	21	27000	7418	NCD-LOWI	130	density-lim	600	true		0.75	15	0.714285731	15	15	81000	61418	34418	3
0768	035	17050	0.39	1032	36	65	100	3	39	3	51150	50118	NCT-3	50	form-based		true		0.75	51	1.307692289	15	15	63937.5	62905.5	62905.5	1.25
0792	003	3953	0.09	3953	0	65	100	3	9	9	11859	7906	NCT-3	65	form-based		true		0.75	15	1.666666627	15	15	17788.5	13835.5	13835.5	1.5
0809	001	5115	0.12	6876	0	65	100	3	12	12	15345	8469	NCT-3	50	form-based		true		0.75	15	1.25	15	15	19181.25	12305.25	12305.25	1.25
0809	002	5146	0.12	8071	0	65	100	3	12	12	15438	7367	NCT-3	50	form-based				0.75	15	1.25	15	15	19297.5	11226.5	11226.5	1.25
0826	004	7165	0.16	11647	0	55	80	2.5	13	13	17912	6265	RM-1	40	form-based		true	true	0.7	15	1.153846145	15	15	20062	8415	8415	1.120031
0843	004	7016	0.16	13298	0	55	80	2.5	13	13	17540	4242	RM-1	40	form-based			true	0.7	15	1.153846145	15	15	19644.79883	6346.798828	6346.798828	1.12
0853	019	6595	0.15	11105	0	65	100	3	15	15	19785	8680	NCT-3	40	form-based				0.75	15	1	15	15	19785	8680	8680	1
0855	003	1677	0.04	2075	0	65	100	3	4	4	5031	2956	NCT-3	140	form-based			true	0.75	15	3.75	15	8	15093	13018	7987	3
0855	004	1994	0.05	3720	3	65	100	3	5	2	5982	2262	NCT-3	140	form-based			true	0.75	18	3.599999905	15	7	17946	14226	8244	3
0859	010	6875	0.16	3640	4	65	100	3	16	12	20625	16985	RH-3	50	form-based			true	0.7	19	1.1875	15	15	24062.5	20422.5	20422.5	1.166667
0872	013	5579	0.13	877	12	85	140	4	18	6	22316	21439	RTO-1	85	form-based			true	0.7	27	1.5	15	15	31242.40039	30365.40039	30365.40039	1.4
0953	027	7678	0.18	6802	1	55	80	2.5	14	13	19195	12393	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21498.40039	14696.40039	14696.40039	1.12
0956	007	7562	0.17	7795	1	55	80	2.5	14	13	18905	11110	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21173.59961	13378.59961	13378.59961	1.12
0957	009	7794	0.18	8358	1	55	80	2.5	14	13	19485	11127	RH-1(D)	40	form-based		true	true	0.7	16	1.142857194	15	15	21823.19922	13465.19922	13465.19922	1.12
0957	018	7818	0.18	4000	1	55	80	2.5	14	13	19545	15545	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21890.40039	17890.40039	17890.40039	1.12
0958	004	7565	0.17	17286	1	55	80	2.5	14	13	18912	1626	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21182	3896	3896	1.12003
0958	005	7427	0.17	10742	1	55	80	2.5	14	13	18568	7826	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	20795.59961	10053.59961	10053.59961	1.11997
0961	013B	7470	0.17	8316	1	55	80	2.5	14	13	18675	10359	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	20916	12600	12600	1.12
0972	014	7683	0.18	9081	1	55	80	2.5	14	13	19208	10127	RH-1	40	form-based			true	0.7	16	1.142857194	15	15	21512.40039	12431.40039	12431.40039	1.119971
0975	001	7744	0.18	13643	1	55	80	2.5	14	13	19360	5717	RH-1(D)	40	form-based		true	true	0.7	16	1.142857194	15	15	21683.19922	8040.199219	8040.199219	1.12
0976	001	7526	0.17	28000	1	55	80	2.5	14	13	18815	0	RM-2	40	form-based		true	true	0.7	16	1.142857194	15	15	21072.79883	0	0	1.12
0985	010	7661	0.18	9074	1	65	100	3	18	17	22983	13909	RH-1	40	form-based			true	0.7	16	0.888888896	15	15	21450.79883	12376.79883	12376.79883	0.933333
0987	009	7661	0.18	5600	1	55	80	2.5	14	13	19152	13552	RH-1	40	form-based			true	0.7	16	1.142857194	15	15	21450.79883	15850.79883	15850.79883	1.120029
0987	011	7661	0.18	6780	1	55	80	2.5	14	13	19152	12372	RH-1	40	form-based			true	0.7	16	1.142857194	15	15	21450.79883	14670.79883	14670.79883	1.120029
0999	026	7289	0.17	22500	0	65	100	3	17	17	21867	0	RH-3	40	form-based			true	0.7	15	0.882352948	15	15	20409.19922	0	0	0.933333
1004	006	5665	0.13	2750	1	65	100	3	13	12	16995	14245	RH-2	50	form-based			true	0.7	16	1.230769277	15	15	19827.5	17077.5	17077.5	1.166667
1007	016	3940	0.09	3455	0	65	100	3	9	9	11820	8365	NCD-SACR	65	form-based			true	0.75	15	1.666666627	15	15	17730	14275	14275	1.5
1018	004B	3315	0.08	2480	2	55	80	2.5	6	4	8288	5808	NC-S	85	form-based			true	0.75	17	2.833333254	15	10	19890	17410	14096	2.399855
1018	004D	4575	0.11	9588	9	55	80	2.5	9	0	11438	1850	NC-S	85	form-based			true	0.75	24	2.666666746	15	9	27450	17862	13288	2.399895
1018	031	3315	0.08	1195	2	55	80	2.5	6	4	8288	7093	NC-S	85	form-based			true	0.75	17	2.833333254	15	10	19890	18695	15381	2.399855
1019	007	2866	0.07	5825	0	65	100	3	7	7	8598	2773	RTO-C	85	form-based		true	true	0.75	15	2.142857075	15	14	17196	11371	11371	2
1019	010	3663	0.08	3200	4	65	100	3	8	4	10989	7789	RTO-C	85	form-based			true	0.75	19	2.375	15	12	21978	18778	18778	2
1020	057	3646	0.08	1180	4	65	100	3	8	4	10938	9758	RTO-C	85	form-based			true	0.75	19	2.375	15	12	21876	20696	20696	2
1020	061	3646	0.08	1257	4	65	100	3	8	4	10938	9681	RTO-C	85	form-based			true	0.75	19	2.375	15	12	21876	20619	20619	2
1020	065	3646	0.08	1180	4	65	100	3	8	4	10938	9758	RTO-C	85	form-based			true	0.75	19	2.375	15	12	21876	20696	20696	2
1020	079	3646	0.08	855	4	65	100	3	8	4	10938	10083	RTO-C	85	form-based			true	0.75	19	2.375	15	12	21876	21021	21021	2
1023	012	3192	0.07	4211	2	85	140	4	10	8	12768	8557	RTO-C	85	form-based			true	0.75	17	1.700000048	15	15	19152	14941	14941	1.5
1023	017	3192	0.07	3518	2	65	100	3	7	5	9576	6058	RTO-C	85	form-based			true	0.75	17	2.428571463	15	12	19152	15634	15634	2
1023	018	3192	0.07	3518	2	65	100	3	7	5	9576	6058	RTO-C	85	form-based			true	0.75	17	2.428571463	15	12	19152	15634	15634	2
1023	100	6905	0.16	8796	4	65	100	3	16	12	20715	11919	RH-2	50	form-based			true	0.7	19	1.1875	15	15	24167.5	15371.5	15371.5	1.166667
1024	006B	5223	0.12	10893	12	65	100	3	12	0	15669	4776	RTO-C	85	form-based			true	0.75	27	2.25	15	12	31338	20445	20445	2
1026	011	3000	0.07	2960	1	65	100	3	7	6	9000	6040	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	15040	15040	2
1027	011	2956	0.07	1641	1	85	140	4	10	9	11824	10183	NC-2	85	form-based			true	0.75	16	1.600000024	15	15	17736	16095	16095	1.5
1027	014	3020	0.07	1660	1	85	140	4	10	9	12080	10420	RTO-C	85	form-based			true	0.75	16	1.600000024	15	15	18120	16460	16460	1.5
1028	022	3297	0.08	3840	2	65	100	3	8	6	9891	6051	NC-2	85	form-based			true	0.75	17	2.125	15	14	19782	15942	15942	2
1029	033A	3265	0.07	3324	2	65	100	3	7	5	9795	6471	RTO-C	85	form-based			true	0.75	17	2.428571463	15	12	19590	16266	16266	2
1030	044	3439	0.08	1700	3	65	100	3	8	5	10317	8617	RTO-C	85	form-based			true	0.75	18	2.25	15	13	20634	18934	18934	2
1039	039	3180	0.07	3384	2	55	80	2.5	6	4	7950	4566	RTO-C	85	form-based			true	0.75	17	2.833333254	15	10	19080	15696	12516	2.4
1040	003	3795	0.09	6440	5	55	80	2.5	7	2	9488	3048	RTO-C	85	form-based			true	0.75	20	2.857142925	15	9	22770	16330	12536	2.399873
1050	018	3664	0.08	6768	4	65	100	3	8	4	10992	4224	NC-2	85	form-based			true	0.75	19	2.375	15	12	21984	15216	15216	2
1057	005	4177	0.1	4531	1	65	100	3	10	9	12531	8000	RTO-C	65	form-based			true	0.75	16	1.600000024	15	15	18796.5	14265.5	14265.5	1.5
1057	006	4193	0.1	2946	1	65	100	3	10	9	12579	9633	RTO-C	65	form-based			true	0.75	16	1.600000024	15	15	18868.5	15922.5	15922.5	1.5
1064	023	3384	0.08	5830	3	65	100	3	8	5	10152	4322	NCD-GEAR	85	form-based		true	true	0.75	18	2.25	15	13	20304	14474	14474	2
1065	023	2765	0.06	4584	0	85	140	4	8	8	11060	6476	NCD-GEAR	85	form-based		true	true	0.75	15	1.875	15	15	16590	12006	12006	1.5
1066	057	4000	0.09	6576	6	85	140	4	13	7	16000	9424	NCD-GEAR	85	form-based			true	0.75	21	1.615384579	15	15	24000	17424	17424	1.5
1069	016	2473	0.06	6469	7	85	140	4	8	1	9892	3423	NCD-GEAR	140	form-based			true	0.75	22	2.75	15	9	22257	15788	13315	2.25
1081	041	1705	0.04	889	0	65	100	3	4	4	5115	4226	RTO-C	140	form-based			true	0.75	15	3.75	15	8	15345	14456	9341	3
1084	002	45331	1.04	21205	0	85	140	4	146	146	181324	160119	RH-1	40	density-lim	3000			0.55	15	0.102739729	15	15	99728.20313	78523.20313	78523.20313	0.55

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1085	007	2813	0.06	2086	0	65	100	3	6	6	8439	6353	RTO-C	85	form-based			true	0.75	15	2.5	15	12	16878	14792	14792	2
1086	007	3125	0.07	2397	1	65	100	3	7	6	9375	6978	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18750	16353	16353	2
1086	018	3103	0.07	3165	1	65	100	3	7	6	9309	6144	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18618	15453	15453	2
1086	021	3106	0.07	1159	1	65	100	3	7	6	9318	8159	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18636	17477	17477	2
1088	020	3008	0.07	851	1	65	100	3	7	6	9024	8173	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18048	17197	17197	2
1089	002	3000	0.07	2640	1	65	100	3	7	6	9000	6360	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	15360	15360	2
1089	019	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	16620	16620	2
1090	007	3000	0.07	1230	1	65	100	3	7	6	9000	7770	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	16770	16770	2
1091	006	3000	0.07	1046	1	65	100	3	7	6	9000	7954	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	16954	16954	2
1091	021	3020	0.07	1829	1	85	140	4	10	9	12080	10251	RTO-C	85	form-based			true	0.75	16	1.600000024	15	15	18120	16291	16291	1.5
1100	064	4568	0.1	3150	2	65	100	3	10	8	13704	10554	RTO-C	65	form-based			true	0.75	17	1.700000048	15	15	20556	17406	17406	1.5
1100	120	4916	0.11	1585	3	65	100	3	11	8	14748	13163	RTO-C	65	form-based			true	0.75	18	1.636363626	15	15	22122	20537	20537	1.5
1126	004	3236	0.07	2861	2	65	100	3	7	5	9708	6847	NCT-DIVIS.	85	form-based			true	0.75	17	2.428571463	15	12	19416	16555	16555	2
1127	040	4615	0.11	2247	2	65	100	3	11	9	13845	11598	RTO-C	65	form-based			true	0.75	17	1.545454502	15	15	20767.5	18520.5	18520.5	1.5
1156	008	4920	0.11	13328	11	55	80	2.5	9	0	12300	0	NCT-DIVIS.	85	form-based	true	true	0.75	26	2.888888836	15	7	29520	16192	11272	2.4
1160	018	4983	0.11	4920	4	55	80	2.5	9	5	12458	7538	RTO-C	65	form-based			true	0.75	19	2.111111164	15	14	22423.5	17503.5	17503.5	1.799928
1168	011	3428	0.08	4100	3	55	80	2.5	6	3	8570	4470	RTO-C	85	form-based			true	0.75	18	3	15	9	20568	16468	13040	2.4
1168	012	3430	0.08	5445	3	55	80	2.5	6	3	8575	3130	RTO-C	85	form-based			true	0.75	18	3	15	9	20580	15135	11705	2.4
1168	013	3433	0.08	4275	3	55	80	2.5	6	3	8582	4307	RTO-C	85	form-based			true	0.75	18	3	15	9	20598	16323	12889	2.40014
1168	016	3442	0.08	3400	3	55	80	2.5	6	3	8605	5205	RTO-C	85	form-based			true	0.75	18	3	15	9	20652	17252	13810	2.4
1168	022	3458	0.08	3450	3	55	80	2.5	6	3	8645	5195	RTO-C	85	form-based			true	0.75	18	3	15	9	20748	17298	13840	2.4
1168	049	4399	0.1	4532	8	55	80	2.5	8	0	10998	6466	RTO-C	85	form-based			true	0.75	23	2.875	15	8	26394	21862	17464	2.399891
1170	018	3082	0.07	3000	1	55	80	2.5	6	5	7705	4705	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	18492	15492	12410	2.4
1174	006	3547	0.08	4542	4	55	80	2.5	6	2	8868	4326	RTO-C	85	form-based	true	true	0.75	19	3.166666746	15	8	21282	16740	13194	2.399865
1179	001	2820	0.06	4435	0	55	80	2.5	5	5	7050	2615	NCT-DIVIS.	85	form-based	true	true	0.75	15	3	15	10	16920	12485	9665	2.4
1187	001	4862	0.11	9170	11	55	80	2.5	9	0	12155	2985	NC-1	85	form-based	true	true	0.75	26	2.888888836	15	7	29172	20002	15140	2.4
1188	013D	3438	0.08	2900	3	55	80	2.5	6	3	8595	5695	RTO-C	85	form-based			true	0.75	18	3	15	9	20628	17728	14290	2.4
1191	027	3438	0.08	4380	3	55	80	2.5	6	3	8595	4215	RTO-C	85	form-based			true	0.75	18	3	15	9	20628	16248	12810	2.4
1191	053	3438	0.08	4724	3	55	80	2.5	6	3	8595	3871	RTO-C	85	form-based			true	0.75	18	3	15	9	20628	15904	12466	2.4
1215	009	3400	0.08	5065	3	55	80	2.5	6	3	8500	3435	NCT-DIVIS.	85	form-based			true	0.75	18	3	15	9	20400	15335	11935	2.4
1215	013	3388	0.08	6350	3	55	80	2.5	6	3	8470	2120	NCT-DIVIS.	85	form-based			true	0.75	18	3	15	9	20328	13978	10590	2.4
1217	020	5293	0.12	14650	13	55	80	2.5	10	0	13232	0	NCT-DIVIS.	85	form-based	true	true	0.75	28	2.799999952	15	7	31758	17108	11814	2.400091
1228	001	5593	0.13	3918	1	55	80	2.5	10	9	13982	10064	RM-2	50	form-based	true	true	0.7	16	1.600000024	15	15	19575.5	15657.5	15657.5	1.40005
1233	032	5644	0.13	4938	1	55	80	2.5	10	9	14110	9172	RH-3	50	form-based			true	0.7	16	1.600000024	15	15	19754	14816	14816	1.4
1237	013	4125	0.09	3215	0	55	80	2.5	7	7	10312	7097	RTO-C	65	form-based			true	0.75	15	2.142857075	15	14	18562.5	15347.5	15347.5	1.800087
1245	030	5070	0.12	4620	4	55	80	2.5	10	6	12675	8055	NCD-HAIG	65	form-based			true	0.75	19	1.899999976	15	15	22815	18195	18195	1.8
1250	022	6562	0.15	12900	10	65	100	3	15	5	19686	6786	NCD-HAIG	65	form-based			true	0.75	25	1.666666627	15	15	29529	16629	16629	1.5
1273	034	3902	0.09	2866	0	85	140	4	13	13	15608	12742	RTO-C	65	form-based	true	true	0.75	15	1.153846145	15	15	17559	14693	14693	1.125
1275	058	5617	0.13	4260	6	65	100	3	13	7	16851	12591	RTO-C	65	form-based			true	0.75	21	1.615384579	15	15	25276.5	21016.5	21016.5	1.5
1289	031	7462	0.17	2715	1	55	80	2.5	14	13	18655	15940	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	20893.59961	18178.59961	18178.59961	1.12
1307	001U	7484	0.17	5860	1	55	80	2.5	14	13	18710	12850	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	20955.19922	15095.19922	15095.19922	1.12
1326	015	7709	0.18	4733	1	55	80	2.5	14	13	19272	14539	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21585.19922	16852.19922	16852.19922	1.120029
1337	020	7196	0.17	6962	0	55	80	2.5	14	14	17990	11028	RH-1	40	form-based			true	0.7	15	1.071428537	15	15	20148.79883	13186.79883	13186.79883	1.12
1355	008	7526	0.17	4966	1	55	80	2.5	14	13	18815	13849	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21072.79883	16106.79883	16106.79883	1.12
1355	030	7729	0.18	4473	1	55	80	2.5	14	13	19322	14849	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21641.19922	17168.19922	17168.19922	1.120029
1368	026	3194	0.07	3686	2	55	80	2.5	6	4	7985	4299	RTO-C	85	form-based	true	true	0.75	17	2.833333254	15	10	19164	15478	12284	2.4
1408	039	4993	0.11	2870	4	65	100	3	11	7	14979	12109	RTO-C	65	form-based			true	0.75	19	1.727272749	15	15	22468.5	19598.5	19598.5	1.5
1408	041	4988	0.11	4140	4	65	100	3	11	7	14964	10824	RTO-C	65	form-based			true	0.75	19	1.727272749	15	15	22446	18306	18306	1.5
1423	022	3928	0.09	6200	0	65	100	3	9	9	11784	5584	NCD-INNE	65	form-based	true	true	0.75	15	1.666666627	15	15	17676	11476	11476	1.5
1427	033	2976	0.07	2414	1	65	100	3	7	6	8928	6514	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	17856	15442	15442	2
1428	051	5000	0.11	6000	4	65	100	3	11	7	15000	9000	NCD-INNE	65	form-based			true	0.75	19	1.727272749	15	15	22500	16500	16500	1.5
1435	018	2800	0.06	5600	0	85	140	4	8	8	11200	5600	NCD-GEAR	85	form-based			true	0.75	15	1.875	15	15	16800	11200	11200	1.5
1435	020	3900	0.09	6510	5	85	140	4	13	8	15600	9090	NCD-GEAR	85	form-based	true	true	0.75	20	1.538461566	15	15	23400	16890	16890	1.5
1436	047	5750	0.13	10375	7	65	100	3	13	6	17250	6875	NCD-INNE	65	form-based	true	true	0.75	22	1.692307711	15	15	25875	15500	15500	1.5
1447	021	2875	0.07	2800	0	65	100	3	7	7	8625	5825	NCD-GEAR	85	form-based			true	0.75	15	2.142857075	15	14	17250	14450	14450	2
1453	019	2808	0.06	3000	0	65	100	3	6	6	8424	5424	NCD-GEAR	85	form-based	true	true	0.75	15	2.5	15	12	16848	13848	13848	2
1454	018	2881	0.07	3910	0	85	140	4	10	10	11524	7614	NCD-GEAR	85	form-based	true	true	0.75	15	1.5	15	15	17286	13376	13376	1.5
1454	022	2844	0.07	3210	0	85	140	4	10	10	11376	8166	NCD-GEAR	85	form-based			true	0.75	15	1.5	15	15	17064	13854	13854	1.5
1471	023	3142	0.07	1400	1	55	80	2.5	6	5	7855	6455	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	18852	17452	14310	2.4
1508	024	3613	0.08	3824	4	65	100	3	8	4	10839	7015	RTO-C	85	form-based			true	0.75	19	2.375	15	12	21678	17854	17854	2
1522	034B	4383	0.1	7416	8	85	140	4	14	6	17532	10116	NCD-GEAR	85	form-based	true	true	0.75	23	1.642857194	15	15	26298	18882	18882	1.5
1525	043	2813	0.06	2800	0	85	140	4	8	8	11252	8452	NCD-GEAR	85	form-based			true	0.75	15	1.875	15	15	16878	14078	14078	1.5
1562	019	3993	0.09	3850	0	65	100	3	9	9	11979	8129	NC-1	65	form-based	true	true	0.75	15	1.666666627	15	15	17968.5	14118.5	14118.5	1.5
1579	017G	6769	0.16	10566	10	55	80	2.5	13	3	16922	6356	NCD-OUTE	65	form-based	true	true	0.75	25	1.923076868	15	15	30460.5	19894.5	19894.5	1.800053

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1619	025A	5602	0.13	8390	6	55	80	2.5	10	4	14005	5615	RTO-C	65	form-based		true	true	0.75	21	2.099999905	15	14	25209	16819	16819	1.8
1620	023	3896	0.09	3173	0	55	80	2.5	7	7	9740	6567	RTO-C	65	form-based		true	true	0.75	15	2.142857075	15	14	17532	14359	14359	1.8
1646	012	2973	0.07	3880	1	55	80	2.5	6	5	7432	3552	RTO-C	85	form-based		true	true	0.75	16	2.666666746	15	11	17838	13958	10984	2.400162
1646	015	3051	0.07	3065	1	55	80	2.5	6	5	7628	4563	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	18306	15241	12191	2.399843
1646	019	3009	0.07	2850	1	55	80	2.5	6	5	7522	4672	RTO-C	85	form-based		true	true	0.75	16	2.666666746	15	11	18054	15204	12194	2.40016
1647	013	3076	0.07	1750	1	55	80	2.5	6	5	7690	5940	RTO-C	85	form-based		true	true	0.75	16	2.666666746	15	11	18456	16706	13630	2.4
1653	025	3308	0.08	2700	2	55	80	2.5	6	4	8270	5570	RTO-C	85	form-based			true	0.75	17	2.833333254	15	10	19848	17148	13840	2.4
1663	021	5000	0.11	4835	11	55	80	2.5	9	0	12500	7665	RTO-C	85	form-based			true	0.75	26	2.888888836	15	7	30000	25165	20165	2.4
1666	051	3250	0.07	3700	2	55	80	2.5	6	4	8125	4425	RTO-C	85	form-based		true	true	0.75	17	2.833333254	15	10	19500	15800	12550	2.4
1673	021	5651	0.13	14615	15	55	80	2.5	10	0	14128	0	RTO-C	85	form-based		true	true	0.75	30	3	15	5	33906	19291	13641	2.399915
1677	012	3000	0.07	2230	1	55	80	2.5	6	5	7500	5270	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	18000	15770	12770	2.4
1727	024	3200	0.07	2071	2	65	100	3	7	5	9600	7529	NCD-IRVIN	85	form-based			true	0.75	17	2.428571463	15	12	19200	17129	17129	2
1731	018	1750	0.04	870	1	65	100	3	4	3	5250	4380	NCD-IRVIN	140	form-based			true	0.75	16	4	15	7	15750	14880	9630	3
1732	028	3000	0.07	1533	1	65	100	3	7	6	9000	7467	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	16467	16467	2
1732	029	3000	0.07	1458	1	65	100	3	7	6	9000	7542	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	16542	16542	2
1732	030	3000	0.07	1430	1	65	100	3	7	6	9000	7570	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	16570	16570	2
1732	031	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	16750	16750	2
1733	026	4500	0.1	4150	2	65	100	3	10	8	13500	9350	RTO-C	65	form-based			true	0.75	17	1.700000048	15	15	20250	16100	16100	1.5
1736	040	5758	0.13	12516	15	65	100	3	13	0	17274	4758	NCD-INNE	85	form-based			true	0.75	30	2.307692289	15	11	34548	22032	22032	2
1742	015C	2800	0.06	2783	0	85	140	4	8	8	11200	8417	NCD-INNE	85	form-based			true	0.75	15	1.875	15	15	16800	14017	14017	1.5
1742	034	3204	0.07	3107	2	65	100	3	7	5	9612	6505	NCD-INNE	85	form-based			true	0.75	17	2.428571463	15	12	19224	16117	16117	2
1764	044	4124	0.09	7425	7	85	140	4	13	6	16496	9071	NCD-INNE	85	form-based		true	true	0.75	22	1.692307711	15	15	24744	17319	17319	1.5
1767	021B	3066	0.07	2129	1	85	140	4	10	9	12264	10135	RTO-C	85	form-based			true	0.75	16	1.600000024	15	15	18396	16267	16267	1.5
1768	015A	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	16625	16625	2
1768	016	3000	0.07	1932	1	65	100	3	7	6	9000	7068	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	16068	16068	2
1770	023	2994	0.07	1588	1	85	140	4	10	9	11976	10388	RTO-C	85	form-based			true	0.75	16	1.600000024	15	15	17964	16376	16376	1.5
1772	005E	3091	0.07	1350	1	65	100	3	7	6	9273	7923	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18546	17196	17196	2
1776	009Z	2997	0.07	1654	1	85	140	4	10	9	11988	10334	RTO-C	85	form-based			true	0.75	16	1.600000024	15	15	17982	16328	16328	1.5
1785	018	3412	0.08	4148	3	85	140	4	11	8	13648	9500	NCD-JUDA	85	form-based			true	0.75	18	1.636363626	15	15	20472	16324	16324	1.5
1814	048	3000	0.07	1860	1	85	140	4	10	9	12000	10140	RTO-C	85	form-based			true	0.75	16	1.600000024	15	15	18000	16140	16140	1.5
1814	049	3000	0.07	1825	1	85	140	4	10	9	12000	10175	RTO-C	85	form-based			true	0.75	16	1.600000024	15	15	18000	16175	16175	1.5
1815	002	3004	0.07	1790	1	65	100	3	7	6	9012	7222	NC-1	85	form-based			true	0.75	16	2.285714388	15	13	18024	16234	16234	2
1815	019	3000	0.07	1375	1	65	100	3	7	6	9000	7625	NC-1	85	form-based			true	0.75	16	2.285714388	15	13	18000	16625	16625	2
1820	001	3235	0.07	5525	2	65	100	3	7	5	9705	4180	RTO-C	85	form-based	true	true	true	0.75	17	2.428571463	15	12	19410	13885	13885	2
1826	036	2860	0.07	2800	0	85	140	4	10	10	11440	8640	NC-1	85	form-based	true	true	true	0.75	15	1.5	15	15	17160	14360	14360	1.5
1846	043	5632	0.13	12000	15	65	100	3	13	0	16896	4896	NCD-INNE	85	form-based	true	true	true	0.75	30	2.307692289	15	11	33792	21792	21792	2
1852	011	4178	0.1	1868	1	65	100	3	10	9	12534	10666	RTO-C	65	form-based			true	0.75	16	1.600000024	15	15	18801	16933	16933	1.5
1901	048	3916	0.09	3894	0	55	80	2.5	7	7	9790	5896	NC-1	65	form-based			true	0.75	15	2.142857075	15	14	17622	13728	13728	1.8
2015	015	3023	0.07	2592	1	55	80	2.5	6	5	7558	4966	RTO-C	85	form-based	true	true	true	0.75	16	2.666666746	15	11	18138	15546	12524	2.399841
2029	027A	3000	0.07	2628	1	55	80	2.5	6	5	7500	4872	NCD-NORI	85	form-based			true	0.75	16	2.666666746	15	11	18000	15372	12372	2.4
2030	002	2985	0.07	1780	1	55	80	2.5	6	5	7462	5682	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	17910	16130	13144	2.400161
2030	003	2985	0.07	1250	1	55	80	2.5	6	5	7462	6212	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	17910	16660	13674	2.400161
2030	004	2985	0.07	1250	1	55	80	2.5	6	5	7462	6212	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	17910	16660	13674	2.400161
2030	005	2985	0.07	2475	1	55	80	2.5	6	5	7462	4987	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	17910	15435	12449	2.400161
2030	006	2985	0.07	1150	1	55	80	2.5	6	5	7462	6312	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	17910	16760	13774	2.400161
2030	007	2985	0.07	1318	1	55	80	2.5	6	5	7462	6144	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	17910	16592	13606	2.400161
2030	008	2985	0.07	1150	1	55	80	2.5	6	5	7462	6312	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	17910	16760	13774	2.400161
2030	009	2985	0.07	1150	1	55	80	2.5	6	5	7462	6312	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	17910	16760	13774	2.400161
2031	027	4429	0.1	6744	8	55	80	2.5	8	0	11072	4328	RTO-C	85	form-based	true	true	true	0.75	23	2.875	15	8	26574	19830	15400	2.400108
2032	013	3300	0.08	4240	2	55	80	2.5	6	4	8250	4010	RTO-C	85	form-based	true	true	true	0.75	17	2.833333254	15	10	19800	15560	12260	2.4
2050A	015	7512	0.17	1968	1	55	80	2.5	14	13	18780	16812	RH-1	40	form-based			true	0.7	16	1.142857194	15	15	21033.59961	19065.59961	19065.59961	1.12
2126	003	7537	0.17	4007	1	55	80	2.5	14	13	18842	14835	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21103.59961	17096.59961	17096.59961	1.12003
2138	008	3000	0.07	1506	1	55	80	2.5	6	5	7500	5994	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	18000	16494	13494	2.4
2139	002	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	18000	16750	13750	2.4
2139	002A	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	18000	16750	13750	2.4
2139	003	3000	0.07	1786	1	55	80	2.5	6	5	7500	5714	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	18000	16214	13214	2.4
2139	007A	3000	0.07	1525	1	55	80	2.5	6	5	7500	5975	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	18000	16475	13475	2.4
2139	007B	3000	0.07	1901	1	55	80	2.5	6	5	7500	5599	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	18000	16099	13099	2.4
2139	008	3000	0.07	1015	1	55	80	2.5	6	5	7500	6485	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	18000	16985	13985	2.4
2139	008A	3000	0.07	1170	1	55	80	2.5	6	5	7500	6330	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	18000	16830	13830	2.4
2139	009	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	18000	16950	13950	2.4
2139	010	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	18000	16600	13600	2.4
2198	008	2993	0.07	3331	1	55	80	2.5	6	5	7482	4151	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	17958	14627	11633	2.40016
2198	009	2993	0.07	1350	1	55	80	2.5	6	5	7482	6132	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	17958	16608	13614	2.40016

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2198	009A	2993	0.07	1350	1	55	80	2.5	6	5	7482	6132	RTO-C	85	form-based			true	0.75	16	2.666666746	15	11	17958	16608	13614	2.40016
2330	002	2779	0.06	2485	0	65	100	3	6	6	8337	5852	RTO-C	85	form-based			true	0.75	15	2.5	15	12	16674	14189	14189	2
2330	005A	3029	0.07	1970	1	65	100	3	7	6	9087	7117	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18174	16204	16204	2
2330	005B	3029	0.07	2017	1	65	100	3	7	6	9087	7070	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18174	16157	16157	2
2330	005D	3029	0.07	2102	1	65	100	3	7	6	9087	6985	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18174	16072	16072	2
2330	005E	3029	0.07	1194	1	65	100	3	7	6	9087	7893	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18174	16980	16980	2
2330	005F	3029	0.07	1330	1	65	100	3	7	6	9087	7757	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18174	16844	16844	2
2330	005G	3029	0.07	1169	1	65	100	3	7	6	9087	7918	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18174	17005	17005	2
2330	005H	3029	0.07	1435	1	65	100	3	7	6	9087	7652	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18174	16739	16739	2
2330	005I	3029	0.07	1150	1	65	100	3	7	6	9087	7937	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18174	17024	17024	2
2330	005J	3029	0.07	1235	1	65	100	3	7	6	9087	7852	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18174	16939	16939	2
2330	005K	3029	0.07	1407	1	65	100	3	7	6	9087	7680	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18174	16767	16767	2
2330	005L	3006	0.07	1755	1	65	100	3	7	6	9018	7263	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18036	16281	16281	2
2347	009A	2772	0.06	3640	0	85	140	4	8	8	11088	7448	NCD-INNE	85	form-based		true	true	0.75	15	1.875	15	15	16632	12992	12992	1.5
2348	002	3000	0.07	2311	1	65	100	3	7	6	9000	6689	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	15689	15689	2
2348	002A	3000	0.07	1705	1	65	100	3	7	6	9000	7295	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	16295	16295	2
2348	003	3000	0.07	2681	1	65	100	3	7	6	9000	6319	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	15319	15319	2
2348	005	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	17000	17000	2
2348	008	3000	0.07	2077	1	65	100	3	7	6	9000	6923	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	15923	15923	2
2348	009	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	16250	16250	2
2348	010	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	16700	16700	2
2362	019	3750	0.09	6233	5	65	100	3	9	4	11250	5017	NCD-TARA	85	form-based			true	0.75	20	2.222222328	15	13	22500	16267	16267	2
2391	044	2875	0.07	2415	0	65	100	3	7	7	8625	6210	NCD-TARA	85	form-based		true	true	0.75	15	2.142857075	15	14	17250	14835	14835	2
2391	046	3125	0.07	1310	1	65	100	3	7	6	9375	8065	NCD-TARA	85	form-based			true	0.75	16	2.285714388	15	13	18750	17440	17440	2
2391	047	3125	0.07	1975	1	65	100	3	7	6	9375	7400	NCD-TARA	85	form-based			true	0.75	16	2.285714388	15	13	18750	16775	16775	2
2391	048	3125	0.07	2302	1	65	100	3	7	6	9375	7073	NCD-TARA	85	form-based			true	0.75	16	2.285714388	15	13	18750	16448	16448	2
2391	049	3125	0.07	1175	1	65	100	3	7	6	9375	8200	NCD-TARA	85	form-based			true	0.75	16	2.285714388	15	13	18750	17575	17575	2
2395	039A	3000	0.07	985	1	85	140	4	10	9	12000	11015	NCD-TARA	85	form-based			true	0.75	16	1.600000024	15	15	18000	17015	17015	1.5
2395	039B	3000	0.07	1891	1	85	140	4	10	9	12000	10109	NCD-TARA	85	form-based			true	0.75	16	1.600000024	15	15	18000	16109	16109	1.5
2405	036A	2833	0.07	2830	0	65	100	3	7	7	8499	5669	NCD-TARA	85	form-based			true	0.75	15	2.142857075	15	14	16998	14168	14168	2
2406	031C	2796	0.06	2760	0	85	140	4	8	8	11184	8424	NCD-TARA	85	form-based			true	0.75	15	1.875	15	15	16776	14016	14016	1.5
2407	002	3000	0.07	1735	1	85	140	4	10	9	12000	10265	RTO-C	85	form-based			true	0.75	16	1.600000024	15	15	18000	16265	16265	1.5
2408	002	3001	0.07	1287	1	85	140	4	10	9	12004	10717	RTO-C	85	form-based			true	0.75	16	1.600000024	15	15	18006	16719	16719	1.5
2408	040A	3000	0.07	2658	1	65	100	3	7	6	9000	6342	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18000	15342	15342	2
2412	033	4200	0.1	1591	1	65	100	3	10	9	12600	11009	RTO-C	65	form-based			true	0.75	16	1.600000024	15	15	18900	17309	17309	1.5
2413	037	4292	0.1	750	1	65	100	3	10	9	12876	12126	RTO-C	65	form-based		true	true	0.75	16	1.600000024	15	15	19314	18564	18564	1.5
2419	003B	2964	0.07	1700	1	65	100	3	7	6	8892	7192	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	17784	16084	16084	2
2435	037	4087	0.09	3270	0	55	80	2.5	7	7	10218	6948	NC-1	65	form-based			true	0.75	15	2.142857075	15	14	18391.5	15121.5	15121.5	1.799912
2453	020	6050	0.14	8906	8	65	100	3	14	6	18150	9244	RTO-C	65	form-based		true	true	0.75	23	1.642857194	15	15	27225	18319	18319	1.5
2499A	011	7657	0.18	3194	1	55	80	2.5	14	13	19142	15948	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21439.59961	18245.59961	18245.59961	1.120029
2499A	012	7588	0.17	2836	1	55	80	2.5	14	13	18970	16134	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21246.40039	18410.40039	18410.40039	1.12
2499A	032	7720	0.18	1260	1	55	80	2.5	14	13	19300	18040	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21616	20356	20356	1.12
2513	004A	1676	0.04	1125	0	65	100	3	4	4	5028	3903	NC-2	100	form-based			true	0.75	15	3.75	15	8	15084	13959	8931	3
2518	016	4283	0.1	1531	1	55	80	2.5	8	7	10708	9177	RTO-C	65	form-based		true	true	0.75	16	2	15	15	19273.5	17742.5	17742.5	1.799916
2527A	004	4212	0.1	3150	1	55	80	2.5	8	7	10530	7380	RTO-C	65	form-based			true	0.75	16	2	15	15	18954	15804	15804	1.8
2527A	007	4200	0.1	1900	1	55	80	2.5	8	7	10500	8600	RTO-C	65	form-based			true	0.75	16	2	15	15	18900	17000	17000	1.8
2527B	003	4327	0.1	2000	1	55	80	2.5	8	7	10818	8818	RTO-C	65	form-based			true	0.75	16	2	15	15	19471.5	17471.5	17471.5	1.799917
2541	018	2980	0.07	2000	1	65	100	3	7	6	8940	6940	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	17880	15880	15880	2
2541	019	3098	0.07	2110	1	65	100	3	7	6	9294	7184	RTO-C	85	form-based			true	0.75	16	2.285714388	15	13	18588	16478	16478	2
2607	067	12394	0.28	8000	11	55	80	2.5	22	11	30985	22985	RH-3	40	form-based			true	0.7	26	1.181818128	15	15	34703.19922	26703.19922	26703.19922	1.12
2622	084	5297	0.12	2836	0	65	100	3	12	12	15891	13055	RH-2	50	form-based			true	0.7	15	1.25	15	15	18539.5	15703.5	15703.5	1.166667
2623	029	7918	0.18	1674	2	65	100	3	18	16	23754	22080	RH-3	40	form-based			true	0.7	17	0.944444418	15	15	22170.40039	20496.40039	20496.40039	0.933333
2623	091	2317	0.05	2650	6	85	140	4	7	1	9268	6618	NCT-UPPE	120	form-based			true	0.75	21	3	15	8	20853	18203	15886	2.25
2623	092	10404	0.24	1124	7	65	100	3	24	17	31212	30088	RH-2	40	form-based			true	0.7	22	0.916666687	15	15	29131.19922	28007.19922	28007.19922	0.933333
2635	043	12636	0.29	8926	12	55	80	2.5	23	11	31590	22664	RM-2	40	form-based		true	true	0.7	27	1.173913002	15	15	35380.80078	26454.80078	26454.80078	1.12
2648	087	1789	0.04	1911	1	65	100	3	4	3	5367	3456	RTO-C	160	form-based			true	0.75	16	4	15	7	16101	14190	8823	3
2679	018	7472	0.17	1979	1	55	80	2.5	14	13	18680	16701	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	20921.59961	18942.59961	18942.59961	1.12
2695	002	6399	0.15	10423	4	65	100	3	15	11	19197	8774	NCD-CAST	50	form-based			true	0.75	19	1.266666651	15	15	23996.25	13573.25	13573.25	1.25
2706	027	7538	0.17	2480	1	55	80	2.5	14	13	18845	16365	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21106.40039	18626.40039	18626.40039	1.12
2706	059	7432	0.17	3823	1	55	80	2.5	14	13	18580	14757	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	20809.59961	16986.59961	16986.59961	1.12
2706	061	7572	0.17	3614	1	55	80	2.5	14	13	18930	15316	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21201.59961	17587.59961	17587.59961	1.12
2770	010	7495	0.17	2536	1	55	80	2.5	14	13	18738	16202	RH-2	40	form-based			true	0.7	16	1.142857194	15	15	20986	18450	18450	1.11997
2790	023	7664	0.18	1310	1	55	80	2.5	14	13	19160	17850	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21459.19922	20149.19922	20149.19922	1.12
2816	001	7514	0.17	4282	1	55	80	2.5	14	13	18785	14503	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21039.19922	16757.19922	16757.19922	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2820	012	7790	0.18	1124	1	55	80	2.5	14	13	19475	18351	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21812	20688	20688	1.12
2819	009	7718	0.18	1100	1	65	100	3	18	17	23154	22054	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21610.40039	20510.40039	20510.40039	0.933333
2831	009	4522	0.1	3065	2	55	80	2.5	8	6	11305	8240	NCD-24TH	65	form-based			true	0.75	17	2.125	15	14	20349	17284	17284	1.8
2840	018	7575	0.17	3171	1	65	100	3	17	16	22725	19554	RH-1(D)	40	form-based		true	true	0.7	16	0.941176474	15	15	21210	18039	18039	0.933333
2840	037	7443	0.17	2080	1	65	100	3	17	16	22329	20249	RH-1(D)	40	form-based		true	true	0.7	16	0.941176474	15	15	20840.40039	18760.40039	18760.40039	0.933333
2859	010	7571	0.17	2414	1	55	80	2.5	14	13	18928	16514	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21198.79883	18784.79883	18784.79883	1.11997
2859	014	7804	0.18	5300	1	55	80	2.5	14	13	19510	14210	RH-1(D)	40	form-based		true	true	0.7	16	1.142857194	15	15	21851.19922	16551.19922	16551.19922	1.12
2861	008	7728	0.18	3050	1	55	80	2.5	14	13	19320	16270	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21638.40039	18588.40039	18588.40039	1.12
2863	032	7459	0.17	3740	1	65	100	3	17	16	22377	18637	RH-1(D)	40	form-based		true	true	0.7	16	0.941176474	15	15	20885.19922	17145.19922	17145.19922	0.933333
2877	008	7560	0.17	2768	1	65	100	3	17	16	22680	19912	RH-1(D)	40	form-based		true	true	0.7	16	0.941176474	15	15	21168	18400	18400	0.933333
2882	044	7672	0.18	3396	1	55	80	2.5	14	13	19180	15784	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21481.59961	18085.59961	18085.59961	1.12
2925	001	7686	0.18	2485	1	65	100	3	18	17	23058	20573	RH-1(D)	40	form-based		true	true	0.7	16	0.888888896	15	15	21520.79883	19035.79883	19035.79883	0.933333
2933	012	7770	0.18	4360	1	55	80	2.5	14	13	19425	15065	RH-1(D)	40	form-based		true	true	0.7	16	1.142857194	15	15	21756	17396	17396	1.12
2934	010	7005	0.16	0	0	55	80	2.5	13	13	17512	17512	RH-1(D)	40	form-based			true	0.7	15	1.153846145	15	15	19614	19614	19614	1.120032
2934	011	7152	0.16	0	0	55	80	2.5	13	13	17880	17880	RH-1(D)	40	form-based			true	0.7	15	1.153846145	15	15	20025.59961	20025.59961	20025.59961	1.12
2935	015	7056	0.16	0	0	55	80	2.5	13	13	17640	17640	RH-1(D)	40	form-based			true	0.7	15	1.153846145	15	15	19756.79883	19756.79883	19756.79883	1.12
2973A	049	7754	0.18	3963	1	55	80	2.5	14	13	19385	15422	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21711.19922	17748.19922	17748.19922	1.12
2973A	032A	7542	0.17	3336	1	55	80	2.5	14	13	18855	15519	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21117.59961	17781.59961	17781.59961	1.12
2973A	053	7712	0.18	5148	1	55	80	2.5	14	13	19280	14132	RH-1(D)	40	form-based		true	true	0.7	16	1.142857194	15	15	21593.59961	16445.59961	16445.59961	1.12
2979	012	2919	0.07	2100	0	85	140	4	10	10	11676	9576	NCD-WEST	85	form-based			true	0.75	15	1.5	15	15	17514	15414	15414	1.5
2988A	014	4751	0.11	10821	10	85	140	4	15	5	19004	8183	NCD-WEST	85	form-based			true	0.75	25	1.666666627	15	15	28506	17685	17685	1.5
2991	020	7809	0.18	4738	1	55	80	2.5	14	13	19522	14784	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21865.19922	17127.19922	17127.19922	1.120029
2992	025	7778	0.18	2485	1	55	80	2.5	14	13	19445	16960	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21778.40039	19293.40039	19293.40039	1.12
3011	067	7450	0.17	3115	1	55	80	2.5	14	13	18625	15510	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	20860	17745	17745	1.12
3011	070	7851	0.18	1935	1	55	80	2.5	14	13	19628	17693	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21982.79883	20047.79883	20047.79883	1.119971
3011A	012	7729	0.18	5000	1	55	80	2.5	14	13	19322	14322	RH-1(D)	40	form-based		true	true	0.7	16	1.142857194	15	15	21641.19922	16641.19922	16641.19922	1.120029
3012	028	2819	0.06	3942	0	65	100	3	6	6	8457	4515	NCD-WEST	85	form-based			true	0.75	15	2.5	15	12	16914	12972	12972	2
3013	016	7389	0.17	2581	1	65	100	3	17	16	22167	19586	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	20689.19922	18108.19922	18108.19922	0.933333
3042	020	7564	0.17	2346	1	55	80	2.5	14	13	18910	16564	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21179.19922	18833.19922	18833.19922	1.12
3048	015	7453	0.17	4625	1	55	80	2.5	14	13	18632	14007	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	20868.40039	16243.40039	16243.40039	1.12003
3069	004	7500	0.17	2822	1	65	100	3	17	16	22500	19678	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	21000	18178	18178	0.933333
3069	005	7091	0.16	0	0	65	100	3	16	16	21273	21273	RH-1(D)	40	form-based			true	0.7	15	0.9375	15	15	19854.79883	19854.79883	19854.79883	0.933333
3071	016	7843	0.18	3624	1	65	100	3	18	17	23529	19905	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21960.40039	18336.40039	18336.40039	0.933333
3072	024	7755	0.18	3264	1	65	100	3	18	17	23265	20001	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21714	18450	18450	0.933333
3076	022	7771	0.18	2815	1	65	100	3	18	17	23313	20498	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21758.79883	18943.79883	18943.79883	0.933333
3073	010	7468	0.17	2742	1	65	100	3	17	16	22404	19662	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	20910.40039	18168.40039	18168.40039	0.933333
3073	012	7437	0.17	3622	1	65	100	3	17	16	22311	18689	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	20823.59961	17201.59961	17201.59961	0.933333
3074	001	7817	0.18	2954	1	65	100	3	18	17	23451	20497	RH-1(D)	40	form-based		true	true	0.7	16	0.888888896	15	15	21887.59961	18933.59961	18933.59961	0.933333
3076	027	7459	0.17	5082	1	65	100	3	17	16	22377	17295	RH-1(D)	40	form-based		true	true	0.7	16	0.941176474	15	15	20885.19922	15803.19922	15803.19922	0.933333
3076	030	7766	0.18	3700	1	65	100	3	18	17	23298	19598	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21744.79883	18044.79883	18044.79883	0.933333
3077	014	7820	0.18	2932	1	55	80	2.5	14	13	19550	16618	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21896	18964	18964	1.12
3077	008	7660	0.18	3253	1	55	80	2.5	14	13	19150	15897	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21448	18195	18195	1.12
3077	024	7544	0.17	3900	1	55	80	2.5	14	13	18860	14960	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21123.19922	17223.19922	17223.19922	1.12
3077	047	7516	0.17	3719	1	55	80	2.5	14	13	18790	15071	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21044.79883	17325.79883	17325.79883	1.12
3080	011	7516	0.17	3760	1	55	80	2.5	14	13	18790	15030	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21044.79883	17284.79883	17284.79883	1.12
3100	011	7477	0.17	3878	1	65	100	3	17	16	22431	18553	RH-1(D)	40	form-based		true	true	0.7	16	0.941176474	15	15	20935.59961	17057.59961	17057.59961	0.933333
3101	001	7617	0.17	3112	1	65	100	3	17	16	22851	19739	RH-1(D)	40	form-based		true	true	0.7	16	0.941176474	15	15	21327.59961	18215.59961	18215.59961	0.933333
3104	004	7715	0.18	4889	1	55	80	2.5	14	13	19288	14399	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21602	16713	16713	1.119971
3104	010	7472	0.17	3024	1	55	80	2.5	14	13	18680	15656	RH-1(D)	40	form-based		true	true	0.7	16	1.142857194	15	15	20921.59961	17897.59961	17897.59961	1.12
3105	001	7586	0.17	4697	1	55	80	2.5	14	13	18965	14268	RH-1(D)	40	form-based		true	true	0.7	16	1.142857194	15	15	21240.79883	16543.79883	16543.79883	1.12
3133	005	7395	0.17	3264	1	55	80	2.5	14	13	18488	15224	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	20706	17442	17442	1.11997
3134	003	7424	0.17	1725	1	55	80	2.5	14	13	18560	16835	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	20787.19922	19062.19922	19062.19922	1.12
3180	208	3399	0.08	0	0	65	100	3	8	8	10197	10197	BR-MU	78	form-based				0.75	15	1.875	15	15	17844.75	17844.75	17844.75	1.75
3198	013	2856	0.07	2286	0	65	100	3	7	7	8568	6282	NCT-OCEA	85	form-based			true	0.75	15	2.142857075	15	14	17136	14850	14850	2
3198	014	2930	0.07	1320	0	65	100	3	7	7	8790	7470	NCT-OCEA	85	form-based			true	0.75	15	2.142857075	15	14	17580	16260	16260	2
3258	021	4291	0.1	3150	1	85	140	4	14	13	17164	14014	RTO-C	65	form-based			true	0.75	16	1.142857194	15	15	19309.5	16159.5	16159.5	1.125
3259	022	4163	0.1	1800	1	65	100	3	10	9	12489	10689	RTO-C	65	form-based			true	0.75	16	1.600000024	15	15	18733.5	16933.5	16933.5	1.5
3260	024	7848	0.18	3427	1	55	80	2.5	14	13	19620	16193	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21974.40039	18547.40039	18547.40039	1.12
3260	026	7529	0.17	2138	1	55	80	2.5	14	13	18822	16684	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21081.19922	18943.19922	18943.19922	1.12003
3275	023	7632	0.18	2801	1	65	100	3	18	17	22896	20095	RH-1(D)	40	form-based		true	true	0.7	16	0.888888896	15	15	21369.59961	18568.59961	18568.59961	0.933333
3502	067	2160	0.05	4786	4	65	100	3	5	1	6480	1694	RTO-1	120	form-based			true	0.7	19	3.799999952	15	6	19440	14654	8174	3
3510	056	4957	0.11	5244	0	65	100	3	11	11	14871	9627	WMUG	55	form-based				0.75	15	1.363636374	15	15	18588.75	13344.75	13344.75	1.25
3514	009	2912	0.07	2960	0	65	100	3	7	7	8736	5776	NCT-3	85	form-based				0.75	15	2.142857075	15	14	17472	14512	14512	2
3516	071	2777	0.06	1689	0	65	100	3	6	6	8331	6642	WMUG	85	form-based			true	0.75	15	2.5	15	12	16662	14973	14973	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3519	012	5000	0.11	0	0	65	100	3	11	11	15000	15000	WMUG	55	form-based				0.75	15	1.363636374	15	15	18750	18750	18750	1.25
3543	012	5000	0.11	8635	0	85	140	4	15	15	20000	11365	NCT-UPPE	50	form-based				0.75	15	1	15	15	18750	10115	10115	0.9375
3544	105	5541	0.13	705	14	85	140	4	18	4	22164	21459	NCT-UPPE	85	form-based		true	true	0.75	29	1.611111164	15	15	33246	32541	32541	1.5
3548	093	5072	0.12	4958	0	75	120	3.5	14	14	17752	12794	UMU	58	form-based				0.75	15	1.071428537	15	15	19020	14062	14062	1.071429
3549	040	4968	0.11	1000	0	75	120	3.5	13	13	17388	16388	UMU	58	form-based				0.75	15	1.153846145	15	15	18630	17630	17630	1.071429
3549	047	5018	0.12	5000	0	75	120	3.5	14	14	17563	12563	UMU	58	form-based				0.75	15	1.071428537	15	15	18817.5	13817.5	13817.5	1.071429
3552	048	29018	0.67	91378	143	85	140	4	94	0	116072	24694	UMU	90	form-based		true		0.75	158	1.680851102	15	15	158344.5	66966.5	66966.5	1.364192
3553	025	3062	0.07	2556	1	75	120	3.5	8	7	10717	8161	NCT-MISSI	80	form-based				0.75	16	2	15	15	18372	15816	15816	1.714286
3554	018	4962	0.11	14400	0	85	140	4	15	15	19848	5448	NCT-VALE	55	form-based				0.75	15	1	15	15	18607.5	4207.5	4207.5	0.9375
3554	019	4962	0.11	5000	0	75	120	3.5	13	13	17367	12367	NCT-VALE	55	form-based				0.75	15	1.153846145	15	15	18607.5	13607.5	13607.5	1.071429
3554	020	5051	0.12	7185	0	75	120	3.5	14	14	17678	10493	NCT-VALE	55	form-based		true		0.75	15	1.071428537	15	15	18941.25	11756.25	11756.25	1.071459
3555	001	5199	0.12	8024	1	75	120	3.5	14	13	18196	10172	NCT-VALE	55	form-based		true		0.75	16	1.142857194	15	15	19496.25	11472.25	11472.25	1.071458
3558	113	9474	0.22	20181	18	85	140	4	31	13	37896	17715	RTO-1	65	form-based		true	true	0.7	33	1.064516187	15	15	39790.80078	19609.80078	19609.80078	1.05
3561	014	1963	0.05	3220	3	85	140	4	7	4	7852	4632	NCT-UPPE	120	form-based			true	0.75	18	2.571428537	15	11	17667	14447	12484	2.25
3563	017	4000	0.09	6996	6	65	100	3	9	3	12000	5004	RTO-C	85	form-based			true	0.75	21	2.333333254	15	12	24000	17004	17004	2
3563	040	3250	0.07	1235	2	85	140	4	10	8	13000	11765	RTO-C	85	form-based			true	0.75	17	1.700000048	15	15	19500	18265	18265	1.5
3588	009	5013	0.12	9500	0	65	100	3	12	12	15039	5539	NCT-VALE	55	form-based				0.75	15	1.25	15	15	18798.75	9298.75	9298.75	1.25
3588	010	5013	0.12	6503	0	65	100	3	12	12	15039	8536	NCT-VALE	55	form-based				0.75	15	1.25	15	15	18798.75	12295.75	12295.75	1.25
3600	001A	4650	0.11	2750	2	65	100	3	11	9	13950	11200	RTO-C	65	form-based			true	0.75	17	1.545454502	15	15	20925	18175	18175	1.5
3600	068	11594	0.27	14283	17	65	100	3	27	10	34782	20499	RH-2	50	form-based			true	0.7	32	1.185185194	15	15	40579	26296	26296	1.166667
3605	073	11968	0.27	22624	30	65	100	3	27	0	35904	13280	RTO-C	65	form-based		true	true	0.75	45	1.666666627	15	15	53856	31232	31232	1.5
3606	010	5250	0.12	5156	0	85	140	4	17	17	21000	15844	RH-3	50	form-based			true	0.7	15	0.882352948	15	15	18375	13219	13219	0.875
3606	024	5700	0.13	3000	1	85	140	4	18	17	22800	19800	RM-1	50	form-based			true	0.7	16	0.888888896	15	15	19950	16950	16950	0.875
3606	074	5655	0.13	3280	1	85	140	4	18	17	22620	19340	RH-3	50	form-based			true	0.7	16	0.888888896	15	15	19792.5	16512.5	16512.5	0.875
3628	009	4241	0.1	1975	1	85	140	4	14	13	16964	14989	RTO-C	65	form-based			true	0.75	16	1.142857194	15	15	19084.5	17109.5	17109.5	1.125
3629	013	8071	0.19	7249	8	65	100	3	19	11	24213	16964	RH-2	50	form-based			true	0.7	23	1.210526347	15	15	28248.5	20999.5	20999.5	1.166667
3637	020	4900	0.11	10190	3	75	120	3.5	13	10	17150	6960	NCT-MISSI	65	form-based		true		0.75	18	1.384615421	15	15	22050	11860	11860	1.285714
3649	042	5924	0.14	5494	2	65	100	3	14	12	17772	12278	RM-1	50	form-based			true	0.7	17	1.214285731	15	15	20734	15240	15240	1.166667
3704	010	1705	0.04	3750	0	75	120	3.5	5	5	5968	2218	C-3-G	90	form-based				0.8	15	3	15	10	15345	11595	8186	2.571213
3721	002	1650	0.04	0	0	75	120	3.5	5	5	5775	5775	C-3-O(SD)	350	form-based				0.8	15	3	15	10	14850	14850	11550	2.571429
3721	003	1650	0.04	0	0	95	160	4.5	6	6	7425	7425	C-3-O(SD)	350	form-based				0.8	15	2.5	15	12	14850	14850	14850	2
3726	017	2801	0.06	4305	0	65	100	3	6	6	8403	4098	MUG	85	form-based				0.75	15	2.5	15	12	16806	12501	12501	2
3727	094	3975	0.09	7892	0	85	140	4	13	13	15900	8008	MUO	65	form-based				0.75	15	1.153846145	15	15	17887.5	9995.5	9995.5	1.125
3727	097	3976	0.09	4776	0	75	120	3.5	11	11	13916	9140	MUO	65	form-based				0.75	15	1.363636374	15	15	17892	13116	13116	1.285714
3727	101	3978	0.09	8000	0	75	120	3.5	11	11	13923	5923	MUO	65	form-based				0.75	15	1.363636374	15	15	17901	9901	9901	1.285714
3727	102	3979	0.09	15678	0	75	120	3.5	11	11	13926	0	MUO	65	form-based				0.75	15	1.363636374	15	15	17905.5	2227.5	2227.5	1.28576
3730	014	4000	0.09	8000	0	65	100	3	9	9	12000	4000	NCT-FOLS	65	form-based		true		0.75	15	1.666666627	15	15	18000	10000	10000	1.5
3730	025	4024	0.09	6698	0	65	100	3	9	9	12072	5374	NCT-FOLS	65	form-based				0.75	15	1.666666627	15	15	18108	11410	11410	1.5
3731	021	4973	0.11	21874	4	65	100	3	11	7	14919	0	NCT-SOMA	65	form-based		true		0.75	19	1.727272749	15	15	22378.5	504.5	504.5	1.5
3732	076	2818	0.06	4250	0	65	100	3	6	6	8454	4204	NCT-SOMA	85	form-based		true		0.75	15	2.5	15	12	16908	12658	12658	2
3732	124	4047	0.09	29136	6	65	100	3	9	3	12141	0	MUR	85	form-based		true		0.75	21	2.333333254	15	12	24282	0	0	2
3736	035	1626	0.04	0	0	75	120	3.5	5	5	5691	5691	C-3-O(SD)	250	form-based				0.8	15	3	15	10	14634	14634	11382	2.571429
3749	003	3760	0.09	3750	0	75	120	3.5	11	11	13160	9410	RH DTR	65	form-based		true		0.8	15	1.363636374	15	15	18048	14298	14298	1.371429
3751	162	2720	0.06	0	0	65	100	3	6	6	8160	8160	CMUO	85	form-based				0.8	15	2.5	15	12	17408	17408	16320	2.133333
3753	375	24744	0.57	188382	115	65	100	3	57	0	74232	0	MUR	85	form-based				0.75	130	2.280701637	15	0	148464	0	0	2
3756	008	4964	0.11	5000	0	65	100	3	11	11	14892	9892	RCD	55	form-based				0.75	15	1.363636374	15	15	18615	13615	13615	1.25
3756	024	4105	0.09	7950	0	65	100	3	9	9	12315	4365	NCT-FOLS	65	form-based				0.75	15	1.666666627	15	15	18472.5	10522.5	10522.5	1.5
3762	023	2683	0.06	3350	0	65	100	3	6	6	8049	4699	CMUO	85	form-based				0.8	15	2.5	15	12	17171.20117	13821.20117	12748	2.133333
3762	126	2916	0.07	5625	1	65	100	3	7	6	8748	3123	CMUO	85	form-based				0.8	16	2.285714388	15	13	18662.40039	13037.40039	11871	2.133333
3763	013	2707	0.06	8024	0	65	100	3	6	6	8121	97	CMUO	85	form-based				0.8	15	2.5	15	12	17324.80078	9300.800781	8218	2.133333
3763	081	1632	0.04	0	0	65	100	3	4	4	4896	4896	CMUO	350	form-based				0.8	15	3.75	15	8	14688	14688	9792	3
3763	119	3694	0.08	1026	6	65	100	3	8	2	11082	10056	CMUO	85	form-based				0.8	21	2.625	15	10	23641.59961	22615.59961	21138	2.133333
3774	191	4125	0.09	24989	0	65	100	3	9	9	12375	0	MUO	65	form-based				0.75	15	1.666666627	15	15	18562.5	0	0	1.5
3775	016	6235	0.14	18055	0	65	100	3	14	14	18705	650	CMUO	45	form-based		true		0.8	15	1.071428537	15	15	19952	1897	1897	1.066667
3775	125	6840	0.16	1385	12	65	100	3	16	4	20520	19135	CMUO	65	form-based		true		0.8	27	1.6875	15	15	32832	31447	31447	1.6
3776	008	21287	0.49	58530	104	75	120	3.5	59	0	74504	15974	CMUO	85	form-based				0.8	119	2.016949177	15	14	136236.7969	77706.79688	77706.79688	1.828584
3777	028	4000	0.09	1808	0	85	140	4	13	13	16000	14192	MUG	65	form-based				0.75	15	1.153846145	15	15	18000	16192	16192	1.125
3777	036	4058	0.09	4000	0	85	140	4	13	13	16232	12232	MUG	65	form-based				0.75	15	1.153846145	15	15	18261	14261	14261	1.125
3777	037	4029	0.09	4154	0	85	140	4	13	13	16116	11962	MUG	65	form-based				0.75	15	1.153846145	15	15	18130.5	13976.5	13976.5	1.125
3780	083	6783	0.16	6720	0	65	100	3	16	16	20349	13629	UMU	48	form-based				0.75	15	0.9375	15	15	20349	13629	13629	1
3787	002	3708	0.09	2140	0	75	120	3.5	11	11	12978	10838	CMUO	65	form-based				0.8	15	1.363636374	15	15	17798.40039	15658.40039	15658.40039	1.371429
3787	036	3767	0.09	7320	0	75	120	3.5	11	11	13184	5864	CMUO	65	form-based				0.8	15	1.363636374	15	15	18081.59961	10761.59961	10761.59961	1.371481
3787	037	3760	0.09	0	0	75	120	3.5	11	11	13160	13160	CMUO	65	form-based				0.8	15	1.363636374	15	15	18048	18048	18048	1.371429
4043	013	5000	0.11	9990	0	65	100	3	11	11	15000	5010	UMU	58	form-based				0.75	15	1.363636374	15	15	18750	8760	8760	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4208	017	5138	0.12	6118	0	65	100	3	12	12	15414	9296	NCT-24TH-	55	form-based		true		0.75	15	1.25	15	15	19267.5	13149.5	13149.5	1.25
6514	031	4849	0.11	17159	0	75	120	3.5	13	13	16972	0	NCT-VALEI	55	form-based		true		0.75	15	1.153846145	15	15	18183.75	1024.75	1024.75	1.071397
6517	024	2876	0.07	5720	0	75	120	3.5	8	8	10066	4346	NCT-MISSI	80	form-based				0.75	15	1.875	15	15	17256	11536	11536	1.714286
6517	028	4026	0.09	4824	6	85	140	4	13	7	16104	11280	NCT-MISSI	85	form-based				0.75	21	1.615384579	15	15	24156	19332	19332	1.5
6518	006	5737	0.13	4129	1	75	120	3.5	16	15	20080	15951	RTO-M	50	form-based				0.7	16	1	15	15	20079.5	15950.5	15950.5	0.999975
6567	018B	22177	0.51	12440	0	65	100	3	51	51	66531	54091	RH-2	40	density-lim	1500			0.7	15	0.294117659	15	15	62095.59766	49655.59766	49655.59766	0.933333
6574	023	9016	0.21	8858	0	85	140	4	29	29	36064	27206	NCD-MISSI	50	density-lim	600			0.75	15	0.517241359	15	15	33810	24952	24952	0.9375
6590	095	8666	0.2	6075	3	55	80	2.5	16	13	21665	15590	RH-2	40	form-based			true	0.7	18	1.125	15	15	24264.79883	18189.79883	18189.79883	1.12
6619	031	5857	0.13	8140	1	65	100	3	13	12	17571	9431	RM-1	50	form-based			true	0.7	16	1.230769277	15	15	20499.5	12359.5	12359.5	1.166667
6665	067	7381	0.17	2770	1	65	100	3	17	16	22143	19373	RH-1	40	form-based			true	0.7	16	0.941176474	15	15	20666.79883	17896.79883	17896.79883	0.933333
6665	107	8975	0.21	772	4	65	100	3	21	17	26925	26153	RH-1	40	form-based			true	0.7	19	0.90476191	15	15	25130	24358	24358	0.933333
6706	063	6989	0.16	1960	0	65	100	3	16	16	20967	19007	RH-1	40	form-based			true	0.7	15	0.9375	15	15	19569.19922	17609.19922	17609.19922	0.933333
6744	034	2932	0.07	1648	0	75	120	3.5	8	8	10262	8614	RTO-C	85	form-based			true	0.75	15	1.875	15	15	17592	15944	15944	1.714286
6745	001C	1796	0.04	957	1	75	120	3.5	5	4	6286	5329	RTO-C	140	form-based			true	0.75	16	3.200000048	15	9	16164	15207	11615	2.571429
6746	027	3986	0.09	5400	0	75	120	3.5	11	11	13951	8551	NCT-GLEN	65	form-based			true	0.75	15	1.363636374	15	15	17937	12537	12537	1.285714
6763	001	7508	0.17	1803	1	65	100	3	17	16	22524	20721	RH-1	40	form-based		true	true	0.7	16	0.941176474	15	15	21022.40039	19219.40039	19219.40039	0.933333
6796	052	43644	1	17872	0	65	100	3	100	100	130932	113060	RH-1	40	density-lim	3000	true		0.7	15	0.150000006	15	15	122203.1953	104331.1953	104331.1953	0.933333
6902	015	2900	0.07	1817	0	85	140	4	10	10	11600	9783	NC-1	85	form-based			true	0.75	15	1.5	15	15	17400	15583	15583	1.5
6902	016	2892	0.07	4476	0	85	140	4	10	10	11568	7092	NC-1	85	form-based			true	0.75	15	1.5	15	15	17352	12876	12876	1.5
6902	017	2882	0.07	2000	0	85	140	4	10	10	11528	9528	NC-1	85	form-based			true	0.75	15	1.5	15	15	17292	15292	15292	1.5
6903	010	2943	0.07	2004	0	85	140	4	10	10	11772	9768	NC-1	85	form-based			true	0.75	15	1.5	15	15	17658	15654	15654	1.5
6903	011	2887	0.07	3198	0	85	140	4	10	10	11548	8350	NC-1	85	form-based			true	0.75	15	1.5	15	15	17322	14124	14124	1.5
6903	012	2811	0.06	4560	0	85	140	4	8	8	11244	6684	NC-1	85	form-based			true	0.75	15	1.875	15	15	16866	12306	12306	1.5
6903	013	2910	0.07	5440	0	85	140	4	10	10	11640	6200	NC-1	85	form-based			true	0.75	15	1.5	15	15	17460	12020	12020	1.5
6904	010	7821	0.18	2144	1	65	100	3	18	17	23463	21319	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21898.79883	19754.79883	19754.79883	0.933333
6904	011	7452	0.17	2295	1	65	100	3	17	16	22356	20061	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	20865.59961	18570.59961	18570.59961	0.933333
6904	016	7827	0.18	3286	1	65	100	3	18	17	23481	20195	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21915.59961	18629.59961	18629.59961	0.933333
6905	004	7615	0.17	2468	1	65	100	3	17	16	22845	20377	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	21322	18854	18854	0.933333
6905	015	7807	0.18	1956	1	65	100	3	18	17	23421	21465	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21859.59961	19903.59961	19903.59961	0.933333
6908	025	7830	0.18	2008	1	85	140	4	25	24	31320	29312	RH-1(D)	40	form-based			true	0.7	16	0.639999986	15	15	21924	19916	19916	0.7
6907	002	7657	0.18	2541	1	65	100	3	18	17	22971	20430	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21439.59961	18898.59961	18898.59961	0.933333
6907	005	7513	0.17	1811	1	65	100	3	17	16	22539	20728	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	21036.40039	19225.40039	19225.40039	0.933333
6907	006	7676	0.18	3294	1	65	100	3	18	17	23028	19734	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21492.79883	18198.79883	18198.79883	0.933333
6907	007	7668	0.18	3540	1	65	100	3	18	17	23004	19464	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21470.40039	17930.40039	17930.40039	0.933333
6907	016	7655	0.18	3813	1	65	100	3	18	17	22965	19152	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21434	17621	17621	0.933333
6907	017	7702	0.18	2655	1	65	100	3	18	17	23106	20451	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21565.59961	18910.59961	18910.59961	0.933333
6907	018	7545	0.17	4935	1	65	100	3	17	16	22635	17700	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	21126	16191	16191	0.933333
6908	026	7561	0.17	2455	1	65	100	3	17	16	22683	20228	RH-1(D)	40	form-based		true	true	0.7	16	0.941176474	15	15	21170.79883	18715.79883	18715.79883	0.933333
6909	014	7796	0.18	3294	1	65	100	3	18	17	23388	20094	RH-1(D)	40	form-based		true	true	0.7	16	0.888888896	15	15	21828.79883	18534.79883	18534.79883	0.933333
6910	004	7659	0.18	2835	1	65	100	3	18	17	22977	20142	RH-1(D)	40	form-based		true	true	0.7	16	0.888888896	15	15	21445.19922	18610.19922	18610.19922	0.933333
6912	011	7660	0.18	1896	1	55	80	2.5	14	13	19150	17254	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21448	19552	19552	1.12
6912	012	7492	0.17	2040	1	55	80	2.5	14	13	18730	16690	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	20977.59961	18937.59961	18937.59961	1.12
6912	015	7656	0.18	2588	1	65	100	3	18	17	22968	20380	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21436.79883	18848.79883	18848.79883	0.933333
6912	020	7589	0.17	2887	1	65	100	3	17	16	22767	19880	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	21249.19922	18362.19922	18362.19922	0.933333
6912	036	7624	0.18	2331	1	65	100	3	18	17	22872	20541	RH-1(D)	40	form-based		true	true	0.7	16	0.888888896	15	15	21347.19922	19016.19922	19016.19922	0.933333
6913	024	7410	0.17	1820	1	65	100	3	17	16	22230	20410	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	20748	18928	18928	0.933333
6913	026	7529	0.17	1800	1	65	100	3	17	16	22587	20787	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	21081.19922	19281.19922	19281.19922	0.933333
6914	004	7558	0.17	2420	1	65	100	3	17	16	22674	20254	RH-1(D)	40	form-based		true	true	0.7	16	0.941176474	15	15	21162.40039	18742.40039	18742.40039	0.933333
6914	006	7602	0.17	1205	1	65	100	3	17	16	22806	21601	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	21285.59961	20080.59961	20080.59961	0.933333
6920	023	7486	0.17	4197	1	65	100	3	17	16	22458	18261	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	20960.79883	16763.79883	16763.79883	0.933333
6916	003	7460	0.17	2704	1	55	80	2.5	14	13	18650	15946	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	20888	18184	18184	1.12
6916	021	7725	0.18	1882	1	55	80	2.5	14	13	19312	17430	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21630	19748	19748	1.120029
6916	026	7561	0.17	3135	1	55	80	2.5	14	13	18902	15767	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21170.79883	18035.79883	18035.79883	1.12003
6917	010	7553	0.17	2812	1	65	100	3	17	16	22659	19847	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	21148.40039	18336.40039	18336.40039	0.933333
6917	011	7415	0.17	1460	1	65	100	3	17	16	22245	20785	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	20762	19302	19302	0.933333
6917A	019	7525	0.17	1495	1	55	80	2.5	14	13	18812	17317	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21070	19575	19575	1.12003
6917A	020	7426	0.17	2662	1	55	80	2.5	14	13	18565	15903	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	20792.79883	18130.79883	18130.79883	1.12
6917A	021	7573	0.17	2560	1	55	80	2.5	14	13	18932	16372	RH-1(D)	40	form-based			true	0.7	16	1.142857194	15	15	21204.40039	18644.40039	18644.40039	1.12003
6918	006	7404	0.17	1680	1	65	100	3	17	16	22212	20532	RH-1(D)	40	form-based		true	true	0.7	16	0.941176474	15	15	20731.19922	19051.19922	19051.19922	0.933333
6919	022	7797	0.18	2221	1	65	100	3	18	17	23391	21170	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21831.59961	19610.59961	19610.59961	0.933333
6919	023	7720	0.18	2466	1	65	100	3	18	17	23160	20694	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21616	19150	19150	0.933333
6921	025	7789	0.18	2340	1	65	100	3	18	17	23367	21027	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21809.19922	19469.19922	19469.19922	0.933333
6921	026	7755	0.18	2115	1	65	100	3	18	17	23265	21150	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21714	19599	19599	0.933333
6923	031	7577	0.17	2324	1	65	100	3	17	16	22731	20407	RH-1(D)	40	form-based		true	true	0.7	16	0.941176474	15	15	21215.59961	18891.59961	18891.59961	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6931	016	7655	0.18	1935	1	65	100	3	18	17	22965	21030	RH-1(D)	40	form-based		true	true	0.7	16	0.888888896	15	15	21434	19499	19499	0.933333
6931	023	7395	0.17	2645	1	65	100	3	17	16	22185	19540	RH-1(D)	40	form-based		true	true	0.7	16	0.941176474	15	15	20706	18061	18061	0.933333
6932	009	7567	0.17	1820	1	65	100	3	17	16	22701	20881	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	21187.59961	19367.59961	19367.59961	0.933333
6935	001	2807	0.06	3900	0	65	100	3	6	6	8421	4521	NCT-OCEA	85	form-based		true	true	0.75	15	2.5	15	12	16842	12942	12942	2
6936	011	3213	0.07	1700	2	85	140	4	10	8	12852	11152	NCT-OCEA	85	form-based			true	0.75	17	1.700000048	15	15	19278	17578	17578	1.5
6936	013	2881	0.07	2129	0	85	140	4	10	10	11524	9395	NCT-OCEA	85	form-based			true	0.75	15	1.5	15	15	17286	15157	15157	1.5
6941	059	2795	0.06	7062	0	85	140	4	8	8	11180	4118	NCT-OCEA	85	form-based			true	0.75	15	1.875	15	15	16770	9708	9708	1.5
6941	068	4338	0.1	6252	8	65	100	3	10	2	13014	6762	NCT-OCEA	85	form-based		true	true	0.75	23	2.299999952	15	12	26028	19776	19776	2
6942	054	3452	0.08	1530	3	65	100	3	8	5	10356	8826	NCT-OCEA	85	form-based			true	0.75	18	2.25	15	13	20712	19182	19182	2
6946	001	3016	0.07	1016	1	85	140	4	10	9	12064	11048	NCT-OCEA	85	form-based			true	0.75	16	1.600000024	15	15	18096	17080	17080	1.5
6947	001B	2942	0.07	1722	0	85	140	4	10	10	11768	10046	NCT-OCEA	85	form-based			true	0.75	15	1.5	15	15	17652	15930	15930	1.5
6947	002E	3054	0.07	2297	1	85	140	4	10	9	12216	9919	NCT-OCEA	85	form-based			true	0.75	16	1.600000024	15	15	18324	16027	16027	1.5
6969	012	9287	0.21	7221	0	65	100	3	21	21	27861	20640	NCD-EXCE	65	density-lim	600			0.75	15	0.714285731	15	15	41791.5	34570.5	34570.5	1.5
6972	034	2960	0.07	840	1	75	120	3.5	8	7	10360	9520	RTO-C	85	form-based			true	0.75	16	2	15	15	17760	16920	16920	1.714286
7044A	001A	9230	0.21	1200	0	55	80	2.5	17	17	23075	21875	NCD-EXCE	40	density-lim	600			0.75	15	0.882352948	15	15	27690	26490	26490	1.2
7205	012A	4225	0.1	1292	1	55	80	2.5	8	7	10562	9270	RTO-C	65	form-based			true	0.75	16	2	15	15	19012.5	17720.5	17720.5	1.800085
7210	001A	4360	0.1	1600	1	55	80	2.5	8	7	10900	9300	RTO-C	65	form-based			true	0.75	16	2	15	15	19620	18020	18020	1.8
7211	004A	4336	0.1	3273	1	55	80	2.5	8	7	10840	7567	RTO-C	65	form-based		true	true	0.75	16	2	15	15	19512	16239	16239	1.8
7215	005	4167	0.1	3350	1	65	100	3	10	9	12501	9151	RTO-C	65	form-based		true	true	0.75	16	1.600000024	15	15	18751.5	15401.5	15401.5	1.5
7218	006	4377	0.1	2518	1	65	100	3	10	9	13131	10613	RTO-C	65	form-based		true	true	0.75	16	1.600000024	15	15	19696.5	17178.5	17178.5	1.5
7225	014	2860	0.07	4665	0	65	100	3	7	7	8580	3915	NCD-LAKE	85	form-based			true	0.75	15	2.142857075	15	14	17160	12495	12495	2
7226	001A	3106	0.07	1225	1	85	140	4	10	9	12424	11199	RTO-C	85	form-based			true	0.75	16	1.600000024	15	15	18636	17411	17411	1.5
7231	002E	7493	0.17	2995	1	65	100	3	17	16	22479	19484	RH-1(D)	40	form-based			true	0.7	16	0.941176474	15	15	20980.40039	17985.40039	17985.40039	0.933333
7231	005	7713	0.18	3654	1	65	100	3	18	17	23139	19485	RH-1(D)	40	form-based			true	0.7	16	0.888888896	15	15	21596.40039	17942.40039	17942.40039	0.933333
7538	037	7714	0.18	2756	1	55	80	2.5	14	13	19285	16529	RH-1	40	form-based			true	0.7	16	1.142857194	15	15	21599.19922	18843.19922	18843.19922	1.12
7539	016	7704	0.18	3246	1	55	80	2.5	14	13	19260	16014	RH-1	40	form-based			true	0.7	16	1.142857194	15	15	21571.19922	18325.19922	18325.19922	1.12
7542	006	7667	0.18	2771	1	65	100	3	18	17	23001	20230	RH-1	40	form-based			true	0.7	16	0.888888896	15	15	21467.59961	18696.59961	18696.59961	0.933333
0025	064	5650	0.13	9203	0	65	100	3	13	13	16950	7747	C-2	40	form-based		true	true	0.8	14	1.076923132	14	14	18080	8877	8877	1.066667
0041	035	7023	0.16	19535	25	65	100	3	16	0	21069	1534	C-2	85	form-based			true	0.8	39	2.4375	14	7	44947.19922	25412.19922	22603	2.133333
0045	006	7168	0.16	5673	1	65	100	3	16	15	21504	15831	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	20070.40039	14397.40039	14397.40039	0.933333
0055	019	28283	0.65	2955	14	65	100	3	65	51	84849	81894	RH-3	40	density-lim	1000	true		0.7	28	0.430769235	14	14	79192.39844	76237.39844	76237.39844	0.933333
0061	025	8051	0.18	5000	3	65	100	3	18	15	24153	19153	RH-3	40	form-based			true	0.7	17	0.944444418	14	14	22542.79883	17542.79883	17542.79883	0.933333
0068	007	5500	0.13	5360	1	55	80	2.5	10	9	13750	8390	RH-3	50	form-based			true	0.7	15	1.5	14	14	19250	13890	13890	1.4
0068	018	5185	0.12	4680	1	55	80	2.5	10	9	12962	8282	RH-1	50	form-based			true	0.7	15	1.5	14	14	18147.5	13467.5	13467.5	1.400054
0069	009	5214	0.12	3692	1	65	100	3	12	11	15642	11950	RH-3	50	form-based		true	true	0.7	15	1.25	14	14	18249	14557	14557	1.166667
0069	010	5513	0.13	3616	1	65	100	3	13	12	16539	12923	RH-3	50	form-based			true	0.7	15	1.153846145	14	14	19295.5	15679.5	15679.5	1.166667
0089	050	6462	0.15	22481	0	55	80	2.5	12	12	16155	0	RM-1	40	form-based			true	0.7	14	1.166666627	14	14	18093.59961	0	0	1.12
0094	008	6410	0.15	5087	4	55	80	2.5	12	8	16025	10938	RH-3	50	form-based			true	0.7	18	1.5	14	14	22435	17348	17348	1.4
0095	025	10128	0.23	31100	14	65	100	3	23	9	30384	0	RM-2	50	form-based			true	0.7	28	1.217391253	14	14	35448	4348	4348	1.166667
0095	028	7933	0.18	8248	8	65	100	3	18	10	23799	15551	RM-2	50	form-based			true	0.7	22	1.222222209	14	14	27765.5	19517.5	19517.5	1.166667
0103	014A	5597	0.13	11223	0	55	80	2.5	10	10	13992	2769	NCD-NORT	40	density-lim	400			0.75	14	1.399999976	14	14	16791	5568	5568	1.200043
0125	010	5298	0.12	7531	5	55	80	2.5	10	5	13245	5714	RH-3	65	form-based			true	0.7	19	1.899999976	14	14	22251.59961	14720.59961	14720.59961	1.68
0127	148	11928	0.27	2945	6	55	80	2.5	22	16	29820	26875	RM-2	40	density-lim	600			0.7	20	0.909090936	14	14	33398.39844	30453.39844	30453.39844	1.12
0142	003	11544	0.27	28863	0	65	100	3	27	27	34632	5769	C-2	84	density-lim	800	true		0.8	14	0.518518507	14	14	73881.60156	45018.60156	40401	2.133333
0145	009	5591	0.13	0	0	55	80	2.5	10	10	13978	13978	NCD-BROA	65	density-lim	400			0.75	14	1.399999976	14	14	25159.5	25159.5	25159.5	1.799936
0152	009	4516	0.1	3988	2	55	80	2.5	8	6	11290	7302	RH-3	65	form-based		true	true	0.7	16	2	14	14	18967.19922	14979.19922	14979.19922	1.68
0158	042	2739	0.06	77000	0	55	80	2.5	5	5	6848	0	RM-4	40	density-lim	200	true		0.75	14	2.799999952	14	10	8217	0	0	1.199912
0161	037	2875	0.07	5700	0	65	100	3	7	7	8625	2925	CRNC	65	density-lim	200			0.75	14	2	14	14	12937.5	7237.5	7237.5	1.5
0162	011	2738	0.06	5452	0	65	100	3	6	6	8214	2762	CRNC	50	density-lim	200			0.75	14	2.333333254	14	12	10267.5	4815.5	4815.5	1.25
0162	026	5435	0.12	22750	0	65	100	3	12	12	16305	0	NCD-BROA	65	density-lim	400	true		0.75	14	1.166666627	14	14	24457.5	1707.5	1707.5	1.5
0174	002	3834	0.09	14880	1	65	100	3	9	8	11502	0	C-2	65	form-base	800			0.8	15	1.666666627	14	14	18403.20117	3523.201172	3523.201172	1.6
0180	001	2705	0.06	1452	0	65	100	3	6	6	8115	6663	CRNC	65	density-lim	200	true		0.75	14	2.333333254	14	12	12172.5	10720.5	10720.5	1.5
0192	003	3125	0.07	7986	2	85	140	4	10	8	12500	4514	CRNC	85	density-lim	200			0.75	16	1.600000024	14	14	18750	10764	10764	1.5
0193	007	3246	0.07	16350	2	65	100	3	7	5	9738	0	CVR	50	density-lim	200			0.75	16	2.285714388	14	12	12172.5	0	0	1.25
0194	008	3202	0.07	8768	2	65	100	3	7	5	9606	838	CVR	50	density-lim	200			0.75	16	2.285714388	14	12	12007.5	3239.5	3239.5	1.25
0217	004	5628	0.13	10693	7	65	100	3	13	6	16884	6191	RM-3	65	form-based			true	0.75	21	1.615384579	14	14	25326	14633	14633	1.5
0219	020	7288	0.17	9231	13	55	80	2.5	14	1	18220	8989	RM-3	65	form-based			true	0.75	27	1.928571463	14	14	32796	23565	23565	1.8
0220	023	7569	0.17	15961	14	55	80	2.5	14	0	18922	2961	RM-3	65	form-based		true	true	0.75	28	2	14	14	34060.5	18099.5	18099.5	1.800048
0224	080	2800	0.06	0	0	65	100	3	6	6	8400	8400	RM-4	65	density-lim	200			0.75	14	2.333333254	14	12	12600	12600	12600	1.5
0225	023	3350	0.08	11460	3	65	100	3	8	5	10050	0	CRNC	50	density-lim	200			0.75	17	2.125	14	13	12562.5	1102.5	1102.5	1.25
0226	041	3822	0.09	9895	5	65	100	3	9	4	11466	1571	CCB	50	density-lim	200			0.75	19	2.111111164	14	13	14332.5	4437.5	4437.5	1.25
0228	004	2919	0.07	11740	0	85	140	4	10	10	11676	0	C-3-O	75	form-based		true		0.8	14	1.399999976	14	14	16346.40039	4606.400391	4606.400391	1.4
0235	002	1609	0.04	3894	0	85	140	4	6	6	6436	2542	C-3-O	300	form-based				0.8	14	2.333333254	14	12	14481	10587	8978	2.25
0240	014	1588	0.04	6700	0	65	100	3	4	4	4764	0	C-3-O	250	form-based				0.8	14	3.5	14	8	14292	7592	2828	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0242	003	2704	0.06	4719	0	65	100	3	6	6	8112	3393	CVR	50	density-lim	200			0.75	14	2.333333254	14	12	10140	5421	5421	1.25
0247	009	6855	0.16	14760	12	55	80	2.5	13	1	17138	2378	RM-3	65	form-based			true	0.75	26	2	14	14	30847.5	16087.5	16087.5	1.799948
0250	003B	2303	0.05	5353	7	55	80	2.5	4	0	5758	405	RTO-C	120	form-based			true	0.75	21	5.25	14	1	20727	15374	6163	3.599687
0250	003C	2302	0.05	5025	7	55	80	2.5	4	0	5755	730	RTO-C	120	form-based			true	0.75	21	5.25	14	1	20718	15693	6485	3.6
0250	003E	2190	0.05	4500	6	55	80	2.5	4	0	5475	975	RTO-C	140	form-based			true	0.75	20	5	14	2	19710	15210	6450	3.6
0250	017	2763	0.06	5765	11	65	100	3	6	0	8289	2524	NCD-POLK	120	form-based			true	0.75	25	4.166666508	14	1	24867	19102	10813	3
0251	016	2390	0.05	5260	8	55	80	2.5	4	0	5975	715	RTO-C	120	form-based			true	0.75	22	5.5	14	0	21510	16250	6690	3.6
0252	011A	5156	0.12	8174	12	55	80	2.5	10	0	12890	4716	RM-4	65	density-lim	200			0.75	26	2.599999905	14	8	23202	15028	15028	1.8
0252	023	3438	0.08	2095	3	55	80	2.5	6	3	8595	6500	RM-4	65	density-lim	200			0.75	17	2.833333254	14	9	15471	13376	13376	1.8
0267	009	1600	0.04	14692	0	75	120	3.5	5	5	5600	0	C-3-O	450	form-based				0.8	14	2.799999952	14	10	14400	0	0	2.571429
0281	014	5051	0.12	6542	11	65	100	3	12	1	15153	8611	RC-4	65	density-lim	200			0.75	25	2.083333254	14	13	22729.5	16187.5	16187.5	1.5
0283	008	1938	0.04	3350	3	65	100	3	4	1	5814	2464	C-3-G	160	form-based				0.8	17	4.25	14	5	17442	14092	8278	3
0287	004	1542	0.04	4727	0	85	140	4	6	6	6168	1441	C-3-O	130	form-based				0.8	14	2.333333254	14	12	13878	9151	7609	2.25
0287	005	1572	0.04	7533	0	85	140	4	6	6	6288	0	C-3-O	130	form-based				0.8	14	2.333333254	14	12	14148	6615	5043	2.25
0287	006	1512	0.03	4536	0	85	140	4	4	4	6048	1512	C-3-O	130	form-based				0.8	14	3.5	14	8	13608	9072	7560	2.25
0287	007	1512	0.03	6205	0	85	140	4	4	4	6048	0	C-3-O	130	form-based				0.8	14	3.5	14	8	13608	7403	5891	2.25
0288	014	1520	0.03	16630	0	75	120	3.5	4	4	5320	0	C-3-O	130	form-based		true		0.8	14	3.5	14	8	13680	0	0	2.571429
0288	016	1581	0.04	7546	0	75	120	3.5	5	5	5534	0	C-3-O	130	form-based				0.8	14	2.799999952	14	10	14229	6683	3522	2.571196
0294	005	1505	0.03	11440	0	75	120	3.5	4	4	5268	0	C-3-R	130	form-based		true		0.8	14	3.5	14	8	13545	2105	0	2.571184
0303	017	7631	0.18	21244	24	65	100	3	18	0	22893	1649	RC-4	80	density-lim	200			0.75	38	2.111111164	14	12	45786	24542	24542	2
0309	016	1600	0.04	4737	0	75	120	3.5	5	5	5600	863	C-3-R	130	form-based				0.8	14	2.799999952	14	10	14400	9663	6463	2.571429
0318	002	3048	0.07	13800	1	85	140	4	10	9	12192	0	RC-4	130	density-lim	200			0.75	15	1.5	14	14	27432	13632	10584	2.25
0321	015	4727	0.11	7174	10	65	100	3	11	1	14181	7007	RC-4	80	density-lim	200			0.75	24	2.181818247	14	12	28362	21188	21188	2
0323	002	3343	0.08	19914	3	65	100	3	8	5	10029	0	RC-4	80	density-lim	200	true		0.75	17	2.125	14	13	20058	144	144	2
0331	014	3094	0.07	5436	1	75	120	3.5	8	7	10829	5393	RC-4	130	density-lim	200			0.75	15	1.875	14	14	27846	22410	16222	2.571429
0337	006	3281	0.08	23150	2	65	100	3	8	6	9843	0	RC-4	80	density-lim	200	true		0.75	16	2	14	14	19686	0	0	2
0337	007	6875	0.16	7552	20	65	100	3	16	0	20625	13073	RC-4	80	density-lim	200			0.75	34	2.125	14	12	41250	33698	33698	2
0338	020	3438	0.08	4482	3	65	100	3	8	5	10314	5832	RC-4	80	density-lim	200			0.75	17	2.125	14	13	20628	16146	16146	2
0344	010	37798	0.87	215636	175	65	100	3	87	0	113394	0	RC-4	120	density-lim	200	true		0.75	189	2.172413826	14	0	240439.5	24803.5	11152	2.12039
0345	008	3356	0.08	13678	3	75	120	3.5	10	7	11746	0	RC-4	80	density-lim	200			0.75	17	1.700000048	14	14	20136	6458	6458	1.714286
0355	006	2500	0.06	10780	0	75	120	3.5	7	7	8750	0	C-3-G	80	form-based				0.8	14	2	14	14	16000	5220	5220	1.828571
0493	009	3300	0.08	3460	3	55	80	2.5	6	3	8250	4790	NC-3	85	form-based			true	0.75	17	2.833333254	14	9	19800	16340	13040	2.4
0494	004	3283	0.08	2664	3	55	80	2.5	6	3	8208	5544	NC-3	85	form-based			true	0.75	17	2.833333254	14	9	19698	17034	13752	2.399854
0501	016	5194	0.12	3175	1	65	100	3	12	11	15582	12407	RH-2	50	form-based			true	0.7	15	1.25	14	14	18179	15004	15004	1.166667
0502	005A	6579	0.15	15635	11	65	100	3	15	4	19737	4102	RM-3	65	form-based			true	0.75	25	1.666666627	14	14	29605.5	13970.5	13970.5	1.5
0505	018	1519	0.03	1325	0	65	100	3	3	3	4557	3232	NC-3	140	form-based			true	0.75	14	4.666666508	14	6	13671	12346	7789	3
0506	024	1721	0.04	1932	1	55	80	2.5	3	2	4302	2370	NC-3	140	form-based			true	0.75	15	5	14	5	15489	13557	6672	3.600418
0507	030	2672	0.06	3610	0	55	80	2.5	5	5	6680	3070	NC-3	85	form-based			true	0.75	14	2.799999952	14	10	16032	12422	9750	2.4
0522	005	3850	0.09	8094	6	65	100	3	9	3	11550	3456	RTO-C	85	form-based			true	0.75	20	2.222222328	14	12	23100	15006	15006	2
0523	024	5027	0.12	929	12	65	100	3	12	0	15081	14152	RM-3	85	form-based			true	0.75	26	2.166666746	14	12	30162	29233	29233	2
0525	029	3350	0.08	2125	2	65	100	3	8	6	10050	7925	RH-2	85	form-based			true	0.7	16	2	14	14	18760	16635	16635	1.866667
0527	021B	3432	0.08	3940	4	65	100	3	8	4	10296	6356	RTO-C	85	form-based			true	0.75	18	2.25	14	12	20592	16652	16652	2
0528	023	3781	0.09	1159	0	65	100	3	9	9	11343	10184	NCD-UNIO	65	form-based			true	0.75	14	1.555555582	14	14	17014.5	15855.5	15855.5	1.5
0528	043	4236	0.1	2219	2	65	100	3	10	8	12708	10489	NCD-UNIO	65	form-based			true	0.75	16	1.600000024	14	14	19062	16843	16843	1.5
0529	007	3675	0.08	7845	0	65	100	3	8	8	11025	3180	NCD-UNIO	65	form-based			true	0.75	14	1.75	14	14	16537.5	8692.5	8692.5	1.5
0544	012	4262	0.1	2760	2	65	100	3	10	8	12786	10026	NCD-UNIO	65	form-based			true	0.75	16	1.600000024	14	14	19179	16419	16419	1.5
0546	008	3885	0.09	5088	6	65	100	3	9	3	11655	6567	RTO-C	85	form-based			true	0.75	20	2.222222328	14	12	23310	18222	18222	2
0548	008A	4169	0.1	6177	6	65	100	3	10	4	12507	6330	RM-2	85	form-based			true	0.7	20	2	14	14	23346.40039	17169.40039	17169.40039	1.866667
0548	009	3625	0.08	3540	4	65	100	3	8	4	10875	7335	RM-2	85	form-based			true	0.7	18	2.25	14	12	20300	16760	16760	1.866667
0549	023	4429	0.1	5546	8	65	100	3	10	2	13287	7741	RM-2	85	form-based			true	0.7	22	2.200000048	14	12	24802.40039	19256.40039	19256.40039	1.866667
0549	027	3262	0.07	1560	2	65	100	3	7	5	9786	8226	RM-2	85	form-based			true	0.7	16	2.285714388	14	12	18267.19922	16707.19922	16707.19922	1.866667
0550	009	2746	0.06	4150	0	65	100	3	6	6	8238	4088	NCD-POLK	85	form-based		true	true	0.75	14	2.333333254	14	12	16476	12326	12326	2
0550	036	2902	0.07	2894	1	65	100	3	7	6	8706	5812	RTO-C	85	form-based			true	0.75	15	2.142857075	14	13	17412	14518	14518	2
0550	049	1669	0.04	881	1	65	100	3	4	3	5007	4126	RTO-C	240	form-based			true	0.75	15	3.75	14	7	15021	14140	9133	3
0551	001A	2483	0.06	4800	8	65	100	3	6	0	7449	2649	RC-3	240	form-based			true	0.75	22	3.666666746	14	4	22347	17547	10098	3
0551	005	2831	0.07	7590	11	85	140	4	10	0	11324	3734	RC-3	240	form-based		true	true	0.75	25	2.5	14	9	25479	17889	15058	2.25
0551	025	3500	0.08	1380	4	65	100	3	8	4	10500	9120	RTO-C	85	form-based			true	0.75	18	2.25	14	12	21000	19620	19620	2
0552	060	3034	0.07	2732	2	65	100	3	7	5	9102	6370	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18204	15472	15472	2
0560	025	6926	0.16	2694	1	55	80	2.5	13	12	17315	14621	RH-1	40	form-based			true	0.7	15	1.153846145	14	14	19392.79883	16698.79883	16698.79883	1.12
0562	004	7219	0.17	11392	1	55	80	2.5	14	13	18048	6656	RH-1	40	form-based			true	0.7	15	1.071428537	14	14	20213.19922	8821.199219	8821.199219	1.119969
0568	003	3030	0.07	3290	2	65	100	3	7	5	9090	5800	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18180	14890	14890	2
0568	015	2812	0.06	3401	1	65	100	3	6	5	8436	5035	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16872	13471	13471	2
0568	017	2813	0.06	2840	1	65	100	3	6	5	8439	5599	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16878	14038	14038	2
0568	021	4422	0.1	10528	9	65	100	3	10	1	13266	2738	RTO-C	85	form-based			true	0.75	23	2.299999952	14	11	26532	16004	16004	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0579	014	4125	0.09	3808	1	55	80	2.5	7	6	10312	6504	RTO-C	65	form-based			true	0.75	15	2.142857075	14	13	18562.5	14754.5	14754.5	1.800087
0580	015	3975	0.09	6600	1	55	80	2.5	7	6	9938	3338	RTO-C	65	form-based			true	0.75	15	2.142857075	14	13	17887.5	11287.5	11287.5	1.799909
0581	002	3875	0.09	8335	1	55	80	2.5	7	6	9688	1353	RTO-C	65	form-based			true	0.75	15	2.142857075	14	13	17437.5	9102.5	9102.5	1.799907
0584	011	6969	0.16	8950	1	55	80	2.5	13	12	17422	8472	RH-1	40	form-based			true	0.7	15	1.153846145	14	14	19513.19922	10563.19922	10563.19922	1.120032
0585	032	7300	0.17	6510	1	55	80	2.5	14	13	18250	11740	RH-1	40	form-based			true	0.7	15	1.071428537	14	14	20440	13930	13930	1.12
0585	033	8612	0.2	2879	4	55	80	2.5	16	12	21530	18651	RH-1	40	form-based			true	0.7	18	1.125	14	14	24113.59961	21234.59961	21234.59961	1.12
0586	013	6906	0.16	7256	1	55	80	2.5	13	12	17265	10009	RH-1	40	form-based			true	0.7	15	1.153846145	14	14	19336.79883	12080.79883	12080.79883	1.12
0591	019	6959	0.16	10900	1	55	80	2.5	13	12	17398	6498	RH-1	40	form-based			true	0.7	15	1.153846145	14	14	19485.19922	8585.199219	8585.199219	1.119968
0596	027	3245	0.07	4898	3	65	100	3	7	4	9735	4837	NCD-PACIF	85	form-based			true	0.75	17	2.428571463	14	11	19470	14572	14572	2
0596	034	3564	0.08	715	5	65	100	3	8	3	10692	9977	NCD-PACIF	85	form-based			true	0.75	19	2.375	14	11	21384	20669	20669	2
0596	061	3563	0.08	3340	5	65	100	3	8	3	10689	7349	NCD-PACIF	85	form-based			true	0.75	19	2.375	14	11	21378	18038	18038	2
0597	010	5761	0.13	11421	14	65	100	3	13	0	17283	5862	RM-2	85	form-based			true	0.7	28	2.153846264	14	12	32261.59961	20840.59961	20840.59961	1.866667
0597	020	3156	0.07	2526	1	65	100	3	7	6	9468	6942	RM-2	85	form-based			true	0.7	15	2.142857075	14	13	17673.59961	15147.59961	15147.59961	1.866667
0597	021	3973	0.09	3992	5	65	100	3	9	4	11919	7927	RM-2	85	form-based			true	0.7	19	2.111111164	14	13	22248.79883	18256.79883	18256.79883	1.866667
0600	009	6480	0.15	12789	0	65	100	3	15	15	19440	6651	RH-2	40	form-based			true	0.7	14	0.933333337	14	14	18144	5355	5355	0.933333
0601	005	45178	1.04	14966	1	65	100	3	104	103	135534	120568	RH-1	40	density-lim	3000	true		0.55	15	0.144230768	14	14	99391.60156	84425.60156	84425.60156	0.733333
0602	003	7071	0.16	7782	1	55	80	2.5	13	12	17678	9896	RH-2	40	form-based			true	0.7	15	1.153846145	14	14	19798.79883	12016.79883	12016.79883	1.119968
0604	035	7165	0.16	2873	1	55	80	2.5	13	12	17912	15039	RH-2	40	form-based			true	0.7	15	1.153846145	14	14	20062	17189	17189	1.120031
0606	026	7022	0.16	8985	1	65	100	3	16	15	21066	12081	RH-2	40	form-based			true	0.7	15	0.9375	14	14	19661.59961	10676.59961	10676.59961	0.933333
0612	023	3765	0.09	4124	0	65	100	3	9	9	11295	7171	NCD-UPPE	65	form-based			true	0.75	14	1.555555582	14	14	16942.5	12818.5	12818.5	1.5
0619	002	5133	0.12	15434	13	65	100	3	12	0	15399	0	NCD-POLK	85	form-based			true	0.75	27	2.25	14	11	30798	15364	15364	2
0621	010	3831	0.09	6210	6	65	100	3	9	3	11493	5283	RM-3	85	form-based			true	0.75	20	2.222222328	14	12	22986	16776	16776	2
0621	017	5094	0.12	8893	13	65	100	3	12	0	15282	6389	RM-3	85	form-based			true	0.75	27	2.25	14	11	30564	21671	21671	2
0627	015	8769	0.2	1686	4	55	80	2.5	16	12	21922	20236	RM-2	40	form-based		true	true	0.7	18	1.125	14	14	24553.19922	22867.19922	22867.19922	1.120026
0630	059	3734	0.09	5177	0	65	100	3	9	9	11202	6025	NCD-UPPE	65	form-based			true	0.75	14	1.555555582	14	14	16803	11626	11626	1.5
0634	014	3100	0.07	3699	2	85	140	4	10	8	12400	8701	RTO-C	85	form-based			true	0.75	16	1.600000024	14	14	18600	14901	14901	1.5
0634	035	3100	0.07	1141	2	85	140	4	10	8	12400	11259	NCD-UPPE	85	form-based			true	0.75	16	1.600000024	14	14	18600	17459	17459	1.5
0636	015	3381	0.08	3704	4	65	100	3	8	4	10143	6439	RTO-C	85	form-based			true	0.75	18	2.25	14	12	20286	16582	16582	2
0642	008A	3404	0.08	9728	17	65	100	3	8	0	10212	484	RTO-C	240	form-based			true	0.75	31	3.875	14	0	30636	20908	10696	3
0644	008	2281	0.05	5208	7	65	100	3	5	0	6843	1635	NCD-POLK	120	form-based			true	0.75	21	4.199999809	14	3	20529	15321	8478	3
0645	011	1988	0.05	5538	4	65	100	3	5	1	5964	426	NCD-POLK	120	form-based			true	0.75	18	3.599999905	14	6	17892	12354	6390	3
0645	020	7280	0.17	12482	52	65	100	3	17	0	21840	9358	NCD-POLK	120	form-based			true	0.75	66	3.882352829	14	0	65520	53038	31198	3
0645	021	1852	0.04	4275	3	65	100	3	4	1	5556	1281	NCD-POLK	120	form-based			true	0.75	17	4.25	14	5	16668	12393	6837	3
0653	026	3174	0.07	2048	3	65	100	3	7	4	9522	7474	RTO-C	85	form-based			true	0.75	17	2.428571463	14	11	19044	16996	16996	2
0656	021	3448	0.08	3752	4	65	100	3	8	4	10344	6592	RTO-C	85	form-based			true	0.75	18	2.25	14	12	20688	16936	16936	2
0657	013	3781	0.09	5155	6	65	100	3	9	3	11343	6188	RTO-C	85	form-based			true	0.75	20	2.222222328	14	12	22686	17531	17531	2
0657	052	3781	0.09	428	6	65	100	3	9	3	11343	10915	RTO-C	85	form-based			true	0.75	20	2.222222328	14	12	22686	22258	22258	2
0665	001	2014	0.05	8400	4	65	100	3	5	1	6042	0	NC-3	350	form-based		true	true	0.75	18	3.599999905	14	6	18126	9726	3684	3
0666	010	1510	0.03	0	0	65	100	3	3	3	4530	4530	RC-4	350	form-based			true	0.75	14	4.666666508	14	6	13590	13590	9060	3
0667	013	2907	0.07	7650	12	65	100	3	7	0	8721	1071	RC-4	350	form-based			true	0.75	26	3.714285612	14	2	26163	18513	9792	3
0667	022	1624	0.04	3038	1	65	100	3	4	3	4872	1834	NCD-POLK	240	form-based			true	0.75	15	3.75	14	7	14616	11578	6706	3
0669	009	5550	0.13	15350	0	65	100	3	13	13	16650	1300	NCD-POLK	65	density-lim	400			0.75	14	1.076923132	14	14	24975	9625	9625	1.5
0670	002A	1560	0.04	2720	0	65	100	3	4	4	4680	1960	NCD-POLK	240	form-based			true	0.75	14	3.5	14	8	14040	11320	6640	3
0673	001	5991	0.14	20800	16	65	100	3	14	0	17973	0	RM-4	80	density-lim	200	true		0.75	30	2.142857075	14	12	35946	15146	15146	2
0674	014	3144	0.07	4656	2	65	100	3	7	5	9432	4776	RM-4	50	density-lim	200			0.75	16	2.285714388	14	12	11790	7134	7134	1.25
0675	039	5575	0.13	10645	0	65	100	3	13	13	16725	6080	NCD-JAPAI	50	density-lim	400	true		0.75	14	1.076923132	14	14	20906.25	10261.25	10261.25	1.25
0676	011	5706	0.13	26000	0	65	100	3	13	13	17118	0	RM-3	40	density-lim	400			0.75	14	1.076923132	14	14	17118	0	0	1
0679	007	2750	0.06	2365	0	65	100	3	6	6	8250	5885	NC-2	85	form-based			true	0.75	14	2.333333254	14	12	16500	14135	14135	2
0679	017	2750	0.06	6022	0	65	100	3	6	6	8250	2228	NC-2	85	form-based		true	true	0.75	14	2.333333254	14	12	16500	10478	10478	2
0679	023	4142	0.1	4905	8	65	100	3	10	2	12426	7521	RTO-C	85	form-based			true	0.75	22	2.200000048	14	12	24852	19947	19947	2
0679	025	5041	0.12	8952	12	65	100	3	12	0	15123	6171	RTO-C	85	form-based			true	0.75	26	2.166666746	14	12	30246	21294	21294	2
0685	012	5569	0.13	20968	0	65	100	3	13	13	16707	0	NCD-JAPAI	50	density-lim	400			0.75	14	1.076923132	14	14	20883.75	0	0	1.25
0693	017	2865	0.07	8280	0	65	100	3	7	7	8595	315	RC-4	80	density-lim	200			0.75	14	2	14	14	17190	8910	8910	2
0693	024	3048	0.07	3000	1	65	100	3	7	6	9144	6144	RC-4	80	density-lim	200			0.75	15	2.142857075	14	13	18288	15288	15288	2
0740	026	4724	0.11	734	10	65	100	3	11	1	14172	13438	RC-4	80	density-lim	200	true		0.75	24	2.181818247	14	12	28344	27610	27610	2
0776	010	13638	0.31	0	0	55	80	2.5	25	25	34095	34095	RH-3	40	density-lim	1000			0.7	14	0.560000002	14	14	38186.39844	38186.39844	38186.39844	1.12
0779	023	3187	0.07	2650	2	55	80	2.5	6	4	7968	5318	RM-4	40	density-lim	200			0.75	16	2.666666746	14	10	9561	6911	6911	1.199925
0792	022	3781	0.09	0	0	65	100	3	9	9	11343	11343	NCT-3	65	form-based				0.75	14	1.555555582	14	14	17014.5	17014.5	17014.5	1.5
0805	013	6000	0.14	4638	3	55	80	2.5	11	8	15000	10362	RH-3	50	form-based			true	0.7	17	1.545454502	14	14	21000	16362	16362	1.4
0806	002	6236	0.14	10300	0	55	80	2.5	11	11	15590	5290	NCT-HAYE	40	form-based		true		0.75	14	1.272727251	14	14	18708	8408	8408	1.2
0807	006	6000	0.14	6554	0	55	80	2.5	11	11	15000	8446	NCT-HAYE	40	form-based				0.75	14	1.272727251	14	14	18000	11446	11446	1.2
0809	021	9527	0.22	20655	15	65	100	3	22	7	28581	7926	NCT-HAYE	50	form-based		true		0.75	29	1.318181872	14	14	35726.25	15071.25	15071.25	1.25
0821	045	6875	0.16	1854	5	55	80	2.5	13	8	17188	15334	RM-1	50	form-based			true	0.7	19	1.461538434	14	14	24062.5	22208.5	22208.5	1.399959
0827	029	6799	0.16	0	0	55	80	2.5	13	13	16998	16998	RM-1	40	form-based			true	0.7	14	1.076923132	14	14	19037.19922	19037.19922	19037.19922	1.119967

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0828	021	5578	0.13	13811	0	55	80	2.5	10	10	13945	134	RM-3	40	density-lim	400			0.75	14	1.399999976	14	14	16734	2923	2923	1.2
0846	011	7968	0.18	11046	16	65	100	3	18	2	23904	12858	RTO-C	65	form-based			true	0.75	30	1.666666627	14	14	35856	24810	24810	1.5
0853	002A	4602	0.11	4492	0	85	140	4	15	15	18408	13916	NCT-3	50	form-based		true		0.75	14	0.933333337	14	14	17257.5	12765.5	12765.5	0.9375
0871	024	3427	0.08	1810	3	85	140	4	11	8	13708	11898	RTO-1	85	form-based			true	0.7	17	1.545454502	14	14	19191.19922	17381.19922	17381.19922	1.4
0955	031	6930	0.16	3353	1	55	80	2.5	13	12	17325	13972	RH-1	40	form-based			true	0.7	15	1.153846145	14	14	19404	16051	16051	1.12
0957	010	7094	0.16	9504	1	55	80	2.5	13	12	17735	8231	RH-1(D)	40	form-based		true	true	0.7	15	1.153846145	14	14	19863.19922	10359.19922	10359.19922	1.12
0957	011	6942	0.16	3130	1	55	80	2.5	13	12	17355	14225	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19437.59961	16307.59961	16307.59961	1.12
0962	005	7328	0.17	9520	1	55	80	2.5	14	13	18320	8800	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20518.40039	10998.40039	10998.40039	1.12
0963	012	6922	0.16	7234	1	55	80	2.5	13	12	17305	10071	RH-1(D)	40	form-based		true	true	0.7	15	1.153846145	14	14	19381.59961	12147.59961	12147.59961	1.12
0970	031	7170	0.16	6662	1	55	80	2.5	13	12	17925	11263	RH-1	40	form-based			true	0.7	15	1.153846145	14	14	20076	13414	13414	1.12
0974	001A	7268	0.17	9912	1	55	80	2.5	14	13	18170	8258	RH-1	40	form-based			true	0.7	15	1.071428537	14	14	20350.40039	10438.40039	10438.40039	1.12
0977	018	6914	0.16	7628	1	55	80	2.5	13	12	17285	9657	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19359.19922	11731.19922	11731.19922	1.12
0986	007	7023	0.16	7217	1	55	80	2.5	13	12	17558	10341	RH-1	40	form-based			true	0.7	15	1.153846145	14	14	19664.40039	12447.40039	12447.40039	1.119968
0987	025	6963	0.16	9695	1	55	80	2.5	13	12	17408	7713	RH-1	40	form-based			true	0.7	15	1.153846145	14	14	19496.40039	9801.400391	9801.400391	1.119968
0988	026	7219	0.17	9150	1	55	80	2.5	14	13	18048	8898	RH-1	40	form-based			true	0.7	15	1.071428537	14	14	20213.19922	11063.19922	11063.19922	1.119969
0994	005	7023	0.16	8125	1	55	80	2.5	13	12	17558	9433	RH-1	40	form-based			true	0.7	15	1.153846145	14	14	19664.40039	11539.40039	11539.40039	1.119968
1007	015	4518	0.1	6390	3	65	100	3	10	7	13554	7164	NCD-SACR	65	form-based			true	0.75	17	1.700000048	14	14	20331	13941	13941	1.5
1012	007	3851	0.09	6446	0	55	80	2.5	7	7	9628	3182	NCD-SACR	65	form-based		true	true	0.75	14	2	14	14	17329.5	10883.5	10883.5	1.799906
1013	026	7103	0.16	3030	1	55	80	2.5	13	12	17758	14728	RH-1	40	form-based			true	0.7	15	1.153846145	14	14	19888.40039	16858.40039	16858.40039	1.119969
1015	084	3447	0.08	900	4	55	80	2.5	6	2	8618	7718	RTO-C	85	form-based			true	0.75	18	3	14	8	20682	19782	16336	2.399861
1019	002	4130	0.09	5048	1	65	100	3	9	8	12390	7342	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18585	13537	13537	1.5
1019	003	2815	0.06	1250	1	65	100	3	6	5	8445	7195	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16890	15640	15640	2
1019	040	3496	0.08	1073	4	65	100	3	8	4	10488	9415	NCD-SACR	85	form-based			true	0.75	18	2.25	14	12	20976	19903	19903	2
1020	016	3469	0.08	5212	4	65	100	3	8	4	10407	5195	RTO-C	85	form-based			true	0.75	18	2.25	14	12	20814	15602	15602	2
1020	040	3087	0.07	907	2	65	100	3	7	5	9261	8354	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18522	17615	17615	2
1023	014	3192	0.07	2950	3	65	100	3	7	4	9576	6626	RTO-C	85	form-based			true	0.75	17	2.428571463	14	11	19152	16202	16202	2
1023	019	3192	0.07	3518	3	65	100	3	7	4	9576	6058	RTO-C	85	form-based			true	0.75	17	2.428571463	14	11	19152	15634	15634	2
1024	008	3646	0.08	3522	5	85	140	4	11	6	14584	11062	RTO-C	85	form-based			true	0.75	19	1.727272749	14	14	21876	18354	18354	1.5
1025	001	3005	0.07	5375	2	65	100	3	7	5	9015	3640	NC-2	85	form-based		true	true	0.75	16	2.285714388	14	12	18030	12655	12655	2
1025	006	3071	0.07	2445	2	85	140	4	10	8	12284	9839	NC-2	85	form-based			true	0.75	16	1.600000024	14	14	18426	15981	15981	1.5
1025	017	5304	0.12	13950	14	85	140	4	17	3	21216	7266	NC-2	85	form-based			true	0.75	28	1.647058845	14	14	31824	17874	17874	1.5
1026	014	3076	0.07	3300	2	85	140	4	10	8	12304	9004	NC-2	85	form-based		true	true	0.75	16	1.600000024	14	14	18456	15156	15156	1.5
1026	050	3117	0.07	2128	2	65	100	3	7	5	9351	7223	NC-2	85	form-based			true	0.75	16	2.285714388	14	12	18702	16574	16574	2
1027	015	3019	0.07	4346	2	65	100	3	7	5	9057	4711	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18114	13768	13768	2
1029	075	3781	0.09	483	6	85	140	4	13	7	15124	14641	RTO-C	85	form-based			true	0.75	20	1.538461566	14	14	22686	22203	22203	1.5
1030	031	3439	0.08	3790	4	65	100	3	8	4	10317	6527	RTO-C	85	form-based			true	0.75	18	2.25	14	12	20634	16844	16844	2
1030	034	3439	0.08	3852	4	65	100	3	8	4	10317	6465	RTO-C	85	form-based			true	0.75	18	2.25	14	12	20634	16782	16782	2
1031	023	3269	0.08	6750	3	85	140	4	11	8	13076	6326	NC-2	85	form-based		true	true	0.75	17	1.545454502	14	14	19614	12864	12864	1.5
1037	027	7017	0.16	4356	1	65	100	3	16	15	21051	16695	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19647.59961	15291.59961	15291.59961	0.933333
1038	004	2800	0.06	3480	1	55	80	2.5	5	4	7000	3520	RTO-C	85	form-based			true	0.75	15	3	14	9	16800	13320	10520	2.4
1039	002	2846	0.07	2854	1	55	80	2.5	6	5	7115	4261	RTO-C	85	form-based			true	0.75	15	2.5	14	11	17076	14222	11376	2.4
1039	003	2951	0.07	2950	1	55	80	2.5	6	5	7378	4428	RTO-C	85	form-based			true	0.75	15	2.5	14	11	17706	14756	11806	2.399837
1039	004	2846	0.07	2160	1	55	80	2.5	6	5	7115	4955	RTO-C	85	form-based			true	0.75	15	2.5	14	11	17076	14916	12070	2.4
1039	016	7167	0.16	3815	1	65	100	3	16	15	21501	17686	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	20067.59961	16252.59961	16252.59961	0.933333
1039	041	3356	0.08	4842	4	55	80	2.5	6	2	8390	3548	RTO-C	85	form-based		true	true	0.75	18	3	14	8	20136	15294	11938	2.4
1039	043	2785	0.06	2124	1	55	80	2.5	5	4	6962	4838	RTO-C	85	form-based			true	0.75	15	3	14	9	16710	14586	11800	2.400172
1040	001	3479	0.08	4242	4	55	80	2.5	6	2	8698	4456	RTO-C	85	form-based		true	true	0.75	18	3	14	8	20874	16632	13154	2.399862
1046	049	6060	0.14	2780	7	65	100	3	14	7	18180	15400	RM-1	65	form-based			true	0.7	21	1.5	14	14	25452	22672	22672	1.4
1050	017	2956	0.07	6000	2	65	100	3	7	5	8868	2868	NC-2	85	form-based			true	0.75	16	2.285714388	14	12	17736	11736	11736	2
1055	021	7233	0.17	2836	1	65	100	3	17	16	21699	18863	RH-3	40	form-based			true	0.7	15	0.882352948	14	14	20252.40039	17416.40039	17416.40039	0.933333
1057	002	4142	0.1	4765	2	65	100	3	10	8	12426	7661	RTO-C	65	form-based			true	0.75	16	1.600000024	14	14	18639	13874	13874	1.5
1064	047	7041	0.16	6016	1	65	100	3	16	15	21123	15107	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19714.79883	13698.79883	13698.79883	0.933333
1064	048	6998	0.16	7245	1	65	100	3	16	15	20994	13749	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19594.40039	12349.40039	12349.40039	0.933333
1067	021	3000	0.07	1810	2	65	100	3	7	5	9000	7190	NCD-GEAR	85	form-based			true	0.75	16	2.285714388	14	12	18000	16190	16190	2
1074	015	6875	0.16	3500	0	65	100	3	16	16	20625	17125	RH-3	40	form-based			true	0.7	14	0.875	14	14	19250	15750	15750	0.933333
1081	042	1776	0.04	2657	2	65	100	3	4	2	5328	2671	RTO-C	140	form-based		true	true	0.75	16	4	14	6	15984	13327	7999	3
1085	004	2813	0.06	1046	1	65	100	3	6	5	8439	7393	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16878	15832	15832	2
1085	010	2813	0.06	1860	1	65	100	3	6	5	8439	6579	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16878	15018	15018	2
1086	005	3125	0.07	2000	2	65	100	3	7	5	9375	7375	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18750	16750	16750	2
1086	008	3125	0.07	2136	2	65	100	3	7	5	9375	7239	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18750	16614	16614	2
1086	023	3107	0.07	4280	2	65	100	3	7	5	9321	5041	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18642	14362	14362	2
1086	037	3104	0.07	2080	2	65	100	3	7	5	9312	7232	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18624	16544	16544	2
1086	039	3102	0.07	1673	2	65	100	3	7	5	9306	7633	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18612	16939	16939	2
1088	005	3000	0.07	2532	2	65	100	3	7	5	9000	6468	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	15468	15468	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1088	008	3000	0.07	2804	2	65	100	3	7	5	9000	6196	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	15196	15196	2
1088	025	3006	0.07	3040	2	85	140	4	10	8	12024	8984	RTO-C	85	form-based			true	0.75	16	1.600000024	14	14	18036	14996	14996	1.5
1088	027	3006	0.07	4110	2	85	140	4	10	8	12024	7914	RTO-C	85	form-based			true	0.75	16	1.600000024	14	14	18036	13926	13926	1.5
1088	073	3007	0.07	5220	2	65	100	3	7	5	9021	3801	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18042	12822	12822	2
1088	078	3000	0.07	1954	2	65	100	3	7	5	9000	7046	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	16046	16046	2
1089	007	3000	0.07	2922	2	65	100	3	7	5	9000	6078	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	15078	15078	2
1089	020	3000	0.07	2376	2	65	100	3	7	5	9000	6624	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	15624	15624	2
1089	024	3000	0.07	2480	2	65	100	3	7	5	9000	6520	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	15520	15520	2
1090	006	3000	0.07	2688	2	65	100	3	7	5	9000	6312	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	15312	15312	2
1090	008	3000	0.07	5456	2	65	100	3	7	5	9000	3544	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	12544	12544	2
1090	022	3010	0.07	2508	2	65	100	3	7	5	9030	6522	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18060	15552	15552	2
1090	023	3010	0.07	2244	2	65	100	3	7	5	9030	6786	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18060	15816	15816	2
1091	017	3016	0.07	1940	2	65	100	3	7	5	9048	7108	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18096	16156	16156	2
1091	018	3017	0.07	2120	2	65	100	3	7	5	9051	6931	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18102	15982	15982	2
1091	020	3019	0.07	2500	2	65	100	3	7	5	9057	6557	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18114	15614	15614	2
1092	022	3645	0.08	4870	5	65	100	3	8	3	10935	6065	RTO-C	85	form-based			true	0.75	19	2.375	14	11	21870	17000	17000	2
1092	039	1800	0.04	2640	2	65	100	3	4	2	5400	2760	RTO-C	240	form-based		true	true	0.75	16	4	14	6	16200	13560	8160	3
1100	089	5385	0.12	1700	6	65	100	3	12	6	16155	14455	RTO-C	65	form-based		true	true	0.75	20	1.666666627	14	14	24232.5	22532.5	22532.5	1.5
1101	022	11750	0.27	17858	21	65	100	3	27	6	35250	17392	RM-3	50	form-based			true	0.75	35	1.296296239	14	14	44062.5	26204.5	26204.5	1.25
1126	005	3129	0.07	2650	2	65	100	3	7	5	9387	6737	NCT-DIVIS.	85	form-based			true	0.75	16	2.285714388	14	12	18774	16124	16124	2
1126	044	9647	0.22	851	15	65	100	3	22	7	28941	28090	RM-3	50	form-based			true	0.75	29	1.318181872	14	14	36176.25	35325.25	35325.25	1.25
1127	054	5844	0.13	920	8	65	100	3	13	5	17532	16612	RTO-C	65	form-based			true	0.75	22	1.692307711	14	14	26298	25378	25378	1.5
1153	002	3125	0.07	3790	2	55	80	2.5	6	4	7812	4022	NCT-DIVIS.	85	form-based			true	0.75	16	2.666666746	14	10	18750	14960	11834	2.400154
1153	007	5365	0.12	2763	1	55	80	2.5	10	9	13412	10649	RM-1	50	form-based			true	0.7	15	1.5	14	14	18777.5	16014.5	16014.5	1.400052
1153	021	3303	0.08	3350	3	55	80	2.5	6	3	8258	4908	NCT-DIVIS.	85	form-based			true	0.75	17	2.833333254	14	9	19818	16468	13166	2.399855
1153	022	2979	0.07	2656	2	55	80	2.5	6	4	7448	4792	NCT-DIVIS.	85	form-based			true	0.75	16	2.666666746	14	10	17874	15218	12240	2.399839
1168	014	3436	0.08	3680	4	55	80	2.5	6	2	8590	4910	RTO-C	85	form-based			true	0.75	18	3	14	8	20616	16936	13500	2.4
1168	053	3461	0.08	729	4	55	80	2.5	6	2	8652	7923	RTO-C	85	form-based			true	0.75	18	3	14	8	20766	20037	16575	2.400139
1170	012	2985	0.07	2750	2	55	80	2.5	6	4	7462	4712	RTO-C	85	form-based			true	0.75	16	2.666666746	14	10	17910	15160	12174	2.400161
1170	014	3017	0.07	6606	2	55	80	2.5	6	4	7542	936	RTO-C	85	form-based			true	0.75	16	2.666666746	14	10	18102	11496	8478	2.400159
1170	015	3033	0.07	3290	2	55	80	2.5	6	4	7582	4292	RTO-C	85	form-based			true	0.75	16	2.666666746	14	10	18198	14908	11874	2.400158
1170	016	3050	0.07	3840	2	55	80	2.5	6	4	7625	3785	RTO-C	85	form-based			true	0.75	16	2.666666746	14	10	18300	14460	11410	2.4
1170	037	5218	0.12	754	12	55	80	2.5	10	0	13045	12291	RH-2	80	form-based		true	true	0.7	26	2.599999905	14	8	29220.79883	28466.79883	25336	2.24
1170	049	3066	0.07	1942	2	55	80	2.5	6	4	7665	5723	RTO-C	85	form-based			true	0.75	16	2.666666746	14	10	18396	16454	13388	2.4
1180	016	2656	0.06	4500	0	55	80	2.5	5	5	6640	2140	NCT-DIVIS.	85	form-based			true	0.75	14	2.799999952	14	10	15936	11436	8780	2.4
1182	003	2700	0.06	883	0	55	80	2.5	5	5	6750	5867	NCT-DIVIS.	85	form-based			true	0.75	14	2.799999952	14	10	16200	15317	12617	2.4
1186	018B	3358	0.08	4211	4	55	80	2.5	6	2	8395	4184	NC-1	85	form-based			true	0.75	18	3	14	8	20148	15937	12579	2.4
1187	009D	3438	0.08	3410	4	55	80	2.5	6	2	8595	5185	RTO-C	85	form-based			true	0.75	18	3	14	8	20628	17218	13780	2.4
1188	013E	3438	0.08	3860	4	55	80	2.5	6	2	8595	4735	RTO-C	85	form-based			true	0.75	18	3	14	8	20628	16768	13330	2.4
1204	007	2656	0.06	2128	0	55	80	2.5	5	5	6640	4512	NCT-DIVIS.	85	form-based			true	0.75	14	2.799999952	14	10	15936	13808	11152	2.4
1217	021	2647	0.06	2000	0	55	80	2.5	5	5	6618	4618	NCT-DIVIS.	85	form-based			true	0.75	14	2.799999952	14	10	15882	13882	11236	2.399819
1217	022	2648	0.06	3025	0	55	80	2.5	5	5	6620	3595	NCT-DIVIS.	85	form-based			true	0.75	14	2.799999952	14	10	15888	12863	10215	2.4
1227	018	5000	0.11	7320	5	55	80	2.5	9	4	12500	5180	NC-1	65	form-based			true	0.75	19	2.111111164	14	13	22500	15180	15180	1.8
1230	011	3781	0.09	3781	0	55	80	2.5	7	7	9452	5671	NCD-HAIG	65	form-based			true	0.75	14	2	14	14	17014.5	13233.5	13233.5	1.800095
1231	013	3660	0.08	3268	0	55	80	2.5	6	6	9150	5882	NCD-HAIG	65	form-based			true	0.75	14	2.333333254	14	12	16470	13202	13202	1.8
1231	015	3798	0.09	3781	0	55	80	2.5	7	7	9495	5714	NCD-HAIG	65	form-based			true	0.75	14	2	14	14	17091	13310	13310	1.8
1231	017	3798	0.09	3000	0	55	80	2.5	7	7	9495	6495	NCD-HAIG	65	form-based			true	0.75	14	2	14	14	17091	14091	14091	1.8
1235	033	4134	0.09	3178	2	55	80	2.5	7	5	10335	7157	RTO-C	65	form-based			true	0.75	16	2.285714388	14	12	18603	15425	15425	1.8
1238	023	6875	0.16	4590	1	65	100	3	16	15	20625	16035	NCT-DIVIS.	40	form-based				0.75	15	0.9375	14	14	20625	16035	16035	1
1239	031	4068	0.09	4414	1	65	100	3	9	8	12204	7790	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18306	13892	13892	1.5
1256	010	7304	0.17	3557	1	55	80	2.5	14	13	18260	14703	RH-3	40	form-based			true	0.7	15	1.071428537	14	14	20451.19922	16894.19922	16894.19922	1.12
1265	002	4206	0.1	2550	2	65	100	3	10	8	12618	10068	RTO-C	65	form-based			true	0.75	16	1.600000024	14	14	18927	16377	16377	1.5
1267	071	6875	0.16	9600	12	65	100	3	16	4	20625	11025	RTO-C	65	form-based			true	0.75	26	1.625	14	14	30937.5	21337.5	21337.5	1.5
1271	024	3683	0.08	3600	0	65	100	3	8	8	11049	7449	NCD-COLE	65	form-based		true	true	0.75	14	1.75	14	14	16573.5	12973.5	12973.5	1.5
1272	026	6875	0.16	11901	12	85	140	4	22	10	27500	15599	RTO-C	65	form-based			true	0.75	26	1.181818128	14	14	30937.5	19036.5	19036.5	1.125
1273	014	6953	0.16	13260	12	65	100	3	16	4	20859	7599	RTO-C	65	form-based		true	true	0.75	26	1.625	14	14	31288.5	18028.5	18028.5	1.5
1274	001	5780	0.13	2850	8	85	140	4	18	10	23120	20270	RTO-C	65	form-based		true	true	0.75	22	1.222222209	14	14	26010	23160	23160	1.125
1275	047	3970	0.09	2112	1	65	100	3	9	8	11910	9798	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	17865	15753	15753	1.5
1289	088	7357	0.17	1650	1	55	80	2.5	14	13	18392	16742	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20599.59961	18949.59961	18949.59961	1.12003
1294	011	7299	0.17	1652	1	55	80	2.5	14	13	18248	16596	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20437.19922	18785.19922	18785.19922	1.119969
1294	034	7162	0.16	1714	1	55	80	2.5	13	12	17905	16191	RH-2	40	form-based			true	0.7	15	1.153846145	14	14	20053.59961	18339.59961	18339.59961	1.12
1294	037	7287	0.17	3682	1	55	80	2.5	14	13	18218	14536	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20403.59961	16721.59961	16721.59961	1.119969
1326	011	7072	0.16	3204	1	55	80	2.5	13	12	17680	14476	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19801.59961	16597.59961	16597.59961	1.12
1327	009E	6957	0.16	3930	1	55	80	2.5	13	12	17392	13462	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19479.59961	15549.59961	15549.59961	1.120032

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1327	012	7253	0.17	3463	1	55	80	2.5	14	13	18132	14669	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20308.40039	16845.40039	16845.40039	1.120031
1328	010	6843	0.16	5049	0	55	80	2.5	13	13	17108	12059	RH-1(D)	40	form-based			true	0.7	14	1.076923132	14	14	19160.40039	14111.40039	14111.40039	1.119967
1334	019	7158	0.16	3150	1	55	80	2.5	13	12	17895	14745	RH-1	40	form-based			true	0.7	15	1.153846145	14	14	20042.40039	16892.40039	16892.40039	1.12
1355	023	7131	0.16	5194	1	55	80	2.5	13	12	17828	12634	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19966.79883	14772.79883	14772.79883	1.119969
1355	024	7011	0.16	6131	1	55	80	2.5	13	12	17528	11397	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19630.79883	13499.79883	13499.79883	1.119968
1355	027	7253	0.17	6836	1	55	80	2.5	14	13	18132	11296	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20308.40039	13472.40039	13472.40039	1.120031
1355	028	7338	0.17	8875	1	55	80	2.5	14	13	18345	9470	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20546.40039	11671.40039	11671.40039	1.12
1355	034	7504	0.17	8753	2	55	80	2.5	14	12	18760	10007	RH-1(D)	40	form-based			true	0.7	16	1.142857194	14	14	21011.19922	12258.19922	12258.19922	1.12
1361	001	11461	0.26	17266	0	55	80	2.5	21	21	28652	11386	RM-1	40	density-lin	800	true		0.7	14	0.666666687	14	14	32090.79883	14824.79883	14824.79883	1.12002
1371	018	3288	0.08	4696	3	55	80	2.5	6	3	8220	3524	RTO-C	85	form-based		true	true	0.75	17	2.833333254	14	9	19728	15032	11744	2.4
1385	016	3631	0.08	3103	0	55	80	2.5	6	6	9078	5975	NC-1	65	form-based		true	true	0.75	14	2.333333254	14	12	16339.5	13236.5	13236.5	1.799901
1421	028	3000	0.07	3550	2	65	100	3	7	5	9000	5450	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	14450	14450	2
1421	051	3000	0.07	1730	2	65	100	3	7	5	9000	7270	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	16270	16270	2
1422	021	6328	0.15	11100	10	65	100	3	15	5	18984	7884	NCD-INNE	65	form-based		true	true	0.75	24	1.600000024	14	14	28476	17376	17376	1.5
1432	071	4227	0.1	2300	2	65	100	3	10	8	12681	10381	RTO-C	65	form-based			true	0.75	16	1.600000024	14	14	19021.5	16721.5	16721.5	1.5
1435	002	6520	0.15	3525	0	65	100	3	15	15	19560	16035	RM-1	40	form-based			true	0.7	14	0.933333337	14	14	18256	14731	14731	0.933333
1446	026	2692	0.06	1530	0	85	140	4	8	8	10768	9238	NCD-GEAR	85	form-based			true	0.75	14	1.75	14	14	16152	14622	14622	1.5
1449	045	6498	0.15	8800	10	65	100	3	15	5	19494	10694	RTO-C	65	form-based		true	true	0.75	24	1.600000024	14	14	29241	20441	20441	1.5
1456	052	3342	0.08	2344	4	85	140	4	11	7	13368	11024	NCD-GEAR	85	form-based		true	true	0.75	18	1.636363626	14	14	20052	17708	17708	1.5
1457	024	3406	0.08	4950	4	65	100	3	8	4	10218	5268	NCD-GEAR	85	form-based		true	true	0.75	18	2.25	14	12	20436	15486	15486	2
1466	016	3260	0.07	4128	3	65	100	3	7	4	9780	5652	NC-1	85	form-based		true	true	0.75	17	2.428571463	14	11	19560	15432	15432	2
1467	047	3935	0.09	3100	1	65	100	3	9	8	11805	8705	RTO-C	65	form-based		true	true	0.75	15	1.666666627	14	14	17707.5	14607.5	14607.5	1.5
1468	024	4007	0.09	4382	1	55	80	2.5	7	6	10018	5636	RTO-C	65	form-based			true	0.75	15	2.142857075	14	13	18031.5	13649.5	13649.5	1.79991
1471	026	6940	0.16	1350	1	55	80	2.5	13	12	17350	16000	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19432	18082	18082	1.12
1471	036	4115	0.09	3036	1	55	80	2.5	7	6	10288	7252	RTO-C	65	form-based		true	true	0.75	15	2.142857075	14	13	18517.5	15481.5	15481.5	1.799913
1508	026	4123	0.09	6134	8	65	100	3	9	1	12369	6235	RTO-C	85	form-based		true	true	0.75	22	2.444444418	14	10	24738	18604	18604	2
1510	001	3158	0.07	3260	3	65	100	3	7	4	9474	6214	NC-1	85	form-based		true	true	0.75	17	2.428571463	14	11	18948	15688	15688	2
1522	035	2677	0.06	2679	0	85	140	4	8	8	10708	8029	NCD-GEAR	85	form-based			true	0.75	14	1.75	14	14	16062	13383	13383	1.5
1522	036	2677	0.06	5045	0	85	140	4	8	8	10708	5663	NCD-GEAR	85	form-based			true	0.75	14	1.75	14	14	16062	11017	11017	1.5
1522	038	2677	0.06	1467	0	85	140	4	8	8	10708	9241	NCD-GEAR	85	form-based			true	0.75	14	1.75	14	14	16062	14595	14595	1.5
1523	046	2724	0.06	2988	0	85	140	4	8	8	10896	7908	NCD-GEAR	85	form-based			true	0.75	14	1.75	14	14	16344	13356	13356	1.5
1523	046B	2608	0.06	2534	0	65	100	3	6	6	7824	5290	NCD-GEAR	85	form-based			true	0.75	14	2.333333254	14	12	15648	13114	13114	2
1524	039	2690	0.06	2667	0	85	140	4	8	8	10760	8093	NCD-GEAR	85	form-based			true	0.75	14	1.75	14	14	16140	13473	13473	1.5
1524	040	2690	0.06	2534	0	85	140	4	8	8	10760	8226	NCD-GEAR	85	form-based			true	0.75	14	1.75	14	14	16140	13606	13606	1.5
1529	044	2758	0.06	6774	0	65	100	3	6	6	8274	1500	NCD-GEAR	85	form-based		true	true	0.75	14	2.333333254	14	12	16548	9774	9774	2
1539	002	6735	0.15	261000	0	65	100	3	15	15	20205	0	RM-1	40	form-based		true	true	0.7	14	0.933333337	14	14	18858	0	0	0.933333
1555	038	7200	0.17	3914	1	65	100	3	17	16	21600	17686	RH-2	40	form-based			true	0.7	15	0.882352948	14	14	20160	16246	16246	0.933333
1577	013F	6078	0.14	9351	9	65	100	3	14	5	18234	8883	NCD-OUTE	65	form-based		true	true	0.75	23	1.642857194	14	14	27351	18000	18000	1.5
1606	047	5550	0.13	810	7	55	80	2.5	10	3	13875	13065	NCD-OUTE	65	form-based		true	true	0.75	21	2.099999905	14	13	24975	24165	24165	1.8
1617	033B	6851	0.16	0	0	55	80	2.5	13	13	17128	17128	RH-2	40	form-based			true	0.7	14	1.076923132	14	14	19182.79883	19182.79883	19182.79883	1.119967
1618	020	9261	0.21	20592	21	55	80	2.5	17	0	23152	2560	RTO-C	65	form-based			true	0.75	35	2.058823586	14	13	41674.5	21082.5	21082.5	1.800039
1645	013	2781	0.06	3195	1	55	80	2.5	5	4	6952	3757	RTO-C	85	form-based			true	0.75	15	3	14	9	16686	13491	10709	2.400173
1645	014	2781	0.06	2650	1	55	80	2.5	5	4	6952	4302	RTO-C	85	form-based			true	0.75	15	3	14	9	16686	14036	11254	2.400173
1645	015	2781	0.06	3685	1	55	80	2.5	5	4	6952	3267	RTO-C	85	form-based			true	0.75	15	3	14	9	16686	13001	10219	2.400173
1645	016	2782	0.06	2036	1	55	80	2.5	5	4	6955	4919	RTO-C	85	form-based			true	0.75	15	3	14	9	16692	14656	11874	2.4
1645	018	2782	0.06	2791	1	55	80	2.5	5	4	6955	4164	RTO-C	85	form-based			true	0.75	15	3	14	9	16692	13901	11119	2.4
1645	018A	2782	0.06	2728	1	55	80	2.5	5	4	6955	4227	RTO-C	85	form-based			true	0.75	15	3	14	9	16692	13964	11182	2.4
1646	017	2780	0.06	3657	1	55	80	2.5	5	4	6950	3293	RTO-C	85	form-based			true	0.75	15	3	14	9	16680	13023	10243	2.4
1646	018	2884	0.07	3270	1	55	80	2.5	6	5	7210	3940	RTO-C	85	form-based			true	0.75	15	2.5	14	11	17304	14034	11150	2.4
1646	018A	2886	0.07	3172	1	55	80	2.5	6	5	7215	4043	RTO-C	85	form-based			true	0.75	15	2.5	14	11	17316	14144	11258	2.4
1648	019	3420	0.08	4160	4	55	80	2.5	6	2	8550	4390	NC-1	85	form-based			true	0.75	18	3	14	8	20520	16360	12940	2.4
1655	027	2847	0.07	2492	1	55	80	2.5	6	5	7118	4626	RTO-C	85	form-based			true	0.75	15	2.5	14	11	17082	14590	11744	2.399831
1655	028	2847	0.07	1906	1	55	80	2.5	6	5	7118	5212	RTO-C	85	form-based			true	0.75	15	2.5	14	11	17082	15176	12330	2.399831
1661	040	3490	0.08	1628	4	55	80	2.5	6	2	8725	7097	RTO-C	85	form-based		true	true	0.75	18	3	14	8	20940	19312	15822	2.4
1663	022B	3746	0.09	4456	4	55	80	2.5	7	3	9365	4909	RM-2	85	form-based			true	0.7	18	2.571428537	14	10	20977.59961	16521.59961	14274	2.24
1663	039	3000	0.07	2391	2	55	80	2.5	6	4	7500	5109	RTO-C	85	form-based			true	0.75	16	2.666666746	14	10	18000	15609	12609	2.4
1673	027	4202	0.1	7440	8	55	80	2.5	8	0	10505	3065	RTO-C	85	form-based		true	true	0.75	22	2.75	14	8	25212	17772	13570	2.4
1675	002H	2779	0.06	1154	1	55	80	2.5	5	4	6948	5794	RTO-C	85	form-based			true	0.75	15	3	14	9	16674	15520	12742	2.399827
1675	002J	2875	0.07	1635	1	55	80	2.5	6	5	7188	5553	RTO-C	85	form-based			true	0.75	15	2.5	14	11	17250	15615	12741	2.399833
1676	003F	2880	0.07	1827	1	55	80	2.5	6	5	7200	5373	RTO-C	85	form-based			true	0.75	15	2.5	14	11	17280	15453	12573	2.4
1676	003G	2880	0.07	1475	1	55	80	2.5	6	5	7200	5725	RTO-C	85	form-based			true	0.75	15	2.5	14	11	17280	15805	12925	2.4
1703	051	4313	0.1	2362	2	65	100	3	10	8	12939	10577	RTO-C	65	form-based		true	true	0.75	16	1.600000024	14	14	19408.5	17046.5	17046.5	1.5
1727	021	3200	0.07	2955	3	65	100	3	7	4	9600	6645	NCD-IRVIN	85	form-based			true	0.75	17	2.428571463	14	11	19200	16245	16245	2
1732	027	3000	0.07	3756	2	65	100	3	7	5	9000	5244	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	14244	14244	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1732	032	3000	0.07	3480	2	65	100	3	7	5	9000	5520	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	14520	14520	2
1732	033	3000	0.07	2367	2	65	100	3	7	5	9000	6633	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	15633	15633	2
1741	005	3013	0.07	3780	2	65	100	3	7	5	9039	5259	NCD-INNE	85	form-based			true	0.75	16	2.285714388	14	12	18078	14298	14298	2
1741	006	3013	0.07	3972	2	65	100	3	7	5	9039	5067	NCD-INNE	85	form-based			true	0.75	16	2.285714388	14	12	18078	14106	14106	2
1741	009	3013	0.07	1830	2	65	100	3	7	5	9039	7209	NCD-INNE	85	form-based			true	0.75	16	2.285714388	14	12	18078	16248	16248	2
1741	014	3013	0.07	5966	2	65	100	3	7	5	9039	3073	NCD-INNE	85	form-based			true	0.75	16	2.285714388	14	12	18078	12112	12112	2
1741	017	3013	0.07	3250	2	65	100	3	7	5	9039	5789	NCD-INNE	85	form-based			true	0.75	16	2.285714388	14	12	18078	14828	14828	2
1742	024	3000	0.07	2720	2	65	100	3	7	5	9000	6280	NCD-INNE	85	form-based			true	0.75	16	2.285714388	14	12	18000	15280	15280	2
1742	025	3000	0.07	2872	2	65	100	3	7	5	9000	6128	NCD-INNE	85	form-based			true	0.75	16	2.285714388	14	12	18000	15128	15128	2
1742	028	3000	0.07	2828	2	65	100	3	7	5	9000	6172	NCD-INNE	85	form-based			true	0.75	16	2.285714388	14	12	18000	15172	15172	2
1742	033	3000	0.07	3050	2	65	100	3	7	5	9000	5950	NCD-INNE	85	form-based			true	0.75	16	2.285714388	14	12	18000	14950	14950	2
1750	011	2784	0.06	1860	1	85	140	4	8	7	11136	9276	RTO-C	85	form-based			true	0.75	15	1.875	14	14	16704	14844	14844	1.5
1750	012	2784	0.06	1550	1	85	140	4	8	7	11136	9586	RTO-C	85	form-based			true	0.75	15	1.875	14	14	16704	15154	15154	1.5
1750	031	3013	0.07	2462	2	85	140	4	10	8	12052	9590	RTO-C	85	form-based			true	0.75	16	1.600000024	14	14	18078	15616	15616	1.5
1750	042	3013	0.07	1675	2	85	140	4	10	8	12052	10377	RTO-C	85	form-based			true	0.75	16	1.600000024	14	14	18078	16403	16403	1.5
1751	013	3441	0.08	5930	4	65	100	3	8	4	10323	4393	RTO-C	85	form-based	true		true	0.75	18	2.25	14	12	20646	14716	14716	2
1752	012	2774	0.06	2935	1	65	100	3	6	5	8322	5387	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16644	13709	13709	2
1755	011	2761	0.06	2000	0	85	140	4	8	8	11044	9044	NCD-INNE	85	form-based			true	0.75	14	1.75	14	14	16566	14566	14566	1.5
1758	040	4981	0.11	9168	12	65	100	3	11	0	14943	5775	RTO-C	85	form-based			true	0.75	26	2.363636255	14	10	29886	20718	20718	2
1762	043	2750	0.06	3950	0	85	140	4	8	8	11000	7050	NCD-INNE	85	form-based	true		true	0.75	14	1.75	14	14	16500	12550	12550	1.5
1763	001	2625	0.06	5390	0	85	140	4	8	8	10500	5110	NCD-INNE	85	form-based	true		true	0.75	14	1.75	14	14	15750	10360	10360	1.5
1763	024	3000	0.07	3450	2	85	140	4	10	8	12000	8550	NCD-INNE	85	form-based			true	0.75	16	1.600000024	14	14	18000	14550	14550	1.5
1763	026	3000	0.07	3035	2	65	100	3	7	5	9000	5965	NCD-INNE	85	form-based			true	0.75	16	2.285714388	14	12	18000	14965	14965	2
1763	027	3000	0.07	4126	2	85	140	4	10	8	12000	7874	NCD-INNE	85	form-based			true	0.75	16	1.600000024	14	14	18000	13874	13874	1.5
1763	031	3000	0.07	2200	2	85	140	4	10	8	12000	9800	NCD-INNE	85	form-based			true	0.75	16	1.600000024	14	14	18000	15800	15800	1.5
1763	032	3000	0.07	3910	2	85	140	4	10	8	12000	8090	NCD-INNE	85	form-based			true	0.75	16	1.600000024	14	14	18000	14090	14090	1.5
1763	033	3000	0.07	1900	2	85	140	4	10	8	12000	10100	NCD-INNE	85	form-based			true	0.75	16	1.600000024	14	14	18000	16100	16100	1.5
1763	034	3000	0.07	3300	2	85	140	4	10	8	12000	8700	NCD-INNE	85	form-based			true	0.75	16	1.600000024	14	14	18000	14700	14700	1.5
1763	035	3000	0.07	2380	2	85	140	4	10	8	12000	9620	NCD-INNE	85	form-based			true	0.75	16	1.600000024	14	14	18000	15620	15620	1.5
1763	036	3000	0.07	3340	2	85	140	4	10	8	12000	8660	NCD-INNE	85	form-based			true	0.75	16	1.600000024	14	14	18000	14660	14660	1.5
1764	007	3013	0.07	3966	2	85	140	4	10	8	12052	8086	NCD-INNE	85	form-based			true	0.75	16	1.600000024	14	14	18078	14112	14112	1.5
1764	008	3013	0.07	3000	2	85	140	4	10	8	12052	9052	NCD-INNE	85	form-based			true	0.75	16	1.600000024	14	14	18078	15078	15078	1.5
1764	014	3013	0.07	2253	2	85	140	4	10	8	12052	9799	NCD-INNE	85	form-based			true	0.75	16	1.600000024	14	14	18078	15825	15825	1.5
1764	015	3013	0.07	3630	2	85	140	4	10	8	12052	8422	NCD-INNE	85	form-based			true	0.75	16	1.600000024	14	14	18078	14448	14448	1.5
1767	021A	2998	0.07	3038	2	85	140	4	10	8	11992	8954	RTO-C	85	form-based			true	0.75	16	1.600000024	14	14	17988	14950	14950	1.5
1769	047	2920	0.07	1236	1	65	100	3	7	6	8760	7524	NCD-INNE	85	form-based			true	0.75	15	2.142857075	14	13	17520	16284	16284	2
1771	023	3441	0.08	4032	4	65	100	3	8	4	10323	6291	RTO-C	85	form-based			true	0.75	18	2.25	14	12	20646	16614	16614	2
1771	024	3441	0.08	4032	4	65	100	3	8	4	10323	6291	RTO-C	85	form-based			true	0.75	18	2.25	14	12	20646	16614	16614	2
1771	025	3441	0.08	4032	4	65	100	3	8	4	10323	6291	RTO-C	85	form-based			true	0.75	18	2.25	14	12	20646	16614	16614	2
1773	008	4993	0.11	10005	12	85	140	4	15	3	19972	9967	RTO-C	85	form-based			true	0.75	26	1.733333349	14	14	29958	19953	19953	1.5
1773	010	1524	0.03	2610	0	85	140	4	4	4	6096	3486	RTO-C	140	form-based	true		true	0.75	14	3.5	14	8	13716	11106	9582	2.25
1773	017	2838	0.07	1215	1	65	100	3	7	6	8514	7299	RTO-C	85	form-based			true	0.75	15	2.142857075	14	13	17028	15813	15813	2
1774	001	1500	0.03	2700	0	65	100	3	3	3	4500	1800	NCD-IRVIN	140	form-based	true		true	0.75	14	4.666666508	14	6	13500	10800	6300	3
1774	003	1754	0.04	2150	2	65	100	3	4	2	5262	3112	RTO-C	140	form-based			true	0.75	16	4	14	6	15786	13636	8374	3
1774	004	1765	0.04	1750	2	65	100	3	4	2	5295	3545	RTO-C	140	form-based			true	0.75	16	4	14	6	15885	14135	8840	3
1779	057	2625	0.06	5149	0	65	100	3	6	6	7875	2726	NCD-IRVIN	85	form-based			true	0.75	14	2.333333254	14	12	15750	10601	10601	2
1780	001	2654	0.06	5066	0	65	100	3	6	6	7962	2896	NCD-IRVIN	85	form-based	true		true	0.75	14	2.333333254	14	12	15924	10858	10858	2
1781	018	3251	0.07	2960	3	65	100	3	7	4	9753	6793	RTO-C	85	form-based	true		true	0.75	17	2.428571463	14	11	19506	16546	16546	2
1785	017	2630	0.06	2420	0	85	140	4	8	8	10520	8100	NCD-JUDA	85	form-based	true		true	0.75	14	1.75	14	14	15780	13360	13360	1.5
1787	014	4962	0.11	7650	12	65	100	3	11	0	14886	7236	RTO-C	85	form-based			true	0.75	26	2.363636255	14	10	29772	22122	22122	2
1802	048	5000	0.11	10869	12	65	100	3	11	0	15000	4131	RTO-C	85	form-based			true	0.75	26	2.363636255	14	10	30000	19131	19131	2
1802	049	5000	0.11	10869	12	85	140	4	15	3	20000	9131	RTO-C	85	form-based			true	0.75	26	1.733333349	14	14	30000	19131	19131	1.5
1822	035	3820	0.09	6195	6	65	100	3	9	3	11460	5265	NCD-JUDA	85	form-based	true		true	0.75	20	2.222222328	14	12	22920	16725	16725	2
1825	044	3075	0.07	2630	2	85	140	4	10	8	12300	9670	RTO-C	85	form-based			true	0.75	16	1.600000024	14	14	18450	15820	15820	1.5
1834	001O	3027	0.07	3000	2	85	140	4	10	8	12108	9108	RTO-C	85	form-based			true	0.75	16	1.600000024	14	14	18162	15162	15162	1.5
1834	005	2770	0.06	1524	1	65	100	3	6	5	8310	6786	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16620	15096	15096	2
1834	007	2808	0.06	1005	1	65	100	3	6	5	8424	7419	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16848	15843	15843	2
1834	010	2820	0.06	1465	1	65	100	3	6	5	8460	6995	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16920	15455	15455	2
1839	001J	3000	0.07	2950	2	85	140	4	10	8	12000	9050	RTO-C	85	form-based			true	0.75	16	1.600000024	14	14	18000	15050	15050	1.5
1839	025	3096	0.07	1350	2	85	140	4	10	8	12384	11034	RTO-C	85	form-based			true	0.75	16	1.600000024	14	14	18576	17226	17226	1.5
1839	035	3001	0.07	2950	2	85	140	4	10	8	12004	9054	RTO-C	85	form-based			true	0.75	16	1.600000024	14	14	18006	15056	15056	1.5
1844	053	6532	0.15	2123	0	65	100	3	15	15	19596	17473	RH-2	40	form-based			true	0.7	14	0.933333337	14	14	18289.59961	16166.59961	16166.59961	0.933333
1845	044	5000	0.11	7104	12	85	140	4	15	3	20000	12896	NCD-INNE	85	form-based			true	0.75	26	1.733333349	14	14	30000	22896	22896	1.5
1861B	001	7523	0.17	2218	2	65	100	3	17	15	22569	20351	RH-1(D)	40	form-based			true	0.7	16	0.941176474	14	14	21064.40039	18846.40039	18846.40039	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1864	002F	2772	0.06	1427	1	65	100	3	6	5	8316	6889	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16632	15205	15205	2
1864	002G	2772	0.06	1515	1	65	100	3	6	5	8316	6801	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16632	15117	15117	2
1864	002H	2772	0.06	1200	1	65	100	3	6	5	8316	7116	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16632	15432	15432	2
1864	002I	2772	0.06	1729	1	65	100	3	6	5	8316	6587	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16632	14903	14903	2
1864	002J	2772	0.06	1399	1	65	100	3	6	5	8316	6917	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16632	15233	15233	2
1864	002K	2772	0.06	1175	1	65	100	3	6	5	8316	7141	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16632	15457	15457	2
1865	008A	2958	0.07	2810	2	65	100	3	7	5	8874	6064	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	17748	14938	14938	2
1925	010D	2898	0.07	1782	1	55	80	2.5	6	5	7245	5463	RTO-C	85	form-based			true	0.75	15	2.5	14	11	17388	15606	12708	2.4
1935	011	7142	0.16	5532	1	55	80	2.5	13	12	17855	12323	RH-1	40	form-based			true	0.7	15	1.153846145	14	14	19997.59961	14465.59961	14465.59961	1.12
2004	025	3720	0.09	2520	0	55	80	2.5	7	7	9300	6780	NC-1	65	form-based			true	0.75	14	2	14	14	16740	14220	14220	1.8
2020	012D	2812	0.06	1425	1	55	80	2.5	5	4	7030	5605	RTO-C	85	form-based			true	0.75	15	3	14	9	16872	15447	12635	2.4
2026	021	2702	0.06	3000	0	55	80	2.5	5	5	6755	3755	NCD-NORI	85	form-based		true	true	0.75	14	2.799999952	14	10	16212	13212	10510	2.4
2035A	027	6994	0.16	3937	1	55	80	2.5	13	12	17485	13548	RH-1	40	form-based			true	0.7	15	1.153846145	14	14	19583.19922	15646.19922	15646.19922	1.12
2124A	012	7227	0.17	1453	1	55	80	2.5	14	13	18068	16615	RH-1	40	form-based			true	0.7	15	1.071428537	14	14	20235.59961	18782.59961	18782.59961	1.119969
2138	005A	6848	0.16	0	0	55	80	2.5	13	13	17120	17120	RH-1	40	form-based			true	0.7	14	1.076923132	14	14	19174.40039	19174.40039	19174.40039	1.12
2139	001A	3000	0.07	1292	2	55	80	2.5	6	4	7500	6208	RTO-C	85	form-based			true	0.75	16	2.666666746	14	10	18000	16708	13708	2.4
2139	004	3000	0.07	3920	2	55	80	2.5	6	4	7500	3580	RTO-C	85	form-based			true	0.75	16	2.666666746	14	10	18000	14080	11080	2.4
2139	011	3000	0.07	2444	2	55	80	2.5	6	4	7500	5056	RTO-C	85	form-based			true	0.75	16	2.666666746	14	10	18000	15556	12556	2.4
2331	005	2880	0.07	2045	1	65	100	3	7	6	8640	6595	RTO-C	85	form-based			true	0.75	15	2.142857075	14	13	17280	15235	15235	2
2331	005A	2880	0.07	2456	1	65	100	3	7	6	8640	6184	RTO-C	85	form-based			true	0.75	15	2.142857075	14	13	17280	14824	14824	2
2342	037	7237	0.17	3586	1	65	100	3	17	16	21711	18125	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20263.59961	16677.59961	16677.59961	0.933333
2343	021	3182	0.07	4960	3	85	140	4	10	7	12728	7768	NCD-INNE	85	form-based		true	true	0.75	17	1.700000048	14	14	19092	14132	14132	1.5
2345A	019	2932	0.07	2040	1	85	140	4	10	9	11728	9688	NCD-INNE	85	form-based			true	0.75	15	1.5	14	14	17592	15552	15552	1.5
2345A	021	2940	0.07	2253	1	85	140	4	10	9	11760	9507	NCD-INNE	85	form-based			true	0.75	15	1.5	14	14	17640	15387	15387	1.5
2347	008	3000	0.07	3147	2	85	140	4	10	8	12000	8853	RTO-C	85	form-based			true	0.75	16	1.600000024	14	14	18000	14853	14853	1.5
2348	004A	3000	0.07	2622	2	65	100	3	7	5	9000	6378	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	15378	15378	2
2348	006	3000	0.07	2175	2	65	100	3	7	5	9000	6825	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18000	15825	15825	2
2362	018	2750	0.06	1662	0	65	100	3	6	6	8250	6588	NCD-TARA	85	form-based			true	0.75	14	2.333333254	14	12	16500	14838	14838	2
2371	015	5000	0.11	6732	12	85	140	4	15	3	20000	13268	RTO-C	85	form-based			true	0.75	26	1.733333349	14	14	30000	23268	23268	1.5
2380	046	3750	0.09	3092	6	85	140	4	13	7	15000	11908	RTO-C	85	form-based			true	0.75	20	1.538461566	14	14	22500	19408	19408	1.5
2380	047	3750	0.09	3092	6	85	140	4	13	7	15000	11908	RTO-C	85	form-based			true	0.75	20	1.538461566	14	14	22500	19408	19408	1.5
2390	001	3237	0.07	4996	3	65	100	3	7	4	9711	4715	NCD-TARA	85	form-based		true	true	0.75	17	2.428571463	14	11	19422	14426	14426	2
2393	001	3289	0.08	5216	3	85	140	4	11	8	13156	7940	NCD-TARA	85	form-based		true	true	0.75	17	1.545454502	14	14	19734	14518	14518	1.5
2395	038	3000	0.07	1912	2	85	140	4	10	8	12000	10088	NCD-TARA	85	form-based			true	0.75	16	1.600000024	14	14	18000	16088	16088	1.5
2395	040	3000	0.07	2933	2	85	140	4	10	8	12000	9067	NCD-TARA	85	form-based			true	0.75	16	1.600000024	14	14	18000	15067	15067	1.5
2400	051	5000	0.11	13480	12	85	140	4	15	3	20000	6520	NCD-TARA	85	form-based			true	0.75	26	1.733333349	14	14	30000	16520	16520	1.5
2400	063	5000	0.11	13480	12	85	140	4	15	3	20000	6520	NCD-TARA	85	form-based			true	0.75	26	1.733333349	14	14	30000	16520	16520	1.5
2402	031	3250	0.07	4502	3	85	140	4	10	7	13000	8498	NCD-TARA	85	form-based			true	0.75	17	1.700000048	14	14	19500	14998	14998	1.5
2405	005	4018	0.09	1650	1	65	100	3	9	8	12054	10404	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18081	16431	16431	1.5
2405	006	4019	0.09	1512	1	65	100	3	9	8	12057	10545	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18085.5	16573.5	16573.5	1.5
2405	007	4019	0.09	2350	1	65	100	3	9	8	12057	9707	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18085.5	15735.5	15735.5	1.5
2405	008	4020	0.09	2222	1	65	100	3	9	8	12060	9838	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18090	15868	15868	1.5
2405	009	4021	0.09	1293	1	65	100	3	9	8	12063	10770	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18094.5	16801.5	16801.5	1.5
2405	010	4021	0.09	2410	1	65	100	3	9	8	12063	9653	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18094.5	15684.5	15684.5	1.5
2405	011	4022	0.09	2306	1	65	100	3	9	8	12066	9760	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18099	15793	15793	1.5
2405	012	4022	0.09	2583	1	65	100	3	9	8	12066	9483	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18099	15516	15516	1.5
2405	013	4023	0.09	2311	1	65	100	3	9	8	12069	9758	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18103.5	15792.5	15792.5	1.5
2405	014	4024	0.09	1672	1	65	100	3	9	8	12072	10400	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18108	16436	16436	1.5
2405	015	4024	0.09	1344	1	65	100	3	9	8	12072	10728	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18108	16764	16764	1.5
2405	016	4025	0.09	1356	1	65	100	3	9	8	12075	10719	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18112.5	16756.5	16756.5	1.5
2405	017	4025	0.09	1708	1	65	100	3	9	8	12075	10367	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18112.5	16404.5	16404.5	1.5
2405	018	3976	0.09	1352	1	65	100	3	9	8	11928	10576	RTO-C	65	form-based		true	true	0.75	15	1.666666627	14	14	17892	16540	16540	1.5
2405	019	3952	0.09	1816	1	65	100	3	9	8	11856	10040	RTO-C	65	form-based		true	true	0.75	15	1.666666627	14	14	17784	15968	15968	1.5
2405	020	4000	0.09	1748	1	65	100	3	9	8	12000	10252	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	16252	16252	1.5
2405	021	4000	0.09	2300	1	65	100	3	9	8	12000	9700	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	15700	15700	1.5
2405	022	4000	0.09	2115	1	65	100	3	9	8	12000	9885	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	15885	15885	1.5
2405	023	4000	0.09	1430	1	65	100	3	9	8	12000	10570	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	16570	16570	1.5
2405	024	4000	0.09	1200	1	65	100	3	9	8	12000	10800	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	16800	16800	1.5
2405	025	4000	0.09	1330	1	65	100	3	9	8	12000	10670	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	16670	16670	1.5
2405	026	4000	0.09	2050	1	65	100	3	9	8	12000	9950	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	15950	15950	1.5
2405	027	4000	0.09	1756	1	65	100	3	9	8	12000	10244	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	16244	16244	1.5
2405	028	4000	0.09	3020	1	65	100	3	9	8	12000	8980	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	14980	14980	1.5
2405	029	4000	0.09	2404	1	65	100	3	9	8	12000	9596	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	15596	15596	1.5
2405	030	4000	0.09	2587	1	65	100	3	9	8	12000	9413	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	15413	15413	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2405	031	4000	0.09	1453	1	65	100	3	9	8	12000	10547	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	16547	16547	1.5
2405	032	4000	0.09	1499	1	65	100	3	9	8	12000	10501	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	16501	16501	1.5
2405	034	2833	0.07	1932	1	65	100	3	7	6	8499	6567	NCD-TARA	85	form-based			true	0.75	15	2.142857075	14	13	16998	15066	15066	2
2406	020	3992	0.09	1446	1	65	100	3	9	8	11976	10530	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	17964	16518	16518	1.5
2406	021	4001	0.09	1534	1	65	100	3	9	8	12003	10469	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18004.5	16470.5	16470.5	1.5
2406	022	4008	0.09	1898	1	65	100	3	9	8	12024	10126	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18036	16138	16138	1.5
2406	024A	4008	0.09	2349	1	65	100	3	9	8	12024	9675	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18036	15687	15687	1.5
2406	026	3984	0.09	1415	1	65	100	3	9	8	11952	10537	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	17928	16513	16513	1.5
2406	027	4016	0.09	1834	1	65	100	3	9	8	12048	10214	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18072	16238	16238	1.5
2406	028	4008	0.09	1830	1	65	100	3	9	8	12024	10194	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18036	16206	16206	1.5
2406	029	4008	0.09	1594	1	65	100	3	9	8	12024	10430	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18036	16442	16442	1.5
2406	030	4008	0.09	3012	1	65	100	3	9	8	12024	9012	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18036	15024	15024	1.5
2406	031	4008	0.09	2095	1	85	140	4	13	12	16032	13937	RTO-C	65	form-based			true	0.75	15	1.153846145	14	14	18036	15941	15941	1.125
2408	041	3250	0.07	4469	3	65	100	3	7	4	9750	5281	NCD-INNE	85	form-based	true		true	0.75	17	2.428571463	14	11	19500	15031	15031	2
2408	059	3251	0.07	10851	3	85	140	4	10	7	13004	2153	NCD-INNE	85	form-based	true		true	0.75	17	1.700000048	14	14	19506	8655	8655	1.5
2411	002	4044	0.09	2518	1	85	140	4	13	12	16176	13658	RTO-C	65	form-based			true	0.75	15	1.153846145	14	14	18198	15680	15680	1.125
2411	020	4022	0.09	2064	1	65	100	3	9	8	12066	10002	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18099	16035	16035	1.5
2414	015	3926	0.09	2937	1	65	100	3	9	8	11778	8841	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	17667	14730	14730	1.5
2454	055	7062	0.16	23577	12	65	100	3	16	4	21186	0	NC-1	65	form-based			true	0.75	26	1.625	14	14	31779	8202	8202	1.5
2454	056	7060	0.16	20369	12	65	100	3	16	4	21180	811	NC-1	65	form-based			true	0.75	26	1.625	14	14	31770	11401	11401	1.5
2463A	005	7085	0.16	2870	1	55	80	2.5	13	12	17712	14842	RH-1(D)	40	form-based	true		true	0.7	15	1.153846145	14	14	19838	16968	16968	1.120032
2463A	007	7120	0.16	2723	1	55	80	2.5	13	12	17800	15077	RH-1(D)	40	form-based	true		true	0.7	15	1.153846145	14	14	19936	17213	17213	1.12
2474	043	3912	0.09	1905	1	55	80	2.5	7	6	9780	7875	RTO-C	65	form-based			true	0.75	15	2.142857075	14	13	17604	15699	15699	1.8
2478	014	2902	0.07	2500	1	55	80	2.5	6	5	7255	4755	RTO-C	85	form-based	true		true	0.75	15	2.5	14	11	17412	14912	12010	2.4
2482	025	6975	0.16	3186	1	65	100	3	16	15	20925	17739	RH-1(D)	40	form-based	true		true	0.7	15	0.9375	14	14	19530	16344	16344	0.933333
2484	003	2951	0.07	2752	1	65	100	3	7	6	8853	6101	RTO-C	85	form-based			true	0.75	15	2.142857075	14	13	17706	14954	14954	2
2484	004	2811	0.06	2633	1	65	100	3	6	5	8433	5800	RTO-C	85	form-based			true	0.75	15	2.5	14	11	16866	14233	14233	2
2499A	009	7005	0.16	1884	1	55	80	2.5	13	12	17512	15628	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19614	17730	17730	1.120032
2527A	005	4017	0.09	2153	1	55	80	2.5	7	6	10042	7889	RTO-C	65	form-based	true		true	0.75	15	2.142857075	14	13	18076.5	15923.5	15923.5	1.80009
2527A	006	4010	0.09	2945	1	55	80	2.5	7	6	10025	7080	RTO-C	65	form-based	true		true	0.75	15	2.142857075	14	13	18045	15100	15100	1.8
2527B	005	4075	0.09	1565	1	55	80	2.5	7	6	10188	8623	RTO-C	65	form-based	true		true	0.75	15	2.142857075	14	13	18337.5	16772.5	16772.5	1.799912
2527B	006	4095	0.09	1890	1	55	80	2.5	7	6	10238	8348	RTO-C	65	form-based			true	0.75	15	2.142857075	14	13	18427.5	16537.5	16537.5	1.799912
2541	014	2787	0.06	2256	1	65	100	3	6	5	8361	6105	RTO-C	85	form-based	true		true	0.75	15	2.5	14	11	16722	14466	14466	2
2541	017	2913	0.07	1950	1	65	100	3	7	6	8739	6789	RTO-C	85	form-based			true	0.75	15	2.142857075	14	13	17478	15528	15528	2
2618A	045	7236	0.17	3400	1	55	80	2.5	14	13	18090	14690	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20260.79883	16860.79883	16860.79883	1.12
2633	001	9258	0.21	15342	21	65	100	3	21	0	27774	12432	RTO-C	65	form-based	true		true	0.75	35	1.666666627	14	14	41661	26319	26319	1.5
2636	042	7663	0.18	1088	2	55	80	2.5	14	12	19158	18070	RM-1	40	form-based			true	0.7	16	1.142857194	14	14	21456.40039	20368.40039	20368.40039	1.119971
2647	009	3152	0.07	4776	3	65	100	3	7	4	9456	4680	NCD-CAST	85	form-based			true	0.75	17	2.428571463	14	11	18912	14136	14136	2
2647	010	3197	0.07	5441	3	65	100	3	7	4	9591	4150	NCD-CAST	85	form-based			true	0.75	17	2.428571463	14	11	19182	13741	13741	2
2647	011	3173	0.07	5826	3	65	100	3	7	4	9519	3693	NCD-CAST	85	form-based			true	0.75	17	2.428571463	14	11	19038	13212	13212	2
2647	017	4591	0.11	0	0	65	100	3	11	11	13773	13773	NCD-CAST	50	form-based			true	0.75	14	1.272727251	14	14	17216.25	17216.25	17216.25	1.25
2648	099	1831	0.04	2233	2	65	100	3	4	2	5493	3260	RTO-C	160	form-based			true	0.75	16	4	14	6	16479	14246	8753	3
2675	013	7236	0.17	2208	1	55	80	2.5	14	13	18090	15882	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20260.79883	18052.79883	18052.79883	1.12
2678	001	7085	0.16	1494	1	55	80	2.5	13	12	17712	16218	RH-1(D)	40	form-based	true		true	0.7	15	1.153846145	14	14	19838	18344	18344	1.120032
2678	012	6963	0.16	1539	1	55	80	2.5	13	12	17408	15869	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19496.40039	17957.40039	17957.40039	1.119968
2679	017	7087	0.16	2509	1	55	80	2.5	13	12	17718	15209	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19843.59961	17334.59961	17334.59961	1.119968
2688	072	7409	0.17	5288	2	55	80	2.5	14	12	18522	13234	RH-1(D)	40	form-based			true	0.7	16	1.142857194	14	14	20745.19922	15457.19922	15457.19922	1.12003
2688	075	7380	0.17	3253	1	55	80	2.5	14	13	18450	15197	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20664	17411	17411	1.12
2695	011	4717	0.11	2220	0	65	100	3	11	11	14151	11931	NCD-CAST	50	form-based			true	0.75	14	1.272727251	14	14	17688.75	15468.75	15468.75	1.25
2706	051	6913	0.16	2480	1	55	80	2.5	13	12	17282	14802	RH-1(D)	40	form-based	true		true	0.7	15	1.153846145	14	14	19356.40039	16876.40039	16876.40039	1.120032
2716	050	6718	0.15	0	0	55	80	2.5	12	12	16795	16795	RH-1(S)	40	form-based			true	0.7	14	1.166666627	14	14	18810.40039	18810.40039	18810.40039	1.12
2751	006E	7120	0.16	850	1	55	80	2.5	13	12	17800	16950	RH-2	40	form-based			true	0.7	15	1.153846145	14	14	19936	19086	19086	1.12
2789	042	7304	0.17	1788	1	55	80	2.5	14	13	18260	16472	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20451.19922	18663.19922	18663.19922	1.12
2816	008	7082	0.16	2193	1	55	80	2.5	13	12	17705	15512	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19829.59961	17636.59961	17636.59961	1.12
2816	012	6932	0.16	1620	1	55	80	2.5	13	12	17330	15710	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19409.59961	17789.59961	17789.59961	1.12
2817	039	7227	0.17	3673	1	55	80	2.5	14	13	18068	14395	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20235.59961	16562.59961	16562.59961	1.119969
2819	023	6927	0.16	2326	1	65	100	3	16	15	20781	18455	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19395.59961	17069.59961	17069.59961	0.933333
2820	014	7040	0.16	937	1	55	80	2.5	13	12	17600	16663	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19712	18775	18775	1.12
2836	025	7106	0.16	937	1	55	80	2.5	13	12	17765	16828	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19896.79883	18959.79883	18959.79883	1.12
2861	030	7129	0.16	2387	1	55	80	2.5	13	12	17822	15435	RH-1(D)	40	form-based	true		true	0.7	15	1.153846145	14	14	19961.19922	17574.19922	17574.19922	1.120031
2861	039	7103	0.16	1625	1	55	80	2.5	13	12	17758	16133	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19888.40039	18263.40039	18263.40039	1.119969
2879	015	7357	0.17	2848	1	65	100	3	17	16	22071	19223	RH-1(D)	40	form-based	true		true	0.7	15	0.882352948	14	14	20599.59961	17751.59961	17751.59961	0.933333
2881	017	7307	0.17	4102	1	55	80	2.5	14	13	18268	14166	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20459.59961	16357.59961	16357.59961	1.119969
2882	022	7254	0.17	2450	1	55	80	2.5	14	13	18135	15685	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20311.19922	17861.19922	17861.19922	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2884	001	7058	0.16	3212	1	65	100	3	16	15	21174	17962	RH-1(D)	40	form-based		true	true	0.7	15	0.9375	14	14	19762.40039	16550.40039	16550.40039	0.933333
2919	033	3925	0.09	2300	1	85	140	4	13	12	15700	13400	RTO-C	65	form-based		true	true	0.75	15	1.153846145	14	14	17662.5	15362.5	15362.5	1.125
2919A	021	4025	0.09	2046	1	65	100	3	9	8	12075	10029	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18112.5	16066.5	16066.5	1.5
2923	012	7341	0.17	3343	1	55	80	2.5	14	13	18352	15009	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20554.79883	17211.79883	17211.79883	1.12003
2924	008	7115	0.16	3173	1	65	100	3	16	15	21345	18172	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19922	16749	16749	0.933333
2926	001	7176	0.16	3075	1	55	80	2.5	13	12	17940	14865	RH-1(D)	40	form-based		true	true	0.7	15	1.153846145	14	14	20092.79883	17017.79883	17017.79883	1.12
2927	002	7042	0.16	2820	1	65	100	3	16	15	21126	18306	RH-1(D)	40	form-based		true	true	0.7	15	0.9375	14	14	19717.59961	16897.59961	16897.59961	0.933333
2927	015	7119	0.16	2405	1	65	100	3	16	15	21357	18952	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19933.19922	17528.19922	17528.19922	0.933333
2930	011	7048	0.16	2900	1	65	100	3	16	15	21144	18244	RH-1(D)	40	form-based		true	true	0.7	15	0.9375	14	14	19734.40039	16834.40039	16834.40039	0.933333
2931	009	2727	0.06	12704	0	65	100	3	6	6	8181	0	NCD-WEST	85	form-based			true	0.75	14	2.333333254	12	12	16362	3658	3658	2
2973A	048	6993	0.16	3226	1	55	80	2.5	13	12	17482	14256	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19580.40039	16354.40039	16354.40039	1.120032
2970	016	7321	0.17	1493	1	55	80	2.5	14	13	18302	16809	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20498.79883	19005.79883	19005.79883	1.120031
2973A	027	7295	0.17	1822	1	55	80	2.5	14	13	18238	16416	RH-1(D)	40	form-based		true	true	0.7	15	1.071428537	14	14	20426	18604	18604	1.119969
2973A	035	7096	0.16	3679	1	55	80	2.5	13	12	17740	14061	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19868.79883	16189.79883	16189.79883	1.12
2973A	054	7344	0.17	2119	1	55	80	2.5	14	13	18360	16241	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20563.19922	18444.19922	18444.19922	1.12
2990	010	7366	0.17	2746	1	55	80	2.5	14	13	18415	15669	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20624.79883	17878.79883	17878.79883	1.12
2991	014	7326	0.17	2611	1	55	80	2.5	14	13	18315	15704	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20512.79883	17901.79883	17901.79883	1.12
2991	018	6965	0.16	4477	1	55	80	2.5	13	12	17412	12935	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19502	15025	15025	1.120032
3011	061	6915	0.16	4100	1	55	80	2.5	13	12	17288	13188	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19362	15262	15262	1.119968
3011	071	7110	0.16	2290	1	55	80	2.5	13	12	17775	15485	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19908	17618	17618	1.12
3011	074	7045	0.16	3152	1	55	80	2.5	13	12	17612	14460	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19726	16574	16574	1.120032
3013	006	6915	0.16	2106	1	65	100	3	16	15	20745	18639	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19362	17256	17256	0.933333
3013	017	6996	0.16	2983	1	65	100	3	16	15	20988	18005	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19588.79883	16605.79883	16605.79883	0.933333
3013	030	7166	0.16	1597	1	65	100	3	16	15	21498	19901	RH-1(D)	40	form-based		true	true	0.7	15	0.9375	14	14	20064.79883	18467.79883	18467.79883	0.933333
3013A	031	6978	0.16	3965	1	65	100	3	16	15	20934	16969	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19538.40039	15573.40039	15573.40039	0.933333
3013A	032	6949	0.16	4245	1	65	100	3	16	15	20847	16602	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19457.19922	15212.19922	15212.19922	0.933333
3014	002D	2839	0.07	2235	1	65	100	3	7	6	8517	6282	RTO-C	85	form-based			true	0.75	15	2.142857075	14	13	17034	14799	14799	2
3042	022	6925	0.16	2999	1	55	80	2.5	13	12	17312	14313	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19390	16391	16391	1.120032
3042	030	7373	0.17	4206	1	55	80	2.5	14	13	18432	14226	RH-1(D)	40	form-based		true	true	0.7	15	1.071428537	14	14	20644.40039	16438.40039	16438.40039	1.12003
3044	013	7171	0.16	3564	1	55	80	2.5	13	12	17928	14364	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	20078.79883	16514.79883	16514.79883	1.119969
3044	018	7057	0.16	2172	1	55	80	2.5	13	12	17642	15470	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19759.59961	17587.59961	17587.59961	1.120032
3046	020	7040	0.16	3665	1	55	80	2.5	13	12	17600	13935	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19712	16047	16047	1.12
3047	042	6911	0.16	2132	1	55	80	2.5	13	12	17278	15146	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19350.79883	17218.79883	17218.79883	1.119968
3047	044	7360	0.17	2700	1	55	80	2.5	14	13	18400	15700	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20608	17908	17908	1.12
3049	013	6908	0.16	2065	1	55	80	2.5	13	12	17270	15205	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19342.40039	17277.40039	17277.40039	1.12
3049	024	7001	0.16	2505	1	55	80	2.5	13	12	17502	14997	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19602.79883	17097.79883	17097.79883	1.120032
3049	030	7206	0.17	2040	1	55	80	2.5	14	13	18015	15975	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20176.79883	18136.79883	18136.79883	1.12
3070	012	6931	0.16	3323	1	65	100	3	16	15	20793	17470	RH-1(D)	40	form-based		true	true	0.7	15	0.9375	14	14	19406.79883	16083.79883	16083.79883	0.933333
3071	013	6980	0.16	4810	1	65	100	3	16	15	20940	16130	RH-1(D)	40	form-based		true	true	0.7	15	0.9375	14	14	19544	14734	14734	0.933333
3072	027	7328	0.17	3566	1	65	100	3	17	16	21984	18418	RH-1(D)	40	form-based		true	true	0.7	15	0.882352948	14	14	20518.40039	16952.40039	16952.40039	0.933333
3073	004	7215	0.17	3992	1	65	100	3	17	16	21645	17653	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20202	16210	16210	0.933333
3074	003	7088	0.16	5276	1	65	100	3	16	15	21264	15988	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19846.40039	14570.40039	14570.40039	0.933333
3075	001	7176	0.16	4037	1	65	100	3	16	15	21528	17491	RH-1(D)	40	form-based		true	true	0.7	15	0.9375	14	14	20092.79883	16055.79883	16055.79883	0.933333
3076	043	7311	0.17	2423	1	55	80	2.5	14	13	18278	15855	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20470.79883	18047.79883	18047.79883	1.119969
3076	014	7191	0.17	2810	1	55	80	2.5	14	13	17978	15168	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20134.79883	17324.79883	17324.79883	1.119969
3077	017	7104	0.16	2910	1	55	80	2.5	13	12	17760	14850	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19891.19922	16981.19922	16981.19922	1.12
3077	022	7334	0.17	3100	1	55	80	2.5	14	13	18335	15235	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20535.19922	17435.19922	17435.19922	1.12
3077	031	7367	0.17	2241	1	55	80	2.5	14	13	18418	16177	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20627.59961	18386.59961	18386.59961	1.11997
3078	022	7031	0.16	2554	1	55	80	2.5	13	12	17578	15024	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19686.79883	17132.79883	17132.79883	1.119968
3080	010	7118	0.16	1940	1	55	80	2.5	13	12	17795	15855	RH-1(D)	40	form-based		true	true	0.7	15	1.153846145	14	14	19930.40039	17990.40039	17990.40039	1.12
3098	012	7166	0.16	2738	1	65	100	3	16	15	21498	18760	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	20064.79883	17326.79883	17326.79883	0.933333
3104	005	7156	0.16	2810	1	55	80	2.5	13	12	17890	15080	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	20036.79883	17226.79883	17226.79883	1.12
3105A	017	7019	0.16	3122	1	55	80	2.5	13	12	17548	14426	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19653.19922	16531.19922	16531.19922	1.119968
3106	001	7090	0.16	2370	1	55	80	2.5	13	12	17725	15355	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19852	17482	17482	1.12
3106	009	7254	0.17	2654	1	55	80	2.5	14	13	18135	15481	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20311.19922	17657.19922	17657.19922	1.12
3134	005	7125	0.16	2171	1	55	80	2.5	13	12	17812	15641	RH-1(D)	40	form-based		true	true	0.7	15	1.153846145	14	14	19950	17779	17779	1.120031
3196	006	2594	0.06	2000	0	85	140	4	8	8	10376	8376	NCT-OCEA	85	form-based			true	0.75	14	1.75	14	14	15564	13564	13564	1.5
3197	006	3026	0.07	2259	2	85	140	4	10	8	12104	9845	NCT-OCEA	85	form-based		true	true	0.75	16	1.600000024	14	14	18156	15897	15897	1.5
3258	020	3923	0.09	2314	1	85	140	4	13	12	15692	13378	RTO-C	65	form-based		true	true	0.75	15	1.153846145	14	14	17653.5	15339.5	15339.5	1.125
3260	012	7362	0.17	2144	1	65	100	3	17	16	22086	19942	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20613.59961	18469.59961	18469.59961	0.933333
3502	014	4509	0.1	24787	0	65	100	3	10	10	13527	0	NCT-3	50	form-based				0.75	14	1.399999976	14	14	16908.75	0	0	1.25
3505	021	4634	0.11	9250	0	65	100	3	11	11	13902	4652	NCT-3	50	form-based		true		0.75	14	1.272727251	14	14	17377.5	8127.5	8127.5	1.25
3509	015A	4614	0.11	9040	0	65	100	3	11	11	13842	4802	RCD	55	form-based				0.75	14	1.272727251	14	14	17302.5	8262.5	8262.5	1.25
3513	069	4685	0.11	4650	0	65	100	3	11	11	14055	9405	NCT-3	50	form-based		true		0.75	14	1.272727251	14	14	17568.75	12918.75	12918.75	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3515	020	2642	0.06	0	0	65	100	3	6	6	7926	7926	WMUG	85	form-based			true	0.75	14	2.333333254	14	12	15852	15852	15852	2
3518	040	6375	0.15	4250	0	65	100	3	15	15	19125	14875	RED-MX	45	form-based				0.75	14	0.933333337	14	14	19125	14875	14875	1
3519	015	4750	0.11	8900	0	65	100	3	11	11	14250	5350	WMUG	55	form-based				0.75	14	1.272727251	14	14	17812.5	8912.5	8912.5	1.25
3519	020	4801	0.11	4800	0	65	100	3	11	11	14403	9603	RCD	55	form-based		true		0.75	14	1.272727251	14	14	18003.75	13203.75	13203.75	1.25
3521	053A	2684	0.06	2900	0	55	80	2.5	5	5	6710	3810	WMUG	85	form-based			true	0.75	14	2.799999952	14	10	16104	13204	10520	2.4
3522	014	4579	0.11	4330	0	65	100	3	11	11	13737	9407	WMUG	55	form-based		true		0.75	14	1.272727251	14	14	17171.25	12841.25	12841.25	1.25
3525	083	6330	0.15	7973	0	55	80	2.5	12	12	15825	7852	RED	40	form-based				0.75	14	1.166666627	14	14	18990	11017	11017	1.2
3545	059	8489	0.19	3260	4	65	100	3	19	15	25467	22207	RTO-1	40	form-based			true	0.7	18	0.947368443	14	14	23769.19922	20509.19922	20509.19922	0.933333
3547	005	4768	0.11	5083	0	75	120	3.5	13	13	16688	11605	NCT-VALEI	55	form-based		true		0.75	14	1.076923132	14	14	17880	12797	12797	1.071429
3554	003A	2657	0.06	1568	0	75	120	3.5	7	7	9300	7732	NCT-MISSI	80	form-based				0.75	14	2	14	14	15942	14374	14374	1.714194
3557	003A	8255	0.19	3208	0	65	100	3	19	19	24765	21557	RTO-1	40	density-lim	600	true		0.7	14	0.736842096	14	14	23114	19906	19906	0.933333
3557	009B	7075	0.16	7672	6	65	100	3	16	10	21225	13553	RTO-1	50	form-based			true	0.7	20	1.25	14	14	24762.5	17090.5	17090.5	1.166667
3562	011	3838	0.09	3375	0	65	100	3	9	9	11514	8139	NCT-UPPEI	65	form-based				0.75	14	1.555555582	14	14	17271	13896	13896	1.5
3562	020	3090	0.07	1850	2	65	100	3	7	5	9270	7420	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18540	16690	16690	2
3562	021	3090	0.07	2256	2	65	100	3	7	5	9270	7014	RTO-C	85	form-based			true	0.75	16	2.285714388	14	12	18540	16284	16284	2
3562	027	3250	0.07	1992	3	65	100	3	7	4	9750	7758	RTO-C	85	form-based			true	0.75	17	2.428571463	14	11	19500	17508	17508	2
3577	056	4936	0.11	7950	0	75	120	3.5	13	13	17276	9326	RTO-M	55	form-based		true		0.7	14	1.076923132	14	14	17276	9326	9326	1
3580	003A	6218	0.14	2800	3	85	140	4	20	17	24872	22072	RM-1	50	form-based			true	0.7	17	0.850000024	14	14	21763	18963	18963	0.875
3582	074	2470	0.06	5776	8	85	140	4	8	0	9880	4104	NCD-CAST	140	form-based			true	0.75	22	2.75	14	8	22230	16454	13984	2.25
3583	063	4625	0.11	5920	0	65	100	3	11	11	13875	7955	NCD-CAST	50	form-based			true	0.75	14	1.272727251	14	14	17343.75	11423.75	11423.75	1.25
3600	001B	4650	0.11	4196	3	65	100	3	11	8	13950	9754	RTO-C	65	form-based			true	0.75	17	1.545454502	14	14	20925	16729	16729	1.5
3600	112	4207	0.1	1763	2	65	100	3	10	8	12621	10858	RTO-C	65	form-based			true	0.75	16	1.600000024	14	14	18931.5	17168.5	17168.5	1.5
3606	004	5250	0.12	5920	1	65	100	3	12	11	15750	9830	RH-3	50	form-based			true	0.7	15	1.25	14	14	18375	12455	12455	1.166667
3608	072	6538	0.15	11215	6	65	100	3	15	9	19614	8399	NCT-VALEI	50	form-based		true		0.75	20	1.333333373	14	14	24517.5	13302.5	13302.5	1.25
3619	048	4074	0.09	4070	1	85	140	4	13	12	16296	12226	RTO-C	65	form-based			true	0.75	15	1.153846145	14	14	18333	14263	14263	1.125
3620	054	7107	0.16	1071	1	65	100	3	16	15	21321	20250	RH-1	40	form-based			true	0.7	15	0.9375	14	14	19899.59961	18828.59961	18828.59961	0.933333
3627	049	5885	0.14	3320	2	65	100	3	14	12	17655	14335	RH-2	50	form-based		true	true	0.7	16	1.142857194	14	14	20597.5	17277.5	17277.5	1.166667
3628	050	4243	0.1	962	2	85	140	4	14	12	16972	16010	RTO-C	65	form-based			true	0.75	16	1.142857194	14	14	19093.5	18131.5	18131.5	1.125
3631	014	14221	0.33	31340	0	65	100	3	33	33	42663	11323	RH-3	40	density-lim	1000	true		0.7	14	0.424242437	14	14	39818.80078	8478.800781	8478.800781	0.933333
3636	008	3786	0.09	3793	0	85	140	4	13	13	15144	11351	NCT-MISSI	65	form-based				0.75	14	1.076923132	14	14	17037	13244	13244	1.125
3636	008A	3786	0.09	5250	0	75	120	3.5	11	11	13251	8001	NCT-MISSI	65	form-based				0.75	14	1.272727251	14	14	17037	11787	11787	1.285714
3637	017	4900	0.11	4750	0	75	120	3.5	13	13	17150	12400	RTO-M	55	form-based		true		0.7	14	1.076923132	14	14	17150	12400	12400	1
3650	049	5633	0.13	6768	7	85	140	4	18	11	22532	15764	RTO-C	65	form-based			true	0.75	21	1.166666627	14	14	25348.5	18580.5	18580.5	1.125
3707	012	1518	0.03	9289	0	75	120	3.5	4	4	5313	0	C-3-O(SD)	150	form-based		true		0.8	14	3.5	14	8	13662	4373	1337	2.571429
3721	004	1575	0.04	0	0	95	160	4.5	6	6	7088	7088	C-3-O(SD)	350	form-based				0.8	14	2.333333254	14	12	14175	14175	14175	1.999859
3721	047	1537	0.04	1537	0	75	120	3.5	5	5	5380	3843	C-3-O(SD)	500	form-based				0.8	14	2.799999952	14	10	13833	12296	9223	2.57119
3724	037	1603	0.04	0	0	75	120	3.5	5	5	5610	5610	C-3-S	160	form-based				0.8	14	2.799999952	14	10	14427	14427	11220	2.571658
3726	007	3784	0.09	0	6	65	100	3	9	3	11352	11352	NCT-SOMA	85	form-based				0.75	20	2.222222328	14	12	22704	22704	22704	2
3727	010	4500	0.1	8500	0	65	100	3	10	10	13500	5000	WMUG	55	form-based				0.75	14	1.399999976	14	14	16875	8375	8375	1.25
3727	012	4500	0.1	13911	0	65	100	3	10	10	13500	0	WMUG	55	form-based				0.75	14	1.399999976	14	14	16875	2964	2964	1.25
3727	016	4500	0.1	9000	0	75	120	3.5	12	12	15750	6750	WMUG	55	form-based				0.75	14	1.166666627	14	14	16875	7875	7875	1.071429
3727	019	4500	0.1	7784	0	75	120	3.5	12	12	15750	7966	WMUG	55	form-based				0.75	14	1.166666627	14	14	16875	9091	9091	1.071429
3727	022	4500	0.1	9000	0	75	120	3.5	12	12	15750	6750	WMUG	55	form-based				0.75	14	1.166666627	14	14	16875	7875	7875	1.071429
3727	024	4500	0.1	6530	0	75	120	3.5	12	12	15750	9220	WMUG	55	form-based				0.75	14	1.166666627	14	14	16875	10345	10345	1.071429
3727	089	3750	0.09	4510	0	85	140	4	13	13	15000	10490	MUO	65	form-based				0.75	14	1.076923132	14	14	16875	12365	12365	1.125
3728	008	4500	0.1	7543	0	75	120	3.5	12	12	15750	8207	WMUG	55	form-based		true		0.75	14	1.166666627	14	14	16875	9332	9332	1.071429
3728	009	4500	0.1	4638	0	75	120	3.5	12	12	15750	11112	WMUG	55	form-based				0.75	14	1.166666627	14	14	16875	12237	12237	1.071429
3728	011	4500	0.1	5500	0	75	120	3.5	12	12	15750	10250	WMUG	55	form-based				0.75	14	1.166666627	14	14	16875	11375	11375	1.071429
3730	019	3795	0.09	3757	0	65	100	3	9	9	11385	7628	NCT-FOLSO	65	form-based				0.75	14	1.555555582	14	14	17077.5	13320.5	13320.5	1.5
3731	084	4982	0.11	7985	5	65	100	3	11	6	14946	6961	RED	65	form-based				0.75	19	1.727272749	14	14	22419	14434	14434	1.5
3736	159	3594	0.08	995	18	75	120	3.5	10	0	12579	11584	C-3-O(SD)	250	form-based				0.8	32	3.200000048	14	2	32346	31351	24163	2.571429
3747	012	1604	0.04	3080	0	75	120	3.5	5	5	5614	2534	RH DTR	250	form-based				0.8	14	2.799999952	14	10	14436	11356	8148	2.571429
3747	013	1610	0.04	0	0	75	120	3.5	5	5	5635	5635	RH DTR	250	form-based				0.8	14	2.799999952	14	10	14490	14490	11270	2.571429
3749	005	3571	0.08	22724	0	75	120	3.5	10	10	12498	0	RH DTR	65	form-based				0.8	14	1.399999976	14	14	17140.80078	0	0	1.371483
3752	192	55687	1.28	838	200	65	100	3	128	0	167061	166223	MUR	85	form-based				0.55	214	1.671875	14	14	245022.8125	244184.8125	244184.8125	1.466667
3754	031	3750	0.09	7600	0	65	100	3	9	9	11250	3650	MUG	65	form-based		true		0.75	14	1.555555582	14	14	16875	9275	9275	1.5
3754	068	4510	0.1	685	10	65	100	3	10	0	13530	12845	MUG	85	form-based				0.75	24	2.400000095	14	10	27060	26375	26375	2
3755	027	4502	0.1	8400	0	65	100	3	10	10	13506	5106	WMUG	55	form-based		true		0.75	14	1.399999976	14	14	16882.5	8482.5	8482.5	1.25
3756	006	4775	0.11	5628	0	65	100	3	11	11	14325	8697	RCD	55	form-based				0.75	14	1.272727251	14	14	17906.25	12278.25	12278.25	1.25
3762	016	2560	0.06	5495	0	65	100	3	6	6	7680	2185	CMUO	85	form-based				0.8	14	2.333333254	14	12	16384	10889	9865	2.133333
3762	036	1545	0.04	3200	0	65	100	3	4	4	4635	1435	CMUO	130	form-based				0.8	14	3.5	14	8	13905	10705	6070	3
3763	080	1529	0.04	0	0	65	100	3	4	4	4587	4587	CMUO	350	form-based				0.8	14	3.5	14	8	13761	13761	9174	3
3763	080A	1531	0.04	0	0	65	100	3	4	4	4593	4593	CMUO	350	form-based				0.8	14	3.5	14	8	13779	13779	9186	3
3775	001	3600	0.08	10800	0	65	100	3	8	8	10800	0	CMUO	65	form-based		true		0.8	14	1.75	14	14	17280	6480	6480	1.6

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3775	002	3600	0.08	44299	0	65	100	3	8	8	10800	0	CMUO	65	form-based		true		0.8	14	1.75	14	14	17280	0	0	1.6
3775	018	5676	0.13	26789	0	65	100	3	13	13	17028	0	CMUO	45	form-based				0.8	14	1.076923132	14	14	18163.20117	0	0	1.066667
3775	022	5676	0.13	32635	0	65	100	3	13	13	17028	0	CMUO	45	form-based				0.8	14	1.076923132	14	14	18163.20117	0	0	1.066667
3776	042	1600	0.04	468	0	75	120	3.5	5	5	5600	5132	CMUO	130	form-based				0.8	14	2.799999952	14	10	14400	13932	10732	2.571429
3776	043	1600	0.04	1899	0	75	120	3.5	5	5	5600	3701	CMUO	130	form-based				0.8	14	2.799999952	14	10	14400	12501	9301	2.571429
3780	084	3689	0.08	0	0	65	100	3	8	8	11067	11067	UMU	68	form-based				0.75	14	1.75	14	14	16600.5	16600.5	16600.5	1.5
3787	044	3591	0.08	2760	0	75	120	3.5	10	10	12568	9808	CMUO	65	form-based				0.8	14	1.399999976	14	14	17236.80078	14476.80078	14476.80078	1.371483
3774	044	3758	0.09	25491	0	65	100	3	9	9	11274	0	MUO	65	form-based		true		0.75	14	1.555555582	14	14	16911	0	0	1.5
3987	009A	6443	0.15	6000	0	65	100	3	15	15	19329	13329	UMU	40	form-based				0.75	14	0.933333337	14	14	19329	13329	13329	1
4045	008	9081	0.21	1680	20	65	100	3	21	1	27243	25563	UMU	68	form-based		true		0.75	34	1.619047642	14	14	40864.5	39184.5	39184.5	1.5
4058	005	6026	0.14	10950	9	85	140	4	20	11	24104	13154	UMU	68	form-based		true		0.75	23	1.149999976	14	14	27117	16167	16167	1.125
4059	010	4750	0.11	2940	0	65	100	3	11	11	14250	11310	UMU	58	form-based				0.75	14	1.272727251	14	14	17812.5	14872.5	14872.5	1.25
4082	016	10000	0.23	1184	24	65	100	3	23	0	30000	28816	UMU	68	form-based				0.75	38	1.652173877	14	14	45000	43816	43816	1.5
4108	003J	6412	0.15	6840	0	75	120	3.5	18	18	22442	15602	UMU	45	form-based				0.75	14	0.777777791	14	14	19236	12396	12396	0.857143
4172	096	6090	0.14	844	0	75	120	3.5	17	17	21315	20471	NCT-2	40	form-based				0.75	14	0.823529422	14	14	18270	17426	17426	0.857143
4224	047	6000	0.14	5989	0	75	120	3.5	17	17	21000	15011	UMU	40	form-based				0.75	14	0.823529422	14	14	18000	12011	12011	0.857143
6530	014	4700	0.11	0	0	75	120	3.5	13	13	16450	16450	NCT-VALEI	55	form-based				0.75	14	1.076923132	14	14	17625	17625	17625	1.071429
6532	011	11611	0.27	3022	5	65	100	3	27	22	34833	31811	RM-2	40	density-lin	600			0.7	19	0.703703701	14	14	32510.79883	29488.79883	29488.79883	0.933333
6563	040	11609	0.27	7480	10	55	80	2.5	22	12	29022	21542	RH-2	40	form-based			true	0.7	24	1.090909123	14	14	32505.19922	25025.19922	25025.19922	1.120019
6592	005	4987	0.11	0	0	65	100	3	11	11	14961	14961	RH-2	50	form-based			true	0.7	14	1.272727251	14	14	17454.5	17454.5	17454.5	1.166667
6592	029	5130	0.12	0	0	65	100	3	12	12	15390	15390	RH-2	50	form-based			true	0.7	14	1.166666627	14	14	17955	17955	17955	1.166667
6603	041	8611	0.2	4537	4	55	80	2.5	16	12	21528	16991	RH-2	40	form-based			true	0.7	18	1.125	14	14	24110.79883	19573.79883	19573.79883	1.119974
6665	032	6965	0.16	2478	1	65	100	3	16	15	20895	18417	RH-1	40	form-based			true	0.7	15	0.9375	14	14	19502	17024	17024	0.933333
6665	034	7094	0.16	1948	1	65	100	3	16	15	21282	19334	RH-1	40	form-based			true	0.7	15	0.9375	14	14	19863.19922	17915.19922	17915.19922	0.933333
6732	010	5437	0.12	1221	1	75	120	3.5	14	13	19030	17809	RH-1	50	form-based			true	0.7	15	1.071428537	14	14	19029.5	17808.5	17808.5	0.999974
6732	011	5262	0.12	1184	1	75	120	3.5	14	13	18417	17233	RH-1	50	form-based			true	0.7	15	1.071428537	14	14	18417	17233	17233	1
6742	030	2770	0.06	808	1	75	120	3.5	7	6	9695	8887	NCT-GLEN	85	form-based			true	0.75	15	2.142857075	14	13	16620	15812	15812	1.714286
6744	013	2932	0.07	1648	1	75	120	3.5	8	7	10262	8614	RTO-C	85	form-based			true	0.75	15	1.875	14	14	17592	15944	15944	1.714286
6745	001A	1635	0.04	1793	1	75	120	3.5	5	4	5722	3929	RTO-C	140	form-based			true	0.75	15	3	14	9	14715	12922	9651	2.571653
6745	046	1650	0.04	1649	1	95	160	4.5	6	5	7425	5776	NCT-GLEN	140	form-based			true	0.75	15	2.5	14	11	14850	13201	13201	2
6763	019	6994	0.16	3335	1	65	100	3	16	15	20982	17647	RH-1	40	form-based			true	0.7	15	0.9375	14	14	19583.19922	16248.19922	16248.19922	0.933333
6763	043	7061	0.16	945	1	65	100	3	16	15	21183	20238	RH-1	40	form-based			true	0.7	15	0.9375	14	14	19770.79883	18825.79883	18825.79883	0.933333
6768	001	2708	0.06	6140	0	75	120	3.5	7	7	9478	3338	NCT-GLEN	85	form-based		true	true	0.75	14	2	14	14	16248	10108	10108	1.714286
6769	050	15076	0.35	8876	18	65	100	3	35	17	45228	36352	RM-1	40	form-based			true	0.7	32	0.914285719	14	14	42212.80078	33336.80078	33336.80078	0.933333
6902	004	7161	0.16	1752	1	65	100	3	16	15	21483	19731	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	20050.79883	18298.79883	18298.79883	0.933333
6902	005	7276	0.17	1699	1	65	100	3	17	16	21828	20129	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20372.79883	18673.79883	18673.79883	0.933333
6902	010	2659	0.06	1380	0	65	100	3	6	6	7977	6597	NC-1	85	form-based			true	0.75	14	2.333333254	14	12	15954	14574	14574	2
6904	019	7147	0.16	4043	1	65	100	3	16	15	21441	17398	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	20011.59961	15968.59961	15968.59961	0.933333
6903	005	7139	0.16	2788	1	65	100	3	16	15	21417	18629	RH-1(D)	40	form-based		true	true	0.7	15	0.9375	14	14	19989.19922	17201.19922	17201.19922	0.933333
6904	020	7169	0.16	1377	1	65	100	3	16	15	21507	20130	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	20073.19922	18696.19922	18696.19922	0.933333
6905	010	7336	0.17	2954	1	65	100	3	17	16	22008	19054	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20540.79883	17586.79883	17586.79883	0.933333
6904	006	7217	0.17	1380	1	65	100	3	17	16	21651	20271	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20207.59961	18827.59961	18827.59961	0.933333
6904	007	7269	0.17	1899	1	65	100	3	17	16	21807	19908	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20353.19922	18454.19922	18454.19922	0.933333
6904	008	7039	0.16	2794	1	65	100	3	16	15	21117	18323	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19709.19922	16915.19922	16915.19922	0.933333
6905	006	6973	0.16	2871	1	65	100	3	16	15	20919	18048	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19524.40039	16653.40039	16653.40039	0.933333
6905	014	7231	0.17	3380	1	65	100	3	17	16	21693	18313	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20246.79883	16866.79883	16866.79883	0.933333
6907	008	7085	0.16	2644	1	65	100	3	16	15	21255	18611	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19838	17194	17194	0.933333
6907	013	6921	0.16	3015	1	65	100	3	16	15	20763	17748	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19378.79883	16363.79883	16363.79883	0.933333
6907	014	7340	0.17	2828	1	65	100	3	17	16	22020	19192	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20552	17724	17724	0.933333
6908	022	7038	0.16	2586	1	85	140	4	22	21	28152	25566	RH-1(D)	40	form-based			true	0.7	15	0.681818187	14	14	19706.40039	17120.40039	17120.40039	0.7
6908	023	7009	0.16	3664	1	85	140	4	22	21	28036	24372	RH-1(D)	40	form-based			true	0.7	15	0.681818187	14	14	19625.19922	15961.19922	15961.19922	0.7
6908	017	7283	0.17	3475	1	65	100	3	17	16	21849	18374	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20392.40039	16917.40039	16917.40039	0.933333
6910	001	7257	0.17	3093	1	65	100	3	17	16	21771	18678	RH-1(D)	40	form-based		true	true	0.7	15	0.882352948	14	14	20319.59961	17226.59961	17226.59961	0.933333
6912	006	7021	0.16	3092	1	65	100	3	16	15	21063	17971	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19658.79883	16566.79883	16566.79883	0.933333
6912	008	6924	0.16	1745	1	65	100	3	16	15	20772	19027	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19387.19922	17642.19922	17642.19922	0.933333
6913	018	7371	0.17	3692	1	65	100	3	17	16	22113	18421	RH-1(D)	40	form-based		true	true	0.7	15	0.882352948	14	14	20638.79883	16946.79883	16946.79883	0.933333
6912	026	7202	0.17	1822	1	65	100	3	17	16	21606	19784	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20165.59961	18343.59961	18343.59961	0.933333
6912	033	7253	0.17	2907	1	65	100	3	17	16	21759	18852	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20308.40039	17401.40039	17401.40039	0.933333
6913	003	7101	0.16	2166	1	65	100	3	16	15	21303	19137	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19882.79883	17716.79883	17716.79883	0.933333
6913	004	7075	0.16	1610	1	65	100	3	16	15	21225	19615	RH-1(D)	40	form-based		true	true	0.7	15	0.9375	14	14	19810	18200	18200	0.933333
6913	019	7285	0.17	3294	1	65	100	3	17	16	21855	18561	RH-1(D)	40	form-based		true	true	0.7	15	0.882352948	14	14	20398	17104	17104	0.933333
6914	005	7008	0.16	1833	1	85	140	4	22	21	28032	26199	RH-1(D)	40	form-based			true	0.7	15	0.681818187	14	14	19622.40039	17789.40039	17789.40039	0.7
6914	009	7109	0.16	1240	1	65	100	3	16	15	21327	20087	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19905.19922	18665.19922	18665.19922	0.933333
6914	010	7045	0.16	920	1	65	100	3	16	15	21135	20215	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19726	18806	18806	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6914	011	6941	0.16	1490	1	65	100	3	16	15	20823	19333	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19434.79883	17944.79883	17944.79883	0.933333
6916	002	6928	0.16	2300	1	55	80	2.5	13	12	17320	15020	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19398.40039	17098.40039	17098.40039	1.12
6916	012	7276	0.17	1813	1	55	80	2.5	14	13	18190	16377	RH-1(D)	40	form-based		true	true	0.7	15	1.071428537	14	14	20372.79883	18559.79883	18559.79883	1.12
6916	020	6930	0.16	1544	1	55	80	2.5	13	12	17325	15781	RH-1(D)	40	form-based			true	0.7	15	1.153846145	14	14	19404	17860	17860	1.12
6917	008	6989	0.16	3580	1	65	100	3	16	15	20967	17387	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19569.19922	15989.19922	15989.19922	0.933333
6917	009	7326	0.17	1530	1	65	100	3	17	16	21978	20448	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20512.79883	18982.79883	18982.79883	0.933333
6917A	018	7288	0.17	1833	1	55	80	2.5	14	13	18220	16387	RH-1(D)	40	form-based			true	0.7	15	1.071428537	14	14	20406.40039	18573.40039	18573.40039	1.12
6918	001	7142	0.16	2850	1	65	100	3	16	15	21426	18576	RH-1(D)	40	form-based		true	true	0.7	15	0.9375	14	14	19997.59961	17147.59961	17147.59961	0.933333
6920	024	7220	0.17	2700	1	65	100	3	17	16	21660	18960	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20216	17516	17516	0.933333
6920	025	6950	0.16	2859	1	65	100	3	16	15	20850	17991	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19460	16601	16601	0.933333
6920	026	7073	0.16	2400	1	65	100	3	16	15	21219	18819	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19804.40039	17404.40039	17404.40039	0.933333
6921	024	7098	0.16	2552	1	65	100	3	16	15	21294	18742	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19874.40039	17322.40039	17322.40039	0.933333
6921	027	7082	0.16	1529	1	65	100	3	16	15	21246	19717	RH-1(D)	40	form-based		true	true	0.7	15	0.9375	14	14	19829.59961	18300.59961	18300.59961	0.933333
6922	001	7114	0.16	2190	1	65	100	3	16	15	21342	19152	RH-1(D)	40	form-based		true	true	0.7	15	0.9375	14	14	19919.19922	17729.19922	17729.19922	0.933333
6923	007	7069	0.16	1320	1	65	100	3	16	15	21207	19887	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19793.19922	18473.19922	18473.19922	0.933333
6923	022	7259	0.17	1275	1	65	100	3	17	16	21777	20502	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20325.19922	19050.19922	19050.19922	0.933333
6924	008	7258	0.17	1882	1	65	100	3	17	16	21774	19892	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20322.40039	18440.40039	18440.40039	0.933333
6924	010	7031	0.16	2030	1	65	100	3	16	15	21093	19063	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19686.79883	17656.79883	17656.79883	0.933333
6931	007	7025	0.16	1650	1	55	80	2.5	13	12	17562	15912	RH-1(D)	40	form-based		true	true	0.7	15	1.153846145	14	14	19670	18020	18020	1.120032
6932	010	7255	0.17	1753	1	65	100	3	17	16	21765	20012	RH-1(D)	40	form-based			true	0.7	15	0.882352948	14	14	20314	18561	18561	0.933333
6932	024	6995	0.16	1334	1	65	100	3	16	15	20985	19651	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19586	18252	18252	0.933333
6936	012	3047	0.07	2650	2	85	140	4	10	8	12188	9538	NCT-OCEA	85	form-based			true	0.75	16	1.600000024	14	14	18282	15632	15632	1.5
6936	018	2715	0.06	8308	0	85	140	4	8	8	10860	2552	NCT-OCEA	85	form-based			true	0.75	14	1.75	14	14	16290	7982	7982	1.5
6940	038	6704	0.15	5537	0	65	100	3	15	15	20112	14575	RH-1	40	form-based			true	0.7	14	0.933333337	14	14	18771.19922	13234.19922	13234.19922	0.933333
6941	060	2629	0.06	3640	0	85	140	4	8	8	10516	6876	NCT-OCEA	85	form-based			true	0.75	14	1.75	14	14	15774	12134	12134	1.5
6944	040	2723	0.06	0	0	85	140	4	8	8	10892	10892	NCT-OCEA	85	form-based			true	0.75	14	1.75	14	14	16338	16338	16338	1.5
6946	033	2805	0.06	850	1	65	100	3	6	5	8415	7565	NCT-OCEA	85	form-based			true	0.75	15	2.5	14	11	16830	15980	15980	2
6946	035	2801	0.06	1165	1	65	100	3	6	5	8403	7238	NCT-OCEA	85	form-based			true	0.75	15	2.5	14	11	16806	15641	15641	2
6946	037	2797	0.06	1069	1	65	100	3	6	5	8391	7322	NCT-OCEA	85	form-based			true	0.75	15	2.5	14	11	16782	15713	15713	2
6947	001C	2787	0.06	1345	1	85	140	4	8	7	11148	9803	NCT-OCEA	85	form-based			true	0.75	15	1.875	14	14	16722	15377	15377	1.5
6959	028	8192	0.19	14228	0	55	80	2.5	15	15	20480	6252	NCD-EXCE	40	density-lin	600	true		0.75	14	0.933333337	14	14	24576	10348	10348	1.2
6964	012	2784	0.06	900	1	85	140	4	8	7	11136	10236	NCT-1	85	form-based			true	0.75	15	1.875	14	14	16704	15804	15804	1.5
7029A	025	8348	0.19	1596	0	65	100	3	19	19	25044	23448	NCD-EXCE	40	density-lin	600	true		0.75	14	0.736842096	14	14	25044	23448	23448	1
7203	012A	4001	0.09	2781	1	65	100	3	9	8	12003	9222	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18004.5	15223.5	15223.5	1.5
7204	012A	4000	0.09	2975	1	65	100	3	9	8	12000	9025	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	15025	15025	1.5
7205	001A	4018	0.09	2612	1	65	100	3	9	8	12054	9442	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18081	15469	15469	1.5
7207	001A	4008	0.09	2224	1	55	80	2.5	7	6	10020	7796	RTO-C	65	form-based			true	0.75	15	2.142857075	14	13	18036	15812	15812	1.8
7208	001A	4036	0.09	2176	1	55	80	2.5	7	6	10090	7914	RTO-C	65	form-based			true	0.75	15	2.142857075	14	13	18162	15986	15986	1.8
7208	012A	4000	0.09	2695	1	55	80	2.5	7	6	10000	7305	RTO-C	65	form-based			true	0.75	15	2.142857075	14	13	18000	15305	15305	1.8
7209	001A	3986	0.09	2102	1	55	80	2.5	7	6	9965	7863	RTO-C	65	form-based			true	0.75	15	2.142857075	14	13	17937	15835	15835	1.8
7212	005A	4000	0.09	1890	1	55	80	2.5	7	6	10000	8110	RTO-C	65	form-based			true	0.75	15	2.142857075	14	13	18000	16110	16110	1.8
7214	004A	3991	0.09	2024	1	55	80	2.5	7	6	9978	7954	RTO-C	65	form-based			true	0.75	15	2.142857075	14	13	17959.5	15935.5	15935.5	1.79991
7214	005	4130	0.09	2505	1	55	80	2.5	7	6	10325	7820	RTO-C	65	form-based		true	true	0.75	15	2.142857075	14	13	18585	16080	16080	1.8
7215	004A	4019	0.09	1890	1	65	100	3	9	8	12057	10167	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18085.5	16195.5	16195.5	1.5
7215	005A	4000	0.09	2376	1	65	100	3	9	8	12000	9624	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	15624	15624	1.5
7218	006A	4000	0.09	2103	1	65	100	3	9	8	12000	9897	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	15897	15897	1.5
7218	006B	4000	0.09	2445	1	65	100	3	9	8	12000	9555	RTO-C	65	form-based			true	0.75	15	1.666666627	14	14	18000	15555	15555	1.5
7219	004B	3310	0.08	2068	3	65	100	3	8	5	9930	7862	RTO-C	85	form-based			true	0.75	17	2.125	14	13	19860	17792	17792	2
7223	003	2579	0.06	2081	0	85	140	4	8	8	10316	8235	NCD-LAKE	85	form-based			true	0.75	14	1.75	14	14	15474	13393	13393	1.5
7226	003	2822	0.06	1721	1	85	140	4	8	7	11288	9567	RTO-C	85	form-based			true	0.75	15	1.875	14	14	16932	15211	15211	1.5
7226	004	2813	0.06	1550	1	85	140	4	8	7	11252	9702	RTO-C	85	form-based			true	0.75	15	1.875	14	14	16878	15328	15328	1.5
7226	005	2805	0.06	1146	1	85	140	4	8	7	11220	10074	RTO-C	85	form-based			true	0.75	15	1.875	14	14	16830	15684	15684	1.5
7231	001	7101	0.16	1918	1	65	100	3	16	15	21303	19385	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19882.79883	17964.79883	17964.79883	0.933333
7232	001	7356	0.17	2755	1	65	100	3	17	16	22068	19313	RH-1(D)	40	form-based		true	true	0.7	15	0.882352948	14	14	20596.79883	17841.79883	17841.79883	0.933333
7233	002H	6948	0.16	2254	1	65	100	3	16	15	20844	18590	RH-1(D)	40	form-based			true	0.7	15	0.9375	14	14	19454.40039	17200.40039	17200.40039	0.933333
7538	004	6957	0.16	1670	1	55	80	2.5	13	12	17392	15722	RH-1	40	form-based			true	0.7	15	1.153846145	14	14	19479.59961	17809.59961	17809.59961	1.120032
7548	032	7129	0.16	1227	1	75	120	3.5	19	18	24952	23725	RH-1	40	form-based			true	0.7	15	0.789473712	14	14	19961.19922	18734.19922	18734.19922	0.799984
0013	001	3275	0.08	3281	0	65	100	3	8	8	9825	6544	C-2	65	form-based		true	true	0.8	13	1.625	13	13	15720	12439	12439	1.6
0025	017	3644	0.08	2200	2	65	100	3	8	6	10932	8732	C-2	65	form-based			true	0.8	15	1.875	13	13	17491.20117	15291.20117	15291.20117	1.6
0041	002	2750	0.06	4288	2	65	100	3	6	4	8250	3962	C-2	85	form-based			true	0.8	15	2.5	13	10	17600	13312	12212	2.133333
0043	005	3276	0.08	8847	0	65	100	3	8	8	9828	981	C-2	65	form-based		true	true	0.8	13	1.625	13	13	15724.7998	6877.799805	6877.799805	1.6
0045	005	6001	0.14	3721	0	65	100	3	14	14	18003	14282	RH-1(D)	40	form-based			true	0.7	13	0.928571403	13	13	16802.79883	13081.79883	13081.79883	0.933333
0045	042	6614	0.15	4132	1	65	100	3	15	14	19842	15710	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18519.19922	14387.19922	14387.19922	0.933333
0045	091	9192	0.21	1362	6	65	100	3	21	15	27576	26214	RH-3	40	form-based			true	0.7	19	0.90476191	13	13	25737.59961	24375.59961	24375.59961	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0048	011	6228	0.14	7140	0	55	80	2.5	11	11	15570	8430	RH-1(D)	40	form-based		true	true	0.7	13	0.181818128	13	13	17438.40039	10298.40039	10298.40039	1.12
0051	002	5002	0.11	15783	2	65	100	3	11	9	15006	0	NCD-NORT	50	form-based		true	true	0.75	15	1.363636374	13	13	18757.5	2974.5	2974.5	1.25
0052	023	5487	0.13	5900	1	65	100	3	13	12	16461	10561	NCD-NORT	40	density-lim	400			0.75	14	1.076923132	13	13	16461	10561	10561	1
0068	025	5695	0.13	3746	3	55	80	2.5	10	7	14238	10492	RH-3	50	form-based		true	true	0.7	16	1.600000024	13	13	19932.5	16186.5	16186.5	1.399951
0068	040	5936	0.14	1446	4	55	80	2.5	11	7	14840	13394	RH-3	50	form-based		true	true	0.7	17	1.545454502	13	13	20776	19330	19330	1.4
0089	048	6306	0.14	14410	0	55	80	2.5	11	11	15765	1355	RM-1	40	form-based			true	0.7	13	1.181818128	13	13	17656.79883	3246.798828	3246.798828	1.12
0105	088	7630	0.18	752	3	55	80	2.5	14	11	19075	18323	RH-3	40	form-based		true	true	0.7	16	1.142857194	13	13	21364	20612	20612	1.12
0113	040	12595	0.29	0	0	65	100	3	29	29	37785	37785	RH-3	84	density-lim	1000			0.7	13	0.448275864	13	13	70532	70532	70532	1.866667
0115	020	9451	0.22	16327	11	55	80	2.5	18	7	23628	7301	NCD-NORT	40	density-lim	400			0.75	24	1.333333373	13	13	28353	12026	12026	1.199975
0122	025	5415	0.12	9123	6	55	80	2.5	10	4	13538	4415	RH-3	65	form-based			true	0.7	19	1.899999976	13	13	22743	13620	13620	1.679938
0130	025	5111	0.12	2924	0	55	80	2.5	10	10	12778	9854	NCD-NORT	40	density-lim	400			0.75	13	1.299999952	13	13	15333	12409	12409	1.199953
0147	002	6054	0.14	16774	2	65	100	3	14	12	18162	1388	NCD-NORT	40	density-lim	400			0.75	15	1.071428537	13	13	18162	1388	1388	1
0162	005	8193	0.19	17988	7	65	100	3	19	12	24579	6591	NCD-BROA	65	density-lim	400			0.75	20	1.052631617	13	13	36868.5	18880.5	18880.5	1.5
0164	031	10284	0.24	31500	0	65	100	3	24	24	30852	0	C-2	65	density-lim	800	true		0.8	13	0.541666687	13	13	49363.19922	17863.19922	17863.19922	1.6
0174	006	3151	0.07	11220	0	65	100	3	7	7	9453	0	C-2	65	form-base	800			0.8	13	1.857142806	13	13	15124.7998	3904.799805	3904.799805	1.6
0174	007	3151	0.07	9000	0	65	100	3	7	7	9453	453	C-2	65	form-base	800			0.8	13	1.857142806	13	13	15124.7998	6124.799805	6124.799805	1.6
0183	004	5603	0.13	1472	1	55	80	2.5	10	9	14008	12536	RM-3	65	density-lim	400			0.75	14	1.399999976	13	13	25213.5	23741.5	23741.5	1.799936
0187	013	3416	0.08	0	0	55	80	2.5	6	6	8540	8540	RM-3	65	form-based			true	0.75	13	2.166666746	13	12	15372	15372	15372	1.8
0194	016	4407	0.1	7599	9	65	100	3	10	1	13221	5622	CVR	50	density-lim	200			0.75	22	2.200000048	13	11	16526.25	8927.25	8927.25	1.25
0196	024	10590	0.24	30318	0	65	100	3	24	24	31770	1452	C-2	65	density-lim	800	true		0.8	13	0.541666687	13	13	50832	20514	20514	1.6
0209	011	2506	0.06	7392	0	65	100	3	6	6	7518	126	CVR	50	density-lim	200			0.75	13	2.166666746	13	12	9397.5	2005.5	2005.5	1.25
0210	002	2675	0.06	3270	0	65	100	3	6	6	8025	4755	CVR	50	density-lim	200			0.75	13	2.166666746	13	12	10031.25	6761.25	6761.25	1.25
0213	014	4263	0.1	5662	3	65	100	3	10	7	12789	7127	RM-3	65	form-based			true	0.75	16	1.600000024	13	13	19183.5	13521.5	13521.5	1.5
0218	027	5034	0.12	1600	6	65	100	3	12	6	15102	13502	RM-3	65	form-based			true	0.75	19	1.583333373	13	13	22653	21053	21053	1.5
0219	004	7701	0.18	22828	16	55	80	2.5	14	0	19252	0	RM-3	65	form-based		true	true	0.75	29	2.071428537	13	12	34654.5	11826.5	11826.5	1.800047
0219	006A	4651	0.11	4880	4	55	80	2.5	9	5	11628	6748	RM-3	65	form-based		true	true	0.75	17	1.888888836	13	13	20929.5	16049.5	16049.5	1.799923
0223	066	3203	0.07	5046	3	65	100	3	7	4	9609	4563	RM-4	105	density-lim	200			0.75	16	2.285714388	13	11	28827	23781	14172	3
0225	008	2671	0.06	9723	0	65	100	3	6	6	8013	0	CRNC	50	density-lim	200	true		0.75	13	2.166666746	13	12	10016.25	293.25	293.25	1.25
0225	001	2529	0.06	7578	0	65	100	3	6	6	7587	9	CVR	50	density-lim	200	true		0.75	13	2.166666746	13	12	9483.75	1905.75	1905.75	1.25
0225	031	2529	0.06	11490	0	65	100	3	6	6	7587	0	CVR	50	density-lim	200			0.75	13	2.166666746	13	12	9483.75	0	0	1.25
0226	002	2676	0.06	7896	0	65	100	3	6	6	8028	132	CCB	50	density-lim	200	true		0.75	13	2.166666746	13	12	10035	2139	2139	1.25
0227	013	2678	0.06	9900	0	65	100	3	6	6	8034	0	CCB	50	density-lim	200			0.75	13	2.166666746	13	12	10042.5	142.5	142.5	1.25
0227	017	2628	0.06	5192	0	65	100	3	6	6	7884	2692	CCB	50	density-lim	200			0.75	13	2.166666746	13	12	9855	4663	4663	1.25
0227	022	2540	0.06	2350	0	65	100	3	6	6	7620	5270	CCB	50	density-lim	200	true		0.75	13	2.166666746	13	12	9525	7175	7175	1.25
0227	027	2526	0.06	7057	0	65	100	3	6	6	7578	521	CCB	50	density-lim	200			0.75	13	2.166666746	13	12	9472.5	2415.5	2415.5	1.25
0228	028	2767	0.06	24250	0	65	100	3	6	6	8301	0	C-3-O	75	form-based		true		0.8	13	2.166666746	13	12	15495.2002	0	0	1.866667
0247	036	3448	0.08	0	0	55	80	2.5	6	6	8620	8620	RM-4	65	form-based			true	0.75	13	2.166666746	13	12	15516	15516	15516	1.8
0249	003	4575	0.11	6400	4	55	80	2.5	9	5	11438	5038	RM-3	65	form-based			true	0.75	17	1.888888836	13	13	20587.5	14187.5	14187.5	1.799921
0251	019	1834	0.04	4076	4	55	80	2.5	3	0	4585	509	NCD-POLK	120	form-based			true	0.75	17	5.666666508	13	2	16506	12430	5094	3.6
0270	003	1408	0.03	4287	0	75	120	3.5	4	4	4928	641	C-3-O	130	form-based				0.8	13	3.25	13	8	12672	8385	5569	2.571429
0288	008	1431	0.03	5175	0	75	120	3.5	4	4	5008	0	C-3-O	250	form-based				0.8	13	3.25	13	8	12879	7704	4841	2.571685
0291	002	1498	0.03	5604	0	85	140	4	4	4	5992	388	C-3-O	300	form-based				0.8	13	3.25	13	8	13482	7878	6380	2.25
0292	005	1420	0.03	0	0	75	120	3.5	4	4	4970	4970	C-3-O	250	form-based		true		0.8	13	3.25	13	8	12780	12780	9940	2.571429
0294	010	1412	0.03	7413	0	65	100	3	3	3	4236	0	C-3-R	130	form-based				0.8	13	4.333333492	13	6	12708	5295	1059	3
0300	212	3358	0.08	1104	4	65	100	3	8	4	10074	8970	RC-4	80	density-lim	200			0.75	17	2.125	13	12	20148	19044	19044	2
0300	231	3281	0.08	10624	3	65	100	3	8	5	9843	0	RC-4	80	density-lim	200	true		0.75	16	2	13	13	19686	9062	9062	2
0305	002	2673	0.06	9609	0	85	140	4	8	8	10692	1083	RC-4	130	density-lim	200			0.75	13	1.625	13	13	24057	14448	11775	2.25
0315	007	1488	0.03	0	0	85	140	4	4	4	5952	5952	C-3-G	130	form-based				0.8	13	3.25	13	8	13392	13392	11904	2.25
0339	004	3104	0.07	9038	3	75	120	3.5	8	5	10864	1826	RC-4	120	density-lim	200			0.75	16	2	13	13	27936	18898	12690	2.571429
0348	024	2300	0.05	6180	0	75	120	3.5	6	6	8050	1870	C-3-G	80	form-based				0.8	13	2.166666746	13	12	14720	8540	8540	1.828571
0351	033	2382	0.05	4800	0	85	140	4	7	7	9528	4728	C-3-G	80	form-based		true		0.8	13	1.857142806	13	13	15244.7998	10444.7998	10444.7998	1.6
0494	016	3844	0.09	3607	1	55	80	2.5	7	6	9610	6003	RTO-C	65	form-based			true	0.75	14	2	13	13	17298	13691	13691	1.8
0497	009B	6808	0.16	12865	13	65	100	3	16	3	20424	7559	RTO-C	65	form-based			true	0.75	26	1.625	13	13	30636	17771	17771	1.5
0498	010	3000	0.07	9263	14	65	100	3	7	0	9000	0	RC-3	140	form-based		true	true	0.75	27	3.857142925	13	0	27000	17737	8737	3
0502	007	4750	0.11	4048	4	65	100	3	11	7	14250	10202	RH-3	65	form-based			true	0.7	17	1.545454502	13	13	19950	15902	15902	1.4
0503	097	1400	0.03	0	0	65	100	3	3	3	4200	4200	RC-3	140	form-based			true	0.75	13	4.333333492	13	6	12600	12600	8400	3
0505	017	1519	0.03	3628	1	65	100	3	3	2	4557	929	NC-3	140	form-based			true	0.75	14	4.666666508	13	5	13671	10043	5486	3
0506	033	1706	0.04	2500	2	55	80	2.5	3	1	4265	1765	NC-3	140	form-based			true	0.75	15	5	13	4	15354	12854	6030	3.6
0507	031	2671	0.06	1010	1	55	80	2.5	5	4	6678	5668	NC-3	85	form-based			true	0.75	14	2.799999952	13	9	16026	15016	12346	2.39982
0521	002	3170	0.07	4534	4	65	100	3	7	3	9510	4976	RTO-C	85	form-based			true	0.75	17	2.428571463	13	10	19020	14486	14486	2
0521	008	3875	0.09	7325	7	65	100	3	9	2	11625	4300	RTO-C	85	form-based			true	0.75	20	2.222222328	13	11	23250	15925	15925	2
0523	014A	5122	0.12	22450	33	65	100	3	12	0	15366	0	RC-3	140	form-based		true	true	0.75	46	3.833333254	13	0	46098	23648	8282	3
0523	065	3693	0.08	1143	6	65	100	3	8	2	11079	9936	RM-3	85	form-based			true	0.75	19	2.375	13	10	22158	21015	21015	2
0524	009	3993	0.09	10600	7	65	100	3	9	2	11979	1379	RH-3	85	form-based		true	true	0.7	20	2.222222328	13	11	22360.79883	11760.79883	11760.79883	1.866667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0524	046	3457	0.08	1407	4	65	100	3	8	4	10371	8964	RH-2	85	form-based			true	0.7	17	2.125	13	12	19359.19922	17952.19922	17952.19922	1.866667
0525	068	3125	0.07	2589	2	65	100	3	7	5	9375	6786	RH-2	85	form-based			true	0.7	15	2.142857075	13	12	17500	14911	14911	1.866667
0526	004	2516	0.06	2700	0	65	100	3	6	6	7548	4848	NCD-POLK	85	form-based			true	0.75	13	2.166666746	13	12	15096	12396	12396	2
0527	020	2766	0.06	3667	2	65	100	3	6	4	8298	4631	RTO-C	85	form-based			true	0.75	15	2.5	13	10	16596	12929	12929	2
0527	021C	3414	0.08	4390	5	65	100	3	8	3	10242	5852	RTO-C	85	form-based			true	0.75	18	2.25	13	11	20484	16094	16094	2
0527	023	3451	0.08	5710	5	65	100	3	8	3	10353	4643	RTO-C	85	form-based			true	0.75	18	2.25	13	11	20706	14996	14996	2
0527	024	5870	0.13	1436	9	65	100	3	13	4	17610	16174	NCD-UNIO	65	form-based			true	0.75	22	1.692307711	13	13	26415	24979	24979	1.5
0528	005	4399	0.1	4970	3	65	100	3	10	7	13197	8227	NCD-UNIO	65	form-based			true	0.75	16	1.600000024	13	13	19795.5	14825.5	14825.5	1.5
0528	012	2677	0.06	1928	1	65	100	3	6	5	8031	6103	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16062	14134	14134	2
0528	018	3713	0.09	5736	6	65	100	3	9	3	11139	5403	RTO-C	85	form-based			true	0.75	19	2.111111164	13	12	22278	16542	16542	2
0528	036	3292	0.08	837	4	65	100	3	8	4	9876	9039	RTO-C	85	form-based			true	0.75	17	2.125	13	12	19752	18915	18915	2
0529	004	3437	0.08	8446	0	65	100	3	8	8	10311	1865	NCD-UNIO	65	form-based			true	0.75	13	1.625	13	13	15466.5	7020.5	7020.5	1.5
0530	012	4125	0.09	4696	2	55	80	2.5	7	5	10312	5616	NCD-UNIO	65	form-based			true	0.75	15	2.142857075	13	12	18562.5	13866.5	13866.5	1.800087
0531	007	3431	0.08	3862	0	55	80	2.5	6	6	8578	4716	NCD-UNIO	65	form-based			true	0.75	13	2.166666746	13	12	15439.5	11577.5	11577.5	1.799895
0531	008	3431	0.08	4442	0	55	80	2.5	6	6	8578	4136	NCD-UNIO	65	form-based			true	0.75	13	2.166666746	13	12	15439.5	10997.5	10997.5	1.799895
0531	010	3431	0.08	6463	0	55	80	2.5	6	6	8578	2115	NCD-UNIO	65	form-based			true	0.75	13	2.166666746	13	12	15439.5	8976.5	8976.5	1.799895
0543	026	3447	0.08	3184	0	55	80	2.5	6	6	8618	5434	NCD-UNIO	65	form-based			true	0.75	13	2.166666746	13	12	15511.5	12327.5	12327.5	1.799896
0543	028	3448	0.08	2500	0	55	80	2.5	6	6	8620	6120	NCD-UNIO	65	form-based			true	0.75	13	2.166666746	13	12	15516	13016	13016	1.8
0544	015	3355	0.08	5500	0	65	100	3	8	8	10065	4565	NCD-UNIO	65	form-based			true	0.75	13	1.625	13	13	15097.5	9597.5	9597.5	1.5
0546	011	3814	0.09	7944	7	65	100	3	9	2	11442	3498	RTO-C	85	form-based			true	0.75	20	2.222222328	13	11	22884	14940	14940	2
0546	012B	2952	0.07	3850	2	65	100	3	7	5	8856	5006	RTO-C	85	form-based			true	0.75	15	2.142857075	13	12	17712	13862	13862	2
0546	055	3815	0.09	589	7	65	100	3	9	2	11445	10856	RTO-C	85	form-based			true	0.75	20	2.222222328	13	11	22890	22301	22301	2
0547	002A	4045	0.09	12100	8	65	100	3	9	1	12135	35	NCD-POLK	85	form-based			true	0.75	21	2.333333254	13	10	24270	12170	12170	2
0549	008	3000	0.07	4740	2	65	100	3	7	5	9000	4260	RH-3	85	form-based			true	0.7	15	2.142857075	13	12	16800	12060	12060	1.866667
0549	029	2738	0.06	2100	0	65	100	3	6	6	8214	6114	RH-3	85	form-based			true	0.7	13	2.166666746	13	12	15332.7998	13232.7998	13232.7998	1.866667
0550	006	2535	0.06	2040	0	65	100	3	6	6	7605	5565	NCD-POLK	85	form-based	true		true	0.75	13	2.166666746	13	12	15210	13170	13170	2
0550	007	2535	0.06	1970	0	65	100	3	6	6	7605	5635	NCD-POLK	85	form-based			true	0.75	13	2.166666746	13	12	15210	13240	13240	2
0550	008	2535	0.06	2340	0	65	100	3	6	6	7605	5265	NCD-POLK	85	form-based			true	0.75	13	2.166666746	13	12	15210	12870	12870	2
0550	035	2899	0.07	1702	2	65	100	3	7	5	8697	6995	RTO-C	85	form-based			true	0.75	15	2.142857075	13	12	17394	15692	15692	2
0551	021	3275	0.08	830	4	65	100	3	8	4	9825	8995	RTO-C	85	form-based			true	0.75	17	2.125	13	12	19650	18820	18820	2
0552	046	3034	0.07	2053	3	65	100	3	7	4	9102	7049	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18204	16151	16151	2
0553	014B	3485	0.08	4877	5	65	100	3	8	3	10455	5578	RTO-C	85	form-based			true	0.75	18	2.25	13	11	20910	16033	16033	2
0553	015	3577	0.08	6681	6	65	100	3	8	2	10731	4050	RTO-C	85	form-based			true	0.75	19	2.375	13	10	21462	14781	14781	2
0554	016	2325	0.05	1921	8	55	80	2.5	4	0	5812	3891	RTO-C	105	form-based	true		true	0.75	21	5.25	13	0	20925	19004	9703	3.60031
0555	016A	6875	0.16	10519	1	55	80	2.5	13	12	17188	6669	RH-2	40	form-based	true		true	0.7	14	1.076923132	13	13	19250	8731	8731	1.119967
0557	024	8270	0.19	2400	4	55	80	2.5	15	11	20675	18275	RH-2	40	form-based			true	0.7	17	1.133333325	13	13	23156	20756	20756	1.12
0561	005	6862	0.16	5725	1	55	80	2.5	13	12	17155	11430	RH-1	40	form-based			true	0.7	14	1.076923132	13	13	19213.59961	13488.59961	13488.59961	1.12
0564	023	8442	0.19	8734	5	55	80	2.5	15	10	21105	12371	RH-2	40	form-based			true	0.7	18	1.200000048	13	13	23637.59961	14903.59961	14903.59961	1.12
0566	010	4469	0.1	5997	4	55	80	2.5	8	4	11172	5175	RTO-C	65	form-based			true	0.75	17	2.125	13	12	20110.5	14113.5	14113.5	1.800081
0569	003	3584	0.08	6444	6	65	100	3	8	2	10752	4308	RTO-C	85	form-based			true	0.75	19	2.375	13	10	21504	15060	15060	2
0569	014	2587	0.06	2729	1	65	100	3	6	5	7761	5032	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	15522	12793	12793	2
0569	015	2588	0.06	3609	1	65	100	3	6	5	7764	4155	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	15528	11919	11919	2
0580	016	7089	0.16	2745	14	55	80	2.5	13	0	17722	14977	RTO-C	65	form-based			true	0.75	27	2.076923132	13	12	31900.5	29155.5	29155.5	1.800051
0580	019	3710	0.09	4758	1	55	80	2.5	7	6	9275	4517	RTO-C	65	form-based			true	0.75	14	2	13	13	16695	11937	11937	1.8
0582	020	6942	0.16	7425	2	55	80	2.5	13	11	17355	9930	RH-1	40	form-based			true	0.7	15	1.153846145	13	13	19437.59961	12012.59961	12012.59961	1.12
0582	025	6770	0.16	10467	1	55	80	2.5	13	12	16925	6458	RH-1	40	form-based			true	0.7	14	1.076923132	13	13	18956	8489	8489	1.12
0583	017	6512	0.15	5924	1	55	80	2.5	12	11	16280	10356	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18233.59961	12309.59961	12309.59961	1.12
0596	016	3192	0.07	3525	3	65	100	3	7	4	9576	6051	RM-1	85	form-based			true	0.7	16	2.285714388	13	11	17875.19922	14350.19922	14350.19922	1.866667
0599	011A	2902	0.07	7338	13	65	100	3	7	0	8706	1368	RTO-C	240	form-based			true	0.75	26	3.714285612	13	1	26118	18780	10074	3
0604	018	6390	0.15	7163	0	55	80	2.5	12	12	15975	8812	RH-2	40	form-based			true	0.7	13	1.083333373	13	13	17892	10729	10729	1.12
0604	030	6458	0.15	4132	1	55	80	2.5	12	11	16145	12013	RH-2	40	form-based			true	0.7	14	1.166666627	13	13	18082.40039	13950.40039	13950.40039	1.12
0617	001	1755	0.04	4554	3	65	100	3	4	1	5265	711	RTO-C	140	form-based	true		true	0.75	16	4	13	5	15795	11241	5976	3
0620	016	2520	0.06	1298	0	65	100	3	6	6	7560	6262	NCD-POLK	85	form-based			true	0.75	13	2.166666746	13	12	15120	13822	13822	2
0620	021	3870	0.09	7347	6	65	100	3	9	3	11610	4263	RM-2	85	form-based			true	0.7	19	2.111111164	13	12	21672	14325	14325	1.866667
0621	018	3540	0.08	5370	6	65	100	3	8	2	10620	5250	RM-3	85	form-based			true	0.75	19	2.375	13	10	21240	15870	15870	2
0621	020	4920	0.11	10215	13	65	100	3	11	0	14760	4545	RM-3	85	form-based			true	0.75	26	2.363636255	13	9	29520	19305	19305	2
0623	004	5623	0.13	25284	38	65	100	3	13	0	16869	0	RTO-C	240	form-based			true	0.75	51	3.923076868	13	0	50607	25323	8454	3
0629	020	4671	0.11	7375	5	65	100	3	11	6	14013	6638	NCD-UPPE	65	form-based			true	0.75	18	1.636363626	13	13	21019.5	13644.5	13644.5	1.5
0630	001	3444	0.08	3565	0	65	100	3	8	8	10332	6767	NCD-UPPE	65	form-based	true		true	0.75	13	1.625	13	13	15498	11933	11933	1.5
0630	032	3762	0.09	4605	1	65	100	3	9	8	11286	6681	NCD-UPPE	65	form-based			true	0.75	14	1.555555582	13	13	16929	12324	12324	1.5
0632	022	8777	0.2	1220	12	65	100	3	20	8	26331	25111	RM-2	50	form-based			true	0.7	25	1.25	13	13	30719.5	29499.5	29499.5	1.166667
0633	001E	3490	0.08	2450	5	85	140	4	11	6	13960	11510	RTO-C	85	form-based			true	0.75	18	1.636363626	13	13	20940	18490	18490	1.5
0633	001F	3507	0.08	2884	5	85	140	4	11	6	14028	11144	RTO-C	85	form-based			true	0.75	18	1.636363626	13	13	21042	18158	18158	1.5
0634	007	3100	0.07	2425	3	85	140	4	10	7	12400	9975	NCD-UPPE	85	form-based			true	0.75	16	1.600000024	13	13	18600	16175	16175	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0634	011A	3100	0.07	4050	3	85	140	4	10	7	12400	8350	NCD-UPPE	85	form-based			true	0.75	16	1.600000024	13	13	18600	14550	14550	1.5
0634	012	3320	0.08	3722	4	85	140	4	11	7	13280	9558	RTO-C	85	form-based			true	0.75	17	1.545454502	13	13	19920	16198	16198	1.5
0634	039	2880	0.07	1578	2	85	140	4	10	8	11520	9942	RTO-C	85	form-based			true	0.75	15	1.5	13	13	17280	15702	15702	1.5
0635	008	2919	0.07	1510	2	65	100	3	7	5	8757	7247	NCD-UPPE	85	form-based			true	0.75	15	2.142857075	13	12	17514	16004	16004	2
0637	009	3644	0.08	6100	6	65	100	3	8	2	10932	4832	RTO-C	85	form-based			true	0.75	19	2.375	13	10	21864	15764	15764	2
0638	002	4706	0.11	10953	12	55	80	2.5	9	0	11765	812	RTO-C	85	form-based		true	true	0.75	25	2.777777672	13	6	28236	17283	12577	2.4
0641	013	7272	0.17	3214	2	65	100	3	17	15	21816	18602	RH-2	40	form-based			true	0.7	15	0.882352948	13	13	20361.59961	17147.59961	17147.59961	0.933333
0654	002	6250	0.14	12074	10	65	100	3	14	4	18750	6676	NCD-UPPE	65	form-based			true	0.75	23	1.642857194	13	13	28125	16051	16051	1.5
0655	008	5878	0.13	0	0	65	100	3	13	13	17634	17634	NCD-UPPE	40	form-based			true	0.75	13	1	13	13	17634	17634	17634	1
0656	027	2402	0.06	4013	0	85	140	4	8	8	9608	5595	RTO-C	85	form-based			true	0.75	13	1.625	13	13	14412	10399	10399	1.5
0657	005	2650	0.06	2368	1	65	100	3	6	5	7950	5582	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	15900	13532	13532	2
0665	035	10450	0.24	28046	39	65	100	3	24	0	31350	3304	RM-4	80	density-lim	200			0.75	52	2.166666746	13	9	62700	34654	34654	2
0666	009	1490	0.03	1487	0	65	100	3	3	3	4470	2983	RC-4	350	form-based			true	0.75	13	4.333333492	13	6	13410	11923	7453	3
0666	011	1750	0.04	4521	3	65	100	3	4	1	5250	729	NC-3	350	form-based			true	0.75	16	4	13	5	15750	11229	5979	3
0666	012	1750	0.04	4350	3	65	100	3	4	1	5250	900	NC-3	350	form-based			true	0.75	16	4	13	5	15750	11400	6150	3
0666	015	1852	0.04	4242	4	65	100	3	4	0	5556	1314	NC-3	350	form-based			true	0.75	17	4.25	13	4	16668	12426	6870	3
0670	008	1400	0.03	2416	0	65	100	3	3	3	4200	1784	NCD-POLK	240	form-based			true	0.75	13	4.333333492	13	6	12600	10184	5984	3
0672	011	6758	0.16	11340	21	65	100	3	16	0	20274	8934	RM-4	80	density-lim	200			0.75	34	2.125	13	11	40548	29208	29208	2
0672	013	2950	0.07	2520	2	65	100	3	7	5	8850	6330	RM-4	80	density-lim	200			0.75	15	2.142857075	13	12	17700	15180	15180	2
0672	031	3195	0.07	2022	3	65	100	3	7	4	9585	7563	RM-4	80	density-lim	200			0.75	16	2.285714388	13	11	19170	17148	17148	2
0676	010	5156	0.12	0	0	65	100	3	12	12	15468	15468	RM-3	40	density-lim	400			0.75	13	1.083333373	13	13	15468	15468	15468	1
0688	007	2836	0.07	2750	1	65	100	3	7	6	8508	5758	RM-4	50	density-lim	200			0.75	14	2	13	13	10635	7885	7885	1.25
0694	016	3188	0.07	9300	16	65	100	3	7	0	9564	264	RC-4	240	form-based			true	0.75	29	4.142857075	13	0	28692	19392	9828	3
0701	005	5060	0.12	4554	0	85	140	4	17	17	20240	15686	NCD-JAPAI	50	density-lim	400			0.75	13	0.764705896	13	13	18975	14421	14421	0.9375
0712	001	65376	1.5	1099	150	85	140	4	210	60	261504	260405	RM-3	160	density-lim	400	true		0.55	163	0.77619046	13	13	431697.5938	430598.5938	430598.5938	1.650826
0732	027	1444	0.03	0	0	65	100	3	3	3	4332	4332	NCT-FILLM	130	form-based				0.75	13	4.333333492	13	6	12996	12996	8664	3
0742	003	11974	0.27	29925	47	65	100	3	27	0	35922	5997	RC-4	80	density-lim	200			0.75	60	2.222222328	13	7	71844	41919	41919	2
0763	010	2543	0.06	0	0	65	100	3	6	6	7629	7629	RC-4	130	density-lim	200	true		0.75	13	2.166666746	13	12	22887	22887	15258	3
0774	013	3781	0.09	5994	6	55	80	2.5	7	1	9452	3458	RM-4	40	density-lim	200			0.75	19	2.714285612	13	8	11343	5349	5349	1.200063
0780	001	3019	0.07	3562	2	55	80	2.5	6	4	7548	3986	RM-4	50	density-lim	200	true		0.75	15	2.5	13	10	11321.25	7759.25	7759.25	1.499901
0811	205	2725	0.06	16707	0	75	120	3.5	7	7	9538	0	C-3-G	70	form-based				0.8	13	1.857142806	13	13	15260	0	0	1.599916
0816	015	4328	0.1	8140	0	65	100	3	10	10	12984	4844	NCT-HAYE	50	form-based				0.75	13	1.299999952	13	13	16230	8090	8090	1.25
0822	012	6860	0.16	6720	1	55	80	2.5	13	12	17150	10430	RM-1	40	form-based			true	0.7	14	1.076923132	13	13	19208	12488	12488	1.12
0823	005	10588	0.24	12686	0	55	80	2.5	19	19	26470	13784	RM-1	40	density-lim	800	true		0.7	13	0.684210539	13	13	29646.40039	16960.40039	16960.40039	1.12
0833	002	2412	0.06	9580	0	65	100	3	6	6	7236	0	NCT-HAYE	85	form-based		true		0.75	13	2.166666746	13	12	14472	4892	4892	2
0836	002	1426	0.03	0	0	85	140	4	4	4	5704	5704	C-3-G	450	form-based			true	0.8	13	3.25	13	8	12834	12834	11408	2.25
0860	061	7808	0.18	14200	16	65	100	3	18	2	23424	9224	NCD-LOWI	65	form-based		true	true	0.75	29	1.611111164	13	13	35136	20936	20936	1.5
0875	011	3042	0.07	5640	3	65	100	3	7	4	9126	3486	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18252	12612	12612	2
0955	012	6875	0.16	6870	1	55	80	2.5	13	12	17188	10318	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19250	12380	12380	1.119967
0958	018	6830	0.16	3350	1	55	80	2.5	13	12	17075	13725	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19124	15774	15774	1.12
0958	020	6831	0.16	7388	1	55	80	2.5	13	12	17078	9690	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19126.79883	11738.79883	11738.79883	1.119967
0959	011	6875	0.16	7608	1	55	80	2.5	13	12	17188	9580	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19250	11642	11642	1.119967
0959	017	6633	0.15	7315	1	55	80	2.5	12	11	16582	9267	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18572.40039	11257.40039	11257.40039	1.120034
0961	002	6000	0.14	4299	0	55	80	2.5	11	11	15000	10701	RH-1(D)	40	form-based			true	0.7	13	1.181818128	13	13	16800	12501	12501	1.12
0961	023	6607	0.15	1440	1	55	80	2.5	12	11	16518	15078	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18499.59961	17059.59961	17059.59961	1.119966
0963	014	6777	0.16	4652	1	55	80	2.5	13	12	16942	12290	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	18975.59961	14323.59961	14323.59961	1.120033
0964	009A	6680	0.15	4770	1	55	80	2.5	12	11	16700	11930	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18704	13934	13934	1.12
0971	019	6448	0.15	3070	1	55	80	2.5	12	11	16120	13050	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18054.40039	14984.40039	14984.40039	1.12
0987	039	6671	0.15	5650	1	55	80	2.5	12	11	16678	11028	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18678.79883	13028.79883	13028.79883	1.119966
0994	006	6704	0.15	5115	1	55	80	2.5	12	11	16760	11645	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18771.19922	13656.19922	13656.19922	1.12
0994	011	6436	0.15	3638	1	55	80	2.5	12	11	16090	12452	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18020.79883	14382.79883	14382.79883	1.12
0994	017	6536	0.15	6068	1	55	80	2.5	12	11	16340	10272	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18300.79883	12232.79883	12232.79883	1.12
0995	004	6704	0.15	7704	1	65	100	3	15	14	20112	12408	RH-1	40	form-based			true	0.7	14	0.933333337	13	13	18771.19922	11067.19922	11067.19922	0.933333
0995	005	6704	0.15	5582	1	65	100	3	15	14	20112	14530	RH-1	40	form-based			true	0.7	14	0.933333337	13	13	18771.19922	13189.19922	13189.19922	0.933333
0998	002	6188	0.14	6424	0	65	100	3	14	14	18564	12140	RM-1	40	form-based			true	0.7	13	0.928571403	13	13	17326.40039	10902.40039	10902.40039	0.933333
1008	006	4562	0.1	5650	4	65	100	3	10	6	13686	8036	NCD-SACR	65	form-based			true	0.75	17	1.700000048	13	13	20529	14879	14879	1.5
1008	010	3511	0.08	4570	0	65	100	3	8	8	10533	5963	NCD-SACR	65	form-based			true	0.75	13	1.625	13	13	15799.5	11229.5	11229.5	1.5
1008	055	5561	0.13	1472	3	65	100	3	13	10	16683	15211	RM-1	50	form-based			true	0.7	16	1.230769277	13	13	19463.5	17991.5	17991.5	1.166667
1010	013	3511	0.08	1788	0	65	100	3	8	8	10533	8745	NCD-SACR	65	form-based			true	0.75	13	1.625	13	13	15799.5	14011.5	14011.5	1.5
1011	001	6507	0.15	3187	1	55	80	2.5	12	11	16268	13081	RH-1	40	form-based		true	true	0.7	14	1.166666627	13	13	18219.59961	15032.59961	15032.59961	1.119966
1011	016	5853	0.13	12705	9	55	80	2.5	10	1	14632	1927	NCD-SACR	65	form-based		true	true	0.75	22	2.200000048	13	11	26338.5	13633.5	13633.5	1.800061
1011	025A	6778	0.16	5278	1	55	80	2.5	13	12	16945	11667	RH-1	40	form-based			true	0.7	14	1.076923132	13	13	18978.40039	13700.40039	13700.40039	1.12
1016	005	2546	0.06	0	0	55	80	2.5	5	5	6365	6365	RTO-C	80	form-based		true	true	0.75	13	2.599999905	13	10	15276	15276	12730	2.4
1016	009	2481	0.06	0	0	55	80	2.5	5	5	6202	6202	RTO-C	80	form-based			true	0.75	13	2.599999905	13	10	14886	14886	12404	2.400193

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1017	004	3150	0.07	3656	4	55	80	2.5	6	2	7875	4219	RTO-C	85	form-based			true	0.75	17	2.833333254	13	8	18900	15244	12094	2.4
1019	070	3318	0.08	1225	4	65	100	3	8	4	9954	8729	RTO-C	85	form-based			true	0.75	17	2.125	13	12	19908	18683	18683	2
1020	002	3819	0.09	3910	1	65	100	3	9	8	11457	7547	RTO-C	65	form-based			true	0.75	14	1.555555582	13	13	17185.5	13275.5	13275.5	1.5
1022	023	4205	0.1	4006	3	65	100	3	10	7	12615	8609	NCD-SACR	65	form-based			true	0.75	16	1.600000024	13	13	18922.5	14916.5	14916.5	1.5
1025	014	3978	0.09	5952	8	85	140	4	13	5	15912	9960	NC-2	85	form-based			true	0.75	21	1.615384579	13	13	23868	17916	17916	1.5
1025	015	5304	0.12	13950	15	85	140	4	17	2	21216	7266	NC-2	85	form-based			true	0.75	28	1.647058845	13	13	31824	17874	17874	1.5
1027	008	2750	0.06	1840	1	65	100	3	6	5	8250	6410	NC-2	85	form-based			true	0.75	14	2.333333254	13	11	16500	14660	14660	2
1029	029	2750	0.06	2250	1	85	140	4	8	7	11000	8750	RTO-C	85	form-based			true	0.75	14	1.75	13	13	16500	14250	14250	1.5
1029	031	3780	0.09	3905	7	85	140	4	13	6	15120	11215	RTO-C	85	form-based			true	0.75	20	1.538461566	13	13	22680	18775	18775	1.5
1030	032	3439	0.08	7125	5	65	100	3	8	3	10317	3192	RTO-C	85	form-based			true	0.75	18	2.25	13	11	20634	13509	13509	2
1030	047	3013	0.07	3344	3	65	100	3	7	4	9039	5695	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18078	14734	14734	2
1031	027	5912	0.14	12015	18	65	100	3	14	0	17736	5721	RTO-C	85	form-based			true	0.75	31	2.214285612	13	10	35472	23457	23457	2
1036	040	2500	0.06	2123	0	55	80	2.5	5	5	6250	4127	NC-S	85	form-based			true	0.75	13	2.599999905	13	10	15000	12877	10377	2.4
1036	041	2500	0.06	2321	0	55	80	2.5	5	5	6250	3929	NC-S	85	form-based			true	0.75	13	2.599999905	13	10	15000	12679	10179	2.4
1036	042	2500	0.06	3170	0	55	80	2.5	5	5	6250	3080	NC-S	85	form-based			true	0.75	13	2.599999905	13	10	15000	11830	9330	2.4
1036	043	2500	0.06	3720	0	55	80	2.5	5	5	6250	2530	NC-S	85	form-based			true	0.75	13	2.599999905	13	10	15000	11280	8780	2.4
1037	025	6431	0.15	5370	1	65	100	3	15	14	19293	13923	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18006.79883	12636.79883	12636.79883	0.933333
1037	026	6433	0.15	6390	1	65	100	3	15	14	19299	12909	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18012.40039	11622.40039	11622.40039	0.933333
1039	040	3181	0.07	2890	4	55	80	2.5	6	2	7952	5062	RTO-C	85	form-based			true	0.75	17	2.833333254	13	8	19086	16196	13014	2.400151
1039	042	2719	0.06	3386	1	55	80	2.5	5	4	6798	3412	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16314	12928	10210	2.399823
1040	037	2773	0.06	2706	2	55	80	2.5	5	3	6932	4226	RTO-C	85	form-based			true	0.75	15	3	13	8	16638	13932	11158	2.400173
1050	019	3871	0.09	6078	7	65	100	3	9	2	11613	5535	NC-2	85	form-based			true	0.75	20	2.222222328	13	11	23226	17148	17148	2
1051	032	2500	0.06	2430	0	65	100	3	6	6	7500	5070	NC-3	85	form-based			true	0.75	13	2.166666746	13	12	15000	12570	12570	2
1063	008	6600	0.15	3210	1	65	100	3	15	14	19800	16590	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18480	15270	15270	0.933333
1064	024	2497	0.06	6895	0	65	100	3	6	6	7491	596	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	13	12	14982	8087	8087	2
1064	037	6703	0.15	2730	1	85	140	4	21	20	26812	24082	RH-1(D)	40	form-based			true	0.7	14	0.666666687	13	13	18768.40039	16038.40039	16038.40039	0.7
1064	038	6873	0.16	4370	1	65	100	3	16	15	20619	16249	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	19244.40039	14874.40039	14874.40039	0.933333
1064	046	6556	0.15	6578	1	65	100	3	15	14	19668	13090	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18356.79883	11778.79883	11778.79883	0.933333
1064	053	6696	0.15	2980	1	65	100	3	15	14	20088	17108	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18748.79883	15768.79883	15768.79883	0.933333
1081	009	1891	0.04	3844	4	85	140	4	6	2	7564	3720	RTO-C	140	form-based			true	0.75	17	2.833333254	13	8	17019	13175	11284	2.25
1082	014	9131	0.21	12270	19	65	100	3	21	2	27393	15123	RM-1	65	form-based	true		true	0.7	32	1.523809552	13	13	38350.19922	26080.19922	26080.19922	1.4
1085	005	2813	0.06	3300	2	65	100	3	6	4	8439	5139	RTO-C	85	form-based			true	0.75	15	2.5	13	10	16878	13578	13578	2
1085	006	2813	0.06	1160	2	65	100	3	6	4	8439	7279	RTO-C	85	form-based			true	0.75	15	2.5	13	10	16878	15718	15718	2
1085	009	2813	0.06	3158	2	65	100	3	6	4	8439	5281	RTO-C	85	form-based			true	0.75	15	2.5	13	10	16878	13720	13720	2
1085	016	2770	0.06	3100	2	65	100	3	6	4	8310	5210	RTO-C	85	form-based			true	0.75	15	2.5	13	10	16620	13520	13520	2
1085	017	2773	0.06	3300	2	65	100	3	6	4	8319	5019	RTO-C	85	form-based			true	0.75	15	2.5	13	10	16638	13338	13338	2
1085	018	2775	0.06	3300	2	65	100	3	6	4	8325	5025	RTO-C	85	form-based			true	0.75	15	2.5	13	10	16650	13350	13350	2
1085	019	2777	0.06	3300	2	65	100	3	6	4	8331	5031	RTO-C	85	form-based			true	0.75	15	2.5	13	10	16662	13362	13362	2
1085	043	2812	0.06	3375	2	65	100	3	6	4	8436	5061	NCD-GEAR	85	form-based			true	0.75	15	2.5	13	10	16872	13497	13497	2
1085	085	2768	0.06	1388	2	65	100	3	6	4	8304	6916	RTO-C	85	form-based			true	0.75	15	2.5	13	10	16608	15220	15220	2
1086	022	3106	0.07	4912	3	65	100	3	7	4	9318	4406	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18636	13724	13724	2
1086	032	3957	0.09	7474	8	65	100	3	9	1	11871	4397	RTO-C	85	form-based	true		true	0.75	21	2.333333254	13	10	23742	16268	16268	2
1087	004	2575	0.06	1150	1	85	140	4	8	7	10300	9150	RTO-C	85	form-based			true	0.75	14	1.75	13	13	15450	14300	14300	1.5
1087	021	2611	0.06	2655	1	85	140	4	8	7	10444	7789	RTO-C	85	form-based			true	0.75	14	1.75	13	13	15666	13011	13011	1.5
1087	039	2611	0.06	1632	1	85	140	4	8	7	10444	8812	RTO-C	85	form-based			true	0.75	14	1.75	13	13	15666	14034	14034	1.5
1088	001	3240	0.07	5005	4	65	100	3	7	3	9720	4715	NCD-GEAR	85	form-based	true		true	0.75	17	2.428571463	13	10	19440	14435	14435	2
1088	007	3000	0.07	3044	3	65	100	3	7	4	9000	5956	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	14956	14956	2
1088	021	3008	0.07	3630	3	65	100	3	7	4	9024	5394	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18048	14418	14418	2
1088	024	3007	0.07	4350	3	65	100	3	7	4	9021	4671	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18042	13692	13692	2
1088	026	3006	0.07	3080	3	85	140	4	10	7	12024	8944	RTO-C	85	form-based			true	0.75	16	1.600000024	13	13	18036	14956	14956	1.5
1088	031	2488	0.06	3025	0	85	140	4	8	8	9952	6927	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	14928	11903	11903	1.5
1088	036	4500	0.1	9180	11	65	100	3	10	0	13500	4320	RTO-C	85	form-based			true	0.75	24	2.400000095	13	9	27000	17820	17820	2
1088	040	3000	0.07	1909	3	65	100	3	7	4	9000	7091	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	16091	16091	2
1088	050	3000	0.07	1283	3	65	100	3	7	4	9000	7717	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	16717	16717	2
1088	075	3000	0.07	1587	3	65	100	3	7	4	9000	7413	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	16413	16413	2
1089	003	3000	0.07	2890	3	65	100	3	7	4	9000	6110	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	15110	15110	2
1089	018	3000	0.07	4050	3	65	100	3	7	4	9000	4950	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	13950	13950	2
1089	021	3000	0.07	3500	3	65	100	3	7	4	9000	5500	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	14500	14500	2
1089	032	3125	0.07	2046	3	65	100	3	7	4	9375	7329	NCD-GEAR	85	form-based			true	0.75	16	2.285714388	13	11	18750	16704	16704	2
1089	036	3000	0.07	1566	3	65	100	3	7	4	9000	7434	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	16434	16434	2
1090	002	3000	0.07	4766	3	85	140	4	10	7	12000	7234	RTO-C	85	form-based			true	0.75	16	1.600000024	13	13	18000	13234	13234	1.5
1090	003	3000	0.07	3696	3	85	140	4	10	7	12000	8304	RTO-C	85	form-based			true	0.75	16	1.600000024	13	13	18000	14304	14304	1.5
1090	033	3010	0.07	2050	3	65	100	3	7	4	9030	6980	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18060	16010	16010	2
1090	036	3010	0.07	826	3	65	100	3	7	4	9030	8204	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18060	17234	17234	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1090	048	3010	0.07	1393	3	65	100	3	7	4	9030	7637	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18060	16667	16667	2
1091	003	3000	0.07	5010	3	85	140	4	10	7	12000	6990	RTO-C	85	form-based			true	0.75	16	1.600000024	13	13	18000	12990	12990	1.5
1091	005	3000	0.07	3407	3	65	100	3	7	4	9000	5593	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	14593	14593	2
1091	008	3000	0.07	4700	3	65	100	3	7	4	9000	4300	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	13300	13300	2
1091	039	3000	0.07	1360	3	65	100	3	7	4	9000	7640	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	16640	16640	2
1092	025	3645	0.08	7080	6	65	100	3	8	2	10935	3855	RTO-C	85	form-based			true	0.75	19	2.375	13	10	21870	14790	14790	2
1100	107	9000	0.21	960	21	65	100	3	21	0	27000	26040	RTO-C	65	form-based			true	0.75	34	1.619047642	13	13	40500	39540	39540	1.5
1115	017	7304	0.17	4293	2	65	100	3	17	15	21912	17619	RH-1	40	form-based		true	true	0.7	15	0.882352948	13	13	20451.19922	16158.19922	16158.19922	0.933333
1116	014	6779	0.16	2902	1	65	100	3	16	15	20337	17435	RH-1	40	form-based			true	0.7	14	0.875	13	13	18981.19922	16079.19922	16079.19922	0.933333
1154	014	3150	0.07	3720	4	55	80	2.5	6	2	7875	4155	NCT-DIVIS/	85	form-based			true	0.75	17	2.833333254	13	8	18900	15180	12030	2.4
1155	067	3125	0.07	1026	3	55	80	2.5	6	3	7812	6786	NCT-DIVIS/	85	form-based			true	0.75	16	2.666666746	13	9	18750	17724	14598	2.400154
1156	004	3087	0.07	5205	3	55	80	2.5	6	3	7718	2513	NCT-DIVIS/	85	form-based			true	0.75	16	2.666666746	13	9	18522	13317	10231	2.399844
1168	015	3439	0.08	3810	5	55	80	2.5	6	1	8598	4788	RTO-C	85	form-based			true	0.75	18	3	13	7	20634	16824	13386	2.39986
1187	009B	2500	0.06	3610	0	55	80	2.5	5	5	6250	2640	RTO-C	85	form-based			true	0.75	13	2.599999905	13	10	15000	11390	8890	2.4
1213	011	3391	0.08	0	0	55	80	2.5	6	6	8478	8478	RTO-C	65	form-based			true	0.75	13	2.166666746	13	12	15259.5	15259.5	15259.5	1.799894
1215	010	3400	0.08	9515	0	55	80	2.5	6	6	8500	0	NCT-DIVIS/	65	form-based				0.75	13	2.166666746	13	12	15300	5785	5785	1.8
1224	031	6783	0.16	2573	1	55	80	2.5	13	12	16958	14385	RH-3	40	form-based			true	0.7	14	1.076923132	13	13	18992.40039	16419.40039	16419.40039	1.119967
1235	030	3436	0.08	965	0	55	80	2.5	6	6	8590	7625	RTO-C	65	form-based			true	0.75	13	2.166666746	13	12	15462	14497	14497	1.8
1236	013	3781	0.09	1325	1	55	80	2.5	7	6	9452	8127	RTO-C	65	form-based			true	0.75	14	2	13	13	17014.5	15689.5	15689.5	1.800095
1238	025	2500	0.06	3020	0	65	100	3	6	6	7500	4480	NCT-DIVIS/	85	form-based			true	0.75	13	2.166666746	13	12	15000	11980	11980	2
1240	012	5156	0.12	2750	1	65	100	3	12	11	15468	12718	RH-3	50	form-based			true	0.7	14	1.166666627	13	13	18046	15296	15296	1.166667
1265	041	4062	0.09	1584	2	65	100	3	9	7	12186	10602	RTO-C	65	form-based			true	0.75	15	1.666666627	13	13	18279	16695	16695	1.5
1271	050	3879	0.09	1703	2	65	100	3	9	7	11637	9934	RTO-C	65	form-based			true	0.75	15	1.666666627	13	13	17455.5	15752.5	15752.5	1.5
1274	045	3451	0.08	1868	0	85	140	4	11	11	13804	11936	RTO-C	65	form-based			true	0.75	13	1.181818128	13	13	15529.5	13661.5	13661.5	1.125
1275	088	3674	0.08	1175	1	65	100	3	8	7	11022	9847	RTO-C	65	form-based			true	0.75	14	1.75	13	13	16533	15358	15358	1.5
1278	003	3666	0.08	2497	1	65	100	3	8	7	10998	8501	RTO-C	65	form-based			true	0.75	14	1.75	13	13	16497	14000	14000	1.5
1289	013	6784	0.16	2321	1	55	80	2.5	13	12	16960	14639	RH-2	40	form-based			true	0.7	14	1.076923132	13	13	18995.19922	16674.19922	16674.19922	1.12
1289	087	6785	0.16	1445	1	55	80	2.5	13	12	16962	15517	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	18998	17553	17553	1.120033
1307	001P	6870	0.16	4565	1	55	80	2.5	13	12	17175	12610	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19236	14671	14671	1.12
1312	024	6873	0.16	8131	1	55	80	2.5	13	12	17182	9051	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19244.40039	11113.40039	11113.40039	1.120033
1327	009A	6495	0.15	4177	1	55	80	2.5	12	11	16238	12061	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18186	14009	14009	1.119966
1326	006	6698	0.15	3010	1	55	80	2.5	12	11	16745	13735	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18754.40039	15744.40039	15744.40039	1.12
1326	007	6786	0.16	4544	1	55	80	2.5	13	12	16965	12421	RH-1(D)	40	form-based		true	true	0.7	14	1.076923132	13	13	19000.79883	14456.79883	14456.79883	1.12
1326	012	6844	0.16	6008	1	55	80	2.5	13	12	17110	11102	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19163.19922	13155.19922	13155.19922	1.12
1327	009G	6633	0.15	3654	1	55	80	2.5	12	11	16582	12928	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18572.40039	14918.40039	14918.40039	1.120034
1327	015	6831	0.16	4213	1	55	80	2.5	13	12	17078	12865	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19126.79883	14913.79883	14913.79883	1.119967
1331	040	10787	0.25	906	10	55	80	2.5	20	10	26968	26062	RM-1	40	form-based		true	true	0.7	23	1.149999976	13	13	30203.59961	29297.59961	29297.59961	1.119979
1335	008	6866	0.16	3528	1	55	80	2.5	13	12	17165	13637	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19224.79883	15696.79883	15696.79883	1.12
1336	028	6583	0.15	5402	1	55	80	2.5	12	11	16458	11056	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18432.40039	13030.40039	13030.40039	1.119966
1339	015	6738	0.15	4421	1	55	80	2.5	12	11	16845	12424	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18866.40039	14445.40039	14445.40039	1.12
1353	030	6567	0.15	3174	1	55	80	2.5	12	11	16418	13244	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18387.59961	15213.59961	15213.59961	1.119966
1355	029	6499	0.15	4520	1	55	80	2.5	12	11	16248	11728	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18197.19922	13677.19922	13677.19922	1.119965
1355	038	6547	0.15	6460	1	55	80	2.5	12	11	16368	9908	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18331.59961	11871.59961	11871.59961	1.119966
1362	017	2457	0.06	4611	0	55	80	2.5	5	5	6142	1531	RTO-C	85	form-based			true	0.75	13	2.599999905	13	10	14742	10131	7673	2.400195
1362	021	2639	0.06	1290	1	55	80	2.5	5	4	6598	5308	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	15834	14544	11906	2.399818
1365	019	2507	0.06	1450	0	55	80	2.5	5	5	6268	4818	NC-1	85	form-based			true	0.75	13	2.599999905	13	10	15042	13592	11086	2.399809
1370	021	3056	0.07	4179	3	55	80	2.5	6	3	7640	3461	RTO-C	85	form-based		true	true	0.75	16	2.666666746	13	9	18336	14157	11101	2.4
1411	001	3552	0.08	4200	0	65	100	3	8	8	10656	6456	NC-1	65	form-based		true	true	0.75	13	1.625	13	13	15984	11784	11784	1.5
1422	061	3209	0.07	969	4	65	100	3	7	3	9627	8658	RTO-C	85	form-based		true	true	0.75	17	2.428571463	13	10	19254	18285	18285	2
1435	019	2500	0.06	4367	0	85	140	4	8	8	10000	5633	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15000	10633	10633	1.5
1436	009	6000	0.14	3250	0	65	100	3	14	14	18000	14750	RM-1	40	form-based			true	0.7	13	0.928571403	13	13	16800	13550	13550	0.933333
1436	018	2509	0.06	4483	0	65	100	3	6	6	7527	3044	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	13	12	15054	10571	10571	2
1436	019	2441	0.06	0	0	65	100	3	6	6	7323	7323	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	13	12	14646	14646	14646	2
1436	020	2500	0.06	0	0	65	100	3	6	6	7500	7500	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	13	12	15000	15000	15000	2
1437	018	2500	0.06	1250	0	85	140	4	8	8	10000	8750	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15000	13750	13750	1.5
1437	020	2500	0.06	3445	0	85	140	4	8	8	10000	6555	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15000	11555	11555	1.5
1438	018	2500	0.06	0	0	85	140	4	8	8	10000	10000	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15000	15000	15000	1.5
1439	019	2500	0.06	2250	0	65	100	3	6	6	7500	5250	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	13	12	15000	12750	12750	2
1443	020	2500	0.06	4750	0	65	100	3	6	6	7500	2750	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	13	12	15000	10250	10250	2
1443	024	3226	0.07	4867	4	65	100	3	7	3	9678	4811	NCD-GEAR	85	form-based		true	true	0.75	17	2.428571463	13	10	19356	14489	14489	2
1446	027	2447	0.06	3429	0	65	100	3	6	6	7341	3912	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	13	12	14682	11253	11253	2
1449	022	5940	0.14	12000	0	65	100	3	14	14	17820	5820	NCD-GEAR	40	form-based			true	0.75	13	0.928571403	13	13	17820	5820	5820	1
1451	019	2484	0.06	1740	0	85	140	4	8	8	9936	8196	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	14904	13164	13164	1.5
1452	021	2500	0.06	3550	0	85	140	4	8	8	10000	6450	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15000	11450	11450	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1452	024	6043	0.14	8736	0	85	140	4	20	20	24172	15436	RM-1	40	form-based			true	0.7	13	0.649999976	13	13	16920.40039	8184.400391	8184.400391	0.7
1456	019	2545	0.06	3666	0	85	140	4	8	8	10180	6514	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15270	11604	11604	1.5
1456	020	2545	0.06	0	0	85	140	4	8	8	10180	10180	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15270	15270	15270	1.5
1456	021	2545	0.06	0	0	85	140	4	8	8	10180	10180	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15270	15270	15270	1.5
1457	019	2568	0.06	2100	0	85	140	4	8	8	10272	8172	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15408	13308	13308	1.5
1457	021	2567	0.06	1800	0	85	140	4	8	8	10268	8468	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15402	13602	13602	1.5
1457	022A	2567	0.06	1125	0	65	100	3	6	6	7701	6576	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	13	12	15402	14277	14277	2
1457	023	2567	0.06	1375	0	65	100	3	6	6	7701	6326	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	13	12	15402	14027	14027	2
1458	042	4955	0.11	1068	6	65	100	3	11	5	14865	13797	NCD-OUTE	65	form-based	true		true	0.75	19	1.727272749	13	13	22297.5	21229.5	21229.5	1.5
1459	010	3282	0.08	5260	4	85	140	4	11	7	13128	7868	NCD-GEAR	85	form-based	true		true	0.75	17	1.545454502	13	13	19692	14432	14432	1.5
1459	033	5123	0.12	11487	14	85	140	4	17	3	20492	9005	NCD-GEAR	85	form-based			true	0.75	27	1.588235259	13	13	30738	19251	19251	1.5
1466	041	3853	0.09	1000	1	65	100	3	9	8	11559	10559	RTO-C	65	form-based	true		true	0.75	14	1.555555582	13	13	17338.5	16338.5	16338.5	1.5
1466	042	4409	0.1	2620	4	65	100	3	10	6	13227	10607	RTO-C	65	form-based			true	0.75	17	1.700000048	13	13	19840.5	17220.5	17220.5	1.5
1467	023	2485	0.06	625	0	65	100	3	6	6	7455	6830	RTO-C	85	form-based			true	0.75	13	2.166666746	13	12	14910	14285	14285	2
1467	028	3186	0.07	2800	4	65	100	3	7	3	9558	6758	RTO-C	85	form-based	true		true	0.75	17	2.428571463	13	10	19116	16316	16316	2
1468	020	3683	0.08	2480	1	55	80	2.5	6	5	9208	6728	RTO-C	65	form-based			true	0.75	14	2.333333254	13	11	16573.5	14093.5	14093.5	1.799902
1468	021	3682	0.08	2792	1	55	80	2.5	6	5	9205	6413	RTO-C	65	form-based			true	0.75	14	2.333333254	13	11	16569	13777	13777	1.8
1468	022	3681	0.08	1991	1	55	80	2.5	6	5	9202	7211	RTO-C	65	form-based			true	0.75	14	2.333333254	13	11	16564.5	14573.5	14573.5	1.800098
1468	023	3680	0.08	2400	1	55	80	2.5	6	5	9200	6800	RTO-C	65	form-based			true	0.75	14	2.333333254	13	11	16560	14160	14160	1.8
1468	026	3862	0.09	4282	1	55	80	2.5	7	6	9655	5373	RTO-C	65	form-based			true	0.75	14	2	13	13	17379	13097	13097	1.8
1468	027	3677	0.08	2960	1	65	100	3	8	7	11031	8071	RTO-C	65	form-based			true	0.75	14	1.75	13	13	16546.5	13586.5	13586.5	1.5
1468	028	3676	0.08	4503	1	65	100	3	8	7	11028	6525	RTO-C	65	form-based			true	0.75	14	1.75	13	13	16542	12039	12039	1.5
1468	029	3675	0.08	3389	1	65	100	3	8	7	11025	7636	RTO-C	65	form-based			true	0.75	14	1.75	13	13	16537.5	13148.5	13148.5	1.5
1468	030	3675	0.08	1460	1	65	100	3	8	7	11025	9565	RTO-C	65	form-based			true	0.75	14	1.75	13	13	16537.5	15077.5	15077.5	1.5
1468	031	3674	0.08	2146	1	65	100	3	8	7	11022	8876	RTO-C	65	form-based			true	0.75	14	1.75	13	13	16533	14387	14387	1.5
1468	032	3777	0.09	2160	1	65	100	3	9	8	11331	9171	RTO-C	65	form-based			true	0.75	14	1.555555582	13	13	16996.5	14836.5	14836.5	1.5
1469	005	2757	0.06	2556	1	65	100	3	6	5	8271	5715	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16542	13986	13986	2
1469	006	2747	0.06	1800	1	65	100	3	6	5	8241	6441	RTO-C	85	form-based	true		true	0.75	14	2.333333254	13	11	16482	14682	14682	2
1469	007	2698	0.06	3671	1	65	100	3	6	5	8094	4423	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16188	12517	12517	2
1469	008	2698	0.06	3370	1	65	100	3	6	5	8094	4724	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16188	12818	12818	2
1469	009	2691	0.06	2700	1	65	100	3	6	5	8073	5373	RTO-C	85	form-based	true		true	0.75	14	2.333333254	13	11	16146	13446	13446	2
1469	010	2693	0.06	2466	1	65	100	3	6	5	8079	5613	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16158	13692	13692	2
1469A	005	2700	0.06	2450	1	65	100	3	6	5	8100	5650	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16200	13750	13750	2
1469A	006	2700	0.06	2636	1	65	100	3	6	5	8100	5464	RTO-C	85	form-based	true		true	0.75	14	2.333333254	13	11	16200	13564	13564	2
1469A	007	2700	0.06	2480	1	55	80	2.5	5	4	6750	4270	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16200	13720	11020	2.4
1469A	008	2700	0.06	2530	1	55	80	2.5	5	4	6750	4220	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16200	13670	10970	2.4
1469A	009	2648	0.06	3630	1	55	80	2.5	5	4	6620	2990	RTO-C	85	form-based	true		true	0.75	14	2.799999952	13	9	15888	12258	9610	2.4
1469A	010	2648	0.06	2175	1	55	80	2.5	5	4	6620	4445	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	15888	13713	11065	2.4
1470	015	2701	0.06	2005	1	55	80	2.5	5	4	6752	4747	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16206	14201	11499	2.400178
1470	017	2632	0.06	1425	1	55	80	2.5	5	4	6580	5155	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	15792	14367	11735	2.4
1470	017A	2598	0.06	2118	1	55	80	2.5	5	4	6495	4377	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	15588	13470	10872	2.4
1504	023	3943	0.09	5544	8	55	80	2.5	7	0	9858	4314	RTO-C	85	form-based	true		true	0.75	21	3	13	6	23658	18114	14172	2.399878
1511	045	2906	0.07	2450	2	85	140	4	10	8	11624	9174	NC-1	85	form-based			true	0.75	15	1.5	13	13	17436	14986	14986	1.5
1512	057	4842	0.11	7200	12	85	140	4	15	3	19368	12168	RTO-C	85	form-based			true	0.75	25	1.666666627	13	13	29052	21852	21852	1.5
1515	001	3196	0.07	4870	4	65	100	3	7	3	9588	4718	RTO-C	85	form-based	true		true	0.75	17	2.428571463	13	10	19176	14306	14306	2
1518	028	3690	0.08	4924	6	65	100	3	8	2	11070	6146	NCD-GEAR	85	form-based			true	0.75	19	2.375	13	10	22140	17216	17216	2
1519	036	2381	0.05	7200	0	65	100	3	5	5	7143	0	NCD-GEAR	85	form-based			true	0.75	13	2.599999905	13	10	14286	7086	7086	2
1520	036	2467	0.06	0	0	85	140	4	8	8	9868	9868	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	14802	14802	14802	1.5
1520	038	2467	0.06	2287	0	85	140	4	8	8	9868	7581	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	14802	12515	12515	1.5
1520	039	2467	0.06	2580	0	85	140	4	8	8	9868	7288	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	14802	12222	12222	1.5
1520	040	2467	0.06	0	0	85	140	4	8	8	9868	9868	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	14802	14802	14802	1.5
1521	036	2487	0.06	1750	0	85	140	4	8	8	9948	8198	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	14922	13172	13172	1.5
1525	040C	3019	0.07	3428	3	85	140	4	10	7	12076	8648	NCD-GEAR	85	form-based			true	0.75	16	1.600000024	13	13	18114	14686	14686	1.5
1528	035	2509	0.06	2624	0	85	140	4	8	8	10036	7412	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15054	12430	12430	1.5
1528	038	2509	0.06	2123	0	85	140	4	8	8	10036	7913	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15054	12931	12931	1.5
1532	018	6061	0.14	3002	0	65	100	3	14	14	18183	15181	RH-2	40	form-based	true		true	0.7	13	0.928571403	13	13	16970.79883	13968.79883	13968.79883	0.933333
1532	032E	2506	0.06	4665	0	85	140	4	8	8	10024	5359	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15036	10371	10371	1.5
1532	032F	2506	0.06	2500	0	85	140	4	8	8	10024	7524	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15036	12536	12536	1.5
1533	042	2506	0.06	2450	0	65	100	3	6	6	7518	5068	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	13	12	15036	12586	12586	2
1533	042A	2506	0.06	2375	0	65	100	3	6	6	7518	5143	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	13	12	15036	12661	12661	2
1533	043	2506	0.06	0	0	65	100	3	6	6	7518	7518	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	13	12	15036	15036	15036	2
1534	039	2505	0.06	2944	0	65	100	3	6	6	7515	4571	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	13	12	15030	12086	12086	2
1534	042	2505	0.06	1350	0	65	100	3	6	6	7515	6165	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	13	12	15030	13680	13680	2
1535	046	2505	0.06	0	0	85	140	4	8	8	10020	10020	NCD-GEAR	85	form-based			true	0.75	13	1.625	13	13	15030	15030	15030	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1536	004	6000	0.14	6804	0	65	100	3	14	14	18000	11196	RM-1	40	form-based			true	0.7	13	0.928571403	13	13	16800	9996	9996	0.933333
1537	044	2605	0.06	1968	1	65	100	3	6	5	7815	5847	NCD-GEAR	85	form-based			true	0.75	14	2.333333254	13	11	15630	13662	13662	2
1582	041	5625	0.13	5542	8	55	80	2.5	10	2	14062	8520	RTO-C	65	form-based			true	0.75	21	2.099999905	13	12	25312.5	19770.5	19770.5	1.800064
1608	038	6157	0.14	12030	0	55	80	2.5	11	11	15392	3362	RH-3	40	form-based			true	0.7	13	1.181818128	13	13	17239.59961	5209.599609	5209.599609	1.120036
1609	025	5094	0.12	0	6	55	80	2.5	10	4	12735	12735	NCD-OUTE	65	form-based	true		true	0.75	19	1.899999976	13	13	22923	22923	22923	1.8
1610	001	3411	0.08	12190	0	55	80	2.5	6	6	8528	0	NCD-OUTE	65	form-based	true		true	0.75	13	2.166666746	13	12	15349.5	3159.5	3159.5	1.799894
1616	001	3342	0.08	3123	0	55	80	2.5	6	6	8355	5232	NC-1	65	form-based	true		true	0.75	13	2.166666746	13	12	15039	11916	11916	1.8
1627	025	4596	0.11	6955	4	55	80	2.5	9	5	11490	4535	NC-1	65	form-based	true		true	0.75	17	1.888888836	13	13	20682	13727	13727	1.8
1644	014A	2862	0.07	3366	2	55	80	2.5	6	4	7155	3789	RTO-C	85	form-based			true	0.75	15	2.5	13	10	17172	13806	10944	2.4
1646	013	2598	0.06	2610	1	55	80	2.5	5	4	6495	3885	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	15588	12978	10380	2.4
1648	020	2787	0.06	3514	2	55	80	2.5	5	3	6968	3454	RTO-C	85	form-based			true	0.75	15	3	13	8	16722	13208	10422	2.399828
1648	020A	2852	0.07	3514	2	55	80	2.5	6	4	7130	3616	RTO-C	85	form-based			true	0.75	15	2.5	13	10	17112	13598	10746	2.4
1648	053	3208	0.07	1389	4	55	80	2.5	6	2	8020	6631	NC-1	85	form-based	true		true	0.75	17	2.833333254	13	8	19248	17859	14651	2.4
1650	015	2842	0.07	2420	2	55	80	2.5	6	4	7105	4685	RTO-C	85	form-based			true	0.75	15	2.5	13	10	17052	14632	11790	2.4
1655	024	2734	0.06	1834	1	55	80	2.5	5	4	6835	5001	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16404	14570	11836	2.4
1655	025	2734	0.06	1834	1	55	80	2.5	5	4	6835	5001	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16404	14570	11836	2.4
1655	030	6732	0.15	6850	1	55	80	2.5	12	11	16830	9980	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18849.59961	11999.59961	11999.59961	1.12
1655	041	6732	0.15	5470	1	55	80	2.5	12	11	16830	11360	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18849.59961	13379.59961	13379.59961	1.12
1666	022	2683	0.06	2335	1	55	80	2.5	5	4	6708	4373	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16098	13763	11081	2.399821
1670	011	3953	0.09	6320	8	55	80	2.5	7	0	9882	3562	RTO-C	85	form-based			true	0.75	21	3	13	6	23718	17398	13444	2.400121
1675	002G	2779	0.06	1554	2	55	80	2.5	5	3	6948	5394	RTO-C	85	form-based			true	0.75	15	3	13	8	16674	15120	12342	2.399827
1723	001	3750	0.09	1650	1	65	100	3	9	8	11250	9600	RTO-C	65	form-based	true		true	0.75	14	1.555555582	13	13	16875	15225	15225	1.5
1726	020	2500	0.06	1500	0	65	100	3	6	6	7500	6000	NCD-IRVIN	85	form-based			true	0.75	13	2.166666746	13	12	15000	13500	13500	2
1728	023	2500	0.06	4210	0	65	100	3	6	6	7500	3290	NCD-IRVIN	85	form-based			true	0.75	13	2.166666746	13	12	15000	10790	10790	2
1731	048	4457	0.1	5000	10	65	100	3	10	0	13371	8371	RTO-C	85	form-based			true	0.75	23	2.299999952	13	10	26742	21742	21742	2
1732	007	4803	0.11	4490	5	65	100	3	11	6	14409	9919	RTO-C	65	form-based			true	0.75	18	1.636363626	13	13	21613.5	17123.5	17123.5	1.5
1732	036	3000	0.07	3409	3	65	100	3	7	4	9000	5591	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	14591	14591	2
1732	056	3000	0.07	1917	3	65	100	3	7	4	9000	7083	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	16083	16083	2
1733	046	4500	0.1	5042	4	65	100	3	10	6	13500	8458	RTO-C	65	form-based			true	0.75	17	1.700000048	13	13	20250	15208	15208	1.5
1735	021	3125	0.07	3880	3	65	100	3	7	4	9375	5495	NCD-INNE	85	form-based			true	0.75	16	2.285714388	13	11	18750	14870	14870	2
1738	023	2500	0.06	1838	0	65	100	3	6	6	7500	5662	NCD-INNE	85	form-based			true	0.75	13	2.166666746	13	12	15000	13162	13162	2
1741	007	3013	0.07	5886	3	65	100	3	7	4	9039	3153	NCD-INNE	85	form-based			true	0.75	16	2.285714388	13	11	18078	12192	12192	2
1741	010	3013	0.07	3000	3	65	100	3	7	4	9039	6039	NCD-INNE	85	form-based			true	0.75	16	2.285714388	13	11	18078	15078	15078	2
1741	024	2528	0.06	1772	0	65	100	3	6	6	7584	5812	NCD-INNE	85	form-based			true	0.75	13	2.166666746	13	12	15168	13396	13396	2
1741	052	6000	0.14	14365	0	65	100	3	14	14	18000	3635	RH-2	40	form-based			true	0.7	13	0.928571403	13	13	16800	2435	2435	0.933333
1742	027	3000	0.07	4788	3	65	100	3	7	4	9000	4212	NCD-INNE	85	form-based			true	0.75	16	2.285714388	13	11	18000	13212	13212	2
1743	023	2500	0.06	2500	0	85	140	4	8	8	10000	7500	NCD-INNE	85	form-based			true	0.75	13	1.625	13	13	15000	12500	12500	1.5
1751	011	2780	0.06	3500	2	85	140	4	8	6	11120	7620	RTO-C	85	form-based			true	0.75	15	1.875	13	13	16680	13180	13180	1.5
1753	011	2770	0.06	2900	2	85	140	4	8	6	11080	8180	RTO-C	85	form-based			true	0.75	15	1.875	13	13	16620	13720	13720	1.5
1761	033	3000	0.07	6172	3	65	100	3	7	4	9000	2828	NCD-INNE	85	form-based			true	0.75	16	2.285714388	13	11	18000	11828	11828	2
1762	044	2500	0.06	2230	0	85	140	4	8	8	10000	7770	NCD-INNE	85	form-based			true	0.75	13	1.625	13	13	15000	12770	12770	1.5
1763	030	3000	0.07	5500	3	85	140	4	10	7	12000	6500	NCD-INNE	85	form-based			true	0.75	16	1.600000024	13	13	18000	12500	12500	1.5
1763	040	2500	0.06	1650	0	85	140	4	8	8	10000	8350	NCD-INNE	85	form-based			true	0.75	13	1.625	13	13	15000	13350	13350	1.5
1764	004	3013	0.07	2856	3	85	140	4	10	7	12052	9196	NCD-INNE	85	form-based			true	0.75	16	1.600000024	13	13	18078	15222	15222	1.5
1764	005	3013	0.07	5808	3	85	140	4	10	7	12052	6244	NCD-INNE	85	form-based			true	0.75	16	1.600000024	13	13	18078	12270	12270	1.5
1764	022	3000	0.07	3622	3	85	140	4	10	7	12000	8378	NCD-INNE	85	form-based			true	0.75	16	1.600000024	13	13	18000	14378	14378	1.5
1766	047	2500	0.06	1632	0	65	100	3	6	6	7500	5868	NCD-INNE	85	form-based			true	0.75	13	2.166666746	13	12	15000	13368	13368	2
1769	020	2728	0.06	1390	1	65	100	3	6	5	8184	6794	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16368	14978	14978	2
1769	021	2748	0.06	1340	1	85	140	4	8	7	10992	9652	RTO-C	85	form-based			true	0.75	14	1.75	13	13	16488	15148	15148	1.5
1769	048	5606	0.13	10000	16	65	100	3	13	0	16818	6818	NCD-INNE	85	form-based	true		true	0.75	29	2.230769157	13	10	33636	23636	23636	2
1770	022	2719	0.06	1751	1	85	140	4	8	7	10876	9125	RTO-C	85	form-based			true	0.75	14	1.75	13	13	16314	14563	14563	1.5
1771	046	2523	0.06	1950	0	65	100	3	6	6	7569	5619	NCD-INNE	85	form-based			true	0.75	13	2.166666746	13	12	15138	13188	13188	2
1771	048	2524	0.06	2080	0	65	100	3	6	6	7572	5492	NCD-INNE	85	form-based			true	0.75	13	2.166666746	13	12	15144	13064	13064	2
1772	005F	2676	0.06	2183	1	65	100	3	6	5	8028	5845	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16056	13873	13873	2
1772	005H	2871	0.07	1895	2	65	100	3	7	5	8613	6718	RTO-C	85	form-based			true	0.75	15	2.142857075	13	12	17226	15331	15331	2
1772	005J	2726	0.06	1539	1	65	100	3	6	5	8178	6639	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16356	14817	14817	2
1772	005K	2726	0.06	1050	1	65	100	3	6	5	8178	7128	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16356	15306	15306	2
1772	009	2500	0.06	1627	0	65	100	3	6	6	7500	5873	NCD-INNE	85	form-based			true	0.75	13	2.166666746	13	12	15000	13373	13373	2
1772	010	2500	0.06	1768	0	65	100	3	6	6	7500	5732	NCD-INNE	85	form-based			true	0.75	13	2.166666746	13	12	15000	13232	13232	2
1772	011	2500	0.06	2367	0	65	100	3	6	6	7500	5133	NCD-INNE	85	form-based			true	0.75	13	2.166666746	13	12	15000	12633	12633	2
1772	012	2500	0.06	4700	0	65	100	3	6	6	7500	2800	NCD-INNE	85	form-based			true	0.75	13	2.166666746	13	12	15000	10300	10300	2
1773	009	1696	0.04	2385	2	85	140	4	6	4	6784	4399	RTO-C	140	form-based			true	0.75	15	2.5	13	10	15264	12879	11183	2.25
1773	010A	1589	0.04	1150	1	85	140	4	6	5	6356	5206	RTO-C	140	form-based			true	0.75	14	2.333333254	13	11	14301	13151	11562	2.25
1773	013	2795	0.06	1840	2	85	140	4	8	6	11180	9340	RTO-C	85	form-based			true	0.75	15	1.875	13	13	16770	14930	14930	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1774	022	2496	0.06	4646	0	85	140	4	8	8	9984	5338	RTO-C	85	form-based			true	0.75	13	1.625	13	13	14976	10330	10330	1.5
1776	009Q	2787	0.06	3000	2	85	140	4	8	6	11148	8148	RTO-C	85	form-based			true	0.75	15	1.875	13	13	16722	13722	13722	1.5
1778	044	2500	0.06	1809	0	65	100	3	6	6	7500	5691	NCD-IRVIN	85	form-based			true	0.75	13	2.166666746	13	12	15000	13191	13191	2
1779	035	2500	0.06	3600	0	65	100	3	6	6	7500	3900	NCD-IRVIN	85	form-based			true	0.75	13	2.166666746	13	12	15000	11400	11400	2
1779	038	2500	0.06	2065	0	65	100	3	6	6	7500	5435	NCD-IRVIN	85	form-based			true	0.75	13	2.166666746	13	12	15000	12935	12935	2
1779	039	2500	0.06	2800	0	65	100	3	6	6	7500	4700	NCD-IRVIN	85	form-based			true	0.75	13	2.166666746	13	12	15000	12200	12200	2
1779	056	2625	0.06	5075	1	65	100	3	6	5	7875	2800	NCD-IRVIN	85	form-based			true	0.75	14	2.333333254	13	11	15750	10675	10675	2
1781	001	3293	0.08	7230	4	65	100	3	8	4	9879	2649	NCD-IRVIN	85	form-based		true	true	0.75	17	2.125	13	12	19758	12528	12528	2
1781	026	3210	0.07	5500	4	65	100	3	7	3	9630	4130	RTO-C	85	form-based		true	true	0.75	17	2.428571463	13	10	19260	13760	13760	2
1781	043	3250	0.07	5326	4	65	100	3	7	3	9750	4424	NCD-IRVIN	85	form-based		true	true	0.75	17	2.428571463	13	10	19500	14174	14174	2
1781	046	2500	0.06	6010	0	65	100	3	6	6	7500	1490	NCD-IRVIN	85	form-based			true	0.75	13	2.166666746	13	12	15000	8990	8990	2
1783	016	2473	0.06	2410	0	85	140	4	8	8	9892	7482	NC-1	85	form-based			true	0.75	13	1.625	13	13	14838	12428	12428	1.5
1787	012	2480	0.06	1683	0	65	100	3	6	6	7440	5757	RTO-C	85	form-based			true	0.75	13	2.166666746	13	12	14880	13197	13197	2
1794	016	3283	0.08	4100	4	85	140	4	11	7	13132	9032	NC-1	85	form-based		true	true	0.75	17	1.545454502	13	13	19698	15598	15598	1.5
1797	014	2500	0.06	750	0	85	140	4	8	8	10000	9250	RTO-C	85	form-based			true	0.75	13	1.625	13	13	15000	14250	14250	1.5
1799	020	2394	0.05	2075	0	65	100	3	5	5	7182	5107	NC-1	85	form-based		true	true	0.75	13	2.599999905	13	10	14364	12289	12289	2
1801	020	2500	0.06	2493	0	85	140	4	8	8	10000	7507	RTO-C	85	form-based			true	0.75	13	1.625	13	13	15000	12507	12507	1.5
1807	039	2500	0.06	3800	0	85	140	4	8	8	10000	6200	NC-1	85	form-based			true	0.75	13	1.625	13	13	15000	11200	11200	1.5
1808	001	2431	0.06	2437	0	65	100	3	6	6	7293	4856	NC-1	85	form-based		true	true	0.75	13	2.166666746	13	12	14586	12149	12149	2
1808	050	2500	0.06	2306	0	85	140	4	8	8	10000	7694	NC-1	85	form-based			true	0.75	13	1.625	13	13	15000	12694	12694	1.5
1818	001C	2625	0.06	1500	1	65	100	3	6	5	7875	6375	RTO-C	85	form-based		true	true	0.75	14	2.333333254	13	11	15750	14250	14250	2
1819	042	2500	0.06	0	0	85	140	4	8	8	10000	10000	RTO-C	85	form-based			true	0.75	13	1.625	13	13	15000	15000	15000	1.5
1826	042	2500	0.06	2788	0	85	140	4	8	8	10000	7212	NC-1	85	form-based			true	0.75	13	1.625	13	13	15000	12212	12212	1.5
1830	002	2702	0.06	1300	1	85	140	4	8	7	10808	9508	RTO-C	85	form-based			true	0.75	14	1.75	13	13	16212	14912	14912	1.5
1830	003	2702	0.06	1475	1	85	140	4	8	7	10808	9333	RTO-C	85	form-based			true	0.75	14	1.75	13	13	16212	14737	14737	1.5
1830	033L	2948	0.07	3584	2	85	140	4	10	8	11792	8208	RTO-C	85	form-based			true	0.75	15	1.5	13	13	17688	14104	14104	1.5
1834	001C	2616	0.06	2550	1	85	140	4	8	7	10464	7914	RTO-C	85	form-based			true	0.75	14	1.75	13	13	15696	13146	13146	1.5
1834	003	2731	0.06	1150	1	65	100	3	6	5	8193	7043	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16386	15236	15236	2
1834	004	2750	0.06	1370	1	65	100	3	6	5	8250	6880	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16500	15130	15130	2
1834	006	2789	0.06	1000	2	65	100	3	6	4	8367	7367	RTO-C	85	form-based			true	0.75	15	2.5	13	10	16734	15734	15734	2
1834	009	2846	0.07	2981	2	65	100	3	7	5	8538	5557	RTO-C	85	form-based			true	0.75	15	2.142857075	13	12	17076	14095	14095	2
1835	023	2576	0.06	1825	1	65	100	3	6	5	7728	5903	RTO-C	85	form-based		true	true	0.75	14	2.333333254	13	11	15456	13631	13631	2
1835	023A	2596	0.06	1450	1	65	100	3	6	5	7788	6338	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	15576	14126	14126	2
1835	024	2615	0.06	2275	1	65	100	3	6	5	7845	5570	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	15690	13415	13415	2
1835	024A	2634	0.06	1175	1	65	100	3	6	5	7902	6727	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	15804	14629	14629	2
1835	039	2590	0.06	1450	1	65	100	3	6	5	7770	6320	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	15540	14090	14090	2
1835	041	2585	0.06	1812	1	85	140	4	8	7	10340	8528	RTO-C	85	form-based			true	0.75	14	1.75	13	13	15510	13698	13698	1.5
1839	007	6648	0.15	4212	1	65	100	3	15	14	19944	15732	RH-2	40	form-based		true	true	0.7	14	0.933333337	13	13	18614.40039	14402.40039	14402.40039	0.933333
1840	001	3260	0.07	5684	4	85	140	4	10	6	13040	7356	RTO-C	85	form-based		true	true	0.75	17	1.700000048	13	13	19560	13876	13876	1.5
1844	044	2500	0.06	2470	0	85	140	4	8	8	10000	7530	NCD-INNE	85	form-based			true	0.75	13	1.625	13	13	15000	12530	12530	1.5
1844	048	2500	0.06	1685	0	85	140	4	8	8	10000	8315	NCD-INNE	85	form-based			true	0.75	13	1.625	13	13	15000	13315	13315	1.5
1859A	012A	7490	0.17	5800	3	65	100	3	17	14	22470	16670	RH-2	40	form-based		true	true	0.7	16	0.941176474	13	13	20972	15172	15172	0.933333
1861B	001A	6429	0.15	1529	1	65	100	3	15	14	19287	17758	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18001.19922	16472.19922	16472.19922	0.933333
1862A	002A	6670	0.15	2700	1	65	100	3	15	14	20010	17310	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18676	15976	15976	0.933333
1895	023	6914	0.16	2385	2	55	80	2.5	13	11	17285	14900	RH-2	40	form-based		true	true	0.7	15	1.153846145	13	13	19359.19922	16974.19922	16974.19922	1.12
1898	048	6000	0.14	2982	0	55	80	2.5	11	11	15000	12018	RH-1	40	form-based			true	0.7	13	1.181818128	13	13	16800	13818	13818	1.12
1924	089	2912	0.07	1780	2	55	80	2.5	6	4	7280	5500	RTO-C	85	form-based			true	0.75	15	2.5	13	10	17472	15692	12780	2.4
1925	013	2655	0.06	2018	1	55	80	2.5	5	4	6638	4620	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	15930	13912	11258	2.399819
1935	045	6568	0.15	3911	1	55	80	2.5	12	11	16420	12509	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18390.40039	14479.40039	14479.40039	1.12
2015	019C	2688	0.06	1325	1	55	80	2.5	5	4	6720	5395	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16128	14803	12115	2.4
2017	045	2511	0.06	4052	0	55	80	2.5	5	5	6278	2226	NCD-NORI	85	form-based			true	0.75	13	2.599999905	13	10	15066	11014	8504	2.399809
2017	046	2511	0.06	4072	0	55	80	2.5	5	5	6278	2206	NCD-NORI	85	form-based			true	0.75	13	2.599999905	13	10	15066	10994	8484	2.399809
2017	047	2511	0.06	4072	0	55	80	2.5	5	5	6278	2206	NCD-NORI	85	form-based			true	0.75	13	2.599999905	13	10	15066	10994	8484	2.399809
2020	010	2687	0.06	1163	1	55	80	2.5	5	4	6718	5555	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16122	14959	12273	2.399821
2022	018	2745	0.06	2007	1	55	80	2.5	5	4	6862	4855	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16470	14463	11717	2.400175
2026	029	2814	0.06	2668	2	55	80	2.5	5	3	7035	4367	NCD-NORI	85	form-based		true	true	0.75	15	3	13	8	16884	14216	11402	2.4
2027	013	3072	0.07	10863	3	55	80	2.5	6	3	7680	0	NCD-NORI	85	form-based		true	true	0.75	16	2.666666746	13	9	18432	7569	4497	2.4
2031	004F	2748	0.06	1646	1	55	80	2.5	5	4	6870	5224	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16488	14842	12094	2.4
2031	004G	2748	0.06	1250	1	55	80	2.5	5	4	6870	5620	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16488	15238	12490	2.4
2031	004H	2748	0.06	1868	1	55	80	2.5	5	4	6870	5002	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16488	14620	11872	2.4
2031	004I	2748	0.06	1250	1	55	80	2.5	5	4	6870	5620	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16488	15238	12490	2.4
2031	004J	2748	0.06	2223	1	55	80	2.5	5	4	6870	4647	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16488	14265	11517	2.4
2031	004K	2748	0.06	1250	1	55	80	2.5	5	4	6870	5620	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16488	15238	12490	2.4
2031	026	4562	0.1	9067	11	55	80	2.5	8	0	11405	2338	RTO-C	85	form-based			true	0.75	24	3	13	5	27372	18305	13743	2.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2037A	001	6660	0.15	3640	1	55	80	2.5	12	11	16650	13010	RH-2	40	form-based		true	true	0.7	14	1.166666627	13	13	18648	15008	15008	1.12
2198	010	2742	0.06	1207	1	55	80	2.5	5	4	6855	5648	RTO-C	85	form-based			true	0.75	14	2.799999952	13	9	16452	15245	12503	2.4
2199	003	5958	0.14	7842	0	55	80	2.5	11	11	14895	7053	RH-1	40	form-based			true	0.7	13	1.181818128	13	13	16682.40039	8840.400391	8840.400391	1.12
2200	005	6578	0.15	2952	1	55	80	2.5	12	11	16445	13493	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18418.40039	15466.40039	15466.40039	1.12
2206	082	6643	0.15	4389	1	55	80	2.5	12	11	16608	12219	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18600.40039	14211.40039	14211.40039	1.119966
2330	004	2887	0.07	3107	2	65	100	3	7	5	8661	5554	RTO-C	85	form-based			true	0.75	15	2.142857075	13	12	17322	14215	14215	2
2330	005	3029	0.07	2822	3	65	100	3	7	4	9087	6265	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18174	15352	15352	2
2330	005C	3029	0.07	2510	3	65	100	3	7	4	9087	6577	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18174	15664	15664	2
2331	004I	2603	0.06	2123	1	65	100	3	6	5	7809	5686	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	15618	13495	13495	2
2347	023	2689	0.06	2019	1	65	100	3	6	5	8067	6048	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16134	14115	14115	2
2347	024	2689	0.06	2713	1	65	100	3	6	5	8067	5354	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16134	13421	13421	2
2347	027	2620	0.06	1185	1	65	100	3	6	5	7860	6675	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	15720	14535	14535	2
2348	004	3000	0.07	3322	3	65	100	3	7	4	9000	5678	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	14678	14678	2
2348	007	3000	0.07	4200	3	65	100	3	7	4	9000	4800	RTO-C	85	form-based			true	0.75	16	2.285714388	13	11	18000	13800	13800	2
2348	012A	2500	0.06	0	0	65	100	3	6	6	7500	7500	RTO-C	85	form-based			true	0.75	13	2.166666746	13	12	15000	15000	15000	2
2348	036	3663	0.08	2042	1	65	100	3	8	7	10989	8947	RTO-C	65	form-based			true	0.75	14	1.75	13	13	16483.5	14441.5	14441.5	1.5
2349	021	2500	0.06	1550	0	65	100	3	6	6	7500	5950	NCD-TARA	85	form-based			true	0.75	13	2.166666746	13	12	15000	13450	13450	2
2350	019	2500	0.06	2366	0	85	140	4	8	8	10000	7634	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	12634	12634	1.5
2350	023	2500	0.06	153	0	85	140	4	8	8	10000	9847	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	14847	14847	1.5
2354	010	2500	0.06	1750	0	85	140	4	8	8	10000	8250	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	13250	13250	1.5
2354	011	2500	0.06	1500	0	85	140	4	8	8	10000	8500	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	13500	13500	1.5
2355	010	2500	0.06	4025	0	85	140	4	8	8	10000	5975	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	10975	10975	1.5
2356	012	2500	0.06	2037	0	65	100	3	6	6	7500	5463	NCD-TARA	85	form-based			true	0.75	13	2.166666746	13	12	15000	12963	12963	2
2358	018	2500	0.06	2250	0	85	140	4	8	8	10000	7750	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	12750	12750	1.5
2360	017	2500	0.06	2900	0	85	140	4	8	8	10000	7100	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	12100	12100	1.5
2360	018	2500	0.06	2305	0	85	140	4	8	8	10000	7695	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	12695	12695	1.5
2361	020	2500	0.06	2075	0	85	140	4	8	8	10000	7925	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	12925	12925	1.5
2361	034	2500	0.06	4290	0	85	140	4	8	8	10000	5710	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	10710	10710	1.5
2361	035	2499	0.06	4290	0	85	140	4	8	8	9996	5706	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	14994	10704	10704	1.5
2361	036	2500	0.06	2910	0	85	140	4	8	8	10000	7090	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	12090	12090	1.5
2363	020	2500	0.06	3885	0	65	100	3	6	6	7500	3615	NCD-TARA	85	form-based			true	0.75	13	2.166666746	13	12	15000	11115	11115	2
2374	021	3284	0.08	4550	4	85	140	4	11	7	13136	8586	NC-1	85	form-based	true		true	0.75	17	1.545454502	13	13	19704	15154	15154	1.5
2375	018	2500	0.06	2500	0	85	140	4	8	8	10000	7500	NC-1	85	form-based	true		true	0.75	13	1.625	13	13	15000	12500	12500	1.5
2375	019	3250	0.07	4193	4	85	140	4	10	6	13000	8807	NC-1	85	form-based			true	0.75	17	1.700000048	13	13	19500	15307	15307	1.5
2379	040	2500	0.06	1875	0	85	140	4	8	8	10000	8125	NC-1	85	form-based			true	0.75	13	1.625	13	13	15000	13125	13125	1.5
2379	041	2500	0.06	1467	0	85	140	4	8	8	10000	8533	NC-1	85	form-based			true	0.75	13	1.625	13	13	15000	13533	13533	1.5
2381	045A	2500	0.06	2250	0	85	140	4	8	8	10000	7750	RTO-C	85	form-based			true	0.75	13	1.625	13	13	15000	12750	12750	1.5
2384	027	2500	0.06	900	0	85	140	4	8	8	10000	9100	RTO-C	85	form-based			true	0.75	13	1.625	13	13	15000	14100	14100	1.5
2385	043A	2500	0.06	2298	0	85	140	4	8	8	10000	7702	NC-1	85	form-based			true	0.75	13	1.625	13	13	15000	12702	12702	1.5
2390	044	2500	0.06	36	0	65	100	3	6	6	7500	7464	NCD-TARA	85	form-based			true	0.75	13	2.166666746	13	12	15000	14964	14964	2
2392	040	2500	0.06	1804	0	65	100	3	6	6	7500	5696	NCD-TARA	85	form-based			true	0.75	13	2.166666746	13	12	15000	13196	13196	2
2393	045	2500	0.06	2752	0	85	140	4	8	8	10000	7248	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	12248	12248	1.5
2393	046	2500	0.06	0	0	85	140	4	8	8	10000	10000	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	15000	15000	1.5
2393	047	2500	0.06	0	0	85	140	4	8	8	10000	10000	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	15000	15000	1.5
2394	001	3260	0.07	3607	4	65	100	3	7	3	9780	6173	NCD-TARA	85	form-based	true		true	0.75	17	2.428571463	13	10	19560	15953	15953	2
2394	041	2500	0.06	2100	0	85	140	4	8	8	10000	7900	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	12900	12900	1.5
2394	043	2500	0.06	2000	0	85	140	4	8	8	10000	8000	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	13000	13000	1.5
2394	044	2500	0.06	1650	0	85	140	4	8	8	10000	8350	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	13350	13350	1.5
2394	045	2500	0.06	1869	0	85	140	4	8	8	10000	8131	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	13131	13131	1.5
2394	047	2500	0.06	2436	0	85	140	4	8	8	10000	7564	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	12564	12564	1.5
2398	043	2500	0.06	2435	0	65	100	3	6	6	7500	5065	NCD-TARA	85	form-based			true	0.75	13	2.166666746	13	12	15000	12565	12565	2
2398	045	2400	0.06	1600	0	65	100	3	6	6	7200	5600	NCD-TARA	85	form-based			true	0.75	13	2.166666746	13	12	14400	12800	12800	2
2399	039	2500	0.06	4375	0	85	140	4	8	8	10000	5625	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	10625	10625	1.5
2399	040	2500	0.06	2360	0	85	140	4	8	8	10000	7640	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	12640	12640	1.5
2399	042	2500	0.06	2711	0	85	140	4	8	8	10000	7289	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	12289	12289	1.5
2400	001	3289	0.08	5414	4	65	100	3	8	4	9867	4453	NCD-TARA	85	form-based	true		true	0.75	17	2.125	13	12	19734	14320	14320	2
2400	039	2500	0.06	2450	0	85	140	4	8	8	10000	7550	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	12550	12550	1.5
2401	038	2500	0.06	2246	0	65	100	3	6	6	7500	5254	NCD-TARA	85	form-based			true	0.75	13	2.166666746	13	12	15000	12754	12754	2
2401	039	2500	0.06	2562	0	65	100	3	6	6	7500	4938	NCD-TARA	85	form-based			true	0.75	13	2.166666746	13	12	15000	12438	12438	2
2402	028	2467	0.06	1409	0	85	140	4	8	8	9868	8459	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	14802	13393	13393	1.5
2402	030	2500	0.06	3735	0	85	140	4	8	8	10000	6265	NCD-TARA	85	form-based			true	0.75	13	1.625	13	13	15000	11265	11265	1.5
2403	033	5811	0.13	14367	18	85	140	4	18	0	23244	8877	NCD-TARA	85	form-based	true		true	0.75	31	1.722222209	13	13	34866	20499	20499	1.5
2403	036	2500	0.06	4650	0	65	100	3	6	6	7500	2850	NCD-TARA	85	form-based			true	0.75	13	2.166666746	13	12	15000	10350	10350	2
2406	019	3835	0.09	3780	1	65	100	3	9	8	11505	7725	RTO-C	65	form-based	true		true	0.75	14	1.555555582	13	13	17257.5	13477.5	13477.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2408	044	2500	0.06	4718	0	65	100	3	6	6	7500	2782	NCD-INNE	85	form-based			true	0.75	13	2.166666746	13	12	15000	10282	10282	2
2408	052	5000	0.11	1493	13	85	140	4	15	2	20000	18507	NCD-INNE	85	form-based			true	0.75	26	1.733333349	13	13	30000	28507	28507	1.5
2409	037	2500	0.06	4635	0	85	140	4	8	8	10000	5365	NCD-INNE	85	form-based			true	0.75	13	1.625	13	13	15000	10365	10365	1.5
2410	009A	3608	0.08	1540	1	65	100	3	8	7	10824	9284	RTO-C	65	form-based			true	0.75	14	1.75	13	13	16236	14696	14696	1.5
2419	003C	2733	0.06	1680	1	65	100	3	6	5	8199	6519	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16398	14718	14718	2
2419	016	2723	0.06	2824	1	65	100	3	6	5	8169	5345	RTO-C	85	form-based		true	true	0.75	14	2.333333254	13	11	16338	13514	13514	2
2419	017	2446	0.06	4680	0	65	100	3	6	6	7338	2658	RTO-C	85	form-based			true	0.75	13	2.166666746	13	12	14676	9996	9996	2
2424	050	7319	0.17	18658	14	65	100	3	17	3	21957	3299	NC-1	65	form-based		true	true	0.75	27	1.588235259	13	13	32935.5	14277.5	14277.5	1.5
2442	014	10000	0.23	22293	25	65	100	3	23	0	30000	7707	RTO-C	65	form-based		true	true	0.75	38	1.652173877	13	13	45000	22707	22707	1.5
2443	034	9133	0.21	19014	21	65	100	3	21	0	27399	8385	RTO-C	65	form-based		true	true	0.75	34	1.619047642	13	13	41098.5	22084.5	22084.5	1.5
2444	009B	5000	0.11	3092	6	65	100	3	11	5	15000	11908	RTO-C	65	form-based			true	0.75	19	1.727272749	13	13	22500	19408	19408	1.5
2474	001	3344	0.08	4395	0	55	80	2.5	6	6	8360	3965	NC-1	65	form-based		true	true	0.75	13	2.166666746	13	12	15048	10653	10653	1.8
2482	004	6594	0.15	3060	1	65	100	3	15	14	19782	16722	RH-1	40	form-based			true	0.7	14	0.933333337	13	13	18463.19922	15403.19922	15403.19922	0.933333
2484	008	2412	0.06	0	0	65	100	3	6	6	7236	7236	RTO-C	85	form-based			true	0.75	13	2.166666746	13	12	14472	14472	14472	2
2483	011	4722	0.11	10670	12	65	100	3	11	0	14166	3496	NCD-WEST	85	form-based			true	0.75	25	2.272727251	13	10	28332	17662	17662	2
2499A	013	6846	0.16	1742	1	55	80	2.5	13	12	17115	15373	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19168.79883	17426.79883	17426.79883	1.12
2499A	014	6841	0.16	3054	1	55	80	2.5	13	12	17102	14048	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19154.79883	16100.79883	16100.79883	1.120033
2499A	023	6690	0.15	1260	1	55	80	2.5	12	11	16725	15465	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18732	17472	17472	1.12
2499A	024	6612	0.15	1260	1	55	80	2.5	12	11	16530	15270	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18513.59961	17253.59961	17253.59961	1.12
2499A	025	6614	0.15	1260	1	55	80	2.5	12	11	16535	15275	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18519.19922	17259.19922	17259.19922	1.12
2499A	027	6446	0.15	1260	1	55	80	2.5	12	11	16115	14855	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18048.79883	16788.79883	16788.79883	1.12
2499A	030	6524	0.15	1980	1	55	80	2.5	12	11	16310	14330	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18267.19922	16287.19922	16287.19922	1.12
2499A	031	6860	0.16	1260	1	55	80	2.5	13	12	17150	15890	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19208	17948	17948	1.12
2501A	024	6604	0.15	2189	1	55	80	2.5	12	11	16510	14321	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18491.19922	16302.19922	16302.19922	1.12
2527B	001	3716	0.09	2451	1	55	80	2.5	7	6	9290	6839	RTO-C	65	form-based		true	true	0.75	14	2	13	13	16722	14271	14271	1.8
2541	015	2698	0.06	1680	1	65	100	3	6	5	8094	6414	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16188	14508	14508	2
2541	016	2698	0.06	1804	1	65	100	3	6	5	8094	6290	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16188	14384	14384	2
2616	045	6463	0.15	1770	1	55	80	2.5	12	11	16158	14388	RH-3	40	form-based			true	0.7	14	1.166666627	13	13	18096.40039	16326.40039	16326.40039	1.119965
2622	083	4777	0.11	0	0	65	100	3	11	11	14331	14331	RH-2	50	form-based			true	0.7	13	1.181818128	13	13	16719.5	16719.5	16719.5	1.166667
2623	009	2803	0.06	6582	12	85	140	4	8	0	11212	4630	RTO-C	120	form-based			true	0.75	25	3.125	13	4	25227	18645	15842	2.25
2641	010	6554	0.15	2445	1	65	100	3	15	14	19662	17217	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18351.19922	15906.19922	15906.19922	0.933333
2647	008	3219	0.07	5450	4	65	100	3	7	3	9657	4207	NCD-CAST	85	form-based			true	0.75	17	2.428571463	13	10	19314	13864	13864	2
2674	013	6590	0.15	2095	1	55	80	2.5	12	11	16475	14380	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18452	16357	16357	1.12
2675	011	6442	0.15	1240	1	55	80	2.5	12	11	16105	14865	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18037.59961	16797.59961	16797.59961	1.12
2675	012	6896	0.16	1540	1	55	80	2.5	13	12	17240	15700	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19308.79883	17768.79883	17768.79883	1.12
2678	013	6552	0.15	1924	1	55	80	2.5	12	11	16380	14456	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18345.59961	16421.59961	16421.59961	1.12
2679	015	6668	0.15	1625	1	55	80	2.5	12	11	16670	15045	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18670.40039	17045.40039	17045.40039	1.12
2679	016	6812	0.16	1738	1	55	80	2.5	13	12	17030	15292	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19073.59961	17335.59961	17335.59961	1.12
2679	019	6854	0.16	1639	1	55	80	2.5	13	12	17135	15496	RH-1(D)	40	form-based		true	true	0.7	14	1.076923132	13	13	19191.19922	17552.19922	17552.19922	1.12
2688	006	6627	0.15	3463	1	55	80	2.5	12	11	16568	13105	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18555.59961	15092.59961	15092.59961	1.119966
2688	025	6568	0.15	2114	1	55	80	2.5	12	11	16420	14306	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18390.40039	16276.40039	16276.40039	1.12
2706	011	6436	0.15	2275	1	55	80	2.5	12	11	16090	13815	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18020.79883	15745.79883	15745.79883	1.12
2706	030	6514	0.15	1770	1	55	80	2.5	12	11	16285	14515	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18239.19922	16469.19922	16469.19922	1.12
2817	001	6802	0.16	3328	1	55	80	2.5	13	12	17005	13677	RH-1(D)	40	form-based		true	true	0.7	14	1.076923132	13	13	19045.59961	15717.59961	15717.59961	1.12
2817	016	6684	0.15	4512	1	65	100	3	15	14	20052	15540	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18715.19922	14203.19922	14203.19922	0.933333
2818	026	6546	0.15	3687	1	55	80	2.5	12	11	16365	12678	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18328.79883	14641.79883	14641.79883	1.12
2818	028	6430	0.15	3331	1	55	80	2.5	12	11	16075	12744	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18004	14673	14673	1.12
2822A	011	6457	0.15	1153	1	55	80	2.5	12	11	16142	14989	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18079.59961	16926.59961	16926.59961	1.120035
2823B	018	6538	0.15	1056	1	55	80	2.5	12	11	16345	15289	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18306.40039	17250.40039	17250.40039	1.12
2831	010	4943	0.11	5038	6	55	80	2.5	9	3	12358	7320	NCD-24TH	65	form-based			true	0.75	19	2.111111164	13	12	22243.5	17205.5	17205.5	1.799927
2831	018A	3400	0.08	0	0	55	80	2.5	6	6	8500	8500	NCD-24TH	65	form-based			true	0.75	13	2.166666746	13	12	15300	15300	15300	1.8
2837	034	6067	0.14	4588	0	65	100	3	14	14	18201	13613	RH-1(D)	40	form-based			true	0.7	13	0.928571403	13	13	16987.59961	12399.59961	12399.59961	0.933333
2838	015	6459	0.15	3646	1	55	80	2.5	12	11	16148	12502	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18085.19922	14439.19922	14439.19922	1.119965
2840	016	6518	0.15	3268	1	65	100	3	15	14	19554	16286	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18250.40039	14982.40039	14982.40039	0.933333
2841	005	6901	0.16	2814	1	65	100	3	16	15	20703	17889	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	19322.79883	16508.79883	16508.79883	0.933333
2856	009	6640	0.15	2893	1	65	100	3	15	14	19920	17027	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18592	15699	15699	0.933333
2858	026	6730	0.15	3050	1	65	100	3	15	14	20190	17140	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18844	15794	15794	0.933333
2861	025	6531	0.15	2687	1	55	80	2.5	12	11	16328	13641	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18286.79883	15599.79883	15599.79883	1.119966
2861	027	6631	0.15	2970	1	55	80	2.5	12	11	16578	13608	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18566.79883	15596.79883	15596.79883	1.119966
2861	034	6818	0.16	3378	1	55	80	2.5	13	12	17045	13667	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19090.40039	15712.40039	15712.40039	1.12
2862	020	6828	0.16	2917	1	65	100	3	16	15	20484	17567	RH-1(D)	40	form-based		true	true	0.7	14	0.875	13	13	19118.40039	16201.40039	16201.40039	0.933333
2878	001	6790	0.16	1888	1	65	100	3	16	15	20370	18482	RH-1(D)	40	form-based		true	true	0.7	14	0.875	13	13	19012	17124	17124	0.933333
2881	001	6676	0.15	2640	1	55	80	2.5	12	11	16690	14050	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18692.79883	16052.79883	16052.79883	1.12
2881	002	6653	0.15	2344	1	55	80	2.5	12	11	16632	14288	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18628.40039	16284.40039	16284.40039	1.120034

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2881	022	6537	0.15	2314	1	55	80	2.5	12	11	16342	14028	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18303.59961	15989.59961	15989.59961	1.120034
2882	001	6589	0.15	2224	1	55	80	2.5	12	11	16472	14248	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18449.19922	16225.19922	16225.19922	1.120034
2882	021	6453	0.15	2645	1	55	80	2.5	12	11	16132	13487	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18068.40039	15423.40039	15423.40039	1.120035
2882	034	6777	0.16	2022	1	55	80	2.5	13	12	16942	14920	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	18975.59961	16953.59961	16953.59961	1.120033
2885	012J	6589	0.15	3700	1	65	100	3	15	14	19767	16067	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18449.19922	14749.19922	14749.19922	0.933333
2885	013	6871	0.16	4512	1	65	100	3	16	15	20613	16101	RH-1(D)	40	form-based		true	true	0.7	14	0.875	13	13	19238.79883	14726.79883	14726.79883	0.933333
2886	017	6497	0.15	2925	1	65	100	3	15	14	19491	16566	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18191.59961	15266.59961	15266.59961	0.933333
2919A	025	3692	0.08	1976	1	65	100	3	8	7	11076	9100	RTO-C	65	form-based		true	true	0.75	14	1.75	13	13	16614	14638	14638	1.5
2920	020	3608	0.08	2462	1	65	100	3	8	7	10824	8362	RTO-C	65	form-based		true	true	0.75	14	1.75	13	13	16236	13774	13774	1.5
2923	011	6973	0.16	2555	2	55	80	2.5	13	11	17432	14877	RH-1(D)	40	form-based			true	0.7	15	1.153846145	13	13	19524.40039	16969.40039	16969.40039	1.120032
2925	004	6612	0.15	2680	1	65	100	3	15	14	19836	17156	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18513.59961	15833.59961	15833.59961	0.933333
2926	016	6720	0.15	3334	1	65	100	3	15	14	20160	16826	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18816	15482	15482	0.933333
2927	001	6898	0.16	4060	1	65	100	3	16	15	20694	16634	RH-1(D)	40	form-based		true	true	0.7	14	0.875	13	13	19314.40039	15254.40039	15254.40039	0.933333
2928	001	6828	0.16	4077	1	65	100	3	16	15	20484	16407	RH-1(D)	40	form-based		true	true	0.7	14	0.875	13	13	19118.40039	15041.40039	15041.40039	0.933333
2928	002	6733	0.15	2916	1	65	100	3	15	14	20199	17283	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18852.40039	15936.40039	15936.40039	0.933333
2929	001	3617	0.08	2494	1	65	100	3	8	7	10851	8357	RTO-C	65	form-based		true	true	0.75	14	1.75	13	13	16276.5	13782.5	13782.5	1.5
2929	031	3789	0.09	2526	1	65	100	3	9	8	11367	8841	RTO-C	65	form-based		true	true	0.75	14	1.555555582	13	13	17050.5	14524.5	14524.5	1.5
2930	001	3740	0.09	2701	1	85	140	4	13	12	14960	12259	RTO-C	65	form-based		true	true	0.75	14	1.076923132	13	13	16830	14129	14129	1.125
2931	004	2525	0.06	2517	0	85	140	4	8	8	10100	7583	NCD-WEST	85	form-based			true	0.75	13	1.625	13	13	15150	12633	12633	1.5
2931	004A	2565	0.06	1950	0	85	140	4	8	8	10260	8310	NCD-WEST	85	form-based			true	0.75	13	1.625	13	13	15390	13440	13440	1.5
2935	001	6672	0.15	2360	1	55	80	2.5	12	11	16680	14320	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18681.59961	16321.59961	16321.59961	1.12
2936A	007	6684	0.15	1696	1	55	80	2.5	12	11	16710	15014	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18715.19922	17019.19922	17019.19922	1.12
2936B	021	6474	0.15	2292	1	55	80	2.5	12	11	16185	13893	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18127.19922	15835.19922	15835.19922	1.12
2973	028	6518	0.15	2817	1	55	80	2.5	12	11	16295	13478	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18250.40039	15433.40039	15433.40039	1.12
2973A	028	6525	0.15	3969	1	55	80	2.5	12	11	16312	12343	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18270	14301	14301	1.120034
2973A	034	6603	0.15	4743	1	55	80	2.5	12	11	16508	11765	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18488.40039	13745.40039	13745.40039	1.119966
2973A	036	6735	0.15	3350	1	55	80	2.5	12	11	16838	13488	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18858	15508	15508	1.119967
2973A	055	6884	0.16	3204	1	55	80	2.5	13	12	17210	14006	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19275.19922	16071.19922	16071.19922	1.12
2979	008	3088	0.07	3640	3	85	140	4	10	7	12352	8712	NCD-WEST	85	form-based			true	0.75	16	1.600000024	13	13	18528	14888	14888	1.5
2979A	031	3933	0.09	7427	8	85	140	4	13	5	15732	8305	NCD-WEST	85	form-based			true	0.75	21	1.615384579	13	13	23598	16171	16171	1.5
2982	009	6529	0.15	2925	1	55	80	2.5	12	11	16322	13397	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18281.19922	15356.19922	15356.19922	1.120034
2982	011	6576	0.15	1981	1	55	80	2.5	12	11	16440	14459	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18412.79883	16431.79883	16431.79883	1.12
2984	018	6825	0.16	1585	1	65	100	3	16	15	20475	18890	RH-1(D)	40	form-based		true	true	0.7	14	0.875	13	13	19110	17525	17525	0.933333
2986	028	6484	0.15	1942	1	65	100	3	15	14	19452	17510	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18155.19922	16213.19922	16213.19922	0.933333
2987A	034	6643	0.15	3307	1	65	100	3	15	14	19929	16622	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18600.40039	15293.40039	15293.40039	0.933333
2987A	031	6438	0.15	2170	1	65	100	3	15	14	19314	17144	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18026.40039	15856.40039	15856.40039	0.933333
2987A	032	6550	0.15	3234	1	65	100	3	15	14	19650	16416	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18340	15106	15106	0.933333
2988A	013A	2388	0.05	1673	0	85	140	4	7	7	9552	7879	NCD-WEST	85	form-based			true	0.75	13	1.857142806	13	13	14328	12655	12655	1.5
2990	009	6435	0.15	3019	1	55	80	2.5	12	11	16088	13069	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18018	14999	14999	1.119965
2989B	027	2434	0.06	1453	0	65	100	3	6	6	7302	5849	NCD-WEST	85	form-based			true	0.75	13	2.166666746	13	12	14604	13151	13151	2
2989B	027A	2386	0.05	1920	0	65	100	3	5	5	7158	5238	NCD-WEST	85	form-based			true	0.75	13	2.599999905	13	10	14316	12396	12396	2
3011	066	6643	0.15	3064	1	55	80	2.5	12	11	16608	13544	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18600.40039	15536.40039	15536.40039	1.119966
3011	069	7362	0.17	2698	2	55	80	2.5	14	12	18405	15707	RH-1(D)	40	form-based			true	0.7	15	1.071428537	13	13	20613.59961	17915.59961	17915.59961	1.12
3011	082	6439	0.15	2598	1	55	80	2.5	12	11	16098	13500	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18029.19922	15431.19922	15431.19922	1.119965
3012	027	2540	0.06	3572	0	65	100	3	6	6	7620	4048	NCD-WEST	85	form-based		true	true	0.75	13	2.166666746	13	12	15240	11668	11668	2
3012	020A	2409	0.06	5145	0	65	100	3	6	6	7227	2082	NCD-WEST	85	form-based			true	0.75	13	2.166666746	13	12	14454	9309	9309	2
3013	004	6444	0.15	1712	1	65	100	3	15	14	19332	17620	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18043.19922	16331.19922	16331.19922	0.933333
3039	038	6689	0.15	4660	1	55	80	2.5	12	11	16722	12062	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18729.19922	14069.19922	14069.19922	1.120033
3042	019	6682	0.15	2414	1	55	80	2.5	12	11	16705	14291	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18709.59961	16295.59961	16295.59961	1.12
3042	029	6747	0.15	1873	1	55	80	2.5	12	11	16868	14995	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18891.59961	17018.59961	17018.59961	1.119967
3045	008	6683	0.15	2793	1	55	80	2.5	12	11	16708	13915	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18712.40039	15919.40039	15919.40039	1.119967
3046	037	6759	0.16	3123	1	55	80	2.5	13	12	16898	13775	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	18925.19922	15802.19922	15802.19922	1.119967
3046	012	6636	0.15	3426	1	55	80	2.5	12	11	16590	13164	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18580.79883	15154.79883	15154.79883	1.12
3046	015	6904	0.16	1840	1	55	80	2.5	13	12	17260	15420	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19331.19922	17491.19922	17491.19922	1.12
3046	038	6554	0.15	3405	1	55	80	2.5	12	11	16385	12980	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18351.19922	14946.19922	14946.19922	1.12
3047	046	6510	0.15	3012	1	55	80	2.5	12	11	16275	13263	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18228	15216	15216	1.12
3048	006	6755	0.16	2910	1	55	80	2.5	13	12	16888	13978	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	18914	16004	16004	1.119967
3048	014	6636	0.15	2562	1	55	80	2.5	12	11	16590	14028	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18580.79883	16018.79883	16018.79883	1.12
3069	001	6798	0.16	2608	1	65	100	3	16	15	20394	17786	RH-1(D)	40	form-based		true	true	0.7	14	0.875	13	13	19034.40039	16426.40039	16426.40039	0.933333
3071	024	6679	0.15	2020	1	65	100	3	15	14	20037	18017	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18701.19922	16681.19922	16681.19922	0.933333
3076	019	6448	0.15	4460	1	65	100	3	15	14	19344	14884	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18054.40039	13594.40039	13594.40039	0.933333
3071	019	6458	0.15	2658	1	65	100	3	15	14	19374	16716	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18082.40039	15424.40039	15424.40039	0.933333
3074	004	6794	0.16	3446	1	65	100	3	16	15	20382	16936	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	19023.19922	15577.19922	15577.19922	0.933333
3074	010	6696	0.15	4169	1	65	100	3	15	14	20088	15919	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18748.79883	14579.79883	14579.79883	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3075	003	6816	0.16	3936	1	55	80	2.5	13	12	17040	13104	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19084.79883	15148.79883	15148.79883	1.12
3075	009	6838	0.16	3566	1	65	100	3	16	15	20514	16948	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	19146.40039	15580.40039	15580.40039	0.933333
3076	011	6640	0.15	2600	1	55	80	2.5	12	11	16600	14000	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18592	15992	15992	1.12
3076A	008	6663	0.15	3070	1	65	100	3	15	14	19989	16919	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18656.40039	15586.40039	15586.40039	0.933333
3077	012	6636	0.15	2502	1	55	80	2.5	12	11	16590	14088	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18580.79883	16078.79883	16078.79883	1.12
3077	018	6614	0.15	4048	1	55	80	2.5	12	11	16535	12487	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18519.19922	14471.19922	14471.19922	1.12
3077	005	6504	0.15	2900	1	55	80	2.5	12	11	16260	13360	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18211.19922	15311.19922	15311.19922	1.12
3077	030	6534	0.15	2719	1	55	80	2.5	12	11	16335	13616	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18295.19922	15576.19922	15576.19922	1.12
3078	031	6727	0.15	3276	1	55	80	2.5	12	11	16818	13542	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18835.59961	15559.59961	15559.59961	1.119967
3089	079	6700	0.15	2592	1	55	80	2.5	12	11	16750	14158	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18760	16168	16168	1.12
3091	057	15700	0.36	598	20	55	80	2.5	29	9	39250	38652	RM-1	40	form-based		true	true	0.7	33	1.137930989	13	13	43960	43362	43362	1.12
3100	001	6444	0.15	4210	1	65	100	3	15	14	19332	15122	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18043.19922	13833.19922	13833.19922	0.933333
3100	020	6478	0.15	3835	1	65	100	3	15	14	19434	15599	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18138.40039	14303.40039	14303.40039	0.933333
3102	021	6599	0.15	3657	1	65	100	3	15	14	19797	16140	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18477.19922	14820.19922	14820.19922	0.933333
3105	008	6718	0.15	3594	1	55	80	2.5	12	11	16795	13201	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18810.40039	15216.40039	15216.40039	1.12
3105A	014	6642	0.15	3260	1	55	80	2.5	12	11	16605	13345	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18597.59961	15337.59961	15337.59961	1.12
3133	004	6824	0.16	2649	1	55	80	2.5	13	12	17060	14411	RH-1(D)	40	form-based		true	true	0.7	14	1.076923132	13	13	19107.19922	16458.19922	16458.19922	1.12
3134	001	6532	0.15	2375	1	55	80	2.5	12	11	16330	13955	RH-1(D)	40	form-based		true	true	0.7	14	1.166666627	13	13	18289.59961	15914.59961	15914.59961	1.12
3189	015	6797	0.16	1900	1	65	100	3	16	15	20391	18491	RH-1(D)	40	form-based		true	true	0.7	14	0.875	13	13	19031.59961	17131.59961	17131.59961	0.933333
3190	007	6476	0.15	3560	1	65	100	3	15	14	19428	15868	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18132.79883	14572.79883	14572.79883	0.933333
3196	004	2470	0.06	3500	0	85	140	4	8	8	9880	6380	NCT-OCEA	85	form-based		true	true	0.75	13	1.625	13	13	14820	11320	11320	1.5
3257	015	3795	0.09	2158	1	85	140	4	13	12	15180	13022	RTO-C	65	form-based			true	0.75	14	1.076923132	13	13	17077.5	14919.5	14919.5	1.125
3258	017	3715	0.09	3337	1	85	140	4	13	12	14860	11523	RTO-C	65	form-based			true	0.75	14	1.076923132	13	13	16717.5	13380.5	13380.5	1.125
3258	019	3698	0.08	2149	1	85	140	4	11	10	14792	12643	RTO-C	65	form-based		true	true	0.75	14	1.272727251	13	13	16641	14492	14492	1.125
3259	021	3808	0.09	1740	1	65	100	3	9	8	11424	9684	RTO-C	65	form-based			true	0.75	14	1.555555582	13	13	17136	15396	15396	1.5
3260	017	6536	0.15	3236	1	65	100	3	15	14	19608	16372	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18300.79883	15064.79883	15064.79883	0.933333
3263	006	6754	0.16	3225	1	55	80	2.5	13	12	16885	13660	RH-1(D)	40	form-based		true	true	0.7	14	1.076923132	13	13	18911.19922	15686.19922	15686.19922	1.12
3273	041	6674	0.15	2520	1	65	100	3	15	14	20022	17502	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18687.19922	16167.19922	16167.19922	0.933333
3504	046	3113	0.07	33807	3	85	140	4	10	7	12452	0	NCT-3	85	form-based				0.75	16	1.600000024	13	13	18678	0	0	1.5
3509	005	7814	0.18	12331	10	75	120	3.5	22	12	27349	15018	RCD	55	form-based				0.75	23	1.045454502	13	13	29302.5	16971.5	16971.5	1.071429
3510	012	4413	0.1	13703	0	65	100	3	10	10	13239	0	WMUG	55	form-based				0.75	13	1.299999952	13	13	16548.75	2845.75	2845.75	1.25
3510	060	4413	0.1	9000	0	65	100	3	10	10	13239	4239	WMUG	55	form-based				0.75	13	1.299999952	13	13	16548.75	7548.75	7548.75	1.25
3515	002	2525	0.06	1982	0	65	100	3	6	6	7575	5593	WMUG	85	form-based			true	0.75	13	2.166666746	13	12	15150	13168	13168	2
3520	002	4330	0.1	5061	0	65	100	3	10	10	12990	7929	RCD	55	form-based				0.75	13	1.299999952	13	13	16237.5	11176.5	11176.5	1.25
3520	050	4468	0.1	4500	0	55	80	2.5	8	8	11170	6670	WMUG	55	form-based				0.75	13	1.625	13	13	16755	12255	12255	1.5
3725	069	1478	0.03	0	0	75	120	3.5	4	4	5173	5173	C-3-S	120	form-based				0.8	13	3.25	13	8	13302	13302	10346	2.571429
3525	084	6376	0.15	6928	1	55	80	2.5	12	11	15940	9012	RED	40	form-based				0.75	14	1.166666627	13	13	19128	12200	12200	1.2
3537	006	2976	0.07	2900	3	85	140	4	10	7	11904	9004	NCT-UPPEI	85	form-based			true	0.75	16	1.600000024	13	13	17856	14956	14956	1.5
3537	057	2701	0.06	1338	1	65	100	3	6	5	8103	6765	RTO-C	85	form-based			true	0.75	14	2.333333254	13	11	16206	14868	14868	2
3538	050	2499	0.06	0	0	85	140	4	8	8	9996	9996	RTO-C	85	form-based			true	0.75	13	1.625	13	13	14994	14994	14994	1.5
3543	005	5000	0.11	11135	13	65	100	3	11	0	15000	3865	NCT-UPPEI	85	form-based		true	true	0.75	26	2.363636255	13	9	30000	18865	18865	2
3544	058	3113	0.07	5935	3	85	140	4	10	7	12452	6517	NCT-UPPEI	85	form-based			true	0.75	16	1.600000024	13	13	18678	12743	12743	1.5
3544	063	3111	0.07	4816	3	85	140	4	10	7	12444	7628	NCT-UPPEI	85	form-based			true	0.75	16	1.600000024	13	13	18666	13850	13850	1.5
3544	064	3110	0.07	5285	3	85	140	4	10	7	12440	7155	NCT-UPPEI	85	form-based			true	0.75	16	1.600000024	13	13	18660	13375	13375	1.5
3552	035	4200	0.1	0	0	75	120	3.5	12	12	14700	14700	UMU	58	form-based				0.75	13	1.083333373	13	13	15750	15750	15750	1.071429
3553	021	3062	0.07	5060	3	75	120	3.5	8	5	10717	5657	NCT-MISSI	80	form-based				0.75	16	2	13	13	18372	13312	13312	1.714286
3554	055	8268	0.19	11500	16	75	120	3.5	23	7	28938	17438	RTO-M	65	form-based		true		0.7	29	1.260869622	13	13	34725.59766	23225.59766	23225.59766	1.2
3554	058	4168	0.1	3788	0	75	120	3.5	12	12	14588	10800	NCT-VALEI	55	form-based				0.75	13	1.083333373	13	13	15630	11842	11842	1.071429
3556	032	8968	0.21	9192	6	65	100	3	21	15	26904	17712	RTO-1	40	form-based			true	0.7	19	0.90476191	13	13	25110.40039	15918.40039	15918.40039	0.933333
3557	057	10924	0.25	15545	18	65	100	3	25	7	32772	17227	RTO-1	50	form-based			true	0.7	31	1.24000001	13	13	38234	22689	22689	1.166667
3567	033	6170	0.14	0	0	85	140	4	20	20	24680	24680	RM-1	40	form-based		true	true	0.7	13	0.649999976	13	13	17276	17276	17276	0.7
3582	057	7250	0.17	22936	25	65	100	3	17	0	21750	0	NCD-CAST	85	form-based		true	true	0.75	38	2.235294104	13	9	43500	20564	20564	2
3582	061	3125	0.07	3584	3	65	100	3	7	4	9375	5791	NCD-CAST	85	form-based			true	0.75	16	2.285714388	13	11	18750	15166	15166	2
3582	077	2431	0.06	5400	9	85	140	4	8	0	9724	4324	RTO-C	140	form-based			true	0.75	22	2.75	13	7	21879	16479	14048	2.25
3588	125	10026	0.23	1263	17	65	100	3	23	6	30078	28815	NCT-VALEI	55	form-based		true		0.75	30	1.304347873	13	13	37597.5	36334.5	36334.5	1.25
3606	026	5130	0.12	3777	1	85	140	4	17	16	20520	16743	RM-1	50	form-based			true	0.7	14	0.823529422	13	13	17955	14178	14178	0.875
3608	009	4179	0.1	5460	0	65	100	3	10	10	12537	7077	NCT-VALEI	50	form-based				0.75	13	1.299999952	13	13	15671.25	10211.25	10211.25	1.25
3620	089	7317	0.17	2775	2	65	100	3	17	15	21951	19176	RH-1	40	form-based			true	0.7	15	0.882352948	13	13	20487.59961	17712.59961	17712.59961	0.933333
3627	078	5870	0.13	2713	3	65	100	3	13	10	17610	14897	RH-2	50	form-based			true	0.7	16	1.230769277	13	13	20545	17832	17832	1.166667
3629	011	4924	0.11	3156	1	65	100	3	11	10	14772	11616	RH-2	50	form-based			true	0.7	14	1.272727251	13	13	17234	14078	14078	1.166667
3629	030	4423	0.1	3520	4	85	140	4	14	10	17692	14172	RTO-C	65	form-based			true	0.75	17	1.214285731	13	13	19903.5	16383.5	16383.5	1.125
3632	013	10665	0.24	33725	0	65	100	3	24	24	31995	0	RM-1	40	density-lin	800	true		0.7	13	0.541666687	13	13	29862	0	0	0.933333
3637	027	7963	0.18	16834	17	85	140	4	25	8	31852	15018	NCT-MISSI	65	form-based				0.75	30	1.200000048	13	13	35833.5	18999.5	18999.5	1.125
3642	027	3064	0.07	7500	3	75	120	3.5	8	5	10724	3224	NCT-MISSI	80	form-based				0.75	16	2	13	13	18384	10884	10884	1.714286

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3642	096	4256	0.1	0	0	75	120	3.5	12	12	14896	14896	NCT-24TH-	55	form-based				0.75	13	1.083333373	13	13	15960	15960	15960	1.071429
3643	009	2479	0.06	1920	0	95	160	4.5	10	10	11156	9236	NCT-MISSI	85	form-based				0.75	13	1.299999952	13	13	14874	12954	12954	1.333274
3649	001	6861	0.16	10640	6	65	100	3	16	10	20583	9943	RM-1	50	form-based		true	true	0.7	19	1.1875	13	13	24013.5	13373.5	13373.5	1.166667
3649	012	4665	0.11	2388	0	65	100	3	11	11	13995	11607	RM-1	50	form-based		true	true	0.7	13	1.181818128	13	13	16327.5	13939.5	13939.5	1.166667
3649	036	12124	0.28	15126	21	65	100	3	28	7	36372	21246	RM-1	50	form-based			true	0.7	34	1.214285731	13	13	42434	27308	27308	1.166667
3650	053	4018	0.09	2639	2	65	100	3	9	7	12054	9415	RTO-C	65	form-based			true	0.75	15	1.666666627	13	13	18081	15442	15442	1.5
3707	032	1471	0.03	6500	0	75	120	3.5	4	4	5148	0	C-3-O	500	form-based		true		0.8	13	3.25	13	8	13239	6739	3796	2.571678
3708	010	1392	0.03	0	0	75	120	3.5	4	4	4872	4872	C-3-O(SD)	550	form-based				0.8	13	3.25	13	8	12528	12528	9744	2.571429
3725	020	2500	0.06	5790	0	65	100	3	6	6	7500	1710	MUR	85	form-based				0.75	13	2.166666746	13	12	15000	9210	9210	2
3730	048	5696	0.13	0	0	65	100	3	13	13	17088	17088	RED	40	form-based		true		0.75	13	1	13	13	17088	17088	17088	1
3731	160	3987	0.09	2056	2	65	100	3	9	7	11961	9905	RED	65	form-based				0.75	15	1.666666627	13	13	17941.5	15885.5	15885.5	1.5
3731	162	4979	0.11	1352	6	65	100	3	11	5	14937	13585	RED	65	form-based				0.75	19	1.727272749	13	13	22405.5	21053.5	21053.5	1.5
3732	028	2548	0.06	2560	0	65	100	3	6	6	7644	5084	MUR	85	form-based				0.75	13	2.166666746	13	12	15288	12728	12728	2
3732	152	2561	0.06	2574	0	65	100	3	6	6	7683	5109	MUR	85	form-based				0.75	13	2.166666746	13	12	15366	12792	12792	2
3749	047	4717	0.11	9198	6	75	120	3.5	13	7	16510	7312	RH DTR	65	form-based		true		0.8	19	1.461538434	13	13	22641.59961	13443.59961	13443.59961	1.371387
3751	033	2400	0.06	3090	0	65	100	3	6	6	7200	4110	CMUO	85	form-based				0.8	13	2.166666746	13	12	15360	12270	11310	2.133333
3753	207	5591	0.13	1174	0	65	100	3	13	13	16773	15599	MUR	45	form-based				0.75	13	1	13	13	16773	15599	15599	1
3754	030	3750	0.09	7500	1	65	100	3	9	8	11250	3750	MUG	65	form-based		true		0.75	14	1.555555582	13	13	16875	9375	9375	1.5
3754	038	3424	0.08	1360	0	65	100	3	8	8	10272	8912	NCT-SOMA	65	form-based				0.75	13	1.625	13	13	15408	14048	14048	1.5
3754	039	3351	0.08	13671	0	65	100	3	8	8	10053	0	NCT-SOMA	65	form-based				0.75	13	1.625	13	13	15079.5	1408.5	1408.5	1.5
3755	010	4250	0.1	12126	0	85	140	4	14	14	17000	4874	WMUG	55	form-based				0.75	13	0.928571403	13	13	15937.5	3811.5	3811.5	0.9375
3755	021	4400	0.1	4578	0	65	100	3	10	10	13200	8622	WMUG	55	form-based		true		0.75	13	1.299999952	13	13	16500	11922	11922	1.25
3763	017	2367	0.05	5605	0	85	140	4	7	7	9468	3863	CMUO	85	form-based				0.8	13	1.857142806	13	13	15148.7998	9543.799805	9543.799805	1.6
3763	018	2372	0.05	6900	0	85	140	4	7	7	9488	2588	CMUO	85	form-based				0.8	13	1.857142806	13	13	15180.7998	8280.799805	8280.799805	1.6
3775	033	5826	0.13	25000	0	65	100	3	13	13	17478	0	SPD	40	form-based				0.75	13	1	13	13	17478	0	0	1
3775	101	5600	0.13	46862	0	65	100	3	13	13	16800	0	CMUO	45	form-based				0.8	13	1	13	13	17920	0	0	1.066667
3778	019	4467	0.1	13631	0	65	100	3	10	10	13401	0	MUG	55	form-based				0.75	13	1.299999952	13	13	16751.25	3120.25	3120.25	1.25
3778	023	4467	0.1	6750	0	65	100	3	10	10	13401	6651	MUG	55	form-based		true		0.75	13	1.299999952	13	13	16751.25	10001.25	10001.25	1.25
3778	051	4467	0.1	17600	0	65	100	3	10	10	13401	0	MUG	55	form-based				0.75	13	1.299999952	13	13	16751.25	0	0	1.25
3785	233	13895	0.32	394649	39	65	100	3	32	0	41685	0	MUG	65	form-based				0.75	52	1.625	13	13	62527.5	0	0	1.5
3983	013	12554	0.29	21648	0	65	100	3	29	29	37662	16014	RH-3	40	density-lin	1000	true		0.7	13	0.448275864	13	13	35151.19922	13503.19922	13503.19922	0.933333
3995	089	7762	0.18	1010	16	65	100	3	18	2	23286	22276	UMU	68	form-based				0.75	29	1.611111164	13	13	34929	33919	33919	1.5
4023	006	9875	0.23	741	24	65	100	3	23	0	29625	28884	UMU	68	form-based		true		0.75	37	1.608695626	13	13	44437.5	43696.5	43696.5	1.5
4034	071	19027	0.44	981	30	65	100	3	44	14	57081	56100	UMU	40	form-based				0.75	43	0.977272749	13	13	57081	56100	56100	1
4101	065	48750	1.12	1856	67	75	120	3.5	134	67	170625	168769	MUR	40	form-based		true		0.55	80	0.597014904	13	13	107250	105394	105394	0.628571
4146	034	10061	0.23	21250	0	65	100	3	23	23	30183	8933	RM-1	40	density-lin	800	true		0.7	13	0.565217376	13	13	28170.79883	6920.798828	6920.798828	0.933333
4172	016	5600	0.13	6995	0	75	120	3.5	16	16	19600	12605	NCT-2	45	form-based				0.75	13	0.8125	13	13	16800	9805	9805	0.857143
4172	018	7704	0.18	10880	4	75	120	3.5	22	18	26964	16084	NCT-2	45	form-based				0.75	17	0.772727251	13	13	23112	12232	12232	0.857143
4224	051	10306	0.24	1478	10	65	100	3	24	14	30918	29440	UMU	40	form-based		true		0.75	23	0.958333313	13	13	30918	29440	29440	1
6506	002	3521	0.08	2300	0	55	80	2.5	6	6	8802	6502	NCD-24TH	65	form-based			true	0.75	13	2.166666746	13	12	15844.5	13544.5	13544.5	1.800102
6507	018	3420	0.08	2768	0	55	80	2.5	6	6	8550	5782	NCD-24TH	65	form-based			true	0.75	13	2.166666746	13	12	15390	12622	12622	1.8
6508	039	5805	0.13	6860	9	65	100	3	13	4	17415	10555	NCD-24TH	65	form-based			true	0.75	22	1.692307711	13	13	26122.5	19262.5	19262.5	1.5
6528	022	3451	0.08	2200	0	75	120	3.5	10	10	12078	9878	NCT-MISSI	65	form-based				0.75	13	1.299999952	13	13	15529.5	13329.5	13329.5	1.285768
6570	013	15233	0.35	35583	33	85	140	4	49	16	60932	25349	NCT-MISSI	55	form-based		true		0.75	46	0.938775539	13	13	57123.75	21540.75	21540.75	0.9375
6596	011	8000	0.18	8309	0	65	100	3	18	18	24000	15691	NCD-MISS	40	density-lin	600			0.75	13	0.722222209	13	13	24000	15691	15691	1
6665	016	6463	0.15	1680	1	65	100	3	15	14	19389	17709	RH-1	40	form-based			true	0.7	14	0.933333337	13	13	18096.40039	16416.40039	16416.40039	0.933333
6665	066	6134	0.14	0	0	65	100	3	14	14	18402	18402	RH-1	40	form-based			true	0.7	13	0.928571403	13	13	17175.19922	17175.19922	17175.19922	0.933333
6745	105	1460	0.03	0	0	75	120	3.5	4	4	5110	5110	RTO-C	140	form-based			true	0.75	13	3.25	13	8	13140	13140	10220	2.571429
6745	044	1650	0.04	4218	2	95	160	4.5	6	4	7425	3207	NCT-GLEN	140	form-based			true	0.75	15	2.5	13	10	14850	10632	10632	2
6748	060	18829	0.43	6833	0	65	100	3	43	43	56487	49654	RH-2	40	density-lin	1500			0.7	13	0.302325577	13	13	52721.19922	45888.19922	45888.19922	0.933333
6756	010	2444	0.06	0	0	75	120	3.5	7	7	8554	8554	NCT-GLEN	85	form-based		true	true	0.75	13	1.857142806	13	13	14664	14664	14664	1.714286
6756	016	2609	0.06	1250	1	75	120	3.5	7	6	9132	7882	RTO-C	85	form-based			true	0.75	14	2	13	13	15654	14404	14404	1.714192
6756	017	2431	0.06	1522	0	75	120	3.5	7	7	8508	6986	RTO-C	85	form-based			true	0.75	13	1.857142806	13	13	14586	13064	13064	1.714386
6763	044	6585	0.15	1475	1	65	100	3	15	14	19755	18280	RH-1	40	form-based			true	0.7	14	0.933333337	13	13	18438	16963	16963	0.933333
6797	047	7546	0.17	9000	0	65	100	3	17	17	22638	13638	NCD-EXCE	40	density-lin	600	true		0.75	13	0.764705896	13	13	22638	13638	13638	1
6902	001	2789	0.06	1180	2	85	140	4	8	6	11156	9976	NC-1	85	form-based			true	0.75	15	1.875	13	13	16734	15554	15554	1.5
6902	006	6434	0.15	2431	1	65	100	3	15	14	19302	16871	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18015.19922	15584.19922	15584.19922	0.933333
6902	009	6475	0.15	1800	1	65	100	3	15	14	19425	17625	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18130	16330	16330	0.933333
6904	018	6763	0.16	1716	1	65	100	3	16	15	20289	18573	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	18936.40039	17220.40039	17220.40039	0.933333
6903	006	6625	0.15	1912	1	85	140	4	21	20	26500	24588	RH-1(D)	40	form-based			true	0.7	14	0.666666687	13	13	18550	16638	16638	0.7
6904	021	6777	0.16	2809	1	65	100	3	16	15	20331	17522	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	18975.59961	16166.59961	16166.59961	0.933333
6904	022	6629	0.15	1468	1	85	140	4	21	20	26516	25048	RH-1(D)	40	form-based			true	0.7	14	0.666666687	13	13	18561.19922	17093.19922	17093.19922	0.7
6904	004	6442	0.15	3500	1	65	100	3	15	14	19326	15826	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18037.59961	14537.59961	14537.59961	0.933333
6904	005	6561	0.15	2935	1	65	100	3	15	14	19683	16748	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18370.79883	15435.79883	15435.79883	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6904	009	6812	0.16	3250	1	65	100	3	16	15	20436	17186	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	19073.59961	15823.59961	15823.59961	0.933333
6905	011	6023	0.14	755	0	65	100	3	14	14	18069	17314	RH-1(D)	40	form-based			true	0.7	13	0.928571403	13	13	16864.40039	16109.40039	16109.40039	0.933333
6907	011	6759	0.16	3013	1	65	100	3	16	15	20277	17264	RH-1(D)	40	form-based		true	true	0.7	14	0.875	13	13	18925.19922	15912.19922	15912.19922	0.933333
6907	009	6619	0.15	2780	1	65	100	3	15	14	19857	17077	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18533.19922	15753.19922	15753.19922	0.933333
6907	010	6434	0.15	3480	1	65	100	3	15	14	19302	15822	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18015.19922	14535.19922	14535.19922	0.933333
6907	015	6758	0.16	3029	1	65	100	3	16	15	20274	17245	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	18922.40039	15893.40039	15893.40039	0.933333
6909	005	6527	0.15	2640	1	65	100	3	15	14	19581	16941	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18275.59961	15635.59961	15635.59961	0.933333
6908	016A	6756	0.16	3255	1	65	100	3	16	15	20268	17013	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	18916.79883	15661.79883	15661.79883	0.933333
6908	018	6530	0.15	2286	1	65	100	3	15	14	19590	17304	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18284	15998	15998	0.933333
6908	033	6550	0.15	2490	1	65	100	3	15	14	19650	17160	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18340	15850	15850	0.933333
6909	011	6618	0.15	2880	1	65	100	3	15	14	19854	16974	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18530.40039	15650.40039	15650.40039	0.933333
6909	012	6815	0.16	2126	1	65	100	3	16	15	20445	18319	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	19082	16956	16956	0.933333
6910	003	6568	0.15	2648	1	65	100	3	15	14	19704	17056	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18390.40039	15742.40039	15742.40039	0.933333
6910	007	6826	0.16	2174	1	65	100	3	16	15	20478	18304	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	19112.79883	16938.79883	16938.79883	0.933333
6914	003	6783	0.16	1815	1	85	140	4	22	21	27132	25317	RH-1(D)	40	form-based			true	0.7	14	0.636363626	13	13	18992.40039	17177.40039	17177.40039	0.7
6912	004	6456	0.15	2904	1	65	100	3	15	14	19368	16464	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18076.79883	15172.79883	15172.79883	0.933333
6912	005	6627	0.15	2604	1	65	100	3	15	14	19881	17277	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18555.59961	15951.59961	15951.59961	0.933333
6912	007	6479	0.15	2100	1	65	100	3	15	14	19437	17337	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18141.19922	16041.19922	16041.19922	0.933333
6912	009	6609	0.15	1447	1	65	100	3	15	14	19827	18380	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18505.19922	17058.19922	17058.19922	0.933333
6912	010	6898	0.16	2199	1	55	80	2.5	13	12	17245	15046	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19314.40039	17115.40039	17115.40039	1.12
6912	018	6521	0.15	1574	1	65	100	3	15	14	19563	17989	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18258.79883	16684.79883	16684.79883	0.933333
6912	030	6747	0.15	1650	1	65	100	3	15	14	20241	18591	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18891.59961	17241.59961	17241.59961	0.933333
6913	029	6463	0.15	2663	1	65	100	3	15	14	19389	16726	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18096.40039	15433.40039	15433.40039	0.933333
6915	034	2517	0.06	2250	0	65	100	3	6	6	7551	5301	NCT-OCEA	85	form-based			true	0.75	13	2.166666746	13	12	15102	12852	12852	2
6916	007	6472	0.15	3647	1	55	80	2.5	12	11	16180	12533	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18121.59961	14474.59961	14474.59961	1.12
6916	008	6646	0.15	2650	1	55	80	2.5	12	11	16615	13965	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18608.79883	15958.79883	15958.79883	1.12
6916	009	6618	0.15	1220	1	55	80	2.5	12	11	16545	15325	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18530.40039	17310.40039	17310.40039	1.12
6916	010	6636	0.15	4819	1	55	80	2.5	12	11	16590	11771	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18580.79883	13761.79883	13761.79883	1.12
6916	011	6903	0.16	2545	1	55	80	2.5	13	12	17258	14713	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19328.40039	16783.40039	16783.40039	1.119968
6917	007	6639	0.15	4722	1	65	100	3	15	14	19917	15195	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18589.19922	13867.19922	13867.19922	0.933333
6917A	001	6600	0.15	2410	1	65	100	3	15	14	19800	17390	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18480	16070	16070	0.933333
6917A	022	6899	0.16	1666	1	55	80	2.5	13	12	17248	15582	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19317.19922	17651.19922	17651.19922	1.119967
6917A	023	6670	0.15	1920	1	55	80	2.5	12	11	16675	14755	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18676	16756	16756	1.12
6919	024	6448	0.15	2608	1	65	100	3	15	14	19344	16736	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18054.40039	15446.40039	15446.40039	0.933333
6919	025	6517	0.15	1642	1	65	100	3	15	14	19551	17909	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18247.59961	16605.59961	16605.59961	0.933333
6919	026	6585	0.15	2964	1	65	100	3	15	14	19755	16791	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18438	15474	15474	0.933333
6919	029	6661	0.15	2400	1	65	100	3	15	14	19983	17583	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18650.79883	16250.79883	16250.79883	0.933333
6921	008	6433	0.15	3121	1	65	100	3	15	14	19299	16178	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18012.40039	14891.40039	14891.40039	0.933333
6923	019	6531	0.15	1220	1	65	100	3	15	14	19593	18373	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18286.79883	17066.79883	17066.79883	0.933333
6923	020	6437	0.15	1540	1	65	100	3	15	14	19311	17771	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18023.59961	16483.59961	16483.59961	0.933333
6923	005	6884	0.16	1200	1	65	100	3	16	15	20652	19452	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	19275.19922	18075.19922	18075.19922	0.933333
6923	021	6581	0.15	1600	1	65	100	3	15	14	19743	18143	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18426.79883	16826.79883	16826.79883	0.933333
6923	024	6488	0.15	1215	1	65	100	3	15	14	19464	18249	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18166.40039	16951.40039	16951.40039	0.933333
6923	026	6597	0.15	2237	1	65	100	3	15	14	19791	17554	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18471.59961	16234.59961	16234.59961	0.933333
6924	002	6557	0.15	2525	1	65	100	3	15	14	19671	17146	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18359.59961	15834.59961	15834.59961	0.933333
6924	004	6683	0.15	2400	1	65	100	3	15	14	20049	17649	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18712.40039	16312.40039	16312.40039	0.933333
6924	006	6831	0.16	2184	1	65	100	3	16	15	20493	18309	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	19126.79883	16942.79883	16942.79883	0.933333
6925	022	6850	0.16	3625	1	65	100	3	16	15	20550	16925	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	19180	15555	15555	0.933333
6928	001	6798	0.16	2050	1	65	100	3	16	15	20394	18344	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	19034.40039	16984.40039	16984.40039	0.933333
6928	009	6561	0.15	1829	1	55	80	2.5	12	11	16402	14573	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18370.79883	16541.79883	16541.79883	1.120034
6930	022	6845	0.16	2782	1	65	100	3	16	15	20535	17753	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	19166	16384	16384	0.933333
6931	003	6496	0.15	1800	1	65	100	3	15	14	19488	17688	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18188.79883	16388.79883	16388.79883	0.933333
6931	004	6590	0.15	2755	1	65	100	3	15	14	19770	17015	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18452	15697	15697	0.933333
6931	005	6490	0.15	2344	1	55	80	2.5	12	11	16225	13881	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18172	15828	15828	1.12
6931	006	6542	0.15	1425	1	55	80	2.5	12	11	16355	14930	RH-1(D)	40	form-based			true	0.7	14	1.166666627	13	13	18317.59961	16892.59961	16892.59961	1.12
6931	008	6799	0.16	1350	1	55	80	2.5	13	12	16998	15648	RH-1(D)	40	form-based			true	0.7	14	1.076923132	13	13	19037.19922	17687.19922	17687.19922	1.119967
6931	015	6769	0.16	2600	1	65	100	3	16	15	20307	17707	RH-1(D)	40	form-based			true	0.7	14	0.875	13	13	18953.19922	16353.19922	16353.19922	0.933333
6932	011	6711	0.15	1860	1	65	100	3	15	14	20133	18273	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18790.79883	16930.79883	16930.79883	0.933333
6936	017	2842	0.07	2050	2	85	140	4	10	8	11368	9318	NCT-OCEA	85	form-based			true	0.75	15	1.5	13	13	17052	15002	15002	1.5
6947	001D	2699	0.06	1345	1	85	140	4	8	7	10796	9451	NCT-OCEA	85	form-based			true	0.75	14	1.75	13	13	16194	14849	14849	1.5
6954	020	7510	0.17	1118	0	55	80	2.5	14	14	18775	17657	NCD-EXCE	40	density-lim	600	true		0.75	13	0.928571403	13	13	22530	21412	21412	1.2
6956	024	9394	0.22	10569	3	55	80	2.5	18	15	23485	12916	NCD-EXCE	65	density-lim	600			0.75	16	0.888888896	13	13	42273	31704	31704	1.8
6962	006G	2704	0.06	2563	1	85	140	4	8	7	10816	8253	RTO-C	85	form-based			true	0.75	14	1.75	13	13	16224	13661	13661	1.5
6964	013	2703	0.06	1600	1	85	140	4	8	7	10812	9212	NCT-1	85	form-based			true	0.75	14	1.75	13	13	16218	14618	14618	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6964	013A	2622	0.06	1587	1	85	140	4	8	7	10488	8901	NCT-1	85	form-based			true	0.75	14	1.75	13	13	15732	14145	14145	1.5
6976	013	6108	0.14	380	0	75	120	3.5	17	17	21378	20998	RH-1	40	form-based			true	0.7	13	0.764705896	13	13	17102.40039	16722.40039	16722.40039	0.8
6984	008	7055	0.16	1728	2	65	100	3	16	14	21165	19437	RH-1	40	form-based			true	0.7	15	0.9375	13	13	19754	18026	18026	0.933333
7044A	001	7581	0.17	1274	0	55	80	2.5	14	14	18952	17678	NCD-EXCE	40	density-lim	600	true		0.75	13	0.928571403	13	13	22743	21469	21469	1.200032
7102	026	10373	0.24	0	0	65	100	3	24	24	31119	31119	NC-S	40	density-lim	800			0.75	13	0.541666687	13	13	31119	31119	31119	1
7212	005	3613	0.08	2250	1	55	80	2.5	6	5	9032	6782	RTO-C	65	form-based		true	true	0.75	14	2.333333254	13	11	16258.5	14008.5	14008.5	1.8001
7213	004A	3609	0.08	2400	1	55	80	2.5	6	5	9022	6622	RTO-C	65	form-based			true	0.75	14	2.333333254	13	11	16240.5	13840.5	13840.5	1.8001
7213	005A	3700	0.08	1407	1	55	80	2.5	6	5	9250	7843	RTO-C	65	form-based			true	0.75	14	2.333333254	13	11	16650	15243	15243	1.8
7214	004B	3796	0.09	3365	1	55	80	2.5	7	6	9490	6125	RTO-C	65	form-based		true	true	0.75	14	2	13	13	17082	13717	13717	1.8
7214	005A	3800	0.09	2174	1	55	80	2.5	7	6	9500	7326	RTO-C	65	form-based			true	0.75	14	2	13	13	17100	14926	14926	1.8
7215	004B	3651	0.08	2064	1	65	100	3	8	7	10953	8889	RTO-C	65	form-based		true	true	0.75	14	1.75	13	13	16429.5	14365.5	14365.5	1.5
7216	009	3664	0.08	1376	1	65	100	3	8	7	10992	9616	RTO-C	65	form-based			true	0.75	14	1.75	13	13	16488	15112	15112	1.5
7216	010	3805	0.09	2400	1	65	100	3	9	8	11415	9015	RTO-C	65	form-based		true	true	0.75	14	1.555555582	13	13	17122.5	14722.5	14722.5	1.5
7216	012	3747	0.09	1599	1	65	100	3	9	8	11241	9642	RTO-C	65	form-based		true	true	0.75	14	1.555555582	13	13	16861.5	15262.5	15262.5	1.5
7218	005	3630	0.08	2505	1	65	100	3	8	7	10890	8385	RTO-C	65	form-based			true	0.75	14	1.75	13	13	16335	13830	13830	1.5
7218	005A	3629	0.08	2103	1	65	100	3	8	7	10887	8784	RTO-C	65	form-based			true	0.75	14	1.75	13	13	16330.5	14227.5	14227.5	1.5
7226	002	2740	0.06	1971	1	85	140	4	8	7	10960	8989	RTO-C	85	form-based			true	0.75	14	1.75	13	13	16440	14469	14469	1.5
7226	021A	2400	0.06	2620	0	65	100	3	6	6	7200	4580	NCD-LAKE	85	form-based			true	0.75	13	2.166666746	13	12	14400	11780	11780	2
7231	007	6612	0.15	4367	1	65	100	3	15	14	19836	15469	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18513.59961	14146.59961	14146.59961	0.933333
7231	011	6742	0.15	2285	1	65	100	3	15	14	20226	17941	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18877.59961	16592.59961	16592.59961	0.933333
7233	002J	6617	0.15	2447	1	65	100	3	15	14	19851	17404	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	13	13	18527.59961	16080.59961	16080.59961	0.933333
7237	028	6561	0.15	2195	1	65	100	3	15	14	19683	17488	RH-1(D)	40	form-based			true	0.7	14	0.933333337	13	13	18370.79883	16175.79883	16175.79883	0.933333
7244	001	6827	0.16	2054	1	65	100	3	16	15	20481	18427	RH-1(D)	40	form-based		true	true	0.7	14	0.875	13	13	19115.59961	17061.59961	17061.59961	0.933333
7538	036	6528	0.15	2295	1	55	80	2.5	12	11	16320	14025	RH-1	40	form-based			true	0.7	14	1.166666627	13	13	18278.40039	15983.40039	15983.40039	1.12
7540	004	6693	0.15	3592	1	65	100	3	15	14	20079	16487	RH-1	40	form-based			true	0.7	14	0.933333337	13	13	18740.40039	15148.40039	15148.40039	0.933333
7542	011	6627	0.15	6472	1	65	100	3	15	14	19881	13409	RH-1	40	form-based			true	0.7	14	0.933333337	13	13	18555.59961	12083.59961	12083.59961	0.933333
7549	021	7510	0.17	3600	3	65	100	3	17	14	22530	18930	RH-1	40	form-based			true	0.7	16	0.941176474	13	13	21028	17428	17428	0.933333
0024	010	6302	0.14	9801	12	65	100	3	14	2	18906	9105	RTO-C	65	form-based			true	0.75	24	1.714285731	12	12	28359	18558	18558	1.5
0025	019	4701	0.11	8619	7	65	100	3	11	4	14103	5484	C-2	65	form-based		true	true	0.8	19	1.727272749	12	12	22564.80078	13945.80078	13945.80078	1.6
0030	007	2190	0.05	3087	0	65	100	3	5	5	6570	3483	C-2	85	form-based			true	0.8	12	2.400000095	12	10	14016	10929	10053	2.133333
0060	009	5726	0.13	6437	0	65	100	3	13	13	17178	10741	RM-2	40	form-based			true	0.7	12	0.923076928	12	12	16032.7998	9595.799805	9595.799805	0.933333
0066	005	5780	0.13	9732	4	55	80	2.5	10	6	14450	4718	RM-1	50	form-based			true	0.7	16	1.600000024	12	12	20230	10498	10498	1.4
0066	043	5571	0.13	860	4	55	80	2.5	10	6	13928	13068	RM-1	50	form-based			true	0.7	16	1.600000024	12	12	19498.5	18638.5	18638.5	1.39995
0068	006	5500	0.13	4720	3	55	80	2.5	10	7	13750	9030	RH-3	50	form-based		true	true	0.7	15	1.5	12	12	19250	14530	14530	1.4
0068	010	4727	0.11	3680	1	55	80	2.5	9	8	11818	8138	RH-3	50	form-based			true	0.7	13	1.444444418	12	12	16544.5	12864.5	12864.5	1.399941
0068	011	4826	0.11	5424	2	55	80	2.5	9	7	12065	6641	RH-3	50	form-based		true	true	0.7	14	1.555555582	12	12	16891	11467	11467	1.4
0074	023	3311	0.08	3291	0	55	80	2.5	6	6	8278	4987	NCD-NORT	65	form-based			true	0.75	12	2	12	12	14899.5	11608.5	11608.5	1.799891
0074	047	4841	0.11	3340	6	55	80	2.5	9	3	12102	8762	NCD-NORT	65	form-based			true	0.75	18	2	12	12	21784.5	18444.5	18444.5	1.800074
0094	022	4677	0.11	3743	1	55	80	2.5	9	8	11692	7949	RH-3	50	form-based			true	0.7	13	1.444444418	12	12	16369.5	12626.5	12626.5	1.40006
0094	023	4669	0.11	5691	1	55	80	2.5	9	8	11672	5981	RH-3	50	form-based			true	0.7	13	1.444444418	12	12	16341.5	10650.5	10650.5	1.40006
0097	039	5885	0.14	10261	9	55	80	2.5	11	2	14712	4451	RH-3	65	form-based			true	0.7	21	1.909090877	12	12	24717	14456	14456	1.680057
0101	005	4646	0.11	9156	0	55	80	2.5	9	9	11615	2459	NCD-NORT	40	density-lim	400			0.75	12	1.333333373	12	12	13938	4782	4782	1.2
0103	001	4830	0.11	13335	0	55	80	2.5	9	9	12075	0	NCD-NORT	40	density-lim	400	true		0.75	12	1.333333373	12	12	14490	1155	1155	1.2
0103	007	4999	0.11	9360	0	55	80	2.5	9	9	12498	3138	NCD-NORT	40	density-lim	400	true		0.75	12	1.333333373	12	12	14997	5637	5637	1.199952
0103	009	4812	0.11	8557	0	55	80	2.5	9	9	12030	3473	NCD-NORT	40	density-lim	400	true		0.75	12	1.333333373	12	12	14436	5879	5879	1.2
0103	042	5831	0.13	2551	3	55	80	2.5	10	7	14578	12027	NCD-NORT	40	density-lim	400			0.75	15	1.5	12	12	17493	14942	14942	1.199959
0116	020	4627	0.11	8850	0	55	80	2.5	9	9	11568	2718	NCD-NORT	40	density-lim	400			0.75	12	1.333333373	12	12	13881	5031	5031	1.199948
0117	002	4911	0.11	16000	0	55	80	2.5	9	9	12278	0	NCD-NORT	40	density-lim	400			0.75	12	1.333333373	12	12	14733	0	0	1.199951
0117	016	19082	0.44	22060	36	55	80	2.5	35	0	47705	25645	NCD-NORT	40	density-lim	400	true		0.75	48	1.371428609	12	12	57246	35186	35186	1.2
0122	002	4004	0.09	4453	2	55	80	2.5	7	5	10010	5557	RH-3	65	form-based			true	0.7	14	2	12	12	16816.79883	12363.79883	12363.79883	1.68
0122	026	4536	0.1	3123	4	55	80	2.5	8	4	11340	8217	RH-3	65	form-based		true	true	0.7	16	2	12	12	19051.19922	15928.19922	15928.19922	1.68
0122	036	7900	0.18	11315	16	55	80	2.5	14	0	19750	8435	RH-3	65	form-based			true	0.7	28	2	12	12	33180	21865	21865	1.68
0125	006A	4344	0.1	3011	3	55	80	2.5	8	5	10860	7849	RH-3	65	form-based			true	0.7	15	1.875	12	12	18244.79883	15233.79883	15233.79883	1.68
0130	002	4792	0.11	9530	0	55	80	2.5	9	9	11980	2450	NCD-NORT	40	density-lim	400	true		0.75	12	1.333333373	12	12	14376	4846	4846	1.2
0131	015	4967	0.11	13223	0	55	80	2.5	9	9	12418	0	NCD-NORT	40	density-lim	400			0.75	12	1.333333373	12	12	14901	1678	1678	1.199952
0144	011	6325	0.15	10400	4	55	80	2.5	12	8	15812	5412	NCD-BROA	65	density-lim	400			0.75	16	1.333333373	12	12	28462.5	18062.5	18062.5	1.800057
0144	015	4650	0.11	0	0	55	80	2.5	9	9	11625	11625	NCD-BROA	65	density-lim	400			0.75	12	1.333333373	12	12	20925	20925	20925	1.8
0145	008	4799	0.11	13265	0	55	80	2.5	9	9	11998	0	NCD-BROA	65	density-lim	400	true		0.75	12	1.333333373	12	12	21595.5	8330.5	8330.5	1.799925
0162	013	2880	0.07	8010	2	65	100	3	7	5	8640	630	CRNC	50	density-lim	200	true		0.75	14	2	12	12	10800	2790	2790	1.25
0164	011	9765	0.22	19230	0	65	100	3	22	22	29295	10065	C-2	65	density-lim	800	true		0.8	12	0.545454562	12	12	46872	27642	27642	1.6
0175	018	9573	0.22	6875	0	65	100	3	22	22	28719	21844	C-2	65	density-lim	800			0.8	12	0.545454562	12	12	45950.40234	39075.40234	39075.40234	1.6
0175	028	9489	0.22	33652	0	65	100	3	22	22	28467	0	C-2	65	density-lim	800			0.8	12	0.545454562	12	12	45547.19922	11895.19922	11895.19922	1.6
0175	029	9574	0.22	57057	0	65	100	3	22	22	28722	0	C-2	65	density-lim	800	true		0.8	12	0.545454562	12	12	45955.19922	0	0	1.6
0175	030	9454	0.22	39196	0	65	100	3	22	22	28362	0	C-2	65	density-lim	800			0.8	12	0.545454562	12	12	45379.19922	6183.199219	6183.199219	1.6

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0178	001A	2459	0.06	7925	0	65	100	3	6	6	7377	0	CRNC	50	density-lim	200	true		0.75	12	2	12	12	9221.25	1296.25	1296.25	1.25
0178	004	2363	0.05	6308	0	65	100	3	5	5	7089	781	CRNC	50	density-lim	200			0.75	12	2.400000095	12	10	8861.25	2553.25	2553.25	1.25
0180	004	2394	0.05	0	0	65	100	3	5	5	7182	7182	CRNC	65	density-lim	200	true		0.75	12	2.400000095	12	10	10773	10773	10773	1.5
0184	042	9410	0.22	1122	23	55	80	2.5	18	0	23525	22403	NCD-PACIF	65	form-based			true	0.75	35	1.944444418	12	12	42345	41223	41223	1.8
0186	049	3437	0.08	0	0	65	100	3	8	8	10311	10311	RM-2	65	form-based			true	0.7	12	1.5	12	12	14435.39941	14435.39941	14435.39941	1.4
0187	012	3129	0.07	3400	0	55	80	2.5	6	6	7822	4422	RM-3	65	form-based			true	0.75	12	2	12	12	14080.5	10680.5	10680.5	1.800115
0192	002	9125	0.21	20194	34	85	140	4	29	0	36500	16306	CRNC	85	density-lim	200			0.75	46	1.586206913	12	12	54750	34556	34556	1.5
0192	042	2633	0.06	8424	1	65	100	3	6	5	7899	0	CRNC	65	density-lim	200			0.75	13	2.166666746	12	11	11848.5	3424.5	3424.5	1.5
0193	015	2437	0.06	9653	0	65	100	3	6	6	7311	0	CRNC	50	density-lim	200			0.75	12	2	12	12	9138.75	0	0	1.25
0194	010	2428	0.06	7090	0	65	100	3	6	6	7284	194	CVR	50	density-lim	200	true		0.75	12	2	12	12	9105	2015	2015	1.25
0194	026	2400	0.06	6660	0	65	100	3	6	6	7200	540	CVR	50	density-lim	200	true		0.75	12	2	12	12	9000	2340	2340	1.25
0209	014	2415	0.06	8270	0	65	100	3	6	6	7245	0	CVR	50	density-lim	200			0.75	12	2	12	12	9056.25	786.25	786.25	1.25
0210	012	3839	0.09	13800	7	65	100	3	9	2	11517	0	CRNC	50	density-lim	200			0.75	19	2.111111164	12	11	14396.25	596.25	596.25	1.25
0210	036	2430	0.06	9880	0	65	100	3	6	6	7290	0	CRNC	50	density-lim	200			0.75	12	2	12	12	9112.5	0	0	1.25
0213	023	3580	0.08	3309	1	65	100	3	8	7	10740	7431	RM-3	65	form-based			true	0.75	13	1.625	12	12	16110	12801	12801	1.5
0213	025	3582	0.08	2327	1	65	100	3	8	7	10746	8419	RM-3	65	form-based			true	0.75	13	1.625	12	12	16119	13792	13792	1.5
0214	019	3717	0.09	4449	2	55	80	2.5	7	5	9292	4843	RM-3	65	form-based			true	0.75	14	2	12	12	16726.5	12277.5	12277.5	1.800097
0214	020	4681	0.11	7830	6	55	80	2.5	9	3	11702	3872	RM-3	65	form-based			true	0.75	18	2	12	12	21064.5	13234.5	13234.5	1.800077
0216	015	4740	0.11	8694	6	55	80	2.5	9	3	11850	3156	RM-3	65	form-based			true	0.75	18	2	12	12	21330	12636	12636	1.8
0219	001	3073	0.07	3142	0	55	80	2.5	6	6	7682	4540	RM-3	65	form-based		true	true	0.75	12	2	12	12	13828.5	10686.5	10686.5	1.800117
0219	009	4724	0.11	5874	6	55	80	2.5	9	3	11810	5936	RM-3	65	form-based			true	0.75	18	2	12	12	21258	15384	15384	1.8
0220	004	3326	0.08	1293	0	55	80	2.5	6	6	8315	7022	RM-4	65	form-based			true	0.75	12	2	12	12	14967	13674	13674	1.8
0221	005	3438	0.08	1510	1	55	80	2.5	6	5	8595	7085	RM-3	65	form-based			true	0.75	13	2.166666746	12	11	15471	13961	13961	1.8
0223	006	3203	0.07	5046	4	65	100	3	7	3	9609	4563	RM-4	105	density-lim	200			0.75	16	2.285714388	12	10	28827	23781	14172	3
0225	002	2480	0.06	8301	0	65	100	3	6	6	7440	0	CVR	50	density-lim	200			0.75	12	2	12	12	9300	999	999	1.25
0226	014	7308	0.17	23721	25	65	100	3	17	0	21924	0	CCB	50	density-lim	200			0.75	37	2.176470518	12	9	27405	3684	3684	1.25
0227	008	1285	0.03	0	0	65	100	3	3	3	3855	3855	C-3-O	250	form-based				0.8	12	4	12	6	11565	11565	7710	3
0228	018	2400	0.06	10880	0	85	140	4	8	8	9600	0	C-3-O	75	form-based				0.8	12	1.5	12	12	13440	2560	2560	1.4
0242	001	2363	0.05	10114	0	65	100	3	5	5	7089	0	CVR	50	density-lim	200	true		0.75	12	2.400000095	12	10	8861.25	0	0	1.25
0249	018	3578	0.08	1300	1	65	100	3	8	7	10734	9434	RM-3	65	form-based			true	0.75	13	1.625	12	12	16101	14801	14801	1.5
0250	003	2044	0.05	4539	6	55	80	2.5	4	0	5110	571	RTO-C	120	form-based			true	0.75	18	4.5	12	2	18396	13857	5681	3.6
0269	015	3701	0.08	3468	0	75	120	3.5	10	10	12954	9486	C-3-O	50	form-based				0.8	12	1.200000048	12	12	14804	11336	11336	1.142813
0270	012	2400	0.06	6120	0	75	120	3.5	7	7	8400	2280	CCB	50	density-lim	200			0.75	12	1.714285731	12	12	9000	2880	2880	1.071429
0270	013	2356	0.05	3595	0	75	120	3.5	6	6	8246	4651	CCB	50	density-lim	200			0.75	12	2	12	12	8835	5240	5240	1.071429
0270	014	2477	0.06	4565	0	65	100	3	6	6	7431	2866	CCB	50	density-lim	200			0.75	12	2	12	12	9288.75	4723.75	4723.75	1.25
0272	035	4030	0.09	1144	8	65	100	3	9	1	12090	10946	RM-4	65	density-lim	200			0.75	20	2.222222328	12	10	18135	16991	16991	1.5
0277	007	5008	0.11	19500	33	65	100	3	11	0	15024	0	RTO-C	120	form-based			true	0.75	45	4.090909004	12	0	45072	25572	10548	3
0300	003C	2428	0.06	2400	0	65	100	3	6	6	7284	4884	RC-4	80	density-lim	200			0.75	12	2	12	12	14568	12168	12168	2
0309	012	1339	0.03	4050	0	85	140	4	4	4	5356	1306	C-3-R	130	form-based				0.8	12	3	12	8	12051	8001	6662	2.25
0309	018	1375	0.03	3985	0	75	120	3.5	4	4	4812	827	C-3-R	130	form-based				0.8	12	3	12	8	12375	8390	5639	2.571696
0311	009	1320	0.03	260624	0	75	120	3.5	4	4	4620	0	C-3-O	250	form-based				0.8	12	3	12	8	11880	0	0	2.571429
0315	008	1516	0.03	0	2	85	140	4	4	2	6064	6064	C-3-G	130	form-based				0.8	14	3.5	12	6	13644	13644	12128	2.25
0319	025A	6649	0.15	23850	21	85	140	4	21	0	26596	2746	RC-4	80	density-lim	200			0.75	33	1.571428537	12	12	39894	16044	16044	1.5
0332	013	2377	0.05	2258	0	65	100	3	5	5	7131	4873	RC-4	80	density-lim	200			0.75	12	2.400000095	12	10	14262	12004	12004	2
0337	015	3196	0.07	15520	4	65	100	3	7	3	9588	0	RC-4	80	density-lim	200	true		0.75	16	2.285714388	12	10	19176	3656	3656	2
0340	014	2400	0.06	9700	0	75	120	3.5	7	7	8400	0	RC-4	120	density-lim	200			0.75	12	1.714285731	12	12	21600	11900	7100	2.571429
0350	001	7836	0.18	28900	59	85	140	4	25	0	31344	2444	C-3-G	120	form-based		true		0.8	71	2.839999914	12	0	70524	41624	33788	2.25
0478	011B	3488	0.08	3071	1	85	140	4	11	10	13952	10881	RTO-C	65	form-based			true	0.75	13	1.181818128	12	12	15696	12625	12625	1.125
0479	008	3781	0.09	3282	2	65	100	3	9	7	11343	8061	RTO-C	65	form-based			true	0.75	14	1.555555582	12	12	17014.5	13732.5	13732.5	1.5
0480	003A	3438	0.08	2114	1	65	100	3	8	7	10314	8200	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15471	13357	13357	1.5
0493	003	3000	0.07	5285	4	55	80	2.5	6	2	7500	2215	NC-3	85	form-based			true	0.75	16	2.666666746	12	8	18000	12715	9715	2.4
0493	006	3300	0.08	6907	5	55	80	2.5	6	1	8250	1343	NC-3	85	form-based			true	0.75	17	2.833333254	12	7	19800	12893	9593	2.4
0494	010A	3259	0.07	5374	5	55	80	2.5	6	1	8148	2774	NC-3	85	form-based			true	0.75	17	2.833333254	12	7	19554	14180	10922	2.399853
0496	015	3938	0.09	4210	3	65	100	3	9	6	11814	7604	RTO-C	65	form-based			true	0.75	15	1.666666627	12	12	17721	13511	13511	1.5
0498	025	4500	0.1	8692	5	85	140	4	14	9	18000	9308	RC-3	65	form-based			true	0.75	17	1.214285731	12	12	20250	11558	11558	1.125
0499	006	3270	0.08	7743	0	65	100	3	8	8	9810	2067	RC-3	65	form-based			true	0.75	12	1.5	12	12	14715	6972	6972	1.5
0501	034	5146	0.12	1615	2	65	100	3	12	10	15438	13823	RH-2	50	form-based			true	0.7	14	1.166666627	12	12	18011	16396	16396	1.166667
0505	017A	1519	0.03	1585	2	65	100	3	3	1	4557	2972	NC-3	140	form-based			true	0.75	14	4.666666508	12	4	13671	12086	7529	3
0505	020	1549	0.04	4350	2	65	100	3	4	2	4647	297	NC-3	140	form-based			true	0.75	14	3.5	12	6	13941	9591	4944	3
0506	025	1719	0.04	1520	3	55	80	2.5	3	0	4298	2778	NC-3	140	form-based			true	0.75	15	5	12	3	15471	13951	7076	3.599581
0507	028	2675	0.06	2340	2	55	80	2.5	5	3	6688	4348	NC-3	85	form-based			true	0.75	14	2.799999952	12	8	16050	13710	11036	2.399821
0507	029	2674	0.06	2142	2	55	80	2.5	5	3	6685	4543	NC-3	85	form-based			true	0.75	14	2.799999952	12	8	16044	13902	11228	2.4
0508	015	2468	0.06	5028	1	55	80	2.5	5	4	6170	1142	NC-3	85	form-based			true	0.75	13	2.599999905	12	9	14808	9780	7312	2.4
0521	001A	2412	0.06	2585	1	65	100	3	6	5	7236	4651	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14472	11887	11887	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0521	001B	2416	0.06	2170	1	65	100	3	6	5	7248	5078	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14496	12326	12326	2
0521	001C	2462	0.06	2292	1	65	100	3	6	5	7386	5094	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14772	12480	12480	2
0521	019A	2590	0.06	3842	2	65	100	3	6	4	7770	3928	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	15540	11698	11698	2
0522	008A	2800	0.06	3364	3	65	100	3	6	3	8400	5036	RTO-C	85	form-based			true	0.75	15	2.5	12	9	16800	13436	13436	2
0523	005	4125	0.09	7875	8	65	100	3	9	1	12375	4500	RM-2	85	form-based			true	0.7	20	2.222222328	12	10	23100	15225	15225	1.866667
0524	013	3457	0.08	4696	5	65	100	3	8	3	10371	5675	RH-2	85	form-based			true	0.7	17	2.125	12	11	19359.19922	14663.19922	14663.19922	1.866667
0525	070	4106	0.09	2037	2	65	100	3	9	7	12318	10281	RM-2	65	form-based			true	0.7	14	1.555555582	12	12	17245.19922	15208.19922	15208.19922	1.4
0526	041	3119	0.07	1165	4	65	100	3	7	3	9357	8192	NCD-POLK	85	form-based			true	0.75	16	2.285714388	12	10	18714	17549	17549	2
0528	002B	3269	0.08	4690	0	65	100	3	8	8	9807	5117	NCD-UNIO	65	form-based			true	0.75	12	1.5	12	12	14710.5	10020.5	10020.5	1.5
0528	004	3772	0.09	3423	2	65	100	3	9	7	11316	7893	NCD-UNIO	65	form-based			true	0.75	14	1.555555582	12	12	16974	13551	13551	1.5
0528	010	2677	0.06	2766	2	65	100	3	6	4	8031	5265	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16062	13296	13296	2
0530	010	4754	0.11	7558	6	55	80	2.5	9	3	11885	4327	NCD-UNIO	65	form-based			true	0.75	18	2	12	12	21393	13835	13835	1.8
0531	011	3842	0.09	3716	2	55	80	2.5	7	5	9605	5889	NCD-UNIO	65	form-based			true	0.75	14	2	12	12	17289	13573	13573	1.8
0546	006	3816	0.09	9088	8	65	100	3	9	1	11448	2360	RTO-C	85	form-based			true	0.75	20	2.222222328	12	10	22896	13808	13808	2
0546	012A	3089	0.07	4688	4	65	100	3	7	3	9267	4579	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18534	13846	13846	2
0548	008	4169	0.1	6177	8	65	100	3	10	2	12507	6330	RM-2	85	form-based			true	0.7	20	2	12	12	23346.40039	17169.40039	17169.40039	1.866667
0548	028	3876	0.09	1639	2	65	100	3	9	7	11628	9989	RM-2	65	form-based			true	0.7	14	1.555555582	12	12	16279.2002	14640.2002	14640.2002	1.4
0549	010A	3470	0.08	5589	5	65	100	3	8	3	10410	4821	RH-3	85	form-based			true	0.7	17	2.125	12	11	19432	13843	13843	1.866667
0549	021	2601	0.06	677	1	65	100	3	6	5	7803	7126	RM-2	85	form-based			true	0.7	13	2.166666746	12	11	14565.59961	13888.59961	13888.59961	1.866667
0550	012	3063	0.07	4430	4	65	100	3	7	3	9189	4759	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18378	13948	13948	2
0550	039	2903	0.07	1705	3	65	100	3	7	4	8709	7004	RTO-C	85	form-based			true	0.75	15	2.142857075	12	11	17418	15713	15713	2
0552	062	3034	0.07	979	4	65	100	3	7	3	9102	8123	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18204	17225	17225	2
0552	068	6669	0.15	2702	2	65	100	3	15	13	20007	17305	RH-2	40	form-based			true	0.7	14	0.933333337	12	12	18673.19922	15971.19922	15971.19922	0.933333
0553	007	2826	0.06	4380	3	65	100	3	6	3	8478	4098	RTO-C	85	form-based			true	0.75	15	2.5	12	9	16956	12576	12576	2
0553	008	2826	0.06	4247	3	65	100	3	6	3	8478	4231	RTO-C	85	form-based			true	0.75	15	2.5	12	9	16956	12709	12709	2
0556	017	6500	0.15	7104	2	55	80	2.5	12	10	16250	9146	RH-2	40	form-based		true	true	0.7	14	1.166666627	12	12	18200	11096	11096	1.12
0559	055	6271	0.14	10350	1	55	80	2.5	11	10	15678	5328	RH-2	40	form-based			true	0.7	13	1.181818128	12	12	17558.79883	7208.798828	7208.798828	1.119964
0563	037	6531	0.15	5913	2	55	80	2.5	12	10	16328	10415	RH-1	40	form-based			true	0.7	14	1.166666627	12	12	18286.79883	12373.79883	12373.79883	1.119966
0569	021	4087	0.09	6870	9	65	100	3	9	0	12261	5391	RTO-C	85	form-based			true	0.75	21	2.333333254	12	9	24522	17652	17652	2
0574	005	3419	0.08	4806	6	65	100	3	8	2	10257	5451	NCD-POLK	85	form-based			true	0.75	18	2.25	12	10	20514	15708	15708	2
0574	018	3239	0.07	12066	17	65	100	3	7	0	9717	0	RC-4	350	form-based		true	true	0.75	29	4.142857075	12	0	29151	17085	7368	3
0579	011	3504	0.08	5960	1	55	80	2.5	6	5	8760	2800	RTO-C	65	form-based			true	0.75	13	2.166666746	12	11	15768	9808	9808	1.8
0579	012	3504	0.08	4160	1	55	80	2.5	6	5	8760	4600	RTO-C	65	form-based			true	0.75	13	2.166666746	12	11	15768	11608	11608	1.8
0579	013	3504	0.08	7060	1	55	80	2.5	6	5	8760	1700	RTO-C	65	form-based		true	true	0.75	13	2.166666746	12	11	15768	8708	8708	1.8
0580	104	3694	0.08	2633	2	55	80	2.5	6	4	9235	6602	RTO-C	65	form-based			true	0.75	14	2.333333254	12	10	16623	13990	13990	1.8
0583	016	6038	0.14	2440	1	55	80	2.5	11	10	15095	12655	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	16906.40039	14466.40039	14466.40039	1.12
0584	008	6003	0.14	4130	1	55	80	2.5	11	10	15008	10878	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	16808.40039	12678.40039	12678.40039	1.119963
0584	008A	6061	0.14	8870	1	55	80	2.5	11	10	15152	6282	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	16970.79883	8100.798828	8100.798828	1.120037
0585	011	5827	0.13	7772	0	55	80	2.5	10	10	14568	6796	RH-2	40	form-based			true	0.7	12	1.200000048	12	12	16315.59961	8543.599609	8543.599609	1.119962
0586	008	6390	0.15	9159	1	55	80	2.5	12	11	15975	6816	RH-1	40	form-based			true	0.7	13	1.083333373	12	12	17892	8733	8733	1.12
0586	010	6271	0.14	5834	1	55	80	2.5	11	10	15678	9844	RH-1	40	form-based		true	true	0.7	13	1.181818128	12	12	17558.79883	11724.79883	11724.79883	1.119964
0586	012	5961	0.14	7485	1	55	80	2.5	11	10	14902	7417	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	16690.79883	9205.798828	9205.798828	1.120038
0591	018	6129	0.14	4798	1	55	80	2.5	11	10	15322	10524	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	17161.19922	12363.19922	12363.19922	1.120036
0591	023	6224	0.14	7560	1	55	80	2.5	11	10	15560	8000	RH-2	40	form-based		true	true	0.7	13	1.181818128	12	12	17427.19922	9867.199219	9867.199219	1.12
0594	004F	1552	0.04	2480	2	65	100	3	4	2	4656	2176	RTO-C	240	form-based			true	0.75	14	3.5	12	6	13968	11488	6832	3
0596	017	3192	0.07	5345	4	65	100	3	7	3	9576	4231	RM-1	85	form-based			true	0.7	16	2.285714388	12	10	17875.19922	12530.19922	12530.19922	1.866667
0596	020	5746	0.13	17600	16	65	100	3	13	0	17238	0	RM-1	85	form-based			true	0.7	28	2.153846264	12	10	32177.59961	14577.59961	14577.59961	1.866667
0596	026	2924	0.07	4744	3	65	100	3	7	4	8772	4028	NCD-PACIF	85	form-based			true	0.75	15	2.142857075	12	11	17544	12800	12800	2
0597	004	5156	0.12	7188	6	65	100	3	12	6	15468	8280	RM-2	65	form-based			true	0.7	18	1.5	12	12	21655.19922	14467.19922	14467.19922	1.4
0597	023	3012	0.07	4470	3	65	100	3	7	4	9036	4566	RM-2	85	form-based			true	0.7	15	2.142857075	12	11	16867.19922	12397.19922	12397.19922	1.866667
0603	005	6419	0.15	5811	1	55	80	2.5	12	11	16048	10237	RH-2	40	form-based			true	0.7	13	1.083333373	12	12	17973.19922	12162.19922	12162.19922	1.119965
0617	008	6120	0.14	4415	1	65	100	3	14	13	18360	13945	RH-2	40	form-based		true	true	0.7	13	0.928571403	12	12	17136	12721	12721	0.933333
0620	011	3195	0.07	5736	5	65	100	3	7	2	9585	3849	RM-3	85	form-based			true	0.75	17	2.428571463	12	9	19170	13434	13434	2
0621	009	3511	0.08	6727	6	65	100	3	8	2	10533	3806	RM-3	85	form-based			true	0.75	18	2.25	12	10	21066	14339	14339	2
0624	009	2192	0.05	1100	0	65	100	3	5	5	6576	5476	RM-3	80	form-based			true	0.75	12	2.400000095	12	10	13152	12052	12052	2
0634	008	2880	0.07	3800	3	85	140	4	10	7	11520	7720	NCD-UPPE	85	form-based			true	0.75	15	1.5	12	12	17280	13480	13480	1.5
0635	005	2687	0.06	3336	2	65	100	3	6	4	8061	4725	NCD-UPPE	85	form-based			true	0.75	14	2.333333254	12	10	16122	12786	12786	2
0635	007	3317	0.08	6290	5	65	100	3	8	3	9951	3661	NCD-UPPE	85	form-based			true	0.75	17	2.125	12	11	19902	13612	13612	2
0636	014	3381	0.08	4084	6	65	100	3	8	2	10143	6059	RTO-C	85	form-based			true	0.75	18	2.25	12	10	20286	16202	16202	2
0637	005	5300	0.12	4690	16	55	80	2.5	10	0	13250	8560	RTO-C	85	form-based			true	0.75	28	2.799999952	12	4	31800	27110	21810	2.4
0639	010	2682	0.06	3120	2	55	80	2.5	5	3	6705	3585	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16092	12972	10290	2.4
0639	010A	2682	0.06	3308	2	55	80	2.5	5	3	6705	3397	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16092	12784	10102	2.4
0641	001	4743	0.11	21350	31	65	100	3	11	0	14229	0	RTO-C	140	form-based		true	true	0.75	43	3.909090996	12	0	42687	21337	7108	3
0641	005	18934	0.43	8745	1	65	100	3	43	42	56802	48057	RH-2	40	density-lim	1500			0.7	13	0.302325577	12	12	53015.19922	44270.19922	44270.19922	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0641	006A	4509	0.1	7992	12	65	100	3	10	0	13527	5535	RM-3	80	form-based			true	0.75	24	2.400000095	12	8	27054	19062	19062	2
0653	025	2380	0.05	2200	0	65	100	3	5	5	7140	4940	NCD-UPPE	85	form-based			true	0.75	12	2.400000095	12	10	14280	12080	12080	2
0654	005	3281	0.08	6927	0	65	100	3	8	8	9843	2916	NCD-UPPE	65	form-based		true	true	0.75	12	1.5	12	12	14764.5	7837.5	7837.5	1.5
0656	001	2798	0.06	4150	3	85	140	4	8	5	11192	7042	RTO-C	85	form-based		true	true	0.75	15	1.875	12	12	16788	12638	12638	1.5
0656	028	2402	0.06	3643	1	85	140	4	8	7	9608	5965	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14412	10769	10769	1.5
0656	054	2393	0.05	4013	1	85	140	4	7	6	9572	5559	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	14358	10345	10345	1.5
0656	055	2402	0.06	4013	1	85	140	4	8	7	9608	5595	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14412	10399	10399	1.5
0657	051	2677	0.06	1204	2	65	100	3	6	4	8031	6827	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16062	14858	14858	2
0663	054	22989	0.53	53408	3	65	100	3	53	50	68967	15559	RH-2	40	density-lim	1500	true		0.7	15	0.283018857	12	12	64369.19922	10961.19922	10961.19922	0.933333
0667	001	1305	0.03	2628	0	65	100	3	3	3	3915	1287	NCD-POLK	240	form-based		true	true	0.75	12	4	12	6	11745	9117	5202	3
0670	015	1329	0.03	3882	0	85	140	4	4	4	5316	1434	RC-4	350	form-based			true	0.75	12	3	12	8	11961	8079	6750	2.25
0679	003	2721	0.06	3124	2	65	100	3	6	4	8163	5039	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16326	13202	13202	2
0679	059	2720	0.06	1057	2	65	100	3	6	4	8160	7103	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16320	15263	15263	2
0681	001	4530	0.1	12732	12	65	100	3	10	0	13590	858	RTO-C	85	form-based		true	true	0.75	24	2.400000095	12	8	27180	14448	14448	2
0681	043	4333	0.1	6213	11	65	100	3	10	0	12999	6786	RTO-C	85	form-based			true	0.75	23	2.299999952	12	9	25998	19785	19785	2
0686	033	4875	0.11	10850	0	65	100	3	11	11	14625	3775	NCD-JAPAI	50	density-lim	400			0.75	12	1.090909123	12	12	18281.25	7431.25	7431.25	1.25
0686	045	4659	0.11	5500	0	65	100	3	11	11	13977	8477	NCD-JAPAI	50	density-lim	400			0.75	12	1.090909123	12	12	17471.25	11971.25	11971.25	1.25
0693	005	2400	0.06	0	0	85	140	4	8	8	9600	9600	RC-4	80	density-lim	200			0.75	12	1.5	12	12	14400	14400	14400	1.5
0693	016	2390	0.05	9120	0	65	100	3	5	5	7170	0	RC-4	80	density-lim	200			0.75	12	2.400000095	12	10	14340	5220	5220	2
0719	012A	2700	0.06	6075	12	65	100	3	6	0	8100	2025	RM-4	500	form-based			true	0.75	24	4	12	0	24300	18225	10125	3
0739	015	7200	0.17	28800	0	65	100	3	17	17	21600	0	NCD-LOWI	130	density-lim	600			0.75	12	0.70588237	12	12	64800	36000	14400	3
0740	005	2355	0.05	6708	0	65	100	3	5	5	7065	357	RC-4	80	density-lim	200	true		0.75	12	2.400000095	12	10	14130	7422	7422	2
0743	202	19800	0.45	73954	87	65	100	3	45	0	59400	0	RM-4	130	density-lim	200	true		0.75	99	2.200000048	12	3	157950	83996	44846	2.659091
0749	003C	4606	0.11	0	0	65	100	3	11	11	13818	13818	RM-3	130	density-lim	400			0.75	12	1.090909123	12	12	41454	41454	27636	3
0763	005	7200	0.17	16920	0	65	100	3	17	17	21600	4680	NCD-LOWI	130	density-lim	600			0.75	12	0.70588237	12	12	64800	47880	26280	3
0779	016	2712	0.06	3390	2	55	80	2.5	5	3	6780	3390	RM-4	40	density-lim	200			0.75	14	2.799999952	12	8	8136	4746	4746	1.2
0779	087	2925	0.07	1800	3	55	80	2.5	6	3	7312	5512	RM-4	40	density-lim	200			0.75	15	2.5	12	9	8775	6975	6975	1.200082
0779	208	2888	0.07	1098	2	55	80	2.5	6	4	7220	6122	RM-4	40	density-lim	200	true		0.75	14	2.333333254	12	10	8664	7566	7566	1.2
0820	004	6600	0.15	4664	6	55	80	2.5	12	6	16500	11836	RH-3	50	form-based			true	0.7	18	1.5	12	12	23100	18436	18436	1.4
0821	052	7131	0.16	989	8	55	80	2.5	13	5	17828	16839	RM-1	50	form-based			true	0.7	20	1.538461566	12	12	24958.5	23969.5	23969.5	1.399961
0832	031	3874	0.09	6931	0	65	100	3	9	9	11622	4691	NCT-HAYE	50	form-based				0.75	12	1.333333373	12	12	14527.5	7596.5	7596.5	1.25
0846	021	5419	0.12	12673	8	65	100	3	12	4	16257	3584	NC-1	65	form-based		true	true	0.75	20	1.666666627	12	12	24385.5	11712.5	11712.5	1.5
0859	027	4404	0.1	3954	5	65	100	3	10	5	13212	9258	NCD-LOWI	65	form-based			true	0.75	17	1.700000048	12	12	19818	15864	15864	1.5
0860	041	3260	0.07	2900	0	65	100	3	7	7	9780	6880	NCD-LOWI	65	form-based			true	0.75	12	1.714285731	12	12	14670	11770	11770	1.5
0861	099	4069	0.09	3240	3	65	100	3	9	6	12207	8967	NC-1	65	form-based			true	0.75	15	1.666666627	12	12	18310.5	15070.5	15070.5	1.5
0875	006	2905	0.07	3900	3	65	100	3	7	4	8715	4815	RTO-C	85	form-based			true	0.75	15	2.142857075	12	11	17430	13530	13530	2
0875	007	2856	0.07	3900	3	65	100	3	7	4	8568	4668	RTO-C	85	form-based			true	0.75	15	2.142857075	12	11	17136	13236	13236	2
0875	036	2911	0.07	1337	3	65	100	3	7	4	8733	7396	RTO-C	85	form-based			true	0.75	15	2.142857075	12	11	17466	16129	16129	2
0954	008	6070	0.14	5180	1	55	80	2.5	11	10	15175	9995	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16996	11816	11816	1.12
0954	010	6428	0.15	8121	1	55	80	2.5	12	11	16070	7949	RH-1(D)	40	form-based		true	true	0.7	13	1.083333373	12	12	17998.40039	9877.400391	9877.400391	1.12
0956	011	6094	0.14	5178	1	55	80	2.5	11	10	15235	10057	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17063.19922	11885.19922	11885.19922	1.12
0956	019	6305	0.14	4021	1	55	80	2.5	11	10	15762	11741	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	17654	13633	13633	1.120036
0956	031	5978	0.14	4858	1	55	80	2.5	11	10	14945	10087	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16738.40039	11880.40039	11880.40039	1.12
0957	006	6142	0.14	13403	1	55	80	2.5	11	10	15355	1952	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17197.59961	3794.599609	3794.599609	1.12
0957	015	6000	0.14	6111	1	55	80	2.5	11	10	15000	8889	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16800	10689	10689	1.12
0958	009	6027	0.14	9110	1	55	80	2.5	11	10	15068	5958	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	16875.59961	7765.599609	7765.599609	1.119963
0959	008	6187	0.14	4761	1	55	80	2.5	11	10	15468	10707	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17323.59961	12562.59961	12562.59961	1.119964
0961	005	6120	0.14	5574	1	55	80	2.5	11	10	15300	9726	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17136	11562	11562	1.12
0963	042	6412	0.15	4823	1	55	80	2.5	12	11	16030	11207	RH-1	40	form-based			true	0.7	13	1.083333373	12	12	17953.59961	13130.59961	13130.59961	1.12
0964	008A	6144	0.14	4930	1	55	80	2.5	11	10	15360	10430	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17203.19922	12273.19922	12273.19922	1.12
0974	011	6100	0.14	5960	1	55	80	2.5	11	10	15250	9290	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	17080	11120	11120	1.12
0985	008	6384	0.15	7016	1	65	100	3	15	14	19152	12136	RH-1	40	form-based			true	0.7	13	0.866666675	12	12	17875.19922	10859.19922	10859.19922	0.933333
0986	010	6384	0.15	5330	1	55	80	2.5	12	11	15960	10630	RH-1	40	form-based			true	0.7	13	1.083333373	12	12	17875.19922	12545.19922	12545.19922	1.12
0987	006	6036	0.14	5906	1	55	80	2.5	11	10	15090	9184	RH-1	40	form-based		true	true	0.7	13	1.181818128	12	12	16900.79883	10994.79883	10994.79883	1.12
0987	035	5968	0.14	6423	1	55	80	2.5	11	10	14920	8497	RH-1	40	form-based		true	true	0.7	13	1.181818128	12	12	16710.40039	10287.40039	10287.40039	1.12
0988	020	6428	0.15	4270	1	55	80	2.5	12	11	16070	11800	RH-1	40	form-based			true	0.7	13	1.083333373	12	12	17998.40039	13728.40039	13728.40039	1.12
0992	002	5819	0.13	8563	0	55	80	2.5	10	10	14548	5985	RH-1	40	form-based			true	0.7	12	1.200000048	12	12	16293.2002	7730.200195	7730.200195	1.119962
0994	014	6028	0.14	8545	1	55	80	2.5	11	10	15070	6525	RH-1	40	form-based		true	true	0.7	13	1.181818128	12	12	16878.40039	8333.400391	8333.400391	1.12
1007	011	3192	0.07	2900	0	65	100	3	7	7	9576	6676	NCD-SACR	65	form-based			true	0.75	12	1.714285731	12	12	14364	11464	11464	1.5
1007	017	3176	0.07	3480	0	65	100	3	7	7	9528	6048	NCD-SACR	65	form-based		true	true	0.75	12	1.714285731	12	12	14292	10812	10812	1.5
1008	004	4750	0.11	6260	6	65	100	3	11	5	14250	7990	NCD-SACR	65	form-based			true	0.75	18	1.636363626	12	12	21375	15115	15115	1.5
1011	008	3192	0.07	4045	0	55	80	2.5	6	6	7980	3935	NCD-SACR	65	form-based			true	0.75	12	2	12	12	14364	10319	10319	1.8
1013	009	7023	0.16	6875	8	55	80	2.5	13	5	17558	10683	RM-1	50	form-based			true	0.7	20	1.538461566	12	12	24580.5	17705.5	17705.5	1.39996
1014	036	6311	0.14	4291	1	55	80	2.5	11	10	15778	11487	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	17670.79883	13379.79883	13379.79883	1.119964

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1015	024	2691	0.06	3500	2	55	80	2.5	5	3	6728	3228	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16146	12646	9956	2.399822
1019	018	4485	0.1	5024	5	65	100	3	10	5	13455	8431	NCD-SACR	65	form-based			true	0.75	17	1.700000048	12	12	20182.5	15158.5	15158.5	1.5
1019	025	3667	0.08	5058	2	65	100	3	8	6	11001	5943	NCD-SACR	65	form-based			true	0.75	14	1.75	12	12	16501.5	11443.5	11443.5	1.5
1019	027	3667	0.08	3243	2	65	100	3	8	6	11001	7758	NCD-SACR	65	form-based			true	0.75	14	1.75	12	12	16501.5	13258.5	13258.5	1.5
1019	035	2693	0.06	1795	2	65	100	3	6	4	8079	6284	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16158	14363	14363	2
1020	003	3000	0.07	3910	4	65	100	3	7	3	9000	5090	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18000	14090	14090	2
1020	004	3000	0.07	3556	4	65	100	3	7	3	9000	5444	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18000	14444	14444	2
1020	005	3438	0.08	3390	6	65	100	3	8	2	10314	6924	RTO-C	85	form-based			true	0.75	18	2.25	12	10	20628	17238	17238	2
1020	007	3087	0.07	4392	4	65	100	3	7	3	9261	4869	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18522	14130	14130	2
1020	011	2690	0.06	3443	2	65	100	3	6	4	8070	4627	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16140	12697	12697	2
1022	022	3595	0.08	1386	1	65	100	3	8	7	10785	9399	NCD-SACR	65	form-based			true	0.75	13	1.625	12	12	16177.5	14791.5	14791.5	1.5
1023	010	2255	0.05	3506	0	85	140	4	7	7	9020	5514	RTO-C	85	form-based			true	0.75	12	1.714285731	12	12	13530	10024	10024	1.5
1023	016	3192	0.07	4518	5	65	100	3	7	2	9576	5058	RTO-C	85	form-based			true	0.75	17	2.428571463	12	9	19152	14634	14634	2
1023	020	4509	0.1	9378	12	65	100	3	10	0	13527	4149	RTO-C	85	form-based			true	0.75	24	2.400000095	12	8	27054	17676	17676	2
1024	013	2522	0.06	4648	1	85	140	4	8	7	10088	5440	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15132	10484	10484	1.5
1024	030	3315	0.08	4166	5	65	100	3	8	3	9945	5779	RTO-C	85	form-based			true	0.75	17	2.125	12	11	19890	15724	15724	2
1025	003	3008	0.07	4551	4	65	100	3	7	3	9024	4473	NC-2	85	form-based			true	0.75	16	2.285714388	12	10	18048	13497	13497	2
1026	012	2500	0.06	1180	1	85	140	4	8	7	10000	8820	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13820	13820	1.5
1026	013	2683	0.06	3500	2	85	140	4	8	6	10732	7232	NC-2	85	form-based			true	0.75	14	1.75	12	12	16098	12598	12598	1.5
1026	044	2815	0.06	1669	3	65	100	3	6	3	8445	6776	NC-2	85	form-based			true	0.75	15	2.5	12	9	16890	15221	15221	2
1026	063	2900	0.07	4860	3	65	100	3	7	4	8700	3840	NC-2	85	form-based		true	true	0.75	15	2.142857075	12	11	17400	12540	12540	2
1027	003	18906	0.43	4640	1	65	100	3	43	42	56718	52078	RH-2	40	density-lin	1500	true		0.7	13	0.302325577	12	12	52936.80078	48296.80078	48296.80078	0.933333
1027	013	3020	0.07	5464	4	85	140	4	10	6	12080	6616	NC-2	85	form-based			true	0.75	16	1.600000024	12	12	18120	12656	12656	1.5
1029	030	2406	0.06	3427	1	85	140	4	8	7	9624	6197	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14436	11009	11009	1.5
1029	030A	2406	0.06	3030	1	85	140	4	8	7	9624	6594	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14436	11406	11406	1.5
1030	037	2501	0.06	1125	1	85	140	4	8	7	10004	8879	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15006	13881	13881	1.5
1030	064	2747	0.06	1732	2	65	100	3	6	4	8241	6509	RTO-C	85	form-based		true	true	0.75	14	2.333333254	12	10	16482	14750	14750	2
1031	026	5912	0.14	12015	19	85	140	4	20	1	23648	11633	RTO-C	85	form-based			true	0.75	31	1.549999952	12	12	35472	23457	23457	1.5
1038	001	3986	0.09	9540	9	55	80	2.5	7	0	9965	425	RTO-C	85	form-based		true	true	0.75	21	3	12	5	23916	14376	10390	2.4
1038	016	6000	0.14	2582	1	65	100	3	14	13	18000	15418	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16800	14218	14218	0.933333
1038	017	6000	0.14	5134	1	65	100	3	14	13	18000	12866	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16800	11666	11666	0.933333
1044	011	6050	0.14	4035	1	65	100	3	14	13	18150	14115	RH-2	40	form-based		true	true	0.7	13	0.928571403	12	12	16940	12905	12905	0.933333
1051	005	2207	0.05	4087	0	65	100	3	5	5	6621	2534	NC-3	85	form-based			true	0.75	12	2.400000095	12	10	13242	9155	9155	2
1055	013	4203	0.1	3090	3	65	100	3	10	7	12609	9519	RM-2	65	form-based			true	0.7	15	1.5	12	12	17652.59961	14562.59961	14562.59961	1.4
1057	007	4169	0.1	4710	4	65	100	3	10	6	12507	7797	RTO-C	65	form-based			true	0.75	16	1.600000024	12	12	18760.5	14050.5	14050.5	1.5
1062	004	6000	0.14	3312	1	65	100	3	14	13	18000	14688	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16800	13488	13488	0.933333
1063	007	6000	0.14	3142	1	65	100	3	14	13	18000	14858	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16800	13658	13658	0.933333
1063	009	6000	0.14	5176	1	65	100	3	14	13	18000	12824	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16800	11624	11624	0.933333
1064	031	2578	0.06	3738	2	85	140	4	8	6	10312	6574	NCD-GEAR	85	form-based			true	0.75	14	1.75	12	12	15468	11730	11730	1.5
1064	041	6318	0.15	2808	1	65	100	3	15	14	18954	16146	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17690.40039	14882.40039	14882.40039	0.933333
1064	042	6352	0.15	2850	1	65	100	3	15	14	19056	16206	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17785.59961	14935.59961	14935.59961	0.933333
1064	044	6178	0.14	3480	1	65	100	3	14	13	18534	15054	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17298.40039	13818.40039	13818.40039	0.933333
1064	045	6005	0.14	3840	1	65	100	3	14	13	18015	14175	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16814	12974	12974	0.933333
1066	023	2667	0.06	3014	2	85	140	4	8	6	10668	7654	NCD-GEAR	85	form-based			true	0.75	14	1.75	12	12	16002	12988	12988	1.5
1067	020	2500	0.06	1968	1	65	100	3	6	5	7500	5532	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	12	11	15000	13032	13032	2
1081	068	1582	0.04	1247	2	65	100	3	4	2	4746	3499	RTO-C	140	form-based			true	0.75	14	3.5	12	6	14238	12991	8245	3
1082	003	16364	0.38	17012	22	65	100	3	38	16	49092	32080	RH-3	40	form-based			true	0.7	34	0.894736826	12	12	45819.19922	28807.19922	28807.19922	0.933333
1085	083	2813	0.06	2170	3	65	100	3	6	3	8439	6269	RTO-C	85	form-based			true	0.75	15	2.5	12	9	16878	14708	14708	2
1086	020	3105	0.07	2420	4	65	100	3	7	3	9315	6895	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18630	16210	16210	2
1086	023A	2846	0.07	4556	3	65	100	3	7	4	8538	3982	RTO-C	85	form-based			true	0.75	15	2.142857075	12	11	17076	12520	12520	2
1086	024	2584	0.06	1842	2	65	100	3	6	4	7752	5910	NCD-GEAR	85	form-based			true	0.75	14	2.333333254	12	10	15504	13662	13662	2
1086	051	3125	0.07	4296	4	65	100	3	7	3	9375	5079	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18750	14454	14454	2
1087	007	2575	0.06	1856	2	65	100	3	6	4	7725	5869	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	15450	13594	13594	2
1087	008	2575	0.06	3452	2	65	100	3	6	4	7725	4273	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	15450	11998	11998	2
1087	015	2609	0.06	2708	2	65	100	3	6	4	7827	5119	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	15654	12946	12946	2
1087	018	2610	0.06	2640	2	65	100	3	6	4	7830	5190	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	15660	13020	13020	2
1087	019	2611	0.06	2696	2	65	100	3	6	4	7833	5137	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	15666	12970	12970	2
1087	037	2575	0.06	1594	2	65	100	3	6	4	7725	6131	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	15450	13856	13856	2
1088	023	3007	0.07	3034	4	65	100	3	7	3	9021	5987	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18042	15008	15008	2
1089	005	3000	0.07	4046	4	65	100	3	7	3	9000	4954	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18000	13954	13954	2
1089	006	3000	0.07	4046	4	65	100	3	7	3	9000	4954	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18000	13954	13954	2
1089	025	2291	0.05	0	0	65	100	3	5	5	6873	6873	NCD-GEAR	85	form-based			true	0.75	12	2.400000095	12	10	13746	13746	13746	2
1089	039	3000	0.07	1060	4	65	100	3	7	3	9000	7940	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18000	16940	16940	2
1090	005	3000	0.07	3904	4	65	100	3	7	3	9000	5096	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18000	14096	14096	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1090	011	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13950	13950	2
1090	015	2500	0.06	1372	1	65	100	3	6	5	7500	6128	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13628	13628	2
1090	017	3010	0.07	4046	4	65	100	3	7	3	9030	4984	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18060	14014	14014	2
1090	018	3010	0.07	3802	4	65	100	3	7	3	9030	5228	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18060	14258	14258	2
1091	014	2500	0.06	2250	1	65	100	3	6	5	7500	5250	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	12750	12750	2
1091	019	3018	0.07	4024	4	65	100	3	7	3	9054	5030	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18108	14084	14084	2
1091	023	3022	0.07	3436	4	85	140	4	10	6	12088	8652	RTO-C	85	form-based			true	0.75	16	1.600000024	12	12	18132	14696	14696	1.5
1092	018	2500	0.06	910	1	65	100	3	6	5	7500	6590	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	14090	14090	2
1092	020	3645	0.08	4680	7	65	100	3	8	1	10935	6255	RTO-C	85	form-based			true	0.75	19	2.375	12	9	21870	17190	17190	2
1101	005	2421	0.06	2050	1	65	100	3	6	5	7263	5213	NCT-DIVIS/	85	form-based			true	0.75	13	2.166666746	12	11	14526	12476	12476	2
1126	006	2653	0.06	2226	2	65	100	3	6	4	7959	5733	NCT-DIVIS/	85	form-based			true	0.75	14	2.333333254	12	10	15918	13692	13692	2
1126	007	6256	0.14	16183	21	65	100	3	14	0	18768	2585	NCT-DIVIS/	85	form-based	true		true	0.75	33	2.357142925	12	7	37536	21353	21353	2
1127	069	3805	0.09	1630	2	65	100	3	9	7	11415	9785	RTO-C	65	form-based			true	0.75	14	1.555555582	12	12	17122.5	15492.5	15492.5	1.5
1129	032	8893	0.2	7422	15	65	100	3	20	5	26679	19257	RM-3	50	form-based			true	0.75	27	1.350000024	12	12	33348.75	25926.75	25926.75	1.25
1129	118	5274	0.12	1276	4	65	100	3	12	8	15822	14546	RM-3	50	form-based			true	0.75	16	1.333333373	12	12	19777.5	18501.5	18501.5	1.25
1137	006	6504	0.15	5150	2	65	100	3	15	13	19512	14362	RH-2	40	form-based			true	0.7	14	0.933333337	12	12	18211.19922	13061.19922	13061.19922	0.933333
1153	001	6250	0.14	16500	21	55	80	2.5	11	0	15625	0	NCT-DIVIS/	85	form-based	true		true	0.75	33	3	12	1	37500	21000	14750	2.4
1153	009	5098	0.12	2600	2	55	80	2.5	10	8	12745	10145	RM-1	50	form-based			true	0.7	14	1.399999976	12	12	17843	15243	15243	1.4
1154	035	2965	0.07	751	4	55	80	2.5	6	2	7412	6661	NCT-DIVIS/	85	form-based	true		true	0.75	16	2.666666746	12	8	17790	17039	14073	2.400162
1155	017	2500	0.06	3930	1	55	80	2.5	5	4	6250	2320	NCT-DIVIS/	85	form-based			true	0.75	13	2.599999905	12	9	15000	11070	8570	2.4
1155	019	2500	0.06	2930	1	55	80	2.5	5	4	6250	3320	NCT-DIVIS/	85	form-based			true	0.75	13	2.599999905	12	9	15000	12070	9570	2.4
1156	022	5844	0.13	7917	4	55	80	2.5	10	6	14610	6693	RM-1	50	form-based			true	0.7	16	1.600000024	12	12	20454	12537	12537	1.4
1168	024	2527	0.06	2928	1	55	80	2.5	5	4	6318	3390	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15162	12234	9708	2.39981
1168	025	3069	0.07	4340	4	55	80	2.5	6	2	7672	3332	RTO-C	85	form-based			true	0.75	16	2.666666746	12	8	18414	14074	11004	2.400156
1169	002A	2832	0.07	5475	3	55	80	2.5	6	3	7080	1605	RTO-C	85	form-based			true	0.75	15	2.5	12	9	16992	11517	8685	2.4
1180	012A	2795	0.06	6030	3	55	80	2.5	5	2	6988	958	NCT-DIVIS/	85	form-based			true	0.75	15	3	12	7	16770	10740	7946	2.399828
1180	013	5727	0.13	14070	18	55	80	2.5	10	0	14318	248	NCT-DIVIS/	85	form-based	true		true	0.75	30	3	12	2	34362	20292	14566	2.399916
1180	013A	2782	0.06	5760	3	55	80	2.5	5	2	6955	1195	NCT-DIVIS/	85	form-based			true	0.75	15	3	12	7	16692	10932	8150	2.4
1180	051	2783	0.06	1282	3	55	80	2.5	5	2	6958	5676	NCT-DIVIS/	85	form-based			true	0.75	15	3	12	7	16698	15416	12634	2.399827
1181	014C	4157	0.1	7320	10	55	80	2.5	8	0	10392	3072	NCT-DIVIS/	85	form-based			true	0.75	22	2.75	12	6	24942	17622	13464	2.400115
1187	009E	3438	0.08	7086	6	55	80	2.5	6	0	8595	1509	RTO-C	85	form-based			true	0.75	18	3	12	6	20628	13542	10104	2.4
1187	009F	3437	0.08	4210	6	55	80	2.5	6	0	8592	4382	RTO-C	85	form-based			true	0.75	18	3	12	6	20622	16412	12974	2.40014
1188	013A	2656	0.06	3130	2	55	80	2.5	5	3	6640	3510	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	15936	12806	10150	2.4
1188	037	2656	0.06	1513	2	55	80	2.5	5	3	6640	5127	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	15936	14423	11767	2.4
1189	001B	2656	0.06	3300	2	55	80	2.5	5	3	6640	3340	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	15936	12636	9980	2.4
1189	001C	2656	0.06	3300	2	55	80	2.5	5	3	6640	3340	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	15936	12636	9980	2.4
1191	021	2486	0.06	4270	1	55	80	2.5	5	4	6215	1945	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14916	10646	8160	2.4
1191	051	2483	0.06	2249	1	55	80	2.5	5	4	6208	3959	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14898	12649	10167	2.399807
1201	003	2860	0.07	5220	3	55	80	2.5	6	3	7150	1930	NCT-DIVIS/	85	form-based			true	0.75	15	2.5	12	9	17160	11940	9080	2.4
1201	057	3155	0.07	1892	5	55	80	2.5	6	1	7888	5996	NCT-DIVIS/	85	form-based			true	0.75	17	2.833333254	12	7	18930	17038	13884	2.399848
1203	018	2780	0.06	5844	3	55	80	2.5	5	2	6950	1106	NCT-DIVIS/	85	form-based			true	0.75	15	3	12	7	16680	10836	8056	2.4
1203	021	2917	0.07	4290	3	55	80	2.5	6	3	7292	3002	NCT-DIVIS/	85	form-based			true	0.75	15	2.5	12	9	17502	13212	10294	2.400165
1203	024	2790	0.06	4530	3	55	80	2.5	5	2	6975	2445	NCT-DIVIS/	85	form-based			true	0.75	15	3	12	7	16740	12210	9420	2.4
1204	010	2656	0.06	3050	2	55	80	2.5	5	3	6640	3590	NCT-DIVIS/	85	form-based			true	0.75	14	2.799999952	12	8	15936	12886	10230	2.4
1217	023	2649	0.06	6000	2	55	80	2.5	5	3	6622	622	NCT-DIVIS/	85	form-based			true	0.75	14	2.799999952	12	8	15894	9894	7244	2.400181
1217	025	2685	0.06	3250	2	55	80	2.5	5	3	6712	3462	NCT-DIVIS/	85	form-based			true	0.75	14	2.799999952	12	8	16110	12860	10174	2.400179
1217	026	2615	0.06	3500	2	55	80	2.5	5	3	6538	3038	NCT-DIVIS/	85	form-based			true	0.75	14	2.799999952	12	8	15690	12190	9576	2.399817
1217	027	2651	0.06	4255	2	55	80	2.5	5	3	6628	2373	NCT-DIVIS/	85	form-based			true	0.75	14	2.799999952	12	8	15906	11651	9001	2.399819
1231	014	3578	0.08	6580	1	55	80	2.5	6	5	8945	2365	NCD-HAIG	65	form-based			true	0.75	13	2.166666746	12	11	16101	9521	9521	1.8
1231	019	3300	0.08	2970	0	55	80	2.5	6	6	8250	5280	RTO-C	65	form-based			true	0.75	12	2	12	12	14850	11880	11880	1.8
1234	048	13744	0.32	25000	40	55	80	2.5	26	0	34360	9360	RTO-C	65	form-based			true	0.75	52	2	12	12	61848	36848	36848	1.8
1235	011	3710	0.09	3280	2	55	80	2.5	7	5	9275	5995	RTO-C	65	form-based			true	0.75	14	2	12	12	16695	13415	13415	1.8
1236	039	3947	0.09	1254	3	55	80	2.5	7	4	9868	8614	RTO-C	65	form-based			true	0.75	15	2.142857075	12	11	17761.5	16507.5	16507.5	1.799909
1237	005	2812	0.06	4575	3	55	80	2.5	5	2	7030	2455	NCT-DIVIS/	85	form-based			true	0.75	15	3	12	7	16872	12297	9485	2.4
1237	012	3437	0.08	1330	1	55	80	2.5	6	5	8592	7262	RTO-C	65	form-based			true	0.75	13	2.166666746	12	11	15466.5	14136.5	14136.5	1.800105
1237	016	3781	0.09	4012	2	55	80	2.5	7	5	9452	5440	RTO-C	65	form-based			true	0.75	14	2	12	12	17014.5	13002.5	13002.5	1.800095
1240	029	3438	0.08	2650	1	65	100	3	8	7	10314	7664	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15471	12821	12821	1.5
1241	001	7200	0.17	16500	15	55	80	2.5	14	0	18000	1500	RTO-C	65	form-based	true		true	0.75	27	1.928571463	12	12	32400	15900	15900	1.8
1250	023	3281	0.08	2400	0	65	100	3	8	8	9843	7443	NCD-HAIG	65	form-based			true	0.75	12	1.5	12	12	14764.5	12364.5	12364.5	1.5
1256	057	8361	0.19	8823	6	55	80	2.5	15	9	20902	12079	RH-3	40	form-based			true	0.7	18	1.200000048	12	12	23410.79883	14587.79883	14587.79883	1.120027
1265	028	3802	0.09	3000	2	65	100	3	9	7	11406	8406	RTO-C	65	form-based			true	0.75	14	1.555555582	12	12	17109	14109	14109	1.5
1266	041	6914	0.16	10942	14	65	100	3	16	2	20742	9800	RTO-C	65	form-based			true	0.75	26	1.625	12	12	31113	20171	20171	1.5
1267	017	3438	0.08	2314	1	65	100	3	8	7	10314	8000	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15471	13157	13157	1.5
1267	018	3438	0.08	1920	1	65	100	3	8	7	10314	8394	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15471	13551	13551	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1267	022	3438	0.08	2250	1	65	100	3	8	7	10314	8064	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15471	13221	13221	1.5
1267	024	3437	0.08	1960	1	65	100	3	8	7	10311	8351	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15466.5	13506.5	13506.5	1.5
1267	030	3137	0.07	6750	0	85	140	4	10	10	12548	5798	RTO-C	65	form-based		true	true	0.75	12	1.200000048	12	12	14116.5	7366.5	7366.5	1.125
1268	026	4731	0.11	8741	6	85	140	4	15	9	18924	10183	NCD-COLE	65	form-based		true	true	0.75	18	1.200000048	12	12	21289.5	12548.5	12548.5	1.125
1271	013	3438	0.08	2264	1	65	100	3	8	7	10314	8050	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15471	13207	13207	1.5
1271	014	3437	0.08	2356	1	65	100	3	8	7	10311	7955	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15466.5	13110.5	13110.5	1.5
1271	019	3875	0.09	4470	3	65	100	3	9	6	11625	7155	RTO-C	65	form-based			true	0.75	15	1.666666627	12	12	17437.5	12967.5	12967.5	1.5
1271	020	3858	0.09	3160	2	65	100	3	9	7	11574	8414	RTO-C	65	form-based			true	0.75	14	1.555555582	12	12	17361	14201	14201	1.5
1272	014	3349	0.08	2180	1	65	100	3	8	7	10047	7867	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15070.5	12890.5	12890.5	1.5
1273	019	3450	0.08	2080	1	85	140	4	11	10	13800	11720	RTO-C	65	form-based			true	0.75	13	1.181818128	12	12	15525	13445	13445	1.125
1273	020	3450	0.08	2655	1	85	140	4	11	10	13800	11145	RTO-C	65	form-based			true	0.75	13	1.181818128	12	12	15525	12870	12870	1.125
1273	021	3450	0.08	3135	1	85	140	4	11	10	13800	10665	RTO-C	65	form-based			true	0.75	13	1.181818128	12	12	15525	12390	12390	1.125
1273	022	3450	0.08	2376	1	85	140	4	11	10	13800	11424	RTO-C	65	form-based			true	0.75	13	1.181818128	12	12	15525	13149	13149	1.125
1273	026	4049	0.09	4025	3	85	140	4	13	10	16196	12171	RTO-C	65	form-based			true	0.75	15	1.153846145	12	12	18220.5	14195.5	14195.5	1.125
1273	030	3758	0.09	1729	2	65	100	3	9	7	11274	9545	RTO-C	65	form-based			true	0.75	14	1.555555582	12	12	16911	15182	15182	1.5
1279	094	8397	0.19	1409	6	65	100	3	19	13	25191	23782	RH-2	40	form-based			true	0.7	18	0.947368443	12	12	23511.59961	22102.59961	22102.59961	0.933333
1289	029	6035	0.14	2311	1	55	80	2.5	11	10	15088	12777	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16898	14587	14587	1.119963
1294	020	6425	0.15	3310	1	55	80	2.5	12	11	16062	12752	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17990	14680	14680	1.120035
1307	001T	5954	0.14	5632	1	55	80	2.5	11	10	14885	9253	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16671.19922	11039.19922	11039.19922	1.12
1309	007	6172	0.14	3461	1	55	80	2.5	11	10	15430	11969	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17281.59961	13820.59961	13820.59961	1.12
1327	009	6414	0.15	4038	1	55	80	2.5	12	11	16035	11997	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17959.19922	13921.19922	13921.19922	1.12
1328	001	6309	0.14	5456	1	55	80	2.5	11	10	15772	10316	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17665.19922	12209.19922	12209.19922	1.120035
1328	006	6058	0.14	4500	1	55	80	2.5	11	10	15145	10645	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	16962.40039	12462.40039	12462.40039	1.12
1329	014	6016	0.14	6134	1	55	80	2.5	11	10	15040	8906	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	16844.79883	10710.79883	10710.79883	1.12
1332	012	6126	0.14	2856	1	55	80	2.5	11	10	15315	12459	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	17152.79883	14296.79883	14296.79883	1.12
1333	011	6391	0.15	2936	1	55	80	2.5	12	11	15978	13042	RH-1	40	form-based			true	0.7	13	1.083333373	12	12	17894.79883	14958.79883	14958.79883	1.119965
1334	004	6000	0.14	5211	1	55	80	2.5	11	10	15000	9789	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16800	11589	11589	1.12
1335	010	6428	0.15	5160	1	55	80	2.5	12	11	16070	10910	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17998.40039	12838.40039	12838.40039	1.12
1336	005	6172	0.14	4173	1	55	80	2.5	11	10	15430	11257	RH-1(D)	40	form-based	true	true	true	0.7	13	1.181818128	12	12	17281.59961	13108.59961	13108.59961	1.12
1354	012	6004	0.14	4493	1	55	80	2.5	11	10	15010	10517	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	16811.19922	12318.19922	12318.19922	1.12
1355	035	6097	0.14	3444	1	55	80	2.5	11	10	15242	11798	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17071.59961	13627.59961	13627.59961	1.120037
1355	036	5977	0.14	4376	1	55	80	2.5	11	10	14942	10566	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16735.59961	12359.59961	12359.59961	1.120037
1355	049	5983	0.14	6114	1	55	80	2.5	11	10	14958	8844	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16752.40039	10638.40039	10638.40039	1.119963
1355	051	5978	0.14	5266	1	55	80	2.5	11	10	14945	9679	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16738.40039	11472.40039	11472.40039	1.12
1355	055	6148	0.14	5984	1	55	80	2.5	11	10	15370	9386	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17214.40039	11230.40039	11230.40039	1.12
1362	022	2703	0.06	2630	2	55	80	2.5	5	3	6758	4128	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16218	13588	10886	2.399822
1362	023	2679	0.06	2550	2	55	80	2.5	5	3	6698	4148	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16074	13524	10846	2.399821
1363	026	4572	0.1	12693	12	55	80	2.5	8	0	11430	0	RTO-C	85	form-based	true	true	true	0.75	24	3	12	4	27432	14739	10167	2.4
1365	013	2637	0.06	2746	2	55	80	2.5	5	3	6592	3846	NC-1	85	form-based			true	0.75	14	2.799999952	12	8	15822	13076	10438	2.400182
1365	020	3423	0.08	6480	6	55	80	2.5	6	0	8558	2078	NC-1	85	form-based	true	true	true	0.75	18	3	12	6	20538	14058	10636	2.39986
1367	024	2538	0.06	2625	1	55	80	2.5	5	4	6345	3720	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15228	12603	10065	2.4
1367	025	4644	0.11	10380	12	55	80	2.5	9	0	11610	1230	RTO-C	85	form-based			true	0.75	24	2.666666746	12	6	27864	17484	12840	2.4
1369	011	4552	0.1	11700	12	55	80	2.5	8	0	11380	0	RTO-C	85	form-based	true	true	true	0.75	24	3	12	4	27312	15612	11060	2.4
1369	016	2450	0.06	3900	1	55	80	2.5	5	4	6125	2225	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14700	10800	8350	2.4
1370	024	2452	0.06	3076	1	55	80	2.5	5	4	6130	3054	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14712	11636	9184	2.4
1371	022	2434	0.06	2841	1	55	80	2.5	5	4	6085	3244	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14604	11763	9329	2.4
1371	023	2433	0.06	2050	1	55	80	2.5	5	4	6082	4032	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14598	12548	10114	2.400197
1385	019A	4159	0.1	5832	4	55	80	2.5	8	4	10398	4566	RTO-C	65	form-based	true	true	true	0.75	16	2	12	12	18715.5	12883.5	12883.5	1.799913
1389	001B	6173	0.14	5094	1	55	80	2.5	11	10	15432	10338	RH-1(D)	40	form-based	true	true	true	0.7	13	1.181818128	12	12	17284.40039	12190.40039	12190.40039	1.120036
1410	017	3234	0.07	3640	0	65	100	3	7	7	9702	6062	NCD-OUTE	65	form-based	true	true	true	0.75	12	1.714285731	12	12	14553	10913	10913	1.5
1412	019	3145	0.07	3553	0	65	100	3	7	7	9435	5882	NCD-OUTE	65	form-based			true	0.75	12	1.714285731	12	12	14152.5	10599.5	10599.5	1.5
1418	024	5212	0.12	5976	8	65	100	3	12	4	15636	9660	RTO-C	65	form-based			true	0.75	20	1.666666627	12	12	23454	17478	17478	1.5
1421	025	3000	0.07	3245	4	65	100	3	7	3	9000	5755	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18000	14755	14755	2
1421	026	3000	0.07	3850	4	65	100	3	7	3	9000	5150	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18000	14150	14150	2
1422	040	2500	0.06	1265	1	65	100	3	6	5	7500	6235	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13735	13735	2
1424	036	2750	0.06	2500	2	65	100	3	6	4	8250	5750	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16500	14000	14000	2
1426	018	3295	0.08	4085	0	65	100	3	8	8	9885	5800	NCD-INNE	65	form-based	true	true	true	0.75	12	1.5	12	12	14827.5	10742.5	10742.5	1.5
1427	020	3219	0.07	4176	0	65	100	3	7	7	9657	5481	NCD-INNE	65	form-based	true	true	true	0.75	12	1.714285731	12	12	14485.5	10309.5	10309.5	1.5
1428	026	3241	0.07	3220	0	65	100	3	7	7	9723	6503	NCD-INNE	65	form-based	true	true	true	0.75	12	1.714285731	12	12	14584.5	11364.5	11364.5	1.5
1428	046	2500	0.06	1255	1	65	100	3	6	5	7500	6245	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13745	13745	2
1428	049	2500	0.06	2584	1	65	100	3	6	5	7500	4916	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	12416	12416	2
1438	037	3260	0.07	3250	0	65	100	3	7	7	9780	6530	NCD-INNE	65	form-based	true	true	true	0.75	12	1.714285731	12	12	14670	11420	11420	1.5
1439	035	3326	0.08	0	0	65	100	3	8	8	9978	9978	NCD-INNE	65	form-based			true	0.75	12	1.5	12	12	14967	14967	14967	1.5
1439	056	2252	0.05	6824	0	65	100	3	5	5	6756	0	NCD-GEAR	85	form-based	true	true	true	0.75	12	2.400000095	12	10	13512	6688	6688	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1439	072	3415	0.08	9668	6	65	100	3	8	2	10245	577	NCD-GEAR	85	form-based			true	0.75	18	2.25	12	10	20490	10822	10822	2
1446	021	2570	0.06	2300	1	85	140	4	8	7	10280	7980	NCD-GEAR	85	form-based			true	0.75	13	1.625	12	12	15420	13120	13120	1.5
1446	022	2570	0.06	2450	1	85	140	4	8	7	10280	7830	NCD-GEAR	85	form-based			true	0.75	13	1.625	12	12	15420	12970	12970	1.5
1447	020A	2250	0.05	1950	0	65	100	3	5	5	6750	4800	NCD-GEAR	85	form-based			true	0.75	12	2.400000095	12	10	13500	11550	11550	2
1451	022	2983	0.07	4472	4	85	140	4	10	6	11932	7460	NCD-GEAR	85	form-based			true	0.75	16	1.600000024	12	12	17898	13426	13426	1.5
1451	023	2982	0.07	4675	4	85	140	4	10	6	11928	7253	NCD-GEAR	85	form-based			true	0.75	16	1.600000024	12	12	17892	13217	13217	1.5
1453	017A	2378	0.05	5601	0	65	100	3	5	5	7134	1533	NCD-GEAR	85	form-based			true	0.75	12	2.400000095	12	10	14268	8667	8667	2
1462	001	3071	0.07	6502	0	65	100	3	7	7	9213	2711	RTO-C	65	form-based	true		true	0.75	12	1.714285731	12	12	13819.5	7317.5	7317.5	1.5
1463	024	2400	0.06	2500	1	85	140	4	8	7	9600	7100	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14400	11900	11900	1.5
1466	018	2500	0.06	1365	1	65	100	3	6	5	7500	6135	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13635	13635	2
1466	022	2500	0.06	2300	1	65	100	3	6	5	7500	5200	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	12700	12700	2
1467	027	2485	0.06	1462	1	65	100	3	6	5	7455	5993	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14910	13448	13448	2
1467	033	5977	0.14	3136	1	65	100	3	14	13	17931	14795	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	16735.59961	13599.59961	13599.59961	0.933333
1468	025	3536	0.08	2036	1	55	80	2.5	6	5	8840	6804	RTO-C	65	form-based			true	0.75	13	2.166666746	12	11	15912	13876	13876	1.8
1470	010	5977	0.14	3530	1	55	80	2.5	11	10	14942	11412	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16735.59961	13205.59961	13205.59961	1.120037
1470	016	2666	0.06	2600	2	55	80	2.5	5	3	6665	4065	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	15996	13396	10730	2.4
1504	021D	2500	0.06	2633	1	55	80	2.5	5	4	6250	3617	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	12367	9867	2.4
1504	022	4000	0.09	7725	9	55	80	2.5	7	0	10000	2275	RTO-C	85	form-based			true	0.75	21	3	12	5	24000	16275	12275	2.4
1505	005	6098	0.14	2354	1	55	80	2.5	11	10	15245	12891	RH-2	40	form-based			true	0.7	13	1.181818128	12	12	17074.40039	14720.40039	14720.40039	1.12
1505	034	2500	0.06	1025	1	55	80	2.5	5	4	6250	5225	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	13975	11475	2.4
1505	037	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	14000	11500	2.4
1505	038	2500	0.06	1611	1	55	80	2.5	5	4	6250	4639	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	13389	10889	2.4
1506	001	5694	0.13	15150	18	55	80	2.5	10	0	14235	0	RTO-C	85	form-based	true		true	0.75	30	3	12	2	34164	19014	13320	2.4
1506	046	2387	0.05	1566	1	55	80	2.5	4	3	5968	4402	RTO-C	85	form-based			true	0.75	13	3.25	12	7	14322	12756	10370	2.399799
1506	047	2387	0.05	1596	1	55	80	2.5	4	3	5968	4372	RTO-C	85	form-based	true		true	0.75	13	3.25	12	7	14322	12726	10340	2.399799
1508	019	2471	0.06	2313	1	65	100	3	6	5	7413	5100	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14826	12513	12513	2
1509	045	2415	0.06	2060	1	65	100	3	6	5	7245	5185	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14490	12430	12430	2
1510	045	2422	0.06	1682	1	65	100	3	6	5	7266	5584	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14532	12850	12850	2
1510	047	2422	0.06	2903	1	65	100	3	6	5	7266	4363	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14532	11629	11629	2
1510	048	2422	0.06	2179	1	65	100	3	6	5	7266	5087	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14532	12353	12353	2
1510	050	2422	0.06	2785	1	65	100	3	6	5	7266	4481	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14532	11747	11747	2
1511	044	2906	0.07	2950	3	85	140	4	10	7	11624	8674	NC-1	85	form-based			true	0.75	15	1.5	12	12	17436	14486	14486	1.5
1516	040	2456	0.06	1070	1	85	140	4	8	7	9824	8754	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14736	13666	13666	1.5
1516	041	2456	0.06	2239	1	85	140	4	8	7	9824	7585	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14736	12497	12497	1.5
1516	048	4910	0.11	11832	14	85	140	4	15	1	19640	7808	RTO-C	85	form-based	true		true	0.75	26	1.733333349	12	12	29460	17628	17628	1.5
1519	037	2380	0.05	2880	0	65	100	3	5	5	7140	4260	NCD-GEAR	85	form-based			true	0.75	12	2.400000095	12	10	14280	11400	11400	2
1519	039	2380	0.05	1760	0	85	140	4	7	7	9520	7760	NCD-GEAR	85	form-based			true	0.75	12	1.714285731	12	12	14280	12520	12520	1.5
1521	034B	2487	0.06	2458	1	65	100	3	6	5	7461	5003	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	12	11	14922	12464	12464	2
1523	048	2716	0.06	2400	2	65	100	3	6	4	8148	5748	NCD-GEAR	85	form-based			true	0.75	14	2.333333254	12	10	16296	13896	13896	2
1530	035	2589	0.06	1148	2	85	140	4	8	6	10356	9208	NCD-GEAR	85	form-based			true	0.75	14	1.75	12	12	15534	14386	14386	1.5
1533	001	3174	0.07	7092	5	65	100	3	7	2	9522	2430	NCD-GEAR	85	form-based	true		true	0.75	17	2.428571463	12	9	19044	11952	11952	2
1536	001	3255	0.07	5850	5	85	140	4	10	5	13020	7170	NCD-GEAR	85	form-based	true		true	0.75	17	1.700000048	12	12	19530	13680	13680	1.5
1538	035	2503	0.06	1893	1	85	140	4	8	7	10012	8119	NCD-GEAR	85	form-based			true	0.75	13	1.625	12	12	15018	13125	13125	1.5
1538	037	2503	0.06	3203	1	85	140	4	8	7	10012	6809	NCD-GEAR	85	form-based			true	0.75	13	1.625	12	12	15018	11815	11815	1.5
1552	036	6067	0.14	5483	1	65	100	3	14	13	18201	12718	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16987.59961	11504.59961	11504.59961	0.933333
1557	029	6181	0.14	2125	1	65	100	3	14	13	18543	16418	RH-2	40	form-based			true	0.7	13	0.928571403	12	12	17306.79883	15181.79883	15181.79883	0.933333
1577	013	3206	0.07	2047	0	65	100	3	7	7	9618	7571	NCD-OUTE	65	form-based	true		true	0.75	12	1.714285731	12	12	14427	12380	12380	1.5
1584	001A	5993	0.14	3400	1	55	80	2.5	11	10	14982	11582	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	16780.40039	13380.40039	13380.40039	1.120037
1611	001	3274	0.08	3250	0	55	80	2.5	6	6	8185	4935	NCD-OUTE	65	form-based	true		true	0.75	12	2	12	12	14733	11483	11483	1.8
1611	001A	3275	0.08	2887	0	55	80	2.5	6	6	8188	5301	NCD-OUTE	65	form-based	true		true	0.75	12	2	12	12	14737.5	11850.5	11850.5	1.79989
1626	001	4690	0.11	7220	6	55	80	2.5	9	3	11725	4505	NC-1	65	form-based	true		true	0.75	18	2	12	12	21105	13885	13885	1.8
1644	014	2743	0.06	2860	2	55	80	2.5	5	3	6858	3998	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16458	13598	10856	2.399825
1645	012	3066	0.07	3850	4	55	80	2.5	6	2	7665	3815	RTO-C	85	form-based	true		true	0.75	16	2.666666746	12	8	18396	14546	11480	2.4
1647	014	2472	0.06	1580	1	55	80	2.5	5	4	6180	4600	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14832	13252	10780	2.4
1647	015	2474	0.06	2497	1	55	80	2.5	5	4	6185	3688	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14844	12347	9873	2.4
1647	016	2475	0.06	1190	1	55	80	2.5	5	4	6188	4998	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14850	13660	11186	2.399806
1647	016A	2477	0.06	1647	1	55	80	2.5	5	4	6192	4545	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14862	13215	10737	2.400194
1647	017	2479	0.06	1200	1	55	80	2.5	5	4	6198	4998	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14874	13674	11196	2.399806
1647	018	2481	0.06	1359	1	55	80	2.5	5	4	6202	4843	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14886	13527	11045	2.400193
1647	019	2483	0.06	2113	1	55	80	2.5	5	4	6208	4095	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14898	12785	10303	2.399807
1648	022	4618	0.11	11019	12	55	80	2.5	9	0	11545	526	RTO-C	85	form-based	true		true	0.75	24	2.666666746	12	6	27708	16689	12071	2.4
1649	010	8955	0.21	13389	7	55	80	2.5	17	10	22388	8999	RH-3	40	form-based			true	0.7	19	1.117647052	12	12	25074	11685	11685	1.119975
1649	013	3005	0.07	3260	4	55	80	2.5	6	2	7512	4252	RTO-C	85	form-based			true	0.75	16	2.666666746	12	8	18030	14770	11764	2.40016
1653	021	2499	0.06	2012	1	55	80	2.5	5	4	6248	4236	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14994	12982	10484	2.399808

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1653	024	2433	0.06	1764	1	55	80	2.5	5	4	6082	4318	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14598	12834	10400	2.400197
1653	029	2609	0.06	2350	2	55	80	2.5	5	3	6522	4172	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	15654	13304	10694	2.400184
1655	039	6365	0.15	5190	1	55	80	2.5	12	11	15912	10722	RH-1	40	form-based			true	0.7	13	1.083333373	12	12	17822	12632	12632	1.120035
1658	019A	2565	0.06	2300	1	55	80	2.5	5	4	6412	4112	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15390	13090	10524	2.400187
1659	017	3087	0.07	4600	4	55	80	2.5	6	2	7718	3118	RTO-C	85	form-based		true	true	0.75	16	2.666666746	12	8	18522	13922	10836	2.399844
1659	021	2481	0.06	2220	1	55	80	2.5	5	4	6202	3982	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14886	12666	10184	2.400193
1659	024	2704	0.06	2950	2	55	80	2.5	5	3	6760	3810	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16224	13274	10570	2.4
1659	025	2704	0.06	2950	2	55	80	2.5	5	3	6760	3810	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16224	13274	10570	2.4
1660	021	2480	0.06	1474	1	55	80	2.5	5	4	6200	4726	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14880	13406	10926	2.4
1660	025A	2702	0.06	2277	2	55	80	2.5	5	3	6755	4478	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16212	13935	11233	2.4
1661	044	3063	0.07	1150	4	55	80	2.5	6	2	7658	6508	RTO-C	85	form-based		true	true	0.75	16	2.666666746	12	8	18378	17228	14166	2.399843
1662	018	3042	0.07	5204	4	55	80	2.5	6	2	7605	2401	RTO-C	85	form-based		true	true	0.75	16	2.666666746	12	8	18252	13048	10006	2.4
1663	018	2811	0.06	4831	3	55	80	2.5	5	2	7028	2197	RTO-C	85	form-based		true	true	0.75	15	3	12	7	16866	12035	9225	2.399829
1664	017	3108	0.07	4860	4	55	80	2.5	6	2	7770	2910	RTO-C	85	form-based		true	true	0.75	16	2.666666746	12	8	18648	13788	10680	2.4
1664	019	2500	0.06	2570	1	55	80	2.5	5	4	6250	3680	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	12430	9930	2.4
1665	025	2476	0.06	1820	1	55	80	2.5	5	4	6190	4370	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14856	13036	10560	2.4
1665	027	2475	0.06	1820	1	55	80	2.5	5	4	6188	4368	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14850	13030	10556	2.399806
1666	025	2500	0.06	2300	1	55	80	2.5	5	4	6250	3950	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	12700	10200	2.4
1666	026	2500	0.06	2527	1	55	80	2.5	5	4	6250	3723	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	12473	9973	2.4
1666	027	2500	0.06	2300	1	55	80	2.5	5	4	6250	3950	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	12700	10200	2.4
1667	024	2474	0.06	2470	1	55	80	2.5	5	4	6185	3715	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14844	12374	9900	2.4
1667	025	2461	0.06	2490	1	55	80	2.5	5	4	6152	3662	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14766	12276	9814	2.400195
1667	026	2449	0.06	2500	1	55	80	2.5	5	4	6122	3622	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14694	12194	9744	2.400196
1668	018D	5195	0.12	10950	15	55	80	2.5	10	0	12988	2038	RTO-C	85	form-based			true	0.75	27	2.700000048	12	5	31170	20220	15026	2.399908
1669	021	2473	0.06	1921	1	55	80	2.5	5	4	6182	4261	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14838	12917	10443	2.400194
1669	025D	2521	0.06	1852	1	55	80	2.5	5	4	6302	4450	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15126	13274	10752	2.40019
1670	010E	2453	0.06	2430	1	55	80	2.5	5	4	6132	3702	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14718	12288	9834	2.400196
1670	010F	2453	0.06	1770	1	55	80	2.5	5	4	6132	4362	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14718	12948	10494	2.400196
1670	010G	2453	0.06	1525	1	55	80	2.5	5	4	6132	4607	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14718	13193	10739	2.400196
1670	012A	2500	0.06	2465	1	55	80	2.5	5	4	6250	3785	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	12535	10035	2.4
1670	012B	2500	0.06	2771	1	55	80	2.5	5	4	6250	3479	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	12229	9729	2.4
1670	012C	2500	0.06	3275	1	55	80	2.5	5	4	6250	2975	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	11725	9225	2.4
1671	008A	2399	0.06	1163	1	55	80	2.5	5	4	5998	4835	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14394	13231	10833	2.3998
1671	008C	2399	0.06	1756	1	55	80	2.5	5	4	5998	4242	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14394	12638	10240	2.3998
1671	008D	2399	0.06	1681	1	55	80	2.5	5	4	5998	4317	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14394	12713	10315	2.3998
1672	010	2500	0.06	1135	1	55	80	2.5	5	4	6250	5115	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	13865	11365	2.4
1672	011	2500	0.06	1623	1	55	80	2.5	5	4	6250	4627	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	13377	10877	2.4
1672	012	2500	0.06	1173	1	55	80	2.5	5	4	6250	5077	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	13827	11327	2.4
1672	013	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	13600	11100	2.4
1673	062	2726	0.06	1724	2	55	80	2.5	5	3	6815	5091	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16356	14632	11906	2.4
1675	002I	2683	0.06	3611	2	55	80	2.5	5	3	6708	3097	RTO-C	85	form-based		true	true	0.75	14	2.799999952	12	8	16098	12487	9805	2.399821
1675	003	2500	0.06	2015	1	55	80	2.5	5	4	6250	4235	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	12985	10485	2.4
1676	003H	2465	0.06	1657	1	55	80	2.5	5	4	6162	4505	RTO-C	85	form-based		true	true	0.75	13	2.599999905	12	9	14790	13133	10667	2.400195
1677	011D	2500	0.06	2516	1	55	80	2.5	5	4	6250	3734	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	12484	9984	2.4
1703	050	3750	0.09	2362	2	65	100	3	9	7	11250	8888	RTO-C	65	form-based			true	0.75	14	1.555555582	12	12	16875	14513	14513	1.5
1713	033	6000	0.14	3370	1	65	100	3	14	13	18000	14630	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	16800	13430	13430	0.933333
1715	025	3360	0.08	1440	1	65	100	3	8	7	10080	8640	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15120	13680	13680	1.5
1715	026	3360	0.08	1064	1	65	100	3	8	7	10080	9016	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15120	14056	14056	1.5
1721	037	3400	0.08	2668	1	65	100	3	8	7	10200	7532	RTO-C	65	form-based		true	true	0.75	13	1.625	12	12	15300	12632	12632	1.5
1722	038A	3375	0.08	2175	1	65	100	3	8	7	10125	7950	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15187.5	13012.5	13012.5	1.5
1727	002	6043	0.14	2772	1	65	100	3	14	13	18129	15357	RH-2	40	form-based			true	0.7	13	0.928571403	12	12	16920.40039	14148.40039	14148.40039	0.933333
1727	020	2900	0.07	2575	3	65	100	3	7	4	8700	6125	NCD-IRVIN	85	form-based			true	0.75	15	2.142857075	12	11	17400	14825	14825	2
1730	001A	2530	0.06	1250	1	65	100	3	6	5	7590	6340	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15180	13930	13930	2
1733	024	2500	0.06	1666	1	65	100	3	6	5	7500	5834	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13334	13334	2
1733	044	2500	0.06	1170	1	65	100	3	6	5	7500	6330	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13830	13830	2
1733	045	2500	0.06	1599	1	65	100	3	6	5	7500	5901	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13401	13401	2
1734	020	2500	0.06	2472	1	65	100	3	6	5	7500	5028	NCD-INNE	85	form-based			true	0.75	13	2.166666746	12	11	15000	12528	12528	2
1735	019	2375	0.05	2000	0	65	100	3	5	5	7125	5125	NCD-INNE	85	form-based			true	0.75	12	2.400000095	12	10	14250	12250	12250	2
1735	023	2625	0.06	3677	2	65	100	3	6	4	7875	4198	NCD-INNE	85	form-based			true	0.75	14	2.333333254	12	10	15750	12073	12073	2
1735	027	2500	0.06	1862	1	65	100	3	6	5	7500	5638	NCD-INNE	85	form-based			true	0.75	13	2.166666746	12	11	15000	13138	13138	2
1738	025	2500	0.06	1904	1	65	100	3	6	5	7500	5596	NCD-INNE	85	form-based			true	0.75	13	2.166666746	12	11	15000	13096	13096	2
1740	018	3166	0.07	5580	5	65	100	3	7	2	9498	3918	NCD-INNE	85	form-based		true	true	0.75	17	2.428571463	12	9	18996	13416	13416	2
1740	021	2500	0.06	1962	1	65	100	3	6	5	7500	5538	NCD-INNE	85	form-based			true	0.75	13	2.166666746	12	11	15000	13038	13038	2
1743	019	2390	0.05	2250	1	65	100	3	5	4	7170	4920	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14340	12090	12090	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1743	022	2650	0.06	3242	2	65	100	3	6	4	7950	4708	NCD-INNE	85	form-based			true	0.75	14	2.333333254	12	10	15900	12658	12658	2
1750	003	2388	0.05	2100	1	65	100	3	5	4	7164	5064	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14328	12228	12228	2
1750	004	2388	0.05	2160	1	65	100	3	5	4	7164	5004	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14328	12168	12168	2
1750	007	2388	0.05	2425	1	85	140	4	7	6	9552	7127	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	14328	11903	11903	1.5
1750	009	2388	0.05	1650	1	85	140	4	7	6	9552	7902	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	14328	12678	12678	1.5
1750	013	3450	0.08	9157	6	85	140	4	11	5	13800	4643	RTO-C	85	form-based		true	true	0.75	18	1.636363626	12	12	20700	11543	11543	1.5
1751	012	2779	0.06	3444	3	65	100	3	6	3	8337	4893	RTO-C	85	form-based			true	0.75	15	2.5	12	9	16674	13230	13230	2
1754	011	2766	0.06	3100	3	85	140	4	8	5	11064	7964	NCD-INNE	85	form-based			true	0.75	15	1.875	12	12	16596	13496	13496	1.5
1754	012	2765	0.06	4350	3	85	140	4	8	5	11060	6710	NCD-INNE	85	form-based			true	0.75	15	1.875	12	12	16590	12240	12240	1.5
1759	003	2390	0.05	1850	1	65	100	3	5	4	7170	5320	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14340	12490	12490	2
1759	048	2500	0.06	1820	1	85	140	4	8	7	10000	8180	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13180	13180	1.5
1762	047	2938	0.07	4800	3	85	140	4	10	7	11752	6952	NCD-INNE	85	form-based			true	0.75	15	1.5	12	12	17628	12828	12828	1.5
1763	021	2500	0.06	4835	1	85	140	4	8	7	10000	5165	NCD-INNE	85	form-based			true	0.75	13	1.625	12	12	15000	10165	10165	1.5
1764	006	3013	0.07	2775	4	85	140	4	10	6	12052	9277	NCD-INNE	85	form-based			true	0.75	16	1.600000024	12	12	18078	15303	15303	1.5
1764	016	3013	0.07	4881	4	85	140	4	10	6	12052	7171	NCD-INNE	85	form-based			true	0.75	16	1.600000024	12	12	18078	13197	13197	1.5
1765	001	3166	0.07	4179	5	65	100	3	7	2	9498	5319	NCD-INNE	85	form-based		true	true	0.75	17	2.428571463	12	9	18996	14817	14817	2
1765	017	2483	0.06	1846	1	65	100	3	6	5	7449	5603	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14898	13052	13052	2
1765	019	2484	0.06	2274	1	65	100	3	6	5	7452	5178	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14904	12630	12630	2
1765	020	2484	0.06	4088	1	65	100	3	6	5	7452	3364	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14904	10816	10816	2
1765	038	3250	0.07	4156	5	65	100	3	7	2	9750	5594	NCD-INNE	85	form-based		true	true	0.75	17	2.428571463	12	9	19500	15344	15344	2
1766	020	2463	0.06	1050	1	85	140	4	8	7	9852	8802	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14778	13728	13728	1.5
1766	021	2464	0.06	2213	1	85	140	4	8	7	9856	7643	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14784	12571	12571	1.5
1766	022	2464	0.06	1453	1	85	140	4	8	7	9856	8403	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14784	13331	13331	1.5
1766	023	2464	0.06	1546	1	85	140	4	8	7	9856	8310	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14784	13238	13238	1.5
1767	022	2431	0.06	3100	1	85	140	4	8	7	9724	6624	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14586	11486	11486	1.5
1769	017A	2500	0.06	2311	1	65	100	3	6	5	7500	5189	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	12689	12689	2
1769	018	2500	0.06	1926	1	65	100	3	6	5	7500	5574	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13074	13074	2
1769	019	2500	0.06	1976	1	65	100	3	6	5	7500	5524	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13024	13024	2
1769	022	2491	0.06	1382	1	85	140	4	8	7	9964	8582	RTO-C	85	form-based		true	true	0.75	13	1.625	12	12	14946	13564	13564	1.5
1769	023	2500	0.06	1214	1	85	140	4	8	7	10000	8786	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13786	13786	1.5
1769	024	2500	0.06	1054	1	85	140	4	8	7	10000	8946	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13946	13946	1.5
1769	025	2500	0.06	1054	1	85	140	4	8	7	10000	8946	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13946	13946	1.5
1769	042	2500	0.06	1350	1	65	100	3	6	5	7500	6150	NCD-INNE	85	form-based			true	0.75	13	2.166666746	12	11	15000	13650	13650	2
1770	018	2506	0.06	1515	1	85	140	4	8	7	10024	8509	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15036	13521	13521	1.5
1770	020	4896	0.11	10454	14	85	140	4	15	1	19584	9130	RTO-C	85	form-based		true	true	0.75	26	1.733333349	12	12	29376	18922	18922	1.5
1770	025	2500	0.06	1222	1	85	140	4	8	7	10000	8778	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13778	13778	1.5
1770	026	2500	0.06	1914	1	85	140	4	8	7	10000	8086	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13086	13086	1.5
1770	051	2497	0.06	464	1	65	100	3	6	5	7491	7027	NCD-INNE	85	form-based		true	true	0.75	13	2.166666746	12	11	14982	14518	14518	2
1771	019	2473	0.06	1400	1	85	140	4	8	7	9892	8492	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14838	13438	13438	1.5
1771	021	2474	0.06	1200	1	85	140	4	8	7	9896	8696	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14844	13644	13644	1.5
1774	017	2415	0.06	1674	1	85	140	4	8	7	9660	7986	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14490	12816	12816	1.5
1774	035	3600	0.08	2914	2	65	100	3	8	6	10800	7886	RTO-C	65	form-based			true	0.75	14	1.75	12	12	16200	13286	13286	1.5
1776	009U	2484	0.06	1225	1	85	140	4	8	7	9936	8711	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14904	13679	13679	1.5
1777	019	2383	0.05	2100	1	85	140	4	7	6	9532	7432	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	14298	12198	12198	1.5
1778	018	2487	0.06	1568	1	85	140	4	8	7	9948	8380	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14922	13354	13354	1.5
1778	020	2488	0.06	1350	1	85	140	4	8	7	9952	8602	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14928	13578	13578	1.5
1779	014	2489	0.06	950	1	85	140	4	8	7	9956	9006	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14934	13984	13984	1.5
1779	016	2490	0.06	800	1	85	140	4	8	7	9960	9160	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14940	14140	14140	1.5
1779	017	2490	0.06	800	1	85	140	4	8	7	9960	9160	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14940	14140	14140	1.5
1779	018	2490	0.06	1575	1	85	140	4	8	7	9960	8385	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14940	13365	13365	1.5
1779	055	3000	0.07	5860	4	65	100	3	7	3	9000	3140	NCD-IRVIN	85	form-based		true	true	0.75	16	2.285714388	12	10	18000	12140	12140	2
1781	019	2468	0.06	2141	1	65	100	3	6	5	7404	5263	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14808	12667	12667	2
1781	036	6000	0.14	2682	1	65	100	3	14	13	18000	15318	RH-2	40	form-based			true	0.7	13	0.928571403	12	12	16800	14118	14118	0.933333
1790	010E	2568	0.06	2037	1	65	100	3	6	5	7704	5667	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15408	13371	13371	2
1792	011	2491	0.06	1500	1	65	100	3	6	5	7473	5973	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14946	13446	13446	2
1794	020	2495	0.06	1225	1	85	140	4	8	7	9980	8755	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14970	13745	13745	1.5
1794	021	2495	0.06	1225	1	85	140	4	8	7	9980	8755	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14970	13745	13745	1.5
1795	016	2498	0.06	1180	1	65	100	3	6	5	7494	6314	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14988	13808	13808	2
1796	017B	2498	0.06	1225	1	65	100	3	6	5	7494	6269	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14988	13763	13763	2
1796	018	2499	0.06	1526	1	65	100	3	6	5	7497	5971	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14994	13468	13468	2
1796	037	3125	0.07	955	0	65	100	3	7	7	9375	8420	RTO-C	65	form-based			true	0.75	12	1.714285731	12	12	14062.5	13107.5	13107.5	1.5
1796	038	3125	0.07	2460	0	65	100	3	7	7	9375	6915	RTO-C	65	form-based			true	0.75	12	1.714285731	12	12	14062.5	11602.5	11602.5	1.5
1797	015	2500	0.06	1440	1	85	140	4	8	7	10000	8560	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13560	13560	1.5
1797	016	2500	0.06	1407	1	85	140	4	8	7	10000	8593	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13593	13593	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1797	017	2501	0.06	1660	1	85	140	4	8	7	10004	8344	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15006	13346	13346	1.5
1802	010A	5966	0.14	1750	1	65	100	3	14	13	17898	16148	RH-2	40	form-based			true	0.7	13	0.928571403	12	12	16704.79883	14954.79883	14954.79883	0.933333
1807	022	6000	0.14	2335	1	65	100	3	14	13	18000	15665	RH-2	40	form-based			true	0.7	13	0.928571403	12	12	16800	14465	14465	0.933333
1807	035	2500	0.06	1490	1	85	140	4	8	7	10000	8510	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13510	13510	1.5
1807	036	2500	0.06	1550	1	85	140	4	8	7	10000	8450	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13450	13450	1.5
1809	010	5955	0.14	2420	1	65	100	3	14	13	17865	15445	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	16674	14254	14254	0.933333
1810	033A	6000	0.14	1952	1	65	100	3	14	13	18000	16048	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	16800	14848	14848	0.933333
1811	046	2500	0.06	2460	1	85	140	4	8	7	10000	7540	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	12540	12540	1.5
1811	047	2500	0.06	2138	1	85	140	4	8	7	10000	7862	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	12862	12862	1.5
1812	041C	2500	0.06	1225	1	65	100	3	6	5	7500	6275	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13775	13775	2
1815	011	3000	0.07	4349	4	65	100	3	7	3	9000	4651	NC-1	85	form-based			true	0.75	16	2.285714388	12	10	18000	13651	13651	2
1819	043	2500	0.06	1248	1	85	140	4	8	7	10000	8752	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13752	13752	1.5
1819	043A	2500	0.06	800	1	85	140	4	8	7	10000	9200	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	14200	14200	1.5
1828	012	2500	0.06	1794	1	85	140	4	8	7	10000	8206	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13206	13206	1.5
1829	046	2500	0.06	1959	1	85	140	4	8	7	10000	8041	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13041	13041	1.5
1829	047	2500	0.06	1000	1	85	140	4	8	7	10000	9000	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	14000	14000	1.5
1829	048	2500	0.06	1190	1	85	140	4	8	7	10000	8810	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13810	13810	1.5
1829	049	2500	0.06	2315	1	85	140	4	8	7	10000	7685	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	12685	12685	1.5
1830	033I	2500	0.06	1280	1	65	100	3	6	5	7500	6220	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13720	13720	2
1830	033J	2500	0.06	2113	1	65	100	3	6	5	7500	5387	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	12887	12887	2
1831	047	2500	0.06	1290	1	85	140	4	8	7	10000	8710	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13710	13710	1.5
1831	048	2500	0.06	1741	1	85	140	4	8	7	10000	8259	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13259	13259	1.5
1831	049	2500	0.06	2204	1	85	140	4	8	7	10000	7796	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	12796	12796	1.5
1831	050	2500	0.06	840	1	85	140	4	8	7	10000	9160	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	14160	14160	1.5
1832	045	2500	0.06	1700	1	85	140	4	8	7	10000	8300	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13300	13300	1.5
1832	046	2500	0.06	1598	1	85	140	4	8	7	10000	8402	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13402	13402	1.5
1833	013	4153	0.1	2357	4	65	100	3	10	6	12459	10102	RTO-C	65	form-based			true	0.75	16	1.600000024	12	12	18688.5	16331.5	16331.5	1.5
1834	001A	2578	0.06	2926	2	85	140	4	8	6	10312	7386	RTO-C	85	form-based			true	0.75	14	1.75	12	12	15468	12542	12542	1.5
1834	001D	2674	0.06	2000	2	65	100	3	6	4	8022	6022	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16044	14044	14044	2
1834	001E	2693	0.06	2000	2	65	100	3	6	4	8079	6079	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16158	14158	14158	2
1834	001Q	2654	0.06	2000	2	65	100	3	6	4	7962	5962	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	15924	13924	13924	2
1834	002	2712	0.06	2250	2	65	100	3	6	4	8136	5886	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16272	14022	14022	2
1834	013	2297	0.05	1536	0	65	100	3	5	5	6891	5355	RTO-C	85	form-based			true	0.75	12	2.400000095	12	10	13782	12246	12246	2
1835	016	3551	0.08	1175	1	65	100	3	8	7	10653	9478	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15979.5	14804.5	14804.5	1.5
1835	028	2379	0.05	0	0	65	100	3	5	5	7137	7137	RTO-C	85	form-based			true	0.75	12	2.400000095	12	10	14274	14274	14274	2
1835	029	2398	0.06	1375	1	65	100	3	6	5	7194	5819	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14388	13013	13013	2
1835	030	2417	0.06	1900	1	65	100	3	6	5	7251	5351	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14502	12602	12602	2
1835	037	2552	0.06	1375	1	65	100	3	6	5	7656	6281	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15312	13937	13937	2
1835	040	2609	0.06	3600	2	85	140	4	8	6	10436	6836	RTO-C	85	form-based			true	0.75	14	1.75	12	12	15654	12054	12054	1.5
1836	022	2500	0.06	1550	1	65	100	3	6	5	7500	5950	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13450	13450	2
1836	023	2500	0.06	1550	1	65	100	3	6	5	7500	5950	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13450	13450	2
1837	044	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	14000	14000	2
1838	001K	2500	0.06	1250	1	85	140	4	8	7	10000	8750	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13750	13750	1.5
1838	029	6086	0.14	2350	1	65	100	3	14	13	18258	15908	RH-2	40	form-based			true	0.7	13	0.928571403	12	12	17040.79883	14690.79883	14690.79883	0.933333
1840	038	2500	0.06	1450	1	85	140	4	8	7	10000	8550	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13550	13550	1.5
1840	039	2500	0.06	935	1	85	140	4	8	7	10000	9065	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	14065	14065	1.5
1840	040	2500	0.06	1660	1	85	140	4	8	7	10000	8340	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13340	13340	1.5
1840	041	2500	0.06	1625	1	85	140	4	8	7	10000	8375	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13375	13375	1.5
1842	043	2500	0.06	1125	1	85	140	4	8	7	10000	8875	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13875	13875	1.5
1842	043A	2500	0.06	1605	1	85	140	4	8	7	10000	8395	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13395	13395	1.5
1842	043B	2500	0.06	1375	1	85	140	4	8	7	10000	8625	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13625	13625	1.5
1843	049	5775	0.13	15600	18	65	100	3	13	0	17325	1725	RTO-C	85	form-based	true		true	0.75	30	2.307692289	12	8	34650	19050	19050	2
1844	027	5964	0.14	1762	1	65	100	3	14	13	17892	16130	RH-2	40	form-based			true	0.7	13	0.928571403	12	12	16699.19922	14937.19922	14937.19922	0.933333
1861A	003	6362	0.15	1400	1	65	100	3	15	14	19086	17686	RH-1(D)	40	form-based	true		true	0.7	13	0.866666675	12	12	17813.59961	16413.59961	16413.59961	0.933333
1864	001L	2451	0.06	1740	1	65	100	3	6	5	7353	5613	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14706	12966	12966	2
1864	001S	2500	0.06	1605	1	65	100	3	6	5	7500	5895	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13395	13395	2
1865	001	3070	0.07	3770	4	65	100	3	7	3	9210	5440	RTO-C	85	form-based	true		true	0.75	16	2.285714388	12	10	18420	14650	14650	2
1865	008	2958	0.07	3600	4	65	100	3	7	3	8874	5274	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	17748	14148	14148	2
1871	012	3311	0.08	3250	0	65	100	3	8	8	9933	6683	NC-1	65	form-based	true		true	0.75	12	1.5	12	12	14899.5	11649.5	11649.5	1.5
1895	043	5900	0.14	2466	0	55	80	2.5	11	11	14750	12284	RH-2	40	form-based	true		true	0.7	12	1.090909123	12	12	16520	14054	14054	1.12
1906	018	5814	0.13	2750	0	55	80	2.5	10	10	14535	11785	RH-1	40	form-based	true		true	0.7	12	1.200000048	12	12	16279.2002	13529.2002	13529.2002	1.12
1918	046	3252	0.07	3720	0	55	80	2.5	6	6	8130	4410	NC-1	65	form-based	true		true	0.75	12	2	12	12	14634	10914	10914	1.8
1924	047	2705	0.06	1780	2	55	80	2.5	5	3	6762	4982	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16230	14450	11744	2.400177
1928	041	6055	0.14	2915	1	55	80	2.5	11	10	15138	12223	RH-1	40	form-based	true		true	0.7	13	1.181818128	12	12	16954	14039	14039	1.119963

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1932	005	5977	0.14	1994	1	55	80	2.5	11	10	14942	12948	RH-2	40	form-based			true	0.7	13	1.181818128	12	12	16735.59961	14741.59961	14741.59961	1.120037
2005	021	3340	0.08	1985	1	55	80	2.5	6	5	8350	6365	RTO-C	65	form-based			true	0.75	13	2.166666746	12	11	15030	13045	13045	1.8
2005	022	3340	0.08	2017	1	55	80	2.5	6	5	8350	6333	RTO-C	65	form-based			true	0.75	13	2.166666746	12	11	15030	13013	13013	1.8
2015	036	2325	0.05	2232	0	55	80	2.5	4	4	5812	3580	RTO-C	85	form-based			true	0.75	12	3	12	8	13950	11718	9392	2.400207
2017	021A	2325	0.05	3100	0	55	80	2.5	4	4	5812	2712	NCD-NORI	85	form-based			true	0.75	12	3	12	8	13950	10850	8524	2.400207
2021	015	2507	0.06	1570	1	55	80	2.5	5	4	6268	4698	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15042	13472	10966	2.399809
2021	015A	2507	0.06	1225	1	55	80	2.5	5	4	6268	5043	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15042	13817	11311	2.399809
2021	015B	2507	0.06	1884	1	55	80	2.5	5	4	6268	4384	RTO-C	85	form-based		true	true	0.75	13	2.599999905	12	9	15042	13158	10652	2.399809
2022	018I	2399	0.06	1366	1	55	80	2.5	5	4	5998	4632	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14394	13028	10630	2.3998
2023	027	2325	0.05	0	0	55	80	2.5	4	4	5812	5812	NCD-NORI	85	form-based			true	0.75	12	3	12	8	13950	13950	11624	2.400207
2024	023	2514	0.06	2180	1	55	80	2.5	5	4	6285	4105	NCD-NORI	85	form-based			true	0.75	13	2.599999905	12	9	15084	12904	10390	2.4
2024	026	2514	0.06	2298	1	55	80	2.5	5	4	6285	3987	NCD-NORI	85	form-based			true	0.75	13	2.599999905	12	9	15084	12786	10272	2.4
2026	022	2441	0.06	1450	1	55	80	2.5	5	4	6102	4652	NCD-NORI	85	form-based			true	0.75	13	2.599999905	12	9	14646	13196	10754	2.400197
2026	023	2441	0.06	3893	1	55	80	2.5	5	4	6102	2209	NCD-NORI	85	form-based			true	0.75	13	2.599999905	12	9	14646	10753	8311	2.400197
2026	025	2441	0.06	2420	1	55	80	2.5	5	4	6102	3682	NCD-NORI	85	form-based			true	0.75	13	2.599999905	12	9	14646	12226	9784	2.400197
2027	017	2355	0.05	4135	0	55	80	2.5	4	4	5888	1753	NCD-NORI	85	form-based			true	0.75	12	3	12	8	14130	9995	7641	2.399796
2027	017A	2355	0.05	4550	0	55	80	2.5	4	4	5888	1338	NCD-NORI	85	form-based			true	0.75	12	3	12	8	14130	9580	7226	2.399796
2029	024	2275	0.05	2700	0	55	80	2.5	4	4	5688	2988	NCD-NORI	85	form-based			true	0.75	12	3	12	8	13650	10950	8676	2.399789
2031	011	2494	0.06	1946	1	55	80	2.5	5	4	6235	4289	RTO-C	85	form-based		true	true	0.75	13	2.599999905	12	9	14964	13018	10524	2.4
2031	012	2543	0.06	1121	1	55	80	2.5	5	4	6358	5237	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15258	14137	11595	2.399811
2031	028	2543	0.06	1275	1	55	80	2.5	5	4	6358	5083	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15258	13983	11441	2.399811
2032	010A	2523	0.06	1450	1	55	80	2.5	5	4	6308	4858	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15138	13688	11166	2.39981
2032	011	2523	0.06	2029	1	55	80	2.5	5	4	6308	4279	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15138	13109	10587	2.39981
2032	011A	2523	0.06	2075	1	55	80	2.5	5	4	6308	4233	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15138	13063	10541	2.39981
2032	011B	2523	0.06	2015	1	55	80	2.5	5	4	6308	4293	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15138	13123	10601	2.39981
2032	012	2523	0.06	1458	1	55	80	2.5	5	4	6308	4850	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15138	13680	11158	2.39981
2033A	022	2450	0.06	1970	1	55	80	2.5	5	4	6125	4155	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14700	12730	10280	2.4
2033A	023	2450	0.06	1698	1	55	80	2.5	5	4	6125	4427	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14700	13002	10552	2.4
2034A	001	5789	0.13	0	0	55	80	2.5	10	10	14472	14472	RH-1	40	form-based		true	true	0.7	12	1.200000048	12	12	16209.2002	16209.2002	16209.2002	1.120039
2034A	001A	5484	0.13	0	0	55	80	2.5	10	10	13710	13710	RH-1	40	form-based			true	0.7	12	1.200000048	12	12	15355.2002	15355.2002	15355.2002	1.12
2138	009	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	13750	11250	2.4
2138	031	2500	0.06	1468	1	55	80	2.5	5	4	6250	4782	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15000	13532	11032	2.4
2139	001B	3000	0.07	3056	4	55	80	2.5	6	2	7500	4444	RTO-C	85	form-based			true	0.75	16	2.666666746	12	8	18000	14944	11944	2.4
2191	008B	6019	0.14	2887	1	55	80	2.5	11	10	15048	12161	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	16853.19922	13966.19922	13966.19922	1.119963
2198	007	2993	0.07	3510	4	55	80	2.5	6	2	7482	3972	RTO-C	85	form-based			true	0.75	16	2.666666746	12	8	17958	14448	11454	2.40016
2198	013	2531	0.06	3235	1	55	80	2.5	5	4	6328	3093	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15186	11951	9421	2.39981
2199	003E	2750	0.06	2500	2	55	80	2.5	5	3	6875	4375	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16500	14000	11250	2.4
2199	003F	2750	0.06	2500	2	55	80	2.5	5	3	6875	4375	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16500	14000	11250	2.4
2199	003G	2750	0.06	2500	2	55	80	2.5	5	3	6875	4375	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16500	14000	11250	2.4
2199	003H	2750	0.06	2500	2	55	80	2.5	5	3	6875	4375	RTO-C	85	form-based			true	0.75	14	2.799999952	12	8	16500	14000	11250	2.4
2199	009	2559	0.06	1415	1	55	80	2.5	5	4	6398	4983	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	15354	13939	11381	2.399812
2199	010	2417	0.06	1924	1	55	80	2.5	5	4	6042	4118	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14502	12578	10160	2.400199
2199	014B	2453	0.06	2459	1	55	80	2.5	5	4	6132	3673	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14718	12259	9805	2.400196
2199	014C	2453	0.06	2139	1	55	80	2.5	5	4	6132	3993	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14718	12579	10125	2.400196
2203	018	6285	0.14	1645	1	55	80	2.5	11	10	15712	14067	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17598	15953	15953	1.120036
2203	019	6285	0.14	1538	1	55	80	2.5	11	10	15712	14174	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17598	16060	16060	1.120036
2203	020	6285	0.14	1824	1	55	80	2.5	11	10	15712	13888	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17598	15774	15774	1.120036
2203	021	6285	0.14	1564	1	55	80	2.5	11	10	15712	14148	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17598	16034	16034	1.120036
2203	022	6285	0.14	1321	1	55	80	2.5	11	10	15712	14391	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17598	16277	16277	1.120036
2203	023	6285	0.14	1321	1	55	80	2.5	11	10	15712	14391	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17598	16277	16277	1.120036
2206	079	5988	0.14	2819	1	55	80	2.5	11	10	14970	12151	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	16766.40039	13947.40039	13947.40039	1.12
2206	080	6036	0.14	2651	1	55	80	2.5	11	10	15090	12439	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	16900.79883	14249.79883	14249.79883	1.12
2206	081	6201	0.14	2694	1	55	80	2.5	11	10	15502	12808	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	17362.79883	14668.79883	14668.79883	1.120036
2206	094	6309	0.14	2668	1	55	80	2.5	11	10	15772	13104	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	17665.19922	14997.19922	14997.19922	1.120035
2207	041	6363	0.15	2501	1	55	80	2.5	12	11	15908	13407	RH-1	40	form-based			true	0.7	13	1.083333373	12	12	17816.40039	15315.40039	15315.40039	1.119965
2305	053	6000	0.14	1520	1	65	100	3	14	13	18000	16480	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	16800	15280	15280	0.933333
2331	020	2700	0.06	4340	2	65	100	3	6	4	8100	3760	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16200	11860	11860	2
2331	021	2700	0.06	4005	2	65	100	3	6	4	8100	4095	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16200	12195	12195	2
2331	022	2700	0.06	4005	2	65	100	3	6	4	8100	4095	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16200	12195	12195	2
2337	018	6360	0.15	1100	1	55	80	2.5	12	11	15900	14800	RH-1	40	form-based			true	0.7	13	1.083333373	12	12	17808	16708	16708	1.12
2341	014	4500	0.1	5580	5	65	100	3	10	5	13500	7920	NCD-INNE	65	form-based			true	0.75	17	1.700000048	12	12	20250	14670	14670	1.5
2343	020	2969	0.07	4084	4	85	140	4	10	6	11876	7792	NCD-INNE	85	form-based			true	0.75	16	1.600000024	12	12	17814	13730	13730	1.5
2345A	020	2820	0.06	3880	3	85	140	4	8	5	11280	7400	NCD-INNE	85	form-based			true	0.75	15	1.875	12	12	16920	13040	13040	1.5
2345A	023	2400	0.06	2286	1	85	140	4	8	7	9600	7314	NCD-INNE	85	form-based			true	0.75	13	1.625	12	12	14400	12114	12114	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2345A	025	2400	0.06	1425	1	85	140	4	8	7	9600	8175	NCD-INNE	85	form-based			true	0.75	13	1.625	12	12	14400	12975	12975	1.5
2345A	026	2600	0.06	3558	2	85	140	4	8	6	10400	6842	NCD-INNE	85	form-based		true	true	0.75	14	1.75	12	12	15600	12042	12042	1.5
2347	020	2276	0.05	1359	0	65	100	3	5	5	6828	5469	RTO-C	85	form-based			true	0.75	12	2.400000095	12	10	13656	12297	12297	2
2347	022	2690	0.06	2600	2	65	100	3	6	4	8070	5470	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16140	13540	13540	2
2347	026B	3257	0.07	4550	5	65	100	3	7	2	9771	5221	RTO-C	85	form-based		true	true	0.75	17	2.428571463	12	9	19542	14992	14992	2
2347	037	2597	0.06	5139	2	65	100	3	6	4	7791	2652	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	15582	10443	10443	2
2348	011	3000	0.07	4200	4	65	100	3	7	3	9000	4800	RTO-C	85	form-based			true	0.75	16	2.285714388	12	10	18000	13800	13800	2
2348	012	2500	0.06	1550	1	65	100	3	6	5	7500	5950	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13450	13450	2
2348	041	2500	0.06	1382	1	65	100	3	6	5	7500	6118	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13618	13618	2
2353	010	2500	0.06	1683	1	65	100	3	6	5	7500	5817	NCD-TARA	85	form-based			true	0.75	13	2.166666746	12	11	15000	13317	13317	2
2353	013	2500	0.06	4297	1	65	100	3	6	5	7500	3203	NCD-TARA	85	form-based			true	0.75	13	2.166666746	12	11	15000	10703	10703	2
2361	021	3250	0.07	5185	5	65	100	3	7	2	9750	4565	NCD-TARA	85	form-based		true	true	0.75	17	2.428571463	12	9	19500	14315	14315	2
2362	046	3000	0.07	5134	4	65	100	3	7	3	9000	3866	NCD-TARA	85	form-based			true	0.75	16	2.285714388	12	10	18000	12866	12866	2
2363	015	2500	0.06	1780	1	65	100	3	6	5	7500	5720	NCD-TARA	85	form-based			true	0.75	13	2.166666746	12	11	15000	13220	13220	2
2363	018	2500	0.06	1871	1	65	100	3	6	5	7500	5629	NCD-TARA	85	form-based			true	0.75	13	2.166666746	12	11	15000	13129	13129	2
2363	019	2500	0.06	1510	1	65	100	3	6	5	7500	5990	NCD-TARA	85	form-based			true	0.75	13	2.166666746	12	11	15000	13490	13490	2
2363	021	2500	0.06	1510	1	65	100	3	6	5	7500	5990	NCD-TARA	85	form-based			true	0.75	13	2.166666746	12	11	15000	13490	13490	2
2373	023	2500	0.06	1400	1	85	140	4	8	7	10000	8600	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13600	13600	1.5
2379	037A	2393	0.05	1024	1	65	100	3	5	4	7179	6155	NC-1	85	form-based			true	0.75	13	2.599999905	12	9	14358	13334	13334	2
2381	044	2500	0.06	1392	1	85	140	4	8	7	10000	8608	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13608	13608	1.5
2381	045	2500	0.06	1394	1	85	140	4	8	7	10000	8606	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	13606	13606	1.5
2387	037	2500	0.06	850	1	65	100	3	6	5	7500	6650	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	14150	14150	2
2387	038	2500	0.06	1320	1	65	100	3	6	5	7500	6180	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13680	13680	2
2388	035	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	13800	13800	2
2391	045	2500	0.06	2256	1	65	100	3	6	5	7500	5244	NCD-TARA	85	form-based			true	0.75	13	2.166666746	12	11	15000	12744	12744	2
2394	042	2500	0.06	1925	1	85	140	4	8	7	10000	8075	NCD-TARA	85	form-based			true	0.75	13	1.625	12	12	15000	13075	13075	1.5
2398	041	3210	0.07	4296	5	65	100	3	7	2	9630	5334	NCD-TARA	85	form-based		true	true	0.75	17	2.428571463	12	9	19260	14964	14964	2
2398	042	2500	0.06	2450	1	65	100	3	6	5	7500	5050	NCD-TARA	85	form-based			true	0.75	13	2.166666746	12	11	15000	12550	12550	2
2399	038	3267	0.07	5418	5	85	140	4	10	5	13068	7650	NCD-TARA	85	form-based		true	true	0.75	17	1.700000048	12	12	19602	14184	14184	1.5
2400	025	6000	0.14	1470	1	65	100	3	14	13	18000	16530	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	16800	15330	15330	0.933333
2401	043	2500	0.06	1400	1	65	100	3	6	5	7500	6100	NCD-TARA	85	form-based			true	0.75	13	2.166666746	12	11	15000	13600	13600	2
2402	032	3768	0.09	6240	8	85	140	4	13	5	15072	8832	NCD-TARA	85	form-based		true	true	0.75	20	1.538461566	12	12	22608	16368	16368	1.5
2402	033	3766	0.09	6240	8	85	140	4	13	5	15064	8824	NCD-TARA	85	form-based			true	0.75	20	1.538461566	12	12	22596	16356	16356	1.5
2403	002	6157	0.14	2813	1	65	100	3	14	13	18471	15658	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	17239.59961	14426.59961	14426.59961	0.933333
2407	001	3500	0.08	4098	6	85	140	4	11	5	14000	9902	NCD-INNE	85	form-based		true	true	0.75	18	1.636363626	12	12	21000	16902	16902	1.5
2407	008	3488	0.08	2329	1	65	100	3	8	7	10464	8135	RTO-C	65	form-based		true	true	0.75	13	1.625	12	12	15696	13367	13367	1.5
2407	013	2449	0.06	1624	1	65	100	3	6	5	7347	5723	RTO-C	85	form-based		true	true	0.75	13	2.166666746	12	11	14694	13070	13070	2
2407	014	2420	0.06	1251	1	65	100	3	6	5	7260	6009	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14520	13269	13269	2
2407	015	2411	0.06	1375	1	65	100	3	6	5	7233	5858	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14466	13091	13091	2
2407	015B	2403	0.06	1375	1	65	100	3	6	5	7209	5834	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14418	13043	13043	2
2407	016	2394	0.05	1375	1	65	100	3	5	4	7182	5807	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14364	12989	12989	2
2407	017	2386	0.05	2000	1	65	100	3	5	4	7158	5158	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14316	12316	12316	2
2410	005A	3411	0.08	2518	1	65	100	3	8	7	10233	7715	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15349.5	12831.5	12831.5	1.5
2410	005B	3411	0.08	1575	1	65	100	3	8	7	10233	8658	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15349.5	13774.5	13774.5	1.5
2410	005C	3411	0.08	2300	1	65	100	3	8	7	10233	7933	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15349.5	13049.5	13049.5	1.5
2410	009	3593	0.08	1600	1	65	100	3	8	7	10779	9179	RTO-C	65	form-based			true	0.75	13	1.625	12	12	16168.5	14568.5	14568.5	1.5
2410	011B	3512	0.08	3304	1	65	100	3	8	7	10536	7232	RTO-C	65	form-based		true	true	0.75	13	1.625	12	12	15804	12500	12500	1.5
2410	033	3411	0.08	1990	1	85	140	4	11	10	13644	11654	RTO-C	65	form-based			true	0.75	13	1.181818128	12	12	15349.5	13359.5	13359.5	1.125
2410	034	3411	0.08	1940	1	65	100	3	8	7	10233	8293	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15349.5	13409.5	13409.5	1.5
2410	035	3411	0.08	2070	1	65	100	3	8	7	10233	8163	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15349.5	13279.5	13279.5	1.5
2410	036	3410	0.08	2070	1	65	100	3	8	7	10230	8160	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15345	13275	13275	1.5
2410	037	3410	0.08	2240	1	65	100	3	8	7	10230	7990	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15345	13105	13105	1.5
2410	038	3411	0.08	2408	1	65	100	3	8	7	10233	7825	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15349.5	12941.5	12941.5	1.5
2410	039	3411	0.08	2085	1	65	100	3	8	7	10233	8148	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15349.5	13264.5	13264.5	1.5
2414	016	3504	0.08	1584	1	65	100	3	8	7	10512	8928	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15768	14184	14184	1.5
2415	036	3539	0.08	2165	1	85	140	4	11	10	14156	11991	RTO-C	65	form-based			true	0.75	13	1.181818128	12	12	15925.5	13760.5	13760.5	1.125
2419	004F	2560	0.06	1325	1	65	100	3	6	5	7680	6355	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15360	14035	14035	2
2419	004G	2559	0.06	1856	1	65	100	3	6	5	7677	5821	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15354	13498	13498	2
2419	004H	2558	0.06	1325	1	65	100	3	6	5	7674	6349	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15348	14023	14023	2
2419	004I	2556	0.06	1662	1	65	100	3	6	5	7668	6006	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15336	13674	13674	2
2419	004J	2555	0.06	1770	1	65	100	3	6	5	7665	5895	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15330	13560	13560	2
2419	004K	2554	0.06	1425	1	65	100	3	6	5	7662	6237	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15324	13899	13899	2
2419	005K	2460	0.06	2160	1	65	100	3	6	5	7380	5220	RTO-C	85	form-based		true	true	0.75	13	2.166666746	12	11	14760	12600	12600	2
2419	005L	2460	0.06	1450	1	65	100	3	6	5	7380	5930	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14760	13310	13310	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2419	005M	2460	0.06	2406	1	65	100	3	6	5	7380	4974	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14760	12354	12354	2
2419	005N	2460	0.06	1656	1	65	100	3	6	5	7380	5724	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14760	13104	13104	2
2419	005O	2460	0.06	1400	1	65	100	3	6	5	7380	5980	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14760	13360	13360	2
2419	005P	2460	0.06	1840	1	65	100	3	6	5	7380	5540	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14760	12920	12920	2
2419	005Q	2460	0.06	1996	1	65	100	3	6	5	7380	5384	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14760	12764	12764	2
2419	005R	2460	0.06	1830	1	65	100	3	6	5	7380	5550	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14760	12930	12930	2
2419	005S	2460	0.06	2653	1	65	100	3	6	5	7380	4727	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14760	12107	12107	2
2419	007	2519	0.06	2410	1	65	100	3	6	5	7557	5147	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15114	12704	12704	2
2419	014	2485	0.06	2055	1	65	100	3	6	5	7455	5400	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14910	12855	12855	2
2419	015	2433	0.06	1950	1	65	100	3	6	5	7299	5349	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14598	12648	12648	2
2423	020	3318	0.08	9484	0	65	100	3	8	8	9954	470	NC-1	65	form-based		true	true	0.75	12	1.5	12	12	14931	5447	5447	1.5
2433	021	6074	0.14	1620	1	65	100	3	14	13	18222	16602	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	17007.19922	15387.19922	15387.19922	0.933333
2471	031	6006	0.14	1330	1	55	80	2.5	11	10	15015	13685	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	16816.79883	15486.79883	15486.79883	1.12
2471	061	6141	0.14	3435	1	55	80	2.5	11	10	15352	11917	RH-1	40	form-based			true	0.7	13	1.181818128	12	12	17194.79883	13759.79883	13759.79883	1.120036
2478	033	2389	0.05	2375	1	55	80	2.5	4	3	5972	3597	RTO-C	85	form-based			true	0.75	13	3.25	12	7	14334	11959	9569	2.400201
2478	034	2394	0.05	2527	1	55	80	2.5	4	3	5985	3458	RTO-C	85	form-based			true	0.75	13	3.25	12	7	14364	11837	9443	2.4
2478	035	2400	0.06	2219	1	55	80	2.5	5	4	6000	3781	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14400	12181	9781	2.4
2478	036	2406	0.06	1500	1	55	80	2.5	5	4	6015	4515	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14436	12936	10530	2.4
2478	037	2411	0.06	1780	1	55	80	2.5	5	4	6028	4248	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14466	12686	10276	2.399801
2478	038	2417	0.06	3035	1	55	80	2.5	5	4	6042	3007	RTO-C	85	form-based		true	true	0.75	13	2.599999905	12	9	14502	11467	9049	2.400199
2484	007	2382	0.05	1400	1	65	100	3	5	4	7146	5746	RTO-C	85	form-based			true	0.75	13	2.599999905	12	9	14292	12892	12892	2
2483	006	4611	0.11	12750	12	85	140	4	15	3	18444	5694	NCD-WEST	85	form-based			true	0.75	24	1.600000024	12	12	27666	14916	14916	1.5
2484	005	2485	0.06	1800	1	65	100	3	6	5	7455	5655	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14910	13110	13110	2
2499A	002	6029	0.14	1769	1	55	80	2.5	11	10	15072	13303	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16881.19922	15112.19922	15112.19922	1.120037
2499A	007	6037	0.14	1708	1	55	80	2.5	11	10	15092	13384	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16903.59961	15195.59961	15195.59961	1.120037
2499A	008	6208	0.14	3959	1	55	80	2.5	11	10	15520	11561	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17382.40039	13423.40039	13423.40039	1.12
2499A	016	6188	0.14	1925	1	55	80	2.5	11	10	15470	13545	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17326.40039	15401.40039	15401.40039	1.12
2499A	017	6205	0.14	1914	1	55	80	2.5	11	10	15512	13598	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17374	15460	15460	1.120036
2499A	018	6019	0.14	1260	1	55	80	2.5	11	10	15048	13788	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16853.19922	15593.19922	15593.19922	1.119963
2499A	019	6200	0.14	1260	1	55	80	2.5	11	10	15500	14240	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17360	16100	16100	1.12
2499A	020	6192	0.14	2359	1	55	80	2.5	11	10	15480	13121	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17337.59961	14978.59961	14978.59961	1.12
2499A	021	6192	0.14	1418	1	55	80	2.5	11	10	15480	14062	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17337.59961	15919.59961	15919.59961	1.12
2499A	022	6366	0.15	1260	1	55	80	2.5	12	11	15915	14655	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17824.79883	16564.79883	16564.79883	1.12
2499A	026	6321	0.15	1695	1	55	80	2.5	12	11	15802	14107	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17698.79883	16003.79883	16003.79883	1.120035
2499A	028	6289	0.14	1260	1	55	80	2.5	11	10	15722	14462	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17609.19922	16349.19922	16349.19922	1.120036
2499A	029	6122	0.14	1865	1	55	80	2.5	11	10	15305	13440	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17141.59961	15276.59961	15276.59961	1.12
2501A	023	6122	0.14	2582	1	55	80	2.5	11	10	15305	12723	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17141.59961	14559.59961	14559.59961	1.12
2510	026	3437	0.08	1389	1	55	80	2.5	6	5	8592	7203	RTO-C	65	form-based		true	true	0.75	13	2.166666746	12	11	15466.5	14077.5	14077.5	1.800105
2516	006	1442	0.03	2393	1	65	100	3	3	2	4326	1933	NC-2	100	form-based			true	0.75	13	4.333333492	12	5	12978	10585	6259	3
2516	009	1526	0.04	2790	2	65	100	3	4	2	4578	1788	NC-2	100	form-based			true	0.75	14	3.5	12	6	13734	10944	6366	3
2516	010	1554	0.04	2790	2	65	100	3	4	2	4662	1872	NC-2	100	form-based		true	true	0.75	14	3.5	12	6	13986	11196	6534	3
2527B	002	3391	0.08	2564	1	55	80	2.5	6	5	8478	5914	RTO-C	65	form-based			true	0.75	13	2.166666746	12	11	15259.5	12695.5	12695.5	1.799894
2528	002A	3558	0.08	1644	1	55	80	2.5	6	5	8895	7251	RTO-C	65	form-based			true	0.75	13	2.166666746	12	11	16011	14367	14367	1.8
2528	005	3401	0.08	1296	1	55	80	2.5	6	5	8502	7206	RTO-C	65	form-based			true	0.75	13	2.166666746	12	11	15304.5	14008.5	14008.5	1.800106
2541	011	2526	0.06	2004	1	65	100	3	6	5	7578	5574	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15156	13152	13152	2
2541	012	2388	0.05	1680	1	65	100	3	5	4	7164	5484	RTO-C	85	form-based		true	true	0.75	13	2.599999905	12	9	14328	12648	12648	2
2603	003	5969	0.14	6000	1	55	80	2.5	11	10	14922	8922	RH-3	40	form-based			true	0.7	13	1.181818128	12	12	16713.19922	10713.19922	10713.19922	1.120037
2607	106	6199	0.14	2584	1	55	80	2.5	11	10	15498	12914	RH-3	40	form-based			true	0.7	13	1.181818128	12	12	17357.19922	14773.19922	14773.19922	1.119964
2617	044	6200	0.14	4606	1	55	80	2.5	11	10	15500	10894	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17360	12754	12754	1.12
2617	056	5967	0.14	2195	1	65	100	3	14	13	17901	15706	RH-2	40	form-based			true	0.7	13	0.928571403	12	12	16707.59961	14512.59961	14512.59961	0.933333
2617	061	6542	0.15	2718	2	65	100	3	15	13	19626	16908	RH-2	40	form-based			true	0.7	14	0.933333337	12	12	18317.59961	15599.59961	15599.59961	0.933333
2617A	026	6250	0.14	1990	1	55	80	2.5	11	10	15625	13635	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17500	15510	15510	1.12
2622	004	2497	0.06	1095	1	65	100	3	6	5	7491	6396	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14982	13887	13887	2
2622	040	2500	0.06	2645	1	65	100	3	6	5	7500	4855	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	15000	12355	12355	2
2628	032	6245	0.14	1000	1	55	80	2.5	11	10	15612	14612	RH-2	40	form-based			true	0.7	13	1.181818128	12	12	17486	16486	16486	1.120036
2634	065	11341	0.26	10588	12	55	80	2.5	21	9	28352	17764	RM-2	40	form-based			true	0.7	24	1.142857194	12	12	31754.79883	21166.79883	21166.79883	1.12002
2635	042	11448	0.26	8926	12	55	80	2.5	21	9	28620	19694	RM-2	40	form-based			true	0.7	24	1.142857194	12	12	32054.40039	23128.40039	23128.40039	1.12
2641	037	5982	0.14	3664	1	65	100	3	14	13	17946	14282	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16749.59961	13085.59961	13085.59961	0.933333
2641	038	4977	0.11	2625	2	65	100	3	11	9	14931	12306	RH-1(D)	50	form-based		true	true	0.7	14	1.272727251	12	12	17419.5	14794.5	14794.5	1.166667
2646	054	8750	0.2	5691	6	55	80	2.5	16	10	21875	16184	RH-2	40	form-based			true	0.7	18	1.125	12	12	24500	18809	18809	1.12
2661	001	6422	0.15	3002	1	55	80	2.5	12	11	16055	13053	RH-1	40	form-based		true	true	0.7	13	1.083333373	12	12	17981.59961	14979.59961	14979.59961	1.12
2674	012	6196	0.14	1408	1	55	80	2.5	11	10	15490	14082	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17348.79883	15940.79883	15940.79883	1.12
2674	014	6362	0.15	1245	1	55	80	2.5	12	11	15905	14660	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17813.59961	16568.59961	16568.59961	1.12
2674	015	6209	0.14	1714	1	55	80	2.5	11	10	15522	13808	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17385.19922	15671.19922	15671.19922	1.120036

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2674	016	6175	0.14	1757	1	55	80	2.5	11	10	15438	13681	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17290	15533	15533	1.119964
2676	030	6418	0.15	3002	1	55	80	2.5	12	11	16045	13043	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17970.40039	14968.40039	14968.40039	1.12
2676	031	6099	0.14	1992	1	55	80	2.5	11	10	15248	13256	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17077.19922	15085.19922	15085.19922	1.119963
2687	028	6084	0.14	4054	1	55	80	2.5	11	10	15210	11156	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17035.19922	12981.19922	12981.19922	1.12
2688	027	6159	0.14	2448	1	55	80	2.5	11	10	15398	12950	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17245.19922	14797.19922	14797.19922	1.119964
2688	069	6020	0.14	1920	1	55	80	2.5	11	10	15050	13130	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16856	14936	14936	1.12
2695	036	3845	0.09	6732	0	65	100	3	9	9	11535	4803	NCD-CAST	50	form-based			true	0.75	12	1.333333373	12	12	14418.75	7686.75	7686.75	1.25
2748	027	13673	0.31	1136	17	55	80	2.5	25	8	34182	33046	RH-2	40	form-based			true	0.7	29	1.159999967	12	12	38284.39844	37148.39844	37148.39844	1.120016
2752	033	6571	0.15	4065	2	55	80	2.5	12	10	16428	12363	RH-2	40	form-based			true	0.7	14	1.166666627	12	12	18398.79883	14333.79883	14333.79883	1.119966
2770	040	7494	0.17	2195	4	55	80	2.5	14	10	18735	16540	RH-2	40	form-based			true	0.7	16	1.142857194	12	12	20983.19922	18788.19922	18788.19922	1.12
2788	014	6082	0.14	1487	1	55	80	2.5	11	10	15205	13718	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17029.59961	15542.59961	15542.59961	1.12
2788	015	6357	0.15	1725	1	55	80	2.5	12	11	15892	14167	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17799.59961	16074.59961	16074.59961	1.120035
2790	024	6422	0.15	1683	1	55	80	2.5	12	11	16055	14372	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17981.59961	16298.59961	16298.59961	1.12
2790	025	5954	0.14	1755	1	55	80	2.5	11	10	14885	13130	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16671.19922	14916.19922	14916.19922	1.12
2790	026	6366	0.15	1071	1	55	80	2.5	12	11	15915	14844	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17824.79883	16753.79883	16753.79883	1.12
2790	027	5957	0.14	1071	1	55	80	2.5	11	10	14892	13821	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16679.59961	15608.59961	15608.59961	1.120038
2817	004	6077	0.14	2750	1	55	80	2.5	11	10	15192	12442	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17015.59961	14265.59961	14265.59961	1.120037
2819	025	6234	0.14	2326	1	65	100	3	14	13	18702	16376	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17455.19922	15129.19922	15129.19922	0.933333
2839	041	6269	0.14	2611	1	55	80	2.5	11	10	15672	13061	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17553.19922	14942.19922	14942.19922	1.120036
2841	016	6372	0.15	1530	1	65	100	3	15	14	19116	17586	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17841.59961	16311.59961	16311.59961	0.933333
2857	010	6088	0.14	2780	1	65	100	3	14	13	18264	15484	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17046.40039	14266.40039	14266.40039	0.933333
2857	031	5682	0.13	3140	0	65	100	3	13	13	17046	13906	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	12	12	15909.59961	12769.59961	12769.59961	0.933333
2858	010	5497	0.13	0	0	65	100	3	13	13	16491	16491	RH-1(D)	40	form-based			true	0.7	12	0.923076928	12	12	15391.59961	15391.59961	15391.59961	0.933333
2859	008	6405	0.15	2148	1	65	100	3	15	14	19215	17067	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17934	15786	15786	0.933333
2860	001	6280	0.14	2727	1	55	80	2.5	11	10	15700	12973	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17584	14857	14857	1.12
2861	001	6230	0.14	2034	1	55	80	2.5	11	10	15575	13541	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17444	15410	15410	1.12
2861	022	6281	0.14	2945	1	55	80	2.5	11	10	15702	12757	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17586.79883	14641.79883	14641.79883	1.120036
2861	040	6349	0.15	2753	1	55	80	2.5	12	11	15872	13119	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17777.19922	15024.19922	15024.19922	1.120035
2862	015	6417	0.15	1467	1	65	100	3	15	14	19251	17784	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17967.59961	16500.59961	16500.59961	0.933333
2863	001	6310	0.14	2379	1	65	100	3	14	13	18930	16551	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17668	15289	15289	0.933333
2875	024	6209	0.14	1807	1	55	80	2.5	11	10	15522	13715	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17385.19922	15578.19922	15578.19922	1.120036
2876	001B	5853	0.13	0	0	55	80	2.5	10	10	14632	14632	RH-1(D)	40	form-based			true	0.7	12	1.200000048	12	12	16388.40039	16388.40039	16388.40039	1.120038
2877	002	6402	0.15	2276	1	65	100	3	15	14	19206	16930	RH-1(D)	40	form-based		true	true	0.7	13	0.866666675	12	12	17925.59961	15649.59961	15649.59961	0.933333
2879	016	6326	0.15	2653	1	65	100	3	15	14	18978	16325	RH-1(D)	40	form-based		true	true	0.7	13	0.866666675	12	12	17712.79883	15059.79883	15059.79883	0.933333
2880	002	6222	0.14	2640	1	65	100	3	14	13	18666	16026	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17421.59961	14781.59961	14781.59961	0.933333
2881	027	6113	0.14	2664	1	55	80	2.5	11	10	15282	12618	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17116.40039	14452.40039	14452.40039	1.120037
2883	010	6201	0.14	2236	1	55	80	2.5	11	10	15502	13266	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17362.79883	15126.79883	15126.79883	1.120036
2884	015	6199	0.14	3108	1	55	80	2.5	11	10	15498	12390	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17357.19922	14249.19922	14249.19922	1.119964
2885	001	6046	0.14	2461	1	65	100	3	14	13	18138	15677	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	16928.79883	14467.79883	14467.79883	0.933333
2885	016	6246	0.14	3514	1	55	80	2.5	11	10	15615	12101	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17488.79883	13974.79883	13974.79883	1.12
2886	002	5972	0.14	1510	1	65	100	3	14	13	17916	16406	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16721.59961	15211.59961	15211.59961	0.933333
2886	031	6116	0.14	3454	1	55	80	2.5	11	10	15290	11836	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17124.79883	13670.79883	13670.79883	1.12
2888A	004	3390	0.08	2174	1	65	100	3	8	7	10170	7996	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15255	13081	13081	1.5
2891	019	6048	0.14	1720	1	55	80	2.5	11	10	15120	13400	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	16934.40039	15214.40039	15214.40039	1.12
2901C	011	2359	0.05	2100	0	55	80	2.5	4	4	5898	3798	NC-1	85	form-based			true	0.75	12	3	12	8	14154	12054	9696	2.399796
2919	004	6352	0.15	1546	1	65	100	3	15	14	19056	17510	RH-1(D)	40	form-based		true	true	0.7	13	0.866666675	12	12	17785.59961	16239.59961	16239.59961	0.933333
2919	034	3349	0.08	2437	1	85	140	4	11	10	13396	10959	RTO-C	65	form-based			true	0.75	13	1.181818128	12	12	15070.5	12633.5	12633.5	1.125
2919A	024	3417	0.08	3157	1	65	100	3	8	7	10251	7094	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15376.5	12219.5	12219.5	1.5
2920	017	3500	0.08	1612	1	65	100	3	8	7	10500	8888	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15750	14138	14138	1.5
2923	048	5755	0.13	0	0	55	80	2.5	10	10	14388	14388	RH-1(D)	40	form-based			true	0.7	12	1.200000048	12	12	16114	16114	16114	1.119961
2925	001A	6099	0.14	3038	1	65	100	3	14	13	18297	15259	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17077.19922	14039.19922	14039.19922	0.933333
2929	002	3365	0.08	2312	1	65	100	3	8	7	10095	7783	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15142.5	12830.5	12830.5	1.5
2930	018	3581	0.08	1780	1	65	100	3	8	7	10743	8963	RTO-C	65	form-based			true	0.75	13	1.625	12	12	16114.5	14334.5	14334.5	1.5
2930	002	3550	0.08	1575	1	65	100	3	8	7	10650	9075	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15975	14400	14400	1.5
2969	004	5987	0.14	1113	1	55	80	2.5	11	10	14968	13855	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16763.59961	15650.59961	15650.59961	1.119963
2970	001	6053	0.14	2178	1	55	80	2.5	11	10	15132	12954	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	16948.40039	14770.40039	14770.40039	1.120037
2972	013	6041	0.14	1927	1	55	80	2.5	11	10	15102	13175	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16914.79883	14987.79883	14987.79883	1.120037
2973A	030	6295	0.14	3677	1	55	80	2.5	11	10	15738	12061	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17626	13949	13949	1.119964
2973A	033	6314	0.14	3078	1	55	80	2.5	11	10	15785	12707	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17679.19922	14601.19922	14601.19922	1.12
2973A	039	6402	0.15	1451	1	55	80	2.5	12	11	16005	14554	RH-1(D)	40	form-based		true	true	0.7	13	1.083333373	12	12	17925.59961	16474.59961	16474.59961	1.12
2973A	045A	6004	0.14	2998	1	55	80	2.5	11	10	15010	12012	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16811.19922	13813.19922	13813.19922	1.12
2974	018	6291	0.14	2701	1	55	80	2.5	11	10	15728	13027	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17614.79883	14913.79883	14913.79883	1.119964
2974	023	6138	0.14	3042	1	55	80	2.5	11	10	15345	12303	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17186.40039	14144.40039	14144.40039	1.12
2979A	003	5237	0.12	6896	8	65	100	3	12	4	15711	8815	NCD-WEST	65	form-based			true	0.75	20	1.666666627	12	12	23566.5	16670.5	16670.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2982	012	6234	0.14	2658	1	55	80	2.5	11	10	15585	12927	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17455.19922	14797.19922	14797.19922	1.12
2986	027	6373	0.15	2549	1	65	100	3	15	14	19119	16570	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17844.40039	15295.40039	15295.40039	0.933333
2989A	010	6282	0.14	3086	1	65	100	3	14	13	18846	15760	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17589.59961	14503.59961	14503.59961	0.933333
2989A	027	6214	0.14	2524	1	65	100	3	14	13	18642	16118	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17399.19922	14875.19922	14875.19922	0.933333
2989B	025	4844	0.11	11880	13	65	100	3	11	0	14532	2652	NCD-WEST	85	form-based			true	0.75	25	2.272727251	12	9	29064	17184	17184	2
2991	032	6324	0.15	1904	1	55	80	2.5	12	11	15810	13906	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17707.19922	15803.19922	15803.19922	1.12
3011	062	6266	0.14	6221	1	65	100	3	14	13	18798	12577	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17544.79883	11323.79883	11323.79883	0.933333
3011	063	6354	0.15	2984	1	65	100	3	15	14	19062	16078	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17791.19922	14807.19922	14807.19922	0.933333
3011	064	6128	0.14	2661	1	65	100	3	14	13	18384	15723	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17158.40039	14497.40039	14497.40039	0.933333
3011	065	6378	0.15	3010	1	65	100	3	15	14	19134	16124	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17858.40039	14848.40039	14848.40039	0.933333
3013	031	6358	0.15	2716	1	65	100	3	15	14	19074	16358	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17802.40039	15086.40039	15086.40039	0.933333
3013A	026	6284	0.14	2745	1	65	100	3	14	13	18852	16107	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17595.19922	14850.19922	14850.19922	0.933333
3014	002	2456	0.06	2370	1	65	100	3	6	5	7368	4998	RTO-C	85	form-based		true	true	0.75	13	2.166666746	12	11	14736	12366	12366	2
3040	009	6225	0.14	2120	1	55	80	2.5	11	10	15562	13442	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17430	15310	15310	1.120036
3042	013	6331	0.15	5289	1	55	80	2.5	12	11	15828	10539	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17726.79883	12437.79883	12437.79883	1.119965
3040	022	6289	0.14	2391	1	55	80	2.5	11	10	15722	13331	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17609.19922	15218.19922	15218.19922	1.120036
3042	038	6265	0.14	2257	1	55	80	2.5	11	10	15662	13405	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17542	15285	15285	1.120036
3044	017	6165	0.14	4320	1	55	80	2.5	11	10	15412	11092	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17262	12942	12942	1.120036
3044	019	6029	0.14	1611	1	55	80	2.5	11	10	15072	13461	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16881.19922	15270.19922	15270.19922	1.120037
3045	009	6195	0.14	4250	1	55	80	2.5	11	10	15488	11238	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17346	13096	13096	1.119964
3045	011	6320	0.15	3050	1	55	80	2.5	12	11	15800	12750	RH-1(D)	40	form-based		true	true	0.7	13	1.083333373	12	12	17696	14646	14646	1.12
3046	009	6127	0.14	2628	1	55	80	2.5	11	10	15318	12690	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17155.59961	14527.59961	14527.59961	1.119963
3046	010	6040	0.14	4446	1	55	80	2.5	11	10	15100	10654	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16912	12466	12466	1.12
3047	011	6189	0.14	2589	1	55	80	2.5	11	10	15472	12883	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17329.19922	14740.19922	14740.19922	1.120036
3047	016	6285	0.14	2006	1	55	80	2.5	11	10	15712	13706	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17598	15592	15592	1.120036
3047	018	6232	0.14	2561	1	55	80	2.5	11	10	15580	13019	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17449.59961	14888.59961	14888.59961	1.12
3047	051	6294	0.14	1954	1	55	80	2.5	11	10	15735	13781	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17623.19922	15669.19922	15669.19922	1.12
3048	001	6129	0.14	1859	1	55	80	2.5	11	10	15322	13463	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17161.19922	15302.19922	15302.19922	1.120036
3048	005	6362	0.15	2100	1	55	80	2.5	12	11	15905	13805	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17813.59961	15713.59961	15713.59961	1.12
3048	009	6149	0.14	3462	1	55	80	2.5	11	10	15372	11910	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17217.19922	13755.19922	13755.19922	1.120036
3049	017	5994	0.14	3812	1	55	80	2.5	11	10	14985	11173	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	16783.19922	12971.19922	12971.19922	1.12
3071	020	6081	0.14	2538	1	65	100	3	14	13	18243	15705	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17026.79883	14488.79883	14488.79883	0.933333
3070	011	6177	0.14	4508	1	65	100	3	14	13	18531	14023	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17295.59961	12787.59961	12787.59961	0.933333
3071	023	6319	0.15	2466	1	65	100	3	15	14	18957	16491	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17693.19922	15227.19922	15227.19922	0.933333
3071	004	6426	0.15	4550	1	65	100	3	15	14	19278	14728	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17992.79883	13442.79883	13442.79883	0.933333
3071	018	6157	0.14	3287	1	65	100	3	14	13	18471	15184	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17239.59961	13952.59961	13952.59961	0.933333
3072	006	6027	0.14	2789	1	65	100	3	14	13	18081	15292	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16875.59961	14086.59961	14086.59961	0.933333
3072	016	6245	0.14	3630	1	65	100	3	14	13	18735	15105	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17486	13856	13856	0.933333
3073	008	6012	0.14	2530	1	65	100	3	14	13	18036	15506	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16833.59961	14303.59961	14303.59961	0.933333
3073	013	6399	0.15	4560	1	65	100	3	15	14	19197	14637	RH-1(D)	40	form-based		true	true	0.7	13	0.866666675	12	12	17917.19922	13357.19922	13357.19922	0.933333
3073	014	6107	0.14	3123	1	65	100	3	14	13	18321	15198	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17099.59961	13976.59961	13976.59961	0.933333
3073	027	6047	0.14	3530	1	65	100	3	14	13	18141	14611	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16931.59961	13401.59961	13401.59961	0.933333
3076	016	6369	0.15	3400	1	55	80	2.5	12	11	15922	12522	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17833.19922	14433.19922	14433.19922	1.120035
3075	002	6317	0.15	3712	1	55	80	2.5	12	11	15792	12080	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17687.59961	13975.59961	13975.59961	1.120035
3076	007	6030	0.14	1962	1	55	80	2.5	11	10	15075	13113	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16884	14922	14922	1.12
3076	034	6312	0.14	2280	1	65	100	3	14	13	18936	16656	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17673.59961	15393.59961	15393.59961	0.933333
3076	035	6014	0.14	2791	1	65	100	3	14	13	18042	15251	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16839.19922	14048.19922	14048.19922	0.933333
3076	047	5585	0.13	0	0	55	80	2.5	10	10	13962	13962	RH-1(D)	40	form-based			true	0.7	12	1.200000048	12	12	15638	15638	15638	1.12004
3076	055	6319	0.15	3035	1	55	80	2.5	12	11	15798	12763	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17693.19922	14658.19922	14658.19922	1.119964
3076A	006	6405	0.15	2639	1	65	100	3	15	14	19215	16576	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17934	15295	15295	0.933333
3076A	013	6050	0.14	2768	1	65	100	3	14	13	18150	15382	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16940	14172	14172	0.933333
3076A	015	6196	0.14	3427	1	65	100	3	14	13	18588	15161	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17348.79883	13921.79883	13921.79883	0.933333
3076A	029	6076	0.14	1678	1	65	100	3	14	13	18228	16550	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17012.79883	15334.79883	15334.79883	0.933333
3077	019	6286	0.14	2166	1	55	80	2.5	11	10	15715	13549	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17600.79883	15434.79883	15434.79883	1.12
3077	032	6157	0.14	2048	1	55	80	2.5	11	10	15392	13344	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17239.59961	15191.59961	15191.59961	1.120036
3077	037	5986	0.14	3311	1	55	80	2.5	11	10	14965	11654	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16760.79883	13449.79883	13449.79883	1.12
3077	045	6173	0.14	3506	1	55	80	2.5	11	10	15432	11926	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17284.40039	13778.40039	13778.40039	1.120036
3077	048	6225	0.14	3671	1	55	80	2.5	11	10	15562	11891	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17430	13759	13759	1.120036
3078	016	5996	0.14	2276	1	55	80	2.5	11	10	14990	12714	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16788.79883	14512.79883	14512.79883	1.12
3080	012	5963	0.14	3224	1	55	80	2.5	11	10	14908	11684	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16696.40039	13472.40039	13472.40039	1.119962
3078	033	6259	0.14	3300	1	55	80	2.5	11	10	15648	12348	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17525.19922	14225.19922	14225.19922	1.119964
3080	009	5982	0.14	1768	1	55	80	2.5	11	10	14955	13187	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16749.59961	14981.59961	14981.59961	1.12
3081	011	6065	0.14	1879	1	55	80	2.5	11	10	15162	13283	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16982	15103	15103	1.120037
3098	001	6320	0.15	4304	1	85	140	4	21	20	25280	20976	RH-1(D)	40	form-based		true	true	0.7	13	0.619047642	12	12	17696	13392	13392	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3099	001	6100	0.14	3769	1	65	100	3	14	13	18300	14531	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17080	13311	13311	0.933333
3099	010	6348	0.15	5252	1	65	100	3	15	14	19044	13792	RH-1(D)	40	form-based		true		0.7	13	0.866666675	12	12	17774.40039	12522.40039	12522.40039	0.933333
3103	008	6038	0.14	3315	1	55	80	2.5	11	10	15095	11780	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16906.40039	13591.40039	13591.40039	1.12
3105A	013	6097	0.14	2829	1	55	80	2.5	11	10	15242	12413	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17071.59961	14242.59961	14242.59961	1.120037
3105A	020	6187	0.14	2922	1	55	80	2.5	11	10	15468	12546	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17323.59961	14401.59961	14401.59961	1.119964
3105A	021	6110	0.14	3226	1	55	80	2.5	11	10	15275	12049	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17108	13882	13882	1.12
3109	022	6255	0.14	2080	1	55	80	2.5	11	10	15638	13558	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17514	15434	15434	1.119964
3162	001	6427	0.15	2843	1	55	80	2.5	12	11	16068	13225	RH-1(D)	40	form-based		true	true	0.7	13	1.083333373	12	12	17995.59961	15152.59961	15152.59961	1.119965
3164	015	6232	0.14	4170	1	65	100	3	14	13	18696	14526	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17449.59961	13279.59961	13279.59961	0.933333
3176	011	6251	0.14	1699	1	65	100	3	14	13	18753	17054	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17502.79883	15803.79883	15803.79883	0.933333
3177	033	6247	0.14	2281	1	65	100	3	14	13	18741	16460	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17491.59961	15210.59961	15210.59961	0.933333
3190	010	6312	0.14	2080	1	65	100	3	14	13	18936	16856	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17673.59961	15593.59961	15593.59961	0.933333
3196	005	2363	0.05	2074	0	85	140	4	7	7	9452	7378	NCT-OCEA	85	form-based			true	0.75	12	1.714285731	12	12	14178	12104	12104	1.5
3250	014	6274	0.14	5142	1	65	100	3	14	13	18822	13680	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17567.19922	12425.19922	12425.19922	0.933333
3258	018	3563	0.08	3486	1	85	140	4	11	10	14252	10766	RTO-C	65	form-based			true	0.75	13	1.181818128	12	12	16033.5	12547.5	12547.5	1.125
3259	030	6255	0.14	2242	1	65	100	3	14	13	18765	16523	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17514	15272	15272	0.933333
3260	025	6376	0.15	5321	1	55	80	2.5	12	11	15940	10619	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17852.79883	12531.79883	12531.79883	1.12
3261	001	6266	0.14	3565	1	65	100	3	14	13	18798	15233	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17544.79883	13979.79883	13979.79883	0.933333
3261	021	6425	0.15	2718	1	65	100	3	15	14	19275	16557	RH-1(D)	40	form-based		true	true	0.7	13	0.866666675	12	12	17990	15272	15272	0.933333
3262	024	6212	0.14	2889	1	65	100	3	14	13	18636	15747	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17393.59961	14504.59961	14504.59961	0.933333
3263	004	6025	0.14	2834	1	55	80	2.5	11	10	15062	12228	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16870	14036	14036	1.120037
3267	016A	3532	0.08	2004	1	85	140	4	11	10	14128	12124	RTO-C	65	form-based			true	0.75	13	1.181818128	12	12	15894	13890	13890	1.125
3267	017	3583	0.08	2160	1	85	140	4	11	10	14332	12172	RTO-C	65	form-based			true	0.75	13	1.181818128	12	12	16123.5	13963.5	13963.5	1.125
3273	036	6178	0.14	3883	1	55	80	2.5	11	10	15445	11562	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17298.40039	13415.40039	13415.40039	1.12
3273	039	6284	0.14	1851	1	55	80	2.5	11	10	15710	13859	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17595.19922	15744.19922	15744.19922	1.12
3281	019	6088	0.14	2804	1	65	100	3	14	13	18264	15460	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17046.40039	14242.40039	14242.40039	0.933333
3281	020D	2212	0.05	1524	0	85	140	4	7	7	8848	7324	NCT-OCEA	85	form-based			true	0.75	12	1.714285731	12	12	13272	11748	11748	1.5
3282	027B	2724	0.06	2555	2	65	100	3	6	4	8172	5617	NCT-OCEA	85	form-based			true	0.75	14	2.333333254	12	10	16344	13789	13789	2
3504	017	4147	0.1	7827	0	65	100	3	10	10	12441	4614	NCT-3	50	form-based		true		0.75	12	1.200000048	12	12	15551.25	7724.25	7724.25	1.25
3509	007	5684	0.13	20927	5	75	120	3.5	16	11	19894	0	RCD	55	form-based				0.75	17	1.0625	12	12	21315	388	388	1.071429
3511	009	2253	0.05	2250	0	65	100	3	5	5	6759	4509	WMUG	85	form-based			true	0.75	12	2.400000095	12	10	13518	11268	11268	2
3511	021	2241	0.05	2750	0	65	100	3	5	5	6723	3973	WMUG	85	form-based			true	0.75	12	2.400000095	12	10	13446	10696	10696	2
3513	054	2338	0.05	3024	0	65	100	3	5	5	7014	3990	NCT-3	85	form-based		true		0.75	12	2.400000095	12	10	14028	11004	11004	2
3513	077	3823	0.09	4220	8	65	100	3	9	1	11469	7249	NCT-3	85	form-based				0.75	20	2.222222328	12	10	22938	18718	18718	2
3516	037	6253	0.14	5214	2	65	100	3	14	12	18759	13545	RED	40	form-based				0.75	14	1	12	12	18759	13545	13545	1
3516	058	2292	0.05	3000	0	65	100	3	5	5	6876	3876	WMUG	85	form-based			true	0.75	12	2.400000095	12	10	13752	10752	10752	2
3517	033	4065	0.09	8474	0	65	100	3	9	9	12195	3721	WMUG	55	form-based				0.75	12	1.333333373	12	12	15243.75	6769.75	6769.75	1.25
3518	004	5003	0.11	10585	3	65	100	3	11	8	15009	4424	RCD	55	form-based				0.75	15	1.363636374	12	12	18761.25	8176.25	8176.25	1.25
3518	023	4133	0.09	4133	0	65	100	3	9	9	12399	8266	WMUG	55	form-based		true		0.75	12	1.333333373	12	12	15498.75	11365.75	11365.75	1.25
3519	038	4000	0.09	8000	0	65	100	3	9	9	12000	4000	RCD	55	form-based		true		0.75	12	1.333333373	12	12	15000	7000	7000	1.25
3520	030C	4007	0.09	4144	0	65	100	3	9	9	12021	7877	WMUG	55	form-based				0.75	12	1.333333373	12	12	15026.25	10882.25	10882.25	1.25
3532	074	6327	0.15	927	12	65	100	3	15	3	18981	18054	UMU	68	form-based				0.75	24	1.600000024	12	12	28471.5	27544.5	27544.5	1.5
3533	026	5300	0.12	5193	0	65	100	3	12	12	15900	10707	NC-1	40	form-based		true	true	0.75	12	1	12	12	15900	10707	10707	1
3533	175	7284	0.17	1514	0	65	100	3	17	17	21852	20338	RTO-1	40	density-lim	600			0.7	12	0.70588237	12	12	20395.19922	18881.19922	18881.19922	0.933333
3534	085	10345	0.24	800	10	65	100	3	24	14	31035	30235	RTO-1	40	form-based			true	0.7	22	0.916666687	12	12	28966	28166	28166	0.933333
3537	016	2372	0.05	1557	0	85	140	4	7	7	9488	7931	NCT-UPPEI	85	form-based		true	true	0.75	12	1.714285731	12	12	14232	12675	12675	1.5
3537	056	2697	0.06	2664	2	65	100	3	6	4	8091	5427	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16182	13518	13518	2
3538	055	2439	0.06	1983	1	85	140	4	8	7	9756	7773	RTO-C	85	form-based			true	0.75	13	1.625	12	12	14634	12651	12651	1.5
3538	056	2347	0.05	2442	0	65	100	3	5	5	7041	4599	RTO-C	85	form-based			true	0.75	12	2.400000095	12	10	14082	11640	11640	2
3538	057	2450	0.06	1983	1	65	100	3	6	5	7350	5367	RTO-C	85	form-based			true	0.75	13	2.166666746	12	11	14700	12717	12717	2
3544	057	3114	0.07	4500	4	65	100	3	7	3	9342	4842	NCT-UPPEI	85	form-based			true	0.75	16	2.285714388	12	10	18684	14184	14184	2
3544	071	2771	0.06	2815	3	85	140	4	8	5	11084	8269	NCT-UPPEI	85	form-based			true	0.75	15	1.875	12	12	16626	13811	13811	1.5
3549	041	4085	0.09	4086	0	75	120	3.5	11	11	14298	10212	UMU	58	form-based				0.75	12	1.090909123	12	12	15318.75	11232.75	11232.75	1.071391
3554	031	5506	0.13	1000	0	75	120	3.5	16	16	19271	18271	RTO-M	45	form-based				0.7	12	0.75	12	12	15416.7998	14416.7998	14416.7998	0.8
3554	057	6206	0.14	16956	7	75	120	3.5	17	10	21721	4765	NCT-VALEI	55	form-based		true		0.75	19	1.117647052	12	12	23272.5	6316.5	6316.5	1.071429
3557	010	4231	0.1	8432	0	85	140	4	14	14	16924	8492	RTO-1	50	form-based		true	true	0.7	12	0.857142866	12	12	14808.5	6376.5	6376.5	0.875
3557	119	3875	0.09	1600	2	65	100	3	9	7	11625	10025	RTO-1	65	form-based			true	0.7	14	1.555555582	12	12	16275	14675	14675	1.4
3562	026	2750	0.06	2506	2	65	100	3	6	4	8250	5744	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16500	13994	13994	2
3563	015B	2667	0.06	1819	2	65	100	3	6	4	8001	6182	RTO-C	85	form-based			true	0.75	14	2.333333254	12	10	16002	14183	14183	2
3567	056	62358	1.43	52150	66	85	140	4	200	134	249432	197282	RM-1	40	density-lim	800			0.55	78	0.389999986	12	12	137187.6094	85037.60938	85037.60938	0.55
3573	029	6554	0.15	990	8	65	100	3	15	7	19662	18672	UMU	58	form-based				0.75	20	1.333333373	12	12	24577.5	23587.5	23587.5	1.25
3583	062	4625	0.11	2975	2	65	100	3	11	9	13875	10900	NCD-CAST	50	form-based			true	0.75	14	1.272727251	12	12	17343.75	14368.75	14368.75	1.25
3591	009	7395	0.17	18613	0	65	100	3	17	17	22185	3572	RM-2	50	density-lim	600			0.7	12	0.70588237	12	12	25882.5	7269.5	7269.5	1.166667
3591	011	7395	0.17	22000	0	65	100	3	17	17	22185	185	RM-2	50	density-lim	600			0.7	12	0.70588237	12	12	25882.5	3882.5	3882.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3600	104	5700	0.13	2336	4	65	100	3	13	9	17100	14764	RH-2	50	form-based			true	0.7	16	1.230769277	12	12	19950	17614	17614	1.166667
3628	006	3638	0.08	4362	2	85	140	4	11	9	14552	10190	RTO-C	65	form-based			true	0.75	14	1.272727251	12	12	16371	12009	12009	1.125
3635	004	4131	0.09	0	0	75	120	3.5	11	11	14458	14458	NCT-VALEI	55	form-based				0.75	12	1.090909123	12	12	15491.25	15491.25	15491.25	1.071466
3638	034	11500	0.26	7995	0	75	120	3.5	31	31	40250	32255	RH-3	50	density-lim	1000			0.7	12	0.387096763	12	12	40250	32255	32255	1
3651	008	4789	0.11	6486	6	65	100	3	11	5	14367	7881	RTO-C	65	form-based		true	true	0.75	18	1.636363626	12	12	21550.5	15064.5	15064.5	1.5
3654	019	3107	0.07	7568	0	65	100	3	7	7	9321	1753	NCD-24TH	65	form-based		true	true	0.75	12	1.714285731	12	12	13981.5	6413.5	6413.5	1.5
3654	028	3870	0.09	25361	0	65	100	3	9	9	11610	0	NCD-24TH	50	form-based			true	0.75	12	1.333333373	12	12	14512.5	0	0	1.25
3707	007	1323	0.03	5656	0	75	120	3.5	4	4	4630	0	C-3-O(SD)	150	form-based				0.8	12	3	12	8	11907	6251	3604	2.571706
3708	177	1285	0.03	0	0	75	120	3.5	4	4	4498	4498	C-3-O(SD)	850	form-based				0.8	12	3	12	8	11565	11565	8996	2.571143
3725	017	2250	0.05	4100	0	65	100	3	5	5	6750	2650	MUR	85	form-based				0.75	12	2.400000095	12	10	13500	9400	9400	2
3725	018	2250	0.05	11246	0	65	100	3	5	5	6750	0	MUR	85	form-based				0.75	12	2.400000095	12	10	13500	2254	2254	2
3725	060	2250	0.05	6750	0	65	100	3	5	5	6750	0	NCT-SOMA	85	form-based		true		0.75	12	2.400000095	12	10	13500	6750	6750	2
3725	075	1481	0.03	1968	1	75	120	3.5	4	3	5184	3216	C-3-S	160	form-based				0.8	13	3.25	12	7	13329	11361	8400	2.571181
3726	024	2250	0.05	3600	0	65	100	3	5	5	6750	3150	MUG	85	form-based				0.75	12	2.400000095	12	10	13500	9900	9900	2
3726	030	2250	0.05	9432	0	85	140	4	7	7	9000	0	MUG	85	form-based				0.75	12	1.714285731	12	12	13500	4068	4068	1.5
3726	031	2250	0.05	304	0	85	140	4	7	7	9000	8696	MUG	85	form-based				0.75	12	1.714285731	12	12	13500	13196	13196	1.5
3727	004	3974	0.09	7500	0	75	120	3.5	11	11	13909	6409	WMUG	55	form-based				0.75	12	1.090909123	12	12	14902.5	7402.5	7402.5	1.071429
3727	199	26842	0.62	92890	48	75	120	3.5	74	26	93947	1057	RED-MX	45	form-based		true		0.75	60	0.810810804	12	12	80526	0	0	0.857143
3730	027	4026	0.09	7600	3	65	100	3	9	6	12078	4478	NCT-FOLS(	65	form-based				0.75	15	1.666666627	12	12	18117	10517	10517	1.5
3736	024	2000	0.05	4400	6	75	120	3.5	6	0	7000	2600	C-3-O(SD)	250	form-based				0.8	18	3	12	6	18000	13600	9600	2.571429
3749	137	10063	0.23	1020	28	75	120	3.5	28	0	35220	34200	RH DTR	65	form-based		true		0.8	40	1.428571463	12	12	48302.40234	47282.40234	47282.40234	1.371448
3751	034	2200	0.05	2689	0	65	100	3	5	5	6600	3911	CMUO	85	form-based				0.8	12	2.400000095	12	10	14080	11391	10511	2.133333
3751	161	2200	0.05	214	0	65	100	3	5	5	6600	6386	CMUO	85	form-based				0.8	12	2.400000095	12	10	14080	13866	12986	2.133333
3751	168	2279	0.05	0	0	65	100	3	5	5	6837	6837	MUR	85	form-based		true		0.75	12	2.400000095	12	10	13674	13674	13674	2
3752	083	2250	0.05	4370	0	65	100	3	5	5	6750	2380	MUR	85	form-based				0.75	12	2.400000095	12	10	13500	9130	9130	2
3753	006A	2231	0.05	0	0	65	100	3	5	5	6693	6693	MUR	85	form-based				0.75	12	2.400000095	12	10	13386	13386	13386	2
3753	010	2250	0.05	12702	0	65	100	3	5	5	6750	0	MUR	85	form-based		true		0.75	12	2.400000095	12	10	13500	798	798	2
3753	129	2261	0.05	5983	0	65	100	3	5	5	6783	800	MUR	85	form-based				0.75	12	2.400000095	12	10	13566	7583	7583	2
3753	130	2263	0.05	4930	0	65	100	3	5	5	6789	1859	MUR	85	form-based				0.75	12	2.400000095	12	10	13578	8648	8648	2
3753	131	2265	0.05	2989	0	65	100	3	5	5	6795	3806	MUR	85	form-based				0.75	12	2.400000095	12	10	13590	10601	10601	2
3753	146	2311	0.05	5202	0	65	100	3	5	5	6933	1731	MUR	85	form-based				0.75	12	2.400000095	12	10	13866	8664	8664	2
3753	177	6998	0.16	1518	14	65	100	3	16	2	20994	19476	MUR	65	form-based				0.75	26	1.625	12	12	31491	29973	29973	1.5
3753	191	6908	0.16	1518	14	65	100	3	16	2	20724	19206	MUR	65	form-based				0.75	26	1.625	12	12	31086	29568	29568	1.5
3755	014	3988	0.09	2125	0	85	140	4	13	13	15952	13827	WMUG	55	form-based				0.75	12	0.923076928	12	12	14955	12830	12830	0.9375
3755	019	4000	0.09	5364	0	85	140	4	13	13	16000	10636	WMUG	55	form-based		true		0.75	12	0.923076928	12	12	15000	9636	9636	0.9375
3755	050	3917	0.09	4077	0	65	100	3	9	9	11751	7674	WMUG	55	form-based		true		0.75	12	1.333333373	12	12	14688.75	10611.75	10611.75	1.25
3755	073	3314	0.08	9750	0	65	100	3	8	8	9942	192	NCT-FOLS(	65	form-based		true		0.75	12	1.5	12	12	14913	5163	5163	1.5
3762	058	2110	0.05	0	0	85	140	4	7	7	8440	8440	CMUO	85	form-based				0.8	12	1.714285731	12	12	13504	13504	13504	1.6
3763	022	2125	0.05	4940	0	85	140	4	7	7	8500	3560	CMUO	85	form-based				0.8	12	1.714285731	12	12	13600	8660	8660	1.6
3763	023	2125	0.05	8587	0	85	140	4	7	7	8500	0	CMUO	85	form-based				0.8	12	1.714285731	12	12	13600	5013	5013	1.6
3778	016	3267	0.08	8564	0	65	100	3	8	8	9801	1237	MUG	65	form-based				0.75	12	1.5	12	12	14701.5	6137.5	6137.5	1.5
3778	046A	4065	0.09	7200	0	65	100	3	9	9	12195	4995	MUG	55	form-based				0.75	12	1.333333373	12	12	15243.75	8043.75	8043.75	1.25
3778	046E	4070	0.09	4350	0	65	100	3	9	9	12210	7860	MUG	55	form-based				0.75	12	1.333333373	12	12	15262.5	10912.5	10912.5	1.25
3778	046G	4098	0.09	4350	0	65	100	3	9	9	12294	7944	MUG	55	form-based				0.75	12	1.333333373	12	12	15367.5	11017.5	11017.5	1.25
3778	046H	4084	0.09	3660	0	65	100	3	9	9	12252	8592	MUG	55	form-based				0.75	12	1.333333373	12	12	15315	11655	11655	1.25
3779	165	5525	0.13	0	0	65	100	3	13	13	16575	16575	RED-MX	45	form-based				0.75	12	0.923076928	12	12	16575	16575	16575	1
3787	166	15768	0.36	3500	51	75	120	3.5	43	0	55188	51688	CMUO	65	form-based		true		0.8	63	1.465116262	12	12	75686.39844	72186.39844	72186.39844	1.371428
4084	029	5195	0.12	10400	0	55	80	2.5	10	10	12988	2588	UMU	48	form-based				0.75	12	1.200000048	12	12	15585	5185	5185	1.199954
4084	044	5226	0.12	5914	0	55	80	2.5	10	10	13065	7151	UMU	48	form-based				0.75	12	1.200000048	12	12	15678	9764	9764	1.2
4108	003R	5318	0.12	9522	0	65	100	3	12	12	15954	6432	UMU	45	form-based				0.75	12	1	12	12	15954	6432	6432	1
4147	001	5500	0.13	16500	0	65	100	3	13	13	16500	0	UMU	48	form-based		true		0.75	12	0.923076928	12	12	16500	0	0	1
4207	038	5200	0.12	1749	0	65	100	3	12	12	15600	13851	NCT-24TH-	45	form-based				0.75	12	1	12	12	15600	13851	13851	1
4209	014	4056	0.09	4628	0	65	100	3	9	9	12168	7540	NCT-24TH-	55	form-based		true		0.75	12	1.333333373	12	12	15210	10582	10582	1.25
4224	063	5321	0.12	56100	0	65	100	3	12	12	15963	0	UMU	40	form-based		true		0.75	12	1	12	12	15963	0	0	1
4224	125	16227	0.37	1102	25	65	100	3	37	12	48681	47579	UMU	40	form-based				0.75	37	1	12	12	48681	47579	47579	1
4269	026	17439	0.4	10150	0	65	100	3	40	40	52317	42167	RH-2	45	density-lim	1500			0.7	12	0.300000012	12	12	48829.19922	38679.19922	38679.19922	0.933333
4270	038	18324	0.42	0	0	65	100	3	42	42	54972	54972	RH-2	40	density-lim	1500			0.7	12	0.285714298	12	12	51307.19922	51307.19922	51307.19922	0.933333
6472	021	7025	0.16	1553	0	55	80	2.5	13	13	17562	16009	NCD-EXCE	40	density-lim	600	true		0.75	12	0.923076928	12	12	21075	19522	19522	1.200034
6475	055	36579	0.84	0	0	55	80	2.5	67	67	91448	91448	RH-1	40	density-lim	3000			0.7	12	0.179104477	12	12	102421.1953	102421.1953	102421.1953	1.119994
6517	023	2876	0.07	4620	3	75	120	3.5	8	5	10066	5446	NCT-MISSI	80	form-based				0.75	15	1.875	12	12	17256	12636	12636	1.714286
6517	026	2876	0.07	3500	3	75	120	3.5	8	5	10066	6566	NCT-MISSI	80	form-based				0.75	15	1.875	12	12	17256	13756	13756	1.714286
6527	011	4590	0.11	2292	1	75	120	3.5	13	12	16065	13773	RTO-M	50	form-based				0.7	13	1	12	12	16065	13773	13773	1
6528	025	3681	0.08	2900	2	75	120	3.5	10	8	12884	9984	NCT-MISSI	65	form-based				0.75	14	1.399999976	12	12	16564.5	13664.5	13664.5	1.285664
6529	007A	3248	0.07	3490	0	75	120	3.5	8	8	11368	7878	NCT-MISSI	65	form-based				0.75	12	1.5	12	12	14616	11126	11126	1.285714

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6530	022	3869	0.09	4603	0	75	120	3.5	11	11	13542	8939	NCT-VALEI	55	form-based				0.75	12	0.090909123	12	12	14508.75	9905.75	9905.75	1.071389
6530	043	4700	0.11	1066	2	75	120	3.5	13	11	16450	15384	NCT-VALEI	55	form-based				0.75	14	1.076923132	12	12	17625	16559	16559	1.071429
6570	003	4275	0.1	3440	1	75	120	3.5	12	11	14962	11522	NCT-MISSI	55	form-based				0.75	13	1.083333373	12	12	16031.25	12591.25	12591.25	1.071464
6571	018	3224	0.07	0	0	85	140	4	10	10	12896	12896	NCT-MISSI	65	form-based		true		0.75	12	1.200000048	12	12	14508	14508	14508	1.125
6581	061	6578	0.15	2272	2	55	80	2.5	12	10	16445	14173	RH-2	40	form-based			true	0.7	14	1.166666627	12	12	18418.40039	16146.40039	16146.40039	1.12
6581	080	5550	0.13	0	0	55	80	2.5	10	10	13875	13875	RM-1	40	form-based			true	0.7	12	1.200000048	12	12	15540	15540	15540	1.12
6601	057	4931	0.11	1454	6	85	140	4	15	9	19724	18270	NC-1	65	form-based		true	true	0.75	18	1.200000048	12	12	22189.5	20735.5	20735.5	1.125
6638	002	3570	0.08	2640	1	85	140	4	11	10	14280	11640	NC-1	65	form-based			true	0.75	13	1.181818128	12	12	16065	13425	13425	1.125
6665	059	6001	0.14	804	1	65	100	3	14	13	18003	17199	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	16802.79883	15998.79883	15998.79883	0.933333
6665	064	6068	0.14	1311	1	65	100	3	14	13	18204	16893	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	16990.40039	15679.40039	15679.40039	0.933333
6665	069	6512	0.15	2848	2	65	100	3	15	13	19536	16688	RH-1	40	form-based			true	0.7	14	0.933333337	12	12	18233.59961	15385.59961	15385.59961	0.933333
6688	045	9487	0.22	13488	0	65	100	3	22	22	28461	14973	NC-2	40	density-lin	800			0.75	12	0.545454562	12	12	28461	14973	14973	1
6690	005B	5955	0.14	1550	1	65	100	3	14	13	17865	16315	RH-2	40	form-based			true	0.7	13	0.928571403	12	12	16674	15124	15124	0.933333
6710	032	6294	0.14	3828	1	65	100	3	14	13	18882	15054	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	17623.19922	13795.19922	13795.19922	0.933333
6727	045	4941	0.11	2000	2	75	120	3.5	13	11	17294	15294	RH-1	50	form-based			true	0.7	14	1.076923132	12	12	17293.5	15293.5	15293.5	0.999971
6732	052	6181	0.14	1164	1	75	120	3.5	17	16	21634	20470	RH-1	40	form-based			true	0.7	13	0.764705896	12	12	17306.79883	16142.79883	16142.79883	0.799981
6742	014	3184	0.07	2863	0	75	120	3.5	8	8	11144	8281	NCT-GLEN	65	form-based		true	true	0.75	12	1.5	12	12	14328	11465	11465	1.285714
6746	029	3778	0.09	2693	2	75	120	3.5	11	9	13223	10530	NCT-GLEN	65	form-based		true	true	0.75	14	1.272727251	12	12	17001	14308	14308	1.285714
6756	015	2500	0.06	1953	1	75	120	3.5	7	6	8750	6797	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	15000	13047	13047	1.714286
6756	018	2460	0.06	2200	1	75	120	3.5	7	6	8610	6410	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	14760	12560	12560	1.714286
6756	019	2500	0.06	950	1	75	120	3.5	7	6	8750	7800	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	15000	14050	14050	1.714286
6756	020	2500	0.06	1225	1	75	120	3.5	7	6	8750	7525	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	15000	13775	13775	1.714286
6756	021	2500	0.06	1000	1	75	120	3.5	7	6	8750	7750	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	15000	14000	14000	1.714286
6756	022	2500	0.06	1998	1	75	120	3.5	7	6	8750	6752	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	15000	13002	13002	1.714286
6756	023	2500	0.06	1771	1	75	120	3.5	7	6	8750	6979	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	15000	13229	13229	1.714286
6756	024	2500	0.06	900	1	75	120	3.5	7	6	8750	7850	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	15000	14100	14100	1.714286
6756	025	2500	0.06	1103	1	75	120	3.5	7	6	8750	7647	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	15000	13897	13897	1.714286
6756	029	2500	0.06	1658	1	75	120	3.5	7	6	8750	7092	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	15000	13342	13342	1.714286
6756	030	2500	0.06	1600	1	75	120	3.5	7	6	8750	7150	NCT-GLEN	85	form-based			true	0.75	13	1.857142806	12	12	15000	13400	13400	1.714286
6756	032	2500	0.06	910	1	75	120	3.5	7	6	8750	7840	NCT-GLEN	85	form-based			true	0.75	13	1.857142806	12	12	15000	14090	14090	1.714286
6758	033	5000	0.11	2506	2	75	120	3.5	13	11	17500	14994	RH-1	50	form-based			true	0.7	14	1.076923132	12	12	17500	14994	14994	1
6768	036	2500	0.06	1175	1	75	120	3.5	7	6	8750	7575	RTO-C	85	form-based			true	0.75	13	1.857142806	12	12	15000	13825	13825	1.714286
6799	042	7463	0.17	600	0	65	100	3	17	17	22389	21789	NCD-EXCE	40	density-lin	600	true		0.75	12	0.70588237	12	12	22389	21789	21789	1
6902	007	6083	0.14	1481	1	65	100	3	14	13	18249	16768	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17032.40039	15551.40039	15551.40039	0.933333
6902	008	5970	0.14	1670	1	65	100	3	14	13	17910	16240	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16716	15046	15046	0.933333
6905	001	6348	0.15	2465	1	65	100	3	15	14	19044	16579	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17774.40039	15309.40039	15309.40039	0.933333
6905	003	6372	0.15	2700	1	65	100	3	15	14	19116	16416	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17841.59961	15141.59961	15141.59961	0.933333
6905	005	6180	0.14	2944	1	65	100	3	14	13	18540	15596	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17304	14360	14360	0.933333
6905	013	6175	0.14	2130	1	65	100	3	14	13	18525	16395	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17290	15160	15160	0.933333
6907	012	6207	0.14	3500	1	65	100	3	14	13	18621	15121	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17379.59961	13879.59961	13879.59961	0.933333
6908	029	5991	0.14	1584	1	85	140	4	20	19	23964	22380	RH-1(D)	40	form-based			true	0.7	13	0.649999976	12	12	16774.79883	15190.79883	15190.79883	0.7
6909	010	6348	0.15	2240	1	65	100	3	15	14	19044	16804	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17774.40039	15534.40039	15534.40039	0.933333
6910	002	6318	0.15	3056	1	65	100	3	15	14	18954	15898	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17690.40039	14634.40039	14634.40039	0.933333
6910	005	5979	0.14	1816	1	65	100	3	14	13	17937	16121	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16741.19922	14925.19922	14925.19922	0.933333
6911	013	6153	0.14	2205	1	65	100	3	14	13	18459	16254	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17228.40039	15023.40039	15023.40039	0.933333
6911	014	6327	0.15	4673	1	65	100	3	15	14	18981	14308	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17715.59961	13042.59961	13042.59961	0.933333
6912	001	6422	0.15	4477	1	65	100	3	15	14	19266	14789	RH-1(D)	40	form-based		true	true	0.7	13	0.866666675	12	12	17981.59961	13504.59961	13504.59961	0.933333
6912	002	6103	0.14	4136	1	65	100	3	14	13	18309	14173	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17088.40039	12952.40039	12952.40039	0.933333
6913	017	6070	0.14	2051	1	65	100	3	14	13	18210	16159	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16996	14945	14945	0.933333
6912	003	6255	0.14	3116	1	65	100	3	14	13	18765	15649	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17514	14398	14398	0.933333
6912	023	6186	0.14	2730	1	65	100	3	14	13	18558	15828	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17320.79883	14590.79883	14590.79883	0.933333
6912	027	6246	0.14	2348	1	65	100	3	14	13	18738	16390	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17488.79883	15140.79883	15140.79883	0.933333
6912	029	5982	0.14	3820	1	65	100	3	14	13	17946	14126	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16749.59961	12929.59961	12929.59961	0.933333
6912	034	6374	0.15	2548	1	65	100	3	15	14	19122	16574	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17847.19922	15299.19922	15299.19922	0.933333
6913	016	6023	0.14	1495	1	65	100	3	14	13	18069	16574	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16864.40039	15369.40039	15369.40039	0.933333
6913	011	6290	0.14	1848	1	65	100	3	14	13	18870	17022	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17612	15764	15764	0.933333
6913	012	6241	0.14	3168	1	65	100	3	14	13	18723	15555	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17474.79883	14306.79883	14306.79883	0.933333
6913	013	6055	0.14	3906	1	65	100	3	14	13	18165	14259	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16954	13048	13048	0.933333
6913	014	6259	0.14	2824	1	65	100	3	14	13	18777	15953	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17525.19922	14701.19922	14701.19922	0.933333
6913	015	6074	0.14	1785	1	65	100	3	14	13	18222	16437	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17007.19922	15222.19922	15222.19922	0.933333
6913	021	6127	0.14	2598	1	65	100	3	14	13	18381	15783	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17155.59961	14557.59961	14557.59961	0.933333
6913	023	6192	0.14	2420	1	65	100	3	14	13	18576	16156	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17337.59961	14917.59961	14917.59961	0.933333
6914	013	6410	0.15	1328	1	65	100	3	15	14	19230	17902	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17948	16620	16620	0.933333
6915	013	6337	0.15	1714	1	85	140	4	21	20	25348	23634	RH-1(D)	40	form-based			true	0.7	13	0.619047642	12	12	17743.59961	16029.59961	16029.59961	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6915	018	2333	0.05	2550	0	85	140	4	7	7	9332	6782	NCT-OCEA	85	form-based			true	0.75	12	1.714285731	12	12	13998	11448	11448	1.5
6915	019	2267	0.05	420	0	85	140	4	7	7	9068	8648	NCT-OCEA	85	form-based			true	0.75	12	1.714285731	12	12	13602	13182	13182	1.5
6915	029	2263	0.05	1193	0	65	100	3	5	5	6789	5596	NCT-OCEA	85	form-based			true	0.75	12	2.400000095	12	10	13578	12385	12385	2
6916	001	6100	0.14	4039	1	55	80	2.5	11	10	15250	11211	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17080	13041	13041	1.12
6916	005	6411	0.15	2240	1	55	80	2.5	12	11	16028	13788	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17950.79883	15710.79883	15710.79883	1.119965
6916	006	6273	0.14	1985	1	55	80	2.5	11	10	15682	13697	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17564.40039	15579.40039	15579.40039	1.120036
6916	018	6402	0.15	1400	1	55	80	2.5	12	11	16005	14605	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17925.59961	16525.59961	16525.59961	1.12
6916	019	6418	0.15	1400	1	55	80	2.5	12	11	16045	14645	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17970.40039	16570.40039	16570.40039	1.12
6919	011	6081	0.14	1355	1	65	100	3	14	13	18243	16888	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17026.79883	15671.79883	15671.79883	0.933333
6917	001	6253	0.14	2940	1	65	100	3	14	13	18759	15819	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17508.40039	14568.40039	14568.40039	0.933333
6917	002	5989	0.14	3330	1	65	100	3	14	13	17967	14637	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	16769.19922	13439.19922	13439.19922	0.933333
6919	012	6107	0.14	1376	1	65	100	3	14	13	18321	16945	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17099.59961	15723.59961	15723.59961	0.933333
6917	023	5999	0.14	2934	1	65	100	3	14	13	17997	15063	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16797.19922	13863.19922	13863.19922	0.933333
6918	002	6260	0.14	1970	1	65	100	3	14	13	18780	16810	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17528	15558	15558	0.933333
6917A	002	6210	0.14	3397	1	65	100	3	14	13	18630	15233	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17388	13991	13991	0.933333
6917A	005	5981	0.14	2050	1	55	80	2.5	11	10	14952	12902	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16746.79883	14696.79883	14696.79883	1.120037
6917A	006	6310	0.14	2925	1	55	80	2.5	11	10	15775	12850	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17668	14743	14743	1.12
6917A	007	6018	0.14	1712	1	55	80	2.5	11	10	15045	13333	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16850.40039	15138.40039	15138.40039	1.12
6921	020	6219	0.14	2091	1	65	100	3	14	13	18657	16566	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17413.19922	15322.19922	15322.19922	0.933333
6921	021	6358	0.15	1800	1	65	100	3	15	14	19074	17274	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17802.40039	16002.40039	16002.40039	0.933333
6918	007	6246	0.14	1350	1	65	100	3	14	13	18738	17388	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17488.79883	16138.79883	16138.79883	0.933333
6918	010	6118	0.14	1175	1	65	100	3	14	13	18354	17179	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17130.40039	15955.40039	15955.40039	0.933333
6919	003	6065	0.14	1500	1	65	100	3	14	13	18195	16695	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16982	15482	15482	0.933333
6919	004	6069	0.14	1694	1	65	100	3	14	13	18207	16513	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16993.19922	15299.19922	15299.19922	0.933333
6919	007	6088	0.14	2065	1	65	100	3	14	13	18264	16199	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17046.40039	14981.40039	14981.40039	0.933333
6919	008	5986	0.14	4823	1	65	100	3	14	13	17958	13135	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16760.79883	11937.79883	11937.79883	0.933333
6919	009	6042	0.14	2285	1	65	100	3	14	13	18126	15841	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16917.59961	14632.59961	14632.59961	0.933333
6919	010	6161	0.14	2175	1	65	100	3	14	13	18483	16308	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17250.79883	15075.79883	15075.79883	0.933333
6919	016	5969	0.14	1770	1	65	100	3	14	13	17907	16137	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16713.19922	14943.19922	14943.19922	0.933333
6919	017	6099	0.14	1450	1	65	100	3	14	13	18297	16847	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17077.19922	15627.19922	15627.19922	0.933333
6919	021	5962	0.14	1270	1	65	100	3	14	13	17886	16616	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16693.59961	15423.59961	15423.59961	0.933333
6919	027	6114	0.14	2775	1	65	100	3	14	13	18342	15567	RH-1(D)	40	form-based	true		true	0.7	13	0.928571403	12	12	17119.19922	14344.19922	14344.19922	0.933333
6920	001	6043	0.14	1650	1	65	100	3	14	13	18129	16479	RH-1(D)	40	form-based	true		true	0.7	13	0.928571403	12	12	16920.40039	15270.40039	15270.40039	0.933333
6920	002	6218	0.14	2740	1	65	100	3	14	13	18654	15914	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17410.40039	14670.40039	14670.40039	0.933333
6920	003	6105	0.14	1944	1	65	100	3	14	13	18315	16371	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17094	15150	15150	0.933333
6920	007	6216	0.14	2143	1	65	100	3	14	13	18648	16505	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17404.79883	15261.79883	15261.79883	0.933333
6920	010	6198	0.14	4077	1	65	100	3	14	13	18594	14517	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17354.40039	13277.40039	13277.40039	0.933333
6920	015	6043	0.14	2682	1	65	100	3	14	13	18129	15447	RH-1(D)	40	form-based	true		true	0.7	13	0.928571403	12	12	16920.40039	14238.40039	14238.40039	0.933333
6920	016	5998	0.14	1735	1	65	100	3	14	13	17994	16259	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16794.40039	15059.40039	15059.40039	0.933333
6920	018	6152	0.14	1891	1	65	100	3	14	13	18456	16565	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17225.59961	15334.59961	15334.59961	0.933333
6920	019	6321	0.15	2303	1	65	100	3	15	14	18963	16660	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17698.79883	15395.79883	15395.79883	0.933333
6920	020	6186	0.14	2250	1	65	100	3	14	13	18558	16308	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17320.79883	15070.79883	15070.79883	0.933333
6920	022	6297	0.14	1520	1	65	100	3	14	13	18891	17371	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17631.59961	16111.59961	16111.59961	0.933333
6920	027	6069	0.14	3527	1	65	100	3	14	13	18207	14680	RH-1(D)	40	form-based	true		true	0.7	13	0.928571403	12	12	16993.19922	13466.19922	13466.19922	0.933333
6921	016	5974	0.14	1314	1	65	100	3	14	13	17922	16608	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16727.19922	15413.19922	15413.19922	0.933333
6921	019	5972	0.14	1904	1	65	100	3	14	13	17916	16012	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16721.59961	14817.59961	14817.59961	0.933333
6921	002	6124	0.14	2793	1	65	100	3	14	13	18372	15579	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17147.19922	14354.19922	14354.19922	0.933333
6921	005	6120	0.14	1500	1	65	100	3	14	13	18360	16860	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17136	15636	15636	0.933333
6921	007	6004	0.14	3924	1	65	100	3	14	13	18012	14088	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16811.19922	12887.19922	12887.19922	0.933333
6921	010	6115	0.14	1234	1	65	100	3	14	13	18345	17111	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17122	15888	15888	0.933333
6921	011	6111	0.14	2275	1	65	100	3	14	13	18333	16058	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17110.79883	14835.79883	14835.79883	0.933333
6921	012	5963	0.14	2473	1	65	100	3	14	13	17889	15416	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16696.40039	14223.40039	14223.40039	0.933333
6921	013	6005	0.14	1300	1	65	100	3	14	13	18015	16715	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16814	15514	15514	0.933333
6921	022	6046	0.14	2640	1	65	100	3	14	13	18138	15498	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16928.79883	14288.79883	14288.79883	0.933333
6922	002	6307	0.14	2114	1	65	100	3	14	13	18921	16807	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17659.59961	15545.59961	15545.59961	0.933333
6922	007	6211	0.14	1535	1	65	100	3	14	13	18633	17098	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17390.79883	15855.79883	15855.79883	0.933333
6922	012	6264	0.14	2075	1	65	100	3	14	13	18792	16717	RH-1(D)	40	form-based	true		true	0.7	13	0.928571403	12	12	17539.19922	15464.19922	15464.19922	0.933333
6922	017	6063	0.14	1975	1	65	100	3	14	13	18189	16214	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16976.40039	15001.40039	15001.40039	0.933333
6923	008	6404	0.15	1375	1	65	100	3	15	14	19212	17837	RH-1(D)	40	form-based	true		true	0.7	13	0.866666675	12	12	17931.19922	16556.19922	16556.19922	0.933333
6923	012	5985	0.14	1350	1	65	100	3	14	13	17955	16605	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16758	15408	15408	0.933333
6923	013	6082	0.14	1150	1	65	100	3	14	13	18246	17096	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17029.59961	15879.59961	15879.59961	0.933333
6923	016	6092	0.14	1300	1	65	100	3	14	13	18276	16976	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17057.59961	15757.59961	15757.59961	0.933333
6923	023	6313	0.14	1216	1	65	100	3	14	13	18939	17723	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17676.40039	16460.40039	16460.40039	0.933333
6923	025	5970	0.14	1390	1	65	100	3	14	13	17910	16520	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16716	15326	15326	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6923	027	6260	0.14	2080	1	65	100	3	14	13	18780	16700	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17528	15448	15448	0.933333
6925	011	6070	0.14	1820	1	65	100	3	14	13	18210	16390	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16996	15176	15176	0.933333
6925	027	6386	0.15	2196	1	55	80	2.5	12	11	15965	13769	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17880.79883	15684.79883	15684.79883	1.12
6925	021	6184	0.14	1600	1	65	100	3	14	13	18552	16952	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17315.19922	15715.19922	15715.19922	0.933333
6926	002	6158	0.14	1450	1	55	80	2.5	11	10	15395	13945	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17242.40039	15792.40039	15792.40039	1.12
6926	003	5953	0.14	3499	1	55	80	2.5	11	10	14882	11383	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16668.40039	13169.40039	13169.40039	1.120038
6926	004	6177	0.14	2650	1	55	80	2.5	11	10	15442	12792	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17295.59961	14645.59961	14645.59961	1.120036
6926	005	6332	0.15	1866	1	55	80	2.5	12	11	15830	13964	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17729.59961	15863.59961	15863.59961	1.12
6926	006	6004	0.14	1702	1	55	80	2.5	11	10	15010	13308	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16811.19922	15109.19922	15109.19922	1.12
6927	005	6009	0.14	1719	1	55	80	2.5	11	10	15022	13303	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16825.19922	15106.19922	15106.19922	1.120037
6927	006	5985	0.14	2490	1	55	80	2.5	11	10	14962	12472	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16758	14268	14268	1.120037
6927	007	5989	0.14	1350	1	55	80	2.5	11	10	14972	13622	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16769.19922	15419.19922	15419.19922	1.120037
6927	011	6206	0.14	1372	1	55	80	2.5	11	10	15515	14143	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17376.79883	16004.79883	16004.79883	1.12
6927	012	6414	0.15	1500	1	55	80	2.5	12	11	16035	14535	RH-1(D)	40	form-based			true	0.7	13	1.083333373	12	12	17959.19922	16459.19922	16459.19922	1.12
6927	013	6314	0.14	2538	1	55	80	2.5	11	10	15785	13247	RH-1(D)	40	form-based	true		true	0.7	13	1.181818128	12	12	17679.19922	15141.19922	15141.19922	1.12
6927	014	6369	0.15	3423	1	55	80	2.5	12	11	15922	12499	RH-1(D)	40	form-based	true		true	0.7	13	1.083333373	12	12	17833.19922	14410.19922	14410.19922	1.120035
6927	015	6090	0.14	2240	1	55	80	2.5	11	10	15225	12985	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17052	14812	14812	1.12
6927	017	6116	0.14	3040	1	55	80	2.5	11	10	15290	12250	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17124.79883	14084.79883	14084.79883	1.12
6927	027	6233	0.14	3492	1	55	80	2.5	11	10	15582	12090	RH-1(D)	40	form-based	true		true	0.7	13	1.181818128	12	12	17452.40039	13960.40039	13960.40039	1.120036
6928	011	6315	0.14	2944	1	55	80	2.5	11	10	15788	12844	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	17682	14738	14738	1.119964
6928	025	6316	0.14	3760	1	65	100	3	14	13	18948	15188	RH-1(D)	40	form-based	true		true	0.7	13	0.928571403	12	12	17684.79883	13924.79883	13924.79883	0.933333
6929	001	6154	0.14	1600	1	65	100	3	14	13	18462	16862	RH-1(D)	40	form-based	true		true	0.7	13	0.928571403	12	12	17231.19922	15631.19922	15631.19922	0.933333
6929	012	5983	0.14	1670	1	55	80	2.5	11	10	14958	13288	RH-1(D)	40	form-based	true		true	0.7	13	1.181818128	12	12	16752.40039	15082.40039	15082.40039	1.119963
6929	016	6040	0.14	1326	1	55	80	2.5	11	10	15100	13774	RH-1(D)	40	form-based			true	0.7	13	1.181818128	12	12	16912	15586	15586	1.12
6932	002	6027	0.14	3891	1	65	100	3	14	13	18081	14190	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16875.59961	12984.59961	12984.59961	0.933333
6932	012	6167	0.14	1400	1	65	100	3	14	13	18501	17101	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17267.59961	15867.59961	15867.59961	0.933333
6932	023	6101	0.14	2104	1	65	100	3	14	13	18303	16199	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17082.79883	14978.79883	14978.79883	0.933333
6933	035	2581	0.06	3545	2	85	140	4	8	6	10324	6779	NCT-OCEA	85	form-based			true	0.75	14	1.75	12	12	15486	11941	11941	1.5
6935	020	2363	0.05	3700	0	65	100	3	5	5	7089	3389	NCT-OCEA	85	form-based			true	0.75	12	2.400000095	12	10	14178	10478	10478	2
6942	031	5630	0.13	12700	0	65	100	3	13	13	16890	4190	RH-2	40	form-based			true	0.7	12	0.923076928	12	12	15764	3064	3064	0.933333
6945	034	2801	0.06	2600	3	85	140	4	8	5	11204	8604	NCT-OCEA	85	form-based			true	0.75	15	1.875	12	12	16806	14206	14206	1.5
6946	036	2799	0.06	4000	3	65	100	3	6	3	8397	4397	NCT-OCEA	85	form-based			true	0.75	15	2.5	12	9	16794	12794	12794	2
6947	001A	2631	0.06	2990	2	85	140	4	8	6	10524	7534	NCT-OCEA	85	form-based			true	0.75	14	1.75	12	12	15786	12796	12796	1.5
6947	002	2547	0.06	1362	1	85	140	4	8	7	10188	8826	NCT-OCEA	85	form-based			true	0.75	13	1.625	12	12	15282	13920	13920	1.5
6962	006C	2444	0.06	1843	1	85	140	4	8	7	9776	7933	NCT-1	85	form-based			true	0.75	13	1.625	12	12	14664	12821	12821	1.5
6964	014	2541	0.06	1486	1	85	140	4	8	7	10164	8678	NCT-1	85	form-based	true		true	0.75	13	1.625	12	12	15246	13760	13760	1.5
6964	016	2500	0.06	966	1	85	140	4	8	7	10000	9034	RTO-C	85	form-based			true	0.75	13	1.625	12	12	15000	14034	14034	1.5
6972	022	2427	0.06	1395	1	75	120	3.5	7	6	8494	7099	RTO-C	85	form-based	true		true	0.75	13	1.857142806	12	12	14562	13167	13167	1.714387
6987	043	6248	0.14	1250	1	65	100	3	14	13	18744	17494	RH-2	40	form-based			true	0.7	13	0.928571403	12	12	17494.40039	16244.40039	16244.40039	0.933333
7081A	033	6391	0.15	4257	1	85	140	4	21	20	25564	21307	RH-2	40	form-based	true		true	0.7	13	0.619047642	12	12	17894.79883	13637.79883	13637.79883	0.7
7210	027	3532	0.08	1890	1	55	80	2.5	6	5	8830	6940	RTO-C	65	form-based	true		true	0.75	13	2.166666746	12	11	15894	14004	14004	1.8
7212	004A	3792	0.09	2432	2	55	80	2.5	7	5	9480	7048	RTO-C	65	form-based			true	0.75	14	2	12	12	17064	14632	14632	1.8
7212	004B	3428	0.08	2334	1	55	80	2.5	6	5	8570	6236	RTO-C	65	form-based	true		true	0.75	13	2.166666746	12	11	15426	13092	13092	1.8
7213	004B	3475	0.08	3135	1	55	80	2.5	6	5	8688	5553	RTO-C	65	form-based	true		true	0.75	13	2.166666746	12	11	15637.5	12502.5	12502.5	1.799896
7216	008	3545	0.08	1890	1	65	100	3	8	7	10635	8745	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15952.5	14062.5	14062.5	1.5
7216	011	3444	0.08	1331	1	65	100	3	8	7	10332	9001	RTO-C	65	form-based			true	0.75	13	1.625	12	12	15498	14167	14167	1.5
7216	013	3568	0.08	1890	1	65	100	3	8	7	10704	8814	RTO-C	65	form-based			true	0.75	13	1.625	12	12	16056	14166	14166	1.5
7216	014	3569	0.08	2205	1	65	100	3	8	7	10707	8502	RTO-C	65	form-based			true	0.75	13	1.625	12	12	16060.5	13855.5	13855.5	1.5
7218	005B	3482	0.08	1902	1	65	100	3	8	7	10446	8544	RTO-C	65	form-based	true		true	0.75	13	1.625	12	12	15669	13767	13767	1.5
7220	002G	6034	0.14	2009	1	85	140	4	20	19	24136	22127	RH-1(D)	40	form-based			true	0.7	13	0.649999976	12	12	16895.19922	14886.19922	14886.19922	0.7
7223	002I	6020	0.14	1926	1	65	100	3	14	13	18060	16134	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16856	14930	14930	0.933333
7223	003A	2253	0.05	4033	0	85	140	4	7	7	9012	4979	NCD-LAKES	85	form-based			true	0.75	12	1.714285731	12	12	13518	9485	9485	1.5
7223	002E	5955	0.14	1996	1	65	100	3	14	13	17865	15869	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16674	14678	14678	0.933333
7223	002G	5987	0.14	2555	1	65	100	3	14	13	17961	15406	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16763.59961	14208.59961	14208.59961	0.933333
7225	003	6075	0.14	2235	1	65	100	3	14	13	18225	15990	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17010	14775	14775	0.933333
7225	004	6087	0.14	3197	1	65	100	3	14	13	18261	15064	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17043.59961	13846.59961	13846.59961	0.933333
7225	005	6099	0.14	3221	1	65	100	3	14	13	18297	15076	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17077.19922	13856.19922	13856.19922	0.933333
7225	006	6111	0.14	2430	1	65	100	3	14	13	18333	15903	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17110.79883	14680.79883	14680.79883	0.933333
7225	007	6124	0.14	3178	1	65	100	3	14	13	18372	15194	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17147.19922	13969.19922	13969.19922	0.933333
7225	023	6099	0.14	2166	1	65	100	3	14	13	18297	16131	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17077.19922	14911.19922	14911.19922	0.933333
7231	002A	6054	0.14	2408	1	65	100	3	14	13	18162	15754	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16951.19922	14543.19922	14543.19922	0.933333
7231	010	6363	0.15	2600	1	65	100	3	15	14	19089	16489	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17816.40039	15216.40039	15216.40039	0.933333
7231	012	6293	0.14	3403	1	65	100	3	14	13	18879	15476	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17620.40039	14217.40039	14217.40039	0.933333
7232	001A	6339	0.15	3196	1	65	100	3	15	14	19017	15821	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17749.19922	14553.19922	14553.19922	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7232	002A	6265	0.14	2441	1	65	100	3	14	13	18795	16354	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17542	15101	15101	0.933333
7233	001H	6064	0.14	2723	1	65	100	3	14	13	18192	15469	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	16979.19922	14256.19922	14256.19922	0.933333
7233	001L	6257	0.14	1967	1	65	100	3	14	13	18771	16804	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17519.59961	15552.59961	15552.59961	0.933333
7233	002	6295	0.14	3658	1	65	100	3	14	13	18885	15227	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17626	13968	13968	0.933333
7233	002G	6120	0.14	2974	1	65	100	3	14	13	18360	15386	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17136	14162	14162	0.933333
7233	002I	6338	0.15	2444	1	65	100	3	15	14	19014	16570	RH-1(D)	40	form-based			true	0.7	13	0.866666675	12	12	17746.40039	15302.40039	15302.40039	0.933333
7234	001	6200	0.14	2156	1	65	100	3	14	13	18600	16444	RH-1(D)	40	form-based		true	true	0.7	13	0.928571403	12	12	17360	15204	15204	0.933333
7237	027	6231	0.14	1924	1	65	100	3	14	13	18693	16769	RH-1(D)	40	form-based			true	0.7	13	0.928571403	12	12	17446.79883	15522.79883	15522.79883	0.933333
7273	018	6101	0.14	3243	1	55	80	2.5	11	10	15252	12009	RH-1(D)	40	form-based		true	true	0.7	13	1.181818128	12	12	17082.79883	13839.79883	13839.79883	1.120037
7352	001	9270	0.21	0	0	55	80	2.5	17	17	23175	23175	RM-1	40	density-lin	800			0.7	12	0.70588237	12	12	25956	25956	25956	1.12
7537	078	6658	0.15	5438	2	55	80	2.5	12	10	16645	11207	RH-1	40	form-based		true	true	0.7	14	1.166666627	12	12	18642.40039	13204.40039	13204.40039	1.12
7538	035	6405	0.15	2054	1	55	80	2.5	12	11	16012	13958	RH-1	40	form-based			true	0.7	13	1.083333373	12	12	17934	15880	15880	1.120035
7541	022	6287	0.14	2612	1	65	100	3	14	13	18861	16249	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	17603.59961	14991.59961	14991.59961	0.933333
7540	007	6150	0.14	1234	1	65	100	3	14	13	18450	17216	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	17220	15986	15986	0.933333
7543	029	6217	0.14	2015	1	65	100	3	14	13	18651	16636	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	17407.59961	15392.59961	15392.59961	0.933333
7552	030	6244	0.14	2969	1	65	100	3	14	13	18732	15763	RH-1	40	form-based			true	0.7	13	0.928571403	12	12	17483.19922	14514.19922	14514.19922	0.933333
0027	039	9453	0.22	1780	9	65	100	3	22	13	28359	26579	RH-3	40	form-based			true	0.7	20	0.909090936	11	11	26468.40039	24688.40039	24688.40039	0.933333
0045	076	5643	0.13	6305	1	65	100	3	13	12	16929	10624	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	15800.39941	9495.399414	9495.399414	0.933333
0052	001	4328	0.1	8450	0	65	100	3	10	10	12984	4534	NCD-NORT	40	density-lin	400	true		0.75	11	1.100000024	11	11	12984	4534	4534	1
0061	039	5010	0.12	2240	0	65	100	3	12	12	15030	12790	RH-3	40	form-based			true	0.7	11	0.916666687	11	11	14028	11788	11788	0.933333
0065	013	2862	0.07	2500	0	55	80	2.5	6	6	7155	4655	NCD-NORT	65	form-based		true	true	0.75	11	1.833333373	11	11	12879	10379	10379	1.8
0066	006	4161	0.1	990	1	55	80	2.5	8	7	10402	9412	RM-1	50	form-based			true	0.7	12	1.5	11	11	14563.5	13573.5	13573.5	1.400067
0066	006A	4163	0.1	1579	1	55	80	2.5	8	7	10408	8829	RM-1	50	form-based			true	0.7	12	1.5	11	11	14570.5	12991.5	12991.5	1.399933
0068	044	4727	0.11	2725	2	55	80	2.5	9	7	11818	9093	RH-3	50	form-based			true	0.7	13	1.444444418	11	11	16544.5	13819.5	13819.5	1.399941
0068	047	4319	0.1	3418	1	55	80	2.5	8	7	10798	7380	RH-3	50	form-based			true	0.7	12	1.5	11	11	15116.5	11698.5	11698.5	1.399935
0069	082	4913	0.11	3588	3	65	100	3	11	8	14739	11151	RH-3	50	form-based			true	0.7	14	1.272727251	11	11	17195.5	13607.5	13607.5	1.166667
0071	004	4281	0.1	2566	1	55	80	2.5	8	7	10702	8136	RH-3	50	form-based		true	true	0.7	12	1.5	11	11	14983.5	12417.5	12417.5	1.400065
0094	013	4733	0.11	9293	2	55	80	2.5	9	7	11832	2539	RH-3	50	form-based			true	0.7	13	1.444444418	11	11	16565.5	7272.5	7272.5	1.400059
0097	008	8937	0.21	101907	20	55	80	2.5	17	0	22342	0	RH-3	65	form-based		true	true	0.7	31	1.823529363	11	11	37535.39844	0	0	1.680037
0097	010	6669	0.15	15060	12	55	80	2.5	12	0	16672	1612	RH-3	65	form-based			true	0.7	23	1.916666627	11	11	28009.79883	12949.79883	12949.79883	1.68005
0101	005A	7424	0.17	11984	8	55	80	2.5	14	6	18560	6576	NCD-NORT	40	density-lin	400	true		0.75	19	1.357142806	11	11	22272	10288	10288	1.2
0101	051	11700	0.27	4513	18	55	80	2.5	22	4	29250	24737	NCD-NORT	40	density-lin	400	true		0.75	29	1.318181872	11	11	35100	30587	30587	1.2
0105	028	5500	0.13	1484	1	55	80	2.5	10	9	13750	12266	RH-3	40	form-based			true	0.7	12	1.200000048	11	11	15400	13916	13916	1.12
0111	003	9034	0.21	29304	0	65	100	3	21	21	27102	0	C-2	65	density-lin	800	true		0.8	11	0.523809552	11	11	43363.19922	14059.19922	14059.19922	1.6
0111	004	9031	0.21	45000	0	65	100	3	21	21	27093	0	C-2	65	density-lin	800			0.8	11	0.523809552	11	11	43348.80078	0	0	1.6
0113	006	8402	0.19	18572	0	65	100	3	19	19	25206	6634	C-2	84	density-lin	800	true		0.8	11	0.578947365	11	11	53772.80078	35200.80078	31840	2.133333
0115	021	6282	0.14	7556	5	55	80	2.5	11	6	15705	8149	NCD-NORT	40	density-lin	400	true		0.75	16	1.454545498	11	11	18846	11290	11290	1.2
0122	028	3874	0.09	3164	3	55	80	2.5	7	4	9685	6521	RH-3	65	form-based			true	0.7	14	2	11	11	16270.7998	13106.7998	13106.7998	1.68
0122	072	3678	0.08	1452	2	55	80	2.5	6	4	9195	7743	RH-3	65	form-based			true	0.7	13	2.166666746	11	10	15447.59961	13995.59961	13995.59961	1.68
0129	028	7678	0.18	3455	2	55	80	2.5	14	12	19195	15740	RM-2	40	density-lin	600	true		0.7	13	0.928571403	11	11	21498.40039	18043.40039	18043.40039	1.12
0136	001	8972	0.21	51025	0	65	100	3	21	21	26916	0	C-2	65	density-lin	800	true		0.8	11	0.523809552	11	11	43065.60156	0	0	1.6
0147	009	3290	0.08	6042	5	65	100	3	8	3	9870	3828	CCB	65	density-lin	200			0.75	16	2	11	11	14805	8763	8763	1.5
0154	005	3437	0.08	1214	1	65	100	3	8	7	10311	9097	RM-1	65	form-based			true	0.7	12	1.5	11	11	14435.39941	13221.39941	13221.39941	1.4
0154	023A	3587	0.08	2750	2	65	100	3	8	6	10761	8011	RH-3	65	form-based			true	0.7	13	1.625	11	11	15065.39941	12315.39941	12315.39941	1.4
0160	001	3200	0.07	12930	5	65	100	3	7	2	9600	0	CCB	85	density-lin	200	true		0.75	16	2.285714388	11	9	19200	6270	6270	2
0162	010	2234	0.05	4840	0	65	100	3	5	5	6702	1862	CRNC	50	density-lin	200	true		0.75	11	2.200000048	11	10	8377.5	3537.5	3537.5	1.25
0163	008A	8762	0.2	15240	0	65	100	3	20	20	26286	11046	C-2	65	density-lin	800			0.8	11	0.550000012	11	11	42057.60156	26817.60156	26817.60156	1.6
0165	008	2636	0.06	14154	0	65	100	3	6	6	7908	0	C-2	65	form-base	800			0.8	11	1.833333373	11	11	12652.7998	0	0	1.6
0176	017	9188	0.21	26501	0	65	100	3	21	21	27564	1063	C-2	65	density-lin	800			0.8	11	0.523809552	11	11	44102.40234	17601.40234	17601.40234	1.6
0177	004	2160	0.05	5829	0	65	100	3	5	5	6480	651	CRNC	50	density-lin	200			0.75	11	2.200000048	11	10	8100	2271	2271	1.25
0177	008	3458	0.08	10518	6	65	100	3	8	2	10374	0	CRNC	50	density-lin	200			0.75	17	2.125	11	10	12967.5	2449.5	2449.5	1.25
0177	015	2200	0.05	15195	0	65	100	3	5	5	6600	0	CRNC	50	density-lin	200			0.75	11	2.200000048	11	10	8250	0	0	1.25
0179	016	2147	0.05	7122	0	65	100	3	5	5	6441	0	CRNC	65	density-lin	200	true		0.75	11	2.200000048	11	10	9661.5	2539.5	2539.5	1.5
0184	029	2941	0.07	3831	0	55	80	2.5	6	6	7352	3521	NCD-PACIF	65	form-based			true	0.75	11	1.833333373	11	11	13234.5	9403.5	9403.5	1.800122
0185	015	3781	0.09	3950	2	65	100	3	9	7	11343	7393	RM-1	65	form-based			true	0.7	13	1.444444418	11	11	15880.2002	11930.2002	11930.2002	1.4
0187	010	9403	0.22	20929	24	55	80	2.5	18	0	23508	2579	RM-3	65	form-based			true	0.75	35	1.944444418	11	11	42313.5	21384.5	21384.5	1.799962
0187	031	3261	0.07	2269	1	55	80	2.5	6	5	8152	5883	RM-3	65	form-based			true	0.75	12	2	11	11	14674.5	12405.5	12405.5	1.80011
0187	033	3303	0.08	5300	1	55	80	2.5	6	5	8258	2958	RM-3	65	form-based			true	0.75	12	2	11	11	14863.5	9563.5	9563.5	1.799891
0188	005	9453	0.22	21910	36	55	80	2.5	18	0	23632	1722	RM-4	65	density-lin	200	true		0.75	47	2.611111164	11	0	42538.5	20628.5	20628.5	1.800038
0192	001	12506	0.29	22305	52	65	100	3	29	0	37518	15213	CRNC	85	density-lin	200	true		0.75	63	2.172413826	11	6	75036	52731	52731	2
0193	027	4189	0.1	11445	10	65	100	3	10	0	12567	1122	CRNC	50	density-lin	200			0.75	21	2.099999905	11	10	15708.75	4263.75	4263.75	1.25
0194	001	2226	0.05	10963	0	65	100	3	5	5	6678	0	CCB	65	density-lin	200	true		0.75	11	2.200000048	11	10	10017	0	0	1.5
0200	014	94121	2.16	511955	460	75	120	3.5	259	0	329424	0	RC-4	275	density-lin	200	true		0.55	471	1.818532825	11	11	818365.875	306410.875	146893	2.484233
0210	010	2714	0.06	7720	3	65	100	3	6	3	8142	422	CRNC	50	density-lin	200	true		0.75	14	2.333333254	11	9	10177.5	2457.5	2457.5	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0213	009	4488	0.1	4260	6	65	100	3	10	4	13464	9204	RM-3	65	form-based			true	0.75	17	1.700000048	11	11	20196	15936	15936	1.5
0214	002	3781	0.09	6302	3	55	80	2.5	7	4	9452	3150	RM-3	65	form-based			true	0.75	14	2	11	11	17014.5	10712.5	10712.5	1.800095
0214	003	3781	0.09	4819	3	55	80	2.5	7	4	9452	4633	RM-3	65	form-based			true	0.75	14	2	11	11	17014.5	12195.5	12195.5	1.800095
0216	003	2994	0.07	8924	0	55	80	2.5	6	6	7485	0	RM-3	65	form-based			true	0.75	11	1.833333373	11	11	13473	4549	4549	1.8
0216	027	6041	0.14	14037	12	55	80	2.5	11	0	15102	1065	RM-3	65	form-based			true	0.75	23	2.090909004	11	10	27184.5	13147.5	13147.5	1.80006
0217	002	4528	0.1	8925	6	65	100	3	10	4	13584	4659	RM-3	65	form-based			true	0.75	17	1.700000048	11	11	20376	11451	11451	1.5
0218	012	3680	0.08	4716	3	65	100	3	8	5	11040	6324	RM-3	65	form-based			true	0.75	14	1.75	11	11	16560	11844	11844	1.5
0218	013	3720	0.09	4716	3	65	100	3	9	6	11160	6444	RM-3	65	form-based			true	0.75	14	1.555555582	11	11	16740	12024	12024	1.5
0218	017	4534	0.1	8820	6	65	100	3	10	4	13602	4782	RM-3	65	form-based			true	0.75	17	1.700000048	11	11	20403	11583	11583	1.5
0220	022	5196	0.12	5626	8	55	80	2.5	10	2	12990	7364	RM-3	65	form-based			true	0.75	19	1.899999976	11	11	23382	17756	17756	1.8
0221	004	3300	0.08	4600	1	55	80	2.5	6	5	8250	3650	RM-3	65	form-based			true	0.75	12	2	11	11	14850	10250	10250	1.8
0226	028	2133	0.05	6470	0	65	100	3	5	5	6399	0	CCB	50	density-lim	200			0.75	11	2.200000048	11	10	7998.75	1528.75	1528.75	1.25
0227	010	1208	0.03	0	0	65	100	3	3	3	3624	3624	C-3-O	250	form-based				0.8	11	3.666666746	11	6	10872	10872	7248	3
0227	028	1266	0.03	0	0	65	100	3	3	3	3798	3798	C-3-O	250	form-based				0.8	11	3.666666746	11	6	11394	11394	7596	3
0227	030	2124	0.05	6819	0	65	100	3	5	5	6372	0	CCB	50	density-lim	200			0.75	11	2.200000048	11	10	7965	1146	1146	1.25
0228	009	2390	0.05	11500	0	65	100	3	5	5	7170	0	C-3-O	75	form-based		true		0.8	11	2.200000048	11	10	13384	1884	1884	1.866667
0228	030	2194	0.05	6695	0	65	100	3	5	5	6582	0	C-3-O	75	form-based				0.8	11	2.200000048	11	10	12286.40039	5591.400391	5591.400391	1.866667
0237	018	2292	0.05	6550	0	75	120	3.5	6	6	8022	1472	C-3-O	75	form-based				0.8	11	1.833333373	11	11	12835.2002	6285.200195	6285.200195	1.6
0237	019	2292	0.05	4584	0	75	120	3.5	6	6	8022	3438	C-3-O	75	form-based				0.8	11	1.833333373	11	11	12835.2002	8251.200195	8251.200195	1.6
0242	029	2243	0.05	5880	0	65	100	3	5	5	6729	849	CVR	50	density-lim	200			0.75	11	2.200000048	11	10	8411.25	2531.25	2531.25	1.25
0248	024	4727	0.11	8370	7	55	80	2.5	9	2	11818	3448	RM-3	65	form-based			true	0.75	18	2	11	11	21271.5	12901.5	12901.5	1.799924
0249	015	2480	0.06	7920	11	65	100	3	6	0	7440	0	NCD-POLK	120	form-based		true	true	0.75	22	3.666666746	11	1	22320	14400	6960	3
0249	042	3880	0.09	1760	4	65	100	3	9	5	11640	9880	RM-3	65	form-based			true	0.75	15	1.666666627	11	11	17460	15700	15700	1.5
0249	046	3866	0.09	1520	3	65	100	3	9	6	11598	10078	RM-3	65	form-based			true	0.75	14	1.555555582	11	11	17397	15877	15877	1.5
0250	004	2585	0.06	6625	12	55	80	2.5	5	0	6462	0	RTO-C	140	form-based			true	0.75	23	4.599999905	11	0	23265	16640	6299	3.600279
0251	008	2546	0.06	6426	12	55	80	2.5	5	0	6365	0	RTO-C	140	form-based			true	0.75	23	4.599999905	11	0	22914	16488	6304	3.6
0251	044	1477	0.03	2300	2	55	80	2.5	2	0	3692	1392	RTO-C	120	form-based			true	0.75	13	6.5	11	2	13293	10993	5084	3.600487
0252	011	5156	0.12	12261	15	55	80	2.5	10	0	12890	629	RM-4	65	density-lim	200			0.75	26	2.599999905	11	5	23202	10941	10941	1.8
0257	003	2156	0.05	5000	0	65	100	3	5	5	6468	1468	CCB	50	density-lim	200			0.75	11	2.200000048	11	10	8085	3085	3085	1.25
0257	005	2297	0.05	6900	0	65	100	3	5	5	6891	0	CCB	50	density-lim	200	true		0.75	11	2.200000048	11	10	8613.75	1713.75	1713.75	1.25
0269	006	3450	0.08	8220	0	75	120	3.5	10	10	12075	3855	C-3-O	50	form-based				0.8	11	1.100000024	11	11	13800	5580	5580	1.142857
0270	004	1235	0.03	5371	0	75	120	3.5	4	4	4322	0	C-3-O	130	form-based				0.8	11	2.75	11	8	11115	5744	3273	2.571726
0274	005	2276	0.05	3760	0	65	100	3	5	5	6828	3068	RC-4	65	density-lim	200			0.75	11	2.200000048	11	10	10242	6482	6482	1.5
0276	094	5169	0.12	642	15	65	100	3	12	0	15507	14865	RM-4	65	density-lim	200			0.75	26	2.166666746	11	9	23260.5	22618.5	22618.5	1.5
0277	006A	5906	0.14	31450	42	65	100	3	14	0	17718	0	RTO-C	120	form-based		true	true	0.75	53	3.785714388	11	0	53154	21704	3986	3
0277	029	2807	0.06	1855	14	65	100	3	6	0	8421	6566	RTO-C	120	form-based			true	0.75	25	4.166666508	11	0	25263	23408	14987	3
0280	028	3829	0.09	8356	8	65	100	3	9	1	11487	3131	RC-4	65	density-lim	200			0.75	19	2.111111164	11	10	17230.5	8874.5	8874.5	1.5
0284	018	2200	0.05	2192	0	65	100	3	5	5	6600	4408	RC-4	65	density-lim	200			0.75	11	2.200000048	11	10	9900	7708	7708	1.5
0286	004	1260	0.03	5040	0	75	120	3.5	4	4	4410	0	C-3-R	130	form-based				0.8	11	2.75	11	8	11340	6300	3780	2.571429
0286	005	1200	0.03	9350	0	75	120	3.5	4	4	4200	0	C-3-R	130	form-based		true		0.8	11	2.75	11	8	10800	1450	0	2.571429
0292	007	1200	0.03	0	0	75	120	3.5	4	4	4200	4200	C-3-O	250	form-based				0.8	11	2.75	11	8	10800	10800	8400	2.571429
0294	012	1250	0.03	1550	0	65	100	3	3	3	3750	2200	C-3-R	130	form-based				0.8	11	3.666666746	11	6	11250	9700	5950	3
0298	030	7083	0.16	17680	24	65	100	3	16	0	21249	3569	RC-4	80	density-lim	200			0.75	35	2.1875	11	8	42498	24818	24818	2
0299	016	2229	0.05	1975	0	65	100	3	5	5	6687	4712	RC-4	80	density-lim	200			0.75	11	2.200000048	11	10	13374	11399	11399	2
0300	010	2188	0.05	0	0	65	100	3	5	5	6564	6564	RC-4	80	density-lim	200			0.75	11	2.200000048	11	10	13128	13128	13128	2
0300	233	2188	0.05	1239	0	65	100	3	5	5	6564	5325	RC-4	80	density-lim	200			0.75	11	2.200000048	11	10	13128	11889	11889	2
0306	008	1200	0.03	3600	0	85	140	4	4	4	4800	1200	C-3-G	130	form-based				0.8	11	2.75	11	8	10800	7200	6000	2.25
0306	011	1200	0.03	9600	0	85	140	4	4	4	4800	0	C-3-G	130	form-based				0.8	11	2.75	11	8	10800	1200	0	2.25
0309	013	1225	0.03	4878	0	85	140	4	4	4	4900	22	C-3-R	130	form-based				0.8	11	2.75	11	8	11025	6147	4922	2.25
0310	011	1252	0.03	3290	0	75	120	3.5	4	4	4382	1092	C-3-R	130	form-based				0.8	11	2.75	11	8	11268	7978	5474	2.571429
0310	016	1205	0.03	4275	0	75	120	3.5	4	4	4218	0	C-3-R	130	form-based		true		0.8	11	2.75	11	8	10845	6570	4161	2.571124
0315	009	1447	0.03	0	2	85	140	4	4	2	5788	5788	C-3-G	130	form-based				0.8	13	3.25	11	6	13023	13023	11576	2.25
0315	013	1200	0.03	3753	0	75	120	3.5	4	4	4200	447	C-3-G	130	form-based				0.8	11	2.75	11	8	10800	7047	4647	2.571429
0315	014	1200	0.03	4800	0	75	120	3.5	4	4	4200	0	C-3-G	130	form-based				0.8	11	2.75	11	8	10800	6000	3600	2.571429
0318	017	2294	0.05	2632	0	85	140	4	7	7	9176	6544	RC-4	130	density-lim	200			0.75	11	1.571428537	11	11	20646	18014	15720	2.25
0319	025	6661	0.15	19220	22	85	140	4	21	0	26644	7424	RC-4	80	density-lim	200			0.75	33	1.571428537	11	11	39966	20746	20746	1.5
0321	001	2180	0.05	2175	0	65	100	3	5	5	6540	4365	RC-4	80	density-lim	200	true		0.75	11	2.200000048	11	10	13080	10905	10905	2
0323	027	2664	0.06	6676	2	85	140	4	8	6	10656	3980	RC-4	80	density-lim	200			0.75	13	1.625	11	11	15984	9308	9308	1.5
0334	001	3085	0.07	11767	4	65	100	3	7	3	9255	0	RC-4	80	density-lim	200	true		0.75	15	2.142857075	11	10	18510	6743	6743	2
0337	013	2188	0.05	4374	0	65	100	3	5	5	6564	2190	RC-4	80	density-lim	200			0.75	11	2.200000048	11	10	13128	8754	8754	2
0338	016	2158	0.05	1480	0	65	100	3	5	5	6474	4994	RC-4	80	density-lim	200			0.75	11	2.200000048	11	10	12948	11468	11468	2
0348	022	1950	0.04	0	0	75	120	3.5	5	5	6825	6825	C-3-G	80	form-based				0.8	11	2.200000048	11	10	12480	12480	12480	1.828571
0445A	005A	5000	0.11	8100	0	55	80	2.5	9	9	12500	4400	NC-2	40	form-based		true	true	0.75	11	1.222222209	11	11	15000	6900	6900	1.2
0459	062	8898	0.2	0	0	55	80	2.5	16	16	22245	22245	NC-2	40	density-lim	800	true		0.75	11	0.6875	11	11	26694	26694	26694	1.2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0478	015	2940	0.07	3346	0	85	140	4	10	10	11760	8414	RTO-C	65	form-based			true	0.75	11	1.100000024	11	11	13230	9884	9884	1.125
0479	006	3781	0.09	3782	3	85	140	4	13	10	15124	11342	RTO-C	65	form-based			true	0.75	14	1.076923132	11	11	17014.5	13232.5	13232.5	1.125
0479	009C	3080	0.07	2432	1	65	100	3	7	6	9240	6808	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	13860	11428	11428	1.5
0479	022	3781	0.09	1644	3	85	140	4	13	10	15124	13480	RTO-C	65	form-based			true	0.75	14	1.076923132	11	11	17014.5	15370.5	15370.5	1.125
0479	025	3781	0.09	1907	3	65	100	3	9	6	11343	9436	RTO-C	65	form-based			true	0.75	14	1.555555582	11	11	17014.5	15107.5	15107.5	1.5
0479	030	3764	0.09	1420	3	85	140	4	13	10	15056	13636	RTO-C	65	form-based			true	0.75	14	1.076923132	11	11	16938	15518	15518	1.125
0480	004	3437	0.08	3503	2	65	100	3	8	6	10311	6808	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15466.5	11963.5	11963.5	1.5
0480	021	3437	0.08	1296	2	65	100	3	8	6	10311	9015	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15466.5	14170.5	14170.5	1.5
0480	026	3438	0.08	1947	2	65	100	3	8	6	10314	8367	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	13524	13524	1.5
0481	013	3437	0.08	3198	2	65	100	3	8	6	10311	7113	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15466.5	12268.5	12268.5	1.5
0481	014	3438	0.08	3280	2	65	100	3	8	6	10314	7034	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	12191	12191	1.5
0481	015	3438	0.08	2500	2	65	100	3	8	6	10314	7814	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	12971	12971	1.5
0481	016	3438	0.08	2826	2	65	100	3	8	6	10314	7488	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	12645	12645	1.5
0481	017	3437	0.08	2500	2	65	100	3	8	6	10311	7811	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15466.5	12966.5	12966.5	1.5
0481	018	3438	0.08	2668	2	65	100	3	8	6	10314	7646	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	12803	12803	1.5
0481	047	3438	0.08	1175	2	65	100	3	8	6	10314	9139	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	14296	14296	1.5
0482	011	3440	0.08	2250	2	55	80	2.5	6	4	8600	6350	RTO-C	65	form-based			true	0.75	13	2.166666746	11	10	15480	13230	13230	1.8
0482	012	3440	0.08	2200	2	55	80	2.5	6	4	8600	6400	RTO-C	65	form-based			true	0.75	13	2.166666746	11	10	15480	13280	13280	1.8
0482	015	3440	0.08	2820	2	55	80	2.5	6	4	8600	5780	RTO-C	65	form-based			true	0.75	13	2.166666746	11	10	15480	12660	12660	1.8
0493	004	3300	0.08	4650	6	55	80	2.5	6	0	8250	3600	NC-3	85	form-based			true	0.75	17	2.833333254	11	6	19800	15150	11850	2.4
0497	001E	3431	0.08	3570	2	65	100	3	8	6	10293	6723	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15439.5	11869.5	11869.5	1.5
0497	009A	3423	0.08	3544	2	65	100	3	8	6	10269	6725	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15403.5	11859.5	11859.5	1.5
0497	009C	3430	0.08	3250	2	65	100	3	8	6	10290	7040	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15435	12185	12185	1.5
0497	028	3422	0.08	2046	2	65	100	3	8	6	10266	8220	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15399	13353	13353	1.5
0502	014	9273	0.21	668	24	65	100	3	21	0	27819	27151	RM-3	65	form-based			true	0.75	35	1.666666627	11	11	41728.5	41060.5	41060.5	1.5
0502	051	3402	0.08	2005	1	65	100	3	8	7	10206	8201	RH-3	65	form-based			true	0.7	12	1.5	11	11	14288.39941	12283.39941	12283.39941	1.4
0505	016	1519	0.03	2900	3	65	100	3	3	0	4557	1657	NC-3	140	form-based			true	0.75	14	4.666666508	11	3	13671	10771	6214	3
0505	023	1488	0.03	1193	2	65	100	3	3	1	4464	3271	NC-3	140	form-based			true	0.75	13	4.333333492	11	4	13392	12199	7735	3
0507	032	2670	0.06	3600	3	55	80	2.5	5	2	6675	3075	NC-3	85	form-based			true	0.75	14	2.799999952	11	7	16020	12420	9750	2.4
0507	047	2678	0.06	1452	3	55	80	2.5	5	2	6695	5243	NC-3	85	form-based			true	0.75	14	2.799999952	11	7	16068	14616	11938	2.4
0507	050	2676	0.06	1263	3	55	80	2.5	5	2	6690	5427	NC-3	85	form-based			true	0.75	14	2.799999952	11	7	16056	14793	12117	2.4
0521	001	4448	0.1	11037	12	65	100	3	10	0	13344	2307	RTO-C	85	form-based	true		true	0.75	23	2.299999952	11	8	26688	15651	15651	2
0521	009	3875	0.09	7920	9	65	100	3	9	0	11625	3705	RTO-C	85	form-based			true	0.75	20	2.222222328	11	9	23250	15330	15330	2
0521	015	3848	0.09	8841	9	65	100	3	9	0	11544	2703	RTO-C	85	form-based			true	0.75	20	2.222222328	11	9	23088	14247	14247	2
0521	019	2633	0.06	3500	3	65	100	3	6	3	7899	4399	RTO-C	85	form-based			true	0.75	14	2.333333254	11	9	15798	12298	12298	2
0521	051	2500	0.06	2310	2	65	100	3	6	4	7500	5190	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12690	12690	2
0522	007	5000	0.11	12690	15	65	100	3	11	0	15000	2310	RTO-C	85	form-based	true		true	0.75	26	2.363636255	11	7	30000	17310	17310	2
0522	008	2500	0.06	2574	2	65	100	3	6	4	7500	4926	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12426	12426	2
0524	054	2626	0.06	1260	2	65	100	3	6	4	7878	6618	RH-3	85	form-based			true	0.7	13	2.166666746	11	10	14705.59961	13445.59961	13445.59961	1.866667
0526	001	4660	0.11	12120	13	65	100	3	11	0	13980	1860	NCD-POLK	85	form-based	true		true	0.75	24	2.181818247	11	9	27960	15840	15840	2
0526	006	2542	0.06	4680	2	65	100	3	6	4	7626	2946	NCD-POLK	85	form-based			true	0.75	13	2.166666746	11	10	15252	10572	10572	2
0527	086	3283	0.08	1167	6	65	100	3	8	2	9849	8682	RTO-C	85	form-based			true	0.75	17	2.125	11	10	19698	18531	18531	2
0528	009D	2812	0.06	3020	0	65	100	3	6	6	8436	5416	NCD-UNIO	65	form-based			true	0.75	11	1.833333373	11	11	12654	9634	9634	1.5
0528	027	3850	0.09	1685	3	65	100	3	9	6	11550	9865	NCD-UNIO	65	form-based			true	0.75	14	1.555555582	11	11	17325	15640	15640	1.5
0528	033	2676	0.06	1887	3	65	100	3	6	3	8028	6141	RTO-C	85	form-based			true	0.75	14	2.333333254	11	9	16056	14169	14169	2
0529	002B	6595	0.15	13891	14	65	100	3	15	1	19785	5894	NCD-UNIO	65	form-based			true	0.75	25	1.666666627	11	11	29677.5	15786.5	15786.5	1.5
0529	008	3712	0.09	3322	3	65	100	3	9	6	11136	7814	NCD-UNIO	65	form-based			true	0.75	14	1.555555582	11	11	16704	13382	13382	1.5
0530	011	3000	0.07	3000	0	55	80	2.5	6	6	7500	4500	NCD-UNIO	65	form-based			true	0.75	11	1.833333373	11	11	13500	10500	10500	1.8
0530	013	3437	0.08	3535	2	55	80	2.5	6	4	8592	5057	NCD-UNIO	65	form-based			true	0.75	13	2.166666746	11	10	15466.5	11931.5	11931.5	1.800105
0531	012	3431	0.08	3270	2	55	80	2.5	6	4	8578	5308	NCD-UNIO	65	form-based			true	0.75	13	2.166666746	11	10	15439.5	12169.5	12169.5	1.799895
0532	011	4726	0.11	6819	7	55	80	2.5	9	2	11815	4996	NCD-UNIO	65	form-based			true	0.75	18	2	11	11	21267	14448	14448	1.8
0543	029	2856	0.07	3250	0	55	80	2.5	6	6	7140	3890	NCD-UNIO	65	form-based			true	0.75	11	1.833333373	11	11	12852	9602	9602	1.8
0544	001	2969	0.07	0	0	65	100	3	7	7	8907	8907	NCD-UNIO	65	form-based	true		true	0.75	11	1.571428537	11	11	13360.5	13360.5	13360.5	1.5
0544	029	7460	0.17	12450	5	65	100	3	17	12	22380	9930	RH-2	40	form-based			true	0.7	16	0.941176474	11	11	20888	8438	8438	0.933333
0545	014	3438	0.08	2470	2	65	100	3	8	6	10314	7844	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	13001	13001	1.5
0545	015	3437	0.08	2470	2	65	100	3	8	6	10311	7841	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15466.5	12996.5	12996.5	1.5
0548	015	2000	0.05	2600	0	65	100	3	5	5	6000	3400	NCD-POLK	85	form-based	true		true	0.75	11	2.200000048	11	10	12000	9400	9400	2
0548	024	6623	0.15	11976	12	65	100	3	15	3	19869	7893	RM-2	65	form-based			true	0.7	23	1.533333302	11	11	27816.59961	15840.59961	15840.59961	1.4
0548	025A	6591	0.15	11976	12	65	100	3	15	3	19773	7797	RM-2	65	form-based			true	0.7	23	1.533333302	11	11	27682.19922	15706.19922	15706.19922	1.4
0549	015A	4666	0.11	10254	12	65	100	3	11	0	13998	3744	RM-2	85	form-based			true	0.7	23	2.090909004	11	10	26129.59961	15875.59961	15875.59961	1.866667
0550	011	3063	0.07	6172	5	65	100	3	7	2	9189	3017	RTO-C	85	form-based			true	0.75	16	2.285714388	11	9	18378	12206	12206	2
0550	034	2901	0.07	4060	4	65	100	3	7	3	8703	4643	RTO-C	85	form-based			true	0.75	15	2.142857075	11	10	17406	13346	13346	2
0553	005	2503	0.06	4488	2	65	100	3	6	4	7509	3021	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15018	10530	10530	2
0557	009	6206	0.14	9172	2	55	80	2.5	11	9	15515	6343	RH-2	40	form-based			true	0.7	13	1.181818128	11	11	17376.79883	8204.798828	8204.798828	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0557	062	5084	0.12	6057	0	55	80	2.5	10	10	12710	6653	RH-2	40	form-based			true	0.7	11	1.100000024	11	11	14235.2002	8178.200195	8178.200195	1.12
0561	017	5625	0.13	7873	1	55	80	2.5	10	9	14062	6189	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15750	7877	7877	1.12004
0561	018	5840	0.13	6865	1	55	80	2.5	10	9	14600	7735	RH-1	40	form-based		true	true	0.7	12	1.200000048	11	11	16352	9487	9487	1.12
0562	005	5500	0.13	5825	1	55	80	2.5	10	9	13750	7925	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15400	9575	9575	1.12
0563	007	5500	0.13	9079	1	55	80	2.5	10	9	13750	4671	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15400	6321	6321	1.12
0569	020	2263	0.05	3407	1	65	100	3	5	4	6789	3382	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13578	10171	10171	2
0569	025	3285	0.08	1306	6	65	100	3	8	2	9855	8549	RTO-C	85	form-based			true	0.75	17	2.125	11	10	19710	18404	18404	2
0574	007	2500	0.06	3534	2	65	100	3	6	4	7500	3966	NCD-POLK	85	form-based			true	0.75	13	2.166666746	11	10	15000	11466	11466	2
0576	005	1300	0.03	3268	1	65	100	3	3	2	3900	632	RTO-C	140	form-based			true	0.75	12	4	11	5	11700	8432	4532	3
0579	016	3438	0.08	3485	2	55	80	2.5	6	4	8595	5110	RTO-C	65	form-based			true	0.75	13	2.166666746	11	10	15471	11986	11986	1.8
0579	034	3438	0.08	1468	2	55	80	2.5	6	4	8595	7127	RTO-C	65	form-based			true	0.75	13	2.166666746	11	10	15471	14003	14003	1.8
0579	045	3438	0.08	2025	2	55	80	2.5	6	4	8595	6570	RTO-C	65	form-based			true	0.75	13	2.166666746	11	10	15471	13446	13446	1.8
0579	050	3869	0.09	2576	4	55	80	2.5	7	3	9672	7096	RTO-C	65	form-based			true	0.75	15	2.142857075	11	10	17410.5	14834.5	14834.5	1.800093
0582	008	5629	0.13	7989	1	55	80	2.5	10	9	14072	6083	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15761.2002	7772.200195	7772.200195	1.12004
0582	021	5551	0.13	6565	1	55	80	2.5	10	9	13878	7313	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15542.7998	8977.799805	8977.799805	1.11996
0584	007	5586	0.13	5206	1	55	80	2.5	10	9	13965	8759	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15640.7998	10434.7998	10434.7998	1.12
0584	019	5599	0.13	5395	1	55	80	2.5	10	9	13998	8603	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15677.2002	10282.2002	10282.2002	1.11996
0589	051	6388	0.15	4549	2	55	80	2.5	12	10	15970	11421	RH-2	40	form-based			true	0.7	13	1.083333373	11	11	17886.40039	13337.40039	13337.40039	1.12
0590	008	5777	0.13	9103	1	55	80	2.5	10	9	14442	5339	RH-2	40	form-based			true	0.7	12	1.200000048	11	11	16175.59961	7072.599609	7072.599609	1.120039
0596	018	2873	0.07	3820	3	65	100	3	7	4	8619	4799	RM-1	85	form-based			true	0.7	14	2	11	11	16088.7998	12268.7998	12268.7998	1.866667
0599	011	2562	0.06	5940	12	65	100	3	6	0	7686	1746	RTO-C	240	form-based			true	0.75	23	3.833333254	11	0	23058	17118	9432	3
0602	002	5843	0.13	7885	1	55	80	2.5	10	9	14608	6723	RH-2	40	form-based		true	true	0.7	12	1.200000048	11	11	16360.39941	8475.399414	8475.399414	1.119962
0606	013	5759	0.13	3900	1	65	100	3	13	12	17277	13377	RH-2	40	form-based			true	0.7	12	0.923076928	11	11	16125.2002	12225.2002	12225.2002	0.933333
0611	001	2942	0.07	2942	0	65	100	3	7	7	8826	5884	NCD-UPPE	65	form-based		true	true	0.75	11	1.571428537	11	11	13239	10297	10297	1.5
0612	035	4479	0.1	9150	6	65	100	3	10	4	13437	4287	NCD-UPPE	65	form-based			true	0.75	17	1.700000048	11	11	20155.5	11005.5	11005.5	1.5
0613	002	5248	0.12	0	0	55	80	2.5	10	10	13120	13120	RM-1	40	form-based			true	0.7	11	1.100000024	11	11	14694.39941	14694.39941	14694.39941	1.12
0613	021	6383	0.15	6556	2	55	80	2.5	12	10	15958	9402	RH-2	40	form-based			true	0.7	13	1.083333373	11	11	17872.40039	11316.40039	11316.40039	1.119965
0617	012	5844	0.13	5650	1	65	100	3	13	12	17532	11882	RH-2	40	form-based			true	0.7	12	0.923076928	11	11	16363.2002	10713.2002	10713.2002	0.933333
0620	025	4680	0.11	8760	12	65	100	3	11	0	14040	5280	RM-2	85	form-based			true	0.7	23	2.090909004	11	10	26208	17448	17448	1.866667
0620	026	4602	0.11	10870	12	65	100	3	11	0	13806	2936	RM-2	85	form-based			true	0.7	23	2.090909004	11	10	25771.19922	14901.19922	14901.19922	1.866667
0620	028	4473	0.1	9975	12	65	100	3	10	0	13419	3444	RM-3	85	form-based			true	0.75	23	2.299999952	11	8	26838	16863	16863	2
0632	002	4451	0.1	4027	1	65	100	3	10	9	13353	9326	RH-3	50	form-based			true	0.7	12	1.200000048	11	11	15578.5	11551.5	11551.5	1.166667
0632	017	5595	0.13	4510	1	65	100	3	13	12	16785	12275	RH-3	40	form-based			true	0.7	12	0.923076928	11	11	15666	11156	11156	0.933333
0639	003B	2231	0.05	2750	1	55	80	2.5	4	3	5578	2828	RTO-C	85	form-based			true	0.75	12	3	11	7	13386	10636	8406	2.399785
0639	009	2770	0.06	3992	4	55	80	2.5	5	1	6925	2933	RTO-C	85	form-based		true	true	0.75	15	3	11	6	16620	12628	9858	2.4
0639	009A	2769	0.06	4588	4	55	80	2.5	5	1	6922	2334	RTO-C	85	form-based			true	0.75	15	3	11	6	16614	12026	9256	2.400173
0639	009B	2769	0.06	3992	4	55	80	2.5	5	1	6922	2930	RTO-C	85	form-based			true	0.75	15	3	11	6	16614	12622	9852	2.400173
0640	008	4727	0.11	9783	14	65	100	3	11	0	14181	4398	RTO-C	85	form-based			true	0.75	25	2.272727251	11	8	28362	18579	18579	2
0641	006	5174	0.12	0	0	65	100	3	12	12	15522	15522	RH-2	40	form-based			true	0.7	11	0.916666687	11	11	14487.2002	14487.2002	14487.2002	0.933333
0641	010	5648	0.13	4582	1	65	100	3	13	12	16944	12362	RH-2	40	form-based			true	0.7	12	0.923076928	11	11	15814.39941	11232.39941	11232.39941	0.933333
0645	012	1789	0.04	4559	5	65	100	3	4	0	5367	808	NCD-POLK	120	form-based			true	0.75	16	4	11	3	16101	11542	6175	3
0644	011	2068	0.05	6231	8	65	100	3	5	0	6204	0	NCD-POLK	120	form-based			true	0.75	19	3.799999952	11	2	18612	12381	6177	3
0644	020	3540	0.08	5010	8	65	100	3	8	0	10620	5610	RM-3	85	form-based			true	0.75	19	2.375	11	8	21240	16230	16230	2
0644	024	3257	0.07	4791	6	65	100	3	7	1	9771	4980	RM-3	85	form-based			true	0.75	17	2.428571463	11	8	19542	14751	14751	2
0645	008	2725	0.06	6870	14	65	100	3	6	0	8175	1305	NCD-POLK	120	form-based			true	0.75	25	4.166666508	11	0	24525	17655	9480	3
0645	009	1250	0.03	1170	0	65	100	3	3	3	3750	2580	NCD-POLK	120	form-based		true	true	0.75	11	3.666666746	11	6	11250	10080	6330	3
0645	013	3180	0.07	13280	18	65	100	3	7	0	9540	0	NCD-POLK	120	form-based			true	0.75	29	4.142857075	11	0	28620	15340	5800	3
0648	017	6875	0.16	25100	25	65	100	3	16	0	20625	0	RTO-C	85	form-based			true	0.75	36	2.25	11	7	41250	16150	16150	2
0649	001	8661	0.2	727	11	65	100	3	20	9	25983	25256	RM-3	40	density-lim	400	true		0.75	22	1.100000024	11	11	25983	25256	25256	1
0653	037	2205	0.05	2701	1	65	100	3	5	4	6615	3914	RTO-C	85	form-based		true	true	0.75	12	2.400000095	11	9	13230	10529	10529	2
0654	001A	2083	0.05	1793	0	65	100	3	5	5	6249	4456	NCD-UPPE	85	form-based			true	0.75	11	2.200000048	11	10	12498	10705	10705	2
0656	008	5775	0.13	5070	1	65	100	3	13	12	17325	12255	RH-2	40	form-based			true	0.7	12	0.923076928	11	11	16170	11100	11100	0.933333
0657	004	2600	0.06	2424	3	65	100	3	6	3	7800	5376	RTO-C	85	form-based			true	0.75	14	2.333333254	11	9	15600	13176	13176	2
0657	007	2500	0.06	2960	2	65	100	3	6	4	7500	4540	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12040	12040	2
0674	002A	6653	0.15	18089	22	65	100	3	15	0	19959	1870	RM-4	50	density-lim	200	true		0.75	33	2.200000048	11	8	24948.75	6859.75	6859.75	1.25
0675	044	13750	0.32	21002	23	65	100	3	32	9	41250	20248	RM-3	50	density-lim	400			0.75	34	1.0625	11	11	51562.5	30560.5	30560.5	1.25
0677	127	12031	0.28	1081	19	65	100	3	28	9	36093	35012	RM-3	40	density-lim	400			0.75	30	1.071428537	11	11	36093	35012	35012	1
0679	008	2750	0.06	5826	3	65	100	3	6	3	8250	2424	NC-2	85	form-based			true	0.75	14	2.333333254	11	9	16500	10674	10674	2
0679	014	2750	0.06	6108	3	65	100	3	6	3	8250	2142	NC-2	85	form-based			true	0.75	14	2.333333254	11	9	16500	10392	10392	2
0680	005	2502	0.06	3635	2	65	100	3	6	4	7506	3871	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15012	11377	11377	2
0681	005	5469	0.13	14330	18	65	100	3	13	0	16407	2077	RTO-C	85	form-based		true	true	0.75	29	2.230769157	11	8	32814	18484	18484	2
0681	023	2167	0.05	1980	0	65	100	3	5	5	6501	4521	RTO-C	85	form-based			true	0.75	11	2.200000048	11	10	13002	11022	11022	2
0688	004	2399	0.06	5118	1	65	100	3	6	5	7197	2079	RM-4	50	density-lim	200	true		0.75	12	2	11	11	8996.25	3878.25	3878.25	1.25
0693	019	2212	0.05	4050	0	65	100	3	5	5	6636	2586	RC-4	80	density-lim	200			0.75	11	2.200000048	11	10	13272	9222	9222	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0715	011	6732	0.15	38706	0	65	100	3	15	15	20196	0	NCD-LOWI	130	density-lin	600			0.75	11	0.733333349	11	11	60588	21882	1686	3
0717	014	6762	0.16	14475	0	65	100	3	16	16	20286	5811	NCD-LOWI	130	density-lin	600			0.75	11	0.6875	11	11	60858	46383	26097	3
0717	015	6468	0.15	10321	0	65	100	3	15	15	19404	9083	NCD-LOWI	130	density-lin	600			0.75	11	0.733333349	11	11	58212	47891	28487	3
0724	041	5382	0.12	1913	2	65	100	3	12	10	16146	14233	RM-3	50	density-lin	400			0.75	13	1.083333373	11	11	20182.5	18269.5	18269.5	1.25
0740	003	2126	0.05	3768	0	65	100	3	5	5	6378	2610	RC-4	80	density-lin	200			0.75	11	2.200000048	11	10	12756	8988	8988	2
0741	008	2269	0.05	2617	0	65	100	3	5	5	6807	4190	RC-4	80	density-lin	200			0.75	11	2.200000048	11	10	13614	10997	10997	2
0741	009	2269	0.05	2135	0	65	100	3	5	5	6807	4672	RC-4	80	density-lin	200			0.75	11	2.200000048	11	10	13614	11479	11479	2
0744	013	9453	0.22	16788	36	65	100	3	22	0	28359	11571	RM-4	80	density-lin	200			0.75	47	2.136363745	11	8	56718	39930	39930	2
0744	020	7500	0.17	17334	27	65	100	3	17	0	22500	5166	RM-4	80	density-lin	200	true		0.75	38	2.235294104	11	7	45000	27666	27666	2
0778	006	10561	0.24	12180	0	55	80	2.5	19	19	26402	14222	RH-3	40	density-lin	1000	true		0.7	11	0.578947365	11	11	29570.79883	17390.79883	17390.79883	1.120021
0779	018	2870	0.07	3850	3	55	80	2.5	6	3	7175	3325	RM-4	40	density-lin	200			0.75	14	2.333333254	11	9	8610	4760	4760	1.2
0779	019	2325	0.05	3125	1	55	80	2.5	4	3	5812	2687	RM-4	40	density-lin	200			0.75	12	3	11	7	6975	3850	3850	1.200103
0780	035	6531	0.15	0	0	55	80	2.5	12	12	16328	16328	RTO-1	50	density-lin	600			0.7	11	0.916666687	11	11	22858.5	22858.5	22858.5	1.399957
0793	001	3600	0.08	7200	0	65	100	3	8	8	10800	3600	NCT-3	50	form-based		true		0.75	11	1.375	11	11	13500	6300	6300	1.25
0804	011	3781	0.09	10251	0	55	80	2.5	7	7	9452	0	RM-1	50	form-based			true	0.7	11	1.571428537	11	11	13233.5	2982.5	2982.5	1.400074
0804	012	3781	0.09	5803	0	55	80	2.5	7	7	9452	3649	RM-1	50	form-based			true	0.7	11	1.571428537	11	11	13233.5	7430.5	7430.5	1.400074
0805	001	4025	0.09	0	0	55	80	2.5	7	7	10062	10062	RH-3	50	form-based		true	true	0.7	11	1.571428537	11	11	14087.5	14087.5	14087.5	1.40007
0846	014	3438	0.08	4400	2	65	100	3	8	6	10314	5914	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	11071	11071	1.5
0846	017	3506	0.08	2980	2	65	100	3	8	6	10518	7538	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15777	12797	12797	1.5
0846	085	2916	0.07	4044	0	65	100	3	7	7	8748	4704	NC-1	65	form-based			true	0.75	11	1.571428537	11	11	13122	9078	9078	1.5
0847	054	3438	0.08	1638	2	65	100	3	8	6	10314	8676	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	13833	13833	1.5
0847	060	3438	0.08	2431	2	65	100	3	8	6	10314	7883	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	13040	13040	1.5
0848	006B	2938	0.07	5526	0	65	100	3	7	7	8814	3288	NCD-LOWI	65	form-based			true	0.75	11	1.571428537	11	11	13221	7695	7695	1.5
0859	039	3454	0.08	2750	2	65	100	3	8	6	10362	7612	NCD-LOWI	65	form-based			true	0.75	13	1.625	11	11	15543	12793	12793	1.5
0861	094	5313	0.12	1354	4	65	100	3	12	8	15939	14585	RH-3	50	form-based			true	0.7	15	1.25	11	11	18595.5	17241.5	17241.5	1.166667
0875	008	2942	0.07	4793	4	65	100	3	7	3	8826	4033	RTO-C	85	form-based			true	0.75	15	2.142857075	11	10	17652	12859	12859	2
0953	008	5500	0.13	8081	1	55	80	2.5	10	9	13750	5669	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15400	7319	7319	1.12
0953	012	5672	0.13	5950	1	55	80	2.5	10	9	14180	8230	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15881.59961	9931.599609	9931.599609	1.12
0954	006	5844	0.13	7790	1	55	80	2.5	10	9	14610	6820	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16363.2002	8573.200195	8573.200195	1.12
0954	007	5500	0.13	8722	1	55	80	2.5	10	9	13750	5028	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15400	6678	6678	1.12
0955	017	5688	0.13	9500	1	55	80	2.5	10	9	14220	4720	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15926.39941	6426.399414	6426.399414	1.12
0957	002	5500	0.13	8525	1	55	80	2.5	10	9	13750	5225	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15400	6875	6875	1.12
0957	014	5809	0.13	3386	1	55	80	2.5	10	9	14522	11136	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16265.2002	12879.2002	12879.2002	1.120039
0958	006	5639	0.13	5294	1	55	80	2.5	10	9	14098	8804	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15789.2002	10495.2002	10495.2002	1.11996
0960	006	5845	0.13	4099	1	55	80	2.5	10	9	14612	10513	RH-1	40	form-based		true	true	0.7	12	1.200000048	11	11	16366	12267	12267	1.120038
0963	040	5894	0.14	4643	1	55	80	2.5	11	10	14735	10092	RH-1	40	form-based			true	0.7	12	1.090909123	11	11	16503.19922	11860.19922	11860.19922	1.12
0964	006	5834	0.13	3738	1	55	80	2.5	10	9	14585	10847	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16335.2002	12597.2002	12597.2002	1.12
0964	007A	5842	0.13	7092	1	55	80	2.5	10	9	14605	7513	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16357.59961	9265.599609	9265.599609	1.12
0970	003	5767	0.13	8065	1	55	80	2.5	10	9	14418	6353	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	16147.59961	8082.599609	8082.599609	1.119961
0970	011	5945	0.14	10288	1	55	80	2.5	11	10	14862	4574	RH-1	40	form-based		true	true	0.7	12	1.090909123	11	11	16646	6358	6358	1.120038
0972	006	5586	0.13	4160	1	55	80	2.5	10	9	13965	9805	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15640.7998	11480.7998	11480.7998	1.12
0972	007	5586	0.13	5500	1	55	80	2.5	10	9	13965	8465	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15640.7998	10140.7998	10140.7998	1.12
0975	015	5577	0.13	6250	1	55	80	2.5	10	9	13942	7692	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15615.59961	9365.599609	9365.599609	1.12004
0975	017	5633	0.13	5442	1	55	80	2.5	10	9	14082	8640	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15772.39941	10330.39941	10330.39941	1.12004
0977	021	5761	0.13	7076	1	55	80	2.5	10	9	14402	7326	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16130.7998	9054.799805	9054.799805	1.120039
0977	022	5762	0.13	6860	1	55	80	2.5	10	9	14405	7545	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16133.59961	9273.599609	9273.599609	1.12
0978	025	8472	0.19	1736	7	55	80	2.5	15	8	21180	19444	RH-2	40	form-based			true	0.7	18	1.200000048	11	11	23721.59961	21985.59961	21985.59961	1.12
0978	037	5425	0.12	9992	0	55	80	2.5	10	10	13562	3570	RH-1	40	form-based			true	0.7	11	1.100000024	11	11	15190	5198	5198	1.120041
0979	048	7023	0.16	1496	4	65	100	3	16	12	21069	19573	RH-2	40	form-based			true	0.7	15	0.9375	11	11	19664.40039	18168.40039	18168.40039	0.933333
0987	023	5803	0.13	3300	1	55	80	2.5	10	9	14508	11208	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	16248.39941	12948.39941	12948.39941	1.119961
0993	010	5108	0.12	0	0	55	80	2.5	10	10	12770	12770	RH-1	40	form-based			true	0.7	11	1.100000024	11	11	14302.39941	14302.39941	14302.39941	1.12
0993	025	5746	0.13	5960	1	55	80	2.5	10	9	14365	8405	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	16088.7998	10128.7998	10128.7998	1.12
0997	008	5693	0.13	7246	1	65	100	3	13	12	17079	9833	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15940.39941	8694.399414	8694.399414	0.933333
1005	019	5480	0.13	4318	1	65	100	3	13	12	16440	12122	RH-2	40	form-based			true	0.7	12	0.923076928	11	11	15344	11026	11026	0.933333
1008	008	3511	0.08	3830	2	65	100	3	8	6	10533	6703	NCD-SACR	65	form-based			true	0.75	13	1.625	11	11	15799.5	11969.5	11969.5	1.5
1008	009	3511	0.08	3060	2	65	100	3	8	6	10533	7473	NCD-SACR	65	form-based			true	0.75	13	1.625	11	11	15799.5	12739.5	12739.5	1.5
1010	024A	5616	0.13	4133	1	65	100	3	13	12	16848	12715	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15724.7998	11591.7998	11591.7998	0.933333
1013	025	5652	0.13	4395	1	55	80	2.5	10	9	14130	9735	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15825.59961	11430.59961	11430.59961	1.12
1015	027	2729	0.06	5199	3	55	80	2.5	5	2	6822	1623	RTO-C	85	form-based			true	0.75	14	2.799999952	11	7	16374	11175	8445	2.400176
1016	006	2067	0.05	0	0	55	80	2.5	4	4	5168	5168	RTO-C	80	form-based			true	0.75	11	2.75	11	8	12402	12402	10336	2.399768
1016	007	2068	0.05	0	0	55	80	2.5	4	4	5170	5170	RTO-C	80	form-based			true	0.75	11	2.75	11	8	12408	12408	10340	2.4
1016	008	2068	0.05	0	0	55	80	2.5	4	4	5170	5170	RTO-C	80	form-based			true	0.75	11	2.75	11	8	12408	12408	10340	2.4
1019	026	3667	0.08	3410	3	65	100	3	8	5	11001	7591	NCD-SACR	65	form-based			true	0.75	14	1.75	11	11	16501.5	13091.5	13091.5	1.5
1020	088	2690	0.06	1855	3	65	100	3	6	3	8070	6215	RTO-C	85	form-based			true	0.75	14	2.333333254	11	9	16140	14285	14285	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1022	018	4156	0.1	4100	5	65	100	3	10	5	12468	8368	NCD-SACR	65	form-based		true	true	0.75	16	1.600000024	11	11	18702	14602	14602	1.5
1023	011	2255	0.05	2191	1	85	140	4	7	6	9020	6829	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	13530	11339	11339	1.5
1023	021	5189	0.12	9856	16	65	100	3	12	0	15567	5711	RTO-C	85	form-based		true	true	0.75	27	2.25	11	8	31134	21278	21278	2
1024	006	4466	0.1	11685	12	65	100	3	10	0	13398	1713	RTO-C	85	form-based		true	true	0.75	23	2.299999952	11	8	26796	15111	15111	2
1024	010	3646	0.08	8700	8	85	140	4	11	3	14584	5884	RTO-C	85	form-based			true	0.75	19	1.727272749	11	11	21876	13176	13176	1.5
1024	031	3978	0.09	5357	10	85	140	4	13	3	15912	10555	RTO-C	85	form-based			true	0.75	21	1.615384579	11	11	23868	18511	18511	1.5
1027	009	2263	0.05	3360	1	65	100	3	5	4	6789	3429	NC-2	85	form-based			true	0.75	12	2.400000095	11	9	13578	10218	10218	2
1028	001	5758	0.13	15644	19	85	140	4	18	0	23032	7388	NC-2	85	form-based		true	true	0.75	30	1.666666627	11	11	34548	18904	18904	1.5
1030	027	2502	0.06	4123	2	65	100	3	6	4	7506	3383	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15012	10889	10889	2
1030	039	2501	0.06	3210	2	85	140	4	8	6	10004	6794	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15006	11796	11796	1.5
1031	041	3256	0.07	1048	6	85	140	4	10	4	13024	11976	RTO-C	85	form-based			true	0.75	17	1.700000048	11	11	19536	18488	18488	1.5
1031	055	3256	0.07	1073	6	85	140	4	10	4	13024	11951	RTO-C	85	form-based			true	0.75	17	1.700000048	11	11	19536	18463	18463	1.5
1037	022	5641	0.13	3680	1	65	100	3	13	12	16923	13243	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15794.7998	12114.7998	12114.7998	0.933333
1037	028	5847	0.13	6513	1	65	100	3	13	12	17541	11028	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16371.59961	9858.599609	9858.599609	0.933333
1037	029	5847	0.13	3400	1	65	100	3	13	12	17541	14141	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16371.59961	12971.59961	12971.59961	0.933333
1037	031	5847	0.13	4352	1	65	100	3	13	12	17541	13189	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16371.59961	12019.59961	12019.59961	0.933333
1050	015	2664	0.06	6165	3	65	100	3	6	3	7992	1827	NC-2	85	form-based			true	0.75	14	2.333333254	11	9	15984	9819	9819	2
1057	003	4188	0.1	5647	5	65	100	3	10	5	12564	6917	RTO-C	65	form-based			true	0.75	16	1.600000024	11	11	18846	13199	13199	1.5
1057	004	4112	0.09	4800	4	65	100	3	9	5	12336	7536	RTO-C	65	form-based			true	0.75	15	1.666666627	11	11	18504	13704	13704	1.5
1062	066	6000	0.14	3330	2	65	100	3	14	12	18000	14670	RH-1(D)	40	form-based			true	0.7	13	0.928571403	11	11	16800	13470	13470	0.933333
1063	017	5838	0.13	3140	1	85	140	4	18	17	23352	20212	RH-1(D)	40	form-based			true	0.7	12	0.666666687	11	11	16346.39941	13206.39941	13206.39941	0.7
1063	033	5913	0.14	4701	1	65	100	3	14	13	17739	13038	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16556.40039	11855.40039	11855.40039	0.933333
1063	034	5913	0.14	4057	1	65	100	3	14	13	17739	13682	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16556.40039	12499.40039	12499.40039	0.933333
1064	051	6215	0.14	2813	2	65	100	3	14	12	18645	15832	RH-1(D)	40	form-based			true	0.7	13	0.928571403	11	11	17402	14589	14589	0.933333
1064	052	5769	0.13	4565	1	65	100	3	13	12	17307	12742	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16153.2002	11588.2002	11588.2002	0.933333
1065	035	5368	0.12	2736	0	65	100	3	12	12	16104	13368	RH-2	40	form-based			true	0.7	11	0.916666687	11	11	15030.39941	12294.39941	12294.39941	0.933333
1066	022	2667	0.06	4594	3	85	140	4	8	5	10668	6074	NCD-GEAR	85	form-based			true	0.75	14	1.75	11	11	16002	11408	11408	1.5
1074	034	5295	0.12	6090	0	65	100	3	12	12	15885	9795	RH-3	40	form-based		true	true	0.7	11	0.916666687	11	11	14826	8736	8736	0.933333
1081	006	1375	0.03	708	1	85	140	4	4	3	5500	4792	RTO-C	140	form-based			true	0.75	12	3	11	7	12375	11667	10292	2.25
1081	008	2062	0.05	7050	8	85	140	4	7	0	8248	1198	RTO-C	140	form-based		true	true	0.75	19	2.714285612	11	6	18558	11508	9446	2.25
1083	009	4958	0.11	9383	0	65	100	3	11	11	14874	5491	NCD-GEAR	40	form-based			true	0.75	11	1	11	11	14874	5491	5491	1
1085	031	2521	0.06	2237	2	85	140	4	8	6	10084	7847	NCD-GEAR	85	form-based			true	0.75	13	1.625	11	11	15126	12889	12889	1.5
1085	042	2500	0.06	3665	2	65	100	3	6	4	7500	3835	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	11	10	15000	11335	11335	2
1087	002	2575	0.06	3174	3	85	140	4	8	5	10300	7126	RTO-C	85	form-based			true	0.75	14	1.75	11	11	15450	12276	12276	1.5
1087	003	2575	0.06	3500	3	85	140	4	8	5	10300	6800	RTO-C	85	form-based			true	0.75	14	1.75	11	11	15450	11950	11950	1.5
1087	017	2610	0.06	2964	3	65	100	3	6	3	7830	4866	RTO-C	85	form-based			true	0.75	14	2.333333254	11	9	15660	12696	12696	2
1087	032	2575	0.06	1250	3	65	100	3	6	3	7725	6475	RTO-C	85	form-based			true	0.75	14	2.333333254	11	9	15450	14200	14200	2
1088	011	2375	0.05	880	1	65	100	3	5	4	7125	6245	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14250	13370	13370	2
1088	016	2509	0.06	1840	2	65	100	3	6	4	7527	5687	RTO-C	85	form-based		true	true	0.75	13	2.166666746	11	10	15054	13214	13214	2
1088	017	2509	0.06	2060	2	65	100	3	6	4	7527	5467	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15054	12994	12994	2
1088	028	3251	0.07	6244	6	85	140	4	10	4	13004	6760	NCD-GEAR	85	form-based		true	true	0.75	17	1.700000048	11	11	19506	13262	13262	1.5
1088	029	2487	0.06	2516	2	85	140	4	8	6	9948	7432	NCD-GEAR	85	form-based			true	0.75	13	1.625	11	11	14922	12406	12406	1.5
1088	033	2490	0.06	3000	2	85	140	4	8	6	9960	6960	NCD-GEAR	85	form-based			true	0.75	13	1.625	11	11	14940	11940	11940	1.5
1088	038	2508	0.06	2500	2	65	100	3	6	4	7524	5024	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15048	12548	12548	2
1089	012	2500	0.06	3800	2	65	100	3	6	4	7500	3700	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	11200	11200	2
1089	013	2500	0.06	2250	2	65	100	3	6	4	7500	5250	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12750	12750	2
1089	015	2250	0.05	2155	1	65	100	3	5	4	6750	4595	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13500	11345	11345	2
1090	010	2500	0.06	1194	2	65	100	3	6	4	7500	6306	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	13806	13806	2
1090	043	2500	0.06	2375	2	65	100	3	6	4	7500	5125	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12625	12625	2
1091	010	2500	0.06	1905	2	65	100	3	6	4	7500	5595	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	13095	13095	2
1091	012	2500	0.06	2250	2	65	100	3	6	4	7500	5250	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12750	12750	2
1091	013	2500	0.06	1600	2	65	100	3	6	4	7500	5900	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	13400	13400	2
1091	035	4053	0.09	9198	10	65	100	3	9	0	12159	2961	RTO-C	85	form-based		true	true	0.75	21	2.333333254	11	8	24318	15120	15120	2
1091	044	2500	0.06	916	2	65	100	3	6	4	7500	6584	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	14084	14084	2
1092	024	3645	0.08	6525	8	65	100	3	8	0	10935	4410	RTO-C	85	form-based			true	0.75	19	2.375	11	8	21870	15345	15345	2
1100	040	2970	0.07	0	0	65	100	3	7	7	8910	8910	RTO-C	65	form-based			true	0.75	11	1.571428537	11	11	13365	13365	13365	1.5
1100	095	3510	0.08	989	2	65	100	3	8	6	10530	9541	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15795	14806	14806	1.5
1101	009A	4004	0.09	1250	1	65	100	3	9	8	12012	10762	RM-3	50	form-based			true	0.75	12	1.333333373	11	11	15015	13765	13765	1.25
1126	028	4812	0.11	4557	3	65	100	3	11	8	14436	9879	RM-3	50	form-based			true	0.75	14	1.272727251	11	11	18045	13488	13488	1.25
1127	046	5156	0.12	769	8	65	100	3	12	4	15468	14699	RTO-C	65	form-based			true	0.75	19	1.583333373	11	11	23202	22433	22433	1.5
1127	026	3187	0.07	2610	1	65	100	3	7	6	9561	6951	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	14341.5	11731.5	11731.5	1.5
1127	029	3438	0.08	3436	2	65	100	3	8	6	10314	6878	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	12035	12035	1.5
1129	089	4881	0.11	1048	4	65	100	3	11	7	14643	13595	RM-3	50	form-based			true	0.75	15	1.363636374	11	11	18303.75	17255.75	17255.75	1.25
1144	004	2473	0.06	1620	1	55	80	2.5	5	4	6182	4562	RH-2	80	form-based			true	0.7	12	2.400000095	11	9	13848.7998	12228.7998	10744	2.240181

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1144	005	2442	0.06	1480	1	55	80	2.5	5	4	6105	4625	RH-2	80	form-based			true	0.7	12	2.400000095	11	9	13675.2002	12195.2002	10730	2.24
1144	006	2412	0.06	1082	1	55	80	2.5	5	4	6030	4948	RH-2	80	form-based			true	0.7	12	2.400000095	11	9	13507.2002	12425.2002	10978	2.24
1144	007	2381	0.05	1580	1	55	80	2.5	4	3	5952	4372	RH-2	80	form-based			true	0.7	12	3	11	7	13333.59961	11753.59961	10324	2.240188
1144	008	2351	0.05	1080	1	55	80	2.5	4	3	5878	4798	RH-2	80	form-based			true	0.7	12	3	11	7	13165.59961	12085.59961	10676	2.239809
1151	025	5106	0.12	14951	0	55	80	2.5	10	10	12765	0	RH-3	40	form-based		true	true	0.7	11	1.100000024	11	11	14296.7998	0	0	1.12
1154	016	2250	0.05	1900	1	55	80	2.5	4	3	5625	3725	NCT-DIVIS.	85	form-based			true	0.75	12	3	11	7	13500	11600	9350	2.4
1155	023	2500	0.06	2280	2	55	80	2.5	5	3	6250	3970	NCT-DIVIS.	85	form-based			true	0.75	13	2.599999905	11	8	15000	12720	10220	2.4
1155	048	2500	0.06	2159	2	55	80	2.5	5	3	6250	4091	NCT-DIVIS.	85	form-based			true	0.75	13	2.599999905	11	8	15000	12841	10341	2.4
1156	040	2461	0.06	1956	2	55	80	2.5	5	3	6152	4196	NCT-DIVIS.	85	form-based			true	0.75	13	2.599999905	11	8	14766	12810	10348	2.400195
1156	045	2461	0.06	2101	2	55	80	2.5	5	3	6152	4051	NCT-DIVIS.	85	form-based			true	0.75	13	2.599999905	11	8	14766	12665	10203	2.400195
1167	021	4917	0.11	5755	0	55	80	2.5	9	9	12292	6537	NC-1	40	form-based			true	0.75	11	1.222222209	11	11	14751	8996	8996	1.200049
1169	005	3327	0.08	7935	6	55	80	2.5	6	0	8318	383	RTO-C	85	form-based		true	true	0.75	17	2.833333254	11	6	19962	12027	8701	2.399856
1169	006	2557	0.06	3300	2	55	80	2.5	5	3	6392	3092	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15342	12042	9484	2.400188
1169	051	2555	0.06	2061	2	55	80	2.5	5	3	6388	4327	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15330	13269	10715	2.399812
1169	055	2553	0.06	3800	2	55	80	2.5	5	3	6382	2582	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15318	11518	8964	2.400188
1170	026	2350	0.05	1905	1	55	80	2.5	4	3	5875	3970	RH-2	80	form-based			true	0.7	12	3	11	7	13160	11255	9845	2.24
1170	028	2378	0.05	1977	1	55	80	2.5	4	3	5945	3968	RH-2	80	form-based			true	0.7	12	3	11	7	13316.7998	11339.7998	9913	2.24
1176	035	4469	0.1	5845	2	55	80	2.5	8	6	11172	5327	RM-1	50	form-based			true	0.7	13	1.625	11	11	15641.5	9796.5	9796.5	1.400063
1178	011	5591	0.13	1870	1	55	80	2.5	10	9	13978	12108	RM-1	40	form-based			true	0.7	12	1.200000048	11	11	15654.7998	13784.7998	13784.7998	1.11996
1178	017	4612	0.11	2225	2	55	80	2.5	9	7	11530	9305	RH-3	50	form-based			true	0.7	13	1.444444418	11	11	16142	13917	13917	1.4
1179	074	3844	0.09	4285	0	55	80	2.5	7	7	9610	5325	RM-1	50	form-based			true	0.7	11	1.571428537	11	11	13454	9169	9169	1.4
1181	027	5225	0.12	1603	4	55	80	2.5	10	6	13062	11459	RM-2	50	form-based			true	0.7	15	1.5	11	11	18287.5	16684.5	16684.5	1.400054
1187	010	2500	0.06	2840	2	55	80	2.5	5	3	6250	3410	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	12160	9660	2.4
1187	011	2500	0.06	2828	2	55	80	2.5	5	3	6250	3422	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	12172	9672	2.4
1187	012	2500	0.06	2464	2	55	80	2.5	5	3	6250	3786	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	12536	10036	2.4
1187	031	2500	0.06	1710	2	55	80	2.5	5	3	6250	4540	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	13290	10790	2.4
1189	020	2812	0.06	3500	4	55	80	2.5	5	1	7030	3530	RTO-C	85	form-based			true	0.75	15	3	11	6	16872	13372	10560	2.4
1201	039	4777	0.11	2355	14	55	80	2.5	9	0	11942	9587	NCT-DIVIS.	85	form-based			true	0.75	25	2.777777672	11	4	28662	26307	21529	2.4001
1201	056	5015	0.12	3882	3	55	80	2.5	10	7	12538	8656	RM-1	50	form-based			true	0.7	14	1.399999976	11	11	17552.5	13670.5	13670.5	1.399944
1203	022	2812	0.06	5175	4	55	80	2.5	5	1	7030	1855	NCT-DIVIS.	85	form-based			true	0.75	15	3	11	6	16872	11697	8885	2.4
1204	001	2031	0.05	2000	0	55	80	2.5	4	4	5078	3078	NCT-DIVIS.	85	form-based		true	true	0.75	11	2.75	11	8	12186	10186	8156	2.399764
1204	004	2656	0.06	5277	3	55	80	2.5	5	2	6640	1363	NCT-DIVIS.	85	form-based			true	0.75	14	2.799999952	11	7	15936	10659	8003	2.4
1204	008	2656	0.06	3750	3	55	80	2.5	5	2	6640	2890	NCT-DIVIS.	85	form-based			true	0.75	14	2.799999952	11	7	15936	12186	9530	2.4
1204	064	2656	0.06	1386	3	55	80	2.5	5	2	6640	5254	NCT-DIVIS.	85	form-based			true	0.75	14	2.799999952	11	7	15936	14550	11894	2.4
1229	010	3453	0.08	2125	2	55	80	2.5	6	4	8632	6507	NCD-HAIG	65	form-based			true	0.75	13	2.166666746	11	10	15538.5	13413.5	13413.5	1.800104
1230	012	3781	0.09	5865	3	55	80	2.5	7	4	9452	3587	NCD-HAIG	65	form-based			true	0.75	14	2	11	11	17014.5	11149.5	11149.5	1.800095
1231	010	3798	0.09	7940	3	55	80	2.5	7	4	9495	1555	NCD-HAIG	65	form-based			true	0.75	14	2	11	11	17091	9151	9151	1.8
1236	015	3781	0.09	3320	3	55	80	2.5	7	4	9452	6132	RTO-C	65	form-based			true	0.75	14	2	11	11	17014.5	13694.5	13694.5	1.800095
1237	014	3781	0.09	6069	3	55	80	2.5	7	4	9452	3383	RTO-C	65	form-based			true	0.75	14	2	11	11	17014.5	10945.5	10945.5	1.800095
1237	027	4125	0.09	3480	1	55	80	2.5	7	6	10312	6832	RM-1	50	form-based			true	0.7	12	1.714285731	11	11	14437.5	10957.5	10957.5	1.400068
1238	011	3482	0.08	1920	2	65	100	3	8	6	10446	8526	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15669	13749	13749	1.5
1238	012	3482	0.08	4920	2	65	100	3	8	6	10446	5526	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15669	10749	10749	1.5
1238	024	2500	0.06	3440	2	65	100	3	6	4	7500	4060	NCT-DIVIS.	85	form-based			true	0.75	13	2.166666746	11	10	15000	11560	11560	2
1238	038	3482	0.08	1334	2	65	100	3	8	6	10446	9112	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15669	14335	14335	1.5
1239	033	3390	0.08	1910	2	65	100	3	8	6	10170	8260	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15255	13345	13345	1.5
1239	061	3390	0.08	2345	2	65	100	3	8	6	10170	7825	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15255	12910	12910	1.5
1240	032	3437	0.08	2200	2	65	100	3	8	6	10311	8111	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15466.5	13266.5	13266.5	1.5
1245	025	2804	0.06	2885	0	55	80	2.5	5	5	7010	4125	NCD-HAIG	65	form-based			true	0.75	11	2.200000048	11	10	12618	9733	9733	1.8
1245	061	3944	0.09	1392	4	55	80	2.5	7	3	9860	8468	NCD-HAIG	65	form-based		true	true	0.75	15	2.142857075	11	10	17748	16356	16356	1.8
1256	034	5672	0.13	2150	1	55	80	2.5	10	9	14180	12030	RH-3	40	form-based			true	0.7	12	1.200000048	11	11	15881.59961	13731.59961	13731.59961	1.12
1259	036	9517	0.22	3173	9	65	100	3	22	13	28551	25378	RH-3	40	form-based			true	0.7	20	0.909090936	11	11	26647.59961	23474.59961	23474.59961	0.933333
1265	008A	3437	0.08	2700	2	65	100	3	8	6	10311	7611	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15466.5	12766.5	12766.5	1.5
1265	043	3438	0.08	1245	2	65	100	3	8	6	10314	9069	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	14226	14226	1.5
1265	051	3850	0.09	880	3	65	100	3	9	6	11550	10670	RTO-C	65	form-based			true	0.75	14	1.555555582	11	11	17325	16445	16445	1.5
1266	012	3438	0.08	7234	2	85	140	4	11	9	13752	6518	RTO-C	65	form-based			true	0.75	13	1.181818128	11	11	15471	8237	8237	1.125
1266	028	3457	0.08	2710	2	65	100	3	8	6	10371	7661	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15556.5	12846.5	12846.5	1.5
1266	055	3457	0.08	1457	2	65	100	3	8	6	10371	8914	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15556.5	14099.5	14099.5	1.5
1266	059	3438	0.08	1800	2	85	140	4	11	9	13752	11952	RTO-C	65	form-based			true	0.75	13	1.181818128	11	11	15471	13671	13671	1.125
1267	026	3438	0.08	3670	2	65	100	3	8	6	10314	6644	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	11801	11801	1.5
1267	062	3438	0.08	4369	2	85	140	4	11	9	13752	9383	RTO-C	65	form-based			true	0.75	13	1.181818128	11	11	15471	11102	11102	1.125
1267	095	3437	0.08	1884	2	85	140	4	11	9	13748	11864	RTO-C	65	form-based			true	0.75	13	1.181818128	11	11	15466.5	13582.5	13582.5	1.125
1270	072	5512	0.13	4976	1	55	80	2.5	10	9	13780	8804	RH-3	40	form-based		true	true	0.7	12	1.200000048	11	11	15433.59961	10457.59961	10457.59961	1.12
1271	015	3438	0.08	3500	2	65	100	3	8	6	10314	6814	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	11971	11971	1.5
1271	016	3438	0.08	3000	2	65	100	3	8	6	10314	7314	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	12471	12471	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1271	017	3481	0.08	2850	2	65	100	3	8	6	10443	7593	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15664.5	12814.5	12814.5	1.5
1271	048	3481	0.08	2073	2	65	100	3	8	6	10443	8370	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15664.5	13591.5	13591.5	1.5
1271	052	3438	0.08	2040	2	65	100	3	8	6	10314	8274	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	13431	13431	1.5
1272	015	3253	0.07	1950	1	65	100	3	7	6	9759	7809	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	14638.5	12688.5	12688.5	1.5
1272	022	3450	0.08	2750	2	85	140	4	11	9	13800	11050	RTO-C	65	form-based			true	0.75	13	1.181818128	11	11	15525	12775	12775	1.125
1272	038	3438	0.08	1400	2	65	100	3	8	6	10314	8914	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	14071	14071	1.5
1273	037	3900	0.09	6678	4	85	140	4	13	9	15600	8922	RTO-C	65	form-based			true	0.75	15	1.153846145	11	11	17550	10872	10872	1.125
1274	025	3450	0.08	2000	2	65	100	3	8	6	10350	8350	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15525	13525	13525	1.5
1274	031	3450	0.08	2710	2	85	140	4	11	9	13800	11090	RTO-C	65	form-based			true	0.75	13	1.181818128	11	11	15525	12815	12815	1.125
1274	047	3450	0.08	1391	2	65	100	3	8	6	10350	8959	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15525	14134	14134	1.5
1274	049	3450	0.08	1300	2	85	140	4	11	9	13800	12500	RTO-C	65	form-based			true	0.75	13	1.181818128	11	11	15525	14225	14225	1.125
1274	054	3438	0.08	1770	2	65	100	3	8	6	10314	8544	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	13701	13701	1.5
1274	056	3438	0.08	945	2	65	100	3	8	6	10314	9369	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15471	14526	14526	1.5
1274	063	3437	0.08	1000	2	65	100	3	8	6	10311	9311	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15466.5	14466.5	14466.5	1.5
1275	010	3396	0.08	2750	2	65	100	3	8	6	10188	7438	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15282	12532	12532	1.5
1275	011	3602	0.08	4500	3	65	100	3	8	5	10806	6306	RTO-C	65	form-based			true	0.75	14	1.75	11	11	16209	11709	11709	1.5
1275	022	3163	0.07	2092	1	85	140	4	10	9	12652	10560	RTO-C	65	form-based			true	0.75	12	1.200000048	11	11	14233.5	12141.5	12141.5	1.125
1275	050A	3391	0.08	2800	2	65	100	3	8	6	10173	7373	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15259.5	12459.5	12459.5	1.5
1275	050B	3483	0.08	2800	2	65	100	3	8	6	10449	7649	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15673.5	12873.5	12873.5	1.5
1278	001	3209	0.07	2710	1	65	100	3	7	6	9627	6917	RTO-C	65	form-based	true		true	0.75	12	1.714285731	11	11	14440.5	11730.5	11730.5	1.5
1278	025	3071	0.07	2095	1	65	100	3	7	6	9213	7118	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	13819.5	11724.5	11724.5	1.5
1278	026	3331	0.08	2280	1	65	100	3	8	7	9993	7713	RTO-C	65	form-based			true	0.75	12	1.5	11	11	14989.5	12709.5	12709.5	1.5
1279	085	3200	0.07	1790	1	65	100	3	7	6	9600	7810	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	14400	12610	12610	1.5
1327	009B	5819	0.13	3772	1	55	80	2.5	10	9	14548	10776	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16293.2002	12521.2002	12521.2002	1.119962
1326	008	5781	0.13	3440	1	55	80	2.5	10	9	14452	11012	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16186.7998	12746.7998	12746.7998	1.120039
1326	009	5744	0.13	3268	1	55	80	2.5	10	9	14360	11092	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16083.2002	12815.2002	12815.2002	1.12
1326	010	5747	0.13	5924	1	55	80	2.5	10	9	14368	8444	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16091.59961	10167.59961	10167.59961	1.119961
1327	004	5513	0.13	6395	1	55	80	2.5	10	9	13782	7387	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15436.39941	9041.399414	9041.399414	1.120041
1326	016	5678	0.13	3640	1	55	80	2.5	10	9	14195	10555	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15898.39941	12258.39941	12258.39941	1.12
1327	011	5507	0.13	4540	1	55	80	2.5	10	9	13768	9228	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15419.59961	10879.59961	10879.59961	1.119959
1328	011	5942	0.14	3524	1	55	80	2.5	11	10	14855	11331	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16637.59961	13113.59961	13113.59961	1.12
1328	012	5587	0.13	4329	1	55	80	2.5	10	9	13968	9639	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15643.59961	11314.59961	11314.59961	1.11996
1329	001	5639	0.13	2534	1	55	80	2.5	10	9	14098	11564	RH-1(D)	40	form-based	true		true	0.7	12	1.200000048	11	11	15789.2002	13255.2002	13255.2002	1.11996
1329	015	5542	0.13	2904	1	55	80	2.5	10	9	13855	10951	RH-1(D)	40	form-based	true		true	0.7	12	1.200000048	11	11	15517.59961	12613.59961	12613.59961	1.12
1330	001A	5619	0.13	3809	1	55	80	2.5	10	9	14048	10239	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15733.2002	11924.2002	11924.2002	1.11996
1330	001B	5626	0.13	3317	1	55	80	2.5	10	9	14065	10748	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15752.7998	12435.7998	12435.7998	1.12
1330	001C	5526	0.13	4518	1	55	80	2.5	10	9	13815	9297	RH-1(D)	40	form-based	true		true	0.7	12	1.200000048	11	11	15472.7998	10954.7998	10954.7998	1.12
1330	002	5661	0.13	3683	1	55	80	2.5	10	9	14152	10469	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15850.7998	12167.7998	12167.7998	1.12004
1330	003	5767	0.13	2920	1	55	80	2.5	10	9	14418	11498	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16147.59961	13227.59961	13227.59961	1.119961
1330	008B	5478	0.13	3502	1	55	80	2.5	10	9	13695	10193	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15338.39941	11836.39941	11836.39941	1.12
1334	002	5754	0.13	3240	1	55	80	2.5	10	9	14385	11145	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16111.2002	12871.2002	12871.2002	1.12
1334	039	5339	0.12	0	0	55	80	2.5	10	10	13348	13348	RH-1(D)	40	form-based			true	0.7	11	1.100000024	11	11	14949.2002	14949.2002	14949.2002	1.119958
1335	011	5575	0.13	3580	1	55	80	2.5	10	9	13938	10358	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15610	12030	12030	1.11996
1337	017	5543	0.13	4224	1	55	80	2.5	10	9	13858	9634	RH-1	40	form-based	true		true	0.7	12	1.200000048	11	11	15520.39941	11296.39941	11296.39941	1.11996
1341	024	5451	0.13	0	0	55	80	2.5	10	10	13628	13628	RH-1	40	form-based			true	0.7	11	1.100000024	11	11	15262.7998	15262.7998	15262.7998	1.119959
1342	001	5252	0.12	6345	0	55	80	2.5	10	10	13130	6785	RH-1	40	form-based			true	0.7	11	1.100000024	11	11	14705.59961	8360.599609	8360.599609	1.12
1352	004	5915	0.14	4915	1	55	80	2.5	11	10	14788	9873	RH-1	40	form-based			true	0.7	12	1.090909123	11	11	16562	11647	11647	1.119962
1361	027	2229	0.05	1609	1	55	80	2.5	4	3	5572	3963	RTO-C	85	form-based			true	0.75	12	3	11	7	13374	11765	9535	2.400215
1355	053	5776	0.13	5602	1	55	80	2.5	10	9	14440	8838	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16172.7998	10570.7998	10570.7998	1.12
1361	029	2357	0.05	1840	1	55	80	2.5	4	3	5892	4052	RTO-C	85	form-based			true	0.75	12	3	11	7	14142	12302	9944	2.400204
1361	030	2913	0.07	4815	4	55	80	2.5	6	2	7282	2467	RTO-C	85	form-based	true		true	0.75	15	2.5	11	8	17478	12663	9749	2.400165
1362	020	2574	0.06	3771	3	55	80	2.5	5	2	6435	2664	RTO-C	85	form-based			true	0.75	14	2.799999952	11	7	15444	11673	9099	2.4
1362	025	2530	0.06	1942	2	55	80	2.5	5	3	6325	4383	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15180	13238	10708	2.4
1362	026	2594	0.06	3885	3	55	80	2.5	5	2	6485	2600	RTO-C	85	form-based			true	0.75	14	2.799999952	11	7	15564	11679	9085	2.4
1363	015	2796	0.06	4691	4	55	80	2.5	5	1	6990	2299	RTO-C	85	form-based	true		true	0.75	15	3	11	6	16776	12085	9289	2.4
1363	016	2569	0.06	4984	2	55	80	2.5	5	3	6422	1438	RTO-C	85	form-based	true		true	0.75	13	2.599999905	11	8	15414	10430	7860	2.400187
1363	021	2481	0.06	1370	2	55	80	2.5	5	3	6202	4832	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14886	13516	11034	2.400193
1363	022A	2428	0.06	2411	2	55	80	2.5	5	3	6070	3659	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14568	12157	9729	2.4
1363	023	2510	0.06	2642	2	55	80	2.5	5	3	6275	3633	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15060	12418	9908	2.4
1363	025	2619	0.06	3715	3	55	80	2.5	5	2	6548	2833	RTO-C	85	form-based			true	0.75	14	2.799999952	11	7	15714	11999	9381	2.399817
1363	053	2570	0.06	1147	2	55	80	2.5	5	3	6425	5278	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15420	14273	11703	2.4
1364	019	2034	0.05	5421	0	55	80	2.5	4	4	5085	0	NC-1	85	form-based			true	0.75	11	2.75	11	8	12204	6783	4749	2.4
1364	020	2098	0.05	2068	0	55	80	2.5	4	4	5245	3177	NC-1	85	form-based			true	0.75	11	2.75	11	8	12588	10520	8422	2.4
1364	021	2162	0.05	4400	0	55	80	2.5	4	4	5405	1005	NC-1	85	form-based			true	0.75	11	2.75	11	8	12972	8572	6410	2.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1365	014	2701	0.06	4472	3	55	80	2.5	5	2	6752	2280	NC-1	85	form-based			true	0.75	14	2.799999952	11	7	16206	11734	9032	2.400178
1366	027	3432	0.08	9863	7	55	80	2.5	6	0	8580	0	NC-1	85	form-based		true	true	0.75	18	3	11	5	20592	10729	7297	2.4
1367	022	2410	0.06	2976	2	55	80	2.5	5	3	6025	3049	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14460	11484	9074	2.4
1367	023	2474	0.06	2630	2	55	80	2.5	5	3	6185	3555	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14844	12214	9740	2.4
1368	019	2462	0.06	2850	2	55	80	2.5	5	3	6155	3305	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14772	11922	9460	2.4
1368	024	2458	0.06	2878	2	55	80	2.5	5	3	6145	3267	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14748	11870	9412	2.4
1369	013	2453	0.06	3360	2	55	80	2.5	5	3	6132	2772	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14718	11358	8904	2.400196
1369	014	2452	0.06	3250	2	55	80	2.5	5	3	6130	2880	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14712	11462	9010	2.4
1369	014A	2451	0.06	3250	2	55	80	2.5	5	3	6128	2878	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14706	11456	9006	2.399804
1369	017	2449	0.06	1940	2	55	80	2.5	5	3	6122	4182	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14694	12754	10304	2.400196
1370	022	2456	0.06	2880	2	55	80	2.5	5	3	6140	3260	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14736	11856	9400	2.4
1370	023	2455	0.06	3083	2	55	80	2.5	5	3	6138	3055	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14730	11647	9193	2.399805
1370	023A	2454	0.06	3280	2	55	80	2.5	5	3	6135	2855	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14724	11444	8990	2.4
1370	023B	2454	0.06	3690	2	55	80	2.5	5	3	6135	2445	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14724	11034	8580	2.4
1370	023C	2453	0.06	3390	2	55	80	2.5	5	3	6132	2742	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14718	11328	8874	2.400196
1370	025	2452	0.06	2938	2	55	80	2.5	5	3	6130	3192	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14712	11774	9322	2.4
1382	018	3377	0.08	2178	2	55	80	2.5	6	4	8442	6264	RTO-C	65	form-based			true	0.75	13	2.166666746	11	10	15196.5	13018.5	13018.5	1.800107
1383	020	5004	0.11	7210	8	55	80	2.5	9	1	12510	5300	RTO-C	65	form-based			true	0.75	19	2.111111164	11	10	22518	15308	15308	1.8
1389	001A	5550	0.13	5962	1	55	80	2.5	10	9	13875	7913	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15540	9578	9578	1.12
1391	001B	5739	0.13	2500	1	55	80	2.5	10	9	14348	11848	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	16069.2002	13569.2002	13569.2002	1.119961
1392	036	5597	0.13	4263	1	55	80	2.5	10	9	13992	9729	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15671.59961	11408.59961	11408.59961	1.12004
1402	060	5173	0.12	848	8	65	100	3	12	4	15519	14671	NC-1	65	form-based			true	0.75	19	1.583333373	11	11	23278.5	22430.5	22430.5	1.5
1404	048	5000	0.11	7775	8	65	100	3	11	3	15000	7225	RTO-C	65	form-based			true	0.75	19	1.727272749	11	11	22500	14725	14725	1.5
1409	023	3438	0.08	4390	2	65	100	3	8	6	10314	5924	NCD-OUTE	65	form-based			true	0.75	13	1.625	11	11	15471	11081	11081	1.5
1417	014	3000	0.07	3300	0	65	100	3	7	7	9000	5700	RTO-C	65	form-based			true	0.75	11	1.571428537	11	11	13500	10200	10200	1.5
1421	001	3250	0.07	9576	6	65	100	3	7	1	9750	174	RTO-C	85	form-based		true	true	0.75	17	2.428571463	11	8	19500	9924	9924	2
1421	030	2500	0.06	2239	2	65	100	3	6	4	7500	5261	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12761	12761	2
1421	032	2500	0.06	2714	2	65	100	3	6	4	7500	4786	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12286	12286	2
1421	041	2500	0.06	914	2	65	100	3	6	4	7500	6586	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	14086	14086	2
1422	042	2500	0.06	2598	2	55	80	2.5	5	3	6250	3652	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	12402	9902	2.4
1424	037A	2750	0.06	4136	3	65	100	3	6	3	8250	4114	RTO-C	85	form-based			true	0.75	14	2.333333254	11	9	16500	12364	12364	2
1424	039	2750	0.06	4200	3	65	100	3	6	3	8250	4050	RTO-C	85	form-based			true	0.75	14	2.333333254	11	9	16500	12300	12300	2
1424	040	2750	0.06	3370	3	65	100	3	6	3	8250	4880	RTO-C	85	form-based			true	0.75	14	2.333333254	11	9	16500	13130	13130	2
1424	041	2750	0.06	5250	3	65	100	3	6	3	8250	3000	RTO-C	85	form-based			true	0.75	14	2.333333254	11	9	16500	11250	11250	2
1425	002	2428	0.06	4377	2	65	100	3	6	4	7284	2907	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14568	10191	10191	2
1425	024	2808	0.06	1690	0	65	100	3	6	6	8424	6734	NCD-INNE	65	form-based			true	0.75	11	1.833333373	11	11	12636	10946	10946	1.5
1425	046A	2500	0.06	3400	2	65	100	3	6	4	7500	4100	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	11600	11600	2
1425	057	2500	0.06	1468	2	65	100	3	6	4	7500	6032	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	13532	13532	2
1426	020	2990	0.07	2288	0	65	100	3	7	7	8970	6682	NCD-INNE	65	form-based			true	0.75	11	1.571428537	11	11	13455	11167	11167	1.5
1426	024	2990	0.07	2080	0	65	100	3	7	7	8970	6890	NCD-INNE	65	form-based			true	0.75	11	1.571428537	11	11	13455	11375	11375	1.5
1426	043	2500	0.06	3340	2	65	100	3	6	4	7500	4160	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	11660	11660	2
1426	044	2500	0.06	3040	2	65	100	3	6	4	7500	4460	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	11960	11960	2
1426	047	2600	0.06	3040	3	65	100	3	6	3	7800	4760	RTO-C	85	form-based			true	0.75	14	2.333333254	11	9	15600	12560	12560	2
1426	065	2500	0.06	3857	2	65	100	3	6	4	7500	3643	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	11143	11143	2
1427	029	2259	0.05	1453	1	65	100	3	5	4	6777	5324	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13554	12101	12101	2
1427	030	2250	0.05	1918	1	65	100	3	5	4	6750	4832	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13500	11582	11582	2
1428	043	3073	0.07	6222	5	65	100	3	7	2	9219	2997	NC-1	85	form-based		true	true	0.75	16	2.285714388	11	9	18438	12216	12216	2
1428	047	2500	0.06	3360	2	65	100	3	6	4	7500	4140	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	11640	11640	2
1435	038	2800	0.06	4390	0	65	100	3	6	6	8400	4010	NCD-INNE	65	form-based			true	0.75	11	1.833333373	11	11	12600	8210	8210	1.5
1435	043	4000	0.09	4745	4	65	100	3	9	5	12000	7255	NCD-INNE	65	form-based			true	0.75	15	1.666666627	11	11	18000	13255	13255	1.5
1437	017	2500	0.06	4250	2	85	140	4	8	6	10000	5750	NCD-GEAR	85	form-based			true	0.75	13	1.625	11	11	15000	10750	10750	1.5
1439	036	3024	0.07	0	0	65	100	3	7	7	9072	9072	NCD-INNE	65	form-based			true	0.75	11	1.571428537	11	11	13608	13608	13608	1.5
1439	049	2989	0.07	0	0	65	100	3	7	7	8967	8967	NCD-INNE	65	form-based			true	0.75	11	1.571428537	11	11	13450.5	13450.5	13450.5	1.5
1439	055	2132	0.05	5307	0	65	100	3	5	5	6396	1089	NCD-GEAR	85	form-based			true	0.75	11	2.200000048	11	10	12792	7485	7485	2
1439	059	2701	0.06	2283	3	65	100	3	6	3	8103	5820	NCD-GEAR	85	form-based			true	0.75	14	2.333333254	11	9	16206	13923	13923	2
1440	028	3000	0.07	0	0	65	100	3	7	7	9000	9000	NCD-INNE	65	form-based			true	0.75	11	1.571428537	11	11	13500	13500	13500	1.5
1440	029	3020	0.07	0	0	65	100	3	7	7	9060	9060	NCD-INNE	65	form-based			true	0.75	11	1.571428537	11	11	13590	13590	13590	1.5
1440	030	2980	0.07	0	0	65	100	3	7	7	8940	8940	NCD-INNE	65	form-based			true	0.75	11	1.571428537	11	11	13410	13410	13410	1.5
1442	024	2500	0.06	4245	2	65	100	3	6	4	7500	3255	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	11	10	15000	10755	10755	2
1443	019	2500	0.06	3750	2	65	100	3	6	4	7500	3750	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	11	10	15000	11250	11250	2
1444	021	2500	0.06	2925	2	85	140	4	8	6	10000	7075	NCD-GEAR	85	form-based			true	0.75	13	1.625	11	11	15000	12075	12075	1.5
1449	019	2800	0.06	4735	4	85	140	4	8	4	11200	6465	NCD-GEAR	85	form-based			true	0.75	15	1.875	11	11	16800	12065	12065	1.5
1453	022	2002	0.05	880	0	85	140	4	7	7	8008	7128	NCD-GEAR	85	form-based			true	0.75	11	1.571428537	11	11	12012	11132	11132	1.5
1454	022E	2094	0.05	1980	0	85	140	4	7	7	8376	6396	NCD-GEAR	85	form-based			true	0.75	11	1.571428537	11	11	12564	10584	10584	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1456	022	2545	0.06	3340	2	85	140	4	8	6	10180	6840	NCD-GEAR	85	form-based			true	0.75	13	1.625	11	11	15270	11930	11930	1.5
1457	001	2990	0.07	4320	0	65	100	3	7	7	8970	4650	NCD-OUTE	65	form-based		true	true	0.75	11	1.571428537	11	11	13455	9135	9135	1.5
1459	008	2561	0.06	2000	2	85	140	4	8	6	10244	8244	NCD-GEAR	85	form-based			true	0.75	13	1.625	11	11	15366	13366	13366	1.5
1460	027	2887	0.07	764	4	85	140	4	10	6	11548	10784	RTO-C	85	form-based			true	0.75	15	1.5	11	11	17322	16558	16558	1.5
1462	017	3027	0.07	7387	5	85	140	4	10	5	12108	4721	RTO-C	85	form-based			true	0.75	16	1.600000024	11	11	18162	10775	10775	1.5
1466	017	2500	0.06	2750	2	65	100	3	6	4	7500	4750	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12250	12250	2
1466	019	2500	0.06	2600	2	65	100	3	6	4	7500	4900	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12400	12400	2
1466	020	2500	0.06	2852	2	65	100	3	6	4	7500	4648	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12148	12148	2
1467	057	2485	0.06	4090	2	65	100	3	6	4	7455	3365	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14910	10820	10820	2
1467	059	2485	0.06	1700	2	65	100	3	6	4	7455	5755	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14910	13210	13210	2
1470	063	2563	0.06	949	2	55	80	2.5	5	3	6408	5459	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15378	14429	11867	2.399813
1471	001B	3000	0.07	2052	0	55	80	2.5	6	6	7500	5448	RTO-C	65	form-based			true	0.75	11	1.833333373	11	11	13500	11448	11448	1.8
1472	001	3140	0.07	3228	1	55	80	2.5	6	5	7850	4622	RTO-C	65	form-based		true	true	0.75	12	2	11	11	14130	10902	10902	1.8
1504	001P	2500	0.06	2950	2	55	80	2.5	5	3	6250	3300	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	12050	9550	2.4
1506	045	2387	0.05	2169	1	55	80	2.5	4	3	5968	3799	RH-2	85	form-based			true	0.7	12	3	11	7	13367.2002	11198.2002	9767	2.239812
1507	001	3145	0.07	4748	6	65	100	3	7	1	9435	4687	RTO-C	85	form-based		true	true	0.75	17	2.428571463	11	8	18870	14122	14122	2
1507	041	2484	0.06	2806	2	65	100	3	6	4	7452	4646	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14904	12098	12098	2
1510	046	2422	0.06	2646	2	65	100	3	6	4	7266	4620	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14532	11886	11886	2
1510	049	2422	0.06	3090	2	65	100	3	6	4	7266	4176	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14532	11442	11442	2
1510	051	2422	0.06	3350	2	65	100	3	6	4	7266	3916	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14532	11182	11182	2
1515	037	2459	0.06	3151	2	85	140	4	8	6	9836	6685	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14754	11603	11603	1.5
1516	042	2456	0.06	2696	2	85	140	4	8	6	9824	7128	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14736	12040	12040	1.5
1521	001	4120	0.09	10825	11	85	140	4	13	2	16480	5655	NCD-GEAR	85	form-based		true	true	0.75	22	1.692307711	11	11	24720	13895	13895	1.5
1521	034A	2487	0.06	1871	2	65	100	3	6	4	7461	5590	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	11	10	14922	13051	13051	2
1521	035	2487	0.06	2590	2	85	140	4	8	6	9948	7358	NCD-GEAR	85	form-based			true	0.75	13	1.625	11	11	14922	12332	12332	1.5
1522	001	2593	0.06	4179	3	85	140	4	8	5	10372	6193	NCD-GEAR	85	form-based		true	true	0.75	14	1.75	11	11	15558	11379	11379	1.5
1523	046A	2608	0.06	2534	3	65	100	3	6	3	7824	5290	NCD-GEAR	85	form-based			true	0.75	14	2.333333254	11	9	15648	13114	13114	2
1523	047	2716	0.06	4185	3	65	100	3	6	3	8148	3963	NCD-GEAR	85	form-based			true	0.75	14	2.333333254	11	9	16296	12111	12111	2
1526	033	2510	0.06	2910	2	65	100	3	6	4	7530	4620	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	11	10	15060	12150	12150	2
1526	034	2510	0.06	2730	2	65	100	3	6	4	7530	4800	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	11	10	15060	12330	12330	2
1527	038	2509	0.06	4435	2	85	140	4	8	6	10036	5601	NCD-GEAR	85	form-based			true	0.75	13	1.625	11	11	15054	10619	10619	1.5
1530	027	2463	0.06	3647	2	65	100	3	6	4	7389	3742	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	11	10	14778	11131	11131	2
1534	040	2505	0.06	4000	2	65	100	3	6	4	7515	3515	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	11	10	15030	11030	11030	2
1536	043	2504	0.06	3400	2	85	140	4	8	6	10016	6616	NCD-GEAR	85	form-based			true	0.75	13	1.625	11	11	15024	11624	11624	1.5
1538	033	2503	0.06	4452	2	85	140	4	8	6	10012	5560	NCD-GEAR	85	form-based			true	0.75	13	1.625	11	11	15018	10566	10566	1.5
1538	034	2503	0.06	3122	2	85	140	4	8	6	10012	6890	NCD-GEAR	85	form-based			true	0.75	13	1.625	11	11	15018	11896	11896	1.5
1538	036	2503	0.06	3501	2	85	140	4	8	6	10012	6511	NCD-GEAR	85	form-based			true	0.75	13	1.625	11	11	15018	11517	11517	1.5
1552	027	3272	0.08	4563	1	65	100	3	8	7	9816	5253	RTO-C	65	form-based		true	true	0.75	12	1.5	11	11	14724	10161	10161	1.5
1552	028	3218	0.07	4036	1	65	100	3	7	6	9654	5618	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	14481	10445	10445	1.5
1553	016	3173	0.07	2650	1	65	100	3	7	6	9519	6869	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	14278.5	11628.5	11628.5	1.5
1553	017	3173	0.07	2500	1	65	100	3	7	6	9519	7019	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	14278.5	11778.5	11778.5	1.5
1553	018	3219	0.07	3675	1	55	80	2.5	6	5	8048	4373	RTO-C	65	form-based		true	true	0.75	12	2	11	11	14485.5	10810.5	10810.5	1.799888
1555	025	3084	0.07	2410	1	65	100	3	7	6	9252	6842	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	13878	11468	11468	1.5
1555	026	3241	0.07	2850	1	65	100	3	7	6	9723	6873	RTO-C	65	form-based		true	true	0.75	12	1.714285731	11	11	14584.5	11734.5	11734.5	1.5
1557	020	3163	0.07	3740	1	65	100	3	7	6	9489	5749	RTO-C	65	form-based		true	true	0.75	12	1.714285731	11	11	14233.5	10493.5	10493.5	1.5
1566	025	3087	0.07	1110	1	65	100	3	7	6	9261	8151	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	13891.5	12781.5	12781.5	1.5
1568	012	3713	0.09	2557	3	65	100	3	9	6	11139	8582	RTO-C	65	form-based			true	0.75	14	1.555555582	11	11	16708.5	14151.5	14151.5	1.5
1572	028	3515	0.08	2148	2	65	100	3	8	6	10545	8397	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15817.5	13669.5	13669.5	1.5
1619	001D	3120	0.07	1760	1	55	80	2.5	6	5	7800	6040	RTO-C	65	form-based			true	0.75	12	2	11	11	14040	12280	12280	1.8
1619	001E	3120	0.07	1530	1	55	80	2.5	6	5	7800	6270	RTO-C	65	form-based			true	0.75	12	2	11	11	14040	12510	12510	1.8
1630	005A	5266	0.12	27754	0	55	80	2.5	10	10	13165	0	RM-1	40	form-based			true	0.7	11	1.100000024	11	11	14744.7998	0	0	1.12
1638	032	3117	0.07	3250	1	55	80	2.5	6	5	7792	4542	NCD-INNE	65	form-based			true	0.75	12	2	11	11	14026.5	10776.5	10776.5	1.800115
1648	021	2524	0.06	3514	2	55	80	2.5	5	3	6310	2796	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15144	11630	9106	2.4
1649	011E	4664	0.11	10557	13	55	80	2.5	9	0	11660	1103	RTO-C	85	form-based		true	true	0.75	24	2.666666746	11	5	27984	17427	12763	2.4
1651	018	2487	0.06	3300	2	55	80	2.5	5	3	6218	2918	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14922	11622	9136	2.399807
1652	040	2486	0.06	1444	2	55	80	2.5	5	3	6215	4771	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14916	13472	10986	2.4
1655	021	2298	0.05	2180	1	55	80	2.5	4	3	5745	3565	RTO-C	85	form-based			true	0.75	12	3	11	7	13788	11608	9310	2.4
1655	022	2298	0.05	1624	1	55	80	2.5	4	3	5745	4121	RTO-C	85	form-based			true	0.75	12	3	11	7	13788	12164	9866	2.4
1657	015	2484	0.06	4037	2	55	80	2.5	5	3	6210	2173	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14904	10867	8383	2.4
1657	015A	2484	0.06	3350	2	55	80	2.5	5	3	6210	2860	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14904	11554	9070	2.4
1657	016	2484	0.06	3490	2	55	80	2.5	5	3	6210	2720	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14904	11414	8930	2.4
1657	017	2483	0.06	3490	2	55	80	2.5	5	3	6208	2718	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14898	11408	8926	2.399807
1657	018	2483	0.06	3490	2	55	80	2.5	5	3	6208	2718	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14898	11408	8926	2.399807
1657	051	2870	0.07	949	4	55	80	2.5	6	2	7175	6226	RTO-C	85	form-based		true	true	0.75	15	2.5	11	8	17220	16271	13401	2.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1658	015B	2478	0.06	3300	2	55	80	2.5	5	3	6195	2895	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14868	11568	9090	2.4
1658	016	2477	0.06	3050	2	55	80	2.5	5	3	6192	3142	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14862	11812	9334	2.400194
1659	019	2482	0.06	3446	2	55	80	2.5	5	3	6205	2759	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14892	11446	8964	2.4
1660	022	2480	0.06	3220	2	55	80	2.5	5	3	6200	2980	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14880	11660	9180	2.4
1660	023	2480	0.06	3847	2	55	80	2.5	5	3	6200	2353	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14880	11033	8553	2.4
1661	011	2500	0.06	2320	2	55	80	2.5	5	3	6250	3930	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	12680	10180	2.4
1661	012	2500	0.06	2040	2	55	80	2.5	5	3	6250	4210	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	12960	10460	2.4
1661	013	2500	0.06	3270	2	55	80	2.5	5	3	6250	2980	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11730	9230	2.4
1661	013A	2500	0.06	3450	2	55	80	2.5	5	3	6250	2800	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11550	9050	2.4
1661	014	2500	0.06	2332	2	55	80	2.5	5	3	6250	3918	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	12668	10168	2.4
1662	020	2500	0.06	3258	2	55	80	2.5	5	3	6250	2992	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11742	9242	2.4
1662	020A	2500	0.06	3636	2	55	80	2.5	5	3	6250	2614	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11364	8864	2.4
1662	023	2500	0.06	1841	2	55	80	2.5	5	3	6250	4409	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	13159	10659	2.4
1662	024	2500	0.06	3040	2	55	80	2.5	5	3	6250	3210	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11960	9460	2.4
1664	018	2500	0.06	3100	2	55	80	2.5	5	3	6250	3150	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11900	9400	2.4
1664	020	2500	0.06	3402	2	55	80	2.5	5	3	6250	2848	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11598	9098	2.4
1664	022	2500	0.06	3244	2	55	80	2.5	5	3	6250	3006	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11756	9256	2.4
1664	023	2500	0.06	3244	2	55	80	2.5	5	3	6250	3006	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11756	9256	2.4
1664	049	2500	0.06	1525	2	55	80	2.5	5	3	6250	4725	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	13475	10975	2.4
1665	021	2059	0.05	1780	0	55	80	2.5	4	4	5148	3368	RTO-C	85	form-based			true	0.75	11	2.75	11	8	12354	10574	8516	2.399767
1665	026	2476	0.06	1820	2	55	80	2.5	5	3	6190	4370	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14856	13036	10560	2.4
1667	022	2474	0.06	3600	2	55	80	2.5	5	3	6185	2585	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14844	11244	8770	2.4
1667	023	2474	0.06	3320	2	55	80	2.5	5	3	6185	2865	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14844	11524	9050	2.4
1669	025C	2536	0.06	2626	2	55	80	2.5	5	3	6340	3714	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15216	12590	10054	2.4
1671	007J	2367	0.05	1888	1	55	80	2.5	4	3	5918	4030	RTO-C	85	form-based			true	0.75	12	3	11	7	14202	12314	9948	2.399797
1671	007K	2367	0.05	1888	1	55	80	2.5	4	3	5918	4030	RTO-C	85	form-based			true	0.75	12	3	11	7	14202	12314	9948	2.399797
1672	014	2375	0.05	2610	1	55	80	2.5	4	3	5938	3328	RTO-C	85	form-based	true		true	0.75	12	3	11	7	14250	11640	9266	2.399798
1672	015	2375	0.05	1350	1	55	80	2.5	4	3	5938	4588	RTO-C	85	form-based			true	0.75	12	3	11	7	14250	12900	10526	2.399798
1672	016	2375	0.05	1990	1	55	80	2.5	4	3	5938	3948	RTO-C	85	form-based			true	0.75	12	3	11	7	14250	12260	9886	2.399798
1672	016A	2375	0.05	2415	1	55	80	2.5	4	3	5938	3523	RTO-C	85	form-based			true	0.75	12	3	11	7	14250	11835	9461	2.399798
1673	023	2500	0.06	2860	2	55	80	2.5	5	3	6250	3390	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	12140	9640	2.4
1673	025	2500	0.06	2300	2	55	80	2.5	5	3	6250	3950	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	12700	10200	2.4
1673	060	2500	0.06	2162	2	55	80	2.5	5	3	6250	4088	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	12838	10338	2.4
1674	006A	2500	0.06	3130	2	55	80	2.5	5	3	6250	3120	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11870	9370	2.4
1674	007	2500	0.06	3130	2	55	80	2.5	5	3	6250	3120	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11870	9370	2.4
1674	007A	2500	0.06	3140	2	55	80	2.5	5	3	6250	3110	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11860	9360	2.4
1674	007C	2500	0.06	3140	2	55	80	2.5	5	3	6250	3110	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11860	9360	2.4
1674	007D	2500	0.06	3955	2	55	80	2.5	5	3	6250	2295	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11045	8545	2.4
1674	007E	2500	0.06	3570	2	55	80	2.5	5	3	6250	2680	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	11430	8930	2.4
1674	022	2500	0.06	1556	2	55	80	2.5	5	3	6250	4694	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	15000	13444	10944	2.4
1677	011	2400	0.06	3450	2	55	80	2.5	5	3	6000	2550	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14400	10950	8550	2.4
1677	011A	2400	0.06	3450	2	55	80	2.5	5	3	6000	2550	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14400	10950	8550	2.4
1677	012B	2250	0.05	2380	1	55	80	2.5	4	3	5625	3245	RTO-C	85	form-based			true	0.75	12	3	11	7	13500	11120	8870	2.4
1677	012C	2250	0.05	2380	1	55	80	2.5	4	3	5625	3245	RTO-C	85	form-based			true	0.75	12	3	11	7	13500	11120	8870	2.4
1678	015	2195	0.05	2713	1	55	80	2.5	4	3	5488	2775	RTO-C	85	form-based			true	0.75	12	3	11	7	13170	10457	8263	2.399781
1708	042	3316	0.08	1624	1	65	100	3	8	7	9948	8324	RTO-C	65	form-based	true		true	0.75	12	1.5	11	11	14922	13298	13298	1.5
1708	045	3200	0.07	1364	1	65	100	3	7	6	9600	8236	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	14400	13036	13036	1.5
1709	024	6011	0.14	2350	2	65	100	3	14	12	18033	15683	RH-2	40	form-based			true	0.7	13	0.928571403	11	11	16830.79883	14480.79883	14480.79883	0.933333
1718	001	3084	0.07	2240	1	55	80	2.5	6	5	7710	5470	RTO-C	65	form-based	true		true	0.75	12	2	11	11	13878	11638	11638	1.8
1726	021	2500	0.06	1794	2	65	100	3	6	4	7500	5706	NCD-IRVIN	85	form-based			true	0.75	13	2.166666746	11	10	15000	13206	13206	2
1726	041A	3303	0.08	2220	1	65	100	3	8	7	9909	7689	RTO-C	65	form-based	true		true	0.75	12	1.5	11	11	14863.5	12643.5	12643.5	1.5
1728	020	3730	0.09	7452	9	65	100	3	9	0	11190	3738	NCD-IRVIN	85	form-based			true	0.75	20	2.222222328	11	9	22380	14928	14928	2
1730	001B	2530	0.06	3654	2	65	100	3	6	4	7590	3936	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15180	11526	11526	2
1730	044	2500	0.06	2600	2	65	100	3	6	4	7500	4900	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12400	12400	2
1730	045	2500	0.06	2600	2	65	100	3	6	4	7500	4900	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12400	12400	2
1731	006	2228	0.05	1018	1	65	100	3	5	4	6684	5666	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13368	12350	12350	2
1731	046	2500	0.06	2980	2	65	100	3	6	4	7500	4520	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12020	12020	2
1732	018	3095	0.07	4485	5	65	100	3	7	2	9285	4800	NCD-INNE	85	form-based	true		true	0.75	16	2.285714388	11	9	18570	14085	14085	2
1732	049	2500	0.06	2680	2	65	100	3	6	4	7500	4820	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12320	12320	2
1733	042	2500	0.06	3162	2	65	100	3	6	4	7500	4338	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	11838	11838	2
1733	043	2500	0.06	3162	2	65	100	3	6	4	7500	4338	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	11838	11838	2
1734	017	2500	0.06	2140	2	65	100	3	6	4	7500	5360	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	12860	12860	2
1734	021	3168	0.07	5024	6	65	100	3	7	1	9504	4480	NCD-INNE	85	form-based	true		true	0.75	17	2.428571463	11	8	19008	13984	13984	2
1738	018	2267	0.05	2413	1	65	100	3	5	4	6801	4388	NCD-INNE	85	form-based			true	0.75	12	2.400000095	11	9	13602	11189	11189	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1738	024	2500	0.06	1838	2	65	100	3	6	4	7500	5662	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	13162	13162	2
1739	018	2375	0.05	1802	1	65	100	3	5	4	7125	5323	NCD-INNE	85	form-based			true	0.75	12	2.400000095	11	9	14250	12448	12448	2
1739	024	2500	0.06	1803	2	65	100	3	6	4	7500	5697	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	13197	13197	2
1739	047	3500	0.08	2500	2	65	100	3	8	6	10500	8000	RTO-C	65	form-based			true	0.75	13	1.625	11	11	15750	13250	13250	1.5
1740	024	2500	0.06	4253	2	65	100	3	6	4	7500	3247	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	10747	10747	2
1741	011	3013	0.07	3240	5	65	100	3	7	2	9039	5799	NCD-INNE	85	form-based			true	0.75	16	2.285714388	11	9	18078	14838	14838	2
1741	020	2529	0.06	3116	2	65	100	3	6	4	7587	4471	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15174	12058	12058	2
1741	021	2528	0.06	3596	2	65	100	3	6	4	7584	3988	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15168	11572	11572	2
1741	050	2500	0.06	3300	2	65	100	3	6	4	7500	4200	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	11700	11700	2
1742	017	2000	0.05	2125	0	85	140	4	7	7	8000	5875	NCD-INNE	85	form-based			true	0.75	11	1.571428537	11	11	12000	9875	9875	1.5
1742	039	2500	0.06	3352	2	65	100	3	6	4	7500	4148	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	11648	11648	2
1742	040	2500	0.06	1504	2	65	100	3	6	4	7500	5996	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	13496	13496	2
1743	021	2000	0.05	1826	0	65	100	3	5	5	6000	4174	NCD-INNE	85	form-based			true	0.75	11	2.200000048	11	10	12000	10174	10174	2
1746	017	3039	0.07	2407	0	65	100	3	7	7	9117	6710	RTO-C	65	form-based	true		true	0.75	11	1.571428537	11	11	13675.5	11268.5	11268.5	1.5
1752	011	2775	0.06	3250	4	65	100	3	6	2	8325	5075	RTO-C	85	form-based			true	0.75	15	2.5	11	8	16650	13400	13400	2
1753	009	2390	0.05	2800	2	65	100	3	5	3	7170	4370	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14340	11540	11540	2
1754	009	2377	0.05	2481	1	85	140	4	7	6	9508	7027	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	14262	11781	11781	1.5
1754	014	2377	0.05	1300	1	85	140	4	7	6	9508	8208	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	14262	12962	12962	1.5
1755	009	2372	0.05	2250	1	85	140	4	7	6	9488	7238	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	14232	11982	11982	1.5
1755	012	2761	0.06	3600	3	85	140	4	8	5	11044	7444	NCD-INNE	85	form-based			true	0.75	14	1.75	11	11	16566	12966	12966	1.5
1759	002	2390	0.05	3200	2	65	100	3	5	3	7170	3970	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14340	11140	11140	2
1759	046	2375	0.05	3323	1	85	140	4	7	6	9500	6177	RTO-C	85	form-based	true		true	0.75	12	1.714285731	11	11	14250	10927	10927	1.5
1759	047	2500	0.06	3000	2	85	140	4	8	6	10000	7000	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12000	12000	1.5
1760	052	2500	0.06	2900	2	85	140	4	8	6	10000	7100	NCD-INNE	85	form-based			true	0.75	13	1.625	11	11	15000	12100	12100	1.5
1760	070	2500	0.06	1607	2	85	140	4	8	6	10000	8393	NCD-INNE	85	form-based			true	0.75	13	1.625	11	11	15000	13393	13393	1.5
1763	002	2338	0.05	1800	1	85	140	4	7	6	9352	7552	NCD-INNE	85	form-based			true	0.75	12	1.714285731	11	11	14028	12228	12228	1.5
1764	012	3013	0.07	3952	5	85	140	4	10	5	12052	8100	NCD-INNE	85	form-based			true	0.75	16	1.600000024	11	11	18078	14126	14126	1.5
1764	020	2552	0.06	2800	2	85	140	4	8	6	10208	7408	NCD-INNE	85	form-based			true	0.75	13	1.625	11	11	15312	12512	12512	1.5
1764	021A	2513	0.06	2805	2	85	140	4	8	6	10052	7247	NCD-INNE	85	form-based			true	0.75	13	1.625	11	11	15078	12273	12273	1.5
1764	040	2375	0.05	3622	1	65	100	3	5	4	7125	3503	NCD-INNE	85	form-based			true	0.75	12	2.400000095	11	9	14250	10628	10628	2
1764	041	2375	0.05	2505	1	65	100	3	5	4	7125	4620	NCD-INNE	85	form-based			true	0.75	12	2.400000095	11	9	14250	11745	11745	2
1765	039	2500	0.06	2808	2	65	100	3	6	4	7500	4692	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	12192	12192	2
1766	044	2500	0.06	2250	2	65	100	3	6	4	7500	5250	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	12750	12750	2
1766	045	2500	0.06	2826	2	65	100	3	6	4	7500	4674	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	12174	12174	2
1766	049	2500	0.06	3440	2	65	100	3	6	4	7500	4060	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	11560	11560	2
1766	059	2464	0.06	871	2	85	140	4	8	6	9856	8985	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14784	13913	13913	1.5
1767	024	3316	0.08	5550	6	85	140	4	11	5	13264	7714	RTO-C	85	form-based	true		true	0.75	17	1.545454502	11	11	19896	14346	14346	1.5
1769	043	2500	0.06	3772	2	65	100	3	6	4	7500	3728	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	11228	11228	2
1769	046	2750	0.06	3008	3	65	100	3	6	3	8250	5242	NCD-INNE	85	form-based			true	0.75	14	2.333333254	11	9	16500	13492	13492	2
1770	019	2506	0.06	3004	2	85	140	4	8	6	10024	7020	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15036	12032	12032	1.5
1770	027	2500	0.06	1700	2	85	140	4	8	6	10000	8300	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	13300	13300	1.5
1770	037	2500	0.06	1998	2	65	100	3	6	4	7500	5502	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	13002	13002	2
1770	042	2500	0.06	2522	2	65	100	3	6	4	7500	4978	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	12478	12478	2
1770	052	2291	0.05	0	1	65	100	3	5	4	6873	6873	NCD-INNE	85	form-based			true	0.75	12	2.400000095	11	9	13746	13746	13746	2
1772	005B	2269	0.05	1450	1	65	100	3	5	4	6807	5357	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13614	12164	12164	2
1772	005M	2269	0.05	1450	1	65	100	3	5	4	6807	5357	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13614	12164	12164	2
1772	005N	2269	0.05	1900	1	65	100	3	5	4	6807	4907	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13614	11714	11714	2
1772	005O	3099	0.07	1450	1	65	100	3	7	6	9297	7847	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	13945.5	12495.5	12495.5	1.5
1772	006	3567	0.08	2500	2	65	100	3	8	6	10701	8201	RTO-C	65	form-based			true	0.75	13	1.625	11	11	16051.5	13551.5	13551.5	1.5
1772	007	3900	0.09	3116	4	65	100	3	9	5	11700	8584	RTO-C	65	form-based			true	0.75	15	1.666666627	11	11	17550	14434	14434	1.5
1772	015	2500	0.06	2250	2	65	100	3	6	4	7500	5250	NCD-INNE	85	form-based			true	0.75	13	2.166666746	11	10	15000	12750	12750	2
1773	007	2497	0.06	2700	2	85	140	4	8	6	9988	7288	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14982	12282	12282	1.5
1774	005	2276	0.05	870	1	65	100	3	5	4	6828	5958	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13656	12786	12786	2
1774	006	2286	0.05	1538	1	65	100	3	5	4	6858	5320	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13716	12178	12178	2
1774	010	2322	0.05	1932	1	65	100	3	5	4	6966	5034	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13932	12000	12000	2
1774	015	2382	0.05	2600	2	65	100	3	5	3	7146	4546	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14292	11692	11692	2
1774	016	2394	0.05	2500	2	65	100	3	5	3	7182	4682	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14364	11864	11864	2
1774	016A	2405	0.06	2250	2	65	100	3	6	4	7215	4965	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14430	12180	12180	2
1774	018	2426	0.06	2656	2	85	140	4	8	6	9704	7048	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14556	11900	11900	1.5
1774	018A	2436	0.06	2560	2	85	140	4	8	6	9744	7184	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14616	12056	12056	1.5
1774	024	2375	0.05	1632	1	85	140	4	7	6	9500	7868	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	14250	12618	12618	1.5
1774	025	2375	0.05	1840	1	85	140	4	7	6	9500	7660	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	14250	12410	12410	1.5
1774	026	2375	0.05	1045	1	85	140	4	7	6	9500	8455	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	14250	13205	13205	1.5
1775	025	2489	0.06	2046	2	65	100	3	6	4	7467	5421	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14934	12888	12888	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1775	026	2496	0.06	2750	2	65	100	3	6	4	7488	4738	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14976	12226	12226	2
1775	027	2348	0.05	1375	1	65	100	3	5	4	7044	5669	RTO-C	85	form-based		true	true	0.75	12	2.400000095	11	9	14088	12713	12713	2
1775	028	2364	0.05	1450	1	65	100	3	5	4	7092	5642	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14184	12734	12734	2
1775	029	2364	0.05	1450	1	65	100	3	5	4	7092	5642	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14184	12734	12734	2
1775	029A	2364	0.05	1550	1	65	100	3	5	4	7092	5542	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14184	12634	12634	2
1776	009X	2375	0.05	1400	1	85	140	4	7	6	9500	8100	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	14250	12850	12850	1.5
1776	009Y	2375	0.05	1400	1	85	140	4	7	6	9500	8100	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	14250	12850	12850	1.5
1777	014A	2375	0.05	2238	1	85	140	4	7	6	9500	7262	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	14250	12012	12012	1.5
1777	015	2375	0.05	1600	1	85	140	4	7	6	9500	7900	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	14250	12650	12650	1.5
1777	017	2486	0.06	1900	2	85	140	4	8	6	9944	8044	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14916	13016	13016	1.5
1777	018	2486	0.06	1900	2	85	140	4	8	6	9944	8044	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14916	13016	13016	1.5
1777	018B	2383	0.05	2552	2	85	140	4	7	5	9532	6980	RTO-C	85	form-based			true	0.75	13	1.857142806	11	11	14298	11746	11746	1.5
1778	019	2488	0.06	2500	2	85	140	4	8	6	9952	7452	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14928	12428	12428	1.5
1778	022	2488	0.06	1850	2	65	100	3	6	4	7464	5614	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14928	13078	13078	2
1779	015	2489	0.06	2900	2	85	140	4	8	6	9956	7056	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14934	12034	12034	1.5
1779	019	2490	0.06	2400	2	85	140	4	8	6	9960	7560	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14940	12540	12540	1.5
1780	019	2491	0.06	3562	2	85	140	4	8	6	9964	6402	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14946	11384	11384	1.5
1780	022	2492	0.06	1875	2	85	140	4	8	6	9968	8093	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14952	13077	13077	1.5
1780	025	2091	0.05	2020	0	65	100	3	5	5	6273	4253	RTO-C	85	form-based		true	true	0.75	11	2.200000048	11	10	12546	10526	10526	2
1780	050	2000	0.05	2051	0	65	100	3	5	5	6000	3949	NCD-IRVIN	85	form-based			true	0.75	11	2.200000048	11	10	12000	9949	9949	2
1781	020	2469	0.06	2250	2	65	100	3	6	4	7407	5157	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14814	12564	12564	2
1781	021	2469	0.06	2500	2	65	100	3	6	4	7407	4907	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14814	12314	12314	2
1781	022	2469	0.06	3105	2	65	100	3	6	4	7407	4302	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14814	11709	11709	2
1781	023	2469	0.06	2500	2	65	100	3	6	4	7407	4907	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14814	12314	12314	2
1781	024	2469	0.06	2500	2	65	100	3	6	4	7407	4907	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14814	12314	12314	2
1781	045	2500	0.06	3400	2	65	100	3	6	4	7500	4100	NCD-IRVIN	85	form-based			true	0.75	13	2.166666746	11	10	15000	11600	11600	2
1781	050	2500	0.06	2677	2	65	100	3	6	4	7500	4823	NCD-IRVIN	85	form-based			true	0.75	13	2.166666746	11	10	15000	12323	12323	2
1782	015	2471	0.06	2450	2	85	140	4	8	6	9884	7434	NC-1	85	form-based			true	0.75	13	1.625	11	11	14826	12376	12376	1.5
1782	016	2471	0.06	2074	2	85	140	4	8	6	9884	7810	NC-1	85	form-based			true	0.75	13	1.625	11	11	14826	12752	12752	1.5
1784	001X	2481	0.06	1750	2	65	100	3	6	4	7443	5693	NCD-JUDA	85	form-based			true	0.75	13	2.166666746	11	10	14886	13136	13136	2
1786	013A	2479	0.06	3462	2	85	140	4	8	6	9916	6454	NCD-JUDA	85	form-based			true	0.75	13	1.625	11	11	14874	11412	11412	1.5
1787	013A	2481	0.06	3224	2	65	100	3	6	4	7443	4219	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14886	11662	11662	2
1788	015	2482	0.06	2074	2	85	140	4	8	6	9928	7854	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14892	12818	12818	1.5
1788	015A	2483	0.06	2074	2	85	140	4	8	6	9932	7858	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14898	12824	12824	1.5
1788	016	2483	0.06	2760	2	85	140	4	8	6	9932	7172	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14898	12138	12138	1.5
1788	017	2483	0.06	2400	2	85	140	4	8	6	9932	7532	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14898	12498	12498	1.5
1790	010A	2375	0.05	1724	1	65	100	3	5	4	7125	5401	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14250	12526	12526	2
1790	010B	2375	0.05	1475	1	65	100	3	5	4	7125	5650	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14250	12775	12775	2
1790	010C	2375	0.05	1643	1	65	100	3	5	4	7125	5482	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14250	12607	12607	2
1790	010D	2323	0.05	1660	1	65	100	3	5	4	6969	5309	RTO-C	85	form-based		true	true	0.75	12	2.400000095	11	9	13938	12278	12278	2
1792	011A	2491	0.06	1850	2	65	100	3	6	4	7473	5623	NC-1	85	form-based			true	0.75	13	2.166666746	11	10	14946	13096	13096	2
1793	022	2493	0.06	2525	2	65	100	3	6	4	7479	4954	NC-1	85	form-based			true	0.75	13	2.166666746	11	10	14958	12433	12433	2
1793	023	2493	0.06	2525	2	65	100	3	6	4	7479	4954	NC-1	85	form-based			true	0.75	13	2.166666746	11	10	14958	12433	12433	2
1793	024	2493	0.06	2525	2	65	100	3	6	4	7479	4954	NC-1	85	form-based			true	0.75	13	2.166666746	11	10	14958	12433	12433	2
1795	017A	2375	0.05	2780	1	65	100	3	5	4	7125	4345	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14250	11470	11470	2
1795	018	2375	0.05	1123	1	65	100	3	5	4	7125	6002	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14250	13127	13127	2
1796	017C	2499	0.06	1225	2	65	100	3	6	4	7497	6272	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14994	13769	13769	2
1796	017D	2499	0.06	2890	2	65	100	3	6	4	7497	4607	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14994	12104	12104	2
1796	035	3125	0.07	973	1	65	100	3	7	6	9375	8402	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	14062.5	13089.5	13089.5	1.5
1797	018	2501	0.06	2250	2	85	140	4	8	6	10004	7754	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15006	12756	12756	1.5
1797	019	2501	0.06	2553	2	85	140	4	8	6	10004	7451	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15006	12453	12453	1.5
1798	028	2375	0.05	1567	1	85	140	4	7	6	9500	7933	NC-1	85	form-based			true	0.75	12	1.714285731	11	11	14250	12683	12683	1.5
1798	029	2375	0.05	1400	1	85	140	4	7	6	9500	8100	NC-1	85	form-based			true	0.75	12	1.714285731	11	11	14250	12850	12850	1.5
1799	039	2375	0.05	1911	1	65	100	3	5	4	7125	5214	NC-1	85	form-based			true	0.75	12	2.400000095	11	9	14250	12339	12339	2
1800	032	2360	0.05	1334	1	85	140	4	7	6	9440	8106	NC-1	85	form-based			true	0.75	12	1.714285731	11	11	14160	12826	12826	1.5
1801	022	2568	0.06	2723	2	85	140	4	8	6	10272	7549	RTO-C	85	form-based		true	true	0.75	13	1.625	11	11	15408	12685	12685	1.5
1807	018	5625	0.13	1970	1	65	100	3	13	12	16875	14905	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15750	13780	13780	0.933333
1807	038	2500	0.06	3865	2	85	140	4	8	6	10000	6135	NC-1	85	form-based			true	0.75	13	1.625	11	11	15000	11135	11135	1.5
1807	043	2500	0.06	3662	2	85	140	4	8	6	10000	6338	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	11338	11338	1.5
1808	047	2432	0.06	2387	2	85	140	4	8	6	9728	7341	NC-1	85	form-based		true	true	0.75	13	1.625	11	11	14592	12205	12205	1.5
1809	027A	2377	0.05	1584	1	65	100	3	5	4	7131	5547	NC-1	85	form-based			true	0.75	12	2.400000095	11	9	14262	12678	12678	2
1810	039	2500	0.06	2074	2	85	140	4	8	6	10000	7926	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12926	12926	1.5
1810	040	2500	0.06	2074	2	85	140	4	8	6	10000	7926	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12926	12926	1.5
1810	041	2500	0.06	2499	2	85	140	4	8	6	10000	7501	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12501	12501	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1810	042	2500	0.06	2417	2	85	140	4	8	6	10000	7583	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12583	12583	1.5
1811	044	2500	0.06	1750	2	85	140	4	8	6	10000	8250	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	13250	13250	1.5
1811	045	2500	0.06	1750	2	85	140	4	8	6	10000	8250	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	13250	13250	1.5
1812	044	2500	0.06	2307	2	65	100	3	6	4	7500	5193	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12693	12693	2
1813	044	2500	0.06	2424	2	65	100	3	6	4	7500	5076	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12576	12576	2
1813	045	2500	0.06	2424	2	65	100	3	6	4	7500	5076	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12576	12576	2
1813	046	2500	0.06	2424	2	65	100	3	6	4	7500	5076	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12576	12576	2
1813	047	2500	0.06	2450	2	85	140	4	8	6	10000	7550	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12550	12550	1.5
1813	048	2500	0.06	2450	2	85	140	4	8	6	10000	7550	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12550	12550	1.5
1814	001A	2260	0.05	1775	1	85	140	4	7	6	9040	7265	NC-1	85	form-based			true	0.75	12	1.714285731	11	11	13560	11785	11785	1.5
1814	001B	2260	0.05	2285	1	85	140	4	7	6	9040	6755	NC-1	85	form-based			true	0.75	12	1.714285731	11	11	13560	11275	11275	1.5
1814	045	2250	0.05	1490	1	85	140	4	7	6	9000	7510	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	13500	12010	12010	1.5
1814	046	2250	0.05	2400	1	85	140	4	7	6	9000	6600	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	13500	11100	11100	1.5
1814	047	2250	0.05	1350	1	85	140	4	7	6	9000	7650	RTO-C	85	form-based	true		true	0.75	12	1.714285731	11	11	13500	12150	12150	1.5
1816	048	2500	0.06	2907	2	65	100	3	6	4	7500	4593	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12093	12093	2
1816	049	2500	0.06	2420	2	65	100	3	6	4	7500	5080	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12580	12580	2
1818	043	2490	0.06	1519	2	65	100	3	6	4	7470	5951	RTO-C	85	form-based	true		true	0.75	13	2.166666746	11	10	14940	13421	13421	2
1819	040	2500	0.06	1750	2	85	140	4	8	6	10000	8250	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	13250	13250	1.5
1819	041	2500	0.06	1750	2	85	140	4	8	6	10000	8250	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	13250	13250	1.5
1820	046	2500	0.06	2074	2	85	140	4	8	6	10000	7926	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12926	12926	1.5
1820	047	2500	0.06	2000	2	85	140	4	8	6	10000	8000	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	13000	13000	1.5
1820	048	2500	0.06	2000	2	85	140	4	8	6	10000	8000	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	13000	13000	1.5
1820	049	2500	0.06	1750	2	85	140	4	8	6	10000	8250	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	13250	13250	1.5
1820	050	2500	0.06	1750	2	85	140	4	8	6	10000	8250	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	13250	13250	1.5
1821	035	2500	0.06	1746	2	65	100	3	6	4	7500	5754	NCD-JUDA	85	form-based			true	0.75	13	2.166666746	11	10	15000	13254	13254	2
1821	035A	2500	0.06	1720	2	65	100	3	6	4	7500	5780	NCD-JUDA	85	form-based			true	0.75	13	2.166666746	11	10	15000	13280	13280	2
1821	036	2500	0.06	2002	2	65	100	3	6	4	7500	5498	NCD-JUDA	85	form-based			true	0.75	13	2.166666746	11	10	15000	12998	12998	2
1822	001	3217	0.07	5375	6	85	140	4	10	4	12868	7493	NCD-JUDA	85	form-based	true		true	0.75	17	1.700000048	11	11	19302	13927	13927	1.5
1823	001	3349	0.08	6639	7	85	140	4	11	4	13396	6757	NCD-JUDA	85	form-based	true		true	0.75	18	1.636363626	11	11	20094	13455	13455	1.5
1825	040	2500	0.06	2383	2	85	140	4	8	6	10000	7617	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12617	12617	1.5
1825	040A	2500	0.06	2250	2	85	140	4	8	6	10000	7750	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12750	12750	1.5
1826	038	2511	0.06	2260	2	85	140	4	8	6	10044	7784	NC-1	85	form-based			true	0.75	13	1.625	11	11	15066	12806	12806	1.5
1826	040	2500	0.06	4125	2	85	140	4	8	6	10000	5875	NC-1	85	form-based			true	0.75	13	1.625	11	11	15000	10875	10875	1.5
1827	038	2500	0.06	2768	2	65	100	3	6	4	7500	4732	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12232	12232	2
1827	038A	2500	0.06	2472	2	65	100	3	6	4	7500	5028	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12528	12528	2
1827	039	2500	0.06	2734	2	65	100	3	6	4	7500	4766	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12266	12266	2
1828	001B	2500	0.06	2749	2	85	140	4	8	6	10000	7251	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12251	12251	1.5
1828	001C	2500	0.06	2250	2	85	140	4	8	6	10000	7750	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12750	12750	1.5
1828	011A	2500	0.06	2860	2	85	140	4	8	6	10000	7140	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12140	12140	1.5
1828	011B	2500	0.06	2500	2	85	140	4	8	6	10000	7500	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12500	12500	1.5
1828	011C	2500	0.06	2500	2	85	140	4	8	6	10000	7500	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12500	12500	1.5
1829	045	2500	0.06	1750	2	85	140	4	8	6	10000	8250	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	13250	13250	1.5
1830	001	3642	0.08	5304	8	85	140	4	11	3	14568	9264	RTO-C	85	form-based	true		true	0.75	19	1.727272749	11	11	21852	16548	16548	1.5
1831	045	2500	0.06	4426	2	85	140	4	8	6	10000	5574	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	10574	10574	1.5
1832	041	2375	0.05	1600	1	85	140	4	7	6	9500	7900	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	14250	12650	12650	1.5
1832	042	2375	0.05	2399	1	85	140	4	7	6	9500	7101	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	14250	11851	11851	1.5
1832	043	2375	0.05	1760	1	85	140	4	7	6	9500	7740	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	14250	12490	12490	1.5
1833	034	2500	0.06	2848	2	65	100	3	6	4	7500	4652	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12152	12152	2
1833	035	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	13000	13000	2
1833	036	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	13000	13000	2
1833	037	2500	0.06	2194	2	65	100	3	6	4	7500	5306	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12806	12806	2
1833	038	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	13000	13000	2
1833	039	3716	0.09	3620	3	65	100	3	9	6	11148	7528	RTO-C	65	form-based			true	0.75	14	1.555555582	11	11	16722	13102	13102	1.5
1834	001B	2597	0.06	3224	3	85	140	4	8	5	10388	7164	RTO-C	85	form-based			true	0.75	14	1.75	11	11	15582	12358	12358	1.5
1834	008	2827	0.06	3160	4	65	100	3	6	2	8481	5321	RTO-C	85	form-based			true	0.75	15	2.5	11	8	16962	13802	13802	2
1834	012	2278	0.05	1225	1	65	100	3	5	4	6834	5609	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13668	12443	12443	2
1835	031	2437	0.06	3250	2	65	100	3	6	4	7311	4061	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14622	11372	11372	2
1835	032	2456	0.06	5865	2	65	100	3	6	4	7368	1503	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14736	8871	8871	2
1835	034	2494	0.06	4895	2	65	100	3	6	4	7482	2587	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14964	10069	10069	2
1835	035	2513	0.06	2546	2	65	100	3	6	4	7539	4993	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15078	12532	12532	2
1835	036	2533	0.06	2546	2	65	100	3	6	4	7599	5053	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15198	12652	12652	2
1835	038	2571	0.06	2023	2	65	100	3	6	4	7713	5690	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15426	13403	13403	2
1835	046	2500	0.06	1924	2	85	140	4	8	6	10000	8076	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	13076	13076	1.5
1835	047	2500	0.06	2692	2	85	140	4	8	6	10000	7308	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12308	12308	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1835	048	2500	0.06	3600	2	85	140	4	8	6	10000	6400	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	11400	11400	1.5
1835	056	2475	0.06	2169	2	65	100	3	6	4	7425	5256	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14850	12681	12681	2
1836	001	2363	0.05	1730	1	65	100	3	5	4	7089	5359	RTO-C	85	form-based		true	true	0.75	12	2.400000095	11	9	14178	12448	12448	2
1836	001B	2363	0.05	1550	1	65	100	3	5	4	7089	5539	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14178	12628	12628	2
1836	001C	2363	0.05	1785	1	65	100	3	5	4	7089	5304	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14178	12393	12393	2
1836	021	2399	0.06	3050	2	65	100	3	6	4	7197	4147	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14394	11344	11344	2
1836	024	2399	0.06	1393	2	65	100	3	6	4	7197	5804	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14394	13001	13001	2
1836	030	2399	0.06	936	2	65	100	3	6	4	7197	6261	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14394	13458	13458	2
1837	045	2500	0.06	2472	2	65	100	3	6	4	7500	5028	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12528	12528	2
1837	046	2500	0.06	2550	2	65	100	3	6	4	7500	4950	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12450	12450	2
1837	047	2500	0.06	2850	2	85	140	4	8	6	10000	7150	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12150	12150	1.5
1837	061	2500	0.06	2030	2	85	140	4	8	6	10000	7970	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12970	12970	1.5
1838	001G	2500	0.06	2050	2	85	140	4	8	6	10000	7950	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12950	12950	1.5
1838	001H	2500	0.06	3100	2	85	140	4	8	6	10000	6900	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	11900	11900	1.5
1838	001I	2500	0.06	2250	2	85	140	4	8	6	10000	7750	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12750	12750	1.5
1838	001J	2500	0.06	2400	2	85	140	4	8	6	10000	7600	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12600	12600	1.5
1839	001	2250	0.05	1825	1	65	100	3	5	4	6750	4925	RTO-C	85	form-based		true	true	0.75	12	2.400000095	11	9	13500	11675	11675	2
1839	001A	2250	0.05	2723	1	65	100	3	5	4	6750	4027	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13500	10777	10777	2
1839	001B	2250	0.05	1270	1	65	100	3	5	4	6750	5480	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13500	12230	12230	2
1839	001L	2375	0.05	1313	1	65	100	3	5	4	7125	5812	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14250	12937	12937	2
1839	022F	2340	0.05	1100	1	85	140	4	7	6	9360	8260	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	14040	12940	12940	1.5
1840	042	2500	0.06	4410	2	85	140	4	8	6	10000	5590	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	10590	10590	1.5
1841	035	2500	0.06	2189	2	85	140	4	8	6	10000	7811	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12811	12811	1.5
1841	036	2500	0.06	2500	2	85	140	4	8	6	10000	7500	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12500	12500	1.5
1842	042	2500	0.06	2250	2	85	140	4	8	6	10000	7750	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12750	12750	1.5
1842	043C	2500	0.06	3950	2	85	140	4	8	6	10000	6050	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	11050	11050	1.5
1843	043	2250	0.05	1600	1	65	100	3	5	4	6750	5150	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13500	11900	11900	2
1843	045	2250	0.05	1415	1	65	100	3	5	4	6750	5335	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13500	12085	12085	2
1843	046	2250	0.05	1650	1	65	100	3	5	4	6750	5100	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13500	11850	11850	2
1844	052	5026	0.12	6265	0	65	100	3	12	12	15078	8813	RH-2	40	form-based		true	true	0.7	11	0.916666687	11	11	14072.7998	7807.799805	7807.799805	0.933333
1847	042	3000	0.07	3657	0	65	100	3	7	7	9000	5343	RTO-C	65	form-based			true	0.75	11	1.571428537	11	11	13500	9843	9843	1.5
1851	022	5738	0.13	1350	1	55	80	2.5	10	9	14345	12995	RH-2	40	form-based			true	0.7	12	1.200000048	11	11	16066.39941	14716.39941	14716.39941	1.12
1860A	004	5521	0.13	1318	1	65	100	3	13	12	16563	15245	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15458.7998	14140.7998	14140.7998	0.933333
1860A	015	5772	0.13	4904	1	65	100	3	13	12	17316	12412	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16161.59961	11257.59961	11257.59961	0.933333
1861A	005	5620	0.13	2100	1	65	100	3	13	12	16860	14760	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15736	13636	13636	0.933333
1861B	002	5777	0.13	1200	1	65	100	3	13	12	17331	16131	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16175.59961	14975.59961	14975.59961	0.933333
1862A	003	5768	0.13	1400	1	65	100	3	13	12	17304	15904	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16150.39941	14750.39941	14750.39941	0.933333
1864	001B	2272	0.05	1490	1	65	100	3	5	4	6816	5326	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13632	12142	12142	2
1864	001M	2272	0.05	2315	1	65	100	3	5	4	6816	4501	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13632	11317	11317	2
1865	002	2361	0.05	1855	1	65	100	3	5	4	7083	5228	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14166	12311	12311	2
1865	003	2361	0.05	1855	1	65	100	3	5	4	7083	5228	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14166	12311	12311	2
1865	014	5269	0.12	7560	0	65	100	3	12	12	15807	8247	RH-2	40	form-based		true	true	0.7	11	0.916666687	11	11	14753.2002	7193.200195	7193.200195	0.933333
1895	031	5334	0.12	4790	0	55	80	2.5	10	10	13335	8545	RH-2	40	form-based			true	0.7	11	1.100000024	11	11	14935.2002	10145.2002	10145.2002	1.12
1898	047	5065	0.12	3460	0	55	80	2.5	10	10	12662	9202	RH-1	40	form-based			true	0.7	11	1.100000024	11	11	14182	10722	10722	1.120044
1924	049	2425	0.06	1780	2	55	80	2.5	5	3	6062	4282	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12770	10344	2.400198
1924	051	2425	0.06	1920	2	55	80	2.5	5	3	6062	4142	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12630	10204	2.400198
1924	055	2425	0.06	1780	2	55	80	2.5	5	3	6062	4282	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12770	10344	2.400198
1924	057	2425	0.06	1920	2	55	80	2.5	5	3	6062	4142	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12630	10204	2.400198
1924	059	2425	0.06	1920	2	55	80	2.5	5	3	6062	4142	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12630	10204	2.400198
1924	061	2425	0.06	1780	2	55	80	2.5	5	3	6062	4282	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12770	10344	2.400198
1924	063	2425	0.06	1920	2	55	80	2.5	5	3	6062	4142	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12630	10204	2.400198
1924	065	2425	0.06	1780	2	55	80	2.5	5	3	6062	4282	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12770	10344	2.400198
1924	067	2425	0.06	1780	2	55	80	2.5	5	3	6062	4282	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12770	10344	2.400198
1924	069	2425	0.06	1920	2	55	80	2.5	5	3	6062	4142	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12630	10204	2.400198
1924	071	2425	0.06	1920	2	55	80	2.5	5	3	6062	4142	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12630	10204	2.400198
1924	073	2425	0.06	1920	2	55	80	2.5	5	3	6062	4142	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12630	10204	2.400198
1924	075	2425	0.06	1780	2	55	80	2.5	5	3	6062	4282	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12770	10344	2.400198
1924	077	2425	0.06	1920	2	55	80	2.5	5	3	6062	4142	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12630	10204	2.400198
1924	079	2425	0.06	1920	2	55	80	2.5	5	3	6062	4142	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12630	10204	2.400198
1924	081	2425	0.06	1780	2	55	80	2.5	5	3	6062	4282	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12770	10344	2.400198
1924	083	2425	0.06	1920	2	55	80	2.5	5	3	6062	4142	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12630	10204	2.400198
1924	085	2425	0.06	1780	2	55	80	2.5	5	3	6062	4282	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12770	10344	2.400198
1924	087	2425	0.06	1920	2	55	80	2.5	5	3	6062	4142	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14550	12630	10204	2.400198
1924	COMB	5150	0.12	0	0	55	80	2.5	10	10	12875	12875	RH-2	40	form-based			true	0.7	11	1.100000024	11	11	14420	14420	14420	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1925	004A	2321	0.05	1576	1	55	80	2.5	4	3	5802	4226	RTO-C	85	form-based			true	0.75	12	3	11	7	13926	12350	10028	2.400207
1925	004B	2321	0.05	2296	1	55	80	2.5	4	3	5802	3506	RTO-C	85	form-based			true	0.75	12	3	11	7	13926	11630	9308	2.400207
1925	004C	2321	0.05	1226	1	55	80	2.5	4	3	5802	4576	RTO-C	85	form-based			true	0.75	12	3	11	7	13926	12700	10378	2.400207
1925	004D	2321	0.05	1423	1	55	80	2.5	4	3	5802	4379	RTO-C	85	form-based			true	0.75	12	3	11	7	13926	12503	10181	2.400207
1925	011	2214	0.05	1200	1	55	80	2.5	4	3	5535	4335	RTO-C	85	form-based			true	0.75	12	3	11	7	13284	12084	9870	2.4
1925	011A	2213	0.05	1200	1	55	80	2.5	4	3	5532	4332	RTO-C	85	form-based			true	0.75	12	3	11	7	13278	12078	9864	2.400217
1925	011B	2213	0.05	2072	1	55	80	2.5	4	3	5532	3460	RTO-C	85	form-based			true	0.75	12	3	11	7	13278	11206	8992	2.400217
1925	011C	2213	0.05	1200	1	55	80	2.5	4	3	5532	4332	RTO-C	85	form-based			true	0.75	12	3	11	7	13278	12078	9864	2.400217
1925	012	2213	0.05	1200	1	55	80	2.5	4	3	5532	4332	RTO-C	85	form-based			true	0.75	12	3	11	7	13278	12078	9864	2.400217
1925	015	2212	0.05	1564	1	55	80	2.5	4	3	5530	3966	RTO-C	85	form-based			true	0.75	12	3	11	7	13272	11708	9496	2.4
1925	015B	2212	0.05	1680	1	55	80	2.5	4	3	5530	3850	RTO-C	85	form-based			true	0.75	12	3	11	7	13272	11592	9380	2.4
1925	015C	2211	0.05	1630	1	55	80	2.5	4	3	5528	3898	RTO-C	85	form-based			true	0.75	12	3	11	7	13266	11636	9426	2.399783
1925	015D	2211	0.05	1600	1	55	80	2.5	4	3	5528	3928	RTO-C	85	form-based			true	0.75	12	3	11	7	13266	11666	9456	2.399783
1925	019	2223	0.05	900	1	55	80	2.5	4	3	5558	4658	RTO-C	85	form-based			true	0.75	12	3	11	7	13338	12438	10216	2.399784
1928B	035	5479	0.13	3339	1	55	80	2.5	10	9	13698	10359	RH-1	40	form-based	true		true	0.7	12	1.200000048	11	11	15341.2002	12002.2002	12002.2002	1.119959
1928B	050	5162	0.12	0	0	55	80	2.5	10	10	12905	12905	RH-1	40	form-based	true		true	0.7	11	1.100000024	11	11	14453.59961	14453.59961	14453.59961	1.12
2009	004I	3075	0.07	2877	1	55	80	2.5	6	5	7688	4811	RTO-C	65	form-based	true		true	0.75	12	2	11	11	13837.5	10960.5	10960.5	1.799883
2014	003H	2325	0.05	1400	1	55	80	2.5	4	3	5812	4412	RTO-C	85	form-based			true	0.75	12	3	11	7	13950	12550	10224	2.400207
2014	003I	2325	0.05	1025	1	55	80	2.5	4	3	5812	4787	RTO-C	85	form-based			true	0.75	12	3	11	7	13950	12925	10599	2.400207
2014	003J	2325	0.05	1025	1	55	80	2.5	4	3	5812	4787	RTO-C	85	form-based			true	0.75	12	3	11	7	13950	12925	10599	2.400207
2014	004	2325	0.05	1300	1	55	80	2.5	4	3	5812	4512	RTO-C	85	form-based			true	0.75	12	3	11	7	13950	12650	10324	2.400207
2015	035	2325	0.05	2052	1	55	80	2.5	4	3	5812	3760	RTO-C	85	form-based			true	0.75	12	3	11	7	13950	11898	9572	2.400207
2015	037	2325	0.05	1654	1	55	80	2.5	4	3	5812	4158	RTO-C	85	form-based			true	0.75	12	3	11	7	13950	12296	9970	2.400207
2015	038	2325	0.05	1654	1	55	80	2.5	4	3	5812	4158	RTO-C	85	form-based			true	0.75	12	3	11	7	13950	12296	9970	2.400207
2017	049	2728	0.06	1600	3	55	80	2.5	5	2	6820	5220	NCD-NORI	85	form-based			true	0.75	14	2.799999952	11	7	16368	14768	12040	2.4
2021	016	2325	0.05	1539	1	55	80	2.5	4	3	5812	4273	RTO-C	85	form-based			true	0.75	12	3	11	7	13950	12411	10085	2.400207
2021	016A	2325	0.05	1918	1	55	80	2.5	4	3	5812	3894	RTO-C	85	form-based			true	0.75	12	3	11	7	13950	12032	9706	2.400207
2021	017	2325	0.05	1808	1	55	80	2.5	4	3	5812	4004	RTO-C	85	form-based			true	0.75	12	3	11	7	13950	12142	9816	2.400207
2021	018	2325	0.05	2258	1	55	80	2.5	4	3	5812	3554	RTO-C	85	form-based			true	0.75	12	3	11	7	13950	11692	9366	2.400207
2022	018A	2325	0.05	1850	1	55	80	2.5	4	3	5812	3962	RTO-C	85	form-based			true	0.75	12	3	11	7	13950	12100	9774	2.400207
2022	018J	2251	0.05	1566	1	55	80	2.5	4	3	5628	4062	RTO-C	85	form-based			true	0.75	12	3	11	7	13506	11940	9690	2.399787
2024	021	2514	0.06	2974	2	55	80	2.5	5	3	6285	3311	NCD-NORI	85	form-based	true		true	0.75	13	2.599999905	11	8	15084	12110	9596	2.4
2024	022	2514	0.06	2700	2	55	80	2.5	5	3	6285	3585	NCD-NORI	85	form-based			true	0.75	13	2.599999905	11	8	15084	12384	9870	2.4
2024	024	2514	0.06	1880	2	55	80	2.5	5	3	6285	4405	NCD-NORI	85	form-based			true	0.75	13	2.599999905	11	8	15084	13204	10690	2.4
2024	025	2514	0.06	2911	2	55	80	2.5	5	3	6285	3374	NCD-NORI	85	form-based			true	0.75	13	2.599999905	11	8	15084	12173	9659	2.4
2024	027	2514	0.06	2690	2	55	80	2.5	5	3	6285	3595	NCD-NORI	85	form-based			true	0.75	13	2.599999905	11	8	15084	12394	9880	2.4
2024	028	2514	0.06	3334	2	55	80	2.5	5	3	6285	2951	NCD-NORI	85	form-based			true	0.75	13	2.599999905	11	8	15084	11750	9236	2.4
2024	029	2510	0.06	2683	2	55	80	2.5	5	3	6275	3592	NCD-NORI	85	form-based	true		true	0.75	13	2.599999905	11	8	15060	12377	9867	2.4
2026	024	2441	0.06	2145	2	55	80	2.5	5	3	6102	3957	NCD-NORI	85	form-based			true	0.75	13	2.599999905	11	8	14646	12501	10059	2.400197
2026	026	2441	0.06	2401	2	55	80	2.5	5	3	6102	3701	NCD-NORI	85	form-based			true	0.75	13	2.599999905	11	8	14646	12245	9803	2.400197
2026	027	2441	0.06	3013	2	55	80	2.5	5	3	6102	3089	NCD-NORI	85	form-based			true	0.75	13	2.599999905	11	8	14646	11633	9191	2.400197
2026	028	2441	0.06	1575	2	55	80	2.5	5	3	6102	4527	NCD-NORI	85	form-based			true	0.75	13	2.599999905	11	8	14646	13071	10629	2.400197
2028	031	3610	0.08	5563	8	55	80	2.5	6	0	9025	3462	NCD-NORI	85	form-based			true	0.75	19	3.166666746	11	4	21660	16097	12487	2.4
2029	020	2237	0.05	1045	1	55	80	2.5	4	3	5592	4547	NCD-NORI	85	form-based			true	0.75	12	3	11	7	13422	12377	10139	2.400215
2029	021	2237	0.05	1045	1	55	80	2.5	4	3	5592	4547	NCD-NORI	85	form-based			true	0.75	12	3	11	7	13422	12377	10139	2.400215
2030	013	2265	0.05	1324	1	55	80	2.5	4	3	5662	4338	NCD-NORI	85	form-based			true	0.75	12	3	11	7	13590	12266	10000	2.400212
2031	017	2248	0.05	1430	1	55	80	2.5	4	3	5620	4190	RTO-C	85	form-based			true	0.75	12	3	11	7	13488	12058	9810	2.4
2031	018	2248	0.05	1100	1	55	80	2.5	4	3	5620	4520	RTO-C	85	form-based			true	0.75	12	3	11	7	13488	12388	10140	2.4
2031	019	2248	0.05	1100	1	55	80	2.5	4	3	5620	4520	RTO-C	85	form-based			true	0.75	12	3	11	7	13488	12388	10140	2.4
2031	020	2248	0.05	1785	1	55	80	2.5	4	3	5620	3835	RTO-C	85	form-based			true	0.75	12	3	11	7	13488	11703	9455	2.4
2031	021	2248	0.05	1340	1	55	80	2.5	4	3	5620	4280	RTO-C	85	form-based			true	0.75	12	3	11	7	13488	12148	9900	2.4
2031	023	2248	0.05	1695	1	55	80	2.5	4	3	5620	3925	RTO-C	85	form-based			true	0.75	12	3	11	7	13488	11793	9545	2.4
2031	024	2248	0.05	1648	1	55	80	2.5	4	3	5620	3972	RTO-C	85	form-based			true	0.75	12	3	11	7	13488	11840	9592	2.4
2031	025	2248	0.05	1250	1	55	80	2.5	4	3	5620	4370	RTO-C	85	form-based			true	0.75	12	3	11	7	13488	12238	9990	2.4
2042	025	7000	0.16	2920	4	55	80	2.5	13	9	17500	14580	RH-2	40	form-based			true	0.7	15	1.153846145	11	11	19600	16680	16680	1.12
2042	026	7000	0.16	2840	4	55	80	2.5	13	9	17500	14660	RH-2	40	form-based			true	0.7	15	1.153846145	11	11	19600	16760	16760	1.12
2042	027	7000	0.16	2800	4	55	80	2.5	13	9	17500	14700	RH-2	40	form-based			true	0.7	15	1.153846145	11	11	19600	16800	16800	1.12
2042	028	6959	0.16	2868	4	55	80	2.5	13	9	17398	14530	RH-2	40	form-based			true	0.7	15	1.153846145	11	11	19485.19922	16617.19922	16617.19922	1.119968
2126	009A	5558	0.13	2466	1	55	80	2.5	10	9	13895	11429	RH-1(D)	40	form-based	true		true	0.7	12	1.200000048	11	11	15562.39941	13096.39941	13096.39941	1.12
2126	023	5799	0.13	5373	1	55	80	2.5	10	9	14498	9125	RH-1(D)	40	form-based	true		true	0.7	12	1.200000048	11	11	16237.2002	10864.2002	10864.2002	1.119961
2134B	008	5766	0.13	1584	1	55	80	2.5	10	9	14415	12831	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16144.7998	14560.7998	14560.7998	1.12
2134B	010	5524	0.13	1288	1	55	80	2.5	10	9	13810	12522	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15467.2002	14179.2002	14179.2002	1.12
2138	013	2229	0.05	3995	1	55	80	2.5	4	3	5572	1577	RTO-C	85	form-based			true	0.75	12	3	11	7	13374	9379	7149	2.400215
2138	014	2229	0.05	1350	1	55	80	2.5	4	3	5572	4222	RTO-C	85	form-based			true	0.75	12	3	11	7	13374	12024	9794	2.400215

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2138	015	2229	0.05	1245	1	55	80	2.5	4	3	5572	4327	RTO-C	85	form-based			true	0.75	12	3	11	7	13374	12129	9899	2.400215
2138	019	2229	0.05	1675	1	55	80	2.5	4	3	5572	3897	RTO-C	85	form-based			true	0.75	12	3	11	7	13374	11699	9469	2.400215
2138	020	2229	0.05	2028	1	55	80	2.5	4	3	5572	3544	RTO-C	85	form-based			true	0.75	12	3	11	7	13374	11346	9116	2.400215
2138	024	2229	0.05	1183	1	55	80	2.5	4	3	5572	4389	RTO-C	85	form-based			true	0.75	12	3	11	7	13374	12191	9961	2.400215
2138	027	2229	0.05	3352	1	55	80	2.5	4	3	5572	2220	RTO-C	85	form-based			true	0.75	12	3	11	7	13374	10022	7792	2.400215
2138	028	2229	0.05	2711	1	55	80	2.5	4	3	5572	2861	RTO-C	85	form-based			true	0.75	12	3	11	7	13374	10663	8433	2.400215
2141	008	5375	0.12	7523	0	55	80	2.5	10	10	13438	5915	RH-1	40	form-based			true	0.7	11	1.100000024	11	11	15050	7527	7527	1.119958
2141	008A	5375	0.12	8980	0	55	80	2.5	10	10	13438	4458	RH-1	40	form-based		true	true	0.7	11	1.100000024	11	11	15050	6070	6070	1.119958
2199	008A	2228	0.05	1412	1	55	80	2.5	4	3	5570	4158	RTO-C	85	form-based			true	0.75	12	3	11	7	13368	11956	9728	2.4
2199	008B	2275	0.05	1150	1	55	80	2.5	4	3	5688	4538	RTO-C	85	form-based			true	0.75	12	3	11	7	13650	12500	10226	2.399789
2199	012B	2397	0.06	2500	2	55	80	2.5	5	3	5992	3492	RTO-C	85	form-based			true	0.75	13	2.599999905	11	8	14382	11882	9484	2.4002
2206	076	5570	0.13	2464	1	55	80	2.5	10	9	13925	11461	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15596	13132	13132	1.12
2206	077	5829	0.13	2640	1	55	80	2.5	10	9	14572	11932	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	16321.2002	13681.2002	13681.2002	1.120038
2206	078	5901	0.14	3049	1	55	80	2.5	11	10	14752	11703	RH-1	40	form-based			true	0.7	12	1.090909123	11	11	16522.79883	13473.79883	13473.79883	1.120038
2206	091	5508	0.13	3324	1	55	80	2.5	10	9	13770	10446	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15422.39941	12098.39941	12098.39941	1.12
2331	003E	2250	0.05	1290	1	65	100	3	5	4	6750	5460	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13500	12210	12210	2
2331	003I	2250	0.05	1290	1	65	100	3	5	4	6750	5460	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13500	12210	12210	2
2331	013	2406	0.06	4898	2	65	100	3	6	4	7218	2320	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14436	9538	9538	2
2341	015	4500	0.1	4348	6	65	100	3	10	4	13500	9152	NCD-INNE	65	form-based			true	0.75	17	1.700000048	11	11	20250	15902	15902	1.5
2342	020	3000	0.07	1633	0	65	100	3	7	7	9000	7367	NCD-INNE	65	form-based			true	0.75	11	1.571428537	11	11	13500	11867	11867	1.5
2345A	018	2802	0.06	3800	4	85	140	4	8	4	11208	7408	NCD-INNE	85	form-based		true	true	0.75	15	1.875	11	11	16812	13012	13012	1.5
2345A	024	2400	0.06	1758	2	85	140	4	8	6	9600	7842	NCD-INNE	85	form-based			true	0.75	13	1.625	11	11	14400	12642	12642	1.5
2346	008B	3000	0.07	0	0	65	100	3	7	7	9000	9000	RTO-C	65	form-based			true	0.75	11	1.571428537	11	11	13500	13500	13500	1.5
2347	004F	2500	0.06	3171	2	65	100	3	6	4	7500	4329	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	11829	11829	2
2347	010	2545	0.06	6387	2	85	140	4	8	6	10180	3793	NCD-INNE	85	form-based			true	0.75	13	1.625	11	11	15270	8883	8883	1.5
2347	018	2276	0.05	950	1	85	140	4	7	6	9104	8154	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	13656	12706	12706	1.5
2347	019	2276	0.05	2094	1	85	140	4	7	6	9104	7010	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	13656	11562	11562	1.5
2347	026A	2272	0.05	2176	1	65	100	3	5	4	6816	4640	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13632	11456	11456	2
2347	039	2500	0.06	2085	2	65	100	3	6	4	7500	5415	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12915	12915	2
2347	041	2500	0.06	2085	2	65	100	3	6	4	7500	5415	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12915	12915	2
2347	043	2500	0.06	2085	2	65	100	3	6	4	7500	5415	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12915	12915	2
2347	045	2403	0.06	2085	2	65	100	3	6	4	7209	5124	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14418	12333	12333	2
2348	037	3238	0.07	1265	1	65	100	3	7	6	9714	8449	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	14571	13306	13306	1.5
2349	022	3260	0.07	5152	6	65	100	3	7	1	9780	4628	NCD-TARA	85	form-based		true	true	0.75	17	2.428571463	11	8	19560	14408	14408	2
2349	036	3000	0.07	1092	0	65	100	3	7	7	9000	7908	RTO-C	65	form-based			true	0.75	11	1.571428537	11	11	13500	12408	12408	1.5
2353	014	3260	0.07	5633	6	65	100	3	7	1	9780	4147	NCD-TARA	85	form-based		true	true	0.75	17	2.428571463	11	8	19560	13927	13927	2
2354	038	2850	0.07	5514	4	85	140	4	10	6	11400	5886	NCD-TARA	85	form-based		true	true	0.75	15	1.5	11	11	17100	11586	11586	1.5
2354	039	2900	0.07	5510	4	85	140	4	10	6	11600	6090	NCD-TARA	85	form-based			true	0.75	15	1.5	11	11	17400	11890	11890	1.5
2355	012	2500	0.06	1380	2	85	140	4	8	6	10000	8620	NCD-TARA	85	form-based			true	0.75	13	1.625	11	11	15000	13620	13620	1.5
2357	012	2500	0.06	2250	2	65	100	3	6	4	7500	5250	NCD-TARA	85	form-based			true	0.75	13	2.166666746	11	10	15000	12750	12750	2
2357	013	2500	0.06	3635	2	65	100	3	6	4	7500	3865	NCD-TARA	85	form-based			true	0.75	13	2.166666746	11	10	15000	11365	11365	2
2358	013	2500	0.06	1780	2	85	140	4	8	6	10000	8220	NCD-TARA	85	form-based			true	0.75	13	1.625	11	11	15000	13220	13220	1.5
2359	010	2500	0.06	2011	2	85	140	4	8	6	10000	7989	NCD-TARA	85	form-based			true	0.75	13	1.625	11	11	15000	12989	12989	1.5
2359	011	2500	0.06	2011	2	85	140	4	8	6	10000	7989	NCD-TARA	85	form-based			true	0.75	13	1.625	11	11	15000	12989	12989	1.5
2363	003	5493	0.13	1353	1	65	100	3	13	12	16479	15126	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15380.39941	14027.39941	14027.39941	0.933333
2363	016	2500	0.06	3274	2	65	100	3	6	4	7500	4226	NCD-TARA	85	form-based			true	0.75	13	2.166666746	11	10	15000	11726	11726	2
2364	020	2500	0.06	2811	2	65	100	3	6	4	7500	4689	NCD-TARA	85	form-based			true	0.75	13	2.166666746	11	10	15000	12189	12189	2
2366	021D	2500	0.06	3057	2	65	100	3	6	4	7500	4443	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	11943	11943	2
2366	022	2500	0.06	3070	2	65	100	3	6	4	7500	4430	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	11930	11930	2
2366	023	2500	0.06	2904	2	65	100	3	6	4	7500	4596	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12096	12096	2
2368	039	2500	0.06	2150	2	85	140	4	8	6	10000	7850	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12850	12850	1.5
2368	040	2500	0.06	2174	2	85	140	4	8	6	10000	7826	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12826	12826	1.5
2371	014	2500	0.06	2572	2	85	140	4	8	6	10000	7428	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12428	12428	1.5
2372	024	2500	0.06	2552	2	85	140	4	8	6	10000	7448	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12448	12448	1.5
2372	024B	2500	0.06	2552	2	85	140	4	8	6	10000	7448	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12448	12448	1.5
2374	018A	2500	0.06	3116	2	85	140	4	8	6	10000	6884	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	11884	11884	1.5
2375	020	2500	0.06	1500	2	85	140	4	8	6	10000	8500	NC-1	85	form-based			true	0.75	13	1.625	11	11	15000	13500	13500	1.5
2375	021	2500	0.06	1853	2	85	140	4	8	6	10000	8147	NC-1	85	form-based			true	0.75	13	1.625	11	11	15000	13147	13147	1.5
2379	042	2500	0.06	1887	2	85	140	4	8	6	10000	8113	NC-1	85	form-based			true	0.75	13	1.625	11	11	15000	13113	13113	1.5
2379	047	2500	0.06	1428	2	85	140	4	8	6	10000	8572	NC-1	85	form-based			true	0.75	13	1.625	11	11	15000	13572	13572	1.5
2381	046	2500	0.06	2388	2	85	140	4	8	6	10000	7612	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12612	12612	1.5
2381	047	2500	0.06	2388	2	85	140	4	8	6	10000	7612	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12612	12612	1.5
2383	001	3274	0.08	3096	6	85	140	4	11	5	13096	10000	RTO-C	85	form-based		true	true	0.75	17	1.545454502	11	11	19644	16548	16548	1.5
2386	044	2500	0.06	2356	2	85	140	4	8	6	10000	7644	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15000	12644	12644	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2387	035	2500	0.06	2450	2	65	100	3	6	4	7500	5050	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12550	12550	2
2387	036	2500	0.06	2862	2	65	100	3	6	4	7500	4638	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	12138	12138	2
2388	033	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	13000	13000	2
2388	034	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	15000	13000	13000	2
2390	042A	2063	0.05	1590	0	85	140	4	7	7	8252	6662	NCD-TARA	85	form-based		true	true	0.75	11	1.571428537	11	11	12378	10788	10788	1.5
2392	038	2500	0.06	3400	2	65	100	3	6	4	7500	4100	NCD-TARA	85	form-based			true	0.75	13	2.166666746	11	10	15000	11600	11600	2
2393	042	2500	0.06	5646	2	85	140	4	8	6	10000	4354	NCD-TARA	85	form-based			true	0.75	13	1.625	11	11	15000	9354	9354	1.5
2393	043	2500	0.06	2704	2	85	140	4	8	6	10000	7296	NCD-TARA	85	form-based			true	0.75	13	1.625	11	11	15000	12296	12296	1.5
2394	046	2500	0.06	2052	2	85	140	4	8	6	10000	7948	NCD-TARA	85	form-based			true	0.75	13	1.625	11	11	15000	12948	12948	1.5
2395	039	3000	0.07	5109	5	85	140	4	10	5	12000	6891	NCD-TARA	85	form-based			true	0.75	16	1.600000024	11	11	18000	12891	12891	1.5
2396	038	2500	0.06	1975	2	85	140	4	8	6	10000	8025	NCD-TARA	85	form-based			true	0.75	13	1.625	11	11	15000	13025	13025	1.5
2399	043	2500	0.06	2537	2	85	140	4	8	6	10000	7463	NCD-TARA	85	form-based			true	0.75	13	1.625	11	11	15000	12463	12463	1.5
2401	040	2500	0.06	3500	2	65	100	3	6	4	7500	4000	NCD-TARA	85	form-based			true	0.75	13	2.166666746	11	10	15000	11500	11500	2
2402	026	3317	0.08	7349	6	85	140	4	11	5	13268	5919	NCD-TARA	85	form-based		true	true	0.75	17	1.545454502	11	11	19902	12553	12553	1.5
2402	029	2467	0.06	1550	2	85	140	4	8	6	9868	8318	NCD-TARA	85	form-based			true	0.75	13	1.625	11	11	14802	13252	13252	1.5
2403	035	2500	0.06	3770	2	65	100	3	6	4	7500	3730	NCD-TARA	85	form-based			true	0.75	13	2.166666746	11	10	15000	11230	11230	2
2403	037	2500	0.06	4000	2	65	100	3	6	4	7500	3500	NCD-TARA	85	form-based			true	0.75	13	2.166666746	11	10	15000	11000	11000	2
2407	018	2377	0.05	2080	1	65	100	3	5	4	7131	5051	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14262	12182	12182	2
2407	019	2369	0.05	1425	1	65	100	3	5	4	7107	5682	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14214	12789	12789	2
2407	020	2361	0.05	1140	1	65	100	3	5	4	7083	5943	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14166	13026	13026	2
2407	021A	2344	0.05	1630	1	65	100	3	5	4	7032	5402	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14064	12434	12434	2
2407	022	2335	0.05	1280	1	65	100	3	5	4	7005	5725	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	14010	12730	12730	2
2407	024	2310	0.05	1776	1	85	140	4	7	6	9240	7464	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	13860	12084	12084	1.5
2407	025	2301	0.05	2260	1	85	140	4	7	6	9204	6944	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	13806	11546	11546	1.5
2407	026	2293	0.05	2364	1	85	140	4	7	6	9172	6808	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	13758	11394	11394	1.5
2407	034	2327	0.05	1776	1	65	100	3	5	4	6981	5205	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13962	12186	12186	2
2407	035	2318	0.05	1776	1	65	100	3	5	4	6954	5178	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13908	12132	12132	2
2408	017	3104	0.07	1830	1	65	100	3	7	6	9312	7482	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	13968	12138	12138	1.5
2408	018	3217	0.07	2410	1	65	100	3	7	6	9651	7241	RTO-C	65	form-based	true		true	0.75	12	1.714285731	11	11	14476.5	12066.5	12066.5	1.5
2408	026	3239	0.07	1760	1	65	100	3	7	6	9717	7957	RTO-C	65	form-based	true		true	0.75	12	1.714285731	11	11	14575.5	12815.5	12815.5	1.5
2408	027	3101	0.07	2025	1	65	100	3	7	6	9303	7278	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	13954.5	11929.5	11929.5	1.5
2408	048	2500	0.06	2500	2	85	140	4	8	6	10000	7500	NCD-INNE	85	form-based			true	0.75	13	1.625	11	11	15000	12500	12500	1.5
2410	003	3138	0.07	1115	1	85	140	4	10	9	12552	11437	RTO-C	65	form-based			true	0.75	12	1.200000048	11	11	14121	13006	13006	1.125
2410	029A	2500	0.06	2250	2	85	140	4	8	6	10000	7750	NCD-INNE	85	form-based			true	0.75	13	1.625	11	11	15000	12750	12750	1.5
2410	029B	2500	0.06	2250	2	85	140	4	8	6	10000	7750	NCD-INNE	85	form-based			true	0.75	13	1.625	11	11	15000	12750	12750	1.5
2410	041	2125	0.05	1779	0	65	100	3	5	5	6375	4596	NCD-INNE	85	form-based			true	0.75	11	2.200000048	11	10	12750	10971	10971	2
2411	013	3222	0.07	2080	1	85	140	4	10	9	12888	10808	RTO-C	65	form-based	true		true	0.75	12	1.200000048	11	11	14499	12419	12419	1.125
2411	014	3094	0.07	1400	1	85	140	4	10	9	12376	10976	RTO-C	65	form-based			true	0.75	12	1.200000048	11	11	13923	12523	12523	1.125
2411	015	3094	0.07	1900	1	85	140	4	10	9	12376	10476	RTO-C	65	form-based			true	0.75	12	1.200000048	11	11	13923	12023	12023	1.125
2411	016	3094	0.07	1500	1	85	140	4	10	9	12376	10876	RTO-C	65	form-based			true	0.75	12	1.200000048	11	11	13923	12423	12423	1.125
2411	023	3358	0.08	5342	2	85	140	4	11	9	13432	8090	NCD-INNE	65	form-based			true	0.75	13	1.181818128	11	11	15111	9769	9769	1.125
2415	001	3229	0.07	1441	1	85	140	4	10	9	12916	11475	RTO-C	65	form-based	true		true	0.75	12	1.200000048	11	11	14530.5	13089.5	13089.5	1.125
2415	033	3287	0.08	2150	1	65	100	3	8	7	9861	7711	RTO-C	65	form-based	true		true	0.75	12	1.5	11	11	14791.5	12641.5	12641.5	1.5
2468	025	5751	0.13	2300	1	55	80	2.5	10	9	14378	12078	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	16102.7998	13802.7998	13802.7998	1.119961
2473	049	2810	0.06	7580	0	55	80	2.5	5	5	7025	0	NC-1	65	form-based			true	0.75	11	2.200000048	11	10	12645	5065	5065	1.8
2478	015	2288	0.05	1250	1	55	80	2.5	4	3	5720	4470	RTO-C	85	form-based			true	0.75	12	3	11	7	13728	12478	10190	2.4
2478	016	2294	0.05	1490	1	55	80	2.5	4	3	5735	4245	RTO-C	85	form-based			true	0.75	12	3	11	7	13764	12274	9980	2.4
2478	017	2299	0.05	1250	1	55	80	2.5	4	3	5748	4498	RTO-C	85	form-based			true	0.75	12	3	11	7	13794	12544	10246	2.399791
2478	018	2305	0.05	1910	1	55	80	2.5	4	3	5762	3852	RTO-C	85	form-based			true	0.75	12	3	11	7	13830	11920	9614	2.400208
2478	019	2311	0.05	1250	1	55	80	2.5	4	3	5778	4528	RTO-C	85	form-based			true	0.75	12	3	11	7	13866	12616	10306	2.399792
2478	020	2316	0.05	1250	1	55	80	2.5	4	3	5790	4540	RTO-C	85	form-based			true	0.75	12	3	11	7	13896	12646	10330	2.4
2478	021	2322	0.05	1250	1	55	80	2.5	4	3	5805	4555	RTO-C	85	form-based			true	0.75	12	3	11	7	13932	12682	10360	2.4
2478	022	2327	0.05	1476	1	55	80	2.5	4	3	5818	4342	RTO-C	85	form-based			true	0.75	12	3	11	7	13962	12486	10160	2.399794
2478	023	2333	0.05	1250	1	55	80	2.5	4	3	5832	4582	RTO-C	85	form-based			true	0.75	12	3	11	7	13998	12748	10414	2.400206
2478	024	2339	0.05	1466	1	55	80	2.5	4	3	5848	4382	RTO-C	85	form-based			true	0.75	12	3	11	7	14034	12568	10230	2.399795
2478	025	2344	0.05	1250	1	55	80	2.5	4	3	5860	4610	RTO-C	85	form-based			true	0.75	12	3	11	7	14064	12814	10470	2.4
2478	026	2350	0.05	1250	1	55	80	2.5	4	3	5875	4625	RTO-C	85	form-based			true	0.75	12	3	11	7	14100	12850	10500	2.4
2478	027	2355	0.05	1250	1	55	80	2.5	4	3	5888	4638	RTO-C	85	form-based			true	0.75	12	3	11	7	14130	12880	10526	2.399796
2478	028	2361	0.05	1250	1	55	80	2.5	4	3	5902	4652	RTO-C	85	form-based			true	0.75	12	3	11	7	14166	12916	10554	2.400203
2478	029	2367	0.05	1250	1	55	80	2.5	4	3	5918	4668	RTO-C	85	form-based			true	0.75	12	3	11	7	14202	12952	10586	2.399797
2478	030	2372	0.05	1430	1	55	80	2.5	4	3	5930	4500	RTO-C	85	form-based			true	0.75	12	3	11	7	14232	12802	10430	2.4
2478	031	2378	0.05	1500	1	55	80	2.5	4	3	5945	4445	RTO-C	85	form-based			true	0.75	12	3	11	7	14268	12768	10390	2.4
2478	032	2383	0.05	1539	2	55	80	2.5	4	2	5958	4419	RTO-C	85	form-based			true	0.75	13	3.25	11	6	14298	12759	10377	2.399799
2483	013	7057	0.16	21970	26	65	100	3	16	0	21171	0	NCD-WEST	85	form-based	true		true	0.75	37	2.3125	11	6	42342	20372	20372	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2494A	025	5600	0.13	1119	1	55	80	2.5	10	9	14000	12881	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15680	14561	14561	1.12
2499A	004	5728	0.13	1271	1	55	80	2.5	10	9	14320	13049	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16038.39941	14767.39941	14767.39941	1.12
2499A	005	5829	0.13	1641	1	55	80	2.5	10	9	14572	12931	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16321.2002	14680.2002	14680.2002	1.120038
2499A	006	5765	0.13	1706	1	55	80	2.5	10	9	14412	12706	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16142	14436	14436	1.120039
2499A	015	6423	0.15	1260	2	55	80	2.5	12	10	16058	14798	RH-1(D)	40	form-based			true	0.7	13	1.083333373	11	11	17984.40039	16724.40039	16724.40039	1.119965
2501A	022	5518	0.13	3015	1	55	80	2.5	10	9	13795	10780	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15450.39941	12435.39941	12435.39941	1.12
2502A	020	5512	0.13	2181	1	55	80	2.5	10	9	13780	11599	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15433.59961	13252.59961	13252.59961	1.12
2503A	016	5838	0.13	1586	1	55	80	2.5	10	9	14595	13009	RH-1(D)	40	form-based	true		true	0.7	12	1.200000048	11	11	16346.39941	14760.39941	14760.39941	1.12
2512	010	3327	0.08	1561	1	65	100	3	8	7	9981	8420	RTO-C	65	form-based	true		true	0.75	12	1.5	11	11	14971.5	13410.5	13410.5	1.5
2516	005	1373	0.03	2393	1	65	100	3	3	2	4119	1726	NC-2	100	form-based			true	0.75	12	4	11	5	12357	9964	5845	3
2516	007	1472	0.03	2790	2	65	100	3	3	1	4416	1626	NC-2	100	form-based			true	0.75	13	4.333333492	11	4	13248	10458	6042	3
2516	008	1499	0.03	2790	2	65	100	3	3	1	4497	1707	NC-2	100	form-based			true	0.75	13	4.333333492	11	4	13491	10701	6204	3
2518	020	3083	0.07	1950	1	55	80	2.5	6	5	7708	5758	RTO-C	65	form-based			true	0.75	12	2	11	11	13873.5	11923.5	11923.5	1.799883
2528	001	3143	0.07	1900	1	55	80	2.5	6	5	7858	5958	RTO-C	65	form-based			true	0.75	12	2	11	11	14143.5	12243.5	12243.5	1.799886
2540	005	2044	0.05	0	0	65	100	3	5	5	6132	6132	RTO-C	85	form-based			true	0.75	11	2.200000048	11	10	12264	12264	12264	2
2541	010	2564	0.06	2108	2	85	140	4	8	6	10256	8148	RTO-C	85	form-based			true	0.75	13	1.625	11	11	15384	13276	13276	1.5
2607	109	6234	0.14	1831	2	55	80	2.5	11	9	15585	13754	RH-2	40	form-based			true	0.7	13	1.181818128	11	11	17455.19922	15624.19922	15624.19922	1.12
2608	038	5620	0.13	2411	1	55	80	2.5	10	9	14050	11639	RH-2	40	form-based			true	0.7	12	1.200000048	11	11	15736	13325	13325	1.12
2608	039	5721	0.13	3074	1	55	80	2.5	10	9	14302	11228	RH-2	40	form-based			true	0.7	12	1.200000048	11	11	16018.7998	12944.7998	12944.7998	1.120039
2608	064	5964	0.14	1202	2	55	80	2.5	11	9	14910	13708	RH-2	40	form-based			true	0.7	13	1.181818128	11	11	16699.19922	15497.19922	15497.19922	1.12
2617A	027	5556	0.13	3676	1	55	80	2.5	10	9	13890	10214	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15556.7998	11880.7998	11880.7998	1.12
2618A	032	5156	0.12	0	0	55	80	2.5	10	10	12890	12890	RH-1(D)	40	form-based			true	0.7	11	1.100000024	11	11	14436.7998	14436.7998	14436.7998	1.12
2620	082	7084	0.16	457	4	55	80	2.5	13	9	17710	17253	RH-2	40	form-based			true	0.7	15	1.153846145	11	11	19835.19922	19378.19922	19378.19922	1.12
2622	003	2497	0.06	2485	2	65	100	3	6	4	7491	5006	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14982	12497	12497	2
2622	005	2497	0.06	2225	2	65	100	3	6	4	7491	5266	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14982	12757	12757	2
2623	213	2496	0.06	1025	2	65	100	3	6	4	7488	6463	RTO-C	85	form-based			true	0.75	13	2.166666746	11	10	14976	13951	13951	2
2628	035	5711	0.13	1841	1	55	80	2.5	10	9	14278	12437	RH-2	40	form-based			true	0.7	12	1.200000048	11	11	15990.7998	14149.7998	14149.7998	1.119961
2633	002	3226	0.07	3720	1	65	100	3	7	6	9678	5958	RTO-C	65	form-based	true		true	0.75	12	1.714285731	11	11	14517	10797	10797	1.5
2635	041	10975	0.25	8960	12	55	80	2.5	20	8	27438	18478	RM-2	40	form-based			true	0.7	23	1.149999976	11	11	30730	21770	21770	1.11998
2635	045	11087	0.25	8926	12	55	80	2.5	20	8	27718	18792	RM-2	40	form-based			true	0.7	23	1.149999976	11	11	31043.59961	22117.59961	22117.59961	1.11998
2641	008	6257	0.14	2359	2	65	100	3	14	12	18771	16412	RH-1(D)	40	form-based			true	0.7	13	0.928571403	11	11	17519.59961	15160.59961	15160.59961	0.933333
2641	009	6257	0.14	2359	2	65	100	3	14	12	18771	16412	RH-1(D)	40	form-based			true	0.7	13	0.928571403	11	11	17519.59961	15160.59961	15160.59961	0.933333
2641	044	5872	0.13	2390	1	65	100	3	13	12	17616	15226	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16441.59961	14051.59961	14051.59961	0.933333
2642	037	5709	0.13	3321	1	65	100	3	13	12	17127	13806	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15985.2002	12664.2002	12664.2002	0.933333
2642	038	5543	0.13	3712	1	65	100	3	13	12	16629	12917	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15520.39941	11808.39941	11808.39941	0.933333
2647	005	2587	0.06	5264	3	65	100	3	6	3	7761	2497	NCD-CAST	85	form-based			true	0.75	14	2.333333254	11	9	15522	10258	10258	2
2655	045	11412	0.26	635	13	55	80	2.5	21	8	28530	27895	RM-1	40	form-based	true		true	0.7	24	1.142857194	11	11	31953.59961	31318.59961	31318.59961	1.12
2674	011	5890	0.14	1770	1	55	80	2.5	11	10	14725	12955	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16492	14722	14722	1.12
2675	009	5583	0.13	1680	1	55	80	2.5	10	9	13958	12278	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15632.39941	13952.39941	13952.39941	1.11996
2675	014	5590	0.13	1225	1	55	80	2.5	10	9	13975	12750	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15652	14427	14427	1.12
2679	014	5788	0.13	1948	1	55	80	2.5	10	9	14470	12522	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16206.39941	14258.39941	14258.39941	1.12
2684	009	5484	0.13	1791	1	55	80	2.5	10	9	13710	11919	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15355.2002	13564.2002	13564.2002	1.12
2687	027	5837	0.13	3857	1	55	80	2.5	10	9	14592	10735	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16343.59961	12486.59961	12486.59961	1.120038
2687	023	5680	0.13	2875	1	55	80	2.5	10	9	14200	11325	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15904	13029	13029	1.12
2687	029	5699	0.13	3100	1	55	80	2.5	10	9	14248	11148	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15957.2002	12857.2002	12857.2002	1.119961
2688	021	5536	0.13	3027	1	55	80	2.5	10	9	13840	10813	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15500.7998	12473.7998	12473.7998	1.12
2688	071	5828	0.13	1965	1	55	80	2.5	10	9	14570	12605	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16318.39941	14353.39941	14353.39941	1.12
2692	020	6294	0.14	3650	2	55	80	2.5	11	9	15735	12085	RH-2	40	form-based			true	0.7	13	1.181818128	11	11	17623.19922	13973.19922	13973.19922	1.12
2706	001	5708	0.13	4025	1	55	80	2.5	10	9	14270	10245	RH-1(D)	40	form-based	true		true	0.7	12	1.200000048	11	11	15982.39941	11957.39941	11957.39941	1.12
2768	013	5770	0.13	900	1	55	80	2.5	10	9	14425	13525	RH-2	40	form-based			true	0.7	12	1.200000048	11	11	16156	15256	15256	1.12
2770	036	5498	0.13	1260	1	55	80	2.5	10	9	13745	12485	RH-2	40	form-based			true	0.7	12	1.200000048	11	11	15394.39941	14134.39941	14134.39941	1.12
2771	060	5698	0.13	1852	1	55	80	2.5	10	9	14245	12393	RH-2	40	form-based			true	0.7	12	1.200000048	11	11	15954.39941	14102.39941	14102.39941	1.12
2780	009	5498	0.13	1360	1	55	80	2.5	10	9	13745	12385	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15394.39941	14034.39941	14034.39941	1.12
2789	006	5549	0.13	1244	1	55	80	2.5	10	9	13872	12628	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15537.2002	14293.2002	14293.2002	1.12004
2789	028	5725	0.13	1127	1	55	80	2.5	10	9	14312	13185	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16030	14903	14903	1.120039
2804	002	6274	0.14	3472	2	55	80	2.5	11	9	15685	12213	RH-2	40	form-based			true	0.7	13	1.181818128	11	11	17567.19922	14095.19922	14095.19922	1.12
2818	002	5498	0.13	2440	1	55	80	2.5	10	9	13745	11305	RH-1(D)	40	form-based	true		true	0.7	12	1.200000048	11	11	15394.39941	12954.39941	12954.39941	1.12
2819	037	5280	0.12	7089	0	65	100	3	12	12	15840	8751	RH-1(D)	40	form-based			true	0.7	11	0.916666687	11	11	14784	7695	7695	0.933333
2822A	003	5516	0.13	1903	1	55	80	2.5	10	9	13790	11887	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15444.7998	13541.7998	13541.7998	1.12
2823A	012	5646	0.13	1478	1	55	80	2.5	10	9	14115	12637	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15808.7998	14330.7998	14330.7998	1.12
2831	006	2824	0.06	2715	0	55	80	2.5	5	5	7060	4345	NCD-24TH	65	form-based			true	0.75	11	2.200000048	11	10	12708	9993	9993	1.8
2831	017	2832	0.07	6286	0	55	80	2.5	6	6	7080	794	NCD-24TH	65	form-based			true	0.75	11	1.833333373	11	11	12744	6458	6458	1.8
2831	018	2833	0.07	5091	0	55	80	2.5	6	6	7082	1991	NCD-24TH	65	form-based			true	0.75	11	1.833333373	11	11	12748.5	7657.5	7657.5	1.800127
2831	019	2834	0.07	1272	0	55	80	2.5	6	6	7085	5813	NCD-24TH	65	form-based			true	0.75	11	1.833333373	11	11	12753	11481	11481	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2831	022	4047	0.09	0	0	55	80	2.5	7	7	10118	10118	RH-2	50	form-based			true	0.7	11	1.571428537	11	11	14164.5	14164.5	14164.5	1.399931
2837	029	5935	0.14	3628	1	65	100	3	14	13	17805	14177	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16618	12990	12990	0.933333
2837	033	5030	0.12	0	0	65	100	3	12	12	15090	15090	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	11	11	14084	14084	14084	0.933333
2838	001	5624	0.13	2609	1	55	80	2.5	10	9	14060	11451	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15747.2002	13138.2002	13138.2002	1.12
2839	025	5941	0.14	2059	1	55	80	2.5	11	10	14852	12793	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16634.79883	14575.79883	14575.79883	1.120038
2858	001	5944	0.14	2367	1	65	100	3	14	13	17832	15465	RH-1(D)	40	form-based		true	true	0.7	12	0.857142866	11	11	16643.19922	14276.19922	14276.19922	0.933333
2858	024	5493	0.13	3016	1	65	100	3	13	12	16479	13463	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15380.39941	12364.39941	12364.39941	0.933333
2860	013	5682	0.13	2580	1	55	80	2.5	10	9	14205	11625	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15909.59961	13329.59961	13329.59961	1.12
2861	021	5769	0.13	2224	1	55	80	2.5	10	9	14422	12198	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16153.2002	13929.2002	13929.2002	1.120039
2861	023	5797	0.13	2700	1	55	80	2.5	10	9	14492	11792	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16231.59961	13531.59961	13531.59961	1.120039
2861	026	5745	0.13	4816	1	55	80	2.5	10	9	14362	9546	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16086	11270	11270	1.120039
2861	035	5622	0.13	2057	1	55	80	2.5	10	9	14055	11998	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15741.59961	13684.59961	13684.59961	1.12
2862	012	5559	0.13	2264	1	65	100	3	13	12	16677	14413	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	15565.2002	13301.2002	13301.2002	0.933333
2862	013	5708	0.13	2786	1	65	100	3	13	12	17124	14338	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	15982.39941	13196.39941	13196.39941	0.933333
2863	021	5879	0.13	2030	1	65	100	3	13	12	17637	15607	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16461.19922	14431.19922	14431.19922	0.933333
2875	001	5646	0.13	1700	1	55	80	2.5	10	9	14115	12415	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15808.7998	14108.7998	14108.7998	1.12
2875	021	5705	0.13	1580	1	55	80	2.5	10	9	14262	12682	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15974	14394	14394	1.120039
2875	022	5766	0.13	1580	1	55	80	2.5	10	9	14415	12835	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16144.7998	14564.7998	14564.7998	1.12
2875	023	5783	0.13	1585	1	55	80	2.5	10	9	14458	12873	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16192.39941	14607.39941	14607.39941	1.119961
2876	005	5871	0.13	1320	1	55	80	2.5	10	9	14678	13358	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16438.79883	15118.79883	15118.79883	1.119962
2879	014	5836	0.13	2100	1	65	100	3	13	12	17508	15408	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16340.7998	14240.7998	14240.7998	0.933333
2880	018	5647	0.13	2916	1	65	100	3	13	12	16941	14025	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15811.59961	12895.59961	12895.59961	0.933333
2881	024	5756	0.13	3184	1	55	80	2.5	10	9	14390	11206	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16116.7998	12932.7998	12932.7998	1.12
2881	028	5914	0.14	4957	1	55	80	2.5	11	10	14785	9828	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16559.19922	11602.19922	11602.19922	1.12
2882	004	5923	0.14	2720	1	55	80	2.5	11	10	14808	12088	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16584.40039	13864.40039	13864.40039	1.119962
2882	005	5582	0.13	1559	1	55	80	2.5	10	9	13955	12396	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15629.59961	14070.59961	14070.59961	1.12
2882	037A	5864	0.13	1838	1	55	80	2.5	10	9	14660	12822	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16419.19922	14581.19922	14581.19922	1.12
2882	023	5731	0.13	2450	1	55	80	2.5	10	9	14328	11878	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16046.7998	13596.7998	13596.7998	1.119961
2882	024	5612	0.13	2450	1	55	80	2.5	10	9	14030	11580	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15713.59961	13263.59961	13263.59961	1.12
2882	025	5604	0.13	2450	1	55	80	2.5	10	9	14010	11560	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15691.2002	13241.2002	13241.2002	1.12
2882	033	5730	0.13	2176	1	55	80	2.5	10	9	14325	12149	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	16044	13868	13868	1.12
2882	043	5670	0.13	2003	1	55	80	2.5	10	9	14175	12172	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15876	13873	13873	1.12
2883	036	5559	0.13	2780	1	65	100	3	13	12	16677	13897	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15565.2002	12785.2002	12785.2002	0.933333
2884	017	5572	0.13	2572	1	55	80	2.5	10	9	13930	11358	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15601.59961	13029.59961	13029.59961	1.12
2886	024	5095	0.12	3531	0	55	80	2.5	10	10	12738	9207	RH-1(D)	40	form-based			true	0.7	11	1.100000024	11	11	14266	10735	10735	1.119956
2886	030	5091	0.12	2047	0	65	100	3	12	12	15273	13226	RH-1(D)	40	form-based			true	0.7	11	0.916666687	11	11	14254.7998	12207.7998	12207.7998	0.933333
2887	001	5719	0.13	2367	1	65	100	3	13	12	17157	14790	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	16013.2002	13646.2002	13646.2002	0.933333
2887	004	5813	0.13	2360	1	65	100	3	13	12	17439	15079	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16276.39941	13916.39941	13916.39941	0.933333
2888A	005	3198	0.07	1462	1	65	100	3	7	6	9594	8132	RTO-C	65	form-based		true	true	0.75	12	1.714285731	11	11	14391	12929	12929	1.5
2889	019	5643	0.13	4901	1	65	100	3	13	12	16929	12028	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15800.39941	10899.39941	10899.39941	0.933333
2891	022	5478	0.13	1733	1	55	80	2.5	10	9	13695	11962	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15338.39941	13605.39941	13605.39941	1.12
2892	014	5872	0.13	1075	1	55	80	2.5	10	9	14680	13605	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16441.59961	15366.59961	15366.59961	1.12
2901C	009	2771	0.06	3033	4	55	80	2.5	5	1	6928	3895	NC-1	85	form-based		true	true	0.75	15	3	11	6	16626	13593	10823	2.399827
2901C	012	2566	0.06	4960	2	55	80	2.5	5	3	6415	1455	NC-1	85	form-based			true	0.75	13	2.599999905	11	8	15396	10436	7870	2.4
2901C	013	2178	0.05	2000	0	55	80	2.5	4	4	5445	3445	NC-1	85	form-based			true	0.75	11	2.75	11	8	13068	11068	8890	2.4
2901C	014	2155	0.05	2000	0	55	80	2.5	4	4	5388	3388	NC-1	85	form-based			true	0.75	11	2.75	11	8	12930	10930	8776	2.399777
2901D	002	5655	0.13	1390	1	55	80	2.5	10	9	14138	12748	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15834	14444	14444	1.11996
2901D	007	5747	0.13	1800	1	55	80	2.5	10	9	14368	12568	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	16091.59961	14291.59961	14291.59961	1.119961
2919A	022	3150	0.07	2280	1	65	100	3	7	6	9450	7170	RTO-C	65	form-based		true	true	0.75	12	1.714285731	11	11	14175	11895	11895	1.5
2919A	023	3220	0.07	2098	1	65	100	3	7	6	9660	7562	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	14490	12392	12392	1.5
2920	021	3084	0.07	1840	1	65	100	3	7	6	9252	7412	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	13878	12038	12038	1.5
2920	022	3327	0.08	1110	1	65	100	3	8	7	9981	8871	RTO-C	65	form-based			true	0.75	12	1.5	11	11	14971.5	13861.5	13861.5	1.5
2921	002	5912	0.14	3340	1	65	100	3	14	13	17736	14396	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16553.59961	13213.59961	13213.59961	0.933333
2923	031	5889	0.14	1222	1	55	80	2.5	11	10	14722	13500	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16489.19922	15267.19922	15267.19922	1.120038
2923	047	5393	0.12	0	0	55	80	2.5	10	10	13482	13482	RH-1(D)	40	form-based			true	0.7	11	1.100000024	11	11	15100.39941	15100.39941	15100.39941	1.120041
2923	072	5284	0.12	0	0	55	80	2.5	10	10	13210	13210	RH-1(D)	40	form-based			true	0.7	11	1.100000024	11	11	14795.2002	14795.2002	14795.2002	1.12
2924	002	5526	0.13	2639	1	55	80	2.5	10	9	13815	11176	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15472.7998	12833.7998	12833.7998	1.12
2924	001	5588	0.13	3676	1	55	80	2.5	10	9	13970	10294	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15646.39941	11970.39941	11970.39941	1.12
2924	009	5517	0.13	2351	1	65	100	3	13	12	16551	14200	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	15447.59961	13096.59961	13096.59961	0.933333
2929	030	3126	0.07	1884	1	65	100	3	7	6	9378	7494	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	14067	12183	12183	1.5
2929	003	3333	0.08	2073	1	65	100	3	8	7	9999	7926	RTO-C	65	form-based			true	0.75	12	1.5	11	11	14998.5	12925.5	12925.5	1.5
2929	014	5699	0.13	1490	1	65	100	3	13	12	17097	15607	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15957.2002	14467.2002	14467.2002	0.933333
2930	003	3200	0.07	2936	1	65	100	3	7	6	9600	6664	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	14400	11464	11464	1.5
2930	019	3266	0.07	2012	1	65	100	3	7	6	9798	7786	RTO-C	65	form-based			true	0.75	12	1.714285731	11	11	14697	12685	12685	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2933	002	5538	0.13	1759	1	55	80	2.5	10	9	13845	12086	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15506.39941	13747.39941	13747.39941	1.12
2934	016	5919	0.14	3453	1	55	80	2.5	11	10	14798	11345	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16573.19922	13120.19922	13120.19922	1.119962
2934	018	5884	0.14	1600	1	55	80	2.5	11	10	14710	13110	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16475.19922	14875.19922	14875.19922	1.12
2935	004	5943	0.14	2407	1	55	80	2.5	11	10	14858	12451	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16640.40039	14233.40039	14233.40039	1.119962
2936A	034	5872	0.13	1736	1	55	80	2.5	10	9	14680	12944	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16441.59961	14705.59961	14705.59961	1.12
2936A	054	5668	0.13	2595	1	55	80	2.5	10	9	14170	11575	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15870.39941	13275.39941	13275.39941	1.12
2936A	060	5736	0.13	1949	1	55	80	2.5	10	9	14340	12391	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16060.7998	14111.7998	14111.7998	1.12
2969	032	5562	0.13	1077	1	55	80	2.5	10	9	13905	12828	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15573.59961	14496.59961	14496.59961	1.12
2970	006	5696	0.13	1978	1	55	80	2.5	10	9	14240	12262	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15948.7998	13970.7998	13970.7998	1.12
2973	024	5844	0.13	2827	1	55	80	2.5	10	9	14610	11783	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16363.2002	13536.2002	13536.2002	1.12
2973	027	5621	0.13	4535	1	55	80	2.5	10	9	14052	9517	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15738.7998	11203.7998	11203.7998	1.12004
2973	033	5871	0.13	3090	1	55	80	2.5	10	9	14678	11588	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16438.79883	13348.79883	13348.79883	1.119962
2973A	025	5687	0.13	4209	1	55	80	2.5	10	9	14218	10009	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15923.59961	11714.59961	11714.59961	1.119961
2973A	026	5838	0.13	2129	1	55	80	2.5	10	9	14595	12466	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16346.39941	14217.39941	14217.39941	1.12
2973A	029	5808	0.13	2446	1	55	80	2.5	10	9	14520	12074	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16262.39941	13816.39941	13816.39941	1.12
2973A	031	5952	0.14	3449	1	55	80	2.5	11	10	14880	11431	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16665.59961	13216.59961	13216.59961	1.12
2973A	037	5754	0.13	3300	1	55	80	2.5	10	9	14385	11085	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16111.2002	12811.2002	12811.2002	1.12
2973A	042	5731	0.13	3386	1	55	80	2.5	10	9	14328	10942	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16046.7998	12660.7998	12660.7998	1.119961
2973A	045	5500	0.13	3266	1	55	80	2.5	10	9	13750	10484	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15400	12134	12134	1.12
2974	020	5877	0.13	2048	1	55	80	2.5	10	9	14692	12644	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	16455.59961	14407.59961	14407.59961	1.120038
2979A	018	5899	0.14	1437	1	65	100	3	14	13	17697	16260	RH-1(D)	40	form-based		true	true	0.7	12	0.857142866	11	11	16517.19922	15080.19922	15080.19922	0.933333
2989A	005	5769	0.13	3722	1	65	100	3	13	12	17307	13585	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16153.2002	12431.2002	12431.2002	0.933333
2989B	008	5501	0.13	3391	1	65	100	3	13	12	16503	13112	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15402.7998	12011.7998	12011.7998	0.933333
2989B	009	5578	0.13	3748	1	65	100	3	13	12	16734	12986	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15618.39941	11870.39941	11870.39941	0.933333
2989B	010	5700	0.13	3361	1	65	100	3	13	12	17100	13739	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15960	12599	12599	0.933333
2989B	011	5764	0.13	2735	1	65	100	3	13	12	17292	14557	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16139.2002	13404.2002	13404.2002	0.933333
2989B	012	5598	0.13	2144	1	65	100	3	13	12	16794	14650	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15674.39941	13530.39941	13530.39941	0.933333
2990	027	5573	0.13	3342	1	55	80	2.5	10	9	13932	10590	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15604.39941	12262.39941	12262.39941	1.12004
3011	023	5518	0.13	2289	1	55	80	2.5	10	9	13795	11506	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15450.39941	13161.39941	13161.39941	1.12
3011	024	5769	0.13	2933	1	55	80	2.5	10	9	14422	11489	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16153.2002	13220.2002	13220.2002	1.120039
3011	025	5840	0.13	2850	1	55	80	2.5	10	9	14600	11750	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16352	13502	13502	1.12
3011	054	5037	0.12	0	0	55	80	2.5	10	10	12592	12592	RH-1(D)	40	form-based			true	0.7	11	1.100000024	11	11	14103.59961	14103.59961	14103.59961	1.120044
3011	057	5612	0.13	3016	1	55	80	2.5	10	9	14030	11014	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15713.59961	12697.59961	12697.59961	1.12
3011	058	5585	0.13	4865	1	55	80	2.5	10	9	13962	9097	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15638	10773	10773	1.12004
3011	060	5931	0.14	2905	1	55	80	2.5	11	10	14828	11923	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16606.79883	13701.79883	13701.79883	1.119962
3011A	002	5535	0.13	3691	1	65	100	3	13	12	16605	12914	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15498	11807	11807	0.933333
3011A	020	5496	0.13	2184	1	55	80	2.5	10	9	13740	11556	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15388.7998	13204.7998	13204.7998	1.12
3012	020	2506	0.06	3450	2	85	140	4	8	6	10024	6574	NCD-WEST	85	form-based			true	0.75	13	1.625	11	11	15036	11586	11586	1.5
3012	021A	2615	0.06	5145	3	85	140	4	8	5	10460	5315	NCD-WEST	85	form-based			true	0.75	14	1.75	11	11	15690	10545	10545	1.5
3012	022A	2593	0.06	5145	3	85	140	4	8	5	10372	5227	NCD-WEST	85	form-based			true	0.75	14	1.75	11	11	15558	10413	10413	1.5
3013A	013	5608	0.13	1925	1	65	100	3	13	12	16824	14899	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15702.39941	13777.39941	13777.39941	0.933333
3033	014	5560	0.13	1984	1	55	80	2.5	10	9	13900	11916	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15568	13584	13584	1.12
3040	011	5654	0.13	4675	1	55	80	2.5	10	9	14135	9460	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15831.2002	11156.2002	11156.2002	1.12
3041	013	5667	0.13	3560	1	55	80	2.5	10	9	14168	10608	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15867.59961	12307.59961	12307.59961	1.11996
3041	027	5515	0.13	3014	1	55	80	2.5	10	9	13788	10774	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15442	12428	12428	1.119959
3042	023	5952	0.14	3325	1	55	80	2.5	11	10	14880	11555	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16665.59961	13340.59961	13340.59961	1.12
3042	032	5646	0.13	2962	1	55	80	2.5	10	9	14115	11153	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15808.7998	12846.7998	12846.7998	1.12
3042	035	5587	0.13	2291	1	55	80	2.5	10	9	13968	11677	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15643.59961	13352.59961	13352.59961	1.11996
3042	047	5600	0.13	3102	1	55	80	2.5	10	9	14000	10898	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15680	12578	12578	1.12
3046	021	5644	0.13	2827	1	55	80	2.5	10	9	14110	11283	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15803.2002	12976.2002	12976.2002	1.12
3046	027	5630	0.13	3855	1	55	80	2.5	10	9	14075	10220	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15764	11909	11909	1.12
3046	028	5878	0.13	3070	1	55	80	2.5	10	9	14695	11625	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16458.40039	13388.40039	13388.40039	1.12
3046	029	5570	0.13	3404	1	55	80	2.5	10	9	13925	10521	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15596	12192	12192	1.12
3048	002	5496	0.13	2630	1	55	80	2.5	10	9	13740	11110	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15388.7998	12758.7998	12758.7998	1.12
3048	003	5544	0.13	2395	1	55	80	2.5	10	9	13860	11465	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15523.2002	13128.2002	13128.2002	1.12
3048	007	5900	0.14	2898	1	55	80	2.5	11	10	14750	11852	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16520	13622	13622	1.12
3049	023	5563	0.13	3319	1	55	80	2.5	10	9	13908	10589	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15576.39941	12257.39941	12257.39941	1.11996
3071	035	5602	0.13	2374	1	65	100	3	13	12	16806	14432	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15685.59961	13311.59961	13311.59961	0.933333
3072	008	5865	0.13	2320	1	65	100	3	13	12	17595	15275	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16422	14102	14102	0.933333
3072	018	5663	0.13	2168	1	65	100	3	13	12	16989	14821	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15856.39941	13688.39941	13688.39941	0.933333
3072	020	5698	0.13	2682	1	65	100	3	13	12	17094	14412	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15954.39941	13272.39941	13272.39941	0.933333
3072	022	5778	0.13	1903	1	65	100	3	13	12	17334	15431	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16178.39941	14275.39941	14275.39941	0.933333
3072A	004	5517	0.13	3064	1	65	100	3	13	12	16551	13487	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	15447.59961	12383.59961	12383.59961	0.933333
3072A	005	5563	0.13	2915	1	65	100	3	13	12	16689	13774	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15576.39941	12661.39941	12661.39941	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3072A	006	5513	0.13	2398	1	65	100	3	13	12	16539	14141	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15436.39941	13038.39941	13038.39941	0.933333
3076	004	5594	0.13	3187	1	55	80	2.5	10	9	13985	10798	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15663.2002	12476.2002	12476.2002	1.12
3074	018	5716	0.13	3767	1	65	100	3	13	12	17148	13381	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	16004.7998	12237.7998	12237.7998	0.933333
3075	007	5880	0.13	2800	1	55	80	2.5	10	9	14700	11900	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16464	13664	13664	1.12
3076	006	5816	0.13	3297	1	55	80	2.5	10	9	14540	11243	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16284.7998	12987.7998	12987.7998	1.12
3076	028	5682	0.13	3236	1	65	100	3	13	12	17046	13810	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15909.59961	12673.59961	12673.59961	0.933333
3076	038	5853	0.13	2625	1	65	100	3	13	12	17559	14934	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16388.40039	13763.40039	13763.40039	0.933333
3076	041	5853	0.13	2566	1	55	80	2.5	10	9	14632	12066	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16388.40039	13822.40039	13822.40039	1.120038
3076	065	5721	0.13	3642	1	65	100	3	13	12	17163	13521	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	16018.7998	12376.7998	12376.7998	0.933333
3076	048	5589	0.13	2938	1	55	80	2.5	10	9	13972	11034	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15649.2002	12711.2002	12711.2002	1.12004
3076	051	5882	0.14	2844	1	55	80	2.5	11	10	14705	11861	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16469.59961	13625.59961	13625.59961	1.12
3076	052	5495	0.13	1784	1	55	80	2.5	10	9	13738	11954	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15386	13602	13602	1.119959
3076	056	5552	0.13	3442	1	65	100	3	13	12	16656	13214	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15545.59961	12103.59961	12103.59961	0.933333
3076	062	5549	0.13	3694	1	65	100	3	13	12	16647	12953	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15537.2002	11843.2002	11843.2002	0.933333
3076A	001	5499	0.13	3819	1	65	100	3	13	12	16497	12678	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	15397.2002	11578.2002	11578.2002	0.933333
3076A	007	5846	0.13	3391	1	65	100	3	13	12	17538	14147	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16368.7998	12977.7998	12977.7998	0.933333
3076A	014	5691	0.13	2497	1	65	100	3	13	12	17073	14576	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15934.7998	13437.7998	13437.7998	0.933333
3076A	016	5542	0.13	2675	1	65	100	3	13	12	16626	13951	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15517.59961	12842.59961	12842.59961	0.933333
3076A	017	5916	0.14	2391	1	65	100	3	14	13	17748	15357	RH-1(D)	40	form-based		true	true	0.7	12	0.857142866	11	11	16564.79883	14173.79883	14173.79883	0.933333
3078	032	5823	0.13	2113	1	55	80	2.5	10	9	14558	12445	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16304.39941	14191.39941	14191.39941	1.119962
3078	015	5867	0.13	2248	1	55	80	2.5	10	9	14668	12420	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16427.59961	14179.59961	14179.59961	1.119962
3080	007	5547	0.13	2092	1	55	80	2.5	10	9	13868	11776	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15531.59961	13439.59961	13439.59961	1.11996
3080	008	5772	0.13	1833	1	55	80	2.5	10	9	14430	12597	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16161.59961	14328.59961	14328.59961	1.12
3080	015	5899	0.14	2075	1	55	80	2.5	11	10	14748	12673	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16517.19922	14442.19922	14442.19922	1.119962
3098	013	5704	0.13	2618	1	65	100	3	13	12	17112	14494	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15971.2002	13353.2002	13353.2002	0.933333
3099	002	5500	0.13	3132	1	65	100	3	13	12	16500	13368	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15400	12268	12268	0.933333
3100	013	5500	0.13	3280	1	65	100	3	13	12	16500	13220	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15400	12120	12120	0.933333
3100	016	5500	0.13	2798	1	65	100	3	13	12	16500	13702	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15400	12602	12602	0.933333
3100	019	5500	0.13	3035	1	65	100	3	13	12	16500	13465	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15400	12365	12365	0.933333
3101	013	5500	0.13	2518	1	65	100	3	13	12	16500	13982	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15400	12882	12882	0.933333
3101	015	5500	0.13	2262	1	65	100	3	13	12	16500	14238	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15400	13138	13138	0.933333
3102	019	5537	0.13	2900	1	65	100	3	13	12	16611	13711	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15503.59961	12603.59961	12603.59961	0.933333
3103	001	5832	0.13	4440	1	65	100	3	13	12	17496	13056	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	16329.59961	11889.59961	11889.59961	0.933333
3103	007	5507	0.13	3242	1	55	80	2.5	10	9	13768	10526	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15419.59961	12177.59961	12177.59961	1.119959
3103	012	5801	0.13	3486	1	55	80	2.5	10	9	14502	11016	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16242.7998	12756.7998	12756.7998	1.120039
3103	023	5693	0.13	3601	1	65	100	3	13	12	17079	13478	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	15940.39941	12339.39941	12339.39941	0.933333
3104	020	5625	0.13	4092	1	55	80	2.5	10	9	14062	9970	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15750	11658	11658	1.12004
3105	004	5892	0.14	3746	1	55	80	2.5	11	10	14730	10984	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16497.59961	12751.59961	12751.59961	1.12
3107	012	5540	0.13	1504	1	55	80	2.5	10	9	13850	12346	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15512	14008	14008	1.12
3108	001	5765	0.13	2672	1	55	80	2.5	10	9	14412	11740	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16142	13470	13470	1.120039
3108	008	5500	0.13	2256	1	55	80	2.5	10	9	13750	11494	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15400	13144	13144	1.12
3108	009	5739	0.13	1932	1	55	80	2.5	10	9	14348	12416	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16069.2002	14137.2002	14137.2002	1.119961
3135	010	5763	0.13	1833	1	55	80	2.5	10	9	14408	12575	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16136.39941	14303.39941	14303.39941	1.119961
3142	036	5502	0.13	1214	1	55	80	2.5	10	9	13755	12541	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15405.59961	14191.59961	14191.59961	1.12
3145	045	8732	0.2	8750	0	85	140	4	28	28	34928	26178	NC-1	40	density-lim	800			0.75	11	0.392857134	11	11	26196	17446	17446	0.75
3164	018	5700	0.13	3226	1	65	100	3	13	12	17100	13874	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15960	12734	12734	0.933333
3167	016	5574	0.13	2039	1	65	100	3	13	12	16722	14683	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15607.2002	13568.2002	13568.2002	0.933333
3180	006	83811	1.92	160983	173	85	140	4	269	96	335244	174261	NCT-OCEA	55	form-based				0.55	184	0.684014857	11	11	230480.25	69497.25	69497.25	0.6875
3178	014	5592	0.13	3165	1	65	100	3	13	12	16776	13611	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15657.59961	12492.59961	12492.59961	0.933333
3180	192	5009	0.11	0	0	65	100	3	11	11	15027	15027	NCT-OCEA	40	form-based				0.75	11	1	11	11	15027	15027	15027	1
3182	041	5703	0.13	2540	1	65	100	3	13	12	17109	14569	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15968.39941	13428.39941	13428.39941	0.933333
3196	028	2004	0.05	1679	0	85	140	4	7	7	8016	6337	NCT-OCEA	85	form-based			true	0.75	11	1.571428537	11	11	12024	10345	10345	1.5
3251	005	5160	0.12	0	0	65	100	3	12	12	15480	15480	RH-1(D)	40	form-based			true	0.7	11	0.916666687	11	11	14448	14448	14448	0.933333
3252	005	5239	0.12	0	0	65	100	3	12	12	15717	15717	RH-1(D)	40	form-based			true	0.7	11	0.916666687	11	11	14669.2002	14669.2002	14669.2002	0.933333
3253	005	5191	0.12	0	0	65	100	3	12	12	15573	15573	RH-1(D)	40	form-based			true	0.7	11	0.916666687	11	11	14534.7998	14534.7998	14534.7998	0.933333
3259	034	5905	0.14	3000	1	65	100	3	14	13	17715	14715	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16534	13534	13534	0.933333
3259	037	5561	0.13	3199	1	65	100	3	13	12	16683	13484	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15570.7998	12371.7998	12371.7998	0.933333
3259	041	5553	0.13	3017	1	65	100	3	13	12	16659	13642	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15548.39941	12531.39941	12531.39941	0.933333
3261	015	5484	0.13	2944	1	65	100	3	13	12	16452	13508	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15355.2002	12411.2002	12411.2002	0.933333
3262	015	5725	0.13	1266	1	65	100	3	13	12	17175	15909	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	16030	14764	14764	0.933333
3262	030	5797	0.13	3392	1	65	100	3	13	12	17391	13999	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	16231.59961	12839.59961	12839.59961	0.933333
3263	001	5510	0.13	4171	1	55	80	2.5	10	9	13775	9604	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15428	11257	11257	1.12
3273	010	5556	0.13	3812	1	55	80	2.5	10	9	13890	10078	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15556.7998	11744.7998	11744.7998	1.12
3273	002	5575	0.13	2102	1	55	80	2.5	10	9	13938	11836	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15610	13508	13508	1.11996

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3273	003	5578	0.13	1869	1	55	80	2.5	10	9	13945	12076	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15618.39941	13749.39941	13749.39941	1.12
3273	004	5587	0.13	2550	1	55	80	2.5	10	9	13968	11418	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15643.59961	13093.59961	13093.59961	1.11996
3273	005	5598	0.13	2668	1	55	80	2.5	10	9	13995	11327	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15674.39941	13006.39941	13006.39941	1.12
3274	014	5714	0.13	2350	1	55	80	2.5	10	9	14285	11935	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15999.2002	13649.2002	13649.2002	1.12
3276	023	5504	0.13	2155	1	65	100	3	13	12	16512	14357	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15411.2002	13256.2002	13256.2002	0.933333
3504	013	5032	0.12	35289	0	65	100	3	12	12	15096	0	NCT-3	40	form-based				0.75	11	0.916666687	11	11	15096	0	0	1
3511	014	2004	0.05	1970	0	65	100	3	5	5	6012	4042	WMUG	85	form-based			true	0.75	11	2.200000048	11	10	12024	10054	10054	2
3513	058	4374	0.1	10256	12	65	100	3	10	0	13122	2866	NCT-3	85	form-based		true		0.75	23	2.299999952	11	8	26244	15988	15988	2
3513	082	1215	0.03	0	0	65	100	3	3	3	3645	3645	C-3-G	160	form-based			true	0.8	11	3.666666746	11	6	10935	10935	7290	3
3515	012	2000	0.05	0	0	65	100	3	5	5	6000	6000	WMUG	85	form-based			true	0.75	11	2.200000048	11	10	12000	12000	12000	2
3515	013	2012	0.05	4376	0	65	100	3	5	5	6036	1660	WMUG	85	form-based			true	0.75	11	2.200000048	11	10	12072	7696	7696	2
3516	017	2116	0.05	2922	0	65	100	3	5	5	6348	3426	WMUG	85	form-based			true	0.75	11	2.200000048	11	10	12696	9774	9774	2
3516	063	2190	0.05	2922	0	65	100	3	5	5	6570	3648	WMUG	85	form-based			true	0.75	11	2.200000048	11	10	13140	10218	10218	2
3516	065	2520	0.06	2170	2	65	100	3	6	4	7560	5390	WMUG	85	form-based			true	0.75	13	2.166666746	11	10	15120	12950	12950	2
3518	003	3752	0.09	5062	0	65	100	3	9	9	11256	6194	RCD	55	form-based				0.75	11	1.222222209	11	11	14070	9008	9008	1.25
3519	026	4750	0.11	4083	0	65	100	3	11	11	14250	10167	RED	40	form-based				0.75	11	1	11	11	14250	10167	10167	1
3519	069	4700	0.11	7027	0	65	100	3	11	11	14100	7073	RED	40	form-based				0.75	11	1	11	11	14100	7073	7073	1
3521	057	2180	0.05	3850	0	65	100	3	5	5	6540	2690	WMUG	85	form-based			true	0.75	11	2.200000048	11	10	13080	9230	9230	2
3525	072	5000	0.11	5925	0	55	80	2.5	9	9	12500	6575	RED-MX	45	form-based				0.75	11	1.222222209	11	11	15000	9075	9075	1.2
3532	004A	2800	0.06	3540	0	65	100	3	6	6	8400	4860	UMU	68	form-based				0.75	11	1.833333373	11	11	12600	9060	9060	1.5
3537	015	3094	0.07	5502	5	85	140	4	10	5	12376	6874	NCT-UPPE	85	form-based			true	0.75	16	1.600000024	11	11	18564	13062	13062	1.5
3537	018	2500	0.06	7108	2	85	140	4	8	6	10000	2892	NCT-UPPE	85	form-based			true	0.75	13	1.625	11	11	15000	7892	7892	1.5
3537	053	2642	0.06	4428	3	65	100	3	6	3	7926	3498	RTO-C	85	form-based			true	0.75	14	2.333333254	11	9	15852	11424	11424	2
3537	129	2482	0.06	1192	2	85	140	4	8	6	9928	8736	RTO-C	85	form-based			true	0.75	13	1.625	11	11	14892	13700	13700	1.5
3537	180	3286	0.08	1066	6	65	100	3	8	2	9858	8792	RTO-C	85	form-based			true	0.75	17	2.125	11	10	19716	18650	18650	2
3543	004	3064	0.07	6178	5	65	100	3	7	2	9192	3014	NCT-UPPE	85	form-based			true	0.75	16	2.285714388	11	9	18384	12206	12206	2
3546	026	5200	0.12	7225	0	65	100	3	12	12	15600	8375	RTO-M	45	form-based				0.7	11	0.916666687	11	11	14560	7335	7335	0.933333
3548	026	3780	0.09	4628	0	75	120	3.5	11	11	13230	8602	UMU	58	form-based				0.75	11	1	11	11	14175	9547	9547	1.071429
3549	033	3726	0.09	3750	0	75	120	3.5	11	11	13041	9291	UMU	58	form-based				0.75	11	1	11	11	13972.5	10222.5	10222.5	1.071429
3549	035	3726	0.09	2850	0	75	120	3.5	11	11	13041	10191	UMU	58	form-based				0.75	11	1	11	11	13972.5	11122.5	11122.5	1.071429
3549	037	3726	0.09	5190	0	75	120	3.5	11	11	13041	7851	UMU	58	form-based				0.75	11	1	11	11	13972.5	8782.5	8782.5	1.071429
3549	038	3726	0.09	4223	0	75	120	3.5	11	11	13041	8818	UMU	58	form-based				0.75	11	1	11	11	13972.5	9749.5	9749.5	1.071429
3549	039	3726	0.09	4860	0	75	120	3.5	11	11	13041	8181	UMU	58	form-based				0.75	11	1	11	11	13972.5	9112.5	9112.5	1.071429
3549	084	3610	0.08	4900	0	65	100	3	8	8	10830	5930	UMU	58	form-based		true		0.75	11	1.375	11	11	13537.5	8637.5	8637.5	1.25
3552	033	3600	0.08	0	0	75	120	3.5	10	10	12600	12600	UMU	58	form-based				0.75	11	1.100000024	11	11	13500	13500	13500	1.071429
3552	017	3726	0.09	11588	0	75	120	3.5	11	11	13041	1453	UMU	58	form-based				0.75	11	1	11	11	13972.5	2384.5	2384.5	1.071429
3552	021A	3726	0.09	0	0	75	120	3.5	11	11	13041	13041	UMU	58	form-based				0.75	11	1	11	11	13972.5	13972.5	13972.5	1.071429
3552	032	3600	0.08	2856	0	75	120	3.5	10	10	12600	9744	UMU	58	form-based				0.75	11	1.100000024	11	11	13500	10644	10644	1.071429
3554	001	2066	0.05	1690	0	75	120	3.5	6	6	7231	5541	NCT-MISSI	80	form-based		true		0.75	11	1.833333373	11	11	12396	10706	10706	1.714286
3557	035	3125	0.07	3040	0	85	140	4	10	10	12500	9460	RTO-1	65	form-based			true	0.7	11	1.100000024	11	11	13125	10085	10085	1.05
3558	074	3200	0.07	5415	0	65	100	3	7	7	9600	4185	RTO-1	65	form-based			true	0.7	11	1.571428537	11	11	13440	8025	8025	1.4
3562	028	6760	0.16	13040	24	65	100	3	16	0	20280	7240	RTO-C	85	form-based			true	0.75	35	2.1875	11	8	40560	27520	27520	2
3562	030	2750	0.06	3023	3	65	100	3	6	3	8250	5227	RTO-C	85	form-based			true	0.75	14	2.333333254	11	9	16500	13477	13477	2
3563	016	2600	0.06	2116	3	65	100	3	6	3	7800	5684	RTO-C	85	form-based			true	0.75	14	2.333333254	11	9	15600	13484	13484	2
3580	049	8163	0.19	9093	12	65	100	3	19	7	24489	15396	RM-1	50	form-based			true	0.7	23	1.210526347	11	11	28570.5	19477.5	19477.5	1.166667
3580	136	14922	0.34	15250	31	65	100	3	34	3	44766	29516	RM-1	50	form-based			true	0.7	42	1.235294104	11	11	52227	36977	36977	1.166667
3581	036	5693	0.13	2400	1	65	100	3	13	12	17079	14679	RH-2	40	form-based			true	0.7	12	0.923076928	11	11	15940.39941	13540.39941	13540.39941	0.933333
3582	058	2400	0.06	3350	2	65	100	3	6	4	7200	3850	NCD-CAST	85	form-based			true	0.75	13	2.166666746	11	10	14400	11050	11050	2
3582	062	3125	0.07	5696	5	65	100	3	7	2	9375	3679	NCD-CAST	85	form-based			true	0.75	16	2.285714388	11	9	18750	13054	13054	2
3582	066	2180	0.05	2160	0	65	100	3	5	5	6540	4380	NCD-CAST	85	form-based			true	0.75	11	2.200000048	11	10	13080	10920	10920	2
3585	002	5000	0.11	7916	8	85	140	4	15	7	20000	12084	RTO-C	65	form-based			true	0.75	19	1.266666651	11	11	22500	14584	14584	1.125
3585	024	5700	0.13	3432	5	65	100	3	13	8	17100	13668	RH-2	50	form-based			true	0.7	16	1.230769277	11	11	19950	16518	16518	1.166667
3591	020	3675	0.08	3675	0	65	100	3	8	8	11025	7350	UMU	58	form-based				0.75	11	1.375	11	11	13781.25	10106.25	10106.25	1.25
3597	063	5319	0.12	12666	4	65	100	3	12	8	15957	3291	RTO-M	55	form-based				0.7	15	1.25	11	11	18616.5	5950.5	5950.5	1.166667
3598	172	14891	0.34	5493	4	65	100	3	34	30	44673	39180	RH-3	40	density-lin	1000	true		0.7	15	0.441176474	11	11	41694.80078	36201.80078	36201.80078	0.933333
3600	059	4433	0.1	2625	1	65	100	3	10	9	13299	10674	RH-2	50	form-based			true	0.7	12	1.200000048	11	11	15515.5	12890.5	12890.5	1.166667
3601	038	5761	0.13	3189	1	65	100	3	13	12	17283	14094	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	16130.7998	12941.7998	12941.7998	0.933333
3601	045	5700	0.13	2066	1	65	100	3	13	12	17100	15034	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15960	13894	13894	0.933333
3601	111	5759	0.13	6917	1	65	100	3	13	12	17277	10360	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	16125.2002	9208.200195	9208.200195	0.933333
3604	036	5596	0.13	3120	1	65	100	3	13	12	16788	13668	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15668.7998	12548.7998	12548.7998	0.933333
3604	037	5596	0.13	2361	1	65	100	3	13	12	16788	14427	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15668.7998	13307.7998	13307.7998	0.933333
3604	051	5700	0.13	2199	1	65	100	3	13	12	17100	14901	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15960	13761	13761	0.933333
3604	077	5704	0.13	2026	1	65	100	3	13	12	17112	15086	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15971.2002	13945.2002	13945.2002	0.933333
3604	078	5572	0.13	2026	1	65	100	3	13	12	16716	14690	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15601.59961	13575.59961	13575.59961	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3604	086	5716	0.13	2188	1	65	100	3	13	12	17148	14960	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	16004.7998	13816.7998	13816.7998	0.933333
3605	019	5644	0.13	4731	1	65	100	3	13	12	16932	12201	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15803.2002	11072.2002	11072.2002	0.933333
3605	020	5642	0.13	2880	1	65	100	3	13	12	16926	14046	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15797.59961	12917.59961	12917.59961	0.933333
3605	022	5855	0.13	4624	1	65	100	3	13	12	17565	12941	RH-1	40	form-based		true	true	0.7	12	0.923076928	11	11	16394	11770	11770	0.933333
3605	023	5985	0.14	2742	2	65	100	3	14	12	17955	15213	RH-1	40	form-based			true	0.7	13	0.928571403	11	11	16758	14016	14016	0.933333
3605	048	5814	0.13	1633	1	65	100	3	13	12	17442	15809	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	16279.2002	14646.2002	14646.2002	0.933333
3605	049	5534	0.13	2403	1	65	100	3	13	12	16602	14199	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15495.2002	13092.2002	13092.2002	0.933333
3605	146	5625	0.13	4762	1	65	100	3	13	12	16875	12113	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15750	10988	10988	0.933333
3606	008	8362	0.19	10518	12	85	140	4	27	15	33448	22930	RH-3	50	form-based			true	0.7	23	0.851851881	11	11	29267	18749	18749	0.875
3613	051	11025	0.25	5442	0	65	100	3	25	25	33075	27633	RH-3	40	density-lim	1000			0.7	11	0.439999998	11	11	30870	25428	25428	0.933333
3620	011	5805	0.13	2624	1	65	100	3	13	12	17415	14791	RH-2	40	form-based			true	0.7	12	0.923076928	11	11	16254	13630	13630	0.933333
3621	079	5779	0.13	2363	1	65	100	3	13	12	17337	14974	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	16181.2002	13818.2002	13818.2002	0.933333
3621	102	5779	0.13	3800	1	65	100	3	13	12	17337	13537	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	16181.2002	12381.2002	12381.2002	0.933333
3621	115	5985	0.14	6057	2	65	100	3	14	12	17955	11898	RH-1	40	form-based		true	true	0.7	13	0.928571403	11	11	16758	10701	10701	0.933333
3625	017	5690	0.13	2097	1	65	100	3	13	12	17070	14973	RH-3	40	form-based			true	0.7	12	0.923076928	11	11	15932	13835	13835	0.933333
3629	031	3316	0.08	3231	1	85	140	4	11	10	13264	10033	RTO-C	65	form-based			true	0.75	12	1.090909123	11	11	14922	11691	11691	1.125
3629	031A	3316	0.08	3268	1	85	140	4	11	10	13264	9996	RTO-C	65	form-based			true	0.75	12	1.090909123	11	11	14922	11654	11654	1.125
3629	035	3313	0.08	3196	1	85	140	4	11	10	13252	10056	RTO-C	65	form-based			true	0.75	12	1.090909123	11	11	14908.5	11712.5	11712.5	1.125
3637	025	3062	0.07	3134	0	75	120	3.5	8	8	10717	7583	NCT-MISSI	65	form-based				0.75	11	1.375	11	11	13779	10645	10645	1.285714
3650	022	4110	0.09	4566	4	85	140	4	13	9	16440	11874	NCD-24TH	65	form-based			true	0.75	15	1.153846145	11	11	18495	13929	13929	1.125
3651	074	3853	0.09	1636	3	65	100	3	9	6	11559	9923	RTO-C	65	form-based			true	0.75	14	1.555555582	11	11	17338.5	15702.5	15702.5	1.5
3656	017	2850	0.07	1250	0	55	80	2.5	6	6	7125	5875	NCD-24TH	65	form-based			true	0.75	11	1.833333373	11	11	12825	11575	11575	1.8
3656	020	2850	0.07	1000	0	55	80	2.5	6	6	7125	6125	NCD-24TH	65	form-based			true	0.75	11	1.833333373	11	11	12825	11825	11825	1.8
3704	053	2034	0.05	5850	0	75	120	3.5	6	6	7119	1269	NCT-SOMA	85	form-based		true		0.75	11	1.833333373	11	11	12204	6354	6354	1.714286
3704	064	1269	0.03	6390	0	85	140	4	4	4	5076	0	C-3-R	120	form-based				0.8	11	2.75	11	8	11421	5031	3762	2.25
3718	038	1226	0.03	0	0	75	120	3.5	4	4	4291	4291	TB DTR	550	form-based				0.8	11	2.75	11	8	11034	11034	8582	2.571429
3725	007	2137	0.05	10195	0	75	120	3.5	6	6	7480	0	MUR	85	form-based		true		0.75	11	1.833333373	11	11	12822	2627	2627	1.714171
3726	028	2090	0.05	3998	0	85	140	4	7	7	8360	4362	MUG	85	form-based				0.75	11	1.571428537	11	11	12540	8542	8542	1.5
3726	106	2146	0.05	4125	0	85	140	4	7	7	8584	4459	MUG	85	form-based				0.75	11	1.571428537	11	11	12876	8751	8751	1.5
3726	112	2125	0.05	2125	0	85	140	4	7	7	8500	6375	MUG	85	form-based				0.75	11	1.571428537	11	11	12750	10625	10625	1.5
3727	005	3825	0.09	7500	0	75	120	3.5	11	11	13388	5888	WMUG	55	form-based				0.75	11	1	11	11	14343.75	6843.75	6843.75	1.071389
3728	075	2994	0.07	8745	0	85	140	4	10	10	11976	3231	MUO	65	form-based				0.75	11	1.100000024	11	11	13473	4728	4728	1.125
3728	105	4873	0.11	1077	0	85	140	4	15	15	19492	18415	RED-MX	45	form-based				0.75	11	0.733333349	11	11	14619	13542	13542	0.75
3729	056	3727	0.09	11238	0	65	100	3	9	9	11181	0	RCD	55	form-based		true		0.75	11	1.222222209	11	11	13976.25	2738.25	2738.25	1.25
3729	058	3790	0.09	8000	0	65	100	3	9	9	11370	3370	RCD	55	form-based				0.75	11	1.222222209	11	11	14212.5	6212.5	6212.5	1.25
3730	034	3730	0.09	7800	0	65	100	3	9	9	11190	3390	WMUG	55	form-based				0.75	11	1.222222209	11	11	13987.5	6187.5	6187.5	1.25
3730	122	2800	0.06	3920	0	65	100	3	6	6	8400	4480	NCT-FOLS	65	form-based				0.75	11	1.833333373	11	11	12600	8680	8680	1.5
3730	293	32801	0.75	431	112	65	100	3	75	0	98403	97972	RED	65	form-based		true		0.75	123	1.639999986	11	11	147604.5	147173.5	147173.5	1.5
3731	003	3933	0.09	11000	4	65	100	3	9	5	11799	799	NCT-SOMA	65	form-based				0.75	15	1.666666627	11	11	17698.5	6698.5	6698.5	1.5
3732	125	2036	0.05	2013	0	65	100	3	5	5	6108	4095	MUR	85	form-based				0.75	11	2.200000048	11	10	12216	10203	10203	2
3732	127	2049	0.05	5319	0	65	100	3	5	5	6147	828	MUR	85	form-based				0.75	11	2.200000048	11	10	12294	6975	6975	2
3732	129	2021	0.05	3675	0	65	100	3	5	5	6063	2388	MUR	85	form-based				0.75	11	2.200000048	11	10	12126	8451	8451	2
3732	137	2016	0.05	8198	0	65	100	3	5	5	6048	0	MUR	85	form-based				0.75	11	2.200000048	11	10	12096	3898	3898	2
3732	138	2015	0.05	3000	0	65	100	3	5	5	6045	3045	MUR	85	form-based				0.75	11	2.200000048	11	10	12090	9090	9090	2
3732	763	2016	0.05	14450	0	65	100	3	5	5	6048	0	MUR	85	form-based				0.75	11	2.200000048	11	10	12096	0	0	2
3733	031	2042	0.05	6759	0	65	100	3	5	5	6126	0	MUR	85	form-based				0.75	11	2.200000048	11	10	12252	5493	5493	2
3749	100	9938	0.23	1220	29	75	120	3.5	28	0	34783	33563	RH DTR	65	form-based		true		0.8	40	1.428571463	11	11	47702.40234	46482.40234	46482.40234	1.371429
3751	028	2000	0.05	6180	0	65	100	3	5	5	6000	0	CMUO	85	form-based		true		0.8	11	2.200000048	11	10	12800	6620	5820	2.133333
3753	009	4462	0.1	9810	12	65	100	3	10	0	13386	3576	MUR	85	form-based				0.75	23	2.299999952	11	8	26772	16962	16962	2
3753	060	4954	0.11	15271	0	65	100	3	11	11	14862	0	MUR	45	form-based				0.75	11	1	11	11	14862	0	0	1
3753	138	2155	0.05	2800	0	65	100	3	5	5	6465	3665	MUR	85	form-based				0.75	11	2.200000048	11	10	12930	10130	10130	2
3754	048	4922	0.11	15098	0	65	100	3	11	11	14766	0	MUG	45	form-based				0.75	11	1	11	11	14766	0	0	1
3754	059	4841	0.11	4598	0	65	100	3	11	11	14523	9925	MUG	45	form-based				0.75	11	1	11	11	14523	9925	9925	1
3755	053	3600	0.08	3600	0	65	100	3	8	8	10800	7200	WMUG	55	form-based				0.75	11	1.375	11	11	13500	9900	9900	1.25
3755	074	3000	0.07	1590	0	65	100	3	7	7	9000	7410	NCT-FOLS	65	form-based				0.75	11	1.571428537	11	11	13500	11910	11910	1.5
3762	017	2000	0.05	2000	0	65	100	3	5	5	6000	4000	CMUO	85	form-based				0.8	11	2.200000048	11	10	12800	10800	10000	2.133333
3762	019	2000	0.05	4000	0	65	100	3	5	5	6000	2000	CMUO	85	form-based				0.8	11	2.200000048	11	10	12800	8800	8000	2.133333
3762	046	2133	0.05	1020	1	65	100	3	5	4	6399	5379	CMUO	85	form-based				0.8	12	2.400000095	11	9	13651.2002	12631.2002	11778	2.133333
3762	053	1945	0.04	4000	0	65	100	3	4	4	5835	1835	CMUO	85	form-based				0.8	11	2.75	11	8	12448	8448	7670	2.133333
3763	011	2027	0.05	13472	0	65	100	3	5	5	6081	0	CMUO	85	form-based				0.8	11	2.200000048	11	10	12972.7998	0	0	2.133333
3763	014	2000	0.05	13202	0	65	100	3	5	5	6000	0	CMUO	85	form-based				0.8	11	2.200000048	11	10	12800	0	0	2.133333
3774	433	5262	0.12	1578	9	65	100	3	12	3	15786	14208	MUO	65	form-based				0.75	20	1.666666627	11	11	23679	22101	22101	1.5
3776	015	1875	0.04	2375	0	75	120	3.5	5	5	6562	4187	CMUO	85	form-based				0.8	11	2.200000048	11	10	12000	9625	9625	1.828711
3776	024	2000	0.05	2244	0	75	120	3.5	6	6	7000	4756	CMUO	85	form-based				0.8	11	1.833333373	11	11	12800	10556	10556	1.828571

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3776	077	2027	0.05	2000	0	75	120	3.5	6	6	7094	5094	CMUO	85	form-based				0.8	11	1.833333373	11	11	12972.7998	10972.7998	10972.7998	1.8287
3776	476	3539	0.08	10461	0	65	100	3	8	8	10617	156	CMUO	55	form-based				0.8	11	1.375	11	11	14156	3695	3695	1.333333
3777	068	6000	0.14	2174	3	75	120	3.5	17	14	21000	18826	CMUO	45	form-based				0.8	14	0.823529422	11	11	19200	17026	17026	0.914286
3778	025	3750	0.09	4350	0	65	100	3	9	9	11250	6900	MUG	55	form-based				0.75	11	1.222222209	11	11	14062.5	9712.5	9712.5	1.25
3977	020	5000	0.11	2500	0	65	100	3	11	11	15000	12500	MUR	45	form-based		true		0.75	11	1	11	11	15000	12500	12500	1
3983	023	4976	0.11	4968	0	65	100	3	11	11	14928	9960	UMU	48	form-based		true		0.75	11	1	11	11	14928	9960	9960	1
3999	007	5000	0.11	0	0	65	100	3	11	11	15000	15000	UMU	40	form-based				0.75	11	1	11	11	15000	15000	15000	1
4001	023	4921	0.11	5648	0	65	100	3	11	11	14763	9115	UMU	40	form-based				0.75	11	1	11	11	14763	9115	9115	1
4001	024	4921	0.11	5129	0	65	100	3	11	11	14763	9634	UMU	40	form-based				0.75	11	1	11	11	14763	9634	9634	1
4034	006	45942	1.05	996	65	65	100	3	105	40	137826	136830	UMU	40	form-based		true		0.55	76	0.72380954	11	11	101072.3984	100076.3984	100076.3984	0.733333
4041	010	3754	0.09	5000	0	65	100	3	9	9	11262	6262	UMU	58	form-based				0.75	11	1.222222209	11	11	14077.5	9077.5	9077.5	1.25
4043	011B	5101	0.12	4500	0	65	100	3	12	12	15303	10803	UMU	45	form-based		true		0.75	11	0.916666687	11	11	15303	10803	10803	1
4043	014	5000	0.11	5218	0	65	100	3	11	11	15000	9782	UMU	45	form-based				0.75	11	1	11	11	15000	9782	9782	1
4043	015	5000	0.11	5104	0	65	100	3	11	11	15000	9896	UMU	45	form-based				0.75	11	1	11	11	15000	9896	9896	1
4044	018	7500	0.17	1361	12	65	100	3	17	5	22500	21139	UMU	58	form-based				0.75	23	1.352941155	11	11	28125	26764	26764	1.25
4070	007	79531	1.83	1150	88	65	100	3	183	95	238593	237443	RM-1	40	density-lim	800	true		0.55	99	0.540983617	11	11	174968.2031	173818.2031	173818.2031	0.733333
4082	014	3000	0.07	3840	0	65	100	3	7	7	9000	5160	UMU	68	form-based				0.75	11	1.571428537	11	11	13500	9660	9660	1.5
4082	015	3000	0.07	3840	0	65	100	3	7	7	9000	5160	UMU	68	form-based				0.75	11	1.571428537	11	11	13500	9660	9660	1.5
4103	029	5030	0.12	5000	0	75	120	3.5	14	14	17605	12605	MUR	40	form-based				0.75	11	0.785714269	11	11	15090	10090	10090	0.857143
4108	021	5055	0.12	6800	0	75	120	3.5	14	14	17692	10892	NCT-2	45	form-based		true		0.75	11	0.785714269	11	11	15165	8365	8365	0.857167
4108	036	5009	0.11	6446	0	85	140	4	15	15	20036	13590	UMU	45	form-based				0.75	11	0.733333349	11	11	15027	8581	8581	0.75
4171	015	7125	0.16	10050	5	75	120	3.5	19	14	24938	14888	NCT-2	45	form-based		true		0.75	16	0.842105269	11	11	21375	11325	11325	0.857126
4206	015	4680	0.11	3234	0	65	100	3	11	11	14040	10806	NCT-24TH-	45	form-based				0.75	11	1	11	11	14040	10806	10806	1
4263	021	4972	0.11	6200	0	65	100	3	11	11	14916	8716	NCT-24TH-	40	form-based				0.75	11	1	11	11	14916	8716	8716	1
5615	073	6369	0.15	0	0	65	100	3	15	15	19107	19107	NCD-MISSI	40	density-lim	600			0.75	11	0.733333349	11	11	19107	19107	19107	1
6471	001	6562	0.15	0	0	55	80	2.5	12	12	16405	16405	NCD-EXCE	40	density-lim	600			0.75	11	0.916666687	11	11	19686	19686	19686	1.2
6508	029	2955	0.07	1350	0	65	100	3	7	7	8865	7515	NCD-24TH	65	form-based			true	0.75	11	1.571428537	11	11	13297.5	11947.5	11947.5	1.5
6508	033	2902	0.07	3950	0	65	100	3	7	7	8706	4756	NCD-24TH	65	form-based			true	0.75	11	1.571428537	11	11	13059	9109	9109	1.5
6510	016	2850	0.07	3843	0	85	140	4	10	10	11400	7557	RTO-C	65	form-based			true	0.75	11	1.100000024	11	11	12825	8982	8982	1.125
6515	003	5866	0.13	2100	1	75	120	3.5	16	15	20531	18431	RTO-M	45	form-based				0.7	12	0.75	11	11	16424.79883	14324.79883	14324.79883	0.8
6518	003	5140	0.12	4236	3	75	120	3.5	14	11	17990	13754	RTO-M	50	form-based				0.7	14	1	11	11	17990	13754	13754	1
6528	023A	2876	0.07	3449	0	75	120	3.5	8	8	10066	6617	NCT-MISSI	65	form-based				0.75	11	1.375	11	11	12942	9493	9493	1.285714
6528	026	2876	0.07	3500	0	75	120	3.5	8	8	10066	6566	NCT-MISSI	65	form-based				0.75	11	1.375	11	11	12942	9442	9442	1.285714
6529	006	2953	0.07	1250	0	75	120	3.5	8	8	10336	9086	NCT-MISSI	65	form-based				0.75	11	1.375	11	11	13288.5	12038.5	12038.5	1.285652
6529	007	4429	0.1	9046	6	75	120	3.5	12	6	15502	6456	NCT-MISSI	65	form-based				0.75	17	1.416666627	11	11	19930.5	10884.5	10884.5	1.285673
6529	010	2920	0.07	4400	0	75	120	3.5	8	8	10220	5820	NCT-MISSI	65	form-based		true		0.75	11	1.375	11	11	13140	8740	8740	1.285714
6529	040	3970	0.09	261	0	75	120	3.5	11	11	13895	13634	RTO-M	55	form-based				0.7	11	1	11	11	13895	13634	13634	1
6531	004	3601	0.08	3374	0	75	120	3.5	10	10	12604	9230	NCT-VALEI	55	form-based				0.75	11	1.100000024	11	11	13503.75	10129.75	10129.75	1.071386
6549	057	4029	0.09	1260	4	65	100	3	9	5	12087	10827	RTO-C	65	form-based			true	0.75	15	1.666666627	11	11	18130.5	16870.5	16870.5	1.5
6550	043	4537	0.1	3708	2	65	100	3	10	8	13611	9903	RH-3	50	form-based		true	true	0.7	13	1.299999952	11	11	15879.5	12171.5	12171.5	1.166667
6562	027	5700	0.13	1748	1	55	80	2.5	10	9	14250	12502	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15960	14212	14212	1.12
6582	037	5556	0.13	3129	1	55	80	2.5	10	9	13890	10761	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15556.7998	12427.7998	12427.7998	1.12
6590	090	7498	0.17	1403	5	55	80	2.5	14	9	18745	17342	RH-2	40	form-based			true	0.7	16	1.142857194	11	11	20994.40039	19591.40039	19591.40039	1.12
6604	048	5610	0.13	2266	1	55	80	2.5	10	9	14025	11759	RH-2	40	form-based			true	0.7	12	1.200000048	11	11	15708	13442	13442	1.12
6611	044	5700	0.13	3050	1	55	80	2.5	10	9	14250	11200	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15960	12910	12910	1.12
6614	015	4237	0.1	1400	1	65	100	3	10	9	12711	11311	RH-2	50	form-based			true	0.7	12	1.200000048	11	11	14829.5	13429.5	13429.5	1.166667
6618	013	4284	0.1	1330	1	65	100	3	10	9	12852	11522	RH-2	50	form-based			true	0.7	12	1.200000048	11	11	14994	13664	13664	1.166667
6635	018	6611	0.15	6250	0	85	140	4	21	21	26444	20194	NCD-MISSI	40	density-lim	600	true		0.75	11	0.523809552	11	11	19833	13583	13583	0.75
6637	027B	4246	0.1	800	1	65	100	3	10	9	12738	11938	RH-2	50	form-based			true	0.7	12	1.200000048	11	11	14861	14061	14061	1.166667
6640	002A	5561	0.13	1288	1	55	80	2.5	10	9	13902	12614	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15570.7998	14282.7998	14282.7998	1.12004
6657	065	7515	0.17	5232	5	65	100	3	17	12	22545	17313	RH-2	40	form-based			true	0.7	16	0.941176474	11	11	21042	15810	15810	0.933333
6665	031	5603	0.13	1523	1	65	100	3	13	12	16809	15286	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15688.39941	14165.39941	14165.39941	0.933333
6665	068	5785	0.13	1769	1	65	100	3	13	12	17355	15586	RH-1	40	form-based		true	true	0.7	12	0.923076928	11	11	16198	14429	14429	0.933333
6706	045	5426	0.12	0	0	65	100	3	12	12	16278	16278	RH-1	40	form-based			true	0.7	11	0.916666687	11	11	15192.7998	15192.7998	15192.7998	0.933333
6706	053	5599	0.13	3231	1	65	100	3	13	12	16797	13566	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15677.2002	12446.2002	12446.2002	0.933333
6706	062	5015	0.12	3192	0	65	100	3	12	12	15045	11853	RH-1	40	form-based			true	0.7	11	0.916666687	11	11	14042	10850	10850	0.933333
6710	034	5718	0.13	1470	1	65	100	3	13	12	17154	15684	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	16010.39941	14540.39941	14540.39941	0.933333
6739	006	3100	0.07	2497	1	75	120	3.5	8	7	10850	8353	NCT-GLEN	65	form-based		true	true	0.75	12	1.5	11	11	13950	11453	11453	1.285714
6739	013	3126	0.07	1055	1	75	120	3.5	8	7	10941	9886	RTO-C	65	form-based			true	0.75	12	1.5	11	11	14067	13012	13012	1.285714
6743	026	4303	0.1	1456	1	75	120	3.5	12	11	15060	13604	RH-1	50	form-based			true	0.7	12	1	11	11	15060.5	13604.5	13604.5	1.000033
6744	016	2783	0.06	4727	4	75	120	3.5	7	3	9740	5013	RTO-C	85	form-based			true	0.75	15	2.142857075	11	10	16698	11971	11971	1.714374
6744	033	2059	0.05	417	0	75	120	3.5	6	6	7206	6789	RTO-C	85	form-based		true	true	0.75	11	1.833333373	11	11	12354	11937	11937	1.714405
6745	002	1345	0.03	1650	1	75	120	3.5	4	3	4708	3058	RTO-C	140	form-based			true	0.75	12	3	11	7	12105	10455	7766	2.571156
6746	004	3145	0.07	1248	1	75	120	3.5	8	7	11008	9760	RTO-C	65	form-based			true	0.75	12	1.5	11	11	14152.5	12904.5	12904.5	1.285656

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6756	002	2552	0.06	2700	2	75	120	3.5	7	5	8932	6232	NCT-GLEN	85	form-based			true	0.75	13	1.857142806	11	11	15312	12612	12612	1.714286
6756	004	2582	0.06	3002	3	75	120	3.5	7	4	9037	6035	NCT-GLEN	85	form-based			true	0.75	14	2	11	11	15492	12490	12490	1.714286
6756	005	2597	0.06	2500	3	75	120	3.5	7	4	9090	6590	NCT-GLEN	85	form-based			true	0.75	14	2	11	11	15582	13082	13082	1.714191
6756	006	2613	0.06	3002	3	75	120	3.5	7	4	9146	6144	NCT-GLEN	85	form-based			true	0.75	14	2	11	11	15678	12676	12676	1.714192
6756	007	2628	0.06	3002	3	75	120	3.5	7	4	9198	6196	NCT-GLEN	85	form-based			true	0.75	14	2	11	11	15768	12766	12766	1.714286
6756	008	2643	0.06	3002	3	75	120	3.5	7	4	9250	6248	NCT-GLEN	85	form-based			true	0.75	14	2	11	11	15858	12856	12856	1.714378
6756	031	2500	0.06	2172	2	75	120	3.5	7	5	8750	6578	NCT-GLEN	85	form-based			true	0.75	13	1.857142806	11	11	15000	12828	12828	1.714286
6756	036	2866	0.07	1545	4	75	120	3.5	8	4	10031	8486	NCT-GLEN	85	form-based		true	true	0.75	15	1.875	11	11	17196	15651	15651	1.714286
6768	044	2033	0.05	1900	0	75	120	3.5	6	6	7116	5216	NCT-GLEN	85	form-based			true	0.75	11	1.833333373	11	11	12198	10298	10298	1.714165
6902	003	5751	0.13	2739	1	85	140	4	18	17	23004	20265	RH-1(D)	40	form-based			true	0.7	12	0.666666687	11	11	16102.7998	13363.7998	13363.7998	0.7
6911	009	5682	0.13	2520	1	65	100	3	13	12	17046	14526	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15909.59961	13389.59961	13389.59961	0.933333
6911	010	5674	0.13	1786	1	65	100	3	13	12	17022	15236	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15887.2002	14101.2002	14101.2002	0.933333
6904	003	5830	0.13	2674	1	65	100	3	13	12	17490	14816	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16324	13650	13650	0.933333
6905	002	5904	0.14	2617	1	65	100	3	14	13	17712	15095	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16531.19922	13914.19922	13914.19922	0.933333
6911	006	5687	0.13	2370	1	65	100	3	13	12	17061	14691	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15923.59961	13553.59961	13553.59961	0.933333
6908	027	5921	0.14	3272	1	65	100	3	14	13	17763	14491	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16578.79883	13306.79883	13306.79883	0.933333
6908	028	5869	0.13	2040	1	65	100	3	13	12	17607	15567	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16433.19922	14393.19922	14393.19922	0.933333
6911	007	5688	0.13	2628	1	65	100	3	13	12	17064	14436	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15926.39941	13298.39941	13298.39941	0.933333
6909	006	5712	0.13	2112	1	65	100	3	13	12	17136	15024	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15993.59961	13881.59961	13881.59961	0.933333
6909	007	5707	0.13	2058	1	65	100	3	13	12	17121	15063	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15979.59961	13921.59961	13921.59961	0.933333
6909	008	5910	0.14	2432	1	65	100	3	14	13	17730	15298	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16548	14116	14116	0.933333
6909	009	5770	0.13	2644	1	65	100	3	13	12	17310	14666	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16156	13512	13512	0.933333
6910	006	5940	0.14	2322	1	65	100	3	14	13	17820	15498	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16632	14310	14310	0.933333
6911	008	5688	0.13	3640	1	65	100	3	13	12	17064	13424	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15926.39941	12286.39941	12286.39941	0.933333
6911	002A	5657	0.13	3136	1	65	100	3	13	12	16971	13835	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15839.59961	12703.59961	12703.59961	0.933333
6911	003	5669	0.13	2336	1	65	100	3	13	12	17007	14671	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15873.2002	13537.2002	13537.2002	0.933333
6911	011	5666	0.13	1955	1	65	100	3	13	12	16998	15043	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15864.7998	13909.7998	13909.7998	0.933333
6911	012	5666	0.13	2050	1	65	100	3	13	12	16998	14948	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15864.7998	13814.7998	13814.7998	0.933333
6911	015	5674	0.13	1942	1	65	100	3	13	12	17022	15080	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15887.2002	13945.2002	13945.2002	0.933333
6911	016	5672	0.13	2213	1	65	100	3	13	12	17016	14803	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15881.59961	13668.59961	13668.59961	0.933333
6911	017	5668	0.13	2213	1	55	80	2.5	10	9	14170	11957	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15870.39941	13657.39941	13657.39941	1.12
6911	018	5679	0.13	981	1	55	80	2.5	10	9	14198	13217	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15901.2002	14920.2002	14920.2002	1.119961
6911	019	5679	0.13	2348	1	55	80	2.5	10	9	14198	11850	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15901.2002	13553.2002	13553.2002	1.119961
6912	028	5829	0.13	2966	1	65	100	3	13	12	17487	14521	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16321.2002	13355.2002	13355.2002	0.933333
6913	008	5893	0.14	1924	1	65	100	3	14	13	17679	15755	RH-1(D)	40	form-based		true	true	0.7	12	0.857142866	11	11	16500.40039	14576.40039	14576.40039	0.933333
6913	009	5854	0.13	2565	1	65	100	3	13	12	17562	14997	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16391.19922	13826.19922	13826.19922	0.933333
6913	010	5949	0.14	3529	1	65	100	3	14	13	17847	14318	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16657.19922	13128.19922	13128.19922	0.933333
6913	022	5906	0.14	2160	1	65	100	3	14	13	17718	15558	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16536.79883	14376.79883	14376.79883	0.933333
6913	027	5694	0.13	3000	1	65	100	3	13	12	17082	14082	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15943.2002	12943.2002	12943.2002	0.933333
6914	012	5820	0.13	2125	1	65	100	3	13	12	17460	15335	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	16296	14171	14171	0.933333
6915	007	5548	0.13	1500	1	65	100	3	13	12	16644	15144	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15534.39941	14034.39941	14034.39941	0.933333
6915	008	5790	0.13	1600	1	65	100	3	13	12	17370	15770	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16212	14612	14612	0.933333
6915	012	5947	0.14	1350	1	65	100	3	14	13	17841	16491	RH-1(D)	40	form-based		true	true	0.7	12	0.857142866	11	11	16651.59961	15301.59961	15301.59961	0.933333
6915	024	2108	0.05	1640	0	65	100	3	5	5	6324	4684	NCT-OCEA	85	form-based		true	true	0.75	11	2.200000048	11	10	12648	11008	11008	2
6916	014	5550	0.13	1680	1	55	80	2.5	10	9	13875	12195	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15540	13860	13860	1.12
6916	015	5696	0.13	2400	1	55	80	2.5	10	9	14240	11840	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15948.7998	13548.7998	13548.7998	1.12
6916	016	5621	0.13	1450	1	55	80	2.5	10	9	14052	12602	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15738.7998	14288.7998	14288.7998	1.12004
6916	017	5665	0.13	1280	1	55	80	2.5	10	9	14162	12882	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15862	14582	14582	1.12004
6917	006	5732	0.13	1730	1	65	100	3	13	12	17196	15466	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16049.59961	14319.59961	14319.59961	0.933333
6917	022	5628	0.13	1790	1	65	100	3	13	12	16884	15094	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15758.39941	13968.39941	13968.39941	0.933333
6917	024	5907	0.14	2912	1	65	100	3	14	13	17721	14809	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16539.59961	13627.59961	13627.59961	0.933333
6917A	024	5858	0.13	2790	1	55	80	2.5	10	9	14645	11855	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16402.40039	13612.40039	13612.40039	1.12
6917A	025	5886	0.14	2895	1	65	100	3	14	13	17658	14763	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16480.79883	13585.79883	13585.79883	0.933333
6918	005	5893	0.14	1550	1	65	100	3	14	13	17679	16129	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16500.40039	14950.40039	14950.40039	0.933333
6919	013	5917	0.14	3560	1	65	100	3	14	13	17751	14191	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16567.59961	13007.59961	13007.59961	0.933333
6921	023	5940	0.14	1400	1	65	100	3	14	13	17820	16420	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16632	15232	15232	0.933333
6919	005	5930	0.14	1500	1	65	100	3	14	13	17790	16290	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16604	15104	15104	0.933333
6919	006	5921	0.14	2209	1	65	100	3	14	13	17763	15554	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16578.79883	14369.79883	14369.79883	0.933333
6919	014	5933	0.14	2375	1	65	100	3	14	13	17799	15424	RH-1(D)	40	form-based		true	true	0.7	12	0.857142866	11	11	16612.40039	14237.40039	14237.40039	0.933333
6919	015	5722	0.13	3472	1	65	100	3	13	12	17166	13694	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	16021.59961	12549.59961	12549.59961	0.933333
6919	018	5749	0.13	1550	1	65	100	3	13	12	17247	15697	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16097.2002	14547.2002	14547.2002	0.933333
6919	020	5880	0.13	2144	1	65	100	3	13	12	17640	15496	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16464	14320	14320	0.933333
6920	013	5755	0.13	3362	1	65	100	3	13	12	17265	13903	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16114	12752	12752	0.933333
6920	014	5931	0.14	1745	1	65	100	3	14	13	17793	16048	RH-1(D)	40	form-based		true	true	0.7	12	0.857142866	11	11	16606.79883	14861.79883	14861.79883	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6919	028	5577	0.13	3200	1	65	100	3	13	12	16731	13531	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	15615.59961	12415.59961	12415.59961	0.933333
6920	004	5518	0.13	2180	1	65	100	3	13	12	16554	14374	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15450.39941	13270.39941	13270.39941	0.933333
6920	005	5687	0.13	1345	1	65	100	3	13	12	17061	15716	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15923.59961	14578.59961	14578.59961	0.933333
6920	006	5922	0.14	1350	1	65	100	3	14	13	17766	16416	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16581.59961	15231.59961	15231.59961	0.933333
6920	008	5835	0.13	1510	1	65	100	3	13	12	17505	15995	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16338	14828	14828	0.933333
6920	009	5886	0.14	1625	1	65	100	3	14	13	17658	16033	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16480.79883	14855.79883	14855.79883	0.933333
6920	011	5914	0.14	1744	1	65	100	3	14	13	17742	15998	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16559.19922	14815.19922	14815.19922	0.933333
6920	012	5698	0.13	2103	1	65	100	3	13	12	17094	14991	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15954.39941	13851.39941	13851.39941	0.933333
6920	017	5931	0.14	2361	1	65	100	3	14	13	17793	15432	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16606.79883	14245.79883	14245.79883	0.933333
6920	021	5746	0.13	1600	1	65	100	3	13	12	17238	15638	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16088.7998	14488.7998	14488.7998	0.933333
6921	017	5838	0.13	2470	1	65	100	3	13	12	17514	15044	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16346.39941	13876.39941	13876.39941	0.933333
6921	018	5893	0.14	1950	1	65	100	3	14	13	17679	15729	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16500.40039	14550.40039	14550.40039	0.933333
6921	001	6468	0.15	2450	3	65	100	3	15	12	19404	16954	RH-1(D)	40	form-based		true	true	0.7	14	0.933333337	11	11	18110.40039	15660.40039	15660.40039	0.933333
6921	004	5505	0.13	1525	1	65	100	3	13	12	16515	14990	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15414	13889	13889	0.933333
6921	006	5914	0.14	1825	1	65	100	3	14	13	17742	15917	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16559.19922	14734.19922	14734.19922	0.933333
6921	014	5916	0.14	1825	1	65	100	3	14	13	17748	15923	RH-1(D)	40	form-based		true	true	0.7	12	0.857142866	11	11	16564.79883	14739.79883	14739.79883	0.933333
6921	015	5654	0.13	1700	1	65	100	3	13	12	16962	15262	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	15831.2002	14131.2002	14131.2002	0.933333
6922	004	5763	0.13	1400	1	65	100	3	13	12	17289	15889	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16136.39941	14736.39941	14736.39941	0.933333
6922	005	5874	0.13	2262	1	65	100	3	13	12	17622	15360	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16447.19922	14185.19922	14185.19922	0.933333
6922	008	5863	0.13	1410	1	65	100	3	13	12	17589	16179	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16416.40039	15006.40039	15006.40039	0.933333
6922	009	5724	0.13	1910	1	65	100	3	13	12	17172	15262	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16027.2002	14117.2002	14117.2002	0.933333
6922	010	5681	0.13	1475	1	65	100	3	13	12	17043	15568	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15906.7998	14431.7998	14431.7998	0.933333
6922	011	5512	0.13	1710	1	65	100	3	13	12	16536	14826	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15433.59961	13723.59961	13723.59961	0.933333
6922	013	5168	0.12	3637	0	65	100	3	12	12	15504	11867	RH-1(D)	40	form-based			true	0.7	11	0.916666687	11	11	14470.39941	10833.39941	10833.39941	0.933333
6922	016	5591	0.13	1676	1	65	100	3	13	12	16773	15097	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15654.7998	13978.7998	13978.7998	0.933333
6922	018	5603	0.13	3393	1	65	100	3	13	12	16809	13416	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15688.39941	12295.39941	12295.39941	0.933333
6922	019	5701	0.13	4142	1	65	100	3	13	12	17103	12961	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15962.7998	11820.7998	11820.7998	0.933333
6922	020	5624	0.13	3458	1	65	100	3	13	12	16872	13414	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15747.2002	12289.2002	12289.2002	0.933333
6923	004	5801	0.13	1452	1	65	100	3	13	12	17403	15951	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16242.7998	14790.7998	14790.7998	0.933333
6923	010	5910	0.14	1472	1	65	100	3	14	13	17730	16258	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16548	15076	15076	0.933333
6923	014	5866	0.13	2480	1	65	100	3	13	12	17598	15118	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16424.79883	13944.79883	13944.79883	0.933333
6923	015	5744	0.13	3121	1	65	100	3	13	12	17232	14111	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16083.2002	12962.2002	12962.2002	0.933333
6923	028	5795	0.13	1560	1	65	100	3	13	12	17385	15825	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16226	14666	14666	0.933333
6924	012	5808	0.13	2862	1	65	100	3	13	12	17424	14562	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	16262.39941	13400.39941	13400.39941	0.933333
6925	001	5766	0.13	2075	1	55	80	2.5	10	9	14415	12340	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	16144.7998	14069.7998	14069.7998	1.12
6929	009	5784	0.13	2500	1	55	80	2.5	10	9	14460	11960	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16195.2002	13695.2002	13695.2002	1.12
6925	020	5748	0.13	1600	1	65	100	3	13	12	17244	15644	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16094.39941	14494.39941	14494.39941	0.933333
6926	001	5725	0.13	3513	1	55	80	2.5	10	9	14312	10799	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	16030	12517	12517	1.120039
6926	009	5554	0.13	1400	1	55	80	2.5	10	9	13885	12485	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15551.2002	14151.2002	14151.2002	1.12
6926	010	5502	0.13	2986	1	55	80	2.5	10	9	13755	10769	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15405.59961	12419.59961	12419.59961	1.12
6926	012	5604	0.13	1550	1	55	80	2.5	10	9	14010	12460	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15691.2002	14141.2002	14141.2002	1.12
6926	018	5739	0.13	2666	1	55	80	2.5	10	9	14348	11682	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	16069.2002	13403.2002	13403.2002	1.119961
6927	002	5746	0.13	1620	1	55	80	2.5	10	9	14365	12745	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16088.7998	14468.7998	14468.7998	1.12
6927	003	5845	0.13	1376	1	55	80	2.5	10	9	14612	13236	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16366	14990	14990	1.120038
6927	004	5659	0.13	1510	1	55	80	2.5	10	9	14148	12638	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15845.2002	14335.2002	14335.2002	1.11996
6927	008	5787	0.13	1500	1	55	80	2.5	10	9	14468	12968	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16203.59961	14703.59961	14703.59961	1.119961
6927	009	5856	0.13	1500	1	55	80	2.5	10	9	14640	13140	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16396.79883	14896.79883	14896.79883	1.12
6927	010	5880	0.13	2687	1	55	80	2.5	10	9	14700	12013	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16464	13777	13777	1.12
6929	010	5759	0.13	1334	1	55	80	2.5	10	9	14398	13064	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16125.2002	14791.2002	14791.2002	1.119961
6929	011	5554	0.13	3774	1	55	80	2.5	10	9	13885	10111	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15551.2002	11777.2002	11777.2002	1.12
6927	016	5904	0.14	1567	1	55	80	2.5	11	10	14760	13193	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16531.19922	14964.19922	14964.19922	1.12
6927	018	5704	0.13	1385	1	55	80	2.5	10	9	14260	12875	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15971.2002	14586.2002	14586.2002	1.12
6927	019	5631	0.13	1652	1	55	80	2.5	10	9	14078	12426	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15766.7998	14114.7998	14114.7998	1.11996
6927	020	5665	0.13	1711	1	55	80	2.5	10	9	14162	12451	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15862	14151	14151	1.12004
6927	021	5867	0.13	2462	1	55	80	2.5	10	9	14668	12206	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16427.59961	13965.59961	13965.59961	1.119962
6927	023	5543	0.13	1240	1	55	80	2.5	10	9	13858	12618	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15520.39941	14280.39941	14280.39941	1.11996
6927	024	5592	0.13	1940	1	55	80	2.5	10	9	13980	12040	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15657.59961	13717.59961	13717.59961	1.12
6928	002	5854	0.13	1955	1	65	100	3	13	12	17562	15607	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16391.19922	14436.19922	14436.19922	0.933333
6928	003	5652	0.13	2749	1	55	80	2.5	10	9	14130	11381	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15825.59961	13076.59961	13076.59961	1.12
6928	004	5485	0.13	1440	1	55	80	2.5	10	9	13712	12272	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15358	13918	13918	1.120041
6928	005	5603	0.13	1950	1	55	80	2.5	10	9	14008	12058	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15688.39941	13738.39941	13738.39941	1.11996
6928	006	5837	0.13	2187	1	55	80	2.5	10	9	14592	12405	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16343.59961	14156.59961	14156.59961	1.120038
6928	007	5612	0.13	1400	1	55	80	2.5	10	9	14030	12630	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15713.59961	14313.59961	14313.59961	1.12
6928	008	5788	0.13	1400	1	55	80	2.5	10	9	14470	13070	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16206.39941	14806.39941	14806.39941	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6928	010	6209	0.14	2837	2	55	80	2.5	11	9	15522	12685	RH-1(D)	40	form-based			true	0.7	13	1.181818128	11	11	17385.19922	14548.19922	14548.19922	1.120036
6928	012	5857	0.13	3042	1	55	80	2.5	10	9	14642	11600	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	16399.59961	13357.59961	13357.59961	1.120038
6928	013	5791	0.13	1950	1	55	80	2.5	10	9	14478	12528	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	16214.7998	14264.7998	14264.7998	1.119961
6928	014	5612	0.13	1360	1	55	80	2.5	10	9	14030	12670	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15713.59961	14353.59961	14353.59961	1.12
6928	015	5542	0.13	2255	1	55	80	2.5	10	9	13855	11600	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15517.59961	13262.59961	13262.59961	1.12
6928	016	5624	0.13	1300	1	55	80	2.5	10	9	14060	12760	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15747.2002	14447.2002	14447.2002	1.12
6928	017	5675	0.13	1388	1	55	80	2.5	10	9	14188	12800	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15890	14502	14502	1.119961
6928	018	5758	0.13	1591	1	55	80	2.5	10	9	14395	12804	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16122.39941	14531.39941	14531.39941	1.12
6928	019	5777	0.13	2410	1	55	80	2.5	10	9	14442	12032	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16175.59961	13765.59961	13765.59961	1.120039
6928	020	5630	0.13	1740	1	55	80	2.5	10	9	14075	12335	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15764	14024	14024	1.12
6929	013	5720	0.13	1582	1	55	80	2.5	10	9	14300	12718	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	16016	14434	14434	1.12
6929	014	5556	0.13	1344	1	55	80	2.5	10	9	13890	12546	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15556.7998	14212.7998	14212.7998	1.12
6929	015	5936	0.14	2695	1	55	80	2.5	11	10	14840	12145	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16620.79883	13925.79883	13925.79883	1.12
6929	018	5742	0.13	1430	1	55	80	2.5	10	9	14355	12925	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16077.59961	14647.59961	14647.59961	1.12
6929	022	5531	0.13	2341	1	65	100	3	13	12	16593	14252	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15486.7998	13145.7998	13145.7998	0.933333
6929	023	5753	0.13	2152	1	65	100	3	13	12	17259	15107	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16108.39941	13956.39941	13956.39941	0.933333
6929	024	5777	0.13	2315	1	65	100	3	13	12	17331	15016	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16175.59961	13860.59961	13860.59961	0.933333
6930	001	5925	0.14	1185	1	65	100	3	14	13	17775	16590	RH-1(D)	40	form-based		true	true	0.7	12	0.857142866	11	11	16590	15405	15405	0.933333
6930	008	5520	0.13	1525	1	55	80	2.5	10	9	13800	12275	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15456	13931	13931	1.12
6930	009	5529	0.13	1600	1	55	80	2.5	10	9	13822	12222	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15481.2002	13881.2002	13881.2002	1.120041
6930	010	5621	0.13	3861	1	55	80	2.5	10	9	14052	10191	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15738.7998	11877.7998	11877.7998	1.12004
6930	011	5583	0.13	1260	1	55	80	2.5	10	9	13958	12698	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	15632.39941	14372.39941	14372.39941	1.11996
6930	012	5790	0.13	2700	1	55	80	2.5	10	9	14475	11775	RH-1(D)	40	form-based		true	true	0.7	12	1.200000048	11	11	16212	13512	13512	1.12
6930	013	5544	0.13	3478	1	55	80	2.5	10	9	13860	10382	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15523.2002	12045.2002	12045.2002	1.12
6930	014	5672	0.13	2823	1	55	80	2.5	10	9	14180	11357	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15881.59961	13058.59961	13058.59961	1.12
6930	015	5592	0.13	2159	1	55	80	2.5	10	9	13980	11821	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15657.59961	13498.59961	13498.59961	1.12
6930	021	5578	0.13	2150	1	65	100	3	13	12	16734	14584	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15618.39941	13468.39941	13468.39941	0.933333
6931	009	5903	0.14	1640	1	55	80	2.5	11	10	14758	13118	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16528.40039	14888.40039	14888.40039	1.119962
6931	010	5939	0.14	3327	1	55	80	2.5	11	10	14848	11521	RH-1(D)	40	form-based			true	0.7	12	1.090909123	11	11	16629.19922	13302.19922	13302.19922	1.119962
6931	011	5675	0.13	1500	1	55	80	2.5	10	9	14188	12688	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	15890	14390	14390	1.119961
6931	012	5767	0.13	2620	1	55	80	2.5	10	9	14418	11798	RH-1(D)	40	form-based			true	0.7	12	1.200000048	11	11	16147.59961	13527.59961	13527.59961	1.119961
6931	013	5668	0.13	1756	1	65	100	3	13	12	17004	15248	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15870.39941	14114.39941	14114.39941	0.933333
6931	014	5561	0.13	1496	1	65	100	3	13	12	16683	15187	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15570.7998	14074.7998	14074.7998	0.933333
6932	003	5750	0.13	1645	1	65	100	3	13	12	17250	15605	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16100	14455	14455	0.933333
6932	004	5750	0.13	1400	1	65	100	3	13	12	17250	15850	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16100	14700	14700	0.933333
6932	005	5750	0.13	2052	1	65	100	3	13	12	17250	15198	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16100	14048	14048	0.933333
6932	006	5750	0.13	2085	1	65	100	3	13	12	17250	15165	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16100	14015	14015	0.933333
6932	007	5750	0.13	1450	1	65	100	3	13	12	17250	15800	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16100	14650	14650	0.933333
6932	008	5763	0.13	1400	1	65	100	3	13	12	17289	15889	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	16136.39941	14736.39941	14736.39941	0.933333
6932	013	5624	0.13	1617	1	65	100	3	13	12	16872	15255	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15747.2002	14130.2002	14130.2002	0.933333
6933	034	2891	0.07	3718	4	85	140	4	10	6	11564	7846	NCT-OCEA	85	form-based			true	0.75	15	1.5	11	11	17346	13628	13628	1.5
6936	001	2736	0.06	3150	3	85	140	4	8	5	10944	7794	NCT-OCEA	85	form-based		true	true	0.75	14	1.75	11	11	16416	13266	13266	1.5
6936	016	3008	0.07	5449	5	85	140	4	10	5	12032	6583	NCT-OCEA	85	form-based			true	0.75	16	1.600000024	11	11	18048	12599	12599	1.5
6943	052	5590	0.13	3000	1	65	100	3	13	12	16770	13770	RH-2	40	form-based			true	0.7	12	0.923076928	11	11	15652	12652	12652	0.933333
6945	044	5674	0.13	1020	1	65	100	3	13	12	17022	16002	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15887.2002	14867.2002	14867.2002	0.933333
6946	032	2807	0.06	3400	4	65	100	3	6	2	8421	5021	NCT-OCEA	85	form-based			true	0.75	15	2.5	11	8	16842	13442	13442	2
6946	034	2803	0.06	3400	4	65	100	3	6	2	8409	5009	NCT-OCEA	85	form-based			true	0.75	15	2.5	11	8	16818	13418	13418	2
6947	002D	2218	0.05	1250	1	85	140	4	7	6	8872	7622	NCT-OCEA	85	form-based			true	0.75	12	1.714285731	11	11	13308	12058	12058	1.5
6955	036	6720	0.15	1000	0	55	80	2.5	12	12	16800	15800	NCD-EXCE	40	density-lin	600	true		0.75	11	0.916666687	11	11	20160	19160	19160	1.2
6962	006D	2359	0.05	1410	1	85	140	4	7	6	9436	8026	NCT-1	85	form-based			true	0.75	12	1.714285731	11	11	14154	12744	12744	1.5
6962	006F	2274	0.05	1250	1	85	140	4	7	6	9096	7846	NCT-1	85	form-based		true	true	0.75	12	1.714285731	11	11	13644	12394	12394	1.5
6981	033	5630	0.13	1050	1	65	100	3	13	12	16890	15840	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15764	14714	14714	0.933333
7012	052	5498	0.13	1662	1	55	80	2.5	10	9	13745	12083	RH-1	40	form-based			true	0.7	12	1.200000048	11	11	15394.39941	13732.39941	13732.39941	1.12
7027A	011	2202	0.05	1621	1	85	140	4	7	6	8808	7187	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	13212	11591	11591	1.5
7027A	012	2202	0.05	1909	1	85	140	4	7	6	8808	6899	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	13212	11303	11303	1.5
7027A	013	2202	0.05	1792	1	85	140	4	7	6	8808	7016	RTO-C	85	form-based			true	0.75	12	1.714285731	11	11	13212	11420	11420	1.5
7027A	014	2202	0.05	1610	1	75	120	3.5	6	5	7707	6097	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	11602	11602	1.714286
7027A	015	2202	0.05	1150	1	75	120	3.5	6	5	7707	6557	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	12062	12062	1.714286
7027A	016	2202	0.05	1150	1	75	120	3.5	6	5	7707	6557	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	12062	12062	1.714286
7027A	017	2202	0.05	1883	1	75	120	3.5	6	5	7707	5824	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	11329	11329	1.714286
7027A	018	2202	0.05	1198	1	75	120	3.5	6	5	7707	6509	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	12014	12014	1.714286
7027A	019	2202	0.05	1198	1	75	120	3.5	6	5	7707	6509	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	12014	12014	1.714286
7027A	021	2202	0.05	1265	1	75	120	3.5	6	5	7707	6442	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	11947	11947	1.714286
7027A	022	2202	0.05	1265	1	75	120	3.5	6	5	7707	6442	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	11947	11947	1.714286

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7027A	023	2202	0.05	1265	1	75	120	3.5	6	5	7707	6442	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	11947	11947	1.714286
7027A	024	2202	0.05	1265	1	75	120	3.5	6	5	7707	6442	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	11947	11947	1.714286
7027A	025	2202	0.05	1265	1	75	120	3.5	6	5	7707	6442	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	11947	11947	1.714286
7027B	008	2207	0.05	1230	1	75	120	3.5	6	5	7724	6494	RTO-C	85	form-based			true	0.75	12	2	11	11	13242	12012	12012	1.714397
7027B	019	2202	0.05	1210	1	75	120	3.5	6	5	7707	6497	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	12002	12002	1.714286
7027B	020	2202	0.05	1876	1	75	120	3.5	6	5	7707	5831	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	11336	11336	1.714286
7027B	021	2202	0.05	1160	1	75	120	3.5	6	5	7707	6547	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	12052	12052	1.714286
7027B	022	2202	0.05	1160	1	75	120	3.5	6	5	7707	6547	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	12052	12052	1.714286
7027B	023	2202	0.05	1310	1	75	120	3.5	6	5	7707	6397	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	11902	11902	1.714286
7027B	024	2202	0.05	1310	1	75	120	3.5	6	5	7707	6397	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	11902	11902	1.714286
7027B	025	2202	0.05	1310	1	75	120	3.5	6	5	7707	6397	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	11902	11902	1.714286
7027B	026	2202	0.05	1335	1	75	120	3.5	6	5	7707	6372	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	11877	11877	1.714286
7027B	027	2223	0.05	1915	1	75	120	3.5	6	5	7780	5865	RTO-C	85	form-based			true	0.75	12	2	11	11	13338	11423	11423	1.714396
7027B	028	2191	0.05	1335	1	75	120	3.5	6	5	7668	6333	RTO-C	85	form-based			true	0.75	12	2	11	11	13146	11811	11811	1.714398
7027B	029	2199	0.05	1335	1	75	120	3.5	6	5	7696	6361	RTO-C	85	form-based			true	0.75	12	2	11	11	13194	11859	11859	1.714397
7027B	030	2202	0.05	1834	1	75	120	3.5	6	5	7707	5873	RTO-C	85	form-based			true	0.75	12	2	11	11	13212	11378	11378	1.714286
7027B	031	2202	0.05	1489	1	65	100	3	5	4	6606	5117	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13212	11723	11723	2
7027B	032	2202	0.05	1990	1	65	100	3	5	4	6606	4616	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13212	11222	11222	2
7027B	033	2202	0.05	1170	1	65	100	3	5	4	6606	5436	RTO-C	85	form-based			true	0.75	12	2.400000095	11	9	13212	12042	12042	2
7099	011	6530	0.15	0	0	55	80	2.5	12	12	16325	16325	NCD-EXCE	40	density-lin	600	true		0.75	11	0.916666687	11	11	19590	19590	19590	1.2
7216	001	5797	0.13	1903	1	65	100	3	13	12	17391	15488	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	16231.59961	14328.59961	14328.59961	0.933333
7217	007	5593	0.13	2250	1	65	100	3	13	12	16779	14529	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15660.39941	13410.39941	13410.39941	0.933333
7221	006	5862	0.13	2358	1	65	100	3	13	12	17586	15228	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	16413.59961	14055.59961	14055.59961	0.933333
7222	001C	5753	0.13	2194	1	65	100	3	13	12	17259	15065	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16108.39941	13914.39941	13914.39941	0.933333
7223	001	5619	0.13	2530	1	65	100	3	13	12	16857	14327	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15733.2002	13203.2002	13203.2002	0.933333
7223	002	5701	0.13	2329	1	65	100	3	13	12	17103	14774	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15962.7998	13633.7998	13633.7998	0.933333
7224	001B	5519	0.13	3142	1	85	140	4	18	17	22076	18934	RH-1(D)	40	form-based			true	0.7	12	0.666666687	11	11	15453.2002	12311.2002	12311.2002	0.7
7224	001C	5790	0.13	2223	1	85	140	4	18	17	23160	20937	RH-1(D)	40	form-based			true	0.7	12	0.666666687	11	11	16212	13989	13989	0.7
7225	002	5867	0.13	2436	1	65	100	3	13	12	17601	15165	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16427.59961	13991.59961	13991.59961	0.933333
7225	015	5505	0.13	2428	1	65	100	3	13	12	16515	14087	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15414	12986	12986	0.933333
7231	001A	5626	0.13	2984	1	85	140	4	18	17	22504	19520	RH-1(D)	40	form-based			true	0.7	12	0.666666687	11	11	15752.7998	12768.7998	12768.7998	0.7
7231	002K	5785	0.13	2425	1	65	100	3	13	12	17355	14930	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16198	13773	13773	0.933333
7232	001B	5699	0.13	2276	1	65	100	3	13	12	17097	14821	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15957.2002	13681.2002	13681.2002	0.933333
7232	001C	5719	0.13	3227	1	65	100	3	13	12	17157	13930	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16013.2002	12786.2002	12786.2002	0.933333
7233	001	5851	0.13	2852	1	65	100	3	13	12	17553	14701	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16382.7998	13530.7998	13530.7998	0.933333
7233	001B	5775	0.13	2473	1	65	100	3	13	12	17325	14852	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16170	13697	13697	0.933333
7233	001D	5775	0.13	2266	1	65	100	3	13	12	17325	15059	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16170	13904	13904	0.933333
7233	001E	5936	0.14	2491	1	65	100	3	14	13	17808	15317	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16620.79883	14129.79883	14129.79883	0.933333
7233	001F	5880	0.13	3712	1	65	100	3	13	12	17640	13928	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16464	12752	12752	0.933333
7233	001G	5880	0.13	2983	1	65	100	3	13	12	17640	14657	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16464	13481	13481	0.933333
7233	001J	5775	0.13	2226	1	65	100	3	13	12	17325	15099	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16170	13944	13944	0.933333
7233	002A	5921	0.14	2689	1	65	100	3	14	13	17763	15074	RH-1(D)	40	form-based			true	0.7	12	0.857142866	11	11	16578.79883	13889.79883	13889.79883	0.933333
7233	002B	5861	0.13	2382	1	65	100	3	13	12	17583	15201	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16410.79883	14028.79883	14028.79883	0.933333
7233	002C	5801	0.13	2675	1	65	100	3	13	12	17403	14728	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16242.7998	13567.7998	13567.7998	0.933333
7233	002D	5791	0.13	2719	1	65	100	3	13	12	17373	14654	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16214.7998	13495.7998	13495.7998	0.933333
7233	002E	5822	0.13	2558	1	65	100	3	13	12	17466	14908	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	16301.59961	13743.59961	13743.59961	0.933333
7233	002F	5573	0.13	2114	1	65	100	3	13	12	16719	14605	RH-1(D)	40	form-based			true	0.7	12	0.923076928	11	11	15604.39941	13490.39941	13490.39941	0.933333
7234	002I	5736	0.13	1988	1	65	100	3	13	12	17208	15220	RH-1(D)	40	form-based		true	true	0.7	12	0.923076928	11	11	16060.7998	14072.7998	14072.7998	0.933333
7237	001	5912	0.14	2451	1	65	100	3	14	13	17736	15285	RH-1(D)	40	form-based		true	true	0.7	12	0.857142866	11	11	16553.59961	14102.59961	14102.59961	0.933333
7245	015	3278	0.08	1667	1	55	80	2.5	6	5	8195	6528	RTO-C	65	form-based		true	true	0.75	12	2	11	11	14751	13084	13084	1.8
7245	016	3150	0.07	1634	1	55	80	2.5	6	5	7875	6241	RTO-C	65	form-based		true	true	0.75	12	2	11	11	14175	12541	12541	1.8
7538	026	5609	0.13	4502	1	65	100	3	13	12	16827	12325	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15705.2002	11203.2002	11203.2002	0.933333
7538	027	5631	0.13	3408	1	65	100	3	13	12	16893	13485	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15766.7998	12358.7998	12358.7998	0.933333
7538	028	5653	0.13	8032	1	65	100	3	13	12	16959	8927	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15828.39941	7796.399414	7796.399414	0.933333
7538	029	5661	0.13	2195	1	65	100	3	13	12	16983	14788	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15850.7998	13655.7998	13655.7998	0.933333
7538	030	5661	0.13	4881	1	65	100	3	13	12	16983	12102	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15850.7998	10969.7998	10969.7998	0.933333
7538	031	5671	0.13	3680	1	65	100	3	13	12	17013	13333	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15878.7998	12198.7998	12198.7998	0.933333
7540	016	5685	0.13	2209	1	65	100	3	13	12	17055	14846	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15918	13709	13709	0.933333
7540	017	5709	0.13	2298	1	65	100	3	13	12	17127	14829	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15985.2002	13687.2002	13687.2002	0.933333
7542	025	5599	0.13	2426	1	65	100	3	13	12	16797	14371	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15677.2002	13251.2002	13251.2002	0.933333
7542	033	5049	0.12	0	0	65	100	3	12	12	15147	15147	RH-1	40	form-based			true	0.7	11	0.916666687	11	11	14137.2002	14137.2002	14137.2002	0.933333
7542	034	5812	0.13	1574	1	65	100	3	13	12	17436	15862	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	16273.59961	14699.59961	14699.59961	0.933333
7542	053	5942	0.14	7573	1	65	100	3	14	13	17826	10253	RH-1	40	form-based		true	true	0.7	12	0.857142866	11	11	16637.59961	9064.599609	9064.599609	0.933333
7543	032	5216	0.12	0	0	65	100	3	12	12	15648	15648	RM-1	40	form-based			true	0.7	11	0.916666687	11	11	14604.7998	14604.7998	14604.7998	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7546	007	5907	0.14	2116	1	65	100	3	14	13	17721	15605	RH-1	40	form-based			true	0.7	12	0.857142866	11	11	16539.59961	14423.59961	14423.59961	0.933333
7551	103	5485	0.13	1585	1	65	100	3	13	12	16455	14870	RH-1	40	form-based			true	0.7	12	0.923076928	11	11	15358	13773	13773	0.933333
0024	018	2391	0.05	7823	0	65	100	3	5	5	7173	0	C-2	65	form-based			true	0.8	10	2	10	10	11476.7998	3653.799805	3653.799805	1.6
0027	009	5509	0.13	3026	2	65	100	3	13	11	16527	13501	RH-3	40	form-based			true	0.7	12	0.923076928	10	10	15425.2002	12399.2002	12399.2002	0.933333
0041	038	4144	0.1	11758	0	65	100	3	10	10	12432	674	NCD-NORT	40	density-lim	400	true		0.75	10	1	10	10	12432	674	674	1
0041	127	2750	0.06	1109	5	65	100	3	6	1	8250	7141	C-2	85	form-based			true	0.8	15	2.5	10	7	17600	16491	15391	2.133333
0048	006	5156	0.12	4137	1	55	80	2.5	10	9	12890	8753	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14436.7998	10299.7998	10299.7998	1.12
0048	014A	5321	0.12	5296	1	65	100	3	12	11	15963	10667	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14898.7998	9602.799805	9602.799805	0.933333
0052	012	5844	0.13	5200	5	65	100	3	13	8	17532	12332	NCD-NORT	40	density-lim	400			0.75	15	1.153846145	10	10	17532	12332	12332	1
0061	040	6302	0.14	4709	3	65	100	3	14	11	18906	14197	RH-3	40	form-based			true	0.7	13	0.928571403	10	10	17645.59961	12936.59961	12936.59961	0.933333
0066	007	6941	0.16	8130	9	55	80	2.5	13	4	17352	9222	RM-1	50	form-based			true	0.7	19	1.461538434	10	10	24293.5	16163.5	16163.5	1.40004
0067	011	4775	0.11	0	0	55	80	2.5	9	9	11938	11938	RH-1	40	form-based			true	0.7	10	1.111111164	10	10	13370	13370	13370	1.119953
0067	012	4774	0.11	1389	0	55	80	2.5	9	9	11935	10546	RH-1	40	form-based			true	0.7	10	1.111111164	10	10	13367.2002	11978.2002	11978.2002	1.12
0068	005	3781	0.09	4506	1	55	80	2.5	7	6	9452	4946	RH-1	50	form-based			true	0.7	11	1.571428537	10	10	13233.5	8727.5	8727.5	1.400074
0068	008	4727	0.11	5064	3	55	80	2.5	9	6	11818	6754	RH-3	50	form-based			true	0.7	13	1.444444418	10	10	16544.5	11480.5	11480.5	1.399941
0068	018B	3927	0.09	5118	1	55	80	2.5	7	6	9818	4700	RH-1	50	form-based		true	true	0.7	11	1.571428537	10	10	13744.5	8626.5	8626.5	1.399929
0089	011	4806	0.11	2662	0	55	80	2.5	9	9	12015	9353	RM-1	40	form-based			true	0.7	10	1.111111164	10	10	13456.7998	10794.7998	10794.7998	1.12
0090	026	4078	0.09	1020	0	55	80	2.5	7	7	10195	9175	NCD-NORT	40	density-lim	400			0.75	10	1.428571463	10	10	12234	11214	11214	1.2
0090	030	4156	0.1	10600	0	55	80	2.5	8	8	10390	0	NCD-NORT	40	density-lim	400	true		0.75	10	1.25	10	10	12468	1868	1868	1.2
0094	009	3440	0.08	2472	0	55	80	2.5	6	6	8600	6128	RH-3	50	form-based			true	0.7	10	1.666666627	10	10	12040	9568	9568	1.4
0095	014	2592	0.06	4607	3	65	100	3	6	3	7776	3169	RH-3	85	form-based		true	true	0.7	13	2.166666746	10	9	14515.2002	9908.200195	9908.200195	1.866667
0095	015	2288	0.05	2378	1	65	100	3	5	4	6864	4486	RH-3	85	form-based			true	0.7	11	2.200000048	10	9	12812.7998	10434.7998	10434.7998	1.866667
0095	031	7219	0.17	8454	10	55	80	2.5	14	4	18048	9594	RM-2	50	form-based			true	0.7	20	1.428571463	10	10	25266.5	16812.5	16812.5	1.399961
0095	034	9042	0.21	1025	15	65	100	3	21	6	27126	26101	RM-2	50	form-based			true	0.7	25	1.190476179	10	10	31647	30622	30622	1.166667
0096	001A	4002	0.09	4976	4	65	100	3	9	5	12006	7030	RH-3	65	form-based			true	0.7	14	1.555555582	10	10	16808.40039	11832.40039	11832.40039	1.4
0101	030	3976	0.09	11340	0	55	80	2.5	7	7	9940	0	NCD-NORT	40	density-lim	400			0.75	10	1.428571463	10	10	11928	588	588	1.2
0113	041	7996	0.18	0	0	65	100	3	18	18	23988	23988	C-2	84	density-lim	800	true		0.8	10	0.555555582	10	10	51174.40234	51174.40234	47976	2.133333
0120	007A	5400	0.12	5201	1	55	80	2.5	10	9	13500	8299	RH-2	40	form-based			true	0.7	11	1.100000024	10	10	15120	9919	9919	1.12
0120	051	9807	0.23	1687	11	55	80	2.5	18	7	24518	22831	RH-2	40	form-based		true	true	0.7	21	1.166666627	10	10	27459.59961	25772.59961	25772.59961	1.119977
0121	004A	5677	0.13	2550	2	55	80	2.5	10	8	14192	11642	RM-2	40	form-based			true	0.7	12	1.200000048	10	10	15895.59961	13345.59961	13345.59961	1.120039
0122	005	3070	0.07	3795	1	55	80	2.5	6	5	7675	3880	RH-3	65	form-based			true	0.7	11	1.833333373	10	10	12894	9099	9099	1.68
0123	074	2720	0.06	2438	0	65	100	3	6	6	8160	5722	RH-3	65	form-based			true	0.7	10	1.666666627	10	10	11424	8986	8986	1.4
0125	009	3781	0.09	2954	3	55	80	2.5	7	4	9452	6498	RH-3	65	form-based			true	0.7	13	1.857142806	10	10	15880.2002	12926.2002	12926.2002	1.680089
0125	019	4501	0.1	6120	6	55	80	2.5	8	2	11252	5132	RH-3	65	form-based			true	0.7	16	2	10	10	18904.19922	12784.19922	12784.19922	1.680075
0125	022	2795	0.06	2090	0	55	80	2.5	5	5	6988	4898	RM-1	65	form-based			true	0.7	10	2	10	10	11739	9649	9649	1.67988
0125	131	4498	0.1	811	6	55	80	2.5	8	2	11245	10434	RH-3	65	form-based			true	0.7	16	2	10	10	18891.59961	18080.59961	18080.59961	1.68
0130	030	4093	0.09	0	0	55	80	2.5	7	7	10232	10232	NCD-NORT	40	density-lim	400			0.75	10	1.428571463	10	10	12279	12279	12279	1.200059
0130	033	4062	0.09	0	0	55	80	2.5	7	7	10155	10155	NCD-NORT	40	density-lim	400			0.75	10	1.428571463	10	10	12186	12186	12186	1.2
0130	034	3932	0.09	6498	0	55	80	2.5	7	7	9830	3332	NCD-NORT	40	density-lim	400			0.75	10	1.428571463	10	10	11796	5298	5298	1.2
0133	051	6479	0.15	443	4	55	80	2.5	12	8	16198	15755	RH-3	40	form-based			true	0.7	14	1.166666627	10	10	18141.19922	17698.19922	17698.19922	1.119965
0140	005	8037	0.18	13194	0	65	100	3	18	18	24111	10917	C-2	65	density-lim	800	true		0.8	10	0.555555582	10	10	38577.60156	25383.60156	25383.60156	1.6
0142	002	7603	0.17	12775	0	65	100	3	17	17	22809	10034	C-2	84	density-lim	800			0.8	10	0.588235319	10	10	48659.19922	35884.19922	32843	2.133333
0146	010	2926	0.07	4753	5	65	100	3	7	2	8778	4025	CCB	65	density-lim	200			0.75	15	2.142857075	10	9	13167	8414	8414	1.5
0147	012A	2034	0.05	0	0	65	100	3	5	5	6102	6102	CCB	65	density-lim	200	true		0.75	10	2	10	10	9153	9153	9153	1.5
0148	007	3390	0.08	7745	7	65	100	3	8	1	10170	2425	CCB	65	density-lim	200	true		0.75	17	2.125	10	9	15255	7510	7510	1.5
0152	022	5762	0.13	7020	6	55	80	2.5	10	4	14405	7385	RM-1	50	form-based			true	0.7	16	1.600000024	10	10	20167	13147	13147	1.4
0153	014	6263	0.14	9111	12	65	100	3	14	2	18789	9678	RM-1	65	form-based			true	0.7	22	1.571428537	10	10	26304.59961	17193.59961	17193.59961	1.4
0161	014	1934	0.04	3582	0	65	100	3	4	4	5802	2220	CRNC	65	density-lim	200			0.75	10	2.5	10	8	8703	5121	5121	1.5
0161	022	1981	0.05	6576	0	65	100	3	5	5	5943	0	CRNC	85	density-lim	200			0.75	10	2	10	10	11886	5310	5310	2
0161	036	2000	0.05	1720	0	65	100	3	5	5	6000	4280	CCB	65	density-lim	200			0.75	10	2	10	10	9000	7280	7280	1.5
0176	024	8070	0.19	5387	0	65	100	3	19	19	24210	18823	C-2	65	density-lim	800	true		0.8	10	0.526315808	10	10	38736	33349	33349	1.6
0179	012	6039	0.14	11100	20	65	100	3	14	0	18117	7017	CRNC	65	density-lim	200	true		0.75	30	2.142857075	10	8	27175.5	16075.5	16075.5	1.5
0184	013	3615	0.08	5338	4	55	80	2.5	6	2	9038	3700	RM-3	65	form-based			true	0.75	14	2.333333254	10	8	16267.5	10929.5	10929.5	1.7999
0184	026	3792	0.09	6924	4	55	80	2.5	7	3	9480	2556	NCD-PACIF	65	form-based			true	0.75	14	2	10	10	17064	10140	10140	1.8
0185	014	3781	0.09	7213	3	65	100	3	9	6	11343	4130	RM-1	65	form-based			true	0.7	13	1.444444418	10	10	15880.2002	8667.200195	8667.200195	1.4
0185	023	4469	0.1	8580	6	65	100	3	10	4	13407	4827	RM-1	65	form-based			true	0.7	16	1.600000024	10	10	18769.79883	10189.79883	10189.79883	1.4
0187	011	3130	0.07	3060	2	55	80	2.5	6	4	7825	4765	RM-3	65	form-based			true	0.75	12	2	10	10	14085	11025	11025	1.8
0187	014	3416	0.08	5325	3	55	80	2.5	6	3	8540	3215	RM-3	65	form-based			true	0.75	13	2.166666746	10	9	15372	10047	10047	1.8
0187	039	3130	0.07	1439	2	55	80	2.5	6	4	7825	6386	RM-3	65	form-based			true	0.75	12	2	10	10	14085	12646	12646	1.8
0193	021	5280	0.12	15264	16	65	100	3	12	0	15840	576	CRNC	85	density-lim	200			0.75	26	2.166666746	10	8	31680	16416	16416	2
0194	005A	2553	0.06	4100	3	65	100	3	6	3	7659	3559	CCB	65	density-lim	200	true		0.75	13	2.166666746	10	9	11488.5	7388.5	7388.5	1.5
0194	018	1920	0.04	7599	0	65	100	3	4	4	5760	0	CVR	50	density-lim	200			0.75	10	2.5	10	8	7200	0	0	1.25
0195	001	7781	0.18	35970	0	65	100	3	18	18	23343	0	C-2	65	density-lim	800	true		0.8	10	0.555555582	10	10	37348.80078	1378.800781	1378.800781	1.6
0208	012	2652	0.06	11639	3	65	100	3	6	3	7956	0	CCB	65	density-lim	200	true		0.75	13	2.166666746	10	9	11934	295	295	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0209	010	1948	0.04	7298	0	65	100	3	4	4	5844	0	CVR	50	density-lim	200			0.75	10	2.5	10	8	7305	7	7	1.25
0210	041	1960	0.04	6355	0	65	100	3	4	4	5880	0	CVR	50	density-lim	200	true		0.75	10	2.5	10	8	7350	995	995	1.25
0216	016	4740	0.11	8694	8	55	80	2.5	9	1	11850	3156	RM-3	65	form-based			true	0.75	18	2	10	10	21330	12636	12636	1.8
0216	024	4128	0.09	4345	5	55	80	2.5	7	2	10320	5975	RM-3	65	form-based			true	0.75	15	2.142857075	10	9	18576	14231	14231	1.8
0217	006B	2644	0.06	1360	0	65	100	3	6	6	7932	6572	RM-3	65	form-based			true	0.75	10	1.666666627	10	10	11898	10538	10538	1.5
0217	038	4157	0.1	775	6	65	100	3	10	4	12471	11696	RM-3	65	form-based			true	0.75	16	1.600000024	10	10	18706.5	17931.5	17931.5	1.5
0218	021	3524	0.08	4115	3	65	100	3	8	5	10572	6457	RM-3	65	form-based			true	0.75	13	1.625	10	10	15858	11743	11743	1.5
0219	005	3034	0.07	1360	1	55	80	2.5	6	5	7585	6225	RM-3	65	form-based			true	0.75	11	1.833333373	10	10	13653	12293	12293	1.8
0219	014	5760	0.13	9855	12	55	80	2.5	10	0	14400	4545	RM-3	65	form-based			true	0.75	22	2.200000048	10	8	25920	16065	16065	1.8
0219	021A	6945	0.16	18930	16	55	80	2.5	13	0	17362	0	RM-3	65	form-based			true	0.75	26	2	10	10	31252.5	12322.5	12322.5	1.800052
0220	002	3241	0.07	3970	2	55	80	2.5	6	4	8102	4132	RM-4	65	form-based			true	0.75	12	2	10	10	14584.5	10614.5	10614.5	1.800111
0220	033	3160	0.07	4896	2	55	80	2.5	6	4	7900	3004	RM-3	65	form-based			true	0.75	12	2	10	10	14220	9324	9324	1.8
0221	132	5610	0.13	1175	11	55	80	2.5	10	0	14025	12850	RM-3	65	form-based		true	true	0.75	21	2.099999905	10	9	25245	24070	24070	1.8
0223	033	4758	0.11	642	14	65	100	3	11	0	14274	13632	RM-4	40	density-lim	200	true		0.75	24	2.181818247	10	8	14274	13632	13632	1
0224	005	2659	0.06	6414	3	65	100	3	6	3	7977	1563	CRNC	85	density-lim	200			0.75	13	2.166666746	10	9	15954	9540	9540	2
0226	037	2081	0.05	6535	0	65	100	3	5	5	6243	0	CCB	50	density-lim	200			0.75	10	2	10	10	7803.75	1268.75	1268.75	1.25
0227	006A	1114	0.03	0	0	65	100	3	3	3	3342	3342	C-3-O	250	form-based				0.8	10	3.333333254	10	6	10026	10026	6684	3
0227	031	1999	0.05	0	0	65	100	3	5	5	5997	5997	CCB	50	density-lim	200			0.75	10	2	10	10	7496.25	7496.25	7496.25	1.25
0227	044	1993	0.05	7112	0	65	100	3	5	5	5979	0	CCB	50	density-lim	200			0.75	10	2	10	10	7473.75	361.75	361.75	1.25
0227	045	2093	0.05	5718	0	65	100	3	5	5	6279	561	CCB	50	density-lim	200			0.75	10	2	10	10	7848.75	2130.75	2130.75	1.25
0248	027A	3041	0.07	3285	1	55	80	2.5	6	5	7602	4317	RM-3	65	form-based			true	0.75	11	1.833333373	10	10	13684.5	10399.5	10399.5	1.800118
0251	001	3451	0.08	11150	21	55	80	2.5	6	0	8628	0	RTO-C	120	form-based		true	true	0.75	31	5.166666508	10	0	31059	19909	6106	3.599791
0251	003	2401	0.06	7200	12	55	80	2.5	5	0	6002	0	RTO-C	120	form-based			true	0.75	22	4.400000095	10	0	21609	14409	4804	3.6003
0251	007	3351	0.08	10145	20	55	80	2.5	6	0	8378	0	RTO-C	140	form-based		true	true	0.75	30	5	10	0	30159	20014	6611	3.599785
0251	015	3837	0.09	14973	25	55	80	2.5	7	0	9592	0	RTO-C	140	form-based		true	true	0.75	35	5	10	0	34533	19560	4211	3.600188
0251	033	1154	0.03	1650	0	55	80	2.5	2	2	2885	1235	RTO-C	120	form-based		true	true	0.75	10	5	10	4	10386	8736	4120	3.6
0252	010	6875	0.16	16700	24	55	80	2.5	13	0	17188	488	RM-4	65	density-lim	200			0.75	34	2.615384579	10	2	30937.5	14237.5	14237.5	1.799948
0252	015	2120	0.05	2766	1	55	80	2.5	4	3	5300	2534	RM-4	65	density-lim	200			0.75	11	2.75	10	7	9540	6774	6774	1.8
0253	012	5156	0.12	11185	16	55	80	2.5	10	0	12890	1705	RM-4	65	density-lim	200			0.75	26	2.599999905	10	4	23202	12017	12017	1.8
0253	038	3438	0.08	758	7	55	80	2.5	6	0	8595	7837	RM-4	65	density-lim	200			0.75	17	2.833333254	10	5	15471	14713	14713	1.8
0254	023	2925	0.07	5150	5	55	80	2.5	6	1	7312	2162	RM-4	65	density-lim	200			0.75	15	2.5	10	7	13162.5	8012.5	8012.5	1.800123
0256	007	2479	0.06	3437	2	65	100	3	6	4	7437	4000	RM-4	65	density-lim	200			0.75	12	2	10	10	11155.5	7718.5	7718.5	1.5
0258	016	2000	0.05	6000	0	65	100	3	5	5	6000	0	CCB	50	density-lim	200			0.75	10	2	10	10	7500	1500	1500	1.25
0270	005	1088	0.02	3242	0	75	120	3.5	2	2	3808	566	C-3-O	130	form-based				0.8	10	5	10	4	9792	6550	4374	2.571429
0271	002	1997	0.05	3674	0	65	100	3	5	5	5991	2317	CCB	50	density-lim	200			0.75	10	2	10	10	7488.75	3814.75	3814.75	1.25
0271	024	2561	0.06	4642	0	65	100	3	6	6	7683	3041	C-3-G	65	form-based				0.8	10	1.666666627	10	10	12292.7998	7650.799805	7650.799805	1.6
0274	014	4278	0.1	7928	11	65	100	3	10	0	12834	4906	RM-4	65	density-lim	200	true		0.75	21	2.099999905	10	9	19251	11323	11323	1.5
0274	022A	4727	0.11	10640	14	65	100	3	11	0	14181	3541	RM-4	65	density-lim	200			0.75	24	2.181818247	10	8	21271.5	10631.5	10631.5	1.5
0275	037	3281	0.08	1675	6	65	100	3	8	2	9843	8168	RM-4	65	density-lim	200	true		0.75	16	2	10	10	14764.5	13089.5	13089.5	1.5
0284	002	2063	0.05	5400	0	65	100	3	5	5	6189	789	RC-4	65	density-lim	200			0.75	10	2	10	10	9283.5	3883.5	3883.5	1.5
0284	003	1938	0.04	1875	0	65	100	3	4	4	5814	3939	RC-4	65	density-lim	200			0.75	10	2.5	10	8	8721	6846	6846	1.5
0301	012	8765	0.2	31124	34	65	100	3	20	0	26295	0	RC-4	130	density-lim	200			0.75	44	2.200000048	10	6	78885	47761	21466	3
0303	005	7563	0.17	17700	28	85	140	4	24	0	30252	12552	RC-4	80	density-lim	200			0.75	38	1.583333373	10	10	45378	27678	27678	1.5
0304	002	2176	0.05	7612	1	85	140	4	7	6	8704	1092	RC-4	130	density-lim	200			0.75	11	1.571428537	10	10	19584	11972	9796	2.25
0304	003	2188	0.05	1900	1	85	140	4	7	6	8752	6852	RC-4	130	density-lim	200			0.75	11	1.571428537	10	10	19692	17792	15604	2.25
0306	013	1200	0.03	3420	1	65	100	3	3	2	3600	180	C-3-G	130	form-based				0.8	11	3.666666746	10	5	10800	7380	3780	3
0310	002	1163	0.03	8630	0	75	120	3.5	4	4	4070	0	C-3-O	130	form-based				0.8	10	2.5	10	8	10467	1837	0	2.571744
0317	024	1987	0.05	0	0	65	100	3	5	5	5961	5961	RC-4	130	density-lim	200			0.75	10	2	10	10	17883	17883	11922	3
0320	002	5129	0.12	11748	16	65	100	3	12	0	15387	3639	RC-4	80	density-lim	200			0.75	26	2.166666746	10	8	30774	19026	19026	2
0320	004	5131	0.12	11748	16	65	100	3	12	0	15393	3645	RC-4	80	density-lim	200			0.75	26	2.166666746	10	8	30786	19038	19038	2
0321	011	2188	0.05	1635	1	65	100	3	5	4	6564	4929	RC-4	80	density-lim	200			0.75	11	2.200000048	10	9	13128	11493	11493	2
0321	027	2003	0.05	6075	0	85	140	4	7	7	8012	1937	RC-4	80	density-lim	200	true		0.75	10	1.428571463	10	10	12018	5943	5943	1.5
0321	031	3143	0.07	7348	6	85	140	4	10	4	12572	5224	RC-4	80	density-lim	200			0.75	16	1.600000024	10	10	18858	11510	11510	1.5
0323	028	2065	0.05	5310	0	85	140	4	7	7	8260	2950	RC-4	80	density-lim	200			0.75	10	1.428571463	10	10	12390	7080	7080	1.5
0335	001A	3217	0.07	4280	6	65	100	3	7	1	9651	5371	RC-4	80	density-lim	200			0.75	16	2.285714388	10	8	19302	15022	15022	2
0345	001	3064	0.07	10236	5	65	100	3	7	2	9192	0	RC-4	80	density-lim	200	true		0.75	15	2.142857075	10	9	18384	8148	8148	2
0460A	030	9990	0.23	1053	12	55	80	2.5	18	6	24975	23922	NC-2	40	form-based		true	true	0.75	22	1.222222209	10	10	29970	28917	28917	1.2
0473	012A	5156	0.12	2500	1	65	100	3	12	11	15468	12968	RH-3	40	form-based			true	0.7	11	0.916666687	10	10	14436.7998	11936.7998	11936.7998	0.933333
0474	063	3075	0.07	1688	2	65	100	3	7	5	9225	7537	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	13837.5	12149.5	12149.5	1.5
0480	023	3438	0.08	1670	3	65	100	3	8	5	10314	8644	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15471	13801	13801	1.5
0482	013	3440	0.08	6672	3	55	80	2.5	6	3	8600	1928	RTO-C	65	form-based			true	0.75	13	2.166666746	10	9	15480	8808	8808	1.8
0482	017	3440	0.08	4175	3	55	80	2.5	6	3	8600	4425	RTO-C	65	form-based			true	0.75	13	2.166666746	10	9	15480	11305	11305	1.8
0493	017A	3250	0.07	4656	2	55	80	2.5	6	4	8125	3469	RTO-C	65	form-based			true	0.75	12	2	10	10	14625	9969	9969	1.8
0494	010	3454	0.08	5614	8	55	80	2.5	6	0	8635	3021	NC-3	85	form-based			true	0.75	18	3	10	4	20724	15110	11656	2.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0495	005D	2656	0.06	2293	0	55	80	2.5	5	5	6640	4347	NC-3	65	form-based			true	0.75	10	2	10	10	11952	9659	9659	1.8
0495	009	3144	0.07	2320	2	55	80	2.5	6	4	7860	5540	RTO-C	65	form-based			true	0.75	12	2	10	10	14148	11828	11828	1.8
0495	046	3146	0.07	1682	2	55	80	2.5	6	4	7865	6183	RTO-C	65	form-based			true	0.75	12	2	10	10	14157	12475	12475	1.8
0501	001	3870	0.09	6582	1	65	100	3	9	8	11610	5028	RH-3	50	form-based		true	true	0.7	11	1.222222209	10	10	13545	6963	6963	1.166667
0501	017	3474	0.08	0	0	65	100	3	8	8	10422	10422	RH-2	50	form-based			true	0.7	10	1.25	10	10	12159	12159	12159	1.166667
0502	012	5202	0.12	6277	8	65	100	3	12	4	15606	9329	RH-3	65	form-based			true	0.7	18	1.5	10	10	21848.40039	15571.40039	15571.40039	1.4
0507	020	2664	0.06	3920	4	55	80	2.5	5	1	6660	2740	RTO-C	85	form-based			true	0.75	14	2.799999952	10	6	15984	12064	9400	2.4
0507	038	2656	0.06	3546	4	55	80	2.5	5	1	6640	3094	RTO-C	85	form-based			true	0.75	14	2.799999952	10	6	15936	12390	9734	2.4
0508	002A	2469	0.06	1774	3	55	80	2.5	5	2	6172	4398	NC-3	85	form-based			true	0.75	13	2.599999905	10	7	14814	13040	10570	2.400194
0508	016	2469	0.06	4723	3	55	80	2.5	5	2	6172	1449	NC-3	85	form-based			true	0.75	13	2.599999905	10	7	14814	10091	7621	2.400194
0518	031	6880	0.16	6870	4	55	80	2.5	13	9	17200	10330	RH-2	40	form-based			true	0.7	14	1.076923132	10	10	19264	12394	12394	1.12
0518	031A	6881	0.16	6870	4	55	80	2.5	13	9	17202	10332	RH-2	40	form-based			true	0.7	14	1.076923132	10	10	19266.79883	12396.79883	12396.79883	1.120032
0520	032	4539	0.1	11422	0	55	80	2.5	8	8	11348	0	RH-3	40	form-based			true	0.7	10	1.25	10	10	12709.2002	1287.200195	1287.200195	1.119951
0521	017A	2750	0.06	4266	4	65	100	3	6	2	8250	3984	RTO-C	85	form-based			true	0.75	14	2.333333254	10	8	16500	12234	12234	2
0521	027	2058	0.05	1602	1	65	100	3	5	4	6174	4572	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12348	10746	10746	2
0521	029	2101	0.05	1620	1	65	100	3	5	4	6303	4683	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12606	10986	10986	2
0523	007	3281	0.08	7275	6	65	100	3	8	2	9843	2568	RM-2	85	form-based			true	0.7	16	2	10	10	18373.59961	11098.59961	11098.59961	1.866667
0523	044	3281	0.08	1017	6	65	100	3	8	2	9843	8826	RM-2	85	form-based			true	0.7	16	2	10	10	18373.59961	17356.59961	17356.59961	1.866667
0525	011	3559	0.08	3380	2	65	100	3	8	6	10677	7297	RH-2	65	form-based			true	0.7	12	1.5	10	10	14947.7998	11567.7998	11567.7998	1.4
0525	022	2500	0.06	3840	3	65	100	3	6	3	7500	3660	NCD-POLK	85	form-based			true	0.75	13	2.166666746	10	9	15000	11160	11160	2
0525	023	2500	0.06	4565	3	65	100	3	6	3	7500	2935	NCD-POLK	85	form-based			true	0.75	13	2.166666746	10	9	15000	10435	10435	2
0525	076	3558	0.08	1904	2	65	100	3	8	6	10674	8770	RH-2	65	form-based			true	0.7	12	1.5	10	10	14943.59961	13039.59961	13039.59961	1.4
0526	011	3438	0.08	5316	3	65	100	3	8	5	10314	4998	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15471	10155	10155	1.5
0527	019	2766	0.06	3624	5	65	100	3	6	1	8298	4674	RTO-C	85	form-based			true	0.75	15	2.5	10	7	16596	12972	12972	2
0528	001B	2992	0.07	6825	6	65	100	3	7	1	8976	2151	RTO-C	85	form-based			true	0.75	16	2.285714388	10	8	17952	11127	11127	2
0528	001C	2991	0.07	7050	6	65	100	3	7	1	8973	1923	RTO-C	85	form-based			true	0.75	16	2.285714388	10	8	17946	10896	10896	2
0528	001D	2991	0.07	7050	6	65	100	3	7	1	8973	1923	RTO-C	85	form-based			true	0.75	16	2.285714388	10	8	17946	10896	10896	2
0528	002A	2786	0.06	4690	0	65	100	3	6	6	8358	3668	NCD-UNIO	65	form-based		true	true	0.75	10	1.666666627	10	10	12537	7847	7847	1.5
0530	008	2669	0.06	7059	0	55	80	2.5	5	5	6672	0	NCD-UNIO	65	form-based			true	0.75	10	2	10	10	12010.5	4951.5	4951.5	1.800135
0530	018	2706	0.06	6580	0	55	80	2.5	5	5	6765	185	NCD-UNIO	65	form-based		true	true	0.75	10	2	10	10	12177	5597	5597	1.8
0531	010A	3431	0.08	3230	3	55	80	2.5	6	3	8578	5348	NCD-UNIO	65	form-based			true	0.75	13	2.166666746	10	9	15439.5	12209.5	12209.5	1.799895
0543	027	3448	0.08	6000	3	55	80	2.5	6	3	8620	2620	NCD-UNIO	65	form-based			true	0.75	13	2.166666746	10	9	15516	9516	9516	1.8
0544	013	3375	0.08	3600	3	65	100	3	8	5	10125	6525	NCD-UNIO	65	form-based			true	0.75	13	1.625	10	10	15187.5	11587.5	11587.5	1.5
0546	012	2217	0.05	2950	2	65	100	3	5	3	6651	3701	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13302	10352	10352	2
0546	064	2217	0.05	1357	2	65	100	3	5	3	6651	5294	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13302	11945	11945	2
0548	030	2690	0.06	1378	3	65	100	3	6	3	8070	6692	RM-2	85	form-based			true	0.7	13	2.166666746	10	9	15064	13686	13686	1.866667
0550	024	2611	0.06	6670	13	85	140	4	8	0	10444	3774	RC-3	240	form-based			true	0.75	23	2.875	10	3	23499	16829	14218	2.25
0551	019	2621	0.06	4232	4	65	100	3	6	2	7863	3631	RTO-C	85	form-based			true	0.75	14	2.333333254	10	8	15726	11494	11494	2
0552	032	4987	0.11	2339	16	65	100	3	11	0	14961	12622	RTO-C	85	form-based		true	true	0.75	26	2.363636255	10	6	29922	27583	27583	2
0553	009	2826	0.06	5958	5	65	100	3	6	1	8478	2520	RTO-C	85	form-based		true	true	0.75	15	2.5	10	7	16956	10998	10998	2
0556	056	5156	0.12	6007	1	55	80	2.5	10	9	12890	6883	RH-2	40	form-based		true	true	0.7	11	1.100000024	10	10	14436.7998	8429.799805	8429.799805	1.12
0558	019	4721	0.11	12379	0	55	80	2.5	9	9	11802	0	RH-2	40	form-based		true	true	0.7	10	1.111111164	10	10	13218.7998	839.7998047	839.7998047	1.120047
0559	020	5198	0.12	7000	1	55	80	2.5	10	9	12995	5995	RH-1	40	form-based		true	true	0.7	11	1.100000024	10	10	14554.39941	7554.399414	7554.399414	1.12
0560	030	5049	0.12	1900	1	55	80	2.5	10	9	12622	10722	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14137.2002	12237.2002	12237.2002	1.120044
0562	007	6119	0.14	7586	3	55	80	2.5	11	8	15298	7712	RH-1	40	form-based			true	0.7	13	1.181818128	10	10	17133.19922	9547.199219	9547.199219	1.119963
0562	011	4813	0.11	9578	0	55	80	2.5	9	9	12032	2454	RH-1	40	form-based			true	0.7	10	1.111111164	10	10	13476.39941	3898.399414	3898.399414	1.120046
0563	005	5156	0.12	6965	1	55	80	2.5	10	9	12890	5925	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14436.7998	7471.799805	7471.799805	1.12
0569	016	2025	0.05	2580	1	65	100	3	5	4	6075	3495	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12150	9570	9570	2
0569	017	2025	0.05	2250	1	65	100	3	5	4	6075	3825	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12150	9900	9900	2
0569	018	2025	0.05	2790	1	65	100	3	5	4	6075	3285	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12150	9360	9360	2
0572	022	3630	0.08	7290	8	65	100	3	8	0	10890	3600	RM-2	85	form-based			true	0.7	18	2.25	10	8	20328	13038	13038	1.866667
0574	008	2500	0.06	5038	3	65	100	3	6	3	7500	2462	NCD-POLK	85	form-based			true	0.75	13	2.166666746	10	9	15000	9962	9962	2
0574	011	3831	0.09	7750	0	65	100	3	9	9	11493	3743	NCD-POLK	65	density-lin	400			0.75	10	1.111111164	10	10	17239.5	9489.5	9489.5	1.5
0577	003A	5402	0.12	3942	1	65	100	3	12	11	16206	12264	RH-2	40	form-based			true	0.7	11	0.916666687	10	10	15125.59961	11183.59961	11183.59961	0.933333
0579	016A	3455	0.08	3675	3	55	80	2.5	6	3	8638	4963	RTO-C	65	form-based			true	0.75	13	2.166666746	10	9	15547.5	11872.5	11872.5	1.799896
0581	022	5500	0.13	1512	11	55	80	2.5	10	0	13750	12238	RTO-C	65	form-based			true	0.75	21	2.099999905	10	9	24750	23238	23238	1.8
0583	008	5177	0.12	5508	1	55	80	2.5	10	9	12942	7434	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14495.59961	8987.599609	8987.599609	1.120043
0584	006	5427	0.12	6750	1	55	80	2.5	10	9	13568	6818	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	15195.59961	8445.599609	8445.599609	1.119959
0584	024	5500	0.13	3264	2	55	80	2.5	10	8	13750	10486	RH-1	40	form-based			true	0.7	12	1.200000048	10	10	15400	12136	12136	1.12
0585	001	5175	0.12	6845	1	55	80	2.5	10	9	12938	6093	RH-1	40	form-based		true	true	0.7	11	1.100000024	10	10	14490	7645	7645	1.119957
0586	004	5112	0.12	7414	1	65	100	3	12	11	15336	7922	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14313.59961	6899.599609	6899.599609	0.933333
0586	006	5112	0.12	8050	1	65	100	3	12	11	15336	7286	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14313.59961	6263.599609	6263.599609	0.933333
0586	011	5018	0.12	8520	1	55	80	2.5	10	9	12545	4025	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14050.39941	5530.399414	5530.399414	1.12
0588	001	5924	0.14	7261	2	55	80	2.5	11	9	14810	7549	RH-2	40	form-based		true	true	0.7	12	1.090909123	10	10	16587.19922	9326.199219	9326.199219	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0591	016	5213	0.12	4812	1	55	80	2.5	10	9	13032	8220	RH-2	40	form-based			true	0.7	11	1.100000024	10	10	14596.39941	9784.399414	9784.399414	1.120043
0592	007A	5334	0.12	3926	1	65	100	3	12	11	16002	12076	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14935.2002	11009.2002	11009.2002	0.933333
0592	011	5301	0.12	2430	1	65	100	3	12	11	15903	13473	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14842.7998	12412.7998	12412.7998	0.933333
0596	022	1876	0.04	3768	0	65	100	3	4	4	5628	1860	NCD-POLK	85	form-based			true	0.75	10	2.5	10	8	11256	7488	7488	2
0596	012	3192	0.07	4962	6	65	100	3	7	1	9576	4614	RM-1	85	form-based			true	0.7	16	2.285714388	10	8	17875.19922	12913.19922	12913.19922	1.866667
0596	013	3192	0.07	5205	6	65	100	3	7	1	9576	4371	RM-1	85	form-based			true	0.7	16	2.285714388	10	8	17875.19922	12670.19922	12670.19922	1.866667
0596	015	3192	0.07	4425	6	65	100	3	7	1	9576	5151	RM-1	85	form-based			true	0.7	16	2.285714388	10	8	17875.19922	13450.19922	13450.19922	1.866667
0596	044	3192	0.07	633	6	65	100	3	7	1	9576	8943	RM-1	85	form-based			true	0.7	16	2.285714388	10	8	17875.19922	17242.19922	17242.19922	1.866667
0597	018	3255	0.07	5358	6	65	100	3	7	1	9765	4407	RM-2	85	form-based			true	0.7	16	2.285714388	10	8	18228	12870	12870	1.866667
0597	027	3185	0.07	6651	6	65	100	3	7	1	9555	2904	RM-2	85	form-based			true	0.7	16	2.285714388	10	8	17836	11185	11185	1.866667
0605	019	3800	0.09	3060	4	65	100	3	9	5	11400	8340	RTO-C	65	form-based		true	true	0.75	14	1.555555582	10	10	17100	14040	14040	1.5
0606	004	2625	0.06	2420	0	65	100	3	6	6	7875	5455	NCD-UPPE	65	form-based			true	0.75	10	1.666666627	10	10	11812.5	9392.5	9392.5	1.5
0611	025	5100	0.12	5469	1	65	100	3	12	11	15300	9831	RH-2	40	form-based			true	0.7	11	0.916666687	10	10	14280	8811	8811	0.933333
0617	018	1430	0.03	3312	3	65	100	3	3	0	4290	978	RTO-C	140	form-based			true	0.75	13	4.333333492	10	3	12870	9558	5268	3
0619	005	5479	0.13	15750	19	65	100	3	13	0	16437	687	NCD-POLK	85	form-based		true	true	0.75	29	2.230769157	10	7	32874	17124	17124	2
0620	009	4166	0.1	8325	12	65	100	3	10	0	12498	4173	RM-3	85	form-based			true	0.75	22	2.200000048	10	8	24996	16671	16671	2
0620	017	2260	0.05	4210	2	65	100	3	5	3	6780	2570	NCD-POLK	85	form-based			true	0.75	12	2.400000095	10	8	13560	9350	9350	2
0620	019	4210	0.1	10040	12	65	100	3	10	0	12630	2590	NCD-POLK	85	form-based			true	0.75	22	2.200000048	10	8	25260	15220	15220	2
0621	019	4640	0.11	7110	14	65	100	3	11	0	13920	6810	RM-3	85	form-based			true	0.75	24	2.181818247	10	8	27840	20730	20730	2
0630	010	3616	0.08	3700	4	65	100	3	8	4	10848	7148	NCD-UPPE	65	form-based			true	0.75	14	1.75	10	10	16272	12572	12572	1.5
0633	012	3396	0.08	1500	0	65	100	3	8	8	10188	8688	RH-2	50	form-based			true	0.7	10	1.25	10	10	11886	10386	10386	1.166667
0636	021	2606	0.06	3543	0	65	100	3	6	6	7818	4275	NCD-UPPE	65	form-based			true	0.75	10	1.666666627	10	10	11727	8184	8184	1.5
0638A	001	8778	0.2	750	8	55	80	2.5	16	8	21945	21195	RM-1	40	form-based			true	0.7	18	1.125	10	10	24578.40039	23828.40039	23828.40039	1.12
0653	017	7066	0.16	15869	16	65	100	3	16	0	21198	5329	NCD-UPPE	65	form-based		true	true	0.75	26	1.625	10	10	31797	15928	15928	1.5
0656	022	3540	0.08	6195	9	85	140	4	11	2	14160	7965	RTO-C	85	form-based			true	0.75	19	1.727272749	10	10	21240	15045	15045	1.5
0656	024	2501	0.06	3012	3	85	140	4	8	5	10004	6992	RTO-C	85	form-based			true	0.75	13	1.625	10	10	15006	11994	11994	1.5
0657	003	3000	0.07	7350	6	65	100	3	7	1	9000	1650	RTO-C	85	form-based		true	true	0.75	16	2.285714388	10	8	18000	10650	10650	2
0674	026	3176	0.07	596	6	65	100	3	7	1	9528	8932	RM-4	50	density-lim	200	true		0.75	16	2.285714388	10	8	11910	11314	11314	1.25
0677	012	4121	0.09	0	0	65	100	3	9	9	12363	12363	RM-3	40	density-lim	400			0.75	10	1.111111164	10	10	12363	12363	12363	1
0677	014	4125	0.09	2980	0	65	100	3	9	9	12375	9395	RM-3	40	density-lim	400			0.75	10	1.111111164	10	10	12375	9395	9395	1
0679	015	2750	0.06	4865	4	65	100	3	6	2	8250	3385	NC-2	85	form-based			true	0.75	14	2.333333254	10	8	16500	11635	11635	2
0679	031	2227	0.05	3420	2	65	100	3	5	3	6681	3261	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13362	9942	9942	2
0680	034	2503	0.06	1256	3	65	100	3	6	3	7509	6253	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15018	13762	13762	2
0681	030	2378	0.05	2500	2	65	100	3	5	3	7134	4634	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	14268	11768	11768	2
0687	016	2415	0.06	6988	2	65	100	3	6	4	7245	257	RM-4	50	density-lim	200	true		0.75	12	2	10	10	9056.25	2068.25	2068.25	1.25
0694	002	1100	0.03	2240	0	65	100	3	3	3	3300	1060	RC-4	240	form-based			true	0.75	10	3.333333254	10	6	9900	7660	4360	3
0694	019	3478	0.08	13010	21	65	100	3	8	0	10434	0	RC-4	240	form-based			true	0.75	31	3.875	10	0	31302	18292	7858	3
0715	001	5867	0.13	1446	0	65	100	3	13	13	17601	16155	NCD-LOWI	130	density-lim	600	true		0.75	10	0.769230783	10	10	52803	51357	33756	3
0715	010	5927	0.14	11363	0	65	100	3	14	14	17781	6418	NCD-LOWI	130	density-lim	600			0.75	10	0.714285731	10	10	53343	41980	24199	3
0748	034	7146	0.16	1810	8	65	100	3	16	8	21438	19628	RM-3	50	density-lim	400			0.75	18	1.125	10	10	26797.5	24987.5	24987.5	1.25
0755	009	4125	0.09	3885	0	55	80	2.5	7	7	10312	6427	RM-3	65	density-lim	400			0.75	10	1.428571463	10	10	18562.5	14677.5	14677.5	1.800087
0763	016	6000	0.14	10050	0	65	100	3	14	14	18000	7950	NCD-LOWI	130	density-lim	600			0.75	10	0.714285731	10	10	54000	43950	25950	3
0780	002	2112	0.05	1880	1	55	80	2.5	4	3	5280	3400	RM-4	50	density-lim	200			0.75	11	2.75	10	7	7920	6040	6040	1.5
0780	014	2062	0.05	4714	0	55	80	2.5	4	4	5155	441	RM-4	50	density-lim	200			0.75	10	2.5	10	8	7732.5	3018.5	3018.5	1.5
0785	038	3300	0.08	4208	0	65	100	3	8	8	9900	5692	NCT-3	50	form-based				0.75	10	1.25	10	10	12375	8167	8167	1.25
0804	003	4446	0.1	2448	2	55	80	2.5	8	6	11115	8667	RH-3	50	form-based			true	0.7	12	1.5	10	10	15561	13113	13113	1.4
0804	010	7819	0.18	10887	12	55	80	2.5	14	2	19548	8661	RM-1	50	form-based			true	0.7	22	1.571428537	10	10	27366.5	16479.5	16479.5	1.399964
0816	012	3319	0.08	4750	0	65	100	3	8	8	9957	5207	NCT-HAYE	50	form-based				0.75	10	1.25	10	10	12446.25	7696.25	7696.25	1.25
0816	013	3319	0.08	7225	0	65	100	3	8	8	9957	2732	NCT-HAYE	50	form-based				0.75	10	1.25	10	10	12446.25	5221.25	5221.25	1.25
0816	027	4465	0.1	2298	3	65	100	3	10	7	13395	11097	NCT-HAYE	50	form-based				0.75	13	1.299999952	10	10	16743.75	14445.75	14445.75	1.25
0817	004	3300	0.08	6600	0	65	100	3	8	8	9900	3300	NCT-HAYE	50	form-based				0.75	10	1.25	10	10	12375	5775	5775	1.25
0821	060	6577	0.15	860	8	55	80	2.5	12	4	16442	15582	RM-1	50	form-based		true	true	0.7	18	1.5	10	10	23019.5	22159.5	22159.5	1.400043
0826	026	7892	0.18	13784	7	55	80	2.5	14	7	19730	5946	RM-1	40	form-based			true	0.7	17	1.214285731	10	10	22097.59961	8313.599609	8313.599609	1.12
0826	028	7647	0.18	15429	6	55	80	2.5	14	8	19118	3689	RM-1	40	form-based			true	0.7	16	1.142857194	10	10	21411.59961	5982.599609	5982.599609	1.119971
0833	020	3275	0.08	0	0	65	100	3	8	8	9825	9825	NCT-HAYE	50	form-based				0.75	10	1.25	10	10	12281.25	12281.25	12281.25	1.25
0836	001	1095	0.03	2750	0	85	140	4	4	4	4380	1630	C-3-G	450	form-based		true	true	0.8	10	2.5	10	8	9855	7105	6010	2.25
0837	005	3300	0.08	6480	0	65	100	3	8	8	9900	3420	NCT-3	50	form-based				0.75	10	1.25	10	10	12375	5895	5895	1.25
0837	014	3375	0.08	6600	0	65	100	3	8	8	10125	3525	NCT-HAYE	50	form-based		true		0.75	10	1.25	10	10	12656.25	6056.25	6056.25	1.25
0839	023	5334	0.12	3702	1	65	100	3	12	11	16002	12300	RTO-1	40	form-based			true	0.7	11	0.916666687	10	10	14935.2002	11233.2002	11233.2002	0.933333
0842	064	5580	0.13	1584	2	55	80	2.5	10	8	13950	12366	RM-1	40	form-based			true	0.7	12	1.200000048	10	10	15624	14040	14040	1.12
0843	010	4954	0.11	2400	0	55	80	2.5	9	9	12385	9985	RH-3	40	form-based			true	0.7	10	1.111111164	10	10	13871.2002	11471.2002	11471.2002	1.12
0846	031	3436	0.08	3267	0	65	100	3	8	8	10308	7041	RH-3	50	form-based			true	0.7	10	1.25	10	10	12026	8759	8759	1.166667
0846	080	4125	0.09	714	5	65	100	3	9	4	12375	11661	RTO-C	65	form-based			true	0.75	15	1.666666627	10	10	18562.5	17848.5	17848.5	1.5
0847	013	3437	0.08	4140	3	65	100	3	8	5	10311	6171	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15466.5	11326.5	11326.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0847	015	3437	0.08	4600	3	65	100	3	8	5	10311	5711	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15466.5	10866.5	10866.5	1.5
0847	016	3438	0.08	3300	3	65	100	3	8	5	10314	7014	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15471	12171	12171	1.5
0847	039	6500	0.15	5066	8	65	100	3	15	7	19500	14434	RH-3	50	form-based			true	0.7	18	1.200000048	10	10	22750	17684	17684	1.166667
0847	044	3089	0.07	2627	2	65	100	3	7	5	9267	6640	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	13900.5	11273.5	11273.5	1.5
0849	012	3438	0.08	4725	3	65	100	3	8	5	10314	5589	NCD-LOWI	65	form-based			true	0.75	13	1.625	10	10	15471	10746	10746	1.5
0849	013	3346	0.08	4550	3	65	100	3	8	5	10038	5488	NCD-LOWI	65	form-based			true	0.75	13	1.625	10	10	15057	10507	10507	1.5
0852	027	5211	0.12	963	6	65	100	3	12	6	15633	14670	NCT-HAYE	50	form-based	true			0.75	16	1.333333373	10	10	19541.25	18578.25	18578.25	1.25
0853	007	3312	0.08	3100	0	65	100	3	8	8	9936	6836	NCT-3	50	form-based				0.75	10	1.25	10	10	12420	9320	9320	1.25
0861	075	2819	0.06	1118	1	65	100	3	6	5	8457	7339	NC-1	65	form-based			true	0.75	11	1.833333373	10	10	12685.5	11567.5	11567.5	1.5
0875	002A	3561	0.08	9399	9	85	140	4	11	2	14244	4845	RTO-C	85	form-based	true		true	0.75	19	1.727272749	10	10	21366	11967	11967	1.5
0954	018	4851	0.11	8786	0	55	80	2.5	9	9	12128	3342	RH-1	40	form-based			true	0.7	10	1.111111164	10	10	13582.7998	4796.799805	4796.799805	1.119954
0955	032	5080	0.12	3648	1	55	80	2.5	10	9	12700	9052	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14224	10576	10576	1.12
0957	001	5463	0.13	2924	1	55	80	2.5	10	9	13658	10734	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	15296.39941	12372.39941	12372.39941	1.119959
0958	001	5125	0.12	7150	1	55	80	2.5	10	9	12812	5662	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	14350	7200	7200	1.120044
0958	028	5424	0.12	11363	1	55	80	2.5	10	9	13560	2197	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15187.2002	3824.200195	3824.200195	1.12
0959	006A	5325	0.12	9119	1	55	80	2.5	10	9	13312	4193	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	14910	5791	5791	1.120042
0959	017A	5402	0.12	4300	1	55	80	2.5	10	9	13505	9205	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15125.59961	10825.59961	10825.59961	1.12
0961	006	5400	0.12	3735	1	55	80	2.5	10	9	13500	9765	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	15120	11385	11385	1.12
0961	017	5437	0.12	5278	1	55	80	2.5	10	9	13592	8314	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15223.59961	9945.599609	9945.599609	1.120041
0962	008D	5016	0.12	11558	1	55	80	2.5	10	9	12540	982	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	14044.7998	2486.799805	2486.799805	1.12
0963	011	5108	0.12	5886	1	55	80	2.5	10	9	12770	6884	RH-1	40	form-based	true		true	0.7	11	1.100000024	10	10	14302.39941	8416.399414	8416.399414	1.12
0964	004	5304	0.12	6540	1	55	80	2.5	10	9	13260	6720	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14851.2002	8311.200195	8311.200195	1.12
0964	005	5304	0.12	5340	1	55	80	2.5	10	9	13260	7920	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14851.2002	9511.200195	9511.200195	1.12
0964	013	5304	0.12	6018	1	55	80	2.5	10	9	13260	7242	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	14851.2002	8833.200195	8833.200195	1.12
0970	004	5108	0.12	5156	1	55	80	2.5	10	9	12770	7614	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14302.39941	9146.399414	9146.399414	1.12
0970	009	5201	0.12	4294	1	55	80	2.5	10	9	13002	8708	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14562.7998	10268.7998	10268.7998	1.120043
0970	010	5124	0.12	5580	1	55	80	2.5	10	9	12810	7230	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14347.2002	8767.200195	8767.200195	1.12
0970	012	5145	0.12	5220	1	55	80	2.5	10	9	12862	7642	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14406	9186	9186	1.120044
0971	008	5108	0.12	6450	1	55	80	2.5	10	9	12770	6320	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14302.39941	7852.399414	7852.399414	1.12
0972	004	5107	0.12	5918	1	55	80	2.5	10	9	12768	6850	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14299.59961	8381.599609	8381.599609	1.119956
0972	010	5107	0.12	10100	1	55	80	2.5	10	9	12768	2668	RH-1	40	form-based	true		true	0.7	11	1.100000024	10	10	14299.59961	4199.599609	4199.599609	1.119956
0972	012	5122	0.12	7619	1	55	80	2.5	10	9	12805	5186	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14341.59961	6722.599609	6722.599609	1.12
0972	013	5122	0.12	5570	1	55	80	2.5	10	9	12805	7235	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14341.59961	8771.599609	8771.599609	1.12
0972	016	5442	0.12	4813	1	55	80	2.5	10	9	13605	8792	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	15237.59961	10424.59961	10424.59961	1.12
0972	019	5018	0.12	5497	1	55	80	2.5	10	9	12545	7048	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14050.39941	8553.399414	8553.399414	1.12
0973	022	5441	0.12	7227	1	55	80	2.5	10	9	13602	6375	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	15234.7998	8007.799805	8007.799805	1.120041
0973	051	5746	0.13	2690	2	55	80	2.5	10	8	14365	11675	RH-1	40	form-based			true	0.7	12	1.200000048	10	10	16088.7998	13398.7998	13398.7998	1.12
0974	009	5108	0.12	3029	1	55	80	2.5	10	9	12770	9741	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14302.39941	11273.39941	11273.39941	1.12
0975	016A	5006	0.11	4520	1	55	80	2.5	9	8	12515	7995	RH-1(D)	40	form-based			true	0.7	11	1.222222209	10	10	14016.7998	9496.799805	9496.799805	1.12
0975	018	5415	0.12	7640	1	55	80	2.5	10	9	13538	5898	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15162	7522	7522	1.119959
0977	019	5121	0.12	8215	1	55	80	2.5	10	9	12802	4587	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14338.7998	6123.799805	6123.799805	1.120044
0983	012	4563	0.1	4350	0	65	100	3	10	10	13689	9339	RH-2	40	form-based	true		true	0.7	10	1	10	10	12776.39941	8426.399414	8426.399414	0.933333
0984	036	6428	0.15	3356	3	65	100	3	15	12	19284	15928	RH-1	40	form-based			true	0.7	13	0.866666675	10	10	17998.40039	14642.40039	14642.40039	0.933333
0990	014	4580	0.11	10000	0	55	80	2.5	9	9	11450	1450	RH-1	40	form-based	true		true	0.7	10	1.111111164	10	10	12824	2824	2824	1.12
0992	007A	5360	0.12	5471	1	55	80	2.5	10	9	13400	7929	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	15008	9537	9537	1.12
0992	009	5050	0.12	3815	1	55	80	2.5	10	9	12625	8810	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14140	10325	10325	1.12
0993	011	5027	0.12	9343	1	55	80	2.5	10	9	12568	3225	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14075.59961	4732.599609	4732.599609	1.119955
0993	020	5135	0.12	4930	1	55	80	2.5	10	9	12838	7908	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14378	9448	9448	1.119956
0996	027	5291	0.12	4562	1	65	100	3	12	11	15873	11311	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14814.7998	10252.7998	10252.7998	0.933333
0997	022	5353	0.12	4550	1	65	100	3	12	11	16059	11509	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14988.39941	10438.39941	10438.39941	0.933333
0998	046	6791	0.16	1723	4	65	100	3	16	12	20373	18650	RM-1	40	form-based			true	0.7	14	0.875	10	10	19014.79883	17291.79883	17291.79883	0.933333
0999	024	5151	0.12	5920	1	65	100	3	12	11	15453	9533	RH-3	40	form-based			true	0.7	11	0.916666687	10	10	14422.7998	8502.799805	8502.799805	0.933333
1004	008	3511	0.08	331	0	65	100	3	8	8	10533	10202	RH-2	50	form-based			true	0.7	10	1.25	10	10	12288.5	11957.5	11957.5	1.166667
1007	014	3809	0.09	3279	4	65	100	3	9	5	11427	8148	NCD-SACR	65	form-based			true	0.75	14	1.555555582	10	10	17140.5	13861.5	13861.5	1.5
1007	033	3660	0.08	2091	4	65	100	3	8	4	10980	8889	NCD-SACR	65	form-based			true	0.75	14	1.75	10	10	16470	14379	14379	1.5
1008	011	3511	0.08	5490	3	65	100	3	8	5	10533	5043	NCD-SACR	65	form-based			true	0.75	13	1.625	10	10	15799.5	10309.5	10309.5	1.5
1008	018	3814	0.09	5312	1	65	100	3	9	8	11442	6130	RH-2	50	form-based			true	0.7	11	1.222222209	10	10	13349	8037	8037	1.166667
1009	009	3192	0.07	2130	2	65	100	3	7	5	9576	7446	NCD-SACR	65	form-based			true	0.75	12	1.714285731	10	10	14364	12234	12234	1.5
1010	008	3192	0.07	3360	2	65	100	3	7	5	9576	6216	NCD-SACR	65	form-based			true	0.75	12	1.714285731	10	10	14364	11004	11004	1.5
1010	021	5323	0.12	4258	1	55	80	2.5	10	9	13308	9050	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14904.39941	10646.39941	10646.39941	1.119958
1010	024	5035	0.12	3860	1	65	100	3	12	11	15105	11245	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14098	10238	10238	0.933333
1010	025	5002	0.11	3671	1	65	100	3	11	10	15006	11335	RH-1	40	form-based			true	0.7	11	1	10	10	14005.59961	10334.59961	10334.59961	0.933333
1011	028	5447	0.13	4800	1	55	80	2.5	10	9	13618	8818	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	15251.59961	10451.59961	10451.59961	1.119959
1017	001	2681	0.06	6042	0	55	80	2.5	5	5	6702	660	NCD-SACR	65	form-based	true		true	0.75	10	2	10	10	12064.5	6022.5	6022.5	1.800134

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1017	005	2363	0.05	2488	2	55	80	2.5	4	2	5908	3420	RTO-C	85	form-based			true	0.75	12	3	10	6	14178	11690	9328	2.399797
1017	006	2362	0.05	3680	2	55	80	2.5	4	2	5905	2225	RTO-C	85	form-based			true	0.75	12	3	10	6	14172	10492	8130	2.4
1017	009	2610	0.06	3943	4	55	80	2.5	5	1	6525	2582	RTO-C	85	form-based			true	0.75	14	2.799999952	10	6	15660	11717	9107	2.4
1019	004	2190	0.05	1250	1	65	100	3	5	4	6570	5320	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	13140	11890	11890	2
1019	005	2190	0.05	1743	1	65	100	3	5	4	6570	4827	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	13140	11397	11397	2
1019	066	3614	0.08	1276	4	65	100	3	8	4	10842	9566	NCD-SACR	65	form-based			true	0.75	14	1.75	10	10	16263	14987	14987	1.5
1020	020	3151	0.07	1880	2	65	100	3	7	5	9453	7573	NCD-SACR	65	form-based			true	0.75	12	1.714285731	10	10	14179.5	12299.5	12299.5	1.5
1020	022	5820	0.13	8580	12	65	100	3	13	1	17460	8880	NCD-SACR	65	form-based			true	0.75	22	1.692307711	10	10	26190	17610	17610	1.5
1020	024	3326	0.08	2600	2	65	100	3	8	6	9978	7378	NCD-SACR	65	form-based			true	0.75	12	1.5	10	10	14967	12367	12367	1.5
1020	025	3326	0.08	2920	2	65	100	3	8	6	9978	7058	NCD-SACR	65	form-based			true	0.75	12	1.5	10	10	14967	12047	12047	1.5
1020	053	3646	0.08	1030	9	65	100	3	8	0	10938	9908	RTO-C	85	form-based			true	0.75	19	2.375	10	7	21876	20846	20846	2
1020	086	2219	0.05	1265	2	65	100	3	5	3	6657	5392	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13314	12049	12049	2
1025	002	2823	0.06	7000	5	65	100	3	6	1	8469	1469	NC-2	85	form-based			true	0.75	15	2.5	10	7	16938	9938	9938	2
1025	010	2271	0.05	1816	2	85	140	4	7	5	9084	7268	NC-2	85	form-based			true	0.75	12	1.714285731	10	10	13626	11810	11810	1.5
1030	061	2502	0.06	1540	3	65	100	3	6	3	7506	5966	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15012	13472	13472	2
1031	003	2210	0.05	3248	2	65	100	3	5	3	6630	3382	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13260	10012	10012	2
1031	029	2504	0.06	2884	3	65	100	3	6	3	7512	4628	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15024	12140	12140	2
1031	047	2210	0.05	1397	2	65	100	3	5	3	6630	5233	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13260	11863	11863	2
1037	005	5143	0.12	2190	1	55	80	2.5	10	9	12858	10668	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14400.39941	12210.39941	12210.39941	1.119956
1037	006	5143	0.12	4202	1	55	80	2.5	10	9	12858	8656	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14400.39941	10198.39941	10198.39941	1.119956
1037	007A	5060	0.12	3800	1	65	100	3	12	11	15180	11380	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14168	10368	10368	0.933333
1037	021	5225	0.12	2965	1	65	100	3	12	11	15675	12710	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14630	11665	11665	0.933333
1038	018	5250	0.12	4346	1	65	100	3	12	11	15750	11404	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14700	10354	10354	0.933333
1038	019	5399	0.12	5625	1	65	100	3	12	11	16197	10572	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	15117.2002	9492.200195	9492.200195	0.933333
1039	020	5237	0.12	5201	1	65	100	3	12	11	15711	10510	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14663.59961	9462.599609	9462.599609	0.933333
1040	020	9543	0.22	12340	10	65	100	3	22	12	28629	16289	RM-2	40	form-based		true	true	0.7	20	0.909090936	10	10	26720.40039	14380.40039	14380.40039	0.933333
1045	009	5184	0.12	2337	1	65	100	3	12	11	15552	13215	RH-2	40	form-based			true	0.7	11	0.916666687	10	10	14515.2002	12178.2002	12178.2002	0.933333
1049	058	2500	0.06	4508	3	65	100	3	6	3	7500	2992	NC-2	85	form-based			true	0.75	13	2.166666746	10	9	15000	10492	10492	2
1050	014	3331	0.08	11000	7	65	100	3	8	1	9993	0	NC-2	85	form-based	true		true	0.75	17	2.125	10	9	19986	8986	8986	2
1051	001	2207	0.05	3850	2	65	100	3	5	3	6621	2771	NC-3	85	form-based	true		true	0.75	12	2.400000095	10	8	13242	9392	9392	2
1052	017	4837	0.11	2803	0	65	100	3	11	11	14511	11708	RH-3	40	form-based	true		true	0.7	10	0.909090936	10	10	13543.59961	10740.59961	10740.59961	0.933333
1055	012	3407	0.08	2170	2	65	100	3	8	6	10221	8051	RM-2	65	form-based			true	0.7	12	1.5	10	10	14309.39941	12139.39941	12139.39941	1.4
1057	008	4130	0.09	4686	5	65	100	3	9	4	12390	7704	RTO-C	65	form-based			true	0.75	15	1.666666627	10	10	18585	13899	13899	1.5
1062	052	5068	0.12	4555	1	65	100	3	12	11	15204	10649	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14190.39941	9635.399414	9635.399414	0.933333
1063	048	5453	0.13	2850	1	65	100	3	13	12	16359	13509	RH-1(D)	40	form-based			true	0.7	11	0.846153855	10	10	15268.39941	12418.39941	12418.39941	0.933333
1064	049	5267	0.12	3974	1	65	100	3	12	11	15801	11827	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14747.59961	10773.59961	10773.59961	0.933333
1064	056	5152	0.12	3539	1	65	100	3	12	11	15456	11917	RH-1(D)	40	form-based	true		true	0.7	11	0.916666687	10	10	14425.59961	10886.59961	10886.59961	0.933333
1065	001	5427	0.12	4194	1	65	100	3	12	11	16281	12087	RH-2	40	form-based			true	0.7	11	0.916666687	10	10	15195.59961	11001.59961	11001.59961	0.933333
1067	056	2533	0.06	1187	3	65	100	3	6	3	7599	6412	NCD-GEAR	85	form-based	true		true	0.75	13	2.166666746	10	9	15198	14011	14011	2
1076	001	1513	0.03	4800	4	65	100	3	3	0	4539	0	NC-3	140	form-based	true		true	0.75	14	4.666666508	10	2	13617	8817	4278	3
1080	011	1750	0.04	6460	6	65	100	3	4	0	5250	0	RTO-C	140	form-based	true		true	0.75	16	4	10	2	15750	9290	4040	3
1085	001	2520	0.06	3116	3	85	140	4	8	5	10080	6964	NCD-GEAR	85	form-based	true		true	0.75	13	1.625	10	10	15120	12004	12004	1.5
1085	030	2536	0.06	4388	3	85	140	4	8	5	10144	5756	NCD-GEAR	85	form-based			true	0.75	13	1.625	10	10	15216	10828	10828	1.5
1085	037	2188	0.05	1010	1	65	100	3	5	4	6564	5554	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	13128	12118	12118	2
1085	038	4893	0.11	10032	16	65	100	3	11	0	14679	4647	RTO-C	85	form-based			true	0.75	26	2.363636255	10	6	29358	19326	19326	2
1085	039	3600	0.08	7725	9	65	100	3	8	0	10800	3075	RTO-C	85	form-based	true		true	0.75	19	2.375	10	7	21600	13875	13875	2
1086	011	2500	0.06	4650	3	65	100	3	6	3	7500	2850	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	10350	10350	2
1087	011	2500	0.06	3848	3	65	100	3	6	3	7500	3652	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	11152	11152	2
1087	012	2500	0.06	3498	3	65	100	3	6	3	7500	4002	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	11502	11502	2
1087	016	2610	0.06	3564	4	65	100	3	6	2	7830	4266	RTO-C	85	form-based			true	0.75	14	2.333333254	10	8	15660	12096	12096	2
1087	027	2500	0.06	3290	3	65	100	3	6	3	7500	4210	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	11710	11710	2
1087	030	2265	0.05	2570	2	65	100	3	5	3	6795	4225	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13590	11020	11020	2
1088	002	3000	0.07	3972	6	65	100	3	7	1	9000	5028	RTO-C	85	form-based			true	0.75	16	2.285714388	10	8	18000	14028	14028	2
1088	010	2375	0.05	2724	2	65	100	3	5	3	7125	4401	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	14250	11526	11526	2
1088	012	2375	0.05	2142	2	65	100	3	5	3	7125	4983	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	14250	12108	12108	2
1088	030	2488	0.06	2260	3	85	140	4	8	5	9952	7692	NCD-GEAR	85	form-based			true	0.75	13	1.625	10	10	14928	12668	12668	1.5
1088	043	2509	0.06	1151	3	65	100	3	6	3	7527	6376	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15054	13903	13903	2
1088	046	2489	0.06	318	3	85	140	4	8	5	9956	9638	NCD-GEAR	85	form-based			true	0.75	13	1.625	10	10	14934	14616	14616	1.5
1089	016	2250	0.05	1332	2	65	100	3	5	3	6750	5418	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13500	12168	12168	2
1089	017	2250	0.05	2040	2	65	100	3	5	3	6750	4710	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13500	11460	11460	2
1089	023	3000	0.07	4410	6	65	100	3	7	1	9000	4590	RTO-C	85	form-based			true	0.75	16	2.285714388	10	8	18000	13590	13590	2
1090	004	3000	0.07	2950	6	65	100	3	7	1	9000	6050	RTO-C	85	form-based			true	0.75	16	2.285714388	10	8	18000	15050	15050	2
1090	014	2500	0.06	3206	3	65	100	3	6	3	7500	4294	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	11794	11794	2
1090	045	2500	0.06	1257	3	65	100	3	6	3	7500	6243	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	13743	13743	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1091	004	3000	0.07	4260	6	65	100	3	7	1	9000	4740	RTO-C	85	form-based			true	0.75	16	2.285714388	10	8	18000	13740	13740	2
1091	015	2500	0.06	3608	3	65	100	3	6	3	7500	3892	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	11392	11392	2
1091	022	3021	0.07	4400	6	85	140	4	10	4	12084	7684	RTO-C	85	form-based			true	0.75	16	1.600000024	10	10	18126	13726	13726	1.5
1092	017	2500	0.06	2476	3	65	100	3	6	3	7500	5024	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	12524	12524	2
1100	053	2680	0.06	0	0	65	100	3	6	6	8040	8040	RTO-C	65	form-based			true	0.75	10	1.666666627	10	10	12060	12060	12060	1.5
1100	021	2250	0.05	1504	2	65	100	3	5	3	6750	5246	NCT-DIVIS/	85	form-based			true	0.75	12	2.400000095	10	8	13500	11996	11996	2
1100	029	2580	0.06	0	0	65	100	3	6	6	7740	7740	RTO-C	65	form-based	true		true	0.75	10	1.666666627	10	10	11610	11610	11610	1.5
1100	118	3240	0.07	1076	2	65	100	3	7	5	9720	8644	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14580	13504	13504	1.5
1115	018	5112	0.12	1935	1	65	100	3	12	11	15336	13401	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14313.59961	12378.59961	12378.59961	0.933333
1115	019	5057	0.12	1935	1	65	100	3	12	11	15171	13236	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14159.59961	12224.59961	12224.59961	0.933333
1115	020	5162	0.12	4194	1	65	100	3	12	11	15486	11292	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14453.59961	10259.59961	10259.59961	0.933333
1126	003	2525	0.06	3750	3	65	100	3	6	3	7575	3825	NCT-DIVIS/	85	form-based			true	0.75	13	2.166666746	10	9	15150	11400	11400	2
1109	013D	5166	0.12	3200	1	65	100	3	12	11	15498	12298	RH-1	40	form-based	true		true	0.7	11	0.916666687	10	10	14464.7998	11264.7998	11264.7998	0.933333
1114	015	5212	0.12	2515	1	65	100	3	12	11	15636	13121	RH-1	40	form-based	true		true	0.7	11	0.916666687	10	10	14593.59961	12078.59961	12078.59961	0.933333
1117	024	7796	0.18	980	6	65	100	3	18	12	23388	22408	RM-2	40	form-based	true		true	0.7	16	0.888888896	10	10	21828.79883	20848.79883	20848.79883	0.933333
1127	005	4092	0.09	3516	5	65	100	3	9	4	12276	8760	RTO-C	65	form-based	true		true	0.75	15	1.666666627	10	10	18414	14898	14898	1.5
1127	015	2150	0.05	2880	1	65	100	3	5	4	6450	3570	NCT-DIVIS/	85	form-based	true		true	0.75	11	2.200000048	10	9	12900	10020	10020	2
1127	025	3187	0.07	4237	2	65	100	3	7	5	9561	5324	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14341.5	10104.5	10104.5	1.5
1127	025A	3188	0.07	4080	2	65	100	3	7	5	9564	5484	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14346	10266	10266	1.5
1127	028	3187	0.07	3510	2	65	100	3	7	5	9561	6051	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14341.5	10831.5	10831.5	1.5
1127	035	3088	0.07	5385	2	65	100	3	7	5	9264	3879	RTO-C	65	form-based	true		true	0.75	12	1.714285731	10	10	13896	8511	8511	1.5
1142	060	10462	0.24	1647	12	55	80	2.5	19	7	26155	24508	RM-1	40	form-based			true	0.7	22	1.157894731	10	10	29293.59961	27646.59961	27646.59961	1.12
1144	010	2289	0.05	1080	1	55	80	2.5	4	3	5722	4642	RH-2	80	form-based			true	0.7	11	2.75	10	7	12818.39941	11738.39941	10364	2.240196
1144	013	2198	0.05	1080	1	55	80	2.5	4	3	5495	4415	RH-2	80	form-based			true	0.7	11	2.75	10	7	12308.7998	11228.7998	9910	2.24
1144	014	2167	0.05	1080	1	55	80	2.5	4	3	5418	4338	RH-2	80	form-based			true	0.7	11	2.75	10	7	12135.2002	11055.2002	9756	2.239793
1150	047	5048	0.12	1945	1	55	80	2.5	10	9	12620	10675	RH-3	40	form-based			true	0.7	11	1.100000024	10	10	14134.39941	12189.39941	12189.39941	1.12
1153	035	6857	0.16	7425	9	55	80	2.5	13	4	17142	9717	RM-1	50	form-based			true	0.7	19	1.461538434	10	10	23999.5	16574.5	16574.5	1.400041
1153	051	4321	0.1	2848	2	55	80	2.5	8	6	10802	7954	RH-3	50	form-based			true	0.7	12	1.5	10	10	15123.5	12275.5	12275.5	1.400065
1154	003	4521	0.1	2771	3	55	80	2.5	8	5	11302	8531	RH-3	50	form-based			true	0.7	13	1.625	10	10	15823.5	13052.5	13052.5	1.400062
1155	036	2500	0.06	1553	3	55	80	2.5	5	2	6250	4697	NCT-DIVIS/	85	form-based			true	0.75	13	2.599999905	10	7	15000	13447	10947	2.4
1156	012	3429	0.08	5082	0	55	80	2.5	6	6	8572	3490	RM-1	50	form-based			true	0.7	10	1.666666627	10	10	12001.5	6919.5	6919.5	1.400082
1158	013	3429	0.08	2846	0	55	80	2.5	6	6	8572	5726	RH-3	50	form-based			true	0.7	10	1.666666627	10	10	12001.5	9155.5	9155.5	1.400082
1168	010	2487	0.06	4275	3	55	80	2.5	5	2	6218	1943	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	14922	10647	8161	2.399807
1168	019	3450	0.08	6920	8	55	80	2.5	6	0	8625	1705	RTO-C	85	form-based			true	0.75	18	3	10	4	20700	13780	10330	2.4
1168	048	2509	0.06	4500	3	55	80	2.5	5	2	6272	1772	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15054	10554	8044	2.400191
1169	003	2659	0.06	4568	4	55	80	2.5	5	1	6648	2080	RTO-C	85	form-based			true	0.75	14	2.799999952	10	6	15954	11386	8728	2.39982
1169	009	2551	0.06	3434	3	55	80	2.5	5	2	6378	2944	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15306	11872	9322	2.399812
1169	010	2549	0.06	4500	3	55	80	2.5	5	2	6372	1872	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15294	10794	8244	2.400188
1170	013	3001	0.07	4650	6	55	80	2.5	6	0	7502	2852	RTO-C	85	form-based			true	0.75	16	2.666666746	10	6	18006	13356	10354	2.40016
1170	022	2295	0.05	2367	1	55	80	2.5	4	3	5738	3371	RH-2	80	form-based			true	0.7	11	2.75	10	7	12852	10485	9109	2.239805
1170	023	2309	0.05	1480	1	55	80	2.5	4	3	5772	4292	RH-2	80	form-based			true	0.7	11	2.75	10	7	12930.39941	11450.39941	10064	2.240194
1170	024	2323	0.05	1745	1	55	80	2.5	4	3	5808	4063	RH-2	80	form-based			true	0.7	11	2.75	10	7	13008.7998	11263.7998	9871	2.239807
1170	025	2337	0.05	2218	1	55	80	2.5	4	3	5842	3624	RH-2	80	form-based			true	0.7	11	2.75	10	7	13087.2002	10869.2002	9466	2.240192
1170	027	2364	0.05	2880	2	55	80	2.5	4	2	5910	3030	RH-2	80	form-based			true	0.7	12	3	10	6	13238.39941	10358.39941	8940	2.24
1170	029	2392	0.05	2160	2	55	80	2.5	4	2	5980	3820	RH-2	80	form-based			true	0.7	12	3	10	6	13395.2002	11235.2002	9800	2.24
1170	030	2406	0.06	2902	2	55	80	2.5	5	3	6015	3113	RH-2	80	form-based			true	0.7	12	2.400000095	10	8	13473.59961	10571.59961	9128	2.24
1173	001P	3341	0.08	5008	8	55	80	2.5	6	0	8352	3344	RTO-C	85	form-based	true		true	0.75	18	3	10	4	20046	15038	11696	2.400144
1173	016	3348	0.08	5008	8	55	80	2.5	6	0	8370	3362	RTO-C	85	form-based	true		true	0.75	18	3	10	4	20088	15080	11732	2.4
1174	001	3614	0.08	3438	4	55	80	2.5	6	2	9035	5597	RTO-C	65	form-based			true	0.75	14	2.333333254	10	8	16263	12825	12825	1.8
1174	005	4141	0.1	9168	12	55	80	2.5	8	0	10352	1184	RTO-C	85	form-based	true		true	0.75	22	2.75	10	4	24846	15678	11536	2.400116
1174	023	2291	0.05	1322	2	55	80	2.5	4	2	5728	4406	RTO-C	85	form-based			true	0.75	12	3	10	6	13746	12424	10134	2.399791
1174	037	2291	0.05	1480	2	55	80	2.5	4	2	5728	4248	RTO-C	85	form-based			true	0.75	12	3	10	6	13746	12266	9976	2.399791
1180	022	3781	0.09	3575	1	55	80	2.5	7	6	9452	5877	RH-3	50	form-based			true	0.7	11	1.571428537	10	10	13233.5	9658.5	9658.5	1.400074
1180	025	3937	0.09	875	1	55	80	2.5	7	6	9842	8967	RH-3	50	form-based			true	0.7	11	1.571428537	10	10	13779.5	12904.5	12904.5	1.400071
1181	014	4149	0.1	9090	12	55	80	2.5	8	0	10372	1282	NCT-DIVIS/	85	form-based			true	0.75	22	2.75	10	4	24894	15804	11654	2.400116
1181	017	2475	0.06	4575	3	55	80	2.5	5	2	6188	1613	NCT-DIVIS/	85	form-based			true	0.75	13	2.599999905	10	7	14850	10275	7801	2.399806
1181	018	2475	0.06	4125	3	55	80	2.5	5	2	6188	2063	NCT-DIVIS/	85	form-based			true	0.75	13	2.599999905	10	7	14850	10725	8251	2.399806
1182	005	1944	0.04	900	0	55	80	2.5	3	3	4860	3960	NCT-DIVIS/	85	form-based			true	0.75	10	3.333333254	10	6	11664	10764	8820	2.4
1186	025	2550	0.06	4154	3	55	80	2.5	5	2	6375	2221	RTO-C	85	form-based	true		true	0.75	13	2.599999905	10	7	15300	11146	8596	2.4
1189	001	2656	0.06	4410	4	55	80	2.5	5	1	6640	2230	RTO-C	85	form-based	true		true	0.75	14	2.799999952	10	6	15936	11526	8870	2.4
1189	019	2500	0.06	4200	3	55	80	2.5	5	2	6250	2050	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15000	10800	8300	2.4
1201	014	3460	0.08	3484	0	55	80	2.5	6	6	8650	5166	RM-1	50	form-based			true	0.7	10	1.666666627	10	10	12110	8626	8626	1.4
1203	019	2812	0.06	3600	5	55	80	2.5	5	0	7030	3430	NCT-DIVIS/	85	form-based			true	0.75	15	3	10	5	16872	13272	10460	2.4
1204	006	2656	0.06	6225	4	55	80	2.5	5	1	6640	415	NCT-DIVIS/	85	form-based			true	0.75	14	2.799999952	10	6	15936	9711	7055	2.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1204	009	2656	0.06	3440	4	55	80	2.5	5	1	6640	3200	NCT-DIVIS.	85	form-based			true	0.75	14	2.799999952	10	6	15936	12496	9840	2.4
1204	011	2211	0.05	4525	2	55	80	2.5	4	2	5528	1003	NCT-DIVIS.	85	form-based		true	true	0.75	12	3	10	6	13266	8741	6531	2.399783
1213	006	3025	0.07	1580	1	55	80	2.5	6	5	7562	5982	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13612.5	12032.5	12032.5	1.800119
1216	005	4171	0.1	2730	3	55	80	2.5	8	5	10428	7698	NCT-DIVIS.	50	form-based			true	0.75	13	1.625	10	10	15641.25	12911.25	12911.25	1.499928
1218	028	3450	0.08	2996	0	55	80	2.5	6	6	8625	5629	RM-2	50	form-based			true	0.7	10	1.666666627	10	10	12075	9079	9079	1.4
1223	044	4648	0.11	9680	0	55	80	2.5	9	9	11620	1940	RM-1	40	form-based			true	0.7	10	1.111111164	10	10	13014.39941	3334.399414	3334.399414	1.12
1229	014	3673	0.08	7278	4	55	80	2.5	6	2	9182	1904	NCD-HAIG	65	form-based		true	true	0.75	14	2.333333254	10	8	16528.5	9250.5	9250.5	1.800098
1231	016	3798	0.09	7066	4	55	80	2.5	7	3	9495	2429	NCD-HAIG	65	form-based			true	0.75	14	2	10	10	17091	10025	10025	1.8
1232	011	3437	0.08	5025	3	55	80	2.5	6	3	8592	3567	NCD-HAIG	65	form-based			true	0.75	13	2.166666746	10	9	15466.5	10441.5	10441.5	1.800105
1233	013	3438	0.08	4940	3	55	80	2.5	6	3	8595	3655	NCD-HAIG	65	form-based			true	0.75	13	2.166666746	10	9	15471	10531	10531	1.8
1233	014	3438	0.08	4575	3	55	80	2.5	6	3	8595	4020	NCD-HAIG	65	form-based			true	0.75	13	2.166666746	10	9	15471	10896	10896	1.8
1233	017	3437	0.08	4743	3	55	80	2.5	6	3	8592	3849	NCD-HAIG	65	form-based			true	0.75	13	2.166666746	10	9	15466.5	10723.5	10723.5	1.800105
1233	018	3438	0.08	4575	3	55	80	2.5	6	3	8595	4020	NCD-HAIG	65	form-based			true	0.75	13	2.166666746	10	9	15471	10896	10896	1.8
1234	009	3435	0.08	4800	3	55	80	2.5	6	3	8588	3788	RTO-C	65	form-based			true	0.75	13	2.166666746	10	9	15457.5	10657.5	10657.5	1.799895
1234	016	3437	0.08	4060	3	55	80	2.5	6	3	8592	4532	RTO-C	65	form-based			true	0.75	13	2.166666746	10	9	15466.5	11406.5	11406.5	1.800105
1235	015	7410	0.17	12690	18	55	80	2.5	14	0	18525	5835	RTO-C	65	form-based		true	true	0.75	28	2	10	10	33345	20655	20655	1.8
1236	010	3025	0.07	2248	1	55	80	2.5	6	5	7562	5314	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13612.5	11364.5	11364.5	1.800119
1237	001	3200	0.07	6144	7	55	80	2.5	6	0	8000	1856	NCT-DIVIS.	85	form-based		true	true	0.75	17	2.833333254	10	5	19200	13056	9856	2.4
1237	015	3781	0.09	5670	4	55	80	2.5	7	3	9452	3782	RTO-C	65	form-based			true	0.75	14	2	10	10	17014.5	11344.5	11344.5	1.800095
1238	013	3482	0.08	3885	3	65	100	3	8	5	10446	6561	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15669	11784	11784	1.5
1238	015	3482	0.08	4110	3	65	100	3	8	5	10446	6336	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15669	11559	11559	1.5
1238	026	2500	0.06	3720	3	55	80	2.5	5	2	6250	2530	NCT-DIVIS.	85	form-based			true	0.75	13	2.599999905	10	7	15000	11280	8780	2.4
1238	048	3482	0.08	1370	3	65	100	3	8	5	10446	9076	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15669	14299	14299	1.5
1239	054	4068	0.09	839	5	65	100	3	9	4	12204	11365	RTO-C	65	form-based			true	0.75	15	1.666666627	10	10	18306	17467	17467	1.5
1240	027	5156	0.12	3294	9	55	80	2.5	10	1	12890	9596	RTO-C	65	form-based			true	0.75	19	1.899999976	10	10	23202	19908	19908	1.8
1240	030	3437	0.08	3040	3	65	100	3	8	5	10311	7271	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15466.5	12426.5	12426.5	1.5
1240	048	5156	0.12	10129	4	65	100	3	12	8	15468	5339	RH-3	50	form-based			true	0.7	14	1.166666627	10	10	18046	7917	7917	1.166667
1243	031	3438	0.08	2275	3	55	80	2.5	6	3	8595	6320	NCD-HAIG	65	form-based			true	0.75	13	2.166666746	10	9	15471	13196	13196	1.8
1248	001	8511	0.2	23325	22	65	100	3	20	0	25533	2208	NCD-HAIG	65	form-based		true	true	0.75	32	1.600000024	10	10	38299.5	14974.5	14974.5	1.5
1250	015	3438	0.08	3587	0	65	100	3	8	8	10314	6727	RH-3	50	form-based			true	0.7	10	1.25	10	10	12033	8446	8446	1.166667
1250	021	2656	0.06	2500	0	65	100	3	6	6	7968	5468	NCD-HAIG	65	form-based			true	0.75	10	1.666666627	10	10	11952	9452	9452	1.5
1250	029	3398	0.08	6350	0	65	100	3	8	8	10194	3844	NCD-HAIG	50	form-based			true	0.75	10	1.25	10	10	12742.5	6392.5	6392.5	1.25
1250	030	3398	0.08	1884	0	65	100	3	8	8	10194	8310	NCD-HAIG	50	form-based			true	0.75	10	1.25	10	10	12742.5	10858.5	10858.5	1.25
1255	028	5313	0.12	2980	1	65	100	3	12	11	15939	12959	RH-3	40	form-based			true	0.7	11	0.916666687	10	10	14876.39941	11896.39941	11896.39941	0.933333
1256	006	5814	0.13	2600	2	55	80	2.5	10	8	14535	11935	RH-3	40	form-based			true	0.7	12	1.200000048	10	10	16279.2002	13679.2002	13679.2002	1.12
1258	022	5089	0.12	4150	1	55	80	2.5	10	9	12722	8572	RH-3	40	form-based		true	true	0.7	11	1.100000024	10	10	14249.2002	10099.2002	10099.2002	1.120044
1265	008	3437	0.08	2700	3	65	100	3	8	5	10311	7611	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15466.5	12766.5	12766.5	1.5
1265	019	3439	0.08	2179	3	85	140	4	11	8	13756	11577	RTO-C	65	form-based			true	0.75	13	1.181818128	10	10	15475.5	13296.5	13296.5	1.125
1265	021	3307	0.08	3519	2	65	100	3	8	6	9921	6402	RTO-C	65	form-based			true	0.75	12	1.5	10	10	14881.5	11362.5	11362.5	1.5
1266	011	3438	0.08	3080	3	85	140	4	11	8	13752	10672	RTO-C	65	form-based			true	0.75	13	1.181818128	10	10	15471	12391	12391	1.125
1266	013	3437	0.08	4650	3	65	100	3	8	5	10311	5661	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15466.5	10816.5	10816.5	1.5
1266	035	3457	0.08	4200	3	65	100	3	8	5	10371	6171	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15556.5	11356.5	11356.5	1.5
1267	010	3437	0.08	4800	3	85	140	4	11	8	13748	8948	RTO-C	65	form-based			true	0.75	13	1.181818128	10	10	15466.5	10666.5	10666.5	1.125
1267	023	3438	0.08	4875	3	65	100	3	8	5	10314	5439	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15471	10596	10596	1.5
1267	025	3437	0.08	4170	3	65	100	3	8	5	10311	6141	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15466.5	11296.5	11296.5	1.5
1267	033	3138	0.07	3500	2	85	140	4	10	8	12552	9052	RTO-C	65	form-based			true	0.75	12	1.200000048	10	10	14121	10621	10621	1.125
1267	068	3438	0.08	1256	3	85	140	4	11	8	13752	12496	RTO-C	65	form-based			true	0.75	13	1.181818128	10	10	15471	14215	14215	1.125
1267	078	3137	0.07	1645	2	85	140	4	10	8	12548	10903	RTO-C	65	form-based			true	0.75	12	1.200000048	10	10	14116.5	12471.5	12471.5	1.125
1267	084	3138	0.07	1925	2	85	140	4	10	8	12552	10627	RTO-C	65	form-based			true	0.75	12	1.200000048	10	10	14121	12196	12196	1.125
1270	002	5300	0.12	2180	1	55	80	2.5	10	9	13250	11070	RH-2	40	form-based			true	0.7	11	1.100000024	10	10	14840	12660	12660	1.12
1270	057	5189	0.12	2945	1	55	80	2.5	10	9	12972	10027	RH-2	40	form-based			true	0.7	11	1.100000024	10	10	14529.2002	11584.2002	11584.2002	1.120043
1271	026	5831	0.13	9390	12	85	140	4	18	6	23324	13934	NCD-COLE	65	form-based			true	0.75	22	1.222222209	10	10	26239.5	16849.5	16849.5	1.125
1271	033	4450	0.1	2900	2	65	100	3	10	8	13350	10450	RH-3	50	form-based			true	0.7	12	1.200000048	10	10	15575	12675	12675	1.166667
1272	001	5052	0.12	12450	9	85	140	4	17	8	20208	7758	NCD-COLE	65	form-based		true	true	0.75	19	1.117647052	10	10	22734	10284	10284	1.125
1272	008	3438	0.08	4350	3	65	100	3	8	5	10314	5964	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15471	11121	11121	1.5
1272	016	2941	0.07	2834	1	65	100	3	7	6	8823	5989	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13234.5	10400.5	10400.5	1.5
1272	021	3500	0.08	3900	3	85	140	4	11	8	14000	10100	RTO-C	65	form-based			true	0.75	13	1.181818128	10	10	15750	11850	11850	1.125
1273	001	2835	0.07	3618	1	65	100	3	7	6	8505	4887	RTO-C	65	form-based		true	true	0.75	11	1.571428537	10	10	12757.5	9139.5	9139.5	1.5
1273	013	3375	0.08	6144	3	65	100	3	8	5	10125	3981	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15187.5	9043.5	9043.5	1.5
1273	015	2828	0.06	2400	1	85	140	4	8	7	11312	8912	RTO-C	65	form-based			true	0.75	11	1.375	10	10	12726	10326	10326	1.125
1273	027	3437	0.08	510	3	65	100	3	8	5	10311	9801	RTO-C	65	form-based			true	0.75	13	1.625	10	10	15466.5	14956.5	14956.5	1.5
1274	029	3450	0.08	3800	3	85	140	4	11	8	13800	10000	RTO-C	65	form-based			true	0.75	13	1.181818128	10	10	15525	11725	11725	1.125
1274	051	3451	0.08	1275	3	85	140	4	11	8	13804	12529	RTO-C	65	form-based			true	0.75	13	1.181818128	10	10	15529.5	14254.5	14254.5	1.125
1275	021	3077	0.07	2270	2	65	100	3	7	5	9231	6961	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	13846.5	11576.5	11576.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1275	023	3022	0.07	2078	1	85	140	4	10	9	12088	10010	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13599	11521	11521	1.125
1275	024	2972	0.07	2700	1	85	140	4	10	9	11888	9188	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13374	10674	10674	1.125
1275	051	3205	0.07	2800	2	65	100	3	7	5	9615	6815	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14422.5	11622.5	11622.5	1.5
1275	060	3211	0.07	1512	2	65	100	3	7	5	9633	8121	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14449.5	12937.5	12937.5	1.5
1275	068	3193	0.07	1250	2	65	100	3	7	5	9579	8329	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14368.5	13118.5	13118.5	1.5
1275	086	3251	0.07	950	2	65	100	3	7	5	9753	8803	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14629.5	13679.5	13679.5	1.5
1277	001C	3134	0.07	2530	2	65	100	3	7	5	9402	6872	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14103	11573	11573	1.5
1277	001D	3134	0.07	2530	2	65	100	3	7	5	9402	6872	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14103	11573	11573	1.5
1277	001E	3134	0.07	2530	2	65	100	3	7	5	9402	6872	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14103	11573	11573	1.5
1277	022	3134	0.07	1208	2	65	100	3	7	5	9402	8194	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14103	12895	12895	1.5
1277	026	3134	0.07	1192	2	65	100	3	7	5	9402	8210	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14103	12911	12911	1.5
1277	028	3133	0.07	1253	2	65	100	3	7	5	9399	8146	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14098.5	12845.5	12845.5	1.5
1278	023	3071	0.07	2900	2	65	100	3	7	5	9213	6313	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	13819.5	10919.5	10919.5	1.5
1278	024	3071	0.07	2900	2	65	100	3	7	5	9213	6313	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	13819.5	10919.5	10919.5	1.5
1278	027	2811	0.06	1650	1	65	100	3	6	5	8433	6783	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	12649.5	10999.5	10999.5	1.5
1279	001	3064	0.07	4242	1	65	100	3	7	6	9192	4950	RTO-C	65	form-based	true		true	0.75	11	1.571428537	10	10	13788	9546	9546	1.5
1279	083	2902	0.07	3740	1	65	100	3	7	6	8706	4966	RTO-C	65	form-based	true		true	0.75	11	1.571428537	10	10	13059	9319	9319	1.5
1279	084	2800	0.06	1840	1	65	100	3	6	5	8400	6560	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	12600	10760	10760	1.5
1280	029	5938	0.14	3192	2	65	100	3	14	12	17814	14622	RH-2	40	form-based			true	0.7	12	0.857142866	10	10	16626.40039	13434.40039	13434.40039	0.933333
1293	015	5179	0.12	1350	1	55	80	2.5	10	9	12948	11598	RH-2	40	form-based			true	0.7	11	1.100000024	10	10	14501.2002	13151.2002	13151.2002	1.119957
1294	014	5096	0.12	2542	1	55	80	2.5	10	9	12740	10198	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14268.7998	11726.7998	11726.7998	1.12
1307	001X	5327	0.12	5772	1	55	80	2.5	10	9	13318	7546	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14915.59961	9143.599609	9143.599609	1.119958
1309	012	5272	0.12	3993	1	55	80	2.5	10	9	13180	9187	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14761.59961	10768.59961	10768.59961	1.12
1327	009C	5472	0.13	3928	1	55	80	2.5	10	9	13680	9752	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15321.59961	11393.59961	11393.59961	1.12
1327	002	5175	0.12	4272	1	55	80	2.5	10	9	12938	8666	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14490	10218	10218	1.119957
1327	003	5222	0.12	4346	1	55	80	2.5	10	9	13055	8709	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14621.59961	10275.59961	10275.59961	1.12
1327	005	5331	0.12	5421	1	55	80	2.5	10	9	13328	7907	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14926.7998	9505.799805	9505.799805	1.119958
1326	017	5377	0.12	4410	1	55	80	2.5	10	9	13442	9032	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15055.59961	10645.59961	10645.59961	1.120042
1327	001A	5192	0.12	2751	1	55	80	2.5	10	9	12980	10229	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14537.59961	11786.59961	11786.59961	1.12
1327	001B	5183	0.12	2742	1	55	80	2.5	10	9	12958	10216	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14512.39941	11770.39941	11770.39941	1.119957
1327	001D	5188	0.12	4161	1	55	80	2.5	10	9	12970	8809	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14526.39941	10365.39941	10365.39941	1.12
1327	013	5223	0.12	5278	1	55	80	2.5	10	9	13058	7780	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14624.39941	9346.399414	9346.399414	1.119957
1327	014	5331	0.12	3724	1	55	80	2.5	10	9	13328	9604	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14926.7998	11202.7998	11202.7998	1.119958
1327	015B	5210	0.12	2632	1	55	80	2.5	10	9	13025	10393	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14588	11956	11956	1.12
1327	016	5204	0.12	2340	1	55	80	2.5	10	9	13010	10670	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14571.2002	12231.2002	12231.2002	1.12
1328	007	5425	0.12	5157	1	55	80	2.5	10	9	13562	8405	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15190	10033	10033	1.120041
1328	013	5286	0.12	4485	1	55	80	2.5	10	9	13215	8730	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	14800.7998	10315.7998	10315.7998	1.12
1328	014	5239	0.12	4102	1	55	80	2.5	10	9	13098	8996	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14669.2002	10567.2002	10567.2002	1.119957
1329	001A	5031	0.12	2963	1	55	80	2.5	10	9	12578	9615	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14086.7998	11123.7998	11123.7998	1.119955
1329	008	5243	0.12	2860	1	55	80	2.5	10	9	13108	10248	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14680.39941	11820.39941	11820.39941	1.119957
1330	001	5387	0.12	6844	1	55	80	2.5	10	9	13468	6624	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15083.59961	8239.599609	8239.599609	1.119958
1330	004	5062	0.12	4269	1	55	80	2.5	10	9	12655	8386	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14173.59961	9904.599609	9904.599609	1.12
1330	008A	5077	0.12	2934	1	55	80	2.5	10	9	12692	9758	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14215.59961	11281.59961	11281.59961	1.120044
1330	008C	5206	0.12	2686	1	55	80	2.5	10	9	13015	10329	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14576.7998	11890.7998	11890.7998	1.12
1330	008F	5238	0.12	5177	1	55	80	2.5	10	9	13095	7918	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	14666.39941	9489.399414	9489.399414	1.12
1330	008G	5002	0.11	2690	1	55	80	2.5	9	8	12505	9815	RH-1(D)	40	form-based			true	0.7	11	1.222222209	10	10	14005.59961	11315.59961	11315.59961	1.12
1333	036	5000	0.11	4316	0	55	80	2.5	9	9	12500	8184	RH-1	40	form-based			true	0.7	10	1.111111164	10	10	14000	9684	9684	1.12
1335	007	5065	0.12	3934	1	55	80	2.5	10	9	12662	8728	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14182	10248	10248	1.120044
1335	009A	5260	0.12	4590	1	55	80	2.5	10	9	13150	8560	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14728	10138	10138	1.12
1335	014	5002	0.11	5386	1	55	80	2.5	9	8	12505	7119	RH-1(D)	40	form-based	true		true	0.7	11	1.222222209	10	10	14005.59961	8619.599609	8619.599609	1.12
1336	007	5390	0.12	2860	1	55	80	2.5	10	9	13475	10615	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15092	12232	12232	1.12
1336	009	5444	0.12	3828	1	55	80	2.5	10	9	13610	9782	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15243.2002	11415.2002	11415.2002	1.12
1336	018	5123	0.12	3784	1	55	80	2.5	10	9	12808	9024	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14344.39941	10560.39941	10560.39941	1.119956
1336	025	5209	0.12	6055	1	55	80	2.5	10	9	13022	6967	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	14585.2002	8530.200195	8530.200195	1.120043
1336	030	5359	0.12	4306	1	55	80	2.5	10	9	13398	9092	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15005.2002	10699.2002	10699.2002	1.119958
1337	002	5210	0.12	2423	1	55	80	2.5	10	9	13025	10602	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14588	12165	12165	1.12
1337	023	5715	0.13	2094	2	55	80	2.5	10	8	14288	12194	RH-1	40	form-based			true	0.7	12	1.200000048	10	10	16002	13908	13908	1.119961
1340	001	5781	0.13	5083	2	55	80	2.5	10	8	14452	9369	RH-1	40	form-based			true	0.7	12	1.200000048	10	10	16186.7998	11103.7998	11103.7998	1.120039
1343	001	5291	0.12	2870	1	55	80	2.5	10	9	13228	10358	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14814.7998	11944.7998	11944.7998	1.119958
1341	023	4639	0.11	0	0	55	80	2.5	9	9	11598	11598	RH-1	40	form-based			true	0.7	10	1.111111164	10	10	12989.2002	12989.2002	12989.2002	1.119952
1351	029	5740	0.13	1764	2	55	80	2.5	10	8	14350	12586	RH-2	40	form-based			true	0.7	12	1.200000048	10	10	16072	14308	14308	1.12
1353	011	5460	0.13	3840	1	55	80	2.5	10	9	13650	9810	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	15288	11448	11448	1.12
1354	008	5404	0.12	3404	1	55	80	2.5	10	9	13510	10106	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	15131.2002	11727.2002	11727.2002	1.12
1361	028	2293	0.05	2490	2	55	80	2.5	4	2	5732	3242	RTO-C	85	form-based			true	0.75	12	3	10	6	13758	11268	8974	2.400209

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1362	015	4392	0.1	12372	13	55	80	2.5	8	0	10980	0	RTO-C	85	form-based		true	true	0.75	23	2.875	10	3	26352	13980	9588	2.4
1362	024	2466	0.06	3750	3	55	80	2.5	5	2	6165	2415	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	14796	11046	8580	2.4
1362	049	2505	0.06	4890	3	55	80	2.5	5	2	6262	1372	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15030	10140	7634	2.400192
1363	022	2364	0.05	1420	2	55	80	2.5	4	2	5910	4490	RTO-C	85	form-based			true	0.75	12	3	10	6	14184	12764	10400	2.4
1364	049	3035	0.07	6370	6	55	80	2.5	6	0	7588	1218	NC-1	85	form-based		true	true	0.75	16	2.666666746	10	6	18210	11840	8806	2.399842
1365	003	5100	0.12	5075	1	55	80	2.5	10	9	12750	7675	RH-2	40	form-based			true	0.7	11	1.100000024	10	10	14280	9205	9205	1.12
1366	020	2397	0.06	2884	3	55	80	2.5	5	2	5992	3108	NC-1	85	form-based			true	0.75	13	2.599999905	10	7	14382	11498	9100	2.4002
1367	021	2346	0.05	2950	2	55	80	2.5	4	2	5865	2915	RTO-C	85	form-based			true	0.75	12	3	10	6	14076	11126	8780	2.4
1368	018	3044	0.07	9271	6	55	80	2.5	6	0	7610	0	RTO-C	85	form-based		true	true	0.75	16	2.666666746	10	6	18264	8993	5949	2.4
1368	025	2458	0.06	3150	3	55	80	2.5	5	2	6145	2995	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	14748	11598	9140	2.4
1369	015	2451	0.06	4486	3	55	80	2.5	5	2	6128	1642	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	14706	10220	7770	2.399804
1371	019	2436	0.06	3428	3	55	80	2.5	5	2	6090	2662	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	14616	11188	8752	2.4
1380	001	4609	0.11	7679	0	55	80	2.5	9	9	11522	3843	RH-2	40	form-based		true	true	0.7	10	1.111111164	10	10	12905.2002	5226.200195	5226.200195	1.120049
1380	028	6041	0.14	4600	3	55	80	2.5	11	8	15102	10502	RH-2	40	form-based			true	0.7	13	1.181818128	10	10	16914.79883	12314.79883	12314.79883	1.120037
1383	017	3239	0.07	2600	2	55	80	2.5	6	4	8098	5498	NC-1	65	form-based		true	true	0.75	12	2	10	10	14575.5	11975.5	11975.5	1.799889
1389	001	5233	0.12	4870	1	55	80	2.5	10	9	13082	8212	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14652.39941	9782.399414	9782.399414	1.120043
1402	020	2558	0.06	1750	0	65	100	3	6	6	7674	5924	NC-1	65	form-based			true	0.75	10	1.666666627	10	10	11511	9761	9761	1.5
1405	053	5984	0.14	5046	3	65	100	3	14	11	17952	12906	RH-2	40	form-based			true	0.7	13	0.928571403	10	10	16755.19922	11709.19922	11709.19922	0.933333
1411	009	2553	0.06	2024	0	65	100	3	6	6	7659	5635	NCD-OUTE	65	form-based			true	0.75	10	1.666666627	10	10	11488.5	9464.5	9464.5	1.5
1416	018A	2975	0.07	2412	1	65	100	3	7	6	8925	6513	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13387.5	10975.5	10975.5	1.5
1418	001	2733	0.06	2436	0	65	100	3	6	6	8199	5763	RTO-C	65	form-based		true	true	0.75	10	1.666666627	10	10	12298.5	9862.5	9862.5	1.5
1418	021	2606	0.06	1494	0	65	100	3	6	6	7818	6324	NC-1	65	form-based			true	0.75	10	1.666666627	10	10	11727	10233	10233	1.5
1421	013	2989	0.07	2145	1	65	100	3	7	6	8967	6822	NCD-INNE	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	11305.5	11305.5	1.5
1421	016	2586	0.06	1890	0	65	100	3	6	6	7758	5868	NCD-INNE	65	form-based			true	0.75	10	1.666666627	10	10	11637	9747	9747	1.5
1421	017	2587	0.06	1879	0	65	100	3	6	6	7761	5882	NCD-INNE	65	form-based			true	0.75	10	1.666666627	10	10	11641.5	9762.5	9762.5	1.5
1421	034	2500	0.06	4100	3	65	100	3	6	3	7500	3400	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	10900	10900	2
1422	001	4217	0.1	10746	12	55	80	2.5	8	0	10542	0	RTO-C	85	form-based		true	true	0.75	22	2.75	10	4	25302	14556	10338	2.400114
1423	003	2027	0.05	2100	1	65	100	3	5	4	6081	3981	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12162	10062	10062	2
1423	004	2027	0.05	2373	1	65	100	3	5	4	6081	3708	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12162	9789	9789	2
1423	041	2062	0.05	1520	1	65	100	3	5	4	6186	4666	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12372	10852	10852	2
1423	042	2063	0.05	2000	1	65	100	3	5	4	6189	4189	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12378	10378	10378	2
1423	043	2063	0.05	2700	1	55	80	2.5	4	3	5158	2458	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12378	9678	7616	2.399767
1424	037	2750	0.06	4345	4	65	100	3	6	2	8250	3905	RTO-C	85	form-based			true	0.75	14	2.333333254	10	8	16500	12155	12155	2
1424	038	2750	0.06	4200	4	65	100	3	6	2	8250	4050	RTO-C	85	form-based			true	0.75	14	2.333333254	10	8	16500	12300	12300	2
1425	026	2700	0.06	1625	0	65	100	3	6	6	8100	6475	NCD-INNE	65	form-based			true	0.75	10	1.666666627	10	10	12150	10525	10525	1.5
1425	043	2063	0.05	2320	1	65	100	3	5	4	6189	3869	RTO-C	85	form-based		true	true	0.75	11	2.200000048	10	9	12378	10058	10058	2
1425	044	2063	0.05	2256	1	65	100	3	5	4	6189	3933	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12378	10122	10122	2
1425	045	2062	0.05	2303	1	65	100	3	5	4	6186	3883	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12372	10069	10069	2
1426	023	3220	0.07	5020	2	65	100	3	7	5	9660	4640	NCD-INNE	65	form-based			true	0.75	12	1.714285731	10	10	14490	9470	9470	1.5
1426	041A	2275	0.05	3700	2	65	100	3	5	3	6825	3125	RTO-C	85	form-based		true	true	0.75	12	2.400000095	10	8	13650	9950	9950	2
1426	042	2500	0.06	3340	3	65	100	3	6	3	7500	4160	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	11660	11660	2
1427	016	2787	0.06	4534	0	65	100	3	6	6	8361	3827	NCD-INNE	65	form-based			true	0.75	10	1.666666627	10	10	12541.5	8007.5	8007.5	1.5
1428	050	2500	0.06	2410	3	65	100	3	6	3	7500	5090	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	12590	12590	2
1428	059	2500	0.06	1569	3	65	100	3	6	3	7500	5931	NC-1	85	form-based			true	0.75	13	2.166666746	10	9	15000	13431	13431	2
1432	048	3261	0.07	4043	2	65	100	3	7	5	9783	5740	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14674.5	10631.5	10631.5	1.5
1435	017	2800	0.06	2988	5	85	140	4	8	3	11200	8212	NCD-GEAR	85	form-based			true	0.75	15	1.875	10	10	16800	13812	13812	1.5
1436	017	2500	0.06	5610	3	65	100	3	6	3	7500	1890	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	10	9	15000	9390	9390	2
1437	019	2500	0.06	4500	3	85	140	4	8	5	10000	5500	NCD-GEAR	85	form-based			true	0.75	13	1.625	10	10	15000	10500	10500	1.5
1437	021	2500	0.06	3400	3	85	140	4	8	5	10000	6600	NCD-GEAR	85	form-based			true	0.75	13	1.625	10	10	15000	11600	11600	1.5
1439	047	2600	0.06	1411	0	65	100	3	6	6	7800	6389	NCD-INNE	65	form-based			true	0.75	10	1.666666627	10	10	11700	10289	10289	1.5
1439	057	1876	0.04	5247	0	65	100	3	4	4	5628	381	NCD-GEAR	85	form-based			true	0.75	10	2.5	10	8	11256	6009	6009	2
1444	022	2500	0.06	4575	3	85	140	4	8	5	10000	5425	NCD-GEAR	85	form-based			true	0.75	13	1.625	10	10	15000	10425	10425	1.5
1446	025	2693	0.06	4521	4	85	140	4	8	4	10772	6251	NCD-GEAR	85	form-based			true	0.75	14	1.75	10	10	16158	11637	11637	1.5
1447	035	7261	0.17	4944	5	65	100	3	17	12	21783	16839	RH-2	40	form-based			true	0.7	15	0.882352948	10	10	20330.79883	15386.79883	15386.79883	0.933333
1450	035A	2700	0.06	2575	0	65	100	3	6	6	8100	5525	NCD-OUTE	65	form-based		true	true	0.75	10	1.666666627	10	10	12150	9575	9575	1.5
1454	022A	1926	0.04	1875	0	85	140	4	6	6	7704	5829	NCD-GEAR	85	form-based			true	0.75	10	1.666666627	10	10	11556	9681	9681	1.5
1456	023	2545	0.06	7763	3	85	140	4	8	5	10180	2417	NCD-GEAR	85	form-based			true	0.75	13	1.625	10	10	15270	7507	7507	1.5
1457	020	2567	0.06	4315	3	85	140	4	8	5	10268	5953	NCD-GEAR	85	form-based			true	0.75	13	1.625	10	10	15402	11087	11087	1.5
1459	005	5673	0.13	13630	20	85	140	4	18	0	22692	9062	NCD-GEAR	85	form-based		true	true	0.75	30	1.666666627	10	10	34038	20408	20408	1.5
1459	006	2562	0.06	4062	3	85	140	4	8	5	10248	6186	NCD-GEAR	85	form-based			true	0.75	13	1.625	10	10	15372	11310	11310	1.5
1460	001R	2603	0.06	4150	4	85	140	4	8	4	10412	6262	RTO-C	85	form-based		true	true	0.75	14	1.75	10	10	15618	11468	11468	1.5
1464	022	2539	0.06	1710	0	65	100	3	6	6	7617	5907	NC-1	65	form-based		true	true	0.75	10	1.666666627	10	10	11425.5	9715.5	9715.5	1.5
1466	021	2500	0.06	3288	3	65	100	3	6	3	7500	4212	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	11712	11712	2
1466	054	2500	0.06	3973	3	65	100	3	6	3	7500	3527	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	11027	11027	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1467	056	2485	0.06	4090	3	65	100	3	6	3	7455	3365	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	14910	10820	10820	2
1468	018A	2874	0.07	2335	1	55	80	2.5	6	5	7185	4850	RTO-C	65	form-based		true	true	0.75	11	1.833333373	10	10	12933	10598	10598	1.8
1470	002	2989	0.07	1400	1	55	80	2.5	6	5	7472	6072	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13450.5	12050.5	12050.5	1.80012
1470	019A	2012	0.05	1502	1	55	80	2.5	4	3	5030	3528	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12072	10570	8558	2.4
1471	001	3009	0.07	2125	1	55	80	2.5	6	5	7522	5397	RTO-C	65	form-based		true	true	0.75	11	1.833333373	10	10	13540.5	11415.5	11415.5	1.80012
1471	001A	3000	0.07	2751	1	55	80	2.5	6	5	7500	4749	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13500	10749	10749	1.8
1471	021A	2171	0.05	1250	1	55	80	2.5	4	3	5428	4178	RTO-C	85	form-based			true	0.75	11	2.75	10	7	13026	11776	9606	2.399779
1471	022	2145	0.05	1250	1	55	80	2.5	4	3	5362	4112	RTO-C	85	form-based		true	true	0.75	11	2.75	10	7	12870	11620	9474	2.400224
1471	023A	3539	0.08	5502	9	55	80	2.5	6	0	8848	3346	RTO-C	85	form-based		true	true	0.75	19	3.166666746	10	3	21234	15732	12194	2.399864
1471	040	3004	0.07	1830	1	55	80	2.5	6	5	7510	5680	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13518	11688	11688	1.8
1472	004	2092	0.05	1641	1	55	80	2.5	4	3	5230	3589	RTO-C	85	form-based		true	true	0.75	11	2.75	10	7	12552	10911	8819	2.4
1472	023	2817	0.06	1165	1	55	80	2.5	5	4	7042	5877	RTO-C	65	form-based			true	0.75	11	2.200000048	10	9	12676.5	11511.5	11511.5	1.800128
1473	003C	2930	0.07	1571	1	55	80	2.5	6	5	7325	5754	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13185	11614	11614	1.8
1473	003D	3043	0.07	1770	1	55	80	2.5	6	5	7608	5838	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13693.5	11923.5	11923.5	1.799882
1473	003E	2936	0.07	1981	1	55	80	2.5	6	5	7340	5359	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13212	11231	11231	1.8
1503	055	2500	0.06	3750	3	55	80	2.5	5	2	6250	2500	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15000	11250	8750	2.4
1503	058	2500	0.06	3778	3	55	80	2.5	5	2	6250	2472	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15000	11222	8722	2.4
1503	059	2500	0.06	3778	3	55	80	2.5	5	2	6250	2472	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15000	11222	8722	2.4
1504	021A	2125	0.05	1235	1	55	80	2.5	4	3	5312	4077	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12750	11515	9389	2.400226
1504	021B	2125	0.05	1235	1	55	80	2.5	4	3	5312	4077	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12750	11515	9389	2.400226
1504	021E	2500	0.06	3650	3	55	80	2.5	5	2	6250	2600	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15000	11350	8850	2.4
1505	035	2500	0.06	3286	3	55	80	2.5	5	2	6250	2964	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15000	11714	9214	2.4
1505	036	2500	0.06	3431	3	55	80	2.5	5	2	6250	2819	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15000	11569	9069	2.4
1507	038	2484	0.06	5134	3	55	80	2.5	5	2	6210	1076	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	14904	9770	7286	2.4
1507	039	2484	0.06	4433	3	55	80	2.5	5	2	6210	1777	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	14904	10471	7987	2.4
1508	039	2459	0.06	4337	3	65	100	3	6	3	7377	3040	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	14754	10417	10417	2
1508	040	2459	0.06	4337	3	65	100	3	6	3	7377	3040	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	14754	10417	10417	2
1508	041	2459	0.06	4337	3	65	100	3	6	3	7377	3040	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	14754	10417	10417	2
1509	044	2415	0.06	3268	3	65	100	3	6	3	7245	3977	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	14490	11222	11222	2
1509	047	2415	0.06	4233	3	65	100	3	6	3	7245	3012	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	14490	10257	10257	2
1509	048	2415	0.06	4233	3	65	100	3	6	3	7245	3012	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	14490	10257	10257	2
1512	045	2744	0.06	2757	4	85	140	4	8	4	10976	8219	RTO-C	85	form-based		true	true	0.75	14	1.75	10	10	16464	13707	13707	1.5
1520	037	2467	0.06	3877	3	85	140	4	8	5	9868	5991	NCD-GEAR	85	form-based			true	0.75	13	1.625	10	10	14802	10925	10925	1.5
1521	001A	2083	0.05	1596	1	85	140	4	7	6	8332	6736	NCD-GEAR	85	form-based			true	0.75	11	1.571428537	10	10	12498	10902	10902	1.5
1522	037	2677	0.06	2945	4	85	140	4	8	4	10708	7763	NCD-GEAR	85	form-based			true	0.75	14	1.75	10	10	16062	13117	13117	1.5
1525	040A	2287	0.05	1990	2	85	140	4	7	5	9148	7158	NCD-GEAR	85	form-based			true	0.75	12	1.714285731	10	10	13722	11732	11732	1.5
1526	001	3112	0.07	6900	6	65	100	3	7	1	9336	2436	NCD-GEAR	85	form-based		true	true	0.75	16	2.285714388	10	8	18672	11772	11772	2
1527	002	2062	0.05	2240	1	85	140	4	7	6	8248	6008	NCD-GEAR	85	form-based			true	0.75	11	1.571428537	10	10	12372	10132	10132	1.5
1527	003	2063	0.05	2240	1	85	140	4	7	6	8252	6012	NCD-GEAR	85	form-based			true	0.75	11	1.571428537	10	10	12378	10138	10138	1.5
1527	034	2075	0.05	1908	1	65	100	3	5	4	6225	4317	NCD-GEAR	85	form-based			true	0.75	11	2.200000048	10	9	12450	10542	10542	2
1527	035	2075	0.05	1888	1	65	100	3	5	4	6225	4337	NCD-GEAR	85	form-based			true	0.75	11	2.200000048	10	9	12450	10562	10562	2
1528	040	2250	0.05	1270	2	85	140	4	7	5	9000	7730	NCD-GEAR	85	form-based			true	0.75	12	1.714285731	10	10	13500	12230	12230	1.5
1529	009	5444	0.12	2904	1	65	100	3	12	11	16332	13428	RM-1	40	form-based			true	0.7	11	0.916666687	10	10	15243.2002	12339.2002	12339.2002	0.933333
1529	011	5345	0.12	1400	1	65	100	3	12	11	16035	14635	RH-2	40	form-based			true	0.7	11	0.916666687	10	10	14966	13566	13566	0.933333
1529	045	1888	0.04	3566	0	65	100	3	4	4	5664	2098	NCD-GEAR	85	form-based			true	0.75	10	2.5	10	8	11328	7762	7762	2
1530	002	2589	0.06	4050	4	85	140	4	8	4	10356	6306	NCD-GEAR	85	form-based			true	0.75	14	1.75	10	10	15534	11484	11484	1.5
1530	018	5452	0.13	1980	1	65	100	3	13	12	16356	14376	RH-2	40	form-based			true	0.7	11	0.846153855	10	10	15265.59961	13285.59961	13285.59961	0.933333
1532	032D	2506	0.06	4665	3	85	140	4	8	5	10024	5359	NCD-GEAR	85	form-based			true	0.75	13	1.625	10	10	15036	10371	10371	1.5
1533	040	3414	0.08	8396	8	65	100	3	8	0	10242	1846	NCD-GEAR	85	form-based		true	true	0.75	18	2.25	10	8	20484	12088	12088	2
1533	041	2506	0.06	5770	3	65	100	3	6	3	7518	1748	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	10	9	15036	9266	9266	2
1555	022	3327	0.08	4240	2	65	100	3	8	6	9981	5741	RTO-C	65	form-based			true	0.75	12	1.5	10	10	14971.5	10731.5	10731.5	1.5
1568	014A	2991	0.07	1657	1	65	100	3	7	6	8973	7316	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13459.5	11802.5	11802.5	1.5
1572	022	5025	0.12	4224	1	65	100	3	12	11	15075	10851	RH-2	40	form-based			true	0.7	11	0.916666687	10	10	14070	9846	9846	0.933333
1580	005	2701	0.06	2437	0	55	80	2.5	5	5	6752	4315	NCD-OUTE	65	form-based		true	true	0.75	10	2	10	10	12154.5	9717.5	9717.5	1.800133
1583	026	2923	0.07	1326	1	55	80	2.5	6	5	7308	5982	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13153.5	11827.5	11827.5	1.799877
1607	022B	4281	0.1	7425	6	55	80	2.5	8	2	10702	3277	NCD-OUTE	65	form-based		true	true	0.75	16	2	10	10	19264.5	11839.5	11839.5	1.800084
1637	001C	3061	0.07	1890	1	55	80	2.5	6	5	7652	5762	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13774.5	11884.5	11884.5	1.800118
1637	033C	3061	0.07	1890	1	55	80	2.5	6	5	7652	5762	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13774.5	11884.5	11884.5	1.800118
1641	050	2749	0.06	3040	0	55	80	2.5	5	5	6872	3832	NCD-INNE	65	form-based			true	0.75	10	2	10	10	12370.5	9330.5	9330.5	1.800131
1644	016	4389	0.1	10338	13	55	80	2.5	8	0	10972	634	RTO-C	85	form-based		true	true	0.75	23	2.875	10	3	26334	15996	11606	2.400109
1644	047	2250	0.05	1271	2	55	80	2.5	4	2	5625	4354	RTO-C	85	form-based			true	0.75	12	3	10	6	13500	12229	9979	2.4
1650	012	5569	0.13	14235	19	55	80	2.5	10	0	13922	0	RTO-C	85	form-based		true	true	0.75	29	2.900000095	10	1	33414	19179	13609	2.400086
1650	014	2778	0.06	6258	5	55	80	2.5	5	0	6945	687	RTO-C	85	form-based			true	0.75	15	3	10	5	16668	10410	7632	2.4
1650	054	2906	0.07	2282	5	55	80	2.5	6	1	7265	4983	RTO-C	85	form-based			true	0.75	15	2.5	10	7	17436	15154	12248	2.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1652	011	2361	0.05	2850	2	55	80	2.5	4	2	5902	3052	RTO-C	85	form-based			true	0.75	12	3	10	6	14166	11316	8954	2.400203
1652	038	2361	0.05	1549	2	55	80	2.5	4	2	5902	4353	RTO-C	85	form-based			true	0.75	12	3	10	6	14166	12617	10255	2.400203
1652	048	2360	0.05	1227	2	55	80	2.5	4	2	5900	4673	RTO-C	85	form-based			true	0.75	12	3	10	6	14160	12933	10573	2.4
1652	050	2360	0.05	3059	2	55	80	2.5	4	2	5900	2841	RTO-C	85	form-based			true	0.75	12	3	10	6	14160	11101	8741	2.4
1657	014	2484	0.06	3728	3	55	80	2.5	5	2	6210	2482	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	14904	11176	8692	2.4
1657	019	2483	0.06	3490	3	55	80	2.5	5	2	6208	2718	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	14898	11408	8926	2.399807
1658	014	4584	0.11	11275	14	55	80	2.5	9	0	11460	185	RTO-C	85	form-based			true	0.75	24	2.666666746	10	4	27504	16229	11645	2.4
1659	018	2561	0.06	3772	3	55	80	2.5	5	2	6402	2630	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15366	11594	9032	2.400187
1659	020	2482	0.06	3640	3	55	80	2.5	5	2	6205	2565	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	14892	11252	8770	2.4
1661	014A	2500	0.06	3840	3	55	80	2.5	5	2	6250	2410	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15000	11160	8660	2.4
1662	021	2500	0.06	3850	3	55	80	2.5	5	2	6250	2400	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15000	11150	8650	2.4
1663	019	3000	0.07	4056	6	55	80	2.5	6	0	7500	3444	RTO-C	85	form-based			true	0.75	16	2.666666746	10	6	18000	13944	10944	2.4
1664	021	2500	0.06	3350	3	55	80	2.5	5	2	6250	2900	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15000	11650	9150	2.4
1665	022	2059	0.05	1680	1	55	80	2.5	4	3	5148	3468	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12354	10674	8616	2.399767
1665	030	2063	0.05	2050	1	55	80	2.5	4	3	5158	3108	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12378	10328	8266	2.399767
1665	031	2063	0.05	2050	1	55	80	2.5	4	3	5158	3108	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12378	10328	8266	2.399767
1666	050	2500	0.06	3650	3	55	80	2.5	5	2	6250	2600	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	15000	11350	8850	2.4
1667	028A	2065	0.05	2320	1	55	80	2.5	4	3	5162	2842	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12390	10070	8004	2.400233
1667	029	2057	0.05	2216	1	55	80	2.5	4	3	5142	2926	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12342	10126	8068	2.400233
1675	004A	2375	0.05	2411	2	55	80	2.5	4	2	5938	3527	RTO-C	85	form-based			true	0.75	12	3	10	6	14250	11839	9465	2.399798
1675	005	2375	0.05	2240	2	55	80	2.5	4	2	5938	3698	RTO-C	85	form-based			true	0.75	12	3	10	6	14250	12010	9636	2.399798
1675	006	2375	0.05	2371	2	55	80	2.5	4	2	5938	3567	RTO-C	85	form-based			true	0.75	12	3	10	6	14250	11879	9505	2.399798
1677	011B	2350	0.05	3450	2	55	80	2.5	4	2	5875	2425	RTO-C	85	form-based			true	0.75	12	3	10	6	14100	10650	8300	2.4
1708	044	2900	0.07	1848	1	65	100	3	7	6	8700	6852	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13050	11202	11202	1.5
1708	046	2900	0.07	1186	1	65	100	3	7	6	8700	7514	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13050	11864	11864	1.5
1716	048	3000	0.07	1790	1	65	100	3	7	6	9000	7210	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11710	11710	1.5
1717	047	3000	0.07	3131	1	65	100	3	7	6	9000	5869	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	10369	10369	1.5
1717	048	3000	0.07	1080	1	65	100	3	7	6	9000	7920	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12420	12420	1.5
1718	045	3000	0.07	1850	1	65	100	3	7	6	9000	7150	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11650	11650	1.5
1726	019	2500	0.06	5400	3	65	100	3	6	3	7500	2100	NCD-IRVIN	85	form-based			true	0.75	13	2.166666746	10	9	15000	9600	9600	2
1727	019	2500	0.06	4750	3	65	100	3	6	3	7500	2750	NCD-IRVIN	85	form-based			true	0.75	13	2.166666746	10	9	15000	10250	10250	2
1728	051	2370	0.05	959	2	65	100	3	5	3	7110	6151	NCD-IRVIN	85	form-based			true	0.75	12	2.400000095	10	8	14220	13261	13261	2
1728	056	2375	0.05	910	2	65	100	3	5	3	7125	6215	NCD-IRVIN	85	form-based			true	0.75	12	2.400000095	10	8	14250	13340	13340	2
1730	002	3030	0.07	4836	1	65	100	3	7	6	9090	4254	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13635	8799	8799	1.5
1730	040	2989	0.07	2495	1	65	100	3	7	6	8967	6472	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	10955.5	10955.5	1.5
1730	041A	2239	0.05	2550	2	65	100	3	5	3	6717	4167	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13434	10884	10884	2
1730	042	2239	0.05	2550	2	65	100	3	5	3	6717	4167	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13434	10884	10884	2
1730	042A	2239	0.05	3400	2	55	80	2.5	4	2	5598	2198	RTO-C	85	form-based	true		true	0.75	12	3	10	6	13434	10034	7796	2.399786
1730	051	3239	0.07	3120	2	65	100	3	7	5	9717	6597	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	14575.5	11455.5	11455.5	1.5
1730	056	2530	0.06	1431	3	65	100	3	6	3	7590	6159	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15180	13749	13749	2
1731	007	2228	0.05	2717	2	65	100	3	5	3	6684	3967	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13368	10651	10651	2
1731	008	2228	0.05	2836	2	65	100	3	5	3	6684	3848	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13368	10532	10532	2
1731	009	2228	0.05	2836	2	65	100	3	5	3	6684	3848	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13368	10532	10532	2
1731	011	2228	0.05	3450	2	65	100	3	5	3	6684	3234	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13368	9918	9918	2
1731	013	2228	0.05	2448	2	65	100	3	5	3	6684	4236	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13368	10920	10920	2
1731	014	2228	0.05	3511	2	65	100	3	5	3	6684	3173	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13368	9857	9857	2
1731	017	2228	0.05	2794	2	65	100	3	5	3	6684	3890	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13368	10574	10574	2
1732	003	3002	0.07	2000	1	65	100	3	7	6	9006	7006	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13509	11509	11509	1.5
1732	012	3002	0.07	2236	1	65	100	3	7	6	9006	6770	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13509	11273	11273	1.5
1732	015	3002	0.07	1050	1	65	100	3	7	6	9006	7956	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13509	12459	12459	1.5
1732	016	3002	0.07	1300	1	65	100	3	7	6	9006	7706	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13509	12209	12209	1.5
1732	048	2500	0.06	2780	3	65	100	3	6	3	7500	4720	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	12220	12220	2
1732	052	3602	0.08	4176	4	65	100	3	8	4	10806	6630	RTO-C	65	form-based			true	0.75	14	1.75	10	10	16209	12033	12033	1.5
1733	003	2988	0.07	1578	1	65	100	3	7	6	8964	7386	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13446	11868	11868	1.5
1733	005	2988	0.07	1750	1	65	100	3	7	6	8964	7214	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13446	11696	11696	1.5
1733	009	2988	0.07	1719	1	65	100	3	7	6	8964	7245	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13446	11727	11727	1.5
1733	014	4483	0.1	6000	7	65	100	3	10	3	13449	7449	RTO-C	65	form-based			true	0.75	17	1.700000048	10	10	20173.5	14173.5	14173.5	1.5
1733	017	2500	0.06	2808	3	65	100	3	6	3	7500	4692	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	12192	12192	2
1733	028	3000	0.07	1556	1	65	100	3	7	6	9000	7444	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11944	11944	1.5
1733	029	3000	0.07	1744	1	65	100	3	7	6	9000	7256	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11756	11756	1.5
1733	034	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12120	12120	1.5
1733	038	3000	0.07	1656	1	65	100	3	7	6	9000	7344	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11844	11844	1.5
1733	058	2500	0.06	1369	3	65	100	3	6	3	7500	6131	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	13631	13631	2
1734	017A	2500	0.06	2900	3	65	100	3	6	3	7500	4600	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15000	12100	12100	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1734	021A	2592	0.06	3584	4	65	100	3	6	2	7776	4192	NCD-INNE	85	form-based			true	0.75	14	2.333333254	10	8	15552	11968	11968	2
1734	046	2500	0.06	750	3	65	100	3	6	3	7500	6750	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15000	14250	14250	2
1738	017	2267	0.05	2292	2	65	100	3	5	3	6801	4509	NCD-INNE	85	form-based			true	0.75	12	2.400000095	10	8	13602	11310	11310	2
1738	021	2500	0.06	1838	3	65	100	3	6	3	7500	5662	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15000	13162	13162	2
1739	019	2375	0.05	2144	2	65	100	3	5	3	7125	4981	NCD-INNE	85	form-based			true	0.75	12	2.400000095	10	8	14250	12106	12106	2
1739	022	2502	0.06	3822	3	65	100	3	6	3	7506	3684	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15012	11190	11190	2
1740	019	2500	0.06	3684	3	65	100	3	6	3	7500	3816	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15000	11316	11316	2
1740	020	2500	0.06	1830	3	65	100	3	6	3	7500	5670	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15000	13170	13170	2
1740	023	2500	0.06	3904	3	65	100	3	6	3	7500	3596	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15000	11096	11096	2
1740	025	1875	0.04	2200	0	65	100	3	4	4	5625	3425	NCD-INNE	85	form-based			true	0.75	10	2.5	10	8	11250	9050	9050	2
1740	026	2438	0.06	4184	3	65	100	3	6	3	7314	3130	NCD-INNE	85	form-based	true		true	0.75	13	2.166666746	10	9	14628	10444	10444	2
1741	015	3013	0.07	4560	6	65	100	3	7	1	9039	4479	NCD-INNE	85	form-based			true	0.75	16	2.285714388	10	8	18078	13518	13518	2
1741	016	3013	0.07	4260	6	65	100	3	7	1	9039	4779	NCD-INNE	85	form-based			true	0.75	16	2.285714388	10	8	18078	13818	13818	2
1741	054	8178	0.19	12882	21	65	100	3	19	0	24534	11652	RTO-C	65	form-based			true	0.75	31	1.631578922	10	10	36801	23919	23919	1.5
1741	055	4125	0.09	1450	5	65	100	3	9	4	12375	10925	RTO-C	65	form-based	true		true	0.75	15	1.666666627	10	10	18562.5	17112.5	17112.5	1.5
1742	023	3000	0.07	4482	6	65	100	3	7	1	9000	4518	NCD-INNE	85	form-based			true	0.75	16	2.285714388	10	8	18000	13518	13518	2
1743	026	2375	0.05	3052	2	85	140	4	7	5	9500	6448	NCD-INNE	85	form-based			true	0.75	12	1.714285731	10	10	14250	11198	11198	1.5
1750	008	2388	0.05	2529	3	85	140	4	7	4	9552	7023	RTO-C	85	form-based			true	0.75	13	1.857142806	10	10	14328	11799	11799	1.5
1752	009	2373	0.05	3416	2	65	100	3	5	3	7119	3703	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	14238	10822	10822	2
1753	012	2770	0.06	3180	5	85	140	4	8	3	11080	7900	RTO-C	85	form-based			true	0.75	15	1.875	10	10	16620	13440	13440	1.5
1758	002	2375	0.05	2800	2	65	100	3	5	3	7125	4325	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	14250	11450	11450	2
1758	003	2375	0.05	3000	2	65	100	3	5	3	7125	4125	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	14250	11250	11250	2
1758	019	3015	0.07	3482	1	65	100	3	7	6	9045	5563	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13567.5	10085.5	10085.5	1.5
1758	046	2375	0.05	1440	2	65	100	3	5	3	7125	5685	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	14250	12810	12810	2
1760	003	2380	0.05	2150	2	85	140	4	7	5	9520	7370	RTO-C	85	form-based			true	0.75	12	1.714285731	10	10	14280	12130	12130	1.5
1760	048	2375	0.05	2900	2	85	140	4	7	5	9500	6600	RTO-C	85	form-based			true	0.75	12	1.714285731	10	10	14250	11350	11350	1.5
1760	059	2375	0.05	1419	2	85	140	4	7	5	9500	8081	RTO-C	85	form-based			true	0.75	12	1.714285731	10	10	14250	12831	12831	1.5
1760	063	2380	0.05	1238	2	85	140	4	7	5	9520	8282	RTO-C	85	form-based			true	0.75	12	1.714285731	10	10	14280	13042	13042	1.5
1761	003	2369	0.05	4234	2	85	140	4	7	5	9476	5242	RTO-C	85	form-based			true	0.75	12	1.714285731	10	10	14214	9980	9980	1.5
1761	026	3000	0.07	2090	1	65	100	3	7	6	9000	6910	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11410	11410	1.5
1761	027	3000	0.07	2088	1	65	100	3	7	6	9000	6912	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11412	11412	1.5
1761	028	3000	0.07	2000	1	65	100	3	7	6	9000	7000	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11500	11500	1.5
1761	029	3000	0.07	3404	1	65	100	3	7	6	9000	5596	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	10096	10096	1.5
1761	030	3000	0.07	3854	1	65	100	3	7	6	9000	5146	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	9646	9646	1.5
1761	053	2375	0.05	1342	2	65	100	3	5	3	7125	5783	NCD-INNE	85	form-based			true	0.75	12	2.400000095	10	8	14250	12908	12908	2
1762	049	10569	0.24	18560	30	65	100	3	24	0	31707	13147	RTO-C	65	form-based			true	0.75	40	1.666666627	10	10	47560.5	29000.5	29000.5	1.5
1763	039B	2625	0.06	3150	4	85	140	4	8	4	10500	7350	NCD-INNE	85	form-based			true	0.75	14	1.75	10	10	15750	12600	12600	1.5
1763	042A	2625	0.06	3150	4	85	140	4	8	4	10500	7350	NCD-INNE	85	form-based			true	0.75	14	1.75	10	10	15750	12600	12600	1.5
1764	057	3013	0.07	697	6	85	140	4	10	4	12052	11355	NCD-INNE	85	form-based			true	0.75	16	1.600000024	10	10	18078	17381	17381	1.5
1764	011	3013	0.07	4328	6	85	140	4	10	4	12052	7724	NCD-INNE	85	form-based			true	0.75	16	1.600000024	10	10	18078	13750	13750	1.5
1764	013	3013	0.07	4376	6	85	140	4	10	4	12052	7676	NCD-INNE	85	form-based			true	0.75	16	1.600000024	10	10	18078	13702	13702	1.5
1764	045	2999	0.07	3984	6	85	140	4	10	4	11996	8012	NCD-INNE	85	form-based			true	0.75	16	1.600000024	10	10	17994	14010	14010	1.5
1765	044	2526	0.06	4430	3	65	100	3	6	3	7578	3148	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15156	10726	10726	2
1765	045	2483	0.06	3250	3	65	100	3	6	3	7449	4199	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	14898	11648	11648	2
1765	046	2483	0.06	3250	3	65	100	3	6	3	7449	4199	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	14898	11648	11648	2
1766	019	2463	0.06	3750	3	85	140	4	8	5	9852	6102	RTO-C	85	form-based			true	0.75	13	1.625	10	10	14778	11028	11028	1.5
1766	025	2464	0.06	4200	3	85	140	4	8	5	9856	5656	RTO-C	85	form-based			true	0.75	13	1.625	10	10	14784	10584	10584	1.5
1766	046	2500	0.06	4661	3	65	100	3	6	3	7500	2839	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15000	10339	10339	2
1767	002	2079	0.05	1970	1	65	100	3	5	4	6237	4267	NCD-INNE	85	form-based			true	0.75	11	2.200000048	10	9	12474	10504	10504	2
1767	003	2079	0.05	2000	1	65	100	3	5	4	6237	4237	NCD-INNE	85	form-based			true	0.75	11	2.200000048	10	9	12474	10474	10474	2
1767	023	2082	0.05	1170	1	85	140	4	7	6	8328	7158	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12492	11322	11322	1.5
1767	023A	2082	0.05	1170	1	85	140	4	7	6	8328	7158	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12492	11322	11322	1.5
1769	049	2500	0.06	3693	3	65	100	3	6	3	7500	3807	NCD-INNE	85	form-based	true		true	0.75	13	2.166666746	10	9	15000	11307	11307	2
1769	050	2500	0.06	2800	3	65	100	3	6	3	7500	4700	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15000	12200	12200	2
1770	001	2750	0.06	5145	4	65	100	3	6	2	8250	3105	NCD-INNE	85	form-based	true		true	0.75	14	2.333333254	10	8	16500	11355	11355	2
1770	036	2500	0.06	2462	3	65	100	3	6	3	7500	5038	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15000	12538	12538	2
1770	040	2500	0.06	2625	3	65	100	3	6	3	7500	4875	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15000	12375	12375	2
1770	041	2500	0.06	4538	3	65	100	3	6	3	7500	2962	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15000	10462	10462	2
1771	001	3281	0.08	6866	7	65	100	3	8	1	9843	2977	NCD-INNE	85	form-based	true		true	0.75	17	2.125	10	9	19686	12820	12820	2
1771	020	2474	0.06	3889	3	85	140	4	8	5	9896	6007	RTO-C	85	form-based			true	0.75	13	1.625	10	10	14844	10955	10955	1.5
1771	043	2314	0.05	2448	2	65	100	3	5	3	6942	4494	NCD-INNE	85	form-based			true	0.75	12	2.400000095	10	8	13884	11436	11436	2
1772	004M	2988	0.07	1800	1	65	100	3	7	6	8964	7164	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13446	11646	11646	1.5
1771	061	2524	0.06	1601	3	65	100	3	6	3	7572	5971	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15144	13543	13543	2
1772	004A	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12175	12175	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1772	004D	3000	0.07	1872	1	65	100	3	7	6	9000	7128	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11628	11628	1.5
1772	004E	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11925	11925	1.5
1772	004F	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11450	11450	1.5
1772	004G	3000	0.07	2499	1	65	100	3	7	6	9000	6501	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11001	11001	1.5
1772	004J	2988	0.07	1800	1	65	100	3	7	6	8964	7164	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13446	11646	11646	1.5
1772	004L	2988	0.07	1800	1	65	100	3	7	6	8964	7164	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13446	11646	11646	1.5
1772	004N	2988	0.07	2325	1	65	100	3	7	6	8964	6639	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13446	11121	11121	1.5
1772	004O	2988	0.07	1800	1	65	100	3	7	6	8964	7164	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13446	11646	11646	1.5
1772	004Q	3333	0.08	3300	2	65	100	3	8	6	9999	6699	RTO-C	65	form-based			true	0.75	12	1.5	10	10	14998.5	11698.5	11698.5	1.5
1772	005	2988	0.07	1485	1	65	100	3	7	6	8964	7479	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13446	11961	11961	1.5
1772	005C	2988	0.07	1475	1	65	100	3	7	6	8964	7489	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13446	11971	11971	1.5
1772	005G	2051	0.05	1350	1	65	100	3	5	4	6153	4803	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12306	10956	10956	2
1772	005I	2101	0.05	1710	1	65	100	3	5	4	6303	4593	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12606	10896	10896	2
1772	005P	3000	0.07	1955	1	65	100	3	7	6	9000	7045	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11545	11545	1.5
1772	016	2540	0.06	799	3	65	100	3	6	3	7620	6821	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15240	14441	14441	2
1773	004A	3000	0.07	1255	1	65	100	3	7	6	9000	7745	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12245	12245	1.5
1773	004B	3000	0.07	1240	1	65	100	3	7	6	9000	7760	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12260	12260	1.5
1774	013	2197	0.05	2500	2	65	100	3	5	3	6591	4091	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13182	10682	10682	2
1774	032	3000	0.07	1385	1	65	100	3	7	6	9000	7615	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12115	12115	1.5
1774	038	3640	0.08	3090	4	65	100	3	8	4	10920	7830	RTO-C	65	form-based			true	0.75	14	1.75	10	10	16380	13290	13290	1.5
1775	007	3030	0.07	2350	1	65	100	3	7	6	9090	6740	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13635	11285	11285	1.5
1775	014	3030	0.07	1709	1	65	100	3	7	6	9090	7381	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13635	11926	11926	1.5
1775	015	3030	0.07	1975	1	65	100	3	7	6	9090	7115	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13635	11660	11660	1.5
1775	016	3030	0.07	2402	1	65	100	3	7	6	9090	6688	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13635	11233	11233	1.5
1775	017	3030	0.07	1975	1	65	100	3	7	6	9090	7115	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13635	11660	11660	1.5
1775	018	3030	0.07	1975	1	65	100	3	7	6	9090	7115	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13635	11660	11660	1.5
1775	019	3030	0.07	1975	1	65	100	3	7	6	9090	7115	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13635	11660	11660	1.5
1775	030	2989	0.07	1575	1	65	100	3	7	6	8967	7392	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	11875.5	11875.5	1.5
1775	033	2989	0.07	1450	1	65	100	3	7	6	8967	7517	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	12000.5	12000.5	1.5
1775	034	2989	0.07	1275	1	65	100	3	7	6	8967	7692	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	12175.5	12175.5	1.5
1775	035	2989	0.07	1275	1	65	100	3	7	6	8967	7692	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	12175.5	12175.5	1.5
1775	036	2989	0.07	1823	1	65	100	3	7	6	8967	7144	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	11627.5	11627.5	1.5
1775	037	2989	0.07	1300	1	65	100	3	7	6	8967	7667	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	12150.5	12150.5	1.5
1775	038	2989	0.07	3075	1	65	100	3	7	6	8967	5892	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	10375.5	10375.5	1.5
1775	039	2989	0.07	1715	1	65	100	3	7	6	8967	7252	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	11735.5	11735.5	1.5
1775	040	2989	0.07	2396	1	65	100	3	7	6	8967	6571	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	11054.5	11054.5	1.5
1775	042	2989	0.07	1645	1	65	100	3	7	6	8967	7322	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	11805.5	11805.5	1.5
1775	043	2989	0.07	1310	1	65	100	3	7	6	8967	7657	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	12140.5	12140.5	1.5
1775	044	2989	0.07	2667	1	65	100	3	7	6	8967	6300	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	10783.5	10783.5	1.5
1775	045	2989	0.07	1250	1	65	100	3	7	6	8967	7717	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13450.5	12200.5	12200.5	1.5
1776	009V	2110	0.05	1225	1	85	140	4	7	6	8440	7215	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12660	11435	11435	1.5
1777	018A	2330	0.05	2400	2	85	140	4	7	5	9320	6920	RTO-C	85	form-based	true	true	true	0.75	12	1.714285731	10	10	13980	11580	11580	1.5
1780	020	2491	0.06	2027	3	85	140	4	8	5	9964	7937	RTO-C	85	form-based			true	0.75	13	1.625	10	10	14946	12919	12919	1.5
1780	021	2491	0.06	1400	3	85	140	4	8	5	9964	8564	RTO-C	85	form-based			true	0.75	13	1.625	10	10	14946	13546	13546	1.5
1781	025	2469	0.06	3338	3	65	100	3	6	3	7407	4069	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	14814	11476	11476	2
1781	044	2500	0.06	3934	3	65	100	3	6	3	7500	3566	NCD-IRVIN	85	form-based			true	0.75	13	2.166666746	10	9	15000	11066	11066	2
1782	016A	2471	0.06	2374	3	85	140	4	8	5	9884	7510	NC-1	85	form-based			true	0.75	13	1.625	10	10	14826	12452	12452	1.5
1784	031	2481	0.06	1625	3	65	100	3	6	3	7443	5818	NCD-JUDA	85	form-based			true	0.75	13	2.166666746	10	9	14886	13261	13261	2
1786	013	2426	0.06	3016	3	85	140	4	8	5	9704	6688	NCD-JUDA	85	form-based			true	0.75	13	1.625	10	10	14556	11540	11540	1.5
1786	015A	2479	0.06	2444	3	65	100	3	6	3	7437	4993	NCD-JUDA	85	form-based			true	0.75	13	2.166666746	10	9	14874	12430	12430	2
1787	015	2481	0.06	2960	3	65	100	3	6	3	7443	4483	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	14886	11926	11926	2
1789	018	2194	0.05	2974	2	85	140	4	7	5	8776	5802	RTO-C	85	form-based	true	true	true	0.75	12	1.714285731	10	10	13164	10190	10190	1.5
1789	018A	2172	0.05	1985	1	85	140	4	7	6	8688	6703	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	13032	11047	11047	1.5
1789	018B	2172	0.05	2047	1	85	140	4	7	6	8688	6641	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	13032	10985	10985	1.5
1789	018C	2172	0.05	1463	1	85	140	4	7	6	8688	7225	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	13032	11569	11569	1.5
1789	018D	2172	0.05	1463	1	85	140	4	7	6	8688	7225	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	13032	11569	11569	1.5
1789	018E	2172	0.05	1463	1	85	140	4	7	6	8688	7225	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	13032	11569	11569	1.5
1789	018F	2172	0.05	1805	1	85	140	4	7	6	8688	6883	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	13032	11227	11227	1.5
1789	018G	2173	0.05	1463	1	85	140	4	7	6	8692	7229	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	13038	11575	11575	1.5
1793	056	2492	0.06	3435	3	65	100	3	6	3	7476	4041	NC-1	85	form-based			true	0.75	13	2.166666746	10	9	14952	11517	11517	2
1794	022	2046	0.05	1511	1	85	140	4	7	6	8184	6673	RTO-C	85	form-based	true	true	true	0.75	11	1.571428537	10	10	12276	10765	10765	1.5
1794	023	2062	0.05	1969	1	85	140	4	7	6	8248	6279	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12372	10403	10403	1.5
1794	024	2062	0.05	1974	1	85	140	4	7	6	8248	6274	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12372	10398	10398	1.5
1795	007	5160	0.12	2492	1	65	100	3	12	11	15480	12988	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14448	11956	11956	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1796	016A	2074	0.05	1724	1	65	100	3	5	4	6222	4498	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12444	10720	10720	2
1796	017	2074	0.05	1225	1	65	100	3	5	4	6222	4997	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12444	11219	11219	2
1796	017A	2068	0.05	1470	1	65	100	3	5	4	6204	4734	RTO-C	85	form-based		true	true	0.75	11	2.200000048	10	9	12408	10938	10938	2
1796	034	3796	0.09	4271	4	65	100	3	9	5	11388	7117	RTO-C	65	form-based		true	true	0.75	14	1.555555582	10	10	17082	12811	12811	1.5
1796	042	2873	0.07	4807	5	65	100	3	7	2	8619	3812	RTO-C	85	form-based		true	true	0.75	15	2.142857075	10	9	17238	12431	12431	2
1798	027	2386	0.05	2645	3	85	140	4	7	4	9544	6899	NC-1	85	form-based		true	true	0.75	13	1.857142806	10	10	14316	11671	11671	1.5
1799	015	2379	0.05	1829	2	65	100	3	5	3	7137	5308	NC-1	85	form-based			true	0.75	12	2.400000095	10	8	14274	12445	12445	2
1799	021	2375	0.05	2716	2	65	100	3	5	3	7125	4409	NC-1	85	form-based			true	0.75	12	2.400000095	10	8	14250	11534	11534	2
1802	018	2500	0.06	4950	3	85	140	4	8	5	10000	5050	RTO-C	85	form-based			true	0.75	13	1.625	10	10	15000	10050	10050	1.5
1807	034	3250	0.07	5965	7	65	100	3	7	0	9750	3785	RTO-C	85	form-based		true	true	0.75	17	2.428571463	10	7	19500	13535	13535	2
1807	040	2500	0.06	3612	3	85	140	4	8	5	10000	6388	NC-1	85	form-based			true	0.75	13	1.625	10	10	15000	11388	11388	1.5
1808	049	1865	0.04	1500	0	85	140	4	6	6	7460	5960	NC-1	85	form-based			true	0.75	10	1.666666627	10	10	11190	9690	9690	1.5
1808	053	1865	0.04	1618	0	85	140	4	6	6	7460	5842	NC-1	85	form-based			true	0.75	10	1.666666627	10	10	11190	9572	9572	1.5
1808	054	1865	0.04	1470	0	85	140	4	6	6	7460	5990	NC-1	85	form-based			true	0.75	10	1.666666627	10	10	11190	9720	9720	1.5
1811	001	2103	0.05	1225	1	85	140	4	7	6	8412	7187	RTO-C	85	form-based		true	true	0.75	11	1.571428537	10	10	12618	11393	11393	1.5
1811	001B	2103	0.05	1350	1	85	140	4	7	6	8412	7062	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12618	11268	11268	1.5
1811	001C	2103	0.05	1350	1	85	140	4	7	6	8412	7062	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12618	11268	11268	1.5
1816	001C	2366	0.05	2420	2	65	100	3	5	3	7098	4678	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	14196	11776	11776	2
1816	043	2375	0.05	2864	2	65	100	3	5	3	7125	4261	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	14250	11386	11386	2
1818	001A	2108	0.05	1500	1	65	100	3	5	4	6324	4824	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12648	11148	11148	2
1818	001B	2108	0.05	1940	1	65	100	3	5	4	6324	4384	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12648	10708	10708	2
1821	001	2462	0.06	3300	3	65	100	3	6	3	7386	4086	NCD-JUDA	85	form-based		true	true	0.75	13	2.166666746	10	9	14772	11472	11472	2
1821	033	2500	0.06	5062	3	65	100	3	6	3	7500	2438	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	9938	9938	2
1821	037	2500	0.06	5430	3	65	100	3	6	3	7500	2070	NCD-JUDA	85	form-based			true	0.75	13	2.166666746	10	9	15000	9570	9570	2
1822	030	2500	0.06	3232	3	65	100	3	6	3	7500	4268	NCD-JUDA	85	form-based			true	0.75	13	2.166666746	10	9	15000	11768	11768	2
1822	039	2500	0.06	1663	3	85	140	4	8	5	10000	8337	NCD-JUDA	85	form-based			true	0.75	13	1.625	10	10	15000	13337	13337	1.5
1822	042	2500	0.06	1663	3	85	140	4	8	5	10000	8337	NCD-JUDA	85	form-based			true	0.75	13	1.625	10	10	15000	13337	13337	1.5
1826	039	2489	0.06	3000	3	85	140	4	8	5	9956	6956	NC-1	85	form-based			true	0.75	13	1.625	10	10	14934	11934	11934	1.5
1827	037A	2500	0.06	4190	3	65	100	3	6	3	7500	3310	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	10810	10810	2
1827	040A	2500	0.06	3104	3	65	100	3	6	3	7500	4396	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	11896	11896	2
1831	046	2500	0.06	2240	3	85	140	4	8	5	10000	7760	RTO-C	85	form-based			true	0.75	13	1.625	10	10	15000	12760	12760	1.5
1831	055	2243	0.05	3323	2	85	140	4	7	5	8972	5649	RTO-C	85	form-based		true	true	0.75	12	1.714285731	10	10	13458	10135	10135	1.5
1832	001A	2370	0.05	3445	2	85	140	4	7	5	9480	6035	RTO-C	85	form-based			true	0.75	12	1.714285731	10	10	14220	10775	10775	1.5
1832	001B	2370	0.05	3309	2	85	140	4	7	5	9480	6171	RTO-C	85	form-based			true	0.75	12	1.714285731	10	10	14220	10911	10911	1.5
1832	001C	2370	0.05	3050	2	85	140	4	7	5	9480	6430	RTO-C	85	form-based			true	0.75	12	1.714285731	10	10	14220	11170	11170	1.5
1832	044	2375	0.05	2161	2	85	140	4	7	5	9500	7339	RTO-C	85	form-based		true	true	0.75	12	1.714285731	10	10	14250	12089	12089	1.5
1833	001	3116	0.07	5942	6	65	100	3	7	1	9348	3406	RTO-C	85	form-based		true	true	0.75	16	2.285714388	10	8	18696	12754	12754	2
1833	006	2966	0.07	2404	1	65	100	3	7	6	8898	6494	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13347	10943	10943	1.5
1833	007	2966	0.07	1425	1	65	100	3	7	6	8898	7473	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13347	11922	11922	1.5
1833	009	2966	0.07	3752	1	65	100	3	7	6	8898	5146	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13347	9595	9595	1.5
1833	016	2978	0.07	1475	1	65	100	3	7	6	8934	7459	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13401	11926	11926	1.5
1833	020	3027	0.07	1380	1	65	100	3	7	6	9081	7701	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13621.5	12241.5	12241.5	1.5
1833	021	3027	0.07	1580	1	65	100	3	7	6	9081	7501	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13621.5	12041.5	12041.5	1.5
1833	022	3027	0.07	1825	1	65	100	3	7	6	9081	7256	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13621.5	11796.5	11796.5	1.5
1833	023	3027	0.07	1115	1	65	100	3	7	6	9081	7966	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13621.5	12506.5	12506.5	1.5
1833	024	3027	0.07	1300	1	65	100	3	7	6	9081	7781	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13621.5	12321.5	12321.5	1.5
1833	024A	3027	0.07	2305	1	65	100	3	7	6	9081	6776	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13621.5	11316.5	11316.5	1.5
1833	025	3027	0.07	1425	1	65	100	3	7	6	9081	7656	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13621.5	12196.5	12196.5	1.5
1833	030	3027	0.07	946	1	65	100	3	7	6	9081	8135	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13621.5	12675.5	12675.5	1.5
1833	040	3716	0.09	4500	4	65	100	3	9	5	11148	6648	RTO-C	65	form-based			true	0.75	14	1.555555582	10	10	16722	12222	12222	1.5
1834	001F	3027	0.07	1979	1	65	100	3	7	6	9081	7102	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13621.5	11642.5	11642.5	1.5
1834	001H	3027	0.07	1325	1	65	100	3	7	6	9081	7756	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13621.5	12296.5	12296.5	1.5
1834	001J	3027	0.07	1325	1	65	100	3	7	6	9081	7756	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13621.5	12296.5	12296.5	1.5
1834	001N	3027	0.07	1380	1	85	140	4	10	9	12108	10728	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13621.5	12241.5	12241.5	1.125
1834	001P	2635	0.06	3510	4	65	100	3	6	2	7905	4395	RTO-C	85	form-based			true	0.75	14	2.333333254	10	8	15810	12300	12300	2
1834	011	2168	0.05	1530	1	65	100	3	5	4	6504	4974	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	13008	11478	11478	2
1834	021	3027	0.07	1429	1	65	100	3	7	6	9081	7652	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13621.5	12192.5	12192.5	1.5
1834	022	3015	0.07	1594	1	65	100	3	7	6	9045	7451	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13567.5	11973.5	11973.5	1.5
1834	023	3015	0.07	1373	1	65	100	3	7	6	9045	7672	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13567.5	12194.5	12194.5	1.5
1834	025	3015	0.07	1050	1	65	100	3	7	6	9045	7995	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13567.5	12517.5	12517.5	1.5
1834	026A	3027	0.07	2510	1	65	100	3	7	6	9081	6571	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13621.5	11111.5	11111.5	1.5
1834	027	3027	0.07	1855	1	65	100	3	7	6	9081	7226	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13621.5	11766.5	11766.5	1.5
1834	035	2280	0.05	2600	2	85	140	4	7	5	9120	6520	RTO-C	85	form-based			true	0.75	12	1.714285731	10	10	13680	11080	11080	1.5
1835	005	3000	0.07	1610	1	65	100	3	7	6	9000	7390	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11890	11890	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1835	007	3000	0.07	1205	1	65	100	3	7	6	9000	7795	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12295	12295	1.5
1835	008	3000	0.07	1205	1	65	100	3	7	6	9000	7795	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12295	12295	1.5
1835	009	3000	0.07	2475	1	65	100	3	7	6	9000	6525	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11025	11025	1.5
1835	011A	3000	0.07	1955	1	65	100	3	7	6	9000	7045	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11545	11545	1.5
1835	012	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12150	12150	1.5
1835	013	3000	0.07	985	1	65	100	3	7	6	9000	8015	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12515	12515	1.5
1835	014	3000	0.07	1630	1	65	100	3	7	6	9000	7370	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11870	11870	1.5
1835	051	2013	0.05	995	1	65	100	3	5	4	6039	5044	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12078	11083	11083	2
1836	001A	2363	0.05	2583	2	65	100	3	5	3	7089	4506	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	14178	11595	11595	2
1838	001	2181	0.05	3765	1	85	140	4	7	6	8724	4959	RTO-C	85	form-based		true	true	0.75	11	1.571428537	10	10	13086	9321	9321	1.5
1838	001L	2181	0.05	1187	1	85	140	4	7	6	8724	7537	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	13086	11899	11899	1.5
1838	001Q	2181	0.05	1275	1	85	140	4	7	6	8724	7449	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	13086	11811	11811	1.5
1838	001R	2181	0.05	1425	1	85	140	4	7	6	8724	7299	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	13086	11661	11661	1.5
1839	022H	2621	0.06	4200	4	85	140	4	8	4	10484	6284	RTO-C	85	form-based		true	true	0.75	14	1.75	10	10	15726	11526	11526	1.5
1840	037	2074	0.05	1200	1	85	140	4	7	6	8296	7096	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12444	11244	11244	1.5
1840	037A	2074	0.05	1200	1	85	140	4	7	6	8296	7096	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12444	11244	11244	1.5
1840	037B	2074	0.05	1200	1	85	140	4	7	6	8296	7096	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12444	11244	11244	1.5
1840	037C	2074	0.05	1200	1	85	140	4	7	6	8296	7096	RTO-C	85	form-based		true	true	0.75	11	1.571428537	10	10	12444	11244	11244	1.5
1841	001C	2369	0.05	2500	2	85	140	4	7	5	9476	6976	RTO-C	85	form-based			true	0.75	12	1.714285731	10	10	14214	11714	11714	1.5
1841	032	2375	0.05	2750	2	85	140	4	7	5	9500	6750	RTO-C	85	form-based			true	0.75	12	1.714285731	10	10	14250	11500	11500	1.5
1841	033	2375	0.05	2720	2	85	140	4	7	5	9500	6780	RTO-C	85	form-based			true	0.75	12	1.714285731	10	10	14250	11530	11530	1.5
1842	041	2086	0.05	1875	1	85	140	4	7	6	8344	6469	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12516	10641	10641	1.5
1843	044	2250	0.05	2000	2	65	100	3	5	3	6750	4750	RTO-C	85	form-based		true	true	0.75	12	2.400000095	10	8	13500	11500	11500	2
1845	043	2500	0.06	3225	3	85	140	4	8	5	10000	6775	NCD-INNE	85	form-based			true	0.75	13	1.625	10	10	15000	11775	11775	1.5
1846	007	3015	0.07	2125	1	65	100	3	7	6	9045	6920	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13567.5	11442.5	11442.5	1.5
1846	014A	3015	0.07	2050	1	65	100	3	7	6	9045	6995	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13567.5	11517.5	11517.5	1.5
1847	031	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12000	12000	1.5
1847	032	3000	0.07	2152	1	65	100	3	7	6	9000	6848	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11348	11348	1.5
1847	033	3000	0.07	1950	1	65	100	3	7	6	9000	7050	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11550	11550	1.5
1847	037	3000	0.07	1012	1	65	100	3	7	6	9000	7988	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12488	12488	1.5
1847	041	3000	0.07	2425	1	65	100	3	7	6	9000	6575	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11075	11075	1.5
1847	043	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12375	12375	1.5
1847	045	3000	0.07	1566	1	65	100	3	7	6	9000	7434	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11934	11934	1.5
1847	046	2951	0.07	2040	1	65	100	3	7	6	8853	6813	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13279.5	11239.5	11239.5	1.5
1852	012	3000	0.07	1598	1	65	100	3	7	6	9000	7402	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11902	11902	1.5
1852	013	3000	0.07	1564	1	65	100	3	7	6	9000	7436	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11936	11936	1.5
1852	014	3000	0.07	1564	1	65	100	3	7	6	9000	7436	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11936	11936	1.5
1852	015	3000	0.07	1564	1	65	100	3	7	6	9000	7436	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11936	11936	1.5
1852	016	3000	0.07	1564	1	65	100	3	7	6	9000	7436	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11936	11936	1.5
1852	017	3000	0.07	1564	1	65	100	3	7	6	9000	7436	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11936	11936	1.5
1853	003A	3015	0.07	2280	1	65	100	3	7	6	9045	6765	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13567.5	11287.5	11287.5	1.5
1853	003B	3015	0.07	1460	1	65	100	3	7	6	9045	7585	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13567.5	12107.5	12107.5	1.5
1853	003C	3015	0.07	1488	1	65	100	3	7	6	9045	7557	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13567.5	12079.5	12079.5	1.5
1853	004	3015	0.07	1775	1	65	100	3	7	6	9045	7270	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13567.5	11792.5	11792.5	1.5
1853	004A	3015	0.07	1500	1	65	100	3	7	6	9045	7545	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13567.5	12067.5	12067.5	1.5
1853	004B	3015	0.07	1500	1	65	100	3	7	6	9045	7545	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13567.5	12067.5	12067.5	1.5
1853	004C	3015	0.07	1500	1	65	100	3	7	6	9045	7545	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13567.5	12067.5	12067.5	1.5
1861B	003	5044	0.12	1200	1	65	100	3	12	11	15132	13932	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14123.2002	12923.2002	12923.2002	0.933333
1862A	003A	5352	0.12	1400	1	65	100	3	12	11	16056	14656	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14985.59961	13585.59961	13585.59961	0.933333
1864	001A	2093	0.05	1533	1	65	100	3	5	4	6279	4746	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12558	11025	11025	2
1864	001N	2272	0.05	3272	2	65	100	3	5	3	6816	3544	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13632	10360	10360	2
1864	031	2272	0.05	1750	2	65	100	3	5	3	6816	5066	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13632	11882	11882	2
1864	032	2272	0.05	1750	2	65	100	3	5	3	6816	5066	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13632	11882	11882	2
1864	033	2272	0.05	1750	2	65	100	3	5	3	6816	5066	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13632	11882	11882	2
1864	034	2272	0.05	1750	2	65	100	3	5	3	6816	5066	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13632	11882	11882	2
1864	035	2272	0.05	1750	2	65	100	3	5	3	6816	5066	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13632	11882	11882	2
1891	012	5220	0.12	1740	1	65	100	3	12	11	15660	13920	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14616	12876	12876	0.933333
1924	053	2425	0.06	1546	3	55	80	2.5	5	2	6062	4516	RTO-C	85	form-based			true	0.75	13	2.599999905	10	7	14550	13004	10578	2.400198
1925	015A	2654	0.06	3400	4	55	80	2.5	5	1	6635	3235	RTO-C	85	form-based			true	0.75	14	2.799999952	10	6	15924	12524	9870	2.4
1928	030	5406	0.12	3974	1	55	80	2.5	10	9	13515	9541	RH-1	40	form-based		true	true	0.7	11	1.100000024	10	10	15136.7998	11162.7998	11162.7998	1.12
1931	032	5129	0.12	2361	1	55	80	2.5	10	9	12822	10461	RH-2	40	form-based			true	0.7	11	1.100000024	10	10	14361.2002	12000.2002	12000.2002	1.120044
1934	004	6000	0.14	5114	3	55	80	2.5	11	8	15000	9886	RH-2	40	form-based			true	0.7	13	1.181818128	10	10	16800	11686	11686	1.12
2001	051	4993	0.11	2166	0	55	80	2.5	9	9	12482	10316	RH-2	40	form-based			true	0.7	10	1.111111164	10	10	13980.39941	11814.39941	11814.39941	1.120045
2014	004I	2063	0.05	1350	1	55	80	2.5	4	3	5158	3808	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12378	11028	8966	2.399767

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2014	004J	2145	0.05	1729	1	55	80	2.5	4	3	5362	3633	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12870	11141	8995	2.400224
2015	019B	2063	0.05	1250	1	55	80	2.5	4	3	5158	3908	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12378	11128	9066	2.399767
2016	022	2188	0.05	1466	1	55	80	2.5	4	3	5470	4004	RTO-C	85	form-based			true	0.75	11	2.75	10	7	13128	11662	9474	2.4
2016	023	2058	0.05	1355	1	55	80	2.5	4	3	5145	3790	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12348	10993	8935	2.4
2016	029	2048	0.05	1700	1	55	80	2.5	4	3	5120	3420	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12288	10588	8540	2.4
2016	030	2177	0.05	1025	1	55	80	2.5	4	3	5442	4417	RTO-C	85	form-based			true	0.75	11	2.75	10	7	13062	12037	9859	2.40022
2017	048	2418	0.06	5756	3	55	80	2.5	5	2	6045	289	NCD-NORI	85	form-based		true	true	0.75	13	2.599999905	10	7	14508	8752	6334	2.4
2020	012C	2167	0.05	1788	1	55	80	2.5	4	3	5418	3630	RTO-C	85	form-based		true	true	0.75	11	2.75	10	7	13002	11214	9048	2.399779
2022	018F	2170	0.05	1491	1	55	80	2.5	4	3	5425	3934	RTO-C	85	form-based			true	0.75	11	2.75	10	7	13020	11529	9359	2.4
2022	018G	2170	0.05	2245	1	55	80	2.5	4	3	5425	3180	RTO-C	85	form-based		true	true	0.75	11	2.75	10	7	13020	10775	8605	2.4
2023	030	2062	0.05	1520	1	55	80	2.5	4	3	5155	3635	NCD-NORI	85	form-based			true	0.75	11	2.75	10	7	12372	10852	8790	2.4
2023	031	2063	0.05	2270	1	55	80	2.5	4	3	5158	2888	NCD-NORI	85	form-based			true	0.75	11	2.75	10	7	12378	10108	8046	2.399767
2027	016	2355	0.05	5770	2	55	80	2.5	4	2	5888	118	NCD-NORI	85	form-based			true	0.75	12	3	10	6	14130	8360	6006	2.399796
2029	025	1896	0.04	0	0	55	80	2.5	3	3	4740	4740	NCD-NORI	85	form-based			true	0.75	10	3.333333254	10	6	11376	11376	9480	2.4
2030	012A	1904	0.04	1662	0	55	80	2.5	3	3	4760	3098	NCD-NORI	85	form-based			true	0.75	10	3.333333254	10	6	11424	9762	7858	2.4
2031	022	2248	0.05	2750	2	55	80	2.5	4	2	5620	2870	RTO-C	85	form-based			true	0.75	12	3	10	6	13488	10738	8490	2.4
2031	023A	2248	0.05	2250	2	55	80	2.5	4	2	5620	3370	RTO-C	85	form-based			true	0.75	12	3	10	6	13488	11238	8990	2.4
2032	008	2063	0.05	1450	1	55	80	2.5	4	3	5158	3708	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12378	10928	8866	2.399767
2034A	001E	4589	0.11	0	0	55	80	2.5	9	9	11472	11472	RH-1	40	form-based			true	0.7	10	1.111111164	10	10	12849.2002	12849.2002	12849.2002	1.120049
2040	009	5155	0.12	2290	1	55	80	2.5	10	9	12888	10598	RH-2	40	form-based			true	0.7	11	1.100000024	10	10	14434	12144	12144	1.119956
2040	034	5100	0.12	1640	1	55	80	2.5	10	9	12750	11110	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14280	12640	12640	1.12
2042	029	6724	0.15	2834	4	55	80	2.5	12	8	16810	13976	RH-2	40	form-based			true	0.7	14	1.166666627	10	10	18827.19922	15993.19922	15993.19922	1.12
2128	001	5273	0.12	3306	1	55	80	2.5	10	9	13182	9876	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14764.39941	11458.39941	11458.39941	1.120042
2130A	012	5365	0.12	3291	1	55	80	2.5	10	9	13412	10121	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	15022	11731	11731	1.120042
2131A	012	5408	0.12	2256	1	55	80	2.5	10	9	13520	11264	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	15142.39941	12886.39941	12886.39941	1.12
2133A	013	5083	0.12	1395	1	55	80	2.5	10	9	12708	11313	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14232.39941	12837.39941	12837.39941	1.119956
2136	003C	5364	0.12	2570	1	55	80	2.5	10	9	13410	10840	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15019.2002	12449.2002	12449.2002	1.12
2138	010	3915	0.09	10752	11	55	80	2.5	7	0	9788	0	RTO-C	85	form-based		true	true	0.75	21	3	10	3	23490	12738	8824	2.399877
2138	016	2229	0.05	2912	2	55	80	2.5	4	2	5572	2660	RTO-C	85	form-based			true	0.75	12	3	10	6	13374	10462	8232	2.400215
2138	021	2229	0.05	3959	2	55	80	2.5	4	2	5572	1613	RTO-C	85	form-based			true	0.75	12	3	10	6	13374	9415	7185	2.400215
2138	022	2229	0.05	3959	2	55	80	2.5	4	2	5572	1613	RTO-C	85	form-based			true	0.75	12	3	10	6	13374	9415	7185	2.400215
2138	023	2229	0.05	1975	2	55	80	2.5	4	2	5572	3597	RTO-C	85	form-based			true	0.75	12	3	10	6	13374	11399	9169	2.400215
2175	031	4971	0.11	1889	0	55	80	2.5	9	9	12428	10539	RH-1	40	form-based			true	0.7	10	1.111111164	10	10	13918.7998	12029.7998	12029.7998	1.119955
2199	003I	2250	0.05	2500	2	55	80	2.5	4	2	5625	3125	RTO-C	85	form-based			true	0.75	12	3	10	6	13500	11000	8750	2.4
2199	003J	2250	0.05	2500	2	55	80	2.5	4	2	5625	3125	RTO-C	85	form-based			true	0.75	12	3	10	6	13500	11000	8750	2.4
2199	008C	2134	0.05	905	1	55	80	2.5	4	3	5335	4430	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12804	11899	9765	2.4
2199	011A	2051	0.05	2144	1	55	80	2.5	4	3	5128	2984	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12306	10162	8112	2.399766
2199	011B	2084	0.05	1300	1	55	80	2.5	4	3	5210	3910	RTO-C	85	form-based			true	0.75	11	2.75	10	7	12504	11204	9120	2.4
2199	012	2328	0.05	2500	2	55	80	2.5	4	2	5820	3320	RTO-C	85	form-based			true	0.75	12	3	10	6	13968	11468	9140	2.4
2199	012A	2362	0.05	2500	2	55	80	2.5	4	2	5905	3405	RTO-C	85	form-based			true	0.75	12	3	10	6	14172	11672	9310	2.4
2199	013	2293	0.05	2500	2	55	80	2.5	4	2	5732	3232	RTO-C	85	form-based			true	0.75	12	3	10	6	13758	11258	8964	2.400209
2208	011	5296	0.12	4011	1	55	80	2.5	10	9	13240	9229	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14828.7998	10817.7998	10817.7998	1.12
2329	004A	5000	0.11	6326	0	65	100	3	11	11	15000	8674	RH-2	40	form-based			true	0.7	10	0.909090936	10	10	14000	7674	7674	0.933333
2330	001	2173	0.05	2125	1	65	100	3	5	4	6519	4394	RTO-C	85	form-based		true	true	0.75	11	2.200000048	10	9	13038	10913	10913	2
2330	001B	2065	0.05	1300	1	65	100	3	5	4	6195	4895	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12390	11090	11090	2
2330	001C	2065	0.05	1300	1	65	100	3	5	4	6195	4895	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12390	11090	11090	2
2331	002B	2068	0.05	1250	1	65	100	3	5	4	6204	4954	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12408	11158	11158	2
2331	014	2344	0.05	5006	2	65	100	3	5	3	7032	2026	RTO-C	85	form-based		true	true	0.75	12	2.400000095	10	8	14064	9058	9058	2
2338	002	5387	0.12	2240	1	55	80	2.5	10	9	13468	11228	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	15083.59961	12843.59961	12843.59961	1.119958
2341	017	3000	0.07	1815	1	65	100	3	7	6	9000	7185	NCD-INNE	65	form-based			true	0.75	11	1.571428537	10	10	13500	11685	11685	1.5
2343	019A	2500	0.06	5262	3	85	140	4	8	5	10000	4738	NCD-INNE	85	form-based			true	0.75	13	1.625	10	10	15000	9738	9738	1.5
2345A	022	2280	0.05	1488	2	85	140	4	7	5	9120	7632	NCD-INNE	85	form-based			true	0.75	12	1.714285731	10	10	13680	12192	12192	1.5
2346	001B	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12050	12050	1.5
2346	002	3000	0.07	2150	1	65	100	3	7	6	9000	6850	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11350	11350	1.5
2346	004	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12075	12075	1.5
2346	005	3000	0.07	2268	1	65	100	3	7	6	9000	6732	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11232	11232	1.5
2346	005A	3000	0.07	1495	1	65	100	3	7	6	9000	7505	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12005	12005	1.5
2346	006	3000	0.07	1495	1	65	100	3	7	6	9000	7505	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12005	12005	1.5
2346	007	3000	0.07	1711	1	65	100	3	7	6	9000	7289	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11789	11789	1.5
2346	007A	3000	0.07	1446	1	65	100	3	7	6	9000	7554	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12054	12054	1.5
2346	007B	3000	0.07	2281	1	65	100	3	7	6	9000	6719	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11219	11219	1.5
2346	007C	3000	0.07	1460	1	65	100	3	7	6	9000	7540	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12040	12040	1.5
2346	008	3000	0.07	2150	1	65	100	3	7	6	9000	6850	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11350	11350	1.5
2346	008A	3000	0.07	2715	1	65	100	3	7	6	9000	6285	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	10785	10785	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2346	020	2998	0.07	2284	1	65	100	3	7	6	8994	6710	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13491	11207	11207	1.5
2346	021	2997	0.07	1874	1	65	100	3	7	6	8991	7117	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13486.5	11612.5	11612.5	1.5
2346	022	2997	0.07	1730	1	65	100	3	7	6	8991	7261	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13486.5	11756.5	11756.5	1.5
2346	023A	2996	0.07	1450	1	65	100	3	7	6	8988	7538	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13482	12032	12032	1.5
2346	025	2996	0.07	1350	1	65	100	3	7	6	8988	7638	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13482	12132	12132	1.5
2346	025A	2996	0.07	1750	1	65	100	3	7	6	8988	7238	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13482	11732	11732	1.5
2346	030	2994	0.07	2100	1	65	100	3	7	6	8982	6882	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13473	11373	11373	1.5
2346	031	2994	0.07	1953	1	65	100	3	7	6	8982	7029	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13473	11520	11520	1.5
2347	002	3000	0.07	1595	1	65	100	3	7	6	9000	7405	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11905	11905	1.5
2347	002A	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12125	12125	1.5
2347	002B	3000	0.07	1775	1	65	100	3	7	6	9000	7225	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11725	11725	1.5
2347	003	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12275	12275	1.5
2347	003A	2880	0.07	1600	1	65	100	3	7	6	8640	7040	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	12960	11360	11360	1.5
2347	004	2884	0.07	1350	1	65	100	3	7	6	8652	7302	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	12978	11628	11628	1.5
2347	005	3000	0.07	2267	1	65	100	3	7	6	9000	6733	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11233	11233	1.5
2347	007A	3000	0.07	1025	1	85	140	4	10	9	12000	10975	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13500	12475	12475	1.125
2347	017	2276	0.05	3045	2	85	140	4	7	5	9104	6059	RTO-C	85	form-based			true	0.75	12	1.714285731	10	10	13656	10611	10611	1.5
2347	026C	2035	0.05	1993	1	65	100	3	5	4	6105	4112	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12210	10217	10217	2
2347	026D	2104	0.05	1665	1	65	100	3	5	4	6312	4647	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12624	10959	10959	2
2348	013C	2024	0.05	4591	0	85	140	4	7	7	8096	3505	RH-2	85	form-based	true		true	0.7	10	1.428571463	10	10	11334.39941	6743.399414	6743.399414	1.4
2348	027	2975	0.07	2205	1	65	100	3	7	6	8925	6720	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13387.5	11182.5	11182.5	1.5
2348	031	2978	0.07	2030	1	65	100	3	7	6	8934	6904	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13401	11371	11371	1.5
2348	031A	2979	0.07	1971	1	65	100	3	7	6	8937	6966	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13405.5	11434.5	11434.5	1.5
2348	035	3066	0.07	1150	1	65	100	3	7	6	9198	8048	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13797	12647	12647	1.5
2348	038	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11925	11925	1.5
2348	042	3061	0.07	1250	1	65	100	3	7	6	9183	7933	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13774.5	12524.5	12524.5	1.5
2349	003	3003	0.07	1800	1	65	100	3	7	6	9009	7209	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13513.5	11713.5	11713.5	1.5
2349	003A	3003	0.07	890	1	65	100	3	7	6	9009	8119	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13513.5	12623.5	12623.5	1.5
2349	004	3003	0.07	1759	1	65	100	3	7	6	9009	7250	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13513.5	11754.5	11754.5	1.5
2349	005	3004	0.07	1425	1	65	100	3	7	6	9012	7587	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13518	12093	12093	1.5
2349	005A	3004	0.07	1023	1	65	100	3	7	6	9012	7989	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13518	12495	12495	1.5
2349	006	3004	0.07	1516	1	65	100	3	7	6	9012	7496	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13518	12002	12002	1.5
2349	007	3004	0.07	1358	1	65	100	3	7	6	9012	7654	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13518	12160	12160	1.5
2349	008	3005	0.07	1348	1	65	100	3	7	6	9015	7667	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13522.5	12174.5	12174.5	1.5
2349	010	3005	0.07	2115	1	65	100	3	7	6	9015	6900	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13522.5	11407.5	11407.5	1.5
2349	023	3000	0.07	2297	1	65	100	3	7	6	9000	6703	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11203	11203	1.5
2349	026	3000	0.07	1128	1	65	100	3	7	6	9000	7872	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12372	12372	1.5
2349	027	3000	0.07	2285	1	65	100	3	7	6	9000	6715	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11215	11215	1.5
2349	033	3000	0.07	1820	1	65	100	3	7	6	9000	7180	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11680	11680	1.5
2349	034	3000	0.07	2700	1	65	100	3	7	6	9000	6300	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	10800	10800	1.5
2349	035	3000	0.07	2145	1	65	100	3	7	6	9000	6855	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11355	11355	1.5
2349	037	3064	0.07	1750	1	65	100	3	7	6	9192	7442	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13788	12038	12038	1.5
2350	018	2500	0.06	3875	3	85	140	4	8	5	10000	6125	NCD-TARA	85	form-based			true	0.75	13	1.625	10	10	15000	11125	11125	1.5
2350	021	2500	0.06	2497	3	85	140	4	8	5	10000	7503	NCD-TARA	85	form-based			true	0.75	13	1.625	10	10	15000	12503	12503	1.5
2354	002	5220	0.12	2284	1	65	100	3	12	11	15660	13376	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14616	12332	12332	0.933333
2354	009	2500	0.06	3507	3	85	140	4	8	5	10000	6493	NCD-TARA	85	form-based			true	0.75	13	1.625	10	10	15000	11493	11493	1.5
2356	009	1875	0.04	3600	0	65	100	3	4	4	5625	2025	NCD-TARA	85	form-based			true	0.75	10	2.5	10	8	11250	7650	7650	2
2358	014	2500	0.06	1330	3	85	140	4	8	5	10000	8670	NCD-TARA	85	form-based			true	0.75	13	1.625	10	10	15000	13670	13670	1.5
2359	013	2500	0.06	4160	3	85	140	4	8	5	10000	5840	NCD-TARA	85	form-based			true	0.75	13	1.625	10	10	15000	10840	10840	1.5
2360	031	2500	0.06	1512	3	85	140	4	8	5	10000	8488	NCD-TARA	85	form-based			true	0.75	13	1.625	10	10	15000	13488	13488	1.5
2362	036	5183	0.12	1425	1	65	100	3	12	11	15549	14124	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14512.39941	13087.39941	13087.39941	0.933333
2362	044	5092	0.12	2700	1	65	100	3	12	11	15276	12576	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14257.59961	11557.59961	11557.59961	0.933333
2364	021	2500	0.06	2124	3	65	100	3	6	3	7500	5376	NCD-TARA	85	form-based			true	0.75	13	2.166666746	10	9	15000	12876	12876	2
2366	021	2059	0.05	2240	1	65	100	3	5	4	6177	3937	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12354	10114	10114	2
2366	021A	2059	0.05	2015	1	65	100	3	5	4	6177	4162	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12354	10339	10339	2
2366	021B	2058	0.05	1415	1	85	140	4	7	6	8232	6817	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12348	10933	10933	1.5
2367	036	2500	0.06	3202	3	65	100	3	6	3	7500	4298	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	11798	11798	2
2367	037	2500	0.06	3202	3	65	100	3	6	3	7500	4298	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	15000	11798	11798	2
2372	023	2500	0.06	3163	3	85	140	4	8	5	10000	6837	RTO-C	85	form-based			true	0.75	13	1.625	10	10	15000	11837	11837	1.5
2373	025B	2076	0.05	1200	1	85	140	4	7	6	8304	7104	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12456	11256	11256	1.5
2379	043	2500	0.06	2556	3	85	140	4	8	5	10000	7444	NC-1	85	form-based			true	0.75	13	1.625	10	10	15000	12444	12444	1.5
2384	026A	2062	0.05	1605	1	85	140	4	7	6	8248	6643	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12372	10767	10767	1.5
2384	026B	2063	0.05	974	1	85	140	4	7	6	8252	7278	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12378	11404	11404	1.5
2384	026C	2062	0.05	1503	1	85	140	4	7	6	8248	6745	RTO-C	85	form-based	true		true	0.75	11	1.571428537	10	10	12372	10869	10869	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2385	043	2500	0.06	3278	3	85	140	4	8	5	10000	6722	NC-1	85	form-based			true	0.75	13	1.625	10	10	15000	11722	11722	1.5
2386	071	1824	0.04	2642	0	65	100	3	4	4	5472	2830	RTO-C	85	form-based			true	0.75	10	2.5	10	8	10944	8302	8302	2
2387	039	2063	0.05	1204	1	65	100	3	5	4	6189	4985	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12378	11174	11174	2
2387	040	2062	0.05	900	1	65	100	3	5	4	6186	5286	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12372	11472	11472	2
2388	001	2058	0.05	1200	1	85	140	4	7	6	8232	7032	RTO-C	85	form-based		true	true	0.75	11	1.571428537	10	10	12348	11148	11148	1.5
2388	001A	2057	0.05	1200	1	85	140	4	7	6	8228	7028	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12342	11142	11142	1.5
2388	001B	2057	0.05	1400	1	85	140	4	7	6	8228	6828	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12342	10942	10942	1.5
2388	001C	2057	0.05	1200	1	65	100	3	5	4	6171	4971	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12342	11142	11142	2
2390	040	2063	0.05	1275	1	65	100	3	5	4	6189	4914	NCD-TARA	85	form-based			true	0.75	11	2.200000048	10	9	12378	11103	11103	2
2390	041	2063	0.05	1275	1	85	140	4	7	6	8252	6977	NCD-TARA	85	form-based			true	0.75	11	1.571428537	10	10	12378	11103	11103	1.5
2390	042	2062	0.05	2325	1	85	140	4	7	6	8248	5923	NCD-TARA	85	form-based			true	0.75	11	1.571428537	10	10	12372	10047	10047	1.5
2390	045	2500	0.06	3290	3	65	100	3	6	3	7500	4210	NCD-TARA	85	form-based			true	0.75	13	2.166666746	10	9	15000	11710	11710	2
2391	031	4670	0.11	2393	0	65	100	3	11	11	14010	11617	RH-1	40	form-based			true	0.7	10	0.909090936	10	10	13076	10683	10683	0.933333
2392	039	2500	0.06	3950	3	65	100	3	6	3	7500	3550	NCD-TARA	85	form-based			true	0.75	13	2.166666746	10	9	15000	11050	11050	2
2396	001C	2010	0.05	2434	1	85	140	4	7	6	8040	5606	NCD-TARA	85	form-based			true	0.75	11	1.571428537	10	10	12060	9626	9626	1.5
2397	039	2002	0.05	2356	1	65	100	3	5	4	6006	3650	NCD-TARA	85	form-based			true	0.75	11	2.200000048	10	9	12012	9656	9656	2
2398	001	2445	0.06	4354	3	65	100	3	6	3	7335	2981	NCD-TARA	85	form-based		true	true	0.75	13	2.166666746	10	9	14670	10316	10316	2
2398	001A	2165	0.05	1600	1	65	100	3	5	4	6495	4895	NCD-TARA	85	form-based			true	0.75	11	2.200000048	10	9	12990	11390	11390	2
2398	041A	2500	0.06	2415	3	65	100	3	6	3	7500	5085	NCD-TARA	85	form-based			true	0.75	13	2.166666746	10	9	15000	12585	12585	2
2401	037	2500	0.06	2269	3	65	100	3	6	3	7500	5231	NCD-TARA	85	form-based			true	0.75	13	2.166666746	10	9	15000	12731	12731	2
2401	042	2500	0.06	3208	3	65	100	3	6	3	7500	4292	NCD-TARA	85	form-based			true	0.75	13	2.166666746	10	9	15000	11792	11792	2
2403	038	2500	0.06	3044	3	65	100	3	6	3	7500	4456	NCD-TARA	85	form-based			true	0.75	13	2.166666746	10	9	15000	11956	11956	2
2403	039	2500	0.06	2976	3	65	100	3	6	3	7500	4524	NCD-TARA	85	form-based			true	0.75	13	2.166666746	10	9	15000	12024	12024	2
2404	031A	5016	0.12	3187	1	85	140	4	17	16	20064	16877	RH-1(D)	40	form-based			true	0.7	11	0.647058845	10	10	14044.7998	10857.7998	10857.7998	0.7
2407	003	3000	0.07	1125	1	85	140	4	10	9	12000	10875	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13500	12375	12375	1.125
2407	003A	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12375	12375	1.5
2407	003B	3000	0.07	1446	1	65	100	3	7	6	9000	7554	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12054	12054	1.5
2407	003C	3000	0.07	1065	1	65	100	3	7	6	9000	7935	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12435	12435	1.5
2407	003D	3000	0.07	1065	1	65	100	3	7	6	9000	7935	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12435	12435	1.5
2407	003E	3000	0.07	1065	1	65	100	3	7	6	9000	7935	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12435	12435	1.5
2407	003F	3000	0.07	1065	1	65	100	3	7	6	9000	7935	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12435	12435	1.5
2407	003G	3000	0.07	1281	1	65	100	3	7	6	9000	7719	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12219	12219	1.5
2407	003H	3000	0.07	2500	1	65	100	3	7	6	9000	6500	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11000	11000	1.5
2407	004	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12400	12400	1.5
2407	005	3000	0.07	1065	1	65	100	3	7	6	9000	7935	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12435	12435	1.5
2407	006	3000	0.07	1315	1	65	100	3	7	6	9000	7685	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12185	12185	1.5
2407	006A	3000	0.07	1655	1	65	100	3	7	6	9000	7345	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11845	11845	1.5
2407	007	3000	0.07	1255	1	65	100	3	7	6	9000	7745	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12245	12245	1.5
2407	007A	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12175	12175	1.5
2407	013A	2053	0.05	1890	1	65	100	3	5	4	6159	4269	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12318	10428	10428	2
2407	021	2352	0.05	2484	2	65	100	3	5	3	7056	4572	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	14112	11628	11628	2
2407	033	2500	0.06	4115	3	85	140	4	8	5	10000	5885	NCD-INNE	85	form-based			true	0.75	13	1.625	10	10	15000	10885	10885	1.5
2408	003	3001	0.07	1325	1	85	140	4	10	9	12004	10679	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13504.5	12179.5	12179.5	1.125
2408	004	3001	0.07	1350	1	65	100	3	7	6	9003	7653	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13504.5	12154.5	12154.5	1.5
2408	005	3002	0.07	1383	1	65	100	3	7	6	9006	7623	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13509	12126	12126	1.5
2408	006	3002	0.07	1530	1	65	100	3	7	6	9006	7476	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13509	11979	11979	1.5
2408	007	3002	0.07	2417	1	65	100	3	7	6	9006	6589	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13509	11092	11092	1.5
2408	008	3003	0.07	2600	1	65	100	3	7	6	9009	6409	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13513.5	10913.5	10913.5	1.5
2408	009	3003	0.07	1455	1	65	100	3	7	6	9009	7554	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13513.5	12058.5	12058.5	1.5
2408	010	3003	0.07	1732	1	65	100	3	7	6	9009	7277	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13513.5	11781.5	11781.5	1.5
2408	011	3003	0.07	1880	1	65	100	3	7	6	9009	7129	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13513.5	11633.5	11633.5	1.5
2408	012	3004	0.07	1806	1	65	100	3	7	6	9012	7206	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13518	11712	11712	1.5
2408	013	3004	0.07	2794	1	65	100	3	7	6	9012	6218	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13518	10724	10724	1.5
2408	014	3004	0.07	2203	1	65	100	3	7	6	9012	6809	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13518	11315	11315	1.5
2408	015	3004	0.07	1950	1	65	100	3	7	6	9012	7062	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13518	11568	11568	1.5
2408	016	3005	0.07	2327	1	65	100	3	7	6	9015	6688	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13522.5	11195.5	11195.5	1.5
2408	028	3000	0.07	1830	1	65	100	3	7	6	9000	7170	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11670	11670	1.5
2408	029	3000	0.07	1327	1	65	100	3	7	6	9000	7673	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12173	12173	1.5
2408	030	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12350	12350	1.5
2408	031	3000	0.07	3137	1	65	100	3	7	6	9000	5863	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	10363	10363	1.5
2408	032	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12325	12325	1.5
2408	032A	3000	0.07	2160	1	65	100	3	7	6	9000	6840	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11340	11340	1.5
2408	033	3000	0.07	1230	1	65	100	3	7	6	9000	7770	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12270	12270	1.5
2408	034	3000	0.07	1630	1	65	100	3	7	6	9000	7370	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11870	11870	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2408	035	3000	0.07	1495	1	65	100	3	7	6	9000	7505	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12005	12005	1.5
2408	036	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12025	12025	1.5
2408	037	3000	0.07	1555	1	65	100	3	7	6	9000	7445	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11945	11945	1.5
2408	038	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12400	12400	1.5
2408	039	3000	0.07	1360	1	65	100	3	7	6	9000	7640	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12140	12140	1.5
2408	040	3000	0.07	1932	1	65	100	3	7	6	9000	7068	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11568	11568	1.5
2408	047	2500	0.06	3225	3	85	140	4	8	5	10000	6775	NCD-INNE	85	form-based			true	0.75	13	1.625	10	10	15000	11775	11775	1.5
2410	002	2935	0.07	2131	1	85	140	4	10	9	11740	9609	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13207.5	11076.5	11076.5	1.125
2410	003A	3037	0.07	1615	1	85	140	4	10	9	12148	10533	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13666.5	12051.5	12051.5	1.125
2410	010	2867	0.07	1736	1	65	100	3	7	6	8601	6865	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	12901.5	11165.5	11165.5	1.5
2410	029	2500	0.06	2985	3	65	100	3	6	3	7500	4515	NCD-INNE	85	form-based			true	0.75	13	2.166666746	10	9	15000	12015	12015	2
2411	013A	2966	0.07	2971	1	85	140	4	10	9	11864	8893	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13347	10376	10376	1.125
2411	017	2856	0.07	2171	1	85	140	4	10	9	11424	9253	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	12852	10681	10681	1.125
2411	021	3000	0.07	2332	1	65	100	3	7	6	9000	6668	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11168	11168	1.5
2411	021A	3000	0.07	2169	1	65	100	3	7	6	9000	6831	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11331	11331	1.5
2411	021B	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12200	12200	1.5
2411	021C	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12125	12125	1.5
2411	021D	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12025	12025	1.5
2411	021E	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11875	11875	1.5
2411	021F	3000	0.07	1675	1	65	100	3	7	6	9000	7325	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11825	11825	1.5
2411	021G	3000	0.07	1675	1	65	100	3	7	6	9000	7325	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11825	11825	1.5
2411	021H	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12225	12225	1.5
2411	021I	3000	0.07	1938	1	65	100	3	7	6	9000	7062	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	11562	11562	1.5
2411	021J	3000	0.07	1510	1	85	140	4	10	9	12000	10490	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13500	11990	11990	1.125
2411	021K	3000	0.07	1675	1	85	140	4	10	9	12000	10325	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13500	11825	11825	1.125
2411	021L	3000	0.07	1786	1	85	140	4	10	9	12000	10214	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13500	11714	11714	1.125
2411	022	3341	0.08	3302	3	85	140	4	11	8	13364	10062	NCD-INNE	65	form-based			true	0.75	13	1.181818128	10	10	15034.5	11732.5	11732.5	1.125
2412	015	3041	0.07	2390	1	65	100	3	7	6	9123	6733	RTO-C	65	form-based	true		true	0.75	11	1.571428537	10	10	13684.5	11294.5	11294.5	1.5
2412	016	3000	0.07	2160	1	85	140	4	10	9	12000	9840	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13500	11340	11340	1.125
2412	017	3000	0.07	2198	1	85	140	4	10	9	12000	9802	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13500	11302	11302	1.125
2412	017A	3000	0.07	1265	1	85	140	4	10	9	12000	10735	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13500	12235	12235	1.125
2412	018	3000	0.07	1415	1	85	140	4	10	9	12000	10585	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13500	12085	12085	1.125
2412	019	3000	0.07	1300	1	85	140	4	10	9	12000	10700	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13500	12200	12200	1.125
2412	020	3000	0.07	2000	1	85	140	4	10	9	12000	10000	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13500	11500	11500	1.125
2412	020A	3000	0.07	2409	1	85	140	4	10	9	12000	9591	RTO-C	65	form-based	true		true	0.75	11	1.100000024	10	10	13500	11091	11091	1.125
2412	038	2550	0.06	6761	0	65	100	3	6	6	7650	889	NCD-INNE	65	form-based			true	0.75	10	1.666666627	10	10	11475	4714	4714	1.5
2413	002	5330	0.12	3227	1	65	100	3	12	11	15990	12763	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14924	11697	11697	0.933333
2414	034	5108	0.12	1400	1	85	140	4	17	16	20432	19032	RH-1	40	form-based			true	0.7	11	0.647058845	10	10	14302.39941	12902.39941	12902.39941	0.7
2415	036A	3034	0.07	1508	1	85	140	4	10	9	12136	10628	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13653	12145	12145	1.125
2446	021	3004	0.07	1300	1	85	140	4	10	9	12016	10716	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13518	12218	12218	1.125
2468	024	5133	0.12	2686	1	55	80	2.5	10	9	12832	10146	RH-1	40	form-based	true		true	0.7	11	1.100000024	10	10	14372.39941	11686.39941	11686.39941	1.120044
2474	045A	2760	0.06	1268	0	55	80	2.5	5	5	6900	5632	NC-1	65	form-based			true	0.75	10	2	10	10	12420	11152	11152	1.8
2482	007	5115	0.12	1515	1	65	100	3	12	11	15345	13830	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14322	12807	12807	0.933333
2482	028	5213	0.12	3900	1	65	100	3	12	11	15639	11739	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14596.39941	10696.39941	10696.39941	0.933333
2494A	021	5054	0.12	2619	1	55	80	2.5	10	9	12635	10016	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14151.2002	11532.2002	11532.2002	1.12
2494A	024	5434	0.12	1119	1	55	80	2.5	10	9	13585	12466	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15215.2002	14096.2002	14096.2002	1.12
2499A	003	5470	0.13	1681	1	55	80	2.5	10	9	13675	11994	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15316	13635	13635	1.12
2502A	011	5452	0.13	2446	1	55	80	2.5	10	9	13630	11184	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	15265.59961	12819.59961	12819.59961	1.12
2510	023	2890	0.07	1350	1	55	80	2.5	6	5	7225	5875	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13005	11655	11655	1.8
2510	024	2977	0.07	1780	1	55	80	2.5	6	5	7442	5662	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13396.5	11616.5	11616.5	1.800121
2510	025	2873	0.07	2023	1	55	80	2.5	6	5	7182	5159	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	12928.5	10905.5	10905.5	1.800125
2511	012	2838	0.07	1129	1	65	100	3	7	6	8514	7385	RTO-C	65	form-based	true		true	0.75	11	1.571428537	10	10	12771	11642	11642	1.5
2511	018	2904	0.07	1396	1	65	100	3	7	6	8712	7316	RTO-C	65	form-based	true		true	0.75	11	1.571428537	10	10	13068	11672	11672	1.5
2511	020	3040	0.07	1214	1	65	100	3	7	6	9120	7906	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13680	12466	12466	1.5
2512	004	3023	0.07	1037	1	65	100	3	7	6	9069	8032	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13603.5	12566.5	12566.5	1.5
2512	006	3000	0.07	1210	1	65	100	3	7	6	9000	7790	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13500	12290	12290	1.5
2516	011	1339	0.03	2790	2	65	100	3	3	1	4017	1227	NC-2	100	form-based	true		true	0.75	12	4	10	4	12051	9261	5244	3
2516	015	1339	0.03	2375	2	65	100	3	3	1	4017	1642	NC-2	100	form-based			true	0.75	12	4	10	4	12051	9676	5659	3
2516	017	1195	0.03	2393	1	65	100	3	3	2	3585	1192	NC-2	100	form-based	true		true	0.75	11	3.666666746	10	5	10755	8362	4777	3
2516	018	1177	0.03	1938	1	65	100	3	3	2	3531	1593	NC-2	100	form-based			true	0.75	11	3.666666746	10	5	10593	8655	5124	3
2516	019	1339	0.03	925	2	65	100	3	3	1	4017	3092	NC-2	100	form-based			true	0.75	12	4	10	4	12051	11126	7109	3
2516	021	1339	0.03	931	2	65	100	3	3	1	4017	3086	NC-2	100	form-based			true	0.75	12	4	10	4	12051	11120	7103	3
2516	023	1339	0.03	925	2	65	100	3	3	1	4017	3092	NC-2	100	form-based			true	0.75	12	4	10	4	12051	11126	7109	3
2516	025	1339	0.03	1065	2	65	100	3	3	1	4017	2952	NC-2	100	form-based			true	0.75	12	4	10	4	12051	10986	6969	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2518	021	2955	0.07	1579	1	55	80	2.5	6	5	7388	5809	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13297.5	11718.5	11718.5	1.799878
2528	004	3040	0.07	1912	1	55	80	2.5	6	5	7600	5688	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13680	11768	11768	1.8
2540	094	4560	0.1	0	0	65	100	3	10	10	13680	13680	RH-1(D)	40	form-based			true	0.7	10	1	10	10	12768	12768	12768	0.933333
2609	065	5000	0.11	7138	0	65	100	3	11	11	15000	7862	RH-2	40	form-based			true	0.7	10	0.909090936	10	10	14000	6862	6862	0.933333
2612	014	6664	0.15	13685	4	65	100	3	15	11	19992	6307	RH-2	40	form-based			true	0.7	14	0.933333337	10	10	18659.19922	4974.199219	4974.199219	0.933333
2613	COM	4815	0.11	0	0	65	100	3	11	11	14445	14445	RH-2	40	form-based			true	0.7	10	0.909090936	10	10	13482	13482	13482	0.933333
2616	039	6300	0.14	2162	3	55	80	2.5	11	8	15750	13588	RH-2	40	form-based			true	0.7	13	1.181818128	10	10	17640	15478	15478	1.12
2623	243	5239	0.12	5836	1	65	100	3	12	11	15717	9881	RH-2	40	form-based			true	0.7	11	0.916666687	10	10	14669.2002	8833.200195	8833.200195	0.933333
2627	001	5958	0.14	2367	3	55	80	2.5	11	8	14895	12528	RH-2	40	form-based			true	0.7	13	1.181818128	10	10	16682.40039	14315.40039	14315.40039	1.12
2629	047	7616	0.17	7900	6	55	80	2.5	14	8	19040	11140	RH-2	40	form-based			true	0.7	16	1.142857194	10	10	21324.79883	13424.79883	13424.79883	1.12
2629A	025	4754	0.11	2747	0	55	80	2.5	9	9	11885	9138	RH-3	40	form-based			true	0.7	10	1.111111164	10	10	13311.2002	10564.2002	10564.2002	1.12
2631	058	3974	0.09	1220	1	65	100	3	9	8	11922	10702	RH-3	50	form-based			true	0.7	11	1.222222209	10	10	13909	12689	12689	1.166667
2633	004B	2634	0.06	0	0	65	100	3	6	6	7902	7902	RTO-C	65	form-based			true	0.75	10	1.666666627	10	10	11853	11853	11853	1.5
2633	005	3059	0.07	1520	1	65	100	3	7	6	9177	7657	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13765.5	12245.5	12245.5	1.5
2635	032	5187	0.12	1065	1	55	80	2.5	10	9	12968	11903	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	14523.59961	13458.59961	13458.59961	1.119957
2636	036	5602	0.13	3412	2	55	80	2.5	10	8	14005	10593	RM-1	40	form-based			true	0.7	12	1.200000048	10	10	15685.59961	12273.59961	12273.59961	1.12
2641	025	5409	0.12	3031	1	65	100	3	12	11	16227	13196	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15145.2002	12114.2002	12114.2002	0.933333
2647	007	3221	0.07	5750	7	65	100	3	7	0	9663	3913	NCD-CAST	85	form-based			true	0.75	17	2.428571463	10	7	19326	13576	13576	2
2658	059	4841	0.11	0	0	55	80	2.5	9	9	12102	12102	RH-2	40	form-based	true		true	0.7	10	1.111111164	10	10	13554.7998	13554.7998	13554.7998	1.120046
2660	043	12579	0.29	10233	16	55	80	2.5	23	7	31448	21215	RH-2	40	form-based			true	0.7	26	1.130434752	10	10	35221.19922	24988.19922	24988.19922	1.119982
2661	020	5172	0.12	1641	1	55	80	2.5	10	9	12930	11289	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14481.59961	12840.59961	12840.59961	1.12
2662	012	5035	0.12	1190	1	55	80	2.5	10	9	12588	11398	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14098	12908	12908	1.119956
2662	013	5360	0.12	1436	1	55	80	2.5	10	9	13400	11964	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15008	13572	13572	1.12
2662	022	5162	0.12	1699	1	55	80	2.5	10	9	12905	11206	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	14453.59961	12754.59961	12754.59961	1.12
2674	005	5218	0.12	1570	1	55	80	2.5	10	9	13045	11475	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14610.39941	13040.39941	13040.39941	1.12
2674	006	5463	0.13	1545	1	55	80	2.5	10	9	13658	12113	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15296.39941	13751.39941	13751.39941	1.119959
2674	007	5108	0.12	1545	1	55	80	2.5	10	9	12770	11225	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14302.39941	12757.39941	12757.39941	1.12
2674	008	5010	0.12	1551	1	55	80	2.5	10	9	12525	10974	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14028	12477	12477	1.12
2674	010	5163	0.12	1720	1	55	80	2.5	10	9	12908	11188	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14456.39941	12736.39941	12736.39941	1.119957
2674	022	5060	0.12	1386	1	55	80	2.5	10	9	12650	11264	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14168	12782	12782	1.12
2675	008	5336	0.12	1245	1	55	80	2.5	10	9	13340	12095	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14940.7998	13695.7998	13695.7998	1.12
2675	010	5418	0.12	1788	1	55	80	2.5	10	9	13545	11757	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	15170.39941	13382.39941	13382.39941	1.12
2675	020	5035	0.12	1644	1	55	80	2.5	10	9	12588	10944	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14098	12454	12454	1.119956
2675	021	5113	0.12	1404	1	55	80	2.5	10	9	12782	11378	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14316.39941	12912.39941	12912.39941	1.120044
2678	002	5032	0.12	1545	1	55	80	2.5	10	9	12580	11035	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	14089.59961	12544.59961	12544.59961	1.12
2678	003	5250	0.12	1603	1	55	80	2.5	10	9	13125	11522	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14700	13097	13097	1.12
2678	005	5119	0.12	1239	1	55	80	2.5	10	9	12798	11559	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14333.2002	13094.2002	13094.2002	1.119956
2678	006	5011	0.12	1868	1	55	80	2.5	10	9	12528	10660	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14030.7998	12162.7998	12162.7998	1.119955
2678	009	5023	0.12	1239	1	55	80	2.5	10	9	12558	11319	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14064.39941	12825.39941	12825.39941	1.119955
2682	022	5035	0.12	2857	1	55	80	2.5	10	9	12588	9731	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14098	11241	11241	1.119956
2687	024	5446	0.13	3810	1	55	80	2.5	10	9	13615	9805	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	15248.7998	11438.7998	11438.7998	1.12
2687	030	5089	0.12	4312	1	55	80	2.5	10	9	12722	8410	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14249.2002	9937.200195	9937.200195	1.120044
2688	017	5109	0.12	1953	1	55	80	2.5	10	9	12772	10819	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14305.2002	12352.2002	12352.2002	1.120044
2688	042	5274	0.12	1819	1	55	80	2.5	10	9	13185	11366	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14767.2002	12948.2002	12948.2002	1.12
2688	048	5260	0.12	2685	1	55	80	2.5	10	9	13150	10465	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14728	12043	12043	1.12
2688	068	5215	0.12	2895	1	55	80	2.5	10	9	13038	10143	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	14602	11707	11707	1.119957
2688	070	5367	0.12	3825	1	55	80	2.5	10	9	13418	9593	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15027.59961	11202.59961	11202.59961	1.119958
2693	037	6683	0.15	5650	4	65	100	3	15	11	20049	14399	RH-2	40	form-based			true	0.7	14	0.933333337	10	10	18712.40039	13062.40039	13062.40039	0.933333
2706	023	5213	0.12	3582	1	55	80	2.5	10	9	13032	9450	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14596.39941	11014.39941	11014.39941	1.120043
2706	062	5143	0.12	3695	1	55	80	2.5	10	9	12858	9163	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14400.39941	10705.39941	10705.39941	1.119956
2769	065	5665	0.13	3692	2	55	80	2.5	10	8	14162	10470	RH-3	40	form-based			true	0.7	12	1.200000048	10	10	15862	12170	12170	1.12004
2770	035	5623	0.13	4033	2	55	80	2.5	10	8	14058	10025	RH-2	40	form-based			true	0.7	12	1.200000048	10	10	15744.39941	11711.39941	11711.39941	1.11996
2788	013	5186	0.12	1127	1	55	80	2.5	10	9	12965	11838	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14520.7998	13393.7998	13393.7998	1.12
2788	017	5460	0.13	1065	1	55	80	2.5	10	9	13650	12585	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15288	14223	14223	1.12
2788	029	5374	0.12	1624	1	55	80	2.5	10	9	13435	11811	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15047.2002	13423.2002	13423.2002	1.12
2817	003	5129	0.12	2643	1	55	80	2.5	10	9	12822	10179	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14361.2002	11718.2002	11718.2002	1.120044
2817	033	5369	0.12	2996	1	55	80	2.5	10	9	13422	10426	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	15033.2002	12037.2002	12037.2002	1.120042
2821	019	5112	0.12	3064	1	55	80	2.5	10	9	12780	9716	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14313.59961	11249.59961	11249.59961	1.12
2823A	017	5099	0.12	1191	1	55	80	2.5	10	9	12748	11557	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14277.2002	13086.2002	13086.2002	1.119956
2831	012	2829	0.06	1627	1	55	80	2.5	5	4	7072	5445	NCD-24TH	65	form-based			true	0.75	11	2.200000048	10	9	12730.5	11103.5	11103.5	1.800127
2831	013	2829	0.06	1478	1	55	80	2.5	5	4	7072	5594	NCD-24TH	65	form-based			true	0.75	11	2.200000048	10	9	12730.5	11252.5	11252.5	1.800127
2831	014	2830	0.06	3576	1	55	80	2.5	5	4	7075	3499	NCD-24TH	65	form-based			true	0.75	11	2.200000048	10	9	12735	9159	9159	1.8
2838	003	5086	0.12	2677	1	55	80	2.5	10	9	12715	10038	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	14240.7998	11563.7998	11563.7998	1.12
2839	011	5391	0.12	4400	1	55	80	2.5	10	9	13478	9078	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15094.7998	10694.7998	10694.7998	1.119958

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2839	012	5391	0.12	2210	1	55	80	2.5	10	9	13478	11268	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15094.7998	12884.7998	12884.7998	1.119958
2839	032	5474	0.13	1836	1	55	80	2.5	10	9	13685	11849	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15327.2002	13491.2002	13491.2002	1.12
2839	040	4566	0.1	0	0	55	80	2.5	8	8	11415	11415	RH-1(D)	40	form-based			true	0.7	10	1.25	10	10	12784.7998	12784.7998	12784.7998	1.12
2840	001	5352	0.12	1935	1	65	100	3	12	11	16056	14121	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14985.59961	13050.59961	13050.59961	0.933333
2840	052	5390	0.12	437	1	65	100	3	12	11	16170	15733	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15092	14655	14655	0.933333
2856	001	5173	0.12	2397	1	65	100	3	12	11	15519	13122	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14484.39941	12087.39941	12087.39941	0.933333
2856	008	5385	0.12	3767	1	65	100	3	12	11	16155	12388	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15078	11311	11311	0.933333
2856	015	5250	0.12	3140	1	65	100	3	12	11	15750	12610	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14700	11560	11560	0.933333
2857	001	5196	0.12	1725	1	65	100	3	12	11	15588	13863	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14548.7998	12823.7998	12823.7998	0.933333
2857	022	5164	0.12	1615	1	65	100	3	12	11	15492	13877	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14459.2002	12844.2002	12844.2002	0.933333
2857	023	5393	0.12	3213	1	65	100	3	12	11	16179	12966	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15100.39941	11887.39941	11887.39941	0.933333
2860	015	5384	0.12	4423	1	55	80	2.5	10	9	13460	9037	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15075.2002	10652.2002	10652.2002	1.12
2857	032	4834	0.11	3140	0	65	100	3	11	11	14502	11362	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	10	10	13535.2002	10395.2002	10395.2002	0.933333
2860	008	5222	0.12	3160	1	55	80	2.5	10	9	13055	9895	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14621.59961	11461.59961	11461.59961	1.12
2859	005	5360	0.12	2360	1	65	100	3	12	11	16080	13720	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15008	12648	12648	0.933333
2859	007	5373	0.12	2000	1	65	100	3	12	11	16119	14119	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15044.39941	13044.39941	13044.39941	0.933333
2859	021	5391	0.12	1737	1	55	80	2.5	10	9	13478	11741	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15094.7998	13357.7998	13357.7998	1.119958
2859	030	5375	0.12	2589	1	65	100	3	12	11	16125	13536	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15050	12461	12461	0.933333
2860	014	5423	0.12	2917	1	55	80	2.5	10	9	13558	10641	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15184.39941	12267.39941	12267.39941	1.119959
2860	016	5435	0.12	4640	1	55	80	2.5	10	9	13588	8948	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15218	10578	10578	1.119959
2860	017	4849	0.11	0	0	55	80	2.5	9	9	12122	12122	RH-1(D)	40	form-based			true	0.7	10	1.111111164	10	10	13577.2002	13577.2002	13577.2002	1.120046
2860	024	5207	0.12	2494	1	55	80	2.5	10	9	13018	10524	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14579.59961	12085.59961	12085.59961	1.119957
2861	017	5094	0.12	1915	1	55	80	2.5	10	9	12735	10820	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14263.2002	12348.2002	12348.2002	1.12
2861	017A	5058	0.12	3134	1	55	80	2.5	10	9	12645	9511	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14162.39941	11028.39941	11028.39941	1.12
2864	018	5116	0.12	1850	1	65	100	3	12	11	15348	13498	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14324.7998	12474.7998	12474.7998	0.933333
2863	026	5115	0.12	2425	1	65	100	3	12	11	15345	12920	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14322	11897	11897	0.933333
2863	027	5091	0.12	2520	1	65	100	3	12	11	15273	12753	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14254.7998	11734.7998	11734.7998	0.933333
2864	043	5104	0.12	2584	1	65	100	3	12	11	15312	12728	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14291.2002	11707.2002	11707.2002	0.933333
2875	020	5244	0.12	1683	1	55	80	2.5	10	9	13110	11427	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14683.2002	13000.2002	13000.2002	1.12
2876	006	5036	0.12	1552	1	55	80	2.5	10	9	12590	11038	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14100.7998	12548.7998	12548.7998	1.12
2877	001	5066	0.12	2145	1	65	100	3	12	11	15198	13053	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14184.7998	12039.7998	12039.7998	0.933333
2877	010	5044	0.12	1870	1	65	100	3	12	11	15132	13262	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14123.2002	12253.2002	12253.2002	0.933333
2877	011	5052	0.12	1811	1	65	100	3	12	11	15156	13345	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14145.59961	12334.59961	12334.59961	0.933333
2877	012	5060	0.12	1854	1	65	100	3	12	11	15180	13326	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14168	12314	12314	0.933333
2877	013	5068	0.12	1575	1	65	100	3	12	11	15204	13629	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14190.39941	12615.39941	12615.39941	0.933333
2877	014	5076	0.12	3864	1	65	100	3	12	11	15228	11364	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14212.7998	10348.7998	10348.7998	0.933333
2877	016	5092	0.12	2852	1	65	100	3	12	11	15276	12424	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14257.59961	11405.59961	11405.59961	0.933333
2879	033	5171	0.12	1428	1	65	100	3	12	11	15513	14085	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14478.7998	13050.7998	13050.7998	0.933333
2879	017	5206	0.12	1869	1	65	100	3	12	11	15618	13749	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14576.7998	12707.7998	12707.7998	0.933333
2879	018	5197	0.12	2373	1	65	100	3	12	11	15591	13218	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14551.59961	12178.59961	12178.59961	0.933333
2879	019	5189	0.12	2100	1	65	100	3	12	11	15567	13467	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14529.2002	12429.2002	12429.2002	0.933333
2879	020	5180	0.12	1839	1	65	100	3	12	11	15540	13701	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14504	12665	12665	0.933333
2880	001	5270	0.12	2612	1	65	100	3	12	11	15810	13198	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14756	12144	12144	0.933333
2880	003	5294	0.12	2495	1	65	100	3	12	11	15882	13387	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14823.2002	12328.2002	12328.2002	0.933333
2880	011	5330	0.12	2862	1	55	80	2.5	10	9	13325	10463	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14924	12062	12062	1.12
2880	012	5185	0.12	2202	1	55	80	2.5	10	9	12962	10760	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14518	12316	12316	1.120043
2881	011	5178	0.12	2590	1	55	80	2.5	10	9	12945	10355	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14498.39941	11908.39941	11908.39941	1.12
2882	003	5473	0.13	1870	1	55	80	2.5	10	9	13682	11812	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15324.39941	13454.39941	13454.39941	1.120041
2882	012	5283	0.12	2458	1	55	80	2.5	10	9	13208	10750	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14792.39941	12334.39941	12334.39941	1.119958
2882	013	5013	0.12	2390	1	55	80	2.5	10	9	12532	10142	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14036.39941	11646.39941	11646.39941	1.120045
2884	006	5102	0.12	2250	1	55	80	2.5	10	9	12755	10505	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14285.59961	12035.59961	12035.59961	1.12
2884	008	5107	0.12	2780	1	55	80	2.5	10	9	12768	9988	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14299.59961	11519.59961	11519.59961	1.119956
2884	030	5287	0.12	2500	1	55	80	2.5	10	9	13218	10718	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14803.59961	12303.59961	12303.59961	1.119958
2885	004	5013	0.12	2792	1	65	100	3	12	11	15039	12247	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14036.39941	11244.39941	11244.39941	0.933333
2886	001	5429	0.12	1993	1	65	100	3	12	11	16287	14294	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	15201.2002	13208.2002	13208.2002	0.933333
2886	018	5229	0.12	1785	1	65	100	3	12	11	15687	13902	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14641.2002	12856.2002	12856.2002	0.933333
2886	020	5258	0.12	1830	1	55	80	2.5	10	9	13145	11315	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14722.39941	12892.39941	12892.39941	1.12
2886	021	5096	0.12	1900	1	55	80	2.5	10	9	12740	10840	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14268.7998	12368.7998	12368.7998	1.12
2886	022	5096	0.12	1970	1	55	80	2.5	10	9	12740	10770	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14268.7998	12298.7998	12298.7998	1.12
2886	023	5095	0.12	1550	1	55	80	2.5	10	9	12738	11188	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14266	12716	12716	1.119956
2886	025	5094	0.12	2782	1	55	80	2.5	10	9	12735	9953	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14263.2002	11481.2002	11481.2002	1.12
2886	026	5094	0.12	2196	1	55	80	2.5	10	9	12735	10539	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14263.2002	12067.2002	12067.2002	1.12
2886	027	5093	0.12	2296	1	55	80	2.5	10	9	12732	10436	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14260.39941	11964.39941	11964.39941	1.120044
2886	028	5092	0.12	2908	1	55	80	2.5	10	9	12730	9822	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14257.59961	11349.59961	11349.59961	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2886	029	5092	0.12	2870	1	65	100	3	12	11	15276	12406	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14257.59961	11387.59961	11387.59961	0.933333
2887	009	5120	0.12	2164	1	65	100	3	12	11	15360	13196	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14336	12172	12172	0.933333
2889	013	5209	0.12	2864	1	65	100	3	12	11	15627	12763	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14585.2002	11721.2002	11721.2002	0.933333
2901E	024	5203	0.12	2227	1	55	80	2.5	10	9	13008	10781	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14568.39941	12341.39941	12341.39941	1.119957
2916	015	5337	0.12	3820	1	55	80	2.5	10	9	13342	9522	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14943.59961	11123.59961	11123.59961	1.120042
2919	006	5084	0.12	1502	1	65	100	3	12	11	15252	13750	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14235.2002	12733.2002	12733.2002	0.933333
2919	014	5236	0.12	1332	1	65	100	3	12	11	15708	14376	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14660.7998	13328.7998	13328.7998	0.933333
2921	001	5262	0.12	2645	1	65	100	3	12	11	15786	13141	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14733.59961	12088.59961	12088.59961	0.933333
2923	030	5248	0.12	1240	1	55	80	2.5	10	9	13120	11880	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14694.39941	13454.39941	13454.39941	1.12
2922	004	5467	0.13	3823	1	55	80	2.5	10	9	13668	9845	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15307.59961	11484.59961	11484.59961	1.119959
2922	005	5321	0.12	2960	1	55	80	2.5	10	9	13302	10342	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14898.7998	11938.7998	11938.7998	1.120042
2922	006	5048	0.12	1894	1	55	80	2.5	10	9	12620	10726	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14134.39941	12240.39941	12240.39941	1.12
2922	007	5027	0.12	2673	1	55	80	2.5	10	9	12568	9895	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14075.59961	11402.59961	11402.59961	1.119955
2922	008	5006	0.11	2606	1	55	80	2.5	9	8	12515	9909	RH-1(D)	40	form-based			true	0.7	11	1.222222209	10	10	14016.7998	11410.7998	11410.7998	1.12
2924	007	5013	0.12	1944	1	55	80	2.5	10	9	12532	10588	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14036.39941	12092.39941	12092.39941	1.120045
2923	007	5073	0.12	3985	1	55	80	2.5	10	9	12682	8697	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14204.39941	10219.39941	10219.39941	1.120044
2923	025	4537	0.1	0	0	55	80	2.5	8	8	11342	11342	RH-1(D)	40	form-based		true	true	0.7	10	1.25	10	10	12703.59961	12703.59961	12703.59961	1.120049
2923	027	4883	0.11	0	0	55	80	2.5	9	9	12208	12208	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	10	10	13672.39941	13672.39941	13672.39941	1.119954
2923	040	4998	0.11	0	0	55	80	2.5	9	9	12495	12495	RH-1(D)	40	form-based			true	0.7	10	1.111111164	10	10	13994.39941	13994.39941	13994.39941	1.12
2923	041	5205	0.12	1942	1	55	80	2.5	10	9	13012	11070	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14574	12632	12632	1.120043
2923	078	4665	0.11	0	0	55	80	2.5	9	9	11662	11662	RH-1(D)	40	form-based			true	0.7	10	1.111111164	10	10	13062	13062	13062	1.120048
2924	003	5076	0.12	2270	1	55	80	2.5	10	9	12690	10420	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14212.7998	11942.7998	11942.7998	1.12
2924	004	5060	0.12	2056	1	55	80	2.5	10	9	12650	10594	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14168	12112	12112	1.12
2924	005	5045	0.12	2236	1	55	80	2.5	10	9	12612	10376	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14126	11890	11890	1.120044
2924	006	5029	0.12	2130	1	55	80	2.5	10	9	12572	10442	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14081.2002	11951.2002	11951.2002	1.120045
2931	012	5039	0.12	2478	1	65	100	3	12	11	15117	12639	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14109.2002	11631.2002	11631.2002	0.933333
2931	024	2800	0.06	2562	1	85	140	4	8	7	11200	8638	RTO-C	65	form-based			true	0.75	11	1.375	10	10	12600	10038	10038	1.125
2932	021	5150	0.12	1437	1	65	100	3	12	11	15450	14013	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14420	12983	12983	0.933333
2933	011	5470	0.13	1840	1	55	80	2.5	10	9	13675	11835	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15316	13476	13476	1.12
2933	014	4558	0.1	0	0	55	80	2.5	8	8	11395	11395	RH-1(D)	40	form-based			true	0.7	10	1.25	10	10	12762.39941	12762.39941	12762.39941	1.12
2933	015	4553	0.1	0	0	55	80	2.5	8	8	11382	11382	RH-1(D)	40	form-based			true	0.7	10	1.25	10	10	12748.39941	12748.39941	12748.39941	1.120049
2935	018	4860	0.11	0	0	55	80	2.5	9	9	12150	12150	RH-1(D)	40	form-based			true	0.7	10	1.111111164	10	10	13608	13608	13608	1.12
2935	009	5209	0.12	2434	1	55	80	2.5	10	9	13022	10588	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14585.2002	12151.2002	12151.2002	1.120043
2935	016	4835	0.11	0	0	55	80	2.5	9	9	12088	12088	RH-1(D)	40	form-based			true	0.7	10	1.111111164	10	10	13538	13538	13538	1.119954
2958	017	5080	0.12	1966	1	55	80	2.5	10	9	12700	10734	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14224	12258	12258	1.12
2969	031	5257	0.12	1077	1	55	80	2.5	10	9	13142	12065	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14719.59961	13642.59961	13642.59961	1.120043
2970	007	5274	0.12	1978	1	55	80	2.5	10	9	13185	11207	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14767.2002	12789.2002	12789.2002	1.12
2972	002	5111	0.12	2443	1	55	80	2.5	10	9	12778	10335	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14310.7998	11867.7998	11867.7998	1.119956
2973	006	5042	0.12	1523	1	55	80	2.5	10	9	12605	11082	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14117.59961	12594.59961	12594.59961	1.12
2973	034	5146	0.12	3720	1	55	80	2.5	10	9	12865	9145	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14408.7998	10688.7998	10688.7998	1.12
2973	025	5111	0.12	3444	1	55	80	2.5	10	9	12778	9334	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14310.7998	10866.7998	10866.7998	1.119956
2973	031	5469	0.13	4017	1	55	80	2.5	10	9	13672	9655	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15313.2002	11296.2002	11296.2002	1.120041
2973A	032	5265	0.12	2969	1	55	80	2.5	10	9	13162	10193	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14742	11773	11773	1.120043
2973A	038	5465	0.13	2953	1	55	80	2.5	10	9	13662	10709	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15302	12349	12349	1.120041
2973A	041	5176	0.12	1980	1	55	80	2.5	10	9	12940	10960	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14492.7998	12512.7998	12512.7998	1.12
2973A	042A	5259	0.12	2268	1	55	80	2.5	10	9	13148	10880	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14725.2002	12457.2002	12457.2002	1.119957
2974	019	5232	0.12	2430	1	55	80	2.5	10	9	13080	10650	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14649.59961	12219.59961	12219.59961	1.12
2974	021	5131	0.12	4267	1	55	80	2.5	10	9	12828	8561	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14366.7998	10099.7998	10099.7998	1.119956
2975	039	5188	0.12	1980	1	55	80	2.5	10	9	12970	10990	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14526.39941	12546.39941	12546.39941	1.12
2981	015	5068	0.12	2337	1	65	100	3	12	11	15204	12867	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14190.39941	11853.39941	11853.39941	0.933333
2982	008	5345	0.12	2696	1	55	80	2.5	10	9	13362	10666	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14966	12270	12270	1.120042
2983	030	5256	0.12	2925	1	65	100	3	12	11	15768	12843	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14716.7998	11791.7998	11791.7998	0.933333
2987A	006	5476	0.13	2776	1	65	100	3	13	12	16428	13652	RH-1(D)	40	form-based		true	true	0.7	11	0.846153855	10	10	15332.7998	12556.7998	12556.7998	0.933333
2987A	003	5460	0.13	2730	1	65	100	3	13	12	16380	13650	RH-1(D)	40	form-based			true	0.7	11	0.846153855	10	10	15288	12558	12558	0.933333
2987A	007	5327	0.12	2426	1	65	100	3	12	11	15981	13555	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14915.59961	12489.59961	12489.59961	0.933333
2987A	012	5328	0.12	2940	1	65	100	3	12	11	15984	13044	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14918.39941	11978.39941	11978.39941	0.933333
2987A	052	4564	0.1	2160	0	65	100	3	10	10	13692	11532	RH-1(D)	40	form-based			true	0.7	10	1	10	10	12779.2002	10619.2002	10619.2002	0.933333
2989A	003	5317	0.12	4083	1	65	100	3	12	11	15951	11868	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14887.59961	10804.59961	10804.59961	0.933333
2989A	004	5187	0.12	3384	1	65	100	3	12	11	15561	12177	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14523.59961	11139.59961	11139.59961	0.933333
2989A	015	5202	0.12	2252	1	65	100	3	12	11	15606	13354	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14565.59961	12313.59961	12313.59961	0.933333
2989A	031	5280	0.12	2928	1	65	100	3	12	11	15840	12912	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14784	11856	11856	0.933333
2989B	005	5094	0.12	2710	1	65	100	3	12	11	15282	12572	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14263.2002	11553.2002	11553.2002	0.933333
2989B	006	5236	0.12	3824	1	65	100	3	12	11	15708	11884	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14660.7998	10836.7998	10836.7998	0.933333
2989B	007	5422	0.12	2969	1	65	100	3	12	11	16266	13297	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15181.59961	12212.59961	12212.59961	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2989B	013	5467	0.13	2800	1	65	100	3	13	12	16401	13601	RH-1(D)	40	form-based			true	0.7	11	0.846153855	10	10	15307.59961	12507.59961	12507.59961	0.933333
3011	020	5129	0.12	2423	1	65	100	3	12	11	15387	12964	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14361.2002	11938.2002	11938.2002	0.933333
3011	038	5072	0.12	2876	1	55	80	2.5	10	9	12680	9804	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14201.59961	11325.59961	11325.59961	1.12
3011	043	5263	0.12	2689	1	55	80	2.5	10	9	13158	10469	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14736.39941	12047.39941	12047.39941	1.119957
3011	044	5117	0.12	2814	1	55	80	2.5	10	9	12792	9978	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14327.59961	11513.59961	11513.59961	1.120044
3011	047	5150	0.12	5077	1	55	80	2.5	10	9	12875	7798	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14420	9343	9343	1.12
3011	048	5057	0.12	4480	1	55	80	2.5	10	9	12642	8162	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14159.59961	9679.599609	9679.599609	1.120044
3011	049	5243	0.12	2818	1	55	80	2.5	10	9	13108	10290	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14680.39941	11862.39941	11862.39941	1.119957
3011	050	5174	0.12	1900	1	55	80	2.5	10	9	12935	11035	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14487.2002	12587.2002	12587.2002	1.12
3011	076	5027	0.12	2432	1	55	80	2.5	10	9	12568	10136	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14075.59961	11643.59961	11643.59961	1.119955
3011	077	5011	0.12	2802	1	55	80	2.5	10	9	12528	9726	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14030.7998	11228.7998	11228.7998	1.119955
3011A	014	5053	0.12	2831	1	55	80	2.5	10	9	12632	9801	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14148.39941	11317.39941	11317.39941	1.120044
3011A	019	5438	0.12	3321	1	55	80	2.5	10	9	13595	10274	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15226.39941	11905.39941	11905.39941	1.12
3011A	021	5388	0.12	3575	1	65	100	3	12	11	16164	12589	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15086.39941	11511.39941	11511.39941	0.933333
3013	022	5036	0.12	2141	1	65	100	3	12	11	15108	12967	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14100.7998	11959.7998	11959.7998	0.933333
3013A	010	5471	0.13	2466	1	65	100	3	13	12	16413	13947	RH-1(D)	40	form-based			true	0.7	11	0.846153855	10	10	15318.7998	12852.7998	12852.7998	0.933333
3014	002F	2122	0.05	1794	1	65	100	3	5	4	6366	4572	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12732	10938	10938	2
3013A	017	5093	0.12	2737	1	65	100	3	12	11	15279	12542	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14260.39941	11523.39941	11523.39941	0.933333
3014	002E	2153	0.05	2272	1	65	100	3	5	4	6459	4187	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12918	10646	10646	2
3014	002G	2160	0.05	2015	1	65	100	3	5	4	6480	4465	RTO-C	85	form-based			true	0.75	11	2.200000048	10	9	12960	10945	10945	2
3039	001	5188	0.12	2675	1	55	80	2.5	10	9	12970	10295	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14526.39941	11851.39941	11851.39941	1.12
3040	001	5104	0.12	2192	1	55	80	2.5	10	9	12760	10568	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14291.2002	12099.2002	12099.2002	1.12
3040	006	5189	0.12	2800	1	55	80	2.5	10	9	12972	10172	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14529.2002	11729.2002	11729.2002	1.120043
3040	021	5186	0.12	2108	1	55	80	2.5	10	9	12965	10857	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14520.7998	12412.7998	12412.7998	1.12
3041	029	5226	0.12	1348	1	55	80	2.5	10	9	13065	11717	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14632.7998	13284.7998	13284.7998	1.12
3041	030	5166	0.12	1522	1	55	80	2.5	10	9	12915	11393	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14464.7998	12942.7998	12942.7998	1.12
3041	032	5200	0.12	1331	1	55	80	2.5	10	9	13000	11669	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14560	13229	13229	1.12
3041	033	5392	0.12	1607	1	55	80	2.5	10	9	13480	11873	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15097.59961	13490.59961	13490.59961	1.12
3042	012	5434	0.12	2982	1	55	80	2.5	10	9	13585	10603	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15215.2002	12233.2002	12233.2002	1.12
3042	018	4864	0.11	3088	0	55	80	2.5	9	9	12160	9072	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	10	10	13619.2002	10531.2002	10531.2002	1.12
3042	028	5409	0.12	2012	1	55	80	2.5	10	9	13522	11510	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15145.2002	13133.2002	13133.2002	1.120041
3042	031	5378	0.12	2104	1	55	80	2.5	10	9	13445	11341	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15058.39941	12954.39941	12954.39941	1.12
3042	034	5328	0.12	2	1	55	80	2.5	10	9	13320	13318	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14918.39941	14916.39941	14916.39941	1.12
3042	037	5431	0.12	2330	1	55	80	2.5	10	9	13578	11248	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15206.7998	12876.7998	12876.7998	1.119959
3045	004	5018	0.12	2119	1	55	80	2.5	10	9	12545	10426	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14050.39941	11931.39941	11931.39941	1.12
3045	005	5308	0.12	2773	1	55	80	2.5	10	9	13270	10497	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14862.39941	12089.39941	12089.39941	1.12
3046	030	5256	0.12	2092	1	55	80	2.5	10	9	13140	11048	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14716.7998	12624.7998	12624.7998	1.12
3046	011	5248	0.12	4429	1	55	80	2.5	10	9	13120	8691	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14694.39941	10265.39941	10265.39941	1.12
3046	016	5212	0.12	2401	1	55	80	2.5	10	9	13030	10629	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14593.59961	12192.59961	12192.59961	1.12
3046	031	5271	0.12	3372	1	55	80	2.5	10	9	13178	9806	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14758.7998	11386.7998	11386.7998	1.119957
3046	026	5090	0.12	5205	1	55	80	2.5	10	9	12725	7520	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14252	9047	9047	1.12
3047	001	5048	0.12	4532	1	55	80	2.5	10	9	12620	8088	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14134.39941	9602.399414	9602.399414	1.12
3047	013	5376	0.12	1812	1	55	80	2.5	10	9	13440	11628	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15052.7998	13240.7998	13240.7998	1.12
3047	028	5228	0.12	2422	1	55	80	2.5	10	9	13070	10648	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14638.39941	12216.39941	12216.39941	1.12
3047	035	5260	0.12	1758	1	55	80	2.5	10	9	13150	11392	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14728	12970	12970	1.12
3047	036	5436	0.12	2612	1	55	80	2.5	10	9	13590	10978	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15220.7998	12608.7998	12608.7998	1.12
3048	010	5009	0.11	2847	1	55	80	2.5	9	8	12522	9675	RH-1(D)	40	form-based			true	0.7	11	1.222222209	10	10	14025.2002	11178.2002	11178.2002	1.120045
3049	014	5280	0.12	2165	1	55	80	2.5	10	9	13200	11035	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14784	12619	12619	1.12
3049	022	5340	0.12	2687	1	55	80	2.5	10	9	13350	10663	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14952	12265	12265	1.12
3070	002	5171	0.12	2400	1	65	100	3	12	11	15513	13113	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14478.7998	12078.7998	12078.7998	0.933333
3070	003	5111	0.12	2343	1	65	100	3	12	11	15333	12990	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14310.7998	11967.7998	11967.7998	0.933333
3070	005	5155	0.12	2356	1	65	100	3	12	11	15465	13109	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14434	12078	12078	0.933333
3070	006	5221	0.12	3088	1	65	100	3	12	11	15663	12575	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14618.7998	11530.7998	11530.7998	0.933333
3070	013	5202	0.12	2868	1	65	100	3	12	11	15606	12738	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14565.59961	11697.59961	11697.59961	0.933333
3070	014	5352	0.12	2322	1	65	100	3	12	11	16056	13734	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14985.59961	12663.59961	12663.59961	0.933333
3070	016	5181	0.12	2713	1	65	100	3	12	11	15543	12830	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14506.7998	11793.7998	11793.7998	0.933333
3071	029	5002	0.11	2524	1	65	100	3	11	10	15006	12482	RH-1(D)	40	form-based			true	0.7	11	1	10	10	14005.59961	11481.59961	11481.59961	0.933333
3071	005	5005	0.11	2684	1	65	100	3	11	10	15015	12331	RH-1(D)	40	form-based			true	0.7	11	1	10	10	14014	11330	11330	0.933333
3071	017	5230	0.12	2670	1	65	100	3	12	11	15690	13020	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14644	11974	11974	0.933333
3072	002	5346	0.12	3025	1	65	100	3	12	11	16038	13013	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14968.7998	11943.7998	11943.7998	0.933333
3072	017	5034	0.12	3673	1	65	100	3	12	11	15102	11429	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14095.2002	10422.2002	10422.2002	0.933333
3073	025	5287	0.12	2786	1	65	100	3	12	11	15861	13075	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14803.59961	12017.59961	12017.59961	0.933333
3072A	001	5352	0.12	3065	1	65	100	3	12	11	16056	12991	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14985.59961	11920.59961	11920.59961	0.933333
3072A	007	5425	0.12	2777	1	65	100	3	12	11	16275	13498	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15190	12413	12413	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3072A	008	5344	0.12	2571	1	65	100	3	12	11	16032	13461	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14963.2002	12392.2002	12392.2002	0.933333
3072A	009	5153	0.12	3414	1	65	100	3	12	11	15459	12045	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14428.39941	11014.39941	11014.39941	0.933333
3072A	010	5276	0.12	3562	1	65	100	3	12	11	15828	12266	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14772.7998	11210.7998	11210.7998	0.933333
3072A	011	5070	0.12	2014	1	65	100	3	12	11	15210	13196	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14196	12182	12182	0.933333
3072A	012	5097	0.12	3360	1	65	100	3	12	11	15291	11931	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14271.59961	10911.59961	10911.59961	0.933333
3073	005	5024	0.12	2270	1	65	100	3	12	11	15072	12802	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14067.2002	11797.2002	11797.2002	0.933333
3076	023	5156	0.12	3860	1	65	100	3	12	11	15468	11608	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14436.7998	10576.7998	10576.7998	0.933333
3073	007	5017	0.12	2915	1	65	100	3	12	11	15051	12136	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14047.59961	11132.59961	11132.59961	0.933333
3076	013	5313	0.12	1996	1	55	80	2.5	10	9	13282	11286	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14876.39941	12880.39941	12880.39941	1.120042
3073	018	5062	0.12	2059	1	65	100	3	12	11	15186	13127	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14173.59961	12114.59961	12114.59961	0.933333
3073	019	5029	0.12	2963	1	65	100	3	12	11	15087	12124	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14081.2002	11118.2002	11118.2002	0.933333
3073	026	5460	0.13	2309	1	65	100	3	13	12	16380	14071	RH-1(D)	40	form-based		true	true	0.7	11	0.846153855	10	10	15288	12979	12979	0.933333
3074	007	5019	0.12	2450	1	65	100	3	12	11	15057	12607	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14053.2002	11603.2002	11603.2002	0.933333
3074	012	5330	0.12	2651	1	65	100	3	12	11	15990	13339	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14924	12273	12273	0.933333
3074	013	5450	0.13	3009	1	65	100	3	13	12	16350	13341	RH-1(D)	40	form-based			true	0.7	11	0.846153855	10	10	15260	12251	12251	0.933333
3074	014	5300	0.12	4120	1	65	100	3	12	11	15900	11780	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14840	10720	10720	0.933333
3074	015	5249	0.12	2974	1	65	100	3	12	11	15747	12773	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14697.2002	11723.2002	11723.2002	0.933333
3074	017	5099	0.12	3080	1	65	100	3	12	11	15297	12217	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14277.2002	11197.2002	11197.2002	0.933333
3076	005	5154	0.12	3945	1	55	80	2.5	10	9	12885	8940	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14431.2002	10486.2002	10486.2002	1.12
3076	008	5247	0.12	2200	1	55	80	2.5	10	9	13118	10918	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14691.59961	12491.59961	12491.59961	1.119957
3076	012	5400	0.12	3538	1	55	80	2.5	10	9	13500	9962	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15120	11582	11582	1.12
3076	040	5187	0.12	3072	1	55	80	2.5	10	9	12968	9896	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14523.59961	11451.59961	11451.59961	1.119957
3076	042	5308	0.12	2930	1	55	80	2.5	10	9	13270	10340	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14862.39941	11932.39941	11932.39941	1.12
3076	050	5158	0.12	5717	1	55	80	2.5	10	9	12895	7178	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14442.39941	8725.399414	8725.399414	1.12
3076	053	5335	0.12	2170	1	55	80	2.5	10	9	13338	11168	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14938	12768	12768	1.119958
3076	060	5002	0.11	3120	1	65	100	3	11	10	15006	11886	RH-1(D)	40	form-based			true	0.7	11	1	10	10	14005.59961	10885.59961	10885.59961	0.933333
3076	064	5129	0.12	3202	1	65	100	3	12	11	15387	12185	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14361.2002	11159.2002	11159.2002	0.933333
3076A	025	5297	0.12	1728	1	65	100	3	12	11	15891	14163	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14831.59961	13103.59961	13103.59961	0.933333
3076A	031	5060	0.12	2470	1	65	100	3	12	11	15180	12710	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14168	11698	11698	0.933333
3077	020	5261	0.12	3694	1	55	80	2.5	10	9	13152	9458	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14730.7998	11036.7998	11036.7998	1.120043
3077	004	5064	0.12	2096	1	55	80	2.5	10	9	12660	10564	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14179.2002	12083.2002	12083.2002	1.12
3077	025	5431	0.12	3532	1	55	80	2.5	10	9	13578	10046	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15206.7998	11674.7998	11674.7998	1.119959
3077	026	5087	0.12	2614	1	55	80	2.5	10	9	12718	10104	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14243.59961	11629.59961	11629.59961	1.119956
3077	034	5449	0.13	2360	1	55	80	2.5	10	9	13622	11262	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15257.2002	12897.2002	12897.2002	1.120041
3077	046	5263	0.12	2094	1	55	80	2.5	10	9	13158	11064	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14736.39941	12642.39941	12642.39941	1.119957
3078	010	5122	0.12	3500	1	55	80	2.5	10	9	12805	9305	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14341.59961	10841.59961	10841.59961	1.12
3078	023	5419	0.12	2219	1	55	80	2.5	10	9	13548	11329	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15173.2002	12954.2002	12954.2002	1.119959
3078	030	5203	0.12	3172	1	55	80	2.5	10	9	13008	9836	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14568.39941	11396.39941	11396.39941	1.119957
3078	041	4553	0.1	1100	0	55	80	2.5	8	8	11382	10282	RH-1(D)	40	form-based			true	0.7	10	1.25	10	10	12748.39941	11648.39941	11648.39941	1.120049
3080	013	5405	0.12	2416	1	55	80	2.5	10	9	13512	11096	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15134	12718	12718	1.120041
3078	042	4734	0.11	2485	0	55	80	2.5	9	9	11835	9350	RH-1(D)	40	form-based			true	0.7	10	1.111111164	10	10	13255.2002	10770.2002	10770.2002	1.12
3080	005	5074	0.12	1886	1	55	80	2.5	10	9	12685	10799	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14207.2002	12321.2002	12321.2002	1.12
3080	006	5325	0.12	2758	1	55	80	2.5	10	9	13312	10554	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14910	12152	12152	1.120042
3081	007	5023	0.12	1940	1	55	80	2.5	10	9	12558	10618	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14064.39941	12124.39941	12124.39941	1.119955
3081	008	5290	0.12	1755	1	55	80	2.5	10	9	13225	11470	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14812	13057	13057	1.12
3081	009	5068	0.12	2443	1	55	80	2.5	10	9	12670	10227	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14190.39941	11747.39941	11747.39941	1.12
3081	010	5023	0.12	1781	1	55	80	2.5	10	9	12558	10777	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14064.39941	12283.39941	12283.39941	1.119955
3082	011	5032	0.12	2773	1	55	80	2.5	10	9	12580	9807	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14089.59961	11316.59961	11316.59961	1.12
3082	012	5041	0.12	1555	1	55	80	2.5	10	9	12602	11047	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14114.7998	12559.7998	12559.7998	1.120044
3098	008	5289	0.12	3338	1	65	100	3	12	11	15867	12529	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14809.2002	11471.2002	11471.2002	0.933333
3098	015	5094	0.12	2913	1	65	100	3	12	11	15282	12369	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14263.2002	11350.2002	11350.2002	0.933333
3099	005	5066	0.12	2240	1	65	100	3	12	11	15198	12958	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14184.7998	11944.7998	11944.7998	0.933333
3099	018	5405	0.12	2664	1	65	100	3	12	11	16215	13551	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	15134	12470	12470	0.933333
3100	002	5471	0.13	3657	1	65	100	3	13	12	16413	12756	RH-1(D)	40	form-based			true	0.7	11	0.846153855	10	10	15318.7998	11661.7998	11661.7998	0.933333
3101	018	5376	0.12	2280	1	65	100	3	12	11	16128	13848	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15052.7998	12772.7998	12772.7998	0.933333
3101	019	5174	0.12	4832	1	65	100	3	12	11	15522	10690	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14487.2002	9655.200195	9655.200195	0.933333
3102	001	5192	0.12	3254	1	65	100	3	12	11	15576	12322	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14537.59961	11283.59961	11283.59961	0.933333
3102	002	5094	0.12	3020	1	65	100	3	12	11	15282	12262	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14263.2002	11243.2002	11243.2002	0.933333
3102	003	5127	0.12	2368	1	65	100	3	12	11	15381	13013	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14355.59961	11987.59961	11987.59961	0.933333
3102	004	5132	0.12	2631	1	65	100	3	12	11	15396	12765	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14369.59961	11738.59961	11738.59961	0.933333
3102	005	5137	0.12	2480	1	65	100	3	12	11	15411	12931	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14383.59961	11903.59961	11903.59961	0.933333
3102	006	5141	0.12	2940	1	65	100	3	12	11	15423	12483	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14394.7998	11454.7998	11454.7998	0.933333
3102	007	5146	0.12	2434	1	65	100	3	12	11	15438	13004	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14408.7998	11974.7998	11974.7998	0.933333
3102	008	5151	0.12	2124	1	65	100	3	12	11	15453	13329	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14422.7998	12298.7998	12298.7998	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3102	009	5156	0.12	2324	1	65	100	3	12	11	15468	13144	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14436.7998	12112.7998	12112.7998	0.933333
3102	010	5161	0.12	2975	1	65	100	3	12	11	15483	12508	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14450.7998	11475.7998	11475.7998	0.933333
3102	013	5186	0.12	3744	1	65	100	3	12	11	15558	11814	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14520.7998	10776.7998	10776.7998	0.933333
3103	011	5099	0.12	2491	1	55	80	2.5	10	9	12748	10257	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14277.2002	11786.2002	11786.2002	1.119956
3103	018	5090	0.12	2768	1	65	100	3	12	11	15270	12502	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14252	11484	11484	0.933333
3103	020	5150	0.12	2876	1	65	100	3	12	11	15450	12574	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14420	11544	11544	0.933333
3106	021	5134	0.12	1385	1	55	80	2.5	10	9	12835	11450	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14375.2002	12990.2002	12990.2002	1.12
3105A	015	5457	0.13	2268	1	55	80	2.5	10	9	13642	11374	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15279.59961	13011.59961	13011.59961	1.120041
3105A	016	5340	0.12	2435	1	55	80	2.5	10	9	13350	10915	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14952	12517	12517	1.12
3105A	024	5050	0.12	2140	1	55	80	2.5	10	9	12625	10485	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14140	12000	12000	1.12
3107	001	5162	0.12	1554	1	55	80	2.5	10	9	12905	11351	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14453.59961	12899.59961	12899.59961	1.12
3107	005	5313	0.12	1835	1	55	80	2.5	10	9	13282	11447	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14876.39941	13041.39941	13041.39941	1.120042
3106	007	5265	0.12	1392	1	55	80	2.5	10	9	13162	11770	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14742	13350	13350	1.120043
3107	011	5228	0.12	1207	1	55	80	2.5	10	9	13070	11863	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14638.39941	13431.39941	13431.39941	1.12
3107	014	5179	0.12	1899	1	55	80	2.5	10	9	12948	11049	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14501.2002	12602.2002	12602.2002	1.119957
3108	015	5153	0.12	2522	1	55	80	2.5	10	9	12882	10360	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14428.39941	11906.39941	11906.39941	1.120043
3108	019	5281	0.12	2824	1	55	80	2.5	10	9	13202	10378	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14786.7998	11962.7998	11962.7998	1.120042
3109	021	5435	0.12	1270	1	55	80	2.5	10	9	13588	12318	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15218	13948	13948	1.119959
3111	001	5299	0.12	1610	1	55	80	2.5	10	9	13248	11638	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14837.2002	13227.2002	13227.2002	1.119958
3111	009	5084	0.12	1670	1	55	80	2.5	10	9	12710	11040	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14235.2002	12565.2002	12565.2002	1.12
3113	016	5192	0.12	1590	1	55	80	2.5	10	9	12980	11390	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14537.59961	12947.59961	12947.59961	1.12
3116	050	5625	0.13	2385	2	55	80	2.5	10	8	14062	11677	RH-1	40	form-based			true	0.7	12	1.200000048	10	10	15750	13365	13365	1.12004
3120	051	4945	0.11	4644	0	55	80	2.5	9	9	12362	7718	RH-1	40	form-based		true	true	0.7	10	1.111111164	10	10	13846	9202	9202	1.120045
3133	013	5262	0.12	1842	1	55	80	2.5	10	9	13155	11313	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14733.59961	12891.59961	12891.59961	1.12
3161	010	5456	0.13	1362	1	55	80	2.5	10	9	13640	12278	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	15276.7998	13914.7998	13914.7998	1.12
3162	003	5181	0.12	1561	1	55	80	2.5	10	9	12952	11391	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14506.7998	12945.7998	12945.7998	1.120043
3164	002	5474	0.13	1908	1	55	80	2.5	10	9	13685	11777	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15327.2002	13419.2002	13419.2002	1.12
3165	028	5250	0.12	2177	1	55	80	2.5	10	9	13125	10948	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14700	12523	12523	1.12
3167	009	5265	0.12	2291	1	65	100	3	12	11	15795	13504	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14742	12451	12451	0.933333
3175	016	5397	0.12	2128	1	65	100	3	12	11	16191	14063	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15111.59961	12983.59961	12983.59961	0.933333
3176	008	5219	0.12	1175	1	65	100	3	12	11	15657	14482	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14613.2002	13438.2002	13438.2002	0.933333
3176	013	5134	0.12	2019	1	65	100	3	12	11	15402	13383	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14375.2002	12356.2002	12356.2002	0.933333
3177	001	5270	0.12	1545	1	65	100	3	12	11	15810	14265	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14756	13211	13211	0.933333
3177	026	5231	0.12	2300	1	65	100	3	12	11	15693	13393	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14646.7998	12346.7998	12346.7998	0.933333
3198	016	3554	0.08	8265	9	65	100	3	8	0	10662	2397	NCT-OCEA	85	form-based		true	true	0.75	19	2.375	10	7	21324	13059	13059	2
3250	013	5422	0.12	4138	1	65	100	3	12	11	16266	12128	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15181.59961	11043.59961	11043.59961	0.933333
3253	010	5401	0.12	3722	1	65	100	3	12	11	16203	12481	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	15122.7998	11400.7998	11400.7998	0.933333
3257	009	4818	0.11	0	0	65	100	3	11	11	14454	14454	RH-1(D)	40	form-based			true	0.7	10	0.909090936	10	10	13490.39941	13490.39941	13490.39941	0.933333
3257	016	2952	0.07	1998	1	85	140	4	10	9	11808	9810	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13284	11286	11286	1.125
3258	010	4839	0.11	0	0	65	100	3	11	11	14517	14517	RH-1(D)	40	form-based			true	0.7	10	0.909090936	10	10	13549.2002	13549.2002	13549.2002	0.933333
3259	011	4954	0.11	0	0	65	100	3	11	11	14862	14862	RH-1(D)	40	form-based			true	0.7	10	0.909090936	10	10	13871.2002	13871.2002	13871.2002	0.933333
3258	023	5289	0.12	2440	1	85	140	4	17	16	21156	18716	RH-1(D)	40	form-based			true	0.7	11	0.647058845	10	10	14809.2002	12369.2002	12369.2002	0.7
3258	025	5268	0.12	3428	1	85	140	4	17	16	21072	17644	RH-1(D)	40	form-based			true	0.7	11	0.647058845	10	10	14750.39941	11322.39941	11322.39941	0.7
3258	031	5198	0.12	2422	1	65	100	3	12	11	15594	13172	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14554.39941	12132.39941	12132.39941	0.933333
3259	027	5391	0.12	2313	1	65	100	3	12	11	16173	13860	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15094.7998	12781.7998	12781.7998	0.933333
3259	028	5099	0.12	2408	1	65	100	3	12	11	15297	12889	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14277.2002	11869.2002	11869.2002	0.933333
3259	032	5155	0.12	3135	1	65	100	3	12	11	15465	12330	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14434	11299	11299	0.933333
3259	036	5279	0.12	2445	1	65	100	3	12	11	15837	13392	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14781.2002	12336.2002	12336.2002	0.933333
3259	039	5297	0.12	2916	1	65	100	3	12	11	15891	12975	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14831.59961	11915.59961	11915.59961	0.933333
3260	001	5023	0.12	3258	1	55	80	2.5	10	9	12558	9300	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14064.39941	10806.39941	10806.39941	1.119955
3260	005	5312	0.12	3850	1	65	100	3	12	11	15936	12086	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14873.59961	11023.59961	11023.59961	0.933333
3260	011	5143	0.12	2734	1	65	100	3	12	11	15429	12695	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14400.39941	11666.39941	11666.39941	0.933333
3260	013	5130	0.12	3362	1	65	100	3	12	11	15390	12028	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14364	11002	11002	0.933333
3260	015	5040	0.12	2147	1	65	100	3	12	11	15120	12973	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14112	11965	11965	0.933333
3260	016	5469	0.13	3068	1	65	100	3	13	12	16407	13339	RH-1(D)	40	form-based			true	0.7	11	0.846153855	10	10	15313.2002	12245.2002	12245.2002	0.933333
3261	014	5426	0.12	2400	1	65	100	3	12	11	16278	13878	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15192.7998	12792.7998	12792.7998	0.933333
3261	016	5281	0.12	2579	1	65	100	3	12	11	15843	13264	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14786.7998	12207.7998	12207.7998	0.933333
3261	017	5038	0.12	2078	1	65	100	3	12	11	15114	13036	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14106.39941	12028.39941	12028.39941	0.933333
3262	002	5141	0.12	3420	1	65	100	3	12	11	15423	12003	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14394.7998	10974.7998	10974.7998	0.933333
3262	026	5122	0.12	3520	1	65	100	3	12	11	15366	11846	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14341.59961	10821.59961	10821.59961	0.933333
3263	002	5132	0.12	1701	1	55	80	2.5	10	9	12830	11129	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14369.59961	12668.59961	12668.59961	1.12
3263	011	5056	0.12	1240	1	55	80	2.5	10	9	12640	11400	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14156.7998	12916.7998	12916.7998	1.12
3273	015	5132	0.12	2803	1	55	80	2.5	10	9	12830	10027	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14369.59961	11566.59961	11566.59961	1.12
3273	016	5101	0.12	2490	1	55	80	2.5	10	9	12752	10262	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14282.7998	11792.7998	11792.7998	1.120044

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3273	008	5365	0.12	2412	1	55	80	2.5	10	9	13412	11000	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15022	12610	12610	1.120042
3273	009	5338	0.12	3013	1	55	80	2.5	10	9	13345	10332	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14946.39941	11933.39941	11933.39941	1.12
3273	011	5363	0.12	2922	1	55	80	2.5	10	9	13408	10486	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15016.39941	12094.39941	12094.39941	1.119958
3273	012	5135	0.12	3345	1	55	80	2.5	10	9	12838	9493	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14378	11033	11033	1.119956
3273	013	5261	0.12	2670	1	55	80	2.5	10	9	13152	10482	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14730.7998	12060.7998	12060.7998	1.120043
3273	014	5340	0.12	3277	1	55	80	2.5	10	9	13350	10073	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14952	11675	11675	1.12
3273	006	5241	0.12	2328	1	55	80	2.5	10	9	13102	10774	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14674.7998	12346.7998	12346.7998	1.120043
3273	007	5291	0.12	2366	1	55	80	2.5	10	9	13228	10862	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14814.7998	12448.7998	12448.7998	1.119958
3274	009	5014	0.12	2510	1	55	80	2.5	10	9	12535	10025	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14039.2002	11529.2002	11529.2002	1.12
3276	024	5152	0.12	1754	1	65	100	3	12	11	15456	13702	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14425.59961	12671.59961	12671.59961	0.933333
3278	012A	2924	0.07	1658	1	65	100	3	7	6	8772	7114	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13158	11500	11500	1.5
3278	012G	3012	0.07	2514	1	65	100	3	7	6	9036	6522	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13554	11040	11040	1.5
3281	020B	2210	0.05	2604	2	85	140	4	7	5	8840	6236	NCT-OCEA	85	form-based			true	0.75	12	1.714285731	10	10	13260	10656	10656	1.5
3282	027A	4173	0.1	8709	12	65	100	3	10	0	12519	3810	NCT-OCEA	85	form-based			true	0.75	22	2.200000048	10	8	25038	16329	16329	2
3501	004	2250	0.05	3632	2	85	140	4	7	5	9000	5368	NCT-3	85	form-based			true	0.75	12	1.714285731	10	10	13500	9868	9868	1.5
3504	002	4473	0.1	5500	0	65	100	3	10	10	13419	7919	NCT-3	40	form-based		true		0.75	10	1	10	10	13419	7919	7919	1
3511	039	4398	0.1	0	0	65	100	3	10	10	13194	13194	RED	40	form-based				0.75	10	1	10	10	13194	13194	13194	1
3517	030	4317	0.1	11749	0	65	100	3	10	10	12951	1202	RED-MX	45	form-based				0.75	10	1	10	10	12951	1202	1202	1
3518	005	3252	0.07	3900	0	65	100	3	7	7	9756	5856	RCD	55	form-based				0.75	10	1.428571463	10	10	12195	8295	8295	1.25
3518	033	4281	0.1	4250	0	65	100	3	10	10	12843	8593	RED-MX	45	form-based				0.75	10	1	10	10	12843	8593	8593	1
3519	053	2794	0.06	8913	0	65	100	3	6	6	8382	0	NCT-FOLS(	65	form-based		true		0.75	10	1.666666627	10	10	12573	3660	3660	1.5
3520	030B	3240	0.07	7875	0	65	100	3	7	7	9720	1845	WMUG	55	form-based				0.75	10	1.428571463	10	10	12150	4275	4275	1.25
3522	001	1949	0.04	0	0	65	100	3	4	4	5847	5847	WMUG	85	form-based		true	true	0.75	10	2.5	10	8	11694	11694	11694	2
3522	016	1885	0.04	0	0	65	100	3	4	4	5655	5655	WMUG	85	form-based			true	0.75	10	2.5	10	8	11310	11310	11310	2
3522	059	1880	0.04	3500	0	65	100	3	4	4	5640	2140	WMUG	85	form-based			true	0.75	10	2.5	10	8	11280	7780	7780	2
3522	060	1838	0.04	0	0	65	100	3	4	4	5514	5514	WMUG	85	form-based			true	0.75	10	2.5	10	8	11028	11028	11028	2
3522	071	1888	0.04	803	0	65	100	3	4	4	5664	4861	WMUG	85	form-based			true	0.75	10	2.5	10	8	11328	10525	10525	2
3522	074	1932	0.04	0	0	65	100	3	4	4	5796	5796	WMUG	85	form-based		true	true	0.75	10	2.5	10	8	11592	11592	11592	2
3534	056	2850	0.07	3848	4	85	140	4	10	6	11400	7552	RTO-1	85	form-based			true	0.7	14	1.399999976	10	10	15960	12112	12112	1.4
3537	005	3100	0.07	4530	6	85	140	4	10	4	12400	7870	NCT-UPPE(	85	form-based			true	0.75	16	1.600000024	10	10	18600	14070	14070	1.5
3537	017	2500	0.06	4092	3	85	140	4	8	5	10000	5908	NCT-UPPE(	85	form-based			true	0.75	13	1.625	10	10	15000	10908	10908	1.5
3537	058	2704	0.06	4050	4	65	100	3	6	2	8112	4062	RTO-C	85	form-based		true	true	0.75	14	2.333333254	10	8	16224	12174	12174	2
3537	088	2479	0.06	3960	3	85	140	4	8	5	9916	5956	RTO-C	85	form-based			true	0.75	13	1.625	10	10	14874	10914	10914	1.5
3537	094	5000	0.11	828	4	65	100	3	11	7	15000	14172	RTO-1	50	form-based			true	0.7	14	1.272727251	10	10	17500	16672	16672	1.166667
3537	098	3603	0.08	0	0	65	100	3	8	8	10809	10809	RTO-1	50	form-based			true	0.7	10	1.25	10	10	12610.5	12610.5	12610.5	1.166667
3537	099	3500	0.08	0	0	65	100	3	8	8	10500	10500	RTO-1	50	form-based			true	0.7	10	1.25	10	10	12250	12250	12250	1.166667
3537	100	3500	0.08	0	0	65	100	3	8	8	10500	10500	RTO-1	50	form-based			true	0.7	10	1.25	10	10	12250	12250	12250	1.166667
3538	053	2553	0.06	4587	3	85	140	4	8	5	10212	5625	RTO-C	85	form-based			true	0.75	13	1.625	10	10	15318	10731	10731	1.5
3538	054	2559	0.06	3314	3	85	140	4	8	5	10236	6922	RTO-C	85	form-based			true	0.75	13	1.625	10	10	15354	12040	12040	1.5
3538	095	2403	0.06	3120	3	65	100	3	6	3	7209	4089	RTO-C	85	form-based			true	0.75	13	2.166666746	10	9	14418	11298	11298	2
3538	102	2293	0.05	1217	2	65	100	3	5	3	6879	5662	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13758	12541	12541	2
3541	035	4035	0.09	2300	1	65	100	3	9	8	12105	9805	RTO-1	50	form-based			true	0.7	11	1.222222209	10	10	14122.5	11822.5	11822.5	1.166667
3542	036	3429	0.08	0	0	85	140	4	11	11	13716	13716	RTO-1	50	form-based			true	0.7	10	0.909090936	10	10	12001.5	12001.5	12001.5	0.875
3543	006	2500	0.06	2140	2	65	100	3	6	4	7500	5360	RTO-1	85	form-based			true	0.7	12	2	10	10	14000	11860	11860	1.866667
3544	136	2750	0.06	1291	3	65	100	3	6	3	8250	6959	RTO-1	85	form-based			true	0.7	13	2.166666746	10	9	15400	14109	14109	1.866667
3552	028	3300	0.08	2750	0	75	120	3.5	10	10	11550	8800	UMU	58	form-based				0.75	10	1	10	10	12375	9625	9625	1.071429
3558	004	6225	0.14	9960	12	65	100	3	14	2	18675	8715	RTO-1	65	form-based			true	0.7	22	1.571428537	10	10	26145	16185	16185	1.4
3558	073	3050	0.07	1356	1	65	100	3	7	6	9150	7794	RTO-1	65	form-based			true	0.7	11	1.571428537	10	10	12810	11454	11454	1.4
3560	009	2885	0.07	6167	16	65	100	3	7	0	8655	2488	NCT-UPPE(	120	form-based			true	0.75	26	3.714285612	10	0	25965	19798	11143	3
3561	053	4025	0.09	2172	1	65	100	3	9	8	12075	9903	RH-2	50	form-based			true	0.7	11	1.222222209	10	10	14087.5	11915.5	11915.5	1.166667
3562	003	1475	0.03	3455	3	65	100	3	3	0	4425	970	NCT-UPPE(	120	form-based			true	0.75	13	4.333333492	10	3	13275	9820	5395	3
3562	014	2250	0.05	3445	10	65	100	3	5	0	6750	3305	NCT-UPPE(	160	form-based			true	0.75	20	4	10	0	20250	16805	10055	3
3562	019	2250	0.05	2535	2	65	100	3	5	3	6750	4215	RTO-C	85	form-based			true	0.75	12	2.400000095	10	8	13500	10965	10965	2
3562	038	2231	0.05	1359	2	65	100	3	5	3	6693	5334	RTO-C	85	form-based		true	true	0.75	12	2.400000095	10	8	13386	12027	12027	2
3567	034	4957	0.11	17515	0	85	140	4	15	15	19828	2313	RM-1	40	form-based			true	0.7	10	0.666666687	10	10	13879.59961	0	0	0.7
3567	040	5572	0.13	7800	3	65	100	3	13	10	16716	8916	NCT-VALE(	40	form-based				0.75	13	1	10	10	16716	8916	8916	1
3568	013	3450	0.08	1980	0	75	120	3.5	10	10	12075	10095	NCT-VALE(	55	form-based				0.75	10	1	10	10	12937.5	10957.5	10957.5	1.071429
3568	063	3200	0.07	2800	0	75	120	3.5	8	8	11200	8400	NCT-VALE(	55	form-based				0.75	10	1.25	10	10	12000	9200	9200	1.071429
3574	029	4756	0.11	3930	4	75	120	3.5	13	9	16646	12716	UMU	58	form-based		true		0.75	14	1.076923132	10	10	17835	13905	13905	1.071429
3577	004	3445	0.08	3922	0	75	120	3.5	10	10	12058	8136	NCT-VALE(	55	form-based				0.75	10	1	10	10	12918.75	8996.75	8996.75	1.071384
3577	064	3445	0.08	4866	0	75	120	3.5	10	10	12058	7192	NCT-VALE(	55	form-based				0.75	10	1	10	10	12918.75	8052.75	8052.75	1.071384
3578	032	6093	0.14	15048	0	65	100	3	14	14	18279	3231	RM-2	40	density-lin	600	true		0.7	10	0.714285731	10	10	17060.40039	2012.400391	2012.400391	0.933333
3579	031	4571	0.1	2878	3	65	100	3	10	7	13713	10835	RM-1	50	form-based			true	0.7	13	1.299999952	10	10	15998.5	13120.5	13120.5	1.166667
3582	081	2163	0.05	2160	1	85	140	4	7	6	8652	6492	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12978	10818	10818	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3583	039	4911	0.11	2800	4	65	100	3	11	7	14733	11933	RH-3	50	form-based			true	0.7	14	1.272727251	10	10	17188.5	14388.5	14388.5	1.166667
3585	006	2800	0.06	2716	1	65	100	3	6	5	8400	5684	RTO-C	65	form-based		true	true	0.75	11	1.833333373	10	10	12600	9884	9884	1.5
3585	061	4080	0.09	2894	1	65	100	3	9	8	12240	9346	RH-3	50	form-based		true	true	0.7	11	1.222222209	10	10	14280	11386	11386	1.166667
3598	060	9709	0.22	20305	0	65	100	3	22	22	29127	8822	RH-3	40	density-lin	1000	true		0.7	10	0.454545468	10	10	27185.19922	6880.199219	6880.199219	0.933333
3600	057	4767	0.11	5137	3	65	100	3	11	8	14301	9164	RH-1	50	form-based			true	0.7	13	1.181818128	10	10	16684.5	11547.5	11547.5	1.166667
3600	067	5796	0.13	5174	6	65	100	3	13	7	17388	12214	RH-2	50	form-based			true	0.7	16	1.230769277	10	10	20286	15112	15112	1.166667
3600	132	4650	0.11	965	7	65	100	3	11	4	13950	12985	RTO-C	65	form-based			true	0.75	17	1.545454502	10	10	20925	19960	19960	1.5
3601	015	5700	0.13	3578	2	65	100	3	13	11	17100	13522	RH-1	40	form-based			true	0.7	12	0.923076928	10	10	15960	12382	12382	0.933333
3605	008	3179	0.07	2992	2	65	100	3	7	5	9537	6545	RTO-C	65	form-based		true	true	0.75	12	1.714285731	10	10	14305.5	11313.5	11313.5	1.5
3605	015	5649	0.13	2934	2	65	100	3	13	11	16947	14013	RH-1	40	form-based			true	0.7	12	0.923076928	10	10	15817.2002	12883.2002	12883.2002	0.933333
3619	046	2957	0.07	2080	1	85	140	4	10	9	11828	9748	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13306.5	11226.5	11226.5	1.125
3620	001	3159	0.07	2391	2	65	100	3	7	5	9477	7086	RTO-C	65	form-based		true	true	0.75	12	1.714285731	10	10	14215.5	11824.5	11824.5	1.5
3620	001A	2889	0.07	2276	1	65	100	3	7	6	8667	6391	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13000.5	10724.5	10724.5	1.5
3620	003	2547	0.06	0	0	65	100	3	6	6	7641	7641	RTO-C	65	form-based			true	0.75	10	1.666666627	10	10	11461.5	11461.5	11461.5	1.5
3620	064	2889	0.07	950	1	65	100	3	7	6	8667	7717	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13000.5	12050.5	12050.5	1.5
3620	065	2889	0.07	2177	1	65	100	3	7	6	8667	6490	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	13000.5	10823.5	10823.5	1.5
3621	063	5700	0.13	2232	2	65	100	3	13	11	17100	14868	RH-1	40	form-based			true	0.7	12	0.923076928	10	10	15960	13728	13728	0.933333
3621	093	5306	0.12	1435	1	65	100	3	12	11	15918	14483	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14856.7998	13421.7998	13421.7998	0.933333
3627	012	3817	0.09	2276	1	65	100	3	9	8	11451	9175	RH-2	50	form-based			true	0.7	11	1.222222209	10	10	13359.5	11083.5	11083.5	1.166667
3627	031	3848	0.09	1495	1	65	100	3	9	8	11544	10049	RH-2	50	form-based			true	0.7	11	1.222222209	10	10	13468	11973	11973	1.166667
3628	011	7569	0.17	15144	18	65	100	3	17	0	22707	7563	RTO-C	65	form-based			true	0.75	28	1.647058845	10	10	34060.5	18916.5	18916.5	1.5
3629	026A	2865	0.07	1273	1	65	100	3	7	6	8595	7322	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	12892.5	11619.5	11619.5	1.5
3636	031	6875	0.16	14085	11	75	120	3.5	19	8	24062	9977	NCT-VALEI	55	form-based				0.75	21	1.105263114	10	10	25781.25	11696.25	11696.25	1.071451
3636	037	4986	0.11	1210	0	75	120	3.5	13	13	17451	16241	RTO-M	45	form-based				0.7	10	0.769230783	10	10	13960.7998	12750.7998	12750.7998	0.8
3636	044A	5875	0.13	3580	2	75	120	3.5	16	14	20562	16982	RTO-M	45	form-based				0.7	12	0.75	10	10	16450	12870	12870	0.800019
3642	008	4011	0.09	2424	1	75	120	3.5	11	10	14038	11614	RTO-M	50	form-based				0.7	11	1	10	10	14038.5	11614.5	11614.5	1.000036
3649	037	5432	0.12	4970	5	65	100	3	12	7	16296	11326	RM-1	50	form-based			true	0.7	15	1.25	10	10	19012	14042	14042	1.166667
3649	041	4000	0.09	1370	1	65	100	3	9	8	12000	10630	RM-1	50	form-based			true	0.7	11	1.222222209	10	10	14000	12630	12630	1.166667
3649	048	4316	0.1	2222	2	65	100	3	10	8	12948	10726	RM-1	50	form-based			true	0.7	12	1.200000048	10	10	15106	12884	12884	1.166667
3650	058	3975	0.09	1258	5	65	100	3	9	4	11925	10667	RTO-C	65	form-based			true	0.75	15	1.666666627	10	10	17887.5	16629.5	16629.5	1.5
3651	006	3086	0.07	2535	2	65	100	3	7	5	9258	6723	RTO-C	65	form-based			true	0.75	12	1.714285731	10	10	13887	11352	11352	1.5
3651	012	3027	0.07	2971	1	85	140	4	10	9	12108	9137	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	13621.5	10650.5	10650.5	1.125
3651	030	4684	0.11	8375	3	65	100	3	11	8	14052	5677	RH-3	50	form-based		true	true	0.7	13	1.181818128	10	10	16394	8019	8019	1.166667
3651	052	3850	0.09	1617	4	65	100	3	9	5	11550	9933	RTO-C	65	form-based			true	0.75	14	1.555555582	10	10	17325	15708	15708	1.5
3654	015	3254	0.07	2300	2	65	100	3	7	5	9762	7462	NCD-24TH	65	form-based			true	0.75	12	1.714285731	10	10	14643	12343	12343	1.5
3656	018	2850	0.07	2726	1	55	80	2.5	6	5	7125	4399	NCD-24TH	65	form-based			true	0.75	11	1.833333373	10	10	12825	10099	10099	1.8
3701	010	1097	0.03	1120	0	75	120	3.5	4	4	3840	2720	C-3-G	150	form-based				0.8	10	2.5	10	8	9873	8753	6560	2.571094
3703	005	1875	0.04	18955	0	75	120	3.5	5	5	6562	0	NCT-SOMA	85	form-based				0.75	10	2	10	10	11250	0	0	1.714416
3704	049	1875	0.04	0	0	75	120	3.5	5	5	6562	6562	NCT-SOMA	85	form-based		true		0.75	10	2	10	10	11250	11250	11250	1.714416
3719	519	1090	0.03	0	0	75	120	3.5	4	4	3815	3815	C-3-O(SD)	700	form-based		true		0.8	10	2.5	10	8	9810	9810	7630	2.571429
3719	520	1159	0.03	0	0	75	120	3.5	4	4	4056	4056	C-3-O(SD)	700	form-based				0.8	10	2.5	10	8	10431	10431	8112	2.571746
3725	062	1875	0.04	1500	0	65	100	3	4	4	5625	4125	NCT-SOMA	85	form-based				0.75	10	2.5	10	8	11250	9750	9750	2
3726	003	1875	0.04	9126	0	85	140	4	6	6	7500	0	NCT-SOMA	85	form-based				0.75	10	1.666666627	10	10	11250	2124	2124	1.5
3726	009	2425	0.06	25044	3	65	100	3	6	3	7275	0	NCT-SOMA	85	form-based		true		0.75	13	2.166666746	10	9	14550	0	0	2
3726	172	3400	0.08	985	8	85	140	4	11	3	13600	12615	MUG	85	form-based				0.75	18	1.636363626	10	10	20400	19415	19415	1.5
3728	018	4500	0.1	8000	0	75	120	3.5	12	12	15750	7750	RED-MX	45	form-based				0.75	10	0.833333313	10	10	13500	5500	5500	0.857143
3729	001	3495	0.08	10250	0	65	100	3	8	8	10485	235	WMUG	55	form-based		true		0.75	10	1.25	10	10	13106.25	2856.25	2856.25	1.25
3731	073	2125	0.05	4210	1	65	100	3	5	4	6375	2165	MUG	85	form-based				0.75	11	2.200000048	10	9	12750	8540	8540	2
3731	202	6964	0.16	791	16	65	100	3	16	0	20892	20101	MUG	65	form-based				0.75	26	1.625	10	10	31338	30547	30547	1.5
3732	126	1982	0.05	10016	0	65	100	3	5	5	5946	0	MUR	85	form-based				0.75	10	2	10	10	11892	1876	1876	2
3732	261	4400	0.1	3162	0	65	100	3	10	10	13200	10038	MUR	45	form-based				0.75	10	1	10	10	13200	10038	10038	1
3733	021	1833	0.04	6643	0	65	100	3	4	4	5499	0	MUR	85	form-based				0.75	10	2.5	10	8	10998	4355	4355	2
3733	092	1833	0.04	5499	0	65	100	3	4	4	5499	0	MUR	85	form-based				0.75	10	2.5	10	8	10998	5499	5499	2
3752	017	4250	0.1	4250	0	65	100	3	10	10	12750	8500	MUR	45	form-based				0.75	10	1	10	10	12750	8500	8500	1
3753	004	1875	0.04	3000	0	65	100	3	4	4	5625	2625	MUR	85	form-based		true		0.75	10	2.5	10	8	11250	8250	8250	2
3753	005	1875	0.04	0	0	65	100	3	4	4	5625	5625	MUR	85	form-based		true		0.75	10	2.5	10	8	11250	11250	11250	2
3755	033	3200	0.07	4600	0	65	100	3	7	7	9600	5000	WMUG	55	form-based				0.75	10	1.428571463	10	10	12000	7400	7400	1.25
3755	034	3200	0.07	4197	0	65	100	3	7	7	9600	5403	WMUG	55	form-based				0.75	10	1.428571463	10	10	12000	7803	7803	1.25
3755	041	3311	0.08	6400	0	65	100	3	8	8	9933	3533	WMUG	55	form-based				0.75	10	1.25	10	10	12416.25	6016.25	6016.25	1.25
3755	134	4400	0.1	8000	0	65	100	3	10	10	13200	5200	RED	40	form-based				0.75	10	1	10	10	13200	5200	5200	1
3756	034	2667	0.06	2670	0	65	100	3	6	6	8001	5331	NCT-FOLS	65	form-based				0.75	10	1.666666627	10	10	12001.5	9331.5	9331.5	1.5
3776	007	2400	0.06	3390	0	65	100	3	6	6	7200	3810	CMUO	65	form-based				0.8	10	1.666666627	10	10	11520	8130	8130	1.6
3777	020	2400	0.06	3200	0	75	120	3.5	7	7	8400	5200	CMUO	65	form-based		true		0.8	10	1.428571463	10	10	11520	8320	8320	1.371429
3780	085	2744	0.06	0	0	65	100	3	6	6	8232	8232	UMU	68	form-based				0.75	10	1.666666627	10	10	12348	12348	12348	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3997	005	3400	0.08	0	0	65	100	3	8	8	10200	10200	UMU	58	form-based				0.75	10	1.25	10	10	12750	12750	12750	1.25
4001	001A	4525	0.1	7675	0	65	100	3	10	10	13575	5900	UMU	40	form-based				0.75	10	1	10	10	13575	5900	5900	1
4036	027	7691	0.18	8460	0	65	100	3	18	18	23073	14613	NC-2	40	density-lim	800	true		0.75	10	0.555555582	10	10	23073	14613	14613	1
4059	008	2540	0.06	5000	0	65	100	3	6	6	7620	2620	UMU	68	form-based				0.75	10	1.666666627	10	10	11430	6430	6430	1.5
4210	020	5200	0.12	6025	6	65	100	3	12	6	15600	9575	NCT-24TH-	55	form-based		true		0.75	16	1.333333373	10	10	19500	13475	13475	1.25
5642	020	6113	0.14	5500	0	85	140	4	20	20	24452	18952	NCD-MISSI	40	density-lim	600	true		0.75	10	0.5	10	10	18339	12839	12839	0.75
5673	018	6026	0.14	2640	0	65	100	3	14	14	18078	15438	NCD-MISSI	40	density-lim	600	true		0.75	10	0.714285731	10	10	18078	15438	15438	1
5673	040	5913	0.14	6370	0	85	140	4	20	20	23652	17282	NCD-MISSI	40	density-lim	600	true		0.75	10	0.5	10	10	17739	11369	11369	0.75
6473	040	5821	0.13	13168	0	55	80	2.5	10	10	14552	1384	NCD-EXCE	40	density-lim	600	true		0.75	10	1	10	10	17463	4295	4295	1.200041
6474	032	5727	0.13	0	0	55	80	2.5	10	10	14318	14318	NCD-EXCE	40	density-lim	600	true		0.75	10	1	10	10	17181	17181	17181	1.199958
6506	031	3401	0.08	2849	3	55	80	2.5	6	3	8502	5653	NCD-24TH	65	form-based			true	0.75	13	2.166666746	10	9	15304.5	12455.5	12455.5	1.800106
6510	015	2850	0.07	1475	1	85	140	4	10	9	11400	9925	RTO-C	65	form-based			true	0.75	11	1.100000024	10	10	12825	11350	11350	1.125
6512	001A	10200	0.23	20390	0	65	100	3	23	23	30600	10210	RH-3	40	density-lim	1000			0.7	10	0.434782594	10	10	28560	8170	8170	0.933333
6513	006	10496	0.24	9480	7	75	120	3.5	29	22	36736	27256	RM-2	40	density-lim	600			0.7	17	0.586206913	10	10	29388.79883	19908.79883	19908.79883	0.8
6516	005A	3047	0.07	6300	6	75	120	3.5	8	2	10664	4364	NCT-MISSI	80	form-based				0.75	16	2	10	10	18282	11982	11982	1.714366
6517	022	3451	0.08	8445	8	75	120	3.5	10	2	12078	3633	NCT-MISSI	80	form-based				0.75	18	1.799999952	10	10	20706	12261	12261	1.714357
6517	037	2586	0.06	4940	4	75	120	3.5	7	3	9051	4111	NCT-MISSI	80	form-based		true		0.75	14	2	10	10	15516	10576	10576	1.714286
6528	036	4985	0.11	4324	0	75	120	3.5	13	13	17448	13124	RTO-M	40	form-based				0.7	10	0.769230783	10	10	13958	9634	9634	0.799977
6529	020	4724	0.11	3659	0	75	120	3.5	13	13	16534	12875	RTO-M	45	form-based				0.7	10	0.769230783	10	10	13227.2002	9568.200195	9568.200195	0.8
6530	021	3589	0.08	3145	1	75	120	3.5	10	9	12562	9417	NCT-VALEI	55	form-based				0.75	11	1.100000024	10	10	13458.75	10313.75	10313.75	1.071386
6530	024	3974	0.09	3760	2	75	120	3.5	11	9	13909	10149	NCT-VALEI	55	form-based				0.75	12	1.090909123	10	10	14902.5	11142.5	11142.5	1.071429
6535	028	2850	0.07	902	1	65	100	3	7	6	8550	7648	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	12825	11923	11923	1.5
6535	029	2850	0.07	1870	1	65	100	3	7	6	8550	6680	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	12825	10955	10955	1.5
6535	030	2850	0.07	3085	1	65	100	3	7	6	8550	5465	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	12825	9740	9740	1.5
6539	002	2712	0.06	4600	0	55	80	2.5	5	5	6780	2180	NCD-24TH	65	form-based			true	0.75	10	2	10	10	12204	7604	7604	1.8
6549	004	3094	0.07	4215	2	65	100	3	7	5	9282	5067	NC-1	65	form-based		true	true	0.75	12	1.714285731	10	10	13923	9708	9708	1.5
6549	007	2868	0.07	2673	1	65	100	3	7	6	8604	5931	RTO-C	65	form-based			true	0.75	11	1.571428537	10	10	12906	10233	10233	1.5
6550	006	3785	0.09	1114	1	65	100	3	9	8	11355	10241	RH-3	50	form-based			true	0.7	11	1.222222209	10	10	13247.5	12133.5	12133.5	1.166667
6571	021	6728	0.15	10639	10	75	120	3.5	18	8	23548	12909	NCT-MISSI	55	form-based		true		0.75	20	1.111111164	10	10	25230	14591	14591	1.071429
6571	029	3367	0.08	4799	0	65	100	3	8	8	10101	5302	NCT-MISSI	55	form-based				0.75	10	1.25	10	10	12626.25	7827.25	7827.25	1.25
6590	100	5689	0.13	3339	2	55	80	2.5	10	8	14222	10883	RH-2	40	form-based			true	0.7	12	1.200000048	10	10	15929.2002	12590.2002	12590.2002	1.120039
6596	022	25598	0.59	1171	33	65	100	3	59	26	76794	75623	NCD-MISSI	40	density-lim	600	true		0.75	43	0.728813589	10	10	76794	75623	75623	1
6600	038	3966	0.09	3053	1	65	100	3	9	8	11898	8845	RH-2	50	form-based			true	0.7	11	1.222222209	10	10	13881	10828	10828	1.166667
6600	050	4365	0.1	1140	2	65	100	3	10	8	13095	11955	RH-2	50	form-based			true	0.7	12	1.200000048	10	10	15277.5	14137.5	14137.5	1.166667
6601	005	4027	0.09	3334	5	85	140	4	13	8	16108	12774	RTO-C	65	form-based			true	0.75	15	1.153846145	10	10	18121.5	14787.5	14787.5	1.125
6604	066	6052	0.14	4624	3	55	80	2.5	11	8	15130	10506	RH-2	40	form-based			true	0.7	13	1.181818128	10	10	16945.59961	12321.59961	12321.59961	1.12
6614	006	3080	0.07	1868	2	85	140	4	10	8	12320	10452	RTO-C	65	form-based			true	0.75	12	1.200000048	10	10	13860	11992	11992	1.125
6614	007	2800	0.06	989	1	85	140	4	8	7	11200	10211	RTO-C	65	form-based			true	0.75	11	1.375	10	10	12600	11611	11611	1.125
6633	013	4028	0.09	1515	1	65	100	3	9	8	12084	10569	RH-2	50	form-based			true	0.7	11	1.222222209	10	10	14098	12583	12583	1.166667
6633	017	2560	0.06	2275	0	85	140	4	8	8	10240	7965	NC-1	65	form-based		true	true	0.75	10	1.25	10	10	11520	9245	9245	1.125
6633	018	3200	0.07	1445	2	85	140	4	10	8	12800	11355	NC-1	65	form-based			true	0.75	12	1.200000048	10	10	14400	12955	12955	1.125
6638	042	2892	0.07	1175	1	85	140	4	10	9	11568	10393	NC-1	65	form-based			true	0.75	11	1.100000024	10	10	13014	11839	11839	1.125
6651	012	5444	0.12	1304	1	55	80	2.5	10	9	13610	12306	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	15243.2002	13939.2002	13939.2002	1.12
6656	020	5000	0.11	1200	0	65	100	3	11	11	15000	13800	RH-2	40	form-based			true	0.7	10	0.909090936	10	10	14000	12800	12800	0.933333
6660	023	6152	0.14	2409	0	65	100	3	14	14	18456	16047	NCD-MISSI	40	density-lim	600			0.75	10	0.714285731	10	10	18456	16047	16047	1
6660	025	5878	0.13	6600	0	65	100	3	13	13	17634	11034	NCD-MISSI	40	density-lim	600	true		0.75	10	0.769230783	10	10	17634	11034	11034	1
6665	005	5263	0.12	3213	1	65	100	3	12	11	15789	12576	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14736.39941	11523.39941	11523.39941	0.933333
6665	006	5100	0.12	1873	1	65	100	3	12	11	15300	13427	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14280	12407	12407	0.933333
6665	007	5532	0.13	1480	2	65	100	3	13	11	16596	15116	RH-1	40	form-based			true	0.7	12	0.923076928	10	10	15489.59961	14009.59961	14009.59961	0.933333
6665	071	6010	0.14	3945	3	65	100	3	14	11	18030	14085	RH-1	40	form-based			true	0.7	13	0.928571403	10	10	16828	12883	12883	0.933333
6700	038	5074	0.12	2450	1	65	100	3	12	11	15222	12772	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14207.2002	11757.2002	11757.2002	0.933333
6706	052	5353	0.12	1173	1	65	100	3	12	11	16059	14886	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14988.39941	13815.39941	13815.39941	0.933333
6721	017	15092	0.35	0	0	65	100	3	35	35	45276	45276	RH-2	40	density-lim	1500	true		0.7	10	0.285714298	10	10	42257.59766	42257.59766	42257.59766	0.933333
6726	027	3857	0.09	1680	1	75	120	3.5	11	10	13500	11820	RH-2	50	form-based			true	0.7	11	1	10	10	13499.5	11819.5	11819.5	0.999963
6729	034	3756	0.09	1748	1	75	120	3.5	11	10	13146	11398	RH-1	50	form-based		true	true	0.7	11	1	10	10	13146	11398	11398	1
6729	060	4081	0.09	3212	1	75	120	3.5	11	10	14284	11072	RH-1	50	form-based			true	0.7	11	1	10	10	14283.5	11071.5	11071.5	0.999965
6729	064	5216	0.12	2840	1	75	120	3.5	14	13	18256	15416	RH-1	40	form-based			true	0.7	11	0.785714269	10	10	14604.7998	11764.7998	11764.7998	0.8
6739	010	3126	0.07	2150	2	75	120	3.5	8	6	10941	8791	RTO-C	65	form-based			true	0.75	12	1.5	10	10	14067	11917	11917	1.285714
6739	027	3889	0.09	861	1	75	120	3.5	11	10	13612	12751	RH-1	50	form-based			true	0.7	11	1	10	10	13611.5	12750.5	12750.5	0.999963
6742	010	1957	0.04	3162	0	75	120	3.5	5	5	6850	3688	NCT-GLEN	85	form-based			true	0.75	10	2	10	10	11742	8580	8580	1.714161
6742	036	2567	0.06	1094	3	75	120	3.5	7	4	8984	7890	NCT-GLEN	85	form-based			true	0.75	13	1.857142806	10	10	15402	14308	14308	1.714381
6742	040	2363	0.05	500	2	75	120	3.5	6	4	8270	7770	NCT-GLEN	85	form-based			true	0.75	12	2	10	10	14178	13678	13678	1.714389
6744	014	2170	0.05	875	1	75	120	3.5	6	5	7595	6720	RTO-C	85	form-based		true	true	0.75	11	1.833333373	10	10	13020	12145	12145	1.714286
6746	006	2826	0.06	1026	1	75	120	3.5	7	6	9891	8865	RTO-C	65	form-based		true	true	0.75	11	1.571428537	10	10	12717	11691	11691	1.285714

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6746	033	3145	0.07	1549	2	75	120	3.5	8	6	11008	9459	RTO-C	65	form-based			true	0.75	12	1.5	10	10	14152.5	12603.5	12603.5	1.285656
6746	035	3145	0.07	916	2	75	120	3.5	8	6	11008	10092	RTO-C	65	form-based			true	0.75	12	1.5	10	10	14152.5	13236.5	13236.5	1.285656
6756	003	2567	0.06	3002	3	75	120	3.5	7	4	8984	5982	NCT-GLEN	85	form-based			true	0.75	13	1.857142806	10	10	15402	12400	12400	1.714381
6759	011	3788	0.09	1237	1	75	120	3.5	11	10	13258	12021	RH-1	50	form-based			true	0.7	11	1	10	10	13258	12021	12021	1
6759	012	3805	0.09	1855	1	75	120	3.5	11	10	13318	11463	RH-1	50	form-based			true	0.7	11	1	10	10	13317.5	11462.5	11462.5	0.999962
6768	004	1852	0.04	3594	0	75	120	3.5	5	5	6482	2888	NCT-GLEN	85	form-based			true	0.75	10	2	10	10	11112	7518	7518	1.714286
6768	043	5220	0.12	1486	1	75	120	3.5	14	13	18270	16784	RH-2	40	form-based		true	true	0.7	11	0.785714269	10	10	14616	13130	13130	0.8
6795A	029	30621	0.7	0	0	65	100	3	70	70	91863	91863	RH-1	40	density-lin	3000			0.7	10	0.142857149	10	10	85738.79688	85738.79688	85738.79688	0.933333
6902	002	5291	0.12	2542	1	85	140	4	17	16	21164	18622	RH-1(D)	40	form-based			true	0.7	11	0.647058845	10	10	14814.7998	12272.7998	12272.7998	0.7
6903	002	5218	0.12	2119	1	65	100	3	12	11	15654	13535	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14610.39941	12491.39941	12491.39941	0.933333
6903	004	5381	0.12	2720	1	65	100	3	12	11	16143	13423	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15066.7998	12346.7998	12346.7998	0.933333
6903	007	5426	0.12	2821	1	85	140	4	17	16	21704	18883	RH-1(D)	40	form-based			true	0.7	11	0.647058845	10	10	15192.7998	12371.7998	12371.7998	0.7
6904	002	5015	0.12	1516	1	65	100	3	12	11	15045	13529	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14042	12526	12526	0.933333
6905	012	5366	0.12	3625	1	65	100	3	12	11	16098	12473	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15024.7998	11399.7998	11399.7998	0.933333
6905	023	5077	0.12	2800	1	65	100	3	12	11	15231	12431	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14215.59961	11415.59961	11415.59961	0.933333
6905	026	5143	0.12	2448	1	65	100	3	12	11	15429	12981	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14400.39941	11952.39941	11952.39941	0.933333
6905	033	5128	0.12	3400	1	65	100	3	12	11	15384	11984	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14358.39941	10958.39941	10958.39941	0.933333
6909	013	5342	0.12	3116	1	65	100	3	12	11	16026	12910	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14957.59961	11841.59961	11841.59961	0.933333
6911	020	5169	0.12	3040	1	55	80	2.5	10	9	12922	9882	RH-1(D)	40	form-based		true	true	0.7	11	1.100000024	10	10	14473.2002	11433.2002	11433.2002	1.120043
6915	009	5007	0.11	1789	1	65	100	3	11	10	15021	13232	RH-1(D)	40	form-based			true	0.7	11	1	10	10	14019.59961	12230.59961	12230.59961	0.933333
6912	017	5349	0.12	2359	1	65	100	3	12	11	16047	13688	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14977.2002	12618.2002	12618.2002	0.933333
6913	028	5387	0.12	2726	1	65	100	3	12	11	16161	13435	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15083.59961	12357.59961	12357.59961	0.933333
6915	005	5177	0.12	3508	1	65	100	3	12	11	15531	12023	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14495.59961	10987.59961	10987.59961	0.933333
6915	006	5444	0.12	1875	1	65	100	3	12	11	16332	14457	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	15243.2002	13368.2002	13368.2002	0.933333
6915	014	5040	0.12	2630	1	65	100	3	12	11	15120	12490	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14112	11482	11482	0.933333
6915	015	5294	0.12	2423	1	85	140	4	17	16	21176	18753	RH-1(D)	40	form-based			true	0.7	11	0.647058845	10	10	14823.2002	12400.2002	12400.2002	0.7
6915	036	2270	0.05	3632	2	65	100	3	5	3	6810	3178	NCT-OCEA	85	form-based			true	0.75	12	2.400000095	10	8	13620	9988	9988	2
6916	013	5300	0.12	1540	1	55	80	2.5	10	9	13250	11710	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14840	13300	13300	1.12
6917A	016	5145	0.12	2397	1	55	80	2.5	10	9	12862	10465	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14406	12009	12009	1.120044
6917	004	5092	0.12	1800	1	65	100	3	12	11	15276	13476	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14257.59961	12457.59961	12457.59961	0.933333
6917	005	5797	0.13	3057	2	65	100	3	13	11	17391	14334	RH-1(D)	40	form-based			true	0.7	12	0.923076928	10	10	16231.59961	13174.59961	13174.59961	0.933333
6917A	017	5137	0.12	1404	1	55	80	2.5	10	9	12842	11438	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14383.59961	12979.59961	12979.59961	1.120044
6917	012	5062	0.12	1500	1	55	80	2.5	10	9	12655	11155	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14173.59961	12673.59961	12673.59961	1.12
6917	013	5164	0.12	1913	1	65	100	3	12	11	15492	13579	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14459.2002	12546.2002	12546.2002	0.933333
6917	014	5025	0.12	3896	1	65	100	3	12	11	15075	11179	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14070	10174	10174	0.933333
6917	016	5032	0.12	1590	1	65	100	3	12	11	15096	13506	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14089.59961	12499.59961	12499.59961	0.933333
6917	018	5135	0.12	1900	1	65	100	3	12	11	15405	13505	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14378	12478	12478	0.933333
6917	020	5066	0.12	1982	1	65	100	3	12	11	15198	13216	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14184.7998	12202.7998	12202.7998	0.933333
6917	025	5154	0.12	2016	1	65	100	3	12	11	15462	13446	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14431.2002	12415.2002	12415.2002	0.933333
6918	003	5324	0.12	2044	1	65	100	3	12	11	15972	13928	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14907.2002	12863.2002	12863.2002	0.933333
6917A	004	5441	0.12	2381	1	55	80	2.5	10	9	13602	11221	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15234.7998	12853.7998	12853.7998	1.120041
6917A	008	5189	0.12	1675	1	55	80	2.5	10	9	12972	11297	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14529.2002	12854.2002	12854.2002	1.120043
6917A	009	5183	0.12	1600	1	55	80	2.5	10	9	12958	11358	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14512.39941	12912.39941	12912.39941	1.119957
6917A	010	5193	0.12	2330	1	55	80	2.5	10	9	12982	10652	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14540.39941	12210.39941	12210.39941	1.120043
6917A	011	5151	0.12	1765	1	55	80	2.5	10	9	12878	11113	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14422.7998	12657.7998	12657.7998	1.119956
6917A	012	5276	0.12	3650	1	55	80	2.5	10	9	13190	9540	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14772.7998	11122.7998	11122.7998	1.12
6917A	013	5286	0.12	1811	1	55	80	2.5	10	9	13215	11404	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14800.7998	12989.7998	12989.7998	1.12
6917A	014	5228	0.12	2419	1	55	80	2.5	10	9	13070	10651	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14638.39941	12219.39941	12219.39941	1.12
6917A	015	5254	0.12	1709	1	55	80	2.5	10	9	13135	11426	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14711.2002	13002.2002	13002.2002	1.12
6918	004	5346	0.12	2818	1	65	100	3	12	11	16038	13220	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14968.7998	12150.7998	12150.7998	0.933333
6917A	026	5189	0.12	2413	1	65	100	3	12	11	15567	13154	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14529.2002	12116.2002	12116.2002	0.933333
6919	019	5915	0.14	2802	2	65	100	3	14	12	17745	14943	RH-1(D)	40	form-based			true	0.7	12	0.857142866	10	10	16562	13760	13760	0.933333
6921	003	5165	0.12	2098	1	65	100	3	12	11	15495	13397	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14462	12364	12364	0.933333
6921	009	6198	0.14	2694	3	65	100	3	14	11	18594	15900	RH-1(D)	40	form-based			true	0.7	13	0.928571403	10	10	17354.40039	14660.40039	14660.40039	0.933333
6922	003	5042	0.12	1728	1	65	100	3	12	11	15126	13398	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14117.59961	12389.59961	12389.59961	0.933333
6926	016	5233	0.12	2405	1	55	80	2.5	10	9	13082	10677	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14652.39941	12247.39941	12247.39941	1.120043
6922	015	5467	0.13	2100	1	65	100	3	13	12	16401	14301	RH-1(D)	40	form-based			true	0.7	11	0.846153855	10	10	15307.59961	13207.59961	13207.59961	0.933333
6922	022	5168	0.12	3724	1	65	100	3	12	11	15504	11780	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14470.39941	10746.39941	10746.39941	0.933333
6923	001	5245	0.12	1656	1	65	100	3	12	11	15735	14079	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14686	13030	13030	0.933333
6923	002	5198	0.12	1635	1	65	100	3	12	11	15594	13959	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14554.39941	12919.39941	12919.39941	0.933333
6923	003	5186	0.12	1386	1	65	100	3	12	11	15558	14172	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14520.7998	13134.7998	13134.7998	0.933333
6923	011	5020	0.12	1110	1	65	100	3	12	11	15060	13950	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14056	12946	12946	0.933333
6926	017	5356	0.12	2117	1	55	80	2.5	10	9	13390	11273	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14996.7998	12879.7998	12879.7998	1.12
6923	029	5327	0.12	1577	1	65	100	3	12	11	15981	14404	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14915.59961	13338.59961	13338.59961	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6929	002	5241	0.12	2075	1	65	100	3	12	11	15723	13648	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14674.7998	12599.7998	12599.7998	0.933333
6929	003	5167	0.12	1607	1	65	100	3	12	11	15501	13894	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14467.59961	12860.59961	12860.59961	0.933333
6929	004	5118	0.12	1456	1	65	100	3	12	11	15354	13898	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14330.39941	12874.39941	12874.39941	0.933333
6924	011	5096	0.12	2120	1	65	100	3	12	11	15288	13168	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14268.7998	12148.7998	12148.7998	0.933333
6929	005	5078	0.12	1240	1	65	100	3	12	11	15234	13994	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14218.39941	12978.39941	12978.39941	0.933333
6929	006	5420	0.12	1022	1	55	80	2.5	10	9	13550	12528	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15176	14154	14154	1.12
6929	007	5472	0.13	1070	1	55	80	2.5	10	9	13680	12610	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15321.59961	14251.59961	14251.59961	1.12
6925	002	5227	0.12	1725	1	55	80	2.5	10	9	13068	11343	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14635.59961	12910.59961	12910.59961	1.119957
6925	003	5275	0.12	1785	1	55	80	2.5	10	9	13188	11403	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14770	12985	12985	1.119958
6925	004	5017	0.12	1750	1	55	80	2.5	10	9	12542	10792	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14047.59961	12297.59961	12297.59961	1.120045
6925	005	5024	0.12	1945	1	65	100	3	12	11	15072	13127	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14067.2002	12122.2002	12122.2002	0.933333
6925	008	5070	0.12	4211	1	65	100	3	12	11	15210	10999	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14196	9985	9985	0.933333
6925	009	5244	0.12	1735	1	65	100	3	12	11	15732	13997	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14683.2002	12948.2002	12948.2002	0.933333
6925	010	5334	0.12	1870	1	65	100	3	12	11	16002	14132	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14935.2002	13065.2002	13065.2002	0.933333
6929	008	5300	0.12	1585	1	55	80	2.5	10	9	13250	11665	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14840	13255	13255	1.12
6925	012	5441	0.12	3153	1	65	100	3	12	11	16323	13170	RH-1(D)	40	form-based	true		true	0.7	11	0.916666687	10	10	15234.7998	12081.7998	12081.7998	0.933333
6925	019	5437	0.12	1750	1	65	100	3	12	11	16311	14561	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15223.59961	13473.59961	13473.59961	0.933333
6925	023	5282	0.12	1768	1	55	80	2.5	10	9	13205	11437	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14789.59961	13021.59961	13021.59961	1.12
6926	015	5098	0.12	3131	1	55	80	2.5	10	9	12745	9614	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14274.39941	11143.39941	11143.39941	1.12
6926	007	5455	0.13	2093	1	55	80	2.5	10	9	13638	11545	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15274	13181	13181	1.119959
6926	008	5374	0.12	2680	1	55	80	2.5	10	9	13435	10755	RH-1(D)	40	form-based	true		true	0.7	11	1.100000024	10	10	15047.2002	12367.2002	12367.2002	1.12
6926	011	5195	0.12	1550	1	55	80	2.5	10	9	12988	11438	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14546	12996	12996	1.119957
6927	001	6394	0.15	3717	3	55	80	2.5	12	9	15985	12268	RH-1(D)	40	form-based	true		true	0.7	13	1.083333373	10	10	17903.19922	14186.19922	14186.19922	1.12
6927	022	5460	0.13	1300	1	55	80	2.5	10	9	13650	12350	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15288	13988	13988	1.12
6927	025	5365	0.12	2293	1	55	80	2.5	10	9	13412	11119	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15022	12729	12729	1.120042
6927	026	5415	0.12	1856	1	55	80	2.5	10	9	13538	11682	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15162	13306	13306	1.119959
6928	021	5329	0.12	2537	1	55	80	2.5	10	9	13322	10785	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14921.2002	12384.2002	12384.2002	1.120042
6928	022	5362	0.12	1452	1	55	80	2.5	10	9	13405	11953	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15013.59961	13561.59961	13561.59961	1.12
6928	023	5309	0.12	1722	1	55	80	2.5	10	9	13272	11550	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14865.2002	13143.2002	13143.2002	1.120042
6928	024	5372	0.12	1210	1	55	80	2.5	10	9	13430	12220	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15041.59961	13831.59961	13831.59961	1.12
6929	017	5052	0.12	1814	1	55	80	2.5	10	9	12630	10816	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14145.59961	12331.59961	12331.59961	1.12
6929	019	5351	0.12	1376	1	55	80	2.5	10	9	13378	12002	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14982.7998	13606.7998	13606.7998	1.119958
6929	020	5217	0.12	2493	1	55	80	2.5	10	9	13042	10549	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14607.59961	12114.59961	12114.59961	1.120043
6929	021	5360	0.12	1794	1	65	100	3	12	11	16080	14286	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15008	13214	13214	0.933333
6930	002	5331	0.12	2400	1	65	100	3	12	11	15993	13593	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14926.7998	12526.7998	12526.7998	0.933333
6930	003	5194	0.12	1100	1	65	100	3	12	11	15582	14482	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14543.2002	13443.2002	13443.2002	0.933333
6930	004	5054	0.12	1175	1	65	100	3	12	11	15162	13987	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14151.2002	12976.2002	12976.2002	0.933333
6930	005	5170	0.12	1495	1	65	100	3	12	11	15510	14015	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14476	12981	12981	0.933333
6930	006	5189	0.12	2088	1	65	100	3	12	11	15567	13479	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14529.2002	12441.2002	12441.2002	0.933333
6930	007	5310	0.12	2243	1	55	80	2.5	10	9	13275	11032	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14868	12625	12625	1.12
6930	016	5449	0.13	2632	1	55	80	2.5	10	9	13622	10990	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15257.2002	12625.2002	12625.2002	1.120041
6930	017	5427	0.12	2682	1	55	80	2.5	10	9	13568	10886	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	15195.59961	12513.59961	12513.59961	1.119959
6930	018	5452	0.13	2400	1	65	100	3	13	12	16356	13956	RH-1(D)	40	form-based			true	0.7	11	0.846153855	10	10	15265.59961	12865.59961	12865.59961	0.933333
6930	019	5250	0.12	2380	1	65	100	3	12	11	15750	13370	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14700	12320	12320	0.933333
6930	020	5460	0.13	1280	1	65	100	3	13	12	16380	15100	RH-1(D)	40	form-based			true	0.7	11	0.846153855	10	10	15288	14008	14008	0.933333
6932	020	5049	0.12	1200	1	65	100	3	12	11	15147	13947	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14137.2002	12937.2002	12937.2002	0.933333
6932	021	5327	0.12	1200	1	65	100	3	12	11	15981	14781	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14915.59961	13715.59961	13715.59961	0.933333
6932	022	5022	0.12	1250	1	65	100	3	12	11	15066	13816	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14061.59961	12811.59961	12811.59961	0.933333
6941	061	2463	0.06	3500	3	85	140	4	8	5	9852	6352	NCT-OCEA	85	form-based			true	0.75	13	1.625	10	10	14778	11278	11278	1.5
6944	062	2488	0.06	4370	2	85	140	4	8	6	9952	5582	RH-2	85	form-based			true	0.7	12	1.5	10	10	13932.7998	9562.799805	9562.799805	1.4
6945	035	2635	0.06	3320	4	85	140	4	8	4	10540	7220	NCT-OCEA	85	form-based			true	0.75	14	1.75	10	10	15810	12490	12490	1.5
6947	001E	2028	0.05	1050	1	75	120	3.5	6	5	7098	6048	NCT-OCEA	85	form-based			true	0.75	11	1.833333373	10	10	12168	11118	11118	1.714286
6947	002A	2024	0.05	1175	1	75	120	3.5	6	5	7084	5909	NCT-OCEA	85	form-based			true	0.75	11	1.833333373	10	10	12144	10969	10969	1.714286
6947	018	2120	0.05	1608	1	85	140	4	7	6	8480	6872	NCT-OCEA	85	form-based			true	0.75	11	1.571428537	10	10	12720	11112	11112	1.5
6947	019	2071	0.05	1608	1	85	140	4	7	6	8284	6676	NCT-OCEA	85	form-based			true	0.75	11	1.571428537	10	10	12426	10818	10818	1.5
6962	006E	2187	0.05	1812	1	85	140	4	7	6	8748	6936	NCT-1	85	form-based			true	0.75	11	1.571428537	10	10	13122	11310	11310	1.5
6964	003A	2001	0.05	1250	1	75	120	3.5	6	5	7004	5754	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	12006	10756	10756	1.714163
6964	003B	2008	0.05	1250	1	75	120	3.5	6	5	7028	5778	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	12048	10798	10798	1.714286
6964	003C	2016	0.05	1250	1	75	120	3.5	6	5	7056	5806	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	12096	10846	10846	1.714286
6964	003D	2023	0.05	1250	1	75	120	3.5	6	5	7080	5830	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	12138	10888	10888	1.714407
6964	003E	2030	0.05	1250	1	75	120	3.5	6	5	7105	5855	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	12180	10930	10930	1.714286
6964	003F	2010	0.05	1754	1	75	120	3.5	6	5	7035	5281	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	12060	10306	10306	1.714286
6964	004	2030	0.05	1428	1	75	120	3.5	6	5	7105	5677	RTO-C	85	form-based	true		true	0.75	11	1.833333373	10	10	12180	10752	10752	1.714286
6964	004A	2013	0.05	1810	1	75	120	3.5	6	5	7046	5236	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	12078	10268	10268	1.714164

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6964	004B	2006	0.05	1250	1	75	120	3.5	6	5	7021	5771	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	12036	10786	10786	1.714286
6964	028	2123	0.05	2277	1	85	140	4	7	6	8492	6215	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	12738	10461	10461	1.5
6978	069	5069	0.12	2002	1	65	100	3	12	11	15207	13205	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14193.2002	12191.2002	12191.2002	0.933333
6987	035	5360	0.12	1154	1	55	80	2.5	10	9	13400	12246	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	15008	13854	13854	1.12
6999	001	5016	0.12	2500	1	65	100	3	12	11	15048	12548	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14044.7998	11544.7998	11544.7998	0.933333
7027A	001A	2175	0.05	1266	1	75	120	3.5	6	5	7612	6346	RTO-C	85	form-based		true	true	0.75	11	1.833333373	10	10	13050	11784	11784	1.714398
7027A	001B	2175	0.05	1313	1	75	120	3.5	6	5	7612	6299	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13050	11737	11737	1.714398
7027A	001C	2176	0.05	1313	1	75	120	3.5	6	5	7616	6303	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13056	11743	11743	1.714286
7027A	001D	2176	0.05	1313	1	75	120	3.5	6	5	7616	6303	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13056	11743	11743	1.714286
7027A	001E	2177	0.05	1743	1	75	120	3.5	6	5	7620	5877	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13062	11319	11319	1.714173
7027A	001F	2178	0.05	1313	1	75	120	3.5	6	5	7623	6310	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13068	11755	11755	1.714286
7027A	001G	2178	0.05	1313	1	75	120	3.5	6	5	7623	6310	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13068	11755	11755	1.714286
7027A	001H	2179	0.05	1913	1	75	120	3.5	6	5	7626	5713	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13074	11161	11161	1.714398
7027A	001I	2179	0.05	1313	1	75	120	3.5	6	5	7626	6313	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13074	11761	11761	1.714398
7027A	002	2180	0.05	1265	1	75	120	3.5	6	5	7630	6365	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13080	11815	11815	1.714286
7027A	003	2180	0.05	1265	1	75	120	3.5	6	5	7630	6365	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13080	11815	11815	1.714286
7027A	004	2181	0.05	1265	1	75	120	3.5	6	5	7634	6369	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13086	11821	11821	1.714173
7027A	005	2181	0.05	1260	1	85	140	4	7	6	8724	7464	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	13086	11826	11826	1.5
7027A	006	2182	0.05	1903	1	85	140	4	7	6	8728	6825	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	13092	11189	11189	1.5
7027A	007	2183	0.05	1260	1	85	140	4	7	6	8732	7472	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	13098	11838	11838	1.5
7027A	008	2183	0.05	2044	1	85	140	4	7	6	8732	6688	RTO-C	85	form-based			true	0.75	11	1.571428537	10	10	13098	11054	11054	1.5
7027A	020	2202	0.05	1606	2	75	120	3.5	6	4	7707	6101	RTO-C	85	form-based			true	0.75	12	2	10	10	13212	11606	11606	1.714286
7027A	026	2154	0.05	1901	1	75	120	3.5	6	5	7539	5638	RTO-C	85	form-based		true	true	0.75	11	1.833333373	10	10	12924	11023	11023	1.714286
7027B	001	2143	0.05	1210	1	75	120	3.5	6	5	7500	6290	RTO-C	85	form-based		true	true	0.75	11	1.833333373	10	10	12858	11648	11648	1.7144
7027B	002	2190	0.05	1075	1	75	120	3.5	6	5	7665	6590	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13140	12065	12065	1.714286
7027B	003	2190	0.05	1572	1	75	120	3.5	6	5	7665	6093	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13140	11568	11568	1.714286
7027B	004	2189	0.05	1230	1	75	120	3.5	6	5	7662	6432	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13134	11904	11904	1.714174
7027B	005	2189	0.05	1230	1	75	120	3.5	6	5	7662	6432	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13134	11904	11904	1.714174
7027B	006	2184	0.05	1663	1	75	120	3.5	6	5	7644	5981	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13104	11441	11441	1.714286
7027B	007	2177	0.05	1868	1	75	120	3.5	6	5	7620	5752	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13062	11194	11194	1.714173
7027B	009	2186	0.05	1230	1	75	120	3.5	6	5	7651	6421	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13116	11886	11886	1.714286
7027B	010	2186	0.05	1325	1	75	120	3.5	6	5	7651	6326	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13116	11791	11791	1.714286
7027B	011	2185	0.05	1325	1	75	120	3.5	6	5	7648	6323	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13110	11785	11785	1.714174
7027B	012	2185	0.05	1816	1	75	120	3.5	6	5	7648	5832	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13110	11294	11294	1.714174
7027B	013	2184	0.05	1325	1	75	120	3.5	6	5	7644	6319	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13104	11779	11779	1.714286
7027B	014	2184	0.05	1830	1	75	120	3.5	6	5	7644	5814	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13104	11274	11274	1.714286
7027B	015	2183	0.05	1325	1	75	120	3.5	6	5	7640	6315	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13098	11773	11773	1.714398
7027B	016	2182	0.05	2025	1	75	120	3.5	6	5	7637	5612	RTO-C	85	form-based			true	0.75	11	1.833333373	10	10	13092	11067	11067	1.714286
7027B	034	2202	0.05	1175	2	65	100	3	5	3	6606	5431	RTO-C	85	form-based		true	true	0.75	12	2.400000095	10	8	13212	12037	12037	2
7087	018	14909	0.34	4163	0	85	140	4	48	48	59636	55473	RH-2	40	density-lin	1500	true		0.7	10	0.208333328	10	10	41745.19922	37582.19922	37582.19922	0.7
7207	006A	5126	0.12	1830	1	55	80	2.5	10	9	12815	10985	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14352.7998	12522.7998	12522.7998	1.12
7210	025	2900	0.07	2224	1	55	80	2.5	6	5	7250	5026	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13050	10826	10826	1.8
7210	026	2900	0.07	2011	1	55	80	2.5	6	5	7250	5239	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13050	11039	11039	1.8
7211	005	2958	0.07	1752	1	55	80	2.5	6	5	7395	5643	RTO-C	65	form-based		true	true	0.75	11	1.833333373	10	10	13311	11559	11559	1.8
7211	006	2900	0.07	1527	1	55	80	2.5	6	5	7250	5723	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13050	11523	11523	1.8
7211	007	2900	0.07	1487	1	55	80	2.5	6	5	7250	5763	RTO-C	65	form-based			true	0.75	11	1.833333373	10	10	13050	11563	11563	1.8
7223	002H	5114	0.12	2817	1	65	100	3	12	11	15342	12525	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14319.2002	11502.2002	11502.2002	0.933333
7221	005	5231	0.12	2210	1	65	100	3	12	11	15693	13483	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14646.7998	12436.7998	12436.7998	0.933333
7221	007	5279	0.12	2085	1	65	100	3	12	11	15837	13752	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14781.2002	12696.2002	12696.2002	0.933333
7221	008	5002	0.11	2378	1	65	100	3	11	10	15006	12628	RH-1(D)	40	form-based			true	0.7	11	1	10	10	14005.59961	11627.59961	11627.59961	0.933333
7221	009	5002	0.11	2532	1	65	100	3	11	10	15006	12474	RH-1(D)	40	form-based			true	0.7	11	1	10	10	14005.59961	11473.59961	11473.59961	0.933333
7222	002	5447	0.13	3010	1	65	100	3	13	12	16341	13331	RH-1(D)	40	form-based		true	true	0.7	11	0.846153855	10	10	15251.59961	12241.59961	12241.59961	0.933333
7222	003	5002	0.11	1971	1	65	100	3	11	10	15006	13035	RH-1(D)	40	form-based			true	0.7	11	1	10	10	14005.59961	12034.59961	12034.59961	0.933333
7223	001A	5119	0.12	2357	1	65	100	3	12	11	15357	13000	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14333.2002	11976.2002	11976.2002	0.933333
7223	002A	5252	0.12	1655	1	85	140	4	17	16	21008	19353	RH-1(D)	40	form-based			true	0.7	11	0.647058845	10	10	14705.59961	13050.59961	13050.59961	0.7
7223	002C	5046	0.12	2961	1	85	140	4	17	16	20184	17223	RH-1(D)	40	form-based			true	0.7	11	0.647058845	10	10	14128.7998	11167.7998	11167.7998	0.7
7223	002D	5059	0.12	2033	1	65	100	3	12	11	15177	13144	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14165.2002	12132.2002	12132.2002	0.933333
7223	002F	5086	0.12	2247	1	65	100	3	12	11	15258	13011	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14240.7998	11993.7998	11993.7998	0.933333
7224	001A	5475	0.13	1827	1	85	140	4	18	17	21900	20073	RH-1(D)	40	form-based			true	0.7	11	0.611111104	10	10	15330	13503	13503	0.7
7225	012	5453	0.13	2378	1	85	140	4	18	17	21812	19434	RH-1(D)	40	form-based			true	0.7	11	0.611111104	10	10	15268.39941	12890.39941	12890.39941	0.7
7225	017	5013	0.12	1743	1	65	100	3	12	11	15039	13296	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14036.39941	12293.39941	12293.39941	0.933333
7226	021C	1988	0.05	1995	0	65	100	3	5	5	5964	3969	NCD-LAKE	85	form-based			true	0.75	10	2	10	10	11928	9933	9933	2
7229	001	5130	0.12	1821	1	85	140	4	17	16	20520	18699	RH-1(D)	40	form-based			true	0.7	11	0.647058845	10	10	14364	12543	12543	0.7
7229	004	5087	0.12	2173	1	85	140	4	17	16	20348	18175	RH-1(D)	40	form-based			true	0.7	11	0.647058845	10	10	14243.59961	12070.59961	12070.59961	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7231	001B	5166	0.12	1524	1	85	140	4	17	16	20664	19140	RH-1(D)	40	form-based			true	0.7	11	0.647058845	10	10	14464.7998	12940.7998	12940.7998	0.7
7231	002J	5129	0.12	1944	1	65	100	3	12	11	15387	13443	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14361.2002	12417.2002	12417.2002	0.933333
7231	013	5431	0.12	1872	1	65	100	3	12	11	16293	14421	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15206.7998	13334.7998	13334.7998	0.933333
7231	019	5428	0.12	2076	1	85	140	4	17	16	21712	19636	RH-1(D)	40	form-based		true	true	0.7	11	0.647058845	10	10	15198.39941	13122.39941	13122.39941	0.7
7231	020	5357	0.12	2043	1	65	100	3	12	11	16071	14028	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14999.59961	12956.59961	12956.59961	0.933333
7232	001K	5329	0.12	2114	1	65	100	3	12	11	15987	13873	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14921.2002	12807.2002	12807.2002	0.933333
7232	002	5215	0.12	3712	1	65	100	3	12	11	15645	11933	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14602	10890	10890	0.933333
7232	009	5041	0.12	2235	1	65	100	3	12	11	15123	12888	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14114.7998	11879.7998	11879.7998	0.933333
7232	010	5019	0.12	1916	1	65	100	3	12	11	15057	13141	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14053.2002	12137.2002	12137.2002	0.933333
7233	001A	5250	0.12	2604	1	65	100	3	12	11	15750	13146	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14700	12096	12096	0.933333
7233	001C	5250	0.12	2888	1	65	100	3	12	11	15750	12862	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14700	11812	11812	0.933333
7233	001K	5250	0.12	3785	1	65	100	3	12	11	15750	11965	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14700	10915	10915	0.933333
7234	001A	5343	0.12	2201	1	65	100	3	12	11	16029	13828	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14960.39941	12759.39941	12759.39941	0.933333
7234	001B	5029	0.12	2234	1	65	100	3	12	11	15087	12853	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14081.2002	11847.2002	11847.2002	0.933333
7234	001C	5153	0.12	4032	1	65	100	3	12	11	15459	11427	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14428.39941	10396.39941	10396.39941	0.933333
7234	002F	5323	0.12	1954	1	65	100	3	12	11	15969	14015	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14904.39941	12950.39941	12950.39941	0.933333
7235	001	5041	0.12	1972	1	65	100	3	12	11	15123	13151	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14114.7998	12142.7998	12142.7998	0.933333
7235	001D	5370	0.12	2307	1	65	100	3	12	11	16110	13803	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	15036	12729	12729	0.933333
7235	001H	5055	0.12	2098	1	65	100	3	12	11	15165	13067	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14154	12056	12056	0.933333
7235	023	5226	0.12	1988	1	65	100	3	12	11	15678	13690	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14632.7998	12644.7998	12644.7998	0.933333
7238	015	5125	0.12	1592	1	65	100	3	12	11	15375	13783	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14350	12758	12758	0.933333
7238	016	5086	0.12	1319	1	65	100	3	12	11	15258	13939	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14240.7998	12921.7998	12921.7998	0.933333
7238A	001	5152	0.12	2284	1	65	100	3	12	11	15456	13172	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14425.59961	12141.59961	12141.59961	0.933333
7238	010	5089	0.12	1523	1	65	100	3	12	11	15267	13744	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14249.2002	12726.2002	12726.2002	0.933333
7238	011	5118	0.12	1523	1	65	100	3	12	11	15354	13831	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14330.39941	12807.39941	12807.39941	0.933333
7238	012	5146	0.12	1788	1	65	100	3	12	11	15438	13650	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14408.7998	12620.7998	12620.7998	0.933333
7238	013	5165	0.12	1523	1	65	100	3	12	11	15495	13972	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14462	12939	12939	0.933333
7238	014	5150	0.12	1977	1	65	100	3	12	11	15450	13473	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14420	12443	12443	0.933333
7238A	002	5073	0.12	1694	1	65	100	3	12	11	15219	13525	RH-1(D)	40	form-based			true	0.7	11	0.916666687	10	10	14204.39941	12510.39941	12510.39941	0.933333
7240A	014	5068	0.12	2076	1	65	100	3	12	11	15204	13128	RH-1(D)	40	form-based		true	true	0.7	11	0.916666687	10	10	14190.39941	12114.39941	12114.39941	0.933333
7273	019	5133	0.12	1686	1	55	80	2.5	10	9	12832	11146	RH-1(D)	40	form-based			true	0.7	11	1.100000024	10	10	14372.39941	12686.39941	12686.39941	1.120044
7537	074	5232	0.12	2518	1	55	80	2.5	10	9	13080	10562	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14649.59961	12131.59961	12131.59961	1.12
7537	069	5075	0.12	2100	1	55	80	2.5	10	9	12688	10588	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	14210	12110	12110	1.119956
7537	079	6294	0.14	986	3	55	80	2.5	11	8	15735	14749	RH-1	40	form-based			true	0.7	13	1.181818128	10	10	17623.19922	16637.19922	16637.19922	1.12
7538	003	5447	0.13	1132	1	55	80	2.5	10	9	13618	12486	RH-1	40	form-based			true	0.7	11	1.100000024	10	10	15251.59961	14119.59961	14119.59961	1.119959
7539	034	7457	0.17	722	6	55	80	2.5	14	8	18642	17920	RM-1	40	form-based			true	0.7	16	1.142857194	10	10	20879.59961	20157.59961	20157.59961	1.12003
7540	011	5422	0.12	3161	1	65	100	3	12	11	16266	13105	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	15181.59961	12020.59961	12020.59961	0.933333
7541	007	6086	0.14	1714	3	65	100	3	14	11	18258	16544	RH-1	40	form-based			true	0.7	13	0.928571403	10	10	17040.79883	15326.79883	15326.79883	0.933333
7541	013	5123	0.12	2596	1	65	100	3	12	11	15369	12773	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14344.39941	11748.39941	11748.39941	0.933333
7542	003	5225	0.12	2867	1	65	100	3	12	11	15675	12808	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14630	11763	11763	0.933333
7542	004	5202	0.12	2600	1	65	100	3	12	11	15606	13006	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14565.59961	11965.59961	11965.59961	0.933333
7542	021	5443	0.12	2304	1	65	100	3	12	11	16329	14025	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	15240.39941	12936.39941	12936.39941	0.933333
7542	022	5264	0.12	2865	1	65	100	3	12	11	15792	12927	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14739.2002	11874.2002	11874.2002	0.933333
7542	023	5193	0.12	2698	1	65	100	3	12	11	15579	12881	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14540.39941	11842.39941	11842.39941	0.933333
7542	024	5055	0.12	4451	1	65	100	3	12	11	15165	10714	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14154	9703	9703	0.933333
7542	035	5055	0.12	2519	1	65	100	3	12	11	15165	12646	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14154	11635	11635	0.933333
7542	042	5166	0.12	2524	1	65	100	3	12	11	15498	12974	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14464.7998	11940.7998	11940.7998	0.933333
7543	030	5374	0.12	4150	1	65	100	3	12	11	16122	11972	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	15047.2002	10897.2002	10897.2002	0.933333
7549	013	5074	0.12	2076	1	65	100	3	12	11	15222	13146	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14207.2002	12131.2002	12131.2002	0.933333
7554	022	5008	0.11	2590	1	65	100	3	11	10	15024	12434	RH-1	40	form-based			true	0.7	11	1	10	10	14022.39941	11432.39941	11432.39941	0.933333
7554	023	5287	0.12	2223	1	65	100	3	12	11	15861	13638	RH-1	40	form-based			true	0.7	11	0.916666687	10	10	14803.59961	12580.59961	12580.59961	0.933333
0024	032	3151	0.07	1482	3	65	100	3	7	4	9453	7971	RTO-C	65	form-based			true	0.75	12	1.714285731	9	9	14179.5	12697.5	12697.5	1.5
0024	035	3151	0.07	1876	3	65	100	3	7	4	9453	7577	RTO-C	65	form-based			true	0.75	12	1.714285731	9	9	14179.5	12303.5	12303.5	1.5
0024	041	3151	0.07	1880	3	65	100	3	7	4	9453	7573	RTO-C	65	form-based			true	0.75	12	1.714285731	9	9	14179.5	12299.5	12299.5	1.5
0026	017	5250	0.12	4543	2	65	100	3	12	10	15750	11207	RH-3	40	form-based		true	true	0.7	11	0.916666687	9	9	14700	10157	10157	0.933333
0027	061	4553	0.1	1502	1	65	100	3	10	9	13659	12157	RH-3	40	form-based			true	0.7	10	1	9	9	12748.39941	11246.39941	11246.39941	0.933333
0040	030	4927	0.11	450	3	65	100	3	11	8	14781	14331	RM-3	40	density-lim	400			0.75	12	1.090909123	9	9	14781	14331	14331	1
0044	005	3750	0.09	2812	1	65	100	3	9	8	11250	8438	RH-2	50	form-based		true	true	0.7	10	1.111111164	9	9	13125	10313	10313	1.166667
0044	044	3512	0.08	2671	1	65	100	3	8	7	10536	7865	RH-2	50	form-based			true	0.7	10	1.25	9	9	12292	9621	9621	1.166667
0044	047	3608	0.08	1430	1	65	100	3	8	7	10824	9394	RH-2	50	form-based			true	0.7	10	1.25	9	9	12628	11198	11198	1.166667
0048	012	4086	0.09	0	0	55	80	2.5	7	7	10215	10215	RH-1(D)	40	form-based			true	0.7	9	1.285714269	9	9	11440.7998	11440.7998	11440.7998	1.12
0048	018	4109	0.09	2040	0	65	100	3	9	9	12327	10287	RH-1(D)	40	form-based			true	0.7	9	1	9	9	11505.2002	9465.200195	9465.200195	0.933333
0049	009	4869	0.11	3300	1	65	100	3	11	10	14607	11307	RH-3	40	form-based			true	0.7	10	0.909090936	9	9	13633.2002	10333.2002	10333.2002	0.933333
0055	017	10300	0.24	7000	1	65	100	3	24	23	30900	23900	RH-3	40	density-lim	1000			0.7	10	0.416666657	9	9	28840	21840	21840	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0060	011	6560	0.15	2546	5	65	100	3	15	10	19680	17134	RM-2	40	form-based			true	0.7	14	0.933333337	9	9	18368	15822	15822	0.933333
0061	046	5500	0.13	1272	3	65	100	3	13	10	16500	15228	RH-3	40	form-based			true	0.7	12	0.923076928	9	9	15400	14128	14128	0.933333
0066	035	5500	0.13	1063	6	55	80	2.5	10	4	13750	12687	RM-1	50	form-based			true	0.7	15	1.5	9	9	19250	18187	18187	1.4
0066	041	3953	0.09	2153	2	55	80	2.5	7	5	9882	7729	RM-1	50	form-based			true	0.7	11	1.571428537	9	9	13835.5	11682.5	11682.5	1.400071
0067	001	4950	0.11	5320	5	55	80	2.5	9	4	12375	7055	RH-3	50	form-based		true	true	0.7	14	1.555555582	9	9	17325	12005	12005	1.4
0068	019	3687	0.08	2793	1	55	80	2.5	6	5	9218	6425	RH-1	50	form-based		true	true	0.7	10	1.666666627	9	9	12904.5	10111.5	10111.5	1.399924
0073	021	4123	0.09	3420	3	55	80	2.5	7	4	10308	6888	RM-1	50	form-based			true	0.7	12	1.714285731	9	9	14430.5	11010.5	11010.5	1.399932
0095	052	2286	0.05	1344	2	65	100	3	5	3	6858	5514	RH-3	85	form-based			true	0.7	11	2.200000048	9	8	12801.59961	11457.59961	11457.59961	1.866667
0096	044	3332	0.08	2937	3	65	100	3	8	5	9996	7059	RH-3	65	form-based			true	0.7	12	1.5	9	9	13994.39941	11057.39941	11057.39941	1.4
0096	055	3799	0.09	1297	4	65	100	3	9	5	11397	10100	RM-2	65	form-based			true	0.7	13	1.444444418	9	9	15955.7998	14658.7998	14658.7998	1.4
0097	059	3144	0.07	1814	2	55	80	2.5	6	4	7860	6046	RH-3	65	form-based			true	0.7	11	1.833333373	9	9	13204.7998	11390.7998	11390.7998	1.68
0105	055	7487	0.17	2200	7	65	100	3	17	10	22461	20261	RH-3	40	form-based		true	true	0.7	16	0.941176474	9	9	20963.59961	18763.59961	18763.59961	0.933333
0117	006	3781	0.09	96	0	55	80	2.5	7	7	9452	9356	NCD-NORT	40	density-lim	400			0.75	9	1.285714269	9	9	11343	11247	11247	1.200063
0121	008	4200	0.1	7470	0	55	80	2.5	8	8	10500	3030	RM-2	40	form-based			true	0.7	9	1.125	9	9	11760	4290	4290	1.12
0122	010A	3852	0.09	3500	4	55	80	2.5	7	3	9630	6130	RH-3	65	form-based			true	0.7	13	1.857142806	9	9	16178.39941	12678.39941	12678.39941	1.68
0123	063	2324	0.05	2310	0	55	80	2.5	4	4	5810	3500	NC-1	65	form-based			true	0.75	9	2.25	9	8	10458	8148	8148	1.8
0124	043	3447	0.08	4584	3	65	100	3	8	5	10341	5757	RH-3	65	form-based			true	0.7	12	1.5	9	9	14477.39941	9893.399414	9893.399414	1.4
0124	048	3793	0.09	5911	4	65	100	3	9	5	11379	5468	RM-1	65	form-based			true	0.7	13	1.444444418	9	9	15930.59961	10019.59961	10019.59961	1.4
0124	050	3448	0.08	1675	3	65	100	3	8	5	10344	8669	RH-3	65	form-based			true	0.7	12	1.5	9	9	14481.59961	12806.59961	12806.59961	1.4
0124	053	3746	0.09	1864	4	65	100	3	9	5	11238	9374	RH-3	65	form-based			true	0.7	13	1.444444418	9	9	15733.2002	13869.2002	13869.2002	1.4
0125	006	3400	0.08	3368	3	55	80	2.5	6	3	8500	5132	RH-3	65	form-based			true	0.7	12	2	9	9	14280	10912	10912	1.68
0125	007	6016	0.14	10860	12	55	80	2.5	11	0	15040	4180	RH-3	65	form-based			true	0.7	21	1.909090877	9	9	25267.19922	14407.19922	14407.19922	1.68
0130	009	5850	0.13	15950	6	55	80	2.5	10	4	14625	0	NCD-NORT	40	density-lim	400	true		0.75	15	1.5	9	9	17550	1600	1600	1.2
0130	024	3688	0.08	9581	0	55	80	2.5	6	6	9220	0	NCD-NORT	40	density-lim	400			0.75	9	1.5	9	9	11064	1483	1483	1.2
0133	006A	5375	0.12	850	2	55	80	2.5	10	8	13438	12588	RH-3	40	form-based			true	0.7	11	1.100000024	9	9	15050	14200	14200	1.119958
0134	031	4067	0.09	0	0	65	100	3	9	9	12201	12201	RH-3	40	form-based			true	0.7	9	1	9	9	11387.59961	11387.59961	11387.59961	0.933333
0136	004A	7242	0.17	21720	0	65	100	3	17	17	21726	6	C-2	65	density-lim	800			0.8	9	0.529411793	9	9	34761.60156	13041.60156	13041.60156	1.6
0141	003B	6885	0.16	25525	0	65	100	3	16	16	20655	0	C-2	65	density-lim	800	true		0.8	9	0.5625	9	9	33048	7523	7523	1.6
0142	005	7360	0.17	21822	0	65	100	3	17	17	22080	258	C-2	84	density-lim	800			0.8	9	0.529411793	9	9	47104	25282	22338	2.133333
0147	017	3406	0.08	3630	0	65	100	3	8	8	10218	6588	NCD-NORT	40	density-lim	400	true		0.75	9	1.125	9	9	10218	6588	6588	1
0152	013	3151	0.07	2812	2	55	80	2.5	6	4	7878	5066	RH-3	65	form-based			true	0.7	11	1.833333373	9	9	13234.2002	10422.2002	10422.2002	1.679893
0152	021	2736	0.06	2388	1	55	80	2.5	5	4	6840	4452	RM-1	65	form-based			true	0.7	10	2	9	9	11491.2002	9103.200195	9103.200195	1.68
0152	035	3805	0.09	3630	2	55	80	2.5	7	5	9512	5882	RH-3	50	form-based			true	0.7	11	1.571428537	9	9	13317.5	9687.5	9687.5	1.400074
0153	016	3103	0.07	2868	2	65	100	3	7	5	9309	6441	RH-3	65	form-based			true	0.7	11	1.571428537	9	9	13032.59961	10164.59961	10164.59961	1.4
0153	018	3103	0.07	2478	2	65	100	3	7	5	9309	6831	RH-3	65	form-based			true	0.7	11	1.571428537	9	9	13032.59961	10554.59961	10554.59961	1.4
0153	061	3003	0.07	1555	2	65	100	3	7	5	9009	7454	RH-3	65	form-based			true	0.7	11	1.571428537	9	9	12612.59961	11057.59961	11057.59961	1.4
0154	046	3437	0.08	1741	3	65	100	3	8	5	10311	8570	RM-1	65	form-based			true	0.7	12	1.5	9	9	14435.39941	12694.39941	12694.39941	1.4
0159	001	6290	0.14	12801	22	65	100	3	14	0	18870	6069	CCB	65	density-lim	200	true		0.75	31	2.214285612	9	6	28305	15504	15504	1.5
0160	003	2000	0.05	7094	1	65	100	3	5	4	6000	0	CRNC	85	density-lim	200			0.75	10	2	9	9	12000	4906	4906	2
0160	004	1832	0.04	2823	0	65	100	3	4	4	5496	2673	CRNC	85	density-lim	200			0.75	9	2.25	9	8	10992	8169	8169	2
0160	016	2470	0.06	4680	3	65	100	3	6	3	7410	2730	CCB	65	density-lim	200			0.75	12	2	9	9	11115	6435	6435	1.5
0161	006	2890	0.07	7851	5	65	100	3	7	2	8670	819	CRNC	50	density-lim	200	true		0.75	14	2	9	9	10837.5	2986.5	2986.5	1.25
0161	032	1710	0.04	5085	0	65	100	3	4	4	5130	45	CCB	65	density-lim	200			0.75	9	2.25	9	8	7695	2610	2610	1.5
0162	023	3413	0.08	11383	0	65	100	3	8	8	10239	0	NCD-BROA	65	density-lim	400	true		0.75	9	1.125	9	9	15358.5	3975.5	3975.5	1.5
0164	010	7246	0.17	28586	0	65	100	3	17	17	21738	0	C-2	65	density-lim	800	true		0.8	9	0.529411793	9	9	34780.80078	6194.800781	6194.800781	1.6
0165	004	2211	0.05	6372	0	65	100	3	5	5	6633	261	C-2	65	form-base	800	true		0.8	9	1.799999952	9	9	10612.7998	4240.799805	4240.799805	1.6
0178	007	3984	0.09	11766	11	65	100	3	9	0	11952	186	CRNC	50	density-lim	200	true		0.75	20	2.222222328	9	7	14940	3174	3174	1.25
0179	010A	1891	0.04	5728	0	65	100	3	4	4	5673	0	CRNC	85	density-lim	200	true		0.75	9	2.25	9	8	11346	5618	5618	2
0181	055	4493	0.1	2931	2	55	80	2.5	8	6	11232	8301	RM-3	65	density-lim	400			0.75	11	1.375	9	9	20218.5	17287.5	17287.5	1.80008
0182	011	6875	0.16	7620	8	55	80	2.5	13	5	17188	9568	RM-3	65	density-lim	400			0.75	17	1.307692289	9	9	30937.5	23317.5	23317.5	1.799948
0185	005	4374	0.1	4680	4	65	100	3	10	6	13122	8442	NCD-PACIF	50	form-based			true	0.75	13	1.299999952	9	9	16402.5	11722.5	11722.5	1.25
0185	051	3781	0.09	679	4	65	100	3	9	5	11343	10664	RM-1	65	form-based			true	0.7	13	1.444444418	9	9	15880.2002	15201.2002	15201.2002	1.4
0186	015	3025	0.07	3350	2	65	100	3	7	5	9075	5725	RM-2	65	form-based			true	0.7	11	1.571428537	9	9	12705	9355	9355	1.4
0186	020	3025	0.07	2960	2	65	100	3	7	5	9075	6115	RM-2	65	form-based			true	0.7	11	1.571428537	9	9	12705	9745	9745	1.4
0186	027	3105	0.07	5757	3	55	80	2.5	6	3	7762	2005	RM-3	65	form-based			true	0.75	12	2	9	9	13972.5	8215.5	8215.5	1.800116
0187	007	7226	0.17	24620	18	55	80	2.5	14	0	18065	0	RM-3	65	form-based		true	true	0.75	27	1.928571463	9	9	32517	7897	7897	1.8
0187	032	3454	0.08	5363	4	55	80	2.5	6	2	8635	3272	RM-3	65	form-based			true	0.75	13	2.166666746	9	8	15543	10180	10180	1.8
0193	003	1775	0.04	4220	0	65	100	3	4	4	5325	1105	CVR	50	density-lim	200			0.75	9	2.25	9	8	6656.25	2436.25	2436.25	1.25
0193	005	1764	0.04	5100	0	65	100	3	4	4	5292	192	CVR	50	density-lim	200			0.75	9	2.25	9	8	6615	1515	1515	1.25
0193	006	1823	0.04	7626	0	65	100	3	4	4	5469	0	CVR	50	density-lim	200			0.75	9	2.25	9	8	6836.25	0	0	1.25
0193	010	1791	0.04	7733	0	65	100	3	4	4	5373	0	CVR	50	density-lim	200			0.75	9	2.25	9	8	6716.25	0	0	1.25
0193	014	2368	0.05	9433	3	65	100	3	5	2	7104	0	CVR	50	density-lim	200			0.75	12	2.400000095	9	7	8880	0	0	1.25
0193	024	2254	0.05	6052	2	65	100	3	5	3	6762	710	CRNC	85	density-lim	200	true		0.75	11	2.200000048	9	8	13524	7472	7472	2
0194	023	2523	0.06	9292	4	65	100	3	6	2	7569	0	CRNC	50	density-lim	200			0.75	13	2.166666746	9	8	9461.25	169.25	169.25	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0194	027	1726	0.04	7741	0	65	100	3	4	4	5178	0	CVR	50	density-lim	200			0.75	9	2.25	9	8	6472.5	0	0	1.25
0195	009	1837	0.04	1837	0	65	100	3	4	4	5511	3674	CCB	65	density-lim	200			0.75	9	2.25	9	8	8266.5	6429.5	6429.5	1.5
0196	025	7410	0.17	28800	0	65	100	3	17	17	22230	0	C-2	65	density-lim	800			0.8	9	0.529411793	9	9	35568	6768	6768	1.6
0209	015	1720	0.04	2900	0	65	100	3	4	4	5160	2260	CVR	50	density-lim	200			0.75	9	2.25	9	8	6450	3550	3550	1.25
0210	035	1765	0.04	5124	0	65	100	3	4	4	5295	171	CRNC	50	density-lim	200			0.75	9	2.25	9	8	6618.75	1494.75	1494.75	1.25
0210	039	1705	0.04	6600	0	65	100	3	4	4	5115	0	CRNC	50	density-lim	200			0.75	9	2.25	9	8	6393.75	0	0	1.25
0215	010	6013	0.14	8221	14	55	80	2.5	11	0	15032	6811	RM-3	65	form-based			true	0.75	23	2.090909004	9	8	27058.5	18837.5	18837.5	1.80006
0217	023	3438	0.08	3550	4	65	100	3	8	4	10314	6764	RM-3	65	form-based			true	0.75	13	1.625	9	9	15471	11921	11921	1.5
0218	011	3600	0.08	5260	5	65	100	3	8	3	10800	5540	RM-3	65	form-based			true	0.75	14	1.75	9	9	16200	10940	10940	1.5
0218	018	4225	0.1	11563	7	65	100	3	10	3	12675	1112	RM-3	65	form-based			true	0.75	16	1.600000024	9	9	19012.5	7449.5	7449.5	1.5
0219	010	5611	0.13	10050	12	55	80	2.5	10	0	14028	3978	RM-3	65	form-based			true	0.75	21	2.099999905	9	8	25249.5	15199.5	15199.5	1.799936
0219	021	5666	0.13	8409	12	55	80	2.5	10	0	14165	5756	RM-3	65	form-based			true	0.75	21	2.099999905	9	8	25497	17088	17088	1.8
0220	037	3977	0.09	1630	6	55	80	2.5	7	1	9942	8312	RM-4	65	form-based		true	true	0.75	15	2.142857075	9	8	17896.5	16266.5	16266.5	1.800091
0226	039	1853	0.04	7072	0	65	100	3	4	4	5559	0	CVR	50	density-lim	200			0.75	9	2.25	9	8	6948.75	0	0	1.25
0226	044	1875	0.04	5154	0	65	100	3	4	4	5625	471	CCB	50	density-lim	200			0.75	9	2.25	9	8	7031.25	1877.25	1877.25	1.25
0227	005	991	0.02	0	0	65	100	3	2	2	2973	2973	C-3-O	250	form-based		true		0.8	9	4.5	9	4	8919	8919	5946	3
0227	021	1775	0.04	1826	0	65	100	3	4	4	5325	3499	CCB	50	density-lim	200			0.75	9	2.25	9	8	6656.25	4830.25	4830.25	1.25
0227	036	1837	0.04	5942	0	65	100	3	4	4	5511	0	CCB	50	density-lim	200	true		0.75	9	2.25	9	8	6888.75	946.75	946.75	1.25
0228	012	1800	0.04	10605	0	65	100	3	4	4	5400	0	C-3-O	75	form-based				0.8	9	2.25	9	8	10080	0	0	1.866667
0228	022	1814	0.04	6932	0	65	100	3	4	4	5442	0	C-3-O	75	form-based		true		0.8	9	2.25	9	8	10158.40039	3226.400391	3226.400391	1.866667
0241	017	3437	0.08	8405	8	65	100	3	8	0	10311	1906	CCB	50	density-lim	200			0.75	17	2.125	9	8	12888.75	4483.75	4483.75	1.25
0248	012	5251	0.12	6009	11	55	80	2.5	10	0	13128	7119	RM-3	65	form-based			true	0.75	20	2	9	9	23629.5	17620.5	17620.5	1.799931
0248	076	3438	0.08	1775	4	55	80	2.5	6	2	8595	6820	RM-3	65	form-based			true	0.75	13	2.166666746	9	8	15471	13696	13696	1.8
0250	003D	3462	0.08	11868	22	55	80	2.5	6	0	8655	0	RTO-C	140	form-based		true	true	0.75	31	5.166666508	9	0	31158	19290	5442	3.6
0251	018	1500	0.03	4046	5	55	80	2.5	2	0	3750	0	RTO-C	120	form-based			true	0.75	14	7	9	0	13500	9454	3454	3.6
0254	080	4693	0.11	1656	14	65	100	3	11	0	14079	12423	RM-4	65	density-lim	200	true		0.75	23	2.090909004	9	8	21118.5	19462.5	19462.5	1.5
0256	009	2380	0.05	4440	3	65	100	3	5	2	7140	2700	RM-4	65	density-lim	200	true		0.75	12	2.400000095	9	7	10710	6270	6270	1.5
0256	012	3033	0.07	8085	6	65	100	3	7	1	9099	1014	RM-4	65	density-lim	200			0.75	15	2.142857075	9	8	13648.5	5563.5	5563.5	1.5
0256	065	7325	0.17	18001	28	65	100	3	17	0	21975	3974	RM-4	65	density-lim	200			0.75	37	2.176470518	9	6	32962.5	14961.5	14961.5	1.5
0273	001D	4950	0.11	10950	16	65	100	3	11	0	14850	3900	RM-4	65	density-lim	200			0.75	25	2.272727251	9	6	22275	11325	11325	1.5
0277	001	2804	0.06	7744	16	65	100	3	6	0	8412	668	RTO-C	140	form-based		true	true	0.75	25	4.166666508	9	0	25236	17492	9080	3
0278	009	1699	0.04	4959	6	65	100	3	4	0	5097	138	NCD-POLK	120	form-based			true	0.75	15	3.75	9	2	15291	10332	5235	3
0279	022	6389	0.15	9420	23	65	100	3	15	0	19167	9747	RC-4	80	density-lim	200			0.75	32	2.133333445	9	7	38334	28914	28914	2
0284	012	3426	0.08	13499	22	65	100	3	8	0	10278	0	C-3-R	130	form-based		true		0.8	31	3.875	9	0	30834	17335	7057	3
0287	015	966	0.02	0	0	85	140	4	3	3	3864	3864	C-3-R	130	form-based				0.8	9	3	9	6	8694	8694	7728	2.25
0302	011A	7003	0.16	19154	26	65	100	3	16	0	21009	1855	RC-4	80	density-lim	200			0.75	35	2.1875	9	6	42018	22864	22864	2
0317	005	1750	0.04	9709	0	85	140	4	6	6	7000	0	RC-4	130	density-lim	200			0.75	9	1.5	9	9	15750	6041	4291	2.25
0318	006	2134	0.05	5656	2	65	100	3	5	3	6402	746	RC-4	130	density-lim	200			0.75	11	2.200000048	9	8	19206	13550	7148	3
0319	014	3000	0.07	4968	6	65	100	3	7	1	9000	4032	RC-4	80	density-lim	200	true		0.75	15	2.142857075	9	8	18000	13032	13032	2
0321	007	6791	0.16	18750	25	65	100	3	16	0	20373	1623	RC-4	80	density-lim	200			0.75	34	2.125	9	7	40746	21996	21996	2
0321	023	1719	0.04	1900	0	85	140	4	6	6	6876	4976	RC-4	80	density-lim	200			0.75	9	1.5	9	9	10314	8414	8414	1.5
0321	024	1719	0.04	3375	0	85	140	4	6	6	6876	3501	RC-4	80	density-lim	200			0.75	9	1.5	9	9	10314	6939	6939	1.5
0324	020	7945	0.18	15725	31	85	140	4	25	0	31780	16055	RC-4	80	density-lim	200			0.75	40	1.600000024	9	9	47670	31945	31945	1.5
0333	019	3733	0.09	5808	10	65	100	3	9	0	11199	5391	RC-4	80	density-lim	200			0.75	19	2.111111164	9	8	22398	16590	16590	2
0334	003	2039	0.05	8000	1	65	100	3	5	4	6117	0	RC-4	80	density-lim	200			0.75	10	2	9	9	12234	4234	4234	2
0338	005	2421	0.06	4400	3	65	100	3	6	3	7263	2863	RC-4	120	density-lim	200			0.75	12	2	9	9	21789	17389	10126	3
0344	006A	2475	0.06	5550	3	65	100	3	6	3	7425	1875	RC-4	120	density-lim	200			0.75	12	2	9	9	22275	16725	9300	3
0348	022A	1650	0.04	1620	0	75	120	3.5	5	5	5775	4155	C-3-G	80	form-based				0.8	9	1.799999952	9	9	10560	8940	8940	1.828571
0349	009	1882	0.04	110000	0	75	120	3.5	5	5	6587	0	RC-4	120	density-lim	200			0.75	9	1.799999952	9	9	16938	0	0	2.571429
0445A	047	4375	0.1	3600	1	55	80	2.5	8	7	10938	7338	NC-2	40	form-based			true	0.75	10	1.25	9	9	13125	9525	9525	1.199945
0473	024	5156	0.12	2470	2	65	100	3	12	10	15468	12998	RH-3	40	form-based			true	0.7	11	0.916666687	9	9	14436.7998	11966.7998	11966.7998	0.933333
0474	071	3075	0.07	1585	3	65	100	3	7	4	9225	7640	RTO-C	65	form-based			true	0.75	12	1.714285731	9	9	13837.5	12252.5	12252.5	1.5
0476	002A	4676	0.11	2752	1	65	100	3	11	10	14028	11276	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13092.7998	10340.7998	10340.7998	0.933333
0476	002C	4676	0.11	5902	1	65	100	3	11	10	14028	8126	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13092.7998	7190.799805	7190.799805	0.933333
0476	002D	4813	0.11	3367	1	65	100	3	11	10	14439	11072	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13476.39941	10109.39941	10109.39941	0.933333
0477	027	5110	0.12	5382	2	65	100	3	12	10	15330	9948	RH-2	40	form-based			true	0.7	11	0.916666687	9	9	14308	8926	8926	0.933333
0478	011C	2888	0.07	3655	2	85	140	4	10	8	11552	7897	RTO-C	65	form-based			true	0.75	11	1.100000024	9	9	12996	9341	9341	1.125
0479	011A	5500	0.13	4500	3	65	100	3	13	10	16500	12000	RM-1	40	form-based		true	true	0.7	12	0.923076928	9	9	15400	10900	10900	0.933333
0480	003F	3437	0.08	3768	4	65	100	3	8	4	10311	6543	RTO-C	65	form-based			true	0.75	13	1.625	9	9	15466.5	11698.5	11698.5	1.5
0480	004B	2815	0.06	3150	2	65	100	3	6	4	8445	5295	RTO-C	65	form-based			true	0.75	11	1.833333373	9	9	12667.5	9517.5	9517.5	1.5
0480	004C	2815	0.06	3500	2	65	100	3	6	4	8445	4945	RTO-C	65	form-based			true	0.75	11	1.833333373	9	9	12667.5	9167.5	9167.5	1.5
0493	031	1925	0.04	2710	1	55	80	2.5	3	2	4812	2102	NC-3	85	form-based			true	0.75	10	3.333333254	9	5	11550	8840	6914	2.400249
0494	017	2947	0.07	2873	2	55	80	2.5	6	4	7368	4495	RTO-C	65	form-based			true	0.75	11	1.833333373	9	9	13261.5	10388.5	10388.5	1.799878
0495	009A	3145	0.07	2980	3	55	80	2.5	6	3	7862	4882	RTO-C	65	form-based			true	0.75	12	2	9	9	14152.5	11172.5	11172.5	1.800115

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0496	015F	2686	0.06	1525	1	65	100	3	6	5	8058	6533	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12087	10562	10562	1.5
0498	021	2869	0.07	3950	2	65	100	3	7	5	8607	4657	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	12910.5	8960.5	8960.5	1.5
0498	023	3449	0.08	4226	4	65	100	3	8	4	10347	6121	RTO-C	65	form-based			true	0.75	13	1.625	9	9	15520.5	11294.5	11294.5	1.5
0500	007	3099	0.07	0	0	65	100	3	7	7	9297	9297	RH-2	50	form-based			true	0.7	9	1.285714269	9	9	10846.5	10846.5	10846.5	1.166667
0500	023	3631	0.08	668	1	65	100	3	8	7	10893	10225	RH-2	50	form-based			true	0.7	10	1.25	9	9	12708.5	12040.5	12040.5	1.166667
0501	013	3474	0.08	2120	1	65	100	3	8	7	10422	8302	RH-2	50	form-based			true	0.7	10	1.25	9	9	12159	10039	10039	1.166667
0501	029	3437	0.08	2185	1	65	100	3	8	7	10311	8126	RH-2	50	form-based			true	0.7	10	1.25	9	9	12029.5	9844.5	9844.5	1.166667
0501	030	3365	0.08	2515	0	65	100	3	8	8	10095	7580	RH-2	50	form-based			true	0.7	9	1.125	9	9	11777.5	9262.5	9262.5	1.166667
0501	071	3151	0.07	2505	2	65	100	3	7	5	9453	6948	RH-2	65	form-based			true	0.7	11	1.571428537	9	9	13234.2002	10729.2002	10729.2002	1.4
0507	024	1744	0.04	1600	0	55	80	2.5	3	3	4360	2760	NC-3	85	form-based			true	0.75	9	3	9	6	10464	8864	7120	2.4
0507	026	2679	0.06	5127	5	55	80	2.5	5	0	6698	1571	NC-3	85	form-based			true	0.75	14	2.799999952	9	5	16074	10947	8269	2.399821
0518	029	4838	0.11	2245	1	55	80	2.5	9	8	12095	9850	RH-2	40	form-based			true	0.7	10	1.111111164	9	9	13546.39941	11301.39941	11301.39941	1.12
0521	005B	2500	0.06	3696	4	65	100	3	6	2	7500	3804	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	15000	11304	11304	2
0521	017	2750	0.06	4230	5	65	100	3	6	1	8250	4020	RTO-C	85	form-based			true	0.75	14	2.333333254	9	7	16500	12270	12270	2
0521	021	1961	0.05	2310	1	65	100	3	5	4	5883	3573	RTO-C	85	form-based			true	0.75	10	2	9	9	11766	9456	9456	2
0521	025	2059	0.05	1815	2	65	100	3	5	3	6177	4362	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12354	10539	10539	2
0521	026	2059	0.05	1815	2	65	100	3	5	3	6177	4362	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12354	10539	10539	2
0521	028	2098	0.05	1638	2	65	100	3	5	3	6294	4656	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12588	10950	10950	2
0521	030	2057	0.05	1778	2	65	100	3	5	3	6171	4393	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12342	10564	10564	2
0521	036	2500	0.06	931	4	65	100	3	6	2	7500	6569	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	15000	14069	14069	2
0522	011	4772	0.11	11658	16	65	100	3	11	0	14316	2658	RTO-C	85	form-based			true	0.75	25	2.272727251	9	6	28632	16974	16974	2
0523	042	2938	0.07	1585	6	65	100	3	7	1	8814	7229	RM-3	85	form-based			true	0.75	15	2.142857075	9	8	17628	16043	16043	2
0524	015	2914	0.07	5344	5	65	100	3	7	2	8742	3398	RH-2	85	form-based			true	0.7	14	2	9	9	16318.39941	10974.39941	10974.39941	1.866667
0524	024	3605	0.08	1178	1	65	100	3	8	7	10815	9637	RH-2	50	form-based			true	0.7	10	1.25	9	9	12617.5	11439.5	11439.5	1.166667
0524	028	3401	0.08	3674	1	65	100	3	8	7	10203	6529	RH-2	50	form-based			true	0.7	10	1.25	9	9	11903.5	8229.5	8229.5	1.166667
0525	006	2638	0.06	2763	0	65	100	3	6	6	7914	5151	RM-2	65	form-based			true	0.7	9	1.5	9	9	11079.59961	8316.599609	8316.599609	1.4
0525	019	2440	0.06	3487	4	65	100	3	6	2	7320	3833	NCD-POLK	85	form-based			true	0.75	13	2.166666746	9	8	14640	11153	11153	2
0525	024	2500	0.06	4283	4	65	100	3	6	2	7500	3217	NCD-POLK	85	form-based			true	0.75	13	2.166666746	9	8	15000	10717	10717	2
0525	078	2500	0.06	1483	4	65	100	3	6	2	7500	6017	NCD-POLK	85	form-based			true	0.75	13	2.166666746	9	8	15000	13517	13517	2
0527	001A	2514	0.06	3680	4	65	100	3	6	2	7542	3862	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	15084	11404	11404	2
0527	014	2935	0.07	4600	2	65	100	3	7	5	8805	4205	NCD-UNIO	65	form-based			true	0.75	11	1.571428537	9	9	13207.5	8607.5	8607.5	1.5
0527	020A	6921	0.16	17211	27	65	100	3	16	0	20763	3552	RTO-C	85	form-based	true		true	0.75	36	2.25	9	5	41526	24315	24315	2
0527	020C	3338	0.08	6358	9	65	100	3	8	0	10014	3656	RTO-C	85	form-based			true	0.75	18	2.25	9	7	20028	13670	13670	2
0528	002C	3371	0.08	4690	4	65	100	3	8	4	10113	5423	NCD-UNIO	65	form-based			true	0.75	13	1.625	9	9	15169.5	10479.5	10479.5	1.5
0528	007	4124	0.09	6671	6	65	100	3	9	3	12372	5701	NCD-UNIO	65	form-based			true	0.75	15	1.666666627	9	9	18558	11887	11887	1.5
0528	009A	2812	0.06	3100	2	65	100	3	6	4	8436	5336	NCD-UNIO	65	form-based			true	0.75	11	1.833333373	9	9	12654	9554	9554	1.5
0529	002A	3311	0.08	5727	3	65	100	3	8	5	9933	4206	NCD-UNIO	65	form-based	true		true	0.75	12	1.5	9	9	14899.5	9172.5	9172.5	1.5
0529	003	3300	0.08	2876	3	65	100	3	8	5	9900	7024	NCD-UNIO	65	form-based			true	0.75	12	1.5	9	9	14850	11974	11974	1.5
0529	009	3713	0.09	3938	5	65	100	3	9	4	11139	7201	NCD-UNIO	65	form-based			true	0.75	14	1.555555582	9	9	16708.5	12770.5	12770.5	1.5
0530	050	3125	0.07	1130	3	55	80	2.5	6	3	7812	6682	NCD-UNIO	65	form-based			true	0.75	12	2	9	9	14062.5	12932.5	12932.5	1.800115
0531	009	3431	0.08	4970	4	55	80	2.5	6	2	8578	3608	NCD-UNIO	65	form-based			true	0.75	13	2.166666746	9	8	15439.5	10469.5	10469.5	1.799895
0542	022	2500	0.06	2195	0	55	80	2.5	5	5	6250	4055	NCD-UNIO	65	form-based			true	0.75	9	1.799999952	9	9	11250	9055	9055	1.8
0542	035	2500	0.06	1817	0	55	80	2.5	5	5	6250	4433	NCD-UNIO	65	form-based			true	0.75	9	1.799999952	9	9	11250	9433	9433	1.8
0543	026A	3447	0.08	5300	4	55	80	2.5	6	2	8618	3318	NCD-UNIO	65	form-based			true	0.75	13	2.166666746	9	8	15511.5	10211.5	10211.5	1.799896
0543	031	3156	0.07	4425	3	55	80	2.5	6	3	7890	3465	NCD-UNIO	65	form-based			true	0.75	12	2	9	9	14202	9777	9777	1.8
0544	016	2485	0.06	4930	0	55	80	2.5	5	5	6212	1282	NCD-UNIO	65	form-based			true	0.75	9	1.799999952	9	9	11182.5	6252.5	6252.5	1.800145
0546	014	5520	0.13	778	41	85	140	4	18	0	22080	21302	RC-3	140	form-based			true	0.75	50	2.777777672	9	0	49680	48902	43382	2.25
0547	009	3125	0.07	7250	19	85	140	4	10	0	12500	5250	RC-3	140	form-based			true	0.75	28	2.799999952	9	1	28125	20875	17750	2.25
0548	015C	1779	0.04	1501	0	65	100	3	4	4	5337	3836	NCD-POLK	85	form-based			true	0.75	9	2.25	9	8	10674	9173	9173	2
0548	027	3708	0.09	5205	4	65	100	3	9	5	11124	5919	RM-2	65	form-based			true	0.7	13	1.444444418	9	9	15573.59961	10368.59961	10368.59961	1.4
0548	033	2306	0.05	1861	2	65	100	3	5	3	6918	5057	RM-2	85	form-based			true	0.7	11	2.200000048	9	8	12913.59961	11052.59961	11052.59961	1.866667
0550	004	2113	0.05	3165	2	65	100	3	5	3	6339	3174	NCD-POLK	85	form-based			true	0.75	11	2.200000048	9	8	12678	9513	9513	2
0556	057	4125	0.09	414	0	55	80	2.5	7	7	10312	9898	RH-2	40	form-based			true	0.7	9	1.285714269	9	9	11550	11136	11136	1.120054
0557	008	5516	0.13	5903	3	55	80	2.5	10	7	13790	7887	RH-2	40	form-based			true	0.7	12	1.200000048	9	9	15444.7998	9541.799805	9541.799805	1.12
0557	032	5515	0.13	3300	3	55	80	2.5	10	7	13788	10488	RH-2	40	form-based			true	0.7	12	1.200000048	9	9	15442	12142	12142	1.119959
0559	021	4875	0.11	4621	1	55	80	2.5	9	8	12188	7567	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13650	9029	9029	1.119954
0560	013	5156	0.12	5670	2	55	80	2.5	10	8	12890	7220	RH-1	40	form-based			true	0.7	11	1.100000024	9	9	14436.7998	8766.799805	8766.799805	1.12
0561	016	4711	0.11	6932	1	55	80	2.5	9	8	11778	4846	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13190.7998	6258.799805	6258.799805	1.119952
0562	014	4890	0.11	4906	1	55	80	2.5	9	8	12225	7319	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13692	8786	8786	1.12
0562	024	4895	0.11	4462	1	55	80	2.5	9	8	12238	7776	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13706	9244	9244	1.119954
0562	025	4778	0.11	4085	1	55	80	2.5	9	8	11945	7860	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13378.39941	9293.399414	9293.399414	1.12
0563	011	4813	0.11	2723	1	55	80	2.5	9	8	12032	9309	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13476.39941	10753.39941	10753.39941	1.120046
0563	014	4852	0.11	5164	1	55	80	2.5	9	8	12130	6966	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13585.59961	8421.599609	8421.599609	1.12
0565	061	2521	0.06	3214	0	55	80	2.5	5	5	6302	3088	RTO-C	65	form-based			true	0.75	9	1.799999952	9	9	11344.5	8130.5	8130.5	1.800143

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0573	004B	2301	0.05	2335	0	65	100	3	5	5	6903	4568	NCD-PACIF	65	form-based			true	0.75	9	1.799999952	9	9	10354.5	8019.5	8019.5	1.5
0573	008	2625	0.06	5647	5	65	100	3	6	1	7875	2228	NCD-PACIF	85	form-based			true	0.75	14	2.333333254	9	7	15750	10103	10103	2
0574	002	2067	0.05	2640	2	65	100	3	5	3	6201	3561	NCD-POLK	85	form-based			true	0.75	11	2.200000048	9	8	12402	9762	9762	2
0577	004	4703	0.11	6370	1	65	100	3	11	10	14109	7739	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	13168.39941	6798.399414	6798.399414	0.933333
0582	012	4733	0.11	10320	1	55	80	2.5	9	8	11832	1512	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13252.39941	2932.399414	2932.399414	1.120047
0583	013	4805	0.11	5292	1	55	80	2.5	9	8	12012	6720	RH-1	40	form-based		true	true	0.7	10	1.111111164	9	9	13454	8162	8162	1.120047
0583	014	4711	0.11	4959	1	55	80	2.5	9	8	11778	6819	RH-1	40	form-based		true	true	0.7	10	1.111111164	9	9	13190.7998	8231.799805	8231.799805	1.119952
0583	015	4709	0.11	4226	1	55	80	2.5	9	8	11772	7546	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13185.2002	8959.200195	8959.200195	1.120048
0583	016A	4924	0.11	2650	1	55	80	2.5	9	8	12310	9660	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13787.2002	11137.2002	11137.2002	1.12
0584	015	4764	0.11	3740	1	55	80	2.5	9	8	11910	8170	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13339.2002	9599.200195	9599.200195	1.12
0585	009	4469	0.1	0	0	55	80	2.5	8	8	11172	11172	RH-2	40	form-based			true	0.7	9	1.125	9	9	12513.2002	12513.2002	12513.2002	1.12005
0586	018	4652	0.11	6377	1	55	80	2.5	9	8	11630	5253	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13025.59961	6648.599609	6648.599609	1.12
0588	019	5176	0.12	8258	2	55	80	2.5	10	8	12940	4682	RH-2	40	form-based			true	0.7	11	1.100000024	9	9	14492.7998	6234.799805	6234.799805	1.12
0591	004	4788	0.11	4429	1	55	80	2.5	9	8	11970	7541	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13406.39941	8977.399414	8977.399414	1.12
0591	004A	4788	0.11	7100	1	55	80	2.5	9	8	11970	4870	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13406.39941	6306.399414	6306.399414	1.12
0591	004B	4788	0.11	5664	1	55	80	2.5	9	8	11970	6306	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13406.39941	7742.399414	7742.399414	1.12
0591	011	4802	0.11	2637	1	55	80	2.5	9	8	12005	9368	RH-2	40	form-based			true	0.7	10	1.111111164	9	9	13445.59961	10808.59961	10808.59961	1.12
0591	025	6384	0.15	8360	4	55	80	2.5	12	8	15960	7600	RH-2	40	form-based			true	0.7	13	1.083333373	9	9	17875.19922	9515.199219	9515.199219	1.12
0592	014	4752	0.11	1750	1	65	100	3	11	10	14256	12506	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	13305.59961	11555.59961	11555.59961	0.933333
0596	004	2800	0.06	2650	2	65	100	3	6	4	8400	5750	NCD-PACIF	65	form-based			true	0.75	11	1.833333373	9	9	12600	9950	9950	1.5
0597	003	3417	0.08	6051	3	65	100	3	8	5	10251	4200	RM-2	65	form-based			true	0.7	12	1.5	9	9	14351.39941	8300.399414	8300.399414	1.4
0597	011	3117	0.07	5052	6	65	100	3	7	1	9351	4299	RM-2	85	form-based			true	0.7	15	2.142857075	9	8	17455.19922	12403.19922	12403.19922	1.866667
0597	028	2940	0.07	7676	5	65	100	3	7	2	8820	1144	RM-2	85	form-based			true	0.7	14	2	9	9	16464	8788	8788	1.866667
0602	001E	4788	0.11	3460	1	55	80	2.5	9	8	11970	8510	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13406.39941	9946.399414	9946.399414	1.12
0602	002B	4693	0.11	5275	1	55	80	2.5	9	8	11732	6457	RH-2	40	form-based			true	0.7	10	1.111111164	9	9	13140.39941	7865.399414	7865.399414	1.120048
0604	017	4914	0.11	5847	1	55	80	2.5	9	8	12285	6438	RH-2	40	form-based			true	0.7	10	1.111111164	9	9	13759.2002	7912.200195	7912.200195	1.12
0617	058	5500	0.13	1402	3	65	100	3	13	10	16500	15098	RH-2	40	form-based			true	0.7	12	0.923076928	9	9	15400	13998	13998	0.933333
0619	001A	4737	0.11	10249	16	65	100	3	11	0	14211	3962	NCD-POLK	85	form-based			true	0.75	25	2.272727251	9	6	28422	18173	18173	2
0620	023	3198	0.07	5601	7	65	100	3	7	0	9594	3993	RM-2	85	form-based			true	0.7	16	2.285714388	9	7	17908.79883	12307.79883	12307.79883	1.866667
0620	078	2939	0.07	675	6	65	100	3	7	1	8817	8142	RM-3	85	form-based			true	0.75	15	2.142857075	9	8	17634	16959	16959	2
0621	012	4079	0.09	10274	12	65	100	3	9	0	12237	1963	RM-3	85	form-based			true	0.75	21	2.333333254	9	6	24474	14200	14200	2
0629	042	2321	0.05	9600	0	65	100	3	5	5	6963	0	NCD-UPPE	65	form-based			true	0.75	9	1.799999952	9	9	10444.5	844.5	844.5	1.5
0629	043	2419	0.06	6680	0	65	100	3	6	6	7257	577	NCD-UPPE	65	form-based		true	true	0.75	9	1.5	9	9	10885.5	4205.5	4205.5	1.5
0630	012	4053	0.09	4987	2	65	100	3	9	7	12159	7172	RH-2	50	form-based			true	0.7	11	1.222222209	9	9	14185.5	9198.5	9198.5	1.166667
0630	013	4053	0.09	4834	2	65	100	3	9	7	12159	7325	RH-2	50	form-based			true	0.7	11	1.222222209	9	9	14185.5	9351.5	9351.5	1.166667
0631	011	3584	0.08	2176	1	65	100	3	8	7	10752	8576	RH-3	50	form-based			true	0.7	10	1.25	9	9	12544	10368	10368	1.166667
0631	013	3584	0.08	1554	1	65	100	3	8	7	10752	9198	RH-3	50	form-based			true	0.7	10	1.25	9	9	12544	10990	10990	1.166667
0632	005	3447	0.08	2067	1	65	100	3	8	7	10341	8274	RH-2	50	form-based			true	0.7	10	1.25	9	9	12064.5	9997.5	9997.5	1.166667
0633	013	3395	0.08	2080	1	65	100	3	8	7	10185	8105	RH-2	50	form-based			true	0.7	10	1.25	9	9	11882.5	9802.5	9802.5	1.166667
0634	010	2880	0.07	5067	6	85	140	4	10	4	11520	6453	NCD-UPPE	85	form-based			true	0.75	15	1.5	9	9	17280	12213	12213	1.5
0634	033	1640	0.04	0	0	85	140	4	6	6	6560	6560	NCD-UPPE	85	form-based			true	0.75	9	1.5	9	9	9840	9840	9840	1.5
0634	054	3100	0.07	1170	7	85	140	4	10	3	12400	11230	NCD-UPPE	85	form-based			true	0.75	16	1.600000024	9	9	18600	17430	17430	1.5
0635	002	2816	0.06	5166	2	65	100	3	6	4	8448	3282	NCD-UPPE	65	form-based			true	0.75	11	1.833333373	9	9	12672	7506	7506	1.5
0636	009	2147	0.05	1860	2	65	100	3	5	3	6441	4581	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12882	11022	11022	2
0636	011	3315	0.08	4736	8	65	100	3	8	0	9945	5209	RTO-C	85	form-based			true	0.75	17	2.125	9	8	19890	15154	15154	2
0640	004	9576	0.22	39660	41	65	100	3	22	0	28728	0	RTO-C	85	form-based		true	true	0.75	50	2.272727251	9	3	57456	17796	17796	2
0640	028	5330	0.12	3112	3	65	100	3	12	9	15990	12878	RM-3	40	form-based			true	0.75	12	1	9	9	15990	12878	12878	1
0641	007	1997	0.05	1910	1	65	100	3	5	4	5991	4081	RM-3	80	form-based			true	0.75	10	2	9	9	11982	10072	10072	2
0648	013	3286	0.08	7772	8	65	100	3	8	0	9858	2086	RTO-C	85	form-based			true	0.75	17	2.125	9	8	19716	11944	11944	2
0653	020	2493	0.06	1633	0	65	100	3	6	6	7479	5846	NCD-UPPE	65	form-based			true	0.75	9	1.5	9	9	11218.5	9585.5	9585.5	1.5
0655	005	2566	0.06	2403	1	65	100	3	6	5	7698	5295	NCD-UPPE	65	form-based			true	0.75	10	1.666666627	9	9	11547	9144	9144	1.5
0655	010	4727	0.11	1964	1	65	100	3	11	10	14181	12217	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	13235.59961	11271.59961	11271.59961	0.933333
0655	011	4727	0.11	2789	1	85	140	4	15	14	18908	16119	RH-2	40	form-based			true	0.7	10	0.666666687	9	9	13235.59961	10446.59961	10446.59961	0.7
0659	002	4049	0.09	15364	6	65	100	3	9	3	12147	0	NCD-UPPE	65	form-based			true	0.75	15	1.666666627	9	9	18220.5	2856.5	2856.5	1.5
0665	004	3000	0.07	9960	18	65	100	3	7	0	9000	0	NC-3	350	form-based		true	true	0.75	27	3.857142925	9	0	27000	17040	8040	3
0666	011A	1250	0.03	2086	2	65	100	3	3	1	3750	1664	NC-3	350	form-based			true	0.75	11	3.666666746	9	4	11250	9164	5414	3
0670	006	1375	0.03	3915	3	65	100	3	3	0	4125	210	NCD-POLK	240	form-based			true	0.75	12	4	9	3	12375	8460	4335	3
0675	043	3438	0.08	2302	0	65	100	3	8	8	10314	8012	RM-3	50	density-lim	400			0.75	9	1.125	9	9	12892.5	10590.5	10590.5	1.25
0676	012	3747	0.09	0	0	65	100	3	9	9	11241	11241	RM-3	40	density-lim	400			0.75	9	1	9	9	11241	11241	11241	1
0676	031	26617	0.61	49722	58	65	100	3	61	3	79851	30129	RM-3	40	density-lim	400	true		0.75	67	1.098360658	9	9	79851	30129	30129	1
0679	030	2769	0.06	5325	6	65	100	3	6	0	8307	2982	RTO-C	85	form-based			true	0.75	15	2.5	9	6	16614	11289	11289	2
0679	032	1843	0.04	2056	1	65	100	3	4	3	5529	3473	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11058	9002	9002	2
0679	033	1843	0.04	2056	1	65	100	3	4	3	5529	3473	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11058	9002	9002	2
0679	034	1843	0.04	2056	1	65	100	3	4	3	5529	3473	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11058	9002	9002	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0681	003	2188	0.05	3450	2	65	100	3	5	3	6564	3114	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	13128	9678	9678	2
0681	026A	2269	0.05	5298	3	65	100	3	5	2	6807	1509	RTO-C	85	form-based			true	0.75	12	2.400000095	9	7	13614	8316	8316	2
0681	033	1965	0.05	2200	1	65	100	3	5	4	5895	3695	RTO-C	85	form-based			true	0.75	10	2	9	9	11790	9590	9590	2
0686	053	3507	0.08	7234	0	65	100	3	8	8	10521	3287	RM-3	50	density-lim	400			0.75	9	1.125	9	9	13151.25	5917.25	5917.25	1.25
0687	020	1963	0.05	2165	1	65	100	3	5	4	5889	3724	RM-4	50	density-lim	200			0.75	10	2	9	9	7361.25	5196.25	5196.25	1.25
0687	021	1963	0.05	2585	1	65	100	3	5	4	5889	3304	RM-4	50	density-lim	200			0.75	10	2	9	9	7361.25	4776.25	4776.25	1.25
0687	022	1963	0.05	2009	1	65	100	3	5	4	5889	3880	RM-4	50	density-lim	200			0.75	10	2	9	9	7361.25	5352.25	5352.25	1.25
0694	014	3188	0.07	11400	20	65	100	3	7	0	9564	0	RC-4	240	form-based			true	0.75	29	4.142857075	9	0	28692	17292	7728	3
0702	002	2363	0.05	2362	0	85	140	4	7	7	9452	7090	NCT-FILLM	65	form-based				0.75	9	1.285714269	9	9	10633.5	8271.5	8271.5	1.125
0702	027	2363	0.05	2416	0	85	140	4	7	7	9452	7036	NCT-FILLM	65	form-based				0.75	9	1.285714269	9	9	10633.5	8217.5	8217.5	1.125
0730	045	6338	0.15	5169	2	65	100	3	15	13	19014	13845	RM-2	65	density-lim	600			0.7	11	0.733333349	9	9	26619.59961	21450.59961	21450.59961	1.4
0740	004	1806	0.04	2173	0	65	100	3	4	4	5418	3245	RC-4	80	density-lim	200			0.75	9	2.25	9	8	10836	8663	8663	2
0740	008	2144	0.05	4150	2	65	100	3	5	3	6432	2282	RC-4	80	density-lim	200	true		0.75	11	2.200000048	9	8	12864	8714	8714	2
0740	010	8250	0.19	23019	32	65	100	3	19	0	24750	1731	RC-4	80	density-lim	200			0.75	41	2.15789485	9	6	49500	26481	26481	2
0743	002	4390	0.1	23520	31	85	140	4	14	0	17560	0	RC-4	350	form-based		true	true	0.75	40	2.857142925	9	0	39510	15990	11600	2.25
0770	015	5565	0.13	13990	0	55	80	2.5	10	10	13912	0	RTO-1	40	density-lim	600	true		0.7	9	0.899999976	9	9	15582	1592	1592	1.12004
0777	009	9625	0.22	8514	1	55	80	2.5	18	17	24062	15548	RH-3	40	density-lim	1000			0.7	10	0.555555582	9	9	26950	18436	18436	1.120023
0780	003	2113	0.05	2196	2	55	80	2.5	4	2	5282	3086	RM-4	50	density-lim	200			0.75	11	2.75	9	6	7923.75	5727.75	5727.75	1.500142
0793	038	5775	0.13	2570	4	55	80	2.5	10	6	14438	11868	NCT-HAYE	40	form-based				0.75	13	1.299999952	9	9	17325	14755	14755	1.199958
0804	004	4514	0.1	4680	4	55	80	2.5	8	4	11285	6605	RM-1	50	form-based			true	0.7	13	1.625	9	9	15799	11119	11119	1.4
0809	005	3000	0.07	3750	0	65	100	3	7	7	9000	5250	NCT-HAYE	50	form-based				0.75	9	1.285714269	9	9	11250	7500	7500	1.25
0809	006	3000	0.07	5250	0	65	100	3	7	7	9000	3750	NCT-HAYE	50	form-based				0.75	9	1.285714269	9	9	11250	6000	6000	1.25
0809	012	3000	0.07	3120	0	65	100	3	7	7	9000	5880	NCT-HAYE	50	form-based				0.75	9	1.285714269	9	9	11250	8130	8130	1.25
0817	032	2895	0.07	3818	0	65	100	3	7	7	8685	4867	NCT-HAYE	50	form-based				0.75	9	1.285714269	9	9	10856.25	7038.25	7038.25	1.25
0818	024	3879	0.09	11005	0	55	80	2.5	7	7	9698	0	NCT-HAYE	40	form-based				0.75	9	1.285714269	9	9	11637	632	632	1.199938
0821	015	3437	0.08	3065	1	55	80	2.5	6	5	8592	5527	RM-1	50	form-based			true	0.7	10	1.666666627	9	9	12029.5	8964.5	8964.5	1.400082
0821	068	4146	0.1	1994	3	55	80	2.5	8	5	10365	8371	RM-1	50	form-based			true	0.7	12	1.5	9	9	14511	12517	12517	1.4
0822	018	5156	0.12	3688	2	55	80	2.5	10	8	12890	9202	RM-1	40	form-based			true	0.7	11	1.100000024	9	9	14436.7998	10748.7998	10748.7998	1.12
0828	012	6969	0.16	8320	0	55	80	2.5	13	13	17422	9102	RM-1	40	density-lim	800			0.7	9	0.692307711	9	9	19513.19922	11193.19922	11193.19922	1.120032
0838	094	3053	0.07	0	0	65	100	3	7	7	9159	9159	NCT-HAYE	50	form-based		true		0.75	9	1.285714269	9	9	11448.75	11448.75	11448.75	1.25
0838	096	2904	0.07	154	0	65	100	3	7	7	8712	8558	NCT-HAYE	50	form-based		true		0.75	9	1.285714269	9	9	10890	10736	10736	1.25
0843	007	4853	0.11	2678	1	55	80	2.5	9	8	12132	9454	RM-1	40	form-based			true	0.7	10	1.111111164	9	9	13588.39941	10910.39941	10910.39941	1.120046
0847	003	3557	0.08	1680	1	65	100	3	8	7	10671	8991	RM-1	50	form-based			true	0.7	10	1.25	9	9	12449.5	10769.5	10769.5	1.166667
0847	011	3438	0.08	3650	4	65	100	3	8	4	10314	6664	RTO-C	65	form-based			true	0.75	13	1.625	9	9	15471	11821	11821	1.5
0849	014	3529	0.08	2675	4	65	100	3	8	4	10587	7912	NCD-LOW	65	form-based			true	0.75	13	1.625	9	9	15880.5	13205.5	13205.5	1.5
0853	015	3010	0.07	4920	0	65	100	3	7	7	9030	4110	NCT-3	50	form-based				0.75	9	1.285714269	9	9	11287.5	6367.5	6367.5	1.25
0860	062	3410	0.08	8250	4	65	100	3	8	4	10230	1980	NCD-LOW	65	form-based			true	0.75	13	1.625	9	9	15345	7095	7095	1.5
0862	023	3446	0.08	6425	4	65	100	3	8	4	10338	3913	RTO-C	65	form-based			true	0.75	13	1.625	9	9	15507	9082	9082	1.5
0862	023A	3446	0.08	6425	4	65	100	3	8	4	10338	3913	RTO-C	65	form-based			true	0.75	13	1.625	9	9	15507	9082	9082	1.5
0875	003A	2818	0.06	4830	6	65	100	3	6	0	8454	3624	RTO-C	85	form-based			true	0.75	15	2.5	9	6	16908	12078	12078	2
0953	002	4675	0.11	5729	1	55	80	2.5	9	8	11688	5959	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13090	7361	7361	1.119952
0953	003	4950	0.11	5601	1	55	80	2.5	9	8	12375	6774	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13860	8259	8259	1.12
0953	009	4727	0.11	7245	1	55	80	2.5	9	8	11818	4573	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13235.59961	5990.599609	5990.599609	1.119953
0953	010	4727	0.11	5845	1	55	80	2.5	9	8	11818	5973	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13235.59961	7390.599609	7390.599609	1.119953
0953	021	4764	0.11	5040	1	55	80	2.5	9	8	11910	6870	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13339.2002	8299.200195	8299.200195	1.12
0953	022	4851	0.11	3810	1	55	80	2.5	9	8	12128	8318	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13582.7998	9772.799805	9772.799805	1.119954
0953	023	4781	0.11	4098	1	55	80	2.5	9	8	11952	7854	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13386.7998	9288.799805	9288.799805	1.120047
0953	026	4643	0.11	5147	1	55	80	2.5	9	8	11608	6461	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13000.39941	7853.399414	7853.399414	1.119952
0954	019	4851	0.11	2980	1	55	80	2.5	9	8	12128	9148	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13582.7998	10602.7998	10602.7998	1.119954
0954	020	4712	0.11	4996	1	55	80	2.5	9	8	11780	6784	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13193.59961	8197.599609	8197.599609	1.12
0954	021	4643	0.11	4507	1	55	80	2.5	9	8	11608	7101	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13000.39941	8493.399414	8493.399414	1.119952
0955	013	4538	0.1	3030	1	55	80	2.5	8	7	11345	8315	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12706.39941	9676.399414	9676.399414	1.12
0955	016	4625	0.11	3080	1	55	80	2.5	9	8	11562	8482	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12950	9870	9870	1.120048
0955	018	4759	0.11	5535	1	55	80	2.5	9	8	11898	6363	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13325.2002	7790.200195	7790.200195	1.119953
0955	025	4712	0.11	3400	1	55	80	2.5	9	8	11780	8380	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13193.59961	9793.599609	9793.599609	1.12
0955	026	4989	0.11	7760	1	55	80	2.5	9	8	12472	4712	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13969.2002	6209.200195	6209.200195	1.120045
0956	006	4950	0.11	9921	1	55	80	2.5	9	8	12375	2454	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13860	3939	3939	1.12
0956	021	4643	0.11	4750	1	55	80	2.5	9	8	11608	6858	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13000.39941	8250.399414	8250.399414	1.119952
0959	009	4813	0.11	6440	1	55	80	2.5	9	8	12032	5592	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13476.39941	7036.399414	7036.399414	1.120046
0959	016	4786	0.11	4010	1	55	80	2.5	9	8	11965	7955	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13400.7998	9390.799805	9390.799805	1.12
0959	018	4924	0.11	3617	1	55	80	2.5	9	8	12310	8693	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13787.2002	10170.2002	10170.2002	1.12
0961	001	4650	0.11	9744	1	55	80	2.5	9	8	11625	1881	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13020	3276	3276	1.12
0961	013	4965	0.11	8671	1	55	80	2.5	9	8	12412	3741	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13902	5231	5231	1.120045
0961	018	4530	0.1	4899	1	55	80	2.5	8	7	11325	6426	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12684	7785	7785	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0962	002A	4706	0.11	5200	1	55	80	2.5	9	8	11765	6565	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13176.7998	7976.799805	7976.799805	1.12
0964	008E	4822	0.11	6769	1	55	80	2.5	9	8	12055	5286	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13501.59961	6732.599609	6732.599609	1.12
0964	012	4641	0.11	3885	1	55	80	2.5	9	8	11602	7717	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12994.7998	9109.799805	9109.799805	1.120048
0965	005	4242	0.1	8247	0	55	80	2.5	8	8	10605	2358	RH-1	40	form-based			true	0.7	9	1.125	9	9	11877.59961	3630.599609	3630.599609	1.12
0965	006	4728	0.11	11015	1	55	80	2.5	9	8	11820	805	RH-1	40	form-based		true	true	0.7	10	1.111111164	9	9	13238.39941	2223.399414	2223.399414	1.12
0970	005	5000	0.11	8306	1	55	80	2.5	9	8	12500	4194	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	14000	5694	5694	1.12
0970	008	5000	0.11	5613	1	55	80	2.5	9	8	12500	6887	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	14000	8387	8387	1.12
0971	001	4625	0.11	4579	1	55	80	2.5	9	8	11562	6983	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	12950	8371	8371	1.120048
0971	002	4625	0.11	7428	1	55	80	2.5	9	8	11562	4134	RH-1	40	form-based		true	true	0.7	10	1.111111164	9	9	12950	5522	5522	1.120048
0971	003	4788	0.11	6794	1	55	80	2.5	9	8	11970	5176	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13406.39941	6612.399414	6612.399414	1.12
0971	004	4980	0.11	4990	1	55	80	2.5	9	8	12450	7460	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13944	8954	8954	1.12
0971	014	4660	0.11	5625	1	55	80	2.5	9	8	11650	6025	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13048	7423	7423	1.12
0971	017	4928	0.11	5328	1	55	80	2.5	9	8	12320	6992	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13798.39941	8470.399414	8470.399414	1.12
0972	022	4773	0.11	6188	1	55	80	2.5	9	8	11932	5744	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13364.39941	7176.399414	7176.399414	1.120047
0975	014	4592	0.11	5166	1	55	80	2.5	9	8	11480	6314	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	12857.59961	7691.599609	7691.599609	1.12
0975	014B	4815	0.11	5287	1	55	80	2.5	9	8	12038	6751	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13482	8195	8195	1.119954
0976	080	7298	0.17	1890	6	55	80	2.5	14	8	18245	16355	RM-2	40	form-based		true	true	0.7	15	1.071428537	9	9	20434.40039	18544.40039	18544.40039	1.12
0977	017	4609	0.11	4200	1	55	80	2.5	9	8	11522	7322	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12905.2002	8705.200195	8705.200195	1.120049
0977	020	4801	0.11	7782	1	55	80	2.5	9	8	12002	4220	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13442.7998	5660.799805	5660.799805	1.120047
0981	012	7182	0.16	3540	6	65	100	3	16	10	21546	18006	RH-2	40	form-based			true	0.7	15	0.9375	9	9	20109.59961	16569.59961	16569.59961	0.933333
0984	015	4788	0.11	6168	1	65	100	3	11	10	14364	8196	RH-1	40	form-based		true	true	0.7	10	0.909090936	9	9	13406.39941	7238.399414	7238.399414	0.933333
0984	017	4821	0.11	4790	1	65	100	3	11	10	14463	9673	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13498.7998	8708.799805	8708.799805	0.933333
0984	039	5143	0.12	4928	2	65	100	3	12	10	15429	10501	RH-1	40	form-based			true	0.7	11	0.916666687	9	9	14400.39941	9472.399414	9472.399414	0.933333
0985	015B	4821	0.11	5707	1	55	80	2.5	9	8	12052	6345	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13498.7998	7791.799805	7791.799805	1.120046
0986	019C	4386	0.1	4110	0	55	80	2.5	8	8	10965	6855	RH-1	40	form-based			true	0.7	9	1.125	9	9	12280.7998	8170.799805	8170.799805	1.12
0986	020	4533	0.1	3242	1	55	80	2.5	8	7	11332	8090	RH-1	40	form-based			true	0.7	10	1.25	9	9	12692.39941	9450.399414	9450.399414	1.120049
0987	034	4852	0.11	3376	1	55	80	2.5	9	8	12130	8754	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13585.59961	10209.59961	10209.59961	1.12
0991	007	4998	0.11	2668	1	55	80	2.5	9	8	12495	9827	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13994.39941	11326.39941	11326.39941	1.12
0992	003	4742	0.11	6286	1	55	80	2.5	9	8	11855	5569	RH-1	40	form-based		true	true	0.7	10	1.111111164	9	9	13277.59961	6991.599609	6991.599609	1.12
0992	008	4876	0.11	5354	1	55	80	2.5	9	8	12190	6836	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13652.7998	8298.799805	8298.799805	1.12
0993	004	5000	0.11	2800	1	55	80	2.5	9	8	12500	9700	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	14000	11200	11200	1.12
0993	017A	4980	0.11	3535	1	55	80	2.5	9	8	12450	8915	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13944	10409	10409	1.12
0994	010	4311	0.1	11480	0	55	80	2.5	8	8	10778	0	RH-1	40	form-based		true	true	0.7	9	1.125	9	9	12070.7998	590.7998047	590.7998047	1.119948
0994	016	4840	0.11	7291	1	55	80	2.5	9	8	12100	4809	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13552	6261	6261	1.12
0994	023	4840	0.11	7947	1	55	80	2.5	9	8	12100	4153	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13552	5605	5605	1.12
0995	002	4348	0.1	8610	0	65	100	3	10	10	13044	4434	RH-1	40	form-based		true	true	0.7	9	0.899999976	9	9	12174.39941	3564.399414	3564.399414	0.933333
0995	003	4868	0.11	5612	1	65	100	3	11	10	14604	8992	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13630.39941	8018.399414	8018.399414	0.933333
0995	018	4824	0.11	4699	1	55	80	2.5	9	8	12060	7361	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13507.2002	8808.200195	8808.200195	1.12
0996	025	4980	0.11	3358	1	65	100	3	11	10	14940	11582	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13944	10586	10586	0.933333
0996	026	4980	0.11	5887	1	65	100	3	11	10	14940	9053	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13944	8057	8057	0.933333
0997	021	4606	0.11	6552	1	65	100	3	11	10	13818	7266	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	12896.7998	6344.799805	6344.799805	0.933333
1001	009	4815	0.11	1683	1	65	100	3	11	10	14445	12762	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	13482	11799	11799	0.933333
1002	002	4931	0.11	7085	1	65	100	3	11	10	14793	7708	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	13806.7998	6721.799805	6721.799805	0.933333
1004	004	4950	0.11	5750	1	65	100	3	11	10	14850	9100	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	13860	8110	8110	0.933333
1004	009	3575	0.08	2595	1	65	100	3	8	7	10725	8130	RH-2	50	form-based			true	0.7	10	1.25	9	9	12512.5	9917.5	9917.5	1.166667
1004	010	3448	0.08	2161	1	65	100	3	8	7	10344	8183	RH-2	50	form-based			true	0.7	10	1.25	9	9	12068	9907	9907	1.166667
1004	012	3511	0.08	2550	1	65	100	3	8	7	10533	7983	RH-2	50	form-based			true	0.7	10	1.25	9	9	12288.5	9738.5	9738.5	1.166667
1004	014	3511	0.08	3549	1	65	100	3	8	7	10533	6984	RH-2	50	form-based			true	0.7	10	1.25	9	9	12288.5	8739.5	8739.5	1.166667
1005	001	8631	0.2	14420	9	65	100	3	20	11	25893	11473	RH-3	40	form-based		true	true	0.7	18	0.899999976	9	9	24166.79883	9746.798828	9746.798828	0.933333
1005	012	3511	0.08	1395	1	65	100	3	8	7	10533	9138	RH-2	50	form-based			true	0.7	10	1.25	9	9	12288.5	10893.5	10893.5	1.166667
1006	006	3506	0.08	1875	1	65	100	3	8	7	10518	8643	RH-2	50	form-based			true	0.7	10	1.25	9	9	12271	10396	10396	1.166667
1007	012	3320	0.08	4810	3	65	100	3	8	5	9960	5150	NCD-SACR	65	form-based			true	0.75	12	1.5	9	9	14940	10130	10130	1.5
1008	005	2469	0.06	6080	0	65	100	3	6	6	7407	1327	NCD-SACR	65	form-based		true	true	0.75	9	1.5	9	9	11110.5	5030.5	5030.5	1.5
1009	008	3857	0.09	2969	5	65	100	3	9	4	11571	8602	NCD-SACR	65	form-based			true	0.75	14	1.555555582	9	9	17356.5	14387.5	14387.5	1.5
1009	011	4047	0.09	5435	6	65	100	3	9	3	12141	6706	NCD-SACR	65	form-based			true	0.75	15	1.666666627	9	9	18211.5	12776.5	12776.5	1.5
1009	014	7023	0.16	14734	17	65	100	3	16	0	21069	6335	NCD-SACR	65	form-based			true	0.75	26	1.625	9	9	31603.5	16869.5	16869.5	1.5
1009	040	4057	0.09	4058	6	65	100	3	9	3	12171	8113	NCD-SACR	65	form-based			true	0.75	15	1.666666627	9	9	18256.5	14198.5	14198.5	1.5
1010	012	3511	0.08	1788	4	65	100	3	8	4	10533	8745	NCD-SACR	65	form-based			true	0.75	13	1.625	9	9	15799.5	14011.5	14011.5	1.5
1010	027	4841	0.11	4848	1	65	100	3	11	10	14523	9675	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13554.7998	8706.799805	8706.799805	0.933333
1011	009	3192	0.07	3540	3	55	80	2.5	6	3	7980	4440	NCD-SACR	65	form-based			true	0.75	12	2	9	9	14364	10824	10824	1.8
1011	013	3192	0.07	3070	3	55	80	2.5	6	3	7980	4910	NCD-SACR	65	form-based			true	0.75	12	2	9	9	14364	11294	11294	1.8
1011	015	2317	0.05	2000	0	55	80	2.5	4	4	5792	3792	NCD-SACR	65	form-based			true	0.75	9	2.25	9	8	10426.5	8426.5	8426.5	1.800155
1011	017	3960	0.09	3070	2	55	80	2.5	7	5	9900	6830	RH-1	50	form-based			true	0.7	11	1.571428537	9	9	13860	10790	10790	1.4
1011	057	3750	0.09	324	5	55	80	2.5	7	2	9375	9051	NCD-SACR	65	form-based		true	true	0.75	14	2	9	9	16875	16551	16551	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1012	013	3511	0.08	2050	1	55	80	2.5	6	5	8778	6728	RH-3	50	form-based			true	0.7	10	1.666666627	9	9	12288.5	10238.5	10238.5	1.39992
1013	003	3438	0.08	2274	1	55	80	2.5	6	5	8595	6321	RM-1	50	form-based			true	0.7	10	1.666666627	9	9	12033	9759	9759	1.4
1013	010	7023	0.16	12304	11	55	80	2.5	13	2	17558	5254	RM-1	50	form-based			true	0.7	20	1.538461566	9	9	24580.5	12276.5	12276.5	1.39996
1013	024	4618	0.11	6371	1	55	80	2.5	9	8	11545	5174	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	12930.39941	6559.399414	6559.399414	1.12
1013	053	3039	0.07	2755	0	55	80	2.5	6	6	7598	4843	RM-1	50	form-based			true	0.7	9	1.5	9	9	10636.5	7881.5	7881.5	1.399908
1017	007	2222	0.05	4150	3	55	80	2.5	4	1	5555	1405	RTO-C	85	form-based			true	0.75	12	3	9	5	13332	9182	6960	2.4
1018	003B	2040	0.05	2430	2	55	80	2.5	4	2	5100	2670	NC-S	85	form-based			true	0.75	11	2.75	9	6	12240	9810	7770	2.4
1018	003C	2040	0.05	2480	2	55	80	2.5	4	2	5100	2620	NC-S	85	form-based			true	0.75	11	2.75	9	6	12240	9760	7720	2.4
1018	003D	2040	0.05	2480	2	55	80	2.5	4	2	5100	2620	NC-S	85	form-based			true	0.75	11	2.75	9	6	12240	9760	7720	2.4
1018	003E	2040	0.05	2480	2	55	80	2.5	4	2	5100	2620	NC-S	85	form-based			true	0.75	11	2.75	9	6	12240	9760	7720	2.4
1018	015	2508	0.06	4720	0	55	80	2.5	5	5	6270	1550	NCD-SACR	65	form-based			true	0.75	9	1.799999952	9	9	11286	6566	6566	1.8
1018	016	2509	0.06	2125	0	55	80	2.5	5	5	6272	4147	NCD-SACR	65	form-based			true	0.75	9	1.799999952	9	9	11290.5	9165.5	9165.5	1.800143
1019	006	2190	0.05	1882	2	65	100	3	5	3	6570	4688	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	13140	11258	11258	2
1019	023	2503	0.06	3500	0	65	100	3	6	6	7509	4009	NCD-SACR	65	form-based			true	0.75	9	1.5	9	9	11263.5	7763.5	7763.5	1.5
1019	028	2977	0.07	3630	2	65	100	3	7	5	8931	5301	NCD-SACR	65	form-based			true	0.75	11	1.571428537	9	9	13396.5	9766.5	9766.5	1.5
1020	017	3062	0.07	2556	2	65	100	3	7	5	9186	6630	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13779	11223	11223	1.5
1020	042	2219	0.05	1326	3	65	100	3	5	2	6657	5331	RTO-C	85	form-based			true	0.75	12	2.400000095	9	7	13314	11988	11988	2
1022	021	3595	0.08	3890	4	65	100	3	8	4	10785	6895	NCD-SACR	65	form-based			true	0.75	13	1.625	9	9	16177.5	12287.5	12287.5	1.5
1024	024	3664	0.08	3540	2	85	140	4	11	9	14656	11116	NC-1	50	form-based			true	0.75	11	1	9	9	13740	10200	10200	0.9375
1026	006	1719	0.04	681	0	65	100	3	4	4	5157	4476	RTO-C	85	form-based			true	0.75	9	2.25	9	8	10314	9633	9633	2
1026	015	2111	0.05	2820	2	85	140	4	7	5	8444	5624	NC-2	85	form-based			true	0.75	11	1.571428537	9	9	12666	9846	9846	1.5
1026	016	2111	0.05	2820	2	65	100	3	5	3	6333	3513	NC-2	85	form-based			true	0.75	11	2.200000048	9	8	12666	9846	9846	2
1027	006	2750	0.06	6441	5	65	100	3	6	1	8250	1809	NC-2	85	form-based	true		true	0.75	14	2.333333254	9	7	16500	10059	10059	2
1029	025	2047	0.05	2638	2	85	140	4	7	5	8188	5550	RTO-C	85	form-based			true	0.75	11	1.571428537	9	9	12282	9644	9644	1.5
1030	038	2501	0.06	2050	4	85	140	4	8	4	10004	7954	RTO-C	85	form-based			true	0.75	13	1.625	9	9	15006	12956	12956	1.5
1031	030	2504	0.06	4726	4	65	100	3	6	2	7512	2786	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	15024	10298	10298	2
1037	039	3176	0.07	6592	8	55	80	2.5	6	0	7940	1348	RTO-C	85	form-based	true		true	0.75	17	2.833333254	9	4	19056	12464	9288	2.4
1038	009	4840	0.11	2542	1	55	80	2.5	9	8	12100	9558	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13552	11010	11010	1.12
1038	021	4838	0.11	3900	1	65	100	3	11	10	14514	10614	RH-1(D)	40	form-based	true		true	0.7	10	0.909090936	9	9	13546.39941	9646.399414	9646.399414	0.933333
1038	022	4704	0.11	3234	1	65	100	3	11	10	14112	10878	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13171.2002	9937.200195	9937.200195	0.933333
1040	040	6255	0.14	19791	24	55	80	2.5	11	0	15638	0	RTO-C	85	form-based	true		true	0.75	33	3	9	0	37530	17739	11485	2.399923
1040	061	5091	0.12	2528	2	65	100	3	12	10	15273	12745	RM-1	40	form-based			true	0.7	11	0.916666687	9	9	14254.7998	11726.7998	11726.7998	0.933333
1044	001	4724	0.11	3267	1	65	100	3	11	10	14172	10905	RH-2	40	form-based	true		true	0.7	10	0.909090936	9	9	13227.2002	9960.200195	9960.200195	0.933333
1044	002	4529	0.1	3159	1	65	100	3	10	9	13587	10428	RH-2	40	form-based			true	0.7	10	1	9	9	12681.2002	9522.200195	9522.200195	0.933333
1044	003	4584	0.11	2275	1	65	100	3	11	10	13752	11477	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	12835.2002	10560.2002	10560.2002	0.933333
1044	004	4606	0.11	2229	1	65	100	3	11	10	13818	11589	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	12896.7998	10667.7998	10667.7998	0.933333
1044	005	4549	0.1	2774	1	65	100	3	10	9	13647	10873	RH-2	40	form-based			true	0.7	10	1	9	9	12737.2002	9963.200195	9963.200195	0.933333
1044	007	4562	0.1	2275	1	65	100	3	10	9	13686	11411	RH-2	40	form-based			true	0.7	10	1	9	9	12773.59961	10498.59961	10498.59961	0.933333
1044	008	4652	0.11	2294	1	65	100	3	11	10	13956	11662	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	13025.59961	10731.59961	10731.59961	0.933333
1044	009	4735	0.11	2661	1	65	100	3	11	10	14205	11544	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	13258	10597	10597	0.933333
1045	004	4538	0.1	3005	1	65	100	3	10	9	13614	10609	RH-2	40	form-based			true	0.7	10	1	9	9	12706.39941	9701.399414	9701.399414	0.933333
1045	005	4532	0.1	2525	1	65	100	3	10	9	13596	11071	RH-2	40	form-based			true	0.7	10	1	9	9	12689.59961	10164.59961	10164.59961	0.933333
1045	008	4604	0.11	2060	1	65	100	3	11	10	13812	11752	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	12891.2002	10831.2002	10831.2002	0.933333
1049	059	2500	0.06	4590	4	65	100	3	6	2	7500	2910	NC-2	85	form-based	true		true	0.75	13	2.166666746	9	8	15000	10410	10410	2
1049	060	4767	0.11	2948	1	65	100	3	11	10	14301	11353	RM-1	40	form-based			true	0.7	10	0.909090936	9	9	13347.59961	10399.59961	10399.59961	0.933333
1050	016	2331	0.05	6112	3	65	100	3	5	2	6993	881	NC-2	85	form-based			true	0.75	12	2.400000095	9	7	13986	7874	7874	2
1051	056	2207	0.05	1283	3	65	100	3	5	2	6621	5338	NC-3	85	form-based			true	0.75	12	2.400000095	9	7	13242	11959	11959	2
1053	030	4122	0.09	0	0	65	100	3	9	9	12366	12366	RH-3	40	form-based			true	0.7	9	1	9	9	11541.59961	11541.59961	11541.59961	0.933333
1055	009	5502	0.13	3450	3	65	100	3	13	10	16506	13056	RH-3	40	form-based			true	0.7	12	0.923076928	9	9	15405.59961	11955.59961	11955.59961	0.933333
1057	010	5291	0.12	3034	2	65	100	3	12	10	15873	12839	RH-2	40	form-based	true		true	0.7	11	0.916666687	9	9	14814.7998	11780.7998	11780.7998	0.933333
1062	001	4869	0.11	3252	1	65	100	3	11	10	14607	11355	RH-1(D)	40	form-based	true		true	0.7	10	0.909090936	9	9	13633.2002	10381.2002	10381.2002	0.933333
1062	002	4747	0.11	3224	1	65	100	3	11	10	14241	11017	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13291.59961	10067.59961	10067.59961	0.933333
1062	037	4814	0.11	3572	1	65	100	3	11	10	14442	10870	RM-1	40	form-based			true	0.7	10	0.909090936	9	9	13479.2002	9907.200195	9907.200195	0.933333
1062	038	4974	0.11	3428	1	65	100	3	11	10	14922	11494	RM-1	40	form-based			true	0.7	10	0.909090936	9	9	13927.2002	10499.2002	10499.2002	0.933333
1062	042	5216	0.12	4953	2	65	100	3	12	10	15648	10695	RM-1	40	form-based			true	0.7	11	0.916666687	9	9	14604.7998	9651.799805	9651.799805	0.933333
1063	001	4681	0.11	3712	1	65	100	3	11	10	14043	10331	RH-1(D)	40	form-based	true		true	0.7	10	0.909090936	9	9	13106.7998	9394.799805	9394.799805	0.933333
1063	002	4750	0.11	3752	1	65	100	3	11	10	14250	10498	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13300	9548	9548	0.933333
1063	003	4800	0.11	3370	1	65	100	3	11	10	14400	11030	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13440	10070	10070	0.933333
1063	006	4800	0.11	3097	1	65	100	3	11	10	14400	11303	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13440	10343	10343	0.933333
1063	010	4800	0.11	3336	1	65	100	3	11	10	14400	11064	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13440	10104	10104	0.933333
1063	012	4800	0.11	3150	1	65	100	3	11	10	14400	11250	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13440	10290	10290	0.933333
1063	013	4800	0.11	3592	1	65	100	3	11	10	14400	10808	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13440	9848	9848	0.933333
1063	014	4800	0.11	3270	1	65	100	3	11	10	14400	11130	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13440	10170	10170	0.933333
1063	015	4800	0.11	4500	1	65	100	3	11	10	14400	9900	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13440	8940	8940	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1063	046	4655	0.11	4900	1	65	100	3	11	10	13965	9065	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13034	8134	8134	0.933333
1066	026	2000	0.05	1800	2	85	140	4	7	5	8000	6200	NCD-GEAR	85	form-based			true	0.75	11	1.571428537	9	9	12000	10200	10200	1.5
1066	027	2000	0.05	1904	2	85	140	4	7	5	8000	6096	NCD-GEAR	85	form-based			true	0.75	11	1.571428537	9	9	12000	10096	10096	1.5
1066	037	6047	0.14	2288	4	65	100	3	14	10	18141	15853	RH-2	40	form-based			true	0.7	13	0.928571403	9	9	16931.59961	14643.59961	14643.59961	0.933333
1085	036	2187	0.05	4288	2	65	100	3	5	3	6561	2273	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	13122	8834	8834	2
1087	001B	1875	0.04	1360	1	85	140	4	6	5	7500	6140	NCD-GEAR	85	form-based			true	0.75	10	1.666666627	9	9	11250	9890	9890	1.5
1087	014	2182	0.05	2326	2	65	100	3	5	3	6546	4220	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	13092	10766	10766	2
1090	031	1808	0.04	2725	0	65	100	3	4	4	5424	2699	RTO-C	85	form-based	true		true	0.75	9	2.25	9	8	10848	8123	8123	2
1100	041	4020	0.09	3550	6	65	100	3	9	3	12060	8510	RTO-C	65	form-based	true		true	0.75	15	1.666666627	9	9	18090	14540	14540	1.5
1101	004	2420	0.06	3596	4	65	100	3	6	2	7260	3664	NCT-DIVIS/	85	form-based			true	0.75	13	2.166666746	9	8	14520	10924	10924	2
1109	006A	4772	0.11	1579	1	65	100	3	11	10	14316	12737	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13361.59961	11782.59961	11782.59961	0.933333
1126	014	3459	0.08	1250	1	65	100	3	8	7	10377	9127	RM-3	50	form-based			true	0.75	10	1.25	9	9	12971.25	11721.25	11721.25	1.25
1108	006B	4671	0.11	2040	1	65	100	3	11	10	14013	11973	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13078.7998	11038.7998	11038.7998	0.933333
1126	022	3437	0.08	1045	1	65	100	3	8	7	10311	9266	RM-3	50	form-based			true	0.75	10	1.25	9	9	12888.75	11843.75	11843.75	1.25
1126	032	3484	0.08	2432	1	65	100	3	8	7	10452	8020	RM-3	50	form-based	true		true	0.75	10	1.25	9	9	13065	10633	10633	1.25
1109	010A	4932	0.11	2059	1	65	100	3	11	10	14796	12737	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13809.59961	11750.59961	11750.59961	0.933333
1126	038	5156	0.12	1490	6	65	100	3	12	6	15468	13978	RM-3	50	form-based	true		true	0.75	15	1.25	9	9	19335	17845	17845	1.25
1114	001	5672	0.13	3568	3	65	100	3	13	10	17016	13448	RM-1	40	form-based	true		true	0.7	12	0.923076928	9	9	15881.59961	12313.59961	12313.59961	0.933333
1114	008	4582	0.11	2000	1	65	100	3	11	10	13746	11746	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	12829.59961	10829.59961	10829.59961	0.933333
1114	010	4572	0.1	2000	1	65	100	3	10	9	13716	11716	RH-1	40	form-based			true	0.7	10	1	9	9	12801.59961	10801.59961	10801.59961	0.933333
1114	011	4700	0.11	2377	1	65	100	3	11	10	14100	11723	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13160	10783	10783	0.933333
1114	012	4668	0.11	2377	1	65	100	3	11	10	14004	11627	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13070.39941	10693.39941	10693.39941	0.933333
1114	029	6412	0.15	6486	4	65	100	3	15	11	19236	12750	RM-1	40	form-based	true		true	0.7	13	0.866666675	9	9	17953.59961	11467.59961	11467.59961	0.933333
1118	001	4558	0.1	3094	1	65	100	3	10	9	13674	10580	RM-1	40	form-based	true		true	0.7	10	1	9	9	12762.39941	9668.399414	9668.399414	0.933333
1127	012	1964	0.05	1400	1	65	100	3	5	4	5892	4492	NCT-DIVIS/	85	form-based			true	0.75	10	2	9	9	11784	10384	10384	2
1127	023	2940	0.07	2532	2	65	100	3	7	5	8820	6288	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13230	10698	10698	1.5
1127	024	2940	0.07	6350	2	65	100	3	7	5	8820	2470	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13230	6880	6880	1.5
1127	092	3188	0.07	1690	3	65	100	3	7	4	9564	7874	RTO-C	65	form-based			true	0.75	12	1.714285731	9	9	14346	12656	12656	1.5
1129	013	3767	0.09	1740	2	65	100	3	9	7	11301	9561	RM-3	50	form-based			true	0.75	11	1.222222209	9	9	14126.25	12386.25	12386.25	1.25
1129	024	3431	0.08	1050	1	65	100	3	8	7	10293	9243	RM-3	50	form-based			true	0.75	10	1.25	9	9	12866.25	11816.25	11816.25	1.25
1129	109	4966	0.11	1688	6	65	100	3	11	5	14898	13210	RM-3	50	form-based			true	0.75	15	1.363636374	9	9	18622.5	16934.5	16934.5	1.25
1144	009	2320	0.05	2400	2	55	80	2.5	4	2	5800	3400	RH-2	80	form-based			true	0.7	11	2.75	9	6	12992	10592	9200	2.24
1144	011	2259	0.05	2706	2	55	80	2.5	4	2	5648	2942	RH-2	80	form-based			true	0.7	11	2.75	9	6	12650.39941	9944.399414	8590	2.239802
1144	015	2137	0.05	1080	1	55	80	2.5	4	3	5342	4262	RH-2	80	form-based			true	0.7	10	2.5	9	7	11967.2002	10887.2002	9604	2.24021
1144	016	2106	0.05	1080	1	55	80	2.5	4	3	5265	4185	RH-2	80	form-based			true	0.7	10	2.5	9	7	11793.59961	10713.59961	9450	2.24
1144	018	2045	0.05	1825	1	55	80	2.5	4	3	5112	3287	RH-2	80	form-based			true	0.7	10	2.5	9	7	11452	9627	8399	2.240219
1149	016	2813	0.06	3000	2	55	80	2.5	5	3	7032	4032	RTO-C	65	form-based	true		true	0.75	11	2.200000048	9	8	12658.5	9658.5	9658.5	1.800128
1155	009	3429	0.08	3675	1	55	80	2.5	6	5	8572	4897	RM-1	50	form-based			true	0.7	10	1.666666627	9	9	12001.5	8326.5	8326.5	1.400082
1157	009C	3100	0.07	2678	0	55	80	2.5	6	6	7750	5072	RH-3	50	form-based			true	0.7	9	1.5	9	9	10850	8172	8172	1.4
1159	009	3429	0.08	2683	1	55	80	2.5	6	5	8572	5889	RM-1	50	form-based			true	0.7	10	1.666666627	9	9	12001.5	9318.5	9318.5	1.400082
1160	009	3439	0.08	3585	1	55	80	2.5	6	5	8598	5013	RH-3	50	form-based			true	0.7	10	1.666666627	9	9	12036.5	8451.5	8451.5	1.399919
1160	013	3429	0.08	2818	1	55	80	2.5	6	5	8572	5754	RH-3	50	form-based			true	0.7	10	1.666666627	9	9	12001.5	9183.5	9183.5	1.400082
1160	014	3429	0.08	1185	1	55	80	2.5	6	5	8572	7387	RH-3	50	form-based			true	0.7	10	1.666666627	9	9	12001.5	10816.5	10816.5	1.400082
1160	023	3125	0.07	3290	3	55	80	2.5	6	3	7812	4522	RTO-C	65	form-based	true		true	0.75	12	2	9	9	14062.5	10772.5	10772.5	1.800115
1169	012	1980	0.05	2304	1	55	80	2.5	4	3	4950	2646	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11880	9576	7596	2.4
1169	013	1980	0.05	2010	1	55	80	2.5	4	3	4950	2940	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11880	9870	7890	2.4
1174	001A	3480	0.08	3308	4	55	80	2.5	6	2	8700	5392	RTO-C	65	form-based			true	0.75	13	2.166666746	9	8	15660	12352	12352	1.8
1174	001C	3480	0.08	3308	4	55	80	2.5	6	2	8700	5392	RTO-C	65	form-based			true	0.75	13	2.166666746	9	8	15660	12352	12352	1.8
1174	001D	3480	0.08	3308	4	55	80	2.5	6	2	8700	5392	RTO-C	65	form-based			true	0.75	13	2.166666746	9	8	15660	12352	12352	1.8
1174	002	3480	0.08	3308	4	55	80	2.5	6	2	8700	5392	RTO-C	65	form-based			true	0.75	13	2.166666746	9	8	15660	12352	12352	1.8
1174	002D	3480	0.08	3308	4	55	80	2.5	6	2	8700	5392	RTO-C	65	form-based			true	0.75	13	2.166666746	9	8	15660	12352	12352	1.8
1174	033	3480	0.08	707	4	55	80	2.5	6	2	8700	7993	RTO-C	65	form-based			true	0.75	13	2.166666746	9	8	15660	14953	14953	1.8
1177	033	3438	0.08	2800	1	55	80	2.5	6	5	8595	5795	RH-3	50	form-based			true	0.7	10	1.666666627	9	9	12033	9233	9233	1.4
1178	025A	3438	0.08	1350	1	55	80	2.5	6	5	8595	7245	RM-1	50	form-based			true	0.7	10	1.666666627	9	9	12033	10683	10683	1.4
1179	001A	2640	0.06	5540	5	55	80	2.5	5	0	6600	1060	NCT-DIVIS/	85	form-based			true	0.75	14	2.799999952	9	5	15840	10300	7660	2.4
1179	006	3844	0.09	3300	2	55	80	2.5	7	5	9610	6310	RM-1	50	form-based			true	0.7	11	1.571428537	9	9	13454	10154	10154	1.4
1179	007	4193	0.1	5280	3	55	80	2.5	8	5	10482	5202	RM-1	50	form-based			true	0.7	12	1.5	9	9	14675.5	9395.5	9395.5	1.400067
1180	024	3781	0.09	4241	2	55	80	2.5	7	5	9452	5211	RH-3	50	form-based			true	0.7	11	1.571428537	9	9	13233.5	8992.5	8992.5	1.400074
1181	014A	4031	0.09	9090	12	55	80	2.5	7	0	10078	988	NCT-DIVIS/	85	form-based			true	0.75	21	3	9	2	24186	15096	11066	2.399881
1181	019	2642	0.06	5650	5	55	80	2.5	5	0	6605	955	NCT-DIVIS/	85	form-based	true		true	0.75	14	2.799999952	9	5	15852	10202	7560	2.4
1182	008	3421	0.08	1515	1	55	80	2.5	6	5	8552	7037	NCT-DIVIS/	50	form-based			true	0.75	10	1.666666627	9	9	12828.75	11313.75	11313.75	1.500088
1183	010	4935	0.11	6585	1	55	80	2.5	9	8	12338	5753	RM-1	40	form-based	true		true	0.7	10	1.111111164	9	9	13818	7233	7233	1.119955
1186	013A	3004	0.07	3108	2	55	80	2.5	6	4	7510	4402	RTO-C	65	form-based			true	0.75	11	1.833333373	9	9	13518	10410	10410	1.8
1186	014	3100	0.07	3250	3	55	80	2.5	6	3	7750	4500	RTO-C	65	form-based			true	0.75	12	2	9	9	13950	10700	10700	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1186	020	3197	0.07	1637	3	55	80	2.5	6	3	7992	6355	RTO-C	65	form-based			true	0.75	12	2	9	9	14386.5	12749.5	12749.5	1.800113
1187	009C	2500	0.06	4200	4	55	80	2.5	5	1	6250	2050	RTO-C	85	form-based		true	true	0.75	13	2.599999905	9	6	15000	10800	8300	2.4
1191	056	2500	0.06	1289	4	55	80	2.5	5	1	6250	4961	RTO-C	85	form-based			true	0.75	13	2.599999905	9	6	15000	13711	11211	2.4
1201	015	3460	0.08	2317	1	55	80	2.5	6	5	8650	6333	RM-1	50	form-based			true	0.7	10	1.666666627	9	9	12110	9793	9793	1.4
1201	018	3463	0.08	2560	1	55	80	2.5	6	5	8658	6098	RM-1	50	form-based			true	0.7	10	1.666666627	9	9	12120.5	9560.5	9560.5	1.399919
1202	002H	3992	0.09	3350	2	55	80	2.5	7	5	9980	6630	RM-2	50	form-based			true	0.7	11	1.571428537	9	9	13972	10622	10622	1.4
1202	002I	3893	0.09	3350	2	55	80	2.5	7	5	9732	6382	RM-2	50	form-based			true	0.7	11	1.571428537	9	9	13625.5	10275.5	10275.5	1.400072
1203	026A	1846	0.04	1875	1	55	80	2.5	3	2	4615	2740	RTO-C	85	form-based			true	0.75	10	3.333333254	9	5	11076	9201	7355	2.4
1204	013	3437	0.08	2452	1	55	80	2.5	6	5	8592	6140	RM-1	50	form-based			true	0.7	10	1.666666627	9	9	12029.5	9577.5	9577.5	1.400082
1213	021	2500	0.06	1580	0	55	80	2.5	5	5	6250	4670	RTO-C	65	form-based			true	0.75	9	1.799999952	9	9	11250	9670	9670	1.8
1213	024	2500	0.06	1547	0	55	80	2.5	5	5	6250	4703	RTO-C	65	form-based			true	0.75	9	1.799999952	9	9	11250	9703	9703	1.8
1213	027	2500	0.06	1547	0	55	80	2.5	5	5	6250	4703	RTO-C	65	form-based			true	0.75	9	1.799999952	9	9	11250	9703	9703	1.8
1213	030	2500	0.06	1579	0	55	80	2.5	5	5	6250	4671	RTO-C	65	form-based			true	0.75	9	1.799999952	9	9	11250	9671	9671	1.8
1213	048	3025	0.07	1648	2	55	80	2.5	6	4	7562	5914	RTO-C	65	form-based			true	0.75	11	1.833333373	9	9	13612.5	11964.5	11964.5	1.800119
1217	014	3438	0.08	2800	1	55	80	2.5	6	5	8595	5795	RH-3	50	form-based			true	0.7	10	1.666666627	9	9	12033	9233	9233	1.4
1218	007	2250	0.05	6050	3	55	80	2.5	4	1	5625	0	NCT-DIVIS.	85	form-based		true	true	0.75	12	3	9	5	13500	7450	5200	2.4
1218	013	3437	0.08	2616	1	55	80	2.5	6	5	8592	5976	RM-1	50	form-based			true	0.7	10	1.666666627	9	9	12029.5	9413.5	9413.5	1.400082
1228	003	4520	0.1	3900	4	55	80	2.5	8	4	11300	7400	RM-2	50	form-based			true	0.7	13	1.625	9	9	15820	11920	11920	1.4
1228	005A	2392	0.05	2250	0	55	80	2.5	4	4	5980	3730	NCD-HAIG	65	form-based			true	0.75	9	2.25	9	8	10764	8514	8514	1.8
1230	010	3781	0.09	6060	5	55	80	2.5	7	2	9452	3392	NCD-HAIG	65	form-based			true	0.75	14	2	9	9	17014.5	10954.5	10954.5	1.800095
1230	033	3449	0.08	1215	1	55	80	2.5	6	5	8622	7407	RH-3	50	form-based			true	0.7	10	1.666666627	9	9	12071.5	10856.5	10856.5	1.400081
1231	005	3666	0.08	4372	1	55	80	2.5	6	5	9165	4793	RH-3	50	form-based			true	0.7	10	1.666666627	9	9	12831	8459	8459	1.4
1231	023	3437	0.08	3900	1	55	80	2.5	6	5	8592	4692	RH-3	50	form-based			true	0.7	10	1.666666627	9	9	12029.5	8129.5	8129.5	1.400082
1231	032	3802	0.09	3101	2	55	80	2.5	7	5	9505	6404	RH-3	50	form-based			true	0.7	11	1.571428537	9	9	13307	10206	10206	1.4
1231	032A	3802	0.09	3056	2	55	80	2.5	7	5	9505	6449	RH-3	50	form-based			true	0.7	11	1.571428537	9	9	13307	10251	10251	1.4
1231	057	3803	0.09	2277	2	55	80	2.5	7	5	9508	7231	RH-3	50	form-based			true	0.7	11	1.571428537	9	9	13310.5	11033.5	11033.5	1.399926
1232	005	2500	0.06	4245	0	55	80	2.5	5	5	6250	2005	NCD-HAIG	65	form-based			true	0.75	9	1.799999952	9	9	11250	7005	7005	1.8
1234	018	2761	0.06	3545	1	55	80	2.5	5	4	6902	3357	RTO-C	65	form-based			true	0.75	10	2	9	9	12424.5	8879.5	8879.5	1.80013
1233	015	3438	0.08	4525	4	55	80	2.5	6	2	8595	4070	NCD-HAIG	65	form-based			true	0.75	13	2.166666746	9	8	15471	10946	10946	1.8
1233	016	3438	0.08	3945	4	55	80	2.5	6	2	8595	4650	NCD-HAIG	65	form-based			true	0.75	13	2.166666746	9	8	15471	11526	11526	1.8
1233	031	4679	0.11	3550	4	55	80	2.5	9	5	11698	8148	RH-3	50	form-based			true	0.7	13	1.444444418	9	9	16376.5	12826.5	12826.5	1.39994
1234	019	2761	0.06	3870	1	55	80	2.5	5	4	6902	3032	RTO-C	65	form-based			true	0.75	10	2	9	9	12424.5	8554.5	8554.5	1.80013
1235	025	3437	0.08	2562	1	55	80	2.5	6	5	8592	6030	RH-3	50	form-based			true	0.7	10	1.666666627	9	9	12029.5	9467.5	9467.5	1.400082
1235	064	3576	0.08	941	4	55	80	2.5	6	2	8940	7999	RTO-C	65	form-based			true	0.75	13	2.166666746	9	8	16092	15151	15151	1.8
1237	002	2439	0.06	6540	4	55	80	2.5	5	1	6098	0	NCT-DIVIS.	85	form-based			true	0.75	13	2.599999905	9	6	14634	8094	5656	2.399803
1237	003	2862	0.07	5092	6	55	80	2.5	6	0	7155	2063	NCT-DIVIS.	85	form-based			true	0.75	15	2.5	9	6	17172	12080	9218	2.4
1237	007	2844	0.07	8279	6	65	100	3	7	1	8532	253	NCT-DIVIS.	85	form-based		true	true	0.75	15	2.142857075	9	8	17064	8785	8785	2
1237	031	3781	0.09	4460	2	55	80	2.5	7	5	9452	4992	RM-1	50	form-based			true	0.7	11	1.571428537	9	9	13233.5	8773.5	8773.5	1.400074
1238	009	2857	0.07	2800	2	65	100	3	7	5	8571	5771	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	12856.5	10056.5	10056.5	1.5
1238	010	2857	0.07	2400	2	65	100	3	7	5	8571	6171	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	12856.5	10456.5	10456.5	1.5
1238	018	4095	0.09	5550	6	65	100	3	9	3	12285	6735	RTO-C	65	form-based			true	0.75	15	1.666666627	9	9	18427.5	12877.5	12877.5	1.5
1238	020	2545	0.06	2350	1	65	100	3	6	5	7635	5285	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11452.5	9102.5	9102.5	1.5
1238	027	2500	0.06	6150	4	55	80	2.5	5	1	6250	100	NCT-DIVIS.	85	form-based		true	true	0.75	13	2.599999905	9	6	15000	8850	6350	2.4
1238	029	3438	0.08	2350	1	65	100	3	8	7	10314	7964	RH-3	50	form-based			true	0.7	10	1.25	9	9	12033	9683	9683	1.166667
1239	009	3613	0.08	1225	1	65	100	3	8	7	10839	9614	RM-1	50	form-based			true	0.7	10	1.25	9	9	12645.5	11420.5	11420.5	1.166667
1239	010	3613	0.08	1119	1	65	100	3	8	7	10839	9720	RM-1	50	form-based			true	0.7	10	1.25	9	9	12645.5	11526.5	11526.5	1.166667
1239	011	3613	0.08	1525	1	65	100	3	8	7	10839	9314	RM-1	50	form-based			true	0.7	10	1.25	9	9	12645.5	11120.5	11120.5	1.166667
1239	012	3613	0.08	1635	1	65	100	3	8	7	10839	9204	RM-1	50	form-based			true	0.7	10	1.25	9	9	12645.5	11010.5	11010.5	1.166667
1239	013	3613	0.08	1375	1	65	100	3	8	7	10839	9464	RM-1	50	form-based			true	0.7	10	1.25	9	9	12645.5	11270.5	11270.5	1.166667
1239	014	3613	0.08	3413	1	65	100	3	8	7	10839	7426	RM-1	50	form-based			true	0.7	10	1.25	9	9	12645.5	9232.5	9232.5	1.166667
1239	015	3613	0.08	1660	1	65	100	3	8	7	10839	9179	RM-1	50	form-based			true	0.7	10	1.25	9	9	12645.5	10985.5	10985.5	1.166667
1239	016	3668	0.08	1125	1	65	100	3	8	7	11004	9879	RM-1	50	form-based			true	0.7	10	1.25	9	9	12838	11713	11713	1.166667
1240	014	3437	0.08	3600	1	55	80	2.5	6	5	8592	4992	RH-3	50	form-based			true	0.7	10	1.666666627	9	9	12029.5	8429.5	8429.5	1.400082
1240	025	2750	0.06	1650	1	55	80	2.5	5	4	6875	5225	RTO-C	65	form-based			true	0.75	10	2	9	9	12375	10725	10725	1.8
1240	031	3438	0.08	2480	4	65	100	3	8	4	10314	7834	RTO-C	65	form-based			true	0.75	13	1.625	9	9	15471	12991	12991	1.5
1241	018	2990	0.07	2200	2	55	80	2.5	6	4	7475	5275	RTO-C	65	form-based			true	0.75	11	1.833333373	9	9	13455	11255	11255	1.8
1241	033	2860	0.07	1005	2	55	80	2.5	6	4	7150	6145	RTO-C	65	form-based			true	0.75	11	1.833333373	9	9	12870	11865	11865	1.8
1243	002	5625	0.13	9900	12	55	80	2.5	10	0	14062	4162	RTO-C	65	form-based			true	0.75	21	2.099999905	9	8	25312.5	15412.5	15412.5	1.800064
1244	022	5021	0.12	14450	10	55	80	2.5	10	0	12552	0	NCD-HAIG	65	form-based		true	true	0.75	19	1.899999976	9	9	22594.5	8144.5	8144.5	1.800072
1245	021	3514	0.08	5360	4	55	80	2.5	6	2	8785	3425	RTO-C	65	form-based			true	0.75	13	2.166666746	9	8	15813	10453	10453	1.8
1245	024	2394	0.05	2380	0	55	80	2.5	4	4	5985	3605	NCD-HAIG	65	form-based			true	0.75	9	2.25	9	8	10773	8393	8393	1.8
1246	028	2511	0.06	1962	0	65	100	3	6	6	7533	5571	NCD-HAIG	65	form-based			true	0.75	9	1.5	9	9	11299.5	9337.5	9337.5	1.5
1249	009	3781	0.09	2536	2	65	100	3	9	7	11343	8807	RH-3	50	form-based			true	0.7	11	1.222222209	9	9	13233.5	10697.5	10697.5	1.166667
1250	028	3398	0.08	1295	1	65	100	3	8	7	10194	8899	NCD-HAIG	50	form-based			true	0.75	10	1.25	9	9	12742.5	11447.5	11447.5	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1250	040	4369	0.1	1395	7	65	100	3	10	3	13107	11712	NCD-HAIG	65	form-based		true	true	0.75	16	1.600000024	9	9	19660.5	18265.5	18265.5	1.5
1252	009	3048	0.07	3100	0	65	100	3	7	7	9144	6044	RH-3	50	form-based			true	0.7	9	1.285714269	9	9	10668	7568	7568	1.166667
1254	039	4416	0.1	2700	0	65	100	3	10	10	13248	10548	RH-3	40	form-based			true	0.7	9	0.899999976	9	9	12364.7998	9664.799805	9664.799805	0.933333
1256	008	4667	0.11	2385	1	55	80	2.5	9	8	11668	9283	RH-3	40	form-based			true	0.7	10	1.111111164	9	9	13067.59961	10682.59961	10682.59961	1.119952
1261	026	3733	0.09	3320	1	65	100	3	9	8	11199	7879	RH-3	50	form-based			true	0.7	10	1.111111164	9	9	13065.5	9745.5	9745.5	1.166667
1262	019	3438	0.08	2371	1	65	100	3	8	7	10314	7943	RH-3	50	form-based			true	0.7	10	1.25	9	9	12033	9662	9662	1.166667
1262	025	2696	0.06	2352	1	65	100	3	6	5	8088	5736	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12132	9780	9780	1.5
1262	034	3473	0.08	2067	1	65	100	3	8	7	10419	8352	RH-3	50	form-based			true	0.7	10	1.25	9	9	12155.5	10088.5	10088.5	1.166667
1262	038	3423	0.08	4141	1	65	100	3	8	7	10269	6128	RH-3	50	form-based			true	0.7	10	1.25	9	9	11980.5	7839.5	7839.5	1.166667
1265	003	2800	0.06	2500	2	65	100	3	6	4	8400	5900	RTO-C	65	form-based			true	0.75	11	1.833333373	9	9	12600	10100	10100	1.5
1265	020	3373	0.08	4000	4	65	100	3	8	4	10119	6119	RTO-C	65	form-based			true	0.75	13	1.625	9	9	15178.5	11178.5	11178.5	1.5
1265	022	2575	0.06	2470	1	65	100	3	6	5	7725	5255	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11587.5	9117.5	9117.5	1.5
1265	029	3802	0.09	2640	5	65	100	3	9	4	11406	8766	RTO-C	65	form-based			true	0.75	14	1.555555582	9	9	17109	14469	14469	1.5
1265	035	3100	0.07	1450	3	65	100	3	7	4	9300	7850	RTO-C	65	form-based			true	0.75	12	1.714285731	9	9	13950	12500	12500	1.5
1266	010	3438	0.08	3882	4	85	140	4	11	7	13752	9870	RTO-C	65	form-based			true	0.75	13	1.181818128	9	9	15471	11589	11589	1.125
1266	015	3437	0.08	2000	4	65	100	3	8	4	10311	8311	RTO-C	65	form-based			true	0.75	13	1.625	9	9	15466.5	13466.5	13466.5	1.5
1266	030	3457	0.08	3100	4	65	100	3	8	4	10371	7271	RTO-C	65	form-based			true	0.75	13	1.625	9	9	15556.5	12456.5	12456.5	1.5
1266	034	3457	0.08	4275	4	65	100	3	8	4	10371	6096	RTO-C	65	form-based			true	0.75	13	1.625	9	9	15556.5	11281.5	11281.5	1.5
1266	042	3457	0.08	922	4	65	100	3	8	4	10371	9449	RTO-C	65	form-based			true	0.75	13	1.625	9	9	15556.5	14634.5	14634.5	1.5
1267	011	3437	0.08	4985	4	85	140	4	11	7	13748	8763	RTO-C	65	form-based			true	0.75	13	1.181818128	9	9	15466.5	10481.5	10481.5	1.125
1267	034	3138	0.07	2750	3	85	140	4	10	7	12552	9802	RTO-C	65	form-based			true	0.75	12	1.200000048	9	9	14121	11371	11371	1.125
1267	036	3139	0.07	4950	3	85	140	4	10	7	12556	7606	RTO-C	65	form-based			true	0.75	12	1.200000048	9	9	14125.5	9175.5	9175.5	1.125
1267	037	3139	0.07	4200	3	65	100	3	7	4	9417	5217	RTO-C	65	form-based			true	0.75	12	1.714285731	9	9	14125.5	9925.5	9925.5	1.5
1267	042	3457	0.08	1000	1	65	100	3	8	7	10371	9371	RH-3	50	form-based			true	0.7	10	1.25	9	9	12099.5	11099.5	11099.5	1.166667
1267	048	3457	0.08	2024	1	65	100	3	8	7	10371	8347	RH-3	50	form-based			true	0.7	10	1.25	9	9	12099.5	10075.5	10075.5	1.166667
1267	049	3457	0.08	2150	1	65	100	3	8	7	10371	8221	RH-3	50	form-based			true	0.7	10	1.25	9	9	12099.5	9949.5	9949.5	1.166667
1267	050	3457	0.08	2800	1	65	100	3	8	7	10371	7571	RH-3	50	form-based			true	0.7	10	1.25	9	9	12099.5	9299.5	9299.5	1.166667
1267	051	3457	0.08	3499	1	65	100	3	8	7	10371	6872	RH-3	50	form-based			true	0.7	10	1.25	9	9	12099.5	8600.5	8600.5	1.166667
1267	054	3457	0.08	1960	1	65	100	3	8	7	10371	8411	RH-3	50	form-based			true	0.7	10	1.25	9	9	12099.5	10139.5	10139.5	1.166667
1267	059	3457	0.08	3600	1	65	100	3	8	7	10371	6771	RH-3	50	form-based			true	0.7	10	1.25	9	9	12099.5	8499.5	8499.5	1.166667
1267	063	3438	0.08	3376	4	85	140	4	11	7	13752	10376	RTO-C	65	form-based			true	0.75	13	1.181818128	9	9	15471	12095	12095	1.125
1267	075	3140	0.07	1566	3	65	100	3	7	4	9420	7854	RTO-C	65	form-based			true	0.75	12	1.714285731	9	9	14130	12564	12564	1.5
1268	038	3440	0.08	1800	1	85	140	4	11	10	13760	11960	RH-3	50	form-based			true	0.7	10	0.909090936	9	9	12040	10240	10240	0.875
1270	020	4514	0.1	6107	0	65	100	3	10	10	13542	7435	RH-3	40	form-based	true	true	true	0.7	9	0.899999976	9	9	12639.2002	6532.200195	6532.200195	0.933333
1271	042	3615	0.08	1980	1	85	140	4	11	10	14460	12480	RH-3	50	form-based			true	0.7	10	0.909090936	9	9	12652.5	10672.5	10672.5	0.875
1271	057	3270	0.08	1545	3	65	100	3	8	5	9810	8265	RTO-C	65	form-based			true	0.75	12	1.5	9	9	14715	13170	13170	1.5
1272	012	2625	0.06	1996	1	65	100	3	6	5	7875	5879	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11812.5	9816.5	9816.5	1.5
1272	013	2626	0.06	2300	1	65	100	3	6	5	7878	5578	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11817	9517	9517	1.5
1272	017	2629	0.06	2010	1	65	100	3	6	5	7887	5877	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11830.5	9820.5	9820.5	1.5
1272	018	2630	0.06	3330	1	65	100	3	6	5	7890	4560	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11835	8505	8505	1.5
1272	024	4003	0.09	4400	6	85	140	4	13	7	16012	11612	RTO-C	65	form-based			true	0.75	15	1.153846145	9	9	18013.5	13613.5	13613.5	1.125
1273	014A	2482	0.06	0	0	85	140	4	8	8	9928	9928	RTO-C	65	form-based			true	0.75	9	1.125	9	9	11169	11169	11169	1.125
1273	023	2635	0.06	2919	1	65	100	3	6	5	7905	4986	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11857.5	8938.5	8938.5	1.5
1274	006	2688	0.06	2915	1	65	100	3	6	5	8064	5149	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12096	9181	9181	1.5
1275	012	4099	0.09	5580	6	65	100	3	9	3	12297	6717	RTO-C	65	form-based			true	0.75	15	1.666666627	9	9	18445.5	12865.5	12865.5	1.5
1275	013	3653	0.08	5785	5	65	100	3	8	3	10959	5174	RTO-C	65	form-based			true	0.75	14	1.75	9	9	16438.5	10653.5	10653.5	1.5
1275	036	2640	0.06	1658	1	85	140	4	8	7	10560	8902	RTO-C	65	form-based			true	0.75	10	1.25	9	9	11880	10222	10222	1.125
1275	037	2579	0.06	1897	1	85	140	4	8	7	10316	8419	RTO-C	65	form-based			true	0.75	10	1.25	9	9	11605.5	9708.5	9708.5	1.125
1275	040	2677	0.06	1730	1	85	140	4	8	7	10708	8978	RTO-C	65	form-based			true	0.75	10	1.25	9	9	12046.5	10316.5	10316.5	1.125
1276	042	3009	0.07	1789	2	65	100	3	7	5	9027	7238	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13540.5	11751.5	11751.5	1.5
1277	001J	2517	0.06	3760	0	65	100	3	6	6	7551	3791	RTO-C	65	form-based			true	0.75	9	1.5	9	9	11326.5	7566.5	7566.5	1.5
1277	003	2612	0.06	2180	1	65	100	3	6	5	7836	5656	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11754	9574	9574	1.5
1279	076	3489	0.08	2890	1	65	100	3	8	7	10467	7577	RH-2	50	form-based			true	0.7	10	1.25	9	9	12211.5	9321.5	9321.5	1.166667
1279	077	3489	0.08	3025	1	65	100	3	8	7	10467	7442	RH-2	50	form-based			true	0.7	10	1.25	9	9	12211.5	9186.5	9186.5	1.166667
1279	078	3489	0.08	3781	1	65	100	3	8	7	10467	6686	RH-2	50	form-based			true	0.7	10	1.25	9	9	12211.5	8430.5	8430.5	1.166667
1279	079	3489	0.08	2526	1	65	100	3	8	7	10467	7941	RH-2	50	form-based			true	0.7	10	1.25	9	9	12211.5	9685.5	9685.5	1.166667
1279	080	3489	0.08	2284	1	65	100	3	8	7	10467	8183	RH-2	50	form-based			true	0.7	10	1.25	9	9	12211.5	9927.5	9927.5	1.166667
1279	081	3489	0.08	2621	1	65	100	3	8	7	10467	7846	RH-2	50	form-based			true	0.7	10	1.25	9	9	12211.5	9590.5	9590.5	1.166667
1279	086	2700	0.06	2092	1	65	100	3	6	5	8100	6008	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10058	10058	1.5
1279	092	4607	0.11	1880	1	65	100	3	11	10	13821	11941	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	12899.59961	11019.59961	11019.59961	0.933333
1289	008	4531	0.1	3563	1	55	80	2.5	8	7	11328	7765	RH-2	40	form-based			true	0.7	10	1.25	9	9	12686.7998	9123.799805	9123.799805	1.119951
1289	011	4545	0.1	2000	1	55	80	2.5	8	7	11362	9362	RH-2	40	form-based			true	0.7	10	1.25	9	9	12726	10726	10726	1.120049
1289	018	4820	0.11	1360	1	55	80	2.5	9	8	12050	10690	RH-2	40	form-based			true	0.7	10	1.111111164	9	9	13496	12136	12136	1.12
1289	026	4739	0.11	2426	1	55	80	2.5	9	8	11848	9422	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13269.2002	10843.2002	10843.2002	1.119953

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1289	034	4942	0.11	1185	1	55	80	2.5	9	8	12355	11170	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13837.59961	12652.59961	12652.59961	1.12
1294	015	4817	0.11	3969	1	55	80	2.5	9	8	12042	8073	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13487.59961	9518.599609	9518.599609	1.120046
1326	003	4839	0.11	3312	1	55	80	2.5	9	8	12098	8786	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13549.2002	10237.2002	10237.2002	1.119954
1326	004	4765	0.11	2780	1	55	80	2.5	9	8	11912	9132	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13342	10562	10562	1.120047
1326	005	4839	0.11	3695	1	55	80	2.5	9	8	12098	8403	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13549.2002	9854.200195	9854.200195	1.119954
1326	018	4988	0.11	4938	1	55	80	2.5	9	8	12470	7532	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13966.39941	9028.399414	9028.399414	1.12
1327	010	4548	0.1	2592	1	55	80	2.5	8	7	11370	8778	RH-1(D)	40	form-based		true	true	0.7	10	1.25	9	9	12734.39941	10142.39941	10142.39941	1.12
1327	010C	4573	0.1	2496	1	55	80	2.5	8	7	11432	8936	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12804.39941	10308.39941	10308.39941	1.120049
1328	002	4743	0.11	3180	1	55	80	2.5	9	8	11858	8678	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13280.39941	10100.39941	10100.39941	1.119953
1328	003	4617	0.11	3769	1	55	80	2.5	9	8	11542	7773	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12927.59961	9158.599609	9158.599609	1.120049
1328	004	4730	0.11	3181	1	55	80	2.5	9	8	11825	8644	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13244	10063	10063	1.12
1328	005	4787	0.11	3767	1	55	80	2.5	9	8	11968	8201	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13403.59961	9636.599609	9636.599609	1.119953
1328	008	4961	0.11	3468	1	55	80	2.5	9	8	12402	8934	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13890.7998	10422.7998	10422.7998	1.120045
1328	008A	4725	0.11	4981	1	55	80	2.5	9	8	11812	6831	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13230	8249	8249	1.120047
1328	015	4850	0.11	4065	1	55	80	2.5	9	8	12125	8060	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13580	9515	9515	1.12
1328	016	4859	0.11	4000	1	55	80	2.5	9	8	12148	8148	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13605.2002	9605.200195	9605.200195	1.119954
1329	003	4734	0.11	3278	1	55	80	2.5	9	8	11835	8557	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13255.2002	9977.200195	9977.200195	1.12
1329	004	4631	0.11	4770	1	55	80	2.5	9	8	11578	6808	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12966.7998	8196.799805	8196.799805	1.119952
1329	005	4539	0.1	2730	1	55	80	2.5	8	7	11348	8618	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12709.2002	9979.200195	9979.200195	1.119951
1329	006	4766	0.11	2971	1	55	80	2.5	9	8	11915	8944	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13344.7998	10373.7998	10373.7998	1.12
1329	007	4926	0.11	3324	1	55	80	2.5	9	8	12315	8991	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13792.7998	10468.7998	10468.7998	1.12
1329	009	4900	0.11	4805	1	55	80	2.5	9	8	12250	7445	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13720	8915	8915	1.12
1329	010	4593	0.11	3338	1	55	80	2.5	9	8	11482	8144	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12860.39941	9522.399414	9522.399414	1.120049
1329	012	4584	0.11	3464	1	55	80	2.5	9	8	11460	7996	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12835.2002	9371.200195	9371.200195	1.12
1330	005	4991	0.11	3380	1	55	80	2.5	9	8	12478	9098	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13974.7998	10594.7998	10594.7998	1.119955
1330	008	4608	0.11	2424	1	55	80	2.5	9	8	11520	9096	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12902.39941	10478.39941	10478.39941	1.12
1330	008D	4842	0.11	3840	1	55	80	2.5	9	8	12105	8265	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13557.59961	9717.599609	9717.599609	1.12
1331	005	4836	0.11	1932	1	55	80	2.5	9	8	12090	10158	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13540.7998	11608.7998	11608.7998	1.12
1331	012	4601	0.11	2256	1	55	80	2.5	9	8	11502	9246	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12882.7998	10626.7998	10626.7998	1.120049
1334	011	5000	0.11	1986	1	55	80	2.5	9	8	12500	10514	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	14000	12014	12014	1.12
1334	041	4800	0.11	1562	1	55	80	2.5	9	8	12000	10438	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13440	11878	11878	1.12
1336	006	4941	0.11	6040	1	55	80	2.5	9	8	12352	6312	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13834.7998	7794.799805	7794.799805	1.120045
1336	016	4645	0.11	2846	1	55	80	2.5	9	8	11612	8766	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13006	10160	10160	1.120048
1341	014	4914	0.11	6098	1	55	80	2.5	9	8	12285	6187	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13759.2002	7661.200195	7661.200195	1.12
1341	022	4347	0.1	0	0	55	80	2.5	8	8	10868	10868	RH-1	40	form-based			true	0.7	9	1.125	9	9	12171.59961	12171.59961	12171.59961	1.119948
1342	003	4526	0.1	4168	1	55	80	2.5	8	7	11315	7147	RH-1	40	form-based			true	0.7	10	1.25	9	9	12672.7998	8504.799805	8504.799805	1.12
1342	015	4801	0.11	2691	1	55	80	2.5	9	8	12002	9311	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13442.7998	10751.7998	10751.7998	1.120047
1353	016	4907	0.11	5108	1	55	80	2.5	9	8	12268	7160	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13739.59961	8631.599609	8631.599609	1.119954
1361	025	2101	0.05	3390	2	55	80	2.5	4	2	5252	1862	RTO-C	85	form-based			true	0.75	11	2.75	9	6	12606	9216	7114	2.400229
1355	037	4979	0.11	5360	1	55	80	2.5	9	8	12448	7088	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13941.2002	8581.200195	8581.200195	1.119955
1361	080	2504	0.06	790	4	55	80	2.5	5	1	6260	5470	RTO-C	85	form-based		true	true	0.75	13	2.599999905	9	6	15024	14234	11730	2.4
1361	084	2381	0.05	736	4	55	80	2.5	4	0	5952	5216	RTO-C	85	form-based			true	0.75	13	3.25	9	4	14286	13550	11168	2.400202
1361	088	2165	0.05	1629	2	55	80	2.5	4	2	5412	3783	RTO-C	85	form-based			true	0.75	11	2.75	9	6	12990	11361	9195	2.400222
1362	013	2612	0.06	4604	5	55	80	2.5	5	0	6530	1926	RTO-C	85	form-based		true	true	0.75	14	2.799999952	9	5	15672	11068	8456	2.4
1363	018	2262	0.05	5020	3	55	80	2.5	4	1	5655	635	RTO-C	85	form-based			true	0.75	12	3	9	5	13572	8552	6290	2.4
1363	019	3218	0.07	3780	8	55	80	2.5	6	0	8045	4265	RTO-C	85	form-based			true	0.75	17	2.833333254	9	4	19308	15528	12310	2.4
1364	017	1905	0.04	1429	1	55	80	2.5	3	2	4762	3333	NC-1	85	form-based			true	0.75	10	3.333333254	9	5	11430	10001	8095	2.400252
1364	054	2226	0.05	1394	3	55	80	2.5	4	1	5565	4171	NC-1	85	form-based			true	0.75	12	3	9	5	13356	11962	9736	2.4
1365	011	3332	0.08	6780	8	55	80	2.5	6	0	8330	1550	NC-1	85	form-based		true	true	0.75	17	2.833333254	9	4	19992	13212	9880	2.4
1366	021	2246	0.05	4645	3	55	80	2.5	4	1	5615	970	NC-1	85	form-based			true	0.75	12	3	9	5	13476	8831	6585	2.4
1366	023	2375	0.05	3755	3	55	80	2.5	4	1	5938	2183	NC-1	85	form-based			true	0.75	12	3	9	5	14250	10495	8121	2.399798
1366	025	2503	0.06	4519	4	55	80	2.5	5	1	6258	1739	NC-1	85	form-based			true	0.75	13	2.599999905	9	6	15018	10499	7997	2.399808
1366	026	2541	0.06	5200	4	55	80	2.5	5	1	6352	1152	NC-1	85	form-based			true	0.75	13	2.599999905	9	6	15246	10046	7504	2.400189
1367	020	2763	0.06	8585	6	55	80	2.5	5	0	6908	0	RTO-C	85	form-based		true	true	0.75	15	3	9	4	16578	7993	5231	2.399826
1371	020	2435	0.06	3510	4	55	80	2.5	5	1	6088	2578	RTO-C	85	form-based			true	0.75	13	2.599999905	9	6	14610	11100	8666	2.399803
1371	021	2435	0.06	3510	4	55	80	2.5	5	1	6088	2578	RTO-C	85	form-based			true	0.75	13	2.599999905	9	6	14610	11100	8666	2.399803
1371	049	2051	0.05	1730	2	55	80	2.5	4	2	5128	3398	RTO-C	85	form-based			true	0.75	11	2.75	9	6	12306	10576	8526	2.399766
1371	055	2051	0.05	1517	2	55	80	2.5	4	2	5128	3611	RTO-C	85	form-based			true	0.75	11	2.75	9	6	12306	10789	8739	2.399766
1372	022	2437	0.06	3300	4	55	80	2.5	5	1	6092	2792	RTO-C	85	form-based			true	0.75	13	2.599999905	9	6	14622	11322	8884	2.400197
1372	026A	3968	0.09	9096	12	55	80	2.5	7	0	9920	824	RTO-C	85	form-based			true	0.75	21	3	9	2	23808	14712	10744	2.4
1374	040	4688	0.11	2480	1	55	80	2.5	9	8	11720	9240	RH-2	40	form-based			true	0.7	10	1.111111164	9	9	13126.39941	10646.39941	10646.39941	1.12
1378	037	3082	0.07	936	3	55	80	2.5	6	3	7705	6769	RTO-C	65	form-based			true	0.75	12	2	9	9	13869	12933	12933	1.8
1379	018	2985	0.07	2200	2	55	80	2.5	6	4	7462	5262	RTO-C	65	form-based			true	0.75	11	1.833333373	9	9	13432.5	11232.5	11232.5	1.800121
1380	022A	2557	0.06	1094	1	55	80	2.5	5	4	6392	5298	RTO-C	65	form-based			true	0.75	10	2	9	9	11506.5	10412.5	10412.5	1.800141

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1381	014	2805	0.06	2244	2	55	80	2.5	5	3	7012	4768	RTO-C	65	form-based			true	0.75	11	2.200000048	9	8	12622.5	10378.5	10378.5	1.800128
1387	022U	4715	0.11	4590	1	55	80	2.5	9	8	11788	7198	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13202	8612	8612	1.119952
1390	003	4662	0.11	3925	1	55	80	2.5	9	8	11655	7730	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13053.59961	9128.599609	9128.599609	1.12
1392	012	4722	0.11	3274	1	55	80	2.5	9	8	11805	8531	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13221.59961	9947.599609	9947.599609	1.12
1392	013	4713	0.11	2208	1	55	80	2.5	9	8	11782	9574	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13196.39941	10988.39941	10988.39941	1.120047
1406	035	4440	0.1	1840	0	65	100	3	10	10	13320	11480	RH-2	40	form-based			true	0.7	9	0.899999976	9	9	12432	10592	10592	0.933333
1407	050	2958	0.07	2034	2	65	100	3	7	5	8874	6840	NCD-OUTE	65	form-based			true	0.75	11	1.571428537	9	9	13311	11277	11277	1.5
1408	014	2500	0.06	3641	0	65	100	3	6	6	7500	3859	NCD-OUTE	65	form-based			true	0.75	9	1.5	9	9	11250	7609	7609	1.5
1408	016	2490	0.06	1700	0	65	100	3	6	6	7470	5770	NCD-OUTE	65	form-based			true	0.75	9	1.5	9	9	11205	9505	9505	1.5
1409	019	2500	0.06	2794	0	65	100	3	6	6	7500	4706	NCD-OUTE	65	form-based			true	0.75	9	1.5	9	9	11250	8456	8456	1.5
1414	020	2500	0.06	1088	0	65	100	3	6	6	7500	6412	NCD-OUTE	65	form-based			true	0.75	9	1.5	9	9	11250	10162	10162	1.5
1414	040D	2500	0.06	3302	0	65	100	3	6	6	7500	4198	RTO-C	65	form-based			true	0.75	9	1.5	9	9	11250	7948	7948	1.5
1414	042	2500	0.06	2000	0	65	100	3	6	6	7500	5500	RTO-C	65	form-based			true	0.75	9	1.5	9	9	11250	9250	9250	1.5
1415	002	2989	0.07	3124	2	65	100	3	7	5	8967	5843	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13450.5	10326.5	10326.5	1.5
1416	019	6417	0.15	15423	15	65	100	3	15	0	19251	3828	RTO-C	65	form-based		true	true	0.75	24	1.600000024	9	9	28876.5	13453.5	13453.5	1.5
1416	047	3203	0.07	1892	3	65	100	3	7	4	9609	7717	NC-1	65	form-based		true	true	0.75	12	1.714285731	9	9	14413.5	12521.5	12521.5	1.5
1417	035	2562	0.06	2142	1	65	100	3	6	5	7686	5544	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11529	9387	9387	1.5
1421	012	2989	0.07	2195	2	65	100	3	7	5	8967	6772	NCD-INNE	65	form-based			true	0.75	11	1.571428537	9	9	13450.5	11255.5	11255.5	1.5
1422	001A	2108	0.05	3050	2	55	80	2.5	4	2	5270	2220	RTO-C	85	form-based			true	0.75	11	2.75	9	6	12648	9598	7490	2.4
1422	002	2108	0.05	2820	2	55	80	2.5	4	2	5270	2450	RTO-C	85	form-based			true	0.75	11	2.75	9	6	12648	9828	7720	2.4
1422	019	2330	0.05	5964	0	65	100	3	5	5	6990	1026	NCD-INNE	65	form-based			true	0.75	9	1.799999952	9	9	10485	4521	4521	1.5
1422	020	2474	0.06	4012	0	65	100	3	6	6	7422	3410	NCD-INNE	65	form-based			true	0.75	9	1.5	9	9	11133	7121	7121	1.5
1422	041	2500	0.06	4000	4	55	80	2.5	5	1	6250	2250	RTO-C	85	form-based			true	0.75	13	2.599999905	9	6	15000	11000	8500	2.4
1422	043	2500	0.06	3450	4	55	80	2.5	5	1	6250	2800	RTO-C	85	form-based			true	0.75	13	2.599999905	9	6	15000	11550	9050	2.4
1422	044	2500	0.06	3576	4	55	80	2.5	5	1	6250	2674	RTO-C	85	form-based			true	0.75	13	2.599999905	9	6	15000	11424	8924	2.4
1423	002	2027	0.05	2260	2	65	100	3	5	3	6081	3821	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12162	9902	9902	2
1423	047	2269	0.05	4546	0	65	100	3	5	5	6807	2261	NCD-INNE	65	form-based		true	true	0.75	9	1.799999952	9	9	10210.5	5664.5	5664.5	1.5
1424	021	3250	0.07	6238	3	65	100	3	7	4	9750	3512	NCD-INNE	65	form-based		true	true	0.75	12	1.714285731	9	9	14625	8387	8387	1.5
1425	001	3390	0.08	9000	9	65	100	3	8	0	10170	1170	RTO-C	85	form-based		true	true	0.75	18	2.25	9	7	20340	11340	11340	2
1425	042	2063	0.05	2200	2	65	100	3	5	3	6189	3989	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12378	10178	10178	2
1425	046	2500	0.06	3850	4	65	100	3	6	2	7500	3650	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	15000	11150	11150	2
1426	002	2808	0.06	5550	6	65	100	3	6	0	8424	2874	RTO-C	85	form-based			true	0.75	15	2.5	9	6	16848	11298	11298	2
1426	021	2875	0.07	3500	2	65	100	3	7	5	8625	5125	NCD-INNE	65	form-based			true	0.75	11	1.571428537	9	9	12937.5	9437.5	9437.5	1.5
1426	022	2875	0.07	5384	2	65	100	3	7	5	8625	3241	NCD-INNE	65	form-based			true	0.75	11	1.571428537	9	9	12937.5	7553.5	7553.5	1.5
1426	025	2990	0.07	3328	2	65	100	3	7	5	8970	5642	NCD-INNE	65	form-based			true	0.75	11	1.571428537	9	9	13455	10127	10127	1.5
1426	046	2500	0.06	4140	4	65	100	3	6	2	7500	3360	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	15000	10860	10860	2
1427	017	2953	0.07	5535	2	65	100	3	7	5	8859	3324	NCD-INNE	65	form-based			true	0.75	11	1.571428537	9	9	13288.5	7753.5	7753.5	1.5
1427	031	2170	0.05	2894	2	65	100	3	5	3	6510	3616	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	13020	10126	10126	2
1428	022	2500	0.06	2576	0	65	100	3	6	6	7500	4924	NCD-INNE	65	form-based			true	0.75	9	1.5	9	9	11250	8674	8674	1.5
1428	044	2571	0.06	4726	4	65	100	3	6	2	7713	2987	NC-1	85	form-based			true	0.75	13	2.166666746	9	8	15426	10700	10700	2
1428	048	2500	0.06	3470	4	65	100	3	6	2	7500	4030	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	15000	11530	11530	2
1429	023	2500	0.06	5358	0	65	100	3	6	6	7500	2142	NCD-INNE	65	form-based			true	0.75	9	1.5	9	9	11250	5892	5892	1.5
1429	024	2500	0.06	3040	0	65	100	3	6	6	7500	4460	NCD-INNE	65	form-based			true	0.75	9	1.5	9	9	11250	8210	8210	1.5
1431	021	2500	0.06	1625	0	65	100	3	6	6	7500	5875	NCD-INNE	65	form-based			true	0.75	9	1.5	9	9	11250	9625	9625	1.5
1432	011	3019	0.07	3590	2	65	100	3	7	5	9057	5467	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13585.5	9995.5	9995.5	1.5
1432	060	3019	0.07	1084	2	65	100	3	7	5	9057	7973	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13585.5	12501.5	12501.5	1.5
1433	002	2708	0.06	1395	1	65	100	3	6	5	8124	6729	NCD-INNE	65	form-based			true	0.75	10	1.666666627	9	9	12186	10791	10791	1.5
1433	036	3063	0.07	3320	2	65	100	3	7	5	9189	5869	NCD-INNE	65	form-based			true	0.75	11	1.571428537	9	9	13783.5	10463.5	10463.5	1.5
1435	037	3600	0.08	5983	5	65	100	3	8	3	10800	4817	NCD-INNE	65	form-based		true	true	0.75	14	1.75	9	9	16200	10217	10217	1.5
1435	039	2800	0.06	2557	2	65	100	3	6	4	8400	5843	NCD-INNE	65	form-based			true	0.75	11	1.833333373	9	9	12600	10043	10043	1.5
1435	040	2800	0.06	3000	2	65	100	3	6	4	8400	5400	NCD-INNE	65	form-based			true	0.75	11	1.833333373	9	9	12600	9600	9600	1.5
1436	022	2500	0.06	3050	4	65	100	3	6	2	7500	4450	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	9	8	15000	11950	11950	2
1437	019A	2500	0.06	3591	4	85	140	4	8	4	10000	6409	NCD-GEAR	85	form-based			true	0.75	13	1.625	9	9	15000	11409	11409	1.5
1437	040	2500	0.06	1375	0	65	100	3	6	6	7500	6125	NCD-INNE	65	form-based			true	0.75	9	1.5	9	9	11250	9875	9875	1.5
1437	041	2500	0.06	1825	0	65	100	3	6	6	7500	5675	NCD-INNE	65	form-based			true	0.75	9	1.5	9	9	11250	9425	9425	1.5
1437	044	2500	0.06	1625	0	65	100	3	6	6	7500	5875	NCD-INNE	65	form-based			true	0.75	9	1.5	9	9	11250	9625	9625	1.5
1439	040	2504	0.06	1516	0	65	100	3	6	6	7512	5996	NCD-INNE	65	form-based			true	0.75	9	1.5	9	9	11268	9752	9752	1.5
1439	045	2375	0.05	0	0	65	100	3	5	5	7125	7125	NCD-INNE	65	form-based			true	0.75	9	1.799999952	9	9	10687.5	10687.5	10687.5	1.5
1442	043	2908	0.07	3493	2	65	100	3	7	5	8724	5231	NCD-INNE	65	form-based		true	true	0.75	11	1.571428537	9	9	13086	9593	9593	1.5
1442	044	2483	0.06	9966	0	65	100	3	6	6	7449	0	NCD-INNE	65	form-based			true	0.75	9	1.5	9	9	11173.5	1207.5	1207.5	1.5
1442	045	2500	0.06	1	0	65	100	3	6	6	7500	7499	NCD-INNE	65	form-based			true	0.75	9	1.5	9	9	11250	11249	11249	1.5
1450	001	4457	0.1	7680	8	65	100	3	10	2	13371	5691	RTO-C	65	form-based		true	true	0.75	17	1.700000048	9	9	20056.5	12376.5	12376.5	1.5
1451	043	2501	0.06	1750	0	65	100	3	6	6	7503	5753	NCD-OUTE	65	form-based			true	0.75	9	1.5	9	9	11254.5	9504.5	9504.5	1.5
1453	023	2002	0.05	2640	2	85	140	4	7	5	8008	5368	NCD-GEAR	85	form-based			true	0.75	11	1.571428537	9	9	12012	9372	9372	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1454	034	3143	0.07	4035	3	65	100	3	7	4	9429	5394	NCD-OUTE	65	form-based		true	true	0.75	12	1.714285731	9	9	14143.5	10108.5	10108.5	1.5
1455	020	4342	0.1	12942	0	65	100	3	10	10	13026	84	RM-1	40	form-based			true	0.7	9	0.899999976	9	9	12157.59961	0	0	0.933333
1455	039	2507	0.06	1850	0	65	100	3	6	6	7521	5671	NCD-OUTE	65	form-based			true	0.75	9	1.5	9	9	11281.5	9431.5	9431.5	1.5
1455	040	2508	0.06	1600	0	65	100	3	6	6	7524	5924	NCD-OUTE	65	form-based			true	0.75	9	1.5	9	9	11286	9686	9686	1.5
1457	037	2488	0.06	990	0	65	100	3	6	6	7464	6474	NCD-OUTE	65	form-based			true	0.75	9	1.5	9	9	11196	10206	10206	1.5
1460	001T	2099	0.05	3125	2	85	140	4	7	5	8396	5271	RTO-C	85	form-based			true	0.75	11	1.571428537	9	9	12594	9469	9469	1.5
1463	043	2433	0.06	2400	0	65	100	3	6	6	7299	4899	NC-1	65	form-based		true	true	0.75	9	1.5	9	9	10948.5	8548.5	8548.5	1.5
1463	054	2400	0.06	3698	4	85	140	4	8	4	9600	5902	RTO-C	85	form-based			true	0.75	13	1.625	9	9	14400	10702	10702	1.5
1464	022A	2454	0.06	2336	0	65	100	3	6	6	7362	5026	NC-1	65	form-based			true	0.75	9	1.5	9	9	11043	8707	8707	1.5
1464	024A	2455	0.06	1580	0	65	100	3	6	6	7365	5785	NC-1	65	form-based			true	0.75	9	1.5	9	9	11047.5	9467.5	9467.5	1.5
1464	025	2455	0.06	1652	0	65	100	3	6	6	7365	5713	NC-1	65	form-based			true	0.75	9	1.5	9	9	11047.5	9395.5	9395.5	1.5
1464	026	2455	0.06	2100	0	65	100	3	6	6	7365	5265	NC-1	65	form-based			true	0.75	9	1.5	9	9	11047.5	8947.5	8947.5	1.5
1466	034	4512	0.1	3732	0	65	100	3	10	10	13536	9804	RH-2	40	form-based			true	0.7	9	0.899999976	9	9	12633.59961	8901.599609	8901.599609	0.933333
1467	049	2550	0.06	1095	1	65	100	3	6	5	7650	6555	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11475	10380	10380	1.5
1467	050	2550	0.06	2083	1	65	100	3	6	5	7650	5567	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11475	9392	9392	1.5
1467	051	2550	0.06	2140	1	65	100	3	6	5	7650	5510	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11475	9335	9335	1.5
1468	009	4786	0.11	2270	1	65	100	3	11	10	14358	12088	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13400.7998	11130.7998	11130.7998	0.933333
1468	010	4829	0.11	3217	1	65	100	3	11	10	14487	11270	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13521.2002	10304.2002	10304.2002	0.933333
1468	018	2743	0.06	2220	1	55	80	2.5	5	4	6858	4638	RTO-C	65	form-based		true	true	0.75	10	2	9	9	12343.5	10123.5	10123.5	1.799869
1472	021	2560	0.06	1292	1	55	80	2.5	5	4	6400	5108	RTO-C	65	form-based			true	0.75	10	2	9	9	11520	10228	10228	1.8
1472	022	2689	0.06	1130	1	55	80	2.5	5	4	6722	5592	RTO-C	65	form-based			true	0.75	10	2	9	9	12100.5	10970.5	10970.5	1.800134
1473	001	2733	0.06	1350	1	55	80	2.5	5	4	6832	5482	RTO-C	65	form-based		true	true	0.75	10	2	9	9	12298.5	10948.5	10948.5	1.800132
1503	001	3236	0.07	5334	8	55	80	2.5	6	0	8090	2756	RTO-C	85	form-based		true	true	0.75	17	2.833333254	9	4	19416	14082	10846	2.4
1503	057	2500	0.06	3778	4	55	80	2.5	5	1	6250	2472	RTO-C	85	form-based			true	0.75	13	2.599999905	9	6	15000	11222	8722	2.4
1504	021C	2125	0.05	1150	2	55	80	2.5	4	2	5312	4162	RTO-C	85	form-based		true	true	0.75	11	2.75	9	6	12750	11600	9474	2.400226
1505	012	4573	0.1	2250	1	55	80	2.5	8	7	11432	9182	RH-2	40	form-based			true	0.7	10	1.25	9	9	12804.39941	10554.39941	10554.39941	1.120049
1506	001B	2500	0.06	4090	4	55	80	2.5	5	1	6250	2160	RTO-C	85	form-based			true	0.75	13	2.599999905	9	6	15000	10910	8410	2.4
1506	001C	2500	0.06	4090	4	55	80	2.5	5	1	6250	2160	RTO-C	85	form-based			true	0.75	13	2.599999905	9	6	15000	10910	8410	2.4
1506	001D	2500	0.06	4387	4	55	80	2.5	5	1	6250	1863	RTO-C	85	form-based			true	0.75	13	2.599999905	9	6	15000	10613	8113	2.4
1507	010	4613	0.11	1489	1	65	100	3	11	10	13839	12350	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	12916.39941	11427.39941	11427.39941	0.933333
1507	040	2484	0.06	2854	4	65	100	3	6	2	7452	4598	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	14904	12050	12050	2
1509	001B	1993	0.05	2756	1	65	100	3	5	4	5979	3223	RTO-C	85	form-based			true	0.75	10	2	9	9	11958	9202	9202	2
1509	046	2415	0.06	3642	4	65	100	3	6	2	7245	3603	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	14490	10848	10848	2
1509	049	2415	0.06	2490	4	65	100	3	6	2	7245	4755	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	14490	12000	12000	2
1512	048	2421	0.06	3200	4	85	140	4	8	4	9684	6484	RTO-C	85	form-based			true	0.75	13	1.625	9	9	14526	11326	11326	1.5
1512	049	2421	0.06	3328	4	85	140	4	8	4	9684	6356	RTO-C	85	form-based			true	0.75	13	1.625	9	9	14526	11198	11198	1.5
1515	035	2460	0.06	3558	4	85	140	4	8	4	9840	6282	RTO-C	85	form-based			true	0.75	13	1.625	9	9	14760	11202	11202	1.5
1516	037	3162	0.07	5140	8	65	100	3	7	0	9486	4346	RTO-C	85	form-based		true	true	0.75	17	2.428571463	9	6	18972	13832	13832	2
1516	047	3192	0.07	7506	8	85	140	4	10	2	12768	5262	RTO-C	85	form-based			true	0.75	17	1.700000048	9	9	19152	11646	11646	1.5
1517	022	4782	0.11	1600	1	65	100	3	11	10	14346	12746	RM-1	40	form-based			true	0.7	10	0.909090936	9	9	13389.59961	11789.59961	11789.59961	0.933333
1521	033	3217	0.07	8265	8	65	100	3	7	0	9651	1386	NCD-GEAR	85	form-based		true	true	0.75	17	2.428571463	9	6	19302	11037	11037	2
1525	041	2615	0.06	5526	5	85	140	4	8	3	10460	4934	NCD-GEAR	85	form-based			true	0.75	14	1.75	9	9	15690	10164	10164	1.5
1530	028	3607	0.08	9585	10	65	100	3	8	0	10821	1236	NCD-GEAR	85	form-based		true	true	0.75	19	2.375	9	6	21642	12057	12057	2
1532	032	2065	0.05	3320	2	85	140	4	7	5	8260	4940	NCD-GEAR	85	form-based			true	0.75	11	1.571428537	9	9	12390	9070	9070	1.5
1532	032A	2065	0.05	3320	2	85	140	4	7	5	8260	4940	NCD-GEAR	85	form-based			true	0.75	11	1.571428537	9	9	12390	9070	9070	1.5
1532	032B	2065	0.05	3320	2	85	140	4	7	5	8260	4940	NCD-GEAR	85	form-based			true	0.75	11	1.571428537	9	9	12390	9070	9070	1.5
1533	045	4268	0.1	3152	0	65	100	3	10	10	12804	9652	RH-2	40	form-based		true	true	0.7	9	0.899999976	9	9	11950.39941	8798.399414	8798.399414	0.933333
1534	037	2045	0.05	2728	2	65	100	3	5	3	6135	3407	NCD-GEAR	85	form-based			true	0.75	11	2.200000048	9	8	12270	9542	9542	2
1534	037A	2045	0.05	3387	2	65	100	3	5	3	6135	2748	NCD-GEAR	85	form-based			true	0.75	11	2.200000048	9	8	12270	8883	8883	2
1544	027	2626	0.06	1932	1	65	100	3	6	5	7878	5946	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11817	9885	9885	1.5
1544	029	2628	0.06	2197	1	65	100	3	6	5	7884	5687	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11826	9629	9629	1.5
1545	027	2432	0.06	3275	0	65	100	3	6	6	7296	4021	NCD-INNE	65	form-based		true	true	0.75	9	1.5	9	9	10944	7669	7669	1.5
1546	006	4074	0.09	2500	0	65	100	3	9	9	12222	9722	RH-2	40	form-based			true	0.7	9	1	9	9	11407.2002	8907.200195	8907.200195	0.933333
1546	018	3242	0.07	2000	3	65	100	3	7	4	9726	7726	NCD-INNE	65	form-based			true	0.75	12	1.714285731	9	9	14589	12589	12589	1.5
1546	019	3243	0.07	3490	3	65	100	3	7	4	9729	6239	NCD-INNE	65	form-based			true	0.75	12	1.714285731	9	9	14593.5	11103.5	11103.5	1.5
1549	027	3030	0.07	2933	2	65	100	3	7	5	9090	6157	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13635	10702	10702	1.5
1551	024	2916	0.07	3410	2	65	100	3	7	5	8748	5338	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13122	9712	9712	1.5
1552	029	3198	0.07	4170	3	65	100	3	7	4	9594	5424	RTO-C	65	form-based			true	0.75	12	1.714285731	9	9	14391	10221	10221	1.5
1552	034	4732	0.11	3890	1	65	100	3	11	10	14196	10306	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13249.59961	9359.599609	9359.599609	0.933333
1552	035	4732	0.11	4209	1	65	100	3	11	10	14196	9987	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13249.59961	9040.599609	9040.599609	0.933333
1554	009	3340	0.08	5602	4	55	80	2.5	6	2	8350	2748	RTO-C	65	form-based		true	true	0.75	13	2.166666746	9	8	15030	9428	9428	1.8
1557	013	3535	0.08	4352	4	65	100	3	8	4	10605	6253	RTO-C	65	form-based			true	0.75	13	1.625	9	9	15907.5	11555.5	11555.5	1.5
1557	051	6057	0.14	1066	4	65	100	3	14	10	18171	17105	RH-2	40	form-based			true	0.7	13	0.928571403	9	9	16959.59961	15893.59961	15893.59961	0.933333
1562	024	3345	0.08	4806	4	65	100	3	8	4	10035	5229	RTO-C	65	form-based		true	true	0.75	13	1.625	9	9	15052.5	10246.5	10246.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1566	020	2793	0.06	1360	1	65	100	3	6	5	8379	7019	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12568.5	11208.5	11208.5	1.5
1566	021	2793	0.06	1770	1	65	100	3	6	5	8379	6609	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12568.5	10798.5	10798.5	1.5
1566	025B	2598	0.06	1611	1	65	100	3	6	5	7794	6183	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11691	10080	10080	1.5
1566	025C	2598	0.06	1743	1	65	100	3	6	5	7794	6051	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11691	9948	9948	1.5
1566	025D	2598	0.06	1470	1	65	100	3	6	5	7794	6324	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11691	10221	10221	1.5
1566	025E	2598	0.06	1265	1	65	100	3	6	5	7794	6529	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11691	10426	10426	1.5
1567	016	2845	0.07	2630	2	65	100	3	7	5	8535	5905	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	12802.5	10172.5	10172.5	1.5
1567	017	2845	0.07	2630	2	65	100	3	7	5	8535	5905	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	12802.5	10172.5	10172.5	1.5
1567	018	2845	0.07	2630	2	65	100	3	7	5	8535	5905	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	12802.5	10172.5	10172.5	1.5
1569	028	4699	0.11	1390	1	65	100	3	11	10	14097	12707	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	13157.2002	11767.2002	11767.2002	0.933333
1574	008	2658	0.06	1730	1	65	100	3	6	5	7974	6244	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11961	10231	10231	1.5
1576	010	2466	0.06	1750	0	65	100	3	6	6	7398	5648	NCD-OUTE	65	form-based			true	0.75	9	1.5	9	9	11097	9347	9347	1.5
1581	007H	2339	0.05	2100	0	55	80	2.5	4	4	5848	3748	NCD-OUTE	65	form-based			true	0.75	9	2.25	9	8	10525.5	8425.5	8425.5	1.799846
1583	025	2469	0.06	530	0	55	80	2.5	5	5	6172	5642	RTO-C	65	form-based			true	0.75	9	1.799999952	9	9	11110.5	10580.5	10580.5	1.800146
1583	027	2923	0.07	4276	2	55	80	2.5	6	4	7308	3032	NC-1	65	form-based			true	0.75	11	1.833333373	9	9	13153.5	8877.5	8877.5	1.799877
1606	046	2523	0.06	1700	0	55	80	2.5	5	5	6308	4608	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	9	9	11353.5	9653.5	9653.5	1.799857
1607	023	2522	0.06	1500	0	55	80	2.5	5	5	6305	4805	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	9	9	11349	9849	9849	1.8
1607	024	2522	0.06	1419	0	55	80	2.5	5	5	6305	4886	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	9	9	11349	9930	9930	1.8
1607	025	2522	0.06	2125	0	55	80	2.5	5	5	6305	4180	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	9	9	11349	9224	9224	1.8
1609	009	4858	0.11	2908	1	55	80	2.5	9	8	12145	9237	RH-2	40	form-based			true	0.7	10	1.111111164	9	9	13602.39941	10694.39941	10694.39941	1.12
1610	037	2520	0.06	2572	0	55	80	2.5	5	5	6300	3728	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	9	9	11340	8768	8768	1.8
1610	039	2520	0.06	1175	0	55	80	2.5	5	5	6300	5125	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	9	9	11340	10165	10165	1.8
1616	041	2597	0.06	1640	1	55	80	2.5	5	4	6492	4852	RTO-C	65	form-based			true	0.75	10	2	9	9	11686.5	10046.5	10046.5	1.800139
1616	042	2597	0.06	1240	1	55	80	2.5	5	4	6492	5252	RTO-C	65	form-based			true	0.75	10	2	9	9	11686.5	10446.5	10446.5	1.800139
1616	044	2597	0.06	2050	1	55	80	2.5	5	4	6492	4442	RTO-C	65	form-based			true	0.75	10	2	9	9	11686.5	9636.5	9636.5	1.800139
1616	045	2597	0.06	1250	1	55	80	2.5	5	4	6492	5242	RTO-C	65	form-based			true	0.75	10	2	9	9	11686.5	10436.5	10436.5	1.800139
1617	001	2912	0.07	3600	2	55	80	2.5	6	4	7280	3680	RTO-C	65	form-based	true		true	0.75	11	1.833333373	9	9	13104	9504	9504	1.8
1617	033	2536	0.06	3100	1	55	80	2.5	5	4	6340	3240	NC-1	65	form-based			true	0.75	10	2	9	9	11412	8312	8312	1.8
1617	033A	2537	0.06	2010	1	55	80	2.5	5	4	6342	4332	RTO-C	65	form-based			true	0.75	10	2	9	9	11416.5	9406.5	9406.5	1.800142
1617	034	2537	0.06	2030	1	55	80	2.5	5	4	6342	4312	RTO-C	65	form-based			true	0.75	10	2	9	9	11416.5	9386.5	9386.5	1.800142
1618	014	2637	0.06	1225	1	55	80	2.5	5	4	6592	5367	RTO-C	65	form-based			true	0.75	10	2	9	9	11866.5	10641.5	10641.5	1.800137
1618	015	2638	0.06	1575	1	55	80	2.5	5	4	6595	5020	RTO-C	65	form-based			true	0.75	10	2	9	9	11871	10296	10296	1.8
1619	027B	2718	0.06	2068	1	55	80	2.5	5	4	6795	4727	RTO-C	65	form-based			true	0.75	10	2	9	9	12231	10163	10163	1.8
1620	024	2808	0.06	3480	2	55	80	2.5	5	3	7020	3540	RTO-C	65	form-based			true	0.75	11	2.200000048	9	8	12636	9156	9156	1.8
1621	001A	2670	0.06	1442	1	55	80	2.5	5	4	6675	5233	RTO-C	65	form-based			true	0.75	10	2	9	9	12015	10573	10573	1.8
1623	040	3352	0.08	5400	4	55	80	2.5	6	2	8380	2980	NC-1	65	form-based	true		true	0.75	13	2.166666746	9	8	15084	9684	9684	1.8
1625	001	2485	0.06	5980	0	55	80	2.5	5	5	6212	232	NC-1	65	form-based	true		true	0.75	9	1.799999952	9	9	11182.5	5202.5	5202.5	1.800145
1627	022B	2568	0.06	2450	1	55	80	2.5	5	4	6420	3970	RTO-C	65	form-based	true		true	0.75	10	2	9	9	11556	9106	9106	1.8
1627	023	2541	0.06	2220	1	55	80	2.5	5	4	6352	4132	RTO-C	65	form-based			true	0.75	10	2	9	9	11434.5	9214.5	9214.5	1.800142
1627	024	3049	0.07	4221	2	55	80	2.5	6	4	7622	3401	RTO-C	65	form-based			true	0.75	11	1.833333373	9	9	13720.5	9499.5	9499.5	1.800118
1630	035	3445	0.08	6256	4	55	80	2.5	6	2	8612	2356	RTO-C	65	form-based			true	0.75	13	2.166666746	9	8	15502.5	9246.5	9246.5	1.800104
1635	001	3384	0.08	4226	4	55	80	2.5	6	2	8460	4234	RTO-C	65	form-based	true		true	0.75	13	2.166666746	9	8	15228	11002	11002	1.8
1637	001	2457	0.06	2430	0	55	80	2.5	5	5	6142	3712	NCD-INNE	65	form-based	true		true	0.75	9	1.799999952	9	9	11056.5	8626.5	8626.5	1.800147
1637	032	2778	0.06	2060	1	55	80	2.5	5	4	6945	4885	RTO-C	65	form-based			true	0.75	10	2	9	9	12501	10441	10441	1.8
1638	001	2312	0.05	2375	0	55	80	2.5	4	4	5780	3405	NCD-INNE	65	form-based	true		true	0.75	9	2.25	9	8	10404	8029	8029	1.8
1643	046	2375	0.05	1644	0	55	80	2.5	4	4	5938	4294	RTO-C	65	form-based			true	0.75	9	2.25	9	8	10687.5	9043.5	9043.5	1.799848
1651	019A	2024	0.05	3208	2	55	80	2.5	4	2	5060	1852	RTO-C	85	form-based			true	0.75	11	2.75	9	6	12144	8936	6912	2.4
1651	043	8947	0.21	11400	10	55	80	2.5	17	7	22368	10968	RH-2	40	form-based			true	0.7	19	1.117647052	9	9	25051.59961	13651.59961	13651.59961	1.119975
1651	072	2024	0.05	1459	2	55	80	2.5	4	2	5060	3601	RTO-C	85	form-based			true	0.75	11	2.75	9	6	12144	10685	8661	2.4
1654	020	1989	0.05	1650	1	55	80	2.5	4	3	4972	3322	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11934	10284	8294	2.400241
1654	021	1989	0.05	3480	1	55	80	2.5	4	3	4972	1492	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11934	8454	6464	2.400241
1654	022	1989	0.05	1650	1	55	80	2.5	4	3	4972	3322	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11934	10284	8294	2.400241
1654	023	1989	0.05	1650	1	55	80	2.5	4	3	4972	3322	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11934	10284	8294	2.400241
1654	024	1989	0.05	1650	1	55	80	2.5	4	3	4972	3322	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11934	10284	8294	2.400241
1655	038	4835	0.11	3877	1	55	80	2.5	9	8	12088	8211	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13538	9661	9661	1.119954
1658	015A	2840	0.07	6135	6	55	80	2.5	6	0	7100	965	RTO-C	85	form-based			true	0.75	15	2.5	9	6	17040	10905	8065	2.4
1658	019	1815	0.04	1939	1	55	80	2.5	3	2	4538	2599	RTO-C	85	form-based			true	0.75	10	3.333333254	9	5	10890	8951	7137	2.399735
1661	015	2500	0.06	3600	4	55	80	2.5	5	1	6250	2650	RTO-C	85	form-based			true	0.75	13	2.599999905	9	6	15000	11400	8900	2.4
1662	019	2500	0.06	3908	4	55	80	2.5	5	1	6250	2342	RTO-C	85	form-based			true	0.75	13	2.599999905	9	6	15000	11092	8592	2.4
1668	018B	2339	0.05	3579	3	55	80	2.5	4	1	5848	2269	RTO-C	85	form-based			true	0.75	12	3	9	5	14034	10455	8117	2.399795
1668	018C	2339	0.05	4580	3	55	80	2.5	4	1	5848	1268	RTO-C	85	form-based			true	0.75	12	3	9	5	14034	9454	7116	2.399795
1671	007L	2367	0.05	2385	3	55	80	2.5	4	1	5918	3533	RTO-C	85	form-based			true	0.75	12	3	9	5	14202	11817	9451	2.399797
1672	009	4561	0.1	12150	15	55	80	2.5	8	0	11402	0	RTO-C	85	form-based	true		true	0.75	24	3	9	1	27366	15216	10654	2.400105
1673	028	2101	0.05	3400	2	55	80	2.5	4	2	5252	1852	RTO-C	85	form-based			true	0.75	11	2.75	9	6	12606	9206	7104	2.400229

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1674	007F	3250	0.07	5850	8	55	80	2.5	6	0	8125	2275	RTO-C	85	form-based		true	true	0.75	17	2.833333254	9	4	19500	13650	10400	2.4
1703	052	2688	0.06	2442	1	65	100	3	6	5	8064	5622	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12096	9654	9654	1.5
1709	015	5796	0.13	15200	13	65	100	3	13	0	17388	2188	NC-1	65	form-based		true	true	0.75	22	1.692307711	9	9	26082	10882	10882	1.5
1709	017	2500	0.06	0	0	65	100	3	6	6	7500	7500	NC-1	65	form-based			true	0.75	9	1.5	9	9	11250	11250	11250	1.5
1710	024	2375	0.05	2375	0	65	100	3	5	5	7125	4750	NC-1	65	form-based		true	true	0.75	9	1.799999952	9	9	10687.5	8312.5	8312.5	1.5
1715	043	2592	0.06	2392	1	65	100	3	6	5	7776	5384	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11664	9272	9272	1.5
1716	044	2565	0.06	1375	1	65	100	3	6	5	7695	6320	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11542.5	10167.5	10167.5	1.5
1716	045	2565	0.06	1375	1	65	100	3	6	5	7695	6320	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11542.5	10167.5	10167.5	1.5
1716	046	2565	0.06	2025	1	65	100	3	6	5	7695	5670	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11542.5	9517.5	9517.5	1.5
1716	047	2565	0.06	2390	1	65	100	3	6	5	7695	5305	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11542.5	9152.5	9152.5	1.5
1718	002	2540	0.06	1310	1	65	100	3	6	5	7620	6310	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11430	10120	10120	1.5
1718	003	2541	0.06	1320	1	65	100	3	6	5	7623	6303	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11434.5	10114.5	10114.5	1.5
1718	006	4541	0.1	1532	1	65	100	3	10	9	13623	12091	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12714.7998	11182.7998	11182.7998	0.933333
1718	007	4565	0.1	2411	1	65	100	3	10	9	13695	11284	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12782	10371	10371	0.933333
1718	009	4542	0.1	1100	1	65	100	3	10	9	13626	12526	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12717.59961	11617.59961	11617.59961	0.933333
1718	046	2700	0.06	1275	1	65	100	3	6	5	8100	6825	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10875	10875	1.5
1719	001	2690	0.06	2690	1	65	100	3	6	5	8070	5380	RTO-C	65	form-based		true	true	0.75	10	1.666666627	9	9	12105	9415	9415	1.5
1719	001A	2690	0.06	1540	1	65	100	3	6	5	8070	6530	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12105	10565	10565	1.5
1719	010	2700	0.06	2104	1	65	100	3	6	5	8100	5996	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10046	10046	1.5
1719	011	2700	0.06	1902	1	65	100	3	6	5	8100	6198	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10248	10248	1.5
1719	013	2700	0.06	1300	1	65	100	3	6	5	8100	6800	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10850	10850	1.5
1719	014	2700	0.06	1300	1	65	100	3	6	5	8100	6800	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10850	10850	1.5
1720	001	2715	0.06	2227	1	65	100	3	6	5	8145	5918	RTO-C	65	form-based		true	true	0.75	10	1.666666627	9	9	12217.5	9990.5	9990.5	1.5
1720	002	2715	0.06	1735	1	65	100	3	6	5	8145	6410	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12217.5	10482.5	10482.5	1.5
1720	003	2715	0.06	1152	1	65	100	3	6	5	8145	6993	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12217.5	11065.5	11065.5	1.5
1720	040	2715	0.06	1940	1	65	100	3	6	5	8145	6205	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12217.5	10277.5	10277.5	1.5
1720	041	2715	0.06	1891	1	65	100	3	6	5	8145	6254	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12217.5	10326.5	10326.5	1.5
1720	042	2715	0.06	2160	1	65	100	3	6	5	8145	5985	RTO-C	65	form-based		true	true	0.75	10	1.666666627	9	9	12217.5	10057.5	10057.5	1.5
1720	043	2700	0.06	1422	1	65	100	3	6	5	8100	6678	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10728	10728	1.5
1720	044	2700	0.06	2083	1	65	100	3	6	5	8100	6017	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10067	10067	1.5
1721	002	4838	0.11	1590	1	65	100	3	11	10	14514	12924	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13546.39941	11956.39941	11956.39941	0.933333
1721	003	4803	0.11	2486	1	65	100	3	11	10	14409	11923	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13448.39941	10962.39941	10962.39941	0.933333
1721	004	4683	0.11	2712	1	65	100	3	11	10	14049	11337	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13112.39941	10400.39941	10400.39941	0.933333
1721	036	2720	0.06	1377	1	65	100	3	6	5	8160	6783	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12240	10863	10863	1.5
1722	002	4771	0.11	3024	1	65	100	3	11	10	14313	11289	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13358.7998	10334.7998	10334.7998	0.933333
1722	003	4771	0.11	3927	1	65	100	3	11	10	14313	10386	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13358.7998	9431.799805	9431.799805	0.933333
1722	004	4771	0.11	2880	1	65	100	3	11	10	14313	11433	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13358.7998	10478.7998	10478.7998	0.933333
1722	005	4771	0.11	2496	1	65	100	3	11	10	14313	11817	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13358.7998	10862.7998	10862.7998	0.933333
1722	006	4771	0.11	2688	1	65	100	3	11	10	14313	11625	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13358.7998	10670.7998	10670.7998	0.933333
1723	038	4875	0.11	2862	1	65	100	3	11	10	14625	11763	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13650	10788	10788	0.933333
1723	039	4800	0.11	3140	1	65	100	3	11	10	14400	11260	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13440	10300	10300	0.933333
1723	040	4800	0.11	3892	1	65	100	3	11	10	14400	10508	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13440	9548	9548	0.933333
1723	041	4800	0.11	2496	1	65	100	3	11	10	14400	11904	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13440	10944	10944	0.933333
1723	042	4800	0.11	2666	1	65	100	3	11	10	14400	11734	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13440	10774	10774	0.933333
1723	046	2642	0.06	1458	1	65	100	3	6	5	7926	6468	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11889	10431	10431	1.5
1723	047	2625	0.06	1550	1	65	100	3	6	5	7875	6325	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11812.5	10262.5	10262.5	1.5
1723	050	2888	0.07	1503	2	65	100	3	7	5	8664	7161	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	12996	11493	11493	1.5
1724	001	2713	0.06	2250	1	55	80	2.5	5	4	6782	4532	RTO-C	65	form-based		true	true	0.75	10	2	9	9	12208.5	9958.5	9958.5	1.800133
1724	002	2713	0.06	1250	1	65	100	3	6	5	8139	6889	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12208.5	10958.5	10958.5	1.5
1724	003	2713	0.06	1200	1	65	100	3	6	5	8139	6939	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12208.5	11008.5	11008.5	1.5
1724	033	2700	0.06	1080	1	65	100	3	6	5	8100	7020	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	11070	11070	1.5
1724	034	2700	0.06	1830	1	65	100	3	6	5	8100	6270	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10320	10320	1.5
1724	035	2700	0.06	1320	1	65	100	3	6	5	8100	6780	RTO-C	65	form-based		true	true	0.75	10	1.666666627	9	9	12150	10830	10830	1.5
1724	036	2700	0.06	1680	1	65	100	3	6	5	8100	6420	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10470	10470	1.5
1724	037	2700	0.06	1975	1	65	100	3	6	5	8100	6125	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10175	10175	1.5
1725	051	2625	0.06	2130	1	65	100	3	6	5	7875	5745	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11812.5	9682.5	9682.5	1.5
1728	026	2375	0.05	4241	3	65	100	3	5	2	7125	2884	NCD-IRVIN	85	form-based			true	0.75	12	2.400000095	9	7	14250	10009	10009	2
1730	001	2530	0.06	3430	4	55	80	2.5	5	1	6325	2895	RTO-C	85	form-based		true	true	0.75	13	2.599999905	9	6	15180	11750	9220	2.4
1730	026	3015	0.07	4584	2	65	100	3	7	5	9045	4461	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	8983.5	8983.5	1.5
1730	027	2989	0.07	4423	2	65	100	3	7	5	8967	4544	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13450.5	9027.5	9027.5	1.5
1730	030	2989	0.07	3202	2	65	100	3	7	5	8967	5765	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13450.5	10248.5	10248.5	1.5
1730	032	2989	0.07	5516	2	65	100	3	7	5	8967	3451	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13450.5	7934.5	7934.5	1.5
1730	033	2989	0.07	5565	2	65	100	3	7	5	8967	3402	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13450.5	7885.5	7885.5	1.5
1730	041	2239	0.05	3130	3	65	100	3	5	2	6717	3587	RTO-C	85	form-based			true	0.75	12	2.400000095	9	7	13434	10304	10304	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1730	049	4483	0.1	6478	8	65	100	3	10	2	13449	6971	RTO-C	65	form-based			true	0.75	17	1.700000048	9	9	20173.5	13695.5	13695.5	1.5
1731	012	2228	0.05	3630	3	65	100	3	5	2	6684	3054	RTO-C	85	form-based			true	0.75	12	2.400000095	9	7	13368	9738	9738	2
1731	031	3000	0.07	2644	2	65	100	3	7	5	9000	6356	NCD-IRVIN	65	form-based			true	0.75	11	1.571428537	9	9	13500	10856	10856	1.5
1731	033	3000	0.07	2292	2	65	100	3	7	5	9000	6708	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	11208	11208	1.5
1731	042	3000	0.07	3094	2	65	100	3	7	5	9000	5906	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10406	10406	1.5
1732	002	3051	0.07	3072	2	65	100	3	7	5	9153	6081	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13729.5	10657.5	10657.5	1.5
1732	011	3002	0.07	2866	2	65	100	3	7	5	9006	6140	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13509	10643	10643	1.5
1732	017	2727	0.06	1510	1	65	100	3	6	5	8181	6671	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12271.5	10761.5	10761.5	1.5
1732	037	3000	0.07	6370	7	65	100	3	7	0	9000	2630	RTO-C	85	form-based			true	0.75	16	2.285714388	9	7	18000	11630	11630	2
1732	050	7205	0.17	15429	18	65	100	3	17	0	21615	6186	RTO-C	65	form-based			true	0.75	27	1.588235259	9	9	32422.5	16993.5	16993.5	1.5
1733	004	2988	0.07	2000	2	65	100	3	7	5	8964	6964	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	11446	11446	1.5
1733	008	2988	0.07	2100	2	65	100	3	7	5	8964	6864	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	11346	11346	1.5
1733	033	4500	0.1	6410	8	65	100	3	10	2	13500	7090	RTO-C	65	form-based			true	0.75	17	1.700000048	9	9	20250	13840	13840	1.5
1733	037	3000	0.07	2945	2	65	100	3	7	5	9000	6055	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10555	10555	1.5
1734	016A	2457	0.06	2544	4	65	100	3	6	2	7371	4827	NCD-INNE	85	form-based			true	0.75	13	2.166666746	9	8	14742	12198	12198	2
1735	063	4565	0.1	1900	1	65	100	3	10	9	13695	11795	RH-2	40	form-based			true	0.7	10	1	9	9	12782	10882	10882	0.933333
1736	033	6288	0.14	6042	4	65	100	3	14	10	18864	12822	RH-2	40	form-based			true	0.7	13	0.928571403	9	9	17606.40039	11564.40039	11564.40039	0.933333
1736	042	6510	0.15	15316	15	65	100	3	15	0	19530	4214	RTO-C	65	form-based		true	true	0.75	24	1.600000024	9	9	29295	13979	13979	1.5
1738	019	2267	0.05	3075	3	65	100	3	5	2	6801	3726	NCD-INNE	85	form-based			true	0.75	12	2.400000095	9	7	13602	10527	10527	2
1739	023	2498	0.06	3994	4	65	100	3	6	2	7494	3500	NCD-INNE	85	form-based			true	0.75	13	2.166666746	9	8	14988	10994	10994	2
1740	022	2500	0.06	3180	4	65	100	3	6	2	7500	4320	NCD-INNE	85	form-based			true	0.75	13	2.166666746	9	8	15000	11820	11820	2
1742	026	2940	0.07	4330	6	65	100	3	7	1	8820	4490	NCD-INNE	85	form-based			true	0.75	15	2.142857075	9	8	17640	13310	13310	2
1743	003	3015	0.07	2944	2	65	100	3	7	5	9045	6101	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	10623.5	10623.5	1.5
1743	004	3015	0.07	2992	2	65	100	3	7	5	9045	6053	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	10575.5	10575.5	1.5
1743	005	3015	0.07	3080	2	65	100	3	7	5	9045	5965	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	10487.5	10487.5	1.5
1743	006	3014	0.07	3272	2	65	100	3	7	5	9042	5770	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13563	10291	10291	1.5
1743	009	3014	0.07	4410	2	65	100	3	7	5	9042	4632	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13563	9153	9153	1.5
1743	011	3016	0.07	3072	2	65	100	3	7	5	9048	5976	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13572	10500	10500	1.5
1743	013	3015	0.07	3220	2	65	100	3	7	5	9045	5825	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	10347.5	10347.5	1.5
1743	014	3015	0.07	3032	2	65	100	3	7	5	9045	6013	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	10535.5	10535.5	1.5
1744	015	3000	0.07	2758	2	65	100	3	7	5	9000	6242	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10742	10742	1.5
1744	026	3000	0.07	4280	2	65	100	3	7	5	9000	4720	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	9220	9220	1.5
1750	010	3477	0.08	4850	9	85	140	4	11	2	13908	9058	RTO-C	85	form-based		true	true	0.75	18	1.636363626	9	9	20862	16012	16012	1.5
1751	009	2381	0.05	3968	4	85	140	4	7	3	9524	5556	RTO-C	85	form-based			true	0.75	13	1.857142806	9	9	14286	10318	10318	1.5
1752	010	3420	0.08	5990	9	65	100	3	8	0	10260	4270	RTO-C	85	form-based		true	true	0.75	18	2.25	9	7	20520	14530	14530	2
1752	013	3411	0.08	8190	9	65	100	3	8	0	10233	2043	RTO-C	85	form-based		true	true	0.75	18	2.25	9	7	20466	12276	12276	2
1752	014	2373	0.05	4200	3	65	100	3	5	2	7119	2919	RTO-C	85	form-based			true	0.75	12	2.400000095	9	7	14238	10038	10038	2
1755	014	2372	0.05	2900	3	65	100	3	5	2	7116	4216	RTO-C	85	form-based			true	0.75	12	2.400000095	9	7	14232	11332	11332	2
1758	020	2575	0.06	2387	1	65	100	3	6	5	7725	5338	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11587.5	9200.5	9200.5	1.5
1758	037	2375	0.05	3100	3	65	100	3	5	2	7125	4025	RTO-C	85	form-based			true	0.75	12	2.400000095	9	7	14250	11150	11150	2
1759	023	2803	0.06	2380	2	65	100	3	6	4	8409	6029	RTO-C	65	form-based			true	0.75	11	1.833333373	9	9	12613.5	10233.5	10233.5	1.5
1759	045	2375	0.05	3750	3	85	140	4	7	4	9500	5750	RTO-C	85	form-based			true	0.75	12	1.714285731	9	9	14250	10500	10500	1.5
1760	027	2378	0.05	1826	0	65	100	3	5	5	7134	5308	RTO-C	65	form-based		true	true	0.75	9	1.799999952	9	9	10701	8875	8875	1.5
1760	050	2375	0.05	6058	3	85	140	4	7	4	9500	3442	NCD-INNE	85	form-based		true	true	0.75	12	1.714285731	9	9	14250	8192	8192	1.5
1761	002	2369	0.05	3450	3	85	140	4	7	4	9476	6026	RTO-C	85	form-based			true	0.75	12	1.714285731	9	9	14214	10764	10764	1.5
1761	038	2500	0.06	2900	4	65	100	3	6	2	7500	4600	NCD-INNE	85	form-based			true	0.75	13	2.166666746	9	8	15000	12100	12100	2
1761	039	2500	0.06	4443	4	85	140	4	8	4	10000	5557	NCD-INNE	85	form-based			true	0.75	13	1.625	9	9	15000	10557	10557	1.5
1762	012	3015	0.07	2900	2	65	100	3	7	5	9045	6145	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	10667.5	10667.5	1.5
1762	017	3015	0.07	3900	2	65	100	3	7	5	9045	5145	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	9667.5	9667.5	1.5
1765	039A	2500	0.06	2513	4	65	100	3	6	2	7500	4987	NCD-INNE	85	form-based			true	0.75	13	2.166666746	9	8	15000	12487	12487	2
1765	043	2500	0.06	5800	4	65	100	3	6	2	7500	1700	NCD-INNE	85	form-based			true	0.75	13	2.166666746	9	8	15000	9200	9200	2
1766	026	3204	0.07	3254	8	85	140	4	10	2	12816	9562	RTO-C	85	form-based		true	true	0.75	17	1.700000048	9	9	19224	15970	15970	1.5
1767	023B	2082	0.05	1628	2	85	140	4	7	5	8328	6700	RTO-C	85	form-based			true	0.75	11	1.571428537	9	9	12492	10864	10864	1.5
1767	060	2500	0.06	788	4	65	100	3	6	2	7500	6712	NCD-INNE	85	form-based			true	0.75	13	2.166666746	9	8	15000	14212	14212	2
1769	019A	2491	0.06	4000	4	65	100	3	6	2	7473	3473	RTO-C	85	form-based		true	true	0.75	13	2.166666746	9	8	14946	10946	10946	2
1770	038	2477	0.06	2744	4	65	100	3	6	2	7431	4687	NCD-INNE	85	form-based			true	0.75	13	2.166666746	9	8	14862	12118	12118	2
1770	039	2523	0.06	2512	4	65	100	3	6	2	7569	5057	NCD-INNE	85	form-based			true	0.75	13	2.166666746	9	8	15138	12626	12626	2
1771	045	2523	0.06	3022	4	65	100	3	6	2	7569	4547	NCD-INNE	85	form-based			true	0.75	13	2.166666746	9	8	15138	12116	12116	2
1772	002	2988	0.07	2440	2	65	100	3	7	5	8964	6524	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	11006	11006	1.5
1772	003	2988	0.07	2590	2	65	100	3	7	5	8964	6374	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	10856	10856	1.5
1772	004C	3000	0.07	1940	2	65	100	3	7	5	9000	7060	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	11560	11560	1.5
1772	004I	3000	0.07	2760	2	65	100	3	7	5	9000	6240	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10740	10740	1.5
1772	004K	2988	0.07	2247	2	65	100	3	7	5	8964	6717	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	11199	11199	1.5
1772	004P	2988	0.07	3169	2	65	100	3	7	5	8964	5795	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	10277	10277	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1772	005D	2988	0.07	4690	2	65	100	3	7	5	8964	4274	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	8756	8756	1.5
1772	005Q	3000	0.07	3796	2	65	100	3	7	5	9000	5204	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	9704	9704	1.5
1772	005R	3000	0.07	2370	2	65	100	3	7	5	9000	6630	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	11130	11130	1.5
1772	019	3000	0.07	1942	2	65	100	3	7	5	9000	7058	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	11558	11558	1.5
1772	031	2500	0.06	5724	4	65	100	3	6	2	7500	1776	NCD-INNE	85	form-based			true	0.75	13	2.166666746	9	8	15000	9276	9276	2
1773	019	3000	0.07	1369	2	85	140	4	10	8	12000	10631	RTO-C	65	form-based			true	0.75	11	1.100000024	9	9	13500	12131	12131	1.125
1774	011	2271	0.05	2784	3	65	100	3	5	2	6813	4029	RTO-C	85	form-based			true	0.75	12	2.400000095	9	7	13626	10842	10842	2
1774	012	2306	0.05	2784	3	65	100	3	5	2	6918	4134	RTO-C	85	form-based			true	0.75	12	2.400000095	9	7	13836	11052	11052	2
1774	014	2448	0.06	3562	4	65	100	3	6	2	7344	3782	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	14688	11126	11126	2
1774	029	3000	0.07	3486	2	65	100	3	7	5	9000	5514	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10014	10014	1.5
1774	030	3000	0.07	3228	2	65	100	3	7	5	9000	5772	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10272	10272	1.5
1774	031	3000	0.07	1385	2	65	100	3	7	5	9000	7615	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	12115	12115	1.5
1774	033	3000	0.07	3509	2	65	100	3	7	5	9000	5491	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	9991	9991	1.5
1774	034	3000	0.07	1385	2	65	100	3	7	5	9000	7615	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	12115	12115	1.5
1774	036	3560	0.08	4752	4	65	100	3	8	4	10680	5928	RTO-C	65	form-based			true	0.75	13	1.625	9	9	16020	11268	11268	1.5
1774	037	3000	0.07	2640	2	65	100	3	7	5	9000	6360	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10860	10860	1.5
1774	040	3000	0.07	3370	2	65	100	3	7	5	9000	5630	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10130	10130	1.5
1775	008	3030	0.07	2500	2	65	100	3	7	5	9090	6590	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13635	11135	11135	1.5
1775	010	3030	0.07	2548	2	65	100	3	7	5	9090	6542	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13635	11087	11087	1.5
1775	021	2589	0.06	4050	5	65	100	3	6	1	7767	3717	RTO-C	85	form-based			true	0.75	14	2.333333254	9	7	15534	11484	11484	2
1775	032	2989	0.07	3000	2	65	100	3	7	5	8967	5967	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13450.5	10450.5	10450.5	1.5
1775	041	2989	0.07	2760	2	65	100	3	7	5	8967	6207	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13450.5	10690.5	10690.5	1.5
1775	051	4491	0.1	10800	15	65	100	3	10	0	13473	2673	RTO-C	85	form-based		true	true	0.75	24	2.400000095	9	5	26946	16146	16146	2
1778	012	4566	0.1	1695	1	65	100	3	10	9	13698	12003	RH-2	40	form-based			true	0.7	10	1	9	9	12784.7998	11089.7998	11089.7998	0.933333
1780	024	2787	0.06	3072	6	85	140	4	8	2	11148	8076	RTO-C	85	form-based			true	0.75	15	1.875	9	9	16722	13650	13650	1.5
1786	014	2479	0.06	2019	4	85	140	4	8	4	9916	7897	NCD-JUDA	85	form-based			true	0.75	13	1.625	9	9	14874	12855	12855	1.5
1786	015	2479	0.06	2690	4	65	100	3	6	2	7437	4747	NCD-JUDA	85	form-based			true	0.75	13	2.166666746	9	8	14874	12184	12184	2
1787	013	2480	0.06	2960	4	65	100	3	6	2	7440	4480	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	14880	11920	11920	2
1792	001A	2689	0.06	2053	1	65	100	3	6	5	8067	6014	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12100.5	10047.5	10047.5	1.5
1792	001B	2689	0.06	1870	1	65	100	3	6	5	8067	6197	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12100.5	10230.5	10230.5	1.5
1792	002I	2700	0.06	1488	1	65	100	3	6	5	8100	6612	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10662	10662	1.5
1792	002J	2700	0.06	1230	1	65	100	3	6	5	8100	6870	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10920	10920	1.5
1792	002L	2700	0.06	1645	1	65	100	3	6	5	8100	6455	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10505	10505	1.5
1792	002M	2700	0.06	1610	1	65	100	3	6	5	8100	6490	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12150	10540	10540	1.5
1792	008	2053	0.05	2250	2	65	100	3	5	3	6159	3909	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12318	10068	10068	2
1793	008	4379	0.1	7418	0	65	100	3	10	10	13137	5719	RH-1	40	form-based			true	0.7	9	0.899999976	9	9	12261.2002	4843.200195	4843.200195	0.933333
1794	001	4770	0.11	6300	9	65	100	3	11	2	14310	8010	RTO-C	65	form-based		true	true	0.75	18	1.636363626	9	9	21465	15165	15165	1.5
1794	043	4550	0.1	5250	8	65	100	3	10	2	13650	8400	RTO-C	65	form-based			true	0.75	17	1.700000048	9	9	20475	15225	15225	1.5
1795	015C	1965	0.05	1650	1	85	140	4	7	6	7860	6210	RTO-C	85	form-based			true	0.75	10	1.428571463	9	9	11790	10140	10140	1.5
1795	015D	1964	0.05	1777	1	85	140	4	7	6	7856	6079	RTO-C	85	form-based			true	0.75	10	1.428571463	9	9	11784	10007	10007	1.5
1796	036	3125	0.07	3088	3	65	100	3	7	4	9375	6287	RTO-C	65	form-based			true	0.75	12	1.714285731	9	9	14062.5	10974.5	10974.5	1.5
1797	001A	2464	0.06	2583	0	65	100	3	6	6	7392	4809	RTO-C	65	form-based			true	0.75	9	1.5	9	9	11088	8505	8505	1.5
1798	060	2355	0.05	2811	3	85	140	4	7	4	9420	6609	RTO-C	85	form-based			true	0.75	12	1.714285731	9	9	14130	11319	11319	1.5
1799	001	3015	0.07	4950	2	65	100	3	7	5	9045	4095	RTO-C	65	form-based		true	true	0.75	11	1.571428537	9	9	13567.5	8617.5	8617.5	1.5
1801	023	2065	0.05	1560	2	85	140	4	7	5	8260	6700	RTO-C	85	form-based			true	0.75	11	1.571428537	9	9	12390	10830	10830	1.5
1801	043	2477	0.06	1729	0	65	100	3	6	6	7431	5702	RTO-C	65	form-based			true	0.75	9	1.5	9	9	11146.5	9417.5	9417.5	1.5
1802	012	3182	0.07	5748	8	65	100	3	7	0	9546	3798	RTO-C	85	form-based		true	true	0.75	17	2.428571463	9	6	19092	13344	13344	2
1805	038	4713	0.11	2772	1	85	140	4	15	14	18852	16080	RM-1	40	form-based			true	0.7	10	0.666666687	9	9	13196.39941	10424.39941	10424.39941	0.7
1807	044	2500	0.06	4140	4	85	140	4	8	4	10000	5860	RTO-C	85	form-based			true	0.75	13	1.625	9	9	15000	10860	10860	1.5
1808	051	2500	0.06	2700	4	85	140	4	8	4	10000	7300	NC-1	85	form-based			true	0.75	13	1.625	9	9	15000	12300	12300	1.5
1808	052	2500	0.06	2788	4	85	140	4	8	4	10000	7212	NC-1	85	form-based			true	0.75	13	1.625	9	9	15000	12212	12212	1.5
1809	030	1875	0.04	1150	1	65	100	3	4	3	5625	4475	NC-1	85	form-based			true	0.75	10	2.5	9	7	11250	10100	10100	2
1812	041A	1875	0.04	1741	1	65	100	3	4	3	5625	3884	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11250	9509	9509	2
1812	041B	1875	0.04	1225	1	65	100	3	4	3	5625	4400	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11250	10025	10025	2
1812	041D	1875	0.04	1505	1	65	100	3	4	3	5625	4120	RTO-C	85	form-based		true	true	0.75	10	2.5	9	7	11250	9745	9745	2
1814	001	2260	0.05	2315	3	85	140	4	7	4	9040	6725	NC-1	85	form-based		true	true	0.75	12	1.714285731	9	9	13560	11245	11245	1.5
1815	018	3000	0.07	5505	7	65	100	3	7	0	9000	3495	NC-1	85	form-based		true	true	0.75	16	2.285714388	9	7	18000	12495	12495	2
1818	037	2140	0.05	2250	2	65	100	3	5	3	6420	4170	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12840	10590	10590	2
1821	034	2500	0.06	3250	4	65	100	3	6	2	7500	4250	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	15000	11750	11750	2
1822	029	2500	0.06	3214	4	65	100	3	6	2	7500	4286	NCD-JUDA	85	form-based			true	0.75	13	2.166666746	9	8	15000	11786	11786	2
1824	053	2750	0.06	3864	5	65	100	3	6	1	8250	4386	NCD-JUDA	85	form-based			true	0.75	14	2.333333254	9	7	16500	12636	12636	2
1824	054	2750	0.06	3864	5	65	100	3	6	1	8250	4386	NCD-JUDA	85	form-based			true	0.75	14	2.333333254	9	7	16500	12636	12636	2
1825	045	2925	0.07	4340	6	85	140	4	10	4	11700	7360	RTO-C	85	form-based			true	0.75	15	1.5	9	9	17550	13210	13210	1.5
1826	037	1800	0.04	1238	0	85	140	4	6	6	7200	5962	NC-1	85	form-based			true	0.75	9	1.5	9	9	10800	9562	9562	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1827	040	2500	0.06	3128	4	65	100	3	6	2	7500	4372	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	15000	11872	11872	2
1828	011	3260	0.07	5735	8	65	100	3	7	0	9780	4045	RTO-C	85	form-based		true	true	0.75	17	2.428571463	9	6	19560	13825	13825	2
1829	001	3257	0.07	5750	8	65	100	3	7	0	9771	4021	RTO-C	85	form-based		true	true	0.75	17	2.428571463	9	6	19542	13792	13792	2
1829	050	2062	0.05	1749	2	85	140	4	7	5	8248	6499	RTO-C	85	form-based			true	0.75	11	1.571428537	9	9	12372	10623	10623	1.5
1833	002	2966	0.07	4118	2	65	100	3	7	5	8898	4780	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13347	9229	9229	1.5
1833	004	2966	0.07	2600	2	65	100	3	7	5	8898	6298	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13347	10747	10747	1.5
1833	004A	2966	0.07	2674	2	65	100	3	7	5	8898	6224	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13347	10673	10673	1.5
1833	005	2966	0.07	2674	2	65	100	3	7	5	8898	6224	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13347	10673	10673	1.5
1833	007A	2966	0.07	3839	2	65	100	3	7	5	8898	5059	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13347	9508	9508	1.5
1833	008	2966	0.07	2250	2	65	100	3	7	5	8898	6648	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13347	11097	11097	1.5
1833	008A	2966	0.07	2534	2	65	100	3	7	5	8898	6364	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13347	10813	10813	1.5
1833	010	2966	0.07	2472	2	65	100	3	7	5	8898	6426	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13347	10875	10875	1.5
1833	012	2966	0.07	1750	2	65	100	3	7	5	8898	7148	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13347	11597	11597	1.5
1833	012A	2918	0.07	3849	2	65	100	3	7	5	8754	4905	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13131	9282	9282	1.5
1833	015	3810	0.09	6155	5	65	100	3	9	4	11430	5275	RTO-C	65	form-based		true	true	0.75	14	1.555555582	9	9	17145	10990	10990	1.5
1833	017	3027	0.07	2950	2	65	100	3	7	5	9081	6131	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13621.5	10671.5	10671.5	1.5
1833	026	3027	0.07	3190	2	65	100	3	7	5	9081	5891	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13621.5	10431.5	10431.5	1.5
1833	027	3027	0.07	3250	2	65	100	3	7	5	9081	5831	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13621.5	10371.5	10371.5	1.5
1833	028	3027	0.07	3394	2	65	100	3	7	5	9081	5687	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13621.5	10227.5	10227.5	1.5
1833	029	3027	0.07	2200	2	65	100	3	7	5	9081	6881	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13621.5	11421.5	11421.5	1.5
1833	031	2090	0.05	3725	2	65	100	3	5	3	6270	2545	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12540	8815	8815	2
1833	032	2090	0.05	3050	2	65	100	3	5	3	6270	3220	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12540	9490	9490	2
1834	024	3015	0.07	4850	2	65	100	3	7	5	9045	4195	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	8717.5	8717.5	1.5
1834	029	3027	0.07	2700	2	65	100	3	7	5	9081	6381	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13621.5	10921.5	10921.5	1.5
1834	030	3027	0.07	2000	2	65	100	3	7	5	9081	7081	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13621.5	11621.5	11621.5	1.5
1835	002	2951	0.07	3185	2	85	140	4	10	8	11804	8619	RTO-C	65	form-based			true	0.75	11	1.100000024	9	9	13279.5	10094.5	10094.5	1.125
1835	004	3000	0.07	2472	2	65	100	3	7	5	9000	6528	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	11028	11028	1.5
1835	006	3000	0.07	2840	2	65	100	3	7	5	9000	6160	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10660	10660	1.5
1835	011	3000	0.07	2200	2	65	100	3	7	5	9000	6800	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	11300	11300	1.5
1836	002A	2988	0.07	2920	2	65	100	3	7	5	8964	6044	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	10526	10526	1.5
1836	003	2988	0.07	3242	2	65	100	3	7	5	8964	5722	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	10204	10204	1.5
1836	004A	2988	0.07	3554	2	65	100	3	7	5	8964	5410	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	9892	9892	1.5
1836	005	2988	0.07	2650	2	65	100	3	7	5	8964	6314	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	10796	10796	1.5
1836	006	2988	0.07	2880	2	65	100	3	7	5	8964	6084	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	10566	10566	1.5
1836	006A	2988	0.07	3050	2	65	100	3	7	5	8964	5914	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	10396	10396	1.5
1836	007	2988	0.07	3430	2	65	100	3	7	5	8964	5534	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	10016	10016	1.5
1836	008	2988	0.07	2600	2	65	100	3	7	5	8964	6364	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	10846	10846	1.5
1836	008A	2988	0.07	2900	2	65	100	3	7	5	8964	6064	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	10546	10546	1.5
1836	008E	2940	0.07	2400	2	65	100	3	7	5	8820	6420	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13230	10830	10830	1.5
1836	008H	2988	0.07	2600	2	65	100	3	7	5	8964	6364	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	10846	10846	1.5
1836	011	3024	0.07	3000	2	65	100	3	7	5	9072	6072	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13608	10608	10608	1.5
1836	013	3024	0.07	2900	2	65	100	3	7	5	9072	6172	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13608	10708	10708	1.5
1836	014	3024	0.07	3060	2	65	100	3	7	5	9072	6012	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13608	10548	10548	1.5
1836	014A	3024	0.07	3000	2	65	100	3	7	5	9072	6072	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13608	10608	10608	1.5
1836	015	3024	0.07	2700	2	65	100	3	7	5	9072	6372	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13608	10908	10908	1.5
1836	015A	3024	0.07	3290	2	65	100	3	7	5	9072	5782	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13608	10318	10318	1.5
1836	016	3024	0.07	2970	2	65	100	3	7	5	9072	6102	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13608	10638	10638	1.5
1836	016A	3024	0.07	2650	2	65	100	3	7	5	9072	6422	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13608	10958	10958	1.5
1836	017	3024	0.07	3200	2	65	100	3	7	5	9072	5872	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13608	10408	10408	1.5
1836	021B	2399	0.06	3900	4	65	100	3	6	2	7197	3297	RTO-C	85	form-based		true	true	0.75	13	2.166666746	9	8	14394	10494	10494	2
1836	026	3024	0.07	1470	2	65	100	3	7	5	9072	7602	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13608	12138	12138	1.5
1836	032	2988	0.07	1533	2	65	100	3	7	5	8964	7431	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13446	11913	11913	1.5
1836	034	3024	0.07	1184	2	65	100	3	7	5	9072	7888	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13608	12424	12424	1.5
1836	036	3024	0.07	1202	2	65	100	3	7	5	9072	7870	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13608	12406	12406	1.5
1836	049	3024	0.07	3200	2	65	100	3	7	5	9072	5872	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13608	10408	10408	1.5
1836	051	3024	0.07	1465	2	65	100	3	7	5	9072	7607	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13608	12143	12143	1.5
1837	049	2500	0.06	3284	4	85	140	4	8	4	10000	6716	RTO-C	85	form-based			true	0.75	13	1.625	9	9	15000	11716	11716	1.5
1837	056	2016	0.05	1479	2	65	100	3	5	3	6048	4569	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12096	10617	10617	2
1839	022G	1945	0.04	1375	1	85	140	4	6	5	7780	6405	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11670	10295	10295	1.5
1841	016	4838	0.11	2620	1	65	100	3	11	10	14514	11894	RH-2	40	form-based		true	true	0.7	10	0.909090936	9	9	13546.39941	10926.39941	10926.39941	0.933333
1842	041B	2086	0.05	2900	2	85	140	4	7	5	8344	5444	RTO-C	85	form-based			true	0.75	11	1.571428537	9	9	12516	9616	9616	1.5
1843	042	2175	0.05	2661	2	65	100	3	5	3	6525	3864	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	13050	10389	10389	2
1843	047	2250	0.05	2098	3	65	100	3	5	2	6750	4652	RTO-C	85	form-based			true	0.75	12	2.400000095	9	7	13500	11402	11402	2
1844	045	2500	0.06	2273	4	85	140	4	8	4	10000	7727	NCD-INNE	85	form-based			true	0.75	13	1.625	9	9	15000	12727	12727	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1844	046	4000	0.09	8430	12	85	140	4	13	1	16000	7570	NCD-INNE	85	form-based			true	0.75	21	1.615384579	9	9	24000	15570	15570	1.5
1845	052	3256	0.07	6740	8	65	100	3	7	0	9768	3028	NCD-INNE	85	form-based			true	0.75	17	2.428571463	9	6	19536	12796	12796	2
1846	005	2966	0.07	1660	2	65	100	3	7	5	8898	7238	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13347	11687	11687	1.5
1846	006	3015	0.07	2488	2	65	100	3	7	5	9045	6557	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	11079.5	11079.5	1.5
1846	008	3015	0.07	3470	2	65	100	3	7	5	9045	5575	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	10097.5	10097.5	1.5
1846	009	3015	0.07	3700	2	65	100	3	7	5	9045	5345	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	9867.5	9867.5	1.5
1846	010	3015	0.07	4678	2	65	100	3	7	5	9045	4367	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	8889.5	8889.5	1.5
1846	014	3015	0.07	3000	2	65	100	3	7	5	9045	6045	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	10567.5	10567.5	1.5
1846	017	3015	0.07	3333	2	65	100	3	7	5	9045	5712	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	10234.5	10234.5	1.5
1847	034	3000	0.07	1850	2	65	100	3	7	5	9000	7150	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	11650	11650	1.5
1847	035	3000	0.07	3216	2	65	100	3	7	5	9000	5784	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10284	10284	1.5
1847	044	3000	0.07	3484	2	65	100	3	7	5	9000	5516	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10016	10016	1.5
1847	061	3000	0.07	1124	2	65	100	3	7	5	9000	7876	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	12376	12376	1.5
1853	004D	3015	0.07	1500	2	65	100	3	7	5	9045	7545	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	12067.5	12067.5	1.5
1853	004E	3015	0.07	2820	2	65	100	3	7	5	9045	6225	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13567.5	10747.5	10747.5	1.5
1860A	015A	4986	0.11	4562	1	65	100	3	11	10	14958	10396	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13960.7998	9398.799805	9398.799805	0.933333
1860A	033	4639	0.11	1300	1	65	100	3	11	10	13917	12617	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	12989.2002	11689.2002	11689.2002	0.933333
1860B	028	4680	0.11	2172	1	65	100	3	11	10	14040	11868	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13104	10932	10932	0.933333
1860B	029	4946	0.11	2172	1	65	100	3	11	10	14838	12666	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13848.7998	11676.7998	11676.7998	0.933333
1864	030	2272	0.05	2275	3	65	100	3	5	2	6816	4541	RTO-C	85	form-based			true	0.75	12	2.400000095	9	7	13632	11357	11357	2
1870	011	2559	0.06	1650	1	65	100	3	6	5	7677	6027	RTO-C	65	form-based		true	true	0.75	10	1.666666627	9	9	11515.5	9865.5	9865.5	1.5
1871	013	2503	0.06	2500	0	65	100	3	6	6	7509	5009	NC-1	65	form-based			true	0.75	9	1.5	9	9	11263.5	8763.5	8763.5	1.5
1872	014	2698	0.06	1793	1	65	100	3	6	5	8094	6301	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12141	10348	10348	1.5
1872	014A	2698	0.06	1961	1	65	100	3	6	5	8094	6133	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12141	10180	10180	1.5
1873	016	2693	0.06	1500	1	65	100	3	6	5	8079	6579	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12118.5	10618.5	10618.5	1.5
1888	008	2489	0.06	2500	0	65	100	3	6	6	7467	4967	NC-1	65	form-based			true	0.75	9	1.5	9	9	11200.5	8700.5	8700.5	1.5
1888	016	2489	0.06	2500	0	65	100	3	6	6	7467	4967	NC-1	65	form-based			true	0.75	9	1.5	9	9	11200.5	8700.5	8700.5	1.5
1901	045	2473	0.06	2500	0	55	80	2.5	5	5	6182	3682	NC-1	65	form-based		true	true	0.75	9	1.799999952	9	9	11128.5	8628.5	8628.5	1.800146
1916	012	3896	0.09	3900	6	55	80	2.5	7	1	9740	5840	RTO-C	65	form-based			true	0.75	15	2.142857075	9	8	17532	13632	13632	1.8
1923	030	4860	0.11	2651	1	55	80	2.5	9	8	12150	9499	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13608	10957	10957	1.12
1925	014	2345	0.05	2900	3	55	80	2.5	4	1	5862	2962	RTO-C	85	form-based			true	0.75	12	3	9	5	14070	11170	8824	2.400205
1925	016	1902	0.04	2250	1	55	80	2.5	3	2	4755	2505	RTO-C	85	form-based			true	0.75	10	3.333333254	9	5	11412	9162	7260	2.4
1927A	001K	4571	0.1	1802	1	55	80	2.5	8	7	11428	9626	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12798.7998	10996.7998	10996.7998	1.119951
1927A	001L	4706	0.11	2805	1	55	80	2.5	9	8	11765	8960	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13176.7998	10371.7998	10371.7998	1.12
1927A	001M	4549	0.1	1680	1	55	80	2.5	8	7	11372	9692	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12737.2002	11057.2002	11057.2002	1.120049
1928	001	4954	0.11	2407	1	55	80	2.5	9	8	12385	9978	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13871.2002	11464.2002	11464.2002	1.12
1928	014	4632	0.11	2012	1	55	80	2.5	9	8	11580	9568	RH-1	40	form-based		true	true	0.7	10	1.111111164	9	9	12969.59961	10957.59961	10957.59961	1.12
1928	040	4624	0.11	3071	1	55	80	2.5	9	8	11560	8489	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	12947.2002	9876.200195	9876.200195	1.12
1929A	051	4855	0.11	2073	1	55	80	2.5	9	8	12138	10065	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13594	11521	11521	1.119954
1931	030	4525	0.1	2740	1	55	80	2.5	8	7	11312	8572	RH-2	40	form-based			true	0.7	10	1.25	9	9	12670	9930	9930	1.120049
1933	051	4800	0.11	3900	1	55	80	2.5	9	8	12000	8100	RH-2	40	form-based			true	0.7	10	1.111111164	9	9	13440	9540	9540	1.12
1935	033	4535	0.1	2430	1	55	80	2.5	8	7	11338	8908	RH-1	40	form-based			true	0.7	10	1.25	9	9	12698	10268	10268	1.119951
1935	035	4527	0.1	2525	1	55	80	2.5	8	7	11318	8793	RH-1	40	form-based			true	0.7	10	1.25	9	9	12675.59961	10150.59961	10150.59961	1.119951
1935	047	4712	0.11	2186	1	55	80	2.5	9	8	11780	9594	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13193.59961	11007.59961	11007.59961	1.12
1935	048	4704	0.11	2165	1	55	80	2.5	9	8	11760	9595	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13171.2002	11006.2002	11006.2002	1.12
1935	051	4627	0.11	1820	1	55	80	2.5	9	8	11568	9748	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	12955.59961	11135.59961	11135.59961	1.119952
2014	004H	1890	0.04	1496	1	55	80	2.5	3	2	4725	3229	RTO-C	85	form-based		true	true	0.75	10	3.333333254	9	5	11340	9844	7954	2.4
2015	019A	1936	0.04	1550	1	55	80	2.5	3	2	4840	3290	RTO-C	85	form-based		true	true	0.75	10	3.333333254	9	5	11616	10066	8130	2.4
2016	025	1863	0.04	1025	1	55	80	2.5	3	2	4658	3633	RTO-C	85	form-based			true	0.75	10	3.333333254	9	5	11178	10153	8291	2.399742
2016	026	1863	0.04	1025	1	55	80	2.5	3	2	4658	3633	RTO-C	85	form-based			true	0.75	10	3.333333254	9	5	11178	10153	8291	2.399742
2016	027	1862	0.04	1025	1	55	80	2.5	3	2	4655	3630	RTO-C	85	form-based			true	0.75	10	3.333333254	9	5	11172	10147	8285	2.4
2016	028	1928	0.04	1461	1	55	80	2.5	3	2	4820	3359	RTO-C	85	form-based		true	true	0.75	10	3.333333254	9	5	11568	10107	8179	2.4
2020	010A	1828	0.04	1163	1	55	80	2.5	3	2	4570	3407	RTO-C	85	form-based		true	true	0.75	10	3.333333254	9	5	10968	9805	7977	2.4
2020	010B	1827	0.04	1163	1	55	80	2.5	3	2	4568	3405	RTO-C	85	form-based			true	0.75	10	3.333333254	9	5	10962	9799	7973	2.399737
2020	010C	1828	0.04	1163	1	55	80	2.5	3	2	4570	3407	RTO-C	85	form-based			true	0.75	10	3.333333254	9	5	10968	9805	7977	2.4
2020	010D	1828	0.04	1465	1	55	80	2.5	3	2	4570	3105	RTO-C	85	form-based			true	0.75	10	3.333333254	9	5	10968	9503	7675	2.4
2020	011	1909	0.04	1175	1	55	80	2.5	3	2	4772	3597	RTO-C	85	form-based			true	0.75	10	3.333333254	9	5	11454	10279	8369	2.400251
2020	012	1828	0.04	1163	1	55	80	2.5	3	2	4570	3407	RTO-C	85	form-based			true	0.75	10	3.333333254	9	5	10968	9805	7977	2.4
2020	012A	1827	0.04	1163	1	55	80	2.5	3	2	4568	3405	RTO-C	85	form-based			true	0.75	10	3.333333254	9	5	10962	9799	7973	2.399737
2020	012B	1828	0.04	1680	1	55	80	2.5	3	2	4570	2890	RTO-C	85	form-based			true	0.75	10	3.333333254	9	5	10968	9288	7460	2.4
2027	014	2355	0.05	4888	3	55	80	2.5	4	1	5888	1000	NCD-NORI	85	form-based			true	0.75	12	3	9	5	14130	9242	6888	2.399796
2031	011A	1918	0.04	1250	1	55	80	2.5	3	2	4795	3545	RTO-C	85	form-based			true	0.75	10	3.333333254	9	5	11508	10258	8340	2.4
2033A	007	4590	0.11	1545	1	55	80	2.5	9	8	11475	9930	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12852	11307	11307	1.12
2033A	009	4600	0.11	2456	1	55	80	2.5	9	8	11500	9044	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12880	10424	10424	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2033A	010	4600	0.11	1500	1	55	80	2.5	9	8	11500	10000	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12880	11380	11380	1.12
2033A	011	4600	0.11	1500	1	55	80	2.5	9	8	11500	10000	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12880	11380	11380	1.12
2033A	012	4600	0.11	1500	1	55	80	2.5	9	8	11500	10000	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12880	11380	11380	1.12
2033A	013	4600	0.11	1500	1	55	80	2.5	9	8	11500	10000	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12880	11380	11380	1.12
2033A	014	4600	0.11	3143	1	55	80	2.5	9	8	11500	8357	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12880	9737	9737	1.12
2034A	001B	4076	0.09	0	0	55	80	2.5	7	7	10190	10190	RH-1	40	form-based		true	true	0.7	9	1.285714269	9	9	11412.7998	11412.7998	11412.7998	1.12
2034A	001C	4109	0.09	0	0	55	80	2.5	7	7	10272	10272	RH-1	40	form-based			true	0.7	9	1.285714269	9	9	11505.2002	11505.2002	11505.2002	1.120054
2034A	037	4129	0.09	0	0	55	80	2.5	7	7	10322	10322	RH-1	40	form-based			true	0.7	9	1.285714269	9	9	11561.2002	11561.2002	11561.2002	1.120054
2036B	013	4768	0.11	2517	1	55	80	2.5	9	8	11920	9403	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13350.39941	10833.39941	10833.39941	1.12
2038A	047	4518	0.1	3393	0	55	80	2.5	8	8	11295	7902	RH-1	40	form-based			true	0.7	9	1.125	9	9	12650.39941	9257.399414	9257.399414	1.12
2052A	035	4742	0.11	1847	1	55	80	2.5	9	8	11855	10008	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13277.59961	11430.59961	11430.59961	1.12
2052A	038	4645	0.11	2259	1	55	80	2.5	9	8	11612	9353	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13006	10747	10747	1.120048
2125	005	4628	0.11	1771	1	55	80	2.5	9	8	11570	9799	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	12958.39941	11187.39941	11187.39941	1.12
2126	007	4773	0.11	2644	1	55	80	2.5	9	8	11932	9288	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13364.39941	10720.39941	10720.39941	1.120047
2126	008	4945	0.11	1175	1	55	80	2.5	9	8	12362	11187	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13846	12671	12671	1.120045
2127	013	4680	0.11	3190	1	55	80	2.5	9	8	11700	8510	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13104	9914	9914	1.12
2128	004	4719	0.11	2211	1	55	80	2.5	9	8	11798	9587	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13213.2002	11002.2002	11002.2002	1.119953
2128	006	4820	0.11	1664	1	55	80	2.5	9	8	12050	10386	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13496	11832	11832	1.12
2133A	012	4534	0.1	1265	1	55	80	2.5	8	7	11335	10070	RH-1	40	form-based			true	0.7	10	1.25	9	9	12695.2002	11430.2002	11430.2002	1.12
2133A	014	4552	0.1	1075	1	55	80	2.5	8	7	11380	10305	RH-1	40	form-based			true	0.7	10	1.25	9	9	12745.59961	11670.59961	11670.59961	1.12
2134B	009	4810	0.11	1288	1	55	80	2.5	9	8	12025	10737	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13468	12180	12180	1.12
2135	014	4725	0.11	1608	1	55	80	2.5	9	8	11812	10204	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13230	11622	11622	1.120047
2136	002	4768	0.11	2183	1	55	80	2.5	9	8	11920	9737	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13350.39941	11167.39941	11167.39941	1.12
2136	003D	4981	0.11	3131	1	55	80	2.5	9	8	12452	9321	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13946.7998	10815.7998	10815.7998	1.120045
2136	016	4639	0.11	3349	1	55	80	2.5	9	8	11598	8249	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12989.2002	9640.200195	9640.200195	1.119952
2136	017	4639	0.11	3349	1	55	80	2.5	9	8	11598	8249	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12989.2002	9640.200195	9640.200195	1.119952
2138	017	2229	0.05	2860	3	55	80	2.5	4	1	5572	2712	RTO-C	85	form-based			true	0.75	12	3	9	5	13374	10514	8284	2.400215
2138	018	2229	0.05	2860	3	55	80	2.5	4	1	5572	2712	RTO-C	85	form-based			true	0.75	12	3	9	5	13374	10514	8284	2.400215
2170	052	4573	0.1	2469	1	55	80	2.5	8	7	11432	8963	RH-1	40	form-based			true	0.7	10	1.25	9	9	12804.39941	10335.39941	10335.39941	1.120049
2188	023	4904	0.11	1548	1	55	80	2.5	9	8	12260	10712	RH-1	40	form-based		true	true	0.7	10	1.111111164	9	9	13731.2002	12183.2002	12183.2002	1.12
2199	008	1911	0.04	1762	1	55	80	2.5	3	2	4778	3016	RTO-C	85	form-based		true	true	0.75	10	3.333333254	9	5	11466	9704	7794	2.399749
2203	016	4717	0.11	2000	1	55	80	2.5	9	8	11792	9792	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13207.59961	11207.59961	11207.59961	1.120047
2206	075	4692	0.11	2464	1	55	80	2.5	9	8	11730	9266	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13137.59961	10673.59961	10673.59961	1.12
2206	097	4878	0.11	4250	1	55	80	2.5	9	8	12195	7945	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13658.39941	9408.399414	9408.399414	1.12
2321	013A	4739	0.11	3695	1	65	100	3	11	10	14217	10522	RH-1	40	form-based		true	true	0.7	10	0.909090936	9	9	13269.2002	9574.200195	9574.200195	0.933333
2323	017	5803	0.13	2850	3	65	100	3	13	10	17409	14559	RH-1	40	form-based		true	true	0.7	12	0.923076928	9	9	16248.39941	13398.39941	13398.39941	0.933333
2331	015	2073	0.05	4031	2	65	100	3	5	3	6219	2188	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12438	8407	8407	2
2332	014	4705	0.11	3999	1	65	100	3	11	10	14115	10116	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13174	9175	9175	0.933333
2337	017	4709	0.11	1100	1	55	80	2.5	9	8	11772	10672	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13185.2002	12085.2002	12085.2002	1.120048
2341	024	4705	0.11	1475	1	65	100	3	11	10	14115	12640	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13174	11699	11699	0.933333
2341	038	4734	0.11	3510	1	65	100	3	11	10	14202	10692	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13255.2002	9745.200195	9745.200195	0.933333
2342	018	2558	0.06	1950	1	65	100	3	6	5	7674	5724	NCD-INNE	65	form-based			true	0.75	10	1.666666627	9	9	11511	9561	9561	1.5
2343	019	2500	0.06	3360	0	85	140	4	8	8	10000	6640	NCD-INNE	65	form-based			true	0.75	9	1.125	9	9	11250	7890	7890	1.125
2344A	038	2188	0.05	2250	2	85	140	4	7	5	8752	6502	NCD-INNE	85	form-based			true	0.75	11	1.571428537	9	9	13128	10878	10878	1.5
2346	023	2997	0.07	3275	2	65	100	3	7	5	8991	5716	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13486.5	10211.5	10211.5	1.5
2346	026	2995	0.07	3120	2	65	100	3	7	5	8985	5865	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13477.5	10357.5	10357.5	1.5
2346	027	2995	0.07	3120	2	65	100	3	7	5	8985	5865	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13477.5	10357.5	10357.5	1.5
2346	028	2995	0.07	3120	2	65	100	3	7	5	8985	5865	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13477.5	10357.5	10357.5	1.5
2346	028A	2995	0.07	2750	2	65	100	3	7	5	8985	6235	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13477.5	10727.5	10727.5	1.5
2346	029	2994	0.07	2750	2	65	100	3	7	5	8982	6232	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13473	10723	10723	1.5
2346	032	2688	0.06	2220	1	65	100	3	6	5	8064	5844	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12096	9876	9876	1.5
2346	041	2996	0.07	1271	2	65	100	3	7	5	8988	7717	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13482	12211	12211	1.5
2347	004A	2774	0.06	1350	1	65	100	3	6	5	8322	6972	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12483	11133	11133	1.5
2347	004B	2774	0.06	2275	1	65	100	3	6	5	8322	6047	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12483	10208	10208	1.5
2347	004C	2774	0.06	1675	1	65	100	3	6	5	8322	6647	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12483	10808	10808	1.5
2347	004D	2664	0.06	1350	1	65	100	3	6	5	7992	6642	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11988	10638	10638	1.5
2347	004E	2775	0.06	1350	1	65	100	3	6	5	8325	6975	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12487.5	11137.5	11137.5	1.5
2347	006	3000	0.07	3200	2	65	100	3	7	5	9000	5800	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10300	10300	1.5
2347	007	3000	0.07	3068	2	85	140	4	10	8	12000	8932	RTO-C	65	form-based			true	0.75	11	1.100000024	9	9	13500	10432	10432	1.125
2347	021	2275	0.05	2733	3	65	100	3	5	2	6825	4092	RTO-C	85	form-based			true	0.75	12	2.400000095	9	7	13650	10917	10917	2
2348	028A	2977	0.07	2478	2	65	100	3	7	5	8931	6453	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13396.5	10918.5	10918.5	1.5
2348	029	2977	0.07	2478	2	65	100	3	7	5	8931	6453	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13396.5	10918.5	10918.5	1.5
2348	030	2978	0.07	3475	2	65	100	3	7	5	8934	5459	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13401	9926	9926	1.5
2348	032	2979	0.07	2850	2	65	100	3	7	5	8937	6087	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13405.5	10555.5	10555.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2348	033	2980	0.07	3273	2	65	100	3	7	5	8940	5667	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13410	10137	10137	1.5
2348	034	2981	0.07	3857	2	65	100	3	7	5	8943	5086	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13414.5	9557.5	9557.5	1.5
2348	034A	2981	0.07	4126	2	65	100	3	7	5	8943	4817	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13414.5	9288.5	9288.5	1.5
2349	001A	2883	0.07	2250	2	65	100	3	7	5	8649	6399	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	12973.5	10723.5	10723.5	1.5
2349	002	2830	0.06	2426	2	65	100	3	6	4	8490	6064	RTO-C	65	form-based			true	0.75	11	1.833333373	9	9	12735	10309	10309	1.5
2349	002A	3002	0.07	4355	2	65	100	3	7	5	9006	4651	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13509	9154	9154	1.5
2349	002B	3002	0.07	2426	2	65	100	3	7	5	9006	6580	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13509	11083	11083	1.5
2349	009	3005	0.07	2854	2	65	100	3	7	5	9015	6161	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13522.5	10668.5	10668.5	1.5
2349	012	3006	0.07	5663	2	65	100	3	7	5	9018	3355	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13527	7864	7864	1.5
2349	013	3006	0.07	1184	2	65	100	3	7	5	9018	7834	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13527	12343	12343	1.5
2349	017	2500	0.06	2473	4	65	100	3	6	2	7500	5027	NCD-TARA	85	form-based			true	0.75	13	2.166666746	9	8	15000	12527	12527	2
2349	024	3000	0.07	5374	2	65	100	3	7	5	9000	3626	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	8126	8126	1.5
2349	025	3000	0.07	2478	2	65	100	3	7	5	9000	6522	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	11022	11022	1.5
2349	028	3000	0.07	3080	2	65	100	3	7	5	9000	5920	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10420	10420	1.5
2349	029	3000	0.07	2653	2	65	100	3	7	5	9000	6347	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10847	10847	1.5
2349	030	3000	0.07	2803	2	65	100	3	7	5	9000	6197	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10697	10697	1.5
2349	031A	3000	0.07	2680	2	65	100	3	7	5	9000	6320	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	10820	10820	1.5
2349	032	3000	0.07	4777	2	65	100	3	7	5	9000	4223	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	8723	8723	1.5
2349	038	2751	0.06	1910	1	65	100	3	6	5	8253	6343	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12379.5	10469.5	10469.5	1.5
2349	039	3000	0.07	1017	2	65	100	3	7	5	9000	7983	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	12483	12483	1.5
2349	041	3000	0.07	2056	2	65	100	3	7	5	9000	6944	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13500	11444	11444	1.5
2350	022	2500	0.06	3550	4	85	140	4	8	4	10000	6450	NCD-TARA	85	form-based			true	0.75	13	1.625	9	9	15000	11450	11450	1.5
2353	009	2500	0.06	3900	4	65	100	3	6	2	7500	3600	NCD-TARA	85	form-based			true	0.75	13	2.166666746	9	8	15000	11100	11100	2
2353	012	2500	0.06	3900	4	65	100	3	6	2	7500	3600	NCD-TARA	85	form-based			true	0.75	13	2.166666746	9	8	15000	11100	11100	2
2354	013	2500	0.06	4898	4	85	140	4	8	4	10000	5102	NCD-TARA	85	form-based			true	0.75	13	1.625	9	9	15000	10102	10102	1.5
2355	002	4620	0.11	1916	1	65	100	3	11	10	13860	11944	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	12936	11020	11020	0.933333
2355	008	2067	0.05	2048	2	85	140	4	7	5	8268	6220	NCD-TARA	85	form-based			true	0.75	11	1.571428537	9	9	12402	10354	10354	1.5
2355	013	3260	0.07	5806	8	85	140	4	10	2	13040	7234	NCD-TARA	85	form-based	true		true	0.75	17	1.700000048	9	9	19560	13754	13754	1.5
2356	008A	2466	0.06	4451	4	65	100	3	6	2	7398	2947	NCD-TARA	85	form-based	true		true	0.75	13	2.166666746	9	8	14796	10345	10345	2
2356	013	2500	0.06	3502	4	65	100	3	6	2	7500	3998	NCD-TARA	85	form-based			true	0.75	13	2.166666746	9	8	15000	11498	11498	2
2358	015	2500	0.06	2570	4	85	140	4	8	4	10000	7430	NCD-TARA	85	form-based			true	0.75	13	1.625	9	9	15000	12430	12430	1.5
2360	002	4827	0.11	4175	1	65	100	3	11	10	14481	10306	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13515.59961	9340.599609	9340.599609	0.933333
2361	001A	4886	0.11	2453	1	65	100	3	11	10	14658	12205	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13680.7998	11227.7998	11227.7998	0.933333
2362	047	2500	0.06	4345	4	65	100	3	6	2	7500	3155	NCD-TARA	85	form-based			true	0.75	13	2.166666746	9	8	15000	10655	10655	2
2366	021C	2058	0.05	2075	2	85	140	4	7	5	8232	6157	RTO-C	85	form-based	true		true	0.75	11	1.571428537	9	9	12348	10273	10273	1.5
2366	023A	2063	0.05	3109	2	65	100	3	5	3	6189	3080	RTO-C	85	form-based	true		true	0.75	11	2.200000048	9	8	12378	9269	9269	2
2366	023B	2063	0.05	3113	2	65	100	3	5	3	6189	3076	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12378	9265	9265	2
2366	023C	2062	0.05	2600	2	65	100	3	5	3	6186	3586	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12372	9772	9772	2
2366	023D	2062	0.05	2600	2	65	100	3	5	3	6186	3586	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12372	9772	9772	2
2368	037	2500	0.06	3350	4	85	140	4	8	4	10000	6650	RTO-C	85	form-based			true	0.75	13	1.625	9	9	15000	11650	11650	1.5
2370	023	2500	0.06	3210	4	85	140	4	8	4	10000	6790	RTO-C	85	form-based			true	0.75	13	1.625	9	9	15000	11790	11790	1.5
2370	049	2875	0.07	4750	6	85	140	4	10	4	11500	6750	RTO-C	85	form-based	true		true	0.75	15	1.5	9	9	17250	12500	12500	1.5
2371	013	1875	0.04	1558	1	85	140	4	6	5	7500	5942	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11250	9692	9692	1.5
2371	016	3250	0.07	5730	8	65	100	3	7	0	9750	4020	RTO-C	85	form-based	true		true	0.75	17	2.428571463	9	6	19500	13770	13770	2
2374	017	2500	0.06	2048	4	85	140	4	8	4	10000	7952	RTO-C	85	form-based			true	0.75	13	1.625	9	9	15000	12952	12952	1.5
2374	018	2500	0.06	3000	4	85	140	4	8	4	10000	7000	RTO-C	85	form-based			true	0.75	13	1.625	9	9	15000	12000	12000	1.5
2374	042	2500	0.06	1507	4	85	140	4	8	4	10000	8493	NC-1	85	form-based			true	0.75	13	1.625	9	9	15000	13493	13493	1.5
2375	022	2500	0.06	2950	4	85	140	4	8	4	10000	7050	NC-1	85	form-based			true	0.75	13	1.625	9	9	15000	12050	12050	1.5
2375	025	2878	0.07	4800	6	65	100	3	7	1	8634	3834	NC-1	85	form-based	true		true	0.75	15	2.142857075	9	8	17268	12468	12468	2
2378	049	7469	0.17	1428	7	65	100	3	17	10	22407	20979	RM-1	40	form-based			true	0.7	16	0.941176474	9	9	20913.19922	19485.19922	19485.19922	0.933333
2380	045	2500	0.06	2814	4	85	140	4	8	4	10000	7186	RTO-C	85	form-based			true	0.75	13	1.625	9	9	15000	12186	12186	1.5
2382	013	1875	0.04	800	1	85	140	4	6	5	7500	6700	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11250	10450	10450	1.5
2382	014	1875	0.04	1232	1	85	140	4	6	5	7500	6268	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11250	10018	10018	1.5
2384	027A	2500	0.06	3240	4	85	140	4	8	4	10000	6760	RTO-C	85	form-based			true	0.75	13	1.625	9	9	15000	11760	11760	1.5
2384	028	2500	0.06	3130	4	85	140	4	8	4	10000	6870	RTO-C	85	form-based			true	0.75	13	1.625	9	9	15000	11870	11870	1.5
2386	050	2062	0.05	2356	2	85	140	4	7	5	8248	5892	RTO-C	85	form-based			true	0.75	11	1.571428537	9	9	12372	10016	10016	1.5
2386	059	2279	0.05	1649	3	65	100	3	5	2	6837	5188	RTO-C	85	form-based	true		true	0.75	12	2.400000095	9	7	13674	12025	12025	2
2388	028	2062	0.05	2431	2	65	100	3	5	3	6186	3755	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12372	9941	9941	2
2390	043	2500	0.06	3852	4	65	100	3	6	2	7500	3648	NCD-TARA	85	form-based			true	0.75	13	2.166666746	9	8	15000	11148	11148	2
2393	044	2500	0.06	8125	4	85	140	4	8	4	10000	1875	NCD-TARA	85	form-based			true	0.75	13	1.625	9	9	15000	6875	6875	1.5
2396	036	1988	0.05	1928	1	85	140	4	7	6	7952	6024	NCD-TARA	85	form-based			true	0.75	10	1.428571463	9	9	11928	10000	10000	1.5
2396	039	2500	0.06	4812	4	85	140	4	8	4	10000	5188	NCD-TARA	85	form-based			true	0.75	13	1.625	9	9	15000	10188	10188	1.5
2396	040	2500	0.06	3130	4	85	140	4	8	4	10000	6870	NCD-TARA	85	form-based			true	0.75	13	1.625	9	9	15000	11870	11870	1.5
2397	041	1893	0.04	3930	1	65	100	3	4	3	5679	1749	NCD-TARA	85	form-based			true	0.75	10	2.5	9	7	11358	7428	7428	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2398	012	4531	0.1	2335	1	65	100	3	10	9	13593	11258	RH-1	40	form-based			true	0.7	10	1	9	9	12686.7998	10351.7998	10351.7998	0.933333
2400	043	2500	0.06	8025	4	85	140	4	8	4	10000	1975	NCD-TARA	85	form-based			true	0.75	13	1.625	9	9	15000	6975	6975	1.5
2401	041	2500	0.06	4400	4	65	100	3	6	2	7500	3100	NCD-TARA	85	form-based			true	0.75	13	2.166666746	9	8	15000	10600	10600	2
2405	036	1667	0.04	3300	0	65	100	3	4	4	5001	1701	NCD-TARA	85	form-based			true	0.75	9	2.25	9	8	10002	6702	6702	2
2407	012	1866	0.04	1251	1	65	100	3	4	3	5598	4347	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11196	9945	9945	2
2407	012A	1867	0.04	1251	1	65	100	3	4	3	5601	4350	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11202	9951	9951	2
1032	003	446796	10.26	905491	0	85	140	4	1436	1436	1787184	881693	RM-1	92	density-lin	800	true		0.55	558	0.388579398	558	558	1745364.625	839873.625	839873.625	0.9766
2410	029C	2500	0.06	3057	4	85	140	4	8	4	10000	6943	NCD-INNE	85	form-based			true	0.75	13	1.625	9	9	15000	11943	11943	1.5
2413	003	4724	0.11	1850	1	65	100	3	11	10	14172	12322	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13227.2002	11377.2002	11377.2002	0.933333
2414	002A	5358	0.12	2585	2	85	140	4	17	15	21432	18847	RH-1	40	form-based			true	0.7	11	0.647058845	9	9	15002.39941	12417.39941	12417.39941	0.7
2414	007	4609	0.11	1840	1	65	100	3	11	10	13827	11987	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	12905.2002	11065.2002	11065.2002	0.933333
2414	007A	4858	0.11	2653	1	85	140	4	15	14	19432	16779	RH-1	40	form-based			true	0.7	10	0.666666687	9	9	13602.39941	10949.39941	10949.39941	0.7
2414	009	2559	0.06	2099	1	85	140	4	8	7	10236	8137	RTO-C	65	form-based			true	0.75	10	1.25	9	9	11515.5	9416.5	9416.5	1.125
2414	011	2637	0.06	1825	1	85	140	4	8	7	10548	8723	RTO-C	65	form-based			true	0.75	10	1.25	9	9	11866.5	10041.5	10041.5	1.125
2414	013	2590	0.06	1425	1	85	140	4	8	7	10360	8935	RTO-C	65	form-based			true	0.75	10	1.25	9	9	11655	10230	10230	1.125
2414	027	4839	0.11	3670	1	65	100	3	11	10	14517	10847	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13549.2002	9879.200195	9879.200195	0.933333
2416	001	2612	0.06	1414	1	65	100	3	6	5	7836	6422	RTO-C	65	form-based		true	true	0.75	10	1.666666627	9	9	11754	10340	10340	1.5
2419	008	1959	0.04	2240	1	65	100	3	4	3	5877	3637	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11754	9514	9514	2
2429	033	4612	0.11	1425	1	65	100	3	11	10	13836	12411	RH-1	40	form-based		true	true	0.7	10	0.909090936	9	9	12913.59961	11488.59961	11488.59961	0.933333
2451	004A	4700	0.11	1000	1	65	100	3	11	10	14100	13100	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13160	12160	12160	0.933333
2451	006J	2690	0.06	800	1	85	140	4	8	7	10760	9960	RTO-C	65	form-based			true	0.75	10	1.25	9	9	12105	11305	11305	1.125
2452	031	2500	0.06	1529	0	65	100	3	6	6	7500	5971	RTO-C	65	form-based			true	0.75	9	1.5	9	9	11250	9721	9721	1.5
2453	017	3600	0.08	4758	5	65	100	3	8	3	10800	6042	RTO-C	65	form-based			true	0.75	14	1.75	9	9	16200	11442	11442	1.5
2453	019	3600	0.08	3494	5	65	100	3	8	3	10800	7306	RTO-C	65	form-based			true	0.75	14	1.75	9	9	16200	12706	12706	1.5
2461A	001S	4629	0.11	1585	1	55	80	2.5	9	8	11572	9987	RH-1	40	form-based		true	true	0.7	10	1.111111164	9	9	12961.2002	11376.2002	11376.2002	1.120048
2463A	002	4544	0.1	1812	1	55	80	2.5	8	7	11360	9548	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12723.2002	10911.2002	10911.2002	1.12
2463A	004	4542	0.1	1900	1	55	80	2.5	8	7	11355	9455	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12717.59961	10817.59961	10817.59961	1.12
2463A	015	3484	0.08	4568	4	55	80	2.5	6	2	8710	4142	NC-1	65	form-based			true	0.75	13	2.166666746	9	8	15678	11110	11110	1.8
2468	005	4639	0.11	1478	1	55	80	2.5	9	8	11598	10120	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	12989.2002	11511.2002	11511.2002	1.119952
2468	006	4531	0.1	2053	1	55	80	2.5	8	7	11328	9275	RH-1	40	form-based			true	0.7	10	1.25	9	9	12686.7998	10633.7998	10633.7998	1.119951
2468	007	4800	0.11	2006	1	55	80	2.5	9	8	12000	9994	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13440	11434	11434	1.12
2468	008	4946	0.11	2406	1	55	80	2.5	9	8	12365	9959	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13848.7998	11442.7998	11442.7998	1.12
2468	009	4903	0.11	1758	1	55	80	2.5	9	8	12258	10500	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13728.39941	11970.39941	11970.39941	1.119954
2471	001	4802	0.11	1802	1	55	80	2.5	9	8	12005	10203	RH-1	40	form-based		true	true	0.7	10	1.111111164	9	9	13445.59961	11643.59961	11643.59961	1.12
2471	056	4729	0.11	2920	1	55	80	2.5	9	8	11822	8902	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13241.2002	10321.2002	10321.2002	1.120047
2473	046	2505	0.06	1669	0	55	80	2.5	5	5	6262	4593	NC-1	65	form-based			true	0.75	9	1.799999952	9	9	11272.5	9603.5	9603.5	1.800144
2473	047	2505	0.06	2500	0	55	80	2.5	5	5	6262	3762	NC-1	65	form-based			true	0.75	9	1.799999952	9	9	11272.5	8772.5	8772.5	1.800144
2474	048	2500	0.06	7793	0	55	80	2.5	5	5	6250	0	NC-1	65	form-based			true	0.75	9	1.799999952	9	9	11250	3457	3457	1.8
2478	013F	4531	0.1	1296	1	55	80	2.5	8	7	11328	10032	RH-1	40	form-based			true	0.7	10	1.25	9	9	12686.7998	11390.7998	11390.7998	1.119951
2478	013G	4543	0.1	1662	1	55	80	2.5	8	7	11358	9696	RH-1	40	form-based			true	0.7	10	1.25	9	9	12720.39941	11058.39941	11058.39941	1.119951
2478	013H	4555	0.1	1896	1	55	80	2.5	8	7	11388	9492	RH-1	40	form-based			true	0.7	10	1.25	9	9	12754	10858	10858	1.119951
2478	013I	4567	0.1	1296	1	65	100	3	10	9	13701	12405	RH-1	40	form-based			true	0.7	10	1	9	9	12787.59961	11491.59961	11491.59961	0.933333
2478	013J	4793	0.11	1636	1	65	100	3	11	10	14379	12743	RH-1	40	form-based		true	true	0.7	10	0.909090936	9	9	13420.39941	11784.39941	11784.39941	0.933333
2482	003A	4539	0.1	3257	1	65	100	3	10	9	13617	10360	RH-1	40	form-based			true	0.7	10	1	9	9	12709.2002	9452.200195	9452.200195	0.933333
2482	008	4600	0.11	1571	1	65	100	3	11	10	13800	12229	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	12880	11309	11309	0.933333
2494A	004	4646	0.11	1469	1	55	80	2.5	9	8	11615	10146	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13008.7998	11539.7998	11539.7998	1.12
2501A	018	4684	0.11	2696	1	55	80	2.5	9	8	11710	9014	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13115.2002	10419.2002	10419.2002	1.12
2501A	021	4853	0.11	2336	1	55	80	2.5	9	8	12132	9796	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13588.39941	11252.39941	11252.39941	1.120046
2501A	025	4775	0.11	2664	1	55	80	2.5	9	8	11938	9274	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13370	10706	10706	1.119953
2501A	026	4783	0.11	2080	1	55	80	2.5	9	8	11958	9878	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13392.39941	11312.39941	11312.39941	1.119953
2502A	001	4753	0.11	3280	1	55	80	2.5	9	8	11882	8602	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13308.39941	10028.39941	10028.39941	1.120047
2502A	004	4609	0.11	1975	1	55	80	2.5	9	8	11522	9547	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12905.2002	10930.2002	10930.2002	1.120049
2502A	006	4582	0.11	1975	1	55	80	2.5	9	8	11455	9480	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12829.59961	10854.59961	10854.59961	1.12
2502A	007	4749	0.11	2116	1	55	80	2.5	9	8	11872	9756	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13297.2002	11181.2002	11181.2002	1.120047
2502A	008	4682	0.11	2023	1	55	80	2.5	9	8	11705	9682	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13109.59961	11086.59961	11086.59961	1.12
2502A	009	4603	0.11	1852	1	55	80	2.5	9	8	11508	9656	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12888.39941	11036.39941	11036.39941	1.119951
2502A	010	4979	0.11	2172	1	55	80	2.5	9	8	12448	10276	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13941.2002	11769.2002	11769.2002	1.119955
2502A	021	4816	0.11	1984	1	55	80	2.5	9	8	12040	10056	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13484.7998	11500.7998	11500.7998	1.12
2503A	008	4836	0.11	1798	1	55	80	2.5	9	8	12090	10292	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13540.7998	11742.7998	11742.7998	1.12
2503A	009	4878	0.11	1685	1	55	80	2.5	9	8	12195	10510	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13658.39941	11973.39941	11973.39941	1.12
2503A	010	4886	0.11	1337	1	55	80	2.5	9	8	12215	10878	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13680.7998	12343.7998	12343.7998	1.12
2503A	011	4894	0.11	1337	1	55	80	2.5	9	8	12235	10898	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13703.2002	12366.2002	12366.2002	1.12
2503A	012	4902	0.11	2801	1	55	80	2.5	9	8	12255	9454	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13725.59961	10924.59961	10924.59961	1.12
2503A	013	4909	0.11	1433	1	55	80	2.5	9	8	12272	10839	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13745.2002	12312.2002	12312.2002	1.120046

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2503A	014	4917	0.11	2219	1	55	80	2.5	9	8	12292	10073	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13767.59961	11548.59961	11548.59961	1.120046
2503A	015	4925	0.11	2582	1	55	80	2.5	9	8	12312	9730	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13790	11208	11208	1.120046
2511	016	2701	0.06	1272	1	65	100	3	6	5	8103	6831	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12154.5	10882.5	10882.5	1.5
2513	004B	1019	0.02	1000	0	65	100	3	2	2	3057	2057	NC-2	100	form-based		true	true	0.75	9	4.5	9	4	9171	8171	5114	3
2516	003	1160	0.03	1882	1	65	100	3	3	2	3480	1598	NC-2	100	form-based			true	0.75	10	3.333333254	9	5	10440	8558	5078	3
2518	004A	2570	0.06	1129	1	55	80	2.5	5	4	6425	5296	RTO-C	65	form-based		true	true	0.75	10	2	9	9	11565	10436	10436	1.8
2518	005	2638	0.06	1012	1	55	80	2.5	5	4	6595	5583	RTO-C	65	form-based			true	0.75	10	2	9	9	11871	10859	10859	1.8
2518	006	2552	0.06	1012	1	55	80	2.5	5	4	6380	5368	RTO-C	65	form-based			true	0.75	10	2	9	9	11484	10472	10472	1.8
2518	011	2579	0.06	1012	1	55	80	2.5	5	4	6448	5436	RTO-C	65	form-based			true	0.75	10	2	9	9	11605.5	10593.5	10593.5	1.79986
2518	019	2797	0.06	1625	1	55	80	2.5	5	4	6992	5367	RTO-C	65	form-based			true	0.75	10	2	9	9	12586.5	10961.5	10961.5	1.800129
2518	022	2616	0.06	1850	1	55	80	2.5	5	4	6540	4690	RTO-C	65	form-based			true	0.75	10	2	9	9	11772	9922	9922	1.8
2519	026	2692	0.06	2025	1	55	80	2.5	5	4	6730	4705	RTO-C	65	form-based			true	0.75	10	2	9	9	12114	10089	10089	1.8
2519	028	2698	0.06	1750	1	55	80	2.5	5	4	6745	4995	RTO-C	65	form-based			true	0.75	10	2	9	9	12141	10391	10391	1.8
2527A	001	4709	0.11	2919	1	55	80	2.5	9	8	11772	8853	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13185.2002	10266.2002	10266.2002	1.120048
2527B	004	2738	0.06	1923	1	55	80	2.5	5	4	6845	4922	RTO-C	65	form-based			true	0.75	10	2	9	9	12321	10398	10398	1.8
2528	003	2664	0.06	1927	1	55	80	2.5	5	4	6660	4733	RTO-C	65	form-based			true	0.75	10	2	9	9	11988	10061	10061	1.8
2607	263	7523	0.17	850	7	55	80	2.5	14	7	18808	17958	RH-3	40	form-based			true	0.7	16	1.142857194	9	9	21064.40039	20214.40039	20214.40039	1.11997
2608	060	4687	0.11	5400	1	55	80	2.5	9	8	11718	6318	RH-2	40	form-based		true	true	0.7	10	1.111111164	9	9	13123.59961	7723.599609	7723.599609	1.119952
2612	045	4616	0.11	2444	1	65	100	3	11	10	13848	11404	RM-1	40	form-based		true	true	0.7	10	0.909090936	9	9	12924.7998	10480.7998	10480.7998	0.933333
2614	058	5704	0.13	3725	3	55	80	2.5	10	7	14260	10535	RH-2	40	form-based			true	0.7	12	1.200000048	9	9	15971.2002	12246.2002	12246.2002	1.12
2616	017	4612	0.11	2250	1	55	80	2.5	9	8	11530	9280	RH-3	40	form-based		true	true	0.7	10	1.111111164	9	9	12913.59961	10663.59961	10663.59961	1.12
2617	034	4555	0.1	1842	1	65	100	3	10	9	13665	11823	RH-2	40	form-based			true	0.7	10	1	9	9	12754	10912	10912	0.933333
2620	129	6290	0.14	993	4	55	80	2.5	11	7	15725	14732	RH-2	40	form-based			true	0.7	13	1.181818128	9	9	17612	16619	16619	1.12
2622	001	2802	0.06	4422	6	65	100	3	6	0	8406	3984	RTO-C	85	form-based		true	true	0.75	15	2.5	9	6	16812	12390	12390	2
2623	209	2496	0.06	1227	4	85	140	4	8	4	9984	8757	RTO-C	85	form-based			true	0.75	13	1.625	9	9	14976	13749	13749	1.5
2626	010A	4216	0.1	0	0	55	80	2.5	8	8	10540	10540	RH-2	40	form-based		true	true	0.7	9	1.125	9	9	11804.7998	11804.7998	11804.7998	1.12
2626	046	4217	0.1	2340	0	55	80	2.5	8	8	10542	8202	RH-1	40	form-based		true	true	0.7	9	1.125	9	9	11807.59961	9467.599609	9467.599609	1.120053
2627	051	4961	0.11	1984	1	55	80	2.5	9	8	12402	10418	RH-2	40	form-based			true	0.7	10	1.111111164	9	9	13890.7998	11906.7998	11906.7998	1.120045
2632	019	3296	0.08	4200	0	65	100	3	8	8	9888	5688	RH-1	50	form-based		true	true	0.7	9	1.125	9	9	11536	7336	7336	1.166667
2633	014	3471	0.08	5592	4	65	100	3	8	4	10413	4821	RTO-C	65	form-based			true	0.75	13	1.625	9	9	15619.5	10027.5	10027.5	1.5
2634	066	9833	0.23	9340	12	55	80	2.5	18	6	24582	15242	RM-2	40	form-based			true	0.7	21	1.166666627	9	9	27532.40039	18192.40039	18192.40039	1.120023
2636	035	5333	0.12	2374	2	55	80	2.5	10	8	13332	10958	RM-1	40	form-based			true	0.7	11	1.100000024	9	9	14932.39941	12558.39941	12558.39941	1.120042
2641	004A	4766	0.11	2412	1	65	100	3	11	10	14298	11886	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13344.7998	10932.7998	10932.7998	0.933333
2641	021	4772	0.11	2319	1	65	100	3	11	10	14316	11997	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13361.59961	11042.59961	11042.59961	0.933333
2641	043	4936	0.11	2500	1	55	80	2.5	9	8	12340	9840	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13820.7998	11320.7998	11320.7998	1.12
2642	008	4697	0.11	2051	1	65	100	3	11	10	14091	12040	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13151.59961	11100.59961	11100.59961	0.933333
2642	014	4521	0.1	0	0	55	80	2.5	8	8	11302	11302	RH-1(D)	40	form-based			true	0.7	9	1.125	9	9	12658.7998	12658.7998	12658.7998	1.120049
2642	022	4867	0.11	2334	1	65	100	3	11	10	14601	12267	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13627.59961	11293.59961	11293.59961	0.933333
2642	032	4969	0.11	4000	1	65	100	3	11	10	14907	10907	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13913.2002	9913.200195	9913.200195	0.933333
2655	012	4586	0.11	1865	1	55	80	2.5	9	8	11465	9600	RH-2	40	form-based			true	0.7	10	1.111111164	9	9	12840.7998	10975.7998	10975.7998	1.12
2661	016	4972	0.11	2259	1	55	80	2.5	9	8	12430	10171	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13921.59961	11662.59961	11662.59961	1.12
2661	041	4545	0.1	1530	1	55	80	2.5	8	7	11362	9832	RH-1	40	form-based			true	0.7	10	1.25	9	9	12726	11196	11196	1.120049
2661	053	6541	0.15	1603	5	55	80	2.5	12	7	16352	14749	RH-1	40	form-based		true	true	0.7	14	1.166666627	9	9	18314.79883	16711.79883	16711.79883	1.120034
2662	010	4889	0.11	2407	1	55	80	2.5	9	8	12222	9815	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13689.2002	11282.2002	11282.2002	1.120046
2674	009	4982	0.11	1245	1	55	80	2.5	9	8	12455	11210	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13949.59961	12704.59961	12704.59961	1.12
2674	018	4568	0.1	1402	1	55	80	2.5	8	7	11420	10018	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12790.39941	11388.39941	11388.39941	1.12
2674	019	4614	0.11	1408	1	55	80	2.5	9	8	11535	10127	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12919.2002	11511.2002	11511.2002	1.12
2674	020	4844	0.11	2383	1	55	80	2.5	9	8	12110	9727	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13563.2002	11180.2002	11180.2002	1.12
2674	023	4675	0.11	1265	1	55	80	2.5	9	8	11688	10423	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13090	11825	11825	1.119952
2675	007	4843	0.11	1540	1	55	80	2.5	9	8	12108	10568	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13560.39941	12020.39941	12020.39941	1.119954
2675	015	4662	0.11	1240	1	55	80	2.5	9	8	11655	10415	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13053.59961	11813.59961	11813.59961	1.12
2675	016	4552	0.1	1404	1	55	80	2.5	8	7	11380	9976	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12745.59961	11341.59961	11341.59961	1.12
2675	019	4929	0.11	1404	1	55	80	2.5	9	8	12322	10918	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13801.2002	12397.2002	12397.2002	1.120045
2678	004	4743	0.11	1239	1	55	80	2.5	9	8	11858	10619	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13280.39941	12041.39941	12041.39941	1.119953
2678	007	4923	0.11	1564	1	55	80	2.5	9	8	12308	10744	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13784.39941	12220.39941	12220.39941	1.119954
2678	008	4882	0.11	1968	1	55	80	2.5	9	8	12205	10237	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13669.59961	11701.59961	11701.59961	1.12
2678	010	4929	0.11	1969	1	55	80	2.5	9	8	12322	10353	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13801.2002	11832.2002	11832.2002	1.120045
2678	011	4821	0.11	1239	1	55	80	2.5	9	8	12052	10813	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13498.7998	12259.7998	12259.7998	1.120046
2682	001	4938	0.11	1590	1	55	80	2.5	9	8	12345	10755	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13826.39941	12236.39941	12236.39941	1.12
2682	021	4887	0.11	4484	1	55	80	2.5	9	8	12218	7734	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13683.59961	9199.599609	9199.599609	1.119954
2682	023	4943	0.11	1227	1	55	80	2.5	9	8	12358	11131	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13840.39941	12613.39941	12613.39941	1.119955
2682	024	4972	0.11	1243	1	55	80	2.5	9	8	12430	11187	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13921.59961	12678.59961	12678.59961	1.12
2682	025	4950	0.11	1840	1	55	80	2.5	9	8	12375	10535	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13860	12020	12020	1.12
2686	004	4718	0.11	1424	1	55	80	2.5	9	8	11795	10371	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13210.39941	11786.39941	11786.39941	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2686	005	4539	0.1	1424	1	55	80	2.5	8	7	11348	9924	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12709.2002	11285.2002	11285.2002	1.119951
2686	006	4577	0.11	1752	1	55	80	2.5	9	8	11442	9690	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12815.59961	11063.59961	11063.59961	1.120049
2686	007	4525	0.1	1402	1	55	80	2.5	8	7	11312	9910	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12670	11268	11268	1.120049
2688	013	4675	0.11	3052	1	55	80	2.5	9	8	11688	8636	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13090	10038	10038	1.119952
2688	046	4926	0.11	2894	1	55	80	2.5	9	8	12315	9421	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13792.7998	10898.7998	10898.7998	1.12
2688	056	4956	0.11	4411	1	55	80	2.5	9	8	12390	7979	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13876.7998	9465.799805	9465.799805	1.12
2688	067	4856	0.11	2710	1	55	80	2.5	9	8	12140	9430	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13596.7998	10886.7998	10886.7998	1.12
2688	073	4625	0.11	3133	1	55	80	2.5	9	8	11562	8429	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12950	9817	9817	1.120048
2688	074	4969	0.11	3635	1	55	80	2.5	9	8	12422	8787	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13913.2002	10278.2002	10278.2002	1.120045
2693	005	4375	0.1	0	0	65	100	3	10	10	13125	13125	RH-3	40	form-based			true	0.7	9	0.899999976	9	9	12250	12250	12250	0.933333
2693	064	6375	0.15	1052	4	65	100	3	15	11	19125	18073	RH-3	40	form-based			true	0.7	13	0.866666675	9	9	17850	16798	16798	0.933333
2694	033	4500	0.1	5407	0	65	100	3	10	10	13500	8093	RH-3	40	form-based			true	0.7	9	0.899999976	9	9	12600	7193	7193	0.933333
2695	008	3106	0.07	3017	0	65	100	3	7	7	9318	6301	NCD-CAST	50	form-based			true	0.75	9	1.285714269	9	9	11647.5	8630.5	8630.5	1.25
2695	009	3148	0.07	2466	0	65	100	3	7	7	9444	6978	NCD-CAST	50	form-based			true	0.75	9	1.285714269	9	9	11805	9339	9339	1.25
2702	007	4918	0.11	2079	1	55	80	2.5	9	8	12295	10216	RH-2	40	form-based			true	0.7	10	1.111111164	9	9	13770.39941	11691.39941	11691.39941	1.12
2706	025	4968	0.11	2100	1	55	80	2.5	9	8	12420	10320	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13910.39941	11810.39941	11810.39941	1.12
2706	036	4879	0.11	3172	1	55	80	2.5	9	8	12198	9026	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13661.2002	10489.2002	10489.2002	1.119954
2706	049	4877	0.11	1897	1	55	80	2.5	9	8	12192	10295	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13655.59961	11758.59961	11758.59961	1.120046
2706	074	4994	0.11	2275	1	55	80	2.5	9	8	12485	10210	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13983.2002	11708.2002	11708.2002	1.12
2714	005	9800	0.22	13320	12	55	80	2.5	18	6	24500	11180	RH-2	40	form-based			true	0.7	21	1.166666627	9	9	27440	14120	14120	1.12
2748	010	4721	0.11	2727	1	55	80	2.5	9	8	11802	9075	RH-2	40	form-based			true	0.7	10	1.111111164	9	9	13218.7998	10491.7998	10491.7998	1.120047
2769	001	4884	0.11	3749	1	55	80	2.5	9	8	12210	8461	RH-2	40	form-based		true	true	0.7	10	1.111111164	9	9	13675.2002	9926.200195	9926.200195	1.12
2770	038	6188	0.14	5312	4	55	80	2.5	11	7	15470	10158	RH-2	40	form-based			true	0.7	13	1.181818128	9	9	17326.40039	12014.40039	12014.40039	1.12
2788	010	4679	0.11	1127	1	55	80	2.5	9	8	11698	10571	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13101.2002	11974.2002	11974.2002	1.119952
2788	011	4677	0.11	1127	1	55	80	2.5	9	8	11692	10565	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13095.59961	11968.59961	11968.59961	1.120048
2788	012	4776	0.11	2395	1	55	80	2.5	9	8	11940	9545	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13372.7998	10977.7998	10977.7998	1.12
2788	018	4592	0.11	1065	1	55	80	2.5	9	8	11480	10415	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12857.59961	11792.59961	11792.59961	1.12
2789	043	4579	0.11	1305	1	55	80	2.5	9	8	11448	10143	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12821.2002	11516.2002	11516.2002	1.119951
2789	005	4887	0.11	1244	1	55	80	2.5	9	8	12218	10974	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13683.59961	12439.59961	12439.59961	1.119954
2790	019	4917	0.11	1915	1	55	80	2.5	9	8	12292	10377	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13767.59961	11852.59961	11852.59961	1.120046
2792	040	4553	0.1	1057	1	55	80	2.5	8	7	11382	10325	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12748.39941	11691.39941	11691.39941	1.120049
2793	001	4704	0.11	1272	1	55	80	2.5	9	8	11760	10488	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13171.2002	11899.2002	11899.2002	1.12
2817	011	4816	0.11	1542	1	55	80	2.5	9	8	12040	10498	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13484.7998	11942.7998	11942.7998	1.12
2817	002	4670	0.11	2568	1	55	80	2.5	9	8	11675	9107	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13076	10508	10508	1.12
2817	040	4615	0.11	3494	1	55	80	2.5	9	8	11538	8044	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	12922	9428	9428	1.119951
2818	007	4727	0.11	4180	1	55	80	2.5	9	8	11818	7638	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13235.59961	9055.599609	9055.599609	1.119953
2818	011	4643	0.11	2825	1	55	80	2.5	9	8	11608	8783	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13000.39941	10175.39941	10175.39941	1.119952
2823	014	4806	0.11	1246	1	55	80	2.5	9	8	12015	10769	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13456.7998	12210.7998	12210.7998	1.12
2823	015	4801	0.11	1487	1	55	80	2.5	9	8	12002	10515	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13442.7998	11955.7998	11955.7998	1.120047
2823	016	4567	0.1	1327	1	55	80	2.5	8	7	11418	10091	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12787.59961	11460.59961	11460.59961	1.119951
2823	017	4672	0.11	937	1	55	80	2.5	9	8	11680	10743	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13081.59961	12144.59961	12144.59961	1.12
2823	022	4577	0.11	1291	1	55	80	2.5	9	8	11442	10151	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12815.59961	11524.59961	11524.59961	1.120049
2823	023	4577	0.11	1291	1	55	80	2.5	9	8	11442	10151	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12815.59961	11524.59961	11524.59961	1.120049
2823	024	4577	0.11	1291	1	55	80	2.5	9	8	11442	10151	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12815.59961	11524.59961	11524.59961	1.120049
2823	025	4577	0.11	1291	1	55	80	2.5	9	8	11442	10151	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12815.59961	11524.59961	11524.59961	1.120049
2823	026	4577	0.11	1291	1	55	80	2.5	9	8	11442	10151	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12815.59961	11524.59961	11524.59961	1.120049
2823	027	4577	0.11	2128	1	55	80	2.5	9	8	11442	9314	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12815.59961	10687.59961	10687.59961	1.120049
2823	028	4577	0.11	1971	1	55	80	2.5	9	8	11442	9471	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12815.59961	10844.59961	10844.59961	1.120049
2823	029	4619	0.11	1291	1	55	80	2.5	9	8	11548	10257	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	12933.2002	11642.2002	11642.2002	1.119951
2831	036	3393	0.08	1073	4	55	80	2.5	6	2	8482	7409	NCD-24TH	65	form-based			true	0.75	13	2.166666746	9	8	15268.5	14195.5	14195.5	1.800106
2836	023	4873	0.11	1726	1	55	80	2.5	9	8	12182	10456	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13644.39941	11918.39941	11918.39941	1.120046
2836	005	4830	0.11	2328	1	55	80	2.5	9	8	12075	9747	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13524	11196	11196	1.12
2836	006	4950	0.11	1056	1	55	80	2.5	9	8	12375	11319	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13860	12804	12804	1.12
2836	007	4954	0.11	1056	1	55	80	2.5	9	8	12385	11329	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13871.2002	12815.2002	12815.2002	1.12
2836	008	4956	0.11	1531	1	55	80	2.5	9	8	12390	10859	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13876.7998	12345.7998	12345.7998	1.12
2836	009	4959	0.11	1056	1	55	80	2.5	9	8	12398	11342	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13885.2002	12829.2002	12829.2002	1.119955
2836	010	4962	0.11	1556	1	55	80	2.5	9	8	12405	10849	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13893.59961	12337.59961	12337.59961	1.12
2836	011	4964	0.11	1236	1	55	80	2.5	9	8	12410	11174	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13899.2002	12663.2002	12663.2002	1.12
2836	012	4967	0.11	1056	1	55	80	2.5	9	8	12418	11362	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13907.59961	12851.59961	12851.59961	1.119955
2836	013	4957	0.11	1056	1	55	80	2.5	9	8	12392	11336	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13879.59961	12823.59961	12823.59961	1.120045
2836	014	4874	0.11	1792	1	55	80	2.5	9	8	12185	10393	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13647.2002	11855.2002	11855.2002	1.12
2836	015	4696	0.11	1813	1	55	80	2.5	9	8	11740	9927	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13148.7998	11335.7998	11335.7998	1.12
2836	026	4528	0.1	1415	1	55	80	2.5	8	7	11320	9905	RH-1(D)	40	form-based		true	true	0.7	10	1.25	9	9	12678.39941	11263.39941	11263.39941	1.12
2837	002	4550	0.1	2240	1	65	100	3	10	9	13650	11410	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12740	10500	10500	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2837	012	4850	0.11	2625	1	65	100	3	11	10	14550	11925	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13580	10955	10955	0.933333
2838	008	4757	0.11	3016	1	55	80	2.5	9	8	11892	8876	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13319.59961	10303.59961	10303.59961	1.120047
2839	003	4915	0.11	2990	1	55	80	2.5	9	8	12288	9298	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13762	10772	10772	1.119954
2839	024	4592	0.11	2141	1	55	80	2.5	9	8	11480	9339	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12857.59961	10716.59961	10716.59961	1.12
2839	028	4976	0.11	4394	1	55	80	2.5	9	8	12440	8046	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13932.7998	9538.799805	9538.799805	1.12
2839	029	4778	0.11	2536	1	55	80	2.5	9	8	11945	9409	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13378.39941	10842.39941	10842.39941	1.12
2839	033	4917	0.11	2699	1	55	80	2.5	9	8	12292	9593	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13767.59961	11068.59961	11068.59961	1.120046
2839	038	4542	0.1	1876	1	55	80	2.5	8	7	11355	9479	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12717.59961	10841.59961	10841.59961	1.12
2840	002	4775	0.11	1991	1	65	100	3	11	10	14325	12334	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13370	11379	11379	0.933333
2840	003	4597	0.11	4700	1	65	100	3	11	10	13791	9091	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12871.59961	8171.599609	8171.599609	0.933333
2840	004	4791	0.11	2737	1	65	100	3	11	10	14373	11636	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13414.7998	10677.7998	10677.7998	0.933333
2840	006	4573	0.1	2129	1	65	100	3	10	9	13719	11590	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12804.39941	10675.39941	10675.39941	0.933333
2840	044	4598	0.11	1566	1	65	100	3	11	10	13794	12228	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12874.39941	11308.39941	11308.39941	0.933333
2840	046	4961	0.11	2100	1	65	100	3	11	10	14883	12783	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13890.7998	11790.7998	11790.7998	0.933333
2841	007	4661	0.11	1803	1	65	100	3	11	10	13983	12180	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13050.7998	11247.7998	11247.7998	0.933333
2856	021	4841	0.11	3560	1	65	100	3	11	10	14523	10963	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13554.7998	9994.799805	9994.799805	0.933333
2857	006	4602	0.11	1935	1	65	100	3	11	10	13806	11871	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12885.59961	10950.59961	10950.59961	0.933333
2857	019	4810	0.11	4340	1	65	100	3	11	10	14430	10090	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13468	9128	9128	0.933333
2858	002	4588	0.11	2404	1	65	100	3	11	10	13764	11360	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12846.39941	10442.39941	10442.39941	0.933333
2860	010	4703	0.11	1505	1	55	80	2.5	9	8	11758	10253	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13168.39941	11663.39941	11663.39941	1.119952
2859	022	4747	0.11	2384	1	55	80	2.5	9	8	11868	9484	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13291.59961	10907.59961	10907.59961	1.119953
2860	012	4606	0.11	2074	1	55	80	2.5	9	8	11515	9441	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	12896.7998	10822.7998	10822.7998	1.12
2859	032	4819	0.11	2780	1	65	100	3	11	10	14457	11677	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13493.2002	10713.2002	10713.2002	0.933333
2860	002	4584	0.11	2092	1	55	80	2.5	9	8	11460	9368	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12835.2002	10743.2002	10743.2002	1.12
2860	020	4902	0.11	1583	1	55	80	2.5	9	8	12255	10672	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13725.59961	12142.59961	12142.59961	1.12
2862	011	4618	0.11	2078	1	65	100	3	11	10	13854	11776	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12930.39941	10852.39941	10852.39941	0.933333
2863	007	4933	0.11	2100	1	65	100	3	11	10	14799	12699	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13812.39941	11712.39941	11712.39941	0.933333
2863	012	4846	0.11	2236	1	65	100	3	11	10	14538	12302	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13568.7998	11332.7998	11332.7998	0.933333
2863	018	4707	0.11	2803	1	65	100	3	11	10	14121	11318	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13179.59961	10376.59961	10376.59961	0.933333
2864	013	4132	0.09	1780	0	65	100	3	9	9	12396	10616	RH-1(D)	40	form-based			true	0.7	9	1	9	9	11569.59961	9789.599609	9789.599609	0.933333
2864	042	4654	0.11	3780	1	65	100	3	11	10	13962	10182	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13031.2002	9251.200195	9251.200195	0.933333
2877	003	4878	0.11	2500	1	65	100	3	11	10	14634	12134	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13658.39941	11158.39941	11158.39941	0.933333
2877	004	4897	0.11	1560	1	65	100	3	11	10	14691	13131	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13711.59961	12151.59961	12151.59961	0.933333
2877	005	4905	0.11	1560	1	65	100	3	11	10	14715	13155	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13734	12174	12174	0.933333
2877	006	4913	0.11	1200	1	65	100	3	11	10	14739	13539	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13756.39941	12556.39941	12556.39941	0.933333
2877	007	4921	0.11	1830	1	65	100	3	11	10	14763	12933	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13778.7998	11948.7998	11948.7998	0.933333
2877	015	5084	0.12	3189	2	65	100	3	12	10	15252	12063	RH-1(D)	40	form-based			true	0.7	11	0.916666687	9	9	14235.2002	11046.2002	11046.2002	0.933333
2879	030	4908	0.11	2270	1	65	100	3	11	10	14724	12454	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13742.39941	11472.39941	11472.39941	0.933333
2879	031	4899	0.11	1856	1	65	100	3	11	10	14697	12841	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13717.2002	11861.2002	11861.2002	0.933333
2879	032	4891	0.11	2655	1	65	100	3	11	10	14673	12018	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13694.7998	11039.7998	11039.7998	0.933333
2878	003	5000	0.11	1680	1	65	100	3	11	10	15000	13320	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	12320	12320	0.933333
2878	004	5000	0.11	1960	1	65	100	3	11	10	15000	13040	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	12040	12040	0.933333
2878	005	5000	0.11	2070	1	65	100	3	11	10	15000	12930	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	11930	11930	0.933333
2878	006	5000	0.11	3067	1	65	100	3	11	10	15000	11933	RH-1(D)	40	form-based	true		true	0.7	10	0.909090936	9	9	14000	10933	10933	0.933333
2878	007	4659	0.11	3123	1	65	100	3	11	10	13977	10854	RH-1(D)	40	form-based	true		true	0.7	10	0.909090936	9	9	13045.2002	9922.200195	9922.200195	0.933333
2878	008	4973	0.11	2090	1	65	100	3	11	10	14919	12829	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13924.39941	11834.39941	11834.39941	0.933333
2878	009	4973	0.11	1523	1	65	100	3	11	10	14919	13396	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13924.39941	12401.39941	12401.39941	0.933333
2879	006	4933	0.11	2357	1	65	100	3	11	10	14799	12442	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13812.39941	11455.39941	11455.39941	0.933333
2879	007	4925	0.11	2004	1	65	100	3	11	10	14775	12771	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13790	11786	11786	0.933333
2879	008	4916	0.11	1595	1	65	100	3	11	10	14748	13153	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13764.7998	12169.7998	12169.7998	0.933333
2879	012	4882	0.11	3108	1	65	100	3	11	10	14646	11538	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13669.59961	10561.59961	10561.59961	0.933333
2879	013	4874	0.11	2611	1	65	100	3	11	10	14622	12011	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13647.2002	11036.2002	11036.2002	0.933333
2880	004	4695	0.11	2202	1	65	100	3	11	10	14085	11883	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13146	10944	10944	0.933333
2881	010	4690	0.11	2680	1	55	80	2.5	9	8	11725	9045	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13132	10452	10452	1.12
2883	014	4951	0.11	3682	1	55	80	2.5	9	8	12378	8696	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13862.7998	10180.7998	10180.7998	1.119955
2881	012	4768	0.11	2826	1	55	80	2.5	9	8	11920	9094	RH-1(D)	40	form-based	true		true	0.7	10	1.111111164	9	9	13350.39941	10524.39941	10524.39941	1.12
2881	013	4764	0.11	2016	1	55	80	2.5	9	8	11910	9894	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13339.2002	11323.2002	11323.2002	1.12
2881	016	4556	0.1	2532	1	55	80	2.5	8	7	11390	8858	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12756.7998	10224.7998	10224.7998	1.12
2882	041	4605	0.11	2330	1	55	80	2.5	9	8	11512	9182	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12894	10564	10564	1.120049
2881	029	4651	0.11	2224	1	55	80	2.5	9	8	11628	9404	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13022.7998	10798.7998	10798.7998	1.119952
2882	002	4715	0.11	2173	1	55	80	2.5	9	8	11788	9615	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13202	11029	11029	1.119952
2882	006	4643	0.11	2181	1	55	80	2.5	9	8	11608	9427	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13000.39941	10819.39941	10819.39941	1.119952
2882	031	4995	0.11	2950	1	55	80	2.5	9	8	12488	9538	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13986	11036	11036	1.119955
2882	032	4889	0.11	2298	1	55	80	2.5	9	8	12222	9924	RH-1(D)	40	form-based	true		true	0.7	10	1.111111164	9	9	13689.2002	11391.2002	11391.2002	1.120046

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2882	040	4953	0.11	2826	1	55	80	2.5	9	8	12382	9556	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13868.39941	11042.39941	11042.39941	1.120045
2882	042	4686	0.11	1847	1	55	80	2.5	9	8	11715	9868	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13120.7998	11273.7998	11273.7998	1.12
2882	045	4347	0.1	0	0	55	80	2.5	8	8	10868	10868	RH-1(D)	40	form-based			true	0.7	9	1.125	9	9	12171.59961	12171.59961	12171.59961	1.119948
2883	018	4939	0.11	2004	1	65	100	3	11	10	14817	12813	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13829.2002	11825.2002	11825.2002	0.933333
2883	020	4928	0.11	1821	1	55	80	2.5	9	8	12320	10499	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13798.39941	11977.39941	11977.39941	1.12
2884	019	4873	0.11	2812	1	55	80	2.5	9	8	12182	9370	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13644.39941	10832.39941	10832.39941	1.120046
2885	003	4983	0.11	3002	1	65	100	3	11	10	14949	11947	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13952.39941	10950.39941	10950.39941	0.933333
2885	011	4530	0.1	2539	1	55	80	2.5	8	7	11325	8786	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12684	10145	10145	1.12
2885	012	4554	0.1	2188	1	55	80	2.5	8	7	11385	9197	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12751.2002	10563.2002	10563.2002	1.12
2885	012A	4589	0.11	1078	1	55	80	2.5	9	8	11472	10394	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12849.2002	11771.2002	11771.2002	1.120049
2885	012C	4799	0.11	2527	1	55	80	2.5	9	8	11998	9471	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13437.2002	10910.2002	10910.2002	1.119953
2885	012I	4104	0.09	3385	0	65	100	3	9	9	12312	8927	RH-1(D)	40	form-based			true	0.7	9	1	9	9	11491.2002	8106.200195	8106.200195	0.933333
2885	031	4987	0.11	2668	1	65	100	3	11	10	14961	12293	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13963.59961	11295.59961	11295.59961	0.933333
2885	036	4994	0.11	2328	1	65	100	3	11	10	14982	12654	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13983.2002	11655.2002	11655.2002	0.933333
2885	038	4956	0.11	3220	1	55	80	2.5	9	8	12390	9170	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13876.7998	10656.7998	10656.7998	1.12
2886	004	4897	0.11	4978	1	65	100	3	11	10	14691	9713	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13711.59961	8733.599609	8733.599609	0.933333
2886	005	4897	0.11	1532	1	55	80	2.5	9	8	12242	10710	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13711.59961	12179.59961	12179.59961	1.120046
2886	006	4896	0.11	2938	1	55	80	2.5	9	8	12240	9302	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13708.7998	10770.7998	10770.7998	1.12
2886	007	4896	0.11	2372	1	55	80	2.5	9	8	12240	9868	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13708.7998	11336.7998	11336.7998	1.12
2886	008	4895	0.11	2877	1	55	80	2.5	9	8	12238	9361	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13706	10829	10829	1.119954
2886	009	4895	0.11	2470	1	55	80	2.5	9	8	12238	9768	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13706	11236	11236	1.119954
2886	015	4882	0.11	1996	1	65	100	3	11	10	14646	12650	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13669.59961	11673.59961	11673.59961	0.933333
2886	016A	4541	0.1	1781	1	65	100	3	10	9	13623	11842	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12714.7998	10933.7998	10933.7998	0.933333
2886	019	4844	0.11	1800	1	65	100	3	11	10	14532	12732	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13563.2002	11763.2002	11763.2002	0.933333
2887	002	4762	0.11	1623	1	65	100	3	11	10	14286	12663	RH-1(D)	40	form-based	true	true	true	0.7	10	0.909090936	9	9	13333.59961	11710.59961	11710.59961	0.933333
2887	003	4856	0.11	3549	1	65	100	3	11	10	14568	11019	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13596.7998	10047.7998	10047.7998	0.933333
2887	006A	4644	0.11	1054	1	55	80	2.5	9	8	11610	10556	RH-1(D)	40	form-based	true		true	0.7	10	1.111111164	9	9	13003.2002	11949.2002	11949.2002	1.12
2889	018	4588	0.11	1429	1	65	100	3	11	10	13764	12335	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12846.39941	11417.39941	11417.39941	0.933333
2890	016A	4662	0.11	2736	1	65	100	3	11	10	13986	11250	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13053.59961	10317.59961	10317.59961	0.933333
2892	010	4528	0.1	2392	1	55	80	2.5	8	7	11320	8928	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12678.39941	10286.39941	10286.39941	1.12
2892	011	4582	0.11	1832	1	55	80	2.5	9	8	11455	9623	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12829.59961	10997.59961	10997.59961	1.12
2901A	016	4899	0.11	2844	1	55	80	2.5	9	8	12248	9404	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13717.2002	10873.2002	10873.2002	1.119954
2902	040	4646	0.11	1478	1	55	80	2.5	9	8	11615	10137	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13008.7998	11530.7998	11530.7998	1.12
2914	001	4647	0.11	2388	1	55	80	2.5	9	8	11618	9230	RH-1(D)	40	form-based	true	true	true	0.7	10	1.111111164	9	9	13011.59961	10623.59961	10623.59961	1.119952
2918	001	4823	0.11	1684	1	65	100	3	11	10	14469	12785	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13504.39941	11820.39941	11820.39941	0.933333
2918	002	4590	0.11	1588	1	65	100	3	11	10	13770	12182	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12852	11264	11264	0.933333
2918	023	4930	0.11	1420	1	65	100	3	11	10	14790	13370	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13804	12384	12384	0.933333
2918	025	4902	0.11	1452	1	65	100	3	11	10	14706	13254	RH-1(D)	40	form-based	true	true	true	0.7	10	0.909090936	9	9	13725.59961	12273.59961	12273.59961	0.933333
2918	030	4670	0.11	1538	1	65	100	3	11	10	14010	12472	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13076	11538	11538	0.933333
2918	031	4790	0.11	1768	1	65	100	3	11	10	14370	12602	RH-1(D)	40	form-based	true	true	true	0.7	10	0.909090936	9	9	13412	11644	11644	0.933333
2919	008	4682	0.11	2199	1	65	100	3	11	10	14046	11847	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13109.59961	10910.59961	10910.59961	0.933333
2919	009	4662	0.11	1416	1	65	100	3	11	10	13986	12570	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13053.59961	11637.59961	11637.59961	0.933333
2919	010	4628	0.11	1497	1	65	100	3	11	10	13884	12387	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12958.39941	11461.39941	11461.39941	0.933333
2919	012	4840	0.11	1332	1	65	100	3	11	10	14520	13188	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13552	12220	12220	0.933333
2919	013	4814	0.11	2229	1	65	100	3	11	10	14442	12213	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13479.2002	11250.2002	11250.2002	0.933333
2919	016	4727	0.11	2232	1	65	100	3	11	10	14181	11949	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13235.59961	11003.59961	11003.59961	0.933333
2919	017	4690	0.11	2125	1	65	100	3	11	10	14070	11945	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13132	11007	11007	0.933333
2919	018	4561	0.1	1188	1	65	100	3	10	9	13683	12495	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12770.7998	11582.7998	11582.7998	0.933333
2919	048	4630	0.11	1343	1	65	100	3	11	10	13890	12547	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12964	11621	11621	0.933333
2919	049	4743	0.11	1343	1	65	100	3	11	10	14229	12886	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13280.39941	11937.39941	11937.39941	0.933333
2919	050	4721	0.11	2783	1	65	100	3	11	10	14163	11380	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13218.7998	10435.7998	10435.7998	0.933333
2921	003	4903	0.11	2180	1	65	100	3	11	10	14709	12529	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13728.39941	11548.39941	11548.39941	0.933333
2921	004	4879	0.11	1536	1	65	100	3	11	10	14637	13101	RH-1(D)	40	form-based	true	true	true	0.7	10	0.909090936	9	9	13661.2002	12125.2002	12125.2002	0.933333
2921	005	4743	0.11	2523	1	65	100	3	11	10	14229	11706	RH-1(D)	40	form-based	true	true	true	0.7	10	0.909090936	9	9	13280.39941	10757.39941	10757.39941	0.933333
2921	006	4805	0.11	1988	1	65	100	3	11	10	14415	12427	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13454	11466	11466	0.933333
2921	007	4930	0.11	1285	1	65	100	3	11	10	14790	13505	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13804	12519	12519	0.933333
2921	008	4716	0.11	1608	1	65	100	3	11	10	14148	12540	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13204.7998	11596.7998	11596.7998	0.933333
2922	001	4985	0.11	1958	1	65	100	3	11	10	14955	12997	RH-1(D)	40	form-based	true	true	true	0.7	10	0.909090936	9	9	13958	12000	12000	0.933333
2922	002	4969	0.11	1792	1	55	80	2.5	9	8	12422	10630	RH-1(D)	40	form-based	true	true	true	0.7	10	1.111111164	9	9	13913.2002	12121.2002	12121.2002	1.120045
2922	003	4950	0.11	1961	1	55	80	2.5	9	8	12375	10414	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13860	11899	11899	1.12
2923	004	4732	0.11	5231	1	55	80	2.5	9	8	11830	6599	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13249.59961	8018.599609	8018.599609	1.12
2923	006	4549	0.1	5250	1	55	80	2.5	8	7	11372	6122	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12737.2002	7487.200195	7487.200195	1.120049
2923	022B	4540	0.1	1674	1	55	80	2.5	8	7	11350	9676	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12712	11038	11038	1.12
2923	024	4337	0.1	0	0	55	80	2.5	8	8	10842	10842	RH-1(D)	40	form-based			true	0.7	9	1.125	9	9	12143.59961	12143.59961	12143.59961	1.120052

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2923	026	4395	0.1	0	0	55	80	2.5	8	8	10988	10988	RH-1(D)	40	form-based		true	true	0.7	9	1.125	9	9	12306	12306	12306	1.119949
2923	073	4233	0.1	0	0	55	80	2.5	8	8	10582	10582	RH-1(D)	40	form-based			true	0.7	9	1.125	9	9	11852.39941	11852.39941	11852.39941	1.120053
2923	079	4595	0.11	2124	1	55	80	2.5	9	8	11488	9364	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12866	10742	10742	1.119951
2924	010	4976	0.11	3079	1	65	100	3	11	10	14928	11849	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13932.7998	10853.7998	10853.7998	0.933333
2924	011	4959	0.11	1758	1	55	80	2.5	9	8	12398	10640	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13885.2002	12127.2002	12127.2002	1.119955
2924	012	4941	0.11	2220	1	55	80	2.5	9	8	12352	10132	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13834.7998	11614.7998	11614.7998	1.120045
2924	013	4924	0.11	2003	1	55	80	2.5	9	8	12310	10307	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13787.2002	11784.2002	11784.2002	1.12
2924	014	4906	0.11	2349	1	55	80	2.5	9	8	12265	9916	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13736.7998	11387.7998	11387.7998	1.12
2924	015	4889	0.11	1960	1	55	80	2.5	9	8	12222	10262	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13689.2002	11729.2002	11729.2002	1.120046
2924	016	4872	0.11	2360	1	55	80	2.5	9	8	12180	9820	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13641.59961	11281.59961	11281.59961	1.12
2924	017	4710	0.11	2725	1	55	80	2.5	9	8	11775	9050	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13188	10463	10463	1.12
2925	001B	4909	0.11	1976	1	65	100	3	11	10	14727	12751	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13745.2002	11769.2002	11769.2002	0.933333
2927	014	4609	0.11	1930	1	65	100	3	11	10	13827	11897	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12905.2002	10975.2002	10975.2002	0.933333
2929	004	4567	0.1	2150	1	65	100	3	10	9	13701	11551	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12787.59961	10637.59961	10637.59961	0.933333
2929	029	2791	0.06	3088	1	65	100	3	6	5	8373	5285	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12559.5	9471.5	9471.5	1.5
2931	011	4997	0.11	2460	1	65	100	3	11	10	14991	12531	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13991.59961	11531.59961	11531.59961	0.933333
2932	013	4667	0.11	3285	1	65	100	3	11	10	14001	10716	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13067.59961	9782.599609	9782.599609	0.933333
2932	019	4766	0.11	2302	1	65	100	3	11	10	14298	11996	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13344.7998	11042.7998	11042.7998	0.933333
2933	001	4907	0.11	1718	1	55	80	2.5	9	8	12268	10550	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13739.59961	12021.59961	12021.59961	1.119954
2933	007	4617	0.11	4323	1	55	80	2.5	9	8	11542	7219	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12927.59961	8604.599609	8604.599609	1.120049
2933	008	4664	0.11	1784	1	55	80	2.5	9	8	11660	9876	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13059.2002	11275.2002	11275.2002	1.12
2933	013	4228	0.1	1645	0	55	80	2.5	8	8	10570	8925	RH-1(D)	40	form-based			true	0.7	9	1.125	9	9	11838.39941	10193.39941	10193.39941	1.12
2936A	048	4917	0.11	1710	1	55	80	2.5	9	8	12292	10582	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13767.59961	12057.59961	12057.59961	1.120046
2936A	049	4545	0.1	2058	1	55	80	2.5	8	7	11362	9304	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12726	10668	10668	1.120049
2936A	052	4696	0.11	2667	1	55	80	2.5	9	8	11740	9073	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13148.7998	10481.7998	10481.7998	1.12
2970	011	4657	0.11	1880	1	55	80	2.5	9	8	11642	9762	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13039.59961	11159.59961	11159.59961	1.120048
2970	012	4988	0.11	2166	1	55	80	2.5	9	8	12470	10304	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13966.39941	11800.39941	11800.39941	1.12
2958	001	4680	0.11	1358	1	55	80	2.5	9	8	11700	10342	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13104	11746	11746	1.12
2969	001	4651	0.11	1758	1	55	80	2.5	9	8	11628	9870	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13022.7998	11264.7998	11264.7998	1.119952
2970	002	4531	0.1	1905	1	55	80	2.5	8	7	11328	9423	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12686.7998	10781.7998	10781.7998	1.119951
2970	003	4596	0.11	1905	1	55	80	2.5	9	8	11490	9585	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12868.7998	10963.7998	10963.7998	1.12
2970	004	4622	0.11	1907	1	55	80	2.5	9	8	11555	9648	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12941.59961	11034.59961	11034.59961	1.12
2970	008	4961	0.11	1964	1	55	80	2.5	9	8	12402	10438	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13890.7998	11926.7998	11926.7998	1.120045
2970	010	4628	0.11	1998	1	55	80	2.5	9	8	11570	9572	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12958.39941	10960.39941	10960.39941	1.12
2970	013	4645	0.11	1406	1	55	80	2.5	9	8	11612	10206	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13006	11600	11600	1.120048
2970	014	4636	0.11	1625	1	55	80	2.5	9	8	11590	9965	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12980.7998	11355.7998	11355.7998	1.12
2970	015	4844	0.11	1484	1	55	80	2.5	9	8	12110	10626	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13563.2002	12079.2002	12079.2002	1.12
2970	017	4689	0.11	1539	1	55	80	2.5	9	8	11722	10183	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13129.2002	11590.2002	11590.2002	1.120048
2970	018	4708	0.11	1271	1	55	80	2.5	9	8	11770	10499	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13182.39941	11911.39941	11911.39941	1.12
2970	026	4821	0.11	4630	1	55	80	2.5	9	8	12052	7422	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13498.7998	8868.799805	8868.799805	1.120046
2970	027	4759	0.11	3079	1	55	80	2.5	9	8	11898	8819	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13325.2002	10246.2002	10246.2002	1.119953
2973	023	4747	0.11	2298	1	55	80	2.5	9	8	11868	9570	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13291.59961	10993.59961	10993.59961	1.119953
2973A	040	4880	0.11	2364	1	55	80	2.5	9	8	12200	9836	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13664	11300	11300	1.12
2973A	041A	4937	0.11	2560	1	55	80	2.5	9	8	12342	9782	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13823.59961	11263.59961	11263.59961	1.120045
2973A	056	4735	0.11	2752	1	55	80	2.5	9	8	11838	9086	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13258	10506	10506	1.119953
2973A	057	4912	0.11	2752	1	55	80	2.5	9	8	12280	9528	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13753.59961	11001.59961	11001.59961	1.12
2973A	059	4641	0.11	3000	1	55	80	2.5	9	8	11602	8602	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12994.7998	9994.799805	9994.799805	1.120048
2974	022	4714	0.11	4267	1	55	80	2.5	9	8	11785	7518	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13199.2002	8932.200195	8932.200195	1.12
2975	050	4978	0.11	4736	1	55	80	2.5	9	8	12445	7709	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13938.39941	9202.399414	9202.399414	1.12
2976	027	4584	0.11	1452	1	65	100	3	11	10	13752	12300	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12835.2002	11383.2002	11383.2002	0.933333
2977	009	5000	0.11	2260	1	65	100	3	11	10	15000	12740	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	14000	11740	11740	0.933333
2979A	005	4864	0.11	2646	1	65	100	3	11	10	14592	11946	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13619.2002	10973.2002	10973.2002	0.933333
2979A	008	4972	0.11	2000	1	65	100	3	11	10	14916	12916	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13921.59961	11921.59961	11921.59961	0.933333
2981	013	4751	0.11	2640	1	65	100	3	11	10	14253	11613	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13302.7998	10662.7998	10662.7998	0.933333
2980	018	4688	0.11	1570	1	55	80	2.5	9	8	11720	10150	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13126.39941	11556.39941	11556.39941	1.12
2982	019	4824	0.11	2836	1	55	80	2.5	9	8	12060	9224	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13507.2002	10671.2002	10671.2002	1.12
2982	030	4784	0.11	1573	1	55	80	2.5	9	8	11960	10387	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13395.2002	11822.2002	11822.2002	1.12
2983	001	4977	0.11	1440	1	65	100	3	11	10	14931	13491	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13935.59961	12495.59961	12495.59961	0.933333
2983	040	4731	0.11	2352	1	65	100	3	11	10	14193	11841	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13246.7998	10894.7998	10894.7998	0.933333
2984	006	4570	0.1	3924	1	65	100	3	10	9	13710	9786	RH-1(D)	40	form-based		true	true	0.7	10	1	9	9	12796	8872	8872	0.933333
2986	020	4661	0.11	1637	1	65	100	3	11	10	13983	12346	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13050.7998	11413.7998	11413.7998	0.933333
2987	001	4528	0.1	1648	1	65	100	3	10	9	13584	11936	RH-1(D)	40	form-based		true	true	0.7	10	1	9	9	12678.39941	11030.39941	11030.39941	0.933333
2987	013	4724	0.11	3310	1	65	100	3	11	10	14172	10862	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13227.2002	9917.200195	9917.200195	0.933333
2987A	004	4542	0.1	1628	1	65	100	3	10	9	13626	11998	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12717.59961	11089.59961	11089.59961	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2987A	008	4713	0.11	2189	1	65	100	3	11	10	14139	11950	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13196.39941	11007.39941	11007.39941	0.933333
2987A	009	4774	0.11	2028	1	65	100	3	11	10	14322	12294	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13367.2002	11339.2002	11339.2002	0.933333
2987A	010	4596	0.11	3552	1	65	100	3	11	10	13788	10236	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12868.7998	9316.799805	9316.799805	0.933333
2987A	014	4944	0.11	2146	1	65	100	3	11	10	14832	12686	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13843.2002	11697.2002	11697.2002	0.933333
2988A	029	4697	0.11	2118	1	65	100	3	11	10	14091	11973	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13151.59961	11033.59961	11033.59961	0.933333
2989	032	4568	0.1	1715	1	55	80	2.5	8	7	11420	9705	RH-1(D)	40	form-based		true	true	0.7	10	1.25	9	9	12790.39941	11075.39941	11075.39941	1.12
2989A	006	4695	0.11	2544	1	65	100	3	11	10	14085	11541	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13146	10602	10602	0.933333
2989A	007	4646	0.11	3079	1	65	100	3	11	10	13938	10859	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13008.7998	9929.799805	9929.799805	0.933333
2989A	009	4780	0.11	3323	1	65	100	3	11	10	14340	11017	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13384	10061	10061	0.933333
2989A	014	4972	0.11	3579	1	65	100	3	11	10	14916	11337	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13921.59961	10342.59961	10342.59961	0.933333
2989A	016	4561	0.1	2310	1	65	100	3	10	9	13683	11373	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12770.7998	10460.7998	10460.7998	0.933333
2989A	025	4842	0.11	2739	1	65	100	3	11	10	14526	11787	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13557.59961	10818.59961	10818.59961	0.933333
2989A	032	4845	0.11	1910	1	65	100	3	11	10	14535	12625	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13566	11656	11656	0.933333
2989B	001	4735	0.11	2076	1	65	100	3	11	10	14205	12129	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13258	11182	11182	0.933333
2989B	002	4874	0.11	2144	1	65	100	3	11	10	14622	12478	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13647.2002	11503.2002	11503.2002	0.933333
2989B	003	4988	0.11	3150	1	65	100	3	11	10	14964	11814	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13966.39941	10816.39941	10816.39941	0.933333
2989B	004	4767	0.11	2960	1	65	100	3	11	10	14301	11341	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13347.59961	10387.59961	10387.59961	0.933333
2989B	014	4530	0.1	2868	1	85	140	4	14	13	18120	15252	RH-1(D)	40	form-based			true	0.7	10	0.714285731	9	9	12684	9816	9816	0.7
2990	026	4738	0.11	2380	1	55	80	2.5	9	8	11845	9465	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13266.39941	10886.39941	10886.39941	1.12
3011	006	4544	0.1	1960	1	55	80	2.5	8	7	11360	9400	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12723.2002	10763.2002	10763.2002	1.12
3011	018	4640	0.11	2350	1	65	100	3	11	10	13920	11570	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12992	10642	10642	0.933333
3011	035	4900	0.11	1824	1	55	80	2.5	9	8	12250	10426	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13720	11896	11896	1.12
3011A	017	4909	0.11	2241	1	55	80	2.5	9	8	12272	10031	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13745.2002	11504.2002	11504.2002	1.120046
3013	002	4993	0.11	2071	1	65	100	3	11	10	14979	12908	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13980.39941	11909.39941	11909.39941	0.933333
3012	021	2377	0.05	4872	3	85	140	4	7	4	9508	4636	NCD-WEST	85	form-based			true	0.75	12	1.714285731	9	9	14262	9390	9390	1.5
3012	022	2369	0.05	5105	3	85	140	4	7	4	9476	4371	NCD-WEST	85	form-based			true	0.75	12	1.714285731	9	9	14214	9109	9109	1.5
3013	007	4658	0.11	1500	1	65	100	3	11	10	13974	12474	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13042.39941	11542.39941	11542.39941	0.933333
3013	008	4759	0.11	3142	1	65	100	3	11	10	14277	11135	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13325.2002	10183.2002	10183.2002	0.933333
3013	009	4533	0.1	1324	1	65	100	3	10	9	13599	12275	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12692.39941	11368.39941	11368.39941	0.933333
3013	020	4527	0.1	2574	1	65	100	3	10	9	13581	11007	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12675.59961	10101.59961	10101.59961	0.933333
3013	021	4730	0.11	2305	1	65	100	3	11	10	14190	11885	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13244	10939	10939	0.933333
3013	024	4806	0.11	2173	1	65	100	3	11	10	14418	12245	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13456.7998	11283.7998	11283.7998	0.933333
3013	025	4796	0.11	1666	1	65	100	3	11	10	14388	12722	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13428.7998	11762.7998	11762.7998	0.933333
3013	026	4613	0.11	1953	1	65	100	3	11	10	13839	11886	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12916.39941	10963.39941	10963.39941	0.933333
3013	027	4688	0.11	1792	1	65	100	3	11	10	14064	12272	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13126.39941	11334.39941	11334.39941	0.933333
3013	028	4909	0.11	1924	1	65	100	3	11	10	14727	12803	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13745.2002	11821.2002	11821.2002	0.933333
3013	029	4950	0.11	1542	1	65	100	3	11	10	14850	13308	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13860	12318	12318	0.933333
3013A	002	4669	0.11	2362	1	65	100	3	11	10	14007	11645	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13073.2002	10711.2002	10711.2002	0.933333
3013A	003	4925	0.11	1852	1	65	100	3	11	10	14775	12923	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13790	11938	11938	0.933333
3013A	004	4710	0.11	2000	1	65	100	3	11	10	14130	12130	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13188	11188	11188	0.933333
3013A	005	4765	0.11	1860	1	65	100	3	11	10	14295	12435	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13342	11482	11482	0.933333
3013A	006	4918	0.11	1546	1	65	100	3	11	10	14754	13208	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13770.39941	12224.39941	12224.39941	0.933333
3013A	007	4594	0.11	2420	1	65	100	3	11	10	13782	11362	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12863.2002	10443.2002	10443.2002	0.933333
3013A	008	4720	0.11	2068	1	65	100	3	11	10	14160	12092	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13216	11148	11148	0.933333
3013A	009	4961	0.11	1918	1	65	100	3	11	10	14883	12965	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13890.7998	11972.7998	11972.7998	0.933333
3013A	011	4606	0.11	3702	1	65	100	3	11	10	13818	10116	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12896.7998	9194.799805	9194.799805	0.933333
3013A	018	4777	0.11	3529	1	65	100	3	11	10	14331	10802	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13375.59961	9846.599609	9846.599609	0.933333
3013A	019	4663	0.11	3386	1	65	100	3	11	10	13989	10603	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13056.39941	9670.399414	9670.399414	0.933333
3013A	023	4787	0.11	2516	1	65	100	3	11	10	14361	11845	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13403.59961	10887.59961	10887.59961	0.933333
3033	012	4890	0.11	2173	1	55	80	2.5	9	8	12225	10052	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13692	11519	11519	1.12
3033	013	4715	0.11	2467	1	55	80	2.5	9	8	11788	9321	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13202	10735	10735	1.119952
3037	018	4973	0.11	2362	1	55	80	2.5	9	8	12432	10070	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13924.39941	11562.39941	11562.39941	1.120045
3037	019	4736	0.11	2073	1	55	80	2.5	9	8	11840	9767	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13260.7998	11187.7998	11187.7998	1.12
3039	037	4757	0.11	2476	1	55	80	2.5	9	8	11892	9416	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13319.59961	10843.59961	10843.59961	1.120047
3040	007	4893	0.11	3040	1	55	80	2.5	9	8	12232	9192	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13700.39941	10660.39941	10660.39941	1.120046
3040	013	4620	0.11	3009	1	55	80	2.5	9	8	11550	8541	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12936	9927	9927	1.12
3040	014	4944	0.11	2772	1	55	80	2.5	9	8	12360	9588	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13843.2002	11071.2002	11071.2002	1.12
3041	020	4718	0.11	2458	1	55	80	2.5	9	8	11795	9337	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13210.39941	10752.39941	10752.39941	1.12
3041	021	4733	0.11	3830	1	55	80	2.5	9	8	11832	8002	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13252.39941	9422.399414	9422.399414	1.120047
3041	023	4576	0.11	1936	1	55	80	2.5	9	8	11440	9504	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12812.7998	10876.7998	10876.7998	1.12
3041	024	4689	0.11	2437	1	55	80	2.5	9	8	11722	9285	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13129.2002	10692.2002	10692.2002	1.120048
3041	025	4822	0.11	2562	1	55	80	2.5	9	8	12055	9493	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13501.59961	10939.59961	10939.59961	1.12
3041	028	4675	0.11	1348	1	55	80	2.5	9	8	11688	10340	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13090	11742	11742	1.119952
3042	006	4576	0.11	3601	1	55	80	2.5	9	8	11440	7839	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12812.7998	9211.799805	9211.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3042	015	4929	0.11	1800	1	55	80	2.5	9	8	12322	10522	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13801.2002	12001.2002	12001.2002	1.120045
3042	039	4662	0.11	1547	1	55	80	2.5	9	8	11655	10108	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13053.59961	11506.59961	11506.59961	1.12
3043	026	4814	0.11	1519	1	55	80	2.5	9	8	12035	10516	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13479.2002	11960.2002	11960.2002	1.12
3043	027	4890	0.11	3571	1	55	80	2.5	9	8	12225	8654	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13692	10121	10121	1.12
3045	010	4840	0.11	2412	1	55	80	2.5	9	8	12100	9688	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13552	11140	11140	1.12
3045	001	4763	0.11	3156	1	55	80	2.5	9	8	11908	8752	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13336.39941	10180.39941	10180.39941	1.119953
3045	002	4963	0.11	1877	1	55	80	2.5	9	8	12408	10531	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13896.39941	12019.39941	12019.39941	1.119955
3045	003	4749	0.11	2963	1	55	80	2.5	9	8	11872	8909	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13297.2002	10334.2002	10334.2002	1.120047
3045	006	4610	0.11	1407	1	55	80	2.5	9	8	11525	10118	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12908	11501	11501	1.12
3045	007	4627	0.11	3784	1	55	80	2.5	9	8	11568	7784	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12955.59961	9171.599609	9171.599609	1.119952
3045	012	4662	0.11	1934	1	55	80	2.5	9	8	11655	9721	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13053.59961	11119.59961	11119.59961	1.12
3045	013	4615	0.11	2585	1	55	80	2.5	9	8	11538	8953	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12922	10337	10337	1.119951
3045	014	4659	0.11	2750	1	55	80	2.5	9	8	11648	8898	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13045.2002	10295.2002	10295.2002	1.119952
3046	001	4853	0.11	2850	1	55	80	2.5	9	8	12132	9282	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13588.39941	10738.39941	10738.39941	1.120046
3046	007	4537	0.1	1850	1	55	80	2.5	8	7	11342	9492	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12703.59961	10853.59961	10853.59961	1.120049
3046	022	4768	0.11	2714	1	55	80	2.5	9	8	11920	9206	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13350.39941	10636.39941	10636.39941	1.12
3046	023	4562	0.1	2979	1	55	80	2.5	8	7	11405	8426	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12773.59961	9794.599609	9794.599609	1.12
3046	025	4743	0.11	2800	1	55	80	2.5	9	8	11858	9058	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13280.39941	10480.39941	10480.39941	1.119953
3047	002	4582	0.11	2201	1	55	80	2.5	9	8	11455	9254	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12829.59961	10628.59961	10628.59961	1.12
3047	010	4703	0.11	2200	1	55	80	2.5	9	8	11758	9558	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13168.39941	10968.39941	10968.39941	1.119952
3047	015	4668	0.11	1928	1	55	80	2.5	9	8	11670	9742	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13070.39941	11142.39941	11142.39941	1.12
3047	023	4570	0.1	4327	1	55	80	2.5	8	7	11425	7098	RH-1(D)	40	form-based		true	true	0.7	10	1.25	9	9	12796	8469	8469	1.12
3047	038	4524	0.1	1171	1	55	80	2.5	8	7	11310	10139	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12667.2002	11496.2002	11496.2002	1.12
3047	039	4697	0.11	2162	1	55	80	2.5	9	8	11742	9580	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13151.59961	10989.59961	10989.59961	1.120048
3047	041	4822	0.11	2315	1	55	80	2.5	9	8	12055	9740	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13501.59961	11186.59961	11186.59961	1.12
3047	047	4793	0.11	1954	1	55	80	2.5	9	8	11982	10028	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13420.39941	11466.39941	11466.39941	1.120047
3047	050	4648	0.11	1954	1	55	80	2.5	9	8	11620	9666	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13014.39941	11060.39941	11060.39941	1.12
3048	011	4593	0.11	2371	1	55	80	2.5	9	8	11482	9111	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12860.39941	10489.39941	10489.39941	1.120049
3048	016	4544	0.1	2256	1	55	80	2.5	8	7	11360	9104	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12723.2002	10467.2002	10467.2002	1.12
3048	023	4829	0.11	2055	1	55	80	2.5	9	8	12072	10017	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13521.2002	11466.2002	11466.2002	1.120046
3048	024	4979	0.11	2624	1	55	80	2.5	9	8	12448	9824	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13941.2002	11317.2002	11317.2002	1.119955
3049	016	4584	0.11	1700	1	55	80	2.5	9	8	11460	9760	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12835.2002	11135.2002	11135.2002	1.12
3049	019	4863	0.11	3340	1	55	80	2.5	9	8	12158	8818	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13616.39941	10276.39941	10276.39941	1.119954
3049	020	4884	0.11	2519	1	55	80	2.5	9	8	12210	9691	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13675.2002	11156.2002	11156.2002	1.12
3064	052	5000	0.11	2007	1	55	80	2.5	9	8	12500	10493	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	14000	11993	11993	1.12
3070	004	4948	0.11	3031	1	65	100	3	11	10	14844	11813	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13854.39941	10823.39941	10823.39941	0.933333
3070	007	4934	0.11	3574	1	65	100	3	11	10	14802	11228	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13815.2002	10241.2002	10241.2002	0.933333
3070	009	4986	0.11	3434	1	65	100	3	11	10	14958	11524	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13960.7998	10526.7998	10526.7998	0.933333
3070	010	4626	0.11	3295	1	65	100	3	11	10	13878	10583	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12952.7998	9657.799805	9657.799805	0.933333
3070	015	4856	0.11	2805	1	65	100	3	11	10	14568	11763	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13596.7998	10791.7998	10791.7998	0.933333
3071	003	4792	0.11	2923	1	65	100	3	11	10	14376	11453	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13417.59961	10494.59961	10494.59961	0.933333
3071	009	4874	0.11	2523	1	65	100	3	11	10	14622	12099	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13647.2002	11124.2002	11124.2002	0.933333
3071	011	4740	0.11	2604	1	65	100	3	11	10	14220	11616	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13272	10668	10668	0.933333
3072	003	4858	0.11	2453	1	65	100	3	11	10	14574	12121	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13602.39941	11149.39941	11149.39941	0.933333
3072	004	4945	0.11	5989	1	65	100	3	11	10	14835	8846	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13846	7857	7857	0.933333
3072	005	4753	0.11	1946	1	65	100	3	11	10	14259	12313	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13308.39941	11362.39941	11362.39941	0.933333
3072	007	4876	0.11	2906	1	65	100	3	11	10	14628	11722	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13652.7998	10746.7998	10746.7998	0.933333
3072	009	4715	0.11	2883	1	65	100	3	11	10	14145	11262	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13202	10319	10319	0.933333
3072	010	4912	0.11	2494	1	65	100	3	11	10	14736	12242	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13753.59961	11259.59961	11259.59961	0.933333
3072	011	4807	0.11	3406	1	65	100	3	11	10	14421	11015	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13459.59961	10053.59961	10053.59961	0.933333
3072	012	4940	0.11	2538	1	65	100	3	11	10	14820	12282	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13832	11294	11294	0.933333
3072	013	4775	0.11	2325	1	65	100	3	11	10	14325	12000	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13370	11045	11045	0.933333
3072	015	4639	0.11	3577	1	65	100	3	11	10	13917	10340	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	12989.2002	9412.200195	9412.200195	0.933333
3072	019	4951	0.11	1923	1	65	100	3	11	10	14853	12930	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13862.7998	11939.7998	11939.7998	0.933333
3072	026	4843	0.11	2802	1	65	100	3	11	10	14529	11727	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13560.39941	10758.39941	10758.39941	0.933333
3072A	002	4972	0.11	3602	1	65	100	3	11	10	14916	11314	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13921.59961	10319.59961	10319.59961	0.933333
3072A	003	4990	0.11	2516	1	65	100	3	11	10	14970	12454	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13972	11456	11456	0.933333
3072A	031	4979	0.11	2150	1	65	100	3	11	10	14937	12787	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13941.2002	11791.2002	11791.2002	0.933333
3072A	035	4876	0.11	2582	1	65	100	3	11	10	14628	12046	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13652.7998	11070.7998	11070.7998	0.933333
3073	009	4996	0.11	2362	1	65	100	3	11	10	14988	12626	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13988.7998	11626.7998	11626.7998	0.933333
3073	015	4684	0.11	2308	1	65	100	3	11	10	14052	11744	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13115.2002	10807.2002	10807.2002	0.933333
3073	016	4657	0.11	2596	1	65	100	3	11	10	13971	11375	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13039.59961	10443.59961	10443.59961	0.933333
3073	017	4630	0.11	2856	1	65	100	3	11	10	13890	11034	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12964	10108	10108	0.933333
3073	020	4544	0.1	2549	1	65	100	3	10	9	13632	11083	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12723.2002	10174.2002	10174.2002	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3074	016	4967	0.11	3007	1	65	100	3	11	10	14901	11894	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13907.59961	10900.59961	10900.59961	0.933333
3076	010	4760	0.11	3757	1	55	80	2.5	9	8	11900	8143	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13328	9571	9571	1.12
3076	029	4781	0.11	2528	1	65	100	3	11	10	14343	11815	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13386.7998	10858.7998	10858.7998	0.933333
3076A	002	4986	0.11	3686	1	65	100	3	11	10	14958	11272	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13960.7998	10274.7998	10274.7998	0.933333
3076A	020	4868	0.11	2844	1	65	100	3	11	10	14604	11760	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13630.39941	10786.39941	10786.39941	0.933333
3076	032	4829	0.11	3456	1	65	100	3	11	10	14487	11031	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13521.2002	10065.2002	10065.2002	0.933333
3076	033	4731	0.11	2438	1	65	100	3	11	10	14193	11755	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13246.7998	10808.7998	10808.7998	0.933333
3076	039	4589	0.11	3118	1	55	80	2.5	9	8	11472	8354	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12849.2002	9731.200195	9731.200195	1.120049
3076	057	4849	0.11	3073	1	65	100	3	11	10	14547	11474	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13577.2002	10504.2002	10504.2002	0.933333
3076	059	4718	0.11	2650	1	65	100	3	11	10	14154	11504	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13210.39941	10560.39941	10560.39941	0.933333
3076	061	4921	0.11	2812	1	65	100	3	11	10	14763	11951	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13778.7998	10966.7998	10966.7998	0.933333
3076A	005	4594	0.11	2809	1	55	80	2.5	9	8	11485	8676	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12863.2002	10054.2002	10054.2002	1.12
3076A	009	4615	0.11	2659	1	65	100	3	11	10	13845	11186	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12922	10263	10263	0.933333
3076A	012	4646	0.11	2831	1	65	100	3	11	10	13938	11107	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13008.7998	10177.7998	10177.7998	0.933333
3076A	018	4619	0.11	2326	1	65	100	3	11	10	13857	11531	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12933.2002	10607.2002	10607.2002	0.933333
3076A	021	4560	0.1	2330	1	65	100	3	10	9	13680	11350	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12768	10438	10438	0.933333
3076A	022	4902	0.11	3272	1	65	100	3	11	10	14706	11434	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13725.59961	10453.59961	10453.59961	0.933333
3076A	026	4865	0.11	2624	1	65	100	3	11	10	14595	11971	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13622	10998	10998	0.933333
3076A	027	4810	0.11	2559	1	65	100	3	11	10	14430	11871	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13468	10909	10909	0.933333
3076A	028	4832	0.11	2500	1	65	100	3	11	10	14496	11996	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13529.59961	11029.59961	11029.59961	0.933333
3076A	030	4948	0.11	2365	1	65	100	3	11	10	14844	12479	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13854.39941	11489.39941	11489.39941	0.933333
3076A	032	4918	0.11	2658	1	65	100	3	11	10	14754	12096	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13770.39941	11112.39941	11112.39941	0.933333
3077	003	4987	0.11	3517	1	55	80	2.5	9	8	12468	8951	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13963.59961	10446.59961	10446.59961	1.119955
3077	021	4753	0.11	3555	1	55	80	2.5	9	8	11882	8327	RH-1(D)	40	form-based	true		true	0.7	10	1.111111164	9	9	13308.39941	9753.399414	9753.399414	1.120047
3078	009	4713	0.11	3374	1	55	80	2.5	9	8	11782	8408	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13196.39941	9822.399414	9822.399414	1.120047
3078	017	4966	0.11	2236	1	55	80	2.5	9	8	12415	10179	RH-1(D)	40	form-based	true		true	0.7	10	1.111111164	9	9	13904.7998	11668.7998	11668.7998	1.12
3078	024	4722	0.11	2444	1	55	80	2.5	9	8	11805	9361	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13221.59961	10777.59961	10777.59961	1.12
3078	026	4856	0.11	2479	1	55	80	2.5	9	8	12140	9661	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13596.7998	11117.7998	11117.7998	1.12
3080	014	4958	0.11	2500	1	55	80	2.5	9	8	12395	9895	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13882.39941	11382.39941	11382.39941	1.12
3080	016	4996	0.11	1856	1	55	80	2.5	9	8	12490	10634	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13988.7998	12132.7998	12132.7998	1.12
3080	017	4706	0.11	1985	1	55	80	2.5	9	8	11765	9780	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13176.7998	11191.7998	11191.7998	1.12
3081	006	4939	0.11	1619	1	55	80	2.5	9	8	12348	10729	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13829.2002	12210.2002	12210.2002	1.119955
3081	012	4995	0.11	2398	1	55	80	2.5	9	8	12488	10090	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13986	11588	11588	1.119955
3082	010	4878	0.11	1700	1	55	80	2.5	9	8	12195	10495	RH-1(D)	40	form-based	true		true	0.7	10	1.111111164	9	9	13658.39941	11958.39941	11958.39941	1.12
3092	072	10000	0.23	9980	12	55	80	2.5	18	6	25000	15020	RM-1	40	form-based			true	0.7	21	1.166666627	9	9	28000	18020	18020	1.12
3098	017A	4297	0.1	402	0	85	140	4	14	14	17188	16786	RH-1(D)	40	form-based	true		true	0.7	9	0.642857134	9	9	12031.59961	11629.59961	11629.59961	0.7
3099	003	5000	0.11	2719	1	65	100	3	11	10	15000	12281	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	11281	11281	0.933333
3099	004	5000	0.11	2426	1	65	100	3	11	10	15000	12574	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	11574	11574	0.933333
3099	006	5000	0.11	3150	1	65	100	3	11	10	15000	11850	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	10850	10850	0.933333
3099	007	5000	0.11	2570	1	65	100	3	11	10	15000	12430	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	11430	11430	0.933333
3099	008	5000	0.11	2578	1	65	100	3	11	10	15000	12422	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	11422	11422	0.933333
3099	009	4615	0.11	3303	1	65	100	3	11	10	13845	10542	RH-1(D)	40	form-based	true		true	0.7	10	0.909090936	9	9	12922	9619	9619	0.933333
3100	003	4973	0.11	3169	1	65	100	3	11	10	14919	11750	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13924.39941	10755.39941	10755.39941	0.933333
3100	004	4973	0.11	2838	1	65	100	3	11	10	14919	12081	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13924.39941	11086.39941	11086.39941	0.933333
3100	005	4973	0.11	3600	1	65	100	3	11	10	14919	11319	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13924.39941	10324.39941	10324.39941	0.933333
3100	006	4973	0.11	2553	1	65	100	3	11	10	14919	12366	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13924.39941	11371.39941	11371.39941	0.933333
3100	007	4973	0.11	2823	1	65	100	3	11	10	14919	12096	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13924.39941	11101.39941	11101.39941	0.933333
3100	008	4973	0.11	2332	1	65	100	3	11	10	14919	12587	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13924.39941	11592.39941	11592.39941	0.933333
3100	009	4973	0.11	2893	1	65	100	3	11	10	14919	12026	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13924.39941	11031.39941	11031.39941	0.933333
3100	014	5000	0.11	3224	1	65	100	3	11	10	15000	11776	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	10776	10776	0.933333
3100	015	5000	0.11	2603	1	65	100	3	11	10	15000	12397	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	11397	11397	0.933333
3100	017	5000	0.11	3396	1	65	100	3	11	10	15000	11604	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	10604	10604	0.933333
3100	018	5000	0.11	1898	1	65	100	3	11	10	15000	13102	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	12102	12102	0.933333
3101	002	4766	0.11	2276	1	65	100	3	11	10	14298	12022	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13344.7998	11068.7998	11068.7998	0.933333
3101	003	4853	0.11	4800	1	65	100	3	11	10	14559	9759	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13588.39941	8788.399414	8788.399414	0.933333
3101	004	4845	0.11	3043	1	65	100	3	11	10	14535	11492	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13566	10523	10523	0.933333
3101	008	4817	0.11	2391	1	65	100	3	11	10	14451	12060	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13487.59961	11096.59961	11096.59961	0.933333
3101	011	5000	0.11	3156	1	65	100	3	11	10	15000	11844	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	10844	10844	0.933333
3101	012	5000	0.11	3044	1	65	100	3	11	10	15000	11956	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	10956	10956	0.933333
3101	014	5000	0.11	3312	1	65	100	3	11	10	15000	11688	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	10688	10688	0.933333
3101	016	5000	0.11	3566	1	65	100	3	11	10	15000	11434	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	10434	10434	0.933333
3101	017	5000	0.11	2508	1	65	100	3	11	10	15000	12492	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	11492	11492	0.933333
3102	011	4912	0.11	2960	1	65	100	3	11	10	14736	11776	RH-1(D)	40	form-based	true		true	0.7	10	0.909090936	9	9	13753.59961	10793.59961	10793.59961	0.933333
3102	014	4719	0.11	2020	1	65	100	3	11	10	14157	12137	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13213.2002	11193.2002	11193.2002	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3102	015	4724	0.11	3404	1	65	100	3	11	10	14172	10768	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13227.2002	9823.200195	9823.200195	0.933333
3102	016	4729	0.11	3569	1	65	100	3	11	10	14187	10618	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13241.2002	9672.200195	9672.200195	0.933333
3102	017	4735	0.11	2900	1	65	100	3	11	10	14205	11305	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13258	10358	10358	0.933333
3102	018	4740	0.11	2996	1	65	100	3	11	10	14220	11224	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13272	10276	10276	0.933333
3103	002	4906	0.11	3075	1	55	80	2.5	9	8	12265	9190	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13736.7998	10661.7998	10661.7998	1.12
3103	003	4932	0.11	3583	1	55	80	2.5	9	8	12330	8747	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13809.59961	10226.59961	10226.59961	1.12
3103	017	4600	0.11	2166	1	55	80	2.5	9	8	11500	9334	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12880	10714	10714	1.12
3103	019	4654	0.11	2153	1	65	100	3	11	10	13962	11809	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13031.2002	10878.2002	10878.2002	0.933333
3103	021	4708	0.11	2336	1	65	100	3	11	10	14124	11788	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13182.39941	10846.39941	10846.39941	0.933333
3103	022	4734	0.11	2349	1	65	100	3	11	10	14202	11853	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13255.2002	10906.2002	10906.2002	0.933333
3105	009	4623	0.11	2908	1	55	80	2.5	9	8	11558	8650	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12944.39941	10036.39941	10036.39941	1.119951
3105A	022	4776	0.11	2108	1	55	80	2.5	9	8	11940	9832	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13372.7998	11264.7998	11264.7998	1.12
3106	005	4910	0.11	1465	1	55	80	2.5	9	8	12275	10810	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13748	12283	12283	1.12
3106	010	4707	0.11	1320	1	55	80	2.5	9	8	11768	10448	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13179.59961	11859.59961	11859.59961	1.119952
3106	016	4690	0.11	1777	1	55	80	2.5	9	8	11725	9948	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13132	11355	11355	1.12
3107	006	4770	0.11	1558	1	55	80	2.5	9	8	11925	10367	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13356	11798	11798	1.12
3107	007	4759	0.11	1426	1	55	80	2.5	9	8	11898	10472	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13325.2002	11899.2002	11899.2002	1.119953
3107	008	4529	0.1	1702	1	55	80	2.5	8	7	11322	9620	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12681.2002	10979.2002	10979.2002	1.120049
3107	010	4538	0.1	1375	1	55	80	2.5	8	7	11345	9970	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12706.39941	11331.39941	11331.39941	1.12
3107	016	4691	0.11	1676	1	55	80	2.5	9	8	11728	10052	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13134.7998	11458.7998	11458.7998	1.119952
3107	017	4656	0.11	1188	1	55	80	2.5	9	8	11640	10452	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13036.7998	11848.7998	11848.7998	1.12
3107	018	4697	0.11	2056	1	55	80	2.5	9	8	11742	9686	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13151.59961	11095.59961	11095.59961	1.120048
3108	002	4893	0.11	2156	1	55	80	2.5	9	8	12232	10076	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13700.39941	11544.39941	11544.39941	1.120046
3108	004	4734	0.11	1526	1	55	80	2.5	9	8	11835	10309	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13255.2002	11729.2002	11729.2002	1.12
3108	005	4524	0.1	1526	1	55	80	2.5	8	7	11310	9784	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12667.2002	11141.2002	11141.2002	1.12
3108	006	4665	0.11	1486	1	55	80	2.5	9	8	11662	10176	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13062	11576	11576	1.120048
3108	007	4661	0.11	1456	1	55	80	2.5	9	8	11652	10196	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13050.7998	11594.7998	11594.7998	1.120048
3109	020	4531	0.1	2360	1	55	80	2.5	8	7	11328	8968	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12686.7998	10326.7998	10326.7998	1.119951
3108	012	4547	0.1	2256	1	55	80	2.5	8	7	11368	9112	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12731.59961	10475.59961	10475.59961	1.119951
3108	013	4692	0.11	1523	1	55	80	2.5	9	8	11730	10207	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13137.59961	11614.59961	11614.59961	1.12
3108	014	4753	0.11	1440	1	55	80	2.5	9	8	11882	10442	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13308.39941	11868.39941	11868.39941	1.120047
3109	001	4756	0.11	1602	1	55	80	2.5	9	8	11890	10288	RH-1(D)	40	form-based	true		true	0.7	10	1.111111164	9	9	13316.7998	11714.7998	11714.7998	1.12
3109	019	4567	0.1	2051	1	55	80	2.5	8	7	11418	9367	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12787.59961	10736.59961	10736.59961	1.119951
3110	001	4748	0.11	1404	1	55	80	2.5	9	8	11870	10466	RH-1(D)	40	form-based	true		true	0.7	10	1.111111164	9	9	13294.39941	11890.39941	11890.39941	1.12
3110	011	4542	0.1	2392	1	55	80	2.5	8	7	11355	8963	RH-1(D)	40	form-based	true		true	0.7	10	1.25	9	9	12717.59961	10325.59961	10325.59961	1.12
3112	005	4918	0.11	1399	1	55	80	2.5	9	8	12295	10896	RH-1(D)	40	form-based	true		true	0.7	10	1.111111164	9	9	13770.39941	12371.39941	12371.39941	1.12
3133	009	4698	0.11	1564	1	55	80	2.5	9	8	11745	10181	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13154.39941	11590.39941	11590.39941	1.12
3133	010	4571	0.1	1590	1	55	80	2.5	8	7	11428	9838	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12798.7998	11208.7998	11208.7998	1.119951
3136	001	4640	0.11	1684	1	55	80	2.5	9	8	11600	9916	RH-1(D)	40	form-based	true		true	0.7	10	1.111111164	9	9	12992	11308	11308	1.12
3137	024	4648	0.11	1610	1	55	80	2.5	9	8	11620	10010	RH-1(D)	40	form-based	true		true	0.7	10	1.111111164	9	9	13014.39941	11404.39941	11404.39941	1.12
3160	016	4668	0.11	1620	1	55	80	2.5	9	8	11670	10050	RH-1(D)	40	form-based	true		true	0.7	10	1.111111164	9	9	13070.39941	11450.39941	11450.39941	1.12
3161	007	4546	0.1	1916	1	55	80	2.5	8	7	11365	9449	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12728.7998	10812.7998	10812.7998	1.12
3161	009	4882	0.11	1869	1	55	80	2.5	9	8	12205	10336	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13669.59961	11800.59961	11800.59961	1.12
3163	026	4624	0.11	1480	1	55	80	2.5	9	8	11560	10080	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12947.2002	11467.2002	11467.2002	1.12
3164	004	4575	0.11	1625	1	55	80	2.5	9	8	11438	9813	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12810	11185	11185	1.119951
3164	005	4731	0.11	2911	1	55	80	2.5	9	8	11828	8917	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13246.7998	10335.7998	10335.7998	1.119953
3166	005	4808	0.11	2255	1	55	80	2.5	9	8	12020	9765	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13462.39941	11207.39941	11207.39941	1.12
3166	006	4602	0.11	1618	1	55	80	2.5	9	8	11505	9887	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12885.59961	11267.59961	11267.59961	1.12
3166	007	4575	0.11	1930	1	55	80	2.5	9	8	11438	9508	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12810	10880	10880	1.119951
3166	017	4548	0.1	2335	1	65	100	3	10	9	13644	11309	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12734.39941	10399.39941	10399.39941	0.933333
3166	028	4527	0.1	1950	1	55	80	2.5	8	7	11318	9368	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12675.59961	10725.59961	10725.59961	1.119951
3167	001	4566	0.1	1888	1	65	100	3	10	9	13698	11810	RH-1(D)	40	form-based	true		true	0.7	10	1	9	9	12784.7998	10896.7998	10896.7998	0.933333
3167	006	4548	0.1	1324	1	65	100	3	10	9	13644	12320	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12734.39941	11410.39941	11410.39941	0.933333
3167	007	4630	0.11	1940	1	65	100	3	11	10	13890	11950	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12964	11024	11024	0.933333
3168	006	4880	0.11	1300	1	65	100	3	11	10	14640	13340	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13664	12364	12364	0.933333
3169	009	4561	0.1	1300	1	65	100	3	10	9	13683	12383	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12770.7998	11470.7998	11470.7998	0.933333
3177	024	4707	0.11	1345	1	65	100	3	11	10	14121	12776	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13179.59961	11834.59961	11834.59961	0.933333
3178	015	4947	0.11	1680	1	65	100	3	11	10	14841	13161	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13851.59961	12171.59961	12171.59961	0.933333
3181	034	4872	0.11	918	1	65	100	3	11	10	14616	13698	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13641.59961	12723.59961	12723.59961	0.933333
3182	038	4555	0.1	1395	1	65	100	3	10	9	13665	12270	RH-1	40	form-based			true	0.7	10	1	9	9	12754	11359	11359	0.933333
3191	001	4683	0.11	2200	1	65	100	3	11	10	14049	11849	RH-1(D)	40	form-based	true		true	0.7	10	0.909090936	9	9	13112.39941	10912.39941	10912.39941	0.933333
3196	021	4718	0.11	975	1	65	100	3	11	10	14154	13179	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13210.39941	12235.39941	12235.39941	0.933333
3196	022	4886	0.11	1125	1	65	100	3	11	10	14658	13533	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13680.7998	12555.7998	12555.7998	0.933333
3196	023	4740	0.11	1050	1	65	100	3	11	10	14220	13170	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13272	12222	12222	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3197	013	4688	0.11	2015	1	85	140	4	15	14	18752	16737	RH-1(D)	40	form-based			true	0.7	10	0.666666687	9	9	13126.39941	11111.39941	11111.39941	0.7
3250	004	4580	0.11	2784	1	65	100	3	11	10	13740	10956	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12824	10040	10040	0.933333
3250	015	4382	0.1	0	0	65	100	3	10	10	13146	13146	RH-1(D)	40	form-based			true	0.7	9	0.899999976	9	9	12269.59961	12269.59961	12269.59961	0.933333
3251	014	4947	0.11	1570	1	65	100	3	11	10	14841	13271	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13851.59961	12281.59961	12281.59961	0.933333
3251	015	4997	0.11	1455	1	65	100	3	11	10	14991	13536	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13991.59961	12536.59961	12536.59961	0.933333
3251	016	4995	0.11	1935	1	65	100	3	11	10	14985	13050	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13986	12051	12051	0.933333
3251	017	4791	0.11	1392	1	65	100	3	11	10	14373	12981	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13414.7998	12022.7998	12022.7998	0.933333
3252	002	4595	0.11	1450	1	65	100	3	11	10	13785	12335	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12866	11416	11416	0.933333
3253	017	4760	0.11	2770	1	65	100	3	11	10	14280	11510	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13328	10558	10558	0.933333
3253	013	4815	0.11	2182	1	65	100	3	11	10	14445	12263	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13482	11300	11300	0.933333
3253	014	4729	0.11	2077	1	65	100	3	11	10	14187	12110	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13241.2002	11164.2002	11164.2002	0.933333
3258	011	4592	0.11	2562	1	65	100	3	11	10	13776	11214	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12857.59961	10295.59961	10295.59961	0.933333
3258	012	4566	0.1	2893	1	65	100	3	10	9	13698	10805	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12784.7998	9891.799805	9891.799805	0.933333
3258	014	4530	0.1	1884	1	65	100	3	10	9	13590	11706	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12684	10800	10800	0.933333
3258	015	4525	0.1	1728	1	85	140	4	14	13	18100	16372	RH-1(D)	40	form-based			true	0.7	10	0.714285731	9	9	12670	10942	10942	0.7
3258	016	4613	0.11	2812	1	85	140	4	15	14	18452	15640	RH-1(D)	40	form-based			true	0.7	10	0.666666687	9	9	12916.39941	10104.39941	10104.39941	0.7
3258	030	4701	0.11	2045	1	65	100	3	11	10	14103	12058	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13162.7998	11117.7998	11117.7998	0.933333
3259	008	4849	0.11	1738	1	65	100	3	11	10	14547	12809	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13577.2002	11839.2002	11839.2002	0.933333
3259	009	4802	0.11	2507	1	65	100	3	11	10	14406	11899	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13445.59961	10938.59961	10938.59961	0.933333
3259	031	4813	0.11	2377	1	65	100	3	11	10	14439	12062	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13476.39941	11099.39941	11099.39941	0.933333
3259	038	4751	0.11	2738	1	65	100	3	11	10	14253	11515	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13302.7998	10564.7998	10564.7998	0.933333
3260	004	4856	0.11	3347	1	65	100	3	11	10	14568	11221	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13596.7998	10249.7998	10249.7998	0.933333
3260	006	4916	0.11	2143	1	65	100	3	11	10	14748	12605	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13764.7998	11621.7998	11621.7998	0.933333
3260	007	4768	0.11	3492	1	65	100	3	11	10	14304	10812	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13350.39941	9858.399414	9858.399414	0.933333
3260	014	4675	0.11	3130	1	65	100	3	11	10	14025	10895	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13090	9960	9960	0.933333
3261	020	4540	0.1	3158	1	65	100	3	10	9	13620	10462	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12712	9554	9554	0.933333
3262	002A	4678	0.11	3161	1	65	100	3	11	10	14034	10873	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13098.39941	9937.399414	9937.399414	0.933333
3262	017	4607	0.11	1850	1	65	100	3	11	10	13821	11971	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12899.59961	11049.59961	11049.59961	0.933333
3262	018	4837	0.11	3057	1	65	100	3	11	10	14511	11454	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13543.59961	10486.59961	10486.59961	0.933333
3262	019	4706	0.11	3535	1	65	100	3	11	10	14118	10583	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13176.7998	9641.799805	9641.799805	0.933333
3262	022	4985	0.11	2545	1	65	100	3	11	10	14955	12410	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13958	11413	11413	0.933333
3262	027	4947	0.11	3290	1	65	100	3	11	10	14841	11551	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13851.59961	10561.59961	10561.59961	0.933333
3262	029	4924	0.11	3699	1	65	100	3	11	10	14772	11073	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13787.2002	10088.2002	10088.2002	0.933333
3263	005	4749	0.11	2092	1	55	80	2.5	9	8	11872	9780	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13297.2002	11205.2002	11205.2002	1.120047
3263	010	4996	0.11	3594	1	55	80	2.5	9	8	12490	8896	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13988.7998	10394.7998	10394.7998	1.12
3263	012	4951	0.11	2566	1	55	80	2.5	9	8	12378	9812	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13862.7998	11296.7998	11296.7998	1.119955
3267	021	4714	0.11	1998	1	65	100	3	11	10	14142	12144	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13199.2002	11201.2002	11201.2002	0.933333
3267	023	4808	0.11	2805	1	65	100	3	11	10	14424	11619	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13462.39941	10657.39941	10657.39941	0.933333
3267	024	4845	0.11	2840	1	65	100	3	11	10	14535	11695	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13566	10726	10726	0.933333
3267	024A	4799	0.11	2548	1	65	100	3	11	10	14397	11849	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13437.2002	10889.2002	10889.2002	0.933333
3269	009	2649	0.06	2679	1	65	100	3	6	5	7947	5268	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11920.5	9241.5	9241.5	1.5
3269	009A	2652	0.06	2183	1	65	100	3	6	5	7956	5773	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11934	9751	9751	1.5
3270	011B	2705	0.06	1380	1	65	100	3	6	5	8115	6735	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12172.5	10792.5	10792.5	1.5
3273	032	4791	0.11	2153	1	55	80	2.5	9	8	11978	9825	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13414.7998	11261.7998	11261.7998	1.119953
3274	003	4623	0.11	3000	1	55	80	2.5	9	8	11558	8558	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12944.39941	9944.399414	9944.399414	1.119951
3273	001	4731	0.11	4295	1	55	80	2.5	9	8	11828	7533	RH-1(D)	40	form-based	true		true	0.7	10	1.111111164	9	9	13246.7998	8951.799805	8951.799805	1.119953
3273	040	4412	0.1	0	0	65	100	3	10	10	13236	13236	RH-1(D)	40	form-based			true	0.7	9	0.899999976	9	9	12353.59961	12353.59961	12353.59961	0.933333
3274	002	4767	0.11	1640	1	55	80	2.5	9	8	11918	10278	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13347.59961	11707.59961	11707.59961	1.119953
3274	005	4533	0.1	2136	1	55	80	2.5	8	7	11332	9196	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12692.39941	10556.39941	10556.39941	1.120049
3274	007	4540	0.1	1445	1	55	80	2.5	8	7	11350	9905	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12712	11267	11267	1.12
3274	008	4563	0.1	1456	1	55	80	2.5	8	7	11408	9952	RH-1(D)	40	form-based			true	0.7	10	1.25	9	9	12776.39941	11320.39941	11320.39941	1.119951
3275	018	4754	0.11	2999	1	65	100	3	11	10	14262	11263	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13311.2002	10312.2002	10312.2002	0.933333
3276	010	4618	0.11	2054	1	65	100	3	11	10	13854	11800	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12930.39941	10876.39941	10876.39941	0.933333
3276	011	4846	0.11	1600	1	65	100	3	11	10	14538	12938	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13568.7998	11968.7998	11968.7998	0.933333
3276	012	4552	0.1	2415	1	65	100	3	10	9	13656	11241	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12745.59961	10330.59961	10330.59961	0.933333
3276	016	4748	0.11	2104	1	65	100	3	11	10	14244	12140	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13294.39941	11190.39941	11190.39941	0.933333
3276	017	4572	0.1	2975	1	65	100	3	10	9	13716	10741	RH-1(D)	40	form-based	true		true	0.7	10	1	9	9	12801.59961	9826.599609	9826.599609	0.933333
3276	018	4599	0.11	1049	1	65	100	3	11	10	13797	12748	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12877.2002	11828.2002	11828.2002	0.933333
3276	019	4590	0.11	2783	1	65	100	3	11	10	13770	10987	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12852	10069	10069	0.933333
3276	024A	4857	0.11	1925	1	65	100	3	11	10	14571	12646	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13599.59961	11674.59961	11674.59961	0.933333
3280	013	4660	0.11	2916	1	65	100	3	11	10	13980	11064	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13048	10132	10132	0.933333
3280	015	4779	0.11	2038	1	65	100	3	11	10	14337	12299	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13381.2002	11343.2002	11343.2002	0.933333
3280	016	4767	0.11	2342	1	65	100	3	11	10	14301	11959	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13347.59961	11005.59961	11005.59961	0.933333
3281	021	4669	0.11	2379	1	85	140	4	15	14	18676	16297	RH-1(D)	40	form-based			true	0.7	10	0.666666687	9	9	13073.2002	10694.2002	10694.2002	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3282	024A	4651	0.11	1575	1	65	100	3	11	10	13953	12378	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13022.7998	11447.7998	11447.7998	0.933333
3282	025	4822	0.11	1558	1	65	100	3	11	10	14466	12908	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13501.59961	11943.59961	11943.59961	0.933333
3283	044	4675	0.11	1995	1	65	100	3	11	10	14025	12030	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	13090	11095	11095	0.933333
3509	002	2841	0.07	1237	0	85	140	4	10	10	11364	10127	RCD	55	form-based				0.75	9	0.899999976	9	9	10653.75	9416.75	9416.75	0.9375
3509	003	2841	0.07	2447	0	85	140	4	10	10	11364	8917	RCD	55	form-based				0.75	9	0.899999976	9	9	10653.75	8206.75	8206.75	0.9375
3510	044	3067	0.07	4000	0	65	100	3	7	7	9201	5201	WMUG	55	form-based		true		0.75	9	1.285714269	9	9	11501.25	7501.25	7501.25	1.25
3511	020	2860	0.07	5250	6	65	100	3	7	1	8580	3330	WMUG	85	form-based			true	0.75	15	2.142857075	9	8	17160	11910	11910	2
3511	022	2227	0.05	5400	3	65	100	3	5	2	6681	1281	WMUG	85	form-based			true	0.75	12	2.400000095	9	7	13362	7962	7962	2
3512	010	1539	0.04	0	0	65	100	3	4	4	4617	4617	C-3-G	85	form-based		true		0.8	9	2.25	9	8	9849.600586	9849.600586	9234	2.133333
3518	015	3092	0.07	3000	0	65	100	3	7	7	9276	6276	RCD	55	form-based		true		0.75	9	1.285714269	9	9	11595	8595	8595	1.25
3521	031	1633	0.04	3700	0	55	80	2.5	3	3	4082	382	WMUG	85	form-based			true	0.75	9	3	9	6	9798	6098	4464	2.400294
3521	033	1628	0.04	2957	0	55	80	2.5	3	3	4070	1113	WMUG	85	form-based		true	true	0.75	9	3	9	6	9768	6811	5183	2.4
3522	061	1734	0.04	0	0	65	100	3	4	4	5202	5202	WMUG	85	form-based			true	0.75	9	2.25	9	8	10404	10404	10404	2
3532	012A	6955	0.16	11105	17	75	120	3.5	19	2	24342	13237	UMU	68	form-based		true		0.75	26	1.368421078	9	9	31297.5	20192.5	20192.5	1.285741
3533	008	3000	0.07	5900	0	65	100	3	7	7	9000	3100	NCT-3	50	form-based		true		0.75	9	1.285714269	9	9	11250	5350	5350	1.25
3534	023	5508	0.13	5040	6	65	100	3	13	7	16524	11484	RTO-1	50	form-based			true	0.7	15	1.153846145	9	9	19278	14238	14238	1.166667
3537	085	2465	0.06	3475	4	85	140	4	8	4	9860	6385	RTO-C	85	form-based		true	true	0.75	13	1.625	9	9	14790	11315	11315	1.5
3537	086	2469	0.06	3448	4	85	140	4	8	4	9876	6428	RTO-C	85	form-based			true	0.75	13	1.625	9	9	14814	11366	11366	1.5
3537	166	3772	0.09	1100	2	65	100	3	9	7	11316	10216	RTO-1	50	form-based			true	0.7	11	1.222222209	9	9	13202	12102	12102	1.166667
3538	089	1900	0.04	1088	1	65	100	3	4	3	5700	4612	RTO-C	85	form-based			true	0.75	10	2.5	9	7	11400	10312	10312	2
3538	094	2398	0.06	4866	4	65	100	3	6	2	7194	2328	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	14388	9522	9522	2
3538	096	2408	0.06	3678	4	65	100	3	6	2	7224	3546	RTO-C	85	form-based			true	0.75	13	2.166666746	9	8	14448	10770	10770	2
3543	013	2500	0.06	1670	3	65	100	3	6	3	7500	5830	RTO-1	85	form-based			true	0.7	12	2	9	9	14000	12330	12330	1.866667
3544	070	2771	0.06	5137	6	85	140	4	8	2	11084	5947	NCT-UPPEI	85	form-based			true	0.75	15	1.875	9	9	16626	11489	11489	1.5
3544	092	2613	0.06	935	4	65	100	3	6	2	7839	6904	RTO-1	85	form-based		true	true	0.7	13	2.166666746	9	8	14632.7998	13697.7998	13697.7998	1.866667
3548	037	2392	0.05	0	0	85	140	4	7	7	9568	9568	NCT-MISSI	65	form-based				0.75	9	1.285714269	9	9	10764	10764	10764	1.125
3546	001	12998	0.3	24900	30	75	120	3.5	36	6	45493	20593	NCT-VALEI	55	form-based		true		0.75	39	1.083333373	9	9	48742.5	23842.5	23842.5	1.071429
3547	010	2977	0.07	3780	0	75	120	3.5	8	8	10420	6640	NCT-VALEI	55	form-based				0.75	9	1.125	9	9	11163.75	7383.75	7383.75	1.071377
3547	020	4000	0.09	0	0	75	120	3.5	11	11	14000	14000	NCT-VALEI	45	form-based				0.75	9	0.818181813	9	9	12000	12000	12000	0.857143
3549	052	3000	0.07	7061	0	75	120	3.5	8	8	10500	3439	UMU	58	form-based				0.75	9	1.125	9	9	11250	4189	4189	1.071429
3549	055	3000	0.07	3000	0	75	120	3.5	8	8	10500	7500	UMU	58	form-based				0.75	9	1.125	9	9	11250	8250	8250	1.071429
3549	061	3240	0.07	1452	1	75	120	3.5	8	7	11340	9888	UMU	58	form-based				0.75	10	1.25	9	9	12150	10698	10698	1.071429
3549	063	2880	0.07	2375	0	75	120	3.5	8	8	10080	7705	UMU	58	form-based				0.75	9	1.125	9	9	10800	8425	8425	1.071429
3552	019	3726	0.09	4350	2	75	120	3.5	11	9	13041	8691	UMU	58	form-based				0.75	11	1	9	9	13972.5	9622.5	9622.5	1.071429
3552	030	3600	0.08	3188	2	75	120	3.5	10	8	12600	9412	UMU	58	form-based				0.75	11	1.100000024	9	9	13500	10312	10312	1.071429
3552	034	3000	0.07	0	0	75	120	3.5	8	8	10500	10500	UMU	58	form-based				0.75	9	1.125	9	9	11250	11250	11250	1.071429
3552	037	3000	0.07	0	0	75	120	3.5	8	8	10500	10500	UMU	58	form-based				0.75	9	1.125	9	9	11250	11250	11250	1.071429
3553	004	3762	0.09	2664	2	75	120	3.5	11	9	13167	10503	RTO-M	55	form-based				0.7	11	1	9	9	13167	10503	10503	1
3555	016	3090	0.07	2400	0	85	140	4	10	10	12360	9960	NCT-VALEI	55	form-based				0.75	9	0.899999976	9	9	11587.5	9187.5	9187.5	0.9375
3557	003	6373	0.15	1696	2	65	100	3	15	13	19119	17423	RTO-1	40	density-lin	600			0.7	11	0.733333349	9	9	17844.40039	16148.40039	16148.40039	0.933333
3557	019	4261	0.1	2500	3	65	100	3	10	7	12783	10283	RTO-1	50	form-based			true	0.7	12	1.200000048	9	9	14913.5	12413.5	12413.5	1.166667
3557	037	3125	0.07	2220	2	85	140	4	10	8	12500	10280	RTO-1	65	form-based			true	0.7	11	1.100000024	9	9	13125	10905	10905	1.05
3557	039	3125	0.07	3400	2	85	140	4	10	8	12500	9100	RTO-1	65	form-based			true	0.7	11	1.100000024	9	9	13125	9725	9725	1.05
3557	154	3125	0.07	1613	2	65	100	3	7	5	9375	7762	RTO-1	65	form-based			true	0.7	11	1.571428537	9	9	13125	11512	11512	1.4
3557	162	3125	0.07	1608	2	65	100	3	7	5	9375	7767	RTO-1	65	form-based			true	0.7	11	1.571428537	9	9	13125	11517	11517	1.4
3558	041	7562	0.17	16830	12	85	140	4	24	12	30248	13418	RTO-1	50	form-based			true	0.7	21	0.875	9	9	26467	9637	9637	0.875
3562	040	2188	0.05	1256	2	65	100	3	5	3	6564	5308	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	13128	11872	11872	2
3566	046	3596	0.08	1350	1	65	100	3	8	7	10788	9438	RH-2	50	form-based			true	0.7	10	1.25	9	9	12586	11236	11236	1.166667
3566	048	3617	0.08	1425	1	65	100	3	8	7	10851	9426	RH-2	50	form-based			true	0.7	10	1.25	9	9	12659.5	11234.5	11234.5	1.166667
3577	016	3287	0.08	3801	0	65	100	3	8	8	9861	6060	RTO-M	55	form-based		true		0.7	9	1.125	9	9	11504.5	7703.5	7703.5	1.166667
3578	078	8675	0.2	14809	0	65	100	3	20	20	26025	11216	RH-3	40	density-lin	1000			0.7	9	0.449999988	9	9	24290	9481	9481	0.933333
3580	004	2625	0.06	2250	1	85	140	4	8	7	10500	8250	RTO-C	65	form-based			true	0.75	10	1.25	9	9	11812.5	9562.5	9562.5	1.125
3580	018	3712	0.09	1210	1	65	100	3	9	8	11136	9926	RM-1	50	form-based			true	0.7	10	1.111111164	9	9	12992	11782	11782	1.166667
3580	037	4890	0.11	6400	5	65	100	3	11	6	14670	8270	RM-1	50	form-based			true	0.7	14	1.272727251	9	9	17115	10715	10715	1.166667
3582	080	2163	0.05	2568	2	65	100	3	5	3	6489	3921	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12978	10410	10410	2
3582	082	2163	0.05	1783	2	85	140	4	7	5	8652	6869	RTO-C	85	form-based			true	0.75	11	1.571428537	9	9	12978	11195	11195	1.5
3582	107	2163	0.05	2333	2	65	100	3	5	3	6489	4156	RTO-C	85	form-based			true	0.75	11	2.200000048	9	8	12978	10645	10645	2
3582	133	2163	0.05	1788	2	65	100	3	5	3	6489	4701	RTO-C	85	form-based		true	true	0.75	11	2.200000048	9	8	12978	11190	11190	2
3584	040	5250	0.12	1425	2	65	100	3	12	10	15750	14325	RH-3	40	form-based			true	0.7	11	0.916666687	9	9	14700	13275	13275	0.933333
3591	025	2852	0.07	4250	0	65	100	3	7	7	8556	4306	UMU	58	form-based		true		0.75	9	1.285714269	9	9	10695	6445	6445	1.25
3591	026	2852	0.07	5050	0	65	100	3	7	7	8556	3506	UMU	58	form-based				0.75	9	1.285714269	9	9	10695	5645	5645	1.25
3591	027	2852	0.07	8327	0	65	100	3	7	7	8556	229	UMU	58	form-based				0.75	9	1.285714269	9	9	10695	2368	2368	1.25
3591	028	2852	0.07	5392	0	65	100	3	7	7	8556	3164	UMU	58	form-based				0.75	9	1.285714269	9	9	10695	5303	5303	1.25
3601	102	4375	0.1	1932	0	65	100	3	10	10	13125	11193	RH-1	40	form-based			true	0.7	9	0.899999976	9	9	12250	10318	10318	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3605	005	2705	0.06	1176	1	65	100	3	6	5	8115	6939	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	12172.5	10996.5	10996.5	1.5
3605	010	3019	0.07	1636	2	65	100	3	7	5	9057	7421	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13585.5	11949.5	11949.5	1.5
3605	097	2861	0.07	3036	2	65	100	3	7	5	8583	5547	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	12874.5	9838.5	9838.5	1.5
3606	029	2625	0.06	2538	1	85	140	4	8	7	10500	7962	RTO-C	65	form-based			true	0.75	10	1.25	9	9	11812.5	9274.5	9274.5	1.125
3606	034	5670	0.13	6344	7	85	140	4	18	11	22680	16336	RM-1	50	form-based			true	0.7	16	0.888888896	9	9	19845	13501	13501	0.875
3606	082	2851	0.07	4875	2	85	140	4	10	8	11404	6529	RTO-C	65	form-based			true	0.75	11	1.100000024	9	9	12829.5	7954.5	7954.5	1.125
3606	083	3411	0.08	4875	4	85	140	4	11	7	13644	8769	RTO-C	65	form-based	true	true		0.75	13	1.181818128	9	9	15349.5	10474.5	10474.5	1.125
3608	005	6109	0.14	16650	9	65	100	3	14	5	18327	1677	NCT-VALEI	50	form-based	true			0.75	18	1.285714269	9	9	22908.75	6258.75	6258.75	1.25
3617	001	6858	0.16	10786	12	65	100	3	16	4	20574	9788	NCT-VALEI	55	form-based	true			0.75	21	1.3125	9	9	25717.5	14931.5	14931.5	1.25
3619	041	2534	0.06	1364	1	65	100	3	6	5	7602	6238	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11403	10039	10039	1.5
3619	047	3241	0.07	3930	3	85	140	4	10	7	12964	9034	RTO-C	65	form-based			true	0.75	12	1.200000048	9	9	14584.5	10654.5	10654.5	1.125
3619	049	3375	0.08	3914	4	85	140	4	11	7	13500	9586	RTO-C	65	form-based			true	0.75	13	1.181818128	9	9	15187.5	11273.5	11273.5	1.125
3619	068	3456	0.08	1200	1	65	100	3	8	7	10368	9168	RH-2	50	form-based			true	0.7	10	1.25	9	9	12096	10896	10896	1.166667
3619	072	3256	0.07	4450	0	65	100	3	7	7	9768	5318	RH-2	50	form-based			true	0.7	9	1.285714269	9	9	11396	6946	6946	1.166667
3619	079	3507	0.08	1850	1	85	140	4	11	10	14028	12178	RH-2	50	form-based			true	0.7	10	0.909090936	9	9	12274.5	10424.5	10424.5	0.875
3619	097	3277	0.08	0	0	85	140	4	11	11	13108	13108	RH-2	50	form-based			true	0.7	9	0.818181813	9	9	11469.5	11469.5	11469.5	0.875
3619	121	4510	0.1	1455	4	85	140	4	14	10	18040	16585	RM-1	50	form-based			true	0.7	13	0.928571403	9	9	15785	14330	14330	0.875
3619	125	3757	0.09	2016	2	65	100	3	9	7	11271	9255	RH-2	50	form-based			true	0.7	11	1.222222209	9	9	13149.5	11133.5	11133.5	1.166667
3620	033	5717	0.13	1864	3	65	100	3	13	10	17151	15287	RH-2	40	form-based			true	0.7	12	0.923076928	9	9	16007.59961	14143.59961	14143.59961	0.933333
3620	053	5805	0.13	4343	3	65	100	3	13	10	17415	13072	RH-1	40	form-based			true	0.7	12	0.923076928	9	9	16254	11911	11911	0.933333
3621	099	4725	0.11	4294	1	65	100	3	11	10	14175	9881	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13230	8936	8936	0.933333
3627	032	3996	0.09	3904	2	65	100	3	9	7	11988	8084	RH-2	50	form-based			true	0.7	11	1.222222209	9	9	13986	10082	10082	1.166667
3627	046	3695	0.08	1743	1	65	100	3	8	7	11085	9342	RH-2	50	form-based			true	0.7	10	1.25	9	9	12932.5	11189.5	11189.5	1.166667
3627	047	3607	0.08	1972	1	65	100	3	8	7	10821	8849	RH-2	50	form-based			true	0.7	10	1.25	9	9	12624.5	10652.5	10652.5	1.166667
3627	048	3519	0.08	1680	1	65	100	3	8	7	10557	8877	RH-2	50	form-based			true	0.7	10	1.25	9	9	12316.5	10636.5	10636.5	1.166667
3627	063	3848	0.09	3787	2	65	100	3	9	7	11544	7757	RH-2	50	form-based			true	0.7	11	1.222222209	9	9	13468	9681	9681	1.166667
3628	013	3026	0.07	2040	2	65	100	3	7	5	9078	7038	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13617	11577	11577	1.5
3628	019	3744	0.09	1448	1	65	100	3	9	8	11232	9784	RH-2	50	form-based			true	0.7	10	1.111111164	9	9	13104	11656	11656	1.166667
3628	023A	3264	0.07	3058	0	65	100	3	7	7	9792	6734	RH-2	50	form-based			true	0.7	9	1.285714269	9	9	11424	8366	8366	1.166667
3628	040	3027	0.07	885	2	65	100	3	7	5	9081	8196	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13621.5	12736.5	12736.5	1.5
3628	048	3032	0.07	1517	2	85	140	4	10	8	12128	10611	RTO-C	65	form-based			true	0.75	11	1.100000024	9	9	13644	12127	12127	1.125
3629	028	2496	0.06	1520	0	65	100	3	6	6	7488	5968	RTO-C	65	form-based			true	0.75	9	1.5	9	9	11232	9712	9712	1.5
3629	029	2949	0.07	2616	2	65	100	3	7	5	8847	6231	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13270.5	10654.5	10654.5	1.5
3629	036	2663	0.06	2495	1	85	140	4	8	7	10652	8157	RTO-C	65	form-based			true	0.75	10	1.25	9	9	11983.5	9488.5	9488.5	1.125
3630	030	4543	0.1	1128	4	65	100	3	10	6	13629	12501	RH-2	50	form-based			true	0.7	13	1.299999952	9	9	15900.5	14772.5	14772.5	1.166667
3636	032	4700	0.11	8915	5	75	120	3.5	13	8	16450	7535	NCT-VALEI	55	form-based				0.75	14	1.076923132	9	9	17625	8710	8710	1.071429
3636	045	6000	0.14	6694	4	85	140	4	20	16	24000	17306	RTO-M	45	form-based				0.7	13	0.649999976	9	9	16800	10106	10106	0.7
3642	045	4287	0.1	0	0	95	160	4.5	16	16	19292	19292	RTO-M	40	form-based				0.7	9	0.5625	9	9	12003.59961	12003.59961	12003.59961	0.622206
3642	075	7561	0.17	8500	12	75	120	3.5	20	8	26464	17964	RTO-M	50	form-based				0.7	21	1.049999952	9	9	26463.5	17963.5	17963.5	0.999981
3642	080	3845	0.09	1241	2	75	120	3.5	11	9	13458	12217	RTO-M	50	form-based				0.7	11	1	9	9	13457.5	12216.5	12216.5	0.999963
3643	061	6250	0.14	1689	4	75	120	3.5	17	13	21875	20186	RTO-M	45	form-based				0.7	13	0.764705896	9	9	17500	15811	15811	0.8
3649	021	3558	0.08	3786	1	65	100	3	8	7	10674	6888	RH-2	50	form-based			true	0.7	10	1.25	9	9	12453	8667	8667	1.166667
3649	023	3558	0.08	3500	1	65	100	3	8	7	10674	7174	RH-2	50	form-based			true	0.7	10	1.25	9	9	12453	8953	8953	1.166667
3650	034	2500	0.06	3341	0	65	100	3	6	6	7500	4159	RTO-C	65	form-based			true	0.75	9	1.5	9	9	11250	7909	7909	1.5
3650	051	3836	0.09	1395	2	65	100	3	9	7	11508	10113	RH-2	50	form-based			true	0.7	11	1.222222209	9	9	13426	12031	12031	1.166667
3651	035	3563	0.08	2030	1	65	100	3	8	7	10689	8659	RH-3	50	form-based			true	0.7	10	1.25	9	9	12470.5	10440.5	10440.5	1.166667
3652	017	2850	0.07	2460	2	65	100	3	7	5	8550	6090	NCD-24TH	65	form-based			true	0.75	11	1.571428537	9	9	12825	10365	10365	1.5
3654	007A	2942	0.07	3894	2	65	100	3	7	5	8826	4932	NCD-24TH	65	form-based			true	0.75	11	1.571428537	9	9	13239	9345	9345	1.5
3701	011	1369	0.03	2400	3	75	120	3.5	4	1	4792	2392	C-3-G	150	form-based				0.8	12	3	9	5	12321	9921	7184	2.57116
3704	051	1763	0.04	4889	0	75	120	3.5	5	5	6170	1281	NCT-SOMA	85	form-based				0.75	9	1.799999952	9	9	10578	5689	5689	1.714425
3704	113	1646	0.04	1559	6	75	120	3.5	5	0	5761	4202	C-3-G	90	form-based				0.8	15	3	9	4	14814	13255	9963	2.571429
3726	021	1800	0.04	0	0	65	100	3	4	4	5400	5400	MUG	85	form-based				0.75	9	2.25	9	8	10800	10800	10800	2
3726	029	2250	0.05	5550	3	85	140	4	7	4	9000	3450	MUG	85	form-based				0.75	12	1.714285731	9	9	13500	7950	7950	1.5
3727	072A	3890	0.09	0	0	75	120	3.5	11	11	13615	13615	RED	40	form-based				0.75	9	0.818181813	9	9	11670	11670	11670	0.857143
3729	082	2846	0.07	11180	0	65	100	3	7	7	8538	0	RCD	55	form-based	true			0.75	9	1.285714269	9	9	10672.5	0	0	1.25
3730	120	4000	0.09	3889	0	85	140	4	13	13	16000	12111	RED	40	form-based				0.75	9	0.692307711	9	9	12000	8111	8111	0.75
3730	129	5621	0.13	1267	8	65	100	3	13	5	16863	15596	WMUG	55	form-based	true			0.75	17	1.307692289	9	9	21078.75	19811.75	19811.75	1.25
3730	178	5000	0.11	1666	10	65	100	3	11	1	15000	13334	NCT-FOLS	65	form-based	true			0.75	19	1.727272749	9	9	22500	20834	20834	1.5
3731	078	2489	0.06	3350	0	65	100	3	6	6	7467	4117	RED	65	form-based				0.75	9	1.5	9	9	11200.5	7850.5	7850.5	1.5
3731	171	5479	0.13	13200	12	65	100	3	13	1	16437	3237	NCT-SOMA	65	form-based	true			0.75	21	1.615384579	9	9	24655.5	11455.5	11455.5	1.5
3732	094	4000	0.09	7715	0	65	100	3	9	9	12000	4285	MUR	45	form-based				0.75	9	1	9	9	12000	4285	4285	1
3732	232	4000	0.09	7500	0	65	100	3	9	9	12000	4500	MUR	45	form-based				0.75	9	1	9	9	12000	4500	4500	1
3751	167	1625	0.04	0	0	65	100	3	4	4	4875	4875	MUR	85	form-based	true			0.75	9	2.25	9	8	9750	9750	9750	2
3751	175	48941	1.12	1387	233	65	100	3	112	0	146823	145436	MUR	130	form-based	true			0.55	242	2.160714388	9	0	242422.8438	241035.8438	241035.8438	1.651123

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3754	034	2286	0.05	4425	0	65	100	3	5	5	6858	2433	NCT-SOMA	65	form-based		true		0.75	9	1.799999952	9	9	10287	5862	5862	1.5
3754	066	2269	0.05	2250	0	65	100	3	5	5	6807	4557	NCT-SOMA	65	form-based				0.75	9	1.799999952	9	9	10210.5	7960.5	7960.5	1.5
3755	099	2275	0.05	2269	0	65	100	3	5	5	6825	4556	NCT-FOLS	65	form-based				0.75	9	1.799999952	9	9	10237.5	7968.5	7968.5	1.5
3755	100	2275	0.05	2247	0	65	100	3	5	5	6825	4578	NCT-FOLS	65	form-based				0.75	9	1.799999952	9	9	10237.5	7990.5	7990.5	1.5
3755	132	2421	0.06	0	0	65	100	3	6	6	7263	7263	NCT-FOLS	65	form-based				0.75	9	1.5	9	9	10894.5	10894.5	10894.5	1.5
3762	008	1937	0.04	3440	2	85	140	4	6	4	7748	4308	CMUO	85	form-based				0.8	11	1.833333373	9	9	12396.7998	8956.799805	8956.799805	1.6
3762	040	1547	0.04	2080	0	65	100	3	4	4	4641	2561	CMUO	85	form-based				0.8	9	2.25	9	8	9900.799805	7820.799805	7202	2.133333
3763	008	2063	0.05	4500	3	65	100	3	5	2	6189	1689	CMUO	85	form-based				0.8	12	2.400000095	9	7	13203.2002	8703.200195	7878	2.133333
3763	020	2125	0.05	9051	3	85	140	4	7	4	8500	0	CMUO	85	form-based				0.8	12	1.714285731	9	9	13600	4549	4549	1.6
3763	021	2125	0.05	5250	3	85	140	4	7	4	8500	3250	CMUO	85	form-based				0.8	12	1.714285731	9	9	13600	8350	8350	1.6
3763	025	2156	0.05	4069	3	85	140	4	7	4	8624	4555	CMUO	85	form-based				0.8	12	1.714285731	9	9	13798.40039	9729.400391	9729.400391	1.6
3764	198	11254	0.26	148041	33	65	100	3	26	0	33762	0	MUO	65	form-based				0.75	42	1.615384579	9	9	50643	0	0	1.5
3775	038	3884	0.09	21137	0	65	100	3	9	9	11652	0	SPD	40	form-based		true		0.75	9	1	9	9	11652	0	0	1
3775	075	3600	0.08	8100	0	65	100	3	8	8	10800	2700	CMUO	45	form-based				0.8	9	1.125	9	9	11520	3420	3420	1.066667
3775	081	3740	0.09	444	0	65	100	3	9	9	11220	10776	CMUO	45	form-based				0.8	9	1	9	9	11968	11524	11524	1.066667
3775	087	3754	0.09	8473	0	65	100	3	9	9	11262	2789	CMUO	45	form-based		true		0.8	9	1	9	9	12012.7998	3539.799805	3539.799805	1.066667
3777	001	2227	0.05	9600	0	65	100	3	5	5	6681	0	CMUO	65	form-based		true		0.8	9	1.799999952	9	9	10689.60059	1089.600586	1089.600586	1.6
3777	005	3750	0.09	0	0	75	120	3.5	11	11	13125	13125	CMUO	45	form-based				0.8	9	0.818181813	9	9	12000	12000	12000	0.914286
3777	009	3750	0.09	0	0	75	120	3.5	11	11	13125	13125	CMUO	45	form-based				0.8	9	0.818181813	9	9	12000	12000	12000	0.914286
3780	002	4000	0.09	6900	0	65	100	3	9	9	12000	5100	UMU	48	form-based				0.75	9	1	9	9	12000	5100	5100	1
3787	001	2164	0.05	0	0	75	120	3.5	6	6	7574	7574	CMUO	65	form-based		true		0.8	9	1.5	9	9	10387.2002	10387.2002	10387.2002	1.371429
3787	016	2210	0.05	0	0	75	120	3.5	6	6	7735	7735	CMUO	65	form-based				0.8	9	1.5	9	9	10608	10608	10608	1.371429
3787	021	2222	0.05	2470	0	75	120	3.5	6	6	7777	5307	CMUO	65	form-based				0.8	9	1.5	9	9	10665.60059	8195.600586	8195.600586	1.371429
3787	049	2339	0.05	4302	0	75	120	3.5	6	6	8186	3884	CMUO	65	form-based				0.8	9	1.5	9	9	11227.2002	6925.200195	6925.200195	1.371512
3787	144	3825	0.09	1713	6	75	120	3.5	11	5	13388	11675	CMUO	65	form-based				0.8	15	1.363636374	9	9	18360	16647	16647	1.371377
3920	010	2863	0.07	3425	2	65	100	3	7	5	8589	5164	UMU	68	form-based				0.75	11	1.571428537	9	9	12883.5	9458.5	9458.5	1.5
3920	012	2879	0.07	3200	2	65	100	3	7	5	8637	5437	UMU	68	form-based				0.75	11	1.571428537	9	9	12955.5	9755.5	9755.5	1.5
3995	105	7725	0.18	1547	20	85	140	4	25	5	30900	29353	UMU	68	form-based				0.75	29	1.159999967	9	9	34762.5	33215.5	33215.5	1.125
4083	008	6009	0.14	1400	14	55	80	2.5	11	0	15022	13622	UMU	68	form-based		true		0.75	23	2.090909004	9	8	27040.5	25640.5	25640.5	1.80006
4096	043	13441	0.31	21390	0	65	100	3	31	31	40323	18933	RH-2	40	density-lim	1500	true		0.7	9	0.290322572	9	9	37634.80078	16244.80078	16244.80078	0.933333
4108	003E	5275	0.12	3192	3	75	120	3.5	14	11	18462	15270	UMU	40	form-based				0.75	12	0.857142866	9	9	15825	12633	12633	0.857166
4209	039	5200	0.12	12200	7	65	100	3	12	5	15600	3400	NCT-24TH-	55	form-based		true		0.75	16	1.333333373	9	9	19500	7300	7300	1.25
4268	001	6338	0.15	9372	10	65	100	3	15	5	19014	9642	NCT-24TH-	55	form-based		true		0.75	19	1.266666651	9	9	23767.5	14395.5	14395.5	1.25
4276	040	7176	0.16	3444	0	65	100	3	16	16	21528	18084	NC-2	55	density-lim	800	true		0.75	9	0.5625	9	9	26910	23466	23466	1.25
4276	043	6830	0.16	4019	0	65	100	3	16	16	20490	16471	NC-2	55	density-lim	800			0.75	9	0.5625	9	9	25612.5	21593.5	21593.5	1.25
4277	005	3860	0.09	5720	0	65	100	3	9	9	11580	5860	MUR	40	form-based				0.75	9	1	9	9	11580	5860	5860	1
5615	080	5234	0.12	1368	0	65	100	3	12	12	15702	14334	NCD-MISSI	40	density-lim	600	true		0.75	9	0.75	9	9	15702	14334	14334	1
6506	037	2280	0.05	1728	0	55	80	2.5	4	4	5700	3972	NCD-24TH	65	form-based			true	0.75	9	2.25	9	8	10260	8532	8532	1.8
6506	039	2850	0.07	2689	2	55	80	2.5	6	4	7125	4436	NCD-24TH	65	form-based			true	0.75	11	1.833333373	9	9	12825	10136	10136	1.8
6506	041	3420	0.08	2934	4	55	80	2.5	6	2	8550	5616	NCD-24TH	65	form-based			true	0.75	13	2.166666746	9	8	15390	12456	12456	1.8
6506	042A	3125	0.07	4425	3	55	80	2.5	6	3	7812	3387	NCD-24TH	65	form-based			true	0.75	12	2	9	9	14062.5	9637.5	9637.5	1.800115
6507	015	3495	0.08	4014	4	55	80	2.5	6	2	8738	4724	NCD-24TH	65	form-based			true	0.75	13	2.166666746	9	8	15727.5	11713.5	11713.5	1.799897
6507	038	2850	0.07	1251	2	55	80	2.5	6	4	7125	5874	NCD-24TH	65	form-based			true	0.75	11	1.833333373	9	9	12825	11574	11574	1.8
6508	030	2850	0.07	2731	2	65	100	3	7	5	8550	5819	NCD-24TH	65	form-based			true	0.75	11	1.571428537	9	9	12825	10094	10094	1.5
6508	031A	2488	0.06	3297	0	65	100	3	6	6	7464	4167	NCD-24TH	65	form-based			true	0.75	9	1.5	9	9	11196	7899	7899	1.5
6508	038	2902	0.07	3273	2	65	100	3	7	5	8706	5433	NCD-24TH	65	form-based			true	0.75	11	1.571428537	9	9	13059	9786	9786	1.5
6510	044	2850	0.07	1775	2	85	140	4	10	8	11400	9625	RTO-C	65	form-based			true	0.75	11	1.100000024	9	9	12825	11050	11050	1.125
6514	009	2929	0.07	2880	0	75	120	3.5	8	8	10252	7372	NCT-VALEI	55	form-based				0.75	9	1.125	9	9	10983.75	8103.75	8103.75	1.071376
6514	009A	2929	0.07	2925	0	75	120	3.5	8	8	10252	7327	NCT-VALEI	55	form-based				0.75	9	1.125	9	9	10983.75	8058.75	8058.75	1.071376
6515	024	2933	0.07	8500	0	75	120	3.5	8	8	10266	1766	NCT-VALEI	55	form-based				0.75	9	1.125	9	9	10998.75	2498.75	2498.75	1.071376
6517	015	7477	0.17	4882	7	75	120	3.5	20	13	26170	21288	RTO-M	40	form-based				0.7	16	0.800000012	9	9	20935.59961	16053.59961	16053.59961	0.799985
6517	021	1755	0.04	1751	0	75	120	3.5	5	5	6142	4391	NCT-MISSI	80	form-based				0.75	9	1.799999952	9	9	10530	8779	8779	1.714425
6518	008	3442	0.08	2930	1	75	120	3.5	10	9	12047	9117	RTO-M	50	form-based				0.7	10	1	9	9	12047	9117	9117	1
6518	009	3729	0.09	2833	1	75	120	3.5	11	10	13052	10219	RTO-M	50	form-based				0.7	10	0.909090936	9	9	13051.5	10218.5	10218.5	0.999962
6528	023	2358	0.05	4738	0	75	120	3.5	6	6	8253	3515	NCT-MISSI	65	form-based				0.75	9	1.5	9	9	10611	5873	5873	1.285714
6532	026	8984	0.21	7396	0	65	100	3	21	21	26952	19556	RH-3	40	density-lim	1000			0.7	9	0.428571433	9	9	25155.19922	17759.19922	17759.19922	0.933333
6534	038	8903	0.2	3314	0	65	100	3	20	20	26709	23395	RH-3	40	density-lim	1000			0.7	9	0.449999988	9	9	24928.40039	21614.40039	21614.40039	0.933333
6535	031	3873	0.09	7260	6	65	100	3	9	3	11619	4359	RTO-C	65	form-based			true	0.75	15	1.666666627	9	9	17428.5	10168.5	10168.5	1.5
6539	002A	2393	0.05	2036	0	55	80	2.5	4	4	5982	3946	NCD-24TH	65	form-based			true	0.75	9	2.25	9	8	10768.5	8732.5	8732.5	1.80015
6539	009	4559	0.1	1812	1	55	80	2.5	8	7	11398	9586	RH-2	40	form-based			true	0.7	10	1.25	9	9	12765.2002	10953.2002	10953.2002	1.119951
6549	002A	2582	0.06	2203	1	65	100	3	6	5	7746	5543	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11619	9416	9416	1.5
6549	051	2916	0.07	1342	2	65	100	3	7	5	8748	7406	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13122	11780	11780	1.5
6549	071	2582	0.06	1470	1	65	100	3	6	5	7746	6276	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11619	10149	10149	1.5
6550	023	3195	0.07	2760	3	65	100	3	7	4	9585	6825	NC-1	65	form-based		true	true	0.75	12	1.714285731	9	9	14377.5	11617.5	11617.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6550	024	2813	0.06	2150	2	65	100	3	6	4	8439	6289	RTO-C	65	form-based			true	0.75	11	1.833333373	9	9	12658.5	10508.5	10508.5	1.5
6550	025	2800	0.06	2920	2	65	100	3	6	4	8400	5480	RTO-C	65	form-based			true	0.75	11	1.833333373	9	9	12600	9680	9680	1.5
6550	030	2955	0.07	2500	2	65	100	3	7	5	8865	6365	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	13297.5	10797.5	10797.5	1.5
6550	063	2850	0.07	1254	2	65	100	3	7	5	8550	7296	RTO-C	65	form-based			true	0.75	11	1.571428537	9	9	12825	11571	11571	1.5
6552	029	3420	0.08	2661	1	65	100	3	8	7	10260	7599	RH-2	50	form-based			true	0.7	10	1.25	9	9	11970	9309	9309	1.166667
6552	038	3420	0.08	1858	1	65	100	3	8	7	10260	8402	RH-2	50	form-based			true	0.7	10	1.25	9	9	11970	10112	10112	1.166667
6554	005	4639	0.11	2541	1	55	80	2.5	9	8	11598	9057	RH-2	40	form-based			true	0.7	10	1.111111164	9	9	12989.2002	10448.2002	10448.2002	1.119952
6555	019	4550	0.1	1200	1	55	80	2.5	8	7	11375	10175	RH-1	40	form-based			true	0.7	10	1.25	9	9	12740	11540	11540	1.12
6565	042	3420	0.08	1056	1	65	100	3	8	7	10260	9204	RH-2	50	form-based			true	0.7	10	1.25	9	9	11970	10914	10914	1.166667
6566	022	2654	0.06	2351	1	65	100	3	6	5	7962	5611	RTO-C	65	form-based		true	true	0.75	10	1.666666627	9	9	11943	9592	9592	1.5
6571	030	3062	0.07	4820	0	65	100	3	7	7	9186	4366	NCT-MISSI	55	form-based				0.75	9	1.285714269	9	9	11482.5	6662.5	6662.5	1.25
6582	043	4933	0.11	4683	1	55	80	2.5	9	8	12332	7649	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13812.39941	9129.399414	9129.399414	1.120045
6600	037A	3447	0.08	2244	1	65	100	3	8	7	10341	8097	RH-2	50	form-based			true	0.7	10	1.25	9	9	12064.5	9820.5	9820.5	1.166667
6601	003	2863	0.07	2608	2	85	140	4	10	8	11452	8844	RTO-C	65	form-based			true	0.75	11	1.100000024	9	9	12883.5	10275.5	10275.5	1.125
6601	038	6246	0.14	7980	8	65	100	3	14	6	18738	10758	RH-2	50	form-based			true	0.7	17	1.214285731	9	9	21861	13881	13881	1.166667
6614	005	2540	0.06	3315	1	85	140	4	8	7	10160	6845	RTO-C	65	form-based			true	0.75	10	1.25	9	9	11430	8115	8115	1.125
6615	053	3805	0.09	2800	2	65	100	3	9	7	11415	8615	RH-2	50	form-based			true	0.7	11	1.222222209	9	9	13317.5	10517.5	10517.5	1.166667
6618	026	2575	0.06	1640	1	65	100	3	6	5	7725	6085	RTO-C	65	form-based			true	0.75	10	1.666666627	9	9	11587.5	9947.5	9947.5	1.5
6632	100	5254	0.12	6334	6	65	100	3	12	6	15762	9428	RM-1	50	form-based			true	0.7	15	1.25	9	9	18389	12055	12055	1.166667
6633	026A	3426	0.08	2705	1	65	100	3	8	7	10278	7573	RH-2	50	form-based			true	0.7	10	1.25	9	9	11991	9286	9286	1.166667
6633	033	3876	0.09	2818	2	65	100	3	9	7	11628	8810	RH-2	50	form-based			true	0.7	11	1.222222209	9	9	13566	10748	10748	1.166667
6633	034	4640	0.11	6560	8	85	140	4	15	7	18560	12000	NC-1	65	form-based			true	0.75	17	1.133333325	9	9	20880	14320	14320	1.125
6637	011A	4014	0.09	2869	2	65	100	3	9	7	12042	9173	RH-2	50	form-based			true	0.7	11	1.222222209	9	9	14049	11180	11180	1.166667
6637	028	3596	0.08	1292	1	65	100	3	8	7	10788	9496	RH-2	50	form-based			true	0.7	10	1.25	9	9	12586	11294	11294	1.166667
6637	045	2825	0.06	1402	2	85	140	4	8	6	11300	9898	RTO-C	65	form-based			true	0.75	11	1.375	9	9	12712.5	11310.5	11310.5	1.125
6637	047	3774	0.09	1050	2	65	100	3	9	7	11322	10272	RH-2	50	form-based			true	0.7	11	1.222222209	9	9	13209	12159	12159	1.166667
6651	014	4690	0.11	2799	1	55	80	2.5	9	8	11725	8926	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13132	10333	10333	1.12
6652	055	4584	0.11	1550	1	65	100	3	11	10	13752	12202	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	12835.2002	11285.2002	11285.2002	0.933333
6657	072	5081	0.12	3609	2	65	100	3	12	10	15243	11634	RH-2	40	form-based			true	0.7	11	0.916666687	9	9	14226.7998	10617.7998	10617.7998	0.933333
6664	026	4986	0.11	4823	1	65	100	3	11	10	14958	10135	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13960.7998	9137.799805	9137.799805	0.933333
6664	047	5000	0.11	2080	1	65	100	3	11	10	15000	12920	RH-2	40	form-based			true	0.7	10	0.909090936	9	9	14000	11920	11920	0.933333
6665	004	4737	0.11	1960	1	65	100	3	11	10	14211	12251	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13263.59961	11303.59961	11303.59961	0.933333
6685	051	5329	0.12	3918	2	65	100	3	12	10	15987	12069	RH-2	40	form-based			true	0.7	11	0.916666687	9	9	14921.2002	11003.2002	11003.2002	0.933333
6695	007	5149	0.12	1965	2	65	100	3	12	10	15447	13482	RH-2	40	form-based			true	0.7	11	0.916666687	9	9	14417.2002	12452.2002	12452.2002	0.933333
6696	021	5000	0.11	2540	1	65	100	3	11	10	15000	12460	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	14000	11460	11460	0.933333
6709	035	5000	0.11	2160	1	65	100	3	11	10	15000	12840	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	14000	11840	11840	0.933333
6713	056	4813	0.11	2283	1	65	100	3	11	10	14439	12156	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13476.39941	11193.39941	11193.39941	0.933333
6719	021	5000	0.11	2250	1	65	100	3	11	10	15000	12750	RH-2	40	form-based		true	true	0.7	10	0.909090936	9	9	14000	11750	11750	0.933333
6726	031	3141	0.07	2300	0	75	120	3.5	8	8	10994	8694	RH-2	50	form-based			true	0.7	9	1.125	9	9	10993.5	8693.5	8693.5	0.999955
6730	042	4666	0.11	2247	1	75	120	3.5	13	12	16331	14084	RH-1	40	form-based			true	0.7	10	0.769230783	9	9	13064.7998	10817.7998	10817.7998	0.8
6733A	005H	4657	0.11	2542	1	65	100	3	11	10	13971	11429	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13039.59961	10497.59961	10497.59961	0.933333
6734	023	4568	0.1	3406	1	65	100	3	10	9	13704	10298	RH-1	40	form-based			true	0.7	10	1	9	9	12790.39941	9384.399414	9384.399414	0.933333
6739	005	2702	0.06	4108	1	75	120	3.5	7	6	9457	5349	RTO-C	65	form-based			true	0.75	10	1.428571463	9	9	12159	8051	8051	1.285714
6739	028	3678	0.08	861	1	75	120	3.5	10	9	12873	12012	RH-1	50	form-based			true	0.7	10	1	9	9	12873	12012	12012	1
6739	029	3467	0.08	861	1	75	120	3.5	10	9	12134	11273	RH-1	50	form-based			true	0.7	10	1	9	9	12134.5	11273.5	11273.5	1.000041
6741	017	3776	0.09	1280	2	75	120	3.5	11	9	13216	11936	RH-2	50	form-based			true	0.7	11	1	9	9	13216	11936	11936	1
6742	011	1753	0.04	2070	0	75	120	3.5	5	5	6136	4066	NCT-GLEN	85	form-based			true	0.75	9	1.799999952	9	9	10518	8448	8448	1.714146
6743	001	2543	0.06	1152	1	75	120	3.5	7	6	8900	7748	RTO-C	65	form-based		true	true	0.75	10	1.428571463	9	9	11443.5	10291.5	10291.5	1.285787
6743	017	3827	0.09	4512	2	75	120	3.5	11	9	13394	8882	RH-1	50	form-based			true	0.7	11	1	9	9	13394.5	8882.5	8882.5	1.000037
6744	020	2165	0.05	3792	2	75	120	3.5	6	4	7578	3786	NCT-GLEN	85	form-based			true	0.75	11	1.833333373	9	9	12990	9198	9198	1.714173
6744	021	2140	0.05	2350	2	75	120	3.5	6	4	7490	5140	NCT-GLEN	85	form-based		true	true	0.75	11	1.833333373	9	9	12840	10490	10490	1.714286
6756	001	2555	0.06	3364	4	75	120	3.5	7	3	8942	5578	NCT-GLEN	85	form-based		true	true	0.75	13	1.857142806	9	9	15330	11966	11966	1.714382
6756	026	1875	0.04	1185	1	75	120	3.5	5	4	6562	5377	RTO-C	85	form-based			true	0.75	10	2	9	9	11250	10065	10065	1.714416
6756	028	1875	0.04	1035	1	75	120	3.5	5	4	6562	5527	RTO-C	85	form-based			true	0.75	10	2	9	9	11250	10215	10215	1.714416
6756	028A	1875	0.04	906	1	75	120	3.5	5	4	6562	5656	RTO-C	85	form-based			true	0.75	10	2	9	9	11250	10344	10344	1.714416
6763	007	4990	0.11	1410	1	65	100	3	11	10	14970	13560	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13972	12562	12562	0.933333
6763	015	4841	0.11	1272	1	65	100	3	11	10	14523	13251	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13554.7998	12282.7998	12282.7998	0.933333
6766	005	5000	0.11	1645	1	75	120	3.5	13	12	17500	15855	RH-1	40	form-based			true	0.7	10	0.769230783	9	9	14000	12355	12355	0.8
6768	035	1925	0.04	2558	1	75	120	3.5	5	4	6738	4180	RTO-C	85	form-based			true	0.75	10	2	9	9	11550	8992	8992	1.714159
6768	045	2210	0.05	2945	3	75	120	3.5	6	3	7735	4790	NCT-GLEN	85	form-based			true	0.75	12	2	9	9	13260	10315	10315	1.714286
6769	051	5174	0.12	1350	2	75	120	3.5	14	12	18109	16759	RH-2	40	form-based		true	true	0.7	11	0.785714269	9	9	14487.2002	13137.2002	13137.2002	0.8
6774	046	4799	0.11	1584	1	65	100	3	11	10	14397	12813	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13437.2002	11853.2002	11853.2002	0.933333
6799	004	5517	0.13	4214	0	65	100	3	13	13	16551	12337	NCD-EXCE	40	density-lin	600			0.75	9	0.692307711	9	9	16551	12337	12337	1
6903	003	4691	0.11	2287	1	65	100	3	11	10	14073	11786	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13134.7998	10847.7998	10847.7998	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6903	008	4711	0.11	2690	1	85	140	4	15	14	18844	16154	RH-1(D)	40	form-based			true	0.7	10	0.666666687	9	9	13190.7998	10500.7998	10500.7998	0.7
6904	001	4790	0.11	3477	1	85	140	4	15	14	19160	15683	RH-1(D)	40	form-based			true	0.7	10	0.666666687	9	9	13412	9935	9935	0.7
6905	021	4551	0.1	2444	1	65	100	3	10	9	13653	11209	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12742.7998	10298.7998	10298.7998	0.933333
6905	027	4988	0.11	2686	1	65	100	3	11	10	14964	12278	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13966.39941	11280.39941	11280.39941	0.933333
6905	028	4606	0.11	2130	1	65	100	3	11	10	13818	11688	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	12896.7998	10766.7998	10766.7998	0.933333
6905	030	4609	0.11	2251	1	65	100	3	11	10	13827	11576	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12905.2002	10654.2002	10654.2002	0.933333
6905	031	4611	0.11	2260	1	65	100	3	11	10	13833	11573	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12910.7998	10650.7998	10650.7998	0.933333
6909	004	4908	0.11	1750	1	65	100	3	11	10	14724	12974	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13742.39941	11992.39941	11992.39941	0.933333
6909	018	4939	0.11	1601	1	65	100	3	11	10	14817	13216	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13829.2002	12228.2002	12228.2002	0.933333
6917	003	4644	0.11	2312	1	65	100	3	11	10	13932	11620	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13003.2002	10691.2002	10691.2002	0.933333
6917	015	4947	0.11	3193	1	65	100	3	11	10	14841	11648	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13851.59961	10658.59961	10658.59961	0.933333
6917	017	4990	0.11	1560	1	65	100	3	11	10	14970	13410	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13972	12412	12412	0.933333
6917	019	4986	0.11	2317	1	65	100	3	11	10	14958	12641	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13960.7998	11643.7998	11643.7998	0.933333
6917	021	4980	0.11	2176	1	65	100	3	11	10	14940	12764	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13944	11768	11768	0.933333
6917	026	4900	0.11	1892	1	65	100	3	11	10	14700	12808	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13720	11828	11828	0.933333
6917A	003	4701	0.11	1404	1	55	80	2.5	9	8	11752	10348	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13162.7998	11758.7998	11758.7998	1.120048
6917A	027	4989	0.11	1500	1	65	100	3	11	10	14967	13467	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13969.2002	12469.2002	12469.2002	0.933333
6922	006	5871	0.13	2687	3	65	100	3	13	10	17613	14926	RH-1(D)	40	form-based			true	0.7	12	0.923076928	9	9	16438.79883	13751.79883	13751.79883	0.933333
6922	021	4925	0.11	2098	1	65	100	3	11	10	14775	12677	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13790	11692	11692	0.933333
6924	001	4717	0.11	2700	1	65	100	3	11	10	14151	11451	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13207.59961	10507.59961	10507.59961	0.933333
6924	003	4812	0.11	2352	1	65	100	3	11	10	14436	12084	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13473.59961	11121.59961	11121.59961	0.933333
6925	006	4854	0.11	1710	1	65	100	3	11	10	14562	12852	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13591.2002	11881.2002	11881.2002	0.933333
6925	007	4894	0.11	2520	1	65	100	3	11	10	14682	12162	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13703.2002	11183.2002	11183.2002	0.933333
6925	013	4834	0.11	1536	1	65	100	3	11	10	14502	12966	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13535.2002	11999.2002	11999.2002	0.933333
6925	014	4693	0.11	1981	1	65	100	3	11	10	14079	12098	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13140.39941	11159.39941	11159.39941	0.933333
6925	015	4654	0.11	1720	1	65	100	3	11	10	13962	12242	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13031.2002	11311.2002	11311.2002	0.933333
6925	016	4663	0.11	1575	1	65	100	3	11	10	13989	12414	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13056.39941	11481.39941	11481.39941	0.933333
6925	017	4903	0.11	1575	1	65	100	3	11	10	14709	13134	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13728.39941	12153.39941	12153.39941	0.933333
6925	018	4952	0.11	1680	1	65	100	3	11	10	14856	13176	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13865.59961	12185.59961	12185.59961	0.933333
6925	024	4701	0.11	3315	1	55	80	2.5	9	8	11752	8437	RH-1(D)	40	form-based		true	true	0.7	10	1.111111164	9	9	13162.7998	9847.799805	9847.799805	1.120048
6926	013	4946	0.11	2374	1	55	80	2.5	9	8	12365	9991	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13848.7998	11474.7998	11474.7998	1.12
6932	014	5080	0.12	1911	2	65	100	3	12	10	15240	13329	RH-1(D)	40	form-based			true	0.7	11	0.916666687	9	9	14224	12313	12313	0.933333
6932	001	4743	0.11	1170	1	65	100	3	11	10	14229	13059	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13280.39941	12110.39941	12110.39941	0.933333
6932	016	4811	0.11	2428	1	55	80	2.5	9	8	12028	9600	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	13470.7998	11042.7998	11042.7998	1.119953
6932	017	4603	0.11	1839	1	65	100	3	11	10	13809	11970	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12888.39941	11049.39941	11049.39941	0.933333
6932	018	4660	0.11	3069	1	65	100	3	11	10	13980	10911	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13048	9979	9979	0.933333
6932	019	4824	0.11	1200	1	65	100	3	11	10	14472	13272	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13507.2002	12307.2002	12307.2002	0.933333
6947	001	1880	0.04	1086	1	75	120	3.5	5	4	6580	5494	NCT-OCEA	85	form-based		true	true	0.75	10	2	9	9	11280	10194	10194	1.714286
6964	003	1994	0.05	1510	1	75	120	3.5	6	5	6979	5469	RTO-C	85	form-based		true	true	0.75	10	1.666666627	9	9	11964	10454	10454	1.714286
6964	003G	1836	0.04	1325	1	75	120	3.5	5	4	6426	5101	RTO-C	85	form-based			true	0.75	10	2	9	9	11016	9691	9691	1.714286
6964	004C	1999	0.05	1706	1	75	120	3.5	6	5	6996	5290	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11994	10288	10288	1.714408
6964	004D	1992	0.05	1125	1	75	120	3.5	6	5	6972	5847	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11952	10827	10827	1.714286
6964	004E	1984	0.05	1175	1	75	120	3.5	6	5	6944	5769	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11904	10729	10729	1.714286
6964	004F	1977	0.05	1680	1	75	120	3.5	6	5	6920	5240	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11862	10182	10182	1.714162
6964	004G	1926	0.04	1325	1	75	120	3.5	5	4	6741	5416	RTO-C	85	form-based			true	0.75	10	2	9	9	11556	10231	10231	1.714286
6964	018	1874	0.04	1109	1	75	120	3.5	5	4	6559	5450	RTO-C	85	form-based			true	0.75	10	2	9	9	11244	10135	10135	1.714286
6964	019	1874	0.04	1210	1	75	120	3.5	5	4	6559	5349	RTO-C	85	form-based			true	0.75	10	2	9	9	11244	10034	10034	1.714286
6964	020	1874	0.04	3600	1	75	120	3.5	5	4	6559	2959	RTO-C	85	form-based			true	0.75	10	2	9	9	11244	7644	7644	1.714286
6964	021	1874	0.04	828	1	75	120	3.5	5	4	6559	5731	RTO-C	85	form-based			true	0.75	10	2	9	9	11244	10416	10416	1.714286
6964	022	1973	0.05	1955	1	75	120	3.5	6	5	6906	4951	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11838	9883	9883	1.714162
6964	023	1973	0.05	1290	1	75	120	3.5	6	5	6906	5616	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11838	10548	10548	1.714162
6964	024	1874	0.04	880	1	75	120	3.5	5	4	6559	5679	RTO-C	85	form-based			true	0.75	10	2	9	9	11244	10364	10364	1.714286
6972	025	1996	0.05	1395	1	75	120	3.5	6	5	6986	5591	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11976	10581	10581	1.714286
6972	026	1996	0.05	1395	1	75	120	3.5	6	5	6986	5591	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11976	10581	10581	1.714286
6972	027	1997	0.05	1395	1	75	120	3.5	6	5	6990	5595	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11982	10587	10587	1.714163
6972	028	1998	0.05	1395	1	75	120	3.5	6	5	6993	5598	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11988	10593	10593	1.714286
6972	029	1998	0.05	1395	1	75	120	3.5	6	5	6993	5598	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11988	10593	10593	1.714286
6972	030	1999	0.05	1395	1	75	120	3.5	6	5	6996	5601	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11994	10599	10599	1.714408
6972	002	1875	0.04	850	1	75	120	3.5	5	4	6562	5712	RTO-C	85	form-based			true	0.75	10	2	9	9	11250	10400	10400	1.714416
6972	003	1875	0.04	850	1	75	120	3.5	5	4	6562	5712	RTO-C	85	form-based			true	0.75	10	2	9	9	11250	10400	10400	1.714416
6972	023	1994	0.05	1395	1	75	120	3.5	6	5	6979	5584	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11964	10569	10569	1.714286
6972	024	1995	0.05	1395	1	75	120	3.5	6	5	6982	5587	RTO-C	85	form-based			true	0.75	10	1.666666627	9	9	11970	10575	10575	1.714409
7031	029	5387	0.12	2125	0	55	80	2.5	10	10	13468	11343	NCD-EXCE	40	density-lim	600	true		0.75	9	0.899999976	9	9	16161	14036	14036	1.199955
7088	051	7500	0.17	0	0	65	100	3	17	17	22500	22500	NC-1	40	density-lim	800	true		0.75	9	0.529411793	9	9	22500	22500	22500	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7088	056	7503	0.17	15000	0	65	100	3	17	17	22509	7509	NC-1	40	density-lim	800	true		0.75	9	0.529411793	9	9	22509	7509	7509	1
7098	021	5377	0.12	6663	0	55	80	2.5	10	10	13442	6779	NCD-EXCE	40	density-lim	600	true		0.75	9	0.899999976	9	9	16131	9468	9468	1.200045
7203	007	4796	0.11	3770	1	65	100	3	11	10	14388	10618	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13428.7998	9658.799805	9658.799805	0.933333
7205	003A	4570	0.1	1423	1	65	100	3	10	9	13710	12287	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12796	11373	11373	0.933333
7208	009	4600	0.11	2616	1	55	80	2.5	9	8	11500	8884	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12880	10264	10264	1.12
7208	009A	4600	0.11	4393	1	55	80	2.5	9	8	11500	7107	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12880	8487	8487	1.12
7208	010	4600	0.11	2968	1	55	80	2.5	9	8	11500	8532	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12880	9912	9912	1.12
7208	010A	4600	0.11	3348	1	55	80	2.5	9	8	11500	8152	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12880	9532	9532	1.12
7208	011	4600	0.11	3066	1	55	80	2.5	9	8	11500	8434	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12880	9814	9814	1.12
7208	011A	4600	0.11	2596	1	55	80	2.5	9	8	11500	8904	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12880	10284	10284	1.12
7208	012	4600	0.11	2596	1	55	80	2.5	9	8	11500	8904	RH-1(D)	40	form-based			true	0.7	10	1.111111164	9	9	12880	10284	10284	1.12
7215	001	4701	0.11	2604	1	65	100	3	11	10	14103	11499	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13162.7998	10558.7998	10558.7998	0.933333
7218	010B	4978	0.11	2360	1	65	100	3	11	10	14934	12574	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13938.39941	11578.39941	11578.39941	0.933333
7220	001A	4733	0.11	2327	1	65	100	3	11	10	14199	11872	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13252.39941	10925.39941	10925.39941	0.933333
7220	001B	4733	0.11	2617	1	65	100	3	11	10	14199	11582	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13252.39941	10635.39941	10635.39941	0.933333
7220	001C	4733	0.11	2510	1	65	100	3	11	10	14199	11689	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13252.39941	10742.39941	10742.39941	0.933333
7220	001D	4733	0.11	2308	1	65	100	3	11	10	14199	11891	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13252.39941	10944.39941	10944.39941	0.933333
7220	001E	4733	0.11	2812	1	65	100	3	11	10	14199	11387	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13252.39941	10440.39941	10440.39941	0.933333
7220	002	4733	0.11	2464	1	65	100	3	11	10	14199	11735	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13252.39941	10788.39941	10788.39941	0.933333
7220	002A	4733	0.11	2351	1	65	100	3	11	10	14199	11848	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13252.39941	10901.39941	10901.39941	0.933333
7220	002B	4733	0.11	2826	1	65	100	3	11	10	14199	11373	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13252.39941	10426.39941	10426.39941	0.933333
7220	002C	4733	0.11	2203	1	65	100	3	11	10	14199	11996	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13252.39941	11049.39941	11049.39941	0.933333
7220	002D	4733	0.11	2464	1	65	100	3	11	10	14199	11735	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13252.39941	10788.39941	10788.39941	0.933333
7220	002E	4733	0.11	2449	1	65	100	3	11	10	14199	11750	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13252.39941	10803.39941	10803.39941	0.933333
7220	002F	4939	0.11	2392	1	65	100	3	11	10	14817	12425	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13829.2002	11437.2002	11437.2002	0.933333
7221	001B	4524	0.1	2263	1	65	100	3	10	9	13572	11309	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12667.2002	10404.2002	10404.2002	0.933333
7221	001C	4735	0.11	2503	1	65	100	3	11	10	14205	11702	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13258	10755	10755	0.933333
7221	001D	4728	0.11	2434	1	65	100	3	11	10	14184	11750	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13238.39941	10804.39941	10804.39941	0.933333
7221	002	4910	0.11	2530	1	65	100	3	11	10	14730	12200	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13748	11218	11218	0.933333
7221	003	4903	0.11	2520	1	65	100	3	11	10	14709	12189	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13728.39941	11208.39941	11208.39941	0.933333
7221	012	4902	0.11	3283	1	65	100	3	11	10	14706	11423	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13725.59961	10442.59961	10442.59961	0.933333
7221	013	4801	0.11	2397	1	65	100	3	11	10	14403	12006	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13442.7998	11045.7998	11045.7998	0.933333
7221	014	4902	0.11	2419	1	65	100	3	11	10	14706	12287	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13725.59961	11306.59961	11306.59961	0.933333
7221	015	4551	0.1	2455	1	65	100	3	10	9	13653	11198	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12742.7998	10287.7998	10287.7998	0.933333
7222	001A	4719	0.11	2321	1	65	100	3	11	10	14157	11836	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13213.2002	10892.2002	10892.2002	0.933333
7222	001B	4919	0.11	2717	1	65	100	3	11	10	14757	12040	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13773.2002	11056.2002	11056.2002	0.933333
7222	001D	4944	0.11	1990	1	65	100	3	11	10	14832	12842	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13843.2002	11853.2002	11853.2002	0.933333
7222	004	4937	0.11	2591	1	65	100	3	11	10	14811	12220	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13823.59961	11232.59961	11232.59961	0.933333
7223	002B	4584	0.11	2904	1	85	140	4	15	14	18336	15432	RH-1(D)	40	form-based			true	0.7	10	0.666666687	9	9	12835.2002	9931.200195	9931.200195	0.7
7224	001	4938	0.11	2012	1	65	100	3	11	10	14814	12802	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13826.39941	11814.39941	11814.39941	0.933333
7225	016	4787	0.11	3760	1	65	100	3	11	10	14361	10601	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13403.59961	9643.599609	9643.599609	0.933333
7225	022	4694	0.11	1940	1	65	100	3	11	10	14082	12142	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13143.2002	11203.2002	11203.2002	0.933333
7229	002	4603	0.11	2481	1	85	140	4	15	14	18412	15931	RH-1(D)	40	form-based			true	0.7	10	0.666666687	9	9	12888.39941	10407.39941	10407.39941	0.7
7229	003	4872	0.11	1877	1	85	140	4	15	14	19488	17611	RH-1(D)	40	form-based			true	0.7	10	0.666666687	9	9	13641.59961	11764.59961	11764.59961	0.7
7229	005	4915	0.11	1962	1	85	140	4	15	14	19660	17698	RH-1(D)	40	form-based			true	0.7	10	0.666666687	9	9	13762	11800	11800	0.7
7229	007	4694	0.11	1701	1	85	140	4	15	14	18776	17075	RH-1(D)	40	form-based			true	0.7	10	0.666666687	9	9	13143.2002	11442.2002	11442.2002	0.7
7231	014	4739	0.11	1934	1	85	140	4	15	14	18956	17022	RH-1(D)	40	form-based			true	0.7	10	0.666666687	9	9	13269.2002	11335.2002	11335.2002	0.7
7231	015	4625	0.11	1872	1	85	140	4	15	14	18500	16628	RH-1(D)	40	form-based			true	0.7	10	0.666666687	9	9	12950	11078	11078	0.7
7231	002	4728	0.11	1552	1	85	140	4	15	14	18912	17360	RH-1(D)	40	form-based			true	0.7	10	0.666666687	9	9	13238.39941	11686.39941	11686.39941	0.7
7232	001E	4796	0.11	2164	1	65	100	3	11	10	14388	12224	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13428.7998	11264.7998	11264.7998	0.933333
7232	001F	4871	0.11	2330	1	65	100	3	11	10	14613	12283	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13638.7998	11308.7998	11308.7998	0.933333
7232	001G	4919	0.11	1900	1	65	100	3	11	10	14757	12857	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13773.2002	11873.2002	11873.2002	0.933333
7232	001H	4892	0.11	2144	1	65	100	3	11	10	14676	12532	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13697.59961	11553.59961	11553.59961	0.933333
7232	001I	4926	0.11	2110	1	65	100	3	11	10	14778	12668	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13792.7998	11682.7998	11682.7998	0.933333
7232	001J	4956	0.11	3392	1	65	100	3	11	10	14868	11476	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13876.7998	10484.7998	10484.7998	0.933333
7232	004	4629	0.11	1994	1	65	100	3	11	10	13887	11893	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12961.2002	10967.2002	10967.2002	0.933333
7232	006	4664	0.11	2785	1	65	100	3	11	10	13992	11207	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13059.2002	10274.2002	10274.2002	0.933333
7232	008	4645	0.11	2859	1	65	100	3	11	10	13935	11076	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13006	10147	10147	0.933333
7232	011	4610	0.11	1865	1	65	100	3	11	10	13830	11965	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12908	11043	11043	0.933333
7232	012	5000	0.11	2365	1	65	100	3	11	10	15000	12635	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	14000	11635	11635	0.933333
7234	001D	4641	0.11	1832	1	65	100	3	11	10	13923	12091	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12994.7998	11162.7998	11162.7998	0.933333
7234	002G	4615	0.11	2036	1	65	100	3	11	10	13845	11809	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12922	10886	10886	0.933333
7234	002H	4969	0.11	1916	1	65	100	3	11	10	14907	12991	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13913.2002	11997.2002	11997.2002	0.933333
7235	001A	4755	0.11	2728	1	65	100	3	11	10	14265	11537	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13314	10586	10586	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7235	001B	4815	0.11	2576	1	65	100	3	11	10	14445	11869	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13482	10906	10906	0.933333
7235	001C	4842	0.11	2241	1	65	100	3	11	10	14526	12285	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13557.59961	11316.59961	11316.59961	0.933333
7235	001E	4695	0.11	2682	1	65	100	3	11	10	14085	11403	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13146	10464	10464	0.933333
7235	001F	4715	0.11	2736	1	65	100	3	11	10	14145	11409	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13202	10466	10466	0.933333
7235	001G	4699	0.11	3353	1	65	100	3	11	10	14097	10744	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13157.2002	9804.200195	9804.200195	0.933333
7236	003	4584	0.11	3617	1	65	100	3	11	10	13752	10135	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	12835.2002	9218.200195	9218.200195	0.933333
7236	008	4556	0.1	2035	1	65	100	3	10	9	13668	11633	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12756.7998	10721.7998	10721.7998	0.933333
7236	009	4564	0.1	2450	1	65	100	3	10	9	13692	11242	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12779.2002	10329.2002	10329.2002	0.933333
7236	010	4547	0.1	3435	1	65	100	3	10	9	13641	10206	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12731.59961	9296.599609	9296.599609	0.933333
7236	014	4554	0.1	2522	1	65	100	3	10	9	13662	11140	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12751.2002	10229.2002	10229.2002	0.933333
7237	010	4669	0.11	2908	1	65	100	3	11	10	14007	11099	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13073.2002	10165.2002	10165.2002	0.933333
7238	005	4562	0.1	1648	1	65	100	3	10	9	13686	12038	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12773.59961	11125.59961	11125.59961	0.933333
7238	006	4779	0.11	1523	1	65	100	3	11	10	14337	12814	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13381.2002	11858.2002	11858.2002	0.933333
7238	007	4872	0.11	1823	1	65	100	3	11	10	14616	12793	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13641.59961	11818.59961	11818.59961	0.933333
7238A	003	4976	0.11	1288	1	65	100	3	11	10	14928	13640	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13932.7998	12644.7998	12644.7998	0.933333
7238A	004	4991	0.11	1412	1	65	100	3	11	10	14973	13561	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13974.7998	12562.7998	12562.7998	0.933333
7238A	005	4842	0.11	1638	1	65	100	3	11	10	14526	12888	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13557.59961	11919.59961	11919.59961	0.933333
7238A	006	4682	0.11	1872	1	65	100	3	11	10	14046	12174	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13109.59961	11237.59961	11237.59961	0.933333
7238A	007	4535	0.1	2222	1	65	100	3	10	9	13605	11383	RH-1(D)	40	form-based			true	0.7	10	1	9	9	12698	10476	10476	0.933333
7239A	015	4993	0.11	1965	1	65	100	3	11	10	14979	13014	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13980.39941	12015.39941	12015.39941	0.933333
7240A	013	4914	0.11	2127	1	65	100	3	11	10	14742	12615	RH-1(D)	40	form-based		true	true	0.7	10	0.909090936	9	9	13759.2002	11632.2002	11632.2002	0.933333
7243	001	4535	0.1	2082	1	85	140	4	14	13	18140	16058	RH-1(D)	40	form-based		true	true	0.7	10	0.714285731	9	9	12698	10616	10616	0.7
7244	037	4933	0.11	1370	1	65	100	3	11	10	14799	13429	RH-1(D)	40	form-based			true	0.7	10	0.909090936	9	9	13812.39941	12442.39941	12442.39941	0.933333
7296	009	7552	0.17	0	0	65	100	3	17	17	22656	22656	C-2	65	density-lin	800			0.8	9	0.529411793	9	9	36249.60156	36249.60156	36249.60156	1.6
7537	033	4833	0.11	1995	1	55	80	2.5	9	8	12082	10087	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13532.39941	11537.39941	11537.39941	1.120046
7537	061	4552	0.1	1879	1	55	80	2.5	8	7	11380	9501	RH-1	40	form-based			true	0.7	10	1.25	9	9	12745.59961	10866.59961	10866.59961	1.12
7537	067	4609	0.11	1729	1	55	80	2.5	9	8	11522	9793	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	12905.2002	11176.2002	11176.2002	1.120049
7537	068	4682	0.11	1729	1	55	80	2.5	9	8	11705	9976	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13109.59961	11380.59961	11380.59961	1.12
7538	006	4671	0.11	2220	1	55	80	2.5	9	8	11678	9458	RH-1	40	form-based			true	0.7	10	1.111111164	9	9	13078.7998	10858.7998	10858.7998	1.119952
7538	025	4673	0.11	1971	1	65	100	3	11	10	14019	12048	RH-1	40	form-based		true	true	0.7	10	0.909090936	9	9	13084.39941	11113.39941	11113.39941	0.933333
7539	006	4597	0.11	1568	1	55	80	2.5	9	8	11492	9924	RM-1	40	form-based			true	0.7	10	1.111111164	9	9	12871.59961	11303.59961	11303.59961	1.120049
7541	019	4852	0.11	2002	1	65	100	3	11	10	14556	12554	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13585.59961	11583.59961	11583.59961	0.933333
7540	010	4901	0.11	2384	1	65	100	3	11	10	14703	12319	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13722.7998	11338.7998	11338.7998	0.933333
7541	001	4883	0.11	1944	1	65	100	3	11	10	14649	12705	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13672.39941	11728.39941	11728.39941	0.933333
7541	002	4581	0.11	2626	1	65	100	3	11	10	13743	11117	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	12826.7998	10200.7998	10200.7998	0.933333
7541	003	4616	0.11	2785	1	65	100	3	11	10	13848	11063	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	12924.7998	10139.7998	10139.7998	0.933333
7541	004	4736	0.11	2255	1	65	100	3	11	10	14208	11953	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13260.7998	11005.7998	11005.7998	0.933333
7541	008	4827	0.11	791	1	65	100	3	11	10	14481	13690	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13515.59961	12724.59961	12724.59961	0.933333
7541	010	4583	0.11	2449	1	65	100	3	11	10	13749	11300	RH-1	40	form-based		true	true	0.7	10	0.909090936	9	9	12832.39941	10383.39941	10383.39941	0.933333
7541	012	4626	0.11	3013	1	65	100	3	11	10	13878	10865	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	12952.7998	9939.799805	9939.799805	0.933333
7541	015	4643	0.11	1855	1	65	100	3	11	10	13929	12074	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13000.39941	11145.39941	11145.39941	0.933333
7541	016	4681	0.11	2405	1	65	100	3	11	10	14043	11638	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13106.7998	10701.7998	10701.7998	0.933333
7541	023	4940	0.11	5195	1	65	100	3	11	10	14820	9625	RH-1	40	form-based		true	true	0.7	10	0.909090936	9	9	13832	8637	8637	0.933333
7542	026	4576	0.11	1655	1	65	100	3	11	10	13728	12073	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	12812.7998	11157.7998	11157.7998	0.933333
7542	039	4086	0.09	0	0	65	100	3	9	9	12258	12258	RH-1	40	form-based			true	0.7	9	1	9	9	11440.7998	11440.7998	11440.7998	0.933333
7543	001	4634	0.11	2412	1	65	100	3	11	10	13902	11490	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	12975.2002	10563.2002	10563.2002	0.933333
7546	003	5666	0.13	1755	3	65	100	3	13	10	16998	15243	RH-1	40	form-based			true	0.7	12	0.923076928	9	9	15864.7998	14109.7998	14109.7998	0.933333
7548	002	4708	0.11	2412	1	75	120	3.5	13	12	16478	14066	RH-1	40	form-based			true	0.7	10	0.769230783	9	9	13182.39941	10770.39941	10770.39941	0.8
7554	021	4813	0.11	2410	1	65	100	3	11	10	14439	12029	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13476.39941	11066.39941	11066.39941	0.933333
7555	014	4840	0.11	2289	1	65	100	3	11	10	14520	12231	RH-1	40	form-based			true	0.7	10	0.909090936	9	9	13552	11263	11263	0.933333
0024	017	2049	0.05	2800	0	65	100	3	5	5	6147	3347	C-2	65	form-based			true	0.8	8	1.600000024	8	8	9835.200195	7035.200195	7035.200195	1.6
0024	021	2094	0.05	2900	0	65	100	3	5	5	6282	3382	C-2	65	form-based			true	0.8	8	1.600000024	8	8	10051.2002	7151.200195	7151.200195	1.6
0025	003	2247	0.05	4670	0	65	100	3	5	5	6741	2071	NC-1	65	form-based			true	0.75	8	1.600000024	8	8	10111.5	5441.5	5441.5	1.5
0026	016	4594	0.11	3700	2	65	100	3	11	9	13782	10082	RH-3	40	form-based			true	0.7	10	0.909090936	8	8	12863.2002	9163.200195	9163.200195	0.933333
0026	023	4394	0.1	4018	1	65	100	3	10	9	13182	9164	RH-3	40	form-based			true	0.7	9	0.899999976	8	8	12303.2002	8285.200195	8285.200195	0.933333
0027	010	5509	0.13	3296	4	65	100	3	13	9	16527	13231	RH-3	40	form-based			true	0.7	12	0.923076928	8	8	15425.2002	12129.2002	12129.2002	0.933333
0040	012	4526	0.1	3244	3	65	100	3	10	7	13578	10334	RM-3	40	density-lin	400			0.75	11	1.100000024	8	8	13578	10334	10334	1
0044	021	2800	0.06	0	0	65	100	3	6	6	8400	8400	RH-3	50	form-based			true	0.7	8	1.333333373	8	8	9800	9800	9800	1.166667
0044	022	2800	0.06	0	0	65	100	3	6	6	8400	8400	RH-3	50	form-based			true	0.7	8	1.333333373	8	8	9800	9800	9800	1.166667
0044	023	3323	0.08	2451	1	65	100	3	8	7	9969	7518	RH-3	50	form-based			true	0.7	9	1.125	8	8	11630.5	9179.5	9179.5	1.166667
0044	043	3074	0.07	882	1	65	100	3	7	6	9222	8340	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10759	9877	9877	1.166667
0048	014	4436	0.1	4177	1	65	100	3	10	9	13308	9131	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12420.7998	8243.799805	8243.799805	0.933333
0048	019	4107	0.09	4814	1	65	100	3	9	8	12321	7507	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11499.59961	6685.599609	6685.599609	0.933333
0051	017	2504	0.06	4500	0	65	100	3	6	6	7512	3012	NCD-NORT	50	form-based		true	true	0.75	8	1.333333373	8	8	9390	4890	4890	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0051	019	2540	0.06	2530	0	65	100	3	6	6	7620	5090	NCD-NORT	50	form-based			true	0.75	8	1.333333373	8	8	9525	6995	6995	1.25
0051	020	2516	0.06	2502	0	65	100	3	6	6	7548	5046	NCD-NORT	50	form-based			true	0.75	8	1.333333373	8	8	9435	6933	6933	1.25
0052	004	3406	0.08	4622	1	65	100	3	8	7	10218	5596	NCD-NORT	40	density-lin	400			0.75	9	1.125	8	8	10218	5596	5596	1
0055	018	9408	0.22	6166	1	65	100	3	22	21	28224	22058	RH-3	40	density-lin	1000	true		0.7	9	0.409090906	8	8	26342.40039	20176.40039	20176.40039	0.933333
0060	005	3621	0.08	0	0	65	100	3	8	8	10863	10863	RM-2	40	form-based		true	true	0.7	8	1	8	8	10138.7998	10138.7998	10138.7998	0.933333
0060	009D	4331	0.1	7382	1	65	100	3	10	9	12993	5611	RM-2	40	form-based			true	0.7	9	0.899999976	8	8	12126.7998	4744.799805	4744.799805	0.933333
0062	025	6467	0.15	1185	6	65	100	3	15	9	19401	18216	RH-3	40	form-based			true	0.7	14	0.933333337	8	8	18107.59961	16922.59961	16922.59961	0.933333
0064	010	5138	0.12	5950	6	55	80	2.5	10	4	12845	6895	RM-2	50	form-based			true	0.7	14	1.399999976	8	8	17983	12033	12033	1.4
0064	036	4205	0.1	1403	4	55	80	2.5	8	4	10512	9109	RM-2	50	form-based			true	0.7	12	1.5	8	8	14717.5	13314.5	13314.5	1.400067
0065	021	3177	0.07	2200	2	55	80	2.5	6	4	7942	5742	NCD-NORT	50	form-based			true	0.75	10	1.666666627	8	8	11913.75	9713.75	9713.75	1.500094
0066	026	4749	0.11	5810	6	55	80	2.5	9	3	11872	6062	NCD-NORT	50	form-based			true	0.75	14	1.555555582	8	8	17808.75	11998.75	11998.75	1.500063
0068	016	3231	0.07	3597	1	55	80	2.5	6	5	8078	4481	RH-1	50	form-based		true	true	0.7	9	1.5	8	8	11308.5	7711.5	7711.5	1.399913
0068	020	3088	0.07	3445	1	55	80	2.5	6	5	7720	4275	RH-1	50	form-based			true	0.7	9	1.5	8	8	10808	7363	7363	1.4
0069	011	3150	0.07	8404	1	65	100	3	7	6	9450	1046	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	11025	2621	2621	1.166667
0069	016	3381	0.08	5740	1	65	100	3	8	7	10143	4403	RH-3	50	form-based		true	true	0.7	9	1.125	8	8	11833.5	6093.5	6093.5	1.166667
0069	069	3154	0.07	2728	1	65	100	3	7	6	9462	6734	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	11039	8311	8311	1.166667
0071	021	3613	0.08	4102	2	55	80	2.5	6	4	9032	4930	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12645.5	8543.5	8543.5	1.400077
0071	021A	3856	0.09	3765	3	55	80	2.5	7	4	9640	5875	RH-3	50	form-based			true	0.7	11	1.571428537	8	8	13496	9731	9731	1.4
0071	025	3365	0.08	1345	1	55	80	2.5	6	5	8412	7067	RH-3	50	form-based			true	0.7	9	1.5	8	8	11777.5	10432.5	10432.5	1.400083
0071	033	4999	0.11	1150	6	55	80	2.5	9	3	12498	11348	RH-3	50	form-based			true	0.7	14	1.555555582	8	8	17496.5	16346.5	16346.5	1.399944
0071	079	4191	0.1	7093	4	55	80	2.5	8	4	10478	3385	RH-3	50	form-based			true	0.7	12	1.5	8	8	14668.5	7575.5	7575.5	1.399933
0071	095	4915	0.11	1197	6	55	80	2.5	9	3	12288	11091	RH-3	50	form-based		true	true	0.7	14	1.555555582	8	8	17202.5	16005.5	16005.5	1.399943
0072	071	5498	0.13	2400	4	55	80	2.5	10	6	13745	11345	RM-1	40	form-based			true	0.7	12	1.200000048	8	8	15394.39941	12994.39941	12994.39941	1.12
0073	004A	2887	0.07	0	0	55	80	2.5	6	6	7218	7218	RM-1	50	form-based		true	true	0.7	8	1.333333373	8	8	10104.5	10104.5	10104.5	1.399903
0073	018	4798	0.11	5400	5	55	80	2.5	9	4	11995	6595	RM-1	50	form-based			true	0.7	13	1.444444418	8	8	16793	11393	11393	1.4
0073	018A	3772	0.09	4695	3	55	80	2.5	7	4	9430	4735	RM-1	50	form-based			true	0.7	11	1.571428537	8	8	13202	8507	8507	1.4
0077	042	7216	0.17	1720	7	55	80	2.5	14	7	18040	16320	RH-3	40	form-based			true	0.7	15	1.071428537	8	8	20204.79883	18484.79883	18484.79883	1.12
0077	049	5438	0.12	2671	3	55	80	2.5	10	7	13595	10924	RH-3	40	form-based			true	0.7	11	1.100000024	8	8	15226.39941	12555.39941	12555.39941	1.12
0089	049	3575	0.08	14410	0	55	80	2.5	6	6	8938	0	RM-1	40	form-based			true	0.7	8	1.333333373	8	8	10010	0	0	1.119937
0090	027	8155	0.19	10468	12	55	80	2.5	15	3	20388	9920	NCD-NORT	40	density-lin	400			0.75	20	1.333333373	8	8	24465	13997	13997	1.199971
0093	006	5156	0.12	4219	3	55	80	2.5	10	7	12890	8671	RM-1	40	form-based			true	0.7	11	1.100000024	8	8	14436.7998	10217.7998	10217.7998	1.12
0094	010	3440	0.08	2502	2	55	80	2.5	6	4	8600	6098	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12040	9538	9538	1.4
0094	012	3440	0.08	3381	2	55	80	2.5	6	4	8600	5219	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12040	8659	8659	1.4
0094	024	4662	0.11	4293	5	55	80	2.5	9	4	11655	7362	RH-3	50	form-based			true	0.7	13	1.444444418	8	8	16317	12024	12024	1.4
0094	044	2798	0.06	1432	0	55	80	2.5	5	5	6995	5563	RH-3	50	form-based			true	0.7	8	1.600000024	8	8	9793	8361	8361	1.4
0095	006	3058	0.07	3525	1	65	100	3	7	6	9174	5649	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10703	7178	7178	1.166667
0095	007	3058	0.07	3338	1	65	100	3	7	6	9174	5836	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10703	7365	7365	1.166667
0096	039	2485	0.06	2884	1	65	100	3	6	5	7455	4571	RH-3	65	form-based		true	true	0.7	9	1.5	8	8	10437	7553	7553	1.4
0096	045	3247	0.07	4590	3	65	100	3	7	4	9741	5151	RH-3	65	form-based			true	0.7	11	1.571428537	8	8	13637.39941	9047.399414	9047.399414	1.4
0096	077	3400	0.08	4550	4	65	100	3	8	4	10200	5650	RH-3	65	form-based			true	0.7	12	1.5	8	8	14280	9730	9730	1.4
0097	050	3977	0.09	1599	6	55	80	2.5	7	1	9942	8343	RH-3	65	form-based		true	true	0.7	14	2	8	8	16703.40039	15104.40039	15104.40039	1.680085
0097	061	4120	0.09	1305	6	55	80	2.5	7	1	10300	8995	RH-3	65	form-based			true	0.7	14	2	8	8	17304	15999	15999	1.68
0099	019A	4770	0.11	3668	2	55	80	2.5	9	7	11925	8257	RM-1	40	form-based			true	0.7	10	1.111111164	8	8	13356	9688	9688	1.12
0100	044	6266	0.14	5348	5	55	80	2.5	11	6	15665	10317	RM-1	40	form-based			true	0.7	13	1.181818128	8	8	17544.79883	12196.79883	12196.79883	1.12
0106	004	1470	0.03	0	0	65	100	3	3	3	4410	4410	C-2	84	form-base	800			0.8	8	2.666666746	8	6	9408	9408	8820	2.133333
0112	002	6005	0.14	13335	0	65	100	3	14	14	18015	4680	C-2	65	density-lin	800			0.8	8	0.571428597	8	8	28824	15489	15489	1.6
0112	004	6007	0.14	6000	0	65	100	3	14	14	18021	12021	C-2	65	density-lin	800			0.8	8	0.571428597	8	8	28833.59961	22833.59961	22833.59961	1.6
0112	005	6010	0.14	7183	0	65	100	3	14	14	18030	10847	C-2	65	density-lin	800			0.8	8	0.571428597	8	8	28848	21665	21665	1.6
0113	042	8826	0.2	6802	1	65	100	3	20	19	26478	19676	RH-3	40	density-lin	1000			0.7	9	0.449999988	8	8	24712.79883	17910.79883	17910.79883	0.933333
0116	020A	3242	0.07	8405	0	55	80	2.5	6	6	8105	0	NCD-NORT	40	density-lin	400	true		0.75	8	1.333333373	8	8	9726	1321	1321	1.2
0116	020C	3200	0.07	6400	0	55	80	2.5	6	6	8000	1600	NCD-NORT	40	density-lin	400			0.75	8	1.333333373	8	8	9600	3200	3200	1.2
0124	030A	3155	0.07	5505	3	65	100	3	7	4	9465	3960	RH-3	65	form-based			true	0.7	11	1.571428537	8	8	13251	7746	7746	1.4
0124	033	2885	0.07	3365	2	65	100	3	7	5	8655	5290	RH-3	65	form-based			true	0.7	10	1.428571463	8	8	12117	8752	8752	1.4
0124	036	4006	0.09	6012	6	65	100	3	9	3	12018	6006	RH-3	65	form-based			true	0.7	14	1.555555582	8	8	16825.19922	10813.19922	10813.19922	1.4
0124	081	2760	0.06	3703	2	65	100	3	6	4	8280	4577	RH-3	65	form-based			true	0.7	10	1.666666627	8	8	11592	7889	7889	1.4
0125	023	3050	0.07	3452	3	55	80	2.5	6	3	7625	4173	RM-1	65	form-based			true	0.7	11	1.833333373	8	8	12810	9358	9358	1.68
0134	029	3735	0.09	0	0	65	100	3	9	9	11205	11205	RH-3	40	form-based			true	0.7	8	0.888888896	8	8	10458	10458	10458	0.933333
0135	010	6014	0.14	14250	0	65	100	3	14	14	18042	3792	C-2	65	density-lin	800			0.8	8	0.571428597	8	8	28867.20117	14617.20117	14617.20117	1.6
0136	005	6316	0.14	18903	0	65	100	3	14	14	18948	45	C-2	65	density-lin	800	true		0.8	8	0.571428597	8	8	30316.80078	11413.80078	11413.80078	1.6
0136	006	6302	0.14	23408	0	65	100	3	14	14	18906	0	C-2	65	density-lin	800			0.8	8	0.571428597	8	8	30249.59961	6841.599609	6841.599609	1.6
0147	001	4520	0.1	12309	3	65	100	3	10	7	13560	1251	NCD-NORT	40	density-lin	400	true		0.75	11	1.100000024	8	8	13560	1251	1251	1
0152	012	3041	0.07	3573	3	55	80	2.5	6	3	7602	4029	RH-3	65	form-based			true	0.7	11	1.833333373	8	8	12772.2002	9199.200195	9199.200195	1.680111
0152	014	3192	0.07	5011	3	55	80	2.5	6	3	7980	2969	RH-3	65	form-based			true	0.7	11	1.833333373	8	8	13406.39941	8395.399414	8395.399414	1.68
0152	032	3847	0.09	5472	3	55	80	2.5	7	4	9618	4146	RH-3	50	form-based			true	0.7	11	1.571428537	8	8	13464.5	7992.5	7992.5	1.399927

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0153	017	3203	0.07	3256	3	65	100	3	7	4	9609	6353	RH-3	65	form-based			true	0.7	11	1.571428537	8	8	13452.59961	10196.59961	10196.59961	1.4
0153	017A	3103	0.07	4283	3	65	100	3	7	4	9309	5026	RH-3	65	form-based			true	0.7	11	1.571428537	8	8	13032.59961	8749.599609	8749.599609	1.4
0153	025	3952	0.09	4249	3	65	100	3	9	6	11856	7607	RH-3	50	form-based			true	0.7	11	1.222222209	8	8	13832	9583	9583	1.166667
0153	026	3947	0.09	5400	3	65	100	3	9	6	11841	6441	RH-3	50	form-based			true	0.7	11	1.222222209	8	8	13814.5	8414.5	8414.5	1.166667
0154	003	4124	0.09	5925	6	65	100	3	9	3	12372	6447	RM-1	65	form-based			true	0.7	14	1.555555582	8	8	17320.79883	11395.79883	11395.79883	1.4
0154	024	2585	0.06	1483	1	65	100	3	6	5	7755	6272	RH-3	65	form-based			true	0.7	9	1.5	8	8	10857	9374	9374	1.4
0154	031	3105	0.07	5163	3	65	100	3	7	4	9315	4152	RH-3	65	form-based		true	true	0.7	11	1.571428537	8	8	13041	7878	7878	1.4
0154	035	2586	0.06	1068	1	65	100	3	6	5	7758	6690	RH-3	65	form-based			true	0.7	9	1.5	8	8	10861.2002	9793.200195	9793.200195	1.4
0158	001	4881	0.11	0	0	55	80	2.5	9	9	12202	12202	RM-2	40	density-lim	600			0.7	8	0.888888896	8	8	13666.7998	13666.7998	13666.7998	1.120046
0160	014	2054	0.05	2324	2	65	100	3	5	3	6162	3838	CRNC	65	density-lim	200			0.75	10	2	8	8	9243	6919	6919	1.5
0161	019	2092	0.05	6128	2	65	100	3	5	3	6276	148	CRNC	85	density-lim	200			0.75	10	2	8	8	12552	6424	6424	2
0162	006	2050	0.05	5433	2	65	100	3	5	3	6150	717	CRNC	65	density-lim	200			0.75	10	2	8	8	9225	3792	3792	1.5
0163	001	4095	0.09	12180	2	55	80	2.5	7	5	10238	0	NCD-BROA	65	density-lim	400	true		0.75	10	1.428571463	8	8	18427.5	6247.5	6247.5	1.799912
0163	009	6476	0.15	20162	0	65	100	3	15	15	19428	0	C-2	65	density-lim	800			0.8	8	0.533333361	8	8	31084.80078	10922.80078	10922.80078	1.6
0163	022	3169	0.07	5834	0	55	80	2.5	6	6	7922	2088	NCD-BROA	65	density-lim	400	true		0.75	8	1.333333373	8	8	14260.5	8426.5	8426.5	1.800114
0163	029	3090	0.07	3162	0	55	80	2.5	6	6	7725	4563	NCD-BROA	65	density-lim	400			0.75	8	1.333333373	8	8	13905	10743	10743	1.8
0164	033	6240	0.14	2742	0	65	100	3	14	14	18720	15978	C-2	65	density-lim	800	true		0.8	8	0.571428597	8	8	29952	27210	27210	1.6
0166	005	1739	0.04	5175	2	65	100	3	4	2	5217	42	C-2	84	form-base	800	true		0.8	10	2.5	8	6	11129.60059	5954.600586	5259	2.133333
0175	016	6345	0.15	9700	0	65	100	3	15	15	19035	9335	C-2	65	density-lim	800	true		0.8	8	0.533333361	8	8	30456	20756	20756	1.6
0175	026	6026	0.14	6015	0	65	100	3	14	14	18078	12063	C-2	65	density-lim	800			0.8	8	0.571428597	8	8	28924.80078	22909.80078	22909.80078	1.6
0175	032	6200	0.14	19586	0	65	100	3	14	14	18600	0	C-2	65	density-lim	800			0.8	8	0.571428597	8	8	29760	10174	10174	1.6
0176	007	6311	0.14	33933	0	65	100	3	14	14	18933	0	C-2	65	density-lim	800	true		0.8	8	0.571428597	8	8	30292.80078	0	0	1.6
0177	021	1512	0.03	5368	0	65	100	3	3	3	4536	0	CRNC	50	density-lim	200			0.75	8	2.666666746	8	6	5670	302	302	1.25
0178	006	4381	0.1	16308	14	65	100	3	10	0	13143	0	CRNC	50	density-lim	200	true		0.75	22	2.200000048	8	6	16428.75	120.75	120.75	1.25
0179	008	3868	0.09	16376	11	65	100	3	9	0	11604	0	CRNC	85	density-lim	200			0.75	19	2.111111164	8	7	23208	6832	6832	2
0180	018	5643	0.13	13178	6	65	100	3	13	7	16929	3751	RC-3	65	density-lim	400	true		0.75	14	1.076923132	8	8	25393.5	12215.5	12215.5	1.5
0182	021	8255	0.19	29975	0	55	80	2.5	15	15	20638	0	NCD-PACIF	40	density-lim	1000	true		0.75	8	0.533333361	8	8	24765	0	0	1.199971
0185	010	3159	0.07	6300	3	65	100	3	7	4	9477	3177	RM-1	65	form-based			true	0.7	11	1.571428537	8	8	13267.7998	6967.799805	6967.799805	1.4
0186	023	3423	0.08	4139	4	65	100	3	8	4	10269	6130	RM-1	65	form-based			true	0.7	12	1.5	8	8	14376.59961	10237.59961	10237.59961	1.4
0186	028	3083	0.07	8200	4	55	80	2.5	6	2	7708	0	RM-3	65	form-based		true	true	0.75	12	2	8	8	13873.5	5673.5	5673.5	1.799883
0186	048	3644	0.08	7058	5	65	100	3	8	3	10932	3874	RM-2	65	form-based			true	0.7	13	1.625	8	8	15304.7998	8246.799805	8246.799805	1.4
0187	017	2187	0.05	3088	0	55	80	2.5	4	4	5468	2380	RM-3	65	form-based			true	0.75	8	2	8	8	9841.5	6753.5	6753.5	1.799835
0187	019	2625	0.06	6744	2	55	80	2.5	5	3	6562	0	RM-3	65	form-based			true	0.75	10	2	8	8	11812.5	5068.5	5068.5	1.800137
0187	035	2560	0.06	3370	2	55	80	2.5	5	3	6400	3030	RM-3	65	form-based			true	0.75	10	2	8	8	11520	8150	8150	1.8
0189	044	8293	0.19	4191	0	55	80	2.5	15	15	20732	16541	RH-3	50	density-lim	1000			0.7	8	0.533333361	8	8	29025.5	24834.5	24834.5	1.400034
0191	009	5844	0.13	8691	7	65	100	3	13	6	17532	8841	RM-3	65	density-lim	400			0.75	15	1.153846145	8	8	26298	17607	17607	1.5
0191	010	5500	0.13	7560	6	65	100	3	13	7	16500	8940	RM-3	65	density-lim	400			0.75	14	1.076923132	8	8	24750	17190	17190	1.5
0191	013	5328	0.12	5056	5	65	100	3	12	7	15984	10928	RM-3	65	density-lim	400			0.75	13	1.083333373	8	8	23976	18920	18920	1.5
0193	004	1600	0.04	4190	0	65	100	3	4	4	4800	610	CVR	50	density-lim	200			0.75	8	2	8	8	6000	1810	1810	1.25
0193	029	2604	0.06	6966	5	65	100	3	6	1	7812	846	CRNC	50	density-lim	200			0.75	13	2.166666746	8	7	9765	2799	2799	1.25
0193	032	1662	0.04	4829	0	65	100	3	4	4	4986	157	CRNC	50	density-lim	200	true		0.75	8	2	8	8	6232.5	1403.5	1403.5	1.25
0194	002	2155	0.05	3900	3	65	100	3	5	2	6465	2565	CCB	65	density-lim	200			0.75	11	2.200000048	8	7	9697.5	5797.5	5797.5	1.5
0194	029	1818	0.04	2894	1	65	100	3	4	3	5454	2560	CRNC	50	density-lim	200			0.75	9	2.25	8	7	6817.5	3923.5	3923.5	1.25
0194	030	1818	0.04	2894	1	65	100	3	4	3	5454	2560	CRNC	50	density-lim	200			0.75	9	2.25	8	7	6817.5	3923.5	3923.5	1.25
0195	002	6336	0.15	25395	0	65	100	3	15	15	19008	0	C-2	65	density-lim	800	true		0.8	8	0.533333361	8	8	30412.80078	5017.800781	5017.800781	1.6
0195	007	1569	0.04	3120	0	65	100	3	4	4	4707	1587	CCB	65	density-lim	200			0.75	8	2	8	8	7060.5	3940.5	3940.5	1.5
0195	008	4563	0.1	18128	15	65	100	3	10	0	13689	0	CCB	65	density-lim	200			0.75	23	2.299999952	8	5	20533.5	2405.5	2405.5	1.5
0210	001	2196	0.05	6245	3	65	100	3	5	2	6588	343	CVR	50	density-lim	200	true		0.75	11	2.200000048	8	7	8235	1990	1990	1.25
0210	032	1513	0.03	7785	0	65	100	3	3	3	4539	0	CRNC	50	density-lim	200			0.75	8	2.666666746	8	6	5673.75	0	0	1.25
0210	033	1582	0.04	6052	0	65	100	3	4	4	4746	0	CRNC	50	density-lim	200			0.75	8	2	8	8	5932.5	0	0	1.25
0210	040	1595	0.04	4950	0	65	100	3	4	4	4785	0	CRNC	50	density-lim	200			0.75	8	2	8	8	5981.25	1031.25	1031.25	1.25
0213	011	3850	0.09	6714	6	65	100	3	9	3	11550	4836	RM-3	65	form-based			true	0.75	14	1.555555582	8	8	17325	10611	10611	1.5
0213	012	3850	0.09	5475	6	65	100	3	9	3	11550	6075	RM-3	65	form-based			true	0.75	14	1.555555582	8	8	17325	11850	11850	1.5
0213	015	6309	0.14	21244	16	65	100	3	14	0	18927	0	RM-3	65	form-based		true	true	0.75	24	1.714285731	8	8	28390.5	7146.5	7146.5	1.5
0213	022	3897	0.09	6870	7	65	100	3	9	2	11691	4821	RM-3	65	form-based			true	0.75	15	1.666666627	8	8	17536.5	10666.5	10666.5	1.5
0214	004	3781	0.09	7125	6	55	80	2.5	7	1	9452	2327	RM-3	65	form-based			true	0.75	14	2	8	8	17014.5	9889.5	9889.5	1.800095
0215	006	2238	0.05	6188	0	55	80	2.5	4	4	5595	0	RM-3	65	form-based			true	0.75	8	2	8	8	10071	3883	3883	1.8
0216	012	2581	0.06	4830	2	55	80	2.5	5	3	6452	1622	RM-3	65	form-based			true	0.75	10	2	8	8	11614.5	6784.5	6784.5	1.80014
0216	025	5353	0.12	10350	12	55	80	2.5	10	0	13382	3032	RM-3	65	form-based			true	0.75	20	2	8	8	24088.5	13738.5	13738.5	1.800067
0217	028	4675	0.11	840	10	65	100	3	11	1	14025	13185	RM-3	65	form-based			true	0.75	18	1.636363626	8	8	21037.5	20197.5	20197.5	1.5
0219	016	2813	0.06	5595	3	55	80	2.5	5	2	7032	1437	RM-3	65	form-based			true	0.75	11	2.200000048	8	7	12658.5	7063.5	7063.5	1.800128
0219	018	3455	0.08	6400	5	55	80	2.5	6	1	8638	2238	RM-3	65	form-based			true	0.75	13	2.166666746	8	7	15547.5	9147.5	9147.5	1.799896
0220	024	2633	0.06	3420	2	55	80	2.5	5	3	6582	3162	RM-3	65	form-based			true	0.75	10	2	8	8	11848.5	8428.5	8428.5	1.800137
0220	034	5745	0.13	13812	14	55	80	2.5	10	0	14362	550	RM-3	65	form-based			true	0.75	22	2.200000048	8	6	25852.5	12040.5	12040.5	1.800063

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0220	035	3086	0.07	3754	4	55	80	2.5	6	2	7715	3961	RM-3	65	form-based			true	0.75	12	2	8	8	13887	10133	10133	1.8
0220	054	3000	0.07	1712	3	55	80	2.5	6	3	7500	5788	RM-3	65	form-based			true	0.75	11	1.833333373	8	8	13500	11788	11788	1.8
0221	002	4826	0.11	14040	10	55	80	2.5	9	0	12065	0	RM-3	65	form-based		true	true	0.75	18	2	8	8	21717	7677	7677	1.8
0224	003	3948	0.09	10053	12	65	100	3	9	0	11844	1791	CRNC	85	density-lim	200			0.75	20	2.222222328	8	6	23688	13635	13635	2
0226	038	1695	0.04	4852	0	65	100	3	4	4	5085	233	CVR	50	density-lim	200	true		0.75	8	2	8	8	6356.25	1504.25	1504.25	1.25
0226	042	2443	0.06	9220	4	65	100	3	6	2	7329	0	CCB	50	density-lim	200			0.75	12	2	8	8	9161.25	0	0	1.25
0228	015	1741	0.04	5310	0	65	100	3	4	4	5223	0	C-3-O	75	form-based		true		0.8	8	2	8	8	9749.600586	4439.600586	4439.600586	1.866667
0228	029	1660	0.04	2790	0	65	100	3	4	4	4980	2190	C-3-O	75	form-based				0.8	8	2	8	8	9296	6506	6506	1.866667
0228	032	1681	0.04	3594	0	65	100	3	4	4	5043	1449	C-3-O	75	form-based		true		0.8	8	2	8	8	9413.600586	5819.600586	5819.600586	1.866667
0241	011	2656	0.06	13277	0	65	100	3	6	6	7968	0	C-3-O	50	form-based				0.8	8	1.333333373	8	8	10624	0	0	1.333333
0241	016A	2226	0.05	7974	3	65	100	3	5	2	6678	0	CCB	50	density-lim	200			0.75	11	2.200000048	8	7	8347.5	373.5	373.5	1.25
0247	008	3772	0.09	8397	6	55	80	2.5	7	1	9430	1033	RM-3	65	form-based			true	0.75	14	2	8	8	16974	8577	8577	1.8
0248	006	3528	0.08	6584	5	55	80	2.5	6	1	8820	2236	RM-3	65	form-based		true	true	0.75	13	2.166666746	8	7	15876	9292	9292	1.8
0249	004	5986	0.14	11025	14	65	100	3	14	0	17958	6933	RM-3	65	form-based			true	0.75	22	1.571428537	8	8	26937	15912	15912	1.5
0249	027	3893	0.09	7645	7	65	100	3	9	2	11679	4034	RM-3	65	form-based			true	0.75	15	1.666666627	8	8	17518.5	9873.5	9873.5	1.5
0249	027A	3907	0.09	7645	7	65	100	3	9	2	11721	4076	RM-3	65	form-based			true	0.75	15	1.666666627	8	8	17581.5	9936.5	9936.5	1.5
0249	029	3853	0.09	968	6	65	100	3	9	3	11559	10591	RM-3	65	form-based			true	0.75	14	1.555555582	8	8	17338.5	16370.5	16370.5	1.5
0251	045	1274	0.03	752	3	55	80	2.5	2	0	3185	2433	RTO-C	120	form-based			true	0.75	11	5.5	8	1	11466	10714	5618	3.6
0252	005	2339	0.05	5655	4	55	80	2.5	4	0	5848	193	RM-4	65	density-lim	200			0.75	12	3	8	4	10525.5	4870.5	4870.5	1.799846
0252	071	2291	0.05	1600	3	55	80	2.5	4	1	5728	4128	RM-4	65	density-lim	200			0.75	11	2.75	8	5	10309.5	8709.5	8709.5	1.799843
0254	016	9222	0.21	22130	38	65	100	3	21	0	27666	5536	RM-4	65	density-lim	200			0.75	46	2.190476179	8	4	41499	19369	19369	1.5
0254	018	2352	0.05	6628	4	65	100	3	5	1	7056	428	RM-4	65	density-lim	200			0.75	12	2.400000095	8	6	10584	3956	3956	1.5
0254	020	2352	0.05	5950	4	65	100	3	5	1	7056	1106	RM-4	65	density-lim	200			0.75	12	2.400000095	8	6	10584	4634	4634	1.5
0256	005	3465	0.08	8535	9	65	100	3	8	0	10395	1860	RM-4	65	density-lim	200	true		0.75	17	2.125	8	7	15592.5	7057.5	7057.5	1.5
0274	022	4727	0.11	13050	16	65	100	3	11	0	14181	1131	RM-4	65	density-lim	200			0.75	24	2.181818247	8	6	21271.5	8221.5	8221.5	1.5
0276	020	2814	0.06	5880	6	65	100	3	6	0	8442	2562	RM-4	65	density-lim	200			0.75	14	2.333333254	8	6	12663	6783	6783	1.5
0278	012	3361	0.08	10875	22	65	100	3	8	0	10083	0	NCD-POLK	140	form-based		true	true	0.75	30	3.75	8	0	30249	19374	9291	3
0279	001	1541	0.04	5448	0	65	100	3	4	4	4623	0	RC-4	80	density-lim	200	true		0.75	8	2	8	8	9246	3798	3798	2
0279	002	4750	0.11	13822	16	65	100	3	11	0	14250	428	RC-4	80	density-lim	200			0.75	24	2.181818247	8	6	28500	14678	14678	2
0279	020	4983	0.11	9950	17	65	100	3	11	0	14949	4999	RC-4	80	density-lim	200			0.75	25	2.272727251	8	5	29898	19948	19948	2
0282	016	1585	0.04	3220	0	65	100	3	4	4	4755	1535	RC-4	65	density-lim	200			0.75	8	2	8	8	7132.5	3912.5	3912.5	1.5
0282	017	1585	0.04	1472	0	65	100	3	4	4	4755	3283	RC-4	65	density-lim	200			0.75	8	2	8	8	7132.5	5660.5	5660.5	1.5
0283	003	2392	0.05	6332	4	65	100	3	5	1	7176	844	RC-4	65	density-lim	200			0.75	12	2.400000095	8	6	10764	4432	4432	1.5
0283	007	4098	0.09	15996	29	65	100	3	9	0	12294	0	C-3-G	160	form-based				0.8	37	4.111111164	8	0	36882	20886	8592	3
0285	011	1586	0.04	67913	0	65	100	3	4	4	4758	0	RC-4	130	density-lim	200			0.75	8	2	8	8	14274	0	0	3
0301	020	8349	0.19	22331	34	65	100	3	19	0	25047	2716	RC-4	130	density-lim	200			0.75	42	2.210526228	8	4	75141	52810	27763	3
0302	027	1526	0.04	2908	0	65	100	3	4	4	4578	1670	RC-4	80	density-lim	200			0.75	8	2	8	8	9156	6248	6248	2
0303	011	2188	0.05	5010	3	65	100	3	5	2	6564	1554	RC-4	80	density-lim	200			0.75	11	2.200000048	8	7	13128	8118	8118	2
0310	013A	898	0.02	1800	0	75	120	3.5	2	2	3143	1343	C-3-R	130	form-based				0.8	8	4	8	4	8082	6282	4486	2.571429
0317	013	1576	0.04	2958	0	85	140	4	6	6	6304	3346	RC-4	130	density-lim	200			0.75	8	1.333333373	8	8	14184	11226	9650	2.25
0318	004	1529	0.04	2550	0	85	140	4	6	6	6116	3566	RC-4	130	density-lim	200			0.75	8	1.333333373	8	8	13761	11211	9682	2.25
0319	008	1649	0.04	4240	0	85	140	4	6	6	6596	2356	RC-4	80	density-lim	200	true		0.75	8	1.333333373	8	8	9894	5654	5654	1.5
0321	002	2217	0.05	3582	3	65	100	3	5	2	6651	3069	RC-4	80	density-lim	200			0.75	11	2.200000048	8	7	13302	9720	9720	2
0321	013	2188	0.05	4154	3	65	100	3	5	2	6564	2410	RC-4	80	density-lim	200			0.75	11	2.200000048	8	7	13128	8974	8974	2
0324	015	1688	0.04	3374	0	85	140	4	6	6	6752	3378	RC-4	80	density-lim	200			0.75	8	1.333333373	8	8	10128	6754	6754	1.5
0336	015	9453	0.22	21735	39	65	100	3	22	0	28359	6624	RC-4	80	density-lim	200			0.75	47	2.136363745	8	5	56718	34983	34983	2
0345	016	4375	0.1	14938	14	65	100	3	10	0	13125	0	RC-4	80	density-lim	200			0.75	22	2.200000048	8	6	26250	11312	11312	2
0346	010	4346	0.1	13020	14	65	100	3	10	0	13038	18	RC-4	80	density-lim	200	true		0.75	22	2.200000048	8	6	26076	13056	13056	2
0346	022	3401	0.08	8700	9	65	100	3	8	0	10203	1503	RC-4	80	density-lim	200	true		0.75	17	2.125	8	7	20406	11706	11706	2
0347	017	11836	0.27	0	51	75	120	3.5	32	0	41426	41426	RC-4	80	density-lim	200			0.75	59	1.84375	8	8	71016	71016	71016	1.714286
0459	033	3694	0.08	5455	0	55	80	2.5	6	6	9235	3780	RM-4	40	form-based			true	0.75	8	1.333333373	8	8	11082	5627	5627	1.2
0474	005	4612	0.11	12075	9	65	100	3	11	2	13836	1761	RTO-C	65	form-based		true	true	0.75	17	1.545454502	8	8	20754	8679	8679	1.5
0476	002	4400	0.1	2353	1	65	100	3	10	9	13200	10847	RH-1	40	form-based		true	true	0.7	9	0.899999976	8	8	12320	9967	9967	0.933333
0476	003	4125	0.09	3193	1	65	100	3	9	8	12375	9182	RH-1	40	form-based			true	0.7	9	1	8	8	11550	8357	8357	0.933333
0476	004	4125	0.09	3056	1	65	100	3	9	8	12375	9319	RH-1	40	form-based			true	0.7	9	1	8	8	11550	8494	8494	0.933333
0476	004B	4125	0.09	4231	1	65	100	3	9	8	12375	8144	RH-1	40	form-based			true	0.7	9	1	8	8	11550	7319	7319	0.933333
0476	025	6601	0.15	1070	6	65	100	3	15	9	19803	18733	RH-1	40	form-based			true	0.7	14	0.933333337	8	8	18482.79883	17412.79883	17412.79883	0.933333
0477	019	4731	0.11	4250	2	65	100	3	11	9	14193	9943	RH-2	40	form-based			true	0.7	10	0.909090936	8	8	13246.7998	8996.799805	8996.799805	0.933333
0477	020	4730	0.11	4014	2	65	100	3	11	9	14190	10176	RH-2	40	form-based			true	0.7	10	0.909090936	8	8	13244	9230	9230	0.933333
0477	029	4729	0.11	2137	2	65	100	3	11	9	14187	12050	RH-2	40	form-based			true	0.7	10	0.909090936	8	8	13241.2002	11104.2002	11104.2002	0.933333
0478	037	2889	0.07	1470	3	85	140	4	10	7	11556	10086	RTO-C	65	form-based			true	0.75	11	1.100000024	8	8	13000.5	11530.5	11530.5	1.125
0479	009	2750	0.06	2208	2	65	100	3	6	4	8250	6042	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12375	10167	10167	1.5
0479	009A	2750	0.06	2740	2	65	100	3	6	4	8250	5510	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12375	9635	9635	1.5
0479	009B	2750	0.06	2740	2	65	100	3	6	4	8250	5510	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12375	9635	9635	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0479	009D	3795	0.09	7338	6	65	100	3	9	3	11385	4047	RTO-C	65	form-based		true	true	0.75	14	1.555555582	8	8	17077.5	9739.5	9739.5	1.5
0480	002C	2497	0.06	1430	1	65	100	3	6	5	7491	6061	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11236.5	9806.5	9806.5	1.5
0481	012	2812	0.06	3800	3	65	100	3	6	3	8436	4636	RTO-C	65	form-based			true	0.75	11	1.833333373	8	8	12654	8854	8854	1.5
0482	045	3440	0.08	6826	5	55	80	2.5	6	1	8600	1774	RTO-C	65	form-based			true	0.75	13	2.166666746	8	7	15480	8654	8654	1.8
0493	001E	2959	0.07	4175	3	55	80	2.5	6	3	7398	3223	RTO-C	65	form-based			true	0.75	11	1.833333373	8	8	13315.5	9140.5	9140.5	1.799878
0494	014	2950	0.07	3260	3	55	80	2.5	6	3	7375	4115	RTO-C	65	form-based			true	0.75	11	1.833333373	8	8	13275	10015	10015	1.8
0494	022	1628	0.04	2560	1	55	80	2.5	3	2	4070	1510	NC-3	85	form-based			true	0.75	9	3	8	5	9768	7208	5580	2.4
0494	023	1628	0.04	1296	1	55	80	2.5	3	2	4070	2774	NC-3	85	form-based			true	0.75	9	3	8	5	9768	8472	6844	2.4
0494	031	1722	0.04	2180	1	55	80	2.5	3	2	4305	2125	NC-3	85	form-based			true	0.75	9	3	8	5	10332	8152	6430	2.4
0495	005A	2031	0.05	0	0	55	80	2.5	4	4	5078	5078	NC-3	65	form-based			true	0.75	8	2	8	8	9139.5	9139.5	9139.5	1.799823
0495	024	2656	0.06	1564	2	55	80	2.5	5	3	6640	5076	NC-3	65	form-based			true	0.75	10	2	8	8	11952	10388	10388	1.8
0497	001A	2500	0.06	1690	1	65	100	3	6	5	7500	5810	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9560	9560	1.5
0497	001B	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10100	10100	1.5
0497	001C	2500	0.06	1456	1	65	100	3	6	5	7500	6044	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9794	9794	1.5
0497	002	3933	0.09	6580	7	65	100	3	9	2	11799	5219	RTO-C	65	form-based			true	0.75	15	1.666666627	8	8	17698.5	11118.5	11118.5	1.5
0498	002	3120	0.07	3900	4	85	140	4	10	6	12480	8580	RC-3	65	form-based			true	0.75	12	1.200000048	8	8	14040	10140	10140	1.125
0500	049	3790	0.09	1750	3	65	100	3	9	6	11370	9620	RH-3	50	form-based			true	0.7	11	1.222222209	8	8	13265	11515	11515	1.166667
0500	061	4261	0.1	2386	4	65	100	3	10	6	12783	10397	RH-3	50	form-based			true	0.7	12	1.200000048	8	8	14913.5	12527.5	12527.5	1.166667
0501	015	3144	0.07	1617	1	65	100	3	7	6	9432	7815	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11004	9387	9387	1.166667
0501	027	3378	0.08	1490	1	65	100	3	8	7	10134	8644	RH-2	50	form-based			true	0.7	9	1.125	8	8	11823	10333	10333	1.166667
0501	028	3306	0.08	2102	1	65	100	3	8	7	9918	7816	RH-2	50	form-based			true	0.7	9	1.125	8	8	11571	9469	9469	1.166667
0501	074	3474	0.08	1230	2	65	100	3	8	6	10422	9192	RH-2	50	form-based			true	0.7	10	1.25	8	8	12159	10929	10929	1.166667
0502	009	2819	0.06	5551	2	65	100	3	6	4	8457	2906	RH-3	65	form-based			true	0.7	10	1.666666627	8	8	11839.7998	6288.799805	6288.799805	1.4
0505	002C	9452	0.22	12195	12	65	100	3	22	10	28356	16161	RH-3	40	form-based			true	0.7	20	0.909090936	8	8	26465.59961	14270.59961	14270.59961	0.933333
0505	002D	5076	0.12	7331	3	65	100	3	12	9	15228	7897	RH-3	40	form-based			true	0.7	11	0.916666687	8	8	14212.7998	6881.799805	6881.799805	0.933333
0521	005A	5000	0.11	13095	18	65	100	3	11	0	15000	1905	RTO-C	85	form-based		true	true	0.75	26	2.363636255	8	4	30000	16905	16905	2
0521	020	2003	0.05	2934	3	65	100	3	5	2	6009	3075	RTO-C	85	form-based			true	0.75	11	2.200000048	8	7	12018	9084	9084	2
0521	034	2593	0.06	6750	6	65	100	3	6	0	7779	1029	RTO-C	85	form-based			true	0.75	14	2.333333254	8	6	15558	8808	8808	2
0522	012	3865	0.09	8001	12	65	100	3	9	0	11595	3594	RTO-C	85	form-based			true	0.75	20	2.222222328	8	6	23190	15189	15189	2
0524	022	3605	0.08	4124	5	65	100	3	8	3	10815	6691	RM-2	65	form-based			true	0.7	13	1.625	8	8	15141	11017	11017	1.4
0524	023	3605	0.08	3460	2	65	100	3	8	6	10815	7355	RH-2	50	form-based			true	0.7	10	1.25	8	8	12617.5	9157.5	9157.5	1.166667
0524	026	3401	0.08	3250	2	65	100	3	8	6	10203	6953	RH-2	50	form-based			true	0.7	10	1.25	8	8	11903.5	8653.5	8653.5	1.166667
0524	052	3711	0.09	5483	2	65	100	3	9	7	11133	5650	RH-2	50	form-based			true	0.7	10	1.111111164	8	8	12988.5	7505.5	7505.5	1.166667
0525	026	2500	0.06	6605	5	65	100	3	6	1	7500	895	NCD-POLK	85	form-based		true	true	0.75	13	2.166666746	8	7	15000	8395	8395	2
0525	027	3125	0.07	7060	7	65	100	3	7	0	9375	2315	RH-2	85	form-based			true	0.7	15	2.142857075	8	7	17500	10440	10440	1.866667
0526	022	8352	0.19	20790	36	65	100	3	19	0	25056	4266	RTO-C	85	form-based			true	0.75	44	2.315789461	8	2	50112	29322	29322	2
0527	012	3591	0.08	4880	5	65	100	3	8	3	10773	5893	NCD-UNIO	65	form-based			true	0.75	13	1.625	8	8	16159.5	11279.5	11279.5	1.5
0528	001A	2619	0.06	6300	6	65	100	3	6	0	7857	1557	RTO-C	85	form-based			true	0.75	14	2.333333254	8	6	15714	9414	9414	2
0528	002	3877	0.09	10383	12	65	100	3	9	0	11631	1248	RTO-C	85	form-based			true	0.75	20	2.222222328	8	6	23262	12879	12879	2
0528	009	3000	0.07	3450	3	65	100	3	7	4	9000	5550	NCD-UNIO	65	form-based			true	0.75	11	1.571428537	8	8	13500	10050	10050	1.5
0529	012	2125	0.05	3276	0	65	100	3	5	5	6375	3099	NCD-UNIO	65	form-based			true	0.75	8	1.600000024	8	8	9562.5	6286.5	6286.5	1.5
0530	034	4100	0.09	2680	1	55	80	2.5	7	6	10250	7570	RH-2	40	form-based			true	0.7	9	1.285714269	8	8	11480	8800	8800	1.12
0531	022	4118	0.09	3998	1	55	80	2.5	7	6	10295	6297	RH-2	40	form-based			true	0.7	9	1.285714269	8	8	11530.39941	7532.399414	7532.399414	1.12
0544	001A	3025	0.07	5220	3	65	100	3	7	4	9075	3855	NCD-UNIO	65	form-based			true	0.75	11	1.571428537	8	8	13612.5	8392.5	8392.5	1.5
0544	014	2750	0.06	1450	2	65	100	3	6	4	8250	6800	NCD-UNIO	65	form-based			true	0.75	10	1.666666627	8	8	12375	10925	10925	1.5
0544	017	2080	0.05	2080	0	55	80	2.5	4	4	5200	3120	NCD-UNIO	65	form-based			true	0.75	8	2	8	8	9360	7280	7280	1.8
0546	012D	2496	0.06	4380	5	65	100	3	6	1	7488	3108	RTO-C	85	form-based		true	true	0.75	13	2.166666746	8	7	14976	10596	10596	2
0548	015B	1562	0.04	1598	0	65	100	3	4	4	4686	3088	NCD-POLK	85	form-based			true	0.75	8	2	8	8	9372	7774	7774	2
0549	007	2400	0.06	3032	0	65	100	3	6	6	7200	4168	RH-3	65	form-based		true	true	0.7	8	1.333333373	8	8	10080	7048	7048	1.4
0550	002	1943	0.04	3150	2	65	100	3	4	2	5829	2679	NCD-POLK	85	form-based			true	0.75	10	2.5	8	6	11658	8508	8508	2
0550	005	2113	0.05	1875	3	65	100	3	5	2	6339	4464	NCD-POLK	85	form-based		true	true	0.75	11	2.200000048	8	7	12678	10803	10803	2
0550	037	1687	0.04	850	1	65	100	3	4	3	5061	4211	RTO-C	85	form-based			true	0.75	9	2.25	8	7	10122	9272	9272	2
0552	022	4125	0.09	2442	1	65	100	3	9	8	12375	9933	RH-2	40	form-based			true	0.7	9	1	8	8	11550	9108	9108	0.933333
0555	015	5500	0.13	5806	4	55	80	2.5	10	6	13750	7944	RH-2	40	form-based			true	0.7	12	1.200000048	8	8	15400	9594	9594	1.12
0555	026	3644	0.08	6036	0	55	80	2.5	6	6	9110	3074	RH-3	40	form-based			true	0.7	8	1.333333373	8	8	10203.2002	4167.200195	4167.200195	1.12
0557	012	4414	0.1	6620	1	55	80	2.5	8	7	11035	4415	RH-2	40	form-based			true	0.7	9	1.125	8	8	12359.2002	5739.200195	5739.200195	1.12
0557	013	4553	0.1	5121	2	55	80	2.5	8	6	11382	6261	RH-2	40	form-based			true	0.7	10	1.25	8	8	12748.39941	7627.399414	7627.399414	1.120049
0557	014	5519	0.13	6954	4	55	80	2.5	10	6	13798	6844	RH-2	40	form-based		true	true	0.7	12	1.200000048	8	8	15453.2002	8499.200195	8499.200195	1.119959
0557	061	4369	0.1	8223	1	55	80	2.5	8	7	10922	2699	RH-2	40	form-based			true	0.7	9	1.125	8	8	12233.2002	4010.200195	4010.200195	1.120051
0558	014	5328	0.12	6065	3	55	80	2.5	10	7	13320	7255	RH-2	40	form-based			true	0.7	11	1.100000024	8	8	14918.39941	8853.399414	8853.399414	1.12
0558	015	4125	0.09	4364	1	55	80	2.5	7	6	10312	5948	RH-2	40	form-based			true	0.7	9	1.285714269	8	8	11550	7186	7186	1.120054
0558	026	4489	0.1	3070	1	55	80	2.5	8	7	11222	8152	RH-2	40	form-based			true	0.7	9	1.125	8	8	12569.2002	9499.200195	9499.200195	1.12005
0559	034	4373	0.1	2775	1	55	80	2.5	8	7	10932	8157	RH-1	40	form-based			true	0.7	9	1.125	8	8	12244.39941	9469.399414	9469.399414	1.120051
0559	054	4149	0.1	4429	1	55	80	2.5	8	7	10372	5943	RH-2	40	form-based			true	0.7	9	1.125	8	8	11617.2002	7188.200195	7188.200195	1.120054

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0560	012A	4406	0.1	3915	1	55	80	2.5	8	7	11015	7100	RH-1	40	form-based			true	0.7	9	1.125	8	8	12336.7998	8421.799805	8421.799805	1.12
0560	034	4192	0.1	4360	1	55	80	2.5	8	7	10480	6120	RH-1	40	form-based			true	0.7	9	1.125	8	8	11737.59961	7377.599609	7377.599609	1.12
0562	003	4371	0.1	4626	1	55	80	2.5	8	7	10928	6302	RH-1	40	form-based		true	true	0.7	9	1.125	8	8	12238.7998	7612.799805	7612.799805	1.119949
0562	012	4319	0.1	4638	1	55	80	2.5	8	7	10798	6160	RH-1	40	form-based			true	0.7	9	1.125	8	8	12093.2002	7455.200195	7455.200195	1.119948
0562	019	4193	0.1	4886	1	55	80	2.5	8	7	10482	5596	RH-1	40	form-based			true	0.7	9	1.125	8	8	11740.39941	6854.399414	6854.399414	1.120053
0562	020	4193	0.1	4416	1	55	80	2.5	8	7	10482	6066	RH-1	40	form-based			true	0.7	9	1.125	8	8	11740.39941	7324.399414	7324.399414	1.120053
0563	008	4125	0.09	3908	1	55	80	2.5	7	6	10312	6404	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11550	7642	7642	1.120054
0563	032	4359	0.1	6930	1	55	80	2.5	8	7	10898	3968	RH-1	40	form-based			true	0.7	9	1.125	8	8	12205.2002	5275.200195	5275.200195	1.119949
0568	054	2675	0.06	900	6	65	100	3	6	0	8025	7125	RTO-C	85	form-based		true	true	0.75	14	2.333333254	8	6	16050	15150	15150	2
0569	019	2078	0.05	6640	3	65	100	3	5	2	6234	0	RTO-C	85	form-based		true	true	0.75	11	2.200000048	8	7	12468	5828	5828	2
0570	032	2314	0.05	981	4	65	100	3	5	1	6942	5961	RTO-C	85	form-based		true	true	0.75	12	2.400000095	8	6	13884	12903	12903	2
0572	023	2901	0.07	6340	6	65	100	3	7	1	8703	2363	RM-2	85	form-based			true	0.7	14	2	8	8	16245.59961	9905.599609	9905.599609	1.866667
0578	006	4491	0.1	5038	1	55	80	2.5	8	7	11228	6190	RH-2	40	form-based		true	true	0.7	9	1.125	8	8	12574.7998	7536.799805	7536.799805	1.11995
0579	006	4756	0.11	5310	2	55	80	2.5	9	7	11890	6580	RH-3	40	form-based			true	0.7	10	1.111111164	8	8	13316.7998	8006.799805	8006.799805	1.12
0581	006	4125	0.09	7485	1	55	80	2.5	7	6	10312	2827	RH-2	40	form-based			true	0.7	9	1.285714269	8	8	11550	4065	4065	1.120054
0582	019A	4271	0.1	3400	1	55	80	2.5	8	7	10678	7278	RH-1	40	form-based			true	0.7	9	1.125	8	8	11958.7998	8558.799805	8558.799805	1.119948
0583	006A	4396	0.1	4748	1	55	80	2.5	8	7	10990	6242	RH-1	40	form-based			true	0.7	9	1.125	8	8	12308.7998	7560.799805	7560.799805	1.12
0583	018	4102	0.09	2000	1	55	80	2.5	7	6	10255	8255	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11485.59961	9485.599609	9485.599609	1.12
0583	019	4142	0.1	4029	1	55	80	2.5	8	7	10355	6326	RH-1	40	form-based			true	0.7	9	1.125	8	8	11597.59961	7568.599609	7568.599609	1.12
0583	022	4216	0.1	4190	1	55	80	2.5	8	7	10540	6350	RH-1	40	form-based		true	true	0.7	9	1.125	8	8	11804.7998	7614.799805	7614.799805	1.12
0585	003	4381	0.1	7067	1	55	80	2.5	8	7	10952	3885	RH-1	40	form-based		true	true	0.7	9	1.125	8	8	12266.7998	5199.799805	5199.799805	1.120051
0586	015	4313	0.1	6061	1	55	80	2.5	8	7	10782	4721	RH-1	40	form-based			true	0.7	9	1.125	8	8	12076.39941	6015.399414	6015.399414	1.120052
0586	016	4314	0.1	4490	1	55	80	2.5	8	7	10785	6295	RH-1	40	form-based			true	0.7	9	1.125	8	8	12079.2002	7589.200195	7589.200195	1.12
0586	017	4316	0.1	6071	1	55	80	2.5	8	7	10790	4719	RH-1	40	form-based			true	0.7	9	1.125	8	8	12084.7998	6013.799805	6013.799805	1.12
0588	012	2757	0.06	3403	2	55	80	2.5	5	3	6892	3489	RTO-C	65	form-based			true	0.75	10	2	8	8	12406.5	9003.5	9003.5	1.800131
0589	024	4174	0.1	3006	1	55	80	2.5	8	7	10435	7429	RH-2	40	form-based			true	0.7	9	1.125	8	8	11687.2002	8681.200195	8681.200195	1.12
0589	025	4462	0.1	6715	1	55	80	2.5	8	7	11155	4440	RH-2	40	form-based			true	0.7	9	1.125	8	8	12493.59961	5778.599609	5778.599609	1.12
0591	002A	4469	0.1	4128	1	55	80	2.5	8	7	11172	7044	RH-1	40	form-based		true	true	0.7	9	1.125	8	8	12513.2002	8385.200195	8385.200195	1.12005
0591	015	3845	0.09	4805	0	55	80	2.5	7	7	9612	4807	RH-2	40	form-based			true	0.7	8	1.142857194	8	8	10766	5961	5961	1.120058
0592	007	4483	0.1	5311	1	65	100	3	10	9	13449	8138	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12552.39941	7241.399414	7241.399414	0.933333
0592	012	4405	0.1	3568	1	65	100	3	10	9	13215	9647	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12334	8766	8766	0.933333
0596	006	3166	0.07	5625	3	65	100	3	7	4	9498	3873	RM-1	65	form-based			true	0.7	11	1.571428537	8	8	13297.2002	7672.200195	7672.200195	1.4
0596	019	2873	0.07	5211	6	65	100	3	7	1	8619	3408	RM-1	85	form-based			true	0.7	14	2	8	8	16088.7998	10877.7998	10877.7998	1.866667
0596	107	1524	0.03	0	0	65	100	3	3	3	4572	4572	NCD-POLK	85	form-based		true	true	0.75	8	2.666666746	8	6	9144	9144	9144	2
0597	011A	3094	0.07	5210	7	65	100	3	7	0	9282	4072	RM-2	85	form-based			true	0.7	15	2.142857075	8	7	17326.40039	12116.40039	12116.40039	1.866667
0602	033	4503	0.1	5200	1	55	80	2.5	8	7	11258	6058	RH-1	40	form-based			true	0.7	9	1.125	8	8	12608.39941	7408.399414	7408.399414	1.11995
0602	001	4172	0.1	3786	1	55	80	2.5	8	7	10430	6644	RH-1	40	form-based		true	true	0.7	9	1.125	8	8	11681.59961	7895.599609	7895.599609	1.12
0602	001A	4173	0.1	3478	1	55	80	2.5	8	7	10432	6954	RH-1	40	form-based			true	0.7	9	1.125	8	8	11684.39941	8206.399414	8206.399414	1.120054
0602	001C	4342	0.1	4694	1	55	80	2.5	8	7	10855	6161	RH-1	40	form-based			true	0.7	9	1.125	8	8	12157.59961	7463.599609	7463.599609	1.12
0602	034	4503	0.1	6264	1	55	80	2.5	8	7	11258	4994	RH-1	40	form-based			true	0.7	9	1.125	8	8	12608.39941	6344.399414	6344.399414	1.11995
0603	021	7563	0.17	12339	8	55	80	2.5	14	6	18908	6569	RM-2	40	form-based		true	true	0.7	16	1.142857194	8	8	21176.40039	8837.400391	8837.400391	1.11997
0604	025	4080	0.09	2437	1	55	80	2.5	7	6	10200	7763	RH-2	40	form-based			true	0.7	9	1.285714269	8	8	11424	8987	8987	1.12
0605	014	4341	0.1	3642	1	65	100	3	10	9	13023	9381	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12154.7998	8512.799805	8512.799805	0.933333
0606	003	3402	0.08	5240	5	65	100	3	8	3	10206	4966	NCD-UPPE	65	form-based			true	0.75	13	1.625	8	8	15309	10069	10069	1.5
0611	002	2636	0.06	5390	2	65	100	3	6	4	7908	2518	NCD-UPPE	65	form-based			true	0.75	10	1.666666627	8	8	11862	6472	6472	1.5
0611	009	4498	0.1	2692	1	65	100	3	10	9	13494	10802	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12594.39941	9902.399414	9902.399414	0.933333
0611	010	3631	0.08	3938	0	65	100	3	8	8	10893	6955	RH-2	40	form-based			true	0.7	8	1	8	8	10166.7998	6228.799805	6228.799805	0.933333
0611	037	2585	0.06	1472	2	65	100	3	6	4	7755	6283	NCD-UPPE	65	form-based			true	0.75	10	1.666666627	8	8	11632.5	10160.5	10160.5	1.5
0620	004	4177	0.1	7452	8	65	100	3	10	2	12531	5079	RM-3	65	form-based			true	0.75	16	1.600000024	8	8	18796.5	11344.5	11344.5	1.5
0620	010	4166	0.1	8975	14	65	100	3	10	0	12498	3523	RM-3	85	form-based			true	0.75	22	2.200000048	8	6	24996	16021	16021	2
0620	015	4000	0.09	11095	13	65	100	3	9	0	12000	905	NCD-POLK	85	form-based		true	true	0.75	21	2.333333254	8	5	24000	12905	12905	2
0621	005	2549	0.06	4833	2	65	100	3	6	4	7647	2814	RM-3	65	form-based			true	0.75	10	1.666666627	8	8	11470.5	6637.5	6637.5	1.5
0624	065	8284	0.19	1000	35	65	100	3	19	0	24852	23852	RM-3	80	form-based		true	true	0.75	43	2.263157845	8	3	49704	48704	48704	2
0630	005	2263	0.05	2263	0	65	100	3	5	5	6789	4526	NCD-UPPE	65	form-based			true	0.75	8	1.600000024	8	8	10183.5	7920.5	7920.5	1.5
0630	006	2262	0.05	2073	0	65	100	3	5	5	6786	4713	NCD-UPPE	65	form-based			true	0.75	8	1.600000024	8	8	10179	8106	8106	1.5
0630	011	4053	0.09	9450	3	65	100	3	9	6	12159	2709	RH-2	50	form-based			true	0.7	11	1.222222209	8	8	14185.5	4735.5	4735.5	1.166667
0630	022	2979	0.07	2743	0	65	100	3	7	7	8937	6194	RH-2	50	form-based			true	0.7	8	1.142857194	8	8	10426.5	7683.5	7683.5	1.166667
0631	012	3200	0.07	2715	1	65	100	3	7	6	9600	6885	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	11200	8485	8485	1.166667
0631	015	3200	0.07	2200	1	65	100	3	7	6	9600	7400	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	11200	9000	9000	1.166667
0631	016	3584	0.08	2121	2	65	100	3	8	6	10752	8631	RH-3	50	form-based			true	0.7	10	1.25	8	8	12544	10423	10423	1.166667
0633	001J	3390	0.08	3425	1	85	140	4	11	10	13560	10135	RH-2	50	form-based			true	0.7	9	0.818181813	8	8	11865	8440	8440	0.875
0633	018	3394	0.08	2990	2	65	100	3	8	6	10182	7192	RH-2	50	form-based			true	0.7	10	1.25	8	8	11879	8889	8889	1.166667
0635	010	1925	0.04	2879	2	85	140	4	6	4	7700	4821	NCD-UPPE	85	form-based			true	0.75	10	1.666666627	8	8	11550	8671	8671	1.5
0635	019	3351	0.08	2161	1	65	100	3	8	7	10053	7892	RH-2	50	form-based			true	0.7	9	1.125	8	8	11728.5	9567.5	9567.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0635	025	3346	0.08	1665	1	65	100	3	8	7	10038	8373	RH-2	50	form-based			true	0.7	9	1.125	8	8	11711	10046	10046	1.166667
0637	003	3630	0.08	2924	0	55	80	2.5	6	6	9075	6151	RM-1	40	form-based			true	0.7	8	1.333333373	8	8	10164	7240	7240	1.12
0641	012	4252	0.1	2240	1	65	100	3	10	9	12756	10516	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11905.59961	9665.599609	9665.599609	0.933333
0644	009	2281	0.05	5649	13	65	100	3	5	0	6843	1194	NCD-POLK	120	form-based			true	0.75	21	4.199999809	8	0	20529	14880	8037	3
0650	004	5431	0.12	5115	1	55	80	2.5	10	9	13578	8463	RM-2	40	density-lim	600			0.7	9	0.899999976	8	8	15206.7998	10091.7998	10091.7998	1.119959
0654	004	2187	0.05	1835	0	65	100	3	5	5	6561	4726	NCD-UPPE	65	form-based			true	0.75	8	1.600000024	8	8	9841.5	8006.5	8006.5	1.5
0654	011	4727	0.11	7521	0	65	100	3	11	11	14181	6660	NCD-UPPE	40	density-lim	600			0.75	8	0.727272749	8	8	14181	6660	6660	1
0655	024	1980	0.05	1956	2	85	140	4	7	5	7920	5964	RTO-C	85	form-based			true	0.75	10	1.428571463	8	8	11880	9924	9924	1.5
0655	026	1980	0.05	1939	2	85	140	4	7	5	7920	5981	RTO-C	85	form-based			true	0.75	10	1.428571463	8	8	11880	9941	9941	1.5
0656	009	5827	0.13	4486	4	65	100	3	13	9	17481	12995	RH-2	40	form-based			true	0.7	12	0.923076928	8	8	16315.59961	11829.59961	11829.59961	0.933333
0656	013	5842	0.13	3740	4	65	100	3	13	9	17526	13786	RH-2	40	form-based			true	0.7	12	0.923076928	8	8	16357.59961	12617.59961	12617.59961	0.933333
0657	022	1627	0.04	1136	1	65	100	3	4	3	4881	3745	RTO-C	85	form-based			true	0.75	9	2.25	8	7	9762	8626	8626	2
0657	024	1641	0.04	1547	1	65	100	3	4	3	4923	3376	RTO-C	85	form-based			true	0.75	9	2.25	8	7	9846	8299	8299	2
0660	019	2111	0.05	2160	0	65	100	3	5	5	6333	4173	NCD-UPPE	65	form-based		true	true	0.75	8	1.600000024	8	8	9499.5	7339.5	7339.5	1.5
0660	021	2234	0.05	2275	0	65	100	3	5	5	6702	4427	NCD-UPPE	65	form-based		true	true	0.75	8	1.600000024	8	8	10053	7778	7778	1.5
0667	021	1624	0.04	3800	7	65	100	3	4	0	4872	1072	NCD-POLK	240	form-based			true	0.75	15	3.75	8	1	14616	10816	5944	3
0670	018	864	0.02	1550	0	85	140	4	3	3	3456	1906	RC-4	350	form-based			true	0.75	8	2.666666746	8	6	7776	6226	5362	2.25
0672	014	3995	0.09	9858	12	65	100	3	9	0	11985	2127	RM-4	80	density-lim	200			0.75	20	2.222222328	8	6	23970	14112	14112	2
0674	010	2080	0.05	2364	2	65	100	3	5	3	6240	3876	RM-4	50	density-lim	200			0.75	10	2	8	8	7800	5436	5436	1.25
0676	023	4781	0.11	6132	4	65	100	3	11	7	14343	8211	RM-3	40	density-lim	400			0.75	12	1.090909123	8	8	14343	8211	8211	1
0676	060	4782	0.11	1223	4	65	100	3	11	7	14346	13123	RM-3	40	density-lim	400			0.75	12	1.090909123	8	8	14346	13123	13123	1
0677	048	9669	0.22	1163	16	65	100	3	22	6	29007	27844	RM-3	40	density-lim	400	true		0.75	24	1.090909123	8	8	29007	27844	27844	1
0679	036	1875	0.04	3100	2	65	100	3	4	2	5625	2525	RTO-C	85	form-based			true	0.75	10	2.5	8	6	11250	8150	8150	2
0685	011	10199	0.23	15211	17	65	100	3	23	6	30597	15386	NCD-JAPAI	50	density-lim	400			0.75	25	1.086956501	8	8	38246.25	23035.25	23035.25	1.25
0686	008	3241	0.07	2631	0	65	100	3	7	7	9723	7092	NCD-JAPAI	50	density-lim	400			0.75	8	1.142857194	8	8	12153.75	9522.75	9522.75	1.25
0688	204	2063	0.05	1429	2	65	100	3	5	3	6189	4760	RM-4	50	density-lim	200			0.75	10	2	8	8	7736.25	6307.25	6307.25	1.25
0702	028A	2250	0.05	2550	0	65	100	3	5	5	6750	4200	NCT-FILLM	65	form-based				0.75	8	1.600000024	8	8	10125	7575	7575	1.5
0739	009	6825	0.16	28000	53	85	140	4	22	0	27300	0	RC-4	300	form-based		true	true	0.75	61	2.772727251	8	0	61425	33425	26600	2.25
0740	036	3300	0.08	10580	9	65	100	3	8	0	9900	0	RC-4	80	density-lim	200			0.75	17	2.125	8	7	19800	9220	9220	2
0754	036	5500	0.13	1276	6	55	80	2.5	10	4	13750	12474	RM-3	40	density-lim	400			0.75	14	1.399999976	8	8	16500	15224	15224	1.2
0754	042	4000	0.09	2480	2	55	80	2.5	7	5	10000	7520	RM-3	40	density-lim	400			0.75	10	1.428571463	8	8	12000	9520	9520	1.2
0755	010	3280	0.08	0	0	55	80	2.5	6	6	8200	8200	RM-3	65	density-lim	400	true		0.75	8	1.333333373	8	8	14760	14760	14760	1.8
0766	006	13080	0.3	46500	55	85	140	4	42	0	52320	5820	C-2	70	form-base	800	true		0.8	63	1.5	8	8	73248	26748	26748	1.4
0780	037	2113	0.05	847	3	55	80	2.5	4	1	5282	4435	RM-4	50	density-lim	200			0.75	11	2.75	8	5	7923.75	7076.75	7076.75	1.500142
0793	037	3678	0.08	0	0	55	80	2.5	6	6	9195	9195	NCT-HAYE	40	form-based				0.75	8	1.333333373	8	8	11034	11034	11034	1.2
0805	007	3088	0.07	4684	1	55	80	2.5	6	5	7720	3036	RH-3	50	form-based		true	true	0.7	9	1.5	8	8	10808	6124	6124	1.4
0816	014	3319	0.08	4320	2	65	100	3	8	6	9957	5637	NCT-HAYE	50	form-based				0.75	10	1.25	8	8	12446.25	8126.25	8126.25	1.25
0821	037	3444	0.08	3652	2	55	80	2.5	6	4	8610	4958	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12054	8402	8402	1.4
0824	001H	5241	0.12	3260	1	55	80	2.5	10	9	13102	9842	RM-2	40	density-lim	600			0.7	9	0.899999976	8	8	14674.7998	11414.7998	11414.7998	1.120043
0829	027	5440	0.12	4900	3	55	80	2.5	10	7	13600	8700	RH-3	40	form-based			true	0.7	11	1.100000024	8	8	15232	10332	10332	1.12
0830	009	4125	0.09	1321	1	55	80	2.5	7	6	10312	8991	RTO-1	40	form-based			true	0.7	9	1.285714269	8	8	11550	10229	10229	1.120054
0838	014	3240	0.07	4290	2	65	100	3	7	5	9720	5430	NCT-3	50	form-based				0.75	10	1.428571463	8	8	12150	7860	7860	1.25
0839	032	3971	0.09	5495	0	65	100	3	9	9	11913	6418	RTO-1	40	form-based			true	0.7	8	0.888888896	8	8	11118.7998	5623.799805	5623.799805	0.933333
0842	001	4792	0.11	5850	2	55	80	2.5	9	7	11980	6130	RM-1	40	form-based		true	true	0.7	10	1.111111164	8	8	13417.59961	7567.599609	7567.599609	1.12
0843	013	4128	0.09	2564	1	55	80	2.5	7	6	10320	7756	RH-3	40	form-based			true	0.7	9	1.285714269	8	8	11558.39941	8994.399414	8994.399414	1.12
0843	014	5296	0.12	4560	3	55	80	2.5	10	7	13240	8680	RH-3	40	form-based			true	0.7	11	1.100000024	8	8	14828.7998	10268.7998	10268.7998	1.12
0844	030	4917	0.11	4420	2	55	80	2.5	9	7	12292	7872	RM-1	40	form-based			true	0.7	10	1.111111164	8	8	13767.59961	9347.599609	9347.599609	1.120046
0846	018	2750	0.06	2900	2	65	100	3	6	4	8250	5350	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12375	9475	9475	1.5
0846	032	3436	0.08	3810	2	65	100	3	8	6	10308	6498	RH-3	50	form-based			true	0.7	10	1.25	8	8	12026	8216	8216	1.166667
0846	033	3436	0.08	3170	2	65	100	3	8	6	10308	7138	RH-3	50	form-based			true	0.7	10	1.25	8	8	12026	8856	8856	1.166667
0846	036	3436	0.08	3100	2	65	100	3	8	6	10308	7208	RH-3	50	form-based			true	0.7	10	1.25	8	8	12026	8926	8926	1.166667
0847	002	3933	0.09	4400	3	65	100	3	9	6	11799	7399	RM-1	50	form-based			true	0.7	11	1.222222209	8	8	13765.5	9365.5	9365.5	1.166667
0847	019	2750	0.06	5070	2	65	100	3	6	4	8250	3180	NC-1	65	form-based			true	0.75	10	1.666666627	8	8	12375	7305	7305	1.5
0847	049	3435	0.08	1359	2	65	100	3	8	6	10305	8946	RH-3	50	form-based			true	0.7	10	1.25	8	8	12022.5	10663.5	10663.5	1.166667
0847	064	3436	0.08	2290	2	65	100	3	8	6	10308	8018	RH-3	50	form-based			true	0.7	10	1.25	8	8	12026	9736	9736	1.166667
0848	003A	4079	0.09	6273	3	65	100	3	9	6	12237	5964	RM-1	50	form-based			true	0.7	11	1.222222209	8	8	14276.5	8003.5	8003.5	1.166667
0848	021	3514	0.08	4665	2	65	100	3	8	6	10542	5877	RM-1	50	form-based			true	0.7	10	1.25	8	8	12299	7634	7634	1.166667
0848	022	2991	0.07	200	0	65	100	3	7	7	8973	8773	RM-1	50	form-based			true	0.7	8	1.142857194	8	8	10468.5	10268.5	10268.5	1.166667
0849	015	3363	0.08	3500	5	65	100	3	8	3	10089	6589	NCD-LOWI	65	form-based			true	0.75	13	1.625	8	8	15133.5	11633.5	11633.5	1.5
0849	028	3527	0.08	4917	2	65	100	3	8	6	10581	5664	RM-1	50	form-based			true	0.7	10	1.25	8	8	12344.5	7427.5	7427.5	1.166667
0849	030	3435	0.08	3050	2	65	100	3	8	6	10305	7255	RM-1	50	form-based			true	0.7	10	1.25	8	8	12022.5	8972.5	8972.5	1.166667
0849	047	3510	0.08	3408	2	65	100	3	8	6	10530	7122	RM-1	50	form-based			true	0.7	10	1.25	8	8	12285	8877	8877	1.166667
0851	011	8238	0.19	8540	9	65	100	3	19	10	24714	16174	RTO-1	40	form-based			true	0.7	17	0.894736826	8	8	23066.40039	14526.40039	14526.40039	0.933333
0851	049	4585	0.11	2482	2	65	100	3	11	9	13755	11273	RTO-1	40	form-based			true	0.7	10	0.909090936	8	8	12838	10356	10356	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0856	037	3437	0.08	1502	2	65	100	3	8	6	10311	8809	RTO-1	50	form-based			true	0.7	10	1.25	8	8	12029.5	10527.5	10527.5	1.166667
0856	051	3438	0.08	1542	2	65	100	3	8	6	10314	8772	RTO-1	50	form-based			true	0.7	10	1.25	8	8	12033	10491	10491	1.166667
0859	012A	3092	0.07	1099	1	65	100	3	7	6	9276	8177	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10822	9723	9723	1.166667
0859	028	2479	0.06	1822	1	65	100	3	6	5	7437	5615	NCD-LOWI	65	form-based			true	0.75	9	1.5	8	8	11155.5	9333.5	9333.5	1.5
0859	028A	2389	0.05	1822	1	65	100	3	5	4	7167	5345	NCD-LOWI	65	form-based			true	0.75	9	1.799999952	8	8	10750.5	8928.5	8928.5	1.5
0859	028B	2427	0.06	1822	1	65	100	3	6	5	7281	5459	NCD-LOWI	65	form-based			true	0.75	9	1.5	8	8	10921.5	9099.5	9099.5	1.5
0859	029	3785	0.09	6180	6	65	100	3	9	3	11355	5175	NCD-LOWI	65	form-based			true	0.75	14	1.555555582	8	8	17032.5	10852.5	10852.5	1.5
0860	029	3005	0.07	3295	3	65	100	3	7	4	9015	5720	NCD-LOWI	65	form-based			true	0.75	11	1.571428537	8	8	13522.5	10227.5	10227.5	1.5
0860	085	3005	0.07	1265	3	65	100	3	7	4	9015	7750	NCD-LOWI	65	form-based			true	0.75	11	1.571428537	8	8	13522.5	12257.5	12257.5	1.5
0861	013	3452	0.08	2400	2	65	100	3	8	6	10356	7956	RH-3	50	form-based			true	0.7	10	1.25	8	8	12082	9682	9682	1.166667
0861	077	3966	0.09	1883	3	65	100	3	9	6	11898	10015	RH-3	50	form-based			true	0.7	11	1.222222209	8	8	13881	11998	11998	1.166667
0861	098	4063	0.09	6150	6	65	100	3	9	3	12189	6039	RH-3	65	form-based			true	0.7	14	1.555555582	8	8	17064.59961	10914.59961	10914.59961	1.4
0862	004	3355	0.08	2725	1	65	100	3	8	7	10065	7340	RH-3	50	form-based			true	0.7	9	1.125	8	8	11742.5	9017.5	9017.5	1.166667
0862	036	3422	0.08	1750	2	65	100	3	8	6	10266	8516	RH-3	50	form-based			true	0.7	10	1.25	8	8	11977	10227	10227	1.166667
0862	043	4988	0.11	966	6	65	100	3	11	5	14964	13998	RH-3	50	form-based			true	0.7	14	1.272727251	8	8	17458	16492	16492	1.166667
0862	049	3437	0.08	2009	2	65	100	3	8	6	10311	8302	RH-3	50	form-based			true	0.7	10	1.25	8	8	12029.5	10020.5	10020.5	1.166667
0871	021	2166	0.05	1134	3	85	140	4	7	4	8664	7530	RTO-1	85	form-based			true	0.7	11	1.571428537	8	8	12129.59961	10995.59961	10995.59961	1.4
0953	024	4435	0.1	3355	1	55	80	2.5	8	7	11088	7733	RH-1	40	form-based			true	0.7	9	1.125	8	8	12418	9063	9063	1.119949
0953	025	4158	0.1	6257	1	55	80	2.5	8	7	10395	4138	RH-1	40	form-based			true	0.7	9	1.125	8	8	11642.39941	5385.399414	5385.399414	1.12
0954	002	4400	0.1	3696	1	55	80	2.5	8	7	11000	7304	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	8624	8624	1.12
0954	003	4469	0.1	6105	1	55	80	2.5	8	7	11172	5067	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12513.2002	6408.200195	6408.200195	1.12005
0954	017	4504	0.1	4654	1	55	80	2.5	8	7	11260	6606	RH-1	40	form-based			true	0.7	9	1.125	8	8	12611.2002	7957.200195	7957.200195	1.12
0955	014	4125	0.09	3300	1	55	80	2.5	7	6	10312	7012	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11550	8250	8250	1.120054
0955	023	4504	0.1	4892	1	55	80	2.5	8	7	11260	6368	RH-1	40	form-based			true	0.7	9	1.125	8	8	12611.2002	7719.200195	7719.200195	1.12
0958	014	4101	0.09	3115	1	55	80	2.5	7	6	10252	7137	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11482.7998	8367.799805	8367.799805	1.120055
0959	010	4125	0.09	5901	1	55	80	2.5	7	6	10312	4411	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11550	5649	5649	1.120054
0959	022	4173	0.1	4199	1	55	80	2.5	8	7	10432	6233	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11684.39941	7485.399414	7485.399414	1.120054
0959	023	4079	0.09	3579	1	55	80	2.5	7	6	10198	6619	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11421.2002	7842.200195	7842.200195	1.119945
0960	001F	3949	0.09	4035	0	55	80	2.5	7	7	9872	5837	RH-1	40	form-based			true	0.7	8	1.142857194	8	8	11057.2002	7022.200195	7022.200195	1.120057
0961	003	6000	0.14	12705	5	55	80	2.5	11	6	15000	2295	RH-1(D)	40	form-based			true	0.7	13	1.181818128	8	8	16800	4095	4095	1.12
0961	004	3720	0.09	441	0	55	80	2.5	7	7	9300	8859	RH-1(D)	40	form-based			true	0.7	8	1.142857194	8	8	10416	9975	9975	1.12
0961	025	4118	0.09	1100	1	55	80	2.5	7	6	10295	9195	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11530.39941	10430.39941	10430.39941	1.12
0962	002	4417	0.1	5788	1	55	80	2.5	8	7	11042	5254	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12367.59961	6579.599609	6579.599609	1.120051
0963	037	4341	0.1	7023	1	55	80	2.5	8	7	10852	3829	RH-1	40	form-based			true	0.7	9	1.125	8	8	12154.7998	5131.799805	5131.799805	1.120052
0962	009A	4337	0.1	4420	1	55	80	2.5	8	7	10842	6422	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12143.59961	7723.599609	7723.599609	1.120052
0962	010	4346	0.1	4755	1	55	80	2.5	8	7	10865	6110	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12168.7998	7413.799805	7413.799805	1.12
0969	001	4294	0.1	4428	1	55	80	2.5	8	7	10735	6307	RH-1	40	form-based			true	0.7	9	1.125	8	8	12023.2002	7595.200195	7595.200195	1.12
0970	014	4100	0.09	4264	1	55	80	2.5	7	6	10250	5986	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11480	7216	7216	1.12
0970	015	4238	0.1	3728	1	55	80	2.5	8	7	10595	6867	RH-1	40	form-based			true	0.7	9	1.125	8	8	11866.39941	8138.399414	8138.399414	1.12
0970	019	4129	0.09	5705	1	55	80	2.5	7	6	10322	4617	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11561.2002	5856.200195	5856.200195	1.120054
0971	003B	4469	0.1	6253	1	55	80	2.5	8	7	11172	4919	RH-1	40	form-based			true	0.7	9	1.125	8	8	12513.2002	6260.200195	6260.200195	1.12005
0971	005	4469	0.1	6890	1	55	80	2.5	8	7	11172	4282	RH-1	40	form-based			true	0.7	9	1.125	8	8	12513.2002	5623.200195	5623.200195	1.12005
0971	007	4086	0.09	4775	1	55	80	2.5	7	6	10215	5440	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11440.7998	6665.799805	6665.799805	1.12
0971	009	4150	0.1	6373	1	55	80	2.5	8	7	10375	4002	RH-1	40	form-based			true	0.7	9	1.125	8	8	11620	5247	5247	1.12
0971	010A	4056	0.09	5710	1	55	80	2.5	7	6	10140	4430	RH-1	40	form-based	true		true	0.7	9	1.285714269	8	8	11356.7998	5646.799805	5646.799805	1.12
0971	018	4419	0.1	4795	1	55	80	2.5	8	7	11048	6253	RH-1	40	form-based			true	0.7	9	1.125	8	8	12373.2002	7578.200195	7578.200195	1.119949
0972	009	4149	0.1	7927	1	55	80	2.5	8	7	10372	2445	RH-1	40	form-based			true	0.7	9	1.125	8	8	11617.2002	3690.200195	3690.200195	1.120054
0972	009A	4149	0.1	3500	1	55	80	2.5	8	7	10372	6872	RH-1	40	form-based			true	0.7	9	1.125	8	8	11617.2002	8117.200195	8117.200195	1.120054
0972	009B	4150	0.1	3500	1	55	80	2.5	8	7	10375	6875	RH-1	40	form-based			true	0.7	9	1.125	8	8	11620	8120	8120	1.12
0972	011	4162	0.1	4692	1	55	80	2.5	8	7	10405	5713	RH-1	40	form-based	true		true	0.7	9	1.125	8	8	11653.59961	6961.599609	6961.599609	1.12
0972	021	4292	0.1	3534	1	55	80	2.5	8	7	10730	7196	RH-1	40	form-based			true	0.7	9	1.125	8	8	12017.59961	8483.599609	8483.599609	1.12
0974	002	4331	0.1	4344	1	55	80	2.5	8	7	10828	6484	RH-1	40	form-based	true		true	0.7	9	1.125	8	8	12126.7998	7782.799805	7782.799805	1.119948
0974	003	4389	0.1	4440	1	55	80	2.5	8	7	10972	6532	RH-1	40	form-based			true	0.7	9	1.125	8	8	12289.2002	7849.200195	7849.200195	1.120051
0974	004	4389	0.1	3858	1	55	80	2.5	8	7	10972	7114	RH-1	40	form-based			true	0.7	9	1.125	8	8	12289.2002	8431.200195	8431.200195	1.120051
0974	005	4389	0.1	2238	1	55	80	2.5	8	7	10972	8734	RH-1	40	form-based			true	0.7	9	1.125	8	8	12289.2002	10051.2002	10051.2002	1.120051
0975	002	4367	0.1	4224	1	55	80	2.5	8	7	10918	6694	RH-3	40	form-based			true	0.7	9	1.125	8	8	12227.59961	8003.599609	8003.599609	1.119949
0975	014A	4075	0.09	4123	1	55	80	2.5	7	6	10188	6065	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11410	7287	7287	1.119945
0975	014C	4173	0.1	2595	1	55	80	2.5	8	7	10432	7837	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11684.39941	9089.399414	9089.399414	1.120054
0975	028	4973	0.11	3918	2	55	80	2.5	9	7	12432	8514	RH-3	40	form-based			true	0.7	10	1.111111164	8	8	13924.39941	10006.39941	10006.39941	1.120045
0976	031	4788	0.11	1385	2	55	80	2.5	9	7	11970	10585	RH-3	40	form-based			true	0.7	10	1.111111164	8	8	13406.39941	12021.39941	12021.39941	1.12
0977	001B	4367	0.1	3260	1	55	80	2.5	8	7	10918	7658	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12227.59961	8967.599609	8967.599609	1.119949
0977	007	4073	0.09	5021	1	55	80	2.5	7	6	10182	5161	RH-2	40	form-based			true	0.7	9	1.285714269	8	8	11404.39941	6383.399414	6383.399414	1.120055
0978	002	4448	0.1	4997	1	55	80	2.5	8	7	11120	6123	RH-1	40	form-based			true	0.7	9	1.125	8	8	12454.39941	7457.399414	7457.399414	1.12
0983	022	7212	0.17	15727	7	65	100	3	17	10	21636	5909	RH-2	40	form-based	true		true	0.7	15	0.882352948	8	8	20193.59961	4466.599609	4466.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0983	040	3715	0.09	4380	0	65	100	3	9	9	11145	6765	RH-2	40	form-based			true	0.7	8	0.888888896	8	8	10402	6022	6022	0.933333
0984	005	4174	0.1	4850	1	65	100	3	10	9	12522	7672	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11687.2002	6837.200195	6837.200195	0.933333
0984	005A	4466	0.1	3702	1	65	100	3	10	9	13398	9696	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12504.7998	8802.799805	8802.799805	0.933333
0984	009	4086	0.09	6135	1	65	100	3	9	8	12258	6123	RH-1	40	form-based			true	0.7	9	1	8	8	11440.7998	5305.799805	5305.799805	0.933333
0984	010	4086	0.09	5481	1	65	100	3	9	8	12258	6777	RH-1	40	form-based			true	0.7	9	1	8	8	11440.7998	5959.799805	5959.799805	0.933333
0984	012	4256	0.1	4014	1	65	100	3	10	9	12768	8754	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11916.7998	7902.799805	7902.799805	0.933333
0984	014	4384	0.1	3740	1	65	100	3	10	9	13152	9412	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12275.2002	8535.200195	8535.200195	0.933333
0984	020	4500	0.1	3002	1	65	100	3	10	9	13500	10498	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12600	9598	9598	0.933333
0984	022	4050	0.09	4250	1	65	100	3	9	8	12150	7900	RH-1	40	form-based			true	0.7	9	1	8	8	11340	7090	7090	0.933333
0985	016A	4628	0.11	5424	2	55	80	2.5	9	7	11570	6146	RH-1	40	form-based			true	0.7	10	1.111111164	8	8	12958.39941	7534.399414	7534.399414	1.12
0985	018	4420	0.1	4800	1	65	100	3	10	9	13260	8460	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12376	7576	7576	0.933333
0986	012	4469	0.1	3848	1	55	80	2.5	8	7	11172	7324	RH-1	40	form-based			true	0.7	9	1.125	8	8	12513.2002	8665.200195	8665.200195	1.12005
0986	019	4420	0.1	3620	1	55	80	2.5	8	7	11050	7430	RH-1	40	form-based			true	0.7	9	1.125	8	8	12376	8756	8756	1.12
0986	019A	4420	0.1	3780	1	55	80	2.5	8	7	11050	7270	RH-1	40	form-based			true	0.7	9	1.125	8	8	12376	8596	8596	1.12
0986	019B	4420	0.1	3250	1	55	80	2.5	8	7	11050	7800	RH-1	40	form-based			true	0.7	9	1.125	8	8	12376	9126	9126	1.12
0986	021	4500	0.1	5842	1	55	80	2.5	8	7	11250	5408	RH-1	40	form-based			true	0.7	9	1.125	8	8	12600	6758	6758	1.12
0991	002	4266	0.1	3708	1	55	80	2.5	8	7	10665	6957	RH-1	40	form-based			true	0.7	9	1.125	8	8	11944.7998	8236.799805	8236.799805	1.12
0991	003	5000	0.11	5205	2	55	80	2.5	9	7	12500	7295	RH-1	40	form-based			true	0.7	10	1.111111164	8	8	14000	8795	8795	1.12
0991	012	4059	0.09	5516	1	55	80	2.5	7	6	10148	4632	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11365.2002	5849.200195	5849.200195	1.119945
0991	035	4268	0.1	4000	1	55	80	2.5	8	7	10670	6670	RH-1	40	form-based			true	0.7	9	1.125	8	8	11950.39941	7950.399414	7950.399414	1.12
0991	051	4802	0.11	2254	2	55	80	2.5	9	7	12005	9751	RH-1	40	form-based			true	0.7	10	1.111111164	8	8	13445.59961	11191.59961	11191.59961	1.12
0992	022	4111	0.09	6435	1	55	80	2.5	7	6	10278	3843	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11510.7998	5075.799805	5075.799805	1.119946
0993	014	4219	0.1	5243	1	55	80	2.5	8	7	10548	5305	RH-1	40	form-based	true		true	0.7	9	1.125	8	8	11813.2002	6570.200195	6570.200195	1.119947
0994	001	4356	0.1	6886	1	55	80	2.5	8	7	10890	4004	RH-1	40	form-based	true		true	0.7	9	1.125	8	8	12196.7998	5310.799805	5310.799805	1.12
0995	006	4469	0.1	4907	1	55	80	2.5	8	7	11172	6265	RH-1	40	form-based			true	0.7	9	1.125	8	8	12513.2002	7606.200195	7606.200195	1.12005
0995	007	4469	0.1	6543	1	55	80	2.5	8	7	11172	4629	RH-1	40	form-based			true	0.7	9	1.125	8	8	12513.2002	5970.200195	5970.200195	1.12005
0995	012	4399	0.1	2420	1	55	80	2.5	8	7	10998	8578	RH-1	40	form-based			true	0.7	9	1.125	8	8	12317.2002	9897.200195	9897.200195	1.119949
0995	014	4350	0.1	7249	1	55	80	2.5	8	7	10875	3626	RH-1	40	form-based	true		true	0.7	9	1.125	8	8	12180	4931	4931	1.12
0995	015	4129	0.09	3960	1	55	80	2.5	7	6	10322	6362	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11561.2002	7601.200195	7601.200195	1.120054
0995	023	4357	0.1	6119	1	65	100	3	10	9	13071	6952	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12199.59961	6080.599609	6080.599609	0.933333
0997	017	4487	0.1	3180	1	65	100	3	10	9	13461	10281	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12563.59961	9383.599609	9383.599609	0.933333
0997	017A	4262	0.1	6845	1	65	100	3	10	9	12786	5941	RH-1	40	form-based	true		true	0.7	9	0.899999976	8	8	11933.59961	5088.599609	5088.599609	0.933333
0997	018	4279	0.1	6436	1	65	100	3	10	9	12837	6401	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11981.2002	5545.200195	5545.200195	0.933333
0997	019	4279	0.1	2950	1	65	100	3	10	9	12837	9887	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11981.2002	9031.200195	9031.200195	0.933333
0998	044	4653	0.11	2158	2	65	100	3	11	9	13959	11801	RM-1	40	form-based			true	0.7	10	0.909090936	8	8	13028.39941	10870.39941	10870.39941	0.933333
0999	029	4669	0.11	4400	2	65	100	3	11	9	14007	9607	RH-3	40	form-based			true	0.7	10	0.909090936	8	8	13073.2002	8673.200195	8673.200195	0.933333
1003	011A	3192	0.07	2942	1	65	100	3	7	6	9576	6634	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	11172	8230	8230	1.166667
1003	012A	3192	0.07	3709	1	65	100	3	7	6	9576	5867	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	11172	7463	7463	1.166667
1003	018	4281	0.1	5923	4	65	100	3	10	6	12843	6920	RH-2	50	form-based	true		true	0.7	12	1.200000048	8	8	14983.5	9060.5	9060.5	1.166667
1003	040	3067	0.07	2218	1	65	100	3	7	6	9201	6983	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10734.5	8516.5	8516.5	1.166667
1004	005	3300	0.08	4320	1	65	100	3	8	7	9900	5580	RH-2	50	form-based			true	0.7	9	1.125	8	8	11550	7230	7230	1.166667
1004	036	3511	0.08	1553	2	65	100	3	8	6	10533	8980	RH-2	50	form-based			true	0.7	10	1.25	8	8	12288.5	10735.5	10735.5	1.166667
1004	038	3511	0.08	1867	2	65	100	3	8	6	10533	8666	RH-2	50	form-based			true	0.7	10	1.25	8	8	12288.5	10421.5	10421.5	1.166667
1005	010	3192	0.07	1245	1	65	100	3	7	6	9576	8331	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11172	9927	9927	1.166667
1005	011	3511	0.08	2692	2	65	100	3	8	6	10533	7841	RH-2	50	form-based			true	0.7	10	1.25	8	8	12288.5	9596.5	9596.5	1.166667
1008	026	5001	0.11	4905	3	65	100	3	11	8	15003	10098	RH-2	40	form-based			true	0.7	11	1	8	8	14002.7998	9097.799805	9097.799805	0.933333
1008	028	4282	0.1	3134	1	65	100	3	10	9	12846	9712	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11989.59961	8855.599609	8855.599609	0.933333
1010	002	3115	0.07	5519	1	65	100	3	7	6	9345	3826	RH-1	50	form-based			true	0.7	9	1.285714269	8	8	10902.5	5383.5	5383.5	1.166667
1010	004	2137	0.05	3382	0	65	100	3	5	5	6411	3029	NCD-SACR	65	form-based	true		true	0.75	8	1.600000024	8	8	9616.5	6234.5	6234.5	1.5
1011	019	4386	0.1	3280	1	55	80	2.5	8	7	10965	7685	RH-1	40	form-based			true	0.7	9	1.125	8	8	12280.7998	9000.799805	9000.799805	1.12
1012	012	3511	0.08	3189	2	55	80	2.5	6	4	8778	5589	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12288.5	9099.5	9099.5	1.39992
1012	015	3511	0.08	2884	2	55	80	2.5	6	4	8778	5894	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12288.5	9404.5	9404.5	1.39992
1012	016	3511	0.08	2884	2	55	80	2.5	6	4	8778	5894	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12288.5	9404.5	9404.5	1.39992
1012	063	3511	0.08	2705	2	55	80	2.5	6	4	8778	6073	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12288.5	9583.5	9583.5	1.39992
1013	052	4492	0.1	6924	1	55	80	2.5	8	7	11230	4306	RH-1	40	form-based			true	0.7	9	1.125	8	8	12577.59961	5653.599609	5653.599609	1.12
1014	010	3448	0.08	2960	2	55	80	2.5	6	4	8620	5660	RH-2	50	form-based			true	0.7	10	1.666666627	8	8	12068	9108	9108	1.4
1014	023	3196	0.07	2952	1	55	80	2.5	6	5	7990	5038	RH-2	50	form-based			true	0.7	9	1.5	8	8	11186	8234	8234	1.4
1015	034	3318	0.08	1115	1	55	80	2.5	6	5	8295	7180	RH-2	50	form-based			true	0.7	9	1.5	8	8	11613	10498	10498	1.4
1015	037	3318	0.08	3696	1	55	80	2.5	6	5	8295	4599	RH-2	50	form-based			true	0.7	9	1.5	8	8	11613	7917	7917	1.4
1015	038	3318	0.08	2772	1	55	80	2.5	6	5	8295	5523	RH-2	50	form-based			true	0.7	9	1.5	8	8	11613	8841	8841	1.4
1015	039	3318	0.08	2420	1	55	80	2.5	6	5	8295	5875	RH-2	50	form-based			true	0.7	9	1.5	8	8	11613	9193	9193	1.4
1015	041	3319	0.08	2102	1	55	80	2.5	6	5	8298	6196	RH-2	50	form-based			true	0.7	9	1.5	8	8	11616.5	9514.5	9514.5	1.399916
1015	045	3319	0.08	2050	1	55	80	2.5	6	5	8298	6248	RH-2	50	form-based			true	0.7	9	1.5	8	8	11616.5	9566.5	9566.5	1.399916
1017	008	2188	0.05	5475	3	55	80	2.5	4	1	5470	0	RTO-C	85	form-based	true		true	0.75	11	2.75	8	5	13128	7653	5465	2.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1018	007A	2606	0.06	3236	2	55	80	2.5	5	3	6515	3279	NCD-SACR	65	form-based		true	true	0.75	10	2	8	8	11727	8491	8491	1.8
1018	008	2698	0.06	2605	2	55	80	2.5	5	3	6745	4140	NCD-SACR	65	form-based			true	0.75	10	2	8	8	12141	9536	9536	1.8
1020	029	3170	0.07	3420	4	65	100	3	7	3	9510	6090	NCD-SACR	65	form-based			true	0.75	12	1.714285731	8	8	14265	10845	10845	1.5
1022	009	2000	0.05	2750	3	65	100	3	5	2	6000	3250	NC-2	85	form-based		true	true	0.75	11	2.200000048	8	7	12000	9250	9250	2
1022	024	2916	0.07	4176	3	65	100	3	7	4	8748	4572	NCD-SACR	65	form-based			true	0.75	11	1.571428537	8	8	13122	8946	8946	1.5
1023	015	3192	0.07	6570	9	65	100	3	7	0	9576	3006	RTO-C	85	form-based			true	0.75	17	2.428571463	8	5	19152	12582	12582	2
1023	036	3453	0.08	2308	2	65	100	3	8	6	10359	8051	RH-2	50	form-based			true	0.7	10	1.25	8	8	12085.5	9777.5	9777.5	1.166667
1023	098	3453	0.08	1587	2	65	100	3	8	6	10359	8772	RH-2	50	form-based			true	0.7	10	1.25	8	8	12085.5	10498.5	10498.5	1.166667
1024	006A	2627	0.06	5700	6	65	100	3	6	0	7881	2181	RTO-C	85	form-based			true	0.75	14	2.333333254	8	6	15762	10062	10062	2
1024	014	1940	0.04	3815	2	85	140	4	6	4	7760	3945	RTO-C	85	form-based			true	0.75	10	1.666666627	8	8	11640	7825	7825	1.5
1024	032	3637	0.08	3483	2	65	100	3	8	6	10911	7428	RH-2	50	form-based			true	0.7	10	1.25	8	8	12729.5	9246.5	9246.5	1.166667
1025	020	3048	0.07	3300	1	65	100	3	7	6	9144	5844	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10668	7368	7368	1.166667
1025	027B	3066	0.07	3539	1	65	100	3	7	6	9198	5659	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10731	7192	7192	1.166667
1025	028	3066	0.07	1000	1	65	100	3	7	6	9198	8198	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10731	9731	9731	1.166667
1025	030	3066	0.07	950	1	85	140	4	10	9	12264	11314	RH-2	50	form-based			true	0.7	9	0.899999976	8	8	10731	9781	9781	0.875
1026	022	3533	0.08	5760	2	65	100	3	8	6	10599	4839	RH-3	50	form-based			true	0.7	10	1.25	8	8	12365.5	6605.5	6605.5	1.166667
1029	008	3781	0.09	0	0	65	100	3	9	9	11343	11343	RH-2	40	form-based			true	0.7	8	0.888888896	8	8	10586.7998	10586.7998	10586.7998	0.933333
1029	009	3781	0.09	0	0	65	100	3	9	9	11343	11343	RH-2	40	form-based			true	0.7	8	0.888888896	8	8	10586.7998	10586.7998	10586.7998	0.933333
1030	040	1751	0.04	1588	1	85	140	4	6	5	7004	5416	RTO-C	85	form-based		true	true	0.75	9	1.5	8	8	10506	8918	8918	1.5
1036	004	4067	0.09	2269	1	65	100	3	9	8	12201	9932	RH-1	40	form-based			true	0.7	9	1	8	8	11387.59961	9118.599609	9118.599609	0.933333
1037	009	4114	0.09	2240	1	65	100	3	9	8	12342	10102	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11519.2002	9279.200195	9279.200195	0.933333
1037	010	4114	0.09	2240	1	65	100	3	9	8	12342	10102	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11519.2002	9279.200195	9279.200195	0.933333
1037	011	4114	0.09	4408	1	65	100	3	9	8	12342	7934	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11519.2002	7111.200195	7111.200195	0.933333
1037	012	4114	0.09	2750	1	65	100	3	9	8	12342	9592	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11519.2002	8769.200195	8769.200195	0.933333
1037	014	4114	0.09	2228	1	65	100	3	9	8	12342	10114	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11519.2002	9291.200195	9291.200195	0.933333
1037	015	4187	0.1	2632	1	65	100	3	10	9	12561	9929	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11723.59961	9091.599609	9091.599609	0.933333
1037	048	4937	0.11	1685	2	65	100	3	11	9	14811	13126	RH-1(D)	40	form-based			true	0.7	10	0.909090936	8	8	13823.59961	12138.59961	12138.59961	0.933333
1038	020	4057	0.09	4204	1	65	100	3	9	8	12171	7967	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11359.59961	7155.599609	7155.599609	0.933333
1038	034	4346	0.1	3804	1	55	80	2.5	8	7	10865	7061	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12168.7998	8364.799805	8364.799805	1.12
1038	041	4049	0.09	2906	1	65	100	3	9	8	12147	9241	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11337.2002	8431.200195	8431.200195	0.933333
1039	008	4400	0.1	3727	1	55	80	2.5	8	7	11000	7273	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	8593	8593	1.12
1039	009	4400	0.1	3005	1	65	100	3	10	9	13200	10195	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12320	9315	9315	0.933333
1039	011	4400	0.1	2629	1	65	100	3	10	9	13200	10571	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12320	9691	9691	0.933333
1039	029	4618	0.11	4824	2	65	100	3	11	9	13854	9030	RM-1	40	form-based			true	0.7	10	0.909090936	8	8	12930.39941	8106.399414	8106.399414	0.933333
1039	037	4420	0.1	2470	1	55	80	2.5	8	7	11050	8580	RM-1	40	form-based			true	0.7	9	1.125	8	8	12376	9906	9906	1.12
1041	001	4640	0.11	2850	2	55	80	2.5	9	7	11600	8750	RH-2	40	form-based		true	true	0.7	10	1.111111164	8	8	12992	10142	10142	1.12
1041	021	3585	0.08	2170	0	65	100	3	8	8	10755	8585	RH-1	40	form-based			true	0.7	8	1	8	8	10038	7868	7868	0.933333
1043	003	4108	0.09	1691	1	65	100	3	9	8	12324	10633	RH-2	40	form-based			true	0.7	9	1	8	8	11502.39941	9811.399414	9811.399414	0.933333
1043	008	4146	0.1	2924	1	65	100	3	10	9	12438	9514	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11608.7998	8684.799805	8684.799805	0.933333
1043	010	4138	0.09	3470	1	65	100	3	9	8	12414	8944	RH-2	40	form-based			true	0.7	9	1	8	8	11586.39941	8116.399414	8116.399414	0.933333
1044	006	4422	0.1	2275	1	65	100	3	10	9	13266	10991	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12381.59961	10106.59961	10106.59961	0.933333
1044	010	4769	0.11	2878	2	65	100	3	11	9	14307	11429	RH-2	40	form-based			true	0.7	10	0.909090936	8	8	13353.2002	10475.2002	10475.2002	0.933333
1045	002	4506	0.1	2542	1	65	100	3	10	9	13518	10976	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12616.7998	10074.7998	10074.7998	0.933333
1045	003	4521	0.1	3074	1	65	100	3	10	9	13563	10489	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12658.7998	9584.799805	9584.799805	0.933333
1045	006	4476	0.1	1927	1	65	100	3	10	9	13428	11501	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12532.7998	10605.7998	10605.7998	0.933333
1045	007	4455	0.1	1640	1	65	100	3	10	9	13365	11725	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12474	10834	10834	0.933333
1050	007B	1506	0.03	2478	0	65	100	3	3	3	4518	2040	RTO-C	85	form-based			true	0.75	8	2.666666746	8	6	9036	6558	6558	2
1050	022	1877	0.04	2120	1	65	100	3	4	3	5631	3511	RH-2	85	form-based			true	0.7	9	2.25	8	7	10511.2002	8391.200195	8391.200195	1.866667
1053	029	3779	0.09	0	0	65	100	3	9	9	11337	11337	RH-3	40	form-based			true	0.7	8	0.888888896	8	8	10581.2002	10581.2002	10581.2002	0.933333
1055	024	3944	0.09	675	6	65	100	3	9	3	11832	11157	RM-2	65	form-based			true	0.7	14	1.555555582	8	8	16564.79883	15889.79883	15889.79883	1.4
1061	007	4360	0.1	3000	1	65	100	3	10	9	13080	10080	RM-1	40	form-based			true	0.7	9	0.899999976	8	8	12208	9208	9208	0.933333
1058	008	4121	0.09	2285	1	65	100	3	9	8	12363	10078	RH-3	40	form-based			true	0.7	9	1	8	8	11538.7998	9253.799805	9253.799805	0.933333
1061	065	4800	0.11	2806	2	65	100	3	11	9	14400	11594	RM-1	40	form-based			true	0.7	10	0.909090936	8	8	13440	10634	10634	0.933333
1062	036	4372	0.1	2930	1	65	100	3	10	9	13116	10186	RM-1	40	form-based			true	0.7	9	0.899999976	8	8	12241.59961	9311.599609	9311.599609	0.933333
1062	043	5838	0.13	7160	4	65	100	3	13	9	17514	10354	RM-1	40	form-based			true	0.7	12	0.923076928	8	8	16346.39941	9186.399414	9186.399414	0.933333
1062	060	4816	0.11	2167	2	65	100	3	11	9	14448	12281	RM-1	40	form-based			true	0.7	10	0.909090936	8	8	13484.7998	11317.7998	11317.7998	0.933333
1063	004	4200	0.1	3155	1	65	100	3	10	9	12600	9445	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11760	8605	8605	0.933333
1063	005	4200	0.1	3729	1	65	100	3	10	9	12600	8871	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11760	8031	8031	0.933333
1063	016	4310	0.1	2925	1	65	100	3	10	9	12930	10005	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12068	9143	9143	0.933333
1063	031	4179	0.1	3498	1	65	100	3	10	9	12537	9039	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11701.2002	8203.200195	8203.200195	0.933333
1064	055	4303	0.1	2700	1	65	100	3	10	9	12909	10209	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12048.39941	9348.399414	9348.399414	0.933333
1066	001	4320	0.1	1667	1	65	100	3	10	9	12960	11293	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12096	10429	10429	0.933333
1069	001	3958	0.09	2400	0	65	100	3	9	9	11874	9474	RH-2	40	form-based			true	0.7	8	0.888888896	8	8	11082.39941	8682.399414	8682.399414	0.933333
1069	029	4523	0.1	2839	1	65	100	3	10	9	13569	10730	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12664.39941	9825.399414	9825.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1073	010	4293	0.1	1300	1	65	100	3	10	9	12879	11579	RH-3	40	form-based			true	0.7	9	0.899999976	8	8	12020.39941	10720.39941	10720.39941	0.933333
1081	029	3781	0.09	4195	0	65	100	3	9	9	11343	7148	RH-3	40	form-based			true	0.7	8	0.888888896	8	8	10586.7998	6391.799805	6391.799805	0.933333
1081	030	3781	0.09	0	0	65	100	3	9	9	11343	11343	RH-3	40	form-based			true	0.7	8	0.888888896	8	8	10586.7998	10586.7998	10586.7998	0.933333
1086	034	2250	0.05	3150	4	65	100	3	5	1	6750	3600	RTO-C	85	form-based			true	0.75	12	2.400000095	8	6	13500	10350	10350	2
1087	009	1667	0.04	1105	1	65	100	3	4	3	5001	3896	RTO-C	85	form-based			true	0.75	9	2.25	8	7	10002	8897	8897	2
1087	009A	1667	0.04	1675	1	65	100	3	4	3	5001	3326	RTO-C	85	form-based			true	0.75	9	2.25	8	7	10002	8327	8327	2
1087	009B	1666	0.04	1105	1	65	100	3	4	3	4998	3893	RTO-C	85	form-based	true		true	0.75	9	2.25	8	7	9996	8891	8891	2
1100	123	2540	0.06	1441	2	65	100	3	6	4	7620	6179	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11430	9989	9989	1.5
1101	003	2421	0.06	4473	5	65	100	3	6	1	7263	2790	NCT-DIVIS.	85	form-based			true	0.75	13	2.166666746	8	7	14526	10053	10053	2
1101	009D	3480	0.08	2910	2	65	100	3	8	6	10440	7530	RM-3	50	form-based			true	0.75	10	1.25	8	8	13050	10140	10140	1.25
1104	009	4500	0.1	2600	1	65	100	3	10	9	13500	10900	RM-1	40	form-based			true	0.7	9	0.899999976	8	8	12600	10000	10000	0.933333
1103	020	34317	0.79	757	64	65	100	3	79	15	102951	102194	RM-2	40	form-based	true		true	0.7	72	0.911392391	8	8	96087.60156	95330.60156	95330.60156	0.933333
1119	014	4092	0.09	4000	1	65	100	3	9	8	12276	8276	RH-1	40	form-based	true		true	0.7	9	1	8	8	11457.59961	7457.599609	7457.599609	0.933333
1109	006B	4343	0.1	1573	1	65	100	3	10	9	13029	11456	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12160.39941	10587.39941	10587.39941	0.933333
1108	006A	4369	0.1	2333	1	65	100	3	10	9	13107	10774	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12233.2002	9900.200195	9900.200195	0.933333
1126	015	3459	0.08	2300	2	65	100	3	8	6	10377	8077	RM-3	50	form-based			true	0.75	10	1.25	8	8	12971.25	10671.25	10671.25	1.25
1126	025	3438	0.08	3350	2	65	100	3	8	6	10314	6964	RM-3	50	form-based			true	0.75	10	1.25	8	8	12892.5	9542.5	9542.5	1.25
1126	031	11687	0.27	22926	27	65	100	3	27	0	35061	12135	RM-3	50	form-based			true	0.75	35	1.296296239	8	8	43826.25	20900.25	20900.25	1.25
1109	010B	4291	0.1	1725	1	65	100	3	10	9	12873	11148	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12014.7998	10289.7998	10289.7998	0.933333
1112	001	4097	0.09	1605	1	65	100	3	9	8	12291	10686	RH-1	40	form-based	true		true	0.7	9	1	8	8	11471.59961	9866.599609	9866.599609	0.933333
1112	002	4100	0.09	2647	1	65	100	3	9	8	12300	9653	RH-1	40	form-based			true	0.7	9	1	8	8	11480	8833	8833	0.933333
1112	003	4103	0.09	1729	1	65	100	3	9	8	12309	10580	RH-1	40	form-based			true	0.7	9	1	8	8	11488.39941	9759.399414	9759.399414	0.933333
1112	004	4107	0.09	1729	1	65	100	3	9	8	12321	10592	RH-1	40	form-based			true	0.7	9	1	8	8	11499.59961	9770.599609	9770.599609	0.933333
1112	005	4110	0.09	1729	1	65	100	3	9	8	12330	10601	RH-1	40	form-based			true	0.7	9	1	8	8	11508	9779	9779	0.933333
1112	006	4114	0.09	1729	1	65	100	3	9	8	12342	10613	RH-1	40	form-based			true	0.7	9	1	8	8	11519.2002	9790.200195	9790.200195	0.933333
1112	007	4117	0.09	1621	1	65	100	3	9	8	12351	10730	RH-1	40	form-based			true	0.7	9	1	8	8	11527.59961	9906.599609	9906.599609	0.933333
1112	008	4120	0.09	2171	1	65	100	3	9	8	12360	10189	RH-1	40	form-based			true	0.7	9	1	8	8	11536	9365	9365	0.933333
1112	009	4124	0.09	2158	1	65	100	3	9	8	12372	10214	RH-1	40	form-based			true	0.7	9	1	8	8	11547.2002	9389.200195	9389.200195	0.933333
1112	010	4127	0.09	1821	1	65	100	3	9	8	12381	10560	RH-1	40	form-based			true	0.7	9	1	8	8	11555.59961	9734.599609	9734.599609	0.933333
1112	011	4130	0.09	2160	1	65	100	3	9	8	12390	10230	RH-1	40	form-based			true	0.7	9	1	8	8	11564	9404	9404	0.933333
1112	012	4132	0.09	1821	1	65	100	3	9	8	12396	10575	RH-1	40	form-based			true	0.7	9	1	8	8	11569.59961	9748.599609	9748.599609	0.933333
1114	004	4085	0.09	1856	1	65	100	3	9	8	12255	10399	RH-1	40	form-based			true	0.7	9	1	8	8	11438	9582	9582	0.933333
1114	005	4148	0.1	2180	1	65	100	3	10	9	12444	10264	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11614.39941	9434.399414	9434.399414	0.933333
1114	006	4290	0.1	2254	1	65	100	3	10	9	12870	10616	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12012	9758	9758	0.933333
1114	007	4434	0.1	2000	1	65	100	3	10	9	13302	11302	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12415.2002	10415.2002	10415.2002	0.933333
1114	009	4518	0.1	2000	1	65	100	3	10	9	13554	11554	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12650.39941	10650.39941	10650.39941	0.933333
1114	013	4521	0.1	2738	1	65	100	3	10	9	13563	10825	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12658.7998	9920.799805	9920.799805	0.933333
1114	014	4484	0.1	2676	1	65	100	3	10	9	13452	10776	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12555.2002	9879.200195	9879.200195	0.933333
1114	019	4679	0.11	2994	2	65	100	3	11	9	14037	11043	RH-2	40	form-based			true	0.7	10	0.909090936	8	8	13101.2002	10107.2002	10107.2002	0.933333
1114	030	4580	0.11	1439	2	65	100	3	11	9	13740	12301	RH-2	40	form-based			true	0.7	10	0.909090936	8	8	12824	11385	11385	0.933333
1117	003	4494	0.1	3657	1	65	100	3	10	9	13482	9825	RM-1	40	form-based			true	0.7	9	0.899999976	8	8	12583.2002	8926.200195	8926.200195	0.933333
1117	005	4300	0.1	2150	1	65	100	3	10	9	12900	10750	RM-1	40	form-based			true	0.7	9	0.899999976	8	8	12040	9890	9890	0.933333
1117	006	4253	0.1	2523	1	65	100	3	10	9	12759	10236	RM-1	40	form-based			true	0.7	9	0.899999976	8	8	11908.39941	9385.399414	9385.399414	0.933333
1119	002	4149	0.1	2268	1	65	100	3	10	9	12447	10179	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11617.2002	9349.200195	9349.200195	0.933333
1118	003	4995	0.11	2822	2	65	100	3	11	9	14985	12163	RM-1	40	form-based			true	0.7	10	0.909090936	8	8	13986	11164	11164	0.933333
1119	003	4088	0.09	1681	1	65	100	3	9	8	12264	10583	RH-1	40	form-based			true	0.7	9	1	8	8	11446.39941	9765.399414	9765.399414	0.933333
1119	004	4059	0.09	1881	1	65	100	3	9	8	12177	10296	RH-1	40	form-based			true	0.7	9	1	8	8	11365.2002	9484.200195	9484.200195	0.933333
1119	005	4062	0.09	1681	1	65	100	3	9	8	12186	10505	RH-1	40	form-based			true	0.7	9	1	8	8	11373.59961	9692.599609	9692.599609	0.933333
1119	006	4066	0.09	1981	1	65	100	3	9	8	12198	10217	RH-1	40	form-based			true	0.7	9	1	8	8	11384.7998	9403.799805	9403.799805	0.933333
1119	007	4069	0.09	1681	1	65	100	3	9	8	12207	10526	RH-1	40	form-based			true	0.7	9	1	8	8	11393.2002	9712.200195	9712.200195	0.933333
1119	008	4072	0.09	1681	1	65	100	3	9	8	12216	10535	RH-1	40	form-based			true	0.7	9	1	8	8	11401.59961	9720.599609	9720.599609	0.933333
1119	009	4076	0.09	2032	1	65	100	3	9	8	12228	10196	RH-1	40	form-based			true	0.7	9	1	8	8	11412.7998	9380.799805	9380.799805	0.933333
1119	010	4079	0.09	1500	1	65	100	3	9	8	12237	10737	RH-1	40	form-based			true	0.7	9	1	8	8	11421.2002	9921.200195	9921.200195	0.933333
1119	011	4082	0.09	1500	1	65	100	3	9	8	12246	10746	RH-1	40	form-based			true	0.7	9	1	8	8	11429.59961	9929.599609	9929.599609	0.933333
1119	012	4086	0.09	1500	1	65	100	3	9	8	12258	10758	RH-1	40	form-based			true	0.7	9	1	8	8	11440.7998	9940.799805	9940.799805	0.933333
1119	013	4089	0.09	2528	1	65	100	3	9	8	12267	9739	RH-1	40	form-based			true	0.7	9	1	8	8	11449.2002	8921.200195	8921.200195	0.933333
1127	003	2632	0.06	2690	2	65	100	3	6	4	7896	5206	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11844	9154	9154	1.5
1127	013	1964	0.05	1576	2	65	100	3	5	3	5892	4316	NCT-DIVIS.	85	form-based			true	0.75	10	2	8	8	11784	10208	10208	2
1127	014	1964	0.05	1396	2	65	100	3	5	3	5892	4496	NCT-DIVIS.	85	form-based			true	0.75	10	2	8	8	11784	10388	10388	2
1127	021	3841	0.09	8736	12	65	100	3	9	0	11523	2787	NCT-DIVIS.	85	form-based	true		true	0.75	20	2.222222328	8	6	23046	14310	14310	2
1127	043	2636	0.06	5170	2	65	100	3	6	4	7908	2738	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11862	6692	6692	1.5
1127	065	2633	0.06	982	2	65	100	3	6	4	7899	6917	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11848.5	10866.5	10866.5	1.5
1127	067	2344	0.05	1175	1	65	100	3	5	4	7032	5857	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10548	9373	9373	1.5
1129	023	3443	0.08	2550	2	65	100	3	8	6	10329	7779	RM-3	50	form-based			true	0.75	10	1.25	8	8	12911.25	10361.25	10361.25	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1129	025A	3437	0.08	2186	2	65	100	3	8	6	10311	8125	RM-3	50	form-based			true	0.75	10	1.25	8	8	12888.75	10702.75	10702.75	1.25
1129	030	2950	0.07	1787	1	65	100	3	7	6	8850	7063	RM-3	50	form-based			true	0.75	9	1.285714269	8	8	11062.5	9275.5	9275.5	1.25
1129	093	4512	0.1	1011	16	65	100	3	10	0	13536	12525	NCT-DIVIS.	85	form-based		true	true	0.75	24	2.400000095	8	4	27072	26061	26061	2
1129	115	2170	0.05	1228	3	65	100	3	5	2	6510	5282	NCT-DIVIS.	85	form-based			true	0.75	11	2.200000048	8	7	13020	11792	11792	2
1129	125	3438	0.08	1500	2	65	100	3	8	6	10314	8814	RM-3	50	form-based			true	0.75	10	1.25	8	8	12892.5	11392.5	11392.5	1.25
1132	017A	4177	0.1	1875	1	65	100	3	10	9	12531	10656	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11695.59961	9820.599609	9820.599609	0.933333
1144	012	2228	0.05	2960	3	55	80	2.5	4	1	5570	2610	RH-2	80	form-based			true	0.7	11	2.75	8	5	12476.7998	9516.799805	8180	2.24
1144	017	2075	0.05	2397	2	55	80	2.5	4	2	5188	2791	RH-2	80	form-based			true	0.7	10	2.5	8	6	11620	9223	7979	2.239784
1149	032	2813	0.06	2019	3	55	80	2.5	5	2	7032	5013	RTO-C	65	form-based			true	0.75	11	2.200000048	8	7	12658.5	10639.5	10639.5	1.800128
1152	006	6617	0.15	6094	6	55	80	2.5	12	6	16542	10448	RH-3	40	form-based			true	0.7	14	1.166666627	8	8	18527.59961	12433.59961	12433.59961	1.120034
1153	006	6053	0.14	17315	24	55	80	2.5	11	0	15132	0	NCT-DIVIS.	85	form-based		true	true	0.75	32	2.909090996	8	0	36318	19003	12949	2.400079
1153	010	5244	0.12	7270	7	55	80	2.5	10	3	13110	5840	RM-1	50	form-based			true	0.7	15	1.5	8	8	18354	11084	11084	1.4
1153	037	5037	0.12	1256	6	55	80	2.5	10	4	12592	11336	RM-1	50	form-based			true	0.7	14	1.399999976	8	8	17629.5	16373.5	16373.5	1.400056
1154	015	2700	0.06	5805	6	55	80	2.5	5	0	6750	945	NCT-DIVIS.	85	form-based			true	0.75	14	2.799999952	8	4	16200	10395	7695	2.4
1155	029	3438	0.08	3900	2	55	80	2.5	6	4	8595	4695	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12033	8133	8133	1.4
1155	052	3438	0.08	1767	2	55	80	2.5	6	4	8595	6828	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12033	10266	10266	1.4
1156	011	3429	0.08	7471	2	55	80	2.5	6	4	8572	1101	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12001.5	4530.5	4530.5	1.400082
1156	027	4583	0.11	4802	5	55	80	2.5	9	4	11458	6656	RM-1	50	form-based			true	0.7	13	1.444444418	8	8	16040.5	11238.5	11238.5	1.399939
1156	030	3438	0.08	4020	2	55	80	2.5	6	4	8595	4575	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12033	8013	8013	1.4
1159	045	3473	0.08	1013	2	55	80	2.5	6	4	8682	7669	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12155.5	11142.5	11142.5	1.400081
1160	024	2500	0.06	2184	1	55	80	2.5	5	4	6250	4066	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11250	9066	9066	1.8
1160	038	6864	0.16	6605	11	55	80	2.5	13	2	17160	10555	RH-3	50	form-based			true	0.7	19	1.461538434	8	8	24024	17419	17419	1.4
1167	044	4525	0.1	2160	2	55	80	2.5	8	6	11312	9152	RH-2	40	form-based			true	0.7	10	1.25	8	8	12670	10510	10510	1.120049
1169	001	3087	0.07	2704	8	55	80	2.5	6	0	7718	5014	RTO-C	85	form-based		true	true	0.75	16	2.666666746	8	4	18522	15818	12732	2.399844
1169	004	2922	0.07	10080	7	55	80	2.5	6	0	7305	0	RTO-C	85	form-based		true	true	0.75	15	2.5	8	5	17532	7452	4530	2.4
1173	001G	3200	0.07	6756	9	55	80	2.5	6	0	8000	1244	RTO-C	85	form-based		true	true	0.75	17	2.833333254	8	3	19200	12444	9244	2.4
1173	001H	3203	0.07	6756	9	55	80	2.5	6	0	8008	1252	RTO-C	85	form-based		true	true	0.75	17	2.833333254	8	3	19218	12462	9260	2.399835
1175	003	1856	0.04	3511	2	55	80	2.5	3	1	4640	1129	RTO-C	85	form-based			true	0.75	10	3.333333254	8	4	11136	7625	5769	2.4
1176	028	3437	0.08	3030	2	55	80	2.5	6	4	8592	5562	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12029.5	8999.5	8999.5	1.400082
1176	029	3437	0.08	3030	2	55	80	2.5	6	4	8592	5562	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12029.5	8999.5	8999.5	1.400082
1176	039	6875	0.16	1274	11	55	80	2.5	13	2	17188	15914	RM-1	50	form-based			true	0.7	19	1.461538434	8	8	24062.5	22788.5	22788.5	1.399959
1177	005	3047	0.07	2625	1	55	80	2.5	6	5	7618	4993	RH-3	50	form-based			true	0.7	9	1.5	8	8	10664.5	8039.5	8039.5	1.399908
1177	031	3437	0.08	3250	2	55	80	2.5	6	4	8592	5342	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12029.5	8779.5	8779.5	1.400082
1177	032	3438	0.08	3500	2	55	80	2.5	6	4	8595	5095	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12033	8533	8533	1.4
1177	034	3437	0.08	3590	2	55	80	2.5	6	4	8592	5002	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12029.5	8439.5	8439.5	1.400082
1177	040	3437	0.08	1388	2	55	80	2.5	6	4	8592	7204	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12029.5	10641.5	10641.5	1.400082
1177	066	3438	0.08	1507	2	55	80	2.5	6	4	8595	7088	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12033	10526	10526	1.4
1179	004	3844	0.09	4163	3	55	80	2.5	7	4	9610	5447	RM-1	50	form-based			true	0.7	11	1.571428537	8	8	13454	9291	9291	1.4
1179	016	3405	0.08	2485	2	55	80	2.5	6	4	8512	6027	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	11917.5	9432.5	9432.5	1.400082
1179	020	3438	0.08	4100	2	55	80	2.5	6	4	8595	4495	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12033	7933	7933	1.4
1179	022	3437	0.08	2300	2	55	80	2.5	6	4	8592	6292	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12029.5	9729.5	9729.5	1.400082
1179	054	3494	0.08	1657	2	55	80	2.5	6	4	8735	7078	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12229	10572	10572	1.4
1180	023	3781	0.09	2860	3	55	80	2.5	7	4	9452	6592	RH-3	50	form-based			true	0.7	11	1.571428537	8	8	13233.5	10373.5	10373.5	1.400074
1180	031	3850	0.09	1680	3	55	80	2.5	7	4	9625	7945	RH-3	50	form-based			true	0.7	11	1.571428537	8	8	13475	11795	11795	1.4
1182	006	1944	0.04	1706	2	55	80	2.5	3	1	4860	3154	NCT-DIVIS.	85	form-based			true	0.75	10	3.333333254	8	4	11664	9958	8014	2.4
1182	080	3421	0.08	1619	2	55	80	2.5	6	4	8552	6933	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	11973.5	10354.5	10354.5	1.400082
1183	028	6875	0.16	11280	6	55	80	2.5	13	7	17188	5908	RM-1	40	form-based			true	0.7	14	1.076923132	8	8	19250	7970	7970	1.119967
1186	009L	6098	0.14	13335	24	55	80	2.5	11	0	15245	1910	RTO-C	85	form-based			true	0.75	32	2.909090996	8	0	36588	23253	17155	2.4
1188	001A	1875	0.04	2260	2	55	80	2.5	3	1	4688	2428	RTO-C	85	form-based			true	0.75	10	3.333333254	8	4	11250	8990	7116	2.399744
1188	001E	1875	0.04	2300	2	55	80	2.5	3	1	4688	2388	RTO-C	85	form-based			true	0.75	10	3.333333254	8	4	11250	8950	7076	2.399744
1189	017	2057	0.05	2900	3	55	80	2.5	4	1	5142	2242	RTO-C	85	form-based			true	0.75	11	2.75	8	5	12342	9442	7384	2.400233
1201	008	2631	0.06	5250	6	55	80	2.5	5	0	6578	1328	NCT-DIVIS.	85	form-based		true	true	0.75	14	2.799999952	8	4	15786	10536	7906	2.399817
1202	002A	3798	0.09	8625	12	55	80	2.5	7	0	9495	870	NCT-DIVIS.	85	form-based		true	true	0.75	20	2.857142925	8	2	22788	14163	10365	2.4
1203	012	3438	0.08	2180	2	55	80	2.5	6	4	8595	6415	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12033	9853	9853	1.4
1203	015	3438	0.08	4270	2	55	80	2.5	6	4	8595	4325	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12033	7763	7763	1.4
1203	020	2813	0.06	4605	7	55	80	2.5	5	0	7032	2427	NCT-DIVIS.	85	form-based			true	0.75	15	3	8	3	16878	12273	9459	2.400171
1203	030	3437	0.08	2096	2	55	80	2.5	6	4	8592	6496	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12029.5	9933.5	9933.5	1.400082
1203	030A	3438	0.08	3000	2	55	80	2.5	6	4	8595	5595	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12033	9033	9033	1.4
1203	033	3438	0.08	2630	2	55	80	2.5	6	4	8595	5965	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12033	9403	9403	1.4
1203	034	3437	0.08	2775	2	55	80	2.5	6	4	8592	5817	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12029.5	9254.5	9254.5	1.400082
1204	002	2031	0.05	3320	3	55	80	2.5	4	1	5078	1758	NCT-DIVIS.	85	form-based			true	0.75	11	2.75	8	5	12186	8866	6836	2.399764
1204	003	2031	0.05	3045	3	55	80	2.5	4	1	5078	2033	NCT-DIVIS.	85	form-based			true	0.75	11	2.75	8	5	12186	9141	7111	2.399764
1204	012	3438	0.08	3303	2	55	80	2.5	6	4	8595	5292	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12033	8730	8730	1.4
1204	016	3437	0.08	4592	2	55	80	2.5	6	4	8592	4000	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12029.5	7437.5	7437.5	1.400082

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1204	030	5156	0.12	8061	6	55	80	2.5	10	4	12890	4829	RM-1	50	form-based			true	0.7	14	1.399999976	8	8	18046	9985	9985	1.4
1204	045	3438	0.08	1457	2	55	80	2.5	6	4	8595	7138	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12033	10576	10576	1.4
1204	067	3438	0.08	1415	2	55	80	2.5	6	4	8595	7180	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12033	10618	10618	1.4
1212	022	3825	0.09	3922	0	55	80	2.5	7	7	9562	5640	RH-3	40	form-based			true	0.7	8	1.142857194	8	8	10710	6788	6788	1.120059
1213	007	3025	0.07	3208	3	55	80	2.5	6	3	7562	4354	RTO-C	65	form-based			true	0.75	11	1.833333373	8	8	13612.5	10404.5	10404.5	1.800119
1216	031	3440	0.08	1486	2	55	80	2.5	6	4	8600	7114	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12040	10554	10554	1.4
1216	035	3438	0.08	1653	2	55	80	2.5	6	4	8595	6942	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12033	10380	10380	1.4
1217	015	3437	0.08	2195	2	55	80	2.5	6	4	8592	6397	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12029.5	9834.5	9834.5	1.400082
1217	030	3412	0.08	3130	2	55	80	2.5	6	4	8530	5400	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	11942	8812	8812	1.4
1217	045	3437	0.08	1028	2	55	80	2.5	6	4	8592	7564	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12029.5	11001.5	11001.5	1.400082
1217	056	3438	0.08	1112	2	55	80	2.5	6	4	8595	7483	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12033	10921	10921	1.4
1217	058	3437	0.08	1048	2	55	80	2.5	6	4	8592	7544	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12029.5	10981.5	10981.5	1.400082
1217	077	2649	0.06	1795	6	55	80	2.5	5	0	6622	4827	NCT-DIVIS	85	form-based			true	0.75	14	2.799999952	8	4	15894	14099	11449	2.400181
1218	002	2188	0.05	6626	3	55	80	2.5	4	1	5470	0	NCT-DIVIS	85	form-based			true	0.75	11	2.75	8	5	13128	6502	4314	2.4
1218	003	2188	0.05	6626	3	55	80	2.5	4	1	5470	0	NCT-DIVIS	85	form-based			true	0.75	11	2.75	8	5	13128	6502	4314	2.4
1218	004	2188	0.05	6626	3	55	80	2.5	4	1	5470	0	NCT-DIVIS	85	form-based			true	0.75	11	2.75	8	5	13128	6502	4314	2.4
1218	010	3437	0.08	2400	2	55	80	2.5	6	4	8592	6192	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12029.5	9629.5	9629.5	1.400082
1218	012	3437	0.08	2400	2	55	80	2.5	6	4	8592	6192	RM-1	50	form-based			true	0.7	10	1.666666627	8	8	12029.5	9629.5	9629.5	1.400082
1229	029	3875	0.09	5550	3	55	80	2.5	7	4	9688	4138	RM-2	50	form-based			true	0.7	11	1.571428537	8	8	13562.5	8012.5	8012.5	1.399928
1231	050	3582	0.08	1692	2	55	80	2.5	6	4	8955	7263	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12537	10845	10845	1.4
1233	033	3442	0.08	3600	2	55	80	2.5	6	4	8605	5005	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12047	8447	8447	1.4
1233	034	3441	0.08	3600	2	55	80	2.5	6	4	8602	5002	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12043.5	8443.5	8443.5	1.400081
1233	051	3441	0.08	1785	2	55	80	2.5	6	4	8602	6817	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12043.5	10258.5	10258.5	1.400081
1233	053	3441	0.08	1693	2	55	80	2.5	6	4	8602	6909	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12043.5	10350.5	10350.5	1.400081
1234	007	2497	0.06	3248	1	55	80	2.5	5	4	6242	2994	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11236.5	7988.5	7988.5	1.800144
1235	026	4000	0.09	5400	3	55	80	2.5	7	4	10000	4600	RH-3	50	form-based			true	0.7	11	1.571428537	8	8	14000	8600	8600	1.4
1235	029	3768	0.09	7560	6	55	80	2.5	7	1	9420	1860	RTO-C	65	form-based			true	0.75	14	2	8	8	16956	9396	9396	1.8
1235	032	3712	0.09	3892	2	55	80	2.5	7	5	9280	5388	RH-3	50	form-based			true	0.7	10	1.428571463	8	8	12992	9100	9100	1.4
1237	006	2187	0.05	4731	3	55	80	2.5	4	1	5468	737	NCT-DIVIS	85	form-based			true	0.75	11	2.75	8	5	13122	8391	6205	2.399781
1237	011	3437	0.08	4835	5	55	80	2.5	6	1	8592	3757	RTO-C	65	form-based			true	0.75	13	2.166666746	8	7	15466.5	10631.5	10631.5	1.800105
1238	031	4125	0.09	3668	4	65	100	3	9	5	12375	8707	RH-3	50	form-based			true	0.7	12	1.333333373	8	8	14437.5	10769.5	10769.5	1.166667
1239	035	2455	0.06	2260	1	65	100	3	6	5	7365	5105	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11047.5	8787.5	8787.5	1.5
1239	036	2455	0.06	2853	1	65	100	3	6	5	7365	4512	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11047.5	8194.5	8194.5	1.5
1240	002	3125	0.07	2660	1	65	100	3	7	6	9375	6715	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	8277.5	8277.5	1.166667
1240	004	3125	0.07	1650	1	65	100	3	7	6	9375	7725	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	9287.5	9287.5	1.166667
1240	020	3094	0.07	3390	1	55	80	2.5	6	5	7735	4345	RH-3	50	form-based			true	0.7	9	1.5	8	8	10829	7439	7439	1.4
1240	021	3094	0.07	2600	1	55	80	2.5	6	5	7735	5135	RH-3	50	form-based			true	0.7	9	1.5	8	8	10829	8229	8229	1.4
1240	033	2750	0.06	3490	2	65	100	3	6	4	8250	4760	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12375	8885	8885	1.5
1242	001	2156	0.05	5734	0	55	80	2.5	4	4	5390	0	RTO-C	65	form-based	true		true	0.75	8	2	8	8	9702	3968	3968	1.8
1243	029	2225	0.05	4924	0	55	80	2.5	4	4	5562	638	NCD-HAIG	65	form-based	true		true	0.75	8	2	8	8	10012.5	5088.5	5088.5	1.800162
1244	012	3300	0.08	2316	1	55	80	2.5	6	5	8250	5934	RH-3	50	form-based			true	0.7	9	1.5	8	8	11550	9234	9234	1.4
1244	028	3448	0.08	5831	5	55	80	2.5	6	1	8620	2789	NCD-HAIG	65	form-based			true	0.75	13	2.166666746	8	7	15516	9685	9685	1.8
1244	052	3438	0.08	1769	2	55	80	2.5	6	4	8595	6826	RH-3	50	form-based			true	0.7	10	1.666666627	8	8	12033	10264	10264	1.4
1245	013	3437	0.08	2950	2	65	100	3	8	6	10311	7361	RH-3	50	form-based			true	0.7	10	1.25	8	8	12029.5	9079.5	9079.5	1.166667
1249	019	2700	0.06	3555	2	65	100	3	6	4	8100	4545	NCD-HAIG	65	form-based			true	0.75	10	1.666666627	8	8	12150	8595	8595	1.5
1250	012	3438	0.08	3550	2	65	100	3	8	6	10314	6764	RH-3	50	form-based			true	0.7	10	1.25	8	8	12033	8483	8483	1.166667
1250	024	2656	0.06	3180	2	65	100	3	6	4	7968	4788	NCD-HAIG	65	form-based			true	0.75	10	1.666666627	8	8	11952	8772	8772	1.5
1250	031	3398	0.08	2550	2	65	100	3	8	6	10194	7644	RH-3	50	form-based			true	0.7	10	1.25	8	8	11893	9343	9343	1.166667
1250	053	3398	0.08	1444	2	65	100	3	8	6	10194	8750	RH-3	50	form-based			true	0.7	10	1.25	8	8	11893	10449	10449	1.166667
1251	004	2725	0.06	1684	0	65	100	3	6	6	8175	6491	RH-3	50	form-based			true	0.7	8	1.333333373	8	8	9537.5	7853.5	7853.5	1.166667
1251	018	3375	0.08	1495	1	65	100	3	8	7	10125	8630	RH-3	50	form-based			true	0.7	9	1.125	8	8	11812.5	10317.5	10317.5	1.166667
1251	029	3710	0.09	1447	2	65	100	3	9	7	11130	9683	RH-3	50	form-based			true	0.7	10	1.111111164	8	8	12985	11538	11538	1.166667
1252	014	3055	0.07	2278	1	65	100	3	7	6	9165	6887	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10692.5	8414.5	8414.5	1.166667
1252	017	3060	0.07	2220	1	65	100	3	7	6	9180	6960	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10710	8490	8490	1.166667
1252	019	3063	0.07	1950	1	65	100	3	7	6	9189	7239	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10720.5	8770.5	8770.5	1.166667
1252	032	3125	0.07	2101	1	65	100	3	7	6	9375	7274	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	8836.5	8836.5	1.166667
1252	034	3125	0.07	1770	1	65	100	3	7	6	9375	7605	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	9167.5	9167.5	1.166667
1252	036	3125	0.07	3400	1	65	100	3	7	6	9375	5975	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	7537.5	7537.5	1.166667
1252	040	3125	0.07	2317	1	65	100	3	7	6	9375	7058	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	8620.5	8620.5	1.166667
1252	041	3125	0.07	2070	1	65	100	3	7	6	9375	7305	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	8867.5	8867.5	1.166667
1252	042	3125	0.07	3850	1	65	100	3	7	6	9375	5525	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	7087.5	7087.5	1.166667
1253	034	3047	0.07	4133	1	65	100	3	7	6	9141	5008	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10664.5	6531.5	6531.5	1.166667
1253	038	3047	0.07	1719	1	65	100	3	7	6	9141	7422	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10664.5	8945.5	8945.5	1.166667
1253	045	3047	0.07	2180	1	65	100	3	7	6	9141	6961	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10664.5	8484.5	8484.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1255	083	4020	0.09	4304	0	55	80	2.5	7	7	10050	5746	RH-3	40	form-based			true	0.7	8	1.142857194	8	8	11256	6952	6952	1.12
1256	019	4173	0.1	4360	1	55	80	2.5	8	7	10432	6072	RH-3	40	form-based		true	true	0.7	9	1.125	8	8	11684.39941	7324.399414	7324.399414	1.120054
1258	015	4786	0.11	2942	2	65	100	3	11	9	14358	11416	RH-3	40	form-based			true	0.7	10	0.909090936	8	8	13400.7998	10458.7998	10458.7998	0.933333
1258	038	3610	0.08	3747	0	55	80	2.5	6	6	9025	5278	RH-3	40	form-based			true	0.7	8	1.333333373	8	8	10108	6361	6361	1.12
1260	027	4142	0.1	2750	1	65	100	3	10	9	12426	9676	RH-3	40	form-based			true	0.7	9	0.899999976	8	8	11597.59961	8847.599609	8847.599609	0.933333
1261	027	3733	0.09	3320	2	65	100	3	9	7	11199	7879	RH-3	50	form-based			true	0.7	10	1.111111164	8	8	13065.5	9745.5	9745.5	1.166667
1262	018	3388	0.08	2371	1	65	100	3	8	7	10164	7793	RH-3	50	form-based			true	0.7	9	1.125	8	8	11858	9487	9487	1.166667
1262	022	2697	0.06	3600	2	65	100	3	6	4	8091	4491	NC-1	65	form-based			true	0.75	10	1.666666627	8	8	12136.5	8536.5	8536.5	1.5
1262	024	2696	0.06	2100	2	65	100	3	6	4	8088	5988	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12132	10032	10032	1.5
1262	032	3111	0.07	3004	1	65	100	3	7	6	9333	6329	RTO-C	50	form-based			true	0.75	9	1.285714269	8	8	11666.25	8662.25	8662.25	1.25
1262	053	2695	0.06	1805	2	65	100	3	6	4	8085	6280	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12127.5	10322.5	10322.5	1.5
1265	005	2600	0.06	2860	2	65	100	3	6	4	7800	4940	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11700	8840	8840	1.5
1265	013	2513	0.06	2000	1	85	140	4	8	7	10052	8052	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11308.5	9308.5	9308.5	1.125
1265	014	2513	0.06	1600	1	85	140	4	8	7	10052	8452	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11308.5	9708.5	9708.5	1.125
1265	018	2270	0.05	2300	1	65	100	3	5	4	6810	4510	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10215	7915	7915	1.5
1265	023	2509	0.06	2100	1	65	100	3	6	5	7527	5427	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11290.5	9190.5	9190.5	1.5
1265	024	2443	0.06	2100	1	65	100	3	6	5	7329	5229	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10993.5	8893.5	8893.5	1.5
1265	045	2771	0.06	1414	2	65	100	3	6	4	8313	6899	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12469.5	11055.5	11055.5	1.5
1266	016	3438	0.08	6665	5	65	100	3	8	3	10314	3649	RTO-C	65	form-based			true	0.75	13	1.625	8	8	15471	8806	8806	1.5
1266	023	2638	0.06	2900	2	65	100	3	6	4	7914	5014	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11871	8971	8971	1.5
1266	057	2687	0.06	1550	2	85	140	4	8	6	10748	9198	RTO-C	65	form-based			true	0.75	10	1.25	8	8	12091.5	10541.5	10541.5	1.125
1267	015	3438	0.08	5070	5	65	100	3	8	3	10314	5244	RTO-C	65	form-based			true	0.75	13	1.625	8	8	15471	10401	10401	1.5
1267	021	3437	0.08	4400	5	65	100	3	8	3	10311	5911	RTO-C	65	form-based			true	0.75	13	1.625	8	8	15466.5	11066.5	11066.5	1.5
1267	035	3139	0.07	3750	4	85	140	4	10	6	12556	8806	RTO-C	65	form-based			true	0.75	12	1.200000048	8	8	14125.5	10375.5	10375.5	1.125
1267	041	3457	0.08	2232	2	85	140	4	11	9	13828	11596	RH-3	50	form-based			true	0.7	10	0.909090936	8	8	12099.5	9867.5	9867.5	0.875
1267	047	3457	0.08	2100	2	65	100	3	8	6	10371	8271	RH-3	50	form-based			true	0.7	10	1.25	8	8	12099.5	9999.5	9999.5	1.166667
1267	052	3457	0.08	4173	2	65	100	3	8	6	10371	6198	RH-3	50	form-based			true	0.7	10	1.25	8	8	12099.5	7926.5	7926.5	1.166667
1267	058	3457	0.08	3000	2	65	100	3	8	6	10371	7371	RH-3	50	form-based			true	0.7	10	1.25	8	8	12099.5	9099.5	9099.5	1.166667
1267	060	3457	0.08	3150	2	65	100	3	8	6	10371	7221	RH-3	50	form-based			true	0.7	10	1.25	8	8	12099.5	8949.5	8949.5	1.166667
1267	080	3457	0.08	1383	2	65	100	3	8	6	10371	8988	RH-3	50	form-based			true	0.7	10	1.25	8	8	12099.5	10716.5	10716.5	1.166667
1267	082	3457	0.08	1429	2	65	100	3	8	6	10371	8942	RH-3	50	form-based			true	0.7	10	1.25	8	8	12099.5	10670.5	10670.5	1.166667
1267	086	3457	0.08	1423	2	65	100	3	8	6	10371	8948	RH-3	50	form-based			true	0.7	10	1.25	8	8	12099.5	10676.5	10676.5	1.166667
1268	028	2600	0.06	2570	2	85	140	4	8	6	10400	7830	NCD-COLE	65	form-based			true	0.75	10	1.25	8	8	11700	9130	9130	1.125
1268	030	3252	0.07	2250	1	85	140	4	10	9	13008	10758	RH-3	50	form-based			true	0.7	9	0.899999976	8	8	11382	9132	9132	0.875
1268	039	3440	0.08	3050	2	65	100	3	8	6	10320	7270	RH-3	50	form-based			true	0.7	10	1.25	8	8	12040	8990	8990	1.166667
1268	041	3440	0.08	2500	2	65	100	3	8	6	10320	7820	RH-3	50	form-based			true	0.7	10	1.25	8	8	12040	9540	9540	1.166667
1268	042	3440	0.08	3450	2	65	100	3	8	6	10320	6870	RH-3	50	form-based			true	0.7	10	1.25	8	8	12040	8590	8590	1.166667
1268	064	3440	0.08	1230	2	65	100	3	8	6	10320	9090	RH-3	50	form-based			true	0.7	10	1.25	8	8	12040	10810	10810	1.166667
1269	032	4055	0.09	3932	1	65	100	3	9	8	12165	8233	RH-2	40	form-based			true	0.7	9	1	8	8	11354	7422	7422	0.933333
1270	007	4103	0.09	2146	1	55	80	2.5	7	6	10258	8112	RH-2	40	form-based			true	0.7	9	1.285714269	8	8	11488.39941	9342.399414	9342.399414	1.119945
1270	068	4419	0.1	3380	1	65	100	3	10	9	13257	9877	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12373.2002	8993.200195	8993.200195	0.933333
1271	006	3125	0.07	1982	1	65	100	3	7	6	9375	7393	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	8955.5	8955.5	1.166667
1271	007	3125	0.07	2224	1	65	100	3	7	6	9375	7151	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	8713.5	8713.5	1.166667
1271	008	2500	0.06	2666	1	65	100	3	6	5	7500	4834	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8584	8584	1.5
1271	010	2500	0.06	3078	1	65	100	3	6	5	7500	4422	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8172	8172	1.5
1271	011	2500	0.06	3035	1	65	100	3	6	5	7500	4465	RTO-C	65	form-based		true	true	0.75	9	1.5	8	8	11250	8215	8215	1.5
1271	012	2500	0.06	1750	1	65	100	3	6	5	7500	5750	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9500	9500	1.5
1271	035	3450	0.08	2950	2	65	100	3	8	6	10350	7400	RH-3	50	form-based			true	0.7	10	1.25	8	8	12075	9125	9125	1.166667
1271	036	3450	0.08	2800	2	65	100	3	8	6	10350	7550	RH-3	50	form-based			true	0.7	10	1.25	8	8	12075	9275	9275	1.166667
1271	038	3450	0.08	1990	2	65	100	3	8	6	10350	8360	RH-3	50	form-based			true	0.7	10	1.25	8	8	12075	10085	10085	1.166667
1271	044	3450	0.08	1500	2	65	100	3	8	6	10350	8850	RH-3	50	form-based			true	0.7	10	1.25	8	8	12075	10575	10575	1.166667
1272	006	3615	0.08	6600	6	85	140	4	11	5	14460	7860	RTO-C	65	form-based			true	0.75	14	1.272727251	8	8	16267.5	9667.5	9667.5	1.125
1272	019	2631	0.06	2500	2	65	100	3	6	4	7893	5393	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11839.5	9339.5	9339.5	1.5
1272	040	2686	0.06	1039	2	65	100	3	6	4	8058	7019	RTO-C	65	form-based		true	true	0.75	10	1.666666627	8	8	12087	11048	11048	1.5
1273	004	2500	0.06	2320	1	65	100	3	6	5	7500	5180	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8930	8930	1.5
1273	005	2500	0.06	3001	1	65	100	3	6	5	7500	4499	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8249	8249	1.5
1273	006	2500	0.06	1870	1	65	100	3	6	5	7500	5630	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9380	9380	1.5
1273	007	2500	0.06	1670	1	65	100	3	6	5	7500	5830	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9580	9580	1.5
1273	024	2513	0.06	3140	1	65	100	3	6	5	7539	4399	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11308.5	8168.5	8168.5	1.5
1274	036	6875	0.16	15600	18	65	100	3	16	0	20625	5025	RTO-C	65	form-based			true	0.75	26	1.625	8	8	30937.5	15337.5	15337.5	1.5
1274	005	2688	0.06	3100	2	85	140	4	8	6	10752	7652	RTO-C	65	form-based			true	0.75	10	1.25	8	8	12096	8996	8996	1.125
1274	011	3438	0.08	4695	5	65	100	3	8	3	10314	5619	RTO-C	65	form-based			true	0.75	13	1.625	8	8	15471	10776	10776	1.5
1274	015	2500	0.06	2550	1	65	100	3	6	5	7500	4950	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8700	8700	1.5
1275	038	2394	0.05	1596	1	85	140	4	7	6	9576	7980	RTO-C	65	form-based			true	0.75	9	1.285714269	8	8	10773	9177	9177	1.125

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1275	039	2489	0.06	2196	1	85	140	4	8	7	9956	7760	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11200.5	9004.5	9004.5	1.125
1275	082	3231	0.07	924	4	85	140	4	10	6	12924	12000	RTO-C	65	form-based		true	true	0.75	12	1.200000048	8	8	14539.5	13615.5	13615.5	1.125
1276	034	3009	0.07	1365	3	65	100	3	7	4	9027	7662	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13540.5	12175.5	12175.5	1.5
1278	002	2479	0.06	1716	1	65	100	3	6	5	7437	5721	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11155.5	9439.5	9439.5	1.5
1278	004	3118	0.07	2664	1	65	100	3	7	6	9354	6690	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10913	8249	8249	1.166667
1278	005	3116	0.07	3938	1	65	100	3	7	6	9348	5410	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10906	6968	6968	1.166667
1278	006	3212	0.07	3066	1	65	100	3	7	6	9636	6570	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11242	8176	8176	1.166667
1278	009	3063	0.07	3753	1	65	100	3	7	6	9189	5436	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10720.5	6967.5	6967.5	1.166667
1278	012	3063	0.07	2439	1	65	100	3	7	6	9189	6750	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10720.5	8281.5	8281.5	1.166667
1279	065	4124	0.09	3425	1	65	100	3	9	8	12372	8947	RH-2	40	form-based			true	0.7	9	1	8	8	11547.2002	8122.200195	8122.200195	0.933333
1279	082	3343	0.08	2134	1	65	100	3	8	7	10029	7895	RH-2	50	form-based			true	0.7	9	1.125	8	8	11700.5	9566.5	9566.5	1.166667
1282	014	4392	0.1	2140	1	65	100	3	10	9	13176	11036	RH-3	40	form-based			true	0.7	9	0.899999976	8	8	12297.59961	10157.59961	10157.59961	0.933333
1282	027	4401	0.1	2301	1	65	100	3	10	9	13203	10902	RH-3	40	form-based			true	0.7	9	0.899999976	8	8	12322.7998	10021.7998	10021.7998	0.933333
1289	005	4437	0.1	2430	1	55	80	2.5	8	7	11092	8662	RH-2	40	form-based			true	0.7	9	1.125	8	8	12423.59961	9993.599609	9993.599609	1.12005
1289	006	4220	0.1	3150	1	55	80	2.5	8	7	10550	7400	RH-2	40	form-based			true	0.7	9	1.125	8	8	11816	8666	8666	1.12
1289	007	4268	0.1	2050	1	55	80	2.5	8	7	10670	8620	RH-2	40	form-based			true	0.7	9	1.125	8	8	11950.39941	9900.399414	9900.399414	1.12
1289	009	4251	0.1	2400	1	55	80	2.5	8	7	10628	8228	RH-2	40	form-based			true	0.7	9	1.125	8	8	11902.7998	9502.799805	9502.799805	1.119947
1289	012	4600	0.11	2200	2	55	80	2.5	9	7	11500	9300	RH-2	40	form-based			true	0.7	10	1.111111164	8	8	12880	10680	10680	1.12
1289	017	4714	0.11	2500	2	55	80	2.5	9	7	11785	9285	RH-2	40	form-based			true	0.7	10	1.111111164	8	8	13199.2002	10699.2002	10699.2002	1.12
1289	019	4799	0.11	2410	2	55	80	2.5	9	7	11998	9588	RH-2	40	form-based			true	0.7	10	1.111111164	8	8	13437.2002	11027.2002	11027.2002	1.119953
1289	054	4162	0.1	1150	1	55	80	2.5	8	7	10405	9255	RH-2	40	form-based			true	0.7	9	1.125	8	8	11653.59961	10503.59961	10503.59961	1.12
1289	055	4093	0.09	3071	1	55	80	2.5	7	6	10232	7161	RH-2	40	form-based			true	0.7	9	1.285714269	8	8	11460.39941	8389.399414	8389.399414	1.120055
1294	012	4319	0.1	2075	1	55	80	2.5	8	7	10798	8723	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12093.2002	10018.2002	10018.2002	1.119948
1327	009D	4300	0.1	3230	1	55	80	2.5	8	7	10750	7520	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12040	8810	8810	1.12
1327	010A	4519	0.1	3000	1	55	80	2.5	8	7	11298	8298	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12653.2002	9653.200195	9653.200195	1.11995
1327	010B	4099	0.09	3665	1	55	80	2.5	7	6	10248	6583	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11477.2002	7812.200195	7812.200195	1.119945
1327	015A	4461	0.1	2732	1	55	80	2.5	8	7	11152	8420	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12490.7998	9758.799805	9758.799805	1.12005
1328	009	4493	0.1	3700	1	55	80	2.5	8	7	11232	7532	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12580.39941	8880.399414	8880.399414	1.12005
1329	002	4522	0.1	2650	1	55	80	2.5	8	7	11305	8655	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12661.59961	10011.59961	10011.59961	1.12
1329	011	4491	0.1	2992	1	55	80	2.5	8	7	11228	8236	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12574.7998	9582.799805	9582.799805	1.11995
1329	013	4436	0.1	3058	1	55	80	2.5	8	7	11090	8032	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12420.7998	9362.799805	9362.799805	1.12
1331	008	4506	0.1	2816	1	55	80	2.5	8	7	11265	8449	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12616.7998	9800.799805	9800.799805	1.12
1330	008E	4424	0.1	2654	1	55	80	2.5	8	7	11060	8406	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12387.2002	9733.200195	9733.200195	1.12
1331	004	4360	0.1	2102	1	55	80	2.5	8	7	10900	8798	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12208	10106	10106	1.12
1331	006	4096	0.09	1952	1	55	80	2.5	7	6	10240	8288	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11468.7998	9516.799805	9516.799805	1.12
1331	007	4321	0.1	2547	1	55	80	2.5	8	7	10802	8255	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12098.7998	9551.799805	9551.799805	1.120052
1331	009	4490	0.1	2162	1	55	80	2.5	8	7	11225	9063	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12572	10410	10410	1.12
1331	010	4430	0.1	1753	1	55	80	2.5	8	7	11075	9322	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12404	10651	10651	1.12
1331	011	4477	0.1	2400	1	55	80	2.5	8	7	11192	8792	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12535.59961	10135.59961	10135.59961	1.12005
1332	040	4406	0.1	3360	1	55	80	2.5	8	7	11015	7655	RH-1	40	form-based			true	0.7	9	1.125	8	8	12336.7998	8976.799805	8976.799805	1.12
1333	002	4165	0.1	2721	1	55	80	2.5	8	7	10412	7691	RH-1	40	form-based			true	0.7	9	1.125	8	8	11662	8941	8941	1.120054
1333	003	3798	0.09	408	0	55	80	2.5	7	7	9495	9087	RH-1	40	form-based			true	0.7	8	1.142857194	8	8	10634.39941	10226.39941	10226.39941	1.12
1334	027	4176	0.1	3012	1	55	80	2.5	8	7	10440	7428	RH-1	40	form-based			true	0.7	9	1.125	8	8	11692.7998	8680.799805	8680.799805	1.12
1334	028	4176	0.1	3790	1	55	80	2.5	8	7	10440	6650	RH-1	40	form-based			true	0.7	9	1.125	8	8	11692.7998	7902.799805	7902.799805	1.12
1334	029	4397	0.1	2390	1	55	80	2.5	8	7	10992	8602	RH-1	40	form-based		true	true	0.7	9	1.125	8	8	12311.59961	9921.599609	9921.599609	1.120051
1334	040	4189	0.1	4820	1	55	80	2.5	8	7	10472	5652	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11729.2002	6909.200195	6909.200195	1.120054
1335	004	4254	0.1	4392	1	55	80	2.5	8	7	10635	6243	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11911.2002	7519.200195	7519.200195	1.12
1335	005	4366	0.1	4506	1	55	80	2.5	8	7	10915	6409	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12224.7998	7718.799805	7718.799805	1.12
1335	006	4111	0.09	4027	1	55	80	2.5	7	6	10278	6251	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11510.7998	7483.799805	7483.799805	1.119946
1336	015	4487	0.1	3677	1	55	80	2.5	8	7	11218	7541	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12563.59961	8886.599609	8886.599609	1.11995
1336	017	4370	0.1	3950	1	55	80	2.5	8	7	10925	6975	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12236	8286	8286	1.12
1336	031	4412	0.1	3264	1	55	80	2.5	8	7	11030	7766	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12353.59961	9089.599609	9089.599609	1.12
1336	032	4224	0.1	3078	1	55	80	2.5	8	7	10560	7482	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11827.2002	8749.200195	8749.200195	1.12
1336	033	4169	0.1	4971	1	55	80	2.5	8	7	10422	5451	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11673.2002	6702.200195	6702.200195	1.120054
1341	006A	4239	0.1	2845	1	55	80	2.5	8	7	10598	7753	RH-1	40	form-based		true	true	0.7	9	1.125	8	8	11869.2002	9024.200195	9024.200195	1.119947
1342	016	4200	0.1	3010	1	55	80	2.5	8	7	10500	7490	RH-1	40	form-based			true	0.7	9	1.125	8	8	11760	8750	8750	1.12
1344	040	4910	0.11	1621	2	55	80	2.5	9	7	12275	10654	RH-2	40	form-based			true	0.7	10	1.111111164	8	8	13748	12127	12127	1.12
1351	001	4365	0.1	2450	1	55	80	2.5	8	7	10912	8462	RH-2	40	form-based			true	0.7	9	1.125	8	8	12222	9772	9772	1.120051
1353	003	4248	0.1	3107	1	55	80	2.5	8	7	10620	7513	RH-1	40	form-based			true	0.7	9	1.125	8	8	11894.39941	8787.399414	8787.399414	1.12
1353	004	4248	0.1	3795	1	55	80	2.5	8	7	10620	6825	RH-1	40	form-based			true	0.7	9	1.125	8	8	11894.39941	8099.399414	8099.399414	1.12
1353	005	4248	0.1	2156	1	55	80	2.5	8	7	10620	8464	RH-1	40	form-based			true	0.7	9	1.125	8	8	11894.39941	9738.399414	9738.399414	1.12
1353	031	4269	0.1	3765	1	55	80	2.5	8	7	10672	6907	RH-1	40	form-based			true	0.7	9	1.125	8	8	11953.2002	8188.200195	8188.200195	1.120052
1354	018	4203	0.1	4180	1	55	80	2.5	8	7	10508	6328	RH-1	40	form-based			true	0.7	9	1.125	8	8	11768.39941	7588.399414	7588.399414	1.119947
1354	019	4203	0.1	2870	1	55	80	2.5	8	7	10508	7638	RH-1	40	form-based			true	0.7	9	1.125	8	8	11768.39941	8898.399414	8898.399414	1.119947

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1364	071	2256	0.05	885	4	55	80	2.5	4	0	5640	4755	NC-1	85	form-based		true	true	0.75	12	3	8	4	13536	12651	10395	2.4
1365	006	4500	0.1	3100	1	55	80	2.5	8	7	11250	8150	RH-2	40	form-based			true	0.7	9	1.125	8	8	12600	9500	9500	1.12
1365	015	2765	0.06	6368	7	55	80	2.5	5	0	6912	544	NC-1	85	form-based			true	0.75	15	3	8	3	16590	10222	7456	2.400174
1366	022	2310	0.05	3500	4	55	80	2.5	4	0	5775	2275	NC-1	85	form-based			true	0.75	12	3	8	4	13860	10360	8050	2.4
1370	026	3255	0.07	8196	9	55	80	2.5	6	0	8138	0	RTO-C	85	form-based		true	true	0.75	17	2.833333254	8	3	19530	11334	8080	2.399853
1371	024	3879	0.09	10950	12	55	80	2.5	7	0	9698	0	RTO-C	85	form-based		true	true	0.75	20	2.857142925	8	2	23274	12324	8446	2.399876
1374	020C	2563	0.06	3330	2	55	80	2.5	5	3	6408	3078	RTO-C	65	form-based			true	0.75	10	2	8	8	11533.5	8203.5	8203.5	1.79986
1374	059	2563	0.06	1595	2	55	80	2.5	5	3	6408	4813	RTO-C	65	form-based			true	0.75	10	2	8	8	11533.5	9938.5	9938.5	1.79986
1375	024	2485	0.06	2628	1	55	80	2.5	5	4	6212	3584	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11182.5	8554.5	8554.5	1.800145
1375	025	2484	0.06	2583	1	55	80	2.5	5	4	6210	3627	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11178	8595	8595	1.8
1375	026	2483	0.06	2260	1	55	80	2.5	5	4	6208	3948	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11173.5	8913.5	8913.5	1.799855
1377	023	2765	0.06	3094	2	55	80	2.5	5	3	6912	3818	RTO-C	65	form-based			true	0.75	10	2	8	8	12442.5	9348.5	9348.5	1.80013
1377	058	2765	0.06	1066	2	55	80	2.5	5	3	6912	5846	RTO-C	65	form-based			true	0.75	10	2	8	8	12442.5	11376.5	11376.5	1.80013
1378	013	3081	0.07	3910	4	55	80	2.5	6	2	7702	3792	RTO-C	65	form-based			true	0.75	12	2	8	8	13864.5	9954.5	9954.5	1.800117
1378	015	3080	0.07	4258	4	55	80	2.5	6	2	7700	3442	RTO-C	65	form-based			true	0.75	12	2	8	8	13860	9602	9602	1.8
1378	016	3079	0.07	3439	4	55	80	2.5	6	2	7698	4259	RTO-C	65	form-based			true	0.75	12	2	8	8	13855.5	10416.5	10416.5	1.799883
1378	044	3388	0.08	1402	5	55	80	2.5	6	1	8470	7068	RTO-C	65	form-based		true	true	0.75	13	2.166666746	8	7	15246	13844	13844	1.8
1379	047	2681	0.06	1347	2	55	80	2.5	5	3	6702	5355	RTO-C	65	form-based			true	0.75	10	2	8	8	12064.5	10717.5	10717.5	1.800134
1380	017	2628	0.06	2740	2	55	80	2.5	5	3	6570	3830	RTO-C	65	form-based			true	0.75	10	2	8	8	11826	9086	9086	1.8
1380	019	2627	0.06	3102	2	55	80	2.5	5	3	6568	3466	RTO-C	65	form-based			true	0.75	10	2	8	8	11821.5	8719.5	8719.5	1.799863
1380	020	2626	0.06	2760	2	55	80	2.5	5	3	6565	3805	RTO-C	65	form-based			true	0.75	10	2	8	8	11817	9057	9057	1.8
1380	020A	2626	0.06	2760	2	55	80	2.5	5	3	6565	3805	RTO-C	65	form-based			true	0.75	10	2	8	8	11817	9057	9057	1.8
1384	009K	2383	0.05	1800	1	55	80	2.5	4	3	5958	4158	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10723.5	8923.5	8923.5	1.799849
1384	009D	2375	0.05	1880	1	55	80	2.5	4	3	5938	4058	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	8807.5	8807.5	1.799848
1384	009E	2375	0.05	1880	1	55	80	2.5	4	3	5938	4058	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	8807.5	8807.5	1.799848
1384	009G	2500	0.06	2111	1	55	80	2.5	5	4	6250	4139	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11250	9139	9139	1.8
1384	009L	2383	0.05	1800	1	55	80	2.5	4	3	5958	4158	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10723.5	8923.5	8923.5	1.799849
1384	013	4541	0.1	3058	2	55	80	2.5	8	6	11352	8294	RH-2	40	form-based			true	0.7	10	1.25	8	8	12714.7998	9656.799805	9656.799805	1.120049
1385	017	2984	0.07	3800	3	55	80	2.5	6	3	7460	3660	RTO-C	65	form-based			true	0.75	11	1.833333373	8	8	13428	9628	9628	1.8
1385	069	2983	0.07	2041	3	55	80	2.5	6	3	7458	5417	RTO-C	65	form-based			true	0.75	11	1.833333373	8	8	13423.5	11382.5	11382.5	1.799879
1386	021	2492	0.06	1636	1	55	80	2.5	5	4	6230	4594	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11214	9578	9578	1.8
1386	021A	2492	0.06	2002	1	55	80	2.5	5	4	6230	4228	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11214	9212	9212	1.8
1386	047	2492	0.06	1780	1	55	80	2.5	5	4	6230	4450	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11214	9434	9434	1.8
1388	018	4284	0.1	2460	1	55	80	2.5	8	7	10710	8250	RH-1	40	form-based		true	true	0.7	9	1.125	8	8	11995.2002	9535.200195	9535.200195	1.12
1390	003L	4293	0.1	2515	1	55	80	2.5	8	7	10732	8217	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12020.39941	9505.399414	9505.399414	1.120052
1402	010	4064	0.09	3810	1	65	100	3	9	8	12192	8382	RH-2	40	form-based			true	0.7	9	1	8	8	11379.2002	7569.200195	7569.200195	0.933333
1402	021	2585	0.06	3040	2	65	100	3	6	4	7755	4715	NC-1	65	form-based			true	0.75	10	1.666666627	8	8	11632.5	8592.5	8592.5	1.5
1402	051	2581	0.06	4225	2	65	100	3	6	4	7743	3518	NC-1	65	form-based			true	0.75	10	1.666666627	8	8	11614.5	7389.5	7389.5	1.5
1403	015A	2500	0.06	1750	1	65	100	3	6	5	7500	5750	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9500	9500	1.5
1404	023	2500	0.06	2923	1	65	100	3	6	5	7500	4577	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8327	8327	1.5
1405	068	2538	0.06	1385	2	65	100	3	6	4	7614	6229	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11421	10036	10036	1.5
1406	018	3209	0.07	4600	4	65	100	3	7	3	9627	5027	RTO-C	65	form-based		true	true	0.75	12	1.714285731	8	8	14440.5	9840.5	9840.5	1.5
1406	034	3600	0.08	1668	0	65	100	3	8	8	10800	9132	RH-2	40	form-based			true	0.7	8	1	8	8	10080	8412	8412	0.933333
1407	022	3420	0.08	4770	5	65	100	3	8	3	10260	5490	NCD-OUTE	65	form-based			true	0.75	13	1.625	8	8	15390	10620	10620	1.5
1407	041	3228	0.07	4920	4	65	100	3	7	3	9684	4764	RTO-C	65	form-based		true	true	0.75	12	1.714285731	8	8	14526	9606	9606	1.5
1407	045	2485	0.06	1932	1	65	100	3	6	5	7455	5523	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11182.5	9250.5	9250.5	1.5
1409	047	2480	0.06	1864	1	65	100	3	6	5	7440	5576	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11160	9296	9296	1.5
1409	049	2477	0.06	1400	1	65	100	3	6	5	7431	6031	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11146.5	9746.5	9746.5	1.5
1410	042	2465	0.06	1780	1	65	100	3	6	5	7395	5615	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11092.5	9312.5	9312.5	1.5
1410	043	2464	0.06	1978	1	65	100	3	6	5	7392	5414	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11088	9110	9110	1.5
1410	044	2462	0.06	1900	1	65	100	3	6	5	7386	5486	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11079	9179	9179	1.5
1411	008	3425	0.08	6531	5	65	100	3	8	3	10275	3744	NCD-OUTE	65	form-based		true	true	0.75	13	1.625	8	8	15412.5	8881.5	8881.5	1.5
1411	023	2375	0.05	2636	1	65	100	3	5	4	7125	4489	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8051.5	8051.5	1.5
1411	028	2951	0.07	5400	3	65	100	3	7	4	8853	3453	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13279.5	7879.5	7879.5	1.5
1412	027	2700	0.06	3458	2	65	100	3	6	4	8100	4642	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12150	8692	8692	1.5
1413	024	3289	0.08	5578	4	65	100	3	8	4	9867	4289	NCD-OUTE	65	form-based		true	true	0.75	12	1.5	8	8	14800.5	9222.5	9222.5	1.5
1413	039	3333	0.08	5530	4	65	100	3	8	4	9999	4469	RTO-C	65	form-based		true	true	0.75	12	1.5	8	8	14998.5	9468.5	9468.5	1.5
1414	025	3250	0.07	5520	4	65	100	3	7	3	9750	4230	NCD-OUTE	65	form-based		true	true	0.75	12	1.714285731	8	8	14625	9105	9105	1.5
1414	040	2375	0.05	2140	1	65	100	3	5	4	7125	4985	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8547.5	8547.5	1.5
1414	040A	2375	0.05	2140	1	65	100	3	5	4	7125	4985	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8547.5	8547.5	1.5
1414	040B	2375	0.05	2140	1	65	100	3	5	4	7125	4985	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8547.5	8547.5	1.5
1414	061	2500	0.06	2324	1	65	100	3	6	5	7500	5176	NCD-OUTE	65	form-based			true	0.75	9	1.5	8	8	11250	8926	8926	1.5
1414	062	2500	0.06	3500	1	65	100	3	6	5	7500	4000	NCD-OUTE	65	form-based			true	0.75	9	1.5	8	8	11250	7750	7750	1.5
1415	009	3267	0.08	5420	4	65	100	3	8	4	9801	4381	RTO-C	65	form-based		true	true	0.75	12	1.5	8	8	14701.5	9281.5	9281.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1416	041	2562	0.06	3108	2	65	100	3	6	4	7686	4578	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11529	8421	8421	1.5
1417	045	2458	0.06	2463	1	65	100	3	6	5	7374	4911	NC-1	65	form-based		true	true	0.75	9	1.5	8	8	11061	8598	8598	1.5
1418	020	2606	0.06	3316	2	65	100	3	6	4	7818	4502	NC-1	65	form-based			true	0.75	10	1.666666627	8	8	11727	8411	8411	1.5
1418	023	2606	0.06	2436	2	65	100	3	6	4	7818	5382	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11727	9291	9291	1.5
1418	025	2606	0.06	3735	2	65	100	3	6	4	7818	4083	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11727	7992	7992	1.5
1418	045	2317	0.05	1238	1	65	100	3	5	4	6951	5713	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10426.5	9188.5	9188.5	1.5
1418	049	2500	0.06	1704	1	65	100	3	6	5	7500	5796	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9546	9546	1.5
1418	050	2500	0.06	2420	1	65	100	3	6	5	7500	5080	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8830	8830	1.5
1418	051	2500	0.06	1218	1	65	100	3	6	5	7500	6282	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10032	10032	1.5
1419	049	2562	0.06	1787	2	65	100	3	6	4	7686	5899	RTO-C	65	form-based		true	true	0.75	10	1.666666627	8	8	11529	9742	9742	1.5
1421	032A	2500	0.06	3970	5	65	100	3	6	1	7500	3530	RTO-C	85	form-based			true	0.75	13	2.166666746	8	7	15000	11030	11030	2
1421	033	2500	0.06	3970	5	65	100	3	6	1	7500	3530	RTO-C	85	form-based			true	0.75	13	2.166666746	8	7	15000	11030	11030	2
1421	035	2500	0.06	4208	5	65	100	3	6	1	7500	3292	RTO-C	85	form-based			true	0.75	13	2.166666746	8	7	15000	10792	10792	2
1423	048	2254	0.05	4516	0	65	100	3	5	5	6762	2246	NCD-INNE	65	form-based			true	0.75	8	1.600000024	8	8	10143	5627	5627	1.5
1423	049	2143	0.05	4290	0	65	100	3	5	5	6429	2139	NCD-INNE	65	form-based			true	0.75	8	1.600000024	8	8	9643.5	5353.5	5353.5	1.5
1423	050	2217	0.05	4650	0	65	100	3	5	5	6651	2001	NCD-INNE	65	form-based			true	0.75	8	1.600000024	8	8	9976.5	5326.5	5326.5	1.5
1425	023	2808	0.06	5408	3	65	100	3	6	3	8424	3016	NCD-INNE	65	form-based			true	0.75	11	1.833333373	8	8	12636	7228	7228	1.5
1425	025	2700	0.06	4200	2	65	100	3	6	4	8100	3900	NCD-INNE	65	form-based			true	0.75	10	1.666666627	8	8	12150	7950	7950	1.5
1425	053	2275	0.05	1313	4	65	100	3	5	1	6825	5512	RTO-C	85	form-based			true	0.75	12	2.400000095	8	6	13650	12337	12337	2
1427	014	2886	0.07	3583	3	65	100	3	7	4	8658	5075	NCD-INNE	65	form-based			true	0.75	11	1.571428537	8	8	12987	9404	9404	1.5
1427	032	2250	0.05	2900	4	65	100	3	5	1	6750	3850	RTO-C	85	form-based		true	true	0.75	12	2.400000095	8	6	13500	10600	10600	2
1430	029	3240	0.07	4708	4	65	100	3	7	3	9720	5012	NCD-INNE	65	form-based		true	true	0.75	12	1.714285731	8	8	14580	9872	9872	1.5
1431	025	3250	0.07	5730	4	65	100	3	7	3	9750	4020	NCD-INNE	65	form-based		true	true	0.75	12	1.714285731	8	8	14625	8895	8895	1.5
1434	019	3750	0.09	7872	12	85	140	4	13	1	15000	7128	NCD-GEAR	85	form-based			true	0.75	20	1.538461566	8	8	22500	14628	14628	1.5
1437	015	6661	0.15	3030	6	65	100	3	15	9	19983	16953	RM-1	40	form-based			true	0.7	14	0.933333337	8	8	18650.79883	15620.79883	15620.79883	0.933333
1437	016	2645	0.06	5030	6	65	100	3	6	0	7935	2905	NCD-GEAR	85	form-based		true	true	0.75	14	2.333333254	8	6	15870	10840	10840	2
1439	039	2770	0.06	4663	2	65	100	3	6	4	8310	3647	NCD-INNE	65	form-based			true	0.75	10	1.666666627	8	8	12465	7802	7802	1.5
1439	044	2250	0.05	4500	0	65	100	3	5	5	6750	2250	NCD-INNE	65	form-based			true	0.75	8	1.600000024	8	8	10125	5625	5625	1.5
1440	002	2934	0.07	3350	3	65	100	3	7	4	8802	5452	NCD-INNE	65	form-based			true	0.75	11	1.571428537	8	8	13203	9853	9853	1.5
1442	025	2500	0.06	5550	5	65	100	3	6	1	7500	1950	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	8	7	15000	9450	9450	2
1446	029	1825	0.04	3029	2	65	100	3	4	2	5475	2446	NCD-GEAR	85	form-based			true	0.75	10	2.5	8	6	10950	7921	7921	2
1446	030	1825	0.04	2600	2	65	100	3	4	2	5475	2875	NCD-GEAR	85	form-based			true	0.75	10	2.5	8	6	10950	8350	8350	2
1446	030A	1825	0.04	2600	2	65	100	3	4	2	5475	2875	NCD-GEAR	85	form-based			true	0.75	10	2.5	8	6	10950	8350	8350	2
1446	052	2500	0.06	2250	1	65	100	3	6	5	7500	5250	NC-1	65	form-based			true	0.75	9	1.5	8	8	11250	9000	9000	1.5
1447	018	4550	0.1	4350	2	65	100	3	10	8	13650	9300	RH-2	40	form-based			true	0.7	10	1	8	8	12740	8390	8390	0.933333
1447	048	2466	0.06	2235	1	65	100	3	6	5	7398	5163	NC-1	65	form-based			true	0.75	9	1.5	8	8	11097	8862	8862	1.5
1449	039	2617	0.06	2512	2	65	100	3	6	4	7851	5339	NC-1	65	form-based			true	0.75	10	1.666666627	8	8	11776.5	9264.5	9264.5	1.5
1450	036	2500	0.06	1850	1	65	100	3	6	5	7500	5650	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9400	9400	1.5
1450	037	2500	0.06	2165	1	65	100	3	6	5	7500	5335	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9085	9085	1.5
1450	038	2500	0.06	1175	1	65	100	3	6	5	7500	6325	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10075	10075	1.5
1450	039	2500	0.06	478	1	65	100	3	6	5	7500	7022	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10772	10772	1.5
1450	049	21748	0.5	22481	41	65	100	3	50	9	65244	42763	NCD-GEAR	40	form-based			true	0.75	49	0.980000019	8	8	65244	42763	42763	1
1451	042	2501	0.06	1700	1	65	100	3	6	5	7503	5803	NCD-OUTE	65	form-based			true	0.75	9	1.5	8	8	11254.5	9554.5	9554.5	1.5
1452	042	2494	0.06	1540	1	65	100	3	6	5	7482	5942	NCD-OUTE	65	form-based			true	0.75	9	1.5	8	8	11223	9683	9683	1.5
1453	041C	2020	0.05	2458	0	65	100	3	5	5	6060	3602	NCD-OUTE	65	form-based		true	true	0.75	8	1.600000024	8	8	9090	6632	6632	1.5
1454	036	4919	0.11	7226	10	65	100	3	11	1	14757	7531	NCD-OUTE	65	form-based			true	0.75	18	1.636363626	8	8	22135.5	14909.5	14909.5	1.5
1456	047	2248	0.05	962	0	65	100	3	5	5	6744	5782	NCD-OUTE	65	form-based			true	0.75	8	1.600000024	8	8	10116	9154	9154	1.5
1456	047A	2749	0.06	3520	2	65	100	3	6	4	8247	4727	NCD-OUTE	65	form-based			true	0.75	10	1.666666627	8	8	12370.5	8850.5	8850.5	1.5
1459	009	5122	0.12	10944	19	85	140	4	17	0	20488	9544	NCD-GEAR	85	form-based			true	0.75	27	1.588235259	8	8	30732	19788	19788	1.5
1459	027	2471	0.06	1225	1	65	100	3	6	5	7413	6188	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11119.5	9894.5	9894.5	1.5
1460	001S	1838	0.04	3125	2	85	140	4	6	4	7352	4227	RTO-C	85	form-based			true	0.75	10	1.666666627	8	8	11028	7903	7903	1.5
1460	019	2561	0.06	2500	2	65	100	3	6	4	7683	5183	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11524.5	9024.5	9024.5	1.5
1460	041	3799	0.09	1800	0	65	100	3	9	9	11397	9597	RM-1	40	form-based			true	0.7	8	0.888888896	8	8	10637.2002	8837.200195	8837.200195	0.933333
1462	006	4408	0.1	1720	1	65	100	3	10	9	13224	11504	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12342.39941	10622.39941	10622.39941	0.933333
1462	050	2555	0.06	3670	2	65	100	3	6	4	7665	3995	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11497.5	7827.5	7827.5	1.5
1463	025	1800	0.04	2200	1	85	140	4	6	5	7200	5000	RTO-C	85	form-based		true	true	0.75	9	1.5	8	8	10800	8600	8600	1.5
1463	025A	1800	0.04	1500	1	85	140	4	6	5	7200	5700	RTO-C	85	form-based			true	0.75	9	1.5	8	8	10800	9300	9300	1.5
1463	026	1800	0.04	1500	1	85	140	4	6	5	7200	5700	RTO-C	85	form-based			true	0.75	9	1.5	8	8	10800	9300	9300	1.5
1463	046	2435	0.06	2494	1	65	100	3	6	5	7305	4811	NC-1	65	form-based			true	0.75	9	1.5	8	8	10957.5	8463.5	8463.5	1.5
1463	047	2436	0.06	1568	1	65	100	3	6	5	7308	5740	NC-1	65	form-based			true	0.75	9	1.5	8	8	10962	9394	9394	1.5
1465	001C	2555	0.06	3740	2	65	100	3	6	4	7665	3925	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11497.5	7757.5	7757.5	1.5
1465	021A	2554	0.06	3400	2	65	100	3	6	4	7662	4262	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11493	8093	8093	1.5
1465	021B	2555	0.06	3400	2	65	100	3	6	4	7665	4265	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11497.5	8097.5	8097.5	1.5
1465	021C	2554	0.06	3400	2	65	100	3	6	4	7662	4262	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11493	8093	8093	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1466	033	4488	0.1	1560	1	65	100	3	10	9	13464	11904	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12566.39941	11006.39941	11006.39941	0.933333
1467	021	2063	0.05	3350	3	65	100	3	5	2	6189	2839	RTO-C	85	form-based			true	0.75	11	2.200000048	8	7	12378	9028	9028	2
1468	007	4417	0.1	2484	1	65	100	3	10	9	13251	10767	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12367.59961	9883.599609	9883.599609	0.933333
1468	008	4381	0.1	2797	1	65	100	3	10	9	13143	10346	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12266.7998	9469.799805	9469.799805	0.933333
1468	011	4506	0.1	2923	1	55	80	2.5	8	7	11265	8342	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12616.7998	9693.799805	9693.799805	1.12
1468	012	4291	0.1	2525	1	55	80	2.5	8	7	10728	8203	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12014.7998	9489.799805	9489.799805	1.119948
1469	014	4075	0.09	5044	1	65	100	3	9	8	12225	7181	RH-1(D)	40	form-based		true	true	0.7	9	1	8	8	11410	6366	6366	0.933333
1468	019	2517	0.06	2495	1	55	80	2.5	5	4	6292	3797	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11326.5	8831.5	8831.5	1.800143
1469	015	4087	0.09	3055	1	65	100	3	9	8	12261	9206	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11443.59961	8388.599609	8388.599609	0.933333
1469	016	4102	0.09	3031	1	65	100	3	9	8	12306	9275	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11485.59961	8454.599609	8454.599609	0.933333
1469	017	4334	0.1	4143	1	65	100	3	10	9	13002	8859	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12135.2002	7992.200195	7992.200195	0.933333
1469	018	4496	0.1	3404	1	65	100	3	10	9	13488	10084	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12588.7998	9184.799805	9184.799805	0.933333
1469A	001	4256	0.1	3794	1	65	100	3	10	9	12768	8974	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11916.7998	8122.799805	8122.799805	0.933333
1469A	002	4140	0.1	2700	1	65	100	3	10	9	12420	9720	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11592	8892	8892	0.933333
1470	031	4500	0.1	1509	1	55	80	2.5	8	7	11250	9741	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12600	11091	11091	1.12
1470	049	4200	0.1	1775	1	55	80	2.5	8	7	10500	8725	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11760	9985	9985	1.12
1470	053	2429	0.06	4418	1	55	80	2.5	5	4	6072	1654	RTO-C	65	form-based		true	true	0.75	9	1.799999952	8	8	10930.5	6512.5	6512.5	1.800148
1470	054	2398	0.06	3610	1	55	80	2.5	5	4	5995	2385	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10791	7181	7181	1.8
1471	009	4200	0.1	2819	1	55	80	2.5	8	7	10500	7681	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11760	8941	8941	1.12
1471	010	4200	0.1	2012	1	55	80	2.5	8	7	10500	8488	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11760	9748	9748	1.12
1471	011	4200	0.1	1400	1	55	80	2.5	8	7	10500	9100	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11760	10360	10360	1.12
1471	012	4200	0.1	1350	1	55	80	2.5	8	7	10500	9150	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11760	10410	10410	1.12
1471	037	2505	0.06	1727	1	55	80	2.5	5	4	6262	4535	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11272.5	9545.5	9545.5	1.800144
1471	038	2505	0.06	1988	1	55	80	2.5	5	4	6262	4274	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11272.5	9284.5	9284.5	1.800144
1471	039	2441	0.06	1705	1	55	80	2.5	5	4	6102	4397	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10984.5	9279.5	9279.5	1.800148
1472	002C	1679	0.04	1986	1	55	80	2.5	3	2	4198	2212	RTO-C	85	form-based		true	true	0.75	9	3	8	5	10074	8088	6410	2.399714
1472	002D	1678	0.04	1450	1	55	80	2.5	3	2	4195	2745	RTO-C	85	form-based			true	0.75	9	3	8	5	10068	8618	6940	2.4
1505	011	4573	0.1	5606	2	55	80	2.5	8	6	11432	5826	RH-2	40	form-based			true	0.7	10	1.25	8	8	12804.39941	7198.399414	7198.399414	1.120049
1505	025	4446	0.1	1280	1	55	80	2.5	8	7	11115	9835	RH-2	40	form-based			true	0.7	9	1.125	8	8	12448.7998	11168.7998	11168.7998	1.12
1506	001A	2500	0.06	4090	5	55	80	2.5	5	0	6250	2160	RTO-C	85	form-based			true	0.75	13	2.599999905	8	5	15000	10910	8410	2.4
1507	037	2484	0.06	4196	5	55	80	2.5	5	0	6210	2014	RTO-C	85	form-based			true	0.75	13	2.599999905	8	5	14904	10708	8224	2.4
1509	001A	1993	0.05	3250	2	65	100	3	5	3	5979	2729	RH-2	85	form-based			true	0.7	10	2	8	8	11160.7998	7910.799805	7910.799805	1.866667
1515	036	2459	0.06	3944	5	85	140	4	8	3	9836	5892	RTO-C	85	form-based			true	0.75	13	1.625	8	8	14754	10810	10810	1.5
1518	001	3889	0.09	9505	12	65	100	3	9	0	11667	2162	NCD-GEAR	85	form-based		true	true	0.75	20	2.222222328	8	6	23334	13829	13829	2
1518	009	3656	0.08	6340	0	65	100	3	8	8	10968	4628	RM-1	40	form-based			true	0.7	8	1	8	8	10236.7998	3896.799805	3896.799805	0.933333
1518	026	4112	0.09	1990	1	65	100	3	9	8	12336	10346	RH-2	40	form-based			true	0.7	9	1	8	8	11513.59961	9523.599609	9523.599609	0.933333
1523	001	2674	0.06	6593	6	65	100	3	6	0	8022	1429	NCD-GEAR	85	form-based		true	true	0.75	14	2.333333254	8	6	16044	9451	9451	2
1529	047	2508	0.06	4750	5	65	100	3	6	1	7524	2774	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	8	7	15048	10298	10298	2
1534	041	2505	0.06	5595	5	65	100	3	6	1	7515	1920	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	8	7	15030	9435	9435	2
1538	001	5693	0.13	16872	22	85	140	4	18	0	22772	5900	NCD-GEAR	85	form-based		true	true	0.75	30	1.666666627	8	8	34158	17286	17286	1.5
1542	037	5328	0.12	5240	3	65	100	3	12	9	15984	10744	RH-2	40	form-based			true	0.7	11	0.916666687	8	8	14918.39941	9678.399414	9678.399414	0.933333
1544	028	2627	0.06	2540	2	65	100	3	6	4	7881	5341	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11821.5	9281.5	9281.5	1.5
1545	023	2388	0.05	2159	1	65	100	3	5	4	7164	5005	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10746	8587	8587	1.5
1545	026	2509	0.06	2120	1	65	100	3	6	5	7527	5407	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11290.5	9170.5	9170.5	1.5
1545	028	2398	0.06	1275	1	65	100	3	6	5	7194	5919	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10791	9516	9516	1.5
1545	030	2398	0.06	1750	1	65	100	3	6	5	7194	5444	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10791	9041	9041	1.5
1546	018C	3243	0.07	3146	4	65	100	3	7	3	9729	6583	NCD-INNE	65	form-based			true	0.75	12	1.714285731	8	8	14593.5	11447.5	11447.5	1.5
1547	026	2510	0.06	1685	1	65	100	3	6	5	7530	5845	NCD-INNE	65	form-based			true	0.75	9	1.5	8	8	11295	9610	9610	1.5
1547	030	2376	0.05	1500	1	65	100	3	5	4	7128	5628	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10692	9192	9192	1.5
1550	026	2421	0.06	1935	1	65	100	3	6	5	7263	5328	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10894.5	8959.5	8959.5	1.5
1551	019	2309	0.05	1695	1	65	100	3	5	4	6927	5232	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10390.5	8695.5	8695.5	1.5
1551	029	2398	0.06	1620	1	65	100	3	6	5	7194	5574	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10791	9171	9171	1.5
1552	021	2352	0.05	1815	1	65	100	3	5	4	7056	5241	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10584	8769	8769	1.5
1552	022	2352	0.05	2494	1	65	100	3	5	4	7056	4562	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10584	8090	8090	1.5
1552	023	2352	0.05	2075	1	65	100	3	5	4	7056	4981	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10584	8509	8509	1.5
1552	025	2514	0.06	2550	1	65	100	3	6	5	7542	4992	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11313	8763	8763	1.5
1552	026	2514	0.06	1550	1	65	100	3	6	5	7542	5992	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11313	9763	9763	1.5
1552	031	4053	0.09	4190	1	65	100	3	9	8	12159	7969	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11348.39941	7158.399414	7158.399414	0.933333
1552	032	4053	0.09	3925	1	65	100	3	9	8	12159	8234	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11348.39941	7423.399414	7423.399414	0.933333
1552	033	4101	0.09	4879	1	65	100	3	9	8	12303	7424	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11482.7998	6603.799805	6603.799805	0.933333
1552	037	4635	0.11	3440	2	65	100	3	11	9	13905	10465	RH-1(D)	40	form-based			true	0.7	10	0.909090936	8	8	12978	9538	9538	0.933333
1552	038	4053	0.09	3623	1	65	100	3	9	8	12159	8536	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11348.39941	7725.399414	7725.399414	0.933333
1552	039	4053	0.09	3136	1	65	100	3	9	8	12159	9023	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11348.39941	8212.399414	8212.399414	0.933333
1553	022	2357	0.05	2250	1	55	80	2.5	4	3	5892	3642	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10606.5	8356.5	8356.5	1.800153

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1553	023	2357	0.05	1800	1	55	80	2.5	4	3	5892	4092	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10606.5	8806.5	8806.5	1.800153
1554	010	2513	0.06	1930	1	55	80	2.5	5	4	6282	4352	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11308.5	9378.5	9378.5	1.800143
1554	011	2513	0.06	1625	1	55	80	2.5	5	4	6282	4657	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11308.5	9683.5	9683.5	1.800143
1554	012	2513	0.06	1850	1	55	80	2.5	5	4	6282	4432	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11308.5	9458.5	9458.5	1.800143
1554	013	2513	0.06	2025	1	65	100	3	6	5	7539	5514	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11308.5	9283.5	9283.5	1.5
1554	014	2513	0.06	2416	1	65	100	3	6	5	7539	5123	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11308.5	8892.5	8892.5	1.5
1555	023	2404	0.06	1590	1	65	100	3	6	5	7212	5622	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10818	9228	9228	1.5
1557	016	2769	0.06	2300	2	65	100	3	6	4	8307	6007	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12460.5	10160.5	10160.5	1.5
1557	017	3197	0.07	3488	4	65	100	3	7	3	9591	6103	RTO-C	65	form-based			true	0.75	12	1.714285731	8	8	14386.5	10898.5	10898.5	1.5
1557	019	2726	0.06	2870	2	65	100	3	6	4	8178	5308	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12267	9397	9397	1.5
1557	022	4422	0.1	2608	1	65	100	3	10	9	13266	10658	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12381.59961	9773.599609	9773.599609	0.933333
1560	024	2459	0.06	2020	1	65	100	3	6	5	7377	5357	NC-1	65	form-based			true	0.75	9	1.5	8	8	11065.5	9045.5	9045.5	1.5
1560	049	3100	0.07	1217	4	65	100	3	7	3	9300	8083	RTO-C	65	form-based	true	true	true	0.75	12	1.714285731	8	8	13950	12733	12733	1.5
1563	014	3171	0.07	4430	4	65	100	3	7	3	9513	5083	RTO-C	65	form-based	true	true	true	0.75	12	1.714285731	8	8	14269.5	9839.5	9839.5	1.5
1563	022	3209	0.07	4600	4	65	100	3	7	3	9627	5027	RTO-C	65	form-based	true	true	true	0.75	12	1.714285731	8	8	14440.5	9840.5	9840.5	1.5
1564	021	2461	0.06	2000	1	65	100	3	6	5	7383	5383	NC-1	65	form-based			true	0.75	9	1.5	8	8	11074.5	9074.5	9074.5	1.5
1565	012	2095	0.05	1381	0	65	100	3	5	5	6285	4904	RTO-C	65	form-based			true	0.75	8	1.600000024	8	8	9427.5	8046.5	8046.5	1.5
1565	012D	2461	0.06	1360	1	65	100	3	6	5	7383	6023	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11074.5	9714.5	9714.5	1.5
1565	012E	2461	0.06	1360	1	65	100	3	6	5	7383	6023	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11074.5	9714.5	9714.5	1.5
1565	012F	2461	0.06	1360	1	65	100	3	6	5	7383	6023	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11074.5	9714.5	9714.5	1.5
1566	022	2793	0.06	2149	2	65	100	3	6	4	8379	6230	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12568.5	10419.5	10419.5	1.5
1569	015	2503	0.06	1225	1	65	100	3	6	5	7509	6284	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11263.5	10038.5	10038.5	1.5
1569	017A	2617	0.06	3100	2	65	100	3	6	4	7851	4751	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11776.5	8676.5	8676.5	1.5
1570	011	3088	0.07	3713	4	65	100	3	7	3	9264	5551	RTO-C	65	form-based			true	0.75	12	1.714285731	8	8	13896	10183	10183	1.5
1570	014A	4184	0.1	1425	1	65	100	3	10	9	12552	11127	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11715.2002	10290.2002	10290.2002	0.933333
1570	016	4507	0.1	1450	1	65	100	3	10	9	13521	12071	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12619.59961	11169.59961	11169.59961	0.933333
1571	005K	2464	0.06	1757	1	65	100	3	6	5	7392	5635	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11088	9331	9331	1.5
1571	005M	2464	0.06	1100	1	65	100	3	6	5	7392	6292	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11088	9988	9988	1.5
1571	005N	2464	0.06	1720	1	65	100	3	6	5	7392	5672	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11088	9368	9368	1.5
1575	017	2466	0.06	1450	1	65	100	3	6	5	7398	5948	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11097	9647	9647	1.5
1575	037	2466	0.06	2494	1	65	100	3	6	5	7398	4904	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11097	8603	8603	1.5
1580	005G	2100	0.05	3657	0	55	80	2.5	4	4	5250	1593	NCD-OUTE	65	form-based	true		true	0.75	8	2	8	8	9450	5793	5793	1.8
1583	021	2411	0.06	1841	1	55	80	2.5	5	4	6028	4187	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10849.5	9008.5	9008.5	1.799851
1583	022	2411	0.06	1325	1	55	80	2.5	5	4	6028	4703	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10849.5	9524.5	9524.5	1.799851
1606	037	4773	0.11	3182	2	55	80	2.5	9	7	11932	8750	RH-2	40	form-based			true	0.7	10	1.111111164	8	8	13364.39941	10182.39941	10182.39941	1.120047
1608	002	2451	0.06	2262	1	55	80	2.5	5	4	6128	3866	NCD- OUTI	65	form-based			true	0.75	9	1.799999952	8	8	11029.5	8767.5	8767.5	1.799853
1608	003	2451	0.06	1760	1	55	80	2.5	5	4	6128	4368	NCD- OUTI	65	form-based			true	0.75	9	1.799999952	8	8	11029.5	9269.5	9269.5	1.799853
1608	004	2452	0.06	1175	1	55	80	2.5	5	4	6130	4955	NCD- OUTI	65	form-based			true	0.75	9	1.799999952	8	8	11034	9859	9859	1.8
1609	011	6073	0.14	5760	5	55	80	2.5	11	6	15182	9422	RH-2	40	form-based			true	0.7	13	1.181818128	8	8	17004.40039	11244.40039	11244.40039	1.120037
1613	005A	2315	0.05	2163	1	55	80	2.5	4	3	5788	3625	RTO-C	65	form-based	true		true	0.75	9	2.25	8	7	10417.5	8254.5	8254.5	1.799845
1613	005B	2518	0.06	2050	1	55	80	2.5	5	4	6295	4245	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11331	9281	9281	1.8
1613	005S	2518	0.06	2340	1	55	80	2.5	5	4	6295	3955	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11331	8991	8991	1.8
1614	020	2365	0.05	2684	1	55	80	2.5	4	3	5912	3228	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10642.5	7958.5	7958.5	1.800152
1614	020A	2365	0.05	1105	1	55	80	2.5	4	3	5912	4807	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10642.5	9537.5	9537.5	1.800152
1614	021	2365	0.05	1090	1	55	80	2.5	4	3	5912	4822	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10642.5	9552.5	9552.5	1.800152
1614	022	2373	0.05	2585	1	55	80	2.5	4	3	5932	3347	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10678.5	8093.5	8093.5	1.800152
1614	022A	2387	0.05	1105	1	55	80	2.5	4	3	5968	4863	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10741.5	9636.5	9636.5	1.799849
1614	023	2387	0.05	1602	1	55	80	2.5	4	3	5968	4366	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10741.5	9139.5	9139.5	1.799849
1616	043	2597	0.06	2000	2	55	80	2.5	5	3	6492	4492	RTO-C	65	form-based			true	0.75	10	2	8	8	11686.5	9686.5	9686.5	1.800139
1616	046	2597	0.06	2800	2	55	80	2.5	5	3	6492	3692	RTO-C	65	form-based			true	0.75	10	2	8	8	11686.5	8886.5	8886.5	1.800139
1617	001A	2453	0.06	2130	1	55	80	2.5	5	4	6132	4002	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11038.5	8908.5	8908.5	1.800147
1617	001B	2453	0.06	1940	1	55	80	2.5	5	4	6132	4192	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11038.5	9098.5	9098.5	1.800147
1617	001C	2453	0.06	2204	1	55	80	2.5	5	4	6132	3928	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11038.5	8834.5	8834.5	1.800147
1617	032A	3172	0.07	5535	4	55	80	2.5	6	2	7930	2395	NC-1	65	form-based	true		true	0.75	12	2	8	8	14274	8739	8739	1.8
1618	001F	2429	0.06	1520	1	55	80	2.5	5	4	6072	4552	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10930.5	9410.5	9410.5	1.800148
1619	001C	2444	0.06	1279	1	55	80	2.5	5	4	6110	4831	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10998	9719	9719	1.8
1620	022A	2375	0.05	1430	1	55	80	2.5	4	3	5938	4508	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	9257.5	9257.5	1.799848
1622	040	2512	0.06	984	1	55	80	2.5	5	4	6280	5296	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11304	10320	10320	1.8
1622	041	2512	0.06	1175	1	55	80	2.5	5	4	6280	5105	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11304	10129	10129	1.8
1622	042	2512	0.06	1232	1	55	80	2.5	5	4	6280	5048	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11304	10072	10072	1.8
1622	043	2512	0.06	1168	1	55	80	2.5	5	4	6280	5112	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11304	10136	10136	1.8
1622	061	3296	0.08	1005	4	55	80	2.5	6	2	8240	7235	RTO-C	65	form-based	true		true	0.75	12	2	8	8	14832	13827	13827	1.8
1623	045	2539	0.06	2900	2	55	80	2.5	5	3	6348	3448	NC-1	65	form-based			true	0.75	10	2	8	8	11425.5	8525.5	8525.5	1.799858
1624	001A	2510	0.06	1330	1	55	80	2.5	5	4	6275	4945	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11295	9965	9965	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1624	001E	2510	0.06	1200	1	55	80	2.5	5	4	6275	5075	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11295	10095	10095	1.8
1624	014	2510	0.06	1900	1	55	80	2.5	5	4	6275	4375	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11295	9395	9395	1.8
1625	002	2448	0.06	2080	1	55	80	2.5	5	4	6120	4040	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11016	8936	8936	1.8
1625	004	2448	0.06	2280	1	55	80	2.5	5	4	6120	3840	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11016	8736	8736	1.8
1625	023	2286	0.05	1850	1	55	80	2.5	4	3	5715	3865	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10287	8437	8437	1.8
1625	025	2510	0.06	2215	1	55	80	2.5	5	4	6275	4060	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11295	9080	9080	1.8
1626	001E	2328	0.05	2190	1	55	80	2.5	4	3	5820	3630	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10476	8286	8286	1.8
1626	001F	2328	0.05	2050	1	55	80	2.5	4	3	5820	3770	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10476	8426	8426	1.8
1626	023	2435	0.06	1900	1	55	80	2.5	5	4	6088	4188	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10957.5	9057.5	9057.5	1.799852
1626	023A	2435	0.06	2080	1	55	80	2.5	5	4	6088	4008	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10957.5	8877.5	8877.5	1.799852
1626	023B	2435	0.06	1900	1	55	80	2.5	5	4	6088	4188	NC-1	65	form-based			true	0.75	9	1.799999952	8	8	10957.5	9057.5	9057.5	1.799852
1627	021	2411	0.06	1950	1	55	80	2.5	5	4	6028	4078	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10849.5	8899.5	8899.5	1.799851
1627	022	2411	0.06	1950	1	55	80	2.5	5	4	6028	4078	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10849.5	8899.5	8899.5	1.799851
1627	022A	2411	0.06	1950	1	55	80	2.5	5	4	6028	4078	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10849.5	8899.5	8899.5	1.799851
1628	029	3251	0.07	4594	4	55	80	2.5	6	2	8128	3534	RTO-C	65	form-based		true	true	0.75	12	2	8	8	14629.5	10035.5	10035.5	1.799889
1628	033	2493	0.06	1315	1	55	80	2.5	5	4	6232	4917	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11218.5	9903.5	9903.5	1.800144
1629	039B	2502	0.06	1700	1	55	80	2.5	5	4	6255	4555	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11259	9559	9559	1.8
1630	034	2352	0.05	3114	1	55	80	2.5	4	3	5880	2766	RTO-C	65	form-based		true	true	0.75	9	2.25	8	7	10584	7470	7470	1.8
1632	002	2361	0.05	1040	1	55	80	2.5	4	3	5902	4862	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10624.5	9584.5	9584.5	1.800153
1632	003	2361	0.05	1769	1	55	80	2.5	4	3	5902	4133	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10624.5	8855.5	8855.5	1.800153
1632	007	4061	0.09	2250	1	55	80	2.5	7	6	10152	7902	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11370.7998	9120.799805	9120.799805	1.120055
1632	019	2490	0.06	3242	1	55	80	2.5	5	4	6225	2983	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11205	7963	7963	1.8
1633	001	2289	0.05	2896	1	55	80	2.5	4	3	5722	2826	RTO-C	65	form-based		true	true	0.75	9	2.25	8	7	10300.5	7404.5	7404.5	1.800157
1633	002	2369	0.05	2538	1	55	80	2.5	4	3	5922	3384	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10660.5	8122.5	8122.5	1.800152
1633	003	2369	0.05	2538	1	55	80	2.5	4	3	5922	3384	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10660.5	8122.5	8122.5	1.800152
1633	004	2369	0.05	2538	1	55	80	2.5	4	3	5922	3384	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10660.5	8122.5	8122.5	1.800152
1633	020	4169	0.1	1825	1	55	80	2.5	8	7	10422	8597	RH-1	40	form-based			true	0.7	9	1.125	8	8	11673.2002	9848.200195	9848.200195	1.120054
1633	047	2375	0.05	2750	1	55	80	2.5	4	3	5938	3188	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	7937.5	7937.5	1.799848
1633	048	2375	0.05	2250	1	55	80	2.5	4	3	5938	3688	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	8437.5	8437.5	1.799848
1633	049	2375	0.05	2300	1	55	80	2.5	4	3	5938	3638	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	8387.5	8387.5	1.799848
1633	050	2297	0.05	2494	1	55	80	2.5	4	3	5742	3248	RTO-C	65	form-based		true	true	0.75	9	2.25	8	7	10336.5	7842.5	7842.5	1.800157
1633	051	2479	0.06	2500	1	55	80	2.5	5	4	6198	3698	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11155.5	8655.5	8655.5	1.799855
1633	052	2479	0.06	2084	1	55	80	2.5	5	4	6198	4114	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11155.5	9071.5	9071.5	1.799855
1634	001A	2336	0.05	1788	1	55	80	2.5	4	3	5840	4052	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10512	8724	8724	1.8
1634	001B	2336	0.05	1788	1	55	80	2.5	4	3	5840	4052	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10512	8724	8724	1.8
1634	001I	2336	0.05	3749	1	55	80	2.5	4	3	5840	2091	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10512	6763	6763	1.8
1634	028	2423	0.06	2340	1	55	80	2.5	5	4	6058	3718	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10903.5	8563.5	8563.5	1.799851
1634	029	2423	0.06	2340	1	55	80	2.5	5	4	6058	3718	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10903.5	8563.5	8563.5	1.799851
1634	029A	2423	0.06	2340	1	55	80	2.5	5	4	6058	3718	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10903.5	8563.5	8563.5	1.799851
1634	029B	2437	0.06	3437	1	55	80	2.5	5	4	6092	2655	RTO-C	65	form-based		true	true	0.75	9	1.799999952	8	8	10966.5	7529.5	7529.5	1.800148
1634	030	2504	0.06	1965	1	55	80	2.5	5	4	6260	4295	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11268	9303	9303	1.8
1634	031	2503	0.06	2180	1	55	80	2.5	5	4	6258	4078	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11263.5	9083.5	9083.5	1.799856
1635	033	2501	0.06	3160	1	55	80	2.5	5	4	6252	3092	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11254.5	8094.5	8094.5	1.800144
1635	034	2452	0.06	1380	1	55	80	2.5	5	4	6130	4750	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11034	9654	9654	1.8
1636	021	4237	0.1	1558	1	55	80	2.5	8	7	10592	9034	RH-2	40	form-based			true	0.7	9	1.125	8	8	11863.59961	10305.59961	10305.59961	1.120053
1637	001A	2274	0.05	3498	1	55	80	2.5	4	3	5685	2187	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10233	6735	6735	1.8
1637	001B	2274	0.05	2000	1	55	80	2.5	4	3	5685	3685	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10233	8233	8233	1.8
1637	002	2274	0.05	2000	1	55	80	2.5	4	3	5685	3685	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10233	8233	8233	1.8
1637	033	2457	0.06	2504	1	55	80	2.5	5	4	6142	3638	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11056.5	8552.5	8552.5	1.800147
1637	033A	2484	0.06	2060	1	55	80	2.5	5	4	6210	4150	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11178	9118	9118	1.8
1638	002	2360	0.05	1700	1	55	80	2.5	4	3	5900	4200	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10620	8920	8920	1.8
1638	003	2360	0.05	1700	1	55	80	2.5	4	3	5900	4200	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10620	8920	8920	1.8
1638	004	2379	0.05	1700	1	55	80	2.5	4	3	5948	4248	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10705.5	9005.5	9005.5	1.799849
1638	028	2375	0.05	1800	1	55	80	2.5	4	3	5938	4138	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	8887.5	8887.5	1.799848
1638	029	2375	0.05	1800	1	55	80	2.5	4	3	5938	4138	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	8887.5	8887.5	1.799848
1639	003	2384	0.05	1600	1	55	80	2.5	4	3	5960	4360	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10728	9128	9128	1.8
1639	044	2375	0.05	1850	1	55	80	2.5	4	3	5938	4088	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	8837.5	8837.5	1.799848
1640	004	2372	0.05	1500	1	55	80	2.5	4	3	5930	4430	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10674	9174	9174	1.8
1640	048	2375	0.05	1700	1	55	80	2.5	4	3	5938	4238	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	8987.5	8987.5	1.799848
1640	051	4999	0.11	6780	11	55	80	2.5	9	0	12498	5718	NCD-INNE	65	form-based			true	0.75	19	2.111111164	8	7	22495.5	15715.5	15715.5	1.799928
1641	002	2393	0.05	1452	1	55	80	2.5	4	3	5982	4530	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10768.5	9316.5	9316.5	1.80015
1641	046	2375	0.05	1549	1	55	80	2.5	4	3	5938	4389	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	9138.5	9138.5	1.799848
1641	047	2375	0.05	3299	1	55	80	2.5	4	3	5938	2639	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	7388.5	7388.5	1.799848
1641	048	2612	0.06	2488	2	55	80	2.5	5	3	6530	4042	RTO-C	65	form-based			true	0.75	10	2	8	8	11754	9266	9266	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1642	003	2389	0.05	1628	1	55	80	2.5	4	3	5972	4344	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10750.5	9122.5	9122.5	1.800151
1642	004	2389	0.05	1552	1	55	80	2.5	4	3	5972	4420	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10750.5	9198.5	9198.5	1.800151
1642	048	2375	0.05	1938	1	55	80	2.5	4	3	5938	4000	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	8749.5	8749.5	1.799848
1642	049	2375	0.05	1892	1	55	80	2.5	4	3	5938	4046	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	8795.5	8795.5	1.799848
1643	047	2375	0.05	2993	1	55	80	2.5	4	3	5938	2945	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	7694.5	7694.5	1.799848
1643	055	7653	0.18	17142	21	55	80	2.5	14	0	19132	1990	RTO-C	65	form-based		true	true	0.75	29	2.071428537	8	7	34438.5	17296.5	17296.5	1.800047
1644	015	2370	0.05	3840	4	55	80	2.5	4	0	5925	2085	RTO-C	85	form-based			true	0.75	12	3	8	4	14220	10380	8010	2.4
1646	006	4652	0.11	2370	2	55	80	2.5	9	7	11630	9260	RH-1	40	form-based			true	0.7	10	1.111111164	8	8	13025.59961	10655.59961	10655.59961	1.12
1647	012	4056	0.09	2794	1	55	80	2.5	7	6	10140	7346	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11356.7998	8562.799805	8562.799805	1.12
1650	035	6000	0.14	6848	5	55	80	2.5	11	6	15000	8152	RH-2	40	form-based		true	true	0.7	13	1.181818128	8	8	16800	9952	9952	1.12
1652	010M	2310	0.05	4000	4	55	80	2.5	4	0	5775	1775	RTO-C	85	form-based		true	true	0.75	12	3	8	4	13860	9860	7550	2.4
1652	013	1736	0.04	2250	1	55	80	2.5	3	2	4340	2090	RTO-C	85	form-based			true	0.75	9	3	8	5	10416	8166	6430	2.4
1654	026	1800	0.04	1760	1	55	80	2.5	3	2	4500	2740	RTO-C	85	form-based			true	0.75	9	3	8	5	10800	9040	7240	2.4
1655	029	4315	0.1	2596	1	55	80	2.5	8	7	10788	8192	RH-1	40	form-based			true	0.7	9	1.125	8	8	12082	9486	9486	1.119948
1660	018	1921	0.04	3280	2	55	80	2.5	3	1	4802	1522	RTO-C	85	form-based			true	0.75	10	3.333333254	8	4	11526	8246	6324	2.40025
1660	019	1921	0.04	3280	2	55	80	2.5	3	1	4802	1522	RTO-C	85	form-based			true	0.75	10	3.333333254	8	4	11526	8246	6324	2.40025
1660	020	2481	0.06	3752	5	55	80	2.5	5	0	6202	2450	RTO-C	85	form-based			true	0.75	13	2.599999905	8	5	14886	11134	8652	2.400193
1662	025	3439	0.08	8445	10	55	80	2.5	6	0	8598	153	RTO-C	85	form-based		true	true	0.75	18	3	8	2	20634	12189	8751	2.39986
1663	020	3000	0.07	6855	8	55	80	2.5	6	0	7500	645	RTO-C	85	form-based			true	0.75	16	2.666666746	8	4	18000	11145	8145	2.4
1667	021	3239	0.07	8715	9	55	80	2.5	6	0	8098	0	RTO-C	85	form-based		true	true	0.75	17	2.833333254	8	3	19434	10719	7481	2.399852
1674	006	3262	0.07	8505	9	55	80	2.5	6	0	8155	0	RTO-C	85	form-based		true	true	0.75	17	2.833333254	8	3	19572	11067	7805	2.4
1703	018	2500	0.06	1840	1	65	100	3	6	5	7500	5660	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9410	9410	1.5
1703	019	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9975	9975	1.5
1703	020	2500	0.06	1400	1	65	100	3	6	5	7500	6100	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9850	9850	1.5
1703	044	2500	0.06	1880	1	65	100	3	6	5	7500	5620	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9370	9370	1.5
1703	045	2500	0.06	1548	1	65	100	3	6	5	7500	5952	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9702	9702	1.5
1704	001	3261	0.07	3864	4	65	100	3	7	3	9783	5919	RTO-C	65	form-based		true	true	0.75	12	1.714285731	8	8	14674.5	10810.5	10810.5	1.5
1704	044	2500	0.06	1591	1	65	100	3	6	5	7500	5909	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9659	9659	1.5
1704	048	2500	0.06	660	1	65	100	3	6	5	7500	6840	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10590	10590	1.5
1705	021	2500	0.06	900	1	65	100	3	6	5	7500	6600	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10350	10350	1.5
1705	022	2500	0.06	1188	1	65	100	3	6	5	7500	6312	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10062	10062	1.5
1705	023	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9950	9950	1.5
1705	046	2500	0.06	1036	1	65	100	3	6	5	7500	6464	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10214	10214	1.5
1706	044	2500	0.06	1756	1	65	100	3	6	5	7500	5744	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9494	9494	1.5
1706	045	2500	0.06	720	1	65	100	3	6	5	7500	6780	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10530	10530	1.5
1706	049	2500	0.06	1078	1	65	100	3	6	5	7500	6422	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10172	10172	1.5
1707	019	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10125	10125	1.5
1707	020	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10125	10125	1.5
1707	021	2500	0.06	1175	1	65	100	3	6	5	7500	6325	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10075	10075	1.5
1707	022	2500	0.06	1559	1	65	100	3	6	5	7500	5941	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9691	9691	1.5
1707	044	2542	0.06	1800	2	65	100	3	6	4	7626	5826	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11439	9639	9639	1.5
1707	045	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9950	9950	1.5
1707	046	2500	0.06	1480	1	65	100	3	6	5	7500	6020	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9770	9770	1.5
1707	048	2500	0.06	900	1	65	100	3	6	5	7500	6600	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10350	10350	1.5
1707	049	2500	0.06	900	1	65	100	3	6	5	7500	6600	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10350	10350	1.5
1707	060	2688	0.06	2695	2	65	100	3	6	4	8064	5369	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12096	9401	9401	1.5
1708	016	2394	0.05	1209	1	65	100	3	5	4	7182	5973	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10773	9564	9564	1.5
1708	018	2394	0.05	2164	1	65	100	3	5	4	7182	5018	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10773	8609	8609	1.5
1708	019	2394	0.05	1853	1	65	100	3	5	4	7182	5329	RTO-C	65	form-based		true	true	0.75	9	1.799999952	8	8	10773	8920	8920	1.5
1708	020	2500	0.06	1700	1	65	100	3	6	5	7500	5800	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9550	9550	1.5
1708	021	2500	0.06	1700	1	65	100	3	6	5	7500	5800	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9550	9550	1.5
1708	023	2375	0.05	1339	1	65	100	3	5	4	7125	5786	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9348.5	9348.5	1.5
1708	024	2375	0.05	2220	1	65	100	3	5	4	7125	4905	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8467.5	8467.5	1.5
1708	025	2375	0.05	1668	1	65	100	3	5	4	7125	5457	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9019.5	9019.5	1.5
1708	043	2500	0.06	1180	1	65	100	3	6	5	7500	6320	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10070	10070	1.5
1709	018	2500	0.06	1766	1	65	100	3	6	5	7500	5734	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9484	9484	1.5
1709	019	2500	0.06	1180	1	65	100	3	6	5	7500	6320	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10070	10070	1.5
1709	020	2500	0.06	1577	1	65	100	3	6	5	7500	5923	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9673	9673	1.5
1709	041	2500	0.06	1324	1	65	100	3	6	5	7500	6176	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9926	9926	1.5
1709	042	2500	0.06	1774	1	65	100	3	6	5	7500	5726	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9476	9476	1.5
1710	026	2375	0.05	1425	1	65	100	3	5	4	7125	5700	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9262.5	9262.5	1.5
1710	027	2375	0.05	1855	1	65	100	3	5	4	7125	5270	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8832.5	8832.5	1.5
1710	043	2493	0.06	1900	1	65	100	3	6	5	7479	5579	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11218.5	9318.5	9318.5	1.5
1710	044	2494	0.06	1907	1	65	100	3	6	5	7482	5575	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11223	9316	9316	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1710	045	2494	0.06	2032	1	65	100	3	6	5	7482	5450	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11223	9191	9191	1.5
1710	046	2495	0.06	1550	1	65	100	3	6	5	7485	5935	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11227.5	9677.5	9677.5	1.5
1710	047	2496	0.06	2050	1	65	100	3	6	5	7488	5438	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11232	9182	9182	1.5
1710	048	2496	0.06	2000	1	65	100	3	6	5	7488	5488	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11232	9232	9232	1.5
1710	049	2497	0.06	2207	1	65	100	3	6	5	7491	5284	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11236.5	9029.5	9029.5	1.5
1710	051	2250	0.05	2272	0	65	100	3	5	5	6750	4478	NC-1	65	form-based		true	true	0.75	8	1.600000024	8	8	10125	7853	7853	1.5
1711	019C	2563	0.06	2846	2	65	100	3	6	4	7689	4843	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11533.5	8687.5	8687.5	1.5
1711	027	2500	0.06	1425	1	65	100	3	6	5	7500	6075	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9825	9825	1.5
1711	027A	2500	0.06	1670	1	65	100	3	6	5	7500	5830	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9580	9580	1.5
1711	027B	2500	0.06	2901	1	65	100	3	6	5	7500	4599	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8349	8349	1.5
1712	001B	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9950	9950	1.5
1712	004	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9800	9800	1.5
1712	004B	2500	0.06	1934	1	65	100	3	6	5	7500	5566	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9316	9316	1.5
1712	004C	2500	0.06	1934	1	65	100	3	6	5	7500	5566	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9316	9316	1.5
1712	007M	2500	0.06	1552	1	65	100	3	6	5	7500	5948	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9698	9698	1.5
1712	007P	2500	0.06	1845	1	65	100	3	6	5	7500	5655	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9405	9405	1.5
1713	018	2366	0.05	2146	1	65	100	3	5	4	7098	4952	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10647	8501	8501	1.5
1713	019	2366	0.05	1770	1	65	100	3	5	4	7098	5328	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10647	8877	8877	1.5
1713	020	2366	0.05	2418	1	65	100	3	5	4	7098	4680	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10647	8229	8229	1.5
1715	044	2500	0.06	1808	1	65	100	3	6	5	7500	5692	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9442	9442	1.5
1716	049	2500	0.06	1952	1	65	100	3	6	5	7500	5548	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9298	9298	1.5
1718	008	4517	0.1	1100	1	65	100	3	10	9	13551	12451	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12647.59961	11547.59961	11547.59961	0.933333
1719	001I	2690	0.06	3660	2	65	100	3	6	4	8070	4410	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12105	8445	8445	1.5
1719	012	2700	0.06	2924	2	65	100	3	6	4	8100	5176	RTO-C	65	form-based		true	true	0.75	10	1.666666627	8	8	12150	9226	9226	1.5
1721	005	4515	0.1	1950	1	65	100	3	10	9	13545	11595	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12642	10692	10692	0.933333
1721	006	4395	0.1	1950	1	65	100	3	10	9	13185	11235	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12306	10356	10356	0.933333
1721	032	4080	0.09	2773	1	65	100	3	9	8	12240	9467	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11424	8651	8651	0.933333
1722	025	4097	0.09	1395	1	65	100	3	9	8	12291	10896	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11471.59961	10076.59961	10076.59961	0.933333
1722	033	3840	0.09	0	0	65	100	3	9	9	11520	11520	RH-1(D)	40	form-based			true	0.7	8	0.888888896	8	8	10752	10752	10752	0.933333
1722	035	4008	0.09	0	0	65	100	3	9	9	12024	12024	RH-1(D)	40	form-based			true	0.7	8	0.888888896	8	8	11222.39941	11222.39941	11222.39941	0.933333
1725	001A	2267	0.05	1997	1	65	100	3	5	4	6801	4804	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10201.5	8204.5	8204.5	1.5
1725	046	2500	0.06	1191	1	65	100	3	6	5	7500	6309	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10059	10059	1.5
1725	047	2500	0.06	1923	1	65	100	3	6	5	7500	5577	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9327	9327	1.5
1725	048	2500	0.06	1535	1	65	100	3	6	5	7500	5965	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9715	9715	1.5
1725	049	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10250	10250	1.5
1726	041	2477	0.06	2186	1	65	100	3	6	5	7431	5245	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11146.5	8960.5	8960.5	1.5
1726	041B	2477	0.06	1860	1	65	100	3	6	5	7431	5571	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11146.5	9286.5	9286.5	1.5
1726	042	2500	0.06	2450	1	65	100	3	6	5	7500	5050	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8800	8800	1.5
1726	043	2500	0.06	2188	1	65	100	3	6	5	7500	5312	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9062	9062	1.5
1726	044	2500	0.06	1954	1	65	100	3	6	5	7500	5546	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9296	9296	1.5
1726	045	2500	0.06	1584	1	65	100	3	6	5	7500	5916	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9666	9666	1.5
1726	046	2500	0.06	1726	1	65	100	3	6	5	7500	5774	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9524	9524	1.5
1727	044	2500	0.06	1650	1	65	100	3	6	5	7500	5850	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9600	9600	1.5
1727	047	2500	0.06	3215	1	65	100	3	6	5	7500	4285	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8035	8035	1.5
1728	017	4519	0.1	1450	1	65	100	3	10	9	13557	12107	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12653.2002	11203.2002	11203.2002	0.933333
1729	023I	2375	0.05	1700	1	65	100	3	5	4	7125	5425	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8987.5	8987.5	1.5
1729	023T	2375	0.05	2275	1	65	100	3	5	4	7125	4850	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8412.5	8412.5	1.5
1729	023U	2375	0.05	1400	1	65	100	3	5	4	7125	5725	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9287.5	9287.5	1.5
1730	003	3030	0.07	3875	3	65	100	3	7	4	9090	5215	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13635	9760	9760	1.5
1730	004	3030	0.07	3292	3	65	100	3	7	4	9090	5798	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13635	10343	10343	1.5
1730	009	3030	0.07	3084	3	65	100	3	7	4	9090	6006	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13635	10551	10551	1.5
1730	011	3030	0.07	3240	3	65	100	3	7	4	9090	5850	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13635	10395	10395	1.5
1730	012	3030	0.07	4686	3	65	100	3	7	4	9090	4404	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13635	8949	8949	1.5
1730	013	3030	0.07	3912	3	65	100	3	7	4	9090	5178	NCD-IRVIN	65	form-based			true	0.75	11	1.571428537	8	8	13635	9723	9723	1.5
1730	029	2989	0.07	3950	3	65	100	3	7	4	8967	5017	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13450.5	9500.5	9500.5	1.5
1730	031	2989	0.07	3606	3	65	100	3	7	4	8967	5361	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13450.5	9844.5	9844.5	1.5
1730	034	2989	0.07	5958	3	65	100	3	7	4	8967	3009	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13450.5	7492.5	7492.5	1.5
1730	053	3060	0.07	2085	3	65	100	3	7	4	9180	7095	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13770	11685	11685	1.5
1731	010	2228	0.05	3036	4	65	100	3	5	1	6684	3648	RTO-C	85	form-based			true	0.75	12	2.400000095	8	6	13368	10332	10332	2
1731	015	1928	0.04	4232	2	65	100	3	4	2	5784	1552	RTO-C	85	form-based			true	0.75	10	2.5	8	6	11568	7336	7336	2
1731	037	3000	0.07	2000	3	65	100	3	7	4	9000	7000	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13500	11500	11500	1.5
1731	049	3000	0.07	5724	3	65	100	3	7	4	9000	3276	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13500	7776	7776	1.5
1732	001A	2300	0.05	3000	4	65	100	3	5	1	6900	3900	RTO-C	85	form-based			true	0.75	12	2.400000095	8	6	13800	10800	10800	2
1733	012	2988	0.07	3100	3	65	100	3	7	4	8964	5864	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13446	10346	10346	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1733	016	2988	0.07	2342	3	65	100	3	7	4	8964	6622	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13446	11104	11104	1.5
1733	027	4500	0.1	8955	9	65	100	3	10	1	13500	4545	RTO-C	65	form-based			true	0.75	17	1.700000048	8	8	20250	11295	11295	1.5
1733	036	3000	0.07	3414	3	65	100	3	7	4	9000	5586	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13500	10086	10086	1.5
1733	041	1875	0.04	2128	2	65	100	3	4	2	5625	3497	RTO-C	85	form-based			true	0.75	10	2.5	8	6	11250	9122	9122	2
1733	055	2988	0.07	835	3	65	100	3	7	4	8964	8129	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13446	12611	12611	1.5
1733	061	3047	0.07	1486	3	65	100	3	7	4	9141	7655	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13711.5	12225.5	12225.5	1.5
1733	064	3000	0.07	1342	3	65	100	3	7	4	9000	7658	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13500	12158	12158	1.5
1734	018	2500	0.06	3382	5	65	100	3	6	1	7500	4118	NCD-INNE	85	form-based			true	0.75	13	2.166666746	8	7	15000	11618	11618	2
1735	058	2503	0.06	1628	1	65	100	3	6	5	7509	5881	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11263.5	9635.5	9635.5	1.5
1735	059	2497	0.06	1968	1	65	100	3	6	5	7491	5523	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11236.5	9268.5	9268.5	1.5
1735	060	2500	0.06	1020	1	65	100	3	6	5	7500	6480	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10230	10230	1.5
1735	061	2500	0.06	1020	1	65	100	3	6	5	7500	6480	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10230	10230	1.5
1735	062	2500	0.06	1020	1	65	100	3	6	5	7500	6480	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10230	10230	1.5
1740	045	2500	0.06	1144	1	65	100	3	6	5	7500	6356	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10106	10106	1.5
1740	049	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10050	10050	1.5
1741	025	2528	0.06	5625	5	65	100	3	6	1	7584	1959	NCD-INNE	85	form-based			true	0.75	13	2.166666746	8	7	15168	9543	9543	2
1743	008	3017	0.07	3960	3	65	100	3	7	4	9051	5091	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13576.5	9616.5	9616.5	1.5
1743	010	3015	0.07	4820	3	65	100	3	7	4	9045	4225	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13567.5	8747.5	8747.5	1.5
1743	012	3015	0.07	3700	3	65	100	3	7	4	9045	5345	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13567.5	9867.5	9867.5	1.5
1743	015	3015	0.07	3418	3	65	100	3	7	4	9045	5627	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13567.5	10149.5	10149.5	1.5
1743	016	3015	0.07	3592	3	65	100	3	7	4	9045	5453	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13567.5	9975.5	9975.5	1.5
1743	017	3015	0.07	3260	3	65	100	3	7	4	9045	5785	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13567.5	10307.5	10307.5	1.5
1743	018	2390	0.05	2208	1	65	100	3	5	4	7170	4962	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10755	8547	8547	1.5
1743	048	2500	0.06	1380	1	65	100	3	6	5	7500	6120	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9870	9870	1.5
1744	035	2375	0.05	1505	1	65	100	3	5	4	7125	5620	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9182.5	9182.5	1.5
1745	001	3106	0.07	4800	4	65	100	3	7	3	9318	4518	RTO-C	65	form-based	true		true	0.75	12	1.714285731	8	8	13977	9177	9177	1.5
1745	018	3087	0.07	4952	4	65	100	3	7	3	9261	4309	RTO-C	65	form-based	true		true	0.75	12	1.714285731	8	8	13891.5	8939.5	8939.5	1.5
1746	019	2330	0.05	3018	1	65	100	3	5	4	6990	3972	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10485	7467	7467	1.5
1746	021	2330	0.05	2886	1	65	100	3	5	4	6990	4104	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10485	7599	7599	1.5
1748	019	2580	0.06	3628	2	65	100	3	6	4	7740	4112	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11610	7982	7982	1.5
1748	024	2580	0.06	1813	2	65	100	3	6	4	7740	5927	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11610	9797	9797	1.5
1748	026	2580	0.06	1637	2	65	100	3	6	4	7740	6103	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11610	9973	9973	1.5
1749	023	2705	0.06	3500	2	65	100	3	6	4	8115	4615	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12172.5	8672.5	8672.5	1.5
1750	014	2375	0.05	3300	4	85	140	4	7	3	9500	6200	RTO-C	85	form-based			true	0.75	12	1.714285731	8	8	14250	10950	10950	1.5
1754	013	3383	0.08	9080	10	85	140	4	11	1	13532	4452	NCD-INNE	85	form-based	true		true	0.75	18	1.636363626	8	8	20298	11218	11218	1.5
1755	017	2997	0.07	2900	3	65	100	3	7	4	8991	6091	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13486.5	10586.5	10586.5	1.5
1758	039	2375	0.05	3450	4	65	100	3	5	1	7125	3675	RTO-C	85	form-based	true		true	0.75	12	2.400000095	8	6	14250	10800	10800	2
1759	061	2375	0.05	628	4	85	140	4	7	3	9500	8872	RTO-C	85	form-based			true	0.75	12	1.714285731	8	8	14250	13622	13622	1.5
1760	021	2380	0.05	2200	1	65	100	3	5	4	7140	4940	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10710	8510	8510	1.5
1760	022	2380	0.05	2411	1	65	100	3	5	4	7140	4729	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10710	8299	8299	1.5
1760	023	2380	0.05	2000	1	65	100	3	5	4	7140	5140	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10710	8710	8710	1.5
1760	024	2383	0.05	2875	1	65	100	3	5	4	7149	4274	RTO-C	65	form-based	true		true	0.75	9	1.799999952	8	8	10723.5	7848.5	7848.5	1.5
1760	025	2501	0.06	2580	1	65	100	3	6	5	7503	4923	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11254.5	8674.5	8674.5	1.5
1760	030	2375	0.05	2519	1	65	100	3	5	4	7125	4606	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8168.5	8168.5	1.5
1761	016	2369	0.05	2360	1	65	100	3	5	4	7107	4747	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10660.5	8300.5	8300.5	1.5
1761	018	2369	0.05	2947	1	65	100	3	5	4	7107	4160	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10660.5	7713.5	7713.5	1.5
1761	019	2349	0.05	2866	1	65	100	3	5	4	7047	4181	RTO-C	65	form-based	true		true	0.75	9	1.799999952	8	8	10570.5	7704.5	7704.5	1.5
1761	020	2495	0.06	1750	1	65	100	3	6	5	7485	5735	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11227.5	9477.5	9477.5	1.5
1761	021	2495	0.06	1750	1	65	100	3	6	5	7485	5735	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11227.5	9477.5	9477.5	1.5
1761	022	2358	0.05	4315	1	65	100	3	5	4	7074	2759	RTO-C	65	form-based	true		true	0.75	9	1.799999952	8	8	10611	6296	6296	1.5
1761	023	2375	0.05	2000	1	65	100	3	5	4	7125	5125	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8687.5	8687.5	1.5
1761	024	2375	0.05	1900	1	65	100	3	5	4	7125	5225	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8787.5	8787.5	1.5
1761	025	2375	0.05	2100	1	65	100	3	5	4	7125	5025	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8587.5	8587.5	1.5
1762	015	3015	0.07	3000	3	65	100	3	7	4	9045	6045	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13567.5	10567.5	10567.5	1.5
1762	016	3015	0.07	3772	3	65	100	3	7	4	9045	5273	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13567.5	9795.5	9795.5	1.5
1762	018	2500	0.06	2405	1	65	100	3	6	5	7500	5095	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8845	8845	1.5
1763	023	2398	0.06	5835	5	85	140	4	8	3	9592	3757	NCD-INNE	85	form-based			true	0.75	13	1.625	8	8	14388	8553	8553	1.5
1764	017	2375	0.05	3768	4	85	140	4	7	3	9500	5732	NCD-INNE	85	form-based			true	0.75	12	1.714285731	8	8	14250	10482	10482	1.5
1765	016A	2483	0.06	3300	5	65	100	3	6	1	7449	4149	RTO-C	85	form-based			true	0.75	13	2.166666746	8	7	14898	11598	11598	2
1766	048	2500	0.06	3494	5	65	100	3	6	1	7500	4006	NCD-INNE	85	form-based			true	0.75	13	2.166666746	8	7	15000	11506	11506	2
1766	052	2131	0.05	3316	3	65	100	3	5	2	6393	3077	RTO-C	85	form-based	true		true	0.75	11	2.200000048	8	7	12786	9470	9470	2
1767	001	2079	0.05	3184	3	65	100	3	5	2	6237	3053	NCD-INNE	85	form-based	true		true	0.75	11	2.200000048	8	7	12474	9290	9290	2
1767	042	2500	0.06	4266	5	65	100	3	6	1	7500	3234	NCD-INNE	85	form-based			true	0.75	13	2.166666746	8	7	15000	10734	10734	2
1770	024	3389	0.08	5144	10	85	140	4	11	1	13556	8412	RTO-C	85	form-based	true		true	0.75	18	1.636363626	8	8	20334	15190	15190	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1771	051	2314	0.05	3022	4	65	100	3	5	1	6942	3920	NCD-INNE	85	form-based			true	0.75	12	2.400000095	8	6	13884	10862	10862	2
1772	004B	2988	0.07	2300	3	65	100	3	7	4	8964	6664	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13446	11146	11146	1.5
1772	005L	2191	0.05	5007	4	65	100	3	5	1	6573	1566	RTO-C	85	form-based		true	true	0.75	12	2.400000095	8	6	13146	8139	8139	2
1774	009	2350	0.05	3569	4	65	100	3	5	1	7050	3481	RTO-C	85	form-based			true	0.75	12	2.400000095	8	6	14100	10531	10531	2
1774	027	3000	0.07	4965	3	85	140	4	10	7	12000	7035	RTO-C	65	form-based			true	0.75	11	1.100000024	8	8	13500	8535	8535	1.125
1775	006	3030	0.07	2507	3	65	100	3	7	4	9090	6583	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13635	11128	11128	1.5
1775	011	6059	0.14	11345	15	65	100	3	14	0	18177	6832	RTO-C	65	form-based			true	0.75	23	1.642857194	8	8	27265.5	15920.5	15920.5	1.5
1775	022	2530	0.06	4050	5	65	100	3	6	1	7590	3540	RTO-C	85	form-based			true	0.75	13	2.166666746	8	7	15180	11130	11130	2
1775	031	2989	0.07	3644	3	65	100	3	7	4	8967	5323	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13450.5	9806.5	9806.5	1.5
1776	009R	1849	0.04	2093	2	85	140	4	6	4	7396	5303	RTO-C	85	form-based			true	0.75	10	1.666666627	8	8	11094	9001	9001	1.5
1777	016	2319	0.05	4200	4	85	140	4	7	3	9276	5076	RTO-C	85	form-based		true	true	0.75	12	1.714285731	8	8	13914	9714	9714	1.5
1778	017B	1856	0.04	2352	2	85	140	4	6	4	7424	5072	RTO-C	85	form-based		true	true	0.75	10	1.666666627	8	8	11136	8784	8784	1.5
1778	021	2488	0.06	3523	5	65	100	3	6	1	7464	3941	RTO-C	85	form-based			true	0.75	13	2.166666746	8	7	14928	11405	11405	2
1782	016B	1846	0.04	2170	2	85	140	4	6	4	7384	5214	NC-1	85	form-based			true	0.75	10	1.666666627	8	8	11076	8906	8906	1.5
1784	001V	1856	0.04	1750	2	65	100	3	4	2	5568	3818	NCD-JUDA	85	form-based			true	0.75	10	2.5	8	6	11136	9386	9386	2
1784	001W	1856	0.04	1750	2	65	100	3	4	2	5568	3818	NCD-JUDA	85	form-based			true	0.75	10	2.5	8	6	11136	9386	9386	2
1787	011A	1821	0.04	2262	2	65	100	3	4	2	5463	3201	RTO-C	85	form-based		true	true	0.75	10	2.5	8	6	10926	8664	8664	2
1790	017	2500	0.06	2092	1	65	100	3	6	5	7500	5408	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9158	9158	1.5
1790	018	2500	0.06	1375	1	65	100	3	6	5	7500	6125	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9875	9875	1.5
1790	019	2500	0.06	1850	1	65	100	3	6	5	7500	5650	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9400	9400	1.5
1792	009	1865	0.04	2250	2	65	100	3	4	2	5595	3345	RTO-C	85	form-based			true	0.75	10	2.5	8	6	11190	8940	8940	2
1794	001B	2385	0.05	1490	1	65	100	3	5	4	7155	5665	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10732.5	9242.5	9242.5	1.5
1794	001C	2385	0.05	1690	1	65	100	3	5	4	7155	5465	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10732.5	9042.5	9042.5	1.5
1795	015	1750	0.04	1275	1	85	140	4	6	5	7000	5725	RTO-C	85	form-based			true	0.75	9	1.5	8	8	10500	9225	9225	1.5
1795	015A	1750	0.04	1650	1	85	140	4	6	5	7000	5350	RTO-C	85	form-based			true	0.75	9	1.5	8	8	10500	8850	8850	1.5
1795	030	2500	0.06	1115	1	65	100	3	6	5	7500	6385	NC-1	65	form-based			true	0.75	9	1.5	8	8	11250	10135	10135	1.5
1797	035	2464	0.06	1675	1	65	100	3	6	5	7392	5717	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11088	9413	9413	1.5
1798	001	2375	0.05	1960	1	65	100	3	5	4	7125	5165	RTO-C	65	form-based		true	true	0.75	9	1.799999952	8	8	10687.5	8727.5	8727.5	1.5
1798	002	2375	0.05	1400	1	65	100	3	5	4	7125	5725	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9287.5	9287.5	1.5
1798	003	2375	0.05	2150	1	65	100	3	5	4	7125	4975	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8537.5	8537.5	1.5
1798	004	2375	0.05	1375	1	65	100	3	5	4	7125	5750	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9312.5	9312.5	1.5
1798	047	2388	0.05	1475	1	65	100	3	5	4	7164	5689	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10746	9271	9271	1.5
1798	051	2500	0.06	1255	1	65	100	3	6	5	7500	6245	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9995	9995	1.5
1798	052	2500	0.06	1858	1	65	100	3	6	5	7500	5642	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9392	9392	1.5
1799	029	3600	0.08	5351	0	65	100	3	8	8	10800	5449	RH-2	40	form-based			true	0.7	8	1	8	8	10080	4729	4729	0.933333
1799	036D	2500	0.06	2317	1	65	100	3	6	5	7500	5183	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8933	8933	1.5
1799	037A	3000	0.07	3160	3	65	100	3	7	4	9000	5840	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13500	10340	10340	1.5
1799	038	3000	0.07	3160	3	65	100	3	7	4	9000	5840	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13500	10340	10340	1.5
1800	022	2477	0.06	1096	1	65	100	3	6	5	7431	6335	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11146.5	10050.5	10050.5	1.5
1800	023	2477	0.06	1074	1	65	100	3	6	5	7431	6357	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11146.5	10072.5	10072.5	1.5
1800	024	2478	0.06	1356	1	65	100	3	6	5	7434	6078	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11151	9795	9795	1.5
1800	025	2478	0.06	1506	1	65	100	3	6	5	7434	5928	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11151	9645	9645	1.5
1800	027	2478	0.06	1897	1	65	100	3	6	5	7434	5537	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11151	9254	9254	1.5
1800	028	2478	0.06	1168	1	65	100	3	6	5	7434	6266	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11151	9983	9983	1.5
1800	031	1710	0.04	1224	1	85	140	4	6	5	6840	5616	NC-1	85	form-based			true	0.75	9	1.5	8	8	10260	9036	9036	1.5
1802	032	2477	0.06	4030	1	65	100	3	6	5	7431	3401	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11146.5	7116.5	7116.5	1.5
1802	034	2477	0.06	1600	1	65	100	3	6	5	7431	5831	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11146.5	9546.5	9546.5	1.5
1806	001A	1825	0.04	2770	2	65	100	3	4	2	5475	2705	RTO-C	85	form-based			true	0.75	10	2.5	8	6	10950	8180	8180	2
1806	034	2000	0.05	3000	3	85	140	4	7	4	8000	5000	RTO-C	85	form-based			true	0.75	11	1.571428537	8	8	12000	9000	9000	1.5
1808	048	1865	0.04	3000	2	85	140	4	6	4	7460	4460	NC-1	85	form-based			true	0.75	10	1.666666627	8	8	11190	8190	8190	1.5
1809	001A	1752	0.04	1727	1	65	100	3	4	3	5256	3529	NC-1	85	form-based			true	0.75	9	2.25	8	7	10512	8785	8785	2
1809	001B	1752	0.04	1000	1	65	100	3	4	3	5256	4256	NC-1	85	form-based			true	0.75	9	2.25	8	7	10512	9512	9512	2
1809	008	4503	0.1	2360	1	65	100	3	10	9	13509	11149	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12608.39941	10248.39941	10248.39941	0.933333
1809	009	4503	0.1	3514	1	65	100	3	10	9	13509	9995	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12608.39941	9094.399414	9094.399414	0.933333
1810	043	1875	0.04	2074	2	85	140	4	6	4	7500	5426	RTO-C	85	form-based			true	0.75	10	1.666666627	8	8	11250	9176	9176	1.5
1811	043	1437	0.03	1480	0	85	140	4	4	4	5748	4268	RTO-C	85	form-based		true	true	0.75	8	2	8	8	8622	7142	7142	1.5
1812	001	1865	0.04	2279	2	65	100	3	4	2	5595	3316	RTO-C	85	form-based		true	true	0.75	10	2.5	8	6	11190	8911	8911	2
1812	001A	1865	0.04	1974	2	65	100	3	4	2	5595	3621	RTO-C	85	form-based			true	0.75	10	2.5	8	6	11190	9216	9216	2
1812	001B	1865	0.04	2399	2	65	100	3	4	2	5595	3196	RTO-C	85	form-based			true	0.75	10	2.5	8	6	11190	8791	8791	2
1813	049	1875	0.04	2450	2	85	140	4	6	4	7500	5050	RTO-C	85	form-based			true	0.75	10	1.666666627	8	8	11250	8800	8800	1.5
1816	047	1875	0.04	2420	2	65	100	3	4	2	5625	3205	RTO-C	85	form-based			true	0.75	10	2.5	8	6	11250	8830	8830	2
1816	050	1875	0.04	2580	2	65	100	3	4	2	5625	3045	RTO-C	85	form-based			true	0.75	10	2.5	8	6	11250	8670	8670	2
1818	041	1865	0.04	2250	2	65	100	3	4	2	5595	3345	RTO-C	85	form-based			true	0.75	10	2.5	8	6	11190	8940	8940	2
1819	039	1946	0.04	1788	2	85	140	4	6	4	7784	5996	RTO-C	85	form-based			true	0.75	10	1.666666627	8	8	11676	9888	9888	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1820	045	1875	0.04	2250	2	85	140	4	6	4	7500	5250	RTO-C	85	form-based			true	0.75	10	1.666666627	8	8	11250	9000	9000	1.5
1821	037A	1875	0.04	2000	2	65	100	3	4	2	5625	3625	NCD-JUDA	85	form-based			true	0.75	10	2.5	8	6	11250	9250	9250	2
1824	052	2750	0.06	5242	6	65	100	3	6	0	8250	3008	NCD-JUDA	85	form-based		true	true	0.75	14	2.333333254	8	6	16500	11258	11258	2
1825	001	1469	0.03	2675	0	85	140	4	4	4	5876	3201	NC-1	85	form-based		true	true	0.75	8	2	8	8	8814	6139	6139	1.5
1826	041	2500	0.06	3592	5	85	140	4	8	3	10000	6408	NC-1	85	form-based			true	0.75	13	1.625	8	8	15000	11408	11408	1.5
1829	044	1875	0.04	1750	2	85	140	4	6	4	7500	5750	RTO-C	85	form-based			true	0.75	10	1.666666627	8	8	11250	9500	9500	1.5
1831	054	1725	0.04	2606	1	85	140	4	6	5	6900	4294	RTO-C	85	form-based			true	0.75	9	1.5	8	8	10350	7744	7744	1.5
1831	056	1782	0.04	2688	1	85	140	4	6	5	7128	4440	RTO-C	85	form-based			true	0.75	9	1.5	8	8	10692	8004	8004	1.5
1832	001	2370	0.05	3640	4	85	140	4	7	3	9480	5840	RTO-C	85	form-based		true	true	0.75	12	1.714285731	8	8	14220	10580	10580	1.5
1833	018	2277	0.05	1440	1	65	100	3	5	4	6831	5391	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10246.5	8806.5	8806.5	1.5
1833	019	2277	0.05	1405	1	65	100	3	5	4	6831	5426	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10246.5	8841.5	8841.5	1.5
1833	033	2090	0.05	3100	3	65	100	3	5	2	6270	3170	RTO-C	85	form-based			true	0.75	11	2.200000048	8	7	12540	9440	9440	2
1834	001G	3027	0.07	3186	3	85	140	4	10	7	12108	8922	RTO-C	65	form-based			true	0.75	11	1.100000024	8	8	13621.5	10435.5	10435.5	1.125
1834	014	2316	0.05	3890	4	65	100	3	5	1	6948	3058	RTO-C	85	form-based		true	true	0.75	12	2.400000095	8	6	13896	10006	10006	2
1834	017	2402	0.06	3375	1	65	100	3	6	5	7206	3831	RTO-C	65	form-based		true	true	0.75	9	1.5	8	8	10809	7434	7434	1.5
1834	019	2402	0.06	1250	1	65	100	3	6	5	7206	5956	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10809	9559	9559	1.5
1834	020	2305	0.05	1260	1	65	100	3	5	4	6915	5655	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10372.5	9112.5	9112.5	1.5
1834	033	1848	0.04	2858	2	85	140	4	6	4	7392	4534	RTO-C	85	form-based		true	true	0.75	10	1.666666627	8	8	11088	8230	8230	1.5
1834	034	1900	0.04	2600	2	85	140	4	6	4	7600	5000	RTO-C	85	form-based			true	0.75	10	1.666666627	8	8	11400	8800	8800	1.5
1835	020	2500	0.06	1460	1	65	100	3	6	5	7500	6040	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9790	9790	1.5
1836	003A	2988	0.07	3554	3	65	100	3	7	4	8964	5410	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13446	9892	9892	1.5
1836	004	2988	0.07	3625	3	65	100	3	7	4	8964	5339	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13446	9821	9821	1.5
1836	008D	2500	0.06	2315	1	65	100	3	6	5	7500	5185	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8935	8935	1.5
1836	008G	2325	0.05	1695	1	65	100	3	5	4	6975	5280	RTO-C	65	form-based		true	true	0.75	9	1.799999952	8	8	10462.5	8767.5	8767.5	1.5
1836	009	2500	0.06	1855	1	65	100	3	6	5	7500	5645	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9395	9395	1.5
1836	046	2988	0.07	1341	3	65	100	3	7	4	8964	7623	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13446	12105	12105	1.5
1837	055	1988	0.05	1479	2	65	100	3	5	3	5964	4485	RTO-C	85	form-based			true	0.75	10	2	8	8	11928	10449	10449	2
1838	018	4211	0.1	1250	1	65	100	3	10	9	12633	11383	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11790.7998	10540.7998	10540.7998	0.933333
1838	019	4211	0.1	1250	1	65	100	3	10	9	12633	11383	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11790.7998	10540.7998	10540.7998	0.933333
1838	020	4211	0.1	1437	1	65	100	3	10	9	12633	11196	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11790.7998	10353.7998	10353.7998	0.933333
1838	021	4211	0.1	1915	1	65	100	3	10	9	12633	10718	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11790.7998	9875.799805	9875.799805	0.933333
1838	024	4211	0.1	1200	1	65	100	3	10	9	12633	11433	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11790.7998	10590.7998	10590.7998	0.933333
1838	025	4211	0.1	1300	1	65	100	3	10	9	12633	11333	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11790.7998	10490.7998	10490.7998	0.933333
1838	026	4211	0.1	2282	1	65	100	3	10	9	12633	10351	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11790.7998	9508.799805	9508.799805	0.933333
1838	027	4211	0.1	1540	1	65	100	3	10	9	12633	11093	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11790.7998	10250.7998	10250.7998	0.933333
1838	028	4211	0.1	1500	1	65	100	3	10	9	12633	11133	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11790.7998	10290.7998	10290.7998	0.933333
1838	030	4211	0.1	2506	1	65	100	3	10	9	12633	10127	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11790.7998	9284.799805	9284.799805	0.933333
1841	040	1875	0.04	1048	2	85	140	4	6	4	7500	6452	RTO-C	85	form-based			true	0.75	10	1.666666627	8	8	11250	10202	10202	1.5
1842	048	1869	0.04	1350	2	65	100	3	4	2	5607	4257	RTO-C	85	form-based		true	true	0.75	10	2.5	8	6	11214	9864	9864	2
1843	048	2250	0.05	1869	4	65	100	3	5	1	6750	4881	RTO-C	85	form-based			true	0.75	12	2.400000095	8	6	13500	11631	11631	2
1846	001	2500	0.06	3180	1	65	100	3	6	5	7500	4320	RTO-C	65	form-based		true	true	0.75	9	1.5	8	8	11250	8070	8070	1.5
1846	002	2500	0.06	2388	1	65	100	3	6	5	7500	5112	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8862	8862	1.5
1846	003	2500	0.06	1660	1	65	100	3	6	5	7500	5840	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9590	9590	1.5
1846	004	2500	0.06	1975	1	65	100	3	6	5	7500	5525	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9275	9275	1.5
1846	037	4452	0.1	2080	1	65	100	3	10	9	13356	11276	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12465.59961	10385.59961	10385.59961	0.933333
1847	002	2375	0.05	1800	1	65	100	3	5	4	7125	5325	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8887.5	8887.5	1.5
1847	003	2375	0.05	1546	1	65	100	3	5	4	7125	5579	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9141.5	9141.5	1.5
1847	004	2414	0.06	1520	1	65	100	3	6	5	7242	5722	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10863	9343	9343	1.5
1847	028	2369	0.05	1950	1	65	100	3	5	4	7107	5157	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10660.5	8710.5	8710.5	1.5
1847	029	2369	0.05	2237	1	65	100	3	5	4	7107	4870	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10660.5	8423.5	8423.5	1.5
1847	030	2369	0.05	2250	1	65	100	3	5	4	7107	4857	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10660.5	8410.5	8410.5	1.5
1847	047	2408	0.06	3269	1	65	100	3	6	5	7224	3955	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10836	7567	7567	1.5
1848	001	2346	0.05	2880	1	65	100	3	5	4	7038	4158	RTO-C	65	form-based		true	true	0.75	9	1.799999952	8	8	10557	7677	7677	1.5
1848	003	2383	0.05	2850	1	65	100	3	5	4	7149	4299	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10723.5	7873.5	7873.5	1.5
1848	047	2429	0.06	2306	1	65	100	3	6	5	7287	4981	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10930.5	8624.5	8624.5	1.5
1848	048	2390	0.05	2000	1	65	100	3	5	4	7170	5170	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10755	8755	8755	1.5
1848	051	2523	0.06	1200	1	65	100	3	6	5	7569	6369	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11353.5	10153.5	10153.5	1.5
1852	018	2375	0.05	1564	1	65	100	3	5	4	7125	5561	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9123.5	9123.5	1.5
1852	019	2375	0.05	1814	1	65	100	3	5	4	7125	5311	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8873.5	8873.5	1.5
1852	020	2375	0.05	2328	1	65	100	3	5	4	7125	4797	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8359.5	8359.5	1.5
1853	001	3310	0.08	3150	4	65	100	3	8	4	9930	6780	RTO-C	65	form-based		true	true	0.75	12	1.5	8	8	14895	11745	11745	1.5
1857	017	4489	0.1	1725	1	65	100	3	10	9	13467	11742	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12569.2002	10844.2002	10844.2002	0.933333
1860A	020	4025	0.09	0	0	65	100	3	9	9	12075	12075	RH-1(D)	40	form-based			true	0.7	8	0.888888896	8	8	11270	11270	11270	0.933333
1860A	021	3916	0.09	0	0	65	100	3	9	9	11748	11748	RH-1(D)	40	form-based			true	0.7	8	0.888888896	8	8	10964.7998	10964.7998	10964.7998	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1860A	039	4220	0.1	2000	1	65	100	3	10	9	12660	10660	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11816	9816	9816	0.933333
1860A	040	4395	0.1	4000	1	65	100	3	10	9	13185	9185	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12306	8306	8306	0.933333
1860B	015	4156	0.1	2541	1	55	80	2.5	8	7	10390	7849	RH-1	40	form-based			true	0.7	9	1.125	8	8	11636.7998	9095.799805	9095.799805	1.12
1860B	020	4512	0.1	2172	1	55	80	2.5	8	7	11280	9108	RH-1	40	form-based			true	0.7	9	1.125	8	8	12633.59961	10461.59961	10461.59961	1.12
1860B	021	4299	0.1	2172	1	55	80	2.5	8	7	10748	8576	RH-1	40	form-based			true	0.7	9	1.125	8	8	12037.2002	9865.200195	9865.200195	1.119948
1860B	026	4075	0.09	2172	1	65	100	3	9	8	12225	10053	RH-1	40	form-based			true	0.7	9	1	8	8	11410	9238	9238	0.933333
1860B	027	4388	0.1	2172	1	65	100	3	10	9	13164	10992	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12286.39941	10114.39941	10114.39941	0.933333
1861A	006	4446	0.1	2290	1	65	100	3	10	9	13338	11048	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12448.7998	10158.7998	10158.7998	0.933333
1861A	007	4112	0.09	2290	1	65	100	3	9	8	12336	10046	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11513.59961	9223.599609	9223.599609	0.933333
1861A	008	4083	0.09	1500	1	65	100	3	9	8	12249	10749	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11432.39941	9932.399414	9932.399414	0.933333
1862A	002	4236	0.1	1965	1	65	100	3	10	9	12708	10743	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11860.7998	9895.799805	9895.799805	0.933333
1862A	003B	4458	0.1	1604	1	65	100	3	10	9	13374	11770	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12482.39941	10878.39941	10878.39941	0.933333
1862A	003C	4068	0.09	1670	1	65	100	3	9	8	12204	10534	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11390.39941	9720.399414	9720.399414	0.933333
1864	026	1921	0.04	1750	2	65	100	3	4	2	5763	4013	RTO-C	85	form-based			true	0.75	10	2.5	8	6	11526	9776	9776	2
1866	015	3572	0.08	2649	0	65	100	3	8	8	10716	8067	RH-2	40	form-based			true	0.7	8	1	8	8	10001.59961	7352.599609	7352.599609	0.933333
1868	020	4509	0.1	2125	1	65	100	3	10	9	13527	11402	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12625.2002	10500.2002	10500.2002	0.933333
1870	009	2377	0.05	1705	1	65	100	3	5	4	7131	5426	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10696.5	8991.5	8991.5	1.5
1870	010	2377	0.05	1375	1	65	100	3	5	4	7131	5756	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10696.5	9321.5	9321.5	1.5
1870	012	2496	0.06	1825	1	65	100	3	6	5	7488	5663	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11232	9407	9407	1.5
1870	013	2511	0.06	1375	1	65	100	3	6	5	7533	6158	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11299.5	9924.5	9924.5	1.5
1873	017A	2501	0.06	1125	1	65	100	3	6	5	7503	6378	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11254.5	10129.5	10129.5	1.5
1873	018	2501	0.06	1374	1	65	100	3	6	5	7503	6129	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11254.5	9880.5	9880.5	1.5
1873	019	2501	0.06	2032	1	65	100	3	6	5	7503	5471	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11254.5	9222.5	9222.5	1.5
1880	023	4091	0.09	2194	1	65	100	3	9	8	12273	10079	RH-1	40	form-based			true	0.7	9	1	8	8	11454.7998	9260.799805	9260.799805	0.933333
1881	048	4318	0.1	2653	1	65	100	3	10	9	12954	10301	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12090.39941	9437.399414	9437.399414	0.933333
1893	056	3760	0.09	1911	0	65	100	3	9	9	11280	9369	RH-2	40	form-based			true	0.7	8	0.888888896	8	8	10528	8617	8617	0.933333
1894	054	6000	0.14	3426	5	65	100	3	14	9	18000	14574	RM-1	40	form-based			true	0.7	13	0.928571403	8	8	16800	13374	13374	0.933333
1902	030	4131	0.09	1894	1	55	80	2.5	7	6	10328	8434	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11566.7998	9672.799805	9672.799805	1.119946
1917	023	2375	0.05	1575	1	55	80	2.5	4	3	5938	4363	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	9112.5	9112.5	1.799848
1917	023A	2375	0.05	2209	1	55	80	2.5	4	3	5938	3729	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	8478.5	8478.5	1.799848
1917	024	2375	0.05	1496	1	55	80	2.5	4	3	5938	4442	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	9191.5	9191.5	1.799848
1918	044	2267	0.05	1710	1	55	80	2.5	4	3	5668	3958	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10201.5	8491.5	8491.5	1.799841
1918	045	2267	0.05	1455	1	55	80	2.5	4	3	5668	4213	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10201.5	8746.5	8746.5	1.799841
1918	047	2015	0.05	2100	0	55	80	2.5	4	4	5038	2938	NC-1	65	form-based			true	0.75	8	2	8	8	9067.5	6967.5	6967.5	1.799821
1919	001A	2375	0.05	1700	1	55	80	2.5	4	3	5938	4238	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	8987.5	8987.5	1.799848
1919	001B	2375	0.05	1564	1	55	80	2.5	4	3	5938	4374	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	9123.5	9123.5	1.799848
1919	001C	2375	0.05	1564	1	55	80	2.5	4	3	5938	4374	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10687.5	9123.5	9123.5	1.799848
1919	044	2401	0.06	1610	1	55	80	2.5	5	4	6002	4392	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10804.5	9194.5	9194.5	1.80015
1919	045	2401	0.06	1475	1	55	80	2.5	5	4	6002	4527	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10804.5	9329.5	9329.5	1.80015
1919	046	2401	0.06	1605	1	55	80	2.5	5	4	6002	4397	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10804.5	9199.5	9199.5	1.80015
1919	048	2433	0.06	2101	1	55	80	2.5	5	4	6082	3981	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10948.5	8847.5	8847.5	1.800148
1919	049	2433	0.06	1425	1	55	80	2.5	5	4	6082	4657	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10948.5	9523.5	9523.5	1.800148
1925	010F	1845	0.04	1890	2	55	80	2.5	3	1	4612	2722	RTO-C	85	form-based			true	0.75	10	3.333333254	8	4	11070	9180	7334	2.40026
1925	010G	1844	0.04	1890	2	55	80	2.5	3	1	4610	2720	RTO-C	85	form-based			true	0.75	10	3.333333254	8	4	11064	9174	7330	2.4
1925	017	1858	0.04	1884	2	55	80	2.5	3	1	4645	2761	RTO-C	85	form-based	true	true	true	0.75	10	3.333333254	8	4	11148	9264	7406	2.4
1925	017A	1935	0.04	2119	2	55	80	2.5	3	1	4838	2719	RTO-C	85	form-based			true	0.75	10	3.333333254	8	4	11610	9491	7557	2.399752
1926	015B	4291	0.1	3311	1	55	80	2.5	8	7	10728	7417	RH-1	40	form-based	true	true	true	0.7	9	1.125	8	8	12014.7998	8703.799805	8703.799805	1.119948
1926	027	4103	0.09	1625	1	55	80	2.5	7	6	10258	8633	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11488.39941	9863.399414	9863.399414	1.119945
1926	029	4103	0.09	1907	1	55	80	2.5	7	6	10258	8351	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11488.39941	9581.399414	9581.399414	1.119945
1926	030	4103	0.09	2099	1	55	80	2.5	7	6	10258	8159	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11488.39941	9389.399414	9389.399414	1.119945
1926	031	4103	0.09	1650	1	55	80	2.5	7	6	10258	8608	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11488.39941	9838.399414	9838.399414	1.119945
1927A	001I	4211	0.1	2210	1	55	80	2.5	8	7	10528	8318	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11790.7998	9580.799805	9580.799805	1.119947
1927A	001J	4393	0.1	2043	1	55	80	2.5	8	7	10982	8939	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12300.39941	10257.39941	10257.39941	1.120051
1927A	001N	4100	0.09	1654	1	55	80	2.5	7	6	10250	8596	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11480	9826	9826	1.12
1928B	036	4158	0.1	3339	1	55	80	2.5	8	7	10395	7056	RH-1	40	form-based			true	0.7	9	1.125	8	8	11642.39941	8303.399414	8303.399414	1.12
1928B	038	4184	0.1	3114	1	55	80	2.5	8	7	10460	7346	RH-1	40	form-based			true	0.7	9	1.125	8	8	11715.2002	8601.200195	8601.200195	1.12
1928B	040	4124	0.09	3339	1	55	80	2.5	7	6	10310	6971	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11547.2002	8208.200195	8208.200195	1.12
1928B	041	4158	0.1	3339	1	55	80	2.5	8	7	10395	7056	RH-1	40	form-based			true	0.7	9	1.125	8	8	11642.39941	8303.399414	8303.399414	1.12
1928B	046	3580	0.08	0	0	55	80	2.5	6	6	8950	8950	RH-1	40	form-based			true	0.7	8	1.333333373	8	8	10024	10024	10024	1.12
1928B	051	3977	0.09	0	0	55	80	2.5	7	7	9942	9942	RH-1	40	form-based			true	0.7	8	1.142857194	8	8	11135.59961	11135.59961	11135.59961	1.120056
1928B	056	4345	0.1	2844	1	55	80	2.5	8	7	10862	8018	RH-1	40	form-based			true	0.7	9	1.125	8	8	12166	9322	9322	1.120052
1929A	057	4290	0.1	2070	1	55	80	2.5	8	7	10725	8655	RH-1	40	form-based			true	0.7	9	1.125	8	8	12012	9942	9942	1.12
1931	030A	4525	0.1	1756	2	55	80	2.5	8	6	11312	9556	RH-2	40	form-based			true	0.7	10	1.25	8	8	12670	10914	10914	1.120049
1932	029	4220	0.1	2475	1	55	80	2.5	8	7	10550	8075	RH-2	40	form-based			true	0.7	9	1.125	8	8	11816	9341	9341	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1932	030	4220	0.1	1540	1	55	80	2.5	8	7	10550	9010	RH-2	40	form-based			true	0.7	9	1.125	8	8	11816	10276	10276	1.12
1935	015	4222	0.1	3546	1	55	80	2.5	8	7	10555	7009	RH-1	40	form-based			true	0.7	9	1.125	8	8	11821.59961	8275.599609	8275.599609	1.12
2002	021A	2450	0.06	1425	1	55	80	2.5	5	4	6125	4700	RTO-C	65	form-based		true	true	0.75	9	1.799999952	8	8	11025	9600	9600	1.8
2002	022A	2325	0.05	1378	1	55	80	2.5	4	3	5812	4434	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9084.5	9084.5	1.800155
2002	022B	2325	0.05	978	1	55	80	2.5	4	3	5812	4834	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9484.5	9484.5	1.800155
2002	023	2325	0.05	978	1	55	80	2.5	4	3	5812	4834	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9484.5	9484.5	1.800155
2002	048	4800	0.11	3254	2	55	80	2.5	9	7	12000	8746	RH-1	40	form-based			true	0.7	10	1.111111164	8	8	13440	10186	10186	1.12
2003	025	2452	0.06	820	1	55	80	2.5	5	4	6130	5310	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11034	10214	10214	1.8
2003	026	2452	0.06	1182	1	55	80	2.5	5	4	6130	4948	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11034	9852	9852	1.8
2003	027	2453	0.06	850	1	55	80	2.5	5	4	6132	5282	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11038.5	10188.5	10188.5	1.800147
2003	028	2453	0.06	850	1	55	80	2.5	5	4	6132	5282	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11038.5	10188.5	10188.5	1.800147
2004	021	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	NC-1	65	form-based			true	0.75	9	1.799999952	8	8	11250	10125	10125	1.8
2004	029	2506	0.06	1300	1	55	80	2.5	5	4	6265	4965	NC-1	65	form-based			true	0.75	9	1.799999952	8	8	11277	9977	9977	1.8
2006	010	2530	0.06	1310	1	55	80	2.5	5	4	6325	5015	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11385	10075	10075	1.8
2006	011	2325	0.05	1125	1	55	80	2.5	4	3	5812	4687	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9337.5	9337.5	1.800155
2006	012	2325	0.05	1125	1	55	80	2.5	4	3	5812	4687	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9337.5	9337.5	1.800155
2007	005H	2325	0.05	1498	1	55	80	2.5	4	3	5812	4314	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	8964.5	8964.5	1.800155
2007	005I	2325	0.05	938	1	55	80	2.5	4	3	5812	4874	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9524.5	9524.5	1.800155
2007	006	2325	0.05	938	1	55	80	2.5	4	3	5812	4874	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9524.5	9524.5	1.800155
2007	006A	2325	0.05	938	1	55	80	2.5	4	3	5812	4874	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9524.5	9524.5	1.800155
2008	002P	2393	0.05	950	1	55	80	2.5	4	3	5982	5032	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10768.5	9818.5	9818.5	1.80015
2008	003	2325	0.05	1032	1	55	80	2.5	4	3	5812	4780	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9430.5	9430.5	1.800155
2008	003A	2325	0.05	938	1	55	80	2.5	4	3	5812	4874	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9524.5	9524.5	1.800155
2008	003B	2325	0.05	938	1	55	80	2.5	4	3	5812	4874	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9524.5	9524.5	1.800155
2009	004D	2325	0.05	1390	1	55	80	2.5	4	3	5812	4422	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9072.5	9072.5	1.800155
2009	004E	2325	0.05	1748	1	55	80	2.5	4	3	5812	4064	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	8714.5	8714.5	1.800155
2009	004F	2325	0.05	1366	1	55	80	2.5	4	3	5812	4446	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9096.5	9096.5	1.800155
2009	004G	2325	0.05	938	1	55	80	2.5	4	3	5812	4874	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9524.5	9524.5	1.800155
2009	004H	2325	0.05	938	1	55	80	2.5	4	3	5812	4874	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9524.5	9524.5	1.800155
2012	024	2325	0.05	2075	1	55	80	2.5	4	3	5812	3737	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	8387.5	8387.5	1.800155
2012	024A	2325	0.05	2001	1	55	80	2.5	4	3	5812	3811	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	8461.5	8461.5	1.800155
2012	025	2325	0.05	1200	1	55	80	2.5	4	3	5812	4612	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	9262.5	9262.5	1.800155
2012	025A	2325	0.05	2020	1	55	80	2.5	4	3	5812	3792	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10462.5	8442.5	8442.5	1.800155
2014	003E	1800	0.04	1450	1	55	80	2.5	3	2	4500	3050	RTO-C	85	form-based			true	0.75	9	3	8	5	10800	9350	7550	2.4
2014	003F	1800	0.04	1085	1	55	80	2.5	3	2	4500	3415	RTO-C	85	form-based			true	0.75	9	3	8	5	10800	9715	7915	2.4
2015	018	1700	0.04	1221	1	55	80	2.5	3	2	4250	3029	RTO-C	85	form-based			true	0.75	9	3	8	5	10200	8979	7279	2.4
2021	034	1783	0.04	1969	1	55	80	2.5	3	2	4458	2489	RTO-C	85	form-based		true	true	0.75	9	3	8	5	10698	8729	6947	2.399731
2021	035	1782	0.04	1557	1	55	80	2.5	3	2	4455	2898	RTO-C	85	form-based			true	0.75	9	3	8	5	10692	9135	7353	2.4
2021	036	1782	0.04	1557	1	55	80	2.5	3	2	4455	2898	RTO-C	85	form-based			true	0.75	9	3	8	5	10692	9135	7353	2.4
2022	018B	1652	0.04	1346	1	55	80	2.5	3	2	4130	2784	RTO-C	85	form-based		true	true	0.75	9	3	8	5	9912	8566	6914	2.4
2022	018C	1756	0.04	1900	1	55	80	2.5	3	2	4390	2490	RTO-C	85	form-based			true	0.75	9	3	8	5	10536	8636	6880	2.4
2022	018D	1756	0.04	1150	1	55	80	2.5	3	2	4390	3240	RTO-C	85	form-based			true	0.75	9	3	8	5	10536	9386	7630	2.4
2022	018E	1756	0.04	1450	1	55	80	2.5	3	2	4390	2940	RTO-C	85	form-based			true	0.75	9	3	8	5	10536	9086	7330	2.4
2022	018H	1750	0.04	863	1	55	80	2.5	3	2	4375	3512	RTO-C	85	form-based			true	0.75	9	3	8	5	10500	9637	7887	2.4
2028	002	4510	0.1	2470	1	55	80	2.5	8	7	11275	8805	RH-1	40	form-based			true	0.7	9	1.125	8	8	12628	10158	10158	1.12
2028	003	4510	0.1	1866	1	55	80	2.5	8	7	11275	9409	RH-1	40	form-based			true	0.7	9	1.125	8	8	12628	10762	10762	1.12
2033A	005	4179	0.1	1500	1	55	80	2.5	8	7	10448	8948	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11701.2002	10201.2002	10201.2002	1.119946
2033A	006	4456	0.1	1970	1	55	80	2.5	8	7	11140	9170	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12476.7998	10506.7998	10506.7998	1.12
2033A	008	4619	0.11	2700	2	55	80	2.5	9	7	11548	8848	RH-1(D)	40	form-based			true	0.7	10	1.111111164	8	8	12933.2002	10233.2002	10233.2002	1.119951
2033A	015	4354	0.1	1500	1	55	80	2.5	8	7	10885	9385	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12191.2002	10691.2002	10691.2002	1.12
2034A	001D	4047	0.09	0	0	55	80	2.5	7	7	10118	10118	RH-1	40	form-based			true	0.7	8	1.142857194	8	8	11331.59961	11331.59961	11331.59961	1.119945
2036B	013B	4107	0.09	1151	1	55	80	2.5	7	6	10268	9117	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11499.59961	10348.59961	10348.59961	1.119945
2036B	013C	4072	0.09	3800	1	55	80	2.5	7	6	10180	6380	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11401.59961	7601.599609	7601.599609	1.12
2039	012	4516	0.1	3086	1	55	80	2.5	8	7	11290	8204	RH-1	40	form-based			true	0.7	9	1.125	8	8	12644.7998	9558.799805	9558.799805	1.12
2041	007	5047	0.12	2825	3	55	80	2.5	10	7	12618	9793	RH-2	40	form-based			true	0.7	11	1.100000024	8	8	14131.59961	11306.59961	11306.59961	1.119956
2045	029	4500	0.1	3567	1	55	80	2.5	8	7	11250	7683	RH-2	40	form-based			true	0.7	9	1.125	8	8	12600	9033	9033	1.12
2050A	021	3829	0.09	0	0	55	80	2.5	7	7	9572	9572	RH-1	40	form-based		true	true	0.7	8	1.142857194	8	8	10721.2002	10721.2002	10721.2002	1.120059
2050A	022	3695	0.08	0	0	55	80	2.5	6	6	9238	9238	RH-1	40	form-based			true	0.7	8	1.333333373	8	8	10346	10346	10346	1.119939
2052A	034	4303	0.1	2207	1	55	80	2.5	8	7	10758	8551	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12048.39941	9841.399414	9841.399414	1.119948
2125	009	4440	0.1	1080	1	55	80	2.5	8	7	11100	10020	RH-1	40	form-based			true	0.7	9	1.125	8	8	12432	11352	11352	1.12
2126	002A	4293	0.1	1985	1	55	80	2.5	8	7	10732	8747	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12020.39941	10035.39941	10035.39941	1.120052
2126	002B	4235	0.1	2184	1	55	80	2.5	8	7	10588	8404	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11858	9674	9674	1.119947
2126	002C	4202	0.1	1440	1	55	80	2.5	8	7	10505	9065	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11765.59961	10325.59961	10325.59961	1.12
2126	024	4375	0.1	3800	1	55	80	2.5	8	7	10938	7138	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12250	8450	8450	1.119949

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2126A	001	3930	0.09	0	0	55	80	2.5	7	7	9825	9825	RH-1(D)	40	form-based			true	0.7	8	1.142857194	8	8	11004	11004	11004	1.12
2127	004	4155	0.1	2225	1	55	80	2.5	8	7	10388	8163	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11634	9409	9409	1.119946
2127	005	4085	0.09	3363	1	55	80	2.5	7	6	10212	6849	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11438	8075	8075	1.120055
2127	006	4261	0.1	2045	1	55	80	2.5	8	7	10652	8607	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11930.7998	9885.799805	9885.799805	1.120053
2127	008	4076	0.09	2210	1	55	80	2.5	7	6	10190	7980	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11412.7998	9202.799805	9202.799805	1.12
2127	011	4066	0.09	2235	1	55	80	2.5	7	6	10165	7930	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11384.7998	9149.799805	9149.799805	1.12
2127	016	4500	0.1	2721	1	55	80	2.5	8	7	11250	8529	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12600	9879	9879	1.12
2128	006A	4462	0.1	2041	1	55	80	2.5	8	7	11155	9114	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12493.59961	10452.59961	10452.59961	1.12
2128	007	4242	0.1	2310	1	55	80	2.5	8	7	10605	8295	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11877.59961	9567.599609	9567.599609	1.12
2128	009	4306	0.1	2074	1	55	80	2.5	8	7	10765	8691	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12056.7998	9982.799805	9982.799805	1.12
2130A	001F	4320	0.1	1018	1	55	80	2.5	8	7	10800	9782	RH-1	40	form-based			true	0.7	9	1.125	8	8	12096	11078	11078	1.12
2130A	001G	4382	0.1	1568	1	55	80	2.5	8	7	10955	9387	RH-1	40	form-based			true	0.7	9	1.125	8	8	12269.59961	10701.59961	10701.59961	1.12
2134A	020	4089	0.09	1767	1	55	80	2.5	7	6	10222	8455	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11449.2002	9682.200195	9682.200195	1.120055
2134A	021	4091	0.09	2410	1	55	80	2.5	7	6	10228	7818	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11454.7998	9044.799805	9044.799805	1.119945
2131A	051	4206	0.1	2761	1	55	80	2.5	8	7	10515	7754	RH-1	40	form-based			true	0.7	9	1.125	8	8	11776.7998	9015.799805	9015.799805	1.12
2133A	008	4200	0.1	1504	1	55	80	2.5	8	7	10500	8996	RH-1	40	form-based			true	0.7	9	1.125	8	8	11760	10256	10256	1.12
2133A	015	4353	0.1	3058	1	55	80	2.5	8	7	10882	7824	RH-1	40	form-based			true	0.7	9	1.125	8	8	12188.39941	9130.399414	9130.399414	1.120051
2134A	019	4086	0.09	1672	1	55	80	2.5	7	6	10215	8543	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11440.7998	9768.799805	9768.799805	1.12
2134A	017	4081	0.09	1456	1	55	80	2.5	7	6	10202	8746	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11426.7998	9970.799805	9970.799805	1.120055
2134A	018	4084	0.09	1781	1	55	80	2.5	7	6	10210	8429	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11435.2002	9654.200195	9654.200195	1.12
2134A	022	4093	0.09	1456	1	55	80	2.5	7	6	10232	8776	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11460.39941	10004.39941	10004.39941	1.120055
2134A	023	4092	0.09	1456	1	55	80	2.5	7	6	10230	8774	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11457.59961	10001.59961	10001.59961	1.12
2134A	024	4076	0.09	1691	1	55	80	2.5	7	6	10190	8499	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11412.7998	9721.799805	9721.799805	1.12
2135	001I	4069	0.09	2630	1	55	80	2.5	7	6	10172	7542	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11393.2002	8763.200195	8763.200195	1.120055
2135	003D	3978	0.09	1404	0	55	80	2.5	7	7	9945	8541	RH-1(D)	40	form-based			true	0.7	8	1.142857194	8	8	11138.39941	9734.399414	9734.399414	1.12
2135	007	4106	0.09	2584	1	55	80	2.5	7	6	10265	7681	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11496.7998	8912.799805	8912.799805	1.12
2136	003B	4172	0.1	3202	1	55	80	2.5	8	7	10430	7228	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11681.59961	8479.599609	8479.599609	1.12
2136	003E	4172	0.1	2105	1	55	80	2.5	8	7	10430	8325	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11681.59961	9576.599609	9576.599609	1.12
2138	005	4041	0.09	2936	0	55	80	2.5	7	7	10102	7166	RH-1	40	form-based			true	0.7	8	1.142857194	8	8	11314.7998	8378.799805	8378.799805	1.120055
2197	003	4145	0.1	1162	1	55	80	2.5	8	7	10362	9200	RH-1	40	form-based			true	0.7	9	1.125	8	8	11606	10444	10444	1.120054
2201	004A	4252	0.1	1507	1	55	80	2.5	8	7	10630	9123	RH-1	40	form-based			true	0.7	9	1.125	8	8	11905.59961	10398.59961	10398.59961	1.12
2202	001P	4174	0.1	1832	1	55	80	2.5	8	7	10435	8603	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11687.2002	9855.200195	9855.200195	1.12
2202	001Q	4211	0.1	2634	1	55	80	2.5	8	7	10528	7894	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11790.7998	9156.799805	9156.799805	1.119947
2203	010	4224	0.1	1482	1	55	80	2.5	8	7	10560	9078	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11827.2002	10345.2002	10345.2002	1.12
2203	017	4462	0.1	2200	1	55	80	2.5	8	7	11155	8955	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12493.59961	10293.59961	10293.59961	1.12
2204	014A	4204	0.1	2607	1	55	80	2.5	8	7	10510	7903	RH-1	40	form-based			true	0.7	9	1.125	8	8	11771.2002	9164.200195	9164.200195	1.12
2206	083	4284	0.1	3972	1	55	80	2.5	8	7	10710	6738	RH-1	40	form-based			true	0.7	9	1.125	8	8	11995.2002	8023.200195	8023.200195	1.12
2207	043	4323	0.1	2501	1	55	80	2.5	8	7	10808	8307	RH-1	40	form-based			true	0.7	9	1.125	8	8	12104.39941	9603.399414	9603.399414	1.119948
2208	009	4319	0.1	4019	1	55	80	2.5	8	7	10798	6779	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12093.2002	8074.200195	8074.200195	1.119948
2208	010	4337	0.1	2418	1	55	80	2.5	8	7	10842	8424	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12143.59961	9725.599609	9725.599609	1.120052
2303	012	4523	0.1	1806	1	65	100	3	10	9	13569	11763	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12664.39941	10858.39941	10858.39941	0.933333
2303	014	4522	0.1	2508	1	65	100	3	10	9	13566	11058	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12661.59961	10153.59961	10153.59961	0.933333
2303	015	4522	0.1	1806	1	65	100	3	10	9	13566	11760	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12661.59961	10855.59961	10855.59961	0.933333
2303	016	4522	0.1	2023	1	65	100	3	10	9	13566	11543	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12661.59961	10638.59961	10638.59961	0.933333
2316	003	4602	0.11	2043	2	65	100	3	11	9	13806	11763	RH-1	40	form-based			true	0.7	10	0.909090936	8	8	12885.59961	10842.59961	10842.59961	0.933333
2331	012	4307	0.1	2169	1	65	100	3	10	9	12921	10752	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12059.59961	9890.599609	9890.599609	0.933333
2332	038	4247	0.1	2370	1	65	100	3	10	9	12741	10371	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11891.59961	9521.599609	9521.599609	0.933333
2332	039	4720	0.11	4140	2	65	100	3	11	9	14160	10020	RH-1	40	form-based			true	0.7	10	0.909090936	8	8	13216	9076	9076	0.933333
2333A	040	4068	0.09	2287	1	65	100	3	9	8	12204	9917	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11390.39941	9103.399414	9103.399414	0.933333
2337	020	4095	0.09	1225	1	55	80	2.5	7	6	10238	9013	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11466	10241	10241	1.119945
2338A	002	4405	0.1	3400	1	55	80	2.5	8	7	11012	7612	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12334	8934	8934	1.120051
2340	004	4271	0.1	2125	1	65	100	3	10	9	12813	10688	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11958.7998	9833.799805	9833.799805	0.933333
2341	018	3000	0.07	3148	3	65	100	3	7	4	9000	5852	NCD-INNE	65	form-based		true	true	0.75	11	1.571428537	8	8	13500	10352	10352	1.5
2341	025	4200	0.1	2605	1	65	100	3	10	9	12600	9995	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11760	9155	9155	0.933333
2342	017	2500	0.06	2305	1	65	100	3	6	5	7500	5195	NCD-INNE	65	form-based			true	0.75	9	1.5	8	8	11250	8945	8945	1.5
2342	035	4200	0.1	2351	1	65	100	3	10	9	12600	10249	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11760	9409	9409	0.933333
2343	012	4251	0.1	1870	1	65	100	3	10	9	12753	10883	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11902.7998	10032.7998	10032.7998	0.933333
2343	013	4250	0.1	2375	1	65	100	3	10	9	12750	10375	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11900	9525	9525	0.933333
2343	014	4249	0.1	1460	1	65	100	3	10	9	12747	11287	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11897.2002	10437.2002	10437.2002	0.933333
2343	023	4250	0.1	2004	1	65	100	3	10	9	12750	10746	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11900	9896	9896	0.933333
2343	024	4250	0.1	1358	1	65	100	3	10	9	12750	11392	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11900	10542	10542	0.933333
2343	025	4250	0.1	2449	1	65	100	3	10	9	12750	10301	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11900	9451	9451	0.933333
2343	026	4250	0.1	1820	1	65	100	3	10	9	12750	10930	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11900	10080	10080	0.933333
2343	027	4250	0.1	2873	1	65	100	3	10	9	12750	9877	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11900	9027	9027	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2343	028	4250	0.1	2050	1	65	100	3	10	9	12750	10700	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11900	9850	9850	0.933333
2343	029	4250	0.1	1586	1	65	100	3	10	9	12750	11164	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11900	10314	10314	0.933333
2343	029A	4250	0.1	1625	1	65	100	3	10	9	12750	11125	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11900	10275	10275	0.933333
2343	029B	4250	0.1	2475	1	65	100	3	10	9	12750	10275	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11900	9425	9425	0.933333
2343	030	4250	0.1	2521	1	65	100	3	10	9	12750	10229	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11900	9379	9379	0.933333
2343	031	4352	0.1	1485	1	65	100	3	10	9	13056	11571	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12185.59961	10700.59961	10700.59961	0.933333
2343	040	3196	0.07	4698	4	65	100	3	7	3	9588	4890	NCD-INNE	65	form-based		true	true	0.75	12	1.714285731	8	8	14382	9684	9684	1.5
2343	041	3183	0.07	4400	4	85	140	4	10	6	12732	8332	NCD-INNE	65	form-based			true	0.75	12	1.200000048	8	8	14323.5	9923.5	9923.5	1.125
2343	042	3183	0.07	4400	4	65	100	3	7	3	9549	5149	NCD-INNE	65	form-based			true	0.75	12	1.714285731	8	8	14323.5	9923.5	9923.5	1.5
2344A	018	1617	0.04	2319	0	85	140	4	6	6	6468	4149	NCD-INNE	85	form-based		true	true	0.75	8	1.333333373	8	8	9702	7383	7383	1.5
2345A	012	4204	0.1	2475	1	65	100	3	10	9	12612	10137	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11771.2002	9296.200195	9296.200195	0.933333
2345A	013	4373	0.1	1500	1	65	100	3	10	9	13119	11619	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12244.39941	10744.39941	10744.39941	0.933333
2345A	015	4378	0.1	2129	1	65	100	3	10	9	13134	11005	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12258.39941	10129.39941	10129.39941	0.933333
2345A	016	4412	0.1	2440	1	85	140	4	14	13	17648	15208	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	12353.59961	9913.599609	9913.599609	0.7
2346	001A	2369	0.05	1531	1	65	100	3	5	4	7107	5576	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10660.5	9129.5	9129.5	1.5
2346	001D	2368	0.05	1790	1	65	100	3	5	4	7104	5314	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10656	8866	8866	1.5
2346	002A	3000	0.07	3200	3	65	100	3	7	4	9000	5800	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13500	10300	10300	1.5
2346	037	2500	0.06	1382	1	65	100	3	6	5	7500	6118	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9868	9868	1.5
2347	001	2375	0.05	1550	1	65	100	3	5	4	7125	5575	RTO-C	65	form-based		true	true	0.75	9	1.799999952	8	8	10687.5	9137.5	9137.5	1.5
2347	001A	2375	0.05	1300	1	65	100	3	5	4	7125	5825	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9387.5	9387.5	1.5
2347	001B	2375	0.05	1300	1	65	100	3	5	4	7125	5825	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9387.5	9387.5	1.5
2347	001C	2375	0.05	1550	1	65	100	3	5	4	7125	5575	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9137.5	9137.5	1.5
2347	001D	2500	0.06	1235	1	65	100	3	6	5	7500	6265	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10015	10015	1.5
2348	024	2474	0.06	1250	1	65	100	3	6	5	7422	6172	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11133	9883	9883	1.5
2348	028	2976	0.07	2835	3	65	100	3	7	4	8928	6093	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13392	10557	10557	1.5
2348	040	2422	0.06	1370	1	65	100	3	6	5	7266	5896	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10899	9529	9529	1.5
2348	043	2475	0.06	1300	1	65	100	3	6	5	7425	6125	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11137.5	9837.5	9837.5	1.5
2349	001	2451	0.06	1275	1	65	100	3	6	5	7353	6078	RTO-C	65	form-based		true	true	0.75	9	1.5	8	8	11029.5	9754.5	9754.5	1.5
2349	001B	2375	0.05	1884	1	65	100	3	5	4	7125	5241	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8803.5	8803.5	1.5
2349	001C	2375	0.05	1550	1	65	100	3	5	4	7125	5575	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9137.5	9137.5	1.5
2349	036A	2628	0.06	4777	2	65	100	3	6	4	7884	3107	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11826	7049	7049	1.5
2349	038A	2838	0.07	2350	3	65	100	3	7	4	8514	6164	RTO-C	65	form-based		true	true	0.75	11	1.571428537	8	8	12771	10421	10421	1.5
2356	024	4200	0.1	1385	1	65	100	3	10	9	12600	11215	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11760	10375	10375	0.933333
2357	002	4080	0.09	2483	1	65	100	3	9	8	12240	9757	RH-1	40	form-based			true	0.7	9	1	8	8	11424	8941	8941	0.933333
2357	025	4087	0.09	1781	1	65	100	3	9	8	12261	10480	RH-1	40	form-based			true	0.7	9	1	8	8	11443.59961	9662.599609	9662.599609	0.933333
2358	026B	4119	0.09	1677	1	65	100	3	9	8	12357	10680	RH-1	40	form-based			true	0.7	9	1	8	8	11533.2002	9856.200195	9856.200195	0.933333
2358	027	4144	0.1	2813	1	65	100	3	10	9	12432	9619	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11603.2002	8790.200195	8790.200195	0.933333
2358	031	3595	0.08	2100	0	65	100	3	8	8	10785	8685	RH-1	40	form-based			true	0.7	8	1	8	8	10066	7966	7966	0.933333
2359	001I	4056	0.09	1501	1	65	100	3	9	8	12168	10667	RH-1	40	form-based			true	0.7	9	1	8	8	11356.7998	9855.799805	9855.799805	0.933333
2360	001F	4103	0.09	1370	1	65	100	3	9	8	12309	10939	RH-1	40	form-based			true	0.7	9	1	8	8	11488.39941	10118.39941	10118.39941	0.933333
2360	001G	4440	0.1	2390	1	65	100	3	10	9	13320	10930	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12432	10042	10042	0.933333
2360	001I	4055	0.09	1245	1	65	100	3	9	8	12165	10920	RH-1	40	form-based			true	0.7	9	1	8	8	11354	10109	10109	0.933333
2361	026	4500	0.1	2660	1	65	100	3	10	9	13500	10840	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12600	9940	9940	0.933333
2361	027	4500	0.1	1000	1	65	100	3	10	9	13500	12500	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12600	11600	11600	0.933333
2362	021	1866	0.04	1950	2	65	100	3	4	2	5598	3648	NCD-TARA	85	form-based			true	0.75	10	2.5	8	6	11196	9246	9246	2
2362	022B	1811	0.04	1925	2	65	100	3	4	2	5433	3508	NCD-TARA	85	form-based			true	0.75	10	2.5	8	6	10866	8941	8941	2
2363	017	2500	0.06	3463	5	65	100	3	6	1	7500	4037	NCD-TARA	85	form-based			true	0.75	13	2.166666746	8	7	15000	11537	11537	2
2364	003	4500	0.1	1165	1	65	100	3	10	9	13500	12335	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12600	11435	11435	0.933333
2364	005	4500	0.1	1663	1	65	100	3	10	9	13500	11837	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12600	10937	10937	0.933333
2364	019	3242	0.07	6319	9	65	100	3	7	0	9726	3407	NCD-TARA	85	form-based		true	true	0.75	17	2.428571463	8	5	19452	13133	13133	2
2382	016	2705	0.06	4006	6	85	140	4	8	2	10820	6814	RTO-C	85	form-based		true	true	0.75	14	1.75	8	8	16230	12224	12224	1.5
2384	029	1875	0.04	2150	2	85	140	4	6	4	7500	5350	RTO-C	85	form-based			true	0.75	10	1.666666627	8	8	11250	9100	9100	1.5
2385	042B	1916	0.04	2050	2	85	140	4	6	4	7664	5614	RTO-C	85	form-based			true	0.75	10	1.666666627	8	8	11496	9446	9446	1.5
2386	047	2500	0.06	4000	5	85	140	4	8	3	10000	6000	RTO-C	85	form-based			true	0.75	13	1.625	8	8	15000	11000	11000	1.5
2386	054	1875	0.04	2587	2	85	140	4	6	4	7500	4913	RTO-C	85	form-based			true	0.75	10	1.666666627	8	8	11250	8663	8663	1.5
2388	032	1875	0.04	2450	2	65	100	3	4	2	5625	3175	RTO-C	85	form-based			true	0.75	10	2.5	8	6	11250	8800	8800	2
2391	029	4500	0.1	1569	1	65	100	3	10	9	13500	11931	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12600	11031	11031	0.933333
2392	041	2500	0.06	2328	5	65	100	3	6	1	7500	5172	NCD-TARA	85	form-based			true	0.75	13	2.166666746	8	7	15000	12672	12672	2
2396	037A	1892	0.04	2448	2	85	140	4	6	4	7568	5120	NCD-TARA	85	form-based			true	0.75	10	1.666666627	8	8	11352	8904	8904	1.5
2396	041	1892	0.04	2510	2	85	140	4	6	4	7568	5058	NCD-TARA	85	form-based			true	0.75	10	1.666666627	8	8	11352	8842	8842	1.5
2397	042	2917	0.07	5129	7	65	100	3	7	0	8751	3622	NCD-TARA	85	form-based		true	true	0.75	15	2.142857075	8	7	17502	12373	12373	2
2398	025	4080	0.09	1465	1	65	100	3	9	8	12240	10775	RH-1	40	form-based			true	0.7	9	1	8	8	11424	9959	9959	0.933333
2398	026	4080	0.09	2676	1	65	100	3	9	8	12240	9564	RH-1	40	form-based			true	0.7	9	1	8	8	11424	8748	8748	0.933333
2398	027	4080	0.09	1790	1	65	100	3	9	8	12240	10450	RH-1	40	form-based			true	0.7	9	1	8	8	11424	9634	9634	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2398	028	4080	0.09	1010	1	65	100	3	9	8	12240	11230	RH-1	40	form-based			true	0.7	9	1	8	8	11424	10414	10414	0.933333
2398	029	4080	0.09	2178	1	65	100	3	9	8	12240	10062	RH-1	40	form-based			true	0.7	9	1	8	8	11424	9246	9246	0.933333
2402	034	2500	0.06	2701	5	85	140	4	8	3	10000	7299	NCD-TARA	85	form-based			true	0.75	13	1.625	8	8	15000	12299	12299	1.5
2404	012	4426	0.1	1660	1	65	100	3	10	9	13278	11618	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12392.7998	10732.7998	10732.7998	0.933333
2406	031B	1584	0.04	1581	0	65	100	3	4	4	4752	3171	NCD-TARA	85	form-based		true	true	0.75	8	2	8	8	9504	7923	7923	2
2407	009	2491	0.06	2889	1	65	100	3	6	5	7473	4584	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11209.5	8320.5	8320.5	1.5
2407	010	2491	0.06	1670	1	65	100	3	6	5	7473	5803	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11209.5	9539.5	9539.5	1.5
2407	011	2491	0.06	1687	1	65	100	3	6	5	7473	5786	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11209.5	9522.5	9522.5	1.5
2407	011A	2491	0.06	1251	1	65	100	3	6	5	7473	6222	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11209.5	9958.5	9958.5	1.5
2408	019	2474	0.06	1599	1	65	100	3	6	5	7422	5823	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11133	9534	9534	1.5
2408	020	2474	0.06	1813	1	65	100	3	6	5	7422	5609	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11133	9320	9320	1.5
2408	021	2474	0.06	1175	1	65	100	3	6	5	7422	6247	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11133	9958	9958	1.5
2408	022	2474	0.06	1100	1	65	100	3	6	5	7422	6322	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11133	10033	10033	1.5
2408	023	2474	0.06	1895	1	65	100	3	6	5	7422	5527	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11133	9238	9238	1.5
2408	024	2474	0.06	1495	1	65	100	3	6	5	7422	5927	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11133	9638	9638	1.5
2408	025	2474	0.06	1620	1	65	100	3	6	5	7422	5802	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11133	9513	9513	1.5
2409	038	2500	0.06	3884	5	85	140	4	8	3	10000	6116	NCD-INNE	85	form-based			true	0.75	13	1.625	8	8	15000	11116	11116	1.5
2409	041	1875	0.04	2000	2	85	140	4	6	4	7500	5500	NCD-INNE	85	form-based			true	0.75	10	1.666666627	8	8	11250	9250	9250	1.5
2409	042	1875	0.04	2000	2	85	140	4	6	4	7500	5500	NCD-INNE	85	form-based			true	0.75	10	1.666666627	8	8	11250	9250	9250	1.5
2409	043	1875	0.04	2000	2	85	140	4	6	4	7500	5500	NCD-INNE	85	form-based			true	0.75	10	1.666666627	8	8	11250	9250	9250	1.5
2410	011	2285	0.05	1550	1	65	100	3	5	4	6855	5305	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10282.5	8732.5	8732.5	1.5
2410	011A	2285	0.05	1535	1	65	100	3	5	4	6855	5320	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10282.5	8747.5	8747.5	1.5
2410	015A	4445	0.1	1984	1	65	100	3	10	9	13335	11351	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12446	10462	10462	0.933333
2411	012A	4487	0.1	2656	1	85	140	4	14	13	17948	15292	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	12563.59961	9907.599609	9907.599609	0.7
2411	012B	4486	0.1	2374	1	85	140	4	14	13	17944	15570	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	12560.7998	10186.7998	10186.7998	0.7
2411	025	4487	0.1	3340	1	85	140	4	14	13	17948	14608	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	12563.59961	9223.599609	9223.599609	0.7
2412	014	4215	0.1	1773	1	85	140	4	14	13	16860	15087	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	11802	10029	10029	0.7
2412	021	4200	0.1	2830	1	85	140	4	14	13	16800	13970	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	11760	8930	8930	0.7
2412	031	3600	0.08	1958	0	65	100	3	8	8	10800	8842	RH-1(D)	40	form-based			true	0.7	8	1	8	8	10080	8122	8122	0.933333
2412	036	3021	0.07	3843	3	65	100	3	7	4	9063	5220	NCD-INNE	65	form-based			true	0.75	11	1.571428537	8	8	13594.5	9751.5	9751.5	1.5
2412	037	3021	0.07	4520	3	65	100	3	7	4	9063	4543	NCD-INNE	65	form-based			true	0.75	11	1.571428537	8	8	13594.5	9074.5	9074.5	1.5
2413	004	4432	0.1	1845	1	65	100	3	10	9	13296	11451	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12409.59961	10564.59961	10564.59961	0.933333
2413	005	4111	0.09	1827	1	65	100	3	9	8	12333	10506	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11510.7998	9683.799805	9683.799805	0.933333
2413	018	4274	0.1	1900	1	65	100	3	10	9	12822	10922	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11967.2002	10067.2002	10067.2002	0.933333
2414	003	4110	0.09	1500	1	65	100	3	9	8	12330	10830	RH-1	40	form-based			true	0.7	9	1	8	8	11508	10008	10008	0.933333
2414	003A	4074	0.09	1850	1	65	100	3	9	8	12222	10372	RH-1	40	form-based			true	0.7	9	1	8	8	11407.2002	9557.200195	9557.200195	0.933333
2414	010	2507	0.06	5074	1	85	140	4	8	7	10028	4954	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11281.5	6207.5	6207.5	1.125
2414	012	2522	0.06	2490	1	85	140	4	8	7	10088	7598	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11349	8859	8859	1.125
2415	034	2528	0.06	1385	1	65	100	3	6	5	7584	6199	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11376	9991	9991	1.5
2415	035	2528	0.06	2325	1	85	140	4	8	7	10112	7787	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11376	9051	9051	1.125
2415	037	2528	0.06	1160	1	85	140	4	8	7	10112	8952	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11376	10216	10216	1.125
2415	038	2528	0.06	2630	1	85	140	4	8	7	10112	7482	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11376	8746	8746	1.125
2415	039	2528	0.06	1925	1	85	140	4	8	7	10112	8187	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11376	9451	9451	1.125
2416	001A	2478	0.06	1416	1	65	100	3	6	5	7434	6018	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11151	9735	9735	1.5
2416	001B	2478	0.06	1200	1	65	100	3	6	5	7434	6234	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11151	9951	9951	1.5
2416	002H	4000	0.09	4300	0	65	100	3	9	9	12000	7700	RH-1	40	form-based			true	0.7	8	0.888888896	8	8	11200	6900	6900	0.933333
2425	002	4212	0.1	1825	1	65	100	3	10	9	12636	10811	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11793.59961	9968.599609	9968.599609	0.933333
2425	003	4212	0.1	1109	1	65	100	3	10	9	12636	11527	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11793.59961	10684.59961	10684.59961	0.933333
2425	026	4200	0.1	2582	1	65	100	3	10	9	12600	10018	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11760	9178	9178	0.933333
2425	027	4200	0.1	1580	1	65	100	3	10	9	12600	11020	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11760	10180	10180	0.933333
2435	014A	2500	0.06	1037	1	55	80	2.5	5	4	6250	5213	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11250	10213	10213	1.8
2436	001T	2364	0.05	1229	1	65	100	3	5	4	7092	5863	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10638	9409	9409	1.5
2436	001Y	2500	0.06	1723	1	65	100	3	6	5	7500	5777	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9527	9527	1.5
2436	002	2500	0.06	1649	1	65	100	3	6	5	7500	5851	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9601	9601	1.5
2436	003	2375	0.05	2178	1	65	100	3	5	4	7125	4947	RTO-C	65	form-based		true	true	0.75	9	1.799999952	8	8	10687.5	8509.5	8509.5	1.5
2436	004	2375	0.05	2005	1	65	100	3	5	4	7125	5120	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8682.5	8682.5	1.5
2436	005	2375	0.05	1400	1	65	100	3	5	4	7125	5725	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9287.5	9287.5	1.5
2436	006	2375	0.05	1400	1	65	100	3	5	4	7125	5725	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	9287.5	9287.5	1.5
2438	018	2500	0.06	2360	1	65	100	3	6	5	7500	5140	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	8890	8890	1.5
2438	019	2500	0.06	1296	1	65	100	3	6	5	7500	6204	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9954	9954	1.5
2438	020	2500	0.06	1525	1	65	100	3	6	5	7500	5975	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9725	9725	1.5
2438	020A	2500	0.06	1353	1	65	100	3	6	5	7500	6147	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9897	9897	1.5
2439	017	2500	0.06	800	1	65	100	3	6	5	7500	6700	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10450	10450	1.5
2439	017A	2500	0.06	800	1	65	100	3	6	5	7500	6700	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10450	10450	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2439	018	2500	0.06	800	1	65	100	3	6	5	7500	6700	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10450	10450	1.5
2439	018A	2500	0.06	1184	1	65	100	3	6	5	7500	6316	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10066	10066	1.5
2441	020B	2412	0.06	1034	1	65	100	3	6	5	7236	6202	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10854	9820	9820	1.5
2441	021	2412	0.06	2992	1	65	100	3	6	5	7236	4244	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10854	7862	7862	1.5
2441	022	2411	0.06	2208	1	65	100	3	6	5	7233	5025	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10849.5	8641.5	8641.5	1.5
2441	023	2411	0.06	2045	1	65	100	3	6	5	7233	5188	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10849.5	8804.5	8804.5	1.5
2441	023A	2410	0.06	2537	1	65	100	3	6	5	7230	4693	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10845	8308	8308	1.5
2442	013B	2500	0.06	1488	1	65	100	3	6	5	7500	6012	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9762	9762	1.5
2442	013C	2500	0.06	1920	1	65	100	3	6	5	7500	5580	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9330	9330	1.5
2444	009	3750	0.09	3092	6	65	100	3	9	3	11250	8158	RTO-C	65	form-based			true	0.75	14	1.555555582	8	8	16875	13783	13783	1.5
2444	009A	3750	0.09	3092	6	65	100	3	9	3	11250	8158	RTO-C	65	form-based			true	0.75	14	1.555555582	8	8	16875	13783	13783	1.5
2445	012A	2438	0.06	968	1	65	100	3	6	5	7314	6346	RTO-C	65	form-based	true		true	0.75	9	1.5	8	8	10971	10003	10003	1.5
2445	012D	2500	0.06	1251	1	65	100	3	6	5	7500	6249	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9999	9999	1.5
2445	012E	2500	0.06	1514	1	65	100	3	6	5	7500	5986	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9736	9736	1.5
2445	012F	2500	0.06	995	1	65	100	3	6	5	7500	6505	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10255	10255	1.5
2445	014A	2492	0.06	944	1	65	100	3	6	5	7476	6532	RTO-C	65	form-based	true		true	0.75	9	1.5	8	8	11214	10270	10270	1.5
2446	027	2423	0.06	825	1	85	140	4	8	7	9692	8867	RTO-C	65	form-based			true	0.75	9	1.125	8	8	10903.5	10078.5	10078.5	1.125
2446	032	2375	0.05	1210	1	85	140	4	7	6	9500	8290	RTO-C	65	form-based			true	0.75	9	1.285714269	8	8	10687.5	9477.5	9477.5	1.125
2447	025	2500	0.06	800	1	85	140	4	8	7	10000	9200	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	10450	10450	1.125
2447	026	2500	0.06	920	1	85	140	4	8	7	10000	9080	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	10330	10330	1.125
2447	027	2500	0.06	960	1	85	140	4	8	7	10000	9040	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	10290	10290	1.125
2447	028	2500	0.06	800	1	85	140	4	8	7	10000	9200	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	10450	10450	1.125
2447	029	2500	0.06	800	1	85	140	4	8	7	10000	9200	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	10450	10450	1.125
2449	037	9397	0.22	8306	12	85	140	4	31	19	37588	29282	RH-2	40	form-based	true		true	0.7	20	0.645161271	8	8	26311.59961	18005.59961	18005.59961	0.7
2450	040	2500	0.06	932	1	85	140	4	8	7	10000	9068	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	10318	10318	1.125
2450	041	2500	0.06	932	1	85	140	4	8	7	10000	9068	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	10318	10318	1.125
2450	042	2500	0.06	1220	1	85	140	4	8	7	10000	8780	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	10030	10030	1.125
2450	043	2500	0.06	1220	1	85	140	4	8	7	10000	8780	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	10030	10030	1.125
2451	007	2500	0.06	875	1	85	140	4	8	7	10000	9125	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	10375	10375	1.125
2451	008	2500	0.06	875	1	85	140	4	8	7	10000	9125	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	10375	10375	1.125
2452	030	2500	0.06	995	1	65	100	3	6	5	7500	6505	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10255	10255	1.5
2452	032	2500	0.06	1055	1	65	100	3	6	5	7500	6445	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10195	10195	1.5
2452	033	2500	0.06	995	1	65	100	3	6	5	7500	6505	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10255	10255	1.5
2452	034	2500	0.06	2024	1	65	100	3	6	5	7500	5476	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9226	9226	1.5
2452	035	2500	0.06	1012	1	65	100	3	6	5	7500	6488	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10238	10238	1.5
2453	016B	3750	0.09	3000	6	65	100	3	9	3	11250	8250	RTO-C	65	form-based			true	0.75	14	1.555555582	8	8	16875	13875	13875	1.5
2458	015F	2526	0.06	1012	1	55	80	2.5	5	4	6315	5303	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11367	10355	10355	1.8
2458	015G	2526	0.06	1012	1	55	80	2.5	5	4	6315	5303	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11367	10355	10355	1.8
2458	016	2525	0.06	850	1	55	80	2.5	5	4	6312	5462	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11362.5	10512.5	10512.5	1.800143
2458	017	2525	0.06	850	1	55	80	2.5	5	4	6312	5462	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11362.5	10512.5	10512.5	1.800143
2459	052	2521	0.06	1915	1	55	80	2.5	5	4	6302	4387	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11344.5	9429.5	9429.5	1.800143
2459	053	2520	0.06	1675	1	55	80	2.5	5	4	6300	4625	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11340	9665	9665	1.8
2459	054	2520	0.06	1900	1	55	80	2.5	5	4	6300	4400	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11340	9440	9440	1.8
2461A	001	2287	0.05	1036	1	55	80	2.5	4	3	5718	4682	RTO-C	65	form-based	true		true	0.75	9	2.25	8	7	10291.5	9255.5	9255.5	1.799843
2461A	001A	2286	0.05	1037	1	55	80	2.5	4	3	5715	4678	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10287	9250	9250	1.8
2461A	001B	2285	0.05	2195	1	55	80	2.5	4	3	5712	3517	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10282.5	8087.5	8087.5	1.800158
2461A	001C	2284	0.05	1036	1	55	80	2.5	4	3	5710	4674	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10278	9242	9242	1.8
2461A	024	2525	0.06	1235	1	55	80	2.5	5	4	6312	5077	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11362.5	10127.5	10127.5	1.800143
2461A	025	2500	0.06	1166	1	55	80	2.5	5	4	6250	5084	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11250	10084	10084	1.8
2461A	026	2500	0.06	1036	1	55	80	2.5	5	4	6250	5214	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11250	10214	10214	1.8
2462A	001A	2349	0.05	1199	1	55	80	2.5	4	3	5872	4673	NC-1	65	form-based			true	0.75	9	2.25	8	7	10570.5	9371.5	9371.5	1.800153
2462A	001B	2274	0.05	1036	1	55	80	2.5	4	3	5685	4649	NC-1	65	form-based			true	0.75	9	2.25	8	7	10233	9197	9197	1.8
2463A	003	4413	0.1	2056	1	55	80	2.5	8	7	11032	8976	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12356.39941	10300.39941	10300.39941	1.120051
2463A	006	4497	0.1	1620	1	55	80	2.5	8	7	11242	9622	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12591.59961	10971.59961	10971.59961	1.12005
2463A	011	4304	0.1	1970	1	55	80	2.5	8	7	10760	8790	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12051.2002	10081.2002	10081.2002	1.12
2463A	012	4424	0.1	1491	1	55	80	2.5	8	7	11060	9569	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12387.2002	10896.2002	10896.2002	1.12
2463A	013	4294	0.1	2124	1	55	80	2.5	8	7	10735	8611	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12023.2002	9899.200195	9899.200195	1.12
2466A	009	4264	0.1	1796	1	55	80	2.5	8	7	10660	8864	RH-1	40	form-based	true		true	0.7	9	1.125	8	8	11939.2002	10143.2002	10143.2002	1.12
2468	004	4291	0.1	1478	1	55	80	2.5	8	7	10728	9250	RH-1	40	form-based			true	0.7	9	1.125	8	8	12014.7998	10536.7998	10536.7998	1.119948
2468	010	4507	0.1	2310	1	55	80	2.5	8	7	11268	8958	RH-1	40	form-based			true	0.7	9	1.125	8	8	12619.59961	10309.59961	10309.59961	1.11995
2468	011	4274	0.1	1950	1	55	80	2.5	8	7	10685	8735	RH-1	40	form-based			true	0.7	9	1.125	8	8	11967.2002	10017.2002	10017.2002	1.12
2468	012	4149	0.1	1478	1	55	80	2.5	8	7	10372	8894	RH-1	40	form-based			true	0.7	9	1.125	8	8	11617.2002	10139.2002	10139.2002	1.120054
2471	034	4505	0.1	1000	1	55	80	2.5	8	7	11262	10262	RH-1	40	form-based			true	0.7	9	1.125	8	8	12614	11614	11614	1.12005
2471	036	4145	0.1	4356	1	55	80	2.5	8	7	10362	6006	RH-1	40	form-based			true	0.7	9	1.125	8	8	11606	7250	7250	1.120054

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2473	001	2878	0.07	3701	3	55	80	2.5	6	3	7195	3494	NC-1	65	form-based		true	true	0.75	11	1.833333373	8	8	12951	9250	9250	1.8
2474	045	2220	0.05	2275	0	55	80	2.5	4	4	5550	3275	NC-1	65	form-based		true	true	0.75	8	2	8	8	9990	7715	7715	1.8
2482	006	4264	0.1	2540	1	65	100	3	10	9	12792	10252	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11939.2002	9399.200195	9399.200195	0.933333
2482	009	4361	0.1	1525	1	65	100	3	10	9	13083	11558	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12210.7998	10685.7998	10685.7998	0.933333
2482	010	4122	0.09	2262	1	65	100	3	9	8	12366	10104	RH-1	40	form-based			true	0.7	9	1	8	8	11541.59961	9279.599609	9279.599609	0.933333
2482	030	4113	0.09	1760	1	65	100	3	9	8	12339	10579	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11516.39941	9756.399414	9756.399414	0.933333
2494A	017	4150	0.1	1119	1	55	80	2.5	8	7	10375	9256	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11620	10501	10501	1.12
2494A	018	4171	0.1	1284	1	55	80	2.5	8	7	10428	9144	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11678.7998	10394.7998	10394.7998	1.119946
2494A	019	4117	0.09	1819	1	55	80	2.5	7	6	10292	8473	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11527.59961	9708.599609	9708.599609	1.120054
2494A	005	4464	0.1	1647	1	55	80	2.5	8	7	11160	9513	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12499.2002	10852.2002	10852.2002	1.12
2494A	009	4095	0.09	1242	1	55	80	2.5	7	6	10238	8996	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11466	10224	10224	1.119945
2494A	013	4168	0.1	1119	1	55	80	2.5	8	7	10420	9301	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11670.39941	10551.39941	10551.39941	1.12
2494A	014	4411	0.1	1343	1	55	80	2.5	8	7	11028	9685	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12350.7998	11007.7998	11007.7998	1.119949
2494A	015	4464	0.1	1278	1	55	80	2.5	8	7	11160	9882	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12499.2002	11221.2002	11221.2002	1.12
2494A	016	4331	0.1	1678	1	55	80	2.5	8	7	10828	9150	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12126.7998	10448.7998	10448.7998	1.119948
2494A	020	4129	0.09	1792	1	55	80	2.5	7	6	10322	8530	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11561.2002	9769.200195	9769.200195	1.120054
2494A	022	4430	0.1	1295	1	55	80	2.5	8	7	11075	9780	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12404	11109	11109	1.12
2494A	023	4501	0.1	1119	1	55	80	2.5	8	7	11252	10133	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12602.7998	11483.7998	11483.7998	1.12005
2494A	026	4411	0.1	1295	1	55	80	2.5	8	7	11028	9733	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12350.7998	11055.7998	11055.7998	1.119949
2494A	027	4471	0.1	1455	1	55	80	2.5	8	7	11178	9723	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12518.7998	11063.7998	11063.7998	1.11995
2501A	020	4364	0.1	1985	1	55	80	2.5	8	7	10910	8925	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12219.2002	10234.2002	10234.2002	1.12
2501A	027	4311	0.1	1975	1	55	80	2.5	8	7	10778	8803	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12070.7998	10095.7998	10095.7998	1.119948
2501A	028	4336	0.1	1975	1	55	80	2.5	8	7	10840	8865	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12140.7998	10165.7998	10165.7998	1.12
2502A	002	4127	0.09	2168	1	55	80	2.5	7	6	10318	8150	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11555.59961	9387.599609	9387.599609	1.119946
2502A	003	4419	0.1	1553	1	55	80	2.5	8	7	11048	9495	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12373.2002	10820.2002	10820.2002	1.119949
2502A	005	4211	0.1	1975	1	55	80	2.5	8	7	10528	8553	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11790.7998	9815.799805	9815.799805	1.119947
2502A	012	4355	0.1	1975	1	55	80	2.5	8	7	10888	8913	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12194	10219	10219	1.119949
2502A	019	4358	0.1	1450	1	55	80	2.5	8	7	10895	9445	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12202.39941	10752.39941	10752.39941	1.12
2503A	001	4234	0.1	1586	1	55	80	2.5	8	7	10585	8999	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	11855.2002	10269.2002	10269.2002	1.12
2503A	002	4298	0.1	1436	1	55	80	2.5	8	7	10745	9309	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12034.39941	10598.39941	10598.39941	1.12
2503A	003	4190	0.1	1570	1	55	80	2.5	8	7	10475	8905	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11732	10162	10162	1.12
2503A	004	4251	0.1	1570	1	55	80	2.5	8	7	10628	9058	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11902.7998	10332.7998	10332.7998	1.119947
2503A	006	4328	0.1	1900	1	55	80	2.5	8	7	10820	8920	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12118.39941	10218.39941	10218.39941	1.12
2510	021	2271	0.05	1012	1	55	80	2.5	4	3	5678	4666	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10219.5	9207.5	9207.5	1.799842
2510	022	2501	0.06	2259	1	55	80	2.5	5	4	6252	3993	RTO-C	65	form-based		true	true	0.75	9	1.799999952	8	8	11254.5	8995.5	8995.5	1.800144
2511	015	2279	0.05	2039	1	65	100	3	5	4	6837	4798	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10255.5	8216.5	8216.5	1.5
2511	017	2391	0.05	1012	1	65	100	3	5	4	7173	6161	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10759.5	9747.5	9747.5	1.5
2518	007	2455	0.06	1012	1	55	80	2.5	5	4	6138	5126	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11047.5	10035.5	10035.5	1.799853
2518	008	2347	0.05	2026	1	55	80	2.5	4	3	5868	3842	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10561.5	8535.5	8535.5	1.799847
2518	012	2425	0.06	1012	1	55	80	2.5	5	4	6062	5050	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10912.5	9900.5	9900.5	1.800148
2518	018	2498	0.06	1781	1	55	80	2.5	5	4	6245	4464	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11241	9460	9460	1.8
2519	023	2456	0.06	1400	1	55	80	2.5	5	4	6140	4740	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11052	9652	9652	1.8
2519	024	2460	0.06	1400	1	55	80	2.5	5	4	6150	4750	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11070	9670	9670	1.8
2519	025	2313	0.05	1400	1	55	80	2.5	4	3	5782	4382	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10408.5	9008.5	9008.5	1.800156
2519	027	2318	0.05	1400	1	55	80	2.5	4	3	5795	4395	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10431	9031	9031	1.8
2519	029	2326	0.05	1616	1	55	80	2.5	4	3	5815	4199	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10467	8851	8851	1.8
2519	029A	2330	0.05	2138	1	55	80	2.5	4	3	5825	3687	RTO-C	65	form-based			true	0.75	9	2.25	8	7	10485	8347	8347	1.8
2519	030	2311	0.05	1323	1	55	80	2.5	4	3	5778	4455	RTO-C	65	form-based		true	true	0.75	9	2.25	8	7	10399.5	9076.5	9076.5	1.799844
2527A	002	4212	0.1	2060	1	55	80	2.5	8	7	10530	8470	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11793.59961	9733.599609	9733.599609	1.12
2527A	003	4212	0.1	2240	1	55	80	2.5	8	7	10530	8290	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11793.59961	9553.599609	9553.599609	1.12
2527A	008	4200	0.1	2393	1	55	80	2.5	8	7	10500	8107	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11760	9367	9367	1.12
2527A	009	4200	0.1	2780	1	55	80	2.5	8	7	10500	7720	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11760	8980	8980	1.12
2527A	010	4200	0.1	1904	1	55	80	2.5	8	7	10500	8596	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11760	9856	9856	1.12
2603	010	4650	0.11	3622	2	55	80	2.5	9	7	11625	8003	RH-2	40	form-based			true	0.7	10	1.111111164	8	8	13020	9398	9398	1.12
2607	042	4237	0.1	2482	1	55	80	2.5	8	7	10592	8110	RH-2	40	form-based			true	0.7	9	1.125	8	8	11863.59961	9381.599609	9381.599609	1.120053
2608	062	4691	0.11	2231	2	55	80	2.5	9	7	11728	9497	RH-2	40	form-based			true	0.7	10	1.111111164	8	8	13134.7998	10903.7998	10903.7998	1.119952
2610	050	4819	0.11	2060	2	65	100	3	11	9	14457	12397	RH-3	40	form-based			true	0.7	10	0.909090936	8	8	13493.2002	11433.2002	11433.2002	0.933333
2614	121	4912	0.11	1748	2	65	100	3	11	9	14736	12988	RH-2	40	form-based			true	0.7	10	0.909090936	8	8	13753.59961	12005.59961	12005.59961	0.933333
2616	024	3750	0.09	2927	0	55	80	2.5	7	7	9375	6448	RH-2	40	form-based			true	0.7	8	1.142857194	8	8	10500	7573	7573	1.12
2617A	013	4048	0.09	2420	1	55	80	2.5	7	6	10120	7700	RH-1(D)	40	form-based		true	true	0.7	9	1.285714269	8	8	11334.39941	8914.399414	8914.399414	1.12
2618	029	4414	0.1	4029	1	55	80	2.5	8	7	11035	7006	RH-2	40	form-based			true	0.7	9	1.125	8	8	12359.2002	8330.200195	8330.200195	1.12
2618	060	5079	0.12	4249	3	55	80	2.5	10	7	12698	8449	RH-2	40	form-based			true	0.7	11	1.100000024	8	8	14221.2002	9972.200195	9972.200195	1.119956
2619	027	4054	0.09	2222	1	55	80	2.5	7	6	10135	7913	RH-2	40	form-based			true	0.7	9	1.285714269	8	8	11351.2002	9129.200195	9129.200195	1.12
2620	137	4860	0.11	6571	2	65	100	3	11	9	14580	8009	RH-2	40	form-based			true	0.7	10	0.909090936	8	8	13608	7037	7037	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2622	006	2497	0.06	3875	5	65	100	3	6	1	7491	3616	RTO-C	85	form-based			true	0.75	13	2.166666746	8	7	14982	11107	11107	2
2622	034	4297	0.1	1986	1	65	100	3	10	9	12891	10905	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12031.59961	10045.59961	10045.59961	0.933333
2623	001	2846	0.07	14938	7	65	100	3	7	0	8538	0	RTO-C	85	form-based		true	true	0.75	15	2.142857075	8	7	17076	2138	2138	2
2623	028	5550	0.13	8272	4	65	100	3	13	9	16650	8378	RH-3	40	form-based			true	0.7	12	0.923076928	8	8	15540	7268	7268	0.933333
2623	061	4805	0.11	2451	2	65	100	3	11	9	14415	11964	RH-2	40	form-based			true	0.7	10	0.909090936	8	8	13454	11003	11003	0.933333
2626	002	3862	0.09	4458	0	55	80	2.5	7	7	9655	5197	RH-2	40	form-based		true	true	0.7	8	1.142857194	8	8	10813.59961	6355.599609	6355.599609	1.12
2626	027	4069	0.09	2880	1	55	80	2.5	7	6	10172	7292	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11393.2002	8513.200195	8513.200195	1.120055
2628	115	4700	0.11	2050	2	55	80	2.5	9	7	11750	9700	RH-2	40	form-based			true	0.7	10	1.111111164	8	8	13160	11110	11110	1.12
2629	074	5062	0.12	764	3	55	80	2.5	10	7	12655	11891	RH-2	40	form-based			true	0.7	11	1.100000024	8	8	14173.59961	13409.59961	13409.59961	1.12
2629A	055	7384	0.17	12610	8	55	80	2.5	14	6	18460	5850	RH-3	40	form-based			true	0.7	16	1.142857194	8	8	20675.19922	8065.199219	8065.199219	1.12
2630	019	4212	0.1	1964	1	65	100	3	10	9	12636	10672	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11793.59961	9829.599609	9829.599609	0.933333
2631	053	2500	0.06	1550	1	65	100	3	6	5	7500	5950	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	9700	9700	1.5
2632	006	3415	0.08	2496	2	65	100	3	8	6	10245	7749	RH-2	50	form-based			true	0.7	10	1.25	8	8	11952.5	9456.5	9456.5	1.166667
2632	020	4203	0.1	2754	1	65	100	3	10	9	12609	9855	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11768.39941	9014.399414	9014.399414	0.933333
2632	022	5375	0.12	9030	7	65	100	3	12	5	16125	7095	RH-3	50	form-based			true	0.7	15	1.25	8	8	18812.5	9782.5	9782.5	1.166667
2635	033	4431	0.1	1065	1	55	80	2.5	8	7	11078	10013	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12406.7998	11341.7998	11341.7998	1.119949
2635	034	4257	0.1	1065	1	55	80	2.5	8	7	10642	9577	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11919.59961	10854.59961	10854.59961	1.120053
2636	037	4559	0.1	3412	2	55	80	2.5	8	6	11398	7986	RM-1	40	form-based			true	0.7	10	1.25	8	8	12765.2002	9353.200195	9353.200195	1.119951
2641	005	4172	0.1	2267	1	65	100	3	10	9	12516	10249	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11681.59961	9414.599609	9414.599609	0.933333
2641	006	4171	0.1	1540	1	65	100	3	10	9	12513	10973	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11678.7998	10138.7998	10138.7998	0.933333
2641	018	4153	0.1	3767	1	65	100	3	10	9	12459	8692	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11628.39941	7861.399414	7861.399414	0.933333
2641	034	3065	0.07	3314	1	65	100	3	7	6	9195	5881	RH-1(D)	50	form-based			true	0.7	9	1.285714269	8	8	10727.5	7413.5	7413.5	1.166667
2641	042	4144	0.1	1932	1	55	80	2.5	8	7	10360	8428	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11603.2002	9671.200195	9671.200195	1.12
2641	045	4257	0.1	2412	1	65	100	3	10	9	12771	10359	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11919.59961	9507.599609	9507.599609	0.933333
2642	006A	4139	0.1	1809	1	65	100	3	10	9	12417	10608	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11589.2002	9780.200195	9780.200195	0.933333
2642	007	4317	0.1	1600	1	65	100	3	10	9	12951	11351	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12087.59961	10487.59961	10487.59961	0.933333
2642	015	4142	0.1	2297	1	55	80	2.5	8	7	10355	8058	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11597.59961	9300.599609	9300.599609	1.12
2642	031	4172	0.1	2490	1	65	100	3	10	9	12516	10026	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11681.59961	9191.599609	9191.599609	0.933333
2642	044	4319	0.1	2871	1	65	100	3	10	9	12957	10086	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12093.2002	9222.200195	9222.200195	0.933333
2642	047	4468	0.1	2802	1	65	100	3	10	9	13404	10602	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12510.39941	9708.399414	9708.399414	0.933333
2644	008	4500	0.1	2388	1	65	100	3	10	9	13500	11112	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12600	10212	10212	0.933333
2648	043	3750	0.09	3574	0	65	100	3	9	9	11250	7676	NCD-CAST	40	form-based			true	0.75	8	0.888888896	8	8	11250	7676	7676	1
2648	052	3750	0.09	8035	0	65	100	3	9	9	11250	3215	NCD-CAST	40	form-based		true	true	0.75	8	0.888888896	8	8	11250	3215	3215	1
2649	015	3750	0.09	3750	0	65	100	3	9	9	11250	7500	RH-3	40	form-based		true	true	0.7	8	0.888888896	8	8	10500	6750	6750	0.933333
2661	012	4066	0.09	3846	1	55	80	2.5	7	6	10165	6319	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11384.7998	7538.799805	7538.799805	1.12
2661	014	4175	0.1	1596	1	55	80	2.5	8	7	10438	8842	RH-1	40	form-based			true	0.7	9	1.125	8	8	11690	10094	10094	1.119946
2661	032	4486	0.1	1650	1	55	80	2.5	8	7	11215	9565	RH-1	40	form-based		true	true	0.7	9	1.125	8	8	12560.7998	10910.7998	10910.7998	1.12
2661	045	4129	0.09	2698	1	55	80	2.5	7	6	10322	7624	RH-1	40	form-based			true	0.7	9	1.285714269	8	8	11561.2002	8863.200195	8863.200195	1.120054
2674	017	4389	0.1	1787	1	55	80	2.5	8	7	10972	9185	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12289.2002	10502.2002	10502.2002	1.120051
2675	017	4200	0.1	1404	1	55	80	2.5	8	7	10500	9096	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11760	10356	10356	1.12
2675	018	4330	0.1	1404	1	55	80	2.5	8	7	10825	9421	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12124	10720	10720	1.12
2676	028	4085	0.09	1994	1	55	80	2.5	7	6	10212	8218	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11438	9444	9444	1.120055
2676	029	4423	0.1	3430	1	55	80	2.5	8	7	11058	7628	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12384.39941	8954.399414	8954.399414	1.119949
2679	010	4171	0.1	2465	1	55	80	2.5	8	7	10428	7963	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11678.7998	9213.799805	9213.799805	1.119946
2679	011	4379	0.1	2767	1	55	80	2.5	8	7	10948	8181	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12261.2002	9494.200195	9494.200195	1.119949
2679	012	4207	0.1	1239	1	55	80	2.5	8	7	10518	9279	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11779.59961	10540.59961	10540.59961	1.119947
2679	013	4478	0.1	1683	1	55	80	2.5	8	7	11195	9512	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12538.39941	10855.39941	10855.39941	1.12
2680	031	4069	0.09	1579	1	55	80	2.5	7	6	10172	8593	RH-1(D)	40	form-based		true	true	0.7	9	1.285714269	8	8	11393.2002	9814.200195	9814.200195	1.120055
2681	016	4299	0.1	1739	1	55	80	2.5	8	7	10748	9009	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12037.2002	10298.2002	10298.2002	1.119948
2682	019	4315	0.1	1590	1	55	80	2.5	8	7	10788	9198	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12082	10492	10492	1.119948
2682	020	4337	0.1	1590	1	55	80	2.5	8	7	10842	9252	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12143.59961	10553.59961	10553.59961	1.120052
2682	026	4523	0.1	1513	1	55	80	2.5	8	7	11308	9795	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12664.39941	11151.39941	11151.39941	1.11995
2682	028	4075	0.09	1934	1	55	80	2.5	7	6	10188	8254	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11410	9476	9476	1.119945
2683	019	4401	0.1	1408	1	55	80	2.5	8	7	11002	9594	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12322.7998	10914.7998	10914.7998	1.120051
2686	003	4309	0.1	1245	1	55	80	2.5	8	7	10772	9527	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12065.2002	10820.2002	10820.2002	1.120052
2686	029	4067	0.09	2943	1	55	80	2.5	7	6	10168	7225	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11387.59961	8444.599609	8444.599609	1.119945
2686	039	4191	0.1	1849	1	55	80	2.5	8	7	10478	8629	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11734.7998	9885.799805	9885.799805	1.119946
2688	001	4492	0.1	5106	1	55	80	2.5	8	7	11230	6124	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12577.59961	7471.599609	7471.599609	1.12
2688	004	4138	0.09	3403	1	55	80	2.5	7	6	10345	6942	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11586.39941	8183.399414	8183.399414	1.12
2688	066	4193	0.1	3500	1	55	80	2.5	8	7	10482	6982	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11740.39941	8240.399414	8240.399414	1.120053
2691	042	4279	0.1	1215	1	55	80	2.5	8	7	10698	9483	RH-2	40	form-based			true	0.7	9	1.125	8	8	11981.2002	10766.2002	10766.2002	1.119948
2691	047	9092	0.21	13179	11	55	80	2.5	17	6	22730	9551	RH-2	40	form-based			true	0.7	19	1.117647052	8	8	25457.59961	12278.59961	12278.59961	1.12
2693	001	3768	0.09	8602	0	65	100	3	9	9	11304	2702	RH-3	40	form-based		true	true	0.7	8	0.888888896	8	8	10550.39941	1948.399414	1948.399414	0.933333
2695	012	3185	0.07	2800	2	65	100	3	7	5	9555	6755	NCD-CAST	50	form-based			true	0.75	10	1.428571463	8	8	11943.75	9143.75	9143.75	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2695	031	3084	0.07	1300	1	65	100	3	7	6	9252	7952	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10794	9494	9494	1.166667
2698	008	4291	0.1	2220	1	55	80	2.5	8	7	10728	8508	RH-3	40	form-based			true	0.7	9	1.125	8	8	12014.7998	9794.799805	9794.799805	1.119948
2699	004	4625	0.11	3279	2	55	80	2.5	9	7	11562	8283	RH-2	40	form-based			true	0.7	10	1.111111164	8	8	12950	9671	9671	1.120048
2699	056	4625	0.11	1472	2	55	80	2.5	9	7	11562	10090	RH-2	40	form-based			true	0.7	10	1.111111164	8	8	12950	11478	11478	1.120048
2706	070	4303	0.1	5050	1	55	80	2.5	8	7	10758	5708	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12048.39941	6998.399414	6998.399414	1.119948
2706	046	4468	0.1	3500	1	55	80	2.5	8	7	11170	7670	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12510.39941	9010.399414	9010.399414	1.12
2707	004	4210	0.1	2774	1	55	80	2.5	8	7	10525	7751	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11788	9014	9014	1.12
2714	014	4417	0.1	2205	1	55	80	2.5	8	7	11042	8837	RH-2	40	form-based		true	true	0.7	9	1.125	8	8	12367.59961	10162.59961	10162.59961	1.120051
2714	030	3687	0.08	0	0	55	80	2.5	6	6	9218	9218	RH-2	40	form-based		true	true	0.7	8	1.333333373	8	8	10323.59961	10323.59961	10323.59961	1.119939
2714	032	3685	0.08	0	0	55	80	2.5	6	6	9212	9212	RH-2	40	form-based			true	0.7	8	1.333333373	8	8	10318	10318	10318	1.120061
2714	056	5037	0.12	677	3	55	80	2.5	10	7	12592	11915	RH-2	40	form-based		true	true	0.7	11	1.100000024	8	8	14103.59961	13426.59961	13426.59961	1.120044
2715	022	3697	0.08	0	0	55	80	2.5	6	6	9242	9242	RH-2	40	form-based			true	0.7	8	1.333333373	8	8	10351.59961	10351.59961	10351.59961	1.120061
2748	001	4725	0.11	1995	2	55	80	2.5	9	7	11812	9817	RH-2	40	form-based			true	0.7	10	1.111111164	8	8	13230	11235	11235	1.120047
2751	006	4062	0.09	1179	1	55	80	2.5	7	6	10155	8976	RH-2	40	form-based			true	0.7	9	1.285714269	8	8	11373.59961	10194.59961	10194.59961	1.12
2752	022J	4337	0.1	1444	1	55	80	2.5	8	7	10842	9398	RH-2	40	form-based			true	0.7	9	1.125	8	8	12143.59961	10699.59961	10699.59961	1.120052
2769	037	6125	0.14	4606	5	55	80	2.5	11	6	15312	10706	RH-3	40	form-based			true	0.7	13	1.181818128	8	8	17150	12544	12544	1.120037
2788	005	4240	0.1	1127	1	55	80	2.5	8	7	10600	9473	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11872	10745	10745	1.12
2788	006	4320	0.1	1730	1	55	80	2.5	8	7	10800	9070	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12096	10366	10366	1.12
2788	007	4381	0.1	1771	1	55	80	2.5	8	7	10952	9181	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12266.7998	10495.7998	10495.7998	1.120051
2788	008	4365	0.1	1127	1	55	80	2.5	8	7	10912	9785	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12222	11095	11095	1.120051
2788	019	4315	0.1	1385	1	55	80	2.5	8	7	10788	9403	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12082	10697	10697	1.119948
2788	020	4461	0.1	1065	1	55	80	2.5	8	7	11152	10087	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12490.7998	11425.7998	11425.7998	1.12005
2788	033	4475	0.1	1850	1	55	80	2.5	8	7	11188	9338	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12530	10680	10680	1.11995
2789	044	4323	0.1	1065	1	55	80	2.5	8	7	10808	9743	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12104.39941	11039.39941	11039.39941	1.119948
2789	017	4268	0.1	1806	1	55	80	2.5	8	7	10670	8864	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11950.39941	10144.39941	10144.39941	1.12
2789	018	4225	0.1	1815	1	55	80	2.5	8	7	10562	8747	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11830	10015	10015	1.120053
2789	019	4208	0.1	1810	1	55	80	2.5	8	7	10520	8710	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11782.39941	9972.399414	9972.399414	1.12
2789	020	4277	0.1	1810	1	55	80	2.5	8	7	10692	8882	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11975.59961	10165.59961	10165.59961	1.120052
2789	021	4180	0.1	1870	1	55	80	2.5	8	7	10450	8580	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11704	9834	9834	1.12
2789	022	4284	0.1	1849	1	55	80	2.5	8	7	10710	8861	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11995.2002	10146.2002	10146.2002	1.12
2789	023	4241	0.1	1298	1	55	80	2.5	8	7	10602	9304	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11874.7998	10576.7998	10576.7998	1.120053
2789	024	4225	0.1	1581	1	55	80	2.5	8	7	10562	8981	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11830	10249	10249	1.120053
2789	027	4206	0.1	1387	1	55	80	2.5	8	7	10515	9128	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11776.7998	10389.7998	10389.7998	1.12
2790	010	4331	0.1	1054	1	55	80	2.5	8	7	10828	9774	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12126.7998	11072.7998	11072.7998	1.119948
2790	011	4223	0.1	1054	1	55	80	2.5	8	7	10558	9504	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11824.39941	10770.39941	10770.39941	1.119947
2790	012	4239	0.1	1054	1	55	80	2.5	8	7	10598	9544	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11869.2002	10815.2002	10815.2002	1.119947
2790	014	4084	0.09	1908	1	55	80	2.5	7	6	10210	8302	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11435.2002	9527.200195	9527.200195	1.12
2790	020	4289	0.1	1237	1	55	80	2.5	8	7	10722	9485	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12009.2002	10772.2002	10772.2002	1.120052
2790	028	4063	0.09	1912	1	55	80	2.5	7	6	10158	8246	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11376.39941	9464.399414	9464.399414	1.119945
2792	005	4471	0.1	1251	1	55	80	2.5	8	7	11178	9927	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12518.7998	11267.7998	11267.7998	1.11995
2792	006	4125	0.09	1251	1	55	80	2.5	7	6	10312	9061	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11550	10299	10299	1.120054
2795	011	4506	0.1	1283	1	55	80	2.5	8	7	11265	9982	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12616.7998	11333.7998	11333.7998	1.12
2804	049	5700	0.13	1684	4	55	80	2.5	10	6	14250	12566	RH-2	40	form-based			true	0.7	12	1.200000048	8	8	15960	14276	14276	1.12
2817	010	4275	0.1	2460	1	55	80	2.5	8	7	10688	8228	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	11970	9510	9510	1.119948
2816	007	4195	0.1	2521	1	55	80	2.5	8	7	10488	7967	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11746	9225	9225	1.119947
2817	006	4474	0.1	2618	1	55	80	2.5	8	7	11185	8567	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12527.2002	9909.200195	9909.200195	1.12
2817	007	4402	0.1	2208	1	55	80	2.5	8	7	11005	8797	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12325.59961	10117.59961	10117.59961	1.12
2817	008	4237	0.1	2464	1	55	80	2.5	8	7	10592	8128	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11863.59961	9399.599609	9399.599609	1.120053
2817	009	4078	0.09	3660	1	55	80	2.5	7	6	10195	6535	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11418.39941	7758.399414	7758.399414	1.12
2817	019	4051	0.09	2698	1	65	100	3	9	8	12153	9455	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11342.7998	8644.799805	8644.799805	0.933333
2817	020	4074	0.09	1586	1	65	100	3	9	8	12222	10636	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11407.2002	9821.200195	9821.200195	0.933333
2817	023	4245	0.1	2150	1	55	80	2.5	8	7	10612	8462	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	11886	9736	9736	1.120053
2817	034	4486	0.1	3050	1	55	80	2.5	8	7	11215	8165	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12560.7998	9510.799805	9510.799805	1.12
2817	035	4458	0.1	2176	1	55	80	2.5	8	7	11145	8969	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12482.39941	10306.39941	10306.39941	1.12
2817	036	4119	0.09	2496	1	55	80	2.5	7	6	10298	7802	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11533.2002	9037.200195	9037.200195	1.119946
2817	041	4400	0.1	2420	1	55	80	2.5	8	7	11000	8580	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12320	9900	9900	1.12
2818	001	4327	0.1	2040	1	55	80	2.5	8	7	10818	8778	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12115.59961	10075.59961	10075.59961	1.119948
2818	012	3945	0.09	0	0	55	80	2.5	7	7	9862	9862	RH-1(D)	40	form-based			true	0.7	8	1.142857194	8	8	11046	11046	11046	1.120057
2818	022	4351	0.1	1817	1	55	80	2.5	8	7	10878	9061	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12182.7998	10365.7998	10365.7998	1.119949
2818	023	4084	0.09	2078	1	55	80	2.5	7	6	10210	8132	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11435.2002	9357.200195	9357.200195	1.12
2818	024	4189	0.1	2152	1	55	80	2.5	8	7	10472	8320	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11729.2002	9577.200195	9577.200195	1.120054
2818	025	4241	0.1	2297	1	55	80	2.5	8	7	10602	8305	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11874.7998	9577.799805	9577.799805	1.120053
2819	036	4132	0.09	3000	1	65	100	3	9	8	12396	9396	RH-1(D)	40	form-based		true	true	0.7	9	1	8	8	11569.59961	8569.599609	8569.599609	0.933333
2819	038	4211	0.1	5705	1	65	100	3	10	9	12633	6928	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11790.7998	6085.799805	6085.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2820	008	4371	0.1	1064	1	55	80	2.5	8	7	10928	9864	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12238.7998	11174.7998	11174.7998	1.119949
2822A	010	4243	0.1	1639	1	55	80	2.5	8	7	10608	8969	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11880.39941	10241.39941	10241.39941	1.119947
2822A	019	4179	0.1	1770	1	55	80	2.5	8	7	10448	8678	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11701.2002	9931.200195	9931.200195	1.119946
2823	018	4186	0.1	1398	1	55	80	2.5	8	7	10465	9067	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11720.7998	10322.7998	10322.7998	1.12
2823	018A	4152	0.1	967	1	55	80	2.5	8	7	10380	9413	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11625.59961	10658.59961	10658.59961	1.12
2823A	018	4515	0.1	1191	1	55	80	2.5	8	7	11288	10097	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12642	11451	11451	1.11995
2823A	019	4416	0.1	1941	1	55	80	2.5	8	7	11040	9099	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12364.7998	10423.7998	10423.7998	1.12
2823A	020	4416	0.1	1291	1	55	80	2.5	8	7	11040	9749	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12364.7998	11073.7998	11073.7998	1.12
2823A	021	4416	0.1	1291	1	55	80	2.5	8	7	11040	9749	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12364.7998	11073.7998	11073.7998	1.12
2823A	022	4416	0.1	1738	1	55	80	2.5	8	7	11040	9302	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12364.7998	10626.7998	10626.7998	1.12
2823A	023	4416	0.1	1291	1	55	80	2.5	8	7	11040	9749	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12364.7998	11073.7998	11073.7998	1.12
2823A	024	4416	0.1	1435	1	55	80	2.5	8	7	11040	9605	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12364.7998	10929.7998	10929.7998	1.12
2823A	025	4416	0.1	1531	1	55	80	2.5	8	7	11040	9509	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12364.7998	10833.7998	10833.7998	1.12
2823A	026	4416	0.1	1914	1	55	80	2.5	8	7	11040	9126	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12364.7998	10450.7998	10450.7998	1.12
2823A	027	4416	0.1	1291	1	55	80	2.5	8	7	11040	9749	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12364.7998	11073.7998	11073.7998	1.12
2823A	028	4517	0.1	1291	1	55	80	2.5	8	7	11292	10001	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12647.59961	11356.59961	11356.59961	1.12005
2823A	042	3831	0.09	1603	0	55	80	2.5	7	7	9578	7975	RH-1(D)	40	form-based			true	0.7	8	1.142857194	8	8	10726.7998	9123.799805	9123.799805	1.119941
2823B	008	4340	0.1	1275	1	55	80	2.5	8	7	10850	9575	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12152	10877	10877	1.12
2823B	012	4396	0.1	1275	1	55	80	2.5	8	7	10990	9715	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12308.7998	11033.7998	11033.7998	1.12
2823B	013	4081	0.09	1056	1	55	80	2.5	7	6	10202	9146	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11426.7998	10370.7998	10370.7998	1.120055
2823B	019	4206	0.1	899	1	55	80	2.5	8	7	10515	9616	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11776.7998	10877.7998	10877.7998	1.12
2831	008	3390	0.08	3175	5	55	80	2.5	6	1	8475	5300	NCD-24TH	65	form-based			true	0.75	13	2.166666746	8	7	15255	12080	12080	1.8
2831	015	2831	0.06	3080	3	55	80	2.5	5	2	7078	3998	NCD-24TH	65	form-based			true	0.75	11	2.200000048	8	7	12739.5	9659.5	9659.5	1.799873
2831	020	2835	0.07	4875	3	55	80	2.5	6	3	7088	2213	NCD-24TH	65	form-based			true	0.75	11	1.833333373	8	8	12757.5	7882.5	7882.5	1.799873
2831	026	2850	0.07	0	0	55	80	2.5	6	6	7125	7125	RH-2	50	form-based			true	0.7	8	1.333333373	8	8	9975	9975	9975	1.4
2833	001	4467	0.1	2248	1	55	80	2.5	8	7	11168	8920	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12507.59961	10259.59961	10259.59961	1.11995
2834	031	4398	0.1	1275	1	55	80	2.5	8	7	10995	9720	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12314.39941	11039.39941	11039.39941	1.12
2834	020	4176	0.1	937	1	55	80	2.5	8	7	10440	9503	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11692.7998	10755.7998	10755.7998	1.12
2834	021	4416	0.1	937	1	55	80	2.5	8	7	11040	10103	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12364.7998	11427.7998	11427.7998	1.12
2834	022	4464	0.1	1556	1	55	80	2.5	8	7	11160	9604	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12499.2002	10943.2002	10943.2002	1.12
2834	023	4460	0.1	937	1	55	80	2.5	8	7	11150	10213	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12488	11551	11551	1.12
2834	024	4458	0.1	1576	1	55	80	2.5	8	7	11145	9569	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12482.39941	10906.39941	10906.39941	1.12
2834	025	4455	0.1	1416	1	55	80	2.5	8	7	11138	9722	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12474	11058	11058	1.11995
2834	026	4453	0.1	1856	1	55	80	2.5	8	7	11132	9276	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12468.39941	10612.39941	10612.39941	1.12005
2834	027	4450	0.1	1056	1	55	80	2.5	8	7	11125	10069	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12460	11404	11404	1.12
2834	028	4448	0.1	1275	1	55	80	2.5	8	7	11120	9845	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12454.39941	11179.39941	11179.39941	1.12
2834	029	4461	0.1	1548	1	55	80	2.5	8	7	11152	9604	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12490.7998	10942.7998	10942.7998	1.12005
2834	030	4451	0.1	1275	1	55	80	2.5	8	7	11128	9853	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12462.7998	11187.7998	11187.7998	1.11995
2834	032	4303	0.1	1575	1	55	80	2.5	8	7	10758	9183	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12048.39941	10473.39941	10473.39941	1.119948
2834	033	4165	0.1	1275	1	55	80	2.5	8	7	10412	9137	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11662	10387	10387	1.120054
2835	018	4330	0.1	1186	1	55	80	2.5	8	7	10825	9639	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12124	10938	10938	1.12
2835	027	4427	0.1	1275	1	55	80	2.5	8	7	11068	9793	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12395.59961	11120.59961	11120.59961	1.119949
2835	028	4304	0.1	2038	1	55	80	2.5	8	7	10760	8722	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12051.2002	10013.2002	10013.2002	1.12
2835	029	4104	0.09	1275	1	55	80	2.5	7	6	10260	8985	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11491.2002	10216.2002	10216.2002	1.12
2835	043	4388	0.1	1625	1	55	80	2.5	8	7	10970	9345	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12286.39941	10661.39941	10661.39941	1.12
2835	044	4346	0.1	1770	1	55	80	2.5	8	7	10865	9095	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12168.7998	10398.7998	10398.7998	1.12
2836	004	4484	0.1	967	1	55	80	2.5	8	7	11210	10243	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12555.2002	11588.2002	11588.2002	1.12
2836	016	4416	0.1	1056	1	55	80	2.5	8	7	11040	9984	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12364.7998	11308.7998	11308.7998	1.12
2836	017	4103	0.09	937	1	55	80	2.5	7	6	10258	9321	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11488.39941	10551.39941	10551.39941	1.119945
2836	028	4207	0.1	1000	1	55	80	2.5	8	7	10518	9518	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11779.59961	10779.59961	10779.59961	1.119947
2837	001	4077	0.09	2093	1	55	80	2.5	7	6	10192	8099	RH-1(D)	40	form-based		true	true	0.7	9	1.285714269	8	8	11415.59961	9322.599609	9322.599609	1.120055
2837	003	4448	0.1	1773	1	65	100	3	10	9	13344	11571	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12454.39941	10681.39941	10681.39941	0.933333
2837	004	4483	0.1	2662	1	65	100	3	10	9	13449	10787	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12552.39941	9890.399414	9890.399414	0.933333
2837	005	4359	0.1	2260	1	65	100	3	10	9	13077	10817	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12205.2002	9945.200195	9945.200195	0.933333
2837	006	4081	0.09	2490	1	65	100	3	9	8	12243	9753	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11426.7998	8936.799805	8936.799805	0.933333
2837	011	4451	0.1	3025	1	65	100	3	10	9	13353	10328	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12462.7998	9437.799805	9437.799805	0.933333
2864	020	3770	0.09	2924	0	65	100	3	9	9	11310	8386	RH-1(D)	40	form-based			true	0.7	8	0.888888896	8	8	10556	7632	7632	0.933333
2837	027	4424	0.1	2296	1	55	80	2.5	8	7	11060	8764	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12387.2002	10091.2002	10091.2002	1.12
2837	028	4082	0.09	3676	1	55	80	2.5	7	6	10205	6529	RH-1(D)	40	form-based		true	true	0.7	9	1.285714269	8	8	11429.59961	7753.599609	7753.599609	1.12
2837	030	4152	0.1	2519	1	65	100	3	10	9	12456	9937	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11625.59961	9106.599609	9106.599609	0.933333
2838	002	4056	0.09	2556	1	55	80	2.5	7	6	10140	7584	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11356.7998	8800.799805	8800.799805	1.12
2838	005	4504	0.1	1772	1	55	80	2.5	8	7	11260	9488	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12611.2002	10839.2002	10839.2002	1.12
2838	006	4182	0.1	2527	1	55	80	2.5	8	7	10455	7928	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11709.59961	9182.599609	9182.599609	1.12
2839	022	4410	0.1	2339	1	55	80	2.5	8	7	11025	8686	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12348	10009	10009	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2839	031	4016	0.09	0	0	55	80	2.5	7	7	10040	10040	RH-1(D)	40	form-based			true	0.7	8	1.142857194	8	8	11244.7998	11244.7998	11244.7998	1.12
2839	035	4111	0.09	1904	1	55	80	2.5	7	6	10278	8374	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11510.7998	9606.799805	9606.799805	1.119946
2839	039	4230	0.1	3060	1	55	80	2.5	8	7	10575	7515	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11844	8784	8784	1.12
2839	043	4313	0.1	1679	1	55	80	2.5	8	7	10782	9103	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12076.39941	10397.39941	10397.39941	1.120052
2840	022	4066	0.09	3156	1	65	100	3	9	8	12198	9042	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11384.7998	8228.799805	8228.799805	0.933333
2840	023	4154	0.1	2407	1	65	100	3	10	9	12462	10055	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11631.2002	9224.200195	9224.200195	0.933333
2840	039	4499	0.1	2888	1	65	100	3	10	9	13497	10609	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12597.2002	9709.200195	9709.200195	0.933333
2840	047	4068	0.09	2714	1	65	100	3	9	8	12204	9490	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11390.39941	8676.399414	8676.399414	0.933333
2841	008	4318	0.1	2718	1	65	100	3	10	9	12954	10236	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12090.39941	9372.399414	9372.399414	0.933333
2841	009	4093	0.09	2577	1	65	100	3	9	8	12279	9702	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11460.39941	8883.399414	8883.399414	0.933333
2860	004	4342	0.1	4885	1	55	80	2.5	8	7	10855	5970	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12157.59961	7272.599609	7272.599609	1.12
2858	008	3900	0.09	0	0	65	100	3	9	9	11700	11700	RH-1(D)	40	form-based			true	0.7	8	0.888888896	8	8	10920	10920	10920	0.933333
2858	007	3683	0.08	0	0	65	100	3	8	8	11049	11049	RH-1(D)	40	form-based			true	0.7	8	1	8	8	10312.39941	10312.39941	10312.39941	0.933333
2856	011	4496	0.1	1407	1	65	100	3	10	9	13488	12081	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12588.7998	11181.7998	11181.7998	0.933333
2857	003	4146	0.1	1930	1	65	100	3	10	9	12438	10508	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11608.7998	9678.799805	9678.799805	0.933333
2857	004	4442	0.1	3193	1	65	100	3	10	9	13326	10133	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12437.59961	9244.599609	9244.599609	0.933333
2857	005	4346	0.1	1935	1	65	100	3	10	9	13038	11103	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12168.7998	10233.7998	10233.7998	0.933333
2857	007	4522	0.1	2582	1	65	100	3	10	9	13566	10984	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12661.59961	10079.59961	10079.59961	0.933333
2857	008	4449	0.1	2822	1	65	100	3	10	9	13347	10525	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12457.2002	9635.200195	9635.200195	0.933333
2857	012	4256	0.1	2028	1	65	100	3	10	9	12768	10740	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11916.7998	9888.799805	9888.799805	0.933333
2857	021	4457	0.1	2425	1	65	100	3	10	9	13371	10946	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12479.59961	10054.59961	10054.59961	0.933333
2859	001	4104	0.09	3233	1	65	100	3	9	8	12312	9079	RH-1(D)	40	form-based		true	true	0.7	9	1	8	8	11491.2002	8258.200195	8258.200195	0.933333
2860	003	4394	0.1	1662	1	55	80	2.5	8	7	10985	9323	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12303.2002	10641.2002	10641.2002	1.12
2859	020	4234	0.1	2676	1	55	80	2.5	8	7	10585	7909	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11855.2002	9179.200195	9179.200195	1.12
2859	031	4409	0.1	2405	1	65	100	3	10	9	13227	10822	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12345.2002	9940.200195	9940.200195	0.933333
2860	011	4160	0.1	2719	1	55	80	2.5	8	7	10400	7681	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	11648	8929	8929	1.12
2860	005	4288	0.1	1962	1	55	80	2.5	8	7	10720	8758	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12006.39941	10044.39941	10044.39941	1.12
2860	006	4222	0.1	2344	1	55	80	2.5	8	7	10555	8211	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11821.59961	9477.599609	9477.599609	1.12
2860	018	4354	0.1	2150	1	55	80	2.5	8	7	10885	8735	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12191.2002	10041.2002	10041.2002	1.12
2860	019	4410	0.1	3205	1	55	80	2.5	8	7	11025	7820	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12348	9143	9143	1.12
2861	011	3679	0.08	3565	0	55	80	2.5	6	6	9198	5633	RH-1(D)	40	form-based			true	0.7	8	1.333333373	8	8	10301.2002	6736.200195	6736.200195	1.119939
2862	016	4239	0.1	2023	1	65	100	3	10	9	12717	10694	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11869.2002	9846.200195	9846.200195	0.933333
2863	023	4475	0.1	2000	1	65	100	3	10	9	13425	11425	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12530	10530	10530	0.933333
2863	024	4107	0.09	2296	1	65	100	3	9	8	12321	10025	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11499.59961	9203.599609	9203.599609	0.933333
2864	012	4288	0.1	1780	1	65	100	3	10	9	12864	11084	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12006.39941	10226.39941	10226.39941	0.933333
2864	015	4266	0.1	1730	1	65	100	3	10	9	12798	11068	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11944.7998	10214.7998	10214.7998	0.933333
2864	023	4070	0.09	2317	1	65	100	3	9	8	12210	9893	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11396	9079	9079	0.933333
2864	040	4141	0.1	1496	1	65	100	3	10	9	12423	10927	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11594.7998	10098.7998	10098.7998	0.933333
2864	045	4445	0.1	2200	1	85	140	4	14	13	17780	15580	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	12446	10246	10246	0.7
2888A	013	4159	0.1	1625	1	65	100	3	10	9	12477	10852	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11645.2002	10020.2002	10020.2002	0.933333
2864	081	4181	0.1	4182	1	65	100	3	10	9	12543	8361	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11706.7998	7524.799805	7524.799805	0.933333
2875	018	4280	0.1	1683	1	55	80	2.5	8	7	10700	9017	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11984	10301	10301	1.12
2875	019	4485	0.1	2243	1	55	80	2.5	8	7	11212	8969	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12558	10315	10315	1.12005
2876	018	4437	0.1	3528	1	55	80	2.5	8	7	11092	7564	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12423.59961	8895.599609	8895.599609	1.12005
2879	034	4131	0.09	3115	1	65	100	3	9	8	12393	9278	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11566.7998	8451.799805	8451.799805	0.933333
2880	005	4271	0.1	2473	1	65	100	3	10	9	12813	10340	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11958.7998	9485.799805	9485.799805	0.933333
2881	009	4324	0.1	3966	1	55	80	2.5	8	7	10810	6844	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12107.2002	8141.200195	8141.200195	1.12
2881	014	4446	0.1	1450	1	55	80	2.5	8	7	11115	9665	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12448.7998	10998.7998	10998.7998	1.12
2882	018	4087	0.09	1943	1	55	80	2.5	7	6	10218	8275	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11443.59961	9500.599609	9500.599609	1.119945
2882	020	4505	0.1	2598	1	55	80	2.5	8	7	11262	8664	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12614	10016	10016	1.12005
2883	012	4288	0.1	1188	1	55	80	2.5	8	7	10720	9532	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12006.39941	10818.39941	10818.39941	1.12
2883	013	4398	0.1	1841	1	55	80	2.5	8	7	10995	9154	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12314.39941	10473.39941	10473.39941	1.12
2883	016	4311	0.1	2263	1	55	80	2.5	8	7	10778	8515	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12070.7998	9807.799805	9807.799805	1.119948
2883	025	4111	0.09	1631	1	55	80	2.5	7	6	10278	8647	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11510.7998	9879.799805	9879.799805	1.119946
2884	014	4103	0.09	5227	1	55	80	2.5	7	6	10258	5031	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11488.39941	6261.399414	6261.399414	1.119945
2884	021	3610	0.08	3380	0	55	80	2.5	6	6	9025	5645	RH-1(D)	40	form-based			true	0.7	8	1.333333373	8	8	10108	6728	6728	1.12
2885	006	4152	0.1	1800	1	55	80	2.5	8	7	10380	8580	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11625.59961	9825.599609	9825.599609	1.12
2885	007	4407	0.1	2342	1	55	80	2.5	8	7	11018	8676	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12339.59961	9997.599609	9997.599609	1.119949
2885	008	4483	0.1	2150	1	55	80	2.5	8	7	11208	9058	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12552.39941	10402.39941	10402.39941	1.11995
2885	009	4506	0.1	2320	1	55	80	2.5	8	7	11265	8945	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12616.7998	10296.7998	10296.7998	1.12
2886	016	4486	0.1	2674	1	65	100	3	10	9	13458	10784	RH-1(D)	40	form-based	true	true	true	0.7	9	0.899999976	8	8	12560.7998	9886.799805	9886.799805	0.933333
2887	007A	4075	0.09	1449	1	55	80	2.5	7	6	10188	8739	RH-1(D)	40	form-based	true	true	true	0.7	9	1.285714269	8	8	11410	9961	9961	1.119945
2887	008	4104	0.09	1516	1	65	100	3	9	8	12312	10796	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11491.2002	9975.200195	9975.200195	0.933333
2889	017	4240	0.1	1486	1	65	100	3	10	9	12720	11234	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11872	10386	10386	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2888A	008	4231	0.1	2480	1	65	100	3	10	9	12693	10213	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11846.7998	9366.799805	9366.799805	0.933333
2888A	010	4264	0.1	1450	1	65	100	3	10	9	12792	11342	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11939.2002	10489.2002	10489.2002	0.933333
2888A	011	4248	0.1	1684	1	65	100	3	10	9	12744	11060	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11894.39941	10210.39941	10210.39941	0.933333
2888A	012	4204	0.1	1430	1	65	100	3	10	9	12612	11182	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11771.2002	10341.2002	10341.2002	0.933333
2890	002	4179	0.1	2194	1	65	100	3	10	9	12537	10343	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11701.2002	9507.200195	9507.200195	0.933333
2890	013	4457	0.1	1932	1	65	100	3	10	9	13371	11439	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	12479.59961	10547.59961	10547.59961	0.933333
2890	014	4197	0.1	2480	1	65	100	3	10	9	12591	10111	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11751.59961	9271.599609	9271.599609	0.933333
2890	015	4285	0.1	1280	1	65	100	3	10	9	12855	11575	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11998	10718	10718	0.933333
2891	021	4058	0.09	1550	1	55	80	2.5	7	6	10145	8595	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11362.39941	9812.399414	9812.399414	1.12
2891	023	4055	0.09	1944	1	55	80	2.5	7	6	10138	8194	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11354	9410	9410	1.119945
2901E	002	4116	0.09	1300	1	55	80	2.5	7	6	10290	8990	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11524.7998	10224.7998	10224.7998	1.12
2914	025	4288	0.1	3541	1	55	80	2.5	8	7	10720	7179	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12006.39941	8465.399414	8465.399414	1.12
2914	027	4359	0.1	1746	1	55	80	2.5	8	7	10898	9152	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12205.2002	10459.2002	10459.2002	1.119949
2917	012	4057	0.09	1901	1	55	80	2.5	7	6	10142	8241	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11359.59961	9458.599609	9458.599609	1.120055
2917	014	4068	0.09	1470	1	65	100	3	9	8	12204	10734	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11390.39941	9920.399414	9920.399414	0.933333
2917	015	4080	0.09	1618	1	65	100	3	9	8	12240	10622	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11424	9806	9806	0.933333
2917	017	4092	0.09	2160	1	65	100	3	9	8	12276	10116	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11457.59961	9297.599609	9297.599609	0.933333
2917	018	4103	0.09	1450	1	65	100	3	9	8	12309	10859	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11488.39941	10038.39941	10038.39941	0.933333
2917	019	4115	0.09	1111	1	65	100	3	9	8	12345	11234	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11522	10411	10411	0.933333
2917	021	4127	0.09	2738	1	65	100	3	9	8	12381	9643	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11555.59961	8817.599609	8817.599609	0.933333
2917	022	4319	0.1	2299	1	65	100	3	10	9	12957	10658	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12093.2002	9794.200195	9794.200195	0.933333
2917	028	4498	0.1	1920	1	65	100	3	10	9	13494	11574	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	12594.39941	10674.39941	10674.39941	0.933333
2917	042	4508	0.1	1233	1	65	100	3	10	9	13524	12291	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12622.39941	11389.39941	11389.39941	0.933333
2918	020	4145	0.1	2844	1	65	100	3	10	9	12435	9591	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11606	8762	8762	0.933333
2918	003	4512	0.1	1050	1	65	100	3	10	9	13536	12486	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12633.59961	11583.59961	11583.59961	0.933333
2919	005	4325	0.1	2286	1	65	100	3	10	9	12975	10689	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	12110	9824	9824	0.933333
2919	007	4405	0.1	1422	1	65	100	3	10	9	13215	11793	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12334	10912	10912	0.933333
2919	011	4511	0.1	1314	1	65	100	3	10	9	13533	12219	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12630.7998	11316.7998	11316.7998	0.933333
2919	001	4276	0.1	1521	1	65	100	3	10	9	12828	11307	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11972.7998	10451.7998	10451.7998	0.933333
2919	002	4165	0.1	1892	1	65	100	3	10	9	12495	10603	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11662	9770	9770	0.933333
2919	003	4055	0.09	2472	1	65	100	3	9	8	12165	9693	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11354	8882	8882	0.933333
2919	015	4136	0.09	2132	1	65	100	3	9	8	12408	10276	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11580.7998	9448.799805	9448.799805	0.933333
2919	019	4432	0.1	1388	1	65	100	3	10	9	13296	11908	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12409.59961	11021.59961	11021.59961	0.933333
2919	020	4304	0.1	1950	1	65	100	3	10	9	12912	10962	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12051.2002	10101.2002	10101.2002	0.933333
2919	021	4175	0.1	2221	1	65	100	3	10	9	12525	10304	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11690	9469	9469	0.933333
2919	041	4074	0.09	2367	1	65	100	3	9	8	12222	9855	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11407.2002	9040.200195	9040.200195	0.933333
2919	043	4032	0.09	2096	0	65	100	3	9	9	12096	10000	RH-1(D)	40	form-based			true	0.7	8	0.888888896	8	8	11289.59961	9193.599609	9193.599609	0.933333
2919	044	4152	0.1	1725	1	65	100	3	10	9	12456	10731	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11625.59961	9900.599609	9900.599609	0.933333
2919	045	4271	0.1	1856	1	65	100	3	10	9	12813	10957	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11958.7998	10102.7998	10102.7998	0.933333
2919	046	4391	0.1	1674	1	65	100	3	10	9	13173	11499	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12294.7998	10620.7998	10620.7998	0.933333
2919	047	4510	0.1	2330	1	65	100	3	10	9	13530	11200	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12628	10298	10298	0.933333
2919	051	4607	0.11	1361	2	65	100	3	11	9	13821	12460	RH-1(D)	40	form-based			true	0.7	10	0.909090936	8	8	12899.59961	11538.59961	11538.59961	0.933333
2919	052	4497	0.1	1375	1	65	100	3	10	9	13491	12116	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12591.59961	11216.59961	11216.59961	0.933333
2919	053	4386	0.1	1361	1	65	100	3	10	9	13158	11797	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12280.7998	10919.7998	10919.7998	0.933333
2919A	029	4133	0.09	1682	1	65	100	3	9	8	12399	10717	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11572.39941	9890.399414	9890.399414	0.933333
2919A	037	4400	0.1	1961	1	65	100	3	10	9	13200	11239	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12320	10359	10359	0.933333
2919A	043	4390	0.1	2475	1	65	100	3	10	9	13170	10695	RH-1(D)	40	form-based	true	true	true	0.7	9	0.899999976	8	8	12292	9817	9817	0.933333
2920	001	4057	0.09	1382	1	65	100	3	9	8	12171	10789	RH-1(D)	40	form-based	true	true	true	0.7	9	1	8	8	11359.59961	9977.599609	9977.599609	0.933333
2923	001	4260	0.1	2774	1	55	80	2.5	8	7	10650	7876	RH-1(D)	40	form-based	true	true	true	0.7	9	1.125	8	8	11928	9154	9154	1.12
2923	003	4204	0.1	1990	1	55	80	2.5	8	7	10510	8520	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11771.2002	9781.200195	9781.200195	1.12
2923	010A	3601	0.08	0	0	55	80	2.5	6	6	9002	9002	RH-1(D)	40	form-based			true	0.7	8	1.333333373	8	8	10082.7998	10082.7998	10082.7998	1.120062
2923	022A	4302	0.1	1766	1	55	80	2.5	8	7	10755	8989	RH-1(D)	40	form-based	true	true	true	0.7	9	1.125	8	8	12045.59961	10279.59961	10279.59961	1.12
2923	032	4190	0.1	1627	1	55	80	2.5	8	7	10475	8848	RH-1(D)	40	form-based	true	true	true	0.7	9	1.125	8	8	11732	10105	10105	1.12
2923	069	4094	0.09	4199	1	55	80	2.5	7	6	10235	6036	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11463.2002	7264.200195	7264.200195	1.12
2924	002A	4166	0.1	1678	1	55	80	2.5	8	7	10415	8737	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11664.7998	9986.799805	9986.799805	1.12
2926	003	4158	0.1	3290	1	55	80	2.5	8	7	10395	7105	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11642.39941	8352.399414	8352.399414	1.12
2926	008	4058	0.09	2533	1	65	100	3	9	8	12174	9641	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11362.39941	8829.399414	8829.399414	0.933333
2926	013	4108	0.09	2690	1	65	100	3	9	8	12324	9634	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11502.39941	8812.399414	8812.399414	0.933333
2926	014	4122	0.09	2690	1	65	100	3	9	8	12366	9676	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11541.59961	8851.599609	8851.599609	0.933333
2926	015	4136	0.09	2320	1	65	100	3	9	8	12408	10088	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11580.7998	9260.799805	9260.799805	0.933333
2926	020	4347	0.1	3941	1	65	100	3	10	9	13041	9100	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12171.59961	8230.599609	8230.599609	0.933333
2927	016	4308	0.1	2330	1	65	100	3	10	9	12924	10594	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12062.39941	9732.399414	9732.399414	0.933333
2929	008	4050	0.09	2212	1	65	100	3	9	8	12150	9938	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11340	9128	9128	0.933333
2929	009	4050	0.09	2861	1	65	100	3	9	8	12150	9289	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11340	8479	8479	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2929	016	4369	0.1	1915	1	65	100	3	10	9	13107	11192	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	12233.2002	10318.2002	10318.2002	0.933333
2929	017	4060	0.09	1400	1	65	100	3	9	8	12180	10780	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11368	9968	9968	0.933333
2929	027	4178	0.1	1784	1	65	100	3	10	9	12534	10750	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11698.39941	9914.399414	9914.399414	0.933333
2932	001	4170	0.1	2708	1	65	100	3	10	9	12510	9802	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11676	8968	8968	0.933333
2932	025	4051	0.09	1425	1	65	100	3	9	8	12153	10728	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11342.7998	9917.799805	9917.799805	0.933333
2933	009	4241	0.1	3980	1	55	80	2.5	8	7	10602	6622	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11874.7998	7894.799805	7894.799805	1.120053
2933	010	4482	0.1	9940	1	55	80	2.5	8	7	11205	1265	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12549.59961	2609.599609	2609.599609	1.12
2934	002	4272	0.1	1185	1	55	80	2.5	8	7	10680	9495	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11961.59961	10776.59961	10776.59961	1.12
2934	019	3651	0.08	0	0	55	80	2.5	6	6	9128	9128	RH-1(D)	40	form-based			true	0.7	8	1.333333373	8	8	10222.7998	10222.7998	10222.7998	1.119939
2935	014	4286	0.1	1616	1	55	80	2.5	8	7	10715	9099	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12000.7998	10384.7998	10384.7998	1.12
2936A	061	4448	0.1	2058	1	55	80	2.5	8	7	11120	9062	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12454.39941	10396.39941	10396.39941	1.12
2936A	062	4226	0.1	2188	1	55	80	2.5	8	7	10565	8377	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11832.7998	9644.799805	9644.799805	1.12
2936A	035	4114	0.09	2060	1	55	80	2.5	7	6	10285	8225	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11519.2002	9459.200195	9459.200195	1.12
2936A	053	4256	0.1	2346	1	55	80	2.5	8	7	10640	8294	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11916.7998	9570.799805	9570.799805	1.12
2936B	017	4297	0.1	1957	1	55	80	2.5	8	7	10742	8785	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12031.59961	10074.59961	10074.59961	1.120052
2936B	018	3940	0.09	0	0	55	80	2.5	7	7	9850	9850	RH-1(D)	40	form-based			true	0.7	8	1.142857194	8	8	11032	11032	11032	1.12
2959	031	4390	0.1	2403	1	55	80	2.5	8	7	10975	8572	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12292	9889	9889	1.12
2959	032	4076	0.09	1230	1	55	80	2.5	7	6	10190	8960	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11412.7998	10182.7998	10182.7998	1.12
2969	002	4288	0.1	1503	1	55	80	2.5	8	7	10720	9217	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12006.39941	10503.39941	10503.39941	1.12
2970	009	4400	0.1	1195	1	55	80	2.5	8	7	11000	9805	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	11125	11125	1.12
2970	019	4371	0.1	3785	1	55	80	2.5	8	7	10928	7143	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12238.7998	8453.799805	8453.799805	1.119949
2970	020	4206	0.1	4068	1	55	80	2.5	8	7	10515	6447	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11776.7998	7708.799805	7708.799805	1.12
2970	021	4122	0.09	2341	1	55	80	2.5	7	6	10305	7964	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11541.59961	9200.599609	9200.599609	1.12
2970	022	4385	0.1	2341	1	55	80	2.5	8	7	10962	8621	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12278	9937	9937	1.120051
2970	024	4315	0.1	2341	1	55	80	2.5	8	7	10788	8447	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12082	9741	9741	1.119948
2970	025	4259	0.1	4630	1	55	80	2.5	8	7	10648	6018	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11925.2002	7295.200195	7295.200195	1.119947
2971	001	4443	0.1	2006	1	55	80	2.5	8	7	11108	9102	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12440.39941	10434.39941	10434.39941	1.11995
2972	009	4076	0.09	2121	1	55	80	2.5	7	6	10190	8069	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11412.7998	9291.799805	9291.799805	1.12
2972	012	4052	0.09	2244	1	55	80	2.5	7	6	10130	7886	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11345.59961	9101.599609	9101.599609	1.12
2973	001	4202	0.1	2383	1	55	80	2.5	8	7	10505	8122	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	11765.59961	9382.599609	9382.599609	1.12
2973	030	4276	0.1	5034	1	55	80	2.5	8	7	10690	5656	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11972.7998	6938.799805	6938.799805	1.12
2973A	058	4123	0.09	3000	1	55	80	2.5	7	6	10308	7308	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11544.39941	8544.399414	8544.399414	1.119946
2974	024	4227	0.1	2448	1	55	80	2.5	8	7	10568	8120	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11835.59961	9387.599609	9387.599609	1.119947
2975	044	4131	0.09	2212	1	55	80	2.5	7	6	10328	8116	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11566.7998	9354.799805	9354.799805	1.119946
2975	049	4247	0.1	3186	1	55	80	2.5	8	7	10618	7432	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11891.59961	8705.599609	8705.599609	1.119947
2979	003	4078	0.09	1840	1	65	100	3	9	8	12234	10394	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11418.39941	9578.399414	9578.399414	0.933333
2979	004	4118	0.09	1302	1	65	100	3	9	8	12354	11052	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11530.39941	10228.39941	10228.39941	0.933333
2979A	023C	1576	0.04	0	0	65	100	3	4	4	4728	4728	NCD-WEST	85	form-based			true	0.75	8	2	8	8	9456	9456	9456	2
2979A	033	2002	0.05	2258	3	85	140	4	7	4	8008	5750	NCD-WEST	85	form-based			true	0.75	11	1.571428537	8	8	12012	9754	9754	1.5
2980	013	4406	0.1	2987	1	55	80	2.5	8	7	11015	8028	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12336.7998	9349.799805	9349.799805	1.12
2980	017	4242	0.1	1524	1	55	80	2.5	8	7	10605	9081	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11877.59961	10353.59961	10353.59961	1.12
2981	018	4112	0.09	2086	1	65	100	3	9	8	12336	10250	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11513.59961	9427.599609	9427.599609	0.933333
2981	020	4328	0.1	1926	1	65	100	3	10	9	12984	11058	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12118.39941	10192.39941	10192.39941	0.933333
2981	021	4367	0.1	2430	1	65	100	3	10	9	13101	10671	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12227.59961	9797.599609	9797.599609	0.933333
2982	016	4231	0.1	1650	1	55	80	2.5	8	7	10578	8928	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11846.7998	10196.7998	10196.7998	1.119947
2982	017	4473	0.1	1500	1	55	80	2.5	8	7	11182	9682	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12524.39941	11024.39941	11024.39941	1.12005
2982	018	4403	0.1	2870	1	55	80	2.5	8	7	11008	8138	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12328.39941	9458.399414	9458.399414	1.119949
2983	029	4224	0.1	1506	1	65	100	3	10	9	12672	11166	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11827.2002	10321.2002	10321.2002	0.933333
2984	007	4330	0.1	2935	1	65	100	3	10	9	12990	10055	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12124	9189	9189	0.933333
2985	001	4170	0.1	1705	1	55	80	2.5	8	7	10425	8720	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	11676	9971	9971	1.12
2985	035	4191	0.1	1325	1	55	80	2.5	8	7	10478	9153	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11734.7998	10409.7998	10409.7998	1.119946
2985	036	4078	0.09	1435	1	55	80	2.5	7	6	10195	8760	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11418.39941	9983.399414	9983.399414	1.12
2985	037	4140	0.1	1475	1	55	80	2.5	8	7	10350	8875	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11592	10117	10117	1.12
2985	038	4230	0.1	1485	1	55	80	2.5	8	7	10575	9090	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11844	10359	10359	1.12
2985	039	4077	0.09	1395	1	55	80	2.5	7	6	10192	8797	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11415.59961	10020.59961	10020.59961	1.120055
2985	040	4083	0.09	1325	1	55	80	2.5	7	6	10208	8883	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11432.39941	10107.39941	10107.39941	1.119945
2986	001	4173	0.1	2444	1	65	100	3	10	9	12519	10075	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11684.39941	9240.399414	9240.399414	0.933333
2986	021	4095	0.09	1670	1	65	100	3	9	8	12285	10615	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11466	9796	9796	0.933333
2987	003	4166	0.1	2148	1	65	100	3	10	9	12498	10350	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11664.7998	9516.799805	9516.799805	0.933333
2987A	005	4349	0.1	2210	1	65	100	3	10	9	13047	10837	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12177.2002	9967.200195	9967.200195	0.933333
2987A	013	4081	0.09	3132	1	65	100	3	9	8	12243	9111	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11426.7998	8294.799805	8294.799805	0.933333
2987A	036	3700	0.08	3145	0	65	100	3	8	8	11100	7955	RH-1(D)	40	form-based			true	0.7	8	1	8	8	10360	7215	7215	0.933333
2987A	051	3765	0.09	0	0	65	100	3	9	9	11295	11295	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	8	8	10542	10542	10542	0.933333
2989	037	4183	0.1	1235	1	55	80	2.5	8	7	10458	9223	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11712.39941	10477.39941	10477.39941	1.119946

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2989A	008	4358	0.1	2910	1	65	100	3	10	9	13074	10164	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12202.39941	9292.399414	9292.399414	0.933333
2989A	011	4345	0.1	3163	1	65	100	3	10	9	13035	9872	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12166	9003	9003	0.933333
2989A	012	4309	0.1	4204	1	65	100	3	10	9	12927	8723	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12065.2002	7861.200195	7861.200195	0.933333
2989A	013	4170	0.1	2022	1	65	100	3	10	9	12510	10488	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11676	9654	9654	0.933333
2989B	015	4329	0.1	2816	1	85	140	4	14	13	17316	14500	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	12121.2002	9305.200195	9305.200195	0.7
2989B	016	4245	0.1	2518	1	85	140	4	14	13	16980	14462	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	11886	9368	9368	0.7
2989B	016A	4350	0.1	2152	1	85	140	4	14	13	17400	15248	RH-1(D)	40	form-based		true	true	0.7	9	0.642857134	8	8	12180	10028	10028	0.7
2991	022	4319	0.1	2332	1	55	80	2.5	8	7	10798	8466	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12093.2002	9761.200195	9761.200195	1.119948
2991	023	4489	0.1	1677	1	55	80	2.5	8	7	11222	9545	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12569.2002	10892.2002	10892.2002	1.12005
2991	025	4182	0.1	2293	1	55	80	2.5	8	7	10455	8162	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11709.59961	9416.599609	9416.599609	1.12
2991	027	4261	0.1	1677	1	55	80	2.5	8	7	10652	8975	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11930.7998	10253.7998	10253.7998	1.120053
3011	021	4070	0.09	2090	1	65	100	3	9	8	12210	10120	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11396	9306	9306	0.933333
3011	005	4083	0.09	2778	1	55	80	2.5	7	6	10208	7430	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11432.39941	8654.399414	8654.399414	1.119945
3011	007	4438	0.1	2160	1	65	100	3	10	9	13314	11154	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12426.39941	10266.39941	10266.39941	0.933333
3011	008	4457	0.1	1434	1	65	100	3	10	9	13371	11937	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12479.59961	11045.59961	11045.59961	0.933333
3011	009	4135	0.09	2173	1	65	100	3	9	8	12405	10232	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11578	9405	9405	0.933333
3011	010	4141	0.1	1134	1	65	100	3	10	9	12423	11289	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11594.7998	10460.7998	10460.7998	0.933333
3011	011	4085	0.09	1583	1	65	100	3	9	8	12255	10672	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11438	9855	9855	0.933333
3011	013	4254	0.1	1578	1	65	100	3	10	9	12762	11184	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11911.2002	10333.2002	10333.2002	0.933333
3011	014	4109	0.09	1900	1	65	100	3	9	8	12327	10427	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11505.2002	9605.200195	9605.200195	0.933333
3011	015	4372	0.1	1684	1	65	100	3	10	9	13116	11432	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12241.59961	10557.59961	10557.59961	0.933333
3011	016	4397	0.1	1860	1	65	100	3	10	9	13191	11331	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12311.59961	10451.59961	10451.59961	0.933333
3011	017	4112	0.09	3483	1	65	100	3	9	8	12336	8853	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11513.59961	8030.599609	8030.599609	0.933333
3011	019	4088	0.09	1709	1	65	100	3	9	8	12264	10555	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11446.39941	9737.399414	9737.399414	0.933333
3011	022	4176	0.1	2254	1	55	80	2.5	8	7	10440	8186	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11692.7998	9438.799805	9438.799805	1.12
3011	029	4415	0.1	2638	1	55	80	2.5	8	7	11038	8400	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12362	9724	9724	1.119949
3011	030	4421	0.1	2107	1	55	80	2.5	8	7	11052	8945	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12378.7998	10271.7998	10271.7998	1.120051
3011	031	4419	0.1	2482	1	55	80	2.5	8	7	11048	8566	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12373.2002	9891.200195	9891.200195	1.119949
3011	032	4409	0.1	2610	1	55	80	2.5	8	7	11022	8412	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12345.2002	9735.200195	9735.200195	1.120051
3011	033	4391	0.1	2298	1	55	80	2.5	8	7	10978	8680	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12294.7998	9996.799805	9996.799805	1.119949
3011	034	4487	0.1	3740	1	55	80	2.5	8	7	11218	7478	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12563.59961	8823.599609	8823.599609	1.11995
3011	080	4396	0.1	3300	1	55	80	2.5	8	7	10990	7690	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12308.7998	9008.799805	9008.799805	1.12
3011	081	4407	0.1	3725	1	55	80	2.5	8	7	11018	7293	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12339.59961	8614.599609	8614.599609	1.119949
3011A	005	4150	0.1	2674	1	55	80	2.5	8	7	10375	7701	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11620	8946	8946	1.12
3011A	005A	4514	0.1	2708	1	55	80	2.5	8	7	11285	8577	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12639.2002	9931.200195	9931.200195	1.12
3011A	006	4172	0.1	3312	1	55	80	2.5	8	7	10430	7118	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11681.59961	8369.599609	8369.599609	1.12
3011A	007	4470	0.1	3234	1	55	80	2.5	8	7	11175	7941	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12516	9282	9282	1.12
3011A	008	4117	0.09	3165	1	55	80	2.5	7	6	10292	7127	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11527.59961	8362.599609	8362.599609	1.120054
3011A	009	4273	0.1	2351	1	55	80	2.5	8	7	10682	8331	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11964.39941	9613.399414	9613.399414	1.120052
3012	025	4320	0.1	2496	1	65	100	3	10	9	12960	10464	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12096	9600	9600	0.933333
3012	026	4264	0.1	2212	1	65	100	3	10	9	12792	10580	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11939.2002	9727.200195	9727.200195	0.933333
3011A	013	4277	0.1	2446	1	55	80	2.5	8	7	10692	8246	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11975.59961	9529.599609	9529.599609	1.120052
3011A	018	4324	0.1	1988	1	55	80	2.5	8	7	10810	8822	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12107.2002	10119.2002	10119.2002	1.12
3012	001	4235	0.1	2073	1	85	140	4	14	13	16940	14867	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	11858	9785	9785	0.7
3012	002	4308	0.1	2952	1	85	140	4	14	13	17232	14280	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	12062.39941	9110.399414	9110.399414	0.7
3012	003	4355	0.1	1924	1	85	140	4	14	13	17420	15496	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	12194	10270	10270	0.7
3012	004	4081	0.09	2883	1	85	140	4	13	12	16324	13441	RH-1(D)	40	form-based			true	0.7	9	0.692307711	8	8	11426.7998	8543.799805	8543.799805	0.7
3012	005	4300	0.1	1944	1	65	100	3	10	9	12900	10956	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12040	10096	10096	0.933333
3012	006	4237	0.1	2775	1	65	100	3	10	9	12711	9936	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11863.59961	9088.599609	9088.599609	0.933333
3012	007	4148	0.1	2940	1	65	100	3	10	9	12444	9504	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11614.39941	8674.399414	8674.399414	0.933333
3012	008	4307	0.1	2777	1	65	100	3	10	9	12921	10144	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12059.59961	9282.599609	9282.599609	0.933333
3013	003A	4489	0.1	1677	1	65	100	3	10	9	13467	11790	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12569.2002	10892.2002	10892.2002	0.933333
3013	010	4192	0.1	1616	1	65	100	3	10	9	12576	10960	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11737.59961	10121.59961	10121.59961	0.933333
3013	012	4246	0.1	2502	1	65	100	3	10	9	12738	10236	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11888.7998	9386.799805	9386.799805	0.933333
3013	013	4117	0.09	2232	1	65	100	3	9	8	12351	10119	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11527.59961	9295.599609	9295.599609	0.933333
3013	014	4326	0.1	2880	1	65	100	3	10	9	12978	10098	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12112.7998	9232.799805	9232.799805	0.933333
3013	015	4354	0.1	1609	1	65	100	3	10	9	13062	11453	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12191.2002	10582.2002	10582.2002	0.933333
3013	023	4241	0.1	1189	1	65	100	3	10	9	12723	11534	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11874.7998	10685.7998	10685.7998	0.933333
3013A	029	4253	0.1	2362	1	65	100	3	10	9	12759	10397	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11908.39941	9546.399414	9546.399414	0.933333
3028B	086	4307	0.1	1540	1	55	80	2.5	8	7	10768	9228	RH-1	40	form-based			true	0.7	9	1.125	8	8	12059.59961	10519.59961	10519.59961	1.119948
3033	026	4784	0.11	2927	2	55	80	2.5	9	7	11960	9033	RH-1	40	form-based			true	0.7	10	1.111111164	8	8	13395.2002	10468.2002	10468.2002	1.12
3037	010	4320	0.1	2298	1	55	80	2.5	8	7	10800	8502	RH-1	40	form-based			true	0.7	9	1.125	8	8	12096	9798	9798	1.12
3041	026	4060	0.09	2007	1	55	80	2.5	7	6	10150	8143	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11368	9361	9361	1.12
3040	002	4259	0.1	2172	1	55	80	2.5	8	7	10648	8476	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11925.2002	9753.200195	9753.200195	1.119947

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3040	003	4345	0.1	2573	1	55	80	2.5	8	7	10862	8289	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12166	9593	9593	1.120052
3040	004	4340	0.1	2091	1	55	80	2.5	8	7	10850	8759	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12152	10061	10061	1.12
3040	005	4493	0.1	2310	1	55	80	2.5	8	7	11232	8922	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12580.39941	10270.39941	10270.39941	1.12005
3040	015	4121	0.09	3231	1	55	80	2.5	7	6	10302	7071	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11538.7998	8307.799805	8307.799805	1.120054
3040	016	4077	0.09	2734	1	55	80	2.5	7	6	10192	7458	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11415.59961	8681.599609	8681.599609	1.120055
3040	017	4196	0.1	1541	1	55	80	2.5	8	7	10490	8949	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11748.7998	10207.7998	10207.7998	1.12
3040	018	4310	0.1	1417	1	55	80	2.5	8	7	10775	9358	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12068	10651	10651	1.12
3040	019	4141	0.1	1591	1	55	80	2.5	8	7	10352	8761	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11594.7998	10003.7998	10003.7998	1.120054
3041	022	4491	0.1	1239	1	55	80	2.5	8	7	11228	9989	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12574.7998	11335.7998	11335.7998	1.11995
3041	034	4479	0.1	3166	1	55	80	2.5	8	7	11198	8032	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12541.2002	9375.200195	9375.200195	1.11995
3042	009	3795	0.09	1100	0	55	80	2.5	7	7	9488	8388	RH-1(D)	40	form-based			true	0.7	8	1.142857194	8	8	10626	9526	9526	1.119941
3042	016	4194	0.1	1940	1	55	80	2.5	8	7	10485	8545	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11743.2002	9803.200195	9803.200195	1.12
3042	040	4119	0.09	1957	1	55	80	2.5	7	6	10298	8341	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11533.2002	9576.200195	9576.200195	1.119946
3043	001	4091	0.09	3387	1	55	80	2.5	7	6	10228	6841	RH-1(D)	40	form-based	true		true	0.7	9	1.285714269	8	8	11454.7998	8067.799805	8067.799805	1.119945
3043	002	4122	0.09	1980	1	55	80	2.5	7	6	10305	8325	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11541.59961	9561.599609	9561.599609	1.12
3043	025	4438	0.1	2081	1	55	80	2.5	8	7	11095	9014	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12426.39941	10345.39941	10345.39941	1.12
3044	016	4347	0.1	1535	1	55	80	2.5	8	7	10868	9333	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12171.59961	10636.59961	10636.59961	1.119948
3046	004	4272	0.1	2792	1	55	80	2.5	8	7	10680	7888	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11961.59961	9169.599609	9169.599609	1.12
3046	005	4447	0.1	2070	1	55	80	2.5	8	7	11118	9048	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12451.59961	10381.59961	10381.59961	1.11995
3046	006	4400	0.1	3040	1	55	80	2.5	8	7	11000	7960	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	9280	9280	1.12
3046	024	4394	0.1	3112	1	55	80	2.5	8	7	10985	7873	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12303.2002	9191.200195	9191.200195	1.12
3047	014	4415	0.1	1671	1	55	80	2.5	8	7	11038	9367	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12362	10691	10691	1.119949
3047	029	4462	0.1	1544	1	55	80	2.5	8	7	11155	9611	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12493.59961	10949.59961	10949.59961	1.12
3047	033	4104	0.09	1926	1	55	80	2.5	7	6	10260	8334	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11491.2002	9565.200195	9565.200195	1.12
3047	034	4521	0.1	1575	1	55	80	2.5	8	7	11302	9727	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12658.7998	11083.7998	11083.7998	1.120049
3047	040	4499	0.1	1960	1	55	80	2.5	8	7	11248	9288	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12597.2002	10637.2002	10637.2002	1.11995
3047	048	4178	0.1	1954	1	55	80	2.5	8	7	10445	8491	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11698.39941	9744.399414	9744.399414	1.12
3047	049	4361	0.1	2684	1	55	80	2.5	8	7	10902	8218	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12210.7998	9526.799805	9526.799805	1.120051
3048	011A	4246	0.1	1701	1	55	80	2.5	8	7	10615	8914	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11888.7998	10187.7998	10187.7998	1.12
3048	013	4428	0.1	3679	1	55	80	2.5	8	7	11070	7391	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12398.39941	8719.399414	8719.399414	1.12
3048	022	4225	0.1	2978	1	55	80	2.5	8	7	10562	7584	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11830	8852	8852	1.120053
3048	025	4471	0.1	2142	1	55	80	2.5	8	7	11178	9036	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12518.7998	10376.7998	10376.7998	1.11995
3048	026	4074	0.09	2384	1	55	80	2.5	7	6	10185	7801	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11407.2002	9023.200195	9023.200195	1.12
3048	029	4332	0.1	2050	1	55	80	2.5	8	7	10830	8780	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12129.59961	10079.59961	10079.59961	1.12
3049	015	4135	0.09	1850	1	55	80	2.5	7	6	10338	8488	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11578	9728	9728	1.119946
3049	018	4313	0.1	2952	1	55	80	2.5	8	7	10782	7830	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12076.39941	9124.399414	9124.399414	1.120052
3070	008	4520	0.1	3311	1	65	100	3	10	9	13560	10249	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12656	9345	9345	0.933333
3070	023	4025	0.09	0	0	65	100	3	9	9	12075	12075	RH-1(D)	40	form-based	true		true	0.7	8	0.888888896	8	8	11270	11270	11270	0.933333
3071	006	4176	0.1	2427	1	65	100	3	10	9	12528	10101	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11692.7998	9265.799805	9265.799805	0.933333
3071	007	4295	0.1	2279	1	65	100	3	10	9	12885	10606	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12026	9747	9747	0.933333
3071	008	4364	0.1	2918	1	65	100	3	10	9	13092	10174	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12219.2002	9301.200195	9301.200195	0.933333
3071	012	4523	0.1	2576	1	65	100	3	10	9	13569	10993	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12664.39941	10088.39941	10088.39941	0.933333
3073	021	4517	0.1	2282	1	65	100	3	10	9	13551	11269	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12647.59961	10365.59961	10365.59961	0.933333
3073	022	4490	0.1	1707	1	65	100	3	10	9	13470	11763	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12572	10865	10865	0.933333
3072	023	4113	0.09	2430	1	65	100	3	9	8	12339	9909	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11516.39941	9086.399414	9086.399414	0.933333
3072	025	4425	0.1	1980	1	65	100	3	10	9	13275	11295	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12390	10410	10410	0.933333
3073	023	4463	0.1	2724	1	65	100	3	10	9	13389	10665	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12496.39941	9772.399414	9772.399414	0.933333
3073	024	4436	0.1	2360	1	65	100	3	10	9	13308	10948	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12420.7998	10060.7998	10060.7998	0.933333
3072A	019	4471	0.1	1628	1	65	100	3	10	9	13413	11785	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12518.7998	10890.7998	10890.7998	0.933333
3072A	020	4514	0.1	2022	1	65	100	3	10	9	13542	11520	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12639.2002	10617.2002	10617.2002	0.933333
3072A	024	4293	0.1	1760	1	65	100	3	10	9	12879	11119	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12020.39941	10260.39941	10260.39941	0.933333
3072A	025	4121	0.09	2214	1	65	100	3	9	8	12363	10149	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11538.7998	9324.799805	9324.799805	0.933333
3072A	026	4142	0.1	1605	1	65	100	3	10	9	12426	10821	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11597.59961	9992.599609	9992.599609	0.933333
3072A	027	4067	0.09	2340	1	65	100	3	9	8	12201	9861	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11387.59961	9047.599609	9047.599609	0.933333
3072A	036	4168	0.1	2688	1	65	100	3	10	9	12504	9816	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11670.39941	8982.399414	8982.399414	0.933333
3076	003	4286	0.1	3292	1	55	80	2.5	8	7	10715	7423	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12000.7998	8708.799805	8708.799805	1.12
3076A	003	4088	0.09	3627	1	55	80	2.5	7	6	10220	6593	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11446.39941	7819.399414	7819.399414	1.12
3076A	019	4109	0.09	1722	1	65	100	3	9	8	12327	10605	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11505.2002	9783.200195	9783.200195	0.933333
3077	041	4331	0.1	4038	1	55	80	2.5	8	7	10828	6790	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12126.7998	8088.799805	8088.799805	1.119948
3078	025	4307	0.1	3247	1	55	80	2.5	8	7	10768	7521	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12059.59961	8812.599609	8812.599609	1.119948
3078	028	4325	0.1	1959	1	55	80	2.5	8	7	10812	8853	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12110	10151	10151	1.120052
3078	034	4110	0.09	3262	1	55	80	2.5	7	6	10275	7013	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11508	8246	8246	1.12
3091	006	9241	0.21	15102	11	65	100	3	21	10	27723	12621	RM-1	40	form-based	true		true	0.7	19	0.90476191	8	8	25874.79883	10772.79883	10772.79883	0.933333
3093	033	4944	0.11	4945	3	55	80	2.5	9	6	12360	7415	NC-1	40	form-based			true	0.75	11	1.222222209	8	8	14832	9887	9887	1.2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3098	002	4400	0.1	2516	1	65	100	3	10	9	13200	10684	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12320	9804	9804	0.933333
3098	007	4213	0.1	5101	1	65	100	3	10	9	12639	7538	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11796.39941	6695.399414	6695.399414	0.933333
3099	012	4503	0.1	3146	1	65	100	3	10	9	13509	10363	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12608.39941	9462.399414	9462.399414	0.933333
3099	013	4094	0.09	2812	1	65	100	3	9	8	12282	9470	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11463.2002	8651.200195	8651.200195	0.933333
3099	014	4503	0.1	2524	1	65	100	3	10	9	13509	10985	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12608.39941	10084.39941	10084.39941	0.933333
3099	015	4094	0.09	3437	1	65	100	3	9	8	12282	8845	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11463.2002	8026.200195	8026.200195	0.933333
3099	016	4094	0.09	2915	1	65	100	3	9	8	12282	9367	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11463.2002	8548.200195	8548.200195	0.933333
3099	017	4503	0.1	3230	1	65	100	3	10	9	13509	10279	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12608.39941	9378.399414	9378.399414	0.933333
3099	019	4379	0.1	2834	1	65	100	3	10	9	13137	10303	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12261.2002	9427.200195	9427.200195	0.933333
3100	010	4447	0.1	3099	1	65	100	3	10	9	13341	10242	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	12451.59961	9352.599609	9352.599609	0.933333
3101	005	4435	0.1	2504	1	65	100	3	10	9	13305	10801	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12418	9914	9914	0.933333
3101	007	4422	0.1	2700	1	65	100	3	10	9	13266	10566	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12381.59961	9681.599609	9681.599609	0.933333
3103	013	4282	0.1	3997	1	55	80	2.5	8	7	10705	6708	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	11989.59961	7992.599609	7992.599609	1.12
3103	014	4518	0.1	2585	1	55	80	2.5	8	7	11295	8710	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12650.39941	10065.39941	10065.39941	1.12
3104	013	4176	0.1	2894	1	55	80	2.5	8	7	10440	7546	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11692.7998	8798.799805	8798.799805	1.12
3104	014	4473	0.1	2116	1	55	80	2.5	8	7	11182	9066	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12524.39941	10408.39941	10408.39941	1.12005
3104	015	4250	0.1	2547	1	55	80	2.5	8	7	10625	8078	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11900	9353	9353	1.12
3104	016	4356	0.1	2628	1	55	80	2.5	8	7	10890	8262	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12196.7998	9568.799805	9568.799805	1.12
3104	017	4439	0.1	2398	1	55	80	2.5	8	7	11098	8700	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12429.2002	10031.2002	10031.2002	1.11995
3105A	023	4484	0.1	2072	1	55	80	2.5	8	7	11210	9138	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12555.2002	10483.2002	10483.2002	1.12
3107	003	4466	0.1	1804	1	55	80	2.5	8	7	11165	9361	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12504.7998	10700.7998	10700.7998	1.12
3106	008	4083	0.09	1662	1	55	80	2.5	7	6	10208	8546	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11432.39941	9770.399414	9770.399414	1.119945
3106	012	4303	0.1	1320	1	55	80	2.5	8	7	10758	9438	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12048.39941	10728.39941	10728.39941	1.119948
3107	015	4447	0.1	2237	1	55	80	2.5	8	7	11118	8881	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12451.59961	10214.59961	10214.59961	1.11995
3108	003	4884	0.11	2750	2	55	80	2.5	9	7	12210	9460	RH-1(D)	40	form-based			true	0.7	10	1.111111164	8	8	13675.2002	10925.2002	10925.2002	1.12
3109	018	4129	0.09	1200	1	55	80	2.5	7	6	10322	9122	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11561.2002	10361.2002	10361.2002	1.120054
3110	015	4116	0.09	1496	1	55	80	2.5	7	6	10290	8794	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11524.7998	10028.7998	10028.7998	1.12
3110	016	4065	0.09	1492	1	55	80	2.5	7	6	10162	8670	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11382	9890	9890	1.120055
3111	006	3631	0.08	1091	0	55	80	2.5	6	6	9078	7987	RH-1(D)	40	form-based			true	0.7	8	1.333333373	8	8	10166.7998	9075.799805	9075.799805	1.119938
3111	016	4265	0.1	1458	1	55	80	2.5	8	7	10662	9204	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11942	10484	10484	1.120053
3111	019	4064	0.09	1800	1	55	80	2.5	7	6	10160	8360	RH-1(D)	40	form-based		true	true	0.7	9	1.285714269	8	8	11379.2002	9579.200195	9579.200195	1.12
3113	019	4110	0.09	1420	1	55	80	2.5	7	6	10275	8855	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11508	10088	10088	1.12
3117	011	4400	0.1	1528	1	55	80	2.5	8	7	11000	9472	RH-1	40	form-based			true	0.7	9	1.125	8	8	12320	10792	10792	1.12
3133	007	4381	0.1	2690	1	55	80	2.5	8	7	10952	8262	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12266.7998	9576.799805	9576.799805	1.120051
3133	012	4470	0.1	2237	1	55	80	2.5	8	7	11175	8938	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12516	10279	10279	1.12
3134	002	4348	0.1	1810	1	55	80	2.5	8	7	10870	9060	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12174.39941	10364.39941	10364.39941	1.12
3134	006	4088	0.09	1525	1	55	80	2.5	7	6	10220	8695	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11446.39941	9921.399414	9921.399414	1.12
3134	009	4064	0.09	2579	1	55	80	2.5	7	6	10160	7581	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11379.2002	8800.200195	8800.200195	1.12
3135	014	4169	0.1	1329	1	55	80	2.5	8	7	10422	9093	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11673.2002	10344.2002	10344.2002	1.120054
3136	011	4075	0.09	1295	1	55	80	2.5	7	6	10188	8893	RH-1(D)	40	form-based		true	true	0.7	9	1.285714269	8	8	11410	10115	10115	1.119945
3136	014	4051	0.09	1500	1	55	80	2.5	7	6	10128	8628	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11342.7998	9842.799805	9842.799805	1.119945
3136	016	4070	0.09	1150	1	55	80	2.5	7	6	10175	9025	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11396	10246	10246	1.12
3137	001	4290	0.1	1432	1	55	80	2.5	8	7	10725	9293	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12012	10580	10580	1.12
3137	014	4117	0.09	2278	1	55	80	2.5	7	6	10292	8014	RH-1(D)	40	form-based		true	true	0.7	9	1.285714269	8	8	11527.59961	9249.599609	9249.599609	1.120054
3137	020	4082	0.09	1430	1	55	80	2.5	7	6	10205	8775	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11429.59961	9999.599609	9999.599609	1.12
3137	022	4073	0.09	1490	1	55	80	2.5	7	6	10182	8692	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11404.39941	9914.399414	9914.399414	1.120055
3156	008	4504	0.1	1050	1	65	100	3	10	9	13512	12462	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12611.2002	11561.2002	11561.2002	0.933333
3160	015	4088	0.09	1484	1	55	80	2.5	7	6	10220	8736	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11446.39941	9962.399414	9962.399414	1.12
3161	006	4129	0.09	1390	1	55	80	2.5	7	6	10322	8932	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11561.2002	10171.2002	10171.2002	1.120054
3161	008	4405	0.1	1799	1	55	80	2.5	8	7	11012	9213	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12334	10535	10535	1.120051
3162	002	4287	0.1	2140	1	55	80	2.5	8	7	10718	8578	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12003.59961	9863.599609	9863.599609	1.119948
3162	009	4523	0.1	2692	1	55	80	2.5	8	7	11308	8616	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12664.39941	9972.399414	9972.399414	1.11995
3162	012	4188	0.1	1100	1	65	100	3	10	9	12564	11464	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11726.39941	10626.39941	10626.39941	0.933333
3163	005	4118	0.09	1215	1	55	80	2.5	7	6	10295	9080	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11530.39941	10315.39941	10315.39941	1.12
3163	012	4156	0.1	1356	1	55	80	2.5	8	7	10390	9034	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11636.7998	10280.7998	10280.7998	1.12
3163	013	4462	0.1	1240	1	55	80	2.5	8	7	11155	9915	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12493.59961	11253.59961	11253.59961	1.12
3163	014	4293	0.1	1500	1	55	80	2.5	8	7	10732	9232	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12020.39941	10520.39941	10520.39941	1.120052
3163	019	4207	0.1	1558	1	65	100	3	10	9	12621	11063	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11779.59961	10221.59961	10221.59961	0.933333
3163	020	4142	0.1	1263	1	65	100	3	10	9	12426	11163	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11597.59961	10334.59961	10334.59961	0.933333
3163	021	4414	0.1	1430	1	55	80	2.5	8	7	11035	9605	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12359.2002	10929.2002	10929.2002	1.12
3163	022	4132	0.09	1613	1	55	80	2.5	7	6	10330	8717	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11569.59961	9956.599609	9956.599609	1.12
3163	024	4079	0.09	1613	1	55	80	2.5	7	6	10198	8585	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11421.2002	9808.200195	9808.200195	1.119945
3163	025	4187	0.1	1836	1	55	80	2.5	8	7	10468	8632	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11723.59961	9887.599609	9887.599609	1.119946
3163	027	4261	0.1	1375	1	55	80	2.5	8	7	10652	9277	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11930.7998	10555.7998	10555.7998	1.120053

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3163	028	4346	0.1	2130	1	55	80	2.5	8	7	10865	8735	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12168.7998	10038.7998	10038.7998	1.12
3163	029	4518	0.1	2565	1	55	80	2.5	8	7	11295	8730	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12650.39941	10085.39941	10085.39941	1.12
3163	030	4308	0.1	2604	1	55	80	2.5	8	7	10770	8166	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12062.39941	9458.399414	9458.399414	1.12
3164	003	4053	0.09	2181	1	55	80	2.5	7	6	10132	7951	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11348.39941	9167.399414	9167.399414	1.120055
3164	006	4419	0.1	1512	1	55	80	2.5	8	7	11048	9536	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12373.2002	10861.2002	10861.2002	1.119949
3164	007	4175	0.1	1461	1	55	80	2.5	8	7	10438	8977	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11690	10229	10229	1.119946
3165	015	4434	0.1	1905	1	65	100	3	10	9	13302	11397	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	12415.2002	10510.2002	10510.2002	0.933333
3165	022	4505	0.1	1750	1	55	80	2.5	8	7	11262	9512	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12614	10864	10864	1.12005
3165	024	4125	0.09	1350	1	55	80	2.5	7	6	10312	8962	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11550	10200	10200	1.120054
3165	025	4337	0.1	2317	1	55	80	2.5	8	7	10842	8525	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12143.59961	9826.599609	9826.599609	1.120052
3165	026	4285	0.1	1925	1	55	80	2.5	8	7	10712	8787	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11998	10073	10073	1.120052
3165	027	4283	0.1	1250	1	55	80	2.5	8	7	10708	9458	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11992.39941	10742.39941	10742.39941	1.119948
3166	001	4134	0.09	1350	1	55	80	2.5	7	6	10335	8985	RH-1(D)	40	form-based		true	true	0.7	9	1.285714269	8	8	11575.2002	10225.2002	10225.2002	1.12
3166	002	4075	0.09	1200	1	55	80	2.5	7	6	10188	8988	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11410	10210	10210	1.119945
3166	003	4369	0.1	1360	1	55	80	2.5	8	7	10922	9562	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12233.2002	10873.2002	10873.2002	1.120051
3166	004	4425	0.1	2410	1	55	80	2.5	8	7	11062	8652	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12390	9980	9980	1.120051
3166	008	4137	0.09	1428	1	65	100	3	9	8	12411	10983	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11583.59961	10155.59961	10155.59961	0.933333
3166	010	4057	0.09	2072	1	65	100	3	9	8	12171	10099	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11359.59961	9287.599609	9287.599609	0.933333
3166	013	4099	0.09	2610	1	65	100	3	9	8	12297	9687	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11477.2002	8867.200195	8867.200195	0.933333
3166	026	4251	0.1	1314	1	55	80	2.5	8	7	10628	9314	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11902.7998	10588.7998	10588.7998	1.119947
3166	029	4414	0.1	2007	1	55	80	2.5	8	7	11035	9028	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12359.2002	10352.2002	10352.2002	1.12
3167	003	4127	0.09	1592	1	65	100	3	9	8	12381	10789	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11555.59961	9963.599609	9963.599609	0.933333
3167	005	4249	0.1	1818	1	65	100	3	10	9	12747	10929	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11897.2002	10079.2002	10079.2002	0.933333
3167	008	4341	0.1	2017	1	65	100	3	10	9	13023	11006	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12154.7998	10137.7998	10137.7998	0.933333
3168	007	4377	0.1	1300	1	65	100	3	10	9	13131	11831	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12255.59961	10955.59961	10955.59961	0.933333
3168	008	4091	0.09	1276	1	65	100	3	9	8	12273	10997	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11454.7998	10178.7998	10178.7998	0.933333
3169	001	4204	0.1	1110	1	65	100	3	10	9	12612	11502	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11771.2002	10661.2002	10661.2002	0.933333
3169	008	4118	0.09	2031	1	65	100	3	9	8	12354	10323	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11530.39941	9499.399414	9499.399414	0.933333
3169	010	4089	0.09	1700	1	65	100	3	9	8	12267	10567	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11449.2002	9749.200195	9749.200195	0.933333
3174	007	4183	0.1	1205	1	65	100	3	10	9	12549	11344	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11712.39941	10507.39941	10507.39941	0.933333
3174	014	4246	0.1	1568	1	65	100	3	10	9	12738	11170	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11888.7998	10320.7998	10320.7998	0.933333
3174	033	4374	0.1	2730	1	65	100	3	10	9	13122	10392	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12247.2002	9517.200195	9517.200195	0.933333
3175	018	4070	0.09	1910	1	65	100	3	9	8	12210	10300	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11396	9486	9486	0.933333
3175	019	4391	0.1	1350	1	65	100	3	10	9	13173	11823	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12294.7998	10944.7998	10944.7998	0.933333
3175	021	4110	0.09	1299	1	65	100	3	9	8	12330	11031	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11508	10209	10209	0.933333
3175	022	4160	0.1	1375	1	65	100	3	10	9	12480	11105	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11648	10273	10273	0.933333
3176	015	4058	0.09	2402	1	65	100	3	9	8	12174	9772	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11362.39941	8960.399414	8960.399414	0.933333
3176	028	4098	0.09	1745	1	65	100	3	9	8	12294	10549	RH-1(D)	40	form-based		true	true	0.7	9	1	8	8	11474.39941	9729.399414	9729.399414	0.933333
3177	015	4169	0.1	1490	1	65	100	3	10	9	12507	11017	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11673.2002	10183.2002	10183.2002	0.933333
3177	016	4289	0.1	2160	1	65	100	3	10	9	12867	10707	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12009.2002	9849.200195	9849.200195	0.933333
3178	013	4058	0.09	1985	1	65	100	3	9	8	12174	10189	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11362.39941	9377.399414	9377.399414	0.933333
3178	016	4355	0.1	1125	1	65	100	3	10	9	13065	11940	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12194	11069	11069	0.933333
3181	035	4303	0.1	1504	1	65	100	3	10	9	12909	11405	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12048.39941	10544.39941	10544.39941	0.933333
3182	052	4492	0.1	1311	1	65	100	3	10	9	13476	12165	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12577.59961	11266.59961	11266.59961	0.933333
3189	014	4173	0.1	1498	1	65	100	3	10	9	12519	11021	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11684.39941	10186.39941	10186.39941	0.933333
3189	016	4159	0.1	1935	1	65	100	3	10	9	12477	10542	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11645.2002	9710.200195	9710.200195	0.933333
3190	008	4514	0.1	1950	1	65	100	3	10	9	13542	11592	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12639.2002	10689.2002	10689.2002	0.933333
3196	018	4012	0.09	0	0	65	100	3	9	9	12036	12036	RH-1(D)	40	form-based			true	0.7	8	0.888888896	8	8	11233.59961	11233.59961	11233.59961	0.933333
3196	024	4114	0.09	1050	1	65	100	3	9	8	12342	11292	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11519.2002	10469.2002	10469.2002	0.933333
3196	027	4179	0.1	1070	1	65	100	3	10	9	12537	11467	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11701.2002	10631.2002	10631.2002	0.933333
3197	003	4099	0.09	1200	1	85	140	4	13	12	16396	15196	RH-1(D)	40	form-based			true	0.7	9	0.692307711	8	8	11477.2002	10277.2002	10277.2002	0.7
3197	004	4116	0.09	1150	1	85	140	4	13	12	16464	15314	RH-1(D)	40	form-based			true	0.7	9	0.692307711	8	8	11524.7998	10374.7998	10374.7998	0.7
3198	025	4248	0.1	1650	1	65	100	3	10	9	12744	11094	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11894.39941	10244.39941	10244.39941	0.933333
3199	002	4162	0.1	1250	1	65	100	3	10	9	12486	11236	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11653.59961	10403.59961	10403.59961	0.933333
3199	004	4117	0.09	1222	1	65	100	3	9	8	12351	11129	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11527.59961	10305.59961	10305.59961	0.933333
3199	019	4429	0.1	1125	1	65	100	3	10	9	13287	12162	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12401.2002	11276.2002	11276.2002	0.933333
3206	003	4995	0.11	21250	0	55	80	2.5	9	9	12488	0	NCD-EXCE	65	density-lim	600			0.75	8	0.888888896	8	8	22477.5	1227.5	1227.5	1.799928
3206	004	5000	0.11	4500	0	55	80	2.5	9	9	12500	8000	NCD-EXCE	65	density-lim	600			0.75	8	0.888888896	8	8	22500	18000	18000	1.8
3206	005	5000	0.11	5118	0	55	80	2.5	9	9	12500	7382	NCD-EXCE	65	density-lim	600	true		0.75	8	0.888888896	8	8	22500	17382	17382	1.8
3206	031	4975	0.11	8834	0	55	80	2.5	9	9	12438	3604	NCD-EXCE	65	density-lim	600	true		0.75	8	0.888888896	8	8	22387.5	13553.5	13553.5	1.799928
3250	001	4461	0.1	2018	1	65	100	3	10	9	13383	11365	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	12490.7998	10472.7998	10472.7998	0.933333
3250	002	4102	0.09	2144	1	65	100	3	9	8	12306	10162	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11485.59961	9341.599609	9341.599609	0.933333
3250	003	4107	0.09	1504	1	65	100	3	9	8	12321	10817	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11499.59961	9995.599609	9995.599609	0.933333
3250	005	3890	0.09	0	0	65	100	3	9	9	11670	11670	RH-1(D)	40	form-based			true	0.7	8	0.888888896	8	8	10892	10892	10892	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3251	001	4307	0.1	1994	1	65	100	3	10	9	12921	10927	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	12059.59961	10065.59961	10065.59961	0.933333
3253	004	4128	0.09	2051	1	65	100	3	9	8	12384	10333	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11558.39941	9507.399414	9507.399414	0.933333
3253	015	4240	0.1	1630	1	65	100	3	10	9	12720	11090	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11872	10242	10242	0.933333
3253	016	4200	0.1	1700	1	65	100	3	10	9	12600	10900	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11760	10060	10060	0.933333
3253	007	4120	0.09	1624	1	65	100	3	9	8	12360	10736	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11536	9912	9912	0.933333
3253	008	4086	0.09	1199	1	65	100	3	9	8	12258	11059	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11440.7998	10241.7998	10241.7998	0.933333
3253	009	4052	0.09	1230	1	65	100	3	9	8	12156	10926	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11345.59961	10115.59961	10115.59961	0.933333
3253	011	4433	0.1	1404	1	65	100	3	10	9	13299	11895	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12412.39941	11008.39941	11008.39941	0.933333
3253	012	4393	0.1	1916	1	65	100	3	10	9	13179	11263	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12300.39941	10384.39941	10384.39941	0.933333
3254	003	4370	0.1	1941	1	65	100	3	10	9	13110	11169	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12236	10295	10295	0.933333
3254	010	4260	0.1	3160	1	65	100	3	10	9	12780	9620	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11928	8768	8768	0.933333
3254	011	4255	0.1	2189	1	65	100	3	10	9	12765	10576	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11914	9725	9725	0.933333
3254	018	4141	0.1	3144	1	65	100	3	10	9	12423	9279	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11594.7998	8450.799805	8450.799805	0.933333
3257	001	4239	0.1	1776	1	65	100	3	10	9	12717	10941	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11869.2002	10093.2002	10093.2002	0.933333
3257	008	4485	0.1	2152	1	65	100	3	10	9	13455	11303	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12558	10406	10406	0.933333
3257	024	4196	0.1	2738	1	65	100	3	10	9	12588	9850	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11748.7998	9010.799805	9010.799805	0.933333
3258	001	4109	0.09	2720	1	65	100	3	9	8	12327	9607	RH-1(D)	40	form-based		true	true	0.7	9	1	8	8	11505.2002	8785.200195	8785.200195	0.933333
3258	002	4513	0.1	3115	1	65	100	3	10	9	13539	10424	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12636.39941	9521.399414	9521.399414	0.933333
3258	005	4072	0.09	1716	1	65	100	3	9	8	12216	10500	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11401.59961	9685.599609	9685.599609	0.933333
3258	006	4150	0.1	2083	1	65	100	3	10	9	12450	10367	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11620	9537	9537	0.933333
3258	007	4154	0.1	1821	1	65	100	3	10	9	12462	10641	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11631.2002	9810.200195	9810.200195	0.933333
3258	008	4155	0.1	1650	1	65	100	3	10	9	12465	10815	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11634	9984	9984	0.933333
3258	009	4344	0.1	1772	1	65	100	3	10	9	13032	11260	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12163.2002	10391.2002	10391.2002	0.933333
3259	010	4183	0.1	2026	1	65	100	3	10	9	12549	10523	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11712.39941	9686.399414	9686.399414	0.933333
3258	022	4517	0.1	3372	1	85	140	4	14	13	18068	14696	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	12647.59961	9275.599609	9275.599609	0.7
3258	026	4423	0.1	3024	1	65	100	3	10	9	13269	10245	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12384.39941	9360.399414	9360.399414	0.933333
3258	028	4372	0.1	1704	1	65	100	3	10	9	13116	11412	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12241.59961	10537.59961	10537.59961	0.933333
3258	029	4387	0.1	3580	1	65	100	3	10	9	13161	9581	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12283.59961	8703.599609	8703.599609	0.933333
3258	032	4049	0.09	3633	1	65	100	3	9	8	12147	8514	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11337.2002	7704.200195	7704.200195	0.933333
3258	033	4472	0.1	2602	1	65	100	3	10	9	13416	10814	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12521.59961	9919.599609	9919.599609	0.933333
3258	034	4350	0.1	4876	1	65	100	3	10	9	13050	8174	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12180	7304	7304	0.933333
3258	035	4190	0.1	1666	1	65	100	3	10	9	12570	10904	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11732	10066	10066	0.933333
3259	001	4309	0.1	1766	1	65	100	3	10	9	12927	11161	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	12065.2002	10299.2002	10299.2002	0.933333
3259	002	4403	0.1	2416	1	65	100	3	10	9	13209	10793	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12328.39941	9912.399414	9912.399414	0.933333
3259	004	4069	0.09	2585	1	65	100	3	9	8	12207	9622	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11393.2002	8808.200195	8808.200195	0.933333
3259	006	4184	0.1	3302	1	65	100	3	10	9	12552	9250	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11715.2002	8413.200195	8413.200195	0.933333
3259	007	4073	0.09	2669	1	65	100	3	9	8	12219	9550	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11404.39941	8735.399414	8735.399414	0.933333
3259	015	4125	0.09	3866	1	65	100	3	9	8	12375	8509	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11550	7684	7684	0.933333
3259	033	4313	0.1	2904	1	65	100	3	10	9	12939	10035	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12076.39941	9172.399414	9172.399414	0.933333
3259	042	4483	0.1	2292	1	65	100	3	10	9	13449	11157	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12552.39941	10260.39941	10260.39941	0.933333
3259	043	4244	0.1	1628	1	65	100	3	10	9	12732	11104	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11883.2002	10255.2002	10255.2002	0.933333
3260	008	4329	0.1	2248	1	65	100	3	10	9	12987	10739	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12121.2002	9873.200195	9873.200195	0.933333
3260	009	4439	0.1	3812	1	65	100	3	10	9	13317	9505	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12429.2002	8617.200195	8617.200195	0.933333
3260	010	4346	0.1	3435	1	65	100	3	10	9	13038	9603	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12168.7998	8733.799805	8733.799805	0.933333
3262	006	4163	0.1	2457	1	65	100	3	10	9	12489	10032	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11656.39941	9199.399414	9199.399414	0.933333
3262	008	4212	0.1	1500	1	65	100	3	10	9	12636	11136	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11793.59961	10293.59961	10293.59961	0.933333
3262	009	4065	0.09	1941	1	65	100	3	9	8	12195	10254	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11382	9441	9441	0.933333
3261	002	4009	0.09	0	0	65	100	3	9	9	12027	12027	RH-1(D)	40	form-based			true	0.7	8	0.888888896	8	8	11225.2002	11225.2002	11225.2002	0.933333
3261	005	4398	0.1	2500	1	65	100	3	10	9	13194	10694	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12314.39941	9814.399414	9814.399414	0.933333
3261	011	4051	0.09	1770	1	65	100	3	9	8	12153	10383	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11342.7998	9572.799805	9572.799805	0.933333
3261	018	4520	0.1	2560	1	65	100	3	10	9	13560	11000	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12656	10096	10096	0.933333
3261	019	4363	0.1	3289	1	65	100	3	10	9	13089	9800	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12216.39941	8927.399414	8927.399414	0.933333
3262	001	4344	0.1	3074	1	65	100	3	10	9	13032	9958	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12163.2002	9089.200195	9089.200195	0.933333
3262	003	4138	0.09	2352	1	65	100	3	9	8	12414	10062	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11586.39941	9234.399414	9234.399414	0.933333
3262	013	4107	0.09	1753	1	65	100	3	9	8	12321	10568	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11499.59961	9746.599609	9746.599609	0.933333
3262	014	4111	0.09	1950	1	65	100	3	9	8	12333	10383	RH-1(D)	40	form-based		true	true	0.7	9	1	8	8	11510.7998	9560.799805	9560.799805	0.933333
3262	016	4469	0.1	3267	1	65	100	3	10	9	13407	10140	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12513.2002	9246.200195	9246.200195	0.933333
3262	023	4477	0.1	2514	1	65	100	3	10	9	13431	10917	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12535.59961	10021.59961	10021.59961	0.933333
3263	013	4469	0.1	2108	1	55	80	2.5	8	7	11172	9064	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12513.2002	10405.2002	10405.2002	1.12005
3264	011	4305	0.1	2446	1	65	100	3	10	9	12915	10469	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	12054	9608	9608	0.933333
3264	012	4335	0.1	1987	1	65	100	3	10	9	13005	11018	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12138	10151	10151	0.933333
3264	018	4138	0.09	1259	1	65	100	3	9	8	12414	11155	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11586.39941	10327.39941	10327.39941	0.933333
3264	022A	4308	0.1	3451	1	65	100	3	10	9	12924	9473	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	12062.39941	8611.399414	8611.399414	0.933333
3267	026	4079	0.09	2057	1	65	100	3	9	8	12237	10180	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11421.2002	9364.200195	9364.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3267	027	4069	0.09	2124	1	65	100	3	9	8	12207	10083	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11393.2002	9269.200195	9269.200195	0.933333
3267	031	4223	0.1	2617	1	65	100	3	10	9	12669	10052	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11824.39941	9207.399414	9207.399414	0.933333
3269	009B	2441	0.06	2432	1	65	100	3	6	5	7323	4891	RTO-C	65	form-based		true	true	0.75	9	1.5	8	8	10984.5	8552.5	8552.5	1.5
3270	011G	2502	0.06	1896	1	65	100	3	6	5	7506	5610	RTO-C	65	form-based		true	true	0.75	9	1.5	8	8	11259	9363	9363	1.5
3270	012	4366	0.1	1776	1	65	100	3	10	9	13098	11322	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12224.7998	10448.7998	10448.7998	0.933333
3271	024	4108	0.09	1642	1	65	100	3	9	8	12324	10682	RH-1(D)	40	form-based		true	true	0.7	9	1	8	8	11502.39941	9860.399414	9860.399414	0.933333
3273	019	4362	0.1	2161	1	65	100	3	10	9	13086	10925	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12213.59961	10052.59961	10052.59961	0.933333
3273	026	4124	0.09	2086	1	65	100	3	9	8	12372	10286	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11547.2002	9461.200195	9461.200195	0.933333
3273	029	4499	0.1	1832	1	55	80	2.5	8	7	11248	9416	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12597.2002	10765.2002	10765.2002	1.11995
3273	030	4470	0.1	1473	1	55	80	2.5	8	7	11175	9702	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12516	11043	11043	1.12
3273	031	4422	0.1	3327	1	55	80	2.5	8	7	11055	7728	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12381.59961	9054.599609	9054.599609	1.12
3274	004	4444	0.1	1508	1	55	80	2.5	8	7	11110	9602	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12443.2002	10935.2002	10935.2002	1.12
3274	006	4435	0.1	3468	1	55	80	2.5	8	7	11088	7620	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12418	8950	8950	1.119949
3274	017	4337	0.1	1652	1	55	80	2.5	8	7	10842	9190	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12143.59961	10491.59961	10491.59961	1.120052
3274	018	4213	0.1	1660	1	55	80	2.5	8	7	10532	8872	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11796.39941	10136.39941	10136.39941	1.120053
3275	002	4193	0.1	1942	1	65	100	3	10	9	12579	10637	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11740.39941	9798.399414	9798.399414	0.933333
3275	012	4262	0.1	2998	1	65	100	3	10	9	12786	9788	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11933.59961	8935.599609	8935.599609	0.933333
3275	019	4223	0.1	1540	1	65	100	3	10	9	12669	11129	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11824.39941	10284.39941	10284.39941	0.933333
3275A	009	4081	0.09	1838	1	55	80	2.5	7	6	10202	8364	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11426.7998	9588.799805	9588.799805	1.120055
3276	012A	4109	0.09	2932	1	65	100	3	9	8	12327	9395	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11505.2002	8573.200195	8573.200195	0.933333
3276	014A	4290	0.1	2257	1	65	100	3	10	9	12870	10613	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12012	9755	9755	0.933333
3276	015	4457	0.1	1845	1	65	100	3	10	9	13371	11526	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12479.59961	10634.59961	10634.59961	0.933333
3276	020	4332	0.1	1049	1	65	100	3	10	9	12996	11947	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12129.59961	11080.59961	11080.59961	0.933333
3276	021	4261	0.1	1601	1	65	100	3	10	9	12783	11182	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11930.7998	10329.7998	10329.7998	0.933333
3276	022	4093	0.09	1630	1	65	100	3	9	8	12279	10649	RH-1(D)	40	form-based		true	true	0.7	9	1	8	8	11460.39941	9830.399414	9830.399414	0.933333
3276	025	4273	0.1	3107	1	65	100	3	10	9	12819	9712	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11964.39941	8857.399414	8857.399414	0.933333
3276	029	3703	0.09	1896	0	65	100	3	9	9	11109	9213	RH-1(D)	40	form-based			true	0.7	8	0.888888896	8	8	10368.39941	8472.399414	8472.399414	0.933333
3277	001	4245	0.1	1951	1	65	100	3	10	9	12735	10784	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11886	9935	9935	0.933333
3278	025	2462	0.06	1500	1	65	100	3	6	5	7386	5886	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11079	9579	9579	1.5
3280	001	4443	0.1	2178	1	65	100	3	10	9	13329	11151	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	12440.39941	10262.39941	10262.39941	0.933333
3281	008A	4161	0.1	2324	1	65	100	3	10	9	12483	10159	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11650.7998	9326.799805	9326.799805	0.933333
3281	022	4392	0.1	1492	1	85	140	4	14	13	17568	16076	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	12297.59961	10805.59961	10805.59961	0.7
3282	002	4142	0.1	1888	1	65	100	3	10	9	12426	10538	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11597.59961	9709.599609	9709.599609	0.933333
3282	022A	4055	0.09	1404	1	65	100	3	9	8	12165	10761	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11354	9950	9950	0.933333
3283	087	1482	0.03	0	0	85	140	4	4	4	5928	5928	NCT-OCEA	85	form-based		true	true	0.75	8	2	8	8	8892	8892	8892	1.5
3504	011	3682	0.08	4400	0	65	100	3	8	8	11046	6646	NCT-3	40	form-based		true		0.75	8	1	8	8	11046	6646	6646	1
3504	023	2735	0.06	6780	0	65	100	3	6	6	8205	1425	NCT-3	50	form-based				0.75	8	1.333333373	8	8	10256.25	3476.25	3476.25	1.25
3510	035	3750	0.09	3750	0	65	100	3	9	9	11250	7500	RED-MX	45	form-based				0.75	8	0.888888896	8	8	11250	7500	7500	1
3510	039	3340	0.08	3404	0	65	100	3	8	8	10020	6616	RED-MX	45	form-based				0.75	8	1	8	8	10020	6616	6616	1
3511	184	2008	0.05	1580	3	65	100	3	5	2	6024	4444	WMUG	85	form-based			true	0.75	11	2.200000048	8	7	12048	10468	10468	2
3513	048	4108	0.09	5361	1	65	100	3	9	8	12324	6963	NCT-3	40	form-based				0.75	9	1	8	8	12324	6963	6963	1
3513	059	1911	0.04	1650	2	65	100	3	4	2	5733	4083	NCT-3	85	form-based				0.75	10	2.5	8	6	11466	9816	9816	2
3513	062	1912	0.04	1125	2	65	100	3	4	2	5736	4611	NCT-3	85	form-based				0.75	10	2.5	8	6	11472	10347	10347	2
3513	075	2769	0.06	2394	0	65	100	3	6	6	8307	5913	NCT-3	50	form-based				0.75	8	1.333333373	8	8	10383.75	7989.75	7989.75	1.25
3514	028	1531	0.04	0	0	65	100	3	4	4	4593	4593	NCT-3	85	form-based				0.75	8	2	8	8	9186	9186	9186	2
3515	014	2034	0.05	3005	3	65	100	3	5	2	6102	3097	WMUG	85	form-based			true	0.75	11	2.200000048	8	7	12204	9199	9199	2
3518	008	2502	0.06	2495	0	65	100	3	6	6	7506	5011	RCD	55	form-based				0.75	8	1.333333373	8	8	9382.5	6887.5	6887.5	1.25
3518	009	2503	0.06	2500	0	65	100	3	6	6	7509	5009	RCD	55	form-based				0.75	8	1.333333373	8	8	9386.25	6886.25	6886.25	1.25
3518	010	2503	0.06	344	0	65	100	3	6	6	7509	7165	RCD	55	form-based				0.75	8	1.333333373	8	8	9386.25	9042.25	9042.25	1.25
3519	065	2455	0.06	2287	1	65	100	3	6	5	7365	5078	NCT-FOLS(	65	form-based				0.75	9	1.5	8	8	11047.5	8760.5	8760.5	1.5
3520	047	2500	0.06	1950	0	65	100	3	6	6	7500	5550	WMUG	55	form-based				0.75	8	1.333333373	8	8	9375	7425	7425	1.25
3521	059	2505	0.06	1084	5	55	80	2.5	5	0	6262	5178	WMUG	85	form-based			true	0.75	13	2.599999905	8	5	15030	13946	11440	2.400192
3522	042	3540	0.08	3220	0	65	100	3	8	8	10620	7400	RED	40	form-based				0.75	8	1	8	8	10620	7400	7400	1
3534	003	3217	0.07	2944	1	65	100	3	7	6	9651	6707	RTO-1	50	form-based			true	0.7	9	1.285714269	8	8	11259.5	8315.5	8315.5	1.166667
3537	019	2500	0.06	5560	5	85	140	4	8	3	10000	4440	NCT-UPPE(	85	form-based			true	0.75	13	1.625	8	8	15000	9440	9440	1.5
3537	037	3125	0.07	2144	1	65	100	3	7	6	9375	7231	RTO-1	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	8793.5	8793.5	1.166667
3537	101	2500	0.06	1589	0	85	140	4	8	8	10000	8411	NCT-UPPE(	50	form-based			true	0.75	8	1	8	8	9375	7786	7786	0.9375
3537	176	3136	0.07	1638	1	65	100	3	7	6	9408	7770	RTO-1	50	form-based			true	0.7	9	1.285714269	8	8	10976	9338	9338	1.166667
3538	006	5024	0.12	4330	3	65	100	3	12	9	15072	10742	RTO-1	40	form-based			true	0.7	11	0.916666687	8	8	14067.2002	9737.200195	9737.200195	0.933333
3538	090	1800	0.04	1056	1	65	100	3	4	3	5400	4344	RTO-C	85	form-based			true	0.75	9	2.25	8	7	10800	9744	9744	2
3540	023	5589	0.13	3660	4	65	100	3	13	9	16767	13107	RH-3	40	form-based			true	0.7	12	0.923076928	8	8	15649.2002	11989.2002	11989.2002	0.933333
3541	107	5271	0.12	836	8	85	140	4	17	9	21084	20248	NCT-UPPE(	50	form-based			true	0.75	16	0.941176474	8	8	19766.25	18930.25	18930.25	0.9375
3544	021	3125	0.07	1990	1	65	100	3	7	6	9375	7385	RTO-1	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	8947.5	8947.5	1.166667
3544	020	3125	0.07	2460	1	65	100	3	7	6	9375	6915	RTO-1	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	8477.5	8477.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3544	079	3768	0.09	2552	3	65	100	3	9	6	11304	8752	RTO-1	50	form-based			true	0.7	11	1.222222209	8	8	13188	10636	10636	1.166667
3545	013	6352	0.15	3185	3	65	100	3	15	12	19056	15871	RTO-1	40	density-lin	600			0.7	11	0.733333349	8	8	17785.59961	14600.59961	14600.59961	0.933333
3549	032	3726	0.09	3156	3	75	120	3.5	11	8	13041	9885	UMU	58	form-based				0.75	11	1	8	8	13972.5	10816.5	10816.5	1.071429
3549	046	2509	0.06	2412	0	75	120	3.5	7	7	8782	6370	UMU	58	form-based				0.75	8	1.142857194	8	8	9408.75	6996.75	6996.75	1.071368
3549	054	3000	0.07	1075	1	75	120	3.5	8	7	10500	9425	UMU	58	form-based				0.75	9	1.125	8	8	11250	10175	10175	1.071429
3552	052	3726	0.09	7350	3	75	120	3.5	11	8	13041	5691	UMU	58	form-based				0.75	11	1	8	8	13972.5	6622.5	6622.5	1.071429
3554	016	9429	0.22	17857	20	85	140	4	31	11	37716	19859	NCT-VALEI	55	form-based		true		0.75	28	0.90322578	8	8	35358.75	17501.75	17501.75	0.9375
3555	024	2562	0.06	1350	0	75	120	3.5	7	7	8967	7617	NCT-VALEI	55	form-based				0.75	8	1.142857194	8	8	9607.5	8257.5	8257.5	1.071429
3557	008A	3944	0.09	4512	3	65	100	3	9	6	11832	7320	RTO-1	50	form-based			true	0.7	11	1.222222209	8	8	13804	9292	9292	1.166667
3557	041	3125	0.07	4548	3	65	100	3	7	4	9375	4827	RTO-1	65	form-based			true	0.7	11	1.571428537	8	8	13125	8577	8577	1.4
3557	128	3125	0.07	1439	3	65	100	3	7	4	9375	7936	RTO-1	65	form-based			true	0.7	11	1.571428537	8	8	13125	11686	11686	1.4
3558	028	3150	0.07	2250	1	65	100	3	7	6	9450	7200	RTO-1	50	form-based			true	0.7	9	1.285714269	8	8	11025	8775	8775	1.166667
3558	031	3150	0.07	1270	1	85	140	4	10	9	12600	11330	RTO-1	50	form-based			true	0.7	9	0.899999976	8	8	11025	9755	9755	0.875
3558	043	3125	0.07	2884	1	65	100	3	7	6	9375	6491	RTO-1	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	8053.5	8053.5	1.166667
3558	044	3125	0.07	2435	1	65	100	3	7	6	9375	6940	RTO-1	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	8502.5	8502.5	1.166667
3558	052	3125	0.07	1228	1	65	100	3	7	6	9375	8147	RTO-1	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	9709.5	9709.5	1.166667
3558	054	3125	0.07	2230	1	85	140	4	10	9	12500	10270	RTO-1	50	form-based			true	0.7	9	0.899999976	8	8	10937.5	8707.5	8707.5	0.875
3558	057	3125	0.07	1575	1	65	100	3	7	6	9375	7800	RTO-1	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	9362.5	9362.5	1.166667
3558	061	3125	0.07	1035	1	65	100	3	7	6	9375	8340	RTO-1	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	9902.5	9902.5	1.166667
3560	018	3997	0.09	4314	3	65	100	3	9	6	11991	7677	RM-2	50	form-based			true	0.7	11	1.222222209	8	8	13989.5	9675.5	9675.5	1.166667
3560	022	3143	0.07	1530	1	65	100	3	7	6	9429	7899	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11000.5	9470.5	9470.5	1.166667
3562	018	1971	0.05	3853	2	65	100	3	5	3	5913	2060	RTO-C	85	form-based			true	0.75	10	2	8	8	11826	7973	7973	2
3562	036	1825	0.04	1296	2	65	100	3	4	2	5475	4179	RTO-C	85	form-based			true	0.75	10	2.5	8	6	10950	9654	9654	2
3562	042	2144	0.05	1206	3	65	100	3	5	2	6432	5226	RTO-C	85	form-based			true	0.75	11	2.200000048	8	7	12864	11658	11658	2
3562	045	2187	0.05	999	3	65	100	3	5	2	6561	5562	RTO-C	85	form-based			true	0.75	11	2.200000048	8	7	13122	12123	12123	2
3563	005	3250	0.07	2562	1	65	100	3	7	6	9750	7188	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	11375	8813	8813	1.166667
3563	015A	1870	0.04	1680	2	65	100	3	4	2	5610	3930	RTO-C	85	form-based			true	0.75	10	2.5	8	6	11220	9540	9540	2
3566	034	4191	0.1	4468	4	65	100	3	10	6	12573	8105	RM-1	50	form-based			true	0.7	12	1.200000048	8	8	14668.5	10200.5	10200.5	1.166667
3566	037	3419	0.08	3000	2	85	140	4	11	9	13676	10676	RM-1	50	form-based			true	0.7	10	0.909090936	8	8	11966.5	8966.5	8966.5	0.875
3566	040	2983	0.07	3560	3	85	140	4	10	7	11932	8372	RTO-C	65	form-based			true	0.75	11	1.100000024	8	8	13423.5	9863.5	9863.5	1.125
3566	041	2577	0.06	3045	2	85	140	4	8	6	10308	7263	RTO-C	65	form-based			true	0.75	10	1.25	8	8	11596.5	8551.5	8551.5	1.125
3566	047	3227	0.07	1124	1	65	100	3	7	6	9681	8557	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11294.5	10170.5	10170.5	1.166667
3567	002	5043	0.12	9446	0	65	100	3	12	12	15129	5683	RM-2	40	density-lin	600			0.7	8	0.666666687	8	8	14120.39941	4674.399414	4674.399414	0.933333
3568	002	2672	0.06	6568	0	85	140	4	8	8	10688	4120	NCT-VALEI	55	form-based				0.75	8	1	8	8	10020	3452	3452	0.9375
3568	014	2700	0.06	2700	0	75	120	3.5	7	7	9450	6750	NCT-VALEI	55	form-based				0.75	8	1.142857194	8	8	10125	7425	7425	1.071429
3568	061	3300	0.08	12800	2	75	120	3.5	10	8	11550	0	NCT-VALEI	55	form-based				0.75	10	1	8	8	12375	0	0	1.071429
3580	019	3742	0.09	2740	2	65	100	3	9	7	11226	8486	RM-1	50	form-based			true	0.7	10	1.111111164	8	8	13097	10357	10357	1.166667
3580	025	5084	0.12	7271	6	65	100	3	12	6	15252	7981	RM-1	50	form-based		true	true	0.7	14	1.166666627	8	8	17794	10523	10523	1.166667
3580	042A	3173	0.07	1690	1	85	140	4	10	9	12692	11002	RM-1	50	form-based			true	0.7	9	0.899999976	8	8	11105.5	9415.5	9415.5	0.875
3580	059	3525	0.08	4205	2	65	100	3	8	6	10575	6370	RM-1	50	form-based			true	0.7	10	1.25	8	8	12337.5	8132.5	8132.5	1.166667
3582	036	3125	0.07	1680	1	65	100	3	7	6	9375	7695	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	9257.5	9257.5	1.166667
3582	037	3125	0.07	1413	1	65	100	3	7	6	9375	7962	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10937.5	9524.5	9524.5	1.166667
3582	046	3055	0.07	1317	1	65	100	3	7	6	9165	7848	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10692.5	9375.5	9375.5	1.166667
3582	047	3057	0.07	1655	1	65	100	3	7	6	9171	7516	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10699.5	9044.5	9044.5	1.166667
3582	048	3058	0.07	2658	1	65	100	3	7	6	9174	6516	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10703	8045	8045	1.166667
3582	049	3060	0.07	3108	1	65	100	3	7	6	9180	6072	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10710	7602	7602	1.166667
3583	038	3079	0.07	750	1	65	100	3	7	6	9237	8487	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10776.5	10026.5	10026.5	1.166667
3583	040	3453	0.08	2000	2	65	100	3	8	6	10359	8359	RH-3	50	form-based			true	0.7	10	1.25	8	8	12085.5	10085.5	10085.5	1.166667
3583	042	3085	0.07	1310	1	65	100	3	7	6	9255	7945	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10797.5	9487.5	9487.5	1.166667
3583	050	3096	0.07	3234	1	65	100	3	7	6	9288	6054	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	10836	7602	7602	1.166667
3585	012	2550	0.06	4918	2	65	100	3	6	4	7650	2732	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11475	6557	6557	1.5
3585	085	2491	0.06	2445	1	85	140	4	8	7	9964	7519	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11209.5	8764.5	8764.5	1.125
3588	004	2506	0.06	3000	0	65	100	3	6	6	7518	4518	NCT-VALEI	55	form-based				0.75	8	1.333333373	8	8	9397.5	6397.5	6397.5	1.25
3597	016	3574	0.08	2635	2	65	100	3	8	6	10722	8087	RTO-M	55	form-based				0.7	10	1.25	8	8	12509	9874	9874	1.166667
3597	072	2500	0.06	2250	0	65	100	3	6	6	7500	5250	NCT-VALEI	55	form-based				0.75	8	1.333333373	8	8	9375	7125	7125	1.25
3600	008	2505	0.06	1950	1	85	140	4	8	7	10020	8070	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11272.5	9322.5	9322.5	1.125
3600	072	3282	0.08	2137	1	65	100	3	8	7	9846	7709	RH-2	50	form-based			true	0.7	9	1.125	8	8	11487	9350	9350	1.166667
3600	100	2777	0.06	1017	0	65	100	3	6	6	8331	7314	RH-2	50	form-based			true	0.7	8	1.333333373	8	8	9719.5	8702.5	8702.5	1.166667
3601	065	5702	0.13	3084	4	65	100	3	13	9	17106	14022	RH-2	40	form-based			true	0.7	12	0.923076928	8	8	15965.59961	12881.59961	12881.59961	0.933333
3601	086	4275	0.1	1492	1	65	100	3	10	9	12825	11333	RH-1	40	form-based		true	true	0.7	9	0.899999976	8	8	11970	10478	10478	0.933333
3605	090	3019	0.07	825	3	65	100	3	7	4	9057	8232	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13585.5	12760.5	12760.5	1.5
3606	030	2625	0.06	2260	2	85	140	4	8	6	10500	8240	RTO-C	65	form-based			true	0.75	10	1.25	8	8	11812.5	9552.5	9552.5	1.125
3606	033	2717	0.06	2750	2	85	140	4	8	6	10868	8118	RTO-C	65	form-based		true	true	0.75	10	1.25	8	8	12226.5	9476.5	9476.5	1.125
3606	080	3512	0.08	1825	2	85	140	4	11	9	14048	12223	RH-2	50	form-based			true	0.7	10	0.909090936	8	8	12292	10467	10467	0.875

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3606	109	2625	0.06	1775	2	85	140	4	8	6	10500	8725	RTO-C	65	form-based			true	0.75	10	1.25	8	8	11812.5	10037.5	10037.5	1.125
3614	015	7790	0.18	3897	0	65	100	3	18	18	23370	19473	RH-3	40	density-lin	1000	true		0.7	8	0.444444448	8	8	21812	17915	17915	0.933333
3617	003	4500	0.1	10668	6	65	100	3	10	4	13500	2832	NCT-VALEI	55	form-based				0.75	14	1.399999976	8	8	16875	6207	6207	1.25
3619	011	3250	0.07	3227	1	65	100	3	7	6	9750	6523	RH-3	50	form-based			true	0.7	9	1.285714269	8	8	11375	8148	8148	1.166667
3619	038	2495	0.06	1408	1	65	100	3	6	5	7485	6077	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11227.5	9819.5	9819.5	1.5
3619	062	3295	0.08	970	1	65	100	3	8	7	9885	8915	RH-2	50	form-based			true	0.7	9	1.125	8	8	11532.5	10562.5	10562.5	1.166667
3619	063	3304	0.08	1176	1	65	100	3	8	7	9912	8736	RH-2	50	form-based			true	0.7	9	1.125	8	8	11564	10388	10388	1.166667
3619	065	3321	0.08	1756	1	65	100	3	8	7	9963	8207	RH-2	50	form-based			true	0.7	9	1.125	8	8	11623.5	9867.5	9867.5	1.166667
3619	066	3327	0.08	2136	1	65	100	3	8	7	9981	7845	RH-2	50	form-based			true	0.7	9	1.125	8	8	11644.5	9508.5	9508.5	1.166667
3619	069	3200	0.07	1540	1	65	100	3	7	6	9600	8060	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11200	9660	9660	1.166667
3619	076	3256	0.07	1354	1	65	100	3	7	6	9768	8414	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11396	10042	10042	1.166667
3619	096	3277	0.08	2770	1	85	140	4	11	10	13108	10338	RH-2	50	form-based			true	0.7	9	0.818181813	8	8	11469.5	8699.5	8699.5	0.875
3619	112	2683	0.06	1086	2	65	100	3	6	4	8049	6963	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12073.5	10987.5	10987.5	1.5
3619	117	2551	0.06	2451	2	65	100	3	6	4	7653	5202	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	11479.5	9028.5	9028.5	1.5
3621	096	4465	0.1	4215	1	65	100	3	10	9	13395	9180	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12502	8287	8287	0.933333
3621	097	4465	0.1	4295	1	65	100	3	10	9	13395	9100	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12502	8207	8207	0.933333
3621	098	4465	0.1	4294	1	65	100	3	10	9	13395	9101	RH-1	40	form-based		true	true	0.7	9	0.899999976	8	8	12502	8208	8208	0.933333
3627	003	3037	0.07	2863	1	65	100	3	7	6	9111	6248	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10629.5	7766.5	7766.5	1.166667
3627	011	3817	0.09	3063	3	65	100	3	9	6	11451	8388	RH-2	50	form-based			true	0.7	11	1.222222209	8	8	13359.5	10296.5	10296.5	1.166667
3627	014	3230	0.07	1954	1	65	100	3	7	6	9690	7736	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11305	9351	9351	1.166667
3627	027	3256	0.07	2894	1	65	100	3	7	6	9768	6874	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11396	8502	8502	1.166667
3627	029	3256	0.07	1912	1	65	100	3	7	6	9768	7856	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11396	9484	9484	1.166667
3628	003	2500	0.06	2113	1	85	140	4	8	7	10000	7887	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	9137	9137	1.125
3628	022	3072	0.07	3195	1	65	100	3	7	6	9216	6021	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10752	7557	7557	1.166667
3629	004	3250	0.07	3084	1	85	140	4	10	9	13000	9916	RH-2	50	form-based			true	0.7	9	0.899999976	8	8	11375	8291	8291	0.875
3629	008	3250	0.07	2060	1	65	100	3	7	6	9750	7690	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11375	9315	9315	1.166667
3629	009	3250	0.07	1642	1	65	100	3	7	6	9750	8108	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11375	9733	9733	1.166667
3629	027	2676	0.06	2992	2	65	100	3	6	4	8028	5036	RTO-C	65	form-based			true	0.75	10	1.666666627	8	8	12042	9050	9050	1.5
3629	042	3314	0.08	718	4	85	140	4	11	7	13256	12538	RTO-C	65	form-based			true	0.75	12	1.090909123	8	8	14913	14195	14195	1.125
3636	039	4986	0.11	4073	2	75	120	3.5	13	11	17451	13378	RTO-M	45	form-based				0.7	10	0.769230783	8	8	13960.7998	9887.799805	9887.799805	0.8
3639	030	3572	0.08	6990	0	65	100	3	8	8	10716	3726	UMU	48	form-based				0.75	8	1	8	8	10716	3726	3726	1
3642	008A	3379	0.08	1600	1	75	120	3.5	10	9	11826	10226	RTO-M	50	form-based				0.7	9	0.899999976	8	8	11826.5	10226.5	10226.5	1.000042
3642	021	2500	0.06	1200	0	95	160	4.5	10	10	11250	10050	NCT-MISSI	55	form-based				0.75	8	0.800000012	8	8	9375	8175	8175	0.833333
3642	036	4288	0.1	2240	1	75	120	3.5	12	11	15008	12768	RTO-M	40	form-based				0.7	9	0.75	8	8	12006.39941	9766.399414	9766.399414	0.8
3642	054	4387	0.1	2270	1	75	120	3.5	12	11	15354	13084	RTO-M	40	form-based				0.7	9	0.75	8	8	12283.59961	10013.59961	10013.59961	0.800026
3642	076	4200	0.1	969	4	75	120	3.5	12	8	14700	13731	RTO-M	50	form-based				0.7	12	1	8	8	14700	13731	13731	1
3649	025	3558	0.08	2050	2	65	100	3	8	6	10674	8624	RH-2	50	form-based			true	0.7	10	1.25	8	8	12453	10403	10403	1.166667
3649	038	3324	0.08	1763	1	65	100	3	8	7	9972	8209	RM-1	50	form-based			true	0.7	9	1.125	8	8	11634	9871	9871	1.166667
3650	012	3720	0.09	3975	2	65	100	3	9	7	11160	7185	RH-2	50	form-based			true	0.7	10	1.111111164	8	8	13020	9045	9045	1.166667
3650	033	2400	0.06	2159	1	65	100	3	6	5	7200	5041	RTO-C	65	form-based			true	0.75	9	1.5	8	8	10800	8641	8641	1.5
3651	005	3084	0.07	3360	4	65	100	3	7	3	9252	5892	RTO-C	65	form-based			true	0.75	12	1.714285731	8	8	13878	10518	10518	1.5
3651	013	3228	0.07	3752	4	85	140	4	10	6	12912	9160	RTO-C	65	form-based			true	0.75	12	1.200000048	8	8	14526	10774	10774	1.125
3651	034	4080	0.09	3651	3	65	100	3	9	6	12240	8589	RH-3	50	form-based			true	0.7	11	1.222222209	8	8	14280	10629	10629	1.166667
3651	049	2850	0.07	2260	3	85	140	4	10	7	11400	9140	NCD-24TH	65	form-based			true	0.75	11	1.100000024	8	8	12825	10565	10565	1.125
3652	016	2850	0.07	3290	3	65	100	3	7	4	8550	5260	NCD-24TH	65	form-based			true	0.75	11	1.571428537	8	8	12825	9535	9535	1.5
3654	007	2838	0.07	3057	3	65	100	3	7	4	8514	5457	NCD-24TH	65	form-based			true	0.75	11	1.571428537	8	8	12771	9714	9714	1.5
3654	016	2838	0.07	3975	3	65	100	3	7	4	8514	4539	NCD-24TH	65	form-based			true	0.75	11	1.571428537	8	8	12771	8796	8796	1.5
3656	014	2850	0.07	3900	3	55	80	2.5	6	3	7125	3225	NCD-24TH	65	form-based			true	0.75	11	1.833333373	8	8	12825	8925	8925	1.8
3656	027	3178	0.07	900	1	55	80	2.5	6	5	7945	7045	RH-2	50	form-based			true	0.7	9	1.5	8	8	11123	10223	10223	1.4
3656	034	2838	0.07	3412	0	55	80	2.5	6	6	7095	3683	RH-2	50	form-based			true	0.7	8	1.333333373	8	8	9933	6521	6521	1.4
3656	063	2850	0.07	2845	3	55	80	2.5	6	3	7125	4280	NCD-24TH	65	form-based			true	0.75	11	1.833333373	8	8	12825	9980	9980	1.8
3725	061	1875	0.04	6505	2	65	100	3	4	2	5625	0	NCT-SOMA	85	form-based				0.75	10	2.5	8	6	11250	4745	4745	2
3726	015	7297	0.17	69289	30	65	100	3	17	0	21891	0	MUG	85	form-based				0.75	38	2.235294104	8	4	43782	0	0	2
3726	101	3375	0.08	3045	0	85	140	4	11	11	13500	10455	MUG	45	form-based				0.75	8	0.727272749	8	8	10125	7080	7080	0.75
3727	130	2098	0.05	4000	0	85	140	4	7	7	8392	4392	MUO	65	form-based				0.75	8	1.142857194	8	8	9441	5441	5441	1.125
3728	041	3750	0.09	3600	0	75	120	3.5	11	11	13125	9525	RED-MX	45	form-based				0.75	8	0.727272749	8	8	11250	7650	7650	0.857143
3728	081	2026	0.05	1875	0	85	140	4	7	7	8104	6229	MUO	65	form-based				0.75	8	1.142857194	8	8	9117	7242	7242	1.125
3728	082	2027	0.05	2000	0	85	140	4	7	7	8108	6108	MUO	65	form-based				0.75	8	1.142857194	8	8	9121.5	7121.5	7121.5	1.125
3728	083	2028	0.05	770	0	85	140	4	7	7	8112	7342	MUO	65	form-based				0.75	8	1.142857194	8	8	9126	8356	8356	1.125
3729	010	2250	0.05	2250	0	65	100	3	5	5	6750	4500	NCT-FOLS(	65	form-based				0.75	8	1.600000024	8	8	10125	7875	7875	1.5
3729	013	2250	0.05	6000	0	65	100	3	5	5	6750	750	NCT-FOLS(	65	form-based				0.75	8	1.600000024	8	8	10125	4125	4125	1.5
3729	015	2250	0.05	5750	0	65	100	3	5	5	6750	1000	NCT-FOLS(	65	form-based				0.75	8	1.600000024	8	8	10125	4375	4375	1.5
3730	002	2037	0.05	4500	0	85	140	4	7	7	8148	3648	WMUG	65	form-based				0.75	8	1.142857194	8	8	9166.5	4666.5	4666.5	1.125
3730	003	2040	0.05	4150	0	85	140	4	7	7	8160	4010	WMUG	65	form-based				0.75	8	1.142857194	8	8	9180	5030	5030	1.125

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3730	089	2812	0.06	3099	0	65	100	3	6	6	8436	5337	WMUG	55	form-based				0.75	8	1.333333373	8	8	10545	7446	7446	1.25
3730	090	2813	0.06	5600	0	65	100	3	6	6	8439	2839	WMUG	55	form-based				0.75	8	1.333333373	8	8	10548.75	4948.75	4948.75	1.25
3730	105	3415	0.08	6510	0	65	100	3	8	8	10245	3735	RED	40	form-based				0.75	8	1	8	8	10245	3735	3735	1
3730	117	2716	0.06	5400	0	85	140	4	8	8	10864	5464	WMUG	55	form-based		true		0.75	8	1	8	8	10185	4785	4785	0.9375
3730	236	7429	0.17	930	14	65	100	3	17	3	22287	21357	WMUG	55	form-based				0.75	22	1.294117689	8	8	27858.75	26928.75	26928.75	1.25
3730	254	7939	0.18	634	22	65	100	3	18	0	23817	23183	NCT-FOLS(	65	form-based				0.75	30	1.666666627	8	8	35725.5	35091.5	35091.5	1.5
3731	002	3840	0.09	8127	6	65	100	3	9	3	11520	3393	NCT-SOMA	65	form-based				0.75	14	1.555555582	8	8	17280	9153	9153	1.5
3731	018	2000	0.05	1375	0	65	100	3	5	5	6000	4625	NCT-SOMA	65	form-based				0.75	8	1.600000024	8	8	9000	7625	7625	1.5
3731	020	2000	0.05	6121	0	65	100	3	5	5	6000	0	NCT-SOMA	65	form-based		true		0.75	8	1.600000024	8	8	9000	2879	2879	1.5
3731	023	2000	0.05	3400	0	65	100	3	5	5	6000	2600	NCT-SOMA	65	form-based				0.75	8	1.600000024	8	8	9000	5600	5600	1.5
3731	099	3712	0.09	7333	0	65	100	3	9	9	11136	3803	MUG	45	form-based				0.75	8	0.888888896	8	8	11136	3803	3803	1
3731	122	2000	0.05	5500	0	65	100	3	5	5	6000	500	NCT-SOMA	65	form-based				0.75	8	1.600000024	8	8	9000	3500	3500	1.5
3732	031	1438	0.03	0	0	65	100	3	3	3	4314	4314	NCT-SOMA	85	form-based				0.75	8	2.666666746	8	6	8628	8628	8628	2
3732	032	1438	0.03	0	0	65	100	3	3	3	4314	4314	NCT-SOMA	85	form-based				0.75	8	2.666666746	8	6	8628	8628	8628	2
3732	040	3353	0.08	2259	0	65	100	3	8	8	10059	7800	MUR	45	form-based				0.75	8	1	8	8	10059	7800	7800	1
3732	064	3750	0.09	3750	0	65	100	3	9	9	11250	7500	MUR	45	form-based				0.75	8	0.888888896	8	8	11250	7500	7500	1
3732	068	3750	0.09	4950	0	65	100	3	9	9	11250	6300	MUR	45	form-based				0.75	8	0.888888896	8	8	11250	6300	6300	1
3732	139	2015	0.05	4030	3	65	100	3	5	2	6045	2015	MUR	85	form-based				0.75	11	2.200000048	8	7	12090	8060	8060	2
3732	143	2013	0.05	4815	3	65	100	3	5	2	6039	1224	MUR	85	form-based				0.75	11	2.200000048	8	7	12078	7263	7263	2
3733	034	2042	0.05	4247	3	65	100	3	5	2	6126	1879	MUR	85	form-based				0.75	11	2.200000048	8	7	12252	8005	8005	2
3733	145	1833	0.04	1550	2	65	100	3	4	2	5499	3949	MUR	85	form-based				0.75	10	2.5	8	6	10998	9448	9448	2
3752	003	1887	0.04	7840	2	65	100	3	4	2	5661	0	MUR	85	form-based		true		0.75	10	2.5	8	6	11322	3482	3482	2
3752	036	3746	0.09	15678	0	65	100	3	9	9	11238	0	MUR	45	form-based				0.75	8	0.888888896	8	8	11238	0	0	1
3752	070	3750	0.09	11439	0	65	100	3	9	9	11250	0	MUR	45	form-based				0.75	8	0.888888896	8	8	11250	0	0	1
3753	024	2125	0.05	1282	0	65	100	3	5	5	6375	5093	MUR	65	form-based				0.75	8	1.600000024	8	8	9562.5	8280.5	8280.5	1.5
3753	027	2338	0.05	3024	1	65	100	3	5	4	7014	3990	MUR	65	form-based				0.75	9	1.799999952	8	8	10521	7497	7497	1.5
3753	033	3409	0.08	1080	0	65	100	3	8	8	10227	9147	MUR	45	form-based				0.75	8	1	8	8	10227	9147	9147	1
3753	113	3750	0.09	6014	0	65	100	3	9	9	11250	5236	MUR	45	form-based		true		0.75	8	0.888888896	8	8	11250	5236	5236	1
3753	845	3728	0.09	0	0	65	100	3	9	9	11184	11184	MUR	45	form-based				0.75	8	0.888888896	8	8	11184	11184	11184	1
3754	043	3707	0.09	7500	0	65	100	3	9	9	11121	3621	MUG	45	form-based		true		0.75	8	0.888888896	8	8	11121	3621	3621	1
3754	112	3009	0.07	1179	8	65	100	3	7	0	9027	7848	MUG	85	form-based				0.75	16	2.285714388	8	6	18054	16875	16875	2
3755	003	2015	0.05	15000	0	65	100	3	5	5	6045	0	NCT-FOLS(	65	form-based				0.75	8	1.600000024	8	8	9067.5	0	0	1.5
3755	004	2013	0.05	6300	0	65	100	3	5	5	6039	0	NCT-FOLS(	65	form-based				0.75	8	1.600000024	8	8	9058.5	2758.5	2758.5	1.5
3755	005	2011	0.05	2000	0	65	100	3	5	5	6033	4033	NCT-FOLS(	65	form-based				0.75	8	1.600000024	8	8	9049.5	7049.5	7049.5	1.5
3755	017	2528	0.06	4250	0	85	140	4	8	8	10112	5862	WMUG	55	form-based		true		0.75	8	1	8	8	9480	5230	5230	0.9375
3755	024	3646	0.08	3461	0	65	100	3	8	8	10938	7477	RED	40	form-based		true		0.75	8	1	8	8	10938	7477	7477	1
3755	077	2250	0.05	2250	0	65	100	3	5	5	6750	4500	NCT-FOLS(	65	form-based				0.75	8	1.600000024	8	8	10125	7875	7875	1.5
3755	078	2250	0.05	3620	0	65	100	3	5	5	6750	3130	NCT-FOLS(	65	form-based				0.75	8	1.600000024	8	8	10125	6505	6505	1.5
3755	137	2600	0.06	2340	0	65	100	3	6	6	7800	5460	WMUG	55	form-based		true		0.75	8	1.333333373	8	8	9750	7410	7410	1.25
3755	200	3750	0.09	940	0	85	140	4	13	13	15000	14060	RED	40	form-based				0.75	8	0.615384638	8	8	11250	10310	10310	0.75
3756	004	2761	0.06	2800	0	65	100	3	6	6	8283	5483	RCD	55	form-based		true		0.75	8	1.333333373	8	8	10353.75	7553.75	7553.75	1.25
3756	039	2229	0.05	2250	0	65	100	3	5	5	6687	4437	NCT-FOLS(	65	form-based				0.75	8	1.600000024	8	8	10030.5	7780.5	7780.5	1.5
3756	042	2233	0.05	2250	0	65	100	3	5	5	6699	4449	NCT-FOLS(	65	form-based				0.75	8	1.600000024	8	8	10048.5	7798.5	7798.5	1.5
3756	043	2234	0.05	1000	0	65	100	3	5	5	6702	5702	NCT-FOLS(	65	form-based				0.75	8	1.600000024	8	8	10053	9053	9053	1.5
3756	046	2237	0.05	2250	0	65	100	3	5	5	6711	4461	NCT-FOLS(	65	form-based				0.75	8	1.600000024	8	8	10066.5	7816.5	7816.5	1.5
3756	047	2238	0.05	2346	0	65	100	3	5	5	6714	4368	NCT-FOLS(	65	form-based				0.75	8	1.600000024	8	8	10071	7725	7725	1.5
3762	043	1936	0.04	2605	3	65	100	3	4	1	5808	3203	CMUO	85	form-based				0.8	11	2.75	8	5	12390.40039	9785.400391	9011	2.133333
3762	048	1941	0.04	4121	3	65	100	3	4	1	5823	1702	CMUO	85	form-based				0.8	11	2.75	8	5	12422.40039	8301.400391	7525	2.133333
3762	139	2915	0.07	700	8	65	100	3	7	0	8745	8045	CMUO	85	form-based				0.8	16	2.285714388	8	6	18656	17956	16790	2.133333
3775	079	3520	0.08	2773	0	65	100	3	8	8	10560	7787	CMUO	45	form-based				0.8	8	1	8	8	11264	8491	8491	1.066667
3775	086	3240	0.07	4150	0	65	100	3	7	7	9720	5570	CMUO	45	form-based		true		0.8	8	1.142857194	8	8	10368	6218	6218	1.066667
3775	172	5678	0.13	37680	5	65	100	3	13	8	17034	0	SPD	40	form-based				0.75	13	1	8	8	17034	0	0	1
3777	007	3375	0.08	0	0	75	120	3.5	10	10	11812	11812	CMUO	45	form-based				0.8	8	0.800000012	8	8	10800	10800	10800	0.914324
3784	146	12500	0.29	1829	20	65	100	3	29	9	37500	35671	RED-MX	45	form-based		true		0.75	28	0.965517223	8	8	37500	35671	35671	1
3787	004	2002	0.05	374	0	75	120	3.5	6	6	7007	6633	CMUO	65	form-based				0.8	8	1.333333373	8	8	9609.600586	9235.600586	9235.600586	1.371429
3787	152	3950	0.09	942	8	75	120	3.5	11	3	13825	12883	CMUO	65	form-based				0.8	16	1.454545498	8	8	18960	18018	18018	1.371429
3774	006	2235	0.05	0	0	65	100	3	5	5	6705	6705	MUO	65	form-based				0.75	8	1.600000024	8	8	10057.5	10057.5	10057.5	1.5
3983	001	4974	0.11	2860	3	65	100	3	11	8	14922	12062	UMU	48	form-based		true		0.75	11	1	8	8	14922	12062	12062	1
3985	032	3710	0.09	2812	0	65	100	3	9	9	11130	8318	MUR	40	form-based				0.75	8	0.888888896	8	8	11130	8318	8318	1
3985	041	7500	0.17	2202	9	65	100	3	17	8	22500	20298	UMU	40	form-based				0.75	17	1	8	8	22500	20298	20298	1
4036	017	12683	0.29	30165	0	65	100	3	29	29	38049	7884	RH-2	40	density-lim	1500	true		0.7	8	0.275862068	8	8	35512.39844	5347.398438	5347.398438	0.933333
4099	059	6090	0.14	4991	0	65	100	3	14	14	18270	13279	NC-2	40	density-lim	800			0.75	8	0.571428597	8	8	18270	13279	13279	1
4103	055	25065	0.58	55000	48	75	120	3.5	70	22	87728	32728	MUR	40	form-based		true		0.75	56	0.800000012	8	8	75195	20195	20195	0.857138
4106	015	7500	0.17	7500	0	75	120	3.5	20	20	26250	18750	RH-3	45	density-lim	1000			0.7	8	0.400000006	8	8	21000	13500	13500	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4210	015	2600	0.06	2200	0	65	100	3	6	6	7800	5600	NCT-24TH-	55	form-based				0.75	8	1.333333373	8	8	9750	7550	7550	1.25
4210	018	2600	0.06	2500	0	65	100	3	6	6	7800	5300	NCT-24TH-	55	form-based				0.75	8	1.333333373	8	8	9750	7250	7250	1.25
4219	055	25098	0.58	0	0	65	100	3	58	58	75294	75294	RH-1	40	density-lim	3000	true		0.7	8	0.137931034	8	8	70274.39844	70274.39844	70274.39844	0.933333
4224	016	7500	0.17	0	0	75	120	3.5	20	20	26250	26250	RH-3	40	density-lim	1000			0.7	8	0.400000006	8	8	21000	21000	21000	0.8
4334	001	11944	0.27	13146	0	65	100	3	27	27	35832	22686	RH-2	40	density-lim	1500	true		0.7	8	0.296296299	8	8	33443.19922	20297.19922	20297.19922	0.933333
5678	001	6433	0.15	6575	0	55	80	2.5	12	12	16082	9507	NCD-CORT	40	density-lim	800	true		0.75	8	0.666666687	8	8	19299	12724	12724	1.200037
5719	005	6072	0.14	14000	0	65	100	3	14	14	18216	4216	NC-2	40	density-lim	800	true		0.75	8	0.571428597	8	8	18216	4216	4216	1
6471	001A	5040	0.12	8872	0	55	80	2.5	10	10	12600	3728	NCD-EXCE	40	density-lim	600			0.75	8	0.800000012	8	8	15120	6248	6248	1.2
6471	001C	4995	0.11	4950	0	55	80	2.5	9	9	12488	7538	NCD-EXCE	40	density-lim	600			0.75	8	0.888888896	8	8	14985	10035	10035	1.199952
6472	001	11920	0.27	13620	12	55	80	2.5	22	10	29800	16180	NCD-EXCE	40	density-lim	600	true		0.75	20	0.909090936	8	8	35760	22140	22140	1.2
6473	039	5823	0.13	2206	2	55	80	2.5	10	8	14558	12352	NCD-EXCE	40	density-lim	600	true		0.75	10	1	8	8	17469	15263	15263	1.199959
6506	021	3061	0.07	2087	1	55	80	2.5	6	5	7652	5565	RH-2	50	form-based			true	0.7	9	1.5	8	8	10713.5	8626.5	8626.5	1.400092
6506	022	3060	0.07	2160	1	55	80	2.5	6	5	7650	5490	RH-2	50	form-based			true	0.7	9	1.5	8	8	10710	8550	8550	1.4
6506	023	3059	0.07	2890	1	55	80	2.5	6	5	7648	4758	RH-2	50	form-based			true	0.7	9	1.5	8	8	10706.5	7816.5	7816.5	1.399908
6506	029	2983	0.07	2884	3	55	80	2.5	6	3	7458	4574	NCD-24TH	65	form-based			true	0.75	11	1.833333373	8	8	13423.5	10539.5	10539.5	1.799879
6506	030	2736	0.06	3955	2	55	80	2.5	5	3	6840	2885	NCD-24TH	65	form-based			true	0.75	10	2	8	8	12312	8357	8357	1.8
6506	043	2850	0.07	5135	3	55	80	2.5	6	3	7125	1990	NCD-24TH	65	form-based			true	0.75	11	1.833333373	8	8	12825	7690	7690	1.8
6506	054	3144	0.07	847	4	55	80	2.5	6	2	7860	7013	NCD-24TH	65	form-based			true	0.75	12	2	8	8	14148	13301	13301	1.8
6507	012B	3073	0.07	1975	1	55	80	2.5	6	5	7682	5707	RH-2	50	form-based			true	0.7	9	1.5	8	8	10755.5	8780.5	8780.5	1.400091
6507	019	3249	0.07	5964	4	55	80	2.5	6	2	8122	2158	NCD-24TH	65	form-based			true	0.75	12	2	8	8	14620.5	8656.5	8656.5	1.800111
6507	022	2850	0.07	4425	3	55	80	2.5	6	3	7125	2700	NCD-24TH	65	form-based			true	0.75	11	1.833333373	8	8	12825	8400	8400	1.8
6507	024	2869	0.07	5775	3	55	80	2.5	6	3	7172	1397	NCD-24TH	65	form-based			true	0.75	11	1.833333373	8	8	12910.5	7135.5	7135.5	1.800125
6507	028	2850	0.07	5431	3	55	80	2.5	6	3	7125	1694	NCD-24TH	65	form-based			true	0.75	11	1.833333373	8	8	12825	7394	7394	1.8
6508	028	2850	0.07	3875	3	65	100	3	7	4	8550	4675	NCD-24TH	65	form-based			true	0.75	11	1.571428537	8	8	12825	8950	8950	1.5
6508	036	2850	0.07	4125	3	65	100	3	7	4	8550	4425	NCD-24TH	65	form-based			true	0.75	11	1.571428537	8	8	12825	8700	8700	1.5
6509	001	4845	0.11	13760	10	85	140	4	15	5	19380	5620	NCD-24TH	65	form-based		true	true	0.75	18	1.200000048	8	8	21802.5	8042.5	8042.5	1.125
6509	022	2250	0.05	1643	0	65	100	3	5	5	6750	5107	NCD-24TH	65	form-based			true	0.75	8	1.600000024	8	8	10125	8482	8482	1.5
6509	050	2850	0.07	882	3	85	140	4	10	7	11400	10518	NCD-24TH	65	form-based			true	0.75	11	1.100000024	8	8	12825	11943	11943	1.125
6509	056	2850	0.07	3375	3	85	140	4	10	7	11400	8025	NCD-24TH	65	form-based			true	0.75	11	1.100000024	8	8	12825	9450	9450	1.125
6510	004A	3345	0.08	3808	1	65	100	3	8	7	10035	6227	RH-3	50	form-based		true	true	0.7	9	1.125	8	8	11707.5	7899.5	7899.5	1.166667
6510	019	2500	0.06	1300	1	85	140	4	8	7	10000	8700	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	9950	9950	1.125
6510	022	2845	0.07	1250	1	85	140	4	10	9	11380	10130	NCD-24TH	50	form-based			true	0.75	9	0.899999976	8	8	10668.75	9418.75	9418.75	0.9375
6510	038	3414	0.08	1211	2	65	100	3	8	6	10242	9031	RH-3	50	form-based			true	0.7	10	1.25	8	8	11949	10738	10738	1.166667
6514	032	4190	0.1	915	5	75	120	3.5	12	7	14665	13750	NCT-VALEI	55	form-based				0.75	13	1.083333373	8	8	15712.5	14797.5	14797.5	1.071429
6516	005	2323	0.05	3137	4	85	140	4	7	3	9292	6155	NCT-MISSI	85	form-based				0.75	12	1.714285731	8	8	13938	10801	10801	1.5
6518	011	3098	0.07	1750	1	75	120	3.5	8	7	10843	9093	RTO-M	50	form-based				0.7	9	1.125	8	8	10843	9093	9093	1
6527	010	3729	0.09	3250	2	75	120	3.5	11	9	13052	9802	RTO-M	50	form-based				0.7	10	0.909090936	8	8	13051.5	9801.5	9801.5	0.999962
6527	021A	4590	0.11	2372	2	75	120	3.5	13	11	16065	13693	RTO-M	40	form-based				0.7	10	0.769230783	8	8	12852	10480	10480	0.8
6527	040	4246	0.1	1440	1	75	120	3.5	12	11	14861	13421	RTO-M	40	form-based				0.7	9	0.75	8	8	11888.7998	10448.7998	10448.7998	0.8
6528	024	2588	0.06	4690	2	75	120	3.5	7	5	9058	4368	NCT-MISSI	65	form-based				0.75	10	1.428571463	8	8	11646	6956	6956	1.285714
6528	028	3451	0.08	5370	5	75	120	3.5	10	5	12078	6708	NCT-MISSI	65	form-based				0.75	13	1.299999952	8	8	15529.5	10159.5	10159.5	1.285768
6529	012A	4724	0.11	3428	2	75	120	3.5	13	11	16534	13106	RTO-M	45	form-based				0.7	10	0.769230783	8	8	13227.2002	9799.200195	9799.200195	0.8
6529	027	4884	0.11	1486	7	75	120	3.5	13	6	17094	15608	NCT-MISSI	55	form-based		true		0.75	15	1.153846145	8	8	18315	16829	16829	1.071429
6530	010	4686	0.11	2076	2	75	120	3.5	13	11	16401	14325	RTO-M	45	form-based				0.7	10	0.769230783	8	8	13120.7998	11044.7998	11044.7998	0.8
6530	011A	3039	0.07	1855	1	75	120	3.5	8	7	10636	8781	RTO-M	55	form-based		true		0.7	9	1.125	8	8	10636.5	8781.5	8781.5	1.000047
6530	023	3843	0.09	6350	4	75	120	3.5	11	7	13450	7100	NCT-VALEI	55	form-based				0.75	12	1.090909123	8	8	14411.25	8061.25	8061.25	1.071468
6535	042	3038	0.07	3376	1	65	100	3	7	6	9114	5738	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10633	7257	7257	1.166667
6536	061	3017	0.07	1803	3	65	100	3	7	4	9051	7248	RTO-C	65	form-based			true	0.75	11	1.571428537	8	8	13576.5	11773.5	11773.5	1.5
6538	045	5685	0.13	3980	4	55	80	2.5	10	6	14212	10232	RH-2	40	form-based			true	0.7	12	1.200000048	8	8	15918	11938	11938	1.120039
6546	044	4568	0.1	2925	2	55	80	2.5	8	6	11420	8495	RH-2	40	form-based			true	0.7	10	1.25	8	8	12790.39941	9865.399414	9865.399414	1.12
6549	042	3235	0.07	1885	1	65	100	3	7	6	9705	7820	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11322.5	9437.5	9437.5	1.166667
6550	018	2902	0.07	2329	0	65	100	3	7	7	8706	6377	RH-2	50	form-based			true	0.7	8	1.142857194	8	8	10157	7828	7828	1.166667
6550	026	2800	0.06	2792	3	65	100	3	6	3	8400	5608	RTO-C	65	form-based			true	0.75	11	1.833333373	8	8	12600	9808	9808	1.5
6550	036	3230	0.07	1413	1	65	100	3	7	6	9690	8277	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11305	9892	9892	1.166667
6551	027	2765	0.06	3236	2	85	140	4	8	6	11060	7824	NC-1	65	form-based			true	0.75	10	1.25	8	8	12442.5	9206.5	9206.5	1.125
6551	044	3341	0.08	1532	1	65	100	3	8	7	10023	8491	RH-3	50	form-based			true	0.7	9	1.125	8	8	11693.5	10161.5	10161.5	1.166667
6552	035	3055	0.07	2961	1	65	100	3	7	6	9165	6204	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10692.5	7731.5	7731.5	1.166667
6552	037	3158	0.07	1854	1	65	100	3	7	6	9474	7620	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11053	9199	9199	1.166667
6554	033	4560	0.1	3220	2	55	80	2.5	8	6	11400	8180	RH-2	40	form-based			true	0.7	10	1.25	8	8	12768	9548	9548	1.12
6562	031	4353	0.1	1480	1	55	80	2.5	8	7	10882	9402	RH-1	40	form-based			true	0.7	9	1.125	8	8	12188.39941	10708.39941	10708.39941	1.120051
6562	032	4353	0.1	1730	1	55	80	2.5	8	7	10882	9152	RH-1	40	form-based			true	0.7	9	1.125	8	8	12188.39941	10458.39941	10458.39941	1.120051
6563	074	4155	0.1	995	1	55	80	2.5	8	7	10388	9393	RH-2	40	form-based		true	true	0.7	9	1.125	8	8	11634	10639	10639	1.119946
6564	030	4560	0.1	2932	2	65	100	3	10	8	13680	10748	RH-2	40	form-based			true	0.7	10	1	8	8	12768	9836	9836	0.933333
6565	011	3199	0.07	1302	1	65	100	3	7	6	9597	8295	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11196.5	9894.5	9894.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6565	016	3483	0.08	2585	2	65	100	3	8	6	10449	7864	RH-2	50	form-based			true	0.7	10	1.25	8	8	12190.5	9605.5	9605.5	1.166667
6565	017	3133	0.07	1762	1	65	100	3	7	6	9399	7637	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10965.5	9203.5	9203.5	1.166667
6565	036	3124	0.07	2113	1	65	100	3	7	6	9372	7259	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10934	8821	8821	1.166667
6565	037	3055	0.07	964	1	65	100	3	7	6	9165	8201	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10692.5	9728.5	9728.5	1.166667
6565	039	3306	0.08	2408	1	65	100	3	8	7	9918	7510	RH-2	50	form-based			true	0.7	9	1.125	8	8	11571	9163	9163	1.166667
6565	044	3215	0.07	1192	1	85	140	4	10	9	12860	11668	RH-2	50	form-based			true	0.7	9	0.899999976	8	8	11252.5	10060.5	10060.5	0.875
6565	053	3476	0.08	1505	2	65	100	3	8	6	10428	8923	RH-2	50	form-based			true	0.7	10	1.25	8	8	12166	10661	10661	1.166667
6566	009	2879	0.07	2132	0	65	100	3	7	7	8637	6505	RH-2	50	form-based			true	0.7	8	1.142857194	8	8	10076.5	7944.5	7944.5	1.166667
6566	027	2400	0.06	1680	1	85	140	4	8	7	9600	7920	RTO-C	65	form-based			true	0.75	9	1.125	8	8	10800	9120	9120	1.125
6569	031	2000	0.05	0	0	85	140	4	7	7	8000	8000	NCT-MISSI	65	form-based				0.75	8	1.142857194	8	8	9000	9000	9000	1.125
6578	005	2710	0.06	2535	0	65	100	3	6	6	8130	5595	RH-2	50	form-based			true	0.7	8	1.333333373	8	8	9485	6950	6950	1.166667
6578	010	2817	0.06	2687	0	65	100	3	6	6	8451	5764	RH-2	50	form-based			true	0.7	8	1.333333373	8	8	9859.5	7172.5	7172.5	1.166667
6578	012	2820	0.06	2996	0	65	100	3	6	6	8460	5464	RH-2	50	form-based			true	0.7	8	1.333333373	8	8	9870	6874	6874	1.166667
6578	019	2833	0.07	1849	0	65	100	3	7	7	8499	6650	RH-2	50	form-based			true	0.7	8	1.142857194	8	8	9915.5	8066.5	8066.5	1.166667
6578	027A	2375	0.05	1838	1	65	100	3	5	4	7125	5287	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8849.5	8849.5	1.5
6578	028	2375	0.05	2162	1	65	100	3	5	4	7125	4963	NC-1	65	form-based			true	0.75	9	1.799999952	8	8	10687.5	8525.5	8525.5	1.5
6570	006	2561	0.06	7350	0	85	140	4	8	8	10244	2894	NCT-MISSI	55	form-based				0.75	8	1	8	8	9603.75	2253.75	2253.75	0.9375
6579	011	3381	0.08	535	1	65	100	3	8	7	10143	9608	RH-2	50	form-based			true	0.7	9	1.125	8	8	11833.5	11298.5	11298.5	1.166667
6579	012	3385	0.08	1905	1	65	100	3	8	7	10155	8250	RH-2	50	form-based			true	0.7	9	1.125	8	8	11847.5	9942.5	9942.5	1.166667
6579	018	3218	0.07	1452	1	65	100	3	7	6	9654	8202	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11263	9811	9811	1.166667
6579	022	3406	0.08	1747	2	65	100	3	8	6	10218	8471	RH-2	50	form-based			true	0.7	10	1.25	8	8	11921	10174	10174	1.166667
6579	023	3149	0.07	2638	1	65	100	3	7	6	9447	6809	RH-2	50	form-based		true	true	0.7	9	1.285714269	8	8	11021.5	8383.5	8383.5	1.166667
6579	034	3040	0.07	2582	1	65	100	3	7	6	9120	6538	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10640	8058	8058	1.166667
6579	035	3420	0.08	4097	2	65	100	3	8	6	10260	6163	RH-2	50	form-based			true	0.7	10	1.25	8	8	11970	7873	7873	1.166667
6579	039A	3192	0.07	1265	1	65	100	3	7	6	9576	8311	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11172	9907	9907	1.166667
6579	041	3420	0.08	1850	2	65	100	3	8	6	10260	8410	RH-2	50	form-based			true	0.7	10	1.25	8	8	11970	10120	10120	1.166667
6579	046	3420	0.08	1314	2	65	100	3	8	6	10260	8946	RH-2	50	form-based			true	0.7	10	1.25	8	8	11970	10656	10656	1.166667
6592	003	2044	0.05	3000	0	65	100	3	5	5	6132	3132	RTO-C	65	form-based			true	0.75	8	1.600000024	8	8	9198	6198	6198	1.5
6593	014	2737	0.06	927	0	65	100	3	6	6	8211	7284	RH-2	50	form-based			true	0.7	8	1.333333373	8	8	9579.5	8652.5	8652.5	1.166667
6593	020	2310	0.05	1470	1	65	100	3	5	4	6930	5460	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	10395	8925	8925	1.5
6593	044	3070	0.07	1250	1	65	100	3	7	6	9210	7960	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10745	9495	9495	1.166667
6593	051	3490	0.08	1046	2	65	100	3	8	6	10470	9424	RH-2	50	form-based			true	0.7	10	1.25	8	8	12215	11169	11169	1.166667
6600	011	4038	0.09	2150	3	65	100	3	9	6	12114	9964	RH-2	50	form-based			true	0.7	11	1.222222209	8	8	14133	11983	11983	1.166667
6600	024	2412	0.06	1106	1	85	140	4	8	7	9648	8542	RTO-C	65	form-based			true	0.75	9	1.125	8	8	10854	9748	9748	1.125
6600	031	3334	0.08	2290	1	65	100	3	8	7	10002	7712	RH-2	50	form-based			true	0.7	9	1.125	8	8	11669	9379	9379	1.166667
6601	001	3547	0.08	4520	5	85	140	4	11	6	14188	9668	NC-1	65	form-based		true	true	0.75	13	1.181818128	8	8	15961.5	11441.5	11441.5	1.125
6604	017	4256	0.1	3353	1	55	80	2.5	8	7	10640	7287	RH-1	40	form-based			true	0.7	9	1.125	8	8	11916.7998	8563.799805	8563.799805	1.12
6604	018	4294	0.1	1740	1	55	80	2.5	8	7	10735	8995	RH-1	40	form-based			true	0.7	9	1.125	8	8	12023.2002	10283.2002	10283.2002	1.12
6614	008	3000	0.07	4120	3	65	100	3	7	4	9000	4880	RTO-C	65	form-based		true	true	0.75	11	1.571428537	8	8	13500	9380	9380	1.5
6615	021	2500	0.06	983	1	85	140	4	8	7	10000	9017	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	10267	10267	1.125
6615	022	2500	0.06	1724	1	85	140	4	8	7	10000	8276	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	9526	9526	1.125
6615	023	2500	0.06	3035	1	85	140	4	8	7	10000	6965	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	8215	8215	1.125
6615	024	2500	0.06	875	1	85	140	4	8	7	10000	9125	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	10375	10375	1.125
6615	025	2500	0.06	1000	1	85	140	4	8	7	10000	9000	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	10250	10250	1.125
6615	026	2500	0.06	1623	1	85	140	4	8	7	10000	8377	RTO-C	65	form-based			true	0.75	9	1.125	8	8	11250	9627	9627	1.125
6615	041	5000	0.11	6300	6	65	100	3	11	5	15000	8700	RH-2	50	form-based			true	0.7	14	1.272727251	8	8	17500	11200	11200	1.166667
6618	012A	3192	0.07	2129	1	65	100	3	7	6	9576	7447	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11172	9043	9043	1.166667
6618	014	3056	0.07	1864	1	65	100	3	7	6	9168	7304	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	10696	8832	8832	1.166667
6618	025	2500	0.06	920	1	65	100	3	6	5	7500	6580	RTO-C	65	form-based			true	0.75	9	1.5	8	8	11250	10330	10330	1.5
6618	027	2556	0.06	2552	2	65	100	3	6	4	7668	5116	RTO-C	65	form-based		true	true	0.75	10	1.666666627	8	8	11502	8950	8950	1.5
6618	031C	3178	0.07	1819	1	65	100	3	7	6	9534	7715	RH-2	50	form-based			true	0.7	9	1.285714269	8	8	11123	9304	9304	1.166667
6632	016	2870	0.07	4950	0	65	100	3	7	7	8610	3660	RH-2	50	form-based			true	0.7	8	1.142857194	8	8	10045	5095	5095	1.166667
6633	013A	3990	0.09	3524	3	65	100	3	9	6	11970	8446	RH-2	50	form-based			true	0.7	11	1.222222209	8	8	13965	10441	10441	1.166667
6633	027	3457	0.08	2030	2	65	100	3	8	6	10371	8341	RH-2	50	form-based			true	0.7	10	1.25	8	8	12099.5	10069.5	10069.5	1.166667
6635	056	4847	0.11	4410	0	65	100	3	11	11	14541	10131	NCD-MISSI	40	density-lin	600			0.75	8	0.727272749	8	8	14541	10131	10131	1
6637	009	3073	0.07	2362	1	85	140	4	10	9	12292	9930	RH-2	50	form-based			true	0.7	9	0.899999976	8	8	10755.5	8393.5	8393.5	0.875
6637	009A	3192	0.07	2200	1	85	140	4	10	9	12768	10568	RH-2	50	form-based			true	0.7	9	0.899999976	8	8	11172	8972	8972	0.875
6651	013	4231	0.1	3280	1	55	80	2.5	8	7	10578	7298	RH-1	40	form-based			true	0.7	9	1.125	8	8	11846.7998	8566.799805	8566.799805	1.119947
6651	020	4393	0.1	2618	1	55	80	2.5	8	7	10982	8364	RH-2	40	form-based			true	0.7	9	1.125	8	8	12300.39941	9682.399414	9682.399414	1.120051
6651	021	4374	0.1	1552	1	55	80	2.5	8	7	10935	9383	RH-2	40	form-based			true	0.7	9	1.125	8	8	12247.2002	10695.2002	10695.2002	1.12
6652	010	4279	0.1	1980	1	65	100	3	10	9	12837	10857	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11981.2002	10001.2002	10001.2002	0.933333
6653	039	5000	0.11	1772	2	65	100	3	11	9	15000	13228	RH-2	40	form-based			true	0.7	10	0.909090936	8	8	14000	12228	12228	0.933333
6657	004	4697	0.11	2659	2	85	140	4	15	13	18788	16129	RH-2	40	form-based			true	0.7	10	0.666666687	8	8	13151.59961	10492.59961	10492.59961	0.7
6660	028A	4697	0.11	4255	0	65	100	3	11	11	14091	9836	NCD-MISSI	40	density-lin	600			0.75	8	0.727272749	8	8	14091	9836	9836	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6665	008	4395	0.1	1025	1	65	100	3	10	9	13185	12160	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12306	11281	11281	0.933333
6665	009	4435	0.1	720	1	65	100	3	10	9	13305	12585	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12418	11698	11698	0.933333
6665	010	4107	0.09	3322	1	65	100	3	9	8	12321	8999	RH-1	40	form-based			true	0.7	9	1	8	8	11499.59961	8177.599609	8177.599609	0.933333
6665	011	4182	0.1	3033	1	65	100	3	10	9	12546	9513	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11709.59961	8676.599609	8676.599609	0.933333
6665	057	4170	0.1	1404	1	65	100	3	10	9	12510	11106	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11676	10272	10272	0.933333
6665	058	3920	0.09	0	0	65	100	3	9	9	11760	11760	RH-1	40	form-based			true	0.7	8	0.888888896	8	8	10976	10976	10976	0.933333
6683	017	4474	0.1	5815	1	65	100	3	10	9	13422	7607	RH-1	40	form-based		true	true	0.7	9	0.899999976	8	8	12527.2002	6712.200195	6712.200195	0.933333
6696	005	4942	0.11	2000	2	65	100	3	11	9	14826	12826	RH-1	40	form-based			true	0.7	10	0.909090936	8	8	13837.59961	11837.59961	11837.59961	0.933333
6700	013	3974	0.09	0	0	65	100	3	9	9	11922	11922	RH-1	40	form-based			true	0.7	8	0.888888896	8	8	11127.2002	11127.2002	11127.2002	0.933333
6700	014	3924	0.09	0	0	65	100	3	9	9	11772	11772	RH-1	40	form-based			true	0.7	8	0.888888896	8	8	10987.2002	10987.2002	10987.2002	0.933333
6700	026	4299	0.1	2410	1	65	100	3	10	9	12897	10487	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12037.2002	9627.200195	9627.200195	0.933333
6709	034	4361	0.1	1235	1	65	100	3	10	9	13083	11848	RH-1	40	form-based		true	true	0.7	9	0.899999976	8	8	12210.7998	10975.7998	10975.7998	0.933333
6713	034	4404	0.1	1084	1	65	100	3	10	9	13212	12128	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12331.2002	11247.2002	11247.2002	0.933333
6717	015	5069	0.12	3500	3	65	100	3	12	9	15207	11707	RH-2	40	form-based			true	0.7	11	0.916666687	8	8	14193.2002	10693.2002	10693.2002	0.933333
6717	031	4300	0.1	2445	1	65	100	3	10	9	12900	10455	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	12040	9595	9595	0.933333
6726	028	3074	0.07	1008	1	75	120	3.5	8	7	10759	9751	RH-2	50	form-based			true	0.7	9	1.125	8	8	10759	9751	9751	1
6726	032	3140	0.07	1197	1	75	120	3.5	8	7	10990	9793	RH-2	50	form-based			true	0.7	9	1.125	8	8	10990	9793	9793	1
6726	034	3139	0.07	1312	1	75	120	3.5	8	7	10986	9674	RH-2	50	form-based			true	0.7	9	1.125	8	8	10986.5	9674.5	9674.5	1.000046
6726	035	3138	0.07	1196	1	75	120	3.5	8	7	10983	9787	RH-2	50	form-based			true	0.7	9	1.125	8	8	10983	9787	9787	1
6729	025	3153	0.07	2707	1	75	120	3.5	8	7	11036	8329	RH-1	50	form-based		true	true	0.7	9	1.125	8	8	11035.5	8328.5	8328.5	0.999955
6731	047	4333	0.1	1260	1	65	100	3	10	9	12999	11739	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12132.39941	10872.39941	10872.39941	0.933333
6732	002	3180	0.07	896	1	75	120	3.5	8	7	11130	10234	RH-1	50	form-based		true	true	0.7	9	1.125	8	8	11130	10234	10234	1
6732	003	3283	0.08	1433	1	75	120	3.5	10	9	11490	10057	RH-1	50	form-based			true	0.7	9	0.899999976	8	8	11490.5	10057.5	10057.5	1.000044
6732	081	3717	0.09	510	2	75	120	3.5	11	9	13010	12500	RH-1	50	form-based			true	0.7	10	0.909090936	8	8	13009.5	12499.5	12499.5	0.999962
6735	058	4461	0.1	1672	1	65	100	3	10	9	13383	11711	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12490.7998	10818.7998	10818.7998	0.933333
6738	017	2941	0.07	0	0	75	120	3.5	8	8	10294	10294	RH-1	50	form-based			true	0.7	8	1	8	8	10293.5	10293.5	10293.5	0.999951
6738	020	2743	0.06	2583	0	75	120	3.5	7	7	9600	7017	RH-1	50	form-based			true	0.7	8	1.142857194	8	8	9600.5	7017.5	7017.5	1.000052
6738	022	3173	0.07	1500	1	75	120	3.5	8	7	11106	9606	RH-1	50	form-based			true	0.7	9	1.125	8	8	11105.5	9605.5	9605.5	0.999955
6739	001	3318	0.08	861	1	75	120	3.5	10	9	11613	10752	RH-1	50	form-based			true	0.7	9	0.899999976	8	8	11613	10752	10752	1
6739	004	3046	0.07	1311	1	75	120	3.5	8	7	10661	9350	RH-1	50	form-based			true	0.7	9	1.125	8	8	10661	9350	9350	1
6739	007	2500	0.06	1305	1	75	120	3.5	7	6	8750	7445	RTO-C	65	form-based			true	0.75	9	1.285714269	8	8	11250	9945	9945	1.285714
6739	008	2500	0.06	1091	1	75	120	3.5	7	6	8750	7659	RTO-C	65	form-based			true	0.75	9	1.285714269	8	8	11250	10159	10159	1.285714
6739	009	2500	0.06	1008	1	75	120	3.5	7	6	8750	7742	RTO-C	65	form-based			true	0.75	9	1.285714269	8	8	11250	10242	10242	1.285714
6739	019	3126	0.07	1000	1	75	120	3.5	8	7	10941	9941	RH-1	50	form-based			true	0.7	9	1.125	8	8	10941	9941	9941	1
6739	020	3126	0.07	1330	1	75	120	3.5	8	7	10941	9611	RH-1	50	form-based			true	0.7	9	1.125	8	8	10941	9611	9611	1
6739	021	3126	0.07	1325	1	75	120	3.5	8	7	10941	9616	RH-1	50	form-based			true	0.7	9	1.125	8	8	10941	9616	9616	1
6739	030	3257	0.07	861	1	75	120	3.5	8	7	11400	10539	RH-1	50	form-based			true	0.7	9	1.125	8	8	11399.5	10538.5	10538.5	0.999956
6739	031	3140	0.07	1247	1	75	120	3.5	8	7	10990	9743	RH-1	50	form-based		true	true	0.7	9	1.125	8	8	10990	9743	9743	1
6740	020	2540	0.06	3250	2	75	120	3.5	7	5	8890	5640	NCT-GLEN	65	form-based		true	true	0.75	10	1.428571463	8	8	11430	8180	8180	1.285714
6741	013	3171	0.07	1670	1	75	120	3.5	8	7	11098	9428	RH-2	50	form-based			true	0.7	9	1.125	8	8	11098.5	9428.5	9428.5	1.000045
6741	016	3114	0.07	3190	1	75	120	3.5	8	7	10899	7709	RH-2	50	form-based			true	0.7	9	1.125	8	8	10899	7709	7709	1
6742	003A	1751	0.04	1949	1	75	120	3.5	5	4	6128	4179	NCT-GLEN	85	form-based		true	true	0.75	9	1.799999952	8	8	10506	8557	8557	1.714426
6743	023	2500	0.06	1516	1	75	120	3.5	7	6	8750	7234	RTO-C	65	form-based			true	0.75	9	1.285714269	8	8	11250	9734	9734	1.285714
6743	024	2500	0.06	1202	1	75	120	3.5	7	6	8750	7548	RTO-C	65	form-based			true	0.75	9	1.285714269	8	8	11250	10048	10048	1.285714
6744	014A	1680	0.04	1340	1	75	120	3.5	5	4	5880	4540	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10080	8740	8740	1.714286
6744	015	1742	0.04	672	1	75	120	3.5	5	4	6097	5425	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10452	9780	9780	1.714286
6744	027	2360	0.05	3567	4	75	120	3.5	6	2	8260	4693	NCT-GLEN	85	form-based		true	true	0.75	12	2	8	8	14160	10593	10593	1.714286
6746	017	2453	0.06	672	1	75	120	3.5	7	6	8586	7914	RTO-C	65	form-based			true	0.75	9	1.285714269	8	8	11038.5	10366.5	10366.5	1.285639
6746	018	2501	0.06	1190	1	75	120	3.5	7	6	8754	7564	RTO-C	65	form-based			true	0.75	9	1.285714269	8	8	11254.5	10064.5	10064.5	1.285641
6746	019	2501	0.06	1250	1	75	120	3.5	7	6	8754	7504	RTO-C	65	form-based			true	0.75	9	1.285714269	8	8	11254.5	10004.5	10004.5	1.285641
6746	020	2501	0.06	1053	1	75	120	3.5	7	6	8754	7701	RTO-C	65	form-based			true	0.75	9	1.285714269	8	8	11254.5	10201.5	10201.5	1.285641
6746	021	2376	0.05	2386	1	75	120	3.5	6	5	8316	5930	RTO-C	65	form-based		true	true	0.75	9	1.5	8	8	10692	8306	8306	1.285714
6746	031	2720	0.06	1759	2	75	120	3.5	7	5	9520	7761	NCT-GLEN	65	form-based			true	0.75	10	1.428571463	8	8	12240	10481	10481	1.285714
6756	027	1875	0.04	2700	2	75	120	3.5	5	3	6562	3862	RTO-C	85	form-based		true	true	0.75	10	2	8	8	11250	8550	8550	1.714416
6761	024	3736	0.09	0	0	65	100	3	9	9	11208	11208	RH-1	40	form-based			true	0.7	8	0.888888896	8	8	10460.7998	10460.7998	10460.7998	0.933333
6761	036	4344	0.1	2650	1	65	100	3	10	9	13032	10382	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12163.2002	9513.200195	9513.200195	0.933333
6763	014	4866	0.11	2330	2	65	100	3	11	9	14598	12268	RH-1	40	form-based			true	0.7	10	0.909090936	8	8	13624.7998	11294.7998	11294.7998	0.933333
6767	003	1653	0.04	950	1	75	120	3.5	5	4	5786	4836	RTO-C	85	form-based		true	true	0.75	9	1.799999952	8	8	9918	8968	8968	1.714138
6767	008	1668	0.04	1100	1	75	120	3.5	5	4	5838	4738	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10008	8908	8908	1.714286
6768	008	1620	0.04	1090	1	75	120	3.5	5	4	5670	4580	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	9720	8630	8630	1.714286
6770	051	3677	0.08	3412	0	65	100	3	8	8	11031	7619	RH-2	40	form-based		true	true	0.7	8	1	8	8	10295.59961	6883.599609	6883.599609	0.933333
6774	015	4219	0.1	1080	1	65	100	3	10	9	12657	11577	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11813.2002	10733.2002	10733.2002	0.933333
6774	017	4219	0.1	846	1	65	100	3	10	9	12657	11811	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11813.2002	10967.2002	10967.2002	0.933333
6804	007	4500	0.1	8000	0	65	100	3	10	10	13500	5500	NCD-EXCE	40	density-lim	600			0.75	8	0.800000012	8	8	13500	5500	5500	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6903	009	4392	0.1	3256	1	85	140	4	14	13	17568	14312	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	12297.59961	9041.599609	9041.599609	0.7
6905	022	4283	0.1	2590	1	65	100	3	10	9	12849	10259	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11992.39941	9402.399414	9402.399414	0.933333
6905	024	4283	0.1	2810	1	65	100	3	10	9	12849	10039	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11992.39941	9182.399414	9182.399414	0.933333
6905	025	4276	0.1	1960	1	65	100	3	10	9	12828	10868	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11972.7998	10012.7998	10012.7998	0.933333
6905	032	4505	0.1	2338	1	65	100	3	10	9	13515	11177	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12614	10276	10276	0.933333
6905	034	4071	0.09	2300	1	65	100	3	9	8	12213	9913	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11398.7998	9098.799805	9098.799805	0.933333
6909	019	4521	0.1	1753	1	65	100	3	10	9	13563	11810	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12658.7998	10905.7998	10905.7998	0.933333
6910	009	3607	0.08	0	0	65	100	3	8	8	10821	10821	RH-1(D)	40	form-based		true	true	0.7	8	1	8	8	10099.59961	10099.59961	10099.59961	0.933333
6910	009A	3702	0.08	0	0	65	100	3	8	8	11106	11106	RH-1(D)	40	form-based			true	0.7	8	1	8	8	10365.59961	10365.59961	10365.59961	0.933333
6913	007	4343	0.1	2288	1	65	100	3	10	9	13029	10741	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12160.39941	9872.399414	9872.399414	0.933333
6915	003	4220	0.1	1500	1	65	100	3	10	9	12660	11160	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11816	10316	10316	0.933333
6915	016	4470	0.1	2315	1	85	140	4	14	13	17880	15565	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	12516	10201	10201	0.7
6922	014	4975	0.11	2088	2	65	100	3	11	9	14925	12837	RH-1(D)	40	form-based			true	0.7	10	0.909090936	8	8	13930	11842	11842	0.933333
6924	007	4241	0.1	2010	1	65	100	3	10	9	12723	10713	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11874.7998	9864.799805	9864.799805	0.933333
6925	025	4209	0.1	1290	1	55	80	2.5	8	7	10522	9232	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11785.2002	10495.2002	10495.2002	1.120053
6925	026	4089	0.09	1290	1	55	80	2.5	7	6	10222	8932	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11449.2002	10159.2002	10159.2002	1.120055
6926	014	4191	0.1	2052	1	55	80	2.5	8	7	10478	8426	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11734.7998	9682.799805	9682.799805	1.119946
6932	015	4224	0.1	1590	1	65	100	3	10	9	12672	11082	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11827.2002	10237.2002	10237.2002	0.933333
6936	010	3379	0.08	5512	10	65	100	3	8	0	10137	4625	NCT-OCEA	85	form-based		true	true	0.75	18	2.25	8	6	20274	14762	14762	2
6937	007	4060	0.09	2036	1	65	100	3	9	8	12180	10144	RH-2	40	form-based			true	0.7	9	1	8	8	11368	9332	9332	0.933333
6941	058	2961	0.07	5962	8	85	140	4	10	2	11844	5882	NCT-OCEA	85	form-based		true	true	0.75	16	1.600000024	8	8	17766	11804	11804	1.5
6941	065A	1633	0.04	1465	1	65	100	3	4	3	4899	3434	NCT-OCEA	85	form-based			true	0.75	9	2.25	8	7	9798	8333	8333	2
6944	001	2516	0.06	3553	5	85	140	4	8	3	10064	6511	NCT-OCEA	85	form-based		true	true	0.75	13	1.625	8	8	15096	11543	11543	1.5
6944	027	4219	0.1	834	1	65	100	3	10	9	12657	11823	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11813.2002	10979.2002	10979.2002	0.933333
6944	028	4219	0.1	1200	1	65	100	3	10	9	12657	11457	RH-2	40	form-based			true	0.7	9	0.899999976	8	8	11813.2002	10613.2002	10613.2002	0.933333
6946	051	2585	0.06	2936	6	85	140	4	8	2	10340	7404	NCT-OCEA	85	form-based			true	0.75	14	1.75	8	8	15510	12574	12574	1.5
6947	001F	1738	0.04	1362	1	75	120	3.5	5	4	6083	4721	NCT-OCEA	85	form-based			true	0.75	9	1.799999952	8	8	10428	9066	9066	1.714286
6959	027	4930	0.11	4170	0	55	80	2.5	9	9	12325	8155	NCD-EXCE	40	density-lim	600			0.75	8	0.888888896	8	8	14790	10620	10620	1.2
6962	006A	1560	0.04	0	0	75	120	3.5	5	5	5460	5460	RTO-C	85	form-based			true	0.75	8	1.600000024	8	8	9360	9360	9360	1.714286
6964	001	1841	0.04	2250	2	75	120	3.5	5	3	6444	4194	RTO-C	85	form-based		true	true	0.75	10	2	8	8	11046	8796	8796	1.714153
6972	031	1680	0.04	840	1	75	120	3.5	5	4	5880	5040	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10080	9240	9240	1.714286
6972	032	1680	0.04	882	1	75	120	3.5	5	4	5880	4998	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10080	9198	9198	1.714286
6972	033	1680	0.04	880	1	75	120	3.5	5	4	5880	5000	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10080	9200	9200	1.714286
6972	004	1750	0.04	1405	1	75	120	3.5	5	4	6125	4720	RTO-C	85	form-based		true	true	0.75	9	1.799999952	8	8	10500	9095	9095	1.714286
6972	005	1750	0.04	850	1	75	120	3.5	5	4	6125	5275	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10500	9650	9650	1.714286
6972	006	1750	0.04	850	1	75	120	3.5	5	4	6125	5275	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10500	9650	9650	1.714286
6972	007	1750	0.04	1376	1	75	120	3.5	5	4	6125	4749	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10500	9124	9124	1.714286
6972	008	1750	0.04	850	1	75	120	3.5	5	4	6125	5275	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10500	9650	9650	1.714286
6972	009	1750	0.04	1204	1	75	120	3.5	5	4	6125	4921	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10500	9296	9296	1.714286
6972	010	1750	0.04	850	1	75	120	3.5	5	4	6125	5275	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10500	9650	9650	1.714286
6972	011	1750	0.04	850	1	75	120	3.5	5	4	6125	5275	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10500	9650	9650	1.714286
6972	012	1750	0.04	850	1	75	120	3.5	5	4	6125	5275	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10500	9650	9650	1.714286
6972	013	1750	0.04	850	1	75	120	3.5	5	4	6125	5275	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10500	9650	9650	1.714286
6972	014	1750	0.04	850	1	75	120	3.5	5	4	6125	5275	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10500	9650	9650	1.714286
6972	015	1750	0.04	1293	1	75	120	3.5	5	4	6125	4832	RTO-C	85	form-based			true	0.75	9	1.799999952	8	8	10500	9207	9207	1.714286
6972	016	1750	0.04	850	1	85	140	4	6	5	7000	6150	RTO-C	85	form-based			true	0.75	9	1.5	8	8	10500	9650	9650	1.5
6972	017	1750	0.04	850	1	85	140	4	6	5	7000	6150	RTO-C	85	form-based			true	0.75	9	1.5	8	8	10500	9650	9650	1.5
6972	018	1750	0.04	850	1	85	140	4	6	5	7000	6150	RTO-C	85	form-based			true	0.75	9	1.5	8	8	10500	9650	9650	1.5
6978	075	3852	0.09	0	0	65	100	3	9	9	11556	11556	RH-1	40	form-based			true	0.7	8	0.888888896	8	8	10785.59961	10785.59961	10785.59961	0.933333
6979	002	4211	0.1	770	1	65	100	3	10	9	12633	11863	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11790.7998	11020.7998	11020.7998	0.933333
6979	035	4234	0.1	1768	1	65	100	3	10	9	12702	10934	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11855.2002	10087.2002	10087.2002	0.933333
6979	036	4234	0.1	1476	1	65	100	3	10	9	12702	11226	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11855.2002	10379.2002	10379.2002	0.933333
6980	002	4187	0.1	1519	1	65	100	3	10	9	12561	11042	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11723.59961	10204.59961	10204.59961	0.933333
6980	003	4192	0.1	3337	1	65	100	3	10	9	12576	9239	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11737.59961	8400.599609	8400.599609	0.933333
6980	036	4219	0.1	836	1	65	100	3	10	9	12657	11821	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11813.2002	10977.2002	10977.2002	0.933333
6980	037	4219	0.1	785	1	65	100	3	10	9	12657	11872	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11813.2002	11028.2002	11028.2002	0.933333
6981	014	4180	0.1	2425	1	65	100	3	10	9	12540	10115	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11704	9279	9279	0.933333
6982	038	4267	0.1	750	1	65	100	3	10	9	12801	12051	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11947.59961	11197.59961	11197.59961	0.933333
6983	015	4196	0.1	1536	1	65	100	3	10	9	12588	11052	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11748.7998	10212.7998	10212.7998	0.933333
6983	016	4199	0.1	1300	1	55	80	2.5	8	7	10498	9198	RH-1	40	form-based			true	0.7	9	1.125	8	8	11757.2002	10457.2002	10457.2002	1.119947
6983	031	4219	0.1	2412	1	65	100	3	10	9	12657	10245	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11813.2002	9401.200195	9401.200195	0.933333
6983	033	4219	0.1	2400	1	65	100	3	10	9	12657	10257	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	11813.2002	9413.200195	9413.200195	0.933333
6987	009	4234	0.1	1237	1	55	80	2.5	8	7	10585	9348	RH-1	40	form-based			true	0.7	9	1.125	8	8	11855.2002	10618.2002	10618.2002	1.12
6987	011	4234	0.1	1000	1	55	80	2.5	8	7	10585	9585	RH-1	40	form-based			true	0.7	9	1.125	8	8	11855.2002	10855.2002	10855.2002	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6987	012	4234	0.1	1690	1	55	80	2.5	8	7	10585	8895	RH-1	40	form-based			true	0.7	9	1.125	8	8	11855.2002	10165.2002	10165.2002	1.12
6987	032	4234	0.1	2017	1	55	80	2.5	8	7	10585	8568	RH-1	40	form-based			true	0.7	9	1.125	8	8	11855.2002	9838.200195	9838.200195	1.12
6987	037	4504	0.1	1000	1	65	100	3	10	9	13512	12512	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12611.2002	11611.2002	11611.2002	0.933333
6999	024	4482	0.1	2710	1	65	100	3	10	9	13446	10736	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12549.59961	9839.599609	9839.599609	0.933333
7013	006	4219	0.1	1300	1	55	80	2.5	8	7	10548	9248	RH-1	40	form-based			true	0.7	9	1.125	8	8	11813.2002	10513.2002	10513.2002	1.119947
7098	004A	5765	0.13	7000	2	55	80	2.5	10	8	14412	7412	NCD-EXCE	40	density-lin	600			0.75	10	1	8	8	17295	10295	10295	1.200042
7204	007	4179	0.1	2538	1	65	100	3	10	9	12537	9999	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11701.2002	9163.200195	9163.200195	0.933333
7204	007A	4200	0.1	1795	1	65	100	3	10	9	12600	10805	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11760	9965	9965	0.933333
7204	008	4100	0.09	2084	1	65	100	3	9	8	12300	10216	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11480	9396	9396	0.933333
7204	008A	4100	0.09	2729	1	65	100	3	9	8	12300	9571	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11480	8751	8751	0.933333
7204	009	4100	0.09	2132	1	65	100	3	9	8	12300	10168	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11480	9348	9348	0.933333
7204	012	4000	0.09	1921	0	65	100	3	9	9	12000	10079	RH-1(D)	40	form-based			true	0.7	8	0.888888896	8	8	11200	9279	9279	0.933333
7205	002	4118	0.09	1910	1	65	100	3	9	8	12354	10444	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11530.39941	9620.399414	9620.399414	0.933333
7205	004A	4118	0.09	3048	1	65	100	3	9	8	12354	9306	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11530.39941	8482.399414	8482.399414	0.933333
7205	005A	4118	0.09	2432	1	65	100	3	9	8	12354	9922	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11530.39941	9098.399414	9098.399414	0.933333
7205	007	4204	0.1	4177	1	65	100	3	10	9	12612	8435	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11771.2002	7594.200195	7594.200195	0.933333
7205	007A	4225	0.1	2204	1	65	100	3	10	9	12675	10471	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11830	9626	9626	0.933333
7205	008	4225	0.1	2532	1	65	100	3	10	9	12675	10143	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11830	9298	9298	0.933333
7205	008A	4225	0.1	1749	1	65	100	3	10	9	12675	10926	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11830	10081	10081	0.933333
7205	008B	4225	0.1	2975	1	65	100	3	10	9	12675	9700	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11830	8855	8855	0.933333
7205	009	4225	0.1	2045	1	65	100	3	10	9	12675	10630	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11830	9785	9785	0.933333
7205	009A	4225	0.1	2467	1	65	100	3	10	9	12675	10208	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11830	9363	9363	0.933333
7205	010A	4225	0.1	3010	1	65	100	3	10	9	12675	9665	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11830	8820	8820	0.933333
7205	010B	4225	0.1	2444	1	65	100	3	10	9	12675	10231	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11830	9386	9386	0.933333
7205	011	4225	0.1	1412	1	65	100	3	10	9	12675	11263	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11830	10418	10418	0.933333
7205	011A	4225	0.1	1292	1	65	100	3	10	9	12675	11383	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11830	10538	10538	0.933333
7205	012	4225	0.1	2549	1	55	80	2.5	8	7	10562	8013	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11830	9281	9281	1.120053
7207	001B	4423	0.1	2179	1	55	80	2.5	8	7	11058	8879	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12384.39941	10205.39941	10205.39941	1.119949
7207	002	4308	0.1	3768	1	55	80	2.5	8	7	10770	7002	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12062.39941	8294.399414	8294.399414	1.12
7207	002A	4308	0.1	2160	1	55	80	2.5	8	7	10770	8610	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12062.39941	9902.399414	9902.399414	1.12
7207	003A	4509	0.1	1848	1	55	80	2.5	8	7	11272	9424	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12625.2002	10777.2002	10777.2002	1.12005
7207	007A	4400	0.1	2883	1	55	80	2.5	8	7	11000	8117	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	9437	9437	1.12
7207	008	4400	0.1	2955	1	55	80	2.5	8	7	11000	8045	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	9365	9365	1.12
7207	008A	4400	0.1	3414	1	55	80	2.5	8	7	11000	7586	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	8906	8906	1.12
7207	011B	4100	0.09	2190	1	55	80	2.5	7	6	10250	8060	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11480	9290	9290	1.12
7208	003	4440	0.1	2960	1	55	80	2.5	8	7	11100	8140	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12432	9472	9472	1.12
7208	005	4440	0.1	1810	1	55	80	2.5	8	7	11100	9290	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12432	10622	10622	1.12
7208	005A	4440	0.1	3060	1	55	80	2.5	8	7	11100	8040	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12432	9372	9372	1.12
7208	005B	4137	0.09	2544	1	55	80	2.5	7	6	10342	7798	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11583.59961	9039.599609	9039.599609	1.120054
7208	006	4137	0.09	2848	1	55	80	2.5	7	6	10342	7494	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11583.59961	8735.599609	8735.599609	1.120054
7208	007A	4400	0.1	2050	1	55	80	2.5	8	7	11000	8950	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	10270	10270	1.12
7208	008	4400	0.1	2538	1	55	80	2.5	8	7	11000	8462	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	9782	9782	1.12
7208	008A	4400	0.1	2701	1	55	80	2.5	8	7	11000	8299	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	9619	9619	1.12
7208	008B	4400	0.1	3732	1	55	80	2.5	8	7	11000	7268	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	8588	8588	1.12
7209	002	4285	0.1	3691	1	55	80	2.5	8	7	10712	7021	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11998	8307	8307	1.120052
7209	002A	4285	0.1	2292	1	55	80	2.5	8	7	10712	8420	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11998	9706	9706	1.120052
7209	003	4484	0.1	3556	1	55	80	2.5	8	7	11210	7654	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12555.2002	8999.200195	8999.200195	1.12
7209	003A	4484	0.1	3463	1	55	80	2.5	8	7	11210	7747	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12555.2002	9092.200195	9092.200195	1.12
7209	006	4384	0.1	2040	1	55	80	2.5	8	7	10960	8920	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12275.2002	10235.2002	10235.2002	1.12
7209	007	4179	0.1	2271	1	55	80	2.5	8	7	10448	8177	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	11701.2002	9430.200195	9430.200195	1.119946
7209	007A	4400	0.1	2244	1	55	80	2.5	8	7	11000	8756	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	10076	10076	1.12
7209	008	4400	0.1	2299	1	55	80	2.5	8	7	11000	8701	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	10021	10021	1.12
7209	008A	4400	0.1	1590	1	55	80	2.5	8	7	11000	9410	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	10730	10730	1.12
7209	008B	4400	0.1	2628	1	55	80	2.5	8	7	11000	8372	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	9692	9692	1.12
7209	009	4400	0.1	2459	1	55	80	2.5	8	7	11000	8541	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	9861	9861	1.12
7209	009A	4400	0.1	2106	1	55	80	2.5	8	7	11000	8894	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	10214	10214	1.12
7209	010	4400	0.1	2900	1	55	80	2.5	8	7	11000	8100	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	9420	9420	1.12
7209	010A	4400	0.1	2312	1	55	80	2.5	8	7	11000	8688	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	10008	10008	1.12
7209	011	4400	0.1	1919	1	55	80	2.5	8	7	11000	9081	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	10401	10401	1.12
7209	011A	4400	0.1	1570	1	55	80	2.5	8	7	11000	9430	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	10750	10750	1.12
7209	012	4400	0.1	2791	1	55	80	2.5	8	7	11000	8209	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12320	9529	9529	1.12
7210	001B	4360	0.1	2395	1	55	80	2.5	8	7	10900	8505	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12208	9813	9813	1.12
7210	002	4360	0.1	2429	1	55	80	2.5	8	7	10900	8471	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12208	9779	9779	1.12
7210	002A	4360	0.1	2241	1	55	80	2.5	8	7	10900	8659	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12208	9967	9967	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7210	003	4360	0.1	2313	1	55	80	2.5	8	7	10900	8587	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12208	9895	9895	1.12
7210	003A	4360	0.1	2094	1	55	80	2.5	8	7	10900	8806	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12208	10114	10114	1.12
7210	004	4360	0.1	2010	1	55	80	2.5	8	7	10900	8890	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12208	10198	10198	1.12
7210	004A	4360	0.1	2988	1	55	80	2.5	8	7	10900	7912	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12208	9220	9220	1.12
7210	005	4360	0.1	2279	1	55	80	2.5	8	7	10900	8621	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12208	9929	9929	1.12
7210	005A	4360	0.1	2130	1	55	80	2.5	8	7	10900	8770	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12208	10078	10078	1.12
7210	006	4360	0.1	2865	1	55	80	2.5	8	7	10900	8035	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12208	9343	9343	1.12
7210	006A	4360	0.1	2462	1	55	80	2.5	8	7	10900	8438	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12208	9746	9746	1.12
7210	006B	4140	0.1	2600	1	55	80	2.5	8	7	10350	7750	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	11592	8992	8992	1.12
7211	002A	4475	0.1	2439	1	55	80	2.5	8	7	11188	8749	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12530	10091	10091	1.11995
7211	003	4459	0.1	3119	1	55	80	2.5	8	7	11148	8029	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12485.2002	9366.200195	9366.200195	1.11995
7211	003A	4451	0.1	1876	1	55	80	2.5	8	7	11128	9252	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12462.7998	10586.7998	10586.7998	1.11995
7212	005B	4100	0.09	2784	1	55	80	2.5	7	6	10250	7466	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11480	8696	8696	1.12
7212	006	4100	0.09	2745	1	55	80	2.5	7	6	10250	7505	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11480	8735	8735	1.12
7212	007	4500	0.1	2092	1	55	80	2.5	8	7	11250	9158	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	12600	10508	10508	1.12
7213	001	4390	0.1	2411	1	55	80	2.5	8	7	10975	8564	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	12292	9881	9881	1.12
7213	001A	4210	0.1	2285	1	55	80	2.5	8	7	10525	8240	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11788	9503	9503	1.12
7213	002	4210	0.1	2797	1	55	80	2.5	8	7	10525	7728	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11788	8991	8991	1.12
7213	002A	4210	0.1	2717	1	55	80	2.5	8	7	10525	7808	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11788	9071	9071	1.12
7215	006B	4100	0.09	2458	1	65	100	3	9	8	12300	9842	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11480	9022	9022	0.933333
7215	007	4100	0.09	2245	1	65	100	3	9	8	12300	10055	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11480	9235	9235	0.933333
7215	001A	4320	0.1	1923	1	65	100	3	10	9	12960	11037	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12096	10173	10173	0.933333
7215	002	4180	0.1	2211	1	65	100	3	10	9	12540	10329	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11704	9493	9493	0.933333
7215	002B	4320	0.1	1845	1	65	100	3	10	9	12960	11115	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12096	10251	10251	0.933333
7215	003B	4270	0.1	2308	1	65	100	3	10	9	12810	10502	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11956	9648	9648	0.933333
7215	004	4220	0.1	2157	1	65	100	3	10	9	12660	10503	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11816	9659	9659	0.933333
7215	007A	4100	0.09	2440	1	65	100	3	9	8	12300	9860	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11480	9040	9040	0.933333
7215	007B	4100	0.09	2345	1	55	80	2.5	7	6	10250	7905	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11480	9135	9135	1.12
7215	008	4100	0.09	3924	1	55	80	2.5	7	6	10250	6326	RH-1(D)	40	form-based			true	0.7	9	1.285714269	8	8	11480	7556	7556	1.12
7215	008A	4178	0.1	3100	1	55	80	2.5	8	7	10445	7345	RH-1(D)	40	form-based		true	true	0.7	9	1.125	8	8	11698.39941	8598.399414	8598.399414	1.12
7217	006B	4325	0.1	2319	1	65	100	3	10	9	12975	10656	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12110	9791	9791	0.933333
7219	011	3709	0.09	0	0	65	100	3	9	9	11127	11127	RH-1(D)	40	form-based			true	0.7	8	0.888888896	8	8	10385.2002	10385.2002	10385.2002	0.933333
7221	004	4236	0.1	2145	1	65	100	3	10	9	12708	10563	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11860.7998	9715.799805	9715.799805	0.933333
7221	010	4501	0.1	1625	1	65	100	3	10	9	13503	11878	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12602.7998	10977.7998	10977.7998	0.933333
7221	011	4201	0.1	2600	1	65	100	3	10	9	12603	10003	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11762.7998	9162.799805	9162.799805	0.933333
7222	001	4518	0.1	2461	1	65	100	3	10	9	13554	11093	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	12650.39941	10189.39941	10189.39941	0.933333
7225	008	4452	0.1	2136	1	65	100	3	10	9	13356	11220	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12465.59961	10329.59961	10329.59961	0.933333
7225	009	4459	0.1	2809	1	85	140	4	14	13	17836	15027	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	12485.2002	9676.200195	9676.200195	0.7
7225	011	4073	0.09	3016	1	85	140	4	13	12	16292	13276	RH-1(D)	40	form-based			true	0.7	9	0.692307711	8	8	11404.39941	8388.399414	8388.399414	0.7
7225	019	4162	0.1	2162	1	65	100	3	10	9	12486	10324	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11653.59961	9491.599609	9491.599609	0.933333
7225	020	4200	0.1	2248	1	65	100	3	10	9	12600	10352	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11760	9512	9512	0.933333
7225	021	4325	0.1	1961	1	65	100	3	10	9	12975	11014	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12110	10149	10149	0.933333
7229	006	4375	0.1	2482	1	85	140	4	14	13	17500	15018	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	12250	9768	9768	0.7
7229	008	4268	0.1	1556	1	65	100	3	10	9	12804	11248	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11950.39941	10394.39941	10394.39941	0.933333
7229	009	4198	0.1	1692	1	65	100	3	10	9	12594	10902	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11754.39941	10062.39941	10062.39941	0.933333
7229	010	4076	0.09	1732	1	65	100	3	9	8	12228	10496	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11412.7998	9680.799805	9680.799805	0.933333
7229	011	4067	0.09	2104	1	65	100	3	9	8	12201	10097	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11387.59961	9283.599609	9283.599609	0.933333
7229	012	4059	0.09	2059	1	65	100	3	9	8	12177	10118	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11365.2002	9306.200195	9306.200195	0.933333
7231	017	4207	0.1	2106	1	85	140	4	14	13	16828	14722	RH-1(D)	40	form-based			true	0.7	9	0.642857134	8	8	11779.59961	9673.599609	9673.599609	0.7
7229A	004	4049	0.09	2116	1	65	100	3	9	8	12147	10031	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11337.2002	9221.200195	9221.200195	0.933333
7230	001	4227	0.1	1700	1	65	100	3	10	9	12681	10981	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11835.59961	10135.59961	10135.59961	0.933333
7231	002F	4330	0.1	2792	1	65	100	3	10	9	12990	10198	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12124	9332	9332	0.933333
7231	002G	4179	0.1	1726	1	65	100	3	10	9	12537	10811	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11701.2002	9975.200195	9975.200195	0.933333
7231	002I	4249	0.1	2105	1	65	100	3	10	9	12747	10642	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11897.2002	9792.200195	9792.200195	0.933333
7232	003	4187	0.1	2779	1	65	100	3	10	9	12561	9782	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11723.59961	8944.599609	8944.599609	0.933333
7232	005	4237	0.1	1703	1	65	100	3	10	9	12711	11008	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11863.59961	10160.59961	10160.59961	0.933333
7232	007	4233	0.1	1920	1	65	100	3	10	9	12699	10779	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11852.39941	9932.399414	9932.399414	0.933333
7234	001E	4410	0.1	2425	1	65	100	3	10	9	13230	10805	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12348	9923	9923	0.933333
7234	001F	4410	0.1	2412	1	65	100	3	10	9	13230	10818	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12348	9936	9936	0.933333
7234	001G	4410	0.1	1833	1	65	100	3	10	9	13230	11397	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12348	10515	10515	0.933333
7234	001H	4421	0.1	1595	1	65	100	3	10	9	13263	11668	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	12378.7998	10783.7998	10783.7998	0.933333
7234	002	4277	0.1	2080	1	65	100	3	10	9	12831	10751	RH-1(D)	40	form-based		true	true	0.7	9	0.899999976	8	8	11975.59961	9895.599609	9895.599609	0.933333
7234	002B	4076	0.09	2179	1	65	100	3	9	8	12228	10049	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11412.7998	9233.799805	9233.799805	0.933333
7234	002C	4076	0.09	2222	1	65	100	3	9	8	12228	10006	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11412.7998	9190.799805	9190.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7234	002D	4259	0.1	2491	1	65	100	3	10	9	12777	10286	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11925.2002	9434.200195	9434.200195	0.933333
7234	002E	4423	0.1	1954	1	65	100	3	10	9	13269	11315	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12384.39941	10430.39941	10430.39941	0.933333
7235	018	4057	0.09	1667	1	65	100	3	9	8	12171	10504	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11359.59961	9692.599609	9692.599609	0.933333
7235	019	4059	0.09	1667	1	65	100	3	9	8	12177	10510	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11365.2002	9698.200195	9698.200195	0.933333
7235	020	4057	0.09	1667	1	65	100	3	9	8	12171	10504	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11359.59961	9692.599609	9692.599609	0.933333
7236	004	4411	0.1	2822	1	65	100	3	10	9	13233	10411	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12350.7998	9528.799805	9528.799805	0.933333
7236	005	4328	0.1	2515	1	65	100	3	10	9	12984	10469	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12118.39941	9603.399414	9603.399414	0.933333
7236	006	4462	0.1	2939	1	65	100	3	10	9	13386	10447	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12493.59961	9554.599609	9554.599609	0.933333
7236	007	4523	0.1	2064	1	65	100	3	10	9	13569	11505	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12664.39941	10600.39941	10600.39941	0.933333
7236	011	4503	0.1	2482	1	65	100	3	10	9	13509	11027	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12608.39941	10126.39941	10126.39941	0.933333
7236	012	4433	0.1	3500	1	65	100	3	10	9	13299	9799	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12412.39941	8912.399414	8912.399414	0.933333
7236	013	4337	0.1	2838	1	65	100	3	10	9	13011	10173	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12143.59961	9305.599609	9305.599609	0.933333
7237	003	4119	0.09	2051	1	65	100	3	9	8	12357	10306	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11533.2002	9482.200195	9482.200195	0.933333
7237	004	4100	0.09	2409	1	65	100	3	9	8	12300	9891	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11480	9071	9071	0.933333
7238A	008	4285	0.1	1827	1	65	100	3	10	9	12855	11028	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11998	10171	10171	0.933333
7238A	009	4165	0.1	1558	1	65	100	3	10	9	12495	10937	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11662	10104	10104	0.933333
7238	003	4117	0.09	1648	1	65	100	3	9	8	12351	10703	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11527.59961	9879.599609	9879.599609	0.933333
7238	004	4339	0.1	1648	1	65	100	3	10	9	13017	11369	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12149.2002	10501.2002	10501.2002	0.933333
7238A	010	4053	0.09	2068	1	65	100	3	9	8	12159	10091	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11348.39941	9280.399414	9280.399414	0.933333
7239	001	4059	0.09	1990	1	65	100	3	9	8	12177	10187	RH-1(D)	40	form-based	true		true	0.7	9	1	8	8	11365.2002	9375.200195	9375.200195	0.933333
7239	011	3643	0.08	1651	0	65	100	3	8	8	10929	9278	RH-1(D)	40	form-based			true	0.7	8	1	8	8	10200.39941	8549.399414	8549.399414	0.933333
7239	024	4088	0.09	1658	1	65	100	3	9	8	12264	10606	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11446.39941	9788.399414	9788.399414	0.933333
7239A	016	4508	0.1	1477	1	65	100	3	10	9	13524	12047	RH-1(D)	40	form-based	true		true	0.7	9	0.899999976	8	8	12622.39941	11145.39941	11145.39941	0.933333
7240	001	4106	0.09	1329	1	65	100	3	9	8	12318	10989	RH-1(D)	40	form-based	true		true	0.7	9	1	8	8	11496.7998	10167.7998	10167.7998	0.933333
7240	033	4312	0.1	2284	1	65	100	3	10	9	12936	10652	RH-1(D)	40	form-based	true		true	0.7	9	0.899999976	8	8	12073.59961	9789.599609	9789.599609	0.933333
7240A	011	4059	0.09	2090	1	65	100	3	9	8	12177	10087	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11365.2002	9275.200195	9275.200195	0.933333
7240A	017	4315	0.1	1563	1	65	100	3	10	9	12945	11382	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12082	10519	10519	0.933333
7240A	018	4221	0.1	1343	1	65	100	3	10	9	12663	11320	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11818.7998	10475.7998	10475.7998	0.933333
7240A	019	4110	0.09	1343	1	65	100	3	9	8	12330	10987	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11508	10165	10165	0.933333
7241	002	4344	0.1	1560	1	65	100	3	10	9	13032	11472	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12163.2002	10603.2002	10603.2002	0.933333
7241	038	4052	0.09	1256	1	65	100	3	9	8	12156	10900	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11345.59961	10089.59961	10089.59961	0.933333
7241	039	4151	0.1	1461	1	65	100	3	10	9	12453	10992	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11622.7998	10161.7998	10161.7998	0.933333
7241	040	4145	0.1	1787	1	65	100	3	10	9	12435	10648	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11606	9819	9819	0.933333
7241	043	4496	0.1	1256	1	65	100	3	10	9	13488	12232	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12588.7998	11332.7998	11332.7998	0.933333
7242	012	4090	0.09	1795	1	65	100	3	9	8	12270	10475	RH-1(D)	40	form-based	true		true	0.7	9	1	8	8	11452	9657	9657	0.933333
7242	024	4230	0.1	1570	1	65	100	3	10	9	12690	11120	RH-1(D)	40	form-based	true		true	0.7	9	0.899999976	8	8	11844	10274	10274	0.933333
7243	008	4146	0.1	1922	1	65	100	3	10	9	12438	10516	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11608.7998	9686.799805	9686.799805	0.933333
7243	010	4261	0.1	2210	1	65	100	3	10	9	12783	10573	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	11930.7998	9720.799805	9720.799805	0.933333
7243	011	4058	0.09	2076	1	65	100	3	9	8	12174	10098	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11362.39941	9286.399414	9286.399414	0.933333
7244	003	4355	0.1	1287	1	65	100	3	10	9	13065	11778	RH-1(D)	40	form-based			true	0.7	9	0.899999976	8	8	12194	10907	10907	0.933333
7244	014	4100	0.09	1960	1	65	100	3	9	8	12300	10340	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11480	9520	9520	0.933333
7244	015	4130	0.09	1445	1	65	100	3	9	8	12390	10945	RH-1(D)	40	form-based			true	0.7	9	1	8	8	11564	10119	10119	0.933333
7245	013	2521	0.06	1275	1	55	80	2.5	5	4	6302	5027	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11344.5	10069.5	10069.5	1.800143
7245	014	2521	0.06	2275	1	55	80	2.5	5	4	6302	4027	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11344.5	9069.5	9069.5	1.800143
7245	017	2500	0.06	2002	1	55	80	2.5	5	4	6250	4248	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11250	9248	9248	1.8
7245	018	2500	0.06	1613	1	55	80	2.5	5	4	6250	4637	RTO-C	65	form-based			true	0.75	9	1.799999952	8	8	11250	9637	9637	1.8
7272	001	4088	0.09	1207	1	55	80	2.5	7	6	10220	9013	RH-1(D)	40	form-based	true		true	0.7	9	1.285714269	8	8	11446.39941	10239.39941	10239.39941	1.12
7272	048	4161	0.1	2106	1	55	80	2.5	8	7	10402	8296	RH-1(D)	40	form-based	true		true	0.7	9	1.125	8	8	11650.7998	9544.799805	9544.799805	1.120054
7273	017	4151	0.1	1251	1	55	80	2.5	8	7	10378	9127	RH-1(D)	40	form-based			true	0.7	9	1.125	8	8	11622.7998	10371.7998	10371.7998	1.119946
7527	023	4254	0.1	2080	1	65	100	3	10	9	12762	10682	RH-1	40	form-based	true		true	0.7	9	0.899999976	8	8	11911.2002	9831.200195	9831.200195	0.933333
7532	026	4348	0.1	1670	1	65	100	3	10	9	13044	11374	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12174.39941	10504.39941	10504.39941	0.933333
7537	057	4452	0.1	3099	1	55	80	2.5	8	7	11130	8031	RH-1	40	form-based			true	0.7	9	1.125	8	8	12465.59961	9366.599609	9366.599609	1.12
7537	076	4354	0.1	2014	1	55	80	2.5	8	7	10885	8871	RH-1	40	form-based			true	0.7	9	1.125	8	8	12191.2002	10177.2002	10177.2002	1.12
7538	016	3665	0.08	0	0	55	80	2.5	6	6	9162	9162	RH-1	40	form-based			true	0.7	8	1.333333373	8	8	10262	10262	10262	1.120061
7538	019	4102	0.09	3418	1	65	100	3	9	8	12306	8888	RH-1	40	form-based			true	0.7	9	1	8	8	11485.59961	8067.599609	8067.599609	0.933333
7538	020	4322	0.1	3312	1	65	100	3	10	9	12966	9654	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12101.59961	8789.599609	8789.599609	0.933333
7539	003	4360	0.1	4441	1	55	80	2.5	8	7	10900	6459	RH-1	40	form-based			true	0.7	9	1.125	8	8	12208	7767	7767	1.12
7539	009	4309	0.1	1309	1	55	80	2.5	8	7	10772	9463	RM-1	40	form-based			true	0.7	9	1.125	8	8	12065.2002	10756.2002	10756.2002	1.120052
7539	011	6891	0.16	5759	6	55	80	2.5	13	7	17228	11469	RM-1	40	form-based			true	0.7	14	1.076923132	8	8	19294.79883	13535.79883	13535.79883	1.119967
7539	022	6510	0.15	840	6	55	80	2.5	12	6	16275	15435	RM-1	40	form-based			true	0.7	14	1.166666627	8	8	18228	17388	17388	1.12
7541	017	4511	0.1	3640	1	65	100	3	10	9	13533	9893	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12630.7998	8990.799805	8990.799805	0.933333
7541	014	4413	0.1	3217	1	65	100	3	10	9	13239	10022	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12356.39941	9139.399414	9139.399414	0.933333
7541	005	4439	0.1	1995	1	65	100	3	10	9	13317	11322	RH-1	40	form-based			true	0.7	9	0.899999976	8	8	12429.2002	10434.2002	10434.2002	0.933333
7542	002	4481	0.1	1909	1	65	100	3	10	9	13443	11534	RH-1	40	form-based	true		true	0.7	9	0.899999976	8	8	12546.7998	10637.7998	10637.7998	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7546	001	4260	0.1	1241	1	65	100	3	10	9	12780	11539	RH-1	40	form-based		true	true	0.7	9	0.899999976	8	8	11928	10687	10687	0.933333
7549	006	4101	0.09	1589	1	65	100	3	9	8	12303	10714	RH-1	40	form-based			true	0.7	9	1	8	8	11482.7998	9893.799805	9893.799805	0.933333
7552	001	4059	0.09	1838	1	65	100	3	9	8	12177	10339	RH-1	40	form-based		true	true	0.7	9	1	8	8	11365.2002	9527.200195	9527.200195	0.933333
7555	004	4380	0.1	3114	1	65	100	3	10	9	13140	10026	RH-1	40	form-based		true	true	0.7	9	0.899999976	8	8	12264	9150	9150	0.933333
0024	019	1784	0.04	4500	0	65	100	3	4	4	5352	852	C-2	65	form-based			true	0.8	7	1.75	7	7	8563.200195	4063.200195	4063.200195	1.6
0024	022	1789	0.04	4890	0	65	100	3	4	4	5367	477	C-2	65	form-based			true	0.8	7	1.75	7	7	8587.200195	3697.200195	3697.200195	1.6
0026	012	3794	0.09	3905	1	65	100	3	9	8	11382	7477	RH-3	40	form-based			true	0.7	8	0.888888896	7	7	10623.2002	6718.200195	6718.200195	0.933333
0027	001A	4173	0.1	3480	2	65	100	3	10	8	12519	9039	RH-3	40	form-based			true	0.7	9	0.899999976	7	7	11684.39941	8204.399414	8204.399414	0.933333
0027	032	4125	0.09	697	2	65	100	3	9	7	12375	11678	RH-3	40	form-based			true	0.7	9	1	7	7	11550	10853	10853	0.933333
0044	020	2432	0.06	0	0	65	100	3	6	6	7296	7296	RH-3	50	form-based			true	0.7	7	1.166666627	7	7	8512	8512	8512	1.166667
0044	030	4219	0.1	1031	5	65	100	3	10	5	12657	11626	RH-2	50	form-based			true	0.7	12	1.200000048	7	7	14766.5	13735.5	13735.5	1.166667
0045	002A	3798	0.09	3970	1	65	100	3	9	8	11394	7424	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10634.39941	6664.399414	6664.399414	0.933333
0045	040	3722	0.09	1812	1	65	100	3	9	8	11166	9354	RH-3	40	form-based			true	0.7	8	0.888888896	7	7	10421.59961	8609.599609	8609.599609	0.933333
0045	043	3720	0.09	4468	1	65	100	3	9	8	11160	6692	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10416	5948	5948	0.933333
0045	044	3886	0.09	950	1	65	100	3	9	8	11658	10708	RH-3	40	form-based			true	0.7	8	0.888888896	7	7	10880.7998	9930.799805	9930.799805	0.933333
0048	009B	4004	0.09	5493	1	55	80	2.5	7	6	10010	4517	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	11211.2002	5718.200195	5718.200195	1.12
0048	011A	3756	0.09	6330	1	55	80	2.5	7	6	9390	3060	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10516.7998	4186.799805	4186.799805	1.12
0051	016A	2173	0.05	1777	0	65	100	3	5	5	6519	4742	NCD-NORT	50	form-based			true	0.75	7	1.399999976	7	7	8148.75	6371.75	6371.75	1.25
0051	024	2222	0.05	2271	0	65	100	3	5	5	6666	4395	NCD-NORT	50	form-based			true	0.75	7	1.399999976	7	7	8332.5	6061.5	6061.5	1.25
0052	029	7579	0.17	1071	12	65	100	3	17	5	22737	21666	NCD-NORT	40	density-lin	400			0.75	19	1.117647052	7	7	22737	21666	21666	1
0060	009E	3117	0.07	0	0	65	100	3	7	7	9351	9351	RM-2	40	form-based		true	true	0.7	7	1	7	7	8727.599609	8727.599609	8727.599609	0.933333
0064	012	4181	0.1	4528	5	55	80	2.5	8	3	10452	5924	RM-2	50	form-based			true	0.7	12	1.5	7	7	14633.5	10105.5	10105.5	1.400067
0064	028	4151	0.1	5635	5	55	80	2.5	8	3	10378	4743	RM-2	50	form-based			true	0.7	12	1.5	7	7	14528.5	8893.5	8893.5	1.399933
0064	030	4331	0.1	3380	2	55	80	2.5	8	6	10828	7448	RM-2	40	form-based			true	0.7	9	1.125	7	7	12126.7998	8746.799805	8746.799805	1.119948
0064	030A	4331	0.1	3204	2	55	80	2.5	8	6	10828	7624	RM-2	40	form-based			true	0.7	9	1.125	7	7	12126.7998	8922.799805	8922.799805	1.119948
0064	052	4159	0.1	1663	2	55	80	2.5	8	6	10398	8735	RM-2	40	form-based			true	0.7	9	1.125	7	7	11645.2002	9982.200195	9982.200195	1.119946
0065	058	3178	0.07	1320	2	55	80	2.5	6	4	7945	6625	RM-2	50	form-based			true	0.7	9	1.5	7	7	11123	9803	9803	1.4
0065	060	3177	0.07	1200	2	55	80	2.5	6	4	7942	6742	RM-2	50	form-based			true	0.7	9	1.5	7	7	11119.5	9919.5	9919.5	1.400088
0066	008	3539	0.08	5625	3	55	80	2.5	6	3	8848	3223	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12386.5	6761.5	6761.5	1.399921
0068	004	3025	0.07	3110	1	55	80	2.5	6	5	7562	4452	RH-1	50	form-based			true	0.7	8	1.333333373	7	7	10587.5	7477.5	7477.5	1.400093
0068	014	2975	0.07	3392	1	55	80	2.5	6	5	7438	4046	RH-1	50	form-based			true	0.7	8	1.333333373	7	7	10412.5	7020.5	7020.5	1.399906
0068	018A	2627	0.06	0	0	55	80	2.5	5	5	6568	6568	RH-1	50	form-based			true	0.7	7	1.399999976	7	7	9194.5	9194.5	9194.5	1.399893
0069	014	3025	0.07	1989	1	65	100	3	7	6	9075	7086	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10587.5	8598.5	8598.5	1.166667
0071	005C	2869	0.07	1903	1	55	80	2.5	6	5	7172	5269	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	10041.5	8138.5	8138.5	1.400098
0072	021	3780	0.09	2682	1	55	80	2.5	7	6	9450	6768	RM-1	40	form-based			true	0.7	8	1.142857194	7	7	10584	7902	7902	1.12
0072	059	4251	0.1	1633	2	55	80	2.5	8	6	10628	8995	RM-1	40	form-based			true	0.7	9	1.125	7	7	11902.7998	10269.7998	10269.7998	1.119947
0073	019	3431	0.08	4875	3	55	80	2.5	6	3	8578	3703	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12008.5	7133.5	7133.5	1.399918
0073	020	3428	0.08	2777	3	55	80	2.5	6	3	8570	5793	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	11998	9221	9221	1.4
0073	025	4174	0.1	1100	5	55	80	2.5	8	3	10435	9335	RM-1	50	form-based			true	0.7	12	1.5	7	7	14609	13509	13509	1.4
0076	056	3064	0.07	3048	2	55	80	2.5	6	4	7660	4612	RM-2	50	form-based			true	0.7	9	1.5	7	7	10724	7676	7676	1.4
0077	034A	3859	0.09	2519	1	55	80	2.5	7	6	9648	7129	RH-3	40	form-based			true	0.7	8	1.142857194	7	7	10805.2002	8286.200195	8286.200195	1.119942
0078	044	3313	0.08	2400	0	65	100	3	8	8	9939	7539	RH-3	40	form-based			true	0.7	7	0.875	7	7	9276.399414	6876.399414	6876.399414	0.933333
0087	019	3438	0.08	0	0	55	80	2.5	6	6	8595	8595	RH-3	40	form-based			true	0.7	7	1.166666627	7	7	9626.399414	9626.399414	9626.399414	1.12
0088	017	2647	0.06	10365	0	55	80	2.5	5	5	6618	0	NCD-NORT	40	density-lin	400			0.75	7	1.399999976	7	7	7941	0	0	1.199909
0093	045	5156	0.12	695	4	55	80	2.5	10	6	12890	12195	RM-1	40	form-based			true	0.7	11	1.100000024	7	7	14436.7998	13741.7998	13741.7998	1.12
0094	011	3440	0.08	4174	3	55	80	2.5	6	3	8600	4426	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12040	7866	7866	1.4
0094	021	2538	0.06	4194	0	55	80	2.5	5	5	6345	2151	RM-2	50	form-based			true	0.7	7	1.399999976	7	7	8883	4689	4689	1.4
0095	008	3058	0.07	3214	2	65	100	3	7	5	9174	5960	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10703	7489	7489	1.166667
0095	009	3072	0.07	2508	2	65	100	3	7	5	9216	6708	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10752	8244	8244	1.166667
0096	043	5440	0.12	9300	12	65	100	3	12	0	16320	7020	RH-3	65	form-based			true	0.7	19	1.583333373	7	7	22848	13548	13548	1.4
0096	049	2578	0.06	1825	2	65	100	3	6	4	7734	5909	RH-3	65	form-based			true	0.7	9	1.5	7	7	10827.59961	9002.599609	9002.599609	1.4
0096	061	2881	0.07	5836	3	65	100	3	7	4	8643	2807	RH-3	65	form-based			true	0.7	10	1.428571463	7	7	12100.2002	6264.200195	6264.200195	1.4
0097	048	2612	0.06	1160	2	55	80	2.5	5	3	6530	5370	RH-3	65	form-based			true	0.7	9	1.799999952	7	7	10970.39941	9810.399414	9810.399414	1.68
0098	034	4655	0.11	1310	3	55	80	2.5	9	6	11638	10328	RM-1	40	form-based			true	0.7	10	1.111111164	7	7	13034	11724	11724	1.119952
0101	010	4302	0.1	10984	0	55	80	2.5	8	8	10755	0	RM-2	40	density-lin	600			0.7	7	0.875	7	7	12045.59961	1061.599609	1061.599609	1.12
0103	018	2696	0.06	4856	0	55	80	2.5	5	5	6740	1884	NCD-NORT	40	density-lin	400	true		0.75	7	1.399999976	7	7	8088	3232	3232	1.2
0105	027	5156	0.12	2821	4	55	80	2.5	10	6	12890	10069	RH-3	40	form-based			true	0.7	11	1.100000024	7	7	14436.7998	11615.7998	11615.7998	1.12
0106	003	1219	0.03	0	0	65	100	3	3	3	3657	3657	C-2	84	form-base	800	true		0.8	7	2.333333254	7	6	7801.600098	7801.600098	7314	2.133333
0114	010	3646	0.08	5593	1	55	80	2.5	6	5	9115	3522	RH-3	40	form-based		true	true	0.7	8	1.333333373	7	7	10208.7998	4615.799805	4615.799805	1.12
0116	018	3292	0.08	8934	1	55	80	2.5	6	5	8230	0	NCD-NORT	40	density-lin	400	true		0.75	8	1.333333373	7	7	9876	942	942	1.2
0118	004	2672	0.06	2691	0	55	80	2.5	5	5	6680	3989	NCD-NORT	40	density-lin	400			0.75	7	1.399999976	7	7	8016	5325	5325	1.2
0119	015	3149	0.07	2590	0	55	80	2.5	6	6	7872	5282	RM-2	40	form-based			true	0.7	7	1.166666627	7	7	8817.200195	6227.200195	6227.200195	1.120071
0119	021	4654	0.11	3898	3	55	80	2.5	9	6	11635	7737	RM-2	40	form-based			true	0.7	10	1.111111164	7	7	13031.2002	9133.200195	9133.200195	1.12
0119	037	4727	0.11	3400	3	55	80	2.5	9	6	11818	8418	RM-2	40	form-based			true	0.7	10	1.111111164	7	7	13235.59961	9835.599609	9835.599609	1.119953

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0120	008	6000	0.14	5991	6	55	80	2.5	11	5	15000	9009	RH-2	40	form-based			true	0.7	13	0.181818128	7	7	16800	10809	10809	1.12
0120	045	6300	0.14	1480	6	55	80	2.5	11	5	15750	14270	RM-2	40	form-based		true	true	0.7	13	0.181818128	7	7	17640	16160	16160	1.12
0121	005	5640	0.13	6461	5	55	80	2.5	10	5	14100	7639	RM-2	40	form-based			true	0.7	12	1.200000048	7	7	15792	9331	9331	1.12
0121	006	3600	0.08	3934	1	55	80	2.5	6	5	9000	5066	RM-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	6146	6146	1.12
0121	049	5400	0.12	2430	4	55	80	2.5	10	6	13500	11070	RM-2	40	form-based			true	0.7	11	1.100000024	7	7	15120	12690	12690	1.12
0122	052	5472	0.13	765	12	55	80	2.5	10	0	13680	12915	RH-3	65	form-based		true	true	0.7	19	1.899999976	7	7	22982.40039	22217.40039	22217.40039	1.68
0122	074	2762	0.06	1219	3	55	80	2.5	5	2	6905	5686	RH-3	65	form-based			true	0.7	10	2	7	7	11600.39941	10381.39941	10381.39941	1.68
0123	005	2400	0.06	1692	1	65	100	3	6	5	7200	5508	RH-2	65	form-based			true	0.7	8	1.333333373	7	7	10080	8388	8388	1.4
0123	054	2095	0.05	1260	0	65	100	3	5	5	6285	5025	RH-3	65	form-based			true	0.7	7	1.399999976	7	7	8799	7539	7539	1.4
0124	031	2564	0.06	2714	2	65	100	3	6	4	7692	4978	RH-3	65	form-based			true	0.7	9	1.5	7	7	10768.7998	8054.799805	8054.799805	1.4
0124	031A	2564	0.06	2714	2	65	100	3	6	4	7692	4978	RH-3	65	form-based			true	0.7	9	1.5	7	7	10768.7998	8054.799805	8054.799805	1.4
0125	017	2815	0.06	3690	3	55	80	2.5	5	2	7038	3348	RH-3	65	form-based			true	0.7	10	2	7	7	11823	8133	8133	1.679881
0125	024	4844	0.11	11125	11	55	80	2.5	9	0	12110	985	NC-1	65	form-based		true	true	0.75	18	2	7	7	21798	10673	10673	1.8
0125	112	3000	0.07	1550	3	55	80	2.5	6	3	7500	5950	RH-3	65	form-based			true	0.7	10	1.666666627	7	7	12600	11050	11050	1.68
0127	016	11226	0.26	3075	12	55	80	2.5	21	9	28065	24990	RM-2	40	density-lim	600			0.7	19	0.90476191	7	7	31432.79883	28357.79883	28357.79883	1.12
0129	031	6402	0.15	6713	4	55	80	2.5	12	8	16005	9292	RM-2	40	density-lim	600			0.7	11	0.916666687	7	7	17925.59961	11212.59961	11212.59961	1.12
0131	009A	2950	0.07	2561	0	55	80	2.5	6	6	7375	4814	NCD-NORT	40	density-lim	400	true		0.75	7	1.166666627	7	7	8850	6289	6289	1.2
0135	008	5984	0.14	35266	0	65	100	3	14	14	17952	0	C-2	65	density-lim	800			0.8	7	0.5	7	7	28723.20117	0	0	1.6
0138	002	5201	0.12	0	0	85	140	4	17	17	20804	20804	C-2	40	density-lim	800	true		0.8	7	0.411764711	7	7	16643.20117	16643.20117	16643.20117	0.8
0143	009	5322	0.12	16225	6	55	80	2.5	10	4	13305	0	NCD-BROA	65	density-lim	400	true		0.75	13	1.299999952	7	7	23949	7724	7724	1.8
0147	021	2704	0.06	1112	0	65	100	3	6	6	8112	7000	NCD-NORT	40	density-lim	400			0.75	7	1.166666627	7	7	8112	7000	7000	1
0148	024	7669	0.18	6406	6	55	80	2.5	14	8	19172	12766	RM-2	40	density-lim	600			0.7	13	0.928571403	7	7	21473.19922	15067.19922	15067.19922	1.120029
0152	029	3862	0.09	4648	4	55	80	2.5	7	3	9655	5007	RH-3	50	form-based			true	0.7	11	1.571428537	7	7	13517	8869	8869	1.4
0152	031	2992	0.07	3480	1	55	80	2.5	6	5	7480	4000	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	10472	6992	6992	1.4
0152	034	3805	0.09	4037	4	55	80	2.5	7	3	9512	5475	RH-3	50	form-based			true	0.7	11	1.571428537	7	7	13317.5	9280.5	9280.5	1.400074
0153	013	2984	0.07	3292	3	55	80	2.5	6	3	7460	4168	RM-1	65	form-based			true	0.7	10	1.666666627	7	7	12532.7998	9240.799805	9240.799805	1.68
0153	018A	2868	0.07	2772	3	65	100	3	7	4	8604	5832	RH-3	65	form-based			true	0.7	10	1.428571463	7	7	12045.59961	9273.599609	9273.599609	1.4
0153	024	3434	0.08	3500	3	65	100	3	8	5	10302	6802	RH-3	50	form-based			true	0.7	10	1.25	7	7	12019	8519	8519	1.166667
0153	033	3204	0.07	2638	2	65	100	3	7	5	9612	6974	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11214	8576	8576	1.166667
0153	034	3195	0.07	2638	2	65	100	3	7	5	9585	6947	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11182.5	8544.5	8544.5	1.166667
0153	035	3195	0.07	4281	2	65	100	3	7	5	9585	5304	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11182.5	6901.5	6901.5	1.166667
0153	038	3195	0.07	2636	2	65	100	3	7	5	9585	6949	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11182.5	8546.5	8546.5	1.166667
0153	039	3195	0.07	3364	2	65	100	3	7	5	9585	6221	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11182.5	7818.5	7818.5	1.166667
0153	040	3195	0.07	3660	2	65	100	3	7	5	9585	5925	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11182.5	7522.5	7522.5	1.166667
0153	047	3043	0.07	1249	2	65	100	3	7	5	9129	7880	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10650.5	9401.5	9401.5	1.166667
0154	030	3105	0.07	2420	4	65	100	3	7	3	9315	6895	RH-3	65	form-based			true	0.7	11	1.571428537	7	7	13041	10621	10621	1.4
0154	036	2763	0.06	3090	3	65	100	3	6	3	8289	5199	RH-3	65	form-based			true	0.7	10	1.666666627	7	7	11604.59961	8514.599609	8514.599609	1.4
0154	045	2677	0.06	3074	2	65	100	3	6	4	8031	4957	RH-3	65	form-based			true	0.7	9	1.5	7	7	11243.39941	8169.399414	8169.399414	1.4
0155	035	2813	0.06	4830	3	55	80	2.5	5	2	7032	2202	RM-1	65	form-based			true	0.7	10	2	7	7	11814.59961	6984.599609	6984.599609	1.680119
0155	036	2813	0.06	4830	3	55	80	2.5	5	2	7032	2202	RM-1	65	form-based			true	0.7	10	2	7	7	11814.59961	6984.599609	6984.599609	1.680119
0155	060	2468	0.06	1310	2	55	80	2.5	5	3	6170	4860	RH-3	65	form-based			true	0.7	9	1.799999952	7	7	10365.59961	9055.599609	9055.599609	1.68
0161	002	3286	0.08	9488	9	65	100	3	8	0	9858	370	CRNC	50	density-lim	200			0.75	16	2	7	7	12322.5	2834.5	2834.5	1.25
0161	004	1404	0.03	5068	0	65	100	3	3	3	4212	0	CRNC	50	density-lim	200			0.75	7	2.333333254	7	6	5265	197	197	1.25
0161	030	1380	0.03	4050	0	65	100	3	3	3	4140	90	CCB	65	density-lim	200			0.75	7	2.333333254	7	6	6210	2160	2160	1.5
0161	031	1380	0.03	5168	0	65	100	3	3	3	4140	0	CCB	65	density-lim	200			0.75	7	2.333333254	7	6	6210	1042	1042	1.5
0162	020	2895	0.07	4000	0	65	100	3	7	7	8685	4685	NCD-BROA	65	density-lim	400			0.75	7	1	7	7	13027.5	9027.5	9027.5	1.5
0162	025	4178	0.1	11417	3	65	100	3	10	7	12534	1117	NCD-BROA	65	density-lim	400			0.75	10	1	7	7	18801	7384	7384	1.5
0163	013	5500	0.13	11256	0	65	100	3	13	13	16500	5244	C-2	65	density-lim	800	true		0.8	7	0.538461566	7	7	26400	15144	15144	1.6
0164	002	5669	0.13	20784	0	65	100	3	13	13	17007	0	C-2	65	density-lim	800			0.8	7	0.538461566	7	7	27211.20117	6427.201172	6427.201172	1.6
0175	033	5581	0.13	22479	0	65	100	3	13	13	16743	0	C-2	65	density-lim	800	true		0.8	7	0.538461566	7	7	26788.80078	4309.800781	4309.800781	1.6
0179	002	1721	0.04	3200	2	65	100	3	4	2	5163	1963	CRNC	85	density-lim	200			0.75	9	2.25	7	6	10326	7126	7126	2
0179	013	1750	0.04	7000	2	65	100	3	4	2	5250	0	CRNC	65	density-lim	200	true		0.75	9	2.25	7	6	7875	875	875	1.5
0181	026	4125	0.09	6200	3	55	80	2.5	7	4	10312	4112	RM-3	65	density-lim	400			0.75	10	1.428571463	7	7	18562.5	12362.5	12362.5	1.800087
0182	020	3814	0.09	6115	3	55	80	2.5	7	4	9535	3420	RM-3	65	density-lim	400			0.75	10	1.428571463	7	7	17163	11048	11048	1.8
0184	024	3598	0.08	6540	6	55	80	2.5	6	0	8995	2455	NCD-PACIF	65	form-based			true	0.75	13	2.166666746	7	6	16191	9651	9651	1.8
0185	011	3747	0.09	5535	6	65	100	3	9	3	11241	5706	RM-1	65	form-based			true	0.7	13	1.444444418	7	7	15737.39941	10202.39941	10202.39941	1.4
0185	013	3781	0.09	7890	6	65	100	3	9	3	11343	3453	RM-1	65	form-based			true	0.7	13	1.444444418	7	7	15880.2002	7990.200195	7990.200195	1.4
0185	031	3190	0.07	7266	5	65	100	3	7	2	9570	2304	NCD-PACIF	65	form-based		true	true	0.75	12	1.714285731	7	7	14355	7089	7089	1.5
0185	044	3094	0.07	1980	4	55	80	2.5	6	2	7735	5755	RM-1	65	form-based			true	0.7	11	1.833333373	7	7	12994.7998	11014.7998	11014.7998	1.68
0186	004A	2813	0.06	5975	4	65	100	3	6	2	8439	2464	RM-3	65	form-based			true	0.75	11	1.833333373	7	7	12658.5	6683.5	6683.5	1.5
0186	008	3227	0.07	3906	4	65	100	3	7	3	9681	5775	RM-2	65	form-based			true	0.7	11	1.571428537	7	7	13553.39941	9647.399414	9647.399414	1.4
0186	044	2813	0.06	703	4	65	100	3	6	2	8439	7736	RM-3	65	form-based			true	0.75	11	1.833333373	7	7	12658.5	11955.5	11955.5	1.5
0187	050	2368	0.05	2000	2	55	80	2.5	4	2	5920	3920	RM-3	65	form-based			true	0.75	9	2.25	7	6	10656	8656	8656	1.8
0189	017	3369	0.08	3876	1	55	80	2.5	6	5	8422	4546	RM-3	65	density-lim	400			0.75	8	1.333333373	7	7	15160.5	11284.5	11284.5	1.800107

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0190	008	12031	0.28	18405	23	65	100	3	28	5	36093	17688	RM-3	65	density-lim	400			0.75	30	1.071428537	7	7	54139.5	35734.5	35734.5	1.5
0191	006	2993	0.07	8439	8	65	100	3	7	0	8979	540	CRNC	65	density-lim	200	true		0.75	15	2.142857075	7	6	13468.5	5029.5	5029.5	1.5
0194	033	2374	0.05	6908	5	65	100	3	5	0	7122	214	CVR	50	density-lim	200			0.75	12	2.400000095	7	5	8902.5	1994.5	1994.5	1.25
0194	034	2791	0.06	5124	7	65	100	3	6	0	8373	3249	CCB	65	density-lim	200			0.75	14	2.333333254	7	5	12559.5	7435.5	7435.5	1.5
0195	014	1445	0.03	4021	0	65	100	3	3	3	4335	314	CRNC	40	density-lim	200			0.75	7	2.333333254	7	6	4335	314	314	1
0195	016	1307	0.03	4995	0	65	100	3	3	3	3921	0	CRNC	40	density-lim	200	true		0.75	7	2.333333254	7	6	3921	0	0	1
0210	008	1483	0.03	4287	0	65	100	3	3	3	4449	162	CRNC	50	density-lim	200	true		0.75	7	2.333333254	7	6	5561.25	1274.25	1274.25	1.25
0210	015	2228	0.05	7940	4	85	140	4	7	3	8912	972	CRNC	50	density-lim	200			0.75	11	1.571428537	7	7	8355	415	415	0.9375
0210	025	2053	0.05	4968	3	85	140	4	7	4	8212	3244	CRNC	50	density-lim	200			0.75	10	1.428571463	7	7	7698.75	2730.75	2730.75	0.9375
0210	034	1476	0.03	5900	0	65	100	3	3	3	4428	0	CRNC	50	density-lim	200			0.75	7	2.333333254	7	6	5535	0	0	1.25
0211	028	1950	0.04	1380	3	65	100	3	4	1	5850	4470	RC-4	65	density-lim	200			0.75	10	2.5	7	5	8775	7395	7395	1.5
0213	002A	2378	0.05	2962	2	65	100	3	5	3	7134	4172	RM-3	65	form-based			true	0.75	9	1.799999952	7	7	10701	7739	7739	1.5
0214	015	2056	0.05	5017	1	55	80	2.5	4	3	5140	123	RM-4	65	form-based			true	0.75	8	2	7	7	9252	4235	4235	1.8
0215	013	2517	0.06	3520	2	55	80	2.5	5	3	6292	2772	RM-3	65	form-based			true	0.75	9	1.799999952	7	7	11326.5	7806.5	7806.5	1.800143
0215	014	2515	0.06	2904	2	55	80	2.5	5	3	6288	3384	RM-3	65	form-based			true	0.75	9	1.799999952	7	7	11317.5	8413.5	8413.5	1.799857
0216	014	3490	0.08	7818	6	55	80	2.5	6	0	8725	907	RM-3	65	form-based			true	0.75	13	2.166666746	7	6	15705	7887	7887	1.8
0216	017	2521	0.06	34152	2	55	80	2.5	5	3	6302	0	RM-3	65	form-based			true	0.75	9	1.799999952	7	7	11344.5	0	0	1.800143
0216	019	2521	0.06	4218	2	55	80	2.5	5	3	6302	2084	RM-3	65	form-based			true	0.75	9	1.799999952	7	7	11344.5	7126.5	7126.5	1.800143
0217	008	2194	0.05	989	1	65	100	3	5	4	6582	5593	RM-3	65	form-based			true	0.75	8	1.600000024	7	7	9873	8884	8884	1.5
0217	022	2312	0.05	3200	2	65	100	3	5	3	6936	3736	RM-3	65	form-based			true	0.75	9	1.799999952	7	7	10404	7204	7204	1.5
0217	044	4125	0.09	954	8	65	100	3	9	1	12375	11421	RM-3	65	form-based			true	0.75	15	1.666666627	7	7	18562.5	17608.5	17608.5	1.5
0219	041	2639	0.06	1474	3	55	80	2.5	5	2	6598	5124	RM-3	65	form-based			true	0.75	10	2	7	7	11875.5	10401.5	10401.5	1.799864
0220	003	3241	0.07	6150	5	55	80	2.5	6	1	8102	1952	RM-4	65	form-based			true	0.75	12	2	7	7	14584.5	8434.5	8434.5	1.800111
0220	045	3667	0.08	761	7	55	80	2.5	6	0	9168	8407	RM-3	65	form-based			true	0.75	14	2.333333254	7	5	16501.5	15740.5	15740.5	1.799902
0225	005	1331	0.03	4452	0	65	100	3	3	3	3993	0	CVR	50	density-lim	200			0.75	7	2.333333254	7	6	4991.25	539.25	539.25	1.25
0225	030	2403	0.06	9918	5	65	100	3	6	1	7209	0	CRNC	50	density-lim	200	true		0.75	12	2	7	7	9011.25	0	0	1.25
0226	011	1380	0.03	3940	0	65	100	3	3	3	4140	200	CCB	50	density-lim	200			0.75	7	2.333333254	7	6	5175	1235	1235	1.25
0227	023	1308	0.03	3408	0	65	100	3	3	3	3924	516	CCB	50	density-lim	200			0.75	7	2.333333254	7	6	4905	1497	1497	1.25
0227	040	1485	0.03	4353	0	65	100	3	3	3	4455	102	CCB	50	density-lim	200			0.75	7	2.333333254	7	6	5568.75	1215.75	1215.75	1.25
0227	041	1470	0.03	4619	0	65	100	3	3	3	4410	0	CCB	50	density-lim	200			0.75	7	2.333333254	7	6	5512.5	893.5	893.5	1.25
0228	019	1500	0.03	5055	0	85	140	4	4	4	6000	945	C-3-O	75	form-based				0.8	7	1.75	7	7	8400	3345	3345	1.4
0251	014	3567	0.08	16680	25	55	80	2.5	6	0	8918	0	RTO-C	140	form-based			true	0.75	32	5.333333492	7	0	32103	15423	1156	3.599798
0252	003	2275	0.05	6502	4	55	80	2.5	4	0	5688	0	RM-4	65	density-lim	200			0.75	11	2.75	7	4	10237.5	3735.5	3735.5	1.799842
0252	004	2780	0.06	10018	7	55	80	2.5	5	0	6950	0	RM-4	65	density-lim	200	true		0.75	14	2.799999952	7	3	12510	2492	2492	1.8
0252	014	2000	0.05	4950	3	55	80	2.5	4	1	5000	50	RM-4	65	density-lim	200			0.75	10	2.5	7	5	9000	4050	4050	1.8
0252	016	9336	0.21	26886	40	55	80	2.5	17	0	23340	0	RM-4	65	density-lim	200			0.75	47	2.764705896	7	0	42012	15126	15126	1.8
0253	011	3437	0.08	6450	10	55	80	2.5	6	0	8592	2142	RM-4	65	density-lim	200			0.75	17	2.833333254	7	2	15466.5	9016.5	9016.5	1.800105
0256	001	8007	0.18	20379	33	65	100	3	18	0	24021	3642	RM-4	65	density-lim	200	true		0.75	40	2.222222328	7	3	36031.5	15652.5	15652.5	1.5
0256	081	2281	0.05	672	4	65	100	3	5	1	6843	6171	RM-4	65	density-lim	200			0.75	11	2.200000048	7	6	10264.5	9592.5	9592.5	1.5
0258	021	1463	0.03	4386	0	65	100	3	3	3	4389	3	CCB	50	density-lim	200	true		0.75	7	2.333333254	7	6	5486.25	1100.25	1100.25	1.25
0258	022	1450	0.03	4302	0	65	100	3	3	3	4350	48	CCB	50	density-lim	200	true		0.75	7	2.333333254	7	6	5437.5	1135.5	1135.5	1.25
0260	017	5876	0.13	806	46	75	120	3.5	16	0	20566	19760	C-3-O	150	form-based		true		0.8	53	3.3125	7	0	52884	52078	40326	2.571429
0271	003	1365	0.03	3925	0	65	100	3	3	3	4095	170	CCB	50	density-lim	200			0.75	7	2.333333254	7	6	5118.75	1193.75	1193.75	1.25
0272	007	9606	0.22	40275	41	65	100	3	22	0	28818	0	RC-4	65	density-lim	200			0.75	48	2.181818247	7	3	43227	2952	2952	1.5
0279	006	1707	0.04	2640	2	65	100	3	4	2	5121	2481	RC-4	130	density-lim	200			0.75	9	2.25	7	6	15363	12723	7602	3
0294	003	750	0.02	3750	0	75	120	3.5	2	2	2625	0	C-3-R	130	form-based		true		0.8	7	3.5	7	4	6750	3000	1500	2.571429
0298	002	5156	0.12	18925	39	65	100	3	12	0	15468	0	C-3-G	130	form-based				0.8	46	3.833333254	7	0	46404	27479	12011	3
0299	017	2227	0.05	6170	4	65	100	3	5	1	6681	511	RC-4	80	density-lim	200			0.75	11	2.200000048	7	6	13362	7192	7192	2
0300	007	4133	0.09	9200	14	65	100	3	9	0	12399	3199	RC-4	130	density-lim	200			0.75	21	2.333333254	7	4	37197	27997	15598	3
0300	011	2187	0.05	5776	4	65	100	3	5	1	6561	785	RC-4	80	density-lim	200			0.75	11	2.200000048	7	6	13122	7346	7346	2
0302	005	1316	0.03	880	0	65	100	3	3	3	3948	3068	RC-4	80	density-lim	200			0.75	7	2.333333254	7	6	7896	7016	7016	2
0302	011	6611	0.15	19084	26	65	100	3	15	0	19833	749	RC-4	80	density-lim	200			0.75	33	2.200000048	7	4	39666	20582	20582	2
0305	028	1394	0.03	132	0	85	140	4	4	4	5576	5444	RC-4	130	density-lim	200			0.75	7	1.75	7	7	12546	12414	11020	2.25
0319	028	3746	0.09	711	12	85	140	4	13	1	14984	14273	RC-4	80	density-lim	200			0.75	19	1.461538434	7	7	22476	21765	21765	1.5
0320	009	5913	0.14	16224	23	65	100	3	14	0	17739	1515	RC-4	80	density-lim	200			0.75	30	2.142857075	7	5	35478	19254	19254	2
0333	017	3733	0.09	8360	12	65	100	3	9	0	11199	2839	RC-4	80	density-lim	200			0.75	19	2.111111164	7	6	22398	14038	14038	2
0334	015	2201	0.05	5100	4	65	100	3	5	1	6603	1503	RC-4	80	density-lim	200			0.75	11	2.200000048	7	6	13206	8106	8106	2
0337	012	2188	0.05	4335	4	65	100	3	5	1	6564	2229	RC-4	80	density-lim	200			0.75	11	2.200000048	7	6	13128	8793	8793	2
0445A	025	3792	0.09	3092	1	55	80	2.5	7	6	9480	6388	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10617.59961	7525.599609	7525.599609	1.12
0445A	026	3793	0.09	2144	1	55	80	2.5	7	6	9482	7338	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10620.39941	8476.399414	8476.399414	1.120059
0445A	027	3795	0.09	2915	1	55	80	2.5	7	6	9488	6573	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10626	7711	7711	1.119941
0453	013B	4125	0.09	2700	2	65	100	3	9	7	12375	9675	NC-1	40	form-based			true	0.75	9	1	7	7	12375	9675	9675	1
0453	020	3781	0.09	1312	2	65	100	3	9	7	11343	10031	NC-1	40	form-based			true	0.75	9	1	7	7	11343	10031	10031	1
0453	023	4125	0.09	3799	2	65	100	3	9	7	12375	8576	NC-1	40	form-based			true	0.75	9	1	7	7	12375	8576	8576	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0460A	008	3437	0.08	2408	1	55	80	2.5	6	5	8592	6184	RM-3	40	form-based			true	0.75	8	1.333333373	7	7	10311	7903	7903	1.20007
0460A	026	3811	0.09	2090	1	55	80	2.5	7	6	9528	7438	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10670.7998	8580.799805	8580.799805	1.119941
0460A	027	3950	0.09	2900	1	55	80	2.5	7	6	9875	6975	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	11060	8160	8160	1.12
0476	009	4125	0.09	1922	2	65	100	3	9	7	12375	10453	RH-1	40	form-based			true	0.7	9	1	7	7	11550	9628	9628	0.933333
0478	008	3850	0.09	1965	1	65	100	3	9	8	11550	9585	RM-1	40	form-based			true	0.7	8	0.888888896	7	7	10780	8815	8815	0.933333
0479	002A	2844	0.07	4303	4	85	140	4	10	6	11376	7073	RC-3	65	form-based			true	0.75	11	1.100000024	7	7	12798	8495	8495	1.125
0479	002D	4960	0.11	11144	12	85	140	4	15	3	19840	8696	RTO-C	65	form-based			true	0.75	19	1.266666651	7	7	22320	11176	11176	1.125
0480	002B	2498	0.06	4087	2	65	100	3	6	4	7494	3407	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11241	7154	7154	1.5
0482	006	2065	0.05	1200	1	55	80	2.5	4	3	5162	3962	RTO-C	65	form-based			true	0.75	8	2	7	7	9292.5	8092.5	8092.5	1.800174
0482	009	2025	0.05	1784	1	55	80	2.5	4	3	5062	3278	RTO-C	65	form-based			true	0.75	8	2	7	7	9112.5	7328.5	7328.5	1.800178
0482	018	3440	0.08	5700	6	55	80	2.5	6	0	8600	2900	RTO-C	65	form-based			true	0.75	13	2.166666746	7	6	15480	9780	9780	1.8
0482	019	5000	0.11	12855	12	55	80	2.5	9	0	12500	0	RTO-C	65	form-based		true	true	0.75	19	2.111111164	7	6	22500	9645	9645	1.8
0493	029	1737	0.04	2708	2	55	80	2.5	3	1	4342	1634	NC-3	85	form-based			true	0.75	9	3	7	4	10422	7714	5976	2.400276
0493	030	1375	0.03	1386	0	55	80	2.5	2	2	3438	2052	NC-3	85	form-based			true	0.75	7	3.5	7	4	8250	6864	5490	2.399651
0494	015	3539	0.08	5652	6	55	80	2.5	6	0	8848	3196	RTO-C	65	form-based			true	0.75	13	2.166666746	7	6	15925.5	10273.5	10273.5	1.799898
0494	030	1614	0.04	3382	1	55	80	2.5	3	2	4035	653	NC-3	85	form-based			true	0.75	8	2.666666746	7	5	9684	6302	4688	2.4
0495	001A	5785	0.13	9084	15	55	80	2.5	10	0	14462	5378	RTO-C	65	form-based			true	0.75	22	2.200000048	7	5	26032.5	16948.5	16948.5	1.800062
0496	015E	2063	0.05	1525	1	65	100	3	5	4	6189	4664	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	7758.5	7758.5	1.5
0496	016	5152	0.12	9993	12	65	100	3	12	0	15456	5463	RTO-C	65	form-based			true	0.75	19	1.583333373	7	7	23184	13191	13191	1.5
0497	001D	2500	0.06	2800	2	65	100	3	6	4	7500	4700	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8450	8450	1.5
0497	009F	5153	0.12	10566	12	65	100	3	12	0	15459	4893	RTO-C	65	form-based			true	0.75	19	1.583333373	7	7	23188.5	12622.5	12622.5	1.5
0497	009G	5156	0.12	10566	12	65	100	3	12	0	15468	4902	RTO-C	65	form-based			true	0.75	19	1.583333373	7	7	23202	12636	12636	1.5
0498	001	3693	0.08	6500	7	85	140	4	11	4	14772	8272	RC-3	65	form-based		true	true	0.75	14	1.272727251	7	7	16618.5	10118.5	10118.5	1.125
0498	022	2500	0.06	3215	2	65	100	3	6	4	7500	4285	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8035	8035	1.5
0498	022A	2776	0.06	5400	3	65	100	3	6	3	8328	2928	RTO-C	65	form-based		true	true	0.75	10	1.666666627	7	7	12492	7092	7092	1.5
0498	022B	5171	0.12	9450	12	65	100	3	12	0	15513	6063	RTO-C	65	form-based			true	0.75	19	1.583333373	7	7	23269.5	13819.5	13819.5	1.5
0498	022D	2500	0.06	4102	2	65	100	3	6	4	7500	3398	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	7148	7148	1.5
0500	008	3099	0.07	3290	2	65	100	3	7	5	9297	6007	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	10846.5	7556.5	7556.5	1.166667
0500	022A	6644	0.15	11526	12	65	100	3	15	3	19932	8406	RH-3	50	form-based			true	0.7	19	1.266666651	7	7	23254	11728	11728	1.166667
0501	005	2687	0.06	3750	1	65	100	3	6	5	8061	4311	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9404.5	5654.5	5654.5	1.166667
0501	008	2689	0.06	2340	1	65	100	3	6	5	8067	5727	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9411.5	7071.5	7071.5	1.166667
0501	031	3404	0.08	1504	3	65	100	3	8	5	10212	8708	RH-2	50	form-based			true	0.7	10	1.25	7	7	11914	10410	10410	1.166667
0501	091	3151	0.07	2481	2	65	100	3	7	5	9453	6972	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	11028.5	8547.5	8547.5	1.166667
0502	003C	3013	0.07	5142	4	65	100	3	7	3	9039	3897	RM-3	65	form-based			true	0.75	11	1.571428537	7	7	13558.5	8416.5	8416.5	1.5
0502	005C	2500	0.06	2902	2	65	100	3	6	4	7500	4598	RH-3	65	form-based			true	0.7	9	1.5	7	7	10500	7598	7598	1.4
0502	038	2500	0.06	1499	2	65	100	3	6	4	7500	6001	RH-3	65	form-based			true	0.7	9	1.5	7	7	10500	9001	9001	1.4
0504	003	7528	0.17	1302	1	65	100	3	17	16	22584	21282	RH-3	40	density-lin	1000			0.7	8	0.470588237	7	7	21078.40039	19776.40039	19776.40039	0.933333
0507	021	2205	0.05	4053	5	55	80	2.5	4	0	5512	1459	NC-3	85	form-based		true	true	0.75	12	3	7	3	13230	9177	6971	2.400218
0507	023	1745	0.04	2670	2	55	80	2.5	3	1	4362	1692	NC-3	85	form-based			true	0.75	9	3	7	4	10470	7800	6054	2.400275
0518	016	3781	0.09	1442	1	55	80	2.5	7	6	9452	8010	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10586.7998	9144.799805	9144.799805	1.120059
0520	008	4125	0.09	2014	2	65	100	3	9	7	12375	10361	RH-3	40	form-based			true	0.7	9	1	7	7	11550	9536	9536	0.933333
0521	040	2278	0.05	746	5	65	100	3	5	0	6834	6088	RTO-C	85	form-based			true	0.75	12	2.400000095	7	5	13668	12922	12922	2
0524	027	3401	0.08	4540	3	65	100	3	8	5	10203	5663	RH-2	50	form-based			true	0.7	10	1.25	7	7	11903.5	7363.5	7363.5	1.166667
0524	056	2495	0.06	956	5	65	100	3	6	1	7485	6529	RH-3	85	form-based			true	0.7	12	2	7	7	13972	13016	13016	1.866667
0525	082	2499	0.06	2819	2	65	100	3	6	4	7497	4678	RH-2	65	form-based			true	0.7	9	1.5	7	7	10495.7998	7676.799805	7676.799805	1.4
0525	098	2506	0.06	2930	2	65	100	3	6	4	7518	4588	RH-2	65	form-based			true	0.7	9	1.5	7	7	10525.2002	7595.200195	7595.200195	1.4
0526	010	2300	0.05	2850	2	65	100	3	5	3	6900	4050	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10350	7500	7500	1.5
0526	027	2300	0.05	1473	2	65	100	3	5	3	6900	5427	NCD-POLK	65	form-based			true	0.75	9	1.799999952	7	7	10350	8877	8877	1.5
0526	029	2300	0.05	1262	2	65	100	3	5	3	6900	5638	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10350	9088	9088	1.5
0529	011	2750	0.06	4980	3	65	100	3	6	3	8250	3270	NCD-UNIO	65	form-based			true	0.75	10	1.666666627	7	7	12375	7395	7395	1.5
0529	089	2936	0.07	5904	4	55	80	2.5	6	2	7340	1436	NCD-UNIO	65	form-based		true	true	0.75	11	1.833333373	7	7	13212	7308	7308	1.8
0530	015	2559	0.06	3700	3	55	80	2.5	5	2	6398	2698	NCD-UNIO	65	form-based			true	0.75	10	2	7	7	11515.5	7815.5	7815.5	1.799859
0530	044	6137	0.14	1048	6	55	80	2.5	11	5	15342	14294	RH-2	40	form-based			true	0.7	13	1.181818128	7	7	17183.59961	16135.59961	16135.59961	1.120036
0532	029	3781	0.09	1358	1	55	80	2.5	7	6	9452	8094	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10586.7998	9228.799805	9228.799805	1.120059
0542	043	4610	0.11	2220	3	55	80	2.5	9	6	11525	9305	RH-3	40	form-based			true	0.7	10	1.111111164	7	7	12908	10688	10688	1.12
0543	025	1881	0.04	1872	0	55	80	2.5	3	3	4702	2830	NCD-UNIO	65	form-based			true	0.75	7	2.333333254	7	6	8464.5	6592.5	6592.5	1.800191
0544	018	1815	0.04	5148	0	55	80	2.5	3	3	4538	0	NCD-UNIO	65	form-based		true	true	0.75	7	2.333333254	7	6	8167.5	3019.5	3019.5	1.799802
0545	007	3807	0.09	1790	1	65	100	3	9	8	11421	9631	RM-2	40	form-based			true	0.7	8	0.888888896	7	7	10659.59961	8869.599609	8869.599609	0.933333
0546	066	1702	0.04	1242	2	65	100	3	4	2	5106	3864	RTO-C	85	form-based			true	0.75	9	2.25	7	6	10212	8970	8970	2
0548	011	3733	0.09	7653	11	65	100	3	9	0	11199	3546	RM-2	85	form-based			true	0.7	18	2	7	7	20904.79883	13251.79883	13251.79883	1.866667
0548	017	1282	0.03	1956	0	65	100	3	3	3	3846	1890	NCD-POLK	85	form-based			true	0.75	7	2.333333254	7	6	7692	5736	5736	2
0548	026	5460	0.13	13078	12	65	100	3	13	1	16380	3302	RM-2	65	form-based			true	0.7	19	1.461538434	7	7	22932	9854	9854	1.4
0549	037	1920	0.04	1755	2	65	100	3	4	2	5760	4005	RH-3	85	form-based			true	0.7	9	2.25	7	6	10752	8997	8997	1.866667
0550	003	1775	0.04	3150	2	65	100	3	4	2	5325	2175	NCD-POLK	85	form-based			true	0.75	9	2.25	7	6	10650	7500	7500	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0551	014	3200	0.07	7126	10	65	100	3	7	0	9600	2474	RTO-C	85	form-based		true	true	0.75	17	2.428571463	7	4	19200	12074	12074	2
0552	029	12550	0.29	6170	1	65	100	3	29	28	37650	31480	RH-2	40	density-lin	1500			0.7	8	0.275862068	7	7	35140	28970	28970	0.933333
0553	024	3314	0.08	2300	0	65	100	3	8	8	9942	7642	RH-2	40	form-based			true	0.7	7	0.875	7	7	9279.200195	6979.200195	6979.200195	0.933333
0553	030	1437	0.03	1806	1	55	80	2.5	2	1	3592	1786	RTO-C	85	form-based			true	0.75	8	4	7	3	8622	6816	5378	2.400334
0553	031	1438	0.03	1806	1	55	80	2.5	2	1	3595	1789	RTO-C	85	form-based			true	0.75	8	4	7	3	8628	6822	5384	2.4
0553	047	2600	0.06	949	7	55	80	2.5	5	0	6500	5551	RTO-C	85	form-based			true	0.75	14	2.799999952	7	3	15600	14651	12051	2.4
0554	023	3853	0.09	3462	1	55	80	2.5	7	6	9632	6170	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10788.39941	7326.399414	7326.399414	1.120058
0555	024	3575	0.08	3452	1	55	80	2.5	6	5	8938	5486	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10010	6558	6558	1.119937
0556	030	5162	0.12	3960	4	55	80	2.5	10	6	12905	8945	RH-2	40	form-based			true	0.7	11	1.100000024	7	7	14453.59961	10493.59961	10493.59961	1.12
0556	058	5156	0.12	2455	4	55	80	2.5	10	6	12890	10435	RH-2	40	form-based			true	0.7	11	1.100000024	7	7	14436.7998	11981.7998	11981.7998	1.12
0556	080	4812	0.11	1656	3	55	80	2.5	9	6	12030	10374	RH-2	40	form-based			true	0.7	10	1.111111164	7	7	13473.59961	11817.59961	11817.59961	1.12
0557	028	4538	0.1	1550	3	55	80	2.5	8	5	11345	9795	RH-2	40	form-based			true	0.7	10	1.25	7	7	12706.39941	11156.39941	11156.39941	1.12
0557	047	7562	0.17	640	9	55	80	2.5	14	5	18905	18265	RM-1	40	form-based			true	0.7	16	1.142857194	7	7	21173.59961	20533.59961	20533.59961	1.12
0558	010	3712	0.09	3052	1	55	80	2.5	7	6	9280	6228	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10393.59961	7341.599609	7341.599609	1.12
0558	020	3666	0.08	4160	1	55	80	2.5	6	5	9165	5005	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10264.7998	6104.799805	6104.799805	1.12
0558	030	3797	0.09	2412	1	55	80	2.5	7	6	9492	7080	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10631.59961	8219.599609	8219.599609	1.120059
0558	038	4727	0.11	1471	3	55	80	2.5	9	6	11818	10347	RH-2	40	form-based			true	0.7	10	1.111111164	7	7	13235.59961	11764.59961	11764.59961	1.119953
0559	011	3802	0.09	3945	1	55	80	2.5	7	6	9505	5560	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10645.59961	6700.599609	6700.599609	1.12
0559	047	4103	0.09	1657	2	55	80	2.5	7	5	10258	8601	RH-2	40	form-based			true	0.7	9	1.285714269	7	7	11488.39941	9831.399414	9831.399414	1.119945
0560	019	3740	0.09	4360	1	55	80	2.5	7	6	9350	4990	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10472	6112	6112	1.12
0560	023	3741	0.09	2660	1	55	80	2.5	7	6	9352	6692	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10474.7998	7814.799805	7814.799805	1.12006
0560	024	3741	0.09	3125	1	55	80	2.5	7	6	9352	6227	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10474.7998	7349.799805	7349.799805	1.12006
0560	031	3825	0.09	5815	1	55	80	2.5	7	6	9562	3747	RH-1	40	form-based		true	true	0.7	8	1.142857194	7	7	10710	4895	4895	1.120059
0560	035	3638	0.08	3300	1	55	80	2.5	6	5	9095	5795	RH-1	40	form-based		true	true	0.7	8	1.333333373	7	7	10186.39941	6886.399414	6886.399414	1.12
0561	006	3726	0.09	7045	1	55	80	2.5	7	6	9315	2270	RH-1	40	form-based		true	true	0.7	8	1.142857194	7	7	10432.7998	3387.799805	3387.799805	1.12
0561	020	3942	0.09	2788	1	55	80	2.5	7	6	9855	7067	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11037.59961	8249.599609	8249.599609	1.12
0561	023	3837	0.09	3769	1	55	80	2.5	7	6	9592	5823	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10743.59961	6974.599609	6974.599609	1.120058
0561	024	3837	0.09	4065	1	55	80	2.5	7	6	9592	5527	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10743.59961	6678.599609	6678.599609	1.120058
0562	006	3850	0.09	4959	1	55	80	2.5	7	6	9625	4666	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10780	5821	5821	1.12
0562	010	3781	0.09	3851	1	55	80	2.5	7	6	9452	5601	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10586.7998	6735.799805	6735.799805	1.120059
0562	027	4194	0.1	2900	2	55	80	2.5	8	6	10485	7585	RH-1	40	form-based			true	0.7	9	1.125	7	7	11743.2002	8843.200195	8843.200195	1.12
0563	006	3781	0.09	6100	1	55	80	2.5	7	6	9452	3352	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10586.7998	4486.799805	4486.799805	1.120059
0563	009	3781	0.09	4475	1	55	80	2.5	7	6	9452	4977	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10586.7998	6111.799805	6111.799805	1.120059
0563	016	3605	0.08	2420	1	55	80	2.5	6	5	9012	6592	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10094	7674	7674	1.120062
0563	020	3775	0.09	2592	1	55	80	2.5	7	6	9438	6846	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10570	7978	7978	1.119941
0563	021	3775	0.09	3992	1	55	80	2.5	7	6	9438	5446	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10570	6578	6578	1.119941
0563	022A	3707	0.09	3685	1	55	80	2.5	7	6	9268	5583	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10379.59961	6694.599609	6694.599609	1.11994
0569	001	5693	0.13	20720	23	65	100	3	13	0	17079	0	RTO-C	85	form-based		true	true	0.75	30	2.307692289	7	3	34158	13438	13438	2
0578	030	5500	0.13	1375	5	55	80	2.5	10	5	13750	12375	RM-2	40	form-based			true	0.7	12	1.200000048	7	7	15400	14025	14025	1.12
0580	033	5308	0.12	1525	4	55	80	2.5	10	6	13270	11745	RM-1	40	form-based			true	0.7	11	1.100000024	7	7	14862.39941	13337.39941	13337.39941	1.12
0581	014	9453	0.22	44741	28	55	80	2.5	18	0	23632	0	RTO-C	65	form-based			true	0.75	35	1.944444418	7	7	42538.5	0	0	1.800038
0581	065	4900	0.11	11328	3	55	80	2.5	9	6	12250	922	RH-2	40	form-based			true	0.7	10	1.111111164	7	7	13720	2392	2392	1.12
0581	066	3174	0.07	1211	0	55	80	2.5	6	6	7935	6724	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	8887.200195	7676.200195	7676.200195	1.12
0582	016	3781	0.09	4252	1	55	80	2.5	7	6	9452	5200	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10586.7998	6334.799805	6334.799805	1.120059
0582	017	3718	0.09	4347	1	55	80	2.5	7	6	9295	4948	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10410.39941	6063.399414	6063.399414	1.12
0582	026	3804	0.09	5375	1	55	80	2.5	7	6	9510	4135	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10651.2002	5276.200195	5276.200195	1.12
0584	004	3831	0.09	7509	1	55	80	2.5	7	6	9578	2069	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10726.7998	3217.799805	3217.799805	1.119941
0584	005	3831	0.09	6520	1	55	80	2.5	7	6	9578	3058	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10726.7998	4206.799805	4206.799805	1.119941
0584	012	3810	0.09	5250	1	55	80	2.5	7	6	9525	4275	RH-1	40	form-based		true	true	0.7	8	1.142857194	7	7	10668	5418	5418	1.12
0584	013	3823	0.09	5200	1	55	80	2.5	7	6	9558	4358	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10704.39941	5504.399414	5504.399414	1.119941
0584	014	3580	0.08	3300	1	55	80	2.5	6	5	8950	5650	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10024	6724	6724	1.12
0584	017	3774	0.09	2545	1	55	80	2.5	7	6	9435	6890	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10567.2002	8022.200195	8022.200195	1.12
0584	018	3849	0.09	3510	1	55	80	2.5	7	6	9622	6112	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10777.2002	7267.200195	7267.200195	1.120058
0584	020	3777	0.09	3791	1	55	80	2.5	7	6	9442	5651	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10575.59961	6784.599609	6784.599609	1.120059
0585	013	3653	0.08	2439	1	55	80	2.5	6	5	9132	6693	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10228.39941	7789.399414	7789.399414	1.120061
0585	019	3661	0.08	3768	1	55	80	2.5	6	5	9152	5384	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10250.7998	6482.799805	6482.799805	1.120061
0585	024	3816	0.09	2911	1	55	80	2.5	7	6	9540	6629	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10684.7998	7773.799805	7773.799805	1.12
0585	025	3817	0.09	2911	1	55	80	2.5	7	6	9542	6631	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10687.59961	7776.599609	7776.599609	1.120059
0585	028	4389	0.1	4740	2	55	80	2.5	8	6	10972	6232	RH-2	40	form-based			true	0.7	9	1.125	7	7	12289.2002	7549.200195	7549.200195	1.120051
0585	030	4389	0.1	4740	2	55	80	2.5	8	6	10972	6232	RH-2	40	form-based			true	0.7	9	1.125	7	7	12289.2002	7549.200195	7549.200195	1.120051
0586	014	3768	0.09	3900	1	55	80	2.5	7	6	9420	5520	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10550.39941	6650.399414	6650.399414	1.12
0587	017	3864	0.09	3526	1	55	80	2.5	7	6	9660	6134	RH-1	40	form-based		true	true	0.7	8	1.142857194	7	7	10819.2002	7293.200195	7293.200195	1.12
0588	030	4429	0.1	1853	2	55	80	2.5	8	6	11072	9219	RH-2	40	form-based			true	0.7	9	1.125	7	7	12401.2002	10548.2002	10548.2002	1.120051
0590	006	3634	0.08	4950	1	55	80	2.5	6	5	9085	4135	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10175.2002	5225.200195	5225.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0590	015	3831	0.09	6100	1	55	80	2.5	7	6	9578	3478	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10726.7998	4626.799805	4626.799805	1.119941
0590	024	5101	0.12	2805	4	55	80	2.5	10	6	12752	9947	RH-2	40	form-based			true	0.7	11	1.100000024	7	7	14282.7998	11477.7998	11477.7998	1.120044
0591	007	11350	0.26	19576	1	55	80	2.5	21	20	28375	8799	RH-2	40	density-lim	1500	true		0.7	8	0.380952388	7	7	31780	12204	12204	1.12
0591	024	3882	0.09	4702	1	55	80	2.5	7	6	9705	5003	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10869.59961	6167.599609	6167.599609	1.12
0592	008B	3818	0.09	3789	1	55	80	2.5	7	6	9545	5756	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10690.39941	6901.399414	6901.399414	1.12
0596	039	3320	0.08	6782	5	65	100	3	8	3	9960	3178	NCD-PACIF	65	form-based		true	true	0.75	12	1.5	7	7	14940	8158	8158	1.5
0600	002	12804	0.29	12040	2	65	100	3	29	27	38412	26372	RH-2	40	density-lim	1500			0.7	9	0.310344815	7	7	35851.19922	23811.19922	23811.19922	0.933333
0600	012	6006	0.14	5824	6	65	100	3	14	8	18018	12194	RH-2	40	form-based			true	0.7	13	0.928571403	7	7	16816.79883	10992.79883	10992.79883	0.933333
0603	009	3807	0.09	3698	1	55	80	2.5	7	6	9518	5820	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10659.59961	6961.599609	6961.599609	1.119941
0603	017	3192	0.07	4147	0	55	80	2.5	6	6	7980	3833	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	8937.599609	4790.599609	4790.599609	1.12
0603	019	3607	0.08	2641	1	55	80	2.5	6	5	9018	6377	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10099.59961	7458.599609	7458.599609	1.119938
0603	031	4150	0.1	2600	2	55	80	2.5	8	6	10375	7775	RH-2	40	form-based			true	0.7	9	1.125	7	7	11620	9020	9020	1.12
0604	031	6426	0.15	5607	6	55	80	2.5	12	6	16065	10458	RH-2	40	form-based			true	0.7	13	1.083333373	7	7	17992.79883	12385.79883	12385.79883	1.12
0605	013	3831	0.09	3380	1	65	100	3	9	8	11493	8113	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10726.7998	7346.799805	7346.799805	0.933333
0605	015	4469	0.1	4283	2	65	100	3	10	8	13407	9124	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12513.2002	8230.200195	8230.200195	0.933333
0605	017	3575	0.08	4378	1	65	100	3	8	7	10725	6347	RH-2	40	form-based			true	0.7	8	1	7	7	10010	5632	5632	0.933333
0606	012	3840	0.09	2919	1	65	100	3	9	8	11520	8601	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10752	7833	7833	0.933333
0606	031	4059	0.09	1426	8	65	100	3	9	1	12177	10751	NCD-UPPE	65	form-based		true	true	0.75	15	1.666666627	7	7	18265.5	16839.5	16839.5	1.5
0611	004	3054	0.07	5950	4	65	100	3	7	3	9162	3212	NCD-UPPE	65	form-based		true	true	0.75	11	1.571428537	7	7	13743	7793	7793	1.5
0611	012	3857	0.09	3235	1	65	100	3	9	8	11571	8336	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10799.59961	7564.599609	7564.599609	0.933333
0612	031	3343	0.08	5424	0	65	100	3	8	8	10029	4605	RH-2	40	form-based			true	0.7	7	0.875	7	7	9360.399414	3936.399414	3936.399414	0.933333
0614	006	5487	0.13	6223	5	55	80	2.5	10	5	13718	7495	RH-2	40	form-based			true	0.7	12	1.200000048	7	7	15363.59961	9140.599609	9140.599609	1.119959
0614	008	3990	0.09	4049	1	55	80	2.5	7	6	9975	5926	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	11172	7123	7123	1.12
0614	014	3808	0.09	4512	1	55	80	2.5	7	6	9520	5008	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10662.39941	6150.399414	6150.399414	1.12
0619	001	3409	0.08	10113	11	65	100	3	8	0	10227	114	NCD-POLK	85	form-based		true	true	0.75	18	2.25	7	5	20454	10341	10341	2
0620	003	3400	0.08	8085	6	65	100	3	8	2	10200	2115	RM-3	65	form-based			true	0.75	13	1.625	7	7	15300	7215	7215	1.5
0621	002	2549	0.06	7086	3	65	100	3	6	3	7647	561	RM-3	65	form-based			true	0.75	10	1.666666627	7	7	11470.5	4384.5	4384.5	1.5
0621	011	3831	0.09	8508	13	65	100	3	9	0	11493	2985	RM-3	85	form-based			true	0.75	20	2.222222328	7	5	22986	14478	14478	2
0621	021	4167	0.1	10160	15	65	100	3	10	0	12501	2341	RM-3	85	form-based			true	0.75	22	2.200000048	7	5	25002	14842	14842	2
0624	006	3830	0.09	3560	1	65	100	3	9	8	11490	7930	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10724	7164	7164	0.933333
0627	012	3826	0.09	4200	1	55	80	2.5	7	6	9565	5365	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10712.7998	6512.799805	6512.799805	1.12
0630	016	3200	0.07	3760	2	65	100	3	7	5	9600	5840	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	11200	7440	7440	1.166667
0630	021	2354	0.05	2774	0	65	100	3	5	5	7062	4288	RH-2	50	form-based			true	0.7	7	1.399999976	7	7	8239	5465	5465	1.166667
0630	024	3575	0.08	2224	1	65	100	3	8	7	10725	8501	RH-2	40	form-based			true	0.7	8	1	7	7	10010	7786	7786	0.933333
0630	025	3574	0.08	3500	1	65	100	3	8	7	10722	7222	RH-2	40	form-based			true	0.7	8	1	7	7	10007.2002	6507.200195	6507.200195	0.933333
0631	009	2987	0.07	1584	1	65	100	3	7	6	8961	7377	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10454.5	8870.5	8870.5	1.166667
0631	010	2987	0.07	1770	1	65	100	3	7	6	8961	7191	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10454.5	8684.5	8684.5	1.166667
0631	018	2884	0.07	4142	1	65	100	3	7	6	8652	4510	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10094	5952	5952	1.166667
0632	006	2772	0.06	1286	1	65	100	3	6	5	8316	7030	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9702	8416	8416	1.166667
0632	009	3029	0.07	4386	1	65	100	3	7	6	9087	4701	RH-2	50	form-based		true	true	0.7	8	1.142857194	7	7	10601.5	6215.5	6215.5	1.166667
0632	011	3597	0.08	5939	1	65	100	3	8	7	10791	4852	RH-3	40	form-based			true	0.7	8	1	7	7	10071.59961	4132.599609	4132.599609	0.933333
0634	015A	2178	0.05	2760	4	85	140	4	7	3	8712	5952	RTO-C	85	form-based			true	0.75	11	1.571428537	7	7	13068	10308	10308	1.5
0635	023	6828	0.16	9500	12	65	100	3	16	4	20484	10984	RH-2	50	form-based			true	0.7	19	1.1875	7	7	23898	14398	14398	1.166667
0635	027	3345	0.08	1430	2	65	100	3	8	6	10035	8605	RH-2	50	form-based			true	0.7	9	1.125	7	7	11707.5	10277.5	10277.5	1.166667
0635	029	3349	0.08	1800	2	65	100	3	8	6	10047	8247	RH-2	50	form-based			true	0.7	9	1.125	7	7	11721.5	9921.5	9921.5	1.166667
0635	031	3348	0.08	2275	2	65	100	3	8	6	10044	7769	RH-2	50	form-based			true	0.7	9	1.125	7	7	11718	9443	9443	1.166667
0636	008	2147	0.05	3382	4	65	100	3	5	1	6441	3059	RTO-C	85	form-based			true	0.75	11	2.200000048	7	6	12882	9500	9500	2
0637	015	3500	0.08	0	0	65	100	3	8	8	10500	10500	RM-1	40	form-based			true	0.7	7	0.875	7	7	9800	9800	9800	0.933333
0639	002	4125	0.09	4500	2	55	80	2.5	7	5	10312	5812	RM-2	40	form-based			true	0.7	9	1.285714269	7	7	11550	7050	7050	1.120054
0641	002	4000	0.09	6976	1	65	100	3	9	8	12000	5024	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11200	4224	4224	0.933333
0641	009	3767	0.09	3264	1	65	100	3	9	8	11301	8037	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10547.59961	7283.599609	7283.599609	0.933333
0650	007	4125	0.09	4640	0	55	80	2.5	7	7	10312	5672	RM-2	40	density-lim	600			0.7	7	1	7	7	11550	6910	6910	1.120054
0653	001A	1428	0.03	2363	0	65	100	3	3	3	4284	1921	RTO-C	85	form-based			true	0.75	7	2.333333254	7	6	8568	6205	6205	2
0653	001C	1423	0.03	2460	0	65	100	3	3	3	4269	1809	RTO-C	85	form-based			true	0.75	7	2.333333254	7	6	8538	6078	6078	2
0653	001D	1401	0.03	2329	0	65	100	3	3	3	4203	1874	RTO-C	85	form-based			true	0.75	7	2.333333254	7	6	8406	6077	6077	2
0653	021	2493	0.06	2750	2	65	100	3	6	4	7479	4729	NCD-UPPE	65	form-based			true	0.75	9	1.5	7	7	11218.5	8468.5	8468.5	1.5
0653	023	4728	0.11	12993	18	65	100	3	11	0	14184	1191	NCD-UPPE	85	form-based		true	true	0.75	25	2.272727251	7	4	28368	15375	15375	2
0653	041	1603	0.04	1933	1	65	100	3	4	3	4809	2876	RTO-C	85	form-based			true	0.75	8	2	7	7	9618	7685	7685	2
0655	014	3735	0.09	2600	1	85	140	4	13	12	14940	12340	RH-2	40	form-based			true	0.7	8	0.615384638	7	7	10458	7858	7858	0.7
0656	040	1768	0.04	1238	2	65	100	3	4	2	5304	4066	RTO-C	85	form-based		true	true	0.75	9	2.25	7	6	10608	9370	9370	2
0657	023	1618	0.04	1136	1	65	100	3	4	3	4854	3718	RTO-C	85	form-based			true	0.75	8	2	7	7	9708	8572	8572	2
0664	019	10300	0.24	26560	0	65	100	3	24	24	30900	4340	RH-2	40	density-lim	1500	true		0.7	7	0.291666657	7	7	28840	2280	2280	0.933333
0665	014	7200	0.17	14285	0	65	100	3	17	17	21600	7315	RH-3	80	density-lim	1000			0.7	7	0.411764711	7	7	40320	26035	26035	1.866667
0674	018	1398	0.03	0	0	65	100	3	3	3	4194	4194	RM-4	50	density-lim	200			0.75	7	2.333333254	7	6	5242.5	5242.5	5242.5	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0675	041	2688	0.06	0	0	65	100	3	6	6	8064	8064	RM-3	50	density-lim	400			0.75	7	1.166666627	7	7	10080	10080	10080	1.25
0676	054	5020	0.12	1729	6	65	100	3	12	6	15060	13331	RM-3	40	density-lim	400			0.75	13	1.083333373	7	7	15060	13331	13331	1
0677	013	3781	0.09	2212	2	65	100	3	9	7	11343	9131	RM-3	40	density-lim	400			0.75	9	1	7	7	11343	9131	9131	1
0678	023	3806	0.09	2540	2	65	100	3	9	7	11418	8878	NCT-FILLM	40	form-based				0.75	9	1	7	7	11418	8878	8878	1
0679	016	1850	0.04	2190	3	65	100	3	4	1	5550	3360	NC-2	85	form-based			true	0.75	10	2.5	7	5	11100	8910	8910	2
0679	020A	1529	0.04	2688	1	65	100	3	4	3	4587	1899	RTO-C	85	form-based			true	0.75	8	2	7	7	9174	6486	6486	2
0679	020B	1558	0.04	2215	1	65	100	3	4	3	4674	2459	RTO-C	85	form-based			true	0.75	8	2	7	7	9348	7133	7133	2
0680	031	1875	0.04	1398	3	65	100	3	4	1	5625	4227	NC-2	85	form-based			true	0.75	10	2.5	7	5	11250	9852	9852	2
0681	004	2188	0.05	2700	4	65	100	3	5	1	6564	3864	RTO-C	85	form-based			true	0.75	11	2.200000048	7	6	13128	10428	10428	2
0681	041	1508	0.03	1920	1	65	100	3	3	2	4524	2604	RTO-C	85	form-based			true	0.75	8	2.666666746	7	5	9048	7128	7128	2
0681	042	1509	0.03	1920	1	65	100	3	3	2	4527	2607	RTO-C	85	form-based			true	0.75	8	2.666666746	7	5	9054	7134	7134	2
0683	029	7590	0.17	13425	12	65	100	3	17	5	22770	9345	RM-3	50	density-lim	400			0.75	19	1.117647052	7	7	28462.5	15037.5	15037.5	1.25
0684	037	2220	0.05	3000	0	65	100	3	5	5	6660	3660	NCT-FILLM	50	form-based				0.75	7	1.399999976	7	7	8325	5325	5325	1.25
0686	027	6250	0.14	7105	9	65	100	3	14	5	18750	11645	RM-3	50	density-lim	400			0.75	16	1.142857194	7	7	23437.5	16332.5	16332.5	1.25
0686	030	2696	0.06	4826	0	65	100	3	6	6	8088	3262	NCD-JAPAI	50	density-lim	400			0.75	7	1.166666627	7	7	10110	5284	5284	1.25
0686	055	2901	0.07	3857	0	65	100	3	7	7	8703	4846	RM-3	50	density-lim	400			0.75	7	1	7	7	10878.75	7021.75	7021.75	1.25
0688	032	2148	0.05	685	4	65	100	3	5	1	6444	5759	RM-4	50	density-lim	200			0.75	11	2.200000048	7	6	8055	7370	7370	1.25
0689	011	4125	0.09	4110	0	65	100	3	9	9	12375	8265	NC-3	80	density-lim	600	true		0.75	7	0.777777791	7	7	24750	20640	20640	2
0689	010	4125	0.09	8856	0	65	100	3	9	9	12375	3519	NC-3	80	density-lim	600			0.75	7	0.777777791	7	7	24750	15894	15894	2
0692	008	2765	0.06	5760	0	65	100	3	6	6	8295	2535	NCD-POLK	130	density-lim	400			0.75	7	1.166666627	7	7	24885	19125	10830	3
0702	028B	1875	0.04	2554	0	85	140	4	6	6	7500	4946	NCT-FILLM	65	form-based				0.75	7	1.166666627	7	7	8437.5	5883.5	5883.5	1.125
0718	012	3270	0.08	12680	22	65	100	3	8	0	9810	0	RC-4	500	form-based			true	0.75	29	3.625	7	0	29430	16750	6940	3
0719	012	5550	0.13	26840	43	65	100	3	13	0	16650	0	RM-4	500	form-based		true	true	0.75	50	3.846153736	7	0	49950	23110	6460	3
0724	035	3169	0.07	2296	1	65	100	3	7	6	9507	7211	RM-3	50	density-lim	400	true		0.75	8	1.142857194	7	7	11883.75	9587.75	9587.75	1.25
0732	010	2750	0.06	45100	0	65	100	3	6	6	8250	0	RM-3	130	density-lim	400	true		0.75	7	1.166666627	7	7	24750	0	0	3
0744	009A	1785	0.04	2720	2	65	100	3	4	2	5355	2635	RM-4	80	density-lim	200			0.75	9	2.25	7	6	10710	7990	7990	2
0763	006	3900	0.09	3900	0	65	100	3	9	9	11700	7800	NCD-LOWI	130	density-lim	600			0.75	7	0.777777791	7	7	35100	31200	19500	3
0774	010	2970	0.07	6990	8	55	80	2.5	6	0	7425	435	RM-4	40	density-lim	200			0.75	15	2.5	7	4	8910	1920	1920	1.2
0779	010	6875	0.16	20240	27	55	80	2.5	13	0	17188	0	RM-4	40	density-lim	200			0.75	34	2.615384579	7	0	20625	385	385	1.199965
0779	017	2713	0.06	3600	7	55	80	2.5	5	0	6782	3182	RM-4	40	density-lim	200			0.75	14	2.799999952	7	3	8139	4539	4539	1.200089
0793	002	2406	0.06	3231	0	65	100	3	6	6	7218	3987	NCT-3	50	form-based				0.75	7	1.166666627	7	7	9022.5	5791.5	5791.5	1.25
0805	052	3000	0.07	2604	1	55	80	2.5	6	5	7500	4896	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	10500	7896	7896	1.4
0807	063	12020	0.28	803	29	55	80	2.5	22	0	30050	29247	NCT-HAYE	55	form-based		true		0.75	36	1.636363626	7	7	45075	44272	44272	1.5
0808	007	5145	0.12	10110	8	65	100	3	12	4	15435	5325	NCT-HAYE	50	form-based				0.75	15	1.25	7	7	19293.75	9183.75	9183.75	1.25
0817	005	3300	0.08	6600	0	65	100	3	8	8	9900	3300	NCT-HAYE	40	form-based				0.75	7	0.875	7	7	9900	3300	3300	1
0818	023	3314	0.08	9891	0	55	80	2.5	6	6	8285	0	NCT-HAYE	40	form-based			true	0.75	7	1.166666627	7	7	9942	51	51	1.2
0821	010	3437	0.08	5770	3	55	80	2.5	6	3	8592	2822	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	6259.5	6259.5	1.400082
0821	029	3099	0.07	3300	2	55	80	2.5	6	4	7748	4448	RM-1	50	form-based			true	0.7	9	1.5	7	7	10846.5	7546.5	7546.5	1.39991
0821	030	3444	0.08	5250	3	55	80	2.5	6	3	8610	3360	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12054	6804	6804	1.4
0821	031	4821	0.11	6954	6	55	80	2.5	9	3	12052	5098	RM-1	50	form-based			true	0.7	13	1.444444418	7	7	16873.5	9919.5	9919.5	1.400058
0821	071	3444	0.08	1557	3	55	80	2.5	6	3	8610	7053	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12054	10497	10497	1.4
0821	074	3467	0.08	2036	3	55	80	2.5	6	3	8668	6632	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12134.5	10098.5	10098.5	1.399919
0821	082	3467	0.08	1666	3	55	80	2.5	6	3	8668	7002	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12134.5	10468.5	10468.5	1.399919
0821	085	3444	0.08	1700	3	55	80	2.5	6	3	8610	6910	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12054	10354	10354	1.4
0822	017	5156	0.12	4400	4	55	80	2.5	10	6	12890	8490	RM-1	40	form-based			true	0.7	11	1.100000024	7	7	14436.7998	10036.7998	10036.7998	1.12
0825	026	5541	0.13	4444	5	55	80	2.5	10	5	13852	9408	RM-1	40	form-based			true	0.7	12	1.200000048	7	7	15514.7998	11070.7998	11070.7998	1.12004
0826	005	3830	0.09	1509	1	55	80	2.5	7	6	9575	8066	RM-1	40	form-based			true	0.7	8	1.142857194	7	7	10724	9215	9215	1.12
0827	013	4928	0.11	5400	3	55	80	2.5	9	6	12320	6920	RM-1	40	form-based			true	0.7	10	1.111111164	7	7	13798.39941	8398.399414	8398.399414	1.12
0832	008	3300	0.08	3265	0	65	100	3	8	8	9900	6635	NCT-HAYE	40	form-based				0.75	7	0.875	7	7	9900	6635	6635	1
0832	092	2258	0.05	0	0	65	100	3	5	5	6774	6774	NCT-HAYE	50	form-based		true		0.75	7	1.399999976	7	7	8467.5	8467.5	8467.5	1.25
0838	033	3033	0.07	2203	0	65	100	3	7	7	9099	6896	NCT-HAYE	40	form-based				0.75	7	1	7	7	9099	6896	6896	1
0838	036	6000	0.14	9380	7	65	100	3	14	7	18000	8620	NCT-3	40	form-based				0.75	14	1	7	7	18000	8620	8620	1
0841	029	3300	0.08	0	0	55	80	2.5	6	6	8250	8250	RTO-1	40	form-based			true	0.7	7	1.166666627	7	7	9240	9240	9240	1.12
0842	010	4125	0.09	3908	2	55	80	2.5	7	5	10312	6404	RM-1	40	form-based			true	0.7	9	1.285714269	7	7	11550	7642	7642	1.120054
0843	012	4826	0.11	4152	3	55	80	2.5	9	6	12065	7913	RH-3	40	form-based			true	0.7	10	1.111111164	7	7	13512.7998	9360.799805	9360.799805	1.12
0843	024	3781	0.09	1915	1	55	80	2.5	7	6	9452	7537	RM-1	40	form-based			true	0.7	8	1.142857194	7	7	10586.7998	8671.799805	8671.799805	1.120059
0843	030	3628	0.08	3150	1	55	80	2.5	6	5	9070	5920	RM-1	40	form-based			true	0.7	8	1.333333373	7	7	10158.39941	7008.399414	7008.399414	1.12
0846	030	3436	0.08	2400	3	65	100	3	8	5	10308	7908	RH-3	50	form-based			true	0.7	10	1.25	7	7	12026	9626	9626	1.166667
0846	055	2625	0.06	1619	3	65	100	3	6	3	7875	6256	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11812.5	10193.5	10193.5	1.5
0846	058	2587	0.06	1042	3	65	100	3	6	3	7761	6719	NC-1	65	form-based		true	true	0.75	10	1.666666627	7	7	11641.5	10599.5	10599.5	1.5
0846	067	2750	0.06	1984	3	65	100	3	6	3	8250	6266	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	12375	10391	10391	1.5
0846	072	2774	0.06	1932	3	65	100	3	6	3	8322	6390	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	12483	10551	10551	1.5
0847	017	2750	0.06	6300	3	65	100	3	6	3	8250	1950	NC-1	65	form-based			true	0.75	10	1.666666627	7	7	12375	6075	6075	1.5
0847	034	3101	0.07	3150	2	65	100	3	7	5	9303	6153	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10853.5	7703.5	7703.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0848	006	3721	0.09	6576	7	65	100	3	9	2	11163	4587	NCD-LOWI	65	form-based			true	0.75	14	1.555555582	7	7	16744.5	10168.5	10168.5	1.5
0848	008	2888	0.07	3330	4	65	100	3	7	3	8664	5334	NCD-LOWI	65	form-based			true	0.75	11	1.571428537	7	7	12996	9666	9666	1.5
0848	009	2887	0.07	2556	4	65	100	3	7	3	8661	6105	NCD-LOWI	65	form-based			true	0.75	11	1.571428537	7	7	12991.5	10435.5	10435.5	1.5
0848	010	2625	0.06	3975	3	65	100	3	6	3	7875	3900	NCD-LOWI	65	form-based			true	0.75	10	1.666666627	7	7	11812.5	7837.5	7837.5	1.5
0848	012	3197	0.07	2850	2	65	100	3	7	5	9591	6741	RM-1	50	form-based			true	0.7	9	1.285714269	7	7	11189.5	8339.5	8339.5	1.166667
0849	016	3512	0.08	5697	6	65	100	3	8	2	10536	4839	NCD-LOWI	65	form-based			true	0.75	13	1.625	7	7	15804	10107	10107	1.5
0849	017	3141	0.07	4950	5	65	100	3	7	2	9423	4473	NCD-LOWI	65	form-based			true	0.75	12	1.714285731	7	7	14134.5	9184.5	9184.5	1.5
0849	025	3092	0.07	2800	2	65	100	3	7	5	9276	6476	RM-1	50	form-based			true	0.7	9	1.285714269	7	7	10822	8022	8022	1.166667
0849	031	4125	0.09	5625	5	65	100	3	9	4	12375	6750	RM-1	50	form-based			true	0.7	12	1.333333373	7	7	14437.5	8812.5	8812.5	1.166667
0849	032	4125	0.09	5625	5	65	100	3	9	4	12375	6750	RM-1	50	form-based			true	0.7	12	1.333333373	7	7	14437.5	8812.5	8812.5	1.166667
0856	028	3125	0.07	1506	2	65	100	3	7	5	9375	7869	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	9431.5	9431.5	1.166667
0858	002	4509	0.1	3224	1	65	100	3	10	9	13527	10303	RTO-1	40	density-lin	600	true		0.7	8	0.800000012	7	7	12625.2002	9401.200195	9401.200195	0.933333
0859	003	3025	0.07	1595	1	65	100	3	7	6	9075	7480	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10587.5	8992.5	8992.5	1.166667
0859	004	3025	0.07	2095	1	65	100	3	7	6	9075	6980	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10587.5	8492.5	8492.5	1.166667
0859	022	2188	0.05	1418	0	65	100	3	5	5	6564	5146	NC-1	50	form-based			true	0.75	7	1.399999976	7	7	8205	6787	6787	1.25
0860	012	3000	0.07	2300	1	65	100	3	7	6	9000	6700	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10500	8200	8200	1.166667
0860	099	1805	0.04	1575	0	65	100	3	4	4	5415	3840	NCD-LOWI	65	form-based			true	0.75	7	1.75	7	7	8122.5	6547.5	6547.5	1.5
0861	010	3437	0.08	5670	3	65	100	3	8	5	10311	4641	RH-3	50	form-based			true	0.7	10	1.25	7	7	12029.5	6359.5	6359.5	1.166667
0861	011	3438	0.08	5625	3	65	100	3	8	5	10314	4689	RH-3	50	form-based			true	0.7	10	1.25	7	7	12033	6408	6408	1.166667
0861	025	2507	0.06	2660	2	65	100	3	6	4	7521	4861	NC-1	65	form-based			true	0.75	9	1.5	7	7	11281.5	8621.5	8621.5	1.5
0861	032	3444	0.08	4598	6	65	100	3	8	2	10332	5734	RTO-C	65	form-based			true	0.75	13	1.625	7	7	15498	10900	10900	1.5
0861	037	3437	0.08	1650	3	65	100	3	8	5	10311	8661	RH-3	50	form-based			true	0.7	10	1.25	7	7	12029.5	10379.5	10379.5	1.166667
0861	040	3423	0.08	1454	3	65	100	3	8	5	10269	8815	RH-3	50	form-based			true	0.7	10	1.25	7	7	11980.5	10526.5	10526.5	1.166667
0861	072	3438	0.08	1173	3	65	100	3	8	5	10314	9141	RH-3	50	form-based			true	0.7	10	1.25	7	7	12033	10860	10860	1.166667
0862	011	3266	0.07	5871	2	65	100	3	7	5	9798	3927	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11431	5560	5560	1.166667
0862	022	4738	0.11	9280	11	65	100	3	11	0	14214	4934	NC-1	65	form-based			true	0.75	18	1.636363626	7	7	21321	12041	12041	1.5
0862	024	3445	0.08	4535	6	65	100	3	8	2	10335	5800	RTO-C	65	form-based			true	0.75	13	1.625	7	7	15502.5	10967.5	10967.5	1.5
0862	026	2415	0.06	3124	2	65	100	3	6	4	7245	4121	RTO-C	65	form-based			true	0.75	9	1.5	7	7	10867.5	7743.5	7743.5	1.5
0862	051	3094	0.07	1657	2	65	100	3	7	5	9282	7625	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10829	9172	9172	1.166667
0862	053	3266	0.07	1695	2	65	100	3	7	5	9798	8103	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11431	9736	9736	1.166667
0862	055	3422	0.08	1750	3	65	100	3	8	5	10266	8516	RH-3	50	form-based			true	0.7	10	1.25	7	7	11977	10227	10227	1.166667
0862	058	3438	0.08	1787	3	65	100	3	8	5	10314	8527	RH-3	50	form-based			true	0.7	10	1.25	7	7	12033	10246	10246	1.166667
0862	065	3094	0.07	2744	2	65	100	3	7	5	9282	6538	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10829	8085	8085	1.166667
0868	099	5977	0.14	1123	6	65	100	3	14	8	17931	16808	RTO-1	40	form-based			true	0.7	13	0.928571403	7	7	16735.59961	15612.59961	15612.59961	0.933333
0953	011	3781	0.09	2927	1	55	80	2.5	7	6	9452	6525	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10586.7998	7659.799805	7659.799805	1.120059
0953	016	3704	0.09	3750	1	55	80	2.5	7	6	9260	5510	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10371.2002	6621.200195	6621.200195	1.12
0953	020	3923	0.09	4712	1	55	80	2.5	7	6	9808	5096	RH-1	40	form-based		true	true	0.7	8	1.142857194	7	7	10984.39941	6272.399414	6272.399414	1.119943
0954	001D	3781	0.09	6134	1	55	80	2.5	7	6	9452	3318	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10586.7998	4452.799805	4452.799805	1.120059
0955	009	4000	0.09	3200	1	55	80	2.5	7	6	10000	6800	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	8000	8000	1.12
0955	015	3750	0.09	4970	1	55	80	2.5	7	6	9375	4405	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10500	5530	5530	1.12
0956	004	3120	0.07	6755	0	55	80	2.5	6	6	7800	1045	RH-1	40	form-based			true	0.7	7	1.166666627	7	7	8736	1981	1981	1.12
0957	020	4007	0.09	0	1	55	80	2.5	7	6	10018	10018	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11219.59961	11219.59961	11219.59961	1.119944
0959	001	3783	0.09	7120	1	55	80	2.5	7	6	9458	2338	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10592.39941	3472.399414	3472.399414	1.119941
0959	021	3694	0.08	3412	1	55	80	2.5	6	5	9235	5823	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10343.2002	6931.200195	6931.200195	1.12
0960	001D	3729	0.09	3332	1	55	80	2.5	7	6	9322	5990	RH-1	40	form-based		true	true	0.7	8	1.142857194	7	7	10441.2002	7109.200195	7109.200195	1.12006
0960	001H	3681	0.08	6879	1	55	80	2.5	6	5	9202	2323	RH-1	40	form-based		true	true	0.7	8	1.333333373	7	7	10306.7998	3427.799805	3427.799805	1.120061
0961	007	3249	0.07	5868	0	55	80	2.5	6	6	8122	2254	RH-1(D)	40	form-based			true	0.7	7	1.166666627	7	7	9097.200195	3229.200195	3229.200195	1.120069
0961	013A	3973	0.09	6312	1	55	80	2.5	7	6	9932	3620	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11124.39941	4812.399414	4812.399414	1.120056
0961	014	3656	0.08	5546	1	55	80	2.5	6	5	9140	3594	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10236.7998	4690.799805	4690.799805	1.12
0961	019	3759	0.09	3454	1	55	80	2.5	7	6	9398	5944	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10525.2002	7071.200195	7071.200195	1.11994
0962	008	3869	0.09	4607	1	55	80	2.5	7	6	9672	5065	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10833.2002	6226.200195	6226.200195	1.120058
0963	036	3831	0.09	5839	1	55	80	2.5	7	6	9578	3739	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10726.7998	4887.799805	4887.799805	1.119941
0963	038	3831	0.09	6968	1	55	80	2.5	7	6	9578	2610	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10726.7998	3758.799805	3758.799805	1.119941
0962	008A	3607	0.08	5834	1	55	80	2.5	6	5	9018	3184	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10099.59961	4265.599609	4265.599609	1.119938
0962	008B	3924	0.09	4105	1	55	80	2.5	7	6	9810	5705	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10987.2002	6882.200195	6882.200195	1.12
0962	008C	3723	0.09	3320	1	55	80	2.5	7	6	9308	5988	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10424.39941	7104.399414	7104.399414	1.11994
0962	008E	3811	0.09	3715	1	55	80	2.5	7	6	9528	5813	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10670.7998	6955.799805	6955.799805	1.119941
0962	008F	3811	0.09	4602	1	55	80	2.5	7	6	9528	4926	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10670.7998	6068.799805	6068.799805	1.119941
0962	009	3968	0.09	4783	1	55	80	2.5	7	6	9920	5137	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11110.39941	6327.399414	6327.399414	1.12
0963	008	3639	0.08	4100	1	55	80	2.5	6	5	9098	4998	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10189.2002	6089.200195	6089.200195	1.119938
0963	009	3575	0.08	1108	1	55	80	2.5	6	5	8938	7830	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10010	8902	8902	1.119937
0964	008F	3180	0.07	6294	0	55	80	2.5	6	6	7950	1656	RH-1(D)	40	form-based			true	0.7	7	1.166666627	7	7	8904	2610	2610	1.12
0964	008G	3983	0.09	3859	1	55	80	2.5	7	6	9958	6099	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11152.39941	7293.399414	7293.399414	1.119944
0969	004	3825	0.09	3140	1	55	80	2.5	7	6	9562	6422	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10710	7570	7570	1.120059

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0971	003A	3831	0.09	4181	1	55	80	2.5	7	6	9578	5397	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10726.7998	6545.799805	6545.799805	1.119941
0971	006	4022	0.09	4776	1	55	80	2.5	7	6	10055	5279	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11261.59961	6485.599609	6485.599609	1.12
0971	010	3831	0.09	4735	1	55	80	2.5	7	6	9578	4843	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10726.7998	5991.799805	5991.799805	1.119941
0971	011	3967	0.09	4920	1	55	80	2.5	7	6	9918	4998	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11107.59961	6187.599609	6187.599609	1.119943
0971	012	3644	0.08	4872	1	55	80	2.5	6	5	9110	4238	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10203.2002	5331.200195	5331.200195	1.12
0971	013	3735	0.09	4200	1	55	80	2.5	7	6	9338	5138	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10458	6258	6258	1.11994
0972	001	3948	0.09	6100	1	55	80	2.5	7	6	9870	3770	RH-1	40	form-based	true		true	0.7	8	1.142857194	7	7	11054.39941	4954.399414	4954.399414	1.12
0972	023	3435	0.08	550	0	55	80	2.5	6	6	8588	8038	RH-1	40	form-based			true	0.7	7	1.166666627	7	7	9618	9068	9068	1.119935
0973	003	3650	0.08	4688	1	55	80	2.5	6	5	9125	4437	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10220	5532	5532	1.12
0973	004	3661	0.08	4800	1	55	80	2.5	6	5	9152	4352	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10250.7998	5450.799805	5450.799805	1.120061
0973	006	3831	0.09	5082	1	55	80	2.5	7	6	9578	4496	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10726.7998	5644.799805	5644.799805	1.119941
0973	008	3831	0.09	3200	1	55	80	2.5	7	6	9578	6378	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10726.7998	7526.799805	7526.799805	1.119941
0973	023	3841	0.09	4372	1	55	80	2.5	7	6	9602	5230	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10754.7998	6382.799805	6382.799805	1.120058
0973	024	3841	0.09	3054	1	55	80	2.5	7	6	9602	6548	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10754.7998	7700.799805	7700.799805	1.120058
0973	025	3841	0.09	2620	1	55	80	2.5	7	6	9602	6982	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10754.7998	8134.799805	8134.799805	1.120058
0973	055	3848	0.09	3706	1	55	80	2.5	7	6	9620	5914	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10774.39941	7068.399414	7068.399414	1.12
0974	008	3799	0.09	6500	1	55	80	2.5	7	6	9498	2998	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10637.2002	4137.200195	4137.200195	1.119941
0974	016	3841	0.09	4959	1	55	80	2.5	7	6	9602	4643	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10754.7998	5795.799805	5795.799805	1.120058
0974	017	3841	0.09	1520	1	55	80	2.5	7	6	9602	8082	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10754.7998	9234.799805	9234.799805	1.120058
0975	019	5586	0.13	2050	5	55	80	2.5	10	5	13965	11915	RH-1(D)	40	form-based			true	0.7	12	1.200000048	7	7	15640.7998	13590.7998	13590.7998	1.12
0977	023	4073	0.09	2612	2	55	80	2.5	7	5	10182	7570	RH-2	40	form-based			true	0.7	9	1.285714269	7	7	11404.39941	8792.399414	8792.399414	1.120055
0978	012	4033	0.09	4354	1	55	80	2.5	7	6	10082	5728	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11292.39941	6938.399414	6938.399414	1.120055
0978	013	3777	0.09	5290	1	55	80	2.5	7	6	9442	4152	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10575.59961	5285.599609	5285.599609	1.120059
0978	015	3585	0.08	6054	1	55	80	2.5	6	5	8962	2908	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10038	3984	3984	1.120062
0978	016	3841	0.09	4650	1	55	80	2.5	7	6	9602	4952	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10754.7998	6104.799805	6104.799805	1.120058
0979	039	3806	0.09	2700	1	65	100	3	9	8	11418	8718	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10656.7998	7956.799805	7956.799805	0.933333
0979	044	5039	0.12	3150	4	65	100	3	12	8	15117	11967	RH-2	40	form-based			true	0.7	11	0.916666687	7	7	14109.2002	10959.2002	10959.2002	0.933333
0980	070	6245	0.14	1623	6	65	100	3	14	8	18735	17112	RM-1	40	form-based			true	0.7	13	0.928571403	7	7	17486	15863	15863	0.933333
0981	014	3591	0.08	2080	1	65	100	3	8	7	10773	8693	RH-2	40	form-based			true	0.7	8	1	7	7	10054.7998	7974.799805	7974.799805	0.933333
0981	015	3591	0.08	1555	1	65	100	3	8	7	10773	9218	RH-2	40	form-based			true	0.7	8	1	7	7	10054.7998	8499.799805	8499.799805	0.933333
0981	016	3192	0.07	3890	0	65	100	3	7	7	9576	5686	RH-2	40	form-based			true	0.7	7	1	7	7	8937.599609	5047.599609	5047.599609	0.933333
0982	007	5973	0.14	7246	6	65	100	3	14	8	17919	10673	RH-3	40	form-based			true	0.7	13	0.928571403	7	7	16724.40039	9478.400391	9478.400391	0.933333
0982	036	3247	0.07	5390	0	65	100	3	7	7	9741	4351	RH-3	40	form-based			true	0.7	7	1	7	7	9091.599609	3701.599609	3701.599609	0.933333
0984	003	3974	0.09	3059	1	65	100	3	9	8	11922	8863	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11127.2002	8068.200195	8068.200195	0.933333
0984	004	3974	0.09	3742	1	65	100	3	9	8	11922	8180	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11127.2002	7385.200195	7385.200195	0.933333
0984	021	3986	0.09	5627	1	65	100	3	9	8	11958	6331	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11160.7998	5533.799805	5533.799805	0.933333
0984	029	5061	0.12	3018	4	65	100	3	12	8	15183	12165	RH-1	40	form-based	true		true	0.7	11	0.916666687	7	7	14170.7998	11152.7998	11152.7998	0.933333
0984	041	4128	0.09	3302	2	65	100	3	9	7	12384	9082	RH-1	40	form-based			true	0.7	9	1	7	7	11558.39941	8256.399414	8256.399414	0.933333
0985	002	3789	0.09	2878	1	65	100	3	9	8	11367	8489	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10609.2002	7731.200195	7731.200195	0.933333
0985	003	3629	0.08	2747	1	65	100	3	8	7	10887	8140	RH-1	40	form-based			true	0.7	8	1	7	7	10161.2002	7414.200195	7414.200195	0.933333
0985	035	4243	0.1	1947	2	65	100	3	10	8	12729	10782	RH-1	40	form-based			true	0.7	9	0.899999976	7	7	11880.39941	9933.399414	9933.399414	0.933333
0985	038	4387	0.1	2567	2	55	80	2.5	8	6	10968	8401	RH-1	40	form-based			true	0.7	9	1.125	7	7	12283.59961	9716.599609	9716.599609	1.119949
0986	001	3725	0.09	2614	1	55	80	2.5	7	6	9312	6698	RH-1	40	form-based	true		true	0.7	8	1.142857194	7	7	10430	7816	7816	1.12006
0986	011	3831	0.09	5686	1	55	80	2.5	7	6	9578	3892	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10726.7998	5040.799805	5040.799805	1.119941
0986	015	3884	0.09	4076	1	55	80	2.5	7	6	9710	5634	RH-1	40	form-based	true		true	0.7	8	1.142857194	7	7	10875.2002	6799.200195	6799.200195	1.12
0986	023	6384	0.15	2332	6	55	80	2.5	12	6	15960	13628	RH-1	40	form-based	true		true	0.7	13	1.083333373	7	7	17875.19922	15543.19922	15543.19922	1.12
0987	014	3438	0.08	2658	0	55	80	2.5	6	6	8595	5937	RH-1	40	form-based			true	0.7	7	1.166666627	7	7	9626.399414	6968.399414	6968.399414	1.12
0987	015	3884	0.09	4675	1	55	80	2.5	7	6	9710	5035	RH-1	40	form-based	true		true	0.7	8	1.142857194	7	7	10875.2002	6200.200195	6200.200195	1.12
0987	033	3448	0.08	0	0	55	80	2.5	6	6	8620	8620	RH-1	40	form-based			true	0.7	7	1.166666627	7	7	9654.399414	9654.399414	9654.399414	1.12
0988	018	3701	0.08	3150	1	55	80	2.5	6	5	9252	6102	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10362.7998	7212.799805	7212.799805	1.120061
0991	013	3617	0.08	2721	1	55	80	2.5	6	5	9042	6321	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10127.59961	7406.599609	7406.599609	1.120062
0991	015	3715	0.09	3915	1	55	80	2.5	7	6	9288	5373	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10402	6487	6487	1.11994
0991	016	3580	0.08	2515	1	55	80	2.5	6	5	8950	6435	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10024	7509	7509	1.12
0991	018	3617	0.08	4726	1	55	80	2.5	6	5	9042	4316	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10127.59961	5401.599609	5401.599609	1.120062
0991	036A	3801	0.09	6586	1	55	80	2.5	7	6	9502	2916	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10642.7998	4056.799805	4056.799805	1.120059
0991	037	4006	0.09	2408	1	55	80	2.5	7	6	10015	7607	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11216.7998	8808.799805	8808.799805	1.12
0991	037A	3913	0.09	3458	1	55	80	2.5	7	6	9782	6324	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10956.39941	7498.399414	7498.399414	1.120057
0991	045	5256	0.12	1757	4	55	80	2.5	10	6	13140	11383	RH-2	40	form-based	true		true	0.7	11	1.100000024	7	7	14716.7998	12959.7998	12959.7998	1.12
0992	004	3665	0.08	3892	1	55	80	2.5	6	5	9162	5270	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10262	6370	6370	1.120061
0992	005	3621	0.08	3004	1	55	80	2.5	6	5	9052	6048	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10138.7998	7134.799805	7134.799805	1.120062
0992	006	3759	0.09	4269	1	55	80	2.5	7	6	9398	5129	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10525.2002	6256.200195	6256.200195	1.11994
0992	010	4090	0.09	3500	2	55	80	2.5	7	5	10225	6725	RH-1	40	form-based			true	0.7	9	1.285714269	7	7	11452	7952	7952	1.12
0992	023	3606	0.08	4062	1	55	80	2.5	6	5	9015	4953	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10096.7998	6034.799805	6034.799805	1.12
0993	003	3750	0.09	5760	1	55	80	2.5	7	6	9375	3615	RH-1	40	form-based	true		true	0.7	8	1.142857194	7	7	10500	4740	4740	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0994	008	3831	0.09	4391	1	55	80	2.5	7	6	9578	5187	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10726.7998	6335.799805	6335.799805	1.119941
0994	009	3831	0.09	5225	1	55	80	2.5	7	6	9578	4353	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10726.7998	5501.799805	5501.799805	1.119941
0994	019	3735	0.09	5761	1	55	80	2.5	7	6	9338	3577	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10458	4697	4697	1.11994
0994	022	3872	0.09	3248	1	55	80	2.5	7	6	9680	6432	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10841.59961	7593.599609	7593.599609	1.12
0995	019	3735	0.09	3714	1	55	80	2.5	7	6	9338	5624	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10458	6744	6744	1.11994
0995	021	4046	0.09	5405	1	55	80	2.5	7	6	10115	4710	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11328.7998	5923.799805	5923.799805	1.12
0995	022	4046	0.09	3860	1	55	80	2.5	7	6	10115	6255	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11328.7998	7468.799805	7468.799805	1.12
0995	032	4469	0.1	2288	2	55	80	2.5	8	6	11172	8884	RH-1	40	form-based			true	0.7	9	1.125	7	7	12513.2002	10225.2002	10225.2002	1.12005
0997	009	3831	0.09	2000	1	65	100	3	9	8	11493	9493	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10726.7998	8726.799805	8726.799805	0.933333
0997	011	4043	0.09	6608	1	65	100	3	9	8	12129	5521	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11320.39941	4712.399414	4712.399414	0.933333
0997	023	3735	0.09	6018	1	65	100	3	9	8	11205	5187	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10458	4440	4440	0.933333
0997	024	3839	0.09	3486	1	65	100	3	9	8	11517	8031	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10749.2002	7263.200195	7263.200195	0.933333
0999	028	4669	0.11	7408	3	65	100	3	11	8	14007	6599	RH-3	40	form-based			true	0.7	10	0.909090936	7	7	13073.2002	5665.200195	5665.200195	0.933333
1002	013	3831	0.09	3460	1	65	100	3	9	8	11493	8033	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10726.7998	7266.799805	7266.799805	0.933333
1002	017	3671	0.08	2884	1	65	100	3	8	7	11013	8129	RH-2	40	form-based			true	0.7	8	1	7	7	10278.7998	7394.799805	7394.799805	0.933333
1002	028	3623	0.08	2130	1	65	100	3	8	7	10869	8739	RH-2	40	form-based			true	0.7	8	1	7	7	10144.39941	8014.399414	8014.399414	0.933333
1002	049	3874	0.09	3105	1	65	100	3	9	8	11622	8517	RH-2	40	form-based	true		true	0.7	8	0.888888896	7	7	10847.2002	7742.200195	7742.200195	0.933333
1003	048	3192	0.07	1625	2	65	100	3	7	5	9576	7951	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11172	9547	9547	1.166667
1003	096	3192	0.07	1352	2	65	100	3	7	5	9576	8224	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11172	9820	9820	1.166667
1004	002	3791	0.09	3040	1	65	100	3	9	8	11373	8333	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10614.7998	7574.799805	7574.799805	0.933333
1004	007	2826	0.06	5706	1	65	100	3	6	5	8478	2772	RH-2	50	form-based	true		true	0.7	8	1.333333373	7	7	9891	4185	4185	1.166667
1004	016	2750	0.06	706	1	65	100	3	6	5	8250	7544	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9625	8919	8919	1.166667
1005	001C	3780	0.09	1155	1	65	100	3	9	8	11340	10185	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10584	9429	9429	0.933333
1006	020	3641	0.08	2695	1	65	100	3	8	7	10923	8228	RH-2	40	form-based			true	0.7	8	1	7	7	10194.7998	7499.799805	7499.799805	0.933333
1008	013	2500	0.06	3214	2	65	100	3	6	4	7500	4286	NCD-SACR	65	form-based			true	0.75	9	1.5	7	7	11250	8036	8036	1.5
1008	025	3872	0.09	3825	1	65	100	3	9	8	11616	7791	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10841.59961	7016.599609	7016.599609	0.933333
1010	001	4034	0.09	6525	1	65	100	3	9	8	12102	5577	RH-1	40	form-based	true		true	0.7	8	0.888888896	7	7	11295.2002	4770.200195	4770.200195	0.933333
1010	006	2500	0.06	3356	2	65	100	3	6	4	7500	4144	NCD-SACR	65	form-based			true	0.75	9	1.5	7	7	11250	7894	7894	1.5
1010	007	2500	0.06	3200	2	65	100	3	6	4	7500	4300	NCD-SACR	65	form-based			true	0.75	9	1.5	7	7	11250	8050	8050	1.5
1010	026	3873	0.09	3820	1	65	100	3	9	8	11619	7799	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10844.39941	7024.399414	7024.399414	0.933333
1011	022	3853	0.09	4358	1	55	80	2.5	7	6	9632	5274	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10788.39941	6430.399414	6430.399414	1.120058
1011	025	3873	0.09	2164	1	55	80	2.5	7	6	9682	7518	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10844.39941	8680.399414	8680.399414	1.120058
1011	064	2500	0.06	1613	2	55	80	2.5	5	3	6250	4637	NCD-SACR	65	form-based			true	0.75	9	1.799999952	7	7	11250	9637	9637	1.8
1011	075	2500	0.06	4254	2	55	80	2.5	5	3	6250	1996	NCD-SACR	65	form-based			true	0.75	9	1.799999952	7	7	11250	6996	6996	1.8
1012	017	3192	0.07	3520	2	55	80	2.5	6	4	7980	4460	RH-3	50	form-based			true	0.7	9	1.5	7	7	11172	7652	7652	1.4
1012	065	3438	0.08	6317	3	55	80	2.5	6	3	8595	2278	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12033	5716	5716	1.4
1014	019	3196	0.07	2600	2	55	80	2.5	6	4	7990	5390	RH-2	50	form-based			true	0.7	9	1.5	7	7	11186	8586	8586	1.4
1014	021	3196	0.07	2525	2	55	80	2.5	6	4	7990	5465	RH-2	50	form-based			true	0.7	9	1.5	7	7	11186	8661	8661	1.4
1014	022	3196	0.07	2524	2	55	80	2.5	6	4	7990	5466	RH-2	50	form-based			true	0.7	9	1.5	7	7	11186	8662	8662	1.4
1014	041	3875	0.09	5405	1	55	80	2.5	7	6	9688	4283	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10850	5445	5445	1.119942
1014	048	4155	0.1	2330	2	55	80	2.5	8	6	10388	8058	RH-1	40	form-based			true	0.7	9	1.125	7	7	11634	9304	9304	1.119946
1014	073	3196	0.07	4596	2	55	80	2.5	6	4	7990	3394	RH-2	50	form-based			true	0.7	9	1.5	7	7	11186	6590	6590	1.4
1015	029	3033	0.07	2933	1	55	80	2.5	6	5	7582	4649	RM-1	50	form-based			true	0.7	8	1.333333373	7	7	10615.5	7682.5	7682.5	1.400092
1015	033	3298	0.08	1641	2	55	80	2.5	6	4	8245	6604	RH-2	50	form-based			true	0.7	9	1.5	7	7	11543	9902	9902	1.4
1015	043	3356	0.08	6025	2	55	80	2.5	6	4	8390	2365	RH-2	50	form-based			true	0.7	9	1.5	7	7	11746	5721	5721	1.4
1015	057	3319	0.08	2019	2	55	80	2.5	6	4	8298	6279	RH-2	50	form-based			true	0.7	9	1.5	7	7	11616.5	9597.5	9597.5	1.399916
1017	021	3659	0.08	4125	3	55	80	2.5	6	3	9148	5023	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12806.5	8681.5	8681.5	1.399923
1018	003A	2040	0.05	3600	4	55	80	2.5	4	0	5100	1500	NC-S	85	form-based	true		true	0.75	11	2.75	7	4	12240	8640	6600	2.4
1018	006	2829	0.06	3285	4	55	80	2.5	5	1	7072	3787	NC-S	65	form-based			true	0.75	11	2.200000048	7	6	12730.5	9445.5	9445.5	1.800127
1018	009	2698	0.06	4150	3	55	80	2.5	5	2	6745	2595	NCD-SACR	65	form-based			true	0.75	10	2	7	7	12141	7991	7991	1.8
1018	010	2698	0.06	2445	3	55	80	2.5	5	2	6745	4300	NCD-SACR	65	form-based			true	0.75	10	2	7	7	12141	9696	9696	1.8
1018	017	2509	0.06	2360	2	55	80	2.5	5	3	6272	3912	NCD-SACR	65	form-based			true	0.75	9	1.799999952	7	7	11290.5	8930.5	8930.5	1.800143
1019	022	2503	0.06	1960	2	65	100	3	6	4	7509	5549	NCD-SACR	65	form-based			true	0.75	9	1.5	7	7	11263.5	9303.5	9303.5	1.5
1019	032	2697	0.06	1253	3	65	100	3	6	3	8091	6838	NCD-SACR	65	form-based			true	0.75	10	1.666666627	7	7	12136.5	10883.5	10883.5	1.5
1019	074	2697	0.06	4204	3	65	100	3	6	3	8091	3887	NCD-SACR	65	form-based			true	0.75	10	1.666666627	7	7	12136.5	7932.5	7932.5	1.5
1020	001	2315	0.05	5322	2	65	100	3	5	3	6945	1623	NCD-SACR	65	form-based	true		true	0.75	9	1.799999952	7	7	10417.5	5095.5	5095.5	1.5
1020	045	2386	0.05	1262	2	65	100	3	5	3	7158	5896	NCD-SACR	65	form-based			true	0.75	9	1.799999952	7	7	10737	9475	9475	1.5
1022	008	2759	0.06	3076	1	65	100	3	6	5	8277	5201	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9656.5	6580.5	6580.5	1.166667
1023	022	2688	0.06	2584	1	65	100	3	6	5	8064	5480	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9408	6824	6824	1.166667
1023	023	2688	0.06	3566	1	65	100	3	6	5	8064	4498	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9408	5842	5842	1.166667
1023	025	2688	0.06	3201	1	65	100	3	6	5	8064	4863	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9408	6207	6207	1.166667
1023	029	3452	0.08	3975	3	65	100	3	8	5	10356	6381	RH-2	50	form-based			true	0.7	10	1.25	7	7	12082	8107	8107	1.166667
1023	037	4390	0.1	4310	5	65	100	3	10	5	13170	8860	RH-2	50	form-based			true	0.7	12	1.200000048	7	7	15365	11055	11055	1.166667
1024	015	1918	0.04	3330	3	85	140	4	6	3	7672	4342	RTO-C	85	form-based	true		true	0.75	10	1.666666627	7	7	11508	8178	8178	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1024	023	2908	0.07	2940	2	85	140	4	10	8	11632	8692	NC-1	50	form-based			true	0.75	9	0.899999976	7	7	10905	7965	7965	0.9375
1024	029	3332	0.08	2680	2	65	100	3	8	6	9996	7316	RH-2	50	form-based			true	0.7	9	1.125	7	7	11662	8982	8982	1.166667
1024	034	3331	0.08	1341	2	65	100	3	8	6	9993	8652	RH-2	50	form-based			true	0.7	9	1.125	7	7	11658.5	10317.5	10317.5	1.166667
1025	029	3066	0.07	3118	2	85	140	4	10	8	12264	9146	RH-2	50	form-based			true	0.7	9	0.899999976	7	7	10731	7613	7613	0.875
1025	052	3048	0.07	1430	2	65	100	3	7	5	9144	7714	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	10668	9238	9238	1.166667
1026	023	3533	0.08	7195	3	65	100	3	8	5	10599	3404	RH-3	50	form-based			true	0.7	10	1.25	7	7	12365.5	5170.5	5170.5	1.166667
1026	025	3533	0.08	5375	3	65	100	3	8	5	10599	5224	RH-3	50	form-based			true	0.7	10	1.25	7	7	12365.5	6990.5	6990.5	1.166667
1026	061	3375	0.08	2293	2	65	100	3	8	6	10125	7832	RH-2	50	form-based			true	0.7	9	1.125	7	7	11812.5	9519.5	9519.5	1.166667
1027	007	2750	0.06	6500	7	65	100	3	6	0	8250	1750	NC-2	85	form-based			true	0.75	14	2.333333254	7	5	16500	10000	10000	2
1027	012	2745	0.06	8840	7	85	140	4	8	1	10980	2140	NC-2	85	form-based		true	true	0.75	14	1.75	7	7	16470	7630	7630	1.5
1027	023	1619	0.04	1616	1	65	100	3	4	3	4857	3241	NC-2	85	form-based			true	0.75	8	2	7	7	9714	8098	8098	2
1027	024	1619	0.04	1176	1	85	140	4	6	5	6476	5300	NC-2	85	form-based			true	0.75	8	1.333333373	7	7	9714	8538	8538	1.5
1028	010	4125	0.09	4588	2	85	140	4	13	11	16500	11912	RH-2	40	form-based			true	0.7	9	0.692307711	7	7	11550	6962	6962	0.7
1029	016	3781	0.09	3015	1	85	140	4	13	12	15124	12109	RH-2	40	form-based			true	0.7	8	0.615384638	7	7	10586.7998	7571.799805	7571.799805	0.7
1029	096	4125	0.09	1660	2	65	100	3	9	7	12375	10715	RH-2	40	form-based			true	0.7	9	1	7	7	11550	9890	9890	0.933333
1031	022B	2441	0.06	2740	2	85	140	4	8	6	9764	7024	RH-3	65	form-based			true	0.7	9	1.125	7	7	10252.2002	7512.200195	7512.200195	1.05
1031	049	2442	0.06	1579	2	85	140	4	8	6	9768	8189	RH-3	65	form-based			true	0.7	9	1.125	7	7	10256.39941	8677.399414	8677.399414	1.05
1031	053	2441	0.06	1234	2	85	140	4	8	6	9764	8530	RH-3	65	form-based			true	0.7	9	1.125	7	7	10252.2002	9018.200195	9018.200195	1.05
1036	007	3767	0.09	3238	1	65	100	3	9	8	11301	8063	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10547.59961	7309.599609	7309.599609	0.933333
1036	008	3735	0.09	2000	1	65	100	3	9	8	11205	9205	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10458	8458	8458	0.933333
1037	034	3898	0.09	4014	1	55	80	2.5	7	6	9745	5731	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10914.39941	6900.399414	6900.399414	1.12
1036	009	3709	0.09	3443	1	65	100	3	9	8	11127	7684	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10385.2002	6942.200195	6942.200195	0.933333
1036	010	3697	0.08	2270	1	65	100	3	8	7	11091	8821	RH-1	40	form-based			true	0.7	8	1	7	7	10351.59961	8081.599609	8081.599609	0.933333
1036	011	3685	0.08	2450	1	65	100	3	8	7	11055	8605	RH-1	40	form-based			true	0.7	8	1	7	7	10318	7868	7868	0.933333
1036	003	3807	0.09	2075	1	55	80	2.5	7	6	9518	7443	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10659.59961	8584.599609	8584.599609	1.119941
1036	005	4040	0.09	1845	1	65	100	3	9	8	12120	10275	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11312	9467	9467	0.933333
1036	006	3816	0.09	2296	1	65	100	3	9	8	11448	9152	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10684.7998	8388.799805	8388.799805	0.933333
1037	002	3785	0.09	2663	1	55	80	2.5	7	6	9462	6799	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10598	7935	7935	1.120059
1037	007	4402	0.1	3000	2	55	80	2.5	8	6	11005	8005	RH-1(D)	40	form-based			true	0.7	9	1.125	7	7	12325.59961	9325.599609	9325.599609	1.12
1037	019	3750	0.09	4158	1	65	100	3	9	8	11250	7092	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10500	6342	6342	0.933333
1037	032	3898	0.09	2788	1	55	80	2.5	7	6	9745	6957	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10914.39941	8126.399414	8126.399414	1.12
1037	033	3898	0.09	2768	1	55	80	2.5	7	6	9745	6977	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10914.39941	8146.399414	8146.399414	1.12
1037	035	3898	0.09	4302	1	55	80	2.5	7	6	9745	5443	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10914.39941	6612.399414	6612.399414	1.12
1037	036	3898	0.09	4108	1	55	80	2.5	7	6	9745	5637	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10914.39941	6806.399414	6806.399414	1.12
1037	040A	2028	0.05	3360	4	55	80	2.5	4	0	5070	1710	RTO-C	85	form-based			true	0.75	11	2.75	7	4	12168	8808	6780	2.4
1037	041	2095	0.05	3360	4	55	80	2.5	4	0	5238	1878	RTO-C	85	form-based			true	0.75	11	2.75	7	4	12570	9210	7116	2.399771
1037	050	4114	0.09	1797	2	65	100	3	9	7	12342	10545	RH-1(D)	40	form-based			true	0.7	9	1	7	7	11519.2002	9722.200195	9722.200195	0.933333
1038	005	4000	0.09	3606	1	55	80	2.5	7	6	10000	6394	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	7594	7594	1.12
1038	006	4000	0.09	3456	1	55	80	2.5	7	6	10000	6544	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	7744	7744	1.12
1038	007	4000	0.09	2930	1	55	80	2.5	7	6	10000	7070	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	8270	8270	1.12
1038	008	4000	0.09	3830	1	55	80	2.5	7	6	10000	6170	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	7370	7370	1.12
1038	023	3969	0.09	3032	1	65	100	3	9	8	11907	8875	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11113.2002	8081.200195	8081.200195	0.933333
1038	024	3969	0.09	1944	1	65	100	3	9	8	11907	9963	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11113.2002	9169.200195	9169.200195	0.933333
1038	025	3970	0.09	2025	1	65	100	3	9	8	11910	9885	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11116	9091	9091	0.933333
1038	026	3969	0.09	4190	1	65	100	3	9	8	11907	7717	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11113.2002	6923.200195	6923.200195	0.933333
1038	027	3969	0.09	3036	1	65	100	3	9	8	11907	8871	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11113.2002	8077.200195	8077.200195	0.933333
1038	030	3969	0.09	2800	1	65	100	3	9	8	11907	9107	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11113.2002	8313.200195	8313.200195	0.933333
1038	031	3969	0.09	2325	1	65	100	3	9	8	11907	9582	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11113.2002	8788.200195	8788.200195	0.933333
1038	032	3972	0.09	3476	1	55	80	2.5	7	6	9930	6454	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11121.59961	7645.599609	7645.599609	1.12
1038	033	3592	0.08	4430	1	55	80	2.5	6	5	8980	4550	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10057.59961	5627.599609	5627.599609	1.12
1038	035	3969	0.09	1944	1	55	80	2.5	7	6	9922	7978	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11113.2002	9169.200195	9169.200195	1.120057
1038	036	3843	0.09	3024	1	55	80	2.5	7	6	9608	6584	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10760.39941	7736.399414	7736.399414	1.119942
1038	042	3889	0.09	2562	1	65	100	3	9	8	11667	9105	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10889.2002	8327.200195	8327.200195	0.933333
1039	005	4000	0.09	2355	1	55	80	2.5	7	6	10000	7645	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	8845	8845	1.12
1039	006	4000	0.09	2320	1	55	80	2.5	7	6	10000	7680	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	8880	8880	1.12
1039	007	4000	0.09	4155	1	55	80	2.5	7	6	10000	5845	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	7045	7045	1.12
1039	008A	3600	0.08	3740	1	55	80	2.5	6	5	9000	5260	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10080	6340	6340	1.12
1039	010	3600	0.08	3538	1	65	100	3	8	7	10800	7262	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	6542	6542	0.933333
1039	012	3600	0.08	2550	1	65	100	3	8	7	10800	8250	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7530	7530	0.933333
1039	013	4000	0.09	3258	1	65	100	3	9	8	12000	8742	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	7942	7942	0.933333
1039	014	4000	0.09	4570	1	65	100	3	9	8	12000	7430	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	6630	6630	0.933333
1039	015	4000	0.09	2707	1	65	100	3	9	8	12000	9293	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8493	8493	0.933333
1039	035	4018	0.09	2980	1	55	80	2.5	7	6	10045	7065	RM-1	40	form-based			true	0.7	8	1.142857194	7	7	11250.39941	8270.399414	8270.399414	1.12
1039	038	3616	0.08	3792	1	55	80	2.5	6	5	9040	5248	RM-1	40	form-based			true	0.7	8	1.333333373	7	7	10124.7998	6332.799805	6332.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1041	015	4023	0.09	3103	1	65	100	3	9	8	12069	8966	RH-1	40	form-based		true	true	0.7	8	0.888888896	7	7	11264.39941	8161.399414	8161.399414	0.933333
1041	016	3777	0.09	2277	1	65	100	3	9	8	11331	9054	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10575.59961	8298.599609	8298.599609	0.933333
1041	017	3811	0.09	2890	1	65	100	3	9	8	11433	8543	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10670.7998	7780.799805	7780.799805	0.933333
1041	018	3725	0.09	1978	1	65	100	3	9	8	11175	9197	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10430	8452	8452	0.933333
1041	019	3781	0.09	2136	1	65	100	3	9	8	11343	9207	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10586.7998	8450.799805	8450.799805	0.933333
1041	020	3768	0.09	2170	1	65	100	3	9	8	11304	9134	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10550.39941	8380.399414	8380.399414	0.933333
1041	022	3678	0.08	2570	1	65	100	3	8	7	11034	8464	RH-1	40	form-based			true	0.7	8	1	7	7	10298.39941	7728.399414	7728.399414	0.933333
1041	023	3753	0.09	2243	1	65	100	3	9	8	11259	9016	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10508.39941	8265.399414	8265.399414	0.933333
1041	024	3730	0.09	2013	1	65	100	3	9	8	11190	9177	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10444	8431	8431	0.933333
1041	025	3705	0.09	1732	1	65	100	3	9	8	11115	9383	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10374	8642	8642	0.933333
1041	026	3818	0.09	2113	1	65	100	3	9	8	11454	9341	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10690.39941	8577.399414	8577.399414	0.933333
1041	027	3803	0.09	2048	1	65	100	3	9	8	11409	9361	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10648.39941	8600.399414	8600.399414	0.933333
1041	028	3681	0.08	1878	1	55	80	2.5	6	5	9202	7324	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10306.7998	8428.799805	8428.799805	1.120061
1043	001	3854	0.09	2531	1	55	80	2.5	7	6	9635	7104	RH-2	40	form-based		true	true	0.7	8	1.142857194	7	7	10791.2002	8260.200195	8260.200195	1.12
1043	004	3825	0.09	2422	1	65	100	3	9	8	11475	9053	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10710	8288	8288	0.933333
1043	005	3868	0.09	2225	1	65	100	3	9	8	11604	9379	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10830.39941	8605.399414	8605.399414	0.933333
1043	006	3659	0.08	2952	1	65	100	3	8	7	10977	8025	RH-2	40	form-based			true	0.7	8	1	7	7	10245.2002	7293.200195	7293.200195	0.933333
1043	007	3910	0.09	2924	1	65	100	3	9	8	11730	8806	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10948	8024	8024	0.933333
1043	009	3699	0.08	2739	1	65	100	3	8	7	11097	8358	RH-2	40	form-based			true	0.7	8	1	7	7	10357.2002	7618.200195	7618.200195	0.933333
1043	018	4127	0.09	3214	2	65	100	3	9	7	12381	9167	RH-2	40	form-based			true	0.7	9	1	7	7	11555.59961	8341.599609	8341.599609	0.933333
1043	023	4234	0.1	3088	2	65	100	3	10	8	12702	9614	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	11855.2002	8767.200195	8767.200195	0.933333
1043	036	4293	0.1	1319	2	65	100	3	10	8	12879	11560	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12020.39941	10701.39941	10701.39941	0.933333
1043	041	4138	0.1	2400	2	65	100	3	10	8	12414	10014	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	11586.39941	9186.399414	9186.399414	0.933333
1044	027	3573	0.08	2685	1	65	100	3	8	7	10719	8034	RH-2	40	form-based			true	0.7	8	1	7	7	10004.39941	7319.399414	7319.399414	0.933333
1044	028	3958	0.09	3506	1	65	100	3	9	8	11874	8368	RH-2	40	form-based		true	true	0.7	8	0.888888896	7	7	11082.39941	7576.399414	7576.399414	0.933333
1046	022	2427	0.06	5870	1	65	100	3	6	5	7281	1411	RM-1	65	form-based		true	true	0.7	8	1.333333373	7	7	10193.39941	4323.399414	4323.399414	1.4
1047	023	3798	0.09	2673	1	65	100	3	9	8	11394	8721	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10634.39941	7961.399414	7961.399414	0.933333
1050	007A	1475	0.03	1600	1	65	100	3	3	2	4425	2825	RTO-C	85	form-based			true	0.75	8	2.666666746	7	5	8850	7250	7250	2
1050	050	1877	0.04	1402	2	65	100	3	4	2	5631	4229	RH-2	85	form-based			true	0.7	9	2.25	7	6	10511.2002	9109.200195	9109.200195	1.866667
1053	002	4789	0.11	8148	3	65	100	3	11	8	14367	6219	RH-3	40	form-based			true	0.7	10	0.909090936	7	7	13409.2002	5261.200195	5261.200195	0.933333
1053	003	3781	0.09	3174	1	65	100	3	9	8	11343	8169	RH-3	40	form-based			true	0.7	8	0.888888896	7	7	10586.7998	7412.799805	7412.799805	0.933333
1054	029	3777	0.09	4817	1	65	100	3	9	8	11331	6514	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10575.59961	5758.599609	5758.599609	0.933333
1055	004A	3125	0.07	4928	0	65	100	3	7	7	9375	4447	RH-3	40	form-based			true	0.7	7	1	7	7	8750	3822	3822	0.933333
1055	008	4812	0.11	4314	3	65	100	3	11	8	14436	10122	RH-3	40	form-based			true	0.7	10	0.909090936	7	7	13473.59961	9159.599609	9159.599609	0.933333
1057	011	4002	0.09	2759	1	65	100	3	9	8	12006	9247	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11205.59961	8446.599609	8446.599609	0.933333
1057	016	4164	0.1	3720	2	65	100	3	10	8	12492	8772	RH-3	40	form-based			true	0.7	9	0.899999976	7	7	11659.2002	7939.200195	7939.200195	0.933333
1057	017	4166	0.1	2834	2	65	100	3	10	8	12498	9664	RH-3	40	form-based			true	0.7	9	0.899999976	7	7	11664.7998	8830.799805	8830.799805	0.933333
1057	018	4167	0.1	2750	2	65	100	3	10	8	12501	9751	RH-3	40	form-based			true	0.7	9	0.899999976	7	7	11667.59961	8917.599609	8917.599609	0.933333
1057	019	4169	0.1	3162	2	65	100	3	10	8	12507	9345	RH-3	40	form-based			true	0.7	9	0.899999976	7	7	11673.2002	8511.200195	8511.200195	0.933333
1058	004	4147	0.1	3270	2	65	100	3	10	8	12441	9171	RH-3	40	form-based			true	0.7	9	0.899999976	7	7	11611.59961	8341.599609	8341.599609	0.933333
1058	005	4141	0.1	3270	2	65	100	3	10	8	12423	9153	RH-3	40	form-based			true	0.7	9	0.899999976	7	7	11594.7998	8324.799805	8324.799805	0.933333
1058	006	4134	0.09	3270	2	65	100	3	9	7	12402	9132	RH-3	40	form-based			true	0.7	9	1	7	7	11575.2002	8305.200195	8305.200195	0.933333
1058	013	4127	0.09	1777	2	65	100	3	9	7	12381	10604	RH-3	40	form-based			true	0.7	9	1	7	7	11555.59961	9778.599609	9778.599609	0.933333
1062	003	4003	0.09	3570	1	65	100	3	9	8	12009	8439	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11208.39941	7638.399414	7638.399414	0.933333
1062	007	4000	0.09	5830	1	65	100	3	9	8	12000	6170	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	5370	5370	0.933333
1062	008	3998	0.09	5125	1	65	100	3	9	8	11994	6869	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11194.39941	6069.399414	6069.399414	0.933333
1062	009	4001	0.09	2020	1	65	100	3	9	8	12003	9983	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	9182.799805	9182.799805	0.933333
1062	010	4000	0.09	3022	1	65	100	3	9	8	12000	8978	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8178	8178	0.933333
1062	011	4000	0.09	2960	1	65	100	3	9	8	12000	9040	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8240	8240	0.933333
1062	012	4000	0.09	2330	1	65	100	3	9	8	12000	9670	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8870	8870	0.933333
1062	013	3999	0.09	2200	1	65	100	3	9	8	11997	9797	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11197.2002	8997.200195	8997.200195	0.933333
1062	014	4000	0.09	2232	1	65	100	3	9	8	12000	9768	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8968	8968	0.933333
1062	017	4000	0.09	2665	1	65	100	3	9	8	12000	9335	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8535	8535	0.933333
1062	018	4000	0.09	3485	1	65	100	3	9	8	12000	8515	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	7715	7715	0.933333
1062	019	4000	0.09	3042	1	65	100	3	9	8	12000	8958	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8158	8158	0.933333
1062	020	4000	0.09	3045	1	65	100	3	9	8	12000	8955	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8155	8155	0.933333
1062	021	3600	0.08	2936	1	65	100	3	8	7	10800	7864	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7144	7144	0.933333
1062	030	3609	0.08	2212	1	65	100	3	8	7	10827	8615	RM-1	40	form-based			true	0.7	8	1	7	7	10105.2002	7893.200195	7893.200195	0.933333
1062	031	3609	0.08	2895	1	65	100	3	8	7	10827	7932	RM-1	40	form-based			true	0.7	8	1	7	7	10105.2002	7210.200195	7210.200195	0.933333
1062	032	3609	0.08	3271	1	65	100	3	8	7	10827	7556	RM-1	40	form-based			true	0.7	8	1	7	7	10105.2002	6834.200195	6834.200195	0.933333
1062	047	4816	0.11	4930	3	65	100	3	11	8	14448	9518	RM-1	40	form-based			true	0.7	10	0.909090936	7	7	13484.7998	8554.799805	8554.799805	0.933333
1062	053	4816	0.11	2695	3	65	100	3	11	8	14448	11753	RM-1	40	form-based			true	0.7	10	0.909090936	7	7	13484.7998	10789.7998	10789.7998	0.933333
1063	028	4218	0.1	3360	2	85	140	4	14	12	16872	13512	RH-1(D)	40	form-based			true	0.7	9	0.642857134	7	7	11810.39941	8450.399414	8450.399414	0.7
1063	029	3786	0.09	4436	1	85	140	4	13	12	15144	10708	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	10600.7998	6164.799805	6164.799805	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1063	030	3707	0.09	2766	1	65	100	3	9	8	11121	8355	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10379.59961	7613.599609	7613.599609	0.933333
1063	032	3942	0.09	3109	1	65	100	3	9	8	11826	8717	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11037.59961	7928.599609	7928.599609	0.933333
1063	035	3941	0.09	2260	1	65	100	3	9	8	11823	9563	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11034.7998	8774.799805	8774.799805	0.933333
1063	036	3940	0.09	2420	1	65	100	3	9	8	11820	9400	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11032	8612	8612	0.933333
1063	037	3940	0.09	3844	1	65	100	3	9	8	11820	7976	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11032	7188	7188	0.933333
1063	038	3940	0.09	3204	1	65	100	3	9	8	11820	8616	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11032	7828	7828	0.933333
1063	039	3939	0.09	3916	1	65	100	3	9	8	11817	7901	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11029.2002	7113.200195	7113.200195	0.933333
1063	040	3939	0.09	2434	1	65	100	3	9	8	11817	9383	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11029.2002	8595.200195	8595.200195	0.933333
1063	041	3938	0.09	3669	1	65	100	3	9	8	11814	8145	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11026.39941	7357.399414	7357.399414	0.933333
1063	042	3938	0.09	4308	1	65	100	3	9	8	11814	7506	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11026.39941	6718.399414	6718.399414	0.933333
1063	043	3938	0.09	2538	1	65	100	3	9	8	11814	9276	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11026.39941	8488.399414	8488.399414	0.933333
1063	044	3937	0.09	2532	1	65	100	3	9	8	11811	9279	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11023.59961	8491.599609	8491.599609	0.933333
1063	045	4019	0.09	2780	1	65	100	3	9	8	12057	9277	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11253.2002	8473.200195	8473.200195	0.933333
1064	001	3746	0.09	3497	1	65	100	3	9	8	11238	7741	RH-2	40	form-based	true		true	0.7	8	0.888888896	7	7	10488.7998	6991.799805	6991.799805	0.933333
1064	002	3971	0.09	1500	1	65	100	3	9	8	11913	10413	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11118.7998	9618.799805	9618.799805	0.933333
1064	058	3686	0.08	2430	1	65	100	3	8	7	11058	8628	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10320.7998	7890.799805	7890.799805	0.933333
1064	059	3841	0.09	3840	1	65	100	3	9	8	11523	7683	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10754.7998	6914.799805	6914.799805	0.933333
1069	030	4031	0.09	2074	1	65	100	3	9	8	12093	10019	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11286.7998	9212.799805	9212.799805	0.933333
1069	031	3879	0.09	1353	1	65	100	3	9	8	11637	10284	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10861.2002	9508.200195	9508.200195	0.933333
1069	032	4035	0.09	1803	1	65	100	3	9	8	12105	10302	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11298	9495	9495	0.933333
1069	033	3784	0.09	1649	1	65	100	3	9	8	11352	9703	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10595.2002	8946.200195	8946.200195	0.933333
1069	034	3589	0.08	2614	1	65	100	3	8	7	10767	8153	RH-1	40	form-based			true	0.7	8	1	7	7	10049.2002	7435.200195	7435.200195	0.933333
1069	035	3604	0.08	3560	1	65	100	3	8	7	10812	7252	RH-1	40	form-based	true		true	0.7	8	1	7	7	10091.2002	6531.200195	6531.200195	0.933333
1069	047	4150	0.1	2058	2	65	100	3	10	8	12450	10392	RH-3	40	form-based			true	0.7	9	0.899999976	7	7	11620	9562	9562	0.933333
1069	049	4131	0.09	1688	2	65	100	3	9	7	12393	10705	RH-3	40	form-based			true	0.7	9	1	7	7	11566.7998	9878.799805	9878.799805	0.933333
1073	048	2620	0.06	945	2	65	100	3	6	4	7860	6915	RM-1	65	form-based			true	0.7	9	1.5	7	7	11004	10059	10059	1.4
1085	029	2555	0.06	5682	6	85	140	4	8	2	10220	4538	NCD-GEAR	85	form-based			true	0.75	13	1.625	7	7	15330	9648	9648	1.5
1087	001A	1875	0.04	2943	3	85	140	4	6	3	7500	4557	NCD-GEAR	85	form-based			true	0.75	10	1.666666627	7	7	11250	8307	8307	1.5
1089	014	2250	0.05	4250	5	65	100	3	5	0	6750	2500	RTO-C	85	form-based	true		true	0.75	12	2.400000095	7	5	13500	9250	9250	2
1090	009	1383	0.03	3300	0	65	100	3	3	3	4149	849	RTO-C	85	form-based			true	0.75	7	2.333333254	7	6	8298	4998	4998	2
1090	032	1808	0.04	2408	2	65	100	3	4	2	5424	3016	RTO-C	85	form-based			true	0.75	9	2.25	7	6	10848	8440	8440	2
1091	009	1650	0.04	1386	2	65	100	3	4	2	4950	3564	RTO-C	85	form-based			true	0.75	9	2.25	7	6	9900	8514	8514	2
1091	009A	1675	0.04	1788	2	65	100	3	4	2	5025	3237	RTO-C	85	form-based	true		true	0.75	9	2.25	7	6	10050	8262	8262	2
1091	042	1675	0.04	929	2	65	100	3	4	2	5025	4096	RTO-C	85	form-based			true	0.75	9	2.25	7	6	10050	9121	9121	2
1101	011	2813	0.06	1280	1	65	100	3	6	5	8439	7159	RM-3	50	form-based			true	0.75	8	1.333333373	7	7	10548.75	9268.75	9268.75	1.25
1101	012	2813	0.06	2120	1	65	100	3	6	5	8439	6319	RM-3	50	form-based			true	0.75	8	1.333333373	7	7	10548.75	8428.75	8428.75	1.25
1101	021	5156	0.12	6900	8	65	100	3	12	4	15468	8568	RM-3	50	form-based			true	0.75	15	1.25	7	7	19335	12435	12435	1.25
1104	003	4210	0.1	3124	2	65	100	3	10	8	12630	9506	RM-1	40	form-based			true	0.7	9	0.899999976	7	7	11788	8664	8664	0.933333
1104	004	4242	0.1	3744	2	65	100	3	10	8	12726	8982	RM-1	40	form-based			true	0.7	9	0.899999976	7	7	11877.59961	8133.599609	8133.599609	0.933333
1115	028	3865	0.09	2337	1	65	100	3	9	8	11595	9258	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10822	8485	8485	0.933333
1115	029	3687	0.08	2337	1	65	100	3	8	7	11061	8724	RH-1	40	form-based			true	0.7	8	1	7	7	10323.59961	7986.599609	7986.599609	0.933333
1113	016	3832	0.09	1936	1	65	100	3	9	8	11496	9560	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10729.59961	8793.599609	8793.599609	0.933333
1113	017	3773	0.09	1641	1	65	100	3	9	8	11319	9678	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10564.39941	8923.399414	8923.399414	0.933333
1113	018	4014	0.09	1561	1	65	100	3	9	8	12042	10481	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11239.2002	9678.200195	9678.200195	0.933333
1113	019	3873	0.09	2168	1	65	100	3	9	8	11619	9451	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10844.39941	8676.399414	8676.399414	0.933333
1113	020	3733	0.09	1583	1	65	100	3	9	8	11199	9616	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10452.39941	8869.399414	8869.399414	0.933333
1113	021	4003	0.09	1583	1	65	100	3	9	8	12009	10426	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11208.39941	9625.399414	9625.399414	0.933333
1113	023	3604	0.08	2300	1	65	100	3	8	7	10812	8512	RH-2	40	form-based			true	0.7	8	1	7	7	10091.2002	7791.200195	7791.200195	0.933333
1113	024	3778	0.09	2676	1	65	100	3	9	8	11334	8658	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10578.39941	7902.399414	7902.399414	0.933333
1113	025	3814	0.09	3000	1	65	100	3	9	8	11442	8442	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10679.2002	7679.200195	7679.200195	0.933333
1115	021	3725	0.09	3046	1	65	100	3	9	8	11175	8129	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10430	7384	7384	0.933333
1115	022	3824	0.09	2754	1	65	100	3	9	8	11472	8718	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10707.2002	7953.200195	7953.200195	0.933333
1115	023	3867	0.09	4820	1	65	100	3	9	8	11601	6781	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10827.59961	6007.599609	6007.599609	0.933333
1115	024	3824	0.09	2470	1	65	100	3	9	8	11472	9002	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10707.2002	8237.200195	8237.200195	0.933333
1115	026	3888	0.09	2662	1	65	100	3	9	8	11664	9002	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10886.39941	8224.399414	8224.399414	0.933333
1115	027	3808	0.09	3168	1	65	100	3	9	8	11424	8256	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10662.39941	7494.399414	7494.399414	0.933333
1116	012	3808	0.09	1828	1	65	100	3	9	8	11424	9596	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10662.39941	8834.399414	8834.399414	0.933333
1116	013	3819	0.09	1561	1	65	100	3	9	8	11457	9896	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10693.2002	9132.200195	9132.200195	0.933333
1109	005B	3730	0.09	1611	1	65	100	3	9	8	11190	9579	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10444	8833	8833	0.933333
1126	026A	3094	0.07	2776	2	65	100	3	7	5	9282	6506	RM-3	50	form-based			true	0.75	9	1.285714269	7	7	11602.5	8826.5	8826.5	1.25
1126	035	3459	0.08	1350	3	65	100	3	8	5	10377	9027	RM-3	50	form-based			true	0.75	10	1.25	7	7	12971.25	11621.25	11621.25	1.25
1109	013C	3941	0.09	2253	1	65	100	3	9	8	11823	9570	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11034.7998	8781.799805	8781.799805	0.933333
1114	022	4430	0.1	3004	2	65	100	3	10	8	13290	10286	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12404	9400	9400	0.933333
1113	002	3928	0.09	4412	1	65	100	3	9	8	11784	7372	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10998.39941	6586.399414	6586.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1113	003	3835	0.09	2258	1	65	100	3	9	8	11505	9247	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10738	8480	8480	0.933333
1113	004	3607	0.08	2584	1	65	100	3	8	7	10821	8237	RH-2	40	form-based			true	0.7	8	1	7	7	10099.59961	7515.599609	7515.599609	0.933333
1114	023	4429	0.1	2934	2	65	100	3	10	8	13287	10353	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12401.2002	9467.200195	9467.200195	0.933333
1113	015	3919	0.09	2239	1	65	100	3	9	8	11757	9518	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10973.2002	8734.200195	8734.200195	0.933333
1113	026	4316	0.1	2934	2	65	100	3	10	8	12948	10014	RM-1	40	form-based		true	true	0.7	9	0.899999976	7	7	12084.7998	9150.799805	9150.799805	0.933333
1114	002	3932	0.09	2605	1	65	100	3	9	8	11796	9191	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11009.59961	8404.599609	8404.599609	0.933333
1114	003	3974	0.09	2450	1	65	100	3	9	8	11922	9472	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11127.2002	8677.200195	8677.200195	0.933333
1114	016	5151	0.12	6480	4	65	100	3	12	8	15453	8973	RH-2	40	form-based		true	true	0.7	11	0.916666687	7	7	14422.7998	7942.799805	7942.799805	0.933333
1114	017	4481	0.1	2934	2	65	100	3	10	8	13443	10509	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12546.7998	9612.799805	9612.799805	0.933333
1114	018	4451	0.1	2934	2	65	100	3	10	8	13353	10419	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12462.7998	9528.799805	9528.799805	0.933333
1114	021	4496	0.1	3257	2	65	100	3	10	8	13488	10231	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12588.7998	9331.799805	9331.799805	0.933333
1114	024	4384	0.1	2934	2	65	100	3	10	8	13152	10218	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12275.2002	9341.200195	9341.200195	0.933333
1114	025	4141	0.1	2934	2	65	100	3	10	8	12423	9489	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	11594.7998	8660.799805	8660.799805	0.933333
1116	001	5319	0.12	5298	4	65	100	3	12	8	15957	10659	RM-2	40	form-based			true	0.7	11	0.916666687	7	7	14893.2002	9595.200195	9595.200195	0.933333
1116	006	3607	0.08	1561	1	65	100	3	8	7	10821	9260	RH-1	40	form-based			true	0.7	8	1	7	7	10099.59961	8538.599609	8538.599609	0.933333
1116	007	3697	0.08	1769	1	65	100	3	8	7	11091	9322	RH-1	40	form-based			true	0.7	8	1	7	7	10351.59961	8582.599609	8582.599609	0.933333
1116	008	3737	0.09	1561	1	65	100	3	9	8	11211	9650	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10463.59961	8902.599609	8902.599609	0.933333
1116	009	3951	0.09	1561	1	65	100	3	9	8	11853	10292	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11062.7998	9501.799805	9501.799805	0.933333
1116	010	3830	0.09	1561	1	65	100	3	9	8	11490	9929	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10724	9163	9163	0.933333
1116	011	3959	0.09	1861	1	65	100	3	9	8	11877	10016	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11085.2002	9224.200195	9224.200195	0.933333
1116	016	3738	0.09	2337	1	65	100	3	9	8	11214	8877	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10466.39941	8129.399414	8129.399414	0.933333
1116	017	3688	0.08	2362	1	65	100	3	8	7	11064	8702	RH-1	40	form-based			true	0.7	8	1	7	7	10326.39941	7964.399414	7964.399414	0.933333
1116	018	3934	0.09	2435	1	65	100	3	9	8	11802	9367	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11015.2002	8580.200195	8580.200195	0.933333
1116	019	3689	0.08	2362	1	65	100	3	8	7	11067	8705	RH-1	40	form-based			true	0.7	8	1	7	7	10329.2002	7967.200195	7967.200195	0.933333
1116	020	3625	0.08	2362	1	65	100	3	8	7	10875	8513	RH-1	40	form-based			true	0.7	8	1	7	7	10150	7788	7788	0.933333
1116	021	3941	0.09	1862	1	65	100	3	9	8	11823	9961	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11034.7998	9172.799805	9172.799805	0.933333
1116	022	3758	0.09	1988	1	65	100	3	9	8	11274	9286	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10522.39941	8534.399414	8534.399414	0.933333
1116	023	3817	0.09	2144	1	65	100	3	9	8	11451	9307	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10687.59961	8543.599609	8543.599609	0.933333
1116	024	3690	0.08	2000	1	65	100	3	8	7	11070	9070	RH-1	40	form-based			true	0.7	8	1	7	7	10332	8332	8332	0.933333
1116	025	3687	0.08	2362	1	65	100	3	8	7	11061	8699	RH-1	40	form-based			true	0.7	8	1	7	7	10323.59961	7961.599609	7961.599609	0.933333
1116	026	3766	0.09	2362	1	65	100	3	9	8	11298	8936	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10544.7998	8182.799805	8182.799805	0.933333
1116	027	3739	0.09	2754	1	65	100	3	9	8	11217	8463	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10469.2002	7715.200195	7715.200195	0.933333
1116	028	3699	0.08	2362	1	65	100	3	8	7	11097	8735	RH-1	40	form-based			true	0.7	8	1	7	7	10357.2002	7995.200195	7995.200195	0.933333
1116	029	5081	0.12	4636	4	65	100	3	12	8	15243	10607	RM-2	40	form-based		true	true	0.7	11	0.916666687	7	7	14226.7998	9590.799805	9590.799805	0.933333
1126	059	3094	0.07	2001	2	65	100	3	7	5	9282	7281	RM-3	50	form-based			true	0.75	9	1.285714269	7	7	11602.5	9601.5	9601.5	1.25
1129	031	2750	0.06	1218	1	65	100	3	6	5	8250	7032	RM-3	50	form-based			true	0.75	8	1.333333373	7	7	10312.5	9094.5	9094.5	1.25
1129	122	4110	0.09	3936	5	65	100	3	9	4	12330	8394	RM-3	50	form-based			true	0.75	12	1.333333373	7	7	15412.5	11476.5	11476.5	1.25
1131	004	3866	0.09	2000	1	65	100	3	9	8	11598	9598	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10824.7998	8824.799805	8824.799805	0.933333
1131	005	3602	0.08	1855	1	65	100	3	8	7	10806	8951	RH-1	40	form-based			true	0.7	8	1	7	7	10085.59961	8230.599609	8230.599609	0.933333
1133	009	3660	0.08	2028	1	65	100	3	8	7	10980	8952	RH-1	40	form-based		true	true	0.7	8	1	7	7	10248	8220	8220	0.933333
1142	078	4515	0.1	1747	2	55	80	2.5	8	6	11288	9541	RM-1	40	form-based			true	0.7	9	1.125	7	7	12642	10895	10895	1.11995
1150	008	3164	0.07	2800	0	55	80	2.5	6	6	7910	5110	RH-3	40	form-based		true	true	0.7	7	1.166666627	7	7	8859.200195	6059.200195	6059.200195	1.12
1152	013	3729	0.09	2498	1	55	80	2.5	7	6	9322	6824	RM-1	40	form-based			true	0.7	8	1.142857194	7	7	10441.2002	7943.200195	7943.200195	1.12006
1153	007A	5692	0.13	5265	9	55	80	2.5	10	1	14230	8965	RM-1	50	form-based			true	0.7	16	1.600000024	7	7	19922	14657	14657	1.4
1154	010	2967	0.07	2090	1	55	80	2.5	6	5	7418	5328	RM-1	50	form-based			true	0.7	8	1.333333373	7	7	10384.5	8294.5	8294.5	1.399906
1155	001	3097	0.07	2000	2	55	80	2.5	6	4	7742	5742	RM-1	50	form-based		true	true	0.7	9	1.5	7	7	10839.5	8839.5	8839.5	1.40009
1155	002	3816	0.09	3500	4	55	80	2.5	7	3	9540	6040	RM-1	50	form-based			true	0.7	11	1.571428537	7	7	13356	9856	9856	1.4
1155	012	3429	0.08	5250	3	55	80	2.5	6	3	8572	3322	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12001.5	6751.5	6751.5	1.400082
1155	027	6875	0.16	11952	12	55	80	2.5	13	1	17188	5236	RM-1	50	form-based			true	0.7	19	1.461538434	7	7	24062.5	12110.5	12110.5	1.399959
1155	032	3088	0.07	3800	2	55	80	2.5	6	4	7720	3920	RM-1	50	form-based			true	0.7	9	1.5	7	7	10808	7008	7008	1.4
1156	010	3429	0.08	4400	3	55	80	2.5	6	3	8572	4172	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12001.5	7601.5	7601.5	1.400082
1156	035	3645	0.08	1417	3	55	80	2.5	6	3	9112	7695	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12757.5	11340.5	11340.5	1.400077
1156	038	3365	0.08	2072	2	55	80	2.5	6	4	8412	6340	RM-1	50	form-based		true	true	0.7	9	1.5	7	7	11777.5	9705.5	9705.5	1.400083
1158	015	3429	0.08	4350	3	55	80	2.5	6	3	8572	4222	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12001.5	7651.5	7651.5	1.400082
1158	041	3429	0.08	1296	3	55	80	2.5	6	3	8572	7276	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12001.5	10705.5	10705.5	1.400082
1158	049	4187	0.1	1500	2	55	80	2.5	8	6	10468	8968	RH-3	40	form-based			true	0.7	9	1.125	7	7	11723.59961	10223.59961	10223.59961	1.119946
1158	053	3429	0.08	1695	3	55	80	2.5	6	3	8572	6877	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12001.5	10306.5	10306.5	1.400082
1159	010A	3516	0.08	4007	3	55	80	2.5	6	3	8790	4783	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12306	8299	8299	1.4
1159	013	3429	0.08	5145	3	55	80	2.5	6	3	8572	3427	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12001.5	6856.5	6856.5	1.400082
1159	027	3781	0.09	2180	1	55	80	2.5	7	6	9452	7272	RH-3	40	form-based			true	0.7	8	1.142857194	7	7	10586.7998	8406.799805	8406.799805	1.120059
1159	028	3781	0.09	4356	1	55	80	2.5	7	6	9452	5096	RH-3	40	form-based			true	0.7	8	1.142857194	7	7	10586.7998	6230.799805	6230.799805	1.120059
1159	040	3418	0.08	1888	3	55	80	2.5	6	3	8545	6657	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	11963	10075	10075	1.4
1160	010	3436	0.08	3440	3	55	80	2.5	6	3	8590	5150	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12026	8586	8586	1.4
1160	016	3429	0.08	3760	3	55	80	2.5	6	3	8572	4812	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12001.5	8241.5	8241.5	1.400082

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1160	025	2500	0.06	1453	2	55	80	2.5	5	3	6250	4797	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11250	9797	9797	1.8
1160	029	3438	0.08	14968	0	55	80	2.5	6	6	8595	0	RH-3	40	form-based			true	0.7	7	1.166666627	7	7	9626.399414	0	0	1.12
1160	030	3437	0.08	9800	0	55	80	2.5	6	6	8592	0	RH-3	40	form-based			true	0.7	7	1.166666627	7	7	9623.599609	0	0	1.120065
1160	039	2656	0.06	992	3	55	80	2.5	5	2	6640	5648	RTO-C	65	form-based			true	0.75	10	2	7	7	11952	10960	10960	1.8
1160	042	2656	0.06	992	3	55	80	2.5	5	2	6640	5648	RTO-C	65	form-based			true	0.75	10	2	7	7	11952	10960	10960	1.8
1166	019	3956	0.09	1600	1	55	80	2.5	7	6	9890	8290	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	11076.7998	9476.799805	9476.799805	1.12
1166	022	4211	0.1	2820	2	55	80	2.5	8	6	10528	7708	RH-2	40	form-based			true	0.7	9	1.125	7	7	11790.7998	8970.799805	8970.799805	1.119947
1167	028	4394	0.1	2500	2	55	80	2.5	8	6	10985	8485	RH-2	40	form-based			true	0.7	9	1.125	7	7	12303.2002	9803.200195	9803.200195	1.12
1168	027	4248	0.1	10800	15	55	80	2.5	8	0	10620	0	RTO-C	85	form-based	true		true	0.75	22	2.75	7	1	25488	14688	10440	2.4
1169	011	2458	0.06	6780	6	55	80	2.5	5	0	6145	0	RTO-C	85	form-based	true		true	0.75	13	2.599999905	7	4	14748	7968	5510	2.4
1174	002C	2180	0.05	3308	4	55	80	2.5	4	0	5450	2142	RTO-C	85	form-based			true	0.75	11	2.75	7	4	13080	9772	7592	2.4
1175	004	1856	0.04	3285	3	55	80	2.5	3	0	4640	1355	RTO-C	85	form-based			true	0.75	10	3.333333254	7	3	11136	7851	5995	2.4
1175	011	2028	0.05	847	4	55	80	2.5	4	0	5070	4223	RTO-C	85	form-based	true		true	0.75	11	2.75	7	4	12168	11321	9293	2.4
1175	015	1856	0.04	1046	3	55	80	2.5	3	0	4640	3594	RTO-C	85	form-based			true	0.75	10	3.333333254	7	3	11136	10090	8234	2.4
1176	032	3438	0.08	4950	3	55	80	2.5	6	3	8595	3645	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12033	7083	7083	1.4
1177	030	3437	0.08	5625	3	55	80	2.5	6	3	8592	2967	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	6404.5	6404.5	1.400082
1179	001B	2403	0.06	5427	6	55	80	2.5	5	0	6008	581	NCT-DIVIS.	85	form-based			true	0.75	13	2.599999905	7	4	14418	8991	6589	2.3998
1179	009	2875	0.07	3720	1	55	80	2.5	6	5	7188	3468	RM-1	50	form-based			true	0.7	8	1.333333373	7	7	10062.5	6342.5	6342.5	1.399903
1179	021	3437	0.08	3235	3	55	80	2.5	6	3	8592	5357	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	8794.5	8794.5	1.400082
1179	023	3438	0.08	3325	3	55	80	2.5	6	3	8595	5270	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12033	8708	8708	1.4
1180	026	3725	0.09	5298	3	55	80	2.5	7	4	9312	4014	RH-3	50	form-based			true	0.7	10	1.428571463	7	7	13037.5	7739.5	7739.5	1.400075
1181	016	2475	0.06	4800	6	55	80	2.5	5	0	6188	1388	NCT-DIVIS.	85	form-based			true	0.75	13	2.599999905	7	4	14850	10050	7576	2.399806
1182	066	3265	0.07	2829	2	55	80	2.5	6	4	8162	5333	RM-1	50	form-based			true	0.7	9	1.5	7	7	11427.5	8598.5	8598.5	1.400086
1183	035	7668	0.18	1079	9	55	80	2.5	14	5	19170	18091	RM-1	40	form-based	true		true	0.7	16	1.142857194	7	7	21470.40039	20391.40039	20391.40039	1.12
1186	013	2907	0.07	3860	4	55	80	2.5	6	2	7268	3408	RTO-C	65	form-based			true	0.75	11	1.833333373	7	7	13081.5	9221.5	9221.5	1.799876
1186	017	2343	0.05	3534	2	55	80	2.5	4	2	5858	2324	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10543.5	7009.5	7009.5	1.799846
1187	002B	2407	0.06	3110	2	55	80	2.5	5	3	6018	2908	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10831.5	7721.5	7721.5	1.79985
1187	002D	2407	0.06	3110	2	55	80	2.5	5	3	6018	2908	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10831.5	7721.5	7721.5	1.79985
1187	002E	2407	0.06	3110	2	55	80	2.5	5	3	6018	2908	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10831.5	7721.5	7721.5	1.79985
1187	003A	2276	0.05	3100	2	55	80	2.5	4	2	5690	2590	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10242	7142	7142	1.8
1187	003B	2276	0.05	3715	2	55	80	2.5	4	2	5690	1975	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10242	6527	6527	1.8
1187	035	2407	0.06	1411	2	55	80	2.5	5	3	6018	4607	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10831.5	9420.5	9420.5	1.79985
1187	037	2276	0.05	1544	2	55	80	2.5	4	2	5690	4146	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10242	8698	8698	1.8
1188	015	2500	0.06	5775	6	55	80	2.5	5	0	6250	475	RTO-C	85	form-based			true	0.75	13	2.599999905	7	4	15000	9225	6725	2.4
1189	007	4046	0.09	3150	1	55	80	2.5	7	6	10115	6965	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	11328.7998	8178.799805	8178.799805	1.12
1191	024	2500	0.06	5241	6	55	80	2.5	5	0	6250	1009	RTO-C	85	form-based			true	0.75	13	2.599999905	7	4	15000	9759	7259	2.4
1201	013	3459	0.08	2730	3	55	80	2.5	6	3	8648	5918	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12106.5	9376.5	9376.5	1.399919
1201	019	3464	0.08	5550	3	55	80	2.5	6	3	8660	3110	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12124	6574	6574	1.4
1201	021	2840	0.07	2715	1	55	80	2.5	6	5	7100	4385	RM-1	50	form-based			true	0.7	8	1.333333373	7	7	9940	7225	7225	1.4
1203	009	3437	0.08	5625	3	55	80	2.5	6	3	8592	2967	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	6404.5	6404.5	1.400082
1203	010	3438	0.08	5625	3	55	80	2.5	6	3	8595	2970	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12033	6408	6408	1.4
1203	014	3437	0.08	5700	3	55	80	2.5	6	3	8592	2892	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	6329.5	6329.5	1.400082
1203	045	3437	0.08	1263	3	55	80	2.5	6	3	8592	7329	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	10766.5	10766.5	1.400082
1204	014	3437	0.08	2655	3	55	80	2.5	6	3	8592	5937	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	9374.5	9374.5	1.400082
1204	033	3437	0.08	5625	3	55	80	2.5	6	3	8592	2967	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	6404.5	6404.5	1.400082
1204	035	3437	0.08	4863	3	55	80	2.5	6	3	8592	3729	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	7166.5	7166.5	1.400082
1204	036	3437	0.08	5355	3	55	80	2.5	6	3	8592	3237	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	6674.5	6674.5	1.400082
1204	037	3438	0.08	4340	3	55	80	2.5	6	3	8595	4255	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12033	7693	7693	1.4
1204	042	3438	0.08	1523	3	55	80	2.5	6	3	8595	7072	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12033	10510	10510	1.4
1205	018	6919	0.16	6196	8	55	80	2.5	13	5	17298	11102	RM-1	40	form-based			true	0.7	15	1.153846145	7	7	19373.19922	13177.19922	13177.19922	1.119968
1205	027	3437	0.08	6373	0	55	80	2.5	6	6	8592	2219	RH-3	40	form-based			true	0.7	7	1.166666627	7	7	9623.599609	3250.599609	3250.599609	1.120065
1211	008	3134	0.07	6102	0	55	80	2.5	6	6	7835	1733	RH-3	40	form-based	true		true	0.7	7	1.166666627	7	7	8775.200195	2673.200195	2673.200195	1.12
1213	010	3729	0.09	5355	7	55	80	2.5	7	0	9322	3967	RTO-C	65	form-based			true	0.75	14	2	7	7	16780.5	11425.5	11425.5	1.800097
1216	055	3440	0.08	758	3	55	80	2.5	6	3	8600	7842	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12040	11282	11282	1.4
1217	050	3412	0.08	1163	3	55	80	2.5	6	3	8530	7367	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	11942	10779	10779	1.4
1217	053	3437	0.08	1057	3	55	80	2.5	6	3	8592	7535	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	10972.5	10972.5	1.400082
1217	060	3438	0.08	1420	3	55	80	2.5	6	3	8595	7175	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12033	10613	10613	1.4
1218	015	3437	0.08	3600	3	55	80	2.5	6	3	8592	4992	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	8429.5	8429.5	1.400082
1218	016	3438	0.08	2986	3	55	80	2.5	6	3	8595	5609	RM-1	50	form-based			true	0.7	10	1.666666627	7	7	12033	9047	9047	1.4
1218	027	3450	0.08	4500	3	55	80	2.5	6	3	8625	4125	RM-2	50	form-based			true	0.7	10	1.666666627	7	7	12075	7575	7575	1.4
1220	003	5116	0.12	5100	4	55	80	2.5	10	6	12790	7690	RH-3	40	form-based			true	0.7	11	1.100000024	7	7	14324.7998	9224.799805	9224.799805	1.12
1220	030	4436	0.1	4500	2	55	80	2.5	8	6	11090	6590	RH-3	40	form-based			true	0.7	9	1.125	7	7	12420.7998	7920.799805	7920.799805	1.12
1228	008	5802	0.13	12630	15	55	80	2.5	10	0	14505	1875	RTO-C	65	form-based			true	0.75	22	2.200000048	7	5	26109	13479	13479	1.8
1228	011	3437	0.08	4665	3	55	80	2.5	6	3	8592	3927	RM-2	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	7364.5	7364.5	1.400082

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1228	012	3438	0.08	4665	3	55	80	2.5	6	3	8595	3930	RM-2	50	form-based			true	0.7	10	1.666666627	7	7	12033	7368	7368	1.4
1228	014	3437	0.08	4980	3	55	80	2.5	6	3	8592	3612	RM-2	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	7049.5	7049.5	1.400082
1228	021	3438	0.08	5536	3	55	80	2.5	6	3	8595	3059	RM-2	50	form-based			true	0.7	10	1.666666627	7	7	12033	6497	6497	1.4
1229	003	2685	0.06	2240	1	55	80	2.5	5	4	6712	4472	RH-3	50	form-based			true	0.7	8	1.600000024	7	7	9397.5	7157.5	7157.5	1.400104
1230	026	3450	0.08	5550	3	55	80	2.5	6	3	8625	3075	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12075	6525	6525	1.4
1230	028	3450	0.08	4260	3	55	80	2.5	6	3	8625	4365	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12075	7815	7815	1.4
1230	031	3449	0.08	2980	3	55	80	2.5	6	3	8622	5642	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12071.5	9091.5	9091.5	1.400081
1230	037	3449	0.08	1353	3	55	80	2.5	6	3	8622	7269	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12071.5	10718.5	10718.5	1.400081
1230	072	3449	0.08	1401	3	55	80	2.5	6	3	8622	7221	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12071.5	10670.5	10670.5	1.400081
1230	075	3450	0.08	1121	3	55	80	2.5	6	3	8625	7504	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12075	10954	10954	1.4
1231	006	2995	0.07	2730	1	55	80	2.5	6	5	7488	4758	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	10482.5	7752.5	7752.5	1.399907
1232	003A	6908	0.16	13800	12	55	80	2.5	13	1	17270	3470	RM-1	50	form-based			true	0.7	19	1.461538434	7	7	24178	10378	10378	1.4
1232	006	2500	0.06	3462	2	55	80	2.5	5	3	6250	2788	NCD-HAIG	65	form-based			true	0.75	9	1.799999952	7	7	11250	7788	7788	1.8
1233	019	3438	0.08	4410	6	55	80	2.5	6	0	8595	4185	NCD-HAIG	65	form-based			true	0.75	13	2.166666746	7	6	15471	11061	11061	1.8
1233	023	2344	0.05	5170	2	55	80	2.5	4	2	5860	690	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10548	5378	5378	1.8
1234	006	2496	0.06	2445	2	55	80	2.5	5	3	6240	3795	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11232	8787	8787	1.8
1234	008	2497	0.06	4750	2	55	80	2.5	5	3	6242	1492	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11236.5	6486.5	6486.5	1.800144
1234	042	3437	0.08	996	6	55	80	2.5	6	0	8592	7596	RTO-C	65	form-based			true	0.75	13	2.166666746	7	6	15466.5	14470.5	14470.5	1.800105
1235	006	2950	0.07	5810	1	55	80	2.5	6	5	7375	1565	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	10325	4515	4515	1.4
1235	014	5021	0.12	11850	12	55	80	2.5	10	0	12552	702	RTO-C	65	form-based			true	0.75	19	1.899999976	7	7	22594.5	10744.5	10744.5	1.800072
1235	024	6783	0.16	10014	12	55	80	2.5	13	1	16958	6944	RH-3	50	form-based			true	0.7	19	1.461538434	7	7	23740.5	13726.5	13726.5	1.399959
1235	031	2811	0.06	1875	1	55	80	2.5	5	4	7028	5153	RH-3	50	form-based			true	0.7	8	1.600000024	7	7	9838.5	7963.5	7963.5	1.3999
1236	014	3781	0.09	6825	7	55	80	2.5	7	0	9452	2627	RTO-C	65	form-based			true	0.75	14	2	7	7	17014.5	10189.5	10189.5	1.800095
1236	028	2750	0.06	1313	3	55	80	2.5	5	2	6875	5562	RTO-C	65	form-based			true	0.75	10	2	7	7	12375	11062	11062	1.8
1236	042	3352	0.08	1642	2	55	80	2.5	6	4	8380	6738	RH-3	50	form-based			true	0.7	9	1.5	7	7	11732	10090	10090	1.4
1237	010	2813	0.06	6295	4	55	80	2.5	5	1	7032	737	RTO-C	65	form-based			true	0.75	11	2.200000048	7	6	12658.5	6363.5	6363.5	1.800128
1237	021	2688	0.06	4770	1	55	80	2.5	5	4	6720	1950	RM-2	50	form-based			true	0.7	8	1.600000024	7	7	9408	4638	4638	1.4
1237	028	3781	0.09	4500	4	55	80	2.5	7	3	9452	4952	RM-1	50	form-based			true	0.7	11	1.571428537	7	7	13233.5	8733.5	8733.5	1.400074
1238	004	3422	0.08	2993	3	65	100	3	8	5	10266	7273	RH-3	50	form-based			true	0.7	10	1.25	7	7	11977	8984	8984	1.166667
1238	006	2484	0.06	2599	0	65	100	3	6	6	7452	4853	RH-3	50	form-based			true	0.7	7	1.166666627	7	7	8694	6095	6095	1.166667
1238	017	3482	0.08	5190	6	65	100	3	8	2	10446	5256	RTO-C	65	form-based			true	0.75	13	1.625	7	7	15669	10479	10479	1.5
1238	019	2545	0.06	5625	3	65	100	3	6	3	7635	2010	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11452.5	5827.5	5827.5	1.5
1238	033	3437	0.08	5175	3	65	100	3	8	5	10311	5136	RH-3	50	form-based			true	0.7	10	1.25	7	7	12029.5	6854.5	6854.5	1.166667
1238	040	3422	0.08	1429	3	65	100	3	8	5	10266	8837	RH-3	50	form-based			true	0.7	10	1.25	7	7	11977	10548	10548	1.166667
1239	027	2484	0.06	9365	6	65	100	3	6	0	7452	0	NCT-DIVIS.	85	form-based	true		true	0.75	13	2.166666746	7	6	14904	5539	5539	2
1239	030	5153	0.12	8520	12	65	100	3	12	0	15459	6939	RTO-C	65	form-based			true	0.75	19	1.583333373	7	7	23188.5	14668.5	14668.5	1.5
1240	001	1900	0.04	4875	3	65	100	3	4	1	5700	825	NCT-DIVIS.	85	form-based	true		true	0.75	10	2.5	7	5	11400	6525	6525	2
1240	015	2750	0.06	2490	1	55	80	2.5	5	4	6875	4385	RH-3	50	form-based			true	0.7	8	1.600000024	7	7	9625	7135	7135	1.4
1240	028	5156	0.12	7275	12	55	80	2.5	10	0	12890	5615	RTO-C	65	form-based			true	0.75	19	1.899999976	7	7	23202	15927	15927	1.8
1240	034	2750	0.06	3092	3	65	100	3	6	3	8250	5158	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	12375	9283	9283	1.5
1240	035	2750	0.06	3280	3	65	100	3	6	3	8250	4970	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	12375	9095	9095	1.5
1240	040	3125	0.07	1319	2	65	100	3	7	5	9375	8056	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	9618.5	9618.5	1.166667
1241	006	2867	0.07	2743	1	55	80	2.5	6	5	7168	4425	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	10034.5	7291.5	7291.5	1.399902
1241	009A	3313	0.08	5520	2	55	80	2.5	6	4	8282	2762	RH-3	50	form-based			true	0.7	9	1.5	7	7	11595.5	6075.5	6075.5	1.400084
1241	023	2400	0.06	1319	2	55	80	2.5	5	3	6000	4681	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10800	9481	9481	1.8
1243	004	2812	0.06	1567	1	55	80	2.5	5	4	7030	5463	RH-3	50	form-based			true	0.7	8	1.600000024	7	7	9842	8275	8275	1.4
1243	005	2813	0.06	1974	1	55	80	2.5	5	4	7032	5058	RH-3	50	form-based			true	0.7	8	1.600000024	7	7	9845.5	7871.5	7871.5	1.4001
1243	022	2500	0.06	4750	0	55	80	2.5	5	5	6250	1500	RH-3	50	form-based			true	0.7	7	1.399999976	7	7	8750	4000	4000	1.4
1243	023	3125	0.07	2875	2	55	80	2.5	6	4	7812	4937	RH-3	50	form-based			true	0.7	9	1.5	7	7	10937.5	8062.5	8062.5	1.40009
1243	024	2974	0.07	3210	1	55	80	2.5	6	5	7435	4225	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	10409	7199	7199	1.4
1243	027	2188	0.05	2498	1	55	80	2.5	4	3	5470	2972	NCD-HAIG	65	form-based			true	0.75	8	2	7	7	9846	7348	7348	1.8
1244	009	3575	0.08	3834	3	55	80	2.5	6	3	8938	5104	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12512.5	8678.5	8678.5	1.399922
1244	027	3414	0.08	4754	6	55	80	2.5	6	0	8535	3781	NCD-HAIG	65	form-based			true	0.75	13	2.166666746	7	6	15363	10609	10609	1.8
1244	040	3125	0.07	1213	2	55	80	2.5	6	4	7812	6599	RH-3	50	form-based			true	0.7	9	1.5	7	7	10937.5	9724.5	9724.5	1.40009
1244	045	3541	0.08	1544	3	55	80	2.5	6	3	8852	7308	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12393.5	10849.5	10849.5	1.400079
1245	001	5705	0.13	14910	14	55	80	2.5	10	0	14262	0	NCD-HAIG	65	form-based	true		true	0.75	21	2.099999905	7	6	25672.5	10762.5	10762.5	1.800063
1245	032	2441	0.06	4860	2	55	80	2.5	5	3	6102	1242	NCD-HAIG	65	form-based			true	0.75	9	1.799999952	7	7	10984.5	6124.5	6124.5	1.800148
1245	034	3437	0.08	434	3	55	80	2.5	6	3	8592	8158	RH-3	50	form-based			true	0.7	10	1.666666627	7	7	12029.5	11595.5	11595.5	1.400082
1246	019	3086	0.07	3300	2	65	100	3	7	5	9258	5958	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10801	7501	7501	1.166667
1246	032	3055	0.07	1755	2	65	100	3	7	5	9165	7410	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10692.5	8937.5	8937.5	1.166667
1247	016	3063	0.07	3000	2	65	100	3	7	5	9189	6189	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10720.5	7720.5	7720.5	1.166667
1247	062	3063	0.07	1500	2	65	100	3	7	5	9189	7689	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10720.5	9220.5	9220.5	1.166667
1249	008	3781	0.09	2430	4	65	100	3	9	5	11343	8913	RH-3	50	form-based			true	0.7	11	1.222222209	7	7	13233.5	10803.5	10803.5	1.166667
1250	004	3315	0.08	2920	2	65	100	3	8	6	9945	7025	RH-3	50	form-based			true	0.7	9	1.125	7	7	11602.5	8682.5	8682.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1250	008	2691	0.06	1708	1	65	100	3	6	5	8073	6365	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9418.5	7710.5	7710.5	1.166667
1250	033	3398	0.08	4500	3	65	100	3	8	5	10194	5694	RH-3	50	form-based			true	0.7	10	1.25	7	7	11893	7393	7393	1.166667
1250	047	3600	0.08	1279	7	65	100	3	8	1	10800	9521	NCD-HAIG	65	form-based			true	0.75	14	1.75	7	7	16200	14921	14921	1.5
1250	061	3437	0.08	1370	3	65	100	3	8	5	10311	8941	RH-3	50	form-based			true	0.7	10	1.25	7	7	12029.5	10659.5	10659.5	1.166667
1251	005	2724	0.06	2880	1	65	100	3	6	5	8172	5292	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9534	6654	6654	1.166667
1251	006	2723	0.06	1732	1	65	100	3	6	5	8169	6437	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9530.5	7798.5	7798.5	1.166667
1251	008	2831	0.06	2375	1	65	100	3	6	5	8493	6118	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9908.5	7533.5	7533.5	1.166667
1251	009	2830	0.06	2042	1	65	100	3	6	5	8490	6448	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9905	7863	7863	1.166667
1251	016	2750	0.06	1954	1	65	100	3	6	5	8250	6296	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9625	7671	7671	1.166667
1251	024	3085	0.07	3350	2	65	100	3	7	5	9255	5905	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10797.5	7447.5	7447.5	1.166667
1252	010	3049	0.07	3330	2	65	100	3	7	5	9147	5817	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10671.5	7341.5	7341.5	1.166667
1252	012	3052	0.07	2750	2	65	100	3	7	5	9156	6406	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10682	7932	7932	1.166667
1252	013	3196	0.07	3184	2	65	100	3	7	5	9588	6404	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11186	8002	8002	1.166667
1252	024	2750	0.06	1278	1	65	100	3	6	5	8250	6972	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9625	8347	8347	1.166667
1252	027	2750	0.06	2146	1	65	100	3	6	5	8250	6104	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9625	7479	7479	1.166667
1252	029	3125	0.07	2050	2	65	100	3	7	5	9375	7325	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	8887.5	8887.5	1.166667
1252	031	3125	0.07	3250	2	65	100	3	7	5	9375	6125	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	7687.5	7687.5	1.166667
1252	035	3125	0.07	2935	2	65	100	3	7	5	9375	6440	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	8002.5	8002.5	1.166667
1252	043	3125	0.07	2270	2	65	100	3	7	5	9375	7105	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	8667.5	8667.5	1.166667
1252	044	3125	0.07	3695	2	65	100	3	7	5	9375	5680	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	7242.5	7242.5	1.166667
1252	047	2375	0.05	2300	0	65	100	3	5	5	7125	4825	RH-3	50	form-based			true	0.7	7	1.399999976	7	7	8312.5	6012.5	6012.5	1.166667
1252	051	3423	0.08	1616	3	65	100	3	8	5	10269	8653	RH-3	50	form-based		true	true	0.7	10	1.25	7	7	11980.5	10364.5	10364.5	1.166667
1252	065	3125	0.07	3431	2	65	100	3	7	5	9375	5944	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	7506.5	7506.5	1.166667
1252	067	3062	0.07	1322	2	65	100	3	7	5	9186	7864	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10717	9395	9395	1.166667
1252	069	3128	0.07	1035	2	65	100	3	7	5	9384	8349	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10948	9913	9913	1.166667
1252	076	3056	0.07	2470	2	65	100	3	7	5	9168	6698	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10696	8226	8226	1.166667
1253	010	3076	0.07	3400	2	65	100	3	7	5	9228	5828	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10766	7366	7366	1.166667
1253	012	3074	0.07	4000	2	65	100	3	7	5	9222	5222	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10759	6759	6759	1.166667
1253	017	3069	0.07	2025	2	65	100	3	7	5	9207	7182	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10741.5	8716.5	8716.5	1.166667
1253	024	3019	0.07	3125	1	65	100	3	7	6	9057	5932	RH-3	50	form-based		true	true	0.7	8	1.142857194	7	7	10566.5	7441.5	7441.5	1.166667
1253	032	3047	0.07	2950	2	65	100	3	7	5	9141	6191	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10664.5	7714.5	7714.5	1.166667
1253	036	3047	0.07	4500	2	65	100	3	7	5	9141	4641	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10664.5	6164.5	6164.5	1.166667
1253	051	3047	0.07	1059	2	65	100	3	7	5	9141	8082	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10664.5	9605.5	9605.5	1.166667
1253	059	3047	0.07	1635	2	65	100	3	7	5	9141	7506	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10664.5	9029.5	9029.5	1.166667
1253	061	3047	0.07	1352	2	65	100	3	7	5	9141	7789	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10664.5	9312.5	9312.5	1.166667
1253	066	3073	0.07	1654	2	65	100	3	7	5	9219	7565	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10755.5	9101.5	9101.5	1.166667
1253	068	3080	0.07	1217	2	65	100	3	7	5	9240	8023	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10780	9563	9563	1.166667
1253	070	3047	0.07	1347	2	65	100	3	7	5	9141	7794	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10664.5	9317.5	9317.5	1.166667
1253	072	3081	0.07	1175	2	65	100	3	7	5	9243	8068	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10783.5	9608.5	9608.5	1.166667
1253	097	3068	0.07	2192	2	65	100	3	7	5	9204	7012	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10738	8546	8546	1.166667
1253	108	3077	0.07	5955	2	65	100	3	7	5	9231	3276	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10769.5	4814.5	4814.5	1.166667
1256	014	3717	0.09	3280	1	55	80	2.5	7	6	9292	6012	RH-3	40	form-based			true	0.7	8	1.142857194	7	7	10407.59961	7127.599609	7127.599609	1.12006
1256	035	3602	0.08	2350	1	55	80	2.5	6	5	9005	6655	RH-3	40	form-based			true	0.7	8	1.333333373	7	7	10085.59961	7735.599609	7735.599609	1.12
1256	036	3607	0.08	2660	1	55	80	2.5	6	5	9018	6358	RH-3	40	form-based			true	0.7	8	1.333333373	7	7	10099.59961	7439.599609	7439.599609	1.119938
1256	037	3611	0.08	2256	1	55	80	2.5	6	5	9028	6772	RH-3	40	form-based			true	0.7	8	1.333333373	7	7	10110.7998	7854.799805	7854.799805	1.119938
1256	038	3615	0.08	2320	1	55	80	2.5	6	5	9038	6718	RH-3	40	form-based			true	0.7	8	1.333333373	7	7	10122	7802	7802	1.119938
1256	047	3674	0.08	2225	1	55	80	2.5	6	5	9185	6960	RH-3	40	form-based			true	0.7	8	1.333333373	7	7	10287.2002	8062.200195	8062.200195	1.12
1261	010	2500	0.06	2805	0	65	100	3	6	6	7500	4695	RH-3	50	form-based			true	0.7	7	1.166666627	7	7	8750	5945	5945	1.166667
1261	041	3271	0.08	3246	2	65	100	3	8	6	9813	6567	RH-3	50	form-based			true	0.7	9	1.125	7	7	11448.5	8202.5	8202.5	1.166667
1262	007	3281	0.08	4650	2	65	100	3	8	6	9843	5193	RH-3	50	form-based			true	0.7	9	1.125	7	7	11483.5	6833.5	6833.5	1.166667
1262	017	3438	0.08	2220	3	65	100	3	8	5	10314	8094	RH-3	50	form-based			true	0.7	10	1.25	7	7	12033	9813	9813	1.166667
1262	026	3321	0.08	5698	5	65	100	3	8	3	9963	4265	RTO-C	65	form-based			true	0.75	12	1.5	7	7	14944.5	9246.5	9246.5	1.5
1262	033	3423	0.08	2620	3	65	100	3	8	5	10269	7649	RH-3	50	form-based			true	0.7	10	1.25	7	7	11980.5	9360.5	9360.5	1.166667
1262	035	3423	0.08	2990	3	65	100	3	8	5	10269	7279	RH-3	50	form-based			true	0.7	10	1.25	7	7	11980.5	8990.5	8990.5	1.166667
1262	041	3423	0.08	1061	3	65	100	3	8	5	10269	9208	RH-3	50	form-based			true	0.7	10	1.25	7	7	11980.5	10919.5	10919.5	1.166667
1262	055	2694	0.06	1395	3	65	100	3	6	3	8082	6687	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	12123	10728	10728	1.5
1262	058	2698	0.06	889	3	65	100	3	6	3	8094	7205	NC-1	65	form-based		true	true	0.75	10	1.666666627	7	7	12141	11252	11252	1.5
1265	004	2700	0.06	4860	3	65	100	3	6	3	8100	3240	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	12150	7290	7290	1.5
1265	017	2336	0.05	2350	2	65	100	3	5	3	7008	4658	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10512	8162	8162	1.5
1265	026	2647	0.06	4500	3	65	100	3	6	3	7941	3441	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11911.5	7411.5	7411.5	1.5
1265	032	2771	0.06	3564	3	65	100	3	6	3	8313	4749	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	12469.5	8905.5	8905.5	1.5
1265	033	2771	0.06	4752	3	65	100	3	6	3	8313	3561	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	12469.5	7717.5	7717.5	1.5
1265	049	2402	0.06	1474	2	85	140	4	8	6	9608	8134	RTO-C	65	form-based			true	0.75	9	1.125	7	7	10809	9335	9335	1.125
1266	008	2287	0.05	2650	2	85	140	4	7	5	9148	6498	RTO-C	65	form-based			true	0.75	9	1.285714269	7	7	10291.5	7641.5	7641.5	1.125

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1266	021	2638	0.06	5038	3	65	100	3	6	3	7914	2876	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11871	6833	6833	1.5
1266	022	2638	0.06	3750	3	65	100	3	6	3	7914	4164	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11871	8121	8121	1.5
1266	026	2519	0.06	2450	2	65	100	3	6	4	7557	5107	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11335.5	8885.5	8885.5	1.5
1266	037	2519	0.06	2667	2	65	100	3	6	4	7557	4890	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11335.5	8668.5	8668.5	1.5
1266	039	2429	0.06	2400	2	85	140	4	8	6	9716	7316	RTO-C	65	form-based			true	0.75	9	1.125	7	7	10930.5	8530.5	8530.5	1.125
1266	046	2688	0.06	1382	3	85	140	4	8	5	10752	9370	RTO-C	65	form-based			true	0.75	10	1.25	7	7	12096	10714	10714	1.125
1266	061	2519	0.06	1100	2	65	100	3	6	4	7557	6457	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11335.5	10235.5	10235.5	1.5
1267	008	2767	0.06	4220	3	85	140	4	8	5	11068	6848	RTO-C	65	form-based			true	0.75	10	1.25	7	7	12451.5	8231.5	8231.5	1.125
1267	016	3437	0.08	4875	6	65	100	3	8	2	10311	5436	RTO-C	65	form-based			true	0.75	13	1.625	7	7	15466.5	10591.5	10591.5	1.5
1267	039	3140	0.07	5325	5	65	100	3	7	2	9420	4095	RTO-C	65	form-based			true	0.75	12	1.714285731	7	7	14130	8805	8805	1.5
1267	044	3457	0.08	4800	3	65	100	3	8	5	10371	5571	RH-3	50	form-based			true	0.7	10	1.25	7	7	12099.5	7299.5	7299.5	1.166667
1267	057	3457	0.08	6000	3	65	100	3	8	5	10371	4371	RH-3	50	form-based			true	0.7	10	1.25	7	7	12099.5	6099.5	6099.5	1.166667
1267	061	3457	0.08	3150	3	65	100	3	8	5	10371	7221	RH-3	50	form-based			true	0.7	10	1.25	7	7	12099.5	8949.5	8949.5	1.166667
1267	067	3586	0.08	5716	3	65	100	3	8	5	10758	5042	RH-3	50	form-based		true	true	0.7	10	1.25	7	7	12551	6835	6835	1.166667
1267	072	3457	0.08	1494	3	65	100	3	8	5	10371	8877	RH-3	50	form-based			true	0.7	10	1.25	7	7	12099.5	10605.5	10605.5	1.166667
1268	053	3275	0.08	2020	2	85	140	4	11	9	13100	11080	RH-3	50	form-based			true	0.7	9	0.818181813	7	7	11462.5	9442.5	9442.5	0.875
1268	058	3440	0.08	2084	3	65	100	3	8	5	10320	8236	RH-3	50	form-based			true	0.7	10	1.25	7	7	12040	9956	9956	1.166667
1269	014	4641	0.11	2600	3	65	100	3	11	8	13923	11323	RH-3	40	form-based			true	0.7	10	0.909090936	7	7	12994.7998	10394.7998	10394.7998	0.933333
1269	028	3719	0.09	2450	1	65	100	3	9	8	11157	8707	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10413.2002	7963.200195	7963.200195	0.933333
1269	030	3719	0.09	5784	1	65	100	3	9	8	11157	5373	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10413.2002	4629.200195	4629.200195	0.933333
1269	164	5313	0.12	3228	4	65	100	3	12	8	15939	12711	RH-3	40	form-based			true	0.7	11	0.916666687	7	7	14876.39941	11648.39941	11648.39941	0.933333
1270	003	3800	0.09	2440	1	55	80	2.5	7	6	9500	7060	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10640	8200	8200	1.12
1270	022	5312	0.12	6030	4	65	100	3	12	8	15936	9906	RH-3	40	form-based			true	0.7	11	0.916666687	7	7	14873.59961	8843.599609	8843.599609	0.933333
1270	029	3825	0.09	4395	1	65	100	3	9	8	11475	7080	RH-3	40	form-based			true	0.7	8	0.888888896	7	7	10710	6315	6315	0.933333
1270	046	3600	0.08	1600	1	65	100	3	8	7	10800	9200	RH-2	40	form-based			true	0.7	8	1	7	7	10080	8480	8480	0.933333
1270	076	5000	0.11	1053	3	55	80	2.5	9	6	12500	11447	RH-2	40	form-based			true	0.7	10	1.111111164	7	7	14000	12947	12947	1.12
1270	079	6000	0.14	756	6	55	80	2.5	11	5	15000	14244	RH-2	40	form-based			true	0.7	13	1.181818128	7	7	16800	16044	16044	1.12
1271	009	2500	0.06	2150	2	65	100	3	6	4	7500	5350	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9100	9100	1.5
1271	063	3009	0.07	2040	1	85	140	4	10	9	12036	9996	RH-3	50	form-based			true	0.7	8	0.800000012	7	7	10531.5	8491.5	8491.5	0.875
1272	002	5000	0.11	12165	12	85	140	4	15	3	20000	7835	NCD-COLE	65	form-based			true	0.75	19	1.266666651	7	7	22500	10335	10335	1.125
1272	005	5000	0.11	13250	12	65	100	3	11	0	15000	1750	NCD-COLE	65	form-based	true		true	0.75	19	1.727272749	7	7	22500	9250	9250	1.5
1272	023	3450	0.08	4125	6	85	140	4	11	5	13800	9675	RTO-C	65	form-based			true	0.75	13	1.181818128	7	7	15525	11400	11400	1.125
1273	003	2500	0.06	1948	2	65	100	3	6	4	7500	5552	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9302	9302	1.5
1273	014B	2979	0.07	3600	4	65	100	3	7	3	8937	5337	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13405.5	9805.5	9805.5	1.5
1273	032	2500	0.06	1921	2	65	100	3	6	4	7500	5579	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9329	9329	1.5
1274	003	2688	0.06	3520	3	85	140	4	8	5	10752	7232	RTO-C	65	form-based			true	0.75	10	1.25	7	7	12096	8576	8576	1.125
1274	004	2687	0.06	3750	3	85	140	4	8	5	10748	6998	RTO-C	65	form-based			true	0.75	10	1.25	7	7	12091.5	8341.5	8341.5	1.125
1274	021	3069	0.07	6150	5	65	100	3	7	2	9207	3057	RTO-C	65	form-based		true	true	0.75	12	1.714285731	7	7	13810.5	7660.5	7660.5	1.5
1274	023	2513	0.06	2750	2	65	100	3	6	4	7539	4789	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11308.5	8558.5	8558.5	1.5
1274	024	2513	0.06	2900	2	65	100	3	6	4	7539	4639	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11308.5	8408.5	8408.5	1.5
1274	027	3450	0.08	4410	6	65	100	3	8	2	10350	5940	RTO-C	65	form-based			true	0.75	13	1.625	7	7	15525	11115	11115	1.5
1274	033	2513	0.06	2860	2	85	140	4	8	6	10052	7192	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11308.5	8448.5	8448.5	1.125
1274	061	2513	0.06	1567	2	85	140	4	8	6	10052	8485	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11308.5	9741.5	9741.5	1.125
1275	002	2497	0.06	2600	2	65	100	3	6	4	7491	4891	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11236.5	8636.5	8636.5	1.5
1275	009	3394	0.08	5100	6	65	100	3	8	2	10182	5082	RTO-C	65	form-based			true	0.75	13	1.625	7	7	15273	10173	10173	1.5
1275	062	2439	0.06	1071	2	65	100	3	6	4	7317	6246	RTO-C	65	form-based			true	0.75	9	1.5	7	7	10975.5	9904.5	9904.5	1.5
1275	064	2465	0.06	1073	2	65	100	3	6	4	7395	6322	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11092.5	10019.5	10019.5	1.5
1276	001A	2384	0.05	2600	2	65	100	3	5	3	7152	4552	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10728	8128	8128	1.5
1276	001B	2384	0.05	2760	2	65	100	3	5	3	7152	4392	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10728	7968	7968	1.5
1276	001E	2384	0.05	2600	2	65	100	3	5	3	7152	4552	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10728	8128	8128	1.5
1276	004	3125	0.07	2650	2	65	100	3	7	5	9375	6725	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	8287.5	8287.5	1.166667
1276	009	2696	0.06	2925	1	65	100	3	6	5	8088	5163	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9436	6511	6511	1.166667
1276	016	3009	0.07	2950	4	65	100	3	7	3	9027	6077	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13540.5	10590.5	10590.5	1.5
1276	030	3125	0.07	1500	2	65	100	3	7	5	9375	7875	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	9437.5	9437.5	1.166667
1277	001	5407	0.12	14620	13	65	100	3	12	0	16221	1601	RTO-C	65	form-based	true		true	0.75	20	1.666666627	7	7	24331.5	9711.5	9711.5	1.5
1277	001L	2518	0.06	3128	2	65	100	3	6	4	7554	4426	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11331	8203	8203	1.5
1277	001M	2518	0.06	3640	2	65	100	3	6	4	7554	3914	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11331	7691	7691	1.5
1277	008	2779	0.06	2040	1	65	100	3	6	5	8337	6297	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9726.5	7686.5	7686.5	1.166667
1277	009	2400	0.06	2275	0	65	100	3	6	6	7200	4925	RH-3	50	form-based		true	true	0.7	7	1.166666627	7	7	8400	6125	6125	1.166667
1277	010	3010	0.07	2056	1	65	100	3	7	6	9030	6974	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10535	8479	8479	1.166667
1277	011	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10500	8850	8850	1.166667
1277	015	3000	0.07	3364	1	65	100	3	7	6	9000	5636	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10500	7136	7136	1.166667
1278	007	2738	0.06	2416	1	65	100	3	6	5	8214	5798	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9583	7167	7167	1.166667
1278	028	3062	0.07	1250	2	65	100	3	7	5	9186	7936	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	10717	9467	9467	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1285	020	3178	0.07	1550	0	65	100	3	7	7	9534	7984	RH-2	40	form-based		true	true	0.7	7	1	7	7	8898.399414	7348.399414	7348.399414	0.933333
1286	013	3852	0.09	2500	1	55	80	2.5	7	6	9630	7130	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10785.59961	8285.599609	8285.599609	1.12
1286	015	3641	0.08	2990	1	55	80	2.5	6	5	9102	6112	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10194.7998	7204.799805	7204.799805	1.120062
1286	016	3590	0.08	2760	1	55	80	2.5	6	5	8975	6215	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10052	7292	7292	1.12
1289	020	3716	0.09	3000	1	55	80	2.5	7	6	9290	6290	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10404.7998	7404.799805	7404.799805	1.12
1289	021	3523	0.08	0	0	55	80	2.5	6	6	8808	8808	RH-1(D)	40	form-based			true	0.7	7	1.166666627	7	7	9864.399414	9864.399414	9864.399414	1.119936
1289	050	3638	0.08	1051	1	55	80	2.5	6	5	9095	8044	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10186.39941	9135.399414	9135.399414	1.12
1289	051	3932	0.09	2025	1	55	80	2.5	7	6	9830	7805	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	11009.59961	8984.599609	8984.599609	1.12
1289	052	3988	0.09	2510	1	55	80	2.5	7	6	9970	7460	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	11166.39941	8656.399414	8656.399414	1.12
1289	053	3735	0.09	1556	1	55	80	2.5	7	6	9338	7782	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10458	8902	8902	1.11994
1289	066	3758	0.09	2769	1	55	80	2.5	7	6	9395	6626	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10522.39941	7753.399414	7753.399414	1.12
1289	067	4006	0.09	2399	1	55	80	2.5	7	6	10015	7616	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11216.7998	8817.799805	8817.799805	1.12
1289	074	4481	0.1	1350	2	55	80	2.5	8	6	11202	9852	RH-2	40	form-based			true	0.7	9	1.125	7	7	12546.7998	11196.7998	11196.7998	1.12005
1290	011	3780	0.09	1520	1	55	80	2.5	7	6	9450	7930	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10584	9064	9064	1.12
1290	013	3787	0.09	4846	1	55	80	2.5	7	6	9468	4622	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10603.59961	5757.599609	5757.599609	1.119941
1293	016	4448	0.1	2592	2	55	80	2.5	8	6	11120	8528	RH-2	40	form-based			true	0.7	9	1.125	7	7	12454.39941	9862.399414	9862.399414	1.12
1312	005	3653	0.08	2716	1	55	80	2.5	6	5	9132	6416	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10228.39941	7512.399414	7512.399414	1.120061
1312	010	3753	0.09	3142	1	55	80	2.5	7	6	9382	6240	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10508.39941	7366.399414	7366.399414	1.12006
1312	014	3614	0.08	4408	1	55	80	2.5	6	5	9035	4627	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10119.2002	5711.200195	5711.200195	1.12
1312	016	3910	0.09	2838	1	55	80	2.5	7	6	9775	6937	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10948	8110	8110	1.12
1312	017	3999	0.09	5780	1	55	80	2.5	7	6	9998	4218	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11197.2002	5417.200195	5417.200195	1.119944
1330	006	3871	0.09	3355	1	55	80	2.5	7	6	9678	6323	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10838.7998	7483.799805	7483.799805	1.119942
1330	007	3674	0.08	2788	1	55	80	2.5	6	5	9185	6397	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10287.2002	7499.200195	7499.200195	1.12
1331	003	3626	0.08	2344	1	55	80	2.5	6	5	9065	6721	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10152.7998	7808.799805	7808.799805	1.12
1331	003A	3920	0.09	3000	1	55	80	2.5	7	6	9800	6800	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10976	7976	7976	1.12
1331	025	3581	0.08	2700	1	55	80	2.5	6	5	8952	6252	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10026.7998	7326.799805	7326.799805	1.120063
1331	026	3822	0.09	2698	1	55	80	2.5	7	6	9555	6857	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10701.59961	8003.599609	8003.599609	1.12
1331	027	3742	0.09	2706	1	55	80	2.5	7	6	9355	6649	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10477.59961	7771.599609	7771.599609	1.12
1331	028	3702	0.08	3189	1	55	80	2.5	6	5	9255	6066	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10365.59961	7176.599609	7176.599609	1.12
1331	029	4037	0.09	3306	1	55	80	2.5	7	6	10092	6786	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11303.59961	7997.599609	7997.599609	1.120055
1331	030	3702	0.08	2750	1	55	80	2.5	6	5	9255	6505	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10365.59961	7615.599609	7615.599609	1.12
1331	031	3763	0.09	2900	1	55	80	2.5	7	6	9408	6508	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10536.39941	7636.399414	7636.399414	1.11994
1331	032	3820	0.09	2680	1	55	80	2.5	7	6	9550	6870	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10696	8016	8016	1.12
1331	033	3929	0.09	2500	1	55	80	2.5	7	6	9822	7322	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11001.2002	8501.200195	8501.200195	1.120057
1331	034	3681	0.08	3245	1	55	80	2.5	6	5	9202	5957	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10306.7998	7061.799805	7061.799805	1.120061
1331	035	3615	0.08	2600	1	55	80	2.5	6	5	9038	6438	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10122	7522	7522	1.119938
1331	038	4045	0.09	3100	1	55	80	2.5	7	6	10112	7012	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11326	8226	8226	1.120055
1331	039	3815	0.09	3000	1	55	80	2.5	7	6	9538	6538	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10682	7682	7682	1.119941
1332	046	4378	0.1	1737	2	55	80	2.5	8	6	10945	9208	RH-1	40	form-based			true	0.7	9	1.125	7	7	12258.39941	10521.39941	10521.39941	1.12
1333	004	3798	0.09	3367	1	55	80	2.5	7	6	9495	6128	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10634.39941	7267.399414	7267.399414	1.12
1333	005	3798	0.09	2028	1	55	80	2.5	7	6	9495	7467	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10634.39941	8606.399414	8606.399414	1.12
1333	006	3798	0.09	2227	1	55	80	2.5	7	6	9495	7268	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10634.39941	8407.399414	8407.399414	1.12
1333	058	4050	0.09	1975	2	55	80	2.5	7	5	10125	8150	RM-1	40	form-based			true	0.7	9	1.285714269	7	7	11340	9365	9365	1.12
1334	009	4000	0.09	3400	1	55	80	2.5	7	6	10000	6600	RH-1(D)	40	form-based	true		true	0.7	8	1.142857194	7	7	11200	7800	7800	1.12
1334	016	3579	0.08	2804	1	55	80	2.5	6	5	8948	6144	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10021.2002	7217.200195	7217.200195	1.119937
1334	017	3579	0.08	3750	1	55	80	2.5	6	5	8948	5198	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10021.2002	6271.200195	6271.200195	1.119937
1334	018	3579	0.08	3122	1	55	80	2.5	6	5	8948	5826	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10021.2002	6899.200195	6899.200195	1.119937
1334	021	3579	0.08	1710	1	55	80	2.5	6	5	8948	7238	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10021.2002	8311.200195	8311.200195	1.119937
1334	022	3579	0.08	2190	1	55	80	2.5	6	5	8948	6758	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10021.2002	7831.200195	7831.200195	1.119937
1334	023	3579	0.08	3599	1	55	80	2.5	6	5	8948	5349	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10021.2002	6422.200195	6422.200195	1.119937
1334	024	3579	0.08	3194	1	55	80	2.5	6	5	8948	5754	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10021.2002	6827.200195	6827.200195	1.119937
1334	025	3579	0.08	3604	1	55	80	2.5	6	5	8948	5344	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10021.2002	6417.200195	6417.200195	1.119937
1334	026	3579	0.08	1296	1	55	80	2.5	6	5	8948	7652	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10021.2002	8725.200195	8725.200195	1.119937
1334	031	3967	0.09	2935	1	55	80	2.5	7	6	9918	6983	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11107.59961	8172.599609	8172.599609	1.119943
1334	032	6000	0.14	1626	6	55	80	2.5	11	5	15000	13374	RH-1(D)	40	form-based			true	0.7	13	1.181818128	7	7	16800	15174	15174	1.12
1335	002	3985	0.09	5182	1	55	80	2.5	7	6	9962	4780	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11158	5976	5976	1.120056
1335	003	3612	0.08	5300	1	55	80	2.5	6	5	9030	3730	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10113.59961	4813.599609	4813.599609	1.12
1336	010	3844	0.09	3603	1	55	80	2.5	7	6	9610	6007	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10763.2002	7160.200195	7160.200195	1.12
1336	014	3830	0.09	4694	1	55	80	2.5	7	6	9575	4881	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10724	6030	6030	1.12
1336	024	3598	0.08	2804	1	55	80	2.5	6	5	8995	6191	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10074.39941	7270.399414	7270.399414	1.12
1336	027	3968	0.09	4699	1	55	80	2.5	7	6	9920	5221	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11110.39941	6411.399414	6411.399414	1.12
1336	034	3838	0.09	3615	1	55	80	2.5	7	6	9595	5980	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10746.39941	7131.399414	7131.399414	1.12
1341	007A	4000	0.09	1924	1	55	80	2.5	7	6	10000	8076	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11200	9276	9276	1.12
1341	020	3684	0.08	2970	1	55	80	2.5	6	5	9210	6240	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10315.2002	7345.200195	7345.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1342	005	3699	0.08	4868	1	55	80	2.5	6	5	9248	4380	RH-1	40	form-based		true	true	0.7	8	1.333333373	7	7	10357.2002	5489.200195	5489.200195	1.119939
1343	001A	3826	0.09	2882	1	55	80	2.5	7	6	9565	6683	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10712.7998	7830.799805	7830.799805	1.12
1343	011	3825	0.09	4710	1	55	80	2.5	7	6	9562	4852	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10710	6000	6000	1.120059
1343	013	3768	0.09	3417	1	55	80	2.5	7	6	9420	6003	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10550.39941	7133.399414	7133.399414	1.12
1343	014	4500	0.1	2242	2	55	80	2.5	8	6	11250	9008	RH-1	40	form-based			true	0.7	9	1.125	7	7	12600	10358	10358	1.12
1352	002	3785	0.09	3484	1	55	80	2.5	7	6	9462	5978	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10598	7114	7114	1.120059
1352	003	3904	0.09	1950	1	55	80	2.5	7	6	9760	7810	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10931.2002	8981.200195	8981.200195	1.12
1352	015	3894	0.09	3410	1	55	80	2.5	7	6	9735	6325	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10903.2002	7493.200195	7493.200195	1.12
1352	025	3600	0.08	2410	1	55	80	2.5	6	5	9000	6590	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	7670	7670	1.12
1352	027A	4383	0.1	3959	2	55	80	2.5	8	6	10958	6999	RH-2	40	form-based			true	0.7	9	1.125	7	7	12272.39941	8313.399414	8313.399414	1.119949
1353	006	3641	0.08	5375	1	55	80	2.5	6	5	9102	3727	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10194.7998	4819.799805	4819.799805	1.120062
1353	007	3641	0.08	3120	1	55	80	2.5	6	5	9102	5982	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10194.7998	7074.799805	7074.799805	1.120062
1353	008	3641	0.08	2500	1	55	80	2.5	6	5	9102	6602	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10194.7998	7694.799805	7694.799805	1.120062
1353	009	3641	0.08	3754	1	55	80	2.5	6	5	9102	5348	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10194.7998	6440.799805	6440.799805	1.120062
1353	016A	3921	0.09	1600	1	55	80	2.5	7	6	9802	8202	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10978.7998	9378.799805	9378.799805	1.120057
1353	032	3840	0.09	4574	1	55	80	2.5	7	6	9600	5026	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10752	6178	6178	1.12
1353	034	3840	0.09	3128	1	55	80	2.5	7	6	9600	6472	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10752	7624	7624	1.12
1353	035	3840	0.09	2938	1	55	80	2.5	7	6	9600	6662	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10752	7814	7814	1.12
1353	036	3840	0.09	3192	1	55	80	2.5	7	6	9600	6408	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10752	7560	7560	1.12
1353	037	3960	0.09	3354	1	55	80	2.5	7	6	9900	6546	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11088	7734	7734	1.12
1353	038	3840	0.09	2756	1	55	80	2.5	7	6	9600	6844	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10752	7996	7996	1.12
1354	004	3750	0.09	4531	1	55	80	2.5	7	6	9375	4844	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10500	5969	5969	1.12
1354	007	3602	0.08	3224	1	55	80	2.5	6	5	9005	5781	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10085.59961	6861.599609	6861.599609	1.12
1354	013	3843	0.09	2382	1	55	80	2.5	7	6	9608	7226	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10760.39941	8378.399414	8378.399414	1.119942
1354	014	3843	0.09	3085	1	55	80	2.5	7	6	9608	6523	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10760.39941	7675.399414	7675.399414	1.119942
1354	015	3843	0.09	2678	1	55	80	2.5	7	6	9608	6930	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10760.39941	8082.399414	8082.399414	1.119942
1354	023	4203	0.1	2700	2	55	80	2.5	8	6	10508	7808	RH-1	40	form-based			true	0.7	9	1.125	7	7	11768.39941	9068.399414	9068.399414	1.119947
1361	023	1437	0.03	1960	1	55	80	2.5	2	1	3592	1632	RTO-C	85	form-based			true	0.75	8	4	7	3	8622	6662	5224	2.400334
1361	074	1851	0.04	4050	3	55	80	2.5	3	0	4628	578	RTO-C	85	form-based			true	0.75	10	3.333333254	7	3	11106	7056	5206	2.399741
1361	075	1972	0.05	4050	3	55	80	2.5	4	1	4930	880	RTO-C	85	form-based			true	0.75	10	2.5	7	5	11832	7782	5810	2.4
1362	014	4320	0.1	11472	16	55	80	2.5	8	0	10800	0	RTO-C	85	form-based	true		true	0.75	23	2.875	7	0	25920	14448	10128	2.4
1362	050	1986	0.05	3720	3	55	80	2.5	4	1	4965	1245	RTO-C	85	form-based			true	0.75	10	2.5	7	5	11916	8196	6210	2.4
1362	054	1996	0.05	4416	3	55	80	2.5	4	1	4990	574	RTO-C	85	form-based			true	0.75	10	2.5	7	5	11976	7560	5564	2.4
1364	018	1969	0.05	2955	3	55	80	2.5	4	1	4922	1967	NC-1	85	form-based			true	0.75	10	2.5	7	5	11814	8859	6889	2.400244
1365	004	3900	0.09	2445	1	55	80	2.5	7	6	9750	7305	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10920	8475	8475	1.12
1365	018	2488	0.06	5170	6	55	80	2.5	5	0	6220	1050	NC-1	85	form-based			true	0.75	13	2.599999905	7	4	14928	9758	7270	2.4
1366	024	2439	0.06	5756	6	55	80	2.5	5	0	6098	342	NC-1	85	form-based			true	0.75	13	2.599999905	7	4	14634	8878	6440	2.399803
1372	020	2439	0.06	5895	6	55	80	2.5	5	0	6098	203	RTO-C	85	form-based			true	0.75	13	2.599999905	7	4	14634	8739	6301	2.399803
1374	020D	2523	0.06	3450	2	55	80	2.5	5	3	6308	2858	RTO-C	65	form-based	true		true	0.75	9	1.799999952	7	7	11353.5	7903.5	7903.5	1.799857
1374	020E	2492	0.06	3040	2	55	80	2.5	5	3	6230	3190	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11214	8174	8174	1.8
1374	020H	2494	0.06	3450	2	55	80	2.5	5	3	6235	2785	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11223	7773	7773	1.8
1374	041	3750	0.09	2485	1	55	80	2.5	7	6	9375	6890	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10500	8015	8015	1.12
1374	051	2495	0.06	1366	2	55	80	2.5	5	3	6238	4872	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11227.5	9861.5	9861.5	1.799856
1374	053	2493	0.06	1725	2	55	80	2.5	5	3	6232	4507	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11218.5	9493.5	9493.5	1.800144
1375	020	2215	0.05	2040	1	55	80	2.5	4	3	5538	3498	RTO-C	65	form-based			true	0.75	8	2	7	7	9967.5	7927.5	7927.5	1.799837
1375	021	2215	0.05	3205	1	55	80	2.5	4	3	5538	2333	RTO-C	65	form-based			true	0.75	8	2	7	7	9967.5	6762.5	6762.5	1.799837
1375	022	2215	0.05	2382	1	55	80	2.5	4	3	5538	3156	RTO-C	65	form-based			true	0.75	8	2	7	7	9967.5	7585.5	7585.5	1.799837
1375	023	2166	0.05	2340	1	55	80	2.5	4	3	5415	3075	RTO-C	65	form-based	true		true	0.75	8	2	7	7	9747	7407	7407	1.8
1375	027	2185	0.05	3023	1	55	80	2.5	4	3	5462	2439	RTO-C	65	form-based	true		true	0.75	8	2	7	7	9832.5	6809.5	6809.5	1.800165
1375	028	2250	0.05	2136	1	55	80	2.5	4	3	5625	3489	RTO-C	65	form-based			true	0.75	8	2	7	7	10125	7989	7989	1.8
1375	029	2250	0.05	2136	1	55	80	2.5	4	3	5625	3489	RTO-C	65	form-based			true	0.75	8	2	7	7	10125	7989	7989	1.8
1375	030	2250	0.05	2136	1	55	80	2.5	4	3	5625	3489	RTO-C	65	form-based			true	0.75	8	2	7	7	10125	7989	7989	1.8
1376	019	2479	0.06	3370	2	55	80	2.5	5	3	6198	2828	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11155.5	7785.5	7785.5	1.799855
1376	020	2478	0.06	2380	2	55	80	2.5	5	3	6195	3815	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11151	8771	8771	1.8
1376	024	3963	0.09	7260	8	55	80	2.5	7	0	9908	2648	RTO-C	65	form-based	true		true	0.75	15	2.142857075	7	6	17833.5	10573.5	10573.5	1.799909
1377	021	2766	0.06	4240	3	55	80	2.5	5	2	6915	2675	RTO-C	65	form-based			true	0.75	10	2	7	7	12447	8207	8207	1.8
1377	036	3650	0.08	3819	1	55	80	2.5	6	5	9125	5306	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10220	6401	6401	1.12
1379	019	2359	0.05	2686	2	55	80	2.5	4	2	5898	3212	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10615.5	7929.5	7929.5	1.799847
1380	018	2628	0.06	5223	3	55	80	2.5	5	2	6570	1347	RTO-C	65	form-based			true	0.75	10	2	7	7	11826	6603	6603	1.8
1380	031A	3625	0.08	2956	1	55	80	2.5	6	5	9062	6106	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10150	7194	7194	1.120062
1381	018	2813	0.06	3250	4	55	80	2.5	5	1	7032	3782	RTO-C	65	form-based			true	0.75	11	2.200000048	7	6	12658.5	9408.5	9408.5	1.800128
1381	020	2466	0.06	2250	2	55	80	2.5	5	3	6165	3915	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11097	8847	8847	1.8
1381	020A	3452	0.08	7675	6	55	80	2.5	6	0	8630	955	NC-1	65	form-based	true		true	0.75	13	2.166666746	7	6	15534	7859	7859	1.8
1382	050	4962	0.11	10380	12	55	80	2.5	9	0	12405	2025	RTO-C	65	form-based			true	0.75	19	2.111111164	7	6	22329	11949	11949	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1383	023	2500	0.06	3178	2	55	80	2.5	5	3	6250	3072	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11250	8072	8072	1.8
1383	062	5000	0.11	956	3	55	80	2.5	9	6	12500	11544	RM-1	40	form-based			true	0.7	10	1.111111164	7	7	14000	13044	13044	1.12
1384	003	3774	0.09	3460	1	55	80	2.5	7	6	9435	5975	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10567.2002	7107.200195	7107.200195	1.12
1384	009C	2375	0.05	1836	2	55	80	2.5	4	2	5938	4102	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10687.5	8851.5	8851.5	1.799848
1384	009J	2383	0.05	3020	2	55	80	2.5	4	2	5958	2938	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10723.5	7703.5	7703.5	1.799849
1386	018	2492	0.06	4525	2	55	80	2.5	5	3	6230	1705	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11214	6689	6689	1.8
1387	022S	3718	0.09	2652	1	55	80	2.5	7	6	9295	6643	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10410.39941	7758.399414	7758.399414	1.12
1387	025	3708	0.09	5025	1	55	80	2.5	7	6	9270	4245	RM-1	40	form-based			true	0.7	8	1.142857194	7	7	10382.39941	5357.399414	5357.399414	1.12
1388	001	3746	0.09	2544	1	55	80	2.5	7	6	9365	6821	RH-1(D)	40	form-based	true		true	0.7	8	1.142857194	7	7	10488.7998	7944.799805	7944.799805	1.12
1388	016	3729	0.09	3930	1	55	80	2.5	7	6	9322	5392	RH-1	40	form-based	true		true	0.7	8	1.142857194	7	7	10441.2002	6511.200195	6511.200195	1.12006
1388	019	3997	0.09	2335	1	55	80	2.5	7	6	9992	7657	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11191.59961	8856.599609	8856.599609	1.120056
1388	020	3997	0.09	2790	1	55	80	2.5	7	6	9992	7202	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11191.59961	8401.599609	8401.599609	1.120056
1388	022	3809	0.09	2760	1	55	80	2.5	7	6	9522	6762	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10665.2002	7905.200195	7905.200195	1.120059
1388	035	3644	0.08	2754	1	55	80	2.5	6	5	9110	6356	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10203.2002	7449.200195	7449.200195	1.12
1388	045	3958	0.09	3442	1	55	80	2.5	7	6	9895	6453	RH-1(D)	40	form-based	true		true	0.7	8	1.142857194	7	7	11082.39941	7640.399414	7640.399414	1.12
1389	012	3821	0.09	2448	1	55	80	2.5	7	6	9552	7104	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10698.7998	8250.799805	8250.799805	1.120059
1389	013	3820	0.09	2410	1	55	80	2.5	7	6	9550	7140	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10696	8286	8286	1.12
1389	014	3820	0.09	2911	1	55	80	2.5	7	6	9550	6639	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10696	7785	7785	1.12
1389	015	3892	0.09	2360	1	55	80	2.5	7	6	9730	7370	RH-1	40	form-based	true		true	0.7	8	1.142857194	7	7	10897.59961	8537.599609	8537.599609	1.12
1391	015	3641	0.08	2568	1	55	80	2.5	6	5	9102	6534	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10194.7998	7626.799805	7626.799805	1.120062
1391	016	3641	0.08	1185	1	55	80	2.5	6	5	9102	7917	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10194.7998	9009.799805	9009.799805	1.120062
1391	017	3641	0.08	2048	1	55	80	2.5	6	5	9102	7054	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10194.7998	8146.799805	8146.799805	1.120062
1391	018	3641	0.08	2738	1	55	80	2.5	6	5	9102	6364	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10194.7998	7456.799805	7456.799805	1.120062
1391	019	3641	0.08	2620	1	55	80	2.5	6	5	9102	6482	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10194.7998	7574.799805	7574.799805	1.120062
1391	020	3641	0.08	2991	1	55	80	2.5	6	5	9102	6111	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10194.7998	7203.799805	7203.799805	1.120062
1392	014	3927	0.09	1402	1	55	80	2.5	7	6	9818	8416	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10995.59961	9593.599609	9593.599609	1.119943
1392	015	4018	0.09	2369	1	55	80	2.5	7	6	10045	7676	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11250.39941	8881.399414	8881.399414	1.12
1402	036	3120	0.07	2724	0	65	100	3	7	7	9360	6636	RH-2	40	form-based			true	0.7	7	1	7	7	8736	6012	6012	0.933333
1403	022	4094	0.09	1432	2	65	100	3	9	7	12282	10850	RH-2	40	form-based			true	0.7	9	1	7	7	11463.2002	10031.2002	10031.2002	0.933333
1403	023	4057	0.09	2169	2	65	100	3	9	7	12171	10002	RH-2	40	form-based			true	0.7	9	1	7	7	11359.59961	9190.599609	9190.599609	0.933333
1403	039	4438	0.1	2368	2	65	100	3	10	8	13314	10946	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12426.39941	10058.39941	10058.39941	0.933333
1405	025	2500	0.06	2234	2	65	100	3	6	4	7500	5266	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9016	9016	1.5
1405	026	2519	0.06	3577	2	65	100	3	6	4	7557	3980	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11335.5	7758.5	7758.5	1.5
1406	019	2504	0.06	2216	2	65	100	3	6	4	7512	5296	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11268	9052	9052	1.5
1406	020	2504	0.06	2520	2	65	100	3	6	4	7512	4992	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11268	8748	8748	1.5
1406	021	2504	0.06	2612	2	65	100	3	6	4	7512	4900	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11268	8656	8656	1.5
1406	023	2504	0.06	2612	2	65	100	3	6	4	7512	4900	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11268	8656	8656	1.5
1406	025	2504	0.06	3540	2	65	100	3	6	4	7512	3972	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11268	7728	7728	1.5
1406	036	3240	0.07	1134	0	65	100	3	7	7	9720	8586	RH-2	40	form-based			true	0.7	7	1	7	7	9072	7938	7938	0.933333
1406	048	3255	0.07	3312	5	65	100	3	7	2	9765	6453	RTO-C	65	form-based	true		true	0.75	12	1.714285731	7	7	14647.5	11335.5	11335.5	1.5
1407	001	3223	0.07	5401	5	65	100	3	7	2	9669	4268	RTO-C	65	form-based	true		true	0.75	12	1.714285731	7	7	14503.5	9102.5	9102.5	1.5
1407	018	2956	0.07	3244	4	65	100	3	7	3	8868	5624	NCD-OUTE	65	form-based			true	0.75	11	1.571428537	7	7	13302	10058	10058	1.5
1407	021	2960	0.07	4695	4	65	100	3	7	3	8880	4185	NCD-OUTE	65	form-based			true	0.75	11	1.571428537	7	7	13320	8625	8625	1.5
1407	043	2484	0.06	2990	2	65	100	3	6	4	7452	4462	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11178	8188	8188	1.5
1407	047	2486	0.06	2430	2	65	100	3	6	4	7458	5028	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11187	8757	8757	1.5
1407	048	2487	0.06	3376	2	65	100	3	6	4	7461	4085	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11191.5	7815.5	7815.5	1.5
1407	055	2485	0.06	2325	2	65	100	3	6	4	7455	5130	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11182.5	8857.5	8857.5	1.5
1408	017	2500	0.06	3155	2	65	100	3	6	4	7500	4345	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11250	8095	8095	1.5
1408	020	5509	0.13	12958	14	65	100	3	13	0	16527	3569	NCD-OUTE	65	form-based	true		true	0.75	21	1.615384579	7	7	24790.5	11832.5	11832.5	1.5
1408	037	3008	0.07	5410	4	65	100	3	7	3	9024	3614	RTO-C	65	form-based	true		true	0.75	11	1.571428537	7	7	13536	8126	8126	1.5
1408	055	2498	0.06	1864	2	65	100	3	6	4	7494	5630	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11241	9377	9377	1.5
1409	018A	2377	0.05	3100	2	65	100	3	5	3	7131	4031	NCD-OUTE	65	form-based	true		true	0.75	9	1.799999952	7	7	10696.5	7596.5	7596.5	1.5
1409	020	2500	0.06	2292	2	65	100	3	6	4	7500	5208	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11250	8958	8958	1.5
1409	026	3250	0.07	5120	5	65	100	3	7	2	9750	4630	NCD-OUTE	65	form-based	true		true	0.75	12	1.714285731	7	7	14625	9505	9505	1.5
1409	044	2483	0.06	2436	2	65	100	3	6	4	7449	5013	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11173.5	8737.5	8737.5	1.5
1409	045	2482	0.06	2464	2	65	100	3	6	4	7446	4982	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11169	8705	8705	1.5
1409	048	2478	0.06	2492	2	65	100	3	6	4	7434	4942	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11151	8659	8659	1.5
1410	038	2032	0.05	1975	1	65	100	3	5	4	6096	4121	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9144	7169	7169	1.5
1411	024	2375	0.05	1459	1	65	100	3	5	4	7125	5666	RH-2	65	form-based			true	0.7	8	1.600000024	7	7	9975	8516	8516	1.4
1411	026	2469	0.06	1968	2	65	100	3	6	4	7407	5439	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11110.5	9142.5	9142.5	1.5
1411	029	2958	0.07	4048	4	65	100	3	7	3	8874	4826	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13311	9263	9263	1.5
1412	001	2702	0.06	4960	3	65	100	3	6	3	8106	3146	RTO-C	65	form-based	true		true	0.75	10	1.666666627	7	7	12159	7199	7199	1.5
1412	004A	3636	0.08	1540	1	65	100	3	8	7	10908	9368	RH-2	40	form-based			true	0.7	8	1	7	7	10180.7998	8640.799805	8640.799805	0.933333
1412	016	2530	0.06	3013	2	65	100	3	6	4	7590	4577	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11385	8372	8372	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1412	020	2530	0.06	3552	2	65	100	3	6	4	7590	4038	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11385	7833	7833	1.5
1412	020A	3013	0.07	4910	4	65	100	3	7	3	9039	4129	NCD-OUTE	65	form-based		true	true	0.75	11	1.571428537	7	7	13558.5	8648.5	8648.5	1.5
1412	025	3032	0.07	4326	4	65	100	3	7	3	9096	4770	RTO-C	65	form-based		true	true	0.75	11	1.571428537	7	7	13644	9318	9318	1.5
1412	028	2700	0.06	3320	3	65	100	3	6	3	8100	4780	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	12150	8830	8830	1.5
1412	031	2250	0.05	1413	1	65	100	3	5	4	6750	5337	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10125	8712	8712	1.5
1413	019	2530	0.06	2484	2	65	100	3	6	4	7590	5106	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11385	8901	8901	1.5
1413	023	2530	0.06	2934	2	65	100	3	6	4	7590	4656	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11385	8451	8451	1.5
1413	039A	2500	0.06	3230	2	65	100	3	6	4	7500	4270	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8020	8020	1.5
1413	040	2500	0.06	3294	2	65	100	3	6	4	7500	4206	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	7956	7956	1.5
1413	041	2500	0.06	3294	2	65	100	3	6	4	7500	4206	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	7956	7956	1.5
1413	041A	2500	0.06	3927	2	65	100	3	6	4	7500	3573	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	7323	7323	1.5
1413	042	2500	0.06	3294	2	65	100	3	6	4	7500	4206	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	7956	7956	1.5
1414	001	1754	0.04	2000	0	55	80	2.5	3	3	4385	2385	RTO-C	65	form-based		true	true	0.75	7	2.333333254	7	6	7893	5893	5893	1.8
1414	040C	2375	0.05	2636	2	65	100	3	5	3	7125	4489	RTO-C	65	form-based		true	true	0.75	9	1.799999952	7	7	10687.5	8051.5	8051.5	1.5
1414	041	2500	0.06	1560	2	65	100	3	6	4	7500	5940	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9690	9690	1.5
1415	010	2515	0.06	3258	2	65	100	3	6	4	7545	4287	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11317.5	8059.5	8059.5	1.5
1415	026	2500	0.06	2960	2	65	100	3	6	4	7500	4540	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8290	8290	1.5
1415	027	2500	0.06	3000	2	65	100	3	6	4	7500	4500	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8250	8250	1.5
1415	030	1972	0.05	2999	0	65	100	3	5	5	5916	2917	NCD-OUTE	65	form-based			true	0.75	7	1.399999976	7	7	8874	5875	5875	1.5
1415	034	2537	0.06	1591	3	65	100	3	6	3	7611	6020	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11416.5	9825.5	9825.5	1.5
1416	040A	2402	0.06	2672	2	65	100	3	6	4	7206	4534	RTO-C	65	form-based			true	0.75	9	1.5	7	7	10809	8137	8137	1.5
1416	043	2402	0.06	3280	2	65	100	3	6	4	7206	3926	RTO-C	65	form-based			true	0.75	9	1.5	7	7	10809	7529	7529	1.5
1416	044	2402	0.06	2522	2	65	100	3	6	4	7206	4684	NC-1	65	form-based			true	0.75	9	1.5	7	7	10809	8287	8287	1.5
1416	045	2402	0.06	2764	2	65	100	3	6	4	7206	4442	NC-1	65	form-based			true	0.75	9	1.5	7	7	10809	8045	8045	1.5
1418	005	3949	0.09	3527	1	65	100	3	9	8	11847	8320	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11057.2002	7530.200195	7530.200195	0.933333
1418	022	2606	0.06	4152	3	65	100	3	6	3	7818	3666	NC-1	65	form-based			true	0.75	10	1.666666627	7	7	11727	7575	7575	1.5
1418	046	2250	0.05	1533	1	65	100	3	5	4	6750	5217	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10125	8592	8592	1.5
1418	047	2250	0.05	1891	1	65	100	3	5	4	6750	4859	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10125	8234	8234	1.5
1418	048	2500	0.06	1603	2	65	100	3	6	4	7500	5897	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9647	9647	1.5
1418	052	2500	0.06	1932	2	65	100	3	6	4	7500	5568	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9318	9318	1.5
1418	057	4631	0.11	1895	3	65	100	3	11	8	13893	11998	RH-2	40	form-based			true	0.7	10	0.909090936	7	7	12966.7998	11071.7998	11071.7998	0.933333
1419	001A	2315	0.05	3448	2	65	100	3	5	3	6945	3497	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10417.5	6969.5	6969.5	1.5
1419	004	3906	0.09	3160	1	65	100	3	9	8	11718	8558	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10936.7998	7776.799805	7776.799805	0.933333
1419	005	3906	0.09	4084	1	65	100	3	9	8	11718	7634	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10936.7998	6852.799805	6852.799805	0.933333
1419	006	3906	0.09	4256	1	65	100	3	9	8	11718	7462	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10936.7998	6680.799805	6680.799805	0.933333
1419	016	3255	0.07	3430	0	65	100	3	7	7	9765	6335	RH-2	40	form-based			true	0.7	7	1	7	7	9114	5684	5684	0.933333
1419	023	2500	0.06	3334	2	65	100	3	6	4	7500	4166	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	7916	7916	1.5
1419	025	2500	0.06	3262	2	65	100	3	6	4	7500	4238	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	7988	7988	1.5
1419	026	2500	0.06	2667	2	65	100	3	6	4	7500	4833	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8583	8583	1.5
1419	027	2552	0.06	3256	3	65	100	3	6	3	7656	4400	RTO-C	65	form-based		true	true	0.75	10	1.666666627	7	7	11484	8228	8228	1.5
1419	043	2315	0.05	1724	2	65	100	3	5	3	6945	5221	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10417.5	8693.5	8693.5	1.5
1419	047	2500	0.06	1626	2	65	100	3	6	4	7500	5874	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9624	9624	1.5
1421	015	2584	0.06	2575	3	65	100	3	6	3	7752	5177	NCD-INNE	65	form-based			true	0.75	10	1.666666627	7	7	11628	9053	9053	1.5
1422	015	3655	0.08	1566	1	65	100	3	8	7	10965	9399	RM-1	40	form-based			true	0.7	8	1	7	7	10234	8668	8668	0.933333
1423	014	3617	0.08	3390	1	65	100	3	8	7	10851	7461	RM-1	40	form-based			true	0.7	8	1	7	7	10127.59961	6737.599609	6737.599609	0.933333
1423	015	4121	0.09	3050	2	65	100	3	9	7	12363	9313	RM-1	40	form-based			true	0.7	9	1	7	7	11538.7998	8488.799805	8488.799805	0.933333
1423	021	3104	0.07	5390	5	65	100	3	7	2	9312	3922	NCD-INNE	65	form-based			true	0.75	12	1.714285731	7	7	13968	8578	8578	1.5
1423	044	2230	0.05	5400	5	55	80	2.5	4	0	5575	175	RTO-C	85	form-based		true	true	0.75	12	3	7	3	13380	7980	5750	2.4
1424	012	3627	0.08	2483	1	65	100	3	8	7	10881	8398	RM-1	40	form-based			true	0.7	8	1	7	7	10155.59961	7672.599609	7672.599609	0.933333
1424	018	2500	0.06	3000	2	65	100	3	6	4	7500	4500	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	8250	8250	1.5
1425	020	1970	0.05	2610	0	65	100	3	5	5	5910	3300	NCD-INNE	65	form-based			true	0.75	7	1.399999976	7	7	8865	6255	6255	1.5
1425	021	2808	0.06	4110	4	65	100	3	6	2	8424	4314	NCD-INNE	65	form-based			true	0.75	11	1.833333373	7	7	12636	8526	8526	1.5
1426	026	3335	0.08	10225	6	65	100	3	8	2	10005	0	NCD-INNE	65	form-based		true	true	0.75	13	1.625	7	7	15007.5	4782.5	4782.5	1.5
1428	023	2500	0.06	4375	2	65	100	3	6	4	7500	3125	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	6875	6875	1.5
1428	025	2500	0.06	2912	2	65	100	3	6	4	7500	4588	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	8338	8338	1.5
1429	020	2500	0.06	2540	2	65	100	3	6	4	7500	4960	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	8710	8710	1.5
1429	021	2500	0.06	2810	2	65	100	3	6	4	7500	4690	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	8440	8440	1.5
1431	019	2500	0.06	3020	2	65	100	3	6	4	7500	4480	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	8230	8230	1.5
1432	001	3268	0.08	8379	0	65	100	3	8	8	9804	1425	RM-2	40	form-based		true	true	0.7	7	0.875	7	7	9150.399414	771.3994141	771.3994141	0.933333
1432	016	2815	0.06	3026	4	65	100	3	6	2	8445	5419	NCD-INNE	65	form-based			true	0.75	11	1.833333373	7	7	12667.5	9641.5	9641.5	1.5
1432	020	2500	0.06	3180	2	65	100	3	6	4	7500	4320	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	8070	8070	1.5
1432	022	2063	0.05	3334	1	65	100	3	5	4	6189	2855	NCD-INNE	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	5949.5	5949.5	1.5
1432	023	2063	0.05	2273	1	65	100	3	5	4	6189	3916	NCD-INNE	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	7010.5	7010.5	1.5
1433	031	2063	0.05	1100	1	65	100	3	5	4	6189	5089	NCD-INNE	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	8183.5	8183.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1433	032	2063	0.05	1100	1	65	100	3	5	4	6189	5089	NCD-INNE	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	8183.5	8183.5	1.5
1433	033	2063	0.05	1100	1	65	100	3	5	4	6189	5089	NCD-INNE	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	8183.5	8183.5	1.5
1434	031	3231	0.07	1702	0	65	100	3	7	7	9693	7991	RM-1	40	form-based			true	0.7	7	1	7	7	9046.799805	7344.799805	7344.799805	0.933333
1434	038	3250	0.07	7310	5	65	100	3	7	2	9750	2440	NCD-INNE	65	form-based		true	true	0.75	12	1.714285731	7	7	14625	7315	7315	1.5
1434	040	2500	0.06	3090	2	65	100	3	6	4	7500	4410	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	8160	8160	1.5
1434	041	2500	0.06	2320	2	65	100	3	6	4	7500	5180	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	8930	8930	1.5
1434	044	2521	0.06	3776	2	65	100	3	6	4	7563	3787	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11344.5	7568.5	7568.5	1.5
1435	005	6055	0.14	7950	6	65	100	3	14	8	18165	10215	RM-1	40	form-based			true	0.7	13	0.928571403	7	7	16954	9004	9004	0.933333
1436	001	3276	0.08	6200	5	65	100	3	8	3	9828	3628	NCD-INNE	65	form-based		true	true	0.75	12	1.5	7	7	14742	8542	8542	1.5
1436	023	3250	0.07	4358	10	65	100	3	7	0	9750	5392	NCD-GEAR	85	form-based		true	true	0.75	17	2.428571463	7	4	19500	15142	15142	2
1436	041	2500	0.06	3275	2	65	100	3	6	4	7500	4225	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	7975	7975	1.5
1436	042	2500	0.06	3350	2	65	100	3	6	4	7500	4150	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	7900	7900	1.5
1436	043	2500	0.06	2850	2	65	100	3	6	4	7500	4650	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	8400	8400	1.5
1436	044	2500	0.06	2940	2	65	100	3	6	4	7500	4560	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	8310	8310	1.5
1436	045	2500	0.06	4485	2	65	100	3	6	4	7500	3015	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	6765	6765	1.5
1436	046	2500	0.06	2050	2	65	100	3	6	4	7500	5450	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	9200	9200	1.5
1437	001	3307	0.08	4984	5	65	100	3	8	3	9921	4937	NCD-INNE	65	form-based		true	true	0.75	12	1.5	7	7	14881.5	9897.5	9897.5	1.5
1437	042	2500	0.06	2880	2	65	100	3	6	4	7500	4620	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	8370	8370	1.5
1438	014	3000	0.07	597	0	65	100	3	7	7	9000	8403	NCD-GEAR	40	form-based			true	0.75	7	1	7	7	9000	8403	8403	1
1440	021	3250	0.07	5701	10	85	140	4	10	0	13000	7299	NCD-GEAR	85	form-based		true	true	0.75	17	1.700000048	7	7	19500	13799	13799	1.5
1440	035	2500	0.06	3695	2	65	100	3	6	4	7500	3805	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	7555	7555	1.5
1441	029	2625	0.06	3987	3	65	100	3	6	3	7875	3888	NCD-INNE	65	form-based			true	0.75	10	1.666666627	7	7	11812.5	7825.5	7825.5	1.5
1444	001	3260	0.07	4220	5	65	100	3	7	2	9780	5560	NCD-INNE	65	form-based		true	true	0.75	12	1.714285731	7	7	14670	10450	10450	1.5
1444	050	2500	0.06	3020	2	65	100	3	6	4	7500	4480	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11250	8230	8230	1.5
1446	050	2500	0.06	3070	2	65	100	3	6	4	7500	4430	NC-1	65	form-based			true	0.75	9	1.5	7	7	11250	8180	8180	1.5
1446	055	2500	0.06	1451	2	65	100	3	6	4	7500	6049	NC-1	65	form-based			true	0.75	9	1.5	7	7	11250	9799	9799	1.5
1447	045	2466	0.06	3500	2	65	100	3	6	4	7398	3898	NC-1	65	form-based			true	0.75	9	1.5	7	7	11097	7597	7597	1.5
1447	047	2466	0.06	2500	2	65	100	3	6	4	7398	4898	NC-1	65	form-based			true	0.75	9	1.5	7	7	11097	8597	8597	1.5
1448	039	1875	0.04	1595	0	65	100	3	4	4	5625	4030	NC-1	65	form-based			true	0.75	7	1.75	7	7	8437.5	6842.5	6842.5	1.5
1448	040	2500	0.06	2550	2	65	100	3	6	4	7500	4950	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8700	8700	1.5
1448	041	2500	0.06	3757	2	65	100	3	6	4	7500	3743	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	7493	7493	1.5
1450	041	2500	0.06	2900	2	65	100	3	6	4	7500	4600	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8350	8350	1.5
1452	043	2494	0.06	2700	2	65	100	3	6	4	7482	4782	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11223	8523	8523	1.5
1453	001A	2063	0.05	2200	1	65	100	3	5	4	6189	3989	NCD-OUTE	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	7083.5	7083.5	1.5
1453	001B	2063	0.05	2200	1	65	100	3	5	4	6189	3989	NCD-OUTE	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	7083.5	7083.5	1.5
1453	001C	2062	0.05	2519	1	65	100	3	5	4	6186	3667	NCD-OUTE	65	form-based			true	0.75	8	1.600000024	7	7	9279	6760	6760	1.5
1453	027	8973	0.21	8296	12	65	100	3	21	9	26919	18623	RM-1	40	form-based			true	0.7	19	0.90476191	7	7	25124.40039	16828.40039	16828.40039	0.933333
1453	041	2054	0.05	2200	1	65	100	3	5	4	6162	3962	NCD-OUTE	65	form-based			true	0.75	8	1.600000024	7	7	9243	7043	7043	1.5
1453	041B	2054	0.05	2200	1	65	100	3	5	4	6162	3962	NCD-OUTE	65	form-based			true	0.75	8	1.600000024	7	7	9243	7043	7043	1.5
1453	042	2491	0.06	2226	2	65	100	3	6	4	7473	5247	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11209.5	8983.5	8983.5	1.5
1454	022F	2413	0.06	5880	6	85	140	4	8	2	9652	3772	NCD-GEAR	85	form-based		true	true	0.75	13	1.625	7	7	14478	8598	8598	1.5
1454	035	2714	0.06	4642	3	65	100	3	6	3	8142	3500	NCD-OUTE	65	form-based			true	0.75	10	1.666666627	7	7	12213	7571	7571	1.5
1454	041	1837	0.04	3000	0	65	100	3	4	4	5511	2511	NCD-OUTE	65	form-based			true	0.75	7	1.75	7	7	8266.5	5266.5	5266.5	1.5
1455	033	2754	0.06	3839	3	65	100	3	6	3	8262	4423	NCD-OUTE	65	form-based			true	0.75	10	1.666666627	7	7	12393	8554	8554	1.5
1455	037	2506	0.06	3913	2	65	100	3	6	4	7518	3605	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11277	7364	7364	1.5
1456	046	2498	0.06	2000	2	65	100	3	6	4	7494	5494	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11241	9241	9241	1.5
1457	022	2567	0.06	5075	6	65	100	3	6	0	7701	2626	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	7	6	15402	10327	10327	2
1458	034	3468	0.08	7323	6	65	100	3	8	2	10404	3081	NCD-OUTE	65	form-based		true	true	0.75	13	1.625	7	7	15606	8283	8283	1.5
1460	004	3602	0.08	9240	12	65	100	3	8	0	10806	1566	RTO-C	85	form-based		true	true	0.75	19	2.375	7	4	21612	12372	12372	2
1462	007	3820	0.09	2770	1	65	100	3	9	8	11460	8690	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10696	7926	7926	0.933333
1462	044	2552	0.06	2735	3	65	100	3	6	3	7656	4921	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11484	8749	8749	1.5
1462	045	2552	0.06	3200	3	65	100	3	6	3	7656	4456	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11484	8284	8284	1.5
1462	046	2553	0.06	3712	3	65	100	3	6	3	7659	3947	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11488.5	7776.5	7776.5	1.5
1462	048	2554	0.06	2900	3	65	100	3	6	3	7662	4762	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11493	8593	8593	1.5
1462	064	2555	0.06	1444	3	65	100	3	6	3	7665	6221	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11497.5	10053.5	10053.5	1.5
1463	049	5078	0.12	10935	12	65	100	3	12	0	15234	4299	NC-1	65	form-based			true	0.75	19	1.583333373	7	7	22851	11916	11916	1.5
1464	001A	2455	0.06	2730	2	65	100	3	6	4	7365	4635	NC-1	65	form-based			true	0.75	9	1.5	7	7	11047.5	8317.5	8317.5	1.5
1467	001	2870	0.07	4830	4	65	100	3	7	3	8610	3780	RTO-C	65	form-based		true	true	0.75	11	1.571428537	7	7	12915	8085	8085	1.5
1467	003	2062	0.05	1470	1	65	100	3	5	4	6186	4716	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	7809	7809	1.5
1468	002	3793	0.09	4282	1	65	100	3	9	8	11379	7097	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10620.39941	6338.399414	6338.399414	0.933333
1468	003	3629	0.08	2775	1	65	100	3	8	7	10887	8112	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10161.2002	7386.200195	7386.200195	0.933333
1468	005	3620	0.08	2500	1	65	100	3	8	7	10860	8360	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10136	7636	7636	0.933333
1468	013	4046	0.09	2340	1	55	80	2.5	7	6	10115	7775	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11328.7998	8988.799805	8988.799805	1.12
1468	014	3846	0.09	2250	1	55	80	2.5	7	6	9615	7365	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10768.7998	8518.799805	8518.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1469	002	3657	0.08	3630	1	65	100	3	8	7	10971	7341	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10239.59961	6609.599609	6609.599609	0.933333
1469	003	3657	0.08	2900	1	65	100	3	8	7	10971	8071	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10239.59961	7339.599609	7339.599609	0.933333
1469	012	3593	0.08	2630	1	65	100	3	8	7	10779	8149	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10060.39941	7430.399414	7430.399414	0.933333
1469	013	3593	0.08	2400	1	65	100	3	8	7	10779	8379	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10060.39941	7660.399414	7660.399414	0.933333
1469A	003	3600	0.08	2978	1	65	100	3	8	7	10800	7822	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7102	7102	0.933333
1469A	014	4029	0.09	4264	1	55	80	2.5	7	6	10072	5808	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	11281.2002	7017.200195	7017.200195	1.120056
1469A	018	3653	0.08	3150	1	55	80	2.5	6	5	9132	5982	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10228.39941	7078.399414	7078.399414	1.120061
1469A	019	3834	0.09	4211	1	55	80	2.5	7	6	9585	5374	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10735.2002	6524.200195	6524.200195	1.12
1469A	020	3888	0.09	2460	1	55	80	2.5	7	6	9720	7260	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10886.39941	8426.399414	8426.399414	1.12
1470	019	2424	0.06	6189	6	55	80	2.5	5	0	6060	0	RTO-C	85	form-based		true	true	0.75	13	2.599999905	7	4	14544	8355	5931	2.4
1470	047	2250	0.05	1265	1	55	80	2.5	4	3	5625	4360	RTO-C	65	form-based			true	0.75	8	2	7	7	10125	8860	8860	1.8
1470	050	4000	0.09	3506	1	55	80	2.5	7	6	10000	6494	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	7694	7694	1.12
1470	051	4000	0.09	2700	1	55	80	2.5	7	6	10000	7300	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	8500	8500	1.12
1470	052	4000	0.09	2700	1	55	80	2.5	7	6	10000	7300	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	8500	8500	1.12
1470	061	2520	0.06	1224	2	55	80	2.5	5	3	6300	5076	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11340	10116	10116	1.8
1471	002	3600	0.08	1540	1	55	80	2.5	6	5	9000	7460	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10080	8540	8540	1.12
1471	004	3600	0.08	2352	1	55	80	2.5	6	5	9000	6648	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10080	7728	7728	1.12
1471	005	3600	0.08	2194	1	55	80	2.5	6	5	9000	6806	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10080	7886	7886	1.12
1471	006	3600	0.08	1950	1	55	80	2.5	6	5	9000	7050	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10080	8130	8130	1.12
1471	007	3600	0.08	1025	1	55	80	2.5	6	5	9000	7975	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10080	9055	9055	1.12
1471	008	3600	0.08	2135	1	55	80	2.5	6	5	9000	6865	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10080	7945	7945	1.12
1471	024	3874	0.09	1752	1	55	80	2.5	7	6	9685	7933	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10847.2002	9095.200195	9095.200195	1.12
1471	029	3632	0.08	1725	1	55	80	2.5	6	5	9080	7355	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10169.59961	8444.599609	8444.599609	1.12
1471	030	3632	0.08	1804	1	55	80	2.5	6	5	9080	7276	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10169.59961	8365.599609	8365.599609	1.12
1471	031	3632	0.08	1325	1	55	80	2.5	6	5	9080	7755	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10169.59961	8844.599609	8844.599609	1.12
1471	032	3632	0.08	1952	1	55	80	2.5	6	5	9080	7128	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10169.59961	8217.599609	8217.599609	1.12
1471	033	3632	0.08	1325	1	55	80	2.5	6	5	9080	7755	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10169.59961	8844.599609	8844.599609	1.12
1471	034	3632	0.08	1537	1	55	80	2.5	6	5	9080	7543	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10169.59961	8632.599609	8632.599609	1.12
1471	035	3632	0.08	1799	1	55	80	2.5	6	5	9080	7281	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10169.59961	8370.599609	8370.599609	1.12
1472	001A	2085	0.05	1865	1	55	80	2.5	4	3	5212	3347	RTO-C	65	form-based			true	0.75	8	2	7	7	9382.5	7517.5	7517.5	1.800173
1472	001C	2085	0.05	1695	1	55	80	2.5	4	3	5212	3517	RTO-C	65	form-based			true	0.75	8	2	7	7	9382.5	7687.5	7687.5	1.800173
1472	017	2012	0.05	1714	1	55	80	2.5	4	3	5030	3316	RTO-C	65	form-based			true	0.75	8	2	7	7	9054	7340	7340	1.8
1472	018	2012	0.05	1122	1	55	80	2.5	4	3	5030	3908	RTO-C	65	form-based			true	0.75	8	2	7	7	9054	7932	7932	1.8
1472	019	2012	0.05	1122	1	55	80	2.5	4	3	5030	3908	RTO-C	65	form-based			true	0.75	8	2	7	7	9054	7932	7932	1.8
1472	020	2209	0.05	1250	1	55	80	2.5	4	3	5522	4272	RTO-C	65	form-based		true	true	0.75	8	2	7	7	9940.5	8690.5	8690.5	1.800163
1472	025	3747	0.09	2517	1	55	80	2.5	7	6	9368	6851	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10491.59961	7974.599609	7974.599609	1.11994
1473	001A	2063	0.05	1300	1	55	80	2.5	4	3	5158	3858	RTO-C	65	form-based			true	0.75	8	2	7	7	9283.5	7983.5	7983.5	1.799826
1473	001B	2063	0.05	1300	1	55	80	2.5	4	3	5158	3858	RTO-C	65	form-based			true	0.75	8	2	7	7	9283.5	7983.5	7983.5	1.799826
1473	003	6574	0.15	15060	18	55	80	2.5	12	0	16435	1375	RTO-C	65	form-based		true	true	0.75	25	2.083333254	7	6	29583	14523	14523	1.8
1505	006	4268	0.1	3046	2	55	80	2.5	8	6	10670	7624	RH-2	40	form-based			true	0.7	9	1.125	7	7	11950.39941	8904.399414	8904.399414	1.12
1505	024	4446	0.1	4972	2	55	80	2.5	8	6	11115	6143	RH-2	40	form-based			true	0.7	9	1.125	7	7	12448.7998	7476.799805	7476.799805	1.12
1506	042	3586	0.08	1560	1	55	80	2.5	6	5	8965	7405	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8480.799805	8480.799805	1.12
1506	043	3586	0.08	2505	1	55	80	2.5	6	5	8965	6460	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	7535.799805	7535.799805	1.12
1508	025	1941	0.04	1650	3	65	100	3	4	1	5823	4173	RTO-C	85	form-based		true	true	0.75	10	2.5	7	5	11646	9996	9996	2
1508	027	2046	0.05	2684	4	65	100	3	5	1	6138	3454	RTO-C	85	form-based			true	0.75	11	2.200000048	7	6	12276	9592	9592	2
1511	042	1500	0.03	1160	1	65	100	3	3	2	4500	3340	NC-1	85	form-based			true	0.75	8	2.666666746	7	5	9000	7840	7840	2
1511	042A	1500	0.03	1652	1	65	100	3	3	2	4500	2848	NC-1	85	form-based			true	0.75	8	2.666666746	7	5	9000	7348	7348	2
1511	043	1500	0.03	1170	1	85	140	4	4	3	6000	4830	NC-1	85	form-based			true	0.75	8	2	7	7	9000	7830	7830	1.5
1515	010	3975	0.09	1728	1	65	100	3	9	8	11925	10197	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11130	9402	9402	0.933333
1515	051	4362	0.1	5217	2	65	100	3	10	8	13086	7869	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12213.59961	6996.599609	6996.599609	0.933333
1515	052	4260	0.1	4987	2	65	100	3	10	8	12780	7793	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	11928	6941	6941	0.933333
1517	024	4009	0.09	700	1	65	100	3	9	8	12027	11327	RM-1	40	form-based			true	0.7	8	0.888888896	7	7	11225.2002	10525.2002	10525.2002	0.933333
1517	042	4200	0.1	2544	2	65	100	3	10	8	12600	10056	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	11760	9216	9216	0.933333
1519	033	3923	0.09	1713	1	65	100	3	9	8	11769	10056	RM-1	40	form-based			true	0.7	8	0.888888896	7	7	10984.39941	9271.399414	9271.399414	0.933333
1519	034	3859	0.09	1690	1	65	100	3	9	8	11577	9887	RM-1	40	form-based			true	0.7	8	0.888888896	7	7	10805.2002	9115.200195	9115.200195	0.933333
1521	034	2487	0.06	5226	6	65	100	3	6	0	7461	2235	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	7	6	14922	9696	9696	2
1525	040B	3324	0.08	9050	10	85	140	4	11	1	13296	4246	NCD-GEAR	85	form-based		true	true	0.75	17	1.545454502	7	7	19944	10894	10894	1.5
1525	040D	1250	0.03	2000	0	85	140	4	4	4	5000	3000	NCD-GEAR	85	form-based			true	0.75	7	1.75	7	7	7500	5500	5500	1.5
1528	017	3125	0.07	1574	0	65	100	3	7	7	9375	7801	RH-2	40	form-based			true	0.7	7	1	7	7	8750	7176	7176	0.933333
1529	004	4117	0.09	3500	2	65	100	3	9	7	12351	8851	RM-1	40	form-based			true	0.7	9	1	7	7	11527.59961	8027.599609	8027.599609	0.933333
1529	041	3928	0.09	3284	1	65	100	3	9	8	11784	8500	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10998.39941	7714.399414	7714.399414	0.933333
1529	043	2167	0.05	4434	4	65	100	3	5	1	6501	2067	NCD-GEAR	85	form-based			true	0.75	11	2.200000048	7	6	13002	8568	8568	2
1529	046	1883	0.04	3180	3	65	100	3	4	1	5649	2469	NCD-GEAR	85	form-based			true	0.75	10	2.5	7	5	11298	8118	8118	2
1530	009B	3683	0.08	2194	1	65	100	3	8	7	11049	8855	RH-2	40	form-based			true	0.7	8	1	7	7	10312.39941	8118.399414	8118.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1530	012	4214	0.1	3000	2	65	100	3	10	8	12642	9642	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	11799.2002	8799.200195	8799.200195	0.933333
1534	001	3256	0.07	9839	10	65	100	3	7	0	9768	0	NCD-GEAR	85	form-based		true	true	0.75	17	2.428571463	7	4	19536	9697	9697	2
1538	040	6028	0.14	1825	6	65	100	3	14	8	18084	16259	RM-1	40	form-based			true	0.7	13	0.928571403	7	7	16878.40039	15053.40039	15053.40039	0.933333
1542	041	6082	0.14	7845	6	85	140	4	20	14	24328	16483	RH-3	40	form-based			true	0.7	13	0.649999976	7	7	17029.59961	9184.599609	9184.599609	0.7
1544	023	2505	0.06	2650	2	65	100	3	6	4	7515	4865	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11272.5	8622.5	8622.5	1.5
1545	021	2386	0.05	2030	2	65	100	3	5	3	7158	5128	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10737	8707	8707	1.5
1545	022	2387	0.05	2106	2	65	100	3	5	3	7161	5055	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10741.5	8635.5	8635.5	1.5
1545	024	2422	0.06	2250	2	65	100	3	6	4	7266	5016	RTO-C	65	form-based		true	true	0.75	9	1.5	7	7	10899	8649	8649	1.5
1545	025	2509	0.06	1400	2	65	100	3	6	4	7527	6127	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11290.5	9890.5	9890.5	1.5
1545	029	2398	0.06	2065	2	65	100	3	6	4	7194	5129	RTO-C	65	form-based			true	0.75	9	1.5	7	7	10791	8726	8726	1.5
1546	004	4074	0.09	2500	2	65	100	3	9	7	12222	9722	RH-2	40	form-based			true	0.7	9	1	7	7	11407.2002	8907.200195	8907.200195	0.933333
1546	007	4074	0.09	2500	2	65	100	3	9	7	12222	9722	RH-2	40	form-based			true	0.7	9	1	7	7	11407.2002	8907.200195	8907.200195	0.933333
1546	010B	3907	0.09	910	1	65	100	3	9	8	11721	10811	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10939.59961	10029.59961	10029.59961	0.933333
1546	012	3913	0.09	3210	1	65	100	3	9	8	11739	8529	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10956.39941	7746.399414	7746.399414	0.933333
1546	044	4185	0.1	1350	2	65	100	3	10	8	12555	11205	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	11718	10368	10368	0.933333
1547	021	2372	0.05	2200	2	65	100	3	5	3	7116	4916	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10674	8474	8474	1.5
1547	022	2372	0.05	2475	2	65	100	3	5	3	7116	4641	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10674	8199	8199	1.5
1547	028	2373	0.05	2450	2	65	100	3	5	3	7119	4669	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10678.5	8228.5	8228.5	1.5
1547	055	2372	0.05	1858	2	65	100	3	5	3	7116	5258	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10674	8816	8816	1.5
1548	021	2374	0.05	2910	2	65	100	3	5	3	7122	4212	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10683	7773	7773	1.5
1548	022	2376	0.05	2950	2	65	100	3	5	3	7128	4178	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10692	7742	7742	1.5
1548	025	2510	0.06	3180	2	65	100	3	6	4	7530	4350	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11295	8115	8115	1.5
1548	026	2510	0.06	2484	2	65	100	3	6	4	7530	5046	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11295	8811	8811	1.5
1548	030	2384	0.05	2210	2	65	100	3	5	3	7152	4942	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10728	8518	8518	1.5
1549	018	3198	0.07	4550	5	65	100	3	7	2	9594	5044	NCD-INNE	65	form-based		true	true	0.75	12	1.714285731	7	7	14391	9841	9841	1.5
1549	019	2513	0.06	3075	2	65	100	3	6	4	7539	4464	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11308.5	8233.5	8233.5	1.5
1549	020	2513	0.06	1500	2	65	100	3	6	4	7539	6039	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11308.5	9808.5	9808.5	1.5
1549	023	2513	0.06	2850	2	65	100	3	6	4	7539	4689	NCD-INNE	65	form-based			true	0.75	9	1.5	7	7	11308.5	8458.5	8458.5	1.5
1549	054	2993	0.07	911	4	65	100	3	7	3	8979	8068	NCD-INNE	65	form-based			true	0.75	11	1.571428537	7	7	13468.5	12557.5	12557.5	1.5
1550	024	2511	0.06	2692	2	65	100	3	6	4	7533	4841	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11299.5	8607.5	8607.5	1.5
1550	025	2511	0.06	1655	2	65	100	3	6	4	7533	5878	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11299.5	9644.5	9644.5	1.5
1551	023	2264	0.05	2720	1	65	100	3	5	4	6792	4072	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10188	7468	7468	1.5
1551	025	2114	0.05	1430	1	65	100	3	5	4	6342	4912	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9513	8083	8083	1.5
1552	030	4028	0.09	2970	1	65	100	3	9	8	12084	9114	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11278.39941	8308.399414	8308.399414	0.933333
1552	040	4028	0.09	2475	1	65	100	3	9	8	12084	9609	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11278.39941	8803.399414	8803.399414	0.933333
1552	046	2404	0.06	1650	2	65	100	3	6	4	7212	5562	RTO-C	65	form-based		true	true	0.75	9	1.5	7	7	10818	9168	9168	1.5
1553	004	4008	0.09	2770	1	65	100	3	9	8	12024	9254	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	8452.399414	8452.399414	0.933333
1553	005	4008	0.09	2825	1	65	100	3	9	8	12024	9199	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	8397.399414	8397.399414	0.933333
1553	006	4008	0.09	3810	1	65	100	3	9	8	12024	8214	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	7412.399414	7412.399414	0.933333
1553	007	4008	0.09	2280	1	65	100	3	9	8	12024	9744	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	8942.399414	8942.399414	0.933333
1553	008	4008	0.09	4225	1	65	100	3	9	8	12024	7799	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	6997.399414	6997.399414	0.933333
1553	009	4008	0.09	3025	1	65	100	3	9	8	12024	8999	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	8197.399414	8197.399414	0.933333
1553	010	4008	0.09	3462	1	65	100	3	9	8	12024	8562	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	7760.399414	7760.399414	0.933333
1553	011	4008	0.09	3190	1	65	100	3	9	8	12024	8834	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	8032.399414	8032.399414	0.933333
1553	012	4008	0.09	4904	1	65	100	3	9	8	12024	7120	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	6318.399414	6318.399414	0.933333
1553	013	4008	0.09	2865	1	65	100	3	9	8	12024	9159	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	8357.399414	8357.399414	0.933333
1553	014	4008	0.09	3343	1	65	100	3	9	8	12024	8681	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	7879.399414	7879.399414	0.933333
1553	015	4008	0.09	3355	1	65	100	3	9	8	12024	8669	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	7867.399414	7867.399414	0.933333
1553	024	2357	0.05	3215	2	65	100	3	5	3	7071	3856	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10606.5	7391.5	7391.5	1.5
1554	012A	2513	0.06	3130	2	65	100	3	6	4	7539	4409	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11308.5	8178.5	8178.5	1.5
1555	020	3583	0.08	1550	1	65	100	3	8	7	10749	9199	RH-2	40	form-based			true	0.7	8	1	7	7	10032.39941	8482.399414	8482.399414	0.933333
1555	024	2388	0.05	1725	2	65	100	3	5	3	7164	5439	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10746	9021	9021	1.5
1555	027	2125	0.05	2295	1	65	100	3	5	4	6375	4080	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9562.5	7267.5	7267.5	1.5
1555	028	2125	0.05	2500	1	65	100	3	5	4	6375	3875	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9562.5	7062.5	7062.5	1.5
1555	036	3600	0.08	3628	1	65	100	3	8	7	10800	7172	RH-2	40	form-based			true	0.7	8	1	7	7	10080	6452	6452	0.933333
1555	037	3600	0.08	4255	1	65	100	3	8	7	10800	6545	RH-2	40	form-based			true	0.7	8	1	7	7	10080	5825	5825	0.933333
1555	040	3600	0.08	3994	1	65	100	3	8	7	10800	6806	RH-2	40	form-based			true	0.7	8	1	7	7	10080	6086	6086	0.933333
1557	023	4548	0.1	4755	3	65	100	3	10	7	13644	8889	RH-2	40	form-based			true	0.7	10	1	7	7	12734.39941	7979.399414	7979.399414	0.933333
1558	018	3191	0.07	1750	0	65	100	3	7	7	9573	7823	RH-2	40	form-based			true	0.7	7	1	7	7	8934.799805	7184.799805	7184.799805	0.933333
1558	021	2458	0.06	3390	2	65	100	3	6	4	7374	3984	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11061	7671	7671	1.5
1558	022	2458	0.06	3230	2	65	100	3	6	4	7374	4144	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11061	7831	7831	1.5
1558	023	2458	0.06	3450	2	65	100	3	6	4	7374	3924	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11061	7611	7611	1.5
1558	060	2458	0.06	1379	2	65	100	3	6	4	7374	5995	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11061	9682	9682	1.5
1559	019	2063	0.05	2000	1	65	100	3	5	4	6189	4189	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	7283.5	7283.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1559	019A	2063	0.05	2097	1	65	100	3	5	4	6189	4092	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	7186.5	7186.5	1.5
1559	019B	2062	0.05	2000	1	65	100	3	5	4	6186	4186	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	7279	7279	1.5
1559	020	2459	0.06	2600	2	65	100	3	6	4	7377	4777	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11065.5	8465.5	8465.5	1.5
1559	022	2459	0.06	3500	2	65	100	3	6	4	7377	3877	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11065.5	7565.5	7565.5	1.5
1559	023B	2064	0.05	1990	1	65	100	3	5	4	6192	4202	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9288	7298	7298	1.5
1559	023C	2064	0.05	1990	1	65	100	3	5	4	6192	4202	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9288	7298	7298	1.5
1560	020	2459	0.06	3296	2	65	100	3	6	4	7377	4081	NC-1	65	form-based			true	0.75	9	1.5	7	7	11065.5	7769.5	7769.5	1.5
1560	022	2459	0.06	2680	2	65	100	3	6	4	7377	4697	NC-1	65	form-based			true	0.75	9	1.5	7	7	11065.5	8385.5	8385.5	1.5
1560	025	1963	0.05	4021	0	55	80	2.5	4	4	4908	887	NC-1	65	form-based		true	true	0.75	7	1.75	7	7	8833.5	4812.5	4812.5	1.799817
1560	025A	2100	0.05	2140	1	65	100	3	5	4	6300	4160	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9450	7310	7310	1.5
1560	026	2100	0.05	2140	1	65	100	3	5	4	6300	4160	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9450	7310	7310	1.5
1560	026A	2100	0.05	2140	1	65	100	3	5	4	6300	4160	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9450	7310	7310	1.5
1561	017	2014	0.05	2100	1	65	100	3	5	4	6042	3942	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9063	6963	6963	1.5
1561	017A	2014	0.05	2156	1	55	80	2.5	4	3	5035	2879	RTO-C	65	form-based			true	0.75	8	2	7	7	9063	6907	6907	1.8
1561	017B	2014	0.05	2671	1	55	80	2.5	4	3	5035	2364	RTO-C	65	form-based			true	0.75	8	2	7	7	9063	6392	6392	1.8
1561	020	1930	0.04	2098	0	55	80	2.5	3	3	4825	2727	RTO-C	65	form-based		true	true	0.75	7	2.333333254	7	6	8685	6587	6587	1.8
1561	022	2063	0.05	2394	1	65	100	3	5	4	6189	3795	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	6889.5	6889.5	1.5
1561	022A	2063	0.05	1886	1	65	100	3	5	4	6189	4303	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	7397.5	7397.5	1.5
1562	018	2063	0.05	2668	1	65	100	3	5	4	6189	3521	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	6615.5	6615.5	1.5
1562	018A	2063	0.05	1870	1	65	100	3	5	4	6189	4319	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	7413.5	7413.5	1.5
1562	021	2460	0.06	2427	2	65	100	3	6	4	7380	4953	NC-1	65	form-based			true	0.75	9	1.5	7	7	11070	8643	8643	1.5
1562	022	2460	0.06	3300	2	65	100	3	6	4	7380	4080	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11070	7770	7770	1.5
1562	023	2460	0.06	2410	2	65	100	3	6	4	7380	4970	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11070	8660	8660	1.5
1563	015	2460	0.06	2200	2	65	100	3	6	4	7380	5180	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11070	8870	8870	1.5
1563	016	2460	0.06	3090	2	65	100	3	6	4	7380	4290	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11070	7980	7980	1.5
1563	017	2460	0.06	4124	2	65	100	3	6	4	7380	3256	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11070	6946	6946	1.5
1563	018	2460	0.06	4124	2	65	100	3	6	4	7380	3256	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11070	6946	6946	1.5
1563	020	2461	0.06	4124	2	65	100	3	6	4	7383	3259	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11074.5	6950.5	6950.5	1.5
1563	021	2461	0.06	3140	2	65	100	3	6	4	7383	4243	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11074.5	7934.5	7934.5	1.5
1564	017	3059	0.07	5446	4	65	100	3	7	3	9177	3731	NC-1	65	form-based		true	true	0.75	11	1.571428537	7	7	13765.5	8319.5	8319.5	1.5
1564	018	2461	0.06	2670	2	65	100	3	6	4	7383	4713	NC-1	65	form-based			true	0.75	9	1.5	7	7	11074.5	8404.5	8404.5	1.5
1564	020	2461	0.06	3108	2	65	100	3	6	4	7383	4275	NC-1	65	form-based			true	0.75	9	1.5	7	7	11074.5	7966.5	7966.5	1.5
1564	024	2083	0.05	1230	1	65	100	3	5	4	6249	5019	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9373.5	8143.5	8143.5	1.5
1564	025	2083	0.05	1999	1	65	100	3	5	4	6249	4250	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9373.5	7374.5	7374.5	1.5
1564	025A	2083	0.05	1230	1	65	100	3	5	4	6249	5019	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9373.5	8143.5	8143.5	1.5
1564	051	2461	0.06	1013	2	65	100	3	6	4	7383	6370	NC-1	65	form-based			true	0.75	9	1.5	7	7	11074.5	10061.5	10061.5	1.5
1566	023	2793	0.06	3846	3	65	100	3	6	3	8379	4533	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	12568.5	8722.5	8722.5	1.5
1566	024	2621	0.06	3340	3	65	100	3	6	3	7863	4523	RTO-C	65	form-based		true	true	0.75	10	1.666666627	7	7	11794.5	8454.5	8454.5	1.5
1568	006	3818	0.09	2251	1	65	100	3	9	8	11454	9203	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10690.39941	8439.399414	8439.399414	0.933333
1568	009	4229	0.1	5050	2	65	100	3	10	8	12687	7637	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	11841.2002	6791.200195	6791.200195	0.933333
1568	012A	2338	0.05	1850	2	65	100	3	5	3	7014	5164	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10521	8671	8671	1.5
1568	013	2463	0.06	2950	2	65	100	3	6	4	7389	4439	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11083.5	8133.5	8133.5	1.5
1568	014C	2241	0.05	1125	1	65	100	3	5	4	6723	5598	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10084.5	8959.5	8959.5	1.5
1568	014D	2241	0.05	1125	1	65	100	3	5	4	6723	5598	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10084.5	8959.5	8959.5	1.5
1568	017	3589	0.08	1525	1	65	100	3	8	7	10767	9242	RH-2	40	form-based			true	0.7	8	1	7	7	10049.2002	8524.200195	8524.200195	0.933333
1568	019	3589	0.08	1952	1	65	100	3	8	7	10767	8815	RH-2	40	form-based			true	0.7	8	1	7	7	10049.2002	8097.200195	8097.200195	0.933333
1568	027	4404	0.1	5811	2	65	100	3	10	8	13212	7401	RM-1	40	form-based			true	0.7	9	0.899999976	7	7	12331.2002	6520.200195	6520.200195	0.933333
1568	028	4403	0.1	4880	2	65	100	3	10	8	13209	8329	RM-1	40	form-based			true	0.7	9	0.899999976	7	7	12328.39941	7448.399414	7448.399414	0.933333
1569	003	3573	0.08	1225	1	65	100	3	8	7	10719	9494	RH-2	40	form-based			true	0.7	8	1	7	7	10004.39941	8779.399414	8779.399414	0.933333
1569	013	4265	0.1	3538	2	65	100	3	10	8	12795	9257	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	11942	8404	8404	0.933333
1569	016	2978	0.07	3500	4	65	100	3	7	3	8934	5434	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13401	9901	9901	1.5
1570	005	3600	0.08	1800	1	65	100	3	8	7	10800	9000	RH-2	40	form-based			true	0.7	8	1	7	7	10080	8280	8280	0.933333
1570	006	3600	0.08	1428	1	65	100	3	8	7	10800	9372	RH-2	40	form-based			true	0.7	8	1	7	7	10080	8652	8652	0.933333
1570	015A	3586	0.08	2560	1	65	100	3	8	7	10758	8198	RH-2	40	form-based			true	0.7	8	1	7	7	10040.7998	7480.799805	7480.799805	0.933333
1570	018A	3797	0.09	3080	1	65	100	3	9	8	11391	8311	RM-1	40	form-based		true	true	0.7	8	0.888888896	7	7	10631.59961	7551.599609	7551.599609	0.933333
1571	005A	2054	0.05	900	1	65	100	3	5	4	6162	5262	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9243	8343	8343	1.5
1571	005B	2054	0.05	1110	1	65	100	3	5	4	6162	5052	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9243	8133	8133	1.5
1571	005C	2054	0.05	1125	1	65	100	3	5	4	6162	5037	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9243	8118	8118	1.5
1572	010A	3617	0.08	1476	1	65	100	3	8	7	10851	9375	RH-2	40	form-based			true	0.7	8	1	7	7	10127.59961	8651.599609	8651.599609	0.933333
1576	007	3215	0.07	4466	5	65	100	3	7	2	9645	5179	NCD-OUTE	65	form-based		true	true	0.75	12	1.714285731	7	7	14467.5	10001.5	10001.5	1.5
1576	014	2466	0.06	1700	2	65	100	3	6	4	7398	5698	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11097	9397	9397	1.5
1576	020	2466	0.06	4577	2	65	100	3	6	4	7398	2821	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11097	6520	6520	1.5
1576	021	2466	0.06	4697	2	65	100	3	6	4	7398	2701	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11097	6400	6400	1.5
1577	013C	2466	0.06	2610	2	65	100	3	6	4	7398	4788	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11097	8487	8487	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1577	013D	2466	0.06	2580	2	65	100	3	6	4	7398	4818	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11097	8517	8517	1.5
1577	013E	2466	0.06	9351	2	65	100	3	6	4	7398	0	NCD-OUTE	65	form-based			true	0.75	9	1.5	7	7	11097	1746	1746	1.5
1577	013I	2063	0.05	1575	1	65	100	3	5	4	6189	4614	NCD- OUTI	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	7708.5	7708.5	1.5
1578	014C	2467	0.06	2332	2	55	80	2.5	5	3	6168	3836	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	7	7	11101.5	8769.5	8769.5	1.799854
1580	005A	1865	0.04	2250	0	55	80	2.5	3	3	4662	2412	NCD-OUTE	65	form-based			true	0.75	7	2.333333254	7	6	8392.5	6142.5	6142.5	1.800193
1580	005B	1862	0.04	1750	0	55	80	2.5	3	3	4655	2905	NCD-OUTE	65	form-based			true	0.75	7	2.333333254	7	6	8379	6629	6629	1.8
1581	017	3586	0.08	1300	1	55	80	2.5	6	5	8965	7665	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8740.799805	8740.799805	1.12
1581	018	3586	0.08	1865	1	55	80	2.5	6	5	8965	7100	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8175.799805	8175.799805	1.12
1581	019	3586	0.08	1615	1	55	80	2.5	6	5	8965	7350	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8425.799805	8425.799805	1.12
1581	020	3586	0.08	1515	1	55	80	2.5	6	5	8965	7450	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8525.799805	8525.799805	1.12
1581	021	3586	0.08	1315	1	55	80	2.5	6	5	8965	7650	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8725.799805	8725.799805	1.12
1581	022	3586	0.08	1702	1	55	80	2.5	6	5	8965	7263	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8338.799805	8338.799805	1.12
1581	023	3586	0.08	1700	1	55	80	2.5	6	5	8965	7265	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8340.799805	8340.799805	1.12
1581	024	3586	0.08	1700	1	55	80	2.5	6	5	8965	7265	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8340.799805	8340.799805	1.12
1581	025	3586	0.08	1952	1	55	80	2.5	6	5	8965	7013	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8088.799805	8088.799805	1.12
1581	026	3586	0.08	2460	1	55	80	2.5	6	5	8965	6505	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	7580.799805	7580.799805	1.12
1582	021	2469	0.06	2430	2	55	80	2.5	5	3	6172	3742	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11110.5	8680.5	8680.5	1.800146
1582	025	2075	0.05	975	1	55	80	2.5	4	3	5188	4213	RTO-C	65	form-based			true	0.75	8	2	7	7	9337.5	8362.5	8362.5	1.799827
1582	026	2075	0.05	1075	1	55	80	2.5	4	3	5188	4113	RTO-C	65	form-based			true	0.75	8	2	7	7	9337.5	8262.5	8262.5	1.799827
1604	028	9109	0.21	7604	12	55	80	2.5	17	5	22772	15168	RH-2	40	form-based			true	0.7	19	1.117647052	7	7	25505.19922	17901.19922	17901.19922	1.120025
1605	002	3600	0.08	2990	1	55	80	2.5	6	5	9000	6010	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	7090	7090	1.12
1608	019	2521	0.06	2300	2	55	80	2.5	5	3	6302	4002	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	7	7	11344.5	9044.5	9044.5	1.800143
1609	002	2099	0.05	1830	1	55	80	2.5	4	3	5248	3418	NCD- OUTI	65	form-based			true	0.75	8	2	7	7	9445.5	7615.5	7615.5	1.799829
1609	004	2099	0.05	1910	1	55	80	2.5	4	3	5248	3338	NCD- OUTI	65	form-based			true	0.75	8	2	7	7	9445.5	7535.5	7535.5	1.799829
1609	022A	2521	0.06	2350	2	55	80	2.5	5	3	6302	3952	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	7	7	11344.5	8994.5	8994.5	1.800143
1610	010	3600	0.08	2880	1	55	80	2.5	6	5	9000	6120	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	7200	7200	1.12
1610	019	3600	0.08	1024	1	55	80	2.5	6	5	9000	7976	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	9056	9056	1.12
1610	021	3600	0.08	1960	1	55	80	2.5	6	5	9000	7040	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	8120	8120	1.12
1610	026	3600	0.08	2950	1	55	80	2.5	6	5	9000	6050	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	7130	7130	1.12
1610	031	2375	0.05	3050	2	55	80	2.5	4	2	5938	2888	NCD- OUTI	65	form-based			true	0.75	9	2.25	7	6	10687.5	7637.5	7637.5	1.799848
1610	032	2375	0.05	3420	2	55	80	2.5	4	2	5938	2518	NCD- OUTI	65	form-based			true	0.75	9	2.25	7	6	10687.5	7267.5	7267.5	1.799848
1610	032A	2375	0.05	4194	2	55	80	2.5	4	2	5938	1744	NCD- OUTI	65	form-based			true	0.75	9	2.25	7	6	10687.5	6493.5	6493.5	1.799848
1611	001F	2519	0.06	3088	2	55	80	2.5	5	3	6298	3210	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	7	7	11335.5	8247.5	8247.5	1.799857
1611	001G	2519	0.06	1750	2	55	80	2.5	5	3	6298	4548	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	7	7	11335.5	9585.5	9585.5	1.799857
1611	001H	2519	0.06	1750	2	55	80	2.5	5	3	6298	4548	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	7	7	11335.5	9585.5	9585.5	1.799857
1612	023	3285	0.08	5689	5	55	80	2.5	6	1	8212	2523	NCD-OUTE	65	form-based	true		true	0.75	12	2	7	7	14782.5	9093.5	9093.5	1.80011
1612	024	2519	0.06	3084	2	55	80	2.5	5	3	6298	3214	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	7	7	11335.5	8251.5	8251.5	1.799857
1612	025	2519	0.06	2558	2	55	80	2.5	5	3	6298	3740	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	7	7	11335.5	8777.5	8777.5	1.799857
1612	026	2519	0.06	2915	2	55	80	2.5	5	3	6298	3383	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11335.5	8420.5	8420.5	1.799857
1612	027	2519	0.06	2350	2	55	80	2.5	5	3	6298	3948	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11335.5	8985.5	8985.5	1.799857
1612	028	2519	0.06	2350	2	55	80	2.5	5	3	6298	3948	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11335.5	8985.5	8985.5	1.799857
1612	029	2518	0.06	2690	2	55	80	2.5	5	3	6295	3605	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11331	8641	8641	1.8
1613	004	3674	0.08	1958	1	55	80	2.5	6	5	9185	7227	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10287.2002	8329.200195	8329.200195	1.12
1613	005T	2250	0.05	2126	1	55	80	2.5	4	3	5625	3499	RTO-C	65	form-based			true	0.75	8	2	7	7	10125	7999	7999	1.8
1613	005U	2250	0.05	1500	1	55	80	2.5	4	3	5625	4125	RTO-C	65	form-based			true	0.75	8	2	7	7	10125	8625	8625	1.8
1615	001A	2226	0.05	1400	1	55	80	2.5	4	3	5565	4165	RTO-C	65	form-based			true	0.75	8	2	7	7	10017	8617	8617	1.8
1615	001B	2226	0.05	2236	1	55	80	2.5	4	3	5565	3329	RTO-C	65	form-based			true	0.75	8	2	7	7	10017	7781	7781	1.8
1615	001C	2226	0.05	1823	1	55	80	2.5	4	3	5565	3742	RTO-C	65	form-based			true	0.75	8	2	7	7	10017	8194	8194	1.8
1615	016B	2253	0.05	1588	1	55	80	2.5	4	3	5632	4044	RTO-C	65	form-based			true	0.75	8	2	7	7	10138.5	8550.5	8550.5	1.80016
1615	017	2009	0.05	760	1	55	80	2.5	4	3	5022	4262	RTO-C	65	form-based			true	0.75	8	2	7	7	9040.5	8280.5	8280.5	1.800179
1615	017A	2009	0.05	925	1	55	80	2.5	4	3	5022	4097	RTO-C	65	form-based			true	0.75	8	2	7	7	9040.5	8115.5	8115.5	1.800179
1615	017B	2009	0.05	880	1	55	80	2.5	4	3	5022	4142	RTO-C	65	form-based			true	0.75	8	2	7	7	9040.5	8160.5	8160.5	1.800179
1618	001A	2223	0.05	1465	1	55	80	2.5	4	3	5558	4093	RTO-C	65	form-based			true	0.75	8	2	7	7	10003.5	8538.5	8538.5	1.799838
1618	001B	2223	0.05	1255	1	55	80	2.5	4	3	5558	4303	RTO-C	65	form-based			true	0.75	8	2	7	7	10003.5	8748.5	8748.5	1.799838
1619	005	3600	0.08	1840	1	55	80	2.5	6	5	9000	7160	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	8240	8240	1.12
1619	005A	3600	0.08	1824	1	55	80	2.5	6	5	9000	7176	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	8256	8256	1.12
1619	024A	2251	0.05	1302	1	55	80	2.5	4	3	5628	4326	RTO-C	65	form-based			true	0.75	8	2	7	7	10129.5	8827.5	8827.5	1.79984
1619	024B	2251	0.05	1555	1	55	80	2.5	4	3	5628	4073	RTO-C	65	form-based			true	0.75	8	2	7	7	10129.5	8574.5	8574.5	1.79984
1619	024C	2251	0.05	2748	1	55	80	2.5	4	3	5628	2880	RTO-C	65	form-based			true	0.75	8	2	7	7	10129.5	7381.5	7381.5	1.79984
1619	025	2251	0.05	2240	1	55	80	2.5	4	3	5628	3388	RTO-C	65	form-based			true	0.75	8	2	7	7	10129.5	7889.5	7889.5	1.79984
1619	027A	2042	0.05	1438	1	55	80	2.5	4	3	5105	3667	RTO-C	65	form-based			true	0.75	8	2	7	7	9189	7751	7751	1.8
1620	001A	2258	0.05	1223	1	55	80	2.5	4	3	5645	4422	RTO-C	65	form-based			true	0.75	8	2	7	7	10161	8938	8938	1.8
1621	001B	2001	0.05	1580	1	55	80	2.5	4	3	5002	3422	RTO-C	65	form-based			true	0.75	8	2	7	7	9004.5	7424.5	7424.5	1.80018
1621	001C	2084	0.05	1085	1	55	80	2.5	4	3	5210	4125	RTO-C	65	form-based			true	0.75	8	2	7	7	9378	8293	8293	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1622	035	2063	0.05	1200	1	55	80	2.5	4	3	5158	3958	RTO-C	65	form-based			true	0.75	8	2	7	7	9283.5	8083.5	8083.5	1.799826
1622	036	2062	0.05	1200	1	55	80	2.5	4	3	5155	3955	RTO-C	65	form-based			true	0.75	8	2	7	7	9279	8079	8079	1.8
1622	037	2062	0.05	2827	1	55	80	2.5	4	3	5155	2328	RTO-C	65	form-based			true	0.75	8	2	7	7	9279	6452	6452	1.8
1622	065	2512	0.06	3507	2	55	80	2.5	5	3	6280	2773	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11304	7797	7797	1.8
1623	001C	2062	0.05	1675	1	55	80	2.5	4	3	5155	3480	RTO-C	65	form-based			true	0.75	8	2	7	7	9279	7604	7604	1.8
1623	048	2539	0.06	3779	3	55	80	2.5	5	2	6348	2569	NC-1	65	form-based			true	0.75	10	2	7	7	11425.5	7646.5	7646.5	1.799858
1623	049	2539	0.06	3779	3	55	80	2.5	5	2	6348	2569	NC-1	65	form-based			true	0.75	10	2	7	7	11425.5	7646.5	7646.5	1.799858
1623	050	2539	0.06	3779	3	55	80	2.5	5	2	6348	2569	NC-1	65	form-based			true	0.75	10	2	7	7	11425.5	7646.5	7646.5	1.799858
1623	051	2539	0.06	3779	3	55	80	2.5	5	2	6348	2569	NC-1	65	form-based			true	0.75	10	2	7	7	11425.5	7646.5	7646.5	1.799858
1624	001B	2051	0.05	1700	1	55	80	2.5	4	3	5128	3428	RTO-C	65	form-based			true	0.75	8	2	7	7	9229.5	7529.5	7529.5	1.799824
1624	001C	2051	0.05	1700	1	55	80	2.5	4	3	5128	3428	RTO-C	65	form-based			true	0.75	8	2	7	7	9229.5	7529.5	7529.5	1.799824
1624	011	2062	0.05	2050	1	55	80	2.5	4	3	5155	3105	RTO-C	65	form-based			true	0.75	8	2	7	7	9279	7229	7229	1.8
1624	012	2062	0.05	2050	1	55	80	2.5	4	3	5155	3105	RTO-C	65	form-based			true	0.75	8	2	7	7	9279	7229	7229	1.8
1624	013	2063	0.05	2050	1	55	80	2.5	4	3	5158	3108	RTO-C	65	form-based			true	0.75	8	2	7	7	9283.5	7233.5	7233.5	1.799826
1624	013A	2097	0.05	3418	1	55	80	2.5	4	3	5242	1824	RTO-C	65	form-based	true		true	0.75	8	2	7	7	9436.5	6018.5	6018.5	1.800172
1625	007	3646	0.08	1270	1	55	80	2.5	6	5	9115	7845	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10208.7998	8938.799805	8938.799805	1.12
1625	010C	3586	0.08	1125	1	55	80	2.5	6	5	8965	7840	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8915.799805	8915.799805	1.12
1625	010D	3586	0.08	1350	1	55	80	2.5	6	5	8965	7615	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8690.799805	8690.799805	1.12
1625	010E	3586	0.08	1350	1	55	80	2.5	6	5	8965	7615	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8690.799805	8690.799805	1.12
1625	010F	3586	0.08	1150	1	55	80	2.5	6	5	8965	7815	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8890.799805	8890.799805	1.12
1625	026	2510	0.06	2000	2	55	80	2.5	5	3	6275	4275	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11295	9295	9295	1.8
1626	001H	2509	0.06	3300	2	55	80	2.5	5	3	6272	2972	NC-1	65	form-based			true	0.75	9	1.799999952	7	7	11290.5	7990.5	7990.5	1.800143
1626	001I	2509	0.06	3796	2	55	80	2.5	5	3	6272	2476	NC-1	65	form-based			true	0.75	9	1.799999952	7	7	11290.5	7494.5	7494.5	1.800143
1626	004	4174	0.1	3350	2	55	80	2.5	8	6	10435	7085	RH-2	40	form-based			true	0.7	9	1.125	7	7	11687.2002	8337.200195	8337.200195	1.12
1627	003	2225	0.05	775	1	55	80	2.5	4	3	5562	4787	RTO-C	65	form-based			true	0.75	8	2	7	7	10012.5	9237.5	9237.5	1.800162
1627	004	2225	0.05	1900	1	55	80	2.5	4	3	5562	3662	RTO-C	65	form-based			true	0.75	8	2	7	7	10012.5	8112.5	8112.5	1.800162
1627	018A	3775	0.09	3162	1	55	80	2.5	7	6	9438	6276	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10570	7408	7408	1.119941
1627	019	3643	0.08	3507	1	55	80	2.5	6	5	9108	5601	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10200.39941	6693.399414	6693.399414	1.119938
1628	001A	2061	0.05	1900	1	55	80	2.5	4	3	5152	3252	RTO-C	65	form-based			true	0.75	8	2	7	7	9274.5	7374.5	7374.5	1.800175
1628	001B	2061	0.05	1900	1	55	80	2.5	4	3	5152	3252	RTO-C	65	form-based			true	0.75	8	2	7	7	9274.5	7374.5	7374.5	1.800175
1628	001C	2061	0.05	2000	1	55	80	2.5	4	3	5152	3152	RTO-C	65	form-based			true	0.75	8	2	7	7	9274.5	7274.5	7274.5	1.800175
1628	030	2493	0.06	2850	2	55	80	2.5	5	3	6232	3382	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11218.5	8368.5	8368.5	1.800144
1628	030A	2493	0.06	3165	2	55	80	2.5	5	3	6232	3067	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11218.5	8053.5	8053.5	1.800144
1628	031	2493	0.06	2430	2	55	80	2.5	5	3	6232	3802	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11218.5	8788.5	8788.5	1.800144
1628	032	2493	0.06	3100	2	55	80	2.5	5	3	6232	3132	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11218.5	8118.5	8118.5	1.800144
1629	032	3905	0.09	1410	1	55	80	2.5	7	6	9762	8352	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10934	9524	9524	1.120057
1629	039A	2502	0.06	2470	2	55	80	2.5	5	3	6255	3785	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11259	8789	8789	1.8
1629	040	2502	0.06	3550	2	55	80	2.5	5	3	6255	2705	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11259	7709	7709	1.8
1629	040A	2502	0.06	3360	2	55	80	2.5	5	3	6255	2895	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11259	7899	7899	1.8
1630	009	4494	0.1	4340	2	55	80	2.5	8	6	11235	6895	RH-2	40	form-based			true	0.7	9	1.125	7	7	12583.2002	8243.200195	8243.200195	1.12
1630	032D	2170	0.05	2050	1	55	80	2.5	4	3	5425	3375	RTO-C	65	form-based			true	0.75	8	2	7	7	9765	7715	7715	1.8
1630	032E	2170	0.05	2300	1	55	80	2.5	4	3	5425	3125	RTO-C	65	form-based			true	0.75	8	2	7	7	9765	7465	7465	1.8
1630	033	2170	0.05	2300	1	55	80	2.5	4	3	5425	3125	RTO-C	65	form-based			true	0.75	8	2	7	7	9765	7465	7465	1.8
1632	005	3941	0.09	2440	1	55	80	2.5	7	6	9852	7412	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11034.7998	8594.799805	8594.799805	1.120057
1632	006	3941	0.09	2486	1	55	80	2.5	7	6	9852	7366	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11034.7998	8548.799805	8548.799805	1.120057
1632	016	2399	0.06	3630	2	55	80	2.5	5	3	5998	2368	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10795.5	7165.5	7165.5	1.79985
1632	024	2399	0.06	2141	2	55	80	2.5	5	3	5998	3857	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10795.5	8654.5	8654.5	1.79985
1634	001	2348	0.05	2725	2	55	80	2.5	4	2	5870	3145	RTO-C	65	form-based	true		true	0.75	9	2.25	7	6	10566	7841	7841	1.8
1634	010	4264	0.1	4110	2	55	80	2.5	8	6	10660	6550	RH-2	40	form-based			true	0.7	9	1.125	7	7	11939.2002	7829.200195	7829.200195	1.12
1635	020	3384	0.08	3020	0	55	80	2.5	6	6	8460	5440	RH-2	40	form-based	true		true	0.7	7	1.166666627	7	7	9475.200195	6455.200195	6455.200195	1.12
1635	031	2501	0.06	2400	2	55	80	2.5	5	3	6252	3852	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11254.5	8854.5	8854.5	1.800144
1635	032	2501	0.06	3232	2	55	80	2.5	5	3	6252	3020	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11254.5	8022.5	8022.5	1.800144
1635	032B	2501	0.06	3295	2	55	80	2.5	5	3	6252	2957	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11254.5	7959.5	7959.5	1.800144
1635	041	2501	0.06	1275	2	55	80	2.5	5	3	6252	4977	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11254.5	9979.5	9979.5	1.800144
1636	001M	2500	0.06	3400	2	55	80	2.5	5	3	6250	2850	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11250	7850	7850	1.8
1636	001N	2500	0.06	3400	2	55	80	2.5	5	3	6250	2850	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11250	7850	7850	1.8
1636	003	3521	0.08	3415	0	55	80	2.5	6	6	8802	5387	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	9858.799805	6443.799805	6443.799805	1.120064
1637	033B	2857	0.07	4848	4	55	80	2.5	6	2	7142	2294	RTO-C	65	form-based	true		true	0.75	11	1.833333373	7	7	12856.5	8008.5	8008.5	1.800126
1638	026	4200	0.1	6412	2	55	80	2.5	8	6	10500	4088	RH-2	40	form-based			true	0.7	9	1.125	7	7	11760	5348	5348	1.12
1638	027	2375	0.05	1800	2	55	80	2.5	4	2	5938	4138	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10687.5	8887.5	8887.5	1.799848
1639	001	2399	0.06	3810	2	55	80	2.5	5	3	5998	2188	NCD-INNE	65	form-based	true		true	0.75	9	1.799999952	7	7	10795.5	6985.5	6985.5	1.79985
1639	048	2504	0.06	2510	2	55	80	2.5	5	3	6260	3750	NCD-INNE	65	form-based			true	0.75	9	1.799999952	7	7	11268	8758	8758	1.8
1639	049	2384	0.05	3850	2	55	80	2.5	4	2	5960	2110	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10728	6878	6878	1.8
1639	050	2384	0.05	3930	2	55	80	2.5	4	2	5960	2030	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10728	6798	6798	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1640	002	2372	0.05	2392	2	55	80	2.5	4	2	5930	3538	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10674	8282	8282	1.8
1640	047	2375	0.05	3365	2	55	80	2.5	4	2	5938	2573	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10687.5	7322.5	7322.5	1.799848
1640	049	2375	0.05	3651	2	55	80	2.5	4	2	5938	2287	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10687.5	7036.5	7036.5	1.799848
1641	003	2393	0.05	3280	2	55	80	2.5	4	2	5982	2702	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10768.5	7488.5	7488.5	1.80015
1641	038	3600	0.08	1699	1	55	80	2.5	6	5	9000	7301	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	8381	8381	1.12
1641	049	3083	0.07	6174	5	55	80	2.5	6	1	7708	1534	NCD-INNE	65	form-based		true	true	0.75	12	2	7	7	13873.5	7699.5	7699.5	1.799883
1641	058	2393	0.05	2049	2	55	80	2.5	4	2	5982	3933	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10768.5	8719.5	8719.5	1.80015
1642	047	2375	0.05	1892	2	55	80	2.5	4	2	5938	4046	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10687.5	8795.5	8795.5	1.799848
1642	061	2389	0.05	1876	2	55	80	2.5	4	2	5972	4096	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10750.5	8874.5	8874.5	1.800151
1645	011	4240	0.1	3076	2	55	80	2.5	8	6	10600	7524	RH-2	40	form-based			true	0.7	9	1.125	7	7	11872	8796	8796	1.12
1646	005	3857	0.09	2428	1	55	80	2.5	7	6	9642	7214	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10799.59961	8371.599609	8371.599609	1.120058
1646	008	3857	0.09	4164	1	55	80	2.5	7	6	9642	5478	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10799.59961	6635.599609	6635.599609	1.120058
1646	009	3857	0.09	2646	1	55	80	2.5	7	6	9642	6996	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10799.59961	8153.599609	8153.599609	1.120058
1646	010	3857	0.09	2774	1	55	80	2.5	7	6	9642	6868	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10799.59961	8025.599609	8025.599609	1.120058
1646	022	3726	0.09	2550	1	55	80	2.5	7	6	9315	6765	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10432.7998	7882.799805	7882.799805	1.12
1646	023	3726	0.09	2233	1	55	80	2.5	7	6	9315	7082	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10432.7998	8199.799805	8199.799805	1.12
1646	024	3726	0.09	2940	1	55	80	2.5	7	6	9315	6375	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10432.7998	7492.799805	7492.799805	1.12
1646	025	3726	0.09	3845	1	55	80	2.5	7	6	9315	5470	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10432.7998	6587.799805	6587.799805	1.12
1646	026	3726	0.09	2200	1	55	80	2.5	7	6	9315	7115	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10432.7998	8232.799805	8232.799805	1.12
1646	027	3726	0.09	2300	1	55	80	2.5	7	6	9315	7015	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10432.7998	8132.799805	8132.799805	1.12
1646	028	3726	0.09	2334	1	55	80	2.5	7	6	9315	6981	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10432.7998	8098.799805	8098.799805	1.12
1648	029	6000	0.14	7956	6	55	80	2.5	11	5	15000	7044	RH-3	40	form-based			true	0.7	13	1.181818128	7	7	16800	8844	8844	1.12
1648	058	6000	0.14	1223	6	55	80	2.5	11	5	15000	13777	RH-3	40	form-based			true	0.7	13	1.181818128	7	7	16800	15577	15577	1.12
1649	011F	3866	0.09	8697	13	55	80	2.5	7	0	9665	968	RTO-C	85	form-based			true	0.75	20	2.857142925	7	1	23196	14499	10633	2.4
1649	012	2927	0.07	6535	8	55	80	2.5	6	0	7318	783	RTO-C	85	form-based			true	0.75	15	2.5	7	4	17562	11027	8101	2.399836
1653	022	1624	0.04	1890	2	55	80	2.5	3	1	4060	2170	RTO-C	85	form-based			true	0.75	9	3	7	4	9744	7854	6230	2.4
1654	019	1989	0.05	3044	3	55	80	2.5	4	1	4972	1928	RTO-C	85	form-based			true	0.75	10	2.5	7	5	11934	8890	6900	2.400241
1655	036	3681	0.08	3900	1	55	80	2.5	6	5	9202	5302	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10306.7998	6406.799805	6406.799805	1.120061
1655	037	3825	0.09	2376	1	55	80	2.5	7	6	9562	7186	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10710	8334	8334	1.120059
1664	002	4188	0.1	3666	2	55	80	2.5	8	6	10470	6804	RH-2	40	form-based			true	0.7	9	1.125	7	7	11726.39941	8060.399414	8060.399414	1.12
1664	016	4088	0.09	3756	2	55	80	2.5	7	5	10220	6464	RH-2	40	form-based			true	0.7	9	1.285714269	7	7	11446.39941	7690.399414	7690.399414	1.12
1664	035	3629	0.08	1530	1	55	80	2.5	6	5	9072	7542	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10161.2002	8631.200195	8631.200195	1.120062
1669	044	4000	0.09	2540	1	55	80	2.5	7	6	10000	7460	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	11200	8660	8660	1.12
1673	026	1875	0.04	3200	3	55	80	2.5	3	0	4688	1488	RTO-C	85	form-based			true	0.75	10	3.333333254	7	3	11250	8050	6176	2.399744
1676	001C	3840	0.09	1295	1	55	80	2.5	7	6	9600	8305	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10752	9457	9457	1.12
1676	001D	3840	0.09	2515	1	55	80	2.5	7	6	9600	7085	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10752	8237	8237	1.12
1676	001E	3840	0.09	1295	1	55	80	2.5	7	6	9600	8305	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10752	9457	9457	1.12
1676	001F	3840	0.09	1567	1	55	80	2.5	7	6	9600	8033	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10752	9185	9185	1.12
1676	001G	3840	0.09	1535	1	55	80	2.5	7	6	9600	8065	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10752	9217	9217	1.12
1676	001H	3840	0.09	1295	1	55	80	2.5	7	6	9600	8305	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10752	9457	9457	1.12
1676	002	3600	0.08	2273	1	55	80	2.5	6	5	9000	6727	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	7807	7807	1.12
1676	003	3840	0.09	2370	1	55	80	2.5	7	6	9600	7230	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10752	8382	8382	1.12
1676	003B	3840	0.09	1295	1	55	80	2.5	7	6	9600	8305	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10752	9457	9457	1.12
1676	003C	3840	0.09	2025	1	55	80	2.5	7	6	9600	7575	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10752	8727	8727	1.12
1676	003D	3840	0.09	1535	1	55	80	2.5	7	6	9600	8065	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10752	9217	9217	1.12
1676	003E	3630	0.08	1520	1	55	80	2.5	6	5	9075	7555	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10164	8644	8644	1.12
1676	009	4500	0.1	3750	2	55	80	2.5	8	6	11250	7500	RH-2	40	form-based			true	0.7	9	1.125	7	7	12600	8850	8850	1.12
1676	017	3600	0.08	2492	1	55	80	2.5	6	5	9000	6508	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	7588	7588	1.12
1676	018	3600	0.08	2547	1	55	80	2.5	6	5	9000	6453	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	7533	7533	1.12
1676	019	3600	0.08	1675	1	55	80	2.5	6	5	9000	7325	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	8405	8405	1.12
1676	020	3600	0.08	1629	1	55	80	2.5	6	5	9000	7371	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	8451	8451	1.12
1676	021	3600	0.08	1550	1	55	80	2.5	6	5	9000	7450	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	8530	8530	1.12
1677	002	3600	0.08	1760	1	55	80	2.5	6	5	9000	7240	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	8320	8320	1.12
1677	003	3600	0.08	1995	1	55	80	2.5	6	5	9000	7005	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	8085	8085	1.12
1677	018	3600	0.08	2064	1	55	80	2.5	6	5	9000	6936	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	8016	8016	1.12
1677	019	3600	0.08	2400	1	55	80	2.5	6	5	9000	6600	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	7680	7680	1.12
1703	047	2500	0.06	1159	2	65	100	3	6	4	7500	6341	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	10091	10091	1.5
1703	053	5000	0.11	11340	12	65	100	3	11	0	15000	3660	RTO-C	65	form-based			true	0.75	19	1.727272749	7	7	22500	11160	11160	1.5
1704	023	2500	0.06	902	2	65	100	3	6	4	7500	6598	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	10348	10348	1.5
1704	045A	2500	0.06	3771	2	65	100	3	6	4	7500	3729	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	7479	7479	1.5
1705	025C	2067	0.05	1584	1	65	100	3	5	4	6201	4617	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9301.5	7717.5	7717.5	1.5
1705	042	2062	0.05	1560	1	65	100	3	5	4	6186	4626	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	7719	7719	1.5
1705	043	2062	0.05	1250	1	65	100	3	5	4	6186	4936	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	8029	8029	1.5
1705	043A	2062	0.05	1220	1	65	100	3	5	4	6186	4966	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	8059	8059	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1705	056	2452	0.06	1250	2	65	100	3	6	4	7356	6106	RTO-C	65	form-based		true	true	0.75	9	1.5	7	7	11034	9784	9784	1.5
1706	001	3265	0.07	3566	5	65	100	3	7	2	9795	6229	RTO-C	65	form-based		true	true	0.75	12	1.714285731	7	7	14692.5	11126.5	11126.5	1.5
1706	018	3265	0.07	3221	5	65	100	3	7	2	9795	6574	RTO-C	65	form-based		true	true	0.75	12	1.714285731	7	7	14692.5	11471.5	11471.5	1.5
1706	019	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9250	9250	1.5
1706	020	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9250	9250	1.5
1706	021	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9250	9250	1.5
1706	057	2500	0.06	2992	2	65	100	3	6	4	7500	4508	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8258	8258	1.5
1706	058	2500	0.06	2992	2	65	100	3	6	4	7500	4508	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8258	8258	1.5
1706	061	4506	0.1	1547	2	65	100	3	10	8	13518	11971	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12616.7998	11069.7998	11069.7998	0.933333
1707	047	2500	0.06	2506	2	65	100	3	6	4	7500	4994	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8744	8744	1.5
1708	003	3623	0.08	1737	1	65	100	3	8	7	10869	9132	RH-2	40	form-based			true	0.7	8	1	7	7	10144.39941	8407.399414	8407.399414	0.933333
1708	004	3623	0.08	1734	1	65	100	3	8	7	10869	9135	RH-2	40	form-based			true	0.7	8	1	7	7	10144.39941	8410.399414	8410.399414	0.933333
1708	005	3623	0.08	1680	1	65	100	3	8	7	10869	9189	RH-2	40	form-based			true	0.7	8	1	7	7	10144.39941	8464.399414	8464.399414	0.933333
1708	006	3623	0.08	1163	1	65	100	3	8	7	10869	9706	RH-2	40	form-based			true	0.7	8	1	7	7	10144.39941	8981.399414	8981.399414	0.933333
1708	007	3623	0.08	1575	1	65	100	3	8	7	10869	9294	RH-2	40	form-based			true	0.7	8	1	7	7	10144.39941	8569.399414	8569.399414	0.933333
1708	008	3623	0.08	1794	1	65	100	3	8	7	10869	9075	RH-2	40	form-based			true	0.7	8	1	7	7	10144.39941	8350.399414	8350.399414	0.933333
1708	009	3623	0.08	1575	1	65	100	3	8	7	10869	9294	RH-2	40	form-based			true	0.7	8	1	7	7	10144.39941	8569.399414	8569.399414	0.933333
1708	010	3623	0.08	1487	1	65	100	3	8	7	10869	9382	RH-2	40	form-based			true	0.7	8	1	7	7	10144.39941	8657.399414	8657.399414	0.933333
1708	011	3623	0.08	2453	1	65	100	3	8	7	10869	8416	RH-2	40	form-based			true	0.7	8	1	7	7	10144.39941	7691.399414	7691.399414	0.933333
1708	012	4033	0.09	1531	1	65	100	3	9	8	12099	10568	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11292.39941	9761.399414	9761.399414	0.933333
1708	014	4033	0.09	1458	1	65	100	3	9	8	12099	10641	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11292.39941	9834.399414	9834.399414	0.933333
1708	015	4033	0.09	1602	1	65	100	3	9	8	12099	10497	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11292.39941	9690.399414	9690.399414	0.933333
1708	017	2394	0.05	2003	2	65	100	3	5	3	7182	5179	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10773	8770	8770	1.5
1709	021	2062	0.05	1832	1	65	100	3	5	4	6186	4354	RTO-C	65	form-based		true	true	0.75	8	1.600000024	7	7	9279	7447	7447	1.5
1709	021A	2063	0.05	1076	1	65	100	3	5	4	6189	5113	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	8207.5	8207.5	1.5
1709	022	2062	0.05	1000	1	65	100	3	5	4	6186	5186	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	8279	8279	1.5
1709	023	2063	0.05	1050	1	65	100	3	5	4	6189	5139	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	8233.5	8233.5	1.5
1709	045	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9250	9250	1.5
1709	057	2500	0.06	1151	2	65	100	3	6	4	7500	6349	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	10099	10099	1.5
1710	022	2500	0.06	2240	2	65	100	3	6	4	7500	5260	NC-1	65	form-based			true	0.75	9	1.5	7	7	11250	9010	9010	1.5
1710	023	2500	0.06	2240	2	65	100	3	6	4	7500	5260	NC-1	65	form-based			true	0.75	9	1.5	7	7	11250	9010	9010	1.5
1710	025	2375	0.05	2500	2	65	100	3	5	3	7125	4625	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	8187.5	8187.5	1.5
1711	001	2073	0.05	1450	1	65	100	3	5	4	6219	4769	RTO-C	65	form-based		true	true	0.75	8	1.600000024	7	7	9328.5	7878.5	7878.5	1.5
1711	002	2073	0.05	2275	1	65	100	3	5	4	6219	3944	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9328.5	7053.5	7053.5	1.5
1711	002A	2073	0.05	1675	1	65	100	3	5	4	6219	4544	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9328.5	7653.5	7653.5	1.5
1711	002B	2073	0.05	2575	1	65	100	3	5	4	6219	3644	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9328.5	6753.5	6753.5	1.5
1711	018	2062	0.05	1177	1	65	100	3	5	4	6186	5009	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	8102	8102	1.5
1711	019B	2500	0.06	2126	2	65	100	3	6	4	7500	5374	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9124	9124	1.5
1711	020	2062	0.05	1225	1	65	100	3	5	4	6186	4961	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	8054	8054	1.5
1711	025	2062	0.05	1784	1	65	100	3	5	4	6186	4402	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	7495	7495	1.5
1711	026	2062	0.05	1545	1	65	100	3	5	4	6186	4641	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	7734	7734	1.5
1711	026A	2063	0.05	2221	1	65	100	3	5	4	6189	3968	RTO-C	65	form-based		true	true	0.75	8	1.600000024	7	7	9283.5	7062.5	7062.5	1.5
1712	001	2064	0.05	2265	1	55	80	2.5	4	3	5160	2895	RTO-C	65	form-based		true	true	0.75	8	2	7	7	9288	7023	7023	1.8
1712	001A	2064	0.05	1115	1	55	80	2.5	4	3	5160	4045	RTO-C	65	form-based			true	0.75	8	2	7	7	9288	8173	8173	1.8
1712	001S	2064	0.05	1025	1	65	100	3	5	4	6192	5167	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9288	8263	8263	1.5
1712	001T	2064	0.05	1175	1	65	100	3	5	4	6192	5017	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9288	8113	8113	1.5
1712	007K	2065	0.05	1358	1	65	100	3	5	4	6195	4837	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9292.5	7934.5	7934.5	1.5
1712	007L	2065	0.05	1358	1	65	100	3	5	4	6195	4837	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9292.5	7934.5	7934.5	1.5
1712	007N	2065	0.05	1140	1	65	100	3	5	4	6195	5055	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9292.5	8152.5	8152.5	1.5
1712	007O	2065	0.05	1350	1	55	80	2.5	4	3	5162	3812	RTO-C	65	form-based		true	true	0.75	8	2	7	7	9292.5	7942.5	7942.5	1.800174
1713	027	2375	0.05	2150	2	65	100	3	5	3	7125	4975	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	8537.5	8537.5	1.5
1713	048	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9250	9250	1.5
1713	049	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9250	9250	1.5
1713	051	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9250	9250	1.5
1713	052	2500	0.06	856	2	65	100	3	6	4	7500	6644	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	10394	10394	1.5
1715	001	2204	0.05	3264	1	65	100	3	5	4	6612	3348	RTO-C	65	form-based		true	true	0.75	8	1.600000024	7	7	9918	6654	6654	1.5
1715	024	2160	0.05	2190	1	65	100	3	5	4	6480	4290	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9720	7530	7530	1.5
1715	024A	2160	0.05	2289	1	65	100	3	5	4	6480	4191	RTO-C	65	form-based		true	true	0.75	8	1.600000024	7	7	9720	7431	7431	1.5
1715	029	3960	0.09	1325	1	65	100	3	9	8	11880	10555	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11088	9763	9763	0.933333
1715	030	3600	0.08	1350	1	65	100	3	8	7	10800	9450	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8730	8730	0.933333
1715	031	3840	0.09	1430	1	65	100	3	9	8	11520	10090	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10752	9322	9322	0.933333
1715	033	3600	0.08	2017	1	65	100	3	8	7	10800	8783	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8063	8063	0.933333
1715	034	3600	0.08	1200	1	65	100	3	8	7	10800	9600	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8880	8880	0.933333
1715	045	2500	0.06	2500	2	65	100	3	6	4	7500	5000	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8750	8750	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1715	046	2500	0.06	2500	2	65	100	3	6	4	7500	5000	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8750	8750	1.5
1715	047	2500	0.06	1900	2	65	100	3	6	4	7500	5600	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9350	9350	1.5
1715	048	2500	0.06	1900	2	65	100	3	6	4	7500	5600	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9350	9350	1.5
1716	001	2066	0.05	1744	1	65	100	3	5	4	6198	4454	RTO-C	65	form-based		true	true	0.75	8	1.600000024	7	7	9297	7553	7553	1.5
1716	001A	2066	0.05	1444	1	65	100	3	5	4	6198	4754	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9297	7853	7853	1.5
1717	001	2259	0.05	1000	1	65	100	3	5	4	6777	5777	RTO-C	65	form-based		true	true	0.75	8	1.600000024	7	7	10165.5	9165.5	9165.5	1.5
1717	001A	2259	0.05	2400	1	65	100	3	5	4	6777	4377	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10165.5	7765.5	7765.5	1.5
1717	001B	2259	0.05	2787	1	65	100	3	5	4	6777	3990	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10165.5	7378.5	7378.5	1.5
1717	002	2259	0.05	2155	1	65	100	3	5	4	6777	4622	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10165.5	8010.5	8010.5	1.5
1717	045	2250	0.05	2150	1	65	100	3	5	4	6750	4600	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10125	7975	7975	1.5
1717	046	2250	0.05	1445	1	65	100	3	5	4	6750	5305	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10125	8680	8680	1.5
1717	046A	2250	0.05	1420	1	65	100	3	5	4	6750	5330	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10125	8705	8705	1.5
1717	046B	2250	0.05	1990	1	65	100	3	5	4	6750	4760	RTO-C	65	form-based		true	true	0.75	8	1.600000024	7	7	10125	8135	8135	1.5
1718	004	3604	0.08	1927	1	65	100	3	8	7	10812	8885	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10091.2002	8164.200195	8164.200195	0.933333
1718	005	3623	0.08	2172	1	65	100	3	8	7	10869	8697	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10144.39941	7972.399414	7972.399414	0.933333
1718	010	3624	0.08	2065	1	65	100	3	8	7	10872	8807	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10147.2002	8082.200195	8082.200195	0.933333
1718	011	3625	0.08	1050	1	65	100	3	8	7	10875	9825	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10150	9100	9100	0.933333
1718	012	3625	0.08	1640	1	65	100	3	8	7	10875	9235	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10150	8510	8510	0.933333
1718	013	3625	0.08	1325	1	65	100	3	8	7	10875	9550	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10150	8825	8825	0.933333
1718	014	3625	0.08	1840	1	65	100	3	8	7	10875	9035	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10150	8310	8310	0.933333
1718	015	3626	0.08	1840	1	65	100	3	8	7	10878	9038	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10152.7998	8312.799805	8312.799805	0.933333
1718	016	3626	0.08	1792	1	65	100	3	8	7	10878	9086	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10152.7998	8360.799805	8360.799805	0.933333
1718	041	2250	0.05	1450	1	65	100	3	5	4	6750	5300	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10125	8675	8675	1.5
1718	042	2250	0.05	1450	1	65	100	3	5	4	6750	5300	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10125	8675	8675	1.5
1718	043	2250	0.05	2100	1	65	100	3	5	4	6750	4650	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10125	8025	8025	1.5
1718	044	2250	0.05	2820	1	55	80	2.5	4	3	5625	2805	RTO-C	65	form-based		true	true	0.75	8	2	7	7	10125	7305	7305	1.8
1719	001B	3630	0.08	1450	1	65	100	3	8	7	10890	9440	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10164	8714	8714	0.933333
1719	001C	3590	0.08	1850	1	65	100	3	8	7	10770	8920	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10052	8202	8202	0.933333
1719	001D	3590	0.08	2250	1	65	100	3	8	7	10770	8520	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10052	7802	7802	0.933333
1719	001E	3590	0.08	1900	1	65	100	3	8	7	10770	8870	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10052	8152	8152	0.933333
1719	001F	3590	0.08	1300	1	65	100	3	8	7	10770	9470	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10052	8752	8752	0.933333
1719	001G	3590	0.08	2470	1	65	100	3	8	7	10770	8300	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10052	7582	7582	0.933333
1719	001H	3590	0.08	1981	1	65	100	3	8	7	10770	8789	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10052	8071	8071	0.933333
1719	002	3590	0.08	1175	1	65	100	3	8	7	10770	9595	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10052	8877	8877	0.933333
1719	002A	3590	0.08	1725	1	65	100	3	8	7	10770	9045	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10052	8327	8327	0.933333
1719	002B	3590	0.08	1890	1	65	100	3	8	7	10770	8880	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10052	8162	8162	0.933333
1719	002C	3590	0.08	2127	1	65	100	3	8	7	10770	8643	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10052	7925	7925	0.933333
1719	002D	3590	0.08	1200	1	65	100	3	8	7	10770	9570	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10052	8852	8852	0.933333
1719	002E	3590	0.08	1250	1	65	100	3	8	7	10770	9520	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10052	8802	8802	0.933333
1719	002F	3590	0.08	1795	1	65	100	3	8	7	10770	8975	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10052	8257	8257	0.933333
1719	002H	3600	0.08	1782	1	65	100	3	8	7	10800	9018	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8298	8298	0.933333
1719	002I	3600	0.08	1496	1	65	100	3	8	7	10800	9304	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8584	8584	0.933333
1719	002J	3600	0.08	1334	1	65	100	3	8	7	10800	9466	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8746	8746	0.933333
1719	002K	3600	0.08	1488	1	65	100	3	8	7	10800	9312	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8592	8592	0.933333
1719	002L	3600	0.08	1008	1	65	100	3	8	7	10800	9792	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	9072	9072	0.933333
1719	002M	3600	0.08	1424	1	65	100	3	8	7	10800	9376	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8656	8656	0.933333
1719	002N	3600	0.08	1235	1	65	100	3	8	7	10800	9565	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8845	8845	0.933333
1719	003	3600	0.08	1948	1	65	100	3	8	7	10800	8852	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8132	8132	0.933333
1719	004	3600	0.08	1200	1	65	100	3	8	7	10800	9600	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8880	8880	0.933333
1719	005	3600	0.08	1518	1	65	100	3	8	7	10800	9282	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8562	8562	0.933333
1719	006	3600	0.08	1344	1	65	100	3	8	7	10800	9456	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8736	8736	0.933333
1719	007	3600	0.08	1488	1	65	100	3	8	7	10800	9312	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8592	8592	0.933333
1719	008	3600	0.08	1232	1	65	100	3	8	7	10800	9568	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8848	8848	0.933333
1719	009	3636	0.08	1809	1	65	100	3	8	7	10908	9099	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10180.7998	8371.799805	8371.799805	0.933333
1720	004	3654	0.08	1800	1	65	100	3	8	7	10962	9162	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10231.2002	8431.200195	8431.200195	0.933333
1720	005	3615	0.08	1152	1	65	100	3	8	7	10845	9693	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8970	8970	0.933333
1720	006	3615	0.08	1152	1	65	100	3	8	7	10845	9693	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8970	8970	0.933333
1720	008	3615	0.08	4072	1	65	100	3	8	7	10845	6773	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	6050	6050	0.933333
1720	009	3615	0.08	2002	1	65	100	3	8	7	10845	8843	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8120	8120	0.933333
1720	010	3615	0.08	1733	1	65	100	3	8	7	10845	9112	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8389	8389	0.933333
1720	011	3615	0.08	1919	1	65	100	3	8	7	10845	8926	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8203	8203	0.933333
1720	012	3615	0.08	1511	1	65	100	3	8	7	10845	9334	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8611	8611	0.933333
1720	013	3615	0.08	1152	1	65	100	3	8	7	10845	9693	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8970	8970	0.933333
1720	014	3615	0.08	1320	1	65	100	3	8	7	10845	9525	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8802	8802	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1720	015	3615	0.08	1344	1	65	100	3	8	7	10845	9501	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8778	8778	0.933333
1720	016	3615	0.08	2148	1	65	100	3	8	7	10845	8697	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	7974	7974	0.933333
1720	017	3615	0.08	1344	1	65	100	3	8	7	10845	9501	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8778	8778	0.933333
1720	026	3615	0.08	1344	1	65	100	3	8	7	10845	9501	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8778	8778	0.933333
1720	027	3615	0.08	1863	1	65	100	3	8	7	10845	8982	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8259	8259	0.933333
1720	028	3615	0.08	1923	1	65	100	3	8	7	10845	8922	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8199	8199	0.933333
1720	029	3615	0.08	2100	1	65	100	3	8	7	10845	8745	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8022	8022	0.933333
1720	030	3615	0.08	1200	1	65	100	3	8	7	10845	9645	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8922	8922	0.933333
1720	031	3615	0.08	1968	1	65	100	3	8	7	10845	8877	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8154	8154	0.933333
1720	032	3615	0.08	2452	1	65	100	3	8	7	10845	8393	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	7670	7670	0.933333
1720	033	3615	0.08	2619	1	65	100	3	8	7	10845	8226	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	7503	7503	0.933333
1720	034	3615	0.08	2083	1	65	100	3	8	7	10845	8762	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8039	8039	0.933333
1720	035	3615	0.08	1275	1	65	100	3	8	7	10845	9570	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8847	8847	0.933333
1720	036	3615	0.08	1232	1	65	100	3	8	7	10845	9613	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8890	8890	0.933333
1720	037	3615	0.08	2269	1	65	100	3	8	7	10845	8576	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	7853	7853	0.933333
1720	038	3615	0.08	1321	1	65	100	3	8	7	10845	9524	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8801	8801	0.933333
1720	039	3651	0.08	1248	1	65	100	3	8	7	10953	9705	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10222.7998	8974.799805	8974.799805	0.933333
1721	007	3962	0.09	2010	1	65	100	3	9	8	11886	9876	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11093.59961	9083.599609	9083.599609	0.933333
1721	008	3962	0.09	1937	1	65	100	3	9	8	11886	9949	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11093.59961	9156.599609	9156.599609	0.933333
1721	009	3962	0.09	3058	1	65	100	3	9	8	11886	8828	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11093.59961	8035.599609	8035.599609	0.933333
1721	010	3962	0.09	1257	1	65	100	3	9	8	11886	10629	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11093.59961	9836.599609	9836.599609	0.933333
1721	011	3962	0.09	1434	1	65	100	3	9	8	11886	10452	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11093.59961	9659.599609	9659.599609	0.933333
1721	012	3962	0.09	1488	1	65	100	3	9	8	11886	10398	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11093.59961	9605.599609	9605.599609	0.933333
1721	013	3962	0.09	1162	1	65	100	3	9	8	11886	10724	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11093.59961	9931.599609	9931.599609	0.933333
1721	023	3600	0.08	1614	1	65	100	3	8	7	10800	9186	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8466	8466	0.933333
1721	024	3600	0.08	1444	1	65	100	3	8	7	10800	9356	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8636	8636	0.933333
1721	025	3600	0.08	1596	1	65	100	3	8	7	10800	9204	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8484	8484	0.933333
1721	026	3600	0.08	1620	1	65	100	3	8	7	10800	9180	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8460	8460	0.933333
1721	027	3600	0.08	2862	1	65	100	3	8	7	10800	7938	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7218	7218	0.933333
1721	028	3600	0.08	2144	1	65	100	3	8	7	10800	8656	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7936	7936	0.933333
1721	029	3840	0.09	2115	1	65	100	3	9	8	11520	9405	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10752	8637	8637	0.933333
1721	030	3840	0.09	2386	1	65	100	3	9	8	11520	9134	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10752	8366	8366	0.933333
1721	031	3840	0.09	1404	1	65	100	3	9	8	11520	10116	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10752	9348	9348	0.933333
1721	033	3840	0.09	1350	1	65	100	3	9	8	11520	10170	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10752	9402	9402	0.933333
1721	034	3840	0.09	1375	1	65	100	3	9	8	11520	10145	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10752	9377	9377	0.933333
1721	034A	3840	0.09	2238	1	65	100	3	9	8	11520	9282	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10752	8514	8514	0.933333
1721	035	3895	0.09	1377	1	65	100	3	9	8	11685	10308	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10906	9529	9529	0.933333
1721	038	2160	0.05	1555	1	65	100	3	5	4	6480	4925	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9720	8165	8165	1.5
1721	039	2235	0.05	1555	1	65	100	3	5	4	6705	5150	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10057.5	8502.5	8502.5	1.5
1721	040	2256	0.05	1538	1	65	100	3	5	4	6768	5230	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10152	8614	8614	1.5
1722	007	3984	0.09	2250	1	65	100	3	9	8	11952	9702	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11155.2002	8905.200195	8905.200195	0.933333
1722	008	3984	0.09	2392	1	65	100	3	9	8	11952	9560	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11155.2002	8763.200195	8763.200195	0.933333
1722	009	3984	0.09	2392	1	65	100	3	9	8	11952	9560	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11155.2002	8763.200195	8763.200195	0.933333
1722	010	3984	0.09	2048	1	65	100	3	9	8	11952	9904	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11155.2002	9107.200195	9107.200195	0.933333
1722	011	3865	0.09	2250	1	65	100	3	9	8	11595	9345	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10822	8572	8572	0.933333
1722	026	3960	0.09	2086	1	65	100	3	9	8	11880	9794	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11088	9002	9002	0.933333
1722	027	3960	0.09	1725	1	65	100	3	9	8	11880	10155	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11088	9363	9363	0.933333
1722	028	3960	0.09	2800	1	65	100	3	9	8	11880	9080	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11088	8288	8288	0.933333
1722	029	3840	0.09	3377	1	65	100	3	9	8	11520	8143	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10752	7375	7375	0.933333
1722	030	3840	0.09	2451	1	65	100	3	9	8	11520	9069	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10752	8301	8301	0.933333
1722	031	3840	0.09	1811	1	65	100	3	9	8	11520	9709	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10752	8941	8941	0.933333
1722	032	3840	0.09	1764	1	65	100	3	9	8	11520	9756	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10752	8988	8988	0.933333
1722	034	3840	0.09	2150	1	65	100	3	9	8	11520	9370	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10752	8602	8602	0.933333
1723	033	3960	0.09	2800	1	65	100	3	9	8	11880	9080	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11088	8288	8288	0.933333
1723	034	3960	0.09	2500	1	65	100	3	9	8	11880	9380	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11088	8588	8588	0.933333
1723	035	3960	0.09	2117	1	65	100	3	9	8	11880	9763	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11088	8971	8971	0.933333
1723	036	3960	0.09	2889	1	65	100	3	9	8	11880	8991	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11088	8199	8199	0.933333
1723	037	3885	0.09	2783	1	65	100	3	9	8	11655	8872	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10878	8095	8095	0.933333
1724	004	3701	0.08	1200	1	65	100	3	8	7	11103	9903	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10362.7998	9162.799805	9162.799805	0.933333
1724	005	3613	0.08	1200	1	65	100	3	8	7	10839	9639	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	8916.399414	8916.399414	0.933333
1724	006	3613	0.08	1440	1	65	100	3	8	7	10839	9399	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	8676.399414	8676.399414	0.933333
1724	007	3613	0.08	2184	1	65	100	3	8	7	10839	8655	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	7932.399414	7932.399414	0.933333
1724	008	3613	0.08	2455	1	65	100	3	8	7	10839	8384	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	7661.399414	7661.399414	0.933333
1724	009	3613	0.08	2506	1	65	100	3	8	7	10839	8333	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	7610.399414	7610.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1724	010	3613	0.08	1200	1	65	100	3	8	7	10839	9639	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	8916.399414	8916.399414	0.933333
1724	011	3613	0.08	2629	1	65	100	3	8	7	10839	8210	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	7487.399414	7487.399414	0.933333
1724	012	3613	0.08	1517	1	65	100	3	8	7	10839	9322	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	8599.399414	8599.399414	0.933333
1724	013	3613	0.08	1440	1	65	100	3	8	7	10839	9399	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	8676.399414	8676.399414	0.933333
1724	014	3613	0.08	1320	1	65	100	3	8	7	10839	9519	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	8796.399414	8796.399414	0.933333
1724	015	3613	0.08	1786	1	65	100	3	8	7	10839	9053	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	8330.399414	8330.399414	0.933333
1724	016	3613	0.08	1248	1	65	100	3	8	7	10839	9591	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	8868.399414	8868.399414	0.933333
1724	017	3613	0.08	1200	1	65	100	3	8	7	10839	9639	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	8916.399414	8916.399414	0.933333
1724	019	3600	0.08	1796	1	65	100	3	8	7	10800	9004	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8284	8284	0.933333
1724	020	3600	0.08	1320	1	65	100	3	8	7	10800	9480	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8760	8760	0.933333
1724	021	3600	0.08	1440	1	65	100	3	8	7	10800	9360	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8640	8640	0.933333
1724	022	3600	0.08	1248	1	65	100	3	8	7	10800	9552	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8832	8832	0.933333
1724	023	3600	0.08	1445	1	65	100	3	8	7	10800	9355	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8635	8635	0.933333
1724	024	3600	0.08	2030	1	65	100	3	8	7	10800	8770	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8050	8050	0.933333
1724	025	3600	0.08	2200	1	65	100	3	8	7	10800	8600	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7880	7880	0.933333
1724	026	3600	0.08	2427	1	65	100	3	8	7	10800	8373	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7653	7653	0.933333
1724	027	3600	0.08	1788	1	65	100	3	8	7	10800	9012	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8292	8292	0.933333
1724	028	3600	0.08	1680	1	65	100	3	8	7	10800	9120	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8400	8400	0.933333
1724	029	3600	0.08	1320	1	65	100	3	8	7	10800	9480	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8760	8760	0.933333
1724	030	3600	0.08	1320	1	65	100	3	8	7	10800	9480	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8760	8760	0.933333
1724	031	3600	0.08	1320	1	65	100	3	8	7	10800	9480	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8760	8760	0.933333
1724	032	3684	0.08	1200	1	65	100	3	8	7	11052	9852	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10315.2002	9115.200195	9115.200195	0.933333
1725	045	2500	0.06	3000	2	65	100	3	6	4	7500	4500	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8250	8250	1.5
1727	045	2500	0.06	2500	2	65	100	3	6	4	7500	5000	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8750	8750	1.5
1727	046	2500	0.06	3100	2	65	100	3	6	4	7500	4400	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8150	8150	1.5
1727	048	2500	0.06	3250	2	65	100	3	6	4	7500	4250	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8000	8000	1.5
1727	049	2500	0.06	2750	2	65	100	3	6	4	7500	4750	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8500	8500	1.5
1727	050	2500	0.06	2175	2	65	100	3	6	4	7500	5325	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9075	9075	1.5
1728	001A	2068	0.05	1536	1	65	100	3	5	4	6204	4668	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9306	7770	7770	1.5
1728	001B	2068	0.05	1516	1	65	100	3	5	4	6204	4688	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9306	7790	7790	1.5
1728	001C	2068	0.05	1600	1	65	100	3	5	4	6204	4604	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9306	7706	7706	1.5
1728	013	3863	0.09	2177	1	65	100	3	9	8	11589	9412	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10816.39941	8639.399414	8639.399414	0.933333
1728	016	3863	0.09	1150	1	65	100	3	9	8	11589	10439	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10816.39941	9666.399414	9666.399414	0.933333
1728	048	2500	0.06	2750	2	65	100	3	6	4	7500	4750	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8500	8500	1.5
1728	050	2500	0.06	2750	2	65	100	3	6	4	7500	4750	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8500	8500	1.5
1728	054	2500	0.06	1563	2	65	100	3	6	4	7500	5937	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9687	9687	1.5
1729	023K	2500	0.06	2750	2	65	100	3	6	4	7500	4750	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8500	8500	1.5
1729	024	2500	0.06	3350	2	65	100	3	6	4	7500	4150	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	7900	7900	1.5
1729	025	2500	0.06	3100	2	65	100	3	6	4	7500	4400	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8150	8150	1.5
1729	026	3000	0.07	3440	4	65	100	3	7	3	9000	5560	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13500	10060	10060	1.5
1730	025	2467	0.06	5125	2	65	100	3	6	4	7401	2276	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11101.5	5976.5	5976.5	1.5
1730	028	2989	0.07	3984	4	65	100	3	7	3	8967	4983	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13450.5	9466.5	9466.5	1.5
1730	037	2739	0.06	3618	3	65	100	3	6	3	8217	4599	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	12325.5	8707.5	8707.5	1.5
1730	039	2989	0.07	3730	4	65	100	3	7	3	8967	5237	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13450.5	9720.5	9720.5	1.5
1731	016	2529	0.06	2444	6	65	100	3	6	0	7587	5143	RTO-C	85	form-based			true	0.75	13	2.166666746	7	6	15174	12730	12730	2
1731	032	3000	0.07	2177	4	65	100	3	7	3	9000	6823	NCD-IRVIN	65	form-based			true	0.75	11	1.571428537	7	7	13500	11323	11323	1.5
1731	035	3000	0.07	3878	4	65	100	3	7	3	9000	5122	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13500	9622	9622	1.5
1731	036	3000	0.07	3878	4	65	100	3	7	3	9000	5122	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13500	9622	9622	1.5
1731	038	3000	0.07	4150	4	65	100	3	7	3	9000	4850	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13500	9350	9350	1.5
1731	039	3000	0.07	4150	4	65	100	3	7	3	9000	4850	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13500	9350	9350	1.5
1732	005	3002	0.07	4094	4	65	100	3	7	3	9006	4912	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13509	9415	9415	1.5
1732	006	3002	0.07	4150	4	65	100	3	7	3	9006	4856	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13509	9359	9359	1.5
1732	013	3002	0.07	4220	4	65	100	3	7	3	9006	4786	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13509	9289	9289	1.5
1733	011	2988	0.07	3924	4	65	100	3	7	3	8964	5040	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13446	9522	9522	1.5
1733	015	4483	0.1	6920	10	65	100	3	10	0	13449	6529	RTO-C	65	form-based			true	0.75	17	1.700000048	7	7	20173.5	13253.5	13253.5	1.5
1733	039	3055	0.07	3800	4	65	100	3	7	3	9165	5365	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13747.5	9947.5	9947.5	1.5
1734	016	1445	0.03	1669	1	65	100	3	3	2	4335	2666	NCD-INNE	85	form-based			true	0.75	8	2.666666746	7	5	8670	7001	7001	2
1734	042	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9250	9250	1.5
1735	014	3877	0.09	1812	1	65	100	3	9	8	11631	9819	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10855.59961	9043.599609	9043.599609	0.933333
1735	028	3829	0.09	1542	1	65	100	3	9	8	11487	9945	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10721.2002	9179.200195	9179.200195	0.933333
1735	053	3958	0.09	2000	1	65	100	3	9	8	11874	9874	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11082.39941	9082.399414	9082.399414	0.933333
1735	056	2500	0.06	1973	2	65	100	3	6	4	7500	5527	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9277	9277	1.5
1736	009	4248	0.1	4062	2	65	100	3	10	8	12744	8682	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	11894.39941	7832.399414	7832.399414	0.933333
1738	001	5808	0.13	14205	15	65	100	3	13	0	17424	3219	RTO-C	65	form-based	true	true	0.75	22	1.692307711	7	7	26136	11931	11931	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1738	011	4513	0.1	2500	2	65	100	3	10	8	13539	11039	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12636.39941	10136.39941	10136.39941	0.933333
1738	012	3777	0.09	1800	1	65	100	3	9	8	11331	9531	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10575.59961	8775.599609	8775.599609	0.933333
1738	013	3777	0.09	1665	1	65	100	3	9	8	11331	9666	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10575.59961	8910.599609	8910.599609	0.933333
1738	026	2500	0.06	5000	6	65	100	3	6	0	7500	2500	NCD-INNE	85	form-based		true	true	0.75	13	2.166666746	7	6	15000	10000	10000	2
1738	047	2500	0.06	2840	2	65	100	3	6	4	7500	4660	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8410	8410	1.5
1738	053	2500	0.06	1385	2	65	100	3	6	4	7500	6115	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9865	9865	1.5
1739	020	2375	0.05	3686	5	65	100	3	5	0	7125	3439	NCD-INNE	85	form-based			true	0.75	12	2.400000095	7	5	14250	10564	10564	2
1739	021	2375	0.05	3287	5	65	100	3	5	0	7125	3838	NCD-INNE	85	form-based		true	true	0.75	12	2.400000095	7	5	14250	10963	10963	2
1739	026A	3375	0.08	7890	11	65	100	3	8	0	10125	2235	NCD-INNE	85	form-based			true	0.75	18	2.25	7	5	20250	12360	12360	2
1739	045	2500	0.06	3320	2	65	100	3	6	4	7500	4180	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	7930	7930	1.5
1739	046	2500	0.06	2260	2	65	100	3	6	4	7500	5240	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8990	8990	1.5
1740	046	2500	0.06	3042	2	65	100	3	6	4	7500	4458	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8208	8208	1.5
1740	047	2500	0.06	3128	2	65	100	3	6	4	7500	4372	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8122	8122	1.5
1740	048	2500	0.06	3128	2	65	100	3	6	4	7500	4372	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8122	8122	1.5
1740	051	2500	0.06	2818	2	65	100	3	6	4	7500	4682	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8432	8432	1.5
1743	007	3014	0.07	4581	4	65	100	3	7	3	9042	4461	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13563	8982	8982	1.5
1743	020	2630	0.06	7020	7	65	100	3	6	0	7890	870	NCD-INNE	85	form-based		true	true	0.75	14	2.333333254	7	5	15780	8760	8760	2
1744	013	2375	0.05	3160	2	65	100	3	5	3	7125	3965	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	7527.5	7527.5	1.5
1744	023	2375	0.05	3200	2	65	100	3	5	3	7125	3925	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	7487.5	7487.5	1.5
1744	025	2375	0.05	2300	2	65	100	3	5	3	7125	4825	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	8387.5	8387.5	1.5
1744	040	2375	0.05	1286	2	65	100	3	5	3	7125	5839	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	9401.5	9401.5	1.5
1745	019	2375	0.05	2500	2	65	100	3	5	3	7125	4625	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	8187.5	8187.5	1.5
1745	020	2375	0.05	2500	2	65	100	3	5	3	7125	4625	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	8187.5	8187.5	1.5
1745	021	2375	0.05	2500	2	65	100	3	5	3	7125	4625	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	8187.5	8187.5	1.5
1745	022	2375	0.05	2500	2	65	100	3	5	3	7125	4625	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	8187.5	8187.5	1.5
1745	023	2375	0.05	2500	2	65	100	3	5	3	7125	4625	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	8187.5	8187.5	1.5
1745	024	2375	0.05	2500	2	65	100	3	5	3	7125	4625	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	8187.5	8187.5	1.5
1745	025	2375	0.05	2500	2	65	100	3	5	3	7125	4625	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	8187.5	8187.5	1.5
1746	018	2330	0.05	3160	2	65	100	3	5	3	6990	3830	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10485	7325	7325	1.5
1746	020	2330	0.05	3100	2	65	100	3	5	3	6990	3890	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10485	7385	7385	1.5
1746	022	2330	0.05	3160	2	65	100	3	5	3	6990	3830	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10485	7325	7325	1.5
1747	001	4005	0.09	6424	8	65	100	3	9	1	12015	5591	RTO-C	65	form-based		true	true	0.75	15	1.666666627	7	7	18022.5	11598.5	11598.5	1.5
1747	023	2770	0.06	2278	3	65	100	3	6	3	8310	6032	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	12465	10187	10187	1.5
1749	019	2375	0.05	2900	2	65	100	3	5	3	7125	4225	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	7787.5	7787.5	1.5
1749	021	2375	0.05	3100	2	65	100	3	5	3	7125	4025	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	7587.5	7587.5	1.5
1749	024	2532	0.06	3500	2	65	100	3	6	4	7596	4096	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11394	7894	7894	1.5
1755	015	2372	0.05	2900	2	65	100	3	5	3	7116	4216	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10674	7774	7774	1.5
1755	016	2372	0.05	2900	2	65	100	3	5	3	7116	4216	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10674	7774	7774	1.5
1755	020	2372	0.05	2500	2	65	100	3	5	3	7116	4616	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10674	8174	8174	1.5
1758	021	2134	0.05	2970	1	65	100	3	5	4	6402	3432	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9603	6633	6633	1.5
1758	023A	2016	0.05	1554	1	65	100	3	5	4	6048	4494	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9072	7518	7518	1.5
1759	022	2618	0.06	3375	3	65	100	3	6	3	7854	4479	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11781	8406	8406	1.5
1759	049	3628	0.08	8426	7	65	100	3	8	1	10884	2458	RTO-C	65	form-based		true	true	0.75	14	1.75	7	7	16326	7900	7900	1.5
1760	001	2380	0.05	7775	5	85	140	4	7	2	9520	1745	NCD-INNE	85	form-based		true	true	0.75	12	1.714285731	7	7	14280	6505	6505	1.5
1760	026	2501	0.06	1840	2	65	100	3	6	4	7503	5663	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11254.5	9414.5	9414.5	1.5
1760	028	2375	0.05	3000	2	65	100	3	5	3	7125	4125	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	7687.5	7687.5	1.5
1760	057	2375	0.05	1650	2	65	100	3	5	3	7125	5475	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	9037.5	9037.5	1.5
1761	017	2369	0.05	2600	2	65	100	3	5	3	7107	4507	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10660.5	8060.5	8060.5	1.5
1762	019	2500	0.06	2093	2	65	100	3	6	4	7500	5407	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9157	9157	1.5
1762	020	4987	0.11	13500	12	65	100	3	11	0	14961	1461	RTO-C	65	form-based		true	true	0.75	19	1.727272749	7	7	22441.5	8941.5	8941.5	1.5
1765	018	2483	0.06	4130	6	65	100	3	6	0	7449	3319	RTO-C	85	form-based			true	0.75	13	2.166666746	7	6	14898	10768	10768	2
1765	063	2181	0.05	4284	4	65	100	3	5	1	6543	2259	RTO-C	85	form-based		true	true	0.75	11	2.200000048	7	6	13086	8802	8802	2
1766	001A	1438	0.03	1156	1	65	100	3	3	2	4314	3158	NCD-INNE	85	form-based			true	0.75	8	2.666666746	7	5	8628	7472	7472	2
1766	043	3250	0.07	5006	10	65	100	3	7	0	9750	4744	NCD-INNE	85	form-based		true	true	0.75	17	2.428571463	7	4	19500	14494	14494	2
1767	004	2079	0.05	2076	4	65	100	3	5	1	6237	4161	NCD-INNE	85	form-based			true	0.75	11	2.200000048	7	6	12474	10398	10398	2
1767	040	1437	0.03	1050	1	65	100	3	3	2	4311	3261	NCD-INNE	85	form-based			true	0.75	8	2.666666746	7	5	8622	7572	7572	2
1767	040A	1437	0.03	1050	1	65	100	3	3	2	4311	3261	NCD-INNE	85	form-based			true	0.75	8	2.666666746	7	5	8622	7572	7572	2
1767	041	1437	0.03	1050	1	65	100	3	3	2	4311	3261	NCD-INNE	85	form-based			true	0.75	8	2.666666746	7	5	8622	7572	7572	2
1767	041A	1438	0.03	1680	1	65	100	3	3	2	4314	2634	NCD-INNE	85	form-based		true	true	0.75	8	2.666666746	7	5	8628	6948	6948	2
1770	054	3710	0.09	4140	1	65	100	3	9	8	11130	6990	RM-1	40	form-based			true	0.7	8	0.888888896	7	7	10388	6248	6248	0.933333
1772	001	3204	0.07	7059	10	65	100	3	7	0	9612	2553	NCD-INNE	85	form-based		true	true	0.75	17	2.428571463	7	4	19224	12165	12165	2
1772	008A	2055	0.05	3315	4	65	100	3	5	1	6165	2850	NCD-INNE	85	form-based		true	true	0.75	11	2.200000048	7	6	12330	9015	9015	2
1773	004	3000	0.07	4000	4	65	100	3	7	3	9000	5000	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13500	9500	9500	1.5
1773	004C	3000	0.07	4000	4	65	100	3	7	3	9000	5000	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13500	9500	9500	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1774	028	3000	0.07	4452	4	65	100	3	7	3	9000	4548	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13500	9048	9048	1.5
1774	041	3000	0.07	3394	4	65	100	3	7	3	9000	5606	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13500	10106	10106	1.5
1775	009	3030	0.07	3610	4	65	100	3	7	3	9090	5480	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13635	10025	10025	1.5
1776	010	3597	0.08	2304	1	65	100	3	8	7	10791	8487	RH-2	40	form-based			true	0.7	8	1	7	7	10071.59961	7767.599609	7767.599609	0.933333
1778	013	4544	0.1	5800	3	65	100	3	10	7	13632	7832	RH-2	40	form-based			true	0.7	10	1	7	7	12723.2002	6923.200195	6923.200195	0.933333
1778	017A	1887	0.04	2352	3	85	140	4	6	3	7548	5196	RTO-C	85	form-based			true	0.75	10	1.666666627	7	7	11322	8970	8970	1.5
1778	023A	1438	0.03	1062	1	65	100	3	3	2	4314	3252	RTO-C	85	form-based			true	0.75	8	2.666666746	7	5	8628	7566	7566	2
1778	024	1438	0.03	1062	1	65	100	3	3	2	4314	3252	RTO-C	85	form-based			true	0.75	8	2.666666746	7	5	8628	7566	7566	2
1782	014B	1845	0.04	2819	3	85	140	4	6	3	7380	4561	NC-1	85	form-based			true	0.75	10	1.666666627	7	7	11070	8251	8251	1.5
1784	001I	3647	0.08	2342	1	65	100	3	8	7	10941	8599	RH-1	40	form-based			true	0.7	8	1	7	7	10211.59961	7869.599609	7869.599609	0.933333
1785	001	3349	0.08	3319	0	65	100	3	8	8	10047	6728	RH-2	40	form-based	true		true	0.7	7	0.875	7	7	9377.200195	6058.200195	6058.200195	0.933333
1786	012C	1390	0.03	2550	0	85	140	4	4	4	5560	3010	NCD-JUDA	85	form-based	true		true	0.75	7	1.75	7	7	8340	5790	5790	1.5
1788	018	2483	0.06	3332	6	85	140	4	8	2	9932	6600	RTO-C	85	form-based			true	0.75	13	1.625	7	7	14898	11566	11566	1.5
1788	023	3600	0.08	1466	1	85	140	4	11	10	14400	12934	RH-2	40	form-based			true	0.7	8	0.727272749	7	7	10080	8614	8614	0.7
1789	018H	1717	0.04	1700	2	65	100	3	4	2	5151	3451	RTO-C	85	form-based	true		true	0.75	9	2.25	7	6	10302	8602	8602	2
1789	018I	1760	0.04	1700	2	65	100	3	4	2	5280	3580	RTO-C	85	form-based			true	0.75	9	2.25	7	6	10560	8860	8860	2
1792	002	3589	0.08	1921	1	65	100	3	8	7	10767	8846	RH-1	40	form-based			true	0.7	8	1	7	7	10049.2002	8128.200195	8128.200195	0.933333
1792	002A	3589	0.08	1190	1	65	100	3	8	7	10767	9577	RH-1	40	form-based			true	0.7	8	1	7	7	10049.2002	8859.200195	8859.200195	0.933333
1792	002H	3600	0.08	1699	1	65	100	3	8	7	10800	9101	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8381	8381	0.933333
1792	002N	3600	0.08	1674	1	65	100	3	8	7	10800	9126	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8406	8406	0.933333
1792	012A	1437	0.03	1542	1	65	100	3	3	2	4311	2769	NC-1	85	form-based			true	0.75	8	2.666666746	7	5	8622	7080	7080	2
1792	012B	1438	0.03	1537	1	65	100	3	3	2	4314	2777	NC-1	85	form-based			true	0.75	8	2.666666746	7	5	8628	7091	7091	2
1792	012C	1437	0.03	1522	1	65	100	3	3	2	4311	2789	NC-1	85	form-based			true	0.75	8	2.666666746	7	5	8622	7100	7100	2
1793	026	1625	0.04	2969	2	65	100	3	4	2	4875	1906	NC-1	85	form-based			true	0.75	9	2.25	7	6	9750	6781	6781	2
1793	026A	1625	0.04	2525	2	65	100	3	4	2	4875	2350	NC-1	85	form-based			true	0.75	9	2.25	7	6	9750	7225	7225	2
1793	043	2375	0.05	2500	2	65	100	3	5	3	7125	4625	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	8187.5	8187.5	1.5
1793	044	2375	0.05	2500	2	65	100	3	5	3	7125	4625	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	8187.5	8187.5	1.5
1793	047	2500	0.06	2200	2	65	100	3	6	4	7500	5300	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9050	9050	1.5
1794	042	2487	0.06	3052	2	65	100	3	6	4	7461	4409	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11191.5	8139.5	8139.5	1.5
1795	015B	2002	0.05	3030	4	85	140	4	7	3	8008	4978	RTO-C	85	form-based	true		true	0.75	11	1.571428537	7	7	12012	8982	8982	1.5
1795	033	2500	0.06	2400	2	65	100	3	6	4	7500	5100	NC-1	65	form-based			true	0.75	9	1.5	7	7	11250	8850	8850	1.5
1795	034	2500	0.06	2000	2	65	100	3	6	4	7500	5500	NC-1	65	form-based			true	0.75	9	1.5	7	7	11250	9250	9250	1.5
1796	039	2500	0.06	1708	2	65	100	3	6	4	7500	5792	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9542	9542	1.5
1796	041	1437	0.03	1261	1	65	100	3	3	2	4311	3050	RTO-C	85	form-based			true	0.75	8	2.666666746	7	5	8622	7361	7361	2
1797	020	1440	0.03	812	1	85	140	4	4	3	5760	4948	RTO-C	85	form-based	true		true	0.75	8	2	7	7	8640	7828	7828	1.5
1797	020A	1438	0.03	812	1	85	140	4	4	3	5752	4940	RTO-C	85	form-based			true	0.75	8	2	7	7	8628	7816	7816	1.5
1797	021	1438	0.03	812	1	85	140	4	4	3	5752	4940	RTO-C	85	form-based			true	0.75	8	2	7	7	8628	7816	7816	1.5
1797	032	2464	0.06	3625	2	65	100	3	6	4	7392	3767	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11088	7463	7463	1.5
1797	034	2464	0.06	2647	2	65	100	3	6	4	7392	4745	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11088	8441	8441	1.5
1799	025	4080	0.09	2902	2	65	100	3	9	7	12240	9338	RH-2	40	form-based			true	0.7	9	1	7	7	11424	8522	8522	0.933333
1799	034	3600	0.08	1305	1	65	100	3	8	7	10800	9495	RH-2	40	form-based			true	0.7	8	1	7	7	10080	8775	8775	0.933333
1799	035	3600	0.08	1135	1	65	100	3	8	7	10800	9665	RH-2	40	form-based			true	0.7	8	1	7	7	10080	8945	8945	0.933333
1800	026	2478	0.06	3466	2	65	100	3	6	4	7434	3968	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11151	7685	7685	1.5
1800	030	2530	0.06	4140	6	85	140	4	8	2	10120	5980	NC-1	85	form-based	true		true	0.75	13	1.625	7	7	15180	11040	11040	1.5
1802	030	2477	0.06	4030	2	65	100	3	6	4	7431	3401	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11146.5	7116.5	7116.5	1.5
1802	031	2477	0.06	4030	2	65	100	3	6	4	7431	3401	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11146.5	7116.5	7116.5	1.5
1802	033	2477	0.06	4030	2	65	100	3	6	4	7431	3401	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11146.5	7116.5	7116.5	1.5
1806	021	4500	0.1	3478	2	65	100	3	10	8	13500	10022	RM-1	40	form-based			true	0.7	9	0.899999976	7	7	12600	9122	9122	0.933333
1806	024	4800	0.11	2625	3	65	100	3	11	8	14400	11775	RM-1	40	form-based			true	0.7	10	0.909090936	7	7	13440	10815	10815	0.933333
1806	054	7200	0.17	7059	8	65	100	3	17	9	21600	14541	RM-1	40	form-based			true	0.7	15	0.882352948	7	7	20160	13101	13101	0.933333
1811	042A	1437	0.03	1025	1	85	140	4	4	3	5748	4723	RTO-C	85	form-based			true	0.75	8	2	7	7	8622	7597	7597	1.5
1811	042B	1437	0.03	1025	1	85	140	4	4	3	5748	4723	RTO-C	85	form-based			true	0.75	8	2	7	7	8622	7597	7597	1.5
1813	043	1630	0.04	2280	2	65	100	3	4	2	4890	2610	RTO-C	85	form-based			true	0.75	9	2.25	7	6	9780	7500	7500	2
1813	043A	1630	0.04	2280	2	65	100	3	4	2	4890	2610	RTO-C	85	form-based	true		true	0.75	9	2.25	7	6	9780	7500	7500	2
1816	001	1741	0.04	2420	2	85	140	4	6	4	6964	4544	RTO-C	85	form-based	true		true	0.75	9	1.5	7	7	10446	8026	8026	1.5
1816	001A	1741	0.04	2420	2	85	140	4	6	4	6964	4544	RTO-C	85	form-based			true	0.75	9	1.5	7	7	10446	8026	8026	1.5
1816	001B	1741	0.04	2420	2	85	140	4	6	4	6964	4544	RTO-C	85	form-based			true	0.75	9	1.5	7	7	10446	8026	8026	1.5
1816	044	1750	0.04	2420	2	65	100	3	4	2	5250	2830	RTO-C	85	form-based			true	0.75	9	2.25	7	6	10500	8080	8080	2
1816	045	1750	0.04	2420	2	65	100	3	4	2	5250	2830	RTO-C	85	form-based			true	0.75	9	2.25	7	6	10500	8080	8080	2
1816	046	1750	0.04	2420	2	65	100	3	4	2	5250	2830	RTO-C	85	form-based	true		true	0.75	9	2.25	7	6	10500	8080	8080	2
1818	001	2108	0.05	3620	4	65	100	3	5	1	6324	2704	RTO-C	85	form-based	true		true	0.75	11	2.200000048	7	6	12648	9028	9028	2
1821	032	1630	0.04	2394	2	65	100	3	4	2	4890	2496	RTO-C	85	form-based			true	0.75	9	2.25	7	6	9780	7386	7386	2
1821	032A	1630	0.04	2394	2	65	100	3	4	2	4890	2496	RTO-C	85	form-based	true		true	0.75	9	2.25	7	6	9780	7386	7386	2
1822	036	2000	0.05	2929	4	65	100	3	5	1	6000	3071	NCD-JUDA	85	form-based			true	0.75	11	2.200000048	7	6	12000	9071	9071	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1825	037	1765	0.04	2560	2	85	140	4	6	4	7060	4500	RTO-C	85	form-based			true	0.75	9	1.5	7	7	10590	8030	8030	1.5
1825	038	1765	0.04	2250	2	85	140	4	6	4	7060	4810	RTO-C	85	form-based			true	0.75	9	1.5	7	7	10590	8340	8340	1.5
1825	039	1765	0.04	2250	2	85	140	4	6	4	7060	4810	RTO-C	85	form-based		true	true	0.75	9	1.5	7	7	10590	8340	8340	1.5
1830	034	1491	0.03	1103	1	65	100	3	3	2	4473	3370	RTO-C	85	form-based		true	true	0.75	8	2.666666746	7	5	8946	7843	7843	2
1831	044	1641	0.04	2518	2	85	140	4	6	4	6564	4046	RTO-C	85	form-based			true	0.75	9	1.5	7	7	9846	7328	7328	1.5
1831	044A	1641	0.04	2712	2	85	140	4	6	4	6564	3852	RTO-C	85	form-based		true	true	0.75	9	1.5	7	7	9846	7134	7134	1.5
1832	027	3600	0.08	1225	1	65	100	3	8	7	10800	9575	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8855	8855	0.933333
1833	003	2966	0.07	3892	4	65	100	3	7	3	8898	5006	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13347	9455	9455	1.5
1833	014A	8300	0.19	16326	24	65	100	3	19	0	24900	8574	RTO-C	65	form-based			true	0.75	31	1.631578922	7	7	37350	21024	21024	1.5
1833	033A	2090	0.05	4100	4	65	100	3	5	1	6270	2170	RTO-C	85	form-based		true	true	0.75	11	2.200000048	7	6	12540	8440	8440	2
1834	015	2475	0.06	3384	2	65	100	3	6	4	7425	4041	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11137.5	7753.5	7753.5	1.5
1834	016	2475	0.06	3336	2	65	100	3	6	4	7425	4089	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11137.5	7801.5	7801.5	1.5
1834	018	2402	0.06	3590	2	65	100	3	6	4	7206	3616	RTO-C	65	form-based			true	0.75	9	1.5	7	7	10809	7219	7219	1.5
1834	028	3027	0.07	3966	4	65	100	3	7	3	9081	5115	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13621.5	9655.5	9655.5	1.5
1834	031	1777	0.04	2600	2	85	140	4	6	4	7108	4508	RTO-C	85	form-based			true	0.75	9	1.5	7	7	10662	8062	8062	1.5
1834	032	1777	0.04	2600	2	85	140	4	6	4	7108	4508	RTO-C	85	form-based			true	0.75	9	1.5	7	7	10662	8062	8062	1.5
1835	003	3000	0.07	4527	4	65	100	3	7	3	9000	4473	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13500	8973	8973	1.5
1835	010	3000	0.07	3280	4	65	100	3	7	3	9000	5720	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13500	10220	10220	1.5
1835	017	2062	0.05	1700	1	65	100	3	5	4	6186	4486	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	7579	7579	1.5
1835	018	2063	0.05	1700	1	65	100	3	5	4	6189	4489	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	7583.5	7583.5	1.5
1835	052	2012	0.05	3265	4	85	140	4	7	3	8048	4783	RTO-C	85	form-based		true	true	0.75	11	1.571428537	7	7	12072	8807	8807	1.5
1835	054	2062	0.05	3233	1	65	100	3	5	4	6186	2953	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	6046	6046	1.5
1835	055	2063	0.05	3202	1	65	100	3	5	4	6189	2987	RTO-C	65	form-based		true	true	0.75	8	1.600000024	7	7	9283.5	6081.5	6081.5	1.5
1836	005A	2989	0.07	2950	4	65	100	3	7	3	8967	6017	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13450.5	10500.5	10500.5	1.5
1836	008B	2402	0.06	2900	2	65	100	3	6	4	7206	4306	RTO-C	65	form-based			true	0.75	9	1.5	7	7	10809	7909	7909	1.5
1836	008C	2363	0.05	2800	2	65	100	3	5	3	7089	4289	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10633.5	7833.5	7833.5	1.5
1836	009B	2399	0.06	2868	2	65	100	3	6	4	7197	4329	RTO-C	65	form-based			true	0.75	9	1.5	7	7	10795.5	7927.5	7927.5	1.5
1836	009C	2438	0.06	2868	2	65	100	3	6	4	7314	4446	RTO-C	65	form-based			true	0.75	9	1.5	7	7	10971	8103	8103	1.5
1836	010	2975	0.07	3512	4	65	100	3	7	3	8925	5413	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13387.5	9875.5	9875.5	1.5
1836	013A	3024	0.07	3989	4	65	100	3	7	3	9072	5083	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13608	9619	9619	1.5
1836	028	2363	0.05	1650	2	65	100	3	5	3	7089	5439	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10633.5	8983.5	8983.5	1.5
1837	010	3973	0.09	1300	1	65	100	3	9	8	11919	10619	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11124.39941	9824.399414	9824.399414	0.933333
1837	011	3973	0.09	1800	1	65	100	3	9	8	11919	10119	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11124.39941	9324.399414	9324.399414	0.933333
1837	012	3973	0.09	1932	1	65	100	3	9	8	11919	9987	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11124.39941	9192.399414	9192.399414	0.933333
1837	013	3973	0.09	1430	1	65	100	3	9	8	11919	10489	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11124.39941	9694.399414	9694.399414	0.933333
1837	014	3973	0.09	2341	1	65	100	3	9	8	11919	9578	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11124.39941	8783.399414	8783.399414	0.933333
1837	015	3973	0.09	1500	1	65	100	3	9	8	11919	10419	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11124.39941	9624.399414	9624.399414	0.933333
1837	016	3973	0.09	1734	1	65	100	3	9	8	11919	10185	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11124.39941	9390.399414	9390.399414	0.933333
1837	017	3973	0.09	1821	1	65	100	3	9	8	11919	10098	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11124.39941	9303.399414	9303.399414	0.933333
1837	054	1784	0.04	1479	2	65	100	3	4	2	5352	3873	RTO-C	85	form-based		true	true	0.75	9	2.25	7	6	10704	9225	9225	2
1837	057	4500	0.1	5268	2	65	100	3	10	8	13500	8232	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12600	7332	7332	0.933333
1839	001M	3438	0.08	0	0	65	100	3	8	8	10314	10314	RH-2	40	form-based			true	0.7	7	0.875	7	7	9626.399414	9626.399414	9626.399414	0.933333
1841	001A	1744	0.04	2500	2	85	140	4	6	4	6976	4476	RTO-C	85	form-based			true	0.75	9	1.5	7	7	10464	7964	7964	1.5
1841	001B	1744	0.04	2500	2	85	140	4	6	4	6976	4476	RTO-C	85	form-based			true	0.75	9	1.5	7	7	10464	7964	7964	1.5
1841	044	1750	0.04	880	2	85	140	4	6	4	7000	6120	RTO-C	85	form-based			true	0.75	9	1.5	7	7	10500	9620	9620	1.5
1844	043	3177	0.07	6950	10	85	140	4	10	0	12708	5758	NCD-INNE	85	form-based		true	true	0.75	17	1.700000048	7	7	19062	12112	12112	1.5
1845	051	1833	0.04	1723	3	65	100	3	4	1	5499	3776	NCD-INNE	85	form-based			true	0.75	10	2.5	7	5	10998	9275	9275	2
1846	009A	3015	0.07	4050	4	65	100	3	7	3	9045	4995	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13567.5	9517.5	9517.5	1.5
1846	011	3015	0.07	3970	4	65	100	3	7	3	9045	5075	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13567.5	9597.5	9597.5	1.5
1846	013	3015	0.07	3450	4	65	100	3	7	3	9045	5595	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13567.5	10117.5	10117.5	1.5
1847	027	2290	0.05	3780	2	65	100	3	5	3	6870	3090	RTO-C	65	form-based		true	true	0.75	9	1.799999952	7	7	10305	6525	6525	1.5
1847	048	2369	0.05	2650	2	65	100	3	5	3	7107	4457	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10660.5	8010.5	8010.5	1.5
1847	049	2369	0.05	3250	2	65	100	3	5	3	7107	3857	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10660.5	7410.5	7410.5	1.5
1847	051	2522	0.06	2750	2	65	100	3	6	4	7566	4816	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11349	8599	8599	1.5
1848	002	2383	0.05	1880	2	65	100	3	5	3	7149	5269	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10723.5	8843.5	8843.5	1.5
1848	049	2390	0.05	2600	2	65	100	3	5	3	7170	4570	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10755	8155	8155	1.5
1848	057	2478	0.06	1284	2	65	100	3	6	4	7434	6150	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11151	9867	9867	1.5
1851	019	4127	0.09	3518	2	55	80	2.5	7	5	10318	6800	RH-2	40	form-based			true	0.7	9	1.285714269	7	7	11555.59961	8037.599609	8037.599609	1.119946
1853	002	3015	0.07	3944	4	65	100	3	7	3	9045	5101	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13567.5	9623.5	9623.5	1.5
1853	003	3015	0.07	3944	4	65	100	3	7	3	9045	5101	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13567.5	9623.5	9623.5	1.5
1860A	005	4022	0.09	1318	1	65	100	3	9	8	12066	10748	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11261.59961	9943.599609	9943.599609	0.933333
1860A	014A	3981	0.09	1530	1	65	100	3	9	8	11943	10413	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11146.7998	9616.799805	9616.799805	0.933333
1860A	037	3794	0.09	3111	1	65	100	3	9	8	11382	8271	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10623.2002	7512.200195	7512.200195	0.933333
1860A	038	3913	0.09	2433	1	65	100	3	9	8	11739	9306	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10956.39941	8523.399414	8523.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1860B	022	4042	0.09	2172	1	55	80	2.5	7	6	10105	7933	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11317.59961	9145.599609	9145.599609	1.12
1860B	023	3957	0.09	2172	1	65	100	3	9	8	11871	9699	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11079.59961	8907.599609	8907.599609	0.933333
1860B	024	4044	0.09	2727	1	65	100	3	9	8	12132	9405	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11323.2002	8596.200195	8596.200195	0.933333
1860B	003	3714	0.09	2542	1	65	100	3	9	8	11142	8600	RH-1	40	form-based		true	true	0.7	8	0.888888896	7	7	10399.2002	7857.200195	7857.200195	0.933333
1860B	025	3881	0.09	2727	1	65	100	3	9	8	11643	8916	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10866.7998	8139.799805	8139.799805	0.933333
1860B	033	3599	0.08	2608	1	65	100	3	8	7	10797	8189	RH-1	40	form-based			true	0.7	8	1	7	7	10077.2002	7469.200195	7469.200195	0.933333
1861A	002	3341	0.08	0	0	65	100	3	8	8	10023	10023	RH-1(D)	40	form-based			true	0.7	7	0.875	7	7	9354.799805	9354.799805	9354.799805	0.933333
1861A	009	3686	0.08	1500	1	65	100	3	8	7	11058	9558	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10320.7998	8820.799805	8820.799805	0.933333
1861A	011	3727	0.09	1500	1	65	100	3	9	8	11181	9681	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10435.59961	8935.599609	8935.599609	0.933333
1861B	013	3872	0.09	2576	1	65	100	3	9	8	11616	9040	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10841.59961	8265.599609	8265.599609	0.933333
1864	027	1768	0.04	1750	2	65	100	3	4	2	5304	3554	RTO-C	85	form-based		true	true	0.75	9	2.25	7	6	10608	8858	8858	2
1864	028	1647	0.04	1750	2	65	100	3	4	2	4941	3191	RTO-C	85	form-based			true	0.75	9	2.25	7	6	9882	8132	8132	2
1864	029	1647	0.04	1750	2	65	100	3	4	2	4941	3191	RTO-C	85	form-based			true	0.75	9	2.25	7	6	9882	8132	8132	2
1866	001A	3572	0.08	1400	1	65	100	3	8	7	10716	9316	RH-2	40	form-based			true	0.7	8	1	7	7	10001.59961	8601.599609	8601.599609	0.933333
1866	002	3572	0.08	1150	1	65	100	3	8	7	10716	9566	RH-2	40	form-based			true	0.7	8	1	7	7	10001.59961	8851.599609	8851.599609	0.933333
1866	005	3572	0.08	1481	1	65	100	3	8	7	10716	9235	RH-2	40	form-based			true	0.7	8	1	7	7	10001.59961	8520.599609	8520.599609	0.933333
1866	006	3572	0.08	1226	1	65	100	3	8	7	10716	9490	RH-2	40	form-based			true	0.7	8	1	7	7	10001.59961	8775.599609	8775.599609	0.933333
1866	008	3572	0.08	1195	1	65	100	3	8	7	10716	9521	RH-2	40	form-based			true	0.7	8	1	7	7	10001.59961	8806.599609	8806.599609	0.933333
1866	009	3572	0.08	1617	1	65	100	3	8	7	10716	9099	RH-2	40	form-based			true	0.7	8	1	7	7	10001.59961	8384.599609	8384.599609	0.933333
1866	011	3572	0.08	1400	1	65	100	3	8	7	10716	9316	RH-2	40	form-based			true	0.7	8	1	7	7	10001.59961	8601.599609	8601.599609	0.933333
1866	012	3572	0.08	1400	1	65	100	3	8	7	10716	9316	RH-2	40	form-based			true	0.7	8	1	7	7	10001.59961	8601.599609	8601.599609	0.933333
1866	013	3572	0.08	1910	1	65	100	3	8	7	10716	8806	RH-2	40	form-based			true	0.7	8	1	7	7	10001.59961	8091.599609	8091.599609	0.933333
1866	014	3572	0.08	2552	1	65	100	3	8	7	10716	8164	RH-2	40	form-based			true	0.7	8	1	7	7	10001.59961	7449.599609	7449.599609	0.933333
1866	016	3572	0.08	1325	1	65	100	3	8	7	10716	9391	RH-2	40	form-based			true	0.7	8	1	7	7	10001.59961	8676.599609	8676.599609	0.933333
1870	008	2209	0.05	1525	1	65	100	3	5	4	6627	5102	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9940.5	8415.5	8415.5	1.5
1871	014F	2065	0.05	1550	1	65	100	3	5	4	6195	4645	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9292.5	7742.5	7742.5	1.5
1871	014G	2065	0.05	1325	1	65	100	3	5	4	6195	4870	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9292.5	7967.5	7967.5	1.5
1872	011A	2502	0.06	2400	2	65	100	3	6	4	7506	5106	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11259	8859	8859	1.5
1872	011B	2502	0.06	2534	2	65	100	3	6	4	7506	4972	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11259	8725	8725	1.5
1872	011C	2502	0.06	2600	2	65	100	3	6	4	7506	4906	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11259	8659	8659	1.5
1881	025	3749	0.09	3524	1	65	100	3	9	8	11247	7723	RH-1	40	form-based		true	true	0.7	8	0.888888896	7	7	10497.2002	6973.200195	6973.200195	0.933333
1888	009	2489	0.06	2548	2	65	100	3	6	4	7467	4919	NC-1	65	form-based			true	0.75	9	1.5	7	7	11200.5	8652.5	8652.5	1.5
1891	014	3780	0.09	1872	1	65	100	3	9	8	11340	9468	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10584	8712	8712	0.933333
1893	044	3740	0.09	1826	1	65	100	3	9	8	11220	9394	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10472	8646	8646	0.933333
1895	033	3615	0.08	3172	1	55	80	2.5	6	5	9038	5866	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10122	6950	6950	1.119938
1912	001D	3618	0.08	1470	1	55	80	2.5	6	5	9045	7575	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	8660.399414	8660.399414	1.12
1912	001E	3618	0.08	2240	1	55	80	2.5	6	5	9045	6805	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	7890.399414	7890.399414	1.12
1912	001F	3618	0.08	1680	1	55	80	2.5	6	5	9045	7365	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	8450.399414	8450.399414	1.12
1912	001G	3618	0.08	1695	1	55	80	2.5	6	5	9045	7350	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	8435.399414	8435.399414	1.12
1912	001H	3618	0.08	1470	1	55	80	2.5	6	5	9045	7575	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	8660.399414	8660.399414	1.12
1912	001I	3618	0.08	2537	1	55	80	2.5	6	5	9045	6508	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	7593.399414	7593.399414	1.12
1912	001J	3618	0.08	1470	1	55	80	2.5	6	5	9045	7575	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	8660.399414	8660.399414	1.12
1912	001K	3618	0.08	2853	1	55	80	2.5	6	5	9045	6192	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	7277.399414	7277.399414	1.12
1912	001L	3618	0.08	1680	1	55	80	2.5	6	5	9045	7365	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	8450.399414	8450.399414	1.12
1912	001M	3618	0.08	2425	1	55	80	2.5	6	5	9045	6620	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	7705.399414	7705.399414	1.12
1912	001N	3618	0.08	2121	1	55	80	2.5	6	5	9045	6924	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	8009.399414	8009.399414	1.12
1912	001O	3618	0.08	1771	1	55	80	2.5	6	5	9045	7274	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	8359.399414	8359.399414	1.12
1912	001P	3618	0.08	1774	1	55	80	2.5	6	5	9045	7271	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	8356.399414	8356.399414	1.12
1912	001Q	3618	0.08	1840	1	55	80	2.5	6	5	9045	7205	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	8290.399414	8290.399414	1.12
1914	023	3656	0.08	3216	1	55	80	2.5	6	5	9140	5924	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10236.7998	7020.799805	7020.799805	1.12
1916	011	2679	0.06	4650	3	55	80	2.5	5	2	6698	2048	RTO-C	65	form-based			true	0.75	10	2	7	7	12055.5	7405.5	7405.5	1.799866
1917	003	2386	0.05	2000	2	55	80	2.5	4	2	5965	3965	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10737	8737	8737	1.8
1917	003A	2386	0.05	2000	2	55	80	2.5	4	2	5965	3965	RTO-C	65	form-based			true	0.75	9	2.25	7	6	10737	8737	8737	1.8
1917	025	2127	0.05	3367	1	55	80	2.5	4	3	5318	1951	RTO-C	65	form-based		true	true	0.75	8	2	7	7	9571.5	6204.5	6204.5	1.799831
1917	026	2435	0.06	2000	2	55	80	2.5	5	3	6088	4088	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10957.5	8957.5	8957.5	1.799852
1917	027	2435	0.06	2000	2	55	80	2.5	5	3	6088	4088	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10957.5	8957.5	8957.5	1.799852
1918	001	1990	0.05	2561	0	55	80	2.5	4	4	4975	2414	NC-1	65	form-based		true	true	0.75	7	1.75	7	7	8955	6394	6394	1.8
1918	001A	2226	0.05	1560	1	55	80	2.5	4	3	5565	4005	RTO-C	65	form-based			true	0.75	8	2	7	7	10017	8457	8457	1.8
1918	001B	2226	0.05	1752	1	55	80	2.5	4	3	5565	3813	RTO-C	65	form-based			true	0.75	8	2	7	7	10017	8265	8265	1.8
1918	001C	2226	0.05	1836	1	55	80	2.5	4	3	5565	3729	RTO-C	65	form-based			true	0.75	8	2	7	7	10017	8181	8181	1.8
1919	001	2120	0.05	2105	1	55	80	2.5	4	3	5300	3195	RTO-C	65	form-based		true	true	0.75	8	2	7	7	9540	7435	7435	1.8
1923	019	3342	0.08	3200	0	55	80	2.5	6	6	8355	5155	RH-1	40	form-based		true	true	0.7	7	1.166666627	7	7	9357.599609	6157.599609	6157.599609	1.12
1923	023B	4023	0.09	1170	1	55	80	2.5	7	6	10058	8888	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11264.39941	10094.39941	10094.39941	1.119944
1923	023C	4023	0.09	1575	1	55	80	2.5	7	6	10058	8483	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11264.39941	9689.399414	9689.399414	1.119944

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1923	023D	4023	0.09	1994	1	55	80	2.5	7	6	10058	8064	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11264.39941	9270.399414	9270.399414	1.119944
1925	005C	3632	0.08	1688	1	55	80	2.5	6	5	9080	7392	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10169.59961	8481.599609	8481.599609	1.12
1925	008A	3814	0.09	1576	1	55	80	2.5	7	6	9535	7959	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10679.2002	9103.200195	9103.200195	1.12
1925	010E	1658	0.04	1890	2	55	80	2.5	3	1	4145	2255	RTO-C	85	form-based		true	true	0.75	9	3	7	4	9948	8058	6400	2.4
1926	018	3706	0.09	1556	1	55	80	2.5	7	6	9265	7709	RH-1	40	form-based		true	true	0.7	8	1.142857194	7	7	10376.7998	8820.799805	8820.799805	1.12
1926	026	3983	0.09	2539	1	55	80	2.5	7	6	9958	7419	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11152.39941	8613.399414	8613.399414	1.119944
1926	028	3983	0.09	1857	1	55	80	2.5	7	6	9958	8101	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11152.39941	9295.399414	9295.399414	1.119944
1926	032	3620	0.08	2286	1	55	80	2.5	6	5	9050	6764	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10136	7850	7850	1.12
1927A	001F	3634	0.08	1588	1	55	80	2.5	6	5	9085	7497	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10175.2002	8587.200195	8587.200195	1.12
1927A	001G	3840	0.09	1588	1	55	80	2.5	7	6	9600	8012	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10752	9164	9164	1.12
1927A	001H	4027	0.09	1500	1	55	80	2.5	7	6	10068	8568	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11275.59961	9775.599609	9775.599609	1.119944
1927A	001O	3754	0.09	2160	1	55	80	2.5	7	6	9385	7225	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10511.2002	8351.200195	8351.200195	1.12
1927A	001Q	3917	0.09	1849	1	55	80	2.5	7	6	9792	7943	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10967.59961	9118.599609	9118.599609	1.120057
1928B	037	3914	0.09	3114	1	55	80	2.5	7	6	9785	6671	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10959.2002	7845.200195	7845.200195	1.12
1928B	047	3323	0.08	0	0	55	80	2.5	6	6	8308	8308	RH-1	40	form-based			true	0.7	7	1.166666627	7	7	9304.399414	9304.399414	9304.399414	1.119933
1928	033	3527	0.08	2973	0	55	80	2.5	6	6	8818	5845	RH-1	40	form-based			true	0.7	7	1.166666627	7	7	9875.599609	6902.599609	6902.599609	1.119936
1928	039	4044	0.09	2281	1	55	80	2.5	7	6	10110	7829	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11323.2002	9042.200195	9042.200195	1.12
1928B	039	3920	0.09	3114	1	55	80	2.5	7	6	9800	6686	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10976	7862	7862	1.12
1928B	045	3365	0.08	0	0	55	80	2.5	6	6	8412	8412	RH-1	40	form-based			true	0.7	7	1.166666627	7	7	9422	9422	9422	1.120067
1928B	049	3137	0.07	0	0	55	80	2.5	6	6	7842	7842	RH-1	40	form-based			true	0.7	7	1.166666627	7	7	8783.599609	8783.599609	8783.599609	1.120071
1928B	053	3796	0.09	3698	1	55	80	2.5	7	6	9490	5792	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10628.7998	6930.799805	6930.799805	1.12
1928B	061	3928	0.09	2631	1	55	80	2.5	7	6	9820	7189	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10998.39941	8367.399414	8367.399414	1.12
1928B	062	3740	0.09	3331	1	55	80	2.5	7	6	9350	6019	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10472	7141	7141	1.12
1928B	065	3914	0.09	2631	1	55	80	2.5	7	6	9785	7154	RH-1	40	form-based		true	true	0.7	8	1.142857194	7	7	10959.2002	8328.200195	8328.200195	1.12
1929A	028	3982	0.09	2395	1	55	80	2.5	7	6	9955	7560	RH-1	40	form-based		true	true	0.7	8	1.142857194	7	7	11149.59961	8754.599609	8754.599609	1.12
1929A	029	3577	0.08	2285	1	55	80	2.5	6	5	8942	6657	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10015.59961	7730.599609	7730.599609	1.120063
1929A	056	3620	0.08	2751	1	55	80	2.5	6	5	9050	6299	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10136	7385	7385	1.12
1929A	058	3618	0.08	2070	1	55	80	2.5	6	5	9045	6975	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	8060.399414	8060.399414	1.12
1930A	003A	3913	0.09	1207	1	55	80	2.5	7	6	9782	8575	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10956.39941	9749.399414	9749.399414	1.120057
1930A	004	3944	0.09	1493	1	55	80	2.5	7	6	9860	8367	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11043.2002	9550.200195	9550.200195	1.12
1930A	023	3658	0.08	2645	1	55	80	2.5	6	5	9145	6500	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10242.39941	7597.399414	7597.399414	1.12
1930A	024	3981	0.09	2784	1	55	80	2.5	7	6	9952	7168	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11146.7998	8362.799805	8362.799805	1.120056
1932	031	3618	0.08	1250	1	55	80	2.5	6	5	9045	7795	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	8880.399414	8880.399414	1.12
1935	025	3782	0.09	1436	1	55	80	2.5	7	6	9455	8019	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10589.59961	9153.599609	9153.599609	1.12
1936	016A	4025	0.09	1966	1	55	80	2.5	7	6	10062	8096	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11270	9304	9304	1.120056
1936	017	3615	0.08	1242	1	55	80	2.5	6	5	9038	7796	RH-1	40	form-based		true	true	0.7	8	1.333333373	7	7	10122	8880	8880	1.119938
1936	019	3685	0.08	2164	1	55	80	2.5	6	5	9212	7048	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10318	8154	8154	1.120061
1936	025	3795	0.09	2040	1	55	80	2.5	7	6	9488	7448	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10626	8586	8586	1.119941
2001	050	3750	0.09	1577	1	55	80	2.5	7	6	9375	7798	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10500	8923	8923	1.12
2002	021	2152	0.05	1237	1	55	80	2.5	4	3	5380	4143	RTO-C	65	form-based			true	0.75	8	2	7	7	9684	8447	8447	1.8
2006	009D	2100	0.05	1032	1	55	80	2.5	4	3	5250	4218	RTO-C	65	form-based		true	true	0.75	8	2	7	7	9450	8418	8418	1.8
2006	014	2103	0.05	995	1	55	80	2.5	4	3	5258	4263	RTO-C	65	form-based			true	0.75	8	2	7	7	9463.5	8468.5	8468.5	1.799829
2006	015	2103	0.05	995	1	55	80	2.5	4	3	5258	4263	RTO-C	65	form-based			true	0.75	8	2	7	7	9463.5	8468.5	8468.5	1.799829
2007	005E	2157	0.05	1096	1	55	80	2.5	4	3	5392	4296	RTO-C	65	form-based			true	0.75	8	2	7	7	9706.5	8610.5	8610.5	1.800167
2007	005F	2158	0.05	1096	1	55	80	2.5	4	3	5395	4299	RTO-C	65	form-based			true	0.75	8	2	7	7	9711	8615	8615	1.8
2007	005G	2158	0.05	1096	1	55	80	2.5	4	3	5395	4299	RTO-C	65	form-based		true	true	0.75	8	2	7	7	9711	8615	8615	1.8
2007	006B	2174	0.05	1096	1	55	80	2.5	4	3	5435	4339	RTO-C	65	form-based		true	true	0.75	8	2	7	7	9783	8687	8687	1.8
2007	006C	2177	0.05	1096	1	55	80	2.5	4	3	5442	4346	RTO-C	65	form-based			true	0.75	8	2	7	7	9796.5	8700.5	8700.5	1.800165
2007	006D	2179	0.05	1096	1	55	80	2.5	4	3	5448	4352	RTO-C	65	form-based			true	0.75	8	2	7	7	9805.5	8709.5	8709.5	1.799835
2008	003D	2170	0.05	1407	1	55	80	2.5	4	3	5425	4018	RTO-C	65	form-based			true	0.75	8	2	7	7	9765	8358	8358	1.8
2008	003E	2170	0.05	1092	1	55	80	2.5	4	3	5425	4333	RTO-C	65	form-based			true	0.75	8	2	7	7	9765	8673	8673	1.8
2009	004A	2210	0.05	1643	1	55	80	2.5	4	3	5525	3882	RTO-C	65	form-based		true	true	0.75	8	2	7	7	9945	8302	8302	1.8
2009	014	2063	0.05	1012	1	55	80	2.5	4	3	5158	4146	RTO-C	65	form-based			true	0.75	8	2	7	7	9283.5	8271.5	8271.5	1.799826
2012	026A	2092	0.05	1024	1	55	80	2.5	4	3	5230	4206	RTO-C	65	form-based			true	0.75	8	2	7	7	9414	8390	8390	1.8
2014	004G	1575	0.04	1162	1	55	80	2.5	3	2	3938	2776	RTO-C	85	form-based			true	0.75	8	2.666666746	7	5	9450	8288	6714	2.399695
2015	019	1613	0.04	1529	1	55	80	2.5	3	2	4032	2503	RTO-C	85	form-based			true	0.75	8	2.666666746	7	5	9678	8149	6535	2.400298
2025	003C	3650	0.08	1566	1	55	80	2.5	6	5	9125	7559	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10220	8654	8654	1.12
2031	010	1438	0.03	1375	1	55	80	2.5	2	1	3595	2220	RTO-C	85	form-based			true	0.75	8	4	7	3	8628	7253	5815	2.4
2033A	001	3837	0.09	2175	1	55	80	2.5	7	6	9592	7417	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10743.59961	8568.599609	8568.599609	1.120058
2033A	003	3619	0.08	2229	1	55	80	2.5	6	5	9048	6819	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10133.2002	7904.200195	7904.200195	1.119938
2033A	004	3835	0.09	1908	1	55	80	2.5	7	6	9588	7680	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10738	8830	8830	1.119942
2033A	016	3810	0.09	1500	1	55	80	2.5	7	6	9525	8025	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10668	9168	9168	1.12
2033A	017	3617	0.08	2081	1	55	80	2.5	6	5	9042	6961	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10127.59961	8046.599609	8046.599609	1.120062
2034A	025	3648	0.08	2578	1	55	80	2.5	6	5	9120	6542	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10214.39941	7636.399414	7636.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2034A	026	3857	0.09	3032	1	55	80	2.5	7	6	9642	6610	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10799.59961	7767.599609	7767.599609	1.120058
2034A	027	3597	0.08	2578	1	55	80	2.5	6	5	8992	6414	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10071.59961	7493.599609	7493.599609	1.120062
2034A	042	3813	0.09	2270	1	55	80	2.5	7	6	9532	7262	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10676.39941	8406.399414	8406.399414	1.120059
2035A	012	3911	0.09	2025	1	55	80	2.5	7	6	9778	7753	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10950.7998	8925.799805	8925.799805	1.119943
2035A	024	3636	0.08	2337	1	55	80	2.5	6	5	9090	6753	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10180.7998	7843.799805	7843.799805	1.12
2035A	025	3782	0.09	1922	1	55	80	2.5	7	6	9455	7533	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10589.59961	8667.599609	8667.599609	1.12
2035A	026	3624	0.08	2277	1	55	80	2.5	6	5	9060	6783	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10147.2002	7870.200195	7870.200195	1.12
2036B	001	3992	0.09	1517	1	55	80	2.5	7	6	9980	8463	RH-1	40	form-based		true	true	0.7	8	1.142857194	7	7	11177.59961	9660.599609	9660.599609	1.12
2036B	011	3687	0.08	3000	1	55	80	2.5	6	5	9218	6218	RH-1	40	form-based		true	true	0.7	8	1.333333373	7	7	10323.59961	7323.599609	7323.599609	1.119939
2036B	013A	3995	0.09	1849	1	55	80	2.5	7	6	9988	8139	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11186	9337	9337	1.119944
2036B	014	3973	0.09	1640	1	55	80	2.5	7	6	9932	8292	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11124.39941	9484.399414	9484.399414	1.120056
2036B	014A	3943	0.09	1690	1	55	80	2.5	7	6	9858	8168	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11040.39941	9350.399414	9350.399414	1.119943
2036B	015	3643	0.08	4393	1	55	80	2.5	6	5	9108	4715	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10200.39941	5807.399414	5807.399414	1.119938
2036B	016	3996	0.09	1356	1	55	80	2.5	7	6	9990	8634	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11188.7998	9832.799805	9832.799805	1.12
2036B	022	3649	0.08	1599	1	55	80	2.5	6	5	9122	7523	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10217.2002	8618.200195	8618.200195	1.120061
2036B	024	3580	0.08	1530	1	55	80	2.5	6	5	8950	7420	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10024	8494	8494	1.12
2042	033	4127	0.09	2376	2	55	80	2.5	7	5	10318	7942	RH-2	40	form-based			true	0.7	9	1.285714269	7	7	11555.59961	9179.599609	9179.599609	1.119946
2042	034	4229	0.1	2376	2	55	80	2.5	8	6	10572	8196	RH-2	40	form-based			true	0.7	9	1.125	7	7	11841.2002	9465.200195	9465.200195	1.120053
2048	045	3877	0.09	2500	1	55	80	2.5	7	6	9692	7192	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10855.59961	8355.599609	8355.599609	1.120058
2050A	014	3895	0.09	2200	1	55	80	2.5	7	6	9738	7538	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10906	8706	8706	1.119943
2052A	036	3789	0.09	2034	1	55	80	2.5	7	6	9472	7438	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10609.2002	8575.200195	8575.200195	1.120059
2124A	014B	3604	0.08	1650	1	55	80	2.5	6	5	9010	7360	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10091.2002	8441.200195	8441.200195	1.12
2126	002	3881	0.09	1990	1	55	80	2.5	7	6	9702	7712	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10866.7998	8876.799805	8876.799805	1.120058
2126	006	3834	0.09	3959	1	55	80	2.5	7	6	9585	5626	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10735.2002	6776.200195	6776.200195	1.12
2127	002A	4029	0.09	2520	1	55	80	2.5	7	6	10072	7552	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11281.2002	8761.200195	8761.200195	1.120056
2127	007	4022	0.09	2164	1	55	80	2.5	7	6	10055	7891	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11261.59961	9097.599609	9097.599609	1.12
2127	017	3904	0.09	2173	1	55	80	2.5	7	6	9760	7587	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10931.2002	8758.200195	8758.200195	1.12
2128	002	3638	0.08	2346	1	55	80	2.5	6	5	9095	6749	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10186.39941	7840.399414	7840.399414	1.12
2128	003	3906	0.09	2825	1	55	80	2.5	7	6	9765	6940	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10936.7998	8111.799805	8111.799805	1.12
2128	008	3625	0.08	1996	1	55	80	2.5	6	5	9062	7066	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10150	8154	8154	1.120062
2130A	001B	3637	0.08	2160	1	55	80	2.5	6	5	9092	6932	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10183.59961	8023.599609	8023.599609	1.120062
2130A	001D	3687	0.08	2256	1	55	80	2.5	6	5	9218	6962	RH-1	40	form-based	true		true	0.7	8	1.333333373	7	7	10323.59961	8067.599609	8067.599609	1.119939
2130A	001N	3809	0.09	1548	1	55	80	2.5	7	6	9522	7974	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10665.2002	9117.200195	9117.200195	1.120059
2130A	001O	3712	0.09	1726	1	55	80	2.5	7	6	9280	7554	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10393.59961	8667.599609	8667.599609	1.12
2130A	006D	4040	0.09	1791	1	55	80	2.5	7	6	10100	8309	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11312	9521	9521	1.12
2130A	006E	4039	0.09	1441	1	55	80	2.5	7	6	10098	8657	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11309.2002	9868.200195	9868.200195	1.119945
2130A	006F	4038	0.09	1372	1	55	80	2.5	7	6	10095	8723	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11306.39941	9934.399414	9934.399414	1.12
2130A	014	3641	0.08	1205	1	55	80	2.5	6	5	9102	7897	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10194.7998	8989.799805	8989.799805	1.120062
2131A	010	3886	0.09	1291	1	55	80	2.5	7	6	9715	8424	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10880.7998	9589.799805	9589.799805	1.12
2131A	029	3592	0.08	1871	1	55	80	2.5	6	5	8980	7109	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10057.59961	8186.599609	8186.599609	1.12
2131A	030	3587	0.08	1513	1	55	80	2.5	6	5	8968	7455	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10043.59961	8530.599609	8530.599609	1.119938
2133A	009	3578	0.08	1849	1	55	80	2.5	6	5	8945	7096	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10018.39941	8169.399414	8169.399414	1.12
2133A	018	3816	0.09	1011	1	55	80	2.5	7	6	9540	8529	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10684.7998	9673.799805	9673.799805	1.12
2133A	019	3610	0.08	1011	1	55	80	2.5	6	5	9025	8014	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10108	9097	9097	1.12
2134A	015	3938	0.09	1583	1	55	80	2.5	7	6	9845	8262	RH-1(D)	40	form-based	true		true	0.7	8	1.142857194	7	7	11026.39941	9443.399414	9443.399414	1.12
2134A	016	3725	0.09	1456	1	55	80	2.5	7	6	9312	7856	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10430	8974	8974	1.12006
2134B	001	3877	0.09	2634	1	55	80	2.5	7	6	9692	7058	RH-1(D)	40	form-based	true		true	0.7	8	1.142857194	7	7	10855.59961	8221.599609	8221.599609	1.120058
2134B	006	3997	0.09	2084	1	55	80	2.5	7	6	9992	7908	RH-1	40	form-based	true		true	0.7	8	1.142857194	7	7	11191.59961	9107.599609	9107.599609	1.120056
2135	001D	3942	0.09	1812	1	55	80	2.5	7	6	9855	8043	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11037.59961	9225.599609	9225.599609	1.12
2135	001E	3942	0.09	2344	1	55	80	2.5	7	6	9855	7511	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11037.59961	8693.599609	8693.599609	1.12
2135	001F	4005	0.09	2944	1	55	80	2.5	7	6	10012	7068	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11214	8270	8270	1.120056
2135	001G	3878	0.09	1890	1	55	80	2.5	7	6	9695	7805	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10858.39941	8968.399414	8968.399414	1.12
2135	001H	3815	0.09	1350	1	55	80	2.5	7	6	9538	8188	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10682	9332	9332	1.119941
2135	001J	3942	0.09	2518	1	55	80	2.5	7	6	9855	7337	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11037.59961	8519.599609	8519.599609	1.12
2135	001K	3942	0.09	1350	1	55	80	2.5	7	6	9855	8505	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11037.59961	9687.599609	9687.599609	1.12
2135	001L	3942	0.09	2150	1	55	80	2.5	7	6	9855	7705	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11037.59961	8887.599609	8887.599609	1.12
2135	001M	3942	0.09	1943	1	55	80	2.5	7	6	9855	7912	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11037.59961	9094.599609	9094.599609	1.12
2135	001N	3942	0.09	1250	1	55	80	2.5	7	6	9855	8605	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11037.59961	9787.599609	9787.599609	1.12
2135	001O	3942	0.09	4003	1	55	80	2.5	7	6	9855	5852	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11037.59961	7034.599609	7034.599609	1.12
2135	002	3827	0.09	1524	1	55	80	2.5	7	6	9568	8044	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10715.59961	9191.599609	9191.599609	1.119941
2135	003	3614	0.08	1708	1	55	80	2.5	6	5	9035	7327	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10119.2002	8411.200195	8411.200195	1.12
2135	003A	3978	0.09	3350	1	55	80	2.5	7	6	9945	6595	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11138.39941	7788.399414	7788.399414	1.12
2135	003B	3978	0.09	2000	1	55	80	2.5	7	6	9945	7945	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11138.39941	9138.399414	9138.399414	1.12
2135	003C	3978	0.09	3174	1	55	80	2.5	7	6	9945	6771	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11138.39941	7964.399414	7964.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2135	004	3978	0.09	1985	1	55	80	2.5	7	6	9945	7960	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11138.39941	9153.399414	9153.399414	1.12
2135	005	3978	0.09	1560	1	55	80	2.5	7	6	9945	8385	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11138.39941	9578.399414	9578.399414	1.12
2135	006	3978	0.09	2209	1	55	80	2.5	7	6	9945	7736	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11138.39941	8929.399414	8929.399414	1.12
2135	007A	3849	0.09	2356	1	55	80	2.5	7	6	9622	7266	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10777.2002	8421.200195	8421.200195	1.120058
2135	008	3978	0.09	2000	1	55	80	2.5	7	6	9945	7945	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11138.39941	9138.399414	9138.399414	1.12
2135	009	3978	0.09	2125	1	55	80	2.5	7	6	9945	7820	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11138.39941	9013.399414	9013.399414	1.12
2135	010	3978	0.09	2070	1	55	80	2.5	7	6	9945	7875	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11138.39941	9068.399414	9068.399414	1.12
2135	011	3978	0.09	1508	1	55	80	2.5	7	6	9945	8437	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11138.39941	9630.399414	9630.399414	1.12
2135	015	3913	0.09	3395	1	55	80	2.5	7	6	9782	6387	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10956.39941	7561.399414	7561.399414	1.120057
2135	016	4042	0.09	2970	1	55	80	2.5	7	6	10105	7135	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11317.59961	8347.599609	8347.599609	1.12
2137	001A	3716	0.09	1220	1	55	80	2.5	7	6	9290	8070	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10404.7998	9184.799805	9184.799805	1.12
2137	003A	3744	0.09	2169	1	55	80	2.5	7	6	9360	7191	RH-1	40	form-based	true		true	0.7	8	1.142857194	7	7	10483.2002	8314.200195	8314.200195	1.12
2172	045	3769	0.09	3060	1	55	80	2.5	7	6	9422	6362	RH-1	40	form-based	true		true	0.7	8	1.142857194	7	7	10553.2002	7493.200195	7493.200195	1.120059
2175	014A	3728	0.09	1012	1	55	80	2.5	7	6	9320	8308	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10438.39941	9426.399414	9426.399414	1.12
2185	009	3622	0.08	1795	1	55	80	2.5	6	5	9055	7260	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10141.59961	8346.599609	8346.599609	1.12
2188	008	4031	0.09	1608	1	55	80	2.5	7	6	10078	8470	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11286.7998	9678.799805	9678.799805	1.119944
2199	002	3605	0.08	2758	1	55	80	2.5	6	5	9012	6254	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10094	7336	7336	1.120062
2199	004A	3917	0.09	1650	1	55	80	2.5	7	6	9792	8142	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10967.59961	9317.599609	9317.599609	1.120057
2199	004B	3922	0.09	2463	1	55	80	2.5	7	6	9805	7342	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10981.59961	8518.599609	8518.599609	1.12
2199	004C	3778	0.09	3119	1	55	80	2.5	7	6	9445	6326	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10578.39941	7459.399414	7459.399414	1.12
2199	006	3772	0.09	1353	1	55	80	2.5	7	6	9430	8077	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10561.59961	9208.599609	9208.599609	1.12
2199	006A	3833	0.09	1740	1	55	80	2.5	7	6	9582	7842	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10732.39941	8992.399414	8992.399414	1.120058
2199	013A	1763	0.04	2500	2	55	80	2.5	3	1	4408	1908	RTO-C	85	form-based			true	0.75	9	3	7	4	10578	8078	6316	2.399728
2199	014D	3792	0.09	1825	1	55	80	2.5	7	6	9480	7655	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10617.59961	8792.599609	8792.599609	1.12
2200	001A	3600	0.08	1016	1	55	80	2.5	6	5	9000	7984	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	9064	9064	1.12
2200	001B	3600	0.08	1704	1	55	80	2.5	6	5	9000	7296	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	8376	8376	1.12
2200	007	3947	0.09	2710	1	55	80	2.5	7	6	9868	7158	RH-1	40	form-based	true		true	0.7	8	1.142857194	7	7	11051.59961	8341.599609	8341.599609	1.119943
2200	016	3600	0.08	2500	1	55	80	2.5	6	5	9000	6500	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	7580	7580	1.12
2201	001B	3616	0.08	1132	1	55	80	2.5	6	5	9040	7908	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10124.7998	8992.799805	8992.799805	1.12
2201	001E	3600	0.08	1268	1	55	80	2.5	6	5	9000	7732	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	8812	8812	1.12
2201	001F	3600	0.08	2756	1	55	80	2.5	6	5	9000	6244	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	7324	7324	1.12
2201	001G	3600	0.08	1350	1	55	80	2.5	6	5	9000	7650	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	8730	8730	1.12
2201	001H	3600	0.08	1350	1	55	80	2.5	6	5	9000	7650	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	8730	8730	1.12
2201	001I	3600	0.08	1350	1	55	80	2.5	6	5	9000	7650	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	8730	8730	1.12
2201	001J	3600	0.08	1786	1	55	80	2.5	6	5	9000	7214	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	8294	8294	1.12
2201	001K	3600	0.08	1302	1	55	80	2.5	6	5	9000	7698	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	8778	8778	1.12
2201	001L	3600	0.08	1350	1	55	80	2.5	6	5	9000	7650	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	8730	8730	1.12
2201	001M	3600	0.08	2250	1	55	80	2.5	6	5	9000	6750	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	7830	7830	1.12
2201	001N	3600	0.08	1350	1	55	80	2.5	6	5	9000	7650	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	8730	8730	1.12
2201	004C	3760	0.09	1485	1	55	80	2.5	7	6	9400	7915	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10528	9043	9043	1.12
2201	004D	3585	0.08	2366	1	55	80	2.5	6	5	8962	6596	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10038	7672	7672	1.120062
2202	001C	4040	0.09	1534	1	55	80	2.5	7	6	10100	8566	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11312	9778	9778	1.12
2202	001D	4040	0.09	1914	1	55	80	2.5	7	6	10100	8186	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11312	9398	9398	1.12
2202	001E	4040	0.09	1534	1	55	80	2.5	7	6	10100	8566	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11312	9778	9778	1.12
2202	001F	4040	0.09	1534	1	55	80	2.5	7	6	10100	8566	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11312	9778	9778	1.12
2202	001G	4040	0.09	1534	1	55	80	2.5	7	6	10100	8566	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11312	9778	9778	1.12
2202	001H	4040	0.09	2124	1	55	80	2.5	7	6	10100	7976	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11312	9188	9188	1.12
2202	001I	4040	0.09	1884	1	55	80	2.5	7	6	10100	8216	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11312	9428	9428	1.12
2202	001K	4040	0.09	1835	1	55	80	2.5	7	6	10100	8265	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11312	9477	9477	1.12
2202	001L	4040	0.09	1714	1	55	80	2.5	7	6	10100	8386	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11312	9598	9598	1.12
2202	001M	4040	0.09	1886	1	55	80	2.5	7	6	10100	8214	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11312	9426	9426	1.12
2202	001N	4040	0.09	1482	1	55	80	2.5	7	6	10100	8618	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11312	9830	9830	1.12
2202	001O	4040	0.09	3671	1	55	80	2.5	7	6	10100	6429	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11312	7641	7641	1.12
2202	002	3961	0.09	2325	1	55	80	2.5	7	6	9902	7577	RH-1(D)	40	form-based	true		true	0.7	8	1.142857194	7	7	11090.7998	8765.799805	8765.799805	1.120057
2202	012	3613	0.08	1325	1	55	80	2.5	6	5	9032	7707	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10116.39941	8791.399414	8791.399414	1.120062
2202	013	3613	0.08	1325	1	55	80	2.5	6	5	9032	7707	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10116.39941	8791.399414	8791.399414	1.120062
2202	014	3613	0.08	1700	1	55	80	2.5	6	5	9032	7332	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10116.39941	8416.399414	8416.399414	1.120062
2202	015	3613	0.08	1325	1	55	80	2.5	6	5	9032	7707	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10116.39941	8791.399414	8791.399414	1.120062
2202	016	3613	0.08	1325	1	55	80	2.5	6	5	9032	7707	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10116.39941	8791.399414	8791.399414	1.120062
2202	017	3613	0.08	1325	1	55	80	2.5	6	5	9032	7707	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10116.39941	8791.399414	8791.399414	1.120062
2202	018	3613	0.08	1325	1	55	80	2.5	6	5	9032	7707	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10116.39941	8791.399414	8791.399414	1.120062
2202	021	3695	0.08	2317	1	55	80	2.5	6	5	9238	6921	RH-1(D)	40	form-based	true		true	0.7	8	1.333333373	7	7	10346	8029	8029	1.119939
2203	011	3825	0.09	1818	1	55	80	2.5	7	6	9562	7744	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10710	8892	8892	1.120059
2203	012	3825	0.09	2055	1	55	80	2.5	7	6	9562	7507	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10710	8655	8655	1.120059

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2203	013	3825	0.09	1482	1	55	80	2.5	7	6	9562	8080	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10710	9228	9228	1.120059
2203	014	3953	0.09	3500	1	55	80	2.5	7	6	9882	6382	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11068.39941	7568.399414	7568.399414	1.120057
2203	015	3952	0.09	1425	1	55	80	2.5	7	6	9880	8455	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11065.59961	9640.599609	9640.599609	1.12
2203	033	3644	0.08	2040	1	55	80	2.5	6	5	9110	7070	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10203.2002	8163.200195	8163.200195	1.12
2206	001	3700	0.08	2847	1	55	80	2.5	6	5	9250	6403	RH-1	40	form-based		true	true	0.7	8	1.333333373	7	7	10360	7513	7513	1.12
2206	019	3704	0.09	1367	1	55	80	2.5	7	6	9260	7893	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10371.2002	9004.200195	9004.200195	1.12
2206	087	3572	0.08	3412	1	55	80	2.5	6	5	8930	5518	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10001.59961	6589.599609	6589.599609	1.12
2206	095	3738	0.09	2668	1	55	80	2.5	7	6	9345	6677	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10466.39941	7798.399414	7798.399414	1.12
2305	022	4000	0.09	2615	1	65	100	3	9	8	12000	9385	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11200	8585	8585	0.933333
2305	035	3600	0.08	1325	1	65	100	3	8	7	10800	9475	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8755	8755	0.933333
2305	036	3600	0.08	2064	1	65	100	3	8	7	10800	8736	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8016	8016	0.933333
2305	038	3600	0.08	1364	1	65	100	3	8	7	10800	9436	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8716	8716	0.933333
2305	039	3600	0.08	1364	1	65	100	3	8	7	10800	9436	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8716	8716	0.933333
2309	030	3875	0.09	3020	1	65	100	3	9	8	11625	8605	RH-1	40	form-based		true	true	0.7	8	0.888888896	7	7	10850	7830	7830	0.933333
2320	002	3979	0.09	3948	1	65	100	3	9	8	11937	7989	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11141.2002	7193.200195	7193.200195	0.933333
2320	002A	4018	0.09	1712	1	65	100	3	9	8	12054	10342	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11250.39941	9538.399414	9538.399414	0.933333
2320	002B	4017	0.09	1568	1	65	100	3	9	8	12051	10483	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11247.59961	9679.599609	9679.599609	0.933333
2320	003E	3990	0.09	2341	1	65	100	3	9	8	11970	9629	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11172	8831	8831	0.933333
2320	003K	4013	0.09	1945	1	65	100	3	9	8	12039	10094	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11236.39941	9291.399414	9291.399414	0.933333
2320	003L	4012	0.09	1720	1	65	100	3	9	8	12036	10316	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11233.59961	9513.599609	9513.599609	0.933333
2329	002G	3682	0.08	1512	1	65	100	3	8	7	11046	9534	RH-1	40	form-based			true	0.7	8	1	7	7	10309.59961	8797.599609	8797.599609	0.933333
2329	002H	3643	0.08	3180	1	65	100	3	8	7	10929	7749	RH-1	40	form-based			true	0.7	8	1	7	7	10200.39941	7020.399414	7020.399414	0.933333
2329	003	3953	0.09	1650	1	65	100	3	9	8	11859	10209	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11068.39941	9418.399414	9418.399414	0.933333
2329	004	3610	0.08	2918	1	65	100	3	8	7	10830	7912	RH-1	40	form-based			true	0.7	8	1	7	7	10108	7190	7190	0.933333
2332	001C	3827	0.09	1000	1	65	100	3	9	8	11481	10481	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10715.59961	9715.599609	9715.599609	0.933333
2332	034	3950	0.09	1900	1	65	100	3	9	8	11850	9950	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11060	9160	9160	0.933333
2332	035A	4045	0.09	1758	1	65	100	3	9	8	12135	10377	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11326	9568	9568	0.933333
2333A	033A	3718	0.09	1655	1	65	100	3	9	8	11154	9499	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10410.39941	8755.399414	8755.399414	0.933333
2337	019	3987	0.09	1354	1	55	80	2.5	7	6	9968	8614	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11163.59961	9809.599609	9809.599609	1.119944
2337	007	3499	0.08	0	0	55	80	2.5	6	6	8748	8748	RH-1	40	form-based			true	0.7	7	1.166666627	7	7	9797.200195	9797.200195	9797.200195	1.119936
2338A	001	3776	0.09	3800	1	55	80	2.5	7	6	9440	5640	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10572.7998	6772.799805	6772.799805	1.12
2338A	003	4047	0.09	1350	1	55	80	2.5	7	6	10118	8768	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11331.59961	9981.599609	9981.599609	1.119945
2340	002	3888	0.09	3156	1	65	100	3	9	8	11664	8508	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10886.39941	7730.399414	7730.399414	0.933333
2340	005	3584	0.08	2168	1	65	100	3	8	7	10752	8584	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10035.2002	7867.200195	7867.200195	0.933333
2341	003	3766	0.09	1225	1	65	100	3	9	8	11298	10073	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10544.7998	9319.799805	9319.799805	0.933333
2341	004	3767	0.09	2520	1	65	100	3	9	8	11301	8781	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10547.59961	8027.599609	8027.599609	0.933333
2341	005	3768	0.09	1360	1	65	100	3	9	8	11304	9944	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10550.39941	9190.399414	9190.399414	0.933333
2341	006	3769	0.09	2720	1	65	100	3	9	8	11307	8587	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10553.2002	7833.200195	7833.200195	0.933333
2341	007	3775	0.09	1847	1	65	100	3	9	8	11325	9478	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10570	8723	8723	0.933333
2341	008	3776	0.09	2805	1	65	100	3	9	8	11328	8523	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10572.7998	7767.799805	7767.799805	0.933333
2341	009	3777	0.09	1350	1	65	100	3	9	8	11331	9981	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10575.59961	9225.599609	9225.599609	0.933333
2341	010	3778	0.09	1819	1	65	100	3	9	8	11334	9515	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10578.39941	8759.399414	8759.399414	0.933333
2341	019	3750	0.09	1696	1	65	100	3	9	8	11250	9554	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10500	8804	8804	0.933333
2341	020	3750	0.09	1550	1	65	100	3	9	8	11250	9700	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10500	8950	8950	0.933333
2341	021	3750	0.09	1325	1	65	100	3	9	8	11250	9925	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10500	9175	9175	0.933333
2341	022	3750	0.09	3632	1	65	100	3	9	8	11250	7618	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10500	6868	6868	0.933333
2341	039	4016	0.09	4428	1	65	100	3	9	8	12048	7620	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11244.7998	6816.799805	6816.799805	0.933333
2342	002	3721	0.09	1275	1	65	100	3	9	8	11163	9888	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10418.7998	9143.799805	9143.799805	0.933333
2342	003	3721	0.09	1608	1	65	100	3	9	8	11163	9555	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10418.7998	8810.799805	8810.799805	0.933333
2342	004	3720	0.09	2045	1	65	100	3	9	8	11160	9115	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10416	8371	8371	0.933333
2342	005	3720	0.09	1380	1	65	100	3	9	8	11160	9780	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10416	9036	9036	0.933333
2342	006	3720	0.09	1000	1	65	100	3	9	8	11160	10160	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10416	9416	9416	0.933333
2342	007	3720	0.09	1475	1	65	100	3	9	8	11160	9685	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10416	8941	8941	0.933333
2342	008	3619	0.08	2078	1	65	100	3	8	7	10857	8779	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10133.2002	8055.200195	8055.200195	0.933333
2342	009	3719	0.09	2200	1	65	100	3	9	8	11157	8957	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10413.2002	8213.200195	8213.200195	0.933333
2342	012	3920	0.09	1275	1	65	100	3	9	8	11760	10485	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10976	9701	9701	0.933333
2342	013	3718	0.09	1764	1	65	100	3	9	8	11154	9390	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10410.39941	8646.399414	8646.399414	0.933333
2342	014	3718	0.09	2150	1	65	100	3	9	8	11154	9004	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10410.39941	8260.399414	8260.399414	0.933333
2342	024	3600	0.08	1680	1	65	100	3	8	7	10800	9120	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8400	8400	0.933333
2342	025	3600	0.08	2544	1	65	100	3	8	7	10800	8256	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7536	7536	0.933333
2342	026	3600	0.08	1500	1	65	100	3	8	7	10800	9300	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8580	8580	0.933333
2342	027	3600	0.08	1650	1	65	100	3	8	7	10800	9150	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8430	8430	0.933333
2342	028	3600	0.08	1500	1	65	100	3	8	7	10800	9300	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8580	8580	0.933333
2342	029	3600	0.08	1400	1	65	100	3	8	7	10800	9400	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8680	8680	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2342	030	3600	0.08	2113	1	65	100	3	8	7	10800	8687	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7967	7967	0.933333
2342	031	3600	0.08	1425	1	65	100	3	8	7	10800	9375	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8655	8655	0.933333
2342	032	3600	0.08	1840	1	65	100	3	8	7	10800	8960	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8240	8240	0.933333
2342	033	3600	0.08	2100	1	65	100	3	8	7	10800	8700	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7980	7980	0.933333
2342	034	3600	0.08	1572	1	65	100	3	8	7	10800	9228	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8508	8508	0.933333
2343	002	3933	0.09	1300	1	65	100	3	9	8	11799	10499	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11012.39941	9712.399414	9712.399414	0.933333
2343	003	3831	0.09	2957	1	65	100	3	9	8	11493	8536	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10726.7998	7769.799805	7769.799805	0.933333
2343	004	3830	0.09	1650	1	65	100	3	9	8	11490	9840	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10724	9074	9074	0.933333
2343	005	3829	0.09	2190	1	65	100	3	9	8	11487	9297	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10721.2002	8531.200195	8531.200195	0.933333
2343	006	3829	0.09	1459	1	65	100	3	9	8	11487	10028	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10721.2002	9262.200195	9262.200195	0.933333
2343	007	3828	0.09	2100	1	65	100	3	9	8	11484	9384	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10718.39941	8618.399414	8618.399414	0.933333
2343	008	3828	0.09	1512	1	65	100	3	9	8	11484	9972	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10718.39941	9206.399414	9206.399414	0.933333
2343	009	3827	0.09	2190	1	65	100	3	9	8	11481	9291	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10715.59961	8525.599609	8525.599609	0.933333
2343	010	3827	0.09	1886	1	65	100	3	9	8	11481	9595	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10715.59961	8829.599609	8829.599609	0.933333
2343	011	3826	0.09	2270	1	65	100	3	9	8	11478	9208	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10712.7998	8442.799805	8442.799805	0.933333
2344A	018A	1625	0.04	2000	2	85	140	4	6	4	6500	4500	NCD-INNE	85	form-based			true	0.75	9	1.5	7	7	9750	7750	7750	1.5
2344A	018B	1625	0.04	2000	2	85	140	4	6	4	6500	4500	NCD-INNE	85	form-based			true	0.75	9	1.5	7	7	9750	7750	7750	1.5
2344A	018C	1625	0.04	2325	2	85	140	4	6	4	6500	4175	NCD-INNE	85	form-based			true	0.75	9	1.5	7	7	9750	7425	7425	1.5
2344A	019A	1625	0.04	2250	2	65	100	3	4	2	4875	2625	NCD-INNE	85	form-based			true	0.75	9	2.25	7	6	9750	7500	7500	2
2344A	019B	1625	0.04	2250	2	65	100	3	4	2	4875	2625	NCD-INNE	85	form-based			true	0.75	9	2.25	7	6	9750	7500	7500	2
2344A	024	3761	0.09	1968	1	65	100	3	9	8	11283	9315	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10530.7998	8562.799805	8562.799805	0.933333
2344B	011	3986	0.09	2370	1	65	100	3	9	8	11958	9588	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11160.7998	8790.799805	8790.799805	0.933333
2345A	027	4306	0.1	3974	2	85	140	4	14	12	17224	13250	RH-1	40	form-based			true	0.7	9	0.642857134	7	7	12056.7998	8082.799805	8082.799805	0.7
2346	001	2055	0.05	2275	1	65	100	3	5	4	6165	3890	RTO-C	65	form-based		true	true	0.75	8	1.600000024	7	7	9247.5	6972.5	6972.5	1.5
2346	001C	2056	0.05	1605	1	65	100	3	5	4	6168	4563	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9252	7647	7647	1.5
2346	003	3000	0.07	2730	4	65	100	3	7	3	9000	6270	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13500	10770	10770	1.5
2346	033	2062	0.05	1200	1	65	100	3	5	4	6186	4986	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	8079	8079	1.5
2346	034	2063	0.05	1200	1	65	100	3	5	4	6189	4989	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9283.5	8083.5	8083.5	1.5
2347	011	5090	0.12	12000	20	85	140	4	17	0	20360	8360	NCD-INNE	85	form-based			true	0.75	27	1.588235259	7	7	30540	18540	18540	1.5
2349	011	3006	0.07	3400	4	65	100	3	7	3	9018	5618	RTO-C	65	form-based			true	0.75	11	1.571428537	7	7	13527	10127	10127	1.5
2354	008	1631	0.04	2218	2	65	100	3	4	2	4893	2675	NCD-TARA	85	form-based			true	0.75	9	2.25	7	6	9786	7568	7568	2
2356	011	2500	0.06	4192	6	65	100	3	6	0	7500	3308	NCD-TARA	85	form-based			true	0.75	13	2.166666746	7	6	15000	10808	10808	2
2356	025	3600	0.08	1858	1	65	100	3	8	7	10800	8942	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8222	8222	0.933333
2356	026	3600	0.08	1337	1	65	100	3	8	7	10800	9463	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8743	8743	0.933333
2356	027	3600	0.08	1485	1	65	100	3	8	7	10800	9315	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8595	8595	0.933333
2356	028	3600	0.08	1290	1	65	100	3	8	7	10800	9510	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8790	8790	0.933333
2357	001B	3695	0.08	1583	1	65	100	3	8	7	11085	9502	RH-1	40	form-based			true	0.7	8	1	7	7	10346	8763	8763	0.933333
2357	001C	3600	0.08	1300	1	65	100	3	8	7	10800	9500	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8780	8780	0.933333
2357	001D	3600	0.08	1225	1	65	100	3	8	7	10800	9575	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8855	8855	0.933333
2357	001E	3600	0.08	1075	1	65	100	3	8	7	10800	9725	RH-1	40	form-based			true	0.7	8	1	7	7	10080	9005	9005	0.933333
2357	001F	3600	0.08	1626	1	65	100	3	8	7	10800	9174	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8454	8454	0.933333
2357	001G	3600	0.08	1075	1	65	100	3	8	7	10800	9725	RH-1	40	form-based			true	0.7	8	1	7	7	10080	9005	9005	0.933333
2357	026	3605	0.08	2448	1	65	100	3	8	7	10815	8367	RH-1	40	form-based			true	0.7	8	1	7	7	10094	7646	7646	0.933333
2357	027	3604	0.08	2250	1	65	100	3	8	7	10812	8562	RH-1	40	form-based			true	0.7	8	1	7	7	10091.2002	7841.200195	7841.200195	0.933333
2357	028	3603	0.08	1725	1	65	100	3	8	7	10809	9084	RH-1	40	form-based			true	0.7	8	1	7	7	10088.39941	8363.399414	8363.399414	0.933333
2357	029	3602	0.08	1963	1	65	100	3	8	7	10806	8843	RH-1	40	form-based			true	0.7	8	1	7	7	10085.59961	8122.599609	8122.599609	0.933333
2357	030	3601	0.08	1216	1	65	100	3	8	7	10803	9587	RH-1	40	form-based			true	0.7	8	1	7	7	10082.7998	8866.799805	8866.799805	0.933333
2357	031	3696	0.08	1336	1	65	100	3	8	7	11088	9752	RH-1	40	form-based			true	0.7	8	1	7	7	10348.7998	9012.799805	9012.799805	0.933333
2358	001A	3600	0.08	1216	1	65	100	3	8	7	10800	9584	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8864	8864	0.933333
2358	001B	3600	0.08	3222	1	65	100	3	8	7	10800	7578	RH-1	40	form-based			true	0.7	8	1	7	7	10080	6858	6858	0.933333
2358	001C	3600	0.08	2046	1	65	100	3	8	7	10800	8754	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8034	8034	0.933333
2358	001D	3600	0.08	1261	1	65	100	3	8	7	10800	9539	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8819	8819	0.933333
2358	019A	1438	0.03	1543	1	85	140	4	4	3	5752	4209	NCD-TARA	85	form-based			true	0.75	8	2	7	7	8628	7085	7085	1.5
2358	020	1438	0.03	1193	1	85	140	4	4	3	5752	4559	NCD-TARA	85	form-based			true	0.75	8	2	7	7	8628	7435	7435	1.5
2358	020A	1438	0.03	1049	1	85	140	4	4	3	5752	4703	NCD-TARA	85	form-based			true	0.75	8	2	7	7	8628	7579	7579	1.5
2358	028	3593	0.08	1340	1	65	100	3	8	7	10779	9439	RH-1	40	form-based			true	0.7	8	1	7	7	10060.39941	8720.399414	8720.399414	0.933333
2358	029	3594	0.08	1183	1	65	100	3	8	7	10782	9599	RH-1	40	form-based			true	0.7	8	1	7	7	10063.2002	8880.200195	8880.200195	0.933333
2358	030	3595	0.08	1345	1	65	100	3	8	7	10785	9440	RH-1	40	form-based			true	0.7	8	1	7	7	10066	8721	8721	0.933333
2359	001B	3700	0.08	2152	1	65	100	3	8	7	11100	8948	RH-1	40	form-based			true	0.7	8	1	7	7	10360	8208	8208	0.933333
2359	001D	3725	0.09	1158	1	65	100	3	9	8	11175	10017	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10430	9272	9272	0.933333
2359	001H	3960	0.09	1151	1	65	100	3	9	8	11880	10729	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11088	9937	9937	0.933333
2359	001O	3960	0.09	1151	1	65	100	3	9	8	11880	10729	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11088	9937	9937	0.933333
2359	001P	3960	0.09	1318	1	65	100	3	9	8	11880	10562	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11088	9770	9770	0.933333
2359	012	2500	0.06	2990	6	85	140	4	8	2	10000	7010	NCD-TARA	85	form-based			true	0.75	13	1.625	7	7	15000	12010	12010	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2360	001C	3716	0.09	1300	1	65	100	3	9	8	11148	9848	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10404.7998	9104.799805	9104.799805	0.933333
2360	001D	3620	0.08	1415	1	65	100	3	8	7	10860	9445	RH-1	40	form-based			true	0.7	8	1	7	7	10136	8721	8721	0.933333
2360	001E	3620	0.08	1769	1	65	100	3	8	7	10860	9091	RH-1	40	form-based			true	0.7	8	1	7	7	10136	8367	8367	0.933333
2360	001H	3960	0.09	1270	1	65	100	3	9	8	11880	10610	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11088	9818	9818	0.933333
2361	001D	3612	0.08	1510	1	65	100	3	8	7	10836	9326	RH-1	40	form-based			true	0.7	8	1	7	7	10113.59961	8603.599609	8603.599609	0.933333
2361	001E	3612	0.08	2308	1	65	100	3	8	7	10836	8528	RH-1	40	form-based			true	0.7	8	1	7	7	10113.59961	7805.599609	7805.599609	0.933333
2361	001F	3600	0.08	1415	1	65	100	3	8	7	10800	9385	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8665	8665	0.933333
2361	001G	3600	0.08	1017	1	65	100	3	8	7	10800	9783	RH-1	40	form-based			true	0.7	8	1	7	7	10080	9063	9063	0.933333
2362	030	3600	0.08	2345	1	65	100	3	8	7	10800	8455	RH-1	40	form-based			true	0.7	8	1	7	7	10080	7735	7735	0.933333
2363	014	3191	0.07	6516	10	65	100	3	7	0	9573	3057	NCD-TARA	85	form-based		true	true	0.75	17	2.428571463	7	4	19146	12630	12630	2
2366	044	3737	0.09	2228	1	65	100	3	9	8	11211	8983	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10463.59961	8235.599609	8235.599609	0.933333
2367	016	2500	0.06	4006	6	65	100	3	6	0	7500	3494	RTO-C	85	form-based			true	0.75	13	2.166666746	7	6	15000	10994	10994	2
2370	024	1437	0.03	1276	1	85	140	4	4	3	5748	4472	RTO-C	85	form-based		true	true	0.75	8	2	7	7	8622	7346	7346	1.5
2370	024A	1438	0.03	1536	1	85	140	4	4	3	5752	4216	RTO-C	85	form-based			true	0.75	8	2	7	7	8628	7092	7092	1.5
2370	025	1438	0.03	1543	1	85	140	4	4	3	5752	4209	RTO-C	85	form-based			true	0.75	8	2	7	7	8628	7085	7085	1.5
2370	048	1438	0.03	1023	1	85	140	4	4	3	5752	4729	RTO-C	85	form-based			true	0.75	8	2	7	7	8628	7605	7605	1.5
2371	011A	1444	0.03	1049	1	85	140	4	4	3	5776	4727	RTO-C	85	form-based			true	0.75	8	2	7	7	8664	7615	7615	1.5
2371	012	1444	0.03	1026	1	85	140	4	4	3	5776	4750	RTO-C	85	form-based			true	0.75	8	2	7	7	8664	7638	7638	1.5
2371	012A	1444	0.03	1212	1	85	140	4	4	3	5776	4564	RTO-C	85	form-based		true	true	0.75	8	2	7	7	8664	7452	7452	1.5
2373	018A	1437	0.03	950	1	85	140	4	4	3	5748	4798	RTO-C	85	form-based			true	0.75	8	2	7	7	8622	7672	7672	1.5
2373	019	1437	0.03	950	1	85	140	4	4	3	5748	4798	RTO-C	85	form-based			true	0.75	8	2	7	7	8622	7672	7672	1.5
2373	019A	1437	0.03	950	1	85	140	4	4	3	5748	4798	RTO-C	85	form-based		true	true	0.75	8	2	7	7	8622	7672	7672	1.5
2373	024A	1451	0.03	1162	1	85	140	4	4	3	5804	4642	RTO-C	85	form-based		true	true	0.75	8	2	7	7	8706	7544	7544	1.5
2373	025	1451	0.03	1000	1	65	100	3	3	2	4353	3353	RTO-C	85	form-based			true	0.75	8	2.666666746	7	5	8706	7706	7706	2
2374	015A	1438	0.03	1350	1	85	140	4	4	3	5752	4402	RTO-C	85	form-based			true	0.75	8	2	7	7	8628	7278	7278	1.5
2374	016	1437	0.03	1025	1	85	140	4	4	3	5748	4723	RTO-C	85	form-based			true	0.75	8	2	7	7	8622	7597	7597	1.5
2374	016A	1438	0.03	1025	1	85	140	4	4	3	5752	4727	RTO-C	85	form-based		true	true	0.75	8	2	7	7	8628	7603	7603	1.5
2375	026	1439	0.03	1406	1	65	100	3	3	2	4317	2911	NC-1	85	form-based			true	0.75	8	2.666666746	7	5	8634	7228	7228	2
2379	001	1627	0.04	1705	2	85	140	4	6	4	6508	4803	NC-1	85	form-based		true	true	0.75	9	1.5	7	7	9762	8057	8057	1.5
2379	001A	1626	0.04	1621	2	85	140	4	6	4	6504	4883	NC-1	85	form-based			true	0.75	9	1.5	7	7	9756	8135	8135	1.5
2379	038	2415	0.06	4730	6	65	100	3	6	0	7245	2515	NC-1	85	form-based		true	true	0.75	13	2.166666746	7	6	14490	9760	9760	2
2379	039	1380	0.03	1320	0	65	100	3	3	3	4140	2820	NC-1	85	form-based			true	0.75	7	2.333333254	7	6	8280	6960	6960	2
2380	001	2177	0.05	3610	4	65	100	3	5	1	6531	2921	RTO-C	85	form-based		true	true	0.75	11	2.200000048	7	6	13062	9452	9452	2
2381	042A	1438	0.03	1175	1	85	140	4	4	3	5752	4577	RTO-C	85	form-based			true	0.75	8	2	7	7	8628	7453	7453	1.5
2381	043	1437	0.03	800	1	85	140	4	4	3	5748	4948	RTO-C	85	form-based			true	0.75	8	2	7	7	8622	7822	7822	1.5
2381	043A	1438	0.03	800	1	85	140	4	4	3	5752	4952	RTO-C	85	form-based		true	true	0.75	8	2	7	7	8628	7828	7828	1.5
2382	001	1440	0.03	995	1	85	140	4	4	3	5760	4765	RTO-C	85	form-based		true	true	0.75	8	2	7	7	8640	7645	7645	1.5
2382	001A	1440	0.03	1081	1	85	140	4	4	3	5760	4679	RTO-C	85	form-based			true	0.75	8	2	7	7	8640	7559	7559	1.5
2382	001B	1440	0.03	800	1	65	100	3	3	2	4320	3520	RTO-C	85	form-based			true	0.75	8	2.666666746	7	5	8640	7840	7840	2
2382	012	2500	0.06	2410	6	85	140	4	8	2	10000	7590	RTO-C	85	form-based			true	0.75	13	1.625	7	7	15000	12590	12590	1.5
2385	002	3210	0.07	0	0	85	140	4	10	10	12840	12840	RH-1	40	form-based			true	0.7	7	0.699999988	7	7	8988	8988	8988	0.7
2386	055	1750	0.04	2600	2	85	140	4	6	4	7000	4400	RTO-C	85	form-based			true	0.75	9	1.5	7	7	10500	7900	7900	1.5
2387	001A	1437	0.03	850	1	65	100	3	3	2	4311	3461	RTO-C	85	form-based			true	0.75	8	2.666666746	7	5	8622	7772	7772	2
2395	001A	1437	0.03	1506	1	85	140	4	4	3	5748	4242	NCD-TARA	85	form-based			true	0.75	8	2	7	7	8622	7116	7116	1.5
2395	001B	1437	0.03	1070	1	85	140	4	4	3	5748	4678	NCD-TARA	85	form-based			true	0.75	8	2	7	7	8622	7552	7552	1.5
2395	001C	1436	0.03	1070	1	85	140	4	4	3	5744	4674	NCD-TARA	85	form-based			true	0.75	8	2	7	7	8616	7546	7546	1.5
2397	043	1438	0.03	1728	1	65	100	3	3	2	4314	2586	NCD-TARA	85	form-based			true	0.75	8	2.666666746	7	5	8628	6900	6900	2
2398	014	3615	0.08	1330	1	65	100	3	8	7	10845	9515	RH-1	40	form-based			true	0.7	8	1	7	7	10122	8792	8792	0.933333
2398	015	3615	0.08	1818	1	65	100	3	8	7	10845	9027	RH-1	40	form-based			true	0.7	8	1	7	7	10122	8304	8304	0.933333
2398	032	3600	0.08	1618	1	65	100	3	8	7	10800	9182	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8462	8462	0.933333
2398	044	1875	0.04	2150	3	65	100	3	4	1	5625	3475	NCD-TARA	85	form-based			true	0.75	10	2.5	7	5	11250	9100	9100	2
2398	044A	1875	0.04	2150	3	65	100	3	4	1	5625	3475	NCD-TARA	85	form-based			true	0.75	10	2.5	7	5	11250	9100	9100	2
2401	001	3260	0.07	4200	10	65	100	3	7	0	9780	5580	NCD-TARA	85	form-based		true	true	0.75	17	2.428571463	7	4	19560	15360	15360	2
2404	004	4020	0.09	2494	1	85	140	4	13	12	16080	13586	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	11256	8762	8762	0.7
2404	005	4019	0.09	3382	1	85	140	4	13	12	16076	12694	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	11253.2002	7871.200195	7871.200195	0.7
2404	006	4019	0.09	1775	1	85	140	4	13	12	16076	14301	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	11253.2002	9478.200195	9478.200195	0.7
2404	007	4019	0.09	1195	1	65	100	3	9	8	12057	10862	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11253.2002	10058.2002	10058.2002	0.933333
2404	008	4019	0.09	2524	1	65	100	3	9	8	12057	9533	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11253.2002	8729.200195	8729.200195	0.933333
2404	009	4018	0.09	1075	1	65	100	3	9	8	12054	10979	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11250.39941	10175.39941	10175.39941	0.933333
2404	010	4018	0.09	1785	1	65	100	3	9	8	12054	10269	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11250.39941	9465.399414	9465.399414	0.933333
2404	011	4018	0.09	1630	1	65	100	3	9	8	12054	10424	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11250.39941	9620.399414	9620.399414	0.933333
2404	013	3608	0.08	2182	1	65	100	3	8	7	10824	8642	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10102.39941	7920.399414	7920.399414	0.933333
2404	014	4017	0.09	2256	1	65	100	3	9	8	12051	9795	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11247.59961	8991.599609	8991.599609	0.933333
2404	015	4016	0.09	2420	1	65	100	3	9	8	12048	9628	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11244.7998	8824.799805	8824.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2404	016	4016	0.09	1734	1	65	100	3	9	8	12048	10314	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11244.7998	9510.799805	9510.799805	0.933333
2404	017	4016	0.09	1585	1	65	100	3	9	8	12048	10463	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11244.7998	9659.799805	9659.799805	0.933333
2404	018	4015	0.09	4628	1	65	100	3	9	8	12045	7417	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11242	6614	6614	0.933333
2404	019	4008	0.09	1390	1	65	100	3	9	8	12024	10634	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11222.39941	9832.399414	9832.399414	0.933333
2404	020	4008	0.09	1628	1	65	100	3	9	8	12024	10396	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	9594.399414	9594.399414	0.933333
2404	021	4008	0.09	1650	1	65	100	3	9	8	12024	10374	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	9572.399414	9572.399414	0.933333
2404	022	4008	0.09	1375	1	65	100	3	9	8	12024	10649	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	9847.399414	9847.399414	0.933333
2404	023	4008	0.09	2166	1	65	100	3	9	8	12024	9858	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	9056.399414	9056.399414	0.933333
2404	024	4008	0.09	1340	1	65	100	3	9	8	12024	10684	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	9882.399414	9882.399414	0.933333
2404	025	4008	0.09	1220	1	65	100	3	9	8	12024	10804	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	10002.39941	10002.39941	0.933333
2404	026	4008	0.09	1920	1	65	100	3	9	8	12024	10104	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	9302.399414	9302.399414	0.933333
2404	027	4008	0.09	1870	1	65	100	3	9	8	12024	10154	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	9352.399414	9352.399414	0.933333
2404	028	4008	0.09	2760	1	65	100	3	9	8	12024	9264	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	8462.399414	8462.399414	0.933333
2404	029	4008	0.09	1560	1	65	100	3	9	8	12024	10464	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	9662.399414	9662.399414	0.933333
2404	030	4008	0.09	1880	1	65	100	3	9	8	12024	10144	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	9342.399414	9342.399414	0.933333
2404	031	4008	0.09	2340	1	85	140	4	13	12	16032	13692	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	11222.39941	8882.399414	8882.399414	0.7
2409	016A	3660	0.08	1730	1	65	100	3	8	7	10980	9250	RH-1	40	form-based			true	0.7	8	1	7	7	10248	8518	8518	0.933333
2409	017	3615	0.08	1450	1	65	100	3	8	7	10845	9395	RH-1	40	form-based			true	0.7	8	1	7	7	10122	8672	8672	0.933333
2409	018	3642	0.08	1400	1	65	100	3	8	7	10926	9526	RH-1	40	form-based			true	0.7	8	1	7	7	10197.59961	8797.599609	8797.599609	0.933333
2410	014C	3665	0.08	2210	1	65	100	3	8	7	10995	8785	RH-1	40	form-based			true	0.7	8	1	7	7	10262	8052	8052	0.933333
2410	015	3920	0.09	1770	1	65	100	3	9	8	11760	9990	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10976	9206	9206	0.933333
2411	003	4043	0.09	2272	1	85	140	4	13	12	16172	13900	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	11320.39941	9048.399414	9048.399414	0.7
2411	004	4043	0.09	3183	1	65	100	3	9	8	12129	8946	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11320.39941	8137.399414	8137.399414	0.933333
2411	005	4042	0.09	1835	1	65	100	3	9	8	12126	10291	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11317.59961	9482.599609	9482.599609	0.933333
2411	006	4042	0.09	1935	1	65	100	3	9	8	12126	10191	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11317.59961	9382.599609	9382.599609	0.933333
2411	007	4041	0.09	1670	1	65	100	3	9	8	12123	10453	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11314.7998	9644.799805	9644.799805	0.933333
2411	008	4041	0.09	1550	1	65	100	3	9	8	12123	10573	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11314.7998	9764.799805	9764.799805	0.933333
2411	009	4040	0.09	2824	1	65	100	3	9	8	12120	9296	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11312	8488	8488	0.933333
2411	010	4040	0.09	1925	1	65	100	3	9	8	12120	10195	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11312	9387	9387	0.933333
2411	011	4039	0.09	1500	1	65	100	3	9	8	12117	10617	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11309.2002	9809.200195	9809.200195	0.933333
2411	018	2019	0.05	1623	1	65	100	3	5	4	6057	4434	RTO-C	65	form-based		true	true	0.75	8	1.600000024	7	7	9085.5	7462.5	7462.5	1.5
2411	019	2005	0.05	1230	1	65	100	3	5	4	6015	4785	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9022.5	7792.5	7792.5	1.5
2412	003	3615	0.08	2000	1	65	100	3	8	7	10845	8845	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8122	8122	0.933333
2412	004	3615	0.08	1550	1	65	100	3	8	7	10845	9295	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8572	8572	0.933333
2412	005	3615	0.08	2067	1	65	100	3	8	7	10845	8778	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8055	8055	0.933333
2412	006	3615	0.08	1960	1	65	100	3	8	7	10845	8885	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8162	8162	0.933333
2412	007	3614	0.08	2050	1	65	100	3	8	7	10842	8792	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10119.2002	8069.200195	8069.200195	0.933333
2412	008	3614	0.08	1929	1	65	100	3	8	7	10842	8913	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10119.2002	8190.200195	8190.200195	0.933333
2412	009	3614	0.08	2825	1	65	100	3	8	7	10842	8017	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10119.2002	7294.200195	7294.200195	0.933333
2412	010	3614	0.08	1500	1	65	100	3	8	7	10842	9342	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10119.2002	8619.200195	8619.200195	0.933333
2412	011	3614	0.08	1585	1	65	100	3	8	7	10842	9257	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10119.2002	8534.200195	8534.200195	0.933333
2412	012	3613	0.08	1500	1	65	100	3	8	7	10839	9339	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	8616.399414	8616.399414	0.933333
2412	013	3613	0.08	1730	1	85	140	4	11	10	14452	12722	RH-1(D)	40	form-based			true	0.7	8	0.727272749	7	7	10116.39941	8386.399414	8386.399414	0.7
2412	022	3600	0.08	1510	1	85	140	4	11	10	14400	12890	RH-1(D)	40	form-based			true	0.7	8	0.727272749	7	7	10080	8570	8570	0.7
2412	023	3600	0.08	1458	1	85	140	4	11	10	14400	12942	RH-1(D)	40	form-based			true	0.7	8	0.727272749	7	7	10080	8622	8622	0.7
2412	024	3600	0.08	2259	1	65	100	3	8	7	10800	8541	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7821	7821	0.933333
2412	025	3600	0.08	1722	1	65	100	3	8	7	10800	9078	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8358	8358	0.933333
2412	026	3600	0.08	2265	1	65	100	3	8	7	10800	8535	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7815	7815	0.933333
2412	027	3600	0.08	2250	1	65	100	3	8	7	10800	8550	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7830	7830	0.933333
2412	028	3600	0.08	1625	1	65	100	3	8	7	10800	9175	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8455	8455	0.933333
2412	029	3600	0.08	2524	1	65	100	3	8	7	10800	8276	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7556	7556	0.933333
2412	030	3600	0.08	2498	1	65	100	3	8	7	10800	8302	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7582	7582	0.933333
2412	032	3600	0.08	2345	1	65	100	3	8	7	10800	8455	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7735	7735	0.933333
2413	006	3753	0.09	1400	1	65	100	3	9	8	11259	9859	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10508.39941	9108.399414	9108.399414	0.933333
2413	026	3641	0.08	2800	1	65	100	3	8	7	10923	8123	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10194.7998	7394.799805	7394.799805	0.933333
2413	032	3636	0.08	2485	1	65	100	3	8	7	10908	8423	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10180.7998	7695.799805	7695.799805	0.933333
2414	003B	3591	0.08	1350	1	65	100	3	8	7	10773	9423	RH-1	40	form-based			true	0.7	8	1	7	7	10054.7998	8704.799805	8704.799805	0.933333
2414	004	3722	0.09	2671	1	65	100	3	9	8	11166	8495	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10421.59961	7750.599609	7750.599609	0.933333
2416	001C	3825	0.09	1200	1	65	100	3	9	8	11475	10275	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10710	9510	9510	0.933333
2416	001D	3825	0.09	1200	1	65	100	3	9	8	11475	10275	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10710	9510	9510	0.933333
2416	001E	3825	0.09	2103	1	65	100	3	9	8	11475	9372	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10710	8607	8607	0.933333
2416	001F	3825	0.09	1200	1	65	100	3	9	8	11475	10275	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10710	9510	9510	0.933333
2416	001G	3825	0.09	1200	1	65	100	3	9	8	11475	10275	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10710	9510	9510	0.933333
2416	001H	3825	0.09	2556	1	65	100	3	9	8	11475	8919	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10710	8154	8154	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2416	001I	3825	0.09	1680	1	65	100	3	9	8	11475	9795	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10710	9030	9030	0.933333
2416	009	3865	0.09	1125	1	65	100	3	9	8	11595	10470	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10822	9697	9697	0.933333
2416	010	3865	0.09	2171	1	65	100	3	9	8	11595	9424	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10822	8651	8651	0.933333
2416	011	3865	0.09	1300	1	65	100	3	9	8	11595	10295	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10822	9522	9522	0.933333
2416	012	3865	0.09	2040	1	65	100	3	9	8	11595	9555	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10822	8782	8782	0.933333
2416	014	3865	0.09	2050	1	65	100	3	9	8	11595	9545	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10822	8772	8772	0.933333
2416	015	3866	0.09	2212	1	65	100	3	9	8	11598	9386	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10824.7998	8612.799805	8612.799805	0.933333
2419	002	3750	0.09	1627	1	65	100	3	9	8	11250	9623	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10500	8873	8873	0.933333
2419	002A	3750	0.09	2326	1	65	100	3	9	8	11250	8924	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10500	8174	8174	0.933333
2419	003	3750	0.09	1595	1	65	100	3	9	8	11250	9655	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10500	8905	8905	0.933333
2419	003A	3750	0.09	2384	1	65	100	3	9	8	11250	8866	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10500	8116	8116	0.933333
2422	001	3600	0.08	2808	1	65	100	3	8	7	10800	7992	RH-1(D)	40	form-based	true	true	true	0.7	8	1	7	7	10080	7272	7272	0.933333
2422	002	3600	0.08	1600	1	65	100	3	8	7	10800	9200	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8480	8480	0.933333
2422	003	3600	0.08	1214	1	65	100	3	8	7	10800	9586	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8866	8866	0.933333
2422	004	3600	0.08	2050	1	65	100	3	8	7	10800	8750	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8030	8030	0.933333
2422	005	3600	0.08	2121	1	65	100	3	8	7	10800	8679	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7959	7959	0.933333
2422	006	3600	0.08	1140	1	65	100	3	8	7	10800	9660	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8940	8940	0.933333
2422	007	3600	0.08	1280	1	65	100	3	8	7	10800	9520	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8800	8800	0.933333
2422	008	3600	0.08	1570	1	65	100	3	8	7	10800	9230	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8510	8510	0.933333
2422	009	3600	0.08	2277	1	65	100	3	8	7	10800	8523	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7803	7803	0.933333
2422	010	3600	0.08	2523	1	65	100	3	8	7	10800	8277	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7557	7557	0.933333
2422	011	3600	0.08	2203	1	65	100	3	8	7	10800	8597	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7877	7877	0.933333
2422	012	3600	0.08	1350	1	65	100	3	8	7	10800	9450	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8730	8730	0.933333
2422	013	3600	0.08	2437	1	65	100	3	8	7	10800	8363	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7643	7643	0.933333
2422	014	3600	0.08	2419	1	65	100	3	8	7	10800	8381	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7661	7661	0.933333
2422	015	3600	0.08	1370	1	65	100	3	8	7	10800	9430	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8710	8710	0.933333
2422	016	3600	0.08	3500	1	65	100	3	8	7	10800	7300	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	6580	6580	0.933333
2422	017	3600	0.08	1480	1	65	100	3	8	7	10800	9320	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8600	8600	0.933333
2422	018	3600	0.08	1835	1	65	100	3	8	7	10800	8965	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8245	8245	0.933333
2422	019	3600	0.08	1568	1	65	100	3	8	7	10800	9232	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8512	8512	0.933333
2422	024	3602	0.08	1715	1	65	100	3	8	7	10806	9091	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10085.59961	8370.599609	8370.599609	0.933333
2422	025	3602	0.08	2595	1	65	100	3	8	7	10806	8211	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10085.59961	7490.599609	7490.599609	0.933333
2422	026	3602	0.08	2283	1	65	100	3	8	7	10806	8523	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10085.59961	7802.599609	7802.599609	0.933333
2422	027	3603	0.08	3024	1	65	100	3	8	7	10809	7785	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10088.39941	7064.399414	7064.399414	0.933333
2422	028	3603	0.08	1310	1	65	100	3	8	7	10809	9499	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10088.39941	8778.399414	8778.399414	0.933333
2422	029	3603	0.08	2484	1	65	100	3	8	7	10809	8325	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10088.39941	7604.399414	7604.399414	0.933333
2422	030	3603	0.08	1030	1	65	100	3	8	7	10809	9779	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10088.39941	9058.399414	9058.399414	0.933333
2422	031	3604	0.08	2113	1	65	100	3	8	7	10812	8699	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10091.2002	7978.200195	7978.200195	0.933333
2422	032	3604	0.08	2308	1	65	100	3	8	7	10812	8504	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10091.2002	7783.200195	7783.200195	0.933333
2422	032A	3604	0.08	2120	1	65	100	3	8	7	10812	8692	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10091.2002	7971.200195	7971.200195	0.933333
2422	033	3604	0.08	1250	1	65	100	3	8	7	10812	9562	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10091.2002	8841.200195	8841.200195	0.933333
2422	034	3605	0.08	3111	1	65	100	3	8	7	10815	7704	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10094	6983	6983	0.933333
2422	035	3605	0.08	3204	1	65	100	3	8	7	10815	7611	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10094	6890	6890	0.933333
2422	036	3605	0.08	2015	1	65	100	3	8	7	10815	8800	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10094	8079	8079	0.933333
2422	037	3605	0.08	1400	1	65	100	3	8	7	10815	9415	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10094	8694	8694	0.933333
2422	038	3606	0.08	3003	1	65	100	3	8	7	10818	7815	RH-1(D)	40	form-based	true	true	true	0.7	8	1	7	7	10096.7998	7093.799805	7093.799805	0.933333
2423	001	3600	0.08	1700	1	65	100	3	8	7	10800	9100	RH-1(D)	40	form-based	true	true	true	0.7	8	1	7	7	10080	8380	8380	0.933333
2423	002	3600	0.08	2015	1	65	100	3	8	7	10800	8785	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8065	8065	0.933333
2423	003	3600	0.08	2520	1	65	100	3	8	7	10800	8280	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7560	7560	0.933333
2423	004	3600	0.08	1758	1	65	100	3	8	7	10800	9042	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8322	8322	0.933333
2423	005	3600	0.08	1650	1	65	100	3	8	7	10800	9150	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8430	8430	0.933333
2423	006	3600	0.08	1700	1	65	100	3	8	7	10800	9100	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8380	8380	0.933333
2423	007	3600	0.08	1500	1	65	100	3	8	7	10800	9300	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8580	8580	0.933333
2423	008	3600	0.08	1360	1	65	100	3	8	7	10800	9440	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8720	8720	0.933333
2423	009	3600	0.08	980	1	65	100	3	8	7	10800	9820	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	9100	9100	0.933333
2423	010	3600	0.08	2328	1	65	100	3	8	7	10800	8472	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7752	7752	0.933333
2423	011	3600	0.08	1325	1	65	100	3	8	7	10800	9475	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8755	8755	0.933333
2423	012	3600	0.08	1555	1	65	100	3	8	7	10800	9245	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8525	8525	0.933333
2423	013	3600	0.08	1225	1	65	100	3	8	7	10800	9575	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8855	8855	0.933333
2423	014	3600	0.08	2041	1	65	100	3	8	7	10800	8759	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8039	8039	0.933333
2423	015	3600	0.08	2518	1	65	100	3	8	7	10800	8282	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7562	7562	0.933333
2423	016	3600	0.08	2093	1	65	100	3	8	7	10800	8707	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7987	7987	0.933333
2423	017	3600	0.08	1900	1	65	100	3	8	7	10800	8900	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8180	8180	0.933333
2423	018	3600	0.08	1375	1	65	100	3	8	7	10800	9425	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8705	8705	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2423	023	3630	0.08	1375	1	65	100	3	8	7	10890	9515	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10164	8789	8789	0.933333
2423	024	3630	0.08	1350	1	65	100	3	8	7	10890	9540	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10164	8814	8814	0.933333
2423	025	3629	0.08	1575	1	65	100	3	8	7	10887	9312	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10161.2002	8586.200195	8586.200195	0.933333
2423	026	3629	0.08	1860	1	65	100	3	8	7	10887	9027	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10161.2002	8301.200195	8301.200195	0.933333
2423	027	3629	0.08	3489	1	65	100	3	8	7	10887	7398	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10161.2002	6672.200195	6672.200195	0.933333
2423	028	3629	0.08	1240	1	65	100	3	8	7	10887	9647	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10161.2002	8921.200195	8921.200195	0.933333
2423	029	3628	0.08	1240	1	65	100	3	8	7	10884	9644	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10158.39941	8918.399414	8918.399414	0.933333
2423	030	3628	0.08	1240	1	65	100	3	8	7	10884	9644	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10158.39941	8918.399414	8918.399414	0.933333
2423	031	3628	0.08	1250	1	65	100	3	8	7	10884	9634	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10158.39941	8908.399414	8908.399414	0.933333
2423	032	3628	0.08	1115	1	65	100	3	8	7	10884	9769	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10158.39941	9043.399414	9043.399414	0.933333
2423	033	3628	0.08	1425	1	65	100	3	8	7	10884	9459	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10158.39941	8733.399414	8733.399414	0.933333
2423	034	3627	0.08	1440	1	65	100	3	8	7	10881	9441	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10155.59961	8715.599609	8715.599609	0.933333
2423	035	3627	0.08	1525	1	65	100	3	8	7	10881	9356	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10155.59961	8630.599609	8630.599609	0.933333
2423	036	3627	0.08	1450	1	65	100	3	8	7	10881	9431	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10155.59961	8705.599609	8705.599609	0.933333
2423	037	3627	0.08	3332	1	65	100	3	8	7	10881	7549	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10155.59961	6823.599609	6823.599609	0.933333
2423	038	3626	0.08	1287	1	65	100	3	8	7	10878	9591	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10152.7998	8865.799805	8865.799805	0.933333
2423	039	3626	0.08	1620	1	65	100	3	8	7	10878	9258	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10152.7998	8532.799805	8532.799805	0.933333
2423	040	3626	0.08	2646	1	65	100	3	8	7	10878	8232	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10152.7998	7506.799805	7506.799805	0.933333
2424	031	3600	0.08	3020	1	65	100	3	8	7	10800	7780	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7060	7060	0.933333
2425	004	3611	0.08	1390	1	65	100	3	8	7	10833	9443	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10110.7998	8720.799805	8720.799805	0.933333
2425	005	3611	0.08	1109	1	65	100	3	8	7	10833	9724	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10110.7998	9001.799805	9001.799805	0.933333
2425	006	3611	0.08	1605	1	65	100	3	8	7	10833	9228	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10110.7998	8505.799805	8505.799805	0.933333
2425	007	3611	0.08	960	1	65	100	3	8	7	10833	9873	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10110.7998	9150.799805	9150.799805	0.933333
2425	022	3600	0.08	2116	1	65	100	3	8	7	10800	8684	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7964	7964	0.933333
2425	023	3600	0.08	2050	1	65	100	3	8	7	10800	8750	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8030	8030	0.933333
2425	024	3600	0.08	2263	1	65	100	3	8	7	10800	8537	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7817	7817	0.933333
2425	025	3600	0.08	2425	1	65	100	3	8	7	10800	8375	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	7655	7655	0.933333
2426	004F	3600	0.08	1250	1	65	100	3	8	7	10800	9550	RH-1	40	form-based			true	0.7	8	1	7	7	10080	8830	8830	0.933333
2426	004Q	3631	0.08	1950	1	65	100	3	8	7	10893	8943	RH-1	40	form-based			true	0.7	8	1	7	7	10166.7998	8216.799805	8216.799805	0.933333
2426	004R	3630	0.08	1450	1	65	100	3	8	7	10890	9440	RH-1	40	form-based			true	0.7	8	1	7	7	10164	8714	8714	0.933333
2426	004S	3630	0.08	1300	1	65	100	3	8	7	10890	9590	RH-1	40	form-based			true	0.7	8	1	7	7	10164	8864	8864	0.933333
2431	029	3825	0.09	3575	1	65	100	3	9	8	11475	7900	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10710	7135	7135	0.933333
2434	019	3500	0.08	3612	6	65	100	3	8	2	10500	6888	RTO-C	65	form-based			true	0.75	13	1.625	7	7	15750	12138	12138	1.5
2434	024	3261	0.07	6602	5	65	100	3	7	2	9783	3181	NC-1	65	form-based		true	true	0.75	12	1.714285731	7	7	14674.5	8072.5	8072.5	1.5
2435	014	2500	0.06	1462	2	55	80	2.5	5	3	6250	4788	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11250	9788	9788	1.8
2435	015	2500	0.06	2436	2	55	80	2.5	5	3	6250	3814	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	11250	8814	8814	1.8
2438	015	2177	0.05	1200	1	65	100	3	5	4	6531	5331	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9796.5	8596.5	8596.5	1.5
2438	016	2062	0.05	1896	1	65	100	3	5	4	6186	4290	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	7383	7383	1.5
2438	017	2062	0.05	1200	1	65	100	3	5	4	6186	4986	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	8079	8079	1.5
2439	043	2194	0.05	800	1	65	100	3	5	4	6582	5782	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9873	9073	9073	1.5
2440	022	2065	0.05	1162	1	65	100	3	5	4	6195	5033	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9292.5	8130.5	8130.5	1.5
2440	023	2065	0.05	1387	1	65	100	3	5	4	6195	4808	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9292.5	7905.5	7905.5	1.5
2440	024	2065	0.05	1162	1	65	100	3	5	4	6195	5033	RTO-C	65	form-based		true	true	0.75	8	1.600000024	7	7	9292.5	8130.5	8130.5	1.5
2440	031	2081	0.05	1162	1	65	100	3	5	4	6243	5081	RTO-C	65	form-based		true	true	0.75	8	1.600000024	7	7	9364.5	8202.5	8202.5	1.5
2440	032	2081	0.05	1162	1	65	100	3	5	4	6243	5081	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9364.5	8202.5	8202.5	1.5
2440	033	2081	0.05	1162	1	65	100	3	5	4	6243	5081	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9364.5	8202.5	8202.5	1.5
2442	012	2243	0.05	1446	1	65	100	3	5	4	6729	5283	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10093.5	8647.5	8647.5	1.5
2443	012	2066	0.05	962	1	65	100	3	5	4	6198	5236	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9297	8335	8335	1.5
2443	012A	2066	0.05	1169	1	65	100	3	5	4	6198	5029	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9297	8128	8128	1.5
2445	012	2062	0.05	1214	1	65	100	3	5	4	6186	4972	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9279	8065	8065	1.5
2445	014B	2080	0.05	1119	1	65	100	3	5	4	6240	5121	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9360	8241	8241	1.5
2450	001	1911	0.04	1091	0	85	140	4	6	6	7644	6553	RTO-C	65	form-based		true	true	0.75	7	1.166666627	7	7	8599.5	7508.5	7508.5	1.125
2451	001	2063	0.05	875	1	85	140	4	7	6	8252	7377	RTO-C	65	form-based		true	true	0.75	8	1.142857194	7	7	9283.5	8408.5	8408.5	1.125
2451	001A	2063	0.05	875	1	85	140	4	7	6	8252	7377	RTO-C	65	form-based			true	0.75	8	1.142857194	7	7	9283.5	8408.5	8408.5	1.125
2451	001B	2063	0.05	875	1	85	140	4	7	6	8252	7377	RTO-C	65	form-based			true	0.75	8	1.142857194	7	7	9283.5	8408.5	8408.5	1.125
2451	001C	2063	0.05	1647	1	85	140	4	7	6	8252	6605	RTO-C	65	form-based			true	0.75	8	1.142857194	7	7	9283.5	7636.5	7636.5	1.125
2452	029	3324	0.08	4209	5	65	100	3	8	3	9972	5763	RTO-C	65	form-based		true	true	0.75	12	1.5	7	7	14958	10749	10749	1.5
2453	016	3348	0.08	4700	6	65	100	3	8	2	10044	5344	RTO-C	65	form-based		true	true	0.75	13	1.625	7	7	15066	10366	10366	1.5
2459	001	2108	0.05	1817	1	55	80	2.5	4	3	5270	3453	RTO-C	65	form-based		true	true	0.75	8	2	7	7	9486	7669	7669	1.8
2459	002	2046	0.05	1425	1	55	80	2.5	4	3	5115	3690	RTO-C	65	form-based			true	0.75	8	2	7	7	9207	7782	7782	1.8
2459	003	2046	0.05	1425	1	55	80	2.5	4	3	5115	3690	RTO-C	65	form-based			true	0.75	8	2	7	7	9207	7782	7782	1.8
2459	004	2046	0.05	1600	1	55	80	2.5	4	3	5115	3515	RTO-C	65	form-based			true	0.75	8	2	7	7	9207	7607	7607	1.8
2459	048	2065	0.05	1438	1	55	80	2.5	4	3	5162	3724	RTO-C	65	form-based			true	0.75	8	2	7	7	9292.5	7854.5	7854.5	1.800174
2459	049	2065	0.05	1250	1	55	80	2.5	4	3	5162	3912	RTO-C	65	form-based			true	0.75	8	2	7	7	9292.5	8042.5	8042.5	1.800174

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2459	050	2065	0.05	1250	1	55	80	2.5	4	3	5162	3912	RTO-C	65	form-based			true	0.75	8	2	7	7	9292.5	8042.5	8042.5	1.800174
2459	051	2136	0.05	1861	1	55	80	2.5	4	3	5340	3479	RTO-C	65	form-based		true	true	0.75	8	2	7	7	9612	7751	7751	1.8
2462A	001	2148	0.05	2048	1	55	80	2.5	4	3	5370	3322	NC-1	65	form-based		true	true	0.75	8	2	7	7	9666	7618	7618	1.8
2462A	004	3630	0.08	2120	1	55	80	2.5	6	5	9075	6955	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8044	8044	1.12
2462A	005	3630	0.08	2070	1	55	80	2.5	6	5	9075	7005	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8094	8094	1.12
2462A	006	3630	0.08	1500	1	55	80	2.5	6	5	9075	7575	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8664	8664	1.12
2462A	007	3630	0.08	1877	1	55	80	2.5	6	5	9075	7198	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8287	8287	1.12
2462A	008	3630	0.08	2917	1	55	80	2.5	6	5	9075	6158	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	7247	7247	1.12
2462A	009	3630	0.08	1877	1	55	80	2.5	6	5	9075	7198	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8287	8287	1.12
2462A	011	3850	0.09	2728	1	55	80	2.5	7	6	9625	6897	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10780	8052	8052	1.12
2462A	026	2100	0.05	1036	1	55	80	2.5	4	3	5250	4214	RTO-C	65	form-based			true	0.75	8	2	7	7	9450	8414	8414	1.8
2462A	027	2100	0.05	1686	1	55	80	2.5	4	3	5250	3564	RTO-C	65	form-based			true	0.75	8	2	7	7	9450	7764	7764	1.8
2462A	028	2100	0.05	1410	1	55	80	2.5	4	3	5250	3840	RTO-C	65	form-based		true	true	0.75	8	2	7	7	9450	8040	8040	1.8
2462A	029	2250	0.05	1998	1	55	80	2.5	4	3	5625	3627	RTO-C	65	form-based			true	0.75	8	2	7	7	10125	8127	8127	1.8
2462A	030	2250	0.05	1235	1	55	80	2.5	4	3	5625	4390	RTO-C	65	form-based			true	0.75	8	2	7	7	10125	8890	8890	1.8
2462A	031	2250	0.05	2338	1	55	80	2.5	4	3	5625	3287	RTO-C	65	form-based			true	0.75	8	2	7	7	10125	7787	7787	1.8
2463A	008	3740	0.09	1859	1	55	80	2.5	7	6	9350	7491	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10472	8613	8613	1.12
2463A	009	3740	0.09	1381	1	55	80	2.5	7	6	9350	7969	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10472	9091	9091	1.12
2463A	010	3740	0.09	1626	1	55	80	2.5	7	6	9350	7724	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10472	8846	8846	1.12
2464A	012	3634	0.08	2970	1	55	80	2.5	6	5	9085	6115	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10175.2002	7205.200195	7205.200195	1.12
2464A	016	3705	0.09	1545	1	55	80	2.5	7	6	9262	7717	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10374	8829	8829	1.12006
2468	013	3794	0.09	2021	1	55	80	2.5	7	6	9485	7464	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10623.2002	8602.200195	8602.200195	1.12
2471	048	3954	0.09	2417	1	55	80	2.5	7	6	9885	7468	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11071.2002	8654.200195	8654.200195	1.12
2471	049	3679	0.08	1746	1	55	80	2.5	6	5	9198	7452	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10301.2002	8555.200195	8555.200195	1.119939
2471	060	4005	0.09	2106	1	55	80	2.5	7	6	10012	7906	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11214	9108	9108	1.120056
2473	014	3584	0.08	1972	1	55	80	2.5	6	5	8960	6988	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10035.2002	8063.200195	8063.200195	1.12
2473	015	3643	0.08	1730	1	55	80	2.5	6	5	9108	7378	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10200.39941	8470.399414	8470.399414	1.119938
2473	020	3667	0.08	1227	1	55	80	2.5	6	5	9168	7941	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10267.59961	9040.599609	9040.599609	1.119939
2473	041	2934	0.07	4083	4	55	80	2.5	6	2	7335	3252	NC-1	65	form-based		true	true	0.75	11	1.833333373	7	7	13203	9120	9120	1.8
2474	006	3632	0.08	1995	1	55	80	2.5	6	5	9080	7085	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10169.59961	8174.599609	8174.599609	1.12
2474	034	3600	0.08	1000	1	55	80	2.5	6	5	9000	8000	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	9080	9080	1.12
2474	035	3600	0.08	1025	1	55	80	2.5	6	5	9000	7975	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	9055	9055	1.12
2474	036	3600	0.08	1025	1	55	80	2.5	6	5	9000	7975	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	9055	9055	1.12
2474	037	3600	0.08	1575	1	55	80	2.5	6	5	9000	7425	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	8505	8505	1.12
2474	038	3600	0.08	1050	1	55	80	2.5	6	5	9000	7950	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10080	9030	9030	1.12
2474	042	3912	0.09	1665	1	55	80	2.5	7	6	9780	8115	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10953.59961	9288.599609	9288.599609	1.12
2474	044	2220	0.05	1940	1	55	80	2.5	4	3	5550	3610	RTO-C	65	form-based			true	0.75	8	2	7	7	9990	8050	8050	1.8
2474	046	2500	0.06	2018	2	55	80	2.5	5	3	6250	4232	NC-1	65	form-based			true	0.75	9	1.799999952	7	7	11250	9232	9232	1.8
2482	010A	3884	0.09	1990	1	65	100	3	9	8	11652	9662	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10875.2002	8885.200195	8885.200195	0.933333
2482	011	3639	0.08	2046	1	65	100	3	8	7	10917	8871	RH-1	40	form-based			true	0.7	8	1	7	7	10189.2002	8143.200195	8143.200195	0.933333
2482	031A	3953	0.09	1158	1	65	100	3	9	8	11859	10701	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11068.39941	9910.399414	9910.399414	0.933333
2494A	003	3920	0.09	2519	1	55	80	2.5	7	6	9800	7281	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10976	8457	8457	1.12
2494A	006	3717	0.09	1119	1	55	80	2.5	7	6	9292	8173	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10407.59961	9288.599609	9288.599609	1.12006
2494A	007	3857	0.09	1119	1	55	80	2.5	7	6	9642	8523	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10799.59961	9680.599609	9680.599609	1.120058
2494A	008	3955	0.09	1119	1	55	80	2.5	7	6	9888	8769	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11074	9955	9955	1.119943
2494A	012	3711	0.09	1358	1	55	80	2.5	7	6	9278	7920	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10390.7998	9032.799805	9032.799805	1.11994
2494A	028	3999	0.09	1247	1	55	80	2.5	7	6	9998	8751	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11197.2002	9950.200195	9950.200195	1.119944
2494A	029	3901	0.09	1785	1	55	80	2.5	7	6	9752	7967	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10922.7998	9137.799805	9137.799805	1.120057
2501A	019	4034	0.09	1650	1	55	80	2.5	7	6	10085	8435	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11295.2002	9645.200195	9645.200195	1.12
2502A	018	3908	0.09	2175	1	55	80	2.5	7	6	9770	7595	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10942.39941	8767.399414	8767.399414	1.12
2502A	017	3723	0.09	2280	1	55	80	2.5	7	6	9308	7028	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10424.39941	8144.399414	8144.399414	1.11994
2502A	013	3977	0.09	2092	1	55	80	2.5	7	6	9942	7850	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	11135.59961	9043.599609	9043.599609	1.120056
2502A	014	3601	0.08	2085	1	55	80	2.5	6	5	9002	6917	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10082.7998	7997.799805	7997.799805	1.120062
2502A	015	3726	0.09	2096	1	55	80	2.5	7	6	9315	7219	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10432.7998	8336.799805	8336.799805	1.12
2502A	016	3740	0.09	2099	1	55	80	2.5	7	6	9350	7251	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10472	8373	8373	1.12
2503A	005	4381	0.1	1470	2	55	80	2.5	8	6	10952	9482	RH-1(D)	40	form-based			true	0.7	9	1.125	7	7	12266.7998	10796.7998	10796.7998	1.120051
2503A	007	4406	0.1	2443	2	55	80	2.5	8	6	11015	8572	RH-1(D)	40	form-based			true	0.7	9	1.125	7	7	12336.7998	9893.799805	9893.799805	1.12
2504A	001Y	3909	0.09	1441	1	55	80	2.5	7	6	9772	8331	RH-1	40	form-based		true	true	0.7	8	1.142857194	7	7	10945.2002	9504.200195	9504.200195	1.120057
2509	009	3599	0.08	1209	1	55	80	2.5	6	5	8998	7789	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10077.2002	8868.200195	8868.200195	1.119938
2509	024	4027	0.09	1630	1	55	80	2.5	7	6	10068	8438	RH-1	40	form-based		true	true	0.7	8	1.142857194	7	7	11275.59961	9645.599609	9645.599609	1.119944
2510	019	2161	0.05	1012	1	55	80	2.5	4	3	5402	4390	RTO-C	65	form-based			true	0.75	8	2	7	7	9724.5	8712.5	8712.5	1.800167
2510	020	2236	0.05	1124	1	55	80	2.5	4	3	5590	4466	RTO-C	65	form-based			true	0.75	8	2	7	7	10062	8938	8938	1.8
2510	028	3660	0.08	1707	1	55	80	2.5	6	5	9150	7443	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10248	8541	8541	1.12
2511	014	2242	0.05	1330	1	65	100	3	5	4	6726	5396	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10089	8759	8759	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2511	019	2242	0.05	1450	1	65	100	3	5	4	6726	5276	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	10089	8639	8639	1.5
2512	011	2050	0.05	1120	1	65	100	3	5	4	6150	5030	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9225	8105	8105	1.5
2518	009	2228	0.05	1078	1	55	80	2.5	4	3	5570	4492	RTO-C	65	form-based			true	0.75	8	2	7	7	10026	8948	8948	1.8
2518	010	2097	0.05	1037	1	55	80	2.5	4	3	5242	4205	RTO-C	65	form-based			true	0.75	8	2	7	7	9436.5	8399.5	8399.5	1.800172
2518	013	2259	0.05	1012	1	55	80	2.5	4	3	5648	4636	RTO-C	65	form-based			true	0.75	8	2	7	7	10165.5	9153.5	9153.5	1.799841
2518	014	2081	0.05	1037	1	55	80	2.5	4	3	5202	4165	RTO-C	65	form-based			true	0.75	8	2	7	7	9364.5	8327.5	8327.5	1.800173
2518	015A	2184	0.05	1083	1	55	80	2.5	4	3	5460	4377	RTO-C	65	form-based			true	0.75	8	2	7	7	9828	8745	8745	1.8
2518	015B	2223	0.05	1763	1	55	80	2.5	4	3	5558	3795	RTO-C	65	form-based			true	0.75	8	2	7	7	10003.5	8240.5	8240.5	1.799838
2518	017	2185	0.05	1567	1	55	80	2.5	4	3	5462	3895	RTO-C	65	form-based			true	0.75	8	2	7	7	9832.5	8265.5	8265.5	1.800165
2519	029B	2161	0.05	1323	1	55	80	2.5	4	3	5402	4079	RTO-C	65	form-based			true	0.75	8	2	7	7	9724.5	8401.5	8401.5	1.800167
2519	029C	2164	0.05	2398	1	55	80	2.5	4	3	5410	3012	RTO-C	65	form-based			true	0.75	8	2	7	7	9738	7340	7340	1.8
2527B	008	3699	0.08	1947	1	55	80	2.5	6	5	9248	7301	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10357.2002	8410.200195	8410.200195	1.119939
2527B	009	3729	0.09	1908	1	55	80	2.5	7	6	9322	7414	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10441.2002	8533.200195	8533.200195	1.12006
2540	095	3993	0.09	3274	1	65	100	3	9	8	11979	8705	RH-1(D)	40	form-based	true		true	0.7	8	0.888888896	7	7	11180.39941	7906.399414	7906.399414	0.933333
2540	096	4005	0.09	3439	1	65	100	3	9	8	12015	8576	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11214	7775	7775	0.933333
2540	097	4008	0.09	3321	1	65	100	3	9	8	12024	8703	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	7901.399414	7901.399414	0.933333
2540	098	4011	0.09	3417	1	65	100	3	9	8	12033	8616	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11230.7998	7813.799805	7813.799805	0.933333
2540	099	4013	0.09	3279	1	65	100	3	9	8	12039	8760	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11236.39941	7957.399414	7957.399414	0.933333
2540	100	4016	0.09	3251	1	65	100	3	9	8	12048	8797	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11244.7998	7993.799805	7993.799805	0.933333
2540	101	3737	0.09	3389	1	65	100	3	9	8	11211	7822	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10463.59961	7074.599609	7074.599609	0.933333
2603	004A	6405	0.15	5096	6	55	80	2.5	12	6	16012	10916	RH-3	40	form-based	true		true	0.7	13	1.083333373	7	7	17934	12838	12838	1.120035
2603	009	4000	0.09	6000	1	55	80	2.5	7	6	10000	4000	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	11200	5200	5200	1.12
2603	012	3600	0.08	2368	1	55	80	2.5	6	5	9000	6632	RH-3	40	form-based			true	0.7	8	1.333333373	7	7	10080	7712	7712	1.12
2607	052	4016	0.09	2350	1	55	80	2.5	7	6	10040	7690	RH-3	40	form-based	true		true	0.7	8	1.142857194	7	7	11244.7998	8894.799805	8894.799805	1.12
2607	056	4020	0.09	4510	1	55	80	2.5	7	6	10050	5540	RH-2	40	form-based	true		true	0.7	8	1.142857194	7	7	11256	6746	6746	1.12
2607	064	3789	0.09	2160	1	55	80	2.5	7	6	9472	7312	RH-3	40	form-based			true	0.7	8	1.142857194	7	7	10609.2002	8449.200195	8449.200195	1.120059
2607	073	3100	0.07	0	0	55	80	2.5	6	6	7750	7750	RH-3	40	form-based			true	0.7	7	1.166666627	7	7	8680	8680	8680	1.12
2608	020	3375	0.08	3597	0	55	80	2.5	6	6	8438	4841	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	9450	5853	5853	1.119934
2608	052	3162	0.07	0	0	55	80	2.5	6	6	7905	7905	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	8853.599609	8853.599609	8853.599609	1.12
2609	043	4000	0.09	6917	1	65	100	3	9	8	12000	5083	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11200	4283	4283	0.933333
2610	011	3576	0.08	2619	1	65	100	3	8	7	10728	8109	RH-3	40	form-based			true	0.7	8	1	7	7	10012.7998	7393.799805	7393.799805	0.933333
2612	093	4198	0.1	1088	2	65	100	3	10	8	12594	11506	RM-1	40	form-based			true	0.7	9	0.899999976	7	7	11754.39941	10666.39941	10666.39941	0.933333
2612	056	3765	0.09	2706	1	65	100	3	9	8	11295	8589	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10542	7836	7836	0.933333
2613	012	3600	0.08	1523	1	65	100	3	8	7	10800	9277	RH-2	40	form-based			true	0.7	8	1	7	7	10080	8557	8557	0.933333
2613	040	4135	0.09	2423	2	65	100	3	9	7	12405	9982	RH-2	40	form-based			true	0.7	9	1	7	7	11578	9155	9155	0.933333
2614	003	3599	0.08	1240	1	65	100	3	8	7	10797	9557	RH-3	40	form-based			true	0.7	8	1	7	7	10077.2002	8837.200195	8837.200195	0.933333
2614	012	4323	0.1	3240	2	65	100	3	10	8	12969	9729	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12104.39941	8864.399414	8864.399414	0.933333
2614	074	4021	0.09	782	1	55	80	2.5	7	6	10052	9270	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	11258.7998	10476.7998	10476.7998	1.120056
2617	006	3715	0.09	3000	1	55	80	2.5	7	6	9288	6288	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10402	7402	7402	1.11994
2617	032	3440	0.08	0	0	65	100	3	8	8	10320	10320	RH-2	40	form-based			true	0.7	7	0.875	7	7	9632	9632	9632	0.933333
2617A	019	3838	0.09	1800	1	55	80	2.5	7	6	9595	7795	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10746.39941	8946.399414	8946.399414	1.12
2618	013	3866	0.09	1273	1	55	80	2.5	7	6	9665	8392	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10824.7998	9551.799805	9551.799805	1.12
2618	043	3951	0.09	2930	1	55	80	2.5	7	6	9878	6948	RH-1	40	form-based	true		true	0.7	8	1.142857194	7	7	11062.7998	8132.799805	8132.799805	1.119943
2618A	034	3895	0.09	3821	1	55	80	2.5	7	6	9738	5917	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10906	7085	7085	1.119943
2618A	043	3532	0.08	3160	0	55	80	2.5	6	6	8830	5670	RH-1	40	form-based			true	0.7	7	1.166666627	7	7	9889.599609	6729.599609	6729.599609	1.12
2619	054	3977	0.09	760	1	55	80	2.5	7	6	9942	9182	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	11135.59961	10375.59961	10375.59961	1.120056
2619	096	4171	0.1	2128	2	55	80	2.5	8	6	10428	8300	RH-2	40	form-based			true	0.7	9	1.125	7	7	11678.7998	9550.799805	9550.799805	1.119946
2620	012	3145	0.07	0	0	65	100	3	7	7	9435	9435	RH-2	40	form-based			true	0.7	7	1	7	7	8806	8806	8806	0.933333
2620	022	3144	0.07	2200	0	55	80	2.5	6	6	7860	5660	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	8803.200195	6603.200195	6603.200195	1.12
2620	057	4232	0.1	3750	2	55	80	2.5	8	6	10580	6830	RH-2	40	form-based			true	0.7	9	1.125	7	7	11849.59961	8099.599609	8099.599609	1.12
2621	045	4294	0.1	1472	2	65	100	3	10	8	12882	11410	RH-2	40	form-based	true		true	0.7	9	0.899999976	7	7	12023.2002	10551.2002	10551.2002	0.933333
2621	050	4142	0.1	3741	2	65	100	3	10	8	12426	8685	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	11597.59961	7856.599609	7856.599609	0.933333
2622	022	3806	0.09	1570	1	65	100	3	9	8	11418	9848	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10656.7998	9086.799805	9086.799805	0.933333
2622	049	3857	0.09	1732	1	65	100	3	9	8	11571	9839	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10799.59961	9067.599609	9067.599609	0.933333
2623	004	2496	0.06	2880	6	85	140	4	8	2	9984	7104	RTO-C	85	form-based			true	0.75	13	1.625	7	7	14976	12096	12096	1.5
2623	025	3700	0.08	2784	3	65	100	3	8	5	11100	8316	RH-3	50	form-based			true	0.7	10	1.25	7	7	12950	10166	10166	1.166667
2623	040	3700	0.08	1760	1	65	100	3	8	7	11100	9340	RH-2	40	form-based			true	0.7	8	1	7	7	10360	8600	8600	0.933333
2623	060	3703	0.09	1605	1	65	100	3	9	8	11109	9504	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10368.39941	8763.399414	8763.399414	0.933333
2623	071	2703	0.06	1200	1	65	100	3	6	5	8109	6909	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9460.5	8260.5	8260.5	1.166667
2623	072	2685	0.06	1225	1	65	100	3	6	5	8055	6830	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9397.5	8172.5	8172.5	1.166667
2623	086	21214	0.49	22708	52	85	140	4	69	17	84856	62148	RH-2	50	form-based			true	0.7	59	0.855072439	7	7	74249	51541	51541	0.875
2623	107	3280	0.08	1828	2	65	100	3	8	6	9840	8012	RH-2	50	form-based			true	0.7	9	1.125	7	7	11480	9652	9652	1.166667
2623	241	3700	0.08	1225	1	65	100	3	8	7	11100	9875	RH-2	40	form-based			true	0.7	8	1	7	7	10360	9135	9135	0.933333
2626	004	3781	0.09	2456	1	55	80	2.5	7	6	9452	6996	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10586.7998	8130.799805	8130.799805	1.120059

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2626	011	4080	0.09	2238	2	55	80	2.5	7	5	10200	7962	RH-2	40	form-based			true	0.7	9	1.285714269	7	7	11424	9186	9186	1.12
2626	035	4091	0.09	756	2	55	80	2.5	7	5	10228	9472	RH-2	40	form-based		true	true	0.7	9	1.285714269	7	7	11454.7998	10698.7998	10698.7998	1.119945
2628	005	4266	0.1	2026	2	55	80	2.5	8	6	10665	8639	RH-2	40	form-based		true	true	0.7	9	1.125	7	7	11944.7998	9918.799805	9918.799805	1.12
2628	059	3859	0.09	1850	1	55	80	2.5	7	6	9648	7798	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10805.2002	8955.200195	8955.200195	1.119942
2629	054	7612	0.17	9438	9	65	100	3	17	8	22836	13398	RM-1	40	form-based			true	0.7	16	0.941176474	7	7	21313.59961	11875.59961	11875.59961	0.933333
2629	056	5013	0.12	4168	4	55	80	2.5	10	6	12532	8364	RH-2	40	form-based			true	0.7	11	1.100000024	7	7	14036.39941	9868.399414	9868.399414	1.120045
2629	057	5285	0.12	6044	4	65	100	3	12	8	15855	9811	RM-1	40	form-based			true	0.7	11	0.916666687	7	7	14798	8754	8754	0.933333
2629	058	5080	0.12	775	4	55	80	2.5	10	6	12700	11925	RH-2	40	form-based			true	0.7	11	1.100000024	7	7	14224	13449	13449	1.12
2629A	046	5665	0.13	1225	5	55	80	2.5	10	5	14162	12937	RH-3	40	form-based			true	0.7	12	1.200000048	7	7	15862	14637	14637	1.12004
2629A	056	6270	0.14	1228	6	55	80	2.5	11	5	15675	14447	RH-3	40	form-based			true	0.7	13	1.181818128	7	7	17556	16328	16328	1.12
2630	003	2025	0.05	2100	1	65	100	3	5	4	6075	3975	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9112.5	7012.5	7012.5	1.5
2630	045	2500	0.06	2390	2	65	100	3	6	4	7500	5110	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8860	8860	1.5
2630	062	3178	0.07	1287	2	65	100	3	7	5	9534	8247	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11123	9836	9836	1.166667
2631	025	3867	0.09	5360	1	65	100	3	9	8	11601	6241	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10827.59961	5467.599609	5467.599609	0.933333
2631	044	3214	0.07	2150	2	65	100	3	7	5	9642	7492	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	11249	9099	9099	1.166667
2631	055	2500	0.06	2750	2	65	100	3	6	4	7500	4750	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	8500	8500	1.5
2631	060	2500	0.06	1492	2	65	100	3	6	4	7500	6008	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9758	9758	1.5
2631	069	3197	0.07	2665	0	65	100	3	7	7	9591	6926	RH-2	40	form-based			true	0.7	7	1	7	7	8951.599609	6286.599609	6286.599609	0.933333
2633	003	2387	0.05	2769	2	65	100	3	5	3	7161	4392	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10741.5	7972.5	7972.5	1.5
2634	069	3615	0.08	1967	1	55	80	2.5	6	5	9038	7071	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10122	8155	8155	1.119938
2634	102	6215	0.14	4912	6	55	80	2.5	11	5	15538	10626	RM-2	40	form-based			true	0.7	13	1.181818128	7	7	17402	12490	12490	1.119964
2636	008	4105	0.09	2870	2	55	80	2.5	7	5	10262	7392	RM-1	40	form-based			true	0.7	9	1.285714269	7	7	11494	8624	8624	1.120055
2635	035	3607	0.08	3313	1	55	80	2.5	6	5	9018	5705	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10099.59961	6786.599609	6786.599609	1.119938
2636	044	4407	0.1	1088	2	55	80	2.5	8	6	11018	9930	RM-1	40	form-based			true	0.7	9	1.125	7	7	12339.59961	11251.59961	11251.59961	1.119949
2641	007	3873	0.09	3090	1	65	100	3	9	8	11619	8529	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10844.39941	7754.399414	7754.399414	0.933333
2641	012	3575	0.08	2445	1	65	100	3	8	7	10725	8280	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10010	7565	7565	0.933333
2641	024	3598	0.08	2256	1	65	100	3	8	7	10794	8538	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10074.39941	7818.399414	7818.399414	0.933333
2641	035	2680	0.06	1678	1	65	100	3	6	5	8040	6362	RH-1(D)	50	form-based			true	0.7	8	1.333333373	7	7	9380	7702	7702	1.166667
2642	006	3850	0.09	1600	1	65	100	3	9	8	11550	9950	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10780	9180	9180	0.933333
2642	008A	3713	0.09	1812	1	65	100	3	9	8	11139	9327	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10396.39941	8584.399414	8584.399414	0.933333
2642	013	3870	0.09	2800	1	55	80	2.5	7	6	9675	6875	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10836	8036	8036	1.12
2642	017	3851	0.09	2608	1	65	100	3	9	8	11553	8945	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10782.7998	8174.799805	8174.799805	0.933333
2642	023	4045	0.09	2954	1	65	100	3	9	8	12135	9181	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11326	8372	8372	0.933333
2642	024	3758	0.09	3281	1	65	100	3	9	8	11274	7993	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10522.39941	7241.399414	7241.399414	0.933333
2644	024	3887	0.09	1250	1	65	100	3	9	8	11661	10411	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10883.59961	9633.599609	9633.599609	0.933333
2647	056	3106	0.07	886	2	65	100	3	7	5	9318	8432	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10871	9985	9985	1.166667
2648	053	6167	0.14	1323	6	65	100	3	14	8	18501	17178	RH-3	40	form-based			true	0.7	13	0.928571403	7	7	17267.59961	15944.59961	15944.59961	0.933333
2650	045	8646	0.2	1528	11	65	100	3	20	9	25938	24410	RM-1	40	form-based		true	true	0.7	18	0.899999976	7	7	24208.79883	22680.79883	22680.79883	0.933333
2657	003	3808	0.09	2080	1	55	80	2.5	7	6	9520	7440	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10662.39941	8582.399414	8582.399414	1.12
2660	011A	3850	0.09	600	1	55	80	2.5	7	6	9625	9025	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10780	10180	10180	1.12
2661	001A	4784	0.11	4260	3	55	80	2.5	9	6	11960	7700	RH-1	40	form-based			true	0.7	10	1.111111164	7	7	13395.2002	9135.200195	9135.200195	1.12
2661	009	4025	0.09	4051	1	55	80	2.5	7	6	10062	6011	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11270	7219	7219	1.120056
2661	010	4021	0.09	3815	1	55	80	2.5	7	6	10052	6237	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11258.7998	7443.799805	7443.799805	1.120056
2661	030	3707	0.09	4160	1	55	80	2.5	7	6	9268	5108	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10379.59961	6219.599609	6219.599609	1.11994
2674	024	3728	0.09	1258	1	55	80	2.5	7	6	9320	8062	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10438.39941	9180.399414	9180.399414	1.12
2675	005	3579	0.08	1265	1	55	80	2.5	6	5	8948	7683	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10021.2002	8756.200195	8756.200195	1.119937
2675	006	3960	0.09	1265	1	55	80	2.5	7	6	9900	8635	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11088	9823	9823	1.12
2677	022	3794	0.09	1468	1	55	80	2.5	7	6	9485	8017	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10623.2002	9155.200195	9155.200195	1.12
2678	014	3878	0.09	1544	1	55	80	2.5	7	6	9695	8151	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10858.39941	9314.399414	9314.399414	1.12
2678	015	4012	0.09	1239	1	55	80	2.5	7	6	10030	8791	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11233.59961	9994.599609	9994.599609	1.12
2679	006	3623	0.08	1746	1	55	80	2.5	6	5	9058	7312	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10144.39941	8398.399414	8398.399414	1.119938
2679	008	4015	0.09	2248	1	55	80	2.5	7	6	10038	7790	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11242	8994	8994	1.119944
2679	009	3710	0.09	1789	1	55	80	2.5	7	6	9275	7486	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10388	8599	8599	1.12
2681	006	3618	0.08	1408	1	55	80	2.5	6	5	9045	7637	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10130.39941	8722.399414	8722.399414	1.12
2680	030	3922	0.09	1941	1	55	80	2.5	7	6	9805	7864	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10981.59961	9040.599609	9040.599609	1.12
2681	001	3768	0.09	1408	1	55	80	2.5	7	6	9420	8012	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10550.39941	9142.399414	9142.399414	1.12
2681	007	3882	0.09	1408	1	55	80	2.5	7	6	9705	8297	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10869.59961	9461.599609	9461.599609	1.12
2681	008	3724	0.09	1796	1	55	80	2.5	7	6	9310	7514	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10427.2002	8631.200195	8631.200195	1.12
2681	011	3588	0.08	2608	1	55	80	2.5	6	5	8970	6362	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10046.39941	7438.399414	7438.399414	1.12
2681	013	3884	0.09	1624	1	55	80	2.5	7	6	9710	8086	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10875.2002	9251.200195	9251.200195	1.12
2681	017	3791	0.09	1570	1	55	80	2.5	7	6	9478	7908	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10614.7998	9044.799805	9044.799805	1.119941
2682	027	3972	0.09	1263	1	55	80	2.5	7	6	9930	8667	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11121.59961	9858.599609	9858.599609	1.12
2683	015	3743	0.09	2175	1	55	80	2.5	7	6	9358	7183	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10480.39941	8305.399414	8305.399414	1.11994
2683	018	3652	0.08	1408	1	55	80	2.5	6	5	9130	7722	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10225.59961	8817.599609	8817.599609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2683	020	3935	0.09	1439	1	55	80	2.5	7	6	9838	8399	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11018	9579	9579	1.119943
2683	021	3985	0.09	1981	1	55	80	2.5	7	6	9962	7981	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11158	9177	9177	1.120056
2683	022	3671	0.08	1651	1	55	80	2.5	6	5	9178	7527	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10278.7998	8627.799805	8627.799805	1.119939
2686	002	3805	0.09	1245	1	55	80	2.5	7	6	9512	8267	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10654	9409	9409	1.120059
2686	040	3964	0.09	2011	1	55	80	2.5	7	6	9910	7899	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11099.2002	9088.200195	9088.200195	1.12
2686	042	3920	0.09	1069	1	55	80	2.5	7	6	9800	8731	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10976	9907	9907	1.12
2687	011	4487	0.1	2306	2	55	80	2.5	8	6	11218	8912	RH-1(D)	40	form-based			true	0.7	9	1.125	7	7	12563.59961	10257.59961	10257.59961	1.11995
2688	002	3914	0.09	2638	1	55	80	2.5	7	6	9785	7147	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10959.2002	8321.200195	8321.200195	1.12
2691	002	3600	0.08	2360	1	55	80	2.5	6	5	9000	6640	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10080	7720	7720	1.12
2691	005	3750	0.09	2673	1	55	80	2.5	7	6	9375	6702	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10500	7827	7827	1.12
2691	008	4033	0.09	1282	1	55	80	2.5	7	6	10082	8800	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	11292.39941	10010.39941	10010.39941	1.120055
2691	066	4052	0.09	1001	2	55	80	2.5	7	5	10130	9129	RH-2	40	form-based			true	0.7	9	1.285714269	7	7	11345.59961	10344.59961	10344.59961	1.12
2692	029	3160	0.07	2149	0	55	80	2.5	6	6	7900	5751	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	8848	6699	6699	1.12
2692	034	3160	0.07	2954	0	55	80	2.5	6	6	7900	4946	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	8848	5894	5894	1.12
2695	003	3070	0.07	3594	2	65	100	3	7	5	9210	5616	NCD-CAST	50	form-based			true	0.75	9	1.285714269	7	7	11512.5	7918.5	7918.5	1.25
2695	004	3133	0.07	2972	2	65	100	3	7	5	9399	6427	NCD-CAST	50	form-based			true	0.75	9	1.285714269	7	7	11748.75	8776.75	8776.75	1.25
2695	005	3174	0.07	4964	3	65	100	3	7	4	9522	4558	NCD-CAST	50	form-based			true	0.75	10	1.428571463	7	7	11902.5	6938.5	6938.5	1.25
2695	007	3193	0.07	4484	3	65	100	3	7	4	9579	5095	NCD-CAST	50	form-based			true	0.75	10	1.428571463	7	7	11973.75	7489.75	7489.75	1.25
2695	024	3045	0.07	3000	2	65	100	3	7	5	9135	6135	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10657.5	7657.5	7657.5	1.166667
2695	025	3045	0.07	3568	2	65	100	3	7	5	9135	5567	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10657.5	7089.5	7089.5	1.166667
2695	026	3085	0.07	3304	2	65	100	3	7	5	9255	5951	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10797.5	7493.5	7493.5	1.166667
2695	026A	2962	0.07	2865	1	65	100	3	7	6	8886	6021	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10367	7502	7502	1.166667
2695	046	3073	0.07	1321	2	65	100	3	7	5	9219	7898	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10755.5	9434.5	9434.5	1.166667
2695	053	3083	0.07	1620	2	65	100	3	7	5	9249	7629	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10790.5	9170.5	9170.5	1.166667
2696	010	3740	0.09	3278	1	55	80	2.5	7	6	9350	6072	RH-3	40	form-based			true	0.7	8	1.142857194	7	7	10472	7194	7194	1.12
2696	014A	3750	0.09	1800	1	55	80	2.5	7	6	9375	7575	RH-3	40	form-based		true	true	0.7	8	1.142857194	7	7	10500	8700	8700	1.12
2697	024	3757	0.09	1515	1	55	80	2.5	7	6	9392	7877	RH-3	40	form-based			true	0.7	8	1.142857194	7	7	10519.59961	9004.599609	9004.599609	1.12006
2697	028A	4416	0.1	5381	2	55	80	2.5	8	6	11040	5659	RH-3	40	form-based			true	0.7	9	1.125	7	7	12364.7998	6983.799805	6983.799805	1.12
2698	006A	3750	0.09	1350	1	55	80	2.5	7	6	9375	8025	RH-3	40	form-based			true	0.7	8	1.142857194	7	7	10500	9150	9150	1.12
2705	002	4010	0.09	3563	1	55	80	2.5	7	6	10025	6462	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11228	7665	7665	1.12
2706	066	3729	0.09	3490	1	55	80	2.5	7	6	9322	5832	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10441.2002	6951.200195	6951.200195	1.12006
2706	072	3952	0.09	3672	1	55	80	2.5	7	6	9880	6208	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11065.59961	7393.599609	7393.599609	1.12
2706	035	3260	0.07	3687	0	55	80	2.5	6	6	8150	4463	RH-1(D)	40	form-based			true	0.7	7	1.166666627	7	7	9128	5441	5441	1.12
2706	073	3956	0.09	4266	1	55	80	2.5	7	6	9890	5624	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11076.7998	6810.799805	6810.799805	1.12
2707	008	3694	0.08	1886	1	55	80	2.5	6	5	9235	7349	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10343.2002	8457.200195	8457.200195	1.12
2707	009	3814	0.09	2110	1	55	80	2.5	7	6	9535	7425	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10679.2002	8569.200195	8569.200195	1.12
2714	001	3941	0.09	918	1	55	80	2.5	7	6	9852	8934	RH-2	40	form-based		true	true	0.7	8	1.142857194	7	7	11034.7998	10116.7998	10116.7998	1.120057
2714	014A	3688	0.08	1803	1	55	80	2.5	6	5	9220	7417	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10326.39941	8523.399414	8523.399414	1.12
2714	031	3227	0.07	0	0	55	80	2.5	6	6	8068	8068	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	9035.599609	9035.599609	9035.599609	1.119931
2715	024	3182	0.07	0	0	55	80	2.5	6	6	7955	7955	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	8909.599609	8909.599609	8909.599609	1.12
2715	037	3727	0.09	2163	1	55	80	2.5	7	6	9318	7155	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10435.59961	8272.599609	8272.599609	1.11994
2715	083	4634	0.11	5102	3	55	80	2.5	9	6	11585	6483	RH-2	40	form-based			true	0.7	10	1.111111164	7	7	12975.2002	7873.200195	7873.200195	1.12
2750	012	3115	0.07	3511	0	55	80	2.5	6	6	7788	4277	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	8722	5211	5211	1.119928
2750	027	3125	0.07	2240	0	55	80	2.5	6	6	7812	5572	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	8750	6510	6510	1.120072
2751	007A	3795	0.09	1267	1	55	80	2.5	7	6	9488	8221	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10626	9359	9359	1.119941
2751	030	5231	0.12	1036	4	55	80	2.5	10	6	13078	12042	RH-2	40	form-based			true	0.7	11	1.100000024	7	7	14646.7998	13610.7998	13610.7998	1.119957
2752	022A	3717	0.09	2339	1	55	80	2.5	7	6	9292	6953	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10407.59961	8068.599609	8068.599609	1.12006
2752	022G	4338	0.1	1668	2	55	80	2.5	8	6	10845	9177	RH-2	40	form-based			true	0.7	9	1.125	7	7	12146.39941	10478.39941	10478.39941	1.12
2752	023	3717	0.09	1650	1	55	80	2.5	7	6	9292	7642	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10407.59961	8757.599609	8757.599609	1.12006
2752	024	3716	0.09	1055	1	55	80	2.5	7	6	9290	8235	RH-2	40	form-based			true	0.7	8	1.142857194	7	7	10404.7998	9349.799805	9349.799805	1.12
2753	003	3610	0.08	2555	1	55	80	2.5	6	5	9025	6470	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10108	7553	7553	1.12
2770	009E	3348	0.08	2111	0	55	80	2.5	6	6	8370	6259	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	9374.399414	7263.399414	7263.399414	1.12
2788	004	3958	0.09	1127	1	55	80	2.5	7	6	9895	8768	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11082.39941	9955.399414	9955.399414	1.12
2788	009	4025	0.09	1127	1	55	80	2.5	7	6	10062	8935	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11270	10143	10143	1.120056
2788	028	3782	0.09	1594	1	55	80	2.5	7	6	9455	7861	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10589.59961	8995.599609	8995.599609	1.12
2789	004	3617	0.08	1244	1	55	80	2.5	6	5	9042	7798	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10127.59961	8883.599609	8883.599609	1.120062
2789	025	4030	0.09	1127	1	55	80	2.5	7	6	10075	8948	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11284	10157	10157	1.12
2789	026	4015	0.09	1525	1	55	80	2.5	7	6	10038	8513	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11242	9717	9717	1.119944
2790	013	4031	0.09	1054	1	55	80	2.5	7	6	10078	9024	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11286.7998	10232.7998	10232.7998	1.119944
2790	016	3582	0.08	1494	1	55	80	2.5	6	5	8955	7461	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10029.59961	8535.599609	8535.599609	1.12
2793	007	3684	0.08	1064	1	55	80	2.5	6	5	9210	8146	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10315.2002	9251.200195	9251.200195	1.12
2792	001	3777	0.09	1270	1	55	80	2.5	7	6	9442	8172	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10575.59961	9305.599609	9305.599609	1.120059
2792	003	3978	0.09	1270	1	55	80	2.5	7	6	9945	8675	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11138.39941	9868.399414	9868.399414	1.12
2792	004	3730	0.09	1270	1	55	80	2.5	7	6	9325	8055	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10444	9174	9174	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2792	007	3736	0.09	1784	1	55	80	2.5	7	6	9340	7556	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10460.7998	8676.799805	8676.799805	1.12
2792	010	3604	0.08	1049	1	55	80	2.5	6	5	9010	7961	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10091.2002	9042.200195	9042.200195	1.12
2792	011	3804	0.09	1547	1	55	80	2.5	7	6	9510	7963	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10651.2002	9104.200195	9104.200195	1.12
2792	013	4009	0.09	1054	1	55	80	2.5	7	6	10022	8968	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11225.2002	10171.2002	10171.2002	1.120056
2794	005	3676	0.08	1272	1	55	80	2.5	6	5	9190	7918	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10292.7998	9020.799805	9020.799805	1.12
2793	003	3599	0.08	1272	1	55	80	2.5	6	5	8998	7726	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10077.2002	8805.200195	8805.200195	1.119938
2793	004	3671	0.08	1272	1	55	80	2.5	6	5	9178	7906	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10278.7998	9006.799805	9006.799805	1.119939
2793	005	3709	0.09	1416	1	55	80	2.5	7	6	9272	7856	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10385.2002	8969.200195	8969.200195	1.12006
2793	006	3720	0.09	1651	1	55	80	2.5	7	6	9300	7649	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10416	8765	8765	1.12
2793	008	3632	0.08	1064	1	55	80	2.5	6	5	9080	8016	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10169.59961	9105.599609	9105.599609	1.12
2794	006	3601	0.08	1862	1	55	80	2.5	6	5	9002	7140	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10082.7998	8220.799805	8220.799805	1.120062
2794	007	3801	0.09	1832	1	55	80	2.5	7	6	9502	7670	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10642.7998	8810.799805	8810.799805	1.120059
2794	008	3696	0.08	1897	1	55	80	2.5	6	5	9240	7343	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10348.7998	8451.799805	8451.799805	1.12
2794	009	3738	0.09	1252	1	55	80	2.5	7	6	9345	8093	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10466.39941	9214.399414	9214.399414	1.12
2795	012	3991	0.09	1283	1	55	80	2.5	7	6	9978	8695	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	11174.7998	9891.799805	9891.799805	1.119944
2817	025	3783	0.09	2752	1	55	80	2.5	7	6	9458	6706	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10592.39941	7840.399414	7840.399414	1.119941
2817	026	3573	0.08	1870	1	55	80	2.5	6	5	8932	7062	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10004.39941	8134.399414	8134.399414	1.120063
2816	002	4006	0.09	1978	1	55	80	2.5	7	6	10015	8037	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11216.7998	9238.799805	9238.799805	1.12
2816	006	3918	0.09	3145	1	55	80	2.5	7	6	9795	6650	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10970.39941	7825.399414	7825.399414	1.12
2817	012	4023	0.09	1350	1	55	80	2.5	7	6	10058	8708	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11264.39941	9914.399414	9914.399414	1.119944
2817	013	3799	0.09	3018	1	55	80	2.5	7	6	9498	6480	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10637.2002	7619.200195	7619.200195	1.119941
2817	014	3996	0.09	2060	1	65	100	3	9	8	11988	9928	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11188.7998	9128.799805	9128.799805	0.933333
2820	011	3932	0.09	1117	1	55	80	2.5	7	6	9830	8713	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11009.59961	9892.599609	9892.599609	1.12
2820	003	3630	0.08	1064	1	55	80	2.5	6	5	9075	8011	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	9100	9100	1.12
2820	004	3630	0.08	2122	1	55	80	2.5	6	5	9075	6953	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8042	8042	1.12
2817	017	3963	0.09	1936	1	65	100	3	9	8	11889	9953	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11096.39941	9160.399414	9160.399414	0.933333
2817	018	3885	0.09	1534	1	65	100	3	9	8	11655	10121	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10878	9344	9344	0.933333
2817	021	3907	0.09	1652	1	65	100	3	9	8	11721	10069	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10939.59961	9287.599609	9287.599609	0.933333
2817	022	4047	0.09	1952	1	55	80	2.5	7	6	10118	8166	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11331.59961	9379.599609	9379.599609	1.119945
2817	024	3625	0.08	2627	1	55	80	2.5	6	5	9062	6435	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10150	7523	7523	1.120062
2817	028	3814	0.09	3450	1	55	80	2.5	7	6	9535	6085	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10679.2002	7229.200195	7229.200195	1.12
2817	029	3714	0.09	2800	1	55	80	2.5	7	6	9285	6485	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10399.2002	7599.200195	7599.200195	1.12
2817	030	3927	0.09	2700	1	55	80	2.5	7	6	9818	7118	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10995.59961	8295.599609	8295.599609	1.119943
2817	031	3957	0.09	3920	1	55	80	2.5	7	6	9892	5972	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11079.59961	7159.599609	7159.599609	1.120057
2820	005	3630	0.08	1764	1	55	80	2.5	6	5	9075	7311	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8400	8400	1.12
2818	005	3997	0.09	2276	1	55	80	2.5	7	6	9992	7716	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11191.59961	8915.599609	8915.599609	1.120056
2818	008	3814	0.09	3336	1	55	80	2.5	7	6	9535	6199	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10679.2002	7343.200195	7343.200195	1.12
2818	017	3867	0.09	2216	1	55	80	2.5	7	6	9668	7452	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10827.59961	8611.599609	8611.599609	1.119942
2818	018	3874	0.09	2250	1	55	80	2.5	7	6	9685	7435	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10847.2002	8597.200195	8597.200195	1.12
2818	019	3889	0.09	2053	1	55	80	2.5	7	6	9722	7669	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10889.2002	8836.200195	8836.200195	1.120058
2818	020	3894	0.09	3748	1	55	80	2.5	7	6	9735	5987	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10903.2002	7155.200195	7155.200195	1.12
2818	021	3995	0.09	1896	1	55	80	2.5	7	6	9988	8092	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11186	9290	9290	1.119944
2820	006	3630	0.08	2336	1	55	80	2.5	6	5	9075	6739	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	7828	7828	1.12
2818	027	3592	0.08	1740	1	55	80	2.5	6	5	8980	7240	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10057.59961	8317.599609	8317.599609	1.12
2819	030	3280	0.08	4163	0	65	100	3	8	8	9840	5677	RH-1(D)	40	form-based			true	0.7	7	0.875	7	7	9184	5021	5021	0.933333
2820	001	3630	0.08	1064	1	55	80	2.5	6	5	9075	8011	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10164	9100	9100	1.12
2820	002	3630	0.08	1064	1	55	80	2.5	6	5	9075	8011	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	9100	9100	1.12
2820	007	3630	0.08	1889	1	55	80	2.5	6	5	9075	7186	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8275	8275	1.12
2820	009	3874	0.09	1690	1	55	80	2.5	7	6	9685	7995	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10847.2002	9157.200195	9157.200195	1.12
2820	010	3903	0.09	937	1	55	80	2.5	7	6	9758	8821	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10928.39941	9991.399414	9991.399414	1.119943
2820	015	3649	0.08	1487	1	55	80	2.5	6	5	9122	7635	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10217.2002	8730.200195	8730.200195	1.120061
2820	016	3649	0.08	937	1	55	80	2.5	6	5	9122	8185	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10217.2002	9280.200195	9280.200195	1.120061
2820	017	3649	0.08	937	1	55	80	2.5	6	5	9122	8185	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10217.2002	9280.200195	9280.200195	1.120061
2820	018	3649	0.08	937	1	55	80	2.5	6	5	9122	8185	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10217.2002	9280.200195	9280.200195	1.120061
2820	019	3649	0.08	937	1	55	80	2.5	6	5	9122	8185	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10217.2002	9280.200195	9280.200195	1.120061
2820	020	3649	0.08	937	1	55	80	2.5	6	5	9122	8185	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10217.2002	9280.200195	9280.200195	1.120061
2820	021	3649	0.08	937	1	55	80	2.5	6	5	9122	8185	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10217.2002	9280.200195	9280.200195	1.120061
2820	022	3652	0.08	1249	1	55	80	2.5	6	5	9130	7881	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10225.59961	8976.599609	8976.599609	1.12
2821	009	4024	0.09	1150	1	55	80	2.5	7	6	10060	8910	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11267.2002	10117.2002	10117.2002	1.12
2821	015	4032	0.09	1150	1	55	80	2.5	7	6	10080	8930	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11289.59961	10139.59961	10139.59961	1.12
2821	016	3633	0.08	1150	1	55	80	2.5	6	5	9082	7932	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10172.39941	9022.399414	9022.399414	1.120062
2821	017	3824	0.09	1150	1	55	80	2.5	7	6	9560	8410	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10707.2002	9557.200195	9557.200195	1.12
2821	020	3719	0.09	3400	1	55	80	2.5	7	6	9298	5898	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10413.2002	7013.200195	7013.200195	1.11994
2822	004	3579	0.08	1409	1	55	80	2.5	6	5	8948	7539	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10021.2002	8612.200195	8612.200195	1.119937

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2822	005	3588	0.08	937	1	55	80	2.5	6	5	8970	8033	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10046.39941	9109.399414	9109.399414	1.12
2822	007	3923	0.09	1758	1	55	80	2.5	7	6	9808	8050	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10984.39941	9226.399414	9226.399414	1.119943
2822	013	3693	0.08	7234	1	55	80	2.5	6	5	9232	1998	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10340.39941	3106.399414	3106.399414	1.120061
2822	014	3574	0.08	1205	1	55	80	2.5	6	5	8935	7730	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10007.2002	8802.200195	8802.200195	1.12
2822B	014	3679	0.08	1026	1	55	80	2.5	6	5	9198	8172	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10301.2002	9275.200195	9275.200195	1.119939
2822B	015	3963	0.09	1026	1	55	80	2.5	7	6	9908	8882	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11096.39941	10070.39941	10070.39941	1.119943
2822B	016	3821	0.09	1026	1	55	80	2.5	7	6	9552	8526	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10698.7998	9672.799805	9672.799805	1.120059
2823	004	3584	0.08	1026	1	55	80	2.5	6	5	8960	7934	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10035.2002	9009.200195	9009.200195	1.12
2823	019	3662	0.08	1457	1	55	80	2.5	6	5	9155	7698	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10253.59961	8796.599609	8796.599609	1.12
2823	020	3662	0.08	1335	1	55	80	2.5	6	5	9155	7820	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10253.59961	8918.599609	8918.599609	1.12
2823	021	3662	0.08	1961	1	55	80	2.5	6	5	9155	7194	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10253.59961	8292.599609	8292.599609	1.12
2823A	007	3751	0.09	2026	1	55	80	2.5	7	6	9378	7352	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10502.7998	8476.799805	8476.799805	1.11994
2823A	008	3605	0.08	1275	1	55	80	2.5	6	5	9012	7737	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10094	8819	8819	1.120062
2823A	009	3624	0.08	1275	1	55	80	2.5	6	5	9060	7785	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10147.2002	8872.200195	8872.200195	1.12
2823B	011	3734	0.09	1548	1	55	80	2.5	7	6	9335	7787	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10455.2002	8907.200195	8907.200195	1.12
2823A	035	3699	0.08	1055	1	55	80	2.5	6	5	9248	8193	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10357.2002	9302.200195	9302.200195	1.119939
2823B	017	3887	0.09	899	1	55	80	2.5	7	6	9718	8819	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10883.59961	9984.599609	9984.599609	1.119942
2831	028	3000	0.07	1510	1	55	80	2.5	6	5	7500	5990	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	10500	8990	8990	1.4
2831	029	2850	0.07	1873	1	55	80	2.5	6	5	7125	5252	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9975	8102	8102	1.4
2831	029A	2850	0.07	1410	1	55	80	2.5	6	5	7125	5715	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9975	8565	8565	1.4
2833	004	3637	0.08	1777	1	55	80	2.5	6	5	9092	7315	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10183.59961	8406.599609	8406.599609	1.120062
2833	005	3666	0.08	1062	1	55	80	2.5	6	5	9165	8103	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10264.7998	9202.799805	9202.799805	1.12
2833	006	3663	0.08	1062	1	55	80	2.5	6	5	9158	8096	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10256.39941	9194.399414	9194.399414	1.119939
2833	007	3659	0.08	1062	1	55	80	2.5	6	5	9148	8086	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10245.2002	9183.200195	9183.200195	1.119939
2833	008	3655	0.08	1062	1	55	80	2.5	6	5	9138	8076	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10234	9172	9172	1.119939
2833	009	3651	0.08	1924	1	55	80	2.5	6	5	9128	7204	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10222.7998	8298.799805	8298.799805	1.119939
2833	010	3648	0.08	1062	1	55	80	2.5	6	5	9120	8058	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10214.39941	9152.399414	9152.399414	1.12
2833	011	3644	0.08	1062	1	55	80	2.5	6	5	9110	8048	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10203.2002	9141.200195	9141.200195	1.12
2833	012	3640	0.08	1062	1	55	80	2.5	6	5	9100	8038	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10192	9130	9130	1.12
2833	013	3636	0.08	1202	1	55	80	2.5	6	5	9090	7888	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10180.7998	8978.799805	8978.799805	1.12
2833	014	3633	0.08	1062	1	55	80	2.5	6	5	9082	8020	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10172.39941	9110.399414	9110.399414	1.120062
2833	015	3629	0.08	1062	1	55	80	2.5	6	5	9072	8010	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10161.2002	9099.200195	9099.200195	1.120062
2833	016	3625	0.08	1562	1	55	80	2.5	6	5	9062	7500	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10150	8588	8588	1.120062
2833	017	3621	0.08	1705	1	55	80	2.5	6	5	9052	7347	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10138.7998	8433.799805	8433.799805	1.120062
2833	018	3599	0.08	1615	1	55	80	2.5	6	5	8998	7383	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10077.2002	8462.200195	8462.200195	1.119938
2834	002	3630	0.08	1562	1	55	80	2.5	6	5	9075	7513	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8602	8602	1.12
2834	003	3630	0.08	1062	1	55	80	2.5	6	5	9075	8013	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	9102	9102	1.12
2834	004	3630	0.08	1062	1	55	80	2.5	6	5	9075	8013	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	9102	9102	1.12
2834	005	3630	0.08	1302	1	55	80	2.5	6	5	9075	7773	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8862	8862	1.12
2834	006	3630	0.08	1062	1	55	80	2.5	6	5	9075	8013	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	9102	9102	1.12
2834	007	3630	0.08	1816	1	55	80	2.5	6	5	9075	7259	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8348	8348	1.12
2834	008	3630	0.08	1356	1	55	80	2.5	6	5	9075	7719	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8808	8808	1.12
2834	009	3630	0.08	1062	1	55	80	2.5	6	5	9075	8013	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	9102	9102	1.12
2834	010	3630	0.08	1474	1	55	80	2.5	6	5	9075	7601	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8690	8690	1.12
2834	011	3630	0.08	1763	1	55	80	2.5	6	5	9075	7312	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8401	8401	1.12
2834	012	3630	0.08	1062	1	55	80	2.5	6	5	9075	8013	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	9102	9102	1.12
2834	013	3630	0.08	1385	1	55	80	2.5	6	5	9075	7690	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	8779	8779	1.12
2834	014	3630	0.08	2168	1	55	80	2.5	6	5	9075	6907	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	7996	7996	1.12
2834	015	3630	0.08	1062	1	55	80	2.5	6	5	9075	8013	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	9102	9102	1.12
2834	016	3630	0.08	1062	1	55	80	2.5	6	5	9075	8013	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	9102	9102	1.12
2834	017	3630	0.08	1062	1	55	80	2.5	6	5	9075	8013	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10164	9102	9102	1.12
2834	018	3630	0.08	1062	1	55	80	2.5	6	5	9075	8013	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10164	9102	9102	1.12
2834	019	3929	0.09	937	1	55	80	2.5	7	6	9822	8885	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	11001.2002	10064.2002	10064.2002	1.120057
2834	034	3983	0.09	1275	1	55	80	2.5	7	6	9958	8683	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11152.39941	9877.399414	9877.399414	1.119944
2834	035	3756	0.09	1275	1	55	80	2.5	7	6	9390	8115	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10516.7998	9241.799805	9241.799805	1.12
2835	002	3957	0.09	1218	1	55	80	2.5	7	6	9892	8674	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11079.59961	9861.599609	9861.599609	1.120057
2835	003	3764	0.09	1062	1	55	80	2.5	7	6	9410	8348	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10539.2002	9477.200195	9477.200195	1.12
2835	004	3613	0.08	1062	1	55	80	2.5	6	5	9032	7970	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10116.39941	9054.399414	9054.399414	1.120062
2835	007	3610	0.08	1662	1	55	80	2.5	6	5	9025	7363	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10108	8446	8446	1.12
2835	008	3625	0.08	1062	1	55	80	2.5	6	5	9062	8000	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10150	9088	9088	1.120062
2835	015	3594	0.08	1352	1	55	80	2.5	6	5	8985	7633	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10063.2002	8711.200195	8711.200195	1.12
2835	016	3737	0.09	1422	1	55	80	2.5	7	6	9342	7920	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10463.59961	9041.599609	9041.599609	1.12006
2835	017	4047	0.09	1676	1	55	80	2.5	7	6	10118	8442	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11331.59961	9655.599609	9655.599609	1.119945
2836	019	3692	0.08	937	1	55	80	2.5	6	5	9230	8293	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10337.59961	9400.599609	9400.599609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2836	020	3601	0.08	937	1	55	80	2.5	6	5	9002	8065	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10082.7998	9145.799805	9145.799805	1.120062
2835	026	3681	0.08	1056	1	55	80	2.5	6	5	9202	8146	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10306.7998	9250.799805	9250.799805	1.120061
2835	030	3838	0.09	1587	1	55	80	2.5	7	6	9595	8008	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10746.39941	9159.399414	9159.399414	1.12
2835	031	3633	0.08	1275	1	55	80	2.5	6	5	9082	7807	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10172.39941	8897.399414	8897.399414	1.120062
2835	037	3710	0.09	1587	1	55	80	2.5	7	6	9275	7688	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10388	8801	8801	1.12
2835	038	3724	0.09	1625	1	55	80	2.5	7	6	9310	7685	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10427.2002	8802.200195	8802.200195	1.12
2835	041	3636	0.08	1713	1	55	80	2.5	6	5	9090	7377	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10180.7998	8467.799805	8467.799805	1.12
2835	042	3921	0.09	1574	1	55	80	2.5	7	6	9802	8228	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10978.7998	9404.799805	9404.799805	1.120057
2836	018	3861	0.09	937	1	55	80	2.5	7	6	9652	8715	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10810.7998	9873.799805	9873.799805	1.120058
2837	026	3923	0.09	2410	1	55	80	2.5	7	6	9808	7398	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10984.39941	8574.399414	8574.399414	1.119943
2838	004	3656	0.08	4290	1	55	80	2.5	6	5	9140	4850	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10236.7998	5946.799805	5946.799805	1.12
2838	007	3616	0.08	1911	1	55	80	2.5	6	5	9040	7129	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10124.7998	8213.799805	8213.799805	1.12
2838	016	3572	0.08	2709	1	55	80	2.5	6	5	8930	6221	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10001.59961	7292.599609	7292.599609	1.12
2839	018	3698	0.08	2921	1	55	80	2.5	6	5	9245	6324	RH-1(D)	40	form-based	true		true	0.7	8	1.333333373	7	7	10354.39941	7433.399414	7433.399414	1.12
2839	019	3786	0.09	3332	1	55	80	2.5	7	6	9465	6133	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10600.7998	7268.799805	7268.799805	1.12
2839	020	3870	0.09	2846	1	55	80	2.5	7	6	9675	6829	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10836	7990	7990	1.12
2839	026	3932	0.09	3405	1	55	80	2.5	7	6	9830	6425	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11009.59961	7604.599609	7604.599609	1.12
2839	042	3890	0.09	4443	1	55	80	2.5	7	6	9725	5282	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10892	6449	6449	1.12
2840	020	3680	0.08	1625	1	65	100	3	8	7	11040	9415	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10304	8679	8679	0.933333
2840	005	3950	0.09	2042	1	65	100	3	9	8	11850	9808	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11060	9018	9018	0.933333
2840	009	4006	0.09	1722	1	65	100	3	9	8	12018	10296	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11216.7998	9494.799805	9494.799805	0.933333
2840	010	3906	0.09	1556	1	65	100	3	9	8	11718	10162	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10936.7998	9380.799805	9380.799805	0.933333
2840	011	3842	0.09	2059	1	65	100	3	9	8	11526	9467	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10757.59961	8698.599609	8698.599609	0.933333
2840	013	3644	0.08	1542	1	65	100	3	8	7	10932	9390	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10203.2002	8661.200195	8661.200195	0.933333
2840	014	3819	0.09	2225	1	65	100	3	9	8	11457	9232	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10693.2002	8468.200195	8468.200195	0.933333
2840	015	3612	0.08	1761	1	65	100	3	8	7	10836	9075	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10113.59961	8352.599609	8352.599609	0.933333
2840	021	3916	0.09	2054	1	65	100	3	9	8	11748	9694	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10964.7998	8910.799805	8910.799805	0.933333
2840	026	3830	0.09	1640	1	65	100	3	9	8	11490	9850	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10724	9084	9084	0.933333
2840	028	3854	0.09	1920	1	65	100	3	9	8	11562	9642	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10791.2002	8871.200195	8871.200195	0.933333
2840	036	3808	0.09	2380	1	65	100	3	9	8	11424	9044	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10662.39941	8282.399414	8282.399414	0.933333
2840	048	3705	0.09	3122	1	65	100	3	9	8	11115	7993	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10374	7252	7252	0.933333
2840	049	3720	0.09	2990	1	65	100	3	9	8	11160	8170	RH-1(D)	40	form-based	true		true	0.7	8	0.888888896	7	7	10416	7426	7426	0.933333
2840	051	3878	0.09	3306	1	65	100	3	9	8	11634	8328	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10858.39941	7552.399414	7552.399414	0.933333
2840	053	3845	0.09	3197	1	65	100	3	9	8	11535	8338	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10766	7569	7569	0.933333
2841	010	3762	0.09	2338	1	65	100	3	9	8	11286	8948	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10533.59961	8195.599609	8195.599609	0.933333
2841	011	3764	0.09	3134	1	65	100	3	9	8	11292	8158	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10539.2002	7405.200195	7405.200195	0.933333
2841	012	3767	0.09	1800	1	65	100	3	9	8	11301	9501	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10547.59961	8747.599609	8747.599609	0.933333
2841	013	3878	0.09	1787	1	65	100	3	9	8	11634	9847	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10858.39941	9071.399414	9071.399414	0.933333
2841	014	3827	0.09	1861	1	65	100	3	9	8	11481	9620	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10715.59961	8854.599609	8854.599609	0.933333
2841	015	3829	0.09	1804	1	65	100	3	9	8	11487	9683	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10721.2002	8917.200195	8917.200195	0.933333
2862	010	3751	0.09	2468	1	65	100	3	9	8	11253	8785	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10502.7998	8034.799805	8034.799805	0.933333
2858	009	3389	0.08	0	0	65	100	3	8	8	10167	10167	RH-1(D)	40	form-based			true	0.7	7	0.875	7	7	9489.200195	9489.200195	9489.200195	0.933333
2857	009	4038	0.09	1520	1	65	100	3	9	8	12114	10594	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11306.39941	9786.399414	9786.399414	0.933333
2861	007	3580	0.08	2334	1	55	80	2.5	6	5	8950	6616	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10024	7690	7690	1.12
2856	020	3978	0.09	1530	1	65	100	3	9	8	11934	10404	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11138.39941	9608.399414	9608.399414	0.933333
2858	003	3692	0.08	1982	1	65	100	3	8	7	11076	9094	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10337.59961	8355.599609	8355.599609	0.933333
2858	004	3773	0.09	3184	1	65	100	3	9	8	11319	8135	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10564.39941	7380.399414	7380.399414	0.933333
2858	005	4026	0.09	2149	1	65	100	3	9	8	12078	9929	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11272.7998	9123.799805	9123.799805	0.933333
2858	006	3949	0.09	2190	1	65	100	3	9	8	11847	9657	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11057.2002	8867.200195	8867.200195	0.933333
2856	006	3879	0.09	2275	1	65	100	3	9	8	11637	9362	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10861.2002	8586.200195	8586.200195	0.933333
2856	007	3943	0.09	2474	1	65	100	3	9	8	11829	9355	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11040.39941	8566.399414	8566.399414	0.933333
2856	014	3842	0.09	1540	1	65	100	3	9	8	11526	9986	RH-1(D)	40	form-based	true		true	0.7	8	0.888888896	7	7	10757.59961	9217.599609	9217.599609	0.933333
2856	016	3790	0.09	2288	1	65	100	3	9	8	11370	9082	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10612	8324	8324	0.933333
2857	002	3713	0.09	2510	1	65	100	3	9	8	11139	8629	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10396.39941	7886.399414	7886.399414	0.933333
2858	015	3641	0.08	2984	1	65	100	3	8	7	10923	7939	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10194.7998	7210.799805	7210.799805	0.933333
2858	016	3746	0.09	2250	1	65	100	3	9	8	11238	8988	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10488.7998	8238.799805	8238.799805	0.933333
2858	017	3777	0.09	2628	1	65	100	3	9	8	11331	8703	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10575.59961	7947.599609	7947.599609	0.933333
2858	020	3586	0.08	1860	1	65	100	3	8	7	10758	8898	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10040.7998	8180.799805	8180.799805	0.933333
2858	021	3719	0.09	1632	1	65	100	3	9	8	11157	9525	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10413.2002	8781.200195	8781.200195	0.933333
2858	022	3729	0.09	3239	1	65	100	3	9	8	11187	7948	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10441.2002	7202.200195	7202.200195	0.933333
2858	027	3678	0.08	4189	1	65	100	3	8	7	11034	6845	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10298.39941	6109.399414	6109.399414	0.933333
2858	028	3776	0.09	3062	1	65	100	3	9	8	11328	8266	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10572.7998	7510.799805	7510.799805	0.933333
2859	004	3824	0.09	2406	1	65	100	3	9	8	11472	9066	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10707.2002	8301.200195	8301.200195	0.933333
2859	023	3635	0.08	1921	1	55	80	2.5	6	5	9088	7167	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10178	8257	8257	1.119938

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2859	024	3716	0.09	3522	1	55	80	2.5	7	6	9290	5768	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10404.7998	6882.799805	6882.799805	1.12
2859	025	3660	0.08	2091	1	55	80	2.5	6	5	9150	7059	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10248	8157	8157	1.12
2859	026	3837	0.09	2091	1	55	80	2.5	7	6	9592	7501	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10743.59961	8652.599609	8652.599609	1.120058
2859	028	3655	0.08	2336	1	55	80	2.5	6	5	9138	6802	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10234	7898	7898	1.119939
2860	021	3593	0.08	2250	1	55	80	2.5	6	5	8982	6732	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10060.39941	7810.399414	7810.399414	1.120062
2860	022	3665	0.08	2436	1	55	80	2.5	6	5	9162	6726	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10262	7826	7826	1.120061
2860	023	3867	0.09	1678	1	55	80	2.5	7	6	9668	7990	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10827.59961	9149.599609	9149.599609	1.119942
2861	004	3410	0.08	0	0	55	80	2.5	6	6	8525	8525	RH-1(D)	40	form-based			true	0.7	7	1.166666627	7	7	9548	9548	9548	1.12
2861	010	3621	0.08	2918	1	55	80	2.5	6	5	9052	6134	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10138.7998	7220.799805	7220.799805	1.120062
2861	012	3791	0.09	2965	1	55	80	2.5	7	6	9478	6513	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10614.7998	7649.799805	7649.799805	1.119941
2861	031	3629	0.08	2851	1	55	80	2.5	6	5	9072	6221	RH-1(D)	40	form-based	true		true	0.7	8	1.333333373	7	7	10161.2002	7310.200195	7310.200195	1.120062
2861	036	3654	0.08	1760	1	55	80	2.5	6	5	9135	7375	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10231.2002	8471.200195	8471.200195	1.12
2862	006	3728	0.09	2610	1	65	100	3	9	8	11184	8574	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10438.39941	7828.399414	7828.399414	0.933333
2862	007	3676	0.08	1644	1	65	100	3	8	7	11028	9384	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10292.7998	8648.799805	8648.799805	0.933333
2862	017	3950	0.09	2882	1	65	100	3	9	8	11850	8968	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11060	8178	8178	0.933333
2862	018	3919	0.09	2558	1	65	100	3	9	8	11757	9199	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10973.2002	8415.200195	8415.200195	0.933333
2862	019	3966	0.09	1639	1	65	100	3	9	8	11898	10259	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11104.7998	9465.799805	9465.799805	0.933333
2864	021	3952	0.09	2784	1	65	100	3	9	8	11856	9072	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11065.59961	8281.599609	8281.599609	0.933333
2864	019	3658	0.08	2145	1	65	100	3	8	7	10974	8829	RH-1(D)	40	form-based	true		true	0.7	8	1	7	7	10242.39941	8097.399414	8097.399414	0.933333
2864	007	3919	0.09	1620	1	65	100	3	9	8	11757	10137	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10973.2002	9353.200195	9353.200195	0.933333
2864	008	3702	0.08	1508	1	65	100	3	8	7	11106	9598	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10365.59961	8857.599609	8857.599609	0.933333
2864	009	3753	0.09	1597	1	65	100	3	9	8	11259	9662	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10508.39941	8911.399414	8911.399414	0.933333
2864	011	3918	0.09	1606	1	65	100	3	9	8	11754	10148	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10970.39941	9364.399414	9364.399414	0.933333
2864	014	3954	0.09	1620	1	65	100	3	9	8	11862	10242	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11071.2002	9451.200195	9451.200195	0.933333
2864	016	4001	0.09	4302	1	65	100	3	9	8	12003	7701	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	6900.799805	6900.799805	0.933333
2864	022	3914	0.09	1475	1	65	100	3	9	8	11742	10267	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10959.2002	9484.200195	9484.200195	0.933333
2864	027	3865	0.09	2000	1	65	100	3	9	8	11595	9595	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10822	8822	8822	0.933333
2864	028	3705	0.09	2770	1	65	100	3	9	8	11115	8345	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10374	7604	7604	0.933333
2864	035	3666	0.08	1572	1	65	100	3	8	7	10998	9426	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10264.7998	8692.799805	8692.799805	0.933333
2864	036	4015	0.09	2297	1	65	100	3	9	8	12045	9748	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11242	8945	8945	0.933333
2864	037	3924	0.09	2702	1	65	100	3	9	8	11772	9070	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10987.2002	8285.200195	8285.200195	0.933333
2864	038	3975	0.09	4193	1	65	100	3	9	8	11925	7732	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11130	6937	6937	0.933333
2864	041	4007	0.09	2728	1	65	100	3	9	8	12021	9293	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11219.59961	8491.599609	8491.599609	0.933333
2864	044	3699	0.08	2539	1	65	100	3	8	7	11097	8558	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10357.2002	7818.200195	7818.200195	0.933333
2879	026	3793	0.09	1675	1	65	100	3	9	8	11379	9704	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10620.39941	8945.399414	8945.399414	0.933333
2875	008	3605	0.08	1349	1	55	80	2.5	6	5	9012	7663	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10094	8745	8745	1.120062
2875	009	3664	0.08	1422	1	55	80	2.5	6	5	9160	7738	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10259.2002	8837.200195	8837.200195	1.12
2875	010	3715	0.09	1047	1	55	80	2.5	7	6	9288	8241	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10402	9355	9355	1.11994
2875	011	3759	0.09	1047	1	55	80	2.5	7	6	9398	8351	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10525.2002	9478.200195	9478.200195	1.11994
2876	008	3893	0.09	3500	1	55	80	2.5	7	6	9732	6232	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10900.39941	7400.399414	7400.399414	1.120057
2876	020	3682	0.08	4275	1	55	80	2.5	6	5	9205	4930	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10309.59961	6034.599609	6034.599609	1.12
2879	023	3713	0.09	1730	1	65	100	3	9	8	11139	9409	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10396.39941	8666.399414	8666.399414	0.933333
2879	023A	3812	0.09	2230	1	65	100	3	9	8	11436	9206	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10673.59961	8443.599609	8443.599609	0.933333
2879	024	3807	0.09	2315	1	65	100	3	9	8	11421	9106	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10659.59961	8344.599609	8344.599609	0.933333
2879	024A	3802	0.09	2045	1	65	100	3	9	8	11406	9361	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10645.59961	8600.599609	8600.599609	0.933333
2879	025	3798	0.09	2194	1	65	100	3	9	8	11394	9200	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10634.39941	8440.399414	8440.399414	0.933333
2880	008	3765	0.09	2177	1	55	80	2.5	7	6	9412	7235	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10542	8365	8365	1.120059
2880	014	3761	0.09	4436	1	55	80	2.5	7	6	9402	4966	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10530.7998	6094.799805	6094.799805	1.120059
2880	016	3779	0.09	2987	1	65	100	3	9	8	11337	8350	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10581.2002	7594.200195	7594.200195	0.933333
2880	017	3848	0.09	1928	1	65	100	3	9	8	11544	9616	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10774.39941	8846.399414	8846.399414	0.933333
2881	015	3882	0.09	2475	1	55	80	2.5	7	6	9705	7230	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10869.59961	8394.599609	8394.599609	1.12
2881	021	3861	0.09	2566	1	55	80	2.5	7	6	9652	7086	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10810.7998	8244.799805	8244.799805	1.120058
2882	007	3649	0.08	2078	1	55	80	2.5	6	5	9122	7044	RH-1(D)	40	form-based	true		true	0.7	8	1.333333373	7	7	10217.2002	8139.200195	8139.200195	1.120061
2882	010	3694	0.08	2460	1	55	80	2.5	6	5	9235	6775	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10343.2002	7883.200195	7883.200195	1.12
2882	011	4028	0.09	2551	1	55	80	2.5	7	6	10070	7519	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11278.39941	8727.399414	8727.399414	1.12
2882	014	4040	0.09	1756	1	55	80	2.5	7	6	10100	8344	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11312	9556	9556	1.12
2882	015	3807	0.09	2532	1	55	80	2.5	7	6	9518	6986	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10659.59961	8127.599609	8127.599609	1.119941
2882	016	4003	0.09	2543	1	55	80	2.5	7	6	10008	7465	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11208.39941	8665.399414	8665.399414	1.119944
2882	017	3843	0.09	1952	1	55	80	2.5	7	6	9608	7656	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10760.39941	8808.399414	8808.399414	1.119942
2882	019	4013	0.09	1929	1	55	80	2.5	7	6	10032	8103	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11236.39941	9307.399414	9307.399414	1.120056
2883	001	3828	0.09	1504	1	55	80	2.5	7	6	9570	8066	RH-1(D)	40	form-based	true		true	0.7	8	1.142857194	7	7	10718.39941	9214.399414	9214.399414	1.12
2883	027	3688	0.08	2148	1	55	80	2.5	6	5	9220	7072	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10326.39941	8178.399414	8178.399414	1.12
2883	029	3632	0.08	2286	1	55	80	2.5	6	5	9080	6794	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10169.59961	7883.599609	7883.599609	1.12
2883	034	3883	0.09	2434	1	55	80	2.5	7	6	9708	7274	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10872.39941	8438.399414	8438.399414	1.119942

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2884	012	3414	0.08	1377	0	55	80	2.5	6	6	8535	7158	RH-1(D)	40	form-based			true	0.7	7	1.166666627	7	7	9559.200195	8182.200195	8182.200195	1.12
2885	012G	3928	0.09	2222	1	55	80	2.5	7	6	9820	7598	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10998.39941	8776.399414	8776.399414	1.12
2884	020	3608	0.08	2918	1	55	80	2.5	6	5	9020	6102	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10102.39941	7184.399414	7184.399414	1.12
2884	022	3613	0.08	3205	1	55	80	2.5	6	5	9032	5827	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10116.39941	6911.399414	6911.399414	1.120062
2884	024	3615	0.08	3401	1	55	80	2.5	6	5	9038	5637	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10122	6721	6721	1.119938
2884	025	3617	0.08	3405	1	55	80	2.5	6	5	9042	5637	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10127.59961	6722.599609	6722.599609	1.120062
2884	026	3619	0.08	1892	1	55	80	2.5	6	5	9048	7156	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10133.2002	8241.200195	8241.200195	1.119938
2884	027	3719	0.09	1708	1	55	80	2.5	7	6	9298	7590	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10413.2002	8705.200195	8705.200195	1.11994
2884	028	3917	0.09	2280	1	55	80	2.5	7	6	9792	7512	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10967.59961	8687.599609	8687.599609	1.120057
2884	029	3870	0.09	4072	1	55	80	2.5	7	6	9675	5603	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10836	6764	6764	1.12
2885	012F	3911	0.09	2670	1	55	80	2.5	7	6	9778	7108	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10950.7998	8280.799805	8280.799805	1.119943
2885	012H	3944	0.09	1200	1	55	80	2.5	7	6	9860	8660	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11043.2002	9843.200195	9843.200195	1.12
2885	018	3146	0.07	0	0	55	80	2.5	6	6	7865	7865	RH-1(D)	40	form-based			true	0.7	7	1.166666627	7	7	8808.799805	8808.799805	8808.799805	1.12
2885	019	3157	0.07	0	0	55	80	2.5	6	6	7892	7892	RH-1(D)	40	form-based			true	0.7	7	1.166666627	7	7	8839.599609	8839.599609	8839.599609	1.120071
2885	020	3172	0.07	0	0	55	80	2.5	6	6	7930	7930	RH-1(D)	40	form-based			true	0.7	7	1.166666627	7	7	8881.599609	8881.599609	8881.599609	1.12
2885	023	3962	0.09	2332	1	55	80	2.5	7	6	9905	7573	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11093.59961	8761.599609	8761.599609	1.12
2885	025	3983	0.09	2236	1	55	80	2.5	7	6	9958	7722	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11152.39941	8916.399414	8916.399414	1.119944
2885	026	4005	0.09	2988	1	55	80	2.5	7	6	10012	7024	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11214	8226	8226	1.120056
2885	034	4013	0.09	2600	1	65	100	3	9	8	12039	9439	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11236.39941	8636.399414	8636.399414	0.933333
2885	039	3778	0.09	4323	1	55	80	2.5	7	6	9445	5122	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10578.39941	6255.399414	6255.399414	1.12
2885	040	3605	0.08	3094	1	55	80	2.5	6	5	9012	5918	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10094	7000	7000	1.120062
2889	014	3854	0.09	1230	1	65	100	3	9	8	11562	10332	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10791.2002	9561.200195	9561.200195	0.933333
2889	015	3893	0.09	1628	1	65	100	3	9	8	11679	10051	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10900.39941	9272.399414	9272.399414	0.933333
2887	005A	3866	0.09	1561	1	55	80	2.5	7	6	9665	8104	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10824.7998	9263.799805	9263.799805	1.12
2889	016	4000	0.09	1249	1	65	100	3	9	8	12000	10751	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	9951	9951	0.933333
2888A	009	4044	0.09	3127	1	65	100	3	9	8	12132	9005	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11323.2002	8196.200195	8196.200195	0.933333
2889	001	3983	0.09	1635	1	65	100	3	9	8	11949	10314	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11152.39941	9517.399414	9517.399414	0.933333
2889	006	3675	0.08	2889	1	65	100	3	8	7	11025	8136	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10290	7401	7401	0.933333
2889	007	3998	0.09	2133	1	65	100	3	9	8	11994	9861	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11194.39941	9061.399414	9061.399414	0.933333
2889	008	3916	0.09	1950	1	65	100	3	9	8	11748	9798	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10964.7998	9014.799805	9014.799805	0.933333
2889	009	4023	0.09	1695	1	65	100	3	9	8	12069	10374	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11264.39941	9569.399414	9569.399414	0.933333
2890	001	3961	0.09	2267	1	65	100	3	9	8	11883	9616	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11090.7998	8823.799805	8823.799805	0.933333
2890	003	3631	0.08	1824	1	65	100	3	8	7	10893	9069	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10166.7998	8342.799805	8342.799805	0.933333
2890	005	3664	0.08	1824	1	65	100	3	8	7	10992	9168	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10259.2002	8435.200195	8435.200195	0.933333
2890	006	3601	0.08	1770	1	65	100	3	8	7	10803	9033	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10082.7998	8312.799805	8312.799805	0.933333
2890	007	3609	0.08	1824	1	65	100	3	8	7	10827	9003	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10105.2002	8281.200195	8281.200195	0.933333
2890	008	3680	0.08	2130	1	65	100	3	8	7	11040	8910	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10304	8174	8174	0.933333
2890	009	3767	0.09	1824	1	65	100	3	9	8	11301	9477	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10547.59961	8723.599609	8723.599609	0.933333
2890	010	3859	0.09	2530	1	65	100	3	9	8	11577	9047	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10805.2002	8275.200195	8275.200195	0.933333
2890	011	3734	0.09	2680	1	65	100	3	9	8	11202	8522	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10455.2002	7775.200195	7775.200195	0.933333
2890	012	3707	0.09	2853	1	65	100	3	9	8	11121	8268	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10379.59961	7526.599609	7526.599609	0.933333
2890	014A	3629	0.08	2151	1	65	100	3	8	7	10887	8736	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10161.2002	8010.200195	8010.200195	0.933333
2890	016	3863	0.09	1542	1	65	100	3	9	8	11589	10047	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10816.39941	9274.399414	9274.399414	0.933333
2890	018	3944	0.09	1741	1	65	100	3	9	8	11832	10091	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11043.2002	9302.200195	9302.200195	0.933333
2890	019	3975	0.09	1154	1	65	100	3	9	8	11925	10771	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11130	9976	9976	0.933333
2891	001	3704	0.09	2015	1	65	100	3	9	8	11112	9097	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10371.2002	8356.200195	8356.200195	0.933333
2891	029	3674	0.08	1330	1	65	100	3	8	7	11022	9692	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10287.2002	8957.200195	8957.200195	0.933333
2891	030	3877	0.09	2526	1	65	100	3	9	8	11631	9105	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10855.59961	8329.599609	8329.599609	0.933333
2892	012	3944	0.09	1719	1	55	80	2.5	7	6	9860	8141	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11043.2002	9324.200195	9324.200195	1.12
2892	013	3670	0.08	1202	1	55	80	2.5	6	5	9175	7973	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10276	9074	9074	1.12
2892	021	3851	0.09	1131	1	55	80	2.5	7	6	9628	8497	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10782.7998	9651.799805	9651.799805	1.119942
2901E	004	3881	0.09	1578	1	55	80	2.5	7	6	9702	8124	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10866.7998	9288.799805	9288.799805	1.120058
2901E	023	3824	0.09	1395	1	55	80	2.5	7	6	9560	8165	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10707.2002	9312.200195	9312.200195	1.12
2901E	025	3752	0.09	1305	1	55	80	2.5	7	6	9380	8075	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10505.59961	9200.599609	9200.599609	1.12
2902	048	3659	0.08	2026	1	55	80	2.5	6	5	9148	7122	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10245.2002	8219.200195	8219.200195	1.119939
2914	031	3190	0.07	2118	0	55	80	2.5	6	6	7975	5857	RH-1(D)	40	form-based			true	0.7	7	1.166666627	7	7	8932	6814	6814	1.12
2914	054	3784	0.09	1647	1	55	80	2.5	7	6	9460	7813	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10595.2002	8948.200195	8948.200195	1.12
2916	011	3864	0.09	1849	1	55	80	2.5	7	6	9660	7811	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10819.2002	8970.200195	8970.200195	1.12
2916	016	3808	0.09	1800	1	55	80	2.5	7	6	9520	7720	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10662.39941	8862.399414	8862.399414	1.12
2916	020	3725	0.09	1400	1	55	80	2.5	7	6	9312	7912	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10430	9030	9030	1.12006
2917	004	4026	0.09	1875	1	55	80	2.5	7	6	10065	8190	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	11272.7998	9397.799805	9397.799805	1.12
2917	006	3775	0.09	1788	1	55	80	2.5	7	6	9438	7650	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10570	8782	8782	1.119941
2917	007	4022	0.09	1885	1	55	80	2.5	7	6	10055	8170	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11261.59961	9376.599609	9376.599609	1.12
2917	009	4033	0.09	1456	1	55	80	2.5	7	6	10082	8626	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11292.39941	9836.399414	9836.399414	1.120055

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2917	010	4045	0.09	1534	1	55	80	2.5	7	6	10112	8578	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11326	9792	9792	1.120055
2917	029	3690	0.08	2407	1	65	100	3	8	7	11070	8663	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10332	7925	7925	0.933333
2918	018	3964	0.09	1876	1	65	100	3	9	8	11892	10016	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11099.2002	9223.200195	9223.200195	0.933333
2918	019	4012	0.09	1586	1	65	100	3	9	8	12036	10450	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11233.59961	9647.599609	9647.599609	0.933333
2918	021	4046	0.09	2186	1	65	100	3	9	8	12138	9952	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11328.7998	9142.799805	9142.799805	0.933333
2918	022	4013	0.09	2171	1	65	100	3	9	8	12039	9868	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11236.39941	9065.399414	9065.399414	0.933333
2917	043	3621	0.08	1680	1	55	80	2.5	6	5	9052	7372	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10138.7998	8458.799805	8458.799805	1.120062
2918	012	3924	0.09	1139	1	65	100	3	9	8	11772	10633	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10987.2002	9848.200195	9848.200195	0.933333
2918	013	3991	0.09	1090	1	65	100	3	9	8	11973	10883	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11174.7998	10084.7998	10084.7998	0.933333
2918	014	3742	0.09	2239	1	65	100	3	9	8	11226	8987	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10477.59961	8238.599609	8238.599609	0.933333
2918	016	3998	0.09	2202	1	65	100	3	9	8	11994	9792	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11194.39941	8992.399414	8992.399414	0.933333
2918	017	3962	0.09	2413	1	65	100	3	9	8	11886	9473	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11093.59961	8680.599609	8680.599609	0.933333
2918	026	3733	0.09	2096	1	65	100	3	9	8	11199	9103	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10452.39941	8356.399414	8356.399414	0.933333
2918	029	3603	0.08	1375	1	65	100	3	8	7	10809	9434	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10088.39941	8713.399414	8713.399414	0.933333
2919	024	3808	0.09	2080	1	65	100	3	9	8	11424	9344	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10662.39941	8582.399414	8582.399414	0.933333
2919	023	3937	0.09	1933	1	65	100	3	9	8	11811	9878	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11023.59961	9090.599609	9090.599609	0.933333
2919	025	3680	0.08	1400	1	65	100	3	8	7	11040	9640	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10304	8904	8904	0.933333
2919	038	3660	0.08	1468	1	65	100	3	8	7	10980	9512	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10248	8780	8780	0.933333
2919	039	3798	0.09	1715	1	65	100	3	9	8	11394	9679	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10634.39941	8919.399414	8919.399414	0.933333
2919	040	3936	0.09	1616	1	65	100	3	9	8	11808	10192	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11020.7998	9404.799805	9404.799805	0.933333
2919	042	3913	0.09	1919	1	65	100	3	9	8	11739	9820	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10956.39941	9037.399414	9037.399414	0.933333
2919A	001	3693	0.08	1800	1	65	100	3	8	7	11079	9279	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10340.39941	8540.399414	8540.399414	0.933333
2919A	019	3613	0.08	2110	1	65	100	3	8	7	10839	8729	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10116.39941	8006.399414	8006.399414	0.933333
2919A	020	3618	0.08	1898	1	65	100	3	8	7	10854	8956	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10130.39941	8232.399414	8232.399414	0.933333
2919A	036	3933	0.09	2019	1	65	100	3	9	8	11799	9780	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11012.39941	8993.399414	8993.399414	0.933333
2919A	038	4000	0.09	1440	1	65	100	3	9	8	12000	10560	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	9760	9760	0.933333
2919A	039	4000	0.09	1226	1	65	100	3	9	8	12000	10774	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	9974	9974	0.933333
2919A	040	4000	0.09	1260	1	65	100	3	9	8	12000	10740	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	9940	9940	0.933333
2919A	041	4000	0.09	1625	1	65	100	3	9	8	12000	10375	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	9575	9575	0.933333
2919A	042	4000	0.09	1402	1	65	100	3	9	8	12000	10598	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	9798	9798	0.933333
2920	005	4000	0.09	1738	1	65	100	3	9	8	12000	10262	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	9462	9462	0.933333
2920	006	4000	0.09	2030	1	65	100	3	9	8	12000	9970	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	9170	9170	0.933333
2920	016	3800	0.09	1462	1	65	100	3	9	8	11400	9938	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10640	9178	9178	0.933333
2923	005	3649	0.08	5365	1	55	80	2.5	6	5	9122	3757	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10217.2002	4852.200195	4852.200195	1.120061
2923	008	3582	0.08	6433	1	55	80	2.5	6	5	8955	2522	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10029.59961	3596.599609	3596.599609	1.12
2923	034	3923	0.09	1690	1	55	80	2.5	7	6	9808	8118	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10984.39941	9294.399414	9294.399414	1.119943
2923	070	3688	0.08	4200	1	55	80	2.5	6	5	9220	5020	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10326.39941	6126.399414	6126.399414	1.12
2925	001E	3577	0.08	2032	1	65	100	3	8	7	10731	8699	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10015.59961	7983.599609	7983.599609	0.933333
2925	001F	3573	0.08	2376	1	65	100	3	8	7	10719	8343	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10004.39941	7628.399414	7628.399414	0.933333
2925	001M	4024	0.09	1589	1	65	100	3	9	8	12072	10483	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11267.2002	9678.200195	9678.200195	0.933333
2925	002	4017	0.09	1899	1	65	100	3	9	8	12051	10152	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11247.59961	9348.599609	9348.599609	0.933333
2925	003	4012	0.09	1739	1	65	100	3	9	8	12036	10297	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11233.59961	9494.599609	9494.599609	0.933333
2927	009	3874	0.09	1495	1	65	100	3	9	8	11622	10127	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10847.2002	9352.200195	9352.200195	0.933333
2926	004	3992	0.09	2485	1	55	80	2.5	7	6	9980	7495	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11177.59961	8692.599609	8692.599609	1.12
2926	009	3619	0.08	2608	1	65	100	3	8	7	10857	8249	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10133.2002	7525.200195	7525.200195	0.933333
2926	011	3630	0.08	1664	1	65	100	3	8	7	10890	9226	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10164	8500	8500	0.933333
2926	012	3641	0.08	1983	1	65	100	3	8	7	10923	8940	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10194.7998	8211.799805	8211.799805	0.933333
2927	010	3858	0.09	1300	1	65	100	3	9	8	11574	10274	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10802.39941	9502.399414	9502.399414	0.933333
2927	011	3851	0.09	1456	1	65	100	3	9	8	11553	10097	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10782.7998	9326.799805	9326.799805	0.933333
2927	012	3844	0.09	3884	1	65	100	3	9	8	11532	7648	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10763.2002	6879.200195	6879.200195	0.933333
2926	019	3231	0.07	5126	0	65	100	3	7	7	9693	4567	RH-1(D)	40	form-based			true	0.7	7	1	7	7	9046.799805	3920.799805	3920.799805	0.933333
2926	021	3615	0.08	1457	1	65	100	3	8	7	10845	9388	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8665	8665	0.933333
2926	022	3628	0.08	2140	1	65	100	3	8	7	10884	8744	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10158.39941	8018.399414	8018.399414	0.933333
2926	024	3641	0.08	1303	1	65	100	3	8	7	10923	9620	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10194.7998	8891.799805	8891.799805	0.933333
2926	025	3654	0.08	2580	1	55	80	2.5	6	5	9135	6555	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10231.2002	7651.200195	7651.200195	1.12
2926	026	3667	0.08	2100	1	55	80	2.5	6	5	9168	7068	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10267.59961	8167.599609	8167.599609	1.119939
2926	027	3680	0.08	2120	1	55	80	2.5	6	5	9200	7080	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10304	8184	8184	1.12
2927	004	3815	0.09	2080	1	65	100	3	9	8	11445	9365	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10682	8602	8602	0.933333
2927	013	3997	0.09	1400	1	65	100	3	9	8	11991	10591	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11191.59961	9791.599609	9791.599609	0.933333
2927	018	3680	0.08	1651	1	65	100	3	8	7	11040	9389	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10304	8653	8653	0.933333
2927	019	3675	0.08	2338	1	65	100	3	8	7	11025	8687	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10290	7952	7952	0.933333
2927	020	3669	0.08	2402	1	65	100	3	8	7	11007	8605	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10273.2002	7871.200195	7871.200195	0.933333
2927	021	3664	0.08	1758	1	65	100	3	8	7	10992	9234	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10259.2002	8501.200195	8501.200195	0.933333
2927	022	3659	0.08	2860	1	65	100	3	8	7	10977	8117	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10245.2002	7385.200195	7385.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2927	023	3703	0.09	1915	1	65	100	3	9	8	11109	9194	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10368.39941	8453.399414	8453.399414	0.933333
2928	020	3854	0.09	1517	1	65	100	3	9	8	11562	10045	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10791.2002	9274.200195	9274.200195	0.933333
2928	021	3861	0.09	1073	1	65	100	3	9	8	11583	10510	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10810.7998	9737.799805	9737.799805	0.933333
2928	022	3868	0.09	1343	1	65	100	3	9	8	11604	10261	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10830.39941	9487.399414	9487.399414	0.933333
2928	023	3876	0.09	1368	1	65	100	3	9	8	11628	10260	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10852.7998	9484.799805	9484.799805	0.933333
2928	024	3882	0.09	2327	1	65	100	3	9	8	11646	9319	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10869.59961	8542.599609	8542.599609	0.933333
2928	025	3889	0.09	1294	1	65	100	3	9	8	11667	10373	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10889.2002	9595.200195	9595.200195	0.933333
2928	026	3896	0.09	1628	1	65	100	3	9	8	11688	10060	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10908.7998	9280.799805	9280.799805	0.933333
2928	028	3903	0.09	2035	1	65	100	3	9	8	11709	9674	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10928.39941	8893.399414	8893.399414	0.933333
2928	029	3910	0.09	3300	1	65	100	3	9	8	11730	8430	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10948	7648	7648	0.933333
2928	030	3917	0.09	1216	1	65	100	3	9	8	11751	10535	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10967.59961	9751.599609	9751.599609	0.933333
2929	010	3633	0.08	3989	1	65	100	3	8	7	10899	6910	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10172.39941	6183.399414	6183.399414	0.933333
2929	012	4000	0.09	2320	1	65	100	3	9	8	12000	9680	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8880	8880	0.933333
2929	015	3700	0.08	1931	1	65	100	3	8	7	11100	9169	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10360	8429	8429	0.933333
2929	019	3589	0.08	1352	1	65	100	3	8	7	10767	9415	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10049.2002	8697.200195	8697.200195	0.933333
2929	022	3596	0.08	1278	1	65	100	3	8	7	10788	9510	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10068.7998	8790.799805	8790.799805	0.933333
2931	009A	1376	0.03	0	0	65	100	3	3	3	4128	4128	NCD-WEST	85	form-based			true	0.75	7	2.333333254	7	6	8256	8256	8256	2
2932	028	3755	0.09	1269	1	65	100	3	9	8	11265	9996	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10514	9245	9245	0.933333
2932	024	3989	0.09	1250	1	65	100	3	9	8	11967	10717	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11169.2002	9919.200195	9919.200195	0.933333
2932	009	3666	0.08	1947	1	65	100	3	8	7	10998	9051	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10264.7998	8317.799805	8317.799805	0.933333
2932	012	3816	0.09	2743	1	65	100	3	9	8	11448	8705	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10684.7998	7941.799805	7941.799805	0.933333
2934	020	3923	0.09	2163	1	55	80	2.5	7	6	9808	7645	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10984.39941	8821.399414	8821.399414	1.119943
2936A	001B	3683	0.08	1589	1	55	80	2.5	6	5	9208	7619	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10312.39941	8723.399414	8723.399414	1.119939
2936A	001C	3643	0.08	1640	1	55	80	2.5	6	5	9108	7468	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10200.39941	8560.399414	8560.399414	1.119938
2936A	001D	3238	0.07	0	0	55	80	2.5	6	6	8095	8095	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	7	7	9066.399414	9066.399414	9066.399414	1.12
2936A	012	3595	0.08	1696	1	55	80	2.5	6	5	8988	7292	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10066	8370	8370	1.119938
2936A	036	3938	0.09	1500	1	55	80	2.5	7	6	9845	8345	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11026.39941	9526.399414	9526.399414	1.12
2936A	042	3710	0.09	2690	1	55	80	2.5	7	6	9275	6585	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10388	7698	7698	1.12
2936B	019	3236	0.07	0	0	55	80	2.5	6	6	8090	8090	RH-1(D)	40	form-based			true	0.7	7	1.166666627	7	7	9060.799805	9060.799805	9060.799805	1.12
2957A	007	3699	0.08	2380	1	55	80	2.5	6	5	9248	6868	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10357.2002	7977.200195	7977.200195	1.119939
2957A	025	3758	0.09	1474	1	55	80	2.5	7	6	9395	7921	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10522.39941	9048.399414	9048.399414	1.12
2957A	036	3583	0.08	1700	1	55	80	2.5	6	5	8958	7258	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10032.39941	8332.399414	8332.399414	1.119937
2957A	039	3665	0.08	1320	1	55	80	2.5	6	5	9162	7842	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10262	8942	8942	1.120061
2957A	040	3650	0.08	1742	1	55	80	2.5	6	5	9125	7383	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10220	8478	8478	1.12
2957A	041	3958	0.09	2247	1	55	80	2.5	7	6	9895	7648	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11082.39941	8835.399414	8835.399414	1.12
2957A	042	3756	0.09	1440	1	55	80	2.5	7	6	9390	7950	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10516.7998	9076.799805	9076.799805	1.12
2957A	043	3884	0.09	1862	1	55	80	2.5	7	6	9710	7848	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10875.2002	9013.200195	9013.200195	1.12
2958	002	3873	0.09	1940	1	55	80	2.5	7	6	9682	7742	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10844.39941	8904.399414	8904.399414	1.120058
2958	009	3625	0.08	1250	1	55	80	2.5	6	5	9062	7812	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10150	8900	8900	1.120062
2958	015	3626	0.08	2362	1	55	80	2.5	6	5	9065	6703	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10152.7998	7790.799805	7790.799805	1.12
2958	018	3612	0.08	2252	1	55	80	2.5	6	5	9030	6778	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10113.59961	7861.599609	7861.599609	1.12
2959	025	3836	0.09	1284	1	55	80	2.5	7	6	9590	8306	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10740.7998	9456.799805	9456.799805	1.12
2969	003	4034	0.09	2107	1	55	80	2.5	7	6	10085	7978	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11295.2002	9188.200195	9188.200195	1.12
2970	005	4034	0.09	2066	1	55	80	2.5	7	6	10085	8019	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11295.2002	9229.200195	9229.200195	1.12
2971	037	3646	0.08	1250	1	55	80	2.5	6	5	9115	7865	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10208.7998	8958.799805	8958.799805	1.12
2972	004	3587	0.08	1362	1	55	80	2.5	6	5	8968	7606	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10043.59961	8681.599609	8681.599609	1.119938
2972	005	3926	0.09	1432	1	55	80	2.5	7	6	9815	8383	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10992.7998	9560.799805	9560.799805	1.12
2972	006	3876	0.09	1293	1	55	80	2.5	7	6	9690	8397	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10852.7998	9559.799805	9559.799805	1.12
2972	007	3818	0.09	1794	1	55	80	2.5	7	6	9545	7751	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10690.39941	8896.399414	8896.399414	1.12
2972	008	3941	0.09	1070	1	55	80	2.5	7	6	9852	8782	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11034.7998	9964.799805	9964.799805	1.120057
2972	010	3754	0.09	1410	1	55	80	2.5	7	6	9385	7975	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10511.2002	9101.200195	9101.200195	1.12
2972	011	3955	0.09	1166	1	55	80	2.5	7	6	9888	8722	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11074	9908	9908	1.119943
2972	026	3877	0.09	2218	1	55	80	2.5	7	6	9692	7474	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10855.59961	8637.599609	8637.599609	1.120058
2973	003	3802	0.09	1750	1	55	80	2.5	7	6	9505	7755	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10645.59961	8895.599609	8895.599609	1.12
2973	004	3795	0.09	1667	1	55	80	2.5	7	6	9488	7821	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10626	8959	8959	1.119941
2975	004	3656	0.08	1666	1	55	80	2.5	6	5	9140	7474	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10236.7998	8570.799805	8570.799805	1.12
2975	030	3711	0.09	2338	1	65	100	3	9	8	11133	8795	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10390.7998	8052.799805	8052.799805	0.933333
2975	031	3727	0.09	1980	1	65	100	3	9	8	11181	9201	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10435.59961	8455.599609	8455.599609	0.933333
2975	032	3719	0.09	1980	1	65	100	3	9	8	11157	9177	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10413.2002	8433.200195	8433.200195	0.933333
2975	040	3688	0.08	1980	1	55	80	2.5	6	5	9220	7240	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10326.39941	8346.399414	8346.399414	1.12
2975	041	3925	0.09	1980	1	55	80	2.5	7	6	9812	7832	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10990	9010	9010	1.120057
2975	045	3948	0.09	2418	1	55	80	2.5	7	6	9870	7452	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11054.39941	8636.399414	8636.399414	1.12
2976	001	3992	0.09	2108	1	65	100	3	9	8	11976	9868	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11177.59961	9069.599609	9069.599609	0.933333
2976	022	3963	0.09	2152	1	65	100	3	9	8	11889	9737	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11096.39941	8944.399414	8944.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2976	028	3907	0.09	1323	1	65	100	3	9	8	11721	10398	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10939.59961	9616.599609	9616.599609	0.933333
2976	029	3669	0.08	2465	1	65	100	3	8	7	11007	8542	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10273.2002	7808.200195	7808.200195	0.933333
2977	001	3983	0.09	2094	1	65	100	3	9	8	11949	9855	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11152.39941	9058.399414	9058.399414	0.933333
2977	004	3750	0.09	2627	1	65	100	3	9	8	11250	8623	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10500	7873	7873	0.933333
2977	005	3750	0.09	1825	1	65	100	3	9	8	11250	9425	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10500	8675	8675	0.933333
2977	007	3750	0.09	2141	1	65	100	3	9	8	11250	9109	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10500	8359	8359	0.933333
2977	008	3750	0.09	2795	1	65	100	3	9	8	11250	8455	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10500	7705	7705	0.933333
2977	011	3687	0.08	1921	1	65	100	3	8	7	11061	9140	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10323.59961	8402.599609	8402.599609	0.933333
2977	012	3685	0.08	1486	1	65	100	3	8	7	11055	9569	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10318	8832	8832	0.933333
2977	014	3683	0.08	1620	1	65	100	3	8	7	11049	9429	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10312.39941	8692.399414	8692.399414	0.933333
2977	015	3681	0.08	1406	1	65	100	3	8	7	11043	9637	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10306.7998	8900.799805	8900.799805	0.933333
2977	020	4001	0.09	1395	1	65	100	3	9	8	12003	10608	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	9807.799805	9807.799805	0.933333
2977	021	3766	0.09	1587	1	65	100	3	9	8	11298	9711	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10544.7998	8957.799805	8957.799805	0.933333
2977	022	3986	0.09	1550	1	65	100	3	9	8	11958	10408	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11160.7998	9610.799805	9610.799805	0.933333
2978	019	3595	0.08	2250	1	65	100	3	8	7	10785	8535	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10066	7816	7816	0.933333
2979	001	3642	0.08	2077	1	65	100	3	8	7	10926	8849	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10197.59961	8120.599609	8120.599609	0.933333
2979	006	4044	0.09	1674	1	85	140	4	13	12	16176	14502	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	11323.2002	9649.200195	9649.200195	0.7
2980	006	3612	0.08	1648	1	55	80	2.5	6	5	9030	7382	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10113.59961	8465.599609	8465.599609	1.12
2980	016	4002	0.09	2284	1	55	80	2.5	7	6	10005	7721	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11205.59961	8921.599609	8921.599609	1.12
2981	006	3658	0.08	2587	1	65	100	3	8	7	10974	8387	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10242.39941	7655.399414	7655.399414	0.933333
2981	008	3785	0.09	2004	1	65	100	3	9	8	11355	9351	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10598	8594	8594	0.933333
2981	009	3728	0.09	2297	1	65	100	3	9	8	11184	8887	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10438.39941	8141.399414	8141.399414	0.933333
2981	010	3612	0.08	1176	1	65	100	3	8	7	10836	9660	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10113.59961	8937.599609	8937.599609	0.933333
2982	015	3608	0.08	1185	1	55	80	2.5	6	5	9020	7835	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10102.39941	8917.399414	8917.399414	1.12
2983	022	3659	0.08	2464	1	65	100	3	8	7	10977	8513	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10245.2002	7781.200195	7781.200195	0.933333
2983	023	3848	0.09	2036	1	65	100	3	9	8	11544	9508	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10774.39941	8738.399414	8738.399414	0.933333
2983	024	3701	0.08	3161	1	65	100	3	8	7	11103	7942	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10362.7998	7201.799805	7201.799805	0.933333
2983	025	3619	0.08	2156	1	65	100	3	8	7	10857	8701	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10133.2002	7977.200195	7977.200195	0.933333
2983	027	3681	0.08	2012	1	65	100	3	8	7	11043	9031	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10306.7998	8294.799805	8294.799805	0.933333
2983	032	3605	0.08	3292	1	65	100	3	8	7	10815	7523	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10094	6802	6802	0.933333
2984	009	3765	0.09	1390	1	65	100	3	9	8	11295	9905	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10542	9152	9152	0.933333
2984	010	3604	0.08	1663	1	65	100	3	8	7	10812	9149	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10091.2002	8428.200195	8428.200195	0.933333
2985	032	3601	0.08	1275	1	55	80	2.5	6	5	9002	7727	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10082.7998	8807.799805	8807.799805	1.120062
2985	033	3759	0.09	1956	1	55	80	2.5	7	6	9398	7442	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10525.2002	8569.200195	8569.200195	1.11994
2985	034	3672	0.08	1480	1	55	80	2.5	6	5	9180	7700	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10281.59961	8801.599609	8801.599609	1.12
2986	007	3815	0.09	2055	1	65	100	3	9	8	11445	9390	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10682	8627	8627	0.933333
2986	008A	3799	0.09	2738	1	65	100	3	9	8	11397	8659	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10637.2002	7899.200195	7899.200195	0.933333
2987	012	3784	0.09	3218	1	65	100	3	9	8	11352	8134	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10595.2002	7377.200195	7377.200195	0.933333
2987A	011	3972	0.09	2653	1	65	100	3	9	8	11916	9263	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11121.59961	8468.599609	8468.599609	0.933333
2987A	035	3959	0.09	2913	1	65	100	3	9	8	11877	8964	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11085.2002	8172.200195	8172.200195	0.933333
2988A	025	3917	0.09	1450	1	65	100	3	9	8	11751	10301	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10967.59961	9517.599609	9517.599609	0.933333
2988A	026	3714	0.09	1590	1	65	100	3	9	8	11142	9552	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10399.2002	8809.200195	8809.200195	0.933333
2988A	030	3930	0.09	2956	1	65	100	3	9	8	11790	8834	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11004	8048	8048	0.933333
2989	034	3990	0.09	1319	1	55	80	2.5	7	6	9975	8656	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11172	9853	9853	1.12
2989	038	3626	0.08	936	1	55	80	2.5	6	5	9065	8129	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10152.7998	9216.799805	9216.799805	1.12
2989A	026	3637	0.08	1754	1	65	100	3	8	7	10911	9157	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10183.59961	8429.599609	8429.599609	0.933333
2991	024	3983	0.09	1677	1	55	80	2.5	7	6	9958	8281	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11152.39941	9475.399414	9475.399414	1.119944
2991	026	3950	0.09	1677	1	55	80	2.5	7	6	9875	8198	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11060	9383	9383	1.12
2991	028	3654	0.08	1880	1	55	80	2.5	6	5	9135	7255	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10231.2002	8351.200195	8351.200195	1.12
2991	029	3956	0.09	1880	1	55	80	2.5	7	6	9890	8010	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11076.7998	9196.799805	9196.799805	1.12
2991	030	3903	0.09	1840	1	55	80	2.5	7	6	9758	7918	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10928.39941	9088.399414	9088.399414	1.119943
2991	031	4037	0.09	1840	1	55	80	2.5	7	6	10092	8252	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11303.59961	9463.599609	9463.599609	1.120055
3000C	028	3655	0.08	2400	1	55	80	2.5	6	5	9138	6738	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10234	7834	7834	1.119939
3011	004	3616	0.08	1512	1	55	80	2.5	6	5	9040	7528	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10124.7998	8612.799805	8612.799805	1.12
3011	012	4033	0.09	1210	1	65	100	3	9	8	12099	10889	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11292.39941	10082.39941	10082.39941	0.933333
3011	083	3655	0.08	5919	1	55	80	2.5	6	5	9138	3219	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10234	4315	4315	1.119939
3011A	003	3703	0.09	2526	1	55	80	2.5	7	6	9258	6732	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10368.39941	7842.399414	7842.399414	1.119939
3011A	004	3612	0.08	3540	1	55	80	2.5	6	5	9030	5490	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10113.59961	6573.599609	6573.599609	1.12
3011A	010	3963	0.09	2064	1	55	80	2.5	7	6	9908	7844	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11096.39941	9032.399414	9032.399414	1.119943
3011A	011	3803	0.09	2563	1	55	80	2.5	7	6	9508	6945	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10648.39941	8085.399414	8085.399414	1.119941
3013	003	3824	0.09	2163	1	65	100	3	9	8	11472	9309	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10707.2002	8544.200195	8544.200195	0.933333
3013	011	3964	0.09	2539	1	65	100	3	9	8	11892	9353	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11099.2002	8560.200195	8560.200195	0.933333
3013	019	3962	0.09	1610	1	65	100	3	9	8	11886	10276	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11093.59961	9483.599609	9483.599609	0.933333
3013A	027	4034	0.09	2455	1	65	100	3	9	8	12102	9647	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11295.2002	8840.200195	8840.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3029C	012	3976	0.09	961	1	55	80	2.5	7	6	9940	8979	RH-1	40	form-based		true	true	0.7	8	1.142857194	7	7	11132.7998	10171.7998	10171.7998	1.12
3033	017	3644	0.08	2030	1	55	80	2.5	6	5	9110	7080	RH-1	40	form-based		true	true	0.7	8	1.333333373	7	7	10203.2002	8173.200195	8173.200195	1.12
3033	024	4204	0.1	4816	2	55	80	2.5	8	6	10510	5694	RH-1	40	form-based			true	0.7	9	1.125	7	7	11771.2002	6955.200195	6955.200195	1.12
3033	029	4131	0.09	1851	2	55	80	2.5	7	5	10328	8477	RH-1	40	form-based			true	0.7	9	1.285714269	7	7	11566.7998	9715.799805	9715.799805	1.119946
3033	033	4456	0.1	1585	2	55	80	2.5	8	6	11140	9555	RH-1	40	form-based			true	0.7	9	1.125	7	7	12476.7998	10891.7998	10891.7998	1.12
3037	006	3929	0.09	1800	1	55	80	2.5	7	6	9822	8022	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11001.2002	9201.200195	9201.200195	1.120057
3039	036	3946	0.09	3100	1	55	80	2.5	7	6	9865	6765	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11048.7998	7948.799805	7948.799805	1.12
3040	008	3735	0.09	2679	1	55	80	2.5	7	6	9338	6659	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10458	7779	7779	1.11994
3041	015	3723	0.09	2323	1	55	80	2.5	7	6	9308	6985	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10424.39941	8101.399414	8101.399414	1.11994
3040	020	3966	0.09	2636	1	55	80	2.5	7	6	9915	7279	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11104.7998	8468.799805	8468.799805	1.12
3041	035	3825	0.09	2856	1	55	80	2.5	7	6	9562	6706	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10710	7854	7854	1.120059
3041	036	3651	0.08	4369	1	55	80	2.5	6	5	9128	4759	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10222.7998	5853.799805	5853.799805	1.119939
3041	042	3650	0.08	2683	1	55	80	2.5	6	5	9125	6442	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10220	7537	7537	1.12
3042	004	3809	0.09	2876	1	55	80	2.5	7	6	9522	6646	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10665.2002	7789.200195	7789.200195	1.120059
3042	005	3691	0.08	3058	1	55	80	2.5	6	5	9228	6170	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10334.7998	7276.799805	7276.799805	1.119939
3042	010	3676	0.08	3100	1	55	80	2.5	6	5	9190	6090	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10292.7998	7192.799805	7192.799805	1.12
3042	011	3774	0.09	2280	1	55	80	2.5	7	6	9435	7155	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10567.2002	8287.200195	8287.200195	1.12
3047	003	4039	0.09	2201	1	55	80	2.5	7	6	10098	7897	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11309.2002	9108.200195	9108.200195	1.119945
3042	041	3626	0.08	1490	1	55	80	2.5	6	5	9065	7575	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10152.7998	8662.799805	8662.799805	1.12
3042	043	3804	0.09	2160	1	55	80	2.5	7	6	9510	7350	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10651.2002	8491.200195	8491.200195	1.12
3042	044	3619	0.08	3243	1	55	80	2.5	6	5	9048	5805	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10133.2002	6890.200195	6890.200195	1.119938
3047	022	3849	0.09	1723	1	55	80	2.5	7	6	9622	7899	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10777.2002	9054.200195	9054.200195	1.120058
3043	003	3686	0.08	3203	1	55	80	2.5	6	5	9215	6012	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10320.7998	7117.799805	7117.799805	1.12
3043	028	3702	0.08	2117	1	55	80	2.5	6	5	9255	7138	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10365.59961	8248.599609	8248.599609	1.12
3046	002	3706	0.09	2971	1	55	80	2.5	7	6	9265	6294	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10376.7998	7405.799805	7405.799805	1.12
3046	003	3640	0.08	2400	1	55	80	2.5	6	5	9100	6700	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10192	7792	7792	1.12
3047	026	3856	0.09	2828	1	55	80	2.5	7	6	9640	6812	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10796.7998	7968.799805	7968.799805	1.12
3047	009	3926	0.09	3049	1	55	80	2.5	7	6	9815	6766	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10992.7998	7943.799805	7943.799805	1.12
3047	019	3813	0.09	3025	1	55	80	2.5	7	6	9532	6507	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10676.39941	7651.399414	7651.399414	1.120059
3047	020	3709	0.09	1665	1	55	80	2.5	7	6	9272	7607	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10385.2002	8720.200195	8720.200195	1.12006
3047	021	3968	0.09	1868	1	55	80	2.5	7	6	9920	8052	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11110.39941	9242.399414	9242.399414	1.12
3047	024	3884	0.09	2140	1	55	80	2.5	7	6	9710	7570	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10875.2002	8735.200195	8735.200195	1.12
3047	025	3623	0.08	1556	1	55	80	2.5	6	5	9058	7502	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10144.39941	8588.399414	8588.399414	1.119938
3047	027	3960	0.09	1864	1	55	80	2.5	7	6	9900	8036	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11088	9224	9224	1.12
3047	030	3715	0.09	1544	1	55	80	2.5	7	6	9288	7744	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10402	8858	8858	1.11994
3047	037	3768	0.09	2451	1	55	80	2.5	7	6	9420	6969	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10550.39941	8099.399414	8099.399414	1.12
3048	017	3892	0.09	1702	1	55	80	2.5	7	6	9730	8028	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10897.59961	9195.599609	9195.599609	1.12
3048	018	3803	0.09	2701	1	55	80	2.5	7	6	9508	6807	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10648.39941	7947.399414	7947.399414	1.119941
3048	027	3838	0.09	2060	1	55	80	2.5	7	6	9595	7535	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10746.39941	8686.399414	8686.399414	1.12
3048	028	3768	0.09	1891	1	55	80	2.5	7	6	9420	7529	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10550.39941	8659.399414	8659.399414	1.12
3071	002	3873	0.09	3076	1	65	100	3	9	8	11619	8543	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10844.39941	7768.399414	7768.399414	0.933333
3071	010	3750	0.09	2122	1	65	100	3	9	8	11250	9128	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10500	8378	8378	0.933333
3072	021A	4040	0.09	2439	1	65	100	3	9	8	12120	9681	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11312	8873	8873	0.933333
3072A	023	4340	0.1	2205	2	65	100	3	10	8	13020	10815	RH-1(D)	40	form-based			true	0.7	9	0.899999976	7	7	12152	9947	9947	0.933333
3072A	037	4009	0.09	3229	1	65	100	3	9	8	12027	8798	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11225.2002	7996.200195	7996.200195	0.933333
3076	009	3795	0.09	3028	1	55	80	2.5	7	6	9488	6460	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10626	7598	7598	1.119941
3076	058	4024	0.09	2342	1	65	100	3	9	8	12072	9730	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11267.2002	8925.200195	8925.200195	0.933333
3077	035	3819	0.09	1505	1	55	80	2.5	7	6	9548	8043	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10693.2002	9188.200195	9188.200195	1.119941
3077	036	3887	0.09	2315	1	55	80	2.5	7	6	9718	7403	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10883.59961	8568.599609	8568.599609	1.119942
3078	003	3727	0.09	2377	1	55	80	2.5	7	6	9318	6941	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10435.59961	8058.599609	8058.599609	1.11994
3078	004	3907	0.09	1612	1	55	80	2.5	7	6	9768	8156	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10939.59961	9327.599609	9327.599609	1.119943
3078	005	3850	0.09	1746	1	55	80	2.5	7	6	9625	7879	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10780	9034	9034	1.12
3078	013	3866	0.09	2358	1	55	80	2.5	7	6	9665	7307	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10824.7998	8466.799805	8466.799805	1.12
3078	014	3851	0.09	2801	1	55	80	2.5	7	6	9628	6827	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10782.7998	7981.799805	7981.799805	1.119942
3078	035	3828	0.09	1700	1	55	80	2.5	7	6	9570	7870	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10718.39941	9018.399414	9018.399414	1.12
3090	014	3750	0.09	2294	1	55	80	2.5	7	6	9375	7081	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10500	8206	8206	1.12
3090	015	3750	0.09	1451	1	55	80	2.5	7	6	9375	7924	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10500	9049	9049	1.12
3091	047	5040	0.12	2613	4	65	100	3	12	8	15120	12507	RH-1	40	form-based			true	0.7	11	0.916666687	7	7	14112	11499	11499	0.933333
3091	053	7500	0.17	7174	9	65	100	3	17	8	22500	15326	RM-1	40	form-based			true	0.7	16	0.941176474	7	7	21000	13826	13826	0.933333
3098	003	4000	0.09	2243	1	65	100	3	9	8	12000	9757	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8957	8957	0.933333
3098	004	4000	0.09	2527	1	65	100	3	9	8	12000	9473	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8673	8673	0.933333
3098	005	4000	0.09	3506	1	65	100	3	9	8	12000	8494	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	7694	7694	0.933333
3098	006	4000	0.09	2735	1	65	100	3	9	8	12000	9265	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8465	8465	0.933333
3101	006	4026	0.09	2640	1	65	100	3	9	8	12078	9438	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11272.7998	8632.799805	8632.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3102	020	3959	0.09	2924	1	65	100	3	9	8	11877	8953	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11085.2002	8161.200195	8161.200195	0.933333
3106	015	3834	0.09	2071	1	55	80	2.5	7	6	9585	7514	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10735.2002	8664.200195	8664.200195	1.12
3110	009	3610	0.08	1380	1	55	80	2.5	6	5	9025	7645	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10108	8728	8728	1.12
3109	012	3613	0.08	3185	1	55	80	2.5	6	5	9032	5847	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10116.39941	6931.399414	6931.399414	1.120062
3106	002	3775	0.09	1878	1	55	80	2.5	7	6	9438	7560	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10570	8692	8692	1.119941
3106	004	3621	0.08	1724	1	55	80	2.5	6	5	9052	7328	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10138.7998	8414.799805	8414.799805	1.120062
3106	012A	3978	0.09	1546	1	55	80	2.5	7	6	9945	8399	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11138.39941	9592.399414	9592.399414	1.12
3106	013	3771	0.09	1320	1	55	80	2.5	7	6	9428	8108	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10558.7998	9238.799805	9238.799805	1.119941
3106	014	3710	0.09	1320	1	55	80	2.5	7	6	9275	7955	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10388	9068	9068	1.12
3107	009	4037	0.09	1188	1	55	80	2.5	7	6	10092	8904	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11303.59961	10115.59961	10115.59961	1.120055
3107	013	3928	0.09	1880	1	55	80	2.5	7	6	9820	7940	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10998.39941	9118.399414	9118.399414	1.12
3109	010	3730	0.09	1640	1	55	80	2.5	7	6	9325	7685	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10444	8804	8804	1.12
3108	010	3803	0.09	1400	1	55	80	2.5	7	6	9508	8108	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10648.39941	9248.399414	9248.399414	1.119941
3108	017	3813	0.09	1324	1	55	80	2.5	7	6	9532	8208	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10676.39941	9352.399414	9352.399414	1.120059
3108	018	3820	0.09	1625	1	55	80	2.5	7	6	9550	7925	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10696	9071	9071	1.12
3109	002	3794	0.09	1487	1	55	80	2.5	7	6	9485	7998	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10623.2002	9136.200195	9136.200195	1.12
3109	003	3617	0.08	1400	1	55	80	2.5	6	5	9042	7642	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10127.59961	8727.599609	8727.599609	1.120062
3109	004	3816	0.09	1270	1	55	80	2.5	7	6	9540	8270	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10684.7998	9414.799805	9414.799805	1.12
3109	006	3748	0.09	1270	1	55	80	2.5	7	6	9370	8100	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10494.39941	9224.399414	9224.399414	1.12
3109	007	3842	0.09	1270	1	55	80	2.5	7	6	9605	8335	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10757.59961	9487.599609	9487.599609	1.12
3109	008	3583	0.08	1190	1	55	80	2.5	6	5	8958	7768	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10032.39941	8842.399414	8842.399414	1.119937
3109	009	3908	0.09	1270	1	55	80	2.5	7	6	9770	8500	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10942.39941	9672.399414	9672.399414	1.12
3109	014	3995	0.09	1455	1	55	80	2.5	7	6	9988	8533	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11186	9731	9731	1.119944
3109	017	3898	0.09	2745	1	55	80	2.5	7	6	9745	7000	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10914.39941	8169.399414	8169.399414	1.12
3110	013	3889	0.09	1420	1	55	80	2.5	7	6	9722	8302	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10889.2002	9469.200195	9469.200195	1.120058
3110	014	3949	0.09	1260	1	55	80	2.5	7	6	9872	8612	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11057.2002	9797.200195	9797.200195	1.120057
3110	017	4004	0.09	1662	1	55	80	2.5	7	6	10010	8348	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11211.2002	9549.200195	9549.200195	1.12
3110	018	4047	0.09	2877	1	55	80	2.5	7	6	10118	7241	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11331.59961	8454.599609	8454.599609	1.119945
3110	019	4021	0.09	1284	1	55	80	2.5	7	6	10052	8768	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11258.7998	9974.799805	9974.799805	1.120056
3110	020	3994	0.09	1256	1	55	80	2.5	7	6	9985	8729	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11183.2002	9927.200195	9927.200195	1.12
3110	021	3790	0.09	1230	1	55	80	2.5	7	6	9475	8245	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10612	9382	9382	1.12
3110	022	3621	0.08	1220	1	55	80	2.5	6	5	9052	7832	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10138.7998	8918.799805	8918.799805	1.120062
3111	003	3849	0.09	1080	1	55	80	2.5	7	6	9622	8542	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10777.2002	9697.200195	9697.200195	1.120058
3111	004	3652	0.08	2028	1	55	80	2.5	6	5	9130	7102	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10225.59961	8197.599609	8197.599609	1.12
3111	007	3741	0.09	1256	1	55	80	2.5	7	6	9352	8096	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10474.7998	9218.799805	9218.799805	1.12006
3111	010	3921	0.09	2141	1	55	80	2.5	7	6	9802	7661	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10978.7998	8837.799805	8837.799805	1.120057
3111	011	3744	0.09	1288	1	55	80	2.5	7	6	9360	8072	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10483.2002	9195.200195	9195.200195	1.12
3111	015	3690	0.08	1044	1	55	80	2.5	6	5	9225	8181	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10332	9288	9288	1.12
3111	017	3607	0.08	1140	1	55	80	2.5	6	5	9018	7878	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10099.59961	8959.599609	8959.599609	1.119938
3112	004	3767	0.09	1200	1	55	80	2.5	7	6	9418	8218	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10547.59961	9347.599609	9347.599609	1.119941
3112	006	3619	0.08	1136	1	55	80	2.5	6	5	9048	7912	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10133.2002	8997.200195	8997.200195	1.119938
3112	007	3679	0.08	1124	1	55	80	2.5	6	5	9198	8074	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10301.2002	9177.200195	9177.200195	1.119939
3112	008	3639	0.08	1203	1	55	80	2.5	6	5	9098	7895	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10189.2002	8986.200195	8986.200195	1.119938
3113	015	3703	0.09	1440	1	55	80	2.5	7	6	9258	7818	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10368.39941	8928.399414	8928.399414	1.119939
3113	017	3879	0.09	1228	1	55	80	2.5	7	6	9698	8470	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10861.2002	9633.200195	9633.200195	1.119942
3113	018	3711	0.09	1184	1	55	80	2.5	7	6	9278	8094	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10390.7998	9206.799805	9206.799805	1.11994
3120	026	3750	0.09	1356	1	55	80	2.5	7	6	9375	8019	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10500	9144	9144	1.12
3120	028	3750	0.09	1713	1	55	80	2.5	7	6	9375	7662	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10500	8787	8787	1.12
3133	002	3778	0.09	1720	1	55	80	2.5	7	6	9445	7725	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10578.39941	8858.399414	8858.399414	1.12
3133	003	3796	0.09	1800	1	55	80	2.5	7	6	9490	7690	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10628.7998	8828.799805	8828.799805	1.12
3134	007	4017	0.09	3066	1	55	80	2.5	7	6	10042	6976	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11247.59961	8181.599609	8181.599609	1.120056
3134	010	3675	0.08	1639	1	55	80	2.5	6	5	9188	7549	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10290	8651	8651	1.119939
3134	011	3694	0.08	1345	1	55	80	2.5	6	5	9235	7890	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10343.2002	8998.200195	8998.200195	1.12
3134	012	3745	0.09	1177	1	55	80	2.5	7	6	9362	8185	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10486	9309	9309	1.12006
3135	013	3851	0.09	1270	1	55	80	2.5	7	6	9628	8358	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10782.7998	9512.799805	9512.799805	1.119942
3135	015	3873	0.09	1216	1	55	80	2.5	7	6	9682	8466	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10844.39941	9628.399414	9628.399414	1.120058
3136	009	3760	0.09	1506	1	55	80	2.5	7	6	9400	7894	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10528	9022	9022	1.12
3136	010	3756	0.09	1310	1	55	80	2.5	7	6	9390	8080	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10516.7998	9206.799805	9206.799805	1.12
3136	012	3654	0.08	1410	1	55	80	2.5	6	5	9135	7725	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10231.2002	8821.200195	8821.200195	1.12
3136	013	3822	0.09	1504	1	55	80	2.5	7	6	9555	8051	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10701.59961	9197.599609	9197.599609	1.12
3136	015	3962	0.09	2041	1	55	80	2.5	7	6	9905	7864	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11093.59961	9052.599609	9052.599609	1.12
3136	017	3974	0.09	1198	1	55	80	2.5	7	6	9935	8737	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11127.2002	9929.200195	9929.200195	1.12
3136	018	4040	0.09	1504	1	55	80	2.5	7	6	10100	8596	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11312	9808	9808	1.12
3136	019	3817	0.09	1722	1	55	80	2.5	7	6	9542	7820	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10687.59961	8965.599609	8965.599609	1.120059

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3137	012	3586	0.08	1220	1	55	80	2.5	6	5	8965	7745	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10040.7998	8820.799805	8820.799805	1.12
3137	015	3659	0.08	2151	1	55	80	2.5	6	5	9148	6997	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10245.2002	8094.200195	8094.200195	1.119939
3137	016	3862	0.09	1390	1	55	80	2.5	7	6	9655	8265	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10813.59961	9423.599609	9423.599609	1.12
3137	017	3810	0.09	1236	1	55	80	2.5	7	6	9525	8289	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10668	9432	9432	1.12
3137	018	3873	0.09	1390	1	55	80	2.5	7	6	9682	8292	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10844.39941	9454.399414	9454.399414	1.120058
3137	019	3974	0.09	1390	1	55	80	2.5	7	6	9935	8545	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11127.2002	9737.200195	9737.200195	1.12
3137	021	4007	0.09	1278	1	55	80	2.5	7	6	10018	8740	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11219.59961	9941.599609	9941.599609	1.119944
3137	023	3960	0.09	1176	1	55	80	2.5	7	6	9900	8724	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11088	9912	9912	1.12
3138	008	3607	0.08	1125	1	55	80	2.5	6	5	9018	7893	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10099.59961	8974.599609	8974.599609	1.119938
3138	016	3778	0.09	1246	1	55	80	2.5	7	6	9445	8199	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10578.39941	9332.399414	9332.399414	1.12
3138	017	3725	0.09	1350	1	55	80	2.5	7	6	9312	7962	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10430	9080	9080	1.12006
3138	018	3840	0.09	1470	1	55	80	2.5	7	6	9600	8130	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10752	9282	9282	1.12
3138	019	3583	0.08	1266	1	55	80	2.5	6	5	8958	7692	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10032.39941	8766.399414	8766.399414	1.119937
3140	035	3662	0.08	1569	1	55	80	2.5	6	5	9155	7586	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10253.59961	8684.599609	8684.599609	1.12
3142	005	3727	0.09	1170	1	65	100	3	9	8	11181	10011	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10435.59961	9265.599609	9265.599609	0.933333
3156	039	3735	0.09	1075	1	65	100	3	9	8	11205	10130	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10458	9383	9383	0.933333
3156	040	3733	0.09	900	1	65	100	3	9	8	11199	10299	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10452.39941	9552.399414	9552.399414	0.933333
3156	041	3731	0.09	1382	1	65	100	3	9	8	11193	9811	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10446.7998	9064.799805	9064.799805	0.933333
3156	042	3729	0.09	1175	1	65	100	3	9	8	11187	10012	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10441.2002	9266.200195	9266.200195	0.933333
3156	043	3727	0.09	2247	1	65	100	3	9	8	11181	8934	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10435.59961	8188.599609	8188.599609	0.933333
3156	044	3725	0.09	1274	1	65	100	3	9	8	11175	9901	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10430	9156	9156	0.933333
3160	013	3976	0.09	1228	1	55	80	2.5	7	6	9940	8712	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	11132.7998	9904.799805	9904.799805	1.12
3160	014	4026	0.09	1208	1	55	80	2.5	7	6	10065	8857	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11272.7998	10064.7998	10064.7998	1.12
3161	001	3864	0.09	1346	1	55	80	2.5	7	6	9660	8314	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10819.2002	9473.200195	9473.200195	1.12
3161	002	3782	0.09	2117	1	55	80	2.5	7	6	9455	7338	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10589.59961	8472.599609	8472.599609	1.12
3161	003	3745	0.09	1257	1	55	80	2.5	7	6	9362	8105	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10486	9229	9229	1.12006
3161	004	3825	0.09	1167	1	55	80	2.5	7	6	9562	8395	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10710	9543	9543	1.120059
3161	005	3986	0.09	1167	1	55	80	2.5	7	6	9965	8798	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11160.7998	9993.799805	9993.799805	1.12
3162	004	3639	0.08	1152	1	55	80	2.5	6	5	9098	7946	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10189.2002	9037.200195	9037.200195	1.119938
3162	005	3881	0.09	1570	1	55	80	2.5	7	6	9702	8132	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10866.7998	9296.799805	9296.799805	1.120058
3162	007	3577	0.08	968	1	55	80	2.5	6	5	8942	7974	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10015.59961	9047.599609	9047.599609	1.120063
3162	011	3918	0.09	1112	1	65	100	3	9	8	11754	10642	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10970.39941	9858.399414	9858.399414	0.933333
3163	004	3762	0.09	2241	1	55	80	2.5	7	6	9405	7164	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10533.59961	8292.599609	8292.599609	1.12
3163	006	3752	0.09	1536	1	55	80	2.5	7	6	9380	7844	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10505.59961	8969.599609	8969.599609	1.12
3163	007	3750	0.09	1328	1	55	80	2.5	7	6	9375	8047	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10500	9172	9172	1.12
3163	008	3930	0.09	1524	1	55	80	2.5	7	6	9825	8301	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11004	9480	9480	1.12
3163	009	3718	0.09	2792	1	55	80	2.5	7	6	9295	6503	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10410.39941	7618.399414	7618.399414	1.12
3163	010	3881	0.09	2020	1	55	80	2.5	7	6	9702	7682	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10866.7998	8846.799805	8846.799805	1.120058
3163	015	3946	0.09	1500	1	65	100	3	9	8	11838	10338	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11048.7998	9548.799805	9548.799805	0.933333
3163	016	3925	0.09	1500	1	65	100	3	9	8	11775	10275	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10990	9490	9490	0.933333
3163	017	3607	0.08	1225	1	65	100	3	8	7	10821	9596	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10099.59961	8874.599609	8874.599609	0.933333
3163	023	3823	0.09	2554	1	55	80	2.5	7	6	9558	7004	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10704.39941	8150.399414	8150.399414	1.119941
3163	031	3699	0.08	2210	1	55	80	2.5	6	5	9248	7038	RH-1(D)	40	form-based		true	true	0.7	8	1.333333373	7	7	10357.2002	8147.200195	8147.200195	1.119939
3164	008	3955	0.09	2552	1	55	80	2.5	7	6	9888	7336	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11074	8522	8522	1.119943
3164	009	3773	0.09	1428	1	55	80	2.5	7	6	9432	8004	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10564.39941	9136.399414	9136.399414	1.120059
3164	010	3854	0.09	1506	1	55	80	2.5	7	6	9635	8129	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10791.2002	9285.200195	9285.200195	1.12
3164	011	3658	0.08	1305	1	55	80	2.5	6	5	9145	7840	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10242.39941	8937.399414	8937.399414	1.12
3164	014	3597	0.08	1640	1	65	100	3	8	7	10791	9151	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10071.59961	8431.599609	8431.599609	0.933333
3164	017	3800	0.09	1468	1	65	100	3	9	8	11400	9932	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10640	9172	9172	0.933333
3164	019	3800	0.09	1468	1	55	80	2.5	7	6	9500	8032	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	9172	9172	1.12
3164	020	3800	0.09	1250	1	55	80	2.5	7	6	9500	8250	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	9390	9390	1.12
3164	021	3800	0.09	1150	1	55	80	2.5	7	6	9500	8350	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	9490	9490	1.12
3164	022	3800	0.09	1094	1	55	80	2.5	7	6	9500	8406	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	9546	9546	1.12
3164	023	3800	0.09	1914	1	55	80	2.5	7	6	9500	7586	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	8726	8726	1.12
3164	024	3800	0.09	1600	1	55	80	2.5	7	6	9500	7900	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	9040	9040	1.12
3164	025	3800	0.09	1415	1	55	80	2.5	7	6	9500	8085	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	9225	9225	1.12
3164	026	3800	0.09	1585	1	55	80	2.5	7	6	9500	7915	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	9055	9055	1.12
3164	027	3800	0.09	1404	1	55	80	2.5	7	6	9500	8096	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	9236	9236	1.12
3164	028	3800	0.09	1702	1	55	80	2.5	7	6	9500	7798	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	8938	8938	1.12
3165	002	3834	0.09	2044	1	55	80	2.5	7	6	9585	7541	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10735.2002	8691.200195	8691.200195	1.12
3165	003	3836	0.09	1288	1	55	80	2.5	7	6	9590	8302	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10740.7998	9452.799805	9452.799805	1.12
3165	004	3837	0.09	1416	1	55	80	2.5	7	6	9592	8176	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10743.59961	9327.599609	9327.599609	1.120058
3165	005	3838	0.09	1565	1	55	80	2.5	7	6	9595	8030	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10746.39941	9181.399414	9181.399414	1.12
3165	006	3840	0.09	1416	1	55	80	2.5	7	6	9600	8184	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10752	9336	9336	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3165	007	3841	0.09	1550	1	55	80	2.5	7	6	9602	8052	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10754.7998	9204.799805	9204.799805	1.120058
3165	008	3842	0.09	1540	1	55	80	2.5	7	6	9605	8065	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10757.59961	9217.599609	9217.599609	1.12
3165	009	3844	0.09	1741	1	55	80	2.5	7	6	9610	7869	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10763.2002	9022.200195	9022.200195	1.12
3165	010	3845	0.09	1350	1	55	80	2.5	7	6	9612	8262	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10766	9416	9416	1.120058
3165	011	3847	0.09	1771	1	55	80	2.5	7	6	9618	7847	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10771.59961	9000.599609	9000.599609	1.119942
3165	012	3848	0.09	1740	1	65	100	3	9	8	11544	9804	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10774.39941	9034.399414	9034.399414	0.933333
3165	013	3849	0.09	1236	1	65	100	3	9	8	11547	10311	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10777.2002	9541.200195	9541.200195	0.933333
3165	014	3851	0.09	1344	1	65	100	3	9	8	11553	10209	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10782.7998	9438.799805	9438.799805	0.933333
3165	021	3669	0.08	1171	1	55	80	2.5	6	5	9172	8001	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10273.2002	9102.200195	9102.200195	1.120061
3165	023	4377	0.1	1350	2	55	80	2.5	8	6	10942	9592	RH-1(D)	40	form-based			true	0.7	9	1.125	7	7	12255.59961	10905.59961	10905.59961	1.120051
3166	009	4035	0.09	2797	1	65	100	3	9	8	12105	9308	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11298	8501	8501	0.933333
3166	011	3871	0.09	1633	1	65	100	3	9	8	11613	9980	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10838.7998	9205.799805	9205.799805	0.933333
3166	012	4030	0.09	1575	1	65	100	3	9	8	12090	10515	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11284	9709	9709	0.933333
3166	014	3648	0.08	1568	1	65	100	3	8	7	10944	9376	RH-1(D)	40	form-based	true		true	0.7	8	1	7	7	10214.39941	8646.399414	8646.399414	0.933333
3166	015	3628	0.08	2890	1	65	100	3	8	7	10884	7994	RH-1(D)	40	form-based	true		true	0.7	8	1	7	7	10158.39941	7268.399414	7268.399414	0.933333
3166	016	3668	0.08	1175	1	65	100	3	8	7	11004	9829	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10270.39941	9095.399414	9095.399414	0.933333
3166	018	4004	0.09	1460	1	65	100	3	9	8	12012	10552	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11211.2002	9751.200195	9751.200195	0.933333
3166	019	3895	0.09	1488	1	65	100	3	9	8	11685	10197	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10906	9418	9418	0.933333
3166	020	3952	0.09	1208	1	65	100	3	9	8	11856	10648	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11065.59961	9857.599609	9857.599609	0.933333
3166	021	3595	0.08	1258	1	65	100	3	8	7	10785	9527	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10066	8808	8808	0.933333
3166	023	3616	0.08	2950	1	55	80	2.5	6	5	9040	6090	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10124.7998	7174.799805	7174.799805	1.12
3167	002	4014	0.09	1200	1	65	100	3	9	8	12042	10842	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11239.2002	10039.2002	10039.2002	0.933333
3167	004	4033	0.09	1200	1	65	100	3	9	8	12099	10899	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11292.39941	10092.39941	10092.39941	0.933333
3168	009	3841	0.09	1306	1	65	100	3	9	8	11523	10217	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10754.7998	9448.799805	9448.799805	0.933333
3168	010	3745	0.09	1110	1	65	100	3	9	8	11235	10125	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10486	9376	9376	0.933333
3168	014	3605	0.08	1755	1	65	100	3	8	7	10815	9060	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10094	8339	8339	0.933333
3169	007	3678	0.08	1978	1	65	100	3	8	7	11034	9056	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10298.39941	8320.399414	8320.399414	0.933333
3169	011	3895	0.09	1729	1	65	100	3	9	8	11685	9956	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10906	9177	9177	0.933333
3169	012	3678	0.08	1518	1	65	100	3	8	7	11034	9516	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10298.39941	8780.399414	8780.399414	0.933333
3174	003	3744	0.09	1290	1	65	100	3	9	8	11232	9942	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10483.2002	9193.200195	9193.200195	0.933333
3169	013	3740	0.09	1552	1	65	100	3	9	8	11220	9668	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10472	8920	8920	0.933333
3169	015	3697	0.08	1856	1	65	100	3	8	7	11091	9235	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10351.59961	8495.599609	8495.599609	0.933333
3173	001	3998	0.09	1560	1	65	100	3	9	8	11994	10434	RH-1(D)	40	form-based	true		true	0.7	8	0.888888896	7	7	11194.39941	9634.399414	9634.399414	0.933333
3173	005	3912	0.09	1482	1	65	100	3	9	8	11736	10254	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10953.59961	9471.599609	9471.599609	0.933333
3173	006	3883	0.09	1125	1	65	100	3	9	8	11649	10524	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10872.39941	9747.399414	9747.399414	0.933333
3173	010	3658	0.08	1515	1	65	100	3	8	7	10974	9459	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10242.39941	8727.399414	8727.399414	0.933333
3173	011	3660	0.08	1587	1	65	100	3	8	7	10980	9393	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10248	8661	8661	0.933333
3173	012	3672	0.08	1270	1	65	100	3	8	7	11016	9746	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10281.59961	9011.599609	9011.599609	0.933333
3173	013	3743	0.09	1250	1	65	100	3	9	8	11229	9979	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10480.39941	9230.399414	9230.399414	0.933333
3173	017	3680	0.08	2198	1	65	100	3	8	7	11040	8842	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10304	8106	8106	0.933333
3173	018	3808	0.09	1720	1	65	100	3	9	8	11424	9704	RH-1(D)	40	form-based	true		true	0.7	8	0.888888896	7	7	10662.39941	8942.399414	8942.399414	0.933333
3174	008	3815	0.09	1320	1	65	100	3	9	8	11445	10125	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10682	9362	9362	0.933333
3174	009	3884	0.09	1647	1	65	100	3	9	8	11652	10005	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10875.2002	9228.200195	9228.200195	0.933333
3174	011	3646	0.08	1368	1	65	100	3	8	7	10938	9570	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10208.7998	8840.799805	8840.799805	0.933333
3174	012	3635	0.08	1350	1	65	100	3	8	7	10905	9555	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10178	8828	8828	0.933333
3174	013	3599	0.08	2061	1	65	100	3	8	7	10797	8736	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10077.2002	8016.200195	8016.200195	0.933333
3174	016	3715	0.09	1092	1	65	100	3	9	8	11145	10053	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10402	9310	9310	0.933333
3176	018	3983	0.09	1328	1	65	100	3	9	8	11949	10621	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11152.39941	9824.399414	9824.399414	0.933333
3174	020	3957	0.09	1070	1	65	100	3	9	8	11871	10801	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11079.59961	10009.59961	10009.59961	0.933333
3174	024	3808	0.09	1925	1	65	100	3	9	8	11424	9499	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10662.39941	8737.399414	8737.399414	0.933333
3174	034	3887	0.09	2232	1	65	100	3	9	8	11661	9429	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10883.59961	8651.599609	8651.599609	0.933333
3174	035	3629	0.08	1740	1	65	100	3	8	7	10887	9147	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10161.2002	8421.200195	8421.200195	0.933333
3175	004	4028	0.09	1575	1	65	100	3	9	8	12084	10509	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11278.39941	9703.399414	9703.399414	0.933333
3175	005	3789	0.09	1490	1	65	100	3	9	8	11367	9877	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10609.2002	9119.200195	9119.200195	0.933333
3175	006	3972	0.09	2117	1	65	100	3	9	8	11916	9799	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11121.59961	9004.599609	9004.599609	0.933333
3175	007	3789	0.09	3100	1	65	100	3	9	8	11367	8267	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10609.2002	7509.200195	7509.200195	0.933333
3175	008	3912	0.09	1430	1	65	100	3	9	8	11736	10306	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10953.59961	9523.599609	9523.599609	0.933333
3175	009	4042	0.09	1390	1	65	100	3	9	8	12126	10736	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11317.59961	9927.599609	9927.599609	0.933333
3175	010	3851	0.09	1595	1	65	100	3	9	8	11553	9958	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10782.7998	9187.799805	9187.799805	0.933333
3175	011	3916	0.09	1595	1	65	100	3	9	8	11748	10153	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10964.7998	9369.799805	9369.799805	0.933333
3175	012	3916	0.09	1470	1	65	100	3	9	8	11748	10278	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10964.7998	9494.799805	9494.799805	0.933333
3175	013	3859	0.09	1531	1	65	100	3	9	8	11577	10046	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10805.2002	9274.200195	9274.200195	0.933333
3175	014	3858	0.09	1555	1	65	100	3	9	8	11574	10019	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10802.39941	9247.399414	9247.399414	0.933333
3175	015	3659	0.08	1280	1	65	100	3	8	7	10977	9697	RH-1(D)	40	form-based	true		true	0.7	8	1	7	7	10245.2002	8965.200195	8965.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3175	017	3775	0.09	1448	1	65	100	3	9	8	11325	9877	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10570	9122	9122	0.933333
3175	020	3861	0.09	1650	1	65	100	3	9	8	11583	9933	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10810.7998	9160.799805	9160.799805	0.933333
3175	023	3682	0.08	1325	1	65	100	3	8	7	11046	9721	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10309.59961	8984.599609	8984.599609	0.933333
3175	028	3623	0.08	2303	1	65	100	3	8	7	10869	8566	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10144.39941	7841.399414	7841.399414	0.933333
3176	025	3807	0.09	1431	1	65	100	3	9	8	11421	9990	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10659.59961	9228.599609	9228.599609	0.933333
3176	001	3650	0.08	2450	1	65	100	3	8	7	10950	8500	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10220	7770	7770	0.933333
3176	004	3839	0.09	1580	1	65	100	3	9	8	11517	9937	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10749.2002	9169.200195	9169.200195	0.933333
3176	005	3606	0.08	1705	1	65	100	3	8	7	10818	9113	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10096.7998	8391.799805	8391.799805	0.933333
3176	006	4034	0.09	1705	1	65	100	3	9	8	12102	10397	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11295.2002	9590.200195	9590.200195	0.933333
3176	007	3778	0.09	1705	1	65	100	3	9	8	11334	9629	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10578.39941	8873.399414	8873.399414	0.933333
3176	012	3653	0.08	1727	1	65	100	3	8	7	10959	9232	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10228.39941	8501.399414	8501.399414	0.933333
3176	014	3756	0.09	2709	1	65	100	3	9	8	11268	8559	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10516.7998	7807.799805	7807.799805	0.933333
3176	016	4033	0.09	1968	1	65	100	3	9	8	12099	10131	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11292.39941	9324.399414	9324.399414	0.933333
3176	017	4008	0.09	2581	1	65	100	3	9	8	12024	9443	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	8641.399414	8641.399414	0.933333
3176	019	3958	0.09	1210	1	65	100	3	9	8	11874	10664	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11082.39941	9872.399414	9872.399414	0.933333
3176	020	3933	0.09	1635	1	65	100	3	9	8	11799	10164	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11012.39941	9377.399414	9377.399414	0.933333
3176	021	3907	0.09	2468	1	65	100	3	9	8	11721	9253	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10939.59961	8471.599609	8471.599609	0.933333
3176	022	3882	0.09	1430	1	65	100	3	9	8	11646	10216	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10869.59961	9439.599609	9439.599609	0.933333
3176	023	3857	0.09	1525	1	65	100	3	9	8	11571	10046	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10799.59961	9274.599609	9274.599609	0.933333
3176	024	3832	0.09	1530	1	65	100	3	9	8	11496	9966	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10729.59961	9199.599609	9199.599609	0.933333
3176	026	3782	0.09	1340	1	65	100	3	9	8	11346	10006	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10589.59961	9249.599609	9249.599609	0.933333
3176	027	3757	0.09	2351	1	65	100	3	9	8	11271	8920	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10519.59961	8168.599609	8168.599609	0.933333
3177	004	4009	0.09	2655	1	65	100	3	9	8	12027	9372	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11225.2002	8570.200195	8570.200195	0.933333
3177	005	3759	0.09	1396	1	65	100	3	9	8	11277	9881	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10525.2002	9129.200195	9129.200195	0.933333
3177	006	3850	0.09	1390	1	65	100	3	9	8	11550	10160	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10780	9390	9390	0.933333
3177	007	3754	0.09	1296	1	65	100	3	9	8	11262	9966	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10511.2002	9215.200195	9215.200195	0.933333
3177	008	3880	0.09	2041	1	65	100	3	9	8	11640	9599	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10864	8823	8823	0.933333
3177	009	3658	0.08	1396	1	65	100	3	8	7	10974	9578	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10242.39941	8846.399414	8846.399414	0.933333
3177	011	3985	0.09	1300	1	65	100	3	9	8	11955	10655	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11158	9858	9858	0.933333
3177	012	3849	0.09	1296	1	65	100	3	9	8	11547	10251	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10777.2002	9481.200195	9481.200195	0.933333
3177	013	3889	0.09	1395	1	65	100	3	9	8	11667	10272	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10889.2002	9494.200195	9494.200195	0.933333
3177	032	3763	0.09	1200	1	65	100	3	9	8	11289	10089	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10536.39941	9336.399414	9336.399414	0.933333
3178	001	4004	0.09	1630	1	65	100	3	9	8	12012	10382	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11211.2002	9581.200195	9581.200195	0.933333
3178	002	3583	0.08	1881	1	65	100	3	8	7	10749	8868	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10032.39941	8151.399414	8151.399414	0.933333
3178	003	3692	0.08	1165	1	65	100	3	8	7	11076	9911	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10337.59961	9172.599609	9172.599609	0.933333
3178	004	3616	0.08	1615	1	65	100	3	8	7	10848	9233	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10124.7998	8509.799805	8509.799805	0.933333
3178	009	3887	0.09	1375	1	65	100	3	9	8	11661	10286	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10883.59961	9508.599609	9508.599609	0.933333
3178	011	3801	0.09	1355	1	65	100	3	9	8	11403	10048	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10642.7998	9287.799805	9287.799805	0.933333
3178	012	3819	0.09	2508	1	65	100	3	9	8	11457	8949	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10693.2002	8185.200195	8185.200195	0.933333
3181	004	4000	0.09	1000	1	65	100	3	9	8	12000	11000	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11200	10200	10200	0.933333
3189	012	3593	0.08	1500	1	65	100	3	8	7	10779	9279	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10060.39941	8560.399414	8560.399414	0.933333
3189	013	3649	0.08	1780	1	65	100	3	8	7	10947	9167	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10217.2002	8437.200195	8437.200195	0.933333
3189	020	3640	0.08	1615	1	65	100	3	8	7	10920	9305	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10192	8577	8577	0.933333
3196	002	3598	0.08	1452	1	85	140	4	11	10	14392	12940	RH-1(D)	40	form-based			true	0.7	8	0.727272749	7	7	10074.39941	8622.399414	8622.399414	0.7
3190	006	3687	0.08	2524	1	65	100	3	8	7	11061	8537	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10323.59961	7799.599609	7799.599609	0.933333
3191	002	4027	0.09	1360	1	65	100	3	9	8	12081	10721	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11275.59961	9915.599609	9915.599609	0.933333
3191	003	3890	0.09	1625	1	65	100	3	9	8	11670	10045	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10892	9267	9267	0.933333
3196	020	3719	0.09	1730	1	65	100	3	9	8	11157	9427	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10413.2002	8683.200195	8683.200195	0.933333
3197	001	3795	0.09	1711	1	65	100	3	9	8	11385	9674	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10626	8915	8915	0.933333
3197	002	3795	0.09	1151	1	65	100	3	9	8	11385	10234	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10626	9475	9475	0.933333
3197	005	3988	0.09	1125	1	85	140	4	13	12	15952	14827	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	11166.39941	10041.39941	10041.39941	0.7
3197	012	3779	0.09	1565	1	85	140	4	13	12	15116	13551	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	10581.2002	9016.200195	9016.200195	0.7
3198	017	3805	0.09	1250	1	65	100	3	9	8	11415	10165	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10654	9404	9404	0.933333
3199	003	4032	0.09	1375	1	65	100	3	9	8	12096	10721	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11289.59961	9914.599609	9914.599609	0.933333
3199	005	3622	0.08	2075	1	65	100	3	8	7	10866	8791	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10141.59961	8066.599609	8066.599609	0.933333
3199	006	3634	0.08	1000	1	65	100	3	8	7	10902	9902	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10175.2002	9175.200195	9175.200195	0.933333
3199	016	3625	0.08	1850	1	65	100	3	8	7	10875	9025	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10150	8300	8300	0.933333
3199	018	3818	0.09	1570	1	65	100	3	9	8	11454	9884	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10690.39941	9120.399414	9120.399414	0.933333
3252	002A	4008	0.09	3723	1	65	100	3	9	8	12024	8301	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	7499.399414	7499.399414	0.933333
3252	003	4006	0.09	1675	1	65	100	3	9	8	12018	10343	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11216.7998	9541.799805	9541.799805	0.933333
3254	017	3808	0.09	1922	1	65	100	3	9	8	11424	9502	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10662.39941	8740.399414	8740.399414	0.933333
3251	002	3995	0.09	1926	1	65	100	3	9	8	11985	10059	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11186	9260	9260	0.933333
3251	003	3997	0.09	1680	1	65	100	3	9	8	11991	10311	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11191.59961	9511.599609	9511.599609	0.933333
3251	004	3998	0.09	1782	1	65	100	3	9	8	11994	10212	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11194.39941	9412.399414	9412.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3251	007	4003	0.09	1610	1	65	100	3	9	8	12009	10399	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11208.39941	9598.399414	9598.399414	0.933333
3251	008	4005	0.09	1698	1	65	100	3	9	8	12015	10317	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11214	9516	9516	0.933333
3251	009	4006	0.09	1332	1	65	100	3	9	8	12018	10686	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11216.7998	9884.799805	9884.799805	0.933333
3251	011	4006	0.09	2192	1	65	100	3	9	8	12018	9826	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11216.7998	9024.799805	9024.799805	0.933333
3251	012	4005	0.09	1642	1	65	100	3	9	8	12015	10373	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11214	9572	9572	0.933333
3251	012A	4003	0.09	2113	1	65	100	3	9	8	12009	9896	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11208.39941	9095.399414	9095.399414	0.933333
3253	003	3980	0.09	1732	1	65	100	3	9	8	11940	10208	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11144	9412	9412	0.933333
3254	001	4044	0.09	1912	1	65	100	3	9	8	12132	10220	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11323.2002	9411.200195	9411.200195	0.933333
3252	007	4001	0.09	1781	1	65	100	3	9	8	12003	10222	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	9421.799805	9421.799805	0.933333
3252	007A	3999	0.09	3065	1	65	100	3	9	8	11997	8932	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11197.2002	8132.200195	8132.200195	0.933333
3252	008	3998	0.09	1524	1	65	100	3	9	8	11994	10470	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11194.39941	9670.399414	9670.399414	0.933333
3252	010A	3998	0.09	2400	1	65	100	3	9	8	11994	9594	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11194.39941	8794.399414	8794.399414	0.933333
3252	011	3999	0.09	2180	1	65	100	3	9	8	11997	9817	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11197.2002	9017.200195	9017.200195	0.933333
3252	012	4001	0.09	1836	1	65	100	3	9	8	12003	10167	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	9366.799805	9366.799805	0.933333
3252	015	4006	0.09	2050	1	65	100	3	9	8	12018	9968	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11216.7998	9166.799805	9166.799805	0.933333
3252	016	4008	0.09	2016	1	65	100	3	9	8	12024	10008	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	9206.399414	9206.399414	0.933333
3253	002	3830	0.09	1757	1	65	100	3	9	8	11490	9733	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10724	8967	8967	0.933333
3254	016	3891	0.09	3272	1	65	100	3	9	8	11673	8401	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10894.7998	7622.799805	7622.799805	0.933333
3253	004A	3581	0.08	3066	1	65	100	3	8	7	10743	7677	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10026.7998	6960.799805	6960.799805	0.933333
3253	006	3597	0.08	2490	1	65	100	3	8	7	10791	8301	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10071.59961	7581.599609	7581.599609	0.933333
3253	009A	3942	0.09	1490	1	65	100	3	9	8	11826	10336	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11037.59961	9547.599609	9547.599609	0.933333
3254	002	3893	0.09	1550	1	65	100	3	9	8	11679	10129	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10900.39941	9350.399414	9350.399414	0.933333
3254	004	4023	0.09	2929	1	65	100	3	9	8	12069	9140	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11264.39941	8335.399414	8335.399414	0.933333
3254	005	3984	0.09	2482	1	65	100	3	9	8	11952	9470	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11155.2002	8673.200195	8673.200195	0.933333
3254	006	3977	0.09	2294	1	65	100	3	9	8	11931	9637	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11135.59961	8841.599609	8841.599609	0.933333
3254	007	4001	0.09	1983	1	65	100	3	9	8	12003	10020	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	9219.799805	9219.799805	0.933333
3254	008	3996	0.09	1483	1	65	100	3	9	8	11988	10505	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11188.7998	9705.799805	9705.799805	0.933333
3254	009	4002	0.09	1908	1	65	100	3	9	8	12006	10098	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11205.59961	9297.599609	9297.599609	0.933333
3254	012	3990	0.09	1319	1	65	100	3	9	8	11970	10651	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11172	9853	9853	0.933333
3254	013	3975	0.09	1456	1	65	100	3	9	8	11925	10469	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11130	9674	9674	0.933333
3254	014	3960	0.09	1425	1	65	100	3	9	8	11880	10455	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11088	9663	9663	0.933333
3254	015	3950	0.09	1697	1	65	100	3	9	8	11850	10153	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11060	9363	9363	0.933333
3254	019	3766	0.09	1480	1	65	100	3	9	8	11298	9818	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10544.7998	9064.799805	9064.799805	0.933333
3254	020	3998	0.09	2510	1	65	100	3	9	8	11994	9484	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11194.39941	8684.399414	8684.399414	0.933333
3257	002	3738	0.09	1212	1	65	100	3	9	8	11214	10002	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10466.39941	9254.399414	9254.399414	0.933333
3257	003	4011	0.09	1212	1	65	100	3	9	8	12033	10821	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11230.7998	10018.7998	10018.7998	0.933333
3257	004	3925	0.09	1212	1	65	100	3	9	8	11775	10563	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10990	9778	9778	0.933333
3257	005	3887	0.09	2745	1	65	100	3	9	8	11661	8916	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10883.59961	8138.599609	8138.599609	0.933333
3257	006	3929	0.09	1476	1	65	100	3	9	8	11787	10311	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11001.2002	9525.200195	9525.200195	0.933333
3257	007	3900	0.09	1931	1	65	100	3	9	8	11700	9769	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10920	8989	8989	0.933333
3257	010	3919	0.09	1418	1	65	100	3	9	8	11757	10339	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10973.2002	9555.200195	9555.200195	0.933333
3257	011	3945	0.09	1205	1	65	100	3	9	8	11835	10630	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11046	9841	9841	0.933333
3257	012	3920	0.09	2204	1	85	140	4	13	12	15680	13476	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	10976	8772	8772	0.7
3257	013	3851	0.09	1408	1	85	140	4	13	12	15404	13996	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	10782.7998	9374.799805	9374.799805	0.7
3257	014	3796	0.09	1264	1	85	140	4	13	12	15184	13920	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	10628.7998	9364.799805	9364.799805	0.7
3257	023	4015	0.09	3534	1	65	100	3	9	8	12045	8511	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11242	7708	7708	0.933333
3257	025	3641	0.08	2965	1	65	100	3	8	7	10923	7958	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10194.7998	7229.799805	7229.799805	0.933333
3257	026	3698	0.08	2700	1	65	100	3	8	7	11094	8394	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10354.39941	7654.399414	7654.399414	0.933333
3257	027	3736	0.09	1449	1	65	100	3	9	8	11208	9759	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10460.7998	9011.799805	9011.799805	0.933333
3257	028	3766	0.09	2431	1	65	100	3	9	8	11298	8867	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10544.7998	8113.799805	8113.799805	0.933333
3257	029	3710	0.09	2760	1	65	100	3	9	8	11130	8370	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10388	7628	7628	0.933333
3257	030	3722	0.09	2332	1	65	100	3	9	8	11166	8834	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10421.59961	8089.599609	8089.599609	0.933333
3258	003	3820	0.09	2223	1	65	100	3	9	8	11460	9237	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10696	8473	8473	0.933333
3258	004	3951	0.09	3217	1	65	100	3	9	8	11853	8636	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11062.7998	7845.799805	7845.799805	0.933333
3259	012	4024	0.09	2653	1	65	100	3	9	8	12072	9419	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11267.2002	8614.200195	8614.200195	0.933333
3259	013	3928	0.09	1592	1	65	100	3	9	8	11784	10192	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10998.39941	9406.399414	9406.399414	0.933333
3260	003	3901	0.09	1530	1	55	80	2.5	7	6	9752	8222	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10922.7998	9392.799805	9392.799805	1.120057
3259	014	3927	0.09	1900	1	65	100	3	9	8	11781	9881	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10995.59961	9095.599609	9095.599609	0.933333
3258	027	3651	0.08	2927	1	65	100	3	8	7	10953	8026	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10222.7998	7295.799805	7295.799805	0.933333
3259	003	4017	0.09	3285	1	65	100	3	9	8	12051	8766	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11247.59961	7962.599609	7962.599609	0.933333
3259	005	4034	0.09	1660	1	65	100	3	9	8	12102	10442	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11295.2002	9635.200195	9635.200195	0.933333
3259	016	3934	0.09	1603	1	65	100	3	9	8	11802	10199	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11015.2002	9412.200195	9412.200195	0.933333
3259	017	3887	0.09	1514	1	65	100	3	9	8	11661	10147	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10883.59961	9369.599609	9369.599609	0.933333
3259	018	3997	0.09	2149	1	65	100	3	9	8	11991	9842	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11191.59961	9042.599609	9042.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3259	019	4013	0.09	2580	1	65	100	3	9	8	12039	9459	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11236.39941	8656.399414	8656.399414	0.933333
3259	020	3975	0.09	2691	1	65	100	3	9	8	11925	9234	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11130	8439	8439	0.933333
3262	005	3994	0.09	1940	1	65	100	3	9	8	11982	10042	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11183.2002	9243.200195	9243.200195	0.933333
3262	007	4019	0.09	2318	1	65	100	3	9	8	12057	9739	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11253.2002	8935.200195	8935.200195	0.933333
3261	003	3998	0.09	3212	1	65	100	3	9	8	11994	8782	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11194.39941	7982.399414	7982.399414	0.933333
3261	004	3885	0.09	1624	1	65	100	3	9	8	11655	10031	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10878	9254	9254	0.933333
3261	006	3831	0.09	2842	1	65	100	3	9	8	11493	8651	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10726.7998	7884.799805	7884.799805	0.933333
3261	007	3866	0.09	1792	1	65	100	3	9	8	11598	9806	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10824.7998	9032.799805	9032.799805	0.933333
3261	008	3937	0.09	1820	1	65	100	3	9	8	11811	9991	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11023.59961	9203.599609	9203.599609	0.933333
3261	009	3908	0.09	2131	1	65	100	3	9	8	11724	9593	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10942.39941	8811.399414	8811.399414	0.933333
3261	010	3866	0.09	1768	1	65	100	3	9	8	11598	9830	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10824.7998	9056.799805	9056.799805	0.933333
3261	012	3697	0.08	2949	1	65	100	3	8	7	11091	8142	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10351.59961	7402.599609	7402.599609	0.933333
3262	010	3898	0.09	1876	1	65	100	3	9	8	11694	9818	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10914.39941	9038.399414	9038.399414	0.933333
3262	011	3992	0.09	2087	1	65	100	3	9	8	11976	9889	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11177.59961	9090.599609	9090.599609	0.933333
3262	012	3934	0.09	1917	1	65	100	3	9	8	11802	9885	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11015.2002	9098.200195	9098.200195	0.933333
3267	012	3634	0.08	3487	1	65	100	3	8	7	10902	7415	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10175.2002	6688.200195	6688.200195	0.933333
3261	013	3942	0.09	2544	1	65	100	3	9	8	11826	9282	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11037.59961	8493.599609	8493.599609	0.933333
3262	004	3971	0.09	3856	1	65	100	3	9	8	11913	8057	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11118.7998	7262.799805	7262.799805	0.933333
3263	008	3699	0.08	2390	1	55	80	2.5	6	5	9248	6858	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10357.2002	7967.200195	7967.200195	1.119939
3264	004	3849	0.09	2455	1	65	100	3	9	8	11547	9092	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10777.2002	8322.200195	8322.200195	0.933333
3264	005	3898	0.09	1920	1	65	100	3	9	8	11694	9774	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10914.39941	8994.399414	8994.399414	0.933333
3264	007	3663	0.08	1418	1	65	100	3	8	7	10989	9571	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10256.39941	8838.399414	8838.399414	0.933333
3264	008	3746	0.09	2656	1	65	100	3	9	8	11238	8582	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10488.7998	7832.799805	7832.799805	0.933333
3264	009	3667	0.08	1518	1	65	100	3	8	7	11001	9483	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10267.59961	8749.599609	8749.599609	0.933333
3264	010	3740	0.09	3077	1	65	100	3	9	8	11220	8143	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10472	7395	7395	0.933333
3267	013	3670	0.08	1557	1	65	100	3	8	7	11010	9453	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10276	8719	8719	0.933333
3267	014	3640	0.08	1720	1	65	100	3	8	7	10920	9200	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10192	8472	8472	0.933333
3264	013	3981	0.09	1660	1	65	100	3	9	8	11943	10283	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11146.7998	9486.799805	9486.799805	0.933333
3264	014	3988	0.09	1552	1	65	100	3	9	8	11964	10412	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11166.39941	9614.399414	9614.399414	0.933333
3264	015	3973	0.09	1736	1	65	100	3	9	8	11919	10183	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11124.39941	9388.399414	9388.399414	0.933333
3264	016	4037	0.09	2214	1	65	100	3	9	8	12111	9897	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11303.59961	9089.599609	9089.599609	0.933333
3264	017	3881	0.09	2535	1	65	100	3	9	8	11643	9108	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10866.7998	8331.799805	8331.799805	0.933333
3267	015	3576	0.08	3503	1	65	100	3	8	7	10728	7225	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10012.7998	6509.799805	6509.799805	0.933333
3265	002	3596	0.08	2097	1	65	100	3	8	7	10788	8691	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10068.7998	7971.799805	7971.799805	0.933333
3265	008	3577	0.08	1752	1	65	100	3	8	7	10731	8979	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10015.59961	8263.599609	8263.599609	0.933333
3267	001	3962	0.09	1672	1	65	100	3	9	8	11886	10214	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11093.59961	9421.599609	9421.599609	0.933333
3267	002	4013	0.09	2148	1	65	100	3	9	8	12039	9891	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11236.39941	9088.399414	9088.399414	0.933333
3267	003	3995	0.09	2706	1	65	100	3	9	8	11985	9279	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11186	8480	8480	0.933333
3267	004	3695	0.08	1924	1	65	100	3	8	7	11085	9161	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10346	8422	8422	0.933333
3267	005	3648	0.08	2044	1	65	100	3	8	7	10944	8900	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10214.39941	8170.399414	8170.399414	0.933333
3267	006	3656	0.08	2976	1	65	100	3	8	7	10968	7992	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10236.7998	7260.799805	7260.799805	0.933333
3267	007	3753	0.09	1631	1	65	100	3	9	8	11259	9628	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10508.39941	8877.399414	8877.399414	0.933333
3267	008	3647	0.08	2747	1	65	100	3	8	7	10941	8194	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10211.59961	7464.599609	7464.599609	0.933333
3267	009	3586	0.08	2057	1	65	100	3	8	7	10758	8701	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10040.7998	7983.799805	7983.799805	0.933333
3267	010	3840	0.09	1432	1	65	100	3	9	8	11520	10088	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10752	9320	9320	0.933333
3267	025	3960	0.09	2286	1	65	100	3	9	8	11880	9594	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11088	8802	8802	0.933333
3267	028	4037	0.09	1580	1	65	100	3	9	8	12111	10531	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11303.59961	9723.599609	9723.599609	0.933333
3267	029	3932	0.09	2276	1	65	100	3	9	8	11796	9520	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11009.59961	8733.599609	8733.599609	0.933333
3267	030	3987	0.09	2581	1	65	100	3	9	8	11961	9380	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11163.59961	8582.599609	8582.599609	0.933333
3269	004	3883	0.09	3095	1	65	100	3	9	8	11649	8554	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10872.39941	7777.399414	7777.399414	0.933333
3269	005	3687	0.08	2197	1	65	100	3	8	7	11061	8864	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10323.59961	8126.599609	8126.599609	0.933333
3269	007	3674	0.08	1809	1	65	100	3	8	7	11022	9213	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10287.2002	8478.200195	8478.200195	0.933333
3269	008	3593	0.08	1700	1	65	100	3	8	7	10779	9079	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10060.39941	8360.399414	8360.399414	0.933333
3269	008A	3874	0.09	1564	1	65	100	3	9	8	11622	10058	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10847.2002	9283.200195	9283.200195	0.933333
3270	011	2254	0.05	1105	1	65	100	3	5	4	6762	5657	RTO-C	65	form-based		true	true	0.75	8	1.600000024	7	7	10143	9038	9038	1.5
3270	011C	2202	0.05	1300	1	65	100	3	5	4	6606	5306	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9909	8609	8609	1.5
3270	011D	2196	0.05	1310	1	65	100	3	5	4	6588	5278	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9882	8572	8572	1.5
3270	011E	2004	0.05	1752	1	65	100	3	5	4	6012	4260	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9018	7266	7266	1.5
3270	011F	2174	0.05	1290	1	65	100	3	5	4	6522	5232	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9783	8493	8493	1.5
3270	013	4021	0.09	2965	1	65	100	3	9	8	12063	9098	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11258.7998	8293.799805	8293.799805	0.933333
3270	014	4017	0.09	2516	1	65	100	3	9	8	12051	9535	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11247.59961	8731.599609	8731.599609	0.933333
3270	015	3713	0.09	2933	1	65	100	3	9	8	11139	8206	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10396.39941	7463.399414	7463.399414	0.933333
3270	016	3954	0.09	1740	1	65	100	3	9	8	11862	10122	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11071.2002	9331.200195	9331.200195	0.933333
3270	017	3715	0.09	1685	1	65	100	3	9	8	11145	9460	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10402	8717	8717	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3270	022	3837	0.09	2130	1	65	100	3	9	8	11511	9381	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10743.59961	8613.599609	8613.599609	0.933333
3272	002	3960	0.09	2884	1	65	100	3	9	8	11880	8996	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11088	8204	8204	0.933333
3272	003	3763	0.09	2040	1	65	100	3	9	8	11289	9249	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10536.39941	8496.399414	8496.399414	0.933333
3272	004	3603	0.08	1806	1	65	100	3	8	7	10809	9003	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10088.39941	8282.399414	8282.399414	0.933333
3272	008	3670	0.08	2085	1	65	100	3	8	7	11010	8925	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10276	8191	8191	0.933333
3272	009	3773	0.09	1963	1	65	100	3	9	8	11319	9356	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10564.39941	8601.399414	8601.399414	0.933333
3272	011	3796	0.09	2476	1	65	100	3	9	8	11388	8912	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10628.7998	8152.799805	8152.799805	0.933333
3272	012	3847	0.09	1572	1	65	100	3	9	8	11541	9969	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10771.59961	9199.599609	9199.599609	0.933333
3273	017	3898	0.09	3591	1	55	80	2.5	7	6	9745	6154	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10914.39941	7323.399414	7323.399414	1.12
3273	018	3727	0.09	2328	1	55	80	2.5	7	6	9318	6990	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10435.59961	8107.599609	8107.599609	1.11994
3273	020	3594	0.08	1938	1	65	100	3	8	7	10782	8844	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10063.2002	8125.200195	8125.200195	0.933333
3273	025	3646	0.08	1965	1	65	100	3	8	7	10938	8973	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10208.7998	8243.799805	8243.799805	0.933333
3273	027	3800	0.09	2870	1	55	80	2.5	7	6	9500	6630	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	7770	7770	1.12
3273	027A	3755	0.09	1824	1	55	80	2.5	7	6	9388	7564	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10514	8690	8690	1.11994
3273	028	3738	0.09	2202	1	55	80	2.5	7	6	9345	7143	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10466.39941	8264.399414	8264.399414	1.12
3276	014	3993	0.09	1468	1	65	100	3	9	8	11979	10511	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11180.39941	9712.399414	9712.399414	0.933333
3274	013	3603	0.08	1777	1	55	80	2.5	6	5	9008	7231	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10088.39941	8311.399414	8311.399414	1.119938
3274	019	4031	0.09	1863	1	55	80	2.5	7	6	10078	8215	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11286.7998	9423.799805	9423.799805	1.119944
3274	021	3612	0.08	1700	1	55	80	2.5	6	5	9030	7330	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10113.59961	8413.599609	8413.599609	1.12
3275	009	3706	0.09	1794	1	65	100	3	9	8	11118	9324	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10376.7998	8582.799805	8582.799805	0.933333
3275	010	3781	0.09	1794	1	65	100	3	9	8	11343	9549	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10586.7998	8792.799805	8792.799805	0.933333
3275	011	3725	0.09	3109	1	65	100	3	9	8	11175	8066	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10430	7321	7321	0.933333
3274	022	4020	0.09	2518	1	55	80	2.5	7	6	10050	7532	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	11256	8738	8738	1.12
3275	001	3748	0.09	3323	1	65	100	3	9	8	11244	7921	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10494.39941	7171.399414	7171.399414	0.933333
3275	003	3871	0.09	2526	1	65	100	3	9	8	11613	9087	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10838.7998	8312.799805	8312.799805	0.933333
3275	008	3607	0.08	1692	1	65	100	3	8	7	10821	9129	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10099.59961	8407.599609	8407.599609	0.933333
3275	017	4324	0.1	3456	2	65	100	3	10	8	12972	9516	RH-1(D)	40	form-based			true	0.7	9	0.899999976	7	7	12107.2002	8651.200195	8651.200195	0.933333
3275	020	3575	0.08	1680	1	65	100	3	8	7	10725	9045	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10010	8330	8330	0.933333
3275A	001	3613	0.08	1854	1	55	80	2.5	6	5	9032	7178	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10116.39941	8262.399414	8262.399414	1.120062
3275A	003	3961	0.09	2157	1	55	80	2.5	7	6	9902	7745	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	11090.7998	8933.799805	8933.799805	1.120057
3275A	007	3854	0.09	2138	1	65	100	3	9	8	11562	9424	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10791.2002	8653.200195	8653.200195	0.933333
3275A	011	4024	0.09	2069	1	65	100	3	9	8	12072	10003	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11267.2002	9198.200195	9198.200195	0.933333
3276	009	4010	0.09	2298	1	65	100	3	9	8	12030	9732	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11228	8930	8930	0.933333
3276	013	3994	0.09	2232	1	65	100	3	9	8	11982	9750	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11183.2002	8951.200195	8951.200195	0.933333
3276	026	3671	0.08	1886	1	65	100	3	8	7	11013	9127	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10278.7998	8392.799805	8392.799805	0.933333
3278	011	3621	0.08	1362	1	65	100	3	8	7	10863	9501	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10138.7998	8776.799805	8776.799805	0.933333
3278	013	3586	0.08	2209	1	65	100	3	8	7	10758	8549	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10040.7998	7831.799805	7831.799805	0.933333
3279	008	3623	0.08	1960	1	65	100	3	8	7	10869	8909	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10144.39941	8184.399414	8184.399414	0.933333
3279	010	3646	0.08	1912	1	65	100	3	8	7	10938	9026	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10208.7998	8296.799805	8296.799805	0.933333
3279	011A	3630	0.08	1664	1	85	140	4	11	10	14520	12856	RH-1(D)	40	form-based			true	0.7	8	0.727272749	7	7	10164	8500	8500	0.7
3279	023	3639	0.08	1781	1	65	100	3	8	7	10917	9136	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10189.2002	8408.200195	8408.200195	0.933333
3279	024	3782	0.09	2848	1	65	100	3	9	8	11346	8498	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10589.59961	7741.599609	7741.599609	0.933333
3280	014	3877	0.09	2373	1	65	100	3	9	8	11631	9258	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10855.59961	8482.599609	8482.599609	0.933333
3281	018A	3656	0.08	990	1	65	100	3	8	7	10968	9978	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10236.7998	9246.799805	9246.799805	0.933333
3281	004	3806	0.09	1941	1	65	100	3	9	8	11418	9477	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10656.7998	8715.799805	8715.799805	0.933333
3281	005	3586	0.08	1902	1	65	100	3	8	7	10758	8856	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10040.7998	8138.799805	8138.799805	0.933333
3281	023	3959	0.09	1296	1	65	100	3	9	8	11877	10581	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11085.2002	9789.200195	9789.200195	0.933333
3281	023A	3912	0.09	1850	1	65	100	3	9	8	11736	9886	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10953.59961	9103.599609	9103.599609	0.933333
3282	001	3735	0.09	2268	1	65	100	3	9	8	11205	8937	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10458	8190	8190	0.933333
3282	003	3741	0.09	1642	1	65	100	3	9	8	11223	9581	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10474.7998	8832.799805	8832.799805	0.933333
3282	004	3576	0.08	1642	1	65	100	3	8	7	10728	9086	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10012.7998	8370.799805	8370.799805	0.933333
3282	012	3577	0.08	2768	1	65	100	3	8	7	10731	7963	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10015.59961	7247.599609	7247.599609	0.933333
3282	013	3615	0.08	1750	1	65	100	3	8	7	10845	9095	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8372	8372	0.933333
3282	014	3702	0.08	1773	1	65	100	3	8	7	11106	9333	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10365.59961	8592.599609	8592.599609	0.933333
3282	022	3825	0.09	1650	1	65	100	3	9	8	11475	9825	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10710	9060	9060	0.933333
3282	024	3918	0.09	1375	1	65	100	3	9	8	11754	10379	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10970.39941	9595.399414	9595.399414	0.933333
3282	026	3846	0.09	1877	1	65	100	3	9	8	11538	9661	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10768.7998	8891.799805	8891.799805	0.933333
3282	026A	3977	0.09	2255	1	65	100	3	9	8	11931	9676	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11135.59961	8880.599609	8880.599609	0.933333
3282	027	1743	0.04	1332	2	65	100	3	4	2	5229	3897	NCT-OCEA	85	form-based			true	0.75	9	2.25	7	6	10458	9126	9126	2
3501	011	1818	0.04	1364	3	85	140	4	6	3	7272	5908	NCT-3	85	form-based			true	0.75	10	1.666666627	7	7	10908	9544	9544	1.5
3502	032	1972	0.05	4425	3	65	100	3	5	2	5916	1491	RTO-1	85	form-based			true	0.7	10	2	7	7	11043.2002	6618.200195	6618.200195	1.866667
3502	034	1972	0.05	6190	3	85	140	4	7	4	7888	1698	RTO-1	85	form-based			true	0.7	10	1.428571463	7	7	11043.2002	4853.200195	4853.200195	1.4
3504	026	2422	0.06	1247	0	65	100	3	6	6	7266	6019	NCT-3	50	form-based				0.75	7	1.166666627	7	7	9082.5	7835.5	7835.5	1.25
3505	025	3061	0.07	3027	0	65	100	3	7	7	9183	6156	NCT-3	40	form-based		true		0.75	7	1	7	7	9183	6156	6156	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3510	014	2207	0.05	2250	0	65	100	3	5	5	6621	4371	WMUG	55	form-based				0.75	7	1.399999976	7	7	8276.25	6026.25	6026.25	1.25
3510	018	2207	0.05	2250	0	65	100	3	5	5	6621	4371	WMUG	55	form-based				0.75	7	1.399999976	7	7	8276.25	6026.25	6026.25	1.25
3510	019	2207	0.05	2324	0	65	100	3	5	5	6621	4297	WMUG	55	form-based				0.75	7	1.399999976	7	7	8276.25	5952.25	5952.25	1.25
3511	017	1900	0.04	4248	3	65	100	3	4	1	5700	1452	WMUG	85	form-based			true	0.75	10	2.5	7	5	11400	7152	7152	2
3511	019	1837	0.04	3540	3	65	100	3	4	1	5511	1971	WMUG	85	form-based			true	0.75	10	2.5	7	5	11022	7482	7482	2
3513	024	2400	0.06	0	0	65	100	3	6	6	7200	7200	NCT-3	50	form-based				0.75	7	1.166666627	7	7	9000	9000	9000	1.25
3513	055	2125	0.05	3168	4	65	100	3	5	1	6375	3207	NCT-3	85	form-based				0.75	11	2.200000048	7	6	12750	9582	9582	2
3515	011	1999	0.05	4185	3	65	100	3	5	2	5997	1812	WMUG	85	form-based			true	0.75	10	2	7	7	11994	7809	7809	2
3516	010	1246	0.03	1248	0	65	100	3	3	3	3738	2490	WMUG	85	form-based		true	true	0.75	7	2.333333254	7	6	7476	6228	6228	2
3519	014	2375	0.05	3910	0	65	100	3	5	5	7125	3215	WMUG	55	form-based				0.75	7	1.399999976	7	7	8906.25	4996.25	4996.25	1.25
3519	016	2375	0.05	0	0	65	100	3	5	5	7125	7125	WMUG	55	form-based				0.75	7	1.399999976	7	7	8906.25	8906.25	8906.25	1.25
3519	030	3025	0.07	6000	0	65	100	3	7	7	9075	3075	RED	40	form-based				0.75	7	1	7	7	9075	3075	3075	1
3519	068	1946	0.04	1844	0	65	100	3	4	4	5838	3994	NCT-FOLSC	65	form-based				0.75	7	1.75	7	7	8757	6913	6913	1.5
3521	019	1805	0.04	1902	2	65	100	3	4	2	5415	3513	WMUG	85	form-based			true	0.75	9	2.25	7	6	10830	8928	8928	2
3521	032	1662	0.04	2210	2	55	80	2.5	3	1	4155	1945	WMUG	85	form-based			true	0.75	9	3	7	4	9972	7762	6100	2.4
3521	052	1287	0.03	1350	0	55	80	2.5	2	2	3218	1868	WMUG	85	form-based			true	0.75	7	3.5	7	4	7722	6372	5086	2.399627
3522	028	3262	0.07	5706	0	65	100	3	7	7	9786	4080	RED	40	form-based				0.75	7	1	7	7	9786	4080	4080	1
3522	058	1842	0.04	3934	3	65	100	3	4	1	5526	1592	WMUG	85	form-based			true	0.75	10	2.5	7	5	11052	7118	7118	2
3532	010	2500	0.06	3128	2	65	100	3	6	4	7500	4372	UMU	68	form-based				0.75	9	1.5	7	7	11250	8122	8122	1.5
3534	068	2882	0.07	3226	1	65	100	3	7	6	8646	5420	RTO-1	50	form-based		true	true	0.7	8	1.142857194	7	7	10087	6861	6861	1.166667
3534	111	3883	0.09	1828	4	65	100	3	9	5	11649	9821	RTO-1	50	form-based			true	0.7	11	1.222222209	7	7	13590.5	11762.5	11762.5	1.166667
3534	115	3883	0.09	971	4	65	100	3	9	5	11649	10678	RTO-1	50	form-based			true	0.7	11	1.222222209	7	7	13590.5	12619.5	12619.5	1.166667
3537	033	5625	0.13	14250	9	65	100	3	13	4	16875	2625	RTO-1	50	form-based			true	0.7	16	1.230769277	7	7	19687.5	5437.5	5437.5	1.166667
3537	081	3921	0.09	4224	4	65	100	3	9	5	11763	7539	RTO-1	50	form-based			true	0.7	11	1.222222209	7	7	13723.5	9499.5	9499.5	1.166667
3537	110	3136	0.07	4968	2	65	100	3	7	5	9408	4440	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10976	6008	6008	1.166667
3538	001	2304	0.05	4091	5	65	100	3	5	0	6912	2821	RTO-C	85	form-based		true	true	0.75	12	2.400000095	7	5	13824	9733	9733	2
3538	038	4037	0.09	1504	1	65	100	3	9	8	12111	10607	RTO-1	40	form-based			true	0.7	8	0.888888896	7	7	11303.59961	9799.599609	9799.599609	0.933333
3538	091	1800	0.04	2112	2	65	100	3	4	2	5400	3288	RTO-C	85	form-based			true	0.75	9	2.25	7	6	10800	8688	8688	2
3538	099	1919	0.04	1384	3	65	100	3	4	1	5757	4373	RTO-C	85	form-based			true	0.75	10	2.5	7	5	11514	10130	10130	2
3540	001	5304	0.12	4100	4	65	100	3	12	8	15912	11812	RM-1	40	form-based		true	true	0.7	11	0.916666687	7	7	14851.2002	10751.2002	10751.2002	0.933333
3540	028	4600	0.11	3372	3	65	100	3	11	8	13800	10428	RH-3	40	form-based			true	0.7	10	0.909090936	7	7	12880	9508	9508	0.933333
3540	080	3998	0.09	908	1	65	100	3	9	8	11994	11086	RH-3	40	form-based			true	0.7	8	0.888888896	7	7	11194.39941	10286.39941	10286.39941	0.933333
3541	011	2875	0.07	1100	1	85	140	4	10	9	11500	10400	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	10062.5	8962.5	8962.5	0.875
3541	015	2875	0.07	3316	1	65	100	3	7	6	8625	5309	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10062.5	6746.5	6746.5	1.166667
3541	016	2875	0.07	1560	1	65	100	3	7	6	8625	7065	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10062.5	8502.5	8502.5	1.166667
3541	021	2875	0.07	1512	1	65	100	3	7	6	8625	7113	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10062.5	8550.5	8550.5	1.166667
3541	152	3450	0.08	1037	3	65	100	3	8	5	10350	9313	RH-2	50	form-based			true	0.7	10	1.25	7	7	12075	11038	11038	1.166667
3542	024A	3207	0.07	3400	2	65	100	3	7	5	9621	6221	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	11224.5	7824.5	7824.5	1.166667
3544	022	3125	0.07	2700	2	65	100	3	7	5	9375	6675	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	8237.5	8237.5	1.166667
3544	029	3125	0.07	2250	2	65	100	3	7	5	9375	7125	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	8687.5	8687.5	1.166667
3544	034	3125	0.07	2792	2	85	140	4	10	8	12500	9708	RTO-1	50	form-based			true	0.7	9	0.899999976	7	7	10937.5	8145.5	8145.5	0.875
3544	051	2125	0.05	4650	3	65	100	3	5	2	6375	1725	RTO-1	85	form-based			true	0.7	10	2	7	7	11900	7250	7250	1.866667
3544	078	5250	0.12	5040	8	65	100	3	12	4	15750	10710	RTO-1	50	form-based			true	0.7	15	1.25	7	7	18375	13335	13335	1.166667
3544	096	3125	0.07	1270	2	65	100	3	7	5	9375	8105	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	9667.5	9667.5	1.166667
3544	103	3125	0.07	1460	2	65	100	3	7	5	9375	7915	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	9477.5	9477.5	1.166667
3545	025A	8341	0.19	5054	7	65	100	3	19	12	25023	19969	RTO-1	40	density-lim	600			0.7	14	0.736842096	7	7	23354.79883	18300.79883	18300.79883	0.933333
3545	051	5754	0.13	8600	9	65	100	3	13	4	17262	8662	RTO-1	50	form-based			true	0.7	16	1.230769277	7	7	20139	11539	11539	1.166667
3546	032	3250	0.07	1307	0	75	120	3.5	8	8	11375	10068	NCT-VALEI	45	form-based				0.75	7	0.875	7	7	9750	8443	8443	0.857143
3547	007	2384	0.05	2375	0	75	120	3.5	6	6	8344	5969	NCT-VALEI	55	form-based				0.75	7	1.166666627	7	7	8940	6565	6565	1.071429
3547	008	2394	0.05	3500	0	75	120	3.5	6	6	8379	4879	NCT-VALEI	55	form-based		true		0.75	7	1.166666627	7	7	8977.5	5477.5	5477.5	1.071429
3547	033	4962	0.11	1483	8	75	120	3.5	13	5	17367	15884	NCT-VALEI	55	form-based				0.75	15	1.153846145	7	7	18607.5	17124.5	17124.5	1.071429
3549	028	2355	0.05	4375	0	75	120	3.5	6	6	8242	3867	UMU	58	form-based				0.75	7	1.166666627	7	7	8831.25	4456.25	4456.25	1.071494
3549	030	3726	0.09	3549	4	75	120	3.5	11	7	13041	9492	UMU	58	form-based				0.75	11	1	7	7	13972.5	10423.5	10423.5	1.071429
3549	056	3000	0.07	2560	2	75	120	3.5	8	6	10500	7940	UMU	58	form-based				0.75	9	1.125	7	7	11250	8690	8690	1.071429
3549	057	3000	0.07	2896	2	75	120	3.5	8	6	10500	7604	UMU	58	form-based				0.75	9	1.125	7	7	11250	8354	8354	1.071429
3549	059	3000	0.07	2854	2	75	120	3.5	8	6	10500	7646	UMU	58	form-based				0.75	9	1.125	7	7	11250	8396	8396	1.071429
3549	090	3000	0.07	584	2	75	120	3.5	8	6	10500	9916	UMU	58	form-based				0.75	9	1.125	7	7	11250	10666	10666	1.071429
3552	021	3726	0.09	6632	4	75	120	3.5	11	7	13041	6409	UMU	58	form-based				0.75	11	1	7	7	13972.5	7340.5	7340.5	1.071429
3552	026	3300	0.08	4050	3	75	120	3.5	10	7	11550	7500	UMU	58	form-based				0.75	10	1	7	7	12375	8325	8325	1.071429
3552	031	3600	0.08	3242	4	75	120	3.5	10	6	12600	9358	UMU	58	form-based				0.75	11	1.100000024	7	7	13500	10258	10258	1.071429
3552	038	3000	0.07	3336	2	75	120	3.5	8	6	10500	7164	UMU	58	form-based				0.75	9	1.125	7	7	11250	7914	7914	1.071429
3553	047	3600	0.08	2600	1	75	120	3.5	10	9	12600	10000	RTO-M	40	form-based				0.7	8	0.800000012	7	7	10080	7480	7480	0.8
3554	003	2693	0.06	7752	7	75	120	3.5	7	0	9426	1674	NCT-MISSI	80	form-based				0.75	14	2	7	7	16158	8406	8406	1.714195
3555	009	2268	0.05	4100	0	75	120	3.5	6	6	7938	3838	NCT-VALEI	55	form-based				0.75	7	1.166666627	7	7	8505	4405	4405	1.071429

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3555	021	2229	0.05	7280	0	75	120	3.5	6	6	7802	522	NCT-VALEI	55	form-based		true		0.75	7	1.166666627	7	7	8358.75	1078.75	1078.75	1.07136
3556	036	3149	0.07	3594	0	65	100	3	7	7	9447	5853	RTO-1	40	form-based			true	0.7	7	1	7	7	8817.200195	5223.200195	5223.200195	0.933333
3557	008	4515	0.1	5886	6	65	100	3	10	4	13545	7659	RTO-1	50	form-based			true	0.7	13	1.299999952	7	7	15802.5	9916.5	9916.5	1.166667
3557	023	3095	0.07	2691	2	65	100	3	7	5	9285	6594	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10832.5	8141.5	8141.5	1.166667
3557	025	3096	0.07	1580	2	65	100	3	7	5	9288	7708	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10836	9256	9256	1.166667
3557	026	3097	0.07	2240	2	85	140	4	10	8	12388	10148	RTO-1	50	form-based			true	0.7	9	0.899999976	7	7	10839.5	8599.5	8599.5	0.875
3557	133	3096	0.07	3343	2	65	100	3	7	5	9288	5945	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10836	7493	7493	1.166667
3558	002	3114	0.07	3468	4	65	100	3	7	3	9342	5874	RTO-1	65	form-based			true	0.7	11	1.571428537	7	7	13078.7998	9610.799805	9610.799805	1.4
3558	003	3488	0.08	2970	5	65	100	3	8	3	10464	7494	RTO-1	65	form-based			true	0.7	12	1.5	7	7	14649.59961	11679.59961	11679.59961	1.4
3558	043A	3125	0.07	2804	2	65	100	3	7	5	9375	6571	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	8133.5	8133.5	1.166667
3558	047	3125	0.07	2880	2	65	100	3	7	5	9375	6495	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	8057.5	8057.5	1.166667
3558	050	3125	0.07	3138	2	65	100	3	7	5	9375	6237	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	7799.5	7799.5	1.166667
3558	059	3125	0.07	2180	2	65	100	3	7	5	9375	7195	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	8757.5	8757.5	1.166667
3558	064	3125	0.07	2550	2	65	100	3	7	5	9375	6825	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	8387.5	8387.5	1.166667
3558	108	4375	0.1	659	5	65	100	3	10	5	13125	12466	RTO-1	50	form-based			true	0.7	12	1.200000048	7	7	15312.5	14653.5	14653.5	1.166667
3558	133	3125	0.07	1281	2	85	140	4	10	8	12500	11219	RTO-1	50	form-based			true	0.7	9	0.899999976	7	7	10937.5	9656.5	9656.5	0.875
3558	159	3150	0.07	1165	2	85	140	4	10	8	12600	11435	RTO-1	50	form-based			true	0.7	9	0.899999976	7	7	11025	9860	9860	0.875
3558	161	3125	0.07	1900	2	65	100	3	7	5	9375	7475	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	9037.5	9037.5	1.166667
3558	163	3125	0.07	1242	2	65	100	3	7	5	9375	8133	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	9695.5	9695.5	1.166667
3558	170	3125	0.07	1215	2	65	100	3	7	5	9375	8160	RTO-1	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	9722.5	9722.5	1.166667
3559	008	5500	0.13	7165	10	65	100	3	13	3	16500	9335	NCT-UPPEI	50	form-based		true	true	0.75	17	1.307692289	7	7	20625	13460	13460	1.25
3561	038	2500	0.06	3153	0	65	100	3	6	6	7500	4347	RH-3	50	form-based			true	0.7	7	1.166666627	7	7	8750	5597	5597	1.166667
3561	042	2875	0.07	1738	1	65	100	3	7	6	8625	6887	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10062.5	8324.5	8324.5	1.166667
3561	044	2875	0.07	2300	1	65	100	3	7	6	8625	6325	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10062.5	7762.5	7762.5	1.166667
3561	046	2875	0.07	3202	1	65	100	3	7	6	8625	5423	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10062.5	6860.5	6860.5	1.166667
3561	048	2875	0.07	2053	1	65	100	3	7	6	8625	6572	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10062.5	8009.5	8009.5	1.166667
3561	049	2875	0.07	1650	1	65	100	3	7	6	8625	6975	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10062.5	8412.5	8412.5	1.166667
3561	058	2875	0.07	2131	1	65	100	3	7	6	8625	6494	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10062.5	7931.5	7931.5	1.166667
3561	081	2887	0.07	1200	1	65	100	3	7	6	8661	7461	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10104.5	8904.5	8904.5	1.166667
3561	084	2887	0.07	1064	1	65	100	3	7	6	8661	7597	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10104.5	9040.5	9040.5	1.166667
3561	128	4331	0.1	1200	2	65	100	3	10	8	12993	11793	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12126.7998	10926.7998	10926.7998	0.933333
3562	032	1800	0.04	2964	2	65	100	3	4	2	5400	2436	RTO-C	85	form-based			true	0.75	9	2.25	7	6	10800	7836	7836	2
3563	007	3250	0.07	3068	2	85	140	4	10	8	13000	9932	RH-3	50	form-based			true	0.7	9	0.899999976	7	7	11375	8307	8307	0.875
3564	070B	2700	0.06	1300	1	65	100	3	6	5	8100	6800	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9450	8150	8150	1.166667
3566	019	2708	0.06	1400	1	65	100	3	6	5	8124	6724	RH-2	50	form-based		true	true	0.7	8	1.333333373	7	7	9478	8078	8078	1.166667
3566	036	2614	0.06	3774	0	85	140	4	8	8	10456	6682	RM-1	50	form-based			true	0.7	7	0.875	7	7	9149	5375	5375	0.875
3567	003	3981	0.09	4250	0	65	100	3	9	9	11943	7693	RM-2	40	density-lim	600			0.7	7	0.777777791	7	7	11146.7998	6896.799805	6896.799805	0.933333
3568	038	3450	0.08	5670	3	75	120	3.5	10	7	12075	6405	RTO-M	55	form-based				0.7	10	1	7	7	12075	6405	6405	1
3568	074	3450	0.08	1595	3	75	120	3.5	10	7	12075	10480	RTO-M	55	form-based				0.7	10	1	7	7	12075	10480	10480	1
3568	093	3936	0.09	1494	1	75	120	3.5	11	10	13776	12282	RTO-M	45	form-based				0.7	8	0.727272749	7	7	11020.7998	9526.799805	9526.799805	0.8
3573	027	5390	0.12	4620	9	65	100	3	12	3	16170	11550	UMU	58	form-based		true		0.75	16	1.333333373	7	7	20212.5	15592.5	15592.5	1.25
3577	011	3770	0.09	3634	4	65	100	3	9	5	11310	7676	NCT-VALEI	55	form-based				0.75	11	1.222222209	7	7	14137.5	10503.5	10503.5	1.25
3577	019	4463	0.1	2131	2	65	100	3	10	8	13389	11258	RTO-M	45	form-based				0.7	9	0.899999976	7	7	12496.39941	10365.39941	10365.39941	0.933333
3577	023	4009	0.09	1590	1	65	100	3	9	8	12027	10437	RTO-M	45	form-based				0.7	8	0.888888896	7	7	11225.2002	9635.200195	9635.200195	0.933333
3579	049	2500	0.06	1683	2	85	140	4	8	6	10000	8317	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11250	9567	9567	1.125
3580	014	2768	0.06	1710	1	85	140	4	8	7	11072	9362	RM-1	50	form-based			true	0.7	8	1	7	7	9688	7978	7978	0.875
3580	040	3261	0.07	2418	2	85	140	4	10	8	13044	10626	RM-1	50	form-based			true	0.7	9	0.899999976	7	7	11413.5	8995.5	8995.5	0.875
3580	077	3345	0.08	4849	2	65	100	3	8	6	10035	5186	RM-1	50	form-based			true	0.7	9	1.125	7	7	11707.5	6858.5	6858.5	1.166667
3580	135	3430	0.08	5550	6	85	140	4	11	5	13720	8170	RTO-C	65	form-based		true	true	0.75	13	1.181818128	7	7	15435	9885	9885	1.125
3580	167	2482	0.06	1166	2	85	140	4	8	6	9928	8762	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11169	10003	10003	1.125
3580	176	3229	0.07	1767	2	65	100	3	7	5	9687	7920	RM-1	50	form-based			true	0.7	9	1.285714269	7	7	11301.5	9534.5	9534.5	1.166667
3580	182	4186	0.1	1312	5	65	100	3	10	5	12558	11246	RM-1	50	form-based			true	0.7	12	1.200000048	7	7	14651	13339	13339	1.166667
3582	026	3125	0.07	2316	0	65	100	3	7	7	9375	7059	RH-3	40	form-based			true	0.7	7	1	7	7	8750	6434	6434	0.933333
3582	031	3125	0.07	3131	2	65	100	3	7	5	9375	6244	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	7806.5	7806.5	1.166667
3582	032	3125	0.07	3720	2	65	100	3	7	5	9375	5655	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	7217.5	7217.5	1.166667
3582	090	3740	0.09	3850	3	85	140	4	13	10	14960	11110	RH-3	50	form-based			true	0.7	10	0.769230783	7	7	13090	9240	9240	0.875
3582	094	3271	0.08	1532	2	65	100	3	8	6	9813	8281	RH-3	50	form-based			true	0.7	9	1.125	7	7	11448.5	9916.5	9916.5	1.166667
3582	099	3125	0.07	2063	2	65	100	3	7	5	9375	7312	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10937.5	8874.5	8874.5	1.166667
3582	130	3520	0.08	1506	3	65	100	3	8	5	10560	9054	RH-3	50	form-based			true	0.7	10	1.25	7	7	12320	10814	10814	1.166667
3582	137	3117	0.07	1363	2	85	140	4	10	8	12468	11105	RH-3	50	form-based			true	0.7	9	0.899999976	7	7	10909.5	9546.5	9546.5	0.875
3583	011	4688	0.11	3600	3	65	100	3	11	8	14064	10464	RH-3	40	form-based			true	0.7	10	0.909090936	7	7	13126.39941	9526.399414	9526.399414	0.933333
3583	012	4688	0.11	2550	3	65	100	3	11	8	14064	11514	RH-3	40	form-based			true	0.7	10	0.909090936	7	7	13126.39941	10576.39941	10576.39941	0.933333
3583	037	2996	0.07	1676	1	65	100	3	7	6	8988	7312	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10486	8810	8810	1.166667
3583	044	2718	0.06	1274	1	65	100	3	6	5	8154	6880	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9513	8239	8239	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3583	045	2719	0.06	1274	1	65	100	3	6	5	8157	6883	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9516.5	8242.5	8242.5	1.166667
3583	046	2720	0.06	1504	1	65	100	3	6	5	8160	6656	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9520	8016	8016	1.166667
3583	047	2721	0.06	1100	1	65	100	3	6	5	8163	7063	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9523.5	8423.5	8423.5	1.166667
3583	058	2375	0.05	2855	0	65	100	3	5	5	7125	4270	NCD-CAST	50	form-based			true	0.75	7	1.399999976	7	7	8906.25	6051.25	6051.25	1.25
3583	073	2467	0.06	0	0	65	100	3	6	6	7401	7401	NCD-CAST	50	form-based			true	0.75	7	1.166666627	7	7	9251.25	9251.25	9251.25	1.25
3583	076	2467	0.06	2155	0	65	100	3	6	6	7401	5246	NCD-CAST	50	form-based			true	0.75	7	1.166666627	7	7	9251.25	7096.25	7096.25	1.25
3583	108	3095	0.07	1129	2	65	100	3	7	5	9285	8156	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	10832.5	9703.5	9703.5	1.166667
3584	037	5250	0.12	4660	4	65	100	3	12	8	15750	11090	RH-3	40	form-based			true	0.7	11	0.916666687	7	7	14700	10040	10040	0.933333
3585	004	2500	0.06	2948	2	85	140	4	8	6	10000	7052	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11250	8302	8302	1.125
3585	005	2500	0.06	2948	2	85	140	4	8	6	10000	7052	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11250	8302	8302	1.125
3585	009	2517	0.06	3606	2	65	100	3	6	4	7551	3945	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11326.5	7720.5	7720.5	1.5
3585	011	2516	0.06	2500	2	65	100	3	6	4	7548	5048	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11322	8822	8822	1.5
3585	020	2850	0.07	2224	1	65	100	3	7	6	8550	6326	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7751	7751	1.166667
3585	025	2850	0.07	2677	1	65	100	3	7	6	8550	5873	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7298	7298	1.166667
3585	026	2850	0.07	3365	1	65	100	3	7	6	8550	5185	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	6610	6610	1.166667
3585	031	2500	0.06	2028	0	65	100	3	6	6	7500	5472	RH-3	50	form-based			true	0.7	7	1.166666627	7	7	8750	6722	6722	1.166667
3585	033	2750	0.06	2249	1	65	100	3	6	5	8250	6001	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9625	7376	7376	1.166667
3585	035	2750	0.06	1655	1	65	100	3	6	5	8250	6595	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9625	7970	7970	1.166667
3585	039	2851	0.07	1600	1	65	100	3	7	6	8553	6953	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9978.5	8378.5	8378.5	1.166667
3585	040	2850	0.07	927	1	65	100	3	7	6	8550	7623	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9975	9048	9048	1.166667
3585	041	2850	0.07	1750	1	65	100	3	7	6	8550	6800	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9975	8225	8225	1.166667
3585	046	2989	0.07	2826	1	65	100	3	7	6	8967	6141	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10461.5	7635.5	7635.5	1.166667
3585	048	2850	0.07	1580	1	65	100	3	7	6	8550	6970	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9975	8395	8395	1.166667
3585	049	2850	0.07	2248	1	65	100	3	7	6	8550	6302	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9975	7727	7727	1.166667
3585	050	2850	0.07	1775	1	65	100	3	7	6	8550	6775	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9975	8200	8200	1.166667
3585	051	2850	0.07	1964	1	65	100	3	7	6	8550	6586	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9975	8011	8011	1.166667
3585	060	2944	0.07	1075	1	65	100	3	7	6	8832	7757	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10304	9229	9229	1.166667
3585	077	2840	0.07	4372	1	65	100	3	7	6	8520	4148	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9940	5568	5568	1.166667
3585	078	2840	0.07	3219	1	65	100	3	7	6	8520	5301	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9940	6721	6721	1.166667
3585	079	2840	0.07	2038	1	65	100	3	7	6	8520	6482	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9940	7902	7902	1.166667
3585	080	2841	0.07	2419	1	65	100	3	7	6	8523	6104	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9943.5	7524.5	7524.5	1.166667
3588	104	5013	0.12	770	8	65	100	3	12	4	15039	14269	NCT-VALEI	55	form-based				0.75	15	1.25	7	7	18798.75	18028.75	18028.75	1.25
3588	113	5302	0.12	1084	9	65	100	3	12	3	15906	14822	NCT-VALEI	55	form-based	true			0.75	16	1.333333373	7	7	19882.5	18798.5	18798.5	1.25
3597	018	3228	0.07	1880	2	65	100	3	7	5	9684	7804	RTO-M	55	form-based				0.7	9	1.285714269	7	7	11298	9418	9418	1.166667
3600	012	2850	0.07	3401	1	65	100	3	7	6	8550	5149	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	6574	6574	1.166667
3600	013	2850	0.07	1487	1	65	100	3	7	6	8550	7063	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8488	8488	1.166667
3600	015	2850	0.07	1895	1	65	100	3	7	6	8550	6655	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9975	8080	8080	1.166667
3600	016	2850	0.07	2609	1	65	100	3	7	6	8550	5941	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9975	7366	7366	1.166667
3600	017	2850	0.07	1642	1	65	100	3	7	6	8550	6908	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9975	8333	8333	1.166667
3600	017A	2850	0.07	2308	1	65	100	3	7	6	8550	6242	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9975	7667	7667	1.166667
3600	018	2850	0.07	3083	1	65	100	3	7	6	8550	5467	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9975	6892	6892	1.166667
3600	019	2850	0.07	2174	1	65	100	3	7	6	8550	6376	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9975	7801	7801	1.166667
3600	020	2850	0.07	2280	1	65	100	3	7	6	8550	6270	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9975	7695	7695	1.166667
3600	021	2850	0.07	1280	1	65	100	3	7	6	8550	7270	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9975	8695	8695	1.166667
3600	022	2850	0.07	2762	1	65	100	3	7	6	8550	5788	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9975	7213	7213	1.166667
3600	023	2850	0.07	2500	1	65	100	3	7	6	8550	6050	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9975	7475	7475	1.166667
3600	024	2850	0.07	3354	1	65	100	3	7	6	8550	5196	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9975	6621	6621	1.166667
3600	025	2850	0.07	1341	1	65	100	3	7	6	8550	7209	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9975	8634	8634	1.166667
3600	034	2835	0.07	900	1	65	100	3	7	6	8505	7605	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9922.5	9022.5	9022.5	1.166667
3600	038	2834	0.07	880	1	65	100	3	7	6	8502	7622	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9919	9039	9039	1.166667
3600	040	2834	0.07	2064	1	65	100	3	7	6	8502	6438	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9919	7855	7855	1.166667
3600	041	2834	0.07	1635	1	65	100	3	7	6	8502	6867	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9919	8284	8284	1.166667
3600	047	2850	0.07	1031	1	65	100	3	7	6	8550	7519	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8944	8944	1.166667
3600	047A	2850	0.07	996	1	65	100	3	7	6	8550	7554	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8979	8979	1.166667
3600	049	2850	0.07	1065	1	65	100	3	7	6	8550	7485	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9975	8910	8910	1.166667
3600	050	2850	0.07	1289	1	65	100	3	7	6	8550	7261	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9975	8686	8686	1.166667
3600	052	2939	0.07	1744	1	65	100	3	7	6	8817	7073	RH-1	50	form-based	true	true	true	0.7	8	1.142857194	7	7	10286.5	8542.5	8542.5	1.166667
3600	058	3020	0.07	1150	1	65	100	3	7	6	9060	7910	RH-2	50	form-based	true	true	true	0.7	8	1.142857194	7	7	10570	9420	9420	1.166667
3600	121	2850	0.07	927	1	65	100	3	7	6	8550	7623	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	9048	9048	1.166667
3600	123	2498	0.06	1005	2	85	140	4	8	6	9992	8987	RTO-C	65	form-based	true	true	true	0.75	9	1.125	7	7	11241	10236	10236	1.125
3602	002	3616	0.08	1880	1	65	100	3	8	7	10848	8968	RH-2	40	form-based			true	0.7	8	1	7	7	10124.7998	8244.799805	8244.799805	0.933333
3602	003	3616	0.08	2717	1	55	80	2.5	6	5	9040	6323	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10124.7998	7407.799805	7407.799805	1.12
3602	004	3616	0.08	3343	1	55	80	2.5	6	5	9040	5697	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10124.7998	6781.799805	6781.799805	1.12
3602	037	3750	0.09	1792	1	65	100	3	9	8	11250	9458	RH-3	40	form-based			true	0.7	8	0.888888896	7	7	10500	8708	8708	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3604	075	4051	0.09	3365	2	65	100	3	9	7	12153	8788	RH-2	40	form-based			true	0.7	9	1	7	7	11342.7998	7977.799805	7977.799805	0.933333
3605	002	2910	0.07	3348	4	85	140	4	10	6	11640	8292	RTO-C	65	form-based			true	0.75	11	1.100000024	7	7	13095	9747	9747	1.125
3605	004	2803	0.06	2400	4	65	100	3	6	2	8409	6009	RTO-C	65	form-based			true	0.75	11	1.833333373	7	7	12613.5	10213.5	10213.5	1.5
3605	006	2000	0.05	1751	1	65	100	3	5	4	6000	4249	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9000	7249	7249	1.5
3606	013	2993	0.07	2981	1	65	100	3	7	6	8979	5998	RH-3	50	form-based		true	true	0.7	8	1.142857194	7	7	10475.5	7494.5	7494.5	1.166667
3606	015	2990	0.07	1942	1	85	140	4	10	9	11960	10018	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	10465	8523	8523	0.875
3606	021	2850	0.07	2425	1	85	140	4	10	9	11400	8975	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9975	7550	7550	0.875
3606	039	2836	0.07	2024	1	85	140	4	10	9	11344	9320	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9926	7902	7902	0.875
3606	040	2836	0.07	1474	1	85	140	4	10	9	11344	9870	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9926	8452	8452	0.875
3606	051	2850	0.07	1740	1	85	140	4	10	9	11400	9660	RH-3	50	form-based			true	0.7	8	0.800000012	7	7	9975	8235	8235	0.875
3606	069	2828	0.06	2360	1	85	140	4	8	7	11312	8952	RH-3	50	form-based			true	0.7	8	1	7	7	9898	7538	7538	0.875
3606	071	2828	0.06	1385	1	85	140	4	8	7	11312	9927	RH-3	50	form-based			true	0.7	8	1	7	7	9898	8513	8513	0.875
3606	073	2828	0.06	1267	1	85	140	4	8	7	11312	10045	RH-3	50	form-based			true	0.7	8	1	7	7	9898	8631	8631	0.875
3606	115	2828	0.06	1580	1	85	140	4	8	7	11312	9732	RH-3	50	form-based			true	0.7	8	1	7	7	9898	8318	8318	0.875
3608	025	5653	0.13	10564	0	65	100	3	13	13	16959	6395	RM-1	40	density-lin	800	true		0.7	7	0.538461566	7	7	15828.39941	5264.399414	5264.399414	0.933333
3611	062	9243	0.21	8197	2	65	100	3	21	19	27729	19532	RH-3	40	density-lin	1000			0.7	9	0.428571433	7	7	25880.40039	17683.40039	17683.40039	0.933333
3617	004	2250	0.05	1750	0	65	100	3	5	5	6750	5000	NCT-VALE	55	form-based				0.75	7	1.399999976	7	7	8437.5	6687.5	6687.5	1.25
3617	057	7515	0.17	3652	1	65	100	3	17	16	22545	18893	RH-3	40	density-lin	1000			0.7	8	0.470588237	7	7	21042	17390	17390	0.933333
3619	006	3250	0.07	2196	2	65	100	3	7	5	9750	7554	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11375	9179	9179	1.166667
3619	010	3250	0.07	4070	2	65	100	3	7	5	9750	5680	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11375	7305	7305	1.166667
3619	012	3250	0.07	3264	2	65	100	3	7	5	9750	6486	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11375	8111	8111	1.166667
3619	013	3250	0.07	4000	2	65	100	3	7	5	9750	5750	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11375	7375	7375	1.166667
3619	015	3250	0.07	3700	2	65	100	3	7	5	9750	6050	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11375	7675	7675	1.166667
3619	039	2518	0.06	2818	2	65	100	3	6	4	7554	4736	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11331	8513	8513	1.5
3619	044	2566	0.06	3870	3	65	100	3	6	3	7698	3828	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11547	7677	7677	1.5
3619	067	3328	0.08	2660	2	65	100	3	8	6	9984	7324	RH-2	50	form-based			true	0.7	9	1.125	7	7	11648	8988	8988	1.166667
3619	073	3256	0.07	3857	2	65	100	3	7	5	9768	5911	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	11396	7539	7539	1.166667
3619	074	3256	0.07	1340	2	65	100	3	7	5	9768	8428	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	11396	10056	10056	1.166667
3619	075	3256	0.07	2792	2	65	100	3	7	5	9768	6976	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	11396	8604	8604	1.166667
3619	078	3256	0.07	3740	2	85	140	4	10	8	13024	9284	RH-2	50	form-based			true	0.7	9	0.899999976	7	7	11396	7656	7656	0.875
3619	084	2597	0.06	2993	0	85	140	4	8	8	10388	7395	RH-2	50	form-based			true	0.7	7	0.875	7	7	9089.5	6096.5	6096.5	0.875
3619	088	2210	0.05	756	1	85	140	4	7	6	8840	8084	RTO-C	65	form-based			true	0.75	8	1.142857194	7	7	9945	9189	9189	1.125
3619	092	3256	0.07	1081	2	65	100	3	7	5	9768	8687	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	11396	10315	10315	1.166667
3619	094	3250	0.07	1466	2	85	140	4	10	8	13000	11534	RH-3	50	form-based			true	0.7	9	0.899999976	7	7	11375	9909	9909	0.875
3619	098	3250	0.07	1019	2	85	140	4	10	8	13000	11981	RH-3	50	form-based			true	0.7	9	0.899999976	7	7	11375	10356	10356	0.875
3619	100	3131	0.07	1701	2	85	140	4	10	8	12524	10823	RH-2	50	form-based			true	0.7	9	0.899999976	7	7	10958.5	9257.5	9257.5	0.875
3619	103	3250	0.07	1490	2	65	100	3	7	5	9750	8260	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11375	9885	9885	1.166667
3619	119	3360	0.08	1779	2	85	140	4	11	9	13440	11661	RH-2	50	form-based			true	0.7	9	0.818181813	7	7	11760	9981	9981	0.875
3619	146	2526	0.06	3328	2	65	100	3	6	4	7578	4250	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11367	8039	8039	1.5
3620	002	2547	0.06	2251	3	65	100	3	6	3	7641	5390	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11461.5	9210.5	9210.5	1.5
3619	129	3250	0.07	2697	2	65	100	3	7	5	9750	7053	RH-3	50	form-based			true	0.7	9	1.285714269	7	7	11375	8678	8678	1.166667
3620	084	2649	0.06	2224	3	65	100	3	6	3	7947	5723	RTO-C	65	form-based			true	0.75	10	1.666666627	7	7	11920.5	9696.5	9696.5	1.5
3627	016	2936	0.07	2064	1	65	100	3	7	6	8808	6744	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10276	8212	8212	1.166667
3627	017	2936	0.07	2198	1	65	100	3	7	6	8808	6610	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10276	8078	8078	1.166667
3627	028	2960	0.07	1640	1	65	100	3	7	6	8880	7240	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10360	8720	8720	1.166667
3627	033	2916	0.07	4752	1	65	100	3	7	6	8748	3996	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10206	5454	5454	1.166667
3627	045	2724	0.06	1858	1	65	100	3	6	5	8172	6314	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9534	7676	7676	1.166667
3628	018	3744	0.09	4100	3	65	100	3	9	6	11232	7132	RH-2	50	form-based			true	0.7	10	1.111111164	7	7	13104	9004	9004	1.166667
3628	020	2880	0.07	2025	1	65	100	3	7	6	8640	6615	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10080	8055	8055	1.166667
3628	021	2880	0.07	1910	1	65	100	3	7	6	8640	6730	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10080	8170	8170	1.166667
3628	028	2880	0.07	1772	1	85	140	4	10	9	11520	9748	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	10080	8308	8308	0.875
3628	038	2500	0.06	1305	2	85	140	4	8	6	10000	8695	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11250	9945	9945	1.125
3629	002	2700	0.06	1663	1	85	140	4	8	7	10800	9137	RH-2	50	form-based			true	0.7	8	1	7	7	9450	7787	7787	0.875
3629	014	4036	0.09	4280	4	65	100	3	9	5	12108	7828	RH-2	50	form-based			true	0.7	11	1.222222209	7	7	14126	9846	9846	1.166667
3629	046	3250	0.07	2170	2	85	140	4	10	8	13000	10830	RH-2	50	form-based			true	0.7	9	0.899999976	7	7	11375	9205	9205	0.875
3629	051	4036	0.09	1011	4	65	100	3	9	5	12108	11097	RH-2	50	form-based			true	0.7	11	1.222222209	7	7	14126	13115	13115	1.166667
3633	019	5671	0.13	12500	0	65	100	3	13	13	17013	4513	NC-1	40	density-lin	800	true		0.75	7	0.538461566	7	7	17013	4513	4513	1
3635	008	2410	0.06	4784	0	75	120	3.5	7	7	8435	3651	NCT-VALE	55	form-based				0.75	7	1	7	7	9037.5	4253.5	4253.5	1.071429
3636	028	3750	0.09	3300	4	75	120	3.5	11	7	13125	9825	NCT-VALE	55	form-based				0.75	11	1	7	7	14062.5	10762.5	10762.5	1.071429
3637	005	3185	0.07	4000	2	75	120	3.5	8	6	11148	7148	RTO-M	50	form-based				0.7	9	1.125	7	7	11147.5	7147.5	7147.5	0.999955
3637	008	3062	0.07	3100	2	75	120	3.5	8	6	10717	7617	RTO-M	50	form-based				0.7	9	1.125	7	7	10717	7617	7617	1
3637	008A	3063	0.07	3100	2	75	120	3.5	8	6	10720	7620	RTO-M	50	form-based				0.7	9	1.125	7	7	10720.5	7620.5	7620.5	1.000047
3637	010	3369	0.08	4133	2	75	120	3.5	10	8	11792	7659	RTO-M	50	form-based				0.7	9	0.899999976	7	7	11791.5	7658.5	7658.5	0.999958
3637	014	3369	0.08	3732	2	75	120	3.5	10	8	11792	8060	RTO-M	50	form-based				0.7	9	0.899999976	7	7	11791.5	8059.5	8059.5	0.999958

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3637	060	3263	0.07	4712	0	75	120	3.5	8	8	11420	6708	RTO-M	40	form-based				0.7	7	0.875	7	7	9136.399414	4424.399414	4424.399414	0.800035
3639	007	7350	0.17	0	0	65	100	3	17	17	22050	22050	RH-3	40	density-lin	1000			0.7	7	0.411764711	7	7	20580	20580	20580	0.933333
3639	029	2904	0.07	5790	0	65	100	3	7	7	8712	2922	UMU	48	form-based				0.75	7	1	7	7	8712	2922	2922	1
3643	036	5124	0.12	6090	4	95	160	4.5	19	15	23058	16968	RTO-M	45	form-based				0.7	11	0.578947365	7	7	14347.2002	8257.200195	8257.200195	0.622222
3643	040	6250	0.14	4850	6	75	120	3.5	17	11	21875	17025	RTO-M	45	form-based				0.7	13	0.764705896	7	7	17500	12650	12650	0.8
3644	007	2249	0.05	3600	0	75	120	3.5	6	6	7872	4272	NCT-VALEI	55	form-based				0.75	7	1.166666627	7	7	8433.75	4833.75	4833.75	1.07136
3649	011	2916	0.07	2866	1	65	100	3	7	6	8748	5882	RM-1	50	form-based			true	0.7	8	1.142857194	7	7	10206	7340	7340	1.166667
3649	022	2965	0.07	2986	1	65	100	3	7	6	8895	5909	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10377.5	7391.5	7391.5	1.166667
3650	004	2826	0.06	1332	1	65	100	3	6	5	8478	7146	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9891	8559	8559	1.166667
3650	063	2500	0.06	1862	2	85	140	4	8	6	10000	8138	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11250	9388	9388	1.125
3651	001	3020	0.07	6266	4	65	100	3	7	3	9060	2794	RTO-C	65	form-based		true	true	0.75	11	1.571428537	7	7	13590	7324	7324	1.5
3651	007	2270	0.05	3455	2	65	100	3	5	3	6810	3355	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10215	6760	6760	1.5
3651	029	2839	0.07	1115	1	85	140	4	10	9	11356	10241	RH-3	50	form-based			true	0.7	8	0.800000012	7	7	9936.5	8821.5	8821.5	0.875
3651	032	4693	0.11	6240	6	65	100	3	11	5	14079	7839	RH-3	50	form-based			true	0.7	13	1.181818128	7	7	16425.5	10185.5	10185.5	1.166667
3651	033	2936	0.07	1208	1	65	100	3	7	6	8808	7600	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10276	9068	9068	1.166667
3651	077	2850	0.07	3297	4	85	140	4	10	6	11400	8103	NCD-24TH	65	form-based			true	0.75	11	1.100000024	7	7	12825	9528	9528	1.125
3652	003	2979	0.07	2120	1	65	100	3	7	6	8937	6817	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10426.5	8306.5	8306.5	1.166667
3652	004	2982	0.07	2412	1	65	100	3	7	6	8946	6534	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10437	8025	8025	1.166667
3652	018	2400	0.06	2464	2	65	100	3	6	4	7200	4736	NCD-24TH	65	form-based			true	0.75	9	1.5	7	7	10800	8336	8336	1.5
3652	023	2834	0.07	1005	1	65	100	3	7	6	8502	7497	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9919	8914	8914	1.166667
3652	025	2834	0.07	1050	1	65	100	3	7	6	8502	7452	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9919	8869	8869	1.166667
3652	025A	2835	0.07	2395	1	65	100	3	7	6	8505	6110	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9922.5	7527.5	7527.5	1.166667
3653	036	3643	0.08	2856	1	65	100	3	8	7	10929	8073	RH-3	40	form-based			true	0.7	8	1	7	7	10200.39941	7344.399414	7344.399414	0.933333
3654	006	2838	0.07	7829	4	65	100	3	7	3	8514	685	NCD-24TH	65	form-based			true	0.75	11	1.571428537	7	7	12771	4942	4942	1.5
3654	032	2907	0.07	3022	1	65	100	3	7	6	8721	5699	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10174.5	7152.5	7152.5	1.166667
3654	033	2955	0.07	2420	1	65	100	3	7	6	8865	6445	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10342.5	7922.5	7922.5	1.166667
3654	034	2850	0.07	4160	1	65	100	3	7	6	8550	4390	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9975	5815	5815	1.166667
3654	035	2955	0.07	1305	1	65	100	3	7	6	8865	7560	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10342.5	9037.5	9037.5	1.166667
3654	036	2850	0.07	1478	1	65	100	3	7	6	8550	7072	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	9975	8497	8497	1.166667
3656	003	2605	0.06	1996	0	55	80	2.5	5	5	6512	4516	RH-3	50	form-based			true	0.7	7	1.399999976	7	7	9117.5	7121.5	7121.5	1.400108
3656	011	2850	0.07	5208	4	55	80	2.5	6	2	7125	1917	NCD-24TH	65	form-based			true	0.75	11	1.833333373	7	7	12825	7617	7617	1.8
3656	031	2838	0.07	1280	1	55	80	2.5	6	5	7095	5815	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9933	8653	8653	1.4
3656	032	2838	0.07	2161	1	55	80	2.5	6	5	7095	4934	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9933	7772	7772	1.4
3656	036	2838	0.07	1688	1	55	80	2.5	6	5	7095	5407	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9933	8245	8245	1.4
3656	037	2838	0.07	800	1	55	80	2.5	6	5	7095	6295	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9933	9133	9133	1.4
3656	039	2838	0.07	4812	1	55	80	2.5	6	5	7095	2283	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9933	5121	5121	1.4
3656	040	2838	0.07	1175	1	55	80	2.5	6	5	7095	5920	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9933	8758	8758	1.4
3656	043	2838	0.07	1570	1	55	80	2.5	6	5	7095	5525	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9933	8363	8363	1.4
3725	029	2985	0.07	5314	0	65	100	3	7	7	8955	3641	MUR	45	form-based				0.75	7	1	7	7	8955	3641	3641	1
3726	093	3076	0.07	6521	0	65	100	3	7	7	9228	2707	RED	45	form-based		true		0.75	7	1	7	7	9228	2707	2707	1
3727	008	2250	0.05	4500	0	85	140	4	7	7	9000	4500	WMUG	55	form-based				0.75	7	1	7	7	8437.5	3937.5	3937.5	0.9375
3727	009	2250	0.05	875	0	85	140	4	7	7	9000	8125	WMUG	55	form-based				0.75	7	1	7	7	8437.5	7562.5	7562.5	0.9375
3727	018	2250	0.05	2301	0	75	120	3.5	6	6	7875	5574	WMUG	55	form-based				0.75	7	1.166666627	7	7	8437.5	6136.5	6136.5	1.071429
3727	021	2250	0.05	2250	0	75	120	3.5	6	6	7875	5625	WMUG	55	form-based				0.75	7	1.166666627	7	7	8437.5	6187.5	6187.5	1.071429
3727	095	1875	0.04	0	0	75	120	3.5	5	5	6562	6562	MUO	65	form-based				0.75	7	1.399999976	7	7	8437.5	8437.5	8437.5	1.285812
3727	173	5184	0.12	925	12	75	120	3.5	14	2	18144	17219	MUO	65	form-based				0.75	19	1.357142806	7	7	23328	22403	22403	1.285714
3728	013	2265	0.05	3194	0	75	120	3.5	6	6	7928	4734	WMUG	55	form-based				0.75	7	1.166666627	7	7	8493.75	5299.75	5299.75	1.071361
3729	003	2510	0.06	4862	1	65	100	3	6	5	7530	2668	WMUG	55	form-based		true		0.75	8	1.333333373	7	7	9412.5	4550.5	4550.5	1.25
3729	008	2250	0.05	4247	1	65	100	3	5	4	6750	2503	NCT-FOLSC	65	form-based				0.75	8	1.600000024	7	7	10125	5878	5878	1.5
3729	022	2250	0.05	2250	1	65	100	3	5	4	6750	4500	NCT-FOLSC	65	form-based				0.75	8	1.600000024	7	7	10125	7875	7875	1.5
3729	059	2396	0.06	2353	0	65	100	3	6	6	7188	4835	RCD	55	form-based		true		0.75	7	1.166666627	7	7	8985	6632	6632	1.25
3730	118	2717	0.06	3528	1	85	140	4	8	7	10868	7340	WMUG	55	form-based				0.75	8	1	7	7	10188.75	6660.75	6660.75	0.9375
3731	027	1960	0.04	13715	0	65	100	3	4	4	5880	0	NCT-SOMA	65	form-based		true		0.75	7	1.75	7	7	8820	0	0	1.5
3731	041	2284	0.05	6000	2	85	140	4	7	5	9136	3136	MUG	65	form-based				0.75	9	1.285714269	7	7	10278	4278	4278	1.125
3731	119	3750	0.09	5439	1	65	100	3	9	8	11250	5811	RED	45	form-based				0.75	8	0.888888896	7	7	11250	5811	5811	1
3731	150	3000	0.07	1466	4	65	100	3	7	3	9000	7534	RED	65	form-based				0.75	11	1.571428537	7	7	13500	12034	12034	1.5
3749	184	2625	0.06	1299	4	65	100	3	6	2	7875	6576	RH DTR	65	form-based				0.8	11	1.833333373	7	7	12600	11301	11301	1.6
3753	003	1875	0.04	3750	3	65	100	3	4	1	5625	1875	MUR	85	form-based				0.75	10	2.5	7	5	11250	7500	7500	2
3753	029	1973	0.05	2466	0	65	100	3	5	5	5919	3453	MUR	65	form-based				0.75	7	1.399999976	7	7	8878.5	6412.5	6412.5	1.5
3753	049	1979	0.05	2000	0	65	100	3	5	5	5937	3937	MUR	65	form-based				0.75	7	1.399999976	7	7	8905.5	6905.5	6905.5	1.5
3753	085	3730	0.09	1250	1	65	100	3	9	8	11190	9940	MUR	45	form-based				0.75	8	0.888888896	7	7	11190	9940	9940	1
3753	101	3036	0.07	0	0	65	100	3	7	7	9108	9108	MUR	45	form-based				0.75	7	1	7	7	9108	9108	9108	1
3753	701	3567	0.08	3238	1	65	100	3	8	7	10701	7463	MUR	45	form-based				0.75	8	1	7	7	10701	7463	7463	1
3756	005	2391	0.05	4800	0	65	100	3	5	5	7173	2373	RCD	55	form-based				0.75	7	1.399999976	7	7	8966.25	4166.25	4166.25	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3756	009	2478	0.06	7729	0	65	100	3	6	6	7434	0	RCD	55	form-based				0.75	7	1.166666627	7	7	9292.5	1563.5	1563.5	1.25
3756	015	1875	0.04	0	0	65	100	3	4	4	5625	5625	WMUG	65	form-based				0.75	7	1.75	7	7	8437.5	8437.5	8437.5	1.5
3763	024	2125	0.05	5875	5	85	140	4	7	2	8500	2625	CMUO	85	form-based		true		0.8	12	1.714285731	7	7	13600	7725	7725	1.6
3763	037	1778	0.04	3993	3	65	100	3	4	1	5334	1341	CMUO	85	form-based				0.8	10	2.5	7	5	11379.2002	7386.200195	6675	2.133333
3765	714	1801	0.04	0	0	65	100	3	4	4	5403	5403	SB-DTR	65	form-based				0.8	7	1.75	7	7	8644.799805	8644.799805	8644.799805	1.6
3775	065	3076	0.07	3520	0	65	100	3	7	7	9228	5708	SPD	40	form-based				0.75	7	1	7	7	9228	5708	5708	1
3775	069	3178	0.07	3170	0	65	100	3	7	7	9534	6364	SPD	40	form-based				0.75	7	1	7	7	9534	6364	6364	1
3775	217	3170	0.07	6240	0	65	100	3	7	7	9510	3270	SPD	40	form-based				0.75	7	1	7	7	9510	3270	3270	1
3776	128	7050	0.16	694	16	75	120	3.5	19	3	24675	23981	CMUO	55	form-based				0.8	23	1.210526347	7	7	28200	27506	27506	1.142857
3778	022	2233	0.05	6763	0	65	100	3	5	5	6699	0	MUG	55	form-based				0.75	7	1.399999976	7	7	8373.75	1610.75	1610.75	1.25
3778	052	7500	0.17	970	16	65	100	3	17	1	22500	21530	MUG	55	form-based				0.75	23	1.352941155	7	7	28125	27155	27155	1.25
3780	007C	3228	0.07	3850	0	65	100	3	7	7	9684	5834	UMU	48	form-based				0.75	7	1	7	7	9684	5834	5834	1
3780	034	3150	0.07	3150	0	65	100	3	7	7	9450	6300	UMU	48	form-based		true		0.75	7	1	7	7	9450	6300	6300	1
3788	110	6262	0.14	1700	18	75	120	3.5	17	0	21917	20217	CMUO	65	form-based				0.8	25	1.470588207	7	7	30057.59961	28357.59961	28357.59961	1.371429
3920	007A	1887	0.04	2996	0	65	100	3	4	4	5661	2665	UMU	68	form-based				0.75	7	1.75	7	7	8491.5	5495.5	5495.5	1.5
3994	030	4992	0.11	1380	12	85	140	4	15	3	19968	18588	UMU	68	form-based				0.75	19	1.266666651	7	7	22464	21084	21084	1.125
3995	057	7500	0.17	948	16	85	140	4	24	8	30000	29052	UMU	58	form-based				0.75	23	0.958333313	7	7	28125	27177	27177	0.9375
4001	001	2896	0.07	0	0	65	100	3	7	7	8688	8688	UMU	40	form-based		true		0.75	7	1	7	7	8688	8688	8688	1
4008	025	10058	0.23	1590	16	65	100	3	23	7	30174	28584	UMU	40	form-based				0.75	23	1	7	7	30174	28584	28584	1
4040	027	10101	0.23	5412	0	65	100	3	23	23	30303	24891	RH-2	40	density-lim	1500	true		0.7	7	0.304347813	7	7	28282.79883	22870.79883	22870.79883	0.933333
4108	003L	3215	0.07	3200	0	75	120	3.5	8	8	11252	8052	UMU	45	form-based				0.75	7	0.875	7	7	9645	6445	6445	0.857181
4108	003M	3224	0.07	4805	0	75	120	3.5	8	8	11284	6479	UMU	45	form-based				0.75	7	0.875	7	7	9672	4867	4867	0.857143
4108	003N	3236	0.07	3243	0	75	120	3.5	8	8	11326	8083	UMU	45	form-based				0.75	7	0.875	7	7	9708	6465	6465	0.857143
4108	003P	3200	0.07	7164	0	75	120	3.5	8	8	11200	4036	UMU	40	form-based				0.75	7	0.875	7	7	9600	2436	2436	0.857143
4108	004	3031	0.07	3785	0	75	120	3.5	8	8	10608	6823	NCT-2	45	form-based		true		0.75	7	0.875	7	7	9093	5308	5308	0.857183
4172	025	3283	0.08	0	0	75	120	3.5	10	10	11490	11490	NCT-2	40	form-based				0.75	7	0.699999988	7	7	9849	9849	9849	0.85718
4206	039	2600	0.06	1100	1	65	100	3	6	5	7800	6700	NCT-24TH-	55	form-based				0.75	8	1.333333373	7	7	9750	8650	8650	1.25
4265	007	2677	0.06	732	0	65	100	3	6	6	8031	7299	RM-3	55	density-lim	400	true		0.75	7	1.166666627	7	7	10038.75	9306.75	9306.75	1.25
5515	030	10002	0.23	4050	0	55	80	2.5	18	18	25005	20955	RH-2	40	density-lim	1500			0.7	7	0.388888896	7	7	28005.59961	23955.59961	23955.59961	1.12
5609	029	4163	0.1	3975	0	65	100	3	10	10	12489	8514	NCD-MISS	40	density-lim	600	true		0.75	7	0.699999988	7	7	12489	8514	8514	1
5615	042	4189	0.1	4429	0	85	140	4	14	14	16756	12327	NCD-MISS	40	density-lim	600			0.75	7	0.5	7	7	12567	8138	8138	0.75
5642	027	4413	0.1	5976	0	85	140	4	14	14	17652	11676	NCD-MISS	40	density-lim	600			0.75	7	0.5	7	7	13239	7263	7263	0.75
6470	001D	4100	0.09	878	0	55	80	2.5	7	7	10250	9372	NCD-EXCE	40	density-lim	600	true		0.75	7	1	7	7	12300	11422	11422	1.2
6474	033	5081	0.12	936	1	55	80	2.5	10	9	12702	11766	NCD-EXCE	40	density-lim	600			0.75	8	0.800000012	7	7	15243	14307	14307	1.200047
6506	001	4031	0.09	8495	8	55	80	2.5	7	0	10078	1583	NCD-24TH	65	form-based		true	true	0.75	15	2.142857075	7	6	18139.5	9644.5	9644.5	1.799911
6506	006	2010	0.05	1775	1	55	80	2.5	4	3	5025	3250	NCD-24TH	65	form-based			true	0.75	8	2	7	7	9045	7270	7270	1.8
6506	007	2836	0.07	4624	4	55	80	2.5	6	2	7090	2466	NCD-24TH	65	form-based		true	true	0.75	11	1.833333373	7	7	12762	8138	8138	1.8
6506	009	2795	0.06	1150	1	55	80	2.5	5	4	6988	5838	RH-2	50	form-based			true	0.7	8	1.600000024	7	7	9782.5	8632.5	8632.5	1.3999
6506	010	2842	0.07	2140	1	55	80	2.5	6	5	7105	4965	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9947	7807	7807	1.4
6506	011	2803	0.06	2690	1	55	80	2.5	5	4	7008	4318	RH-2	50	form-based			true	0.7	8	1.600000024	7	7	9810.5	7120.5	7120.5	1.3999
6506	012	2802	0.06	1986	1	55	80	2.5	5	4	7005	5019	RH-2	50	form-based			true	0.7	8	1.600000024	7	7	9807	7821	7821	1.4
6506	013	2801	0.06	1353	1	55	80	2.5	5	4	7002	5649	RH-2	50	form-based			true	0.7	8	1.600000024	7	7	9803.5	8450.5	8450.5	1.4001
6506	014	2800	0.06	2189	1	55	80	2.5	5	4	7000	4811	RH-2	50	form-based			true	0.7	8	1.600000024	7	7	9800	7611	7611	1.4
6506	015	2799	0.06	2978	1	55	80	2.5	5	4	6998	4020	RH-2	50	form-based			true	0.7	8	1.600000024	7	7	9796.5	6818.5	6818.5	1.3999
6506	016	2808	0.06	1260	1	55	80	2.5	5	4	7020	5760	RH-2	50	form-based			true	0.7	8	1.600000024	7	7	9828	8568	8568	1.4
6506	019	2872	0.07	1350	1	55	80	2.5	6	5	7180	5830	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	10052	8702	8702	1.4
6506	020	2871	0.07	1200	1	55	80	2.5	6	5	7178	5978	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	10048.5	8848.5	8848.5	1.399902
6506	034	3420	0.08	5865	6	55	80	2.5	6	0	8550	2685	NCD-24TH	65	form-based			true	0.75	13	2.166666746	7	6	15390	9525	9525	1.8
6506	035	2280	0.05	1855	2	55	80	2.5	4	2	5700	3845	NCD-24TH	65	form-based			true	0.75	9	2.25	7	6	10260	8405	8405	1.8
6506	036	2280	0.05	3858	2	55	80	2.5	4	2	5700	1842	NCD-24TH	65	form-based			true	0.75	9	2.25	7	6	10260	6402	6402	1.8
6506	044	3040	0.07	4030	4	55	80	2.5	6	2	7600	3570	NCD-24TH	65	form-based			true	0.75	11	1.833333373	7	7	13680	9650	9650	1.8
6506	058	2850	0.07	623	4	55	80	2.5	6	2	7125	6502	NCD-24TH	65	form-based			true	0.75	11	1.833333373	7	7	12825	12202	12202	1.8
6507	011	2731	0.06	1300	1	55	80	2.5	5	4	6828	5528	RH-2	50	form-based			true	0.7	8	1.600000024	7	7	9558.5	8258.5	8258.5	1.399897
6507	012	2845	0.07	1550	1	55	80	2.5	6	5	7112	5562	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9957.5	8407.5	8407.5	1.400098
6507	012A	2959	0.07	4614	1	55	80	2.5	6	5	7398	2784	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	10356.5	5742.5	5742.5	1.399905
6507	012C	2959	0.07	1495	1	55	80	2.5	6	5	7398	5903	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	10356.5	8861.5	8861.5	1.399905
6507	012D	2959	0.07	2180	1	55	80	2.5	6	5	7398	5218	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	10356.5	8176.5	8176.5	1.399905
6507	013	2845	0.07	1340	1	55	80	2.5	6	5	7112	5772	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9957.5	8617.5	8617.5	1.400098
6507	020	2451	0.06	2290	2	55	80	2.5	5	3	6128	3838	NCD-24TH	65	form-based			true	0.75	9	1.799999952	7	7	11029.5	8739.5	8739.5	1.799853
6507	029	2850	0.07	4730	4	55	80	2.5	6	2	7125	2395	NCD-24TH	65	form-based			true	0.75	11	1.833333373	7	7	12825	8095	8095	1.8
6507	031	2280	0.05	2206	2	55	80	2.5	4	2	5700	3494	NCD-24TH	65	form-based			true	0.75	9	2.25	7	6	10260	8054	8054	1.8
6507	032	3431	0.08	5364	6	55	80	2.5	6	0	8578	3214	NCD-24TH	65	form-based			true	0.75	13	2.166666746	7	6	15439.5	10075.5	10075.5	1.799895
6508	004	3070	0.07	2629	2	65	100	3	7	5	9210	6581	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	10745	8116	8116	1.166667
6508	007	2845	0.07	1540	1	65	100	3	7	6	8535	6995	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9957.5	8417.5	8417.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6508	009	2845	0.07	1377	1	65	100	3	7	6	8535	7158	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9957.5	8580.5	8580.5	1.166667
6508	010	2949	0.07	1890	1	65	100	3	7	6	8847	6957	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10321.5	8431.5	8431.5	1.166667
6508	012	2949	0.07	1450	1	65	100	3	7	6	8847	7397	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10321.5	8871.5	8871.5	1.166667
6508	016	2959	0.07	1050	1	65	100	3	7	6	8877	7827	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10356.5	9306.5	9306.5	1.166667
6508	017	2840	0.07	1814	1	65	100	3	7	6	8520	6706	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9940	8126	8126	1.166667
6508	018	2850	0.07	1725	1	65	100	3	7	6	8550	6825	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8250	8250	1.166667
6508	025	4073	0.09	9180	8	65	100	3	9	1	12219	3039	NCD-24TH	65	form-based		true	true	0.75	15	1.666666627	7	7	18328.5	9148.5	9148.5	1.5
6508	028A	2955	0.07	2650	4	65	100	3	7	3	8865	6215	NCD-24TH	65	form-based			true	0.75	11	1.571428537	7	7	13297.5	10647.5	10647.5	1.5
6508	031	3317	0.08	3566	5	65	100	3	8	3	9951	6385	NCD-24TH	65	form-based			true	0.75	12	1.5	7	7	14926.5	11360.5	11360.5	1.5
6508	035	2955	0.07	2514	4	65	100	3	7	3	8865	6351	NCD-24TH	65	form-based			true	0.75	11	1.571428537	7	7	13297.5	10783.5	10783.5	1.5
6508	037	2902	0.07	4350	4	65	100	3	7	3	8706	4356	NCD-24TH	65	form-based			true	0.75	11	1.571428537	7	7	13059	8709	8709	1.5
6509	002	1892	0.04	1374	0	85	140	4	6	6	7568	6194	NCD-24TH	65	form-based			true	0.75	7	1.166666627	7	7	8514	7140	7140	1.125
6509	010A	2845	0.07	1250	1	65	100	3	7	6	8535	7285	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9957.5	8707.5	8707.5	1.166667
6509	013	2845	0.07	2669	1	65	100	3	7	6	8535	5866	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9957.5	7288.5	7288.5	1.166667
6509	028	2561	0.06	2593	3	65	100	3	6	3	7683	5090	NCD-24TH	65	form-based			true	0.75	10	1.666666627	7	7	11524.5	8931.5	8931.5	1.5
6509	038	2850	0.07	3963	4	85	140	4	10	6	11400	7437	NCD-24TH	65	form-based			true	0.75	11	1.100000024	7	7	12825	8862	8862	1.125
6510	002	2787	0.06	2930	1	65	100	3	6	5	8361	5431	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9754.5	6824.5	6824.5	1.166667
6510	003	2787	0.06	2539	1	65	100	3	6	5	8361	5822	RH-3	50	form-based			true	0.7	8	1.333333373	7	7	9754.5	7215.5	7215.5	1.166667
6510	005	2850	0.07	2240	1	65	100	3	7	6	8550	6310	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7735	7735	1.166667
6510	006	2850	0.07	2764	1	65	100	3	7	6	8550	5786	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7211	7211	1.166667
6510	009	2850	0.07	1700	1	65	100	3	7	6	8550	6850	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8275	8275	1.166667
6510	010	2850	0.07	1700	1	65	100	3	7	6	8550	6850	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8275	8275	1.166667
6510	011	2850	0.07	1700	1	85	140	4	10	9	11400	9700	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9975	8275	8275	0.875
6510	012	2850	0.07	1700	1	85	140	4	10	9	11400	9700	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9975	8275	8275	0.875
6510	013	2850	0.07	1750	1	85	140	4	10	9	11400	9650	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9975	8225	8225	0.875
6510	017	2850	0.07	3000	4	85	140	4	10	6	11400	8400	RTO-C	65	form-based		true	true	0.75	11	1.100000024	7	7	12825	9825	9825	1.125
6510	018	2500	0.06	2500	2	85	140	4	8	6	10000	7500	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11250	8750	8750	1.125
6510	020	2400	0.06	2464	2	85	140	4	8	6	9600	7136	RTO-C	65	form-based			true	0.75	9	1.125	7	7	10800	8336	8336	1.125
6510	021	3979	0.09	8655	8	85	140	4	13	5	15916	7261	NCD-24TH	65	form-based		true	true	0.75	15	1.153846145	7	7	17905.5	9250.5	9250.5	1.125
6510	030	3414	0.08	2770	3	65	100	3	8	5	10242	7472	RH-3	50	form-based			true	0.7	10	1.25	7	7	11949	9179	9179	1.166667
6512	028	7250	0.17	0	0	65	100	3	17	17	21750	21750	RH-3	40	density-lim	1000			0.7	7	0.411764711	7	7	20300	20300	20300	0.933333
6513	007	4734	0.11	3180	1	75	120	3.5	13	12	16569	13389	RM-2	40	density-lim	600			0.7	8	0.615384638	7	7	13255.2002	10075.2002	10075.2002	0.8
6513	008A	4876	0.11	2273	1	75	120	3.5	13	12	17066	14793	RM-2	40	density-lim	600			0.7	8	0.615384638	7	7	13652.7998	11379.7998	11379.7998	0.8
6514	004	2704	0.06	950	1	75	120	3.5	7	6	9464	8514	NCT-VALEI	55	form-based				0.75	8	1.142857194	7	7	10140	9190	9190	1.071429
6514	041	3154	0.07	2317	2	75	120	3.5	8	6	11039	8722	NCT-VALEI	55	form-based				0.75	9	1.125	7	7	11827.5	9510.5	9510.5	1.071429
6516	022	5236	0.12	5816	4	85	140	4	17	13	20944	15128	RTO-M	45	form-based				0.7	11	0.647058845	7	7	14660.7998	8844.799805	8844.799805	0.7
6518	002	3997	0.09	4680	4	75	120	3.5	11	7	13990	9310	RTO-M	55	form-based				0.7	11	1	7	7	13989.5	9309.5	9309.5	0.999964
6518	004	3442	0.08	5625	3	75	120	3.5	10	7	12047	6422	RTO-M	50	form-based				0.7	10	1	7	7	12047	6422	6422	1
6527	007	4590	0.11	7320	6	75	120	3.5	13	7	16065	8745	RTO-M	50	form-based				0.7	13	1	7	7	16065	8745	8745	1
6527	035	2897	0.07	1170	1	75	120	3.5	8	7	10140	8970	RTO-M	50	form-based				0.7	8	1	7	7	10139.5	8969.5	8969.5	0.999951
6528	027	2876	0.07	5060	4	75	120	3.5	8	4	10066	5006	NCT-MISSI	65	form-based				0.75	11	1.375	7	7	12942	7882	7882	1.285714
6528	077	4803	0.11	1214	3	75	120	3.5	13	10	16810	15596	RTO-M	40	form-based				0.7	10	0.769230783	7	7	13448.39941	12234.39941	12234.39941	0.800024
6529	008	2362	0.05	3120	2	75	120	3.5	6	4	8267	5147	NCT-MISSI	65	form-based				0.75	9	1.5	7	7	10629	7509	7509	1.285714
6529	019	3543	0.08	787	0	75	120	3.5	10	10	12400	11613	RTO-M	45	form-based				0.7	7	0.699999988	7	7	9920.399414	9133.399414	9133.399414	0.800032
6530	027	2933	0.07	3500	2	75	120	3.5	8	6	10266	6766	NCT-VALEI	55	form-based		true		0.75	9	1.125	7	7	10998.75	7498.75	7498.75	1.071376
6530	060	2937	0.07	1810	2	75	120	3.5	8	6	10280	8470	NCT-VALEI	55	form-based				0.75	9	1.125	7	7	11013.75	9203.75	9203.75	1.071376
6535	009	2991	0.07	3220	1	65	100	3	7	6	8973	5753	RH-3	50	form-based		true	true	0.7	8	1.142857194	7	7	10468.5	7248.5	7248.5	1.166667
6535	010	2840	0.07	2845	1	65	100	3	7	6	8520	5675	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9940	7095	7095	1.166667
6535	011	3181	0.07	3140	2	65	100	3	7	5	9543	6403	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	11133.5	7993.5	7993.5	1.166667
6535	012	2840	0.07	2134	1	65	100	3	7	6	8520	6386	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9940	7806	7806	1.166667
6535	013	2840	0.07	2400	1	65	100	3	7	6	8520	6120	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9940	7540	7540	1.166667
6535	014	2954	0.07	2975	1	65	100	3	7	6	8862	5887	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10339	7364	7364	1.166667
6535	015	2847	0.07	1307	1	65	100	3	7	6	8541	7234	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9964.5	8657.5	8657.5	1.166667
6535	016	2897	0.07	3030	1	65	100	3	7	6	8691	5661	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10139.5	7109.5	7109.5	1.166667
6535	018	2897	0.07	2243	1	65	100	3	7	6	8691	6448	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10139.5	7896.5	7896.5	1.166667
6535	019	2841	0.07	2471	1	65	100	3	7	6	8523	6052	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9943.5	7472.5	7472.5	1.166667
6535	021	2841	0.07	1640	1	65	100	3	7	6	8523	6883	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9943.5	8303.5	8303.5	1.166667
6535	022	2972	0.07	1424	1	65	100	3	7	6	8916	7492	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10402	8978	8978	1.166667
6535	033	2907	0.07	1910	1	65	100	3	7	6	8721	6811	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10174.5	8264.5	8264.5	1.166667
6535	039	2850	0.07	2136	1	65	100	3	7	6	8550	6414	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7839	7839	1.166667
6535	040	2850	0.07	1175	1	65	100	3	7	6	8550	7375	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8800	8800	1.166667
6535	041	2850	0.07	1575	1	65	100	3	7	6	8550	6975	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8400	8400	1.166667
6535	044	2869	0.07	1590	1	65	100	3	7	6	8607	7017	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10041.5	8451.5	8451.5	1.166667
6536	009	2842	0.07	1420	1	65	100	3	7	6	8526	7106	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9947	8527	8527	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6536	011	2842	0.07	2760	1	65	100	3	7	6	8526	5766	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9947	7187	7187	1.166667
6536	024	2850	0.07	2840	1	65	100	3	7	6	8550	5710	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7135	7135	1.166667
6536	029	3078	0.07	1960	2	65	100	3	7	5	9234	7274	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	10773	8813	8813	1.166667
6536	039	2850	0.07	1559	1	65	100	3	7	6	8550	6991	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8416	8416	1.166667
6536	040	2850	0.07	1800	1	65	100	3	7	6	8550	6750	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8175	8175	1.166667
6537	038	3990	0.09	2085	1	65	100	3	9	8	11970	9885	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	11172	9087	9087	0.933333
6539	024	3190	0.07	1950	0	55	80	2.5	6	6	7975	6025	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	8932	6982	6982	1.12
6546	008	4398	0.1	3389	2	55	80	2.5	8	6	10995	7606	RH-2	40	form-based		true	true	0.7	9	1.125	7	7	12314.39941	8925.399414	8925.399414	1.12
6548	040	3372	0.08	1837	0	65	100	3	8	8	10116	8279	RH-2	40	form-based			true	0.7	7	0.875	7	7	9441.599609	7604.599609	7604.599609	0.933333
6549	001	2584	0.06	3675	3	65	100	3	6	3	7752	4077	NC-1	65	form-based		true	true	0.75	10	1.666666627	7	7	11628	7953	7953	1.5
6549	008	2811	0.06	2403	1	65	100	3	6	5	8433	6030	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9838.5	7435.5	7435.5	1.166667
6549	010	2925	0.07	1900	1	65	100	3	7	6	8775	6875	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10237.5	8337.5	8337.5	1.166667
6549	011	2935	0.07	1620	1	65	100	3	7	6	8805	7185	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10272.5	8652.5	8652.5	1.166667
6549	013	2916	0.07	2872	1	65	100	3	7	6	8748	5876	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10206	7334	7334	1.166667
6549	015	2868	0.07	2555	1	65	100	3	7	6	8604	6049	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10038	7483	7483	1.166667
6549	018	2868	0.07	1175	1	65	100	3	7	6	8604	7429	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10038	8863	8863	1.166667
6549	019	2973	0.07	1284	1	65	100	3	7	6	8919	7635	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10405.5	9121.5	9121.5	1.166667
6549	020	2868	0.07	1165	1	65	100	3	7	6	8604	7439	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10038	8873	8873	1.166667
6549	022	2921	0.07	1492	1	65	100	3	7	6	8763	7271	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10223.5	8731.5	8731.5	1.166667
6549	022A	2920	0.07	3000	1	65	100	3	7	6	8760	5760	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10220	7220	7220	1.166667
6549	023	2868	0.07	1390	1	65	100	3	7	6	8604	7214	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10038	8648	8648	1.166667
6549	033	2907	0.07	1850	1	65	100	3	7	6	8721	6871	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10174.5	8324.5	8324.5	1.166667
6549	034	2850	0.07	900	1	65	100	3	7	6	8550	7650	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	9075	9075	1.166667
6549	035	2955	0.07	2838	1	65	100	3	7	6	8865	6027	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10342.5	7504.5	7504.5	1.166667
6549	038	2850	0.07	2075	1	65	100	3	7	6	8550	6475	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7900	7900	1.166667
6549	039	2955	0.07	3189	1	65	100	3	7	6	8865	5676	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10342.5	7153.5	7153.5	1.166667
6550	004	3027	0.07	1596	1	65	100	3	7	6	9081	7485	RH-3	50	form-based			true	0.7	8	1.142857194	7	7	10594.5	8998.5	8998.5	1.166667
6550	005	3431	0.08	3965	3	65	100	3	8	5	10293	6328	RH-3	50	form-based			true	0.7	10	1.25	7	7	12008.5	8043.5	8043.5	1.166667
6550	009	2902	0.07	1250	1	65	100	3	7	6	8706	7456	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10157	8907	8907	1.166667
6550	011	2850	0.07	1400	1	65	100	3	7	6	8550	7150	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8575	8575	1.166667
6550	012	2898	0.07	1428	1	65	100	3	7	6	8694	7266	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10143	8715	8715	1.166667
6550	013	2973	0.07	1125	1	65	100	3	7	6	8919	7794	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10405.5	9280.5	9280.5	1.166667
6550	014	2898	0.07	1370	1	65	100	3	7	6	8694	7324	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10143	8773	8773	1.166667
6550	015	2898	0.07	1075	1	65	100	3	7	6	8694	7619	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10143	9068	9068	1.166667
6550	016	2850	0.07	1886	1	65	100	3	7	6	8550	6664	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8089	8089	1.166667
6550	017	2955	0.07	2478	1	65	100	3	7	6	8865	6387	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10342.5	7864.5	7864.5	1.166667
6550	019	2850	0.07	2239	1	65	100	3	7	6	8550	6311	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7736	7736	1.166667
6550	022	2902	0.07	1156	1	65	100	3	7	6	8706	7550	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10157	9001	9001	1.166667
6550	031	2898	0.07	1825	1	65	100	3	7	6	8694	6869	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10143	8318	8318	1.166667
6550	032	2850	0.07	700	1	65	100	3	7	6	8550	7850	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	9275	9275	1.166667
6550	035	2850	0.07	2756	1	65	100	3	7	6	8550	5794	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7219	7219	1.166667
6550	037	2898	0.07	1457	1	65	100	3	7	6	8694	7237	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10143	8686	8686	1.166667
6550	040	2909	0.07	1212	1	65	100	3	7	6	8727	7515	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10181.5	8969.5	8969.5	1.166667
6551	027A	2385	0.05	2994	2	65	100	3	5	3	7155	4161	NC-1	65	form-based		true	true	0.75	9	1.799999952	7	7	10732.5	7738.5	7738.5	1.5
6550	056	2477	0.06	1175	2	65	100	3	6	4	7431	6256	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11146.5	9971.5	9971.5	1.5
6551	012	2965	0.07	1583	1	65	100	3	7	6	8895	7312	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10377.5	8794.5	8794.5	1.166667
6551	013	2964	0.07	1319	1	65	100	3	7	6	8892	7573	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10374	9055	9055	1.166667
6551	015	2962	0.07	2330	1	65	100	3	7	6	8886	6556	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10367	8037	8037	1.166667
6551	017	2960	0.07	1416	1	65	100	3	7	6	8880	7464	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10360	8944	8944	1.166667
6551	023	2500	0.06	3230	2	85	140	4	8	6	10000	6770	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11250	8020	8020	1.125
6551	024A	2500	0.06	3430	2	85	140	4	8	6	10000	6570	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11250	7820	7820	1.125
6551	025	2500	0.06	3040	2	85	140	4	8	6	10000	6960	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11250	8210	8210	1.125
6551	026	2500	0.06	2430	2	85	140	4	8	6	10000	7570	NC-1	65	form-based			true	0.75	9	1.125	7	7	11250	8820	8820	1.125
6551	028	2850	0.07	2028	1	65	100	3	7	6	8550	6522	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7947	7947	1.166667
6551	029	2850	0.07	2889	1	65	100	3	7	6	8550	5661	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7086	7086	1.166667
6551	030	2964	0.07	2534	1	65	100	3	7	6	8892	6358	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10374	7840	7840	1.166667
6551	031	2964	0.07	1657	1	65	100	3	7	6	8892	7235	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10374	8717	8717	1.166667
6551	032	2964	0.07	1420	1	65	100	3	7	6	8892	7472	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10374	8954	8954	1.166667
6551	033	2964	0.07	720	1	65	100	3	7	6	8892	8172	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10374	9654	9654	1.166667
6551	036	3004	0.07	3574	1	65	100	3	7	6	9012	5438	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10514	6940	6940	1.166667
6551	037	2893	0.07	2649	1	65	100	3	7	6	8679	6030	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10125.5	7476.5	7476.5	1.166667
6551	052	2500	0.06	1398	2	85	140	4	8	6	10000	8602	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11250	9852	9852	1.125
6551	065	2476	0.06	1237	0	65	100	3	6	6	7428	6191	RH-3	50	form-based			true	0.7	7	1.166666627	7	7	8666	7429	7429	1.166667
6552	009	3123	0.07	2920	2	85	140	4	10	8	12492	9572	RH-2	50	form-based			true	0.7	9	0.899999976	7	7	10930.5	8010.5	8010.5	0.875

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6552	011	3008	0.07	1310	1	85	140	4	10	9	12032	10722	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	10528	9218	9218	0.875
6552	018	3020	0.07	1200	1	65	100	3	7	6	9060	7860	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10570	9370	9370	1.166667
6552	031	2964	0.07	1480	1	65	100	3	7	6	8892	7412	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10374	8894	8894	1.166667
6552	033	2964	0.07	1032	1	65	100	3	7	6	8892	7860	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10374	9342	9342	1.166667
6552	034	2964	0.07	2275	1	65	100	3	7	6	8892	6617	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10374	8099	8099	1.166667
6552	036	2953	0.07	1130	1	65	100	3	7	6	8859	7729	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10335.5	9205.5	9205.5	1.166667
6552	041	2850	0.07	2171	1	85	140	4	10	9	11400	9229	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9975	7804	7804	0.875
6552	042	2850	0.07	1581	1	85	140	4	10	9	11400	9819	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9975	8394	8394	0.875
6552	053	3122	0.07	1394	2	85	140	4	10	8	12488	11094	RH-2	50	form-based			true	0.7	9	0.899999976	7	7	10927	9533	9533	0.875
6552	062	3769	0.09	1104	4	65	100	3	9	5	11307	10203	RH-2	50	form-based			true	0.7	11	1.222222209	7	7	13191.5	12087.5	12087.5	1.166667
6553	044	3385	0.08	2439	0	65	100	3	8	8	10155	7716	RH-2	40	form-based			true	0.7	7	0.875	7	7	9478	7039	7039	0.933333
6555	038A	3428	0.08	931	0	55	80	2.5	6	6	8570	7639	RH-2	40	form-based			true	0.7	7	1.166666627	7	7	9598.399414	8667.399414	8667.399414	1.12
6562	040	3109	0.07	0	0	55	80	2.5	6	6	7772	7772	RH-1	40	form-based			true	0.7	7	1.166666627	7	7	8705.200195	8705.200195	8705.200195	1.120072
6563	073	3607	0.08	1142	1	55	80	2.5	6	5	9018	7876	RH-2	40	form-based			true	0.7	8	1.333333373	7	7	10099.59961	8957.599609	8957.599609	1.119938
6565	003	2289	0.05	1710	2	85	140	4	7	5	9156	7446	RTO-C	65	form-based			true	0.75	9	1.285714269	7	7	10300.5	8590.5	8590.5	1.125
6565	004	2293	0.05	1880	2	85	140	4	7	5	9172	7292	RTO-C	65	form-based			true	0.75	9	1.285714269	7	7	10318.5	8438.5	8438.5	1.125
6565	013	2987	0.07	1158	1	65	100	3	7	6	8961	7803	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10454.5	9296.5	9296.5	1.166667
6565	014	2905	0.07	675	1	65	100	3	7	6	8715	8040	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10167.5	9492.5	9492.5	1.166667
6565	015	2927	0.07	1002	1	65	100	3	7	6	8781	7779	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10244.5	9242.5	9242.5	1.166667
6565	022	2894	0.07	988	1	65	100	3	7	6	8682	7694	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10129	9141	9141	1.166667
6565	024	2892	0.07	560	1	65	100	3	7	6	8676	8116	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10122	9562	9562	1.166667
6565	032	3078	0.07	3780	2	65	100	3	7	5	9234	5454	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	10773	6993	6993	1.166667
6565	038	2964	0.07	1949	1	65	100	3	7	6	8892	6943	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10374	8425	8425	1.166667
6565	041	2964	0.07	1080	1	65	100	3	7	6	8892	7812	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10374	9294	9294	1.166667
6565	045	2861	0.07	1450	1	85	140	4	10	9	11444	9994	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	10013.5	8563.5	8563.5	0.875
6565	051	2269	0.05	1693	2	85	140	4	7	5	9076	7383	RTO-C	65	form-based			true	0.75	9	1.285714269	7	7	10210.5	8517.5	8517.5	1.125
6565	062	3140	0.07	942	2	65	100	3	7	5	9420	8478	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	10990	10048	10048	1.166667
6566	014	2879	0.07	1560	1	65	100	3	7	6	8637	7077	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10076.5	8516.5	8516.5	1.166667
6566	015	2879	0.07	1923	1	65	100	3	7	6	8637	6714	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10076.5	8153.5	8153.5	1.166667
6566	020	2879	0.07	1462	1	65	100	3	7	6	8637	7175	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10076.5	8614.5	8614.5	1.166667
6566	021	2879	0.07	1666	1	85	140	4	10	9	11516	9850	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	10076.5	8410.5	8410.5	0.875
6566	022A	2400	0.06	2080	2	85	140	4	8	6	9600	7520	RTO-C	65	form-based			true	0.75	9	1.125	7	7	10800	8720	8720	1.125
6566	023	2400	0.06	2750	2	85	140	4	8	6	9600	6850	RTO-C	65	form-based			true	0.75	9	1.125	7	7	10800	8050	8050	1.125
6566	024	2400	0.06	2450	2	85	140	4	8	6	9600	7150	RTO-C	65	form-based			true	0.75	9	1.125	7	7	10800	8350	8350	1.125
6566	026	2400	0.06	3070	2	85	140	4	8	6	9600	6530	RTO-C	65	form-based			true	0.75	9	1.125	7	7	10800	7730	7730	1.125
6566	032	2850	0.07	1839	1	85	140	4	10	9	11400	9561	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9975	8136	8136	0.875
6566	033	2850	0.07	2291	1	85	140	4	10	9	11400	9109	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9975	7684	7684	0.875
6566	039	2850	0.07	2673	1	65	100	3	7	6	8550	5877	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7302	7302	1.166667
6566	048	2400	0.06	1330	2	85	140	4	8	6	9600	8270	RTO-C	65	form-based			true	0.75	9	1.125	7	7	10800	9470	9470	1.125
6569	001	2430	0.06	5123	0	85	140	4	8	8	9720	4597	NCT-MISSI	55	form-based	true			0.75	7	0.875	7	7	9112.5	3989.5	3989.5	0.9375
6578	009	2815	0.06	3222	1	65	100	3	6	5	8445	5223	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9852.5	6630.5	6630.5	1.166667
6578	013	2822	0.06	2677	1	65	100	3	6	5	8466	5789	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9877	7200	7200	1.166667
6578	017	2829	0.06	1251	1	65	100	3	6	5	8487	7236	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9901.5	8650.5	8650.5	1.166667
6578	018	2831	0.06	1225	1	65	100	3	6	5	8493	7268	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9908.5	8683.5	8683.5	1.166667
6578	021	2837	0.07	1200	1	65	100	3	7	6	8511	7311	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9929.5	8729.5	8729.5	1.166667
6578	023	2840	0.07	1394	1	65	100	3	7	6	8520	7126	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9940	8546	8546	1.166667
6578	025	2375	0.05	2615	2	65	100	3	5	3	7125	4510	RTO-C	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	8072.5	8072.5	1.5
6578	028A	2375	0.05	2890	2	65	100	3	5	3	7125	4235	NC-1	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	7797.5	7797.5	1.5
6578	029	2375	0.05	1728	2	65	100	3	5	3	7125	5397	NC-1	65	form-based			true	0.75	9	1.799999952	7	7	10687.5	8959.5	8959.5	1.5
6578	030	2565	0.06	5535	3	65	100	3	6	3	7695	2160	NC-1	65	form-based	true		true	0.75	10	1.666666627	7	7	11542.5	6007.5	6007.5	1.5
6578	031	2850	0.07	2257	1	65	100	3	7	6	8550	6293	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7718	7718	1.166667
6578	033	2850	0.07	1050	1	65	100	3	7	6	8550	7500	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8925	8925	1.166667
6578	034	2850	0.07	1200	1	65	100	3	7	6	8550	7350	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8775	8775	1.166667
6578	035	2850	0.07	955	1	65	100	3	7	6	8550	7595	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	9020	9020	1.166667
6578	036	2850	0.07	2100	1	65	100	3	7	6	8550	6450	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7875	7875	1.166667
6578	037	2850	0.07	1550	1	65	100	3	7	6	8550	7000	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8425	8425	1.166667
6578	039	2850	0.07	1752	1	65	100	3	7	6	8550	6798	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8223	8223	1.166667
6578	040	2850	0.07	1130	1	65	100	3	7	6	8550	7420	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8845	8845	1.166667
6578	041	2850	0.07	2700	1	65	100	3	7	6	8550	5850	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7275	7275	1.166667
6578	042	2850	0.07	1455	1	65	100	3	7	6	8550	7095	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8520	8520	1.166667
6579	001A	2004	0.05	1416	1	65	100	3	5	4	6012	4596	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9018	7602	7602	1.5
6571	022	3212	0.07	3090	3	65	100	3	7	4	9636	6546	NCT-MISSI	55	form-based				0.75	10	1.428571463	7	7	12045	8955	8955	1.25
6571	023	3232	0.07	3975	3	65	100	3	7	4	9696	5721	NCT-MISSI	55	form-based				0.75	10	1.428571463	7	7	12120	8145	8145	1.25
6571	023A	2995	0.07	2870	2	65	100	3	7	5	8985	6115	NCT-MISSI	55	form-based				0.75	9	1.285714269	7	7	11231.25	8361.25	8361.25	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6571	032	3602	0.08	1034	4	65	100	3	8	4	10806	9772	NCT-MISSI	55	form-based				0.75	11	1.375	7	7	13507.5	12473.5	12473.5	1.25
6579	009	2998	0.07	3100	1	65	100	3	7	6	8994	5894	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10493	7393	7393	1.166667
6579	015	2830	0.06	1113	1	65	100	3	6	5	8490	7377	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9905	8792	8792	1.166667
6579	033	3040	0.07	3985	2	65	100	3	7	5	9120	5135	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	10640	6655	6655	1.166667
6579	037	2850	0.07	3665	1	65	100	3	7	6	8550	4885	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	6310	6310	1.166667
6579	038	2850	0.07	1268	1	65	100	3	7	6	8550	7282	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8707	8707	1.166667
6579	039	3078	0.07	2888	2	65	100	3	7	5	9234	6346	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	10773	7885	7885	1.166667
6579	040	2850	0.07	1658	1	65	100	3	7	6	8550	6892	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8317	8317	1.166667
6579	042	2850	0.07	1720	1	65	100	3	7	6	8550	6830	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8255	8255	1.166667
6579	043A	2850	0.07	1260	1	65	100	3	7	6	8550	7290	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8715	8715	1.166667
6579	043B	2850	0.07	1540	1	65	100	3	7	6	8550	7010	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8435	8435	1.166667
6579	064	2850	0.07	2294	1	65	100	3	7	6	8550	6256	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7681	7681	1.166667
6580	023	4418	0.1	1196	2	65	100	3	10	8	13254	12058	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12370.39941	11174.39941	11174.39941	0.933333
6581	055	11099	0.25	14760	16	55	80	2.5	20	4	27748	12988	RM-1	40	form-based			true	0.7	23	1.149999976	7	7	31077.19922	16317.19922	16317.19922	1.11998
6582	022	3754	0.09	1456	1	55	80	2.5	7	6	9385	7929	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10511.2002	9055.200195	9055.200195	1.12
6588	004D	3925	0.09	1280	1	55	80	2.5	7	6	9812	8532	RH-1	40	form-based	true		true	0.7	8	1.142857194	7	7	10990	9710	9710	1.120057
6592	001	2443	0.06	2600	2	65	100	3	6	4	7329	4729	NC-1	65	form-based	true		true	0.75	9	1.5	7	7	10993.5	8393.5	8393.5	1.5
6592	006	2055	0.05	1725	1	65	100	3	5	4	6165	4440	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9247.5	7522.5	7522.5	1.5
6592	006A	2059	0.05	2092	1	65	100	3	5	4	6177	4085	RTO-C	65	form-based			true	0.75	8	1.600000024	7	7	9265.5	7173.5	7173.5	1.5
6592	008	2458	0.06	3822	2	65	100	3	6	4	7374	3552	NC-1	65	form-based	true		true	0.75	9	1.5	7	7	11061	7239	7239	1.5
6593	008	2740	0.06	1081	1	65	100	3	6	5	8220	7139	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9590	8509	8509	1.166667
6593	009	2740	0.06	1497	1	65	100	3	6	5	8220	6723	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9590	8093	8093	1.166667
6593	010	2739	0.06	984	1	65	100	3	6	5	8217	7233	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9586.5	8602.5	8602.5	1.166667
6593	011	2738	0.06	925	1	65	100	3	6	5	8214	7289	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9583	8658	8658	1.166667
6593	012	2738	0.06	886	1	65	100	3	6	5	8214	7328	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9583	8697	8697	1.166667
6593	013	2737	0.06	1056	1	65	100	3	6	5	8211	7155	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9579.5	8523.5	8523.5	1.166667
6593	030	2736	0.06	1297	1	65	100	3	6	5	8208	6911	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9576	8279	8279	1.166667
6593	031	2736	0.06	2712	1	65	100	3	6	5	8208	5496	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9576	6864	6864	1.166667
6593	032	2736	0.06	1510	1	65	100	3	6	5	8208	6698	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9576	8066	8066	1.166667
6593	034	2736	0.06	2650	1	65	100	3	6	5	8208	5558	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9576	6926	6926	1.166667
6593	036	2736	0.06	1741	1	65	100	3	6	5	8208	6467	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9576	7835	7835	1.166667
6593	037	2736	0.06	892	1	65	100	3	6	5	8208	7316	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9576	8684	8684	1.166667
6593	038	2736	0.06	1382	1	65	100	3	6	5	8208	6826	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9576	8194	8194	1.166667
6593	039	2964	0.07	1319	1	65	100	3	7	6	8892	7573	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10374	9055	9055	1.166667
6593	043	2709	0.06	1697	1	65	100	3	6	5	8127	6430	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9481.5	7784.5	7784.5	1.166667
6600	019	2850	0.07	1175	1	85	140	4	10	9	11400	10225	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9975	8800	8800	0.875
6600	025	2500	0.06	1602	2	85	140	4	8	6	10000	8398	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11250	9648	9648	1.125
6600	026	2500	0.06	3886	2	85	140	4	8	6	10000	6114	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11250	7364	7364	1.125
6600	027	2000	0.05	1850	1	85	140	4	7	6	8000	6150	RTO-C	65	form-based			true	0.75	8	1.142857194	7	7	9000	7150	7150	1.125
6600	037B	2873	0.07	1654	1	65	100	3	7	6	8619	6965	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10055.5	8401.5	8401.5	1.166667
6601	009	2926	0.07	2163	1	85	140	4	10	9	11704	9541	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	10241	8078	8078	0.875
6601	010	2926	0.07	2050	1	85	140	4	10	9	11704	9654	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	10241	8191	8191	0.875
6601	011	2926	0.07	1347	1	65	100	3	7	6	8778	7431	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10241	8894	8894	1.166667
6601	015	2926	0.07	1455	1	65	100	3	7	6	8778	7323	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10241	8786	8786	1.166667
6601	016	2926	0.07	2755	1	65	100	3	7	6	8778	6023	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10241	7486	7486	1.166667
6601	030	2951	0.07	2000	1	65	100	3	7	6	8853	6853	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10328.5	8328.5	8328.5	1.166667
6601	032	2838	0.07	1249	1	65	100	3	7	6	8514	7265	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9933	8684	8684	1.166667
6601	035	2767	0.06	1755	1	65	100	3	6	5	8301	6546	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9684.5	7929.5	7929.5	1.166667
6601	040	2915	0.07	2100	1	85	140	4	10	9	11660	9560	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	10202.5	8102.5	8102.5	0.875
6614	002	3000	0.07	3862	4	85	140	4	10	6	12000	8138	RTO-C	65	form-based			true	0.75	11	1.100000024	7	7	13500	9638	9638	1.125
6614	004	2500	0.06	2590	2	85	140	4	8	6	10000	7410	RTO-C	65	form-based			true	0.75	9	1.125	7	7	11250	8660	8660	1.125
6614	011	2946	0.07	2753	1	65	100	3	7	6	8838	6085	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10311	7558	7558	1.166667
6614	012	2946	0.07	2260	1	65	100	3	7	6	8838	6578	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10311	8051	8051	1.166667
6614	016	2969	0.07	2870	1	65	100	3	7	6	8907	6037	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10391.5	7521.5	7521.5	1.166667
6614	018	2855	0.07	2440	1	65	100	3	7	6	8565	6125	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9992.5	7552.5	7552.5	1.166667
6614	020	2969	0.07	1246	1	65	100	3	7	6	8907	7661	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10391.5	9145.5	9145.5	1.166667
6614	032	2866	0.07	1250	1	65	100	3	7	6	8598	7348	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10031	8781	8781	1.166667
6614	033	2958	0.07	1867	1	65	100	3	7	6	8874	7007	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10353	8486	8486	1.166667
6614	034	2981	0.07	2810	1	65	100	3	7	6	8943	6133	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10433.5	7623.5	7623.5	1.166667
6614	035	2981	0.07	3566	1	65	100	3	7	6	8943	5377	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10433.5	6867.5	6867.5	1.166667
6614	036	2958	0.07	1538	1	65	100	3	7	6	8874	7336	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10353	8815	8815	1.166667
6614	037	2958	0.07	684	1	65	100	3	7	6	8874	8190	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10353	9669	9669	1.166667
6614	040	2959	0.07	2509	1	65	100	3	7	6	8877	6368	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10356.5	7847.5	7847.5	1.166667
6614	043	3029	0.07	970	1	85	140	4	10	9	12116	11146	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	10601.5	9631.5	9631.5	0.875

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6615	011	2850	0.07	1444	1	65	100	3	7	6	8550	7106	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8531	8531	1.166667
6615	012	2850	0.07	907	1	65	100	3	7	6	8550	7643	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	9068	9068	1.166667
6615	013	2850	0.07	1098	1	65	100	3	7	6	8550	7452	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8877	8877	1.166667
6615	017	2850	0.07	2097	1	65	100	3	7	6	8550	6453	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7878	7878	1.166667
6615	018	2850	0.07	2233	1	85	140	4	10	9	11400	9167	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9975	7742	7742	0.875
6615	019	2850	0.07	1278	1	85	140	4	10	9	11400	10122	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9975	8697	8697	0.875
6615	030	2851	0.07	3046	1	85	140	4	10	9	11404	8358	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9978.5	6932.5	6932.5	0.875
6615	032	2851	0.07	2368	1	85	140	4	10	9	11404	9036	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9978.5	7610.5	7610.5	0.875
6615	033	2850	0.07	1125	1	65	100	3	7	6	8550	7425	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8850	8850	1.166667
6615	034	3221	0.07	3949	2	65	100	3	7	5	9663	5714	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	11273.5	7324.5	7324.5	1.166667
6615	044	1900	0.04	1006	0	85	140	4	6	6	7600	6594	NC-1	65	form-based			true	0.75	7	1.166666627	7	7	8550	7544	7544	1.125
6618	011	2850	0.07	1560	1	65	100	3	7	6	8550	6990	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8415	8415	1.166667
6618	015A	2834	0.07	2481	1	65	100	3	7	6	8502	6021	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9919	7438	7438	1.166667
6618	020	2500	0.06	1888	2	85	140	4	8	6	10000	8112	NC-1	65	form-based			true	0.75	9	1.125	7	7	11250	9362	9362	1.125
6618	028	2843	0.07	1350	1	65	100	3	7	6	8529	7179	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9950.5	8600.5	8600.5	1.166667
6618	029	2842	0.07	1525	1	65	100	3	7	6	8526	7001	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9947	8422	8422	1.166667
6618	030	2841	0.07	3220	1	65	100	3	7	6	8523	5303	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9943.5	6723.5	6723.5	1.166667
6618	031A	2868	0.07	1450	1	65	100	3	7	6	8604	7154	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10038	8588	8588	1.166667
6618	031B	2838	0.07	2562	1	65	100	3	7	6	8514	5952	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9933	7371	7371	1.166667
6618	031D	3271	0.08	1592	2	65	100	3	8	6	9813	8221	RH-2	50	form-based			true	0.7	9	1.125	7	7	11448.5	9856.5	9856.5	1.166667
6618	032	3005	0.07	1400	1	65	100	3	7	6	9015	7615	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10517.5	9117.5	9117.5	1.166667
6618	033	2834	0.07	3852	1	65	100	3	7	6	8502	4650	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9919	6067	6067	1.166667
6618	034	2833	0.07	950	1	65	100	3	7	6	8499	7549	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9915.5	8965.5	8965.5	1.166667
6618	035	2832	0.07	1245	1	65	100	3	7	6	8496	7251	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9912	8667	8667	1.166667
6618	036	2831	0.06	1425	1	65	100	3	6	5	8493	7068	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9908.5	8483.5	8483.5	1.166667
6618	063	2500	0.06	1613	2	65	100	3	6	4	7500	5887	RTO-C	65	form-based			true	0.75	9	1.5	7	7	11250	9637	9637	1.5
6618	067	2500	0.06	1362	2	85	140	4	8	6	10000	8638	NC-1	65	form-based			true	0.75	9	1.125	7	7	11250	9888	9888	1.125
6619	010	3002	0.07	1300	1	65	100	3	7	6	9006	7706	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10507	9207	9207	1.166667
6619	011	2850	0.07	1440	1	65	100	3	7	6	8550	7110	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8535	8535	1.166667
6619	024	2930	0.07	1696	1	65	100	3	7	6	8790	7094	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10255	8559	8559	1.166667
6619	025	2930	0.07	2300	1	65	100	3	7	6	8790	6490	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10255	7955	7955	1.166667
6632	017	2870	0.07	2590	1	65	100	3	7	6	8610	6020	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10045	7455	7455	1.166667
6632	018	2870	0.07	1479	1	65	100	3	7	6	8610	7131	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10045	8566	8566	1.166667
6632	019	2870	0.07	2336	1	65	100	3	7	6	8610	6274	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10045	7709	7709	1.166667
6632	020	2870	0.07	1362	1	65	100	3	7	6	8610	7248	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10045	8683	8683	1.166667
6632	021	2870	0.07	1530	1	65	100	3	7	6	8610	7080	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10045	8515	8515	1.166667
6632	025	2870	0.07	2004	1	65	100	3	7	6	8610	6606	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10045	8041	8041	1.166667
6632	033	2832	0.07	1675	1	65	100	3	7	6	8496	6821	RM-1	50	form-based			true	0.7	8	1.142857194	7	7	9912	8237	8237	1.166667
6633	001	3036	0.07	6347	2	65	100	3	7	5	9108	2761	NC-1	50	form-based		true	true	0.75	9	1.285714269	7	7	11385	5038	5038	1.25
6633	004	2879	0.07	1775	1	65	100	3	7	6	8637	6862	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10076.5	8301.5	8301.5	1.166667
6633	005	2879	0.07	1430	1	65	100	3	7	6	8637	7207	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10076.5	8646.5	8646.5	1.166667
6633	006	2879	0.07	2784	1	65	100	3	7	6	8637	5853	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10076.5	7292.5	7292.5	1.166667
6633	007	2879	0.07	1657	1	65	100	3	7	6	8637	6980	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10076.5	8419.5	8419.5	1.166667
6633	011	2850	0.07	2649	1	65	100	3	7	6	8550	5901	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	7326	7326	1.166667
6633	012	2907	0.07	1380	1	65	100	3	7	6	8721	7341	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	10174.5	8794.5	8794.5	1.166667
6633	014A	2765	0.06	1432	1	85	140	4	8	7	11060	9628	RH-2	50	form-based			true	0.7	8	1	7	7	9677.5	8245.5	8245.5	0.875
6633	014B	2707	0.06	2650	1	65	100	3	6	5	8121	5471	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9474.5	6824.5	6824.5	1.166667
6633	016	3066	0.07	2690	2	85	140	4	10	8	12264	9574	RH-2	50	form-based			true	0.7	9	0.899999976	7	7	10731	8041	8041	0.875
6633	026C	3156	0.07	2268	2	65	100	3	7	5	9468	7200	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	11046	8778	8778	1.166667
6633	041	3155	0.07	996	2	65	100	3	7	5	9465	8469	RH-2	50	form-based			true	0.7	9	1.285714269	7	7	11042.5	10046.5	10046.5	1.166667
6635	017	4382	0.1	0	0	85	140	4	14	14	17528	17528	NCD-MISS	40	density-lim	600			0.75	7	0.5	7	7	13146	13146	13146	0.75
6635	049	4298	0.1	4524	0	65	100	3	10	10	12894	8370	NCD-MISS	40	density-lim	600			0.75	7	0.699999988	7	7	12894	8370	8370	1
6637	012	2826	0.06	1375	1	65	100	3	6	5	8478	7103	RH-2	50	form-based			true	0.7	8	1.333333373	7	7	9891	8516	8516	1.166667
6637	013	2850	0.07	1475	1	65	100	3	7	6	8550	7075	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9975	8500	8500	1.166667
6637	014	2850	0.07	1838	1	85	140	4	10	9	11400	9562	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9975	8137	8137	0.875
6637	015	2850	0.07	1375	1	85	140	4	10	9	11400	10025	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9975	8600	8600	0.875
6637	020	2879	0.07	2180	4	85	140	4	10	6	11516	9336	RTO-C	65	form-based			true	0.75	11	1.100000024	7	7	12955.5	10775.5	10775.5	1.125
6637	025	2854	0.07	1250	1	85	140	4	10	9	11416	10166	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9989	8739	8739	0.875
6637	026	2854	0.07	1998	1	85	140	4	10	9	11416	9418	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9989	7991	7991	0.875
6637	026A	2854	0.07	1842	1	85	140	4	10	9	11416	9574	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9989	8147	8147	0.875
6637	026B	2854	0.07	1375	1	85	140	4	10	9	11416	10041	RH-2	50	form-based			true	0.7	8	0.800000012	7	7	9989	8614	8614	0.875
6637	027A	2854	0.07	1127	1	65	100	3	7	6	8562	7435	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9989	8862	8862	1.166667
6651	008	3677	0.08	1860	1	55	80	2.5	6	5	9192	7332	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10295.59961	8435.599609	8435.599609	1.120061
6651	025	3875	0.09	1510	1	65	100	3	9	8	11625	10115	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10850	9340	9340	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6652	016A	4000	0.09	4146	1	65	100	3	9	8	12000	7854	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11200	7054	7054	0.933333
6652	019	3913	0.09	2244	1	65	100	3	9	8	11739	9495	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10956.39941	8712.399414	8712.399414	0.933333
6652	020	3918	0.09	3480	1	65	100	3	9	8	11754	8274	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10970.39941	7490.399414	7490.399414	0.933333
6652	027	3438	0.08	3155	0	65	100	3	8	8	10314	7159	RH-2	40	form-based			true	0.7	7	0.875	7	7	9626.399414	6471.399414	6471.399414	0.933333
6652	032	3903	0.09	1380	1	65	100	3	9	8	11709	10329	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10928.39941	9548.399414	9548.399414	0.933333
6652	033	3923	0.09	680	1	65	100	3	9	8	11769	11089	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10984.39941	10304.39941	10304.39941	0.933333
6652	034	3908	0.09	2226	1	65	100	3	9	8	11724	9498	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10942.39941	8716.399414	8716.399414	0.933333
6652	037	4591	0.11	1048	3	65	100	3	11	8	13773	12725	RH-2	40	form-based			true	0.7	10	0.909090936	7	7	12854.7998	11806.7998	11806.7998	0.933333
6653	021	3125	0.07	525	0	65	100	3	7	7	9375	8850	RH-2	40	form-based			true	0.7	7	1	7	7	8750	8225	8225	0.933333
6653	027	3750	0.09	1350	1	65	100	3	9	8	11250	9900	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10500	9150	9150	0.933333
6654	001A	6271	0.14	8226	6	65	100	3	14	8	18813	10587	RH-2	40	form-based			true	0.7	13	0.928571403	7	7	17558.79883	9332.798828	9332.798828	0.933333
6656	058	4465	0.1	3126	2	85	140	4	14	12	17860	14734	RH-2	40	form-based			true	0.7	9	0.642857134	7	7	12502	9376	9376	0.7
6657	050	4480	0.1	2050	2	65	100	3	10	8	13440	11390	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	12544	10494	10494	0.933333
6662	006	3750	0.09	1240	1	65	100	3	9	8	11250	10010	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10500	9260	9260	0.933333
6664	064	3740	0.09	1772	1	65	100	3	9	8	11220	9448	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10472	8700	8700	0.933333
6664	069	3740	0.09	2512	1	65	100	3	9	8	11220	8708	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10472	7960	7960	0.933333
6665	001	3632	0.08	1855	1	65	100	3	8	7	10896	9041	RH-1	40	form-based		true	true	0.7	8	1	7	7	10169.59961	8314.599609	8314.599609	0.933333
6665	012	3703	0.09	2839	1	65	100	3	9	8	11109	8270	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10368.39941	7529.399414	7529.399414	0.933333
6665	019	3970	0.09	2084	1	65	100	3	9	8	11910	9826	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11116	9032	9032	0.933333
6690	042	3475	0.08	2420	0	65	100	3	8	8	10425	8005	RH-2	40	form-based			true	0.7	7	0.875	7	7	9730	7310	7310	0.933333
6690	044	3594	0.08	960	1	65	100	3	8	7	10782	9822	RH-2	40	form-based			true	0.7	8	1	7	7	10063.2002	9103.200195	9103.200195	0.933333
6695	025	3793	0.09	2212	1	65	100	3	9	8	11379	9167	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10620.39941	8408.399414	8408.399414	0.933333
6695	026	3797	0.09	1920	1	65	100	3	9	8	11391	9471	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10631.59961	8711.599609	8711.599609	0.933333
6696	003	3711	0.09	1520	1	65	100	3	9	8	11133	9613	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10390.7998	8870.799805	8870.799805	0.933333
6696	013	3620	0.08	830	1	65	100	3	8	7	10860	10030	RH-1	40	form-based			true	0.7	8	1	7	7	10136	9306	9306	0.933333
6700	010	3887	0.09	792	1	65	100	3	9	8	11661	10869	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10883.59961	10091.59961	10091.59961	0.933333
6700	015	3875	0.09	2040	1	65	100	3	9	8	11625	9585	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10850	8810	8810	0.933333
6700	016	3639	0.08	1060	1	65	100	3	8	7	10917	9857	RH-1	40	form-based			true	0.7	8	1	7	7	10189.2002	9129.200195	9129.200195	0.933333
6700	017	3719	0.09	3277	1	65	100	3	9	8	11157	7880	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10413.2002	7136.200195	7136.200195	0.933333
6700	031	3599	0.08	1153	1	65	100	3	8	7	10797	9644	RH-1	40	form-based			true	0.7	8	1	7	7	10077.2002	8924.200195	8924.200195	0.933333
6700	032	3699	0.08	3573	1	65	100	3	8	7	11097	7524	RH-1	40	form-based			true	0.7	8	1	7	7	10357.2002	6784.200195	6784.200195	0.933333
6710	001	4007	0.09	1350	1	65	100	3	9	8	12021	10671	RH-1	40	form-based	true		true	0.7	8	0.888888896	7	7	11219.59961	9869.599609	9869.599609	0.933333
6710	008	3684	0.08	2949	1	65	100	3	8	7	11052	8103	RH-1	40	form-based			true	0.7	8	1	7	7	10315.2002	7366.200195	7366.200195	0.933333
6712	029	3618	0.08	1470	1	65	100	3	8	7	10854	9384	RH-1	40	form-based			true	0.7	8	1	7	7	10130.39941	8660.399414	8660.399414	0.933333
6712	030	3830	0.09	3344	1	65	100	3	9	8	11490	8146	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10724	7380	7380	0.933333
6712	031	3859	0.09	2200	1	65	100	3	9	8	11577	9377	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10805.2002	8605.200195	8605.200195	0.933333
6712	032	3850	0.09	1068	1	65	100	3	9	8	11550	10482	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10780	9712	9712	0.933333
6712	033	3842	0.09	865	1	65	100	3	9	8	11526	10661	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10757.59961	9892.599609	9892.599609	0.933333
6712	034	3771	0.09	2019	1	65	100	3	9	8	11313	9294	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10558.7998	8539.799805	8539.799805	0.933333
6713	009	3902	0.09	990	1	65	100	3	9	8	11706	10716	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10925.59961	9935.599609	9935.599609	0.933333
6713	010	3699	0.08	1292	1	65	100	3	8	7	11097	9805	RH-1	40	form-based			true	0.7	8	1	7	7	10357.2002	9065.200195	9065.200195	0.933333
6713	011	3738	0.09	1096	1	65	100	3	9	8	11214	10118	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10466.39941	9370.399414	9370.399414	0.933333
6713	012	3777	0.09	1182	1	65	100	3	9	8	11331	10149	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10575.59961	9393.599609	9393.599609	0.933333
6713	013	3816	0.09	1404	1	65	100	3	9	8	11448	10044	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10684.7998	9280.799805	9280.799805	0.933333
6713	014	3855	0.09	875	1	65	100	3	9	8	11565	10690	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10794	9919	9919	0.933333
6713	015	3894	0.09	1096	1	65	100	3	9	8	11682	10586	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10903.2002	9807.200195	9807.200195	0.933333
6713	016	3933	0.09	1163	1	65	100	3	9	8	11799	10636	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11012.39941	9849.399414	9849.399414	0.933333
6713	017	3975	0.09	1096	1	65	100	3	9	8	11925	10829	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11130	10034	10034	0.933333
6713	018	3940	0.09	891	1	65	100	3	9	8	11820	10929	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11032	10141	10141	0.933333
6713	019	3839	0.09	1133	1	65	100	3	9	8	11517	10384	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10749.2002	9616.200195	9616.200195	0.933333
6713	020	3744	0.09	1442	1	65	100	3	9	8	11232	9790	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10483.2002	9041.200195	9041.200195	0.933333
6713	021	3660	0.08	2115	1	65	100	3	8	7	10980	8865	RH-1	40	form-based			true	0.7	8	1	7	7	10248	8133	8133	0.933333
6713	033	3779	0.09	852	1	65	100	3	9	8	11337	10485	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10581.2002	9729.200195	9729.200195	0.933333
6713	052	3775	0.09	1988	1	65	100	3	9	8	11325	9337	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10570	8582	8582	0.933333
6726	029A	3106	0.07	2486	2	75	120	3.5	8	6	10871	8385	RH-2	50	form-based	true		true	0.7	9	1.125	7	7	10871	8385	8385	1
6726	033	3139	0.07	1900	2	75	120	3.5	8	6	10986	9086	RH-2	50	form-based			true	0.7	9	1.125	7	7	10986.5	9086.5	9086.5	1.000046
6726	036	3138	0.07	1991	2	75	120	3.5	8	6	10983	8992	RH-2	50	form-based			true	0.7	9	1.125	7	7	10983	8992	8992	1
6727	023	3014	0.07	1885	1	75	120	3.5	8	7	10549	8664	RH-2	50	form-based			true	0.7	8	1	7	7	10549	8664	8664	1
6728	024	2923	0.07	1380	1	75	120	3.5	8	7	10230	8850	RH-1	50	form-based			true	0.7	8	1	7	7	10230.5	8850.5	8850.5	1.000049
6729	032	2989	0.07	865	1	75	120	3.5	8	7	10462	9597	RH-1	50	form-based			true	0.7	8	1	7	7	10461.5	9596.5	9596.5	0.999952
6730	013	3707	0.09	1954	1	75	120	3.5	11	10	12974	11020	RH-1	40	form-based	true		true	0.7	8	0.727272749	7	7	10379.59961	8425.599609	8425.599609	0.800031
6730	035	3738	0.09	1350	1	65	100	3	9	8	11214	9864	RH-1	40	form-based	true		true	0.7	8	0.888888896	7	7	10466.39941	9116.399414	9116.399414	0.933333
6731	050	3824	0.09	2416	1	65	100	3	9	8	11472	9056	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10707.2002	8291.200195	8291.200195	0.933333
6731	064	4025	0.09	2710	1	75	120	3.5	11	10	14088	11378	RH-1	40	form-based			true	0.7	8	0.727272749	7	7	11270	8560	8560	0.799972

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6732	014	4011	0.09	705	1	75	120	3.5	11	10	14038	13333	RH-1	40	form-based			true	0.7	8	0.727272749	7	7	11230.7998	10525.7998	10525.7998	0.800029
6732	015	3762	0.09	1050	1	75	120	3.5	11	10	13167	12117	RH-1	40	form-based			true	0.7	8	0.727272749	7	7	10533.59961	9483.599609	9483.599609	0.8
6732	016	3603	0.08	1417	1	75	120	3.5	10	9	12610	11193	RH-1	40	form-based			true	0.7	8	0.800000012	7	7	10088.39941	8671.399414	8671.399414	0.800032
6736	039	2750	0.06	2750	1	75	120	3.5	7	6	9625	6875	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9625	6875	6875	1
6736	040	2750	0.06	2985	1	75	120	3.5	7	6	9625	6640	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9625	6640	6640	1
6738	005	2706	0.06	1332	1	75	120	3.5	7	6	9471	8139	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9471	8139	8139	1
6738	006	2706	0.06	1845	1	75	120	3.5	7	6	9471	7626	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9471	7626	7626	1
6738	018	2989	0.07	1560	1	75	120	3.5	8	7	10462	8902	RH-1	50	form-based			true	0.7	8	1	7	7	10461.5	8901.5	8901.5	0.999952
6738	021	2826	0.06	1425	1	75	120	3.5	7	6	9891	8466	RH-1	50	form-based			true	0.7	8	1.142857194	7	7	9891	8466	8466	1
6739	003	2836	0.07	1500	1	75	120	3.5	8	7	9926	8426	RH-1	50	form-based			true	0.7	8	1	7	7	9926	8426	8426	1
6739	022	3022	0.07	1068	1	75	120	3.5	8	7	10577	9509	RH-1	50	form-based			true	0.7	8	1	7	7	10577	9509	9509	1
6740	019	1878	0.04	3835	0	75	120	3.5	5	5	6573	2738	NCT-GLEN	65	form-based			true	0.75	7	1.399999976	7	7	8451	4616	4616	1.285714
6740	024	3326	0.08	2094	0	75	120	3.5	10	10	11641	9547	RH-2	40	form-based		true	true	0.7	7	0.699999988	7	7	9312.799805	7218.799805	7218.799805	0.8
6741	023	2137	0.05	2289	1	75	120	3.5	6	5	7480	5191	NCT-GLEN	65	form-based		true	true	0.75	8	1.333333373	7	7	9616.5	7327.5	7327.5	1.285628
6742	003	1630	0.04	2700	2	75	120	3.5	5	3	5705	3005	NCT-GLEN	85	form-based		true	true	0.75	9	1.799999952	7	7	9780	7080	7080	1.714286
6742	009	2160	0.05	2900	4	75	120	3.5	6	2	7560	4660	NCT-GLEN	85	form-based			true	0.75	11	1.833333373	7	7	12960	10060	10060	1.714286
6742	013	1950	0.04	2590	3	75	120	3.5	5	2	6825	4235	NCT-GLEN	85	form-based		true	true	0.75	10	2	7	7	11700	9110	9110	1.714286
6742	026	2500	0.06	2024	2	75	120	3.5	7	5	8750	6726	NCT-GLEN	65	form-based			true	0.75	9	1.285714269	7	7	11250	9226	9226	1.285714
6742	031	4702	0.11	13815	11	75	120	3.5	13	2	16457	2642	NCT-GLEN	65	form-based			true	0.75	18	1.384615421	7	7	21159	7344	7344	1.285714
6743	015	2955	0.07	935	1	75	120	3.5	8	7	10342	9407	RH-1	50	form-based			true	0.7	8	1	7	7	10342.5	9407.5	9407.5	1.000048
6746	005	2124	0.05	2053	1	75	120	3.5	6	5	7434	5381	RTO-C	65	form-based			true	0.75	8	1.333333373	7	7	9558	7505	7505	1.285714
6746	005A	2084	0.05	1820	1	75	120	3.5	6	5	7294	5474	RTO-C	65	form-based			true	0.75	8	1.333333373	7	7	9378	7558	7558	1.285714
6759	003	2947	0.07	554	1	75	120	3.5	8	7	10314	9760	RH-1	50	form-based			true	0.7	8	1	7	7	10314.5	9760.5	9760.5	1.000049
6761	018	3102	0.07	0	0	65	100	3	7	7	9306	9306	RH-1	40	form-based			true	0.7	7	1	7	7	8685.599609	8685.599609	8685.599609	0.933333
6761	019	3396	0.08	0	0	65	100	3	8	8	10188	10188	RH-1	40	form-based			true	0.7	7	0.875	7	7	9508.799805	9508.799805	9508.799805	0.933333
6761	035	3819	0.09	2528	1	65	100	3	9	8	11457	8929	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10693.2002	8165.200195	8165.200195	0.933333
6762	012	3905	0.09	1425	1	65	100	3	9	8	11715	10290	RH-1	40	form-based		true	true	0.7	8	0.888888896	7	7	10934	9509	9509	0.933333
6762	017	3611	0.08	1000	1	65	100	3	8	7	10833	9833	RH-1	40	form-based			true	0.7	8	1	7	7	10110.7998	9110.799805	9110.799805	0.933333
6762	018	3586	0.08	903	1	65	100	3	8	7	10758	9855	RH-1	40	form-based			true	0.7	8	1	7	7	10040.7998	9137.799805	9137.799805	0.933333
6762	019	3575	0.08	1748	1	65	100	3	8	7	10725	8977	RH-1	40	form-based			true	0.7	8	1	7	7	10010	8262	8262	0.933333
6762	041	3362	0.08	1988	0	65	100	3	8	8	10086	8098	RH-1	40	form-based			true	0.7	7	0.875	7	7	9413.599609	7425.599609	7425.599609	0.933333
6763	041	3593	0.08	1871	1	65	100	3	8	7	10779	8908	RH-1	40	form-based			true	0.7	8	1	7	7	10060.39941	8189.399414	8189.399414	0.933333
6767	007	1515	0.03	842	1	75	120	3.5	4	3	5302	4460	RTO-C	85	form-based			true	0.75	8	2	7	7	9090	8248	8248	1.714447
6767	009	1685	0.04	1500	2	75	120	3.5	5	3	5898	4398	RTO-C	85	form-based		true	true	0.75	9	1.799999952	7	7	10110	8610	8610	1.71414
6767	015	2734	0.06	2350	1	75	120	3.5	7	6	9569	7219	RH-2	50	form-based			true	0.7	8	1.142857194	7	7	9569	7219	7219	1
6768	038	1456	0.03	785	1	75	120	3.5	4	3	5096	4311	NCT-GLEN	85	form-based			true	0.75	8	2	7	7	8736	7951	7951	1.714286
6770	001	3707	0.09	1054	1	65	100	3	9	8	11121	10067	RH-1	40	form-based		true	true	0.7	8	0.888888896	7	7	10379.59961	9325.599609	9325.599609	0.933333
6913	020	4001	0.09	2399	1	65	100	3	9	8	12003	9604	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	8803.799805	8803.799805	0.933333
6915	002	4012	0.09	1500	1	65	100	3	9	8	12036	10536	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11233.59961	9733.599609	9733.599609	0.933333
6915	003A	3843	0.09	1500	1	65	100	3	9	8	11529	10029	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10760.39941	9260.399414	9260.399414	0.933333
6915	004	3714	0.09	1500	1	65	100	3	9	8	11142	9642	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10399.2002	8899.200195	8899.200195	0.933333
6915	037	3643	0.08	2400	1	65	100	3	8	7	10929	8529	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10200.39941	7800.399414	7800.399414	0.933333
6924	005	3687	0.08	2750	1	65	100	3	8	7	11061	8311	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10323.59961	7573.599609	7573.599609	0.933333
6940	018	3800	0.09	1650	1	65	100	3	9	8	11400	9750	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10640	8990	8990	0.933333
6943	038	4219	0.1	2036	2	65	100	3	10	8	12657	10621	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	11813.2002	9777.200195	9777.200195	0.933333
6943	039	4219	0.1	2633	2	65	100	3	10	8	12657	10024	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	11813.2002	9180.200195	9180.200195	0.933333
6944	012	4279	0.1	2298	2	65	100	3	10	8	12837	10539	RH-2	40	form-based			true	0.7	9	0.899999976	7	7	11981.2002	9683.200195	9683.200195	0.933333
6945	042	3750	0.09	1818	1	85	140	4	13	12	15000	13182	RH-2	40	form-based			true	0.7	8	0.615384638	7	7	10500	8682	8682	0.7
6947	001G	1593	0.04	1292	1	75	120	3.5	5	4	5576	4284	NCT-OCEA	85	form-based			true	0.75	8	1.600000024	7	7	9558	8266	8266	1.714132
6957	048	6467	0.15	14012	4	65	100	3	15	11	19401	5389	NCD-EXCE	40	density-lim	600	true		0.75	11	0.733333349	7	7	19401	5389	5389	1
6959	017	4066	0.09	4074	0	65	100	3	9	9	12198	8124	NCD-EXCE	40	density-lim	600			0.75	7	0.777777791	7	7	12198	8124	8124	1
6959	029	4293	0.1	3500	0	65	100	3	10	10	12879	9379	NCD-EXCE	40	density-lim	600			0.75	7	0.699999988	7	7	12879	9379	9379	1
6979	020	3760	0.09	1137	1	65	100	3	9	8	11280	10143	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10528	9391	9391	0.933333
6979	021	3760	0.09	1000	1	65	100	3	9	8	11280	10280	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10528	9528	9528	0.933333
6979	044	3766	0.09	950	1	65	100	3	9	8	11298	10348	RH-2	40	form-based			true	0.7	8	0.888888896	7	7	10544.7998	9594.799805	9594.799805	0.933333
6981	022	3760	0.09	2618	1	65	100	3	9	8	11280	8662	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10528	7910	7910	0.933333
6981	023	3760	0.09	2166	1	65	100	3	9	8	11280	9114	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10528	8362	8362	0.933333
6982	050	3869	0.09	1720	1	65	100	3	9	8	11607	9887	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10833.2002	9113.200195	9113.200195	0.933333
6984	007	3952	0.09	375	1	65	100	3	9	8	11856	11481	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11065.59961	10690.59961	10690.59961	0.933333
6986	014	3941	0.09	2548	1	55	80	2.5	7	6	9852	7304	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11034.7998	8486.799805	8486.799805	1.120057
6987	008	3671	0.08	800	1	55	80	2.5	6	5	9178	8378	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10278.7998	9478.799805	9478.799805	1.119939
6987	048	4018	0.09	750	1	55	80	2.5	7	6	10045	9295	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11250.39941	10500.39941	10500.39941	1.12
7000	020	3584	0.08	1592	1	65	100	3	8	7	10752	9160	RH-1	40	form-based			true	0.7	8	1	7	7	10035.2002	8443.200195	8443.200195	0.933333
7066	036	4049	0.09	2945	0	55	80	2.5	7	7	10122	7177	NCD-EXCE	40	density-lim	600			0.75	7	1	7	7	12147	9202	9202	1.200059

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7081A	012	3867	0.09	1200	1	85	140	4	13	12	15468	14268	RH-1	40	form-based			true	0.7	8	0.615384638	7	7	10827.59961	9627.599609	9627.599609	0.7
7099	012	3929	0.09	3894	0	55	80	2.5	7	7	9822	5928	NCD-EXCE	40	density-lim	600			0.75	7	1	7	7	11787	7893	7893	1.200061
7102	027	5754	0.13	0	0	65	100	3	13	13	17262	17262	NC-S	40	density-lim	800			0.75	7	0.538461566	7	7	17262	17262	17262	1
7123	001	5454	0.13	4832	0	85	140	4	18	18	21816	16984	NC-1	40	density-lim	800	true		0.75	7	0.388888896	7	7	16362	11530	11530	0.75
7203	008A	4001	0.09	3023	1	65	100	3	9	8	12003	8980	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	8179.799805	8179.799805	0.933333
7203	008B	4001	0.09	2789	1	65	100	3	9	8	12003	9214	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	8413.799805	8413.799805	0.933333
7203	009	4001	0.09	2255	1	65	100	3	9	8	12003	9748	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	8947.799805	8947.799805	0.933333
7203	009A	4001	0.09	2958	1	65	100	3	9	8	12003	9045	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	8244.799805	8244.799805	0.933333
7203	010	4001	0.09	3100	1	65	100	3	9	8	12003	8903	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	8102.799805	8102.799805	0.933333
7203	010A	4001	0.09	3441	1	65	100	3	9	8	12003	8562	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	7761.799805	7761.799805	0.933333
7203	010B	4001	0.09	2324	1	65	100	3	9	8	12003	9679	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	8878.799805	8878.799805	0.933333
7203	011	4001	0.09	2595	1	65	100	3	9	8	12003	9408	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	8607.799805	8607.799805	0.933333
7203	011A	4001	0.09	2475	1	65	100	3	9	8	12003	9528	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	8727.799805	8727.799805	0.933333
7203	012	4001	0.09	2784	1	65	100	3	9	8	12003	9219	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11202.7998	8418.799805	8418.799805	0.933333
7204	002	3984	0.09	3103	1	65	100	3	9	8	11952	8849	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11155.2002	8052.200195	8052.200195	0.933333
7204	002A	3984	0.09	2100	1	65	100	3	9	8	11952	9852	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11155.2002	9055.200195	9055.200195	0.933333
7204	003	3985	0.09	2543	1	65	100	3	9	8	11955	9412	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11158	8615	8615	0.933333
7204	003A	3986	0.09	2791	1	65	100	3	9	8	11958	9167	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11160.7998	8369.799805	8369.799805	0.933333
7204	003B	3987	0.09	3565	1	65	100	3	9	8	11961	8396	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11163.59961	7598.599609	7598.599609	0.933333
7204	004A	3988	0.09	1776	1	65	100	3	9	8	11964	10188	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11166.39941	9390.399414	9390.399414	0.933333
7204	004B	3989	0.09	3605	1	65	100	3	9	8	11967	8362	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11169.2002	7564.200195	7564.200195	0.933333
7204	005	3989	0.09	2543	1	65	100	3	9	8	11967	9424	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11169.2002	8626.200195	8626.200195	0.933333
7204	005A	3990	0.09	3719	1	65	100	3	9	8	11970	8251	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11172	7453	7453	0.933333
7204	006	3991	0.09	2543	1	65	100	3	9	8	11973	9430	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11174.7998	8631.799805	8631.799805	0.933333
7204	006A	3692	0.08	2644	1	65	100	3	8	7	11076	8432	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10337.59961	7693.599609	7693.599609	0.933333
7204	007B	4000	0.09	2530	1	65	100	3	9	8	12000	9470	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8670	8670	0.933333
7204	009A	4000	0.09	2216	1	65	100	3	9	8	12000	9784	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8984	8984	0.933333
7204	010	3800	0.09	1340	1	65	100	3	9	8	11400	10060	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10640	9300	9300	0.933333
7204	010A	3800	0.09	2233	1	65	100	3	9	8	11400	9167	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10640	8407	8407	0.933333
7204	010B	3700	0.08	1331	1	65	100	3	8	7	11100	9769	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10360	9029	9029	0.933333
7204	011	4000	0.09	1863	1	65	100	3	9	8	12000	10137	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	9337	9337	0.933333
7204	011A	4000	0.09	2497	1	65	100	3	9	8	12000	9503	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8703	8703	0.933333
7205	001B	4018	0.09	1824	1	65	100	3	9	8	12054	10230	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11250.39941	9426.399414	9426.399414	0.933333
7205	002A	4018	0.09	2223	1	65	100	3	9	8	12054	9831	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11250.39941	9027.399414	9027.399414	0.933333
7205	003	4018	0.09	2482	1	65	100	3	9	8	12054	9572	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11250.39941	8768.399414	8768.399414	0.933333
7205	003B	4018	0.09	1728	1	65	100	3	9	8	12054	10326	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11250.39941	9522.399414	9522.399414	0.933333
7205	004	3917	0.09	2260	1	65	100	3	9	8	11751	9491	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10967.59961	8707.599609	8707.599609	0.933333
7205	005	3917	0.09	2322	1	65	100	3	9	8	11751	9429	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10967.59961	8645.599609	8645.599609	0.933333
7205	006	3917	0.09	3783	1	65	100	3	9	8	11751	7968	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10967.59961	7184.599609	7184.599609	0.933333
7205	006A	4018	0.09	2767	1	65	100	3	9	8	12054	9287	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11250.39941	8483.399414	8483.399414	0.933333
7205	006B	3996	0.09	3611	1	65	100	3	9	8	11988	8377	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	11188.7998	7577.799805	7577.799805	0.933333
7207	005A	3711	0.09	1434	1	55	80	2.5	7	6	9278	7844	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10390.7998	8956.799805	8956.799805	1.11994
7205	010	4225	0.1	2500	2	65	100	3	10	8	12675	10175	RH-1(D)	40	form-based			true	0.7	9	0.899999976	7	7	11830	9330	9330	0.933333
7207	004	3697	0.08	1455	1	55	80	2.5	6	5	9242	7787	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10351.59961	8896.599609	8896.599609	1.120061
7207	004A	3697	0.08	1761	1	55	80	2.5	6	5	9242	7481	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10351.59961	8590.599609	8590.599609	1.120061
7207	004B	3697	0.08	1992	1	55	80	2.5	6	5	9242	7250	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10351.59961	8359.599609	8359.599609	1.120061
7207	005	3697	0.08	2425	1	55	80	2.5	6	5	9242	6817	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10351.59961	7926.599609	7926.599609	1.120061
7207	005B	3683	0.08	3574	1	55	80	2.5	6	5	9208	5634	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10312.39941	6738.399414	6738.399414	1.119939
7207	006	4008	0.09	2136	1	55	80	2.5	7	6	10020	7884	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11222.39941	9086.399414	9086.399414	1.12
7208	003A	4036	0.09	3315	1	55	80	2.5	7	6	10090	6775	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11300.7998	7985.799805	7985.799805	1.12
7207	007	3979	0.09	2569	1	55	80	2.5	7	6	9948	7379	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11141.2002	8572.200195	8572.200195	1.119944
7207	008B	4000	0.09	2027	1	55	80	2.5	7	6	10000	7973	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	9173	9173	1.12
7207	009	4000	0.09	2298	1	55	80	2.5	7	6	10000	7702	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	8902	8902	1.12
7207	009A	3800	0.09	1910	1	55	80	2.5	7	6	9500	7590	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	8730	8730	1.12
7207	010	4000	0.09	1875	1	55	80	2.5	7	6	10000	8125	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	9325	9325	1.12
7207	010A	4000	0.09	2220	1	55	80	2.5	7	6	10000	7780	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	8980	8980	1.12
7207	011	4000	0.09	3032	1	55	80	2.5	7	6	10000	6968	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	8168	8168	1.12
7207	011A	3800	0.09	2556	1	55	80	2.5	7	6	9500	6944	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	8084	8084	1.12
7207	012	3900	0.09	1600	1	55	80	2.5	7	6	9750	8150	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10920	9320	9320	1.12
7208	001B	4036	0.09	2260	1	55	80	2.5	7	6	10090	7830	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11300.7998	9040.799805	9040.799805	1.12
7208	002	4036	0.09	2080	1	55	80	2.5	7	6	10090	8010	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11300.7998	9220.799805	9220.799805	1.12
7208	002A	4036	0.09	1792	1	55	80	2.5	7	6	10090	8298	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11300.7998	9508.799805	9508.799805	1.12
7208	003B	4036	0.09	2627	1	55	80	2.5	7	6	10090	7463	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11300.7998	8673.799805	8673.799805	1.12
7208	004	4036	0.09	3121	1	55	80	2.5	7	6	10090	6969	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11300.7998	8179.799805	8179.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7208	004A	4036	0.09	1977	1	55	80	2.5	7	6	10090	8113	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11300.7998	9323.799805	9323.799805	1.12
7208	006A	4014	0.09	2169	1	55	80	2.5	7	6	10035	7866	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	11239.2002	9070.200195	9070.200195	1.12
7209	001B	3986	0.09	2600	1	55	80	2.5	7	6	9965	7365	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11160.7998	8560.799805	8560.799805	1.12
7209	004	3986	0.09	3386	1	55	80	2.5	7	6	9965	6579	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11160.7998	7774.799805	7774.799805	1.12
7209	004A	3787	0.09	2827	1	55	80	2.5	7	6	9468	6641	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10603.59961	7776.599609	7776.599609	1.119941
7209	004B	3787	0.09	2420	1	55	80	2.5	7	6	9468	7048	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10603.59961	8183.599609	8183.599609	1.119941
7209	005	3853	0.09	3717	1	55	80	2.5	7	6	9632	5915	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10788.39941	7071.399414	7071.399414	1.120058
7209	005A	3853	0.09	1825	1	55	80	2.5	7	6	9632	7807	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10788.39941	8963.399414	8963.399414	1.120058
7209	005B	3853	0.09	1984	1	55	80	2.5	7	6	9632	7648	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10788.39941	8804.399414	8804.399414	1.120058
7209	006A	3765	0.09	3411	1	55	80	2.5	7	6	9412	6001	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10542	7131	7131	1.120059
7211	001A	3991	0.09	2240	1	55	80	2.5	7	6	9978	7738	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11174.7998	8934.799805	8934.799805	1.119944
7211	002	3984	0.09	2240	1	55	80	2.5	7	6	9960	7720	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11155.2002	8915.200195	8915.200195	1.12
7211	002B	3971	0.09	1996	1	55	80	2.5	7	6	9928	7932	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11118.7998	9122.799805	9122.799805	1.119944
7211	001	3976	0.09	2618	1	55	80	2.5	7	6	9940	7322	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	11132.7998	8514.799805	8514.799805	1.12
7212	001	3968	0.09	2312	1	55	80	2.5	7	6	9920	7608	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	11110.39941	8798.399414	8798.399414	1.12
7212	002	3703	0.09	1920	1	55	80	2.5	7	6	9258	7338	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10368.39941	8448.399414	8448.399414	1.119939
7212	002A	3708	0.09	2260	1	55	80	2.5	7	6	9270	7010	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10382.39941	8122.399414	8122.399414	1.12
7212	003B	3821	0.09	2720	1	55	80	2.5	7	6	9552	6832	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10698.7998	7978.799805	7978.799805	1.120059
7212	004	3826	0.09	2029	1	55	80	2.5	7	6	9565	7536	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10712.7998	8683.799805	8683.799805	1.12
7212	006A	4000	0.09	1986	1	55	80	2.5	7	6	10000	8014	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	9214	9214	1.12
7212	007A	4000	0.09	2125	1	55	80	2.5	7	6	10000	7875	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	9075	9075	1.12
7212	008	4000	0.09	2500	1	55	80	2.5	7	6	10000	7500	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	8700	8700	1.12
7212	008B	3979	0.09	1875	1	55	80	2.5	7	6	9948	8073	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	11141.2002	9266.200195	9266.200195	1.119944
7213	002B	3609	0.08	2445	1	55	80	2.5	6	5	9022	6577	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10105.2002	7660.200195	7660.200195	1.120062
7213	003	3609	0.08	1955	1	55	80	2.5	6	5	9022	7067	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10105.2002	8150.200195	8150.200195	1.120062
7213	003A	3609	0.08	1955	1	55	80	2.5	6	5	9022	7067	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10105.2002	8150.200195	8150.200195	1.120062
7213	003B	3609	0.08	1955	1	55	80	2.5	6	5	9022	7067	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10105.2002	8150.200195	8150.200195	1.120062
7213	004	3609	0.08	2274	1	55	80	2.5	6	5	9022	6748	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10105.2002	7831.200195	7831.200195	1.120062
7215	006A	4000	0.09	2476	1	65	100	3	9	8	12000	9524	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8724	8724	0.933333
7213	005B	3700	0.08	2919	1	55	80	2.5	6	5	9250	6331	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10360	7441	7441	1.12
7213	006	3700	0.08	1407	1	55	80	2.5	6	5	9250	7843	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10360	8953	8953	1.12
7213	006A	3700	0.08	1407	1	55	80	2.5	6	5	9250	7843	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10360	8953	8953	1.12
7213	006B	3700	0.08	1407	1	55	80	2.5	6	5	9250	7843	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10360	8953	8953	1.12
7213	007	3700	0.08	1407	1	55	80	2.5	6	5	9250	7843	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10360	8953	8953	1.12
7213	007A	3700	0.08	1407	1	55	80	2.5	6	5	9250	7843	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10360	8953	8953	1.12
7213	008	3700	0.08	2582	1	55	80	2.5	6	5	9250	6668	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10360	7778	7778	1.12
7213	010	3867	0.09	3526	1	55	80	2.5	7	6	9668	6142	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	10827.59961	7301.599609	7301.599609	1.119942
7214	001	3970	0.09	2250	1	55	80	2.5	7	6	9925	7675	RH-1(D)	40	form-based		true	true	0.7	8	1.142857194	7	7	11116	8866	8866	1.12
7214	001A	3991	0.09	2494	1	55	80	2.5	7	6	9978	7484	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11174.7998	8680.799805	8680.799805	1.119944
7214	002	3991	0.09	2899	1	55	80	2.5	7	6	9978	7079	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11174.7998	8275.799805	8275.799805	1.119944
7214	002A	3991	0.09	2019	1	55	80	2.5	7	6	9978	7959	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11174.7998	9155.799805	9155.799805	1.119944
7214	002B	3991	0.09	2177	1	55	80	2.5	7	6	9978	7801	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11174.7998	8997.799805	8997.799805	1.119944
7214	003	3991	0.09	2019	1	55	80	2.5	7	6	9978	7959	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11174.7998	9155.799805	9155.799805	1.119944
7214	003A	3991	0.09	2798	1	55	80	2.5	7	6	9978	7180	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11174.7998	8376.799805	8376.799805	1.119944
7214	003B	3991	0.09	2432	1	55	80	2.5	7	6	9978	7546	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11174.7998	8742.799805	8742.799805	1.119944
7214	004	3991	0.09	3050	1	55	80	2.5	7	6	9978	6928	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11174.7998	8124.799805	8124.799805	1.119944
7214	005B	3800	0.09	2094	1	55	80	2.5	7	6	9500	7406	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	8546	8546	1.12
7214	006	3800	0.09	2474	1	55	80	2.5	7	6	9500	7026	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	8166	8166	1.12
7214	006A	3800	0.09	3475	1	55	80	2.5	7	6	9500	6025	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	7165	7165	1.12
7214	006B	3800	0.09	2587	1	55	80	2.5	7	6	9500	6913	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10640	8053	8053	1.12
7214	007	4000	0.09	3301	1	55	80	2.5	7	6	10000	6699	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	7899	7899	1.12
7214	007A	4000	0.09	3000	1	55	80	2.5	7	6	10000	7000	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11200	8200	8200	1.12
7214	008B	3978	0.09	2316	1	55	80	2.5	7	6	9945	7629	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	11138.39941	8822.399414	8822.399414	1.12
7215	002A	4019	0.09	1783	1	65	100	3	9	8	12057	10274	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11253.2002	9470.200195	9470.200195	0.933333
7215	003	4019	0.09	3343	1	65	100	3	9	8	12057	8714	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11253.2002	7910.200195	7910.200195	0.933333
7215	003A	4019	0.09	1699	1	65	100	3	9	8	12057	10358	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11253.2002	9554.200195	9554.200195	0.933333
7215	005B	4000	0.09	2603	1	65	100	3	9	8	12000	9397	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8597	8597	0.933333
7215	006	4000	0.09	2219	1	65	100	3	9	8	12000	9781	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8981	8981	0.933333
7217	001	3635	0.08	2124	1	65	100	3	8	7	10905	8781	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10178	8054	8054	0.933333
7217	001A	3668	0.08	3741	1	65	100	3	8	7	11004	7263	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10270.39941	6529.399414	6529.399414	0.933333
7217	002A	3834	0.09	1540	1	65	100	3	9	8	11502	9962	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10735.2002	9195.200195	9195.200195	0.933333
7217	005	3976	0.09	1990	1	65	100	3	9	8	11928	9938	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11132.7998	9142.799805	9142.799805	0.933333
7217	005A	3877	0.09	1715	1	65	100	3	9	8	11631	9916	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10855.59961	9140.599609	9140.599609	0.933333
7217	006A	3577	0.08	1972	1	65	100	3	8	7	10731	8759	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10015.59961	8043.599609	8043.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7218	001A	3631	0.08	2440	1	65	100	3	8	7	10893	8453	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10166.7998	7726.799805	7726.799805	0.933333
7218	001B	3631	0.08	2700	1	65	100	3	8	7	10893	8193	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10166.7998	7466.799805	7466.799805	0.933333
7218	002	3631	0.08	2641	1	65	100	3	8	7	10893	8252	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10166.7998	7525.799805	7525.799805	0.933333
7218	002A	3631	0.08	3574	1	65	100	3	8	7	10893	7319	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10166.7998	6592.799805	6592.799805	0.933333
7218	003	3630	0.08	2440	1	65	100	3	8	7	10890	8450	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10164	7724	7724	0.933333
7218	003A	3630	0.08	2836	1	65	100	3	8	7	10890	8054	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10164	7328	7328	0.933333
7218	003B	3630	0.08	3177	1	65	100	3	8	7	10890	7713	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10164	6987	6987	0.933333
7218	004	3630	0.08	1935	1	65	100	3	8	7	10890	8955	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10164	8229	8229	0.933333
7218	004A	3630	0.08	2610	1	65	100	3	8	7	10890	8280	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10164	7554	7554	0.933333
7218	004B	3630	0.08	2284	1	65	100	3	8	7	10890	8606	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10164	7880	7880	0.933333
7218	007	4000	0.09	2375	1	65	100	3	9	8	12000	9625	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8825	8825	0.933333
7218	007A	4000	0.09	2174	1	65	100	3	9	8	12000	9826	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	9026	9026	0.933333
7218	008	4000	0.09	2382	1	65	100	3	9	8	12000	9618	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8818	8818	0.933333
7218	008A	4000	0.09	2100	1	65	100	3	9	8	12000	9900	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	9100	9100	0.933333
7218	009	4000	0.09	2180	1	65	100	3	9	8	12000	9820	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	9020	9020	0.933333
7218	009A	4000	0.09	2469	1	65	100	3	9	8	12000	9531	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8731	8731	0.933333
7218	010	4000	0.09	2439	1	65	100	3	9	8	12000	9561	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8761	8761	0.933333
7218	010A	4000	0.09	2415	1	65	100	3	9	8	12000	9585	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	8785	8785	0.933333
7219	006A	3609	0.08	2184	1	65	100	3	8	7	10827	8643	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10105.2002	7921.200195	7921.200195	0.933333
7219	006B	3608	0.08	1524	1	65	100	3	8	7	10824	9300	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10102.39941	8578.399414	8578.399414	0.933333
7219	007	3609	0.08	2100	1	65	100	3	8	7	10827	8727	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10105.2002	8005.200195	8005.200195	0.933333
7219	007A	3609	0.08	1814	1	65	100	3	8	7	10827	9013	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10105.2002	8291.200195	8291.200195	0.933333
7219	008	3608	0.08	2005	1	65	100	3	8	7	10824	8819	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10102.39941	8097.399414	8097.399414	0.933333
7219	008A	3609	0.08	1749	1	65	100	3	8	7	10827	9078	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10105.2002	8356.200195	8356.200195	0.933333
7219	008B	3608	0.08	2260	1	65	100	3	8	7	10824	8564	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10102.39941	7842.399414	7842.399414	0.933333
7219	009	3609	0.08	2585	1	65	100	3	8	7	10827	8242	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10105.2002	7520.200195	7520.200195	0.933333
7219	009A	3609	0.08	1970	1	65	100	3	8	7	10827	8857	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10105.2002	8135.200195	8135.200195	0.933333
7219	009B	3644	0.08	2717	1	65	100	3	8	7	10932	8215	RH-1(D)	40	form-based	true		true	0.7	8	1	7	7	10203.2002	7486.200195	7486.200195	0.933333
7225	010	3969	0.09	2100	1	85	140	4	13	12	15876	13776	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	11113.2002	9013.200195	9013.200195	0.7
7225	018	3948	0.09	3187	1	65	100	3	9	8	11844	8657	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11054.39941	7867.399414	7867.399414	0.933333
7229	013	3911	0.09	2032	1	65	100	3	9	8	11733	9701	RH-1(D)	40	form-based	true		true	0.7	8	0.888888896	7	7	10950.7998	8918.799805	8918.799805	0.933333
7229A	002	3768	0.09	2192	1	65	100	3	9	8	11304	9112	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10550.39941	8358.399414	8358.399414	0.933333
7231	016	4007	0.09	1703	1	85	140	4	13	12	16028	14325	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	11219.59961	9516.599609	9516.599609	0.7
7229A	005	3632	0.08	1935	1	65	100	3	8	7	10896	8961	RH-1(D)	40	form-based	true		true	0.7	8	1	7	7	10169.59961	8234.599609	8234.599609	0.933333
7229A	006	3636	0.08	1625	1	65	100	3	8	7	10908	9283	RH-1(D)	40	form-based	true		true	0.7	8	1	7	7	10180.7998	8555.799805	8555.799805	0.933333
7230	002	4047	0.09	2237	1	65	100	3	9	8	12141	9904	RH-1(D)	40	form-based	true		true	0.7	8	0.888888896	7	7	11331.59961	9094.599609	9094.599609	0.933333
7230	004	3756	0.09	1920	1	65	100	3	9	8	11268	9348	RH-1(D)	40	form-based	true		true	0.7	8	0.888888896	7	7	10516.7998	8596.799805	8596.799805	0.933333
7231	018	3768	0.09	2207	1	85	140	4	13	12	15072	12865	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	10550.39941	8343.399414	8343.399414	0.7
7231	002B	3734	0.09	1851	1	65	100	3	9	8	11202	9351	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10455.2002	8604.200195	8604.200195	0.933333
7234	002A	3638	0.08	1802	1	65	100	3	8	7	10914	9112	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10186.39941	8384.399414	8384.399414	0.933333
7235	014	4000	0.09	1869	1	65	100	3	9	8	12000	10131	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11200	9331	9331	0.933333
7235	015	4002	0.09	1667	1	65	100	3	9	8	12006	10339	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11205.59961	9538.599609	9538.599609	0.933333
7235	016	4007	0.09	1689	1	65	100	3	9	8	12021	10332	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11219.59961	9530.599609	9530.599609	0.933333
7235	017	4022	0.09	1667	1	65	100	3	9	8	12066	10399	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11261.59961	9594.599609	9594.599609	0.933333
7235	011	3937	0.09	1580	1	65	100	3	9	8	11811	10231	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11023.59961	9443.599609	9443.599609	0.933333
7235	012	4008	0.09	1772	1	65	100	3	9	8	12024	10252	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11222.39941	9450.399414	9450.399414	0.933333
7235	013	4002	0.09	1660	1	65	100	3	9	8	12006	10346	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11205.59961	9545.599609	9545.599609	0.933333
7235	021	4039	0.09	1667	1	65	100	3	9	8	12117	10450	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11309.2002	9642.200195	9642.200195	0.933333
7235	022	4025	0.09	1782	1	65	100	3	9	8	12075	10293	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11270	9488	9488	0.933333
7235	028	3231	0.07	0	0	65	100	3	7	7	9693	9693	RH-1(D)	40	form-based			true	0.7	7	1	7	7	9046.799805	9046.799805	9046.799805	0.933333
7237	005	3724	0.09	1845	1	65	100	3	9	8	11172	9327	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10427.2002	8582.200195	8582.200195	0.933333
7237	006	3836	0.09	1532	1	65	100	3	9	8	11508	9976	RH-1(D)	40	form-based	true		true	0.7	8	0.888888896	7	7	10740.7998	9208.799805	9208.799805	0.933333
7237	007	3790	0.09	1520	1	65	100	3	9	8	11370	9850	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10612	9092	9092	0.933333
7237	008	3873	0.09	1520	1	65	100	3	9	8	11619	10099	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10844.39941	9324.399414	9324.399414	0.933333
7237	013	3584	0.08	1435	1	65	100	3	8	7	10752	9317	RH-1(D)	40	form-based	true		true	0.7	8	1	7	7	10035.2002	8600.200195	8600.200195	0.933333
7238	002	3894	0.09	1912	1	65	100	3	9	8	11682	9770	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10903.2002	8991.200195	8991.200195	0.933333
7238A	011	3952	0.09	1651	1	65	100	3	9	8	11856	10205	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11065.59961	9414.599609	9414.599609	0.933333
7238A	012	3870	0.09	1744	1	85	140	4	13	12	15480	13736	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	10836	9092	9092	0.7
7238A	013	3898	0.09	1438	1	85	140	4	13	12	15592	14154	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	10914.39941	9476.399414	9476.399414	0.7
7238A	014	3823	0.09	1925	1	85	140	4	13	12	15292	13367	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	10704.39941	8779.399414	8779.399414	0.7
7238A	015	3748	0.09	1432	1	85	140	4	13	12	14992	13560	RH-1(D)	40	form-based			true	0.7	8	0.615384638	7	7	10494.39941	9062.399414	9062.399414	0.7
7239	006	3595	0.08	1329	1	65	100	3	8	7	10785	9456	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10066	8737	8737	0.933333
7239	007	3611	0.08	1651	1	65	100	3	8	7	10833	9182	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10110.7998	8459.799805	8459.799805	0.933333
7239	008	3628	0.08	1857	1	65	100	3	8	7	10884	9027	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10158.39941	8301.399414	8301.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7239	009	3633	0.08	1640	1	65	100	3	8	7	10899	9259	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10172.39941	8532.399414	8532.399414	0.933333
7239	010	3627	0.08	1743	1	65	100	3	8	7	10881	9138	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10155.59961	8412.599609	8412.599609	0.933333
7239	012	3653	0.08	1321	1	65	100	3	8	7	10959	9638	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10228.39941	8907.399414	8907.399414	0.933333
7239	013	3659	0.08	1750	1	65	100	3	8	7	10977	9227	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10245.2002	8495.200195	8495.200195	0.933333
7239	014	3608	0.08	1787	1	65	100	3	8	7	10824	9037	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10102.39941	8315.399414	8315.399414	0.933333
7239	015	3606	0.08	2064	1	65	100	3	8	7	10818	8754	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10096.7998	8032.799805	8032.799805	0.933333
7239	016	3605	0.08	1755	1	65	100	3	8	7	10815	9060	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10094	8339	8339	0.933333
7239	017	3603	0.08	1580	1	65	100	3	8	7	10809	9229	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10088.39941	8508.399414	8508.399414	0.933333
7239	018	3606	0.08	1322	1	65	100	3	8	7	10818	9496	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10096.7998	8774.799805	8774.799805	0.933333
7239	019	3606	0.08	1752	1	65	100	3	8	7	10818	9066	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10096.7998	8344.799805	8344.799805	0.933333
7239	020	3608	0.08	1429	1	65	100	3	8	7	10824	9395	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10102.39941	8673.399414	8673.399414	0.933333
7239	021	3608	0.08	1566	1	65	100	3	8	7	10824	9258	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10102.39941	8536.399414	8536.399414	0.933333
7239	022	3608	0.08	1450	1	65	100	3	8	7	10824	9374	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10102.39941	8652.399414	8652.399414	0.933333
7239	023	3610	0.08	1562	1	65	100	3	8	7	10830	9268	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10108	8546	8546	0.933333
7239A	001	3761	0.09	2007	1	65	100	3	9	8	11283	9276	RH-1(D)	40	form-based		true	true	0.7	8	0.888888896	7	7	10530.7998	8523.799805	8523.799805	0.933333
7239A	002	3765	0.09	2152	1	65	100	3	9	8	11295	9143	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10542	8390	8390	0.933333
7239A	003	3768	0.09	1847	1	65	100	3	9	8	11304	9457	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10550.39941	8703.399414	8703.399414	0.933333
7239A	004	3868	0.09	1354	1	65	100	3	9	8	11604	10250	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10830.39941	9476.399414	9476.399414	0.933333
7239A	005	3861	0.09	1924	1	65	100	3	9	8	11583	9659	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10810.7998	8886.799805	8886.799805	0.933333
7239A	006	3858	0.09	1354	1	65	100	3	9	8	11574	10220	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10802.39941	9448.399414	9448.399414	0.933333
7239A	007	3716	0.09	1807	1	65	100	3	9	8	11148	9341	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10404.7998	8597.799805	8597.799805	0.933333
7239A	008	3689	0.08	1642	1	65	100	3	8	7	11067	9425	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10329.2002	8687.200195	8687.200195	0.933333
7239A	009	3684	0.08	1646	1	65	100	3	8	7	11052	9406	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10315.2002	8669.200195	8669.200195	0.933333
7239A	010	3780	0.09	1571	1	65	100	3	9	8	11340	9769	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10584	9013	9013	0.933333
7239A	011	3783	0.09	1646	1	65	100	3	9	8	11349	9703	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10592.39941	8946.399414	8946.399414	0.933333
7239A	012	3781	0.09	1354	1	65	100	3	9	8	11343	9989	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10586.7998	9232.799805	9232.799805	0.933333
7239A	013	3787	0.09	1646	1	65	100	3	9	8	11361	9715	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10603.59961	8957.599609	8957.599609	0.933333
7239A	014	3808	0.09	2217	1	65	100	3	9	8	11424	9207	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10662.39941	8445.399414	8445.399414	0.933333
7239A	017	3812	0.09	1674	1	65	100	3	9	8	11436	9762	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10673.59961	8999.599609	8999.599609	0.933333
7239A	018	3814	0.09	1357	1	65	100	3	9	8	11442	10085	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10679.2002	9322.200195	9322.200195	0.933333
7239A	019	3816	0.09	1507	1	65	100	3	9	8	11448	9941	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10684.7998	9177.799805	9177.799805	0.933333
7239A	020	3719	0.09	1357	1	65	100	3	9	8	11157	9800	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10413.2002	9056.200195	9056.200195	0.933333
7239A	021	3723	0.09	1357	1	65	100	3	9	8	11169	9812	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10424.39941	9067.399414	9067.399414	0.933333
7239A	022	3729	0.09	1357	1	65	100	3	9	8	11187	9830	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10441.2002	9084.200195	9084.200195	0.933333
7239A	023	3735	0.09	2518	1	65	100	3	9	8	11205	8687	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10458	7940	7940	0.933333
7239A	024	3742	0.09	1621	1	65	100	3	9	8	11226	9605	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10477.59961	8856.599609	8856.599609	0.933333
7239A	025	3750	0.09	1549	1	65	100	3	9	8	11250	9701	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10500	8951	8951	0.933333
7239A	026	3653	0.08	1357	1	65	100	3	8	7	10959	9602	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10228.39941	8871.399414	8871.399414	0.933333
7239A	027	3647	0.08	1507	1	65	100	3	8	7	10941	9434	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10211.59961	8704.599609	8704.599609	0.933333
7239A	028	3635	0.08	1357	1	65	100	3	8	7	10905	9548	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10178	8821	8821	0.933333
7239A	029	3729	0.09	2042	1	65	100	3	9	8	11187	9145	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10441.2002	8399.200195	8399.200195	0.933333
7239A	030	3722	0.09	1569	1	65	100	3	9	8	11166	9597	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10421.59961	8852.599609	8852.599609	0.933333
7239A	031	3718	0.09	1960	1	65	100	3	9	8	11154	9194	RH-1(D)	40	form-based	true	true	true	0.7	8	0.888888896	7	7	10410.39941	8450.399414	8450.399414	0.933333
7240	002	3680	0.08	1533	1	65	100	3	8	7	11040	9507	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10304	8771	8771	0.933333
7240	003	3746	0.09	1442	1	65	100	3	9	8	11238	9796	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10488.7998	9046.799805	9046.799805	0.933333
7240	004	3623	0.08	1329	1	65	100	3	8	7	10869	9540	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10144.39941	8815.399414	8815.399414	0.933333
7240	005	3705	0.09	1762	1	65	100	3	9	8	11115	9353	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10374	8612	8612	0.933333
7240	006	3602	0.08	2137	1	65	100	3	8	7	10806	8669	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10085.59961	7948.599609	7948.599609	0.933333
7240	007	3614	0.08	2451	1	65	100	3	8	7	10842	8391	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10119.2002	7668.200195	7668.200195	0.933333
7240	008	3842	0.09	1504	1	65	100	3	9	8	11526	10022	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10757.59961	9253.599609	9253.599609	0.933333
7240	009	3848	0.09	1578	1	65	100	3	9	8	11544	9966	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10774.39941	9196.399414	9196.399414	0.933333
7240	010	3640	0.08	1888	1	65	100	3	8	7	10920	9032	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10192	8304	8304	0.933333
7240	011	3730	0.09	2200	1	65	100	3	9	8	11190	8990	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10444	8244	8244	0.933333
7240	012	3600	0.08	1887	1	65	100	3	8	7	10800	8913	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10080	8193	8193	0.933333
7240	014	3640	0.08	2469	1	65	100	3	8	7	10920	8451	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10192	7723	7723	0.933333
7240	015	3614	0.08	1811	1	65	100	3	8	7	10842	9031	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10119.2002	8308.200195	8308.200195	0.933333
7240	016	3591	0.08	2782	1	65	100	3	8	7	10773	7991	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10054.7998	7272.799805	7272.799805	0.933333
7240	018	3607	0.08	1563	1	65	100	3	8	7	10821	9258	RH-1(D)	40	form-based		true	true	0.7	8	1	7	7	10099.59961	8536.599609	8536.599609	0.933333
7240	019	3704	0.09	1547	1	65	100	3	9	8	11112	9565	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10371.2002	8824.200195	8824.200195	0.933333
7240	020	3703	0.09	1582	1	65	100	3	9	8	11109	9527	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10368.39941	8786.399414	8786.399414	0.933333
7240	021	3703	0.09	1713	1	65	100	3	9	8	11109	9396	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10368.39941	8655.399414	8655.399414	0.933333
7240	022	3604	0.08	1569	1	65	100	3	8	7	10812	9243	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10091.2002	8522.200195	8522.200195	0.933333
7240	023	3607	0.08	1529	1	65	100	3	8	7	10821	9292	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10099.59961	8570.599609	8570.599609	0.933333
7240	024	3608	0.08	2051	1	65	100	3	8	7	10824	8773	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10102.39941	8051.399414	8051.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7240	025	3610	0.08	1834	1	65	100	3	8	7	10830	8996	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10108	8274	8274	0.933333
7240	026	3615	0.08	1497	1	65	100	3	8	7	10845	9348	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10122	8625	8625	0.933333
7240	027	3619	0.08	1509	1	65	100	3	8	7	10857	9348	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10133.2002	8624.200195	8624.200195	0.933333
7240	028	3624	0.08	1329	1	65	100	3	8	7	10872	9543	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10147.2002	8818.200195	8818.200195	0.933333
7240	029	3631	0.08	1329	1	65	100	3	8	7	10893	9564	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10166.7998	8837.799805	8837.799805	0.933333
7240	030	3638	0.08	1942	1	65	100	3	8	7	10914	8972	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10186.39941	8244.399414	8244.399414	0.933333
7240	031	3748	0.09	1761	1	65	100	3	9	8	11244	9483	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10494.39941	8733.399414	8733.399414	0.933333
7240	032	3841	0.09	1887	1	65	100	3	9	8	11523	9636	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10754.7998	8867.799805	8867.799805	0.933333
7240A	002	3975	0.09	1651	1	65	100	3	9	8	11925	10274	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11130	9479	9479	0.933333
7240A	003	3622	0.08	1424	1	65	100	3	8	7	10866	9442	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10141.59961	8717.599609	8717.599609	0.933333
7240A	004	3851	0.09	2077	1	65	100	3	9	8	11553	9476	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10782.7998	8705.799805	8705.799805	0.933333
7240A	006	3778	0.09	2352	1	65	100	3	9	8	11334	8982	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10578.39941	8226.399414	8226.399414	0.933333
7240A	007	3725	0.09	2245	1	65	100	3	9	8	11175	8930	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10430	8185	8185	0.933333
7240A	008	3716	0.09	1651	1	65	100	3	9	8	11148	9497	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10404.7998	8753.799805	8753.799805	0.933333
7240A	009	3738	0.09	1343	1	65	100	3	9	8	11214	9871	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10466.39941	9123.399414	9123.399414	0.933333
7240A	010	3869	0.09	1651	1	65	100	3	9	8	11607	9956	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10833.2002	9182.200195	9182.200195	0.933333
7240A	013A	3683	0.08	1529	1	65	100	3	8	7	11049	9520	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10312.39941	8783.399414	8783.399414	0.933333
7240A	015	3903	0.09	1353	1	65	100	3	9	8	11709	10356	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10928.39941	9575.399414	9575.399414	0.933333
7240A	016	3839	0.09	1322	1	65	100	3	9	8	11517	10195	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10749.2002	9427.200195	9427.200195	0.933333
7240A	020	3988	0.09	1932	1	65	100	3	9	8	11964	10032	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11166.39941	9234.399414	9234.399414	0.933333
7240A	021	3792	0.09	1943	1	65	100	3	9	8	11376	9433	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10617.59961	8674.599609	8674.599609	0.933333
7240A	022	3689	0.08	1693	1	65	100	3	8	7	11067	9374	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10329.2002	8636.200195	8636.200195	0.933333
7240A	023	3634	0.08	2534	1	65	100	3	8	7	10902	8368	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10175.2002	7641.200195	7641.200195	0.933333
7240A	026	3602	0.08	1523	1	65	100	3	8	7	10806	9283	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10085.59961	8562.599609	8562.599609	0.933333
7240A	027	3635	0.08	1493	1	65	100	3	8	7	10905	9412	RH-1(D)	40	form-based	true		true	0.7	8	1	7	7	10178	8685	8685	0.933333
7241	001	3718	0.09	2042	1	65	100	3	9	8	11154	9112	RH-1(D)	40	form-based	true		true	0.7	8	0.888888896	7	7	10410.39941	8368.399414	8368.399414	0.933333
7241	003	3702	0.08	1977	1	65	100	3	8	7	11106	9129	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10365.59961	8388.599609	8388.599609	0.933333
7241	004	3927	0.09	1420	1	65	100	3	9	8	11781	10361	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10995.59961	9575.599609	9575.599609	0.933333
7241	005	3875	0.09	1287	1	65	100	3	9	8	11625	10338	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10850	9563	9563	0.933333
7241	006	3822	0.09	1287	1	65	100	3	9	8	11466	10179	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10701.59961	9414.599609	9414.599609	0.933333
7241	007	3770	0.09	1298	1	65	100	3	9	8	11310	10012	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10556	9258	9258	0.933333
7241	008	3717	0.09	1287	1	65	100	3	9	8	11151	9864	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10407.59961	9120.599609	9120.599609	0.933333
7241	009	3665	0.08	1287	1	65	100	3	8	7	10995	9708	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10262	8975	8975	0.933333
7241	010	3612	0.08	1287	1	65	100	3	8	7	10836	9549	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10113.59961	8826.599609	8826.599609	0.933333
7241	031	3593	0.08	1538	1	65	100	3	8	7	10779	9241	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10060.39941	8522.399414	8522.399414	0.933333
7241	032	3730	0.09	1656	1	65	100	3	9	8	11190	9534	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10444	8788	8788	0.933333
7241	033	3660	0.08	1511	1	65	100	3	8	7	10980	9469	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10248	8737	8737	0.933333
7241	034	3764	0.09	1399	1	65	100	3	9	8	11292	9893	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10539.2002	9140.200195	9140.200195	0.933333
7241	035	3893	0.09	1516	1	65	100	3	9	8	11679	10163	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10900.39941	9384.399414	9384.399414	0.933333
7241	036	3976	0.09	1922	1	65	100	3	9	8	11928	10006	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11132.7998	9210.799805	9210.799805	0.933333
7241	037	3936	0.09	1684	1	65	100	3	9	8	11808	10124	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11020.7998	9336.799805	9336.799805	0.933333
7241	041	3948	0.09	1856	1	65	100	3	9	8	11844	9988	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11054.39941	9198.399414	9198.399414	0.933333
7241	042	4038	0.09	1256	1	65	100	3	9	8	12114	10858	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11306.39941	10050.39941	10050.39941	0.933333
7241	044	3651	0.08	1736	1	65	100	3	8	7	10953	9217	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10222.7998	8486.799805	8486.799805	0.933333
7241	045	3849	0.09	1570	1	65	100	3	9	8	11547	9977	RH-1(D)	40	form-based	true		true	0.7	8	0.888888896	7	7	10777.2002	9207.200195	9207.200195	0.933333
7242	001	3907	0.09	1623	1	65	100	3	9	8	11721	10098	RH-1(D)	40	form-based	true		true	0.7	8	0.888888896	7	7	10939.59961	9316.599609	9316.599609	0.933333
7242	013	3878	0.09	2294	1	65	100	3	9	8	11634	9340	RH-1(D)	40	form-based	true		true	0.7	8	0.888888896	7	7	10858.39941	8564.399414	8564.399414	0.933333
7242	018	3720	0.09	1300	1	65	100	3	9	8	11160	9860	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10416	9116	9116	0.933333
7242	019	3627	0.08	1885	1	65	100	3	8	7	10881	8996	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10155.59961	8270.599609	8270.599609	0.933333
7242	020	3669	0.08	1971	1	65	100	3	8	7	11007	9036	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10273.2002	8302.200195	8302.200195	0.933333
7242	021	3572	0.08	2080	1	65	100	3	8	7	10716	8636	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10001.59961	7921.599609	7921.599609	0.933333
7242	022	3616	0.08	1300	1	65	100	3	8	7	10848	9548	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10124.7998	8824.799805	8824.799805	0.933333
7243	005	3739	0.09	1521	1	65	100	3	9	8	11217	9696	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10469.2002	8948.200195	8948.200195	0.933333
7243	007	3918	0.09	1703	1	65	100	3	9	8	11754	10051	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10970.39941	9267.399414	9267.399414	0.933333
7243	009	3900	0.09	1673	1	65	100	3	9	8	11700	10027	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10920	9247	9247	0.933333
7243	012	3812	0.09	2008	1	65	100	3	9	8	11436	9428	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	10673.59961	8665.599609	8665.599609	0.933333
7244	004	3955	0.09	1407	1	65	100	3	9	8	11865	10458	RH-1(D)	40	form-based			true	0.7	8	0.888888896	7	7	11074	9667	9667	0.933333
7244	005	3643	0.08	1287	1	65	100	3	8	7	10929	9642	RH-1(D)	40	form-based			true	0.7	8	1	7	7	10200.39941	8913.399414	8913.399414	0.933333
7273	007	3593	0.08	1466	1	55	80	2.5	6	5	8982	7516	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10060.39941	8594.399414	8594.399414	1.120062
7273	011	3740	0.09	1954	1	55	80	2.5	7	6	9350	7396	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10472	8518	8518	1.12
7273	012	3751	0.09	1813	1	55	80	2.5	7	6	9378	7565	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10502.7998	8689.799805	8689.799805	1.11994
7273	013	3792	0.09	1207	1	55	80	2.5	7	6	9480	8273	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10617.59961	9410.599609	9410.599609	1.12
7273	014	3836	0.09	1739	1	55	80	2.5	7	6	9590	7851	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10740.7998	9001.799805	9001.799805	1.12
7273	015	3813	0.09	1499	1	55	80	2.5	7	6	9532	8033	RH-1(D)	40	form-based			true	0.7	8	1.142857194	7	7	10676.39941	9177.399414	9177.399414	1.120059

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7273	016	3698	0.08	1651	1	55	80	2.5	6	5	9245	7594	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10354.39941	8703.399414	8703.399414	1.12
7274	018	3584	0.08	1431	1	55	80	2.5	6	5	8960	7529	RH-1(D)	40	form-based			true	0.7	8	1.333333373	7	7	10035.2002	8604.200195	8604.200195	1.12
7527	042	3855	0.09	2250	1	65	100	3	9	8	11565	9315	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10794	8544	8544	0.933333
7532	014	3578	0.08	2343	1	65	100	3	8	7	10734	8391	RH-1	40	form-based			true	0.7	8	1	7	7	10018.39941	7675.399414	7675.399414	0.933333
7532	036	3741	0.09	2523	1	65	100	3	9	8	11223	8700	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10474.7998	7951.799805	7951.799805	0.933333
7532	037	3837	0.09	2523	1	65	100	3	9	8	11511	8988	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10743.59961	8220.599609	8220.599609	0.933333
7532	038	3961	0.09	2340	1	65	100	3	9	8	11883	9543	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11090.7998	8750.799805	8750.799805	0.933333
7532	039	3936	0.09	2340	1	65	100	3	9	8	11808	9468	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11020.7998	8680.799805	8680.799805	0.933333
7532	040	3749	0.09	2403	1	65	100	3	9	8	11247	8844	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10497.2002	8094.200195	8094.200195	0.933333
7537	020	3938	0.09	2787	1	55	80	2.5	7	6	9845	7058	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11026.39941	8239.399414	8239.399414	1.12
7537	021	3824	0.09	729	1	55	80	2.5	7	6	9560	8831	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10707.2002	9978.200195	9978.200195	1.12
7537	022	3812	0.09	1816	1	55	80	2.5	7	6	9530	7714	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10673.59961	8857.599609	8857.599609	1.12
7537	023	3717	0.09	3528	1	55	80	2.5	7	6	9292	5764	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10407.59961	6879.599609	6879.599609	1.12006
7537	073	3857	0.09	2058	1	55	80	2.5	7	6	9642	7584	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10799.59961	8741.599609	8741.599609	1.120058
7538	007	4043	0.09	3422	1	55	80	2.5	7	6	10108	6686	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	11320.39941	7898.399414	7898.399414	1.119945
7538	008	3806	0.09	1324	1	55	80	2.5	7	6	9515	8191	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10656.7998	9332.799805	9332.799805	1.12
7538	009	3750	0.09	1412	1	55	80	2.5	7	6	9375	7963	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10500	9088	9088	1.12
7538	010	3705	0.09	2535	1	55	80	2.5	7	6	9262	6727	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10374	7839	7839	1.12006
7538	017	3765	0.09	3512	1	55	80	2.5	7	6	9412	5900	RH-1	40	form-based			true	0.7	8	1.142857194	7	7	10542	7030	7030	1.120059
7538	018	3890	0.09	4410	1	65	100	3	9	8	11670	7260	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10892	6482	6482	0.933333
7538	038	3364	0.08	1501	0	55	80	2.5	6	6	8410	6909	RH-1	40	form-based			true	0.7	7	1.166666627	7	7	9419.200195	7918.200195	7918.200195	1.12
7538	039	3463	0.08	0	0	55	80	2.5	6	6	8658	8658	RH-1	40	form-based			true	0.7	7	1.166666627	7	7	9696.399414	9696.399414	9696.399414	1.119935
7539	008	3709	0.09	1309	1	55	80	2.5	7	6	9272	7963	RM-1	40	form-based			true	0.7	8	1.142857194	7	7	10385.2002	9076.200195	9076.200195	1.12006
7539	002	3685	0.08	2672	1	55	80	2.5	6	5	9212	6540	RH-1	40	form-based			true	0.7	8	1.333333373	7	7	10318	7646	7646	1.120061
7539	028	6423	0.15	840	6	55	80	2.5	12	6	16058	15218	RM-1	40	form-based			true	0.7	13	1.083333373	7	7	17984.40039	17144.40039	17144.40039	1.119965
7541	018	4627	0.11	3482	3	65	100	3	11	8	13881	10399	RH-1	40	form-based			true	0.7	10	0.909090936	7	7	12955.59961	9473.599609	9473.599609	0.933333
7540	009	3988	0.09	4893	1	65	100	3	9	8	11964	7071	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11166.39941	6273.399414	6273.399414	0.933333
7540	012	3992	0.09	1950	1	65	100	3	9	8	11976	10026	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11177.59961	9227.599609	9227.599609	0.933333
7542	027	3946	0.09	1489	1	65	100	3	9	8	11838	10349	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	11048.7998	9559.799805	9559.799805	0.933333
7542	028	3741	0.09	1818	1	65	100	3	9	8	11223	9405	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10474.7998	8656.799805	8656.799805	0.933333
7542	041	3725	0.09	3631	1	65	100	3	9	8	11175	7544	RH-1	40	form-based	true		true	0.7	8	0.888888896	7	7	10430	6799	6799	0.933333
7542	048	3766	0.09	4212	1	65	100	3	9	8	11298	7086	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10544.7998	6332.799805	6332.799805	0.933333
7542	049	3713	0.09	4212	1	65	100	3	9	8	11139	6927	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10396.39941	6184.399414	6184.399414	0.933333
7542	054	3772	0.09	5316	1	65	100	3	9	8	11316	6000	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10561.59961	5245.599609	5245.599609	0.933333
7548	028	3633	0.08	1171	1	65	100	3	8	7	10899	9728	RH-1	40	form-based			true	0.7	8	1	7	7	10172.39941	9001.399414	9001.399414	0.933333
7548	029	3633	0.08	1425	1	75	120	3.5	10	9	12716	11291	RH-1	40	form-based			true	0.7	8	0.800000012	7	7	10172.39941	8747.399414	8747.399414	0.799968
7548	030	3652	0.08	1395	1	75	120	3.5	10	9	12782	11387	RH-1	40	form-based			true	0.7	8	0.800000012	7	7	10225.59961	8830.599609	8830.599609	0.8
7548	031	3679	0.08	1067	1	75	120	3.5	10	9	12876	11809	RH-1	40	form-based			true	0.7	8	0.800000012	7	7	10301.2002	9234.200195	9234.200195	0.800031
7548	001	3773	0.09	1970	1	65	100	3	9	8	11319	9349	RH-1	40	form-based	true		true	0.7	8	0.888888896	7	7	10564.39941	8594.399414	8594.399414	0.933333
7548	005	3669	0.08	1000	1	75	120	3.5	10	9	12842	11842	RH-1	40	form-based			true	0.7	8	0.800000012	7	7	10273.2002	9273.200195	9273.200195	0.799969
7549	005	3887	0.09	1129	1	65	100	3	9	8	11661	10532	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10883.59961	9754.599609	9754.599609	0.933333
7554	024	3698	0.08	2064	1	65	100	3	8	7	11094	9030	RH-1	40	form-based			true	0.7	8	1	7	7	10354.39941	8290.399414	8290.399414	0.933333
7555	012	3841	0.09	1970	1	65	100	3	9	8	11523	9553	RH-1	40	form-based			true	0.7	8	0.888888896	7	7	10754.7998	8784.799805	8784.799805	0.933333
7555	013	3985	0.09	1568	1	65	100	3	9	8	11955	10387	RH-1	40	form-based	true		true	0.7	8	0.888888896	7	7	11158	9590	9590	0.933333
0024	006	1832	0.04	3402	1	65	100	3	4	3	5496	2094	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8244	4842	4842	1.5
0024	016	1522	0.03	3955	0	65	100	3	3	3	4566	611	C-2	65	form-based			true	0.8	6	2	6	6	7305.600098	3350.600098	3350.600098	1.6
0025	003B	2247	0.05	2880	2	65	100	3	5	3	6741	3861	NC-1	65	form-based			true	0.75	8	1.600000024	6	6	10111.5	7231.5	7231.5	1.5
0025	008	4744	0.11	5551	5	65	100	3	11	6	14232	8681	C-2	40	form-based			true	0.8	11	1	6	6	15180.7998	9629.799805	9629.799805	1.066667
0025	028	3715	0.09	2540	2	65	100	3	9	7	11145	8605	RTO-C	40	form-based			true	0.75	8	0.888888896	6	6	11145	8605	8605	1
0025	042	4145	0.1	1675	3	65	100	3	10	7	12435	10760	RTO-C	40	form-based			true	0.75	9	0.899999976	6	6	12435	10760	10760	1
0026	014	3388	0.08	4500	1	65	100	3	8	7	10164	5664	RH-3	40	form-based			true	0.7	7	0.875	6	6	9486.399414	4986.399414	4986.399414	0.933333
0026	019A	3423	0.08	2691	1	65	100	3	8	7	10269	7578	RH-3	40	form-based			true	0.7	7	0.875	6	6	9584.399414	6893.399414	6893.399414	0.933333
0026	019B	3420	0.08	1020	1	65	100	3	8	7	10260	9240	RH-3	40	form-based			true	0.7	7	0.875	6	6	9576	8556	8556	0.933333
0027	012	3146	0.07	3555	1	65	100	3	7	6	9438	5883	RH-3	40	form-based			true	0.7	7	1	6	6	8808.799805	5253.799805	5253.799805	0.933333
0027	025A	5328	0.12	6143	5	65	100	3	12	7	15984	9841	RH-3	40	form-based			true	0.7	11	0.916666687	6	6	14918.39941	8775.399414	8775.399414	0.933333
0028	006C	2188	0.05	3375	2	65	100	3	5	3	6564	3189	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9846	6471	6471	1.5
0028	006E	2137	0.05	2786	2	65	100	3	5	3	6411	3625	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9616.5	6830.5	6830.5	1.5
0030	014	2190	0.05	1243	6	65	100	3	5	0	6570	5327	C-2	85	form-based			true	0.8	12	2.400000095	6	4	14016	12773	11897	2.133333
0039	058	6525	0.15	885	10	65	100	3	15	5	19575	18690	RM-3	40	density-lin	400			0.75	16	1.066666722	6	6	19575	18690	18690	1
0041	031	1375	0.03	3200	2	65	100	3	3	1	4125	925	C-2	85	form-based			true	0.8	8	2.666666746	6	4	8800	5600	5050	2.133333
0041	100	1375	0.03	910	2	65	100	3	3	1	4125	3215	C-2	85	form-based			true	0.8	8	2.666666746	6	4	8800	7890	7340	2.133333
0044	002C	2438	0.06	2113	1	65	100	3	6	5	7314	5201	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8533	6420	6420	1.166667
0044	006	2500	0.06	4500	1	65	100	3	6	5	7500	3000	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	4250	4250	1.166667
0044	007	2500	0.06	1705	1	65	100	3	6	5	7500	5795	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	7045	7045	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0044	011	3133	0.07	7437	6	65	100	3	7	1	9399	1962	RTO-C	65	form-based			true	0.75	12	1.714285731	6	6	14098.5	6661.5	6661.5	1.5
0044	018	3753	0.09	6000	8	65	100	3	9	1	11259	5259	RTO-C	65	form-based			true	0.75	14	1.555555582	6	6	16888.5	10888.5	10888.5	1.5
0044	035	2478	0.06	1732	3	65	100	3	6	3	7434	5702	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11151	9419	9419	1.5
0047	005	7923	0.18	3436	12	65	100	3	18	6	23769	20333	RM-3	40	form-based		true	true	0.75	18	1	6	6	23769	20333	20333	1
0048	004	3863	0.09	3578	2	65	100	3	9	7	11589	8011	RH-1(D)	40	form-based			true	0.7	8	0.888888896	6	6	10816.39941	7238.399414	7238.399414	0.933333
0048	009C	3329	0.08	2880	1	55	80	2.5	6	5	8322	5442	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9321.200195	6441.200195	6441.200195	1.120067
0050	024	2741	0.06	4742	2	65	100	3	6	4	8223	3481	RM-1	50	form-based		true	true	0.7	8	1.333333373	6	6	9593.5	4851.5	4851.5	1.166667
0051	016	2166	0.05	1777	0	65	100	3	5	5	6498	4721	NCD-NORT	50	form-based			true	0.75	6	1.200000048	6	6	8122.5	6345.5	6345.5	1.25
0051	027	2174	0.05	512	1	65	100	3	5	4	6522	6010	NCD-NORT	50	form-based			true	0.75	7	1.399999976	6	6	8152.5	7640.5	7640.5	1.25
0052	005	2401	0.06	2205	0	65	100	3	6	6	7203	4998	NCD-NORT	40	density-lin	400			0.75	6	1	6	6	7203	4998	4998	1
0061	034	3481	0.08	2082	1	65	100	3	8	7	10443	8361	RH-3	40	form-based		true	true	0.7	7	0.875	6	6	9746.799805	7664.799805	7664.799805	0.933333
0061	041	5329	0.12	4709	5	65	100	3	12	7	15987	11278	RM-2	40	form-based			true	0.7	11	0.916666687	6	6	14921.2002	10212.2002	10212.2002	0.933333
0062	017	4125	0.09	3986	3	55	80	2.5	7	4	10312	6326	RH-3	40	form-based			true	0.7	9	1.285714269	6	6	11550	7564	7564	1.120054
0062	052	6004	0.14	1332	7	55	80	2.5	11	4	15010	13678	RM-1	40	form-based			true	0.7	13	1.181818128	6	6	16811.19922	15479.19922	15479.19922	1.12
0063	003	4309	0.1	1895	3	55	80	2.5	8	5	10772	8877	RM-1	40	form-based			true	0.7	9	1.125	6	6	12065.2002	10170.2002	10170.2002	1.120052
0063	015	6325	0.15	12408	7	55	80	2.5	12	5	15812	3404	RM-2	40	form-based			true	0.7	13	1.083333373	6	6	17710	5302	5302	1.120035
0065	004	4223	0.1	8255	6	55	80	2.5	8	2	10558	2303	RM-2	50	form-based			true	0.7	12	1.5	6	6	14780.5	6525.5	6525.5	1.399934
0065	049	4784	0.11	1140	7	55	80	2.5	9	2	11960	10820	RM-2	50	form-based			true	0.7	13	1.444444418	6	6	16744	15604	15604	1.4
0066	047	3438	0.08	500	4	55	80	2.5	6	2	8595	8095	RM-1	50	form-based			true	0.7	10	1.666666627	6	6	12033	11533	11533	1.4
0067	002	3781	0.09	4755	5	55	80	2.5	7	2	9452	4697	RH-3	50	form-based			true	0.7	11	1.571428537	6	6	13233.5	8478.5	8478.5	1.400074
0067	005	4472	0.1	2668	3	55	80	2.5	8	5	11180	8512	RH-3	40	form-based			true	0.7	9	1.125	6	6	12521.59961	9853.599609	9853.599609	1.12
0067	007A	3115	0.07	2134	1	55	80	2.5	6	5	7788	5654	RH-3	40	form-based		true	true	0.7	7	1.166666627	6	6	8722	6588	6588	1.119928
0067	019	4225	0.1	1552	3	55	80	2.5	8	5	10562	9010	RH-3	40	form-based			true	0.7	9	1.125	6	6	11830	10278	10278	1.120053
0068	013	2550	0.06	2890	1	55	80	2.5	5	4	6375	3485	RH-1	50	form-based			true	0.7	7	1.399999976	6	6	8925	6035	6035	1.4
0068	019B	2628	0.06	2780	1	55	80	2.5	5	4	6570	3790	RH-1	50	form-based			true	0.7	7	1.399999976	6	6	9198	6418	6418	1.4
0068	019C	2438	0.06	2840	1	55	80	2.5	5	4	6095	3255	RH-1	50	form-based			true	0.7	7	1.399999976	6	6	8533	5693	5693	1.4
0068	046	2354	0.05	2274	1	55	80	2.5	4	3	5885	3611	RH-1	50	form-based			true	0.7	7	1.75	6	6	8239	5965	5965	1.4
0069	015	3025	0.07	3554	2	65	100	3	7	5	9075	5521	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10587.5	7033.5	7033.5	1.166667
0071	005	2000	0.05	5112	0	55	80	2.5	4	4	5000	0	RH-3	50	form-based		true	true	0.7	6	1.5	6	6	7000	1888	1888	1.4
0071	005A	2369	0.05	1672	1	55	80	2.5	4	3	5922	4250	RH-3	50	form-based			true	0.7	7	1.75	6	6	8291.5	6619.5	6619.5	1.400118
0071	005G	2725	0.06	4768	2	55	80	2.5	5	3	6812	2044	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9537.5	4769.5	4769.5	1.400103
0071	005M	2589	0.06	1446	1	55	80	2.5	5	4	6472	5026	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	9061.5	7615.5	7615.5	1.400108
0071	069	3241	0.07	1433	3	55	80	2.5	6	3	8102	6669	RH-3	50	form-based			true	0.7	9	1.5	6	6	11343.5	9910.5	9910.5	1.400086
0071	086	3238	0.07	1182	3	55	80	2.5	6	3	8095	6913	RH-3	50	form-based			true	0.7	9	1.5	6	6	11333	10151	10151	1.4
0072	018	3780	0.09	3160	2	55	80	2.5	7	5	9450	6290	RM-1	40	form-based			true	0.7	8	1.142857194	6	6	10584	7424	7424	1.12
0072	050	3780	0.09	2287	2	55	80	2.5	7	5	9450	7163	RM-1	40	form-based			true	0.7	8	1.142857194	6	6	10584	8297	8297	1.12
0073	018B	3428	0.08	3393	4	55	80	2.5	6	2	8570	5177	RM-1	50	form-based			true	0.7	10	1.666666627	6	6	11998	8605	8605	1.4
0073	022	4121	0.09	6330	6	55	80	2.5	7	1	10302	3972	RM-1	50	form-based			true	0.7	12	1.714285731	6	6	14423.5	8093.5	8093.5	1.400068
0076	013	4756	0.11	4168	4	55	80	2.5	9	5	11890	7722	RM-2	40	form-based			true	0.7	10	1.111111164	6	6	13316.7998	9148.799805	9148.799805	1.12
0076	020	3707	0.09	3669	4	55	80	2.5	7	3	9268	5599	RM-2	50	form-based			true	0.7	10	1.428571463	6	6	12974.5	9305.5	9305.5	1.399925
0077	002	6708	0.15	8140	8	55	80	2.5	12	4	16770	8630	RH-3	40	form-based		true	true	0.7	14	1.166666627	6	6	18782.40039	10642.40039	10642.40039	1.12
0077	024	2832	0.07	4968	0	55	80	2.5	6	6	7080	2112	RM-1	40	form-based			true	0.7	6	1	6	6	7929.600098	2961.600098	2961.600098	1.12
0078	001D	3336	0.08	1933	1	65	100	3	8	7	10008	8075	RH-3	40	form-based			true	0.7	7	0.875	6	6	9340.799805	7407.799805	7407.799805	0.933333
0079	005	2691	0.06	3625	0	65	100	3	6	6	8073	4448	RH-3	40	density-lin	1000	true		0.7	6	1	6	6	7534.799805	3909.799805	3909.799805	0.933333
0087	003	4727	0.11	4388	4	55	80	2.5	9	5	11818	7430	RH-3	40	form-based			true	0.7	10	1.111111164	6	6	13235.59961	8847.599609	8847.599609	1.119953
0088	041	11021	0.25	750	17	55	80	2.5	20	3	27552	26802	RM-2	40	form-based		true	true	0.7	23	1.149999976	6	6	30858.79883	30108.79883	30108.79883	1.12002
0089	016	3465	0.08	10373	1	55	80	2.5	6	5	8662	0	RM-1	40	form-based			true	0.7	7	1.166666627	6	6	9702	0	0	1.120065
0092	034	4803	0.11	4080	4	55	80	2.5	9	5	12008	7928	RM-1	40	form-based			true	0.7	10	1.111111164	6	6	13448.39941	9368.399414	9368.399414	1.119953
0093	058	5116	0.12	1151	5	55	80	2.5	10	5	12790	11639	RM-1	40	form-based			true	0.7	11	1.100000024	6	6	14324.7998	13173.7998	13173.7998	1.12
0093	064	4730	0.11	1173	4	55	80	2.5	9	5	11825	10652	RM-1	40	form-based			true	0.7	10	1.111111164	6	6	13244	12071	12071	1.12
0094	040	2832	0.07	1314	2	55	80	2.5	6	4	7080	5766	RM-2	50	form-based		true	true	0.7	8	1.333333373	6	6	9912	8598	8598	1.4
0094	059	3257	0.07	5617	3	55	80	2.5	6	3	8142	2525	RH-3	50	form-based		true	true	0.7	9	1.5	6	6	11399.5	5782.5	5782.5	1.400086
0095	021	2206	0.05	2914	0	65	100	3	5	5	6618	3704	RH-3	50	form-based			true	0.7	6	1.200000048	6	6	7721	4807	4807	1.166667
0096	048	3740	0.09	6456	7	65	100	3	9	2	11220	4764	RH-3	65	form-based			true	0.7	13	1.444444418	6	6	15708	9252	9252	1.4
0097	011	1860	0.04	1794	1	55	80	2.5	3	2	4650	2856	RH-3	65	form-based			true	0.7	7	2.333333254	6	5	7812	6018	6018	1.68
0097	024	3755	0.09	9555	7	55	80	2.5	7	0	9388	0	RH-3	65	form-based			true	0.7	13	1.857142806	6	6	15771	6216	6216	1.679911
0097	036	3098	0.07	4680	5	55	80	2.5	6	1	7745	3065	RH-3	65	form-based			true	0.7	11	1.833333373	6	6	13011.59961	8331.599609	8331.599609	1.68
0097	070	2188	0.05	1500	2	55	80	2.5	4	2	5470	3970	RH-3	65	form-based			true	0.7	8	2	6	6	9189.599609	7689.599609	7689.599609	1.68
0098	016	5588	0.13	7422	6	55	80	2.5	10	4	13970	6548	RM-1	40	form-based			true	0.7	12	1.200000048	6	6	15646.39941	8224.399414	8224.399414	1.12
0098	017	3753	0.09	3988	2	55	80	2.5	7	5	9382	5394	RM-1	40	form-based			true	0.7	8	1.142857194	6	6	10508.39941	6520.399414	6520.399414	1.12006
0098	022	4652	0.11	1088	4	55	80	2.5	9	5	11630	10542	RM-1	40	form-based			true	0.7	10	1.111111164	6	6	13025.59961	11937.59961	11937.59961	1.12
0099	013	3770	0.09	4558	2	55	80	2.5	7	5	9425	4867	RM-1	40	form-based			true	0.7	8	1.142857194	6	6	10556	5998	5998	1.12
0099	015	5485	0.13	7446	6	55	80	2.5	10	4	13712	6266	RM-1	40	form-based			true	0.7	12	1.200000048	6	6	15358	7912	7912	1.120041
0099	045	3770	0.09	1673	2	55	80	2.5	7	5	9425	7752	RM-1	40	form-based			true	0.7	8	1.142857194	6	6	10556	8883	8883	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0106	005	3000	0.07	0	0	65	100	3	7	7	9000	9000	RH-3	40	form-based			true	0.7	6	0.857142866	6	6	8400	8400	8400	0.933333
0106	034A	7429	0.17	3250	1	65	100	3	17	16	22287	19037	RH-3	40	density-lim	1000			0.7	7	0.411764711	6	6	20801.19922	17551.19922	17551.19922	0.933333
0106	041	5639	0.13	0	0	65	100	3	13	13	16917	16917	RH-3	40	density-lim	1000			0.7	6	0.461538464	6	6	15789.2002	15789.2002	15789.2002	0.933333
0114	078	4771	0.11	843	4	55	80	2.5	9	5	11928	11085	RH-3	40	form-based			true	0.7	10	1.111111164	6	6	13358.7998	12515.7998	12515.7998	1.119953
0116	023	2300	0.05	6816	0	55	80	2.5	4	4	5750	0	NCD-NORT	40	density-lim	400			0.75	6	1.5	6	6	6900	84	84	1.2
0117	017	3483	0.08	9877	3	55	80	2.5	6	3	8708	0	NCD-NORT	40	density-lim	400			0.75	9	1.5	6	6	10449	572	572	1.199931
0119	034	3781	0.09	4162	2	55	80	2.5	7	5	9452	5290	RM-2	40	form-based			true	0.7	8	1.142857194	6	6	10586.7998	6424.799805	6424.799805	1.120059
0120	008A	3900	0.09	4413	2	55	80	2.5	7	5	9750	5337	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10920	6507	6507	1.12
0120	062	4744	0.11	1017	4	55	80	2.5	9	5	11860	10843	RM-2	40	form-based		true	true	0.7	10	1.111111164	6	6	13283.2002	12266.2002	12266.2002	1.12
0122	020	5625	0.13	14148	15	55	80	2.5	10	0	14062	0	NC-1	65	form-based		true	true	0.75	21	2.099999905	6	5	25312.5	11164.5	11164.5	1.800064
0123	042	2410	0.06	3140	2	65	100	3	6	4	7230	4090	RH-3	65	form-based			true	0.7	8	1.333333373	6	6	10122	6982	6982	1.4
0123	055	1713	0.04	4599	0	65	100	3	4	4	5139	540	RH-3	65	form-based		true	true	0.7	6	1.5	6	6	7194.600098	2595.600098	2595.600098	1.4
0124	030	6760	0.16	14475	18	65	100	3	16	0	20280	5805	RH-3	65	form-based			true	0.7	24	1.5	6	6	28392	13917	13917	1.4
0124	035	2530	0.06	3291	3	65	100	3	6	3	7590	4299	RH-3	65	form-based			true	0.7	9	1.5	6	6	10626	7335	7335	1.4
0125	008	3437	0.08	6542	6	55	80	2.5	6	0	8592	2050	RH-3	65	form-based			true	0.7	12	2	6	6	14435.39941	7893.399414	7893.399414	1.680098
0125	015	2029	0.05	5925	1	55	80	2.5	4	3	5072	0	RM-1	65	form-based			true	0.7	7	1.75	6	6	8521.799805	2596.799805	2596.799805	1.680166
0131	008	2320	0.05	4686	0	55	80	2.5	4	4	5800	1114	NCD-NORT	40	density-lim	400	true		0.75	6	1.5	6	6	6960	2274	2274	1.2
0132	035	4500	0.1	2900	0	55	80	2.5	8	8	11250	8350	RM-1	40	density-lim	800			0.7	6	0.75	6	6	12600	9700	9700	1.12
0133	015	2750	0.06	4038	0	55	80	2.5	5	5	6875	2837	RH-3	40	form-based			true	0.7	6	1.200000048	6	6	7700	3662	3662	1.12
0134	004	4553	0.1	4250	4	65	100	3	10	6	13659	9409	RM-1	40	form-based			true	0.7	10	1	6	6	12748.39941	8498.399414	8498.399414	0.933333
0141	013	5060	0.12	15783	0	65	100	3	12	12	15180	0	C-2	65	density-lim	800	true		0.8	6	0.5	6	6	24288	8505	8505	1.6
0145	044	2300	0.05	3450	0	55	80	2.5	4	4	5750	2300	NCD-NORT	40	density-lim	400	true		0.75	6	1.5	6	6	6900	3450	3450	1.2
0145	049	4524	0.1	4624	0	55	80	2.5	8	8	11310	6686	RM-1	40	density-lim	800	true		0.7	6	0.75	6	6	12667.2002	8043.200195	8043.200195	1.12
0153	009	2744	0.06	3856	4	55	80	2.5	5	1	6860	3004	RM-1	65	form-based			true	0.7	10	2	6	6	11524.7998	7668.799805	7668.799805	1.68
0153	022A	2189	0.05	2906	2	65	100	3	5	3	6567	3661	RH-3	65	form-based			true	0.7	8	1.600000024	6	6	9193.799805	6287.799805	6287.799805	1.4
0153	023	3438	0.08	3738	4	65	100	3	8	4	10314	6576	RH-3	50	form-based			true	0.7	10	1.25	6	6	12033	8295	8295	1.166667
0153	036	3346	0.08	3338	3	65	100	3	8	5	10038	6700	RH-3	50	form-based			true	0.7	9	1.125	6	6	11711	8373	8373	1.166667
0154	004	4124	0.09	7444	8	65	100	3	9	1	12372	4928	RM-1	65	form-based			true	0.7	14	1.555555582	6	6	17320.79883	9876.798828	9876.798828	1.4
0155	041	2708	0.06	4986	3	55	80	2.5	5	2	6770	1784	RM-1	65	form-based			true	0.7	9	1.799999952	6	6	11373.59961	6387.599609	6387.599609	1.68
0159	024	616	0.01	0	0	65	100	3	1	1	1848	1848	RH-3	40	density-lim	1000	true		0.7	6	6	6	2	1724.799927	1724.799927	1724.799927	0.933333
0161	005	1152	0.03	0	0	65	100	3	3	3	3456	3456	CRNC	50	density-lim	200			0.75	6	2	6	6	4320	4320	4320	1.25
0162	001	3231	0.07	9666	2	65	100	3	7	5	9693	27	NCD-BROA	65	density-lim	400	true		0.75	8	1.142857194	6	6	14539.5	4873.5	4873.5	1.5
0164	013	2520	0.06	24000	0	65	100	3	6	6	7560	0	NCD-BROA	65	density-lim	400			0.75	6	1	6	6	11340	0	0	1.5
0164	016	2300	0.05	2280	0	65	100	3	5	5	6900	4620	NCD-BROA	65	density-lim	400			0.75	6	1.200000048	6	6	10350	8070	8070	1.5
0164	017	3147	0.07	9260	2	65	100	3	7	5	9441	181	NCD-BROA	65	density-lim	400			0.75	8	1.142857194	6	6	14161.5	4901.5	4901.5	1.5
0164	032	4885	0.11	9129	0	65	100	3	11	11	14655	5526	C-2	65	density-lim	800			0.8	6	0.545454562	6	6	23448	14319	14319	1.6
0175	003	4800	0.11	14400	0	65	100	3	11	11	14400	0	C-2	65	density-lim	800	true		0.8	6	0.545454562	6	6	23040	8640	8640	1.6
0176	013	1282	0.03	11044	0	65	100	3	3	3	3846	0	CCB	65	density-lim	200	true		0.75	6	2	6	6	5769	0	0	1.5
0176	044	5108	0.12	4326	0	65	100	3	12	12	15324	10998	C-2	65	density-lim	800			0.8	6	0.5	6	6	24518.40039	20192.40039	20192.40039	1.6
0177	009	1111	0.03	1998	0	65	100	3	3	3	3333	1335	CVR	50	density-lim	200			0.75	6	2	6	6	4166.25	2168.25	2168.25	1.25
0178	013	2720	0.06	12368	8	65	100	3	6	0	8160	0	CRNC	85	density-lim	200			0.75	14	2.333333254	6	4	16320	3952	3952	2
0179	006	1931	0.04	9055	4	65	100	3	4	0	5793	0	CRNC	85	density-lim	200			0.75	10	2.5	6	4	11586	2531	2531	2
0179	010	1900	0.04	5367	4	65	100	3	4	0	5700	333	CRNC	85	density-lim	200			0.75	10	2.5	6	4	11400	6033	6033	2
0179	017	2310	0.05	6120	6	65	100	3	5	0	6930	810	CRNC	65	density-lim	200			0.75	12	2.400000095	6	4	10395	4275	4275	1.5
0179	018	2300	0.05	6900	6	65	100	3	5	0	6900	0	CRNC	65	density-lim	200			0.75	12	2.400000095	6	4	10350	3450	3450	1.5
0179	034	1400	0.03	1650	1	65	100	3	3	2	4200	2550	CRNC	65	density-lim	200			0.75	7	2.333333254	6	5	6300	4650	4650	1.5
0182	013	3990	0.09	5814	4	55	80	2.5	7	3	9975	4161	RM-3	65	density-lim	400			0.75	10	1.428571463	6	6	17955	12141	12141	1.8
0183	023	3773	0.09	3684	3	55	80	2.5	7	4	9432	5748	RM-3	65	density-lim	400			0.75	9	1.285714269	6	6	16978.5	13294.5	13294.5	1.800095
0184	011	2009	0.05	3208	2	55	80	2.5	4	2	5022	1814	RM-3	65	form-based			true	0.75	8	2	6	6	9040.5	5832.5	5832.5	1.800179
0184	014	1668	0.04	0	0	55	80	2.5	3	3	4170	4170	RM-3	65	form-based			true	0.75	6	2	6	6	7506	7506	7506	1.8
0184	036	23286	0.53	74185	81	55	80	2.5	42	0	58215	0	NCD-PACIF	65	form-based		true	true	0.75	87	2.071428537	6	3	104787	30602	30602	1.8
0185	020	2013	0.05	4087	1	65	100	3	5	4	6039	1952	RM-1	65	form-based			true	0.7	7	1.399999976	6	6	8454.599609	4367.599609	4367.599609	1.4
0186	006	3094	0.07	6600	6	55	80	2.5	6	0	7735	1135	RM-3	65	form-based			true	0.75	12	2	6	6	13923	7323	7323	1.8
0186	041	2500	0.06	1056	3	65	100	3	6	3	7500	6444	RM-2	65	form-based			true	0.7	9	1.5	6	6	10500	9444	9444	1.4
0187	026	2109	0.05	2640	2	55	80	2.5	4	2	5272	2632	RM-3	65	form-based			true	0.75	8	2	6	6	9490.5	6850.5	6850.5	1.800171
0188	018	2250	0.05	4650	0	55	80	2.5	4	4	5625	975	RM-3	65	density-lim	400			0.75	6	1.5	6	6	10125	5475	5475	1.8
0190	014	3472	0.08	5820	3	65	100	3	8	5	10416	4596	RM-3	65	density-lim	400			0.75	9	1.125	6	6	15624	9804	9804	1.5
0190	023	3472	0.08	1791	3	65	100	3	8	5	10416	8625	RM-3	65	density-lim	400			0.75	9	1.125	6	6	15624	13833	13833	1.5
0191	002	1592	0.04	2244	2	65	100	3	4	2	4776	2532	CRNC	65	density-lim	200			0.75	8	2	6	6	7164	4920	4920	1.5
0191	011	4813	0.11	6660	6	65	100	3	11	5	14439	7779	RM-3	65	density-lim	400			0.75	12	1.090909123	6	6	21658.5	14998.5	14998.5	1.5
0191	026	7336	0.17	16639	12	65	100	3	17	5	22008	5369	RM-3	65	density-lim	400			0.75	18	1.058823586	6	6	33012	16373	16373	1.5
0192	010	1610	0.04	4737	2	65	100	3	4	2	4830	93	CRNC	65	density-lim	200	true		0.75	8	2	6	6	7245	2508	2508	1.5
0192	011	1307	0.03	1300	1	65	100	3	3	2	3921	2621	CRNC	65	density-lim	200			0.75	7	2.333333254	6	5	5881.5	4581.5	4581.5	1.5
0192	034	1276	0.03	0	0	65	100	3	3	3	3828	3828	CRNC	65	density-lim	200			0.75	6	2	6	6	5742	5742	5742	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0193	025	4332	0.1	11943	16	65	100	3	10	0	12996	1053	CRNC	50	density-lim	200			0.75	22	2.200000048	6	4	16245	4302	4302	1.25
0193	034	4053	0.09	10572	14	65	100	3	9	0	12159	1587	CRNC	50	density-lim	200	true		0.75	20	2.222222328	6	4	15198.75	4626.75	4626.75	1.25
0194	011	1130	0.03	3668	0	65	100	3	3	3	3390	0	CVR	50	density-lim	200	true		0.75	6	2	6	6	4237.5	569.5	569.5	1.25
0194	025	2948	0.07	6443	9	65	100	3	7	0	8844	2401	CRNC	50	density-lim	200			0.75	15	2.142857075	6	5	11055	4612	4612	1.25
0196	019	4658	0.11	13500	0	65	100	3	11	11	13974	474	C-2	65	density-lim	800	true		0.8	6	0.545454562	6	6	22358.40039	8858.400391	8858.400391	1.6
0208	013	1138	0.03	2276	0	65	100	3	3	3	3414	1138	CCB	65	density-lim	200			0.75	6	2	6	6	5121	2845	2845	1.5
0210	022	1811	0.04	4896	3	65	100	3	4	1	5433	537	CRNC	50	density-lim	200			0.75	9	2.25	6	5	6791.25	1895.25	1895.25	1.25
0210	043	1176	0.03	3330	0	65	100	3	3	3	3528	198	CVR	50	density-lim	200			0.75	6	2	6	6	4410	1080	1080	1.25
0210	046	1950	0.04	4965	4	65	100	3	4	0	5850	885	CRNC	50	density-lim	200			0.75	10	2.5	6	4	7312.5	2347.5	2347.5	1.25
0212	031	2311	0.05	693	0	65	100	3	5	5	6933	6240	RM-3	65	density-lim	400			0.75	6	1.200000048	6	6	10399.5	9706.5	9706.5	1.5
0213	008	3257	0.07	8340	6	65	100	3	7	1	9771	1431	RM-3	65	form-based			true	0.75	12	1.714285731	6	6	14656.5	6316.5	6316.5	1.5
0213	024	1794	0.04	2193	1	65	100	3	4	3	5382	3189	RM-3	65	form-based			true	0.75	7	1.75	6	6	8073	5880	5880	1.5
0213	024A	1794	0.04	2600	1	65	100	3	4	3	5382	2782	RM-3	65	form-based			true	0.75	7	1.75	6	6	8073	5473	5473	1.5
0214	001	4984	0.11	11600	13	55	80	2.5	9	0	12460	860	RM-3	65	form-based		true	true	0.75	19	2.111111164	6	5	22428	10828	10828	1.8
0214	017	5250	0.12	10984	14	55	80	2.5	10	0	13125	2141	RM-3	65	form-based			true	0.75	20	2	6	6	23625	12641	12641	1.8
0214	018	5250	0.12	11098	14	55	80	2.5	10	0	13125	2027	RM-3	65	form-based			true	0.75	20	2	6	6	23625	12527	12527	1.8
0215	063	2242	0.05	3550	2	55	80	2.5	4	2	5605	2055	RM-3	65	form-based			true	0.75	8	2	6	6	10089	6539	6539	1.8
0216	004	2996	0.07	4050	5	55	80	2.5	6	1	7490	3440	RM-3	65	form-based			true	0.75	11	1.833333373	6	6	13482	9432	9432	1.8
0216	013	3379	0.08	9995	7	55	80	2.5	6	0	8448	0	RM-3	65	form-based		true	true	0.75	13	2.166666746	6	5	15205.5	5210.5	5210.5	1.799893
0217	013	2653	0.06	3880	4	65	100	3	6	2	7959	4079	RM-3	65	form-based			true	0.75	10	1.666666627	6	6	11938.5	8058.5	8058.5	1.5
0216	018	2521	0.06	4044	3	55	80	2.5	5	2	6302	2258	RM-3	65	form-based			true	0.75	9	1.799999952	6	6	11344.5	7300.5	7300.5	1.800143
0216	028A	2721	0.06	4130	4	55	80	2.5	5	1	6802	2672	RM-3	65	form-based			true	0.75	10	2	6	6	12244.5	8114.5	8114.5	1.800132
0218	020A	1875	0.04	1800	1	65	100	3	4	3	5625	3825	RM-3	65	form-based			true	0.75	7	1.75	6	6	8437.5	6637.5	6637.5	1.5
0219	002	2472	0.06	4902	3	55	80	2.5	5	2	6180	1278	RM-3	65	form-based			true	0.75	9	1.799999952	6	6	11124	6222	6222	1.8
0219	015	3094	0.07	6900	6	55	80	2.5	6	0	7735	835	RM-3	65	form-based			true	0.75	12	2	6	6	13923	7023	7023	1.8
0220	012	1575	0.04	4222	0	55	80	2.5	3	3	3938	0	RM-3	65	form-based			true	0.75	6	2	6	6	7087.5	2865.5	2865.5	1.799771
0220	025	2257	0.05	3168	2	55	80	2.5	4	2	5642	2474	RM-3	65	form-based			true	0.75	8	2	6	6	10156.5	6988.5	6988.5	1.80016
0220	026	2443	0.06	3378	3	55	80	2.5	5	2	6108	2730	RM-3	65	form-based			true	0.75	9	1.799999952	6	6	10993.5	7615.5	7615.5	1.799853
0220	030	6321	0.15	16155	18	55	80	2.5	12	0	15802	0	RM-3	65	form-based			true	0.75	24	2	6	6	28444.5	12289.5	12289.5	1.800057
0221	115	2750	0.06	1159	4	55	80	2.5	5	1	6875	5716	RM-3	65	form-based			true	0.75	10	2	6	6	12375	11216	11216	1.8
0221	119	3300	0.08	1088	6	55	80	2.5	6	0	8250	7162	RM-3	65	form-based			true	0.75	12	2	6	6	14850	13762	13762	1.8
0222	040	1879	0.04	2359	1	65	100	3	4	3	5637	3278	RM-3	65	form-based			true	0.75	7	1.75	6	6	8455.5	6096.5	6096.5	1.5
0223	001	1650	0.04	3875	2	65	100	3	4	2	4950	1075	RC-4	105	density-lim	200	true		0.75	8	2	6	6	14850	10975	6025	3
0224	025	1400	0.03	2550	1	65	100	3	3	2	4200	1650	RM-4	65	density-lim	200			0.75	7	2.333333254	6	5	6300	3750	3750	1.5
0224	031	1554	0.04	2900	2	65	100	3	4	2	4662	1762	RM-4	65	density-lim	200			0.75	8	2	6	6	6993	4093	4093	1.5
0225	024	2127	0.05	7176	5	65	100	3	5	0	6381	0	CRNC	50	density-lim	200			0.75	11	2.200000048	6	5	7976.25	800.25	800.25	1.25
0226	017	1243	0.03	2137	0	65	100	3	3	3	3729	1592	CCB	50	density-lim	200			0.75	6	2	6	6	4661.25	2524.25	2524.25	1.25
0226	021	1537	0.04	4768	2	65	100	3	4	2	4611	0	CCB	50	density-lim	200			0.75	8	2	6	6	5763.75	995.75	995.75	1.25
0226	027	1240	0.03	1357	0	65	100	3	3	3	3720	2363	CCB	50	density-lim	200			0.75	6	2	6	6	4650	3293	3293	1.25
0226	045	1850	0.04	5222	3	65	100	3	4	1	5550	328	CCB	50	density-lim	200			0.75	9	2.25	6	5	6937.5	1715.5	1715.5	1.25
0226	047	1950	0.04	4650	4	65	100	3	4	0	5850	1200	CCB	50	density-lim	200			0.75	10	2.5	6	4	7312.5	2662.5	2662.5	1.25
0227	015	1289	0.03	4956	0	65	100	3	3	3	3867	0	CCB	50	density-lim	200			0.75	6	2	6	6	4833.75	0	0	1.25
0227	016	1289	0.03	5482	0	65	100	3	3	3	3867	0	CCB	50	density-lim	200			0.75	6	2	6	6	4833.75	0	0	1.25
0228	023	1195	0.03	3300	0	65	100	3	3	3	3585	285	C-3-O	75	form-based				0.8	6	2	6	6	6692	3392	3392	1.866667
0237	005	1235	0.03	3711	0	75	120	3.5	4	4	4322	611	C-3-O	75	form-based		true		0.8	6	1.5	6	6	6916	3205	3205	1.600185
0242	021	1150	0.03	1150	0	65	100	3	3	3	3450	2300	CRNC	65	density-lim	200	true		0.75	6	2	6	6	5175	4025	4025	1.5
0243	026	2133	0.05	3280	5	65	100	3	5	0	6399	3119	RM-4	65	density-lim	200			0.75	11	2.200000048	6	5	9598.5	6318.5	6318.5	1.5
0247	011	2392	0.05	6816	3	55	80	2.5	4	1	5980	0	RM-3	65	form-based			true	0.75	9	2.25	6	5	10764	3948	3948	1.8
0247	012	2391	0.05	6456	3	55	80	2.5	4	1	5978	0	RM-3	65	form-based			true	0.75	9	2.25	6	5	10759.5	4303.5	4303.5	1.799849
0247	013	2389	0.05	5238	3	55	80	2.5	4	1	5972	734	RM-3	65	form-based			true	0.75	9	2.25	6	5	10750.5	5512.5	5512.5	1.800151
0247	042	2656	0.06	6206	4	55	80	2.5	5	1	6640	434	RM-3	65	form-based			true	0.75	10	2	6	6	11952	5746	5746	1.8
0248	025	4727	0.11	8370	12	55	80	2.5	9	0	11818	3448	RM-3	65	form-based			true	0.75	18	2	6	6	21271.5	12901.5	12901.5	1.799924
0248	067	3032	0.07	760	5	55	80	2.5	6	1	7580	6820	RM-3	65	form-based			true	0.75	11	1.833333373	6	6	13644	12884	12884	1.8
0249	028A	2304	0.05	4337	3	65	100	3	5	2	6912	2575	RM-3	65	form-based			true	0.75	9	1.799999952	6	6	10368	6031	6031	1.5
0252	006	2339	0.05	5445	6	55	80	2.5	4	0	5848	403	RM-4	65	density-lim	200			0.75	12	3	6	2	10525.5	5080.5	5080.5	1.799846
0253	014A	2454	0.06	4815	6	55	80	2.5	5	0	6135	1320	RM-4	65	density-lim	200			0.75	12	2.400000095	6	4	11043	6228	6228	1.8
0253	030	2813	0.06	11180	8	55	80	2.5	5	0	7032	0	RM-4	65	density-lim	200			0.75	14	2.799999952	6	2	12658.5	1478.5	1478.5	1.800128
0268	015	619	0.01	0	0	75	120	3.5	1	1	2166	2166	C-3-O	150	form-based				0.8	6	6	6	2	5571	5571	4332	2.572022
0270	015	1200	0.03	3400	0	65	100	3	3	3	3600	200	CCB	50	density-lim	200			0.75	6	2	6	6	4500	1100	1100	1.25
0271	011	1425	0.03	4832	0	65	100	3	3	3	4275	0	C-3-G	65	form-based				0.8	6	2	6	6	6840	2008	2008	1.6
0272	019	2744	0.06	6660	8	65	100	3	6	0	8232	1572	RM-4	65	density-lim	200			0.75	14	2.333333254	6	4	12348	5688	5688	1.5
0272	022	1457	0.03	2192	1	65	100	3	3	2	4371	2179	RM-4	65	density-lim	200			0.75	7	2.333333254	6	5	6556.5	4364.5	4364.5	1.5
0275	007A	2625	0.06	6650	7	65	100	3	6	0	7875	1225	RM-4	65	density-lim	200			0.75	13	2.166666746	6	5	11812.5	5162.5	5162.5	1.5
0275	007B	2625	0.06	6680	7	65	100	3	6	0	7875	1195	RM-4	65	density-lim	200			0.75	13	2.166666746	6	5	11812.5	5132.5	5132.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0276	004	1765	0.04	4245	3	65	100	3	4	1	5295	1050	RM-4	65	density-lin	200			0.75	9	2.25	6	5	7942.5	3697.5	3697.5	1.5
0276	005	1801	0.04	5194	3	65	100	3	4	1	5403	209	RM-4	65	density-lin	200			0.75	9	2.25	6	5	8104.5	2910.5	2910.5	1.5
0276	021	2503	0.06	5445	7	65	100	3	6	0	7509	2064	RM-4	65	density-lin	200			0.75	13	2.166666746	6	5	11263.5	5818.5	5818.5	1.5
0276	025	2508	0.06	6550	7	65	100	3	6	0	7524	974	RM-4	65	density-lin	200			0.75	13	2.166666746	6	5	11286	4736	4736	1.5
0276	110	2500	0.06	575	7	65	100	3	6	0	7500	6925	RC-4	65	density-lin	200			0.75	13	2.166666746	6	5	11250	10675	10675	1.5
0279	007	3618	0.08	9705	12	65	100	3	8	0	10854	1149	RC-4	130	density-lin	200			0.75	18	2.25	6	4	32562	22857	12003	3
0279	015	2552	0.06	7162	0	65	100	3	6	6	7656	494	NCD-POLK	80	density-lin	400			0.75	6	1	6	6	15312	8150	8150	2
0281	016A	4568	0.1	10715	17	65	100	3	10	0	13704	2989	RC-4	65	density-lin	200			0.75	23	2.299999952	6	3	20556	9841	9841	1.5
0281	019	3228	0.07	9350	10	65	100	3	7	0	9684	334	RC-4	65	density-lin	200			0.75	16	2.285714388	6	4	14526	5176	5176	1.5
0284	016	1890	0.04	5280	3	65	100	3	4	1	5670	390	RC-4	65	density-lin	200			0.75	9	2.25	6	5	8505	3225	3225	1.5
0287	024	704	0.02	0	0	85	140	4	3	3	2816	2816	C-3-R	130	form-based				0.8	6	2	6	6	6336	6336	5632	2.25
0297	009	3743	0.09	24358	28	65	100	3	9	0	11229	0	C-3-G	130	form-based		true		0.8	34	3.777777672	6	0	33687	9329	0	3
0300	003	2781	0.06	8025	8	65	100	3	6	0	8343	318	RC-4	80	density-lin	200			0.75	14	2.333333254	6	4	16686	8661	8661	2
0300	014	3455	0.08	9371	11	65	100	3	8	0	10365	994	RC-4	80	density-lin	200			0.75	17	2.125	6	5	20730	11359	11359	2
0300	020	6450	0.15	16945	26	65	100	3	15	0	19350	2405	RC-4	80	density-lin	200			0.75	32	2.133333445	6	4	38700	21755	21755	2
0302	028	1120	0.03	3520	0	65	100	3	3	3	3360	0	RC-4	80	density-lin	200			0.75	6	2	6	6	6720	3200	3200	2
0302	030	1224	0.03	1602	0	65	100	3	3	3	3672	2070	RC-4	80	density-lin	200	true		0.75	6	2	6	6	7344	5742	5742	2
0317	028	2102	0.05	1688	5	85	140	4	7	2	8408	6720	RC-4	130	density-lin	200			0.75	11	1.571428537	6	6	18918	17230	15128	2.25
0319	013	4500	0.1	13524	17	65	100	3	10	0	13500	0	RC-4	80	density-lin	200	true		0.75	23	2.299999952	6	3	27000	13476	13476	2
0322	007	4425	0.1	8460	16	65	100	3	10	0	13275	4815	RC-4	80	density-lin	200			0.75	22	2.200000048	6	4	26550	18090	18090	2
0330	023	10779	0.25	60692	91	75	120	3.5	30	0	37726	0	C-3-G	130	form-based		true		0.8	97	3.233333349	6	0	97011	36319	14760	2.571463
0336	030	18906	0.43	113354	89	65	100	3	43	0	56718	0	RC-4	80	density-lin	200			0.75	95	2.209302425	6	0	113436	82	82	2
0346	017	6210	0.14	40390	29	65	100	3	14	0	18630	0	C-3-G	80	form-based				0.8	35	2.5	6	0	39744	0	0	2.133333
0346	021	1120	0.03	1500	0	75	120	3.5	4	4	3920	2420	RC-4	80	density-lin	200			0.75	6	1.5	6	6	6720	5220	5220	1.714286
0348	016	1150	0.03	3003	0	75	120	3.5	4	4	4025	1022	C-3-G	80	form-based				0.8	6	1.5	6	6	7360	4357	4357	1.828571
0348	023	1150	0.03	1140	0	75	120	3.5	4	4	4025	2885	C-3-G	80	form-based		true		0.8	6	1.5	6	6	7360	6220	6220	1.828571
0445A	007	3438	0.08	2355	1	55	80	2.5	6	5	8595	6240	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	7271.399414	7271.399414	1.12
0445A	008	3781	0.09	3146	2	55	80	2.5	7	5	9452	6306	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10586.7998	7440.799805	7440.799805	1.120059
0445A	009	3437	0.08	1402	1	55	80	2.5	6	5	8592	7190	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	8221.599609	8221.599609	1.120065
0445A	005	2500	0.06	5125	0	55	80	2.5	5	5	6250	1125	NC-2	40	form-based			true	0.75	6	1.200000048	6	6	7500	2375	2375	1.2
0445A	010	3438	0.08	4131	1	55	80	2.5	6	5	8595	4464	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	5495.399414	5495.399414	1.12
0445A	011	3438	0.08	2945	1	55	80	2.5	6	5	8595	5650	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	6681.399414	6681.399414	1.12
0445A	028	3452	0.08	3370	1	55	80	2.5	6	5	8630	5260	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9665.599609	6295.599609	6295.599609	1.12
0453	013A	3438	0.08	6596	2	65	100	3	8	6	10314	3718	NC-1	40	form-based			true	0.75	8	1	6	6	10314	3718	3718	1
0453	013C	3438	0.08	2700	2	65	100	3	8	6	10314	7614	NC-1	40	form-based			true	0.75	8	1	6	6	10314	7614	7614	1
0459	063	4637	0.11	0	0	55	80	2.5	9	9	11592	11592	NC-2	40	density-lin	800	true		0.75	6	0.666666687	6	6	13911	13911	13911	1.200052
0460A	007	3438	0.08	5538	2	55	80	2.5	6	4	8595	3057	RM-3	40	form-based			true	0.75	8	1.333333373	6	6	10314	4776	4776	1.2
0460A	025	3465	0.08	2012	1	55	80	2.5	6	5	8662	6650	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9702	7690	7690	1.120065
0460A	029	3465	0.08	2203	1	55	80	2.5	6	5	8662	6459	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9702	7499	7499	1.120065
0472	015	3443	0.08	3800	1	65	100	3	8	7	10329	6529	RH-3	40	form-based			true	0.7	7	0.875	6	6	9640.399414	5840.399414	5840.399414	0.933333
0472	042	5268	0.12	1268	5	65	100	3	12	7	15804	14536	RM-1	40	form-based		true	true	0.7	11	0.916666687	6	6	14750.39941	13482.39941	13482.39941	0.933333
0473	029	4016	0.09	2090	2	65	100	3	9	7	12048	9958	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	11244.7998	9154.799805	9154.799805	0.933333
0474	011A	3525	0.08	3318	1	65	100	3	8	7	10575	7257	RM-1	40	form-based		true	true	0.7	7	0.875	6	6	9870	6552	6552	0.933333
0474	012	3100	0.07	2395	1	65	100	3	7	6	9300	6905	RM-1	40	form-based			true	0.7	7	1	6	6	8680	6285	6285	0.933333
0474	015	3100	0.07	2550	1	65	100	3	7	6	9300	6750	RM-1	40	form-based			true	0.7	7	1	6	6	8680	6130	6130	0.933333
0474	074	3816	0.09	2566	2	65	100	3	9	7	11448	8882	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	10684.7998	8118.799805	8118.799805	0.933333
0476	001A	3552	0.08	2720	1	65	100	3	8	7	10656	7936	RH-1	40	form-based			true	0.7	7	0.875	6	6	9945.599609	7225.599609	7225.599609	0.933333
0476	001C	3264	0.07	1100	1	65	100	3	7	6	9792	8692	RH-1	40	form-based			true	0.7	7	1	6	6	9139.200195	8039.200195	8039.200195	0.933333
0476	001D	3264	0.07	1145	1	65	100	3	7	6	9792	8647	RH-1	40	form-based			true	0.7	7	1	6	6	9139.200195	7994.200195	7994.200195	0.933333
0476	001E	3133	0.07	1296	1	65	100	3	7	6	9399	8103	RH-1	40	form-based			true	0.7	7	1	6	6	8772.399414	7476.399414	7476.399414	0.933333
0476	007	3134	0.07	2170	1	65	100	3	7	6	9402	7232	RH-1	40	form-based			true	0.7	7	1	6	6	8775.200195	6605.200195	6605.200195	0.933333
0476	007A	3264	0.07	2048	1	65	100	3	7	6	9792	7744	RH-1	40	form-based			true	0.7	7	1	6	6	9139.200195	7091.200195	7091.200195	0.933333
0476	007B	3264	0.07	2857	1	65	100	3	7	6	9792	6935	RH-1	40	form-based			true	0.7	7	1	6	6	9139.200195	6282.200195	6282.200195	0.933333
0476	007C	3552	0.08	2963	1	65	100	3	8	7	10656	7693	RH-1	40	form-based			true	0.7	7	0.875	6	6	9945.599609	6982.599609	6982.599609	0.933333
0477	002	3488	0.08	4933	1	65	100	3	8	7	10464	5531	RH-2	40	form-based			true	0.7	7	0.875	6	6	9766.399414	4833.399414	4833.399414	0.933333
0477	003	3476	0.08	5371	1	65	100	3	8	7	10428	5057	RH-2	40	form-based			true	0.7	7	0.875	6	6	9732.799805	4361.799805	4361.799805	0.933333
0477	004	3465	0.08	5930	1	65	100	3	8	7	10395	4465	RH-2	40	form-based			true	0.7	7	0.875	6	6	9702	3772	3772	0.933333
0477	016H	2875	0.07	0	0	65	100	3	7	7	8625	8625	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8050	8050	8050	0.933333
0477	017F	3704	0.09	3958	2	65	100	3	9	7	11112	7154	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10371.2002	6413.200195	6413.200195	0.933333
0477	023	3714	0.09	3576	2	65	100	3	9	7	11142	7566	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10399.2002	6823.200195	6823.200195	0.933333
0477	026	3751	0.09	3422	2	65	100	3	9	7	11253	7831	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10502.7998	7080.799805	7080.799805	0.933333
0477	042	3715	0.09	3929	2	65	100	3	9	7	11145	7216	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10402	6473	6473	0.933333
0477	044	3783	0.09	1934	2	65	100	3	9	7	11349	9415	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10592.39941	8658.399414	8658.399414	0.933333
0478	011A	2888	0.07	3328	5	85	140	4	10	5	11552	8224	RTO-C	65	form-based			true	0.75	11	1.100000024	6	6	12996	9668	9668	1.125

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0478	013	4745	0.11	11079	12	85	140	4	15	3	18980	7901	RTO-C	65	form-based			true	0.75	18	1.200000048	6	6	21352.5	10273.5	10273.5	1.125
0479	028	3781	0.09	2500	2	65	100	3	9	7	11343	8843	RH-3	40	form-based			true	0.7	8	0.888888896	6	6	10586.7998	8086.799805	8086.799805	0.933333
0480	006E	3438	0.08	2674	1	65	100	3	8	7	10314	7640	RH-3	40	form-based			true	0.7	7	0.875	6	6	9626.399414	6952.399414	6952.399414	0.933333
0482	010	3798	0.09	4400	8	55	80	2.5	7	0	9495	5095	RTO-C	65	form-based			true	0.75	14	2	6	6	17091	12691	12691	1.8
0493	001B	2042	0.05	3747	2	55	80	2.5	4	2	5105	1358	RTO-C	65	form-based			true	0.75	8	2	6	6	9189	5442	5442	1.8
0493	001C	2042	0.05	3168	2	55	80	2.5	4	2	5105	1937	RTO-C	65	form-based			true	0.75	8	2	6	6	9189	6021	6021	1.8
0493	019	3258	0.07	5210	6	55	80	2.5	6	0	8145	2935	RTO-C	65	form-based			true	0.75	12	2	6	6	14661	9451	9451	1.8
0493	028	1563	0.04	3400	2	55	80	2.5	3	1	3908	508	NC-3	85	form-based			true	0.75	8	2.666666746	6	4	9378	5978	4416	2.399693
0494	002	2190	0.05	3452	2	55	80	2.5	4	2	5475	2023	RTO-C	65	form-based		true	true	0.75	8	2	6	6	9855	6403	6403	1.8
0496	001A	4931	0.11	9771	12	65	100	3	11	0	14793	5022	RTO-C	65	form-based			true	0.75	18	1.636363626	6	6	22189.5	12418.5	12418.5	1.5
0496	015B	2031	0.05	3130	2	65	100	3	5	3	6093	2963	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9139.5	6009.5	6009.5	1.5
0496	018	1888	0.04	2398	1	65	100	3	4	3	5664	3266	NC-3	65	form-based			true	0.75	7	1.75	6	6	8496	6098	6098	1.5
0497	007F	2190	0.05	3074	2	65	100	3	5	3	6570	3496	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9855	6781	6781	1.5
0497	007G	2190	0.05	3220	2	65	100	3	5	3	6570	3350	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9855	6635	6635	1.5
0497	008A	2190	0.05	3180	2	65	100	3	5	3	6570	3390	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9855	6675	6675	1.5
0497	008C	2190	0.05	3180	2	65	100	3	5	3	6570	3390	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9855	6675	6675	1.5
0497	043	2190	0.05	1701	2	65	100	3	5	3	6570	4869	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9855	8154	8154	1.5
0497	061	2190	0.05	1750	2	65	100	3	5	3	6570	4820	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9855	8105	8105	1.5
0497	069	2190	0.05	1286	2	65	100	3	5	3	6570	5284	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9855	8569	8569	1.5
0500	026	3025	0.07	1460	2	65	100	3	7	5	9075	7615	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10587.5	9127.5	9127.5	1.166667
0500	036	2580	0.06	3442	1	65	100	3	6	5	7740	4298	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9030	5588	5588	1.166667
0500	038	3280	0.08	1510	3	65	100	3	8	5	9840	8330	RH-2	50	form-based			true	0.7	9	1.125	6	6	11480	9970	9970	1.166667
0501	002	4027	0.09	2214	5	65	100	3	9	4	12081	9867	RH-3	50	form-based			true	0.7	11	1.222222209	6	6	14094.5	11880.5	11880.5	1.166667
0501	004	2686	0.06	5140	2	65	100	3	6	4	8058	2918	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9401	4261	4261	1.166667
0501	024	3392	0.08	3560	3	65	100	3	8	5	10176	6616	RH-2	50	form-based			true	0.7	9	1.125	6	6	11872	8312	8312	1.166667
0501	025	3388	0.08	3428	3	65	100	3	8	5	10164	6736	RH-2	50	form-based			true	0.7	9	1.125	6	6	11858	8430	8430	1.166667
0501	036	2961	0.07	2560	2	65	100	3	7	5	8883	6323	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10363.5	7803.5	7803.5	1.166667
0502	003	4813	0.11	10864	12	65	100	3	11	0	14439	3575	RM-3	65	form-based			true	0.75	18	1.636363626	6	6	21658.5	10794.5	10794.5	1.5
0506	013	3437	0.08	3908	1	55	80	2.5	6	5	8592	4684	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	5715.599609	5715.599609	1.120065
0507	008	3438	0.08	1066	1	55	80	2.5	6	5	8595	7529	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	8560.399414	8560.399414	1.12
0507	010	3438	0.08	1785	1	55	80	2.5	6	5	8595	6810	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	7841.399414	7841.399414	1.12
0518	012	3438	0.08	1695	1	55	80	2.5	6	5	8595	6900	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	7931.399414	7931.399414	1.12
0518	044	3781	0.09	2402	2	55	80	2.5	7	5	9452	7050	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10586.7998	8184.799805	8184.799805	1.120059
0519	005	3440	0.08	2938	1	55	80	2.5	6	5	8600	5662	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9632	6694	6694	1.12
0520	026	5500	0.13	6234	6	55	80	2.5	10	4	13750	7516	RH-3	40	form-based			true	0.7	12	1.200000048	6	6	15400	9166	9166	1.12
0521	024	2278	0.05	5031	6	65	100	3	5	0	6834	1803	RTO-C	85	form-based			true	0.75	12	2.400000095	6	4	13668	8637	8637	2
0521	035	2119	0.05	3419	5	65	100	3	5	0	6357	2938	RTO-C	85	form-based		true	true	0.75	11	2.200000048	6	5	12714	9295	9295	2
0522	013	3865	0.09	8001	14	65	100	3	9	0	11595	3594	RTO-C	85	form-based			true	0.75	20	2.222222328	6	4	23190	15189	15189	2
0524	025	4489	0.1	3890	7	65	100	3	10	3	13467	9577	RH-2	50	form-based			true	0.7	13	1.299999952	6	6	15711.5	11821.5	11821.5	1.166667
0525	004	6388	0.15	13886	16	65	100	3	15	0	19164	5278	RM-2	65	form-based			true	0.7	22	1.466666698	6	6	26829.59961	12943.59961	12943.59961	1.4
0525	018	2440	0.06	4395	3	65	100	3	6	3	7320	2925	NCD-POLK	65	form-based			true	0.75	9	1.5	6	6	10980	6585	6585	1.5
0526	005	2537	0.06	5883	7	65	100	3	6	0	7611	1728	NCD-POLK	85	form-based			true	0.75	13	2.166666746	6	5	15222	9339	9339	2
0527	017	2935	0.07	4281	5	65	100	3	7	2	8805	4524	NCD-UNIO	65	form-based			true	0.75	11	1.571428537	6	6	13207.5	8926.5	8926.5	1.5
0527	034	2935	0.07	1116	5	65	100	3	7	2	8805	7689	NCD-UNIO	65	form-based			true	0.75	11	1.571428537	6	6	13207.5	12091.5	12091.5	1.5
0528	009E	1380	0.03	2300	1	65	100	3	3	2	4140	1840	NCD-UNIO	85	form-based			true	0.75	7	2.333333254	6	5	8280	5980	5980	2
0529	002	3302	0.08	3074	1	65	100	3	8	7	9906	6832	RH-3	40	form-based			true	0.7	7	0.875	6	6	9245.599609	6171.599609	6171.599609	0.933333
0529	010	3712	0.09	8730	8	65	100	3	9	1	11136	2406	NCD-UNIO	65	form-based			true	0.75	14	1.555555582	6	6	16704	7974	7974	1.5
0529	017	4031	0.09	2472	2	65	100	3	9	7	12093	9621	RH-3	40	form-based			true	0.7	8	0.888888896	6	6	11286.7998	8814.799805	8814.799805	0.933333
0530	029	3438	0.08	1275	1	55	80	2.5	6	5	8595	7320	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	8351.399414	8351.399414	1.12
0531	014	1682	0.04	4770	0	55	80	2.5	3	3	4205	0	NCD-UNIO	65	form-based		true	true	0.75	6	2	6	6	7569	2799	2799	1.8
0531	050	3788	0.09	2823	2	55	80	2.5	7	5	9470	6647	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10606.39941	7783.399414	7783.399414	1.12
0541	006	3711	0.09	3378	2	55	80	2.5	7	5	9278	5900	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10390.7998	7012.799805	7012.799805	1.11994
0542	094	2500	0.06	2078	3	55	80	2.5	5	2	6250	4172	NCD-UNIO	65	form-based			true	0.75	9	1.799999952	6	6	11250	9172	9172	1.8
0543	010	4056	0.09	4005	3	55	80	2.5	7	4	10140	6135	RH-2	40	form-based			true	0.7	9	1.285714269	6	6	11356.7998	7351.799805	7351.799805	1.12
0543	012	4033	0.09	8077	2	55	80	2.5	7	5	10082	2005	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	11292.39941	3215.399414	3215.399414	1.120055
0544	001C	3906	0.09	2744	1	65	100	3	9	8	11718	8974	NCD-UNIO	40	density-lim	600			0.75	7	0.777777791	6	6	11718	8974	8974	1
0544	007	3729	0.09	3502	2	55	80	2.5	7	5	9322	5820	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10441.2002	6939.200195	6939.200195	1.12006
0546	012F	1703	0.04	2941	3	65	100	3	4	1	5109	2168	RTO-C	85	form-based			true	0.75	9	2.25	6	5	10218	7277	7277	2
0546	013A	2250	0.05	2550	2	65	100	3	5	3	6750	4200	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	10125	7575	7575	1.5
0546	013E	2136	0.05	3656	2	65	100	3	5	3	6408	2752	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9612	5956	5956	1.5
0546	013F	2250	0.05	2506	2	65	100	3	5	3	6750	4244	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	10125	7619	7619	1.5
0548	002	3713	0.09	8310	7	65	100	3	9	2	11139	2829	RM-2	65	form-based			true	0.7	13	1.444444418	6	6	15594.59961	7284.599609	7284.599609	1.4
0548	021	2300	0.05	2500	2	65	100	3	5	3	6900	4400	RH-2	65	form-based			true	0.7	8	1.600000024	6	6	9660	7160	7160	1.4
0548	022A	2300	0.05	4682	2	65	100	3	5	3	6900	2218	RH-2	65	form-based			true	0.7	8	1.600000024	6	6	9660	4978	4978	1.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0549	003	2400	0.06	2834	2	65	100	3	6	4	7200	4366	RH-3	65	form-based			true	0.7	8	1.333333373	6	6	10080	7246	7246	1.4
0549	013	2246	0.05	6525	6	65	100	3	5	0	6738	213	NCD-POLK	85	form-based		true	true	0.75	12	2.400000095	6	4	13476	6951	6951	2
0550	001	1845	0.04	2524	4	65	100	3	4	0	5535	3011	NCD-POLK	85	form-based		true	true	0.75	10	2.5	6	4	11070	8546	8546	2
0550	038	1375	0.03	895	1	65	100	3	3	2	4125	3230	RTO-C	85	form-based			true	0.75	7	2.333333254	6	5	8250	7355	7355	2
0550	042	1563	0.04	2180	2	65	100	3	4	2	4689	2509	RTO-C	85	form-based			true	0.75	8	2	6	6	9378	7198	7198	2
0550	047	1500	0.03	965	2	65	100	3	3	1	4500	3535	RTO-C	85	form-based			true	0.75	8	2.666666746	6	4	9000	8035	8035	2
0550	051	1766	0.04	2819	3	65	100	3	4	1	5298	2479	RTO-C	85	form-based			true	0.75	9	2.25	6	5	10596	7777	7777	2
0553	019B	3732	0.09	4061	2	65	100	3	9	7	11196	7135	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10449.59961	6388.599609	6388.599609	0.933333
0553	020	3712	0.09	2260	2	65	100	3	9	7	11136	8876	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10393.59961	8133.599609	8133.599609	0.933333
0553	025	3314	0.08	1685	1	65	100	3	8	7	9942	8257	RH-2	40	form-based			true	0.7	7	0.875	6	6	9279.200195	7594.200195	7594.200195	0.933333
0553	045	3644	0.08	1350	2	65	100	3	8	6	10932	9582	RH-2	40	form-based			true	0.7	8	1	6	6	10203.2002	8853.200195	8853.200195	0.933333
0553	071	3890	0.09	1662	2	65	100	3	9	7	11670	10008	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10892	9230	9230	0.933333
0554	003	3118	0.07	2423	1	55	80	2.5	6	5	7795	5372	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8730.399414	6307.399414	6307.399414	1.12
0554	053	3626	0.08	5282	2	55	80	2.5	6	4	9065	3783	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10152.7998	4870.799805	4870.799805	1.12
0554	071	3796	0.09	2129	2	55	80	2.5	7	5	9490	7361	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10628.7998	8499.799805	8499.799805	1.12
0555	021	3714	0.09	2610	2	55	80	2.5	7	5	9285	6675	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10399.2002	7789.200195	7789.200195	1.12
0555	046	3679	0.08	1869	2	55	80	2.5	6	4	9198	7329	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10301.2002	8432.200195	8432.200195	1.119939
0556	009	4343	0.1	5271	3	55	80	2.5	8	5	10858	5587	RH-2	40	form-based			true	0.7	9	1.125	6	6	12160.39941	6889.399414	6889.399414	1.119948
0556	051	5156	0.12	1232	5	55	80	2.5	10	5	12890	11658	RH-2	40	form-based			true	0.7	11	1.100000024	6	6	14436.7998	13204.7998	13204.7998	1.12
0557	006	4136	0.09	4362	3	55	80	2.5	7	4	10340	5978	RH-2	40	form-based			true	0.7	9	1.285714269	6	6	11580.7998	7218.799805	7218.799805	1.12
0557	015	3438	0.08	1815	1	55	80	2.5	6	5	8595	6780	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	7811.399414	7811.399414	1.12
0558	005	3178	0.07	2103	1	55	80	2.5	6	5	7945	5842	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8898.399414	6795.399414	6795.399414	1.12
0558	011	3712	0.09	6655	2	55	80	2.5	7	5	9280	2625	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10393.59961	3738.599609	3738.599609	1.12
0558	018A	3518	0.08	3042	1	55	80	2.5	6	5	8795	5753	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9850.399414	6808.399414	6808.399414	1.12
0558	021	3502	0.08	4161	1	55	80	2.5	6	5	8755	4594	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9805.599609	5644.599609	5644.599609	1.12
0558	027	3453	0.08	3179	1	55	80	2.5	6	5	8632	5453	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9668.399414	6489.399414	6489.399414	1.120065
0558	028	3453	0.08	2925	1	55	80	2.5	6	5	8632	5707	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9668.399414	6743.399414	6743.399414	1.120065
0559	010	3106	0.07	6393	1	55	80	2.5	6	5	7765	1372	RH-2	40	form-based		true	true	0.7	7	1.166666627	6	6	8696.799805	2303.799805	2303.799805	1.12
0559	019	3600	0.08	3900	2	55	80	2.5	6	4	9000	5100	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10080	6180	6180	1.12
0559	042	4149	0.1	2450	3	55	80	2.5	8	5	10372	7922	RH-2	40	form-based			true	0.7	9	1.125	6	6	11617.2002	9167.200195	9167.200195	1.120054
0559	051	4150	0.1	2241	3	55	80	2.5	8	5	10375	8134	RH-2	40	form-based			true	0.7	9	1.125	6	6	11620	9379	9379	1.12
0559	056	3113	0.07	5126	1	55	80	2.5	6	5	7782	2656	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8716.399414	3590.399414	3590.399414	1.120072
0560	014	3437	0.08	3904	1	55	80	2.5	6	5	8592	4688	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	5719.599609	5719.599609	1.120065
0560	027	3463	0.08	2700	1	55	80	2.5	6	5	8658	5958	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9696.399414	6996.399414	6996.399414	1.119935
0560	033	3394	0.08	3180	1	55	80	2.5	6	5	8485	5305	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9503.200195	6323.200195	6323.200195	1.12
0561	004	2812	0.06	4794	0	55	80	2.5	5	5	7030	2236	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7873.600098	3079.600098	3079.600098	1.12
0561	019	3174	0.07	3546	1	55	80	2.5	6	5	7935	4389	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8887.200195	5341.200195	5341.200195	1.12
0561	025	3139	0.07	4054	1	55	80	2.5	6	5	7848	3794	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8789.200195	4735.200195	4735.200195	1.119929
0562	013	3287	0.08	4925	1	55	80	2.5	6	5	8218	3293	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9203.599609	4278.599609	4278.599609	1.119932
0563	015	3466	0.08	4870	1	55	80	2.5	6	5	8665	3795	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9704.799805	4834.799805	4834.799805	1.12
0563	023	3159	0.07	3838	1	55	80	2.5	6	5	7898	4060	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8845.200195	5007.200195	5007.200195	1.119929
0563	026	4125	0.09	2740	3	55	80	2.5	7	4	10312	7572	RH-1	40	form-based			true	0.7	9	1.285714269	6	6	11550	8810	8810	1.120054
0563	033	3776	0.09	1870	2	55	80	2.5	7	5	9440	7570	RH-1	40	form-based			true	0.7	8	1.142857194	6	6	10572.7998	8702.799805	8702.799805	1.12
0565	014	3501	0.08	2600	1	55	80	2.5	6	5	8752	6152	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9802.799805	7202.799805	7202.799805	1.120064
0565	022	3168	0.07	3220	1	55	80	2.5	6	5	7920	4700	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8870.399414	5650.399414	5650.399414	1.12
0566	016B	3153	0.07	3485	1	55	80	2.5	6	5	7882	4397	RH-2	40	form-based		true	true	0.7	7	1.166666627	6	6	8828.399414	5343.399414	5343.399414	1.120071
0566	025	3778	0.09	1612	2	55	80	2.5	7	5	9445	7833	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10578.39941	8966.399414	8966.399414	1.12
0566	041	3778	0.09	1324	2	55	80	2.5	7	5	9445	8121	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10578.39941	9254.399414	9254.399414	1.12
0567	126	2712	0.06	2442	0	55	80	2.5	5	5	6780	4338	RH-2	40	form-based			true	0.7	6	1.200000048	6	6	7593.600098	5151.600098	5151.600098	1.12
0567	128	2706	0.06	3105	0	55	80	2.5	5	5	6765	3660	RH-2	40	form-based			true	0.7	6	1.200000048	6	6	7576.799805	4471.799805	4471.799805	1.12
0573	002	3000	0.07	4800	4	65	100	3	7	3	9000	4200	RH-3	65	form-based			true	0.7	10	1.428571463	6	6	12600	7800	7800	1.4
0573	003	3000	0.07	3440	4	65	100	3	7	3	9000	5560	RH-3	65	form-based			true	0.7	10	1.428571463	6	6	12600	9160	9160	1.4
0577	039	9187	0.21	713	13	65	100	3	21	8	27561	26848	RM-2	40	form-based			true	0.7	19	0.90476191	6	6	25723.59961	25010.59961	25010.59961	0.933333
0580	002	3723	0.09	5655	8	55	80	2.5	7	0	9308	3653	RTO-C	65	form-based			true	0.75	14	2	6	6	16753.5	11098.5	11098.5	1.799903
0580	003	3723	0.09	4980	8	55	80	2.5	7	0	9308	4328	RTO-C	65	form-based			true	0.75	14	2	6	6	16753.5	11773.5	11773.5	1.799903
0581	054	3575	0.08	2486	2	55	80	2.5	6	4	8938	6452	RM-1	40	form-based			true	0.7	8	1.333333373	6	6	10010	7524	7524	1.119937
0582	014	3175	0.07	2496	1	55	80	2.5	6	5	7938	5442	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8890	6394	6394	1.119929
0585	002	3433	0.08	6243	1	55	80	2.5	6	5	8582	2339	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9612.399414	3369.399414	3369.399414	1.120065
0585	018	3192	0.07	3319	1	55	80	2.5	6	5	7980	4661	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8937.599609	5618.599609	5618.599609	1.12
0586	003	3248	0.07	3790	1	65	100	3	7	6	9744	5954	RH-1	40	form-based			true	0.7	7	1	6	6	9094.399414	5304.399414	5304.399414	0.933333
0587	009	3192	0.07	3600	1	65	100	3	7	6	9576	5976	RH-2	40	form-based			true	0.7	7	1	6	6	8937.599609	5337.599609	5337.599609	0.933333
0587	016	3266	0.07	1823	1	55	80	2.5	6	5	8165	6342	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9144.799805	7321.799805	7321.799805	1.12
0587	020	3153	0.07	4692	1	55	80	2.5	6	5	7882	3190	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8828.399414	4136.399414	4136.399414	1.120071
0587	021	3154	0.07	2795	1	55	80	2.5	6	5	7885	5090	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8831.200195	6036.200195	6036.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0587	022	3155	0.07	2880	1	55	80	2.5	6	5	7888	5008	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8834	5954	5954	1.119929
0587	023	3155	0.07	3000	1	55	80	2.5	6	5	7888	4888	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8834	5834	5834	1.119929
0587	025	3156	0.07	2865	1	55	80	2.5	6	5	7890	5025	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8836.799805	5971.799805	5971.799805	1.12
0588	020	3163	0.07	1780	1	55	80	2.5	6	5	7908	6128	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8856.399414	7076.399414	7076.399414	1.119929
0589	005	4380	0.1	3048	3	55	80	2.5	8	5	10950	7902	RH-2	40	form-based			true	0.7	9	1.125	6	6	12264	9216	9216	1.12
0589	006	3186	0.07	2174	1	55	80	2.5	6	5	7965	5791	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8920.799805	6746.799805	6746.799805	1.12
0589	007	4087	0.09	6148	3	55	80	2.5	7	4	10218	4070	RH-2	40	form-based			true	0.7	9	1.285714269	6	6	11443.59961	5295.599609	5295.599609	1.119945
0589	022	3501	0.08	4900	1	55	80	2.5	6	5	8752	3852	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9802.799805	4902.799805	4902.799805	1.120064
0590	010	3825	0.09	5206	2	55	80	2.5	7	5	9562	4356	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10710	5504	5504	1.120059
0590	033	3829	0.09	2120	2	55	80	2.5	7	5	9572	7452	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10721.2002	8601.200195	8601.200195	1.120059
0591	001	3512	0.08	2364	1	55	80	2.5	6	5	8780	6416	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9833.599609	7469.599609	7469.599609	1.12
0591	010	3200	0.07	2496	1	55	80	2.5	6	5	8000	5504	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8960	6464	6464	1.12
0591	012	3394	0.08	4697	1	55	80	2.5	6	5	8485	3788	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9503.200195	4806.200195	4806.200195	1.12
0591	013	3395	0.08	3368	1	55	80	2.5	6	5	8488	5120	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9506	6138	6138	1.119934
0591	017	7684	0.18	13558	10	55	80	2.5	14	4	19210	5652	RH-2	40	form-based			true	0.7	16	1.142857194	6	6	21515.19922	7957.199219	7957.199219	1.12
0591	020	4150	0.1	2578	3	55	80	2.5	8	5	10375	7797	RH-2	40	form-based			true	0.7	9	1.125	6	6	11620	9042	9042	1.12
0592	013	9157	0.21	15272	13	65	100	3	21	8	27471	12199	RH-2	40	form-based			true	0.7	19	0.90476191	6	6	25639.59961	10367.59961	10367.59961	0.933333
0596	009	2567	0.06	5850	3	65	100	3	6	3	7701	1851	RM-1	65	form-based			true	0.7	9	1.5	6	6	10781.39941	4931.399414	4931.399414	1.4
0596	010	2567	0.06	5580	3	65	100	3	6	3	7701	2121	RM-1	65	form-based			true	0.7	9	1.5	6	6	10781.39941	5201.399414	5201.399414	1.4
0596	011	2567	0.06	5422	7	65	100	3	6	0	7701	2279	RM-1	85	form-based			true	0.7	13	2.166666746	6	5	14375.2002	8953.200195	8953.200195	1.866667
0596	023	1494	0.03	2150	2	65	100	3	3	1	4482	2332	NCD-POLK	85	form-based			true	0.75	8	2.666666746	6	4	8964	6814	6814	2
0596	106	1170	0.03	0	0	65	100	3	3	3	3510	3510	NCD-POLK	85	form-based		true	true	0.75	6	2	6	6	7020	7020	7020	2
0597	006	2450	0.06	4968	3	65	100	3	6	3	7350	2382	RM-2	65	form-based			true	0.7	9	1.5	6	6	10290	5322	5322	1.4
0600	031	5658	0.13	5584	6	65	100	3	13	7	16974	11390	RH-2	40	form-based			true	0.7	12	0.923076928	6	6	15842.39941	10258.39941	10258.39941	0.933333
0601	003	8300	0.19	12100	11	65	100	3	19	8	24900	12800	RH-2	40	form-based			true	0.7	17	0.894736826	6	6	23240	11140	11140	0.933333
0603	002	2687	0.06	3135	0	55	80	2.5	5	5	6718	3583	RH-2	40	form-based			true	0.7	6	1.200000048	6	6	7523.600098	4388.600098	4388.600098	1.119917
0603	004B	3210	0.07	4222	1	55	80	2.5	6	5	8025	3803	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8988	4766	4766	1.12
0603	014	3300	0.08	3580	1	55	80	2.5	6	5	8250	4670	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9240	5660	5660	1.12
0603	015	4711	0.11	4620	4	55	80	2.5	9	5	11778	7158	RH-2	40	form-based			true	0.7	10	1.111111164	6	6	13190.7998	8570.799805	8570.799805	1.119952
0604	011	3251	0.07	4830	1	55	80	2.5	6	5	8128	3298	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9102.799805	4272.799805	4272.799805	1.119931
0604	012	3234	0.07	5388	1	55	80	2.5	6	5	8085	2697	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9055.200195	3667.200195	3667.200195	1.12
0604	013	3234	0.07	4790	1	55	80	2.5	6	5	8085	3295	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9055.200195	4265.200195	4265.200195	1.12
0604	014	3250	0.07	5708	1	55	80	2.5	6	5	8125	2417	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9100	3392	3392	1.12
0604	015	3138	0.07	5931	1	55	80	2.5	6	5	7845	1914	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8786.399414	2855.399414	2855.399414	1.12
0605	016	3575	0.08	4320	2	65	100	3	8	6	10725	6405	RH-2	40	form-based			true	0.7	8	1	6	6	10010	5690	5690	0.933333
0605	021	3203	0.07	2534	1	65	100	3	7	6	9609	7075	RH-2	40	form-based			true	0.7	7	1	6	6	8968.399414	6434.399414	6434.399414	0.933333
0605	026	3844	0.09	3581	2	55	80	2.5	7	5	9610	6029	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10763.2002	7182.200195	7182.200195	1.12
0611	008	3213	0.07	2075	1	65	100	3	7	6	9639	7564	RH-2	40	form-based			true	0.7	7	1	6	6	8996.399414	6921.399414	6921.399414	0.933333
0611	011	3857	0.09	4750	2	65	100	3	9	7	11571	6821	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10799.59961	6049.599609	6049.599609	0.933333
0611	028	3474	0.08	2816	1	65	100	3	8	7	10422	7606	RH-2	40	form-based			true	0.7	7	0.875	6	6	9727.200195	6911.200195	6911.200195	0.933333
0611	033	3999	0.09	1045	2	65	100	3	9	7	11997	10952	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	11197.2002	10152.2002	10152.2002	0.933333
0612	008	2918	0.07	9789	0	65	100	3	7	7	8754	0	RM-1	40	form-based		true	true	0.7	6	0.857142866	6	6	8170.399902	0	0	0.933333
0612	010	3278	0.08	2544	1	65	100	3	8	7	9834	7290	RH-2	40	form-based			true	0.7	7	0.875	6	6	9178.399414	6634.399414	6634.399414	0.933333
0612	013	3180	0.07	3419	1	65	100	3	7	6	9540	6121	RH-2	40	form-based			true	0.7	7	1	6	6	8904	5485	5485	0.933333
0612	022	2841	0.07	4992	5	65	100	3	7	2	8523	3531	NCD-UPPE	65	form-based		true	true	0.75	11	1.571428537	6	6	12784.5	7792.5	7792.5	1.5
0612	028	3343	0.08	4536	1	65	100	3	8	7	10029	5493	RH-2	40	form-based			true	0.7	7	0.875	6	6	9360.399414	4824.399414	4824.399414	0.933333
0612	030	3343	0.08	3030	1	65	100	3	8	7	10029	6999	RH-2	40	form-based			true	0.7	7	0.875	6	6	9360.399414	6330.399414	6330.399414	0.933333
0612	033	2000	0.05	2670	2	65	100	3	5	3	6000	3330	NCD-UPPE	65	form-based		true	true	0.75	8	1.600000024	6	6	9000	6330	6330	1.5
0612	039	4133	0.09	2915	3	65	100	3	9	6	12399	9484	RH-2	40	form-based			true	0.7	9	1	6	6	11572.39941	8657.399414	8657.399414	0.933333
0614	007	4389	0.1	5200	3	55	80	2.5	8	5	10972	5772	RH-2	40	form-based			true	0.7	9	1.125	6	6	12289.2002	7089.200195	7089.200195	1.120051
0614	018	3334	0.08	4551	1	55	80	2.5	6	5	8335	3784	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9335.200195	4784.200195	4784.200195	1.12
0620	005	3487	0.08	6660	7	65	100	3	8	1	10461	3801	RM-3	65	form-based			true	0.75	13	1.625	6	6	15691.5	9031.5	9031.5	1.5
0620	014	4000	0.09	10850	15	65	100	3	9	0	12000	1150	RM-3	85	form-based			true	0.75	21	2.333333254	6	3	24000	13150	13150	2
0629	023	2263	0.05	2500	2	65	100	3	5	3	6789	4289	NCD-UPPE	65	form-based			true	0.75	8	1.600000024	6	6	10183.5	7683.5	7683.5	1.5
0630	002	3765	0.09	3400	0	65	100	3	9	9	11295	7895	NCD-UPPE	40	density-lin	600			0.75	6	0.666666687	6	6	11295	7895	7895	1
0630	017	2575	0.06	1600	1	65	100	3	6	5	7725	6125	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9012.5	7412.5	7412.5	1.166667
0630	020	2354	0.05	2407	1	65	100	3	5	4	7062	4655	RH-2	50	form-based			true	0.7	7	1.399999976	6	6	8239	5832	5832	1.166667
0630	045	4762	0.11	1750	4	65	100	3	11	7	14286	12536	RH-2	40	form-based			true	0.7	10	0.909090936	6	6	13333.59961	11583.59961	11583.59961	0.933333
0631	014	3200	0.07	3670	3	65	100	3	7	4	9600	5930	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	11200	7530	7530	1.166667
0631	022	2744	0.06	3991	2	65	100	3	6	4	8232	4241	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9604	5613	5613	1.166667
0631	028	3114	0.07	3434	1	65	100	3	7	6	9342	5908	RH-3	40	form-based			true	0.7	7	1	6	6	8719.200195	5285.200195	5285.200195	0.933333
0631	029	3115	0.07	2921	1	65	100	3	7	6	9345	6424	RH-3	40	form-based			true	0.7	7	1	6	6	8722	5801	5801	0.933333
0631	030	3116	0.07	1300	1	65	100	3	7	6	9348	8048	RH-3	40	form-based			true	0.7	7	1	6	6	8724.799805	7424.799805	7424.799805	0.933333
0631	031	3116	0.07	2622	1	65	100	3	7	6	9348	6726	RH-3	40	form-based			true	0.7	7	1	6	6	8724.799805	6102.799805	6102.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0631	032	3117	0.07	1876	1	65	100	3	7	6	9351	7475	RH-3	40	form-based			true	0.7	7	1	6	6	8727.599609	6851.599609	6851.599609	0.933333
0631	033	3118	0.07	1440	1	65	100	3	7	6	9354	7914	RH-3	40	form-based			true	0.7	7	1	6	6	8730.399414	7290.399414	7290.399414	0.933333
0631	034	3119	0.07	2336	1	65	100	3	7	6	9357	7021	RH-3	40	form-based			true	0.7	7	1	6	6	8733.200195	6397.200195	6397.200195	0.933333
0633	001A	2581	0.06	3975	1	65	100	3	6	5	7743	3768	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9033.5	5058.5	5058.5	1.166667
0633	001D	9841	0.23	42680	46	85	140	4	32	0	39364	0	RTO-C	85	form-based		true	true	0.75	52	1.625	6	6	59046	16366	16366	1.5
0634	034	1460	0.03	2115	2	85	140	4	4	2	5840	3725	NCD-UPPE	85	form-based			true	0.75	8	2	6	6	8760	6645	6645	1.5
0635	012	2748	0.06	4368	2	85	140	4	8	6	10992	6624	RH-2	50	form-based			true	0.7	8	1	6	6	9618	5250	5250	0.875
0635	018	2650	0.06	2150	1	65	100	3	6	5	7950	5800	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9275	7125	7125	1.166667
0637	002	5686	0.13	7440	6	65	100	3	13	7	17058	9618	RM-1	40	form-based			true	0.7	12	0.923076928	6	6	15920.7998	8480.799805	8480.799805	0.933333
0641	011	3137	0.07	2340	1	65	100	3	7	6	9411	7071	RH-2	40	form-based			true	0.7	7	1	6	6	8783.599609	6443.599609	6443.599609	0.933333
0641	014	8167	0.19	7125	0	65	100	3	19	19	24501	17376	RH-2	40	density-lim	1500	true		0.7	6	0.315789461	6	6	22867.59961	15742.59961	15742.59961	0.933333
0648	008	5637	0.13	8960	8	65	100	3	13	5	16911	7951	RM-3	80	density-lim	400			0.75	14	1.076923132	6	6	33822	24862	24862	2
0650	003	4125	0.09	3232	1	55	80	2.5	7	6	10312	7080	RM-2	40	density-lim	600			0.7	7	1	6	6	11550	8318	8318	1.120054
0651	004	9453	0.22	10151	0	55	80	2.5	18	18	23632	13481	RH-2	40	density-lim	1500			0.7	6	0.333333343	6	6	26468.40039	16317.40039	16317.40039	1.120024
0653	001	1468	0.03	2104	2	65	100	3	3	1	4404	2300	RTO-C	85	form-based		true	true	0.75	8	2.666666746	6	4	8808	6704	6704	2
0653	039	1571	0.04	1974	2	65	100	3	4	2	4713	2739	RTO-C	85	form-based			true	0.75	8	2	6	6	9426	7452	7452	2
0653	040	1590	0.04	2367	2	65	100	3	4	2	4770	2403	RTO-C	85	form-based			true	0.75	8	2	6	6	9540	7173	7173	2
0654	003	2187	0.05	3200	2	65	100	3	5	3	6561	3361	NCD-UPPE	65	form-based			true	0.75	8	1.600000024	6	6	9841.5	6641.5	6641.5	1.5
0654	012	4727	0.11	3232	2	65	100	3	11	9	14181	10949	NCD-UPPE	40	density-lim	600			0.75	8	0.727272749	6	6	14181	10949	10949	1
0655	025	1980	0.05	3000	4	85	140	4	7	3	7920	4920	RTO-C	85	form-based			true	0.75	10	1.428571463	6	6	11880	8880	8880	1.5
0655	060	3741	0.09	2304	2	85	140	4	13	11	14964	12660	RH-2	40	form-based			true	0.7	8	0.615384638	6	6	10474.7998	8170.799805	8170.799805	0.7
0656	048	2926	0.07	2864	0	65	100	3	7	7	8778	5914	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8192.799805	5328.799805	5328.799805	0.933333
0659	003	2031	0.05	3668	2	65	100	3	5	3	6093	2425	NCD-UPPE	65	form-based			true	0.75	8	1.600000024	6	6	9139.5	5471.5	5471.5	1.5
0664	018	2622	0.06	9670	0	65	100	3	6	6	7866	0	RH-2	40	density-lim	1500	true		0.7	6	1	6	6	7341.600098	0	0	0.933333
0670	027	4830	0.11	762	37	65	100	3	11	0	14490	13728	RC-4	240	form-based			true	0.75	43	3.909090996	6	0	43470	42708	28218	3
0674	003A	6497	0.15	13392	26	65	100	3	15	0	19491	6099	RM-4	50	density-lim	200			0.75	32	2.133333445	6	4	24363.75	10971.75	10971.75	1.25
0680	018	1750	0.04	1353	3	65	100	3	4	1	5250	3897	NC-2	85	form-based			true	0.75	9	2.25	6	5	10500	9147	9147	2
0680	021	1752	0.04	1490	3	65	100	3	4	1	5256	3766	NC-2	85	form-based		true	true	0.75	9	2.25	6	5	10512	9022	9022	2
0684	047	2558	0.06	3418	2	65	100	3	6	4	7674	4256	NCT-FILLM	50	form-based				0.75	8	1.333333373	6	6	9592.5	6174.5	6174.5	1.25
0685	038	2538	0.06	4783	0	65	100	3	6	6	7614	2831	NCD-JAPAI	50	density-lim	400			0.75	6	1	6	6	9517.5	4734.5	4734.5	1.25
0685	042	2340	0.05	3880	0	65	100	3	5	5	7020	3140	NCD-JAPAI	50	density-lim	400			0.75	6	1.200000048	6	6	8775	4895	4895	1.25
0686	023A	3952	0.09	4476	4	65	100	3	9	5	11856	7380	RM-3	50	density-lim	400			0.75	10	1.111111164	6	6	14820	10344	10344	1.25
0686	023B	3967	0.09	4476	4	65	100	3	9	5	11901	7425	RM-3	50	density-lim	400			0.75	10	1.111111164	6	6	14876.25	10400.25	10400.25	1.25
0686	029	2291	0.05	2584	0	65	100	3	5	5	6873	4289	NCD-JAPAI	50	density-lim	400	true		0.75	6	1.200000048	6	6	8591.25	6007.25	6007.25	1.25
0686	032	2438	0.06	4856	0	65	100	3	6	6	7314	2458	NCD-JAPAI	50	density-lim	400			0.75	6	1	6	6	9142.5	4286.5	4286.5	1.25
0686	035	2232	0.05	4261	0	65	100	3	5	5	6696	2435	NCD-JAPAI	50	density-lim	400			0.75	6	1.200000048	6	6	8370	4109	4109	1.25
0686	041	3158	0.07	4500	2	65	100	3	7	5	9474	4974	NCD-JAPAI	50	density-lim	400			0.75	8	1.142857194	6	6	11842.5	7342.5	7342.5	1.25
0686	046	4340	0.1	1000	5	65	100	3	10	5	13020	12020	RM-3	50	density-lim	400			0.75	11	1.100000024	6	6	16275	15275	15275	1.25
0686	056	2509	0.06	0	0	65	100	3	6	6	7527	7527	NCD-JAPAI	50	density-lim	400			0.75	6	1	6	6	9408.75	9408.75	9408.75	1.25
0686	060	4121	0.09	1334	4	65	100	3	9	5	12363	11029	RM-3	50	density-lim	400			0.75	10	1.111111164	6	6	15453.75	14119.75	14119.75	1.25
0687	037	1555	0.04	1611	2	65	100	3	4	2	4665	3054	RM-4	50	density-lim	200	true		0.75	8	2	6	6	5831.25	4220.25	4220.25	1.25
0692	003	3725	0.09	13420	3	65	100	3	9	6	11175	0	NCD-POLK	130	density-lim	400	true		0.75	9	1	6	6	33525	20105	8930	3
0693	023	3048	0.07	7970	9	65	100	3	7	0	9144	1174	RC-4	80	density-lim	200			0.75	15	2.142857075	6	5	18288	10318	10318	2
0768	021	6900	0.16	975	15	65	100	3	16	1	20700	19725	NCT-3	50	form-based		true		0.75	21	1.3125	6	6	25875	24900	24900	1.25
0770	025	5156	0.12	6013	3	55	80	2.5	10	7	12890	6877	RTO-1	40	density-lim	600			0.7	9	0.899999976	6	6	14436.7998	8423.799805	8423.799805	1.12
0785	039	2100	0.05	5454	0	65	100	3	5	5	6300	846	NCT-3	50	form-based				0.75	6	1.200000048	6	6	7875	2421	2421	1.25
0795	024	2617	0.06	5600	1	55	80	2.5	5	4	6542	942	RM-2	50	form-based			true	0.7	7	1.399999976	6	6	9159.5	3559.5	3559.5	1.400107
0805	010	3120	0.07	3715	3	55	80	2.5	6	3	7800	4085	RH-3	50	form-based			true	0.7	9	1.5	6	6	10920	7205	7205	1.4
0805	011	3000	0.07	4082	2	55	80	2.5	6	4	7500	3418	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	10500	6418	6418	1.4
0805	030	3006	0.07	2048	2	55	80	2.5	6	4	7515	5467	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	10521	8473	8473	1.4
0805	031	3006	0.07	2158	2	55	80	2.5	6	4	7515	5357	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	10521	8363	8363	1.4
0805	037	2364	0.05	2386	1	55	80	2.5	4	3	5910	3524	RH-3	50	form-based		true	true	0.7	7	1.75	6	6	8274	5888	5888	1.4
0806	003	2700	0.06	5194	0	55	80	2.5	5	5	6750	1556	NCT-HAYE	40	form-based				0.75	6	1.200000048	6	6	8100	2906	2906	1.2
0809	023	4064	0.09	8111	6	65	100	3	9	3	12192	4081	NCT-HAYE	50	form-based		true		0.75	12	1.333333373	6	6	15240	7129	7129	1.25
0821	012	3437	0.08	2812	4	55	80	2.5	6	2	8592	5780	RM-1	50	form-based			true	0.7	10	1.666666627	6	6	12029.5	9217.5	9217.5	1.400082
0821	014	3438	0.08	3625	4	55	80	2.5	6	2	8595	4970	RM-1	50	form-based			true	0.7	10	1.666666627	6	6	12033	8408	8408	1.4
0821	016	3643	0.08	3176	4	55	80	2.5	6	2	9108	5932	RM-1	50	form-based			true	0.7	10	1.666666627	6	6	12750.5	9574.5	9574.5	1.399923
0822	036	3327	0.08	5614	1	55	80	2.5	6	5	8318	2704	RM-1	40	form-based			true	0.7	7	1.166666627	6	6	9315.599609	3701.599609	3701.599609	1.119933
0824	003	4375	0.1	3972	3	55	80	2.5	8	5	10938	6966	RM-1	40	form-based			true	0.7	9	1.125	6	6	12250	8278	8278	1.119949
0824	005	9764	0.22	22400	15	55	80	2.5	18	3	24410	2010	RM-1	40	form-based		true	true	0.7	21	1.166666627	6	6	27339.19922	4939.199219	4939.199219	1.12
0826	015	4076	0.09	4600	3	55	80	2.5	7	4	10190	5590	RM-1	40	form-based			true	0.7	9	1.285714269	6	6	11412.7998	6812.799805	6812.799805	1.12
0826	019	7472	0.17	6345	10	55	80	2.5	14	4	18680	12335	RM-1	40	form-based			true	0.7	16	1.142857194	6	6	20921.59961	14576.59961	14576.59961	1.12
0827	015	4612	0.11	6000	4	55	80	2.5	9	5	11530	5530	RM-1	40	form-based			true	0.7	10	1.111111164	6	6	12913.59961	6913.599609	6913.599609	1.12
0827	016	3293	0.08	3084	1	55	80	2.5	6	5	8232	5148	RM-1	40	form-based			true	0.7	7	1.166666627	6	6	9220.399414	6136.399414	6136.399414	1.120068

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0828	007	3833	0.09	3340	2	55	80	2.5	7	5	9582	6242	RM-1	40	form-based			true	0.7	8	1.142857194	6	6	10732.39941	7392.399414	7392.399414	1.120058
0828	008	4181	0.1	5982	3	55	80	2.5	8	5	10452	4470	RM-1	40	form-based			true	0.7	9	1.125	6	6	11706.7998	5724.799805	5724.799805	1.120054
0828	010	3485	0.08	2056	1	55	80	2.5	6	5	8712	6656	RM-1	40	form-based			true	0.7	7	1.166666627	6	6	9758	7702	7702	1.120064
0828	039	4181	0.1	1945	3	55	80	2.5	8	5	10452	8507	RM-1	40	form-based			true	0.7	9	1.125	6	6	11706.7998	9761.799805	9761.799805	1.120054
0832	071	2067	0.05	2950	0	65	100	3	5	5	6201	3251	NCT-HAYES	50	form-based				0.75	6	1.200000048	6	6	7751.25	4801.25	4801.25	1.25
0832	073	2127	0.05	5132	0	65	100	3	5	5	6381	1249	NCT-HAYES	50	form-based				0.75	6	1.200000048	6	6	7976.25	2844.25	2844.25	1.25
0832	094	2159	0.05	0	0	65	100	3	5	5	6477	6477	NCT-HAYES	50	form-based	true			0.75	6	1.200000048	6	6	8096.25	8096.25	8096.25	1.25
0837	015	10014	0.23	12100	24	65	100	3	23	0	30042	17942	NCT-HAYES	50	form-based				0.75	30	1.304347873	6	6	37552.5	25452.5	25452.5	1.25
0838	002	2625	0.06	4065	2	65	100	3	6	4	7875	3810	NCT-HAYES	50	form-based				0.75	8	1.333333373	6	6	9843.75	5778.75	5778.75	1.25
0840	003	3600	0.08	2996	2	65	100	3	8	6	10800	7804	RTO-1	40	form-based			true	0.7	8	1	6	6	10080	7084	7084	0.933333
0842	012	3437	0.08	2362	1	55	80	2.5	6	5	8592	6230	RM-1	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	7261.599609	7261.599609	1.120065
0842	057	6160	0.14	1152	7	55	80	2.5	11	4	15400	14248	RM-1	40	form-based			true	0.7	13	1.181818128	6	6	17248	16096	16096	1.12
0843	011	3440	0.08	2798	1	55	80	2.5	6	5	8600	5802	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9632	6834	6834	1.12
0843	025	3781	0.09	2558	2	55	80	2.5	7	5	9452	6894	RM-1	40	form-based			true	0.7	8	1.142857194	6	6	10586.7998	8028.799805	8028.799805	1.120059
0843	026	3782	0.09	2224	2	55	80	2.5	7	5	9455	7231	RM-1	40	form-based			true	0.7	8	1.142857194	6	6	10589.59961	8365.599609	8365.599609	1.12
0843	032	3782	0.09	1368	2	55	80	2.5	7	5	9455	8087	RM-1	40	form-based			true	0.7	8	1.142857194	6	6	10589.59961	9221.599609	9221.599609	1.12
0845	001	5399	0.12	12150	5	55	80	2.5	10	5	13498	1348	RH-3	40	form-based	true		true	0.7	11	1.100000024	6	6	15117.2002	2967.200195	2967.200195	1.119959
0845	011	3438	0.08	3323	1	65	100	3	8	7	10314	6991	RH-3	40	form-based			true	0.7	7	0.875	6	6	9626.399414	6303.399414	6303.399414	0.933333
0845	013	3438	0.08	2282	1	65	100	3	8	7	10314	8032	RH-3	40	form-based			true	0.7	7	0.875	6	6	9626.399414	7344.399414	7344.399414	0.933333
0846	026	2656	0.06	2642	1	65	100	3	6	5	7968	5326	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	9296	6654	6654	1.166667
0846	034	3436	0.08	3880	4	65	100	3	8	4	10308	6428	RH-3	50	form-based			true	0.7	10	1.25	6	6	12026	8146	8146	1.166667
0846	035	3436	0.08	3750	4	65	100	3	8	4	10308	6558	RH-3	50	form-based			true	0.7	10	1.25	6	6	12026	8276	8276	1.166667
0846	050	2406	0.06	1463	3	65	100	3	6	3	7218	5755	RTO-C	65	form-based			true	0.75	9	1.5	6	6	10827	9364	9364	1.5
0847	008	2150	0.05	3200	2	65	100	3	5	3	6450	3250	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9675	6475	6475	1.5
0848	002A	2788	0.06	3678	2	65	100	3	6	4	8364	4686	RM-1	50	form-based			true	0.7	8	1.333333373	6	6	9758	6080	6080	1.166667
0848	007	2887	0.07	5595	5	65	100	3	7	2	8661	3066	NCD-LOWE	65	form-based			true	0.75	11	1.571428537	6	6	12991.5	7396.5	7396.5	1.5
0849	010	2500	0.06	3750	3	65	100	3	6	3	7500	3750	NCD-LOWE	65	form-based			true	0.75	9	1.5	6	6	11250	7500	7500	1.5
0849	011	2500	0.06	4350	3	65	100	3	6	3	7500	3150	NCD-LOWE	65	form-based			true	0.75	9	1.5	6	6	11250	6900	6900	1.5
0849	018	2517	0.06	5150	3	65	100	3	6	3	7551	2401	NCD-LOWE	65	form-based			true	0.75	9	1.5	6	6	11326.5	6176.5	6176.5	1.5
0849	029	3344	0.08	6525	3	65	100	3	8	5	10032	3507	RM-1	50	form-based			true	0.7	9	1.125	6	6	11704	5179	5179	1.166667
0849	041	3500	0.08	752	4	65	100	3	8	4	10500	9748	RM-1	50	form-based			true	0.7	10	1.25	6	6	12250	11498	11498	1.166667
0852	018	3298	0.08	2848	1	65	100	3	8	7	9894	7046	RTO-1	40	form-based			true	0.7	7	0.875	6	6	9234.399414	6386.399414	6386.399414	0.933333
0853	016	3477	0.08	2050	2	65	100	3	8	6	10431	8381	NCT-3	40	form-based				0.75	8	1	6	6	10431	8381	8381	1
0856	011A	3000	0.07	3558	2	65	100	3	7	5	9000	5442	RTO-1	50	form-based			true	0.7	8	1.142857194	6	6	10500	6942	6942	1.166667
0856	017	2494	0.06	2975	1	65	100	3	6	5	7482	4507	RTO-1	50	form-based			true	0.7	7	1.166666627	6	6	8729	5754	5754	1.166667
0858	026	3600	0.08	3450	2	65	100	3	8	6	10800	7350	RTO-1	40	form-based			true	0.7	8	1	6	6	10080	6630	6630	0.933333
0860	026	2195	0.05	2340	2	65	100	3	5	3	6585	4245	NCD-LOWE	65	form-based	true		true	0.75	8	1.600000024	6	6	9877.5	7537.5	7537.5	1.5
0859	002	3025	0.07	3250	2	65	100	3	7	5	9075	5825	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10587.5	7337.5	7337.5	1.166667
0859	006	2600	0.06	1875	1	65	100	3	6	5	7800	5925	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	9100	7225	7225	1.166667
0859	020	3114	0.07	5700	3	65	100	3	7	4	9342	3642	NC-1	50	form-based	true		true	0.75	9	1.285714269	6	6	11677.5	5977.5	5977.5	1.25
0859	030	3785	0.09	2070	8	65	100	3	9	1	11355	9285	NCD-LOWE	65	form-based			true	0.75	14	1.555555582	6	6	17032.5	14962.5	14962.5	1.5
0860	013	3000	0.07	3600	2	65	100	3	7	5	9000	5400	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10500	6900	6900	1.166667
0861	009	3438	0.08	4700	4	65	100	3	8	4	10314	5614	RM-1	50	form-based			true	0.7	10	1.25	6	6	12033	7333	7333	1.166667
0861	018	2656	0.06	2125	1	65	100	3	6	5	7968	5843	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	9296	7171	7171	1.166667
0861	019	2656	0.06	3010	1	65	100	3	6	5	7968	4958	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	9296	6286	6286	1.166667
0861	023	5014	0.12	10582	13	65	100	3	12	0	15042	4460	NC-1	65	form-based			true	0.75	19	1.583333373	6	6	22563	11981	11981	1.5
0861	028	2819	0.06	5625	5	65	100	3	6	1	8457	2832	NC-1	65	form-based			true	0.75	11	1.833333373	6	6	12685.5	7060.5	7060.5	1.5
0861	035	2506	0.06	3540	3	65	100	3	6	3	7518	3978	NCD-LOWE	65	form-based			true	0.75	9	1.5	6	6	11277	7737	7737	1.5
0861	091	2506	0.06	1083	3	65	100	3	6	3	7518	6435	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11277	10194	10194	1.5
0862	016	3437	0.08	4000	4	65	100	3	8	4	10311	6311	RH-3	50	form-based			true	0.7	10	1.25	6	6	12029.5	8029.5	8029.5	1.166667
0862	022A	4738	0.11	9848	12	65	100	3	11	0	14214	4366	RTO-C	65	form-based			true	0.75	18	1.636363626	6	6	21321	11473	11473	1.5
0869	010	3124	0.07	4116	3	65	100	3	7	4	9372	5256	RTO-1	50	form-based	true		true	0.7	9	1.285714269	6	6	10934	6818	6818	1.166667
0869	014	3609	0.08	5177	2	65	100	3	8	6	10827	5650	RTO-1	40	form-based			true	0.7	8	1	6	6	10105.2002	4928.200195	4928.200195	0.933333
0869	031	3438	0.08	1330	1	65	100	3	8	7	10314	8984	RTO-1	40	form-based			true	0.7	7	0.875	6	6	9626.399414	8296.399414	8296.399414	0.933333
0869	032	3438	0.08	1300	1	65	100	3	8	7	10314	9014	RTO-1	40	form-based			true	0.7	7	0.875	6	6	9626.399414	8326.399414	8326.399414	0.933333
0869	034	3337	0.08	2520	1	65	100	3	8	7	10011	7491	RTO-1	40	form-based			true	0.7	7	0.875	6	6	9343.599609	6823.599609	6823.599609	0.933333
0869	036	3300	0.08	2535	1	65	100	3	8	7	9900	7365	RTO-1	40	form-based			true	0.7	7	0.875	6	6	9240	6705	6705	0.933333
0872	008	3450	0.08	7380	12	85	140	4	11	0	13800	6420	NCT-3	85	form-based			true	0.75	18	1.636363626	6	6	20700	13320	13320	1.5
0872	008A	3450	0.08	7380	12	85	140	4	11	0	13800	6420	NCT-3	85	form-based			true	0.75	18	1.636363626	6	6	20700	13320	13320	1.5
0875	002	1259	0.03	900	1	65	100	3	3	2	3777	2877	RTO-C	85	form-based			true	0.75	7	2.333333254	6	5	7554	6654	6654	2
0953	015	3121	0.07	6106	1	55	80	2.5	6	5	7802	1696	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	6	6	8738.799805	2632.799805	2632.799805	1.120072
0953	017	3293	0.08	5881	1	55	80	2.5	6	5	8232	2351	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9220.399414	3339.399414	3339.399414	1.120068
0953	018	3345	0.08	5110	1	55	80	2.5	6	5	8362	3252	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9366	4256	4256	1.120067
0953	019	3346	0.08	5038	1	55	80	2.5	6	5	8365	3327	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9368.799805	4330.799805	4330.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0954	001	3145	0.07	4700	1	55	80	2.5	6	5	7862	3162	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	8806	4106	4106	1.120071
0954	009	3386	0.08	4190	1	55	80	2.5	6	5	8465	4275	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9480.799805	5290.799805	5290.799805	1.12
0954	011	3156	0.07	4849	1	55	80	2.5	6	5	7890	3041	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8836.799805	3987.799805	3987.799805	1.12
0955	024	3465	0.08	3194	1	55	80	2.5	6	5	8662	5468	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9702	6508	6508	1.120065
0955	035	3250	0.07	4954	1	55	80	2.5	6	5	8125	3171	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9100	4146	4146	1.12
0956	003	3120	0.07	3281	1	55	80	2.5	6	5	7800	4519	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8736	5455	5455	1.12
0956	017C	4804	0.11	4640	4	55	80	2.5	9	5	12010	7370	RH-1	40	form-based		true	true	0.7	10	1.111111164	6	6	13451.2002	8811.200195	8811.200195	1.12
0956	018	3310	0.08	2937	1	55	80	2.5	6	5	8275	5338	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9268	6331	6331	1.12
0956	018A	3310	0.08	4535	1	55	80	2.5	6	5	8275	3740	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9268	4733	4733	1.12
0956	020	3799	0.09	2580	2	55	80	2.5	7	5	9498	6918	RH-1	40	form-based			true	0.7	8	1.142857194	6	6	10637.2002	8057.200195	8057.200195	1.119941
0956	023	3169	0.07	4250	1	55	80	2.5	6	5	7922	3672	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8873.200195	4623.200195	4623.200195	1.120071
0956	027	3787	0.09	4444	2	55	80	2.5	7	5	9468	5024	RH-1	40	form-based		true	true	0.7	8	1.142857194	6	6	10603.59961	6159.599609	6159.599609	1.119941
0956A	005	3722	0.09	4899	2	55	80	2.5	7	5	9305	4406	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10421.59961	5522.599609	5522.599609	1.12
0956A	006	3606	0.08	4514	2	55	80	2.5	6	4	9015	4501	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10096.7998	5582.799805	5582.799805	1.12
0958	015	3453	0.08	4910	1	55	80	2.5	6	5	8632	3722	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9668.399414	4758.399414	4758.399414	1.120065
0958	016	3415	0.08	2895	1	55	80	2.5	6	5	8538	5643	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9562	6667	6667	1.119934
0958	017	3415	0.08	3993	1	55	80	2.5	6	5	8538	4545	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9562	5569	5569	1.119934
0958	022	3416	0.08	3739	1	55	80	2.5	6	5	8540	4801	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9564.799805	5825.799805	5825.799805	1.12
0958	023	3416	0.08	6120	1	55	80	2.5	6	5	8540	2420	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9564.799805	3444.799805	3444.799805	1.12
0958	024	3416	0.08	2830	1	55	80	2.5	6	5	8540	5710	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9564.799805	6734.799805	6734.799805	1.12
0958	025	3416	0.08	3800	1	55	80	2.5	6	5	8540	4740	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9564.799805	5764.799805	5764.799805	1.12
0958	026	3416	0.08	3526	1	55	80	2.5	6	5	8540	5014	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9564.799805	6038.799805	6038.799805	1.12
0958	027	3516	0.08	9280	1	55	80	2.5	6	5	8790	0	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9844.799805	564.7998047	564.7998047	1.12
0958	029	3523	0.08	2721	1	55	80	2.5	6	5	8808	6087	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9864.399414	7143.399414	7143.399414	1.119936
0959	019	3420	0.08	5539	1	55	80	2.5	6	5	8550	3011	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9576	4037	4037	1.12
0959	020	3420	0.08	4303	1	55	80	2.5	6	5	8550	4247	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9576	5273	5273	1.12
0959	025	3460	0.08	6800	1	55	80	2.5	6	5	8650	1850	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9688	2888	2888	1.12
0959	026	3461	0.08	6177	1	55	80	2.5	6	5	8652	2475	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9690.799805	3513.799805	3513.799805	1.120065
0959	027	2767	0.06	0	0	55	80	2.5	5	5	6918	6918	RH-1(D)	40	form-based			true	0.7	6	1.200000048	6	6	7747.600098	7747.600098	7747.600098	1.119919
0960	001G	3247	0.07	4340	1	55	80	2.5	6	5	8118	3778	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9091.599609	4751.599609	4751.599609	1.119931
0960	001I	3159	0.07	3360	1	55	80	2.5	6	5	7898	4538	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8845.200195	5485.200195	5485.200195	1.119929
0960	001M	3247	0.07	3885	1	55	80	2.5	6	5	8118	4233	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9091.599609	5206.599609	5206.599609	1.119931
0960	007	3240	0.07	4610	1	55	80	2.5	6	5	8100	3490	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9072	4462	4462	1.12
0963	016	5746	0.13	2120	6	55	80	2.5	10	4	14365	12245	RH-1	40	form-based		true	true	0.7	12	1.200000048	6	6	16088.7998	13968.7998	13968.7998	1.12
0964	007	2652	0.06	0	0	55	80	2.5	5	5	6630	6630	RH-1(D)	40	form-based			true	0.7	6	1.200000048	6	6	7425.600098	7425.600098	7425.600098	1.12
0964	008B	3321	0.08	6477	1	55	80	2.5	6	5	8302	1825	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9298.799805	2821.799805	2821.799805	1.120067
0969	002	3259	0.07	3600	1	55	80	2.5	6	5	8148	4548	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9125.200195	5525.200195	5525.200195	1.119931
0969	003	3233	0.07	5085	1	55	80	2.5	6	5	8082	2997	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9052.399414	3967.399414	3967.399414	1.120069
0970	016	3274	0.08	1890	1	55	80	2.5	6	5	8185	6295	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9167.200195	7277.200195	7277.200195	1.12
0971	015	3538	0.08	4314	1	55	80	2.5	6	5	8845	4531	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9906.399414	5592.399414	5592.399414	1.12
0971	016	3551	0.08	5822	1	55	80	2.5	6	5	8878	3056	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9942.799805	4120.799805	4120.799805	1.119937
0971	019A	3192	0.07	4012	1	55	80	2.5	6	5	7980	3968	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8937.599609	4925.599609	4925.599609	1.12
0971	020	3448	0.08	3645	1	55	80	2.5	6	5	8620	4975	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9654.399414	6009.399414	6009.399414	1.12
0972	008	3216	0.07	4050	1	55	80	2.5	6	5	8040	3990	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9004.799805	4954.799805	4954.799805	1.12
0972	008A	3200	0.07	5363	1	55	80	2.5	6	5	8000	2637	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8960	3597	3597	1.12
0973	007	3511	0.08	4370	1	55	80	2.5	6	5	8778	4408	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9830.799805	5460.799805	5460.799805	1.119936
0973	011	3511	0.08	6002	1	55	80	2.5	6	5	8778	2776	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9830.799805	3828.799805	3828.799805	1.119936
0973	012	3511	0.08	3225	1	55	80	2.5	6	5	8778	5553	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9830.799805	6605.799805	6605.799805	1.119936
0973	053	3331	0.08	4350	1	55	80	2.5	6	5	8328	3978	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9326.799805	4976.799805	4976.799805	1.119933
0973	054	3398	0.08	4412	1	55	80	2.5	6	5	8495	4083	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9514.399414	5102.399414	5102.399414	1.12
0974	006	3192	0.07	3564	1	55	80	2.5	6	5	7980	4416	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8937.599609	5373.599609	5373.599609	1.12
0974	007	3192	0.07	2995	1	55	80	2.5	6	5	7980	4985	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8937.599609	5942.599609	5942.599609	1.12
0976	003	3863	0.09	3833	2	55	80	2.5	7	5	9658	5825	RH-3	40	form-based			true	0.7	8	1.142857194	6	6	10816.39941	6983.399414	6983.399414	1.119942
0976	009	3192	0.07	2825	1	55	80	2.5	6	5	7980	5155	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	8937.599609	6112.599609	6112.599609	1.12
0976	010	3192	0.07	2445	1	55	80	2.5	6	5	7980	5535	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	8937.599609	6492.599609	6492.599609	1.12
0977	001	3160	0.07	3780	1	55	80	2.5	6	5	7900	4120	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8848	5068	5068	1.12
0977	001A	3507	0.08	4112	1	55	80	2.5	6	5	8768	4656	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9819.599609	5707.599609	5707.599609	1.119936
0977	009	4073	0.09	4850	3	55	80	2.5	7	4	10182	5332	RH-2	40	form-based			true	0.7	9	1.285714269	6	6	11404.39941	6554.399414	6554.399414	1.120055
0977	010	4073	0.09	5700	3	55	80	2.5	7	4	10182	4482	RH-2	40	form-based			true	0.7	9	1.285714269	6	6	11404.39941	5704.399414	5704.399414	1.120055
0977	025	4073	0.09	3187	3	55	80	2.5	7	4	10182	6995	RH-2	40	form-based			true	0.7	9	1.285714269	6	6	11404.39941	8217.399414	8217.399414	1.120055
0977	028	3840	0.09	2192	2	55	80	2.5	7	5	9600	7408	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10752	8560	8560	1.12
0978	036	2824	0.06	3110	0	55	80	2.5	5	5	7060	3950	RH-2	40	form-based			true	0.7	6	1.200000048	6	6	7907.199707	4797.199707	4797.199707	1.12
0979	014	3511	0.08	6112	1	65	100	3	8	7	10533	4421	RH-2	40	form-based			true	0.7	7	0.875	6	6	9830.799805	3718.799805	3718.799805	0.933333
0979	026	3435	0.08	2980	1	65	100	3	8	7	10305	7325	RH-2	40	form-based			true	0.7	7	0.875	6	6	9618	6638	6638	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0979	028	3435	0.08	5266	1	65	100	3	8	7	10305	5039	RH-2	40	form-based			true	0.7	7	0.875	6	6	9618	4352	4352	0.933333
0979	030	3435	0.08	6187	1	65	100	3	8	7	10305	4118	RH-2	40	form-based			true	0.7	7	0.875	6	6	9618	3431	3431	0.933333
0979	056	5490	0.13	1916	6	65	100	3	13	7	16470	14554	RM-1	40	form-based		true	true	0.7	12	0.923076928	6	6	15372	13456	13456	0.933333
0980	002	3469	0.08	3958	1	65	100	3	8	7	10407	6449	RM-1	40	form-based			true	0.7	7	0.875	6	6	9713.200195	5755.200195	5755.200195	0.933333
0981	010	3192	0.07	5324	1	65	100	3	7	6	9576	4252	RH-2	40	form-based			true	0.7	7	1	6	6	8937.599609	3613.599609	3613.599609	0.933333
0981	013	3192	0.07	3625	1	65	100	3	7	6	9576	5951	RH-2	40	form-based			true	0.7	7	1	6	6	8937.599609	5312.599609	5312.599609	0.933333
0981	021	2813	0.06	4016	0	65	100	3	6	6	8439	4423	RH-2	40	form-based			true	0.7	6	1	6	6	7876.399902	3860.399902	3860.399902	0.933333
0982	019	3185	0.07	3676	1	65	100	3	7	6	9555	5879	RH-3	40	form-based			true	0.7	7	1	6	6	8918	5242	5242	0.933333
0983	003	3503	0.08	3905	1	65	100	3	8	7	10509	6604	RH-2	40	form-based			true	0.7	7	0.875	6	6	9808.399414	5903.399414	5903.399414	0.933333
0983	009	3495	0.08	5170	1	65	100	3	8	7	10485	5315	RH-2	40	form-based			true	0.7	7	0.875	6	6	9786	4616	4616	0.933333
0983	011	3216	0.07	3752	1	65	100	3	7	6	9648	5896	RH-2	40	form-based			true	0.7	7	1	6	6	9004.799805	5252.799805	5252.799805	0.933333
0983	016	3343	0.08	1928	1	65	100	3	8	7	10029	8101	RH-2	40	form-based			true	0.7	7	0.875	6	6	9360.399414	7432.399414	7432.399414	0.933333
0983	017	3600	0.08	4590	2	65	100	3	8	6	10800	6210	RH-2	40	form-based			true	0.7	8	1	6	6	10080	5490	5490	0.933333
0984	006	3248	0.07	3793	1	65	100	3	7	6	9744	5951	RH-1	40	form-based		true	true	0.7	7	1	6	6	9094.399414	5301.399414	5301.399414	0.933333
0984	011	3128	0.07	5417	1	65	100	3	7	6	9384	3967	RH-1	40	form-based			true	0.7	7	1	6	6	8758.399414	3341.399414	3341.399414	0.933333
0984	011A	3128	0.07	3726	1	65	100	3	7	6	9384	5658	RH-1	40	form-based			true	0.7	7	1	6	6	8758.399414	5032.399414	5032.399414	0.933333
0984	011B	3128	0.07	4667	1	65	100	3	7	6	9384	4717	RH-1	40	form-based			true	0.7	7	1	6	6	8758.399414	4091.399414	4091.399414	0.933333
0984	024	4968	0.11	12565	4	65	100	3	11	7	14904	2339	RH-1	40	form-based			true	0.7	10	0.909090936	6	6	13910.39941	1345.399414	1345.399414	0.933333
0985	001	3212	0.07	4417	1	65	100	3	7	6	9636	5219	RH-1	40	form-based		true	true	0.7	7	1	6	6	8993.599609	4576.599609	4576.599609	0.933333
0985	006	3286	0.08	5468	1	65	100	3	8	7	9858	4390	RH-1	40	form-based			true	0.7	7	0.875	6	6	9200.799805	3732.799805	3732.799805	0.933333
0985	009	3511	0.08	3982	1	65	100	3	8	7	10533	6551	RH-1	40	form-based			true	0.7	7	0.875	6	6	9830.799805	5848.799805	5848.799805	0.933333
0985	026	3348	0.08	6594	1	55	80	2.5	6	5	8370	1776	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9374.399414	2780.399414	2780.399414	1.12
0986	005	3225	0.07	4250	1	55	80	2.5	6	5	8062	3812	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9030	4780	4780	1.12007
0986	006	3478	0.08	3880	1	55	80	2.5	6	5	8695	4815	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9738.399414	5858.399414	5858.399414	1.12
0986	009	3511	0.08	3518	1	55	80	2.5	6	5	8778	5260	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9830.799805	6312.799805	6312.799805	1.119936
0986	014	3438	0.08	5483	1	55	80	2.5	6	5	8595	3112	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	4143.399414	4143.399414	1.12
0986	016	3418	0.08	2530	1	55	80	2.5	6	5	8545	6015	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9570.399414	7040.399414	7040.399414	1.12
0986	017	3478	0.08	6128	1	55	80	2.5	6	5	8695	2567	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9738.399414	3610.399414	3610.399414	1.12
0986	045	3831	0.09	6768	2	55	80	2.5	7	5	9578	2810	RH-1	40	form-based			true	0.7	8	1.142857194	6	6	10726.7998	3958.799805	3958.799805	1.119941
0987	016	3452	0.08	5622	1	55	80	2.5	6	5	8630	3008	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9665.599609	4043.599609	4043.599609	1.12
0987	021	3214	0.07	3150	1	55	80	2.5	6	5	8035	4885	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8999.200195	5849.200195	5849.200195	1.12
0987	022	3214	0.07	4176	1	55	80	2.5	6	5	8035	3859	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8999.200195	4823.200195	4823.200195	1.12
0988	022	3214	0.07	4060	1	55	80	2.5	6	5	8035	3975	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8999.200195	4939.200195	4939.200195	1.12
0988	023	3214	0.07	3550	1	55	80	2.5	6	5	8035	4485	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8999.200195	5449.200195	5449.200195	1.12
0988	025	3257	0.07	3900	1	55	80	2.5	6	5	8142	4242	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	5219.599609	5219.599609	1.120069
0991	001	3122	0.07	5615	1	55	80	2.5	6	5	7805	2190	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	8741.599609	3126.599609	3126.599609	1.12
0991	008	3108	0.07	4000	1	55	80	2.5	6	5	7770	3770	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8702.399414	4702.399414	4702.399414	1.12
0991	009	3108	0.07	4576	1	55	80	2.5	6	5	7770	3194	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8702.399414	4126.399414	4126.399414	1.12
0991	017	3175	0.07	2620	1	55	80	2.5	6	5	7938	5318	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8890	6270	6270	1.119929
0991	019	3416	0.08	4975	1	55	80	2.5	6	5	8540	3565	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9564.799805	4589.799805	4589.799805	1.12
0991	020	3097	0.07	4106	1	55	80	2.5	6	5	7742	3636	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8671.599609	4565.599609	4565.599609	1.120072
0991	028	3192	0.07	4310	1	55	80	2.5	6	5	7980	3670	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8937.599609	4627.599609	4627.599609	1.12
0991	029	3565	0.08	3024	1	55	80	2.5	6	5	8912	5888	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9982	6958	6958	1.120063
0991	030	3565	0.08	4022	1	55	80	2.5	6	5	8912	4890	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9982	5960	5960	1.120063
0991	033	3565	0.08	5700	1	55	80	2.5	6	5	8912	3212	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9982	4282	4282	1.120063
0991	034	3568	0.08	5371	1	55	80	2.5	6	5	8920	3549	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9990.399414	4619.399414	4619.399414	1.12
0991	040	3617	0.08	1605	2	55	80	2.5	6	4	9042	7437	RH-1	40	form-based			true	0.7	8	1.333333373	6	6	10127.59961	8522.599609	8522.599609	1.120062
0992	007	3553	0.08	2789	1	55	80	2.5	6	5	8882	6093	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9948.399414	7159.399414	7159.399414	1.120063
0992	030	3605	0.08	3633	2	55	80	2.5	6	4	9012	5379	RH-1	40	form-based		true	true	0.7	8	1.333333373	6	6	10094	6461	6461	1.120062
0993	007	3511	0.08	3624	1	55	80	2.5	6	5	8778	5154	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9830.799805	6206.799805	6206.799805	1.119936
0993	015	3220	0.07	3300	1	55	80	2.5	6	5	8050	4750	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9016	5716	5716	1.12
0993	019	3112	0.07	2503	1	55	80	2.5	6	5	7780	5277	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8713.599609	6210.599609	6210.599609	1.12
0993	024	3192	0.07	3950	1	55	80	2.5	6	5	7980	4030	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8937.599609	4987.599609	4987.599609	1.12
0993	026	3807	0.09	5833	2	55	80	2.5	7	5	9518	3685	RH-1	40	form-based			true	0.7	8	1.142857194	6	6	10659.59961	4826.599609	4826.599609	1.119941
0994	013	3109	0.07	3698	1	55	80	2.5	6	5	7772	4074	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8705.200195	5007.200195	5007.200195	1.120072
0994	018	3424	0.08	5566	1	55	80	2.5	6	5	8560	2994	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9587.200195	4021.200195	4021.200195	1.12
0994	020	3112	0.07	3968	1	55	80	2.5	6	5	7780	3812	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8713.599609	4745.599609	4745.599609	1.12
0994	024	3666	0.08	2448	2	55	80	2.5	6	4	9165	6717	RH-1	40	form-based			true	0.7	8	1.333333373	6	6	10264.7998	7816.799805	7816.799805	1.12
0995	009	3479	0.08	4950	1	55	80	2.5	6	5	8698	3748	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9741.200195	4791.200195	4791.200195	1.119936
0995	010	3489	0.08	4965	1	55	80	2.5	6	5	8722	3757	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9769.200195	4804.200195	4804.200195	1.120064
0995	024	3344	0.08	4340	1	65	100	3	8	7	10032	5692	RH-1	40	form-based		true	true	0.7	7	0.875	6	6	9363.200195	5023.200195	5023.200195	0.933333
0995	026	4283	0.1	2761	3	55	80	2.5	8	5	10708	7947	RH-1	40	form-based			true	0.7	9	1.125	6	6	11992.39941	9231.399414	9231.399414	1.119948
0995	029	4276	0.1	2761	3	55	80	2.5	8	5	10690	7929	RH-1	40	form-based			true	0.7	9	1.125	6	6	11972.7998	9211.799805	9211.799805	1.12
0996	006	3432	0.08	3960	1	65	100	3	8	7	10296	6336	RH-1	40	form-based			true	0.7	7	0.875	6	6	9609.599609	5649.599609	5649.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0996	007	3432	0.08	2800	1	65	100	3	8	7	10296	7496	RH-1	40	form-based			true	0.7	7	0.875	6	6	9609.599609	6809.599609	6809.599609	0.933333
0996	011	3192	0.07	4924	1	65	100	3	7	6	9576	4652	RH-1	40	form-based			true	0.7	7	1	6	6	8937.599609	4013.599609	4013.599609	0.933333
0996	012	3192	0.07	4950	1	65	100	3	7	6	9576	4626	RH-1	40	form-based			true	0.7	7	1	6	6	8937.599609	3987.599609	3987.599609	0.933333
0996	013	3192	0.07	3268	1	65	100	3	7	6	9576	6308	RH-1	40	form-based			true	0.7	7	1	6	6	8937.599609	5669.599609	5669.599609	0.933333
0996	023	3284	0.08	4352	1	65	100	3	8	7	9852	5500	RH-1	40	form-based			true	0.7	7	0.875	6	6	9195.200195	4843.200195	4843.200195	0.933333
0996	024	3424	0.08	3200	1	65	100	3	8	7	10272	7072	RH-1	40	form-based			true	0.7	7	0.875	6	6	9587.200195	6387.200195	6387.200195	0.933333
0996	050	3591	0.08	5100	2	65	100	3	8	6	10773	5673	RH-1	40	form-based			true	0.7	8	1	6	6	10054.7998	4954.799805	4954.799805	0.933333
0997	012	3511	0.08	3155	1	65	100	3	8	7	10533	7378	RH-1	40	form-based			true	0.7	7	0.875	6	6	9830.799805	6675.799805	6675.799805	0.933333
0997	013	3511	0.08	5410	1	65	100	3	8	7	10533	5123	RH-1	40	form-based			true	0.7	7	0.875	6	6	9830.799805	4420.799805	4420.799805	0.933333
0997	014	3511	0.08	5321	1	65	100	3	8	7	10533	5212	RH-1	40	form-based			true	0.7	7	0.875	6	6	9830.799805	4509.799805	4509.799805	0.933333
0997	015	3511	0.08	5184	1	65	100	3	8	7	10533	5349	RH-1	40	form-based			true	0.7	7	0.875	6	6	9830.799805	4646.799805	4646.799805	0.933333
0997	020	3424	0.08	5817	1	65	100	3	8	7	10272	4455	RH-1	40	form-based			true	0.7	7	0.875	6	6	9587.200195	3770.200195	3770.200195	0.933333
0997	031	3831	0.09	2473	2	65	100	3	9	7	11493	9020	RH-1	40	form-based			true	0.7	8	0.888888896	6	6	10726.7998	8253.799805	8253.799805	0.933333
0997	035	3112	0.07	3472	1	65	100	3	7	6	9336	5864	RH-1	40	form-based			true	0.7	7	1	6	6	8713.599609	5241.599609	5241.599609	0.933333
0998	003	3438	0.08	2032	1	65	100	3	8	7	10314	8282	RM-1	40	form-based			true	0.7	7	0.875	6	6	9626.399414	7594.399414	7594.399414	0.933333
0998	029	3680	0.08	2212	2	65	100	3	8	6	11040	8828	RM-1	40	form-based			true	0.7	8	1	6	6	10304	8092	8092	0.933333
0998	042	3680	0.08	2170	2	65	100	3	8	6	11040	8870	RM-1	40	form-based			true	0.7	8	1	6	6	10304	8134	8134	0.933333
0999	007	3281	0.08	3548	1	65	100	3	8	7	9843	6295	RH-2	40	form-based		true	true	0.7	7	0.875	6	6	9186.799805	5638.799805	5638.799805	0.933333
0999	018	3192	0.07	2741	1	65	100	3	7	6	9576	6835	RH-3	40	form-based			true	0.7	7	1	6	6	8937.599609	6196.599609	6196.599609	0.933333
0999	027	3112	0.07	2897	1	65	100	3	7	6	9336	6439	RH-3	40	form-based			true	0.7	7	1	6	6	8713.599609	5816.599609	5816.599609	0.933333
1000	015	3192	0.07	4386	1	65	100	3	7	6	9576	5190	RH-2	40	form-based			true	0.7	7	1	6	6	8937.599609	4551.599609	4551.599609	0.933333
1000	016	3192	0.07	4425	1	65	100	3	7	6	9576	5151	RH-2	40	form-based			true	0.7	7	1	6	6	8937.599609	4512.599609	4512.599609	0.933333
1000	017	3192	0.07	3372	1	65	100	3	7	6	9576	6204	RH-2	40	form-based			true	0.7	7	1	6	6	8937.599609	5565.599609	5565.599609	0.933333
1000	029	3179	0.07	3100	1	65	100	3	7	6	9537	6437	RH-2	40	form-based			true	0.7	7	1	6	6	8901.200195	5801.200195	5801.200195	0.933333
1000	031	3181	0.07	3168	1	65	100	3	7	6	9543	6375	RH-2	40	form-based			true	0.7	7	1	6	6	8906.799805	5738.799805	5738.799805	0.933333
1000	032	3181	0.07	2324	1	65	100	3	7	6	9543	7219	RH-2	40	form-based			true	0.7	7	1	6	6	8906.799805	6582.799805	6582.799805	0.933333
1000	034	3182	0.07	2792	1	65	100	3	7	6	9546	6754	RH-2	40	form-based			true	0.7	7	1	6	6	8909.599609	6117.599609	6117.599609	0.933333
1001	008	3345	0.08	3128	1	65	100	3	8	7	10035	6907	RH-2	40	form-based		true	true	0.7	7	0.875	6	6	9366	6238	6238	0.933333
1001	026	3938	0.09	3365	2	65	100	3	9	7	11814	8449	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11026.39941	7661.399414	7661.399414	0.933333
1001	060	5108	0.12	4872	5	65	100	3	12	7	15324	10452	RH-2	40	form-based			true	0.7	11	0.916666687	6	6	14302.39941	9430.399414	9430.399414	0.933333
1002	025	2750	0.06	4407	0	65	100	3	6	6	8250	3843	RH-2	40	form-based			true	0.7	6	1	6	6	7700	3293	3293	0.933333
1002	030	3625	0.08	4240	2	65	100	3	8	6	10875	6635	RH-2	40	form-based			true	0.7	8	1	6	6	10150	5910	5910	0.933333
1002	031	3625	0.08	5430	2	65	100	3	8	6	10875	5445	RH-2	40	form-based			true	0.7	8	1	6	6	10150	4720	4720	0.933333
1002	044	3583	0.08	2215	2	65	100	3	8	6	10749	8534	RH-2	40	form-based			true	0.7	8	1	6	6	10032.39941	7817.399414	7817.399414	0.933333
1002	052	3903	0.09	1809	2	65	100	3	9	7	11709	9900	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10928.39941	9119.399414	9119.399414	0.933333
1003	036	3130	0.07	4256	1	65	100	3	7	6	9390	5134	RH-3	40	form-based			true	0.7	7	1	6	6	8764	4508	4508	0.933333
1003	068	3192	0.07	1903	3	65	100	3	7	4	9576	7673	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	11172	9269	9269	1.166667
1003	071	3192	0.07	1612	3	65	100	3	7	4	9576	7964	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	11172	9560	9560	1.166667
1004	003	3791	0.09	2762	2	65	100	3	9	7	11373	8611	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10614.7998	7852.799805	7852.799805	0.933333
1004	026	3461	0.08	2723	1	65	100	3	8	7	10383	7660	RH-2	40	form-based			true	0.7	7	0.875	6	6	9690.799805	6967.799805	6967.799805	0.933333
1004	028	3460	0.08	2011	1	65	100	3	8	7	10380	8369	RH-2	40	form-based			true	0.7	7	0.875	6	6	9688	7677	7677	0.933333
1004	029	3396	0.08	3110	1	65	100	3	8	7	10188	7078	RH-2	40	form-based			true	0.7	7	0.875	6	6	9508.799805	6398.799805	6398.799805	0.933333
1004	033	3062	0.07	1908	3	65	100	3	7	4	9186	7278	RH-2	50	form-based			true	0.7	9	1.285714269	6	6	10717	8809	8809	1.166667
1005	014	2622	0.06	1866	1	65	100	3	6	5	7866	6000	RH-2	50	form-based		true	true	0.7	7	1.166666627	6	6	9177	7311	7311	1.166667
1005	015	2602	0.06	1954	1	65	100	3	6	5	7806	5852	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9107	7153	7153	1.166667
1005	016	2602	0.06	1275	1	65	100	3	6	5	7806	6531	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9107	7832	7832	1.166667
1006	007	2614	0.06	1815	1	65	100	3	6	5	7842	6027	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9149	7334	7334	1.166667
1006	008	2614	0.06	1275	1	65	100	3	6	5	7842	6567	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9149	7874	7874	1.166667
1006	013	3192	0.07	3607	3	65	100	3	7	4	9576	5969	RH-2	50	form-based			true	0.7	9	1.285714269	6	6	11172	7565	7565	1.166667
1006	019	3549	0.08	2210	1	65	100	3	8	7	10647	8437	RH-2	40	form-based			true	0.7	7	0.875	6	6	9937.200195	7727.200195	7727.200195	0.933333
1007	005	2813	0.06	3560	2	65	100	3	6	4	8439	4879	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9845.5	6285.5	6285.5	1.166667
1007	023	3877	0.09	5810	2	65	100	3	9	7	11631	5821	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	10855.59961	5045.599609	5045.599609	0.933333
1008	007	2301	0.05	3000	3	65	100	3	5	2	6903	3903	NCD-SACR	65	form-based			true	0.75	9	1.799999952	6	6	10354.5	7354.5	7354.5	1.5
1008	012	2500	0.06	4060	3	65	100	3	6	3	7500	3440	NCD-SACR	65	form-based			true	0.75	9	1.5	6	6	11250	7190	7190	1.5
1008	029	3952	0.09	6428	2	65	100	3	9	7	11856	5428	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11065.59961	4637.599609	4637.599609	0.933333
1009	002A	3115	0.07	2183	1	65	100	3	7	6	9345	7162	RH-2	40	form-based			true	0.7	7	1	6	6	8722	6539	6539	0.933333
1009	022	3163	0.07	2912	1	65	100	3	7	6	9489	6577	RH-2	40	form-based		true	true	0.7	7	1	6	6	8856.399414	5944.399414	5944.399414	0.933333
1009	028	3182	0.07	3220	3	65	100	3	7	4	9546	6326	RH-2	50	form-based			true	0.7	9	1.285714269	6	6	11137	7917	7917	1.166667
1010	022	3550	0.08	4408	1	65	100	3	8	7	10650	6242	RH-1	40	form-based			true	0.7	7	0.875	6	6	9940	5532	5532	0.933333
1010	023	3550	0.08	4200	1	65	100	3	8	7	10650	6450	RH-1	40	form-based			true	0.7	7	0.875	6	6	9940	5740	5740	0.933333
1011	005	2500	0.06	3366	3	55	80	2.5	5	2	6250	2884	NCD-SACR	65	form-based			true	0.75	9	1.799999952	6	6	11250	7884	7884	1.8
1011	014	2317	0.05	4830	3	55	80	2.5	4	1	5792	962	NCD-SACR	65	form-based			true	0.75	9	2.25	6	5	10426.5	5596.5	5596.5	1.800155
1011	026	3550	0.08	1900	1	55	80	2.5	6	5	8875	6975	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9940	8040	8040	1.12
1011	027	3436	0.08	4440	1	55	80	2.5	6	5	8590	4150	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9620.799805	5180.799805	5180.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1011	029	3115	0.07	1950	3	55	80	2.5	6	3	7788	5838	RH-1	50	form-based			true	0.7	9	1.5	6	6	10902.5	8952.5	8952.5	1.39991
1012	005	3569	0.08	2965	1	55	80	2.5	6	5	8922	5957	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9993.200195	7028.200195	7028.200195	1.120063
1012	029	3228	0.07	2890	1	55	80	2.5	6	5	8070	5180	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9038.399414	6148.399414	6148.399414	1.12
1012	033	3228	0.07	2496	1	55	80	2.5	6	5	8070	5574	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9038.399414	6542.399414	6542.399414	1.12
1012	034	3228	0.07	3471	1	55	80	2.5	6	5	8070	4599	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9038.399414	5567.399414	5567.399414	1.12
1012	036	3228	0.07	3186	1	55	80	2.5	6	5	8070	4884	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9038.399414	5852.399414	5852.399414	1.12
1012	037	3475	0.08	3097	1	55	80	2.5	6	5	8688	5591	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9730	6633	6633	1.119936
1012	044	2824	0.06	1617	2	55	80	2.5	5	3	7060	5443	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9884	8267	8267	1.4
1013	011	3511	0.08	3770	4	55	80	2.5	6	2	8778	5008	RM-1	50	form-based			true	0.7	10	1.666666627	6	6	12288.5	8518.5	8518.5	1.39992
1013	027	3228	0.07	5854	1	55	80	2.5	6	5	8070	2216	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9038.399414	3184.399414	3184.399414	1.12
1013	030	2850	0.07	0	0	55	80	2.5	6	6	7125	7125	RH-1	40	form-based			true	0.7	6	1	6	6	7980	7980	7980	1.12
1014	009	3448	0.08	3192	4	55	80	2.5	6	2	8620	5428	RH-2	50	form-based			true	0.7	10	1.666666627	6	6	12068	8876	8876	1.4
1014	028	2593	0.06	3096	1	55	80	2.5	5	4	6482	3386	RH-1	50	form-based			true	0.7	7	1.399999976	6	6	9075.5	5979.5	5979.5	1.400108
1014	038	3552	0.08	4175	1	55	80	2.5	6	5	8880	4705	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9945.599609	5770.599609	5770.599609	1.12
1014	040	3229	0.07	2596	1	55	80	2.5	6	5	8072	5476	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9041.200195	6445.200195	6445.200195	1.120069
1014	054	3687	0.08	3610	2	55	80	2.5	6	4	9218	5608	RH-1	40	form-based			true	0.7	8	1.333333373	6	6	10323.59961	6713.599609	6713.599609	1.119939
1014	061	4066	0.09	1962	3	55	80	2.5	7	4	10165	8203	RH-1	40	form-based			true	0.7	9	1.285714269	6	6	11384.7998	9422.799805	9422.799805	1.12
1014	071	2723	0.06	2010	2	55	80	2.5	5	3	6808	4798	RM-1	50	form-based			true	0.7	8	1.600000024	6	6	9530.5	7520.5	7520.5	1.399897
1015	040	3319	0.08	2520	3	55	80	2.5	6	3	8298	5778	RH-2	50	form-based			true	0.7	9	1.5	6	6	11616.5	9096.5	9096.5	1.399916
1015	042	4159	0.1	4440	6	55	80	2.5	8	2	10398	5958	RH-2	50	form-based			true	0.7	12	1.5	6	6	14556.5	10116.5	10116.5	1.399933
1015	046	3319	0.08	2785	3	55	80	2.5	6	3	8298	5513	RH-2	50	form-based			true	0.7	9	1.5	6	6	11616.5	8831.5	8831.5	1.399916
1015	055	2958	0.07	1903	2	55	80	2.5	6	4	7395	5492	RM-1	50	form-based			true	0.7	8	1.333333373	6	6	10353	8450	8450	1.4
1015	081	3319	0.08	1266	3	55	80	2.5	6	3	8298	7032	RH-2	50	form-based			true	0.7	9	1.5	6	6	11616.5	10350.5	10350.5	1.399916
1017	022	3660	0.08	2630	4	55	80	2.5	6	2	9150	6520	RH-3	50	form-based			true	0.7	10	1.666666627	6	6	12810	10180	10180	1.4
1017	023	3327	0.08	4893	3	55	80	2.5	6	3	8318	3425	RH-3	50	form-based			true	0.7	9	1.5	6	6	11644.5	6751.5	6751.5	1.399916
1017	029	2813	0.06	1750	2	55	80	2.5	5	3	7032	5282	RM-1	50	form-based			true	0.7	8	1.600000024	6	6	9845.5	8095.5	8095.5	1.4001
1019	020	2503	0.06	4980	3	55	80	2.5	5	2	6258	1278	NCD-SACR	65	form-based			true	0.75	9	1.799999952	6	6	11263.5	6283.5	6283.5	1.799856
1022	019	2078	0.05	3376	2	65	100	3	5	3	6234	2858	NCD-SACR	65	form-based			true	0.75	8	1.600000024	6	6	9351	5975	5975	1.5
1019	037	2503	0.06	1519	3	65	100	3	6	3	7509	5990	NCD-SACR	65	form-based			true	0.75	9	1.5	6	6	11263.5	9744.5	9744.5	1.5
1019	077	2697	0.06	3364	4	65	100	3	6	2	8091	4727	NCD-SACR	65	form-based			true	0.75	10	1.666666627	6	6	12136.5	8772.5	8772.5	1.5
1020	006	3258	0.07	8613	11	65	100	3	7	0	9774	1161	RTO-C	85	form-based	true		true	0.75	17	2.428571463	6	3	19548	10935	10935	2
1020	013	2219	0.05	5400	6	65	100	3	5	0	6657	1257	RTO-C	85	form-based			true	0.75	12	2.400000095	6	4	13314	7914	7914	2
1021	027	4312	0.1	10820	10	65	100	3	10	0	12936	2116	NCD-SACR	65	form-based	true		true	0.75	16	1.600000024	6	6	19404	8584	8584	1.5
1022	006	2500	0.06	3595	1	65	100	3	6	5	7500	3905	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	5155	5155	1.166667
1022	019A	2078	0.05	3376	2	65	100	3	5	3	6234	2858	NCD-SACR	65	form-based			true	0.75	8	1.600000024	6	6	9351	5975	5975	1.5
1023	002	2656	0.06	1325	1	65	100	3	6	5	7968	6643	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9296	7971	7971	1.166667
1023	005	2656	0.06	1484	1	85	140	4	8	7	10624	9140	RH-2	50	form-based			true	0.7	7	0.875	6	6	9296	7812	7812	0.875
1023	006	2656	0.06	3504	1	85	140	4	8	7	10624	7120	RH-2	50	form-based			true	0.7	7	0.875	6	6	9296	5792	5792	0.875
1023	007	2656	0.06	1000	1	85	140	4	8	7	10624	9624	RH-2	50	form-based			true	0.7	7	0.875	6	6	9296	8296	8296	0.875
1023	024	2688	0.06	2041	2	65	100	3	6	4	8064	6023	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9408	7367	7367	1.166667
1023	092	3452	0.08	510	4	65	100	3	8	4	10356	9846	RH-2	50	form-based			true	0.7	10	1.25	6	6	12082	11572	11572	1.166667
1023	096	2688	0.06	1116	2	65	100	3	6	4	8064	6948	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9408	8292	8292	1.166667
1023	107	2752	0.06	2810	2	65	100	3	6	4	8256	5446	RH-2	50	form-based	true		true	0.7	8	1.333333373	6	6	9632	6822	6822	1.166667
1023	109	2688	0.06	2814	2	65	100	3	6	4	8064	5250	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9408	6594	6594	1.166667
1024	018	3016	0.07	3138	2	85	140	4	10	8	12064	8926	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	10556	7418	7418	0.875
1024	029A	3665	0.08	3427	4	65	100	3	8	4	10995	7568	RH-2	50	form-based			true	0.7	10	1.25	6	6	12827.5	9400.5	9400.5	1.166667
1024	047	3332	0.08	510	3	65	100	3	8	5	9996	9486	RH-2	50	form-based			true	0.7	9	1.125	6	6	11662	11152	11152	1.166667
1025	034	3333	0.08	1842	3	85	140	4	11	8	13332	11490	RH-2	50	form-based			true	0.7	9	0.818181813	6	6	11665.5	9823.5	9823.5	0.875
1028	037	3781	0.09	1811	2	65	100	3	9	7	11343	9532	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10586.7998	8775.799805	8775.799805	0.933333
1029	015	3781	0.09	3901	2	85	140	4	13	11	15124	11223	RH-2	40	form-based			true	0.7	8	0.615384638	6	6	10586.7998	6685.799805	6685.799805	0.7
1030	011	3437	0.08	2742	1	65	100	3	8	7	10311	7569	RH-2	40	form-based			true	0.7	7	0.875	6	6	9623.599609	6881.599609	6881.599609	0.933333
1030	012	3438	0.08	2088	1	65	100	3	8	7	10314	8226	RH-2	40	form-based			true	0.7	7	0.875	6	6	9626.399414	7538.399414	7538.399414	0.933333
1030	014	3437	0.08	1544	1	65	100	3	8	7	10311	8767	RH-2	40	form-based			true	0.7	7	0.875	6	6	9623.599609	8079.599609	8079.599609	0.933333
1030	016	3438	0.08	1152	1	65	100	3	8	7	10314	9162	RH-2	40	form-based			true	0.7	7	0.875	6	6	9626.399414	8474.399414	8474.399414	0.933333
1031	021	2930	0.07	2688	4	65	100	3	7	3	8790	6102	RH-3	65	form-based			true	0.7	10	1.428571463	6	6	12306	9618	9618	1.4
1031	039	3660	0.08	1708	2	65	100	3	8	6	10980	9272	RH-2	40	form-based			true	0.7	8	1	6	6	10248	8540	8540	0.933333
1036	012	3155	0.07	1572	1	65	100	3	7	6	9465	7893	RH-1	40	form-based			true	0.7	7	1	6	6	8834	7262	7262	0.933333
1036	013	3186	0.07	2097	1	65	100	3	7	6	9558	7461	RH-1	40	form-based			true	0.7	7	1	6	6	8920.799805	6823.799805	6823.799805	0.933333
1036	014	3222	0.07	2000	1	65	100	3	7	6	9666	7666	RH-1	40	form-based			true	0.7	7	1	6	6	9021.599609	7021.599609	7021.599609	0.933333
1036	015	3268	0.08	2210	1	65	100	3	8	7	9804	7594	RH-1	40	form-based			true	0.7	7	0.875	6	6	9150.399414	6940.399414	6940.399414	0.933333
1036	016	3382	0.08	3040	1	65	100	3	8	7	10146	7106	RH-1	40	form-based	true		true	0.7	7	0.875	6	6	9469.599609	6429.599609	6429.599609	0.933333
1037	003	3703	0.09	6014	2	55	80	2.5	7	5	9258	3244	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10368.39941	4354.399414	4354.399414	1.119939
1037	020	3500	0.08	4440	1	65	100	3	8	7	10500	6060	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9800	5360	5360	0.933333
1037	042	3347	0.08	8076	12	55	80	2.5	6	0	8368	292	RTO-C	85	form-based			true	0.75	18	3	6	0	20082	12006	8660	2.399857

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1039	001	2472	0.06	7635	7	55	80	2.5	5	0	6180	0	RTO-C	85	form-based		true	true	0.75	13	2.599999905	6	3	14832	7197	4725	2.4
1039	018	3166	0.07	2860	1	65	100	3	7	6	9498	6638	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8864.799805	6004.799805	6004.799805	0.933333
1039	019	3300	0.08	2280	1	65	100	3	8	7	9900	7620	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9240	6960	6960	0.933333
1039	023	3316	0.08	2864	1	65	100	3	8	7	9948	7084	RM-1	40	form-based		true	true	0.7	7	0.875	6	6	9284.799805	6420.799805	6420.799805	0.933333
1039	027	4015	0.09	3032	2	65	100	3	9	7	12045	9013	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	11242	8210	8210	0.933333
1039	028	4016	0.09	3354	2	65	100	3	9	7	12048	8694	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	11244.7998	7890.799805	7890.799805	0.933333
1039	033	4018	0.09	5083	2	55	80	2.5	7	5	10045	4962	RM-1	40	form-based			true	0.7	8	1.142857194	6	6	11250.39941	6167.399414	6167.399414	1.12
1039	046	4017	0.09	2560	2	65	100	3	9	7	12051	9491	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	11247.59961	8687.599609	8687.599609	0.933333
1039	048	4017	0.09	1614	2	55	80	2.5	7	5	10042	8428	RM-1	40	form-based			true	0.7	8	1.142857194	6	6	11247.59961	9633.599609	9633.599609	1.120056
1040	008	4800	0.11	3931	4	65	100	3	11	7	14400	10469	RM-1	40	form-based			true	0.7	10	0.909090936	6	6	13440	9509	9509	0.933333
1040	011	4800	0.11	4310	4	65	100	3	11	7	14400	10090	RM-1	40	form-based			true	0.7	10	0.909090936	6	6	13440	9130	9130	0.933333
1040	012	4800	0.11	4098	4	65	100	3	11	7	14400	10302	RM-1	40	form-based			true	0.7	10	0.909090936	6	6	13440	9342	9342	0.933333
1040	051	4800	0.11	777	4	65	100	3	11	7	14400	13623	RM-1	40	form-based			true	0.7	10	0.909090936	6	6	13440	12663	12663	0.933333
1041	002	3364	0.08	2321	1	65	100	3	8	7	10092	7771	RH-2	40	form-based			true	0.7	7	0.875	6	6	9419.200195	7098.200195	7098.200195	0.933333
1041	003	3379	0.08	2874	1	65	100	3	8	7	10137	7263	RH-2	40	form-based			true	0.7	7	0.875	6	6	9461.200195	6587.200195	6587.200195	0.933333
1041	004	3365	0.08	2887	1	65	100	3	8	7	10095	7208	RH-2	40	form-based			true	0.7	7	0.875	6	6	9422	6535	6535	0.933333
1041	005	3436	0.08	3083	1	65	100	3	8	7	10308	7225	RH-2	40	form-based			true	0.7	7	0.875	6	6	9620.799805	6537.799805	6537.799805	0.933333
1041	006	3548	0.08	2671	1	65	100	3	8	7	10644	7973	RH-2	40	form-based			true	0.7	7	0.875	6	6	9934.399414	7263.399414	7263.399414	0.933333
1041	007	3542	0.08	3266	1	65	100	3	8	7	10626	7360	RH-2	40	form-based			true	0.7	7	0.875	6	6	9917.599609	6651.599609	6651.599609	0.933333
1041	031	3701	0.08	1866	2	65	100	3	8	6	11103	9237	RH-2	40	form-based			true	0.7	8	1	6	6	10362.7998	8496.799805	8496.799805	0.933333
1042	002	3580	0.08	3974	2	55	80	2.5	6	4	8950	4976	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10024	6050	6050	1.12
1042	005	3670	0.08	3088	2	65	100	3	8	6	11010	7922	RH-2	40	form-based			true	0.7	8	1	6	6	10276	7188	7188	0.933333
1042	007	3754	0.09	3168	2	65	100	3	9	7	11262	8094	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10511.2002	7343.200195	7343.200195	0.933333
1042	008	3767	0.09	3584	2	65	100	3	9	7	11301	7717	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10547.59961	6963.599609	6963.599609	0.933333
1042	015	4815	0.11	5200	4	65	100	3	11	7	14445	9245	RM-2	40	form-based		true	true	0.7	10	0.909090936	6	6	13482	8282	8282	0.933333
1042	018	3739	0.09	2466	2	65	100	3	9	7	11217	8751	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	10469.2002	8003.200195	8003.200195	0.933333
1042	028	3676	0.08	3477	2	65	100	3	8	6	11028	7551	RH-2	40	form-based			true	0.7	8	1	6	6	10292.7998	6815.799805	6815.799805	0.933333
1042	030	3381	0.08	2480	1	55	80	2.5	6	5	8452	5972	RH-2	40	form-based		true	true	0.7	7	1.166666627	6	6	9466.799805	6986.799805	6986.799805	1.120066
1042	043	3662	0.08	1544	2	65	100	3	8	6	10986	9442	RH-2	40	form-based			true	0.7	8	1	6	6	10253.59961	8709.599609	8709.599609	0.933333
1042	055	3727	0.09	2267	2	65	100	3	9	7	11181	8914	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	10435.59961	8168.599609	8168.599609	0.933333
1042	057	3623	0.08	2160	2	65	100	3	8	6	10869	8709	RH-2	40	form-based			true	0.7	8	1	6	6	10144.39941	7984.399414	7984.399414	0.933333
1042	059	3678	0.08	1987	2	55	80	2.5	6	4	9195	7208	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10298.39941	8311.399414	8311.399414	1.12
1043	002	3101	0.07	3314	1	65	100	3	7	6	9303	5989	RH-2	40	form-based			true	0.7	7	1	6	6	8682.799805	5368.799805	5368.799805	0.933333
1043	016	4716	0.11	5200	4	65	100	3	11	7	14148	8948	RM-2	40	form-based		true	true	0.7	10	0.909090936	6	6	13204.7998	8004.799805	8004.799805	0.933333
1043	017	3765	0.09	3214	2	65	100	3	9	7	11295	8081	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10542	7328	7328	0.933333
1043	020	3955	0.09	3214	2	65	100	3	9	7	11865	8651	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11074	7860	7860	0.933333
1043	024	3997	0.09	3088	2	65	100	3	9	7	11991	8903	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11191.59961	8103.599609	8103.599609	0.933333
1043	025	3768	0.09	3088	2	65	100	3	9	7	11304	8216	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10550.39941	7462.399414	7462.399414	0.933333
1043	026	4030	0.09	3988	2	65	100	3	9	7	12090	8102	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11284	7296	7296	0.933333
1043	027	3986	0.09	3088	2	65	100	3	9	7	11958	8870	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11160.7998	8072.799805	8072.799805	0.933333
1043	034	3965	0.09	2016	2	65	100	3	9	7	11895	9879	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11102	9086	9086	0.933333
1043	043	3897	0.09	2463	2	65	100	3	9	7	11691	9228	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10911.59961	8448.599609	8448.599609	0.933333
1044	016	3788	0.09	3668	2	65	100	3	9	7	11364	7696	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10606.39941	6938.399414	6938.399414	0.933333
1044	017	3774	0.09	3142	2	65	100	3	9	7	11322	8180	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10567.2002	7425.200195	7425.200195	0.933333
1044	019	3684	0.08	4510	2	65	100	3	8	6	11052	6542	RH-2	40	form-based			true	0.7	8	1	6	6	10315.2002	5805.200195	5805.200195	0.933333
1044	020	3682	0.08	3142	2	65	100	3	8	6	11046	7904	RH-2	40	form-based			true	0.7	8	1	6	6	10309.59961	7167.599609	7167.599609	0.933333
1044	022	3690	0.08	3142	2	65	100	3	8	6	11070	7928	RH-2	40	form-based			true	0.7	8	1	6	6	10332	7190	7190	0.933333
1044	023	3635	0.08	3830	2	65	100	3	8	6	10905	7075	RH-2	40	form-based			true	0.7	8	1	6	6	10178	6348	6348	0.933333
1044	024	3603	0.08	3380	2	65	100	3	8	6	10809	7429	RH-2	40	form-based			true	0.7	8	1	6	6	10088.39941	6708.399414	6708.399414	0.933333
1044	026	3562	0.08	2982	1	65	100	3	8	7	10686	7704	RH-2	40	form-based			true	0.7	7	0.875	6	6	9973.599609	6991.599609	6991.599609	0.933333
1044	029	3727	0.09	2247	2	65	100	3	9	7	11181	8934	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10435.59961	8188.599609	8188.599609	0.933333
1045	036	3704	0.09	1923	2	65	100	3	9	7	11112	9189	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10371.2002	8448.200195	8448.200195	0.933333
1045	013	3812	0.09	3650	2	65	100	3	9	7	11436	7786	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10673.59961	7023.599609	7023.599609	0.933333
1045	018	3748	0.09	3660	2	65	100	3	9	7	11244	7584	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10494.39941	6834.399414	6834.399414	0.933333
1045	021	3621	0.08	3320	2	65	100	3	8	6	10863	7543	RH-2	40	form-based			true	0.7	8	1	6	6	10138.7998	6818.799805	6818.799805	0.933333
1045	032	3664	0.08	2088	2	65	100	3	8	6	10992	8904	RH-2	40	form-based			true	0.7	8	1	6	6	10259.2002	8171.200195	8171.200195	0.933333
1045	034	3842	0.09	1700	2	65	100	3	9	7	11526	9826	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10757.59961	9057.599609	9057.599609	0.933333
1045	038	3869	0.09	2199	2	65	100	3	9	7	11607	9408	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10833.2002	8634.200195	8634.200195	0.933333
1045	051	3832	0.09	2387	2	65	100	3	9	7	11496	9109	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10729.59961	8342.599609	8342.599609	0.933333
1046	023	2749	0.06	3480	4	65	100	3	6	2	8247	4767	RM-1	65	form-based			true	0.7	10	1.666666627	6	6	11545.7998	8065.799805	8065.799805	1.4
1046	033	3450	0.08	4040	6	65	100	3	8	2	10350	6310	RM-1	65	form-based			true	0.7	12	1.5	6	6	14490	10450	10450	1.4
1046	042	2206	0.05	2061	2	65	100	3	5	3	6618	4557	RH-2	65	form-based			true	0.7	8	1.600000024	6	6	9265.200195	7204.200195	7204.200195	1.4
1046	044	2206	0.05	2061	2	65	100	3	5	3	6618	4557	RH-2	65	form-based			true	0.7	8	1.600000024	6	6	9265.200195	7204.200195	7204.200195	1.4
1047	012	3437	0.08	1405	1	65	100	3	8	7	10311	8906	RH-2	40	form-based			true	0.7	7	0.875	6	6	9623.599609	8218.599609	8218.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1047	013	3437	0.08	2600	1	65	100	3	8	7	10311	7711	RH-2	40	form-based			true	0.7	7	0.875	6	6	9623.599609	7023.599609	7023.599609	0.933333
1047	014	3437	0.08	2820	1	65	100	3	8	7	10311	7491	RH-2	40	form-based			true	0.7	7	0.875	6	6	9623.599609	6803.599609	6803.599609	0.933333
1047	017	3437	0.08	2153	1	65	100	3	8	7	10311	8158	RH-2	40	form-based			true	0.7	7	0.875	6	6	9623.599609	7470.599609	7470.599609	0.933333
1047	018	3437	0.08	4261	1	65	100	3	8	7	10311	6050	RH-2	40	form-based			true	0.7	7	0.875	6	6	9623.599609	5362.599609	5362.599609	0.933333
1047	029	3439	0.08	3584	1	65	100	3	8	7	10317	6733	RH-2	40	form-based			true	0.7	7	0.875	6	6	9629.200195	6045.200195	6045.200195	0.933333
1047	030	3439	0.08	3184	1	65	100	3	8	7	10317	7133	RH-2	40	form-based			true	0.7	7	0.875	6	6	9629.200195	6445.200195	6445.200195	0.933333
1047	032	3440	0.08	1510	1	65	100	3	8	7	10320	8810	RH-2	40	form-based			true	0.7	7	0.875	6	6	9632	8122	8122	0.933333
1048	005	3125	0.07	2940	1	65	100	3	7	6	9375	6435	RH-2	40	form-based			true	0.7	7	1	6	6	8750	5810	5810	0.933333
1048	006	3125	0.07	3568	1	65	100	3	7	6	9375	5807	RH-2	40	form-based			true	0.7	7	1	6	6	8750	5182	5182	0.933333
1048	007	3125	0.07	2985	1	65	100	3	7	6	9375	6390	RH-2	40	form-based			true	0.7	7	1	6	6	8750	5765	5765	0.933333
1048	016	3438	0.08	2188	1	65	100	3	8	7	10314	8126	RH-2	40	form-based			true	0.7	7	0.875	6	6	9626.399414	7438.399414	7438.399414	0.933333
1048	018	3437	0.08	3851	1	65	100	3	8	7	10311	6460	RH-2	40	form-based			true	0.7	7	0.875	6	6	9623.599609	5772.599609	5772.599609	0.933333
1048	020	3781	0.09	2560	2	65	100	3	9	7	11343	8783	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10586.7998	8026.799805	8026.799805	0.933333
1048	031	3441	0.08	3605	1	65	100	3	8	7	10323	6718	RH-2	40	form-based			true	0.7	7	0.875	6	6	9634.799805	6029.799805	6029.799805	0.933333
1048	035	3442	0.08	1760	1	65	100	3	8	7	10326	8566	RH-2	40	form-based			true	0.7	7	0.875	6	6	9637.599609	7877.599609	7877.599609	0.933333
1048	036	3442	0.08	2862	1	65	100	3	8	7	10326	7464	RH-2	40	form-based			true	0.7	7	0.875	6	6	9637.599609	6775.599609	6775.599609	0.933333
1049	003	2500	0.06	4190	7	65	100	3	6	0	7500	3310	NC-2	85	form-based			true	0.75	13	2.166666746	6	5	15000	10810	10810	2
1050	002	3657	0.08	1872	2	65	100	3	8	6	10971	9099	RH-2	40	form-based			true	0.7	8	1	6	6	10239.59961	8367.599609	8367.599609	0.933333
1052	026	4400	0.1	1125	4	65	100	3	10	6	13200	12075	NC-3	40	form-based			true	0.75	10	1	6	6	13200	12075	12075	1
1053	009	4469	0.1	5000	3	65	100	3	10	7	13407	8407	RH-3	40	form-based			true	0.7	9	0.899999976	6	6	12513.2002	7513.200195	7513.200195	0.933333
1053	026	3746	0.09	3494	2	65	100	3	9	7	11238	7744	RH-3	40	form-based			true	0.7	8	0.888888896	6	6	10488.7998	6994.799805	6994.799805	0.933333
1053	033	3147	0.07	1304	1	65	100	3	7	6	9441	8137	RH-3	40	form-based			true	0.7	7	1	6	6	8811.599609	7507.599609	7507.599609	0.933333
1053	035	3297	0.08	1705	1	65	100	3	8	7	9891	8186	RH-3	40	form-based			true	0.7	7	0.875	6	6	9231.599609	7526.599609	7526.599609	0.933333
1055	022	3433	0.08	2168	1	65	100	3	8	7	10299	8131	RH-3	40	form-based			true	0.7	7	0.875	6	6	9612.399414	7444.399414	7444.399414	0.933333
1057	015	4163	0.1	4262	3	65	100	3	10	7	12489	8227	RH-3	40	form-based			true	0.7	9	0.899999976	6	6	11656.39941	7394.399414	7394.399414	0.933333
1057	020	4170	0.1	3270	3	65	100	3	10	7	12510	9240	RH-3	40	form-based			true	0.7	9	0.899999976	6	6	11676	8406	8406	0.933333
1062	049	3499	0.08	2570	1	65	100	3	8	7	10497	7927	RM-1	40	form-based			true	0.7	7	0.875	6	6	9797.200195	7227.200195	7227.200195	0.933333
1062	056	4935	0.11	1362	4	65	100	3	11	7	14805	13443	RM-1	40	form-based			true	0.7	10	0.909090936	6	6	13818	12456	12456	0.933333
1064	011	3121	0.07	2000	1	65	100	3	7	6	9363	7363	RH-2	40	form-based			true	0.7	7	1	6	6	8738.799805	6738.799805	6738.799805	0.933333
1064	012	3115	0.07	2868	1	65	100	3	7	6	9345	6477	RH-2	40	form-based			true	0.7	7	1	6	6	8722	5854	5854	0.933333
1064	022	3237	0.07	1500	1	65	100	3	7	6	9711	8211	RH-2	40	form-based			true	0.7	7	1	6	6	9063.599609	7563.599609	7563.599609	0.933333
1064	057	3459	0.08	3150	1	65	100	3	8	7	10377	7227	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9685.200195	6535.200195	6535.200195	0.933333
1066	020	3000	0.07	0	0	85	140	4	10	10	12000	12000	RH-2	40	form-based			true	0.7	6	0.600000024	6	6	8400	8400	8400	0.7
1066	045	3023	0.07	2442	0	65	100	3	7	7	9069	6627	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8464.399414	6022.399414	6022.399414	0.933333
1066	046	3265	0.07	2239	1	65	100	3	7	6	9795	7556	RH-2	40	form-based			true	0.7	7	1	6	6	9142	6903	6903	0.933333
1067	015	3240	0.07	1350	1	65	100	3	7	6	9720	8370	RH-2	40	form-based			true	0.7	7	1	6	6	9072	7722	7722	0.933333
1068	001B	3141	0.07	2348	1	65	100	3	7	6	9423	7075	RH-1	40	form-based			true	0.7	7	1	6	6	8794.799805	6446.799805	6446.799805	0.933333
1068	001C	3135	0.07	1940	1	65	100	3	7	6	9405	7465	RH-1	40	form-based			true	0.7	7	1	6	6	8778	6838	6838	0.933333
1068	001D	3129	0.07	1940	1	65	100	3	7	6	9387	7447	RH-1	40	form-based			true	0.7	7	1	6	6	8761.200195	6821.200195	6821.200195	0.933333
1068	001E	3123	0.07	1960	1	65	100	3	7	6	9369	7409	RH-1	40	form-based			true	0.7	7	1	6	6	8744.399414	6784.399414	6784.399414	0.933333
1068	001F	3117	0.07	1960	1	65	100	3	7	6	9351	7391	RH-1	40	form-based			true	0.7	7	1	6	6	8727.599609	6767.599609	6767.599609	0.933333
1068	001G	3112	0.07	2000	1	85	140	4	10	9	12448	10448	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8713.599609	6713.599609	6713.599609	0.7
1068	001H	3106	0.07	2432	1	85	140	4	10	9	12424	9992	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8696.799805	6264.799805	6264.799805	0.7
1068	001I	3100	0.07	2000	1	85	140	4	10	9	12400	10400	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8680	6680	6680	0.7
1068	001K	3152	0.07	2000	1	65	100	3	7	6	9456	7456	RH-1	40	form-based			true	0.7	7	1	6	6	8825.599609	6825.599609	6825.599609	0.933333
1068	001L	3158	0.07	2000	1	65	100	3	7	6	9474	7474	RH-1	40	form-based			true	0.7	7	1	6	6	8842.399414	6842.399414	6842.399414	0.933333
1068	001M	3164	0.07	2236	1	65	100	3	7	6	9492	7256	RH-1	40	form-based			true	0.7	7	1	6	6	8859.200195	6623.200195	6623.200195	0.933333
1068	001N	3170	0.07	1620	1	65	100	3	7	6	9510	7890	RH-1	40	form-based			true	0.7	7	1	6	6	8876	7256	7256	0.933333
1068	001O	3176	0.07	1340	1	65	100	3	7	6	9528	8188	RH-1	40	form-based			true	0.7	7	1	6	6	8892.799805	7552.799805	7552.799805	0.933333
1068	001P	3181	0.07	1425	1	65	100	3	7	6	9543	8118	RH-1	40	form-based			true	0.7	7	1	6	6	8906.799805	7481.799805	7481.799805	0.933333
1068	001Q	3193	0.07	1590	1	65	100	3	7	6	9579	7989	RH-1	40	form-based			true	0.7	7	1	6	6	8940.399414	7350.399414	7350.399414	0.933333
1068	001R	3187	0.07	1625	1	65	100	3	7	6	9561	7936	RH-1	40	form-based			true	0.7	7	1	6	6	8923.599609	7298.599609	7298.599609	0.933333
1068	017	2949	0.07	1388	0	65	100	3	7	7	8847	7459	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8257.200195	6869.200195	6869.200195	0.933333
1069	002	2947	0.07	5084	0	65	100	3	7	7	8841	3757	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8251.599609	3167.599609	3167.599609	0.933333
1069	004	2967	0.07	1680	0	65	100	3	7	7	8901	7221	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8307.599609	6627.599609	6627.599609	0.933333
1069	038	3788	0.09	3612	2	65	100	3	9	7	11364	7752	RH-3	40	form-based	true		true	0.7	8	0.888888896	6	6	10606.39941	6994.399414	6994.399414	0.933333
1069	041	3923	0.09	4368	2	65	100	3	9	7	11769	7401	RH-3	40	form-based			true	0.7	8	0.888888896	6	6	10984.39941	6616.399414	6616.399414	0.933333
1069	046	3413	0.08	1355	1	65	100	3	8	7	10239	8884	RH-1	40	form-based			true	0.7	7	0.875	6	6	9556.399414	8201.399414	8201.399414	0.933333
1069	055	5810	0.13	4394	6	65	100	3	13	7	17430	13036	RH-3	40	form-based			true	0.7	12	0.923076928	6	6	16268	11874	11874	0.933333
1070	001	3467	0.08	1000	1	65	100	3	8	7	10401	9401	RH-2	40	form-based			true	0.7	7	0.875	6	6	9707.599609	8707.599609	8707.599609	0.933333
1074	008	5000	0.11	4345	4	65	100	3	11	7	15000	10655	RH-3	40	form-based	true		true	0.7	10	0.909090936	6	6	14000	9655	9655	0.933333
1074	012	3437	0.08	1395	1	65	100	3	8	7	10311	8916	RH-3	40	form-based			true	0.7	7	0.875	6	6	9623.599609	8228.599609	8228.599609	0.933333
1074	028	3421	0.08	1800	1	65	100	3	8	7	10263	8463	RH-3	40	form-based			true	0.7	7	0.875	6	6	9578.799805	7778.799805	7778.799805	0.933333
1074	029	3421	0.08	925	1	65	100	3	8	7	10263	9338	RH-3	40	form-based			true	0.7	7	0.875	6	6	9578.799805	8653.799805	8653.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1076	015	5448	0.13	6300	5	65	100	3	13	8	16344	10044	RM-1	40	form-based			true	0.7	11	0.846153855	6	6	15254.39941	8954.399414	8954.399414	0.933333
1080	037	3187	0.07	1995	1	65	100	3	7	6	9561	7566	RH-3	40	form-based			true	0.7	7	1	6	6	8923.599609	6928.599609	6928.599609	0.933333
1080	038	3275	0.08	2051	1	65	100	3	8	7	9825	7774	RH-3	40	form-based			true	0.7	7	0.875	6	6	9170	7119	7119	0.933333
1082	015	3499	0.08	1098	1	65	100	3	8	7	10497	9399	RH-3	40	form-based			true	0.7	7	0.875	6	6	9797.200195	8699.200195	8699.200195	0.933333
1085	013	1500	0.03	2082	2	65	100	3	3	1	4500	2418	RTO-C	85	form-based		true	true	0.75	8	2.666666746	6	4	9000	6918	6918	2
1087	013A	1440	0.03	2280	2	65	100	3	3	1	4320	2040	RTO-C	85	form-based			true	0.75	8	2.666666746	6	4	8640	6360	6360	2
1088	013	2375	0.05	3635	6	65	100	3	5	0	7125	3490	RTO-C	85	form-based		true	true	0.75	12	2.400000095	6	4	14250	10615	10615	2
1092	019	1385	0.03	794	1	65	100	3	3	2	4155	3361	RTO-C	85	form-based			true	0.75	7	2.333333254	6	5	8310	7516	7516	2
1092	019A	1385	0.03	794	1	65	100	3	3	2	4155	3361	RTO-C	85	form-based			true	0.75	7	2.333333254	6	5	8310	7516	7516	2
1092	019B	1385	0.03	1054	1	65	100	3	3	2	4155	3101	RTO-C	85	form-based			true	0.75	7	2.333333254	6	5	8310	7256	7256	2
1092	019C	1385	0.03	794	1	65	100	3	3	2	4155	3361	RTO-C	85	form-based		true	true	0.75	7	2.333333254	6	5	8310	7516	7516	2
1100	049	1833	0.04	1793	1	65	100	3	4	3	5499	3706	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8248.5	6455.5	6455.5	1.5
1100	034	2250	0.05	1696	2	65	100	3	5	3	6750	5054	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	10125	8429	8429	1.5
1101	028	4325	0.1	1761	17	65	100	3	10	0	12975	11214	NCT-DIVIS	85	form-based			true	0.75	23	2.299999952	6	3	25950	24189	24189	2
1108	010	2255	0.05	1636	2	65	100	3	5	3	6765	5129	RTO-C	65	form-based		true	true	0.75	8	1.600000024	6	6	10147.5	8511.5	8511.5	1.5
1112	038	3885	0.09	1482	2	65	100	3	9	7	11655	10173	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10878	9396	9396	0.933333
1113	022	3538	0.08	1961	1	65	100	3	8	7	10614	8653	RH-2	40	form-based			true	0.7	7	0.875	6	6	9906.399414	7945.399414	7945.399414	0.933333
1104	031	3724	0.09	1212	2	65	100	3	9	7	11172	9960	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	10427.2002	9215.200195	9215.200195	0.933333
1108	005B	3387	0.08	1574	1	65	100	3	8	7	10161	8587	RH-1	40	form-based			true	0.7	7	0.875	6	6	9483.599609	7909.599609	7909.599609	0.933333
1126	014A	3459	0.08	3507	4	65	100	3	8	4	10377	6870	RM-3	50	form-based			true	0.75	10	1.25	6	6	12971.25	9464.25	9464.25	1.25
1126	021	3438	0.08	4360	4	65	100	3	8	4	10314	5954	RM-3	50	form-based			true	0.75	10	1.25	6	6	12892.5	8532.5	8532.5	1.25
1108	009C	3175	0.07	2594	1	65	100	3	7	6	9525	6931	RH-1	40	form-based		true	true	0.7	7	1	6	6	8890	6296	6296	0.933333
1126	033	2766	0.06	2432	2	65	100	3	6	4	8298	5866	RM-3	50	form-based			true	0.75	8	1.333333373	6	6	10372.5	7940.5	7940.5	1.25
1109	009C	3147	0.07	1250	1	65	100	3	7	6	9441	8191	RH-1	40	form-based			true	0.7	7	1	6	6	8811.599609	7561.599609	7561.599609	0.933333
1108	001A	2075	0.05	2726	2	65	100	3	5	3	6225	3499	RTO-C	65	form-based		true	true	0.75	8	1.600000024	6	6	9337.5	6611.5	6611.5	1.5
1108	001B	2075	0.05	2763	2	65	100	3	5	3	6225	3462	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9337.5	6574.5	6574.5	1.5
1108	002A	2075	0.05	2726	2	65	100	3	5	3	6225	3499	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9337.5	6611.5	6611.5	1.5
1108	002B	2075	0.05	2726	2	65	100	3	5	3	6225	3499	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9337.5	6611.5	6611.5	1.5
1108	002C	2075	0.05	2084	2	65	100	3	5	3	6225	4141	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9337.5	7253.5	7253.5	1.5
1108	003A	2075	0.05	2852	2	65	100	3	5	3	6225	3373	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9337.5	6485.5	6485.5	1.5
1108	003B	2075	0.05	2672	2	65	100	3	5	3	6225	3553	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9337.5	6665.5	6665.5	1.5
1108	003C	2075	0.05	2672	2	65	100	3	5	3	6225	3553	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9337.5	6665.5	6665.5	1.5
1108	012	2075	0.05	1582	2	65	100	3	5	3	6225	4643	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9337.5	7755.5	7755.5	1.5
1112	025	5204	0.12	4892	5	65	100	3	12	7	15612	10720	RH-2	40	form-based		true	true	0.7	11	0.916666687	6	6	14571.2002	9679.200195	9679.200195	0.933333
1112	026	3975	0.09	3448	2	65	100	3	9	7	11925	8477	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11130	7682	7682	0.933333
1112	028	3820	0.09	3358	2	65	100	3	9	7	11460	8102	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10696	7338	7338	0.933333
1113	006	3940	0.09	3956	2	65	100	3	9	7	11820	7864	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11032	7076	7076	0.933333
1113	007	3713	0.09	3956	2	65	100	3	9	7	11139	7183	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10396.39941	6440.399414	6440.399414	0.933333
1113	010	3624	0.08	3113	2	65	100	3	8	6	10872	7759	RH-2	40	form-based			true	0.7	8	1	6	6	10147.2002	7034.200195	7034.200195	0.933333
1113	013	3765	0.09	3340	2	65	100	3	9	7	11295	7955	RH-2	40	form-based		true	true	0.7	8	0.888888896	6	6	10542	7202	7202	0.933333
1113	014	3940	0.09	4162	2	65	100	3	9	7	11820	7658	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11032	6870	6870	0.933333
1114	026	4006	0.09	2934	2	65	100	3	9	7	12018	9084	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11216.7998	8282.799805	8282.799805	0.933333
1114	028	3774	0.09	2934	2	65	100	3	9	7	11322	8388	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10567.2002	7633.200195	7633.200195	0.933333
1114	032	4006	0.09	1330	2	65	100	3	9	7	12018	10688	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11216.7998	9886.799805	9886.799805	0.933333
1115	004	3786	0.09	3100	2	65	100	3	9	7	11358	8258	RH-1	40	form-based			true	0.7	8	0.888888896	6	6	10600.7998	7500.799805	7500.799805	0.933333
1115	005	3762	0.09	3100	2	65	100	3	9	7	11286	8186	RH-1	40	form-based			true	0.7	8	0.888888896	6	6	10533.59961	7433.599609	7433.599609	0.933333
1115	006	3804	0.09	3100	2	65	100	3	9	7	11412	8312	RH-1	40	form-based			true	0.7	8	0.888888896	6	6	10651.2002	7551.200195	7551.200195	0.933333
1115	007	3799	0.09	3100	2	65	100	3	9	7	11397	8297	RH-1	40	form-based			true	0.7	8	0.888888896	6	6	10637.2002	7537.200195	7537.200195	0.933333
1115	008	3689	0.08	3100	2	65	100	3	8	6	11067	7967	RH-1	40	form-based			true	0.7	8	1	6	6	10329.2002	7229.200195	7229.200195	0.933333
1115	009	3777	0.09	3100	2	65	100	3	9	7	11331	8231	RH-1	40	form-based			true	0.7	8	0.888888896	6	6	10575.59961	7475.599609	7475.599609	0.933333
1115	010	3695	0.08	3840	2	65	100	3	8	6	11085	7245	RH-1	40	form-based			true	0.7	8	1	6	6	10346	6506	6506	0.933333
1115	011	3849	0.09	3100	2	65	100	3	9	7	11547	8447	RH-1	40	form-based			true	0.7	8	0.888888896	6	6	10777.2002	7677.200195	7677.200195	0.933333
1115	013	3708	0.09	3100	2	65	100	3	9	7	11124	8024	RH-1	40	form-based			true	0.7	8	0.888888896	6	6	10382.39941	7282.399414	7282.399414	0.933333
1115	015	3658	0.08	3100	2	65	100	3	8	6	10974	7874	RH-1	40	form-based			true	0.7	8	1	6	6	10242.39941	7142.399414	7142.399414	0.933333
1115	016	4054	0.09	4108	3	65	100	3	9	6	12162	8054	RH-1	40	form-based		true	true	0.7	9	1	6	6	11351.2002	7243.200195	7243.200195	0.933333
1115	031	3699	0.08	1287	2	65	100	3	8	6	11097	9810	RH-1	40	form-based			true	0.7	8	1	6	6	10357.2002	9070.200195	9070.200195	0.933333
1115	033	3690	0.08	1542	2	65	100	3	8	6	11070	9528	RH-1	40	form-based			true	0.7	8	1	6	6	10332	8790	8790	0.933333
1116	002	3326	0.08	2416	1	65	100	3	8	7	9978	7562	RH-1	40	form-based			true	0.7	7	0.875	6	6	9312.799805	6896.799805	6896.799805	0.933333
1116	003	3295	0.08	2296	1	65	100	3	8	7	9885	7589	RH-1	40	form-based			true	0.7	7	0.875	6	6	9226	6930	6930	0.933333
1116	004	3414	0.08	2296	1	65	100	3	8	7	10242	7946	RH-1	40	form-based			true	0.7	7	0.875	6	6	9559.200195	7263.200195	7263.200195	0.933333
1116	005	3571	0.08	2686	1	65	100	3	8	7	10713	8027	RH-1	40	form-based			true	0.7	7	0.875	6	6	9998.799805	7312.799805	7312.799805	0.933333
1117	002	4613	0.11	4655	4	65	100	3	11	7	13839	9184	RM-1	40	form-based		true	true	0.7	10	0.909090936	6	6	12916.39941	8261.399414	8261.399414	0.933333
1117	007	4240	0.1	3960	3	65	100	3	10	7	12720	8760	RM-1	40	form-based			true	0.7	9	0.899999976	6	6	11872	7912	7912	0.933333
1117	009	4313	0.1	3996	3	65	100	3	10	7	12939	8943	RM-1	40	form-based			true	0.7	9	0.899999976	6	6	12076.39941	8080.399414	8080.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1117	011	4381	0.1	1750	3	65	100	3	10	7	13143	11393	RM-1	40	form-based			true	0.7	9	0.899999976	6	6	12266.7998	10516.7998	10516.7998	0.933333
1117	021	4260	0.1	864	3	65	100	3	10	7	12780	11916	RM-1	40	form-based			true	0.7	9	0.899999976	6	6	11928	11064	11064	0.933333
1118	010	4722	0.11	890	4	65	100	3	11	7	14166	13276	RM-1	40	form-based			true	0.7	10	0.909090936	6	6	13221.59961	12331.59961	12331.59961	0.933333
1118	014	5535	0.13	1009	6	65	100	3	13	7	16605	15596	RM-1	40	form-based			true	0.7	12	0.923076928	6	6	15498	14489	14489	0.933333
1127	101	6545	0.15	15168	19	65	100	3	15	0	19635	4467	RTO-C	65	form-based			true	0.75	25	1.666666627	6	6	29452.5	14284.5	14284.5	1.5
1131	006	3278	0.08	2100	1	65	100	3	8	7	9834	7734	RH-1	40	form-based			true	0.7	7	0.875	6	6	9178.399414	7078.399414	7078.399414	0.933333
1132	004	3198	0.07	1662	1	65	100	3	7	6	9594	7932	RH-1	40	form-based			true	0.7	7	1	6	6	8954.399414	7292.399414	7292.399414	0.933333
1132	005	3280	0.08	1724	1	65	100	3	8	7	9840	8116	RH-1	40	form-based			true	0.7	7	0.875	6	6	9184	7460	7460	0.933333
1132	006	3287	0.08	1404	1	65	100	3	8	7	9861	8457	RH-1	40	form-based			true	0.7	7	0.875	6	6	9203.599609	7799.599609	7799.599609	0.933333
1132	007	3294	0.08	1404	1	65	100	3	8	7	9882	8478	RH-1	40	form-based			true	0.7	7	0.875	6	6	9223.200195	7819.200195	7819.200195	0.933333
1132	010	3300	0.08	2912	1	65	100	3	8	7	9900	6988	RH-1	40	form-based			true	0.7	7	0.875	6	6	9240	6328	6328	0.933333
1132	016	3248	0.07	3200	1	65	100	3	7	6	9744	6544	RH-1	40	form-based			true	0.7	7	1	6	6	9094.399414	5894.399414	5894.399414	0.933333
1133	010	3314	0.08	1940	1	65	100	3	8	7	9942	8002	RH-1	40	form-based			true	0.7	7	0.875	6	6	9279.200195	7339.200195	7339.200195	0.933333
1133	011	3310	0.08	2360	1	65	100	3	8	7	9930	7570	RH-1	40	form-based			true	0.7	7	0.875	6	6	9268	6908	6908	0.933333
1133	012	3224	0.07	2180	1	65	100	3	7	6	9672	7492	RH-1	40	form-based			true	0.7	7	1	6	6	9027.200195	6847.200195	6847.200195	0.933333
1133	013	3357	0.08	1989	1	65	100	3	8	7	10071	8082	RH-1	40	form-based			true	0.7	7	0.875	6	6	9399.599609	7410.599609	7410.599609	0.933333
1133	015	3186	0.07	1923	1	65	100	3	7	6	9558	7635	RH-1	40	form-based			true	0.7	7	1	6	6	8920.799805	6997.799805	6997.799805	0.933333
1135	011	3499	0.08	2227	1	65	100	3	8	7	10497	8270	RH-2	40	form-based	true		true	0.7	7	0.875	6	6	9797.200195	7570.200195	7570.200195	0.933333
1136	010	3259	0.07	3252	1	65	100	3	7	6	9777	6525	RH-2	40	form-based			true	0.7	7	1	6	6	9125.200195	5873.200195	5873.200195	0.933333
1137	008	3252	0.07	3907	1	65	100	3	7	6	9756	5849	RH-2	40	form-based			true	0.7	7	1	6	6	9105.599609	5198.599609	5198.599609	0.933333
1137	009	3252	0.07	3507	1	65	100	3	7	6	9756	6249	RH-2	40	form-based			true	0.7	7	1	6	6	9105.599609	5598.599609	5598.599609	0.933333
1137	014	3306	0.08	3744	1	65	100	3	8	7	9918	6174	RH-2	40	form-based			true	0.7	7	0.875	6	6	9256.799805	5512.799805	5512.799805	0.933333
1137	015	3306	0.08	3178	1	65	100	3	8	7	9918	6740	RH-2	40	form-based			true	0.7	7	0.875	6	6	9256.799805	6078.799805	6078.799805	0.933333
1137	016	3306	0.08	3835	1	65	100	3	8	7	9918	6083	RH-2	40	form-based			true	0.7	7	0.875	6	6	9256.799805	5421.799805	5421.799805	0.933333
1137	017	3306	0.08	2335	1	65	100	3	8	7	9918	7583	RH-2	40	form-based			true	0.7	7	0.875	6	6	9256.799805	6921.799805	6921.799805	0.933333
1137	018	3306	0.08	2095	1	65	100	3	8	7	9918	7823	RH-2	40	form-based			true	0.7	7	0.875	6	6	9256.799805	7161.799805	7161.799805	0.933333
1137	019	3306	0.08	2925	1	65	100	3	8	7	9918	6993	RH-2	40	form-based			true	0.7	7	0.875	6	6	9256.799805	6331.799805	6331.799805	0.933333
1137	020	3306	0.08	2078	1	65	100	3	8	7	9918	7840	RH-2	40	form-based			true	0.7	7	0.875	6	6	9256.799805	7178.799805	7178.799805	0.933333
1137	021	3306	0.08	2306	1	65	100	3	8	7	9918	7612	RH-2	40	form-based			true	0.7	7	0.875	6	6	9256.799805	6950.799805	6950.799805	0.933333
1137	022	3245	0.07	2904	1	65	100	3	7	6	9735	6831	RH-2	40	form-based	true		true	0.7	7	1	6	6	9086	6182	6182	0.933333
1141	011	3366	0.08	1175	1	65	100	3	8	7	10098	8923	RH-2	40	form-based			true	0.7	7	0.875	6	6	9424.799805	8249.799805	8249.799805	0.933333
1142	011	3391	0.08	2260	1	55	80	2.5	6	5	8478	6218	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9494.799805	7234.799805	7234.799805	1.119934
1142	034	3487	0.08	2000	1	55	80	2.5	6	5	8718	6718	RM-1	40	form-based			true	0.7	7	1.166666627	6	6	9763.599609	7763.599609	7763.599609	1.119936
1144	019	2014	0.05	5825	4	55	80	2.5	4	0	5035	0	RH-2	80	form-based			true	0.7	10	2.5	6	4	11278.39941	5453.399414	4245	2.24
1149	024	3437	0.08	1600	1	55	80	2.5	6	5	8592	6992	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	8023.599609	8023.599609	1.120065
1149	027	3781	0.09	1728	2	55	80	2.5	7	5	9452	7724	RH-3	40	form-based			true	0.7	8	1.142857194	6	6	10586.7998	8858.799805	8858.799805	1.120059
1150	012	3437	0.08	3260	1	55	80	2.5	6	5	8592	5332	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	6363.599609	6363.599609	1.120065
1150	014	3438	0.08	2375	1	55	80	2.5	6	5	8595	6220	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	7251.399414	7251.399414	1.12
1150	035	3369	0.08	2824	1	55	80	2.5	6	5	8422	5598	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9433.200195	6609.200195	6609.200195	1.120067
1150	036	3367	0.08	2120	1	55	80	2.5	6	5	8418	6298	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9427.599609	7307.599609	7307.599609	1.119933
1151	006	4687	0.11	2210	4	55	80	2.5	9	5	11718	9508	RH-3	40	form-based			true	0.7	10	1.111111164	6	6	13123.59961	10913.59961	10913.59961	1.119952
1151	010	3380	0.08	925	1	55	80	2.5	6	5	8450	7525	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9464	8539	8539	1.12
1151	014	3377	0.08	1848	1	55	80	2.5	6	5	8442	6594	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9455.599609	7607.599609	7607.599609	1.120066
1151	030	3375	0.08	875	1	55	80	2.5	6	5	8438	7563	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9450	8575	8575	1.119934
1152	028	3437	0.08	2250	1	55	80	2.5	6	5	8592	6342	RM-1	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	7373.599609	7373.599609	1.120065
1152	052	3437	0.08	1822	1	55	80	2.5	6	5	8592	6770	RM-1	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	7801.599609	7801.599609	1.120065
1153	023	3437	0.08	1035	4	55	80	2.5	6	2	8592	7557	RM-1	50	form-based			true	0.7	10	1.666666627	6	6	12029.5	10994.5	10994.5	1.400082
1154	017	1668	0.04	3875	3	55	80	2.5	3	0	4170	295	NCT-DIVIS.	85	form-based			true	0.75	9	3	6	3	10008	6133	4465	2.4
1154	017A	1685	0.04	3875	3	55	80	2.5	3	0	4212	337	NCT-DIVIS.	85	form-based			true	0.75	9	3	6	3	10110	6235	4549	2.400285
1154	019	2250	0.05	5234	0	55	80	2.5	4	4	5625	391	RH-3	50	form-based			true	0.7	6	1.5	6	6	7875	2641	2641	1.4
1155	016	2466	0.06	6525	7	55	80	2.5	5	0	6165	0	NCT-DIVIS.	85	form-based	true		true	0.75	13	2.599999905	6	3	14796	8271	5805	2.4
1155	050	3017	0.07	1996	2	55	80	2.5	6	4	7542	5546	RM-1	50	form-based			true	0.7	8	1.333333373	6	6	10559.5	8563.5	8563.5	1.400093
1155	054	3437	0.08	5030	4	55	80	2.5	6	2	8592	3562	RM-1	50	form-based			true	0.7	10	1.666666627	6	6	12029.5	6999.5	6999.5	1.400082
1155	070	3025	0.07	2170	2	55	80	2.5	6	4	7562	5392	RM-1	50	form-based			true	0.7	8	1.333333373	6	6	10587.5	8417.5	8417.5	1.400093
1156	017	2804	0.06	3270	2	55	80	2.5	5	3	7010	3740	RM-1	50	form-based			true	0.7	8	1.600000024	6	6	9814	6544	6544	1.4
1158	006	3033	0.07	3302	2	55	80	2.5	6	4	7582	4280	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	10615.5	7313.5	7313.5	1.400092
1158	017	3429	0.08	2846	4	55	80	2.5	6	2	8572	5726	RH-3	50	form-based			true	0.7	10	1.666666627	6	6	12001.5	9155.5	9155.5	1.400082
1158	036	3438	0.08	2200	1	55	80	2.5	6	5	8595	6395	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	7426.399414	7426.399414	1.12
1160	004	2574	0.06	1120	1	55	80	2.5	5	4	6435	5315	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	9009	7889	7889	1.4
1160	020	2656	0.06	2860	4	55	80	2.5	5	1	6640	3780	RTO-C	65	form-based			true	0.75	10	2	6	6	11952	9092	9092	1.8
1160	033	3430	0.08	3479	1	55	80	2.5	6	5	8575	5096	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9604	6125	6125	1.12
1160	061	2793	0.06	2496	2	55	80	2.5	5	3	6982	4486	RH-3	50	form-based	true		true	0.7	8	1.600000024	6	6	9775.5	7279.5	7279.5	1.4001
1162	008	2958	0.07	3792	0	55	80	2.5	6	6	7395	3603	RH-2	40	form-based	true		true	0.7	6	1	6	6	8282.399414	4490.399414	4490.399414	1.12
1166	018	3860	0.09	3549	2	55	80	2.5	7	5	9650	6101	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10808	7259	7259	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1166	023	3863	0.09	2820	2	55	80	2.5	7	5	9658	6838	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10816.39941	7996.399414	7996.399414	1.119942
1166	034	3377	0.08	2100	1	55	80	2.5	6	5	8442	6342	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9455.599609	7355.599609	7355.599609	1.120066
1166	035	3453	0.08	1334	1	55	80	2.5	6	5	8632	7298	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9668.399414	8334.399414	8334.399414	1.120065
1166	037	2776	0.06	1175	0	55	80	2.5	5	5	6940	5765	RH-2	40	form-based			true	0.7	6	1.200000048	6	6	7772.799805	6597.799805	6597.799805	1.12
1167	008	3446	0.08	1250	1	55	80	2.5	6	5	8615	7365	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9648.799805	8398.799805	8398.799805	1.12
1167	009	3421	0.08	1375	1	55	80	2.5	6	5	8552	7177	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9578.799805	8203.799805	8203.799805	1.120065
1167	010	3485	0.08	1190	1	55	80	2.5	6	5	8712	7522	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9758	8568	8568	1.120064
1167	029	3737	0.09	3476	2	55	80	2.5	7	5	9342	5866	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10463.59961	6987.599609	6987.599609	1.12006
1167	030	3561	0.08	2456	1	55	80	2.5	6	5	8902	6446	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9970.799805	7514.799805	7514.799805	1.120063
1167	032	3524	0.08	1321	1	55	80	2.5	6	5	8810	7489	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9867.200195	8546.200195	8546.200195	1.12
1167	036	3756	0.09	3282	2	55	80	2.5	7	5	9390	6108	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10516.7998	7234.799805	7234.799805	1.12
1168	046	3438	0.08	2275	1	55	80	2.5	6	5	8595	6320	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	7351.399414	7351.399414	1.12
1173	013	3811	0.09	2650	2	55	80	2.5	7	5	9528	6878	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10670.7998	8020.799805	8020.799805	1.119941
1173	031	3594	0.08	1582	2	55	80	2.5	6	4	8985	7403	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10063.2002	8481.200195	8481.200195	1.12
1174	002A	3353	0.08	7800	12	55	80	2.5	6	0	8382	582	RTO-C	85	form-based		true	true	0.75	18	3	6	0	20118	12318	8964	2.400143
1176	011	3494	0.08	4329	1	55	80	2.5	6	5	8735	4406	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9783.200195	5454.200195	5454.200195	1.12
1176	047	3437	0.08	1156	4	55	80	2.5	6	2	8592	7436	RM-1	50	form-based			true	0.7	10	1.666666627	6	6	12029.5	10873.5	10873.5	1.400082
1178	008	3494	0.08	1930	1	55	80	2.5	6	5	8735	6805	RM-1	40	form-based			true	0.7	7	1.166666627	6	6	9783.200195	7853.200195	7853.200195	1.12
1178	022	2500	0.06	1200	1	55	80	2.5	5	4	6250	5050	RM-1	50	form-based			true	0.7	7	1.399999976	6	6	8750	7550	7550	1.4
1179	010	2875	0.07	3570	2	55	80	2.5	6	4	7188	3618	RM-1	50	form-based			true	0.7	8	1.333333373	6	6	10062.5	6492.5	6492.5	1.399903
1179	013	1969	0.05	1988	0	55	80	2.5	4	4	4922	2934	RH-3	50	form-based			true	0.7	6	1.5	6	6	6891.5	4903.5	4903.5	1.400142
1179	019	5888	0.14	7800	10	55	80	2.5	11	1	14720	6920	RM-1	50	form-based		true	true	0.7	16	1.454545498	6	6	20608	12808	12808	1.4
1179	026	2909	0.07	3974	2	55	80	2.5	6	4	7272	3298	RM-1	50	form-based			true	0.7	8	1.333333373	6	6	10181.5	6207.5	6207.5	1.400096
1179	056	2737	0.06	1896	2	55	80	2.5	5	3	6842	4946	RM-1	50	form-based			true	0.7	8	1.600000024	6	6	9579.5	7683.5	7683.5	1.400102
1179	085	3437	0.08	2022	4	55	80	2.5	6	2	8592	6570	RM-1	50	form-based			true	0.7	10	1.666666627	6	6	12029.5	10007.5	10007.5	1.400082
1180	020	3781	0.09	7825	5	55	80	2.5	7	2	9452	1627	RH-3	50	form-based			true	0.7	11	1.571428537	6	6	13233.5	5408.5	5408.5	1.400074
1180	034	3781	0.09	862	5	55	80	2.5	7	2	9452	8590	RH-3	50	form-based			true	0.7	11	1.571428537	6	6	13233.5	12371.5	12371.5	1.400074
1182	016	2763	0.06	3250	2	55	80	2.5	5	3	6908	3658	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9670.5	6420.5	6420.5	1.399899
1182	019	2764	0.06	3350	2	55	80	2.5	5	3	6910	3560	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9674	6324	6324	1.4
1182	064	2763	0.06	1579	2	55	80	2.5	5	3	6908	5329	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9670.5	8091.5	8091.5	1.399899
1183	013	4359	0.1	5125	3	55	80	2.5	8	5	10898	5773	RM-1	40	form-based			true	0.7	9	1.125	6	6	12205.2002	7080.200195	7080.200195	1.119949
1183	015	3421	0.08	2468	1	55	80	2.5	6	5	8552	6084	RM-1	40	form-based			true	0.7	7	1.166666627	6	6	9578.799805	7110.799805	7110.799805	1.120065
1184	012	3421	0.08	3037	1	55	80	2.5	6	5	8552	5515	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9578.799805	6541.799805	6541.799805	1.120065
1184	015	3421	0.08	2160	1	55	80	2.5	6	5	8552	6392	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9578.799805	7418.799805	7418.799805	1.120065
1185	012	3421	0.08	1300	1	55	80	2.5	6	5	8552	7252	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9578.799805	8278.799805	8278.799805	1.120065
1186	016	2593	0.06	3965	4	55	80	2.5	5	1	6482	2517	RTO-C	65	form-based			true	0.75	10	2	6	6	11668.5	7703.5	7703.5	1.800139
1186	018	1566	0.04	2576	2	55	80	2.5	3	1	3915	1339	NC-1	85	form-based		true	true	0.75	8	2.666666746	6	4	9396	6820	5254	2.4
1188	039	3763	0.09	2136	2	55	80	2.5	7	5	9408	7272	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10536.39941	8400.399414	8400.399414	1.11994
1188	071	2284	0.05	917	6	55	80	2.5	4	0	5710	4793	RTO-C	85	form-based		true	true	0.75	12	3	6	2	13704	12787	10503	2.4
1189	038	3421	0.08	2330	1	55	80	2.5	6	5	8552	6222	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9578.799805	7248.799805	7248.799805	1.120065
1190	001M	2734	0.06	5670	0	55	80	2.5	5	5	6835	1165	RH-3	40	form-based			true	0.7	6	1.200000048	6	6	7655.199707	1985.199707	1985.199707	1.12
1201	009	1754	0.04	4845	3	55	80	2.5	3	0	4385	0	NCT-DIVIS.	85	form-based			true	0.75	9	3	6	3	10524	5679	3925	2.4
1201	010	1754	0.04	4980	3	55	80	2.5	3	0	4385	0	NCT-DIVIS.	85	form-based			true	0.75	9	3	6	3	10524	5544	3790	2.4
1201	036	4225	0.1	6900	6	55	80	2.5	8	2	10562	3662	RM-1	50	form-based			true	0.7	12	1.5	6	6	14787.5	7887.5	7887.5	1.400066
1201	062	2840	0.07	1401	2	55	80	2.5	6	4	7100	5699	RM-1	50	form-based			true	0.7	8	1.333333373	6	6	9940	8539	8539	1.4
1203	003	2512	0.06	1900	1	55	80	2.5	5	4	6280	4380	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	8792	6892	6892	1.4
1203	013	3438	0.08	3950	4	55	80	2.5	6	2	8595	4645	RH-3	50	form-based			true	0.7	10	1.666666627	6	6	12033	8083	8083	1.4
1204	017	3438	0.08	2900	4	55	80	2.5	6	2	8595	5695	RM-1	50	form-based			true	0.7	10	1.666666627	6	6	12033	9133	9133	1.4
1205	013	3438	0.08	2730	1	55	80	2.5	6	5	8595	5865	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	6896.399414	6896.399414	1.12
1205	016	3437	0.08	3675	1	55	80	2.5	6	5	8592	4917	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	5948.599609	5948.599609	1.120065
1205	017	3437	0.08	2650	1	55	80	2.5	6	5	8592	5942	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	6973.599609	6973.599609	1.120065
1210	017	3431	0.08	1850	1	55	80	2.5	6	5	8578	6728	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9606.799805	7756.799805	7756.799805	1.119935
1210	018	3431	0.08	3070	1	55	80	2.5	6	5	8578	5508	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9606.799805	6536.799805	6536.799805	1.119935
1212	012	3660	0.08	3634	2	55	80	2.5	6	4	9150	5516	RM-1	40	form-based			true	0.7	8	1.333333373	6	6	10248	6614	6614	1.12
1216	001B	2814	0.06	2930	2	55	80	2.5	5	3	7035	4105	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9849	6919	6919	1.4
1216	011A	2700	0.06	2964	2	55	80	2.5	5	3	6750	3786	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9450	6486	6486	1.4
1216	013	2700	0.06	2788	2	55	80	2.5	5	3	6750	3962	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9450	6662	6662	1.4
1216	033	2812	0.06	1267	2	55	80	2.5	5	3	7030	5763	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9842	8575	8575	1.4
1216	037	2700	0.06	1338	2	55	80	2.5	5	3	6750	5412	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9450	8112	8112	1.4
1216	051	2700	0.06	1804	2	55	80	2.5	5	3	6750	4946	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9450	7646	7646	1.4
1216	061	2700	0.06	1370	2	55	80	2.5	5	3	6750	5380	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9450	8080	8080	1.4
1217	005	2628	0.06	2065	1	55	80	2.5	5	4	6570	4505	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	9198	7133	7133	1.4
1217	006	2628	0.06	2065	1	55	80	2.5	5	4	6570	4505	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	9198	7133	7133	1.4
1217	007	2628	0.06	2260	1	55	80	2.5	5	4	6570	4310	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	9198	6938	6938	1.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1217	010	2656	0.06	2150	1	55	80	2.5	5	4	6640	4490	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	9296	7146	7146	1.4
1217	011	2869	0.07	4165	2	65	100	3	7	5	8607	4442	RH-3	50	form-based		true	true	0.7	8	1.142857194	6	6	10041.5	5876.5	5876.5	1.166667
1217	038	3212	0.07	800	3	55	80	2.5	6	3	8030	7230	RH-3	50	form-based			true	0.7	9	1.5	6	6	11242	10442	10442	1.4
1217	041	3612	0.08	3418	4	55	80	2.5	6	2	9030	5612	RH-3	50	form-based			true	0.7	10	1.666666627	6	6	12642	9224	9224	1.4
1218	038	2925	0.07	1772	2	55	80	2.5	6	4	7312	5540	RM-1	50	form-based			true	0.7	8	1.333333373	6	6	10237.5	8465.5	8465.5	1.400096
1220	012	3712	0.09	5880	2	55	80	2.5	7	5	9280	3400	RH-3	40	form-based			true	0.7	8	1.142857194	6	6	10393.59961	4513.599609	4513.599609	1.12
1220	025	3343	0.08	1987	1	55	80	2.5	6	5	8358	6371	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9360.399414	7373.399414	7373.399414	1.119933
1222	019	3760	0.09	4632	2	55	80	2.5	7	5	9400	4768	RH-3	40	form-based		true	true	0.7	8	1.142857194	6	6	10528	5896	5896	1.12
1223	018	3388	0.08	2644	1	55	80	2.5	6	5	8470	5826	RM-1	40	form-based			true	0.7	7	1.166666627	6	6	9486.399414	6842.399414	6842.399414	1.12
1224	023	3125	0.07	3663	1	55	80	2.5	6	5	7812	4149	RH-3	40	form-based		true	true	0.7	7	1.166666627	6	6	8750	5087	5087	1.120072
1224	028	3392	0.08	2230	1	55	80	2.5	6	5	8480	6250	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9497.599609	7267.599609	7267.599609	1.12
1224	029	3392	0.08	3895	1	55	80	2.5	6	5	8480	4585	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9497.599609	5602.599609	5602.599609	1.12
1224	030	3392	0.08	2250	1	55	80	2.5	6	5	8480	6230	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9497.599609	7247.599609	7247.599609	1.12
1225	023	3125	0.07	3628	1	55	80	2.5	6	5	7812	4184	RH-3	40	form-based		true	true	0.7	7	1.166666627	6	6	8750	5122	5122	1.120072
1226	010	5444	0.12	5065	5	55	80	2.5	10	5	13610	8545	RM-2	40	form-based			true	0.7	11	1.100000024	6	6	15243.2002	10178.2002	10178.2002	1.12
1226	028	3437	0.08	3093	1	55	80	2.5	6	5	8592	5499	RM-2	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	6530.599609	6530.599609	1.120065
1226	029	3438	0.08	3561	1	55	80	2.5	6	5	8595	5034	RM-2	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	6065.399414	6065.399414	1.12
1226	030	3437	0.08	6188	1	55	80	2.5	6	5	8592	2404	RM-2	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	3435.599609	3435.599609	1.120065
1226	031	3437	0.08	2290	1	55	80	2.5	6	5	8592	6302	RM-2	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	7333.599609	7333.599609	1.120065
1227	009	3438	0.08	1600	1	55	80	2.5	6	5	8595	6995	RM-2	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	8026.399414	8026.399414	1.12
1229	002	2684	0.06	2550	2	55	80	2.5	5	3	6710	4160	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9394	6844	6844	1.4
1229	015	2787	0.06	3500	2	55	80	2.5	5	3	6968	3468	RM-2	50	form-based			true	0.7	8	1.600000024	6	6	9754.5	6254.5	6254.5	1.399899
1229	024	3438	0.08	4000	4	55	80	2.5	6	2	8595	4595	RM-2	50	form-based			true	0.7	10	1.666666627	6	6	12033	8033	8033	1.4
1229	025	7658	0.18	13000	15	55	80	2.5	14	0	19145	6145	RM-2	50	form-based			true	0.7	21	1.5	6	6	26803	13803	13803	1.4
1229	074	2686	0.06	1204	2	55	80	2.5	5	3	6715	5511	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9401	8197	8197	1.4
1230	020	2622	0.06	2770	1	55	80	2.5	5	4	6555	3785	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	9177	6407	6407	1.4
1230	027	3450	0.08	2110	4	55	80	2.5	6	2	8625	6515	RH-3	50	form-based			true	0.7	10	1.666666627	6	6	12075	9965	9965	1.4
1231	048	2819	0.06	1513	2	55	80	2.5	5	3	7048	5535	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9866.5	8353.5	8353.5	1.399901
1231	053	2813	0.06	1831	2	55	80	2.5	5	3	7032	5201	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9845.5	8014.5	8014.5	1.4001
1231	059	2819	0.06	1632	2	55	80	2.5	5	3	7048	5416	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9866.5	8234.5	8234.5	1.399901
1232	014A	2500	0.06	4950	3	55	80	2.5	5	2	6250	1300	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11250	6300	6300	1.8
1232	033	3125	0.07	1721	3	55	80	2.5	6	3	7812	6091	RH-3	50	form-based			true	0.7	9	1.5	6	6	10937.5	9216.5	9216.5	1.40009
1232	036	2500	0.06	1313	3	55	80	2.5	5	2	6250	4937	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11250	9937	9937	1.8
1232	046	3125	0.07	1494	3	55	80	2.5	6	3	7812	6318	RH-3	50	form-based			true	0.7	9	1.5	6	6	10937.5	9443.5	9443.5	1.40009
1233	020	2500	0.06	4050	3	55	80	2.5	5	2	6250	2200	NCD-HAIG	65	form-based			true	0.75	9	1.799999952	6	6	11250	7200	7200	1.8
1233	039	2969	0.07	3300	2	55	80	2.5	6	4	7422	4122	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	10391.5	7091.5	7091.5	1.400094
1234	001	2877	0.07	4455	2	55	80	2.5	6	4	7192	2737	RM-1	50	form-based		true	true	0.7	8	1.333333373	6	6	10069.5	5614.5	5614.5	1.400097
1234	022	3635	0.08	4930	4	55	80	2.5	6	2	9088	4158	RM-1	50	form-based			true	0.7	10	1.666666627	6	6	12722.5	7792.5	7792.5	1.399923
1235	017	2500	0.06	2736	1	55	80	2.5	5	4	6250	3514	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	8750	6014	6014	1.4
1235	021	2500	0.06	2100	1	55	80	2.5	5	4	6250	4150	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	8750	6650	6650	1.4
1235	023	4462	0.1	8550	6	55	80	2.5	8	2	11155	2605	RH-3	50	form-based			true	0.7	12	1.5	6	6	15617	7067	7067	1.4
1236	017A	2750	0.06	3465	4	55	80	2.5	5	1	6875	3410	RTO-C	65	form-based			true	0.75	10	2	6	6	12375	8910	8910	1.8
1237	008	2406	0.06	4773	3	65	100	3	6	3	7218	2445	RTO-C	65	form-based			true	0.75	9	1.5	6	6	10827	6054	6054	1.5
1237	022	2688	0.06	2840	2	55	80	2.5	5	3	6720	3880	RM-2	50	form-based			true	0.7	8	1.600000024	6	6	9408	6568	6568	1.4
1237	061	2406	0.06	1681	3	55	80	2.5	5	2	6015	4334	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	10827	9146	9146	1.8
1239	049	2745	0.06	1796	2	65	100	3	6	4	8235	6439	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9607.5	7811.5	7811.5	1.166667
1240	006	2500	0.06	2450	1	65	100	3	6	5	7500	5050	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8750	6300	6300	1.166667
1243	003	2813	0.06	3350	2	55	80	2.5	5	3	7032	3682	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9845.5	6495.5	6495.5	1.4001
1243	020	2500	0.06	2540	1	55	80	2.5	5	4	6250	3710	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	8750	6210	6210	1.4
1243	021	2500	0.06	3224	1	55	80	2.5	5	4	6250	3026	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	8750	5526	5526	1.4
1243	025	2812	0.06	3450	2	55	80	2.5	5	3	7030	3580	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9842	6392	6392	1.4
1243	028	2188	0.05	3640	2	55	80	2.5	4	2	5470	1830	NCD-HAIG	65	form-based			true	0.75	8	2	6	6	9846	6206	6206	1.8
1243	030	2511	0.06	5620	3	55	80	2.5	5	2	6278	658	NCD-HAIG	65	form-based			true	0.75	9	1.799999952	6	6	11299.5	5679.5	5679.5	1.799857
1244	005	3166	0.07	5340	3	55	80	2.5	6	3	7915	2575	RH-3	50	form-based			true	0.7	9	1.5	6	6	11081	5741	5741	1.4
1244	015	2400	0.06	4342	1	55	80	2.5	5	4	6000	1658	RH-3	50	form-based		true	true	0.7	7	1.399999976	6	6	8400	4058	4058	1.4
1244	019	3125	0.07	4770	3	55	80	2.5	6	3	7812	3042	RH-3	50	form-based			true	0.7	9	1.5	6	6	10937.5	6167.5	6167.5	1.40009
1244	024	2511	0.06	5125	3	55	80	2.5	5	2	6278	1153	NCD-HAIG	65	form-based			true	0.75	9	1.799999952	6	6	11299.5	6174.5	6174.5	1.799857
1244	054	3125	0.07	1619	3	55	80	2.5	6	3	7812	6193	RH-3	50	form-based			true	0.7	9	1.5	6	6	10937.5	9318.5	9318.5	1.40009
1245	012	3438	0.08	2950	4	65	100	3	8	4	10314	7364	RH-3	50	form-based			true	0.7	10	1.25	6	6	12033	9083	9083	1.166667
1245	022	2700	0.06	3800	4	55	80	2.5	5	1	6750	2950	RTO-C	65	form-based			true	0.75	10	2	6	6	12150	8350	8350	1.8
1246	003	2422	0.06	4275	3	55	80	2.5	5	2	6055	1780	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	10899	6624	6624	1.8
1246	005	3056	0.07	3800	3	65	100	3	7	4	9168	5368	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10696	6896	6896	1.166667
1246	023	3764	0.09	9350	8	65	100	3	9	1	11292	1942	NCD-HAIG	65	form-based		true	true	0.75	14	1.555555582	6	6	16938	7588	7588	1.5
1247	003	3084	0.07	4965	3	65	100	3	7	4	9252	4287	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10794	5829	5829	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1247	004	3086	0.07	4410	3	65	100	3	7	4	9258	4848	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10801	6391	6391	1.166667
1247	018	3063	0.07	3763	3	65	100	3	7	4	9189	5426	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10720.5	6957.5	6957.5	1.166667
1247	020	7165	0.16	17232	21	65	100	3	16	0	21495	4263	NCD-HAIG	65	form-based		true	true	0.75	27	1.6875	6	6	32242.5	15010.5	15010.5	1.5
1247	023	2511	0.06	6300	3	65	100	3	6	3	7533	1233	NCD-HAIG	65	form-based			true	0.75	9	1.5	6	6	11299.5	4999.5	4999.5	1.5
1248	004	3367	0.08	5100	3	65	100	3	8	5	10101	5001	RH-3	50	form-based			true	0.7	9	1.125	6	6	11784.5	6684.5	6684.5	1.166667
1248	020	2511	0.06	4698	3	65	100	3	6	3	7533	2835	NCD-HAIG	65	form-based			true	0.75	9	1.5	6	6	11299.5	6601.5	6601.5	1.5
1248	021	2511	0.06	4500	3	65	100	3	6	3	7533	3033	NCD-HAIG	65	form-based			true	0.75	9	1.5	6	6	11299.5	6799.5	6799.5	1.5
1248	022	2511	0.06	3565	3	65	100	3	6	3	7533	3968	NCD-HAIG	65	form-based			true	0.75	9	1.5	6	6	11299.5	7734.5	7734.5	1.5
1249	002	6272	0.14	10350	12	65	100	3	14	2	18816	8466	RH-3	50	form-based			true	0.7	18	1.285714269	6	6	21952	11602	11602	1.166667
1249	010	2337	0.05	1352	1	65	100	3	5	4	7011	5659	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	8179.5	6827.5	6827.5	1.166667
1249	011	2337	0.05	2204	1	65	100	3	5	4	7011	4807	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	8179.5	5975.5	5975.5	1.166667
1250	002	3226	0.07	5850	3	65	100	3	7	4	9678	3828	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	11291	5441	5441	1.166667
1250	005	3315	0.08	4500	3	65	100	3	8	5	9945	5445	RH-3	50	form-based			true	0.7	9	1.125	6	6	11602.5	7102.5	7102.5	1.166667
1250	013	3437	0.08	2725	4	65	100	3	8	4	10311	7586	RH-3	50	form-based			true	0.7	10	1.25	6	6	12029.5	9304.5	9304.5	1.166667
1250	027	2460	0.06	4032	1	65	100	3	6	5	7380	3348	NCD-HAIG	50	form-based			true	0.75	7	1.166666627	6	6	9225	5193	5193	1.25
1250	035	3315	0.08	1620	3	65	100	3	8	5	9945	8325	RH-3	50	form-based			true	0.7	9	1.125	6	6	11602.5	9982.5	9982.5	1.166667
1250	055	2691	0.06	1752	2	65	100	3	6	4	8073	6321	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9418.5	7666.5	7666.5	1.166667
1251	007	2832	0.07	2754	2	65	100	3	7	5	8496	5742	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9912	7158	7158	1.166667
1251	017	3175	0.07	4500	3	65	100	3	7	4	9525	5025	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	11112.5	6612.5	6612.5	1.166667
1251	027	2095	0.05	1920	0	65	100	3	5	5	6285	4365	RH-3	50	form-based			true	0.7	6	1.200000048	6	6	7332.5	5412.5	5412.5	1.166667
1251	033	2750	0.06	2141	2	65	100	3	6	4	8250	6109	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9625	7484	7484	1.166667
1251	035	2750	0.06	6557	2	65	100	3	6	4	8250	1693	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9625	3068	3068	1.166667
1252	002	2538	0.06	3300	1	65	100	3	6	5	7614	4314	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8883	5583	5583	1.166667
1252	003	2539	0.06	2600	1	65	100	3	6	5	7617	5017	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8886.5	6286.5	6286.5	1.166667
1252	058	3046	0.07	1675	3	65	100	3	7	4	9138	7463	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10661	8986	8986	1.166667
1252	071	2719	0.06	1282	2	65	100	3	6	4	8157	6875	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9516.5	8234.5	8234.5	1.166667
1253	007	3079	0.07	5400	3	65	100	3	7	4	9237	3837	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10776.5	5376.5	5376.5	1.166667
1253	008	3078	0.07	5280	3	65	100	3	7	4	9234	3954	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10773	5493	5493	1.166667
1253	011	3075	0.07	5862	3	65	100	3	7	4	9225	3363	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10762.5	4900.5	4900.5	1.166667
1253	014	3072	0.07	5250	3	65	100	3	7	4	9216	3966	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10752	5502	5502	1.166667
1253	015	3071	0.07	5325	3	65	100	3	7	4	9213	3888	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10748.5	5423.5	5423.5	1.166667
1253	016	3070	0.07	4875	3	65	100	3	7	4	9210	4335	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10745	5870	5870	1.166667
1253	020	3066	0.07	4026	3	65	100	3	7	4	9198	5172	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10731	6705	6705	1.166667
1253	027	2750	0.06	2940	2	65	100	3	6	4	8250	5310	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9625	6685	6685	1.166667
1253	028	2750	0.06	3291	2	65	100	3	6	4	8250	4959	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9625	6334	6334	1.166667
1253	031	3047	0.07	3090	3	65	100	3	7	4	9141	6051	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10664.5	7574.5	7574.5	1.166667
1253	053	3047	0.07	1400	3	65	100	3	7	4	9141	7741	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10664.5	9264.5	9264.5	1.166667
1253	056	3047	0.07	1598	3	65	100	3	7	4	9141	7543	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10664.5	9066.5	9066.5	1.166667
1253	063	3047	0.07	1575	3	65	100	3	7	4	9141	7566	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10664.5	9089.5	9089.5	1.166667
1254	006	3010	0.07	3991	0	65	100	3	7	7	9030	5039	RH-3	40	form-based			true	0.7	6	0.857142866	6	6	8428	4437	4437	0.933333
1256	007	3918	0.09	4039	2	55	80	2.5	7	5	9795	5756	RH-3	40	form-based			true	0.7	8	1.142857194	6	6	10970.39941	6931.399414	6931.399414	1.12
1256	026	2975	0.07	3000	0	55	80	2.5	6	6	7438	4438	RH-3	40	form-based			true	0.7	6	1	6	6	8330	5330	5330	1.119925
1256	027	3287	0.08	3255	1	55	80	2.5	6	5	8218	4963	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9203.599609	5948.599609	5948.599609	1.119932
1256	028	3145	0.07	3040	1	55	80	2.5	6	5	7862	4822	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	8806	5766	5766	1.120071
1256	032	4012	0.09	3050	2	55	80	2.5	7	5	10030	6980	RH-3	40	form-based			true	0.7	8	1.142857194	6	6	11233.59961	8183.599609	8183.599609	1.12
1256	045	3521	0.08	1604	1	55	80	2.5	6	5	8802	7198	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9858.799805	8254.799805	8254.799805	1.120064
1256	049	3705	0.09	4160	2	55	80	2.5	7	5	9262	5102	RH-3	40	form-based			true	0.7	8	1.142857194	6	6	10374	6214	6214	1.12006
1256	076	3705	0.09	1600	2	55	80	2.5	7	5	9262	7662	RH-3	40	form-based			true	0.7	8	1.142857194	6	6	10374	8774	8774	1.12006
1256	081	3689	0.08	1772	2	55	80	2.5	6	4	9222	7450	RH-3	40	form-based			true	0.7	8	1.333333373	6	6	10329.2002	8557.200195	8557.200195	1.120061
1258	003	3248	0.07	1920	1	65	100	3	7	6	9744	7824	RH-3	40	form-based			true	0.7	7	1	6	6	9094.399414	7174.399414	7174.399414	0.933333
1258	004	3218	0.07	3729	1	65	100	3	7	6	9654	5925	RH-3	40	form-based			true	0.7	7	1	6	6	9010.399414	5281.399414	5281.399414	0.933333
1258	017	3158	0.07	2820	1	65	100	3	7	6	9474	6654	RH-3	40	form-based			true	0.7	7	1	6	6	8842.399414	6022.399414	6022.399414	0.933333
1259	078	4149	0.1	842	3	65	100	3	10	7	12447	11605	RH-3	40	form-based			true	0.7	9	0.899999976	6	6	11617.2002	10775.2002	10775.2002	0.933333
1260	011	3594	0.08	2805	2	65	100	3	8	6	10782	7977	RH-3	40	form-based			true	0.7	8	1	6	6	10063.2002	7258.200195	7258.200195	0.933333
1260	028	3651	0.08	3282	2	65	100	3	8	6	10953	7671	RH-3	40	form-based			true	0.7	8	1	6	6	10222.7998	6940.799805	6940.799805	0.933333
1260	050	3243	0.07	2515	1	65	100	3	7	6	9729	7214	RH-3	40	form-based			true	0.7	7	1	6	6	9080.399414	6565.399414	6565.399414	0.933333
1261	009	2500	0.06	2995	1	65	100	3	6	5	7500	4505	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8750	5755	5755	1.166667
1261	019	3346	0.08	3130	3	65	100	3	8	5	10038	6908	RH-3	50	form-based			true	0.7	9	1.125	6	6	11711	8581	8581	1.166667
1261	020	2714	0.06	2115	2	65	100	3	6	4	8142	6027	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9499	7384	7384	1.166667
1261	043	2821	0.06	3504	2	65	100	3	6	4	8463	4959	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9873.5	6369.5	6369.5	1.166667
1262	020	3125	0.07	5175	3	65	100	3	7	4	9375	4200	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	5762.5	5762.5	1.166667
1262	031	2631	0.06	6325	4	65	100	3	6	2	7893	1568	NCD-HAIG	65	form-based		true	true	0.75	10	1.666666627	6	6	11839.5	5514.5	5514.5	1.5
1262	037	3423	0.08	4200	4	65	100	3	8	4	10269	6069	RH-3	50	form-based			true	0.7	10	1.25	6	6	11980.5	7780.5	7780.5	1.166667
1262	039	2485	0.06	2046	1	65	100	3	6	5	7455	5409	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8697.5	6651.5	6651.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1265	001	2771	0.06	3600	4	65	100	3	6	2	8313	4713	RTO-C	65	form-based		true	true	0.75	10	1.666666627	6	6	12469.5	8869.5	8869.5	1.5
1265	025	2320	0.05	4725	3	65	100	3	5	2	6960	2235	RTO-C	65	form-based		true	true	0.75	9	1.799999952	6	6	10440	5715	5715	1.5
1266	003	2688	0.06	3000	4	85	140	4	8	4	10752	7752	RTO-C	65	form-based			true	0.75	10	1.25	6	6	12096	9096	9096	1.125
1266	014	3438	0.08	5160	7	65	100	3	8	1	10314	5154	RTO-C	65	form-based			true	0.75	13	1.625	6	6	15471	10311	10311	1.5
1266	019	5553	0.13	10560	15	65	100	3	13	0	16659	6099	RTO-C	65	form-based		true	true	0.75	21	1.615384579	6	6	24988.5	14428.5	14428.5	1.5
1266	036	2519	0.06	5550	3	65	100	3	6	3	7557	2007	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11335.5	5785.5	5785.5	1.5
1266	049	2500	0.06	1102	3	65	100	3	6	3	7500	6398	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	10148	10148	1.5
1266	052	2519	0.06	1323	3	65	100	3	6	3	7557	6234	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11335.5	10012.5	10012.5	1.5
1267	008A	2767	0.06	3807	4	85	140	4	8	4	11068	7261	RTO-C	65	form-based			true	0.75	10	1.25	6	6	12451.5	8644.5	8644.5	1.125
1267	009	3270	0.08	9100	6	85	140	4	11	5	13080	3980	NCD-COLE	65	form-based		true	true	0.75	12	1.090909123	6	6	14715	5615	5615	1.125
1267	014	3437	0.08	4125	7	85	140	4	11	4	13748	9623	RTO-C	65	form-based			true	0.75	13	1.181818128	6	6	15466.5	11341.5	11341.5	1.125
1267	056	3457	0.08	2940	4	65	100	3	8	4	10371	7431	RH-3	50	form-based			true	0.7	10	1.25	6	6	12099.5	9159.5	9159.5	1.166667
1268	003	2500	0.06	2600	1	65	100	3	6	5	7500	4900	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8750	6150	6150	1.166667
1268	008	2500	0.06	3500	1	65	100	3	6	5	7500	4000	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8750	5250	5250	1.166667
1268	013	2809	0.06	3000	2	65	100	3	6	4	8427	5427	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9831.5	6831.5	6831.5	1.166667
1268	014	2759	0.06	2730	2	65	100	3	6	4	8277	5547	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9656.5	6926.5	6926.5	1.166667
1268	015	2726	0.06	2900	2	65	100	3	6	4	8178	5278	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9541	6641	6641	1.166667
1268	033	2705	0.06	3000	2	65	100	3	6	4	8115	5115	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9467.5	6467.5	6467.5	1.166667
1268	044	3328	0.08	4000	3	65	100	3	8	5	9984	5984	RH-3	50	form-based			true	0.7	9	1.125	6	6	11648	7648	7648	1.166667
1269	027	3187	0.07	2688	1	65	100	3	7	6	9561	6873	RH-2	40	form-based			true	0.7	7	1	6	6	8923.599609	6235.599609	6235.599609	0.933333
1269	029	3188	0.07	2720	1	65	100	3	7	6	9564	6844	RH-2	40	form-based			true	0.7	7	1	6	6	8926.399414	6206.399414	6206.399414	0.933333
1269	034	3537	0.08	1620	1	65	100	3	8	7	10611	8991	RH-2	40	form-based			true	0.7	7	0.875	6	6	9903.599609	8283.599609	8283.599609	0.933333
1269	061	3453	0.08	3100	1	65	100	3	8	7	10359	7259	RH-2	40	form-based			true	0.7	7	0.875	6	6	9668.399414	6568.399414	6568.399414	0.933333
1269	062	3365	0.08	2100	1	65	100	3	8	7	10095	7995	RH-2	40	form-based			true	0.7	7	0.875	6	6	9422	7322	7322	0.933333
1269	063	3263	0.07	3537	1	65	100	3	7	6	9789	6252	RH-2	40	form-based			true	0.7	7	1	6	6	9136.399414	5599.399414	5599.399414	0.933333
1269	208	3856	0.09	2777	2	65	100	3	9	7	11568	8791	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10796.7998	8019.799805	8019.799805	0.933333
1269	212	4988	0.11	1884	4	65	100	3	11	7	14964	13080	RH-2	40	form-based			true	0.7	10	0.909090936	6	6	13966.39941	12082.39941	12082.39941	0.933333
1270	005	3200	0.07	3915	1	55	80	2.5	6	5	8000	4085	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8960	5045	5045	1.12
1270	011	3125	0.07	3142	1	55	80	2.5	6	5	7812	4670	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	5608	5608	1.120072
1270	036	3203	0.07	2887	1	65	100	3	7	6	9609	6722	RH-3	40	form-based			true	0.7	7	1	6	6	8968.399414	6081.399414	6081.399414	0.933333
1271	004	2500	0.06	2830	1	65	100	3	6	5	7500	4670	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	5920	5920	1.166667
1271	005	3125	0.07	2541	3	65	100	3	7	4	9375	6834	RH-2	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	8396.5	8396.5	1.166667
1271	027	2947	0.07	3500	2	85	140	4	10	8	11788	8288	RH-3	50	form-based			true	0.7	8	0.800000012	6	6	10314.5	6814.5	6814.5	0.875
1271	034	3450	0.08	3100	4	65	100	3	8	4	10350	7250	RH-3	50	form-based			true	0.7	10	1.25	6	6	12075	8975	8975	1.166667
1271	043	2506	0.06	2250	1	65	100	3	6	5	7518	5268	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8771	6521	6521	1.166667
1273	011	3712	0.09	6309	8	65	100	3	9	1	11136	4827	RTO-C	65	form-based			true	0.75	14	1.555555582	6	6	16704	10395	10395	1.5
1273	025	2513	0.06	2516	3	65	100	3	6	3	7539	5023	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11308.5	8792.5	8792.5	1.5
1274	016A	2500	0.06	2706	3	65	100	3	6	3	7500	4794	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	8544	8544	1.5
1274	022	2513	0.06	4170	3	65	100	3	6	3	7539	3369	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11308.5	7138.5	7138.5	1.5
1274	058	2500	0.06	574	3	65	100	3	6	3	7500	6926	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	10676	10676	1.5
1275	016	1994	0.05	1675	1	65	100	3	5	4	5982	4307	RTO-C	65	form-based		true	true	0.75	7	1.399999976	6	6	8973	7298	7298	1.5
1275	017	1845	0.04	1850	1	65	100	3	4	3	5535	3685	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8302.5	6452.5	6452.5	1.5
1275	018	1752	0.04	1358	1	65	100	3	4	3	5256	3898	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7884	6526	6526	1.5
1275	019	1820	0.04	1990	1	65	100	3	4	3	5460	3470	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8190	6200	6200	1.5
1275	020	1912	0.04	1664	1	65	100	3	4	3	5736	4072	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8604	6940	6940	1.5
1275	035	2403	0.06	1744	1	85	140	4	8	7	9612	7868	RH-2	50	form-based			true	0.7	7	0.875	6	6	8410.5	6666.5	6666.5	0.875
1275	055	2230	0.05	2800	2	65	100	3	5	3	6690	3890	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	10035	7235	7235	1.5
1275	056	2520	0.06	1790	3	65	100	3	6	3	7560	5770	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11340	9550	9550	1.5
1275	067	1780	0.04	3075	1	85	140	4	6	5	7120	4045	RTO-C	65	form-based			true	0.75	7	1.166666627	6	6	8010	4935	4935	1.125
1275	076	2021	0.05	937	2	85	140	4	7	5	8084	7147	RTO-C	65	form-based			true	0.75	8	1.142857194	6	6	9094.5	8157.5	8157.5	1.125
1275	078	2030	0.05	1835	2	85	140	4	7	5	8120	6285	RTO-C	65	form-based			true	0.75	8	1.142857194	6	6	9135	7300	7300	1.125
1276	007	2697	0.06	3000	2	65	100	3	6	4	8091	5091	RH-3	50	form-based		true	true	0.7	8	1.333333373	6	6	9439.5	6439.5	6439.5	1.166667
1276	011	2695	0.06	3100	2	65	100	3	6	4	8085	4985	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9432.5	6332.5	6332.5	1.166667
1276	015	3009	0.07	3700	5	65	100	3	7	2	9027	5327	RTO-C	65	form-based			true	0.75	11	1.571428537	6	6	13540.5	9840.5	9840.5	1.5
1276	019	3009	0.07	4000	5	65	100	3	7	2	9027	5027	RTO-C	65	form-based			true	0.75	11	1.571428537	6	6	13540.5	9540.5	9540.5	1.5
1277	001G	2554	0.06	4260	4	65	100	3	6	2	7662	3402	RTO-C	65	form-based		true	true	0.75	10	1.666666627	6	6	11493	7233	7233	1.5
1277	001I	2516	0.06	1625	1	65	100	3	6	5	7548	5923	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8806	7181	7181	1.166667
1277	004	2612	0.06	2850	1	65	100	3	6	5	7836	4986	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	9142	6292	6292	1.166667
1277	005	2612	0.06	2040	1	65	100	3	6	5	7836	5796	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	9142	7102	7102	1.166667
1277	006	2612	0.06	2020	1	65	100	3	6	5	7836	5816	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	9142	7122	7122	1.166667
1277	007	2612	0.06	3472	1	65	100	3	6	5	7836	4364	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	9142	5670	5670	1.166667
1277	018	2375	0.05	1510	1	65	100	3	5	4	7125	5615	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	8312.5	6802.5	6802.5	1.166667
1277	024	3000	0.07	1526	2	65	100	3	7	5	9000	7474	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10500	8974	8974	1.166667
1278	011	3063	0.07	2650	3	65	100	3	7	4	9189	6539	RH-2	50	form-based			true	0.7	9	1.285714269	6	6	10720.5	8070.5	8070.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1278	013	3063	0.07	4500	3	65	100	3	7	4	9189	4689	RH-2	50	form-based			true	0.7	9	1.285714269	6	6	10720.5	6220.5	6220.5	1.166667
1278	030	2500	0.06	1250	3	65	100	3	6	3	7500	6250	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	10000	10000	1.5
1279	036	3330	0.08	2700	1	55	80	2.5	6	5	8325	5625	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9324	6624	6624	1.12
1279	038	3453	0.08	3697	1	55	80	2.5	6	5	8632	4935	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9668.399414	5971.399414	5971.399414	1.120065
1279	050	3489	0.08	3989	1	55	80	2.5	6	5	8722	4733	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9769.200195	5780.200195	5780.200195	1.120064
1279	051	3489	0.08	2335	1	55	80	2.5	6	5	8722	6387	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9769.200195	7434.200195	7434.200195	1.120064
1279	054	3489	0.08	3193	1	55	80	2.5	6	5	8722	5529	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9769.200195	6576.200195	6576.200195	1.120064
1279	056	3489	0.08	2006	1	65	100	3	8	7	10467	8461	RH-2	40	form-based			true	0.7	7	0.875	6	6	9769.200195	7763.200195	7763.200195	0.933333
1279	058	3489	0.08	2250	1	65	100	3	8	7	10467	8217	RH-2	40	form-based			true	0.7	7	0.875	6	6	9769.200195	7519.200195	7519.200195	0.933333
1279	059	3489	0.08	2900	1	65	100	3	8	7	10467	7567	RH-2	40	form-based			true	0.7	7	0.875	6	6	9769.200195	6869.200195	6869.200195	0.933333
1279	060	3489	0.08	2483	1	65	100	3	8	7	10467	7984	RH-2	40	form-based			true	0.7	7	0.875	6	6	9769.200195	7286.200195	7286.200195	0.933333
1279	061	3489	0.08	2442	1	65	100	3	8	7	10467	8025	RH-2	40	form-based			true	0.7	7	0.875	6	6	9769.200195	7327.200195	7327.200195	0.933333
1279	062	3489	0.08	2525	1	65	100	3	8	7	10467	7942	RH-2	40	form-based			true	0.7	7	0.875	6	6	9769.200195	7244.200195	7244.200195	0.933333
1279	063	3489	0.08	1185	1	65	100	3	8	7	10467	9282	RH-2	40	form-based			true	0.7	7	0.875	6	6	9769.200195	8584.200195	8584.200195	0.933333
1279	064	3489	0.08	2650	1	65	100	3	8	7	10467	7817	RH-2	40	form-based			true	0.7	7	0.875	6	6	9769.200195	7119.200195	7119.200195	0.933333
1279	066	3489	0.08	1885	1	65	100	3	8	7	10467	8582	RH-2	40	form-based			true	0.7	7	0.875	6	6	9769.200195	7884.200195	7884.200195	0.933333
1279	067	3489	0.08	1572	1	65	100	3	8	7	10467	8895	RH-2	40	form-based			true	0.7	7	0.875	6	6	9769.200195	8197.200195	8197.200195	0.933333
1279	071	3489	0.08	2981	1	65	100	3	8	7	10467	7486	RH-2	40	form-based			true	0.7	7	0.875	6	6	9769.200195	6788.200195	6788.200195	0.933333
1279	073	3489	0.08	2620	1	65	100	3	8	7	10467	7847	RH-2	40	form-based			true	0.7	7	0.875	6	6	9769.200195	7149.200195	7149.200195	0.933333
1279	074	3489	0.08	2420	1	65	100	3	8	7	10467	8047	RH-2	40	form-based			true	0.7	7	0.875	6	6	9769.200195	7349.200195	7349.200195	0.933333
1279	075	3489	0.08	3785	1	65	100	3	8	7	10467	6682	RH-2	40	form-based			true	0.7	7	0.875	6	6	9769.200195	5984.200195	5984.200195	0.933333
1280	012	3123	0.07	2356	1	65	100	3	7	6	9369	7013	RH-2	40	form-based			true	0.7	7	1	6	6	8744.399414	6388.399414	6388.399414	0.933333
1280	014	3123	0.07	3728	1	65	100	3	7	6	9369	5641	RH-2	40	form-based			true	0.7	7	1	6	6	8744.399414	5016.399414	5016.399414	0.933333
1280	027	3125	0.07	1248	1	65	100	3	7	6	9375	8127	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7502	7502	0.933333
1280	028	3126	0.07	978	1	65	100	3	7	6	9378	8400	RH-2	40	form-based			true	0.7	7	1	6	6	8752.799805	7774.799805	7774.799805	0.933333
1280	030	3438	0.08	1654	1	65	100	3	8	7	10314	8660	RH-2	40	form-based			true	0.7	7	0.875	6	6	9626.399414	7972.399414	7972.399414	0.933333
1282	007	2950	0.07	3095	0	65	100	3	7	7	8850	5755	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8260	5165	5165	0.933333
1282	011	3334	0.08	1450	1	65	100	3	8	7	10002	8552	RH-2	40	form-based			true	0.7	7	0.875	6	6	9335.200195	7885.200195	7885.200195	0.933333
1285	014	3130	0.07	2640	1	65	100	3	7	6	9390	6750	RH-2	40	form-based	true		true	0.7	7	1	6	6	8764	6124	6124	0.933333
1286	014	3693	0.08	1650	2	55	80	2.5	6	4	9232	7582	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10340.39941	8690.399414	8690.399414	1.120061
1286	017	3539	0.08	2020	1	55	80	2.5	6	5	8848	6828	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9909.200195	7889.200195	7889.200195	1.119937
1286	028	3384	0.08	2220	1	65	100	3	8	7	10152	7932	RH-2	40	form-based			true	0.7	7	0.875	6	6	9475.200195	7255.200195	7255.200195	0.933333
1286	030	3384	0.08	1500	1	65	100	3	8	7	10152	8652	RH-2	40	form-based			true	0.7	7	0.875	6	6	9475.200195	7975.200195	7975.200195	0.933333
1286	031	3384	0.08	1495	1	65	100	3	8	7	10152	8657	RH-2	40	form-based			true	0.7	7	0.875	6	6	9475.200195	7980.200195	7980.200195	0.933333
1287	010	3393	0.08	1550	1	55	80	2.5	6	5	8482	6932	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9500.399414	7950.399414	7950.399414	1.120066
1287	011	3148	0.07	1250	1	55	80	2.5	6	5	7870	6620	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8814.399414	7564.399414	7564.399414	1.12
1287	012	3344	0.08	2699	1	55	80	2.5	6	5	8360	5661	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9363.200195	6664.200195	6664.200195	1.12
1287	013	3197	0.07	1850	1	55	80	2.5	6	5	7992	6142	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8951.599609	7101.599609	7101.599609	1.12007
1287	014	3133	0.07	1946	1	55	80	2.5	6	5	7832	5886	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8772.399414	6826.399414	6826.399414	1.120071
1287	025	3281	0.08	1990	1	65	100	3	8	7	9843	7853	RH-2	40	form-based			true	0.7	7	0.875	6	6	9186.799805	7196.799805	7196.799805	0.933333
1287	026	3279	0.08	2068	1	65	100	3	8	7	9837	7769	RH-2	40	form-based			true	0.7	7	0.875	6	6	9181.200195	7113.200195	7113.200195	0.933333
1287	028	3125	0.07	1716	1	65	100	3	7	6	9375	7659	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7034	7034	0.933333
1287	029	3271	0.08	750	1	65	100	3	8	7	9813	9063	RH-2	40	form-based			true	0.7	7	0.875	6	6	9158.799805	8408.799805	8408.799805	0.933333
1287	030	3289	0.08	1680	1	65	100	3	8	7	9867	8187	RH-2	40	form-based			true	0.7	7	0.875	6	6	9209.200195	7529.200195	7529.200195	0.933333
1288	011	3445	0.08	3437	1	55	80	2.5	6	5	8612	5175	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9646	6209	6209	1.120065
1288	024	3200	0.07	1833	1	65	100	3	7	6	9600	7767	RH-2	40	form-based			true	0.7	7	1	6	6	8960	7127	7127	0.933333
1289	016	3278	0.08	3120	1	55	80	2.5	6	5	8195	5075	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9178.399414	6058.399414	6058.399414	1.12
1289	038	3395	0.08	3199	1	55	80	2.5	6	5	8488	5289	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9506	6307	6307	1.119934
1289	042	3529	0.08	1218	1	55	80	2.5	6	5	8822	7604	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9881.200195	8663.200195	8663.200195	1.120064
1289	043	3493	0.08	2342	1	55	80	2.5	6	5	8732	6390	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9780.399414	7438.399414	7438.399414	1.120064
1289	069	3974	0.09	1882	2	55	80	2.5	7	5	9935	8053	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	11127.2002	9245.200195	9245.200195	1.12
1289	071	3838	0.09	5562	2	55	80	2.5	7	5	9595	4033	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10746.39941	5184.399414	5184.399414	1.12
1292	011	3096	0.07	950	1	55	80	2.5	6	5	7740	6790	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8668.799805	7718.799805	7718.799805	1.12
1293	004	3305	0.08	2082	1	55	80	2.5	6	5	8262	6180	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9254	7172	7172	1.120068
1293	005	3305	0.08	1050	1	55	80	2.5	6	5	8262	7212	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9254	8204	8204	1.120068
1293	006	3305	0.08	1825	1	55	80	2.5	6	5	8262	6437	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9254	7429	7429	1.120068
1293	007	3305	0.08	1275	1	55	80	2.5	6	5	8262	6987	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9254	7979	7979	1.120068
1293	008	3305	0.08	1097	1	55	80	2.5	6	5	8262	7165	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9254	8157	8157	1.120068
1293	009	3305	0.08	1225	1	55	80	2.5	6	5	8262	7037	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9254	8029	8029	1.120068
1293	011	3305	0.08	2162	1	55	80	2.5	6	5	8262	6100	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9254	7092	7092	1.120068
1293	012	3305	0.08	3083	1	55	80	2.5	6	5	8262	5179	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9254	6171	6171	1.120068
1293	013	3305	0.08	1670	1	55	80	2.5	6	5	8262	6592	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9254	7584	7584	1.120068
1293	014	3351	0.08	1318	1	55	80	2.5	6	5	8378	7060	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9382.799805	8064.799805	8064.799805	1.119933
1293	017	3566	0.08	1370	1	55	80	2.5	6	5	8915	7545	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9984.799805	8614.799805	8614.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1293	018	3185	0.07	1546	1	55	80	2.5	6	5	7962	6416	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8918	7372	7372	1.12007
1293	019	3367	0.08	3550	1	55	80	2.5	6	5	8418	4868	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9427.599609	5877.599609	5877.599609	1.119933
1293	020	3397	0.08	2443	1	55	80	2.5	6	5	8492	6049	RH-2	40	form-based		true	true	0.7	7	1.166666627	6	6	9511.599609	7068.599609	7068.599609	1.120066
1293	025	3141	0.07	1100	1	55	80	2.5	6	5	7852	6752	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8794.799805	7694.799805	7694.799805	1.120071
1293	026	3141	0.07	1330	1	55	80	2.5	6	5	7852	6522	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8794.799805	7464.799805	7464.799805	1.120071
1293	027	3141	0.07	1623	1	55	80	2.5	6	5	7852	6229	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8794.799805	7171.799805	7171.799805	1.120071
1294	017	3452	0.08	3636	1	55	80	2.5	6	5	8630	4994	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9665.599609	6029.599609	6029.599609	1.12
1294	019	3409	0.08	1708	1	55	80	2.5	6	5	8522	6814	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9545.200195	7837.200195	7837.200195	1.120066
1294	042	3097	0.07	1972	1	55	80	2.5	6	5	7742	5770	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8671.599609	6699.599609	6699.599609	1.120072
1307	001Z	3233	0.07	2046	1	55	80	2.5	6	5	8082	6036	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9052.399414	7006.399414	7006.399414	1.120069
1312	007	3523	0.08	4093	1	55	80	2.5	6	5	8808	4715	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9864.399414	5771.399414	5771.399414	1.119936
1312	009	3253	0.07	2440	1	55	80	2.5	6	5	8132	5692	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9108.399414	6668.399414	6668.399414	1.120069
1331	021	3154	0.07	2504	1	55	80	2.5	6	5	7885	5381	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8831.200195	6327.200195	6327.200195	1.12
1331	022	3181	0.07	2366	1	55	80	2.5	6	5	7952	5586	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8906.799805	6540.799805	6540.799805	1.12007
1331	023	3377	0.08	2970	1	55	80	2.5	6	5	8442	5472	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9455.599609	6485.599609	6485.599609	1.120066
1331	024	3557	0.08	3025	1	55	80	2.5	6	5	8892	5867	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9959.599609	6934.599609	6934.599609	1.120063
1331	036	3565	0.08	2600	1	55	80	2.5	6	5	8912	6312	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9982	7382	7382	1.120063
1333	007	3185	0.07	3260	1	55	80	2.5	6	5	7962	4702	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8918	5658	5658	1.12007
1333	008	3185	0.07	2590	1	55	80	2.5	6	5	7962	5372	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8918	6328	6328	1.12007
1333	009	3185	0.07	2457	1	55	80	2.5	6	5	7962	5505	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8918	6461	6461	1.12007
1333	010	3185	0.07	1726	1	55	80	2.5	6	5	7962	6236	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8918	7192	7192	1.12007
1333	012	3206	0.07	1986	1	55	80	2.5	6	5	8015	6029	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8976.799805	6990.799805	6990.799805	1.12
1333	013	3206	0.07	1924	1	55	80	2.5	6	5	8015	6091	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8976.799805	7052.799805	7052.799805	1.12
1333	032	3133	0.07	1440	1	55	80	2.5	6	5	7832	6392	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8772.399414	7332.399414	7332.399414	1.120071
1334	002A	3246	0.07	1263	1	55	80	2.5	6	5	8115	6852	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9088.799805	7825.799805	7825.799805	1.12
1336	001	3147	0.07	2579	1	55	80	2.5	6	5	7868	5289	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8811.599609	6232.599609	6232.599609	1.119929
1336	022	3150	0.07	3030	1	55	80	2.5	6	5	7875	4845	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8820	5790	5790	1.12
1336	026	3518	0.08	2533	1	55	80	2.5	6	5	8795	6262	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9850.399414	7317.399414	7317.399414	1.12
1336	035	3476	0.08	3893	1	55	80	2.5	6	5	8690	4797	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9732.799805	5839.799805	5839.799805	1.12
1336	036	3423	0.08	2452	1	55	80	2.5	6	5	8558	6106	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9584.399414	7132.399414	7132.399414	1.119934
1336	040	3117	0.07	4057	1	55	80	2.5	6	5	7792	3735	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	4670.599609	4670.599609	1.120072
1337	003	3474	0.08	2398	1	55	80	2.5	6	5	8685	6287	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9727.200195	7329.200195	7329.200195	1.12
1337	006	3139	0.07	2652	1	55	80	2.5	6	5	7848	5196	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8789.200195	6137.200195	6137.200195	1.119929
1338	013	3260	0.07	3991	1	55	80	2.5	6	5	8150	4159	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9128	5137	5137	1.12
1340	013	3000	0.07	3073	0	55	80	2.5	6	6	7500	4427	RH-1	40	form-based			true	0.7	6	1	6	6	8400	5327	5327	1.12
1339	010	3282	0.08	4464	1	55	80	2.5	6	5	8205	3741	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9189.599609	4725.599609	4725.599609	1.12
1340	007A	3500	0.08	2646	1	55	80	2.5	6	5	8750	6104	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9800	7154	7154	1.12
1340	007B	3500	0.08	2000	1	55	80	2.5	6	5	8750	6750	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9800	7800	7800	1.12
1340	009	3168	0.07	2230	1	55	80	2.5	6	5	7920	5690	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	8870.399414	6640.399414	6640.399414	1.12
1341	025	3000	0.07	3564	0	55	80	2.5	6	6	7500	3936	RH-1	40	form-based			true	0.7	6	1	6	6	8400	4836	4836	1.12
1341	026	3000	0.07	420	0	55	80	2.5	6	6	7500	7080	RH-1	40	form-based			true	0.7	6	1	6	6	8400	7980	7980	1.12
1343	002	3377	0.08	3700	1	55	80	2.5	6	5	8442	4742	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9455.599609	5755.599609	5755.599609	1.120066
1343	003	3377	0.08	3473	1	55	80	2.5	6	5	8442	4969	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9455.599609	5982.599609	5982.599609	1.120066
1343	008	3114	0.07	2336	1	55	80	2.5	6	5	7785	5449	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8719.200195	6383.200195	6383.200195	1.12
1343	012	3188	0.07	3066	1	55	80	2.5	6	5	7970	4904	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	5860.399414	5860.399414	1.12
1351	042	2870	0.07	0	0	55	80	2.5	6	6	7175	7175	RH-2	40	form-based			true	0.7	6	1	6	6	8036	8036	8036	1.12
1352	016	3559	0.08	7	1	55	80	2.5	6	5	8898	8891	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9965.200195	9958.200195	9958.200195	1.119937
1352	021J	3600	0.08	4000	2	55	80	2.5	6	4	9000	5000	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10080	6080	6080	1.12
1352	023	3600	0.08	3450	2	55	80	2.5	6	4	9000	5550	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10080	6630	6630	1.12
1352	024	3600	0.08	5124	2	55	80	2.5	6	4	9000	3876	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10080	4956	4956	1.12
1352	040	4022	0.09	1734	2	55	80	2.5	7	5	10055	8321	RH-1	40	form-based			true	0.7	8	1.142857194	6	6	11261.59961	9527.599609	9527.599609	1.12
1353	010	3421	0.08	4619	1	55	80	2.5	6	5	8552	3933	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9578.799805	4959.799805	4959.799805	1.120065
1353	025	3103	0.07	2364	1	55	80	2.5	6	5	7758	5394	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8688.399414	6324.399414	6324.399414	1.119928
1353	027	3169	0.07	2886	1	55	80	2.5	6	5	7922	5036	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8873.200195	5987.200195	5987.200195	1.120071
1353	029	3234	0.07	3293	1	55	80	2.5	6	5	8085	4792	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9055.200195	5762.200195	5762.200195	1.12
1354	002	3125	0.07	2888	1	55	80	2.5	6	5	7812	4924	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	5862	5862	1.120072
1354	016	3843	0.09	4948	2	55	80	2.5	7	5	9608	4660	RH-1	40	form-based			true	0.7	8	1.142857194	6	6	10760.39941	5812.399414	5812.399414	1.119942
1361	021	1384	0.03	2114	1	55	80	2.5	2	1	3460	1346	RTO-C	85	form-based			true	0.75	7	3.5	6	3	8304	6190	4806	2.4
1361	022	1410	0.03	1417	1	55	80	2.5	2	1	3525	2108	RTO-C	85	form-based			true	0.75	7	3.5	6	3	8460	7043	5633	2.4
1362	006	3770	0.09	4085	2	55	80	2.5	7	5	9425	5340	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10556	6471	6471	1.12
1362	051	1750	0.04	3664	3	55	80	2.5	3	0	4375	711	RTO-C	85	form-based		true	true	0.75	9	3	6	3	10500	6836	5086	2.4
1362	052	1750	0.04	4440	3	55	80	2.5	3	0	4375	0	RTO-C	85	form-based			true	0.75	9	3	6	3	10500	6060	4310	2.4
1362	053	1768	0.04	3900	3	55	80	2.5	3	0	4420	520	RTO-C	85	form-based		true	true	0.75	9	3	6	3	10608	6708	4940	2.4
1363	013	2964	0.07	2763	0	55	80	2.5	6	6	7410	4647	RH-2	40	form-based			true	0.7	6	1	6	6	8299.200195	5536.200195	5536.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1365	005	4500	0.1	3512	3	55	80	2.5	8	5	11250	7738	RH-2	40	form-based			true	0.7	9	1.125	6	6	12600	9088	9088	1.12
1365	038	3500	0.08	3570	1	55	80	2.5	6	5	8750	5180	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9800	6230	6230	1.12
1366	019	2436	0.06	7295	7	55	80	2.5	5	0	6090	0	NC-1	85	form-based		true	true	0.75	13	2.599999905	6	3	14616	7321	4885	2.4
1368	002	4357	0.1	3510	3	55	80	2.5	8	5	10892	7382	RH-2	40	form-based			true	0.7	9	1.125	6	6	12199.59961	8689.599609	8689.599609	1.120051
1368	014	2960	0.07	3098	0	55	80	2.5	6	6	7400	4302	RH-2	40	form-based			true	0.7	6	1	6	6	8288	5190	5190	1.12
1368	016	2960	0.07	3352	0	55	80	2.5	6	6	7400	4048	RH-2	40	form-based			true	0.7	6	1	6	6	8288	4936	4936	1.12
1372	034	2712	0.06	3820	0	55	80	2.5	5	5	6780	2960	RH-2	40	form-based			true	0.7	6	1.200000048	6	6	7593.600098	3773.600098	3773.600098	1.12
1372	041	3108	0.07	3833	1	55	80	2.5	6	5	7770	3937	RH-2	40	form-based		true	true	0.7	7	1.166666627	6	6	8702.399414	4869.399414	4869.399414	1.12
1374	005	3257	0.07	2490	1	55	80	2.5	6	5	8142	5652	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	6629.599609	6629.599609	1.120069
1374	006	3257	0.07	3052	1	55	80	2.5	6	5	8142	5090	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	6067.599609	6067.599609	1.120069
1374	007	3257	0.07	2792	1	55	80	2.5	6	5	8142	5350	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	6327.599609	6327.599609	1.120069
1374	008	3257	0.07	2824	1	55	80	2.5	6	5	8142	5318	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	6295.599609	6295.599609	1.120069
1374	009	3257	0.07	2973	1	55	80	2.5	6	5	8142	5169	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	6146.599609	6146.599609	1.120069
1374	010	3257	0.07	2637	1	55	80	2.5	6	5	8142	5505	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	6482.599609	6482.599609	1.120069
1374	011	3257	0.07	2110	1	55	80	2.5	6	5	8142	6032	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	7009.599609	7009.599609	1.120069
1374	012	3257	0.07	2687	1	55	80	2.5	6	5	8142	5455	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	6432.599609	6432.599609	1.120069
1374	013	3257	0.07	2070	1	55	80	2.5	6	5	8142	6072	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	7049.599609	7049.599609	1.120069
1374	014	3257	0.07	2272	1	55	80	2.5	6	5	8142	5870	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	6847.599609	6847.599609	1.120069
1374	015	3257	0.07	2528	1	55	80	2.5	6	5	8142	5614	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	6591.599609	6591.599609	1.120069
1374	016	3257	0.07	2190	1	55	80	2.5	6	5	8142	5952	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	6929.599609	6929.599609	1.120069
1374	017	3257	0.07	2787	1	55	80	2.5	6	5	8142	5355	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	6332.599609	6332.599609	1.120069
1374	017A	3257	0.07	2611	1	55	80	2.5	6	5	8142	5531	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	6508.599609	6508.599609	1.120069
1374	020A	2563	0.06	3190	4	55	80	2.5	5	1	6408	3218	RTO-C	65	form-based			true	0.75	10	2	6	6	11533.5	8343.5	8343.5	1.79986
1374	020G	2493	0.06	3336	3	55	80	2.5	5	2	6232	2896	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11218.5	7882.5	7882.5	1.800144
1374	024	3188	0.07	2625	1	55	80	2.5	6	5	7970	5345	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	6301.399414	6301.399414	1.12
1374	025	3187	0.07	2410	1	55	80	2.5	6	5	7968	5558	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	6513.599609	6513.599609	1.11993
1374	027	3188	0.07	3176	1	55	80	2.5	6	5	7970	4794	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	5750.399414	5750.399414	1.12
1374	028	3188	0.07	3845	1	55	80	2.5	6	5	7970	4125	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	5081.399414	5081.399414	1.12
1374	029	3187	0.07	3869	1	55	80	2.5	6	5	7968	4099	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	5054.599609	5054.599609	1.11993
1374	030	3188	0.07	3175	1	55	80	2.5	6	5	7970	4795	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	5751.399414	5751.399414	1.12
1374	031	3187	0.07	2220	1	55	80	2.5	6	5	7968	5748	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	6703.599609	6703.599609	1.11993
1374	032	3188	0.07	2220	1	55	80	2.5	6	5	7970	5750	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	6706.399414	6706.399414	1.12
1374	033	3187	0.07	3175	1	55	80	2.5	6	5	7968	4793	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	5748.599609	5748.599609	1.11993
1374	034	3188	0.07	3080	1	55	80	2.5	6	5	7970	4890	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	5846.399414	5846.399414	1.12
1375	007	3153	0.07	2648	1	55	80	2.5	6	5	7882	5234	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8828.399414	6180.399414	6180.399414	1.120071
1375	008	3153	0.07	3939	1	55	80	2.5	6	5	7882	3943	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8828.399414	4889.399414	4889.399414	1.120071
1375	009	3153	0.07	1896	1	55	80	2.5	6	5	7882	5986	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8828.399414	6932.399414	6932.399414	1.120071
1375	012	3375	0.08	2085	1	55	80	2.5	6	5	8438	6353	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9450	7365	7365	1.119934
1375	013	3375	0.08	2749	1	55	80	2.5	6	5	8438	5689	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9450	6701	6701	1.119934
1375	014	3375	0.08	3113	1	55	80	2.5	6	5	8438	5325	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9450	6337	6337	1.119934
1375	015	3375	0.08	2464	1	55	80	2.5	6	5	8438	5974	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9450	6986	6986	1.119934
1375	016	3375	0.08	2220	1	55	80	2.5	6	5	8438	6218	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9450	7230	7230	1.119934
1375	017	3375	0.08	3168	1	55	80	2.5	6	5	8438	5270	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9450	6282	6282	1.119934
1375	018	3375	0.08	2196	1	55	80	2.5	6	5	8438	6242	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9450	7254	7254	1.119934
1375	019	3375	0.08	2040	1	55	80	2.5	6	5	8438	6398	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9450	7410	7410	1.119934
1375	041	3188	0.07	4053	1	55	80	2.5	6	5	7970	3917	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	4873.399414	4873.399414	1.12
1375	042	3187	0.07	3380	1	55	80	2.5	6	5	7968	4588	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	5543.599609	5543.599609	1.11993
1375	043	3188	0.07	2834	1	55	80	2.5	6	5	7970	5136	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	6092.399414	6092.399414	1.12
1375	044	3187	0.07	3405	1	55	80	2.5	6	5	7968	4563	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	5518.599609	5518.599609	1.11993
1375	045	3188	0.07	1166	1	55	80	2.5	6	5	7970	6804	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	7760.399414	7760.399414	1.12
1376	027	2087	0.05	2088	2	55	80	2.5	4	2	5218	3130	RTO-C	65	form-based			true	0.75	8	2	6	6	9391.5	7303.5	7303.5	1.799828
1376	051	2477	0.06	1265	3	55	80	2.5	5	2	6192	4927	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11146.5	9881.5	9881.5	1.800145
1376	059	2476	0.06	1188	3	55	80	2.5	5	2	6190	5002	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11142	9954	9954	1.8
1377	005	3399	0.08	1890	1	55	80	2.5	6	5	8498	6608	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9517.200195	7627.200195	7627.200195	1.119934
1377	006	3399	0.08	1407	1	55	80	2.5	6	5	8498	7091	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9517.200195	8110.200195	8110.200195	1.119934
1377	007	3399	0.08	1500	1	55	80	2.5	6	5	8498	6998	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9517.200195	8017.200195	8017.200195	1.119934
1377	008	3520	0.08	1999	1	55	80	2.5	6	5	8800	6801	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9856	7857	7857	1.12
1377	009	3520	0.08	1599	1	55	80	2.5	6	5	8800	7201	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9856	8257	8257	1.12
1377	010	3520	0.08	1968	1	55	80	2.5	6	5	8800	6832	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9856	7888	7888	1.12
1377	014	3506	0.08	1606	1	55	80	2.5	6	5	8765	7159	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9816.799805	8210.799805	8210.799805	1.12
1377	018	1909	0.04	1760	1	55	80	2.5	3	2	4772	3012	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8590.5	6830.5	6830.5	1.800189
1377	018A	1909	0.04	1760	1	55	80	2.5	3	2	4772	3012	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8590.5	6830.5	6830.5	1.800189
1377	018B	1909	0.04	2144	1	55	80	2.5	3	2	4772	2628	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8590.5	6446.5	6446.5	1.800189
1377	020	2470	0.06	3430	3	55	80	2.5	5	2	6175	2745	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11115	7685	7685	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1377	048	3174	0.07	4620	6	55	80	2.5	6	0	7935	3315	RTO-C	65	form-based			true	0.75	12	2	6	6	14283	9663	9663	1.8
1377	050	2256	0.05	1668	2	55	80	2.5	4	2	5640	3972	RTO-C	65	form-based		true	true	0.75	8	2	6	6	10152	8484	8484	1.8
1378	014	3081	0.07	4274	6	55	80	2.5	6	0	7702	3428	RTO-C	65	form-based			true	0.75	12	2	6	6	13864.5	9590.5	9590.5	1.800117
1378	027	2989	0.07	4047	0	55	80	2.5	6	6	7472	3425	RH-2	40	form-based			true	0.7	6	1	6	6	8369.200195	4322.200195	4322.200195	1.120075
1379	004	3300	0.08	1395	1	55	80	2.5	6	5	8250	6855	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9240	7845	7845	1.12
1379	007	3120	0.07	1631	1	55	80	2.5	6	5	7800	6169	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	7105	7105	1.12
1379	007A	3120	0.07	1498	1	55	80	2.5	6	5	7800	6302	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	7238	7238	1.12
1379	008	3120	0.07	1300	1	55	80	2.5	6	5	7800	6500	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	7436	7436	1.12
1379	015	2025	0.05	3657	2	55	80	2.5	4	2	5062	1405	RTO-C	65	form-based			true	0.75	8	2	6	6	9112.5	5455.5	5455.5	1.800178
1379	015A	2025	0.05	3350	2	55	80	2.5	4	2	5062	1712	RTO-C	65	form-based			true	0.75	8	2	6	6	9112.5	5762.5	5762.5	1.800178
1379	017	3224	0.07	4720	6	55	80	2.5	6	0	8060	3340	RTO-C	65	form-based			true	0.75	12	2	6	6	14508	9788	9788	1.8
1379	019B	1850	0.04	2450	1	55	80	2.5	3	2	4625	2175	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8325	5875	5875	1.8
1379	019C	1850	0.04	2450	1	55	80	2.5	3	2	4625	2175	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8325	5875	5875	1.8
1379	024	3126	0.07	1609	1	55	80	2.5	6	5	7815	6206	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8752.799805	7143.799805	7143.799805	1.12
1379	028	3126	0.07	2997	1	55	80	2.5	6	5	7815	4818	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8752.799805	5755.799805	5755.799805	1.12
1379	057	2056	0.05	1819	2	55	80	2.5	4	2	5140	3321	RTO-C	65	form-based			true	0.75	8	2	6	6	9252	7433	7433	1.8
1380	002	3600	0.08	5355	2	55	80	2.5	6	4	9000	3645	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10080	4725	4725	1.12
1380	031	3625	0.08	4400	2	55	80	2.5	6	4	9062	4662	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10150	5750	5750	1.120062
1380	031B	3625	0.08	2514	2	55	80	2.5	6	4	9062	6548	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10150	7636	7636	1.120062
1380	065	3705	0.09	1469	2	55	80	2.5	7	5	9262	7793	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10374	8905	8905	1.12006
1381	010A	3400	0.08	4134	1	55	80	2.5	6	5	8500	4366	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9520	5386	5386	1.12
1381	017	2617	0.06	3535	4	55	80	2.5	5	1	6542	3007	RTO-C	65	form-based			true	0.75	10	2	6	6	11776.5	8241.5	8241.5	1.800138
1382	018A	2387	0.05	3900	3	55	80	2.5	4	1	5968	2068	NC-1	65	form-based		true	true	0.75	9	2.25	6	5	10741.5	6841.5	6841.5	1.799849
1382	055	2489	0.06	708	3	55	80	2.5	5	2	6222	5514	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11200.5	10492.5	10492.5	1.800145
1383	019	2503	0.06	2784	3	55	80	2.5	5	2	6258	3474	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11263.5	8479.5	8479.5	1.799856
1383	024	2500	0.06	2760	3	55	80	2.5	5	2	6250	3490	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11250	8490	8490	1.8
1383	057	2501	0.06	1782	3	55	80	2.5	5	2	6252	4470	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11254.5	9472.5	9472.5	1.800144
1384	009H	2500	0.06	3688	3	55	80	2.5	5	2	6250	2562	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11250	7562	7562	1.8
1384	009M	3008	0.07	2202	0	55	80	2.5	6	6	7520	5318	RH-2	40	form-based			true	0.7	6	1	6	6	8422.399414	6220.399414	6220.399414	1.12
1384	012	3810	0.09	3140	2	55	80	2.5	7	5	9525	6385	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10668	7528	7528	1.12
1384	014	3681	0.08	2970	2	55	80	2.5	6	4	9202	6232	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10306.7998	7336.799805	7336.799805	1.120061
1384	015	3160	0.07	2450	1	55	80	2.5	6	5	7900	5450	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8848	6398	6398	1.12
1385	019B	4800	0.11	4780	4	55	80	2.5	9	5	12000	7220	RM-1	40	form-based			true	0.7	10	1.111111164	6	6	13440	8660	8660	1.12
1386	017	1994	0.05	1276	1	55	80	2.5	4	3	4985	3709	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8973	7697	7697	1.8
1386	048	2492	0.06	3300	3	55	80	2.5	5	2	6230	2930	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11214	7914	7914	1.8
1387	011	3756	0.09	3240	2	55	80	2.5	7	5	9390	6150	RM-1	40	form-based			true	0.7	8	1.142857194	6	6	10516.7998	7276.799805	7276.799805	1.12
1387	022	3357	0.08	4225	1	55	80	2.5	6	5	8392	4167	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9399.599609	5174.599609	5174.599609	1.120067
1387	022Q	3561	0.08	2160	1	55	80	2.5	6	5	8902	6742	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9970.799805	7810.799805	7810.799805	1.120063
1387	022R	3563	0.08	2567	1	55	80	2.5	6	5	8908	6341	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9976.399414	7409.399414	7409.399414	1.119937
1387	022T	3564	0.08	3137	1	55	80	2.5	6	5	8910	5773	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9979.200195	6842.200195	6842.200195	1.12
1388	046	3437	0.08	4027	1	55	80	2.5	6	5	8592	4565	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	5596.599609	5596.599609	1.120065
1389	016	3379	0.08	2440	1	55	80	2.5	6	5	8448	6008	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9461.200195	7021.200195	7021.200195	1.119934
1390	003E	3332	0.08	2440	1	55	80	2.5	6	5	8330	5890	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9329.599609	6889.599609	6889.599609	1.12
1390	003F	3318	0.08	2579	1	55	80	2.5	6	5	8295	5716	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9290.399414	6711.399414	6711.399414	1.12
1390	003K	3296	0.08	3367	1	55	80	2.5	6	5	8240	4873	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9228.799805	5861.799805	5861.799805	1.12
1391	004	3118	0.07	3010	1	55	80	2.5	6	5	7795	4785	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8730.399414	5720.399414	5720.399414	1.12
1391	007	3456	0.08	2002	1	55	80	2.5	6	5	8640	6638	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9676.799805	7674.799805	7674.799805	1.12
1391	021	3516	0.08	2120	1	55	80	2.5	6	5	8790	6670	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9844.799805	7724.799805	7724.799805	1.12
1391	023	3266	0.07	2396	1	55	80	2.5	6	5	8165	5769	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9144.799805	6748.799805	6748.799805	1.12
1391	024	3300	0.08	2409	1	55	80	2.5	6	5	8250	5841	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9240	6831	6831	1.12
1392	009	2669	0.06	2492	0	55	80	2.5	5	5	6672	4180	RH-1(D)	40	form-based			true	0.7	6	1.200000048	6	6	7473.199707	4981.199707	4981.199707	1.120084
1392	018	3298	0.08	2712	1	55	80	2.5	6	5	8245	5533	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9234.399414	6522.399414	6522.399414	1.12
1392	019	3223	0.07	3585	1	55	80	2.5	6	5	8058	4473	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9024.399414	5439.399414	5439.399414	1.11993
1392	020	3137	0.07	2320	1	55	80	2.5	6	5	7842	5522	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8783.599609	6463.599609	6463.599609	1.120071
1402	033	3120	0.07	2644	1	65	100	3	7	6	9360	6716	RH-2	40	form-based			true	0.7	7	1	6	6	8736	6092	6092	0.933333
1402	003	3318	0.08	1796	1	65	100	3	8	7	9954	8158	RH-2	40	form-based			true	0.7	7	0.875	6	6	9290.399414	7494.399414	7494.399414	0.933333
1402	004	3318	0.08	1916	1	65	100	3	8	7	9954	8038	RH-2	40	form-based			true	0.7	7	0.875	6	6	9290.399414	7374.399414	7374.399414	0.933333
1402	007	3318	0.08	3382	1	65	100	3	8	7	9954	6572	RH-2	40	form-based			true	0.7	7	0.875	6	6	9290.399414	5908.399414	5908.399414	0.933333
1402	008	3318	0.08	1880	1	65	100	3	8	7	9954	8074	RH-2	40	form-based			true	0.7	7	0.875	6	6	9290.399414	7410.399414	7410.399414	0.933333
1402	009	3318	0.08	2048	1	65	100	3	8	7	9954	7906	RH-2	40	form-based			true	0.7	7	0.875	6	6	9290.399414	7242.399414	7242.399414	0.933333
1402	019	2608	0.06	3032	4	65	100	3	6	2	7824	4792	NC-1	65	form-based			true	0.75	10	1.666666627	6	6	11736	8704	8704	1.5
1402	034	3120	0.07	2152	1	65	100	3	7	6	9360	7208	RH-2	40	form-based			true	0.7	7	1	6	6	8736	6584	6584	0.933333
1403	005	2978	0.07	2554	0	65	100	3	7	7	8934	6380	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8338.399414	5784.399414	5784.399414	0.933333
1403	011	3224	0.07	1380	1	65	100	3	7	6	9672	8292	RH-2	40	form-based			true	0.7	7	1	6	6	9027.200195	7647.200195	7647.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1403	014	2500	0.06	2980	3	65	100	3	6	3	7500	4520	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	8270	8270	1.5
1403	015	2500	0.06	4244	3	65	100	3	6	3	7500	3256	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	7006	7006	1.5
1403	017	1875	0.04	1604	1	65	100	3	4	3	5625	4021	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	6833.5	6833.5	1.5
1403	024	4020	0.09	4899	2	65	100	3	9	7	12060	7161	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11256	6357	6357	0.933333
1404	005	3291	0.08	1780	1	65	100	3	8	7	9873	8093	RH-2	40	form-based			true	0.7	7	0.875	6	6	9214.799805	7434.799805	7434.799805	0.933333
1404	008	3039	0.07	3200	0	65	100	3	7	7	9117	5917	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8509.200195	5309.200195	5309.200195	0.933333
1404	027	1875	0.04	2010	1	65	100	3	4	3	5625	3615	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	6427.5	6427.5	1.5
1404	027D	1875	0.04	1888	1	65	100	3	4	3	5625	3737	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	6549.5	6549.5	1.5
1405	029	2049	0.05	3028	2	65	100	3	5	3	6147	3119	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9220.5	6192.5	6192.5	1.5
1406	007	3586	0.08	1733	2	65	100	3	8	6	10758	9025	RH-2	40	form-based			true	0.7	8	1	6	6	10040.7998	8307.799805	8307.799805	0.933333
1406	015	2989	0.07	2554	0	65	100	3	7	7	8967	6413	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8369.200195	5815.200195	5815.200195	0.933333
1406	029	3000	0.07	3594	0	65	100	3	7	7	9000	5406	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8400	4806	4806	0.933333
1406	039	3240	0.07	2719	1	65	100	3	7	6	9720	7001	RH-2	40	form-based			true	0.7	7	1	6	6	9072	6353	6353	0.933333
1407	002	3237	0.07	1760	1	65	100	3	7	6	9711	7951	RM-1	40	form-based			true	0.7	7	1	6	6	9063.599609	7303.599609	7303.599609	0.933333
1407	023A	1845	0.04	2500	1	65	100	3	4	3	5535	3035	NCD-OUTE	65	form-based			true	0.75	7	1.75	6	6	8302.5	5802.5	5802.5	1.5
1407	023B	1781	0.04	2200	1	65	100	3	4	3	5343	3143	NCD-OUTE	65	form-based			true	0.75	7	1.75	6	6	8014.5	5814.5	5814.5	1.5
1407	025	3384	0.08	1330	1	65	100	3	8	7	10152	8822	RH-2	40	form-based			true	0.7	7	0.875	6	6	9475.200195	8145.200195	8145.200195	0.933333
1407	033	4980	0.11	5104	4	65	100	3	11	7	14940	9836	RH-2	40	form-based			true	0.7	10	0.909090936	6	6	13944	8840	8840	0.933333
1407	038	3270	0.08	1994	1	65	100	3	8	7	9810	7816	RH-2	40	form-based			true	0.7	7	0.875	6	6	9156	7162	7162	0.933333
1407	039	3385	0.08	2121	1	65	100	3	8	7	10155	8034	RH-2	40	form-based			true	0.7	7	0.875	6	6	9478	7357	7357	0.933333
1407	040	3240	0.07	2376	1	65	100	3	7	6	9720	7344	RH-2	40	form-based			true	0.7	7	1	6	6	9072	6696	6696	0.933333
1407	068	2486	0.06	1730	3	65	100	3	6	3	7458	5728	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11187	9457	9457	1.5
1408	015	2510	0.06	3155	3	65	100	3	6	3	7530	4375	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11295	8140	8140	1.5
1408	034	3528	0.08	2285	1	65	100	3	8	7	10584	8299	RM-1	40	form-based			true	0.7	7	0.875	6	6	9878.399414	7593.399414	7593.399414	0.933333
1408	044	6075	0.14	697	7	65	100	3	14	7	18225	17528	RM-1	40	form-based			true	0.7	13	0.928571403	6	6	17010	16313	16313	0.933333
1409	043	3230	0.07	4935	6	65	100	3	7	1	9690	4755	NC-1	65	form-based		true	true	0.75	12	1.714285731	6	6	14535	9600	9600	1.5
1409	046	2481	0.06	2820	3	65	100	3	6	3	7443	4623	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11164.5	8344.5	8344.5	1.5
1410	002	2058	0.05	2620	2	65	100	3	5	3	6174	3554	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9261	6641	6641	1.5
1410	004	2996	0.07	2430	0	65	100	3	7	7	8988	6558	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8388.799805	5958.799805	5958.799805	0.933333
1410	018	2500	0.06	4130	3	65	100	3	6	3	7500	3370	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11250	7120	7120	1.5
1410	019	2500	0.06	4369	3	65	100	3	6	3	7500	3131	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11250	6881	6881	1.5
1410	022	3129	0.07	4830	6	65	100	3	7	1	9387	4557	NCD-OUTE	65	form-based		true	true	0.75	12	1.714285731	6	6	14080.5	9250.5	9250.5	1.5
1410	041	1841	0.04	2237	1	65	100	3	4	3	5523	3286	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8284.5	6047.5	6047.5	1.5
1410	045	1836	0.04	1834	1	65	100	3	4	3	5508	3674	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8262	6428	6428	1.5
1410	046	1835	0.04	1834	1	65	100	3	4	3	5505	3671	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8257.5	6423.5	6423.5	1.5
1411	011A	2553	0.06	2538	4	65	100	3	6	2	7659	5121	NCD-OUTE	65	form-based			true	0.75	10	1.666666627	6	6	11488.5	8950.5	8950.5	1.5
1411	014	2062	0.05	2356	2	65	100	3	5	3	6186	3830	NCD-OUTE	65	form-based			true	0.75	8	1.600000024	6	6	9279	6923	6923	1.5
1411	022	2375	0.05	3035	3	65	100	3	5	2	7125	4090	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	10687.5	7652.5	7652.5	1.5
1411	025	2268	0.05	3930	3	55	80	2.5	4	1	5670	1740	NC-1	65	form-based		true	true	0.75	9	2.25	6	5	10206	6276	6276	1.8
1411	042	2553	0.06	1168	4	65	100	3	6	2	7659	6491	NCD-OUTE	65	form-based			true	0.75	10	1.666666627	6	6	11488.5	10320.5	10320.5	1.5
1412	024B	3636	0.08	4352	2	65	100	3	8	6	10908	6556	RH-2	40	form-based			true	0.7	8	1	6	6	10180.7998	5828.799805	5828.799805	0.933333
1412	029	2250	0.05	1812	2	65	100	3	5	3	6750	4938	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	10125	8313	8313	1.5
1412	030	2250	0.05	2580	2	65	100	3	5	3	6750	4170	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	10125	7545	7545	1.5
1412	041	2475	0.06	5401	3	65	100	3	6	3	7425	2024	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11137.5	5736.5	5736.5	1.5
1412	047	2530	0.06	1730	3	65	100	3	6	3	7590	5860	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11385	9655	9655	1.5
1413	019A	2530	0.06	4727	3	65	100	3	6	3	7590	2863	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11385	6658	6658	1.5
1413	019B	2530	0.06	3934	3	65	100	3	6	3	7590	3656	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11385	7451	7451	1.5
1413	053	2530	0.06	1474	3	65	100	3	6	3	7590	6116	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11385	9911	9911	1.5
1414	001A	1754	0.04	2175	1	65	100	3	4	3	5262	3087	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7893	5718	5718	1.5
1414	001B	1754	0.04	2000	1	65	100	3	4	3	5262	3262	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7893	5893	5893	1.5
1415	001B	2239	0.05	2500	2	65	100	3	5	3	6717	4217	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	10075.5	7575.5	7575.5	1.5
1415	001C	2250	0.05	3081	2	55	80	2.5	4	2	5625	2544	RTO-C	65	form-based			true	0.75	8	2	6	6	10125	7044	7044	1.8
1415	011	2516	0.06	3353	3	65	100	3	6	3	7548	4195	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11322	7969	7969	1.5
1415	024B	1750	0.04	1638	1	55	80	2.5	3	2	4375	2737	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	7875	6237	6237	1.8
1415	039	2239	0.05	1212	2	65	100	3	5	3	6717	5505	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	10075.5	8863.5	8863.5	1.5
1416	022	2368	0.05	2840	3	65	100	3	5	2	7104	4264	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	10656	7816	7816	1.5
1416	022A	2603	0.06	4112	4	65	100	3	6	2	7809	3697	RTO-C	65	form-based		true	true	0.75	10	1.666666627	6	6	11713.5	7601.5	7601.5	1.5
1416	023	2250	0.05	3452	2	65	100	3	5	3	6750	3298	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	10125	6673	6673	1.5
1416	023A	2250	0.05	3452	2	65	100	3	5	3	6750	3298	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	10125	6673	6673	1.5
1416	040	2629	0.06	4272	4	65	100	3	6	2	7887	3615	RTO-C	65	form-based		true	true	0.75	10	1.666666627	6	6	11830.5	7558.5	7558.5	1.5
1416	042	2562	0.06	3658	4	65	100	3	6	2	7686	4028	RTO-C	65	form-based			true	0.75	10	1.666666627	6	6	11529	7871	7871	1.5
1417	036	2562	0.06	3724	4	65	100	3	6	2	7686	3962	RTO-C	65	form-based			true	0.75	10	1.666666627	6	6	11529	7805	7805	1.5
1418	009	3198	0.07	2245	1	65	100	3	7	6	9594	7349	RH-2	40	form-based			true	0.7	7	1	6	6	8954.399414	6709.399414	6709.399414	0.933333
1418	010	3424	0.08	2025	1	65	100	3	8	7	10272	8247	RH-2	40	form-based			true	0.7	7	0.875	6	6	9587.200195	7562.200195	7562.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1418	019	2606	0.06	4798	4	65	100	3	6	2	7818	3020	NC-1	65	form-based			true	0.75	10	1.666666627	6	6	11727	6929	6929	1.5
1418	029	3510	0.08	2260	1	65	100	3	8	7	10530	8270	RH-2	40	form-based			true	0.7	7	0.875	6	6	9828	7568	7568	0.933333
1418	030	3510	0.08	2311	1	65	100	3	8	7	10530	8219	RH-2	40	form-based			true	0.7	7	0.875	6	6	9828	7517	7517	0.933333
1418	031	3510	0.08	2400	1	65	100	3	8	7	10530	8130	RH-2	40	form-based			true	0.7	7	0.875	6	6	9828	7428	7428	0.933333
1418	032	3510	0.08	2360	1	65	100	3	8	7	10530	8170	RH-2	40	form-based			true	0.7	7	0.875	6	6	9828	7468	7468	0.933333
1418	042	3994	0.09	3400	2	65	100	3	9	7	11982	8582	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11183.2002	7783.200195	7783.200195	0.933333
1418	054	3419	0.08	2336	1	65	100	3	8	7	10257	7921	RH-2	40	form-based			true	0.7	7	0.875	6	6	9573.200195	7237.200195	7237.200195	0.933333
1419	001	2315	0.05	4190	3	65	100	3	5	2	6945	2755	RTO-C	65	form-based		true	true	0.75	9	1.799999952	6	6	10417.5	6227.5	6227.5	1.5
1419	001C	2315	0.05	4138	3	65	100	3	5	2	6945	2807	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	10417.5	6279.5	6279.5	1.5
1419	002	3394	0.08	3126	1	65	100	3	8	7	10182	7056	RH-2	40	form-based			true	0.7	7	0.875	6	6	9503.200195	6377.200195	6377.200195	0.933333
1419	003	3906	0.09	2920	2	65	100	3	9	7	11718	8798	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10936.7998	8016.799805	8016.799805	0.933333
1419	007	3906	0.09	4165	2	65	100	3	9	7	11718	7553	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10936.7998	6771.799805	6771.799805	0.933333
1419	012	3255	0.07	2805	1	65	100	3	7	6	9765	6960	RH-2	40	form-based			true	0.7	7	1	6	6	9114	6309	6309	0.933333
1419	013	3255	0.07	3131	1	65	100	3	7	6	9765	6634	RH-2	40	form-based			true	0.7	7	1	6	6	9114	5983	5983	0.933333
1419	014	3255	0.07	2929	1	65	100	3	7	6	9765	6836	RH-2	40	form-based			true	0.7	7	1	6	6	9114	6185	6185	0.933333
1419	015	3255	0.07	2661	1	65	100	3	7	6	9765	7104	RH-2	40	form-based			true	0.7	7	1	6	6	9114	6453	6453	0.933333
1419	017	3255	0.07	2298	1	65	100	3	7	6	9765	7467	RH-2	40	form-based			true	0.7	7	1	6	6	9114	6816	6816	0.933333
1419	021	2630	0.06	2910	3	65	100	3	6	3	7890	4980	RH-2	65	form-based		true	true	0.7	9	1.5	6	6	11046	8136	8136	1.4
1419	029	3138	0.07	1952	1	65	100	3	7	6	9414	7462	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6834.399414	6834.399414	0.933333
1419	030	3138	0.07	2370	1	65	100	3	7	6	9414	7044	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6416.399414	6416.399414	0.933333
1419	032	3138	0.07	2848	1	65	100	3	7	6	9414	6566	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	5938.399414	5938.399414	0.933333
1419	033	3138	0.07	2300	1	65	100	3	7	6	9414	7114	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6486.399414	6486.399414	0.933333
1419	038	3138	0.07	2751	1	65	100	3	7	6	9414	6663	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6035.399414	6035.399414	0.933333
1419	045	2250	0.05	1659	2	65	100	3	5	3	6750	5091	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	10125	8466	8466	1.5
1421	029	1872	0.04	3485	4	65	100	3	4	0	5616	2131	RTO-C	85	form-based		true	true	0.75	10	2.5	6	4	11232	7747	7747	2
1422	018	2328	0.05	3400	3	65	100	3	5	2	6984	3584	NCD-INNE	65	form-based			true	0.75	9	1.799999952	6	6	10476	7076	7076	1.5
1423	016	4002	0.09	2920	2	65	100	3	9	7	12006	9086	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	11205.59961	8285.599609	8285.599609	0.933333
1423	018	2965	0.07	2400	0	65	100	3	7	7	8895	6495	RM-1	40	form-based			true	0.7	6	0.857142866	6	6	8302	5902	5902	0.933333
1424	024	4800	0.11	4030	4	65	100	3	11	7	14400	10370	RM-1	40	form-based			true	0.7	10	0.909090936	6	6	13440	9410	9410	0.933333
1424	026	3207	0.07	2520	1	65	100	3	7	6	9621	7101	RM-1	40	form-based			true	0.7	7	1	6	6	8979.599609	6459.599609	6459.599609	0.933333
1424	035	2275	0.05	3780	6	65	100	3	5	0	6825	3045	RTO-C	85	form-based		true	true	0.75	12	2.400000095	6	4	13650	9870	9870	2
1425	007	3948	0.09	3880	2	65	100	3	9	7	11844	7964	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	11054.39941	7174.399414	7174.399414	0.933333
1425	008	3947	0.09	3930	2	65	100	3	9	7	11841	7911	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	11051.59961	7121.599609	7121.599609	0.933333
1425	014	3413	0.08	2100	1	65	100	3	8	7	10239	8139	RM-1	40	form-based			true	0.7	7	0.875	6	6	9556.399414	7456.399414	7456.399414	0.933333
1425	018	1603	0.04	1200	0	65	100	3	4	4	4809	3609	NCD-INNE	65	form-based			true	0.75	6	1.5	6	6	7213.5	6013.5	6013.5	1.5
1425	022	2808	0.06	5046	5	65	100	3	6	1	8424	3378	NCD-INNE	65	form-based			true	0.75	11	1.833333373	6	6	12636	7590	7590	1.5
1425	027	3348	0.08	5518	7	65	100	3	8	1	10044	4526	NCD-INNE	65	form-based		true	true	0.75	13	1.625	6	6	15066	9548	9548	1.5
1425	051	3948	0.09	1892	2	65	100	3	9	7	11844	9952	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	11054.39941	9162.399414	9162.399414	0.933333
1426	001	2808	0.06	6738	9	65	100	3	6	0	8424	1686	RTO-C	85	form-based		true	true	0.75	15	2.5	6	3	16848	10110	10110	2
1426	011	3111	0.07	1924	1	65	100	3	7	6	9333	7409	RM-1	40	form-based			true	0.7	7	1	6	6	8710.799805	6786.799805	6786.799805	0.933333
1426	014	3111	0.07	1664	1	65	100	3	7	6	9333	7669	RM-1	40	form-based			true	0.7	7	1	6	6	8710.799805	7046.799805	7046.799805	0.933333
1426	019	2990	0.07	6480	5	65	100	3	7	2	8970	2490	NCD-INNE	65	form-based			true	0.75	11	1.571428537	6	6	13455	6975	6975	1.5
1426	032	3960	0.09	2688	2	65	100	3	9	7	11880	9192	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	11088	8400	8400	0.933333
1427	013	3189	0.07	4490	6	65	100	3	7	1	9567	5077	NCD-INNE	65	form-based		true	true	0.75	12	1.714285731	6	6	14350.5	9860.5	9860.5	1.5
1428	001	3364	0.08	8053	12	65	100	3	8	0	10092	2039	RTO-C	85	form-based		true	true	0.75	18	2.25	6	4	20184	12131	12131	2
1428	062	3010	0.07	1910	0	65	100	3	7	7	9030	7120	RM-1	40	form-based			true	0.7	6	0.857142866	6	6	8428	6518	6518	0.933333
1429	006	3021	0.07	2800	0	65	100	3	7	7	9063	6263	RM-1	40	form-based			true	0.7	6	0.857142866	6	6	8458.799805	5658.799805	5658.799805	0.933333
1430	021	3092	0.07	4810	6	65	100	3	7	1	9276	4466	NCD-INNE	65	form-based		true	true	0.75	12	1.714285731	6	6	13914	9104	9104	1.5
1430	044	6449	0.15	11400	8	65	100	3	15	7	19347	7947	RM-1	40	form-based		true	true	0.7	14	0.933333337	6	6	18057.19922	6657.199219	6657.199219	0.933333
1431	027	3925	0.09	3754	2	65	100	3	9	7	11775	8021	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	10990	7236	7236	0.933333
1431	031	3198	0.07	2990	1	65	100	3	7	6	9594	6604	RM-1	40	form-based			true	0.7	7	1	6	6	8954.399414	5964.399414	5964.399414	0.933333
1432	013	3019	0.07	5344	5	65	100	3	7	2	9057	3713	RTO-C	65	form-based			true	0.75	11	1.571428537	6	6	13585.5	8241.5	8241.5	1.5
1432	019	2500	0.06	4730	3	65	100	3	6	3	7500	2770	NCD-INNE	65	form-based			true	0.75	9	1.5	6	6	11250	6520	6520	1.5
1432	025	3113	0.07	1989	1	65	100	3	7	6	9339	7350	RM-1	40	form-based			true	0.7	7	1	6	6	8716.399414	6727.399414	6727.399414	0.933333
1433	035	2500	0.06	4199	3	65	100	3	6	3	7500	3301	NCD-INNE	65	form-based			true	0.75	9	1.5	6	6	11250	7051	7051	1.5
1434	010	4200	0.1	4260	3	65	100	3	10	7	12600	8340	RM-1	40	form-based			true	0.7	9	0.899999976	6	6	11760	7500	7500	0.933333
1434	039	2500	0.06	3950	3	65	100	3	6	3	7500	3550	NCD-INNE	65	form-based			true	0.75	9	1.5	6	6	11250	7300	7300	1.5
1434	042	2500	0.06	2460	3	65	100	3	6	3	7500	5040	NCD-INNE	65	form-based			true	0.75	9	1.5	6	6	11250	8790	8790	1.5
1434	043	2479	0.06	4780	3	65	100	3	6	3	7437	2657	NCD-INNE	65	form-based			true	0.75	9	1.5	6	6	11155.5	6375.5	6375.5	1.5
1435	003	2745	0.06	0	0	65	100	3	6	6	8235	8235	RM-1	40	form-based			true	0.7	6	1	6	6	7686	7686	7686	0.933333
1435	036	3167	0.07	1635	1	65	100	3	7	6	9501	7866	RM-1	40	form-based			true	0.7	7	1	6	6	8867.599609	7232.599609	7232.599609	0.933333
1435	041	2500	0.06	5190	3	65	100	3	6	3	7500	2310	NCD-INNE	65	form-based			true	0.75	9	1.5	6	6	11250	6060	6060	1.5
1436	031	3006	0.07	2964	0	65	100	3	7	7	9018	6054	RM-1	40	form-based			true	0.7	6	0.857142866	6	6	8416.799805	5452.799805	5452.799805	0.933333
1437	008	3000	0.07	2355	0	65	100	3	7	7	9000	6645	RM-1	40	form-based			true	0.7	6	0.857142866	6	6	8400	6045	6045	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1437	043	2500	0.06	3000	3	65	100	3	6	3	7500	4500	NCD-INNE	65	form-based			true	0.75	9	1.5	6	6	11250	8250	8250	1.5
1438	001	3190	0.07	5375	6	65	100	3	7	1	9570	4195	NCD-INNE	65	form-based		true	true	0.75	12	1.714285731	6	6	14355	8980	8980	1.5
1438	011	3000	0.07	2362	1	65	100	3	7	6	9000	6638	NCD-GEAR	40	form-based			true	0.75	7	1	6	6	9000	6638	6638	1
1438	012	3000	0.07	1840	1	65	100	3	7	6	9000	7160	NCD-GEAR	40	form-based			true	0.75	7	1	6	6	9000	7160	7160	1
1438	022	2988	0.07	2480	1	85	140	4	10	9	11952	9472	NCD-GEAR	40	form-based			true	0.75	7	0.699999988	6	6	8964	6484	6484	0.75
1439	006	3240	0.07	1226	1	65	100	3	7	6	9720	8494	RM-1	40	form-based			true	0.7	7	1	6	6	9072	7846	7846	0.933333
1441	008	3032	0.07	0	0	65	100	3	7	7	9096	9096	RM-1	40	form-based			true	0.7	6	0.857142866	6	6	8489.599609	8489.599609	8489.599609	0.933333
1441	009	3032	0.07	0	0	85	140	4	10	10	12128	12128	RM-1	40	form-based			true	0.7	6	0.600000024	6	6	8489.599609	8489.599609	8489.599609	0.7
1441	010	3032	0.07	0	0	85	140	4	10	10	12128	12128	RM-1	40	form-based			true	0.7	6	0.600000024	6	6	8489.599609	8489.599609	8489.599609	0.7
1441	011	3032	0.07	0	0	85	140	4	10	10	12128	12128	RM-1	40	form-based			true	0.7	6	0.600000024	6	6	8489.599609	8489.599609	8489.599609	0.7
1441	031A	2700	0.06	5100	4	65	100	3	6	2	8100	3000	NCD-INNE	65	form-based			true	0.75	10	1.666666627	6	6	12150	7050	7050	1.5
1441	039	1468	0.03	1425	0	65	100	3	3	3	4404	2979	NCD-INNE	65	form-based			true	0.75	6	2	6	6	6606	5181	5181	1.5
1442	019	2960	0.07	0	0	65	100	3	7	7	8880	8880	RM-1	40	form-based			true	0.7	6	0.857142866	6	6	8288	8288	8288	0.933333
1442	026	2281	0.05	5850	6	65	100	3	5	0	6843	993	NCD-GEAR	85	form-based		true	true	0.75	12	2.400000095	6	4	13686	7836	7836	2
1443	035	6072	0.14	6246	7	65	100	3	14	7	18216	11970	RM-1	40	form-based			true	0.7	13	0.928571403	6	6	17001.59961	10755.59961	10755.59961	0.933333
1443	039	5600	0.13	11994	15	65	100	3	13	0	16800	4806	NCD-INNE	65	form-based		true	true	0.75	21	1.615384579	6	6	25200	13206	13206	1.5
1444	018	1499	0.03	2480	2	65	100	3	3	1	4497	2017	NCD-GEAR	85	form-based			true	0.75	8	2.666666746	6	4	8994	6514	6514	2
1444	018A	1690	0.04	4386	3	65	100	3	4	1	5070	684	NCD-GEAR	85	form-based		true	true	0.75	9	2.25	6	5	10140	5754	5754	2
1444	048	2500	0.06	3922	3	65	100	3	6	3	7500	3578	NCD-INNE	65	form-based			true	0.75	9	1.5	6	6	11250	7328	7328	1.5
1446	009	3258	0.07	2000	1	65	100	3	7	6	9774	7774	RH-3	40	form-based			true	0.7	7	1	6	6	9122.399414	7122.399414	7122.399414	0.933333
1446	010	3258	0.07	2200	1	65	100	3	7	6	9774	7574	RH-3	40	form-based			true	0.7	7	1	6	6	9122.399414	6922.399414	6922.399414	0.933333
1446	011	3258	0.07	2400	1	65	100	3	7	6	9774	7374	RH-3	40	form-based			true	0.7	7	1	6	6	9122.399414	6722.399414	6722.399414	0.933333
1446	012	3258	0.07	2308	1	65	100	3	7	6	9774	7466	RH-3	40	form-based			true	0.7	7	1	6	6	9122.399414	6814.399414	6814.399414	0.933333
1446	016	3258	0.07	3830	1	65	100	3	7	6	9774	5944	RH-3	40	form-based			true	0.7	7	1	6	6	9122.399414	5292.399414	5292.399414	0.933333
1446	018	3258	0.07	3022	1	65	100	3	7	6	9774	6752	RH-3	40	form-based			true	0.7	7	1	6	6	9122.399414	6100.399414	6100.399414	0.933333
1446	031	3138	0.07	1925	1	65	100	3	7	6	9414	7489	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6861.399414	6861.399414	0.933333
1446	032	3138	0.07	1920	1	65	100	3	7	6	9414	7494	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6866.399414	6866.399414	0.933333
1446	033	3138	0.07	1850	1	65	100	3	7	6	9414	7564	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6936.399414	6936.399414	0.933333
1446	034	3138	0.07	2360	1	65	100	3	7	6	9414	7054	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6426.399414	6426.399414	0.933333
1446	035	3138	0.07	2640	1	65	100	3	7	6	9414	6774	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6146.399414	6146.399414	0.933333
1446	036	3138	0.07	2175	1	65	100	3	7	6	9414	7239	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6611.399414	6611.399414	0.933333
1446	037	3138	0.07	2385	1	65	100	3	7	6	9414	7029	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6401.399414	6401.399414	0.933333
1446	039	3138	0.07	1816	1	65	100	3	7	6	9414	7598	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6970.399414	6970.399414	0.933333
1446	040	3138	0.07	2038	1	65	100	3	7	6	9414	7376	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6748.399414	6748.399414	0.933333
1446	041	3138	0.07	2250	1	65	100	3	7	6	9414	7164	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6536.399414	6536.399414	0.933333
1446	042	3138	0.07	2175	1	65	100	3	7	6	9414	7239	RH-2	40	form-based			true	0.7	7	1	6	6	8786.399414	6611.399414	6611.399414	0.933333
1446	047	2550	0.06	4524	4	65	100	3	6	2	7650	3126	NC-1	65	form-based		true	true	0.75	10	1.666666627	6	6	11475	6951	6951	1.5
1450	035	1800	0.04	3182	1	65	100	3	4	3	5400	2218	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8100	4918	4918	1.5
1452	040	2181	0.05	2295	2	65	100	3	5	3	6543	4248	NCD-OUTE	65	form-based			true	0.75	8	1.600000024	6	6	9814.5	7519.5	7519.5	1.5
1452	040A	2181	0.05	1864	2	65	100	3	5	3	6543	4679	NCD-OUTE	65	form-based			true	0.75	8	1.600000024	6	6	9814.5	7950.5	7950.5	1.5
1452	040B	2181	0.05	2186	2	65	100	3	5	3	6543	4357	NCD-OUTE	65	form-based			true	0.75	8	1.600000024	6	6	9814.5	7628.5	7628.5	1.5
1452	044	2495	0.06	1603	3	65	100	3	6	3	7485	5882	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11227.5	9624.5	9624.5	1.5
1453	041A	2054	0.05	2200	2	65	100	3	5	3	6162	3962	NCD-OUTE	65	form-based			true	0.75	8	1.600000024	6	6	9243	7043	7043	1.5
1454	038	2461	0.06	3050	3	65	100	3	6	3	7383	4333	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11074.5	8024.5	8024.5	1.5
1455	032	2982	0.07	6590	5	65	100	3	7	2	8946	2356	NCD-OUTE	65	form-based		true	true	0.75	11	1.571428537	6	6	13419	6829	6829	1.5
1455	038	2507	0.06	3540	3	65	100	3	6	3	7521	3981	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11281.5	7741.5	7741.5	1.5
1455	042	8400	0.19	9884	12	65	100	3	19	7	25200	15316	RM-1	40	form-based			true	0.7	18	0.947368443	6	6	23520	13636	13636	0.933333
1456	043	2496	0.06	2800	3	65	100	3	6	3	7488	4688	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11232	8432	8432	1.5
1456	044	2496	0.06	3050	3	65	100	3	6	3	7488	4438	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11232	8182	8182	1.5
1456	045	2497	0.06	2925	3	65	100	3	6	3	7491	4566	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11236.5	8311.5	8311.5	1.5
1457	039	2490	0.06	3450	3	65	100	3	6	3	7470	4020	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11205	7755	7755	1.5
1457	041	2491	0.06	4550	3	65	100	3	6	3	7473	2923	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11209.5	6659.5	6659.5	1.5
1458	008	3190	0.07	1300	1	65	100	3	7	6	9570	8270	RM-1	40	form-based			true	0.7	7	1	6	6	8932	7632	7632	0.933333
1458	024	3402	0.08	1700	1	65	100	3	8	7	10206	8506	RH-2	40	form-based			true	0.7	7	0.875	6	6	9525.599609	7825.599609	7825.599609	0.933333
1458	025	3275	0.08	2838	1	65	100	3	8	7	9825	6987	RH-2	40	form-based			true	0.7	7	0.875	6	6	9170	6332	6332	0.933333
1459	028A	2472	0.06	4200	3	65	100	3	6	3	7416	3216	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11124	6924	6924	1.5
1459	030	2474	0.06	2960	3	65	100	3	6	3	7422	4462	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11133	8173	8173	1.5
1459	031	2474	0.06	4100	3	65	100	3	6	3	7422	3322	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11133	7033	7033	1.5
1459	037	2473	0.06	690	3	65	100	3	6	3	7419	6729	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11128.5	10438.5	10438.5	1.5
1460	001A	3267	0.07	2716	1	65	100	3	7	6	9801	7085	RH-2	40	form-based			true	0.7	7	1	6	6	9147.599609	6431.599609	6431.599609	0.933333
1460	001B	3209	0.07	2050	1	65	100	3	7	6	9627	7577	RH-2	40	form-based			true	0.7	7	1	6	6	8985.200195	6935.200195	6935.200195	0.933333
1460	001C	3151	0.07	2050	1	65	100	3	7	6	9453	7403	RH-2	40	form-based			true	0.7	7	1	6	6	8822.799805	6772.799805	6772.799805	0.933333
1460	008	3453	0.08	1275	1	65	100	3	8	7	10359	9084	RH-2	40	form-based			true	0.7	7	0.875	6	6	9668.399414	8393.399414	8393.399414	0.933333
1460	010	3337	0.08	2250	1	65	100	3	8	7	10011	7761	RH-2	40	form-based			true	0.7	7	0.875	6	6	9343.599609	7093.599609	7093.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1460	012	3221	0.07	1750	1	65	100	3	7	6	9663	7913	RH-2	40	form-based			true	0.7	7	1	6	6	9018.799805	7268.799805	7268.799805	0.933333
1460	013	3163	0.07	1900	1	65	100	3	7	6	9489	7589	RH-2	40	form-based			true	0.7	7	1	6	6	8856.399414	6956.399414	6956.399414	0.933333
1460	013A	3105	0.07	1950	1	65	100	3	7	6	9315	7365	RH-2	40	form-based			true	0.7	7	1	6	6	8694	6744	6744	0.933333
1460	018	2560	0.06	2792	4	65	100	3	6	2	7680	4888	RTO-C	65	form-based			true	0.75	10	1.666666627	6	6	11520	8728	8728	1.5
1460	020	2561	0.06	2712	4	65	100	3	6	2	7683	4971	RTO-C	65	form-based			true	0.75	10	1.666666627	6	6	11524.5	8812.5	8812.5	1.5
1460	021	2562	0.06	2712	4	65	100	3	6	2	7686	4974	RTO-C	65	form-based			true	0.75	10	1.666666627	6	6	11529	8817	8817	1.5
1460	022	2563	0.06	2712	4	65	100	3	6	2	7689	4977	RTO-C	65	form-based			true	0.75	10	1.666666627	6	6	11533.5	8821.5	8821.5	1.5
1462	047	2554	0.06	3440	4	65	100	3	6	2	7662	4222	RTO-C	65	form-based			true	0.75	10	1.666666627	6	6	11493	8053	8053	1.5
1463	004	3189	0.07	1692	1	65	100	3	7	6	9567	7875	RH-2	40	form-based			true	0.7	7	1	6	6	8929.200195	7237.200195	7237.200195	0.933333
1463	044	2434	0.06	2630	3	65	100	3	6	3	7302	4672	NC-1	65	form-based			true	0.75	9	1.5	6	6	10953	8323	8323	1.5
1463	045	2435	0.06	2016	3	65	100	3	6	3	7305	5289	NC-1	65	form-based			true	0.75	9	1.5	6	6	10957.5	8941.5	8941.5	1.5
1463	048	2538	0.06	4333	4	65	100	3	6	2	7614	3281	NC-1	65	form-based			true	0.75	10	1.666666627	6	6	11421	7088	7088	1.5
1464	002	3250	0.07	3229	1	65	100	3	7	6	9750	6521	RH-2	40	form-based			true	0.7	7	1	6	6	9100	5871	5871	0.933333
1464	002A	3250	0.07	1287	1	65	100	3	7	6	9750	8463	RH-2	40	form-based			true	0.7	7	1	6	6	9100	7813	7813	0.933333
1464	027	2455	0.06	2292	3	65	100	3	6	3	7365	5073	NC-1	65	form-based			true	0.75	9	1.5	6	6	11047.5	8755.5	8755.5	1.5
1467	002	2062	0.05	3186	2	65	100	3	5	3	6186	3000	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9279	6093	6093	1.5
1468	004	3473	0.08	2640	1	65	100	3	8	7	10419	7779	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9724.399414	7084.399414	7084.399414	0.933333
1468	006	3513	0.08	1431	1	65	100	3	8	7	10539	9108	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9836.399414	8405.399414	8405.399414	0.933333
1468	015	3330	0.08	2230	1	55	80	2.5	6	5	8325	6095	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9324	7094	7094	1.12
1469A	012	3548	0.08	2205	1	55	80	2.5	6	5	8870	6665	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9934.399414	7729.399414	7729.399414	1.12
1469A	013	3548	0.08	2850	1	55	80	2.5	6	5	8870	6020	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9934.399414	7084.399414	7084.399414	1.12
1469A	016	3400	0.08	2462	1	55	80	2.5	6	5	8500	6038	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9520	7058	7058	1.12
1469A	017	3405	0.08	2808	1	55	80	2.5	6	5	8512	5704	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9534	6726	6726	1.120066
1470	029	3300	0.08	1929	1	55	80	2.5	6	5	8250	6321	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9240	7311	7311	1.12
1471	024A	3874	0.09	3135	2	55	80	2.5	7	5	9685	6550	RH-1(D)	40	form-based			true	0.7	8	1.142857194	6	6	10847.2002	7712.200195	7712.200195	1.12
1471	025	3470	0.08	1310	1	55	80	2.5	6	5	8675	7365	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9716	8406	8406	1.12
1471	028	3511	0.08	1685	1	55	80	2.5	6	5	8778	7093	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9830.799805	8145.799805	8145.799805	1.119936
1472	001B	2085	0.05	1763	2	55	80	2.5	4	2	5212	3449	RTO-C	65	form-based			true	0.75	8	2	6	6	9382.5	7619.5	7619.5	1.800173
1503	041	3025	0.07	3250	0	55	80	2.5	6	6	7562	4312	RH-2	40	form-based			true	0.7	6	1	6	6	8470	5220	5220	1.120074
1504	001A	3542	0.08	1870	1	55	80	2.5	6	5	8855	6985	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9917.599609	8047.599609	8047.599609	1.12
1504	001B	3542	0.08	2701	1	55	80	2.5	6	5	8855	6154	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9917.599609	7216.599609	7216.599609	1.12
1504	001C	3542	0.08	2238	1	55	80	2.5	6	5	8855	6617	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9917.599609	7679.599609	7679.599609	1.12
1504	001D	3542	0.08	1675	1	55	80	2.5	6	5	8855	7180	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9917.599609	8242.599609	8242.599609	1.12
1504	001F	3542	0.08	1988	1	55	80	2.5	6	5	8855	6867	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9917.599609	7929.599609	7929.599609	1.12
1504	001G	3542	0.08	1675	1	55	80	2.5	6	5	8855	7180	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9917.599609	8242.599609	8242.599609	1.12
1505	031	2964	0.07	1706	0	55	80	2.5	6	6	7410	5704	RH-2	40	form-based			true	0.7	6	1	6	6	8299.200195	6593.200195	6593.200195	1.12
1507	009	3682	0.08	4416	2	65	100	3	8	6	11046	6630	RH-2	40	form-based			true	0.7	8	1	6	6	10309.59961	5893.599609	5893.599609	0.933333
1507	031	4491	0.1	2431	3	55	80	2.5	8	5	11228	8797	RH-2	40	form-based			true	0.7	9	1.125	6	6	12574.7998	10143.7998	10143.7998	1.11995
1508	028	2048	0.05	2682	4	65	100	3	5	1	6144	3462	RM-1	85	form-based			true	0.7	10	2	6	6	11468.7998	8786.799805	8786.799805	1.866667
1509	001	1578	0.04	2600	2	65	100	3	4	2	4734	2134	RTO-C	85	form-based	true		true	0.75	8	2	6	6	9468	6868	6868	2
1509	029	3015	0.07	1812	0	65	100	3	7	7	9045	7233	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8442	6630	6630	0.933333
1509	043	3175	0.07	10063	11	65	100	3	7	0	9525	0	RTO-C	85	form-based	true		true	0.75	17	2.428571463	6	3	19050	8987	8987	2
1512	054	1437	0.03	2376	2	85	140	4	4	2	5748	3372	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6246	6246	1.5
1512	055	1437	0.03	2376	2	85	140	4	4	2	5748	3372	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6246	6246	1.5
1515	010A	3539	0.08	1125	1	65	100	3	8	7	10617	9492	RH-2	40	form-based			true	0.7	7	0.875	6	6	9909.200195	8784.200195	8784.200195	0.933333
1515	010B	3539	0.08	1096	1	65	100	3	8	7	10617	9521	RH-2	40	form-based			true	0.7	7	0.875	6	6	9909.200195	8813.200195	8813.200195	0.933333
1515	019	5017	0.12	4555	5	65	100	3	12	7	15051	10496	RM-1	40	form-based			true	0.7	11	0.916666687	6	6	14047.59961	9492.599609	9492.599609	0.933333
1515	022A	3102	0.07	1487	1	65	100	3	7	6	9306	7819	RH-2	40	form-based			true	0.7	7	1	6	6	8685.599609	7198.599609	7198.599609	0.933333
1515	022B	3102	0.07	1487	1	65	100	3	7	6	9306	7819	RH-2	40	form-based			true	0.7	7	1	6	6	8685.599609	7198.599609	7198.599609	0.933333
1518	008	3656	0.08	4904	2	65	100	3	8	6	10968	6064	RM-1	40	form-based			true	0.7	8	1	6	6	10236.7998	5332.799805	5332.799805	0.933333
1518	010	3046	0.07	1336	0	65	100	3	7	7	9138	7802	RM-1	40	form-based			true	0.7	6	0.857142866	6	6	8528.799805	7192.799805	7192.799805	0.933333
1518	015G	3449	0.08	1319	1	65	100	3	8	7	10347	9028	RM-1	40	form-based			true	0.7	7	0.875	6	6	9657.200195	8338.200195	8338.200195	0.933333
1518	017	2937	0.07	1460	0	65	100	3	7	7	8811	7351	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8223.599609	6763.599609	6763.599609	0.933333
1519	032	3462	0.08	1155	1	65	100	3	8	7	10386	9231	RM-1	40	form-based			true	0.7	7	0.875	6	6	9693.599609	8538.599609	8538.599609	0.933333
1523	034	3284	0.08	2572	1	65	100	3	8	7	9852	7280	RM-1	40	form-based			true	0.7	7	0.875	6	6	9195.200195	6623.200195	6623.200195	0.933333
1527	001	2093	0.05	4050	5	85	140	4	7	2	8372	4322	NCD-GEAR	85	form-based	true		true	0.75	11	1.571428537	6	6	12558	8508	8508	1.5
1529	001C	3412	0.08	2506	1	65	100	3	8	7	10236	7730	RH-2	40	form-based			true	0.7	7	0.875	6	6	9553.599609	7047.599609	7047.599609	0.933333
1529	013	3461	0.08	3195	1	65	100	3	8	7	10383	7188	RH-2	40	form-based			true	0.7	7	0.875	6	6	9690.799805	6495.799805	6495.799805	0.933333
1529	014	3224	0.07	2793	1	65	100	3	7	6	9672	6879	RH-2	40	form-based			true	0.7	7	1	6	6	9027.200195	6234.200195	6234.200195	0.933333
1529	026	3155	0.07	1696	1	65	100	3	7	6	9465	7769	RH-2	40	form-based			true	0.7	7	1	6	6	8834	7138	7138	0.933333
1529	027	3155	0.07	2160	1	65	100	3	7	6	9465	7305	RH-2	40	form-based			true	0.7	7	1	6	6	8834	6674	6674	0.933333
1529	042	3901	0.09	1720	2	65	100	3	9	7	11703	9983	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10922.7998	9202.799805	9202.799805	0.933333
1530	009C	3620	0.08	3620	2	65	100	3	8	6	10860	7240	RH-2	40	form-based			true	0.7	8	1	6	6	10136	6516	6516	0.933333
1530	011A	4269	0.1	5061	3	65	100	3	10	7	12807	7746	RH-2	40	form-based			true	0.7	9	0.899999976	6	6	11953.2002	6892.200195	6892.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1530	016A	3222	0.07	2460	1	65	100	3	7	6	9666	7206	RH-2	40	form-based			true	0.7	7	1	6	6	9021.599609	6561.599609	6561.599609	0.933333
1530	019A	2746	0.06	1920	0	65	100	3	6	6	8238	6318	RH-2	40	form-based			true	0.7	6	1	6	6	7688.799805	5768.799805	5768.799805	0.933333
1532	005	3000	0.07	3160	0	65	100	3	7	7	9000	5840	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8400	5240	5240	0.933333
1532	014	3409	0.08	3090	1	65	100	3	8	7	10227	7137	RH-2	40	form-based		true	true	0.7	7	0.875	6	6	9545.200195	6455.200195	6455.200195	0.933333
1534	024	3205	0.07	3382	1	65	100	3	7	6	9615	6233	RH-2	40	form-based		true	true	0.7	7	1	6	6	8974	5592	5592	0.933333
1535	024	3277	0.08	2580	1	65	100	3	8	7	9831	7251	RH-2	40	form-based		true	true	0.7	7	0.875	6	6	9175.599609	6595.599609	6595.599609	0.933333
1535	029	3000	0.07	1602	0	65	100	3	7	7	9000	7398	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8400	6798	6798	0.933333
1535	039	3000	0.07	0	0	65	100	3	7	7	9000	9000	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8400	8400	8400	0.933333
1535	040	3000	0.07	0	0	65	100	3	7	7	9000	9000	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8400	8400	8400	0.933333
1540	003	3000	0.07	660	0	65	100	3	7	7	9000	8340	RH-3	40	form-based			true	0.7	6	0.857142866	6	6	8400	7740	7740	0.933333
1544	025	3006	0.07	4954	5	65	100	3	7	2	9018	4064	RTO-C	65	form-based			true	0.75	11	1.571428537	6	6	13527	8573	8573	1.5
1545	045	3023	0.07	4660	0	65	100	3	7	7	9069	4409	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8464.399414	3804.399414	3804.399414	0.933333
1546	015	4185	0.1	2688	3	65	100	3	10	7	12555	9867	RH-2	40	form-based			true	0.7	9	0.899999976	6	6	11718	9030	9030	0.933333
1546	021	3969	0.09	3254	2	65	100	3	9	7	11907	8653	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11113.2002	7859.200195	7859.200195	0.933333
1546	032	3248	0.07	1825	1	65	100	3	7	6	9744	7919	RH-2	40	form-based			true	0.7	7	1	6	6	9094.399414	7269.399414	7269.399414	0.933333
1546	035	3924	0.09	4081	2	65	100	3	9	7	11772	7691	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10987.2002	6906.200195	6906.200195	0.933333
1546	041	3808	0.09	3742	2	65	100	3	9	7	11424	7682	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10662.39941	6920.399414	6920.399414	0.933333
1546	046	3938	0.09	1379	2	65	100	3	9	7	11814	10435	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11026.39941	9647.399414	9647.399414	0.933333
1547	029	2374	0.05	2700	3	65	100	3	5	2	7122	4422	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	10683	7983	7983	1.5
1549	022	2513	0.06	4871	3	65	100	3	6	3	7539	2668	NCD-INNE	65	form-based			true	0.75	9	1.5	6	6	11308.5	6437.5	6437.5	1.5
1549	024	2513	0.06	3918	3	65	100	3	6	3	7539	3621	NCD-INNE	65	form-based			true	0.75	9	1.5	6	6	11308.5	7390.5	7390.5	1.5
1549	026	2544	0.06	4200	4	65	100	3	6	2	7632	3432	NCD-INNE	65	form-based		true	true	0.75	10	1.666666627	6	6	11448	7248	7248	1.5
1550	027	2522	0.06	4740	3	65	100	3	6	3	7566	2826	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11349	6609	6609	1.5
1550	028	2512	0.06	4740	3	65	100	3	6	3	7536	2796	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11304	6564	6564	1.5
1551	018	3000	0.07	2331	0	65	100	3	7	7	9000	6669	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8400	6069	6069	0.933333
1551	021	1964	0.05	1920	1	65	100	3	5	4	5892	3972	RTO-C	65	form-based			true	0.75	7	1.399999976	6	6	8838	6918	6918	1.5
1551	022	1964	0.05	1650	1	65	100	3	5	4	5892	4242	RTO-C	65	form-based			true	0.75	7	1.399999976	6	6	8838	7188	7188	1.5
1551	026	1889	0.04	1825	1	65	100	3	4	3	5667	3842	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8500.5	6675.5	6675.5	1.5
1551	027	1889	0.04	1670	1	65	100	3	4	3	5667	3997	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8500.5	6830.5	6830.5	1.5
1551	028	2262	0.05	2652	2	65	100	3	5	3	6786	4134	RTO-C	65	form-based		true	true	0.75	8	1.600000024	6	6	10179	7527	7527	1.5
1552	011	2977	0.07	2080	0	65	100	3	7	7	8931	6851	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8335.599609	6255.599609	6255.599609	0.933333
1552	041	3218	0.07	3315	1	65	100	3	7	6	9654	6339	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9010.399414	5695.399414	5695.399414	0.933333
1552	042	3218	0.07	3678	1	65	100	3	7	6	9654	5976	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9010.399414	5332.399414	5332.399414	0.933333
1553	001	3166	0.07	2850	1	65	100	3	7	6	9498	6648	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	8864.799805	6014.799805	6014.799805	0.933333
1553	003	3301	0.08	2979	1	65	100	3	8	7	9903	6924	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9242.799805	6263.799805	6263.799805	0.933333
1553	021	2422	0.06	2925	3	55	80	2.5	5	2	6055	3130	RTO-C	65	form-based		true	true	0.75	9	1.799999952	6	6	10899	7974	7974	1.8
1553	036	2982	0.07	2556	0	65	100	3	7	7	8946	6390	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8349.599609	5793.599609	5793.599609	0.933333
1554	015	1888	0.04	1750	1	65	100	3	4	3	5664	3914	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8496	6746	6746	1.5
1555	029	3358	0.08	2980	1	65	100	3	8	7	10074	7094	RH-2	40	form-based			true	0.7	7	0.875	6	6	9402.399414	6422.399414	6422.399414	0.933333
1557	021	3158	0.07	2454	1	65	100	3	7	6	9474	7020	RH-2	40	form-based			true	0.7	7	1	6	6	8842.399414	6388.399414	6388.399414	0.933333
1558	005	3191	0.07	1100	1	65	100	3	7	6	9573	8473	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7834.799805	7834.799805	0.933333
1558	006	3191	0.07	3304	1	65	100	3	7	6	9573	6269	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	5630.799805	5630.799805	0.933333
1558	007	3191	0.07	2020	1	65	100	3	7	6	9573	7553	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	6914.799805	6914.799805	0.933333
1558	008	3191	0.07	2050	1	65	100	3	7	6	9573	7523	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	6884.799805	6884.799805	0.933333
1558	009	3191	0.07	3057	1	65	100	3	7	6	9573	6516	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	5877.799805	5877.799805	0.933333
1558	010	3191	0.07	2898	1	65	100	3	7	6	9573	6675	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	6036.799805	6036.799805	0.933333
1558	011	3191	0.07	1950	1	65	100	3	7	6	9573	7623	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	6984.799805	6984.799805	0.933333
1558	012	3191	0.07	2070	1	65	100	3	7	6	9573	7503	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	6864.799805	6864.799805	0.933333
1558	013	3191	0.07	2340	1	65	100	3	7	6	9573	7233	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	6594.799805	6594.799805	0.933333
1558	013A	3191	0.07	4001	1	65	100	3	7	6	9573	5572	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	4933.799805	4933.799805	0.933333
1558	017	3191	0.07	1508	1	65	100	3	7	6	9573	8065	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7426.799805	7426.799805	0.933333
1558	019	1941	0.04	1975	1	65	100	3	4	3	5823	3848	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8734.5	6759.5	6759.5	1.5
1558	019A	1923	0.04	1950	1	55	80	2.5	3	2	4808	2858	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8653.5	6703.5	6703.5	1.799813
1558	019B	1960	0.04	2220	1	55	80	2.5	3	2	4900	2680	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8820	6600	6600	1.8
1558	024	1809	0.04	2690	1	55	80	2.5	3	2	4522	1832	RTO-C	65	form-based		true	true	0.75	7	2.333333254	6	5	8140.5	5450.5	5450.5	1.800199
1558	024A	1931	0.04	2062	1	65	100	3	4	3	5793	3731	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8689.5	6627.5	6627.5	1.5
1558	024B	1944	0.04	2020	1	65	100	3	4	3	5832	3812	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8748	6728	6728	1.5
1558	024C	1937	0.04	2070	1	65	100	3	4	3	5811	3741	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8716.5	6646.5	6646.5	1.5
1558	027	3188	0.07	1790	1	65	100	3	7	6	9564	7774	RH-2	40	form-based			true	0.7	7	1	6	6	8926.399414	7136.399414	7136.399414	0.933333
1558	033	3187	0.07	2050	1	65	100	3	7	6	9561	7511	RH-2	40	form-based			true	0.7	7	1	6	6	8923.599609	6873.599609	6873.599609	0.933333
1558	034	3188	0.07	2050	1	65	100	3	7	6	9564	7514	RH-2	40	form-based			true	0.7	7	1	6	6	8926.399414	6876.399414	6876.399414	0.933333
1558	035	3188	0.07	2340	1	65	100	3	7	6	9564	7224	RH-2	40	form-based			true	0.7	7	1	6	6	8926.399414	6586.399414	6586.399414	0.933333
1558	036	3188	0.07	2138	1	65	100	3	7	6	9564	7426	RH-2	40	form-based			true	0.7	7	1	6	6	8926.399414	6788.399414	6788.399414	0.933333
1558	037	3187	0.07	1291	1	65	100	3	7	6	9561	8270	RH-2	40	form-based			true	0.7	7	1	6	6	8923.599609	7632.599609	7632.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1558	038	3187	0.07	1650	1	65	100	3	7	6	9561	7911	RH-2	40	form-based			true	0.7	7	1	6	6	8923.599609	7273.599609	7273.599609	0.933333
1558	039	3188	0.07	2090	1	65	100	3	7	6	9564	7474	RH-2	40	form-based			true	0.7	7	1	6	6	8926.399414	6836.399414	6836.399414	0.933333
1558	040	3188	0.07	1650	1	65	100	3	7	6	9564	7914	RH-2	40	form-based			true	0.7	7	1	6	6	8926.399414	7276.399414	7276.399414	0.933333
1559	021	2459	0.06	2600	3	65	100	3	6	3	7377	4777	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11065.5	8465.5	8465.5	1.5
1559	023A	2064	0.05	1970	2	65	100	3	5	3	6192	4222	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9288	7318	7318	1.5
1559	026	3001	0.07	2660	0	65	100	3	7	7	9003	6343	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8402.799805	5742.799805	5742.799805	0.933333
1560	017	2975	0.07	2583	0	65	100	3	7	7	8925	6342	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8330	5747	5747	0.933333
1560	023	2459	0.06	2020	3	65	100	3	6	3	7377	5357	NC-1	65	form-based			true	0.75	9	1.5	6	6	11065.5	9045.5	9045.5	1.5
1560	028	3038	0.07	2050	0	65	100	3	7	7	9114	7064	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8506.399414	6456.399414	6456.399414	0.933333
1562	023A	2460	0.06	2860	3	65	100	3	6	3	7380	4520	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11070	8210	8210	1.5
1562	045	2460	0.06	768	3	65	100	3	6	3	7380	6612	NC-1	65	form-based			true	0.75	9	1.5	6	6	11070	10302	10302	1.5
1565	012A	2095	0.05	3794	2	65	100	3	5	3	6285	2491	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9427.5	5633.5	5633.5	1.5
1565	013	2045	0.05	2970	2	65	100	3	5	3	6135	3165	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9202.5	6232.5	6232.5	1.5
1565	013A	2045	0.05	2970	2	65	100	3	5	3	6135	3165	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9202.5	6232.5	6232.5	1.5
1566	013	2793	0.06	0	0	65	100	3	6	6	8379	8379	RH-2	40	form-based			true	0.7	6	1	6	6	7820.399902	7820.399902	7820.399902	0.933333
1566	026	3223	0.07	1494	1	65	100	3	7	6	9669	8175	RH-2	40	form-based			true	0.7	7	1	6	6	9024.399414	7530.399414	7530.399414	0.933333
1566	026B	3223	0.07	2070	1	65	100	3	7	6	9669	7599	RH-2	40	form-based			true	0.7	7	1	6	6	9024.399414	6954.399414	6954.399414	0.933333
1566	026C	3223	0.07	1150	1	65	100	3	7	6	9669	8519	RH-2	40	form-based			true	0.7	7	1	6	6	9024.399414	7874.399414	7874.399414	0.933333
1567	022	2987	0.07	1265	0	65	100	3	7	7	8961	7696	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8363.599609	7098.599609	7098.599609	0.933333
1567	038	2162	0.05	4105	2	65	100	3	5	3	6486	2381	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9729	5624	5624	1.5
1567	039	2162	0.05	3295	2	65	100	3	5	3	6486	3191	RTO-C	65	form-based		true	true	0.75	8	1.600000024	6	6	9729	6434	6434	1.5
1567	040	2163	0.05	2016	2	65	100	3	5	3	6489	4473	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9733.5	7717.5	7717.5	1.5
1568	011A	1896	0.04	1800	1	65	100	3	4	3	5688	3888	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8532	6732	6732	1.5
1568	011B	1896	0.04	1480	1	65	100	3	4	3	5688	4208	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8532	7052	7052	1.5
1568	011C	1896	0.04	2180	1	65	100	3	4	3	5688	3508	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8532	6352	6352	1.5
1568	014	2484	0.06	4148	3	65	100	3	6	3	7452	3304	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11178	7030	7030	1.5
1569	011	3656	0.08	4485	2	65	100	3	8	6	10968	6483	RH-2	40	form-based			true	0.7	8	1	6	6	10236.7998	5751.799805	5751.799805	0.933333
1569	014B	1921	0.04	2128	1	65	100	3	4	3	5763	3635	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8644.5	6516.5	6516.5	1.5
1569	014C	1921	0.04	1225	1	55	80	2.5	3	2	4802	3577	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8644.5	7419.5	7419.5	1.800187
1570	010B	1875	0.04	1375	1	65	100	3	4	3	5625	4250	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	7062.5	7062.5	1.5
1570	010C	1875	0.04	1996	1	65	100	3	4	3	5625	3629	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	6441.5	6441.5	1.5
1570	010D	1765	0.04	2341	1	65	100	3	4	3	5295	2954	RTO-C	65	form-based	true		true	0.75	7	1.75	6	6	7942.5	5601.5	5601.5	1.5
1570	012B	1864	0.04	1350	1	65	100	3	4	3	5592	4242	NC-1	65	form-based			true	0.75	7	1.75	6	6	8388	7038	7038	1.5
1570	012C	1864	0.04	1350	1	65	100	3	4	3	5592	4242	NC-1	65	form-based			true	0.75	7	1.75	6	6	8388	7038	7038	1.5
1570	035	3777	0.09	1131	2	65	100	3	9	7	11331	10200	RM-1	40	form-based			true	0.7	8	0.888888896	6	6	10575.59961	9444.599609	9444.599609	0.933333
1571	005G	2063	0.05	2640	2	65	100	3	5	3	6189	3549	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9283.5	6643.5	6643.5	1.5
1571	005H	2063	0.05	2640	2	65	100	3	5	3	6189	3549	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9283.5	6643.5	6643.5	1.5
1571	005I	2063	0.05	2640	2	65	100	3	5	3	6189	3549	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9283.5	6643.5	6643.5	1.5
1572	005	3098	0.07	1200	1	65	100	3	7	6	9294	8094	RH-2	40	form-based			true	0.7	7	1	6	6	8674.399414	7474.399414	7474.399414	0.933333
1572	010	3360	0.08	2088	1	65	100	3	8	7	10080	7992	RH-2	40	form-based			true	0.7	7	0.875	6	6	9408	7320	7320	0.933333
1572	012A	1863	0.04	1686	1	65	100	3	4	3	5589	3903	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8383.5	6697.5	6697.5	1.5
1572	012B	1802	0.04	2188	1	65	100	3	4	3	5406	3218	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8109	5921	5921	1.5
1572	014	2577	0.06	3844	4	65	100	3	6	2	7731	3887	RTO-C	65	form-based			true	0.75	10	1.666666627	6	6	11596.5	7752.5	7752.5	1.5
1572	014A	2577	0.06	3844	4	65	100	3	6	2	7731	3887	RTO-C	65	form-based			true	0.75	10	1.666666627	6	6	11596.5	7752.5	7752.5	1.5
1572	014B	2261	0.05	3094	2	65	100	3	5	3	6783	3689	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	10174.5	7080.5	7080.5	1.5
1572	015	3294	0.08	2650	1	65	100	3	8	7	9882	7232	RH-2	40	form-based			true	0.7	7	0.875	6	6	9223.200195	6573.200195	6573.200195	0.933333
1572	015A	3246	0.07	1990	1	65	100	3	7	6	9738	7748	RH-2	40	form-based			true	0.7	7	1	6	6	9088.799805	7098.799805	7098.799805	0.933333
1572	015B	3236	0.07	2240	1	65	100	3	7	6	9708	7468	RH-2	40	form-based			true	0.7	7	1	6	6	9060.799805	6820.799805	6820.799805	0.933333
1574	009	1892	0.04	1090	1	65	100	3	4	3	5676	4586	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8514	7424	7424	1.5
1574	009A	1840	0.04	1220	1	65	100	3	4	3	5520	4300	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8280	7060	7060	1.5
1574	009B	1840	0.04	1115	1	65	100	3	4	3	5520	4405	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8280	7165	7165	1.5
1574	009C	1840	0.04	975	1	65	100	3	4	3	5520	4545	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8280	7305	7305	1.5
1575	028A	3313	0.08	2650	1	65	100	3	8	7	9939	7289	RH-2	40	form-based			true	0.7	7	0.875	6	6	9276.399414	6626.399414	6626.399414	0.933333
1576	005F	3000	0.07	2117	0	65	100	3	7	7	9000	6883	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8400	6283	6283	0.933333
1577	013B	2466	0.06	3066	3	65	100	3	6	3	7398	4332	NCD-OUTE	65	form-based			true	0.75	9	1.5	6	6	11097	8031	8031	1.5
1578	014A	2467	0.06	3427	3	55	80	2.5	5	2	6168	2741	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	6	6	11101.5	7674.5	7674.5	1.799854
1578	014B	2467	0.06	2904	3	55	80	2.5	5	2	6168	3264	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	6	6	11101.5	8197.5	8197.5	1.799854
1578	041	2467	0.06	1156	3	55	80	2.5	5	2	6168	5012	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	6	6	11101.5	9945.5	9945.5	1.799854
1580	003	3123	0.07	2163	1	55	80	2.5	6	5	7808	5645	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8744.399414	6581.399414	6581.399414	1.119928
1580	003F	3125	0.07	1475	1	55	80	2.5	6	5	7812	6337	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	7275	7275	1.120072
1580	003G	3127	0.07	1811	1	55	80	2.5	6	5	7818	6007	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8755.599609	6944.599609	6944.599609	1.119928
1580	003H	3130	0.07	1815	1	55	80	2.5	6	5	7825	6010	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8764	6949	6949	1.12
1580	005C	2788	0.06	3375	4	55	80	2.5	5	1	6970	3595	NCD-OUTE	65	form-based			true	0.75	10	2	6	6	12546	9171	9171	1.8
1581	004	3130	0.07	2710	1	55	80	2.5	6	5	7825	5115	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8764	6054	6054	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1581	004A	3240	0.07	1604	1	55	80	2.5	6	5	8100	6496	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9072	7468	7468	1.12
1581	004B	3120	0.07	2182	1	55	80	2.5	6	5	7800	5618	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	6554	6554	1.12
1581	007G	3119	0.07	4950	6	55	80	2.5	6	0	7798	2848	NCD-OUTE	65	form-based		true	true	0.75	12	2	6	6	14035.5	9085.5	9085.5	1.799885
1582	024	1971	0.05	1500	1	55	80	2.5	4	3	4928	3428	RTO-C	65	form-based		true	true	0.75	7	1.75	6	6	8869.5	7369.5	7369.5	1.799817
1583	006	3250	0.07	1368	1	55	80	2.5	6	5	8125	6757	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9100	7732	7732	1.12
1583	045	3108	0.07	1590	1	55	80	2.5	6	5	7770	6180	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8702.399414	7112.399414	7112.399414	1.12
1604	001A	1986	0.05	1100	1	55	80	2.5	4	3	4965	3865	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8937	7837	7837	1.8
1604	001B	1986	0.05	1863	1	55	80	2.5	4	3	4965	3102	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8937	7074	7074	1.8
1604	001C	1986	0.05	1860	1	55	80	2.5	4	3	4965	3105	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8937	7077	7077	1.8
1605	035	3434	0.08	1750	1	55	80	2.5	6	5	8585	6835	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9615.200195	7865.200195	7865.200195	1.12
1606	009	3114	0.07	1377	1	55	80	2.5	6	5	7785	6408	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8719.200195	7342.200195	7342.200195	1.12
1606	010	3114	0.07	1190	1	55	80	2.5	6	5	7785	6595	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8719.200195	7529.200195	7529.200195	1.12
1606	018	3198	0.07	1359	1	55	80	2.5	6	5	7995	6636	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8954.399414	7595.399414	7595.399414	1.12
1606	028	3120	0.07	1120	1	55	80	2.5	6	5	7800	6680	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	7616	7616	1.12
1606	029	3120	0.07	1120	1	55	80	2.5	6	5	7800	6680	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	7616	7616	1.12
1606	030	3120	0.07	1120	1	55	80	2.5	6	5	7800	6680	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	7616	7616	1.12
1606	031	3120	0.07	2230	1	55	80	2.5	6	5	7800	5570	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	6506	6506	1.12
1606	032	3120	0.07	1849	1	55	80	2.5	6	5	7800	5951	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	6887	6887	1.12
1607	001A	3125	0.07	2250	1	55	80	2.5	6	5	7812	5562	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	6500	6500	1.120072
1608	001	2534	0.06	3250	4	55	80	2.5	5	1	6335	3085	NCD-OUTE	65	form-based		true	true	0.75	10	2	6	6	11403	8153	8153	1.8
1609	003	2099	0.05	2300	2	55	80	2.5	4	2	5248	2948	NCD- OUT	65	form-based			true	0.75	8	2	6	6	9445.5	7145.5	7145.5	1.799829
1609	005	3401	0.08	3514	1	55	80	2.5	6	5	8502	4988	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9522.799805	6008.799805	6008.799805	1.120066
1609	006	3401	0.08	3015	1	55	80	2.5	6	5	8502	5487	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9522.799805	6507.799805	6507.799805	1.120066
1609	007	3401	0.08	3018	1	55	80	2.5	6	5	8502	5484	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9522.799805	6504.799805	6504.799805	1.120066
1609	009A	3279	0.08	2935	1	55	80	2.5	6	5	8198	5263	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9181.200195	6246.200195	6246.200195	1.119932
1609	009B	3219	0.07	2034	1	55	80	2.5	6	5	8048	6014	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9013.200195	6979.200195	6979.200195	1.11993
1609	009C	3219	0.07	1950	1	55	80	2.5	6	5	8048	6098	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9013.200195	7063.200195	7063.200195	1.11993
1609	013	3219	0.07	2896	1	55	80	2.5	6	5	8048	5152	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9013.200195	6117.200195	6117.200195	1.11993
1609	013C	3231	0.07	3631	1	55	80	2.5	6	5	8078	4447	RH-2	40	form-based		true	true	0.7	7	1.166666627	6	6	9046.799805	5415.799805	5415.799805	1.119931
1609	014	3475	0.08	1250	1	55	80	2.5	6	5	8688	7438	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9730	8480	8480	1.119936
1609	015	3557	0.08	2540	1	55	80	2.5	6	5	8892	6352	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9959.599609	7419.599609	7419.599609	1.120063
1609	016	3557	0.08	2812	1	55	80	2.5	6	5	8892	6080	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9959.599609	7147.599609	7147.599609	1.120063
1609	016A	3557	0.08	2812	1	55	80	2.5	6	5	8892	6080	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9959.599609	7147.599609	7147.599609	1.120063
1609	019	3557	0.08	2184	1	55	80	2.5	6	5	8892	6708	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9959.599609	7775.599609	7775.599609	1.120063
1609	020	3557	0.08	2811	1	55	80	2.5	6	5	8892	6081	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9959.599609	7148.599609	7148.599609	1.120063
1609	020A	3557	0.08	2499	1	55	80	2.5	6	5	8892	6393	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9959.599609	7460.599609	7460.599609	1.120063
1609	022	2521	0.06	2710	3	55	80	2.5	5	2	6302	3592	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	6	6	11344.5	8634.5	8634.5	1.800143
1610	009	3600	0.08	4050	2	55	80	2.5	6	4	9000	4950	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10080	6030	6030	1.12
1610	013	3360	0.08	1776	1	55	80	2.5	6	5	8400	6624	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9408	7632	7632	1.12
1610	014	3360	0.08	2544	1	55	80	2.5	6	5	8400	5856	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9408	6864	6864	1.12
1610	015	3360	0.08	2084	1	55	80	2.5	6	5	8400	6316	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9408	7324	7324	1.12
1610	016	3360	0.08	2960	1	55	80	2.5	6	5	8400	5440	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9408	6448	6448	1.12
1610	020	3600	0.08	4539	2	55	80	2.5	6	4	9000	4461	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10080	5541	5541	1.12
1610	022	3600	0.08	3210	2	55	80	2.5	6	4	9000	5790	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10080	6870	6870	1.12
1610	024A	3900	0.09	3480	2	55	80	2.5	7	5	9750	6270	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10920	7440	7440	1.12
1610	028	4501	0.1	3500	3	55	80	2.5	8	5	11252	7752	RH-2	40	form-based			true	0.7	9	1.125	6	6	12602.7998	9102.799805	9102.799805	1.12005
1610	041	4500	0.1	992	3	55	80	2.5	8	5	11250	10258	RH-2	40	form-based			true	0.7	9	1.125	6	6	12600	11608	11608	1.12
1610	044	4500	0.1	2133	3	55	80	2.5	8	5	11250	9117	RH-2	40	form-based			true	0.7	9	1.125	6	6	12600	10467	10467	1.12
1612	012	3324	0.08	1756	1	55	80	2.5	6	5	8310	6554	RH-2	40	form-based		true	true	0.7	7	1.166666627	6	6	9307.200195	7551.200195	7551.200195	1.12
1613	001A	2353	0.05	2775	3	55	80	2.5	4	1	5882	3107	RTO-C	65	form-based			true	0.75	9	2.25	6	5	10588.5	7813.5	7813.5	1.800153
1613	002	1890	0.04	1369	1	55	80	2.5	3	2	4725	3356	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8505	7136	7136	1.8
1613	005	3809	0.09	4574	2	55	80	2.5	7	5	9522	4948	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10665.2002	6091.200195	6091.200195	1.120059
1613	009	2250	0.05	2576	2	55	80	2.5	4	2	5625	3049	RTO-C	65	form-based			true	0.75	8	2	6	6	10125	7549	7549	1.8
1614	006	3097	0.07	2220	1	55	80	2.5	6	5	7742	5522	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8671.599609	6451.599609	6451.599609	1.120072
1614	007	3216	0.07	2760	1	55	80	2.5	6	5	8040	5280	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9004.799805	6244.799805	6244.799805	1.12
1614	013	3363	0.08	2243	1	55	80	2.5	6	5	8408	6165	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9416.399414	7173.399414	7173.399414	1.119933
1614	014	3423	0.08	2318	1	55	80	2.5	6	5	8558	6240	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9584.399414	7266.399414	7266.399414	1.119934
1615	004	3205	0.07	1832	1	55	80	2.5	6	5	8012	6180	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8974	7142	7142	1.12007
1615	016F	1852	0.04	1803	1	55	80	2.5	3	2	4630	2827	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8334	6531	6531	1.8
1616	005	3130	0.07	1550	1	55	80	2.5	6	5	7825	6275	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8764	7214	7214	1.12
1616	005A	3150	0.07	1563	1	55	80	2.5	6	5	7875	6312	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8820	7257	7257	1.12
1616	007	3239	0.07	1350	1	55	80	2.5	6	5	8098	6748	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9069.200195	7719.200195	7719.200195	1.119931
1616	009	3120	0.07	1360	1	55	80	2.5	6	5	7800	6440	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	7376	7376	1.12
1616	010	3120	0.07	2435	1	55	80	2.5	6	5	7800	5365	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	6301	6301	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1616	024	2756	0.06	0	0	55	80	2.5	5	5	6890	6890	RH-2	40	form-based		true	true	0.7	6	1.200000048	6	6	7716.799805	7716.799805	7716.799805	1.12
1616	031	3136	0.07	2143	1	55	80	2.5	6	5	7840	5697	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8780.799805	6637.799805	6637.799805	1.12
1616	037	3156	0.07	1635	1	55	80	2.5	6	5	7890	6255	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8836.799805	7201.799805	7201.799805	1.12
1616	047	2597	0.06	3430	4	55	80	2.5	5	1	6492	3062	RTO-C	65	form-based			true	0.75	10	2	6	6	11686.5	8256.5	8256.5	1.800139
1617	003	3651	0.08	3441	2	55	80	2.5	6	4	9128	5687	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10222.7998	6781.799805	6781.799805	1.119939
1617	023	3120	0.07	1590	1	55	80	2.5	6	5	7800	6210	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	7146	7146	1.12
1617	025	3120	0.07	1120	1	55	80	2.5	6	5	7800	6680	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	7616	7616	1.12
1617	026	3120	0.07	1724	1	55	80	2.5	6	5	7800	6076	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	7012	7012	1.12
1617	026A	3120	0.07	1740	1	55	80	2.5	6	5	7800	6060	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	6996	6996	1.12
1617	027	3120	0.07	1750	1	55	80	2.5	6	5	7800	6050	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	6986	6986	1.12
1617	028	3120	0.07	1740	1	55	80	2.5	6	5	7800	6060	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	6996	6996	1.12
1617	028A	3120	0.07	1740	1	55	80	2.5	6	5	7800	6060	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	6996	6996	1.12
1617	029	3120	0.07	1825	1	55	80	2.5	6	5	7800	5975	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	6911	6911	1.12
1617	030	3420	0.08	1305	1	55	80	2.5	6	5	8550	7245	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9576	8271	8271	1.12
1617	036	3279	0.08	2390	1	55	80	2.5	6	5	8198	5808	RH-2	40	form-based		true	true	0.7	7	1.166666627	6	6	9181.200195	6791.200195	6791.200195	1.119932
1618	001	2736	0.06	4920	4	55	80	2.5	5	1	6840	1920	RTO-C	65	form-based		true	true	0.75	10	2	6	6	12312	7392	7392	1.8
1618	003B	3557	0.08	1340	1	55	80	2.5	6	5	8892	7552	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9959.599609	8619.599609	8619.599609	1.120063
1618	005F	3157	0.07	1710	1	55	80	2.5	6	5	7892	6182	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8839.599609	7129.599609	7129.599609	1.120071
1618	005G	3157	0.07	1560	1	55	80	2.5	6	5	7892	6332	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8839.599609	7279.599609	7279.599609	1.120071
1618	016	1867	0.04	1672	1	55	80	2.5	3	2	4668	2996	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8401.5	6729.5	6729.5	1.799807
1619	001A	1768	0.04	1379	1	55	80	2.5	3	2	4420	3041	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	7956	6577	6577	1.8
1619	001B	1768	0.04	1560	1	55	80	2.5	3	2	4420	2860	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	7956	6396	6396	1.8
1619	002	3678	0.08	5332	2	55	80	2.5	6	4	9195	3863	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10298.39941	4966.399414	4966.399414	1.12
1619	004	3372	0.08	1653	1	55	80	2.5	6	5	8430	6777	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9441.599609	7788.599609	7788.599609	1.12
1619	016	3389	0.08	2424	1	55	80	2.5	6	5	8472	6048	RH-2	40	form-based		true	true	0.7	7	1.166666627	6	6	9489.200195	7065.200195	7065.200195	1.120066
1620	008	3249	0.07	2490	1	55	80	2.5	6	5	8122	5632	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9097.200195	6607.200195	6607.200195	1.120069
1621	001D	1918	0.04	1085	1	55	80	2.5	3	2	4795	3710	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8631	7546	7546	1.8
1621	002	3355	0.08	2620	1	55	80	2.5	6	5	8388	5768	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9394	6774	6774	1.119933
1621	018	4800	0.11	4400	4	55	80	2.5	9	5	12000	7600	RH-2	40	form-based			true	0.7	10	1.111111164	6	6	13440	9040	9040	1.12
1621	036	3360	0.08	2000	1	55	80	2.5	6	5	8400	6400	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9408	7408	7408	1.12
1623	001A	1980	0.05	2317	1	55	80	2.5	4	3	4950	2633	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8910	6593	6593	1.8
1623	001B	1980	0.05	2100	1	55	80	2.5	4	3	4950	2850	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8910	6810	6810	1.8
1623	005	3147	0.07	2300	1	55	80	2.5	6	5	7868	5568	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8811.599609	6511.599609	6511.599609	1.119929
1623	010	3164	0.07	1860	1	55	80	2.5	6	5	7910	6050	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8859.200195	6999.200195	6999.200195	1.12
1623	031	3254	0.07	1245	1	55	80	2.5	6	5	8135	6890	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9111.200195	7866.200195	7866.200195	1.12
1623	036	3600	0.08	3350	2	55	80	2.5	6	4	9000	5650	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10080	6730	6730	1.12
1624	001D	2051	0.05	3150	2	55	80	2.5	4	2	5128	1978	RTO-C	65	form-based			true	0.75	8	2	6	6	9229.5	6079.5	6079.5	1.799824
1624	005	4015	0.09	4240	2	55	80	2.5	7	5	10038	5798	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	11242	7002	7002	1.119944
1624	005K	3925	0.09	4198	2	55	80	2.5	7	5	9812	5614	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10990	6792	6792	1.120057
1624	006F	3240	0.07	1240	1	55	80	2.5	6	5	8100	6860	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9072	7832	7832	1.12
1624	006G	3240	0.07	1874	1	55	80	2.5	6	5	8100	6226	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9072	7198	7198	1.12
1624	006J	3240	0.07	1240	1	55	80	2.5	6	5	8100	6860	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9072	7832	7832	1.12
1624	006K	3240	0.07	1436	1	55	80	2.5	6	5	8100	6664	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9072	7636	7636	1.12
1624	006M	3120	0.07	2852	1	55	80	2.5	6	5	7800	4948	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8736	5884	5884	1.12
1625	003	2448	0.06	3850	3	55	80	2.5	5	2	6120	2270	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11016	7166	7166	1.8
1625	005	3293	0.08	1947	1	55	80	2.5	6	5	8232	6285	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9220.399414	7273.399414	7273.399414	1.120068
1625	005B	3293	0.08	1630	1	55	80	2.5	6	5	8232	6602	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9220.399414	7590.399414	7590.399414	1.120068
1625	005C	3342	0.08	2481	1	55	80	2.5	6	5	8355	5874	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9357.599609	6876.599609	6876.599609	1.12
1625	005D	3293	0.08	1852	1	55	80	2.5	6	5	8232	6380	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9220.399414	7368.399414	7368.399414	1.120068
1625	010	3587	0.08	4050	2	55	80	2.5	6	4	8968	4918	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10043.59961	5993.599609	5993.599609	1.119938
1625	010G	3467	0.08	1150	1	55	80	2.5	6	5	8668	7518	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9707.599609	8557.599609	8557.599609	1.119935
1625	017	7043	0.16	9350	9	55	80	2.5	13	4	17608	8258	RH-2	40	form-based	true	true	true	0.7	15	1.153846145	6	6	19720.40039	10370.40039	10370.40039	1.119968
1625	024B	1885	0.04	1700	1	55	80	2.5	3	2	4712	3012	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8482.5	6782.5	6782.5	1.800191
1625	029	3714	0.09	2032	2	55	80	2.5	7	5	9285	7253	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10399.2002	8367.200195	8367.200195	1.12
1627	018	3956	0.09	3442	2	55	80	2.5	7	5	9890	6448	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	11076.7998	7634.799805	7634.799805	1.12
1628	006	3758	0.09	3290	2	55	80	2.5	7	5	9395	6105	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10522.39941	7232.399414	7232.399414	1.12
1628	007	3758	0.09	3290	2	55	80	2.5	7	5	9395	6105	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10522.39941	7232.399414	7232.399414	1.12
1628	010	3135	0.07	2659	1	55	80	2.5	6	5	7838	5179	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8778	6119	6119	1.119929
1628	010A	3135	0.07	1878	1	55	80	2.5	6	5	7838	5960	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8778	6900	6900	1.119929
1628	010B	3126	0.07	1978	1	55	80	2.5	6	5	7815	5837	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8752.799805	6774.799805	6774.799805	1.12
1628	010C	3112	0.07	1868	1	55	80	2.5	6	5	7780	5912	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8713.599609	6845.599609	6845.599609	1.12
1628	010D	3112	0.07	1876	1	55	80	2.5	6	5	7780	5904	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8713.599609	6837.599609	6837.599609	1.12
1628	010E	3189	0.07	1910	1	55	80	2.5	6	5	7972	6062	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8929.200195	7019.200195	7019.200195	1.12007
1628	018A	3334	0.08	1385	1	55	80	2.5	6	5	8335	6950	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9335.200195	7950.200195	7950.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1629	001	1944	0.04	2400	1	55	80	2.5	3	2	4860	2460	RTO-C	65	form-based		true	true	0.75	7	2.333333254	6	5	8748	6348	6348	1.8
1629	001A	1938	0.04	1900	1	55	80	2.5	3	2	4845	2945	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8721	6821	6821	1.8
1629	005	3655	0.08	3600	2	55	80	2.5	6	4	9138	5538	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10234	6634	6634	1.119939
1629	006	3295	0.08	2200	1	55	80	2.5	6	5	8238	6038	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9226	7026	7026	1.119932
1629	007	3456	0.08	2188	1	55	80	2.5	6	5	8640	6452	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9676.799805	7488.799805	7488.799805	1.12
1629	023	3537	0.08	2050	1	55	80	2.5	6	5	8842	6792	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9903.599609	7853.599609	7853.599609	1.120063
1629	024	3530	0.08	2220	1	55	80	2.5	6	5	8825	6605	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9884	7664	7664	1.12
1629	027	3510	0.08	1275	1	55	80	2.5	6	5	8775	7500	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9828	8553	8553	1.12
1629	028	3190	0.07	2377	1	55	80	2.5	6	5	7975	5598	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8932	6555	6555	1.12
1629	029	3190	0.07	2095	1	55	80	2.5	6	5	7975	5880	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8932	6837	6837	1.12
1629	030	3190	0.07	1615	1	55	80	2.5	6	5	7975	6360	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8932	7317	7317	1.12
1629	033	3190	0.07	1960	1	55	80	2.5	6	5	7975	6015	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8932	6972	6972	1.12
1629	034	3190	0.07	3642	1	55	80	2.5	6	5	7975	4333	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8932	5290	5290	1.12
1629	036	3190	0.07	2100	1	55	80	2.5	6	5	7975	5875	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8932	6832	6832	1.12
1629	037	1940	0.04	2300	1	55	80	2.5	3	2	4850	2550	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8730	6430	6430	1.8
1629	038	1940	0.04	2300	1	55	80	2.5	3	2	4850	2550	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8730	6430	6430	1.8
1629	039	1940	0.04	2701	1	55	80	2.5	3	2	4850	2149	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8730	6029	6029	1.8
1629	049	3629	0.08	2009	2	55	80	2.5	6	4	9072	7063	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10161.2002	8152.200195	8152.200195	1.120062
1630	024	3151	0.07	1700	1	55	80	2.5	6	5	7878	6178	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	7122.799805	7122.799805	1.119929
1630	025	3151	0.07	2300	1	55	80	2.5	6	5	7878	5578	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	6522.799805	6522.799805	1.119929
1630	026	3151	0.07	2300	1	55	80	2.5	6	5	7878	5578	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	6522.799805	6522.799805	1.119929
1630	027	3151	0.07	2710	1	55	80	2.5	6	5	7878	5168	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	6112.799805	6112.799805	1.119929
1630	028	3151	0.07	2300	1	55	80	2.5	6	5	7878	5578	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	6522.799805	6522.799805	1.119929
1630	029	3151	0.07	2492	1	55	80	2.5	6	5	7878	5386	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	6330.799805	6330.799805	1.119929
1630	030	3151	0.07	1970	1	55	80	2.5	6	5	7878	5908	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	6852.799805	6852.799805	1.119929
1632	009	3416	0.08	2352	1	55	80	2.5	6	5	8540	6188	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9564.799805	7212.799805	7212.799805	1.12
1632	009A	3359	0.08	4090	1	55	80	2.5	6	5	8398	4308	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9405.200195	5315.200195	5315.200195	1.119933
1632	009C	3344	0.08	2352	1	55	80	2.5	6	5	8360	6008	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9363.200195	7011.200195	7011.200195	1.12
1632	009D	3344	0.08	2441	1	55	80	2.5	6	5	8360	5919	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9363.200195	6922.200195	6922.200195	1.12
1632	009E	3344	0.08	2128	1	55	80	2.5	6	5	8360	6232	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9363.200195	7235.200195	7235.200195	1.12
1632	009F	3344	0.08	2297	1	55	80	2.5	6	5	8360	6063	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9363.200195	7066.200195	7066.200195	1.12
1632	009M	3339	0.08	3411	1	55	80	2.5	6	5	8348	4937	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9349.200195	5938.200195	5938.200195	1.119933
1632	009N	3339	0.08	2665	1	55	80	2.5	6	5	8348	5683	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9349.200195	6684.200195	6684.200195	1.119933
1632	009O	3339	0.08	2974	1	55	80	2.5	6	5	8348	5374	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9349.200195	6375.200195	6375.200195	1.119933
1632	009P	3339	0.08	2874	1	55	80	2.5	6	5	8348	5474	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9349.200195	6475.200195	6475.200195	1.119933
1632	018	2465	0.06	2382	3	55	80	2.5	5	2	6162	3780	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11092.5	8710.5	8710.5	1.800146
1633	019	3114	0.07	1490	1	55	80	2.5	6	5	7785	6295	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8719.200195	7229.200195	7229.200195	1.12
1633	022	3563	0.08	2573	1	55	80	2.5	6	5	8908	6335	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9976.399414	7403.399414	7403.399414	1.119937
1633	032	3120	0.07	2713	1	55	80	2.5	6	5	7800	5087	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8736	6023	6023	1.12
1635	021	3033	0.07	2285	0	55	80	2.5	6	6	7582	5297	RH-2	40	form-based			true	0.7	6	1	6	6	8492.399414	6207.399414	6207.399414	1.120074
1635	029A	2001	0.05	3586	2	55	80	2.5	4	2	5002	1416	RTO-C	65	form-based		true	true	0.75	8	2	6	6	9004.5	5418.5	5418.5	1.80018
1636	001D	3614	0.08	3920	2	55	80	2.5	6	4	9035	5115	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10119.2002	6199.200195	6199.200195	1.12
1636	004	3326	0.08	1835	1	55	80	2.5	6	5	8315	6480	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9312.799805	7477.799805	7477.799805	1.12
1636	004B	3326	0.08	2480	1	55	80	2.5	6	5	8315	5835	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9312.799805	6832.799805	6832.799805	1.12
1636	004C	3326	0.08	1312	1	55	80	2.5	6	5	8315	7003	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9312.799805	8000.799805	8000.799805	1.12
1636	025A	3614	0.08	3820	2	55	80	2.5	6	4	9035	5215	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10119.2002	6299.200195	6299.200195	1.12
1637	027	3318	0.08	3256	1	55	80	2.5	6	5	8295	5039	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9290.399414	6034.399414	6034.399414	1.12
1637	029	3240	0.07	2576	1	55	80	2.5	6	5	8100	5524	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9072	6496	6496	1.12
1637	029A	3240	0.07	2160	1	55	80	2.5	6	5	8100	5940	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9072	6912	6912	1.12
1637	030	3240	0.07	2670	1	55	80	2.5	6	5	8100	5430	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9072	6402	6402	1.12
1638	025	3912	0.09	3024	2	55	80	2.5	7	5	9780	6756	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10953.59961	7929.599609	7929.599609	1.12
1639	045	2375	0.05	2775	3	55	80	2.5	4	1	5938	3163	RTO-C	65	form-based			true	0.75	9	2.25	6	5	10687.5	7912.5	7912.5	1.799848
1639	047	2504	0.06	5250	3	55	80	2.5	5	2	6260	1010	NCD-INNE	65	form-based			true	0.75	9	1.799999952	6	6	11268	6018	6018	1.8
1641	051	2499	0.06	3184	3	55	80	2.5	5	2	6248	3064	NCD-INNE	65	form-based			true	0.75	9	1.799999952	6	6	11245.5	8061.5	8061.5	1.799856
1643	048	2375	0.05	2880	3	55	80	2.5	4	1	5938	3058	RTO-C	65	form-based			true	0.75	9	2.25	6	5	10687.5	7807.5	7807.5	1.799848
1643	051	2506	0.06	4764	3	55	80	2.5	5	2	6265	1501	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	11277	6513	6513	1.8
1644	020	3739	0.09	4670	2	55	80	2.5	7	5	9348	4678	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10469.2002	5799.200195	5799.200195	1.11994
1645	020	3343	0.08	2817	1	55	80	2.5	6	5	8358	5541	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9360.399414	6543.399414	6543.399414	1.119933
1645	027	3300	0.08	2688	1	55	80	2.5	6	5	8250	5562	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9240	6552	6552	1.12
1645	030	3216	0.07	2080	1	55	80	2.5	6	5	8040	5960	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9004.799805	6924.799805	6924.799805	1.12
1646	004	3176	0.07	1860	1	55	80	2.5	6	5	7940	6080	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8892.799805	7032.799805	7032.799805	1.12
1646	007	3327	0.08	3516	1	55	80	2.5	6	5	8318	4802	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9315.599609	5799.599609	5799.599609	1.119933
1646	020	3341	0.08	1964	1	55	80	2.5	6	5	8352	6388	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9354.799805	7390.799805	7390.799805	1.120067
1646	021	3726	0.09	3438	2	55	80	2.5	7	5	9315	5877	RH-1	40	form-based			true	0.7	8	1.142857194	6	6	10432.7998	6994.799805	6994.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1651	019	1982	0.05	3380	4	55	80	2.5	4	0	4955	1575	RTO-C	85	form-based		true	true	0.75	10	2.5	6	4	11892	8512	6530	2.4
1652	035	2879	0.07	2602	0	55	80	2.5	6	6	7198	4596	NC-1	40	form-based		true	true	0.75	6	1	6	6	8637	6035	6035	1.199917
1657	006	3222	0.07	3235	1	55	80	2.5	6	5	8055	4820	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9021.599609	5786.599609	5786.599609	1.12
1655	032	3366	0.08	3660	1	55	80	2.5	6	5	8415	4755	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9424.799805	5764.799805	5764.799805	1.12
1655	047	3163	0.07	3004	1	55	80	2.5	6	5	7908	4904	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8856.399414	5852.399414	5852.399414	1.119929
1657	006A	3222	0.07	2885	1	55	80	2.5	6	5	8055	5170	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9021.599609	6136.599609	6136.599609	1.12
1657	007	3222	0.07	3005	1	55	80	2.5	6	5	8055	5050	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9021.599609	6016.599609	6016.599609	1.12
1657	007A	3151	0.07	2400	1	55	80	2.5	6	5	7878	5478	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	6422.799805	6422.799805	1.119929
1657	007B	3151	0.07	3014	1	55	80	2.5	6	5	7878	4864	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	5808.799805	5808.799805	1.119929
1657	007C	3222	0.07	3239	1	55	80	2.5	6	5	8055	4816	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9021.599609	5782.599609	5782.599609	1.12
1657	008	3222	0.07	2885	1	55	80	2.5	6	5	8055	5170	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9021.599609	6136.599609	6136.599609	1.12
1657	008A	3222	0.07	2885	1	55	80	2.5	6	5	8055	5170	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9021.599609	6136.599609	6136.599609	1.12
1657	008B	3151	0.07	2454	1	55	80	2.5	6	5	7878	5424	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	6368.799805	6368.799805	1.119929
1657	008C	3151	0.07	2400	1	55	80	2.5	6	5	7878	5478	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	6422.799805	6422.799805	1.119929
1657	011	4028	0.09	4370	2	55	80	2.5	7	5	10070	5700	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	11278.39941	6908.399414	6908.399414	1.12
1657	027	3151	0.07	2304	1	55	80	2.5	6	5	7878	5574	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	6518.799805	6518.799805	1.119929
1657	027A	3151	0.07	2200	1	55	80	2.5	6	5	7878	5678	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	6622.799805	6622.799805	1.119929
1657	029	3151	0.07	2400	1	55	80	2.5	6	5	7878	5478	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	6422.799805	6422.799805	1.119929
1658	003	3189	0.07	2167	1	55	80	2.5	6	5	7972	5805	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8929.200195	6762.200195	6762.200195	1.12007
1658	010	3189	0.07	1400	1	55	80	2.5	6	5	7972	6572	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8929.200195	7529.200195	7529.200195	1.12007
1658	025	3190	0.07	1000	1	55	80	2.5	6	5	7975	6975	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8932	7932	7932	1.12
1658	028	3190	0.07	1252	1	55	80	2.5	6	5	7975	6723	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8932	7680	7680	1.12
1658	029	3221	0.07	2541	1	55	80	2.5	6	5	8052	5511	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9018.799805	6477.799805	6477.799805	1.12007
1660	017	3229	0.07	2940	1	55	80	2.5	6	5	8072	5132	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9041.200195	6101.200195	6101.200195	1.120069
1662	022	2500	0.06	4369	7	55	80	2.5	5	0	6250	1881	RTO-C	85	form-based			true	0.75	13	2.599999905	6	3	15000	10631	8131	2.4
1664	025	3489	0.08	8420	12	55	80	2.5	6	0	8722	302	RTO-C	85	form-based		true	true	0.75	18	3	6	0	20934	12514	9024	2.400138
1667	033	3000	0.07	3679	0	55	80	2.5	6	6	7500	3821	RM-1	40	form-based			true	0.7	6	1	6	6	8400	4721	4721	1.12
1668	003	3600	0.08	4620	2	55	80	2.5	6	4	9000	4380	RM-1	40	form-based			true	0.7	8	1.333333373	6	6	10080	5460	5460	1.12
1668	042	3600	0.08	2260	2	55	80	2.5	6	4	9000	6740	RM-1	40	form-based			true	0.7	8	1.333333373	6	6	10080	7820	7820	1.12
1668	044	3600	0.08	2310	2	55	80	2.5	6	4	9000	6690	RM-1	40	form-based			true	0.7	8	1.333333373	6	6	10080	7770	7770	1.12
1668	046	3600	0.08	2655	2	55	80	2.5	6	4	9000	6345	RM-1	40	form-based			true	0.7	8	1.333333373	6	6	10080	7425	7425	1.12
1668	048	3600	0.08	1935	2	55	80	2.5	6	4	9000	7065	RM-1	40	form-based			true	0.7	8	1.333333373	6	6	10080	8145	8145	1.12
1668	056	3600	0.08	2310	2	55	80	2.5	6	4	9000	6690	RM-1	40	form-based			true	0.7	8	1.333333373	6	6	10080	7770	7770	1.12
1669	028	3697	0.08	3290	2	55	80	2.5	6	4	9242	5952	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10351.59961	7061.599609	7061.599609	1.120061
1669	028A	3374	0.08	2241	1	55	80	2.5	6	5	8435	6194	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9447.200195	7206.200195	7206.200195	1.12
1669	029	3536	0.08	1680	1	55	80	2.5	6	5	8840	7160	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9900.799805	8220.799805	8220.799805	1.12
1669	030	3536	0.08	1794	1	55	80	2.5	6	5	8840	7046	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9900.799805	8106.799805	8106.799805	1.12
1669	031	3536	0.08	1680	1	55	80	2.5	6	5	8840	7160	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9900.799805	8220.799805	8220.799805	1.12
1669	032	3536	0.08	1794	1	55	80	2.5	6	5	8840	7046	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9900.799805	8106.799805	8106.799805	1.12
1669	033	3536	0.08	1720	1	55	80	2.5	6	5	8840	7120	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9900.799805	8180.799805	8180.799805	1.12
1669	034	3536	0.08	1794	1	55	80	2.5	6	5	8840	7046	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9900.799805	8106.799805	8106.799805	1.12
1669	035	3536	0.08	1925	1	55	80	2.5	6	5	8840	6915	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9900.799805	7975.799805	7975.799805	1.12
1669	036	3536	0.08	1895	1	55	80	2.5	6	5	8840	6945	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9900.799805	8005.799805	8005.799805	1.12
1669	037	3536	0.08	1980	1	55	80	2.5	6	5	8840	6860	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9900.799805	7920.799805	7920.799805	1.12
1669	038	3536	0.08	2220	1	55	80	2.5	6	5	8840	6620	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9900.799805	7680.799805	7680.799805	1.12
1669	039	3536	0.08	1660	1	55	80	2.5	6	5	8840	7180	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9900.799805	8240.799805	8240.799805	1.12
1671	031	3024	0.07	1553	0	55	80	2.5	6	6	7560	6007	RH-2	40	form-based			true	0.7	6	1	6	6	8467.200195	6914.200195	6914.200195	1.12
1675	001D	3504	0.08	1950	1	55	80	2.5	6	5	8760	6810	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9811.200195	7861.200195	7861.200195	1.12
1675	001E	3504	0.08	2003	1	55	80	2.5	6	5	8760	6757	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9811.200195	7808.200195	7808.200195	1.12
1675	001F	3504	0.08	2087	1	55	80	2.5	6	5	8760	6673	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9811.200195	7724.200195	7724.200195	1.12
1675	001G	3504	0.08	2045	1	55	80	2.5	6	5	8760	6715	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9811.200195	7766.200195	7766.200195	1.12
1675	001H	3504	0.08	1495	1	55	80	2.5	6	5	8760	7265	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9811.200195	8316.200195	8316.200195	1.12
1675	001I	3504	0.08	1955	1	55	80	2.5	6	5	8760	6805	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9811.200195	7856.200195	7856.200195	1.12
1675	001J	3504	0.08	1744	1	55	80	2.5	6	5	8760	7016	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9811.200195	8067.200195	8067.200195	1.12
1675	002	3504	0.08	1154	1	55	80	2.5	6	5	8760	7606	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9811.200195	8657.200195	8657.200195	1.12
1675	002A	3504	0.08	1344	1	55	80	2.5	6	5	8760	7416	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9811.200195	8467.200195	8467.200195	1.12
1675	002B	3504	0.08	1154	1	55	80	2.5	6	5	8760	7606	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9811.200195	8657.200195	8657.200195	1.12
1675	002C	3504	0.08	1712	1	55	80	2.5	6	5	8760	7048	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9811.200195	8099.200195	8099.200195	1.12
1675	002D	3504	0.08	1716	1	55	80	2.5	6	5	8760	7044	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9811.200195	8095.200195	8095.200195	1.12
1676	003A	3840	0.09	2933	2	55	80	2.5	7	5	9600	6667	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10752	7819	7819	1.12
1679	004	3096	0.07	1250	1	55	80	2.5	6	5	7740	6490	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8668.799805	7418.799805	7418.799805	1.12
1679	005	3096	0.07	1250	1	55	80	2.5	6	5	7740	6490	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8668.799805	7418.799805	7418.799805	1.12
1680	034A	3691	0.08	4120	2	55	80	2.5	6	4	9228	5108	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10334.7998	6214.799805	6214.799805	1.119939
1702	010M	3101	0.07	1082	1	65	100	3	7	6	9303	8221	RH-2	40	form-based			true	0.7	7	1	6	6	8682.799805	7600.799805	7600.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1702	010O	2998	0.07	500	0	65	100	3	7	7	8994	8494	RM-1	40	form-based			true	0.7	6	0.857142866	6	6	8394.399414	7894.399414	7894.399414	0.933333
1703	021	2500	0.06	3500	3	65	100	3	6	3	7500	4000	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	7750	7750	1.5
1704	015	3000	0.07	1984	0	65	100	3	7	7	9000	7016	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8400	6416	6416	0.933333
1704	021	2500	0.06	5802	3	65	100	3	6	3	7500	1698	NC-1	65	form-based			true	0.75	9	1.5	6	6	11250	5448	5448	1.5
1704	046	2500	0.06	3880	3	65	100	3	6	3	7500	3620	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	7370	7370	1.5
1704	047	2500	0.06	2329	3	65	100	3	6	3	7500	5171	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	8921	8921	1.5
1704	056	2500	0.06	804	3	65	100	3	6	3	7500	6696	NC-1	65	form-based			true	0.75	9	1.5	6	6	11250	10446	10446	1.5
1705	001A	2067	0.05	2500	2	65	100	3	5	3	6201	3701	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9301.5	6801.5	6801.5	1.5
1705	020	2500	0.06	2358	3	65	100	3	6	3	7500	5142	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	8892	8892	1.5
1705	024	1875	0.04	1175	1	65	100	3	4	3	5625	4450	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	7262.5	7262.5	1.5
1705	044	2063	0.05	1885	2	65	100	3	5	3	6189	4304	RTO-C	65	form-based	true		true	0.75	8	1.600000024	6	6	9283.5	7398.5	7398.5	1.5
1706	024	1813	0.04	1400	1	65	100	3	4	3	5439	4039	RTO-C	65	form-based	true		true	0.75	7	1.75	6	6	8158.5	6758.5	6758.5	1.5
1706	024A	1812	0.04	1537	1	65	100	3	4	3	5436	3899	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8154	6617	6617	1.5
1706	025	1812	0.04	1943	1	65	100	3	4	3	5436	3493	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8154	6211	6211	1.5
1706	026	1812	0.04	1330	1	65	100	3	4	3	5436	4106	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8154	6824	6824	1.5
1707	057	2062	0.05	2823	2	65	100	3	5	3	6186	3363	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9279	6456	6456	1.5
1707	058	2062	0.05	2823	2	65	100	3	5	3	6186	3363	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9279	6456	6456	1.5
1707	059	2063	0.05	2823	2	65	100	3	5	3	6189	3366	RTO-C	65	form-based	true		true	0.75	8	1.600000024	6	6	9283.5	6460.5	6460.5	1.5
1708	022	2375	0.05	2345	3	65	100	3	5	2	7125	4780	RTO-C	65	form-based	true		true	0.75	9	1.799999952	6	6	10687.5	8342.5	8342.5	1.5
1709	046	2074	0.05	2482	2	65	100	3	5	3	6222	3740	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9333	6851	6851	1.5
1710	053	2500	0.06	2850	3	65	100	3	6	3	7500	4650	NC-1	65	form-based			true	0.75	9	1.5	6	6	11250	8400	8400	1.5
1711	025A	2063	0.05	1225	2	65	100	3	5	3	6189	4964	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9283.5	8058.5	8058.5	1.5
1711	029	2448	0.06	3841	3	65	100	3	6	3	7344	3503	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11016	7175	7175	1.5
1712	004A	2500	0.06	2500	3	65	100	3	6	3	7500	5000	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	8750	8750	1.5
1712	005	2500	0.06	2125	3	65	100	3	6	3	7500	5375	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	9125	9125	1.5
1712	007I	3000	0.07	1554	0	65	100	3	7	7	9000	7446	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8400	6846	6846	0.933333
1712	007S	3000	0.07	1620	0	65	100	3	7	7	9000	7380	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8400	6780	6780	0.933333
1713	037	3000	0.07	1275	0	65	100	3	7	7	9000	7725	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8400	7125	7125	0.933333
1715	001A	1798	0.04	1317	1	65	100	3	4	3	5394	4077	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8091	6774	6774	1.5
1715	001B	1798	0.04	1955	1	65	100	3	4	3	5394	3439	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8091	6136	6136	1.5
1715	027	3360	0.08	1064	1	65	100	3	8	7	10080	9016	RH-1	40	form-based			true	0.7	7	0.875	6	6	9408	8344	8344	0.933333
1716	001C	2066	0.05	3075	2	65	100	3	5	3	6198	3123	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9297	6222	6222	1.5
1716	052	2066	0.05	634	2	65	100	3	5	3	6198	5564	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9297	8663	8663	1.5
1721	015	3437	0.08	1600	1	65	100	3	8	7	10311	8711	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9623.599609	8023.599609	8023.599609	0.933333
1721	016	3328	0.08	2426	1	65	100	3	8	7	9984	7558	RH-1(D)	40	form-based	true		true	0.7	7	0.875	6	6	9318.399414	6892.399414	6892.399414	0.933333
1722	012	3459	0.08	2250	1	65	100	3	8	7	10377	8127	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9685.200195	7435.200195	7435.200195	0.933333
1722	013	3408	0.08	2177	1	65	100	3	8	7	10224	8047	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9542.399414	7365.399414	7365.399414	0.933333
1723	031	3480	0.08	2799	1	65	100	3	8	7	10440	7641	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9744	6945	6945	0.933333
1723	032	3480	0.08	2264	1	65	100	3	8	7	10440	8176	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9744	7480	7480	0.933333
1725	001	1926	0.04	1549	1	65	100	3	4	3	5778	4229	RTO-C	65	form-based	true		true	0.75	7	1.75	6	6	8667	7118	7118	1.5
1725	002	3115	0.07	1575	1	65	100	3	7	6	9345	7770	RH-2	40	form-based			true	0.7	7	1	6	6	8722	7147	7147	0.933333
1725	044	2500	0.06	3125	3	65	100	3	6	3	7500	4375	RTO-C	65	form-based	true		true	0.75	9	1.5	6	6	11250	8125	8125	1.5
1728	005	3321	0.08	1500	1	65	100	3	8	7	9963	8463	RH-2	40	form-based			true	0.7	7	0.875	6	6	9298.799805	7798.799805	7798.799805	0.933333
1728	006	3321	0.08	1500	1	65	100	3	8	7	9963	8463	RH-2	40	form-based			true	0.7	7	0.875	6	6	9298.799805	7798.799805	7798.799805	0.933333
1728	007	3321	0.08	1625	1	65	100	3	8	7	9963	8338	RH-2	40	form-based			true	0.7	7	0.875	6	6	9298.799805	7673.799805	7673.799805	0.933333
1728	008	3321	0.08	1625	1	65	100	3	8	7	9963	8338	RH-2	40	form-based			true	0.7	7	0.875	6	6	9298.799805	7673.799805	7673.799805	0.933333
1728	012	3382	0.08	1075	1	65	100	3	8	7	10146	9071	RH-2	40	form-based			true	0.7	7	0.875	6	6	9469.599609	8394.599609	8394.599609	0.933333
1728	015	3863	0.09	4568	2	65	100	3	9	7	11589	7021	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10816.39941	6248.399414	6248.399414	0.933333
1728	029	3000	0.07	2551	0	65	100	3	7	7	9000	6449	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8400	5849	5849	0.933333
1728	044	2065	0.05	3042	2	65	100	3	5	3	6195	3153	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9292.5	6250.5	6250.5	1.5
1728	045	2065	0.05	2750	2	65	100	3	5	3	6195	3445	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9292.5	6542.5	6542.5	1.5
1728	046	2065	0.05	2750	2	65	100	3	5	3	6195	3445	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9292.5	6542.5	6542.5	1.5
1728	047	2065	0.05	2350	2	65	100	3	5	3	6195	3845	RTO-C	65	form-based	true		true	0.75	8	1.600000024	6	6	9292.5	6942.5	6942.5	1.5
1728	071	2068	0.05	1274	2	65	100	3	5	3	6204	4930	RTO-C	65	form-based	true		true	0.75	8	1.600000024	6	6	9306	8032	8032	1.5
1731	041	3000	0.07	3594	5	65	100	3	7	2	9000	5406	RTO-C	65	form-based			true	0.75	11	1.571428537	6	6	13500	9906	9906	1.5
1732	001	1840	0.04	3600	4	65	100	3	4	0	5520	1920	RTO-C	85	form-based	true		true	0.75	10	2.5	6	4	11040	7440	7440	2
1732	001B	1610	0.04	1656	2	65	100	3	4	2	4830	3174	RTO-C	85	form-based			true	0.75	8	2	6	6	9660	8004	8004	2
1733	040	1426	0.03	2774	1	65	100	3	3	2	4278	1504	RTO-C	85	form-based			true	0.75	7	2.333333254	6	5	8556	5782	5782	2
1734	042A	2500	0.06	2000	3	65	100	3	6	3	7500	5500	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	9250	9250	1.5
1734	051	2500	0.06	1712	3	65	100	3	6	3	7500	5788	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	9538	9538	1.5
1734	054	2500	0.06	1446	3	65	100	3	6	3	7500	6054	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	9804	9804	1.5
1735	001	2763	0.06	3708	4	65	100	3	6	2	8289	4581	RTO-C	65	form-based	true		true	0.75	10	1.666666627	6	6	12433.5	8725.5	8725.5	1.5
1735	002	3274	0.08	3047	1	65	100	3	8	7	9822	6775	RH-2	40	form-based			true	0.7	7	0.875	6	6	9167.200195	6120.200195	6120.200195	0.933333
1735	003	3190	0.07	1650	1	65	100	3	7	6	9570	7920	RH-2	40	form-based			true	0.7	7	1	6	6	8932	7282	7282	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1735	005	3190	0.07	2239	1	65	100	3	7	6	9570	7331	RH-2	40	form-based			true	0.7	7	1	6	6	8932	6693	6693	0.933333
1735	006	3190	0.07	1814	1	65	100	3	7	6	9570	7756	RH-2	40	form-based			true	0.7	7	1	6	6	8932	7118	7118	0.933333
1735	007	3190	0.07	5450	1	65	100	3	7	6	9570	4120	RH-2	40	form-based			true	0.7	7	1	6	6	8932	3482	3482	0.933333
1735	008	3190	0.07	2822	1	65	100	3	7	6	9570	6748	RH-2	40	form-based			true	0.7	7	1	6	6	8932	6110	6110	0.933333
1735	010	3190	0.07	2593	1	65	100	3	7	6	9570	6977	RH-2	40	form-based			true	0.7	7	1	6	6	8932	6339	6339	0.933333
1735	011	3190	0.07	2200	1	65	100	3	7	6	9570	7370	RH-2	40	form-based			true	0.7	7	1	6	6	8932	6732	6732	0.933333
1735	013	3190	0.07	2056	1	65	100	3	7	6	9570	7514	RH-2	40	form-based			true	0.7	7	1	6	6	8932	6876	6876	0.933333
1735	032	3191	0.07	1722	1	65	100	3	7	6	9573	7851	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7212.799805	7212.799805	0.933333
1735	034	3191	0.07	2013	1	65	100	3	7	6	9573	7560	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	6921.799805	6921.799805	0.933333
1735	036	3191	0.07	1490	1	65	100	3	7	6	9573	8083	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7444.799805	7444.799805	0.933333
1735	038	3191	0.07	1820	1	65	100	3	7	6	9573	7753	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7114.799805	7114.799805	0.933333
1735	046	3191	0.07	2107	1	65	100	3	7	6	9573	7466	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	6827.799805	6827.799805	0.933333
1735	048	3191	0.07	2325	1	65	100	3	7	6	9573	7248	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	6609.799805	6609.799805	0.933333
1735	050	3191	0.07	1723	1	65	100	3	7	6	9573	7850	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7211.799805	7211.799805	0.933333
1735	055	1875	0.04	1450	1	65	100	3	4	3	5625	4175	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	6987.5	6987.5	1.5
1735	070	3190	0.07	2689	1	65	100	3	7	6	9570	6881	RH-2	40	form-based			true	0.7	7	1	6	6	8932	6243	6243	0.933333
1736	005	3180	0.07	2181	1	65	100	3	7	6	9540	7359	RH-2	40	form-based			true	0.7	7	1	6	6	8904	6723	6723	0.933333
1736	007	3180	0.07	2369	1	65	100	3	7	6	9540	7171	RH-2	40	form-based			true	0.7	7	1	6	6	8904	6535	6535	0.933333
1736	011	3180	0.07	1622	1	65	100	3	7	6	9540	7918	RH-2	40	form-based			true	0.7	7	1	6	6	8904	7282	7282	0.933333
1736	014	3180	0.07	1832	1	65	100	3	7	6	9540	7708	RH-2	40	form-based			true	0.7	7	1	6	6	8904	7072	7072	0.933333
1736	017	3180	0.07	1600	1	65	100	3	7	6	9540	7940	RH-2	40	form-based			true	0.7	7	1	6	6	8904	7304	7304	0.933333
1736	028	3190	0.07	2160	1	65	100	3	7	6	9570	7410	RH-2	40	form-based			true	0.7	7	1	6	6	8932	6772	6772	0.933333
1736	029	3190	0.07	2200	1	65	100	3	7	6	9570	7370	RH-2	40	form-based			true	0.7	7	1	6	6	8932	6732	6732	0.933333
1736	030	3190	0.07	2160	1	65	100	3	7	6	9570	7410	RH-2	40	form-based			true	0.7	7	1	6	6	8932	6772	6772	0.933333
1738	009	3017	0.07	2077	0	65	100	3	7	7	9051	6974	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8447.599609	6370.599609	6370.599609	0.933333
1738	022	2500	0.06	1838	7	65	100	3	6	0	7500	5662	NCD-INNE	85	form-based			true	0.75	13	2.166666746	6	5	15000	13162	13162	2
1738	043	2065	0.05	2230	2	65	100	3	5	3	6195	3965	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9292.5	7062.5	7062.5	1.5
1738	044	2065	0.05	2230	2	65	100	3	5	3	6195	3965	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9292.5	7062.5	7062.5	1.5
1738	045	2065	0.05	2230	2	65	100	3	5	3	6195	3965	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9292.5	7062.5	7062.5	1.5
1738	045A	2065	0.05	2750	2	65	100	3	5	3	6195	3445	RTO-C	65	form-based	true		true	0.75	8	1.600000024	6	6	9292.5	6542.5	6542.5	1.5
1738	046	2500	0.06	2520	3	65	100	3	6	3	7500	4980	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	8730	8730	1.5
1738	049	2500	0.06	3332	3	65	100	3	6	3	7500	4168	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	7918	7918	1.5
1739	042	3115	0.07	2094	1	65	100	3	7	6	9345	7251	RH-2	40	form-based			true	0.7	7	1	6	6	8722	6628	6628	0.933333
1739	044	2500	0.06	3000	3	65	100	3	6	3	7500	4500	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	8250	8250	1.5
1739	051	2475	0.06	4050	3	65	100	3	6	3	7425	3375	RTO-C	65	form-based	true		true	0.75	9	1.5	6	6	11137.5	7087.5	7087.5	1.5
1739	065	2500	0.06	1331	3	65	100	3	6	3	7500	6169	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	9919	9919	1.5
1740	002	3106	0.07	3003	1	65	100	3	7	6	9318	6315	RH-2	40	form-based			true	0.7	7	1	6	6	8696.799805	5693.799805	5693.799805	0.933333
1740	027	1438	0.03	1450	2	65	100	3	3	1	4314	2864	NCD-INNE	85	form-based			true	0.75	8	2.666666746	6	4	8628	7178	7178	2
1740	043	3124	0.07	1775	1	65	100	3	7	6	9372	7597	RH-2	40	form-based			true	0.7	7	1	6	6	8747.200195	6972.200195	6972.200195	0.933333
1740	053	2500	0.06	1532	3	65	100	3	6	3	7500	5968	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	9718	9718	1.5
1741	040	3000	0.07	2802	0	65	100	3	7	7	9000	6198	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8400	5598	5598	0.933333
1743	067	3000	0.07	1535	0	65	100	3	7	7	9000	7465	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8400	6865	6865	0.933333
1746	012	3325	0.08	5904	1	65	100	3	8	7	9975	4071	RH-2	40	form-based			true	0.7	7	0.875	6	6	9310	3406	3406	0.933333
1746	033	3075	0.07	830	6	65	100	3	7	1	9225	8395	RTO-C	65	form-based	true		true	0.75	12	1.714285731	6	6	13837.5	13007.5	13007.5	1.5
1748	003	2063	0.05	3040	2	65	100	3	5	3	6189	3149	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9283.5	6243.5	6243.5	1.5
1748	020	2580	0.06	4000	4	65	100	3	6	2	7740	3740	RTO-C	65	form-based			true	0.75	10	1.666666627	6	6	11610	7610	7610	1.5
1748	028	2062	0.05	1413	2	65	100	3	5	3	6186	4773	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9279	7866	7866	1.5
1749	020	2375	0.05	2900	3	65	100	3	5	2	7125	4225	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	10687.5	7787.5	7787.5	1.5
1749	022	4150	0.1	7200	10	65	100	3	10	0	12450	5250	RTO-C	65	form-based	true		true	0.75	16	1.600000024	6	6	18675	11475	11475	1.5
1749	032	2388	0.05	1381	3	65	100	3	5	2	7164	5783	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	10746	9365	9365	1.5
1751	010	3450	0.08	9135	12	85	140	4	11	0	13800	4665	RTO-C	85	form-based	true		true	0.75	18	1.636363626	6	6	20700	11565	11565	1.5
1752	024	2750	0.06	1550	0	65	100	3	6	6	8250	6700	RH-2	40	form-based			true	0.7	6	1	6	6	7700	6150	6150	0.933333
1753	010	3426	0.08	8610	12	65	100	3	8	0	10278	1668	RTO-C	85	form-based	true		true	0.75	18	2.25	6	4	20556	11946	11946	2
1753	017	3000	0.07	0	0	85	140	4	10	10	12000	12000	RH-2	40	form-based			true	0.7	6	0.600000024	6	6	8400	8400	8400	0.7
1754	001	3328	0.08	2900	1	65	100	3	8	7	9984	7084	RH-2	40	form-based	true		true	0.7	7	0.875	6	6	9318.399414	6418.399414	6418.399414	0.933333
1755	013	3358	0.08	9975	12	65	100	3	8	0	10074	99	NCD-INNE	85	form-based	true		true	0.75	18	2.25	6	4	20148	10173	10173	2
1755	019	2372	0.05	1855	3	65	100	3	5	2	7116	5261	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	10674	8819	8819	1.5
1755	022	3732	0.09	8745	8	65	100	3	9	1	11196	2451	RTO-C	65	form-based	true		true	0.75	14	1.555555582	6	6	16794	8049	8049	1.5
1759	001	2390	0.05	4250	7	65	100	3	5	0	7170	2920	RTO-C	85	form-based	true		true	0.75	13	2.599999905	6	3	14340	10090	10090	2
1761	001	2369	0.05	2800	6	85	140	4	7	1	9476	6676	NCD-INNE	85	form-based	true		true	0.75	12	1.714285731	6	6	14214	11414	11414	1.5
1762	013	3015	0.07	3700	5	65	100	3	7	2	9045	5345	RTO-C	65	form-based			true	0.75	11	1.571428537	6	6	13567.5	9867.5	9867.5	1.5
1762	023	2142	0.05	4375	5	65	100	3	5	0	6426	2051	NCD-INNE	85	form-based	true		true	0.75	11	2.200000048	6	5	12852	8477	8477	2
1763	016	2963	0.07	3040	0	65	100	3	7	7	8889	5849	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8296.399414	5256.399414	5256.399414	0.933333
1763	023A	2352	0.05	5250	6	85	140	4	7	1	9408	4158	NCD-INNE	85	form-based			true	0.75	12	1.714285731	6	6	14112	8862	8862	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1766	050	1875	0.04	3124	4	65	100	3	4	0	5625	2501	NCD-INNE	85	form-based			true	0.75	10	2.5	6	4	11250	8126	8126	2
1767	020B	1500	0.03	2350	2	85	140	4	4	2	6000	3650	RTO-C	85	form-based			true	0.75	8	2	6	6	9000	6650	6650	1.5
1767	020C	1500	0.03	2350	2	85	140	4	4	2	6000	3650	RTO-C	85	form-based			true	0.75	8	2	6	6	9000	6650	6650	1.5
1767	064	1497	0.03	1014	2	85	140	4	4	2	5988	4974	RTO-C	85	form-based		true	true	0.75	8	2	6	6	8982	7968	7968	1.5
1769	006	3183	0.07	1638	1	65	100	3	7	6	9549	7911	RH-2	40	form-based			true	0.7	7	1	6	6	8912.399414	7274.399414	7274.399414	0.933333
1769	007	3183	0.07	1300	1	65	100	3	7	6	9549	8249	RH-2	40	form-based			true	0.7	7	1	6	6	8912.399414	7612.399414	7612.399414	0.933333
1769	009	3183	0.07	1250	1	65	100	3	7	6	9549	8299	RH-2	40	form-based			true	0.7	7	1	6	6	8912.399414	7662.399414	7662.399414	0.933333
1769	010B	3183	0.07	1809	1	65	100	3	7	6	9549	7740	RH-2	40	form-based			true	0.7	7	1	6	6	8912.399414	7103.399414	7103.399414	0.933333
1769	011	3183	0.07	900	1	65	100	3	7	6	9549	8649	RH-2	40	form-based			true	0.7	7	1	6	6	8912.399414	8012.399414	8012.399414	0.933333
1769	011A	3183	0.07	900	1	65	100	3	7	6	9549	8649	RH-2	40	form-based			true	0.7	7	1	6	6	8912.399414	8012.399414	8012.399414	0.933333
1769	012	3183	0.07	1158	1	65	100	3	7	6	9549	8391	RH-2	40	form-based			true	0.7	7	1	6	6	8912.399414	7754.399414	7754.399414	0.933333
1769	013	3183	0.07	1322	1	65	100	3	7	6	9549	8227	RH-2	40	form-based			true	0.7	7	1	6	6	8912.399414	7590.399414	7590.399414	0.933333
1769	014	3183	0.07	1884	1	65	100	3	7	6	9549	7665	RH-2	40	form-based			true	0.7	7	1	6	6	8912.399414	7028.399414	7028.399414	0.933333
1769	015	3183	0.07	2600	1	65	100	3	7	6	9549	6949	RH-2	40	form-based			true	0.7	7	1	6	6	8912.399414	6312.399414	6312.399414	0.933333
1769	016	3183	0.07	1380	1	65	100	3	7	6	9549	8169	RH-2	40	form-based			true	0.7	7	1	6	6	8912.399414	7532.399414	7532.399414	0.933333
1769	017	3183	0.07	1735	1	65	100	3	7	6	9549	7814	RH-2	40	form-based			true	0.7	7	1	6	6	8912.399414	7177.399414	7177.399414	0.933333
1769	026	3188	0.07	1484	1	85	140	4	10	9	12752	11268	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8926.399414	7442.399414	7442.399414	0.7
1769	027	3187	0.07	2054	1	85	140	4	10	9	12748	10694	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8923.599609	6869.599609	6869.599609	0.7
1769	028	3188	0.07	1190	1	65	100	3	7	6	9564	8374	RH-2	40	form-based			true	0.7	7	1	6	6	8926.399414	7736.399414	7736.399414	0.933333
1769	030	3187	0.07	2340	1	65	100	3	7	6	9561	7221	RH-2	40	form-based			true	0.7	7	1	6	6	8923.599609	6583.599609	6583.599609	0.933333
1769	031	3187	0.07	1820	1	65	100	3	7	6	9561	7741	RH-2	40	form-based			true	0.7	7	1	6	6	8923.599609	7103.599609	7103.599609	0.933333
1769	032	3187	0.07	1892	1	65	100	3	7	6	9561	7669	RH-2	40	form-based			true	0.7	7	1	6	6	8923.599609	7031.599609	7031.599609	0.933333
1769	033	3187	0.07	1892	1	65	100	3	7	6	9561	7669	RH-2	40	form-based			true	0.7	7	1	6	6	8923.599609	7031.599609	7031.599609	0.933333
1769	035	3187	0.07	2324	1	65	100	3	7	6	9561	7237	RH-2	40	form-based			true	0.7	7	1	6	6	8923.599609	6599.599609	6599.599609	0.933333
1769	036	3187	0.07	2422	1	65	100	3	7	6	9561	7139	RH-2	40	form-based			true	0.7	7	1	6	6	8923.599609	6501.599609	6501.599609	0.933333
1769	037	3188	0.07	2436	1	65	100	3	7	6	9564	7128	RH-2	40	form-based			true	0.7	7	1	6	6	8926.399414	6490.399414	6490.399414	0.933333
1769	039	3188	0.07	2662	1	65	100	3	7	6	9564	6902	RH-2	40	form-based			true	0.7	7	1	6	6	8926.399414	6264.399414	6264.399414	0.933333
1769	040	3187	0.07	1543	1	65	100	3	7	6	9561	8018	RH-2	40	form-based			true	0.7	7	1	6	6	8923.599609	7380.599609	7380.599609	0.933333
1770	006	3193	0.07	2245	1	65	100	3	7	6	9579	7334	RH-2	40	form-based			true	0.7	7	1	6	6	8940.399414	6695.399414	6695.399414	0.933333
1770	007	3193	0.07	2360	1	65	100	3	7	6	9579	7219	RH-2	40	form-based			true	0.7	7	1	6	6	8940.399414	6580.399414	6580.399414	0.933333
1770	008	3193	0.07	1974	1	65	100	3	7	6	9579	7605	RH-2	40	form-based			true	0.7	7	1	6	6	8940.399414	6966.399414	6966.399414	0.933333
1770	009	3193	0.07	1940	1	65	100	3	7	6	9579	7639	RH-2	40	form-based			true	0.7	7	1	6	6	8940.399414	7000.399414	7000.399414	0.933333
1770	010	3193	0.07	1723	1	65	100	3	7	6	9579	7856	RH-2	40	form-based			true	0.7	7	1	6	6	8940.399414	7217.399414	7217.399414	0.933333
1770	011	3193	0.07	1856	1	65	100	3	7	6	9579	7723	RH-2	40	form-based			true	0.7	7	1	6	6	8940.399414	7084.399414	7084.399414	0.933333
1770	012	3193	0.07	1960	1	65	100	3	7	6	9579	7619	RH-2	40	form-based			true	0.7	7	1	6	6	8940.399414	6980.399414	6980.399414	0.933333
1770	013	3193	0.07	2845	1	65	100	3	7	6	9579	6734	RH-2	40	form-based			true	0.7	7	1	6	6	8940.399414	6095.399414	6095.399414	0.933333
1770	014	3193	0.07	2100	1	65	100	3	7	6	9579	7479	RH-2	40	form-based			true	0.7	7	1	6	6	8940.399414	6840.399414	6840.399414	0.933333
1770	015	3193	0.07	1633	1	85	140	4	10	9	12772	11139	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8940.399414	7307.399414	7307.399414	0.7
1770	016	3193	0.07	1190	1	85	140	4	10	9	12772	11582	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8940.399414	7750.399414	7750.399414	0.7
1770	017	3193	0.07	1650	1	85	140	4	10	9	12772	11122	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8940.399414	7290.399414	7290.399414	0.7
1770	031	3187	0.07	2300	1	85	140	4	10	9	12748	10448	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8923.599609	6623.599609	6623.599609	0.7
1771	017	2250	0.05	5100	6	85	140	4	7	1	9000	3900	RTO-C	85	form-based			true	0.75	12	1.714285731	6	6	13500	8400	8400	1.5
1771	018	2202	0.05	5100	6	85	140	4	7	1	8808	3708	RTO-C	85	form-based	true		true	0.75	12	1.714285731	6	6	13212	8112	8112	1.5
1772	005A	1970	0.05	3684	4	65	100	3	5	1	5910	2226	RTO-C	85	form-based	true		true	0.75	10	2	6	6	11820	8136	8136	2
1772	008	1156	0.03	1947	0	65	100	3	3	3	3468	1521	NCD-INNE	85	form-based			true	0.75	6	2	6	6	6936	4989	4989	2
1773	006	1438	0.03	2274	2	65	100	3	3	1	4314	2040	RTO-C	85	form-based			true	0.75	8	2.666666746	6	4	8628	6354	6354	2
1773	006A	1437	0.03	2274	2	65	100	3	3	1	4311	2037	RTO-C	85	form-based			true	0.75	8	2.666666746	6	4	8622	6348	6348	2
1773	006B	1438	0.03	2514	2	85	140	4	4	2	5752	3238	RTO-C	85	form-based			true	0.75	8	2	6	6	8628	6114	6114	1.5
1773	006C	1430	0.03	2647	2	85	140	4	4	2	5720	3073	RTO-C	85	form-based	true		true	0.75	8	2	6	6	8580	5933	5933	1.5
1774	039	4200	0.1	8697	10	65	100	3	10	0	12600	3903	RTO-C	65	form-based			true	0.75	16	1.600000024	6	6	18900	10203	10203	1.5
1775	013	3030	0.07	4094	5	65	100	3	7	2	9090	4996	RTO-C	65	form-based			true	0.75	11	1.571428537	6	6	13635	9541	9541	1.5
1776	009S	1441	0.03	2136	2	85	140	4	4	2	5764	3628	RTO-C	85	form-based	true		true	0.75	8	2	6	6	8646	6510	6510	1.5
1776	011	3117	0.07	1290	1	65	100	3	7	6	9351	8061	RH-2	40	form-based			true	0.7	7	1	6	6	8727.599609	7437.599609	7437.599609	0.933333
1776	011A	3117	0.07	1800	1	65	100	3	7	6	9351	7551	RH-2	40	form-based			true	0.7	7	1	6	6	8727.599609	6927.599609	6927.599609	0.933333
1776	011C	3117	0.07	2180	1	65	100	3	7	6	9351	7171	RH-2	40	form-based			true	0.7	7	1	6	6	8727.599609	6547.599609	6547.599609	0.933333
1776	011D	3117	0.07	3009	1	65	100	3	7	6	9351	6342	RH-2	40	form-based			true	0.7	7	1	6	6	8727.599609	5718.599609	5718.599609	0.933333
1776	011E	3117	0.07	1290	1	65	100	3	7	6	9351	8061	RH-2	40	form-based			true	0.7	7	1	6	6	8727.599609	7437.599609	7437.599609	0.933333
1776	011F	3117	0.07	1380	1	65	100	3	7	6	9351	7971	RH-2	40	form-based			true	0.7	7	1	6	6	8727.599609	7347.599609	7347.599609	0.933333
1776	015	1556	0.04	1890	2	85	140	4	6	4	6224	4334	RTO-C	85	form-based			true	0.75	8	1.333333373	6	6	9336	7446	7446	1.5
1777	002	3167	0.07	1350	1	65	100	3	7	6	9501	8151	RH-2	40	form-based			true	0.7	7	1	6	6	8867.599609	7517.599609	7517.599609	0.933333
1777	003	3240	0.07	1822	1	65	100	3	7	6	9720	7898	RH-2	40	form-based			true	0.7	7	1	6	6	9072	7250	7250	0.933333
1777	004	3360	0.08	1256	1	65	100	3	8	7	10080	8824	RH-2	40	form-based			true	0.7	7	0.875	6	6	9408	8152	8152	0.933333
1777	005	3240	0.07	2187	1	65	100	3	7	6	9720	7533	RH-2	40	form-based			true	0.7	7	1	6	6	9072	6885	6885	0.933333
1777	006	3120	0.07	1350	1	65	100	3	7	6	9360	8010	RH-2	40	form-based			true	0.7	7	1	6	6	8736	7386	7386	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1777	007	3240	0.07	1350	1	65	100	3	7	6	9720	8370	RH-2	40	form-based			true	0.7	7	1	6	6	9072	7722	7722	0.933333
1777	008	3240	0.07	1450	1	65	100	3	7	6	9720	8270	RH-2	40	form-based			true	0.7	7	1	6	6	9072	7622	7622	0.933333
1777	011	3150	0.07	1460	1	65	100	3	7	6	9450	7990	RH-2	40	form-based			true	0.7	7	1	6	6	8820	7360	7360	0.933333
1777	012	3240	0.07	1932	1	65	100	3	7	6	9720	7788	RH-2	40	form-based			true	0.7	7	1	6	6	9072	7140	7140	0.933333
1777	013	3240	0.07	1608	1	65	100	3	7	6	9720	8112	RH-2	40	form-based			true	0.7	7	1	6	6	9072	7464	7464	0.933333
1777	013A	3150	0.07	1380	1	65	100	3	7	6	9450	8070	RH-2	40	form-based			true	0.7	7	1	6	6	8820	7440	7440	0.933333
1777	013C	3120	0.07	2319	1	85	140	4	10	9	12480	10161	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8736	6417	6417	0.7
1777	036	3052	0.07	1497	0	65	100	3	7	7	9156	7659	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8545.599609	7048.599609	7048.599609	0.933333
1778	023	1411	0.03	1670	1	65	100	3	3	2	4233	2563	RTO-C	85	form-based	true		true	0.75	7	2.333333254	6	5	8466	6796	6796	2
1779	013A	1614	0.04	2410	2	65	100	3	4	2	4842	2432	RTO-C	85	form-based	true		true	0.75	8	2	6	6	9684	7274	7274	2
1779	020A	1437	0.03	2633	2	85	140	4	4	2	5748	3115	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	5989	5989	1.5
1779	021	1438	0.03	2276	2	85	140	4	4	2	5752	3476	RTO-C	85	form-based			true	0.75	8	2	6	6	8628	6352	6352	1.5
1782	008	3006	0.07	1644	0	65	100	3	7	7	9018	7374	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8416.799805	6772.799805	6772.799805	0.933333
1782	013B	1443	0.03	2767	2	85	140	4	4	2	5772	3005	NC-1	85	form-based			true	0.75	8	2	6	6	8658	5891	5891	1.5
1782	014	1443	0.03	2074	2	85	140	4	4	2	5772	3698	NC-1	85	form-based			true	0.75	8	2	6	6	8658	6584	6584	1.5
1782	016D	1437	0.03	2074	2	85	140	4	4	2	5748	3674	NC-1	85	form-based			true	0.75	8	2	6	6	8622	6548	6548	1.5
1782	016E	1437	0.03	2074	2	85	140	4	4	2	5748	3674	NC-1	85	form-based			true	0.75	8	2	6	6	8622	6548	6548	1.5
1783	019	1437	0.03	2250	2	65	100	3	3	1	4311	2061	NC-1	85	form-based			true	0.75	8	2.666666746	6	4	8622	6372	6372	2
1783	020	1438	0.03	2250	2	65	100	3	3	1	4314	2064	NC-1	85	form-based			true	0.75	8	2.666666746	6	4	8628	6378	6378	2
1784	001C	3123	0.07	2204	1	65	100	3	7	6	9369	7165	RH-1	40	form-based			true	0.7	7	1	6	6	8744.399414	6540.399414	6540.399414	0.933333
1784	001D	3332	0.08	2738	1	65	100	3	8	7	9996	7258	RH-1	40	form-based			true	0.7	7	0.875	6	6	9329.599609	6591.599609	6591.599609	0.933333
1784	001E	3332	0.08	2287	1	65	100	3	8	7	9996	7709	RH-1	40	form-based			true	0.7	7	0.875	6	6	9329.599609	7042.599609	7042.599609	0.933333
1784	001F	3332	0.08	2347	1	65	100	3	8	7	9996	7649	RH-1	40	form-based			true	0.7	7	0.875	6	6	9329.599609	6982.599609	6982.599609	0.933333
1784	001G	3332	0.08	2204	1	65	100	3	8	7	9996	7792	RH-1	40	form-based			true	0.7	7	0.875	6	6	9329.599609	7125.599609	7125.599609	0.933333
1784	001J	3332	0.08	2204	1	65	100	3	8	7	9996	7792	RH-1	40	form-based			true	0.7	7	0.875	6	6	9329.599609	7125.599609	7125.599609	0.933333
1784	001K	3332	0.08	2666	1	65	100	3	8	7	9996	7330	RH-1	40	form-based			true	0.7	7	0.875	6	6	9329.599609	6663.599609	6663.599609	0.933333
1784	001L	3332	0.08	2749	1	65	100	3	8	7	9996	7247	RH-1	40	form-based			true	0.7	7	0.875	6	6	9329.599609	6580.599609	6580.599609	0.933333
1784	001M	3332	0.08	2345	1	65	100	3	8	7	9996	7651	RH-1	40	form-based			true	0.7	7	0.875	6	6	9329.599609	6984.599609	6984.599609	0.933333
1784	001N	3332	0.08	2204	1	65	100	3	8	7	9996	7792	RH-1	40	form-based			true	0.7	7	0.875	6	6	9329.599609	7125.599609	7125.599609	0.933333
1784	001O	3332	0.08	2693	1	65	100	3	8	7	9996	7303	RH-1	40	form-based			true	0.7	7	0.875	6	6	9329.599609	6636.599609	6636.599609	0.933333
1784	001P	3332	0.08	2204	1	65	100	3	8	7	9996	7792	RH-1	40	form-based			true	0.7	7	0.875	6	6	9329.599609	7125.599609	7125.599609	0.933333
1784	001Q	3332	0.08	2458	1	65	100	3	8	7	9996	7538	RH-1	40	form-based			true	0.7	7	0.875	6	6	9329.599609	6871.599609	6871.599609	0.933333
1784	001S	1437	0.03	1750	2	65	100	3	3	1	4311	2561	NCD-JUDA	85	form-based			true	0.75	8	2.666666746	6	4	8622	6872	6872	2
1784	001T	1437	0.03	1750	2	65	100	3	3	1	4311	2561	NCD-JUDA	85	form-based			true	0.75	8	2.666666746	6	4	8622	6872	6872	2
1785	016	2133	0.05	3864	5	85	140	4	7	2	8532	4668	NCD-JUDA	85	form-based			true	0.75	11	1.571428537	6	6	12798	8934	8934	1.5
1786	012A	1440	0.03	2475	2	85	140	4	4	2	5760	3285	NCD-JUDA	85	form-based			true	0.75	8	2	6	6	8640	6165	6165	1.5
1786	012B	1440	0.03	2276	2	85	140	4	4	2	5760	3484	NCD-JUDA	85	form-based			true	0.75	8	2	6	6	8640	6364	6364	1.5
1787	011	1511	0.03	2262	2	65	100	3	3	1	4533	2271	RTO-C	85	form-based			true	0.75	8	2.666666746	6	4	9066	6804	6804	2
1787	016A	1438	0.03	2276	2	65	100	3	3	1	4314	2038	RTO-C	85	form-based			true	0.75	8	2.666666746	6	4	8628	6352	6352	2
1787	016B	1437	0.03	2276	2	65	100	3	3	1	4311	2035	RTO-C	85	form-based			true	0.75	8	2.666666746	6	4	8622	6346	6346	2
1788	014A	1438	0.03	2276	2	85	140	4	4	2	5752	3476	RTO-C	85	form-based			true	0.75	8	2	6	6	8628	6352	6352	1.5
1788	014B	1437	0.03	2626	2	85	140	4	4	2	5748	3122	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	5996	5996	1.5
1788	019A	1437	0.03	2024	2	85	140	4	4	2	5748	3724	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6598	6598	1.5
1788	020	1437	0.03	2284	2	85	140	4	4	2	5748	3464	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6338	6338	1.5
1788	021	3164	0.07	1366	1	85	140	4	10	9	12656	11290	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8859.200195	7493.200195	7493.200195	0.7
1788	022	3360	0.08	2085	1	85	140	4	11	10	13440	11355	RH-2	40	form-based			true	0.7	7	0.636363626	6	6	9408	7323	7323	0.7
1788	026	3600	0.08	2250	2	65	100	3	8	6	10800	8550	RH-2	40	form-based			true	0.7	8	1	6	6	10080	7830	7830	0.933333
1789	006	3006	0.07	1625	0	65	100	3	7	7	9018	7393	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8416.799805	6791.799805	6791.799805	0.933333
1789	014	3006	0.07	2109	0	65	100	3	7	7	9018	6909	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8416.799805	6307.799805	6307.799805	0.933333
1790	010R	3000	0.07	2527	0	65	100	3	7	7	9000	6473	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8400	5873	5873	0.933333
1792	004	2991	0.07	1828	0	65	100	3	7	7	8973	7145	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8374.799805	6546.799805	6546.799805	0.933333
1793	001	1754	0.04	1050	1	65	100	3	4	3	5262	4212	RTO-C	65	form-based	true		true	0.75	7	1.75	6	6	7893	6843	6843	1.5
1793	001A	1754	0.04	1484	1	65	100	3	4	3	5262	3778	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7893	6409	6409	1.5
1793	002	1754	0.04	1450	1	65	100	3	4	3	5262	3812	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7893	6443	6443	1.5
1793	044A	2000	0.05	2500	2	65	100	3	5	3	6000	3500	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9000	6500	6500	1.5
1793	048	1875	0.04	1125	1	65	100	3	4	3	5625	4500	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	7312.5	7312.5	1.5
1793	050	1879	0.04	3106	4	65	100	3	4	0	5637	2531	NC-1	85	form-based			true	0.75	10	2.5	6	4	11274	8168	8168	2
1793	051	1879	0.04	3106	4	65	100	3	4	0	5637	2531	NC-1	85	form-based			true	0.75	10	2.5	6	4	11274	8168	8168	2
1794	012	3000	0.07	2242	0	65	100	3	7	7	9000	6758	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8400	6158	6158	0.933333
1795	010	3120	0.07	1190	1	65	100	3	7	6	9360	8170	RH-1	40	form-based			true	0.7	7	1	6	6	8736	7546	7546	0.933333
1795	010A	3120	0.07	1190	1	65	100	3	7	6	9360	8170	RH-1	40	form-based			true	0.7	7	1	6	6	8736	7546	7546	0.933333
1795	039	1287	0.03	1293	1	65	100	3	3	2	3861	2568	RTO-C	85	form-based	true		true	0.75	7	2.333333254	6	5	7722	6429	6429	2
1798	054	1763	0.04	1049	1	65	100	3	4	3	5289	4240	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7933.5	6884.5	6884.5	1.5
1798	055	1763	0.04	1315	1	65	100	3	4	3	5289	3974	RTO-C	65	form-based	true		true	0.75	7	1.75	6	6	7933.5	6618.5	6618.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1798	056	1875	0.04	1926	1	65	100	3	4	3	5625	3699	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	6511.5	6511.5	1.5
1799	001A	2500	0.06	3160	3	65	100	3	6	3	7500	4340	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	8090	8090	1.5
1799	024	3714	0.09	3828	2	65	100	3	9	7	11142	7314	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10399.2002	6571.200195	6571.200195	0.933333
1799	036	1875	0.04	1423	1	65	100	3	4	3	5625	4202	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	7014.5	7014.5	1.5
1799	036A	1875	0.04	1988	1	65	100	3	4	3	5625	3637	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	6449.5	6449.5	1.5
1799	036B	1875	0.04	1030	1	65	100	3	4	3	5625	4595	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	7407.5	7407.5	1.5
1799	036C	1875	0.04	1100	1	65	100	3	4	3	5625	4525	RTO-C	65	form-based		true	true	0.75	7	1.75	6	6	8437.5	7337.5	7337.5	1.5
1799	037	2500	0.06	3160	3	65	100	3	6	3	7500	4340	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	8090	8090	1.5
1800	029	1520	0.03	2573	2	85	140	4	4	2	6080	3507	NC-1	85	form-based			true	0.75	8	2	6	6	9120	6547	6547	1.5
1801	012	3003	0.07	1617	0	65	100	3	7	7	9009	7392	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8408.399414	6791.399414	6791.399414	0.933333
1801	021	1562	0.04	1192	2	85	140	4	6	4	6248	5056	RTO-C	85	form-based			true	0.75	8	1.333333373	6	6	9372	8180	8180	1.5
1801	042	2477	0.06	2594	3	65	100	3	6	3	7431	4837	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11146.5	8552.5	8552.5	1.5
1801	044	2477	0.06	2293	3	65	100	3	6	3	7431	5138	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11146.5	8853.5	8853.5	1.5
1802	045	3152	0.07	5130	6	65	100	3	7	1	9456	4326	RTO-C	65	form-based		true	true	0.75	12	1.714285731	6	6	14184	9054	9054	1.5
1805	068	3626	0.08	1428	2	85	140	4	11	9	14504	13076	RM-1	40	form-based			true	0.7	8	0.727272749	6	6	10152.7998	8724.799805	8724.799805	0.7
1806	031	1437	0.03	2048	2	85	140	4	4	2	5748	3700	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6574	6574	1.5
1806	031A	1438	0.03	2048	2	85	140	4	4	2	5752	3704	RTO-C	85	form-based			true	0.75	8	2	6	6	8628	6580	6580	1.5
1806	031B	1437	0.03	2048	2	85	140	4	4	2	5748	3700	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6574	6574	1.5
1806	031C	1437	0.03	2048	2	85	140	4	4	2	5748	3700	RTO-C	85	form-based		true	true	0.75	8	2	6	6	8622	6574	6574	1.5
1809	001	1752	0.04	2409	3	65	100	3	4	1	5256	2847	NC-1	85	form-based		true	true	0.75	9	2.25	6	5	10512	8103	8103	2
1810	001	1450	0.03	2074	2	85	140	4	4	2	5800	3726	RTO-C	85	form-based		true	true	0.75	8	2	6	6	8700	6626	6626	1.5
1810	001A	1450	0.03	2074	2	85	140	4	4	2	5800	3726	RTO-C	85	form-based			true	0.75	8	2	6	6	8700	6626	6626	1.5
1810	001B	1450	0.03	2074	2	85	140	4	4	2	5800	3726	RTO-C	85	form-based			true	0.75	8	2	6	6	8700	6626	6626	1.5
1811	017	3454	0.08	2030	1	65	100	3	8	7	10362	8332	RH-1	40	form-based		true	true	0.7	7	0.875	6	6	9671.200195	7641.200195	7641.200195	0.933333
1812	008	2990	0.07	2400	0	65	100	3	7	7	8970	6570	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8372	5972	5972	0.933333
1813	001	1435	0.03	2400	2	85	140	4	4	2	5740	3340	RTO-C	85	form-based		true	true	0.75	8	2	6	6	8610	6210	6210	1.5
1813	001A	1435	0.03	2400	2	85	140	4	4	2	5740	3340	RTO-C	85	form-based			true	0.75	8	2	6	6	8610	6210	6210	1.5
1813	001B	1435	0.03	2400	2	85	140	4	4	2	5740	3340	RTO-C	85	form-based			true	0.75	8	2	6	6	8610	6210	6210	1.5
1815	003	3004	0.07	2416	1	65	100	3	7	6	9012	6596	NC-1	40	form-based			true	0.75	7	1	6	6	9012	6596	6596	1
1815	012	1500	0.03	2100	2	65	100	3	3	1	4500	2400	NC-1	85	form-based			true	0.75	8	2.666666746	6	4	9000	6900	6900	2
1815	013	1500	0.03	2400	2	65	100	3	3	1	4500	2100	NC-1	85	form-based			true	0.75	8	2.666666746	6	4	9000	6600	6600	2
1815	015	1504	0.03	2374	2	65	100	3	3	1	4512	2138	NC-1	85	form-based			true	0.75	8	2.666666746	6	4	9024	6650	6650	2
1816	002	3188	0.07	2715	1	65	100	3	7	6	9564	6849	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	6211.399414	6211.399414	0.933333
1816	003	3241	0.07	1646	1	65	100	3	7	6	9723	8077	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	7428.799805	7428.799805	0.933333
1816	004	3241	0.07	1500	1	65	100	3	7	6	9723	8223	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	7574.799805	7574.799805	0.933333
1816	005	3241	0.07	1702	1	65	100	3	7	6	9723	8021	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	7372.799805	7372.799805	0.933333
1816	006	3241	0.07	1970	1	65	100	3	7	6	9723	7753	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	7104.799805	7104.799805	0.933333
1816	007	3241	0.07	1500	1	65	100	3	7	6	9723	8223	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	7574.799805	7574.799805	0.933333
1816	008	3241	0.07	1805	1	65	100	3	7	6	9723	7918	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	7269.799805	7269.799805	0.933333
1816	009	3241	0.07	2241	1	65	100	3	7	6	9723	7482	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	6833.799805	6833.799805	0.933333
1816	010	3241	0.07	2068	1	65	100	3	7	6	9723	7655	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	7006.799805	7006.799805	0.933333
1816	011	3241	0.07	1932	1	65	100	3	7	6	9723	7791	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	7142.799805	7142.799805	0.933333
1816	012	3241	0.07	1375	1	65	100	3	7	6	9723	8348	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	7699.799805	7699.799805	0.933333
1816	013	3241	0.07	1525	1	65	100	3	7	6	9723	8198	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	7549.799805	7549.799805	0.933333
1816	014	3241	0.07	1375	1	65	100	3	7	6	9723	8348	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	7699.799805	7699.799805	0.933333
1816	016	3241	0.07	2101	1	65	100	3	7	6	9723	7622	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	6973.799805	6973.799805	0.933333
1816	038	3300	0.08	2618	1	65	100	3	8	7	9900	7282	RH-1	40	form-based			true	0.7	7	0.875	6	6	9240	6622	6622	0.933333
1816	039	3300	0.08	1636	1	65	100	3	8	7	9900	8264	RH-1	40	form-based			true	0.7	7	0.875	6	6	9240	7604	7604	0.933333
1816	040	3300	0.08	1340	1	65	100	3	8	7	9900	8560	RH-1	40	form-based			true	0.7	7	0.875	6	6	9240	7900	7900	0.933333
1816	041	3300	0.08	1340	1	65	100	3	8	7	9900	8560	RH-1	40	form-based			true	0.7	7	0.875	6	6	9240	7900	7900	0.933333
1816	042	3255	0.07	1375	1	65	100	3	7	6	9765	8390	RH-1	40	form-based			true	0.7	7	1	6	6	9114	7739	7739	0.933333
1816	051	3241	0.07	1855	1	65	100	3	7	6	9723	7868	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	7219.799805	7219.799805	0.933333
1818	038	1515	0.03	2250	2	85	140	4	4	2	6060	3810	RTO-C	85	form-based			true	0.75	8	2	6	6	9090	6840	6840	1.5
1818	039	1515	0.03	2250	2	85	140	4	4	2	6060	3810	RTO-C	85	form-based			true	0.75	8	2	6	6	9090	6840	6840	1.5
1818	040	1491	0.03	2250	2	85	140	4	4	2	5964	3714	RTO-C	85	form-based		true	true	0.75	8	2	6	6	8946	6696	6696	1.5
1819	001	1444	0.03	2250	2	85	140	4	4	2	5776	3526	RTO-C	85	form-based		true	true	0.75	8	2	6	6	8664	6414	6414	1.5
1819	001B	1444	0.03	2250	2	85	140	4	4	2	5776	3526	RTO-C	85	form-based			true	0.75	8	2	6	6	8664	6414	6414	1.5
1819	039A	1946	0.04	2048	4	85	140	4	6	2	7784	5736	RTO-C	85	form-based		true	true	0.75	10	1.666666627	6	6	11676	9628	9628	1.5
1819	051	1444	0.03	936	2	85	140	4	4	2	5776	4840	RTO-C	85	form-based			true	0.75	8	2	6	6	8664	7728	7728	1.5
1820	018	3261	0.07	2140	1	65	100	3	7	6	9783	7643	RH-1	40	form-based		true	true	0.7	7	1	6	6	9130.799805	6990.799805	6990.799805	0.933333
1820	044	1440	0.03	2250	2	85	140	4	4	2	5760	3510	RTO-C	85	form-based			true	0.75	8	2	6	6	8640	6390	6390	1.5
1820	044A	1440	0.03	2250	2	85	140	4	4	2	5760	3510	RTO-C	85	form-based			true	0.75	8	2	6	6	8640	6390	6390	1.5
1820	044B	1440	0.03	1745	2	85	140	4	4	2	5760	4015	RTO-C	85	form-based		true	true	0.75	8	2	6	6	8640	6895	6895	1.5
1822	016	3291	0.08	2647	1	65	100	3	8	7	9873	7226	RH-1	40	form-based			true	0.7	7	0.875	6	6	9214.799805	6567.799805	6567.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1825	001A	1469	0.03	2350	2	85	140	4	4	2	5876	3526	RTO-C	85	form-based			true	0.75	8	2	6	6	8814	6464	6464	1.5
1825	001B	1469	0.03	2350	2	85	140	4	4	2	5876	3526	RTO-C	85	form-based			true	0.75	8	2	6	6	8814	6464	6464	1.5
1825	010	2969	0.07	2487	0	65	100	3	7	7	8907	6420	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8313.200195	5826.200195	5826.200195	0.933333
1826	001	1438	0.03	2650	2	85	140	4	4	2	5752	3102	NC-1	85	form-based		true	true	0.75	8	2	6	6	8628	5978	5978	1.5
1826	001A	1437	0.03	2250	2	85	140	4	4	2	5748	3498	NC-1	85	form-based			true	0.75	8	2	6	6	8622	6372	6372	1.5
1826	001B	1438	0.03	2250	2	65	100	3	3	1	4314	2064	NC-1	85	form-based			true	0.75	8	2.666666746	6	4	8628	6378	6378	2
1827	042	1438	0.03	2270	2	65	100	3	3	1	4314	2044	RTO-C	85	form-based			true	0.75	8	2.666666746	6	4	8628	6358	6358	2
1827	043	1437	0.03	2270	2	65	100	3	3	1	4311	2041	RTO-C	85	form-based			true	0.75	8	2.666666746	6	4	8622	6352	6352	2
1828	001A	1452	0.03	2350	2	85	140	4	4	2	5808	3458	RTO-C	85	form-based			true	0.75	8	2	6	6	8712	6362	6362	1.5
1828	023	1452	0.03	954	2	85	140	4	4	2	5808	4854	RTO-C	85	form-based			true	0.75	8	2	6	6	8712	7758	7758	1.5
1829	017	3247	0.07	2861	1	65	100	3	7	6	9741	6880	RH-2	40	form-based		true	true	0.7	7	1	6	6	9091.599609	6230.599609	6230.599609	0.933333
1829	042A	1437	0.03	1750	2	85	140	4	4	2	5748	3998	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6872	6872	1.5
1829	043	1437	0.03	1750	2	85	140	4	4	2	5748	3998	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6872	6872	1.5
1829	043A	1438	0.03	1750	2	85	140	4	4	2	5752	4002	RTO-C	85	form-based		true	true	0.75	8	2	6	6	8628	6878	6878	1.5
1830	005	3299	0.08	1562	1	85	140	4	11	10	13196	11634	RH-1	40	form-based			true	0.7	7	0.636363626	6	6	9237.200195	7675.200195	7675.200195	0.7
1830	006	3299	0.08	1562	1	85	140	4	11	10	13196	11634	RH-1	40	form-based			true	0.7	7	0.636363626	6	6	9237.200195	7675.200195	7675.200195	0.7
1830	007	3299	0.08	1784	1	65	100	3	8	7	9897	8113	RH-1	40	form-based			true	0.7	7	0.875	6	6	9237.200195	7453.200195	7453.200195	0.933333
1830	024	3113	0.07	2030	1	65	100	3	7	6	9339	7309	RH-2	40	form-based			true	0.7	7	1	6	6	8716.399414	6686.399414	6686.399414	0.933333
1830	024B	3119	0.07	2561	1	65	100	3	7	6	9357	6796	RH-2	40	form-based		true	true	0.7	7	1	6	6	8733.200195	6172.200195	6172.200195	0.933333
1830	026	3276	0.08	2190	1	65	100	3	8	7	9828	7638	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	6982.799805	6982.799805	0.933333
1830	027	3276	0.08	2130	1	65	100	3	8	7	9828	7698	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7042.799805	7042.799805	0.933333
1830	028	3276	0.08	1450	1	65	100	3	8	7	9828	8378	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7722.799805	7722.799805	0.933333
1830	029	3276	0.08	1620	1	65	100	3	8	7	9828	8208	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7552.799805	7552.799805	0.933333
1830	030	3276	0.08	2380	1	65	100	3	8	7	9828	7448	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	6792.799805	6792.799805	0.933333
1830	031	3276	0.08	2152	1	65	100	3	8	7	9828	7676	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7020.799805	7020.799805	0.933333
1830	033	3000	0.07	1953	0	65	100	3	7	7	9000	7047	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8400	6447	6447	0.933333
1830	033K	1239	0.03	1050	1	65	100	3	3	2	3717	2667	RTO-C	85	form-based			true	0.75	7	2.333333254	6	5	7434	6384	6384	2
1832	003	3235	0.07	1280	1	85	140	4	10	9	12940	11660	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9058	7778	7778	0.7
1832	004	3235	0.07	2211	1	85	140	4	10	9	12940	10729	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9058	6847	6847	0.7
1832	005	3235	0.07	2044	1	65	100	3	7	6	9705	7661	RH-1	40	form-based			true	0.7	7	1	6	6	9058	7014	7014	0.933333
1832	006	3235	0.07	2255	1	65	100	3	7	6	9705	7450	RH-1	40	form-based			true	0.7	7	1	6	6	9058	6803	6803	0.933333
1832	007	3235	0.07	1499	1	65	100	3	7	6	9705	8206	RH-1	40	form-based			true	0.7	7	1	6	6	9058	7559	7559	0.933333
1832	008	3235	0.07	1690	1	65	100	3	7	6	9705	8015	RH-1	40	form-based			true	0.7	7	1	6	6	9058	7368	7368	0.933333
1832	009	3235	0.07	2195	1	65	100	3	7	6	9705	7510	RH-1	40	form-based			true	0.7	7	1	6	6	9058	6863	6863	0.933333
1832	010	3235	0.07	1179	1	65	100	3	7	6	9705	8526	RH-1	40	form-based			true	0.7	7	1	6	6	9058	7879	7879	0.933333
1832	011	3235	0.07	2089	1	65	100	3	7	6	9705	7616	RH-1	40	form-based			true	0.7	7	1	6	6	9058	6969	6969	0.933333
1832	012	3235	0.07	1215	1	65	100	3	7	6	9705	8490	RH-1	40	form-based			true	0.7	7	1	6	6	9058	7843	7843	0.933333
1832	013	3235	0.07	1280	1	65	100	3	7	6	9705	8425	RH-1	40	form-based			true	0.7	7	1	6	6	9058	7778	7778	0.933333
1832	014	3235	0.07	1580	1	65	100	3	7	6	9705	8125	RH-1	40	form-based			true	0.7	7	1	6	6	9058	7478	7478	0.933333
1832	026	3365	0.08	1090	1	65	100	3	8	7	10095	9005	RH-1	40	form-based			true	0.7	7	0.875	6	6	9422	8332	8332	0.933333
1832	028	3240	0.07	1480	1	65	100	3	7	6	9720	8240	RH-1	40	form-based			true	0.7	7	1	6	6	9072	7592	7592	0.933333
1832	029	3240	0.07	1782	1	65	100	3	7	6	9720	7938	RH-1	40	form-based			true	0.7	7	1	6	6	9072	7290	7290	0.933333
1832	030	3240	0.07	1296	1	65	100	3	7	6	9720	8424	RH-1	40	form-based			true	0.7	7	1	6	6	9072	7776	7776	0.933333
1832	031	3240	0.07	1315	1	65	100	3	7	6	9720	8405	RH-1	40	form-based			true	0.7	7	1	6	6	9072	7757	7757	0.933333
1832	032	3240	0.07	1565	1	65	100	3	7	6	9720	8155	RH-1	40	form-based			true	0.7	7	1	6	6	9072	7507	7507	0.933333
1832	033	3240	0.07	1454	1	65	100	3	7	6	9720	8266	RH-1	40	form-based			true	0.7	7	1	6	6	9072	7618	7618	0.933333
1832	034	3240	0.07	2065	1	65	100	3	7	6	9720	7655	RH-1	40	form-based			true	0.7	7	1	6	6	9072	7007	7007	0.933333
1832	035	3240	0.07	1907	1	65	100	3	7	6	9720	7813	RH-1	40	form-based			true	0.7	7	1	6	6	9072	7165	7165	0.933333
1832	036	3240	0.07	1280	1	65	100	3	7	6	9720	8440	RH-1	40	form-based			true	0.7	7	1	6	6	9072	7792	7792	0.933333
1832	037	3240	0.07	1903	1	65	100	3	7	6	9720	7817	RH-1	40	form-based			true	0.7	7	1	6	6	9072	7169	7169	0.933333
1832	038	3240	0.07	1115	1	85	140	4	10	9	12960	11845	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9072	7957	7957	0.7
1832	039	3240	0.07	2196	1	85	140	4	10	9	12960	10764	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9072	6876	6876	0.7
1835	053	1725	0.04	1713	3	65	100	3	4	1	5175	3462	RTO-C	85	form-based			true	0.75	9	2.25	6	5	10350	8637	8637	2
1837	051	4500	0.1	1050	3	65	100	3	10	7	13500	12450	RH-2	40	form-based			true	0.7	9	0.899999976	6	6	12600	11550	11550	0.933333
1838	001A	3191	0.07	1400	1	85	140	4	10	9	12764	11364	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8934.799805	7534.799805	7534.799805	0.7
1838	001B	3191	0.07	1150	1	85	140	4	10	9	12764	11614	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8934.799805	7784.799805	7784.799805	0.7
1838	001E	3190	0.07	1400	1	65	100	3	7	6	9570	8170	RH-2	40	form-based			true	0.7	7	1	6	6	8932	7532	7532	0.933333
1838	001F	3190	0.07	1250	1	85	140	4	10	9	12760	11510	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8932	7682	7682	0.7
1838	001M	3191	0.07	2287	1	85	140	4	10	9	12764	10477	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8934.799805	6647.799805	6647.799805	0.7
1838	001N	3191	0.07	1300	1	85	140	4	10	9	12764	11464	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8934.799805	7634.799805	7634.799805	0.7
1838	001O	3190	0.07	1250	1	85	140	4	10	9	12760	11510	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8932	7682	7682	0.7
1838	001P	3190	0.07	3839	1	65	100	3	7	6	9570	5731	RH-2	40	form-based			true	0.7	7	1	6	6	8932	5093	5093	0.933333
1838	002	3191	0.07	1350	1	65	100	3	7	6	9573	8223	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7584.799805	7584.799805	0.933333
1838	003	3191	0.07	2225	1	65	100	3	7	6	9573	7348	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	6709.799805	6709.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1838	003A	3191	0.07	1819	1	65	100	3	7	6	9573	7754	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7115.799805	7115.799805	0.933333
1838	005	3191	0.07	1350	1	65	100	3	7	6	9573	8223	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7584.799805	7584.799805	0.933333
1838	006	3191	0.07	1350	1	65	100	3	7	6	9573	8223	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7584.799805	7584.799805	0.933333
1838	006A	3191	0.07	1350	1	65	100	3	7	6	9573	8223	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7584.799805	7584.799805	0.933333
1838	007	3191	0.07	2210	1	65	100	3	7	6	9573	7363	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	6724.799805	6724.799805	0.933333
1838	009	3191	0.07	2674	1	65	100	3	7	6	9573	6899	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	6260.799805	6260.799805	0.933333
1838	009A	3191	0.07	1350	1	65	100	3	7	6	9573	8223	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7584.799805	7584.799805	0.933333
1838	010	3191	0.07	1350	1	65	100	3	7	6	9573	8223	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7584.799805	7584.799805	0.933333
1838	012	3191	0.07	1350	1	65	100	3	7	6	9573	8223	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7584.799805	7584.799805	0.933333
1838	014	3191	0.07	1350	1	65	100	3	7	6	9573	8223	RH-2	40	form-based			true	0.7	7	1	6	6	8934.799805	7584.799805	7584.799805	0.933333
1838	033	1479	0.03	1932	2	85	140	4	4	2	5916	3984	RTO-C	85	form-based			true	0.75	8	2	6	6	8874	6942	6942	1.5
1838	034	1496	0.03	1432	2	85	140	4	4	2	5984	4552	RTO-C	85	form-based			true	0.75	8	2	6	6	8976	7544	7544	1.5
1839	002	3190	0.07	1175	1	65	100	3	7	6	9570	8395	RH-2	40	form-based			true	0.7	7	1	6	6	8932	7757	7757	0.933333
1839	002A	3190	0.07	1223	1	65	100	3	7	6	9570	8347	RH-2	40	form-based			true	0.7	7	1	6	6	8932	7709	7709	0.933333
1839	002B	3190	0.07	1284	1	65	100	3	7	6	9570	8286	RH-2	40	form-based			true	0.7	7	1	6	6	8932	7648	7648	0.933333
1839	002C	3190	0.07	1680	1	65	100	3	7	6	9570	7890	RH-2	40	form-based			true	0.7	7	1	6	6	8932	7252	7252	0.933333
1839	002D	3190	0.07	1175	1	65	100	3	7	6	9570	8395	RH-2	40	form-based			true	0.7	7	1	6	6	8932	7757	7757	0.933333
1839	004	3190	0.07	1500	1	65	100	3	7	6	9570	8070	RH-2	40	form-based			true	0.7	7	1	6	6	8932	7432	7432	0.933333
1839	004B	3190	0.07	1519	1	65	100	3	7	6	9570	8051	RH-2	40	form-based			true	0.7	7	1	6	6	8932	7413	7413	0.933333
1839	011	3180	0.07	2260	1	65	100	3	7	6	9540	7280	RH-2	40	form-based			true	0.7	7	1	6	6	8904	6644	6644	0.933333
1839	012	3180	0.07	1533	1	65	100	3	7	6	9540	8007	RH-2	40	form-based			true	0.7	7	1	6	6	8904	7371	7371	0.933333
1839	013	3180	0.07	1450	1	65	100	3	7	6	9540	8090	RH-2	40	form-based			true	0.7	7	1	6	6	8904	7454	7454	0.933333
1839	014	3180	0.07	1717	1	65	100	3	7	6	9540	7823	RH-2	40	form-based			true	0.7	7	1	6	6	8904	7187	7187	0.933333
1839	016	3180	0.07	1325	1	65	100	3	7	6	9540	8215	RH-2	40	form-based			true	0.7	7	1	6	6	8904	7579	7579	0.933333
1839	017	3180	0.07	1898	1	65	100	3	7	6	9540	7642	RH-2	40	form-based			true	0.7	7	1	6	6	8904	7006	7006	0.933333
1839	018	3434	0.08	1850	1	65	100	3	8	7	10302	8452	RH-2	40	form-based			true	0.7	7	0.875	6	6	9615.200195	7765.200195	7765.200195	0.933333
1839	019	3402	0.08	1808	1	65	100	3	8	7	10206	8398	RH-2	40	form-based			true	0.7	7	0.875	6	6	9525.599609	7717.599609	7717.599609	0.933333
1839	020	3213	0.07	1708	1	65	100	3	7	6	9639	7931	RH-2	40	form-based			true	0.7	7	1	6	6	8996.399414	7288.399414	7288.399414	0.933333
1839	021	3483	0.08	2381	1	65	100	3	8	7	10449	8068	RH-2	40	form-based			true	0.7	7	0.875	6	6	9752.399414	7371.399414	7371.399414	0.933333
1841	014	3150	0.07	1815	1	65	100	3	7	6	9450	7635	RH-2	40	form-based			true	0.7	7	1	6	6	8820	7005	7005	0.933333
1841	042	3916	0.09	1174	2	65	100	3	9	7	11748	10574	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10964.7998	9790.799805	9790.799805	0.933333
1841	046	1750	0.04	1396	3	85	140	4	6	3	7000	5604	RTO-C	85	form-based	true		true	0.75	9	1.5	6	6	10500	9104	9104	1.5
1842	001A	1381	0.03	1752	1	65	100	3	3	2	4143	2391	RTO-C	85	form-based			true	0.75	7	2.333333254	6	5	8286	6534	6534	2
1843	038	3360	0.08	1513	1	65	100	3	8	7	10080	8567	RH-2	40	form-based			true	0.7	7	0.875	6	6	9408	7895	7895	0.933333
1846	027	3122	0.07	1120	1	65	100	3	7	6	9366	8246	RH-1	40	form-based	true		true	0.7	7	1	6	6	8741.599609	7621.599609	7621.599609	0.933333
1846	038	4452	0.1	3500	3	65	100	3	10	7	13356	9856	RH-2	40	form-based			true	0.7	9	0.899999976	6	6	12465.59961	8965.599609	8965.599609	0.933333
1847	001	2336	0.05	4000	3	65	100	3	5	2	7008	3008	RTO-C	65	form-based	true		true	0.75	9	1.799999952	6	6	10512	6512	6512	1.5
1847	052	2478	0.06	3090	3	65	100	3	6	3	7434	4344	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11151	8061	8061	1.5
1851	007	3249	0.07	1350	1	65	100	3	7	6	9747	8397	RH-2	40	form-based			true	0.7	7	1	6	6	9097.200195	7747.200195	7747.200195	0.933333
1851	016	3188	0.07	1604	1	65	100	3	7	6	9564	7960	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	7322.399414	7322.399414	0.933333
1854	012B	3223	0.07	3070	1	65	100	3	7	6	9669	6599	RH-2	40	form-based			true	0.7	7	1	6	6	9024.399414	5954.399414	5954.399414	0.933333
1855	025	3285	0.08	3024	1	65	100	3	8	7	9855	6831	RH-2	40	form-based	true		true	0.7	7	0.875	6	6	9198	6174	6174	0.933333
1855	030	3013	0.07	276	0	65	100	3	7	7	9039	8763	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8436.399414	8160.399414	8160.399414	0.933333
1857	016G	3190	0.07	1581	1	65	100	3	7	6	9570	7989	RH-2	40	form-based	true		true	0.7	7	1	6	6	8932	7351	7351	0.933333
1858	018	3000	0.07	2601	0	65	100	3	7	7	9000	6399	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8400	5799	5799	0.933333
1860A	008	3106	0.07	1630	1	65	100	3	7	6	9318	7688	RH-1	40	form-based			true	0.7	7	1	6	6	8696.799805	7066.799805	7066.799805	0.933333
1860A	025	3118	0.07	2042	1	65	100	3	7	6	9354	7312	RH-2	40	form-based			true	0.7	7	1	6	6	8730.399414	6688.399414	6688.399414	0.933333
1860A	034	3313	0.08	1280	1	65	100	3	8	7	9939	8659	RH-1	40	form-based			true	0.7	7	0.875	6	6	9276.399414	7996.399414	7996.399414	0.933333
1860B	005	3195	0.07	2607	1	65	100	3	7	6	9585	6978	RH-1	40	form-based			true	0.7	7	1	6	6	8946	6339	6339	0.933333
1860B	006	3163	0.07	2733	1	65	100	3	7	6	9489	6756	RH-1	40	form-based			true	0.7	7	1	6	6	8856.399414	6123.399414	6123.399414	0.933333
1860B	007	3305	0.08	2727	1	65	100	3	8	7	9915	7188	RH-1	40	form-based			true	0.7	7	0.875	6	6	9254	6527	6527	0.933333
1860B	008	3144	0.07	2727	1	65	100	3	7	6	9432	6705	RH-1	40	form-based			true	0.7	7	1	6	6	8803.200195	6076.200195	6076.200195	0.933333
1860B	009	3203	0.07	2715	1	65	100	3	7	6	9609	6894	RH-1	40	form-based			true	0.7	7	1	6	6	8968.399414	6253.399414	6253.399414	0.933333
1860B	010	3480	0.08	2727	1	65	100	3	8	7	10440	7713	RH-1	40	form-based			true	0.7	7	0.875	6	6	9744	7017	7017	0.933333
1860B	011	3187	0.07	2607	1	65	100	3	7	6	9561	6954	RH-1	40	form-based			true	0.7	7	1	6	6	8923.599609	6316.599609	6316.599609	0.933333
1860B	012	3264	0.07	2607	1	55	80	2.5	6	5	8160	5553	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9139.200195	6532.200195	6532.200195	1.12
1860B	013	3149	0.07	2727	1	55	80	2.5	6	5	7872	5145	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8817.200195	6090.200195	6090.200195	1.120071
1860B	030	3140	0.07	3059	1	65	100	3	7	6	9420	6361	RH-1	40	form-based			true	0.7	7	1	6	6	8792	5733	5733	0.933333
1860B	031	3262	0.07	2608	1	65	100	3	7	6	9786	7178	RH-1	40	form-based			true	0.7	7	1	6	6	9133.599609	6525.599609	6525.599609	0.933333
1860B	032	3267	0.07	2608	1	65	100	3	7	6	9801	7193	RH-1	40	form-based			true	0.7	7	1	6	6	9147.599609	6539.599609	6539.599609	0.933333
1860B	034	3511	0.08	2732	1	65	100	3	8	7	10533	7801	RH-1	40	form-based			true	0.7	7	0.875	6	6	9830.799805	7098.799805	7098.799805	0.933333
1860B	035	3259	0.07	2541	1	65	100	3	7	6	9777	7236	RH-1	40	form-based			true	0.7	7	1	6	6	9125.200195	6584.200195	6584.200195	0.933333
1861A	001	4030	0.09	4256	2	65	100	3	9	7	12090	7834	RH-2	40	form-based	true		true	0.7	8	0.888888896	6	6	11284	7028	7028	0.933333
1861A	010	3287	0.08	1500	1	65	100	3	8	7	9861	8361	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9203.599609	7703.599609	7703.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1861A	020	4030	0.09	1944	2	65	100	3	9	7	12090	10146	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11284	9340	9340	0.933333
1861B	002F	3422	0.08	1530	1	65	100	3	8	7	10266	8736	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9581.599609	8051.599609	8051.599609	0.933333
1861B	008	3270	0.08	1722	1	65	100	3	8	7	9810	8088	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9156	7434	7434	0.933333
1861B	002G	3510	0.08	1820	1	65	100	3	8	7	10530	8710	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9828	8008	8008	0.933333
1862A	007H	3168	0.07	1625	1	65	100	3	7	6	9504	7879	RH-1	40	form-based			true	0.7	7	1	6	6	8870.399414	7245.399414	7245.399414	0.933333
1861B	004H	3507	0.08	1361	1	55	80	2.5	6	5	8768	7407	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9819.599609	8458.599609	8458.599609	1.119936
1861B	004K	3437	0.08	1860	1	55	80	2.5	6	5	8592	6732	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	7763.599609	7763.599609	1.120065
1861B	005	3213	0.07	1400	1	55	80	2.5	6	5	8032	6632	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8996.399414	7596.399414	7596.399414	1.12007
1861B	005D	3254	0.07	2200	1	55	80	2.5	6	5	8135	5935	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9111.200195	6911.200195	6911.200195	1.12
1861B	005E	3440	0.08	1325	1	55	80	2.5	6	5	8600	7275	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9632	8307	8307	1.12
1861B	006	3099	0.07	1325	1	55	80	2.5	6	5	7748	6423	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8677.200195	7352.200195	7352.200195	1.119928
1861B	012	3175	0.07	2160	1	65	100	3	7	6	9525	7365	RH-1	40	form-based			true	0.7	7	1	6	6	8890	6730	6730	0.933333
1861B	014	3547	0.08	2280	1	65	100	3	8	7	10641	8361	RH-1	40	form-based			true	0.7	7	0.875	6	6	9931.599609	7651.599609	7651.599609	0.933333
1861B	015	3541	0.08	2204	1	55	80	2.5	6	5	8852	6648	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9914.799805	7710.799805	7710.799805	1.120063
1861B	016	3267	0.07	2280	1	55	80	2.5	6	5	8168	5888	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9147.599609	6867.599609	6867.599609	1.119931
1861B	017	3228	0.07	2204	1	55	80	2.5	6	5	8070	5866	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9038.399414	6834.399414	6834.399414	1.12
1862A	007F	3130	0.07	1150	1	65	100	3	7	6	9390	8240	RH-1	40	form-based			true	0.7	7	1	6	6	8764	7614	7614	0.933333
1862A	007G	3107	0.07	3910	1	65	100	3	7	6	9321	5411	RH-1	40	form-based			true	0.7	7	1	6	6	8699.599609	4789.599609	4789.599609	0.933333
1862A	010	3158	0.07	2291	1	65	100	3	7	6	9474	7183	RH-1	40	form-based			true	0.7	7	1	6	6	8842.399414	6551.399414	6551.399414	0.933333
1862A	011	3310	0.08	1850	1	65	100	3	8	7	9930	8080	RH-1	40	form-based			true	0.7	7	0.875	6	6	9268	7418	7418	0.933333
1863	005	3162	0.07	2093	1	65	100	3	7	6	9486	7393	RH-1	40	form-based			true	0.7	7	1	6	6	8853.599609	6760.599609	6760.599609	0.933333
1863	021E	3149	0.07	2612	1	55	80	2.5	6	5	7872	5260	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	8817.200195	6205.200195	6205.200195	1.120071
1863	037	3200	0.07	1580	1	65	100	3	7	6	9600	8020	RH-1	40	form-based			true	0.7	7	1	6	6	8960	7380	7380	0.933333
1864	001I	3212	0.07	2468	1	65	100	3	7	6	9636	7168	RH-1	40	form-based			true	0.7	7	1	6	6	8993.599609	6525.599609	6525.599609	0.933333
1866	003	3572	0.08	3120	2	65	100	3	8	6	10716	7596	RH-2	40	form-based			true	0.7	8	1	6	6	10001.59961	6881.599609	6881.599609	0.933333
1866	004	3572	0.08	3158	2	65	100	3	8	6	10716	7558	RH-2	40	form-based			true	0.7	8	1	6	6	10001.59961	6843.599609	6843.599609	0.933333
1866	007	3572	0.08	4235	2	65	100	3	8	6	10716	6481	RH-2	40	form-based			true	0.7	8	1	6	6	10001.59961	5766.599609	5766.599609	0.933333
1866	010	3572	0.08	3565	2	65	100	3	8	6	10716	7151	RH-2	40	form-based			true	0.7	8	1	6	6	10001.59961	6436.599609	6436.599609	0.933333
1867	002	3195	0.07	1300	1	65	100	3	7	6	9585	8285	RH-1	40	form-based			true	0.7	7	1	6	6	8946	7646	7646	0.933333
1867	038	3198	0.07	1090	1	65	100	3	7	6	9594	8504	RH-1	40	form-based			true	0.7	7	1	6	6	8954.399414	7864.399414	7864.399414	0.933333
1868	037	3204	0.07	1385	1	65	100	3	7	6	9612	8227	RH-1	40	form-based			true	0.7	7	1	6	6	8971.200195	7586.200195	7586.200195	0.933333
1869	002	3207	0.07	1325	1	65	100	3	7	6	9621	8296	RH-1	40	form-based			true	0.7	7	1	6	6	8979.599609	7654.599609	7654.599609	0.933333
1869	042	3232	0.07	1985	1	65	100	3	7	6	9696	7711	RH-1	40	form-based			true	0.7	7	1	6	6	9049.599609	7064.599609	7064.599609	0.933333
1870	007B	3212	0.07	2440	1	65	100	3	7	6	9636	7196	RH-1	40	form-based			true	0.7	7	1	6	6	8993.599609	6553.599609	6553.599609	0.933333
1870	014	2503	0.06	2175	3	65	100	3	6	3	7509	5334	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11263.5	9088.5	9088.5	1.5
1870	017	3216	0.07	1205	1	65	100	3	7	6	9648	8443	RH-1	40	form-based			true	0.7	7	1	6	6	9004.799805	7799.799805	7799.799805	0.933333
1870	027	1884	0.04	1970	1	65	100	3	4	3	5652	3682	RTO-C	65	form-based		true	true	0.75	7	1.75	6	6	8478	6508	6508	1.5
1870	028	1750	0.04	1450	1	65	100	3	4	3	5250	3800	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7875	6425	6425	1.5
1870	029	1750	0.04	2166	1	65	100	3	4	3	5250	3084	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7875	5709	5709	1.5
1871	002	3236	0.07	1625	1	65	100	3	7	6	9708	8083	RH-1	40	form-based			true	0.7	7	1	6	6	9060.799805	7435.799805	7435.799805	0.933333
1871	014D	4138	0.09	6732	10	65	100	3	9	0	12414	5682	NC-1	65	form-based		true	true	0.75	16	1.777777791	6	6	18621	11889	11889	1.5
1871	019A	3220	0.07	2065	1	65	100	3	7	6	9660	7595	RH-1	40	form-based			true	0.7	7	1	6	6	9016	6951	6951	0.933333
1872	011D	2502	0.06	2400	3	65	100	3	6	3	7506	5106	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11259	8859	8859	1.5
1872	015C	3000	0.07	2115	0	65	100	3	7	7	9000	6885	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8400	6285	6285	0.933333
1872	015F	3000	0.07	2423	0	65	100	3	7	7	9000	6577	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8400	5977	5977	0.933333
1873	015A	3228	0.07	1275	1	65	100	3	7	6	9684	8409	RH-1	40	form-based			true	0.7	7	1	6	6	9038.399414	7763.399414	7763.399414	0.933333
1873	016D	1876	0.04	1125	1	65	100	3	4	3	5628	4503	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8442	7317	7317	1.5
1873	017	1876	0.04	1418	1	65	100	3	4	3	5628	4210	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8442	7024	7024	1.5
1873	022	3266	0.07	1862	1	65	100	3	7	6	9798	7936	RH-1	40	form-based			true	0.7	7	1	6	6	9144.799805	7282.799805	7282.799805	0.933333
1874	020	3204	0.07	1540	1	65	100	3	7	6	9612	8072	RH-1	40	form-based			true	0.7	7	1	6	6	8971.200195	7431.200195	7431.200195	0.933333
1874	032	3238	0.07	2169	1	65	100	3	7	6	9714	7545	RH-1	40	form-based			true	0.7	7	1	6	6	9066.399414	6897.399414	6897.399414	0.933333
1875	016	3219	0.07	1265	1	65	100	3	7	6	9657	8392	RH-1	40	form-based			true	0.7	7	1	6	6	9013.200195	7748.200195	7748.200195	0.933333
1875	025	3241	0.07	2499	1	65	100	3	7	6	9723	7224	RH-1	40	form-based			true	0.7	7	1	6	6	9074.799805	6575.799805	6575.799805	0.933333
1877	005	3250	0.07	1584	1	65	100	3	7	6	9750	8166	RH-1	40	form-based			true	0.7	7	1	6	6	9100	7516	7516	0.933333
1877	046	3266	0.07	2072	1	65	100	3	7	6	9798	7726	RH-1	40	form-based			true	0.7	7	1	6	6	9144.799805	7072.799805	7072.799805	0.933333
1878	002G	3232	0.07	2570	1	65	100	3	7	6	9696	7126	RH-1	40	form-based			true	0.7	7	1	6	6	9049.599609	6479.599609	6479.599609	0.933333
1878	002M	3145	0.07	1815	1	65	100	3	7	6	9435	7620	RH-1	40	form-based			true	0.7	7	1	6	6	8806	6991	6991	0.933333
1878	002R	3297	0.08	1718	1	65	100	3	8	7	9891	8173	RH-1	40	form-based			true	0.7	7	0.875	6	6	9231.599609	7513.599609	7513.599609	0.933333
1878	015	3103	0.07	1828	1	65	100	3	7	6	9309	7481	RH-1	40	form-based			true	0.7	7	1	6	6	8688.399414	6860.399414	6860.399414	0.933333
1879	001D	3253	0.07	1912	1	65	100	3	7	6	9759	7847	RH-1	40	form-based			true	0.7	7	1	6	6	9108.399414	7196.399414	7196.399414	0.933333
1879	001Q	3116	0.07	2100	1	65	100	3	7	6	9348	7248	RH-1	40	form-based			true	0.7	7	1	6	6	8724.799805	6624.799805	6624.799805	0.933333
1879	008A	3263	0.07	1454	1	65	100	3	7	6	9789	8335	RH-1	40	form-based			true	0.7	7	1	6	6	9136.399414	7682.399414	7682.399414	0.933333
1880	004	3422	0.08	2160	1	65	100	3	8	7	10266	8106	RH-1	40	form-based			true	0.7	7	0.875	6	6	9581.599609	7421.599609	7421.599609	0.933333
1880	005	3276	0.08	2000	1	65	100	3	8	7	9828	7828	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7172.799805	7172.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1880	006	3276	0.08	2445	1	65	100	3	8	7	9828	7383	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	6727.799805	6727.799805	0.933333
1880	007	3276	0.08	2000	1	65	100	3	8	7	9828	7828	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7172.799805	7172.799805	0.933333
1880	008	3276	0.08	2825	1	65	100	3	8	7	9828	7003	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	6347.799805	6347.799805	0.933333
1880	009	3276	0.08	2600	1	65	100	3	8	7	9828	7228	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	6572.799805	6572.799805	0.933333
1880	010	3276	0.08	2130	1	65	100	3	8	7	9828	7698	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7042.799805	7042.799805	0.933333
1880	011	3276	0.08	2130	1	65	100	3	8	7	9828	7698	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7042.799805	7042.799805	0.933333
1880	012	3276	0.08	2450	1	65	100	3	8	7	9828	7378	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	6722.799805	6722.799805	0.933333
1880	013	3276	0.08	2130	1	65	100	3	8	7	9828	7698	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7042.799805	7042.799805	0.933333
1880	014	3276	0.08	2130	1	65	100	3	8	7	9828	7698	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7042.799805	7042.799805	0.933333
1880	015	3276	0.08	2531	1	65	100	3	8	7	9828	7297	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	6641.799805	6641.799805	0.933333
1880	016	3276	0.08	2130	1	65	100	3	8	7	9828	7698	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7042.799805	7042.799805	0.933333
1880	017	3276	0.08	2400	1	65	100	3	8	7	9828	7428	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	6772.799805	6772.799805	0.933333
1880	018	3276	0.08	2130	1	65	100	3	8	7	9828	7698	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7042.799805	7042.799805	0.933333
1880	019	3300	0.08	2000	1	65	100	3	8	7	9900	7900	RH-1	40	form-based			true	0.7	7	0.875	6	6	9240	7240	7240	0.933333
1880	027	3307	0.08	1792	1	65	100	3	8	7	9921	8129	RH-1	40	form-based			true	0.7	7	0.875	6	6	9259.599609	7467.599609	7467.599609	0.933333
1880	028	3283	0.08	2301	1	65	100	3	8	7	9849	7548	RH-1	40	form-based			true	0.7	7	0.875	6	6	9192.399414	6891.399414	6891.399414	0.933333
1880	030	3283	0.08	1756	1	65	100	3	8	7	9849	8093	RH-1	40	form-based			true	0.7	7	0.875	6	6	9192.399414	7436.399414	7436.399414	0.933333
1880	031	3283	0.08	1807	1	65	100	3	8	7	9849	8042	RH-1	40	form-based			true	0.7	7	0.875	6	6	9192.399414	7385.399414	7385.399414	0.933333
1880	032	3283	0.08	1748	1	65	100	3	8	7	9849	8101	RH-1	40	form-based			true	0.7	7	0.875	6	6	9192.399414	7444.399414	7444.399414	0.933333
1880	033	3283	0.08	1740	1	65	100	3	8	7	9849	8109	RH-1	40	form-based			true	0.7	7	0.875	6	6	9192.399414	7452.399414	7452.399414	0.933333
1880	034	3283	0.08	3000	1	65	100	3	8	7	9849	6849	RH-1	40	form-based			true	0.7	7	0.875	6	6	9192.399414	6192.399414	6192.399414	0.933333
1880	035	3283	0.08	1740	1	65	100	3	8	7	9849	8109	RH-1	40	form-based			true	0.7	7	0.875	6	6	9192.399414	7452.399414	7452.399414	0.933333
1880	036	3283	0.08	1740	1	65	100	3	8	7	9849	8109	RH-1	40	form-based			true	0.7	7	0.875	6	6	9192.399414	7452.399414	7452.399414	0.933333
1880	037	3283	0.08	2855	1	65	100	3	8	7	9849	6994	RH-1	40	form-based			true	0.7	7	0.875	6	6	9192.399414	6337.399414	6337.399414	0.933333
1880	038	3283	0.08	2855	1	65	100	3	8	7	9849	6994	RH-1	40	form-based			true	0.7	7	0.875	6	6	9192.399414	6337.399414	6337.399414	0.933333
1880	039	3283	0.08	1752	1	65	100	3	8	7	9849	8097	RH-1	40	form-based			true	0.7	7	0.875	6	6	9192.399414	7440.399414	7440.399414	0.933333
1880	040	3283	0.08	1740	1	65	100	3	8	7	9849	8109	RH-1	40	form-based			true	0.7	7	0.875	6	6	9192.399414	7452.399414	7452.399414	0.933333
1880	041	3283	0.08	1890	1	65	100	3	8	7	9849	7959	RH-1	40	form-based			true	0.7	7	0.875	6	6	9192.399414	7302.399414	7302.399414	0.933333
1880	042	3431	0.08	2230	1	65	100	3	8	7	10293	8063	RH-1	40	form-based			true	0.7	7	0.875	6	6	9606.799805	7376.799805	7376.799805	0.933333
1880	043	3135	0.07	1960	1	65	100	3	7	6	9405	7445	RH-1	40	form-based			true	0.7	7	1	6	6	8778	6818	6818	0.933333
1880	046	3345	0.08	2374	1	65	100	3	8	7	10035	7661	RH-1	40	form-based			true	0.7	7	0.875	6	6	9366	6992	6992	0.933333
1881	004	3156	0.07	1951	1	65	100	3	7	6	9468	7517	RH-1	40	form-based			true	0.7	7	1	6	6	8836.799805	6885.799805	6885.799805	0.933333
1881	005	3276	0.08	1851	1	65	100	3	8	7	9828	7977	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7321.799805	7321.799805	0.933333
1881	006	3276	0.08	2611	1	65	100	3	8	7	9828	7217	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	6561.799805	6561.799805	0.933333
1881	007	3276	0.08	1725	1	65	100	3	8	7	9828	8103	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7447.799805	7447.799805	0.933333
1881	008	3276	0.08	1851	1	65	100	3	8	7	9828	7977	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7321.799805	7321.799805	0.933333
1881	009	3276	0.08	2782	1	65	100	3	8	7	9828	7046	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	6390.799805	6390.799805	0.933333
1881	010	3276	0.08	1851	1	65	100	3	8	7	9828	7977	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7321.799805	7321.799805	0.933333
1881	011	3276	0.08	2026	1	65	100	3	8	7	9828	7802	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7146.799805	7146.799805	0.933333
1881	012	3276	0.08	1851	1	65	100	3	8	7	9828	7977	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7321.799805	7321.799805	0.933333
1881	013	3276	0.08	1851	1	65	100	3	8	7	9828	7977	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7321.799805	7321.799805	0.933333
1881	014	3276	0.08	1971	1	65	100	3	8	7	9828	7857	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7201.799805	7201.799805	0.933333
1881	015	3276	0.08	1851	1	65	100	3	8	7	9828	7977	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7321.799805	7321.799805	0.933333
1881	016	3276	0.08	1851	1	65	100	3	8	7	9828	7977	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7321.799805	7321.799805	0.933333
1881	017	3276	0.08	1851	1	65	100	3	8	7	9828	7977	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7321.799805	7321.799805	0.933333
1881	018	3276	0.08	1971	1	65	100	3	8	7	9828	7857	RH-1	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7201.799805	7201.799805	0.933333
1881	019	3151	0.07	2021	1	65	100	3	7	6	9453	7432	RH-1	40	form-based			true	0.7	7	1	6	6	8822.799805	6801.799805	6801.799805	0.933333
1881	020	3401	0.08	2393	1	65	100	3	8	7	10203	7810	RH-1	40	form-based			true	0.7	7	0.875	6	6	9522.799805	7129.799805	7129.799805	0.933333
1881	024	3658	0.08	2971	2	65	100	3	8	6	10974	8003	RH-1	40	form-based			true	0.7	8	1	6	6	10242.39941	7271.399414	7271.399414	0.933333
1881	047	3504	0.08	2405	1	65	100	3	8	7	10512	8107	RH-1	40	form-based	true		true	0.7	7	0.875	6	6	9811.200195	7406.200195	7406.200195	0.933333
1883	005	3282	0.08	2450	1	65	100	3	8	7	9846	7396	RH-1	40	form-based			true	0.7	7	0.875	6	6	9189.599609	6739.599609	6739.599609	0.933333
1883	046	3274	0.08	1375	1	65	100	3	8	7	9822	8447	RH-1	40	form-based			true	0.7	7	0.875	6	6	9167.200195	7792.200195	7792.200195	0.933333
1884	020	3287	0.08	1150	1	65	100	3	8	7	9861	8711	RH-1	40	form-based			true	0.7	7	0.875	6	6	9203.599609	8053.599609	8053.599609	0.933333
1884	032	3294	0.08	1342	1	65	100	3	8	7	9882	8540	RH-1	40	form-based			true	0.7	7	0.875	6	6	9223.200195	7881.200195	7881.200195	0.933333
1885	043	3248	0.07	1800	1	65	100	3	7	6	9744	7944	RH-1	40	form-based	true		true	0.7	7	1	6	6	9094.399414	7294.399414	7294.399414	0.933333
1886	002	3298	0.08	1405	1	65	100	3	8	7	9894	8489	RH-1	40	form-based			true	0.7	7	0.875	6	6	9234.399414	7829.399414	7829.399414	0.933333
1886	033	3300	0.08	1150	1	65	100	3	8	7	9900	8750	RH-1	40	form-based			true	0.7	7	0.875	6	6	9240	8090	8090	0.933333
1887	009	3304	0.08	1384	1	65	100	3	8	7	9912	8528	RH-1	40	form-based			true	0.7	7	0.875	6	6	9251.200195	7867.200195	7867.200195	0.933333
1887	020	3295	0.08	1175	1	65	100	3	8	7	9885	8710	RH-1	40	form-based			true	0.7	7	0.875	6	6	9226	8051	8051	0.933333
1888	007	3236	0.07	5950	6	65	100	3	7	1	9708	3758	NC-1	65	form-based	true		true	0.75	12	1.714285731	6	6	14562	8612	8612	1.5
1889	012	3000	0.07	1739	0	65	100	3	7	7	9000	7261	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8400	6661	6661	0.933333
1889	017	3314	0.08	2118	1	65	100	3	8	7	9942	7824	RH-1	40	form-based			true	0.7	7	0.875	6	6	9279.200195	7161.200195	7161.200195	0.933333
1889	018K	3331	0.08	1809	1	65	100	3	8	7	9993	8184	RH-1	40	form-based			true	0.7	7	0.875	6	6	9326.799805	7517.799805	7517.799805	0.933333
1890	002	3320	0.08	800	1	65	100	3	8	7	9960	9160	RH-1	40	form-based			true	0.7	7	0.875	6	6	9296	8496	8496	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1890	022	3004	0.07	1323	0	65	100	3	7	7	9012	7689	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8411.200195	7088.200195	7088.200195	0.933333
1890	035	3326	0.08	1439	1	65	100	3	8	7	9978	8539	RH-1	40	form-based			true	0.7	7	0.875	6	6	9312.799805	7873.799805	7873.799805	0.933333
1891	016	3325	0.08	1517	1	65	100	3	8	7	9975	8458	RH-1	40	form-based			true	0.7	7	0.875	6	6	9310	7793	7793	0.933333
1891	027	3333	0.08	1010	1	65	100	3	8	7	9999	8989	RH-1	40	form-based			true	0.7	7	0.875	6	6	9332.399414	8322.399414	8322.399414	0.933333
1891	028	3005	0.07	1510	0	65	100	3	7	7	9015	7505	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8414	6904	6904	0.933333
1892	002	3330	0.08	1151	1	65	100	3	8	7	9990	8839	RH-1	40	form-based			true	0.7	7	0.875	6	6	9324	8173	8173	0.933333
1892	024	3336	0.08	1560	1	65	100	3	8	7	10008	8448	RH-1	40	form-based			true	0.7	7	0.875	6	6	9340.799805	7780.799805	7780.799805	0.933333
1892	030	3003	0.07	1414	0	65	100	3	7	7	9009	7595	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8408.399414	6994.399414	6994.399414	0.933333
1893	002	3336	0.08	1550	1	65	100	3	8	7	10008	8458	RH-1	40	form-based			true	0.7	7	0.875	6	6	9340.799805	7790.799805	7790.799805	0.933333
1893	045	3760	0.09	1000	2	65	100	3	9	7	11280	10280	RH-1	40	form-based			true	0.7	8	0.888888896	6	6	10528	9528	9528	0.933333
1895	049	3412	0.08	904	1	55	80	2.5	6	5	8530	7626	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9553.599609	8649.599609	8649.599609	1.12
1895	051	3165	0.07	1190	1	55	80	2.5	6	5	7912	6722	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8862	7672	7672	1.120071
1896	004	3387	0.08	1185	1	55	80	2.5	6	5	8468	7283	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9483.599609	8298.599609	8298.599609	1.119934
1896	047	3500	0.08	1175	1	55	80	2.5	6	5	8750	7575	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9800	8625	8625	1.12
1900	034	3013	0.07	3055	0	55	80	2.5	6	6	7532	4477	RH-1	40	form-based			true	0.7	6	1	6	6	8436.399414	5381.399414	5381.399414	1.120074
1902	005	3116	0.07	1566	1	55	80	2.5	6	5	7790	6224	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	8724.799805	7158.799805	7158.799805	1.12
1905	019	3000	0.07	2208	0	55	80	2.5	6	6	7500	5292	RH-1	40	form-based			true	0.7	6	1	6	6	8400	6192	6192	1.12
1909	032	3034	0.07	2072	0	55	80	2.5	6	6	7585	5513	RH-1	40	form-based			true	0.7	6	1	6	6	8495.200195	6423.200195	6423.200195	1.12
1913	016	3298	0.08	4598	1	55	80	2.5	6	5	8245	3647	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9234.399414	4636.399414	4636.399414	1.12
1925	004	3178	0.07	2009	1	55	80	2.5	6	5	7945	5936	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8898.399414	6889.399414	6889.399414	1.12
1925	004E	3178	0.07	1376	1	55	80	2.5	6	5	7945	6569	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8898.399414	7522.399414	7522.399414	1.12
1925	004F	3178	0.07	1310	1	55	80	2.5	6	5	7945	6635	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8898.399414	7588.399414	7588.399414	1.12
1925	004G	3178	0.07	1311	1	55	80	2.5	6	5	7945	6634	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8898.399414	7587.399414	7587.399414	1.12
1925	009	3208	0.07	1880	1	55	80	2.5	6	5	8020	6140	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8982.399414	7102.399414	7102.399414	1.12
1925	009B	3208	0.07	2055	1	55	80	2.5	6	5	8020	5965	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8982.399414	6927.399414	6927.399414	1.12
1925	009C	3209	0.07	1450	1	55	80	2.5	6	5	8022	6572	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8985.200195	7535.200195	7535.200195	1.12007
1926	021	3102	0.07	2494	1	55	80	2.5	6	5	7755	5261	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8685.599609	6191.599609	6191.599609	1.12
1926	025B	3138	0.07	1671	1	55	80	2.5	6	5	7845	6174	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8786.399414	7115.399414	7115.399414	1.12
1927A	001A	3288	0.08	2165	1	55	80	2.5	6	5	8220	6055	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9206.399414	7041.399414	7041.399414	1.12
1927A	001B	3297	0.08	1588	1	55	80	2.5	6	5	8242	6654	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9231.599609	7643.599609	7643.599609	1.120068
1927A	001C	3303	0.08	1908	1	55	80	2.5	6	5	8258	6350	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9248.399414	7340.399414	7340.399414	1.119932
1927A	001D	3353	0.08	1988	1	55	80	2.5	6	5	8382	6394	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9388.399414	7400.399414	7400.399414	1.120067
1927A	001E	3463	0.08	1588	1	55	80	2.5	6	5	8658	7070	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9696.399414	8108.399414	8108.399414	1.119935
1927A	001P	3373	0.08	2005	1	55	80	2.5	6	5	8432	6427	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9444.399414	7439.399414	7439.399414	1.120066
1928	002	3337	0.08	2296	1	55	80	2.5	6	5	8342	6046	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9343.599609	7047.599609	7047.599609	1.120067
1928	015	3261	0.07	2469	1	55	80	2.5	6	5	8152	5683	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9130.799805	6661.799805	6661.799805	1.120069
1928	016	3310	0.08	2209	1	55	80	2.5	6	5	8275	6066	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9268	7059	7059	1.12
1928	017	3353	0.08	2273	1	55	80	2.5	6	5	8382	6109	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9388.399414	7115.399414	7115.399414	1.120067
1928	020	3101	0.07	1862	1	55	80	2.5	6	5	7752	5890	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8682.799805	6820.799805	6820.799805	1.120072
1928	021	3115	0.07	1862	1	55	80	2.5	6	5	7788	5926	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8722	6860	6860	1.119928
1928	022	3149	0.07	1862	1	55	80	2.5	6	5	7872	6010	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8817.200195	6955.200195	6955.200195	1.120071
1928	023	3143	0.07	2172	1	55	80	2.5	6	5	7858	5686	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8800.399414	6628.399414	6628.399414	1.119929
1928	024	3321	0.08	2007	1	55	80	2.5	6	5	8302	6295	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9298.799805	7291.799805	7291.799805	1.120067
1928	025	3427	0.08	2007	1	55	80	2.5	6	5	8568	6561	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9595.599609	7588.599609	7588.599609	1.119935
1928	026	3258	0.07	2007	1	55	80	2.5	6	5	8145	6138	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9122.399414	7115.399414	7115.399414	1.12
1928	027	3264	0.07	3276	1	55	80	2.5	6	5	8160	4884	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9139.200195	5863.200195	5863.200195	1.12
1928	028	3362	0.08	2472	1	55	80	2.5	6	5	8405	5933	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9413.599609	6941.599609	6941.599609	1.12
1928	029	3397	0.08	1989	1	55	80	2.5	6	5	8492	6503	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9511.599609	7522.599609	7522.599609	1.120066
1928B	048	2906	0.07	0	0	55	80	2.5	6	6	7265	7265	RH-1	40	form-based			true	0.7	6	1	6	6	8136.799805	8136.799805	8136.799805	1.12
1928	031	3483	0.08	2281	1	55	80	2.5	6	5	8708	6427	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9752.399414	7471.399414	7471.399414	1.119936
1928	032	3448	0.08	2285	1	55	80	2.5	6	5	8620	6335	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9654.399414	7369.399414	7369.399414	1.12
1928	034	3462	0.08	2285	1	55	80	2.5	6	5	8655	6370	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9693.599609	7408.599609	7408.599609	1.12
1928	035	3369	0.08	2281	1	55	80	2.5	6	5	8422	6141	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9433.200195	7152.200195	7152.200195	1.120067
1928	036	3267	0.07	2281	1	55	80	2.5	6	5	8168	5887	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9147.599609	6866.599609	6866.599609	1.119931
1928	037	3326	0.08	2809	1	55	80	2.5	6	5	8315	5506	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9312.799805	6503.799805	6503.799805	1.12
1928	038	3159	0.07	2285	1	55	80	2.5	6	5	7898	5613	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8845.200195	6560.200195	6560.200195	1.119929
1928B	042	3364	0.08	3114	1	55	80	2.5	6	5	8410	5296	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9419.200195	6305.200195	6305.200195	1.12
1928B	043	3275	0.08	3114	1	55	80	2.5	6	5	8188	5074	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9170	6056	6056	1.119932
1928B	044	3437	0.08	3481	1	55	80	2.5	6	5	8592	5111	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9623.599609	6142.599609	6142.599609	1.120065
1928B	052	2756	0.06	0	0	55	80	2.5	5	5	6890	6890	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7716.799805	7716.799805	7716.799805	1.12
1928B	054	3136	0.07	2844	1	55	80	2.5	6	5	7840	4996	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8780.799805	5936.799805	5936.799805	1.12
1928B	055	3270	0.08	2844	1	55	80	2.5	6	5	8175	5331	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9156	6312	6312	1.12
1928B	057	3279	0.08	2844	1	55	80	2.5	6	5	8198	5354	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9181.200195	6337.200195	6337.200195	1.119932
1928B	058	3153	0.07	2844	1	55	80	2.5	6	5	7882	5038	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8828.399414	5984.399414	5984.399414	1.120071

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1928B	059	3401	0.08	2844	1	55	80	2.5	6	5	8502	5658	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9522.799805	6678.799805	6678.799805	1.120066
1928B	060	3297	0.08	2844	1	55	80	2.5	6	5	8242	5398	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9231.599609	6387.599609	6387.599609	1.120068
1928B	063	3320	0.08	2631	1	55	80	2.5	6	5	8300	5669	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9296	6665	6665	1.12
1928B	064	3449	0.08	2631	1	55	80	2.5	6	5	8622	5991	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9657.200195	7026.200195	7026.200195	1.120065
1929A	002	3118	0.07	1024	1	55	80	2.5	6	5	7795	6771	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8730.399414	7706.399414	7706.399414	1.12
1929A	002A	3147	0.07	1024	1	55	80	2.5	6	5	7868	6844	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8811.599609	7787.599609	7787.599609	1.119929
1929A	003	3176	0.07	1024	1	55	80	2.5	6	5	7940	6916	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8892.799805	7868.799805	7868.799805	1.12
1929A	003A	3204	0.07	1024	1	55	80	2.5	6	5	8010	6986	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8971.200195	7947.200195	7947.200195	1.12
1929A	004	3233	0.07	1024	1	55	80	2.5	6	5	8082	7058	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9052.399414	8028.399414	8028.399414	1.120069
1929A	005	3262	0.07	1688	1	55	80	2.5	6	5	8155	6467	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9133.599609	7445.599609	7445.599609	1.12
1929A	007	3290	0.08	1024	1	55	80	2.5	6	5	8225	7201	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9212	8188	8188	1.12
1929A	008	3319	0.08	1024	1	55	80	2.5	6	5	8298	7274	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9293.200195	8269.200195	8269.200195	1.119933
1929A	043	3483	0.08	2372	1	55	80	2.5	6	5	8708	6336	RH-1	40	form-based	true		true	0.7	7	1.166666627	6	6	9752.399414	7380.399414	7380.399414	1.119936
1929A	050	3485	0.08	1962	1	55	80	2.5	6	5	8712	6750	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9758	7796	7796	1.120064
1929A	054	3549	0.08	3859	1	55	80	2.5	6	5	8872	5013	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9937.200195	6078.200195	6078.200195	1.120063
1929A	059	3109	0.07	2270	1	55	80	2.5	6	5	7772	5502	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8705.200195	6435.200195	6435.200195	1.120072
1930A	005	3115	0.07	1337	1	55	80	2.5	6	5	7788	6451	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8722	7385	7385	1.119928
1930A	020	3180	0.07	1190	1	55	80	2.5	6	5	7950	6760	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8904	7714	7714	1.12
1931	033	3922	0.09	4446	2	55	80	2.5	7	5	9805	5359	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10981.59961	6535.599609	6535.599609	1.12
1933	013	3000	0.07	2173	0	55	80	2.5	6	6	7500	5327	RH-2	40	form-based			true	0.7	6	1	6	6	8400	6227	6227	1.12
1933	026	3254	0.07	2477	1	55	80	2.5	6	5	8135	5658	RH-2	40	form-based	true		true	0.7	7	1.166666627	6	6	9111.200195	6634.200195	6634.200195	1.12
1934	016	2786	0.06	2015	0	55	80	2.5	5	5	6965	4950	RH-2	40	form-based	true		true	0.7	6	1.200000048	6	6	7800.799805	5785.799805	5785.799805	1.12
1935	009	3131	0.07	2160	1	55	80	2.5	6	5	7828	5668	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8766.799805	6606.799805	6606.799805	1.119928
1935	016	3382	0.08	3277	1	55	80	2.5	6	5	8455	5178	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9469.599609	6192.599609	6192.599609	1.12
1935	021	3190	0.07	2189	1	55	80	2.5	6	5	7975	5786	RH-1	40	form-based	true		true	0.7	7	1.166666627	6	6	8932	6743	6743	1.12
1935	023	3127	0.07	1460	1	55	80	2.5	6	5	7818	6358	RH-1	40	form-based	true		true	0.7	7	1.166666627	6	6	8755.599609	7295.599609	7295.599609	1.119928
1935	026	3553	0.08	2032	1	55	80	2.5	6	5	8882	6850	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9948.399414	7916.399414	7916.399414	1.120063
1935	027	3268	0.08	2186	1	55	80	2.5	6	5	8170	5984	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9150.399414	6964.399414	6964.399414	1.12
1935	028	3098	0.07	2706	1	55	80	2.5	6	5	7745	5039	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8674.399414	5968.399414	5968.399414	1.12
1935	039	3137	0.07	1728	1	55	80	2.5	6	5	7842	6114	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8783.599609	7055.599609	7055.599609	1.120071
1935	040	3469	0.08	1750	1	55	80	2.5	6	5	8672	6922	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9713.200195	7963.200195	7963.200195	1.120065
1935	050	3227	0.07	2358	1	55	80	2.5	6	5	8068	5710	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9035.599609	6677.599609	6677.599609	1.119931
1936	004	3504	0.08	1254	1	55	80	2.5	6	5	8760	7506	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9811.200195	8557.200195	8557.200195	1.12
1936	018	3520	0.08	3118	1	55	80	2.5	6	5	8800	5682	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9856	6738	6738	1.12
1936	020	3300	0.08	1383	1	55	80	2.5	6	5	8250	6867	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9240	7857	7857	1.12
1936	021	3520	0.08	1383	1	55	80	2.5	6	5	8800	7417	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9856	8473	8473	1.12
1936	023	3465	0.08	1786	1	55	80	2.5	6	5	8662	6876	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9702	7916	7916	1.120065
1936	024	3135	0.07	2520	1	55	80	2.5	6	5	7838	5318	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8778	6258	6258	1.119929
1936	026	3342	0.08	2080	1	55	80	2.5	6	5	8355	6275	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9357.599609	7277.599609	7277.599609	1.12
1936	037	3100	0.07	2086	1	55	80	2.5	6	5	7750	5664	RH-1	40	form-based	true		true	0.7	7	1.166666627	6	6	8680	6594	6594	1.12
2001	024	6267	0.14	6136	7	55	80	2.5	11	4	15668	9532	RH-2	40	form-based	true		true	0.7	13	1.181818128	6	6	17547.59961	11411.59961	11411.59961	1.119964
2002	024	1904	0.04	1425	1	55	80	2.5	3	2	4760	3335	RTO-C	65	form-based	true		true	0.75	7	2.333333254	6	5	8568	7143	7143	1.8
2002	024A	1950	0.04	1237	1	55	80	2.5	3	2	4875	3638	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8775	7538	7538	1.8
2003	022	1736	0.04	850	1	55	80	2.5	3	2	4340	3490	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	7812	6962	6962	1.8
2003	023	1736	0.04	970	1	55	80	2.5	3	2	4340	3370	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	7812	6842	6842	1.8
2003	030	1736	0.04	850	1	55	80	2.5	3	2	4340	3490	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	7812	6962	6962	1.8
2003	031	1736	0.04	850	1	55	80	2.5	3	2	4340	3490	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	7812	6962	6962	1.8
2004	056	2267	0.05	825	3	55	80	2.5	4	1	5668	4843	NC-1	65	form-based	true		true	0.75	9	2.25	6	5	10201.5	9376.5	9376.5	1.799841
2004	060	2267	0.05	1320	3	55	80	2.5	4	1	5668	4348	NC-1	65	form-based			true	0.75	9	2.25	6	5	10201.5	8881.5	8881.5	1.799841
2004	064	2281	0.05	825	3	55	80	2.5	4	1	5702	4877	NC-1	65	form-based			true	0.75	9	2.25	6	5	10264.5	9439.5	9439.5	1.800158
2006	004A	3013	0.07	1257	0	55	80	2.5	6	6	7532	6275	RH-1	40	form-based			true	0.7	6	1	6	6	8436.399414	7179.399414	7179.399414	1.120074
2006	009A	1993	0.05	1220	1	55	80	2.5	4	3	4982	3762	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8968.5	7748.5	7748.5	1.800181
2006	009B	1994	0.05	1032	1	55	80	2.5	4	3	4985	3953	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8973	7941	7941	1.8
2006	009C	1996	0.05	1032	1	55	80	2.5	4	3	4990	3958	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8982	7950	7950	1.8
2006	013	1844	0.04	1304	1	55	80	2.5	3	2	4610	3306	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8298	6994	6994	1.8
2006	013A	1774	0.04	1304	1	55	80	2.5	3	2	4435	3131	RTO-C	65	form-based	true		true	0.75	7	2.333333254	6	5	7983	6679	6679	1.8
2007	012	3122	0.07	1313	1	55	80	2.5	6	5	7805	6492	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8741.599609	7428.599609	7428.599609	1.12
2008	002O	3107	0.07	1025	1	55	80	2.5	6	5	7768	6743	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8699.599609	7674.599609	7674.599609	1.119928
2008	002Q	1768	0.04	940	1	55	80	2.5	3	2	4420	3480	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	7956	7016	7016	1.8
2009	004Z	3104	0.07	1213	1	55	80	2.5	6	5	7760	6547	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8691.200195	7478.200195	7478.200195	1.12
2010	025	1853	0.04	980	1	55	80	2.5	3	2	4632	3652	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8338.5	7358.5	7358.5	1.800194
2010	026	1853	0.04	800	1	55	80	2.5	3	2	4632	3832	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8338.5	7538.5	7538.5	1.800194
2010	027	1853	0.04	1103	1	55	80	2.5	3	2	4632	3529	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8338.5	7235.5	7235.5	1.800194
2010	028	1853	0.04	800	1	55	80	2.5	3	2	4632	3832	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8338.5	7538.5	7538.5	1.800194

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2010	029	1853	0.04	997	1	55	80	2.5	3	2	4632	3635	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8338.5	7341.5	7341.5	1.800194
2011	007A	2116	0.05	2574	2	55	80	2.5	4	2	5290	2716	NC-1	65	form-based			true	0.75	8	2	6	6	9522	6948	6948	1.8
2012	019	3119	0.07	1100	1	55	80	2.5	6	5	7798	6698	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8733.200195	7633.200195	7633.200195	1.119928
2014	002	3104	0.07	1560	1	55	80	2.5	6	5	7760	6200	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8691.200195	7131.200195	7131.200195	1.12
2017	020	3118	0.07	1412	1	55	80	2.5	6	5	7795	6383	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8730.399414	7318.399414	7318.399414	1.12
2018	002G	3136	0.07	2023	1	55	80	2.5	6	5	7840	5817	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8780.799805	6757.799805	6757.799805	1.12
2020	013	3218	0.07	1990	1	55	80	2.5	6	5	8045	6055	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9010.399414	7020.399414	7020.399414	1.12
2020	014	3125	0.07	1740	1	55	80	2.5	6	5	7812	6072	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	7010	7010	1.120072
2020	014A	3125	0.07	1400	1	55	80	2.5	6	5	7812	6412	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	7350	7350	1.120072
2020	014B	3125	0.07	1912	1	55	80	2.5	6	5	7812	5900	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	6838	6838	1.120072
2020	014C	3125	0.07	1440	1	55	80	2.5	6	5	7812	6372	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	7310	7310	1.120072
2020	015	3125	0.07	1999	1	55	80	2.5	6	5	7812	5813	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	6751	6751	1.120072
2020	015A	3125	0.07	2138	1	55	80	2.5	6	5	7812	5674	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	6612	6612	1.120072
2020	016	3125	0.07	1696	1	55	80	2.5	6	5	7812	6116	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	7054	7054	1.120072
2020	016A	3125	0.07	1606	1	55	80	2.5	6	5	7812	6206	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	7144	7144	1.120072
2020	017	3125	0.07	1125	1	55	80	2.5	6	5	7812	6687	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	7625	7625	1.120072
2020	017A	3125	0.07	1375	1	55	80	2.5	6	5	7812	6437	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	7375	7375	1.120072
2020	017B	3125	0.07	2331	1	55	80	2.5	6	5	7812	5481	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	6419	6419	1.120072
2020	018	3125	0.07	1555	1	55	80	2.5	6	5	7812	6257	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	7195	7195	1.120072
2020	018A	3125	0.07	1375	1	55	80	2.5	6	5	7812	6437	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	7375	7375	1.120072
2020	018B	3125	0.07	1696	1	55	80	2.5	6	5	7812	6116	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	7054	7054	1.120072
2020	018C	3125	0.07	1573	1	55	80	2.5	6	5	7812	6239	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	7177	7177	1.120072
2022	017	3109	0.07	1450	1	55	80	2.5	6	5	7772	6322	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8705.200195	7255.200195	7255.200195	1.120072
2022	019	3209	0.07	2157	1	55	80	2.5	6	5	8022	5865	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8985.200195	6828.200195	6828.200195	1.12007
2024	020	3120	0.07	1971	1	55	80	2.5	6	5	7800	5829	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8736	6765	6765	1.12
2025	003K	3098	0.07	1550	1	55	80	2.5	6	5	7745	6195	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8674.399414	7124.399414	7124.399414	1.12
2026	020	3135	0.07	1554	1	55	80	2.5	6	5	7838	6284	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8778	7224	7224	1.119929
2027	011	3005	0.07	1540	0	55	80	2.5	6	6	7512	5972	RH-1	40	form-based			true	0.7	6	1	6	6	8414	6874	6874	1.120075
2027	029	3236	0.07	2210	1	55	80	2.5	6	5	8090	5880	RH-1	40	form-based	true		true	0.7	7	1.166666627	6	6	9060.799805	6850.799805	6850.799805	1.12
2028	011A	3096	0.07	1968	1	55	80	2.5	6	5	7740	5772	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8668.799805	6700.799805	6700.799805	1.12
2028	020C	3000	0.07	1469	0	55	80	2.5	6	6	7500	6031	RH-1	40	form-based			true	0.7	6	1	6	6	8400	6931	6931	1.12
2032	026	3245	0.07	1224	1	55	80	2.5	6	5	8112	6888	RH-1	40	form-based	true		true	0.7	7	1.166666627	6	6	9086	7862	7862	1.120069
2033A	002	3361	0.08	2021	1	55	80	2.5	6	5	8402	6381	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9410.799805	7389.799805	7389.799805	1.120067
2033A	019	3267	0.07	2681	1	55	80	2.5	6	5	8168	5487	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9147.599609	6466.599609	6466.599609	1.119931
2034A	038	2973	0.07	0	0	55	80	2.5	6	6	7432	7432	RH-1	40	form-based			true	0.7	6	1	6	6	8324.399414	8324.399414	8324.399414	1.120075
2034A	039	2849	0.07	0	0	55	80	2.5	6	6	7122	7122	RH-1	40	form-based			true	0.7	6	1	6	6	7977.199707	7977.199707	7977.199707	1.120079
2034A	028	3235	0.07	2974	1	55	80	2.5	6	5	8088	5114	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9058	6084	6084	1.119931
2034A	035	3102	0.07	2100	1	55	80	2.5	6	5	7755	5655	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8685.599609	6585.599609	6585.599609	1.12
2034A	036	3570	0.08	2482	1	55	80	2.5	6	5	8925	6443	RH-1	40	form-based	true		true	0.7	7	1.166666627	6	6	9996	7514	7514	1.12
2034A	044	3109	0.07	2343	1	55	80	2.5	6	5	7772	5429	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8705.200195	6362.200195	6362.200195	1.120072
2035A	008	3209	0.07	1990	1	55	80	2.5	6	5	8022	6032	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8985.200195	6995.200195	6995.200195	1.12007
2035A	009	3250	0.07	3049	1	55	80	2.5	6	5	8125	5076	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9100	6051	6051	1.12
2035A	010	3233	0.07	1990	1	55	80	2.5	6	5	8082	6092	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9052.399414	7062.399414	7062.399414	1.120069
2035A	011	3356	0.08	2459	1	55	80	2.5	6	5	8390	5931	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9396.799805	6937.799805	6937.799805	1.12
2035A	023	3340	0.08	2304	1	55	80	2.5	6	5	8350	6046	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9352	7048	7048	1.12
2036B	002	3519	0.08	1590	1	55	80	2.5	6	5	8798	7208	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9853.200195	8263.200195	8263.200195	1.119936
2036B	003	3236	0.07	2043	1	55	80	2.5	6	5	8090	6047	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9060.799805	7017.799805	7017.799805	1.12
2036B	003A	3149	0.07	2043	1	55	80	2.5	6	5	7872	5829	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8817.200195	6774.200195	6774.200195	1.120071
2036B	004	3251	0.07	1521	1	55	80	2.5	6	5	8128	6607	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9102.799805	7581.799805	7581.799805	1.119931
2036B	005B	3441	0.08	1393	1	55	80	2.5	6	5	8602	7209	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9634.799805	8241.799805	8241.799805	1.120065
2036B	006	3490	0.08	1351	1	55	80	2.5	6	5	8725	7374	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9772	8421	8421	1.12
2036B	007	3166	0.07	1460	1	55	80	2.5	6	5	7915	6455	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8864.799805	7404.799805	7404.799805	1.12
2036B	010	3192	0.07	4665	1	55	80	2.5	6	5	7980	3315	RH-1	40	form-based	true		true	0.7	7	1.166666627	6	6	8937.599609	4272.599609	4272.599609	1.12
2036B	014B	3266	0.07	1914	1	55	80	2.5	6	5	8165	6251	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9144.799805	7230.799805	7230.799805	1.12
2036B	017	3297	0.08	1950	1	55	80	2.5	6	5	8242	6292	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9231.599609	7281.599609	7281.599609	1.120068
2036B	018	3538	0.08	3675	1	55	80	2.5	6	5	8845	5170	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9906.399414	6231.399414	6231.399414	1.12
2036B	019	3302	0.08	1905	1	55	80	2.5	6	5	8255	6350	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9245.599609	7340.599609	7340.599609	1.12
2036B	023	3476	0.08	1626	1	55	80	2.5	6	5	8690	7064	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9732.799805	8106.799805	8106.799805	1.12
2037A	014	3109	0.07	2648	1	55	80	2.5	6	5	7772	5124	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8705.200195	6057.200195	6057.200195	1.120072
2037A	030	3569	0.08	2239	1	55	80	2.5	6	5	8922	6683	RH-1	40	form-based	true		true	0.7	7	1.166666627	6	6	9993.200195	7754.200195	7754.200195	1.120063
2038A	009	3132	0.07	2347	1	55	80	2.5	6	5	7830	5483	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8769.599609	6422.599609	6422.599609	1.12
2039	016	3262	0.07	1293	1	55	80	2.5	6	5	8155	6862	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9133.599609	7840.599609	7840.599609	1.12
2039	011	4516	0.1	3554	3	55	80	2.5	8	5	11290	7736	RH-1	40	form-based			true	0.7	9	1.125	6	6	12644.7998	9090.799805	9090.799805	1.12
2039	051	3250	0.07	2777	1	55	80	2.5	6	5	8125	5348	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9100	6323	6323	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2040	007	3851	0.09	3934	2	55	80	2.5	7	5	9628	5694	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10782.7998	6848.799805	6848.799805	1.119942
2040	011	3222	0.07	1425	1	55	80	2.5	6	5	8055	6630	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9021.599609	7596.599609	7596.599609	1.12
2041	006	3966	0.09	2679	2	55	80	2.5	7	5	9915	7236	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	11104.7998	8425.799805	8425.799805	1.12
2041	010	3142	0.07	1845	1	55	80	2.5	6	5	7855	6010	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8797.599609	6952.599609	6952.599609	1.12
2042	021	3500	0.08	1500	1	55	80	2.5	6	5	8750	7250	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9800	8300	8300	1.12
2042	022	3500	0.08	2396	1	55	80	2.5	6	5	8750	6354	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9800	7404	7404	1.12
2042	023	3500	0.08	1500	1	55	80	2.5	6	5	8750	7250	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9800	8300	8300	1.12
2042	024	3500	0.08	1500	1	55	80	2.5	6	5	8750	7250	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9800	8300	8300	1.12
2048	001	3363	0.08	2598	1	55	80	2.5	6	5	8408	5810	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9416.399414	6818.399414	6818.399414	1.119933
2048	003	3152	0.07	1351	1	55	80	2.5	6	5	7880	6529	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8825.599609	7474.599609	7474.599609	1.12
2048	004	3104	0.07	2456	1	55	80	2.5	6	5	7760	5304	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8691.200195	6235.200195	6235.200195	1.12
2048	046	3343	0.08	2500	1	55	80	2.5	6	5	8358	5858	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9360.399414	6860.399414	6860.399414	1.119933
2052A	037	3123	0.07	1689	1	55	80	2.5	6	5	7808	6119	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8744.399414	7055.399414	7055.399414	1.119928
2052A	039	3532	0.08	2247	1	55	80	2.5	6	5	8830	6583	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9889.599609	7642.599609	7642.599609	1.12
2123B	001	3113	0.07	1321	1	55	80	2.5	6	5	7782	6461	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8716.399414	7395.399414	7395.399414	1.120072
2124A	014	3261	0.07	1782	1	55	80	2.5	6	5	8152	6370	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9130.799805	7348.799805	7348.799805	1.120069
2124A	014A	3336	0.08	1430	1	55	80	2.5	6	5	8340	6910	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9340.799805	7910.799805	7910.799805	1.12
2125	004M	3468	0.08	1835	1	55	80	2.5	6	5	8670	6835	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9710.399414	7875.399414	7875.399414	1.12
2125	004P	3240	0.07	1485	1	55	80	2.5	6	5	8100	6615	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9072	7587	7587	1.12
2125	004R	3240	0.07	1986	1	55	80	2.5	6	5	8100	6114	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9072	7086	7086	1.12
2126	001A	3462	0.08	3353	1	55	80	2.5	6	5	8655	5302	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9693.599609	6340.599609	6340.599609	1.12
2126	004	3455	0.08	2598	1	55	80	2.5	6	5	8638	6040	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9674	7076	7076	1.119935
2126	005	3447	0.08	1075	1	55	80	2.5	6	5	8618	7543	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9651.599609	8576.599609	8576.599609	1.119935
2126	011	3474	0.08	1420	1	55	80	2.5	6	5	8685	7265	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9727.200195	8307.200195	8307.200195	1.12
2126	015A	3114	0.07	1850	1	55	80	2.5	6	5	7785	5935	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8719.200195	6869.200195	6869.200195	1.12
2126	015D	3170	0.07	2275	1	55	80	2.5	6	5	7925	5650	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8876	6601	6601	1.12
2127	002B	3224	0.07	1690	1	55	80	2.5	6	5	8060	6370	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9027.200195	7337.200195	7337.200195	1.12
2128	010	3535	0.08	2132	1	55	80	2.5	6	5	8838	6706	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9898	7766	7766	1.119937
2129	002A	3899	0.09	2216	2	55	80	2.5	7	5	9748	7532	RH-1	40	form-based			true	0.7	8	1.142857194	6	6	10917.2002	8701.200195	8701.200195	1.119943
2129	002E	3317	0.08	1260	1	55	80	2.5	6	5	8292	7032	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9287.599609	8027.599609	8027.599609	1.120067
2129	011	3670	0.08	2400	2	55	80	2.5	6	4	9175	6775	RH-1	40	form-based			true	0.7	8	1.333333373	6	6	10276	7876	7876	1.12
2129	015	2654	0.06	2124	0	55	80	2.5	5	5	6635	4511	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7431.199707	5307.199707	5307.199707	1.12
2130A	001	3426	0.08	938	1	55	80	2.5	6	5	8565	7627	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9592.799805	8654.799805	8654.799805	1.12
2130A	001A	3532	0.08	2250	1	55	80	2.5	6	5	8830	6580	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9889.599609	7639.599609	7639.599609	1.12
2130A	001E	3366	0.08	1862	1	55	80	2.5	6	5	8415	6553	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9424.799805	7562.799805	7562.799805	1.12
2130A	001I	3321	0.08	1125	1	55	80	2.5	6	5	8302	7177	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9298.799805	8173.799805	8173.799805	1.120067
2130A	001J	3323	0.08	1144	1	55	80	2.5	6	5	8308	7164	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9304.399414	8160.399414	8160.399414	1.119933
2130A	001K	3325	0.08	1144	1	55	80	2.5	6	5	8312	7168	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9310	8166	8166	1.120067
2130A	001M	3543	0.08	1688	1	55	80	2.5	6	5	8858	7170	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9920.399414	8232.399414	8232.399414	1.119937
2130A	001P	3350	0.08	1750	1	55	80	2.5	6	5	8375	6625	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9380	7630	7630	1.12
2130A	005D	3326	0.08	1679	1	55	80	2.5	6	5	8315	6636	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9312.799805	7633.799805	7633.799805	1.12
2130A	005E	3360	0.08	2111	1	55	80	2.5	6	5	8400	6289	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9408	7297	7297	1.12
2130A	006	3331	0.08	1524	1	55	80	2.5	6	5	8328	6804	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9326.799805	7802.799805	7802.799805	1.119933
2130A	006A	3336	0.08	1763	1	55	80	2.5	6	5	8340	6577	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9340.799805	7577.799805	7577.799805	1.12
2130A	006B	3341	0.08	1450	1	55	80	2.5	6	5	8352	6902	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9354.799805	7904.799805	7904.799805	1.120067
2130A	013	3377	0.08	3800	1	55	80	2.5	6	5	8442	4642	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9455.599609	5655.599609	5655.599609	1.120066
2130A	024	3600	0.08	1097	2	55	80	2.5	6	4	9000	7903	RH-1	40	form-based			true	0.7	8	1.333333373	6	6	10080	8983	8983	1.12
2131A	005	3377	0.08	1125	1	55	80	2.5	6	5	8442	7317	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9455.599609	8330.599609	8330.599609	1.120066
2131A	006	3223	0.07	1869	1	55	80	2.5	6	5	8058	6189	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9024.399414	7155.399414	7155.399414	1.11993
2131A	007	3403	0.08	1214	1	55	80	2.5	6	5	8508	7294	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9528.399414	8314.399414	8314.399414	1.119934
2131A	008	3408	0.08	2048	1	55	80	2.5	6	5	8520	6472	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9542.399414	7494.399414	7494.399414	1.12
2131A	009	3567	0.08	2531	1	55	80	2.5	6	5	8918	6387	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9987.599609	7456.599609	7456.599609	1.119937
2131A	011	3484	0.08	1930	1	55	80	2.5	6	5	8710	6780	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9755.200195	7825.200195	7825.200195	1.12
2131A	031	3358	0.08	1300	1	55	80	2.5	6	5	8395	7095	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9402.399414	8102.399414	8102.399414	1.12
2133A	006	3148	0.07	1614	1	55	80	2.5	6	5	7870	6256	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8814.399414	7200.399414	7200.399414	1.12
2133A	007	3457	0.08	1374	1	55	80	2.5	6	5	8642	7268	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9679.599609	8305.599609	8305.599609	1.120065
2133A	010	3150	0.07	2239	1	55	80	2.5	6	5	7875	5636	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8820	6581	6581	1.12
2133A	016	3353	0.08	1155	1	55	80	2.5	6	5	8382	7227	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9388.399414	8233.399414	8233.399414	1.120067
2133A	019A	3309	0.08	1011	1	55	80	2.5	6	5	8272	7261	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9265.200195	8254.200195	8254.200195	1.120068
2133A	024	3272	0.08	1035	1	55	80	2.5	6	5	8180	7145	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9161.599609	8126.599609	8126.599609	1.12
2133A	028	3333	0.08	1632	1	55	80	2.5	6	5	8332	6700	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9332.399414	7700.399414	7700.399414	1.120067
2134B	002	3388	0.08	1232	1	55	80	2.5	6	5	8470	7238	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9486.399414	8254.399414	8254.399414	1.12
2134B	005	3153	0.07	1295	1	55	80	2.5	6	5	7882	6587	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8828.399414	7533.399414	7533.399414	1.120071
2134B	007	3470	0.08	2220	1	55	80	2.5	6	5	8675	6455	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9716	7496	7496	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2135	001R	3141	0.07	2079	1	55	80	2.5	6	5	7852	5773	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8794.799805	6715.799805	6715.799805	1.120071
2136	001A	3307	0.08	1800	1	55	80	2.5	6	5	8268	6468	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9259.599609	7459.599609	7459.599609	1.119932
2136	001B	3307	0.08	1500	1	55	80	2.5	6	5	8268	6768	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9259.599609	7759.599609	7759.599609	1.119932
2136	005	3096	0.07	1525	1	55	80	2.5	6	5	7740	6215	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8668.799805	7143.799805	7143.799805	1.12
2136	007	3379	0.08	1315	1	55	80	2.5	6	5	8448	7133	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9461.200195	8146.200195	8146.200195	1.119934
2136	015	3150	0.07	1596	1	55	80	2.5	6	5	7875	6279	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8820	7224	7224	1.12
2137	002M	3147	0.07	1400	1	55	80	2.5	6	5	7868	6468	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8811.599609	7411.599609	7411.599609	1.119929
2137	003	3300	0.08	2379	1	55	80	2.5	6	5	8250	5871	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9240	6861	6861	1.12
2139	001	1375	0.03	1448	1	55	80	2.5	2	1	3438	1990	RTO-C	85	form-based		true	true	0.75	7	3.5	6	3	8250	6802	5428	2.399651
2139	001C	1375	0.03	1245	1	55	80	2.5	2	1	3438	2193	RTO-C	85	form-based			true	0.75	7	3.5	6	3	8250	7005	5631	2.399651
2139	001D	1375	0.03	1645	1	55	80	2.5	2	1	3438	1793	RTO-C	85	form-based			true	0.75	7	3.5	6	3	8250	6605	5231	2.399651
2139	001E	1375	0.03	1245	1	55	80	2.5	2	1	3438	2193	RTO-C	85	form-based			true	0.75	7	3.5	6	3	8250	7005	5631	2.399651
2140	009	3000	0.07	1880	0	55	80	2.5	6	6	7500	5620	RH-1	40	form-based			true	0.7	6	1	6	6	8400	6520	6520	1.12
2170	036	3000	0.07	1739	0	55	80	2.5	6	6	7500	5761	RH-1	40	form-based			true	0.7	6	1	6	6	8400	6661	6661	1.12
2172	037	3500	0.08	1296	1	55	80	2.5	6	5	8750	7454	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9800	8504	8504	1.12
2177	045	3000	0.07	1821	0	55	80	2.5	6	6	7500	5679	RH-1	40	form-based			true	0.7	6	1	6	6	8400	6579	6579	1.12
2178	046	3000	0.07	1111	0	55	80	2.5	6	6	7500	6389	RH-1	40	form-based			true	0.7	6	1	6	6	8400	7289	7289	1.12
2187	001H	2998	0.07	1350	0	55	80	2.5	6	6	7495	6145	RH-1	40	form-based			true	0.7	6	1	6	6	8394.399414	7044.399414	7044.399414	1.12
2188	001	3419	0.08	3037	1	55	80	2.5	6	5	8548	5511	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9573.200195	6536.200195	6536.200195	1.119935
2188	006	3138	0.07	2350	1	55	80	2.5	6	5	7845	5495	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8786.399414	6436.399414	6436.399414	1.12
2188	007	3138	0.07	2542	1	55	80	2.5	6	5	7845	5303	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8786.399414	6244.399414	6244.399414	1.12
2196	029	3000	0.07	1518	0	55	80	2.5	6	6	7500	5982	RH-1	40	form-based			true	0.7	6	1	6	6	8400	6882	6882	1.12
2197	002	3517	0.08	2628	1	55	80	2.5	6	5	8792	6164	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9847.599609	7219.599609	7219.599609	1.120064
2197	003A	3154	0.07	1657	1	55	80	2.5	6	5	7885	6228	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8831.200195	7174.200195	7174.200195	1.12
2197	005	3498	0.08	1550	1	55	80	2.5	6	5	8745	7195	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9794.399414	8244.399414	8244.399414	1.12
2198	018	3291	0.08	1926	1	55	80	2.5	6	5	8228	6302	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9214.799805	7288.799805	7288.799805	1.119932
2198	023	3400	0.08	1337	1	55	80	2.5	6	5	8500	7163	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9520	8183	8183	1.12
2198	035	3517	0.08	1090	1	55	80	2.5	6	5	8792	7702	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9847.599609	8757.599609	8757.599609	1.120064
2199	001D	3168	0.07	1475	1	55	80	2.5	6	5	7920	6445	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8870.399414	7395.399414	7395.399414	1.12
2199	002A	3276	0.08	1974	1	55	80	2.5	6	5	8190	6216	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9172.799805	7198.799805	7198.799805	1.12
2199	004	3460	0.08	2691	1	55	80	2.5	6	5	8650	5959	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9688	6997	6997	1.12
2199	005	3168	0.07	3540	1	55	80	2.5	6	5	7920	4380	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	8870.399414	5330.399414	5330.399414	1.12
2199	007	3811	0.09	2223	2	55	80	2.5	7	5	9528	7305	RH-1	40	form-based			true	0.7	8	1.142857194	6	6	10670.7998	8447.799805	8447.799805	1.119941
2199	014	1446	0.03	1800	2	55	80	2.5	2	0	3615	1815	RTO-C	85	form-based			true	0.75	8	4	6	2	8676	6876	5430	2.4
2200	001	3220	0.07	1350	1	55	80	2.5	6	5	8050	6700	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9016	7666	7666	1.12
2200	001C	3366	0.08	1451	1	55	80	2.5	6	5	8415	6964	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9424.799805	7973.799805	7973.799805	1.12
2200	001D	3366	0.08	2606	1	55	80	2.5	6	5	8415	5809	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9424.799805	6818.799805	6818.799805	1.12
2200	001E	3476	0.08	1835	1	55	80	2.5	6	5	8690	6855	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9732.799805	7897.799805	7897.799805	1.12
2200	002B	3120	0.07	2025	1	55	80	2.5	6	5	7800	5775	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8736	6711	6711	1.12
2200	006	3375	0.08	1840	1	55	80	2.5	6	5	8438	6598	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	7610	7610	1.119934
2200	008	3441	0.08	2764	1	55	80	2.5	6	5	8602	5838	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9634.799805	6870.799805	6870.799805	1.120065
2200	014	3120	0.07	1430	1	55	80	2.5	6	5	7800	6370	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8736	7306	7306	1.12
2200	015	3456	0.08	3029	1	55	80	2.5	6	5	8640	5611	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9676.799805	6647.799805	6647.799805	1.12
2200	019A	3383	0.08	1750	1	55	80	2.5	6	5	8458	6708	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9472.399414	7722.399414	7722.399414	1.119934
2201	002C	3105	0.07	1638	1	55	80	2.5	6	5	7762	6124	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8694	7056	7056	1.120072
2201	003A	3338	0.08	3382	1	55	80	2.5	6	5	8345	4963	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9346.399414	5964.399414	5964.399414	1.12
2201	004F	3240	0.07	1522	1	55	80	2.5	6	5	8100	6578	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9072	7550	7550	1.12
2201	004G	3240	0.07	1550	1	55	80	2.5	6	5	8100	6550	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9072	7522	7522	1.12
2201	004H	3240	0.07	1600	1	55	80	2.5	6	5	8100	6500	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9072	7472	7472	1.12
2202	002C	3179	0.07	2548	1	55	80	2.5	6	5	7948	5400	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8901.200195	6353.200195	6353.200195	1.11993
2202	002D	3324	0.08	1294	1	55	80	2.5	6	5	8310	7016	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9307.200195	8013.200195	8013.200195	1.12
2202	003	3283	0.08	1619	1	55	80	2.5	6	5	8208	6589	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9192.399414	7573.399414	7573.399414	1.119932
2202	023	3150	0.07	1536	1	55	80	2.5	6	5	7875	6339	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8820	7284	7284	1.12
2203	032	3097	0.07	2832	1	55	80	2.5	6	5	7742	4910	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8671.599609	5839.599609	5839.599609	1.120072
2203	034	3187	0.07	2753	1	55	80	2.5	6	5	7968	5215	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	6170.599609	6170.599609	1.11993
2203	035	3188	0.07	2755	1	55	80	2.5	6	5	7970	5215	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	6171.399414	6171.399414	1.12
2203	039	3188	0.07	3673	1	55	80	2.5	6	5	7970	4297	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	5253.399414	5253.399414	1.12
2203	040	3187	0.07	2448	1	55	80	2.5	6	5	7968	5520	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	6475.599609	6475.599609	1.11993
2203	041	3187	0.07	2248	1	55	80	2.5	6	5	7968	5720	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	6675.599609	6675.599609	1.11993
2203	042	3187	0.07	2248	1	55	80	2.5	6	5	7968	5720	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	6675.599609	6675.599609	1.11993
2203	043	3188	0.07	2248	1	55	80	2.5	6	5	7970	5722	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	6678.399414	6678.399414	1.12
2203	044	3187	0.07	2248	1	55	80	2.5	6	5	7968	5720	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	6675.599609	6675.599609	1.11993
2203	045	3188	0.07	2248	1	55	80	2.5	6	5	7970	5722	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	6678.399414	6678.399414	1.12
2203	046	3188	0.07	2248	1	55	80	2.5	6	5	7970	5722	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	6678.399414	6678.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2203	047	3188	0.07	3568	1	55	80	2.5	6	5	7970	4402	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	5358.399414	5358.399414	1.12
2203	048	3188	0.07	2400	1	55	80	2.5	6	5	7970	5570	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8926.399414	6526.399414	6526.399414	1.12
2203	049	3187	0.07	2400	1	55	80	2.5	6	5	7968	5568	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	6523.599609	6523.599609	1.11993
2203	052	3498	0.08	3194	1	55	80	2.5	6	5	8745	5551	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9794.399414	6600.399414	6600.399414	1.12
2205	027	3164	0.07	3347	1	55	80	2.5	6	5	7910	4563	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	8859.200195	5512.200195	5512.200195	1.12
2206	074	3146	0.07	2566	1	55	80	2.5	6	5	7865	5299	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8808.799805	6242.799805	6242.799805	1.12
2206	088	3464	0.08	3043	1	55	80	2.5	6	5	8660	5617	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9699.200195	6656.200195	6656.200195	1.12
2206	089	3459	0.08	2288	1	55	80	2.5	6	5	8648	6360	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9685.200195	7397.200195	7397.200195	1.119935
2206	090	3329	0.08	4014	1	55	80	2.5	6	5	8322	4308	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9321.200195	5307.200195	5307.200195	1.120067
2207	001A	3215	0.07	2980	1	55	80	2.5	6	5	8038	5058	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9002	6022	6022	1.11993
2207	045	3234	0.07	2320	1	55	80	2.5	6	5	8085	5765	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9055.200195	6735.200195	6735.200195	1.12
2207	046	3108	0.07	2176	1	55	80	2.5	6	5	7770	5594	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8702.399414	6526.399414	6526.399414	1.12
2207	048	3170	0.07	2344	1	55	80	2.5	6	5	7925	5581	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8876	6532	6532	1.12
2302	032	3327	0.08	720	1	65	100	3	8	7	9981	9261	RH-1	40	form-based			true	0.7	7	0.875	6	6	9315.599609	8595.599609	8595.599609	0.933333
2302	042	3000	0.07	2587	0	65	100	3	7	7	9000	6413	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8400	5813	5813	0.933333
2304	002G	3011	0.07	2338	0	65	100	3	7	7	9033	6695	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8430.799805	6092.799805	6092.799805	0.933333
2304	011	3000	0.07	2440	0	65	100	3	7	7	9000	6560	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8400	5960	5960	0.933333
2308	009	3005	0.07	1698	0	65	100	3	7	7	9015	7317	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8414	6716	6716	0.933333
2316	001P	3108	0.07	1250	1	65	100	3	7	6	9324	8074	RH-1	40	form-based			true	0.7	7	1	6	6	8702.399414	7452.399414	7452.399414	0.933333
2316	002	3562	0.08	2143	1	65	100	3	8	7	10686	8543	RH-1	40	form-based			true	0.7	7	0.875	6	6	9973.599609	7830.599609	7830.599609	0.933333
2319	014	3156	0.07	1304	1	65	100	3	7	6	9468	8164	RH-1	40	form-based			true	0.7	7	1	6	6	8836.799805	7532.799805	7532.799805	0.933333
2319	014A	3156	0.07	1296	1	65	100	3	7	6	9468	8172	RH-1	40	form-based			true	0.7	7	1	6	6	8836.799805	7540.799805	7540.799805	0.933333
2319	014B	3156	0.07	1115	1	65	100	3	7	6	9468	8353	RH-1	40	form-based			true	0.7	7	1	6	6	8836.799805	7721.799805	7721.799805	0.933333
2319	014C	3156	0.07	1115	1	65	100	3	7	6	9468	8353	RH-1	40	form-based			true	0.7	7	1	6	6	8836.799805	7721.799805	7721.799805	0.933333
2319	015	3120	0.07	1655	1	65	100	3	7	6	9360	7705	RH-1	40	form-based			true	0.7	7	1	6	6	8736	7081	7081	0.933333
2319	016	3240	0.07	1694	1	65	100	3	7	6	9720	8026	RH-1	40	form-based			true	0.7	7	1	6	6	9072	7378	7378	0.933333
2319	016A	3120	0.07	1463	1	65	100	3	7	6	9360	7897	RH-1	40	form-based			true	0.7	7	1	6	6	8736	7273	7273	0.933333
2321	011A	3490	0.08	2240	1	65	100	3	8	7	10470	8230	RH-1	40	form-based			true	0.7	7	0.875	6	6	9772	7532	7532	0.933333
2321	011B	3452	0.08	2228	1	65	100	3	8	7	10356	8128	RH-1	40	form-based			true	0.7	7	0.875	6	6	9665.599609	7437.599609	7437.599609	0.933333
2321	011C	3109	0.07	1825	1	65	100	3	7	6	9327	7502	RH-1	40	form-based			true	0.7	7	1	6	6	8705.200195	6880.200195	6880.200195	0.933333
2329	001A	3118	0.07	1854	1	65	100	3	7	6	9354	7500	RH-1	40	form-based			true	0.7	7	1	6	6	8730.399414	6876.399414	6876.399414	0.933333
2329	005	3137	0.07	1511	1	65	100	3	7	6	9411	7900	RH-2	40	form-based		true	true	0.7	7	1	6	6	8783.599609	7272.599609	7272.599609	0.933333
2329	010	3222	0.07	2839	1	65	100	3	7	6	9666	6827	RH-1	40	form-based			true	0.7	7	1	6	6	9021.599609	6182.599609	6182.599609	0.933333
2329	011	3340	0.08	1790	1	65	100	3	8	7	10020	8230	RH-1	40	form-based			true	0.7	7	0.875	6	6	9352	7562	7562	0.933333
2330	005M	3379	0.08	1844	1	65	100	3	8	7	10137	8293	RH-1	40	form-based			true	0.7	7	0.875	6	6	9461.200195	7617.200195	7617.200195	0.933333
2330	012	3192	0.07	2203	1	65	100	3	7	6	9576	7373	RH-1	40	form-based			true	0.7	7	1	6	6	8937.599609	6734.599609	6734.599609	0.933333
2330	012A	3197	0.07	1210	1	65	100	3	7	6	9591	8381	RH-1	40	form-based			true	0.7	7	1	6	6	8951.599609	7741.599609	7741.599609	0.933333
2330	013	2999	0.07	2302	0	65	100	3	7	7	8997	6695	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8397.200195	6095.200195	6095.200195	0.933333
2331	003B	3098	0.07	2472	1	65	100	3	7	6	9294	6822	RH-1	40	form-based			true	0.7	7	1	6	6	8674.399414	6202.399414	6202.399414	0.933333
2331	003C	3098	0.07	1597	1	65	100	3	7	6	9294	7697	RH-1	40	form-based			true	0.7	7	1	6	6	8674.399414	7077.399414	7077.399414	0.933333
2331	003D	3098	0.07	1883	1	65	100	3	7	6	9294	7411	RH-1	40	form-based			true	0.7	7	1	6	6	8674.399414	6791.399414	6791.399414	0.933333
2331	003F	3099	0.07	1225	1	65	100	3	7	6	9297	8072	RH-1	40	form-based			true	0.7	7	1	6	6	8677.200195	7452.200195	7452.200195	0.933333
2331	003G	3099	0.07	1996	1	65	100	3	7	6	9297	7301	RH-1	40	form-based			true	0.7	7	1	6	6	8677.200195	6681.200195	6681.200195	0.933333
2331	003H	3099	0.07	1575	1	65	100	3	7	6	9297	7722	RH-1	40	form-based			true	0.7	7	1	6	6	8677.200195	7102.200195	7102.200195	0.933333
2331	003J	3100	0.07	1200	1	65	100	3	7	6	9300	8100	RH-1	40	form-based			true	0.7	7	1	6	6	8680	7480	7480	0.933333
2331	003K	3100	0.07	1300	1	65	100	3	7	6	9300	8000	RH-1	40	form-based			true	0.7	7	1	6	6	8680	7380	7380	0.933333
2331	003L	3100	0.07	1732	1	65	100	3	7	6	9300	7568	RH-1	40	form-based			true	0.7	7	1	6	6	8680	6948	6948	0.933333
2331	003M	3100	0.07	1936	1	65	100	3	7	6	9300	7364	RH-1	40	form-based			true	0.7	7	1	6	6	8680	6744	6744	0.933333
2331	003N	3101	0.07	1300	1	65	100	3	7	6	9303	8003	RH-1	40	form-based			true	0.7	7	1	6	6	8682.799805	7382.799805	7382.799805	0.933333
2332	001E	3369	0.08	1085	1	65	100	3	8	7	10107	9022	RH-1	40	form-based			true	0.7	7	0.875	6	6	9433.200195	8348.200195	8348.200195	0.933333
2332	002	3139	0.07	1525	1	65	100	3	7	6	9417	7892	RH-1	40	form-based			true	0.7	7	1	6	6	8789.200195	7264.200195	7264.200195	0.933333
2332	015	3215	0.07	3061	1	65	100	3	7	6	9645	6584	RH-1	40	form-based		true	true	0.7	7	1	6	6	9002	5941	5941	0.933333
2333A	005	3390	0.08	1350	1	65	100	3	8	7	10170	8820	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9492	8142	8142	0.933333
2333A	026	3529	0.08	1660	1	65	100	3	8	7	10587	8927	RH-1	40	form-based			true	0.7	7	0.875	6	6	9881.200195	8221.200195	8221.200195	0.933333
2333A	026A	3529	0.08	1587	1	65	100	3	8	7	10587	9000	RH-1	40	form-based			true	0.7	7	0.875	6	6	9881.200195	8294.200195	8294.200195	0.933333
2333A	026B	3529	0.08	2328	1	65	100	3	8	7	10587	8259	RH-1	40	form-based			true	0.7	7	0.875	6	6	9881.200195	7553.200195	7553.200195	0.933333
2333A	039	3238	0.07	1150	1	65	100	3	7	6	9714	8564	RH-1	40	form-based		true	true	0.7	7	1	6	6	9066.399414	7916.399414	7916.399414	0.933333
2333A	041	3397	0.08	2127	1	65	100	3	8	7	10191	8064	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9511.599609	7384.599609	7384.599609	0.933333
2333A	042	3570	0.08	1600	1	65	100	3	8	7	10710	9110	RH-1	40	form-based			true	0.7	7	0.875	6	6	9996	8396	8396	0.933333
2334A	021	3569	0.08	2186	1	65	100	3	8	7	10707	8521	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9993.200195	7807.200195	7807.200195	0.933333
2334A	022	3419	0.08	1850	1	65	100	3	8	7	10257	8407	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9573.200195	7723.200195	7723.200195	0.933333
2334A	024	3198	0.07	1850	1	65	100	3	7	6	9594	7744	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8954.399414	7104.399414	7104.399414	0.933333
2335A	020	3296	0.08	1790	1	65	100	3	8	7	9888	8098	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9228.799805	7438.799805	7438.799805	0.933333
2335A	021	3147	0.07	1545	1	65	100	3	7	6	9441	7896	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8811.599609	7266.599609	7266.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2335A	022	3015	0.07	2590	0	65	100	3	7	7	9045	6455	RH-1(D)	40	form-based			true	0.7	6	0.857142866	6	6	8442	5852	5852	0.933333
2335A	037	3096	0.07	1288	1	65	100	3	7	6	9288	8000	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8668.799805	7380.799805	7380.799805	0.933333
2338	004	2712	0.06	0	0	55	80	2.5	5	5	6780	6780	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7593.600098	7593.600098	7593.600098	1.12
2337	002	2700	0.06	0	0	55	80	2.5	5	5	6750	6750	RH-1	40	form-based		true	true	0.7	6	1.200000048	6	6	7560	7560	7560	1.12
2337	004	2635	0.06	0	0	55	80	2.5	5	5	6588	6588	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7378	7378	7378	1.119915
2337	005	2760	0.06	0	0	55	80	2.5	5	5	6900	6900	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7728	7728	7728	1.12
2337	006	2885	0.07	0	0	55	80	2.5	6	6	7212	7212	RH-1	40	form-based			true	0.7	6	1	6	6	8078	8078	8078	1.120078
2338	005	2725	0.06	0	0	55	80	2.5	5	5	6812	6812	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7630	7630	7630	1.120082
2338	006	2762	0.06	0	0	55	80	2.5	5	5	6905	6905	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7733.600098	7733.600098	7733.600098	1.12
2338	007	2798	0.06	0	0	55	80	2.5	5	5	6995	6995	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7834.399902	7834.399902	7834.399902	1.12
2338	008	2829	0.06	0	0	55	80	2.5	5	5	7072	7072	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7921.199707	7921.199707	7921.199707	1.120079
2338	009	2855	0.07	0	0	55	80	2.5	6	6	7138	7138	RH-1	40	form-based			true	0.7	6	1	6	6	7994	7994	7994	1.119922
2338	010	2876	0.07	0	0	55	80	2.5	6	6	7190	7190	RH-1	40	form-based			true	0.7	6	1	6	6	8052.799805	8052.799805	8052.799805	1.12
2338	011	2893	0.07	0	0	55	80	2.5	6	6	7232	7232	RH-1	40	form-based			true	0.7	6	1	6	6	8100.399902	8100.399902	8100.399902	1.120077
2338	012	2905	0.07	0	0	55	80	2.5	6	6	7262	7262	RH-1	40	form-based			true	0.7	6	1	6	6	8134	8134	8134	1.120077
2338	013	2912	0.07	0	0	55	80	2.5	6	6	7280	7280	RH-1	40	form-based		true	true	0.7	6	1	6	6	8153.600098	8153.600098	8153.600098	1.12
2338	020	3223	0.07	2400	1	55	80	2.5	6	5	8058	5658	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9024.399414	6624.399414	6624.399414	1.11993
2338A	004	3264	0.07	1146	1	55	80	2.5	6	5	8160	7014	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9139.200195	7993.200195	7993.200195	1.12
2338A	008	3222	0.07	1600	1	55	80	2.5	6	5	8055	6455	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9021.599609	7421.599609	7421.599609	1.12
2338A	013	2635	0.06	0	0	55	80	2.5	5	5	6588	6588	RH-1(D)	40	form-based			true	0.7	6	1.200000048	6	6	7378	7378	7378	1.119915
2338A	017	3018	0.07	0	0	55	80	2.5	6	6	7545	7545	RH-1(D)	40	form-based			true	0.7	6	1	6	6	8450.399414	8450.399414	8450.399414	1.12
2338A	023	3337	0.08	3287	1	55	80	2.5	6	5	8342	5055	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9343.599609	6056.599609	6056.599609	1.120067
2338A	024	3541	0.08	2487	1	55	80	2.5	6	5	8852	6365	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9914.799805	7427.799805	7427.799805	1.120063
2341	040	2275	0.05	3500	3	65	100	3	5	2	6825	3325	NCD-INNE	65	form-based		true	true	0.75	9	1.799999952	6	6	10237.5	6737.5	6737.5	1.5
2341	041	2274	0.05	3000	3	65	100	3	5	2	6822	3822	NCD-INNE	65	form-based			true	0.75	9	1.799999952	6	6	10233	7233	7233	1.5
2341	042	2274	0.05	3000	3	65	100	3	5	2	6822	3822	NCD-INNE	65	form-based			true	0.75	9	1.799999952	6	6	10233	7233	7233	1.5
2341	043	2273	0.05	2800	3	65	100	3	5	2	6819	4019	NCD-INNE	65	form-based			true	0.75	9	1.799999952	6	6	10228.5	7428.5	7428.5	1.5
2342	015	1750	0.04	1175	1	65	100	3	4	3	5250	4075	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7875	6700	6700	1.5
2342	015A	1750	0.04	1400	1	65	100	3	4	3	5250	3850	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7875	6475	6475	1.5
2342	016	1750	0.04	1175	1	65	100	3	4	3	5250	4075	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7875	6700	6700	1.5
2342	023	4200	0.1	3724	3	65	100	3	10	7	12600	8876	RH-1(D)	40	form-based			true	0.7	9	0.899999976	6	6	11760	8036	8036	0.933333
2343	001	3246	0.07	2240	1	65	100	3	7	6	9738	7498	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	9088.799805	6848.799805	6848.799805	0.933333
2343	022	4250	0.1	4856	3	85	140	4	14	11	17000	12144	RH-1(D)	40	form-based			true	0.7	9	0.642857134	6	6	11900	7044	7044	0.7
2343	032	3108	0.07	3042	1	65	100	3	7	6	9324	6282	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8702.399414	5660.399414	5660.399414	0.933333
2343	034	3448	0.08	3035	1	65	100	3	8	7	10344	7309	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9654.399414	6619.399414	6619.399414	0.933333
2343	035	3221	0.07	1500	1	65	100	3	7	6	9663	8163	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9018.799805	7518.799805	7518.799805	0.933333
2343	036	3221	0.07	1721	1	65	100	3	7	6	9663	7942	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9018.799805	7297.799805	7297.799805	0.933333
2343	037	3221	0.07	2371	1	65	100	3	7	6	9663	7292	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9018.799805	6647.799805	6647.799805	0.933333
2343	038	3221	0.07	2315	1	65	100	3	7	6	9663	7348	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9018.799805	6703.799805	6703.799805	0.933333
2344A	016	3257	0.07	1625	1	65	100	3	7	6	9771	8146	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9119.599609	7494.599609	7494.599609	0.933333
2344A	017	3173	0.07	1692	1	65	100	3	7	6	9519	7827	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8884.399414	7192.399414	7192.399414	0.933333
2344A	017A	3178	0.07	1671	1	85	140	4	10	9	12712	11041	RH-1(D)	40	form-based			true	0.7	7	0.699999988	6	6	8898.399414	7227.399414	7227.399414	0.7
2344A	017B	3182	0.07	2688	1	85	140	4	10	9	12728	10040	RH-1(D)	40	form-based			true	0.7	7	0.699999988	6	6	8909.599609	6221.599609	6221.599609	0.7
2344A	018D	1625	0.04	2234	3	85	140	4	6	3	6500	4266	NCD-INNE	85	form-based			true	0.75	9	1.5	6	6	9750	7516	7516	1.5
2344A	019C	1625	0.04	2550	3	65	100	3	4	1	4875	2325	NCD-INNE	85	form-based			true	0.75	9	2.25	6	5	9750	7200	7200	2
2344A	019D	1950	0.04	4085	4	65	100	3	4	0	5850	1765	NCD-INNE	85	form-based		true	true	0.75	10	2.5	6	4	11700	7615	7615	2
2344A	020B	3195	0.07	1275	1	65	100	3	7	6	9585	8310	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8946	7671	7671	0.933333
2344A	021	3284	0.08	1275	1	65	100	3	8	7	9852	8577	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9195.200195	7920.200195	7920.200195	0.933333
2344A	023	3221	0.07	1268	1	65	100	3	7	6	9663	8395	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9018.799805	7750.799805	7750.799805	0.933333
2345A	011	3300	0.08	1766	1	65	100	3	8	7	9900	8134	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9240	7474	7474	0.933333
2345A	014	3389	0.08	1669	1	65	100	3	8	7	10167	8498	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9489.200195	7820.200195	7820.200195	0.933333
2346	035	2062	0.05	1957	2	65	100	3	5	3	6186	4229	RTO-C	65	form-based		true	true	0.75	8	1.600000024	6	6	9279	7322	7322	1.5
2346	036	1875	0.04	1187	1	65	100	3	4	3	5625	4438	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	7250.5	7250.5	1.5
2346	038	1875	0.04	1612	1	65	100	3	4	3	5625	4013	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	6825.5	6825.5	1.5
2348	044	1500	0.03	1278	0	65	100	3	3	3	4500	3222	RTO-C	65	form-based			true	0.75	6	2	6	6	6750	5472	5472	1.5
2350	004	3396	0.08	2750	1	65	100	3	8	7	10188	7438	RH-2	40	form-based			true	0.7	7	0.875	6	6	9508.799805	6758.799805	6758.799805	0.933333
2350	026A	3180	0.07	1450	1	65	100	3	7	6	9540	8090	RM-1	40	form-based			true	0.7	7	1	6	6	8904	7454	7454	0.933333
2350	029	3180	0.07	2099	1	65	100	3	7	6	9540	7441	RM-1	40	form-based			true	0.7	7	1	6	6	8904	6805	6805	0.933333
2350	030	3600	0.08	2478	2	65	100	3	8	6	10800	8322	RM-1	40	form-based			true	0.7	8	1	6	6	10080	7602	7602	0.933333
2354	008A	1630	0.04	2565	3	65	100	3	4	1	4890	2325	NCD-TARA	85	form-based		true	true	0.75	9	2.25	6	5	9780	7215	7215	2
2355	001D	3120	0.07	1375	1	65	100	3	7	6	9360	7985	RH-1	40	form-based			true	0.7	7	1	6	6	8736	7361	7361	0.933333
2355	001E	3120	0.07	2060	1	65	100	3	7	6	9360	7300	RH-1	40	form-based			true	0.7	7	1	6	6	8736	6676	6676	0.933333
2355	001F	3120	0.07	2047	1	65	100	3	7	6	9360	7313	RH-1	40	form-based			true	0.7	7	1	6	6	8736	6689	6689	0.933333
2355	001G	3120	0.07	1375	1	65	100	3	7	6	9360	7985	RH-1	40	form-based			true	0.7	7	1	6	6	8736	7361	7361	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2355	001H	3120	0.07	1625	1	65	100	3	7	6	9360	7735	RH-1	40	form-based			true	0.7	7	1	6	6	8736	7111	7111	0.933333
2355	001I	3120	0.07	2637	1	65	100	3	7	6	9360	6723	RH-1	40	form-based			true	0.7	7	1	6	6	8736	6099	6099	0.933333
2355	001J	3120	0.07	1375	1	65	100	3	7	6	9360	7985	RH-1	40	form-based			true	0.7	7	1	6	6	8736	7361	7361	0.933333
2355	021	3335	0.08	1160	1	65	100	3	8	7	10005	8845	RH-1	40	form-based			true	0.7	7	0.875	6	6	9338	8178	8178	0.933333
2356	001C	3175	0.07	1300	1	65	100	3	7	6	9525	8225	RH-1	40	form-based			true	0.7	7	1	6	6	8890	7590	7590	0.933333
2356	001D	3176	0.07	1789	1	65	100	3	7	6	9528	7739	RH-1	40	form-based			true	0.7	7	1	6	6	8892.799805	7103.799805	7103.799805	0.933333
2356	001E	3176	0.07	1900	1	65	100	3	7	6	9528	7628	RH-1	40	form-based			true	0.7	7	1	6	6	8892.799805	6992.799805	6992.799805	0.933333
2356	001F	3176	0.07	2112	1	65	100	3	7	6	9528	7416	RH-1	40	form-based			true	0.7	7	1	6	6	8892.799805	6780.799805	6780.799805	0.933333
2356	001G	3176	0.07	1380	1	65	100	3	7	6	9528	8148	RH-1	40	form-based			true	0.7	7	1	6	6	8892.799805	7512.799805	7512.799805	0.933333
2356	001H	3176	0.07	1280	1	65	100	3	7	6	9528	8248	RH-1	40	form-based			true	0.7	7	1	6	6	8892.799805	7612.799805	7612.799805	0.933333
2356	001I	3176	0.07	1957	1	65	100	3	7	6	9528	7571	RH-1	40	form-based			true	0.7	7	1	6	6	8892.799805	6935.799805	6935.799805	0.933333
2356	001J	3356	0.08	1380	1	65	100	3	8	7	10068	8688	RH-1	40	form-based			true	0.7	7	0.875	6	6	9396.799805	8016.799805	8016.799805	0.933333
2356	008	1447	0.03	2250	2	65	100	3	3	1	4341	2091	NCD-TARA	85	form-based			true	0.75	8	2.666666746	6	4	8682	6432	6432	2
2356	014	1437	0.03	1750	2	65	100	3	3	1	4311	2561	NCD-TARA	85	form-based	true		true	0.75	8	2.666666746	6	4	8622	6872	6872	2
2356	014A	1437	0.03	1750	2	65	100	3	3	1	4311	2561	NCD-TARA	85	form-based			true	0.75	8	2.666666746	6	4	8622	6872	6872	2
2356	015	1437	0.03	1750	2	65	100	3	3	1	4311	2561	NCD-TARA	85	form-based			true	0.75	8	2.666666746	6	4	8622	6872	6872	2
2356	015A	1438	0.03	2014	2	65	100	3	3	1	4314	2300	NCD-TARA	85	form-based			true	0.75	8	2.666666746	6	4	8628	6614	6614	2
2356	030	3150	0.07	2227	1	65	100	3	7	6	9450	7223	RH-1	40	form-based			true	0.7	7	1	6	6	8820	6593	6593	0.933333
2356	031	3150	0.07	1501	1	65	100	3	7	6	9450	7949	RH-1	40	form-based			true	0.7	7	1	6	6	8820	7319	7319	0.933333
2356	032	3234	0.07	3944	1	65	100	3	7	6	9702	5758	RH-1	40	form-based	true		true	0.7	7	1	6	6	9055.200195	5111.200195	5111.200195	0.933333
2357	001H	3149	0.07	1450	1	65	100	3	7	6	9447	7997	RH-1	40	form-based			true	0.7	7	1	6	6	8817.200195	7367.200195	7367.200195	0.933333
2357	016	1438	0.03	2300	2	65	100	3	3	1	4314	2014	NCD-TARA	85	form-based			true	0.75	8	2.666666746	6	4	8628	6328	6328	2
2357	017	1437	0.03	2300	2	65	100	3	3	1	4311	2011	NCD-TARA	85	form-based			true	0.75	8	2.666666746	6	4	8622	6322	6322	2
2357	017A	1438	0.03	2300	2	65	100	3	3	1	4314	2014	NCD-TARA	85	form-based			true	0.75	8	2.666666746	6	4	8628	6328	6328	2
2357	032	3150	0.07	1928	1	65	100	3	7	6	9450	7522	RH-1	40	form-based			true	0.7	7	1	6	6	8820	6892	6892	0.933333
2357	033	3150	0.07	2032	1	65	100	3	7	6	9450	7418	RH-1	40	form-based			true	0.7	7	1	6	6	8820	6788	6788	0.933333
2358	019	1437	0.03	2907	2	85	140	4	4	2	5748	2841	NCD-TARA	85	form-based	true		true	0.75	8	2	6	6	8622	5715	5715	1.5
2358	035	3180	0.07	3860	1	65	100	3	7	6	9540	5680	RH-1	40	form-based			true	0.7	7	1	6	6	8904	5044	5044	0.933333
2359	001G	3364	0.08	1166	1	65	100	3	8	7	10092	8926	RH-1	40	form-based			true	0.7	7	0.875	6	6	9419.200195	8253.200195	8253.200195	0.933333
2359	001L	3135	0.07	1151	1	65	100	3	7	6	9405	8254	RH-1	40	form-based			true	0.7	7	1	6	6	8778	7627	7627	0.933333
2359	008	1437	0.03	2250	2	85	140	4	4	2	5748	3498	NCD-TARA	85	form-based			true	0.75	8	2	6	6	8622	6372	6372	1.5
2359	009	1437	0.03	3275	2	85	140	4	4	2	5748	2473	NCD-TARA	85	form-based			true	0.75	8	2	6	6	8622	5347	5347	1.5
2359	009A	1437	0.03	2250	2	85	140	4	4	2	5748	3498	NCD-TARA	85	form-based			true	0.75	8	2	6	6	8622	6372	6372	1.5
2360	001J	3135	0.07	2231	1	65	100	3	7	6	9405	7174	RH-1	40	form-based			true	0.7	7	1	6	6	8778	6547	6547	0.933333
2360	001K	3135	0.07	1344	1	65	100	3	7	6	9405	8061	RH-1	40	form-based			true	0.7	7	1	6	6	8778	7434	7434	0.933333
2361	001H	3480	0.08	1475	1	65	100	3	8	7	10440	8965	RH-1	40	form-based			true	0.7	7	0.875	6	6	9744	8269	8269	0.933333
2361	002	3301	0.08	2616	1	65	100	3	8	7	9903	7287	RH-1	40	form-based			true	0.7	7	0.875	6	6	9242.799805	6626.799805	6626.799805	0.933333
2361	003	3291	0.08	1095	1	65	100	3	8	7	9873	8778	RH-1	40	form-based			true	0.7	7	0.875	6	6	9214.799805	8119.799805	8119.799805	0.933333
2361	004	3291	0.08	1095	1	65	100	3	8	7	9873	8778	RH-1	40	form-based			true	0.7	7	0.875	6	6	9214.799805	8119.799805	8119.799805	0.933333
2361	005	3291	0.08	1183	1	65	100	3	8	7	9873	8690	RH-1	40	form-based			true	0.7	7	0.875	6	6	9214.799805	8031.799805	8031.799805	0.933333
2361	013	3106	0.07	1350	1	85	140	4	10	9	12424	11074	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8696.799805	7346.799805	7346.799805	0.7
2361	022	3096	0.07	1401	1	85	140	4	10	9	12384	10983	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8668.799805	7267.799805	7267.799805	0.7
2362	001F	3150	0.07	1350	1	65	100	3	7	6	9450	8100	RH-1	40	form-based			true	0.7	7	1	6	6	8820	7470	7470	0.933333
2362	022	1698	0.04	2230	3	65	100	3	4	1	5094	2864	NCD-TARA	85	form-based	true		true	0.75	9	2.25	6	5	10188	7958	7958	2
2362	023	3200	0.07	1090	1	65	100	3	7	6	9600	8510	RH-1	40	form-based			true	0.7	7	1	6	6	8960	7870	7870	0.933333
2362	024	3170	0.07	875	1	65	100	3	7	6	9510	8635	RH-1	40	form-based			true	0.7	7	1	6	6	8876	8001	8001	0.933333
2362	025	3170	0.07	1816	1	65	100	3	7	6	9510	7694	RH-1	40	form-based			true	0.7	7	1	6	6	8876	7060	7060	0.933333
2362	026	3170	0.07	1452	1	65	100	3	7	6	9510	8058	RH-1	40	form-based			true	0.7	7	1	6	6	8876	7424	7424	0.933333
2362	027	3170	0.07	2647	1	65	100	3	7	6	9510	6863	RH-1	40	form-based			true	0.7	7	1	6	6	8876	6229	6229	0.933333
2362	028	3170	0.07	1004	1	65	100	3	7	6	9510	8506	RH-1	40	form-based			true	0.7	7	1	6	6	8876	7872	7872	0.933333
2362	029	3170	0.07	1475	1	65	100	3	7	6	9510	8035	RH-1	40	form-based			true	0.7	7	1	6	6	8876	7401	7401	0.933333
2363	002	3145	0.07	1620	1	65	100	3	7	6	9435	7815	RH-1	40	form-based			true	0.7	7	1	6	6	8806	7186	7186	0.933333
2364	001	3096	0.07	1600	1	65	100	3	7	6	9288	7688	RH-1	40	form-based	true		true	0.7	7	1	6	6	8668.799805	7068.799805	7068.799805	0.933333
2364	042	3097	0.07	1120	1	65	100	3	7	6	9291	8171	RH-1	40	form-based			true	0.7	7	1	6	6	8671.599609	7551.599609	7551.599609	0.933333
2368	014A	1441	0.03	2424	2	85	140	4	4	2	5764	3340	RTO-C	85	form-based			true	0.75	8	2	6	6	8646	6222	6222	1.5
2368	014B	1441	0.03	2424	2	85	140	4	4	2	5764	3340	RTO-C	85	form-based			true	0.75	8	2	6	6	8646	6222	6222	1.5
2368	019	3099	0.07	1938	1	85	140	4	10	9	12396	10458	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8677.200195	6739.200195	6739.200195	0.7
2368	026	3003	0.07	1905	0	65	100	3	7	7	9009	7104	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8408.399414	6503.399414	6503.399414	0.933333
2368	041	1483	0.03	2699	2	85	140	4	4	2	5932	3233	RTO-C	85	form-based	true		true	0.75	8	2	6	6	8898	6199	6199	1.5
2368	042	1438	0.03	2374	2	85	140	4	4	2	5752	3378	RTO-C	85	form-based			true	0.75	8	2	6	6	8628	6254	6254	1.5
2368	043	1437	0.03	2374	2	85	140	4	4	2	5748	3374	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6248	6248	1.5
2369	003	3112	0.07	1030	1	65	100	3	7	6	9336	8306	RH-1	40	form-based			true	0.7	7	1	6	6	8713.599609	7683.599609	7683.599609	0.933333
2371	010A	3102	0.07	1011	1	85	140	4	10	9	12408	11397	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8685.599609	7674.599609	7674.599609	0.7
2371	017	3096	0.07	1500	1	65	100	3	7	6	9288	7788	RH-1	40	form-based			true	0.7	7	1	6	6	8668.799805	7168.799805	7168.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2372	002	3114	0.07	980	1	65	100	3	7	6	9342	8362	RH-1	40	form-based			true	0.7	7	1	6	6	8719.200195	7739.200195	7739.200195	0.933333
2373	024	1250	0.03	1062	1	85	140	4	4	3	5000	3938	RTO-C	85	form-based			true	0.75	7	1.75	6	6	7500	6438	6438	1.5
2373	041	3107	0.07	1804	1	65	100	3	7	6	9321	7517	RH-1	40	form-based			true	0.7	7	1	6	6	8699.599609	6895.599609	6895.599609	0.933333
2374	034	3106	0.07	1416	1	65	100	3	7	6	9318	7902	RH-1	40	form-based			true	0.7	7	1	6	6	8696.799805	7280.799805	7280.799805	0.933333
2375	041A	3100	0.07	1162	1	65	100	3	7	6	9300	8138	RH-1	40	form-based			true	0.7	7	1	6	6	8680	7518	7518	0.933333
2376	039	7000	0.16	5257	9	65	100	3	16	7	21000	15743	RH-1	40	form-based			true	0.7	15	0.9375	6	6	19600	14343	14343	0.933333
2378	029	3681	0.08	2150	2	65	100	3	8	6	11043	8893	RM-1	40	form-based			true	0.7	8	1	6	6	10306.7998	8156.799805	8156.799805	0.933333
2379	036C	3219	0.07	1550	1	65	100	3	7	6	9657	8107	RH-1	40	form-based			true	0.7	7	1	6	6	9013.200195	7463.200195	7463.200195	0.933333
2379	048	5058	0.12	4104	5	85	140	4	17	12	20232	16128	RH-1	40	form-based			true	0.7	11	0.647058845	6	6	14162.39941	10058.39941	10058.39941	0.7
2380	002	3221	0.07	800	1	85	140	4	10	9	12884	12084	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9018.799805	8218.799805	8218.799805	0.7
2380	041	3215	0.07	1412	1	85	140	4	10	9	12860	11448	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9002	7590	7590	0.7
2381	017	3226	0.07	1175	1	65	100	3	7	6	9678	8503	RH-1	40	form-based			true	0.7	7	1	6	6	9032.799805	7857.799805	7857.799805	0.933333
2381	027	3211	0.07	1538	1	65	100	3	7	6	9633	8095	RH-1	40	form-based			true	0.7	7	1	6	6	8990.799805	7452.799805	7452.799805	0.933333
2382	001D	3147	0.07	800	1	85	140	4	10	9	12588	11788	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8811.599609	8011.599609	8011.599609	0.7
2382	010	3128	0.07	1985	1	85	140	4	10	9	12512	10527	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8758.399414	6773.399414	6773.399414	0.7
2383	002	3127	0.07	1214	1	85	140	4	10	9	12508	11294	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8755.599609	7541.599609	7541.599609	0.7
2383	022	3270	0.08	2224	1	65	100	3	8	7	9810	7586	RH-1	40	form-based		true	true	0.7	7	0.875	6	6	9156	6932	6932	0.933333
2383	026A	3123	0.07	995	1	85	140	4	10	9	12492	11497	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8744.399414	7749.399414	7749.399414	0.7
2383	027A	1437	0.03	2515	2	85	140	4	4	2	5748	3233	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6107	6107	1.5
2383	027B	1437	0.03	2050	2	85	140	4	4	2	5748	3698	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6572	6572	1.5
2384	001A	1437	0.03	2150	2	85	140	4	4	2	5748	3598	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6472	6472	1.5
2384	001B	1437	0.03	2650	2	65	100	3	3	1	4311	1661	RTO-C	85	form-based			true	0.75	8	2.666666746	6	4	8622	5972	5972	2
2384	002	3196	0.07	1519	1	85	140	4	10	9	12784	11265	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8948.799805	7429.799805	7429.799805	0.7
2384	025A	3199	0.07	875	1	85	140	4	10	9	12796	11921	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8957.200195	8082.200195	8082.200195	0.7
2385	003	3015	0.07	0	0	85	140	4	10	10	12060	12060	RH-1	40	form-based			true	0.7	6	0.600000024	6	6	8442	8442	8442	0.7
2385	004	3015	0.07	0	0	85	140	4	10	10	12060	12060	RH-1	40	form-based			true	0.7	6	0.600000024	6	6	8442	8442	8442	0.7
2385	039	3195	0.07	1162	1	85	140	4	10	9	12780	11618	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8946	7784	7784	0.7
2385	041	1437	0.03	2050	2	85	140	4	4	2	5748	3698	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6572	6572	1.5
2385	042	1438	0.03	2050	2	85	140	4	4	2	5752	3702	RTO-C	85	form-based			true	0.75	8	2	6	6	8628	6578	6578	1.5
2385	042A	1531	0.04	2050	2	85	140	4	6	4	6124	4074	RTO-C	85	form-based		true	true	0.75	8	1.333333373	6	6	9186	7136	7136	1.5
2386	002	3216	0.07	1368	1	85	140	4	10	9	12864	11496	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9004.799805	7636.799805	7636.799805	0.7
2386	040	3191	0.07	995	1	85	140	4	10	9	12764	11769	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8934.799805	7939.799805	7939.799805	0.7
2386	051	1437	0.03	2356	2	85	140	4	4	2	5748	3392	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6266	6266	1.5
2386	052	1437	0.03	2356	2	85	140	4	4	2	5748	3392	RTO-C	85	form-based			true	0.75	8	2	6	6	8622	6266	6266	1.5
2386	053	1438	0.03	2356	2	85	140	4	4	2	5752	3396	RTO-C	85	form-based		true	true	0.75	8	2	6	6	8628	6272	6272	1.5
2387	002	3153	0.07	1325	1	65	100	3	7	6	9459	8134	RH-1	40	form-based			true	0.7	7	1	6	6	8828.399414	7503.399414	7503.399414	0.933333
2387	032	3186	0.07	1368	1	65	100	3	7	6	9558	8190	RH-1	40	form-based			true	0.7	7	1	6	6	8920.799805	7552.799805	7552.799805	0.933333
2387	041	1250	0.03	850	1	65	100	3	3	2	3750	2900	RTO-C	85	form-based			true	0.75	7	2.333333254	6	5	7500	6650	6650	2
2388	012A	3172	0.07	2943	1	65	100	3	7	6	9516	6573	RH-1	40	form-based			true	0.7	7	1	6	6	8881.599609	5938.599609	5938.599609	0.933333
2388	018	3182	0.07	1283	1	65	100	3	7	6	9546	8263	RH-1	40	form-based			true	0.7	7	1	6	6	8909.599609	7626.599609	7626.599609	0.933333
2388	029	1437	0.03	2000	2	65	100	3	3	1	4311	2311	RTO-C	85	form-based			true	0.75	8	2.666666746	6	4	8622	6622	6622	2
2388	030	1438	0.03	2450	2	65	100	3	3	1	4314	1864	RTO-C	85	form-based			true	0.75	8	2.666666746	6	4	8628	6178	6178	2
2388	031	1438	0.03	2000	2	65	100	3	3	1	4314	2314	RTO-C	85	form-based		true	true	0.75	8	2.666666746	6	4	8628	6628	6628	2
2390	014	3166	0.07	1180	1	65	100	3	7	6	9498	8318	RH-1	40	form-based			true	0.7	7	1	6	6	8864.799805	7684.799805	7684.799805	0.933333
2390	023	3223	0.07	1225	1	65	100	3	7	6	9669	8444	RH-1	40	form-based		true	true	0.7	7	1	6	6	9024.399414	7799.399414	7799.399414	0.933333
2390	024	3174	0.07	1855	1	65	100	3	7	6	9522	7667	RH-1	40	form-based			true	0.7	7	1	6	6	8887.200195	7032.200195	7032.200195	0.933333
2391	014	3169	0.07	2085	1	65	100	3	7	6	9507	7422	RH-1	40	form-based			true	0.7	7	1	6	6	8873.200195	6788.200195	6788.200195	0.933333
2391	018	3262	0.07	3162	1	65	100	3	7	6	9786	6624	RH-1	40	form-based		true	true	0.7	7	1	6	6	9133.599609	5971.599609	5971.599609	0.933333
2391	043	1437	0.03	2250	2	65	100	3	3	1	4311	2061	NCD-TARA	85	form-based			true	0.75	8	2.666666746	6	4	8622	6372	6372	2
2391	043A	1438	0.03	2250	2	65	100	3	3	1	4314	2064	NCD-TARA	85	form-based			true	0.75	8	2.666666746	6	4	8628	6378	6378	2
2392	002	3201	0.07	1843	1	65	100	3	7	6	9603	7760	RH-1	40	form-based			true	0.7	7	1	6	6	8962.799805	7119.799805	7119.799805	0.933333
2392	020	3328	0.08	1150	1	65	100	3	8	7	9984	8834	RH-1	40	form-based		true	true	0.7	7	0.875	6	6	9318.399414	8168.399414	8168.399414	0.933333
2392	034A	3166	0.07	1374	1	65	100	3	7	6	9498	8124	RH-1	40	form-based			true	0.7	7	1	6	6	8864.799805	7490.799805	7490.799805	0.933333
2392	035A	1438	0.03	2322	2	65	100	3	3	1	4314	1992	NCD-TARA	85	form-based			true	0.75	8	2.666666746	6	4	8628	6306	6306	2
2392	036	1438	0.03	2322	2	65	100	3	3	1	4314	1992	NCD-TARA	85	form-based			true	0.75	8	2.666666746	6	4	8628	6306	6306	2
2393	002	3171	0.07	3964	1	85	140	4	10	9	12684	8720	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8878.799805	4914.799805	4914.799805	0.7
2393	039	3162	0.07	1770	1	85	140	4	10	9	12648	10878	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8853.599609	7083.599609	7083.599609	0.7
2394	016	3178	0.07	1405	1	65	100	3	7	6	9534	8129	RH-1	40	form-based			true	0.7	7	1	6	6	8898.399414	7493.399414	7493.399414	0.933333
2394	017	3260	0.07	2423	1	65	100	3	7	6	9780	7357	RH-1	40	form-based		true	true	0.7	7	1	6	6	9128	6705	6705	0.933333
2394	026	3158	0.07	1288	1	65	100	3	7	6	9474	8186	RH-1	40	form-based			true	0.7	7	1	6	6	8842.399414	7554.399414	7554.399414	0.933333
2395	001	1437	0.03	2140	2	85	140	4	4	2	5748	3608	NCD-TARA	85	form-based		true	true	0.75	8	2	6	6	8622	6482	6482	1.5
2395	012	3000	0.07	1155	0	65	100	3	7	7	9000	7845	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8400	7245	7245	0.933333
2395	016	3152	0.07	1544	1	65	100	3	7	6	9456	7912	RH-1	40	form-based			true	0.7	7	1	6	6	8825.599609	7281.599609	7281.599609	0.933333
2395	024	3260	0.07	1752	1	65	100	3	7	6	9780	8028	RH-1	40	form-based		true	true	0.7	7	1	6	6	9128	7376	7376	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2395	025	3154	0.07	1390	1	65	100	3	7	6	9462	8072	RH-1	40	form-based			true	0.7	7	1	6	6	8831.200195	7441.200195	7441.200195	0.933333
2395	042	3239	0.07	2484	1	65	100	3	7	6	9717	7233	RH-1	40	form-based		true	true	0.7	7	1	6	6	9069.200195	6585.200195	6585.200195	0.933333
2396	001A	1440	0.03	2298	2	85	140	4	4	2	5760	3462	NCD-TARA	85	form-based			true	0.75	8	2	6	6	8640	6342	6342	1.5
2396	001B	1440	0.03	2298	2	65	100	3	3	1	4320	2022	NCD-TARA	85	form-based			true	0.75	8	2.666666746	6	4	8640	6342	6342	2
2396	021	3143	0.07	1895	1	65	100	3	7	6	9429	7534	RH-1	40	form-based		true	true	0.7	7	1	6	6	8800.399414	6905.399414	6905.399414	0.933333
2397	002	3107	0.07	1162	1	65	100	3	7	6	9321	8159	RH-1	40	form-based			true	0.7	7	1	6	6	8699.599609	7537.599609	7537.599609	0.933333
2397	016	3338	0.08	2923	1	65	100	3	8	7	10014	7091	RH-1	40	form-based		true	true	0.7	7	0.875	6	6	9346.399414	6423.399414	6423.399414	0.933333
2397	019	3340	0.08	1996	1	65	100	3	8	7	10020	8024	RH-1	40	form-based			true	0.7	7	0.875	6	6	9352	7356	7356	0.933333
2397	020	3340	0.08	2073	1	65	100	3	8	7	10020	7947	RH-1	40	form-based			true	0.7	7	0.875	6	6	9352	7279	7279	0.933333
2397	021	3340	0.08	2005	1	65	100	3	8	7	10020	8015	RH-1	40	form-based			true	0.7	7	0.875	6	6	9352	7347	7347	0.933333
2398	002	3151	0.07	1375	1	65	100	3	7	6	9453	8078	RH-1	40	form-based			true	0.7	7	1	6	6	8822.799805	7447.799805	7447.799805	0.933333
2398	013	3326	0.08	1555	1	65	100	3	8	7	9978	8423	RH-1	40	form-based			true	0.7	7	0.875	6	6	9312.799805	7757.799805	7757.799805	0.933333
2398	023A	3293	0.08	1850	1	65	100	3	8	7	9879	8029	RH-1	40	form-based		true	true	0.7	7	0.875	6	6	9220.399414	7370.399414	7370.399414	0.933333
2398	039	3142	0.07	1482	1	65	100	3	7	6	9426	7944	RH-1	40	form-based			true	0.7	7	1	6	6	8797.599609	7315.599609	7315.599609	0.933333
2398	040	2571	0.06	3846	7	65	100	3	6	0	7713	3867	NCD-TARA	85	form-based			true	0.75	13	2.166666746	6	5	15426	11580	11580	2
2399	001A	1438	0.03	2322	2	85	140	4	4	2	5752	3430	NCD-TARA	85	form-based			true	0.75	8	2	6	6	8628	6306	6306	1.5
2399	001B	1437	0.03	2322	2	85	140	4	4	2	5748	3426	NCD-TARA	85	form-based			true	0.75	8	2	6	6	8622	6300	6300	1.5
2399	001C	1438	0.03	2322	2	85	140	4	4	2	5752	3430	NCD-TARA	85	form-based			true	0.75	8	2	6	6	8628	6306	6306	1.5
2399	002	3139	0.07	2604	1	85	140	4	10	9	12556	9952	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8789.200195	6185.200195	6185.200195	0.7
2399	015	3250	0.07	2175	1	65	100	3	7	6	9750	7575	RH-1	40	form-based		true	true	0.7	7	1	6	6	9100	6925	6925	0.933333
2399	016	3333	0.08	1599	1	65	100	3	8	7	9999	8400	RH-1	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7733.399414	7733.399414	0.933333
2399	018	3333	0.08	1713	1	65	100	3	8	7	9999	8286	RH-1	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7619.399414	7619.399414	0.933333
2399	019	3333	0.08	1697	1	65	100	3	8	7	9999	8302	RH-1	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7635.399414	7635.399414	0.933333
2399	037	3138	0.07	1539	1	85	140	4	10	9	12552	11013	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8786.399414	7247.399414	7247.399414	0.7
2400	002	3143	0.07	1400	1	85	140	4	10	9	12572	11172	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8800.399414	7400.399414	7400.399414	0.7
2400	016	3318	0.08	1700	1	65	100	3	8	7	9954	8254	RH-1	40	form-based		true	true	0.7	7	0.875	6	6	9290.399414	7590.399414	7590.399414	0.933333
2400	017	3333	0.08	1837	1	65	100	3	8	7	9999	8162	RH-1	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7495.399414	7495.399414	0.933333
2400	019	3333	0.08	1500	1	65	100	3	8	7	9999	8499	RH-1	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7832.399414	7832.399414	0.933333
2400	020	3333	0.08	1300	1	65	100	3	8	7	9999	8699	RH-1	40	form-based			true	0.7	7	0.875	6	6	9332.399414	8032.399414	8032.399414	0.933333
2400	023	3250	0.07	2020	1	65	100	3	7	6	9750	7730	RH-1	40	form-based		true	true	0.7	7	1	6	6	9100	7080	7080	0.933333
2400	037	3134	0.07	2090	1	85	140	4	10	9	12536	10446	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8775.200195	6685.200195	6685.200195	0.7
2401	002	3134	0.07	1410	1	65	100	3	7	6	9402	7992	RH-1	40	form-based			true	0.7	7	1	6	6	8775.200195	7365.200195	7365.200195	0.933333
2401	021	3260	0.07	1067	1	65	100	3	7	6	9780	8713	RH-1	40	form-based		true	true	0.7	7	1	6	6	9128	8061	8061	0.933333
2401	035	3129	0.07	1300	1	65	100	3	7	6	9387	8087	RH-1	40	form-based			true	0.7	7	1	6	6	8761.200195	7461.200195	7461.200195	0.933333
2403	032	3121	0.07	1490	1	65	100	3	7	6	9363	7873	RH-1	40	form-based			true	0.7	7	1	6	6	8738.799805	7248.799805	7248.799805	0.933333
2409	002	3591	0.08	1510	2	85	140	4	11	9	14364	12854	RH-1	40	form-based			true	0.7	8	0.727272749	6	6	10054.7998	8544.799805	8544.799805	0.7
2409	016B	3345	0.08	2640	1	65	100	3	8	7	10035	7395	RH-1	40	form-based		true	true	0.7	7	0.875	6	6	9366	6726	6726	0.933333
2409	022	3114	0.07	1200	1	65	100	3	7	6	9342	8142	RH-1	40	form-based			true	0.7	7	1	6	6	8719.200195	7519.200195	7519.200195	0.933333
2411	018A	1930	0.04	1460	1	65	100	3	4	3	5790	4330	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8685	7225	7225	1.5
2411	018B	1968	0.05	1230	1	65	100	3	5	4	5904	4674	RTO-C	65	form-based			true	0.75	7	1.399999976	6	6	8856	7626	7626	1.5
2413	007	3388	0.08	1928	1	65	100	3	8	7	10164	8236	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9486.399414	7558.399414	7558.399414	0.933333
2413	013A	2080	0.05	3334	2	65	100	3	5	3	6240	2906	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9360	6026	6026	1.5
2413	014	2215	0.05	2800	2	65	100	3	5	3	6645	3845	NCD-INNE	65	form-based		true	true	0.75	8	1.600000024	6	6	9967.5	7167.5	7167.5	1.5
2413	024	3229	0.07	1810	1	65	100	3	7	6	9687	7877	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9041.200195	7231.200195	7231.200195	0.933333
2413	025	3234	0.07	2310	1	65	100	3	7	6	9702	7392	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9055.200195	6745.200195	6745.200195	0.933333
2413	027	3243	0.07	2250	1	65	100	3	7	6	9729	7479	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9080.399414	6830.399414	6830.399414	0.933333
2413	028	3247	0.07	1830	1	65	100	3	7	6	9741	7911	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9091.599609	7261.599609	7261.599609	0.933333
2413	029	3252	0.07	1920	1	65	100	3	7	6	9756	7836	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9105.599609	7185.599609	7185.599609	0.933333
2413	030	3323	0.08	2200	1	65	100	3	8	7	9969	7769	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9304.399414	7104.399414	7104.399414	0.933333
2413	031	3328	0.08	1825	1	65	100	3	8	7	9984	8159	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9318.399414	7493.399414	7493.399414	0.933333
2413	033	3222	0.07	1900	1	65	100	3	7	6	9666	7766	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9021.599609	7121.599609	7121.599609	0.933333
2413	034	3526	0.08	3252	1	65	100	3	8	7	10578	7326	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9872.799805	6620.799805	6620.799805	0.933333
2413	041	2030	0.05	1400	2	65	100	3	5	3	6090	4690	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9135	7735	7735	1.5
2414	020	3225	0.07	1910	1	65	100	3	7	6	9675	7765	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9030	7120	7120	0.933333
2414	003C	3330	0.08	1350	1	65	100	3	8	7	9990	8640	RH-1	40	form-based			true	0.7	7	0.875	6	6	9324	7974	7974	0.933333
2414	005	3134	0.07	2025	1	65	100	3	7	6	9402	7377	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8775.200195	6750.200195	6750.200195	0.933333
2414	017	3225	0.07	1750	1	65	100	3	7	6	9675	7925	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9030	7280	7280	0.933333
2414	018	3225	0.07	1750	1	65	100	3	7	6	9675	7925	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9030	7280	7280	0.933333
2414	019	3225	0.07	2099	1	65	100	3	7	6	9675	7576	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9030	6931	6931	0.933333
2414	021	3225	0.07	1750	1	65	100	3	7	6	9675	7925	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9030	7280	7280	0.933333
2414	022	3225	0.07	2090	1	65	100	3	7	6	9675	7585	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9030	6940	6940	0.933333
2414	028	3478	0.08	2370	1	65	100	3	8	7	10434	8064	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9738.399414	7368.399414	7368.399414	0.933333
2414	031	3401	0.08	1446	1	65	100	3	8	7	10203	8757	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9522.799805	8076.799805	8076.799805	0.933333
2414	035	1850	0.04	2403	1	85	140	4	6	5	7400	4997	RTO-C	65	form-based		true	true	0.75	7	1.166666627	6	6	8325	5922	5922	1.125

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2414	036	1904	0.04	2277	1	85	140	4	6	5	7616	5339	RTO-C	65	form-based			true	0.75	7	1.166666627	6	6	8568	6291	6291	1.125
2415	002	3188	0.07	2163	1	85	140	4	10	9	12752	10589	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8926.399414	6763.399414	6763.399414	0.7
2415	003	3187	0.07	1850	1	85	140	4	10	9	12748	10898	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8923.599609	7073.599609	7073.599609	0.7
2415	004	3188	0.07	1880	1	85	140	4	10	9	12752	10872	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8926.399414	7046.399414	7046.399414	0.7
2415	005	3188	0.07	1850	1	85	140	4	10	9	12752	10902	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8926.399414	7076.399414	7076.399414	0.7
2415	006	3188	0.07	1850	1	65	100	3	7	6	9564	7714	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	7076.399414	7076.399414	0.933333
2415	007	3188	0.07	1854	1	65	100	3	7	6	9564	7710	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	7072.399414	7072.399414	0.933333
2415	008	3188	0.07	2200	1	65	100	3	7	6	9564	7364	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	6726.399414	6726.399414	0.933333
2415	009	3187	0.07	1744	1	65	100	3	7	6	9561	7817	RH-1	40	form-based			true	0.7	7	1	6	6	8923.599609	7179.599609	7179.599609	0.933333
2415	010	3187	0.07	1600	1	65	100	3	7	6	9561	7961	RH-1	40	form-based			true	0.7	7	1	6	6	8923.599609	7323.599609	7323.599609	0.933333
2415	011	3188	0.07	1825	1	65	100	3	7	6	9564	7739	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	7101.399414	7101.399414	0.933333
2415	012	3187	0.07	1900	1	65	100	3	7	6	9561	7661	RH-1	40	form-based			true	0.7	7	1	6	6	8923.599609	7023.599609	7023.599609	0.933333
2415	013A	3188	0.07	1580	1	65	100	3	7	6	9564	7984	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	7346.399414	7346.399414	0.933333
2415	013B	3188	0.07	1575	1	65	100	3	7	6	9564	7989	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	7351.399414	7351.399414	0.933333
2415	013C	3188	0.07	1530	1	65	100	3	7	6	9564	8034	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	7396.399414	7396.399414	0.933333
2415	019A	3167	0.07	1900	1	65	100	3	7	6	9501	7601	RH-1	40	form-based			true	0.7	7	1	6	6	8867.599609	6967.599609	6967.599609	0.933333
2415	020	3168	0.07	1800	1	65	100	3	7	6	9504	7704	RH-1	40	form-based			true	0.7	7	1	6	6	8870.399414	7070.399414	7070.399414	0.933333
2415	021	3168	0.07	3185	1	65	100	3	7	6	9504	6319	RH-1	40	form-based			true	0.7	7	1	6	6	8870.399414	5685.399414	5685.399414	0.933333
2415	022	3168	0.07	1303	1	65	100	3	7	6	9504	8201	RH-1	40	form-based			true	0.7	7	1	6	6	8870.399414	7567.399414	7567.399414	0.933333
2415	023	3169	0.07	1475	1	65	100	3	7	6	9507	8032	RH-1	40	form-based			true	0.7	7	1	6	6	8873.200195	7398.200195	7398.200195	0.933333
2415	024	3169	0.07	1510	1	65	100	3	7	6	9507	7997	RH-1	40	form-based			true	0.7	7	1	6	6	8873.200195	7363.200195	7363.200195	0.933333
2415	024A	3169	0.07	1902	1	65	100	3	7	6	9507	7605	RH-1	40	form-based			true	0.7	7	1	6	6	8873.200195	6971.200195	6971.200195	0.933333
2415	025	3170	0.07	2359	1	65	100	3	7	6	9510	7151	RH-1	40	form-based			true	0.7	7	1	6	6	8876	6517	6517	0.933333
2415	026	3170	0.07	1900	1	65	100	3	7	6	9510	7610	RH-1	40	form-based			true	0.7	7	1	6	6	8876	6976	6976	0.933333
2415	027	3171	0.07	2075	1	65	100	3	7	6	9513	7438	RH-1	40	form-based			true	0.7	7	1	6	6	8878.799805	6803.799805	6803.799805	0.933333
2415	028	3171	0.07	2255	1	65	100	3	7	6	9513	7258	RH-1	40	form-based			true	0.7	7	1	6	6	8878.799805	6623.799805	6623.799805	0.933333
2415	029	3171	0.07	1580	1	65	100	3	7	6	9513	7933	RH-1	40	form-based			true	0.7	7	1	6	6	8878.799805	7298.799805	7298.799805	0.933333
2415	030	3172	0.07	1500	1	65	100	3	7	6	9516	8016	RH-1	40	form-based			true	0.7	7	1	6	6	8881.599609	7381.599609	7381.599609	0.933333
2415	031	3172	0.07	1720	1	85	140	4	10	9	12688	10968	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8881.599609	7161.599609	7161.599609	0.7
2415	032	3172	0.07	1524	1	85	140	4	10	9	12688	11164	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8881.599609	7357.599609	7357.599609	0.7
2415	040	3188	0.07	1100	1	65	100	3	7	6	9564	8464	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	7826.399414	7826.399414	0.933333
2416	002	3188	0.07	2229	1	65	100	3	7	6	9564	7335	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	6697.399414	6697.399414	0.933333
2416	002A	3188	0.07	2681	1	65	100	3	7	6	9564	6883	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	6245.399414	6245.399414	0.933333
2416	002B	3187	0.07	2514	1	65	100	3	7	6	9561	7047	RH-1	40	form-based			true	0.7	7	1	6	6	8923.599609	6409.599609	6409.599609	0.933333
2416	002C	3260	0.07	2232	1	65	100	3	7	6	9780	7548	RH-1	40	form-based	true		true	0.7	7	1	6	6	9128	6896	6896	0.933333
2416	002E	3188	0.07	2860	1	65	100	3	7	6	9564	6704	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	6066.399414	6066.399414	0.933333
2416	002F	3188	0.07	1518	1	65	100	3	7	6	9564	8046	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	7408.399414	7408.399414	0.933333
2416	002I	3187	0.07	2176	1	65	100	3	7	6	9561	7385	RH-1	40	form-based			true	0.7	7	1	6	6	8923.599609	6747.599609	6747.599609	0.933333
2416	002J	3188	0.07	1525	1	65	100	3	7	6	9564	8039	RH-1	40	form-based			true	0.7	7	1	6	6	8926.399414	7401.399414	7401.399414	0.933333
2416	005A	3220	0.07	1900	1	65	100	3	7	6	9660	7760	RH-1	40	form-based			true	0.7	7	1	6	6	9016	7116	7116	0.933333
2416	006	3220	0.07	1850	1	65	100	3	7	6	9660	7810	RH-1	40	form-based			true	0.7	7	1	6	6	9016	7166	7166	0.933333
2416	006A	3220	0.07	1800	1	65	100	3	7	6	9660	7860	RH-1	40	form-based			true	0.7	7	1	6	6	9016	7216	7216	0.933333
2416	007	3220	0.07	3044	1	65	100	3	7	6	9660	6616	RH-1	40	form-based			true	0.7	7	1	6	6	9016	5972	5972	0.933333
2416	008	3220	0.07	2121	1	65	100	3	7	6	9660	7539	RH-1	40	form-based			true	0.7	7	1	6	6	9016	6895	6895	0.933333
2416	008A	3220	0.07	1615	1	65	100	3	7	6	9660	8045	RH-1	40	form-based			true	0.7	7	1	6	6	9016	7401	7401	0.933333
2416	008B	3220	0.07	1250	1	65	100	3	7	6	9660	8410	RH-1	40	form-based			true	0.7	7	1	6	6	9016	7766	7766	0.933333
2416	013	3865	0.09	2075	2	65	100	3	9	7	11595	9520	RH-1	40	form-based			true	0.7	8	0.888888896	6	6	10822	8747	8747	0.933333
2417	010	3264	0.07	1736	1	65	100	3	7	6	9792	8056	RH-1	40	form-based	true		true	0.7	7	1	6	6	9139.200195	7403.200195	7403.200195	0.933333
2418	001	3313	0.08	2540	1	65	100	3	8	7	9939	7399	RH-1	40	form-based	true		true	0.7	7	0.875	6	6	9276.399414	6736.399414	6736.399414	0.933333
2418	006	3359	0.08	2164	1	65	100	3	8	7	10077	7913	RH-1	40	form-based			true	0.7	7	0.875	6	6	9405.200195	7241.200195	7241.200195	0.933333
2418	007	3283	0.08	2039	1	65	100	3	8	7	9849	7810	RH-1	40	form-based	true		true	0.7	7	0.875	6	6	9192.399414	7153.399414	7153.399414	0.933333
2419	001	3460	0.08	1785	1	65	100	3	8	7	10380	8595	RH-1	40	form-based	true		true	0.7	7	0.875	6	6	9688	7903	7903	0.933333
2422	040	3530	0.08	2350	1	65	100	3	8	7	10590	8240	RH-2	40	form-based			true	0.7	7	0.875	6	6	9884	7534	7534	0.933333
2424	001	3360	0.08	1985	1	65	100	3	8	7	10080	8095	RH-1(D)	40	form-based	true		true	0.7	7	0.875	6	6	9408	7423	7423	0.933333
2424	002	3362	0.08	2137	1	65	100	3	8	7	10086	7949	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9413.599609	7276.599609	7276.599609	0.933333
2424	003	3359	0.08	1070	1	65	100	3	8	7	10077	9007	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9405.200195	8335.200195	8335.200195	0.933333
2424	025	3312	0.08	1660	1	65	100	3	8	7	9936	8276	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9273.599609	7613.599609	7613.599609	0.933333
2424	026	3312	0.08	1125	1	65	100	3	8	7	9936	8811	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9273.599609	8148.599609	8148.599609	0.933333
2424	028	3200	0.07	1425	1	65	100	3	7	6	9600	8175	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8960	7535	7535	0.933333
2424	029	3200	0.07	805	1	65	100	3	7	6	9600	8795	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8960	8155	8155	0.933333
2424	030	3200	0.07	990	1	65	100	3	7	6	9600	8610	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8960	7970	7970	0.933333
2424	032	3200	0.07	1075	1	65	100	3	7	6	9600	8525	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8960	7885	7885	0.933333
2424	033	3200	0.07	1658	1	65	100	3	7	6	9600	7942	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8960	7302	7302	0.933333
2424	034	3200	0.07	1050	1	65	100	3	7	6	9600	8550	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8960	7910	7910	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2424	035	3200	0.07	990	1	65	100	3	7	6	9600	8610	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8960	7970	7970	0.933333
2424	036	3200	0.07	1220	1	65	100	3	7	6	9600	8380	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8960	7740	7740	0.933333
2424	037	3200	0.07	1742	1	65	100	3	7	6	9600	7858	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8960	7218	7218	0.933333
2424	042	3431	0.08	1250	1	65	100	3	8	7	10293	9043	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9606.799805	8356.799805	8356.799805	0.933333
2426	004G	3310	0.08	1185	1	65	100	3	8	7	9930	8745	RH-1	40	form-based			true	0.7	7	0.875	6	6	9268	8083	8083	0.933333
2426	004L	3108	0.07	1993	1	65	100	3	7	6	9324	7331	RH-1	40	form-based			true	0.7	7	1	6	6	8702.399414	6709.399414	6709.399414	0.933333
2428	009	3008	0.07	2190	0	65	100	3	7	7	9024	6834	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8422.399414	6232.399414	6232.399414	0.933333
2431	028	3125	0.07	1175	1	65	100	3	7	6	9375	8200	RH-1	40	form-based			true	0.7	7	1	6	6	8750	7575	7575	0.933333
2431	030	3282	0.08	1130	1	65	100	3	8	7	9846	8716	RH-1	40	form-based			true	0.7	7	0.875	6	6	9189.599609	8059.599609	8059.599609	0.933333
2432	001B	3100	0.07	1446	1	65	100	3	7	6	9300	7854	RH-1	40	form-based			true	0.7	7	1	6	6	8680	7234	7234	0.933333
2432	001C	3100	0.07	1881	1	65	100	3	7	6	9300	7419	RH-1	40	form-based			true	0.7	7	1	6	6	8680	6799	6799	0.933333
2432	001D	3100	0.07	1794	1	65	100	3	7	6	9300	7506	RH-1	40	form-based			true	0.7	7	1	6	6	8680	6886	6886	0.933333
2433	024M	3147	0.07	1500	1	65	100	3	7	6	9441	7941	RH-1	40	form-based			true	0.7	7	1	6	6	8811.599609	7311.599609	7311.599609	0.933333
2434	017	1812	0.04	1037	1	65	100	3	4	3	5436	4399	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8154	7117	7117	1.5
2434	017A	1813	0.04	1272	1	65	100	3	4	3	5439	4167	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8158.5	6886.5	6886.5	1.5
2434	018	1812	0.04	1037	1	65	100	3	4	3	5436	4399	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8154	7117	7117	1.5
2434	018A	1812	0.04	1037	1	65	100	3	4	3	5436	4399	RTO-C	65	form-based	true		true	0.75	7	1.75	6	6	8154	7117	7117	1.5
2434	020	2500	0.06	3270	3	65	100	3	6	3	7500	4230	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	7980	7980	1.5
2436	001U	1739	0.04	1708	1	65	100	3	4	3	5217	3509	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7825.5	6117.5	6117.5	1.5
2436	001V	1738	0.04	1457	1	65	100	3	4	3	5214	3757	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7821	6364	6364	1.5
2436	001W	1738	0.04	1211	1	55	80	2.5	3	2	4345	3134	RTO-C	65	form-based	true		true	0.75	7	2.333333254	6	5	7821	6610	6610	1.8
2436	001X	1875	0.04	1430	1	65	100	3	4	3	5625	4195	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	7007.5	7007.5	1.5
2438	017A	1948	0.04	1948	1	65	100	3	4	3	5844	3896	RTO-C	65	form-based	true		true	0.75	7	1.75	6	6	8766	6818	6818	1.5
2439	044	1835	0.04	800	1	55	80	2.5	3	2	4588	3788	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8257.5	7457.5	7457.5	1.799804
2440	026	1875	0.04	1537	1	65	100	3	4	3	5625	4088	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	6900.5	6900.5	1.5
2440	027	1875	0.04	1512	1	65	100	3	4	3	5625	4113	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	6925.5	6925.5	1.5
2440	028	1875	0.04	1162	1	65	100	3	4	3	5625	4463	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	7275.5	7275.5	1.5
2442	013A	1875	0.04	1036	1	65	100	3	4	3	5625	4589	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	7401.5	7401.5	1.5
2443	024D	3004	0.07	1535	0	65	100	3	7	7	9012	7477	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8411.200195	6876.200195	6876.200195	0.933333
2444	011	2500	0.06	2347	3	65	100	3	6	3	7500	5153	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11250	8903	8903	1.5
2444	012	1734	0.04	1355	1	65	100	3	4	3	5202	3847	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7803	6448	6448	1.5
2445	012B	1875	0.04	995	1	65	100	3	4	3	5625	4630	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	7442.5	7442.5	1.5
2445	012C	1875	0.04	995	1	65	100	3	4	3	5625	4630	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	7442.5	7442.5	1.5
2445	013	1875	0.04	893	1	65	100	3	4	3	5625	4732	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	7544.5	7544.5	1.5
2445	014	1875	0.04	995	1	65	100	3	4	3	5625	4630	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8437.5	7442.5	7442.5	1.5
2446	022	1753	0.04	1175	1	65	100	3	4	3	5259	4084	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7888.5	6713.5	6713.5	1.5
2446	023	1753	0.04	1175	1	85	140	4	6	5	7012	5837	RTO-C	65	form-based			true	0.75	7	1.166666627	6	6	7888.5	6713.5	6713.5	1.125
2446	025	1799	0.04	1175	1	85	140	4	6	5	7196	6021	RTO-C	65	form-based			true	0.75	7	1.166666627	6	6	8095.5	6920.5	6920.5	1.125
2446	026	1799	0.04	1412	1	85	140	4	6	5	7196	5784	RTO-C	65	form-based			true	0.75	7	1.166666627	6	6	8095.5	6683.5	6683.5	1.125
2446	028	1798	0.04	993	1	85	140	4	6	5	7192	6199	RTO-C	65	form-based			true	0.75	7	1.166666627	6	6	8091	7098	7098	1.125
2446	030	1750	0.04	1196	1	85	140	4	6	5	7000	5804	RTO-C	65	form-based			true	0.75	7	1.166666627	6	6	7875	6679	6679	1.125
2446	031	1750	0.04	1450	1	85	140	4	6	5	7000	5550	RTO-C	65	form-based			true	0.75	7	1.166666627	6	6	7875	6425	6425	1.125
2449	044	6781	0.16	5575	8	65	100	3	16	8	20343	14768	RH-2	40	form-based	true		true	0.7	14	0.875	6	6	18986.79883	13411.79883	13411.79883	0.933333
2450	001A	1743	0.04	1220	1	85	140	4	6	5	6972	5752	RTO-C	65	form-based			true	0.75	7	1.166666627	6	6	7843.5	6623.5	6623.5	1.125
2450	001B	1742	0.04	1220	1	85	140	4	6	5	6968	5748	RTO-C	65	form-based			true	0.75	7	1.166666627	6	6	7839	6619	6619	1.125
2450	002	3284	0.08	1776	1	85	140	4	11	10	13136	11360	RH-1	40	form-based			true	0.7	7	0.636363626	6	6	9195.200195	7419.200195	7419.200195	0.7
2450	035	3308	0.08	920	1	65	100	3	8	7	9924	9004	RH-1	40	form-based			true	0.7	7	0.875	6	6	9262.399414	8342.399414	8342.399414	0.933333
2450	037	1750	0.04	800	1	65	100	3	4	3	5250	4450	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7875	7075	7075	1.5
2450	038	1750	0.04	1055	1	65	100	3	4	3	5250	4195	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7875	6820	6820	1.5
2450	039	1932	0.04	1200	1	65	100	3	4	3	5796	4596	RTO-C	65	form-based	true		true	0.75	7	1.75	6	6	8694	7494	7494	1.5
2451	002N	3096	0.07	1176	1	85	140	4	10	9	12384	11208	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8668.799805	7492.799805	7492.799805	0.7
2451	006H	3108	0.07	1025	1	85	140	4	10	9	12432	11407	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	8702.399414	7677.399414	7677.399414	0.7
2451	006N	1875	0.04	800	1	85	140	4	6	5	7500	6700	RTO-C	65	form-based			true	0.75	7	1.166666627	6	6	8437.5	7637.5	7637.5	1.125
2451	009	1875	0.04	800	1	85	140	4	6	5	7500	6700	RTO-C	65	form-based			true	0.75	7	1.166666627	6	6	8437.5	7637.5	7637.5	1.125
2452	005	3170	0.07	2030	1	65	100	3	7	6	9510	7480	RH-1	40	form-based			true	0.7	7	1	6	6	8876	6846	6846	0.933333
2452	015	3159	0.07	825	1	65	100	3	7	6	9477	8652	RH-1	40	form-based			true	0.7	7	1	6	6	8845.200195	8020.200195	8020.200195	0.933333
2457	002	3165	0.07	1475	1	55	80	2.5	6	5	7912	6437	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8862	7387	7387	1.120071
2457	037	3151	0.07	1214	1	55	80	2.5	6	5	7878	6664	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8822.799805	7608.799805	7608.799805	1.119929
2458	001	1780	0.04	1025	1	55	80	2.5	3	2	4450	3425	RTO-C	65	form-based	true		true	0.75	7	2.333333254	6	5	8010	6985	6985	1.8
2458	015B	1750	0.04	1725	1	55	80	2.5	3	2	4375	2650	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	7875	6150	6150	1.8
2458	015C	1750	0.04	1192	1	55	80	2.5	3	2	4375	3183	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	7875	6683	6683	1.8
2458	015D	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	7875	6863	6863	1.8
2458	015E	1825	0.04	1012	1	55	80	2.5	3	2	4562	3550	RTO-C	65	form-based	true		true	0.75	7	2.333333254	6	5	8212.5	7200.5	7200.5	1.800197
2461A	001D	3534	0.08	1854	1	55	80	2.5	6	5	8835	6981	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9895.200195	8041.200195	8041.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2461A	001E	3533	0.08	1395	1	55	80	2.5	6	5	8832	7437	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9892.399414	8497.399414	8497.399414	1.120063
2461A	001F	3532	0.08	2075	1	55	80	2.5	6	5	8830	6755	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9889.599609	7814.599609	7814.599609	1.12
2461A	001G	3531	0.08	2280	1	55	80	2.5	6	5	8828	6548	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9886.799805	7606.799805	7606.799805	1.119937
2461A	001H	3531	0.08	1975	1	55	80	2.5	6	5	8828	6853	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9886.799805	7911.799805	7911.799805	1.119937
2461A	001I	3530	0.08	2450	1	55	80	2.5	6	5	8825	6375	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9884	7434	7434	1.12
2461A	001J	3529	0.08	1575	1	55	80	2.5	6	5	8822	7247	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9881.200195	8306.200195	8306.200195	1.120064
2461A	001K	3528	0.08	1575	1	55	80	2.5	6	5	8820	7245	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9878.399414	8303.399414	8303.399414	1.12
2461A	001L	3528	0.08	1325	1	55	80	2.5	6	5	8820	7495	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9878.399414	8553.399414	8553.399414	1.12
2461A	001M	3527	0.08	1549	1	55	80	2.5	6	5	8818	7269	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9875.599609	8326.599609	8326.599609	1.119936
2461A	001N	3526	0.08	1493	1	55	80	2.5	6	5	8815	7322	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9872.799805	8379.799805	8379.799805	1.12
2461A	001O	3525	0.08	1325	1	55	80	2.5	6	5	8812	7487	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9870	8545	8545	1.120064
2461A	001P	3525	0.08	2140	1	55	80	2.5	6	5	8812	6672	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9870	7730	7730	1.120064
2461A	020	1875	0.04	1400	1	55	80	2.5	3	2	4688	3288	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8437.5	7037.5	7037.5	1.799808
2461A	021	1875	0.04	1400	1	55	80	2.5	3	2	4688	3288	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8437.5	7037.5	7037.5	1.799808
2461A	022	1875	0.04	2105	1	55	80	2.5	3	2	4688	2583	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8437.5	6332.5	6332.5	1.799808
2461A	023	1902	0.04	1806	1	55	80	2.5	3	2	4755	2949	RTO-C	65	form-based		true	true	0.75	7	2.333333254	6	5	8559	6753	6753	1.8
2462A	002	3327	0.08	1790	1	55	80	2.5	6	5	8318	6528	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9315.599609	7525.599609	7525.599609	1.119933
2462A	003	3328	0.08	2000	1	55	80	2.5	6	5	8320	6320	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9318.399414	7318.399414	7318.399414	1.12
2462A	010	3520	0.08	1925	1	55	80	2.5	6	5	8800	6875	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9856	7931	7931	1.12
2462A	012	3116	0.07	1598	1	55	80	2.5	6	5	7790	6192	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	8724.799805	7126.799805	7126.799805	1.12
2464A	001	3476	0.08	2816	1	55	80	2.5	6	5	8690	5874	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9732.799805	6916.799805	6916.799805	1.12
2464A	002	3426	0.08	2241	1	55	80	2.5	6	5	8565	6324	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9592.799805	7351.799805	7351.799805	1.12
2464A	010	3379	0.08	1260	1	55	80	2.5	6	5	8448	7188	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9461.200195	8201.200195	8201.200195	1.119934
2465A	029	3419	0.08	1285	1	55	80	2.5	6	5	8548	7263	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9573.200195	8288.200195	8288.200195	1.119935
2466A	010	3538	0.08	1855	1	55	80	2.5	6	5	8845	6990	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9906.399414	8051.399414	8051.399414	1.12
2466A	017	3403	0.08	1935	1	55	80	2.5	6	5	8508	6573	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9528.399414	7593.399414	7593.399414	1.119934
2466A	018	3125	0.07	1325	1	55	80	2.5	6	5	7812	6487	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	7425	7425	1.120072
2466A	019	3236	0.07	1325	1	55	80	2.5	6	5	8090	6765	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9060.799805	7735.799805	7735.799805	1.12
2468	014	3534	0.08	2291	1	55	80	2.5	6	5	8835	6544	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9895.200195	7604.200195	7604.200195	1.12
2468	015	3302	0.08	1478	1	55	80	2.5	6	5	8255	6777	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9245.599609	7767.599609	7767.599609	1.12
2468	016	3149	0.07	1478	1	55	80	2.5	6	5	7872	6394	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8817.200195	7339.200195	7339.200195	1.120071
2471	035	3364	0.08	1947	1	55	80	2.5	6	5	8410	6463	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9419.200195	7472.200195	7472.200195	1.12
2471	064	3244	0.07	4195	1	55	80	2.5	6	5	8110	3915	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9083.200195	4888.200195	4888.200195	1.12
2472	037	3219	0.07	1520	1	55	80	2.5	6	5	8048	6528	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9013.200195	7493.200195	7493.200195	1.11993
2473	004	3197	0.07	1418	1	55	80	2.5	6	5	7992	6574	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8951.599609	7533.599609	7533.599609	1.12007
2473	005	3196	0.07	1250	1	55	80	2.5	6	5	7990	6740	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8948.799805	7698.799805	7698.799805	1.12
2473	006	3196	0.07	1655	1	55	80	2.5	6	5	7990	6335	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8948.799805	7293.799805	7293.799805	1.12
2473	007	3195	0.07	1200	1	55	80	2.5	6	5	7988	6788	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8946	7746	7746	1.11993
2473	008	3195	0.07	1879	1	55	80	2.5	6	5	7988	6109	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8946	7067	7067	1.11993
2473	009	3194	0.07	1655	1	55	80	2.5	6	5	7985	6330	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8943.200195	7288.200195	7288.200195	1.12
2473	010	3194	0.07	1384	1	55	80	2.5	6	5	7985	6601	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8943.200195	7559.200195	7559.200195	1.12
2473	011	3193	0.07	1210	1	55	80	2.5	6	5	7982	6772	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8940.399414	7730.399414	7730.399414	1.12007
2473	012	3192	0.07	1675	1	55	80	2.5	6	5	7980	6305	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8937.599609	7262.599609	7262.599609	1.12
2473	013	3192	0.07	1010	1	55	80	2.5	6	5	7980	6970	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8937.599609	7927.599609	7927.599609	1.12
2473	034	3132	0.07	1205	1	55	80	2.5	6	5	7830	6625	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8769.599609	7564.599609	7564.599609	1.12
2473	035	3132	0.07	1210	1	55	80	2.5	6	5	7830	6620	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8769.599609	7559.599609	7559.599609	1.12
2473	036	3132	0.07	1250	1	55	80	2.5	6	5	7830	6580	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8769.599609	7519.599609	7519.599609	1.12
2473	037	3132	0.07	1250	1	55	80	2.5	6	5	7830	6580	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8769.599609	7519.599609	7519.599609	1.12
2473	038	3132	0.07	1855	1	55	80	2.5	6	5	7830	5975	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8769.599609	6914.599609	6914.599609	1.12
2473	039	3132	0.07	1210	1	55	80	2.5	6	5	7830	6620	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8769.599609	7559.599609	7559.599609	1.12
2473	040	3114	0.07	2469	1	55	80	2.5	6	5	7785	5316	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8719.200195	6250.200195	6250.200195	1.12
2474	011	3270	0.08	1510	1	55	80	2.5	6	5	8175	6665	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9156	7646	7646	1.12
2474	012	3270	0.08	3755	1	55	80	2.5	6	5	8175	4420	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9156	5401	5401	1.12
2474	013	3270	0.08	1650	1	55	80	2.5	6	5	8175	6525	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9156	7506	7506	1.12
2474	014	3271	0.08	1575	1	55	80	2.5	6	5	8178	6603	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9158.799805	7583.799805	7583.799805	1.119931
2474	015	3271	0.08	1755	1	55	80	2.5	6	5	8178	6423	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9158.799805	7403.799805	7403.799805	1.119931
2474	016	3354	0.08	1374	1	55	80	2.5	6	5	8385	7011	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9391.200195	8017.200195	8017.200195	1.12
2474	027	3312	0.08	2548	1	55	80	2.5	6	5	8280	5732	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9273.599609	6725.599609	6725.599609	1.12
2474	028	3312	0.08	1447	1	55	80	2.5	6	5	8280	6833	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9273.599609	7826.599609	7826.599609	1.12
2474	029	3312	0.08	1185	1	55	80	2.5	6	5	8280	7095	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9273.599609	8088.599609	8088.599609	1.12
2474	030	3312	0.08	1300	1	55	80	2.5	6	5	8280	6980	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9273.599609	7973.599609	7973.599609	1.12
2474	031	3312	0.08	1912	1	55	80	2.5	6	5	8280	6368	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9273.599609	7361.599609	7361.599609	1.12
2474	032	3312	0.08	1377	1	55	80	2.5	6	5	8280	6903	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9273.599609	7896.599609	7896.599609	1.12
2475	017	2997	0.07	2136	0	55	80	2.5	6	6	7492	5356	RH-1	40	form-based			true	0.7	6	1	6	6	8391.599609	6255.599609	6255.599609	1.120075

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2478	011	3100	0.07	2078	1	55	80	2.5	6	5	7750	5672	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8680	6602	6602	1.12
2478	012	3106	0.07	1981	1	55	80	2.5	6	5	7765	5784	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8696.799805	6715.799805	6715.799805	1.12
2478	013	3112	0.07	1625	1	55	80	2.5	6	5	7780	6155	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8713.599609	7088.599609	7088.599609	1.12
2478	013A	3117	0.07	1425	1	55	80	2.5	6	5	7792	6367	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	7302.599609	7302.599609	1.120072
2478	013B	3123	0.07	1825	1	55	80	2.5	6	5	7808	5983	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8744.399414	6919.399414	6919.399414	1.119928
2478	013C	3129	0.07	1836	1	55	80	2.5	6	5	7822	5986	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8761.200195	6925.200195	6925.200195	1.120072
2478	013D	3134	0.07	2927	1	55	80	2.5	6	5	7835	4908	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8775.200195	5848.200195	5848.200195	1.12
2478	013E	3140	0.07	2150	1	55	80	2.5	6	5	7850	5700	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8792	6642	6642	1.12
2479	007	3378	0.08	1792	1	65	100	3	8	7	10134	8342	RH-1	40	form-based			true	0.7	7	0.875	6	6	9458.399414	7666.399414	7666.399414	0.933333
2479	008	3378	0.08	1425	1	65	100	3	8	7	10134	8709	RH-1	40	form-based			true	0.7	7	0.875	6	6	9458.399414	8033.399414	8033.399414	0.933333
2479	013	3198	0.07	1500	1	65	100	3	7	6	9594	8094	RH-1	40	form-based			true	0.7	7	1	6	6	8954.399414	7454.399414	7454.399414	0.933333
2479	014	3199	0.07	2100	1	65	100	3	7	6	9597	7497	RH-1	40	form-based			true	0.7	7	1	6	6	8957.200195	6857.200195	6857.200195	0.933333
2479	015	3199	0.07	2130	1	65	100	3	7	6	9597	7467	RH-1	40	form-based			true	0.7	7	1	6	6	8957.200195	6827.200195	6827.200195	0.933333
2479	019	3333	0.08	1450	1	65	100	3	8	7	9999	8549	RH-1	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7882.399414	7882.399414	0.933333
2479	020	3333	0.08	2050	1	65	100	3	8	7	9999	7949	RH-1	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7282.399414	7282.399414	0.933333
2479	026	3453	0.08	1624	1	65	100	3	8	7	10359	8735	RH-1	40	form-based			true	0.7	7	0.875	6	6	9668.399414	8044.399414	8044.399414	0.933333
2479	027	3150	0.07	3290	1	65	100	3	7	6	9450	6160	RH-1	40	form-based			true	0.7	7	1	6	6	8820	5530	5530	0.933333
2479	046	3096	0.07	1820	1	55	80	2.5	6	5	7740	5920	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8668.799805	6848.799805	6848.799805	1.12
2480	001	3306	0.08	2244	1	65	100	3	8	7	9918	7674	RH-1	40	form-based		true	true	0.7	7	0.875	6	6	9256.799805	7012.799805	7012.799805	0.933333
2481	003	3216	0.07	2262	1	65	100	3	7	6	9648	7386	RH-1	40	form-based			true	0.7	7	1	6	6	9004.799805	6742.799805	6742.799805	0.933333
2481	004	3216	0.07	1239	1	65	100	3	7	6	9648	8409	RH-1	40	form-based			true	0.7	7	1	6	6	9004.799805	7765.799805	7765.799805	0.933333
2481	004A	3215	0.07	1997	1	65	100	3	7	6	9645	7648	RH-1	40	form-based			true	0.7	7	1	6	6	9002	7005	7005	0.933333
2481	004B	3215	0.07	1732	1	65	100	3	7	6	9645	7913	RH-1	40	form-based			true	0.7	7	1	6	6	9002	7270	7270	0.933333
2481	004C	3216	0.07	1287	1	65	100	3	7	6	9648	8361	RH-1	40	form-based			true	0.7	7	1	6	6	9004.799805	7717.799805	7717.799805	0.933333
2481	004D	3215	0.07	1240	1	65	100	3	7	6	9645	8405	RH-1	40	form-based			true	0.7	7	1	6	6	9002	7762	7762	0.933333
2481	004E	3215	0.07	2231	1	65	100	3	7	6	9645	7414	RH-1	40	form-based			true	0.7	7	1	6	6	9002	6771	6771	0.933333
2481	005	3215	0.07	2057	1	65	100	3	7	6	9645	7588	RH-1	40	form-based			true	0.7	7	1	6	6	9002	6945	6945	0.933333
2481	006	3215	0.07	1375	1	65	100	3	7	6	9645	8270	RH-1	40	form-based			true	0.7	7	1	6	6	9002	7627	7627	0.933333
2481	007	3215	0.07	1742	1	65	100	3	7	6	9645	7903	RH-1	40	form-based			true	0.7	7	1	6	6	9002	7260	7260	0.933333
2481	008	3215	0.07	1350	1	65	100	3	7	6	9645	8295	RH-1	40	form-based			true	0.7	7	1	6	6	9002	7652	7652	0.933333
2481	008A	3215	0.07	3120	1	65	100	3	7	6	9645	6525	RH-1	40	form-based			true	0.7	7	1	6	6	9002	5882	5882	0.933333
2481	009	3215	0.07	2477	1	65	100	3	7	6	9645	7168	RH-1	40	form-based			true	0.7	7	1	6	6	9002	6525	6525	0.933333
2481	009A	3214	0.07	2413	1	65	100	3	7	6	9642	7229	RH-1	40	form-based			true	0.7	7	1	6	6	8999.200195	6586.200195	6586.200195	0.933333
2481	009B	3214	0.07	1995	1	65	100	3	7	6	9642	7647	RH-1	40	form-based			true	0.7	7	1	6	6	8999.200195	7004.200195	7004.200195	0.933333
2481	016	3190	0.07	2293	1	65	100	3	7	6	9570	7277	RH-1	40	form-based			true	0.7	7	1	6	6	8932	6639	6639	0.933333
2481	016A	3190	0.07	1375	1	65	100	3	7	6	9570	8195	RH-1	40	form-based			true	0.7	7	1	6	6	8932	7557	7557	0.933333
2481	016B	3190	0.07	2856	1	65	100	3	7	6	9570	6714	RH-1	40	form-based			true	0.7	7	1	6	6	8932	6076	6076	0.933333
2481	016C	3190	0.07	1225	1	65	100	3	7	6	9570	8345	RH-1	40	form-based			true	0.7	7	1	6	6	8932	7707	7707	0.933333
2481	016D	3190	0.07	1461	1	65	100	3	7	6	9570	8109	RH-1	40	form-based			true	0.7	7	1	6	6	8932	7471	7471	0.933333
2481	016E	3190	0.07	1800	1	65	100	3	7	6	9570	7770	RH-1	40	form-based			true	0.7	7	1	6	6	8932	7132	7132	0.933333
2481	016F	3190	0.07	1250	1	65	100	3	7	6	9570	8320	RH-1	40	form-based			true	0.7	7	1	6	6	8932	7682	7682	0.933333
2481	016G	3190	0.07	1250	1	65	100	3	7	6	9570	8320	RH-1	40	form-based			true	0.7	7	1	6	6	8932	7682	7682	0.933333
2481	016H	3190	0.07	2761	1	65	100	3	7	6	9570	6809	RH-1	40	form-based			true	0.7	7	1	6	6	8932	6171	6171	0.933333
2481	016I	3190	0.07	1662	1	65	100	3	7	6	9570	7908	RH-1	40	form-based			true	0.7	7	1	6	6	8932	7270	7270	0.933333
2481	016J	3190	0.07	1225	1	65	100	3	7	6	9570	8345	RH-1	40	form-based			true	0.7	7	1	6	6	8932	7707	7707	0.933333
2481	016K	3190	0.07	1747	1	65	100	3	7	6	9570	7823	RH-1	40	form-based			true	0.7	7	1	6	6	8932	7185	7185	0.933333
2481	017	3190	0.07	1950	1	65	100	3	7	6	9570	7620	RH-1	40	form-based			true	0.7	7	1	6	6	8932	6982	6982	0.933333
2481	017A	3190	0.07	1978	1	65	100	3	7	6	9570	7592	RH-1	40	form-based			true	0.7	7	1	6	6	8932	6954	6954	0.933333
2481	018	3190	0.07	2000	1	65	100	3	7	6	9570	7570	RH-1	40	form-based			true	0.7	7	1	6	6	8932	6932	6932	0.933333
2481	018A	3190	0.07	2055	1	65	100	3	7	6	9570	7515	RH-1	40	form-based			true	0.7	7	1	6	6	8932	6877	6877	0.933333
2481	025	3216	0.07	1530	1	65	100	3	7	6	9648	8118	RH-1	40	form-based			true	0.7	7	1	6	6	9004.799805	7474.799805	7474.799805	0.933333
2482	002	3320	0.08	1985	1	65	100	3	8	7	9960	7975	RH-1	40	form-based			true	0.7	7	0.875	6	6	9296	7311	7311	0.933333
2482	002A	3153	0.07	2498	1	65	100	3	7	6	9459	6961	RH-1	40	form-based			true	0.7	7	1	6	6	8828.399414	6330.399414	6330.399414	0.933333
2482	002B	3192	0.07	2861	1	65	100	3	7	6	9576	6715	RH-1	40	form-based			true	0.7	7	1	6	6	8937.599609	6076.599609	6076.599609	0.933333
2482	004A	3259	0.07	1519	1	65	100	3	7	6	9777	8258	RH-1	40	form-based			true	0.7	7	1	6	6	9125.200195	7606.200195	7606.200195	0.933333
2482	005	3262	0.07	2042	1	65	100	3	7	6	9786	7744	RH-1	40	form-based			true	0.7	7	1	6	6	9133.599609	7091.599609	7091.599609	0.933333
2482	005A	3142	0.07	1700	1	65	100	3	7	6	9426	7726	RH-1	40	form-based			true	0.7	7	1	6	6	8797.599609	7097.599609	7097.599609	0.933333
2482	006A	3164	0.07	1500	1	65	100	3	7	6	9492	7992	RH-1	40	form-based			true	0.7	7	1	6	6	8859.200195	7359.200195	7359.200195	0.933333
2482	012	3505	0.08	2335	1	65	100	3	8	7	10515	8180	RH-1	40	form-based			true	0.7	7	0.875	6	6	9814	7479	7479	0.933333
2482	016A	3148	0.07	2519	1	65	100	3	7	6	9444	6925	RH-1	40	form-based			true	0.7	7	1	6	6	8814.399414	6295.399414	6295.399414	0.933333
2482	016B	3349	0.08	1644	1	65	100	3	8	7	10047	8403	RH-1	40	form-based			true	0.7	7	0.875	6	6	9377.200195	7733.200195	7733.200195	0.933333
2482	031	3131	0.07	1530	1	65	100	3	7	6	9393	7863	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8766.799805	7236.799805	7236.799805	0.933333
2483	018	3174	0.07	1366	1	65	100	3	7	6	9522	8156	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8887.200195	7521.200195	7521.200195	0.933333
2483	025A	3307	0.08	1695	1	65	100	3	8	7	9921	8226	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9259.599609	7564.599609	7564.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2494A	010	3554	0.08	1119	1	55	80	2.5	6	5	8885	7766	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9951.200195	8832.200195	8832.200195	1.12
2494A	011	3432	0.08	2133	1	55	80	2.5	6	5	8580	6447	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9609.599609	7476.599609	7476.599609	1.12
2503A	041	3526	0.08	1765	1	55	80	2.5	6	5	8815	7050	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9872.799805	8107.799805	8107.799805	1.12
2504A	001	3271	0.08	1624	1	55	80	2.5	6	5	8178	6554	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9158.799805	7534.799805	7534.799805	1.119931
2504A	029	3452	0.08	1598	1	55	80	2.5	6	5	8630	7032	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9665.599609	8067.599609	8067.599609	1.12
2508	019A	3000	0.07	1024	0	55	80	2.5	6	6	7500	6476	RH-1	40	form-based			true	0.7	6	1	6	6	8400	7376	7376	1.12
2509	012	3256	0.07	1494	1	55	80	2.5	6	5	8140	6646	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9116.799805	7622.799805	7622.799805	1.12
2509	025	3354	0.08	1214	1	55	80	2.5	6	5	8385	7171	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9391.200195	8177.200195	8177.200195	1.12
2509	036	3457	0.08	1214	1	55	80	2.5	6	5	8642	7428	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9679.599609	8465.599609	8465.599609	1.120065
2510	029	3363	0.08	1012	1	55	80	2.5	6	5	8408	7396	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9416.399414	8404.399414	8404.399414	1.119933
2510	030	3179	0.07	1012	1	55	80	2.5	6	5	7948	6936	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8901.200195	7889.200195	7889.200195	1.11993
2511	013	1984	0.05	1180	1	65	100	3	5	4	5952	4772	RTO-C	65	form-based			true	0.75	7	1.399999976	6	6	8928	7748	7748	1.5
2512	008	1770	0.04	1144	1	65	100	3	4	3	5310	4166	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7965	6821	6821	1.5
2512	009	1770	0.04	1012	1	65	100	3	4	3	5310	4298	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7965	6953	6953	1.5
2512	012	1839	0.04	1012	1	65	100	3	4	3	5517	4505	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8275.5	7263.5	7263.5	1.5
2518	003	1834	0.04	1012	1	55	80	2.5	3	2	4585	3573	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8253	7241	7241	1.8
2518	003A	1834	0.04	1012	1	55	80	2.5	3	2	4585	3573	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8253	7241	7241	1.8
2518	004	1834	0.04	1492	1	55	80	2.5	3	2	4585	3093	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8253	6761	6761	1.8
2518	015	1891	0.04	1012	1	55	80	2.5	3	2	4728	3716	RTO-C	65	form-based			true	0.75	7	2.333333254	6	5	8509.5	7497.5	7497.5	1.79981
2519	032	3100	0.07	1190	1	55	80	2.5	6	5	7750	6560	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8680	7490	7490	1.12
2519	032A	3100	0.07	1563	1	55	80	2.5	6	5	7750	6187	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8680	7117	7117	1.12
2519	036	3100	0.07	1654	1	55	80	2.5	6	5	7750	6096	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8680	7026	7026	1.12
2527B	007	3533	0.08	2015	1	55	80	2.5	6	5	8832	6817	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9892.399414	7877.399414	7877.399414	1.120063
2528	006	3359	0.08	1860	1	55	80	2.5	6	5	8398	6538	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9405.200195	7545.200195	7545.200195	1.119933
2528	007	3359	0.08	1360	1	55	80	2.5	6	5	8398	7038	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9405.200195	8045.200195	8045.200195	1.119933
2528	008	3326	0.08	1760	1	55	80	2.5	6	5	8315	6555	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9312.799805	7552.799805	7552.799805	1.12
2528	009	3329	0.08	1360	1	55	80	2.5	6	5	8322	6962	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9321.200195	7961.200195	7961.200195	1.120067
2528	010	3314	0.08	1805	1	55	80	2.5	6	5	8285	6480	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9279.200195	7474.200195	7474.200195	1.12
2528	011	3281	0.08	1534	1	55	80	2.5	6	5	8202	6668	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9186.799805	7652.799805	7652.799805	1.120068
2528	012	3215	0.07	1894	1	55	80	2.5	6	5	8038	6144	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9002	7108	7108	1.11993
2528	013	3383	0.08	1894	1	55	80	2.5	6	5	8458	6564	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9472.399414	7578.399414	7578.399414	1.119934
2528	014	3236	0.07	1865	1	55	80	2.5	6	5	8090	6225	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9060.799805	7195.799805	7195.799805	1.12
2528	015	3272	0.08	1865	1	55	80	2.5	6	5	8180	6315	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9161.599609	7296.599609	7296.599609	1.12
2528	016	3392	0.08	1865	1	55	80	2.5	6	5	8480	6615	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9497.599609	7632.599609	7632.599609	1.12
2528	017	3305	0.08	2596	1	55	80	2.5	6	5	8262	5666	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9254	6658	6658	1.120068
2528	018	3215	0.07	1660	1	55	80	2.5	6	5	8038	6378	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9002	7342	7342	1.11993
2528	019	3347	0.08	2710	1	55	80	2.5	6	5	8368	5658	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9371.599609	6661.599609	6661.599609	1.119933
2528	020	3239	0.07	1660	1	55	80	2.5	6	5	8098	6438	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9069.200195	7409.200195	7409.200195	1.119931
2528	021	3272	0.08	1660	1	55	80	2.5	6	5	8180	6520	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9161.599609	7501.599609	7501.599609	1.12
2528	022	3281	0.08	1660	1	55	80	2.5	6	5	8202	6542	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9186.799805	7526.799805	7526.799805	1.120068
2528	023	3260	0.07	1669	1	55	80	2.5	6	5	8150	6481	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9128	7459	7459	1.12
2528	024	3293	0.08	1839	1	55	80	2.5	6	5	8232	6393	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9220.399414	7381.399414	7381.399414	1.120068
2528	025	3326	0.08	1900	1	55	80	2.5	6	5	8315	6415	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9312.799805	7412.799805	7412.799805	1.12
2528	026	3300	0.08	1660	1	55	80	2.5	6	5	8250	6590	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9240	7580	7580	1.12
2528	027	3462	0.08	2812	1	55	80	2.5	6	5	8655	5843	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9693.599609	6881.599609	6881.599609	1.12
2528	028	3424	0.08	1932	1	55	80	2.5	6	5	8560	6628	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9587.200195	7655.200195	7655.200195	1.12
2528	029	3329	0.08	2144	1	55	80	2.5	6	5	8322	6178	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9321.200195	7177.200195	7177.200195	1.120067
2607	032	3125	0.07	963	1	55	80	2.5	6	5	7812	6849	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	7787	7787	1.120072
2603	007	3417	0.08	2912	1	55	80	2.5	6	5	8542	5630	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9567.599609	6655.599609	6655.599609	1.120066
2607	019	3250	0.07	1440	1	55	80	2.5	6	5	8125	6685	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9100	7660	7660	1.12
2607	020	3125	0.07	1697	1	55	80	2.5	6	5	7812	6115	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	7053	7053	1.120072
2607	051	3534	0.08	2499	1	55	80	2.5	6	5	8835	6336	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9895.200195	7396.200195	7396.200195	1.12
2607	063	3096	0.07	3549	1	55	80	2.5	6	5	7740	4191	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	8668.799805	5119.799805	5119.799805	1.12
2607	066	3097	0.07	1800	1	55	80	2.5	6	5	7742	5942	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	8671.599609	6871.599609	6871.599609	1.120072
2607	113	3824	0.09	3400	2	55	80	2.5	7	5	9560	6160	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10707.2002	7307.200195	7307.200195	1.12
2607	286	3094	0.07	2580	0	55	80	2.5	6	6	7735	5155	RH-3	40	form-based			true	0.7	6	1	6	6	8663.200195	6083.200195	6083.200195	1.12
2608	021	3218	0.07	3514	1	55	80	2.5	6	5	8045	4531	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9010.399414	5496.399414	5496.399414	1.12
2608	051	3198	0.07	4792	1	55	80	2.5	6	5	7995	3203	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8954.399414	4162.399414	4162.399414	1.12
2608	061	3293	0.08	1664	1	55	80	2.5	6	5	8232	6568	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9220.399414	7556.399414	7556.399414	1.120068
2610	001	3542	0.08	3906	1	65	100	3	8	7	10626	6720	RH-3	40	form-based		true	true	0.7	7	0.875	6	6	9917.599609	6011.599609	6011.599609	0.933333
2610	003	3149	0.07	1845	1	65	100	3	7	6	9447	7602	RH-3	40	form-based			true	0.7	7	1	6	6	8817.200195	6972.200195	6972.200195	0.933333
2610	037	3397	0.08	2436	1	65	100	3	8	7	10191	7755	RH-2	40	form-based			true	0.7	7	0.875	6	6	9511.599609	7075.599609	7075.599609	0.933333
2612	008	2809	0.06	3866	0	65	100	3	6	6	8427	4561	RH-3	40	form-based		true	true	0.7	6	1	6	6	7865.199707	3999.199707	3999.199707	0.933333
2612	012	3106	0.07	715	1	65	100	3	7	6	9318	8603	RH-2	40	form-based			true	0.7	7	1	6	6	8696.799805	7981.799805	7981.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2612	013	3105	0.07	1167	1	65	100	3	7	6	9315	8148	RH-2	40	form-based			true	0.7	7	1	6	6	8694	7527	7527	0.933333
2612	019	3299	0.08	1458	1	65	100	3	8	7	9897	8439	RH-2	40	form-based			true	0.7	7	0.875	6	6	9237.200195	7779.200195	7779.200195	0.933333
2613	010	3150	0.07	2676	1	65	100	3	7	6	9450	6774	RH-2	40	form-based			true	0.7	7	1	6	6	8820	6144	6144	0.933333
2613	018	3110	0.07	2245	1	65	100	3	7	6	9330	7085	RH-2	40	form-based			true	0.7	7	1	6	6	8708	6463	6463	0.933333
2613	035	2824	0.06	2740	0	65	100	3	6	6	8472	5732	RH-3	40	form-based			true	0.7	6	1	6	6	7907.199707	5167.199707	5167.199707	0.933333
2614	004	3359	0.08	848	1	65	100	3	8	7	10077	9229	RH-3	40	form-based			true	0.7	7	0.875	6	6	9405.200195	8557.200195	8557.200195	0.933333
2614	009	4044	0.09	2600	2	65	100	3	9	7	12132	9532	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11323.2002	8723.200195	8723.200195	0.933333
2614	099	3428	0.08	918	1	65	100	3	8	7	10284	9366	RH-2	40	form-based		true	true	0.7	7	0.875	6	6	9598.399414	8680.399414	8680.399414	0.933333
2614	103	3696	0.08	2375	2	65	100	3	8	6	11088	8713	RH-2	40	form-based			true	0.7	8	1	6	6	10348.7998	7973.799805	7973.799805	0.933333
2614	104	3697	0.08	3082	2	65	100	3	8	6	11091	8009	RH-2	40	form-based			true	0.7	8	1	6	6	10351.59961	7269.599609	7269.599609	0.933333
2614	114	4137	0.09	4034	3	55	80	2.5	7	4	10342	6308	RH-2	40	form-based		true	true	0.7	9	1.285714269	6	6	11583.59961	7549.599609	7549.599609	1.120054
2614	141	4041	0.09	806	2	65	100	3	9	7	12123	11317	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11314.7998	10508.7998	10508.7998	0.933333
2616	032	3150	0.07	2930	1	55	80	2.5	6	5	7875	4945	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8820	5890	5890	1.12
2616	033	3150	0.07	2226	1	55	80	2.5	6	5	7875	5649	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8820	6594	6594	1.12
2616	020	3297	0.08	1309	1	55	80	2.5	6	5	8242	6933	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9231.599609	7922.599609	7922.599609	1.120068
2616	021	3173	0.07	1440	1	55	80	2.5	6	5	7932	6492	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8884.399414	7444.399414	7444.399414	1.120071
2616	025	3150	0.07	3099	1	55	80	2.5	6	5	7875	4776	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8820	5721	5721	1.12
2616	026	3150	0.07	1962	1	55	80	2.5	6	5	7875	5913	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8820	6858	6858	1.12
2616	027	3150	0.07	1540	1	55	80	2.5	6	5	7875	6335	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8820	7280	7280	1.12
2616	028	3150	0.07	1175	1	55	80	2.5	6	5	7875	6700	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8820	7645	7645	1.12
2616	031	3150	0.07	4113	1	55	80	2.5	6	5	7875	3762	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8820	4707	4707	1.12
2616	044	3217	0.07	1799	1	55	80	2.5	6	5	8042	6243	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9007.599609	7208.599609	7208.599609	1.12007
2617	001	3554	0.08	2792	1	55	80	2.5	6	5	8885	6093	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9951.200195	7159.200195	7159.200195	1.12
2617	002	3503	0.08	2828	1	55	80	2.5	6	5	8758	5930	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9808.399414	6980.399414	6980.399414	1.119936
2617	011	3176	0.07	3106	1	55	80	2.5	6	5	7940	4834	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8892.799805	5786.799805	5786.799805	1.12
2617	012	3166	0.07	2350	1	55	80	2.5	6	5	7915	5565	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8864.799805	6514.799805	6514.799805	1.12
2617	014	3130	0.07	3070	1	55	80	2.5	6	5	7825	4755	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8764	5694	5694	1.12
2617	033	5778	0.13	5810	6	65	100	3	13	7	17334	11524	RH-2	40	form-based			true	0.7	12	0.923076928	6	6	16178.39941	10368.39941	10368.39941	0.933333
2617	041	3134	0.07	2238	1	55	80	2.5	6	5	7835	5597	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8775.200195	6537.200195	6537.200195	1.12
2617	052	3299	0.08	1387	1	55	80	2.5	6	5	8248	6861	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9237.200195	7850.200195	7850.200195	1.119932
2617A	007	3302	0.08	2644	1	55	80	2.5	6	5	8255	5611	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9245.599609	6601.599609	6601.599609	1.12
2617A	008	3160	0.07	3500	1	55	80	2.5	6	5	7900	4400	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8848	5348	5348	1.12
2617A	012	3184	0.07	3122	1	55	80	2.5	6	5	7960	4838	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8915.200195	5793.200195	5793.200195	1.12
2617A	018A	3161	0.07	2440	1	55	80	2.5	6	5	7902	5462	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8850.799805	6410.799805	6410.799805	1.120071
2618	005	3514	0.08	3917	1	55	80	2.5	6	5	8785	4868	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9839.200195	5922.200195	5922.200195	1.12
2618	006	3214	0.07	1090	1	55	80	2.5	6	5	8035	6945	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8999.200195	7909.200195	7909.200195	1.12
2618	008	3156	0.07	2594	1	55	80	2.5	6	5	7890	5296	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8836.799805	6242.799805	6242.799805	1.12
2618	025	3180	0.07	2143	1	55	80	2.5	6	5	7950	5807	RH-2	40	form-based		true	true	0.7	7	1.166666627	6	6	8904	6761	6761	1.12
2618A	008	2735	0.06	3240	0	55	80	2.5	5	5	6838	3598	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7658	4418	4418	1.119918
2618A	011	3546	0.08	2776	1	55	80	2.5	6	5	8865	6089	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9928.799805	7152.799805	7152.799805	1.12
2618A	013	3838	0.09	3249	2	55	80	2.5	7	5	9595	6346	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10746.39941	7497.399414	7497.399414	1.12
2618A	033	3209	0.07	3528	1	55	80	2.5	6	5	8022	4494	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8985.200195	5457.200195	5457.200195	1.12007
2618A	042	3217	0.07	3100	1	55	80	2.5	6	5	8042	4942	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9007.599609	5907.599609	5907.599609	1.12007
2619	014	2943	0.07	6732	0	55	80	2.5	6	6	7358	626	RH-1	40	form-based			true	0.7	6	1	6	6	8240.399414	1508.399414	1508.399414	1.119924
2619	019	4041	0.09	1512	2	55	80	2.5	7	5	10102	8590	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	11314.7998	9802.799805	9802.799805	1.120055
2619	042	3505	0.08	1210	1	55	80	2.5	6	5	8762	7552	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9814	8604	8604	1.120064
2619	043	3964	0.09	1700	2	55	80	2.5	7	5	9910	8210	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	11099.2002	9399.200195	9399.200195	1.12
2619	059	2925	0.07	1436	0	55	80	2.5	6	6	7312	5876	RH-2	40	form-based			true	0.7	6	1	6	6	8190	6754	6754	1.120077
2619	062	3276	0.08	1263	1	55	80	2.5	6	5	8190	6927	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9172.799805	7909.799805	7909.799805	1.12
2619	106	4472	0.1	1360	3	55	80	2.5	8	5	11180	9820	RH-2	40	form-based			true	0.7	9	1.125	6	6	12521.59961	11161.59961	11161.59961	1.12
2620	016	3145	0.07	880	1	55	80	2.5	6	5	7862	6982	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8806	7926	7926	1.120071
2620	017	3145	0.07	1500	1	55	80	2.5	6	5	7862	6362	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8806	7306	7306	1.120071
2620	018	3145	0.07	700	1	55	80	2.5	6	5	7862	7162	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8806	8106	8106	1.120071
2620	096	3641	0.08	923	2	55	80	2.5	6	4	9102	8179	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10194.7998	9271.799805	9271.799805	1.120062
2620	098	3789	0.09	1399	2	55	80	2.5	7	5	9472	8073	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10609.2002	9210.200195	9210.200195	1.120059
2621	047	3809	0.09	1472	2	65	100	3	9	7	11427	9955	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10665.2002	9193.200195	9193.200195	0.933333
2622	036	2500	0.06	1913	1	65	100	3	6	5	7500	5587	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	6837	6837	1.166667
2622	037	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	7300	7300	1.166667
2622	039	2500	0.06	1202	1	65	100	3	6	5	7500	6298	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	7548	7548	1.166667
2622	060	2519	0.06	950	7	65	100	3	6	0	7557	6607	RTO-C	85	form-based		true	true	0.75	13	2.166666746	6	5	15114	14164	14164	2
2623	025B	3700	0.08	3516	4	65	100	3	8	4	11100	7584	RH-3	50	form-based			true	0.7	10	1.25	6	6	12950	9434	9434	1.166667
2623	027	3700	0.08	1900	2	65	100	3	8	6	11100	9200	RH-3	40	form-based			true	0.7	8	1	6	6	10360	8460	8460	0.933333
2623	069	2912	0.07	2750	2	65	100	3	7	5	8736	5986	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10192	7442	7442	1.166667
2623	076	2614	0.06	1041	1	65	100	3	6	5	7842	6801	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9149	8108	8108	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2623	077	2596	0.06	1260	1	65	100	3	6	5	7788	6528	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9086	7826	7826	1.166667
2623	080	2588	0.06	1013	1	65	100	3	6	5	7764	6751	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9058	8045	8045	1.166667
2623	105	2881	0.07	3858	2	65	100	3	7	5	8643	4785	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10083.5	6225.5	6225.5	1.166667
2623	244	3285	0.08	912	1	65	100	3	8	7	9855	8943	RH-2	40	form-based			true	0.7	7	0.875	6	6	9198	8286	8286	0.933333
2626	003	3776	0.09	4044	2	55	80	2.5	7	5	9440	5396	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10572.7998	6528.799805	6528.799805	1.12
2626	006	3791	0.09	3198	2	55	80	2.5	7	5	9478	6280	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10614.7998	7416.799805	7416.799805	1.119941
2626	012	3469	0.08	2016	1	55	80	2.5	6	5	8672	6656	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9713.200195	7697.200195	7697.200195	1.120065
2626	031	3800	0.09	2029	2	55	80	2.5	7	5	9500	7471	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10640	8611	8611	1.12
2626	049	3795	0.09	1652	2	55	80	2.5	7	5	9488	7836	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10626	8974	8974	1.119941
2626	066	3786	0.09	1906	2	55	80	2.5	7	5	9465	7559	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10600.7998	8694.799805	8694.799805	1.12
2627	016	3096	0.07	1300	1	55	80	2.5	6	5	7740	6440	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8668.799805	7368.799805	7368.799805	1.12
2627	052	4504	0.1	4836	3	55	80	2.5	8	5	11260	6424	RH-2	40	form-based	true		true	0.7	9	1.125	6	6	12611.2002	7775.200195	7775.200195	1.12
2629A	038	6884	0.16	1020	8	55	80	2.5	13	5	17210	16190	RH-3	40	form-based			true	0.7	14	1.076923132	6	6	19275.19922	18255.19922	18255.19922	1.12
2629A	051	4907	0.11	914	4	55	80	2.5	9	5	12268	11354	RH-3	40	form-based			true	0.7	10	1.111111164	6	6	13739.59961	12825.59961	12825.59961	1.119954
2629A	062	4489	0.1	949	3	55	80	2.5	8	5	11222	10273	RH-3	40	form-based			true	0.7	9	1.125	6	6	12569.2002	11620.2002	11620.2002	1.12005
2629A	081	4236	0.1	3511	3	55	80	2.5	8	5	10590	7079	RH-3	40	form-based			true	0.7	9	1.125	6	6	11860.7998	8349.799805	8349.799805	1.12
2630	004	2025	0.05	2250	2	65	100	3	5	3	6075	3825	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9112.5	6862.5	6862.5	1.5
2630	005	2787	0.06	2850	2	65	100	3	6	4	8361	5511	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9754.5	6904.5	6904.5	1.166667
2630	028	3595	0.08	2366	2	65	100	3	8	6	10785	8419	RH-2	40	form-based			true	0.7	8	1	6	6	10066	7700	7700	0.933333
2630	033	2554	0.06	1860	1	65	100	3	6	5	7662	5802	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8939	7079	7079	1.166667
2630	034	2552	0.06	2704	1	65	100	3	6	5	7656	4952	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8932	6228	6228	1.166667
2630	046	2525	0.06	2938	3	65	100	3	6	3	7575	4637	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11362.5	8424.5	8424.5	1.5
2631	052	2793	0.06	3204	4	65	100	3	6	2	8379	5175	RTO-C	65	form-based	true		true	0.75	10	1.666666627	6	6	12568.5	9364.5	9364.5	1.5
2631	059	3388	0.08	2196	1	65	100	3	8	7	10164	7968	RH-2	40	form-based			true	0.7	7	0.875	6	6	9486.399414	7290.399414	7290.399414	0.933333
2632	011	3259	0.07	2803	1	65	100	3	7	6	9777	6974	RH-1	40	form-based	true		true	0.7	7	1	6	6	9125.200195	6322.200195	6322.200195	0.933333
2632	021	3143	0.07	2950	1	65	100	3	7	6	9429	6479	RH-1	40	form-based	true		true	0.7	7	1	6	6	8800.399414	5850.399414	5850.399414	0.933333
2633	010	1812	0.04	1985	1	65	100	3	4	3	5436	3451	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8154	6169	6169	1.5
2634	062	8711	0.2	10596	12	55	80	2.5	16	4	21778	11182	RM-2	40	form-based			true	0.7	18	1.125	6	6	24390.79883	13794.79883	13794.79883	1.119974
2634	064	8692	0.2	9340	12	55	80	2.5	16	4	21730	12390	RM-2	40	form-based			true	0.7	18	1.125	6	6	24337.59961	14997.59961	14997.59961	1.12
2634	068	3181	0.07	2090	1	55	80	2.5	6	5	7952	5862	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8906.799805	6816.799805	6816.799805	1.12007
2634	071	3133	0.07	1402	1	55	80	2.5	6	5	7832	6430	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8772.399414	7370.399414	7370.399414	1.120071
2635	037	3489	0.08	1326	1	55	80	2.5	6	5	8722	7396	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9769.200195	8443.200195	8443.200195	1.120064
2635	036	3491	0.08	1065	1	55	80	2.5	6	5	8728	7663	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9774.799805	8709.799805	8709.799805	1.119936
2636	009	4007	0.09	2870	2	55	80	2.5	7	5	10018	7148	RM-1	40	form-based			true	0.7	8	1.142857194	6	6	11219.59961	8349.599609	8349.599609	1.119944
2636	012	3676	0.08	2870	2	55	80	2.5	6	4	9190	6320	RM-1	40	form-based			true	0.7	8	1.333333373	6	6	10292.7998	7422.799805	7422.799805	1.12
2636	046	3706	0.09	1088	2	55	80	2.5	7	5	9265	8177	RM-1	40	form-based	true		true	0.7	8	1.142857194	6	6	10376.7998	9288.799805	9288.799805	1.12
2636	050	3930	0.09	1088	2	55	80	2.5	7	5	9825	8737	RM-1	40	form-based			true	0.7	8	1.142857194	6	6	11004	9916	9916	1.12
2641	002	2379	0.05	2358	1	65	100	3	5	4	7137	4779	RH-1(D)	50	form-based			true	0.7	7	1.399999976	6	6	8326.5	5968.5	5968.5	1.166667
2641	013	3401	0.08	2328	1	65	100	3	8	7	10203	7875	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9522.799805	7194.799805	7194.799805	0.933333
2641	032A	3501	0.08	2080	1	55	80	2.5	6	5	8752	6672	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9802.799805	7722.799805	7722.799805	1.120064
2642	004	3213	0.07	2300	1	65	100	3	7	6	9639	7339	RH-1	40	form-based			true	0.7	7	1	6	6	8996.399414	6696.399414	6696.399414	0.933333
2642	005	3306	0.08	1955	1	65	100	3	8	7	9918	7963	RH-1	40	form-based			true	0.7	7	0.875	6	6	9256.799805	7301.799805	7301.799805	0.933333
2642	028	3309	0.08	3425	1	65	100	3	8	7	9927	6502	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9265.200195	5840.200195	5840.200195	0.933333
2642	045	3140	0.07	1539	1	65	100	3	7	6	9420	7881	RH-1	40	form-based	true		true	0.7	7	1	6	6	8792	7253	7253	0.933333
2644	001	3389	0.08	2420	1	65	100	3	8	7	10167	7747	RH-2	40	form-based			true	0.7	7	0.875	6	6	9489.200195	7069.200195	7069.200195	0.933333
2644	022	3353	0.08	1736	1	65	100	3	8	7	10059	8323	RH-1	40	form-based			true	0.7	7	0.875	6	6	9388.399414	7652.399414	7652.399414	0.933333
2644	023	3353	0.08	1625	1	55	80	2.5	6	5	8382	6757	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9388.399414	7763.399414	7763.399414	1.120067
2645	042	3947	0.09	1411	2	55	80	2.5	7	5	9868	8457	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	11051.59961	9640.599609	9640.599609	1.119943
2647	022	3110	0.07	4029	3	65	100	3	7	4	9330	5301	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10885	6856	6856	1.166667
2647	048	678	0.02	0	0	65	100	3	2	2	2034	2034	RTO-C	160	form-based	true		true	0.75	6	3	6	4	6102	6102	4068	3
2649	002	3191	0.07	1805	1	65	100	3	7	6	9573	7768	RM-1	40	form-based	true		true	0.7	7	1	6	6	8934.799805	7129.799805	7129.799805	0.933333
2649	024	3118	0.07	2293	1	65	100	3	7	6	9354	7061	RH-3	40	form-based			true	0.7	7	1	6	6	8730.399414	6437.399414	6437.399414	0.933333
2649	026	3077	0.07	2776	0	65	100	3	7	7	9231	6455	RH-3	40	form-based			true	0.7	6	0.857142866	6	6	8615.599609	5839.599609	5839.599609	0.933333
2650	034	4650	0.11	4550	4	65	100	3	11	7	13950	9400	RM-1	40	form-based			true	0.7	10	0.909090936	6	6	13020	8470	8470	0.933333
2651	002A	3225	0.07	1236	1	65	100	3	7	6	9675	8439	RH-2	40	form-based	true		true	0.7	7	1	6	6	9030	7794	7794	0.933333
2654	026	3129	0.07	2702	1	55	80	2.5	6	5	7822	5120	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8761.200195	6059.200195	6059.200195	1.120072
2654	050	3180	0.07	772	1	55	80	2.5	6	5	7950	7178	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8904	8132	8132	1.12
2655	010	3106	0.07	2501	1	55	80	2.5	6	5	7765	5264	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8696.799805	6195.799805	6195.799805	1.12
2657	004	3808	0.09	4041	2	55	80	2.5	7	5	9520	5479	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10662.39941	6621.399414	6621.399414	1.12
2657	005	3808	0.09	2735	2	55	80	2.5	7	5	9520	6785	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10662.39941	7927.399414	7927.399414	1.12
2657	006	3808	0.09	1932	2	55	80	2.5	7	5	9520	7588	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10662.39941	8730.399414	8730.399414	1.12
2657	008	3529	0.08	1445	1	55	80	2.5	6	5	8822	7377	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9881.200195	8436.200195	8436.200195	1.120064
2657	028	4216	0.1	4240	3	55	80	2.5	8	5	10540	6300	RH-2	40	form-based	true		true	0.7	9	1.125	6	6	11804.7998	7564.799805	7564.799805	1.12
2659	023	3673	0.08	2942	2	55	80	2.5	6	4	9182	6240	RH-2	40	form-based	true		true	0.7	8	1.333333373	6	6	10284.39941	7342.399414	7342.399414	1.120061

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2659	024	3496	0.08	1596	1	55	80	2.5	6	5	8740	7144	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9788.799805	8192.799805	8192.799805	1.12
2659	053	3131	0.07	1596	1	55	80	2.5	6	5	7828	6232	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8766.799805	7170.799805	7170.799805	1.119928
2660	002	4310	0.1	2820	3	55	80	2.5	8	5	10775	7955	RH-2	40	form-based			true	0.7	9	1.125	6	6	12068	9248	9248	1.12
2660	011	2984	0.07	0	0	55	80	2.5	6	6	7460	7460	RH-2	40	form-based			true	0.7	6	1	6	6	8355.200195	8355.200195	8355.200195	1.12
2660	013	3531	0.08	1375	1	55	80	2.5	6	5	8828	7453	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9886.799805	8511.799805	8511.799805	1.119937
2661	005	2684	0.06	0	0	55	80	2.5	5	5	6710	6710	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7515.199707	7515.199707	7515.199707	1.12
2661	031	3307	0.08	3276	1	55	80	2.5	6	5	8268	4992	RH-1	40	form-based	true		true	0.7	7	1.166666627	6	6	9259.599609	5983.599609	5983.599609	1.119932
2664	001	3563	0.08	1315	1	65	100	3	8	7	10689	9374	RH-1	40	form-based			true	0.7	7	0.875	6	6	9976.399414	8661.399414	8661.399414	0.933333
2664	002	3110	0.07	1125	1	65	100	3	7	6	9330	8205	RH-1	40	form-based			true	0.7	7	1	6	6	8708	7583	7583	0.933333
2664	003	3110	0.07	1125	1	65	100	3	7	6	9330	8205	RH-1	40	form-based			true	0.7	7	1	6	6	8708	7583	7583	0.933333
2664	004	3110	0.07	1250	1	65	100	3	7	6	9330	8080	RH-1	40	form-based			true	0.7	7	1	6	6	8708	7458	7458	0.933333
2664	009	3000	0.07	0	0	55	80	2.5	6	6	7500	7500	RH-1	40	form-based			true	0.7	6	1	6	6	8400	8400	8400	1.12
2664	019	3000	0.07	0	0	55	80	2.5	6	6	7500	7500	RH-1	40	form-based			true	0.7	6	1	6	6	8400	8400	8400	1.12
2665	007	3205	0.07	2385	1	55	80	2.5	6	5	8012	5627	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8974	6589	6589	1.12007
2674	021	3543	0.08	1733	1	55	80	2.5	6	5	8858	7125	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9920.399414	8187.399414	8187.399414	1.119937
2674	025	3096	0.07	1640	1	55	80	2.5	6	5	7740	6100	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8668.799805	7028.799805	7028.799805	1.12
2674	026	3134	0.07	1615	1	55	80	2.5	6	5	7835	6220	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	6	6	8775.200195	7160.200195	7160.200195	1.12
2677	006	3264	0.07	2048	1	55	80	2.5	6	5	8160	6112	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9139.200195	7091.200195	7091.200195	1.12
2675	038	3166	0.07	1412	1	55	80	2.5	6	5	7915	6503	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8864.799805	7452.799805	7452.799805	1.12
2676	003	3177	0.07	2737	1	55	80	2.5	6	5	7942	5205	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8895.599609	6158.599609	6158.599609	1.12007
2675	029	3190	0.07	1408	1	55	80	2.5	6	5	7975	6567	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	6	6	8932	7524	7524	1.12
2675	030	3173	0.07	1408	1	55	80	2.5	6	5	7932	6524	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8884.399414	7476.399414	7476.399414	1.120071
2675	031	3160	0.07	2007	1	55	80	2.5	6	5	7900	5893	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8848	6841	6841	1.12
2675	032	3118	0.07	1621	1	55	80	2.5	6	5	7795	6174	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8730.399414	7109.399414	7109.399414	1.12
2675	035	3156	0.07	2570	1	55	80	2.5	6	5	7890	5320	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8836.799805	6266.799805	6266.799805	1.12
2675	036	3400	0.08	1479	1	55	80	2.5	6	5	8500	7021	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9520	8041	8041	1.12
2675	042	3287	0.08	1433	1	55	80	2.5	6	5	8218	6785	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	6	6	9203.599609	7770.599609	7770.599609	1.119932
2676	002	3103	0.07	2737	1	55	80	2.5	6	5	7758	5021	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8688.399414	5951.399414	5951.399414	1.119928
2677	003	3126	0.07	1418	1	55	80	2.5	6	5	7815	6397	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8752.799805	7334.799805	7334.799805	1.12
2677	001	3129	0.07	1773	1	55	80	2.5	6	5	7822	6049	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	6	6	8761.200195	6988.200195	6988.200195	1.120072
2677	004	3251	0.07	1418	1	55	80	2.5	6	5	8128	6710	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9102.799805	7684.799805	7684.799805	1.119931
2677	005	3266	0.07	1803	1	55	80	2.5	6	5	8165	6362	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9144.799805	7341.799805	7341.799805	1.12
2677	007	3263	0.07	1433	1	55	80	2.5	6	5	8158	6725	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9136.399414	7703.399414	7703.399414	1.119931
2677	008	3261	0.07	1433	1	55	80	2.5	6	5	8152	6719	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9130.799805	7697.799805	7697.799805	1.120069
2677	009	3259	0.07	2163	1	55	80	2.5	6	5	8148	5985	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9125.200195	6962.200195	6962.200195	1.119931
2677	010	3258	0.07	1433	1	55	80	2.5	6	5	8145	6712	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9122.399414	7689.399414	7689.399414	1.12
2677	011	3256	0.07	1933	1	55	80	2.5	6	5	8140	6207	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9116.799805	7183.799805	7183.799805	1.12
2677	012	3300	0.08	1408	1	55	80	2.5	6	5	8250	6842	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9240	7832	7832	1.12
2677	013	3300	0.08	1408	1	55	80	2.5	6	5	8250	6842	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9240	7832	7832	1.12
2677	014	3300	0.08	1433	1	55	80	2.5	6	5	8250	6817	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9240	7807	7807	1.12
2677	015	3300	0.08	2110	1	55	80	2.5	6	5	8250	6140	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9240	7130	7130	1.12
2677	016	3300	0.08	1408	1	55	80	2.5	6	5	8250	6842	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9240	7832	7832	1.12
2677	017	3300	0.08	1408	1	55	80	2.5	6	5	8250	6842	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9240	7832	7832	1.12
2677	018	3300	0.08	1408	1	55	80	2.5	6	5	8250	6842	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9240	7832	7832	1.12
2677	019	3300	0.08	1408	1	55	80	2.5	6	5	8250	6842	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9240	7832	7832	1.12
2677	020	3300	0.08	1408	1	55	80	2.5	6	5	8250	6842	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9240	7832	7832	1.12
2677	021	3411	0.08	1433	1	55	80	2.5	6	5	8528	7095	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	6	6	9550.799805	8117.799805	8117.799805	1.119934
2678	016	3206	0.07	1581	1	55	80	2.5	6	5	8015	6434	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8976.799805	7395.799805	7395.799805	1.12
2681	005	3305	0.08	1408	1	55	80	2.5	6	5	8262	6854	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9254	7846	7846	1.120068
2679	004	3127	0.07	1453	1	55	80	2.5	6	5	7818	6365	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8755.599609	7302.599609	7302.599609	1.119928
2679	005	3325	0.08	1753	1	55	80	2.5	6	5	8312	6559	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9310	7557	7557	1.120067
2679	007	3489	0.08	1988	1	55	80	2.5	6	5	8722	6734	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9769.200195	7781.200195	7781.200195	1.120064
2680	006	3173	0.07	1426	1	55	80	2.5	6	5	7932	6506	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8884.399414	7458.399414	7458.399414	1.120071
2680	007	3117	0.07	1986	1	55	80	2.5	6	5	7792	5806	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	6741.599609	6741.599609	1.120072
2680	008	3211	0.07	1426	1	55	80	2.5	6	5	8028	6602	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8990.799805	7564.799805	7564.799805	1.11993
2680	009	3341	0.08	2290	1	55	80	2.5	6	5	8352	6062	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9354.799805	7064.799805	7064.799805	1.120067
2680	016	3139	0.07	1239	1	55	80	2.5	6	5	7848	6609	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8789.200195	7550.200195	7550.200195	1.119929
2680	017	3106	0.07	1239	1	55	80	2.5	6	5	7765	6526	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8696.799805	7457.799805	7457.799805	1.12
2680	018	3419	0.08	1239	1	55	80	2.5	6	5	8548	7309	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9573.200195	8334.200195	8334.200195	1.119935
2680	019	3311	0.08	1640	1	55	80	2.5	6	5	8278	6638	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9270.799805	7630.799805	7630.799805	1.119932
2680	020	3119	0.07	1265	1	55	80	2.5	6	5	7798	6533	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8733.200195	7468.200195	7468.200195	1.119928
2680	021	3258	0.07	1999	1	55	80	2.5	6	5	8145	6146	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9122.399414	7123.399414	7123.399414	1.12
2680	027	3315	0.08	1239	1	55	80	2.5	6	5	8288	7049	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9282	8043	8043	1.119932
2680	028	3404	0.08	1776	1	55	80	2.5	6	5	8510	6734	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9531.200195	7755.200195	7755.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2680	029	3484	0.08	1239	1	55	80	2.5	6	5	8710	7471	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9755.200195	8516.200195	8516.200195	1.12
2681	002	3354	0.08	2196	1	55	80	2.5	6	5	8385	6189	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9391.200195	7195.200195	7195.200195	1.12
2681	003	3176	0.07	1745	1	55	80	2.5	6	5	7940	6195	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8892.799805	7147.799805	7147.799805	1.12
2681	004	3354	0.08	1408	1	55	80	2.5	6	5	8385	6977	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9391.200195	7983.200195	7983.200195	1.12
2681	009	3542	0.08	2014	1	55	80	2.5	6	5	8855	6841	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9917.599609	7903.599609	7903.599609	1.12
2681	010	3509	0.08	1943	1	55	80	2.5	6	5	8772	6829	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9825.200195	7882.200195	7882.200195	1.120064
2681	012	3333	0.08	1408	1	55	80	2.5	6	5	8332	6924	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9332.399414	7924.399414	7924.399414	1.120067
2681	014	3172	0.07	1800	1	55	80	2.5	6	5	7930	6130	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8881.599609	7081.599609	7081.599609	1.12
2681	015	3376	0.08	1408	1	55	80	2.5	6	5	8440	7032	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9452.799805	8044.799805	8044.799805	1.12
2682	015	3322	0.08	1535	1	55	80	2.5	6	5	8305	6770	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9301.599609	7766.599609	7766.599609	1.12
2682	016	3286	0.08	1239	1	55	80	2.5	6	5	8215	6976	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9200.799805	7961.799805	7961.799805	1.12
2682	017	3483	0.08	1559	1	55	80	2.5	6	5	8708	7149	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9752.399414	8193.399414	8193.399414	1.119936
2683	002	3194	0.07	1449	1	55	80	2.5	6	5	7985	6536	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8943.200195	7494.200195	7494.200195	1.12
2683	004	3302	0.08	1408	1	55	80	2.5	6	5	8255	6847	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9245.599609	7837.599609	7837.599609	1.12
2683	014	3557	0.08	2177	1	55	80	2.5	6	5	8892	6715	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9959.599609	7782.599609	7782.599609	1.120063
2683	016	3278	0.08	2833	1	55	80	2.5	6	5	8195	5362	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9178.399414	6345.399414	6345.399414	1.12
2683	017	3438	0.08	1408	1	55	80	2.5	6	5	8595	7187	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	8218.399414	8218.399414	1.12
2683	023	3296	0.08	1740	1	55	80	2.5	6	5	8240	6500	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9228.799805	7488.799805	7488.799805	1.12
2683	024	3490	0.08	1402	1	55	80	2.5	6	5	8725	7323	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9772	8370	8370	1.12
2684	006	3178	0.07	2019	1	55	80	2.5	6	5	7945	5926	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8898.399414	6879.399414	6879.399414	1.12
2684	008	3326	0.08	1431	1	55	80	2.5	6	5	8315	6884	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9312.799805	7881.799805	7881.799805	1.12
2687	022	3264	0.07	1740	1	55	80	2.5	6	5	8160	6420	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9139.200195	7399.200195	7399.200195	1.12
2686	021	3366	0.08	1408	1	55	80	2.5	6	5	8415	7007	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9424.799805	8016.799805	8016.799805	1.12
2686	027	3432	0.08	3239	1	55	80	2.5	6	5	8580	5341	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9609.599609	6370.599609	6370.599609	1.12
2686	028	3449	0.08	2943	1	55	80	2.5	6	5	8622	5679	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9657.200195	6714.200195	6714.200195	1.120065
2686	030	3479	0.08	2943	1	55	80	2.5	6	5	8698	5755	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9741.200195	6798.200195	6798.200195	1.119936
2687	005	3115	0.07	1400	1	55	80	2.5	6	5	7788	6388	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8722	7322	7322	1.119928
2687	006	3137	0.07	3851	1	55	80	2.5	6	5	7842	3991	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8783.599609	4932.599609	4932.599609	1.120071
2687	007	3191	0.07	1213	1	55	80	2.5	6	5	7978	6765	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8934.799805	7721.799805	7721.799805	1.11993
2688	020	3096	0.07	3730	1	55	80	2.5	6	5	7740	4010	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8668.799805	4938.799805	4938.799805	1.12
2688	029	3221	0.07	3342	1	55	80	2.5	6	5	8052	4710	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9018.799805	5676.799805	5676.799805	1.12007
2688	030	3372	0.08	2181	1	55	80	2.5	6	5	8430	6249	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9441.599609	7260.599609	7260.599609	1.12
2688	034	2973	0.07	0	0	55	80	2.5	6	6	7432	7432	RH-1(D)	40	form-based			true	0.7	6	1	6	6	8324.399414	8324.399414	8324.399414	1.120075
2690	016A	3248	0.07	2863	1	55	80	2.5	6	5	8120	5257	RH-2	40	form-based		true	true	0.7	7	1.166666627	6	6	9094.399414	6231.399414	6231.399414	1.12
2692	009	3125	0.07	2565	1	55	80	2.5	6	5	7812	5247	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	6185	6185	1.120072
2692	025	3160	0.07	1355	1	55	80	2.5	6	5	7900	6545	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8848	7493	7493	1.12
2692	026	3160	0.07	1041	1	55	80	2.5	6	5	7900	6859	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8848	7807	7807	1.12
2692	027	3160	0.07	1150	1	55	80	2.5	6	5	7900	6750	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8848	7698	7698	1.12
2692	033	3160	0.07	2413	1	55	80	2.5	6	5	7900	5487	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8848	6435	6435	1.12
2692	036	3160	0.07	2850	1	65	100	3	7	6	9480	6630	RH-2	40	form-based			true	0.7	7	1	6	6	8848	5998	5998	0.933333
2692	073	6250	0.14	5550	7	65	100	3	14	7	18750	13200	RH-2	40	form-based			true	0.7	13	0.928571403	6	6	17500	11950	11950	0.933333
2693	003	3083	0.07	25471	0	65	100	3	7	7	9249	0	RH-3	40	form-based			true	0.7	6	0.857142866	6	6	8632.399414	0	0	0.933333
2693	009	3125	0.07	1580	1	65	100	3	7	6	9375	7795	RH-3	40	form-based			true	0.7	7	1	6	6	8750	7170	7170	0.933333
2693	024	4002	0.09	3150	2	65	100	3	9	7	12006	8856	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	11205.59961	8055.599609	8055.599609	0.933333
2693	038	6685	0.15	5650	8	65	100	3	15	7	20055	14405	RH-2	40	form-based			true	0.7	14	0.933333337	6	6	18718	13068	13068	0.933333
2693	039	4625	0.11	1170	4	65	100	3	11	7	13875	12705	RH-3	40	form-based			true	0.7	10	0.909090936	6	6	12950	11780	11780	0.933333
2695	013	3121	0.07	3834	3	65	100	3	7	4	9363	5529	NCD-CAST	50	form-based			true	0.75	9	1.285714269	6	6	11703.75	7869.75	7869.75	1.25
2695	013A	3119	0.07	3834	3	65	100	3	7	4	9357	5523	NCD-CAST	50	form-based			true	0.75	9	1.285714269	6	6	11696.25	7862.25	7862.25	1.25
2695	027	3085	0.07	4190	3	65	100	3	7	4	9255	5065	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10797.5	6607.5	6607.5	1.166667
2695	043	3086	0.07	1245	3	65	100	3	7	4	9258	8013	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10801	9556	9556	1.166667
2695	048	3045	0.07	1608	3	65	100	3	7	4	9135	7527	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10657.5	9049.5	9049.5	1.166667
2695	051	3023	0.07	892	2	65	100	3	7	5	9069	8177	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10580.5	9688.5	9688.5	1.166667
2696	005	3625	0.08	3460	2	55	80	2.5	6	4	9062	5602	RH-3	40	form-based			true	0.7	8	1.333333373	6	6	10150	6690	6690	1.120062
2696	022A	3401	0.08	3989	1	55	80	2.5	6	5	8502	4513	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9522.799805	5533.799805	5533.799805	1.120066
2696	064	4550	0.1	590	4	55	80	2.5	8	4	11375	10785	RH-3	40	form-based			true	0.7	10	1.25	6	6	12740	12150	12150	1.12
2696	072	4350	0.1	1305	3	55	80	2.5	8	5	10875	9570	RH-3	40	form-based			true	0.7	9	1.125	6	6	12180	10875	10875	1.12
2697	004	3449	0.08	1380	1	55	80	2.5	6	5	8622	7242	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9657.200195	8277.200195	8277.200195	1.120065
2697	005	3407	0.08	1420	1	55	80	2.5	6	5	8518	7098	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9539.599609	8119.599609	8119.599609	1.119934
2697	006	3490	0.08	2495	1	55	80	2.5	6	5	8725	6230	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9772	7277	7277	1.12
2697	008A	3762	0.09	2162	2	55	80	2.5	7	5	9405	7243	RH-3	40	form-based			true	0.7	8	1.142857194	6	6	10533.59961	8371.599609	8371.599609	1.12
2697	022	3444	0.08	3850	1	55	80	2.5	6	5	8610	4760	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9643.200195	5793.200195	5793.200195	1.12
2697	026	3444	0.08	2274	1	55	80	2.5	6	5	8610	6336	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	9643.200195	7369.200195	7369.200195	1.12
2698	009A	3146	0.07	2118	1	55	80	2.5	6	5	7865	5747	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	8808.799805	6690.799805	6690.799805	1.12
2698	009B	3125	0.07	1990	1	55	80	2.5	6	5	7812	5822	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	8750	6760	6760	1.120072

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2698	010	6625	0.15	8245	8	55	80	2.5	12	4	16562	8317	RH-3	40	form-based			true	0.7	14	1.166666627	6	6	18550	10305	10305	1.120034
2699	006	3125	0.07	2453	1	55	80	2.5	6	5	7812	5359	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	6297	6297	1.120072
2699	007	3125	0.07	2609	1	55	80	2.5	6	5	7812	5203	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	6141	6141	1.120072
2699	008	3125	0.07	2651	1	55	80	2.5	6	5	7812	5161	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	6099	6099	1.120072
2699	012	3125	0.07	1818	1	55	80	2.5	6	5	7812	5994	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	6932	6932	1.120072
2699	013	3125	0.07	1802	1	55	80	2.5	6	5	7812	6010	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	6948	6948	1.120072
2699	030	3135	0.07	1925	1	55	80	2.5	6	5	7838	5913	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8778	6853	6853	1.119929
2699	031	3135	0.07	4056	1	55	80	2.5	6	5	7838	3782	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8778	4722	4722	1.119929
2699	032	3135	0.07	1750	1	55	80	2.5	6	5	7838	6088	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8778	7028	7028	1.119929
2699	033	3135	0.07	1667	1	55	80	2.5	6	5	7838	6171	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8778	7111	7111	1.119929
2699	034	3135	0.07	1955	1	55	80	2.5	6	5	7838	5883	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8778	6823	6823	1.119929
2699	036	3134	0.07	2150	1	55	80	2.5	6	5	7835	5685	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8775.200195	6625.200195	6625.200195	1.12
2699	037	3135	0.07	1600	1	55	80	2.5	6	5	7838	6238	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8778	7178	7178	1.119929
2699	042	3134	0.07	1596	1	55	80	2.5	6	5	7835	6239	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8775.200195	7179.200195	7179.200195	1.12
2700	008	3480	0.08	2013	1	55	80	2.5	6	5	8700	6687	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9744	7731	7731	1.12
2700	014	2656	0.06	3757	0	55	80	2.5	5	5	6640	2883	RH-2	40	form-based			true	0.7	6	1.200000048	6	6	7436.799805	3679.799805	3679.799805	1.12
2701	008	3464	0.08	880	1	55	80	2.5	6	5	8660	7780	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9699.200195	8819.200195	8819.200195	1.12
2701	026	3547	0.08	1050	1	55	80	2.5	6	5	8868	7818	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9931.599609	8881.599609	8881.599609	1.119937
2701	027	3226	0.07	1550	1	55	80	2.5	6	5	8065	6515	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9032.799805	7482.799805	7482.799805	1.12
2701A	009	3475	0.08	2650	1	55	80	2.5	6	5	8688	6038	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9730	7080	7080	1.119936
2701A	025	3778	0.09	3000	2	55	80	2.5	7	5	9445	6445	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10578.39941	7578.399414	7578.399414	1.12
2702	008	3245	0.07	1228	1	55	80	2.5	6	5	8112	6884	RH-2	40	form-based	true		true	0.7	7	1.166666627	6	6	9086	7858	7858	1.120069
2706	067	3131	0.07	2680	1	55	80	2.5	6	5	7828	5148	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8766.799805	6086.799805	6086.799805	1.119928
2714	013	2810	0.06	0	0	55	80	2.5	5	5	7025	7025	RH-2	40	form-based			true	0.7	6	1.200000048	6	6	7868	7868	7868	1.12
2714	013A	2906	0.07	0	0	55	80	2.5	6	6	7265	7265	RH-2	40	form-based	true		true	0.7	6	1	6	6	8136.799805	8136.799805	8136.799805	1.12
2714	015	3369	0.08	1910	1	55	80	2.5	6	5	8422	6512	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9433.200195	7523.200195	7523.200195	1.120067
2714	026	5186	0.12	516	5	55	80	2.5	10	5	12965	12449	RH-3	40	form-based			true	0.7	11	1.100000024	6	6	14520.7998	14004.7998	14004.7998	1.12
2715	023	2801	0.06	0	0	55	80	2.5	5	5	7002	7002	RH-2	40	form-based			true	0.7	6	1.200000048	6	6	7842.799805	7842.799805	7842.799805	1.12008
2715	036	3373	0.08	2465	1	55	80	2.5	6	5	8432	5967	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9444.399414	6979.399414	6979.399414	1.120066
2715	051	4016	0.09	3241	2	55	80	2.5	7	5	10040	6799	RH-2	40	form-based	true		true	0.7	8	1.142857194	6	6	11244.7998	8003.799805	8003.799805	1.12
2748	014	3187	0.07	850	1	55	80	2.5	6	5	7968	7118	RM-1	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	8073.599609	8073.599609	1.11993
2749	015	3262	0.07	2160	1	55	80	2.5	6	5	8155	5995	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9133.599609	6973.599609	6973.599609	1.12
2749	016	3262	0.07	1818	1	55	80	2.5	6	5	8155	6337	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9133.599609	7315.599609	7315.599609	1.12
2749	017	3263	0.07	1550	1	55	80	2.5	6	5	8158	6608	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9136.399414	7586.399414	7586.399414	1.119931
2748	046	3705	0.09	1906	2	55	80	2.5	7	5	9262	7356	RM-1	40	form-based	true		true	0.7	8	1.142857194	6	6	10374	8468	8468	1.12006
2749	004	3254	0.07	1365	1	55	80	2.5	6	5	8135	6770	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9111.200195	7746.200195	7746.200195	1.12
2749	008	3257	0.07	1793	1	55	80	2.5	6	5	8142	6349	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	7326.599609	7326.599609	1.120069
2749	010	3258	0.07	2520	1	55	80	2.5	6	5	8145	5625	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9122.399414	6602.399414	6602.399414	1.12
2749	011	3259	0.07	1758	1	55	80	2.5	6	5	8148	6390	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9125.200195	7367.200195	7367.200195	1.119931
2749	012	3259	0.07	1540	1	55	80	2.5	6	5	8148	6608	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9125.200195	7585.200195	7585.200195	1.119931
2749	025A	3260	0.07	1925	1	55	80	2.5	6	5	8150	6225	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	7203	7203	1.12
2749	026	3260	0.07	2985	1	55	80	2.5	6	5	8150	5165	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	6143	6143	1.12
2749	028	3260	0.07	1075	1	55	80	2.5	6	5	8150	7075	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	8053	8053	1.12
2749	029	3260	0.07	1245	1	55	80	2.5	6	5	8150	6905	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	7883	7883	1.12
2749	030	3260	0.07	1695	1	55	80	2.5	6	5	8150	6455	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	7433	7433	1.12
2749	031	3260	0.07	1305	1	55	80	2.5	6	5	8150	6845	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	7823	7823	1.12
2749	034	3260	0.07	2082	1	55	80	2.5	6	5	8150	6068	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	7046	7046	1.12
2749	035	3260	0.07	2713	1	55	80	2.5	6	5	8150	5437	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	6415	6415	1.12
2749	036	3260	0.07	2440	1	55	80	2.5	6	5	8150	5710	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	6688	6688	1.12
2749	037	3260	0.07	1726	1	55	80	2.5	6	5	8150	6424	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	7402	7402	1.12
2749	039	3260	0.07	3184	1	55	80	2.5	6	5	8150	4966	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	5944	5944	1.12
2749	040	3260	0.07	3525	1	55	80	2.5	6	5	8150	4625	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	5603	5603	1.12
2749	041	3260	0.07	2275	1	55	80	2.5	6	5	8150	5875	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	6853	6853	1.12
2749	042	3260	0.07	925	1	55	80	2.5	6	5	8150	7225	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	8203	8203	1.12
2749	043	3260	0.07	1750	1	55	80	2.5	6	5	8150	6400	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9128	7378	7378	1.12
2750	002	3100	0.07	3460	1	55	80	2.5	6	5	7750	4290	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8680	5220	5220	1.12
2750	003	3102	0.07	1146	1	55	80	2.5	6	5	7755	6609	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8685.599609	7539.599609	7539.599609	1.12
2750	004	3103	0.07	1828	1	55	80	2.5	6	5	7758	5930	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8688.399414	6860.399414	6860.399414	1.119928
2750	005	3105	0.07	1050	1	55	80	2.5	6	5	7762	6712	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8694	7644	7644	1.120072
2750	006	3106	0.07	1320	1	55	80	2.5	6	5	7765	6445	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8696.799805	7376.799805	7376.799805	1.12
2750	007	3107	0.07	1850	1	55	80	2.5	6	5	7768	5918	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8699.599609	6849.599609	6849.599609	1.119928
2750	008	3109	0.07	1578	1	55	80	2.5	6	5	7772	6194	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8705.200195	7127.200195	7127.200195	1.120072
2750	009	3110	0.07	3324	1	55	80	2.5	6	5	7775	4451	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8708	5384	5384	1.12
2750	013	3116	0.07	1325	1	55	80	2.5	6	5	7790	6465	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8724.799805	7399.799805	7399.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2750	014	3117	0.07	965	1	55	80	2.5	6	5	7792	6827	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	7762.599609	7762.599609	1.120072
2750	023	3125	0.07	1680	1	55	80	2.5	6	5	7812	6132	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	7070	7070	1.120072
2750	024	3125	0.07	2990	1	55	80	2.5	6	5	7812	4822	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	5760	5760	1.120072
2750	025	3125	0.07	1500	1	55	80	2.5	6	5	7812	6312	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	7250	7250	1.120072
2750	026	3125	0.07	990	1	55	80	2.5	6	5	7812	6822	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	7760	7760	1.120072
2750	028	3125	0.07	1190	1	55	80	2.5	6	5	7812	6622	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	7560	7560	1.120072
2750	029	3125	0.07	1200	1	55	80	2.5	6	5	7812	6612	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	7550	7550	1.120072
2750	030	3125	0.07	1650	1	55	80	2.5	6	5	7812	6162	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	7100	7100	1.120072
2750	031	3125	0.07	1375	1	55	80	2.5	6	5	7812	6437	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	7375	7375	1.120072
2750	033	3125	0.07	2056	1	55	80	2.5	6	5	7812	5756	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	6694	6694	1.120072
2750	047	3125	0.07	2005	1	55	80	2.5	6	5	7812	5807	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	6745	6745	1.120072
2751	003	3125	0.07	2206	1	55	80	2.5	6	5	7812	5606	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	6544	6544	1.120072
2751	005	3125	0.07	1460	1	55	80	2.5	6	5	7812	6352	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	7290	7290	1.120072
2751	006K	3105	0.07	1225	1	55	80	2.5	6	5	7762	6537	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8694	7469	7469	1.120072
2751	007	3105	0.07	1860	1	55	80	2.5	6	5	7762	5902	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8694	6834	6834	1.120072
2751	014	3119	0.07	1050	1	55	80	2.5	6	5	7798	6748	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8733.200195	7683.200195	7683.200195	1.119928
2751	015	3121	0.07	1150	1	55	80	2.5	6	5	7802	6652	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8738.799805	7588.799805	7588.799805	1.120072
2751	016	3123	0.07	3178	1	55	80	2.5	6	5	7808	4630	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8744.399414	5566.399414	5566.399414	1.119928
2751	018	3128	0.07	2428	1	55	80	2.5	6	5	7820	5392	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8758.399414	6330.399414	6330.399414	1.12
2751	019	3130	0.07	2150	1	55	80	2.5	6	5	7825	5675	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8764	6614	6614	1.12
2751	039	3125	0.07	1648	1	55	80	2.5	6	5	7812	6164	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	7102	7102	1.120072
2752	005	3210	0.07	2060	1	55	80	2.5	6	5	8025	5965	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8988	6928	6928	1.12
2752	006	3210	0.07	2950	1	55	80	2.5	6	5	8025	5075	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8988	6038	6038	1.12
2752	007	3210	0.07	2020	1	55	80	2.5	6	5	8025	6005	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8988	6968	6968	1.12
2752	008	3209	0.07	2020	1	55	80	2.5	6	5	8022	6002	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8985.200195	6965.200195	6965.200195	1.12007
2752	009	3209	0.07	2100	1	55	80	2.5	6	5	8022	5922	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8985.200195	6885.200195	6885.200195	1.12007
2752	011	3208	0.07	2319	1	55	80	2.5	6	5	8020	5701	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8982.399414	6663.399414	6663.399414	1.12
2752	014	3207	0.07	3050	1	55	80	2.5	6	5	8018	4968	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8979.599609	5929.599609	5929.599609	1.11993
2752	017	3206	0.07	2916	1	55	80	2.5	6	5	8015	5099	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8976.799805	6060.799805	6060.799805	1.12
2752	020	4273	0.1	4199	3	55	80	2.5	8	5	10682	6483	RH-2	40	form-based	true		true	0.7	9	1.125	6	6	11964.39941	7765.399414	7765.399414	1.120052
2752	022F	3285	0.08	2100	1	55	80	2.5	6	5	8212	6112	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9198	7098	7098	1.120068
2752	022H	4400	0.1	4566	3	55	80	2.5	8	5	11000	6434	RH-2	40	form-based			true	0.7	9	1.125	6	6	12320	7754	7754	1.12
2753	002B	3408	0.08	1190	1	55	80	2.5	6	5	8520	7330	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9542.399414	8352.399414	8352.399414	1.12
2753	024A	3489	0.08	1070	1	55	80	2.5	6	5	8722	7652	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9769.200195	8699.200195	8699.200195	1.120064
2769	023	3125	0.07	1482	1	55	80	2.5	6	5	7812	6330	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	8750	7268	7268	1.120072
2769	024	3125	0.07	1692	1	55	80	2.5	6	5	7812	6120	RH-3	40	form-based			true	0.7	7	1.166666627	6	6	8750	7058	7058	1.120072
2769	027	3125	0.07	2492	1	55	80	2.5	6	5	7812	5320	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8750	6258	6258	1.120072
2769	029	3500	0.08	1926	1	55	80	2.5	6	5	8750	6824	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9800	7874	7874	1.12
2769	036	3253	0.07	1610	1	55	80	2.5	6	5	8132	6522	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9108.399414	7498.399414	7498.399414	1.120069
2770	009	3157	0.07	1330	1	55	80	2.5	6	5	7892	6562	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8839.599609	7509.599609	7509.599609	1.120071
2770	009B	3157	0.07	2140	1	55	80	2.5	6	5	7892	5752	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8839.599609	6699.599609	6699.599609	1.120071
2770	009C	3156	0.07	1395	1	55	80	2.5	6	5	7890	6495	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8836.799805	7441.799805	7441.799805	1.12
2770	009D	3156	0.07	1085	1	55	80	2.5	6	5	7890	6805	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8836.799805	7751.799805	7751.799805	1.12
2770	009F	3224	0.07	1737	1	55	80	2.5	6	5	8060	6323	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9027.200195	7290.200195	7290.200195	1.12
2770	009G	3224	0.07	1248	1	55	80	2.5	6	5	8060	6812	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9027.200195	7779.200195	7779.200195	1.12
2770	010C	3130	0.07	2435	1	55	80	2.5	6	5	7825	5390	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8764	6329	6329	1.12
2770	023	3100	0.07	2401	1	55	80	2.5	6	5	7750	5349	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8680	6279	6279	1.12
2771	031	2849	0.07	0	0	55	80	2.5	6	6	7122	7122	RH-2	40	form-based			true	0.7	6	1	6	6	7977.199707	7977.199707	7977.199707	1.120079
2771	058	15648	0.36	21237	27	55	80	2.5	29	2	39120	17883	RM-2	40	form-based			true	0.7	33	1.137930989	6	6	43814.39844	22577.39844	22577.39844	1.12
2780	010	3531	0.08	1167	1	55	80	2.5	6	5	8828	7661	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9886.799805	8719.799805	8719.799805	1.119937
2788	001	3210	0.07	1432	1	55	80	2.5	6	5	8025	6593	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	6	6	8988	7556	7556	1.12
2788	003	3397	0.08	2553	1	55	80	2.5	6	5	8492	5939	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9511.599609	6958.599609	6958.599609	1.120066
2789	002	3119	0.07	1272	1	55	80	2.5	6	5	7798	6526	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8733.200195	7461.200195	7461.200195	1.119928
2789	003	3197	0.07	1244	1	55	80	2.5	6	5	7992	6748	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8951.599609	7707.599609	7707.599609	1.12007
2790	015	3493	0.08	1828	1	55	80	2.5	6	5	8732	6904	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9780.399414	7952.399414	7952.399414	1.120064
2790	017	3333	0.08	1808	1	55	80	2.5	6	5	8332	6524	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9332.399414	7524.399414	7524.399414	1.120067
2790	018	3536	0.08	1054	1	55	80	2.5	6	5	8840	7786	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9900.799805	8846.799805	8846.799805	1.12
2792	002	3560	0.08	1270	1	55	80	2.5	6	5	8900	7630	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9968	8698	8698	1.12
2792	009	3540	0.08	1674	1	55	80	2.5	6	5	8850	7176	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9912	8238	8238	1.12
2792	012	3510	0.08	1054	1	55	80	2.5	6	5	8775	7721	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9828	8774	8774	1.12
2792	014	3154	0.07	1558	1	55	80	2.5	6	5	7885	6327	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8831.200195	7273.200195	7273.200195	1.12
2792	015	3521	0.08	1244	1	55	80	2.5	6	5	8802	7558	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9858.799805	8614.799805	8614.799805	1.120064
2794	004	3570	0.08	2459	1	55	80	2.5	6	5	8925	6466	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9996	7537	7537	1.12
2793	002	3349	0.08	1743	1	55	80	2.5	6	5	8372	6629	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9377.200195	7634.200195	7634.200195	1.120067

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2794	010	3556	0.08	1524	1	55	80	2.5	6	5	8890	7366	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9956.799805	8432.799805	8432.799805	1.12
2794	011	3348	0.08	1064	1	55	80	2.5	6	5	8370	7306	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9374.399414	8310.399414	8310.399414	1.12
2803	035	3432	0.08	1987	1	55	80	2.5	6	5	8580	6593	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9609.599609	7622.599609	7622.599609	1.12
2803	046	3394	0.08	800	1	55	80	2.5	6	5	8485	7685	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9503.200195	8703.200195	8703.200195	1.12
2816	003	3287	0.08	1813	1	55	80	2.5	6	5	8218	6405	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9203.599609	7390.599609	7390.599609	1.119932
2816	004	3322	0.08	1588	1	55	80	2.5	6	5	8305	6717	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9301.599609	7713.599609	7713.599609	1.12
2816	005	3502	0.08	2534	1	55	80	2.5	6	5	8755	6221	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9805.599609	7271.599609	7271.599609	1.12
2817	027	3456	0.08	1797	1	55	80	2.5	6	5	8640	6843	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9676.799805	7879.799805	7879.799805	1.12
2817	037	3448	0.08	2268	1	55	80	2.5	6	5	8620	6352	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9654.399414	7386.399414	7386.399414	1.12
2817	038	3367	0.08	2572	1	55	80	2.5	6	5	8418	5846	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9427.599609	6855.599609	6855.599609	1.119933
2818	009	3201	0.07	2947	1	55	80	2.5	6	5	8002	5055	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8962.799805	6015.799805	6015.799805	1.12007
2818	010	3479	0.08	3757	1	55	80	2.5	6	5	8698	4941	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9741.200195	5984.200195	5984.200195	1.119936
2819	028	3400	0.08	3649	1	65	100	3	8	7	10200	6551	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9520	5871	5871	0.933333
2819	029	3144	0.07	2173	1	65	100	3	7	6	9432	7259	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8803.200195	6630.200195	6630.200195	0.933333
2821	012	3175	0.07	1150	1	55	80	2.5	6	5	7938	6788	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8890	7740	7740	1.119929
2821	013	3252	0.07	1150	1	55	80	2.5	6	5	8130	6980	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9105.599609	7955.599609	7955.599609	1.12
2821	027	2658	0.06	0	0	55	80	2.5	5	5	6645	6645	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7442.399902	7442.399902	7442.399902	1.12
2821	028	2834	0.07	0	0	55	80	2.5	6	6	7085	7085	RH-1	40	form-based			true	0.7	6	1	6	6	7935.199707	7935.199707	7935.199707	1.12
2822	003	3569	0.08	1161	1	55	80	2.5	6	5	8922	7761	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9993.200195	8832.200195	8832.200195	1.120063
2822	006	3521	0.08	937	1	55	80	2.5	6	5	8802	7865	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9858.799805	8921.799805	8921.799805	1.120064
2822	008	3299	0.08	937	1	55	80	2.5	6	5	8248	7311	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9237.200195	8300.200195	8300.200195	1.119932
2822	015	3415	0.08	1205	1	55	80	2.5	6	5	8538	7333	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9562	8357	8357	1.119934
2822	016	3457	0.08	1397	1	55	80	2.5	6	5	8642	7245	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9679.599609	8282.599609	8282.599609	1.120065
2822	017	3227	0.07	1070	1	55	80	2.5	6	5	8068	6998	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9035.599609	7965.599609	7965.599609	1.119931
2822	020	3372	0.08	949	1	55	80	2.5	6	5	8430	7481	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9441.599609	8492.599609	8492.599609	1.12
2822A	004	3431	0.08	1837	1	55	80	2.5	6	5	8578	6741	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9606.799805	7769.799805	7769.799805	1.119935
2822A	005	3405	0.08	1889	1	55	80	2.5	6	5	8512	6623	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9534	7645	7645	1.120066
2822A	006	3404	0.08	1753	1	55	80	2.5	6	5	8510	6757	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9531.200195	7778.200195	7778.200195	1.12
2822A	007	3402	0.08	1153	1	55	80	2.5	6	5	8505	7352	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9525.599609	8372.599609	8372.599609	1.12
2822A	008	3399	0.08	1153	1	55	80	2.5	6	5	8498	7345	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9517.200195	8364.200195	8364.200195	1.119934
2822A	009	3396	0.08	1153	1	55	80	2.5	6	5	8490	7337	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9508.799805	8355.799805	8355.799805	1.12
2822A	012	3151	0.07	1953	1	55	80	2.5	6	5	7878	5925	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	6	6	8822.799805	6869.799805	6869.799805	1.119929
2822A	018	3314	0.08	1026	1	55	80	2.5	6	5	8285	7259	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	6	6	9279.200195	8253.200195	8253.200195	1.12
2822A	020	3393	0.08	1200	1	55	80	2.5	6	5	8482	7282	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9500.399414	8300.399414	8300.399414	1.120066
2822A	021	3391	0.08	1200	1	55	80	2.5	6	5	8478	7278	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9494.799805	8294.799805	8294.799805	1.119934
2822A	022	3389	0.08	1200	1	55	80	2.5	6	5	8472	7272	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9489.200195	8289.200195	8289.200195	1.120066
2822A	023	3386	0.08	1200	1	55	80	2.5	6	5	8465	7265	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9480.799805	8280.799805	8280.799805	1.12
2822A	024	3384	0.08	1200	1	55	80	2.5	6	5	8460	7260	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9475.200195	8275.200195	8275.200195	1.12
2822A	025	3381	0.08	1200	1	55	80	2.5	6	5	8452	7252	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9466.799805	8266.799805	8266.799805	1.120066
2822A	026	3372	0.08	1600	1	55	80	2.5	6	5	8430	6830	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9441.599609	7841.599609	7841.599609	1.12
2822A	027	3313	0.08	1200	1	55	80	2.5	6	5	8282	7082	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9276.399414	8076.399414	8076.399414	1.120068
2822A	028	3182	0.07	1200	1	55	80	2.5	6	5	7955	6755	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8909.599609	7709.599609	7709.599609	1.12
2822A	029	3150	0.07	1473	1	55	80	2.5	6	5	7875	6402	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8820	7347	7347	1.12
2822A	030	3236	0.07	1200	1	55	80	2.5	6	5	8090	6890	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9060.799805	7860.799805	7860.799805	1.12
2822B	006	3157	0.07	1153	1	55	80	2.5	6	5	7892	6739	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8839.599609	7686.599609	7686.599609	1.120071
2822B	013	3568	0.08	1026	1	55	80	2.5	6	5	8920	7894	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9990.399414	8964.399414	8964.399414	1.12
2822B	017	3144	0.07	1026	1	55	80	2.5	6	5	7860	6834	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8803.200195	7777.200195	7777.200195	1.12
2822B	018	3441	0.08	1469	1	55	80	2.5	6	5	8602	7133	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9634.799805	8165.799805	8165.799805	1.120065
2822B	019	3247	0.07	1475	1	55	80	2.5	6	5	8118	6643	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9091.599609	7616.599609	7616.599609	1.119931
2822B	020	3157	0.07	1026	1	55	80	2.5	6	5	7892	6866	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8839.599609	7813.599609	7813.599609	1.120071
2823	001	3350	0.08	1153	1	55	80	2.5	6	5	8375	7222	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	6	6	9380	8227	8227	1.12
2823	003	3291	0.08	2292	1	55	80	2.5	6	5	8228	5936	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9214.799805	6922.799805	6922.799805	1.119932
2823	005	3429	0.08	1026	1	55	80	2.5	6	5	8572	7546	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9601.200195	8575.200195	8575.200195	1.120065
2823	006	3431	0.08	1026	1	55	80	2.5	6	5	8578	7552	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9606.799805	8580.799805	8580.799805	1.119935
2823	007	3432	0.08	1026	1	55	80	2.5	6	5	8580	7554	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9609.599609	8583.599609	8583.599609	1.12
2823	009	3104	0.07	1187	1	55	80	2.5	6	5	7760	6573	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8691.200195	7504.200195	7504.200195	1.12
2823	010	3265	0.07	1055	1	55	80	2.5	6	5	8162	7107	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9142	8087	8087	1.120069
2823	013	3489	0.08	1362	1	55	80	2.5	6	5	8722	7360	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9769.200195	8407.200195	8407.200195	1.120064
2823A	001	3226	0.07	1153	1	55	80	2.5	6	5	8065	6912	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	6	6	9032.799805	7879.799805	7879.799805	1.12
2823A	010	3462	0.08	1298	1	55	80	2.5	6	5	8655	7357	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9693.599609	8395.599609	8395.599609	1.12
2823A	011	3568	0.08	937	1	55	80	2.5	6	5	8920	7983	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9990.399414	9053.399414	9053.399414	1.12
2823B	010	3339	0.08	1275	1	55	80	2.5	6	5	8348	7073	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9349.200195	8074.200195	8074.200195	1.119933
2823A	029	3375	0.08	1339	1	55	80	2.5	6	5	8438	7099	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	6	6	9450	8111	8111	1.119934
2823A	030	3214	0.07	2128	1	55	80	2.5	6	5	8035	5907	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8999.200195	6871.200195	6871.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2823A	031	3517	0.08	1277	1	55	80	2.5	6	5	8792	7515	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9847.599609	8570.599609	8570.599609	1.120064
2823A	032	3183	0.07	1277	1	55	80	2.5	6	5	7958	6681	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8912.399414	7635.399414	7635.399414	1.11993
2823A	033	3198	0.07	2227	1	55	80	2.5	6	5	7995	5768	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8954.399414	6727.399414	6727.399414	1.12
2823A	034	3255	0.07	1276	1	55	80	2.5	6	5	8138	6862	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9114	7838	7838	1.119931
2823C	001	3240	0.07	1056	1	55	80	2.5	6	5	8100	7044	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9072	8016	8016	1.12
2823C	002	3123	0.07	1056	1	55	80	2.5	6	5	7808	6752	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8744.399414	7688.399414	7688.399414	1.119928
2831	027	3420	0.08	3930	4	55	80	2.5	6	2	8550	4620	RH-2	50	form-based			true	0.7	10	1.666666627	6	6	11970	8040	8040	1.4
2831	030	2576	0.06	1380	1	55	80	2.5	5	4	6440	5060	RH-2	50	form-based			true	0.7	7	1.399999976	6	6	9016	7636	7636	1.4
2831	031	2576	0.06	1921	1	55	80	2.5	5	4	6440	4519	RH-2	50	form-based			true	0.7	7	1.399999976	6	6	9016	7095	7095	1.4
2831	032	2576	0.06	1638	1	55	80	2.5	5	4	6440	4802	RH-2	50	form-based			true	0.7	7	1.399999976	6	6	9016	7378	7378	1.4
2833	002	3113	0.07	1662	1	55	80	2.5	6	5	7782	6120	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8716.399414	7054.399414	7054.399414	1.120072
2833	003	3464	0.08	1320	1	55	80	2.5	6	5	8660	7340	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9699.200195	8379.200195	8379.200195	1.12
2834	036	3502	0.08	1693	1	55	80	2.5	6	5	8755	7062	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9805.599609	8112.599609	8112.599609	1.12
2835	001	3167	0.07	1275	1	55	80	2.5	6	5	7918	6643	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8867.599609	7592.599609	7592.599609	1.119929
2835	005	3503	0.08	1062	1	55	80	2.5	6	5	8758	7696	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9808.399414	8746.399414	8746.399414	1.119936
2835	006	3433	0.08	1062	1	55	80	2.5	6	5	8582	7520	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9612.399414	8550.399414	8550.399414	1.120065
2835	009	3436	0.08	1622	1	55	80	2.5	6	5	8590	6968	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9620.799805	7998.799805	7998.799805	1.12
2835	010	3444	0.08	1062	1	55	80	2.5	6	5	8610	7548	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9643.200195	8581.200195	8581.200195	1.12
2835	011	3452	0.08	1062	1	55	80	2.5	6	5	8630	7568	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9665.599609	8603.599609	8603.599609	1.12
2835	012	3460	0.08	1818	1	55	80	2.5	6	5	8650	6832	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9688	7870	7870	1.12
2835	013	3489	0.08	1062	1	55	80	2.5	6	5	8722	7660	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9769.200195	8707.200195	8707.200195	1.120064
2835	014	3541	0.08	1062	1	55	80	2.5	6	5	8852	7790	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9914.799805	8852.799805	8852.799805	1.120063
2836	022	3544	0.08	937	1	55	80	2.5	6	5	8860	7923	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9923.200195	8986.200195	8986.200195	1.12
2835	019	3564	0.08	1056	1	55	80	2.5	6	5	8910	7854	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9979.200195	8923.200195	8923.200195	1.12
2835	020	3509	0.08	1056	1	55	80	2.5	6	5	8772	7716	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9825.200195	8769.200195	8769.200195	1.120064
2835	021	3510	0.08	1984	1	55	80	2.5	6	5	8775	6791	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9828	7844	7844	1.12
2835	022	3474	0.08	1658	1	55	80	2.5	6	5	8685	7027	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9727.200195	8069.200195	8069.200195	1.12
2835	023	3547	0.08	1576	1	55	80	2.5	6	5	8868	7292	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9931.599609	8355.599609	8355.599609	1.119937
2835	024	3512	0.08	1312	1	55	80	2.5	6	5	8780	7468	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9833.599609	8521.599609	8521.599609	1.12
2835	025	3512	0.08	2106	1	55	80	2.5	6	5	8780	6674	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9833.599609	7727.599609	7727.599609	1.12
2835	032	3518	0.08	1652	1	55	80	2.5	6	5	8795	7143	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9850.399414	8198.399414	8198.399414	1.12
2835	033	3463	0.08	1275	1	55	80	2.5	6	5	8658	7383	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9696.399414	8421.399414	8421.399414	1.119935
2835	034	3459	0.08	1725	1	55	80	2.5	6	5	8648	6923	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9685.200195	7960.200195	7960.200195	1.119935
2835	035	3472	0.08	1275	1	55	80	2.5	6	5	8680	7405	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9721.599609	8446.599609	8446.599609	1.12
2835	036	3485	0.08	1641	1	55	80	2.5	6	5	8712	7071	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9758	8117	8117	1.120064
2835	039	3524	0.08	1275	1	55	80	2.5	6	5	8810	7535	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9867.200195	8592.200195	8592.200195	1.12
2835	040	3537	0.08	1625	1	55	80	2.5	6	5	8842	7217	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9903.599609	8278.599609	8278.599609	1.120063
2836	021	3571	0.08	1237	1	55	80	2.5	6	5	8928	7691	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9998.799805	8761.799805	8761.799805	1.119937
2835	045	3229	0.07	1276	1	55	80	2.5	6	5	8072	6796	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9041.200195	7765.200195	7765.200195	1.120069
2839	016	3239	0.07	2714	1	55	80	2.5	6	5	8098	5384	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9069.200195	6355.200195	6355.200195	1.119931
2836	027	3199	0.07	1489	1	55	80	2.5	6	5	7998	6509	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8957.200195	7468.200195	7468.200195	1.11993
2837	017	3260	0.07	2250	1	65	100	3	7	6	9780	7530	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9128	6878	6878	0.933333
2837	018	3289	0.08	2120	1	65	100	3	8	7	9867	7747	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9209.200195	7089.200195	7089.200195	0.933333
2837	019	3320	0.08	2343	1	65	100	3	8	7	9960	7617	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9296	6953	6953	0.933333
2837	020	3253	0.07	1931	1	65	100	3	7	6	9759	7828	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9108.399414	7177.399414	7177.399414	0.933333
2837	021	3197	0.07	2044	1	65	100	3	7	6	9591	7547	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8951.599609	6907.599609	6907.599609	0.933333
2837	022	3214	0.07	2192	1	65	100	3	7	6	9642	7450	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8999.200195	6807.200195	6807.200195	0.933333
2837	023	3190	0.07	2987	1	65	100	3	7	6	9570	6583	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8932	5945	5945	0.933333
2837	024	3218	0.07	2599	1	65	100	3	7	6	9654	7055	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9010.399414	6411.399414	6411.399414	0.933333
2837	025	3248	0.07	2292	1	55	80	2.5	6	5	8120	5828	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9094.399414	6802.399414	6802.399414	1.12
2839	009	3475	0.08	3273	1	55	80	2.5	6	5	8688	5415	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9730	6457	6457	1.119936
2839	010	3492	0.08	2853	1	55	80	2.5	6	5	8730	5877	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9777.599609	6924.599609	6924.599609	1.12
2839	014	3265	0.07	2472	1	55	80	2.5	6	5	8162	5690	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9142	6670	6670	1.120069
2839	015	3180	0.07	1950	1	55	80	2.5	6	5	7950	6000	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8904	6954	6954	1.12
2839	017	3555	0.08	2200	1	55	80	2.5	6	5	8888	6688	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	6	6	9954	7754	7754	1.119937
2839	021	3551	0.08	1990	1	55	80	2.5	6	5	8878	6888	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9942.799805	7952.799805	7952.799805	1.119937
2840	025	3226	0.07	2160	1	65	100	3	7	6	9678	7518	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	9032.799805	6872.799805	6872.799805	0.933333
2840	027	3434	0.08	3610	1	65	100	3	8	7	10302	6692	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9615.200195	6005.200195	6005.200195	0.933333
2840	045	3410	0.08	1552	1	65	100	3	8	7	10230	8678	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9548	7996	7996	0.933333
2840	050	3308	0.08	2380	1	65	100	3	8	7	9924	7544	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9262.399414	6882.399414	6882.399414	0.933333
2856	017	3536	0.08	1404	1	65	100	3	8	7	10608	9204	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9900.799805	8496.799805	8496.799805	0.933333
2856	019	3485	0.08	2420	1	65	100	3	8	7	10455	8035	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9758	7338	7338	0.933333
2856	022	3456	0.08	2310	1	65	100	3	8	7	10368	8058	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9676.799805	7366.799805	7366.799805	0.933333
2858	014	3399	0.08	2932	1	65	100	3	8	7	10197	7265	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9517.200195	6585.200195	6585.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2858	023	3562	0.08	1617	1	65	100	3	8	7	10686	9069	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9973.599609	8356.599609	8356.599609	0.933333
2860	009	3495	0.08	1989	1	55	80	2.5	6	5	8738	6749	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9786	7797	7797	1.119936
2859	002	3453	0.08	3003	1	65	100	3	8	7	10359	7356	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9668.399414	6665.399414	6665.399414	0.933333
2859	003	3539	0.08	3153	1	65	100	3	8	7	10617	7464	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9909.200195	6756.200195	6756.200195	0.933333
2859	012	3546	0.08	2327	1	55	80	2.5	6	5	8865	6538	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9928.799805	7601.799805	7601.799805	1.12
2859	013	3261	0.07	3167	1	55	80	2.5	6	5	8152	4985	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9130.799805	5963.799805	5963.799805	1.120069
2859	027	3522	0.08	2361	1	55	80	2.5	6	5	8805	6444	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9861.599609	7500.599609	7500.599609	1.12
2859	029	3549	0.08	1792	1	55	80	2.5	6	5	8872	7080	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9937.200195	8145.200195	8145.200195	1.120063
2860	007	3496	0.08	1947	1	55	80	2.5	6	5	8740	6793	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9788.799805	7841.799805	7841.799805	1.12
2861	005	3380	0.08	2520	1	55	80	2.5	6	5	8450	5930	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9464	6944	6944	1.12
2861	006	3533	0.08	2000	1	55	80	2.5	6	5	8832	6832	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9892.399414	7892.399414	7892.399414	1.120063
2861	003	3367	0.08	2156	1	55	80	2.5	6	5	8418	6262	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9427.599609	7271.599609	7271.599609	1.119933
2861	015	3339	0.08	2449	1	55	80	2.5	6	5	8348	5899	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9349.200195	6900.200195	6900.200195	1.119933
2863	015	3190	0.07	2003	1	65	100	3	7	6	9570	7567	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8932	6929	6929	0.933333
2862	008	3203	0.07	2346	1	65	100	3	7	6	9609	7263	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8968.399414	6622.399414	6622.399414	0.933333
2862	005	3502	0.08	2640	1	65	100	3	8	7	10506	7866	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9805.599609	7165.599609	7165.599609	0.933333
2863	003	3296	0.08	1860	1	65	100	3	8	7	9888	8028	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9228.799805	7368.799805	7368.799805	0.933333
2863	004	3386	0.08	1832	1	65	100	3	8	7	10158	8326	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9480.799805	7648.799805	7648.799805	0.933333
2863	005	3318	0.08	2344	1	65	100	3	8	7	9954	7610	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9290.399414	6946.399414	6946.399414	0.933333
2863	006	3305	0.08	2283	1	65	100	3	8	7	9915	7632	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9254	6971	6971	0.933333
2863	009	3273	0.08	2782	1	65	100	3	8	7	9819	7037	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9164.399414	6382.399414	6382.399414	0.933333
2863	010	3260	0.07	2799	1	65	100	3	7	6	9780	6981	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9128	6329	6329	0.933333
2863	011	3247	0.07	1930	1	65	100	3	7	6	9741	7811	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9091.599609	7161.599609	7161.599609	0.933333
2863	013	3215	0.07	3695	1	65	100	3	7	6	9645	5950	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9002	5307	5307	0.933333
2863	014	3203	0.07	2961	1	65	100	3	7	6	9609	6648	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8968.399414	6007.399414	6007.399414	0.933333
2864	025	3366	0.08	2200	1	65	100	3	8	7	10098	7898	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9424.799805	7224.799805	7224.799805	0.933333
2864	026	3384	0.08	2793	1	65	100	3	8	7	10152	7359	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9475.200195	6682.200195	6682.200195	0.933333
2864	034	3322	0.08	2268	1	65	100	3	8	7	9966	7698	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9301.599609	7033.599609	7033.599609	0.933333
2875	002	3212	0.07	1422	1	55	80	2.5	6	5	8030	6608	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8993.599609	7571.599609	7571.599609	1.12
2875	003	3428	0.08	1331	1	55	80	2.5	6	5	8570	7239	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9598.399414	8267.399414	8267.399414	1.12
2875	004	3416	0.08	1047	1	55	80	2.5	6	5	8540	7493	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9564.799805	8517.799805	8517.799805	1.12
2875	005	3429	0.08	1047	1	55	80	2.5	6	5	8572	7525	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9601.200195	8554.200195	8554.200195	1.120065
2875	006	3468	0.08	1047	1	55	80	2.5	6	5	8670	7623	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9710.399414	8663.399414	8663.399414	1.12
2875	007	3533	0.08	1381	1	55	80	2.5	6	5	8832	7451	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9892.399414	8511.399414	8511.399414	1.120063
2876	019	3493	0.08	3528	1	55	80	2.5	6	5	8732	5204	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9780.399414	6252.399414	6252.399414	1.120064
2880	015	3520	0.08	1296	1	65	100	3	8	7	10560	9264	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9856	8560	8560	0.933333
2880	021	3542	0.08	3288	1	65	100	3	8	7	10626	7338	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9917.599609	6629.599609	6629.599609	0.933333
2880	022	3499	0.08	3800	1	65	100	3	8	7	10497	6697	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9797.200195	5997.200195	5997.200195	0.933333
2881	007	3420	0.08	2443	1	55	80	2.5	6	5	8550	6107	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9576	7133	7133	1.12
2881	008	3435	0.08	1802	1	55	80	2.5	6	5	8588	6786	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9618	7816	7816	1.119935
2881	019	3515	0.08	1756	1	55	80	2.5	6	5	8788	7032	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9842	8086	8086	1.119936
2881	020	3452	0.08	2428	1	55	80	2.5	6	5	8630	6202	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9665.599609	7237.599609	7237.599609	1.12
2883	004	3386	0.08	2236	1	55	80	2.5	6	5	8465	6229	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9480.799805	7244.799805	7244.799805	1.12
2883	005	3387	0.08	2065	1	55	80	2.5	6	5	8468	6403	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9483.599609	7418.599609	7418.599609	1.119934
2883	006	3388	0.08	2374	1	55	80	2.5	6	5	8470	6096	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9486.399414	7112.399414	7112.399414	1.12
2883	007	3389	0.08	1827	1	55	80	2.5	6	5	8472	6645	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9489.200195	7662.200195	7662.200195	1.120066
2883	008	3389	0.08	2807	1	55	80	2.5	6	5	8472	5665	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9489.200195	6682.200195	6682.200195	1.120066
2883	021	3207	0.07	1874	1	55	80	2.5	6	5	8018	6144	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8979.599609	7105.599609	7105.599609	1.11993
2883	022	3530	0.08	1657	1	55	80	2.5	6	5	8825	7168	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9884	8227	8227	1.12
2883	023	3536	0.08	1849	1	55	80	2.5	6	5	8840	6991	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9900.799805	8051.799805	8051.799805	1.12
2883	024	3544	0.08	2238	1	55	80	2.5	6	5	8860	6622	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9923.200195	7685.200195	7685.200195	1.12
2883	030	3538	0.08	2343	1	55	80	2.5	6	5	8845	6502	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9906.399414	7563.399414	7563.399414	1.12
2883	031	3218	0.07	2983	1	55	80	2.5	6	5	8045	5062	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9010.399414	6027.399414	6027.399414	1.12
2883	032	3230	0.07	2138	1	55	80	2.5	6	5	8075	5937	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9044	6906	6906	1.12
2883	035	3240	0.07	2304	1	55	80	2.5	6	5	8100	5796	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9072	6768	6768	1.12
2884	002	3392	0.08	2120	1	55	80	2.5	6	5	8480	6360	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9497.599609	7377.599609	7377.599609	1.12
2884	003	3394	0.08	1440	1	55	80	2.5	6	5	8485	7045	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9503.200195	8063.200195	8063.200195	1.12
2884	004	3396	0.08	6386	1	55	80	2.5	6	5	8490	2104	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9508.799805	3122.799805	3122.799805	1.12
2884	005	3399	0.08	2787	1	55	80	2.5	6	5	8498	5711	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9517.200195	6730.200195	6730.200195	1.119934
2884	009	3408	0.08	3264	1	55	80	2.5	6	5	8520	5256	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9542.399414	6278.399414	6278.399414	1.12
2884	010	3410	0.08	3384	1	55	80	2.5	6	5	8525	5141	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9548	6164	6164	1.12
2884	011	3412	0.08	1495	1	55	80	2.5	6	5	8530	7035	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9553.599609	8058.599609	8058.599609	1.12
2884	013	3416	0.08	2175	1	55	80	2.5	6	5	8540	6365	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9564.799805	7389.799805	7389.799805	1.12
2885	012D	3432	0.08	2055	1	55	80	2.5	6	5	8580	6525	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9609.599609	7554.599609	7554.599609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2885	015	3102	0.07	2338	1	55	80	2.5	6	5	7755	5417	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8685.599609	6347.599609	6347.599609	1.12
2885	027	3271	0.08	2673	1	55	80	2.5	6	5	8178	5505	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9158.799805	6485.799805	6485.799805	1.119931
2885	028	3286	0.08	1611	1	55	80	2.5	6	5	8215	6604	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9200.799805	7589.799805	7589.799805	1.12
2885	032	3341	0.08	2114	1	65	100	3	8	7	10023	7909	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9354.799805	7240.799805	7240.799805	0.933333
2885	033	3272	0.08	1736	1	65	100	3	8	7	9816	8080	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9161.599609	7425.599609	7425.599609	0.933333
2885	035	3555	0.08	2740	1	65	100	3	8	7	10665	7925	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9954	7214	7214	0.933333
2887	006	3532	0.08	2899	1	55	80	2.5	6	5	8830	5931	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9889.599609	6990.599609	6990.599609	1.12
2887	007	3430	0.08	2150	1	55	80	2.5	6	5	8575	6425	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9604	7454	7454	1.12
2891	035	3402	0.08	2004	1	65	100	3	8	7	10206	8202	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9525.599609	7521.599609	7521.599609	0.933333
2888A	007	3139	0.07	2140	1	65	100	3	7	6	9417	7277	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8789.200195	6649.200195	6649.200195	0.933333
2889	002	3542	0.08	1740	1	65	100	3	8	7	10626	8886	RH-1(D)	40	form-based	true		true	0.7	7	0.875	6	6	9917.599609	8177.599609	8177.599609	0.933333
2889	003	3438	0.08	2450	1	65	100	3	8	7	10314	7864	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9626.399414	7176.399414	7176.399414	0.933333
2889	004	3453	0.08	1570	1	65	100	3	8	7	10359	8789	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9668.399414	8098.399414	8098.399414	0.933333
2889	005	3428	0.08	2000	1	65	100	3	8	7	10284	8284	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9598.399414	7598.399414	7598.399414	0.933333
2889	011A	3286	0.08	1832	1	65	100	3	8	7	9858	8026	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9200.799805	7368.799805	7368.799805	0.933333
2889	012	3479	0.08	2592	1	65	100	3	8	7	10437	7845	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9741.200195	7149.200195	7149.200195	0.933333
2890	004	3480	0.08	1770	1	65	100	3	8	7	10440	8670	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9744	7974	7974	0.933333
2890	020	3442	0.08	1348	1	65	100	3	8	7	10326	8978	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9637.599609	8289.599609	8289.599609	0.933333
2890	021	3277	0.08	1612	1	65	100	3	8	7	9831	8219	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9175.599609	7563.599609	7563.599609	0.933333
2890	022	3212	0.07	1010	1	65	100	3	7	6	9636	8626	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8993.599609	7983.599609	7983.599609	0.933333
2890	022A	3210	0.07	1705	1	65	100	3	7	6	9630	7925	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8988	7283	7283	0.933333
2890	023	3214	0.07	1779	1	65	100	3	7	6	9642	7863	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8999.200195	7220.200195	7220.200195	0.933333
2890	024	3241	0.07	2300	1	65	100	3	7	6	9723	7423	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9074.799805	6774.799805	6774.799805	0.933333
2891	018E	3192	0.07	1931	1	55	80	2.5	6	5	7980	6049	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8937.599609	7006.599609	7006.599609	1.12
2891	007	3198	0.07	1503	1	55	80	2.5	6	5	7995	6492	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8954.399414	7451.399414	7451.399414	1.12
2891	009	3099	0.07	1679	1	55	80	2.5	6	5	7748	6069	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8677.200195	6998.200195	6998.200195	1.119928
2891	012	3165	0.07	1738	1	55	80	2.5	6	5	7912	6174	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8862	7124	7124	1.120071
2891	013	3153	0.07	2400	1	55	80	2.5	6	5	7882	5482	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8828.399414	6428.399414	6428.399414	1.120071
2891	014	3287	0.08	1603	1	55	80	2.5	6	5	8218	6615	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9203.599609	7600.599609	7600.599609	1.119932
2891	015	3186	0.07	2405	1	55	80	2.5	6	5	7965	5560	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8920.799805	6515.799805	6515.799805	1.12
2891	016	3102	0.07	1608	1	55	80	2.5	6	5	7755	6147	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8685.599609	7077.599609	7077.599609	1.12
2891	018	3214	0.07	1260	1	55	80	2.5	6	5	8035	6775	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8999.200195	7739.200195	7739.200195	1.12
2891	018B	3307	0.08	1254	1	55	80	2.5	6	5	8268	7014	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9259.599609	8005.599609	8005.599609	1.119932
2891	020A	3486	0.08	2475	1	55	80	2.5	6	5	8715	6240	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9760.799805	7285.799805	7285.799805	1.12
2891	024	3276	0.08	1225	1	55	80	2.5	6	5	8190	6965	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9172.799805	7947.799805	7947.799805	1.12
2891	025	3254	0.07	1240	1	55	80	2.5	6	5	8135	6895	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9111.200195	7871.200195	7871.200195	1.12
2891	026	3206	0.07	2390	1	55	80	2.5	6	5	8015	5625	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8976.799805	6586.799805	6586.799805	1.12
2891	027	3491	0.08	1230	1	55	80	2.5	6	5	8728	7498	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9774.799805	8544.799805	8544.799805	1.119936
2891	027A	3345	0.08	1734	1	55	80	2.5	6	5	8362	6628	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9366	7632	7632	1.120067
2891	028	3318	0.08	1330	1	65	100	3	8	7	9954	8624	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9290.399414	7960.399414	7960.399414	0.933333
2891	032	3339	0.08	1487	1	65	100	3	8	7	10017	8530	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9349.200195	7862.200195	7862.200195	0.933333
2891	033	3096	0.07	1350	1	65	100	3	7	6	9288	7938	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8668.799805	7318.799805	7318.799805	0.933333
2891	034	3372	0.08	1717	1	65	100	3	8	7	10116	8399	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9441.599609	7724.599609	7724.599609	0.933333
2891	034A	3460	0.08	2090	1	65	100	3	8	7	10380	8290	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9688	7598	7598	0.933333
2891	036	3397	0.08	2220	1	65	100	3	8	7	10191	7971	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9511.599609	7291.599609	7291.599609	0.933333
2892	018	3115	0.07	1131	1	55	80	2.5	6	5	7788	6657	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8722	7591	7591	1.119928
2901A	024	3376	0.08	1275	1	55	80	2.5	6	5	8440	7165	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9452.799805	8177.799805	8177.799805	1.12
2901A	025	3569	0.08	1275	1	55	80	2.5	6	5	8922	7647	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9993.200195	8718.200195	8718.200195	1.120063
2914	037	3195	0.07	1851	1	55	80	2.5	6	5	7988	6137	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8946	7095	7095	1.11993
2901E	001	3132	0.07	1580	1	55	80	2.5	6	5	7830	6250	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	6	6	8769.599609	7189.599609	7189.599609	1.12
2901E	003	3187	0.07	2309	1	55	80	2.5	6	5	7968	5659	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	6614.599609	6614.599609	1.11993
2901E	021	3125	0.07	1000	1	55	80	2.5	6	5	7812	6812	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8750	7750	7750	1.120072
2901E	022	3207	0.07	1270	1	55	80	2.5	6	5	8018	6748	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8979.599609	7709.599609	7709.599609	1.11993
2902	033	3156	0.07	1770	1	55	80	2.5	6	5	7890	6120	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8836.799805	7066.799805	7066.799805	1.12
2902	034	3184	0.07	2673	1	55	80	2.5	6	5	7960	5287	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8915.200195	6242.200195	6242.200195	1.12
2902	035	3212	0.07	1200	1	55	80	2.5	6	5	8030	6830	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8993.599609	7793.599609	7793.599609	1.12
2902	036	3240	0.07	1200	1	55	80	2.5	6	5	8100	6900	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9072	7872	7872	1.12
2902	037	3256	0.07	1460	1	55	80	2.5	6	5	8140	6680	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9116.799805	7656.799805	7656.799805	1.12
2902	038	3149	0.07	1200	1	55	80	2.5	6	5	7872	6672	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8817.200195	7617.200195	7617.200195	1.120071
2902	044	3273	0.08	1500	1	55	80	2.5	6	5	8182	6682	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9164.399414	7664.399414	7664.399414	1.120068
2914	011	3183	0.07	1779	1	55	80	2.5	6	5	7958	6179	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8912.399414	7133.399414	7133.399414	1.11993
2914	012	3146	0.07	1450	1	55	80	2.5	6	5	7865	6415	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8808.799805	7358.799805	7358.799805	1.12
2914	013	3160	0.07	1450	1	55	80	2.5	6	5	7900	6450	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8848	7398	7398	1.12
2914	002	3388	0.08	1500	1	55	80	2.5	6	5	8470	6970	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9486.399414	7986.399414	7986.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2914	005	3202	0.07	1751	1	55	80	2.5	6	5	8005	6254	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8965.599609	7214.599609	7214.599609	1.12
2914	009	3368	0.08	2437	1	55	80	2.5	6	5	8420	5983	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9430.399414	6993.399414	6993.399414	1.12
2914	015	3223	0.07	1746	1	55	80	2.5	6	5	8058	6312	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9024.399414	7278.399414	7278.399414	1.11993
2914	026	3400	0.08	1612	1	55	80	2.5	6	5	8500	6888	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9520	7908	7908	1.12
2914	028	3454	0.08	2400	1	55	80	2.5	6	5	8635	6235	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9671.200195	7271.200195	7271.200195	1.12
2914	029	3141	0.07	1300	1	55	80	2.5	6	5	7852	6552	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8794.799805	7494.799805	7494.799805	1.120071
2914	032	3181	0.07	1304	1	55	80	2.5	6	5	7952	6648	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8906.799805	7602.799805	7602.799805	1.12007
2914	033	3184	0.07	1040	1	55	80	2.5	6	5	7960	6920	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8915.200195	7875.200195	7875.200195	1.12
2914	034	3187	0.07	1369	1	55	80	2.5	6	5	7968	6599	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	7554.599609	7554.599609	1.11993
2914	035	3190	0.07	1847	1	55	80	2.5	6	5	7975	6128	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8932	7085	7085	1.12
2914	036	3192	0.07	1550	1	55	80	2.5	6	5	7980	6430	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8937.599609	7387.599609	7387.599609	1.12
2914	038	3198	0.07	1410	1	55	80	2.5	6	5	7995	6585	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8954.399414	7544.399414	7544.399414	1.12
2914	039	3201	0.07	1265	1	55	80	2.5	6	5	8002	6737	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8962.799805	7697.799805	7697.799805	1.12007
2914	040	3463	0.08	1540	1	55	80	2.5	6	5	8658	7118	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9696.399414	8156.399414	8156.399414	1.119935
2914	042	3315	0.08	1525	1	55	80	2.5	6	5	8288	6763	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9282	7757	7757	1.119932
2914	045	3494	0.08	1100	1	55	80	2.5	6	5	8735	7635	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9783.200195	8683.200195	8683.200195	1.12
2914	046	3182	0.07	1501	1	55	80	2.5	6	5	7955	6454	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8909.599609	7408.599609	7408.599609	1.12
2914	048	3353	0.08	1627	1	55	80	2.5	6	5	8382	6755	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9388.399414	7761.399414	7761.399414	1.120067
2914	049	3158	0.07	1327	1	55	80	2.5	6	5	7895	6568	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8842.399414	7515.399414	7515.399414	1.12
2914	050	3241	0.07	1902	1	55	80	2.5	6	5	8102	6200	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9074.799805	7172.799805	7172.799805	1.120069
2914	051	3019	0.07	1781	0	55	80	2.5	6	6	7548	5767	RH-1(D)	40	form-based			true	0.7	6	1	6	6	8453.200195	6672.200195	6672.200195	1.119926
2914	052	3189	0.07	1306	1	55	80	2.5	6	5	7972	6666	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8929.200195	7623.200195	7623.200195	1.12007
2914	053	3165	0.07	1141	1	55	80	2.5	6	5	7912	6771	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8862	7721	7721	1.120071
2915	017	3312	0.08	1990	1	55	80	2.5	6	5	8280	6290	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9273.599609	7283.599609	7283.599609	1.12
2915	018	3330	0.08	1544	1	55	80	2.5	6	5	8325	6781	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9324	7780	7780	1.12
2915	019	3463	0.08	1104	1	55	80	2.5	6	5	8658	7554	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9696.399414	8592.399414	8592.399414	1.119935
2915	020	3283	0.08	1093	1	55	80	2.5	6	5	8208	7115	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9192.399414	8099.399414	8099.399414	1.119932
2915	021	3096	0.07	1465	1	55	80	2.5	6	5	7740	6275	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8668.799805	7203.799805	7203.799805	1.12
2916	010	3279	0.08	1550	1	55	80	2.5	6	5	8198	6648	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9181.200195	7631.200195	7631.200195	1.119932
2916	012	3314	0.08	2115	1	55	80	2.5	6	5	8285	6170	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9279.200195	7164.200195	7164.200195	1.12
2916	017	3530	0.08	3041	1	55	80	2.5	6	5	8825	5784	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9884	6843	6843	1.12
2916	019	3529	0.08	1763	1	55	80	2.5	6	5	8822	7059	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9881.200195	8118.200195	8118.200195	1.120064
2917	001	3200	0.07	2161	1	55	80	2.5	6	5	8000	5839	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8960	6799	6799	1.12
2917	002	3200	0.07	1355	1	55	80	2.5	6	5	8000	6645	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8960	7605	7605	1.12
2917	002A	3200	0.07	1355	1	55	80	2.5	6	5	8000	6645	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8960	7605	7605	1.12
2917	003	3200	0.07	1755	1	55	80	2.5	6	5	8000	6245	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8960	7205	7205	1.12
2917	005	3140	0.07	1935	1	55	80	2.5	6	5	7850	5915	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8792	6857	6857	1.12
2917	023	3401	0.08	1135	1	65	100	3	8	7	10203	9068	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9522.799805	8387.799805	8387.799805	0.933333
2917	025	3304	0.08	1025	1	65	100	3	8	7	9912	8887	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9251.200195	8226.200195	8226.200195	0.933333
2917	026	2915	0.07	0	0	65	100	3	7	7	8745	8745	RH-1(D)	40	form-based			true	0.7	6	0.857142866	6	6	8162	8162	8162	0.933333
2917	027	3277	0.08	1975	1	65	100	3	8	7	9831	7856	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9175.599609	7200.599609	7200.599609	0.933333
2917	030	3379	0.08	1360	1	65	100	3	8	7	10137	8777	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9461.200195	8101.200195	8101.200195	0.933333
2917	032	3385	0.08	1804	1	65	100	3	8	7	10155	8351	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9478	7674	7674	0.933333
2917	033	3100	0.07	2200	1	65	100	3	7	6	9300	7100	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8680	6480	6480	0.933333
2917	034	3105	0.07	1345	1	65	100	3	7	6	9315	7970	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8694	7349	7349	0.933333
2917	036	3110	0.07	2051	1	65	100	3	7	6	9330	7279	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8708	6657	6657	0.933333
2917	044	3200	0.07	1471	1	55	80	2.5	6	5	8000	6529	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8960	7489	7489	1.12
2918	005	3550	0.08	1369	1	65	100	3	8	7	10650	9281	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9940	8571	8571	0.933333
2918	007	3543	0.08	1369	1	65	100	3	8	7	10629	9260	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9920.399414	8551.399414	8551.399414	0.933333
2918	008	3348	0.08	1603	1	65	100	3	8	7	10044	8441	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9374.399414	7771.399414	7771.399414	0.933333
2918	009	3435	0.08	1687	1	65	100	3	8	7	10305	8618	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9618	7931	7931	0.933333
2918	015	3526	0.08	2189	1	65	100	3	8	7	10578	8389	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9872.799805	7683.799805	7683.799805	0.933333
2919	022	3460	0.08	3351	1	65	100	3	8	7	10380	7029	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9688	6337	6337	0.933333
2919	026	3551	0.08	1311	1	65	100	3	8	7	10653	9342	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9942.799805	8631.799805	8631.799805	0.933333
2919	027	3422	0.08	1470	1	65	100	3	8	7	10266	8796	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9581.599609	8111.599609	8111.599609	0.933333
2919	028	3294	0.08	1470	1	85	140	4	11	10	13176	11706	RH-1(D)	40	form-based			true	0.7	7	0.636363626	6	6	9223.200195	7753.200195	7753.200195	0.7
2919	029	3165	0.07	1400	1	85	140	4	10	9	12660	11260	RH-1(D)	40	form-based			true	0.7	7	0.699999988	6	6	8862	7462	7462	0.7
2919	035	3245	0.07	2613	1	85	140	4	10	9	12980	10367	RH-1(D)	40	form-based			true	0.7	7	0.699999988	6	6	9086	6473	6473	0.7
2919	036	3383	0.08	1522	1	85	140	4	11	10	13532	12010	RH-1(D)	40	form-based			true	0.7	7	0.636363626	6	6	9472.399414	7950.399414	7950.399414	0.7
2919	037	3521	0.08	1374	1	65	100	3	8	7	10563	9189	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9858.799805	8484.799805	8484.799805	0.933333
2919A	002	3444	0.08	1526	1	65	100	3	8	7	10332	8806	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9643.200195	8117.200195	8117.200195	0.933333
2919A	003	3251	0.07	2594	1	65	100	3	7	6	9753	7159	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9102.799805	6508.799805	6508.799805	0.933333
2919A	004	3255	0.07	1900	1	65	100	3	7	6	9765	7865	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9114	7214	7214	0.933333
2919A	014	3459	0.08	3755	1	65	100	3	8	7	10377	6622	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9685.200195	5930.200195	5930.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2919A	026	3427	0.08	1188	1	65	100	3	8	7	10281	9093	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9595.599609	8407.599609	8407.599609	0.933333
2919A	027	3100	0.07	2680	1	65	100	3	7	6	9300	6620	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8680	6000	6000	0.933333
2919A	030	3333	0.08	1126	1	65	100	3	8	7	9999	8873	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	8206.399414	8206.399414	0.933333
2919A	031	3333	0.08	1612	1	65	100	3	8	7	9999	8387	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7720.399414	7720.399414	0.933333
2919A	032	3333	0.08	1527	1	65	100	3	8	7	9999	8472	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7805.399414	7805.399414	0.933333
2919A	033	3333	0.08	1441	1	65	100	3	8	7	9999	8558	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7891.399414	7891.399414	0.933333
2919A	034	3333	0.08	1968	1	65	100	3	8	7	9999	8031	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7364.399414	7364.399414	0.933333
2919A	035	3333	0.08	1390	1	65	100	3	8	7	9999	8609	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7942.399414	7942.399414	0.933333
2920	007	3333	0.08	2014	1	65	100	3	8	7	9999	7985	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7318.399414	7318.399414	0.933333
2920	008	3333	0.08	1894	1	65	100	3	8	7	9999	8105	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7438.399414	7438.399414	0.933333
2920	009	3333	0.08	1632	1	65	100	3	8	7	9999	8367	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7700.399414	7700.399414	0.933333
2920	010	3333	0.08	3831	1	65	100	3	8	7	9999	6168	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	5501.399414	5501.399414	0.933333
2920	011	3333	0.08	1800	1	65	100	3	8	7	9999	8199	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7532.399414	7532.399414	0.933333
2920	012	3333	0.08	1275	1	65	100	3	8	7	9999	8724	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	8057.399414	8057.399414	0.933333
2920	013	3333	0.08	2791	1	65	100	3	8	7	9999	7208	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	6541.399414	6541.399414	0.933333
2920	014	3333	0.08	2570	1	65	100	3	8	7	9999	7429	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	6762.399414	6762.399414	0.933333
2920	015	3500	0.08	1350	1	65	100	3	8	7	10500	9150	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9800	8450	8450	0.933333
2920	023	3330	0.08	2146	1	65	100	3	8	7	9990	7844	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9324	7178	7178	0.933333
2920	024	3334	0.08	1619	1	65	100	3	8	7	10002	8383	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	7716.200195	7716.200195	0.933333
2920	025	3337	0.08	1988	1	65	100	3	8	7	10011	8023	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9343.599609	7355.599609	7355.599609	0.933333
2920	026	3340	0.08	1286	1	65	100	3	8	7	10020	8734	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9352	8066	8066	0.933333
2920	027	3343	0.08	2131	1	65	100	3	8	7	10029	7898	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9360.399414	7229.399414	7229.399414	0.933333
2920	028	3347	0.08	2160	1	65	100	3	8	7	10041	7881	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9371.599609	7211.599609	7211.599609	0.933333
2920	029	3350	0.08	2184	1	65	100	3	8	7	10050	7866	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9380	7196	7196	0.933333
2920	030	3353	0.08	1803	1	65	100	3	8	7	10059	8256	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9388.399414	7585.399414	7585.399414	0.933333
2920	031	3356	0.08	1414	1	65	100	3	8	7	10068	8654	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9396.799805	7982.799805	7982.799805	0.933333
2920	032	3359	0.08	1248	1	65	100	3	8	7	10077	8829	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9405.200195	8157.200195	8157.200195	0.933333
2920	033	3329	0.08	1266	1	65	100	3	8	7	9987	8721	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9321.200195	8055.200195	8055.200195	0.933333
2920	034	3332	0.08	1315	1	65	100	3	8	7	9996	8681	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9329.599609	8014.599609	8014.599609	0.933333
2920	035	3335	0.08	1270	1	65	100	3	8	7	10005	8735	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9338	8068	8068	0.933333
2920	036	3339	0.08	1978	1	65	100	3	8	7	10017	8039	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9349.200195	7371.200195	7371.200195	0.933333
2920	037	3342	0.08	1614	1	65	100	3	8	7	10026	8412	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9357.599609	7743.599609	7743.599609	0.933333
2923	002	3169	0.07	1956	1	55	80	2.5	6	5	7922	5966	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8873.200195	6917.200195	6917.200195	1.120071
2923	028A	3108	0.07	1052	1	55	80	2.5	6	5	7770	6718	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8702.399414	7650.399414	7650.399414	1.12
2923	032A	3107	0.07	1921	1	55	80	2.5	6	5	7768	5847	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8699.599609	6778.599609	6778.599609	1.119928
2923	071	3506	0.08	4200	1	55	80	2.5	6	5	8765	4565	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9816.799805	5616.799805	5616.799805	1.12
2925	012	3330	0.08	2473	1	65	100	3	8	7	9990	7517	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9324	6851	6851	0.933333
2925	013	3330	0.08	3275	1	65	100	3	8	7	9990	6715	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9324	6049	6049	0.933333
2925	001D	3387	0.08	2902	1	65	100	3	8	7	10161	7259	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9483.599609	6581.599609	6581.599609	0.933333
2925	001G	3566	0.08	2032	1	65	100	3	8	7	10698	8666	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9984.799805	7952.799805	7952.799805	0.933333
2925	001H	3563	0.08	2600	1	65	100	3	8	7	10689	8089	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9976.399414	7376.399414	7376.399414	0.933333
2925	001I	3559	0.08	2032	1	65	100	3	8	7	10677	8645	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9965.200195	7933.200195	7933.200195	0.933333
2925	001J	3554	0.08	2576	1	65	100	3	8	7	10662	8086	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9951.200195	7375.200195	7375.200195	0.933333
2925	001K	3550	0.08	2032	1	65	100	3	8	7	10650	8618	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9940	7908	7908	0.933333
2925	009	3327	0.08	2088	1	65	100	3	8	7	9981	7893	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9315.599609	7227.599609	7227.599609	0.933333
2925	010	3327	0.08	2462	1	65	100	3	8	7	9981	7519	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9315.599609	6853.599609	6853.599609	0.933333
2925	011	3328	0.08	3157	1	65	100	3	8	7	9984	6827	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9318.399414	6161.399414	6161.399414	0.933333
2925	014	3332	0.08	1370	1	65	100	3	8	7	9996	8626	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9329.599609	7959.599609	7959.599609	0.933333
2925	015	3334	0.08	2819	1	65	100	3	8	7	10002	7183	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	6516.200195	6516.200195	0.933333
2925	016	3334	0.08	3269	1	65	100	3	8	7	10002	6733	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	6066.200195	6066.200195	0.933333
2925	017	3335	0.08	2152	1	65	100	3	8	7	10005	7853	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9338	7186	7186	0.933333
2925	018	3337	0.08	1905	1	65	100	3	8	7	10011	8106	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9343.599609	7438.599609	7438.599609	0.933333
2925	019	3338	0.08	2529	1	65	100	3	8	7	10014	7485	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9346.399414	6817.399414	6817.399414	0.933333
2926	007	3512	0.08	1975	1	65	100	3	8	7	10536	8561	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9833.599609	7858.599609	7858.599609	0.933333
2930	015	3186	0.07	2697	1	65	100	3	7	6	9558	6861	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8920.799805	6223.799805	6223.799805	0.933333
2927	005	3222	0.07	2390	1	65	100	3	7	6	9666	7276	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9021.599609	6631.599609	6631.599609	0.933333
2927	006	3381	0.08	2098	1	65	100	3	8	7	10143	8045	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9466.799805	7368.799805	7368.799805	0.933333
2927	007	3375	0.08	1720	1	65	100	3	8	7	10125	8405	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9450	7730	7730	0.933333
2927	008	3371	0.08	2160	1	65	100	3	8	7	10113	7953	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9438.799805	7278.799805	7278.799805	0.933333
2930	016	3509	0.08	3034	1	65	100	3	8	7	10527	7493	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9825.200195	6791.200195	6791.200195	0.933333
2928	004	3255	0.07	2898	1	65	100	3	7	6	9765	6867	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9114	6216	6216	0.933333
2928	005	3334	0.08	1422	1	65	100	3	8	7	10002	8580	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	7913.200195	7913.200195	0.933333
2928	006	3334	0.08	2783	1	65	100	3	8	7	10002	7219	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	6552.200195	6552.200195	0.933333
2928	007	3334	0.08	3179	1	65	100	3	8	7	10002	6823	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	6156.200195	6156.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2928	008	3334	0.08	1456	1	65	100	3	8	7	10002	8546	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	7879.200195	7879.200195	0.933333
2928	009	3334	0.08	1560	1	65	100	3	8	7	10002	8442	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	7775.200195	7775.200195	0.933333
2928	010	3334	0.08	1450	1	65	100	3	8	7	10002	8552	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	7885.200195	7885.200195	0.933333
2928	011	3334	0.08	1345	1	65	100	3	8	7	10002	8657	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	7990.200195	7990.200195	0.933333
2928	012	3334	0.08	1345	1	65	100	3	8	7	10002	8657	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	7990.200195	7990.200195	0.933333
2928	013	3334	0.08	1738	1	65	100	3	8	7	10002	8264	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	7597.200195	7597.200195	0.933333
2928	014	3334	0.08	1507	1	65	100	3	8	7	10002	8495	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	7828.200195	7828.200195	0.933333
2928	015	3334	0.08	1194	1	65	100	3	8	7	10002	8808	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	8141.200195	8141.200195	0.933333
2928	016	3334	0.08	1545	1	65	100	3	8	7	10002	8457	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9335.200195	7790.200195	7790.200195	0.933333
2928	019	3431	0.08	2578	1	65	100	3	8	7	10293	7715	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9606.799805	7028.799805	7028.799805	0.933333
2928	031	3407	0.08	2501	1	65	100	3	8	7	10221	7720	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9539.599609	7038.599609	7038.599609	0.933333
2930	017	3335	0.08	2564	1	65	100	3	8	7	10005	7441	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9338	6774	6774	0.933333
2929	005	3333	0.08	2929	1	65	100	3	8	7	9999	7070	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	6403.399414	6403.399414	0.933333
2929	006	4000	0.09	3305	2	65	100	3	9	7	12000	8695	RH-1(D)	40	form-based			true	0.7	8	0.888888896	6	6	11200	7895	7895	0.933333
2929	011	3500	0.08	3608	1	65	100	3	8	7	10500	6892	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9800	6192	6192	0.933333
2929	018	3535	0.08	2178	1	65	100	3	8	7	10605	8427	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9898	7720	7720	0.933333
2929	021	3362	0.08	1925	1	65	100	3	8	7	10086	8161	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9413.599609	7488.599609	7488.599609	0.933333
2929	023	3270	0.08	1554	1	65	100	3	8	7	9810	8256	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9156	7602	7602	0.933333
2929	024	3273	0.08	1969	1	65	100	3	8	7	9819	7850	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9164.399414	7195.399414	7195.399414	0.933333
2929	025	3276	0.08	2103	1	65	100	3	8	7	9828	7725	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7069.799805	7069.799805	0.933333
2929	026	3279	0.08	1316	1	65	100	3	8	7	9837	8521	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9181.200195	7865.200195	7865.200195	0.933333
2929	028	3320	0.08	2392	1	65	100	3	8	7	9960	7568	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9296	6904	6904	0.933333
2930	004	3180	0.07	1495	1	65	100	3	7	6	9540	8045	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8904	7409	7409	0.933333
2930	005	3120	0.07	1302	1	65	100	3	7	6	9360	8058	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8736	7434	7434	0.933333
2930	009	3247	0.07	3198	1	65	100	3	7	6	9741	6543	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9091.599609	5893.599609	5893.599609	0.933333
2930	014	3529	0.08	2813	1	65	100	3	8	7	10587	7774	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9881.200195	7068.200195	7068.200195	0.933333
2931	014	3333	0.08	1894	1	65	100	3	8	7	9999	8105	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7438.399414	7438.399414	0.933333
2931	015	3333	0.08	2265	1	65	100	3	8	7	9999	7734	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7067.399414	7067.399414	0.933333
2931	016	3333	0.08	1902	1	65	100	3	8	7	9999	8097	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7430.399414	7430.399414	0.933333
2931	017	3333	0.08	2049	1	65	100	3	8	7	9999	7950	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7283.399414	7283.399414	0.933333
2931	018	3333	0.08	2201	1	65	100	3	8	7	9999	7798	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7131.399414	7131.399414	0.933333
2931	019	3333	0.08	2282	1	65	100	3	8	7	9999	7717	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	7050.399414	7050.399414	0.933333
2931	020	3333	0.08	2339	1	65	100	3	8	7	9999	7660	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9332.399414	6993.399414	6993.399414	0.933333
2931	021	3333	0.08	1896	1	85	140	4	11	10	13332	11436	RH-1(D)	40	form-based			true	0.7	7	0.636363626	6	6	9332.399414	7436.399414	7436.399414	0.7
2931	022	3333	0.08	1786	1	85	140	4	11	10	13332	11546	RH-1(D)	40	form-based			true	0.7	7	0.636363626	6	6	9332.399414	7546.399414	7546.399414	0.7
2931	023	3333	0.08	950	1	85	140	4	11	10	13332	12382	RH-1(D)	40	form-based			true	0.7	7	0.636363626	6	6	9332.399414	8382.399414	8382.399414	0.7
2932	003	3117	0.07	2719	1	65	100	3	7	6	9351	6632	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8727.599609	6008.599609	6008.599609	0.933333
2932	011	3294	0.08	3351	1	65	100	3	8	7	9882	6531	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9223.200195	5872.200195	5872.200195	0.933333
2932	018	3351	0.08	1880	1	65	100	3	8	7	10053	8173	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9382.799805	7502.799805	7502.799805	0.933333
2932	027	3425	0.08	2040	1	65	100	3	8	7	10275	8235	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9590	7550	7550	0.933333
2932	029	3234	0.07	2190	1	65	100	3	7	6	9702	7512	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9055.200195	6865.200195	6865.200195	0.933333
2932	031	3118	0.07	2670	1	65	100	3	7	6	9354	6684	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8730.399414	6060.399414	6060.399414	0.933333
2934	001	4037	0.09	1715	2	55	80	2.5	7	5	10092	8377	RH-1(D)	40	form-based			true	0.7	8	1.142857194	6	6	11303.59961	9588.599609	9588.599609	1.120055
2934	014	3512	0.08	2324	1	55	80	2.5	6	5	8780	6456	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9833.599609	7509.599609	7509.599609	1.12
2934	015	3293	0.08	1551	1	55	80	2.5	6	5	8232	6681	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9220.399414	7669.399414	7669.399414	1.120068
2934	017	3385	0.08	1964	1	55	80	2.5	6	5	8462	6498	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9478	7514	7514	1.120066
2935	002	2670	0.06	0	0	55	80	2.5	5	5	6675	6675	RH-1(D)	40	form-based			true	0.7	6	1.200000048	6	6	7476	7476	7476	1.12
2936A	008	3198	0.07	1696	1	55	80	2.5	6	5	7995	6299	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8954.399414	7258.399414	7258.399414	1.12
2936A	010	3247	0.07	1696	1	55	80	2.5	6	5	8118	6422	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9091.599609	7395.599609	7395.599609	1.119931
2936A	011	3341	0.08	1696	1	55	80	2.5	6	5	8352	6656	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9354.799805	7658.799805	7658.799805	1.120067
2936A	013	3107	0.07	1890	1	55	80	2.5	6	5	7768	5878	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8699.599609	6809.599609	6809.599609	1.119928
2936A	020	3125	0.07	1268	1	55	80	2.5	6	5	7812	6544	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8750	7482	7482	1.120072
2936A	057	3359	0.08	1240	1	55	80	2.5	6	5	8398	7158	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9405.200195	8165.200195	8165.200195	1.119933
2936B	010	2816	0.06	0	0	55	80	2.5	5	5	7040	7040	RH-1(D)	40	form-based			true	0.7	6	1.200000048	6	6	7884.799805	7884.799805	7884.799805	1.12
2936B	027	3140	0.07	2600	1	55	80	2.5	6	5	7850	5250	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8792	6192	6192	1.12
2936B	028	3424	0.08	2600	1	55	80	2.5	6	5	8560	5960	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9587.200195	6987.200195	6987.200195	1.12
2936B	029	3255	0.07	2850	1	55	80	2.5	6	5	8138	5288	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9114	6264	6264	1.119931
2957A	010	3328	0.08	2438	1	55	80	2.5	6	5	8320	5882	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9318.399414	6880.399414	6880.399414	1.12
2957A	011	3516	0.08	1823	1	55	80	2.5	6	5	8790	6967	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9844.799805	8021.799805	8021.799805	1.12
2957A	013	3537	0.08	1418	1	55	80	2.5	6	5	8842	7424	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9903.599609	8485.599609	8485.599609	1.120063
2957A	014	3409	0.08	2167	1	55	80	2.5	6	5	8522	6355	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9545.200195	7378.200195	7378.200195	1.120066
2957A	015	3299	0.08	1499	1	55	80	2.5	6	5	8248	6749	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9237.200195	7738.200195	7738.200195	1.119932
2957A	016	3513	0.08	2180	1	55	80	2.5	6	5	8782	6602	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9836.399414	7656.399414	7656.399414	1.120064
2957A	017	3571	0.08	1831	1	55	80	2.5	6	5	8928	7097	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9998.799805	8167.799805	8167.799805	1.119937

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2957A	018	3539	0.08	2121	1	55	80	2.5	6	5	8848	6727	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9909.200195	7788.200195	7788.200195	1.119937
2957A	019	3515	0.08	1393	1	55	80	2.5	6	5	8788	7395	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9842	8449	8449	1.119936
2957A	020	3404	0.08	1378	1	55	80	2.5	6	5	8510	7132	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9531.200195	8153.200195	8153.200195	1.12
2957A	021	3440	0.08	1528	1	55	80	2.5	6	5	8600	7072	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9632	8104	8104	1.12
2957A	006	3235	0.07	1752	1	55	80	2.5	6	5	8088	6336	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9058	7306	7306	1.119931
2957A	008	3459	0.08	1700	1	55	80	2.5	6	5	8648	6948	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9685.200195	7985.200195	7985.200195	1.119935
2957A	009	3467	0.08	1695	1	55	80	2.5	6	5	8668	6973	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9707.599609	8012.599609	8012.599609	1.119935
2957A	012	3412	0.08	1700	1	55	80	2.5	6	5	8530	6830	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9553.599609	7853.599609	7853.599609	1.12
2957A	022	3429	0.08	1390	1	55	80	2.5	6	5	8572	7182	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9601.200195	8211.200195	8211.200195	1.120065
2957A	023	3375	0.08	2062	1	55	80	2.5	6	5	8438	6376	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9450	7388	7388	1.119934
2957A	024	3152	0.07	2174	1	55	80	2.5	6	5	7880	5706	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8825.599609	6651.599609	6651.599609	1.12
2957A	026	3475	0.08	1248	1	55	80	2.5	6	5	8688	7440	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9730	8482	8482	1.119936
2957A	027	3329	0.08	1522	1	55	80	2.5	6	5	8322	6800	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9321.200195	7799.200195	7799.200195	1.120067
2957A	028	3488	0.08	1268	1	55	80	2.5	6	5	8720	7452	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9766.399414	8498.399414	8498.399414	1.12
2957A	029	3276	0.08	2362	1	55	80	2.5	6	5	8190	5828	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9172.799805	6810.799805	6810.799805	1.12
2957A	030	3346	0.08	1215	1	55	80	2.5	6	5	8365	7150	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9368.799805	8153.799805	8153.799805	1.12
2957A	031	3394	0.08	1400	1	55	80	2.5	6	5	8485	7085	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9503.200195	8103.200195	8103.200195	1.12
2957A	032	3544	0.08	1434	1	55	80	2.5	6	5	8860	7426	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9923.200195	8489.200195	8489.200195	1.12
2957A	033	3554	0.08	1374	1	55	80	2.5	6	5	8885	7511	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9951.200195	8577.200195	8577.200195	1.12
2957A	034	3209	0.07	2174	1	55	80	2.5	6	5	8022	5848	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8985.200195	6811.200195	6811.200195	1.12007
2957A	035	3479	0.08	1559	1	55	80	2.5	6	5	8698	7139	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9741.200195	8182.200195	8182.200195	1.119936
2957A	037	3548	0.08	1452	1	55	80	2.5	6	5	8870	7418	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9934.399414	8482.399414	8482.399414	1.12
2957A	038	3526	0.08	2456	1	55	80	2.5	6	5	8815	6359	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9872.799805	7416.799805	7416.799805	1.12
2958	004	3141	0.07	1350	1	55	80	2.5	6	5	7852	6502	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8794.799805	7444.799805	7444.799805	1.120071
2958	005	3363	0.08	1425	1	55	80	2.5	6	5	8408	6983	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9416.399414	7991.399414	7991.399414	1.119933
2958	006	3291	0.08	2315	1	55	80	2.5	6	5	8228	5913	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9214.799805	6899.799805	6899.799805	1.119932
2958	007	3265	0.07	2143	1	55	80	2.5	6	5	8162	6019	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9142	6999	6999	1.120069
2958	008	3400	0.08	2181	1	55	80	2.5	6	5	8500	6319	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9520	7339	7339	1.12
2958	010	3299	0.08	1448	1	55	80	2.5	6	5	8248	6800	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9237.200195	7789.200195	7789.200195	1.119932
2958	011	3376	0.08	1897	1	55	80	2.5	6	5	8440	6543	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9452.799805	7555.799805	7555.799805	1.12
2958	012	3457	0.08	1226	1	55	80	2.5	6	5	8642	7416	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9679.599609	8453.599609	8453.599609	1.120065
2958	013	3376	0.08	1231	1	55	80	2.5	6	5	8440	7209	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9452.799805	8221.799805	8221.799805	1.12
2958	014	3394	0.08	1883	1	55	80	2.5	6	5	8485	6602	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9503.200195	7620.200195	7620.200195	1.12
2958	016	3125	0.07	2016	1	55	80	2.5	6	5	7812	5796	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8750	6734	6734	1.120072
2958	019	3239	0.07	1440	1	55	80	2.5	6	5	8098	6658	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9069.200195	7629.200195	7629.200195	1.119931
2958	020	3244	0.07	1150	1	55	80	2.5	6	5	8110	6960	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9083.200195	7933.200195	7933.200195	1.12
2958	021	3324	0.08	1150	1	55	80	2.5	6	5	8310	7160	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9307.200195	8157.200195	8157.200195	1.12
2958	022	3286	0.08	2171	1	55	80	2.5	6	5	8215	6044	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9200.799805	7029.799805	7029.799805	1.12
2958	023	3399	0.08	1296	1	55	80	2.5	6	5	8498	7202	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9517.200195	8221.200195	8221.200195	1.119934
2958	024	3251	0.07	1200	1	55	80	2.5	6	5	8128	6928	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9102.799805	7902.799805	7902.799805	1.119931
2958	025	3528	0.08	1750	1	55	80	2.5	6	5	8820	7070	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9878.399414	8128.399414	8128.399414	1.12
2958	026	3220	0.07	1630	1	55	80	2.5	6	5	8050	6420	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9016	7386	7386	1.12
2958	027	3390	0.08	2300	1	55	80	2.5	6	5	8475	6175	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9492	7192	7192	1.12
2958	028	3351	0.08	1352	1	55	80	2.5	6	5	8378	7026	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9382.799805	8030.799805	8030.799805	1.119933
2958	029	3267	0.08	1680	1	55	80	2.5	6	5	8168	6488	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9147.599609	7467.599609	7467.599609	1.119931
2958	030	3495	0.08	1538	1	55	80	2.5	6	5	8738	7200	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9786	8248	8248	1.119936
2958	031	3377	0.08	1712	1	55	80	2.5	6	5	8442	6730	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9455.599609	7743.599609	7743.599609	1.120066
2958	032	3416	0.08	1658	1	55	80	2.5	6	5	8540	6882	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9564.799805	7906.799805	7906.799805	1.12
2958	033	3530	0.08	1416	1	55	80	2.5	6	5	8825	7409	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9884	8468	8468	1.12
2958	034	3287	0.08	1250	1	55	80	2.5	6	5	8218	6968	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9203.599609	7953.599609	7953.599609	1.119932
2958	035	3203	0.07	1350	1	55	80	2.5	6	5	8008	6658	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8968.399414	7618.399414	7618.399414	1.11993
2959	026	3314	0.08	1385	1	55	80	2.5	6	5	8285	6900	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9279.200195	7894.200195	7894.200195	1.12
2959	027	3299	0.08	1430	1	55	80	2.5	6	5	8248	6818	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9237.200195	7807.200195	7807.200195	1.119932
2959	028	3181	0.07	1085	1	55	80	2.5	6	5	7952	6867	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8906.799805	7821.799805	7821.799805	1.12007
2959	029	3354	0.08	1710	1	55	80	2.5	6	5	8385	6675	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9391.200195	7681.200195	7681.200195	1.12
2959	030	3239	0.07	2255	1	55	80	2.5	6	5	8098	5843	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9069.200195	6814.200195	6814.200195	1.119931
2970	023	3434	0.08	2341	1	55	80	2.5	6	5	8585	6244	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9615.200195	7274.200195	7274.200195	1.12
2972	003	3410	0.08	1298	1	55	80	2.5	6	5	8525	7227	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9548	8250	8250	1.12
2972	014	3471	0.08	1941	1	55	80	2.5	6	5	8678	6737	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9718.799805	7777.799805	7777.799805	1.119935
2972	015	3291	0.08	1923	1	55	80	2.5	6	5	8228	6305	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9214.799805	7291.799805	7291.799805	1.119932
2972	019	3121	0.07	2729	1	55	80	2.5	6	5	7802	5073	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8738.799805	6009.799805	6009.799805	1.120072
2972	021	3268	0.08	1944	1	55	80	2.5	6	5	8170	6226	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9150.399414	7206.399414	7206.399414	1.12
2972	022	3539	0.08	1941	1	55	80	2.5	6	5	8848	6907	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9909.200195	7968.200195	7968.200195	1.119937
2972	023	3304	0.08	1971	1	55	80	2.5	6	5	8260	6289	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9251.200195	7280.200195	7280.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2972	024	3570	0.08	1971	1	55	80	2.5	6	5	8925	6954	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9996	8025	8025	1.12
2973	002	3214	0.07	1698	1	55	80	2.5	6	5	8035	6337	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8999.200195	7301.200195	7301.200195	1.12
2973	005	3439	0.08	1634	1	55	80	2.5	6	5	8598	6964	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9629.200195	7995.200195	7995.200195	1.119935
2975	015	3323	0.08	1524	1	65	100	3	8	7	9969	8445	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9304.399414	7780.399414	7780.399414	0.933333
2975	034	3222	0.07	1846	1	65	100	3	7	6	9666	7820	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9021.599609	7175.599609	7175.599609	0.933333
2975	005	3334	0.08	1250	1	55	80	2.5	6	5	8335	7085	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9335.200195	8085.200195	8085.200195	1.12
2975	006	3284	0.08	1522	1	55	80	2.5	6	5	8210	6688	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9195.200195	7673.200195	7673.200195	1.12
2975	007	3346	0.08	1944	1	65	100	3	8	7	10038	8094	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9368.799805	7424.799805	7424.799805	0.933333
2975	008	3354	0.08	1420	1	65	100	3	8	7	10062	8642	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9391.200195	7971.200195	7971.200195	0.933333
2975	009	3379	0.08	1404	1	65	100	3	8	7	10137	8733	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9461.200195	8057.200195	8057.200195	0.933333
2975	010	3208	0.07	1426	1	65	100	3	7	6	9624	8198	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8982.399414	7556.399414	7556.399414	0.933333
2975	011	3253	0.07	2952	1	65	100	3	7	6	9759	6807	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9108.399414	6156.399414	6156.399414	0.933333
2975	012	3503	0.08	2216	1	65	100	3	8	7	10509	8293	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9808.399414	7592.399414	7592.399414	0.933333
2975	013	3547	0.08	2162	1	65	100	3	8	7	10641	8479	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9931.599609	7769.599609	7769.599609	0.933333
2975	014	3369	0.08	1696	1	65	100	3	8	7	10107	8411	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9433.200195	7737.200195	7737.200195	0.933333
2975	017	3290	0.08	2086	1	65	100	3	8	7	9870	7784	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9212	7126	7126	0.933333
2975	018	3188	0.07	1710	1	65	100	3	7	6	9564	7854	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8926.399414	7216.399414	7216.399414	0.933333
2975	019	3287	0.08	1797	1	65	100	3	8	7	9861	8064	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9203.599609	7406.599609	7406.599609	0.933333
2975	020	3240	0.07	2086	1	65	100	3	7	6	9720	7634	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9072	6986	6986	0.933333
2975	021	3131	0.07	1220	1	65	100	3	7	6	9393	8173	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8766.799805	7546.799805	7546.799805	0.933333
2975	022	3386	0.08	1700	1	65	100	3	8	7	10158	8458	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9480.799805	7780.799805	7780.799805	0.933333
2975	023	3299	0.08	1800	1	65	100	3	8	7	9897	8097	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9237.200195	7437.200195	7437.200195	0.933333
2975	024	3128	0.07	1459	1	65	100	3	7	6	9384	7925	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	8758.399414	7299.399414	7299.399414	0.933333
2975	025	3441	0.08	2088	1	65	100	3	8	7	10323	8235	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9634.799805	7546.799805	7546.799805	0.933333
2975	026	3187	0.07	3044	1	65	100	3	7	6	9561	6517	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8923.599609	5879.599609	5879.599609	0.933333
2975	027	3375	0.08	2307	1	65	100	3	8	7	10125	7818	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9450	7143	7143	0.933333
2975	028	3310	0.08	2000	1	65	100	3	8	7	9930	7930	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9268	7268	7268	0.933333
2975	029	3345	0.08	2072	1	65	100	3	8	7	10035	7963	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9366	7294	7294	0.933333
2975	033	3482	0.08	2685	1	65	100	3	8	7	10446	7761	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9749.599609	7064.599609	7064.599609	0.933333
2975	035	3176	0.07	2023	1	55	80	2.5	6	5	7940	5917	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8892.799805	6869.799805	6869.799805	1.12
2975	036	3454	0.08	1395	1	55	80	2.5	6	5	8635	7240	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9671.200195	8276.200195	8276.200195	1.12
2975	046	3185	0.07	1232	1	55	80	2.5	6	5	7962	6730	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8918	7686	7686	1.12007
2975	048	3488	0.08	1690	1	55	80	2.5	6	5	8720	7030	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9766.399414	8076.399414	8076.399414	1.12
2976	003	3161	0.07	1636	1	65	100	3	7	6	9483	7847	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8850.799805	7214.799805	7214.799805	0.933333
2976	006	3190	0.07	1226	1	65	100	3	7	6	9570	8344	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8932	7706	7706	0.933333
2976	014	3134	0.07	1666	1	65	100	3	7	6	9402	7736	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	8775.200195	7109.200195	7109.200195	0.933333
2976	015	3102	0.07	1452	1	65	100	3	7	6	9306	7854	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8685.599609	7233.599609	7233.599609	0.933333
2976	016	3366	0.08	1870	1	65	100	3	8	7	10098	8228	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9424.799805	7554.799805	7554.799805	0.933333
2976	017	3200	0.07	1500	1	65	100	3	7	6	9600	8100	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8960	7460	7460	0.933333
2976	018	3291	0.08	1416	1	65	100	3	8	7	9873	8457	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9214.799805	7798.799805	7798.799805	0.933333
2976	019	3182	0.07	2056	1	65	100	3	7	6	9546	7490	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8909.599609	6853.599609	6853.599609	0.933333
2976	021	3131	0.07	1734	1	65	100	3	7	6	9393	7659	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8766.799805	7032.799805	7032.799805	0.933333
2976	023	3361	0.08	2563	1	65	100	3	8	7	10083	7520	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9410.799805	6847.799805	6847.799805	0.933333
2976	024	3163	0.07	2055	1	65	100	3	7	6	9489	7434	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8856.399414	6801.399414	6801.399414	0.933333
2976	025	3223	0.07	4295	1	65	100	3	7	6	9669	5374	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	9024.399414	4729.399414	4729.399414	0.933333
2976	026	3331	0.08	2614	1	65	100	3	8	7	9993	7379	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9326.799805	6712.799805	6712.799805	0.933333
2977	010	3437	0.08	1758	1	65	100	3	8	7	10311	8553	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9623.599609	7865.599609	7865.599609	0.933333
2977	018	3401	0.08	2704	1	65	100	3	8	7	10203	7499	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9522.799805	6818.799805	6818.799805	0.933333
2977	019	3140	0.07	1218	1	65	100	3	7	6	9420	8202	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8792	7574	7574	0.933333
2978	001	3324	0.08	1838	1	65	100	3	8	7	9972	8134	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9307.200195	7469.200195	7469.200195	0.933333
2978	017	3238	0.07	1929	1	65	100	3	7	6	9714	7785	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9066.399414	7137.399414	7137.399414	0.933333
2978	018	3500	0.08	2960	1	65	100	3	8	7	10500	7540	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9800	6840	6840	0.933333
2978	020	3517	0.08	2619	1	65	100	3	8	7	10551	7932	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9847.599609	7228.599609	7228.599609	0.933333
2979	007	3223	0.07	1404	1	85	140	4	10	9	12892	11488	RH-1(D)	40	form-based			true	0.7	7	0.699999988	6	6	9024.399414	7620.399414	7620.399414	0.7
2979A	006	3204	0.07	2443	1	65	100	3	7	6	9612	7169	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8971.200195	6528.200195	6528.200195	0.933333
2979	046	3097	0.07	1926	1	65	100	3	7	6	9291	7365	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	8671.599609	6745.599609	6745.599609	0.933333
2979	049	3287	0.08	1325	1	65	100	3	8	7	9861	8536	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9203.599609	7878.599609	7878.599609	0.933333
2979A	013	3344	0.08	1994	1	65	100	3	8	7	10032	8038	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9363.200195	7369.200195	7369.200195	0.933333
2980	004	3267	0.08	2256	1	55	80	2.5	6	5	8168	5912	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9147.599609	6891.599609	6891.599609	1.119931
2980	005	3413	0.08	1784	1	55	80	2.5	6	5	8532	6748	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9556.399414	7772.399414	7772.399414	1.120066
2980	007	3126	0.07	1200	1	55	80	2.5	6	5	7815	6615	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8752.799805	7552.799805	7552.799805	1.12
2980	010	3262	0.07	2821	1	55	80	2.5	6	5	8155	5334	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9133.599609	6312.599609	6312.599609	1.12
2980	014	3452	0.08	1130	1	55	80	2.5	6	5	8630	7500	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9665.599609	8535.599609	8535.599609	1.12
2980	015	3377	0.08	2410	1	55	80	2.5	6	5	8442	6032	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9455.599609	7045.599609	7045.599609	1.120066

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2981	012	3427	0.08	1100	1	65	100	3	8	7	10281	9181	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9595.599609	8495.599609	8495.599609	0.933333
2980	019	3544	0.08	2343	1	55	80	2.5	6	5	8860	6517	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9923.200195	7580.200195	7580.200195	1.12
2980	020	3497	0.08	1837	1	55	80	2.5	6	5	8742	6905	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9791.599609	7954.599609	7954.599609	1.120064
2986	017	3139	0.07	1916	1	65	100	3	7	6	9417	7501	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8789.200195	6873.200195	6873.200195	0.933333
2981	016	3311	0.08	1518	1	65	100	3	8	7	9933	8415	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9270.799805	7752.799805	7752.799805	0.933333
2981	017	3314	0.08	2026	1	65	100	3	8	7	9942	7916	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9279.200195	7253.200195	7253.200195	0.933333
2981	026	3144	0.07	2148	1	65	100	3	7	6	9432	7284	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	8803.200195	6655.200195	6655.200195	0.933333
2981	027	3373	0.08	1370	1	65	100	3	8	7	10119	8749	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9444.399414	8074.399414	8074.399414	0.933333
2981	028	3199	0.07	1370	1	65	100	3	7	6	9597	8227	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8957.200195	7587.200195	7587.200195	0.933333
2981	029	3289	0.08	2462	1	65	100	3	8	7	9867	7405	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9209.200195	6747.200195	6747.200195	0.933333
2981	030	3388	0.08	1715	1	65	100	3	8	7	10164	8449	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9486.399414	7771.399414	7771.399414	0.933333
2981	031	3489	0.08	1580	1	65	100	3	8	7	10467	8887	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9769.200195	8189.200195	8189.200195	0.933333
2981	032	3203	0.07	1590	1	65	100	3	7	6	9609	8019	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8968.399414	7378.399414	7378.399414	0.933333
2981	033	3300	0.08	1590	1	65	100	3	8	7	9900	8310	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9240	7650	7650	0.933333
2981	034	3199	0.07	1590	1	65	100	3	7	6	9597	8007	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8957.200195	7367.200195	7367.200195	0.933333
2981	036	3364	0.08	1926	1	65	100	3	8	7	10092	8166	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9419.200195	7493.200195	7493.200195	0.933333
2981	037	3354	0.08	2272	1	65	100	3	8	7	10062	7790	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9391.200195	7119.200195	7119.200195	0.933333
2982	001	3104	0.07	1585	1	55	80	2.5	6	5	7760	6175	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8691.200195	7106.200195	7106.200195	1.12
2982	002	3131	0.07	1450	1	55	80	2.5	6	5	7828	6378	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8766.799805	7316.799805	7316.799805	1.119928
2982	007	3138	0.07	1882	1	55	80	2.5	6	5	7845	5963	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8786.399414	6904.399414	6904.399414	1.12
2985	012	3246	0.07	1520	1	55	80	2.5	6	5	8115	6595	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9088.799805	7568.799805	7568.799805	1.12
2982	028	3442	0.08	2584	1	55	80	2.5	6	5	8605	6021	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9637.599609	7053.599609	7053.599609	1.12
2982	031	3268	0.08	1573	1	55	80	2.5	6	5	8170	6597	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9150.399414	7577.399414	7577.399414	1.12
2982	032	3141	0.07	1300	1	55	80	2.5	6	5	7852	6552	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8794.799805	7494.799805	7494.799805	1.120071
2985	013	3242	0.07	1250	1	55	80	2.5	6	5	8105	6855	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9077.599609	7827.599609	7827.599609	1.12
2985	014	3220	0.07	1275	1	55	80	2.5	6	5	8050	6775	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9016	7741	7741	1.12
2985	016	3335	0.08	2345	1	55	80	2.5	6	5	8338	5993	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9338	6993	6993	1.119933
2985	017	3167	0.07	1674	1	55	80	2.5	6	5	7918	6244	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8867.599609	7193.599609	7193.599609	1.119929
2983	033	3122	0.07	2409	1	65	100	3	7	6	9366	6957	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8741.599609	6332.599609	6332.599609	0.933333
2984	008	3566	0.08	2230	1	65	100	3	8	7	10698	8468	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9984.799805	7754.799805	7754.799805	0.933333
2984	011	3241	0.07	2244	1	65	100	3	7	6	9723	7479	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	9074.799805	6830.799805	6830.799805	0.933333
2984	013	3182	0.07	2383	1	65	100	3	7	6	9546	7163	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8909.599609	6526.599609	6526.599609	0.933333
2984	015	3227	0.07	1625	1	65	100	3	7	6	9681	8056	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9035.599609	7410.599609	7410.599609	0.933333
2984	017	3277	0.08	1925	1	65	100	3	8	7	9831	7906	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9175.599609	7250.599609	7250.599609	0.933333
2985	002	3449	0.08	2095	1	55	80	2.5	6	5	8622	6527	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9657.200195	7562.200195	7562.200195	1.120065
2985	003	3210	0.07	2600	1	55	80	2.5	6	5	8025	5425	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8988	6388	6388	1.12
2985	004	3360	0.08	2600	1	55	80	2.5	6	5	8400	5800	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9408	6808	6808	1.12
2985	005	3236	0.07	2464	1	55	80	2.5	6	5	8090	5626	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9060.799805	6596.799805	6596.799805	1.12
2985	006	3306	0.08	1124	1	55	80	2.5	6	5	8265	7141	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9256.799805	8132.799805	8132.799805	1.12
2985	007	3247	0.07	1200	1	55	80	2.5	6	5	8118	6918	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9091.599609	7891.599609	7891.599609	1.119931
2985	008	3348	0.08	1150	1	55	80	2.5	6	5	8370	7220	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9374.399414	8224.399414	8224.399414	1.12
2985	009	3367	0.08	1258	1	55	80	2.5	6	5	8418	7160	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9427.599609	8169.599609	8169.599609	1.119933
2985	010	3287	0.08	1596	1	55	80	2.5	6	5	8218	6622	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9203.599609	7607.599609	7607.599609	1.119932
2985	023	3379	0.08	1365	1	55	80	2.5	6	5	8448	7083	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9461.200195	8096.200195	8096.200195	1.119934
2985	025	3210	0.07	1475	1	55	80	2.5	6	5	8025	6550	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8988	7513	7513	1.12
2985	026	3207	0.07	1470	1	55	80	2.5	6	5	8018	6548	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8979.599609	7509.599609	7509.599609	1.11993
2985	027	3233	0.07	1545	1	55	80	2.5	6	5	8082	6537	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9052.399414	7507.399414	7507.399414	1.120069
2985	028	3274	0.08	1404	1	55	80	2.5	6	5	8185	6781	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9167.200195	7763.200195	7763.200195	1.12
2985	029	3510	0.08	1352	1	55	80	2.5	6	5	8775	7423	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9828	8476	8476	1.12
2985	030	3434	0.08	1615	1	55	80	2.5	6	5	8585	6970	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9615.200195	8000.200195	8000.200195	1.12
2985	031	3563	0.08	1400	1	55	80	2.5	6	5	8908	7508	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9976.399414	8576.399414	8576.399414	1.119937
2986	002	3125	0.07	1464	1	65	100	3	7	6	9375	7911	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8750	7286	7286	0.933333
2986	009	3129	0.07	2210	1	65	100	3	7	6	9387	7177	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8761.200195	6551.200195	6551.200195	0.933333
2986	015	3317	0.08	2082	1	65	100	3	8	7	9951	7869	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9287.599609	7205.599609	7205.599609	0.933333
2986	019	3180	0.07	1546	1	65	100	3	7	6	9540	7994	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8904	7358	7358	0.933333
2987	004	3142	0.07	2801	1	65	100	3	7	6	9426	6625	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	8797.599609	5996.599609	5996.599609	0.933333
2987	008	3246	0.07	2363	1	65	100	3	7	6	9738	7375	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9088.799805	6725.799805	6725.799805	0.933333
2987	009	3284	0.08	1822	1	65	100	3	8	7	9852	8030	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9195.200195	7373.200195	7373.200195	0.933333
2987	010	3264	0.07	1780	1	65	100	3	7	6	9792	8012	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9139.200195	7359.200195	7359.200195	0.933333
2987	011	3394	0.08	1923	1	65	100	3	8	7	10182	8259	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9503.200195	7580.200195	7580.200195	0.933333
2987	021	3122	0.07	1105	1	65	100	3	7	6	9366	8261	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8741.599609	7636.599609	7636.599609	0.933333
2987	024	3140	0.07	1412	1	65	100	3	7	6	9420	8008	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8792	7380	7380	0.933333
2987	028	3140	0.07	1010	1	65	100	3	7	6	9420	8410	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8792	7782	7782	0.933333
2987	031	3189	0.07	1970	1	65	100	3	7	6	9567	7597	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8929.200195	6959.200195	6959.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2987A	033	3361	0.08	2566	1	65	100	3	8	7	10083	7517	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9410.799805	6844.799805	6844.799805	0.933333
2988	016	3318	0.08	2342	1	55	80	2.5	6	5	8295	5953	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9290.399414	6948.399414	6948.399414	1.12
2988	017	3187	0.07	2360	1	55	80	2.5	6	5	7968	5608	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8923.599609	6563.599609	6563.599609	1.11993
2988	020	3191	0.07	1208	1	55	80	2.5	6	5	7978	6770	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8934.799805	7726.799805	7726.799805	1.11993
2988	022	3135	0.07	1947	1	55	80	2.5	6	5	7838	5891	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8778	6831	6831	1.119929
2988	023	3164	0.07	1266	1	55	80	2.5	6	5	7910	6644	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8859.200195	7593.200195	7593.200195	1.12
2988A	021A	3225	0.07	2488	1	65	100	3	7	6	9675	7187	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9030	6542	6542	0.933333
2988A	023	3510	0.08	1610	1	65	100	3	8	7	10530	8920	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9828	8218	8218	0.933333
2988A	024	3497	0.08	1490	1	65	100	3	8	7	10491	9001	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9791.599609	8301.599609	8301.599609	0.933333
2988A	025A	3240	0.07	1545	1	65	100	3	7	6	9720	8175	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9072	7527	7527	0.933333
2988A	027	3314	0.08	1965	1	65	100	3	8	7	9942	7977	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9279.200195	7314.200195	7314.200195	0.933333
2988A	028	3358	0.08	1210	1	65	100	3	8	7	10074	8864	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9402.399414	8192.399414	8192.399414	0.933333
2988A	028A	3254	0.07	2470	1	65	100	3	7	6	9762	7292	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9111.200195	6641.200195	6641.200195	0.933333
2989	033	3356	0.08	1352	1	55	80	2.5	6	5	8390	7038	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9396.799805	8044.799805	8044.799805	1.12
2989	035	3567	0.08	1258	1	55	80	2.5	6	5	8918	7660	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9987.599609	8729.599609	8729.599609	1.119937
2989	039	3476	0.08	1225	1	55	80	2.5	6	5	8690	7465	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9732.799805	8507.799805	8507.799805	1.12
2989	040	3311	0.08	1920	1	55	80	2.5	6	5	8278	6358	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9270.799805	7350.799805	7350.799805	1.119932
2989	041	3288	0.08	1450	1	55	80	2.5	6	5	8220	6770	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9206.399414	7756.399414	7756.399414	1.12
2989	042	3288	0.08	1195	1	55	80	2.5	6	5	8220	7025	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9206.399414	8011.399414	8011.399414	1.12
2989	044	3275	0.08	1300	1	55	80	2.5	6	5	8188	6888	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9170	7870	7870	1.119932
2989	045	3265	0.07	1827	1	55	80	2.5	6	5	8162	6335	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9142	7315	7315	1.120069
3011	002	3143	0.07	1218	1	55	80	2.5	6	5	7858	6640	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8800.399414	7582.399414	7582.399414	1.119929
3011	003	3541	0.08	1546	1	55	80	2.5	6	5	8852	7306	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9914.799805	8368.799805	8368.799805	1.120063
3011A	010A	3470	0.08	3333	1	55	80	2.5	6	5	8675	5342	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9716	6383	6383	1.12
3011A	022	3291	0.08	1840	1	65	100	3	8	7	9873	8033	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9214.799805	7374.799805	7374.799805	0.933333
3011A	022A	3107	0.07	1695	1	65	100	3	7	6	9321	7626	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8699.599609	7004.599609	7004.599609	0.933333
3011A	023	2892	0.07	1794	0	65	100	3	7	7	8676	6882	RH-1(D)	40	form-based			true	0.7	6	0.857142866	6	6	8097.600098	6303.600098	6303.600098	0.933333
3028B	048	3487	0.08	1623	1	55	80	2.5	6	5	8718	7095	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9763.599609	8140.599609	8140.599609	1.119936
3028B	085	3113	0.07	1402	1	55	80	2.5	6	5	7782	6380	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8716.399414	7314.399414	7314.399414	1.120072
3033	016	3181	0.07	2415	1	55	80	2.5	6	5	7952	5537	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8906.799805	6491.799805	6491.799805	1.12007
3033	023	4047	0.09	4816	2	55	80	2.5	7	5	10118	5302	RH-1	40	form-based			true	0.7	8	1.142857194	6	6	11331.59961	6515.599609	6515.599609	1.119945
3033	027	3862	0.09	2556	2	55	80	2.5	7	5	9655	7099	RH-1	40	form-based			true	0.7	8	1.142857194	6	6	10813.59961	8257.599609	8257.599609	1.12
3033	031	3973	0.09	1372	2	55	80	2.5	7	5	9932	8560	RH-1	40	form-based			true	0.7	8	1.142857194	6	6	11124.39941	9752.399414	9752.399414	1.120056
3041	016	3161	0.07	3233	1	55	80	2.5	6	5	7902	4669	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8850.799805	5617.799805	5617.799805	1.120071
3041	019	3385	0.08	1616	1	55	80	2.5	6	5	8462	6846	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9478	7862	7862	1.120066
3041	037	3545	0.08	4674	1	55	80	2.5	6	5	8862	4188	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9926	5252	5252	1.120063
3041	038	3487	0.08	2470	1	55	80	2.5	6	5	8718	6248	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9763.599609	7293.599609	7293.599609	1.119936
3041	043	3363	0.08	1972	1	55	80	2.5	6	5	8408	6436	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9416.399414	7444.399414	7444.399414	1.119933
3041	044	3167	0.07	1972	1	55	80	2.5	6	5	7918	5946	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8867.599609	6895.599609	6895.599609	1.119929
3042	001	3511	0.08	1950	1	55	80	2.5	6	5	8778	6828	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9830.799805	7880.799805	7880.799805	1.119936
3042	002	3163	0.07	2586	1	55	80	2.5	6	5	7908	5322	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8856.399414	6270.399414	6270.399414	1.119929
3048	021	3456	0.08	2884	1	55	80	2.5	6	5	8640	5756	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9676.799805	6792.799805	6792.799805	1.12
3042	017	3434	0.08	1940	1	55	80	2.5	6	5	8585	6645	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9615.200195	7675.200195	7675.200195	1.12
3042	042	3490	0.08	1680	1	55	80	2.5	6	5	8725	7045	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9772	8092	8092	1.12
3048	019	3319	0.08	3416	1	55	80	2.5	6	5	8298	4882	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9293.200195	5877.200195	5877.200195	1.119933
3048	020	3481	0.08	3100	1	55	80	2.5	6	5	8702	5602	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9746.799805	6646.799805	6646.799805	1.120064
3059	003	3488	0.08	1658	1	65	100	3	8	7	10464	8806	RH-1	40	form-based			true	0.7	7	0.875	6	6	9766.399414	8108.399414	8108.399414	0.933333
3059	004	3488	0.08	2208	1	65	100	3	8	7	10464	8256	RH-1	40	form-based			true	0.7	7	0.875	6	6	9766.399414	7558.399414	7558.399414	0.933333
3062	051	2813	0.06	1171	0	55	80	2.5	5	5	7032	5861	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7876.399902	6705.399902	6705.399902	1.12008
3069	011	2635	0.06	397	0	85	140	4	8	8	10540	10143	RH-1(D)	40	form-based		true	true	0.7	6	0.75	6	6	7378	6981	6981	0.7
3076	003A	3534	0.08	2899	1	55	80	2.5	6	5	8835	5936	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9895.200195	6996.200195	6996.200195	1.12
3078	002	3545	0.08	2546	1	55	80	2.5	6	5	8862	6316	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9926	7380	7380	1.120063
3078	027	3495	0.08	1556	1	55	80	2.5	6	5	8738	7182	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9786	8230	8230	1.119936
3089	078	3300	0.08	2185	1	55	80	2.5	6	5	8250	6065	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9240	7055	7055	1.12
3091	049	2974	0.07	0	0	55	80	2.5	6	6	7435	7435	RH-1	40	form-based			true	0.7	6	1	6	6	8327.200195	8327.200195	8327.200195	1.12
3093	009	2482	0.06	3178	0	55	80	2.5	5	5	6205	3027	NC-1	40	form-based			true	0.75	6	1.200000048	6	6	7446	4268	4268	1.2
3093	011	2482	0.06	1525	0	55	80	2.5	5	5	6205	4680	NC-1	40	form-based			true	0.75	6	1.200000048	6	6	7446	5921	5921	1.2
3106	020	3305	0.08	2286	1	55	80	2.5	6	5	8262	5976	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9254	6968	6968	1.120068
3107	004	3930	0.09	2415	2	55	80	2.5	7	5	9825	7410	RH-1(D)	40	form-based			true	0.7	8	1.142857194	6	6	11004	8589	8589	1.12
3106	017	3272	0.08	1474	1	55	80	2.5	6	5	8180	6706	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9161.599609	7687.599609	7687.599609	1.12
3106	019	3277	0.08	1264	1	55	80	2.5	6	5	8192	6928	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9175.599609	7911.599609	7911.599609	1.120068
3109	005	3566	0.08	1270	1	55	80	2.5	6	5	8915	7645	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9984.799805	8714.799805	8714.799805	1.12
3109	011	3461	0.08	1620	1	55	80	2.5	6	5	8652	7032	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9690.799805	8070.799805	8070.799805	1.120065
3109	013	3205	0.07	1070	1	55	80	2.5	6	5	8012	6942	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8974	7904	7904	1.12007

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3109	015	3540	0.08	2550	1	55	80	2.5	6	5	8850	6300	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9912	7362	7362	1.12
3109	016	3516	0.08	1360	1	55	80	2.5	6	5	8790	7430	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9844.799805	8484.799805	8484.799805	1.12
3110	002	3440	0.08	1883	1	55	80	2.5	6	5	8600	6717	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9632	7749	7749	1.12
3110	004	3338	0.08	1461	1	55	80	2.5	6	5	8345	6884	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9346.399414	7885.399414	7885.399414	1.12
3110	005	3421	0.08	1332	1	55	80	2.5	6	5	8552	7220	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9578.799805	8246.799805	8246.799805	1.120065
3110	006	3392	0.08	2615	1	55	80	2.5	6	5	8480	5865	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9497.599609	6882.599609	6882.599609	1.12
3110	007	3470	0.08	1314	1	55	80	2.5	6	5	8675	7361	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9716	8402	8402	1.12
3110	010	3434	0.08	1324	1	55	80	2.5	6	5	8585	7261	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9615.200195	8291.200195	8291.200195	1.12
3110	012	3176	0.07	1483	1	55	80	2.5	6	5	7940	6457	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8892.799805	7409.799805	7409.799805	1.12
3111	005	3502	0.08	2080	1	55	80	2.5	6	5	8755	6675	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9805.599609	7725.599609	7725.599609	1.12
3111	008	3422	0.08	1175	1	55	80	2.5	6	5	8555	7380	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9581.599609	8406.599609	8406.599609	1.12
3111	012	3490	0.08	1466	1	55	80	2.5	6	5	8725	7259	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9772	8306	8306	1.12
3111	013	3384	0.08	1344	1	55	80	2.5	6	5	8460	7116	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9475.200195	8131.200195	8131.200195	1.12
3111	014	3423	0.08	1961	1	55	80	2.5	6	5	8558	6597	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9584.399414	7623.399414	7623.399414	1.119934
3113	003	3135	0.07	1934	1	55	80	2.5	6	5	7838	5904	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8778	6844	6844	1.119929
3113	006	3120	0.07	1158	1	55	80	2.5	6	5	7800	6642	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8736	7578	7578	1.12
3113	007	3141	0.07	1237	1	55	80	2.5	6	5	7852	6615	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8794.799805	7557.799805	7557.799805	1.120071
3113	008	3148	0.07	1166	1	55	80	2.5	6	5	7870	6704	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8814.399414	7648.399414	7648.399414	1.12
3113	011	3176	0.07	960	1	55	80	2.5	6	5	7940	6980	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8892.799805	7932.799805	7932.799805	1.12
3113	012	3540	0.08	1200	1	55	80	2.5	6	5	8850	7650	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9912	8712	8712	1.12
3113	013	3302	0.08	1058	1	55	80	2.5	6	5	8255	7197	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9245.599609	8187.599609	8187.599609	1.12
3113	014	3530	0.08	1144	1	55	80	2.5	6	5	8825	7681	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9884	8740	8740	1.12
3116	007	2813	0.06	3139	0	55	80	2.5	5	5	7032	3893	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7876.399902	4737.399902	4737.399902	1.12008
3117	020	3125	0.07	2735	1	55	80	2.5	6	5	7812	5077	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	6015	6015	1.120072
3117	035	3825	0.09	4374	2	55	80	2.5	7	5	9562	5188	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10710	6336	6336	1.120059
3117	036	3889	0.09	2274	2	55	80	2.5	7	5	9722	7448	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10889.2002	8615.200195	8615.200195	1.120058
3117	037	3889	0.09	2274	2	55	80	2.5	7	5	9722	7448	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10889.2002	8615.200195	8615.200195	1.120058
3117	038	3918	0.09	2274	2	55	80	2.5	7	5	9795	7521	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10970.39941	8696.399414	8696.399414	1.12
3117	039	3777	0.09	2274	2	55	80	2.5	7	5	9442	7168	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10575.59961	8301.599609	8301.599609	1.120059
3117	040	4003	0.09	3360	2	55	80	2.5	7	5	10008	6648	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	11208.39941	7848.399414	7848.399414	1.119944
3117	052	3171	0.07	782	1	55	80	2.5	6	5	7928	7146	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8878.799805	8096.799805	8096.799805	1.119929
3118	026	3543	0.08	995	1	55	80	2.5	6	5	8858	7863	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9920.399414	8925.399414	8925.399414	1.119937
3118	036	2849	0.07	1634	0	65	100	3	7	7	8547	6913	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	7977.199707	6343.199707	6343.199707	0.933333
3122	010	3375	0.08	1300	1	55	80	2.5	6	5	8438	7138	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	8150	8150	1.119934
3122	011	3375	0.08	1526	1	55	80	2.5	6	5	8438	6912	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	7924	7924	1.119934
3122	012	3488	0.08	1200	1	55	80	2.5	6	5	8720	7520	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9766.399414	8566.399414	8566.399414	1.12
3122	014	3487	0.08	1200	1	55	80	2.5	6	5	8718	7518	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9763.599609	8563.599609	8563.599609	1.119936
3122	015	3488	0.08	1200	1	55	80	2.5	6	5	8720	7520	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9766.399414	8566.399414	8566.399414	1.12
3122	016	3487	0.08	1200	1	55	80	2.5	6	5	8718	7518	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9763.599609	8563.599609	8563.599609	1.119936
3122	018	3488	0.08	1200	1	55	80	2.5	6	5	8720	7520	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9766.399414	8566.399414	8566.399414	1.12
3122	019	3488	0.08	1200	1	55	80	2.5	6	5	8720	7520	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9766.399414	8566.399414	8566.399414	1.12
3122	020	3488	0.08	1058	1	55	80	2.5	6	5	8720	7662	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9766.399414	8708.399414	8708.399414	1.12
3122	022	3487	0.08	1200	1	55	80	2.5	6	5	8718	7518	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9763.599609	8563.599609	8563.599609	1.119936
3122	023	3488	0.08	1050	1	55	80	2.5	6	5	8720	7670	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9766.399414	8716.399414	8716.399414	1.12
3122	024	3488	0.08	1200	1	55	80	2.5	6	5	8720	7520	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9766.399414	8566.399414	8566.399414	1.12
3122	025	3375	0.08	1300	1	55	80	2.5	6	5	8438	7138	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	8150	8150	1.119934
3122	046	3382	0.08	1190	1	55	80	2.5	6	5	8455	7265	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9469.599609	8279.599609	8279.599609	1.12
3122	047	3382	0.08	1190	1	55	80	2.5	6	5	8455	7265	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9469.599609	8279.599609	8279.599609	1.12
3122	048	3382	0.08	1370	1	55	80	2.5	6	5	8455	7085	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9469.599609	8099.599609	8099.599609	1.12
3133	001	3529	0.08	1917	1	55	80	2.5	6	5	8822	6905	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9881.200195	7964.200195	7964.200195	1.120064
3133	008	3374	0.08	1345	1	55	80	2.5	6	5	8435	7090	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9447.200195	8102.200195	8102.200195	1.12
3134	008	3508	0.08	1458	1	55	80	2.5	6	5	8770	7312	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9822.399414	8364.399414	8364.399414	1.12
3135	002	3133	0.07	1647	1	55	80	2.5	6	5	7832	6185	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8772.399414	7125.399414	7125.399414	1.120071
3135	003	3345	0.08	1191	1	55	80	2.5	6	5	8362	7171	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9366	8175	8175	1.120067
3135	004	3117	0.07	1170	1	55	80	2.5	6	5	7792	6622	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	7557.599609	7557.599609	1.120072
3135	005	3222	0.07	1311	1	55	80	2.5	6	5	8055	6744	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9021.599609	7710.599609	7710.599609	1.12
3135	006	3480	0.08	1200	1	55	80	2.5	6	5	8700	7500	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9744	8544	8544	1.12
3135	007	3263	0.07	1284	1	55	80	2.5	6	5	8158	6874	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9136.399414	7852.399414	7852.399414	1.119931
3135	008	3436	0.08	1125	1	55	80	2.5	6	5	8590	7465	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9620.799805	8495.799805	8495.799805	1.12
3135	009	3557	0.08	1200	1	55	80	2.5	6	5	8892	7692	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9959.599609	8759.599609	8759.599609	1.120063
3136	002	3415	0.08	2227	1	55	80	2.5	6	5	8538	6311	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9562	7335	7335	1.119934
3136	003	3395	0.08	2005	1	55	80	2.5	6	5	8488	6483	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9506	7501	7501	1.119934
3136	004	3331	0.08	1150	1	55	80	2.5	6	5	8328	7178	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9326.799805	8176.799805	8176.799805	1.119933
3136	005	3470	0.08	1140	1	55	80	2.5	6	5	8675	7535	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9716	8576	8576	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3136	006	3322	0.08	1754	1	55	80	2.5	6	5	8305	6551	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9301.599609	7547.599609	7547.599609	1.12
3136	007	3553	0.08	1230	1	55	80	2.5	6	5	8882	7652	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9948.399414	8718.399414	8718.399414	1.120063
3136	008	3411	0.08	1601	1	55	80	2.5	6	5	8528	6927	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9550.799805	7949.799805	7949.799805	1.119934
3137	002	3297	0.08	1838	1	55	80	2.5	6	5	8242	6404	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9231.599609	7393.599609	7393.599609	1.120068
3137	003	3233	0.07	1319	1	55	80	2.5	6	5	8082	6763	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9052.399414	7733.399414	7733.399414	1.120069
3137	004	3129	0.07	1844	1	55	80	2.5	6	5	7822	5978	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8761.200195	6917.200195	6917.200195	1.120072
3137	005	3128	0.07	1504	1	55	80	2.5	6	5	7820	6316	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8758.399414	7254.399414	7254.399414	1.12
3137	006	3327	0.08	1695	1	55	80	2.5	6	5	8318	6623	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9315.599609	7620.599609	7620.599609	1.119933
3137	007	3257	0.07	1589	1	55	80	2.5	6	5	8142	6553	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9119.599609	7530.599609	7530.599609	1.120069
3137	008	3469	0.08	1215	1	55	80	2.5	6	5	8672	7457	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9713.200195	8498.200195	8498.200195	1.120065
3137	009	3380	0.08	1316	1	55	80	2.5	6	5	8450	7134	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9464	8148	8148	1.12
3137	010	3478	0.08	1220	1	55	80	2.5	6	5	8695	7475	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9738.399414	8518.399414	8518.399414	1.12
3137	011	3430	0.08	1894	1	55	80	2.5	6	5	8575	6681	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9604	7710	7710	1.12
3137	013	3497	0.08	1753	1	55	80	2.5	6	5	8742	6989	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9791.599609	8038.599609	8038.599609	1.120064
3138	002	2880	0.07	1422	0	55	80	2.5	6	6	7200	5778	RH-1(D)	40	form-based			true	0.7	6	1	6	6	8064	6642	6642	1.12
3138	009	3542	0.08	968	1	55	80	2.5	6	5	8855	7887	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9917.599609	8949.599609	8949.599609	1.12
3138	010	3455	0.08	1200	1	55	80	2.5	6	5	8638	7438	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9674	8474	8474	1.119935
3138	011	3348	0.08	1175	1	55	80	2.5	6	5	8370	7195	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9374.399414	8199.399414	8199.399414	1.12
3138	012	3252	0.07	1414	1	55	80	2.5	6	5	8130	6716	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9105.599609	7691.599609	7691.599609	1.12
3138	013	3167	0.07	1052	1	55	80	2.5	6	5	7918	6866	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8867.599609	7815.599609	7815.599609	1.119929
3138	020	3456	0.08	1006	1	55	80	2.5	6	5	8640	7634	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9676.799805	8670.799805	8670.799805	1.12
3138	021	3363	0.08	1135	1	55	80	2.5	6	5	8408	7273	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9416.399414	8281.399414	8281.399414	1.119933
3138	022	3398	0.08	1006	1	55	80	2.5	6	5	8495	7489	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9514.399414	8508.399414	8508.399414	1.12
3138	023	3433	0.08	1049	1	55	80	2.5	6	5	8582	7533	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9612.399414	8563.399414	8563.399414	1.120065
3138	024	3468	0.08	1049	1	55	80	2.5	6	5	8670	7621	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9710.399414	8661.399414	8661.399414	1.12
3138	025	3503	0.08	1049	1	55	80	2.5	6	5	8758	7709	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9808.399414	8759.399414	8759.399414	1.119936
3138	026	3538	0.08	1135	1	55	80	2.5	6	5	8845	7710	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9906.399414	8771.399414	8771.399414	1.12
3140	010	3375	0.08	1379	1	55	80	2.5	6	5	8438	7059	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	8071	8071	1.119934
3140	011	3375	0.08	1986	1	55	80	2.5	6	5	8438	6452	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	7464	7464	1.119934
3140	012	3375	0.08	1808	1	55	80	2.5	6	5	8438	6630	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	7642	7642	1.119934
3140	014	3375	0.08	2269	1	55	80	2.5	6	5	8438	6169	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	7181	7181	1.119934
3140	015	3375	0.08	1265	1	55	80	2.5	6	5	8438	7173	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	8185	8185	1.119934
3140	016	3375	0.08	1233	1	55	80	2.5	6	5	8438	7205	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	8217	8217	1.119934
3140	017	3375	0.08	1079	1	55	80	2.5	6	5	8438	7359	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	8371	8371	1.119934
3140	018	3375	0.08	1709	1	55	80	2.5	6	5	8438	6729	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	7741	7741	1.119934
3140	019	3375	0.08	1079	1	55	80	2.5	6	5	8438	7359	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	8371	8371	1.119934
3140	020	3375	0.08	1415	1	55	80	2.5	6	5	8438	7023	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	8035	8035	1.119934
3140	022	3375	0.08	1080	1	55	80	2.5	6	5	8438	7358	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	8370	8370	1.119934
3140	023	3375	0.08	1050	1	55	80	2.5	6	5	8438	7388	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	8400	8400	1.119934
3140	024	3375	0.08	1079	1	55	80	2.5	6	5	8438	7359	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	8371	8371	1.119934
3140	025	3375	0.08	1716	1	55	80	2.5	6	5	8438	6722	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9450	7734	7734	1.119934
3140	029	2699	0.06	1271	0	55	80	2.5	5	5	6748	5477	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7557.199707	6286.199707	6286.199707	1.119917
3140	036	3342	0.08	1079	1	55	80	2.5	6	5	8355	7276	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9357.599609	8278.599609	8278.599609	1.12
3140	037	3340	0.08	1751	1	55	80	2.5	6	5	8350	6599	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9352	7601	7601	1.12
3140	038	3337	0.08	1799	1	55	80	2.5	6	5	8342	6543	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9343.599609	7544.599609	7544.599609	1.120067
3140	039	3335	0.08	1079	1	55	80	2.5	6	5	8338	7259	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9338	8259	8259	1.119933
3140	040	3332	0.08	1079	1	55	80	2.5	6	5	8330	7251	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9329.599609	8250.599609	8250.599609	1.12
3140	041	3330	0.08	1814	1	55	80	2.5	6	5	8325	6511	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9324	7510	7510	1.12
3140	042	3327	0.08	1079	1	55	80	2.5	6	5	8318	7239	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9315.599609	8236.599609	8236.599609	1.119933
3140	043	3325	0.08	1249	1	55	80	2.5	6	5	8312	7063	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9310	8061	8061	1.120067
3140	044	3322	0.08	1079	1	55	80	2.5	6	5	8305	7226	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9301.599609	8222.599609	8222.599609	1.12
3140	045	3320	0.08	1079	1	55	80	2.5	6	5	8300	7221	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9296	8217	8217	1.12
3140	046	3317	0.08	1304	1	55	80	2.5	6	5	8292	6988	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9287.599609	7983.599609	7983.599609	1.120067
3140	047	3315	0.08	1379	1	55	80	2.5	6	5	8288	6909	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9282	7903	7903	1.119932
3140	048	3312	0.08	1079	1	55	80	2.5	6	5	8280	7201	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9273.599609	8194.599609	8194.599609	1.12
3143	052	3526	0.08	2028	1	65	100	3	8	7	10578	8550	RH-1	40	form-based			true	0.7	7	0.875	6	6	9872.799805	7844.799805	7844.799805	0.933333
3147	020	5255	0.12	2085	0	65	100	3	12	12	15765	13680	RH-1	40	density-lim	3000	true		0.7	6	0.5	6	6	14714	12629	12629	0.933333
3152	037	6710	0.15	9262	0	65	100	3	15	15	20130	10868	RH-1	40	density-lim	3000	true		0.7	6	0.400000006	6	6	18788	9526	9526	0.933333
3155	040	3322	0.08	2301	1	65	100	3	8	7	9966	7665	RH-1	40	form-based			true	0.7	7	0.875	6	6	9301.599609	7000.599609	7000.599609	0.933333
3156	009	3378	0.08	1080	1	65	100	3	8	7	10134	9054	RH-1	40	form-based			true	0.7	7	0.875	6	6	9458.399414	8378.399414	8378.399414	0.933333
3156	010	3378	0.08	1659	1	65	100	3	8	7	10134	8475	RH-1	40	form-based			true	0.7	7	0.875	6	6	9458.399414	7799.399414	7799.399414	0.933333
3156	011	3378	0.08	1150	1	65	100	3	8	7	10134	8984	RH-1	40	form-based			true	0.7	7	0.875	6	6	9458.399414	8308.399414	8308.399414	0.933333
3156	012	3378	0.08	2245	1	65	100	3	8	7	10134	7889	RH-1	40	form-based			true	0.7	7	0.875	6	6	9458.399414	7213.399414	7213.399414	0.933333
3156	013	3378	0.08	1513	1	65	100	3	8	7	10134	8621	RH-1	40	form-based			true	0.7	7	0.875	6	6	9458.399414	7945.399414	7945.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3156	014	3378	0.08	993	1	65	100	3	8	7	10134	9141	RH-1	40	form-based			true	0.7	7	0.875	6	6	9458.399414	8465.399414	8465.399414	0.933333
3156	016	3378	0.08	2037	1	65	100	3	8	7	10134	8097	RH-1	40	form-based			true	0.7	7	0.875	6	6	9458.399414	7421.399414	7421.399414	0.933333
3156	017	3378	0.08	968	1	65	100	3	8	7	10134	9166	RH-1	40	form-based			true	0.7	7	0.875	6	6	9458.399414	8490.399414	8490.399414	0.933333
3156	018	3378	0.08	840	1	65	100	3	8	7	10134	9294	RH-1	40	form-based			true	0.7	7	0.875	6	6	9458.399414	8618.399414	8618.399414	0.933333
3160	001	3131	0.07	1130	1	55	80	2.5	6	5	7828	6698	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8766.799805	7636.799805	7636.799805	1.119928
3160	017	3207	0.07	1125	1	55	80	2.5	6	5	8018	6893	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8979.599609	7854.599609	7854.599609	1.11993
3160	022	3557	0.08	1235	1	55	80	2.5	6	5	8892	7657	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9959.599609	8724.599609	8724.599609	1.120063
3162	006	3559	0.08	1761	1	55	80	2.5	6	5	8898	7137	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9965.200195	8204.200195	8204.200195	1.119937
3162	008	3470	0.08	1494	1	55	80	2.5	6	5	8675	7181	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9716	8222	8222	1.12
3162	010	3324	0.08	1280	1	55	80	2.5	6	5	8310	7030	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9307.200195	8027.200195	8027.200195	1.12
3163	001	3480	0.08	2485	1	55	80	2.5	6	5	8700	6215	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9744	7259	7259	1.12
3163	002	3528	0.08	990	1	55	80	2.5	6	5	8820	7830	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9878.399414	8888.399414	8888.399414	1.12
3163	003	3417	0.08	946	1	55	80	2.5	6	5	8542	7596	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9567.599609	8621.599609	8621.599609	1.120066
3163	018	3254	0.07	1481	1	65	100	3	7	6	9762	8281	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	9111.200195	7630.200195	7630.200195	0.933333
3164	001	3516	0.08	2256	1	55	80	2.5	6	5	8790	6534	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9844.799805	7588.799805	7588.799805	1.12
3164	012	3504	0.08	1594	1	65	100	3	8	7	10512	8918	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9811.200195	8217.200195	8217.200195	0.933333
3164	013	3394	0.08	1320	1	65	100	3	8	7	10182	8862	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9503.200195	8183.200195	8183.200195	0.933333
3165	001	3492	0.08	1843	1	55	80	2.5	6	5	8730	6887	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9777.599609	7934.599609	7934.599609	1.12
3165	016	3538	0.08	3414	1	65	100	3	8	7	10614	7200	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9906.399414	6492.399414	6492.399414	0.933333
3165	017	3184	0.07	1450	1	65	100	3	7	6	9552	8102	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8915.200195	7465.200195	7465.200195	0.933333
3165	018	3264	0.07	1350	1	65	100	3	7	6	9792	8442	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9139.200195	7789.200195	7789.200195	0.933333
3165	019	3380	0.08	2162	1	65	100	3	8	7	10140	7978	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9464	7302	7302	0.933333
3165	020	3514	0.08	1584	1	65	100	3	8	7	10542	8958	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9839.200195	8255.200195	8255.200195	0.933333
3166	022	3525	0.08	1517	1	65	100	3	8	7	10575	9058	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9870	8353	8353	0.933333
3166	024	3272	0.08	1125	1	55	80	2.5	6	5	8180	7055	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9161.599609	8036.599609	8036.599609	1.12
3166	025	3220	0.07	1572	1	55	80	2.5	6	5	8050	6478	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9016	7444	7444	1.12
3166	030	3421	0.08	1448	1	55	80	2.5	6	5	8552	7104	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9578.799805	8130.799805	8130.799805	1.120065
3166	031	3372	0.08	1300	1	55	80	2.5	6	5	8430	7130	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9441.599609	8141.599609	8141.599609	1.12
3167	017	3431	0.08	3010	1	65	100	3	8	7	10293	7283	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9606.799805	6596.799805	6596.799805	0.933333
3167	018	3533	0.08	2064	1	65	100	3	8	7	10599	8535	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9892.399414	7828.399414	7828.399414	0.933333
3167	019	3331	0.08	1732	1	65	100	3	8	7	9993	8261	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9326.799805	7594.799805	7594.799805	0.933333
3168	001	3276	0.08	1278	1	65	100	3	8	7	9828	8550	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7894.799805	7894.799805	0.933333
3168	011	3497	0.08	1110	1	65	100	3	8	7	10491	9381	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9791.599609	8681.599609	8681.599609	0.933333
3169	006	3197	0.07	1110	1	65	100	3	7	6	9591	8481	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8951.599609	7841.599609	7841.599609	0.933333
3173	002	3214	0.07	1280	1	65	100	3	7	6	9642	8362	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8999.200195	7719.200195	7719.200195	0.933333
3173	003	3149	0.07	2153	1	65	100	3	7	6	9447	7294	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8817.200195	6664.200195	6664.200195	0.933333
3173	004	3255	0.07	934	1	65	100	3	7	6	9765	8831	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9114	8180	8180	0.933333
3173	007	3197	0.07	1700	1	65	100	3	7	6	9591	7891	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8951.599609	7251.599609	7251.599609	0.933333
3173	009	3172	0.07	1200	1	65	100	3	7	6	9516	8316	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8881.599609	7681.599609	7681.599609	0.933333
3173	014	3539	0.08	1408	1	65	100	3	8	7	10617	9209	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9909.200195	8501.200195	8501.200195	0.933333
3173	015	3173	0.07	1933	1	65	100	3	7	6	9519	7586	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8884.399414	6951.399414	6951.399414	0.933333
3173	016	3427	0.08	1358	1	65	100	3	8	7	10281	8923	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9595.599609	8237.599609	8237.599609	0.933333
3174	001	3397	0.08	1604	1	65	100	3	8	7	10191	8587	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9511.599609	7907.599609	7907.599609	0.933333
3174	002	3315	0.08	1150	1	65	100	3	8	7	9945	8795	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9282	8132	8132	0.933333
3174	004	3188	0.07	1689	1	65	100	3	7	6	9564	7875	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8926.399414	7237.399414	7237.399414	0.933333
3174	010	3414	0.08	2441	1	65	100	3	8	7	10242	7801	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9559.200195	7118.200195	7118.200195	0.933333
3174	015	3446	0.08	1665	1	65	100	3	8	7	10338	8673	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9648.799805	7983.799805	7983.799805	0.933333
3174	017	3123	0.07	2112	1	65	100	3	7	6	9369	7257	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8744.399414	6632.399414	6632.399414	0.933333
3174	019	3195	0.07	2153	1	65	100	3	7	6	9585	7432	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8946	6793	6793	0.933333
3174	025	3221	0.07	1140	1	65	100	3	7	6	9663	8523	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9018.799805	7878.799805	7878.799805	0.933333
3174	027	3547	0.08	2291	1	65	100	3	8	7	10641	8350	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9931.599609	7640.599609	7640.599609	0.933333
3174	028	3335	0.08	1270	1	65	100	3	8	7	10005	8735	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9338	8068	8068	0.933333
3174	029	3381	0.08	1179	1	65	100	3	8	7	10143	8964	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9466.799805	8287.799805	8287.799805	0.933333
3174	030	3307	0.08	1000	1	65	100	3	8	7	9921	8921	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9259.599609	8259.599609	8259.599609	0.933333
3174	032	3334	0.08	940	1	65	100	3	8	7	10002	9062	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9335.200195	8395.200195	8395.200195	0.933333
3175	003	3852	0.09	2975	2	65	100	3	9	7	11556	8581	RH-1(D)	40	form-based			true	0.7	8	0.888888896	6	6	10785.59961	7810.599609	7810.599609	0.933333
3175	024	3448	0.08	1976	1	65	100	3	8	7	10344	8368	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9654.399414	7678.399414	7678.399414	0.933333
3175	025	3368	0.08	1200	1	65	100	3	8	7	10104	8904	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9430.399414	8230.399414	8230.399414	0.933333
3175	026	3247	0.07	1120	1	65	100	3	7	6	9741	8621	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9091.599609	7971.599609	7971.599609	0.933333
3176	002	3294	0.08	1370	1	65	100	3	8	7	9882	8512	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9223.200195	7853.200195	7853.200195	0.933333
3176	003	3371	0.08	1404	1	65	100	3	8	7	10113	8709	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9438.799805	8034.799805	8034.799805	0.933333
3177	002	3127	0.07	1274	1	65	100	3	7	6	9381	8107	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8755.599609	7481.599609	7481.599609	0.933333
3177	021	3149	0.07	2192	1	65	100	3	7	6	9447	7255	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8817.200195	6625.200195	6625.200195	0.933333
3177	028	3098	0.07	880	1	65	100	3	7	6	9294	8414	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8674.399414	7794.399414	7794.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3177	029	3211	0.07	1200	1	65	100	3	7	6	9633	8433	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8990.799805	7790.799805	7790.799805	0.933333
3178	005	3471	0.08	1248	1	65	100	3	8	7	10413	9165	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9718.799805	8470.799805	8470.799805	0.933333
3178	006	3361	0.08	2267	1	65	100	3	8	7	10083	7816	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9410.799805	7143.799805	7143.799805	0.933333
3178	007	3259	0.07	1260	1	65	100	3	7	6	9777	8517	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9125.200195	7865.200195	7865.200195	0.933333
3178	008	3338	0.08	1000	1	65	100	3	8	7	10014	9014	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9346.399414	8346.399414	8346.399414	0.933333
3181	005	3500	0.08	1275	1	65	100	3	8	7	10500	9225	RH-1	40	form-based			true	0.7	7	0.875	6	6	9800	8525	8525	0.933333
3182	040	3419	0.08	1731	1	65	100	3	8	7	10257	8526	RH-1	40	form-based			true	0.7	7	0.875	6	6	9573.200195	7842.200195	7842.200195	0.933333
3184	037	3121	0.07	850	1	65	100	3	7	6	9363	8513	RH-1	40	form-based			true	0.7	7	1	6	6	8738.799805	7888.799805	7888.799805	0.933333
3184	031	3250	0.07	1200	1	65	100	3	7	6	9750	8550	RH-1	40	form-based		true	true	0.7	7	1	6	6	9100	7900	7900	0.933333
3185	010	2815	0.06	0	0	65	100	3	6	6	8445	8445	RH-1	40	form-based			true	0.7	6	1	6	6	7882	7882	7882	0.933333
3185	011	2815	0.06	3437	0	65	100	3	6	6	8445	5008	RH-1	40	form-based			true	0.7	6	1	6	6	7882	4445	4445	0.933333
3185	012	2815	0.06	0	0	65	100	3	6	6	8445	8445	RH-1	40	form-based			true	0.7	6	1	6	6	7882	7882	7882	0.933333
3185	013	2815	0.06	3432	0	65	100	3	6	6	8445	5013	RH-1	40	form-based			true	0.7	6	1	6	6	7882	4450	4450	0.933333
3185	014	2815	0.06	0	0	65	100	3	6	6	8445	8445	RH-1	40	form-based			true	0.7	6	1	6	6	7882	7882	7882	0.933333
3185	015	2815	0.06	3432	0	65	100	3	6	6	8445	5013	RH-1	40	form-based			true	0.7	6	1	6	6	7882	4450	4450	0.933333
3185	016	2815	0.06	0	0	65	100	3	6	6	8445	8445	RH-1	40	form-based			true	0.7	6	1	6	6	7882	7882	7882	0.933333
3185	017	2815	0.06	4607	0	65	100	3	6	6	8445	3838	RH-1	40	form-based			true	0.7	6	1	6	6	7882	3275	3275	0.933333
3185	018	2815	0.06	0	0	65	100	3	6	6	8445	8445	RH-1	40	form-based			true	0.7	6	1	6	6	7882	7882	7882	0.933333
3185	019	2815	0.06	1100	0	65	100	3	6	6	8445	7345	RH-1	40	form-based			true	0.7	6	1	6	6	7882	6782	6782	0.933333
3185	025	2630	0.06	0	0	65	100	3	6	6	7890	7890	RH-1	40	form-based			true	0.7	6	1	6	6	7364	7364	7364	0.933333
3189	001	3296	0.08	1625	1	65	100	3	8	7	9888	8263	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9228.799805	7603.799805	7603.799805	0.933333
3189	003	3183	0.07	1900	1	65	100	3	7	6	9549	7649	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8912.399414	7012.399414	7012.399414	0.933333
3189	006	3234	0.07	1375	1	65	100	3	7	6	9702	8327	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9055.200195	7680.200195	7680.200195	0.933333
3189	007	3167	0.07	1200	1	65	100	3	7	6	9501	8301	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8867.599609	7667.599609	7667.599609	0.933333
3189	009	3200	0.07	1040	1	65	100	3	7	6	9600	8560	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8960	7920	7920	0.933333
3189	011	3227	0.07	1145	1	65	100	3	7	6	9681	8536	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9035.599609	7890.599609	7890.599609	0.933333
3189	017	3483	0.08	1350	1	65	100	3	8	7	10449	9099	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9752.399414	8402.399414	8402.399414	0.933333
3189	018	3442	0.08	1564	1	65	100	3	8	7	10326	8762	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9637.599609	8073.599609	8073.599609	0.933333
3189	019	3536	0.08	1000	1	65	100	3	8	7	10608	9608	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9900.799805	8900.799805	8900.799805	0.933333
3190	001	3562	0.08	1300	1	65	100	3	8	7	10686	9386	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9973.599609	8673.599609	8673.599609	0.933333
3190	002	3559	0.08	1575	1	65	100	3	8	7	10677	9102	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9965.200195	8390.200195	8390.200195	0.933333
3190	003	3520	0.08	1500	1	65	100	3	8	7	10560	9060	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9856	8356	8356	0.933333
3190	004	3416	0.08	1460	1	65	100	3	8	7	10248	8788	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9564.799805	8104.799805	8104.799805	0.933333
3190	005	3512	0.08	2648	1	65	100	3	8	7	10536	7888	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9833.599609	7185.599609	7185.599609	0.933333
3190	011	3470	0.08	2487	1	65	100	3	8	7	10410	7923	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9716	7229	7229	0.933333
3190	012	3106	0.07	1050	1	65	100	3	7	6	9318	8268	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8696.799805	7646.799805	7646.799805	0.933333
3190	014	3204	0.07	2284	1	65	100	3	7	6	9612	7328	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8971.200195	6687.200195	6687.200195	0.933333
3190	016	3140	0.07	1434	1	65	100	3	7	6	9420	7986	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8792	7358	7358	0.933333
3191	004	3825	0.09	2186	2	65	100	3	9	7	11475	9289	RH-1(D)	40	form-based			true	0.7	8	0.888888896	6	6	10710	8524	8524	0.933333
3191	005	3424	0.08	1375	1	65	100	3	8	7	10272	8897	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9587.200195	8212.200195	8212.200195	0.933333
3191	006	3515	0.08	1800	1	65	100	3	8	7	10545	8745	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9842	8042	8042	0.933333
3196	001	3492	0.08	2519	1	65	100	3	8	7	10476	7957	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9777.599609	7258.599609	7258.599609	0.933333
3196	019	3567	0.08	2450	1	65	100	3	8	7	10701	8251	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9987.599609	7537.599609	7537.599609	0.933333
3196	025	3497	0.08	1633	1	65	100	3	8	7	10491	8858	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9791.599609	8158.599609	8158.599609	0.933333
3196	026	3442	0.08	1000	1	65	100	3	8	7	10326	9326	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9637.599609	8637.599609	8637.599609	0.933333
3197	014	3506	0.08	1125	1	85	140	4	11	10	14024	12899	RH-1(D)	40	form-based		true	true	0.7	7	0.636363626	6	6	9816.799805	8691.799805	8691.799805	0.7
3198	021	3153	0.07	750	1	65	100	3	7	6	9459	8709	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8828.399414	8078.399414	8078.399414	0.933333
3198	024	3202	0.07	1300	1	65	100	3	7	6	9606	8306	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8965.599609	7665.599609	7665.599609	0.933333
3198	026	3242	0.07	2054	1	65	100	3	7	6	9726	7672	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9077.599609	7023.599609	7023.599609	0.933333
3198	002	3193	0.07	1665	1	65	100	3	7	6	9579	7914	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8940.399414	7275.399414	7275.399414	0.933333
3198	003	3275	0.08	1715	1	65	100	3	8	7	9825	8110	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9170	7455	7455	0.933333
3198	008	3096	0.07	901	1	65	100	3	7	6	9288	8387	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8668.799805	7767.799805	7767.799805	0.933333
3198	010	3434	0.08	1703	1	65	100	3	8	7	10302	8599	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9615.200195	7912.200195	7912.200195	0.933333
3198	027	3258	0.07	1375	1	65	100	3	7	6	9774	8399	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9122.399414	7747.399414	7747.399414	0.933333
3199	001	3422	0.08	1125	1	65	100	3	8	7	10266	9141	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9581.599609	8456.599609	8456.599609	0.933333
3199	007	3329	0.08	1515	1	65	100	3	8	7	9987	8472	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9321.200195	7806.200195	7806.200195	0.933333
3199	008	3117	0.07	1650	1	65	100	3	7	6	9351	7701	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8727.599609	7077.599609	7077.599609	0.933333
3199	009	3301	0.08	1000	1	65	100	3	8	7	9903	8903	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9242.799805	8242.799805	8242.799805	0.933333
3199	011	3466	0.08	1000	1	65	100	3	8	7	10398	9398	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9704.799805	8704.799805	8704.799805	0.933333
3207	001	3319	0.08	7914	0	55	80	2.5	6	6	8298	384	NCD-EXCE	65	density-lim	600	true		0.75	6	1	6	6	14935.5	7021.5	7021.5	1.799892
3208A	007	663	0.02	0	0	65	100	3	2	2	1989	1989	RH-1	40	density-lim	3000	true		0.7	6	3	6	4	1856.400024	1856.400024	1856.400024	0.933333
3251	004A	3435	0.08	3228	1	65	100	3	8	7	10305	7077	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9618	6390	6390	0.933333
3251	006	3473	0.08	1383	1	65	100	3	8	7	10419	9036	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9724.399414	8341.399414	8341.399414	0.933333
3251	009A	3507	0.08	3581	1	65	100	3	8	7	10521	6940	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9819.599609	6238.599609	6238.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3251	010	3507	0.08	1408	1	65	100	3	8	7	10521	9113	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9819.599609	8411.599609	8411.599609	0.933333
3251	013	3468	0.08	1552	1	65	100	3	8	7	10404	8852	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9710.399414	8158.399414	8158.399414	0.933333
3252	001	3510	0.08	1500	1	65	100	3	8	7	10530	9030	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9828	8328	8328	0.933333
3252	004	3408	0.08	1840	1	65	100	3	8	7	10224	8384	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9542.399414	7702.399414	7702.399414	0.933333
3252	006	3463	0.08	1150	1	65	100	3	8	7	10389	9239	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9696.399414	8546.399414	8546.399414	0.933333
3252	009	3497	0.08	2412	1	65	100	3	8	7	10491	8079	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9791.599609	7379.599609	7379.599609	0.933333
3252	010	3497	0.08	2064	1	65	100	3	8	7	10491	8427	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9791.599609	7727.599609	7727.599609	0.933333
3252	013	3476	0.08	2460	1	65	100	3	8	7	10428	7968	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9732.799805	7272.799805	7272.799805	0.933333
3252	014	3432	0.08	2134	1	65	100	3	8	7	10296	8162	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9609.599609	7475.599609	7475.599609	0.933333
3253	001	3362	0.08	2434	1	65	100	3	8	7	10086	7652	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9413.599609	6979.599609	6979.599609	0.933333
3260	002	3546	0.08	2354	1	55	80	2.5	6	5	8865	6511	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9928.799805	7574.799805	7574.799805	1.12
3264	002	3283	0.08	2400	1	65	100	3	8	7	9849	7449	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9192.399414	6792.399414	6792.399414	0.933333
3264	003	3275	0.08	1716	1	65	100	3	8	7	9825	8109	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9170	7454	7454	0.933333
3264	006	3561	0.08	2700	1	65	100	3	8	7	10683	7983	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9970.799805	7270.799805	7270.799805	0.933333
3264	019	3433	0.08	1664	1	65	100	3	8	7	10299	8635	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9612.399414	7948.399414	7948.399414	0.933333
3264	020	3466	0.08	2429	1	65	100	3	8	7	10398	7969	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9704.799805	7275.799805	7275.799805	0.933333
3264	021	3518	0.08	2672	1	65	100	3	8	7	10554	7882	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9850.399414	7178.399414	7178.399414	0.933333
3264	022	3392	0.08	2156	1	65	100	3	8	7	10176	8020	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9497.599609	7341.599609	7341.599609	0.933333
3267	016	3386	0.08	2651	1	85	140	4	11	10	13544	10893	RH-1(D)	40	form-based			true	0.7	7	0.636363626	6	6	9480.799805	6829.799805	6829.799805	0.7
3275A	002	3264	0.07	1393	1	55	80	2.5	6	5	8160	6767	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9139.200195	7746.200195	7746.200195	1.12
3265	001	3319	0.08	1284	1	65	100	3	8	7	9957	8673	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9293.200195	8009.200195	8009.200195	0.933333
3265	003	3373	0.08	1236	1	65	100	3	8	7	10119	8883	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9444.399414	8208.399414	8208.399414	0.933333
3265	004	3502	0.08	3215	1	65	100	3	8	7	10506	7291	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9805.599609	6590.599609	6590.599609	0.933333
3265	005	3438	0.08	2004	1	65	100	3	8	7	10314	8310	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9626.399414	7622.399414	7622.399414	0.933333
3265	006	3435	0.08	2381	1	65	100	3	8	7	10305	7924	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9618	7237	7237	0.933333
3265	007	3372	0.08	1994	1	65	100	3	8	7	10116	8122	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9441.599609	7447.599609	7447.599609	0.933333
3265	009	3437	0.08	1916	1	65	100	3	8	7	10311	8395	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9623.599609	7707.599609	7707.599609	0.933333
3265	010	3415	0.08	1904	1	65	100	3	8	7	10245	8341	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9562	7658	7658	0.933333
3265	011	3390	0.08	2961	1	65	100	3	8	7	10170	7209	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9492	6531	6531	0.933333
3265	012	3528	0.08	2767	1	65	100	3	8	7	10584	7817	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9878.399414	7111.399414	7111.399414	0.933333
3265	013	3515	0.08	1424	1	65	100	3	8	7	10545	9121	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9842	8418	8418	0.933333
3265	014	3133	0.07	4225	1	65	100	3	7	6	9399	5174	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	8772.399414	4547.399414	4547.399414	0.933333
3270	009	3285	0.08	2429	1	65	100	3	8	7	9855	7426	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9198	6769	6769	0.933333
3270	009A	3387	0.08	2288	1	65	100	3	8	7	10161	7873	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9483.599609	7195.599609	7195.599609	0.933333
3270	010	3353	0.08	3100	1	65	100	3	8	7	10059	6959	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9388.399414	6288.399414	6288.399414	0.933333
3267	011	3561	0.08	1172	1	65	100	3	8	7	10683	9511	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9970.799805	8798.799805	8798.799805	0.933333
3270	008	3223	0.07	1768	1	65	100	3	7	6	9669	7901	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9024.399414	7256.399414	7256.399414	0.933333
3276	031	3205	0.07	2961	1	65	100	3	7	6	9615	6654	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8974	6013	6013	0.933333
3269	001	3251	0.07	2114	1	65	100	3	7	6	9753	7639	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	9102.799805	6988.799805	6988.799805	0.933333
3269	002	3372	0.08	1360	1	65	100	3	8	7	10116	8756	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9441.599609	8081.599609	8081.599609	0.933333
3269	006	3164	0.07	2510	1	65	100	3	7	6	9492	6982	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8859.200195	6349.200195	6349.200195	0.933333
3270	018	3342	0.08	1628	1	65	100	3	8	7	10026	8398	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9357.599609	7729.599609	7729.599609	0.933333
3270	019	3235	0.07	1494	1	65	100	3	7	6	9705	8211	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9058	7564	7564	0.933333
3270	020	3523	0.08	2691	1	65	100	3	8	7	10569	7878	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9864.399414	7173.399414	7173.399414	0.933333
3270	021	3254	0.07	2811	1	65	100	3	7	6	9762	6951	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	9111.200195	6300.200195	6300.200195	0.933333
3271	023	3122	0.07	2335	1	65	100	3	7	6	9366	7031	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8741.599609	6406.599609	6406.599609	0.933333
3272	005	3177	0.07	2417	1	65	100	3	7	6	9531	7114	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8895.599609	6478.599609	6478.599609	0.933333
3272	005A	3125	0.07	2137	1	65	100	3	7	6	9375	7238	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8750	6613	6613	0.933333
3272	013	3545	0.08	1896	1	65	100	3	8	7	10635	8739	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9926	8030	8030	0.933333
3272	014	3360	0.08	1860	1	65	100	3	8	7	10080	8220	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9408	7548	7548	0.933333
3272	015	3102	0.07	2396	1	65	100	3	7	6	9306	6910	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8685.599609	6289.599609	6289.599609	0.933333
3272	016	3336	0.08	2098	1	65	100	3	8	7	10008	7910	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9340.799805	7242.799805	7242.799805	0.933333
3272	017	3578	0.08	2340	2	65	100	3	8	6	10734	8394	RH-1(D)	40	form-based			true	0.7	8	1	6	6	10018.39941	7678.399414	7678.399414	0.933333
3273	021	3391	0.08	1412	1	65	100	3	8	7	10173	8761	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9494.799805	8082.799805	8082.799805	0.933333
3273	022	3495	0.08	1718	1	65	100	3	8	7	10485	8767	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9786	8068	8068	0.933333
3273	022A	3287	0.08	2530	1	65	100	3	8	7	9861	7331	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9203.599609	6673.599609	6673.599609	0.933333
3273	023	3398	0.08	1567	1	65	100	3	8	7	10194	8627	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9514.399414	7947.399414	7947.399414	0.933333
3273	024	3466	0.08	2271	1	65	100	3	8	7	10398	8127	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9704.799805	7433.799805	7433.799805	0.933333
3275	008A	3527	0.08	1700	1	65	100	3	8	7	10581	8881	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9875.599609	8175.599609	8175.599609	0.933333
3274	010	3285	0.08	2940	1	55	80	2.5	6	5	8212	5272	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9198	6258	6258	1.120068
3274	012A	3176	0.07	1350	1	55	80	2.5	6	5	7940	6590	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8892.799805	7542.799805	7542.799805	1.12
3274	020	3571	0.08	1629	1	55	80	2.5	6	5	8928	7299	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9998.799805	8369.799805	8369.799805	1.119937
3275	004	3226	0.07	2388	1	65	100	3	7	6	9678	7290	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9032.799805	6644.799805	6644.799805	0.933333
3275	005	3454	0.08	2824	1	65	100	3	8	7	10362	7538	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9671.200195	6847.200195	6847.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3275	006	3385	0.08	1830	1	65	100	3	8	7	10155	8325	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9478	7648	7648	0.933333
3275	007	3488	0.08	1993	1	65	100	3	8	7	10464	8471	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9766.399414	7773.399414	7773.399414	0.933333
3275	015	3242	0.07	1788	1	65	100	3	7	6	9726	7938	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9077.599609	7289.599609	7289.599609	0.933333
3275	015A	3107	0.07	1482	1	65	100	3	7	6	9321	7839	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8699.599609	7217.599609	7217.599609	0.933333
3275	021	3455	0.08	1880	1	65	100	3	8	7	10365	8485	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9674	7794	7794	0.933333
3275	022	3398	0.08	2941	1	65	100	3	8	7	10194	7253	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9514.399414	6573.399414	6573.399414	0.933333
3275A	008	3488	0.08	3125	1	65	100	3	8	7	10464	7339	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9766.399414	6641.399414	6641.399414	0.933333
3275A	010	3422	0.08	2250	1	55	80	2.5	6	5	8555	6305	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9581.599609	7331.599609	7331.599609	1.12
3276	006	3111	0.07	2359	1	65	100	3	7	6	9333	6974	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8710.799805	6351.799805	6351.799805	0.933333
3276	007	3199	0.07	2245	1	65	100	3	7	6	9597	7352	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8957.200195	6712.200195	6712.200195	0.933333
3276	008	3548	0.08	1276	1	65	100	3	8	7	10644	9368	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9934.399414	8658.399414	8658.399414	0.933333
3276	027	3428	0.08	1720	1	65	100	3	8	7	10284	8564	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9598.399414	7878.399414	7878.399414	0.933333
3276	028A	3376	0.08	1868	1	65	100	3	8	7	10128	8260	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9452.799805	7584.799805	7584.799805	0.933333
3276	030	3245	0.07	1814	1	65	100	3	7	6	9735	7921	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9086	7272	7272	0.933333
3277	008	3110	0.07	1960	1	65	100	3	7	6	9330	7370	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	8708	6748	6748	0.933333
3277	014	3208	0.07	1200	1	65	100	3	7	6	9624	8424	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8982.399414	7782.399414	7782.399414	0.933333
3277	015	3187	0.07	1580	1	65	100	3	7	6	9561	7981	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8923.599609	7343.599609	7343.599609	0.933333
3277	017	3116	0.07	1810	1	65	100	3	7	6	9348	7538	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	8724.799805	6914.799805	6914.799805	0.933333
3278	007	3225	0.07	1459	1	65	100	3	7	6	9675	8216	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9030	7571	7571	0.933333
3278	009	3210	0.07	1730	1	65	100	3	7	6	9630	7900	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8988	7258	7258	0.933333
3278	010	3219	0.07	1686	1	65	100	3	7	6	9657	7971	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9013.200195	7327.200195	7327.200195	0.933333
3278	010A	3408	0.08	1888	1	65	100	3	8	7	10224	8336	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9542.399414	7654.399414	7654.399414	0.933333
3278	012	3163	0.07	1658	1	65	100	3	7	6	9489	7831	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8856.399414	7198.399414	7198.399414	0.933333
3278	012D	1792	0.04	1402	1	65	100	3	4	3	5376	3974	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8064	6662	6662	1.5
3281	009	3206	0.07	1506	1	65	100	3	7	6	9618	8112	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8976.799805	7470.799805	7470.799805	0.933333
3278	012E	1854	0.04	1373	1	65	100	3	4	3	5562	4189	RTO-C	65	form-based		true	true	0.75	7	1.75	6	6	8343	6970	6970	1.5
3278	012F	1905	0.04	1739	1	65	100	3	4	3	5715	3976	RTO-C	65	form-based			true	0.75	7	1.75	6	6	8572.5	6833.5	6833.5	1.5
3278	014	3351	0.08	1923	1	65	100	3	8	7	10053	8130	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9382.799805	7459.799805	7459.799805	0.933333
3278	015	3286	0.08	1802	1	65	100	3	8	7	9858	8056	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9200.799805	7398.799805	7398.799805	0.933333
3278	015A	3212	0.07	2018	1	65	100	3	7	6	9636	7618	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8993.599609	6975.599609	6975.599609	0.933333
3278	017	3171	0.07	2006	1	65	100	3	7	6	9513	7507	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8878.799805	6872.799805	6872.799805	0.933333
3281	010	3410	0.08	2731	1	65	100	3	8	7	10230	7499	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9548	6817	6817	0.933333
3281	011	3370	0.08	1900	1	65	100	3	8	7	10110	8210	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9436	7536	7536	0.933333
3278	026	1800	0.04	1500	1	65	100	3	4	3	5400	3900	RTO-C	65	form-based		true	true	0.75	7	1.75	6	6	8100	6600	6600	1.5
3279	001	3383	0.08	1656	1	65	100	3	8	7	10149	8493	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9472.399414	7816.399414	7816.399414	0.933333
3279	002	3385	0.08	1914	1	65	100	3	8	7	10155	8241	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9478	7564	7564	0.933333
3279	003	3232	0.07	1910	1	65	100	3	7	6	9696	7786	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9049.599609	7139.599609	7139.599609	0.933333
3279	004	3423	0.08	1499	1	65	100	3	8	7	10269	8770	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9584.399414	8085.399414	8085.399414	0.933333
3279	006	3416	0.08	2076	1	65	100	3	8	7	10248	8172	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9564.799805	7488.799805	7488.799805	0.933333
3279	006A	3542	0.08	1649	1	65	100	3	8	7	10626	8977	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9917.599609	8268.599609	8268.599609	0.933333
3279	007	3418	0.08	1454	1	65	100	3	8	7	10254	8800	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9570.399414	8116.399414	8116.399414	0.933333
3279	009	3560	0.08	1505	1	65	100	3	8	7	10680	9175	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9968	8463	8463	0.933333
3279	011	3532	0.08	1736	1	65	100	3	8	7	10596	8860	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9889.599609	8153.599609	8153.599609	0.933333
3279	013	3524	0.08	2488	1	65	100	3	8	7	10572	8084	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9867.200195	7379.200195	7379.200195	0.933333
3279	014	3446	0.08	1522	1	65	100	3	8	7	10338	8816	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9648.799805	8126.799805	8126.799805	0.933333
3279	015	3498	0.08	2114	1	65	100	3	8	7	10494	8380	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9794.399414	7680.399414	7680.399414	0.933333
3279	016	3454	0.08	1600	1	65	100	3	8	7	10362	8762	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9671.200195	8071.200195	8071.200195	0.933333
3279	016A	3567	0.08	1450	1	65	100	3	8	7	10701	9251	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9987.599609	8537.599609	8537.599609	0.933333
3279	017	3308	0.08	1600	1	65	100	3	8	7	9924	8324	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9262.399414	7662.399414	7662.399414	0.933333
3279	017A	3501	0.08	1600	1	65	100	3	8	7	10503	8903	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9802.799805	8202.799805	8202.799805	0.933333
3279	018	3305	0.08	1865	1	65	100	3	8	7	9915	8050	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9254	7389	7389	0.933333
3279	019	3328	0.08	1600	1	65	100	3	8	7	9984	8384	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9318.399414	7718.399414	7718.399414	0.933333
3279	020	3304	0.08	2728	1	65	100	3	8	7	9912	7184	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9251.200195	6523.200195	6523.200195	0.933333
3279	021	3211	0.07	2162	1	65	100	3	7	6	9633	7471	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8990.799805	6828.799805	6828.799805	0.933333
3279	022	3285	0.08	3215	1	65	100	3	8	7	9855	6640	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9198	5983	5983	0.933333
3281	016	3227	0.07	2487	1	65	100	3	7	6	9681	7194	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9035.599609	6548.599609	6548.599609	0.933333
3281	017	3110	0.07	1485	1	65	100	3	7	6	9330	7845	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8708	7223	7223	0.933333
3281	018	3510	0.08	1635	1	65	100	3	8	7	10530	8895	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9828	8193	8193	0.933333
3280	007	3539	0.08	2307	1	65	100	3	8	7	10617	8310	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9909.200195	7602.200195	7602.200195	0.933333
3280	017	3234	0.07	2369	1	65	100	3	7	6	9702	7333	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9055.200195	6686.200195	6686.200195	0.933333
3281	006	3345	0.08	1902	1	65	100	3	8	7	10035	8133	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9366	7464	7464	0.933333
3281	007	3335	0.08	1902	1	65	100	3	8	7	10005	8103	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9338	7436	7436	0.933333
3281	008	3478	0.08	2294	1	65	100	3	8	7	10434	8140	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9738.399414	7444.399414	7444.399414	0.933333
3281	024	3426	0.08	1200	1	65	100	3	8	7	10278	9078	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9592.799805	8392.799805	8392.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3281	025	3157	0.07	2691	1	65	100	3	7	6	9471	6780	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8839.599609	6148.599609	6148.599609	0.933333
3281	027	3282	0.08	2105	1	65	100	3	8	7	9846	7741	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9189.599609	7084.599609	7084.599609	0.933333
3281	028	3258	0.07	1270	1	65	100	3	7	6	9774	8504	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9122.399414	7852.399414	7852.399414	0.933333
3281	029	3212	0.07	1270	1	65	100	3	7	6	9636	8366	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8993.599609	7723.599609	7723.599609	0.933333
3281	031	3285	0.08	2109	1	65	100	3	8	7	9855	7746	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9198	7089	7089	0.933333
3281	032	3499	0.08	2112	1	65	100	3	8	7	10497	8385	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9797.200195	7685.200195	7685.200195	0.933333
3281	032A	3532	0.08	1992	1	65	100	3	8	7	10596	8604	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9889.599609	7897.599609	7897.599609	0.933333
3282	005	3487	0.08	2413	1	65	100	3	8	7	10461	8048	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9763.599609	7350.599609	7350.599609	0.933333
3282	005A	3176	0.07	1950	1	65	100	3	7	6	9528	7578	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8892.799805	6942.799805	6942.799805	0.933333
3282	008	3102	0.07	2591	1	65	100	3	7	6	9306	6715	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8685.599609	6094.599609	6094.599609	0.933333
3282	008A	3165	0.07	1775	1	65	100	3	7	6	9495	7720	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8862	7087	7087	0.933333
3282	009	3153	0.07	1680	1	65	100	3	7	6	9459	7779	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8828.399414	7148.399414	7148.399414	0.933333
3282	010	3168	0.07	3957	1	65	100	3	7	6	9504	5547	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8870.399414	4913.399414	4913.399414	0.933333
3282	010A	3200	0.07	2360	1	65	100	3	7	6	9600	7240	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8960	6600	6600	0.933333
3282	014A	3556	0.08	1250	1	65	100	3	8	7	10668	9418	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9956.799805	8706.799805	8706.799805	0.933333
3282	015	3359	0.08	1831	1	65	100	3	8	7	10077	8246	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9405.200195	7574.200195	7574.200195	0.933333
3282	021	3309	0.08	1595	1	65	100	3	8	7	9927	8332	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9265.200195	7670.200195	7670.200195	0.933333
3282	023	3378	0.08	1350	1	65	100	3	8	7	10134	8784	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9458.399414	8108.399414	8108.399414	0.933333
3283	025	3116	0.07	1995	1	65	100	3	7	6	9348	7353	RH-2	40	form-based			true	0.7	7	1	6	6	8724.799805	6729.799805	6729.799805	0.933333
3502	027	2500	0.06	1230	1	65	100	3	6	5	7500	6270	RTO-1	50	form-based			true	0.7	7	1.166666627	6	6	8750	7520	7520	1.166667
3502	033	1972	0.05	4792	4	85	140	4	7	3	7888	3096	RTO-1	85	form-based			true	0.7	10	1.428571463	6	6	11043.2002	6251.200195	6251.200195	1.4
3502	035	1972	0.05	5015	4	85	140	4	7	3	7888	2873	RTO-1	85	form-based			true	0.7	10	1.428571463	6	6	11043.2002	6028.200195	6028.200195	1.4
3504	012	2516	0.06	17993	0	65	100	3	6	6	7548	0	NCT-3	40	form-based		true		0.75	6	1	6	6	7548	0	0	1
3504	025	2958	0.07	2940	3	65	100	3	7	4	8874	5934	NCT-3	50	form-based				0.75	9	1.285714269	6	6	11092.5	8152.5	8152.5	1.25
3509	020	2766	0.06	3817	0	85	140	4	8	8	11064	7247	RED-MX	45	form-based				0.75	6	0.75	6	6	8298	4481	4481	0.75
3509	089	2766	0.06	5427	0	75	120	3.5	7	7	9681	4254	RED-MX	45	form-based				0.75	6	0.857142866	6	6	8298	2871	2871	0.857143
3510	009	1999	0.05	2750	0	65	100	3	5	5	5997	3247	RCD	55	form-based		true		0.75	6	1.200000048	6	6	7496.25	4746.25	4746.25	1.25
3510	037	1875	0.04	2163	0	65	100	3	4	4	5625	3462	WMUG	55	form-based		true		0.75	6	1.5	6	6	7031.25	4868.25	4868.25	1.25
3511	017A	2209	0.05	5994	6	65	100	3	5	0	6627	633	WMUG	85	form-based		true	true	0.75	12	2.400000095	6	4	13254	7260	7260	2
3511	053	2674	0.06	2760	0	65	100	3	6	6	8022	5262	RED	40	form-based		true		0.75	6	1	6	6	8022	5262	5262	1
3511	064	2464	0.06	2400	0	65	100	3	6	6	7392	4992	RED	40	form-based				0.75	6	1	6	6	7392	4992	4992	1
3513	023	2000	0.05	9092	0	65	100	3	5	5	6000	0	NCT-3	50	form-based				0.75	6	1.200000048	6	6	7500	0	0	1.25
3513	202	3708	0.09	1679	5	65	100	3	9	4	11124	9445	NCT-3	50	form-based				0.75	11	1.222222209	6	6	13905	12226	12226	1.25
3516	039	2559	0.06	0	0	65	100	3	6	6	7677	7677	RED-MX	40	form-based				0.75	6	1	6	6	7677	7677	7677	1
3519	040	2066	0.05	2975	0	65	100	3	5	5	6198	3223	RCD	55	form-based				0.75	6	1.200000048	6	6	7747.5	4772.5	4772.5	1.25
3519	050	2396	0.05	4666	3	65	100	3	5	2	7188	2522	NCT-FOLSC	65	form-based				0.75	9	1.799999952	6	6	10782	6116	6116	1.5
3519	052	2396	0.05	4266	3	65	100	3	5	2	7188	2922	NCT-FOLSC	65	form-based				0.75	9	1.799999952	6	6	10782	6516	6516	1.5
3520	010	2724	0.06	3900	2	65	100	3	6	4	8172	4272	RCD	55	form-based				0.75	8	1.333333373	6	6	10215	6315	6315	1.25
3520	015	1875	0.04	2080	0	55	80	2.5	3	3	4688	2608	WMUG	55	form-based				0.75	6	2	6	6	7031.25	4951.25	4951.25	1.49984
3522	114	6280	0.14	2864	8	65	100	3	14	6	18840	15976	RED-MX	45	form-based		true		0.75	14	1	6	6	18840	15976	15976	1
3532	071	4631	0.11	9300	0	65	100	3	11	11	13893	4593	RM-1	40	density-lin	800			0.7	6	0.545454562	6	6	12966.7998	3666.799805	3666.799805	0.933333
3533	029	2688	0.06	12510	0	65	100	3	6	6	8064	0	RTO-1	40	form-based		true	true	0.7	6	1	6	6	7526.399902	0	0	0.933333
3534	026B	2500	0.06	1720	1	65	100	3	6	5	7500	5780	RTO-1	50	form-based			true	0.7	7	1.166666627	6	6	8750	7030	7030	1.166667
3534	028	3622	0.08	8620	12	65	100	3	8	0	10866	2246	RTO-1	85	form-based			true	0.7	18	2.25	6	4	20283.19922	11663.19922	11663.19922	1.866667
3534	061	2274	0.05	0	0	85	140	4	7	7	9096	9096	RTO-1	50	form-based			true	0.7	6	0.857142866	6	6	7959	7959	7959	0.875
3534	062	2272	0.05	0	0	85	140	4	7	7	9088	9088	RTO-1	50	form-based			true	0.7	6	0.857142866	6	6	7952	7952	7952	0.875
3534	064	1997	0.05	6557	0	65	100	3	5	5	5991	0	RTO-1	50	form-based			true	0.7	6	1.200000048	6	6	6989.5	432.5	432.5	1.166667
3534	082	3362	0.08	1362	3	65	100	3	8	5	10086	8724	RTO-1	50	form-based			true	0.7	9	1.125	6	6	11767	10405	10405	1.166667
3534	101	2687	0.06	1290	2	65	100	3	6	4	8061	6771	RTO-1	50	form-based			true	0.7	8	1.333333373	6	6	9404.5	8114.5	8114.5	1.166667
3534	107	2826	0.06	1780	2	65	100	3	6	4	8478	6698	RTO-1	50	form-based			true	0.7	8	1.333333373	6	6	9891	8111	8111	1.166667
3534	109	2754	0.06	1438	2	65	100	3	6	4	8262	6824	RTO-1	50	form-based			true	0.7	8	1.333333373	6	6	9639	8201	8201	1.166667
3534	127	3633	0.08	904	4	65	100	3	8	4	10899	9995	RTO-1	50	form-based			true	0.7	10	1.25	6	6	12715.5	11811.5	11811.5	1.166667
3534	131	3334	0.08	1996	3	65	100	3	8	5	10002	8006	RTO-1	50	form-based		true	true	0.7	9	1.125	6	6	11669	9673	9673	1.166667
3537	036	3125	0.07	1126	3	65	100	3	7	4	9375	8249	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	9811.5	9811.5	1.166667
3537	061	3136	0.07	3238	1	65	100	3	7	6	9408	6170	RTO-1	40	form-based			true	0.7	7	1	6	6	8780.799805	5542.799805	5542.799805	0.933333
3537	082	3000	0.07	1344	2	85	140	4	10	8	12000	10656	RTO-1	50	form-based			true	0.7	8	0.800000012	6	6	10500	9156	9156	0.875
3537	119	3136	0.07	1864	3	65	100	3	7	4	9408	7544	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10976	9112	9112	1.166667
3537	122	3136	0.07	1525	3	65	100	3	7	4	9408	7883	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10976	9451	9451	1.166667
3537	188	3136	0.07	2200	1	65	100	3	7	6	9408	7208	RTO-1	40	form-based			true	0.7	7	1	6	6	8780.799805	6580.799805	6580.799805	0.933333
3538	002	1919	0.04	3484	4	65	100	3	4	0	5757	2273	RTO-C	85	form-based			true	0.75	10	2.5	6	4	11514	8030	8030	2
3538	049	2498	0.06	4956	7	85	140	4	8	1	9992	5036	RTO-C	85	form-based			true	0.75	13	1.625	6	6	14988	10032	10032	1.5
3538	110	3910	0.09	1261	2	65	100	3	9	7	11730	10469	RTO-1	40	form-based			true	0.7	8	0.888888896	6	6	10948	9687	9687	0.933333
3538	119	4038	0.09	4059	2	65	100	3	9	7	12114	8055	RTO-1	40	form-based			true	0.7	8	0.888888896	6	6	11306.39941	7247.399414	7247.399414	0.933333
3538	147	1919	0.04	1327	4	65	100	3	4	0	5757	4430	RTO-C	85	form-based			true	0.75	10	2.5	6	4	11514	10187	10187	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3538	150	3743	0.09	1772	2	65	100	3	9	7	11229	9457	RTO-1	40	form-based			true	0.7	8	0.888888896	6	6	10480.39941	8708.399414	8708.399414	0.933333
3540	049	3228	0.07	2140	1	65	100	3	7	6	9684	7544	RH-3	40	form-based			true	0.7	7	1	6	6	9038.399414	6898.399414	6898.399414	0.933333
3540	086	2990	0.07	0	0	65	100	3	7	7	8970	8970	RH-3	40	form-based			true	0.7	6	0.857142866	6	6	8372	8372	8372	0.933333
3541	020	2875	0.07	1844	2	65	100	3	7	5	8625	6781	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	8218.5	8218.5	1.166667
3541	040	2882	0.07	2716	2	65	100	3	7	5	8646	5930	RTO-1	50	form-based			true	0.7	8	1.142857194	6	6	10087	7371	7371	1.166667
3541	041	2882	0.07	1400	2	65	100	3	7	5	8646	7246	RTO-1	50	form-based			true	0.7	8	1.142857194	6	6	10087	8687	8687	1.166667
3541	042	2882	0.07	3140	2	65	100	3	7	5	8646	5506	RTO-1	50	form-based			true	0.7	8	1.142857194	6	6	10087	6947	6947	1.166667
3541	048A	2875	0.07	2040	2	65	100	3	7	5	8625	6585	RTO-1	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	8022.5	8022.5	1.166667
3541	052	2875	0.07	1912	2	65	100	3	7	5	8625	6713	RTO-1	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	8150.5	8150.5	1.166667
3541	053	2875	0.07	3159	2	65	100	3	7	5	8625	5466	RTO-1	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	6903.5	6903.5	1.166667
3541	103	2882	0.07	940	2	65	100	3	7	5	8646	7706	RTO-1	50	form-based			true	0.7	8	1.142857194	6	6	10087	9147	9147	1.166667
3541	105	2875	0.07	2168	2	65	100	3	7	5	8625	6457	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	7894.5	7894.5	1.166667
3541	119	2875	0.07	912	2	65	100	3	7	5	8625	7713	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	9150.5	9150.5	1.166667
3541	121	2875	0.07	1024	2	65	100	3	7	5	8625	7601	RTO-1	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	9038.5	9038.5	1.166667
3541	133	2875	0.07	1906	2	65	100	3	7	5	8625	6719	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	8156.5	8156.5	1.166667
3541	158	2875	0.07	2214	2	65	100	3	7	5	8625	6411	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	7848.5	7848.5	1.166667
3542	030	3123	0.07	5535	3	65	100	3	7	4	9369	3834	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10930.5	5395.5	5395.5	1.166667
3542	033	3167	0.07	5655	3	65	100	3	7	4	9501	3846	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	11084.5	5429.5	5429.5	1.166667
3542	046	3233	0.07	1432	3	65	100	3	7	4	9699	8267	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	11315.5	9883.5	9883.5	1.166667
3542	049	2722	0.06	1115	2	65	100	3	6	4	8166	7051	RTO-1	50	form-based			true	0.7	8	1.333333373	6	6	9527	8412	8412	1.166667
3542	069	3174	0.07	492	3	65	100	3	7	4	9522	9030	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	11109	10617	10617	1.166667
3544	006	10830	0.25	21405	24	65	100	3	25	1	32490	11085	RTO-1	50	form-based			true	0.7	30	1.200000048	6	6	37905	16500	16500	1.166667
3544	006A	2368	0.05	3110	1	65	100	3	5	4	7104	3994	RTO-1	50	form-based			true	0.7	7	1.399999976	6	6	8288	5178	5178	1.166667
3544	011	3140	0.07	4483	3	65	100	3	7	4	9420	4937	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10990	6507	6507	1.166667
3544	013	3140	0.07	5550	3	65	100	3	7	4	9420	3870	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10990	5440	5440	1.166667
3544	027	3125	0.07	4500	3	65	100	3	7	4	9375	4875	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	6437.5	6437.5	1.166667
3544	030	3125	0.07	4695	3	65	100	3	7	4	9375	4680	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	6242.5	6242.5	1.166667
3544	031	3125	0.07	3514	3	65	100	3	7	4	9375	5861	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	7423.5	7423.5	1.166667
3544	036	3125	0.07	4250	3	65	100	3	7	4	9375	5125	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	6687.5	6687.5	1.166667
3544	041	3125	0.07	4800	3	65	100	3	7	4	9375	4575	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	6137.5	6137.5	1.166667
3544	053	1866	0.04	4425	3	65	100	3	4	1	5598	1173	RTO-1	85	form-based			true	0.7	9	2.25	6	5	10449.59961	6024.599609	6024.599609	1.866667
3544	054	1865	0.04	4500	3	65	100	3	4	1	5595	1095	RTO-1	85	form-based			true	0.7	9	2.25	6	5	10444	5944	5944	1.866667
3544	086	3125	0.07	566	3	65	100	3	7	4	9375	8809	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	10371.5	10371.5	1.166667
3544	124	3140	0.07	2625	3	65	100	3	7	4	9420	6795	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10990	8365	8365	1.166667
3545	057	2508	0.06	1180	1	65	100	3	6	5	7524	6344	RTO-1	50	form-based			true	0.7	7	1.166666627	6	6	8778	7598	7598	1.166667
3546	024	3640	0.08	3264	2	65	100	3	8	6	10920	7656	RTO-M	45	form-based				0.7	8	1	6	6	10192	6928	6928	0.933333
3546	041	3900	0.09	1958	3	75	120	3.5	11	8	13650	11692	NCT-VALEI	45	form-based				0.75	9	0.818181813	6	6	11700	9742	9742	0.857143
3547	018B	7200	0.17	9284	16	75	120	3.5	20	4	25200	15916	NCT-VALEI	55	form-based				0.75	22	1.100000024	6	6	27000	17716	17716	1.071429
3547	021	2503	0.06	0	0	75	120	3.5	7	7	8760	8760	NCT-VALEI	45	form-based				0.75	6	0.857142866	6	6	7509	7509	7509	0.857192
3548	006	2125	0.05	2125	0	75	120	3.5	6	6	7438	5313	UMU	58	form-based				0.75	6	1	6	6	7968.75	5843.75	5843.75	1.071357
3548	029	2000	0.05	0	0	75	120	3.5	6	6	7000	7000	UMU	58	form-based		true		0.75	6	1	6	6	7500	7500	7500	1.071429
3548	030	2000	0.05	1250	0	75	120	3.5	6	6	7000	5750	UMU	58	form-based				0.75	6	1	6	6	7500	6250	6250	1.071429
3549	031	3726	0.09	5563	5	75	120	3.5	11	6	13041	7478	UMU	58	form-based				0.75	11	1	6	6	13972.5	8409.5	8409.5	1.071429
3549	036	3726	0.09	4750	5	75	120	3.5	11	6	13041	8291	UMU	58	form-based				0.75	11	1	6	6	13972.5	9222.5	9222.5	1.071429
3549	053	3000	0.07	3192	3	75	120	3.5	8	5	10500	7308	UMU	58	form-based				0.75	9	1.125	6	6	11250	8058	8058	1.071429
3549	062	2520	0.06	1770	2	75	120	3.5	7	5	8820	7050	UMU	58	form-based				0.75	8	1.142857194	6	6	9450	7680	7680	1.071429
3553	005	3762	0.09	3980	5	75	120	3.5	11	6	13167	9187	RTO-M	55	form-based				0.7	11	1	6	6	13167	9187	9187	1
3553	044	3600	0.08	2354	2	75	120	3.5	10	8	12600	10246	RTO-M	40	form-based				0.7	8	0.800000012	6	6	10080	7726	7726	0.8
3554	029	4466	0.1	22466	7	75	120	3.5	12	5	15631	0	NCT-VALEI	55	form-based		true		0.75	13	1.083333373	6	6	16747.5	0	0	1.071429
3555	026	1915	0.04	4176	0	75	120	3.5	5	5	6702	2526	NCT-VALEI	55	form-based				0.75	6	1.200000048	6	6	7181.25	3005.25	3005.25	1.071509
3556	033	6932	0.16	7566	9	65	100	3	16	7	20796	13230	RTO-1	40	form-based			true	0.7	15	0.9375	6	6	19409.59961	11843.59961	11843.59961	0.933333
3556	239	15828	0.36	1010	20	65	100	3	36	16	47484	46474	RTO-1	40	density-lin	600			0.7	26	0.722222209	6	6	44318.39844	43308.39844	43308.39844	0.933333
3557	055B	3643	0.08	2762	4	65	100	3	8	4	10929	8167	RTO-1	50	form-based		true	true	0.7	10	1.25	6	6	12750.5	9988.5	9988.5	1.166667
3557	098	3125	0.07	712	5	85	140	4	10	5	12500	11788	RTO-1	65	form-based			true	0.7	11	1.100000024	6	6	13125	12413	12413	1.05
3557	107	3097	0.07	1512	3	85	140	4	10	7	12388	10876	RTO-1	50	form-based			true	0.7	9	0.899999976	6	6	10839.5	9327.5	9327.5	0.875
3557	110	3098	0.07	1512	3	85	140	4	10	7	12392	10880	RTO-1	50	form-based			true	0.7	9	0.899999976	6	6	10843	9331	9331	0.875
3557	116	3302	0.08	1705	3	85	140	4	11	8	13208	11503	RTO-1	50	form-based			true	0.7	9	0.818181813	6	6	11557	9852	9852	0.875
3557	131	2212	0.05	3456	0	65	100	3	5	5	6636	3180	RTO-1	50	form-based			true	0.7	6	1.200000048	6	6	7742	4286	4286	1.166667
3557	135	8183	0.19	1394	17	65	100	3	19	2	24549	23155	RTO-1	50	form-based		true	true	0.7	23	1.210526347	6	6	28640.5	27246.5	27246.5	1.166667
3558	010	2386	0.05	4248	1	85	140	4	7	6	9544	5296	RTO-1	50	form-based			true	0.7	7	1	6	6	8351	4103	4103	0.875
3558	019	2740	0.06	2602	2	65	100	3	6	4	8220	5618	RTO-1	50	form-based			true	0.7	8	1.333333373	6	6	9590	6988	6988	1.166667
3558	022	2880	0.07	5787	2	65	100	3	7	5	8640	2853	RTO-1	50	form-based		true	true	0.7	8	1.142857194	6	6	10080	4293	4293	1.166667
3558	024	3600	0.08	4060	4	65	100	3	8	4	10800	6740	RTO-1	50	form-based			true	0.7	10	1.25	6	6	12600	8540	8540	1.166667
3558	027	3150	0.07	4055	3	65	100	3	7	4	9450	5395	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	11025	6970	6970	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3558	049	3125	0.07	4275	3	65	100	3	7	4	9375	5100	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	6662.5	6662.5	1.166667
3558	053	3125	0.07	3505	3	65	100	3	7	4	9375	5870	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	7432.5	7432.5	1.166667
3558	056	3125	0.07	3851	3	65	100	3	7	4	9375	5524	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	7086.5	7086.5	1.166667
3558	060	3125	0.07	3060	3	65	100	3	7	4	9375	6315	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	7877.5	7877.5	1.166667
3558	062	3125	0.07	2850	3	65	100	3	7	4	9375	6525	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	8087.5	8087.5	1.166667
3558	063	3125	0.07	4825	3	65	100	3	7	4	9375	4550	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	10937.5	6112.5	6112.5	1.166667
3558	071	2500	0.06	1195	1	65	100	3	6	5	7500	6305	RTO-1	50	form-based			true	0.7	7	1.166666627	6	6	8750	7555	7555	1.166667
3558	072	3750	0.09	5258	4	65	100	3	9	5	11250	5992	RTO-1	50	form-based			true	0.7	10	1.111111164	6	6	13125	7867	7867	1.166667
3558	153	2740	0.06	1620	2	65	100	3	6	4	8220	6600	RTO-1	50	form-based			true	0.7	8	1.333333373	6	6	9590	7970	7970	1.166667
3558	155	2740	0.06	1136	2	65	100	3	6	4	8220	7084	RTO-1	50	form-based			true	0.7	8	1.333333373	6	6	9590	8454	8454	1.166667
3558	168	3150	0.07	1141	3	65	100	3	7	4	9450	8309	RTO-1	50	form-based			true	0.7	9	1.285714269	6	6	11025	9884	9884	1.166667
3559	012	1933	0.04	1810	0	65	100	3	4	4	5799	3989	NCT-UPPE	50	form-based			true	0.75	6	1.5	6	6	7248.75	5438.75	5438.75	1.25
3560	017	3308	0.08	4654	3	65	100	3	8	5	9924	5270	RM-2	50	form-based			true	0.7	9	1.125	6	6	11578	6924	6924	1.166667
3560	023	3286	0.08	2944	3	65	100	3	8	5	9858	6914	RH-2	50	form-based			true	0.7	9	1.125	6	6	11501	8557	8557	1.166667
3560	024	3100	0.07	3652	3	65	100	3	7	4	9300	5648	RH-2	50	form-based			true	0.7	9	1.285714269	6	6	10850	7198	7198	1.166667
3560	040	3069	0.07	1674	3	65	100	3	7	4	9207	7533	RM-2	50	form-based			true	0.7	9	1.285714269	6	6	10741.5	9067.5	9067.5	1.166667
3561	037	2500	0.06	2350	1	65	100	3	6	5	7500	5150	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8750	6400	6400	1.166667
3561	003	2747	0.06	1750	2	65	100	3	6	4	8241	6491	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9614.5	7864.5	7864.5	1.166667
3561	005	2747	0.06	2800	2	65	100	3	6	4	8241	5441	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9614.5	6814.5	6814.5	1.166667
3561	006	2748	0.06	2772	2	65	100	3	6	4	8244	5472	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9618	6846	6846	1.166667
3561	009	2758	0.06	2917	2	85	140	4	8	6	11032	8115	NCT-UPPE	50	form-based			true	0.75	8	1	6	6	10342.5	7425.5	7425.5	0.9375
3561	011	2759	0.06	2364	2	85	140	4	8	6	11036	8672	NCT-UPPE	50	form-based			true	0.75	8	1	6	6	10346.25	7982.25	7982.25	0.9375
3561	017	2899	0.07	3300	2	85	140	4	10	8	11596	8296	RH-3	50	form-based			true	0.7	8	0.800000012	6	6	10146.5	6846.5	6846.5	0.875
3561	019	2899	0.07	2561	2	85	140	4	10	8	11596	9035	RH-3	50	form-based			true	0.7	8	0.800000012	6	6	10146.5	7585.5	7585.5	0.875
3561	023	2899	0.07	2859	2	65	100	3	7	5	8697	5838	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10146.5	7287.5	7287.5	1.166667
3561	036	2500	0.06	2468	1	65	100	3	6	5	7500	5032	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8750	6282	6282	1.166667
3561	043	2875	0.07	2200	2	65	100	3	7	5	8625	6425	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	7862.5	7862.5	1.166667
3561	045	2875	0.07	2800	2	65	100	3	7	5	8625	5825	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	7262.5	7262.5	1.166667
3561	051	2875	0.07	3120	2	65	100	3	7	5	8625	5505	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	6942.5	6942.5	1.166667
3561	059	2875	0.07	3188	2	65	100	3	7	5	8625	5437	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	6874.5	6874.5	1.166667
3561	062	2875	0.07	3075	2	65	100	3	7	5	8625	5550	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	6987.5	6987.5	1.166667
3561	063	2875	0.07	2820	2	65	100	3	7	5	8625	5805	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	7242.5	7242.5	1.166667
3561	069	3310	0.08	2063	1	65	100	3	8	7	9930	7867	RH-3	40	form-based			true	0.7	7	0.875	6	6	9268	7205	7205	0.933333
3561	089	2875	0.07	1255	2	65	100	3	7	5	8625	7370	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	8807.5	8807.5	1.166667
3561	091	2899	0.07	1320	2	65	100	3	7	5	8697	7377	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10146.5	8826.5	8826.5	1.166667
3561	093	4331	0.1	1455	3	65	100	3	10	7	12993	11538	RH-2	40	form-based			true	0.7	9	0.899999976	6	6	12126.7998	10671.7998	10671.7998	0.933333
3561	096	2875	0.07	612	2	65	100	3	7	5	8625	8013	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	9450.5	9450.5	1.166667
3561	100	2899	0.07	1231	2	65	100	3	7	5	8697	7466	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10146.5	8915.5	8915.5	1.166667
3561	102	2875	0.07	2282	2	65	100	3	7	5	8625	6343	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	7780.5	7780.5	1.166667
3561	104	2875	0.07	1631	2	65	100	3	7	5	8625	6994	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	8431.5	8431.5	1.166667
3561	106	2887	0.07	1410	2	65	100	3	7	5	8661	7251	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10104.5	8694.5	8694.5	1.166667
3561	108	2875	0.07	1268	2	65	100	3	7	5	8625	7357	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	8794.5	8794.5	1.166667
3561	110	2875	0.07	1420	2	65	100	3	7	5	8625	7205	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	8642.5	8642.5	1.166667
3561	116	2899	0.07	1542	2	85	140	4	10	8	11596	10054	RH-3	50	form-based			true	0.7	8	0.800000012	6	6	10146.5	8604.5	8604.5	0.875
3561	126	2875	0.07	1350	2	65	100	3	7	5	8625	7275	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10062.5	8712.5	8712.5	1.166667
3563	011	4900	0.11	5792	8	85	140	4	15	7	19600	13808	RH-3	50	form-based			true	0.7	14	0.933333337	6	6	17150	11358	11358	0.875
3563	037	2700	0.06	1850	2	85	140	4	8	6	10800	8950	RH-3	50	form-based	true	true	true	0.7	8	1	6	6	9450	7600	7600	0.875
3564	003	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8750	7750	7750	1.166667
3564	086A	2523	0.06	1840	2	85	140	4	8	6	10092	8252	NCT-UPPE	50	form-based			true	0.75	8	1	6	6	9461.25	7621.25	7621.25	0.9375
3564	137	2808	0.06	1580	2	85	140	4	8	6	11232	9652	RH-3	50	form-based			true	0.7	8	1	6	6	9828	8248	8248	0.875
3566	010	5121	0.12	10159	8	65	100	3	12	4	15363	5204	RH-3	50	form-based	true	true	true	0.7	14	1.166666627	6	6	17923.5	7764.5	7764.5	1.166667
3566	039	2145	0.05	4800	2	85	140	4	7	5	8580	3780	RTO-C	65	form-based	true	true	true	0.75	8	1.142857194	6	6	9652.5	4852.5	4852.5	1.125
3566	040A	2570	0.06	3470	4	85	140	4	8	4	10280	6810	RTO-C	65	form-based			true	0.75	10	1.25	6	6	11565	8095	8095	1.125
3566	043	2743	0.06	3760	4	65	100	3	6	2	8229	4469	RTO-C	65	form-based	true	true	true	0.75	10	1.666666627	6	6	12343.5	8583.5	8583.5	1.5
3567	036	2578	0.06	2525	0	85	140	4	8	8	10312	7787	NCT-VALE	40	form-based				0.75	6	0.75	6	6	7734	5209	5209	0.75
3568	003	2672	0.06	11490	2	85	140	4	8	6	10688	0	NCT-VALE	55	form-based				0.75	8	1	6	6	10020	0	0	0.9375
3568	041	3672	0.08	5480	4	75	120	3.5	10	6	12852	7372	RTO-M	55	form-based				0.7	10	1	6	6	12852	7372	7372	1
3577	005A	2655	0.06	3688	2	65	100	3	6	4	7965	4277	NCT-VALE	55	form-based				0.75	8	1.333333373	6	6	9956.25	6268.25	6268.25	1.25
3577	009	2500	0.06	3883	2	75	120	3.5	7	5	8750	4867	NCT-VALE	55	form-based				0.75	8	1.142857194	6	6	9375	5492	5492	1.071429
3577	012C	5022	0.12	7800	8	65	100	3	12	4	15066	7266	RTO-M	55	form-based	true			0.7	14	1.166666627	6	6	17577	9777	9777	1.166667
3577	046	3051	0.07	4799	0	65	100	3	7	7	9153	4354	RTO-M	45	form-based				0.7	6	0.857142866	6	6	8542.799805	3743.799805	3743.799805	0.933333
3577	047A	3099	0.07	1540	1	65	100	3	7	6	9297	7757	RTO-M	45	form-based				0.7	7	1	6	6	8677.200195	7137.200195	7137.200195	0.933333
3577	062	3804	0.09	5171	2	65	100	3	9	7	11412	6241	RTO-M	45	form-based				0.7	8	0.888888896	6	6	10651.2002	5480.200195	5480.200195	0.933333
3577	066	2718	0.06	3760	2	65	100	3	6	4	8154	4394	RTO-M	55	form-based				0.7	8	1.333333373	6	6	9513	5753	5753	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3577	067	3340	0.08	3804	3	75	120	3.5	10	7	11690	7886	RTO-M	55	form-based				0.7	9	0.899999976	6	6	11690	7886	7886	1
3579	029	2467	0.06	3132	1	65	100	3	6	5	7401	4269	RM-1	50	form-based			true	0.7	7	1.166666627	6	6	8634.5	5502.5	5502.5	1.166667
3579	032	4976	0.11	6620	8	65	100	3	11	3	14928	8308	RM-1	50	form-based			true	0.7	14	1.272727251	6	6	17416	10796	10796	1.166667
3580	012	2352	0.05	4785	3	85	140	4	7	4	9408	4623	RTO-C	65	form-based			true	0.75	9	1.285714269	6	6	10584	5799	5799	1.125
3580	017	3589	0.08	4628	4	85	140	4	11	7	14356	9728	RM-1	50	form-based			true	0.7	10	0.909090936	6	6	12561.5	7933.5	7933.5	0.875
3580	042	2550	0.06	2125	1	85	140	4	8	7	10200	8075	RM-1	50	form-based			true	0.7	7	0.875	6	6	8925	6800	6800	0.875
3580	071	4450	0.1	9030	11	85	140	4	14	3	17800	8770	RTO-C	65	form-based			true	0.75	17	1.214285731	6	6	20025	10995	10995	1.125
3580	072	3582	0.08	3540	4	65	100	3	8	4	10746	7206	RM-1	50	form-based			true	0.7	10	1.25	6	6	12537	8997	8997	1.166667
3580	197	3484	0.08	1397	4	65	100	3	8	4	10452	9055	RM-1	50	form-based			true	0.7	10	1.25	6	6	12194	10797	10797	1.166667
3581	048	2844	0.07	4579	0	65	100	3	7	7	8532	3953	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	7963.199707	3384.199707	3384.199707	0.933333
3581	050	2850	0.07	2270	0	65	100	3	7	7	8550	6280	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	7980	5710	5710	0.933333
3582	012	3117	0.07	2032	1	65	100	3	7	6	9351	7319	RH-3	40	form-based			true	0.7	7	1	6	6	8727.599609	6695.599609	6695.599609	0.933333
3582	030	3125	0.07	1904	1	65	100	3	7	6	9375	7471	RH-3	40	form-based			true	0.7	7	1	6	6	8750	6846	6846	0.933333
3582	038	2550	0.06	1442	1	85	140	4	8	7	10200	8758	RH-3	50	form-based			true	0.7	7	0.875	6	6	8925	7483	7483	0.875
3582	039	2550	0.06	1240	1	65	100	3	6	5	7650	6410	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8925	7685	7685	1.166667
3582	041	2550	0.06	1546	1	65	100	3	6	5	7650	6104	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8925	7379	7379	1.166667
3582	042	2550	0.06	1609	1	65	100	3	6	5	7650	6041	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8925	7316	7316	1.166667
3582	045	2550	0.06	2755	1	65	100	3	6	5	7650	4895	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8925	6170	6170	1.166667
3582	052	2500	0.06	3388	2	65	100	3	6	4	7500	4112	NCD-CAST	50	form-based			true	0.75	8	1.333333373	6	6	9375	5987	5987	1.25
3582	054	2500	0.06	2765	2	65	100	3	6	4	7500	4735	NCD-CAST	50	form-based			true	0.75	8	1.333333373	6	6	9375	6610	6610	1.25
3582	096	3271	0.08	2199	3	65	100	3	8	5	9813	7614	RH-3	50	form-based			true	0.7	9	1.125	6	6	11448.5	9249.5	9249.5	1.166667
3582	118	3117	0.07	1225	3	85	140	4	10	7	12468	11243	RH-3	50	form-based			true	0.7	9	0.899999976	6	6	10909.5	9684.5	9684.5	0.875
3583	018	6090	0.14	4560	7	65	100	3	14	7	18270	13710	RH-3	40	form-based			true	0.7	13	0.928571403	6	6	17052	12492	12492	0.933333
3583	025	3117	0.07	1450	1	65	100	3	7	6	9351	7901	RH-3	40	form-based			true	0.7	7	1	6	6	8727.599609	7277.599609	7277.599609	0.933333
3583	028	3117	0.07	1125	1	65	100	3	7	6	9351	8226	RH-3	40	form-based			true	0.7	7	1	6	6	8727.599609	7602.599609	7602.599609	0.933333
3583	029	3117	0.07	1880	1	65	100	3	7	6	9351	7471	RH-3	40	form-based			true	0.7	7	1	6	6	8727.599609	6847.599609	6847.599609	0.933333
3583	033	3117	0.07	1125	1	65	100	3	7	6	9351	8226	RH-3	40	form-based			true	0.7	7	1	6	6	8727.599609	7602.599609	7602.599609	0.933333
3583	041	2467	0.06	1935	1	65	100	3	6	5	7401	5466	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8634.5	6699.5	6699.5	1.166667
3583	064	3000	0.07	3736	3	65	100	3	7	4	9000	5264	NCD-CAST	50	form-based			true	0.75	9	1.285714269	6	6	11250	7514	7514	1.25
3583	065	3125	0.07	3658	3	65	100	3	7	4	9375	5717	NCD-CAST	50	form-based			true	0.75	9	1.285714269	6	6	11718.75	8060.75	8060.75	1.25
3583	069	3125	0.07	4370	3	65	100	3	7	4	9375	5005	NCD-CAST	50	form-based			true	0.75	9	1.285714269	6	6	11718.75	7348.75	7348.75	1.25
3583	096	3093	0.07	1372	3	65	100	3	7	4	9279	7907	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	10825.5	9453.5	9453.5	1.166667
3584	048	3420	0.08	2000	1	65	100	3	8	7	10260	8260	RH-3	40	form-based			true	0.7	7	0.875	6	6	9576	7576	7576	0.933333
3584	072	2635	0.06	2885	0	65	100	3	6	6	7905	5020	RH-3	40	form-based			true	0.7	6	1	6	6	7378	4493	4493	0.933333
3585	008	2484	0.06	4500	3	65	100	3	6	3	7452	2952	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11178	6678	6678	1.5
3585	010	2517	0.06	4050	3	65	100	3	6	3	7551	3501	RTO-C	65	form-based			true	0.75	9	1.5	6	6	11326.5	7276.5	7276.5	1.5
3585	055	2850	0.07	287	2	65	100	3	7	5	8550	8263	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9975	9688	9688	1.166667
3585	021	2850	0.07	2844	2	65	100	3	7	5	8550	5706	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7131	7131	1.166667
3585	022	2850	0.07	2476	2	65	100	3	7	5	8550	6074	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7499	7499	1.166667
3585	027A	2850	0.07	6326	2	65	100	3	7	5	8550	2224	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	3649	3649	1.166667
3585	032	2640	0.06	3132	1	65	100	3	6	5	7920	4788	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	9240	6108	6108	1.166667
3585	034	2750	0.06	2700	2	65	100	3	6	4	8250	5550	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9625	6925	6925	1.166667
3585	037	2851	0.07	3429	2	65	100	3	7	5	8553	5124	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9978.5	6549.5	6549.5	1.166667
3585	042A	2850	0.07	2160	2	65	100	3	7	5	8550	6390	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9975	7815	7815	1.166667
3585	042B	2850	0.07	1800	2	65	100	3	7	5	8550	6750	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9975	8175	8175	1.166667
3585	047	2850	0.07	2630	2	65	100	3	7	5	8550	5920	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9975	7345	7345	1.166667
3585	054	2850	0.07	2426	2	65	100	3	7	5	8550	6124	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9975	7549	7549	1.166667
3585	056	2850	0.07	2710	2	65	100	3	7	5	8550	5840	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9975	7265	7265	1.166667
3585	057	2850	0.07	2766	2	65	100	3	7	5	8550	5784	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9975	7209	7209	1.166667
3585	065	2750	0.06	3693	2	65	100	3	6	4	8250	4557	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9625	5932	5932	1.166667
3585	067	2488	0.06	2245	1	65	100	3	6	5	7464	5219	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8708	6463	6463	1.166667
3585	068	2488	0.06	2020	1	65	100	3	6	5	7464	5444	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8708	6688	6688	1.166667
3585	070	2942	0.07	2820	2	65	100	3	7	5	8826	6006	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10297	7477	7477	1.166667
3585	073	2839	0.07	4167	2	65	100	3	7	5	8517	4350	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9936.5	5769.5	5769.5	1.166667
3585	081	2841	0.07	1215	2	65	100	3	7	5	8523	7308	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9943.5	8728.5	8728.5	1.166667
3585	084	2491	0.06	3100	3	85	140	4	8	5	9964	6864	RTO-C	65	form-based			true	0.75	9	1.125	6	6	11209.5	8109.5	8109.5	1.125
3585	106	2850	0.07	1020	2	65	100	3	7	5	8550	7530	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9975	8955	8955	1.166667
3585	132	2850	0.07	1414	2	65	100	3	7	5	8550	7136	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	8561	8561	1.166667
3585	134	2850	0.07	1518	2	65	100	3	7	5	8550	7032	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	8457	8457	1.166667
3585	140	2849	0.07	992	2	65	100	3	7	5	8547	7555	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9971.5	8979.5	8979.5	1.166667
3585	144	2840	0.07	1317	2	65	100	3	7	5	8520	7203	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9940	8623	8623	1.166667
3585	157	2850	0.07	1619	2	65	100	3	7	5	8550	6931	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9975	8356	8356	1.166667
3588	007	2506	0.06	3492	2	65	100	3	6	4	7518	4026	NCT-VALEI	55	form-based				0.75	8	1.333333373	6	6	9397.5	5905.5	5905.5	1.25
3588	003	2507	0.06	3684	2	65	100	3	6	4	7521	3837	NCT-VALEI	55	form-based				0.75	8	1.333333373	6	6	9401.25	5717.25	5717.25	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3588	044	3500	0.08	2689	1	65	100	3	8	7	10500	7811	RTO-M	45	form-based				0.7	7	0.875	6	6	9800	7111	7111	0.933333
3588	049N	2449	0.06	2788	1	65	100	3	6	5	7347	4559	RTO-M	55	form-based		true		0.7	7	1.166666627	6	6	8571.5	5783.5	5783.5	1.166667
3591	010	3697	0.08	0	0	65	100	3	8	8	11091	11091	RM-2	50	density-lim	600			0.7	6	0.75	6	6	12939.5	12939.5	12939.5	1.166667
3591	013	3697	0.08	6032	0	65	100	3	8	8	11091	5059	RM-2	50	density-lim	600			0.7	6	0.75	6	6	12939.5	6907.5	6907.5	1.166667
3594	016	4750	0.11	4750	0	65	100	3	11	11	14250	9500	NC-2	45	density-lim	800			0.75	6	0.545454562	6	6	14250	9500	9500	1
3597	013	2881	0.07	3050	2	65	100	3	7	5	8643	5593	RTO-M	55	form-based				0.7	8	1.142857194	6	6	10083.5	7033.5	7033.5	1.166667
3597	015	2709	0.06	3625	2	65	100	3	6	4	8127	4502	RTO-M	55	form-based				0.7	8	1.333333373	6	6	9481.5	5856.5	5856.5	1.166667
3597	023	2863	0.07	3500	2	65	100	3	7	5	8589	5089	RTO-M	55	form-based				0.7	8	1.142857194	6	6	10020.5	6520.5	6520.5	1.166667
3597	079	2837	0.07	1425	2	65	100	3	7	5	8511	7086	RTO-M	55	form-based				0.7	8	1.142857194	6	6	9929.5	8504.5	8504.5	1.166667
3600	005	2673	0.06	1247	1	85	140	4	8	7	10692	9445	RH-2	50	form-based			true	0.7	7	0.875	6	6	9355.5	8108.5	8108.5	0.875
3600	005A	2062	0.05	3405	2	85	140	4	7	5	8248	4843	RTO-C	65	form-based			true	0.75	8	1.142857194	6	6	9279	5874	5874	1.125
3600	007	2631	0.06	2850	4	85	140	4	8	4	10524	7674	RTO-C	65	form-based			true	0.75	10	1.25	6	6	11839.5	8989.5	8989.5	1.125
3600	028	2625	0.06	2319	1	65	100	3	6	5	7875	5556	RH-1	50	form-based			true	0.7	7	1.166666627	6	6	9187.5	6868.5	6868.5	1.166667
3600	029	2653	0.06	3040	1	65	100	3	6	5	7959	4919	RH-1	50	form-based		true	true	0.7	7	1.166666627	6	6	9285.5	6245.5	6245.5	1.166667
3600	033	2835	0.07	2730	2	65	100	3	7	5	8505	5775	RH-1	50	form-based			true	0.7	8	1.142857194	6	6	9922.5	7192.5	7192.5	1.166667
3600	036A	2835	0.07	2800	2	65	100	3	7	5	8505	5705	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9922.5	7122.5	7122.5	1.166667
3600	037	2834	0.07	1360	2	65	100	3	7	5	8502	7142	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9919	8559	8559	1.166667
3600	046	2850	0.07	4224	2	65	100	3	7	5	8550	4326	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	5751	5751	1.166667
3600	051	2670	0.06	1287	1	65	100	3	6	5	8010	6723	RH-1	50	form-based			true	0.7	7	1.166666627	6	6	9345	8058	8058	1.166667
3600	055	2636	0.06	600	1	65	100	3	6	5	7908	7308	RH-1	50	form-based			true	0.7	7	1.166666627	6	6	9226	8626	8626	1.166667
3600	082	2897	0.07	850	2	65	100	3	7	5	8691	7841	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10139.5	9289.5	9289.5	1.166667
3600	084	2897	0.07	1210	2	65	100	3	7	5	8691	7481	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10139.5	8929.5	8929.5	1.166667
3600	086	2850	0.07	1134	2	65	100	3	7	5	8550	7416	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	8841	8841	1.166667
3600	094	2850	0.07	1440	2	85	140	4	10	8	11400	9960	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	8535	8535	0.875
3600	096	2897	0.07	3812	2	65	100	3	7	5	8691	4879	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10139.5	6327.5	6327.5	1.166667
3600	102	2898	0.07	973	2	65	100	3	7	5	8694	7721	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10143	9170	9170	1.166667
3600	108	2897	0.07	1022	2	65	100	3	7	5	8691	7669	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10139.5	9117.5	9117.5	1.166667
3600	119	2898	0.07	1117	2	65	100	3	7	5	8694	7577	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10143	9026	9026	1.166667
3601	017	2850	0.07	843	0	65	100	3	7	7	8550	7707	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	7980	7137	7137	0.933333
3601	115	2850	0.07	2160	0	65	100	3	7	7	8550	6390	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	7980	5820	5820	0.933333
3602	005	3117	0.07	1530	1	55	80	2.5	6	5	7792	6262	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	7197.599609	7197.599609	1.120072
3602	006	3117	0.07	1686	1	55	80	2.5	6	5	7792	6106	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	7041.599609	7041.599609	1.120072
3602	007	3117	0.07	2297	1	55	80	2.5	6	5	7792	5495	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	6430.599609	6430.599609	1.120072
3602	009	3117	0.07	1506	1	55	80	2.5	6	5	7792	6286	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	7221.599609	7221.599609	1.120072
3602	010	3117	0.07	2059	1	55	80	2.5	6	5	7792	5733	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	6668.599609	6668.599609	1.120072
3602	011	3117	0.07	1503	1	55	80	2.5	6	5	7792	6289	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	7224.599609	7224.599609	1.120072
3602	012	3117	0.07	1755	1	55	80	2.5	6	5	7792	6037	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	6972.599609	6972.599609	1.120072
3602	013	3117	0.07	1609	1	55	80	2.5	6	5	7792	6183	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	7118.599609	7118.599609	1.120072
3602	014	3117	0.07	1470	1	55	80	2.5	6	5	7792	6322	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	7257.599609	7257.599609	1.120072
3602	025	3125	0.07	990	1	55	80	2.5	6	5	7812	6822	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	7760	7760	1.120072
3602	026	3125	0.07	2015	1	55	80	2.5	6	5	7812	5797	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	6735	6735	1.120072
3602	027	3125	0.07	1838	1	55	80	2.5	6	5	7812	5974	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	6912	6912	1.120072
3602	028	3125	0.07	3120	1	55	80	2.5	6	5	7812	4692	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	5630	5630	1.120072
3602	029	3125	0.07	1549	1	55	80	2.5	6	5	7812	6263	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8750	7201	7201	1.120072
3602	079	3811	0.09	1083	2	65	100	3	9	7	11433	10350	RH-3	40	form-based			true	0.7	8	0.888888896	6	6	10670.7998	9587.799805	9587.799805	0.933333
3603	040	2798	0.06	2135	0	55	80	2.5	5	5	6995	4860	RH-2	40	form-based			true	0.7	6	1.200000048	6	6	7834.399902	5699.399902	5699.399902	1.12
3603	060	3306	0.08	1642	1	55	80	2.5	6	5	8265	6623	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9256.799805	7614.799805	7614.799805	1.12
3604	011	2885	0.07	3230	0	65	100	3	7	7	8655	5425	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8078	4848	4848	0.933333
3604	029	3594	0.08	2770	2	65	100	3	8	6	10782	8012	RH-2	40	form-based			true	0.7	8	1	6	6	10063.2002	7293.200195	7293.200195	0.933333
3604	034	2798	0.06	0	0	65	100	3	6	6	8394	8394	RH-1	40	form-based			true	0.7	6	1	6	6	7834.399902	7834.399902	7834.399902	0.933333
3604	054	3267	0.07	1465	1	65	100	3	7	6	9801	8336	RH-2	40	form-based			true	0.7	7	1	6	6	9147.599609	7682.599609	7682.599609	0.933333
3604	076	3192	0.07	2026	1	65	100	3	7	6	9576	7550	RH-1	40	form-based			true	0.7	7	1	6	6	8937.599609	6911.599609	6911.599609	0.933333
3604	084	3200	0.07	2220	1	65	100	3	7	6	9600	7380	RH-1	40	form-based			true	0.7	7	1	6	6	8960	6740	6740	0.933333
3604	085	3200	0.07	2440	1	65	100	3	7	6	9600	7160	RH-1	40	form-based			true	0.7	7	1	6	6	8960	6520	6520	0.933333
3604	088	2857	0.07	0	0	65	100	3	7	7	8571	8571	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	7999.600098	7999.600098	7999.600098	0.933333
3604	090	2858	0.07	180	0	65	100	3	7	7	8574	8394	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8002.399902	7822.399902	7822.399902	0.933333
3604	109	2910	0.07	160	0	65	100	3	7	7	8730	8570	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8148	7988	7988	0.933333
3604	110	2860	0.07	2147	0	65	100	3	7	7	8580	6433	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8008	5861	5861	0.933333
3605	001	2100	0.05	2700	2	85	140	4	7	5	8400	5700	RTO-C	65	form-based			true	0.75	8	1.142857194	6	6	9450	6750	6750	1.125
3605	052	3260	0.07	2081	1	65	100	3	7	6	9780	7699	RH-1	40	form-based			true	0.7	7	1	6	6	9128	7047	7047	0.933333
3605	053	3206	0.07	732	1	65	100	3	7	6	9618	8886	RH-1	40	form-based			true	0.7	7	1	6	6	8976.799805	8244.799805	8244.799805	0.933333
3605	055	3341	0.08	1680	1	65	100	3	8	7	10023	8343	RH-1	40	form-based		true	true	0.7	7	0.875	6	6	9354.799805	7674.799805	7674.799805	0.933333
3605	084	3135	0.07	4439	1	65	100	3	7	6	9405	4966	RH-1	40	form-based			true	0.7	7	1	6	6	8778	4339	4339	0.933333
3605	085	3135	0.07	3171	1	65	100	3	7	6	9405	6234	RH-1	40	form-based			true	0.7	7	1	6	6	8778	5607	5607	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3606	006	2480	0.06	2920	1	65	100	3	6	5	7440	4520	RH-3	50	form-based		true	true	0.7	7	1.166666627	6	6	8680	5760	5760	1.166667
3606	007	2455	0.06	2392	1	65	100	3	6	5	7365	4973	RH-3	50	form-based		true	true	0.7	7	1.166666627	6	6	8592.5	6200.5	6200.5	1.166667
3606	016	2850	0.07	3350	2	85	140	4	10	8	11400	8050	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	6625	6625	0.875
3606	017	2850	0.07	3992	2	85	140	4	10	8	11400	7408	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	5983	5983	0.875
3606	018	2850	0.07	2840	2	85	140	4	10	8	11400	8560	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	7135	7135	0.875
3606	019	2850	0.07	2710	2	85	140	4	10	8	11400	8690	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	7265	7265	0.875
3606	020	2850	0.07	2500	2	85	140	4	10	8	11400	8900	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	7475	7475	0.875
3606	043	2837	0.07	2528	2	85	140	4	10	8	11348	8820	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9929.5	7401.5	7401.5	0.875
3606	048	2850	0.07	2900	2	85	140	4	10	8	11400	8500	RH-3	50	form-based			true	0.7	8	0.800000012	6	6	9975	7075	7075	0.875
3606	050	2850	0.07	3150	2	85	140	4	10	8	11400	8250	RH-3	50	form-based			true	0.7	8	0.800000012	6	6	9975	6825	6825	0.875
3606	054	2038	0.05	0	0	85	140	4	7	7	8152	8152	RM-1	50	form-based			true	0.7	6	0.857142866	6	6	7133	7133	7133	0.875
3606	060	2569	0.06	1700	1	85	140	4	8	7	10276	8576	RM-1	50	form-based			true	0.7	7	0.875	6	6	8991.5	7291.5	7291.5	0.875
3606	063	1631	0.04	0	0	85	140	4	6	6	6524	6524	RTO-C	65	form-based		true	true	0.75	6	1	6	6	7339.5	7339.5	7339.5	1.125
3606	070	2828	0.06	2320	2	85	140	4	8	6	11312	8992	RH-3	50	form-based			true	0.7	8	1	6	6	9898	7578	7578	0.875
3606	072	2828	0.06	2558	2	85	140	4	8	6	11312	8754	RH-3	50	form-based			true	0.7	8	1	6	6	9898	7340	7340	0.875
3606	101	2886	0.07	1350	2	85	140	4	10	8	11544	10194	RH-3	50	form-based			true	0.7	8	0.800000012	6	6	10101	8751	8751	0.875
3606	119	2625	0.06	650	4	85	140	4	8	4	10500	9850	RTO-C	65	form-based			true	0.75	10	1.25	6	6	11812.5	11162.5	11162.5	1.125
3606	123	2850	0.07	1752	2	85	140	4	10	8	11400	9648	RH-3	50	form-based			true	0.7	8	0.800000012	6	6	9975	8223	8223	0.875
3608	002	3849	0.09	8400	6	65	100	3	9	3	11547	3147	NCT-VALEI	50	form-based				0.75	12	1.333333373	6	6	14433.75	6033.75	6033.75	1.25
3608	007	3079	0.07	6360	3	65	100	3	7	4	9237	2877	NCT-VALEI	50	form-based				0.75	9	1.285714269	6	6	11546.25	5186.25	5186.25	1.25
3612	007	3045	0.07	1453	1	65	100	3	7	6	9135	7682	UMU	40	form-based				0.75	7	1	6	6	9135	7682	7682	1
3612	082	15227	0.35	941	28	55	80	2.5	28	0	38068	37127	UMU	40	form-based				0.75	34	1.214285731	6	6	45681	44740	44740	1.199984
3613	030	4638	0.11	4060	0	65	100	3	11	11	13914	9854	RH-3	40	density-lim	1000	true		0.7	6	0.545454562	6	6	12986.39941	8926.399414	8926.399414	0.933333
3614	052	7409	0.17	3290	1	65	100	3	17	16	22227	18937	RH-3	40	density-lim	1000			0.7	7	0.411764711	6	6	20745.19922	17455.19922	17455.19922	0.933333
3619	008	3250	0.07	4074	3	65	100	3	7	4	9750	5676	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	11375	7301	7301	1.166667
3619	009	3250	0.07	4074	3	65	100	3	7	4	9750	5676	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	11375	7301	7301	1.166667
3619	014	3250	0.07	4180	3	65	100	3	7	4	9750	5570	RH-3	50	form-based			true	0.7	9	1.285714269	6	6	11375	7195	7195	1.166667
3619	019	2478	0.06	1100	1	65	100	3	6	5	7434	6334	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8673	7573	7573	1.166667
3619	024	2500	0.06	1700	1	65	100	3	6	5	7500	5800	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	7050	7050	1.166667
3619	037	2366	0.05	3720	3	65	100	3	5	2	7098	3378	RTO-C	65	form-based			true	0.75	9	1.799999952	6	6	10647	6927	6927	1.5
3619	064	3312	0.08	2550	3	65	100	3	8	5	9936	7386	RH-2	50	form-based			true	0.7	9	1.125	6	6	11592	9042	9042	1.166667
3620	067	2902	0.07	0	0	65	100	3	7	7	8706	8706	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8125.600098	8125.600098	8125.600098	0.933333
3620	090	3150	0.07	3500	1	65	100	3	7	6	9450	5950	RH-1	40	form-based			true	0.7	7	1	6	6	8820	5320	5320	0.933333
3621	084	5625	0.13	4742	6	65	100	3	13	7	16875	12133	RH-2	40	form-based			true	0.7	12	0.923076928	6	6	15750	11008	11008	0.933333
3621	094	2889	0.07	1450	0	65	100	3	7	7	8667	7217	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8089.199707	6639.199707	6639.199707	0.933333
3622	005	3450	0.08	2580	1	55	80	2.5	6	5	8625	6045	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9660	7080	7080	1.12
3622	061	2850	0.07	3007	0	55	80	2.5	6	6	7125	4118	RH-2	40	form-based			true	0.7	6	1	6	6	7980	4973	4973	1.12
3623	023	3420	0.08	2298	1	55	80	2.5	6	5	8550	6252	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9576	7278	7278	1.12
3625	019	2839	0.07	0	0	65	100	3	7	7	8517	8517	RH-3	40	form-based			true	0.7	6	0.857142866	6	6	7949.199707	7949.199707	7949.199707	0.933333
3627	013	3230	0.07	1758	3	65	100	3	7	4	9690	7932	RH-2	50	form-based			true	0.7	9	1.285714269	6	6	11305	9547	9547	1.166667
3627	042	2250	0.05	2641	0	65	100	3	5	5	6750	4109	RH-2	50	form-based			true	0.7	6	1.200000048	6	6	7875	5234	5234	1.166667
3627	051	2936	0.07	1375	2	65	100	3	7	5	8808	7433	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10276	8901	8901	1.166667
3628	002	2500	0.06	2256	3	85	140	4	8	5	10000	7744	RTO-C	65	form-based			true	0.75	9	1.125	6	6	11250	8994	8994	1.125
3628	025	2880	0.07	2792	2	65	100	3	7	5	8640	5848	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10080	7288	7288	1.166667
3628	026	2880	0.07	3192	2	65	100	3	7	5	8640	5448	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10080	6888	6888	1.166667
3628	033	2625	0.06	783	1	85	140	4	8	7	10500	9717	RH-2	50	form-based			true	0.7	7	0.875	6	6	9187.5	8404.5	8404.5	0.875
3628	034	2924	0.07	1640	2	85	140	4	10	8	11696	10056	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	10234	8594	8594	0.875
3628	042	2880	0.07	1590	2	65	100	3	7	5	8640	7050	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10080	8490	8490	1.166667
3628	044	2880	0.07	1356	2	65	100	3	7	5	8640	7284	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10080	8724	8724	1.166667
3629	003	2500	0.06	1960	1	85	140	4	8	7	10000	8040	RH-2	50	form-based			true	0.7	7	0.875	6	6	8750	6790	6790	0.875
3629	006	3250	0.07	4096	3	85	140	4	10	7	13000	8904	RH-2	50	form-based			true	0.7	9	0.899999976	6	6	11375	7279	7279	0.875
3629	007	3250	0.07	2366	3	85	140	4	10	7	13000	10634	RH-2	50	form-based			true	0.7	9	0.899999976	6	6	11375	9009	9009	0.875
3629	012	3104	0.07	4396	3	65	100	3	7	4	9312	4916	RH-2	50	form-based			true	0.7	9	1.285714269	6	6	10864	6468	6468	1.166667
3629	022	1738	0.04	1500	1	65	100	3	4	3	5214	3714	RTO-C	65	form-based		true	true	0.75	7	1.75	6	6	7821	6321	6321	1.5
3629	023	1738	0.04	1440	1	65	100	3	4	3	5214	3774	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7821	6381	6381	1.5
3629	024	1738	0.04	1584	1	65	100	3	4	3	5214	3630	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7821	6237	6237	1.5
3629	025	1738	0.04	2365	1	65	100	3	4	3	5214	2849	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7821	5456	5456	1.5
3629	026	1738	0.04	1440	1	65	100	3	4	3	5214	3774	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7821	6381	6381	1.5
3629	040	1988	0.05	1472	1	85	140	4	7	6	7952	6480	RTO-C	65	form-based			true	0.75	7	1	6	6	8946	7474	7474	1.125
3629	048	3293	0.08	900	3	65	100	3	8	5	9879	8979	RH-2	50	form-based			true	0.7	9	1.125	6	6	11525.5	10625.5	10625.5	1.166667
3630	010	3522	0.08	4472	4	65	100	3	8	4	10566	6094	RM-1	50	form-based			true	0.7	10	1.25	6	6	12327	7855	7855	1.166667
3630	011	3522	0.08	3264	4	65	100	3	8	4	10566	7302	RM-1	50	form-based			true	0.7	10	1.25	6	6	12327	9063	9063	1.166667
3636	019	2880	0.07	1872	2	75	120	3.5	8	6	10080	8208	RTO-M	55	form-based				0.7	8	1	6	6	10080	8208	8208	1
3636	021	2640	0.06	1800	1	75	120	3.5	7	6	9240	7440	RTO-M	55	form-based				0.7	7	1	6	6	9240	7440	7440	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3636	027	3125	0.07	3392	3	75	120	3.5	8	5	10938	7546	NCT-VALEI	55	form-based				0.75	9	1.125	6	6	11718.75	8326.75	8326.75	1.07138
3636	030	3125	0.07	2925	3	75	120	3.5	8	5	10938	8013	NCT-VALEI	55	form-based				0.75	9	1.125	6	6	11718.75	8793.75	8793.75	1.07138
3636	035	1925	0.04	4480	0	75	120	3.5	5	5	6738	2258	NCT-VALEI	55	form-based				0.75	6	1.200000048	6	6	7218.75	2738.75	2738.75	1.071349
3636	043	2875	0.07	0	0	75	120	3.5	8	8	10062	10062	RTO-M	45	form-based				0.7	6	0.75	6	6	8050	8050	8050	0.80004
3636	063	2712	0.06	1247	2	75	120	3.5	7	5	9492	8245	RTO-M	55	form-based				0.7	8	1.142857194	6	6	9492	8245	8245	1
3637	009	3062	0.07	4500	3	75	120	3.5	8	5	10717	6217	RTO-M	50	form-based				0.7	9	1.125	6	6	10717	6217	6217	1
3637	011	3369	0.08	3520	3	75	120	3.5	10	7	11792	8272	RTO-M	50	form-based				0.7	9	0.899999976	6	6	11791.5	8271.5	8271.5	0.999958
3637	018	3230	0.07	8250	4	75	120	3.5	8	4	11305	3055	NCT-MISSI	55	form-based		true		0.75	10	1.25	6	6	12112.5	3862.5	3862.5	1.071429
3638	022	5932	0.14	7600	0	75	120	3.5	17	17	20762	13162	RH-3	40	density-lin	1000			0.7	6	0.352941185	6	6	16609.59961	9009.599609	9009.599609	0.8
3642	006	3037	0.07	3250	3	75	120	3.5	8	5	10630	7380	RTO-M	50	form-based				0.7	9	1.125	6	6	10629.5	7379.5	7379.5	0.999953
3642	020	2500	0.06	3122	2	95	160	4.5	10	8	11250	8128	NCT-MISSI	55	form-based				0.75	8	0.800000012	6	6	9375	6253	6253	0.833333
3642	028	4903	0.11	11580	20	75	120	3.5	13	0	17160	5580	NCT-MISSI	80	form-based				0.75	26	2	6	6	29418	17838	17838	1.714336
3642	044	4288	0.1	4440	3	95	160	4.5	16	13	19296	14856	RTO-M	40	form-based				0.7	9	0.5625	6	6	12006.39941	7566.399414	7566.399414	0.622222
3642	056	3075	0.07	2000	0	75	120	3.5	8	8	10762	8762	RTO-M	40	form-based				0.7	6	0.75	6	6	8610	6610	6610	0.800037
3642	070	3075	0.07	5700	0	75	120	3.5	8	8	10762	5062	RTO-M	40	form-based				0.7	6	0.75	6	6	8610	2910	2910	0.800037
3643	057	3179	0.07	840	1	95	160	4.5	11	10	14306	13466	RTO-M	45	form-based				0.7	7	0.636363626	6	6	8901.200195	8061.200195	8061.200195	0.6222
3643	058	3794	0.09	1785	2	75	120	3.5	11	9	13279	11494	RTO-M	45	form-based				0.7	8	0.727272749	6	6	10623.2002	8838.200195	8838.200195	0.8
3649	010	3266	0.07	4100	3	65	100	3	7	4	9798	5698	RM-1	50	form-based			true	0.7	9	1.285714269	6	6	11431	7331	7331	1.166667
3649	016	2965	0.07	2274	2	65	100	3	7	5	8895	6621	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10377.5	8103.5	8103.5	1.166667
3649	026	2965	0.07	2600	2	65	100	3	7	5	8895	6295	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10377.5	7777.5	7777.5	1.166667
3649	027	2965	0.07	1900	2	65	100	3	7	5	8895	6995	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10377.5	8477.5	8477.5	1.166667
3650	014	2471	0.06	1425	1	65	100	3	6	5	7413	5988	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8648.5	7223.5	7223.5	1.166667
3649	028	2992	0.07	2000	2	65	100	3	7	5	8976	6976	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10472	8472	8472	1.166667
3649	034	3468	0.08	3102	4	65	100	3	8	4	10404	7302	RH-2	50	form-based			true	0.7	10	1.25	6	6	12138	9036	9036	1.166667
3649	039	3717	0.09	4143	4	65	100	3	9	5	11151	7008	RH-2	50	form-based			true	0.7	10	1.111111164	6	6	13009.5	8866.5	8866.5	1.166667
3649	054	2916	0.07	1871	2	65	100	3	7	5	8748	6877	RM-1	50	form-based			true	0.7	8	1.142857194	6	6	10206	8335	8335	1.166667
3650	002	2750	0.06	2568	2	65	100	3	6	4	8250	5682	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9625	7057	7057	1.166667
3650	003	2400	0.06	1584	1	65	100	3	6	5	7200	5616	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8400	6816	6816	1.166667
3650	015	2472	0.06	1325	1	65	100	3	6	5	7416	6091	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8652	7327	7327	1.166667
3650	016	2467	0.06	1430	1	65	100	3	6	5	7401	5971	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8634.5	7204.5	7204.5	1.166667
3650	023	2250	0.05	2376	2	85	140	4	7	5	9000	6624	RTO-C	65	form-based			true	0.75	8	1.142857194	6	6	10125	7749	7749	1.125
3650	024	2250	0.05	3050	2	85	140	4	7	5	9000	5950	RTO-C	65	form-based			true	0.75	8	1.142857194	6	6	10125	7075	7075	1.125
3650	036	2416	0.06	3765	3	65	100	3	6	3	7248	3483	RTO-C	65	form-based			true	0.75	9	1.5	6	6	10872	7107	7107	1.5
3650	038	2042	0.05	1680	2	65	100	3	5	3	6126	4446	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9189	7509	7509	1.5
3651	002	2625	0.06	3730	4	65	100	3	6	2	7875	4145	RTO-C	65	form-based			true	0.75	10	1.666666627	6	6	11812.5	8082.5	8082.5	1.5
3651	020	2225	0.05	2400	2	65	100	3	5	3	6675	4275	NCD-24TH	65	form-based			true	0.75	8	1.600000024	6	6	10012.5	7612.5	7612.5	1.5
3651	023	2575	0.06	1508	1	65	100	3	6	5	7725	6217	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	9012.5	7504.5	7504.5	1.166667
3651	028	2838	0.07	2435	2	85	140	4	10	8	11352	8917	RH-3	50	form-based			true	0.7	8	0.800000012	6	6	9933	7498	7498	0.875
3651	042	2850	0.07	780	5	85	140	4	10	5	11400	10620	NCD-24TH	65	form-based			true	0.75	11	1.100000024	6	6	12825	12045	12045	1.125
3651	056	2838	0.07	1346	2	65	100	3	7	5	8514	7168	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9933	8587	8587	1.166667
3651	081	2850	0.07	521	5	85	140	4	10	5	11400	10879	NCD-24TH	65	form-based			true	0.75	11	1.100000024	6	6	12825	12304	12304	1.125
3652	002	3572	0.08	4496	4	65	100	3	8	4	10716	6220	RH-3	50	form-based			true	0.7	10	1.25	6	6	12502	8006	8006	1.166667
3652	020	2521	0.06	2272	1	65	100	3	6	5	7563	5291	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8823.5	6551.5	6551.5	1.166667
3652	022	2833	0.07	1549	2	65	100	3	7	5	8499	6950	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9915.5	8366.5	8366.5	1.166667
3652	037	2455	0.06	1428	1	65	100	3	6	5	7365	5937	RH-3	50	form-based		true	true	0.7	7	1.166666627	6	6	8592.5	7164.5	7164.5	1.166667
3653	023	3189	0.07	2898	1	65	100	3	7	6	9567	6669	RH-3	40	form-based			true	0.7	7	1	6	6	8929.200195	6031.200195	6031.200195	0.933333
3654	026	3464	0.08	5633	4	65	100	3	8	4	10392	4759	RH-3	50	form-based			true	0.7	10	1.25	6	6	12124	6491	6491	1.166667
3654	027	4275	0.1	4988	6	65	100	3	10	4	12825	7837	RH-3	50	form-based			true	0.7	12	1.200000048	6	6	14962.5	9974.5	9974.5	1.166667
3654	071	2964	0.07	2384	2	65	100	3	7	5	8892	6508	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10374	7990	7990	1.166667
3654	073	4426	0.1	12293	11	65	100	3	10	0	13278	985	NCD-24TH	65	form-based		true	true	0.75	17	1.700000048	6	6	19917	7624	7624	1.5
3655	035A	2846	0.07	0	0	55	80	2.5	6	6	7115	7115	RH-2	40	form-based			true	0.7	6	1	6	6	7968.799805	7968.799805	7968.799805	1.12
3656	001A	2711	0.06	2610	2	55	80	2.5	5	3	6778	4168	RH-3	50	form-based			true	0.7	8	1.600000024	6	6	9488.5	6878.5	6878.5	1.399897
3656	004	2671	0.06	4183	1	55	80	2.5	5	4	6678	2495	RH-3	50	form-based			true	0.7	7	1.399999976	6	6	9348.5	5165.5	5165.5	1.399895
3656	006	2641	0.06	2468	1	65	100	3	6	5	7923	5455	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	9243.5	6775.5	6775.5	1.166667
3656	009	2850	0.07	6135	5	55	80	2.5	6	1	7125	990	NCD-24TH	65	form-based			true	0.75	11	1.833333373	6	6	12825	6690	6690	1.8
3656	021	2850	0.07	4531	5	55	80	2.5	6	1	7125	2594	NCD-24TH	65	form-based			true	0.75	11	1.833333373	6	6	12825	8294	8294	1.8
3656	028	2497	0.06	1950	1	55	80	2.5	5	4	6242	4292	RH-2	50	form-based			true	0.7	7	1.399999976	6	6	8739.5	6789.5	6789.5	1.400112
3656	029	2838	0.07	2975	2	55	80	2.5	6	4	7095	4120	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9933	6958	6958	1.4
3656	033	2838	0.07	2376	2	55	80	2.5	6	4	7095	4719	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9933	7557	7557	1.4
3656	042	2838	0.07	3324	2	55	80	2.5	6	4	7095	3771	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9933	6609	6609	1.4
3656	048	2838	0.07	1995	2	55	80	2.5	6	4	7095	5100	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9933	7938	7938	1.4
3703	201	5850	0.13	32439	47	65	100	3	13	0	17550	0	C-3-G	120	form-based				0.8	53	4.076922894	6	0	52650	20211	2661	3
3704	069	8338	0.19	39339	69	85	140	4	27	0	33352	0	C-3-G	120	form-based				0.8	75	2.777777672	6	0	75042	35703	27365	2.25
3725	033	2519	0.06	18446	0	75	120	3.5	7	7	8816	0	MUR	45	form-based		true		0.75	6	0.857142866	6	6	7557	0	0	0.857191

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3726	001	1875	0.04	5445	4	85	140	4	6	2	7500	2055	NCT-SOMA	85	form-based		true		0.75	10	1.666666627	6	6	11250	5805	5805	1.5
3726	018	2801	0.06	6540	9	65	100	3	6	0	8403	1863	MUG	85	form-based				0.75	15	2.5	6	3	16806	10266	10266	2
3726	027	2250	0.05	7950	6	85	140	4	7	1	9000	1050	MUG	85	form-based				0.75	12	1.714285731	6	6	13500	5550	5550	1.5
3727	077	2531	0.06	4046	0	75	120	3.5	7	7	8858	4812	RED	40	form-based				0.75	6	0.857142866	6	6	7593	3547	3547	0.857191
3727	185	6768	0.16	939	14	85	140	4	22	8	27072	26133	WMUG	55	form-based		true		0.75	20	0.909090936	6	6	25380	24441	24441	0.9375
3729	080	2006	0.05	4000	0	65	100	3	5	5	6018	2018	RCD	55	form-based				0.75	6	1.200000048	6	6	7522.5	3522.5	3522.5	1.25
3729	087	2143	0.05	4067	0	65	100	3	5	5	6429	2362	WMUG	55	form-based				0.75	6	1.200000048	6	6	8036.25	3969.25	3969.25	1.25
3729	089	2977	0.07	6096	1	65	100	3	7	6	8931	2835	RED-MX	45	form-based				0.75	7	1	6	6	8931	2835	2835	1
3730	001	10796	0.25	34371	34	85	140	4	35	1	43184	8813	WMUG	65	form-based		true		0.75	40	1.142857194	6	6	48582	14211	14211	1.125
3730	040	2100	0.05	4200	0	65	100	3	5	5	6300	2100	WMUG	55	form-based		true		0.75	6	1.200000048	6	6	7875	3675	3675	1.25
3730	137	3700	0.08	1369	5	65	100	3	8	3	11100	9731	WMUG	55	form-based				0.75	11	1.375	6	6	13875	12506	12506	1.25
3730	416	12137	0.28	1438	40	85	140	4	39	0	48548	47110	WMUG	65	form-based				0.75	46	1.179487228	6	6	54616.5	53178.5	53178.5	1.125
3731	093	2500	0.06	4100	3	65	100	3	6	3	7500	3400	RED	65	form-based				0.75	9	1.5	6	6	11250	7150	7150	1.5
3732	087	3000	0.07	5242	1	65	100	3	7	6	9000	3758	MUR	45	form-based				0.75	7	1	6	6	9000	3758	3758	1
3732	095	2907	0.07	5279	1	65	100	3	7	6	8721	3442	MUR	45	form-based				0.75	7	1	6	6	8721	3442	3442	1
3749	002	1440	0.03	2822	0	75	120	3.5	4	4	5040	2218	RH DTR	65	form-based				0.8	6	1.5	6	6	6912	4090	4090	1.371429
3749	008	1758	0.04	875	1	75	120	3.5	5	4	6153	5278	RH DTR	65	form-based				0.8	7	1.399999976	6	6	8438.400391	7563.400391	7563.400391	1.371429
3749	013	3500	0.08	9480	8	75	120	3.5	10	2	12250	2770	RH DTR	65	form-based				0.8	14	1.399999976	6	6	16800	7320	7320	1.371429
3749	129	3546	0.08	1263	8	75	120	3.5	10	2	12411	11148	RH DTR	65	form-based				0.8	14	1.399999976	6	6	17020.80078	15757.80078	15757.80078	1.371429
3751	112	1150	0.03	244800	0	85	140	4	4	4	4600	0	MUR	85	form-based		true		0.75	6	1.5	6	6	6900	0	0	1.5
3753	037	2519	0.06	2530	0	65	100	3	6	6	7557	5027	MUR	45	form-based				0.75	6	1	6	6	7557	5027	5027	1
3753	048	1980	0.05	1260	1	65	100	3	5	4	5940	4680	MUR	65	form-based				0.75	7	1.399999976	6	6	8910	7650	7650	1.5
3753	139	2157	0.05	3590	5	65	100	3	5	0	6471	2881	MUR	85	form-based		true		0.75	11	2.200000048	6	5	12942	9352	9352	2
3755	012	2150	0.05	2125	0	85	140	4	7	7	8600	6475	WMUG	55	form-based				0.75	6	0.857142866	6	6	8062.5	5937.5	5937.5	0.9375
3755	015	2111	0.05	2125	0	85	140	4	7	7	8444	6319	WMUG	55	form-based				0.75	6	0.857142866	6	6	7916.25	5791.25	5791.25	0.9375
3755	016	2109	0.05	2475	0	85	140	4	7	7	8436	5961	WMUG	55	form-based				0.75	6	0.857142866	6	6	7908.75	5433.75	5433.75	0.9375
3755	052	1958	0.04	3900	0	65	100	3	4	4	5874	1974	WMUG	55	form-based				0.75	6	1.5	6	6	7342.5	3442.5	3442.5	1.25
3755	084	2828	0.06	3000	0	65	100	3	6	6	8484	5484	RED	40	form-based				0.75	6	1	6	6	8484	5484	5484	1
3763	033	1910	0.04	4031	5	65	100	3	4	0	5730	1699	CMUO	85	form-based				0.8	11	2.75	6	3	12224	8193	7429	2.133333
3774	123	4200	0.1	13200	10	65	100	3	10	0	12600	0	MUO	65	form-based		true		0.75	16	1.600000024	6	6	18900	5700	5700	1.5
3775	046	2499	0.06	2858	0	65	100	3	6	6	7497	4639	SPD	40	form-based				0.75	6	1	6	6	7497	4639	4639	1
3775	066	2664	0.06	2688	0	65	100	3	6	6	7992	5304	SPD	40	form-based				0.75	6	1	6	6	7992	5304	5304	1
3775	089	2380	0.05	2982	0	65	100	3	5	5	7140	4158	CMUO	45	form-based				0.8	6	1.200000048	6	6	7616	4634	4634	1.066667
3775	091	2400	0.06	3000	0	65	100	3	6	6	7200	4200	CMUO	45	form-based				0.8	6	1	6	6	7680	4680	4680	1.066667
3775	116	4706	0.11	1195	5	65	100	3	11	6	14118	12923	SPD	40	form-based		true		0.75	11	1	6	6	14118	12923	12923	1
3776	098	1875	0.04	3750	2	65	100	3	4	2	5625	1875	CMUO	65	form-based				0.8	8	2	6	6	9000	5250	5250	1.6
3777	107	12086	0.28	82670	42	75	120	3.5	34	0	42301	0	CMUO	65	form-based				0.8	48	1.411764741	6	6	58012.80078	0	0	1.371429
3778	026	1875	0.04	2375	0	65	100	3	4	4	5625	3250	MUG	55	form-based		true		0.75	6	1.5	6	6	7031.25	4656.25	4656.25	1.25
3779	093	3027	0.07	1880	1	65	100	3	7	6	9081	7201	RED-MX	45	form-based				0.75	7	1	6	6	9081	7201	7201	1
3780	065	2491	0.06	3316	0	65	100	3	6	6	7473	4157	UMU	48	form-based				0.75	6	1	6	6	7473	4157	4157	1
3787	014	1381	0.03	0	0	75	120	3.5	4	4	4834	4834	CMUO	65	form-based		true		0.8	6	1.5	6	6	6628.800293	6628.800293	6628.800293	1.371287
3788	106	2083	0.05	1097	2	65	100	3	5	3	6249	5152	CMUO	65	form-based				0.8	8	1.600000024	6	6	9998.400391	8901.400391	8901.400391	1.6
3920	007C	1872	0.04	2500	1	65	100	3	4	3	5616	3116	UMU	68	form-based		true		0.75	7	1.75	6	6	8424	5924	5924	1.5
3970	008	14972	0.34	976	50	65	100	3	34	0	44916	43940	UMU	68	form-based		true		0.75	56	1.647058845	6	6	67374	66398	66398	1.5
3984	008	3000	0.07	2370	0	65	100	3	7	7	9000	6630	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	6	6	8400	6030	6030	0.933333
3985	016	5000	0.11	3906	0	65	100	3	11	11	15000	11094	RH-2	40	density-lim	1500	true		0.7	6	0.545454562	6	6	14000	10094	10094	0.933333
3985	027	3782	0.09	4832	3	65	100	3	9	6	11346	6514	UMU	48	form-based		true		0.75	9	1	6	6	11346	6514	6514	1
3985	028	3783	0.09	4260	3	65	100	3	9	6	11349	7089	UMU	48	form-based				0.75	9	1	6	6	11349	7089	7089	1
3996	007	2497	0.06	2800	0	65	100	3	6	6	7491	4691	RH-2	40	density-lim	1500	true		0.7	6	1	6	6	6991.600098	4191.600098	4191.600098	0.933333
3999	006	2500	0.06	0	0	65	100	3	6	6	7500	7500	UMU	40	form-based				0.75	6	1	6	6	7500	7500	7500	1
4006	011	2691	0.06	3295	0	65	100	3	6	6	8073	4778	UMU	40	form-based				0.75	6	1	6	6	8073	4778	4778	1
4006	012	2491	0.06	3210	0	65	100	3	6	6	7473	4263	UMU	40	form-based				0.75	6	1	6	6	7473	4263	4263	1
4006	013	2500	0.06	3236	0	65	100	3	6	6	7500	4264	UMU	40	form-based				0.75	6	1	6	6	7500	4264	4264	1
4006	018	2500	0.06	3236	0	65	100	3	6	6	7500	4264	UMU	40	form-based				0.75	6	1	6	6	7500	4264	4264	1
4009	009	4982	0.11	0	0	65	100	3	11	11	14946	14946	RH-2	40	density-lim	1500	true		0.7	6	0.545454562	6	6	13949.59961	13949.59961	13949.59961	0.933333
4011	001	4801	0.11	8533	0	65	100	3	11	11	14403	5870	RH-3	40	density-lim	1000	true		0.7	6	0.545454562	6	6	13442.7998	4909.799805	4909.799805	0.933333
4024	023	4253	0.1	4275	0	65	100	3	10	10	12759	8484	RH-2	40	density-lim	1500	true		0.7	6	0.600000024	6	6	11908.39941	7633.399414	7633.399414	0.933333
4036	015	5000	0.11	5800	0	65	100	3	11	11	15000	9200	RH-2	40	density-lim	1500	true		0.7	6	0.545454562	6	6	14000	8200	8200	0.933333
4039	001	10125	0.23	3575	1	65	100	3	23	22	30375	26800	RH-2	40	density-lim	1500	true		0.7	7	0.304347813	6	6	28350	24775	24775	0.933333
4044	003	2255	0.05	3220	2	65	100	3	5	3	6765	3545	UMU	68	form-based				0.75	8	1.600000024	6	6	10147.5	6927.5	6927.5	1.5
4044	004	2223	0.05	3000	2	65	100	3	5	3	6669	3669	UMU	68	form-based				0.75	8	1.600000024	6	6	10003.5	7003.5	7003.5	1.5
4064	001	2456	0.06	0	0	65	100	3	6	6	7368	7368	RH-2	40	density-lim	1500	true		0.7	6	1	6	6	6876.799805	6876.799805	6876.799805	0.933333
4067	029	5018	0.12	7314	0	65	100	3	12	12	15054	7740	RH-2	40	density-lim	1500	true		0.7	6	0.5	6	6	14050.39941	6736.399414	6736.399414	0.933333
4069	032	2464	0.06	0	0	65	100	3	6	6	7392	7392	RH-2	40	density-lim	1500	true		0.7	6	1	6	6	6899.199707	6899.199707	6899.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4071	042	4984	0.11	2050	0	65	100	3	11	11	14952	12902	RM-1	40	density-lim	800			0.7	6	0.545454562	6	6	13955.2002	11905.2002	11905.2002	0.933333
4072	038	8328	0.19	2078	0	55	80	2.5	15	15	20820	18742	RH-2	40	density-lim	1500	true		0.7	6	0.400000006	6	6	23318.40039	21240.40039	21240.40039	1.12
4081	001	1913	0.04	1308	0	65	100	3	4	4	5739	4431	RH-2	65	density-lim	1500	true		0.7	6	1.5	6	6	8034.600098	6726.600098	6726.600098	1.4
4084	001	2614	0.06	6800	0	55	80	2.5	5	5	6535	0	UMU	48	form-based		true		0.75	6	1.200000048	6	6	7842	1042	1042	1.2
4084	026	2600	0.06	1000	0	55	80	2.5	5	5	6500	5500	UMU	48	form-based				0.75	6	1.200000048	6	6	7800	6800	6800	1.2
4084	027	2600	0.06	7800	0	55	80	2.5	5	5	6500	0	UMU	48	form-based				0.75	6	1.200000048	6	6	7800	0	0	1.2
4084	032	2596	0.06	4030	0	55	80	2.5	5	5	6490	2460	UMU	48	form-based				0.75	6	1.200000048	6	6	7788	3758	3758	1.2
4098	046	945	0.02	2109	0	65	100	3	2	2	2835	726	RH-2	40	density-lim	1500	true		0.7	6	3	6	4	2646	537	537	0.933333
4099	065	8265	0.19	3577	0	65	100	3	19	19	24795	21218	RH-2	40	density-lim	1500			0.7	6	0.315789461	6	6	23142	19565	19565	0.933333
4108	003H	2850	0.07	0	0	75	120	3.5	8	8	9975	9975	UMU	40	form-based				0.75	6	0.75	6	6	8550	8550	8550	0.857143
4108	015	2500	0.06	0	0	75	120	3.5	7	7	8750	8750	UMU	40	form-based				0.75	6	0.857142866	6	6	7500	7500	7500	0.857143
4147	013	2255	0.05	3262	0	65	100	3	5	5	6765	3503	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	6	6	6314	3052	3052	0.933333
4147	035	9249	0.21	931	15	65	100	3	21	6	27747	26816	UMU	48	form-based		true		0.75	21	1	6	6	27747	26816	26816	1
4149	014	2686	0.06	4825	0	65	100	3	6	6	8058	3233	RH-2	40	density-lim	1500	true		0.7	6	1	6	6	7520.799805	2695.799805	2695.799805	0.933333
4150	036	5925	0.14	13380	1	65	100	3	14	13	17775	4395	RM-1	40	density-lim	800	true		0.7	7	0.5	6	6	16590	3210	3210	0.933333
4150	039	2521	0.06	2500	0	65	100	3	6	6	7563	5063	RH-3	40	density-lim	1000	true		0.7	6	1	6	6	7058.799805	4558.799805	4558.799805	0.933333
4159	032	2500	0.06	3780	0	65	100	3	6	6	7500	3720	RH-2	40	density-lim	1500	true		0.7	6	1	6	6	7000	3220	3220	0.933333
4172	010	2752	0.06	2264	0	75	120	3.5	7	7	9632	7368	NCT-2	45	form-based				0.75	6	0.857142866	6	6	8256	5992	5992	0.857143
4206	016	2600	0.06	2519	0	65	100	3	6	6	7800	5281	NCT-24TH-	45	form-based				0.75	6	1	6	6	7800	5281	5281	1
4206	017	2600	0.06	3196	0	65	100	3	6	6	7800	4604	NCT-24TH-	45	form-based				0.75	6	1	6	6	7800	4604	4604	1
4208	018	2600	0.06	1150	0	65	100	3	6	6	7800	6650	NCT-24TH-	45	form-based				0.75	6	1	6	6	7800	6650	6650	1
4208	022	2600	0.06	2900	0	65	100	3	6	6	7800	4900	NCT-24TH-	45	form-based		true		0.75	6	1	6	6	7800	4900	4900	1
4210	014	2632	0.06	2755	2	65	100	3	6	4	7896	5141	NCT-24TH-	55	form-based		true		0.75	8	1.333333373	6	6	9870	7115	7115	1.25
4210	016	2600	0.06	2300	2	65	100	3	6	4	7800	5500	NCT-24TH-	55	form-based				0.75	8	1.333333373	6	6	9750	7450	7450	1.25
4210	017	2600	0.06	2970	2	65	100	3	6	4	7800	4830	NCT-24TH-	55	form-based				0.75	8	1.333333373	6	6	9750	6780	6780	1.25
4211	016	2500	0.06	2566	3	85	140	4	8	5	10000	7434	NCT-24TH-	65	form-based				0.75	9	1.125	6	6	11250	8684	8684	1.125
4211	017	3769	0.09	6700	8	85	140	4	13	5	15076	8376	NCT-24TH-	65	form-based		true		0.75	14	1.076923132	6	6	16960.5	10260.5	10260.5	1.125
4212	017	2500	0.06	3300	2	65	100	3	6	4	7500	4200	NCT-24TH-	55	form-based				0.75	8	1.333333373	6	6	9375	6075	6075	1.25
4212	018	2740	0.06	3250	2	65	100	3	6	4	8220	4970	NCT-24TH-	55	form-based				0.75	8	1.333333373	6	6	10275	7025	7025	1.25
4263	029	2490	0.06	2295	0	65	100	3	6	6	7470	5175	NCT-24TH-	40	form-based				0.75	6	1	6	6	7470	5175	5175	1
4264	041	3315	0.08	1153	6	85	140	4	11	5	13260	12107	NCT-24TH-	65	form-based				0.75	12	1.090909123	6	6	14917.5	13764.5	13764.5	1.125
4267	001	3198	0.07	5280	4	65	100	3	7	3	9594	4314	NCT-24TH-	55	form-based		true		0.75	10	1.428571463	6	6	11992.5	6712.5	6712.5	1.25
4269	025	8184	0.19	12420	0	65	100	3	19	19	24552	12132	RH-2	45	density-lim	1500	true		0.7	6	0.315789461	6	6	22915.19922	10495.19922	10495.19922	0.933333
4273	032	3518	0.08	3082	0	65	100	3	8	8	10554	7472	RH-3	40	density-lim	1000	true		0.7	6	0.75	6	6	9850.399414	6768.399414	6768.399414	0.933333
4282A	001	3037	0.07	384	0	55	80	2.5	6	6	7592	7208	RH-2	40	density-lim	1500	true		0.7	6	1	6	6	8503.599609	8119.599609	8119.599609	1.120074
4283B	EASO	17098	0.39	0	0	55	80	2.5	31	31	42745	42745	RH-1	40	density-lim	3000			0.7	6	0.193548381	6	6	47874.39844	47874.39844	47874.39844	1.12
4335	005	2592	0.06	6600	0	65	100	3	6	6	7776	1176	RH-2	40	density-lim	1500	true		0.7	6	1	6	6	7257.600098	657.6000977	657.6000977	0.933333
5513	012	8276	0.19	0	0	55	80	2.5	15	15	20690	20690	RH-2	40	density-lim	1500			0.7	6	0.400000006	6	6	23172.79883	23172.79883	23172.79883	1.12
5518	019	3660	0.08	4480	0	85	140	4	11	11	14640	10160	NCD-MISSI	50	density-lim	600	true		0.75	6	0.545454562	6	6	13725	9245	9245	0.9375
5528	008	1215	0.03	0	0	55	80	2.5	2	2	3038	3038	RH-1	40	density-lim	3000	true		0.7	6	3	6	4	3402	3402	3402	1.119816
5529	013	2711	0.06	1770	0	55	80	2.5	5	5	6778	5008	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	6	6	7590.799805	5820.799805	5820.799805	1.119917
5532	007	2355	0.05	0	0	55	80	2.5	4	4	5888	5888	RH-1	40	density-lim	3000	true		0.7	6	1.5	6	6	6594	6594	6594	1.119905
5538	014	1824	0.04	0	0	55	80	2.5	3	3	4560	4560	RH-1	40	density-lim	3000	true		0.7	6	2	6	6	5107.199707	5107.199707	5107.199707	1.12
5615	033	3330	0.08	3192	0	65	100	3	8	8	9990	6798	NCD-MISSI	40	density-lim	600			0.75	6	0.75	6	6	9990	6798	6798	1
5615	034	3330	0.08	4000	0	65	100	3	8	8	9990	5990	NCD-MISSI	40	density-lim	600			0.75	6	0.75	6	6	9990	5990	5990	1
5617	043	8327	0.19	0	0	65	100	3	19	19	24981	24981	RH-2	40	density-lim	1500			0.7	6	0.315789461	6	6	23315.59961	23315.59961	23315.59961	0.933333
5673	021	4614	0.11	3580	2	65	100	3	11	9	13842	10262	NCD-MISSI	40	density-lim	600			0.75	8	0.727272749	6	6	13842	10262	10262	1
5708	033	1488	0.03	2781	0	55	80	2.5	2	2	3720	939	RH-2	40	density-lim	1500	true		0.7	6	3	6	4	4166.399902	1385.399902	1385.399902	1.12
5712	021A	1791	0.04	1600	0	65	100	3	4	4	5373	3773	RH-2	40	density-lim	1500	true		0.7	6	1.5	6	6	5014.799805	3414.799805	3414.799805	0.933333
5715	011	1648	0.04	1700	0	55	80	2.5	3	3	4120	2420	RH-2	40	density-lim	1500	true		0.7	6	2	6	6	4614.399902	2914.399902	2914.399902	1.12
5715	015	2011	0.05	2545	0	55	80	2.5	4	4	5028	2483	RH-2	40	density-lim	1500	true		0.7	6	1.5	6	6	5630.799805	3085.799805	3085.799805	1.119889
6505	002	2100	0.05	2130	2	55	80	2.5	4	2	5250	3120	NCD-24TH	65	form-based			true	0.75	8	2	6	6	9450	7320	7320	1.8
6505	003	2000	0.05	2700	2	55	80	2.5	4	2	5000	2300	NCD-24TH	65	form-based			true	0.75	8	2	6	6	9000	6300	6300	1.8
6505	004	2000	0.05	2150	2	55	80	2.5	4	2	5000	2850	NCD-24TH	65	form-based			true	0.75	8	2	6	6	9000	6850	6850	1.8
6506	003	2008	0.05	2748	2	55	80	2.5	4	2	5020	2272	NCD-24TH	65	form-based			true	0.75	8	2	6	6	9036	6288	6288	1.8
6506	008	2882	0.07	2225	2	55	80	2.5	6	4	7205	4980	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	10087	7862	7862	1.4
6506	018	2873	0.07	2300	2	55	80	2.5	6	4	7182	4882	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	10055.5	7755.5	7755.5	1.400097
6506	024	3170	0.07	3744	3	55	80	2.5	6	3	7925	4181	RH-2	50	form-based		true	true	0.7	9	1.5	6	6	11095	7351	7351	1.4
6506	046	3040	0.07	5115	5	55	80	2.5	6	1	7600	2485	NCD-24TH	65	form-based		true	true	0.75	11	1.833333373	6	6	13680	8565	8565	1.8
6506	049	2007	0.05	780	2	55	80	2.5	4	2	5018	4238	NCD-24TH	65	form-based			true	0.75	8	2	6	6	9031.5	8251.5	8251.5	1.799821
6506	052	2874	0.07	915	2	55	80	2.5	6	4	7185	6270	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	10059	9144	9144	1.4
6506	062	2850	0.07	720	5	55	80	2.5	6	1	7125	6405	NCD-24TH	65	form-based			true	0.75	11	1.833333373	6	6	12825	12105	12105	1.8
6507	004	2013	0.05	1346	0	55	80	2.5	4	4	5032	3686	RH-2	50	form-based			true	0.7	6	1.5	6	6	7045.5	5699.5	5699.5	1.400139
6507	010	2845	0.07	2736	2	55	80	2.5	6	4	7112	4376	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9957.5	7221.5	7221.5	1.400098

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6507	013B	2959	0.07	2400	2	55	80	2.5	6	4	7398	4998	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	10356.5	7956.5	7956.5	1.399905
6508	008	2949	0.07	1775	2	65	100	3	7	5	8847	7072	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10321.5	8546.5	8546.5	1.166667
6508	011	2873	0.07	2000	2	65	100	3	7	5	8619	6619	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10055.5	8055.5	8055.5	1.166667
6508	013	2845	0.07	946	2	65	100	3	7	5	8535	7589	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9957.5	9011.5	9011.5	1.166667
6508	014	2930	0.07	2050	2	65	100	3	7	5	8790	6740	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10255	8205	8205	1.166667
6508	015	2864	0.07	2040	2	65	100	3	7	5	8592	6552	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10024	7984	7984	1.166667
6508	041	2921	0.07	1101	2	65	100	3	7	5	8763	7662	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10223.5	9122.5	9122.5	1.166667
6509	007	1995	0.05	2472	1	85	140	4	7	6	7980	5508	RTO-C	65	form-based			true	0.75	7	1	6	6	8977.5	6505.5	6505.5	1.125
6509	021	2250	0.05	4758	2	65	100	3	5	3	6750	1992	NCD-24TH	65	form-based			true	0.75	8	1.600000024	6	6	10125	5367	5367	1.5
6509	023	2250	0.05	4198	2	65	100	3	5	3	6750	2552	NCD-24TH	65	form-based			true	0.75	8	1.600000024	6	6	10125	5927	5927	1.5
6509	031	2521	0.06	1150	1	65	100	3	6	5	7563	6413	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8823.5	7673.5	7673.5	1.166667
6509	036	2250	0.05	1600	2	65	100	3	5	3	6750	5150	NCD-24TH	65	form-based			true	0.75	8	1.600000024	6	6	10125	8525	8525	1.5
6509	043	2850	0.07	1526	5	85	140	4	10	5	11400	9874	NCD-24TH	65	form-based			true	0.75	11	1.100000024	6	6	12825	11299	11299	1.125
6509	048	2845	0.07	1391	2	85	140	4	10	8	11380	9989	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9957.5	8566.5	8566.5	0.875
6509	059	2845	0.07	1030	2	65	100	3	7	5	8535	7505	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9957.5	8927.5	8927.5	1.166667
6510	026	2500	0.06	1505	1	65	100	3	6	5	7500	5995	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	7245	7245	1.166667
6510	027	2500	0.06	1645	1	65	100	3	6	5	7500	5855	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	7105	7105	1.166667
6510	029	2500	0.06	2125	1	65	100	3	6	5	7500	5375	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	6625	6625	1.166667
6512	030	6106	0.14	19087	0	65	100	3	14	14	18318	0	RH-3	40	density-lin	1000	true		0.7	6	0.428571433	6	6	17096.79883	0	0	0.933333
6514	008	1953	0.04	0	0	75	120	3.5	5	5	6836	6836	NCT-VALEI	55	form-based				0.75	6	1.200000048	6	6	7323.75	7323.75	7323.75	1.07135
6516	012	3902	0.09	2556	2	75	120	3.5	11	9	13657	11101	RTO-M	45	form-based				0.7	8	0.727272749	6	6	10925.59961	8369.599609	8369.599609	0.8
6516	046	4854	0.11	821	4	75	120	3.5	13	9	16989	16168	RTO-M	45	form-based				0.7	10	0.769230783	6	6	13591.2002	12770.2002	12770.2002	0.8
6517	010	3739	0.09	3033	2	75	120	3.5	11	9	13086	10053	RTO-M	40	form-based				0.7	8	0.727272749	6	6	10469.2002	7436.200195	7436.200195	0.800031
6517	011	3451	0.08	1379	1	75	120	3.5	10	9	12078	10699	RTO-M	40	form-based				0.7	7	0.699999988	6	6	9662.799805	8283.799805	8283.799805	0.800033
6517	012	4026	0.09	4120	2	75	120	3.5	11	9	14091	9971	RTO-M	40	form-based				0.7	8	0.727272749	6	6	11272.7998	7152.799805	7152.799805	0.8
6518	035	2869	0.07	2599	2	75	120	3.5	8	6	10042	7443	RTO-M	50	form-based				0.7	8	1	6	6	10041.5	7442.5	7442.5	0.99995
6518	039	2869	0.07	1090	2	75	120	3.5	8	6	10042	8952	RTO-M	50	form-based				0.7	8	1	6	6	10041.5	8951.5	8951.5	0.99995
6527	012	2869	0.07	2700	2	75	120	3.5	8	6	10042	7342	RTO-M	50	form-based				0.7	8	1	6	6	10041.5	7341.5	7341.5	0.99995
6527	013	3894	0.09	5250	6	75	120	3.5	11	5	13629	8379	NCT-MISSI	55	form-based		true		0.75	12	1.090909123	6	6	14602.5	9352.5	9352.5	1.071429
6529	009	2362	0.05	2685	3	75	120	3.5	6	3	8267	5582	NCT-MISSI	65	form-based				0.75	9	1.5	6	6	10629	7944	7944	1.285714
6529	014	3838	0.09	4026	2	75	120	3.5	11	9	13433	9407	RTO-M	45	form-based				0.7	8	0.727272749	6	6	10746.39941	6720.399414	6720.399414	0.8
6529	016	6201	0.14	3490	7	75	120	3.5	17	10	21704	18214	RTO-M	45	form-based				0.7	13	0.764705896	6	6	17362.79883	13872.79883	13872.79883	0.799982
6529	038	3838	0.09	2043	2	75	120	3.5	11	9	13433	11390	RTO-M	45	form-based				0.7	8	0.727272749	6	6	10746.39941	8703.399414	8703.399414	0.8
6530	017	3525	0.08	5879	5	75	120	3.5	10	5	12338	6459	NCT-VALEI	55	form-based				0.75	11	1.100000024	6	6	13218.75	7339.75	7339.75	1.071385
6530	025	4113	0.09	8727	6	75	120	3.5	11	5	14396	5669	NCT-VALEI	55	form-based		true		0.75	12	1.090909123	6	6	15423.75	6696.75	6696.75	1.071391
6531	007	3241	0.07	4410	4	75	120	3.5	8	4	11344	6934	NCT-VALEI	55	form-based				0.75	10	1.25	6	6	12153.75	7743.75	7743.75	1.071381
6531	011	2386	0.05	3729	1	75	120	3.5	6	5	8351	4622	NCT-VALEI	55	form-based				0.75	7	1.166666627	6	6	8947.5	5218.5	5218.5	1.071429
6531	012	3601	0.08	6520	5	75	120	3.5	10	5	12604	6084	NCT-VALEI	55	form-based				0.75	11	1.100000024	6	6	13503.75	6983.75	6983.75	1.071386
6533	013	6233	0.14	2904	0	65	100	3	14	14	18699	15795	RH-3	40	density-lin	1000			0.7	6	0.428571433	6	6	17452.40039	14548.40039	14548.40039	0.933333
6533	027	6250	0.14	5458	0	65	100	3	14	14	18750	13292	RH-3	40	density-lin	1000			0.7	6	0.428571433	6	6	17500	12042	12042	0.933333
6535	004	2865	0.07	3230	2	65	100	3	7	5	8595	5365	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10027.5	6797.5	6797.5	1.166667
6535	005	2866	0.07	2730	2	65	100	3	7	5	8598	5868	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10031	7301	7301	1.166667
6535	020	2613	0.06	1150	1	65	100	3	6	5	7839	6689	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9145.5	7995.5	7995.5	1.166667
6535	026	1750	0.04	1494	1	65	100	3	4	3	5250	3756	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7875	6381	6381	1.5
6535	027	1750	0.04	1385	1	65	100	3	4	3	5250	3865	RTO-C	65	form-based			true	0.75	7	1.75	6	6	7875	6490	6490	1.5
6535	036A	2850	0.07	2800	2	65	100	3	7	5	8550	5750	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7175	7175	1.166667
6535	048	2831	0.06	1179	2	65	100	3	6	4	8493	7314	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9908.5	8729.5	8729.5	1.166667
6535	056	2850	0.07	1460	2	65	100	3	7	5	8550	7090	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	8515	8515	1.166667
6535	058	2907	0.07	1442	2	65	100	3	7	5	8721	7279	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10174.5	8732.5	8732.5	1.166667
6535	066	2867	0.07	1339	2	65	100	3	7	5	8601	7262	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10034.5	8695.5	8695.5	1.166667
6535	068	2774	0.06	1168	2	65	100	3	6	4	8322	7154	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9709	8541	8541	1.166667
6535	070	2866	0.07	1528	2	65	100	3	7	5	8598	7070	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	10031	8503	8503	1.166667
6536	010	2842	0.07	1968	2	65	100	3	7	5	8526	6558	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9947	7979	7979	1.166667
6536	012	2842	0.07	2175	2	65	100	3	7	5	8526	6351	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9947	7772	7772	1.166667
6536	013	2842	0.07	1680	2	65	100	3	7	5	8526	6846	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9947	8267	8267	1.166667
6536	019	2843	0.07	4901	2	65	100	3	7	5	8529	3628	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9950.5	5049.5	5049.5	1.166667
6536	020	2843	0.07	2870	2	65	100	3	7	5	8529	5659	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9950.5	7080.5	7080.5	1.166667
6536	022	2850	0.07	2760	2	65	100	3	7	5	8550	5790	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7215	7215	1.166667
6536	023	2850	0.07	2772	2	65	100	3	7	5	8550	5778	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7203	7203	1.166667
6536	026	2850	0.07	2431	2	65	100	3	7	5	8550	6119	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7544	7544	1.166667
6536	027	2850	0.07	2665	2	65	100	3	7	5	8550	5885	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7310	7310	1.166667
6536	028	2622	0.06	880	1	65	100	3	6	5	7866	6986	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9177	8297	8297	1.166667
6536	030	2578	0.06	676	1	65	100	3	6	5	7734	7058	RH-2	50	form-based		true	true	0.7	7	1.166666627	6	6	9023	8347	8347	1.166667
6536	043	3667	0.08	965	4	65	100	3	8	4	11001	10036	RH-2	50	form-based			true	0.7	10	1.25	6	6	12834.5	11869.5	11869.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6537	029	3555	0.08	2025	1	65	100	3	8	7	10665	8640	RH-2	40	form-based		true	true	0.7	7	0.875	6	6	9954	7929	7929	0.933333
6538	009	3410	0.08	1620	1	55	80	2.5	6	5	8525	6905	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9548	7928	7928	1.12
6538	020	3411	0.08	1310	1	55	80	2.5	6	5	8528	7218	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9550.799805	8240.799805	8240.799805	1.119934
6538	025	2550	0.06	3144	4	55	80	2.5	5	1	6375	3231	NCD-24TH	65	form-based		true	true	0.75	10	2	6	6	11475	8331	8331	1.8
6538	035	3420	0.08	2200	1	55	80	2.5	6	5	8550	6350	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9576	7376	7376	1.12
6538	048	2167	0.05	2568	0	55	80	2.5	4	4	5418	2850	RH-2	40	density-lin	1500	true		0.7	6	1.5	6	6	6067.600098	3499.600098	3499.600098	1.119897
6546	015	3414	0.08	1460	1	55	80	2.5	6	5	8535	7075	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9559.200195	8099.200195	8099.200195	1.12
6546	021	3118	0.07	875	1	55	80	2.5	6	5	7795	6920	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8730.399414	7855.399414	7855.399414	1.12
6546	043	4568	0.1	2800	4	55	80	2.5	8	4	11420	8620	RH-2	40	form-based			true	0.7	10	1.25	6	6	12790.39941	9990.399414	9990.399414	1.12
6548	028	2955	0.07	2981	0	65	100	3	7	7	8865	5884	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	8274	5293	5293	0.933333
6549	006	2964	0.07	3066	5	65	100	3	7	2	8892	5826	RTO-C	65	form-based			true	0.75	11	1.571428537	6	6	13338	10272	10272	1.5
6549	016	2868	0.07	3166	2	65	100	3	7	5	8604	5438	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10038	6872	6872	1.166667
6549	017	2973	0.07	1660	2	65	100	3	7	5	8919	7259	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10405.5	8745.5	8745.5	1.166667
6549	031	2902	0.07	1175	2	65	100	3	7	5	8706	7531	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10157	8982	8982	1.166667
6549	032	2902	0.07	1526	2	65	100	3	7	5	8706	7180	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10157	8631	8631	1.166667
6549	036	2850	0.07	2250	2	65	100	3	7	5	8550	6300	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7725	7725	1.166667
6549	037	2898	0.07	2083	2	65	100	3	7	5	8694	6611	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10143	8060	8060	1.166667
6549	043	2902	0.07	2700	2	65	100	3	7	5	8706	6006	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10157	7457	7457	1.166667
6549	047	2978	0.07	1007	2	65	100	3	7	5	8934	7927	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10423	9416	9416	1.166667
6549	049	2902	0.07	1738	2	65	100	3	7	5	8706	6968	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10157	8419	8419	1.166667
6549	075	2736	0.06	1126	2	65	100	3	6	4	8208	7082	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9576	8450	8450	1.166667
6550	002	2420	0.06	2250	1	65	100	3	6	5	7260	5010	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8470	6220	6220	1.166667
6550	003	2421	0.06	988	1	65	100	3	6	5	7263	6275	RH-3	50	form-based			true	0.7	7	1.166666627	6	6	8473.5	7485.5	7485.5	1.166667
6550	010	2898	0.07	3010	2	65	100	3	7	5	8694	5684	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10143	7133	7133	1.166667
6550	020	2945	0.07	2238	2	65	100	3	7	5	8835	6597	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10307.5	8069.5	8069.5	1.166667
6550	021	2912	0.07	1970	2	65	100	3	7	5	8736	6766	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10192	8222	8222	1.166667
6550	038	2898	0.07	2200	2	65	100	3	7	5	8694	6494	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10143	7943	7943	1.166667
6550	039	2898	0.07	2550	2	65	100	3	7	5	8694	6144	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10143	7593	7593	1.166667
6550	041	2900	0.07	2888	2	65	100	3	7	5	8700	5812	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10150	7262	7262	1.166667
6550	050	2850	0.07	1800	2	65	100	3	7	5	8550	6750	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	8175	8175	1.166667
6550	051	2850	0.07	1800	2	65	100	3	7	5	8550	6750	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	8175	8175	1.166667
6550	054	2902	0.07	1374	2	65	100	3	7	5	8706	7332	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10157	8783	8783	1.166667
6551	016	2961	0.07	2567	2	65	100	3	7	5	8883	6316	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10363.5	7796.5	7796.5	1.166667
6551	034	2964	0.07	2324	2	65	100	3	7	5	8892	6568	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10374	8050	8050	1.166667
6551	038	2964	0.07	2313	2	65	100	3	7	5	8892	6579	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10374	8061	8061	1.166667
6551	040	2850	0.07	2500	2	65	100	3	7	5	8550	6050	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7475	7475	1.166667
6551	042	2995	0.07	1310	2	65	100	3	7	5	8985	7675	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10482.5	9172.5	9172.5	1.166667
6551	046	2959	0.07	1323	2	65	100	3	7	5	8877	7554	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10356.5	9033.5	9033.5	1.166667
6551	048	2859	0.07	951	2	65	100	3	7	5	8577	7626	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10006.5	9055.5	9055.5	1.166667
6551	050	2964	0.07	915	2	65	100	3	7	5	8892	7977	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10374	9459	9459	1.166667
6552	002	2119	0.05	2338	2	85	140	4	7	5	8476	6138	NC-1	65	form-based			true	0.75	8	1.142857194	6	6	9535.5	7197.5	7197.5	1.125
6552	005A	2239	0.05	3810	2	85	140	4	7	5	8956	5146	RTO-C	65	form-based			true	0.75	8	1.142857194	6	6	10075.5	6265.5	6265.5	1.125
6552	008	2830	0.06	2800	2	85	140	4	8	6	11320	8520	RH-2	50	form-based			true	0.7	8	1	6	6	9905	7105	7105	0.875
6552	012	2826	0.06	2150	2	85	140	4	8	6	11304	9154	RH-2	50	form-based			true	0.7	8	1	6	6	9891	7741	7741	0.875
6552	015	2820	0.06	3128	2	65	100	3	6	4	8460	5332	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9870	6742	6742	1.166667
6552	017	3021	0.07	1478	2	65	100	3	7	5	9063	7585	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10573.5	9095.5	9095.5	1.166667
6552	032	2964	0.07	2006	2	65	100	3	7	5	8892	6886	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10374	8368	8368	1.166667
6552	040	2850	0.07	2180	2	85	140	4	10	8	11400	9220	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	7795	7795	0.875
6552	051	3040	0.07	1446	3	65	100	3	7	4	9120	7674	RH-2	50	form-based			true	0.7	9	1.285714269	6	6	10640	9194	9194	1.166667
6553	004A	2787	0.06	2382	0	65	100	3	6	6	8361	5979	NC-1	40	form-based		true	true	0.75	6	1	6	6	8361	5979	5979	1
6553	005A	3397	0.08	3116	1	65	100	3	8	7	10191	7075	RH-2	40	form-based			true	0.7	7	0.875	6	6	9511.599609	6395.599609	6395.599609	0.933333
6553	046	3687	0.08	3661	2	65	100	3	8	6	11061	7400	RH-2	40	form-based			true	0.7	8	1	6	6	10323.59961	6662.599609	6662.599609	0.933333
6554	004A	6699	0.15	11207	8	65	100	3	15	7	20097	8890	RH-3	40	form-based		true	true	0.7	14	0.933333337	6	6	18757.19922	7550.199219	7550.199219	0.933333
6554	007	4012	0.09	1794	2	55	80	2.5	7	5	10030	8236	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	11233.59961	9439.599609	9439.599609	1.12
6554	008	3446	0.08	1315	1	55	80	2.5	6	5	8615	7300	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9648.799805	8333.799805	8333.799805	1.12
6554	011	3453	0.08	1430	1	55	80	2.5	6	5	8632	7202	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9668.399414	8238.399414	8238.399414	1.120065
6554	012	3452	0.08	1189	1	55	80	2.5	6	5	8630	7441	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9665.599609	8476.599609	8476.599609	1.12
6554	015	3448	0.08	1915	1	55	80	2.5	6	5	8620	6705	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9654.399414	7739.399414	7739.399414	1.12
6554	016	3446	0.08	1571	1	55	80	2.5	6	5	8615	7044	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9648.799805	8077.799805	8077.799805	1.12
6554	025	3420	0.08	1485	1	55	80	2.5	6	5	8550	7065	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9576	8091	8091	1.12
6554	027	2850	0.07	2177	0	55	80	2.5	6	6	7125	4948	RH-2	40	form-based			true	0.7	6	1	6	6	7980	5803	5803	1.12
6555	010	3195	0.07	2392	1	55	80	2.5	6	5	7988	5596	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8946	6554	6554	1.11993
6555	038	3427	0.08	2566	1	55	80	2.5	6	5	8568	6002	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9595.599609	7029.599609	7029.599609	1.119935
6561	007	3148	0.07	3687	1	55	80	2.5	6	5	7870	4183	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	8814.399414	5127.399414	5127.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6562	060	3184	0.07	1574	1	55	80	2.5	6	5	7960	6386	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8915.200195	7341.200195	7341.200195	1.12
6564	025	3420	0.08	1270	1	65	100	3	8	7	10260	8990	RH-2	40	form-based			true	0.7	7	0.875	6	6	9576	8306	8306	0.933333
6564	029	3420	0.08	2309	1	65	100	3	8	7	10260	7951	RH-2	40	form-based			true	0.7	7	0.875	6	6	9576	7267	7267	0.933333
6564	036A	3343	0.08	3186	1	65	100	3	8	7	10029	6843	RH-2	40	form-based			true	0.7	7	0.875	6	6	9360.399414	6174.399414	6174.399414	0.933333
6565	002	2286	0.05	2518	3	85	140	4	7	4	9144	6626	NC-1	65	form-based			true	0.75	9	1.285714269	6	6	10287	7769	7769	1.125
6565	006	2266	0.05	2980	2	85	140	4	7	5	9064	6084	RTO-C	65	form-based			true	0.75	8	1.142857194	6	6	10197	7217	7217	1.125
6565	009	2911	0.07	1700	2	65	100	3	7	5	8733	7033	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10188.5	8488.5	8488.5	1.166667
6565	010	3306	0.08	2975	3	65	100	3	8	5	9918	6943	RH-2	50	form-based			true	0.7	9	1.125	6	6	11571	8596	8596	1.166667
6565	019	3014	0.07	1918	2	65	100	3	7	5	9042	7124	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10549	8631	8631	1.166667
6565	021	2895	0.07	3375	2	65	100	3	7	5	8685	5310	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10132.5	6757.5	6757.5	1.166667
6565	027	2400	0.06	1553	1	65	100	3	6	5	7200	5647	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8400	6847	6847	1.166667
6565	034	2850	0.07	2044	2	65	100	3	7	5	8550	6506	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7931	7931	1.166667
6565	035	2964	0.07	1360	2	65	100	3	7	5	8892	7532	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10374	9014	9014	1.166667
6565	058	2850	0.07	890	2	65	100	3	7	5	8550	7660	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	9085	9085	1.166667
6565	060	2964	0.07	982	2	85	140	4	10	8	11856	10874	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	10374	9392	9392	0.875
6565	064	2736	0.06	1219	2	85	140	4	8	6	10944	9725	RH-2	50	form-based			true	0.7	8	1	6	6	9576	8357	8357	0.875
6565	066	2132	0.05	1239	2	85	140	4	7	5	8528	7289	RTO-C	65	form-based			true	0.75	8	1.142857194	6	6	9594	8355	8355	1.125
6565	068	2994	0.07	1140	2	85	140	4	10	8	11976	10836	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	10479	9339	9339	0.875
6566	005	2833	0.07	2990	2	65	100	3	7	5	8499	5509	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9915.5	6925.5	6925.5	1.166667
6566	006	2830	0.06	2450	2	65	100	3	6	4	8490	6040	RH-3	50	form-based			true	0.7	8	1.333333373	6	6	9905	7455	7455	1.166667
6566	010	2879	0.07	2132	2	65	100	3	7	5	8637	6505	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10076.5	7944.5	7944.5	1.166667
6566	011	2879	0.07	3296	2	65	100	3	7	5	8637	5341	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10076.5	6780.5	6780.5	1.166667
6566	012	2879	0.07	1845	2	65	100	3	7	5	8637	6792	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10076.5	8231.5	8231.5	1.166667
6566	013	2879	0.07	1532	2	65	100	3	7	5	8637	7105	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10076.5	8544.5	8544.5	1.166667
6566	018	2879	0.07	2816	2	65	100	3	7	5	8637	5821	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10076.5	7260.5	7260.5	1.166667
6566	020A	2879	0.07	2850	2	85	140	4	10	8	11516	8666	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	10076.5	7226.5	7226.5	0.875
6566	028	2400	0.06	2937	3	85	140	4	8	5	9600	6663	NC-1	65	form-based			true	0.75	9	1.125	6	6	10800	7863	7863	1.125
6566	031	2850	0.07	2150	2	85	140	4	10	8	11400	9250	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	7825	7825	0.875
6566	034	2850	0.07	3030	2	85	140	4	10	8	11400	8370	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	6945	6945	0.875
6566	038	2850	0.07	2400	2	65	100	3	7	5	8550	6150	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7575	7575	1.166667
6566	040	2850	0.07	2550	2	65	100	3	7	5	8550	6000	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7425	7425	1.166667
6566	041	2850	0.07	3484	2	65	100	3	7	5	8550	5066	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	6491	6491	1.166667
6566	043	2850	0.07	3000	2	65	100	3	7	5	8550	5550	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	6975	6975	1.166667
6566	044	2850	0.07	1840	2	65	100	3	7	5	8550	6710	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	8135	8135	1.166667
6566	050	2879	0.07	1316	2	65	100	3	7	5	8637	7321	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10076.5	8760.5	8760.5	1.166667
6566	052	2879	0.07	1378	2	65	100	3	7	5	8637	7259	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10076.5	8698.5	8698.5	1.166667
6566	054	2850	0.07	920	2	65	100	3	7	5	8550	7630	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	9055	9055	1.166667
6566	056	2838	0.07	1062	2	65	100	3	7	5	8514	7452	RH-3	50	form-based			true	0.7	8	1.142857194	6	6	9933	8871	8871	1.166667
6567	009A	472	0.01	0	0	65	100	3	1	1	1416	1416	RH-3	40	density-lim	1000	true		0.7	6	6	6	2	1321.599976	1321.599976	1321.599976	0.933333
6569	016	2367	0.05	900	1	65	100	3	5	4	7101	6201	RTO-M	55	form-based				0.7	7	1.399999976	6	6	8284.5	7384.5	7384.5	1.166667
6578	007	2375	0.05	1700	1	65	100	3	5	4	7125	5425	RH-2	50	form-based			true	0.7	7	1.399999976	6	6	8312.5	6612.5	6612.5	1.166667
6578	011	2818	0.06	1808	2	65	100	3	6	4	8454	6646	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9863	8055	8055	1.166667
6578	020	2835	0.07	1864	2	65	100	3	7	5	8505	6641	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9922.5	8058.5	8058.5	1.166667
6578	045	2850	0.07	1400	2	65	100	3	7	5	8550	7150	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	8575	8575	1.166667
6578	048	2850	0.07	2325	2	65	100	3	7	5	8550	6225	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7650	7650	1.166667
6578	055	2850	0.07	3271	2	65	100	3	7	5	8550	5279	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	6704	6704	1.166667
6579	002	2173	0.05	2886	2	65	100	3	5	3	6519	3633	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9778.5	6892.5	6892.5	1.5
6579	003	2092	0.05	3160	2	65	100	3	5	3	6276	3116	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9414	6254	6254	1.5
6579	005	2181	0.05	3200	2	65	100	3	5	3	6543	3343	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9814.5	6614.5	6614.5	1.5
6579	006	2100	0.05	3400	2	65	100	3	5	3	6300	2900	RTO-C	65	form-based			true	0.75	8	1.600000024	6	6	9450	6050	6050	1.5
6579	007	2187	0.05	2590	2	65	100	3	5	3	6561	3971	NC-1	65	form-based			true	0.75	8	1.600000024	6	6	9841.5	7251.5	7251.5	1.5
6579	008	2995	0.07	2250	2	65	100	3	7	5	8985	6735	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10482.5	8232.5	8232.5	1.166667
6574	017	3347	0.08	0	0	85	140	4	11	11	13388	13388	NCD-MISS	50	density-lim	600	true		0.75	6	0.545454562	6	6	12551.25	12551.25	12551.25	0.9375
6574	018	3641	0.08	0	0	65	100	3	8	8	10923	10923	NCD-MISS	50	density-lim	600	true		0.75	6	0.75	6	6	13653.75	13653.75	13653.75	1.25
6579	013	2824	0.06	2510	2	65	100	3	6	4	8472	5962	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9884	7374	7374	1.166667
6579	014	2827	0.06	1600	2	65	100	3	6	4	8481	6881	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9894.5	8294.5	8294.5	1.166667
6579	016	2833	0.07	2600	2	65	100	3	7	5	8499	5899	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9915.5	7315.5	7315.5	1.166667
6579	017	2836	0.07	2233	2	65	100	3	7	5	8508	6275	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9926	7693	7693	1.166667
6579	020	2846	0.07	2000	2	65	100	3	7	5	8538	6538	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9961	7961	7961	1.166667
6579	044	3001	0.07	1637	2	65	100	3	7	5	9003	7366	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10503.5	8866.5	8866.5	1.166667
6579	066	3033	0.07	1224	2	65	100	3	7	5	9099	7875	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10615.5	9391.5	9391.5	1.166667
6580	002	3528	0.08	1805	1	65	100	3	8	7	10584	8779	RH-2	40	form-based			true	0.7	7	0.875	6	6	9878.399414	8073.399414	8073.399414	0.933333
6580	009	3388	0.08	1074	1	65	100	3	8	7	10164	9090	RH-2	40	form-based			true	0.7	7	0.875	6	6	9486.399414	8412.399414	8412.399414	0.933333
6580	017	3446	0.08	4630	1	65	100	3	8	7	10338	5708	RH-2	40	form-based			true	0.7	7	0.875	6	6	9648.799805	5018.799805	5018.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6580	021A	3292	0.08	1886	1	65	100	3	8	7	9876	7990	RH-2	40	form-based			true	0.7	7	0.875	6	6	9217.599609	7331.599609	7331.599609	0.933333
6580	024	3245	0.07	1590	1	65	100	3	7	6	9735	8145	RH-2	40	form-based		true	true	0.7	7	1	6	6	9086	7496	7496	0.933333
6580	025	3097	0.07	2781	1	65	100	3	7	6	9291	6510	RH-2	40	form-based			true	0.7	7	1	6	6	8671.599609	5890.599609	5890.599609	0.933333
6582	005	3376	0.08	1310	1	55	80	2.5	6	5	8440	7130	RH-2	40	form-based		true	true	0.7	7	1.166666627	6	6	9452.799805	8142.799805	8142.799805	1.12
6582	034	3179	0.07	1525	1	55	80	2.5	6	5	7948	6423	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8901.200195	7376.200195	7376.200195	1.11993
6582	035	3101	0.07	2931	1	55	80	2.5	6	5	7752	4821	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8682.799805	5751.799805	5751.799805	1.120072
6582	036	3101	0.07	2933	1	55	80	2.5	6	5	7752	4819	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8682.799805	5749.799805	5749.799805	1.120072
6590	028	2950	0.07	0	0	55	80	2.5	6	6	7375	7375	RH-2	40	form-based			true	0.7	6	1	6	6	8260	8260	8260	1.12
6590	098	3666	0.08	2893	2	55	80	2.5	6	4	9165	6272	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10264.7998	7371.799805	7371.799805	1.12
6591	011	3432	0.08	2743	1	65	100	3	8	7	10296	7553	RH-2	40	form-based			true	0.7	7	0.875	6	6	9609.599609	6866.599609	6866.599609	0.933333
6591	014	3432	0.08	1950	1	65	100	3	8	7	10296	8346	RH-2	40	form-based			true	0.7	7	0.875	6	6	9609.599609	7659.599609	7659.599609	0.933333
6591	018	3157	0.07	2766	1	65	100	3	7	6	9471	6705	RH-2	40	form-based			true	0.7	7	1	6	6	8839.599609	6073.599609	6073.599609	0.933333
6591	036	3382	0.08	2050	1	65	100	3	8	7	10146	8096	RH-2	40	form-based			true	0.7	7	0.875	6	6	9469.599609	7419.599609	7419.599609	0.933333
6592	002	2040	0.05	2480	2	65	100	3	5	3	6120	3640	NC-1	65	form-based			true	0.75	8	1.600000024	6	6	9180	6700	6700	1.5
6592	007	2064	0.05	1850	2	65	100	3	5	3	6192	4342	NC-1	65	form-based			true	0.75	8	1.600000024	6	6	9288	7438	7438	1.5
6592	011	2380	0.05	1442	1	65	100	3	5	4	7140	5698	RH-2	50	form-based			true	0.7	7	1.399999976	6	6	8330	6888	6888	1.166667
6592	012	2458	0.06	2131	1	65	100	3	6	5	7374	5243	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8603	6472	6472	1.166667
6592	013	2457	0.06	1098	1	65	100	3	6	5	7371	6273	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8599.5	7501.5	7501.5	1.166667
6592	019	2453	0.06	1150	1	65	100	3	6	5	7359	6209	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8585.5	7435.5	7435.5	1.166667
6592	020	2453	0.06	2200	1	65	100	3	6	5	7359	5159	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8585.5	6385.5	6385.5	1.166667
6592	021	2452	0.06	1200	1	65	100	3	6	5	7356	6156	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8582	7382	7382	1.166667
6592	024	2477	0.06	3303	1	65	100	3	6	5	7431	4128	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8669.5	5366.5	5366.5	1.166667
6592	026	2944	0.07	2320	2	65	100	3	7	5	8832	6512	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10304	7984	7984	1.166667
6592	034	2468	0.06	2808	1	65	100	3	6	5	7404	4596	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8638	5830	5830	1.166667
6592	035	2467	0.06	2504	1	65	100	3	6	5	7401	4897	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8634.5	6130.5	6130.5	1.166667
6592	036	2468	0.06	1700	1	65	100	3	6	5	7404	5704	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8638	6938	6938	1.166667
6592	037	2468	0.06	1325	1	65	100	3	6	5	7404	6079	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8638	7313	7313	1.166667
6592	038	2625	0.06	1205	1	65	100	3	6	5	7875	6670	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9187.5	7982.5	7982.5	1.166667
6592	042	2660	0.06	1412	1	65	100	3	6	5	7980	6568	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9310	7898	7898	1.166667
6592	046	2520	0.06	2915	1	65	100	3	6	5	7560	4645	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8820	5905	5905	1.166667
6592	048	2520	0.06	2664	1	65	100	3	6	5	7560	4896	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8820	6156	6156	1.166667
6592	050	2468	0.06	2162	1	65	100	3	6	5	7404	5242	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8638	6476	6476	1.166667
6592	051	2583	0.06	2964	1	65	100	3	6	5	7749	4785	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9040.5	6076.5	6076.5	1.166667
6593	015	2736	0.06	1690	2	65	100	3	6	4	8208	6518	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9576	7886	7886	1.166667
6593	016	2735	0.06	1090	2	65	100	3	6	4	8205	7115	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9572.5	8482.5	8482.5	1.166667
6593	017	2849	0.07	1755	2	65	100	3	7	5	8547	6792	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9971.5	8216.5	8216.5	1.166667
6593	023	2000	0.05	2299	2	65	100	3	5	3	6000	3701	NC-1	65	form-based			true	0.75	8	1.600000024	6	6	9000	6701	6701	1.5
6593	024	2048	0.05	1280	2	65	100	3	5	3	6144	4864	NC-1	65	form-based			true	0.75	8	1.600000024	6	6	9216	7936	7936	1.5
6593	035	2736	0.06	1717	2	65	100	3	6	4	8208	6491	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9576	7859	7859	1.166667
6593	040	2739	0.06	1844	2	65	100	3	6	4	8217	6373	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9586.5	7742.5	7742.5	1.166667
6593	045	3275	0.08	3350	3	65	100	3	8	5	9825	6475	RH-2	50	form-based			true	0.7	9	1.125	6	6	11462.5	8112.5	8112.5	1.166667
6593	056	2736	0.06	1585	2	65	100	3	6	4	8208	6623	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9576	7991	7991	1.166667
6593	058	2736	0.06	942	2	65	100	3	6	4	8208	7266	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9576	8634	8634	1.166667
6597	001	1857	0.04	2560	0	65	100	3	4	4	5571	3011	RH-2	40	density-lin	1500	true		0.7	6	1.5	6	6	5199.600098	2639.600098	2639.600098	0.933333
6600	004	2534	0.06	1850	1	65	100	3	6	5	7602	5752	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8869	7019	7019	1.166667
6600	012B	2850	0.07	2500	2	65	100	3	7	5	8550	6050	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7475	7475	1.166667
6600	013	6335	0.15	9963	12	65	100	3	15	3	19005	9042	RH-2	50	form-based			true	0.7	18	1.200000048	6	6	22172.5	12209.5	12209.5	1.166667
6600	016	2850	0.07	1317	2	65	100	3	7	5	8550	7233	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	8658	8658	1.166667
6600	029	2866	0.07	1757	2	65	100	3	7	5	8598	6841	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10031	8274	8274	1.166667
6600	030	2400	0.06	1600	1	65	100	3	6	5	7200	5600	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8400	6800	6800	1.166667
6600	034	2400	0.06	1486	1	65	100	3	6	5	7200	5714	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8400	6914	6914	1.166667
6600	044	2850	0.07	1308	2	65	100	3	7	5	8550	7242	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	8667	8667	1.166667
6600	046	2850	0.07	2139	2	65	100	3	7	5	8550	6411	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7836	7836	1.166667
6600	058	2587	0.06	775	4	85	140	4	8	4	10348	9573	RTO-C	65	form-based			true	0.75	10	1.25	6	6	11641.5	10866.5	10866.5	1.125
6600	062	3337	0.08	928	3	65	100	3	8	5	10011	9083	RH-2	50	form-based			true	0.7	9	1.125	6	6	11679.5	10751.5	10751.5	1.166667
6600	065	2803	0.06	1081	2	65	100	3	6	4	8409	7328	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9810.5	8729.5	8729.5	1.166667
6601	002	2520	0.06	2780	3	85	140	4	8	5	10080	7300	RTO-C	65	form-based			true	0.75	9	1.125	6	6	11340	8560	8560	1.125
6601	014	2926	0.07	2775	2	65	100	3	7	5	8778	6003	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10241	7466	7466	1.166667
6601	022	2500	0.06	1612	1	65	100	3	6	5	7500	5888	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	7138	7138	1.166667
6601	023	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	7800	7800	1.166667
6601	024	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	7850	7850	1.166667
6601	025	2500	0.06	2210	1	65	100	3	6	5	7500	5290	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	6540	6540	1.166667
6601	026	2500	0.06	2127	1	65	100	3	6	5	7500	5373	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	6623	6623	1.166667
6601	029	3026	0.07	2071	2	65	100	3	7	5	9078	7007	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10591	8520	8520	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6601	033	2892	0.07	2150	2	65	100	3	7	5	8676	6526	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10122	7972	7972	1.166667
6601	039	2991	0.07	2820	2	85	140	4	10	8	11964	9144	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	10468.5	7648.5	7648.5	0.875
6601	044	2850	0.07	1194	2	85	140	4	10	8	11400	10206	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	8781	8781	0.875
6601	046	2926	0.07	1397	2	65	100	3	7	5	8778	7381	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10241	8844	8844	1.166667
6601	048	2893	0.07	1000	2	65	100	3	7	5	8679	7679	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10125.5	9125.5	9125.5	1.166667
6601	050	2763	0.06	1204	2	65	100	3	6	4	8289	7085	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9670.5	8466.5	8466.5	1.166667
6601	064	2518	0.06	3018	3	85	140	4	8	5	10072	7054	RTO-C	65	form-based			true	0.75	9	1.125	6	6	11331	8313	8313	1.125
6602	010	4513	0.1	2123	3	65	100	3	10	7	13539	11416	RH-2	40	form-based			true	0.7	9	0.899999976	6	6	12636.39941	10513.39941	10513.39941	0.933333
6602	011	3188	0.07	1490	1	65	100	3	7	6	9564	8074	RH-2	40	form-based			true	0.7	7	1	6	6	8926.399414	7436.399414	7436.399414	0.933333
6602	014	3115	0.07	1102	1	65	100	3	7	6	9345	8243	RH-2	40	form-based			true	0.7	7	1	6	6	8722	7620	7620	0.933333
6602	014A	3234	0.07	1185	1	65	100	3	7	6	9702	8517	RH-2	40	form-based			true	0.7	7	1	6	6	9055.200195	7870.200195	7870.200195	0.933333
6602	015	3186	0.07	2226	1	65	100	3	7	6	9558	7332	RH-2	40	form-based			true	0.7	7	1	6	6	8920.799805	6694.799805	6694.799805	0.933333
6602	016	3186	0.07	2184	1	65	100	3	7	6	9558	7374	RH-2	40	form-based			true	0.7	7	1	6	6	8920.799805	6736.799805	6736.799805	0.933333
6602	037	3331	0.08	1413	1	65	100	3	8	7	9993	8580	RH-2	40	form-based			true	0.7	7	0.875	6	6	9326.799805	7913.799805	7913.799805	0.933333
6602	038	3167	0.07	1045	1	65	100	3	7	6	9501	8456	RH-2	40	form-based			true	0.7	7	1	6	6	8867.599609	7822.599609	7822.599609	0.933333
6603	011	3196	0.07	3085	1	55	80	2.5	6	5	7990	4905	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	8948.799805	5863.799805	5863.799805	1.12
6604	008	3100	0.07	1204	1	55	80	2.5	6	5	7750	6546	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8680	7476	7476	1.12
6604	037	2846	0.07	0	0	55	80	2.5	6	6	7115	7115	RH-1	40	form-based			true	0.7	6	1	6	6	7968.799805	7968.799805	7968.799805	1.12
6604	050	3485	0.08	1848	1	55	80	2.5	6	5	8712	6864	RH-2	40	form-based			true	0.7	7	1.166666627	6	6	9758	7910	7910	1.120064
6604	056	3862	0.09	2068	2	55	80	2.5	7	5	9655	7587	RH-2	40	form-based			true	0.7	8	1.142857194	6	6	10813.59961	8745.599609	8745.599609	1.12
6604	064	3679	0.08	2103	2	55	80	2.5	6	4	9198	7095	RH-2	40	form-based	true		true	0.7	8	1.333333373	6	6	10301.2002	8198.200195	8198.200195	1.119939
6611	048	2850	0.07	3700	0	55	80	2.5	6	6	7125	3425	RH-1	40	form-based			true	0.7	6	1	6	6	7980	4280	4280	1.12
6614	013	2946	0.07	1540	2	65	100	3	7	5	8838	7298	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10311	8771	8771	1.166667
6614	017	2946	0.07	1500	2	65	100	3	7	5	8838	7338	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10311	8811	8811	1.166667
6614	025	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	7750	7750	1.166667
6614	026	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	7250	7250	1.166667
6614	027	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	7650	7650	1.166667
6614	030	2980	0.07	2850	2	65	100	3	7	5	8940	6090	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10430	7580	7580	1.166667
6614	038	2672	0.06	1286	1	65	100	3	6	5	8016	6730	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9352	8066	8066	1.166667
6614	041	2959	0.07	2030	2	85	140	4	10	8	11836	9806	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	10356.5	8326.5	8326.5	0.875
6614	042	2983	0.07	2166	2	85	140	4	10	8	11932	9766	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	10440.5	8274.5	8274.5	0.875
6614	053	2980	0.07	1785	2	65	100	3	7	5	8940	7155	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10430	8645	8645	1.166667
6614	055	2959	0.07	2010	2	65	100	3	7	5	8877	6867	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10356.5	8346.5	8346.5	1.166667
6615	015C	2850	0.07	2033	2	65	100	3	7	5	8550	6517	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7942	7942	1.166667
6615	034C	4170	0.1	4260	6	65	100	3	10	4	12510	8250	RH-2	50	form-based			true	0.7	12	1.200000048	6	6	14595	10335	10335	1.166667
6615	036	2848	0.07	1820	2	65	100	3	7	5	8544	6724	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9968	8148	8148	1.166667
6615	037	2848	0.07	2884	2	65	100	3	7	5	8544	5660	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9968	7084	7084	1.166667
6615	038	2847	0.07	1600	2	65	100	3	7	5	8541	6941	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9964.5	8364.5	8364.5	1.166667
6615	048	2850	0.07	925	2	65	100	3	7	5	8550	7625	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	9050	9050	1.166667
6618	005	2500	0.06	1020	1	65	100	3	6	5	7500	6480	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8750	7730	7730	1.166667
6618	010	2850	0.07	3050	2	65	100	3	7	5	8550	5500	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	6925	6925	1.166667
6618	012	2508	0.06	2630	1	65	100	3	6	5	7524	4894	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8778	6148	6148	1.166667
6618	014A	2774	0.06	2700	2	65	100	3	6	4	8322	5622	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9709	7009	7009	1.166667
6618	014B	2850	0.07	2700	2	65	100	3	7	5	8550	5850	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	7275	7275	1.166667
6618	015	2670	0.06	2232	1	65	100	3	6	5	8010	5778	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	9345	7113	7113	1.166667
6618	016	2622	0.06	1056	1	85	140	4	8	7	10488	9432	RH-2	50	form-based			true	0.7	7	0.875	6	6	9177	8121	8121	0.875
6618	018	2850	0.07	3060	2	85	140	4	10	8	11400	8340	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	6915	6915	0.875
6618	031	2717	0.06	1520	2	65	100	3	6	4	8151	6631	RH-2	50	form-based			true	0.7	8	1.333333373	6	6	9509.5	7989.5	7989.5	1.166667
6618	037	2970	0.07	3238	2	65	100	3	7	5	8910	5672	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10395	7157	7157	1.166667
6618	065	2500	0.06	1304	3	85	140	4	8	5	10000	8696	NC-1	65	form-based			true	0.75	9	1.125	6	6	11250	9946	9946	1.125
6619	009	2926	0.07	2002	2	65	100	3	7	5	8778	6776	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10241	8239	8239	1.166667
6619	016	2479	0.06	1440	1	65	100	3	6	5	7437	5997	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8676.5	7236.5	7236.5	1.166667
6619	017	2479	0.06	1482	1	65	100	3	6	5	7437	5955	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8676.5	7194.5	7194.5	1.166667
6619	018	2480	0.06	2214	1	65	100	3	6	5	7440	5226	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8680	6466	6466	1.166667
6619	019	2480	0.06	1242	1	65	100	3	6	5	7440	6198	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8680	7438	7438	1.166667
6619	020	2481	0.06	1675	1	65	100	3	6	5	7443	5768	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8683.5	7008.5	7008.5	1.166667
6619	021	2649	0.06	3899	1	65	100	3	6	5	7947	4048	RH-2	50	form-based	true		true	0.7	7	1.166666627	6	6	9271.5	5372.5	5372.5	1.166667
6619	023	2930	0.07	2368	2	65	100	3	7	5	8790	6422	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10255	7887	7887	1.166667
6619	035	2926	0.07	869	2	65	100	3	7	5	8778	7909	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10241	9372	9372	1.166667
6619	037	2892	0.07	924	2	65	100	3	7	5	8676	7752	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10122	9198	9198	1.166667
6620	038	2839	0.07	1780	0	65	100	3	7	7	8517	6737	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	7949.199707	6169.199707	6169.199707	0.933333
6631	033	2855	0.07	750	0	65	100	3	7	7	8565	7815	RH-2	40	form-based			true	0.7	6	0.857142866	6	6	7994	7244	7244	0.933333
6632	002	2000	0.05	2572	2	85	140	4	7	5	8000	5428	NC-1	65	form-based			true	0.75	8	1.142857194	6	6	9000	6428	6428	1.125
6632	003	2000	0.05	2200	2	85	140	4	7	5	8000	5800	NC-1	65	form-based			true	0.75	8	1.142857194	6	6	9000	6800	6800	1.125

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6632	004	2000	0.05	5536	2	85	140	4	7	5	8000	2464	NC-1	65	form-based			true	0.75	8	1.142857194	6	6	9000	3464	3464	1.125
6632	005	2000	0.05	4575	2	85	140	4	7	5	8000	3425	NC-1	65	form-based			true	0.75	8	1.142857194	6	6	9000	4425	4425	1.125
6632	006	2000	0.05	2838	2	85	140	4	7	5	8000	5162	NC-1	65	form-based			true	0.75	8	1.142857194	6	6	9000	6162	6162	1.125
6632	007	2000	0.05	2672	2	85	140	4	7	5	8000	5328	NC-1	65	form-based			true	0.75	8	1.142857194	6	6	9000	6328	6328	1.125
6632	008	2000	0.05	2214	2	85	140	4	7	5	8000	5786	NC-1	65	form-based			true	0.75	8	1.142857194	6	6	9000	6786	6786	1.125
6632	047	2829	0.06	2450	2	85	140	4	8	6	11316	8866	RM-1	50	form-based			true	0.7	8	1	6	6	9901.5	7451.5	7451.5	0.875
6632	060	2870	0.07	971	2	65	100	3	7	5	8610	7639	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10045	9074	9074	1.166667
6632	106	2831	0.06	1362	2	65	100	3	6	4	8493	7131	RM-1	50	form-based			true	0.7	8	1.333333373	6	6	9908.5	8546.5	8546.5	1.166667
6632	108	2870	0.07	1476	2	85	140	4	10	8	11480	10004	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	10045	8569	8569	0.875
6632	111	2592	0.06	5615	1	65	100	3	6	5	7776	2161	RH-2	50	form-based		true	true	0.7	7	1.166666627	6	6	9072	3457	3457	1.166667
6633	002	2879	0.07	2134	2	65	100	3	7	5	8637	6503	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10076.5	7942.5	7942.5	1.166667
6633	009	2850	0.07	3030	2	65	100	3	7	5	8550	5520	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	6945	6945	1.166667
6633	020	2320	0.05	3384	3	85	140	4	7	4	9280	5896	NC-1	65	form-based			true	0.75	9	1.285714269	6	6	10440	7056	7056	1.125
6633	030	2859	0.07	2320	2	65	100	3	7	5	8577	6257	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10006.5	7686.5	7686.5	1.166667
6633	035	2858	0.07	1630	2	65	100	3	7	5	8574	6944	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10003	8373	8373	1.166667
6633	039	2850	0.07	1403	2	65	100	3	7	5	8550	7147	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	8572	8572	1.166667
6633	043	2938	0.07	1005	2	85	140	4	10	8	11752	10747	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	10283	9278	9278	0.875
6633	045	2860	0.07	1070	2	65	100	3	7	5	8580	7510	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10010	8940	8940	1.166667
6633	047	2858	0.07	2331	2	65	100	3	7	5	8574	6243	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	10003	7672	7672	1.166667
6633	049	2839	0.07	1509	2	85	140	4	10	8	11356	9847	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9936.5	8427.5	8427.5	0.875
6635	016	3757	0.09	0	0	85	140	4	13	13	15028	15028	NCD-MISS	40	density-lim	600			0.75	6	0.461538464	6	6	11271	11271	11271	0.75
6635	032	3418	0.08	0	0	85	140	4	11	11	13672	13672	NCD-MISS	40	density-lim	600			0.75	6	0.545454562	6	6	10254	10254	10254	0.75
6637	008	2850	0.07	2760	2	85	140	4	10	8	11400	8640	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	7215	7215	0.875
6637	010	2850	0.07	2350	2	85	140	4	10	8	11400	9050	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	7625	7625	0.875
6637	010A	2850	0.07	3000	2	65	100	3	7	5	8550	5550	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9975	6975	6975	1.166667
6637	016	2850	0.07	2580	2	85	140	4	10	8	11400	8820	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	7395	7395	0.875
6637	017	2850	0.07	2480	2	85	140	4	10	8	11400	8920	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	7495	7495	0.875
6637	019	2850	0.07	2234	2	85	140	4	10	8	11400	9166	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	7741	7741	0.875
6637	027	2854	0.07	1500	2	65	100	3	7	5	8562	7062	RH-2	50	form-based			true	0.7	8	1.142857194	6	6	9989	8489	8489	1.166667
6637	049	2850	0.07	1224	2	85	140	4	10	8	11400	10176	RH-2	50	form-based			true	0.7	8	0.800000012	6	6	9975	8751	8751	0.875
6638	003	2000	0.05	2400	2	85	140	4	7	5	8000	5600	NC-1	65	form-based			true	0.75	8	1.142857194	6	6	9000	6600	6600	1.125
6638	004	2000	0.05	2180	2	85	140	4	7	5	8000	5820	NC-1	65	form-based			true	0.75	8	1.142857194	6	6	9000	6820	6820	1.125
6638	006	1963	0.05	1365	1	85	140	4	7	6	7852	6487	RTO-C	65	form-based			true	0.75	7	1	6	6	8833.5	7468.5	7468.5	1.125
6651	024	3699	0.08	2016	2	55	80	2.5	6	4	9248	7232	RH-2	40	form-based			true	0.7	8	1.333333373	6	6	10357.2002	8341.200195	8341.200195	1.119939
6651	029	4484	0.1	2404	3	55	80	2.5	8	5	11210	8806	RH-2	40	form-based			true	0.7	9	1.125	6	6	12555.2002	10151.2002	10151.2002	1.12
6652	002	3500	0.08	793	1	65	100	3	8	7	10500	9707	RH-2	40	form-based			true	0.7	7	0.875	6	6	9800	9007	9007	0.933333
6652	006	3508	0.08	1475	1	65	100	3	8	7	10524	9049	RH-2	40	form-based			true	0.7	7	0.875	6	6	9822.399414	8347.399414	8347.399414	0.933333
6652	028	3500	0.08	2387	1	65	100	3	8	7	10500	8113	RH-2	40	form-based			true	0.7	7	0.875	6	6	9800	7413	7413	0.933333
6652	051	4598	0.11	994	4	65	100	3	11	7	13794	12800	RH-2	40	form-based			true	0.7	10	0.909090936	6	6	12874.39941	11880.39941	11880.39941	0.933333
6653	002	3345	0.08	2315	1	65	100	3	8	7	10035	7720	RH-2	40	form-based			true	0.7	7	0.875	6	6	9366	7051	7051	0.933333
6653	003	3345	0.08	3145	1	65	100	3	8	7	10035	6890	RH-2	40	form-based			true	0.7	7	0.875	6	6	9366	6221	6221	0.933333
6653	004	3345	0.08	1759	1	65	100	3	8	7	10035	8276	RH-2	40	form-based			true	0.7	7	0.875	6	6	9366	7607	7607	0.933333
6653	005	3345	0.08	1573	1	65	100	3	8	7	10035	8462	RH-2	40	form-based			true	0.7	7	0.875	6	6	9366	7793	7793	0.933333
6653	006	3345	0.08	1844	1	65	100	3	8	7	10035	8191	RH-2	40	form-based			true	0.7	7	0.875	6	6	9366	7522	7522	0.933333
6653	007	3344	0.08	2471	1	65	100	3	8	7	10032	7561	RH-2	40	form-based			true	0.7	7	0.875	6	6	9363.200195	6892.200195	6892.200195	0.933333
6653	008	3135	0.07	1090	1	65	100	3	7	6	9405	8315	RH-2	40	form-based			true	0.7	7	1	6	6	8778	7688	7688	0.933333
6653	010	3510	0.08	1316	1	65	100	3	8	7	10530	9214	RH-2	40	form-based			true	0.7	7	0.875	6	6	9828	8512	8512	0.933333
6653	018	3194	0.07	2147	1	65	100	3	7	6	9582	7435	RH-2	40	form-based			true	0.7	7	1	6	6	8943.200195	6796.200195	6796.200195	0.933333
6653	025	3125	0.07	1180	1	65	100	3	7	6	9375	8195	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7570	7570	0.933333
6653	026	3125	0.07	1875	1	65	100	3	7	6	9375	7500	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6875	6875	0.933333
6653	032	3125	0.07	3393	1	65	100	3	7	6	9375	5982	RH-2	40	form-based			true	0.7	7	1	6	6	8750	5357	5357	0.933333
6653	033	3125	0.07	1525	1	65	100	3	7	6	9375	7850	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7225	7225	0.933333
6653	034	3125	0.07	1320	1	65	100	3	7	6	9375	8055	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7430	7430	0.933333
6653	036	3125	0.07	1541	1	65	100	3	7	6	9375	7834	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7209	7209	0.933333
6654	002	3111	0.07	3499	1	65	100	3	7	6	9333	5834	RH-2	40	form-based			true	0.7	7	1	6	6	8710.799805	5211.799805	5211.799805	0.933333
6654	003	3112	0.07	1185	1	65	100	3	7	6	9336	8151	RH-2	40	form-based			true	0.7	7	1	6	6	8713.599609	7528.599609	7528.599609	0.933333
6654	004	3112	0.07	850	1	65	100	3	7	6	9336	8486	RH-2	40	form-based			true	0.7	7	1	6	6	8713.599609	7863.599609	7863.599609	0.933333
6654	005	3113	0.07	1150	1	65	100	3	7	6	9339	8189	RH-2	40	form-based			true	0.7	7	1	6	6	8716.399414	7566.399414	7566.399414	0.933333
6654	006	3113	0.07	2067	1	65	100	3	7	6	9339	7272	RH-2	40	form-based			true	0.7	7	1	6	6	8716.399414	6649.399414	6649.399414	0.933333
6654	007	3114	0.07	1598	1	65	100	3	7	6	9342	7744	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	7121.200195	7121.200195	0.933333
6654	009	3115	0.07	1652	1	65	100	3	7	6	9345	7693	RH-2	40	form-based			true	0.7	7	1	6	6	8722	7070	7070	0.933333
6654	010	3115	0.07	1736	1	65	100	3	7	6	9345	7609	RH-2	40	form-based			true	0.7	7	1	6	6	8722	6986	6986	0.933333
6654	011	3116	0.07	1050	1	65	100	3	7	6	9348	8298	RH-2	40	form-based			true	0.7	7	1	6	6	8724.799805	7674.799805	7674.799805	0.933333
6654	012	3116	0.07	1695	1	65	100	3	7	6	9348	7653	RH-2	40	form-based			true	0.7	7	1	6	6	8724.799805	7029.799805	7029.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6654	013	3117	0.07	1705	1	65	100	3	7	6	9351	7646	RH-2	40	form-based			true	0.7	7	1	6	6	8727.599609	7022.599609	7022.599609	0.933333
6654	015	3118	0.07	1703	1	65	100	3	7	6	9354	7651	RH-2	40	form-based			true	0.7	7	1	6	6	8730.399414	7027.399414	7027.399414	0.933333
6654	016	3119	0.07	1185	1	65	100	3	7	6	9357	8172	RH-2	40	form-based			true	0.7	7	1	6	6	8733.200195	7548.200195	7548.200195	0.933333
6654	017	3119	0.07	1838	1	65	100	3	7	6	9357	7519	RH-2	40	form-based			true	0.7	7	1	6	6	8733.200195	6895.200195	6895.200195	0.933333
6654	018	3120	0.07	2110	1	65	100	3	7	6	9360	7250	RH-2	40	form-based			true	0.7	7	1	6	6	8736	6626	6626	0.933333
6654	035	3125	0.07	1507	1	65	100	3	7	6	9375	7868	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7243	7243	0.933333
6654	038	3125	0.07	1810	1	65	100	3	7	6	9375	7565	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6940	6940	0.933333
6654	039	3125	0.07	1694	1	65	100	3	7	6	9375	7681	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7056	7056	0.933333
6654	040	3125	0.07	1560	1	65	100	3	7	6	9375	7815	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7190	7190	0.933333
6654	041	3125	0.07	1300	1	65	100	3	7	6	9375	8075	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7450	7450	0.933333
6654	043	3125	0.07	1442	1	65	100	3	7	6	9375	7933	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7308	7308	0.933333
6654	044	3125	0.07	2192	1	65	100	3	7	6	9375	7183	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6558	6558	0.933333
6654	047	3125	0.07	2068	1	65	100	3	7	6	9375	7307	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6682	6682	0.933333
6654	048	3125	0.07	1125	1	65	100	3	7	6	9375	8250	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7625	7625	0.933333
6654	049	3125	0.07	3360	1	65	100	3	7	6	9375	6015	RH-2	40	form-based			true	0.7	7	1	6	6	8750	5390	5390	0.933333
6654	050	3125	0.07	2400	1	65	100	3	7	6	9375	6975	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6350	6350	0.933333
6654	051	3125	0.07	1875	1	65	100	3	7	6	9375	7500	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6875	6875	0.933333
6654	052	3125	0.07	1195	1	65	100	3	7	6	9375	8180	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7555	7555	0.933333
6655	004	3125	0.07	2298	1	65	100	3	7	6	9375	7077	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6452	6452	0.933333
6655	010	3125	0.07	1665	1	65	100	3	7	6	9375	7710	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7085	7085	0.933333
6655	012	3125	0.07	875	1	65	100	3	7	6	9375	8500	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7875	7875	0.933333
6655	013	3125	0.07	2594	1	65	100	3	7	6	9375	6781	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6156	6156	0.933333
6655	015	3125	0.07	1125	1	65	100	3	7	6	9375	8250	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7625	7625	0.933333
6655	016	3125	0.07	3637	1	65	100	3	7	6	9375	5738	RH-2	40	form-based			true	0.7	7	1	6	6	8750	5113	5113	0.933333
6655	019	3125	0.07	1225	1	65	100	3	7	6	9375	8150	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7525	7525	0.933333
6655	020	3125	0.07	1746	1	65	100	3	7	6	9375	7629	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7004	7004	0.933333
6655	023	3125	0.07	1450	1	65	100	3	7	6	9375	7925	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7300	7300	0.933333
6655	030	3125	0.07	1317	1	65	100	3	7	6	9375	8058	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7433	7433	0.933333
6655	036	3114	0.07	1012	1	65	100	3	7	6	9342	8330	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	7707.200195	7707.200195	0.933333
6655	037	3114	0.07	1919	1	65	100	3	7	6	9342	7423	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	6800.200195	6800.200195	0.933333
6655	038	3114	0.07	2250	1	65	100	3	7	6	9342	7092	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	6469.200195	6469.200195	0.933333
6655	039	3114	0.07	1554	1	65	100	3	7	6	9342	7788	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	7165.200195	7165.200195	0.933333
6655	042	3114	0.07	1154	1	65	100	3	7	6	9342	8188	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	7565.200195	7565.200195	0.933333
6655	042A	3114	0.07	1450	1	65	100	3	7	6	9342	7892	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	7269.200195	7269.200195	0.933333
6655	043	3114	0.07	1450	1	65	100	3	7	6	9342	7892	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	7269.200195	7269.200195	0.933333
6655	044	3114	0.07	1950	1	65	100	3	7	6	9342	7392	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	6769.200195	6769.200195	0.933333
6655	045	3114	0.07	1436	1	65	100	3	7	6	9342	7906	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	7283.200195	7283.200195	0.933333
6655	046	3114	0.07	1910	1	65	100	3	7	6	9342	7432	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	6809.200195	6809.200195	0.933333
6655	048	3114	0.07	2040	1	65	100	3	7	6	9342	7302	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	6679.200195	6679.200195	0.933333
6655	049	3114	0.07	1433	1	65	100	3	7	6	9342	7909	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	7286.200195	7286.200195	0.933333
6655	050	3114	0.07	2331	1	65	100	3	7	6	9342	7011	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	6388.200195	6388.200195	0.933333
6655	051	3114	0.07	1925	1	65	100	3	7	6	9342	7417	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	6794.200195	6794.200195	0.933333
6655	052	3114	0.07	1870	1	65	100	3	7	6	9342	7472	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	6849.200195	6849.200195	0.933333
6655	053	3114	0.07	1483	1	65	100	3	7	6	9342	7859	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	7236.200195	7236.200195	0.933333
6655	054	3114	0.07	1483	1	65	100	3	7	6	9342	7859	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	7236.200195	7236.200195	0.933333
6655	055	3114	0.07	1151	1	65	100	3	7	6	9342	8191	RH-2	40	form-based			true	0.7	7	1	6	6	8719.200195	7568.200195	7568.200195	0.933333
6655	062	3162	0.07	2632	1	65	100	3	7	6	9486	6854	RH-2	40	form-based			true	0.7	7	1	6	6	8853.599609	6221.599609	6221.599609	0.933333
6655	063	3162	0.07	1080	1	65	100	3	7	6	9486	8406	RH-2	40	form-based			true	0.7	7	1	6	6	8853.599609	7773.599609	7773.599609	0.933333
6655	064	3162	0.07	1300	1	85	140	4	10	9	12648	11348	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8853.599609	7553.599609	7553.599609	0.7
6656	007	3147	0.07	666	1	65	100	3	7	6	9441	8775	RH-2	40	form-based			true	0.7	7	1	6	6	8811.599609	8145.599609	8145.599609	0.933333
6656	007A	3149	0.07	1412	1	65	100	3	7	6	9447	8035	RH-2	40	form-based			true	0.7	7	1	6	6	8817.200195	7405.200195	7405.200195	0.933333
6656	010	3154	0.07	1268	1	65	100	3	7	6	9462	8194	RH-2	40	form-based			true	0.7	7	1	6	6	8831.200195	7563.200195	7563.200195	0.933333
6656	010A	3156	0.07	1847	1	65	100	3	7	6	9468	7621	RH-2	40	form-based			true	0.7	7	1	6	6	8836.799805	6989.799805	6989.799805	0.933333
6656	011	3158	0.07	1660	1	65	100	3	7	6	9474	7814	RH-2	40	form-based			true	0.7	7	1	6	6	8842.399414	7182.399414	7182.399414	0.933333
6656	011A	3160	0.07	1435	1	65	100	3	7	6	9480	8045	RH-2	40	form-based			true	0.7	7	1	6	6	8848	7413	7413	0.933333
6656	012	3162	0.07	1125	1	65	100	3	7	6	9486	8361	RH-2	40	form-based			true	0.7	7	1	6	6	8853.599609	7728.599609	7728.599609	0.933333
6656	013	3165	0.07	1764	1	65	100	3	7	6	9495	7731	RH-2	40	form-based			true	0.7	7	1	6	6	8862	7098	7098	0.933333
6656	013A	3167	0.07	735	1	65	100	3	7	6	9501	8766	RH-2	40	form-based			true	0.7	7	1	6	6	8867.599609	8132.599609	8132.599609	0.933333
6656	014	3169	0.07	1150	1	65	100	3	7	6	9507	8357	RH-2	40	form-based			true	0.7	7	1	6	6	8873.200195	7723.200195	7723.200195	0.933333
6656	015	3173	0.07	2224	1	65	100	3	7	6	9519	7295	RH-2	40	form-based			true	0.7	7	1	6	6	8884.399414	6660.399414	6660.399414	0.933333
6656	016	3175	0.07	2360	1	65	100	3	7	6	9525	7165	RH-2	40	form-based			true	0.7	7	1	6	6	8890	6530	6530	0.933333
6656	026	3125	0.07	1260	1	65	100	3	7	6	9375	8115	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7490	7490	0.933333
6656	027	3125	0.07	2303	1	65	100	3	7	6	9375	7072	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6447	6447	0.933333
6656	029	3125	0.07	1895	1	65	100	3	7	6	9375	7480	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6855	6855	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6656	030	3125	0.07	2317	1	65	100	3	7	6	9375	7058	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6433	6433	0.933333
6656	031	3125	0.07	2150	1	65	100	3	7	6	9375	7225	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6600	6600	0.933333
6656	032	3125	0.07	950	1	65	100	3	7	6	9375	8425	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7800	7800	0.933333
6656	034	3125	0.07	1298	1	65	100	3	7	6	9375	8077	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7452	7452	0.933333
6656	035	3125	0.07	2180	1	65	100	3	7	6	9375	7195	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6570	6570	0.933333
6656	042	3125	0.07	1575	1	65	100	3	7	6	9375	7800	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7175	7175	0.933333
6656	043	3125	0.07	1948	1	65	100	3	7	6	9375	7427	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6802	6802	0.933333
6656	044	3125	0.07	1300	1	65	100	3	7	6	9375	8075	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7450	7450	0.933333
6656	045	3125	0.07	2293	1	65	100	3	7	6	9375	7082	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6457	6457	0.933333
6656	046A	3125	0.07	1700	1	85	140	4	10	9	12500	10800	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8750	7050	7050	0.7
6656	052	3420	0.08	2494	1	85	140	4	11	10	13680	11186	RH-2	40	form-based			true	0.7	7	0.636363626	6	6	9576	7082	7082	0.7
6657	007	3405	0.08	2558	1	65	100	3	8	7	10215	7657	RH-2	40	form-based			true	0.7	7	0.875	6	6	9534	6976	6976	0.933333
6657	008A	3140	0.07	1812	1	65	100	3	7	6	9420	7608	RH-2	40	form-based			true	0.7	7	1	6	6	8792	6980	6980	0.933333
6662	020	3121	0.07	1397	1	85	140	4	10	9	12484	11087	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8738.799805	7341.799805	7341.799805	0.7
6662	021	3119	0.07	1075	1	85	140	4	10	9	12476	11401	RH-2	40	form-based			true	0.7	7	0.699999988	6	6	8733.200195	7658.200195	7658.200195	0.7
6663	009	3149	0.07	1471	1	65	100	3	7	6	9447	7976	RH-2	40	form-based			true	0.7	7	1	6	6	8817.200195	7346.200195	7346.200195	0.933333
6663	010	3149	0.07	2002	1	65	100	3	7	6	9447	7445	RH-2	40	form-based			true	0.7	7	1	6	6	8817.200195	6815.200195	6815.200195	0.933333
6663	011	3148	0.07	2247	1	65	100	3	7	6	9444	7197	RH-2	40	form-based			true	0.7	7	1	6	6	8814.399414	6567.399414	6567.399414	0.933333
6663	012	3147	0.07	1105	1	65	100	3	7	6	9441	8336	RH-2	40	form-based			true	0.7	7	1	6	6	8811.599609	7706.599609	7706.599609	0.933333
6663	014	3146	0.07	1105	1	65	100	3	7	6	9438	8333	RH-2	40	form-based			true	0.7	7	1	6	6	8808.799805	7703.799805	7703.799805	0.933333
6663	020	3195	0.07	1446	1	65	100	3	7	6	9585	8139	RH-2	40	form-based			true	0.7	7	1	6	6	8946	7500	7500	0.933333
6663	021	3226	0.07	2466	1	65	100	3	7	6	9678	7212	RH-2	40	form-based			true	0.7	7	1	6	6	9032.799805	6566.799805	6566.799805	0.933333
6663	030	3125	0.07	1370	1	65	100	3	7	6	9375	8005	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7380	7380	0.933333
6663	031	3125	0.07	2517	1	65	100	3	7	6	9375	6858	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6233	6233	0.933333
6663	032	3125	0.07	1312	1	65	100	3	7	6	9375	8063	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7438	7438	0.933333
6663	033	3125	0.07	1726	1	65	100	3	7	6	9375	7649	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7024	7024	0.933333
6663	034	3125	0.07	2050	1	65	100	3	7	6	9375	7325	RH-2	40	form-based			true	0.7	7	1	6	6	8750	6700	6700	0.933333
6663	037	3125	0.07	1500	1	65	100	3	7	6	9375	7875	RH-2	40	form-based			true	0.7	7	1	6	6	8750	7250	7250	0.933333
6665	002	3107	0.07	1760	1	65	100	3	7	6	9321	7561	RH-1	40	form-based			true	0.7	7	1	6	6	8699.599609	6939.599609	6939.599609	0.933333
6665	003	3554	0.08	1154	1	65	100	3	8	7	10662	9508	RH-1	40	form-based			true	0.7	7	0.875	6	6	9951.200195	8797.200195	8797.200195	0.933333
6665	037	3099	0.07	1208	1	65	100	3	7	6	9297	8089	RH-1	40	form-based			true	0.7	7	1	6	6	8677.200195	7469.200195	7469.200195	0.933333
6665	065	2622	0.06	0	0	65	100	3	6	6	7866	7866	RH-1	40	form-based			true	0.7	6	1	6	6	7341.600098	7341.600098	7341.600098	0.933333
6685	006	3264	0.07	1440	1	65	100	3	7	6	9792	8352	RH-2	40	form-based			true	0.7	7	1	6	6	9139.200195	7699.200195	7699.200195	0.933333
6685	014	3319	0.08	1844	1	65	100	3	8	7	9957	8113	RH-2	40	form-based			true	0.7	7	0.875	6	6	9293.200195	7449.200195	7449.200195	0.933333
6685	025	4082	0.09	2519	3	65	100	3	9	6	12246	9727	RH-2	40	form-based			true	0.7	9	1	6	6	11429.59961	8910.599609	8910.599609	0.933333
6685	033	3187	0.07	1700	1	65	100	3	7	6	9561	7861	RH-2	40	form-based			true	0.7	7	1	6	6	8923.599609	7223.599609	7223.599609	0.933333
6685	034	3132	0.07	1408	1	65	100	3	7	6	9396	7988	RH-2	40	form-based			true	0.7	7	1	6	6	8769.599609	7361.599609	7361.599609	0.933333
6685	035	3135	0.07	1674	1	65	100	3	7	6	9405	7731	RH-2	40	form-based			true	0.7	7	1	6	6	8778	7104	7104	0.933333
6685	050	3243	0.07	800	1	65	100	3	7	6	9729	8929	RH-2	40	form-based			true	0.7	7	1	6	6	9080.399414	8280.399414	8280.399414	0.933333
6690	045	3301	0.08	1264	1	65	100	3	8	7	9903	8639	RH-2	40	form-based			true	0.7	7	0.875	6	6	9242.799805	7978.799805	7978.799805	0.933333
6695	030	3146	0.07	1996	1	65	100	3	7	6	9438	7442	RH-1	40	form-based			true	0.7	7	1	6	6	8808.799805	6812.799805	6812.799805	0.933333
6696	009	3193	0.07	1050	1	65	100	3	7	6	9579	8529	RH-1	40	form-based			true	0.7	7	1	6	6	8940.399414	7890.399414	7890.399414	0.933333
6696	010A	3593	0.08	2206	2	65	100	3	8	6	10779	8573	RH-1	40	form-based			true	0.7	8	1	6	6	10060.39941	7854.399414	7854.399414	0.933333
6696	028	3193	0.07	1410	1	65	100	3	7	6	9579	8169	RH-1	40	form-based			true	0.7	7	1	6	6	8940.399414	7530.399414	7530.399414	0.933333
6700	004	3119	0.07	962	1	65	100	3	7	6	9357	8395	RH-1	40	form-based			true	0.7	7	1	6	6	8733.200195	7771.200195	7771.200195	0.933333
6700	005	3100	0.07	2012	1	65	100	3	7	6	9300	7288	RH-1	40	form-based			true	0.7	7	1	6	6	8680	6668	6668	0.933333
6700	036	3208	0.07	2332	1	65	100	3	7	6	9624	7292	RH-1	40	form-based			true	0.7	7	1	6	6	8982.399414	6650.399414	6650.399414	0.933333
6706	023	3199	0.07	1560	1	65	100	3	7	6	9597	8037	RH-1	40	form-based			true	0.7	7	1	6	6	8957.200195	7397.200195	7397.200195	0.933333
6706	041	3261	0.07	2642	1	65	100	3	7	6	9783	7141	RH-1	40	form-based			true	0.7	7	1	6	6	9130.799805	6488.799805	6488.799805	0.933333
6706	044	3099	0.07	1534	1	65	100	3	7	6	9297	7763	RH-1	40	form-based			true	0.7	7	1	6	6	8677.200195	7143.200195	7143.200195	0.933333
6706	046	3332	0.08	2455	1	65	100	3	8	7	9996	7541	RH-1	40	form-based			true	0.7	7	0.875	6	6	9329.599609	6874.599609	6874.599609	0.933333
6706	050	3124	0.07	1733	1	55	80	2.5	6	5	7810	6077	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8747.200195	7014.200195	7014.200195	1.12
6706	051	3343	0.08	1694	1	55	80	2.5	6	5	8358	6664	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9360.399414	7666.399414	7666.399414	1.119933
6710	004	3238	0.07	1540	1	65	100	3	7	6	9714	8174	RH-1	40	form-based			true	0.7	7	1	6	6	9066.399414	7526.399414	7526.399414	0.933333
6710	006	3407	0.08	1334	1	65	100	3	8	7	10221	8887	RH-1	40	form-based			true	0.7	7	0.875	6	6	9539.599609	8205.599609	8205.599609	0.933333
6710	013	3281	0.08	1625	1	65	100	3	8	7	9843	8218	RH-1	40	form-based			true	0.7	7	0.875	6	6	9186.799805	7561.799805	7561.799805	0.933333
6712	010	3326	0.08	1416	1	65	100	3	8	7	9978	8562	RH-1	40	form-based			true	0.7	7	0.875	6	6	9312.799805	7896.799805	7896.799805	0.933333
6712	049	3460	0.08	660	1	65	100	3	8	7	10380	9720	RH-1	40	form-based			true	0.7	7	0.875	6	6	9688	9028	9028	0.933333
6712	050	3125	0.07	3400	1	65	100	3	7	6	9375	5975	RH-1	40	form-based			true	0.7	7	1	6	6	8750	5350	5350	0.933333
6713	032	3173	0.07	1162	1	65	100	3	7	6	9519	8357	RH-1	40	form-based			true	0.7	7	1	6	6	8884.399414	7722.399414	7722.399414	0.933333
6713	035	3531	0.08	1791	1	65	100	3	8	7	10593	8802	RH-1	40	form-based			true	0.7	7	0.875	6	6	9886.799805	8095.799805	8095.799805	0.933333
6713	036	3341	0.08	1625	1	65	100	3	8	7	10023	8398	RH-1	40	form-based			true	0.7	7	0.875	6	6	9354.799805	7729.799805	7729.799805	0.933333
6713	048	3141	0.07	1345	1	75	120	3.5	8	7	10994	9649	RH-1	40	form-based			true	0.7	7	0.875	6	6	8794.799805	7449.799805	7449.799805	0.799964
6719	022	8435	0.19	7992	12	65	100	3	19	7	25305	17313	RH-2	40	form-based	true	true	true	0.7	18	0.947368443	6	6	23618	15626	15626	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6721	022	9375	0.22	20386	0	65	100	3	22	22	28125	7739	RH-2	40	density-lim	1500			0.7	6	0.272727281	6	6	26250	5864	5864	0.933333
6721	028	7184	0.16	7355	0	65	100	3	16	16	21552	14197	RH-2	40	density-lim	1500	true		0.7	6	0.375	6	6	20115.19922	12760.19922	12760.19922	0.933333
6726	030	2577	0.06	1400	1	75	120	3.5	7	6	9020	7620	RH-2	50	form-based			true	0.7	7	1	6	6	9019.5	7619.5	7619.5	0.999945
6726	037	3137	0.07	1037	1	75	120	3.5	8	7	10980	9943	RH-2	40	form-based			true	0.7	7	0.875	6	6	8783.599609	7746.599609	7746.599609	0.799964
6726	039	3136	0.07	1840	1	75	120	3.5	8	7	10976	9136	RH-2	40	form-based			true	0.7	7	0.875	6	6	8780.799805	6940.799805	6940.799805	0.8
6726	041	3135	0.07	2385	1	75	120	3.5	8	7	10972	8587	RH-2	40	form-based			true	0.7	7	0.875	6	6	8778	6393	6393	0.800036
6727	013	2500	0.06	2612	1	75	120	3.5	7	6	8750	6138	RH-2	50	form-based			true	0.7	7	1	6	6	8750	6138	6138	1
6727	014	2500	0.06	1900	1	75	120	3.5	7	6	8750	6850	RH-2	50	form-based			true	0.7	7	1	6	6	8750	6850	6850	1
6727	015	2500	0.06	1860	1	75	120	3.5	7	6	8750	6890	RH-2	50	form-based			true	0.7	7	1	6	6	8750	6890	6890	1
6727	016	2500	0.06	1136	1	75	120	3.5	7	6	8750	7614	RH-2	50	form-based			true	0.7	7	1	6	6	8750	7614	7614	1
6727	018	2423	0.06	1300	1	75	120	3.5	7	6	8480	7180	RH-2	50	form-based			true	0.7	7	1	6	6	8480.5	7180.5	7180.5	1.000059
6727	021	2568	0.06	1184	1	75	120	3.5	7	6	8988	7804	RH-2	50	form-based			true	0.7	7	1	6	6	8988	7804	7804	1
6727	022	2447	0.06	920	1	75	120	3.5	7	6	8564	7644	RH-2	50	form-based			true	0.7	7	1	6	6	8564.5	7644.5	7644.5	1.000058
6727	026	2469	0.06	1583	1	75	120	3.5	7	6	8642	7059	RH-1	50	form-based			true	0.7	7	1	6	6	8641.5	7058.5	7058.5	0.999942
6727	027	2469	0.06	1293	1	75	120	3.5	7	6	8642	7349	RH-1	50	form-based			true	0.7	7	1	6	6	8641.5	7348.5	7348.5	0.999942
6727	030	2472	0.06	1165	1	75	120	3.5	7	6	8652	7487	RH-1	50	form-based			true	0.7	7	1	6	6	8652	7487	7487	1
6727	031	2473	0.06	906	1	75	120	3.5	7	6	8656	7750	RH-1	50	form-based			true	0.7	7	1	6	6	8655.5	7749.5	7749.5	0.999942
6727	032	2473	0.06	1787	1	75	120	3.5	7	6	8656	6869	RH-1	50	form-based			true	0.7	7	1	6	6	8655.5	6868.5	6868.5	0.999942
6728	009	3465	0.08	900	1	75	120	3.5	10	9	12128	11228	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9702	8802	8802	0.799967
6728	010	3363	0.08	1827	1	75	120	3.5	10	9	11770	9943	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9416.399414	7589.399414	7589.399414	0.800034
6728	019	2425	0.06	1120	1	75	120	3.5	7	6	8488	7368	RH-1	50	form-based			true	0.7	7	1	6	6	8487.5	7367.5	7367.5	0.999941
6728	020	2425	0.06	743	1	75	120	3.5	7	6	8488	7745	RH-1	50	form-based			true	0.7	7	1	6	6	8487.5	7744.5	7744.5	0.999941
6728	021	2425	0.06	1374	1	75	120	3.5	7	6	8488	7114	RH-1	50	form-based			true	0.7	7	1	6	6	8487.5	7113.5	7113.5	0.999941
6728	023	2521	0.06	1055	1	75	120	3.5	7	6	8824	7769	RH-1	50	form-based			true	0.7	7	1	6	6	8823.5	7768.5	7768.5	0.999943
6728	028	3262	0.07	942	1	75	120	3.5	8	7	11417	10475	RH-1	40	form-based			true	0.7	7	0.875	6	6	9133.599609	8191.599609	8191.599609	0.8
6728	029	3262	0.07	942	1	75	120	3.5	8	7	11417	10475	RH-1	40	form-based			true	0.7	7	0.875	6	6	9133.599609	8191.599609	8191.599609	0.8
6728	030	3362	0.08	888	1	75	120	3.5	10	9	11767	10879	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9413.599609	8525.599609	8525.599609	0.8
6729	027	2396	0.06	950	1	75	120	3.5	7	6	8386	7436	RH-1	50	form-based			true	0.7	7	1	6	6	8386	7436	7436	1
6729	028	2619	0.06	892	1	75	120	3.5	7	6	9166	8274	RH-1	50	form-based	true		true	0.7	7	1	6	6	9166.5	8274.5	8274.5	1.000055
6729	029	2348	0.05	1604	1	75	120	3.5	6	5	8218	6614	RH-1	50	form-based			true	0.7	7	1.166666627	6	6	8218	6614	6614	1
6729	031	2329	0.05	1000	1	75	120	3.5	6	5	8152	7152	RH-1	50	form-based			true	0.7	7	1.166666627	6	6	8151.5	7151.5	7151.5	0.999939
6729	033	2676	0.06	1252	1	75	120	3.5	7	6	9366	8114	RH-1	50	form-based			true	0.7	7	1	6	6	9366	8114	8114	1
6729	035	2905	0.07	1400	2	75	120	3.5	8	6	10168	8768	RH-1	50	form-based			true	0.7	8	1	6	6	10167.5	8767.5	8767.5	0.999951
6729	036	2376	0.05	1466	1	75	120	3.5	6	5	8316	6850	RH-1	50	form-based			true	0.7	7	1.166666627	6	6	8316	6850	6850	1
6729	055	3464	0.08	1820	1	75	120	3.5	10	9	12124	10304	RH-1	40	form-based	true		true	0.7	7	0.699999988	6	6	9699.200195	7879.200195	7879.200195	0.8
6729	065	2095	0.05	3115	0	75	120	3.5	6	6	7332	4217	RH-1	50	form-based			true	0.7	6	1	6	6	7332.5	4217.5	4217.5	1.000068
6730	034	3243	0.07	1650	1	65	100	3	7	6	9729	8079	RH-1	40	form-based	true		true	0.7	7	1	6	6	9080.399414	7430.399414	7430.399414	0.933333
6732	007	2508	0.06	990	1	75	120	3.5	7	6	8778	7788	RH-1	50	form-based			true	0.7	7	1	6	6	8778	7788	7788	1
6732	008	2546	0.06	1913	1	75	120	3.5	7	6	8911	6998	RH-1	50	form-based			true	0.7	7	1	6	6	8911	6998	6998	1
6732	009	2465	0.06	3208	1	75	120	3.5	7	6	8628	5420	RH-1	50	form-based			true	0.7	7	1	6	6	8627.5	5419.5	5419.5	0.999942
6732	017	3346	0.08	1417	1	75	120	3.5	10	9	11711	10294	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9368.799805	7951.799805	7951.799805	0.8
6732	018	3412	0.08	750	1	75	120	3.5	10	9	11942	11192	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9553.599609	8803.599609	8803.599609	0.8
6732	019	3297	0.08	1100	1	75	120	3.5	10	9	11540	10440	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9231.599609	8131.599609	8131.599609	0.799965
6732	020	3286	0.08	780	1	75	120	3.5	10	9	11501	10721	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9200.799805	8420.799805	8420.799805	0.8
6732	021	3214	0.07	1456	1	75	120	3.5	8	7	11249	9793	RH-1	40	form-based			true	0.7	7	0.875	6	6	8999.200195	7543.200195	7543.200195	0.8
6732	022	3143	0.07	2131	1	75	120	3.5	8	7	11000	8869	RH-1	40	form-based			true	0.7	7	0.875	6	6	8800.399414	6669.399414	6669.399414	0.800036
6732	036	3133	0.07	1205	1	65	100	3	7	6	9399	8194	RH-1	40	form-based	true		true	0.7	7	1	6	6	8772.399414	7567.399414	7567.399414	0.933333
6732	046	3204	0.07	845	1	75	120	3.5	8	7	11214	10369	RH-1	40	form-based			true	0.7	7	0.875	6	6	8971.200195	8126.200195	8126.200195	0.8
6732	047	3262	0.07	1751	1	75	120	3.5	8	7	11417	9666	RH-1	40	form-based			true	0.7	7	0.875	6	6	9133.599609	7382.599609	7382.599609	0.8
6732	048	3320	0.08	1661	1	75	120	3.5	10	9	11620	9959	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9296	7635	7635	0.8
6732	049	3377	0.08	1520	1	75	120	3.5	10	9	11820	10300	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9455.599609	7935.599609	7935.599609	0.799966
6732	051	3492	0.08	1019	1	75	120	3.5	10	9	12222	11203	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9777.599609	8758.599609	8758.599609	0.8
6732	053	3245	0.07	861	1	75	120	3.5	8	7	11358	10497	RH-1	40	form-based			true	0.7	7	0.875	6	6	9086	8225	8225	0.799965
6732	062	2500	0.06	910	1	75	120	3.5	7	6	8750	7840	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7840	7840	1
6732	063	2500	0.06	525	1	75	120	3.5	7	6	8750	8225	RH-1	50	form-based			true	0.7	7	1	6	6	8750	8225	8225	1
6732	069	3107	0.07	1160	1	65	100	3	7	6	9321	8161	RH-1	40	form-based			true	0.7	7	1	6	6	8699.599609	7539.599609	7539.599609	0.933333
6732	070	3145	0.07	2300	1	75	120	3.5	8	7	11008	8708	RH-1	40	form-based			true	0.7	7	0.875	6	6	8806	6506	6506	0.799964
6732	071	3318	0.08	1034	3	75	120	3.5	10	7	11613	10579	RH-1	50	form-based	true		true	0.7	9	0.899999976	6	6	11613	10579	10579	1
6733A	001	3423	0.08	1000	1	65	100	3	8	7	10269	9269	RH-1	40	form-based	true		true	0.7	7	0.875	6	6	9584.399414	8584.399414	8584.399414	0.933333
6734	002	3193	0.07	1540	1	65	100	3	7	6	9579	8039	RH-1	40	form-based			true	0.7	7	1	6	6	8940.399414	7400.399414	7400.399414	0.933333
6734	004	2946	0.07	0	0	65	100	3	7	7	8838	8838	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8248.799805	8248.799805	8248.799805	0.933333
6734	008	3292	0.08	1017	1	65	100	3	8	7	9876	8859	RH-1	40	form-based	true		true	0.7	7	0.875	6	6	9217.599609	8200.599609	8200.599609	0.933333
6734	015	3301	0.08	1200	1	65	100	3	8	7	9903	8703	RH-1	40	form-based	true		true	0.7	7	0.875	6	6	9242.799805	8042.799805	8042.799805	0.933333
6734	018	3400	0.08	1521	1	65	100	3	8	7	10200	8679	RH-1	40	form-based			true	0.7	7	0.875	6	6	9520	7999	7999	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6734	029	3439	0.08	1100	1	65	100	3	8	7	10317	9217	RH-1	40	form-based			true	0.7	7	0.875	6	6	9629.200195	8529.200195	8529.200195	0.933333
6735	002	2741	0.06	0	0	65	100	3	6	6	8223	8223	RH-1	40	form-based			true	0.7	6	1	6	6	7674.799805	7674.799805	7674.799805	0.933333
6735	003	2723	0.06	0	0	65	100	3	6	6	8169	8169	RH-1	40	form-based			true	0.7	6	1	6	6	7624.399902	7624.399902	7624.399902	0.933333
6735	004	2705	0.06	0	0	65	100	3	6	6	8115	8115	RH-1	40	form-based			true	0.7	6	1	6	6	7574	7574	7574	0.933333
6735	005	2687	0.06	0	0	65	100	3	6	6	8061	8061	RH-1	40	form-based			true	0.7	6	1	6	6	7523.600098	7523.600098	7523.600098	0.933333
6735	006	2669	0.06	0	0	65	100	3	6	6	8007	8007	RH-1	40	form-based			true	0.7	6	1	6	6	7473.199707	7473.199707	7473.199707	0.933333
6735	007	2651	0.06	0	0	65	100	3	6	6	7953	7953	RH-1	40	form-based			true	0.7	6	1	6	6	7422.799805	7422.799805	7422.799805	0.933333
6735	008	2633	0.06	0	0	65	100	3	6	6	7899	7899	RH-1	40	form-based			true	0.7	6	1	6	6	7372.399902	7372.399902	7372.399902	0.933333
6735	026	3468	0.08	1576	1	65	100	3	8	7	10404	8828	RH-1	40	form-based			true	0.7	7	0.875	6	6	9710.399414	8134.399414	8134.399414	0.933333
6735	037	2778	0.06	572	0	65	100	3	6	6	8334	7762	RH-1	40	form-based			true	0.7	6	1	6	6	7778.399902	7206.399902	7206.399902	0.933333
6735	049	3282	0.08	2400	1	65	100	3	8	7	9846	7446	RH-1	40	form-based			true	0.7	7	0.875	6	6	9189.599609	6789.599609	6789.599609	0.933333
6739	002	2625	0.06	1017	1	75	120	3.5	7	6	9188	8171	RH-1	50	form-based			true	0.7	7	1	6	6	9187.5	8170.5	8170.5	0.999946
6739	014	2500	0.06	1250	1	75	120	3.5	7	6	8750	7500	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7500	7500	1
6739	023	2652	0.06	1100	1	75	120	3.5	7	6	9282	8182	RH-1	50	form-based			true	0.7	7	1	6	6	9282	8182	8182	1
6740	005	2476	0.06	1743	1	75	120	3.5	7	6	8666	6923	RH-2	50	form-based			true	0.7	7	1	6	6	8666	6923	6923	1
6740	006	2476	0.06	1050	1	75	120	3.5	7	6	8666	7616	RH-2	50	form-based			true	0.7	7	1	6	6	8666	7616	7616	1
6740	012	2543	0.06	1244	1	75	120	3.5	7	6	8900	7656	RH-2	50	form-based			true	0.7	7	1	6	6	8900.5	7656.5	7656.5	1.000056
6740	018	1953	0.04	5100	1	75	120	3.5	5	4	6836	1736	NCT-GLEN	65	form-based			true	0.75	7	1.399999976	6	6	8788.5	3688.5	3688.5	1.28562
6741	014	3010	0.07	2380	2	75	120	3.5	8	6	10535	8155	RH-2	50	form-based			true	0.7	8	1	6	6	10535	8155	8155	1
6741	015	2849	0.07	1907	2	75	120	3.5	8	6	9972	8065	RH-2	50	form-based			true	0.7	8	1	6	6	9971.5	8064.5	8064.5	0.99995
6741	018	2398	0.06	1662	1	75	120	3.5	7	6	8393	6731	RH-2	50	form-based			true	0.7	7	1	6	6	8393	6731	6731	1
6741	019	2397	0.06	1080	1	75	120	3.5	7	6	8390	7310	RH-2	50	form-based			true	0.7	7	1	6	6	8389.5	7309.5	7309.5	0.99994
6741	021	2368	0.05	1335	1	75	120	3.5	6	5	8288	6953	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8288	6953	6953	1
6741	023A	1920	0.04	1309	1	75	120	3.5	5	4	6720	5411	NCT-GLEN	65	form-based		true	true	0.75	7	1.399999976	6	6	8640	7331	7331	1.285714
6742	012	1550	0.04	2360	2	75	120	3.5	5	3	5425	3065	NCT-GLEN	85	form-based			true	0.75	8	1.600000024	6	6	9300	6940	6940	1.714286
6742	022	2130	0.05	2466	2	75	120	3.5	6	4	7455	4989	NCT-GLEN	65	form-based			true	0.75	8	1.333333373	6	6	9585	7119	7119	1.285714
6742	027	2208	0.05	2024	2	75	120	3.5	6	4	7728	5704	NCT-GLEN	65	form-based			true	0.75	8	1.333333373	6	6	9936	7912	7912	1.285714
6743	002	2513	0.06	1739	1	75	120	3.5	7	6	8796	7057	RH-1	50	form-based			true	0.7	7	1	6	6	8795.5	7056.5	7056.5	0.999943
6743	005	2514	0.06	2172	1	75	120	3.5	7	6	8799	6627	RH-1	50	form-based			true	0.7	7	1	6	6	8799	6627	6627	1
6743	014	2500	0.06	1660	1	75	120	3.5	7	6	8750	7090	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7090	7090	1
6743	019	2500	0.06	1462	1	75	120	3.5	7	6	8750	7288	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7288	7288	1
6743	020	2500	0.06	1400	1	75	120	3.5	7	6	8750	7350	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7350	7350	1
6743	021	2500	0.06	1467	1	75	120	3.5	7	6	8750	7283	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7283	7283	1
6743	022	2500	0.06	1425	1	75	120	3.5	7	6	8750	7325	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7325	7325	1
6746	005B	1748	0.04	1562	1	75	120	3.5	5	4	6118	4556	RTO-C	65	form-based			true	0.75	7	1.399999976	6	6	7866	6304	6304	1.285714
6747	016	4725	0.11	2054	0	75	120	3.5	13	13	16538	14484	RH-2	40	density-lim	1500	true		0.7	6	0.461538464	6	6	13230	11176	11176	0.799976
6748	058	1125	0.03	0	0	65	100	3	3	3	3375	3375	RH-2	40	density-lim	1500	true		0.7	6	2	6	6	3150	3150	3150	0.933333
6753	060	1384	0.03	0	0	75	120	3.5	4	4	4844	4844	RH-1	40	density-lim	3000	true		0.7	6	1.5	6	6	3875.199951	3875.199951	3875.199951	0.8
6756	009	2528	0.06	4580	7	75	120	3.5	7	0	8848	4268	NCT-GLEN	85	form-based			true	0.75	13	1.857142806	6	6	15168	10588	10588	1.714286
6758	001	2500	0.06	1175	1	75	120	3.5	7	6	8750	7575	RH-2	50	form-based		true	true	0.7	7	1	6	6	8750	7575	7575	1
6758	002	2500	0.06	840	1	75	120	3.5	7	6	8750	7910	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7910	7910	1
6758	003	2500	0.06	1748	1	75	120	3.5	7	6	8750	7002	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7002	7002	1
6758	004	2500	0.06	850	1	75	120	3.5	7	6	8750	7900	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7900	7900	1
6758	005	2500	0.06	1362	1	75	120	3.5	7	6	8750	7388	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7388	7388	1
6758	006	2500	0.06	979	1	75	120	3.5	7	6	8750	7771	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7771	7771	1
6758	007	2500	0.06	1453	1	75	120	3.5	7	6	8750	7297	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7297	7297	1
6758	008	2500	0.06	968	1	75	120	3.5	7	6	8750	7782	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7782	7782	1
6758	009	2500	0.06	1090	1	75	120	3.5	7	6	8750	7660	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7660	7660	1
6758	010	2500	0.06	1618	1	75	120	3.5	7	6	8750	7132	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7132	7132	1
6758	014	2542	0.06	1109	1	75	120	3.5	7	6	8897	7788	RH-1	50	form-based			true	0.7	7	1	6	6	8897	7788	7788	1
6758	015	2456	0.06	1271	1	75	120	3.5	7	6	8596	7325	RH-1	50	form-based			true	0.7	7	1	6	6	8596	7325	7325	1
6758	016	2456	0.06	837	1	75	120	3.5	7	6	8596	7759	RH-1	50	form-based			true	0.7	7	1	6	6	8596	7759	7759	1
6758	017	2456	0.06	768	1	75	120	3.5	7	6	8596	7828	RH-1	50	form-based			true	0.7	7	1	6	6	8596	7828	7828	1
6758	018	2456	0.06	1000	1	75	120	3.5	7	6	8596	7596	RH-1	50	form-based			true	0.7	7	1	6	6	8596	7596	7596	1
6758	019	2456	0.06	2342	1	75	120	3.5	7	6	8596	6254	RH-1	50	form-based			true	0.7	7	1	6	6	8596	6254	6254	1
6758	020	2456	0.06	1160	1	75	120	3.5	7	6	8596	7436	RH-1	50	form-based			true	0.7	7	1	6	6	8596	7436	7436	1
6758	021	2456	0.06	1070	1	75	120	3.5	7	6	8596	7526	RH-1	50	form-based			true	0.7	7	1	6	6	8596	7526	7526	1
6758	022	2456	0.06	399	1	75	120	3.5	7	6	8596	8197	RH-1	50	form-based			true	0.7	7	1	6	6	8596	8197	8197	1
6758	023	2456	0.06	1125	1	75	120	3.5	7	6	8596	7471	RH-1	50	form-based			true	0.7	7	1	6	6	8596	7471	7471	1
6758	024	2456	0.06	1613	1	75	120	3.5	7	6	8596	6983	RH-1	50	form-based			true	0.7	7	1	6	6	8596	6983	6983	1
6758	025	2456	0.06	2470	1	75	120	3.5	7	6	8596	6126	RH-1	50	form-based			true	0.7	7	1	6	6	8596	6126	6126	1
6758	029	2500	0.06	552	1	75	120	3.5	7	6	8750	8198	RH-2	50	form-based			true	0.7	7	1	6	6	8750	8198	8198	1
6758	031	2500	0.06	840	1	75	120	3.5	7	6	8750	7910	RH-2	50	form-based			true	0.7	7	1	6	6	8750	7910	7910	1
6758	034	2609	0.06	1625	1	75	120	3.5	7	6	9132	7507	RH-1	50	form-based			true	0.7	7	1	6	6	9131.5	7506.5	7506.5	0.999945

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6759	002	2456	0.06	2573	1	75	120	3.5	7	6	8596	6023	RH-1	50	form-based			true	0.7	7	1	6	6	8596	6023	6023	1
6759	004	2472	0.06	1493	1	75	120	3.5	7	6	8652	7159	RH-1	50	form-based			true	0.7	7	1	6	6	8652	7159	7159	1
6759	005	2479	0.06	1344	1	75	120	3.5	7	6	8676	7332	RH-1	50	form-based			true	0.7	7	1	6	6	8676.5	7332.5	7332.5	1.000058
6759	006	2487	0.06	1960	1	75	120	3.5	7	6	8704	6744	RH-1	50	form-based			true	0.7	7	1	6	6	8704.5	6744.5	6744.5	1.000057
6759	007	2494	0.06	800	1	75	120	3.5	7	6	8729	7929	RH-1	50	form-based			true	0.7	7	1	6	6	8729	7929	7929	1
6759	008	2502	0.06	811	1	75	120	3.5	7	6	8757	7946	RH-1	50	form-based			true	0.7	7	1	6	6	8757	7946	7946	1
6759	009	2509	0.06	630	1	75	120	3.5	7	6	8782	8152	RH-1	50	form-based			true	0.7	7	1	6	6	8781.5	8151.5	8151.5	0.999943
6759	010	2516	0.06	874	1	75	120	3.5	7	6	8806	7932	RH-1	50	form-based			true	0.7	7	1	6	6	8806	7932	7932	1
6761	017	2808	0.06	0	0	65	100	3	6	6	8424	8424	RH-1	40	form-based			true	0.7	6	1	6	6	7862.399902	7862.399902	7862.399902	0.933333
6761	020	3069	0.07	0	0	65	100	3	7	7	9207	9207	RH-1	40	form-based		true	true	0.7	6	0.857142866	6	6	8593.200195	8593.200195	8593.200195	0.933333
6761	021	2775	0.06	0	0	65	100	3	6	6	8325	8325	RH-1	40	form-based			true	0.7	6	1	6	6	7770	7770	7770	0.933333
6762	003	3215	0.07	3500	1	65	100	3	7	6	9645	6145	RH-1	40	form-based			true	0.7	7	1	6	6	9002	5502	5502	0.933333
6762	004	3206	0.07	2553	1	65	100	3	7	6	9618	7065	RH-1	40	form-based			true	0.7	7	1	6	6	8976.799805	6423.799805	6423.799805	0.933333
6762	007	3176	0.07	2750	1	65	100	3	7	6	9528	6778	RH-1	40	form-based			true	0.7	7	1	6	6	8892.799805	6142.799805	6142.799805	0.933333
6762	008	3166	0.07	2750	1	65	100	3	7	6	9498	6748	RH-1	40	form-based			true	0.7	7	1	6	6	8864.799805	6114.799805	6114.799805	0.933333
6762	009	3169	0.07	906	1	65	100	3	7	6	9507	8601	RH-1	40	form-based			true	0.7	7	1	6	6	8873.200195	7967.200195	7967.200195	0.933333
6762	010	3434	0.08	1500	1	65	100	3	8	7	10302	8802	RH-1	40	form-based		true	true	0.7	7	0.875	6	6	9615.200195	8115.200195	8115.200195	0.933333
6762	020	3564	0.08	731	1	65	100	3	8	7	10692	9961	RH-1	40	form-based			true	0.7	7	0.875	6	6	9979.200195	9248.200195	9248.200195	0.933333
6762	021	3553	0.08	560	1	65	100	3	8	7	10659	10099	RH-1	40	form-based			true	0.7	7	0.875	6	6	9948.399414	9388.399414	9388.399414	0.933333
6762	022	3542	0.08	1015	1	65	100	3	8	7	10626	9611	RH-1	40	form-based			true	0.7	7	0.875	6	6	9917.599609	8902.599609	8902.599609	0.933333
6762	023	3531	0.08	1363	1	65	100	3	8	7	10593	9230	RH-1	40	form-based			true	0.7	7	0.875	6	6	9886.799805	8523.799805	8523.799805	0.933333
6762	024	3520	0.08	1200	1	65	100	3	8	7	10560	9360	RH-1	40	form-based			true	0.7	7	0.875	6	6	9856	8656	8656	0.933333
6762	025	3509	0.08	1175	1	65	100	3	8	7	10527	9352	RH-1	40	form-based			true	0.7	7	0.875	6	6	9825.200195	8650.200195	8650.200195	0.933333
6762	030	2926	0.07	0	0	65	100	3	7	7	8778	8778	RH-1	40	form-based		true	true	0.7	6	0.857142866	6	6	8192.799805	8192.799805	8192.799805	0.933333
6762	034	3403	0.08	1014	1	65	100	3	8	7	10209	9195	RH-1	40	form-based			true	0.7	7	0.875	6	6	9528.399414	8514.399414	8514.399414	0.933333
6762	042	3020	0.07	0	0	65	100	3	7	7	9060	9060	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	8456	8456	8456	0.933333
6763	009	3293	0.08	900	1	65	100	3	8	7	9879	8979	RH-1	40	form-based			true	0.7	7	0.875	6	6	9220.399414	8320.399414	8320.399414	0.933333
6763	010	3282	0.08	1900	1	65	100	3	8	7	9846	7946	RH-1	40	form-based			true	0.7	7	0.875	6	6	9189.599609	7289.599609	7289.599609	0.933333
6763	011	3271	0.08	950	1	65	100	3	8	7	9813	8863	RH-1	40	form-based			true	0.7	7	0.875	6	6	9158.799805	8208.799805	8208.799805	0.933333
6763	012	3260	0.07	1302	1	65	100	3	7	6	9780	8478	RH-1	40	form-based			true	0.7	7	1	6	6	9128	7826	7826	0.933333
6763	013	3249	0.07	1319	1	65	100	3	7	6	9747	8428	RH-1	40	form-based			true	0.7	7	1	6	6	9097.200195	7778.200195	7778.200195	0.933333
6763	015C	3463	0.08	2676	1	65	100	3	8	7	10389	7713	RH-1	40	form-based			true	0.7	7	0.875	6	6	9696.399414	7020.399414	7020.399414	0.933333
6763	017	3518	0.08	845	1	65	100	3	8	7	10554	9709	RH-1	40	form-based			true	0.7	7	0.875	6	6	9850.399414	9005.399414	9005.399414	0.933333
6763	018	3509	0.08	1494	1	65	100	3	8	7	10527	9033	RH-1	40	form-based			true	0.7	7	0.875	6	6	9825.200195	8331.200195	8331.200195	0.933333
6763	021	3484	0.08	1370	1	65	100	3	8	7	10452	9082	RH-1	40	form-based			true	0.7	7	0.875	6	6	9755.200195	8385.200195	8385.200195	0.933333
6763	022	3476	0.08	1060	1	65	100	3	8	7	10428	9368	RH-1	40	form-based			true	0.7	7	0.875	6	6	9732.799805	8672.799805	8672.799805	0.933333
6764	021	3521	0.08	2081	1	65	100	3	8	7	10563	8482	RH-1	40	form-based		true	true	0.7	7	0.875	6	6	9858.799805	7777.799805	7777.799805	0.933333
6766	001	3836	0.09	1904	2	75	120	3.5	11	9	13426	11522	RH-1	40	form-based			true	0.7	8	0.727272749	6	6	10740.7998	8836.799805	8836.799805	0.8
6766	050	3486	0.08	1215	1	65	100	3	8	7	10458	9243	RH-1	40	form-based			true	0.7	7	0.875	6	6	9760.799805	8545.799805	8545.799805	0.933333
6767	006	1362	0.03	1025	1	75	120	3.5	4	3	4767	3742	RTO-C	85	form-based			true	0.75	7	1.75	6	6	8172	7147	7147	1.714286
6767	012	2376	0.05	2250	1	75	120	3.5	6	5	8316	6066	RH-2	50	form-based		true	true	0.7	7	1.166666627	6	6	8316	6066	6066	1
6767	013	2424	0.06	2162	1	75	120	3.5	7	6	8484	6322	RH-2	50	form-based			true	0.7	7	1	6	6	8484	6322	6322	1
6767	016	2500	0.06	1239	1	75	120	3.5	7	6	8750	7511	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7511	7511	1
6767	017	2500	0.06	2146	1	75	120	3.5	7	6	8750	6604	RH-1	50	form-based			true	0.7	7	1	6	6	8750	6604	6604	1
6767	018	2500	0.06	1996	1	75	120	3.5	7	6	8750	6754	RH-1	50	form-based			true	0.7	7	1	6	6	8750	6754	6754	1
6767	019	2500	0.06	1484	1	75	120	3.5	7	6	8750	7266	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7266	7266	1
6767	022	2500	0.06	3400	1	75	120	3.5	7	6	8750	5350	RH-1	50	form-based			true	0.7	7	1	6	6	8750	5350	5350	1
6767	023	2500	0.06	791	1	75	120	3.5	7	6	8750	7959	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7959	7959	1
6767	026	2466	0.06	1914	1	75	120	3.5	7	6	8631	6717	RH-1	50	form-based			true	0.7	7	1	6	6	8631	6717	6717	1
6767	029	2411	0.06	840	1	75	120	3.5	7	6	8438	7598	RH-1	50	form-based			true	0.7	7	1	6	6	8438.5	7598.5	7598.5	1.000059
6767	030	2505	0.06	3401	1	75	120	3.5	7	6	8768	5367	RH-1	50	form-based			true	0.7	7	1	6	6	8767.5	5366.5	5366.5	0.999943
6768	003	1494	0.03	2148	2	75	120	3.5	4	2	5229	3081	NCT-GLEN	85	form-based			true	0.75	8	2	6	6	8964	6816	6816	1.714286
6768	012	2323	0.05	1115	1	75	120	3.5	6	5	8130	7015	RH-2	50	form-based			true	0.7	7	1.166666627	6	6	8130.5	7015.5	7015.5	1.000062
6768	015	2639	0.06	928	1	75	120	3.5	7	6	9236	8308	RH-2	50	form-based			true	0.7	7	1	6	6	9236.5	8308.5	8308.5	1.000054
6768	017	2629	0.06	1510	1	75	120	3.5	7	6	9202	7692	RH-2	50	form-based			true	0.7	7	1	6	6	9201.5	7691.5	7691.5	0.999946
6768	024	2500	0.06	1537	1	75	120	3.5	7	6	8750	7213	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7213	7213	1
6768	025	2500	0.06	2589	1	75	120	3.5	7	6	8750	6161	RH-1	50	form-based		true	true	0.7	7	1	6	6	8750	6161	6161	1
6768	027	2500	0.06	1338	1	75	120	3.5	7	6	8750	7412	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7412	7412	1
6768	028	2500	0.06	990	1	75	120	3.5	7	6	8750	7760	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7760	7760	1
6768	029	2500	0.06	1347	1	75	120	3.5	7	6	8750	7403	RH-1	50	form-based			true	0.7	7	1	6	6	8750	7403	7403	1
6768	031	2500	0.06	1851	1	75	120	3.5	7	6	8750	6899	RH-2	50	form-based			true	0.7	7	1	6	6	8750	6899	6899	1
6768	032	2500	0.06	950	1	75	120	3.5	7	6	8750	7800	RH-2	50	form-based			true	0.7	7	1	6	6	8750	7800	7800	1
6768	034	2500	0.06	950	1	75	120	3.5	7	6	8750	7800	RH-2	50	form-based			true	0.7	7	1	6	6	8750	7800	7800	1
6768	037	1600	0.04	2175	2	75	120	3.5	5	3	5600	3425	NCT-GLEN	85	form-based			true	0.75	8	1.600000024	6	6	9600	7425	7425	1.714286

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6770	056	3181	0.07	1356	1	65	100	3	7	6	9543	8187	RH-2	40	form-based			true	0.7	7	1	6	6	8906.799805	7550.799805	7550.799805	0.933333
6774	007	3336	0.08	2870	1	65	100	3	8	7	10008	7138	RH-1	40	form-based			true	0.7	7	0.875	6	6	9340.799805	6470.799805	6470.799805	0.933333
6793	026	5190	0.12	165	0	85	140	4	17	17	20760	20595	NC-1	40	density-lim	800			0.75	6	0.352941185	6	6	15570	15405	15405	0.75
6786	072	1701	0.04	0	0	65	100	3	4	4	5103	5103	RH-1	40	density-lim	3000	true		0.7	6	1.5	6	6	4762.799805	4762.799805	4762.799805	0.933333
6796	024	19354	0.44	52538	0	65	100	3	44	44	58062	5524	RH-1	40	density-lim	3000			0.7	6	0.13636364	6	6	54191.19922	1653.199219	1653.199219	0.933333
6798	041	3335	0.08	1013	0	65	100	3	8	8	10005	8992	NCD-EXCE	40	density-lim	600			0.75	6	0.75	6	6	10005	8992	8992	1
6905	029	3174	0.07	2401	1	65	100	3	7	6	9522	7121	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8887.200195	6486.200195	6486.200195	0.933333
6911	005A	2843	0.07	0	0	65	100	3	7	7	8529	8529	RH-1(D)	40	form-based			true	0.7	6	0.857142866	6	6	7960.399902	7960.399902	7960.399902	0.933333
6913A	001	3008	0.07	0	0	65	100	3	7	7	9024	9024	RH-1(D)	40	form-based			true	0.7	6	0.857142866	6	6	8422.399414	8422.399414	8422.399414	0.933333
6924	009	3380	0.08	1800	1	65	100	3	8	7	10140	8340	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9464	7664	7664	0.933333
6935	014	2813	0.06	1315	0	65	100	3	6	6	8439	7124	RH-2	40	form-based			true	0.7	6	1	6	6	7876.399902	6561.399902	6561.399902	0.933333
6938	012	2825	0.06	256	0	65	100	3	6	6	8475	8219	RH-1	40	form-based			true	0.7	6	1	6	6	7910	7654	7654	0.933333
6941	067	2900	0.07	3288	0	65	100	3	7	7	8700	5412	RH-2	40	form-based		true	true	0.7	6	0.857142866	6	6	8120	4832	4832	0.933333
6942	002	2814	0.06	990	0	65	100	3	6	6	8442	7452	RH-2	40	form-based			true	0.7	6	1	6	6	7879.199707	6889.199707	6889.199707	0.933333
6942	015	2808	0.06	0	0	65	100	3	6	6	8424	8424	RH-2	40	form-based			true	0.7	6	1	6	6	7862.399902	7862.399902	7862.399902	0.933333
6942	016	2808	0.06	0	0	65	100	3	6	6	8424	8424	RH-2	40	form-based			true	0.7	6	1	6	6	7862.399902	7862.399902	7862.399902	0.933333
6942	017	2809	0.06	0	0	65	100	3	6	6	8427	8427	RH-2	40	form-based			true	0.7	6	1	6	6	7865.199707	7865.199707	7865.199707	0.933333
6942	033	2815	0.06	2797	0	65	100	3	6	6	8445	5648	RH-2	40	form-based			true	0.7	6	1	6	6	7882	5085	5085	0.933333
6942	034	2815	0.06	2864	0	65	100	3	6	6	8445	5581	RH-2	40	form-based			true	0.7	6	1	6	6	7882	5018	5018	0.933333
6942	045	3761	0.09	1884	2	65	100	3	9	7	11283	9399	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10530.7998	8646.799805	8646.799805	0.933333
6942	046	3761	0.09	604	2	65	100	3	9	7	11283	10679	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10530.7998	9926.799805	9926.799805	0.933333
6944	023	2500	0.06	2450	0	65	100	3	6	6	7500	5050	NC-1	40	form-based		true	true	0.75	6	1	6	6	7500	5050	5050	1
6945	002	3183	0.07	2372	1	65	100	3	7	6	9549	7177	RH-1	40	form-based			true	0.7	7	1	6	6	8912.399414	6540.399414	6540.399414	0.933333
6945	029	3488	0.08	2268	1	65	100	3	8	7	10464	8196	RH-2	40	form-based			true	0.7	7	0.875	6	6	9766.399414	7498.399414	7498.399414	0.933333
6951	031	4816	0.11	400	0	65	100	3	11	11	14448	14048	NC-1	40	density-lim	800			0.75	6	0.545454562	6	6	14448	14048	14048	1
6952	002	2250	0.05	4050	0	65	100	3	5	5	6750	2700	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	6	6	6300	2250	2250	0.933333
6955	004	3509	0.08	10584	0	55	80	2.5	6	6	8772	0	NCD-EXCE	65	density-lim	600	true		0.75	6	1	6	6	15790.5	5206.5	5206.5	1.800103
6955	043	3893	0.09	5790	0	55	80	2.5	7	7	9732	3942	NCD-EXCE	65	density-lim	600	true		0.75	6	0.857142866	6	6	17518.5	11728.5	11728.5	1.800092
6956	026	4517	0.1	3300	2	55	80	2.5	8	6	11292	7992	NCD-EXCE	65	density-lim	600			0.75	8	1	6	6	20326.5	17026.5	17026.5	1.80008
6957	039	2185	0.05	800	0	65	100	3	5	5	6555	5755	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	6	6	6118	5318	5318	0.933333
6970	001A	2384	0.05	2014	0	65	100	3	5	5	7152	5138	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	6	6	6675.199707	4661.199707	4661.199707	0.933333
6977	003	3261	0.07	1774	1	75	120	3.5	8	7	11414	9640	RH-1	40	form-based			true	0.7	7	0.875	6	6	9130.799805	7356.799805	7356.799805	0.799965
6977	007	3100	0.07	1048	1	75	120	3.5	8	7	10850	9802	RH-1	40	form-based		true	true	0.7	7	0.875	6	6	8680	7632	7632	0.8
6977	013	3125	0.07	1312	1	75	120	3.5	8	7	10938	9626	RH-1	40	form-based			true	0.7	7	0.875	6	6	8750	7438	7438	0.799963
6977	014	2985	0.07	1500	0	75	120	3.5	8	8	10448	8948	RH-1	40	form-based			true	0.7	6	0.75	6	6	8358	6858	6858	0.799962
6978	014	2836	0.07	1947	0	65	100	3	7	7	8508	6561	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	7940.799805	5993.799805	5993.799805	0.933333
6978	048	2815	0.06	1180	0	65	100	3	6	6	8445	7265	RH-1	40	form-based			true	0.7	6	1	6	6	7882	6702	6702	0.933333
6979	005	3510	0.08	1152	1	65	100	3	8	7	10530	9378	RH-1	40	form-based			true	0.7	7	0.875	6	6	9828	8676	8676	0.933333
6979	006	3512	0.08	720	1	65	100	3	8	7	10536	9816	RH-1	40	form-based			true	0.7	7	0.875	6	6	9833.599609	9113.599609	9113.599609	0.933333
6979	045	3766	0.09	1920	2	65	100	3	9	7	11298	9378	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10544.7998	8624.799805	8624.799805	0.933333
6982	002	2813	0.06	1242	0	65	100	3	6	6	8439	7197	RH-1	40	form-based			true	0.7	6	1	6	6	7876.399902	6634.399902	6634.399902	0.933333
6982	043	3751	0.09	1888	2	65	100	3	9	7	11253	9365	RH-2	40	form-based			true	0.7	8	0.888888896	6	6	10502.7998	8614.799805	8614.799805	0.933333
6982	049	3243	0.07	1125	1	65	100	3	7	6	9729	8604	RH-1	40	form-based			true	0.7	7	1	6	6	9080.399414	7955.399414	7955.399414	0.933333
6983	011	2790	0.06	1944	0	65	100	3	6	6	8370	6426	RH-1	40	form-based			true	0.7	6	1	6	6	7812	5868	5868	0.933333
6984	006	3105	0.07	830	1	65	100	3	7	6	9315	8485	RH-1	40	form-based			true	0.7	7	1	6	6	8694	7864	7864	0.933333
6985	010	2818	0.06	1401	0	55	80	2.5	5	5	7045	5644	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7890.399902	6489.399902	6489.399902	1.12
6986	012	3378	0.08	875	1	55	80	2.5	6	5	8445	7570	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9458.399414	8583.399414	8583.399414	1.12
6986	013	3378	0.08	2325	1	55	80	2.5	6	5	8445	6120	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9458.399414	7133.399414	7133.399414	1.12
6986	013A	3378	0.08	875	1	55	80	2.5	6	5	8445	7570	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9458.399414	8583.399414	8583.399414	1.12
6986	028	3351	0.08	2293	1	55	80	2.5	6	5	8378	6085	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9382.799805	7089.799805	7089.799805	1.119933
6986	031	3355	0.08	1966	1	65	100	3	8	7	10065	8099	RH-1	40	form-based			true	0.7	7	0.875	6	6	9394	7428	7428	0.933333
6986	032	3257	0.07	2252	1	65	100	3	7	6	9771	7519	RH-1	40	form-based			true	0.7	7	1	6	6	9119.599609	6867.599609	6867.599609	0.933333
6999	023	2889	0.07	1832	0	65	100	3	7	7	8667	6835	RH-1	40	form-based		true	true	0.7	6	0.857142866	6	6	8089.199707	6257.199707	6257.199707	0.933333
7000	006	3124	0.07	1575	1	65	100	3	7	6	9372	7797	RH-1	40	form-based			true	0.7	7	1	6	6	8747.200195	7172.200195	7172.200195	0.933333
7000	007	3157	0.07	1532	1	65	100	3	7	6	9471	7939	RH-1	40	form-based			true	0.7	7	1	6	6	8839.599609	7307.599609	7307.599609	0.933333
7000	008	3189	0.07	1708	1	65	100	3	7	6	9567	7859	RH-1	40	form-based			true	0.7	7	1	6	6	8929.200195	7221.200195	7221.200195	0.933333
7000	009	3222	0.07	1488	1	65	100	3	7	6	9666	8178	RH-1	40	form-based			true	0.7	7	1	6	6	9021.599609	7533.599609	7533.599609	0.933333
7000	010	3255	0.07	1681	1	65	100	3	7	6	9765	8084	RH-1	40	form-based			true	0.7	7	1	6	6	9114	7433	7433	0.933333
7000	011	3288	0.08	1188	1	65	100	3	8	7	9864	8676	RH-1	40	form-based			true	0.7	7	0.875	6	6	9206.399414	8018.399414	8018.399414	0.933333
7000	012	3321	0.08	1188	1	65	100	3	8	7	9963	8775	RH-1	40	form-based			true	0.7	7	0.875	6	6	9298.799805	8110.799805	8110.799805	0.933333
7000	013	3354	0.08	1188	1	65	100	3	8	7	10062	8874	RH-1	40	form-based			true	0.7	7	0.875	6	6	9391.200195	8203.200195	8203.200195	0.933333
7000	014	3387	0.08	1188	1	65	100	3	8	7	10161	8973	RH-1	40	form-based			true	0.7	7	0.875	6	6	9483.599609	8295.599609	8295.599609	0.933333
7000	015	3420	0.08	1188	1	65	100	3	8	7	10260	9072	RH-1	40	form-based			true	0.7	7	0.875	6	6	9576	8388	8388	0.933333
7000	016	3453	0.08	1738	1	65	100	3	8	7	10359	8621	RH-1	40	form-based			true	0.7	7	0.875	6	6	9668.399414	7930.399414	7930.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7000	017	3486	0.08	1188	1	65	100	3	8	7	10458	9270	RH-1	40	form-based			true	0.7	7	0.875	6	6	9760.799805	8572.799805	8572.799805	0.933333
7000	018	3519	0.08	1977	1	65	100	3	8	7	10557	8580	RH-1	40	form-based			true	0.7	7	0.875	6	6	9853.200195	7876.200195	7876.200195	0.933333
7000	019	3552	0.08	1188	1	65	100	3	8	7	10656	9468	RH-1	40	form-based			true	0.7	7	0.875	6	6	9945.599609	8757.599609	8757.599609	0.933333
7000	025	2667	0.06	0	0	65	100	3	6	6	8001	8001	RH-1	40	form-based			true	0.7	6	1	6	6	7467.600098	7467.600098	7467.600098	0.933333
7010	019	1980	0.05	0	0	55	80	2.5	4	4	4950	4950	RH-1	40	density-lim	3000	true		0.7	6	1.5	6	6	5544	5544	5544	1.12
7013	008	2813	0.06	0	0	55	80	2.5	5	5	7032	7032	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7876.399902	7876.399902	7876.399902	1.12008
7029	028	75	0	0	0	65	100	3	0	0	225	225	RH-1	40	density-lim	3000	true		0.7	6		6	6	210	210	210	0.933333
7029A	013	2961	0.07	0	0	65	100	3	7	7	8883	8883	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	6	6	8290.799805	8290.799805	8290.799805	0.933333
7030	026	3520	0.08	3198	0	65	100	3	8	8	10560	7362	NCD-EXCE	65	density-lim	600			0.75	6	0.75	6	6	15840	12642	12642	1.5
7031	015	2662	0.06	2188	0	65	100	3	6	6	7986	5798	RH-1	40	density-lim	3000	true		0.7	6	1	6	6	7453.600098	5265.600098	5265.600098	0.933333
7045	001	7852	0.18	6005	0	65	100	3	18	18	23556	17551	RH-1	40	density-lim	3000	true		0.7	6	0.333333343	6	6	21985.59961	15980.59961	15980.59961	0.933333
7052	050	2602	0.06	1705	0	65	100	3	6	6	7806	6101	RH-1	40	density-lim	3000	true		0.7	6	1	6	6	7285.600098	5580.600098	5580.600098	0.933333
7052	051	1663	0.04	1705	0	65	100	3	4	4	4989	3284	RH-1	40	density-lim	3000	true		0.7	6	1.5	6	6	4656.399902	2951.399902	2951.399902	0.933333
7054	037	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-1	40	density-lim	3000	true		0.7	6	1	6	6	7000	7000	7000	0.933333
7060	020	3430	0.08	0	0	65	100	3	8	8	10290	10290	RH-1	40	density-lim	3000	true		0.7	6	0.75	6	6	9604	9604	9604	0.933333
7067	062	1875	0.04	3323	0	65	100	3	4	4	5625	2302	RH-1	40	density-lim	3000	true		0.7	6	1.5	6	6	5250	1927	1927	0.933333
7081A	005	5012	0.12	3100	0	85	140	4	17	17	20048	16948	NC-1	26	density-lim	800			0.75	6	0.352941185	6	6	7518	4418	4418	0.375
7081A	013	3207	0.07	1320	1	65	100	3	7	6	9621	8301	RH-1	40	form-based			true	0.7	7	1	6	6	8979.599609	7659.599609	7659.599609	0.933333
7081A	018	3336	0.08	1325	1	85	140	4	11	10	13344	12019	RH-1	40	form-based			true	0.7	7	0.636363626	6	6	9340.799805	8015.799805	8015.799805	0.7
7084	024	5155	0.12	1286	0	85	140	4	17	17	20620	19334	NC-1	26	density-lim	800			0.75	6	0.352941185	6	6	7732.5	6446.5	6446.5	0.375
7087	024	5000	0.11	4071	0	85	140	4	15	15	20000	15929	RH-2	40	density-lim	1500	true		0.7	6	0.400000006	6	6	14000	9929	9929	0.7
7090	018	1920	0.04	0	0	85	140	4	6	6	7680	7680	RH-2	40	density-lim	1500	true		0.7	6	1	6	6	5376	5376	5376	0.7
7115	049	5797	0.13	4704	1	85	140	4	18	17	23188	18484	NC-1	40	density-lim	800	true		0.75	7	0.388888896	6	6	17391	12687	12687	0.75
7134	013	5000	0.11	4212	0	65	100	3	11	11	15000	10788	RH-1	40	density-lim	3000	true		0.7	6	0.545454562	6	6	14000	9788	9788	0.933333
7150	044	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-1	40	density-lim	3000	true		0.7	6	1	6	6	7000	7000	7000	0.933333
7132	027	646	0.01	0	0	65	100	3	1	1	1938	1938	RH-1	40	density-lim	3000	true		0.7	6	6	6	2	1808.799927	1808.799927	1808.799927	0.933333
7135	044	370	0.01	0	0	65	100	3	1	1	1110	1110	RH-1	40	density-lim	3000	true		0.7	6	6	6	2	1036	1036	1036	0.933333
7136	020	6063	0.14	3650	0	65	100	3	14	14	18189	14539	RH-1	40	density-lim	3000	true		0.7	6	0.428571433	6	6	16976.40039	13326.40039	13326.40039	0.933333
7179	026	18207	0.42	0	0	75	120	3.5	50	50	63724	63724	RH-1	40	density-lim	3000			0.7	6	0.119999997	6	6	50979.59766	50979.59766	50979.59766	0.800006
7203	007A	3126	0.07	1862	1	65	100	3	7	6	9378	7516	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8752.799805	6890.799805	6890.799805	0.933333
7203	008	3376	0.08	2324	1	65	100	3	8	7	10128	7804	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9452.799805	7128.799805	7128.799805	0.933333
7204	004	3987	0.09	1920	2	65	100	3	9	7	11961	10041	RH-1(D)	40	form-based			true	0.7	8	0.888888896	6	6	11163.59961	9243.599609	9243.599609	0.933333
7207	003	4308	0.1	3515	3	55	80	2.5	8	5	10770	7255	RH-1(D)	40	form-based			true	0.7	9	1.125	6	6	12062.39941	8547.399414	8547.399414	1.12
7208	007	3479	0.08	3100	1	55	80	2.5	6	5	8698	5598	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9741.200195	6641.200195	6641.200195	1.119936
7210	007	3479	0.08	1448	1	55	80	2.5	6	5	8698	7250	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9741.200195	8293.200195	8293.200195	1.119936
7217	003A	3234	0.07	3232	1	65	100	3	7	6	9702	6470	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9055.200195	5823.200195	5823.200195	0.933333
7211	017	3378	0.08	1915	1	55	80	2.5	6	5	8445	6530	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9458.399414	7543.399414	7543.399414	1.12
7212	001A	3499	0.08	1961	1	55	80	2.5	6	5	8748	6787	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9797.200195	7836.200195	7836.200195	1.119936
7212	001B	3694	0.08	2732	2	55	80	2.5	6	4	9235	6503	RH-1(D)	40	form-based			true	0.7	8	1.333333373	6	6	10343.2002	7611.200195	7611.200195	1.12
7212	003	3511	0.08	1350	1	55	80	2.5	6	5	8778	7428	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9830.799805	8480.799805	8480.799805	1.119936
7212	003A	3515	0.08	2113	1	55	80	2.5	6	5	8788	6675	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9842	7729	7729	1.119936
7212	008A	3400	0.08	1911	1	55	80	2.5	6	5	8500	6589	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9520	7609	7609	1.12
7213	009	3333	0.08	2545	1	55	80	2.5	6	5	8332	5787	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9332.399414	6787.399414	6787.399414	1.120067
7216	002	3244	0.07	1929	1	65	100	3	7	6	9732	7803	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9083.200195	7154.200195	7154.200195	0.933333
7216	003	3363	0.08	2225	1	65	100	3	8	7	10089	7864	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9416.399414	7191.399414	7191.399414	0.933333
7216	004	3366	0.08	1494	1	65	100	3	8	7	10098	8604	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9424.799805	7930.799805	7930.799805	0.933333
7216	005	3392	0.08	2075	1	65	100	3	8	7	10176	8101	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9497.599609	7422.599609	7422.599609	0.933333
7216	006	3394	0.08	1750	1	65	100	3	8	7	10182	8432	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9503.200195	7753.200195	7753.200195	0.933333
7216	007	3550	0.08	1750	1	65	100	3	8	7	10650	8900	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9940	8190	8190	0.933333
7217	003	3496	0.08	2564	1	65	100	3	8	7	10488	7924	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9788.799805	7224.799805	7224.799805	0.933333
7216	015	3350	0.08	1930	1	65	100	3	8	7	10050	8120	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9380	7450	7450	0.933333
7216	016	3260	0.07	1986	1	65	100	3	7	6	9780	7794	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9128	7142	7142	0.933333
7216	017	3252	0.07	1490	1	65	100	3	7	6	9756	8266	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9105.599609	7615.599609	7615.599609	0.933333
7216	018	3282	0.08	1463	1	65	100	3	8	7	9846	8383	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9189.599609	7726.599609	7726.599609	0.933333
7216	019	3301	0.08	2274	1	65	100	3	8	7	9903	7629	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9242.799805	6968.799805	6968.799805	0.933333
7217	001B	3478	0.08	1450	1	65	100	3	8	7	10434	8984	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9738.399414	8288.399414	8288.399414	0.933333
7217	002B	3298	0.08	2072	1	65	100	3	8	7	9894	7822	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9234.399414	7162.399414	7162.399414	0.933333
7217	006	3487	0.08	2570	1	65	100	3	8	7	10461	7891	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9763.599609	7193.599609	7193.599609	0.933333
7218	001	3408	0.08	2536	1	65	100	3	8	7	10224	7688	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9542.399414	7006.399414	7006.399414	0.933333
7229A	003	3511	0.08	1975	1	65	100	3	8	7	10533	8558	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9830.799805	7855.799805	7855.799805	0.933333
7230	003	3358	0.08	2076	1	65	100	3	8	7	10074	7998	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9402.399414	7326.399414	7326.399414	0.933333
7235	027	3367	0.08	1737	1	65	100	3	8	7	10101	8364	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9427.599609	7690.599609	7690.599609	0.933333
7237	011	3480	0.08	2856	1	65	100	3	8	7	10440	7584	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9744	6888	6888	0.933333
7237	012	3330	0.08	2908	1	65	100	3	8	7	9990	7082	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9324	6416	6416	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7237	029	3447	0.08	2687	1	65	100	3	8	7	10341	7654	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9651.599609	6964.599609	6964.599609	0.933333
7237	030	3495	0.08	1733	1	65	100	3	8	7	10485	8752	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9786	8053	8053	0.933333
7238	001	3204	0.07	1609	1	65	100	3	7	6	9612	8003	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	8971.200195	7362.200195	7362.200195	0.933333
7239	002	3423	0.08	1869	1	65	100	3	8	7	10269	8400	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9584.399414	7715.399414	7715.399414	0.933333
7239	003	3486	0.08	2010	1	65	100	3	8	7	10458	8448	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9760.799805	7750.799805	7750.799805	0.933333
7239	004	3534	0.08	1321	1	65	100	3	8	7	10602	9281	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9895.200195	8574.200195	8574.200195	0.933333
7239	005	3567	0.08	1716	1	65	100	3	8	7	10701	8985	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9987.599609	8271.599609	8271.599609	0.933333
7240	013	3569	0.08	1616	1	65	100	3	8	7	10707	9091	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9993.200195	8377.200195	8377.200195	0.933333
7240	017	3476	0.08	2059	1	65	100	3	8	7	10428	8369	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9732.799805	7673.799805	7673.799805	0.933333
7240A	001	3360	0.08	1523	1	65	100	3	8	7	10080	8557	RH-1(D)	40	form-based		true	true	0.7	7	0.875	6	6	9408	7885	7885	0.933333
7240A	005	3569	0.08	1343	1	65	100	3	8	7	10707	9364	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9993.200195	8650.200195	8650.200195	0.933333
7240A	012	3457	0.08	1343	1	65	100	3	8	7	10371	9028	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9679.599609	8336.599609	8336.599609	0.933333
7240A	024	3505	0.08	2173	1	65	100	3	8	7	10515	8342	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9814	7641	7641	0.933333
7240A	025	3495	0.08	1861	1	65	100	3	8	7	10485	8624	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9786	7925	7925	0.933333
7241	026	3395	0.08	1415	1	65	100	3	8	7	10185	8770	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9506	8091	8091	0.933333
7241	011	3560	0.08	1601	1	65	100	3	8	7	10680	9079	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9968	8367	8367	0.933333
7241	012	3507	0.08	1287	1	65	100	3	8	7	10521	9234	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9819.599609	8532.599609	8532.599609	0.933333
7241	013	3481	0.08	1287	1	65	100	3	8	7	10443	9156	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9746.799805	8459.799805	8459.799805	0.933333
7241	014	3481	0.08	1622	1	65	100	3	8	7	10443	8821	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9746.799805	8124.799805	8124.799805	0.933333
7241	015	3482	0.08	3591	1	65	100	3	8	7	10446	6855	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9749.599609	6158.599609	6158.599609	0.933333
7241	016	3482	0.08	1509	1	65	100	3	8	7	10446	8937	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9749.599609	8240.599609	8240.599609	0.933333
7241	017	3483	0.08	2285	1	65	100	3	8	7	10449	8164	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9752.399414	7467.399414	7467.399414	0.933333
7241	018	3483	0.08	1287	1	65	100	3	8	7	10449	9162	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9752.399414	8465.399414	8465.399414	0.933333
7241	019	3484	0.08	1560	1	65	100	3	8	7	10452	8892	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9755.200195	8195.200195	8195.200195	0.933333
7241	020	3484	0.08	1548	1	65	100	3	8	7	10452	8904	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9755.200195	8207.200195	8207.200195	0.933333
7241	021	3485	0.08	1985	1	65	100	3	8	7	10455	8470	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9758	7773	7773	0.933333
7241	022	3485	0.08	1256	1	65	100	3	8	7	10455	9199	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9758	8502	8502	0.933333
7241	023	3485	0.08	1943	1	65	100	3	8	7	10455	8512	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9758	7815	7815	0.933333
7241	024	3144	0.07	1526	1	65	100	3	7	6	9432	7906	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8803.200195	7277.200195	7277.200195	0.933333
7241	025	3345	0.08	1551	1	65	100	3	8	7	10035	8484	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9366	7815	7815	0.933333
7241	030	3271	0.08	1256	1	65	100	3	8	7	9813	8557	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9158.799805	7902.799805	7902.799805	0.933333
7242	002	3490	0.08	1300	1	65	100	3	8	7	10470	9170	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9772	8472	8472	0.933333
7242	003	3551	0.08	1300	1	65	100	3	8	7	10653	9353	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9942.799805	8642.799805	8642.799805	0.933333
7242	004	3443	0.08	1774	1	65	100	3	8	7	10329	8555	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9640.399414	7866.399414	7866.399414	0.933333
7242	005	3488	0.08	1480	1	65	100	3	8	7	10464	8984	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9766.399414	8286.399414	8286.399414	0.933333
7242	006	3509	0.08	1962	1	65	100	3	8	7	10527	8565	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9825.200195	7863.200195	7863.200195	0.933333
7242	007	3173	0.07	1300	1	65	100	3	7	6	9519	8219	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8884.399414	7584.399414	7584.399414	0.933333
7242	008	3318	0.08	1600	1	65	100	3	8	7	9954	8354	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9290.399414	7690.399414	7690.399414	0.933333
7242	009	3244	0.07	2200	1	65	100	3	7	6	9732	7532	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9083.200195	6883.200195	6883.200195	0.933333
7242	014	3255	0.07	1402	1	65	100	3	7	6	9765	8363	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9114	7712	7712	0.933333
7242	015	3382	0.08	1300	1	65	100	3	8	7	10146	8846	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9469.599609	8169.599609	8169.599609	0.933333
7242	016	3490	0.08	1876	1	65	100	3	8	7	10470	8594	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9772	7896	7896	0.933333
7242	017	3476	0.08	1925	1	65	100	3	8	7	10428	8503	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9732.799805	7807.799805	7807.799805	0.933333
7242	023	3469	0.08	1520	1	65	100	3	8	7	10407	8887	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9713.200195	8193.200195	8193.200195	0.933333
7244	011	3318	0.08	2239	1	65	100	3	8	7	9954	7715	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9290.399414	7051.399414	7051.399414	0.933333
7244	012	3338	0.08	1379	1	65	100	3	8	7	10014	8635	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9346.399414	7967.399414	7967.399414	0.933333
7243	002	3400	0.08	2133	1	85	140	4	11	10	13600	11467	RH-1(D)	40	form-based			true	0.7	7	0.636363626	6	6	9520	7387	7387	0.7
7243	003	3422	0.08	1803	1	65	100	3	8	7	10266	8463	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9581.599609	7778.599609	7778.599609	0.933333
7243	004	3433	0.08	1577	1	65	100	3	8	7	10299	8722	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9612.399414	8035.399414	8035.399414	0.933333
7243	006	3526	0.08	1353	1	65	100	3	8	7	10578	9225	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9872.799805	8519.799805	8519.799805	0.933333
7243	013	3244	0.07	1513	1	65	100	3	7	6	9732	8219	RH-1(D)	40	form-based		true	true	0.7	7	1	6	6	9083.200195	7570.200195	7570.200195	0.933333
7244	002	3368	0.08	1974	1	65	100	3	8	7	10104	8130	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9430.399414	7456.399414	7456.399414	0.933333
7244	006	3415	0.08	1629	1	65	100	3	8	7	10245	8616	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9562	7933	7933	0.933333
7244	007	3270	0.08	1287	1	65	100	3	8	7	9810	8523	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9156	7869	7869	0.933333
7244	008	3255	0.07	1287	1	65	100	3	7	6	9765	8478	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9114	7827	7827	0.933333
7244	009	3276	0.08	1653	1	65	100	3	8	7	9828	8175	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9172.799805	7519.799805	7519.799805	0.933333
7244	010	3297	0.08	1287	1	65	100	3	8	7	9891	8604	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9231.599609	7944.599609	7944.599609	0.933333
7244	013	3359	0.08	1758	1	65	100	3	8	7	10077	8319	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9405.200195	7647.200195	7647.200195	0.933333
7244	015A	3431	0.08	1211	1	65	100	3	8	7	10293	9082	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9606.799805	8395.799805	8395.799805	0.933333
7244	016	3326	0.08	1445	1	65	100	3	8	7	9978	8533	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9312.799805	7867.799805	7867.799805	0.933333
7244	018	3320	0.08	1211	1	65	100	3	8	7	9960	8749	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9296	8085	8085	0.933333
7244	019	3312	0.08	1445	1	65	100	3	8	7	9936	8491	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9273.599609	7828.599609	7828.599609	0.933333
7244	020	3304	0.08	1646	1	65	100	3	8	7	9912	8266	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9251.200195	7605.200195	7605.200195	0.933333
7244	021	3295	0.08	1445	1	65	100	3	8	7	9885	8440	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9226	7781	7781	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7244	022	3287	0.08	1211	1	65	100	3	8	7	9861	8650	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9203.599609	7992.599609	7992.599609	0.933333
7244	023	3279	0.08	1467	1	65	100	3	8	7	9837	8370	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9181.200195	7714.200195	7714.200195	0.933333
7244	024	3271	0.08	1447	1	65	100	3	8	7	9813	8366	RH-1(D)	40	form-based			true	0.7	7	0.875	6	6	9158.799805	7711.799805	7711.799805	0.933333
7244	025	3263	0.07	1387	1	65	100	3	7	6	9789	8402	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9136.399414	7749.399414	7749.399414	0.933333
7244	026	3255	0.07	1567	1	65	100	3	7	6	9765	8198	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9114	7547	7547	0.933333
7244	027	3247	0.07	1287	1	65	100	3	7	6	9741	8454	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9091.599609	7804.599609	7804.599609	0.933333
7244	028	3239	0.07	1407	1	65	100	3	7	6	9717	8310	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9069.200195	7662.200195	7662.200195	0.933333
7244	029	3231	0.07	1437	1	65	100	3	7	6	9693	8256	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9046.799805	7609.799805	7609.799805	0.933333
7244	030	3222	0.07	1657	1	65	100	3	7	6	9666	8009	RH-1(D)	40	form-based			true	0.7	7	1	6	6	9021.599609	7364.599609	7364.599609	0.933333
7244	031	3214	0.07	2138	1	65	100	3	7	6	9642	7504	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8999.200195	6861.200195	6861.200195	0.933333
7244	032	3206	0.07	1747	1	65	100	3	7	6	9618	7871	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8976.799805	7229.799805	7229.799805	0.933333
7244	033	3198	0.07	1456	1	65	100	3	7	6	9594	8138	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8954.399414	7498.399414	7498.399414	0.933333
7244	034	3190	0.07	1375	1	65	100	3	7	6	9570	8195	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8932	7557	7557	0.933333
7244	035	3182	0.07	1375	1	65	100	3	7	6	9546	8171	RH-1(D)	40	form-based			true	0.7	7	1	6	6	8909.599609	7534.599609	7534.599609	0.933333
7245	030	3478	0.08	1990	1	55	80	2.5	6	5	8695	6705	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9738.399414	7748.399414	7748.399414	1.12
7246	024	3513	0.08	4011	1	55	80	2.5	6	5	8782	4771	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9836.399414	5825.399414	5825.399414	1.120064
7246	025	3479	0.08	1805	1	55	80	2.5	6	5	8698	6893	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9741.200195	7936.200195	7936.200195	1.119936
7272	002	3531	0.08	1431	1	55	80	2.5	6	5	8828	7397	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9886.799805	8455.799805	8455.799805	1.119937
7272	003	3308	0.08	1431	1	55	80	2.5	6	5	8270	6839	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9262.399414	7831.399414	7831.399414	1.12
7272	004	3364	0.08	1431	1	55	80	2.5	6	5	8410	6979	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9419.200195	7988.200195	7988.200195	1.12
7272	005	3328	0.08	1681	1	55	80	2.5	6	5	8320	6639	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9318.399414	7637.399414	7637.399414	1.12
7272	006	3391	0.08	1251	1	55	80	2.5	6	5	8478	7227	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9494.799805	8243.799805	8243.799805	1.119934
7273	037	3117	0.07	1517	1	55	80	2.5	6	5	7792	6275	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8727.599609	7210.599609	7210.599609	1.120072
7273	038	3158	0.07	2172	1	55	80	2.5	6	5	7895	5723	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8842.399414	6670.399414	6670.399414	1.12
7272	046	3385	0.08	1773	1	55	80	2.5	6	5	8462	6689	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9478	7705	7705	1.120066
7272	047	3418	0.08	2214	1	55	80	2.5	6	5	8545	6331	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9570.399414	7356.399414	7356.399414	1.12
7273	001	3424	0.08	1339	1	55	80	2.5	6	5	8560	7221	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9587.200195	8248.200195	8248.200195	1.12
7273	002	3522	0.08	2115	1	55	80	2.5	6	5	8805	6690	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	9861.599609	7746.599609	7746.599609	1.12
7273	003	3389	0.08	1801	1	55	80	2.5	6	5	8472	6671	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9489.200195	7688.200195	7688.200195	1.120066
7273	005	3506	0.08	1431	1	55	80	2.5	6	5	8765	7334	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9816.799805	8385.799805	8385.799805	1.12
7273	006	3512	0.08	1207	1	55	80	2.5	6	5	8780	7573	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9833.599609	8626.599609	8626.599609	1.12
7273	008	3212	0.07	1431	1	55	80	2.5	6	5	8030	6599	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8993.599609	7562.599609	7562.599609	1.12
7273	009	3243	0.07	1431	1	55	80	2.5	6	5	8108	6677	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9080.399414	7649.399414	7649.399414	1.119931
7273	010	3438	0.08	1251	1	55	80	2.5	6	5	8595	7344	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9626.399414	8375.399414	8375.399414	1.12
7273	020	3196	0.07	1383	1	55	80	2.5	6	5	7990	6607	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8948.799805	7565.799805	7565.799805	1.12
7273	039	3271	0.08	1339	1	55	80	2.5	6	5	8178	6839	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9158.799805	7819.799805	7819.799805	1.119931
7274	017	3370	0.08	1976	1	55	80	2.5	6	5	8425	6449	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9436	7460	7460	1.12
7274	019	3483	0.08	1431	1	55	80	2.5	6	5	8708	7277	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9752.399414	8321.399414	8321.399414	1.119936
7274	020	3485	0.08	2159	1	55	80	2.5	6	5	8712	6553	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9758	7599	7599	1.120064
7274	021	3201	0.07	1984	1	55	80	2.5	6	5	8002	6018	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8962.799805	6978.799805	6978.799805	1.12007
7274	022	3206	0.07	1487	1	55	80	2.5	6	5	8015	6528	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8976.799805	7489.799805	7489.799805	1.12
7274	023	3132	0.07	1949	1	55	80	2.5	6	5	7830	5881	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8769.599609	6820.599609	6820.599609	1.12
7274	024	3226	0.07	1706	1	55	80	2.5	6	5	8065	6359	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9032.799805	7326.799805	7326.799805	1.12
7274	025	3200	0.07	1735	1	55	80	2.5	6	5	8000	6265	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8960	7225	7225	1.12
7274	026	3261	0.07	2220	1	55	80	2.5	6	5	8152	5932	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	9130.799805	6910.799805	6910.799805	1.120069
7278	033	3135	0.07	1434	1	55	80	2.5	6	5	7838	6404	RH-1(D)	40	form-based			true	0.7	7	1.166666627	6	6	8778	7344	7344	1.119929
7278	034	3113	0.07	1686	1	55	80	2.5	6	5	7782	6096	RH-1(D)	40	form-based		true	true	0.7	7	1.166666627	6	6	8716.399414	7030.399414	7030.399414	1.120072
7295	015	19121	0.44	31711	0	65	100	3	44	44	57363	25652	RH-1(D)	40	density-lim	3000			0.7	6	0.13636364	6	6	53538.80078	21827.80078	21827.80078	0.933333
7347	001	4842	0.11	0	0	55	80	2.5	9	9	12105	12105	RM-1	40	density-lim	800			0.7	6	0.666666687	6	6	13557.59961	13557.59961	13557.59961	1.12
7353	001	4866	0.11	0	0	55	80	2.5	9	9	12165	12165	RM-1	40	density-lim	800			0.7	6	0.666666687	6	6	13624.7998	13624.7998	13624.7998	1.12
7526	001	3188	0.07	2700	1	65	100	3	7	6	9564	6864	RH-1	40	form-based		true	true	0.7	7	1	6	6	8926.399414	6226.399414	6226.399414	0.933333
7527	014	3143	0.07	1550	1	65	100	3	7	6	9429	7879	RH-1	40	form-based			true	0.7	7	1	6	6	8800.399414	7250.399414	7250.399414	0.933333
7527	021	3163	0.07	2275	1	65	100	3	7	6	9489	7214	RH-1	40	form-based			true	0.7	7	1	6	6	8856.399414	6581.399414	6581.399414	0.933333
7527	022	3227	0.07	1950	1	65	100	3	7	6	9681	7731	RH-1	40	form-based			true	0.7	7	1	6	6	9035.599609	7085.599609	7085.599609	0.933333
7527	039	3528	0.08	1999	1	65	100	3	8	7	10584	8585	RH-1	40	form-based		true	true	0.7	7	0.875	6	6	9878.399414	7879.399414	7879.399414	0.933333
7527	040	3103	0.07	1794	1	65	100	3	7	6	9309	7515	RH-1	40	form-based			true	0.7	7	1	6	6	8688.399414	6894.399414	6894.399414	0.933333
7527	043	3320	0.08	2250	1	65	100	3	8	7	9960	7710	RH-1	40	form-based			true	0.7	7	0.875	6	6	9296	7046	7046	0.933333
7527	044	3185	0.07	2592	1	65	100	3	7	6	9555	6963	RH-1	40	form-based			true	0.7	7	1	6	6	8918	6326	6326	0.933333
7538	015	3564	0.08	1913	1	55	80	2.5	6	5	8910	6997	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9979.200195	8066.200195	8066.200195	1.12
7532	011	3227	0.07	2343	1	65	100	3	7	6	9681	7338	RH-1	40	form-based			true	0.7	7	1	6	6	9035.599609	6692.599609	6692.599609	0.933333
7532	012	3307	0.08	2343	1	65	100	3	8	7	9921	7578	RH-1	40	form-based			true	0.7	7	0.875	6	6	9259.599609	6916.599609	6916.599609	0.933333
7532	013	3476	0.08	3093	1	65	100	3	8	7	10428	7335	RH-1	40	form-based			true	0.7	7	0.875	6	6	9732.799805	6639.799805	6639.799805	0.933333
7532	017	3247	0.07	2075	1	65	100	3	7	6	9741	7666	RH-1	40	form-based			true	0.7	7	1	6	6	9091.599609	7016.599609	7016.599609	0.933333
7532	027	3141	0.07	1670	1	65	100	3	7	6	9423	7753	RH-1	40	form-based			true	0.7	7	1	6	6	8794.799805	7124.799805	7124.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7532	028	3128	0.07	1670	1	65	100	3	7	6	9384	7714	RH-1	40	form-based			true	0.7	7	1	6	6	8758.399414	7088.399414	7088.399414	0.933333
7532	034	3446	0.08	2523	1	65	100	3	8	7	10338	7815	RH-1	40	form-based			true	0.7	7	0.875	6	6	9648.799805	7125.799805	7125.799805	0.933333
7532	035	3377	0.08	2523	1	65	100	3	8	7	10131	7608	RH-1	40	form-based			true	0.7	7	0.875	6	6	9455.599609	6932.599609	6932.599609	0.933333
7532	041	3385	0.08	2403	1	65	100	3	8	7	10155	7752	RH-1	40	form-based			true	0.7	7	0.875	6	6	9478	7075	7075	0.933333
7537	044	3231	0.07	1209	1	55	80	2.5	6	5	8078	6869	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9046.799805	7837.799805	7837.799805	1.119931
7537	062	2721	0.06	0	0	55	80	2.5	5	5	6802	6802	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7618.799805	7618.799805	7618.799805	1.120082
7537	075	3303	0.08	3434	1	55	80	2.5	6	5	8258	4824	RH-1	40	form-based		true	true	0.7	7	1.166666627	6	6	9248.399414	5814.399414	5814.399414	1.119932
7537	064	3463	0.08	1252	1	55	80	2.5	6	5	8658	7406	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9696.399414	8444.399414	8444.399414	1.119935
7537	072	3214	0.07	2337	1	55	80	2.5	6	5	8035	5698	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8999.200195	6662.200195	6662.200195	1.12
7538	011	3162	0.07	1746	1	55	80	2.5	6	5	7905	6159	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	8853.599609	7107.599609	7107.599609	1.12
7538	012	3263	0.07	1943	1	55	80	2.5	6	5	8158	6215	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9136.399414	7193.399414	7193.399414	1.119931
7539	007	3567	0.08	1545	1	55	80	2.5	6	5	8918	7373	RM-1	40	form-based			true	0.7	7	1.166666627	6	6	9987.599609	8442.599609	8442.599609	1.119937
7539	020	3455	0.08	1991	1	55	80	2.5	6	5	8638	6647	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9674	7683	7683	1.119935
7539	021	3509	0.08	2700	1	55	80	2.5	6	5	8772	6072	RH-1	40	form-based			true	0.7	7	1.166666627	6	6	9825.200195	7125.200195	7125.200195	1.120064
7539	040	2763	0.06	2200	0	55	80	2.5	5	5	6908	4708	RH-1	40	form-based			true	0.7	6	1.200000048	6	6	7736.399902	5536.399902	5536.399902	1.119919
7540	008	3303	0.08	4229	1	65	100	3	8	7	9909	5680	RH-1	40	form-based			true	0.7	7	0.875	6	6	9248.399414	5019.399414	5019.399414	0.933333
7542	007	3236	0.07	1670	1	65	100	3	7	6	9708	8038	RH-1	40	form-based			true	0.7	7	1	6	6	9060.799805	7390.799805	7390.799805	0.933333
7542	029	3471	0.08	1489	1	65	100	3	8	7	10413	8924	RH-1	40	form-based			true	0.7	7	0.875	6	6	9718.799805	8229.799805	8229.799805	0.933333
7542	030	3227	0.07	1532	1	65	100	3	7	6	9681	8149	RH-1	40	form-based			true	0.7	7	1	6	6	9035.599609	7503.599609	7503.599609	0.933333
7542	032	3497	0.08	1489	1	65	100	3	8	7	10491	9002	RH-1	40	form-based			true	0.7	7	0.875	6	6	9791.599609	8302.599609	8302.599609	0.933333
7542	037	2678	0.06	0	0	65	100	3	6	6	8034	8034	RH-1	40	form-based			true	0.7	6	1	6	6	7498.399902	7498.399902	7498.399902	0.933333
7547	010	3438	0.08	2802	1	65	100	3	8	7	10314	7512	RH-1	40	form-based			true	0.7	7	0.875	6	6	9626.399414	6824.399414	6824.399414	0.933333
7547	011	3336	0.08	1465	1	65	100	3	8	7	10008	8543	RH-1	40	form-based			true	0.7	7	0.875	6	6	9340.799805	7875.799805	7875.799805	0.933333
7547	012	3335	0.08	912	1	65	100	3	8	7	10005	9093	RH-1	40	form-based			true	0.7	7	0.875	6	6	9338	8426	8426	0.933333
7548	004	3389	0.08	1134	1	75	120	3.5	10	9	11862	10728	RH-1	40	form-based			true	0.7	7	0.699999988	6	6	9489.200195	8355.200195	8355.200195	0.799966
7548	008	2634	0.06	0	0	75	120	3.5	7	7	9219	9219	RH-1	40	form-based			true	0.7	6	0.857142866	6	6	7375.199707	7375.199707	7375.199707	0.8
7548	011	3233	0.07	787	1	75	120	3.5	8	7	11316	10529	RH-1	40	form-based			true	0.7	7	0.875	6	6	9052.399414	8265.399414	8265.399414	0.799965
7549	007	3028	0.07	0	0	65	100	3	7	7	9084	9084	RH-1	40	form-based		true	true	0.7	6	0.857142866	6	6	8478.399414	8478.399414	8478.399414	0.933333
7550	024	3330	0.08	1554	1	65	100	3	8	7	9990	8436	RH-1	40	form-based			true	0.7	7	0.875	6	6	9324	7770	7770	0.933333
7550	025	3238	0.07	1440	1	65	100	3	7	6	9714	8274	RH-1	40	form-based			true	0.7	7	1	6	6	9066.399414	7626.399414	7626.399414	0.933333
7551	013	3368	0.08	1560	1	65	100	3	8	7	10104	8544	RH-1	40	form-based			true	0.7	7	0.875	6	6	9430.399414	7870.399414	7870.399414	0.933333
7551	014	3218	0.07	1720	1	65	100	3	7	6	9654	7934	RH-1	40	form-based			true	0.7	7	1	6	6	9010.399414	7290.399414	7290.399414	0.933333
7551	017	3185	0.07	3515	1	65	100	3	7	6	9555	6040	RH-1	40	form-based			true	0.7	7	1	6	6	8918	5403	5403	0.933333
7551	018	3124	0.07	1845	1	65	100	3	7	6	9372	7527	RH-1	40	form-based			true	0.7	7	1	6	6	8747.200195	6902.200195	6902.200195	0.933333
7551	035	3186	0.07	516	1	65	100	3	7	6	9558	9042	RH-1	40	form-based			true	0.7	7	1	6	6	8920.799805	8404.799805	8404.799805	0.933333
7552	010	2880	0.07	0	0	65	100	3	7	7	8640	8640	RH-1	40	form-based		true	true	0.7	6	0.857142866	6	6	8064	8064	8064	0.933333
7552	025	3264	0.07	2337	1	65	100	3	7	6	9792	7455	RH-1	40	form-based			true	0.7	7	1	6	6	9139.200195	6802.200195	6802.200195	0.933333
7552	029	3480	0.08	2375	1	65	100	3	8	7	10440	8065	RH-1	40	form-based			true	0.7	7	0.875	6	6	9744	7369	7369	0.933333
7553	003	3107	0.07	715	1	65	100	3	7	6	9321	8606	RH-1	40	form-based			true	0.7	7	1	6	6	8699.599609	7984.599609	7984.599609	0.933333
7553	020	3112	0.07	925	1	65	100	3	7	6	9336	8411	RH-1	40	form-based		true	true	0.7	7	1	6	6	8713.599609	7788.599609	7788.599609	0.933333
7554	020	3174	0.07	3244	1	65	100	3	7	6	9522	6278	RH-1	40	form-based		true	true	0.7	7	1	6	6	8887.200195	5643.200195	5643.200195	0.933333
0024	002	1815	0.04	2770	2	65	100	3	4	2	5445	2675	C-2	65	form-based		true	true	0.8	7	1.75	5	5	8712	5942	5942	1.6
0024	007	1800	0.04	2437	2	65	100	3	4	2	5400	2963	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8100	5663	5663	1.5
0024	011B	2187	0.05	4200	3	65	100	3	5	2	6561	2361	NC-1	65	form-based			true	0.75	8	1.600000024	5	5	9841.5	5641.5	5641.5	1.5
0024	011C	2188	0.05	3931	3	65	100	3	5	2	6564	2633	NC-1	65	form-based			true	0.75	8	1.600000024	5	5	9846	5915	5915	1.5
0024	011D	2187	0.05	3150	3	65	100	3	5	2	6561	3411	NC-1	65	form-based			true	0.75	8	1.600000024	5	5	9841.5	6691.5	6691.5	1.5
0024	015	1332	0.03	4005	0	65	100	3	3	3	3996	0	C-2	65	form-based		true	true	0.8	5	1.666666627	5	5	6393.600098	2388.600098	2388.600098	1.6
0024	020	1589	0.04	1600	1	65	100	3	4	3	4767	3167	C-2	65	form-based			true	0.8	6	1.5	5	5	7627.200195	6027.200195	6027.200195	1.6
0024	024	3363	0.08	6545	8	65	100	3	8	0	10089	3544	C-2	65	form-based			true	0.8	13	1.625	5	5	16142.40039	9597.400391	9597.400391	1.6
0024	044	2187	0.05	1438	3	65	100	3	5	2	6561	5123	NC-1	65	form-based			true	0.75	8	1.600000024	5	5	9841.5	8403.5	8403.5	1.5
0025	003A	2247	0.05	3285	3	65	100	3	5	2	6741	3456	NC-1	65	form-based			true	0.75	8	1.600000024	5	5	10111.5	6826.5	6826.5	1.5
0025	029	3717	0.09	1177	3	65	100	3	9	6	11151	9974	RTO-C	40	form-based			true	0.75	8	0.888888896	5	5	11151	9974	9974	1
0025	039	3720	0.09	1550	3	65	100	3	9	6	11160	9610	RTO-C	40	form-based			true	0.75	8	0.888888896	5	5	11160	9610	9610	1
0025	045	3478	0.08	1250	3	65	100	3	8	5	10434	9184	RTO-C	40	form-based			true	0.75	8	1	5	5	10434	9184	9184	1
0026	015	3299	0.08	5783	2	65	100	3	8	6	9897	4114	RH-3	40	form-based			true	0.7	7	0.875	5	5	9237.200195	3454.200195	3454.200195	0.933333
0026	022	3705	0.09	4554	3	65	100	3	9	6	11115	6561	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10374	5820	5820	0.933333
0026	029	3435	0.08	3030	2	65	100	3	8	6	10305	7275	RH-3	40	form-based			true	0.7	7	0.875	5	5	9618	6588	6588	0.933333
0027	001B	3477	0.08	3370	2	65	100	3	8	6	10431	7061	RH-3	40	form-based			true	0.7	7	0.875	5	5	9735.599609	6365.599609	6365.599609	0.933333
0027	006	3444	0.08	2638	2	65	100	3	8	6	10332	7694	RH-3	40	form-based			true	0.7	7	0.875	5	5	9643.200195	7005.200195	7005.200195	0.933333
0027	008	3444	0.08	3560	2	65	100	3	8	6	10332	6772	RH-3	40	form-based			true	0.7	7	0.875	5	5	9643.200195	6083.200195	6083.200195	0.933333
0028	006F	2138	0.05	3286	3	65	100	3	5	2	6414	3128	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	9621	6335	6335	1.5
0028	006G	1815	0.04	2900	2	65	100	3	4	2	5445	2545	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8167.5	5267.5	5267.5	1.5
0039	045	7116	0.16	800	13	65	100	3	16	3	21348	20548	RM-3	40	density-lim	400			0.75	18	1.125	5	5	21348	20548	20548	1
0039	068	4568	0.1	1430	6	65	100	3	10	4	13704	12274	RM-3	40	density-lim	400			0.75	11	1.100000024	5	5	13704	12274	12274	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0040	014	1576	0.04	3525	3	65	100	3	4	1	4728	1203	RM-3	85	form-based			true	0.75	8	2	5	5	9456	5931	5931	2
0040	020	5996	0.14	850	10	65	100	3	14	4	17988	17138	RM-3	40	density-lin	400			0.75	15	1.071428537	5	5	17988	17138	17138	1
0044	002E	2544	0.06	3006	2	65	100	3	6	4	7632	4626	RH-2	50	form-based		true	true	0.7	7	1.166666627	5	5	8904	5898	5898	1.166667
0044	003B	2160	0.05	1695	1	65	100	3	5	4	6480	4785	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7560	5865	5865	1.166667
0044	008	2500	0.06	4018	2	65	100	3	6	4	7500	3482	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	4732	4732	1.166667
0044	016	2351	0.05	4614	4	65	100	3	5	1	7053	2439	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	10579.5	5965.5	5965.5	1.5
0044	025	2159	0.05	1851	3	65	100	3	5	2	6477	4626	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	9715.5	7864.5	7864.5	1.5
0044	038	2159	0.05	762	3	65	100	3	5	2	6477	5715	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	9715.5	8953.5	8953.5	1.5
0045	075	2358	0.05	0	0	65	100	3	5	5	7074	7074	RH-1(D)	40	form-based			true	0.7	5	1	5	5	6602.399902	6602.399902	6602.399902	0.933333
0047	003B	3736	0.09	5361	3	65	100	3	9	6	11208	5847	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10460.7998	5099.799805	5099.799805	0.933333
0047	003C	3729	0.09	5663	3	65	100	3	9	6	11187	5524	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10441.2002	4778.200195	4778.200195	0.933333
0047	007	3743	0.09	1390	3	65	100	3	9	6	11229	9839	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10480.39941	9090.399414	9090.399414	0.933333
0047	010	3716	0.09	1132	3	65	100	3	9	6	11148	10016	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10404.7998	9272.799805	9272.799805	0.933333
0047	013	3750	0.09	2136	3	65	100	3	9	6	11250	9114	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10500	8364	8364	0.933333
0047	031	3620	0.08	1943	3	65	100	3	8	5	10860	8917	RH-3	40	form-based			true	0.7	8	1	5	5	10136	8193	8193	0.933333
0047	034	3723	0.09	5175	3	65	100	3	9	6	11169	5994	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10424.39941	5249.399414	5249.399414	0.933333
0048	017	3438	0.08	3964	2	65	100	3	8	6	10314	6350	RH-1(D)	40	form-based			true	0.7	7	0.875	5	5	9626.399414	5662.399414	5662.399414	0.933333
0048	024	4803	0.11	2977	5	55	80	2.5	9	4	12008	9031	RH-1(D)	40	form-based			true	0.7	10	1.111111164	5	5	13448.39941	10471.39941	10471.39941	1.119953
0049	008	3464	0.08	3940	2	65	100	3	8	6	10392	6452	RH-3	40	form-based			true	0.7	7	0.875	5	5	9699.200195	5759.200195	5759.200195	0.933333
0049	012	3600	0.08	1860	3	65	100	3	8	5	10800	8940	RH-3	40	form-based			true	0.7	8	1	5	5	10080	8220	8220	0.933333
0049	021	2563	0.06	1570	2	65	100	3	6	4	7689	6119	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8970.5	7400.5	7400.5	1.166667
0049	033	3932	0.09	969	3	65	100	3	9	6	11796	10827	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	11009.59961	10040.59961	10040.59961	0.933333
0050	006A	3919	0.09	4630	6	65	100	3	9	3	11757	7127	RM-1	50	form-based			true	0.7	11	1.222222209	5	5	13716.5	9086.5	9086.5	1.166667
0052	011	3506	0.08	4270	4	65	100	3	8	4	10518	6248	NCD-NORT	40	density-lin	400			0.75	9	1.125	5	5	10518	6248	6248	1
0061	001	5188	0.12	9073	6	65	100	3	12	6	15564	6491	RM-2	40	form-based		true	true	0.7	11	0.916666687	5	5	14526.39941	5453.399414	5453.399414	0.933333
0061	001A	4109	0.09	4765	4	65	100	3	9	5	12327	7562	RH-3	40	form-based			true	0.7	9	1	5	5	11505.2002	6740.200195	6740.200195	0.933333
0061	024	3552	0.08	4578	2	65	100	3	8	6	10656	6078	RH-3	40	form-based			true	0.7	7	0.875	5	5	9945.599609	5367.599609	5367.599609	0.933333
0061	030	3467	0.08	3142	2	65	100	3	8	6	10401	7259	RH-3	40	form-based			true	0.7	7	0.875	5	5	9707.599609	6565.599609	6565.599609	0.933333
0061	035	3552	0.08	1069	2	65	100	3	8	6	10656	9587	RH-3	40	form-based			true	0.7	7	0.875	5	5	9945.599609	8876.599609	8876.599609	0.933333
0062	017A	2750	0.06	1926	1	55	80	2.5	5	4	6875	4949	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7700	5774	5774	1.12
0064	016	2339	0.05	2942	2	55	80	2.5	4	2	5848	2906	RM-2	50	form-based			true	0.7	7	1.75	5	5	8186.5	5244.5	5244.5	1.39988
0065	024	3346	0.08	3048	4	55	80	2.5	6	2	8365	5317	RM-2	50	form-based			true	0.7	9	1.5	5	5	11711	8663	8663	1.4
0066	011	2792	0.06	4440	3	55	80	2.5	5	2	6980	2540	RM-1	50	form-based			true	0.7	8	1.600000024	5	5	9772	5332	5332	1.4
0066	013	2737	0.06	4182	3	55	80	2.5	5	2	6842	2660	RM-1	50	form-based			true	0.7	8	1.600000024	5	5	9579.5	5397.5	5397.5	1.400102
0066	014	3437	0.08	4342	5	55	80	2.5	6	1	8592	4250	RM-1	50	form-based			true	0.7	10	1.666666627	5	5	12029.5	7687.5	7687.5	1.400082
0066	016	3438	0.08	5800	5	55	80	2.5	6	1	8595	2795	RM-1	50	form-based			true	0.7	10	1.666666627	5	5	12033	6233	6233	1.4
0066	028	4125	0.09	4919	7	55	80	2.5	7	0	10312	5393	RM-1	50	form-based			true	0.7	12	1.714285731	5	5	14437.5	9518.5	9518.5	1.400068
0066	030	2791	0.06	1860	3	55	80	2.5	5	2	6978	5118	RM-1	50	form-based			true	0.7	8	1.600000024	5	5	9768.5	7908.5	7908.5	1.3999
0067	003	3747	0.09	3060	3	55	80	2.5	7	4	9368	6308	RH-3	40	form-based			true	0.7	8	1.142857194	5	5	10491.59961	7431.599609	7431.599609	1.11994
0067	003A	3747	0.09	2880	3	55	80	2.5	7	4	9368	6488	RH-3	40	form-based			true	0.7	8	1.142857194	5	5	10491.59961	7611.599609	7611.599609	1.11994
0067	014A	2379	0.05	2700	0	55	80	2.5	4	4	5948	3248	RH-1	40	form-based		true	true	0.7	5	1.25	5	5	6661.199707	3961.199707	3961.199707	1.119906
0068	003	3025	0.07	3645	3	55	80	2.5	6	3	7562	3917	RH-1	50	form-based			true	0.7	8	1.333333373	5	5	10587.5	6942.5	6942.5	1.400093
0068	019A	2316	0.05	1751	1	55	80	2.5	4	3	5790	4039	RH-1	50	form-based			true	0.7	6	1.5	5	5	8106	6355	6355	1.4
0069	013	3025	0.07	4098	3	65	100	3	7	4	9075	4977	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10587.5	6489.5	6489.5	1.166667
0071	003	2905	0.07	6420	3	55	80	2.5	6	3	7262	842	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	10167.5	3747.5	3747.5	1.400096
0071	005H	3225	0.07	5864	4	55	80	2.5	6	2	8062	2198	RH-3	50	form-based			true	0.7	9	1.5	5	5	11287.5	5423.5	5423.5	1.400087
0071	005I	3225	0.07	5864	4	55	80	2.5	6	2	8062	2198	RH-3	50	form-based			true	0.7	9	1.5	5	5	11287.5	5423.5	5423.5	1.400087
0071	065	2332	0.05	1750	2	55	80	2.5	4	2	5830	4080	RH-3	50	form-based		true	true	0.7	7	1.75	5	5	8162	6412	6412	1.4
0071	076	2933	0.07	1275	3	55	80	2.5	6	3	7332	6057	RH-3	50	form-based		true	true	0.7	8	1.333333373	5	5	10265.5	8990.5	8990.5	1.400095
0071	089	3225	0.07	1017	4	55	80	2.5	6	2	8062	7045	RH-3	50	form-based			true	0.7	9	1.5	5	5	11287.5	10270.5	10270.5	1.400087
0071	111	2680	0.06	1625	3	55	80	2.5	5	2	6700	5075	RH-3	50	form-based			true	0.7	8	1.600000024	5	5	9380	7755	7755	1.4
0072	052	3780	0.09	1763	3	55	80	2.5	7	4	9450	7687	RM-1	40	form-based			true	0.7	8	1.142857194	5	5	10584	8821	8821	1.12
0072	055	4136	0.09	1066	4	55	80	2.5	7	3	10340	9274	RM-1	40	form-based			true	0.7	9	1.285714269	5	5	11580.7998	10514.7998	10514.7998	1.12
0073	017B	3426	0.08	2556	2	55	80	2.5	6	4	8565	6009	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9592.799805	7036.799805	7036.799805	1.12
0073	033	5474	0.13	1445	6	55	80	2.5	10	4	13685	12240	RM-1	40	form-based			true	0.7	11	1.100000024	5	5	15327.2002	13882.2002	13882.2002	1.12
0076	011	5841	0.13	7125	7	55	80	2.5	10	3	14602	7477	RM-2	40	form-based			true	0.7	12	1.200000048	5	5	16354.7998	9229.799805	9229.799805	1.120038
0076	012	3182	0.07	2696	2	55	80	2.5	6	4	7955	5259	RM-2	40	form-based			true	0.7	7	1.166666627	5	5	8909.599609	6213.599609	6213.599609	1.12
0076	015	4208	0.1	6570	7	55	80	2.5	8	1	10520	3950	RM-2	50	form-based			true	0.7	12	1.5	5	5	14728	8158	8158	1.4
0076	022	3546	0.08	4962	5	55	80	2.5	6	1	8865	3903	RM-2	50	form-based			true	0.7	10	1.666666627	5	5	12411	7449	7449	1.4
0077	004	2681	0.06	2420	1	55	80	2.5	5	4	6702	4282	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7506.799805	5086.799805	5086.799805	1.120084
0077	034	3482	0.08	2750	2	55	80	2.5	6	4	8705	5955	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9749.599609	6999.599609	6999.599609	1.12
0078	001	2713	0.06	4400	1	65	100	3	6	5	8139	3739	RH-3	40	form-based			true	0.7	6	1	5	5	7596.399902	3196.399902	3196.399902	0.933333
0078	047	3604	0.08	2491	3	65	100	3	8	5	10812	8321	RH-3	40	form-based			true	0.7	8	1	5	5	10091.2002	7600.200195	7600.200195	0.933333
0079	010	4375	0.1	676	4	65	100	3	10	6	13125	12449	RH-3	40	form-based			true	0.7	9	0.899999976	5	5	12250	11574	11574	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0085	038	1935	0.04	500	1	65	100	3	4	3	5805	5305	RH-3	40	density-lim	1000	true		0.7	6	1.5	5	5	5418	4918	4918	0.933333
0086	007	3301	0.08	2166	2	65	100	3	8	6	9903	7737	RH-3	40	form-based		true	true	0.7	7	0.875	5	5	9242.799805	7076.799805	7076.799805	0.933333
0086	036	3710	0.09	1846	3	65	100	3	9	6	11130	9284	RH-3	40	form-based		true	true	0.7	8	0.888888896	5	5	10388	8542	8542	0.933333
0088	058	4496	0.1	938	4	55	80	2.5	8	4	11240	10302	RM-2	40	form-based			true	0.7	9	1.125	5	5	12588.7998	11650.7998	11650.7998	1.12
0089	026	2500	0.06	3550	0	55	80	2.5	5	5	6250	2700	RM-1	40	form-based			true	0.7	5	1	5	5	7000	3450	3450	1.12
0092	031	3621	0.08	3852	3	55	80	2.5	6	3	9052	5200	RM-1	40	form-based			true	0.7	8	1.333333373	5	5	10138.7998	6286.799805	6286.799805	1.120062
0093	013	2750	0.06	2243	1	55	80	2.5	5	4	6875	4632	RM-1	40	form-based			true	0.7	6	1.200000048	5	5	7700	5457	5457	1.12
0093	023	3438	0.08	3248	2	55	80	2.5	6	4	8595	5347	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	6378.399414	6378.399414	1.12
0094	004	2168	0.05	2044	1	55	80	2.5	4	3	5420	3376	RH-3	50	form-based			true	0.7	6	1.5	5	5	7588	5544	5544	1.4
0094	018B	1628	0.04	1618	0	55	80	2.5	3	3	4070	2452	RM-2	50	form-based			true	0.7	5	1.666666627	5	5	5698	4080	4080	1.4
0095	017	2285	0.05	3618	1	65	100	3	5	4	6855	3237	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7997.5	4379.5	4379.5	1.166667
0095	020	2226	0.05	2940	1	65	100	3	5	4	6678	3738	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7791	4851	4851	1.166667
0095	024	2373	0.05	5456	2	65	100	3	5	3	7119	1663	RM-2	50	form-based			true	0.7	7	1.399999976	5	5	8305.5	2849.5	2849.5	1.166667
0096	004	3335	0.08	6750	7	65	100	3	8	1	10005	3255	RH-3	65	form-based			true	0.7	12	1.5	5	5	14007	7257	7257	1.4
0096	041	2025	0.05	2016	2	65	100	3	5	3	6075	4059	RH-3	65	form-based			true	0.7	7	1.399999976	5	5	8505	6489	6489	1.4
0096	046	3281	0.08	6972	6	65	100	3	8	2	9843	2871	RH-3	65	form-based			true	0.7	11	1.375	5	5	13780.2002	6808.200195	6808.200195	1.4
0097	005	1708	0.04	900	1	55	80	2.5	3	2	4270	3370	RH-3	65	form-based			true	0.7	6	2	5	5	7173.600098	6273.600098	6273.600098	1.68
0097	007	1440	0.03	480	0	55	80	2.5	2	2	3600	3120	RH-3	65	form-based			true	0.7	5	2.5	5	4	6048	5568	5568	1.68
0097	019	3131	0.07	8541	7	55	80	2.5	6	0	7828	0	NC-1	65	form-based		true	true	0.75	12	2	5	5	14089.5	5548.5	5548.5	1.799885
0097	067	2168	0.05	719	3	55	80	2.5	4	1	5420	4701	RH-3	65	form-based			true	0.7	8	2	5	5	9105.599609	8386.599609	8386.599609	1.68
0098	005	13817	0.32	171950	24	55	80	2.5	26	2	34542	0	RM-2	40	form-based			true	0.7	29	1.115384579	5	5	38687.59766	0	0	1.120016
0099	021	3315	0.08	3478	2	55	80	2.5	6	4	8288	4810	RM-1	40	form-based		true	true	0.7	7	1.166666627	5	5	9282	5804	5804	1.119932
0099	022	3315	0.08	3198	2	55	80	2.5	6	4	8288	5090	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9282	6084	6084	1.119932
0099	023	3600	0.08	3126	3	55	80	2.5	6	3	9000	5874	RM-1	40	form-based			true	0.7	8	1.333333373	5	5	10080	6954	6954	1.12
0100	036	3162	0.07	3876	2	55	80	2.5	6	4	7905	4029	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	8853.599609	4977.599609	4977.599609	1.12
0100	036A	3118	0.07	4015	2	55	80	2.5	6	4	7795	3780	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	8730.399414	4715.399414	4715.399414	1.12
0100	037	3364	0.08	3666	2	55	80	2.5	6	4	8410	4744	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9419.200195	5753.200195	5753.200195	1.12
0100	043	3150	0.07	2257	2	55	80	2.5	6	4	7875	5618	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	8820	6563	6563	1.12
0103	039	4349	0.1	8750	6	55	80	2.5	8	2	10872	2122	NCD-NORT	40	density-lim	400			0.75	11	1.375	5	5	13047	4297	4297	1.200055
0105	001	2352	0.05	4035	0	65	100	3	5	5	7056	3021	RH-3	40	form-based		true	true	0.7	5	1	5	5	6585.600098	2550.600098	2550.600098	0.933333
0105	037	2384	0.05	0	0	55	80	2.5	4	4	5960	5960	RH-3	40	form-based		true	true	0.7	5	1.25	5	5	6675.199707	6675.199707	6675.199707	1.12
0105	062	3719	0.09	1539	3	65	100	3	9	6	11157	9618	RH-3	40	form-based		true	true	0.7	8	0.888888896	5	5	10413.2002	8874.200195	8874.200195	0.933333
0106	070	6573	0.15	4000	2	65	100	3	15	13	19719	15719	RH-3	40	density-lim	1000			0.7	7	0.466666669	5	5	18404.40039	14404.40039	14404.40039	0.933333
0113	045	4068	0.09	5406	4	65	100	3	9	5	12204	6798	RH-3	40	form-based			true	0.7	9	1	5	5	11390.39941	5984.399414	5984.399414	0.933333
0113	063	4198	0.1	0	0	65	100	3	10	10	12594	12594	C-2	84	density-lim	800			0.8	5	0.5	5	5	26867.20117	26867.20117	25188	2.133333
0118	027	5406	0.12	4300	4	55	80	2.5	10	6	13515	9215	RM-2	40	density-lim	600			0.7	9	0.899999976	5	5	15136.7998	10836.7998	10836.7998	1.12
0119	006	3174	0.07	2796	2	55	80	2.5	6	4	7935	5139	RM-2	40	form-based			true	0.7	7	1.166666627	5	5	8887.200195	6091.200195	6091.200195	1.12
0119	028	2537	0.06	5023	0	55	80	2.5	5	5	6342	1319	RM-2	40	form-based			true	0.7	5	1	5	5	7103.600098	2080.600098	2080.600098	1.120088
0120	004	2826	0.06	2160	1	55	80	2.5	5	4	7065	4905	RH-2	40	form-based		true	true	0.7	6	1.200000048	5	5	7912.799805	5752.799805	5752.799805	1.12
0120	015A	2771	0.06	2344	1	55	80	2.5	5	4	6928	4584	RM-2	40	form-based		true	true	0.7	6	1.200000048	5	5	7758.799805	5414.799805	5414.799805	1.119919
0120	087	5012	0.12	1584	6	55	80	2.5	10	4	12530	10946	RM-2	40	form-based		true	true	0.7	11	1.100000024	5	5	14033.59961	12449.59961	12449.59961	1.12
0121	033	10436	0.24	18036	17	55	80	2.5	19	2	26090	8054	RM-2	40	form-based			true	0.7	22	1.157894731	5	5	29220.79883	11184.79883	11184.79883	1.12
0122	006	2376	0.05	4850	3	55	80	2.5	4	1	5940	1090	RH-3	65	form-based		true	true	0.7	8	2	5	5	9979.200195	5129.200195	5129.200195	1.68
0122	027C	3170	0.07	7380	6	55	80	2.5	6	0	7925	545	RH-3	65	form-based			true	0.7	11	1.833333373	5	5	13314	5934	5934	1.68
0123	044	1770	0.04	1605	1	65	100	3	4	3	5310	3705	RH-3	65	form-based			true	0.7	6	1.5	5	5	7434	5829	5829	1.4
0124	040	2232	0.05	4809	3	65	100	3	5	2	6696	1887	RH-3	65	form-based			true	0.7	8	1.600000024	5	5	9374.399414	4565.399414	4565.399414	1.4
0125	005B	3094	0.07	5438	6	55	80	2.5	6	0	7735	2297	RH-3	65	form-based			true	0.7	11	1.833333373	5	5	12994.7998	7556.799805	7556.799805	1.68
0125	107	3000	0.07	1040	5	55	80	2.5	6	1	7500	6460	RH-3	65	form-based			true	0.7	10	1.666666627	5	5	12600	11560	11560	1.68
0126	022A	9135	0.21	5267	1	55	80	2.5	17	16	22838	17571	RH-2	40	density-lim	1500			0.7	6	0.352941185	5	5	25578	20311	20311	1.119975
0126	024	8639	0.2	4127	1	55	80	2.5	16	15	21598	17471	RH-2	40	density-lim	1500			0.7	6	0.375	5	5	24189.19922	20062.19922	20062.19922	1.119974
0127	007A	3097	0.07	1650	1	55	80	2.5	6	5	7742	6092	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	8671.599609	7021.599609	7021.599609	1.120072
0127	008A	1879	0.04	3345	1	55	80	2.5	3	2	4698	1353	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	5261.199707	1916.199707	1916.199707	1.119881
0127	011	5609	0.13	6260	4	55	80	2.5	10	6	14022	7762	RM-2	40	density-lim	600			0.7	9	0.899999976	5	5	15705.2002	9445.200195	9445.200195	1.12004
0127	021	4413	0.1	3055	1	55	80	2.5	8	7	11032	7977	RH-2	40	density-lim	1500	true		0.7	6	0.75	5	5	12356.39941	9301.399414	9301.399414	1.120051
0127	022	8234	0.19	3075	0	55	80	2.5	15	15	20585	17510	RH-2	40	density-lim	1500			0.7	5	0.333333343	5	5	23055.19922	19980.19922	19980.19922	1.12
0129	003	2796	0.06	4557	2	55	80	2.5	5	3	6990	2433	NCD-NORT	40	density-lim	400			0.75	7	1.399999976	5	5	8388	3831	3831	1.2
0129	004	2796	0.06	2768	2	55	80	2.5	5	3	6990	4222	NCD-NORT	40	density-lim	400			0.75	7	1.399999976	5	5	8388	5620	5620	1.2
0129	005	2796	0.06	2560	2	55	80	2.5	5	3	6990	4430	NCD-NORT	40	density-lim	400			0.75	7	1.399999976	5	5	8388	5828	5828	1.2
0131	003	2097	0.05	1525	0	55	80	2.5	4	4	5242	3717	NCD-NORT	40	density-lim	400			0.75	5	1.25	5	5	6291	4766	4766	1.200114
0131	016	1830	0.04	3808	0	55	80	2.5	3	3	4575	767	NCD-NORT	40	density-lim	400			0.75	5	1.666666627	5	5	5490	1682	1682	1.2
0131	020	4500	0.1	6825	6	55	80	2.5	8	2	11250	4425	NCD-NORT	40	density-lim	400			0.75	11	1.375	5	5	13500	6675	6675	1.2
0133	040	4482	0.1	5539	4	55	80	2.5	8	4	11205	5666	RM-1	40	form-based			true	0.7	9	1.125	5	5	12549.59961	7010.599609	7010.599609	1.12
0133	044	3447	0.08	2684	2	55	80	2.5	6	4	8618	5934	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9651.599609	6967.599609	6967.599609	1.119935
0134	030	2308	0.05	0	0	65	100	3	5	5	6924	6924	RH-3	40	form-based			true	0.7	5	1	5	5	6462.399902	6462.399902	6462.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0136	007	3646	0.08	14456	0	65	100	3	8	8	10938	0	C-2	65	density-lim	800			0.8	5	0.625	5	5	17500.80078	3044.800781	3044.800781	1.6
0142	006	4120	0.09	8240	0	65	100	3	9	9	12360	4120	C-2	84	density-lim	800	true		0.8	5	0.555555582	5	5	26368	18128	16480	2.133333
0142	009	4144	0.1	6500	0	65	100	3	10	10	12432	5932	C-2	84	density-lim	800	true		0.8	5	0.5	5	5	26521.59961	20021.59961	18364	2.133333
0144	019	3036	0.07	1440	0	55	80	2.5	6	6	7590	6150	RM-2	40	density-lim	600			0.7	5	0.833333313	5	5	8500.799805	7060.799805	7060.799805	1.12
0145	012	2772	0.06	7380	2	65	100	3	6	4	8316	936	NCD-BROA	65	density-lim	400			0.75	7	1.166666627	5	5	12474	5094	5094	1.5
0145	022	2300	0.05	6900	1	65	100	3	5	4	6900	0	NCD-BROA	40	density-lim	400			0.75	6	1.200000048	5	5	6900	0	0	1
0146	002	2111	0.05	11340	0	65	100	3	5	5	6333	0	NCD-BROA	65	density-lim	400	true		0.75	5	1	5	5	9499.5	0	0	1.5
0146	012	2760	0.06	7845	2	65	100	3	6	4	8280	435	NCD-NORT	40	density-lim	400			0.75	7	1.166666627	5	5	8280	435	435	1
0150	020	1898	0.04	2777	1	55	80	2.5	3	2	4745	1968	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	5314.399902	2537.399902	2537.399902	1.12
0150	026	3197	0.07	4220	1	55	80	2.5	6	5	7992	3772	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	8951.599609	4731.599609	4731.599609	1.12007
0150	046	3064	0.07	3100	1	55	80	2.5	6	5	7660	4560	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	8579.200195	5479.200195	5479.200195	1.12
0150	054	5318	0.12	0	1	55	80	2.5	10	9	13295	13295	RH-2	40	density-lim	1500	true		0.7	6	0.600000024	5	5	14890.39941	14890.39941	14890.39941	1.12
0152	003	2196	0.05	1675	1	55	80	2.5	4	3	5490	3815	RH-3	50	form-based			true	0.7	6	1.5	5	5	7686	6011	6011	1.4
0152	011	3044	0.07	6504	6	55	80	2.5	6	0	7610	1106	RH-3	65	form-based			true	0.7	11	1.833333373	5	5	12784.7998	6280.799805	6280.799805	1.68
0152	026	4025	0.09	7176	6	55	80	2.5	7	1	10062	2886	RM-1	50	form-based			true	0.7	11	1.571428537	5	5	14087.5	6911.5	6911.5	1.40007
0152	036	3805	0.09	6753	6	55	80	2.5	7	1	9512	2759	RH-3	50	form-based			true	0.7	11	1.571428537	5	5	13317.5	6564.5	6564.5	1.400074
0153	019	2196	0.05	4320	3	65	100	3	5	2	6588	2268	RH-3	65	form-based			true	0.7	8	1.600000024	5	5	9223.200195	4903.200195	4903.200195	1.4
0153	044	2193	0.05	1681	3	65	100	3	5	2	6579	4898	RH-3	65	form-based			true	0.7	8	1.600000024	5	5	9210.599609	7529.599609	7529.599609	1.4
0154	002	2912	0.07	3004	5	55	80	2.5	6	1	7280	4276	RM-1	65	form-based		true	true	0.7	10	1.666666627	5	5	12230.39941	9226.399414	9226.399414	1.68
0154	011	1944	0.04	3840	2	65	100	3	4	2	5832	1992	NCD-PACIF	65	form-based			true	0.75	7	1.75	5	5	8748	4908	4908	1.5
0154	021A	1980	0.05	2496	2	65	100	3	5	3	5940	3444	RH-3	65	form-based			true	0.7	7	1.399999976	5	5	8316	5820	5820	1.4
0154	025	2350	0.05	5028	3	65	100	3	5	2	7050	2022	RH-3	65	form-based			true	0.7	8	1.600000024	5	5	9870	4842	4842	1.4
0154	026	2357	0.05	3903	3	65	100	3	5	2	7071	3168	RH-3	65	form-based			true	0.7	8	1.600000024	5	5	9899.399414	5996.399414	5996.399414	1.4
0154	044	2677	0.06	3580	4	65	100	3	6	2	8031	4451	RH-3	65	form-based			true	0.7	9	1.5	5	5	11243.39941	7663.399414	7663.399414	1.4
0155	020	1200	0.03	1200	0	55	80	2.5	2	2	3000	1800	NCD-PACIF	65	form-based			true	0.75	5	2.5	5	4	5400	4200	4200	1.8
0155	027	1620	0.04	1044	1	55	80	2.5	3	2	4050	3006	RH-2	65	form-based			true	0.7	6	2	5	5	6804	5760	5760	1.68
0155	033	3548	0.08	9000	7	55	80	2.5	6	0	8870	0	RM-1	65	form-based		true	true	0.7	12	2	5	5	14901.59961	5901.599609	5901.599609	1.68
0158	009A	2205	0.05	2022	1	65	100	3	5	4	6615	4593	RC-3	65	density-lim	400			0.75	6	1.200000048	5	5	9922.5	7900.5	7900.5	1.5
0159	007	1379	0.03	3128	2	65	100	3	3	1	4137	1009	CRNC	65	density-lim	200	true		0.75	7	2.333333254	5	4	6205.5	3077.5	3077.5	1.5
0159	045	4200	0.1	11165	0	65	100	3	10	10	12600	1435	RM-1	40	density-lim	800			0.7	5	0.5	5	5	11760	595	595	0.933333
0163	007	3987	0.09	5220	0	65	100	3	9	9	11961	6741	C-2	65	density-lim	800			0.8	5	0.555555582	5	5	19137.59961	13917.59961	13917.59961	1.6
0164	001	4266	0.1	8060	0	65	100	3	10	10	12798	4738	C-2	65	density-lim	800	true		0.8	5	0.5	5	5	20476.80078	12416.80078	12416.80078	1.6
0164	020	1974	0.05	7200	0	65	100	3	5	5	5922	0	NCD-BROA	65	density-lim	400	true		0.75	5	1	5	5	8883	1683	1683	1.5
0175	006	4200	0.1	22296	0	65	100	3	10	10	12600	0	C-2	65	density-lim	800	true		0.8	5	0.5	5	5	20160	0	0	1.6
0175	012	3603	0.08	7724	0	65	100	3	8	8	10809	3085	C-2	65	density-lim	800	true		0.8	5	0.625	5	5	17294.40039	9570.400391	9570.400391	1.6
0176	006	3854	0.09	10221	0	65	100	3	9	9	11562	1341	C-2	65	density-lim	800			0.8	5	0.555555582	5	5	18499.20117	8278.201172	8278.201172	1.6
0177	014	1683	0.04	5826	3	65	100	3	4	1	5049	0	CRNC	50	density-lim	200			0.75	8	2	5	5	6311.25	485.25	485.25	1.25
0178	001B	1031	0.02	7925	0	65	100	3	2	2	3093	0	CRNC	50	density-lim	200			0.75	5	2.5	5	4	3866.25	0	0	1.25
0178	001C	1035	0.02	7925	0	65	100	3	2	2	3105	0	CRNC	50	density-lim	200			0.75	5	2.5	5	4	3881.25	0	0	1.25
0179	040	1539	0.04	3753	3	65	100	3	4	1	4617	864	CRNC	65	density-lim	200			0.75	8	2	5	5	6925.5	3172.5	3172.5	1.5
0182	012	3788	0.09	4686	4	55	80	2.5	7	3	9470	4784	RM-3	65	density-lim	400			0.75	9	1.285714269	5	5	17046	12360	12360	1.8
0183	010	4561	0.1	7836	6	55	80	2.5	8	2	11402	3566	RM-3	65	density-lim	400			0.75	11	1.375	5	5	20524.5	12688.5	12688.5	1.800079
0184	010	5262	0.12	10347	15	55	80	2.5	10	0	13155	2808	RM-3	65	form-based			true	0.75	20	2	5	5	23679	13332	13332	1.8
0184	013A	1644	0.04	734	1	55	80	2.5	3	2	4110	3376	RM-3	65	form-based		true	true	0.75	6	2	5	5	7398	6664	6664	1.8
0184	039	2036	0.05	1280	3	55	80	2.5	4	1	5090	3810	RM-3	65	form-based			true	0.75	8	2	5	5	9162	7882	7882	1.8
0185	009	3094	0.07	5475	6	65	100	3	7	1	9282	3807	RM-1	65	form-based			true	0.7	11	1.571428537	5	5	12994.7998	7519.799805	7519.799805	1.4
0185	017	2013	0.05	3134	2	65	100	3	5	3	6039	2905	RM-1	65	form-based			true	0.7	7	1.399999976	5	5	8454.599609	5320.599609	5320.599609	1.4
0185	019	2013	0.05	3100	2	65	100	3	5	3	6039	2939	RM-1	65	form-based			true	0.7	7	1.399999976	5	5	8454.599609	5354.599609	5354.599609	1.4
0185	022	3438	0.08	5325	7	65	100	3	8	1	10314	4989	RM-1	65	form-based			true	0.7	12	1.5	5	5	14439.59961	9114.599609	9114.599609	1.4
0185	043	1689	0.04	1037	1	65	100	3	4	3	5067	4030	RH-1	65	form-based			true	0.7	6	1.5	5	5	7093.799805	6056.799805	6056.799805	1.4
0185	048	1804	0.04	3170	1	65	100	3	4	3	5412	2242	RH-1	65	form-based			true	0.7	6	1.5	5	5	7576.799805	4406.799805	4406.799805	1.4
0186	002	2187	0.05	5580	3	55	80	2.5	4	1	5468	0	RM-3	65	form-based			true	0.75	8	2	5	5	9841.5	4261.5	4261.5	1.799835
0186	006A	3094	0.07	7500	7	55	80	2.5	6	0	7735	235	RM-3	65	form-based			true	0.75	12	2	5	5	13923	6423	6423	1.8
0187	008	2275	0.05	7233	4	55	80	2.5	4	0	5688	0	RM-3	65	form-based			true	0.75	9	2.25	5	4	10237.5	3004.5	3004.5	1.799842
0187	016	2187	0.05	4236	3	55	80	2.5	4	1	5468	1232	RM-3	65	form-based			true	0.75	8	2	5	5	9841.5	5605.5	5605.5	1.799835
0187	018	2187	0.05	4815	3	55	80	2.5	4	1	5468	653	RM-3	65	form-based			true	0.75	8	2	5	5	9841.5	5026.5	5026.5	1.799835
0187	022	1813	0.04	2338	2	55	80	2.5	3	1	4532	2194	RM-3	65	form-based			true	0.75	7	2.333333254	5	4	8158.5	5820.5	5820.5	1.800199
0191	003	1592	0.04	4203	3	65	100	3	4	1	4776	573	CRNC	65	density-lim	200			0.75	8	2	5	5	7164	2961	2961	1.5
0191	023	3325	0.08	4656	3	65	100	3	8	5	9975	5319	RM-3	65	density-lim	400			0.75	8	1	5	5	14962.5	10306.5	10306.5	1.5
0192	043	1682	0.04	7500	3	65	100	3	4	1	5046	0	CRNC	65	density-lim	200	true		0.75	8	2	5	5	7569	69	69	1.5
0193	001	2389	0.05	9945	7	65	100	3	5	0	7167	0	CVR	50	density-lim	200	true		0.75	12	2.400000095	5	3	8958.75	0	0	1.25
0193	016	2679	0.06	6891	8	65	100	3	6	0	8037	1146	CRNC	50	density-lim	200	true		0.75	13	2.166666746	5	4	10046.25	3155.25	3155.25	1.25
0196	001	3920	0.09	0	0	65	100	3	9	9	11760	11760	C-2	65	density-lim	800	true		0.8	5	0.555555582	5	5	18816	18816	18816	1.6
0196	011	3659	0.08	8570	0	65	100	3	8	8	10977	2407	C-2	65	density-lim	800			0.8	5	0.625	5	5	17563.20117	8993.201172	8993.201172	1.6

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0196	016	3609	0.08	15432	0	65	100	3	8	8	10827	0	C-2	65	density-lim	800	true		0.8	5	0.625	5	5	17323.20117	1891.201172	1891.201172	1.6
0209	006	984	0.02	4005	0	65	100	3	2	2	2952	0	CVR	50	density-lim	200			0.75	5	2.5	5	4	3690	0	0	1.25
0209	007	959	0.02	2737	0	65	100	3	2	2	2877	140	CVR	50	density-lim	200			0.75	5	2.5	5	4	3596.25	859.25	859.25	1.25
0209	008	1046	0.02	3424	0	65	100	3	2	2	3138	0	CVR	50	density-lim	200	true		0.75	5	2.5	5	4	3922.5	498.5	498.5	1.25
0209	009	1053	0.02	2793	0	65	100	3	2	2	3159	366	CVR	50	density-lim	200			0.75	5	2.5	5	4	3948.75	1155.75	1155.75	1.25
0210	045	1891	0.04	5145	4	85	140	4	6	2	7564	2419	CRNC	50	density-lim	200			0.75	9	1.5	5	5	7091.25	1946.25	1946.25	0.9375
0211	021	1373	0.03	2500	2	65	100	3	3	1	4119	1619	RC-4	65	density-lim	200			0.75	7	2.333333254	5	4	6178.5	3678.5	3678.5	1.5
0212	007	1584	0.04	4386	3	65	100	3	4	1	4752	366	RC-4	65	density-lim	200			0.75	8	2	5	5	7128	2742	2742	1.5
0212	012	3804	0.09	5446	5	65	100	3	9	4	11412	5966	RM-3	65	density-lim	400			0.75	10	1.111111164	5	5	17118	11672	11672	1.5
0212	047	3540	0.08	890	4	65	100	3	8	4	10620	9730	RM-3	65	density-lim	400			0.75	9	1.125	5	5	15930	15040	15040	1.5
0213	017	3000	0.07	7380	6	65	100	3	7	1	9000	1620	RM-3	65	form-based			true	0.75	11	1.571428537	5	5	13500	6120	6120	1.5
0213	026	3000	0.07	1239	6	65	100	3	7	1	9000	7761	RM-3	65	form-based			true	0.75	11	1.571428537	5	5	13500	12261	12261	1.5
0213	041	2251	0.05	1500	3	65	100	3	5	2	6753	5253	RM-3	65	form-based			true	0.75	8	1.600000024	5	5	10129.5	8629.5	8629.5	1.5
0214	007	2864	0.07	6699	6	55	80	2.5	6	0	7160	461	RM-3	65	form-based			true	0.75	11	1.833333373	5	5	12888	6189	6189	1.8
0215	012	1932	0.04	3160	2	55	80	2.5	3	1	4830	1670	RM-3	65	form-based			true	0.75	7	2.333333254	5	4	8694	5534	5534	1.8
0215	060	2041	0.05	1230	3	55	80	2.5	4	1	5102	3872	RM-3	65	form-based		true	true	0.75	8	2	5	5	9184.5	7954.5	7954.5	1.800176
0216	005	2090	0.05	4722	3	55	80	2.5	4	1	5225	503	RM-3	65	form-based			true	0.75	8	2	5	5	9405	4683	4683	1.8
0216	007	2055	0.05	4470	3	55	80	2.5	4	1	5138	668	RM-3	65	form-based			true	0.75	8	2	5	5	9247.5	4777.5	4777.5	1.799825
0216	023	4649	0.11	10712	12	55	80	2.5	9	0	11622	910	RM-3	65	form-based			true	0.75	17	1.888888836	5	5	20920.5	10208.5	10208.5	1.800077
0216	028	1491	0.03	3323	1	55	80	2.5	2	1	3728	405	RM-3	65	form-based			true	0.75	6	3	5	3	6709.5	3386.5	3386.5	1.799759
0216	COM	1220	0.03	0	0	55	80	2.5	2	2	3050	3050	RM-3	65	form-based			true	0.75	5	2.5	5	4	5490	5490	5490	1.8
0217	006A	4452	0.1	8676	12	65	100	3	10	0	13356	4680	RM-3	65	form-based			true	0.75	17	1.700000048	5	5	20034	11358	11358	1.5
0219	003A	1750	0.04	1522	2	55	80	2.5	3	1	4375	2853	RM-3	65	form-based			true	0.75	7	2.333333254	5	4	7875	6353	6353	1.8
0219	022	3697	0.08	6630	9	55	80	2.5	6	0	9242	2612	RM-3	65	form-based			true	0.75	14	2.333333254	5	3	16636.5	10006.5	10006.5	1.800097
0220	015	2200	0.05	2041	3	55	80	2.5	4	1	5500	3459	RM-3	65	form-based			true	0.75	8	2	5	5	9900	7859	7859	1.8
0220	021	1400	0.03	3808	0	55	80	2.5	2	2	3500	0	RM-3	65	form-based			true	0.75	5	2.5	5	4	6300	2492	2492	1.8
0220	028	2500	0.06	4773	4	55	80	2.5	5	1	6250	1477	RM-3	65	form-based			true	0.75	9	1.799999952	5	5	11250	6477	6477	1.8
0221	004C	3300	0.08	6450	7	55	80	2.5	6	0	8250	1800	RM-3	65	form-based			true	0.75	12	2	5	5	14850	8400	8400	1.8
0221	017	2122	0.05	3462	3	55	80	2.5	4	1	5305	1843	RM-3	65	form-based			true	0.75	8	2	5	5	9549	6087	6087	1.8
0221	033	2207	0.05	4995	3	55	80	2.5	4	1	5518	523	RM-3	65	form-based			true	0.75	8	2	5	5	9931.5	4936.5	4936.5	1.799837
0221	034	2207	0.05	3990	3	55	80	2.5	4	1	5518	1528	RM-3	65	form-based			true	0.75	8	2	5	5	9931.5	5941.5	5941.5	1.799837
0222	163	1640	0.04	1884	1	65	100	3	4	3	4920	3036	RM-3	65	form-based			true	0.75	6	1.5	5	5	7380	5496	5496	1.5
0223	017	2008	0.05	2590	0	65	100	3	5	5	6024	3434	RM-3	65	density-lim	400			0.75	5	1	5	5	9036	6446	6446	1.5
0224	015	1232	0.03	3926	1	65	100	3	3	2	3696	0	RM-4	65	density-lim	200			0.75	6	2	5	5	5544	1618	1618	1.5
0225	016	4630	0.11	13161	18	65	100	3	11	0	13890	729	CRNC	65	density-lim	200			0.75	23	2.090909004	5	4	20835	7674	7674	1.5
0226	036	1723	0.04	6690	4	65	100	3	4	0	5169	0	CCB	50	density-lim	200			0.75	9	2.25	5	4	6461.25	0	0	1.25
0226	046	1873	0.04	5380	4	65	100	3	4	0	5619	239	CCB	50	density-lim	200			0.75	9	2.25	5	4	7023.75	1643.75	1643.75	1.25
0227	024	1467	0.03	2530	2	65	100	3	3	1	4401	1871	CCB	50	density-lim	200			0.75	7	2.333333254	5	4	5501.25	2971.25	2971.25	1.25
0227	032	1842	0.04	4464	4	65	100	3	4	0	5526	1062	CCB	50	density-lim	200			0.75	9	2.25	5	4	6907.5	2443.5	2443.5	1.25
0227	035	1856	0.04	9804	4	65	100	3	4	0	5568	0	CCB	50	density-lim	200			0.75	9	2.25	5	4	6960	0	0	1.25
0227	037	1041	0.02	912	0	65	100	3	2	2	3123	2211	CCB	50	density-lim	200			0.75	5	2.5	5	4	3903.75	2991.75	2991.75	1.25
0243	101	2400	0.06	728	7	65	100	3	6	0	7200	6472	RM-4	65	density-lim	200			0.75	12	2	5	5	10800	10072	10072	1.5
0247	010	3081	0.07	5915	7	55	80	2.5	6	0	7702	1787	RM-3	65	form-based			true	0.75	12	2	5	5	13864.5	7949.5	7949.5	1.800117
0247	017	1833	0.04	3447	2	55	80	2.5	3	1	4582	1135	RM-3	65	form-based			true	0.75	7	2.333333254	5	4	8248.5	4801.5	4801.5	1.800196
0247	020	1813	0.04	3002	2	55	80	2.5	3	1	4532	1530	RM-3	65	form-based			true	0.75	7	2.333333254	5	4	8158.5	5156.5	5156.5	1.800199
0247	039	2925	0.07	6210	6	55	80	2.5	6	0	7312	1102	RM-4	65	form-based			true	0.75	11	1.833333373	5	5	13162.5	6952.5	6952.5	1.800123
0247	040	2863	0.07	6609	6	55	80	2.5	6	0	7158	549	RM-4	65	form-based			true	0.75	11	1.833333373	5	5	12883.5	6274.5	6274.5	1.799874
0247	051	1833	0.04	3760	2	55	80	2.5	3	1	4582	822	RM-3	65	form-based			true	0.75	7	2.333333254	5	4	8248.5	4488.5	4488.5	1.800196
0248	011	2634	0.06	6270	5	55	80	2.5	5	0	6585	315	RM-3	65	form-based			true	0.75	10	2	5	5	11853	5583	5583	1.8
0248	032	1681	0.04	747	1	55	80	2.5	3	2	4202	3455	RM-3	65	form-based			true	0.75	6	2	5	5	7564.5	6817.5	6817.5	1.800214
0249	005	2926	0.07	5400	6	65	100	3	7	1	8778	3378	RM-3	65	form-based			true	0.75	11	1.571428537	5	5	13167	7767	7767	1.5
0252	009	5638	0.13	14208	23	55	80	2.5	10	0	14095	0	RM-4	65	density-lim	200			0.75	28	2.799999952	5	0	25371	11163	11163	1.8
0252	018	2235	0.05	4875	6	55	80	2.5	4	0	5588	713	RM-4	65	density-lim	200			0.75	11	2.75	5	2	10057.5	5182.5	5182.5	1.799839
0253	005	1875	0.04	5220	4	55	80	2.5	3	0	4688	0	RM-4	65	density-lim	200			0.75	9	3	5	2	8437.5	3217.5	3217.5	1.799808
0254	017	3438	0.08	8700	12	65	100	3	8	0	10314	1614	RM-4	65	density-lim	200			0.75	17	2.125	5	4	15471	6771	6771	1.5
0254	021	2394	0.05	8607	7	65	100	3	5	0	7182	0	RM-4	65	density-lim	200	true		0.75	12	2.400000095	5	3	10773	2166	2166	1.5
0254	028	1210	0.03	5585	1	65	100	3	3	2	3630	0	RM-4	65	density-lim	200			0.75	6	2	5	5	5445	0	0	1.5
0256	006	1141	0.03	2805	1	65	100	3	3	2	3423	618	RM-4	65	density-lim	200			0.75	6	2	5	5	5134.5	2329.5	2329.5	1.5
0256	010	4588	0.11	10836	18	65	100	3	11	0	13764	2928	RM-4	65	density-lim	200	true		0.75	23	2.090909004	5	4	20646	9810	9810	1.5
0257	008	1154	0.03	0	0	65	100	3	3	3	3462	3462	C-3-G	65	form-based				0.8	5	1.666666627	5	5	5539.200195	5539.200195	5539.200195	1.6
0258	015	1000	0.02	3160	0	65	100	3	2	2	3000	0	CCB	50	density-lim	200			0.75	5	2.5	5	4	3750	590	590	1.25
0271	016	4415	0.1	13752	17	65	100	3	10	0	13245	0	RM-4	65	density-lim	200	true		0.75	22	2.200000048	5	3	19867.5	6115.5	6115.5	1.5
0275	007	2625	0.06	7758	8	65	100	3	6	0	7875	117	RM-4	65	density-lim	200			0.75	13	2.166666746	5	4	11812.5	4054.5	4054.5	1.5
0276	003	1765	0.04	5682	4	65	100	3	4	0	5295	0	RM-4	65	density-lim	200			0.75	9	2.25	5	4	7942.5	2260.5	2260.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0280	013	2225	0.05	6330	6	65	100	3	5	0	6675	345	RC-4	80	density-lim	200			0.75	11	2.200000048	5	4	13350	7020	7020	2
0280	018	2827	0.06	8500	9	65	100	3	6	0	8481	0	RC-4	80	density-lim	200			0.75	14	2.333333254	5	3	16962	8462	8462	2
0280	029	4175	0.1	12424	16	65	100	3	10	0	12525	101	RC-4	65	density-lim	200			0.75	21	2.099999905	5	4	18787.5	6363.5	6363.5	1.5
0282	013	7505	0.17	19960	33	65	100	3	17	0	22515	2555	RC-4	65	density-lim	200			0.75	38	2.235294104	5	1	33772.5	13812.5	13812.5	1.5
0283	015	6188	0.14	15770	26	65	100	3	14	0	18564	2794	RC-4	65	density-lim	200			0.75	31	2.214285612	5	2	27846	12076	12076	1.5
0294	001	575	0.01	2025	0	75	120	3.5	1	1	2012	0	C-3-R	130	form-based		true		0.8	5	5	5	2	5175	3150	1999	2.572067
0294	002	550	0.01	1650	0	75	120	3.5	1	1	1925	275	C-3-R	130	form-based				0.8	5	5	5	2	4950	3300	2200	2.571429
0298	032	6087	0.14	18050	25	65	100	3	14	0	18261	211	RC-4	80	density-lim	200			0.75	30	2.142857075	5	3	36522	18472	18472	2
0302	003	1120	0.03	3240	1	65	100	3	3	2	3360	120	RC-4	80	density-lim	200			0.75	6	2	5	5	6720	3480	3480	2
0302	004	1120	0.03	1672	1	65	100	3	3	2	3360	1688	RC-4	80	density-lim	200			0.75	6	2	5	5	6720	5048	5048	2
0304	012	1576	0.04	4140	3	85	140	4	6	3	6304	2164	RC-4	80	density-lim	200			0.75	8	1.333333373	5	5	9456	5316	5316	1.5
0306	020	9510	0.22	53390	81	65	100	3	22	0	28530	0	C-3-G	130	form-based				0.8	86	3.909090996	5	0	85590	32200	3670	3
0310	006	594	0.01	3080	0	85	140	4	1	1	2376	0	C-3-O	130	form-based		true		0.8	5	5	5	2	5346	2266	1672	2.25
0322	004	8250	0.19	23880	36	65	100	3	19	0	24750	870	RC-4	80	density-lim	200			0.75	41	2.15789485	5	2	49500	25620	25620	2
0327	024	570	0.01	0	0	85	140	4	1	1	2280	2280	C-3-R	130	form-based		true		0.8	5	5	5	2	5130	5130	4560	2.25
0337	002	2149	0.05	5100	6	65	100	3	5	0	6447	1347	RC-4	80	density-lim	200			0.75	11	2.200000048	5	4	12894	7794	7794	2
0349	014	21019	0.48	74693	100	75	120	3.5	58	0	73566	0	RC-4	120	density-lim	200			0.75	105	1.810344815	5	5	152349.75	77656.75	72439	2.070926
0355	010	7242	0.17	27450	36	85	140	4	24	0	28968	1518	C-3-G	80	form-based		true		0.8	41	1.708333373	5	5	46348.80078	18898.80078	18898.80078	1.6
0436B	001L	2863	0.07	2465	1	55	80	2.5	6	5	7158	4693	RH-1	40	form-based		true	true	0.7	6	1	5	5	8016.399902	5551.399902	5551.399902	1.119922
0445A	030	4144	0.1	805	4	55	80	2.5	8	4	10360	9555	RH-2	40	form-based			true	0.7	9	1.125	5	5	11603.2002	10798.2002	10798.2002	1.12
0445A	050	3455	0.08	2893	2	55	80	2.5	6	4	8638	5745	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9674	6781	6781	1.119935
0453	003	2181	0.05	2507	0	65	100	3	5	5	6543	4036	RM-3	40	form-based			true	0.75	5	1	5	5	6543	4036	4036	1
0460A	005	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	NC-2	40	form-based			true	0.75	6	1.200000048	5	5	7500	6400	6400	1.2
0460A	024	3811	0.09	4287	3	55	80	2.5	7	4	9528	5241	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10670.7998	6383.799805	6383.799805	1.119941
0460A	028	4019	0.09	4789	3	55	80	2.5	7	4	10048	5259	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	11253.2002	6464.200195	6464.200195	1.119944
0472	055	3443	0.08	1871	2	65	100	3	8	6	10329	8458	RH-3	40	form-based			true	0.7	7	0.875	5	5	9640.399414	7769.399414	7769.399414	0.933333
0472	031	3437	0.08	5028	2	65	100	3	8	6	10311	5283	RM-1	40	form-based			true	0.7	7	0.875	5	5	9623.599609	4595.599609	4595.599609	0.933333
0472	033	3437	0.08	3450	2	65	100	3	8	6	10311	6861	RM-1	40	form-based			true	0.7	7	0.875	5	5	9623.599609	6173.599609	6173.599609	0.933333
0472	039	2193	0.05	5376	0	65	100	3	5	5	6579	1203	RM-1	40	form-based			true	0.7	5	1	5	5	6140.399902	764.3999023	764.3999023	0.933333
0472	061	3437	0.08	1567	2	65	100	3	8	6	10311	8744	RM-1	40	form-based			true	0.7	7	0.875	5	5	9623.599609	8056.599609	8056.599609	0.933333
0473	005	2750	0.06	1550	1	65	100	3	6	5	8250	6700	RH-3	40	form-based			true	0.7	6	1	5	5	7700	6150	6150	0.933333
0473	006	2750	0.06	2295	1	65	100	3	6	5	8250	5955	RH-3	40	form-based			true	0.7	6	1	5	5	7700	5405	5405	0.933333
0473	015	4131	0.09	6052	4	65	100	3	9	5	12393	6341	RM-1	40	form-based			true	0.7	9	1	5	5	11566.7998	5514.799805	5514.799805	0.933333
0473	017	3442	0.08	4769	2	65	100	3	8	6	10326	5557	RM-1	40	form-based			true	0.7	7	0.875	5	5	9637.599609	4868.599609	4868.599609	0.933333
0473	018	3442	0.08	2740	2	65	100	3	8	6	10326	7586	RM-1	40	form-based			true	0.7	7	0.875	5	5	9637.599609	6897.599609	6897.599609	0.933333
0473	021	3438	0.08	3835	2	65	100	3	8	6	10314	6479	RH-3	40	form-based			true	0.7	7	0.875	5	5	9626.399414	5791.399414	5791.399414	0.933333
0473	022	3437	0.08	1640	2	65	100	3	8	6	10311	8671	RH-3	40	form-based			true	0.7	7	0.875	5	5	9623.599609	7983.599609	7983.599609	0.933333
0473	033	3437	0.08	1317	2	65	100	3	8	6	10311	8994	RH-3	40	form-based			true	0.7	7	0.875	5	5	9623.599609	8306.599609	8306.599609	0.933333
0474	003A	4612	0.11	7521	12	65	100	3	11	0	13836	6315	RTO-C	65	form-based			true	0.75	17	1.545454502	5	5	20754	13233	13233	1.5
0474	013	3100	0.07	1965	2	65	100	3	7	5	9300	7335	RM-1	40	form-based			true	0.7	7	1	5	5	8680	6715	6715	0.933333
0474	017	3545	0.08	3480	2	65	100	3	8	6	10635	7155	RM-1	40	form-based			true	0.7	7	0.875	5	5	9926	6446	6446	0.933333
0474	022	3304	0.08	3536	2	65	100	3	8	6	9912	6376	RM-1	40	form-based			true	0.7	7	0.875	5	5	9251.200195	5715.200195	5715.200195	0.933333
0474	023	4125	0.09	900	4	65	100	3	9	5	12375	11475	RM-1	40	form-based			true	0.7	9	1	5	5	11550	10650	10650	0.933333
0474	065	3442	0.08	1573	2	65	100	3	8	6	10326	8753	RM-1	40	form-based			true	0.7	7	0.875	5	5	9637.599609	8064.599609	8064.599609	0.933333
0476	004A	3025	0.07	3798	1	65	100	3	7	6	9075	5277	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	4672	4672	0.933333
0477	001	2937	0.07	5604	1	65	100	3	7	6	8811	3207	RH-2	40	form-based		true	true	0.7	6	0.857142866	5	5	8223.599609	2619.599609	2619.599609	0.933333
0477	017D	1952	0.04	3597	-1	65	100	3	4	5	5856	2259	RH-2	40	form-based			true	0.7	4	1	5	5	5465.600098	1868.600098	1868.600098	0.933333
0477	024	3714	0.09	4009	3	65	100	3	9	6	11142	7133	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10399.2002	6390.200195	6390.200195	0.933333
0478	007	3437	0.08	2772	2	65	100	3	8	6	10311	7539	RM-1	40	form-based			true	0.7	7	0.875	5	5	9623.599609	6851.599609	6851.599609	0.933333
0478	009	3712	0.09	3772	3	65	100	3	9	6	11136	7364	RM-1	40	form-based			true	0.7	8	0.888888896	5	5	10393.59961	6621.599609	6621.599609	0.933333
0478	010	3713	0.09	3556	3	85	140	4	13	10	14852	11296	RM-1	40	form-based			true	0.7	8	0.615384638	5	5	10396.39941	6840.399414	6840.399414	0.7
0479	011	3953	0.09	4288	3	65	100	3	9	6	11859	7571	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	11068.39941	6780.399414	6780.399414	0.933333
0480	004E	2815	0.06	2463	1	65	100	3	6	5	8445	5982	RH-3	40	form-based			true	0.7	6	1	5	5	7882	5419	5419	0.933333
0480	004F	2815	0.06	2560	1	65	100	3	6	5	8445	5885	RH-3	40	form-based			true	0.7	6	1	5	5	7882	5322	5322	0.933333
0480	005	2815	0.06	2075	1	65	100	3	6	5	8445	6370	RH-3	40	form-based			true	0.7	6	1	5	5	7882	5807	5807	0.933333
0480	005A	2815	0.06	1560	1	65	100	3	6	5	8445	6885	RH-3	40	form-based			true	0.7	6	1	5	5	7882	6322	6322	0.933333
0480	005B	2815	0.06	1665	1	65	100	3	6	5	8445	6780	RH-3	40	form-based			true	0.7	6	1	5	5	7882	6217	6217	0.933333
0480	006F	3438	0.08	2500	2	65	100	3	8	6	10314	7814	RH-3	40	form-based			true	0.7	7	0.875	5	5	9626.399414	7126.399414	7126.399414	0.933333
0480	009	3437	0.08	1985	2	65	100	3	8	6	10311	8326	RH-3	40	form-based			true	0.7	7	0.875	5	5	9623.599609	7638.599609	7638.599609	0.933333
0480	011	3438	0.08	1322	2	65	100	3	8	6	10314	8992	RH-3	40	form-based			true	0.7	7	0.875	5	5	9626.399414	8304.399414	8304.399414	0.933333
0480	015	3438	0.08	1607	2	65	100	3	8	6	10314	8707	RH-3	40	form-based			true	0.7	7	0.875	5	5	9626.399414	8019.399414	8019.399414	0.933333
0480	017	3438	0.08	1435	2	65	100	3	8	6	10314	8879	RH-3	40	form-based			true	0.7	7	0.875	5	5	9626.399414	8191.399414	8191.399414	0.933333
0481	006	3438	0.08	3084	2	65	100	3	8	6	10314	7230	RH-3	40	form-based			true	0.7	7	0.875	5	5	9626.399414	6542.399414	6542.399414	0.933333
0481	020	1875	0.04	2500	2	65	100	3	4	2	5625	3125	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	5937.5	5937.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0481	021	1875	0.04	2500	2	65	100	3	4	2	5625	3125	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	5937.5	5937.5	1.5
0481	022	1875	0.04	2500	2	65	100	3	4	2	5625	3125	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	5937.5	5937.5	1.5
0481	032	3438	0.08	2650	2	65	100	3	8	6	10314	7664	RH-3	40	form-based			true	0.7	7	0.875	5	5	9626.399414	6976.399414	6976.399414	0.933333
0481	033	3438	0.08	2650	2	65	100	3	8	6	10314	7664	RH-3	40	form-based			true	0.7	7	0.875	5	5	9626.399414	6976.399414	6976.399414	0.933333
0481	034	3438	0.08	2650	2	65	100	3	8	6	10314	7664	RH-3	40	form-based			true	0.7	7	0.875	5	5	9626.399414	6976.399414	6976.399414	0.933333
0481	035	3438	0.08	2650	2	65	100	3	8	6	10314	7664	RH-3	40	form-based			true	0.7	7	0.875	5	5	9626.399414	6976.399414	6976.399414	0.933333
0481	037	3437	0.08	2650	2	65	100	3	8	6	10311	7661	RH-3	40	form-based			true	0.7	7	0.875	5	5	9623.599609	6973.599609	6973.599609	0.933333
0481	043	3437	0.08	1306	2	65	100	3	8	6	10311	9005	RH-3	40	form-based			true	0.7	7	0.875	5	5	9623.599609	8317.599609	8317.599609	0.933333
0481	049	3438	0.08	1130	2	65	100	3	8	6	10314	9184	RH-3	40	form-based			true	0.7	7	0.875	5	5	9626.399414	8496.399414	8496.399414	0.933333
0481	057	2812	0.06	2029	1	65	100	3	6	5	8436	6407	RH-3	40	form-based			true	0.7	6	1	5	5	7873.600098	5844.600098	5844.600098	0.933333
0482	002A	2732	0.06	2870	1	55	80	2.5	5	4	6830	3960	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7649.600098	4779.600098	4779.600098	1.12
0482	026	3435	0.08	3390	2	55	80	2.5	6	4	8588	5198	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9618	6228	6228	1.119935
0482	029	3435	0.08	6350	2	55	80	2.5	6	4	8588	2238	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9618	3268	3268	1.119935
0482	037	3435	0.08	1994	2	55	80	2.5	6	4	8588	6594	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9618	7624	7624	1.119935
0482	039	3435	0.08	3072	2	55	80	2.5	6	4	8588	5516	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9618	6546	6546	1.119935
0482	043	3435	0.08	1674	2	55	80	2.5	6	4	8588	6914	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9618	7944	7944	1.119935
0493	001A	2042	0.05	3668	3	55	80	2.5	4	1	5105	1437	RTO-C	65	form-based			true	0.75	8	2	5	5	9189	5521	5521	1.8
0493	026	1957	0.04	1739	2	55	80	2.5	3	1	4892	3153	RTO-C	65	form-based		true	true	0.75	7	2.333333254	5	4	8806.5	7067.5	7067.5	1.800184
0494	013B	1998	0.05	2880	2	55	80	2.5	4	2	4995	2115	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8991	6111	6111	1.8
0494	013C	1999	0.05	2880	2	55	80	2.5	4	2	4998	2118	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8995.5	6115.5	6115.5	1.79982
0494	013E	1635	0.04	1460	1	55	80	2.5	3	2	4088	2628	RTO-C	65	form-based			true	0.75	6	2	5	5	7357.5	5897.5	5897.5	1.79978
0494	019	2946	0.07	5700	6	55	80	2.5	6	0	7365	1665	RTO-C	65	form-based			true	0.75	11	1.833333373	5	5	13257	7557	7557	1.8
0494	021	4637	0.11	10116	12	55	80	2.5	9	0	11592	1476	RTO-C	65	form-based			true	0.75	17	1.888888836	5	5	20866.5	10750.5	10750.5	1.800078
0496	001	4967	0.11	12780	14	65	100	3	11	0	14901	2121	RTO-C	65	form-based		true	true	0.75	19	1.727272749	5	5	22351.5	9571.5	9571.5	1.5
0496	001B	2486	0.06	3748	4	65	100	3	6	2	7458	3710	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11187	7439	7439	1.5
0496	015D	2951	0.07	4952	6	65	100	3	7	1	8853	3901	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13279.5	8327.5	8327.5	1.5
0498	026	3015	0.07	4575	6	85	140	4	10	4	12060	7485	RC-3	65	form-based			true	0.75	11	1.100000024	5	5	13567.5	8992.5	8992.5	1.125
0500	004	2139	0.05	2970	1	65	100	3	5	4	6417	3447	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7486.5	4516.5	4516.5	1.166667
0500	005	2141	0.05	3360	1	65	100	3	5	4	6423	3063	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7493.5	4133.5	4133.5	1.166667
0500	018	1891	0.04	2796	2	65	100	3	4	2	5673	2877	RH-3	65	form-based			true	0.7	7	1.75	5	5	7942.199707	5146.199707	5146.199707	1.4
0500	019	2092	0.05	2250	2	65	100	3	5	3	6276	4026	RH-3	65	form-based			true	0.7	7	1.399999976	5	5	8786.399414	6536.399414	6536.399414	1.4
0500	020	2069	0.05	2250	2	65	100	3	5	3	6207	3957	RH-3	65	form-based			true	0.7	7	1.399999976	5	5	8689.799805	6439.799805	6439.799805	1.4
0500	028	3025	0.07	2200	3	65	100	3	7	4	9075	6875	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10587.5	8387.5	8387.5	1.166667
0500	031	1995	0.05	2750	1	65	100	3	5	4	5985	3235	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	6982.5	4232.5	4232.5	1.166667
0500	032	1995	0.05	2029	1	65	100	3	5	4	5985	3956	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	6982.5	4953.5	4953.5	1.166667
0500	033	1995	0.05	1620	1	65	100	3	5	4	5985	4365	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	6982.5	5362.5	5362.5	1.166667
0501	003	2686	0.06	4001	3	65	100	3	6	3	8058	4057	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9401	5400	5400	1.166667
0501	009	2690	0.06	4379	3	65	100	3	6	3	8070	3691	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9415	5036	5036	1.166667
0502	001	2866	0.07	6975	6	65	100	3	7	1	8598	1623	RM-3	65	form-based		true	true	0.75	11	1.571428537	5	5	12897	5922	5922	1.5
0502	008	2000	0.05	1642	2	65	100	3	5	3	6000	4358	RH-3	65	form-based			true	0.7	7	1.399999976	5	5	8400	6758	6758	1.4
0504	003A	3000	0.07	1742	1	65	100	3	7	6	9000	7258	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8400	6658	6658	0.933333
0504	003H	3803	0.09	2275	1	65	100	3	9	8	11409	9134	NC-3	40	density-lim	600			0.75	6	0.666666687	5	5	11409	9134	9134	1
0506	007	3438	0.08	3300	2	55	80	2.5	6	4	8595	5295	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	6326.399414	6326.399414	1.12
0506	008	3438	0.08	3200	2	55	80	2.5	6	4	8595	5395	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	6426.399414	6426.399414	1.12
0506	014	3438	0.08	1636	2	55	80	2.5	6	4	8595	6959	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	7990.399414	7990.399414	1.12
0506	051	3438	0.08	2251	2	55	80	2.5	6	4	8595	6344	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	7375.399414	7375.399414	1.12
0507	009	6875	0.16	8644	9	55	80	2.5	13	4	17188	8544	RH-2	40	form-based			true	0.7	14	1.076923132	5	5	19250	10606	10606	1.119967
0507	011	3437	0.08	2937	2	55	80	2.5	6	4	8592	5655	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	6686.599609	6686.599609	1.120065
0507	018	2664	0.06	2683	1	55	80	2.5	5	4	6660	3977	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7459.199707	4776.199707	4776.199707	1.12
0507	045	3437	0.08	1066	2	55	80	2.5	6	4	8592	7526	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	8557.599609	8557.599609	1.120065
0517	008	3000	0.07	1445	1	55	80	2.5	6	5	7500	6055	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6955	6955	1.12
0518	011	3506	0.08	2136	2	55	80	2.5	6	4	8765	6629	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9816.799805	7680.799805	7680.799805	1.12
0518	015	3781	0.09	4666	3	55	80	2.5	7	4	9452	4786	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10586.7998	5920.799805	5920.799805	1.120059
0518	018	5225	0.12	5026	6	55	80	2.5	10	4	13062	8036	RH-2	40	form-based			true	0.7	11	1.100000024	5	5	14630	9604	9604	1.120043
0518	019	2681	0.06	3670	1	55	80	2.5	5	4	6702	3032	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7506.799805	3836.799805	3836.799805	1.120084
0518	046	3781	0.09	1756	3	55	80	2.5	7	4	9452	7696	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10586.7998	8830.799805	8830.799805	1.120059
0519	006	3440	0.08	3602	2	55	80	2.5	6	4	8600	4998	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9632	6030	6030	1.12
0519	007	3440	0.08	5230	2	55	80	2.5	6	4	8600	3370	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9632	4402	4402	1.12
0519	027	3350	0.08	2174	2	55	80	2.5	6	4	8375	6201	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9380	7206	7206	1.12
0520	020	3502	0.08	1602	2	55	80	2.5	6	4	8755	7153	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9805.599609	8203.599609	8203.599609	1.12
0520	025	2750	0.06	2617	1	55	80	2.5	5	4	6875	4258	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7700	5083	5083	1.12
0520	035	4812	0.11	5880	5	65	100	3	11	6	14436	8556	RH-3	40	form-based			true	0.7	10	0.909090936	5	5	13473.59961	7593.599609	7593.599609	0.933333
0520	037	4133	0.09	1403	4	65	100	3	9	5	12399	10996	RH-3	40	form-based			true	0.7	9	1	5	5	11572.39941	10169.39941	10169.39941	0.933333
0523	006	2187	0.05	5295	6	65	100	3	5	0	6561	1266	RM-2	85	form-based			true	0.7	11	2.200000048	5	4	12247.2002	6952.200195	6952.200195	1.866667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0524	002	2219	0.05	4577	1	65	100	3	5	4	6657	2080	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7766.5	3189.5	3189.5	1.166667
0524	016	1977	0.05	6945	5	65	100	3	5	0	5931	0	RM-2	85	form-based		true	true	0.7	10	2	5	5	11071.2002	4126.200195	4126.200195	1.866667
0524	021	4875	0.11	11145	12	65	100	3	11	0	14625	3480	RM-2	65	form-based			true	0.7	17	1.545454502	5	5	20475	9330	9330	1.4
0525	008	6788	0.16	17400	19	65	100	3	16	0	20364	2964	RM-2	65	form-based		true	true	0.7	24	1.5	5	5	28509.59961	11109.59961	11109.59961	1.4
0525	017	2440	0.06	4707	4	65	100	3	6	2	7320	2613	NCD-POLK	65	form-based			true	0.75	9	1.5	5	5	10980	6273	6273	1.5
0525	072	1875	0.04	2100	2	65	100	3	4	2	5625	3525	RM-2	65	form-based			true	0.7	7	1.75	5	5	7875	5775	5775	1.4
0525	093	4446	0.1	646	11	65	100	3	10	0	13338	12692	RH-2	65	form-based			true	0.7	16	1.600000024	5	5	18673.19922	18027.19922	18027.19922	1.4
0526	012	6875	0.16	13953	21	65	100	3	16	0	20625	6672	RTO-C	65	form-based			true	0.75	26	1.625	5	5	30937.5	16984.5	16984.5	1.5
0528	001	3291	0.08	8658	12	65	100	3	8	0	9873	1215	RTO-C	85	form-based		true	true	0.75	17	2.125	5	4	19746	11088	11088	2
0527	018	2874	0.07	7728	6	65	100	3	7	1	8622	894	NCD-UNIO	65	form-based		true	true	0.75	11	1.571428537	5	5	12933	5205	5205	1.5
0529	006	2173	0.05	4933	3	65	100	3	5	2	6519	1586	NCD-UNIO	65	form-based			true	0.75	8	1.600000024	5	5	9778.5	4845.5	4845.5	1.5
0530	004	2753	0.06	2744	1	55	80	2.5	5	4	6882	4138	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7708.399902	4964.399902	4964.399902	1.120081
0530	009	2002	0.05	4060	3	55	80	2.5	4	1	5005	945	NCD-UNIO	65	form-based			true	0.75	8	2	5	5	9009	4949	4949	1.8
0530	016	1950	0.04	2090	2	55	80	2.5	3	1	4875	2785	NCD-UNIO	65	form-based			true	0.75	7	2.333333254	5	4	8775	6685	6685	1.8
0530	020	2835	0.07	1764	1	55	80	2.5	6	5	7088	5324	RH-2	40	form-based			true	0.7	6	1	5	5	7938	6174	6174	1.119921
0530	025	4175	0.1	2464	4	55	80	2.5	8	4	10438	7974	RH-2	40	form-based			true	0.7	9	1.125	5	5	11690	9226	9226	1.119946
0530	027	3437	0.08	2650	2	55	80	2.5	6	4	8592	5942	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	6973.599609	6973.599609	1.120065
0531	016	2959	0.07	3212	1	55	80	2.5	6	5	7398	4186	RH-2	40	form-based			true	0.7	6	1	5	5	8285.200195	5073.200195	5073.200195	1.119924
0531	021	3333	0.08	2052	2	55	80	2.5	6	4	8332	6280	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9332.399414	7280.399414	7280.399414	1.120067
0531	041	3444	0.08	634	2	55	80	2.5	6	4	8610	7976	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9643.200195	9009.200195	9009.200195	1.12
0532	043	3766	0.09	621	3	55	80	2.5	7	4	9415	8794	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10544.7998	9923.799805	9923.799805	1.12
0542	001	1800	0.04	5060	2	55	80	2.5	3	1	4500	0	NCD-UNIO	65	form-based		true	true	0.75	7	2.333333254	5	4	8100	3040	3040	1.8
0542	003	3437	0.08	3228	2	55	80	2.5	6	4	8592	5364	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	6395.599609	6395.599609	1.120065
0542	005	2682	0.06	3310	1	55	80	2.5	5	4	6705	3395	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7509.600098	4199.600098	4199.600098	1.12
0542	009	3018	0.07	3011	1	55	80	2.5	6	5	7545	4534	RH-3	40	form-based			true	0.7	6	1	5	5	8450.399414	5439.399414	5439.399414	1.12
0542	036	2500	0.06	3895	4	55	80	2.5	5	1	6250	2355	NCD-UNIO	65	form-based			true	0.75	9	1.799999952	5	5	11250	7355	7355	1.8
0542	084	3437	0.08	1465	2	55	80	2.5	6	4	8592	7127	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	8158.599609	8158.599609	1.120065
0543	024	2127	0.05	4125	3	55	80	2.5	4	1	5318	1193	NCD-UNIO	65	form-based			true	0.75	8	2	5	5	9571.5	5446.5	5446.5	1.799831
0543	034	3053	0.07	5168	6	55	80	2.5	6	0	7632	2464	NCD-UNIO	65	form-based			true	0.75	11	1.833333373	5	5	13738.5	8570.5	8570.5	1.800118
0544	009	3001	0.07	3100	1	65	100	3	7	6	9003	5903	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	5302.799805	5302.799805	0.933333
0544	011B	6270	0.14	15500	19	65	100	3	14	0	18810	3310	NCD-UNIO	65	form-based			true	0.75	24	1.714285731	5	5	28215	12715	12715	1.5
0544	019	3570	0.08	2500	2	65	100	3	8	6	10710	8210	RH-2	40	form-based			true	0.7	7	0.875	5	5	9996	7496	7496	0.933333
0545	009	2750	0.06	1370	1	65	100	3	6	5	8250	6880	RM-2	40	form-based			true	0.7	6	1	5	5	7700	6330	6330	0.933333
0546	013D	2340	0.05	4056	4	65	100	3	5	1	7020	2964	RTO-C	65	form-based		true	true	0.75	9	1.799999952	5	5	10530	6474	6474	1.5
0548	020	2500	0.06	4750	4	65	100	3	6	2	7500	2750	RH-2	65	form-based			true	0.7	9	1.5	5	5	10500	5750	5750	1.4
0548	035	2500	0.06	1168	4	65	100	3	6	2	7500	6332	RH-2	65	form-based			true	0.7	9	1.5	5	5	10500	9332	9332	1.4
0549	002	3248	0.07	4908	6	65	100	3	7	1	9744	4836	RM-2	65	form-based			true	0.7	11	1.571428537	5	5	13641.59961	8733.599609	8733.599609	1.4
0549	004	2200	0.05	2952	3	65	100	3	5	2	6600	3648	RH-3	65	form-based			true	0.7	8	1.600000024	5	5	9240	6288	6288	1.4
0550	044	1553	0.04	800	3	65	100	3	4	1	4659	3859	RTO-C	85	form-based			true	0.75	8	2	5	5	9318	8518	8518	2
0550	052	1386	0.03	918	2	65	100	3	3	1	4158	3240	RTO-C	85	form-based			true	0.75	7	2.333333254	5	4	8316	7398	7398	2
0552	004	3310	0.08	3500	2	65	100	3	8	6	9930	6430	RH-2	40	form-based			true	0.7	7	0.875	5	5	9268	5768	5768	0.933333
0552	058	3310	0.08	1508	2	65	100	3	8	6	9930	8422	RH-2	40	form-based			true	0.7	7	0.875	5	5	9268	7760	7760	0.933333
0552	066	3310	0.08	2178	2	65	100	3	8	6	9930	7752	RH-2	40	form-based			true	0.7	7	0.875	5	5	9268	7090	7090	0.933333
0553	022	3644	0.08	2655	3	65	100	3	8	5	10932	8277	RH-2	40	form-based			true	0.7	8	1	5	5	10203.2002	7548.200195	7548.200195	0.933333
0553	027	3437	0.08	1955	2	65	100	3	8	6	10311	8356	RH-2	40	form-based			true	0.7	7	0.875	5	5	9623.599609	7668.599609	7668.599609	0.933333
0553	069	3438	0.08	1701	2	65	100	3	8	6	10314	8613	RH-2	40	form-based			true	0.7	7	0.875	5	5	9626.399414	7925.399414	7925.399414	0.933333
0554	002	3118	0.07	2750	2	55	80	2.5	6	4	7795	5045	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8730.399414	5980.399414	5980.399414	1.12
0554	004	3118	0.07	3388	2	55	80	2.5	6	4	7795	4407	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8730.399414	5342.399414	5342.399414	1.12
0554	007	3251	0.07	4280	2	55	80	2.5	6	4	8128	3848	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9102.799805	4822.799805	4822.799805	1.119931
0554	026	3437	0.08	2900	2	55	80	2.5	6	4	8592	5692	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	6723.599609	6723.599609	1.120065
0554	059	3438	0.08	1306	2	55	80	2.5	6	4	8595	7289	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	8320.399414	8320.399414	1.12
0555	014	4125	0.09	4970	4	55	80	2.5	7	3	10312	5342	RH-2	40	form-based			true	0.7	9	1.285714269	5	5	11550	6580	6580	1.120054
0555	019	3375	0.08	4764	2	55	80	2.5	6	4	8438	3674	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9450	4686	4686	1.119934
0555	036	3438	0.08	2068	2	55	80	2.5	6	4	8595	6527	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	7558.399414	7558.399414	1.12
0555	040	3781	0.09	1079	3	55	80	2.5	7	4	9452	8373	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10586.7998	9507.799805	9507.799805	1.120059
0556	035	3787	0.09	2080	3	55	80	2.5	7	4	9468	7388	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10603.59961	8523.599609	8523.599609	1.119941
0556	048	3786	0.09	2133	3	55	80	2.5	7	4	9465	7332	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10600.7998	8467.799805	8467.799805	1.12
0556	062	3781	0.09	1211	3	55	80	2.5	7	4	9452	8241	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10586.7998	9375.799805	9375.799805	1.120059
0556	066	3786	0.09	867	3	55	80	2.5	7	4	9465	8598	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10600.7998	9733.799805	9733.799805	1.12
0557	045	3448	0.08	2508	2	55	80	2.5	6	4	8620	6112	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9654.399414	7146.399414	7146.399414	1.12
0558	008	2620	0.06	3485	1	55	80	2.5	5	4	6550	3065	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7336	3851	3851	1.12
0558	009	2592	0.06	3924	0	55	80	2.5	5	5	6480	2556	RH-2	40	form-based			true	0.7	5	1	5	5	7257.600098	3333.600098	3333.600098	1.12
0558	016	3713	0.09	4104	3	55	80	2.5	7	4	9282	5178	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10396.39941	6292.399414	6292.399414	1.12006
0558	017	3437	0.08	5485	2	55	80	2.5	6	4	8592	3107	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	4138.599609	4138.599609	1.120065

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0558	035	3798	0.09	1566	3	55	80	2.5	7	4	9495	7929	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10634.39941	9068.399414	9068.399414	1.12
0559	007	3025	0.07	5284	1	55	80	2.5	6	5	7562	2278	RH-2	40	form-based			true	0.7	6	1	5	5	8470	3186	3186	1.120074
0559	008	3025	0.07	3626	1	55	80	2.5	6	5	7562	3936	RH-2	40	form-based			true	0.7	6	1	5	5	8470	4844	4844	1.120074
0559	025	4069	0.09	5700	4	55	80	2.5	7	3	10172	4472	RH-2	40	form-based			true	0.7	9	1.285714269	5	5	11393.2002	5693.200195	5693.200195	1.120055
0559	035	3285	0.08	4132	2	55	80	2.5	6	4	8212	4080	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9198	5066	5066	1.120068
0559	063	3391	0.08	1482	2	55	80	2.5	6	4	8478	6996	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9494.799805	8012.799805	8012.799805	1.119934
0560	010	3000	0.07	3380	1	55	80	2.5	6	5	7500	4120	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5020	5020	1.12
0560	011	2700	0.06	2728	1	55	80	2.5	5	4	6750	4022	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7560	4832	4832	1.12
0560	014A	2750	0.06	3807	1	55	80	2.5	5	4	6875	3068	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7700	3893	3893	1.12
0560	015	2750	0.06	3109	1	55	80	2.5	5	4	6875	3766	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7700	4591	4591	1.12
0560	016	2750	0.06	3686	1	55	80	2.5	5	4	6875	3189	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7700	4014	4014	1.12
0561	002	3094	0.07	3868	1	55	80	2.5	6	5	7735	3867	RH-1	40	form-based			true	0.7	6	1	5	5	8663.200195	4795.200195	4795.200195	1.12
0561	003	3094	0.07	5414	1	55	80	2.5	6	5	7735	2321	RH-1	40	form-based			true	0.7	6	1	5	5	8663.200195	3249.200195	3249.200195	1.12
0561	021	3027	0.07	2170	1	55	80	2.5	6	5	7568	5398	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	6305.599609	6305.599609	1.119926
0561	022	2991	0.07	4300	1	55	80	2.5	6	5	7478	3178	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	4074.799805	4074.799805	1.119925
0561	026	2801	0.06	6448	1	55	80	2.5	5	4	7002	554	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7842.799805	1394.799805	1394.799805	1.12008
0561	030	2700	0.06	2887	1	55	80	2.5	5	4	6750	3863	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7560	4673	4673	1.12
0561	031	2700	0.06	2900	1	55	80	2.5	5	4	6750	3850	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7560	4660	4660	1.12
0561	033	2970	0.07	4434	1	55	80	2.5	6	5	7425	2991	RH-1	40	form-based			true	0.7	6	1	5	5	8316	3882	3882	1.12
0562	002	2699	0.06	4514	1	55	80	2.5	5	4	6748	2234	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7557.199707	3043.199707	3043.199707	1.119917
0562	008	3781	0.09	5463	3	55	80	2.5	7	4	9452	3989	RH-1	40	form-based			true	0.7	8	1.142857194	5	5	10586.7998	5123.799805	5123.799805	1.120059
0562	015	2890	0.07	5726	1	55	80	2.5	6	5	7225	1499	RH-1	40	form-based			true	0.7	6	1	5	5	8092	2366	2366	1.12
0562	016	2890	0.07	5023	1	55	80	2.5	6	5	7225	2202	RH-1	40	form-based			true	0.7	6	1	5	5	8092	3069	3069	1.12
0562	017	2261	0.05	6909	0	55	80	2.5	4	4	5652	0	RH-1	40	form-based		true	true	0.7	5	1.25	5	5	6330.799805	0	0	1.120099
0562	037	3256	0.07	2896	2	55	80	2.5	6	4	8140	5244	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9116.799805	6220.799805	6220.799805	1.12
0562	039	3276	0.08	2806	2	55	80	2.5	6	4	8190	5384	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9172.799805	6366.799805	6366.799805	1.12
0565	003	2653	0.06	2900	1	55	80	2.5	5	4	6632	3732	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7428.399902	4528.399902	4528.399902	1.120084
0565	021	3183	0.07	3120	2	55	80	2.5	6	4	7958	4838	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8912.399414	5792.399414	5792.399414	1.11993
0566	017	5155	0.12	4453	6	55	80	2.5	10	4	12888	8435	RH-2	40	form-based			true	0.7	11	1.100000024	5	5	14434	9981	9981	1.119956
0566	027	3779	0.09	4411	3	55	80	2.5	7	4	9448	5037	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10581.2002	6170.200195	6170.200195	1.119941
0567	003A	2816	0.06	2478	1	55	80	2.5	5	4	7040	4562	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7884.799805	5406.799805	5406.799805	1.12
0567	005	3441	0.08	2336	2	55	80	2.5	6	4	8602	6266	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9634.799805	7298.799805	7298.799805	1.120065
0567	026	2776	0.06	2900	1	55	80	2.5	5	4	6940	4040	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7772.799805	4872.799805	4872.799805	1.12
0572	020	3737	0.09	9831	15	65	100	3	9	0	11211	1380	NCD-POLK	85	form-based		true	true	0.75	20	2.222222328	5	3	22422	12591	12591	2
0572	023A	1117	0.03	0	0	65	100	3	3	3	3351	3351	RM-2	85	form-based			true	0.7	5	1.666666627	5	5	6255.199707	6255.199707	6255.199707	1.866667
0573	004	2775	0.06	6390	5	65	100	3	6	1	8325	1935	NCD-PACIF	65	form-based		true	true	0.75	10	1.666666627	5	5	12487.5	6097.5	6097.5	1.5
0578	008	8938	0.21	16605	14	55	80	2.5	17	3	22345	5740	RM-2	40	form-based			true	0.7	19	1.117647052	5	5	25026.40039	8421.400391	8421.400391	1.12
0579	028	4389	0.1	2012	4	55	80	2.5	8	4	10972	8960	RH-3	40	form-based			true	0.7	9	1.125	5	5	12289.2002	10277.2002	10277.2002	1.120051
0579	030	4389	0.1	2320	4	55	80	2.5	8	4	10972	8652	RH-3	40	form-based			true	0.7	9	1.125	5	5	12289.2002	9969.200195	9969.200195	1.120051
0580	008	3538	0.08	3236	2	55	80	2.5	6	4	8845	5609	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9906.399414	6670.399414	6670.399414	1.12
0580	008A	3538	0.08	3236	2	55	80	2.5	6	4	8845	5609	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9906.399414	6670.399414	6670.399414	1.12
0580	012	6518	0.15	53162	9	55	80	2.5	12	3	16295	0	RM-1	40	form-based		true	true	0.7	14	1.166666627	5	5	18250.40039	0	0	1.12
0580	102	3538	0.08	1658	2	55	80	2.5	6	4	8845	7187	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9906.399414	8248.399414	8248.399414	1.12
0583	001	2830	0.06	3782	1	55	80	2.5	5	4	7075	3293	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7924	4142	4142	1.12
0583	002	2999	0.07	4411	1	55	80	2.5	6	5	7498	3087	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	3986.200195	3986.200195	1.119925
0583	003	2999	0.07	5280	1	55	80	2.5	6	5	7498	2218	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	3117.200195	3117.200195	1.119925
0583	004	2999	0.07	3940	1	55	80	2.5	6	5	7498	3558	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	4457.200195	4457.200195	1.119925
0583	020	3007	0.07	3630	1	55	80	2.5	6	5	7518	3888	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	4789.599609	4789.599609	1.119925
0585	008	8779	0.2	11450	1	55	80	2.5	16	15	21948	10498	RH-2	40	density-lin	1500			0.7	6	0.375	5	5	24581.19922	13131.19922	13131.19922	1.119974
0585	012A	2248	0.05	4602	0	55	80	2.5	4	4	5620	1018	RH-2	40	form-based		true	true	0.7	5	1.25	5	5	6294.399902	1692.399902	1692.399902	1.12
0585	014	2980	0.07	4732	1	55	80	2.5	6	5	7450	2718	RH-1	40	form-based			true	0.7	6	1	5	5	8344	3612	3612	1.12
0586	002	2625	0.06	3349	1	55	80	2.5	5	4	6562	3213	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	4001	4001	1.120085
0587	001	2893	0.07	4425	1	55	80	2.5	6	5	7232	2807	RH-2	40	form-based		true	true	0.7	6	1	5	5	8100.399902	3675.399902	3675.399902	1.120077
0587	011	2947	0.07	2710	1	65	100	3	7	6	8841	6131	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8251.599609	5541.599609	5541.599609	0.933333
0587	012	2947	0.07	5448	1	65	100	3	7	6	8841	3393	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8251.599609	2803.599609	2803.599609	0.933333
0587	013	2947	0.07	3863	1	65	100	3	7	6	8841	4978	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8251.599609	4388.599609	4388.599609	0.933333
0587	017A	2209	0.05	6250	0	55	80	2.5	4	4	5522	0	RH-1	40	form-based			true	0.7	5	1.25	5	5	6185.199707	0	0	1.120101
0587	024	3156	0.07	4507	2	55	80	2.5	6	4	7890	3383	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	8836.799805	4329.799805	4329.799805	1.12
0587	026	3157	0.07	3200	2	55	80	2.5	6	4	7892	4692	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	8839.599609	5639.599609	5639.599609	1.120071
0588	002A	2750	0.06	2208	1	55	80	2.5	5	4	6875	4667	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7700	5492	5492	1.12
0588	011	2758	0.06	5758	5	55	80	2.5	5	0	6895	1137	RTO-C	65	form-based		true	true	0.75	10	2	5	5	12411	6653	6653	1.8
0589	008	3502	0.08	4173	2	55	80	2.5	6	4	8755	4582	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9805.599609	5632.599609	5632.599609	1.12
0589	019	3499	0.08	4700	2	55	80	2.5	6	4	8748	4048	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9797.200195	5097.200195	5097.200195	1.119936
0589	020	3500	0.08	3625	2	55	80	2.5	6	4	8750	5125	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9800	6175	6175	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0591	001A	3085	0.07	4204	1	55	80	2.5	6	5	7712	3508	RH-1	40	form-based			true	0.7	6	1	5	5	8638	4434	4434	1.120073
0592	004D	3320	0.08	3118	2	65	100	3	8	6	9960	6842	RH-2	40	form-based			true	0.7	7	0.875	5	5	9296	6178	6178	0.933333
0592	008	2640	0.06	4897	1	55	80	2.5	5	4	6600	1703	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7392	2495	2495	1.12
0592	008A	2640	0.06	5040	1	55	80	2.5	5	4	6600	1560	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7392	2352	2352	1.12
0592	009B	2719	0.06	3266	1	55	80	2.5	5	4	6798	3532	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7613.199707	4347.199707	4347.199707	1.119918
0592	016	3192	0.07	1480	2	65	100	3	7	5	9576	8096	RH-2	40	form-based			true	0.7	7	1	5	5	8937.599609	7457.599609	7457.599609	0.933333
0596	002	2800	0.06	7084	6	65	100	3	6	0	8400	1316	NCD-PACIF	65	form-based			true	0.75	11	1.833333373	5	5	12600	5516	5516	1.5
0596	003	2800	0.06	5313	6	65	100	3	6	0	8400	3087	NCD-PACIF	65	form-based			true	0.75	11	1.833333373	5	5	12600	7287	7287	1.5
0596	005	2800	0.06	5034	6	65	100	3	6	0	8400	3366	NCD-PACIF	65	form-based			true	0.75	11	1.833333373	5	5	12600	7566	7566	1.5
0596	007	2754	0.06	4350	5	65	100	3	6	1	8262	3912	RM-1	65	form-based		true	true	0.7	10	1.666666627	5	5	11566.7998	7216.799805	7216.799805	1.4
0597	002	2188	0.05	5463	3	65	100	3	5	2	6564	1101	RM-2	65	form-based			true	0.7	8	1.600000024	5	5	9189.599609	3726.599609	3726.599609	1.4
0597	024	2253	0.05	4710	6	65	100	3	5	0	6759	2049	RM-2	85	form-based			true	0.7	11	2.200000048	5	4	12616.7998	7906.799805	7906.799805	1.866667
0598	005	3268	0.08	7968	12	65	100	3	8	0	9804	1836	NCD-POLK	85	form-based			true	0.75	17	2.125	5	4	19608	11640	11640	2
0601	007	3168	0.07	2630	2	65	100	3	7	5	9504	6874	RH-2	40	form-based			true	0.7	7	1	5	5	8870.399414	6240.399414	6240.399414	0.933333
0601	008	3168	0.07	2630	2	65	100	3	7	5	9504	6874	RH-2	40	form-based			true	0.7	7	1	5	5	8870.399414	6240.399414	6240.399414	0.933333
0603	003	3127	0.07	2465	2	55	80	2.5	6	4	7818	5353	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8755.599609	6290.599609	6290.599609	1.119928
0603	003D	3210	0.07	2656	2	55	80	2.5	6	4	8025	5369	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8988	6332	6332	1.12
0603	004	3210	0.07	2656	2	55	80	2.5	6	4	8025	5369	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8988	6332	6332	1.12
0603	010	3000	0.07	3881	1	55	80	2.5	6	5	7500	3619	RH-2	40	form-based			true	0.7	6	1	5	5	8400	4519	4519	1.12
0603	011	3000	0.07	4520	1	55	80	2.5	6	5	7500	2980	RH-2	40	form-based			true	0.7	6	1	5	5	8400	3880	3880	1.12
0603	013	3000	0.07	3960	1	55	80	2.5	6	5	7500	3540	RH-2	40	form-based		true	true	0.7	6	1	5	5	8400	4440	4440	1.12
0603	029	3192	0.07	2580	2	55	80	2.5	6	4	7980	5400	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8937.599609	6357.599609	6357.599609	1.12
0605	012	3651	0.08	3162	3	65	100	3	8	5	10953	7791	RH-2	40	form-based			true	0.7	8	1	5	5	10222.7998	7060.799805	7060.799805	0.933333
0605	018C	2850	0.07	6750	6	65	100	3	7	1	8550	1800	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	12825	6075	6075	1.5
0605	018D	2850	0.07	6750	6	65	100	3	7	1	8550	1800	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	12825	6075	6075	1.5
0605	018E	2375	0.05	5675	4	65	100	3	5	1	7125	1450	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	10687.5	5012.5	5012.5	1.5
0606	002	3321	0.08	6690	7	65	100	3	8	1	9963	3273	NCD-UPPE	65	form-based			true	0.75	12	1.5	5	5	14944.5	8254.5	8254.5	1.5
0606	006	3467	0.08	10160	8	65	100	3	8	0	10401	241	NCD-UPPE	65	form-based		true	true	0.75	13	1.625	5	5	15601.5	5441.5	5441.5	1.5
0606	010	7041	0.16	6216	10	65	100	3	16	6	21123	14907	RH-2	40	form-based			true	0.7	15	0.9375	5	5	19714.79883	13498.79883	13498.79883	0.933333
0611	014	3858	0.09	5100	3	65	100	3	9	6	11574	6474	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10802.39941	5702.399414	5702.399414	0.933333
0606	040	4480	0.1	1607	4	65	100	3	10	6	13440	11833	RH-2	40	form-based			true	0.7	9	0.899999976	5	5	12544	10937	10937	0.933333
0611	005	2159	0.05	3764	0	65	100	3	5	5	6477	2713	RH-2	40	form-based			true	0.7	5	1	5	5	6045.199707	2281.199707	2281.199707	0.933333
0611	027	3474	0.08	3359	2	65	100	3	8	6	10422	7063	RH-2	40	form-based			true	0.7	7	0.875	5	5	9727.200195	6368.200195	6368.200195	0.933333
0611	029	3474	0.08	5170	2	65	100	3	8	6	10422	5252	RH-2	40	form-based			true	0.7	7	0.875	5	5	9727.200195	4557.200195	4557.200195	0.933333
0611	030	3602	0.08	525	3	65	100	3	8	5	10806	10281	RH-2	40	form-based			true	0.7	8	1	5	5	10085.59961	9560.599609	9560.599609	0.933333
0612	001	1079	0.02	1604	1	65	100	3	2	1	3237	1633	RH-2	40	density-lin	1500	true		0.7	6	3	5	3	3021.199951	1417.199951	1417.199951	0.933333
0612	009	2466	0.06	3051	0	65	100	3	6	6	7398	4347	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	6904.799805	3853.799805	3853.799805	0.933333
0612	025	3215	0.07	3047	2	65	100	3	7	5	9645	6598	RH-2	40	form-based			true	0.7	7	1	5	5	9002	5955	5955	0.933333
0613	018	2645	0.06	3097	1	55	80	2.5	5	4	6612	3515	RH-2	40	density-lin	1500	true		0.7	6	1.200000048	5	5	7406	4309	4309	1.120085
0613	020	3511	0.08	3821	2	55	80	2.5	6	4	8778	4957	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9830.799805	6009.799805	6009.799805	1.119936
0614	019	3286	0.08	2750	2	55	80	2.5	6	4	8215	5465	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9200.799805	6450.799805	6450.799805	1.12
0614	023	3289	0.08	1311	2	55	80	2.5	6	4	8222	6911	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9209.200195	7898.200195	7898.200195	1.120068
0614	025	3289	0.08	1145	2	55	80	2.5	6	4	8222	7077	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9209.200195	8064.200195	8064.200195	1.120068
0614	027	3289	0.08	1731	2	55	80	2.5	6	4	8222	6491	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9209.200195	7478.200195	7478.200195	1.120068
0618	004	8731	0.2	66250	74	65	100	3	20	0	26193	0	RTO-C	240	form-based		true	true	0.75	79	3.950000048	5	0	78579	12329	0	3
0621	002A	2549	0.06	5175	5	65	100	3	6	1	7647	2472	RM-3	65	form-based			true	0.75	10	1.666666627	5	5	11470.5	6295.5	6295.5	1.5
0621	003	2549	0.06	6150	5	65	100	3	6	1	7647	1497	RM-3	65	form-based			true	0.75	10	1.666666627	5	5	11470.5	5320.5	5320.5	1.5
0624	110	3661	0.08	2546	3	65	100	3	8	5	10983	8437	RH-2	40	form-based			true	0.7	8	1	5	5	10250.7998	7704.799805	7704.799805	0.933333
0627	004	8779	0.2	10194	1	55	80	2.5	16	15	21948	11754	RH-2	40	density-lin	1500			0.7	6	0.375	5	5	24581.19922	14387.19922	14387.19922	1.119974
0627	009E	3365	0.08	3871	2	55	80	2.5	6	4	8412	4541	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9422	5551	5551	1.120067
0627	040	3825	0.09	400	3	55	80	2.5	7	4	9562	9162	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10710	10310	10310	1.120059
0627	043	3292	0.08	1960	2	55	80	2.5	6	4	8230	6270	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9217.599609	7257.599609	7257.599609	1.12
0627	045	3375	0.08	2007	2	55	80	2.5	6	4	8438	6431	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9450	7443	7443	1.119934
0627	050	3292	0.08	2678	2	55	80	2.5	6	4	8230	5552	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9217.599609	6539.599609	6539.599609	1.12
0629	021	2117	0.05	3687	3	65	100	3	5	2	6351	2664	NCD-UPPE	65	form-based			true	0.75	8	1.600000024	5	5	9526.5	5839.5	5839.5	1.5
0630	008	2263	0.05	3780	3	65	100	3	5	2	6789	3009	NCD-UPPE	65	form-based			true	0.75	8	1.600000024	5	5	10183.5	6403.5	6403.5	1.5
0630	015	3200	0.07	3880	4	65	100	3	7	3	9600	5720	RH-2	50	form-based			true	0.7	9	1.285714269	5	5	11200	7320	7320	1.166667
0630	066	3132	0.07	1571	2	65	100	3	7	5	9396	7825	RH-2	40	form-based			true	0.7	7	1	5	5	8769.599609	7198.599609	7198.599609	0.933333
0631	006	2977	0.07	5781	3	65	100	3	7	4	8931	3150	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10419.5	4638.5	4638.5	1.166667
0631	020	2678	0.06	2840	2	65	100	3	6	4	8034	5194	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	9373	6533	6533	1.166667
0631	027	2295	0.05	7312	0	65	100	3	5	5	6885	0	RH-3	40	form-based		true	true	0.7	5	1	5	5	6426	0	0	0.933333
0631	035	3120	0.07	5605	2	65	100	3	7	5	9360	3755	RH-3	40	form-based			true	0.7	7	1	5	5	8736	3131	3131	0.933333
0632	019	2763	0.06	1880	3	65	100	3	6	3	8289	6409	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9670.5	7790.5	7790.5	1.166667
0633	011	4384	0.1	13800	7	65	100	3	10	3	13152	0	RM-2	50	form-based		true	true	0.7	12	1.200000048	5	5	15344	1544	1544	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0634	002	2426	0.06	3927	2	85	140	4	8	6	9704	5777	RH-3	50	form-based		true	true	0.7	7	0.875	5	5	8491	4564	4564	0.875
0634	015B	1799	0.04	2430	4	85	140	4	6	2	7196	4766	RTO-C	85	form-based		true	true	0.75	9	1.5	5	5	10794	8364	8364	1.5
0634	030	3256	0.07	4038	4	85	140	4	10	6	13024	8986	RH-3	50	form-based			true	0.7	9	0.899999976	5	5	11396	7358	7358	0.875
0635	013	2971	0.07	2880	3	85	140	4	10	7	11884	9004	RH-2	50	form-based			true	0.7	8	0.800000012	5	5	10398.5	7518.5	7518.5	0.875
0635	015	2138	0.05	2506	1	85	140	4	7	6	8552	6046	RH-2	50	form-based			true	0.7	6	0.857142866	5	5	7483	4977	4977	0.875
0635	016	2138	0.05	2136	1	65	100	3	5	4	6414	4278	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7483	5347	5347	1.166667
0635	020	3350	0.08	2675	4	65	100	3	8	4	10050	7375	RH-2	50	form-based			true	0.7	9	1.125	5	5	11725	9050	9050	1.166667
0637	019	4567	0.1	5210	5	65	100	3	10	5	13701	8491	RM-1	40	form-based			true	0.7	10	1	5	5	12787.59961	7577.599609	7577.599609	0.933333
0640	031	3397	0.08	2384	2	65	100	3	8	6	10191	7807	RM-2	40	form-based			true	0.7	7	0.875	5	5	9511.599609	7127.599609	7127.599609	0.933333
0641	015	2511	0.06	0	0	65	100	3	6	6	7533	7533	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	7030.799805	7030.799805	7030.799805	0.933333
0649	001A	10393	0.24	18901	21	65	100	3	24	3	31179	12278	RM-3	40	density-lim	400			0.75	26	1.083333373	5	5	31179	12278	12278	1
0649	006	3300	0.08	3539	1	65	100	3	8	7	9900	6361	RH-2	40	density-lim	1500	true		0.7	6	0.75	5	5	9240	5701	5701	0.933333
0651	002	3300	0.08	1338	1	55	80	2.5	6	5	8250	6912	RM-2	40	density-lim	600			0.7	6	1	5	5	9240	7902	7902	1.12
0652	017	2234	0.05	2840	1	65	100	3	5	4	6702	3862	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	6255.199707	3415.199707	3415.199707	0.933333
0653	001B	1425	0.03	2277	2	65	100	3	3	1	4275	1998	RTO-C	85	form-based			true	0.75	7	2.333333254	5	4	8550	6273	6273	2
0654	010	3214	0.07	2634	0	65	100	3	7	7	9642	7008	NCD-UPPE	40	density-lim	600			0.75	5	0.714285731	5	5	9642	7008	7008	1
0655	012	3437	0.08	1615	2	85	140	4	11	9	13748	12133	RH-2	40	form-based			true	0.7	7	0.636363626	5	5	9623.599609	8008.599609	8008.599609	0.7
0656	031	3008	0.07	2964	1	65	100	3	7	6	9024	6060	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	5458.399414	5458.399414	0.933333
0656	049	2926	0.07	2864	1	65	100	3	7	6	8778	5914	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8192.799805	5328.799805	5328.799805	0.933333
0656	050	4290	0.1	750	4	65	100	3	10	6	12870	12120	RH-2	40	form-based			true	0.7	9	0.899999976	5	5	12012	11262	11262	0.933333
0657	032	1175	0.03	2185	1	65	100	3	3	2	3525	1340	RTO-C	85	form-based		true	true	0.75	6	2	5	5	7050	4865	4865	2
0659	030	3188	0.07	0	0	65	100	3	7	7	9564	9564	NCD-UPPE	40	density-lim	600			0.75	5	0.714285731	5	5	9564	9564	9564	1
0659	031	3187	0.07	0	0	65	100	3	7	7	9561	9561	NCD-UPPE	40	density-lim	600			0.75	5	0.714285731	5	5	9561	9561	9561	1
0660	004	2725	0.06	3852	1	65	100	3	6	5	8175	4323	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	7630	3778	3778	0.933333
0660	056	2092	0.05	1320	3	65	100	3	5	2	6276	4956	NCD-UPPE	65	form-based			true	0.75	8	1.600000024	5	5	9414	8094	8094	1.5
0660	060	1627	0.04	3457	1	65	100	3	4	3	4881	1424	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4555.600098	1098.600098	1098.600098	0.933333
0661	012	2063	0.05	2346	1	65	100	3	5	4	6189	3843	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	5776.399902	3430.399902	3430.399902	0.933333
0661	039	2020	0.05	2216	1	65	100	3	5	4	6060	3844	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	5656	3440	3440	0.933333
0663	002	7812	0.18	4110	0	65	100	3	18	18	23436	19326	RH-2	40	density-lim	1500			0.7	5	0.277777791	5	5	21873.59961	17763.59961	17763.59961	0.933333
0665	009	3020	0.07	3496	0	65	100	3	7	7	9060	5564	NC-3	130	density-lim	600			0.75	5	0.714285731	5	5	27180	23684	14624	3
0674	011	1559	0.04	4002	3	65	100	3	4	1	4677	675	RM-4	50	density-lim	200			0.75	8	2	5	5	5846.25	1844.25	1844.25	1.25
0674	023	1558	0.04	1100	3	65	100	3	4	1	4674	3574	RM-4	50	density-lim	200			0.75	8	2	5	5	5842.5	4742.5	4742.5	1.25
0675	022	2371	0.05	2188	1	65	100	3	5	4	7113	4925	RM-3	40	density-lim	400	true		0.75	6	1.200000048	5	5	7113	4925	4925	1
0675	024	2218	0.05	1528	1	65	100	3	5	4	6654	5126	RM-3	40	density-lim	400			0.75	6	1.200000048	5	5	6654	5126	5126	1
0676	026A	2783	0.06	2984	2	65	100	3	6	4	8349	5365	RM-3	40	density-lim	400			0.75	7	1.166666627	5	5	8349	5365	5365	1
0679	019A	1048	0.02	1288	1	65	100	3	2	1	3144	1856	RTO-C	85	form-based			true	0.75	6	3	5	3	6288	5000	5000	2
0679	040	1266	0.03	1057	2	65	100	3	3	1	3798	2741	RTO-C	85	form-based			true	0.75	7	2.333333254	5	4	7596	6539	6539	2
0680	024	1748	0.04	1353	4	65	100	3	4	0	5244	3891	NC-2	85	form-based			true	0.75	9	2.25	5	4	10488	9135	9135	2
0681	064	1666	0.04	1170	4	65	100	3	4	0	4998	3828	RTO-C	85	form-based			true	0.75	9	2.25	5	4	9996	8826	8826	2
0683	019	3025	0.07	6375	3	65	100	3	7	4	9075	2700	RM-3	50	density-lim	400			0.75	8	1.142857194	5	5	11343.75	4968.75	4968.75	1.25
0683	020	3025	0.07	6375	3	65	100	3	7	4	9075	2700	RM-3	50	density-lim	400			0.75	8	1.142857194	5	5	11343.75	4968.75	4968.75	1.25
0683	021	3025	0.07	6561	3	65	100	3	7	4	9075	2514	RM-3	50	density-lim	400			0.75	8	1.142857194	5	5	11343.75	4782.75	4782.75	1.25
0684	020	2558	0.06	4312	3	65	100	3	6	3	7674	3362	NCT-FILLM	50	form-based				0.75	8	1.333333373	5	5	9592.5	5280.5	5280.5	1.25
0684	046	2557	0.06	4055	3	65	100	3	6	3	7671	3616	NCT-FILLM	50	form-based				0.75	8	1.333333373	5	5	9588.75	5533.75	5533.75	1.25
0685	033	2337	0.05	2118	1	65	100	3	5	4	7011	4893	RM-3	50	density-lim	400			0.75	6	1.200000048	5	5	8763.75	6645.75	6645.75	1.25
0685	036	2338	0.05	2558	1	65	100	3	5	4	7014	4456	RM-3	50	density-lim	400			0.75	6	1.200000048	5	5	8767.5	6209.5	6209.5	1.25
0685	040	1888	0.04	6210	0	65	100	3	4	4	5664	0	NCD-JAPAI	50	density-lim	400			0.75	5	1.25	5	5	7080	870	870	1.25
0685	045	3039	0.07	3420	3	65	100	3	7	4	9117	5697	RM-3	50	density-lim	400			0.75	8	1.142857194	5	5	11396.25	7976.25	7976.25	1.25
0686	057	2687	0.06	3746	2	65	100	3	6	4	8061	4315	NCD-JAPAI	50	density-lim	400			0.75	7	1.166666627	5	5	10076.25	6330.25	6330.25	1.25
0693	010	3000	0.07	8740	10	85	140	4	10	0	12000	3260	RC-4	80	density-lim	200			0.75	15	1.5	5	5	18000	9260	9260	1.5
0693	020	1080	0.02	1080	0	65	100	3	2	2	3240	2160	RC-4	80	density-lim	200			0.75	5	2.5	5	4	6480	5400	5400	2
0718	001	2925	0.07	3129	0	65	100	3	7	7	8775	5646	NCD-LOWI	130	density-lim	600	true		0.75	5	0.714285731	5	5	26325	23196	14421	3
0718	002	2925	0.07	2825	0	65	100	3	7	7	8775	5950	NCD-LOWI	130	density-lim	600			0.75	5	0.714285731	5	5	26325	23500	14725	3
0718	003	2925	0.07	2925	0	65	100	3	7	7	8775	5850	NCD-LOWI	130	density-lim	600			0.75	5	0.714285731	5	5	26325	23400	14625	3
0718	004	2925	0.07	0	0	65	100	3	7	7	8775	8775	NCD-LOWI	130	density-lim	600	true		0.75	5	0.714285731	5	5	26325	26325	17550	3
0718	010	3300	0.08	12600	25	65	100	3	8	0	9900	0	RC-4	500	form-based			true	0.75	30	3.75	5	0	29700	17100	7200	3
0754	009	3484	0.08	5130	4	55	80	2.5	6	2	8710	3580	RM-3	40	density-lim	400			0.75	9	1.5	5	5	10452	5322	5322	1.2
0756	005	3545	0.08	4547	4	55	80	2.5	6	2	8862	4315	RM-3	50	density-lim	400			0.75	9	1.5	5	5	13293.75	8746.75	8746.75	1.500085
0756	006	3545	0.08	3310	4	55	80	2.5	6	2	8862	5552	RM-3	50	density-lim	400			0.75	9	1.5	5	5	13293.75	9983.75	9983.75	1.500085
0756	007	3545	0.08	4425	4	55	80	2.5	6	2	8862	4437	RM-3	50	density-lim	400			0.75	9	1.5	5	5	13293.75	8868.75	8868.75	1.500085
0763	007	3000	0.07	4250	0	65	100	3	7	7	9000	4750	NCD-LOWI	130	density-lim	600			0.75	5	0.714285731	5	5	27000	22750	13750	3
0792	033	1425	0.03	141911	0	65	100	3	3	3	4275	0	NCT-3	65	form-based		true		0.75	5	1.666666627	5	5	6412.5	0	0	1.5
0793	023	2206	0.05	4650	0	55	80	2.5	4	4	5515	865	NCT-HAYE	40	form-based		true		0.75	5	1.25	5	5	6618	1968	1968	1.2
0797	016	5775	0.13	3144	1	55	80	2.5	10	9	14438	11294	RH-3	50	density-lim	1000			0.7	6	0.600000024	5	5	20212.5	17068.5	17068.5	1.399951

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0804	029	2500	0.06	1646	2	55	80	2.5	5	3	6250	4604	RM-1	50	form-based			true	0.7	7	1.399999976	5	5	8750	7104	7104	1.4
0805	015	3000	0.07	3480	3	55	80	2.5	6	3	7500	4020	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	10500	7020	7020	1.4
0805	016	2025	0.05	2300	1	55	80	2.5	4	3	5062	2762	RH-3	50	form-based			true	0.7	6	1.5	5	5	7087.5	4787.5	4787.5	1.400138
0807	035	3847	0.09	9849	4	55	80	2.5	7	3	9618	0	NCT-HAYE	40	form-based		true		0.75	9	1.285714269	5	5	11541	1692	1692	1.199938
0808	064	22795	0.52	692	63	65	100	3	52	0	68385	67693	NCT-HAYE	50	form-based		true		0.75	68	1.307692289	5	5	85481.25	84789.25	84789.25	1.25
0809	003	1733	0.04	5175	0	65	100	3	4	4	5199	24	NCT-3	50	form-based		true		0.75	5	1.25	5	5	6498.75	1323.75	1323.75	1.25
0809	018	1643	0.04	3150	0	65	100	3	4	4	4929	1779	NCT-HAYE	50	form-based				0.75	5	1.25	5	5	6161.25	3011.25	3011.25	1.25
0816	020	1733	0.04	0	0	65	100	3	4	4	5199	5199	NCT-HAYE	50	form-based				0.75	5	1.25	5	5	6498.75	6498.75	6498.75	1.25
0817	023	3015	0.07	2800	2	65	100	3	7	5	9045	6245	NCT-HAYE	40	form-based				0.75	7	1	5	5	9045	6245	6245	1
0817	036	2948	0.07	6600	2	65	100	3	7	5	8844	2244	NCT-HAYE	40	form-based				0.75	7	1	5	5	8844	2244	2244	1
0818	017	3340	0.08	4870	5	55	80	2.5	6	1	8350	3480	NCT-HAYE	50	form-based		true		0.75	10	1.666666627	5	5	12525	7655	7655	1.5
0822	003	2684	0.06	4650	3	55	80	2.5	5	2	6710	2060	RM-1	50	form-based			true	0.7	8	1.600000024	5	5	9394	4744	4744	1.4
0822	005	2684	0.06	4800	3	55	80	2.5	5	2	6710	1910	RM-1	50	form-based			true	0.7	8	1.600000024	5	5	9394	4594	4594	1.4
0822	006	2684	0.06	5199	3	55	80	2.5	5	2	6710	1511	RM-1	50	form-based			true	0.7	8	1.600000024	5	5	9394	4195	4195	1.4
0822	007	2684	0.06	4500	3	55	80	2.5	5	2	6710	2210	RM-1	50	form-based			true	0.7	8	1.600000024	5	5	9394	4894	4894	1.4
0822	045	3442	0.08	1720	2	55	80	2.5	6	4	8605	6885	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9637.599609	7917.599609	7917.599609	1.12
0822	054	2500	0.06	1259	2	55	80	2.5	5	3	6250	4991	RM-1	50	form-based			true	0.7	7	1.399999976	5	5	8750	7491	7491	1.4
0823	008	3781	0.09	1295	0	55	80	2.5	7	7	9452	8157	RM-1	40	density-lin	800			0.7	5	0.714285731	5	5	10586.7998	9291.799805	9291.799805	1.120059
0824	011	4158	0.1	4454	4	55	80	2.5	8	4	10395	5941	RM-1	40	form-based			true	0.7	9	1.125	5	5	11642.39941	7188.399414	7188.399414	1.12
0825	002	2804	0.06	2728	1	55	80	2.5	5	4	7010	4282	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7851.199707	5123.199707	5123.199707	1.12
0825	010	3438	0.08	3280	2	55	80	2.5	6	4	8595	5315	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	6346.399414	6346.399414	1.12
0825	044	4005	0.09	1904	3	55	80	2.5	7	4	10012	8108	RM-1	40	form-based			true	0.7	8	1.142857194	5	5	11214	9310	9310	1.120056
0826	003	6050	0.14	6140	8	55	80	2.5	11	3	15125	8985	RM-1	40	form-based			true	0.7	13	1.181818128	5	5	16940	10800	10800	1.12
0827	010	3470	0.08	2480	2	55	80	2.5	6	4	8675	6195	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9716	7236	7236	1.12
0827	012	3470	0.08	2934	2	55	80	2.5	6	4	8675	5741	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9716	6782	6782	1.12
0828	004	2508	0.06	5890	0	55	80	2.5	5	5	6270	380	RH-3	40	form-based			true	0.7	5	1	5	5	7022.399902	1132.399902	1132.399902	1.12
0828	023	4083	0.09	3700	4	55	80	2.5	7	3	10208	6508	RM-3	40	form-based			true	0.75	9	1.285714269	5	5	12249	8549	8549	1.199941
0829	007	3300	0.08	2474	2	55	80	2.5	6	4	8250	5776	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9240	6766	6766	1.12
0829	026	2157	0.05	1870	0	55	80	2.5	4	4	5392	3522	RH-3	40	form-based			true	0.7	5	1.25	5	5	6039.600098	4169.600098	4169.600098	1.120104
0829	028	3264	0.07	3301	2	55	80	2.5	6	4	8160	4859	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9139.200195	5838.200195	5838.200195	1.12
0830	011	8250	0.19	7260	12	55	80	2.5	15	3	20625	13365	RTO-1	40	form-based			true	0.7	17	1.133333325	5	5	23100	15840	15840	1.12
0830	013	3058	0.07	3524	1	55	80	2.5	6	5	7645	4121	RTO-1	40	form-based			true	0.7	6	1	5	5	8562.399414	5038.399414	5038.399414	1.12
0832	002	3551	0.08	5590	6	65	100	3	8	2	10653	5063	NCT-HAYE	50	form-based		true		0.75	11	1.375	5	5	13316.25	7726.25	7726.25	1.25
0837	068	3300	0.08	1794	5	65	100	3	8	3	9900	8106	NCT-3	50	form-based				0.75	10	1.25	5	5	12375	10581	10581	1.25
0838	025	2851	0.07	2632	1	65	100	3	7	6	8553	5921	NCT-HAYE	40	form-based				0.75	6	0.857142866	5	5	8553	5921	5921	1
0839	017	3354	0.08	3694	1	65	100	3	8	7	10062	6368	RTO-1	40	density-lin	600	true		0.7	6	0.75	5	5	9391.200195	5697.200195	5697.200195	0.933333
0840	009	5400	0.12	7350	6	65	100	3	12	6	16200	8850	RTO-1	40	form-based			true	0.7	11	0.916666687	5	5	15120	7770	7770	0.933333
0842	001A	5164	0.12	9600	6	55	80	2.5	10	4	12910	3310	RM-1	40	form-based			true	0.7	11	1.100000024	5	5	14459.2002	4859.200195	4859.200195	1.12
0842	027	3416	0.08	2992	2	55	80	2.5	6	4	8540	5548	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9564.799805	6572.799805	6572.799805	1.12
0842	068	3781	0.09	1416	3	55	80	2.5	7	4	9452	8036	RM-1	40	form-based			true	0.7	8	1.142857194	5	5	10586.7998	9170.799805	9170.799805	1.120059
0843	021	3091	0.07	3418	1	55	80	2.5	6	5	7728	4310	RM-1	40	form-based			true	0.7	6	1	5	5	8654.799805	5236.799805	5236.799805	1.119928
0843	027	3425	0.08	3150	2	55	80	2.5	6	4	8562	5412	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9590	6440	6440	1.120065
0843	067	3426	0.08	4064	2	55	80	2.5	6	4	8565	4501	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9592.799805	5528.799805	5528.799805	1.12
0844	002A	2729	0.06	2233	1	55	80	2.5	5	4	6822	4589	RM-1	40	form-based			true	0.7	6	1.200000048	5	5	7641.199707	5408.199707	5408.199707	1.120082
0844	009	3437	0.08	2920	2	65	100	3	8	6	10311	7391	RH-3	40	form-based			true	0.7	7	0.875	5	5	9623.599609	6703.599609	6703.599609	0.933333
0844	031	4097	0.09	4657	4	55	80	2.5	7	3	10242	5585	RM-1	40	form-based			true	0.7	9	1.285714269	5	5	11471.59961	6814.599609	6814.599609	1.120055
0845	005	2655	0.06	2600	1	55	80	2.5	5	4	6638	4038	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7434	4834	4834	1.119916
0845	006	2654	0.06	925	1	55	80	2.5	5	4	6635	5710	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7431.199707	6506.199707	6506.199707	1.12
0845	014	3438	0.08	3400	2	65	100	3	8	6	10314	6914	RH-3	40	form-based			true	0.7	7	0.875	5	5	9626.399414	6226.399414	6226.399414	0.933333
0845	015	3437	0.08	2600	2	65	100	3	8	6	10311	7711	RH-3	40	form-based			true	0.7	7	0.875	5	5	9623.599609	7023.599609	7023.599609	0.933333
0845	027	3457	0.08	2080	2	55	80	2.5	6	4	8642	6562	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9679.599609	7599.599609	7599.599609	1.120065
0845	033	3457	0.08	3000	2	55	80	2.5	6	4	8642	5642	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9679.599609	6679.599609	6679.599609	1.120065
0845	055	3438	0.08	1491	2	65	100	3	8	6	10314	8823	RH-3	40	form-based			true	0.7	7	0.875	5	5	9626.399414	8135.399414	8135.399414	0.933333
0846	005	2639	0.06	3100	2	65	100	3	6	4	7917	4817	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	9236.5	6136.5	6136.5	1.166667
0846	053	2649	0.06	918	2	65	100	3	6	4	7947	7029	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	9271.5	8353.5	8353.5	1.166667
0846	065	2648	0.06	2050	2	65	100	3	6	4	7944	5894	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	9268	7218	7218	1.166667
0846	070	2649	0.06	1330	2	65	100	3	6	4	7947	6617	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	9271.5	7941.5	7941.5	1.166667
0847	005	2880	0.07	2644	3	65	100	3	7	4	8640	5996	RM-1	50	form-based			true	0.7	8	1.142857194	5	5	10080	7436	7436	1.166667
0847	006	2957	0.07	1960	6	65	100	3	7	1	8871	6911	NCD-LOWI	65	form-based		true	true	0.75	11	1.571428537	5	5	13306.5	11346.5	11346.5	1.5
0847	007	2150	0.05	4250	3	65	100	3	5	2	6450	2200	NCD-LOWI	65	form-based			true	0.75	8	1.600000024	5	5	9675	5425	5425	1.5
0847	018	2750	0.06	5655	5	65	100	3	6	1	8250	2595	NC-1	65	form-based			true	0.75	10	1.666666627	5	5	12375	6720	6720	1.5
0847	040	3284	0.08	1296	4	65	100	3	8	4	9852	8556	RM-1	50	form-based			true	0.7	9	1.125	5	5	11494	10198	10198	1.166667
0848	002B	2582	0.06	3150	2	65	100	3	6	4	7746	4596	RM-1	50	form-based			true	0.7	7	1.166666627	5	5	9037	5887	5887	1.166667
0848	011	3150	0.07	9348	7	65	100	3	7	0	9450	102	NCD-LOWI	65	form-based		true	true	0.75	12	1.714285731	5	5	14175	4827	4827	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0849	009	2200	0.05	5400	3	65	100	3	5	2	6600	1200	NCD-LOWI	65	form-based			true	0.75	8	1.600000024	5	5	9900	4500	4500	1.5
0849	003	2514	0.06	3100	2	65	100	3	6	4	7542	4442	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8799	5699	5699	1.166667
0849	045	2514	0.06	1350	2	65	100	3	6	4	7542	6192	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8799	7449	7449	1.166667
0849	049	2514	0.06	1525	2	65	100	3	6	4	7542	6017	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8799	7274	7274	1.166667
0851	046	2640	0.06	3850	1	65	100	3	6	5	7920	4070	RTO-1	40	form-based			true	0.7	6	1	5	5	7392	3542	3542	0.933333
0852	003D	3313	0.08	3450	4	65	100	3	8	4	9939	6489	RTO-1	50	form-based		true	true	0.7	9	1.125	5	5	11595.5	8145.5	8145.5	1.166667
0852	007	3060	0.07	4845	1	65	100	3	7	6	9180	4335	RTO-1	40	form-based			true	0.7	6	0.857142866	5	5	8568	3723	3723	0.933333
0852	017	3298	0.08	2900	2	65	100	3	8	6	9894	6994	RTO-1	40	form-based			true	0.7	7	0.875	5	5	9234.399414	6334.399414	6334.399414	0.933333
0852	019A	2998	0.07	1207	1	65	100	3	7	6	8994	7787	RTO-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7187.399414	7187.399414	0.933333
0852	033	2700	0.06	3325	1	65	100	3	6	5	8100	4775	RTO-1	40	form-based			true	0.7	6	1	5	5	7560	4235	4235	0.933333
0852	034	3671	0.08	3000	1	65	100	3	8	7	11013	8013	RTO-1	40	density-lim	600	true		0.7	6	0.75	5	5	10278.7998	7278.799805	7278.799805	0.933333
0852	037	3298	0.08	1330	2	65	100	3	8	6	9894	8564	RTO-1	40	form-based			true	0.7	7	0.875	5	5	9234.399414	7904.399414	7904.399414	0.933333
0852	048	1925	0.04	3400	-1	65	100	3	4	5	5775	2375	RTO-1	40	form-based			true	0.7	4	1	5	5	5390	1990	1990	0.933333
0856	010	3437	0.08	6500	5	65	100	3	8	3	10311	3811	RTO-1	50	form-based			true	0.7	10	1.25	5	5	12029.5	5529.5	5529.5	1.166667
0856	030	3330	0.08	9208	4	65	100	3	8	4	9990	782	RTO-1	50	form-based		true	true	0.7	9	1.125	5	5	11655	2447	2447	1.166667
0858	020	2375	0.05	4934	0	65	100	3	5	5	7125	2191	RTO-1	40	form-based			true	0.7	5	1	5	5	6650	1716	1716	0.933333
0858	027	3930	0.09	2530	3	65	100	3	9	6	11790	9260	RTO-1	40	form-based			true	0.7	8	0.888888896	5	5	11004	8474	8474	0.933333
0858	028	4200	0.1	6505	4	65	100	3	10	6	12600	6095	RTO-1	40	form-based			true	0.7	9	0.899999976	5	5	11760	5255	5255	0.933333
0858	029	3540	0.08	3130	2	65	100	3	8	6	10620	7490	RTO-1	40	form-based			true	0.7	7	0.875	5	5	9912	6782	6782	0.933333
0859	011	2474	0.06	2816	2	65	100	3	6	4	7422	4606	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8659	5843	5843	1.166667
0859	021	2187	0.05	3050	2	65	100	3	5	3	6561	3511	NC-1	50	form-based			true	0.75	7	1.399999976	5	5	8201.25	5151.25	5151.25	1.25
0859	023	2281	0.05	2944	2	65	100	3	5	3	6843	3899	NC-1	50	form-based			true	0.75	7	1.399999976	5	5	8553.75	5609.75	5609.75	1.25
0859	024	2372	0.05	2870	2	65	100	3	5	3	7116	4246	NC-1	50	form-based			true	0.75	7	1.399999976	5	5	8895	6025	6025	1.25
0859	040	2909	0.07	4595	3	65	100	3	7	4	8727	4132	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10181.5	5586.5	5586.5	1.166667
0860	022	2031	0.05	1300	1	65	100	3	5	4	6093	4793	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7108.5	5808.5	5808.5	1.166667
0860	025	2031	0.05	2180	1	65	100	3	5	4	6093	3913	NCD-LOWI	50	form-based			true	0.75	6	1.200000048	5	5	7616.25	5436.25	5436.25	1.25
0860	027	1756	0.04	3600	2	65	100	3	4	2	5268	1668	NCD-LOWI	65	form-based			true	0.75	7	1.75	5	5	7902	4302	4302	1.5
0860	066	2600	0.06	1394	3	65	100	3	6	3	7800	6406	NCD-LOWI	50	form-based			true	0.75	8	1.333333373	5	5	9750	8356	8356	1.25
0861	022	3134	0.07	4270	7	65	100	3	7	0	9402	5132	NC-1	65	form-based		true	true	0.75	12	1.714285731	5	5	14103	9833	9833	1.5
0861	031	3444	0.08	4750	8	65	100	3	8	0	10332	5582	RTO-C	65	form-based			true	0.75	13	1.625	5	5	15498	10748	10748	1.5
0862	005	3011	0.07	5490	3	65	100	3	7	4	9033	3543	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10538.5	5048.5	5048.5	1.166667
0862	007	2963	0.07	5490	3	65	100	3	7	4	8889	3399	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10370.5	4880.5	4880.5	1.166667
0862	038	2970	0.07	1485	3	65	100	3	7	4	8910	7425	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10395	8910	8910	1.166667
0862	061	2437	0.06	988	2	65	100	3	6	4	7311	6323	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8529.5	7541.5	7541.5	1.166667
0865	020	2902	0.07	11539	0	65	100	3	7	7	8706	0	RTO-1	40	density-lim	600	true		0.7	5	0.714285731	5	5	8125.600098	0	0	0.933333
0867	029	2979	0.07	1125	1	65	100	3	7	6	8937	7812	RTO-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	7216.200195	7216.200195	0.933333
0867	033	2981	0.07	4297	1	65	100	3	7	6	8943	4646	RTO-1	40	form-based			true	0.7	6	0.857142866	5	5	8346.799805	4049.799805	4049.799805	0.933333
0869	012	2126	0.05	1945	1	65	100	3	5	4	6378	4433	RTO-1	50	form-based			true	0.7	6	1.200000048	5	5	7441	5496	5496	1.166667
0869	016	3436	0.08	3090	2	65	100	3	8	6	10308	7218	RTO-1	40	form-based			true	0.7	7	0.875	5	5	9620.799805	6530.799805	6530.799805	0.933333
0871	010	4846	0.11	15042	19	85	140	4	15	0	19384	4342	RTO-1	85	form-based			true	0.7	24	1.600000024	5	5	27137.59961	12095.59961	12095.59961	1.4
0953	001	2844	0.07	4873	1	55	80	2.5	6	5	7110	2237	RH-1	40	form-based		true	true	0.7	6	1	5	5	7963.199707	3090.199707	3090.199707	1.12
0953	001A	2776	0.06	4210	1	55	80	2.5	5	4	6940	2730	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7772.799805	3562.799805	3562.799805	1.12
0954	001A	3025	0.07	4129	1	55	80	2.5	6	5	7562	3433	RH-1	40	form-based			true	0.7	6	1	5	5	8470	4341	4341	1.120074
0954	001B	3025	0.07	3300	1	55	80	2.5	6	5	7562	4262	RH-1	40	form-based			true	0.7	6	1	5	5	8470	5170	5170	1.120074
0954	001C	3025	0.07	5085	1	55	80	2.5	6	5	7562	2477	RH-1	40	form-based			true	0.7	6	1	5	5	8470	3385	3385	1.120074
0954	012	2914	0.07	2760	1	55	80	2.5	6	5	7285	4525	RH-1	40	form-based			true	0.7	6	1	5	5	8159.199707	5399.199707	5399.199707	1.12
0954	013	2914	0.07	4370	1	55	80	2.5	6	5	7285	2915	RH-1	40	form-based			true	0.7	6	1	5	5	8159.199707	3789.199707	3789.199707	1.12
0954	014	2913	0.07	3271	1	55	80	2.5	6	5	7282	4011	RH-1	40	form-based			true	0.7	6	1	5	5	8156.399902	4885.399902	4885.399902	1.120077
0954	015	2913	0.07	2542	1	55	80	2.5	6	5	7282	4740	RH-1	40	form-based			true	0.7	6	1	5	5	8156.399902	5614.399902	5614.399902	1.120077
0954	022	3055	0.07	3949	1	55	80	2.5	6	5	7638	3689	RH-1	40	form-based			true	0.7	6	1	5	5	8554	4605	4605	1.119927
0955	002	3000	0.07	3577	1	55	80	2.5	6	5	7500	3923	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4823	4823	1.12
0955	003	3000	0.07	3420	1	55	80	2.5	6	5	7500	4080	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4980	4980	1.12
0955	004	3000	0.07	4075	1	55	80	2.5	6	5	7500	3425	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4325	4325	1.12
0955	007	2750	0.06	3600	1	55	80	2.5	5	4	6875	3275	RH-1(D)	40	form-based		true	true	0.7	6	1.200000048	5	5	7700	4100	4100	1.12
0958	012	2919	0.07	4850	1	55	80	2.5	6	5	7298	2448	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8173.199707	3323.199707	3323.199707	1.119923
0959	002	3025	0.07	3900	1	55	80	2.5	6	5	7562	3662	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8470	4570	4570	1.120074
0959	004	2808	0.06	4140	1	55	80	2.5	5	4	7020	2880	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7862.399902	3722.399902	3722.399902	1.12
0960	001A	3071	0.07	3144	1	55	80	2.5	6	5	7678	4534	RH-1	40	form-based			true	0.7	6	1	5	5	8598.799805	5454.799805	5454.799805	1.119927
0960	001B	3071	0.07	5205	1	55	80	2.5	6	5	7678	2473	RH-1	40	form-based			true	0.7	6	1	5	5	8598.799805	3393.799805	3393.799805	1.119927
0960	001C	2852	0.07	5924	1	55	80	2.5	6	5	7130	1206	RH-1	40	form-based			true	0.7	6	1	5	5	7985.600098	2061.600098	2061.600098	1.12
0960	001E	3071	0.07	4162	1	55	80	2.5	6	5	7678	3516	RH-1	40	form-based			true	0.7	6	1	5	5	8598.799805	4436.799805	4436.799805	1.119927
0960	001J	2742	0.06	4306	1	55	80	2.5	5	4	6855	2549	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7677.600098	3371.600098	3371.600098	1.12
0960	002	3075	0.07	5903	1	55	80	2.5	6	5	7688	1785	RH-1	40	form-based			true	0.7	6	1	5	5	8610	2707	2707	1.119927
0960	002A	3075	0.07	2996	1	55	80	2.5	6	5	7688	4692	RH-1	40	form-based			true	0.7	6	1	5	5	8610	5614	5614	1.119927

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0960	002B	3026	0.07	5942	1	55	80	2.5	6	5	7565	1623	RH-1	40	form-based		true	true	0.7	6	1	5	5	8472.799805	2530.799805	2530.799805	1.12
0960	003	3056	0.07	4074	1	55	80	2.5	6	5	7640	3566	RH-1	40	form-based			true	0.7	6	1	5	5	8556.799805	4482.799805	4482.799805	1.12
0960	004	3057	0.07	4633	1	55	80	2.5	6	5	7642	3009	RH-1	40	form-based			true	0.7	6	1	5	5	8559.599609	3926.599609	3926.599609	1.120073
0960	005	3057	0.07	3934	1	55	80	2.5	6	5	7642	3708	RH-1	40	form-based			true	0.7	6	1	5	5	8559.599609	4625.599609	4625.599609	1.120073
0960	008	3012	0.07	3438	1	55	80	2.5	6	5	7530	4092	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	4995.599609	4995.599609	1.12
0960	009	3012	0.07	2564	1	55	80	2.5	6	5	7530	4966	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	5869.599609	5869.599609	1.12
0960	010	3012	0.07	2880	1	55	80	2.5	6	5	7530	4650	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	5553.599609	5553.599609	1.12
0960	011	3022	0.07	3714	1	55	80	2.5	6	5	7555	3841	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	4747.599609	4747.599609	1.12
0960	012	2800	0.06	2856	1	55	80	2.5	5	4	7000	4144	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7840	4984	4984	1.12
0960	012A	3000	0.07	3374	1	55	80	2.5	6	5	7500	4126	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5026	5026	1.12
0960	012B	2750	0.06	4862	1	55	80	2.5	5	4	6875	2013	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7700	2838	2838	1.12
0964	008C	2804	0.06	3947	1	55	80	2.5	5	4	7010	3063	RH-1(D)	40	form-based		true	true	0.7	6	1.200000048	5	5	7851.199707	3904.199707	3904.199707	1.12
0964	008D	3059	0.07	6294	1	55	80	2.5	6	5	7648	1354	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8565.200195	2271.200195	2271.200195	1.119927
0965	003	2634	0.06	3500	1	55	80	2.5	5	4	6585	3085	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7375.199707	3875.199707	3875.199707	1.12
0965	004	2722	0.06	4166	1	55	80	2.5	5	4	6805	2639	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7621.600098	3455.600098	3455.600098	1.12
0970	002	7691	0.18	10313	1	55	80	2.5	14	13	19228	8915	RH-1	40	density-lin	3000	true		0.7	6	0.428571433	5	5	21534.79883	11221.79883	11221.79883	1.119971
0970	006	3050	0.07	3418	1	55	80	2.5	6	5	7625	4207	RH-1	40	form-based			true	0.7	6	1	5	5	8540	5122	5122	1.12
0970	020	2855	0.07	3815	1	55	80	2.5	6	5	7138	3323	RH-1	40	form-based			true	0.7	6	1	5	5	7994	4179	4179	1.119922
0970	021	2937	0.07	4070	1	55	80	2.5	6	5	7342	3272	RH-1	40	form-based			true	0.7	6	1	5	5	8223.599609	4153.599609	4153.599609	1.120076
0972	002	2778	0.06	3690	1	55	80	2.5	5	4	6945	3255	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7778.399902	4088.399902	4088.399902	1.12
0972	003C	2709	0.06	4016	1	55	80	2.5	5	4	6772	2756	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7585.199707	3569.199707	3569.199707	1.120083
0972	005	3830	0.09	7422	3	55	80	2.5	7	4	9575	2153	RH-1	40	form-based			true	0.7	8	1.142857194	5	5	10724	3302	3302	1.12
0973	001	2846	0.07	5105	1	55	80	2.5	6	5	7115	2010	RH-1	40	form-based		true	true	0.7	6	1	5	5	7968.799805	2863.799805	2863.799805	1.12
0973	032	3511	0.08	2805	2	55	80	2.5	6	4	8778	5973	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9830.799805	7025.799805	7025.799805	1.119936
0974	010A	2706	0.06	3603	1	55	80	2.5	5	4	6765	3162	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7576.799805	3973.799805	3973.799805	1.12
0974	010B	2706	0.06	2750	1	55	80	2.5	5	4	6765	4015	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7576.799805	4826.799805	4826.799805	1.12
0974	010C	2707	0.06	2805	1	55	80	2.5	5	4	6768	3963	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7579.600098	4774.600098	4774.600098	1.119917
0974	019	3626	0.08	3198	3	55	80	2.5	6	3	9065	5867	RH-1	40	form-based			true	0.7	8	1.333333373	5	5	10152.7998	6954.799805	6954.799805	1.12
0975	003	3521	0.08	5240	2	55	80	2.5	6	4	8802	3562	RH-3	40	form-based		true	true	0.7	7	1.166666627	5	5	9858.799805	4618.799805	4618.799805	1.120064
0976	004	3355	0.08	3520	2	55	80	2.5	6	4	8388	4868	RH-3	40	form-based		true	true	0.7	7	1.166666627	5	5	9394	5874	5874	1.119933
0976	008	2650	0.06	2944	1	55	80	2.5	5	4	6625	3681	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7420	4476	4476	1.12
0976	012	3192	0.07	2536	2	55	80	2.5	6	4	7980	5444	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8937.599609	6401.599609	6401.599609	1.12
0976	018	3046	0.07	3323	1	55	80	2.5	6	5	7615	4292	RH-3	40	form-based			true	0.7	6	1	5	5	8528.799805	5205.799805	5205.799805	1.12
0976	027	3841	0.09	7088	3	55	80	2.5	7	4	9602	2514	RM-2	40	form-based			true	0.7	8	1.142857194	5	5	10754.7998	3666.799805	3666.799805	1.120058
0976	088	3192	0.07	1398	2	55	80	2.5	6	4	7980	6582	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8937.599609	7539.599609	7539.599609	1.12
0977	005	2650	0.06	3212	1	55	80	2.5	5	4	6625	3413	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7420	4208	4208	1.12
0977	006	2650	0.06	3385	1	55	80	2.5	5	4	6625	3240	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7420	4035	4035	1.12
0977	012	6793	0.16	1582	9	55	80	2.5	13	4	16982	15400	RM-1	40	form-based			true	0.7	14	1.076923132	5	5	19020.40039	17438.40039	17438.40039	1.120033
0978	001	2652	0.06	4645	1	55	80	2.5	5	4	6630	1985	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7425.600098	2780.600098	2780.600098	1.12
0978	009	2750	0.06	5418	1	55	80	2.5	5	4	6875	1457	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7700	2282	2282	1.12
0978	010	15044	0.35	16935	1	55	80	2.5	28	27	37610	20675	RH-1(D)	40	density-lin	3000	true		0.7	6	0.214285716	5	5	42123.19922	25188.19922	25188.19922	1.12
0978	014	3457	0.08	8640	2	55	80	2.5	6	4	8642	2	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9679.599609	1039.599609	1039.599609	1.120065
0978	017	2690	0.06	4624	1	55	80	2.5	5	4	6725	2101	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7532	2908	2908	1.12
0979	008	2718	0.06	3435	1	65	100	3	6	5	8154	4719	RH-2	40	form-based			true	0.7	6	1	5	5	7610.399902	4175.399902	4175.399902	0.933333
0979	009	2718	0.06	1225	1	65	100	3	6	5	8154	6929	RH-2	40	form-based			true	0.7	6	1	5	5	7610.399902	6385.399902	6385.399902	0.933333
0979	013	3511	0.08	8125	2	65	100	3	8	6	10533	2408	RH-2	40	form-based			true	0.7	7	0.875	5	5	9830.799805	1705.799805	1705.799805	0.933333
0979	018	6256	0.14	18774	8	65	100	3	14	6	18768	0	RM-1	40	form-based		true	true	0.7	13	0.928571403	5	5	17516.79883	0	0	0.933333
0979	023	2708	0.06	4600	1	65	100	3	6	5	8124	3524	RH-2	40	form-based			true	0.7	6	1	5	5	7582.399902	2982.399902	2982.399902	0.933333
0979	029	3435	0.08	3440	2	65	100	3	8	6	10305	6865	RH-2	40	form-based			true	0.7	7	0.875	5	5	9618	6178	6178	0.933333
0981	003	2866	0.07	1804	1	65	100	3	7	6	8598	6794	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8024.799805	6220.799805	6220.799805	0.933333
0981	011	3192	0.07	2810	2	65	100	3	7	5	9576	6766	RH-2	40	form-based			true	0.7	7	1	5	5	8937.599609	6127.599609	6127.599609	0.933333
0981	019	2567	0.06	4820	0	65	100	3	6	6	7701	2881	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	7187.600098	2367.600098	2367.600098	0.933333
0981	027	3214	0.07	7400	2	65	100	3	7	5	9642	2242	RH-3	40	form-based			true	0.7	7	1	5	5	8999.200195	1599.200195	1599.200195	0.933333
0981	034	3214	0.07	2940	2	65	100	3	7	5	9642	6702	RH-3	40	form-based			true	0.7	7	1	5	5	8999.200195	6059.200195	6059.200195	0.933333
0981	059	3214	0.07	3400	2	65	100	3	7	5	9642	6242	RH-3	40	form-based			true	0.7	7	1	5	5	8999.200195	5599.200195	5599.200195	0.933333
0983	013	3773	0.09	6359	3	65	100	3	9	6	11319	4960	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10564.39941	4205.399414	4205.399414	0.933333
0981	074	3214	0.07	2138	2	65	100	3	7	5	9642	7504	RH-3	40	form-based			true	0.7	7	1	5	5	8999.200195	6861.200195	6861.200195	0.933333
0982	003	2656	0.06	2525	1	65	100	3	6	5	7968	5443	RH-3	40	form-based			true	0.7	6	1	5	5	7436.799805	4911.799805	4911.799805	0.933333
0982	018	2658	0.06	2640	1	65	100	3	6	5	7974	5334	RH-3	40	form-based			true	0.7	6	1	5	5	7442.399902	4802.399902	4802.399902	0.933333
0982	020	2730	0.06	2712	1	65	100	3	6	5	8190	5478	RH-3	40	form-based			true	0.7	6	1	5	5	7644	4932	4932	0.933333
0982	021	2730	0.06	3980	1	65	100	3	6	5	8190	4210	RH-3	40	form-based			true	0.7	6	1	5	5	7644	3664	3664	0.933333
0983	042	3343	0.08	2005	2	65	100	3	8	6	10029	8024	RH-2	40	form-based			true	0.7	7	0.875	5	5	9360.399414	7355.399414	7355.399414	0.933333
0984	026	3630	0.08	2276	3	65	100	3	8	5	10890	8614	RH-1	40	form-based			true	0.7	8	1	5	5	10164	7888	7888	0.933333
0984	033	3671	0.08	577	3	65	100	3	8	5	11013	10436	RH-1	40	form-based			true	0.7	8	1	5	5	10278.7998	9701.799805	9701.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0985	005	2824	0.06	3950	1	65	100	3	6	5	8472	4522	RH-1	40	form-based			true	0.7	6	1	5	5	7907.199707	3957.199707	3957.199707	0.933333
0985	019	2774	0.06	3880	1	65	100	3	6	5	8322	4442	RH-1	40	form-based			true	0.7	6	1	5	5	7767.199707	3887.199707	3887.199707	0.933333
0985	020	2774	0.06	3380	1	65	100	3	6	5	8322	4942	RH-1	40	form-based			true	0.7	6	1	5	5	7767.199707	4387.199707	4387.199707	0.933333
0985	025	3073	0.07	5138	1	55	80	2.5	6	5	7682	2544	RH-1	40	form-based		true	true	0.7	6	1	5	5	8604.399414	3466.399414	3466.399414	1.120073
0985	030	3321	0.08	3000	2	55	80	2.5	6	4	8302	5302	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9298.799805	6298.799805	6298.799805	1.120067
0986	022	2726	0.06	3102	1	55	80	2.5	5	4	6815	3713	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7632.799805	4530.799805	4530.799805	1.12
0987	004	2838	0.07	3070	1	55	80	2.5	6	5	7095	4025	RH-1	40	form-based			true	0.7	6	1	5	5	7946.399902	4876.399902	4876.399902	1.12
0987	017	3452	0.08	5019	2	55	80	2.5	6	4	8630	3611	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9665.599609	4646.599609	4646.599609	1.12
0987	036	3452	0.08	1721	2	55	80	2.5	6	4	8630	6909	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9665.599609	7944.599609	7944.599609	1.12
0988	028	3214	0.07	2493	2	55	80	2.5	6	4	8035	5542	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	8999.200195	6506.200195	6506.200195	1.12
0989	028	16909	0.39	17895	1	55	80	2.5	31	30	42272	24377	RH-1	40	density-lim	3000	true		0.7	6	0.193548381	5	5	47345.19922	29450.19922	29450.19922	1.120013
0991	011	3175	0.07	5530	2	55	80	2.5	6	4	7938	2408	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	8890	3360	3360	1.119929
0991	023	2906	0.07	3343	1	55	80	2.5	6	5	7265	3922	RH-2	40	form-based			true	0.7	6	1	5	5	8136.799805	4793.799805	4793.799805	1.12
0991	024	2842	0.07	1425	1	55	80	2.5	6	5	7105	5680	RH-2	40	form-based			true	0.7	6	1	5	5	7957.600098	6532.600098	6532.600098	1.12
0991	031	3562	0.08	5894	2	55	80	2.5	6	4	8905	3011	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9973.599609	4079.599609	4079.599609	1.12
0991	036	2697	0.06	3520	1	55	80	2.5	5	4	6742	3222	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7551.600098	4031.600098	4031.600098	1.120083
0991	049	3565	0.08	3371	2	55	80	2.5	6	4	8912	5541	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9982	6611	6611	1.120063
0992	001	2627	0.06	4937	1	55	80	2.5	5	4	6568	1631	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7355.600098	2418.600098	2418.600098	1.119915
0992	001B	2627	0.06	2485	1	55	80	2.5	5	4	6568	4083	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7355.600098	4870.600098	4870.600098	1.119915
0992	011A	2887	0.07	5339	1	55	80	2.5	6	5	7218	1879	RH-1	40	form-based			true	0.7	6	1	5	5	8083.600098	2744.600098	2744.600098	1.119922
0992	012	2887	0.07	2996	1	55	80	2.5	6	5	7218	4222	RH-1	40	form-based			true	0.7	6	1	5	5	8083.600098	5087.600098	5087.600098	1.119922
0992	013	2716	0.06	3180	1	55	80	2.5	5	4	6790	3610	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7604.799805	4424.799805	4424.799805	1.12
0992	014	2989	0.07	3700	1	55	80	2.5	6	5	7472	3772	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	4669.200195	4669.200195	1.120075
0992	018	3013	0.07	3950	1	55	80	2.5	6	5	7532	3582	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	4486.399414	4486.399414	1.120074
0992	019	2672	0.06	4105	1	55	80	2.5	5	4	6680	2575	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7481.600098	3376.600098	3376.600098	1.12
0992	020A	2640	0.06	3869	1	55	80	2.5	5	4	6600	2731	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7392	3523	3523	1.12
0992	028	3285	0.08	1725	2	55	80	2.5	6	4	8212	6487	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9198	7473	7473	1.120068
0993	012	2800	0.06	4043	1	55	80	2.5	5	4	7000	2957	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7840	3797	3797	1.12
0993	013	2800	0.06	4000	1	55	80	2.5	5	4	7000	3000	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7840	3840	3840	1.12
0994	002	2776	0.06	4448	1	55	80	2.5	5	4	6940	2492	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7772.799805	3324.799805	3324.799805	1.12
0994	002A	2750	0.06	3770	1	55	80	2.5	5	4	6875	3105	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7700	3930	3930	1.12
0994	012	2950	0.07	3600	1	55	80	2.5	6	5	7375	3775	RH-1	40	form-based			true	0.7	6	1	5	5	8260	4660	4660	1.12
0995	016	2661	0.06	2947	1	55	80	2.5	5	4	6652	3705	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7450.799805	4503.799805	4503.799805	1.120084
0995	017	2661	0.06	3590	1	55	80	2.5	5	4	6652	3062	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7450.799805	3860.799805	3860.799805	1.120084
0996	001A	2932	0.07	3600	1	65	100	3	7	6	8796	5196	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8209.599609	4609.599609	4609.599609	0.933333
0996	003	3000	0.07	4230	1	65	100	3	7	6	9000	4770	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8400	4170	4170	0.933333
0996	004	2687	0.06	3395	1	65	100	3	6	5	8061	4666	RH-1	40	form-based			true	0.7	6	1	5	5	7523.600098	4128.600098	4128.600098	0.933333
0996	005	2688	0.06	3722	1	65	100	3	6	5	8064	4342	RH-1	40	form-based			true	0.7	6	1	5	5	7526.399902	3804.399902	3804.399902	0.933333
0996	014	3000	0.07	3700	1	65	100	3	7	6	9000	5300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	4700	4700	0.933333
0996	019	2994	0.07	5821	1	65	100	3	7	6	8982	3161	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8383.200195	2562.200195	2562.200195	0.933333
0997	034	3998	0.09	8448	3	65	100	3	9	6	11994	3546	RM-1	40	form-based		true	true	0.7	8	0.888888896	5	5	11194.39941	2746.399414	2746.399414	0.933333
0998	008	3192	0.07	3560	2	65	100	3	7	5	9576	6016	RH-2	40	form-based			true	0.7	7	1	5	5	8937.599609	5377.599609	5377.599609	0.933333
0998	014A	2611	0.06	0	0	65	100	3	6	6	7833	7833	RM-1	40	form-based			true	0.7	5	0.833333313	5	5	7310.799805	7310.799805	7310.799805	0.933333
0998	016A	2635	0.06	3589	1	65	100	3	6	5	7905	4316	RM-1	40	form-based			true	0.7	6	1	5	5	7378	3789	3789	0.933333
0998	037	3850	0.09	2598	3	65	100	3	9	6	11550	8952	RM-1	40	form-based		true	true	0.7	8	0.888888896	5	5	10780	8182	8182	0.933333
0999	003	2656	0.06	2520	1	65	100	3	6	5	7968	5448	RH-2	40	form-based			true	0.7	6	1	5	5	7436.799805	4916.799805	4916.799805	0.933333
0999	004	2625	0.06	2150	1	65	100	3	6	5	7875	5725	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5200	5200	0.933333
0999	005	2656	0.06	2420	1	65	100	3	6	5	7968	5548	RH-2	40	form-based			true	0.7	6	1	5	5	7436.799805	5016.799805	5016.799805	0.933333
0999	019	2625	0.06	3474	1	65	100	3	6	5	7875	4401	RH-3	40	form-based			true	0.7	6	1	5	5	7350	3876	3876	0.933333
0999	030	3112	0.07	4490	2	65	100	3	7	5	9336	4846	RH-3	40	form-based			true	0.7	7	1	5	5	8713.599609	4223.599609	4223.599609	0.933333
0999	031	3112	0.07	2860	2	65	100	3	7	5	9336	6476	RH-3	40	form-based			true	0.7	7	1	5	5	8713.599609	5853.599609	5853.599609	0.933333
0999	071	3192	0.07	1843	2	65	100	3	7	5	9576	7733	RH-3	40	form-based			true	0.7	7	1	5	5	8937.599609	7094.599609	7094.599609	0.933333
1000	001	2661	0.06	4667	1	65	100	3	6	5	7983	3316	RH-2	40	form-based		true	true	0.7	6	1	5	5	7450.799805	2783.799805	2783.799805	0.933333
1000	002	2656	0.06	4366	1	65	100	3	6	5	7968	3602	RH-2	40	form-based			true	0.7	6	1	5	5	7436.799805	3070.799805	3070.799805	0.933333
1000	003	2656	0.06	3045	1	65	100	3	6	5	7968	4923	RH-2	40	form-based			true	0.7	6	1	5	5	7436.799805	4391.799805	4391.799805	0.933333
1000	004	2656	0.06	2839	1	65	100	3	6	5	7968	5129	RH-2	40	form-based			true	0.7	6	1	5	5	7436.799805	4597.799805	4597.799805	0.933333
1000	005	2656	0.06	3513	1	65	100	3	6	5	7968	4455	RH-2	40	form-based			true	0.7	6	1	5	5	7436.799805	3923.799805	3923.799805	0.933333
1000	009	2625	0.06	3242	1	65	100	3	6	5	7875	4633	RH-3	40	form-based			true	0.7	6	1	5	5	7350	4108	4108	0.933333
1000	018	2625	0.06	3820	1	65	100	3	6	5	7875	4055	RH-2	40	form-based			true	0.7	6	1	5	5	7350	3530	3530	0.933333
1000	019	2625	0.06	3820	1	65	100	3	6	5	7875	4055	RH-2	40	form-based			true	0.7	6	1	5	5	7350	3530	3530	0.933333
1000	024	2675	0.06	1577	1	65	100	3	6	5	8025	6448	RH-2	40	form-based			true	0.7	6	1	5	5	7490	5913	5913	0.933333
1000	033	3182	0.07	2953	2	65	100	3	7	5	9546	6593	RH-2	40	form-based			true	0.7	7	1	5	5	8909.599609	5956.599609	5956.599609	0.933333
1001	015	3192	0.07	2551	2	65	100	3	7	5	9576	7025	RH-2	40	form-based			true	0.7	7	1	5	5	8937.599609	6386.599609	6386.599609	0.933333
1000	035	3378	0.08	2320	2	65	100	3	8	6	10134	7814	RH-2	40	form-based		true	true	0.7	7	0.875	5	5	9458.399414	7138.399414	7138.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1001	004	2988	0.07	1500	1	65	100	3	7	6	8964	7464	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6866.399414	6866.399414	0.933333
1001	005	2985	0.07	3679	1	65	100	3	7	6	8955	5276	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8358	4679	4679	0.933333
1001	006	3305	0.08	3200	2	65	100	3	8	6	9915	6715	RH-2	40	form-based			true	0.7	7	0.875	5	5	9254	6054	6054	0.933333
1001	007	3023	0.07	3280	1	65	100	3	7	6	9069	5789	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	5184.399414	5184.399414	0.933333
1001	032	3023	0.07	3060	1	65	100	3	7	6	9069	6009	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	5404.399414	5404.399414	0.933333
1002	011	3192	0.07	3000	2	65	100	3	7	5	9576	6576	RH-2	40	form-based			true	0.7	7	1	5	5	8937.599609	5937.599609	5937.599609	0.933333
1002	015	3192	0.07	3554	2	65	100	3	7	5	9576	6022	RH-2	40	form-based			true	0.7	7	1	5	5	8937.599609	5383.599609	5383.599609	0.933333
1002	018	3046	0.07	4250	1	65	100	3	7	6	9138	4888	RH-2	40	form-based	true		true	0.7	6	0.857142866	5	5	8528.799805	4278.799805	4278.799805	0.933333
1003	019	2031	0.05	2740	1	65	100	3	5	4	6093	3353	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7108.5	4368.5	4368.5	1.166667
1002	035	3624	0.08	2641	3	65	100	3	8	5	10872	8231	RH-2	40	form-based			true	0.7	8	1	5	5	10147.2002	7506.200195	7506.200195	0.933333
1003	020	2031	0.05	1320	1	65	100	3	5	4	6093	4773	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7108.5	5788.5	5788.5	1.166667
1003	056	2371	0.05	3154	2	65	100	3	5	3	7113	3959	RH-3	50	form-based	true		true	0.7	7	1.399999976	5	5	8298.5	5144.5	5144.5	1.166667
1004	015	2750	0.06	4116	3	65	100	3	6	3	8250	4134	RH-2	50	form-based			true	0.7	8	1.333333373	5	5	9625	5509	5509	1.166667
1004	023	2702	0.06	1520	1	65	100	3	6	5	8106	6586	RH-2	40	form-based			true	0.7	6	1	5	5	7565.600098	6045.600098	6045.600098	0.933333
1004	025	3462	0.08	2425	2	65	100	3	8	6	10386	7961	RH-2	40	form-based			true	0.7	7	0.875	5	5	9693.599609	7268.599609	7268.599609	0.933333
1005	001A	2710	0.06	3396	1	65	100	3	6	5	8130	4734	RH-3	40	form-based			true	0.7	6	1	5	5	7588	4192	4192	0.933333
1005	013	4469	0.1	8730	8	65	100	3	10	2	13407	4677	RH-2	50	form-based			true	0.7	13	1.299999952	5	5	15641.5	6911.5	6911.5	1.166667
1005	017	2602	0.06	2950	2	65	100	3	6	4	7806	4856	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	9107	6157	6157	1.166667
1005	045	4469	0.1	677	8	65	100	3	10	2	13407	12730	RH-2	50	form-based			true	0.7	13	1.299999952	5	5	15641.5	14964.5	14964.5	1.166667
1005	056	2380	0.05	1224	2	65	100	3	5	3	7140	5916	RH-2	50	form-based			true	0.7	7	1.399999976	5	5	8330	7106	7106	1.166667
1005	058	2380	0.05	1354	2	65	100	3	5	3	7140	5786	RH-2	50	form-based			true	0.7	7	1.399999976	5	5	8330	6976	6976	1.166667
1005	064	3311	0.08	1239	2	65	100	3	8	6	9933	8694	RH-2	40	form-based			true	0.7	7	0.875	5	5	9270.799805	8031.799805	8031.799805	0.933333
1005	067	2618	0.06	2556	2	65	100	3	6	4	7854	5298	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	9163	6607	6607	1.166667
1005	069	3788	0.09	2171	3	65	100	3	9	6	11364	9193	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10606.39941	8435.399414	8435.399414	0.933333
1005	076	3472	0.08	1857	2	65	100	3	8	6	10416	8559	RH-3	40	form-based			true	0.7	7	0.875	5	5	9721.599609	7864.599609	7864.599609	0.933333
1006	005	3437	0.08	3403	2	65	100	3	8	6	10311	6908	RH-2	40	form-based			true	0.7	7	0.875	5	5	9623.599609	6220.599609	6220.599609	0.933333
1006	009	2614	0.06	2640	2	65	100	3	6	4	7842	5202	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	9149	6509	6509	1.166667
1007	001	3050	0.07	3890	1	65	100	3	7	6	9150	5260	RH-2	40	form-based	true		true	0.7	6	0.857142866	5	5	8540	4650	4650	0.933333
1007	025	4228	0.1	6532	4	65	100	3	10	6	12684	6152	RM-1	40	form-based			true	0.7	9	0.899999976	5	5	11838.39941	5306.399414	5306.399414	0.933333
1008	016	2194	0.05	3861	1	65	100	3	5	4	6582	2721	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7679	3818	3818	1.166667
1008	017	2194	0.05	3500	1	65	100	3	5	4	6582	3082	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7679	4179	4179	1.166667
1008	021	2669	0.06	2358	1	65	100	3	6	5	8007	5649	RH-2	40	form-based			true	0.7	6	1	5	5	7473.199707	5115.199707	5115.199707	0.933333
1008	022	2669	0.06	3138	1	65	100	3	6	5	8007	4869	RH-2	40	form-based			true	0.7	6	1	5	5	7473.199707	4335.199707	4335.199707	0.933333
1008	023	2669	0.06	2309	1	65	100	3	6	5	8007	5698	RH-2	40	form-based			true	0.7	6	1	5	5	7473.199707	5164.199707	5164.199707	0.933333
1008	024	2669	0.06	2600	1	65	100	3	6	5	8007	5407	RH-2	40	form-based			true	0.7	6	1	5	5	7473.199707	4873.199707	4873.199707	0.933333
1008	031	4485	0.1	1069	4	65	100	3	10	6	13455	12386	RH-2	40	form-based			true	0.7	9	0.899999976	5	5	12558	11489	11489	0.933333
1009	005	2050	0.05	1200	1	65	100	3	5	4	6150	4950	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7175	5975	5975	1.166667
1009	013	4067	0.09	7800	10	65	100	3	9	0	12201	4401	NCD-SACR	65	form-based			true	0.75	15	1.666666627	5	5	18301.5	10501.5	10501.5	1.5
1009	018	2719	0.06	3260	1	65	100	3	6	5	8157	4897	RH-2	40	form-based			true	0.7	6	1	5	5	7613.199707	4353.199707	4353.199707	0.933333
1009	019	2719	0.06	3293	1	65	100	3	6	5	8157	4864	RH-2	40	form-based			true	0.7	6	1	5	5	7613.199707	4320.199707	4320.199707	0.933333
1009	020	2719	0.06	3250	1	65	100	3	6	5	8157	4907	RH-2	40	form-based			true	0.7	6	1	5	5	7613.199707	4363.199707	4363.199707	0.933333
1009	021	2719	0.06	3500	1	65	100	3	6	5	8157	4657	RH-2	40	form-based			true	0.7	6	1	5	5	7613.199707	4113.199707	4113.199707	0.933333
1009	023	3872	0.09	7080	3	65	100	3	9	6	11616	4536	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10841.59961	3761.599609	3761.599609	0.933333
1010	003	2238	0.05	2204	1	65	100	3	5	4	6714	4510	RH-1	50	form-based			true	0.7	6	1.200000048	5	5	7833	5629	5629	1.166667
1010	014A	1970	0.05	3548	1	55	80	2.5	4	3	4925	1377	RH-1	50	form-based			true	0.7	6	1.5	5	5	6895	3347	3347	1.4
1010	017	2769	0.06	4679	1	55	80	2.5	5	4	6922	2243	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7753.199707	3074.199707	3074.199707	1.120081
1010	041	1875	0.04	1365	2	65	100	3	4	2	5625	4260	NCD-SACR	65	form-based			true	0.75	7	1.75	5	5	8437.5	7072.5	7072.5	1.5
1011	023	2603	0.06	3071	0	55	80	2.5	5	5	6508	3437	RH-1	40	form-based			true	0.7	5	1	5	5	7288.399902	4217.399902	4217.399902	1.119914
1012	002	2725	0.06	4883	1	55	80	2.5	5	4	6812	1929	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7630	2747	2747	1.120082
1012	008	2567	0.06	2743	2	55	80	2.5	5	3	6418	3675	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8984.5	6241.5	6241.5	1.399891
1012	011	2567	0.06	2745	2	55	80	2.5	5	3	6418	3673	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8984.5	6239.5	6239.5	1.399891
1012	022	3553	0.08	3500	5	55	80	2.5	6	1	8882	5382	RH-3	50	form-based			true	0.7	10	1.666666627	5	5	12435.5	8935.5	8935.5	1.400079
1012	023	2803	0.06	3410	1	55	80	2.5	5	4	7008	3598	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7848.399902	4438.399902	4438.399902	1.11992
1012	032	3228	0.07	3974	2	55	80	2.5	6	4	8070	4096	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9038.399414	5064.399414	5064.399414	1.12
1012	038	3228	0.07	4324	2	55	80	2.5	6	4	8070	3746	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9038.399414	4714.399414	4714.399414	1.12
1012	040	2400	0.06	1490	2	55	80	2.5	5	3	6000	4510	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8400	6910	6910	1.4
1012	042	3228	0.07	2079	2	55	80	2.5	6	4	8070	5991	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9038.399414	6959.399414	6959.399414	1.12
1012	050	2666	0.06	1768	2	55	80	2.5	5	3	6665	4897	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	9331	7563	7563	1.4
1013	001	2974	0.07	3976	1	55	80	2.5	6	5	7435	3459	RH-1	40	form-based	true		true	0.7	6	1	5	5	8327.200195	4351.200195	4351.200195	1.12
1013	004	2188	0.05	2400	1	55	80	2.5	4	3	5470	3070	RM-1	50	form-based			true	0.7	6	1.5	5	5	7658	5258	5258	1.4
1013	007	2567	0.06	3650	2	55	80	2.5	5	3	6418	2768	RM-1	50	form-based			true	0.7	7	1.399999976	5	5	8984.5	5334.5	5334.5	1.399891
1013	014	2505	0.06	2700	2	55	80	2.5	5	3	6262	3562	RM-1	50	form-based			true	0.7	7	1.399999976	5	5	8767.5	6067.5	6067.5	1.400112
1013	018	2763	0.06	1938	1	55	80	2.5	5	4	6908	4970	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7736.399902	5798.399902	5798.399902	1.119919
1013	029	2850	0.07	2040	1	55	80	2.5	6	5	7125	5085	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5940	5940	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1014	027	2658	0.06	3120	2	55	80	2.5	5	3	6645	3525	RM-1	50	form-based			true	0.7	7	1.399999976	5	5	9303	6183	6183	1.4
1014	033	2855	0.07	2176	1	55	80	2.5	6	5	7138	4962	RH-1	40	form-based		true	true	0.7	6	1	5	5	7994	5818	5818	1.119922
1014	056	2844	0.07	2512	1	55	80	2.5	6	5	7110	4598	RH-1	40	form-based			true	0.7	6	1	5	5	7963.199707	5451.199707	5451.199707	1.12
1014	068	2763	0.06	1612	3	55	80	2.5	5	2	6908	5296	RM-1	50	form-based			true	0.7	8	1.600000024	5	5	9670.5	8058.5	8058.5	1.399899
1014	081	3233	0.07	2144	2	55	80	2.5	6	4	8082	5938	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9052.399414	6908.399414	6908.399414	1.120069
1015	035	6636	0.15	8835	14	55	80	2.5	12	0	16590	7755	RH-2	50	form-based			true	0.7	19	1.583333373	5	5	23226	14391	14391	1.4
1017	041	2702	0.06	4140	3	55	80	2.5	5	2	6755	2615	RH-3	50	form-based			true	0.7	8	1.600000024	5	5	9457	5317	5317	1.4
1018	001	3763	0.09	10158	9	55	80	2.5	7	0	9408	0	NCD-SACR	65	form-based		true	true	0.75	14	2	5	5	16933.5	6775.5	6775.5	1.799904
1018	018	2509	0.06	4002	4	55	80	2.5	5	1	6272	2270	NCD-SACR	65	form-based			true	0.75	9	1.799999952	5	5	11290.5	7288.5	7288.5	1.800143
1020	017A	2715	0.06	4800	5	65	100	3	6	1	8145	3345	RTO-C	65	form-based			true	0.75	10	1.666666627	5	5	12217.5	7417.5	7417.5	1.5
1020	028	2516	0.06	4879	4	65	100	3	6	2	7548	2669	NCD-SACR	65	form-based			true	0.75	9	1.5	5	5	11322	6443	6443	1.5
1022	002	2659	0.06	3420	2	65	100	3	6	4	7977	4557	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	9306.5	5886.5	5886.5	1.166667
1022	007	2500	0.06	3664	2	65	100	3	6	4	7500	3836	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	5086	5086	1.166667
1022	010	2000	0.05	1475	6	65	100	3	5	0	6000	4525	NC-2	85	form-based			true	0.75	11	2.200000048	5	4	12000	10525	10525	2
1022	017	2500	0.06	4586	4	65	100	3	6	2	7500	2914	NCD-SACR	65	form-based			true	0.75	9	1.5	5	5	11250	6664	6664	1.5
1023	003	2656	0.06	1974	2	65	100	3	6	4	7968	5994	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	9296	7322	7322	1.166667
1023	004	2656	0.06	1030	2	85	140	4	8	6	10624	9594	RH-2	50	form-based			true	0.7	7	0.875	5	5	9296	8266	8266	0.875
1023	105	2515	0.06	3270	2	65	100	3	6	4	7545	4275	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8802.5	5532.5	5532.5	1.166667
1024	005	2269	0.05	971	1	65	100	3	5	4	6807	5836	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7941.5	6970.5	6970.5	1.166667
1024	016	2260	0.05	2878	1	85	140	4	7	6	9040	6162	RH-2	50	form-based			true	0.7	6	0.857142866	5	5	7910	5032	5032	0.875
1025	022	2296	0.05	2012	1	65	100	3	5	4	6888	4876	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	8036	6024	6024	1.166667
1025	023	2087	0.05	2638	1	65	100	3	5	4	6261	3623	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7304.5	4666.5	4666.5	1.166667
1028	009	3781	0.09	2850	3	85	140	4	13	10	15124	12274	RH-2	40	form-based			true	0.7	8	0.615384638	5	5	10586.7998	7736.799805	7736.799805	0.7
1028	026	3778	0.09	21134	15	85	140	4	13	0	15112	0	NC-2	85	form-based			true	0.75	20	1.538461566	5	5	22668	1534	1534	1.5
1029	014	3437	0.08	2728	2	85	140	4	11	9	13748	11020	RH-2	40	form-based			true	0.7	7	0.636363626	5	5	9623.599609	6895.599609	6895.599609	0.7
1030	002	2656	0.06	2460	1	85	140	4	8	7	10624	8164	RH-2	40	form-based			true	0.7	6	0.75	5	5	7436.799805	4976.799805	4976.799805	0.7
1030	003	2656	0.06	2350	1	85	140	4	8	7	10624	8274	RH-2	40	form-based			true	0.7	6	0.75	5	5	7436.799805	5086.799805	5086.799805	0.7
1030	004	2656	0.06	2268	1	65	100	3	6	5	7968	5700	RH-2	40	form-based			true	0.7	6	1	5	5	7436.799805	5168.799805	5168.799805	0.933333
1030	006	2656	0.06	1367	1	65	100	3	6	5	7968	6601	RH-2	40	form-based			true	0.7	6	1	5	5	7436.799805	6069.799805	6069.799805	0.933333
1030	013	3438	0.08	2527	2	65	100	3	8	6	10314	7787	RH-2	40	form-based			true	0.7	7	0.875	5	5	9626.399414	7099.399414	7099.399414	0.933333
1030	015	3437	0.08	2600	2	65	100	3	8	6	10311	7711	RH-2	40	form-based			true	0.7	7	0.875	5	5	9623.599609	7023.599609	7023.599609	0.933333
1030	024	2688	0.06	1086	1	65	100	3	6	5	8064	6978	RH-2	40	form-based			true	0.7	6	1	5	5	7526.399902	6440.399902	6440.399902	0.933333
1030	068	1375	0.03	948	2	85	140	4	4	2	5500	4552	RTO-C	85	form-based			true	0.75	7	1.75	5	5	8250	7302	7302	1.5
1031	001	2222	0.05	6375	7	65	100	3	5	0	6666	291	RTO-C	85	form-based		true	true	0.75	12	2.400000095	5	3	13332	6957	6957	2
1031	005	3479	0.08	4254	2	65	100	3	8	6	10437	6183	RH-2	40	form-based			true	0.7	7	0.875	5	5	9741.200195	5487.200195	5487.200195	0.933333
1031	006	3566	0.08	3248	2	65	100	3	8	6	10698	7450	RH-2	40	form-based			true	0.7	7	0.875	5	5	9984.799805	6736.799805	6736.799805	0.933333
1031	014	3008	0.07	4437	1	65	100	3	7	6	9024	4587	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	3985.399414	3985.399414	0.933333
1031	017	1750	0.04	1315	1	65	100	3	4	3	5250	3935	RH-3	65	form-based			true	0.7	6	1.5	5	5	7350	6035	6035	1.4
1031	018	1750	0.04	1562	1	65	100	3	4	3	5250	3688	RH-3	65	form-based			true	0.7	6	1.5	5	5	7350	5788	5788	1.4
1031	063	2210	0.05	4772	0	65	100	3	5	5	6630	1858	RH-2	40	form-based			true	0.7	5	1	5	5	6188	1416	1416	0.933333
1036	003A	2857	0.07	1500	1	55	80	2.5	6	5	7142	5642	RH-1	40	form-based			true	0.7	6	1	5	5	7999.600098	6499.600098	6499.600098	1.120078
1036	026	3271	0.08	5802	2	65	100	3	8	6	9813	4011	RH-2	40	form-based			true	0.7	7	0.875	5	5	9158.799805	3356.799805	3356.799805	0.933333
1036	027	3271	0.08	4452	2	65	100	3	8	6	9813	5361	RH-2	40	form-based			true	0.7	7	0.875	5	5	9158.799805	4706.799805	4706.799805	0.933333
1036	028	3271	0.08	4452	2	65	100	3	8	6	9813	5361	RH-2	40	form-based			true	0.7	7	0.875	5	5	9158.799805	4706.799805	4706.799805	0.933333
1036	031	3271	0.08	4452	2	65	100	3	8	6	9813	5361	RH-2	40	form-based			true	0.7	7	0.875	5	5	9158.799805	4706.799805	4706.799805	0.933333
1036	045	3271	0.08	2226	2	55	80	2.5	6	4	8178	5952	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9158.799805	6932.799805	6932.799805	1.119931
1036	047	3271	0.08	3226	2	65	100	3	8	6	9813	6587	RH-2	40	form-based			true	0.7	7	0.875	5	5	9158.799805	5932.799805	5932.799805	0.933333
1036	052	3271	0.08	3514	2	65	100	3	8	6	9813	6299	RH-2	40	form-based			true	0.7	7	0.875	5	5	9158.799805	5644.799805	5644.799805	0.933333
1036	056	3271	0.08	1900	2	55	80	2.5	6	4	8178	6278	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9158.799805	7258.799805	7258.799805	1.119931
1036	058	3271	0.08	1903	2	65	100	3	8	6	9813	7910	RH-2	40	form-based			true	0.7	7	0.875	5	5	9158.799805	7255.799805	7255.799805	0.933333
1036	060	3271	0.08	2478	2	65	100	3	8	6	9813	7335	RH-2	40	form-based			true	0.7	7	0.875	5	5	9158.799805	6680.799805	6680.799805	0.933333
1036	062	3287	0.08	2226	2	65	100	3	8	6	9861	7635	RH-2	40	form-based			true	0.7	7	0.875	5	5	9203.599609	6977.599609	6977.599609	0.933333
1037	044	4114	0.09	819	4	55	80	2.5	7	3	10285	9466	RH-2	40	form-based			true	0.7	9	1.285714269	5	5	11519.2002	10700.2002	10700.2002	1.12
1039	057	3182	0.07	1687	2	65	100	3	7	5	9546	7859	RM-1	40	form-based			true	0.7	7	1	5	5	8909.599609	7222.599609	7222.599609	0.933333
1040	007	4800	0.11	3750	5	55	80	2.5	9	4	12000	8250	RM-1	40	form-based			true	0.7	10	1.111111164	5	5	13440	9690	9690	1.12
1040	014	4800	0.11	4958	5	65	100	3	11	6	14400	9442	RM-1	40	form-based			true	0.7	10	0.909090936	5	5	13440	8482	8482	0.933333
1040	016	3166	0.07	3377	2	65	100	3	7	5	9498	6121	RM-1	40	form-based			true	0.7	7	1	5	5	8864.799805	5487.799805	5487.799805	0.933333
1041	008	3562	0.08	5802	2	65	100	3	8	6	10686	4884	RH-2	40	form-based			true	0.7	7	0.875	5	5	9973.599609	4171.599609	4171.599609	0.933333
1042	004	3529	0.08	3088	2	65	100	3	8	6	10587	7499	RH-2	40	form-based			true	0.7	7	0.875	5	5	9881.200195	6793.200195	6793.200195	0.933333
1042	045	3567	0.08	2038	2	55	80	2.5	6	4	8918	6880	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9987.599609	7949.599609	7949.599609	1.119937
1043	011	4043	0.09	3156	3	65	100	3	9	6	12129	8973	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	11320.39941	8164.399414	8164.399414	0.933333
1043	012	3887	0.09	3156	3	65	100	3	9	6	11661	8505	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10883.59961	7727.599609	7727.599609	0.933333
1043	014	3869	0.09	3156	3	65	100	3	9	6	11607	8451	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10833.2002	7677.200195	7677.200195	0.933333
1043	015	4353	0.1	3474	4	65	100	3	10	6	13059	9585	RM-2	40	form-based		true	true	0.7	9	0.899999976	5	5	12188.39941	8714.399414	8714.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1043	030	4061	0.09	3956	4	55	80	2.5	7	3	10152	6196	RH-2	40	form-based		true	true	0.7	9	1.285714269	5	5	11370.7998	7414.799805	7414.799805	1.120055
1043	031	3879	0.09	964	3	65	100	3	9	6	11637	10673	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10861.2002	9897.200195	9897.200195	0.933333
1044	021	3719	0.09	3784	3	65	100	3	9	6	11157	7373	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10413.2002	6629.200195	6629.200195	0.933333
1044	025	3569	0.08	3380	2	65	100	3	8	6	10707	7327	RH-2	40	form-based			true	0.7	7	0.875	5	5	9993.200195	6613.200195	6613.200195	0.933333
1045	001	3165	0.07	3000	2	65	100	3	7	5	9495	6495	RH-2	40	form-based			true	0.7	7	1	5	5	8862	5862	5862	0.933333
1045	017	3794	0.09	3120	3	65	100	3	9	6	11382	8262	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10623.2002	7503.200195	7503.200195	0.933333
1045	022	3462	0.08	3370	2	65	100	3	8	6	10386	7016	RH-2	40	form-based			true	0.7	7	0.875	5	5	9693.599609	6323.599609	6323.599609	0.933333
1045	023	3790	0.09	3632	3	65	100	3	9	6	11370	7738	RH-2	40	form-based		true	true	0.7	8	0.888888896	5	5	10612	6980	6980	0.933333
1045	024	3807	0.09	3632	3	65	100	3	9	6	11421	7789	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10659.59961	7027.599609	7027.599609	0.933333
1045	025	3779	0.09	3632	3	65	100	3	9	6	11337	7705	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10581.2002	6949.200195	6949.200195	0.933333
1046	016	2100	0.05	2100	2	65	100	3	5	3	6300	4200	RM-1	65	form-based			true	0.7	7	1.399999976	5	5	8820	6720	6720	1.4
1046	020	3029	0.07	3650	6	65	100	3	7	1	9087	5437	RM-1	65	form-based			true	0.7	11	1.571428537	5	5	12721.7998	9071.799805	9071.799805	1.4
1046	046	2916	0.07	2800	1	65	100	3	7	6	8748	5948	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8164.799805	5364.799805	5364.799805	0.933333
1046	047	2917	0.07	2800	1	65	100	3	7	6	8751	5951	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8167.600098	5367.600098	5367.600098	0.933333
1046	048	2917	0.07	2800	1	65	100	3	7	6	8751	5951	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8167.600098	5367.600098	5367.600098	0.933333
1047	031	3439	0.08	2995	2	65	100	3	8	6	10317	7322	RH-2	40	form-based			true	0.7	7	0.875	5	5	9629.200195	6634.200195	6634.200195	0.933333
1047	033	3440	0.08	4509	2	65	100	3	8	6	10320	5811	RH-2	40	form-based			true	0.7	7	0.875	5	5	9632	5123	5123	0.933333
1047	036	3440	0.08	2728	2	65	100	3	8	6	10320	7592	RH-2	40	form-based			true	0.7	7	0.875	5	5	9632	6904	6904	0.933333
1047	037	3440	0.08	2800	2	65	100	3	8	6	10320	7520	RH-2	40	form-based			true	0.7	7	0.875	5	5	9632	6832	6832	0.933333
1047	046	3440	0.08	1365	2	65	100	3	8	6	10320	8955	RH-2	40	form-based			true	0.7	7	0.875	5	5	9632	8267	8267	0.933333
1047	060	3437	0.08	1657	2	65	100	3	8	6	10311	8654	RH-2	40	form-based			true	0.7	7	0.875	5	5	9623.599609	7966.599609	7966.599609	0.933333
1048	002	2400	0.06	1840	0	65	100	3	6	6	7200	5360	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	6720	4880	4880	0.933333
1048	013	3437	0.08	3925	2	65	100	3	8	6	10311	6386	RH-2	40	form-based			true	0.7	7	0.875	5	5	9623.599609	5698.599609	5698.599609	0.933333
1048	017	3438	0.08	2748	2	65	100	3	8	6	10314	7566	RH-2	40	form-based			true	0.7	7	0.875	5	5	9626.399414	6878.399414	6878.399414	0.933333
1048	030	3441	0.08	2290	2	65	100	3	8	6	10323	8033	RH-2	40	form-based			true	0.7	7	0.875	5	5	9634.799805	7344.799805	7344.799805	0.933333
1048	032	3441	0.08	1961	2	65	100	3	8	6	10323	8362	RH-2	40	form-based			true	0.7	7	0.875	5	5	9634.799805	7673.799805	7673.799805	0.933333
1048	033	3441	0.08	1800	2	65	100	3	8	6	10323	8523	RH-2	40	form-based			true	0.7	7	0.875	5	5	9634.799805	7834.799805	7834.799805	0.933333
1048	034	3442	0.08	2340	2	65	100	3	8	6	10326	7986	RH-2	40	form-based			true	0.7	7	0.875	5	5	9637.599609	7297.599609	7297.599609	0.933333
1048	037	3442	0.08	3650	2	65	100	3	8	6	10326	6676	RH-2	40	form-based			true	0.7	7	0.875	5	5	9637.599609	5987.599609	5987.599609	0.933333
1048	040	2812	0.06	2037	1	65	100	3	6	5	8436	6399	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	5836.600098	5836.600098	0.933333
1048	043	3437	0.08	2053	2	65	100	3	8	6	10311	8258	RH-2	40	form-based			true	0.7	7	0.875	5	5	9623.599609	7570.599609	7570.599609	0.933333
1049	012	2750	0.06	2036	1	65	100	3	6	5	8250	6214	RH-2	40	form-based			true	0.7	6	1	5	5	7700	5664	5664	0.933333
1049	013	3300	0.08	3420	2	65	100	3	8	6	9900	6480	RH-2	40	form-based			true	0.7	7	0.875	5	5	9240	5820	5820	0.933333
1049	028	3478	0.08	2424	2	65	100	3	8	6	10434	8010	RH-2	40	form-based			true	0.7	7	0.875	5	5	9738.399414	7314.399414	7314.399414	0.933333
1049	030	3444	0.08	2740	2	65	100	3	8	6	10332	7592	RH-2	40	form-based			true	0.7	7	0.875	5	5	9643.200195	6903.200195	6903.200195	0.933333
1049	037	2982	0.07	3013	1	65	100	3	7	6	8946	5933	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	5336.599609	5336.599609	0.933333
1049	054	3444	0.08	1730	2	65	100	3	8	6	10332	8602	RH-2	40	form-based			true	0.7	7	0.875	5	5	9643.200195	7913.200195	7913.200195	0.933333
1049	062	3444	0.08	1346	2	65	100	3	8	6	10332	8986	RH-2	40	form-based			true	0.7	7	0.875	5	5	9643.200195	8297.200195	8297.200195	0.933333
1049	073	3444	0.08	1807	2	65	100	3	8	6	10332	8525	RH-2	40	form-based			true	0.7	7	0.875	5	5	9643.200195	7836.200195	7836.200195	0.933333
1049	075	3444	0.08	1547	2	65	100	3	8	6	10332	8785	RH-2	40	form-based			true	0.7	7	0.875	5	5	9643.200195	8096.200195	8096.200195	0.933333
1050	005	3162	0.07	3558	2	65	100	3	7	5	9486	5928	RH-2	40	form-based			true	0.7	7	1	5	5	8853.599609	5295.599609	5295.599609	0.933333
1050	028	3181	0.07	3282	2	65	100	3	7	5	9543	6261	RH-2	40	form-based			true	0.7	7	1	5	5	8906.799805	5624.799805	5624.799805	0.933333
1050	029	3496	0.08	3430	2	65	100	3	8	6	10488	7058	RH-2	40	form-based			true	0.7	7	0.875	5	5	9788.799805	6358.799805	6358.799805	0.933333
1052	034	3296	0.08	2919	2	65	100	3	8	6	9888	6969	RH-3	40	form-based			true	0.7	7	0.875	5	5	9228.799805	6309.799805	6309.799805	0.933333
1053	010	3781	0.09	4500	3	65	100	3	9	6	11343	6843	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10586.7998	6086.799805	6086.799805	0.933333
1053	013	3437	0.08	2276	2	65	100	3	8	6	10311	8035	RH-3	40	form-based			true	0.7	7	0.875	5	5	9623.599609	7347.599609	7347.599609	0.933333
1053	032	5153	0.12	7224	6	65	100	3	12	6	15459	8235	RH-3	40	form-based			true	0.7	11	0.916666687	5	5	14428.39941	7204.399414	7204.399414	0.933333
1053	055	3437	0.08	2150	2	65	100	3	8	6	10311	8161	RH-3	40	form-based			true	0.7	7	0.875	5	5	9623.599609	7473.599609	7473.599609	0.933333
1054	003	2625	0.06	976	1	65	100	3	6	5	7875	6899	RH-3	40	form-based			true	0.7	6	1	5	5	7350	6374	6374	0.933333
1054	011	3438	0.08	2924	2	65	100	3	8	6	10314	7390	RH-3	40	form-based			true	0.7	7	0.875	5	5	9626.399414	6702.399414	6702.399414	0.933333
1054	014	3128	0.07	1860	2	65	100	3	7	5	9384	7524	RH-3	40	form-based			true	0.7	7	1	5	5	8758.399414	6898.399414	6898.399414	0.933333
1054	031	2833	0.07	1311	1	65	100	3	7	6	8499	7188	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7932.399902	6621.399902	6621.399902	0.933333
1054	031A	2833	0.07	1564	1	65	100	3	7	6	8499	6935	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7932.399902	6368.399902	6368.399902	0.933333
1054	032	2833	0.07	986	1	65	100	3	7	6	8499	7513	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7932.399902	6946.399902	6946.399902	0.933333
1054	032A	2833	0.07	1476	1	65	100	3	7	6	8499	7023	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7932.399902	6456.399902	6456.399902	0.933333
1054	033	3434	0.08	2530	2	65	100	3	8	6	10302	7772	RH-2	40	form-based			true	0.7	7	0.875	5	5	9615.200195	7085.200195	7085.200195	0.933333
1054	045	3128	0.07	1364	2	65	100	3	7	5	9384	8020	RH-3	40	form-based			true	0.7	7	1	5	5	8758.399414	7394.399414	7394.399414	0.933333
1055	003	3125	0.07	2250	2	65	100	3	7	5	9375	7125	RH-3	40	form-based			true	0.7	7	1	5	5	8750	6500	6500	0.933333
1055	010A	5625	0.13	13350	15	65	100	3	13	0	16875	3525	RM-2	65	form-based			true	0.7	20	1.538461566	5	5	23625	10275	10275	1.4
1055	017	2997	0.07	1350	1	65	100	3	7	6	8991	7641	RM-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	7041.599609	7041.599609	0.933333
1057	012	3821	0.09	4417	3	65	100	3	9	6	11463	7046	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10698.7998	6281.799805	6281.799805	0.933333
1061	043	2970	0.07	2156	1	65	100	3	7	6	8910	6754	RM-2	40	form-based			true	0.7	6	0.857142866	5	5	8316	6160	6160	0.933333
1061	050	9327	0.21	1005	15	65	100	3	21	6	27981	26976	RM-1	40	form-based	true	true	true	0.7	20	0.952380955	5	5	26115.59961	25110.59961	25110.59961	0.933333
1061	036	2972	0.07	2250	1	65	100	3	7	6	8916	6666	RM-2	40	form-based			true	0.7	6	0.857142866	5	5	8321.599609	6071.599609	6071.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1061	038	2972	0.07	2150	1	65	100	3	7	6	8916	6766	RM-2	40	form-based			true	0.7	6	0.857142866	5	5	8321.599609	6171.599609	6171.599609	0.933333
1061	041	2971	0.07	2180	1	65	100	3	7	6	8913	6733	RM-2	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	6138.799805	6138.799805	0.933333
1061	067	4240	0.1	794	4	65	100	3	10	6	12720	11926	RM-1	40	form-based			true	0.7	9	0.899999976	5	5	11872	11078	11078	0.933333
1062	040	4935	0.11	5820	5	65	100	3	11	6	14805	8985	RM-1	40	form-based			true	0.7	10	0.909090936	5	5	13818	7998	7998	0.933333
1062	048	2860	0.07	3360	1	65	100	3	7	6	8580	5220	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8008	4648	4648	0.933333
1064	005	2712	0.06	843	1	65	100	3	6	5	8136	7293	RH-2	40	form-based			true	0.7	6	1	5	5	7593.600098	6750.600098	6750.600098	0.933333
1064	006	2813	0.06	2213	1	65	100	3	6	5	8439	6226	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	5663.399902	5663.399902	0.933333
1064	007	2914	0.07	1400	1	65	100	3	7	6	8742	7342	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8159.199707	6759.199707	6759.199707	0.933333
1064	011A	3120	0.07	2300	2	65	100	3	7	5	9360	7060	RH-2	40	form-based			true	0.7	7	1	5	5	8736	6436	6436	0.933333
1064	013	3110	0.07	3462	2	65	100	3	7	5	9330	5868	RH-2	40	form-based			true	0.7	7	1	5	5	8708	5246	5246	0.933333
1064	016	3272	0.08	3925	2	65	100	3	8	6	9816	5891	RH-2	40	form-based			true	0.7	7	0.875	5	5	9161.599609	5236.599609	5236.599609	0.933333
1064	017	3326	0.08	3380	2	65	100	3	8	6	9978	6598	RH-2	40	form-based			true	0.7	7	0.875	5	5	9312.799805	5932.799805	5932.799805	0.933333
1064	019	3311	0.08	3153	2	65	100	3	8	6	9933	6780	RH-2	40	form-based			true	0.7	7	0.875	5	5	9270.799805	6117.799805	6117.799805	0.933333
1064	063	3101	0.07	1257	2	65	100	3	7	5	9303	8046	RH-2	40	form-based			true	0.7	7	1	5	5	8682.799805	7425.799805	7425.799805	0.933333
1064	067	3102	0.07	5060	2	65	100	3	7	5	9306	4246	RH-2	40	form-based			true	0.7	7	1	5	5	8685.599609	3625.599609	3625.599609	0.933333
1065	003	2965	0.07	1200	1	65	100	3	7	6	8895	7695	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8302	7102	7102	0.933333
1065	005	2960	0.07	1005	1	65	100	3	7	6	8880	7875	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8288	7283	7283	0.933333
1065	007	2955	0.07	1225	1	65	100	3	7	6	8865	7640	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8274	7049	7049	0.933333
1065	014	2893	0.07	1675	1	65	100	3	7	6	8679	7004	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	6425.399902	6425.399902	0.933333
1065	015	2863	0.07	2500	1	65	100	3	7	6	8589	6089	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8016.399902	5516.399902	5516.399902	0.933333
1065	021	2803	0.06	1160	1	85	140	4	8	7	11212	10052	RH-2	40	form-based			true	0.7	6	0.75	5	5	7848.399902	6688.399902	6688.399902	0.7
1065	027	2866	0.07	910	1	65	100	3	7	6	8598	7688	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8024.799805	7114.799805	7114.799805	0.933333
1065	032	2770	0.06	900	1	65	100	3	6	5	8310	7410	RH-2	40	form-based			true	0.7	6	1	5	5	7756	6856	6856	0.933333
1065	034B	2782	0.06	2154	1	65	100	3	6	5	8346	6192	RH-2	40	form-based			true	0.7	6	1	5	5	7789.600098	5635.600098	5635.600098	0.933333
1065	039	2628	0.06	2280	1	65	100	3	6	5	7884	5604	RH-2	40	form-based			true	0.7	6	1	5	5	7358.399902	5078.399902	5078.399902	0.933333
1065	040	2747	0.06	3118	1	65	100	3	6	5	8241	5123	RH-2	40	form-based			true	0.7	6	1	5	5	7691.600098	4573.600098	4573.600098	0.933333
1065	042	2756	0.06	2948	1	65	100	3	6	5	8268	5320	RH-2	40	form-based			true	0.7	6	1	5	5	7716.799805	4768.799805	4768.799805	0.933333
1066	002	3002	0.07	1196	1	65	100	3	7	6	9006	7810	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7209.599609	7209.599609	0.933333
1066	003	3242	0.07	4613	2	65	100	3	7	5	9726	5113	RH-2	40	form-based			true	0.7	7	1	5	5	9077.599609	4464.599609	4464.599609	0.933333
1066	012	3001	0.07	1416	1	65	100	3	7	6	9003	7587	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6986.799805	6986.799805	0.933333
1066	013	3001	0.07	1200	1	65	100	3	7	6	9003	7803	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7202.799805	7202.799805	0.933333
1066	017	3001	0.07	1417	1	65	100	3	7	6	9003	7586	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6985.799805	6985.799805	0.933333
1066	018	3001	0.07	900	1	65	100	3	7	6	9003	8103	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7502.799805	7502.799805	0.933333
1066	019	3001	0.07	1179	1	85	140	4	10	9	12004	10825	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8402.799805	7223.799805	7223.799805	0.7
1066	032	3024	0.07	1752	1	85	140	4	10	9	12096	10344	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8467.200195	6715.200195	6715.200195	0.7
1066	034	3024	0.07	1800	1	65	100	3	7	6	9072	7272	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	6667.200195	6667.200195	0.933333
1066	039	3024	0.07	3409	1	65	100	3	7	6	9072	5663	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	5058.200195	5058.200195	0.933333
1066	040	3024	0.07	3099	1	65	100	3	7	6	9072	5973	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	5368.200195	5368.200195	0.933333
1066	042	3023	0.07	1090	1	65	100	3	7	6	9069	7979	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7374.399414	7374.399414	0.933333
1066	043	3023	0.07	1300	1	65	100	3	7	6	9069	7769	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7164.399414	7164.399414	0.933333
1066	044	3023	0.07	2028	1	65	100	3	7	6	9069	7041	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	6436.399414	6436.399414	0.933333
1066	048	3265	0.07	2454	2	65	100	3	7	5	9795	7341	RH-2	40	form-based			true	0.7	7	1	5	5	9142	6688	6688	0.933333
1066	049	3410	0.08	4460	2	65	100	3	8	6	10230	5770	RH-2	40	form-based			true	0.7	7	0.875	5	5	9548	5088	5088	0.933333
1067	011	3000	0.07	1075	1	65	100	3	7	6	9000	7925	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7325	7325	0.933333
1067	012	3000	0.07	1070	1	65	100	3	7	6	9000	7930	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7330	7330	0.933333
1067	014	3240	0.07	2228	2	65	100	3	7	5	9720	7492	RH-2	40	form-based			true	0.7	7	1	5	5	9072	6844	6844	0.933333
1067	032	3000	0.07	968	1	65	100	3	7	6	9000	8032	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7432	7432	0.933333
1067	033	3030	0.07	3260	1	65	100	3	7	6	9090	5830	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8484	5224	5224	0.933333
1068	001A	3146	0.07	2280	2	65	100	3	7	5	9438	7158	RH-1	40	form-based			true	0.7	7	1	5	5	8808.799805	6528.799805	6528.799805	0.933333
1068	005	2949	0.07	825	1	65	100	3	7	6	8847	8022	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8257.200195	7432.200195	7432.200195	0.933333
1068	006	2949	0.07	990	1	65	100	3	7	6	8847	7857	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8257.200195	7267.200195	7267.200195	0.933333
1068	007	2949	0.07	1825	1	65	100	3	7	6	8847	7022	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8257.200195	6432.200195	6432.200195	0.933333
1068	009	2949	0.07	1524	1	65	100	3	7	6	8847	7323	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8257.200195	6733.200195	6733.200195	0.933333
1068	010	2949	0.07	965	1	65	100	3	7	6	8847	7882	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8257.200195	7292.200195	7292.200195	0.933333
1068	012	2949	0.07	1654	1	65	100	3	7	6	8847	7193	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8257.200195	6603.200195	6603.200195	0.933333
1068	014	2949	0.07	930	1	65	100	3	7	6	8847	7917	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8257.200195	7327.200195	7327.200195	0.933333
1069	006A	2991	0.07	1025	1	65	100	3	7	6	8973	7948	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	7349.799805	7349.799805	0.933333
1069	007	2994	0.07	1225	1	65	100	3	7	6	8982	7757	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7158.200195	7158.200195	0.933333
1069	008	2966	0.07	1450	1	65	100	3	7	6	8898	7448	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	6854.799805	6854.799805	0.933333
1069	009A	2969	0.07	1600	1	65	100	3	7	6	8907	7307	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6713.200195	6713.200195	0.933333
1069	017A	2984	0.07	2700	1	85	140	4	10	9	11936	9236	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8355.200195	5655.200195	5655.200195	0.7
1069	018	2981	0.07	2094	1	85	140	4	10	9	11924	9830	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8346.799805	6252.799805	6252.799805	0.7
1069	019	2977	0.07	2043	1	85	140	4	10	9	11908	9865	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8335.599609	6292.599609	6292.599609	0.7
1069	020	2974	0.07	2372	1	85	140	4	10	9	11896	9524	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8327.200195	5955.200195	5955.200195	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1069	021	2970	0.07	1950	1	65	100	3	7	6	8910	6960	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8316	6366	6366	0.933333
1069	022	2966	0.07	2125	1	65	100	3	7	6	8898	6773	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	6179.799805	6179.799805	0.933333
1069	023	2963	0.07	1950	1	65	100	3	7	6	8889	6939	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8296.399414	6346.399414	6346.399414	0.933333
1069	024	2989	0.07	2200	1	65	100	3	7	6	8967	6767	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6169.200195	6169.200195	0.933333
1069	025	2926	0.07	1950	1	65	100	3	7	6	8778	6828	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8192.799805	6242.799805	6242.799805	0.933333
1069	026	2952	0.07	2137	1	65	100	3	7	6	8856	6719	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6128.599609	6128.599609	0.933333
1069	028	2945	0.07	1425	1	65	100	3	7	6	8835	7410	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8246	6821	6821	0.933333
1069	028A	2941	0.07	1075	1	65	100	3	7	6	8823	7748	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8234.799805	7159.799805	7159.799805	0.933333
1069	028B	2938	0.07	1525	1	65	100	3	7	6	8814	7289	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8226.399414	6701.399414	6701.399414	0.933333
1069	028C	2934	0.07	1430	1	65	100	3	7	6	8802	7372	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8215.200195	6785.200195	6785.200195	0.933333
1069	051	2970	0.07	4750	1	65	100	3	7	6	8910	4160	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8316	3566	3566	0.933333
1070	001B	3000	0.07	3400	1	65	100	3	7	6	9000	5600	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5000	5000	0.933333
1070	001D	3000	0.07	1212	1	65	100	3	7	6	9000	7788	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7188	7188	0.933333
1070	001E	3000	0.07	2057	1	65	100	3	7	6	9000	6943	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6343	6343	0.933333
1070	001F	3000	0.07	2940	1	65	100	3	7	6	9000	6060	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5460	5460	0.933333
1070	001J	3000	0.07	1010	1	65	100	3	7	6	9000	7990	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7390	7390	0.933333
1070	001K	2907	0.07	1220	1	65	100	3	7	6	8721	7501	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8139.600098	6919.600098	6919.600098	0.933333
1070	001L	2688	0.06	1050	1	65	100	3	6	5	8064	7014	RH-2	40	form-based			true	0.7	6	1	5	5	7526.399902	6476.399902	6476.399902	0.933333
1070	001M	2688	0.06	1010	1	65	100	3	6	5	8064	7054	RH-2	40	form-based			true	0.7	6	1	5	5	7526.399902	6516.399902	6516.399902	0.933333
1070	001O	3007	0.07	940	1	65	100	3	7	6	9021	8081	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7479.599609	7479.599609	0.933333
1070	001P	3005	0.07	1090	1	65	100	3	7	6	9015	7925	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	7324	7324	0.933333
1070	001Q	3004	0.07	1120	1	65	100	3	7	6	9012	7892	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7291.200195	7291.200195	0.933333
1070	012	3000	0.07	3897	1	65	100	3	7	6	9000	5103	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4503	4503	0.933333
1073	045	4063	0.09	2152	4	65	100	3	9	5	12189	10037	RH-3	40	form-based			true	0.7	9	1	5	5	11376.39941	9224.399414	9224.399414	0.933333
1074	001	2425	0.06	1130	0	65	100	3	6	6	7275	6145	RH-3	40	form-based		true	true	0.7	5	0.833333313	5	5	6790	5660	5660	0.933333
1074	017	3781	0.09	2950	3	65	100	3	9	6	11343	8393	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10586.7998	7636.799805	7636.799805	0.933333
1074	027	3421	0.08	2710	2	65	100	3	8	6	10263	7553	RH-3	40	form-based			true	0.7	7	0.875	5	5	9578.799805	6868.799805	6868.799805	0.933333
1074	030	3420	0.08	4177	2	65	100	3	8	6	10260	6083	RH-3	40	form-based			true	0.7	7	0.875	5	5	9576	5399	5399	0.933333
1080	020E	2750	0.06	1654	1	85	140	4	8	7	11000	9346	RH-3	40	form-based			true	0.7	6	0.75	5	5	7700	6046	6046	0.7
1081	046	3781	0.09	1902	3	65	100	3	9	6	11343	9441	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10586.7998	8684.799805	8684.799805	0.933333
1081	060	3758	0.09	1452	3	65	100	3	9	6	11274	9822	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10522.39941	9070.399414	9070.399414	0.933333
1081	078	3781	0.09	1497	3	85	140	4	13	10	15124	13627	RH-3	40	form-based			true	0.7	8	0.615384638	5	5	10586.7998	9089.799805	9089.799805	0.7
1081	081	3781	0.09	1427	3	65	100	3	9	6	11343	9916	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10586.7998	9159.799805	9159.799805	0.933333
1082	002	3164	0.07	3070	2	65	100	3	7	5	9492	6422	RH-3	40	form-based			true	0.7	7	1	5	5	8859.200195	5789.200195	5789.200195	0.933333
1082	029	2158	0.05	1115	3	65	100	3	5	2	6474	5359	NC-3	65	form-based			true	0.75	8	1.600000024	5	5	9711	8596	8596	1.5
1085	013A	1312	0.03	1500	2	65	100	3	3	1	3936	2436	RTO-C	85	form-based			true	0.75	7	2.333333254	5	4	7872	6372	6372	2
1087	035	1300	0.03	898	2	65	100	3	3	1	3900	3002	RTO-C	85	form-based		true	true	0.75	7	2.333333254	5	4	7800	6902	6902	2
1089	001A	1250	0.03	2458	2	65	100	3	3	1	3750	1292	NCD-GEAR	85	form-based			true	0.75	7	2.333333254	5	4	7500	5042	5042	2
1100	012	2297	0.05	2872	4	65	100	3	5	1	6891	4019	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	10336.5	7464.5	7464.5	1.5
1100	013	2297	0.05	3360	4	65	100	3	5	1	6891	3531	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	10336.5	6976.5	6976.5	1.5
1100	028	2250	0.05	4900	3	65	100	3	5	2	6750	1850	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	10125	5225	5225	1.5
1100	125	1160	0.03	1000	1	65	100	3	3	2	3480	2480	NCT-DIVIS	85	form-based			true	0.75	6	2	5	5	6960	5960	5960	2
1100	134	1475	0.03	1060	1	65	100	3	3	2	4425	3365	NCT-DIVIS	65	form-based			true	0.75	6	2	5	5	6637.5	5577.5	5577.5	1.5
1100	135	2283	0.05	1260	4	65	100	3	5	1	6849	5589	RTO-C	65	form-based		true	true	0.75	9	1.799999952	5	5	10273.5	9013.5	9013.5	1.5
1101	012A	2813	0.06	5160	3	65	100	3	6	3	8439	3279	RM-3	50	form-based			true	0.75	8	1.333333373	5	5	10548.75	5388.75	5388.75	1.25
1102	010	2706	0.06	1780	1	65	100	3	6	5	8118	6338	RM-1	40	form-based		true	true	0.7	6	1	5	5	7576.799805	5796.799805	5796.799805	0.933333
1104	002	4096	0.09	4787	4	65	100	3	9	5	12288	7501	RM-1	40	form-based			true	0.7	9	1	5	5	11468.7998	6681.799805	6681.799805	0.933333
1104	006	4210	0.1	4787	4	65	100	3	10	6	12630	7843	RM-1	40	form-based			true	0.7	9	0.899999976	5	5	11788	7001	7001	0.933333
1104	011	3525	0.08	2816	2	65	100	3	8	6	10575	7759	RM-1	40	form-based			true	0.7	7	0.875	5	5	9870	7054	7054	0.933333
1104	012	3496	0.08	2816	2	65	100	3	8	6	10488	7672	RM-1	40	form-based			true	0.7	7	0.875	5	5	9788.799805	6972.799805	6972.799805	0.933333
1104	013	3447	0.08	2816	2	65	100	3	8	6	10341	7525	RM-1	40	form-based			true	0.7	7	0.875	5	5	9651.599609	6835.599609	6835.599609	0.933333
1112	040	3456	0.08	2114	2	65	100	3	8	6	10368	8254	RH-2	40	form-based			true	0.7	7	0.875	5	5	9676.799805	7562.799805	7562.799805	0.933333
1104	015	4418	0.1	1775	4	65	100	3	10	6	13254	11479	RM-1	40	form-based			true	0.7	9	0.899999976	5	5	12370.39941	10595.39941	10595.39941	0.933333
1109	010C	2977	0.07	1550	1	65	100	3	7	6	8931	7381	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6785.599609	6785.599609	0.933333
1109	014	1825	0.04	1341	2	65	100	3	4	2	5475	4134	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8212.5	6871.5	6871.5	1.5
1109	016	1825	0.04	1781	2	65	100	3	4	2	5475	3694	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8212.5	6431.5	6431.5	1.5
1112	020	3524	0.08	3993	2	65	100	3	8	6	10572	6579	RH-2	40	form-based			true	0.7	7	0.875	5	5	9867.200195	5874.200195	5874.200195	0.933333
1112	023	3389	0.08	3448	2	65	100	3	8	6	10167	6719	RH-2	40	form-based			true	0.7	7	0.875	5	5	9489.200195	6041.200195	6041.200195	0.933333
1109	001A	1922	0.04	3276	2	65	100	3	4	2	5766	2490	RTO-C	65	form-based		true	true	0.75	7	1.75	5	5	8649	5373	5373	1.5
1109	001B	1825	0.04	2793	2	65	100	3	4	2	5475	2682	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8212.5	5419.5	5419.5	1.5
1109	001C	1825	0.04	2823	2	65	100	3	4	2	5475	2652	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8212.5	5389.5	5389.5	1.5
1109	002B	1825	0.04	2793	2	65	100	3	4	2	5475	2682	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8212.5	5419.5	5419.5	1.5
1109	003A	1825	0.04	2850	2	65	100	3	4	2	5475	2625	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8212.5	5362.5	5362.5	1.5
1109	003B	1825	0.04	2850	2	65	100	3	4	2	5475	2625	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8212.5	5362.5	5362.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1112	036	3505	0.08	1529	2	65	100	3	8	6	10515	8986	RH-2	40	form-based			true	0.7	7	0.875	5	5	9814	8285	8285	0.933333
1112	019	3525	0.08	3448	2	65	100	3	8	6	10575	7127	RH-2	40	form-based			true	0.7	7	0.875	5	5	9870	6422	6422	0.933333
1112	029	3779	0.09	3266	3	65	100	3	9	6	11337	8071	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10581.2002	7315.200195	7315.200195	0.933333
1112	030	4388	0.1	3586	4	65	100	3	10	6	13164	9578	RH-2	40	form-based			true	0.7	9	0.899999976	5	5	12286.39941	8700.399414	8700.399414	0.933333
1112	031	4520	0.1	3586	4	65	100	3	10	6	13560	9974	RH-2	40	form-based			true	0.7	9	0.899999976	5	5	12656	9070	9070	0.933333
1112	034	3501	0.08	1841	2	65	100	3	8	6	10503	8662	RH-2	40	form-based			true	0.7	7	0.875	5	5	9802.799805	7961.799805	7961.799805	0.933333
1113	008	3732	0.09	4855	3	65	100	3	9	6	11196	6341	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10449.59961	5594.599609	5594.599609	0.933333
1113	009	3880	0.09	3113	3	65	100	3	9	6	11640	8527	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10864	7751	7751	0.933333
1113	011	3724	0.09	3105	3	65	100	3	9	6	11172	8067	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10427.2002	7322.200195	7322.200195	0.933333
1113	027	3672	0.08	3964	3	65	100	3	8	5	11016	7052	RH-2	40	form-based			true	0.7	8	1	5	5	10281.59961	6317.599609	6317.599609	0.933333
1129	015	3425	0.08	6695	5	65	100	3	8	3	10275	3580	RM-3	50	form-based		true	true	0.75	10	1.25	5	5	12843.75	6148.75	6148.75	1.25
1129	028	1894	0.04	1198	1	65	100	3	4	3	5682	4484	RM-3	50	form-based			true	0.75	6	1.5	5	5	7102.5	5904.5	5904.5	1.25
1130	003	2765	0.06	4100	1	65	100	3	6	5	8295	4195	RM-1	40	form-based			true	0.7	6	1	5	5	7742	3642	3642	0.933333
1131	007	2904	0.07	2320	1	65	100	3	7	6	8712	6392	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8131.199707	5811.199707	5811.199707	0.933333
1131	008	2739	0.06	1430	1	65	100	3	6	5	8217	6787	RH-1	40	form-based			true	0.7	6	1	5	5	7669.199707	6239.199707	6239.199707	0.933333
1131	008A	2812	0.06	2260	1	65	100	3	6	5	8436	6176	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	5613.600098	5613.600098	0.933333
1131	009	2970	0.07	2133	1	65	100	3	7	6	8910	6777	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8316	6183	6183	0.933333
1131	013	2767	0.06	1428	1	65	100	3	6	5	8301	6873	RH-2	40	form-based			true	0.7	6	1	5	5	7747.600098	6319.600098	6319.600098	0.933333
1131	014	2766	0.06	1428	1	65	100	3	6	5	8298	6870	RH-2	40	form-based			true	0.7	6	1	5	5	7744.799805	6316.799805	6316.799805	0.933333
1131	014A	2765	0.06	1428	1	65	100	3	6	5	8295	6867	RH-2	40	form-based			true	0.7	6	1	5	5	7742	6314	6314	0.933333
1132	002	2954	0.07	1975	1	65	100	3	7	6	8862	6887	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8271.200195	6296.200195	6296.200195	0.933333
1132	003	2877	0.07	1620	1	65	100	3	7	6	8631	7011	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8055.600098	6435.600098	6435.600098	0.933333
1132	008	2793	0.06	1482	1	65	100	3	6	5	8379	6897	RH-1	40	form-based			true	0.7	6	1	5	5	7820.399902	6338.399902	6338.399902	0.933333
1132	011	2750	0.06	1620	1	65	100	3	6	5	8250	6630	RH-1	40	form-based			true	0.7	6	1	5	5	7700	6080	6080	0.933333
1132	012	2750	0.06	2605	1	65	100	3	6	5	8250	5645	RH-1	40	form-based			true	0.7	6	1	5	5	7700	5095	5095	0.933333
1132	013	2750	0.06	2969	1	65	100	3	6	5	8250	5281	RH-1	40	form-based			true	0.7	6	1	5	5	7700	4731	4731	0.933333
1132	013A	2750	0.06	1468	1	65	100	3	6	5	8250	6782	RH-1	40	form-based			true	0.7	6	1	5	5	7700	6232	6232	0.933333
1132	014	2750	0.06	1505	1	65	100	3	6	5	8250	6745	RH-1	40	form-based			true	0.7	6	1	5	5	7700	6195	6195	0.933333
1132	015	2750	0.06	2648	1	65	100	3	6	5	8250	5602	RH-1	40	form-based			true	0.7	6	1	5	5	7700	5052	5052	0.933333
1133	003	2637	0.06	2303	1	65	100	3	6	5	7911	5608	RH-2	40	form-based			true	0.7	6	1	5	5	7383.600098	5080.600098	5080.600098	0.933333
1133	004	2674	0.06	2415	1	65	100	3	6	5	8022	5607	RH-2	40	form-based			true	0.7	6	1	5	5	7487.199707	5072.199707	5072.199707	0.933333
1133	004A	2674	0.06	1638	1	65	100	3	6	5	8022	6384	RH-2	40	form-based			true	0.7	6	1	5	5	7487.199707	5849.199707	5849.199707	0.933333
1133	014	2918	0.07	2015	1	65	100	3	7	6	8754	6739	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8170.399902	6155.399902	6155.399902	0.933333
1134	021	3378	0.08	1204	2	65	100	3	8	6	10134	8930	RH-2	40	form-based		true	true	0.7	7	0.875	5	5	9458.399414	8254.399414	8254.399414	0.933333
1135	020A	2626	0.06	1993	1	65	100	3	6	5	7878	5885	RH-2	40	form-based			true	0.7	6	1	5	5	7352.799805	5359.799805	5359.799805	0.933333
1135	030	3544	0.08	1428	2	65	100	3	8	6	10632	9204	RH-2	40	form-based			true	0.7	7	0.875	5	5	9923.200195	8495.200195	8495.200195	0.933333
1136	011	3135	0.07	4817	2	65	100	3	7	5	9405	4588	RH-2	40	form-based		true	true	0.7	7	1	5	5	8778	3961	3961	0.933333
1136	016	3100	0.07	2620	2	65	100	3	7	5	9300	6680	RH-2	40	form-based			true	0.7	7	1	5	5	8680	6060	6060	0.933333
1136	019	2640	0.06	1982	1	65	100	3	6	5	7920	5938	RH-2	40	form-based			true	0.7	6	1	5	5	7392	5410	5410	0.933333
1136	023	3329	0.08	4008	2	65	100	3	8	6	9987	5979	RH-2	40	form-based		true	true	0.7	7	0.875	5	5	9321.200195	5313.200195	5313.200195	0.933333
1136	035	2765	0.06	2264	1	65	100	3	6	5	8295	6031	RH-2	40	form-based			true	0.7	6	1	5	5	7742	5478	5478	0.933333
1136	036	2765	0.06	2176	1	65	100	3	6	5	8295	6119	RH-2	40	form-based			true	0.7	6	1	5	5	7742	5566	5566	0.933333
1136	041	3134	0.07	12984	2	65	100	3	7	5	9402	0	RH-2	40	form-based		true	true	0.7	7	1	5	5	8775.200195	0	0	0.933333
1136	045	3100	0.07	1138	2	65	100	3	7	5	9300	8162	RH-2	40	form-based			true	0.7	7	1	5	5	8680	7542	7542	0.933333
1137	004	2464	0.06	3826	0	65	100	3	6	6	7392	3566	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	6899.199707	3073.199707	3073.199707	0.933333
1137	005	3252	0.07	4002	2	65	100	3	7	5	9756	5754	RH-2	40	form-based			true	0.7	7	1	5	5	9105.599609	5103.599609	5103.599609	0.933333
1137	010	3252	0.07	4111	2	65	100	3	7	5	9756	5645	RH-2	40	form-based			true	0.7	7	1	5	5	9105.599609	4994.599609	4994.599609	0.933333
1137	012A	3313	0.08	3310	2	65	100	3	8	6	9939	6629	RH-2	40	form-based		true	true	0.7	7	0.875	5	5	9276.399414	5966.399414	5966.399414	0.933333
1137	013	3306	0.08	2538	2	65	100	3	8	6	9918	7380	RH-2	40	form-based			true	0.7	7	0.875	5	5	9256.799805	6718.799805	6718.799805	0.933333
1137	023	3300	0.08	1546	2	65	100	3	8	6	9900	8354	RH-2	40	form-based			true	0.7	7	0.875	5	5	9240	7694	7694	0.933333
1138	001	2987	0.07	2904	1	65	100	3	7	6	8961	6057	RH-2	40	form-based		true	true	0.7	6	0.857142866	5	5	8363.599609	5459.599609	5459.599609	0.933333
1138	002	3051	0.07	3906	1	65	100	3	7	6	9153	5247	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8542.799805	4636.799805	4636.799805	0.933333
1138	003	3051	0.07	3167	1	65	100	3	7	6	9153	5986	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8542.799805	5375.799805	5375.799805	0.933333
1138	004	3051	0.07	2475	1	65	100	3	7	6	9153	6678	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8542.799805	6067.799805	6067.799805	0.933333
1138	005	3051	0.07	3499	1	65	100	3	7	6	9153	5654	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8542.799805	5043.799805	5043.799805	0.933333
1138	006	3051	0.07	3162	1	65	100	3	7	6	9153	5991	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8542.799805	5380.799805	5380.799805	0.933333
1138	007	3051	0.07	2157	1	65	100	3	7	6	9153	6996	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8542.799805	6385.799805	6385.799805	0.933333
1138	008	3051	0.07	2083	1	65	100	3	7	6	9153	7070	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8542.799805	6459.799805	6459.799805	0.933333
1138	015	3043	0.07	3509	1	65	100	3	7	6	9129	5620	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8520.399414	5011.399414	5011.399414	0.933333
1138	017	3043	0.07	3130	1	65	100	3	7	6	9129	5999	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8520.399414	5390.399414	5390.399414	0.933333
1139	012	6233	0.14	7588	8	65	100	3	14	6	18699	11111	RH-2	40	form-based		true	true	0.7	13	0.928571403	5	5	17452.40039	9864.400391	9864.400391	0.933333
1139	013	3116	0.07	3379	2	65	100	3	7	5	9348	5969	RH-2	40	form-based			true	0.7	7	1	5	5	8724.799805	5345.799805	5345.799805	0.933333
1139	014	2644	0.06	4122	1	65	100	3	6	5	7932	3810	RH-2	40	form-based			true	0.7	6	1	5	5	7403.199707	3281.199707	3281.199707	0.933333
1139	015	2644	0.06	4198	1	65	100	3	6	5	7932	3734	RH-2	40	form-based			true	0.7	6	1	5	5	7403.199707	3205.199707	3205.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1139	022	3089	0.07	2792	1	65	100	3	7	6	9267	6475	RH-2	40	form-based		true	true	0.7	6	0.857142866	5	5	8649.200195	5857.200195	5857.200195	0.933333
1140	007	2730	0.06	1860	1	65	100	3	6	5	8190	6330	RH-2	40	form-based		true	true	0.7	6	1	5	5	7644	5784	5784	0.933333
1140	007A	3003	0.07	1485	1	65	100	3	7	6	9009	7524	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6923.399414	6923.399414	0.933333
1140	008	2821	0.06	1485	1	65	100	3	6	5	8463	6978	RH-2	40	form-based			true	0.7	6	1	5	5	7898.799805	6413.799805	6413.799805	0.933333
1140	009	3002	0.07	1485	1	65	100	3	7	6	9006	7521	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6920.599609	6920.599609	0.933333
1140	010	2821	0.06	1485	1	65	100	3	6	5	8463	6978	RH-2	40	form-based			true	0.7	6	1	5	5	7898.799805	6413.799805	6413.799805	0.933333
1140	011	3002	0.07	1485	1	65	100	3	7	6	9006	7521	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6920.599609	6920.599609	0.933333
1140	012	3094	0.07	1485	1	65	100	3	7	6	9282	7797	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8663.200195	7178.200195	7178.200195	0.933333
1142	010	2987	0.07	1725	1	55	80	2.5	6	5	7468	5743	RH-2	40	form-based			true	0.7	6	1	5	5	8363.599609	6638.599609	6638.599609	1.119925
1142	015	3379	0.08	2500	2	55	80	2.5	6	4	8448	5948	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9461.200195	6961.200195	6961.200195	1.119934
1142	018	3370	0.08	3400	2	55	80	2.5	6	4	8425	5025	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9436	6036	6036	1.12
1142	019	3002	0.07	1790	1	55	80	2.5	6	5	7505	5715	RH-2	40	form-based			true	0.7	6	1	5	5	8405.599609	6615.599609	6615.599609	1.12
1142	072	3388	0.08	2365	2	55	80	2.5	6	4	8470	6105	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9486.399414	7121.399414	7121.399414	1.12
1145A	002	2864	0.07	1650	1	55	80	2.5	6	5	7160	5510	RH-2	40	form-based			true	0.7	6	1	5	5	8019.199707	6369.199707	6369.199707	1.12
1145A	008	2869	0.07	2570	1	55	80	2.5	6	5	7172	4602	RH-2	40	form-based		true	true	0.7	6	1	5	5	8033.199707	5463.199707	5463.199707	1.120078
1146	008	2917	0.07	3441	1	55	80	2.5	6	5	7292	3851	RH-2	40	form-based		true	true	0.7	6	1	5	5	8167.600098	4726.600098	4726.600098	1.120077
1146	009	2890	0.07	2836	1	55	80	2.5	6	5	7225	4389	RH-2	40	form-based		true	true	0.7	6	1	5	5	8092	5256	5256	1.12
1147	008	2945	0.07	3024	1	55	80	2.5	6	5	7362	4338	RH-2	40	form-based		true	true	0.7	6	1	5	5	8246	5222	5222	1.120076
1147	009	2914	0.07	2955	1	55	80	2.5	6	5	7285	4330	RH-2	40	form-based		true	true	0.7	6	1	5	5	8159.199707	5204.199707	5204.199707	1.12
1148	009	2939	0.07	3230	1	55	80	2.5	6	5	7348	4118	RH-2	40	form-based		true	true	0.7	6	1	5	5	8229.200195	4999.200195	4999.200195	1.119924
1149	001	2973	0.07	1670	1	55	80	2.5	6	5	7432	5762	RH-3	40	form-based		true	true	0.7	6	1	5	5	8324.399414	6654.399414	6654.399414	1.120075
1149	002	2971	0.07	1665	1	55	80	2.5	6	5	7428	5763	RH-3	40	form-based			true	0.7	6	1	5	5	8318.799805	6653.799805	6653.799805	1.119925
1149	007	4036	0.09	4080	3	55	80	2.5	7	4	10090	6010	RH-3	40	form-based		true	true	0.7	8	1.142857194	5	5	11300.7998	7220.799805	7220.799805	1.12
1149	017	2812	0.06	4068	6	55	80	2.5	5	0	7030	2962	RTO-C	65	form-based			true	0.75	11	2.200000048	5	4	12654	8586	8586	1.8
1149	025	3438	0.08	2125	2	55	80	2.5	6	4	8595	6470	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	7501.399414	7501.399414	1.12
1149	041	3719	0.09	2403	3	55	80	2.5	7	4	9298	6895	RH-3	40	form-based			true	0.7	8	1.142857194	5	5	10413.2002	8010.200195	8010.200195	1.11994
1150	003	2813	0.06	1025	1	55	80	2.5	5	4	7032	6007	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6851.399902	6851.399902	1.12008
1150	013	3438	0.08	3350	2	55	80	2.5	6	4	8595	5245	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	6276.399414	6276.399414	1.12
1150	015	3437	0.08	1950	2	55	80	2.5	6	4	8592	6642	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	7673.599609	7673.599609	1.120065
1150	016	3437	0.08	3365	2	55	80	2.5	6	4	8592	5227	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	6258.599609	6258.599609	1.120065
1150	017	3437	0.08	2250	2	55	80	2.5	6	4	8592	6342	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	7373.599609	7373.599609	1.120065
1150	032	3367	0.08	2725	2	55	80	2.5	6	4	8418	5693	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9427.599609	6702.599609	6702.599609	1.119933
1150	037	3368	0.08	3500	2	55	80	2.5	6	4	8420	4920	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9430.399414	5930.399414	5930.399414	1.12
1151	003	3025	0.07	1425	1	55	80	2.5	6	5	7562	6137	RH-3	40	form-based			true	0.7	6	1	5	5	8470	7045	7045	1.120074
1151	013	3378	0.08	3025	2	55	80	2.5	6	4	8445	5420	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9458.399414	6433.399414	6433.399414	1.12
1151	015	3377	0.08	3120	2	55	80	2.5	6	4	8442	5322	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9455.599609	6335.599609	6335.599609	1.120066
1151	024	2688	0.06	3210	1	55	80	2.5	5	4	6720	3510	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7526.399902	4316.399902	4316.399902	1.12
1151	027	3346	0.08	2775	2	55	80	2.5	6	4	8365	5590	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9368.799805	6593.799805	6593.799805	1.12
1151	031	3641	0.08	2990	3	55	80	2.5	6	3	9102	6112	RH-3	40	form-based			true	0.7	8	1.333333373	5	5	10194.7998	7204.799805	7204.799805	1.120062
1151	032	3438	0.08	1085	2	55	80	2.5	6	4	8595	7510	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	8541.399414	8541.399414	1.12
1151	042	3437	0.08	2215	2	55	80	2.5	6	4	8592	6377	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	7408.599609	7408.599609	1.120065
1152	014	3525	0.08	2970	2	55	80	2.5	6	4	8812	5842	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9870	6900	6900	1.120064
1152	015	3524	0.08	2770	2	55	80	2.5	6	4	8810	6040	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9867.200195	7097.200195	7097.200195	1.12
1152	029	3438	0.08	2720	2	55	80	2.5	6	4	8595	5875	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	6906.399414	6906.399414	1.12
1152	034	3438	0.08	2218	2	55	80	2.5	6	4	8595	6377	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	7408.399414	7408.399414	1.12
1152	045	3645	0.08	2012	3	55	80	2.5	6	3	9112	7100	RM-1	40	form-based			true	0.7	8	1.333333373	5	5	10206	8194	8194	1.120062
1152	048	3437	0.08	1388	2	55	80	2.5	6	4	8592	7204	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	8235.599609	8235.599609	1.120065
1154	006C	6204	0.14	11124	12	55	80	2.5	11	0	15510	4386	RM-1	50	form-based			true	0.7	17	1.545454502	5	5	21714	10590	10590	1.4
1154	013A	900	0.02	1675	0	55	80	2.5	2	2	2250	575	NCT-DIVIS.	85	form-based			true	0.75	5	2.5	5	4	5400	3725	2825	2.4
1154	022	2253	0.05	1078	1	55	80	2.5	4	3	5632	4554	RH-3	50	form-based			true	0.7	6	1.5	5	5	7885.5	6807.5	6807.5	1.400124
1154	023	2253	0.05	3281	1	55	80	2.5	4	3	5632	2351	RH-3	50	form-based			true	0.7	6	1.5	5	5	7885.5	4604.5	4604.5	1.400124
1154	025	2254	0.05	1500	1	55	80	2.5	4	3	5635	4135	RH-3	50	form-based			true	0.7	6	1.5	5	5	7889	6389	6389	1.4
1154	041	2518	0.06	1375	2	55	80	2.5	5	3	6295	4920	RH-3	50	form-based	true	true	true	0.7	7	1.399999976	5	5	8813	7438	7438	1.4
1154	051	2500	0.06	1412	2	55	80	2.5	5	3	6250	4838	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8750	7338	7338	1.4
1155	010	3429	0.08	4875	5	55	80	2.5	6	1	8572	3697	RM-1	50	form-based			true	0.7	10	1.666666627	5	5	12001.5	7126.5	7126.5	1.400082
1155	024	5000	0.11	12789	21	55	80	2.5	9	0	12500	0	NCT-DIVIS.	85	form-based	true	true	true	0.75	26	2.888888836	5	0	30000	17211	12211	2.4
1155	034	3025	0.07	5280	3	55	80	2.5	6	3	7562	2282	RM-1	50	form-based			true	0.7	8	1.333333373	5	5	10587.5	5307.5	5307.5	1.400093
1155	039	2804	0.06	1819	3	55	80	2.5	5	2	7010	5191	RM-1	50	form-based			true	0.7	8	1.600000024	5	5	9814	7995	7995	1.4
1155	042	2533	0.06	1768	2	55	80	2.5	5	3	6332	4564	RM-1	50	form-based			true	0.7	7	1.399999976	5	5	8865.5	7097.5	7097.5	1.400111
1156	009	2500	0.06	4000	2	55	80	2.5	5	3	6250	2250	RM-1	50	form-based			true	0.7	7	1.399999976	5	5	8750	4750	4750	1.4
1156	047	2804	0.06	1441	3	55	80	2.5	5	2	7010	5569	RM-1	50	form-based			true	0.7	8	1.600000024	5	5	9814	8373	8373	1.4
1158	005	3032	0.07	6180	1	55	80	2.5	6	5	7580	1400	RH-3	40	form-based			true	0.7	6	1	5	5	8489.599609	2309.599609	2309.599609	1.12
1158	007	3033	0.07	6150	3	55	80	2.5	6	3	7582	1432	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	10615.5	4465.5	4465.5	1.400092
1158	008	2409	0.06	3750	2	55	80	2.5	5	3	6022	2272	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8431.5	4681.5	4681.5	1.400116

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1158	009	2410	0.06	4850	2	55	80	2.5	5	3	6025	1175	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8435	3585	3585	1.4
1158	030	3438	0.08	2880	2	55	80	2.5	6	4	8595	5715	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	6746.399414	6746.399414	1.12
1158	033	3437	0.08	1680	2	55	80	2.5	6	4	8592	6912	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	7943.599609	7943.599609	1.120065
1158	034	3438	0.08	3716	2	55	80	2.5	6	4	8595	4879	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	5910.399414	5910.399414	1.12
1158	035	3437	0.08	3075	2	55	80	2.5	6	4	8592	5517	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	6548.599609	6548.599609	1.120065
1159	006	2492	0.06	4275	2	55	80	2.5	5	3	6230	1955	RM-1	50	form-based			true	0.7	7	1.399999976	5	5	8722	4447	4447	1.4
1159	007	2492	0.06	2775	2	55	80	2.5	5	3	6230	3455	RM-1	50	form-based			true	0.7	7	1.399999976	5	5	8722	5947	5947	1.4
1159	012A	3440	0.08	4725	5	55	80	2.5	6	1	8600	3875	RM-1	50	form-based			true	0.7	10	1.666666627	5	5	12040	7315	7315	1.4
1159	018	5156	0.12	7725	6	55	80	2.5	10	4	12890	5165	RH-3	40	form-based			true	0.7	11	1.100000024	5	5	14436.7998	6711.799805	6711.799805	1.12
1159	025	3781	0.09	4064	3	55	80	2.5	7	4	9452	5388	RH-3	40	form-based			true	0.7	8	1.142857194	5	5	10586.7998	6522.799805	6522.799805	1.120059
1159	066	3781	0.09	712	3	55	80	2.5	7	4	9452	8740	RH-3	40	form-based			true	0.7	8	1.142857194	5	5	10586.7998	9874.799805	9874.799805	1.120059
1159	072	3750	0.09	1962	5	55	80	2.5	7	2	9375	7413	RM-1	50	form-based			true	0.7	10	1.428571463	5	5	13125	11163	11163	1.4
1160	007	2507	0.06	1555	2	55	80	2.5	5	3	6268	4713	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8774.5	7219.5	7219.5	1.399888
1160	008	2504	0.06	3300	2	55	80	2.5	5	3	6260	2960	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8764	5464	5464	1.4
1160	015	3429	0.08	4932	5	55	80	2.5	6	1	8572	3640	RH-3	50	form-based			true	0.7	10	1.666666627	5	5	12001.5	7069.5	7069.5	1.400082
1160	017	2492	0.06	2600	2	55	80	2.5	5	3	6230	3630	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8722	6122	6122	1.4
1160	027	3437	0.08	3100	2	55	80	2.5	6	4	8592	5492	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	6523.599609	6523.599609	1.120065
1160	028	3438	0.08	1235	2	55	80	2.5	6	4	8595	7360	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	8391.399414	8391.399414	1.12
1160	031	3436	0.08	2760	2	55	80	2.5	6	4	8590	5830	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9620.799805	6860.799805	6860.799805	1.12
1160	034	3428	0.08	1795	2	55	80	2.5	6	4	8570	6775	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9598.399414	7803.399414	7803.399414	1.12
1166	045	2676	0.06	1425	1	55	80	2.5	5	4	6690	5265	RH-2	40	form-based		true	true	0.7	6	1.200000048	5	5	7492.799805	6067.799805	6067.799805	1.12
1166	046	3355	0.08	1729	2	55	80	2.5	6	4	8388	6659	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9394	7665	7665	1.119933
1166	050	3293	0.08	1323	2	55	80	2.5	6	4	8232	6909	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9220.399414	7897.399414	7897.399414	1.120068
1167	011	3581	0.08	2850	3	55	80	2.5	6	3	8952	6102	RH-3	40	form-based			true	0.7	8	1.333333373	5	5	10026.7998	7176.799805	7176.799805	1.120063
1167	031	3664	0.08	3772	3	55	80	2.5	6	3	9160	5388	RH-2	40	form-based			true	0.7	8	1.333333373	5	5	10259.2002	6487.200195	6487.200195	1.12
1167	041	7535	0.17	8307	11	55	80	2.5	14	3	18838	10531	RH-2	40	form-based			true	0.7	16	1.142857194	5	5	21098	12791	12791	1.11997
1167	045	3242	0.07	1877	2	55	80	2.5	6	4	8105	6228	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9077.599609	7200.599609	7200.599609	1.12
1168	043	3438	0.08	2000	2	55	80	2.5	6	4	8595	6595	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	7626.399414	7626.399414	1.12
1168	044	3438	0.08	2700	2	55	80	2.5	6	4	8595	5895	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	6926.399414	6926.399414	1.12
1169	016	3000	0.07	2840	1	55	80	2.5	6	5	7500	4660	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5560	5560	1.12
1169	017	3000	0.07	2130	1	55	80	2.5	6	5	7500	5370	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6270	6270	1.12
1170	001	5229	0.12	13650	21	55	80	2.5	10	0	13072	0	RH-2	80	form-based		true	true	0.7	26	2.599999905	5	0	29282.40039	15632.40039	12494	2.240086
1173	009	3418	0.08	2654	2	55	80	2.5	6	4	8545	5891	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9570.399414	6916.399414	6916.399414	1.12
1173	033	2667	0.06	1428	1	55	80	2.5	5	4	6668	5240	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7467.600098	6039.600098	6039.600098	1.119916
1174	002E	2180	0.05	4026	6	55	80	2.5	4	0	5450	1424	RTO-C	85	form-based			true	0.75	11	2.75	5	2	13080	9054	6874	2.4
1174	015	2751	0.06	2125	1	55	80	2.5	5	4	6878	4753	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	5577.799805	5577.799805	1.119919
1176	009	3494	0.08	2841	2	55	80	2.5	6	4	8735	5894	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9783.200195	6942.200195	6942.200195	1.12
1176	015	3494	0.08	3250	2	55	80	2.5	6	4	8735	5485	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9783.200195	6533.200195	6533.200195	1.12
1176	023A	3937	0.09	7520	6	55	80	2.5	7	1	9842	2322	RM-1	50	form-based		true	true	0.7	11	1.571428537	5	5	13779.5	6259.5	6259.5	1.400071
1176	031	3438	0.08	5125	5	55	80	2.5	6	1	8595	3470	RM-1	50	form-based			true	0.7	10	1.666666627	5	5	12033	6908	6908	1.4
1176	054	3494	0.08	2920	2	55	80	2.5	6	4	8735	5815	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9783.200195	6863.200195	6863.200195	1.12
1176	058	2680	0.06	5250	3	55	80	2.5	5	2	6700	1450	RH-3	50	form-based			true	0.7	8	1.600000024	5	5	9380	4130	4130	1.4
1176	061	3494	0.08	1450	2	55	80	2.5	6	4	8735	7285	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9783.200195	8333.200195	8333.200195	1.12
1177	004	3047	0.07	3600	4	55	80	2.5	6	2	7618	4018	RH-3	50	form-based			true	0.7	9	1.5	5	5	10664.5	7064.5	7064.5	1.399908
1177	006	3047	0.07	2675	1	55	80	2.5	6	5	7618	4943	RH-3	40	form-based			true	0.7	6	1	5	5	8531.599609	5856.599609	5856.599609	1.119926
1177	015	3494	0.08	2920	2	55	80	2.5	6	4	8735	5815	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9783.200195	6863.200195	6863.200195	1.12
1177	017	3494	0.08	2800	2	55	80	2.5	6	4	8735	5935	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9783.200195	6983.200195	6983.200195	1.12
1177	024	2494	0.06	1375	2	55	80	2.5	5	3	6235	4860	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8729	7354	7354	1.4
1177	053	3494	0.08	3192	2	55	80	2.5	6	4	8735	5543	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9783.200195	6591.200195	6591.200195	1.12
1178	001	2535	0.06	2904	2	55	80	2.5	5	3	6338	3434	RM-1	50	form-based		true	true	0.7	7	1.399999976	5	5	8872.5	5968.5	5968.5	1.39989
1178	023	3953	0.09	5634	6	55	80	2.5	7	1	9882	4248	RM-1	50	form-based			true	0.7	11	1.571428537	5	5	13835.5	8201.5	8201.5	1.400071
1179	014	1969	0.05	2338	1	55	80	2.5	4	3	4922	2584	RH-3	50	form-based			true	0.7	6	1.5	5	5	6891.5	4553.5	4553.5	1.400142
1179	015	1969	0.05	2485	1	55	80	2.5	4	3	4922	2437	RH-3	50	form-based			true	0.7	6	1.5	5	5	6891.5	4406.5	4406.5	1.400142
1180	027	4744	0.11	1121	8	55	80	2.5	9	1	11860	10739	RH-3	50	form-based			true	0.7	13	1.444444418	5	5	16604	15483	15483	1.4
1182	010	6843	0.16	6120	14	55	80	2.5	13	0	17108	10988	RM-1	50	form-based			true	0.7	19	1.461538434	5	5	23950.5	17830.5	17830.5	1.399959
1183	016	3421	0.08	3340	2	55	80	2.5	6	4	8552	5212	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	6238.799805	6238.799805	1.120065
1183	071	3437	0.08	1404	2	55	80	2.5	6	4	8592	7188	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	8219.599609	8219.599609	1.120065
1183	073	3437	0.08	1114	2	55	80	2.5	6	4	8592	7478	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	8509.599609	8509.599609	1.120065
1184	006	3125	0.07	3050	2	55	80	2.5	6	4	7812	4762	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8750	5700	5700	1.120072
1184	011	3421	0.08	1650	2	55	80	2.5	6	4	8552	6902	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	7928.799805	7928.799805	1.120065
1184	033	3437	0.08	2980	2	55	80	2.5	6	4	8592	5612	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	6643.599609	6643.599609	1.120065
1184	039	3421	0.08	1777	2	55	80	2.5	6	4	8552	6775	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	7801.799805	7801.799805	1.120065
1184	041	3421	0.08	1399	2	55	80	2.5	6	4	8552	7153	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	8179.799805	8179.799805	1.120065
1185	010	3421	0.08	3600	2	55	80	2.5	6	4	8552	4952	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	5978.799805	5978.799805	1.120065

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1185	013	3421	0.08	3740	2	55	80	2.5	6	4	8552	4812	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	5838.799805	5838.799805	1.120065
1185	032	3438	0.08	3068	2	55	80	2.5	6	4	8595	5527	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	6558.399414	6558.399414	1.12
1185	035	3437	0.08	3470	2	55	80	2.5	6	4	8592	5122	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	6153.599609	6153.599609	1.120065
1185	046	3421	0.08	2227	2	55	80	2.5	6	4	8552	6325	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	7351.799805	7351.799805	1.120065
1186	009B	3558	0.08	3640	2	55	80	2.5	6	4	8895	5255	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9962.399414	6322.399414	6322.399414	1.12
1186	009F	3558	0.08	3304	2	55	80	2.5	6	4	8895	5591	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9962.399414	6658.399414	6658.399414	1.12
1186	009G	3763	0.09	3304	3	55	80	2.5	7	4	9408	6104	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10536.39941	7232.399414	7232.399414	1.11994
1186	009H	3621	0.08	3000	3	55	80	2.5	6	3	9052	6052	RH-2	40	form-based			true	0.7	8	1.333333373	5	5	10138.7998	7138.799805	7138.799805	1.120062
1186	023	3558	0.08	1681	2	55	80	2.5	6	4	8895	7214	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9962.399414	8281.399414	8281.399414	1.12
1186	034	3558	0.08	1995	2	55	80	2.5	6	4	8895	6900	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9962.399414	7967.399414	7967.399414	1.12
1187	002A	2407	0.06	3516	4	55	80	2.5	5	1	6018	2502	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	10831.5	7315.5	7315.5	1.79985
1187	003C	2276	0.05	4746	4	55	80	2.5	4	0	5690	944	RTO-C	65	form-based	true		true	0.75	9	2.25	5	4	10242	5496	5496	1.8
1187	020	3421	0.08	1785	2	55	80	2.5	6	4	8552	6767	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	7793.799805	7793.799805	1.120065
1187	039	3421	0.08	1300	2	55	80	2.5	6	4	8552	7252	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	8278.799805	8278.799805	1.120065
1188	006	3421	0.08	2780	2	55	80	2.5	6	4	8552	5772	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	6798.799805	6798.799805	1.120065
1188	007	3421	0.08	3540	2	55	80	2.5	6	4	8552	5012	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	6038.799805	6038.799805	1.120065
1188	010	2656	0.06	2050	1	55	80	2.5	5	4	6640	4590	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7436.799805	5386.799805	5386.799805	1.12
1188	028	3421	0.08	1468	2	55	80	2.5	6	4	8552	7084	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	8110.799805	8110.799805	1.120065
1189	002E	3421	0.08	3140	2	55	80	2.5	6	4	8552	5412	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	6438.799805	6438.799805	1.120065
1189	002F	3421	0.08	3430	2	55	80	2.5	6	4	8552	5122	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	6148.799805	6148.799805	1.120065
1189	002H	3421	0.08	3140	2	55	80	2.5	6	4	8552	5412	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	6438.799805	6438.799805	1.120065
1189	005	3421	0.08	3180	2	55	80	2.5	6	4	8552	5372	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	6398.799805	6398.799805	1.120065
1189	032	3421	0.08	1636	2	55	80	2.5	6	4	8552	6916	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	7942.799805	7942.799805	1.120065
1189	034	3421	0.08	969	2	55	80	2.5	6	4	8552	7583	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9578.799805	8609.799805	8609.799805	1.120065
1201	084	3183	0.07	552	4	55	80	2.5	6	2	7958	7406	RM-1	50	form-based			true	0.7	9	1.5	5	5	11140.5	10588.5	10588.5	1.399912
1203	006	2500	0.06	3360	2	55	80	2.5	5	3	6250	2890	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8750	5390	5390	1.4
1203	011	3437	0.08	4525	5	55	80	2.5	6	1	8592	4067	RH-3	50	form-based			true	0.7	10	1.666666627	5	5	12029.5	7504.5	7504.5	1.400082
1203	017A	1912	0.04	3500	2	55	80	2.5	3	1	4780	1280	NCT-DIVIS.	65	form-based	true			0.75	7	2.333333254	5	4	8604	5104	5104	1.8
1203	038	2500	0.06	1183	2	55	80	2.5	5	3	6250	5067	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8750	7567	7567	1.4
1204	024	3984	0.09	8016	6	55	80	2.5	7	1	9960	1944	RM-1	50	form-based			true	0.7	11	1.571428537	5	5	13944	5928	5928	1.4
1204	038	1875	0.04	2730	5	55	80	2.5	3	0	4688	1958	RTO-C	85	form-based			true	0.75	10	3.333333254	5	1	11250	8520	6646	2.399744
1204	039	3984	0.09	8016	6	55	80	2.5	7	1	9960	1944	RM-1	50	form-based			true	0.7	11	1.571428537	5	5	13944	5928	5928	1.4
1205	015	3438	0.08	2650	2	55	80	2.5	6	4	8595	5945	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	6976.399414	6976.399414	1.12
1205	029	3438	0.08	2000	2	55	80	2.5	6	4	8595	6595	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	7626.399414	7626.399414	1.12
1205	031	3437	0.08	2532	2	55	80	2.5	6	4	8592	6060	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	7091.599609	7091.599609	1.120065
1210	050	3432	0.08	1799	2	55	80	2.5	6	4	8580	6781	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9609.599609	7810.599609	7810.599609	1.12
1211	015	3437	0.08	3640	2	55	80	2.5	6	4	8592	4952	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	5983.599609	5983.599609	1.120065
1211	031	3410	0.08	2800	2	55	80	2.5	6	4	8525	5725	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9548	6748	6748	1.12
1211	032	3410	0.08	3260	2	55	80	2.5	6	4	8525	5265	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9548	6288	6288	1.12
1211	036	3412	0.08	3200	2	55	80	2.5	6	4	8530	5330	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9553.599609	6353.599609	6353.599609	1.12
1211	049	3411	0.08	1780	2	55	80	2.5	6	4	8528	6748	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9550.799805	7770.799805	7770.799805	1.119934
1211	071	3413	0.08	1670	2	55	80	2.5	6	4	8532	6862	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9556.399414	7886.399414	7886.399414	1.120066
1211	073	3413	0.08	1737	2	55	80	2.5	6	4	8532	6795	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9556.399414	7819.399414	7819.399414	1.120066
1212	013	3660	0.08	3634	3	55	80	2.5	6	3	9150	5516	RM-1	40	form-based			true	0.7	8	1.333333373	5	5	10248	6614	6614	1.12
1212	026	8006	0.18	1391	12	55	80	2.5	14	2	20015	18624	RM-1	40	form-based			true	0.7	17	1.214285731	5	5	22416.79883	21025.79883	21025.79883	1.12
1212	045	3827	0.09	1932	3	55	80	2.5	7	4	9568	7636	RH-3	40	form-based			true	0.7	8	1.142857194	5	5	10715.59961	8783.599609	8783.599609	1.119941
1214	007	2500	0.06	0	0	55	80	2.5	5	5	6250	6250	RM-2	40	form-based			true	0.7	5	1	5	5	7000	7000	7000	1.12
1214	008	2500	0.06	0	0	55	80	2.5	5	5	6250	6250	RM-2	40	form-based			true	0.7	5	1	5	5	7000	7000	7000	1.12
1216	025	2763	0.06	3722	3	55	80	2.5	5	2	6908	3186	RH-3	50	form-based			true	0.7	8	1.600000024	5	5	9670.5	5948.5	5948.5	1.399899
1216	028	2816	0.06	926	3	55	80	2.5	5	2	7040	6114	RH-3	50	form-based			true	0.7	8	1.600000024	5	5	9856	8930	8930	1.4
1217	001	2565	0.06	2350	2	55	80	2.5	5	3	6412	4062	RH-3	50	form-based	true		true	0.7	7	1.399999976	5	5	8977.5	6627.5	6627.5	1.400109
1217	009	2628	0.06	2900	2	55	80	2.5	5	3	6570	3670	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	9198	6298	6298	1.4
1218	021	2750	0.06	5124	3	55	80	2.5	5	2	6875	1751	RM-2	50	form-based			true	0.7	8	1.600000024	5	5	9625	4501	4501	1.4
1218	064	2750	0.06	1662	3	55	80	2.5	5	2	6875	5213	RM-1	50	form-based			true	0.7	8	1.600000024	5	5	9625	7963	7963	1.4
1218	067	3450	0.08	1218	5	55	80	2.5	6	1	8625	7407	RM-2	50	form-based			true	0.7	10	1.666666627	5	5	12075	10857	10857	1.4
1218	081	3438	0.08	1439	5	55	80	2.5	6	1	8595	7156	RM-1	50	form-based			true	0.7	10	1.666666627	5	5	12033	10594	10594	1.4
1219	052	3437	0.08	1292	2	55	80	2.5	6	4	8592	7300	RM-2	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	8331.599609	8331.599609	1.120065
1222	013	6102	0.14	5120	8	55	80	2.5	11	3	15255	10135	RH-3	40	form-based			true	0.7	13	1.181818128	5	5	17085.59961	11965.59961	11965.59961	1.12
1222	014	3438	0.08	5780	2	55	80	2.5	6	4	8595	2815	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	3846.399414	3846.399414	1.12
1222	027	3877	0.09	4140	3	55	80	2.5	7	4	9692	5552	RM-2	40	form-based			true	0.7	8	1.142857194	5	5	10855.59961	6715.599609	6715.599609	1.120058
1223	015	3383	0.08	3136	2	55	80	2.5	6	4	8458	5322	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9472.399414	6336.399414	6336.399414	1.119934
1223	040	3388	0.08	1820	2	55	80	2.5	6	4	8470	6650	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9486.399414	7666.399414	7666.399414	1.12
1223	046	2447	0.06	2850	0	55	80	2.5	5	5	6118	3268	RM-1	40	form-based			true	0.7	5	1	5	5	6851.600098	4001.600098	4001.600098	1.119908
1224	002	2666	0.06	2162	1	55	80	2.5	5	4	6665	4503	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7464.799805	5302.799805	5302.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1224	003	2666	0.06	1379	1	55	80	2.5	5	4	6665	5286	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7464.799805	6085.799805	6085.799805	1.12
1224	006	2666	0.06	3000	1	55	80	2.5	5	4	6665	3665	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7464.799805	4464.799805	4464.799805	1.12
1224	012	3437	0.08	3450	2	55	80	2.5	6	4	8592	5142	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	6173.599609	6173.599609	1.120065
1224	015	3437	0.08	2800	2	55	80	2.5	6	4	8592	5792	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9623.599609	6823.599609	6823.599609	1.120065
1225	005	2636	0.06	3386	1	55	80	2.5	5	4	6590	3204	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7380.799805	3994.799805	3994.799805	1.12
1225	006	2635	0.06	3425	1	55	80	2.5	5	4	6588	3163	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7378	3953	3953	1.119915
1225	017	3438	0.08	3181	2	55	80	2.5	6	4	8595	5414	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	6445.399414	6445.399414	1.12
1225	025	2656	0.06	3895	1	55	80	2.5	5	4	6640	2745	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7436.799805	3541.799805	3541.799805	1.12
1227	002	2829	0.06	2904	1	55	80	2.5	5	4	7072	4168	RM-2	40	form-based			true	0.7	6	1.200000048	5	5	7921.199707	5017.199707	5017.199707	1.120079
1227	003	2829	0.06	3128	1	55	80	2.5	5	4	7072	3944	RM-2	40	form-based			true	0.7	6	1.200000048	5	5	7921.199707	4793.199707	4793.199707	1.120079
1227	004	2830	0.06	2728	1	55	80	2.5	5	4	7075	4347	RM-2	40	form-based			true	0.7	6	1.200000048	5	5	7924	5196	5196	1.12
1227	017	2394	0.05	3186	4	55	80	2.5	4	0	5985	2799	NC-1	65	form-based	true		true	0.75	9	2.25	5	4	10773	7587	7587	1.8
1228	007	2500	0.06	6826	4	55	80	2.5	5	1	6250	0	NCD-HAIG	65	form-based			true	0.75	9	1.799999952	5	5	11250	4424	4424	1.8
1228	018	2750	0.06	1754	3	55	80	2.5	5	2	6875	5121	RM-2	50	form-based			true	0.7	8	1.600000024	5	5	9625	7871	7871	1.4
1229	018	2656	0.06	2255	2	55	80	2.5	5	3	6640	4385	RM-2	50	form-based			true	0.7	7	1.399999976	5	5	9296	7041	7041	1.4
1229	023	3438	0.08	2440	5	55	80	2.5	6	1	8595	6155	RM-2	50	form-based			true	0.7	10	1.666666627	5	5	12033	9593	9593	1.4
1229	072	2656	0.06	1152	2	55	80	2.5	5	3	6640	5488	RM-2	50	form-based			true	0.7	7	1.399999976	5	5	9296	8144	8144	1.4
1230	007	2922	0.07	6345	3	55	80	2.5	6	3	7305	960	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	10227	3882	3882	1.4
1230	014	2188	0.05	5005	3	55	80	2.5	4	1	5470	465	NCD-HAIG	65	form-based			true	0.75	8	2	5	5	9846	4841	4841	1.8
1230	016	2187	0.05	4225	3	55	80	2.5	4	1	5468	1243	NCD-HAIG	65	form-based			true	0.75	8	2	5	5	9841.5	5616.5	5616.5	1.799835
1230	022	1999	0.05	2200	1	55	80	2.5	4	3	4998	2798	RH-3	50	form-based			true	0.7	6	1.5	5	5	6996.5	4796.5	4796.5	1.39986
1230	023	2000	0.05	2250	1	55	80	2.5	4	3	5000	2750	RH-3	50	form-based			true	0.7	6	1.5	5	5	7000	4750	4750	1.4
1230	025	2210	0.05	1936	1	55	80	2.5	4	3	5525	3589	RH-3	50	form-based			true	0.7	6	1.5	5	5	7735	5799	5799	1.4
1230	040	4032	0.09	990	6	55	80	2.5	7	1	10080	9090	RH-3	50	form-based	true		true	0.7	11	1.571428537	5	5	14112	13122	13122	1.4
1231	003	2417	0.06	2856	2	55	80	2.5	5	3	6042	3186	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8459.5	5603.5	5603.5	1.400116
1231	008A	2496	0.06	3050	4	55	80	2.5	5	1	6240	3190	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	11232	8182	8182	1.8
1231	020	2700	0.06	4680	5	55	80	2.5	5	0	6750	2070	RTO-C	65	form-based			true	0.75	10	2	5	5	12150	7470	7470	1.8
1231	025	2813	0.06	5370	3	55	80	2.5	5	2	7032	1662	RH-3	50	form-based			true	0.7	8	1.600000024	5	5	9845.5	4475.5	4475.5	1.4001
1231	031	3995	0.09	5814	6	55	80	2.5	7	1	9988	4174	RH-3	50	form-based			true	0.7	11	1.571428537	5	5	13982.5	8168.5	8168.5	1.39993
1231	038	2820	0.06	1402	3	55	80	2.5	5	2	7050	5648	RH-3	50	form-based			true	0.7	8	1.600000024	5	5	9870	8468	8468	1.4
1231	041	2417	0.06	1814	2	55	80	2.5	5	3	6042	4228	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8459.5	6645.5	6645.5	1.400116
1233	004	2326	0.05	3550	2	55	80	2.5	4	2	5815	2265	RH-3	50	form-based			true	0.7	7	1.75	5	5	8141	4591	4591	1.4
1233	008	2328	0.05	4410	4	55	80	2.5	4	0	5820	1410	RTO-C	65	form-based			true	0.75	9	2.25	5	4	10476	6066	6066	1.8
1233	009	2328	0.05	6450	4	55	80	2.5	4	0	5820	0	RTO-C	65	form-based			true	0.75	9	2.25	5	4	10476	4026	4026	1.8
1233	010	4658	0.11	13225	12	55	80	2.5	9	0	11645	0	NCD-HAIG	65	form-based	true		true	0.75	17	1.888888836	5	5	20961	7736	7736	1.8
1233	012	2500	0.06	4875	4	55	80	2.5	5	1	6250	1375	NCD-HAIG	65	form-based			true	0.75	9	1.799999952	5	5	11250	6375	6375	1.8
1233	024	2344	0.05	3080	4	55	80	2.5	4	0	5860	2780	RTO-C	65	form-based			true	0.75	9	2.25	5	4	10548	7468	7468	1.8
1233	027	2344	0.05	3300	2	55	80	2.5	4	2	5860	2560	RH-3	50	form-based			true	0.7	7	1.75	5	5	8204	4904	4904	1.4
1233	029	2344	0.05	3300	2	55	80	2.5	4	2	5860	2560	RH-3	50	form-based			true	0.7	7	1.75	5	5	8204	4904	4904	1.4
1233	055	2656	0.06	1650	2	55	80	2.5	5	3	6640	4990	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	9296	7646	7646	1.4
1234	004	2600	0.06	4535	2	55	80	2.5	5	3	6500	1965	RM-1	50	form-based			true	0.7	7	1.399999976	5	5	9100	4565	4565	1.4
1234	005	2906	0.07	5295	6	55	80	2.5	6	0	7265	1970	RTO-C	65	form-based	true		true	0.75	11	1.833333373	5	5	13077	7782	7782	1.8
1234	020	2761	0.06	3317	3	55	80	2.5	5	2	6902	3585	RM-1	50	form-based			true	0.7	8	1.600000024	5	5	9663.5	6346.5	6346.5	1.400101
1234	025	2181	0.05	2950	1	55	80	2.5	4	3	5452	2502	RM-1	50	form-based			true	0.7	6	1.5	5	5	7633.5	4683.5	4683.5	1.400128
1234	038	2500	0.06	1430	2	55	80	2.5	5	3	6250	4820	RM-1	50	form-based			true	0.7	7	1.399999976	5	5	8750	7320	7320	1.4
1235	004	2200	0.05	2190	1	55	80	2.5	4	3	5500	3310	RH-3	50	form-based			true	0.7	6	1.5	5	5	7700	5510	5510	1.4
1235	018	2500	0.06	4280	2	55	80	2.5	5	3	6250	1970	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8750	4470	4470	1.4
1235	027	2875	0.07	5400	3	55	80	2.5	6	3	7188	1788	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	10062.5	4662.5	4662.5	1.399903
1236	001	2526	0.06	4220	2	55	80	2.5	5	3	6315	2095	RM-2	50	form-based	true		true	0.7	7	1.399999976	5	5	8841	4621	4621	1.4
1236	003	2527	0.06	2853	2	55	80	2.5	5	3	6318	3465	RM-2	50	form-based			true	0.7	7	1.399999976	5	5	8844.5	5991.5	5991.5	1.399889
1236	022	2664	0.06	3520	2	55	80	2.5	5	3	6660	3140	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	9324	5804	5804	1.4
1236	023	2664	0.06	3660	2	55	80	2.5	5	3	6660	3000	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	9324	5664	5664	1.4
1236	031	3465	0.08	1587	5	55	80	2.5	6	1	8662	7075	RM-2	50	form-based			true	0.7	10	1.666666627	5	5	12127.5	10540.5	10540.5	1.400081
1237	029	3781	0.09	5796	6	55	80	2.5	7	1	9452	3656	RM-1	50	form-based			true	0.7	11	1.571428537	5	5	13233.5	7437.5	7437.5	1.400074
1237	030	3781	0.09	5058	6	55	80	2.5	7	1	9452	4394	RM-1	50	form-based			true	0.7	11	1.571428537	5	5	13233.5	8175.5	8175.5	1.400074
1237	030A	3781	0.09	5058	6	55	80	2.5	7	1	9452	4394	RM-1	50	form-based			true	0.7	11	1.571428537	5	5	13233.5	8175.5	8175.5	1.400074
1238	003	2486	0.06	3000	2	65	100	3	6	4	7458	4458	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8701	5701	5701	1.166667
1238	007A	2069	0.05	3250	3	65	100	3	5	2	6207	2957	NC-1	65	form-based	true		true	0.75	8	1.600000024	5	5	9310.5	6060.5	6060.5	1.5
1238	034	3281	0.08	2942	4	65	100	3	8	4	9843	6901	RH-3	50	form-based			true	0.7	9	1.125	5	5	11483.5	8541.5	8541.5	1.166667
1238	046	2132	0.05	3057	3	65	100	3	5	2	6396	3339	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	9594	6537	6537	1.5
1239	002	2350	0.05	3344	2	65	100	3	5	3	7050	3706	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8225	4881	4881	1.166667
1239	004	2642	0.06	1750	2	65	100	3	6	4	7926	6176	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	9247	7497	7497	1.166667
1239	018	2544	0.06	1980	2	65	100	3	6	4	7632	5652	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8904	6924	6924	1.166667
1239	021	2745	0.06	3250	3	65	100	3	6	3	8235	4985	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9607.5	6357.5	6357.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1239	032	3390	0.08	5225	8	65	100	3	8	0	10170	4945	RTO-C	65	form-based			true	0.75	13	1.625	5	5	15255	10030	10030	1.5
1239	037	2455	0.06	2242	4	65	100	3	6	2	7365	5123	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11047.5	8805.5	8805.5	1.5
1239	038	2640	0.06	1227	2	65	100	3	6	4	7920	6693	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	9240	8013	8013	1.166667
1239	047	2349	0.05	1091	2	65	100	3	5	3	7047	5956	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8221.5	7130.5	7130.5	1.166667
1239	059	2347	0.05	1285	2	65	100	3	5	3	7041	5756	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8214.5	6929.5	6929.5	1.166667
1240	008	2250	0.05	2595	1	65	100	3	5	4	6750	4155	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7875	5280	5280	1.166667
1240	016	2000	0.05	2452	1	55	80	2.5	4	3	5000	2548	RH-3	50	form-based			true	0.7	6	1.5	5	5	7000	4548	4548	1.4
1240	019	2625	0.06	2900	2	55	80	2.5	5	3	6562	3662	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	9187.5	6287.5	6287.5	1.400107
1240	022	2063	0.05	4425	3	55	80	2.5	4	1	5158	733	RTO-C	65	form-based			true	0.75	8	2	5	5	9283.5	4858.5	4858.5	1.799826
1240	023	2268	0.05	5243	4	55	80	2.5	4	0	5670	427	RTO-C	65	form-based	true	true	true	0.75	9	2.25	5	4	10206	4963	4963	1.8
1240	038	2500	0.06	1155	2	65	100	3	6	4	7500	6345	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	7595	7595	1.166667
1241	005	2500	0.06	3070	2	55	80	2.5	5	3	6250	3180	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8750	5680	5680	1.4
1241	008	2500	0.06	2775	2	55	80	2.5	5	3	6250	3475	RH-3	50	form-based	true	true	true	0.7	7	1.399999976	5	5	8750	5975	5975	1.4
1241	011A	1911	0.04	3790	2	55	80	2.5	3	1	4778	988	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	8599.5	4809.5	4809.5	1.799812
1243	032	2813	0.06	1660	3	55	80	2.5	5	2	7032	5372	RH-3	50	form-based			true	0.7	8	1.600000024	5	5	9845.5	8185.5	8185.5	1.4001
1244	016	2400	0.06	4000	2	55	80	2.5	5	3	6000	2000	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8400	4400	4400	1.4
1244	031	2847	0.07	4875	3	55	80	2.5	6	3	7118	2243	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9964.5	5089.5	5089.5	1.399902
1244	042	2926	0.07	2184	3	55	80	2.5	6	3	7315	5131	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	10241	8057	8057	1.4
1245	002	6843	0.16	23000	14	55	80	2.5	13	0	17108	0	RH-3	50	form-based			true	0.7	19	1.461538434	5	5	23950.5	950.5	950.5	1.399959
1245	014	3437	0.08	5580	5	65	100	3	8	3	10311	4731	RH-3	50	form-based			true	0.7	10	1.25	5	5	12029.5	6449.5	6449.5	1.166667
1245	037	2827	0.06	1508	3	65	100	3	6	3	8481	6973	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9894.5	8386.5	8386.5	1.166667
1246	008	2389	0.05	3800	2	65	100	3	5	3	7167	3367	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8361.5	4561.5	4561.5	1.166667
1246	014	2500	0.06	3190	2	65	100	3	6	4	7500	4310	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	5560	5560	1.166667
1246	030	2500	0.06	982	2	65	100	3	6	4	7500	6518	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	7768	7768	1.166667
1247	009	2500	0.06	2260	2	65	100	3	6	4	7500	5240	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	6490	6490	1.166667
1248	009	2500	0.06	2950	2	65	100	3	6	4	7500	4550	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	5800	5800	1.166667
1248	013	2500	0.06	2700	2	65	100	3	6	4	7500	4800	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	6050	6050	1.166667
1248	025	2500	0.06	1067	2	65	100	3	6	4	7500	6433	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	7683	7683	1.166667
1248	027	2500	0.06	1630	2	65	100	3	6	4	7500	5870	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	7120	7120	1.166667
1248	029	2500	0.06	2556	2	65	100	3	6	4	7500	4944	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	6194	6194	1.166667
1249	010A	2338	0.05	2710	2	65	100	3	5	3	7014	4304	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8183	5473	5473	1.166667
1249	012	2337	0.05	2296	2	65	100	3	5	3	7011	4715	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8179.5	5883.5	5883.5	1.166667
1249	013	2338	0.05	3958	2	65	100	3	5	3	7014	3056	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8183	4225	4225	1.166667
1250	016A	3438	0.08	5250	5	65	100	3	8	3	10314	5064	RH-3	50	form-based			true	0.7	10	1.25	5	5	12033	6783	6783	1.166667
1250	034	2500	0.06	3041	2	65	100	3	6	4	7500	4459	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	5709	5709	1.166667
1250	057	2460	0.06	1650	2	65	100	3	6	4	7380	5730	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8610	6960	6960	1.166667
1251	002	2101	0.05	2932	1	65	100	3	5	4	6303	3371	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7353.5	4421.5	4421.5	1.166667
1251	003	2100	0.05	1600	1	65	100	3	5	4	6300	4700	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7350	5750	5750	1.166667
1251	014	2750	0.06	3750	3	65	100	3	6	3	8250	4500	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9625	5875	5875	1.166667
1251	020	3444	0.08	9300	5	65	100	3	8	3	10332	1032	RH-3	50	form-based	true	true	true	0.7	10	1.25	5	5	12054	2754	2754	1.166667
1251	031	2485	0.06	2167	2	65	100	3	6	4	7455	5288	RH-3	50	form-based	true	true	true	0.7	7	1.166666627	5	5	8697.5	6530.5	6530.5	1.166667
1252	005	3042	0.07	4062	4	65	100	3	7	3	9126	5064	RH-3	50	form-based			true	0.7	9	1.285714269	5	5	10647	6585	6585	1.166667
1252	007	3045	0.07	54103	4	65	100	3	7	3	9135	0	RH-3	50	form-based			true	0.7	9	1.285714269	5	5	10657.5	0	0	1.166667
1252	011	2643	0.06	3300	2	65	100	3	6	4	7929	4629	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	9250.5	5950.5	5950.5	1.166667
1252	016	2988	0.07	3900	3	65	100	3	7	4	8964	5064	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10458	6558	6558	1.166667
1252	026	2750	0.06	3363	3	65	100	3	6	3	8250	4887	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9625	6262	6262	1.166667
1252	028	2000	0.05	2744	1	65	100	3	5	4	6000	3256	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7000	4256	4256	1.166667
1252	045	2375	0.05	2335	2	65	100	3	5	3	7125	4790	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8312.5	5977.5	5977.5	1.166667
1252	046	2375	0.05	2649	2	65	100	3	5	3	7125	4476	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8312.5	5663.5	5663.5	1.166667
1252	054	3043	0.07	541	4	65	100	3	7	3	9129	8588	RH-3	50	form-based			true	0.7	9	1.285714269	5	5	10650.5	10109.5	10109.5	1.166667
1252	061	3125	0.07	628	4	65	100	3	7	3	9375	8747	RH-3	50	form-based			true	0.7	9	1.285714269	5	5	10937.5	10309.5	10309.5	1.166667
1253	019	3067	0.07	3400	4	65	100	3	7	3	9201	5801	RH-3	50	form-based			true	0.7	9	1.285714269	5	5	10734.5	7334.5	7334.5	1.166667
1253	021	2409	0.06	3150	2	65	100	3	6	4	7227	4077	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8431.5	5281.5	5281.5	1.166667
1253	026	2750	0.06	2500	3	65	100	3	6	3	8250	5750	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9625	7125	7125	1.166667
1253	029	2750	0.06	3110	3	65	100	3	6	3	8250	5140	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9625	6515	6515	1.166667
1253	033	3047	0.07	4350	4	65	100	3	7	3	9141	4791	RH-3	50	form-based			true	0.7	9	1.285714269	5	5	10664.5	6314.5	6314.5	1.166667
1253	035	3047	0.07	3570	4	65	100	3	7	3	9141	5571	RH-3	50	form-based			true	0.7	9	1.285714269	5	5	10664.5	7094.5	7094.5	1.166667
1253	091	2768	0.06	728	3	65	100	3	6	3	8304	7576	RH-3	50	form-based	true	true	true	0.7	8	1.333333373	5	5	9688	8960	8960	1.166667
1253	110	3047	0.07	473	4	65	100	3	7	3	9141	8668	RH-3	50	form-based			true	0.7	9	1.285714269	5	5	10664.5	10191.5	10191.5	1.166667
1254	002	2896	0.07	3348	1	65	100	3	7	6	8688	5340	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8108.799805	4760.799805	4760.799805	0.933333
1254	003	2807	0.06	1892	1	65	100	3	6	5	8421	6529	RH-3	40	form-based			true	0.7	6	1	5	5	7859.600098	5967.600098	5967.600098	0.933333
1254	004	2644	0.06	2536	1	65	100	3	6	5	7932	5396	RH-3	40	form-based			true	0.7	6	1	5	5	7403.199707	4867.199707	4867.199707	0.933333
1254	017	3338	0.08	3700	2	65	100	3	8	6	10014	6314	RH-3	40	form-based			true	0.7	7	0.875	5	5	9346.399414	5646.399414	5646.399414	0.933333
1254	029	2729	0.06	1999	1	65	100	3	6	5	8187	6188	RH-3	40	form-based			true	0.7	6	1	5	5	7641.199707	5642.199707	5642.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1254	101	3193	0.07	1601	2	65	100	3	7	5	9579	7978	RH-3	40	form-based		true	true	0.7	7	1	5	5	8940.399414	7339.399414	7339.399414	0.933333
1255	029	2656	0.06	3162	1	65	100	3	6	5	7968	4806	RH-3	40	form-based			true	0.7	6	1	5	5	7436.799805	4274.799805	4274.799805	0.933333
1255	031	2656	0.06	2740	1	65	100	3	6	5	7968	5228	RH-3	40	form-based			true	0.7	6	1	5	5	7436.799805	4696.799805	4696.799805	0.933333
1255	032	2656	0.06	3720	1	65	100	3	6	5	7968	4248	RH-3	40	form-based			true	0.7	6	1	5	5	7436.799805	3716.799805	3716.799805	0.933333
1255	037	2669	0.06	3090	1	55	80	2.5	5	4	6672	3582	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7473.199707	4383.199707	4383.199707	1.120084
1255	038	2669	0.06	2718	1	55	80	2.5	5	4	6672	3954	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7473.199707	4755.199707	4755.199707	1.120084
1255	040	2669	0.06	4758	1	55	80	2.5	5	4	6672	1914	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7473.199707	2715.199707	2715.199707	1.120084
1255	041	2669	0.06	2891	1	55	80	2.5	5	4	6672	3781	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7473.199707	4582.199707	4582.199707	1.120084
1255	042	2669	0.06	3736	1	55	80	2.5	5	4	6672	2936	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7473.199707	3737.199707	3737.199707	1.120084
1255	044	2750	0.06	2545	1	55	80	2.5	5	4	6875	4330	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7700	5155	5155	1.12
1255	078	2500	0.06	2540	0	55	80	2.5	5	5	6250	3710	RH-3	40	form-based			true	0.7	5	1	5	5	7000	4460	4460	1.12
1256	001	3259	0.07	3690	2	55	80	2.5	6	4	8148	4458	RH-3	40	form-based		true	true	0.7	7	1.166666627	5	5	9125.200195	5435.200195	5435.200195	1.119931
1256	009A	3287	0.08	4380	2	55	80	2.5	6	4	8218	3838	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9203.599609	4823.599609	4823.599609	1.119932
1256	021	2632	0.06	2290	1	55	80	2.5	5	4	6580	4290	RH-3	40	form-based		true	true	0.7	6	1.200000048	5	5	7369.600098	5079.600098	5079.600098	1.12
1256	029	2903	0.07	2064	1	55	80	2.5	6	5	7258	5194	RH-3	40	form-based			true	0.7	6	1	5	5	8128.399902	6064.399902	6064.399902	1.119923
1256	031	3389	0.08	3100	2	55	80	2.5	6	4	8472	5372	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9489.200195	6389.200195	6389.200195	1.120066
1256	041	2835	0.07	3672	1	55	80	2.5	6	5	7088	3416	RH-3	40	form-based			true	0.7	6	1	5	5	7938	4266	4266	1.119921
1256	059	3394	0.08	1552	2	55	80	2.5	6	4	8485	6933	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9503.200195	7951.200195	7951.200195	1.12
1256	064	3545	0.08	1698	2	55	80	2.5	6	4	8862	7164	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9926	8228	8228	1.120063
1256	079	3202	0.07	2623	2	55	80	2.5	6	4	8005	5382	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8965.599609	6342.599609	6342.599609	1.12
1259	002	2759	0.06	2130	1	65	100	3	6	5	8277	6147	RH-3	40	form-based			true	0.7	6	1	5	5	7725.199707	5595.199707	5595.199707	0.933333
1259	003	2753	0.06	2250	1	65	100	3	6	5	8259	6009	RH-3	40	form-based			true	0.7	6	1	5	5	7708.399902	5458.399902	5458.399902	0.933333
1259	008	3170	0.07	3250	2	65	100	3	7	5	9510	6260	RH-3	40	form-based			true	0.7	7	1	5	5	8876	5626	5626	0.933333
1259	045	3170	0.07	1350	2	65	100	3	7	5	9510	8160	RH-3	40	form-based			true	0.7	7	1	5	5	8876	7526	7526	0.933333
1260	002	2900	0.07	3095	1	65	100	3	7	6	8700	5605	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8120	5025	5025	0.933333
1260	003	2900	0.07	2662	1	65	100	3	7	6	8700	6038	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8120	5458	5458	0.933333
1260	013	2969	0.07	2220	1	65	100	3	7	6	8907	6687	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6093.200195	6093.200195	0.933333
1260	014	2969	0.07	2725	1	65	100	3	7	6	8907	6182	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	5588.200195	5588.200195	0.933333
1260	051	3243	0.07	3360	2	65	100	3	7	5	9729	6369	RH-3	40	form-based			true	0.7	7	1	5	5	9080.399414	5720.399414	5720.399414	0.933333
1261	004	2500	0.06	3192	2	65	100	3	6	4	7500	4308	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	5558	5558	1.166667
1261	008	2500	0.06	2825	2	65	100	3	6	4	7500	4675	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	5925	5925	1.166667
1261	012	2500	0.06	3300	2	65	100	3	6	4	7500	4200	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	5450	5450	1.166667
1261	014	2500	0.06	3608	2	65	100	3	6	4	7500	3892	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	5142	5142	1.166667
1261	016	3083	0.07	3754	4	65	100	3	7	3	9249	5495	RH-3	50	form-based			true	0.7	9	1.285714269	5	5	10790.5	7036.5	7036.5	1.166667
1261	021	2005	0.05	1500	1	65	100	3	5	4	6015	4515	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7017.5	5517.5	5517.5	1.166667
1261	022	2006	0.05	1670	1	65	100	3	5	4	6018	4348	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7021	5351	5351	1.166667
1261	023	2007	0.05	1559	1	65	100	3	5	4	6021	4462	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7024.5	5465.5	5465.5	1.166667
1262	001	1984	0.05	2620	1	65	100	3	5	4	5952	3332	RH-3	50	form-based		true	true	0.7	6	1.200000048	5	5	6944	4324	4324	1.166667
1262	003	2031	0.05	2375	1	65	100	3	5	4	6093	3718	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7108.5	4733.5	4733.5	1.166667
1262	004	2031	0.05	2175	1	65	100	3	5	4	6093	3918	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7108.5	4933.5	4933.5	1.166667
1262	006	3281	0.08	5600	4	65	100	3	8	4	9843	4243	RH-3	50	form-based			true	0.7	9	1.125	5	5	11483.5	5883.5	5883.5	1.166667
1262	008	2031	0.05	2539	1	65	100	3	5	4	6093	3554	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7108.5	4569.5	4569.5	1.166667
1262	010	2031	0.05	2250	1	65	100	3	5	4	6093	3843	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7108.5	4858.5	4858.5	1.166667
1262	011	2031	0.05	2890	1	65	100	3	5	4	6093	3203	RH-3	50	form-based		true	true	0.7	6	1.200000048	5	5	7108.5	4218.5	4218.5	1.166667
1262	051	2500	0.06	2314	2	65	100	3	6	4	7500	5186	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	6436	6436	1.166667
1263	001	1659	0.04	0	0	65	100	3	4	4	4977	4977	NC-1	50	form-based		true	true	0.75	5	1.25	5	5	6221.25	6221.25	6221.25	1.25
1265	007	3500	0.08	5500	8	65	100	3	8	0	10500	5000	RTO-C	65	form-based		true	true	0.75	13	1.625	5	5	15750	10250	10250	1.5
1265	031	2771	0.06	3460	5	65	100	3	6	1	8313	4853	RTO-C	65	form-based			true	0.75	10	1.666666627	5	5	12469.5	9009.5	9009.5	1.5
1266	027	2519	0.06	5100	4	65	100	3	6	2	7557	2457	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11335.5	6235.5	6235.5	1.5
1267	007	3472	0.08	3908	5	85	140	4	11	6	13888	9980	RH-3	50	form-based			true	0.7	10	0.909090936	5	5	12152	8244	8244	0.875
1267	013	3438	0.08	5553	8	85	140	4	11	3	13752	8199	RTO-C	65	form-based			true	0.75	13	1.181818128	5	5	15471	9918	9918	1.125
1267	066	3023	0.07	3394	3	65	100	3	7	4	9069	5675	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10580.5	7186.5	7186.5	1.166667
1268	002	2500	0.06	2950	2	65	100	3	6	4	7500	4550	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	5800	5800	1.166667
1268	016	2627	0.06	2900	2	65	100	3	6	4	7881	4981	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	9194.5	6294.5	6294.5	1.166667
1268	018	2179	0.05	2040	1	65	100	3	5	4	6537	4497	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7626.5	5586.5	5586.5	1.166667
1268	034	2428	0.06	2970	2	65	100	3	6	4	7284	4314	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8498	5528	5528	1.166667
1268	047	2922	0.07	5100	3	65	100	3	7	4	8766	3666	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10227	5127	5127	1.166667
1268	049	2820	0.06	4125	3	65	100	3	6	3	8460	4335	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9870	5745	5745	1.166667
1268	051	2519	0.06	1485	2	65	100	3	6	4	7557	6072	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8816.5	7331.5	7331.5	1.166667
1268	071	2500	0.06	1343	2	65	100	3	6	4	7500	6157	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	7407	7407	1.166667
1269	009	3081	0.07	2540	1	65	100	3	7	6	9243	6703	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8626.799805	6086.799805	6086.799805	0.933333
1269	010	2922	0.07	1920	1	65	100	3	7	6	8766	6846	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8181.600098	6261.600098	6261.600098	0.933333
1269	011	2656	0.06	2150	1	65	100	3	6	5	7968	5818	RH-3	40	form-based			true	0.7	6	1	5	5	7436.799805	5286.799805	5286.799805	0.933333
1269	012	2656	0.06	2700	1	65	100	3	6	5	7968	5268	RH-3	40	form-based			true	0.7	6	1	5	5	7436.799805	4736.799805	4736.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1269	019	2975	0.07	2351	1	65	100	3	7	6	8925	6574	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8330	5979	5979	0.933333
1269	020	2975	0.07	2590	1	65	100	3	7	6	8925	6335	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8330	5740	5740	0.933333
1269	024	2656	0.06	3600	1	65	100	3	6	5	7968	4368	RH-2	40	form-based			true	0.7	6	1	5	5	7436.799805	3836.799805	3836.799805	0.933333
1269	025	2656	0.06	2860	1	65	100	3	6	5	7968	5108	RH-2	40	form-based			true	0.7	6	1	5	5	7436.799805	4576.799805	4576.799805	0.933333
1269	059	2943	0.07	2256	1	65	100	3	7	6	8829	6573	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8240.399414	5984.399414	5984.399414	0.933333
1269	060	2661	0.06	2278	1	65	100	3	6	5	7983	5705	RH-2	40	form-based			true	0.7	6	1	5	5	7450.799805	5172.799805	5172.799805	0.933333
1269	064	2855	0.07	2152	1	65	100	3	7	6	8565	6413	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7994	5842	5842	0.933333
1269	066	2665	0.06	3125	1	65	100	3	6	5	7995	4870	RH-2	40	form-based			true	0.7	6	1	5	5	7462	4337	4337	0.933333
1269	068	2663	0.06	2491	1	65	100	3	6	5	7989	5498	RH-2	40	form-based			true	0.7	6	1	5	5	7456.399902	4965.399902	4965.399902	0.933333
1269	069	2663	0.06	2636	1	65	100	3	6	5	7989	5353	RH-2	40	form-based			true	0.7	6	1	5	5	7456.399902	4820.399902	4820.399902	0.933333
1269	070	2662	0.06	3372	1	65	100	3	6	5	7986	4614	RH-2	40	form-based			true	0.7	6	1	5	5	7453.600098	4081.600098	4081.600098	0.933333
1269	071	2662	0.06	3290	1	65	100	3	6	5	7986	4696	RH-2	40	form-based			true	0.7	6	1	5	5	7453.600098	4163.600098	4163.600098	0.933333
1269	072	2662	0.06	2290	1	65	100	3	6	5	7986	5696	RH-2	40	form-based			true	0.7	6	1	5	5	7453.600098	5163.600098	5163.600098	0.933333
1269	073	2662	0.06	2400	1	65	100	3	6	5	7986	5586	RH-2	40	form-based			true	0.7	6	1	5	5	7453.600098	5053.600098	5053.600098	0.933333
1269	074	2662	0.06	3044	1	65	100	3	6	5	7986	4942	RH-2	40	form-based			true	0.7	6	1	5	5	7453.600098	4409.600098	4409.600098	0.933333
1269	079	2651	0.06	2080	1	65	100	3	6	5	7953	5873	RH-2	40	form-based			true	0.7	6	1	5	5	7422.799805	5342.799805	5342.799805	0.933333
1269	080	2651	0.06	2020	1	65	100	3	6	5	7953	5933	RH-2	40	form-based			true	0.7	6	1	5	5	7422.799805	5402.799805	5402.799805	0.933333
1269	082	2651	0.06	1950	1	65	100	3	6	5	7953	6003	RH-2	40	form-based			true	0.7	6	1	5	5	7422.799805	5472.799805	5472.799805	0.933333
1269	084	3059	0.07	3126	1	65	100	3	7	6	9177	6051	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8565.200195	5439.200195	5439.200195	0.933333
1269	085	3059	0.07	1820	1	65	100	3	7	6	9177	7357	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8565.200195	6745.200195	6745.200195	0.933333
1269	086	2845	0.07	2140	1	65	100	3	7	6	8535	6395	RH-3	40	form-based	true		true	0.7	6	0.857142866	5	5	7966	5826	5826	0.933333
1269	087	2650	0.06	2550	1	65	100	3	6	5	7950	5400	RH-3	40	form-based			true	0.7	6	1	5	5	7420	4870	4870	0.933333
1269	159	3001	0.07	3350	1	65	100	3	7	6	9003	5653	RH-3	40	form-based	true		true	0.7	6	0.857142866	5	5	8402.799805	5052.799805	5052.799805	0.933333
1269	161	2550	0.06	2500	0	65	100	3	6	6	7650	5150	RH-3	40	form-based			true	0.7	5	0.833333313	5	5	7140	4640	4640	0.933333
1270	009	2802	0.06	2706	1	55	80	2.5	5	4	7005	4299	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7845.600098	5139.600098	5139.600098	1.12
1270	010	3125	0.07	2400	2	55	80	2.5	6	4	7812	5412	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	6350	6350	1.120072
1270	013	2875	0.07	2781	1	55	80	2.5	6	5	7188	4407	RH-2	40	form-based	true		true	0.7	6	1	5	5	8050	5269	5269	1.119922
1270	021A	3400	0.08	3134	2	65	100	3	8	6	10200	7066	RH-3	40	form-based			true	0.7	7	0.875	5	5	9520	6386	6386	0.933333
1270	024	3400	0.08	4290	2	65	100	3	8	6	10200	5910	RH-3	40	form-based			true	0.7	7	0.875	5	5	9520	5230	5230	0.933333
1270	025	2656	0.06	2100	1	65	100	3	6	5	7968	5868	RH-3	40	form-based			true	0.7	6	1	5	5	7436.799805	5336.799805	5336.799805	0.933333
1270	027	2975	0.07	2600	1	65	100	3	7	6	8925	6325	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8330	5730	5730	0.933333
1270	028	2762	0.06	2890	1	65	100	3	6	5	8286	5396	RH-3	40	form-based			true	0.7	6	1	5	5	7733.600098	4843.600098	4843.600098	0.933333
1270	034	2936	0.07	3490	1	65	100	3	7	6	8808	5318	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8220.799805	4730.799805	4730.799805	0.933333
1270	038A	2790	0.06	3578	1	65	100	3	6	5	8370	4792	RH-2	40	form-based			true	0.7	6	1	5	5	7812	4234	4234	0.933333
1270	039	3015	0.07	2376	1	65	100	3	7	6	9045	6669	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8442	6066	6066	0.933333
1270	041	2625	0.06	2010	1	65	100	3	6	5	7875	5865	RH-3	40	form-based			true	0.7	6	1	5	5	7350	5340	5340	0.933333
1270	042	3000	0.07	3675	1	65	100	3	7	6	9000	5325	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8400	4725	4725	0.933333
1270	047	2818	0.06	3066	1	65	100	3	6	5	8454	5388	RH-2	40	form-based			true	0.7	6	1	5	5	7890.399902	4824.399902	4824.399902	0.933333
1270	053	3339	0.08	3067	2	65	100	3	8	6	10017	6950	RH-2	40	form-based			true	0.7	7	0.875	5	5	9349.200195	6282.200195	6282.200195	0.933333
1270	058	3397	0.08	2384	2	55	80	2.5	6	4	8492	6108	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9511.599609	7127.599609	7127.599609	1.120066
1270	061	2649	0.06	1878	1	55	80	2.5	5	4	6622	4744	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7417.199707	5539.199707	5539.199707	1.120085
1270	069	2656	0.06	1650	1	55	80	2.5	5	4	6640	4990	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7436.799805	5786.799805	5786.799805	1.12
1270	094	3503	0.08	2646	2	65	100	3	8	6	10509	7863	RH-3	40	form-based			true	0.7	7	0.875	5	5	9808.399414	7162.399414	7162.399414	0.933333
1271	001	2552	0.06	4372	2	65	100	3	6	4	7656	3284	RH-3	50	form-based	true		true	0.7	7	1.166666627	5	5	8932	4560	4560	1.166667
1271	028	2968	0.07	4450	3	85	140	4	10	7	11872	7422	RH-3	50	form-based			true	0.7	8	0.800000012	5	5	10388	5938	5938	0.875
1271	029	2949	0.07	4269	3	85	140	4	10	7	11796	7527	RH-3	50	form-based			true	0.7	8	0.800000012	5	5	10321.5	6052.5	6052.5	0.875
1271	039	2513	0.06	3000	2	65	100	3	6	4	7539	4539	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8795.5	5795.5	5795.5	1.166667
1271	046	2500	0.06	1259	2	65	100	3	6	4	7500	6241	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	7491	7491	1.166667
1272	010	2696	0.06	6640	5	65	100	3	6	1	8088	1448	RTO-C	65	form-based			true	0.75	10	1.666666627	5	5	12132	5492	5492	1.5
1272	042	3052	0.07	936	6	65	100	3	7	1	9156	8220	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13734	12798	12798	1.5
1273	010	3713	0.09	5775	9	65	100	3	9	0	11139	5364	RTO-C	65	form-based			true	0.75	14	1.555555582	5	5	16708.5	10933.5	10933.5	1.5
1275	071	1518	0.03	2665	1	85	140	4	4	3	6072	3407	RTO-C	65	form-based			true	0.75	6	1.5	5	5	6831	4166	4166	1.125
1275	080	1803	0.04	1616	2	85	140	4	6	4	7212	5596	RTO-C	65	form-based			true	0.75	7	1.166666627	5	5	8113.5	6497.5	6497.5	1.125
1276	001	2384	0.05	4050	4	65	100	3	5	1	7152	3102	RTO-C	65	form-based	true		true	0.75	9	1.799999952	5	5	10728	6678	6678	1.5
1276	001G	2500	0.06	3050	2	65	100	3	6	4	7500	4450	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	5700	5700	1.166667
1276	022	3125	0.07	835	4	65	100	3	7	3	9375	8540	RH-3	50	form-based			true	0.7	9	1.285714269	5	5	10937.5	10102.5	10102.5	1.166667
1276	026	2500	0.06	1312	2	65	100	3	6	4	7500	6188	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	7438	7438	1.166667
1276	028	2500	0.06	1250	2	65	100	3	6	4	7500	6250	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	7500	7500	1.166667
1276	032	2500	0.06	1639	2	65	100	3	6	4	7500	5861	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	7111	7111	1.166667
1276	037	2500	0.06	1564	2	65	100	3	6	4	7500	5936	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	7186	7186	1.166667
1276	039	2696	0.06	1264	3	65	100	3	6	3	8088	6824	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9436	8172	8172	1.166667
1277	017	2375	0.05	3050	2	65	100	3	5	3	7125	4075	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8312.5	5262.5	5262.5	1.166667
1277	020	2375	0.05	1212	2	65	100	3	5	3	7125	5913	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8312.5	7100.5	7100.5	1.166667
1278	019	2750	0.06	4725	3	65	100	3	6	3	8250	3525	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9625	4900	4900	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1278	033	2750	0.06	1559	3	65	100	3	6	3	8250	6691	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9625	8066	8066	1.166667
1279	002	1750	0.04	2310	2	65	100	3	4	2	5250	2940	RTO-C	65	form-based			true	0.75	7	1.75	5	5	7875	5565	5565	1.5
1279	021	2306	0.05	0	0	65	100	3	5	5	6918	6918	RH-2	40	form-based			true	0.7	5	1	5	5	6456.799805	6456.799805	6456.799805	0.933333
1279	057	3489	0.08	2600	2	65	100	3	8	6	10467	7867	RH-2	40	form-based			true	0.7	7	0.875	5	5	9769.200195	7169.200195	7169.200195	0.933333
1279	068	3489	0.08	5200	2	65	100	3	8	6	10467	5267	RH-2	40	form-based			true	0.7	7	0.875	5	5	9769.200195	4569.200195	4569.200195	0.933333
1279	069	3489	0.08	2274	2	65	100	3	8	6	10467	8193	RH-2	40	form-based			true	0.7	7	0.875	5	5	9769.200195	7495.200195	7495.200195	0.933333
1279	072	3489	0.08	4961	2	65	100	3	8	6	10467	5506	RH-2	40	form-based			true	0.7	7	0.875	5	5	9769.200195	4808.200195	4808.200195	0.933333
1279	104	3489	0.08	1176	2	65	100	3	8	6	10467	9291	RH-2	40	form-based			true	0.7	7	0.875	5	5	9769.200195	8593.200195	8593.200195	0.933333
1279	110	3489	0.08	1283	2	55	80	2.5	6	4	8722	7439	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9769.200195	8486.200195	8486.200195	1.120064
1279	130	2314	0.05	0	0	65	100	3	5	5	6942	6942	RH-2	40	form-based			true	0.7	5	1	5	5	6479.199707	6479.199707	6479.199707	0.933333
1279	131	2312	0.05	5736	0	65	100	3	5	5	6936	1200	RH-2	40	form-based			true	0.7	5	1	5	5	6473.600098	737.6000977	737.6000977	0.933333
1279	132	2310	0.05	5736	0	65	100	3	5	5	6930	1194	RH-2	40	form-based			true	0.7	5	1	5	5	6468	732	732	0.933333
1279	133	2308	0.05	5736	0	65	100	3	5	5	6924	1188	RH-2	40	form-based			true	0.7	5	1	5	5	6462.399902	726.3999023	726.3999023	0.933333
1280	031	3123	0.07	2984	2	65	100	3	7	5	9369	6385	RH-2	40	form-based			true	0.7	7	1	5	5	8744.399414	5760.399414	5760.399414	0.933333
1280	033	3123	0.07	1291	2	65	100	3	7	5	9369	8078	RH-2	40	form-based			true	0.7	7	1	5	5	8744.399414	7453.399414	7453.399414	0.933333
1282	006	2907	0.07	1150	1	65	100	3	7	6	8721	7571	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8139.600098	6989.600098	6989.600098	0.933333
1282	008	2992	0.07	4450	1	65	100	3	7	6	8976	4526	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	3927.599609	3927.599609	0.933333
1282	009	3611	0.08	2840	3	65	100	3	8	5	10833	7993	RH-2	40	form-based	true		true	0.7	8	1	5	5	10110.7998	7270.799805	7270.799805	0.933333
1282	016	3321	0.08	2896	2	65	100	3	8	6	9963	7067	RH-2	40	form-based			true	0.7	7	0.875	5	5	9298.799805	6402.799805	6402.799805	0.933333
1282	026	2746	0.06	2225	1	65	100	3	6	5	8238	6013	RH-3	40	form-based			true	0.7	6	1	5	5	7688.799805	5463.799805	5463.799805	0.933333
1282	042	3189	0.07	794	2	65	100	3	7	5	9567	8773	RH-3	40	form-based			true	0.7	7	1	5	5	8929.200195	8135.200195	8135.200195	0.933333
1282	051	4334	0.1	4929	4	65	100	3	10	6	13002	8073	RH-2	40	form-based			true	0.7	9	0.899999976	5	5	12135.2002	7206.200195	7206.200195	0.933333
1284	014	2631	0.06	840	1	65	100	3	6	5	7893	7053	RH-2	40	form-based			true	0.7	6	1	5	5	7366.799805	6526.799805	6526.799805	0.933333
1284	026	2620	0.06	2000	1	65	100	3	6	5	7860	5860	RH-2	40	form-based			true	0.7	6	1	5	5	7336	5336	5336	0.933333
1284	027	2622	0.06	1886	1	65	100	3	6	5	7866	5980	RH-2	40	form-based			true	0.7	6	1	5	5	7341.600098	5455.600098	5455.600098	0.933333
1284	028	2639	0.06	963	1	65	100	3	6	5	7917	6954	RH-2	40	form-based			true	0.7	6	1	5	5	7389.199707	6426.199707	6426.199707	0.933333
1286	020	2653	0.06	2492	1	55	80	2.5	5	4	6632	4140	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7428.399902	4936.399902	4936.399902	1.120084
1286	021	2653	0.06	3006	1	55	80	2.5	5	4	6632	3626	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7428.399902	4422.399902	4422.399902	1.120084
1286	022	2653	0.06	2566	1	55	80	2.5	5	4	6632	4066	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7428.399902	4862.399902	4862.399902	1.120084
1286	029	3384	0.08	2224	2	65	100	3	8	6	10152	7928	RH-2	40	form-based			true	0.7	7	0.875	5	5	9475.200195	7251.200195	7251.200195	0.933333
1287	015	3079	0.07	1950	1	55	80	2.5	6	5	7698	5748	RH-2	40	form-based			true	0.7	6	1	5	5	8621.200195	6671.200195	6671.200195	1.119927
1288	017	3500	0.08	3024	2	65	100	3	8	6	10500	7476	RH-2	40	form-based			true	0.7	7	0.875	5	5	9800	6776	6776	0.933333
1287	041	3416	0.08	1859	2	65	100	3	8	6	10248	8389	RH-2	40	form-based			true	0.7	7	0.875	5	5	9564.799805	7705.799805	7705.799805	0.933333
1288	010	2722	0.06	3700	1	55	80	2.5	5	4	6805	3105	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7621.600098	3921.600098	3921.600098	1.12
1288	013	2800	0.06	2013	1	55	80	2.5	5	4	7000	4987	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7840	5827	5827	1.12
1288	026	2704	0.06	2670	1	65	100	3	6	5	8112	5442	RH-2	40	form-based			true	0.7	6	1	5	5	7571.199707	4901.199707	4901.199707	0.933333
1289	023	2965	0.07	3088	1	55	80	2.5	6	5	7412	4324	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	8302	5214	5214	1.120076
1289	036	2671	0.06	1863	1	55	80	2.5	5	4	6678	4815	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7478.799805	5615.799805	5615.799805	1.119916
1289	037	2735	0.06	1300	1	55	80	2.5	5	4	6838	5538	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7658	6358	6358	1.119918
1289	044	3540	0.08	1461	2	55	80	2.5	6	4	8850	7389	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9912	8451	8451	1.12
1289	049	3937	0.09	3165	3	55	80	2.5	7	4	9842	6677	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	11023.59961	7858.599609	7858.599609	1.120057
1289	056	2745	0.06	1367	1	55	80	2.5	5	4	6862	5495	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7686	6319	6319	1.120082
1289	060	2744	0.06	1390	1	55	80	2.5	5	4	6860	5470	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7683.199707	6293.199707	6293.199707	1.12
1289	061	4306	0.1	4416	4	55	80	2.5	8	4	10765	6349	RH-2	40	form-based			true	0.7	9	1.125	5	5	12056.7998	7640.799805	7640.799805	1.12
1289	065	2926	0.07	2504	1	55	80	2.5	6	5	7315	4811	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8192.799805	5688.799805	5688.799805	1.12
1289	080	3220	0.07	1299	2	55	80	2.5	6	4	8050	6751	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9016	7717	7717	1.12
1289	084	2622	0.06	1425	1	55	80	2.5	5	4	6555	5130	RH-2	40	form-based	true		true	0.7	6	1.200000048	5	5	7341.600098	5916.600098	5916.600098	1.12
1290	010	3021	0.07	1836	1	55	80	2.5	6	5	7552	5716	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	6622.799805	6622.799805	1.120074
1290	027	3033	0.07	1650	1	55	80	2.5	6	5	7582	5932	RH-2	40	form-based			true	0.7	6	1	5	5	8492.399414	6842.399414	6842.399414	1.120074
1290	028	3033	0.07	1672	1	55	80	2.5	6	5	7582	5910	RH-2	40	form-based			true	0.7	6	1	5	5	8492.399414	6820.399414	6820.399414	1.120074
1290	042	3783	0.09	965	3	55	80	2.5	7	4	9458	8493	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10592.39941	9627.399414	9627.399414	1.119941
1291	010	2826	0.06	1634	1	55	80	2.5	5	4	7065	5431	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7912.799805	6278.799805	6278.799805	1.12
1291	013	2832	0.07	1100	1	55	80	2.5	6	5	7080	5980	RH-2	40	form-based			true	0.7	6	1	5	5	7929.600098	6829.600098	6829.600098	1.12
1291	014	2834	0.07	2264	1	55	80	2.5	6	5	7085	4821	RH-2	40	form-based			true	0.7	6	1	5	5	7935.199707	5671.199707	5671.199707	1.12
1291	024	2870	0.07	2000	1	55	80	2.5	6	5	7175	5175	RH-2	40	form-based			true	0.7	6	1	5	5	8036	6036	6036	1.12
1291	025	2870	0.07	1582	1	55	80	2.5	6	5	7175	5593	RH-2	40	form-based			true	0.7	6	1	5	5	8036	6454	6454	1.12
1291	026	2870	0.07	1574	1	55	80	2.5	6	5	7175	5601	RH-2	40	form-based			true	0.7	6	1	5	5	8036	6462	6462	1.12
1291	027	2870	0.07	1540	1	55	80	2.5	6	5	7175	5635	RH-2	40	form-based			true	0.7	6	1	5	5	8036	6496	6496	1.12
1291	028	2870	0.07	3155	1	55	80	2.5	6	5	7175	4020	RH-2	40	form-based			true	0.7	6	1	5	5	8036	4881	4881	1.12
1292	002	3027	0.07	1750	1	55	80	2.5	6	5	7568	5818	RH-2	40	form-based			true	0.7	6	1	5	5	8475.599609	6725.599609	6725.599609	1.119926
1292	003	3226	0.07	2200	2	55	80	2.5	6	4	8065	5865	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9032.799805	6832.799805	6832.799805	1.12
1292	004	3425	0.08	3120	2	55	80	2.5	6	4	8562	5442	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9590	6470	6470	1.120065
1292	006	3134	0.07	2674	2	55	80	2.5	6	4	7835	5161	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8775.200195	6101.200195	6101.200195	1.12
1292	008	3341	0.08	3450	2	55	80	2.5	6	4	8352	4902	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9354.799805	5904.799805	5904.799805	1.120067

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1292	010	3094	0.07	1780	1	55	80	2.5	6	5	7735	5955	RH-2	40	form-based			true	0.7	6	1	5	5	8663.200195	6883.200195	6883.200195	1.12
1292	024	3237	0.07	1500	2	55	80	2.5	6	4	8092	6592	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9063.599609	7563.599609	7563.599609	1.120069
1293	030	3305	0.08	2526	2	55	80	2.5	6	4	8262	5736	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9254	6728	6728	1.120068
1293	032	3305	0.08	1526	2	55	80	2.5	6	4	8262	6736	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9254	7728	7728	1.120068
1294	024	2629	0.06	2875	1	55	80	2.5	5	4	6572	3697	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7361.199707	4486.199707	4486.199707	1.120085
1294	038	2856	0.07	1390	1	55	80	2.5	6	5	7140	5750	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7996.799805	6606.799805	6606.799805	1.12
1294	044	3445	0.08	1507	2	55	80	2.5	6	4	8612	7105	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9646	8139	8139	1.120065
1312	011	2780	0.06	2668	1	55	80	2.5	5	4	6950	4282	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7784	5116	5116	1.12
1312	012	2647	0.06	3032	1	55	80	2.5	5	4	6618	3586	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7411.600098	4379.600098	4379.600098	1.119915
1331	018	2765	0.06	3272	1	55	80	2.5	5	4	6912	3640	RH-1(D)	40	form-based	true		true	0.7	6	1.200000048	5	5	7742	4470	4470	1.120081
1331	019	3048	0.07	2672	1	55	80	2.5	6	5	7620	4948	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8534.399414	5862.399414	5862.399414	1.12
1331	020	3074	0.07	2367	1	55	80	2.5	6	5	7685	5318	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8607.200195	6240.200195	6240.200195	1.12
1332	011	3063	0.07	1080	1	55	80	2.5	6	5	7658	6578	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	7496.399414	7496.399414	1.119927
1332	014	3063	0.07	2695	1	55	80	2.5	6	5	7658	4963	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	5881.399414	5881.399414	1.119927
1332	015	3063	0.07	4161	1	55	80	2.5	6	5	7658	3497	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	4415.399414	4415.399414	1.119927
1332	016	3063	0.07	2206	1	55	80	2.5	6	5	7658	5452	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	6370.399414	6370.399414	1.119927
1332	001	3084	0.07	3315	1	55	80	2.5	6	5	7710	4395	RH-1	40	form-based	true		true	0.7	6	1	5	5	8635.200195	5320.200195	5320.200195	1.12
1332	002	3063	0.07	2717	1	55	80	2.5	6	5	7658	4941	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	5859.399414	5859.399414	1.119927
1332	003	3063	0.07	2140	1	55	80	2.5	6	5	7658	5518	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	6436.399414	6436.399414	1.119927
1332	004	3063	0.07	1320	1	55	80	2.5	6	5	7658	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	7256.399414	7256.399414	1.119927
1332	005	3063	0.07	3868	1	55	80	2.5	6	5	7658	3790	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	4708.399414	4708.399414	1.119927
1332	006	3063	0.07	2939	1	55	80	2.5	6	5	7658	4719	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	5637.399414	5637.399414	1.119927
1332	007	3063	0.07	3834	1	55	80	2.5	6	5	7658	3824	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	4742.399414	4742.399414	1.119927
1332	008	3063	0.07	2376	1	55	80	2.5	6	5	7658	5282	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	6200.399414	6200.399414	1.119927
1332	009	3063	0.07	1550	1	55	80	2.5	6	5	7658	6108	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	7026.399414	7026.399414	1.119927
1332	010	3063	0.07	2558	1	55	80	2.5	6	5	7658	5100	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	6018.399414	6018.399414	1.119927
1332	017	3063	0.07	1700	1	55	80	2.5	6	5	7658	5958	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	6876.399414	6876.399414	1.119927
1332	026	2937	0.07	1705	1	55	80	2.5	6	5	7342	5637	RH-1	40	form-based			true	0.7	6	1	5	5	8223.599609	6518.599609	6518.599609	1.120076
1332	027	2937	0.07	3215	1	55	80	2.5	6	5	7342	4127	RH-1	40	form-based			true	0.7	6	1	5	5	8223.599609	5008.599609	5008.599609	1.120076
1332	028	2937	0.07	2184	1	55	80	2.5	6	5	7342	5158	RH-1	40	form-based			true	0.7	6	1	5	5	8223.599609	6039.599609	6039.599609	1.120076
1332	029	2937	0.07	1790	1	55	80	2.5	6	5	7342	5552	RH-1	40	form-based			true	0.7	6	1	5	5	8223.599609	6433.599609	6433.599609	1.120076
1332	030	2937	0.07	1000	1	55	80	2.5	6	5	7342	6342	RH-1	40	form-based			true	0.7	6	1	5	5	8223.599609	7223.599609	7223.599609	1.120076
1332	031	2937	0.07	2915	1	55	80	2.5	6	5	7342	4427	RH-1	40	form-based			true	0.7	6	1	5	5	8223.599609	5308.599609	5308.599609	1.120076
1332	032	2937	0.07	3136	1	55	80	2.5	6	5	7342	4206	RH-1	40	form-based			true	0.7	6	1	5	5	8223.599609	5087.599609	5087.599609	1.120076
1332	033	2937	0.07	1190	1	55	80	2.5	6	5	7342	6152	RH-1	40	form-based			true	0.7	6	1	5	5	8223.599609	7033.599609	7033.599609	1.120076
1332	036	2937	0.07	2500	1	55	80	2.5	6	5	7342	4842	RH-1	40	form-based			true	0.7	6	1	5	5	8223.599609	5723.599609	5723.599609	1.120076
1332	043	2980	0.07	3616	1	55	80	2.5	6	5	7450	3834	RH-1	40	form-based			true	0.7	6	1	5	5	8344	4728	4728	1.12
1332	044	2982	0.07	4342	1	55	80	2.5	6	5	7455	3113	RH-1	40	form-based			true	0.7	6	1	5	5	8349.599609	4007.599609	4007.599609	1.12
1332	045	2990	0.07	3916	1	55	80	2.5	6	5	7475	3559	RH-1	40	form-based			true	0.7	6	1	5	5	8372	4456	4456	1.12
1332	050	2932	0.07	2495	1	55	80	2.5	6	5	7330	4835	RH-1	40	form-based			true	0.7	6	1	5	5	8209.599609	5714.599609	5714.599609	1.12
1333	014	3185	0.07	3473	2	55	80	2.5	6	4	7962	4489	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	8918	5445	5445	1.12007
1333	016	2700	0.06	2554	1	55	80	2.5	5	4	6750	4196	RM-1	40	form-based			true	0.7	6	1.200000048	5	5	7560	5006	5006	1.12
1333	017	2700	0.06	1684	1	55	80	2.5	5	4	6750	5066	RM-1	40	form-based			true	0.7	6	1.200000048	5	5	7560	5876	5876	1.12
1333	023	3055	0.07	2731	1	55	80	2.5	6	5	7638	4907	RH-1	40	form-based			true	0.7	6	1	5	5	8554	5823	5823	1.119927
1333	024	3074	0.07	4225	1	55	80	2.5	6	5	7685	3460	RH-1	40	form-based			true	0.7	6	1	5	5	8607.200195	4382.200195	4382.200195	1.12
1333	025	3074	0.07	1455	1	55	80	2.5	6	5	7685	6230	RH-1	40	form-based			true	0.7	6	1	5	5	8607.200195	7152.200195	7152.200195	1.12
1333	026	3074	0.07	2359	1	55	80	2.5	6	5	7685	5326	RH-1	40	form-based			true	0.7	6	1	5	5	8607.200195	6248.200195	6248.200195	1.12
1333	027	3055	0.07	1881	1	55	80	2.5	6	5	7638	5757	RH-1	40	form-based			true	0.7	6	1	5	5	8554	6673	6673	1.119927
1333	028	3055	0.07	3536	1	55	80	2.5	6	5	7638	4102	RH-1	40	form-based			true	0.7	6	1	5	5	8554	5018	5018	1.119927
1333	029	3055	0.07	3698	1	55	80	2.5	6	5	7638	3940	RH-1	40	form-based			true	0.7	6	1	5	5	8554	4856	4856	1.119927
1333	029A	3055	0.07	3558	1	55	80	2.5	6	5	7638	4080	RH-1	40	form-based			true	0.7	6	1	5	5	8554	4996	4996	1.119927
1333	029B	3055	0.07	3890	1	55	80	2.5	6	5	7638	3748	RH-1	40	form-based			true	0.7	6	1	5	5	8554	4664	4664	1.119927
1333	031	3055	0.07	1212	1	55	80	2.5	6	5	7638	6426	RH-1	40	form-based			true	0.7	6	1	5	5	8554	7342	7342	1.119927
1333	033	3094	0.07	3575	1	55	80	2.5	6	5	7735	4160	RH-1	40	form-based			true	0.7	6	1	5	5	8663.200195	5088.200195	5088.200195	1.12
1333	035	2993	0.07	4601	1	55	80	2.5	6	5	7482	2881	RH-1	40	form-based	true		true	0.7	6	1	5	5	8380.399414	3779.399414	3779.399414	1.120075
1333	042	2649	0.06	1654	1	55	80	2.5	5	4	6622	4968	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7417.199707	5763.199707	5763.199707	1.120085
1333	062	3133	0.07	1745	2	55	80	2.5	6	4	7832	6087	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	8772.399414	7027.399414	7027.399414	1.120071
1334	012	3000	0.07	2270	1	55	80	2.5	6	5	7500	5230	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8400	6130	6130	1.12
1334	013	3000	0.07	4915	1	55	80	2.5	6	5	7500	2585	RH-1	40	form-based			true	0.7	6	1	5	5	8400	3485	3485	1.12
1334	013A	3000	0.07	4680	1	55	80	2.5	6	5	7500	2820	RH-1	40	form-based			true	0.7	6	1	5	5	8400	3720	3720	1.12
1334	030	3004	0.07	2460	1	55	80	2.5	6	5	7510	5050	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8411.200195	5951.200195	5951.200195	1.12
1336	023	3042	0.07	2650	1	55	80	2.5	6	5	7605	4955	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8517.599609	5867.599609	5867.599609	1.12
1337	018	3298	0.08	4685	2	55	80	2.5	6	4	8245	3560	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9234.399414	4549.399414	4549.399414	1.12
1337	018A	2864	0.07	4017	1	55	80	2.5	6	5	7160	3143	RH-1	40	form-based			true	0.7	6	1	5	5	8019.199707	4002.199707	4002.199707	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1337	004	3059	0.07	864	1	55	80	2.5	6	5	7648	6784	RH-1	40	form-based			true	0.7	6	1	5	5	8565.200195	7701.200195	7701.200195	1.119927
1337	008	2888	0.07	1071	1	55	80	2.5	6	5	7220	6149	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	7015.399902	7015.399902	1.12
1337	009	3091	0.07	2272	1	55	80	2.5	6	5	7728	5456	RH-1	40	form-based			true	0.7	6	1	5	5	8654.799805	6382.799805	6382.799805	1.119928
1338	002A	3000	0.07	3592	1	55	80	2.5	6	5	7500	3908	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4808	4808	1.12
1338	002B	3000	0.07	4025	1	55	80	2.5	6	5	7500	3475	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4375	4375	1.12
1338	002C	3000	0.07	2690	1	55	80	2.5	6	5	7500	4810	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5710	5710	1.12
1338	003	3000	0.07	2024	1	55	80	2.5	6	5	7500	5476	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6376	6376	1.12
1338	004	3000	0.07	3918	1	55	80	2.5	6	5	7500	3582	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4482	4482	1.12
1338	014	3025	0.07	2408	1	55	80	2.5	6	5	7562	5154	RH-1	40	form-based			true	0.7	6	1	5	5	8470	6062	6062	1.120074
1338	015	3025	0.07	2210	1	55	80	2.5	6	5	7562	5352	RH-1	40	form-based			true	0.7	6	1	5	5	8470	6260	6260	1.120074
1338	016	3025	0.07	4223	1	55	80	2.5	6	5	7562	3339	RH-1	40	form-based			true	0.7	6	1	5	5	8470	4247	4247	1.120074
1338	017	3025	0.07	3375	1	55	80	2.5	6	5	7562	4187	RH-1	40	form-based			true	0.7	6	1	5	5	8470	5095	5095	1.120074
1338	018	3025	0.07	3375	1	55	80	2.5	6	5	7562	4187	RH-1	40	form-based			true	0.7	6	1	5	5	8470	5095	5095	1.120074
1338	023	2453	0.06	0	0	55	80	2.5	5	5	6132	6132	RH-1	40	form-based			true	0.7	5	1	5	5	6868.399902	6868.399902	6868.399902	1.120091
1339	003	3000	0.07	2706	1	55	80	2.5	6	5	7500	4794	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5694	5694	1.12
1339	004	3000	0.07	2714	1	55	80	2.5	6	5	7500	4786	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5686	5686	1.12
1339	005	3000	0.07	3344	1	55	80	2.5	6	5	7500	4156	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5056	5056	1.12
1339	006	3000	0.07	3600	1	55	80	2.5	6	5	7500	3900	RH-1	40	form-based	true		true	0.7	6	1	5	5	8400	4800	4800	1.12
1339	007	3000	0.07	2260	1	55	80	2.5	6	5	7500	5240	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6140	6140	1.12
1339	007A	3000	0.07	3000	1	55	80	2.5	6	5	7500	4500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5400	5400	1.12
1339	008	3000	0.07	2688	1	55	80	2.5	6	5	7500	4812	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5712	5712	1.12
1339	009	3000	0.07	3510	1	55	80	2.5	6	5	7500	3990	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4890	4890	1.12
1339	009A	3000	0.07	2684	1	55	80	2.5	6	5	7500	4816	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5716	5716	1.12
1339	009B	2750	0.06	2480	1	55	80	2.5	5	4	6875	4395	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7700	5220	5220	1.12
1339	011	3008	0.07	2712	1	55	80	2.5	6	5	7520	4808	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	5710.399414	5710.399414	1.12
1339	012	3008	0.07	2712	1	55	80	2.5	6	5	7520	4808	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	5710.399414	5710.399414	1.12
1339	013	3008	0.07	3044	1	55	80	2.5	6	5	7520	4476	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	5378.399414	5378.399414	1.12
1339	014	3008	0.07	3284	1	55	80	2.5	6	5	7520	4236	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	5138.399414	5138.399414	1.12
1340	002	2989	0.07	4072	1	55	80	2.5	6	5	7472	3400	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	4297.200195	4297.200195	1.120075
1340	003	2989	0.07	3710	1	55	80	2.5	6	5	7472	3762	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	4659.200195	4659.200195	1.120075
1340	004	2989	0.07	2410	1	55	80	2.5	6	5	7472	5062	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	5959.200195	5959.200195	1.120075
1340	007	3000	0.07	3966	1	55	80	2.5	6	5	7500	3534	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4434	4434	1.12
1340	011	3000	0.07	1747	1	55	80	2.5	6	5	7500	5753	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6653	6653	1.12
1340	012	3000	0.07	1680	1	55	80	2.5	6	5	7500	5820	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6720	6720	1.12
1341	002	3000	0.07	5245	1	55	80	2.5	6	5	7500	2255	RH-1	40	form-based			true	0.7	6	1	5	5	8400	3155	3155	1.12
1341	003	3000	0.07	4382	1	55	80	2.5	6	5	7500	3118	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4018	4018	1.12
1341	007	2500	0.06	0	0	55	80	2.5	5	5	6250	6250	RH-1	40	form-based			true	0.7	5	1	5	5	7000	7000	7000	1.12
1341	008	3000	0.07	3452	1	55	80	2.5	6	5	7500	4048	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4948	4948	1.12
1341	009	3000	0.07	4368	1	55	80	2.5	6	5	7500	3132	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4032	4032	1.12
1341	011	3090	0.07	3168	1	55	80	2.5	6	5	7725	4557	RH-1	40	form-based			true	0.7	6	1	5	5	8652	5484	5484	1.12
1341	012	2975	0.07	2659	1	55	80	2.5	6	5	7438	4779	RH-1	40	form-based			true	0.7	6	1	5	5	8330	5671	5671	1.119925
1341	013	2975	0.07	2552	1	55	80	2.5	6	5	7438	4886	RH-1	40	form-based			true	0.7	6	1	5	5	8330	5778	5778	1.119925
1342	004	3018	0.07	2445	1	55	80	2.5	6	5	7545	5100	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6005.399414	6005.399414	1.12
1342	014	3000	0.07	2665	1	55	80	2.5	6	5	7500	4835	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5735	5735	1.12
1343	004	3000	0.07	1990	1	55	80	2.5	6	5	7500	5510	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6410	6410	1.12
1343	005	3000	0.07	1625	1	55	80	2.5	6	5	7500	5875	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6775	6775	1.12
1343	009	2826	0.06	1860	1	55	80	2.5	5	4	7065	5205	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7912.799805	6052.799805	6052.799805	1.12
1344	002	3188	0.07	3296	2	55	80	2.5	6	4	7970	4674	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8926.399414	5630.399414	5630.399414	1.12
1344	004	3188	0.07	3100	2	55	80	2.5	6	4	7970	4870	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8926.399414	5826.399414	5826.399414	1.12
1344	005	3187	0.07	3100	2	55	80	2.5	6	4	7968	4868	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8923.599609	5823.599609	5823.599609	1.11993
1344	023	3208	0.07	3100	2	55	80	2.5	6	4	8020	4920	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8982.399414	5882.399414	5882.399414	1.12
1344	026	3188	0.07	1550	2	55	80	2.5	6	4	7970	6420	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8926.399414	7376.399414	7376.399414	1.12
1344	028	3208	0.07	1550	2	55	80	2.5	6	4	8020	6470	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8982.399414	7432.399414	7432.399414	1.12
1344	036	3187	0.07	1238	2	55	80	2.5	6	4	7968	6730	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8923.599609	7685.599609	7685.599609	1.11993
1344	042	3188	0.07	1265	2	55	80	2.5	6	4	7970	6705	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8926.399414	7661.399414	7661.399414	1.12
1344	044	3208	0.07	1619	2	55	80	2.5	6	4	8020	6401	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8982.399414	7363.399414	7363.399414	1.12
1344	063	3208	0.07	1550	2	55	80	2.5	6	4	8020	6470	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8982.399414	7432.399414	7432.399414	1.12
1350	008	3387	0.08	2233	2	55	80	2.5	6	4	8468	6235	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9483.599609	7250.599609	7250.599609	1.119934
1351	002	2870	0.07	3030	1	55	80	2.5	6	5	7175	4145	RH-2	40	form-based			true	0.7	6	1	5	5	8036	5006	5006	1.12
1351	003	2870	0.07	2240	1	55	80	2.5	6	5	7175	4935	RH-2	40	form-based			true	0.7	6	1	5	5	8036	5796	5796	1.12
1351	004	2870	0.07	2657	1	55	80	2.5	6	5	7175	4518	RH-2	40	form-based			true	0.7	6	1	5	5	8036	5379	5379	1.12
1351	005	2870	0.07	2650	1	55	80	2.5	6	5	7175	4525	RH-2	40	form-based			true	0.7	6	1	5	5	8036	5386	5386	1.12
1351	006	2870	0.07	2685	1	55	80	2.5	6	5	7175	4490	RH-2	40	form-based			true	0.7	6	1	5	5	8036	5351	5351	1.12
1351	012	2870	0.07	1497	1	55	80	2.5	6	5	7175	5678	RH-2	40	form-based			true	0.7	6	1	5	5	8036	6539	6539	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1351	013	2870	0.07	2403	1	55	80	2.5	6	5	7175	4772	RH-2	40	form-based			true	0.7	6	1	5	5	8036	5633	5633	1.12
1352	001A	2957	0.07	2660	1	55	80	2.5	6	5	7392	4732	RH-1	40	form-based			true	0.7	6	1	5	5	8279.599609	5619.599609	5619.599609	1.120076
1352	006	2957	0.07	2655	1	55	80	2.5	6	5	7392	4737	RH-1	40	form-based			true	0.7	6	1	5	5	8279.599609	5624.599609	5624.599609	1.120076
1352	007	2957	0.07	3397	1	55	80	2.5	6	5	7392	3995	RH-1	40	form-based			true	0.7	6	1	5	5	8279.599609	4882.599609	4882.599609	1.120076
1352	008	2977	0.07	3546	1	55	80	2.5	6	5	7442	3896	RH-1	40	form-based			true	0.7	6	1	5	5	8335.599609	4789.599609	4789.599609	1.120075
1352	011	2957	0.07	3205	1	55	80	2.5	6	5	7392	4187	RH-1	40	form-based			true	0.7	6	1	5	5	8279.599609	5074.599609	5074.599609	1.120076
1352	013	3312	0.08	2790	2	55	80	2.5	6	4	8280	5490	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9273.599609	6483.599609	6483.599609	1.12
1352	022	3600	0.08	3490	3	55	80	2.5	6	3	9000	5510	RH-2	40	form-based			true	0.7	8	1.333333373	5	5	10080	6590	6590	1.12
1352	026	3000	0.07	2843	1	55	80	2.5	6	5	7500	4657	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5557	5557	1.12
1352	027	3000	0.07	1875	1	55	80	2.5	6	5	7500	5625	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6525	6525	1.12
1353	012	2779	0.06	2360	1	55	80	2.5	5	4	6948	4588	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7781.199707	5421.199707	5421.199707	1.119919
1353	013	2812	0.06	3661	1	55	80	2.5	5	4	7030	3369	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	4212.600098	4212.600098	1.12
1353	014	2845	0.07	2930	1	55	80	2.5	6	5	7112	4182	RH-1	40	form-based			true	0.7	6	1	5	5	7966	5036	5036	1.120079
1353	015	2877	0.07	1900	1	55	80	2.5	6	5	7192	5292	RH-1	40	form-based			true	0.7	6	1	5	5	8055.600098	6155.600098	6155.600098	1.120078
1353	017	2760	0.06	3190	1	55	80	2.5	5	4	6900	3710	RM-2	40	form-based		true	true	0.7	6	1.200000048	5	5	7728	4538	4538	1.12
1353	023	3038	0.07	3063	1	55	80	2.5	6	5	7595	4532	RH-1	40	form-based			true	0.7	6	1	5	5	8506.399414	5443.399414	5443.399414	1.12
1353	026	3136	0.07	3331	2	55	80	2.5	6	4	7840	4509	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	8780.799805	5449.799805	5449.799805	1.12
1353	028	3202	0.07	4078	2	55	80	2.5	6	4	8005	3927	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	8965.599609	4887.599609	4887.599609	1.12
1353	045	3840	0.09	1467	3	55	80	2.5	7	4	9600	8133	RH-1	40	form-based			true	0.7	8	1.142857194	5	5	10752	9285	9285	1.12
1354	011	3002	0.07	4138	1	55	80	2.5	6	5	7505	3367	RH-1	40	form-based			true	0.7	6	1	5	5	8405.599609	4267.599609	4267.599609	1.12
1355	022	3031	0.07	2032	1	55	80	2.5	6	5	7578	5546	RM-1	40	form-based			true	0.7	6	1	5	5	8486.799805	6454.799805	6454.799805	1.119926
1361	034	2700	0.06	1747	1	55	80	2.5	5	4	6750	5003	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7560	5813	5813	1.12
1361	037	3000	0.07	1270	1	55	80	2.5	6	5	7500	6230	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7130	7130	1.12
1361	105	1358	0.03	876	2	55	80	2.5	2	0	3395	2519	RTO-C	85	form-based			true	0.75	7	3.5	5	2	8148	7272	5914	2.4
1362	004	3000	0.07	3865	1	55	80	2.5	6	5	7500	3635	RH-2	40	form-based			true	0.7	6	1	5	5	8400	4535	4535	1.12
1362	008	3000	0.07	2232	1	55	80	2.5	6	5	7500	5268	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6168	6168	1.12
1362	010	3000	0.07	2623	1	55	80	2.5	6	5	7500	4877	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5777	5777	1.12
1362	012	3000	0.07	1465	1	55	80	2.5	6	5	7500	6035	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6935	6935	1.12
1362	031	3004	0.07	3350	1	55	80	2.5	6	5	7510	4160	RH-2	40	form-based			true	0.7	6	1	5	5	8411.200195	5061.200195	5061.200195	1.12
1363	005	2964	0.07	2027	1	55	80	2.5	6	5	7410	5383	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	6272.200195	6272.200195	1.12
1363	008	2964	0.07	2028	1	55	80	2.5	6	5	7410	5382	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	6271.200195	6271.200195	1.12
1363	009	2964	0.07	2235	1	55	80	2.5	6	5	7410	5175	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	6064.200195	6064.200195	1.12
1363	010	2964	0.07	3200	1	55	80	2.5	6	5	7410	4210	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	5099.200195	5099.200195	1.12
1363	012	2964	0.07	1690	1	55	80	2.5	6	5	7410	5720	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	6609.200195	6609.200195	1.12
1363	027A	1543	0.04	2906	3	55	80	2.5	3	0	3858	952	RTO-C	85	form-based			true	0.75	8	2.666666746	5	3	9258	6352	4810	2.399689
1363	031	3033	0.07	1130	1	55	80	2.5	6	5	7582	6452	RH-2	40	form-based			true	0.7	6	1	5	5	8492.399414	7362.399414	7362.399414	1.120074
1363	033	3033	0.07	1603	1	55	80	2.5	6	5	7582	5979	RH-2	40	form-based			true	0.7	6	1	5	5	8492.399414	6889.399414	6889.399414	1.120074
1363	034	3032	0.07	1603	1	55	80	2.5	6	5	7580	5977	RH-2	40	form-based			true	0.7	6	1	5	5	8489.599609	6886.599609	6886.599609	1.12
1363	036	3033	0.07	1600	1	55	80	2.5	6	5	7582	5982	RH-2	40	form-based			true	0.7	6	1	5	5	8492.399414	6892.399414	6892.399414	1.120074
1363	037	3033	0.07	1050	1	55	80	2.5	6	5	7582	6532	RH-2	40	form-based			true	0.7	6	1	5	5	8492.399414	7442.399414	7442.399414	1.120074
1363	040	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
1363	041	3241	0.07	3302	2	55	80	2.5	6	4	8102	4800	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9074.799805	5772.799805	5772.799805	1.120069
1364	006	3028	0.07	1050	1	55	80	2.5	6	5	7570	6520	RH-2	40	form-based			true	0.7	6	1	5	5	8478.399414	7428.399414	7428.399414	1.12
1364	007	3028	0.07	2888	1	55	80	2.5	6	5	7570	4682	RH-2	40	form-based			true	0.7	6	1	5	5	8478.399414	5590.399414	5590.399414	1.12
1364	009	3028	0.07	2000	1	55	80	2.5	6	5	7570	5570	RH-2	40	form-based			true	0.7	6	1	5	5	8478.399414	6478.399414	6478.399414	1.12
1364	011	3028	0.07	1011	1	55	80	2.5	6	5	7570	6559	RH-2	40	form-based			true	0.7	6	1	5	5	8478.399414	7467.399414	7467.399414	1.12
1364	025	2969	0.07	2301	1	55	80	2.5	6	5	7422	5121	RH-2	40	form-based			true	0.7	6	1	5	5	8313.200195	6012.200195	6012.200195	1.120075
1364	026	2969	0.07	1527	1	55	80	2.5	6	5	7422	5895	RH-2	40	form-based			true	0.7	6	1	5	5	8313.200195	6786.200195	6786.200195	1.120075
1364	027	2969	0.07	1388	1	55	80	2.5	6	5	7422	6034	RH-2	40	form-based			true	0.7	6	1	5	5	8313.200195	6925.200195	6925.200195	1.120075
1364	028	2969	0.07	1597	1	55	80	2.5	6	5	7422	5825	RH-2	40	form-based			true	0.7	6	1	5	5	8313.200195	6716.200195	6716.200195	1.120075
1364	029	2969	0.07	1397	1	55	80	2.5	6	5	7422	6025	RH-2	40	form-based			true	0.7	6	1	5	5	8313.200195	6916.200195	6916.200195	1.120075
1364	030	2969	0.07	3866	1	55	80	2.5	6	5	7422	3556	RH-2	40	form-based			true	0.7	6	1	5	5	8313.200195	4447.200195	4447.200195	1.120075
1364	031	2969	0.07	2348	1	55	80	2.5	6	5	7422	5074	RH-2	40	form-based			true	0.7	6	1	5	5	8313.200195	5965.200195	5965.200195	1.120075
1365	002	3000	0.07	2685	1	55	80	2.5	6	5	7500	4815	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5715	5715	1.12
1365	007	3000	0.07	2551	1	55	80	2.5	6	5	7500	4949	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5849	5849	1.12
1365	008	3000	0.07	2465	1	55	80	2.5	6	5	7500	5035	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5935	5935	1.12
1365	009	3000	0.07	2280	1	55	80	2.5	6	5	7500	5220	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6120	6120	1.12
1365	009A	3000	0.07	4016	1	55	80	2.5	6	5	7500	3484	RH-2	40	form-based			true	0.7	6	1	5	5	8400	4384	4384	1.12
1365	012	947	0.02	1210	0	55	80	2.5	2	2	2368	1158	NC-1	85	form-based		true	true	0.75	5	2.5	5	4	5682	4472	3526	2.399493
1365	023	3065	0.07	2060	1	55	80	2.5	6	5	7662	5602	RH-2	40	form-based			true	0.7	6	1	5	5	8582	6522	6522	1.120073
1365	024	3034	0.07	3067	1	55	80	2.5	6	5	7585	4518	RH-2	40	form-based			true	0.7	6	1	5	5	8495.200195	5428.200195	5428.200195	1.12
1365	025	3034	0.07	2525	1	55	80	2.5	6	5	7585	5060	RH-2	40	form-based			true	0.7	6	1	5	5	8495.200195	5970.200195	5970.200195	1.12
1365	026	3034	0.07	3335	1	55	80	2.5	6	5	7585	4250	RH-2	40	form-based			true	0.7	6	1	5	5	8495.200195	5160.200195	5160.200195	1.12
1365	027	3034	0.07	2873	1	55	80	2.5	6	5	7585	4712	RH-2	40	form-based			true	0.7	6	1	5	5	8495.200195	5622.200195	5622.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1365	028	3034	0.07	1800	1	55	80	2.5	6	5	7585	5785	RH-2	40	form-based			true	0.7	6	1	5	5	8495.200195	6695.200195	6695.200195	1.12
1365	029	3034	0.07	2880	1	55	80	2.5	6	5	7585	4705	RH-2	40	form-based			true	0.7	6	1	5	5	8495.200195	5615.200195	5615.200195	1.12
1365	031	3034	0.07	2940	1	55	80	2.5	6	5	7585	4645	RH-2	40	form-based			true	0.7	6	1	5	5	8495.200195	5555.200195	5555.200195	1.12
1365	032	3034	0.07	2288	1	55	80	2.5	6	5	7585	5297	RH-2	40	form-based			true	0.7	6	1	5	5	8495.200195	6207.200195	6207.200195	1.12
1365	033	3034	0.07	3750	1	55	80	2.5	6	5	7585	3835	RH-2	40	form-based			true	0.7	6	1	5	5	8495.200195	4745.200195	4745.200195	1.12
1365	036	2750	0.06	2452	1	55	80	2.5	5	4	6875	4423	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7700	5248	5248	1.12
1365	037	2750	0.06	2534	1	55	80	2.5	5	4	6875	4341	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7700	5166	5166	1.12
1366	003	2841	0.07	2560	1	55	80	2.5	6	5	7102	4542	RH-2	40	form-based			true	0.7	6	1	5	5	7954.799805	5394.799805	5394.799805	1.120079
1366	007	3000	0.07	3100	1	55	80	2.5	6	5	7500	4400	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5300	5300	1.12
1366	008	3000	0.07	2060	1	55	80	2.5	6	5	7500	5440	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6340	6340	1.12
1366	010	3000	0.07	2030	1	55	80	2.5	6	5	7500	5470	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6370	6370	1.12
1366	011	2998	0.07	1839	1	55	80	2.5	6	5	7495	5656	RH-2	40	form-based			true	0.7	6	1	5	5	8394.399414	6555.399414	6555.399414	1.12
1366	014	3000	0.07	2126	1	55	80	2.5	6	5	7500	5374	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6274	6274	1.12
1366	015	3000	0.07	1830	1	55	80	2.5	6	5	7500	5670	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6570	6570	1.12
1366	016	3000	0.07	1936	1	55	80	2.5	6	5	7500	5564	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6464	6464	1.12
1366	017	3000	0.07	2550	1	55	80	2.5	6	5	7500	4950	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5850	5850	1.12
1366	028	2966	0.07	1840	1	55	80	2.5	6	5	7415	5575	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	6464.799805	6464.799805	1.12
1366	029	2966	0.07	2953	1	55	80	2.5	6	5	7415	4462	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	5351.799805	5351.799805	1.12
1366	030	2966	0.07	1891	1	55	80	2.5	6	5	7415	5524	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	6413.799805	6413.799805	1.12
1366	031	2966	0.07	1735	1	55	80	2.5	6	5	7415	5680	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	6569.799805	6569.799805	1.12
1366	032	2966	0.07	3593	1	55	80	2.5	6	5	7415	3822	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	4711.799805	4711.799805	1.12
1366	033	2966	0.07	2690	1	55	80	2.5	6	5	7415	4725	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	5614.799805	5614.799805	1.12
1366	038	2966	0.07	1802	1	55	80	2.5	6	5	7415	5613	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	6502.799805	6502.799805	1.12
1366	040	2966	0.07	1950	1	55	80	2.5	6	5	7415	5465	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	6354.799805	6354.799805	1.12
1366	041	2966	0.07	1555	1	55	80	2.5	6	5	7415	5860	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	6749.799805	6749.799805	1.12
1367	008	2946	0.07	3014	1	55	80	2.5	6	5	7365	4351	RH-2	40	form-based			true	0.7	6	1	5	5	8248.799805	5234.799805	5234.799805	1.12
1367	027	2106	0.05	4440	6	55	80	2.5	4	0	5265	825	RTO-C	85	form-based			true	0.75	11	2.75	5	2	12636	8196	6090	2.4
1367	028	2976	0.07	8957	11	55	80	2.5	6	0	7440	0	RTO-C	85	form-based	true		true	0.75	16	2.666666746	5	1	17856	8899	5923	2.4
1367	036	3040	0.07	1267	1	55	80	2.5	6	5	7600	6333	RH-2	40	form-based			true	0.7	6	1	5	5	8512	7245	7245	1.12
1367	039	3040	0.07	3973	1	55	80	2.5	6	5	7600	3627	RH-2	40	form-based			true	0.7	6	1	5	5	8512	4539	4539	1.12
1368	005	2960	0.07	1663	1	55	80	2.5	6	5	7400	5737	RH-2	40	form-based			true	0.7	6	1	5	5	8288	6625	6625	1.12
1368	006	2960	0.07	1900	1	55	80	2.5	6	5	7400	5500	RH-2	40	form-based			true	0.7	6	1	5	5	8288	6388	6388	1.12
1368	007	2960	0.07	1700	1	55	80	2.5	6	5	7400	5700	RH-2	40	form-based			true	0.7	6	1	5	5	8288	6588	6588	1.12
1368	008	2960	0.07	1750	1	55	80	2.5	6	5	7400	5650	RH-2	40	form-based			true	0.7	6	1	5	5	8288	6538	6538	1.12
1368	009	2960	0.07	1975	1	55	80	2.5	6	5	7400	5425	RH-2	40	form-based			true	0.7	6	1	5	5	8288	6313	6313	1.12
1368	013	2960	0.07	1660	1	55	80	2.5	6	5	7400	5740	RH-2	40	form-based			true	0.7	6	1	5	5	8288	6628	6628	1.12
1368	015	2960	0.07	1262	1	55	80	2.5	6	5	7400	6138	RH-2	40	form-based			true	0.7	6	1	5	5	8288	7026	7026	1.12
1368	034	3027	0.07	3674	1	55	80	2.5	6	5	7568	3894	RH-2	40	form-based			true	0.7	6	1	5	5	8475.599609	4801.599609	4801.599609	1.119926
1368	041	3027	0.07	2791	1	55	80	2.5	6	5	7568	4777	RH-2	40	form-based			true	0.7	6	1	5	5	8475.599609	5684.599609	5684.599609	1.119926
1368	045	2671	0.06	2450	1	55	80	2.5	5	4	6678	4228	RH-2	40	form-based	true		true	0.7	6	1.200000048	5	5	7478.799805	5028.799805	5028.799805	1.119916
1368	046	2916	0.07	4054	1	55	80	2.5	6	5	7290	3236	RH-2	40	form-based			true	0.7	6	1	5	5	8164.799805	4110.799805	4110.799805	1.12
1368	047	2916	0.07	3800	1	55	80	2.5	6	5	7290	3490	RH-2	40	form-based			true	0.7	6	1	5	5	8164.799805	4364.799805	4364.799805	1.12
1369	021	3000	0.07	3649	1	55	80	2.5	6	5	7500	3851	RH-2	40	form-based			true	0.7	6	1	5	5	8400	4751	4751	1.12
1369	023	3000	0.07	1915	1	55	80	2.5	6	5	7500	5585	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6485	6485	1.12
1369	024	3000	0.07	2015	1	55	80	2.5	6	5	7500	5485	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6385	6385	1.12
1369	029	3000	0.07	1480	1	55	80	2.5	6	5	7500	6020	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6920	6920	1.12
1369	033	3000	0.07	2435	1	55	80	2.5	6	5	7500	5065	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5965	5965	1.12
1369	034	3000	0.07	2686	1	55	80	2.5	6	5	7500	4814	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5714	5714	1.12
1370	005	2965	0.07	2174	1	55	80	2.5	6	5	7412	5238	RH-2	40	form-based			true	0.7	6	1	5	5	8302	6128	6128	1.120076
1370	006	2965	0.07	1794	1	55	80	2.5	6	5	7412	5618	RH-2	40	form-based			true	0.7	6	1	5	5	8302	6508	6508	1.120076
1370	007	2965	0.07	2406	1	55	80	2.5	6	5	7412	5006	RH-2	40	form-based			true	0.7	6	1	5	5	8302	5896	5896	1.120076
1370	010	2965	0.07	1666	1	55	80	2.5	6	5	7412	5746	RH-2	40	form-based			true	0.7	6	1	5	5	8302	6636	6636	1.120076
1370	012	2965	0.07	2797	1	55	80	2.5	6	5	7412	4615	RH-2	40	form-based			true	0.7	6	1	5	5	8302	5505	5505	1.120076
1370	013	2965	0.07	2144	1	55	80	2.5	6	5	7412	5268	RH-2	40	form-based			true	0.7	6	1	5	5	8302	6158	6158	1.120076
1370	014	2965	0.07	2266	1	55	80	2.5	6	5	7412	5146	RH-2	40	form-based			true	0.7	6	1	5	5	8302	6036	6036	1.120076
1370	015	2965	0.07	3429	1	55	80	2.5	6	5	7412	3983	RH-2	40	form-based			true	0.7	6	1	5	5	8302	4873	4873	1.120076
1370	016	2965	0.07	3272	1	55	80	2.5	6	5	7412	4140	RH-2	40	form-based			true	0.7	6	1	5	5	8302	5030	5030	1.120076
1370	020	2965	0.07	2024	1	55	80	2.5	6	5	7412	5388	RH-2	40	form-based			true	0.7	6	1	5	5	8302	6278	6278	1.120076
1370	028	3018	0.07	1870	1	55	80	2.5	6	5	7545	5675	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6580.399414	6580.399414	1.12
1370	029	3018	0.07	1990	1	55	80	2.5	6	5	7545	5555	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6460.399414	6460.399414	1.12
1370	030	3018	0.07	1920	1	55	80	2.5	6	5	7545	5625	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6530.399414	6530.399414	1.12
1370	031	3018	0.07	2976	1	55	80	2.5	6	5	7545	4569	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	5474.399414	5474.399414	1.12
1370	032	3018	0.07	1900	1	55	80	2.5	6	5	7545	5645	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6550.399414	6550.399414	1.12
1370	033	3018	0.07	2082	1	55	80	2.5	6	5	7545	5463	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6368.399414	6368.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1370	034	3018	0.07	1850	1	55	80	2.5	6	5	7545	5695	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6600.399414	6600.399414	1.12
1370	035	3018	0.07	1800	1	55	80	2.5	6	5	7545	5745	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6650.399414	6650.399414	1.12
1370	036	3018	0.07	1918	1	55	80	2.5	6	5	7545	5627	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6532.399414	6532.399414	1.12
1370	037	3018	0.07	1968	1	55	80	2.5	6	5	7545	5577	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6482.399414	6482.399414	1.12
1370	038	3018	0.07	2106	1	55	80	2.5	6	5	7545	5439	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6344.399414	6344.399414	1.12
1370	039	3018	0.07	1750	1	55	80	2.5	6	5	7545	5795	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6700.399414	6700.399414	1.12
1370	040	3018	0.07	1850	1	55	80	2.5	6	5	7545	5695	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6600.399414	6600.399414	1.12
1370	042	3018	0.07	2824	1	55	80	2.5	6	5	7545	4721	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	5626.399414	5626.399414	1.12
1371	002	2982	0.07	3070	1	55	80	2.5	6	5	7455	4385	RH-2	40	form-based			true	0.7	6	1	5	5	8349.599609	5279.599609	5279.599609	1.12
1371	003	2982	0.07	2958	1	55	80	2.5	6	5	7455	4497	RH-2	40	form-based			true	0.7	6	1	5	5	8349.599609	5391.599609	5391.599609	1.12
1371	004	2982	0.07	1986	1	55	80	2.5	6	5	7455	5469	RH-2	40	form-based			true	0.7	6	1	5	5	8349.599609	6363.599609	6363.599609	1.12
1371	005	2982	0.07	2094	1	55	80	2.5	6	5	7455	5361	RH-2	40	form-based			true	0.7	6	1	5	5	8349.599609	6255.599609	6255.599609	1.12
1371	007	2982	0.07	2070	1	55	80	2.5	6	5	7455	5385	RH-2	40	form-based			true	0.7	6	1	5	5	8349.599609	6279.599609	6279.599609	1.12
1371	009	2982	0.07	1450	1	55	80	2.5	6	5	7455	6005	RH-2	40	form-based			true	0.7	6	1	5	5	8349.599609	6899.599609	6899.599609	1.12
1371	010	2982	0.07	1270	1	55	80	2.5	6	5	7455	6185	RH-2	40	form-based			true	0.7	6	1	5	5	8349.599609	7079.599609	7079.599609	1.12
1371	031	3037	0.07	2685	1	55	80	2.5	6	5	7592	4907	RH-2	40	form-based			true	0.7	6	1	5	5	8503.599609	5818.599609	5818.599609	1.120074
1371	034	3037	0.07	1578	1	55	80	2.5	6	5	7592	6014	RH-2	40	form-based			true	0.7	6	1	5	5	8503.599609	6925.599609	6925.599609	1.120074
1371	035	3037	0.07	1750	1	55	80	2.5	6	5	7592	5842	RH-2	40	form-based			true	0.7	6	1	5	5	8503.599609	6753.599609	6753.599609	1.120074
1371	037	3037	0.07	1705	1	55	80	2.5	6	5	7592	5887	RH-2	40	form-based			true	0.7	6	1	5	5	8503.599609	6798.599609	6798.599609	1.120074
1371	038	3037	0.07	2302	1	55	80	2.5	6	5	7592	5290	RH-2	40	form-based			true	0.7	6	1	5	5	8503.599609	6201.599609	6201.599609	1.120074
1372	002	3011	0.07	2444	1	55	80	2.5	6	5	7528	5084	RH-2	40	form-based			true	0.7	6	1	5	5	8430.799805	5986.799805	5986.799805	1.119926
1372	003	3011	0.07	1700	1	55	80	2.5	6	5	7528	5828	RH-2	40	form-based			true	0.7	6	1	5	5	8430.799805	6730.799805	6730.799805	1.119926
1372	021	2438	0.06	6060	8	55	80	2.5	5	0	6095	35	RTO-C	85	form-based			true	0.75	13	2.599999905	5	2	14628	8568	6130	2.4
1372	030	3024	0.07	3050	1	55	80	2.5	6	5	7560	4510	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	5417.200195	5417.200195	1.12
1372	033	2688	0.06	2790	1	55	80	2.5	5	4	6720	3930	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7526.399902	4736.399902	4736.399902	1.12
1372	035	3600	0.08	5560	3	55	80	2.5	6	3	9000	3440	RH-2	40	form-based			true	0.7	8	1.333333373	5	5	10080	4520	4520	1.12
1374	018	3257	0.07	3193	2	55	80	2.5	6	4	8142	4949	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9119.599609	5926.599609	5926.599609	1.120069
1374	021	3188	0.07	2890	2	55	80	2.5	6	4	7970	5080	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8926.399414	6036.399414	6036.399414	1.12
1374	023	3187	0.07	2800	2	55	80	2.5	6	4	7968	5168	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8923.599609	6123.599609	6123.599609	1.11993
1374	023A	3188	0.07	2730	2	55	80	2.5	6	4	7970	5240	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8926.399414	6196.399414	6196.399414	1.12
1374	026	3187	0.07	3912	2	55	80	2.5	6	4	7968	4056	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8923.599609	5011.599609	5011.599609	1.11993
1374	042	3187	0.07	1525	2	55	80	2.5	6	4	7968	6443	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8923.599609	7398.599609	7398.599609	1.11993
1375	004	3153	0.07	3596	2	55	80	2.5	6	4	7882	4286	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8828.399414	5232.399414	5232.399414	1.120071
1375	005	3153	0.07	3620	2	55	80	2.5	6	4	7882	4262	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8828.399414	5208.399414	5208.399414	1.120071
1375	006	3153	0.07	3230	2	55	80	2.5	6	4	7882	4652	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8828.399414	5598.399414	5598.399414	1.120071
1375	010	3153	0.07	3367	2	55	80	2.5	6	4	7882	4515	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8828.399414	5461.399414	5461.399414	1.120071
1375	011	3153	0.07	3050	2	55	80	2.5	6	4	7882	4832	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8828.399414	5778.399414	5778.399414	1.120071
1375	031	2965	0.07	2360	1	55	80	2.5	6	5	7412	5052	RH-2	40	form-based			true	0.7	6	1	5	5	8302	5942	5942	1.120076
1375	032	2965	0.07	2460	1	55	80	2.5	6	5	7412	4952	RH-2	40	form-based			true	0.7	6	1	5	5	8302	5842	5842	1.120076
1375	033	2965	0.07	2390	1	55	80	2.5	6	5	7412	5022	RH-2	40	form-based			true	0.7	6	1	5	5	8302	5912	5912	1.120076
1375	034	2965	0.07	2617	1	55	80	2.5	6	5	7412	4795	RH-2	40	form-based			true	0.7	6	1	5	5	8302	5685	5685	1.120076
1375	035	2965	0.07	2446	1	55	80	2.5	6	5	7412	4966	RH-2	40	form-based			true	0.7	6	1	5	5	8302	5856	5856	1.120076
1375	036	2965	0.07	2400	1	55	80	2.5	6	5	7412	5012	RH-2	40	form-based			true	0.7	6	1	5	5	8302	5902	5902	1.120076
1375	037	2965	0.07	2110	1	55	80	2.5	6	5	7412	5302	RH-2	40	form-based			true	0.7	6	1	5	5	8302	6192	6192	1.120076
1375	038	2965	0.07	2095	1	55	80	2.5	6	5	7412	5317	RH-2	40	form-based			true	0.7	6	1	5	5	8302	6207	6207	1.120076
1375	039	3187	0.07	3280	2	55	80	2.5	6	4	7968	4688	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8923.599609	5643.599609	5643.599609	1.11993
1375	040	3188	0.07	1800	2	55	80	2.5	6	4	7970	6170	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8926.399414	7126.399414	7126.399414	1.12
1375	046	3188	0.07	3300	2	55	80	2.5	6	4	7970	4670	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8926.399414	5626.399414	5626.399414	1.12
1376	005	3000	0.07	2714	1	55	80	2.5	6	5	7500	4786	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5686	5686	1.12
1376	006	3000	0.07	2362	1	55	80	2.5	6	5	7500	5138	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6038	6038	1.12
1376	007	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
1376	008	3000	0.07	2686	1	55	80	2.5	6	5	7500	4814	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5714	5714	1.12
1376	010	3000	0.07	3369	1	55	80	2.5	6	5	7500	4131	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5031	5031	1.12
1376	015	3000	0.07	2381	1	55	80	2.5	6	5	7500	5119	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6019	6019	1.12
1376	016	3000	0.07	1065	1	55	80	2.5	6	5	7500	6435	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7335	7335	1.12
1376	026A	1990	0.05	2554	2	55	80	2.5	4	2	4975	2421	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8955	6401	6401	1.8
1376	030	2966	0.07	1200	1	55	80	2.5	6	5	7415	6215	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	7104.799805	7104.799805	1.12
1376	037	2966	0.07	3180	1	55	80	2.5	6	5	7415	4235	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	5124.799805	5124.799805	1.12
1376	040	2966	0.07	2734	1	55	80	2.5	6	5	7415	4681	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	5570.799805	5570.799805	1.12
1376	041	2966	0.07	950	1	55	80	2.5	6	5	7415	6465	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	7354.799805	7354.799805	1.12
1376	042	2966	0.07	2080	1	55	80	2.5	6	5	7415	5335	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	6224.799805	6224.799805	1.12
1376	045	2500	0.06	3225	0	55	80	2.5	5	5	6250	3025	RH-2	40	form-based			true	0.7	5	1	5	5	7000	3775	3775	1.12
1377	004	2913	0.07	2344	1	55	80	2.5	6	5	7282	4938	RH-2	40	form-based			true	0.7	6	1	5	5	8156.399902	5812.399902	5812.399902	1.120077
1377	011	3520	0.08	1912	2	55	80	2.5	6	4	8800	6888	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9856	7944	7944	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1377	012	3506	0.08	2388	2	55	80	2.5	6	4	8765	6377	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9816.799805	7428.799805	7428.799805	1.12
1377	013	3506	0.08	2584	2	55	80	2.5	6	4	8765	6181	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9816.799805	7232.799805	7232.799805	1.12
1377	016	3156	0.07	2972	2	55	80	2.5	6	4	7890	4918	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8836.799805	5864.799805	5864.799805	1.12
1377	016A	3156	0.07	3020	2	55	80	2.5	6	4	7890	4870	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8836.799805	5816.799805	5816.799805	1.12
1377	030	3094	0.07	4165	1	55	80	2.5	6	5	7735	3570	RH-2	40	form-based			true	0.7	6	1	5	5	8663.200195	4498.200195	4498.200195	1.12
1377	031	3689	0.08	4620	3	55	80	2.5	6	3	9222	4602	RH-2	40	form-based			true	0.7	8	1.333333373	5	5	10329.2002	5709.200195	5709.200195	1.120061
1377	035	2975	0.07	2336	1	55	80	2.5	6	5	7438	5102	RH-2	40	form-based			true	0.7	6	1	5	5	8330	5994	5994	1.119925
1377	035A	2975	0.07	2336	1	55	80	2.5	6	5	7438	5102	RH-2	40	form-based			true	0.7	6	1	5	5	8330	5994	5994	1.119925
1377	038	2975	0.07	3033	1	55	80	2.5	6	5	7438	4405	RH-2	40	form-based			true	0.7	6	1	5	5	8330	5297	5297	1.119925
1377	039	2975	0.07	4249	1	55	80	2.5	6	5	7438	3189	RH-2	40	form-based			true	0.7	6	1	5	5	8330	4081	4081	1.119925
1377	040	2975	0.07	2710	1	55	80	2.5	6	5	7438	4728	RH-2	40	form-based			true	0.7	6	1	5	5	8330	5620	5620	1.119925
1377	060	3156	0.07	1530	2	55	80	2.5	6	4	7890	6360	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8836.799805	7306.799805	7306.799805	1.12
1378	008	3120	0.07	3045	2	55	80	2.5	6	4	7800	4755	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8736	5691	5691	1.12
1378	008A	3120	0.07	3045	2	55	80	2.5	6	4	7800	4755	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8736	5691	5691	1.12
1378	009	3120	0.07	3225	2	55	80	2.5	6	4	7800	4575	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8736	5511	5511	1.12
1378	010	3240	0.07	3205	2	55	80	2.5	6	4	8100	4895	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9072	5867	5867	1.12
1378	018	2428	0.06	3154	4	55	80	2.5	5	1	6070	2916	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	10926	7772	7772	1.8
1378	020	3480	0.08	2250	2	55	80	2.5	6	4	8700	6450	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9744	7494	7494	1.12
1378	021	2989	0.07	2464	1	55	80	2.5	6	5	7472	5008	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	5905.200195	5905.200195	1.120075
1378	022	2989	0.07	2848	1	55	80	2.5	6	5	7472	4624	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	5521.200195	5521.200195	1.120075
1378	025	2989	0.07	3340	1	55	80	2.5	6	5	7472	4132	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	5029.200195	5029.200195	1.120075
1379	002	3300	0.08	3577	2	55	80	2.5	6	4	8250	4673	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9240	5663	5663	1.12
1379	003	3300	0.08	2696	2	55	80	2.5	6	4	8250	5554	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9240	6544	6544	1.12
1379	009A	3100	0.07	3480	2	55	80	2.5	6	4	7750	4270	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8680	5200	5200	1.12
1379	012	3120	0.07	2444	2	55	80	2.5	6	4	7800	5356	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8736	6292	6292	1.12
1379	015B	1822	0.04	3395	2	55	80	2.5	3	1	4555	1160	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	8199	4804	4804	1.8
1379	019A	1998	0.05	3134	2	55	80	2.5	4	2	4995	1861	RTO-C	65	form-based	true		true	0.75	7	1.75	5	5	8991	5857	5857	1.8
1379	023	3126	0.07	3070	2	55	80	2.5	6	4	7815	4745	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8752.799805	5682.799805	5682.799805	1.12
1379	031	3006	0.07	2070	1	55	80	2.5	6	5	7515	5445	RH-2	40	form-based			true	0.7	6	1	5	5	8416.799805	6346.799805	6346.799805	1.12
1379	037	2500	0.06	1858	0	55	80	2.5	5	5	6250	4392	RH-2	40	form-based			true	0.7	5	1	5	5	7000	5142	5142	1.12
1379	045	3140	0.07	1885	2	55	80	2.5	6	4	7850	5965	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8792	6907	6907	1.12
1379	049	3126	0.07	1978	2	55	80	2.5	6	4	7815	5837	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8752.799805	6774.799805	6774.799805	1.12
1380	004	3000	0.07	3272	1	55	80	2.5	6	5	7500	4228	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5128	5128	1.12
1380	005	3000	0.07	2989	1	55	80	2.5	6	5	7500	4511	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5411	5411	1.12
1380	006	3000	0.07	1758	1	55	80	2.5	6	5	7500	5742	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6642	6642	1.12
1380	007	3000	0.07	2790	1	55	80	2.5	6	5	7500	4710	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5610	5610	1.12
1380	008	3000	0.07	4028	1	55	80	2.5	6	5	7500	3472	RH-2	40	form-based			true	0.7	6	1	5	5	8400	4372	4372	1.12
1380	011	3000	0.07	2373	1	55	80	2.5	6	5	7500	5127	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6027	6027	1.12
1380	013	3000	0.07	2239	1	55	80	2.5	6	5	7500	5261	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6161	6161	1.12
1380	021	1850	0.04	2670	2	55	80	2.5	3	1	4625	1955	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	8325	5655	5655	1.8
1380	021A	1849	0.04	2670	2	55	80	2.5	3	1	4622	1952	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	8320.5	5650.5	5650.5	1.800195
1380	023	3021	0.07	2088	1	55	80	2.5	6	5	7552	5464	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	6370.799805	6370.799805	1.120074
1380	026	3021	0.07	2362	1	55	80	2.5	6	5	7552	5190	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	6096.799805	6096.799805	1.120074
1380	029	3021	0.07	2362	1	55	80	2.5	6	5	7552	5190	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	6096.799805	6096.799805	1.120074
1380	030	3021	0.07	3066	1	55	80	2.5	6	5	7552	4486	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	5392.799805	5392.799805	1.120074
1381	002	3000	0.07	2240	1	55	80	2.5	6	5	7500	5260	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6160	6160	1.12
1381	003	3000	0.07	2350	1	55	80	2.5	6	5	7500	5150	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6050	6050	1.12
1381	004	3000	0.07	2350	1	55	80	2.5	6	5	7500	5150	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6050	6050	1.12
1381	005	3000	0.07	3085	1	55	80	2.5	6	5	7500	4415	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5315	5315	1.12
1381	007	3000	0.07	2200	1	55	80	2.5	6	5	7500	5300	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6200	6200	1.12
1381	008	3000	0.07	1920	1	55	80	2.5	6	5	7500	5580	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6480	6480	1.12
1381	009	3000	0.07	2511	1	55	80	2.5	6	5	7500	4989	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5889	5889	1.12
1381	010	3000	0.07	2275	1	55	80	2.5	6	5	7500	5225	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6125	6125	1.12
1381	021	2962	0.07	2630	1	55	80	2.5	6	5	7405	4775	RH-2	40	form-based			true	0.7	6	1	5	5	8293.599609	5663.599609	5663.599609	1.12
1381	023	2962	0.07	1800	1	55	80	2.5	6	5	7405	5605	RH-2	40	form-based			true	0.7	6	1	5	5	8293.599609	6493.599609	6493.599609	1.12
1381	023A	2962	0.07	2394	1	55	80	2.5	6	5	7405	5011	RH-2	40	form-based			true	0.7	6	1	5	5	8293.599609	5899.599609	5899.599609	1.12
1381	024	2962	0.07	2735	1	55	80	2.5	6	5	7405	4670	RH-2	40	form-based			true	0.7	6	1	5	5	8293.599609	5558.599609	5558.599609	1.12
1381	025	2962	0.07	2250	1	55	80	2.5	6	5	7405	5155	RH-2	40	form-based			true	0.7	6	1	5	5	8293.599609	6043.599609	6043.599609	1.12
1381	026	2962	0.07	2256	1	55	80	2.5	6	5	7405	5149	RH-2	40	form-based			true	0.7	6	1	5	5	8293.599609	6037.599609	6037.599609	1.12
1381	027	2962	0.07	3242	1	55	80	2.5	6	5	7405	4163	RH-2	40	form-based			true	0.7	6	1	5	5	8293.599609	5051.599609	5051.599609	1.12
1381	030	2962	0.07	1880	1	55	80	2.5	6	5	7405	5525	RH-2	40	form-based			true	0.7	6	1	5	5	8293.599609	6413.599609	6413.599609	1.12
1381	031A	2962	0.07	2290	1	55	80	2.5	6	5	7405	5115	RH-2	40	form-based			true	0.7	6	1	5	5	8293.599609	6003.599609	6003.599609	1.12
1381	032	2962	0.07	2620	1	55	80	2.5	6	5	7405	4785	RH-2	40	form-based			true	0.7	6	1	5	5	8293.599609	5673.599609	5673.599609	1.12
1381	033	2962	0.07	2220	1	55	80	2.5	6	5	7405	5185	RH-2	40	form-based			true	0.7	6	1	5	5	8293.599609	6073.599609	6073.599609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1381	037	2750	0.06	2013	1	55	80	2.5	5	4	6875	4862	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7700	5687	5687	1.12
1381	038	2700	0.06	2420	1	55	80	2.5	5	4	6750	4330	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7560	5140	5140	1.12
1382	002	3000	0.07	2170	1	55	80	2.5	6	5	7500	5330	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6230	6230	1.12
1382	004	3000	0.07	2197	1	55	80	2.5	6	5	7500	5303	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6203	6203	1.12
1382	005	3000	0.07	2628	1	55	80	2.5	6	5	7500	4872	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5772	5772	1.12
1382	008	3000	0.07	3405	1	55	80	2.5	6	5	7500	4095	RH-2	40	form-based			true	0.7	6	1	5	5	8400	4995	4995	1.12
1382	009	3000	0.07	2514	1	55	80	2.5	6	5	7500	4986	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5886	5886	1.12
1382	010	3000	0.07	2448	1	55	80	2.5	6	5	7500	5052	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5952	5952	1.12
1382	011	3000	0.07	2750	1	55	80	2.5	6	5	7500	4750	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5650	5650	1.12
1382	012	3000	0.07	2440	1	55	80	2.5	6	5	7500	5060	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5960	5960	1.12
1382	013	3000	0.07	2412	1	55	80	2.5	6	5	7500	5088	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5988	5988	1.12
1382	014	3000	0.07	2615	1	55	80	2.5	6	5	7500	4885	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5785	5785	1.12
1382	015	3000	0.07	2288	1	55	80	2.5	6	5	7500	5212	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6112	6112	1.12
1382	016	3000	0.07	2288	1	55	80	2.5	6	5	7500	5212	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6112	6112	1.12
1382	017	3000	0.07	2144	1	55	80	2.5	6	5	7500	5356	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6256	6256	1.12
1382	024	1863	0.04	2960	2	55	80	2.5	3	1	4658	1698	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	8383.5	5423.5	5423.5	1.799807
1382	027	3056	0.07	2408	1	55	80	2.5	6	5	7640	5232	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6148.799805	6148.799805	1.12
1382	028	3056	0.07	2440	1	55	80	2.5	6	5	7640	5200	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6116.799805	6116.799805	1.12
1382	028A	3056	0.07	2680	1	55	80	2.5	6	5	7640	4960	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	5876.799805	5876.799805	1.12
1382	031	3056	0.07	2140	1	55	80	2.5	6	5	7640	5500	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6416.799805	6416.799805	1.12
1382	032	3056	0.07	2140	1	55	80	2.5	6	5	7640	5500	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6416.799805	6416.799805	1.12
1382	033	3056	0.07	1870	1	55	80	2.5	6	5	7640	5770	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6686.799805	6686.799805	1.12
1382	034	3056	0.07	3345	1	55	80	2.5	6	5	7640	4295	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	5211.799805	5211.799805	1.12
1382	036	3056	0.07	3175	1	55	80	2.5	6	5	7640	4465	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	5381.799805	5381.799805	1.12
1382	038	3056	0.07	1395	1	55	80	2.5	6	5	7640	6245	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	7161.799805	7161.799805	1.12
1382	039	3056	0.07	3225	1	55	80	2.5	6	5	7640	4415	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	5331.799805	5331.799805	1.12
1382	040	3056	0.07	1908	1	55	80	2.5	6	5	7640	5732	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6648.799805	6648.799805	1.12
1382	051	2416	0.06	892	4	55	80	2.5	5	1	6040	5148	RTO-C	65	form-based	true		true	0.75	9	1.799999952	5	5	10872	9980	9980	1.8
1382	060	1758	0.04	1169	2	55	80	2.5	3	1	4395	3226	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	7911	6742	6742	1.8
1383	002	3000	0.07	2614	1	55	80	2.5	6	5	7500	4886	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5786	5786	1.12
1383	003	3000	0.07	2075	1	55	80	2.5	6	5	7500	5425	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6325	6325	1.12
1383	005	3000	0.07	826	1	55	80	2.5	6	5	7500	6674	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7574	7574	1.12
1383	006	3000	0.07	1828	1	55	80	2.5	6	5	7500	5672	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6572	6572	1.12
1383	007	3000	0.07	2820	1	55	80	2.5	6	5	7500	4680	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5580	5580	1.12
1383	008A	3000	0.07	1464	1	55	80	2.5	6	5	7500	6036	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6936	6936	1.12
1383	011	3000	0.07	2648	1	55	80	2.5	6	5	7500	4852	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5752	5752	1.12
1383	013	3000	0.07	1656	1	55	80	2.5	6	5	7500	5844	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6744	6744	1.12
1383	018	2504	0.06	3400	4	55	80	2.5	5	1	6260	2860	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	11268	7868	7868	1.8
1383	030	2996	0.07	3352	1	55	80	2.5	6	5	7490	4138	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	5036.799805	5036.799805	1.12
1383	037	2996	0.07	1802	1	55	80	2.5	6	5	7490	5688	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6586.799805	6586.799805	1.12
1384	005	3000	0.07	1833	1	55	80	2.5	6	5	7500	5667	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6567	6567	1.12
1384	009B	3000	0.07	1918	1	55	80	2.5	6	5	7500	5582	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6482	6482	1.12
1384	009F	2375	0.05	4250	4	55	80	2.5	4	0	5938	1688	RTO-C	65	form-based	true		true	0.75	9	2.25	5	4	10687.5	6437.5	6437.5	1.799848
1384	009I	2383	0.05	4090	4	55	80	2.5	4	0	5958	1868	RTO-C	65	form-based	true		true	0.75	9	2.25	5	4	10723.5	6633.5	6633.5	1.799849
1384	016	3000	0.07	3528	1	55	80	2.5	6	5	7500	3972	RM-1	40	form-based	true		true	0.7	6	1	5	5	8400	4872	4872	1.12
1384	017	3000	0.07	3371	1	55	80	2.5	6	5	7500	4129	RM-1	40	form-based			true	0.7	6	1	5	5	8400	5029	5029	1.12
1384	018	3000	0.07	3380	1	55	80	2.5	6	5	7500	4120	RM-1	40	form-based			true	0.7	6	1	5	5	8400	5020	5020	1.12
1384	019	2881	0.07	2568	1	55	80	2.5	6	5	7202	4634	RM-1	40	form-based			true	0.7	6	1	5	5	8066.799805	5498.799805	5498.799805	1.120078
1384	020	4467	0.1	7120	4	55	80	2.5	8	4	11168	4048	RM-1	40	form-based			true	0.7	9	1.125	5	5	12507.59961	5387.599609	5387.599609	1.11995
1385	003	5832	0.13	4300	7	55	80	2.5	10	3	14580	10280	RM-1	40	form-based			true	0.7	12	1.200000048	5	5	16329.59961	12029.59961	12029.59961	1.12
1385	009	3037	0.07	3450	1	55	80	2.5	6	5	7592	4142	RH-2	40	form-based			true	0.7	6	1	5	5	8503.599609	5053.599609	5053.599609	1.120074
1385	011	3037	0.07	1590	1	55	80	2.5	6	5	7592	6002	RH-2	40	form-based			true	0.7	6	1	5	5	8503.599609	6913.599609	6913.599609	1.120074
1385	023	3000	0.07	1428	1	55	80	2.5	6	5	7500	6072	RM-1	40	form-based			true	0.7	6	1	5	5	8400	6972	6972	1.12
1385	034	2750	0.06	2750	1	55	80	2.5	5	4	6875	4125	RM-1	40	form-based			true	0.7	6	1.200000048	5	5	7700	4950	4950	1.12
1385	044	5340	0.12	1300	6	55	80	2.5	10	4	13350	12050	RM-1	40	form-based			true	0.7	11	1.100000024	5	5	14952	13652	13652	1.12
1385	050	5340	0.12	1300	6	55	80	2.5	10	4	13350	12050	RM-1	40	form-based			true	0.7	11	1.100000024	5	5	14952	13652	13652	1.12
1385	087	3037	0.07	1673	1	55	80	2.5	6	5	7592	5919	RM-1	40	form-based			true	0.7	6	1	5	5	8503.599609	6830.599609	6830.599609	1.120074
1386	008	2937	0.07	1591	1	55	80	2.5	6	5	7342	5751	RM-1	40	form-based			true	0.7	6	1	5	5	8223.599609	6632.599609	6632.599609	1.120076
1386	022A	1750	0.04	2640	2	55	80	2.5	3	1	4375	1735	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	7875	5235	5235	1.8
1386	022B	1750	0.04	2800	2	55	80	2.5	3	1	4375	1575	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	7875	5075	5075	1.8
1386	026	3000	0.07	2933	1	55	80	2.5	6	5	7500	4567	RM-1	40	form-based			true	0.7	6	1	5	5	8400	5467	5467	1.12
1386	076	1750	0.04	1253	2	55	80	2.5	3	1	4375	3122	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	7875	6622	6622	1.8
1387	022A	2652	0.06	1900	1	55	80	2.5	5	4	6630	4730	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7425.600098	5525.600098	5525.600098	1.12
1387	022B	2652	0.06	1900	1	55	80	2.5	5	4	6630	4730	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7425.600098	5525.600098	5525.600098	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1387	022C	2715	0.06	2548	1	55	80	2.5	5	4	6788	4240	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7602	5054	5054	1.119918
1387	022D	2967	0.07	1900	1	55	80	2.5	6	5	7418	5518	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6407.599609	6407.599609	1.119924
1387	022E	2967	0.07	1900	1	55	80	2.5	6	5	7418	5518	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6407.599609	6407.599609	1.119924
1387	022F	2967	0.07	2454	1	55	80	2.5	6	5	7418	4964	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	5853.599609	5853.599609	1.119924
1387	022G	2967	0.07	2884	1	55	80	2.5	6	5	7418	4534	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	5423.599609	5423.599609	1.119924
1387	022H	2967	0.07	2160	1	55	80	2.5	6	5	7418	5258	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6147.599609	6147.599609	1.119924
1387	022I	2967	0.07	2160	1	55	80	2.5	6	5	7418	5258	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6147.599609	6147.599609	1.119924
1387	022J	2967	0.07	2150	1	55	80	2.5	6	5	7418	5268	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6157.599609	6157.599609	1.119924
1387	022K	2967	0.07	1906	1	55	80	2.5	6	5	7418	5512	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6401.599609	6401.599609	1.119924
1387	022L	2967	0.07	3305	1	55	80	2.5	6	5	7418	4113	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	5002.599609	5002.599609	1.119924
1387	022M	2967	0.07	2550	1	55	80	2.5	6	5	7418	4868	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	5757.599609	5757.599609	1.119924
1387	022N	2967	0.07	2316	1	55	80	2.5	6	5	7418	5102	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	5991.599609	5991.599609	1.119924
1387	022O	2967	0.07	2199	1	55	80	2.5	6	5	7418	5219	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6108.599609	6108.599609	1.119924
1387	022P	2967	0.07	2531	1	55	80	2.5	6	5	7418	4887	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	5776.599609	5776.599609	1.119924
1387	029	3756	0.09	1297	3	55	80	2.5	7	4	9390	8093	RM-1	40	form-based			true	0.7	8	1.142857194	5	5	10516.7998	9219.799805	9219.799805	1.12
1388	002	2880	0.07	3010	1	55	80	2.5	6	5	7200	4190	RH-1	40	form-based			true	0.7	6	1	5	5	8064	5054	5054	1.12
1388	003	3000	0.07	2020	1	55	80	2.5	6	5	7500	5480	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6380	6380	1.12
1388	004	3000	0.07	2036	1	55	80	2.5	6	5	7500	5464	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6364	6364	1.12
1388	005	3000	0.07	2140	1	55	80	2.5	6	5	7500	5360	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6260	6260	1.12
1388	006	3000	0.07	3340	1	55	80	2.5	6	5	7500	4160	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5060	5060	1.12
1388	007	3000	0.07	2248	1	55	80	2.5	6	5	7500	5252	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6152	6152	1.12
1388	008	3000	0.07	2684	1	55	80	2.5	6	5	7500	4816	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5716	5716	1.12
1388	009	3000	0.07	1980	1	55	80	2.5	6	5	7500	5520	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6420	6420	1.12
1388	010	3000	0.07	3000	1	55	80	2.5	6	5	7500	4500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5400	5400	1.12
1388	011	3000	0.07	2190	1	55	80	2.5	6	5	7500	5310	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6210	6210	1.12
1388	012	3000	0.07	1950	1	55	80	2.5	6	5	7500	5550	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6450	6450	1.12
1388	013	2858	0.07	2444	1	55	80	2.5	6	5	7145	4701	RH-1	40	form-based			true	0.7	6	1	5	5	8002.399902	5558.399902	5558.399902	1.12
1388	014	2813	0.06	2723	1	55	80	2.5	5	4	7032	4309	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5153.399902	5153.399902	1.12008
1388	015	2812	0.06	1900	1	55	80	2.5	5	4	7030	5130	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	5973.600098	5973.600098	1.12
1388	023	3010	0.07	2470	1	55	80	2.5	6	5	7525	5055	RH-1	40	form-based			true	0.7	6	1	5	5	8428	5958	5958	1.12
1388	024	3010	0.07	2470	1	55	80	2.5	6	5	7525	5055	RH-1	40	form-based			true	0.7	6	1	5	5	8428	5958	5958	1.12
1388	025	3010	0.07	2968	1	55	80	2.5	6	5	7525	4557	RH-1	40	form-based			true	0.7	6	1	5	5	8428	5460	5460	1.12
1388	026	3010	0.07	2310	1	55	80	2.5	6	5	7525	5215	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6118	6118	1.12
1388	027	3010	0.07	2640	1	55	80	2.5	6	5	7525	4885	RH-1	40	form-based			true	0.7	6	1	5	5	8428	5788	5788	1.12
1388	028	3010	0.07	2458	1	55	80	2.5	6	5	7525	5067	RH-1	40	form-based			true	0.7	6	1	5	5	8428	5970	5970	1.12
1388	029	3010	0.07	2400	1	55	80	2.5	6	5	7525	5125	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6028	6028	1.12
1388	030	3010	0.07	3150	1	55	80	2.5	6	5	7525	4375	RH-1	40	form-based			true	0.7	6	1	5	5	8428	5278	5278	1.12
1388	031	3010	0.07	2569	1	55	80	2.5	6	5	7525	4956	RH-1	40	form-based			true	0.7	6	1	5	5	8428	5859	5859	1.12
1388	032	3010	0.07	2458	1	55	80	2.5	6	5	7525	5067	RH-1	40	form-based			true	0.7	6	1	5	5	8428	5970	5970	1.12
1389	002	3000	0.07	2780	1	55	80	2.5	6	5	7500	4720	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5620	5620	1.12
1389	003	3000	0.07	2612	1	55	80	2.5	6	5	7500	4888	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5788	5788	1.12
1389	004	3000	0.07	2526	1	55	80	2.5	6	5	7500	4974	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5874	5874	1.12
1389	005	3000	0.07	2295	1	55	80	2.5	6	5	7500	5205	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6105	6105	1.12
1389	006	3000	0.07	2012	1	55	80	2.5	6	5	7500	5488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6388	6388	1.12
1389	007	3000	0.07	3462	1	55	80	2.5	6	5	7500	4038	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4938	4938	1.12
1389	008	3000	0.07	2536	1	55	80	2.5	6	5	7500	4964	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5864	5864	1.12
1389	009	3000	0.07	3465	1	55	80	2.5	6	5	7500	4035	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4935	4935	1.12
1389	010	3000	0.07	2536	1	55	80	2.5	6	5	7500	4964	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5864	5864	1.12
1389	011	3000	0.07	2536	1	55	80	2.5	6	5	7500	4964	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5864	5864	1.12
1389	017	3026	0.07	2160	1	55	80	2.5	6	5	7565	5405	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	6312.799805	6312.799805	1.12
1389	018	3025	0.07	2160	1	55	80	2.5	6	5	7562	5402	RH-1	40	form-based			true	0.7	6	1	5	5	8470	6310	6310	1.120074
1389	019	3024	0.07	2160	1	55	80	2.5	6	5	7560	5400	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6307.200195	6307.200195	1.12
1389	020	3023	0.07	2160	1	55	80	2.5	6	5	7558	5398	RH-1	40	form-based			true	0.7	6	1	5	5	8464.399414	6304.399414	6304.399414	1.119926
1389	021	3022	0.07	2142	1	55	80	2.5	6	5	7555	5413	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6319.599609	6319.599609	1.12
1389	022	3021	0.07	2140	1	55	80	2.5	6	5	7552	5412	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6318.799805	6318.799805	1.120074
1389	023	3019	0.07	2252	1	55	80	2.5	6	5	7548	5296	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	6201.200195	6201.200195	1.119926
1389	024	3018	0.07	2140	1	55	80	2.5	6	5	7545	5405	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6310.399414	6310.399414	1.12
1389	025	3017	0.07	2535	1	55	80	2.5	6	5	7542	5007	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	5912.599609	5912.599609	1.120074
1389	026	3016	0.07	2140	1	55	80	2.5	6	5	7540	5400	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	6304.799805	6304.799805	1.12
1389	027	3015	0.07	2742	1	55	80	2.5	6	5	7538	4796	RH-1	40	form-based			true	0.7	6	1	5	5	8442	5700	5700	1.119926
1389	028	3013	0.07	2140	1	55	80	2.5	6	5	7532	5392	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6296.399414	6296.399414	1.120074
1389	029	3012	0.07	2200	1	55	80	2.5	6	5	7530	5330	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	6233.599609	6233.599609	1.12
1389	030	3011	0.07	2140	1	55	80	2.5	6	5	7528	5388	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6290.799805	6290.799805	1.119926
1390	003A	3034	0.07	2582	1	55	80	2.5	6	5	7585	5003	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	5913.200195	5913.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1390	003B	3033	0.07	2617	1	55	80	2.5	6	5	7582	4965	RH-1	40	form-based			true	0.7	6	1	5	5	8492.399414	5875.399414	5875.399414	1.120074
1390	003C	3032	0.07	2400	1	55	80	2.5	6	5	7580	5180	RH-1	40	form-based			true	0.7	6	1	5	5	8489.599609	6089.599609	6089.599609	1.12
1390	003D	3030	0.07	2411	1	55	80	2.5	6	5	7575	5164	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6073	6073	1.12
1390	003G	2963	0.07	2240	1	55	80	2.5	6	5	7408	5168	RH-1	40	form-based			true	0.7	6	1	5	5	8296.399414	6056.399414	6056.399414	1.119924
1390	003H	2963	0.07	1800	1	55	80	2.5	6	5	7408	5608	RH-1	40	form-based			true	0.7	6	1	5	5	8296.399414	6496.399414	6496.399414	1.119924
1390	003I	2963	0.07	2348	1	55	80	2.5	6	5	7408	5060	RH-1	40	form-based			true	0.7	6	1	5	5	8296.399414	5948.399414	5948.399414	1.119924
1390	003J	2963	0.07	2400	1	55	80	2.5	6	5	7408	5008	RH-1	40	form-based			true	0.7	6	1	5	5	8296.399414	5896.399414	5896.399414	1.119924
1391	001C	3000	0.07	2300	1	55	80	2.5	6	5	7500	5200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6100	6100	1.12
1391	001D	2715	0.06	2300	1	55	80	2.5	5	4	6788	4488	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7602	5302	5302	1.119918
1391	001E	2676	0.06	2972	1	55	80	2.5	5	4	6690	3718	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7492.799805	4520.799805	4520.799805	1.12
1391	001F	2676	0.06	2661	1	55	80	2.5	5	4	6690	4029	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7492.799805	4831.799805	4831.799805	1.12
1391	001G	2998	0.07	2270	1	55	80	2.5	6	5	7495	5225	RH-1	40	form-based	true		true	0.7	6	1	5	5	8394.399414	6124.399414	6124.399414	1.12
1391	008	3034	0.07	1800	1	55	80	2.5	6	5	7585	5785	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8495.200195	6695.200195	6695.200195	1.12
1391	009	3034	0.07	2467	1	55	80	2.5	6	5	7585	5118	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8495.200195	6028.200195	6028.200195	1.12
1391	010	3034	0.07	2487	1	55	80	2.5	6	5	7585	5098	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8495.200195	6008.200195	6008.200195	1.12
1391	011	3034	0.07	2250	1	55	80	2.5	6	5	7585	5335	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8495.200195	6245.200195	6245.200195	1.12
1391	012	3034	0.07	2200	1	55	80	2.5	6	5	7585	5385	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8495.200195	6295.200195	6295.200195	1.12
1391	013	3034	0.07	1840	1	55	80	2.5	6	5	7585	5745	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8495.200195	6655.200195	6655.200195	1.12
1391	014	3034	0.07	2540	1	55	80	2.5	6	5	7585	5045	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8495.200195	5955.200195	5955.200195	1.12
1391	022	3266	0.07	1720	2	55	80	2.5	6	4	8165	6445	RH-1(D)	40	form-based			true	0.7	7	1.166666627	5	5	9144.799805	7424.799805	7424.799805	1.12
1392	016	3073	0.07	2260	1	55	80	2.5	6	5	7682	5422	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8604.399414	6344.399414	6344.399414	1.120073
1392	021	3051	0.07	2350	1	55	80	2.5	6	5	7628	5278	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8542.799805	6192.799805	6192.799805	1.119927
1392	022	2861	0.07	4000	1	55	80	2.5	6	5	7152	3152	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8010.799805	4010.799805	4010.799805	1.120078
1392	023	2781	0.06	2141	1	55	80	2.5	5	4	6952	4811	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7786.799805	5645.799805	5645.799805	1.12008
1392	024	2701	0.06	1912	1	55	80	2.5	5	4	6752	4840	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7562.799805	5650.799805	5650.799805	1.120083
1392	025	2621	0.06	1680	1	55	80	2.5	5	4	6552	4872	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7338.799805	5658.799805	5658.799805	1.120085
1392	028	2381	0.05	1908	0	55	80	2.5	4	4	5952	4044	RH-1(D)	40	form-based			true	0.7	5	1.25	5	5	6666.799805	4758.799805	4758.799805	1.120094
1402	029	3000	0.07	1344	1	65	100	3	7	6	9000	7656	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7056	7056	0.933333
1402	006	3318	0.08	3896	2	65	100	3	8	6	9954	6058	RH-2	40	form-based			true	0.7	7	0.875	5	5	9290.399414	5394.399414	5394.399414	0.933333
1402	011	3103	0.07	4992	2	65	100	3	7	5	9309	4317	RH-2	40	form-based			true	0.7	7	1	5	5	8688.399414	3696.399414	3696.399414	0.933333
1402	012	3039	0.07	1210	1	65	100	3	7	6	9117	7907	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	7299.200195	7299.200195	0.933333
1402	013	3039	0.07	1850	1	65	100	3	7	6	9117	7267	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6659.200195	6659.200195	0.933333
1402	014	3039	0.07	2410	1	65	100	3	7	6	9117	6707	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6099.200195	6099.200195	0.933333
1402	055	3120	0.07	2036	2	65	100	3	7	5	9360	7324	RH-2	40	form-based			true	0.7	7	1	5	5	8736	6700	6700	0.933333
1403	003	2978	0.07	1222	1	65	100	3	7	6	8934	7712	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	7116.399414	7116.399414	0.933333
1403	004	2978	0.07	1912	1	65	100	3	7	6	8934	7022	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6426.399414	6426.399414	0.933333
1403	006	2978	0.07	3066	1	65	100	3	7	6	8934	5868	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	5272.399414	5272.399414	0.933333
1403	012A	1625	0.04	1700	1	65	100	3	4	3	4875	3175	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7312.5	5612.5	5612.5	1.5
1403	013	1625	0.04	1700	1	65	100	3	4	3	4875	3175	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7312.5	5612.5	5612.5	1.5
1403	013A	1625	0.04	1700	1	65	100	3	4	3	4875	3175	RTO-C	65	form-based	true		true	0.75	6	1.5	5	5	7312.5	5612.5	5612.5	1.5
1403	016	1875	0.04	3233	2	65	100	3	4	2	5625	2392	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	5204.5	5204.5	1.5
1403	018	1875	0.04	2410	2	65	100	3	4	2	5625	3215	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	6027.5	6027.5	1.5
1403	027	3000	0.07	1780	1	65	100	3	7	6	9000	7220	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6620	6620	0.933333
1403	029	3000	0.07	1980	1	65	100	3	7	6	9000	7020	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6420	6420	0.933333
1403	030	3000	0.07	1240	1	65	100	3	7	6	9000	7760	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7160	7160	0.933333
1404	009	3039	0.07	1700	1	65	100	3	7	6	9117	7417	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6809.200195	6809.200195	0.933333
1404	011	3039	0.07	2190	1	65	100	3	7	6	9117	6927	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6319.200195	6319.200195	0.933333
1404	012	3039	0.07	1108	1	65	100	3	7	6	9117	8009	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	7401.200195	7401.200195	0.933333
1404	014	3039	0.07	1940	1	65	100	3	7	6	9117	7177	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6569.200195	6569.200195	0.933333
1404	015	3039	0.07	1940	1	65	100	3	7	6	9117	7177	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6569.200195	6569.200195	0.933333
1404	017	3039	0.07	1430	1	65	100	3	7	6	9117	7687	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	7079.200195	7079.200195	0.933333
1404	018	3039	0.07	1850	1	65	100	3	7	6	9117	7267	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6659.200195	6659.200195	0.933333
1404	019	3039	0.07	1205	1	65	100	3	7	6	9117	7912	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	7304.200195	7304.200195	0.933333
1404	022	1664	0.04	1880	1	65	100	3	4	3	4992	3112	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7488	5608	5608	1.5
1404	027A	3000	0.07	1460	1	65	100	3	7	6	9000	7540	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6940	6940	0.933333
1404	027C	1875	0.04	2600	2	65	100	3	4	2	5625	3025	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	5837.5	5837.5	1.5
1404	027F	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1404	028	3000	0.07	1056	1	65	100	3	7	6	9000	7944	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7344	7344	0.933333
1404	034	3000	0.07	1660	1	65	100	3	7	6	9000	7340	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6740	6740	0.933333
1404	035	3000	0.07	1672	1	65	100	3	7	6	9000	7328	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6728	6728	0.933333
1404	036	3000	0.07	2470	1	65	100	3	7	6	9000	6530	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5930	5930	0.933333
1404	037	3000	0.07	1970	1	65	100	3	7	6	9000	7030	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6430	6430	0.933333
1404	053	3277	0.08	2334	2	65	100	3	8	6	9831	7497	RH-2	40	form-based			true	0.7	7	0.875	5	5	9175.599609	6841.599609	6841.599609	0.933333
1405	006	2992	0.07	1328	1	65	100	3	7	6	8976	7648	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7049.599609	7049.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1405	009	2992	0.07	1584	1	65	100	3	7	6	8976	7392	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6793.599609	6793.599609	0.933333
1405	020	3171	0.07	3236	2	65	100	3	7	5	9513	6277	RH-2	40	form-based			true	0.7	7	1	5	5	8878.799805	5642.799805	5642.799805	0.933333
1405	023	1937	0.04	2700	2	65	100	3	4	2	5811	3111	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8716.5	6016.5	6016.5	1.5
1405	024	1938	0.04	2700	2	65	100	3	4	2	5814	3114	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8721	6021	6021	1.5
1405	040	3000	0.07	3719	1	65	100	3	7	6	9000	5281	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4681	4681	0.933333
1405	042	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
1405	043	3000	0.07	1168	1	65	100	3	7	6	9000	7832	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7232	7232	0.933333
1405	044	3000	0.07	1466	1	65	100	3	7	6	9000	7534	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6934	6934	0.933333
1406	008	2989	0.07	2437	1	65	100	3	7	6	8967	6530	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	5932.200195	5932.200195	0.933333
1406	012	2989	0.07	1350	1	65	100	3	7	6	8967	7617	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	7019.200195	7019.200195	0.933333
1406	013	2989	0.07	4132	1	65	100	3	7	6	8967	4835	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	4237.200195	4237.200195	0.933333
1406	022	2504	0.06	4443	4	65	100	3	6	2	7512	3069	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11268	6825	6825	1.5
1406	024	2504	0.06	3426	4	65	100	3	6	2	7512	4086	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11268	7842	7842	1.5
1406	037	3240	0.07	5065	2	65	100	3	7	5	9720	4655	RH-2	40	form-based			true	0.7	7	1	5	5	9072	4007	4007	0.933333
1406	038	3240	0.07	4955	2	65	100	3	7	5	9720	4765	RH-2	40	form-based			true	0.7	7	1	5	5	9072	4117	4117	0.933333
1406	044	2416	0.06	1474	0	65	100	3	6	6	7248	5774	RH-1(S)	40	form-based			true	0.7	5	0.833333313	5	5	6764.799805	5290.799805	5290.799805	0.933333
1407	007	2997	0.07	1997	1	65	100	3	7	6	8991	6994	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6394.599609	6394.599609	0.933333
1407	012	2997	0.07	1488	1	65	100	3	7	6	8991	7503	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6903.599609	6903.599609	0.933333
1407	013	2997	0.07	2500	1	65	100	3	7	6	8991	6491	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	5891.599609	5891.599609	0.933333
1407	014	2997	0.07	1812	1	65	100	3	7	6	8991	7179	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6579.599609	6579.599609	0.933333
1407	020	2959	0.07	4198	6	65	100	3	7	1	8877	4679	NCD-OUTE	65	form-based			true	0.75	11	1.571428537	5	5	13315.5	9117.5	9117.5	1.5
1407	026	3000	0.07	1390	1	65	100	3	7	6	9000	7610	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7010	7010	0.933333
1407	027	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1407	028	3000	0.07	1340	1	65	100	3	7	6	9000	7660	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7060	7060	0.933333
1407	029	3000	0.07	1442	1	65	100	3	7	6	9000	7558	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6958	6958	0.933333
1407	031	3000	0.07	3229	1	65	100	3	7	6	9000	5771	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5171	5171	0.933333
1407	035	3000	0.07	1555	1	65	100	3	7	6	9000	7445	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6845	6845	0.933333
1407	037	3125	0.07	4602	2	65	100	3	7	5	9375	4773	RH-2	40	form-based			true	0.7	7	1	5	5	8750	4148	4148	0.933333
1407	042	2484	0.06	3628	4	65	100	3	6	2	7452	3824	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11178	7550	7550	1.5
1407	065	2365	0.05	735	4	65	100	3	5	1	7095	6360	NCD-OUTE	65	form-based	true		true	0.75	9	1.799999952	5	5	10642.5	9907.5	9907.5	1.5
1408	007	3037	0.07	1122	1	65	100	3	7	6	9111	7989	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	7381.599609	7381.599609	0.933333
1408	008C	3037	0.07	1198	1	65	100	3	7	6	9111	7913	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	7305.599609	7305.599609	0.933333
1408	023	2940	0.07	1712	1	65	100	3	7	6	8820	7108	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8232	6520	6520	0.933333
1408	031	2940	0.07	1421	1	65	100	3	7	6	8820	7399	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8232	6811	6811	0.933333
1408	036	2940	0.07	2846	1	65	100	3	7	6	8820	5974	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8232	5386	5386	0.933333
1409	001	2518	0.06	4152	4	65	100	3	6	2	7554	3402	RTO-C	65	form-based	true		true	0.75	9	1.5	5	5	11331	7179	7179	1.5
1409	024	2500	0.06	2982	4	65	100	3	6	2	7500	4518	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11250	8268	8268	1.5
1409	038	3000	0.07	1245	1	65	100	3	7	6	9000	7755	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7155	7155	0.933333
1409	050	1851	0.04	2100	2	65	100	3	4	2	5553	3453	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8329.5	6229.5	6229.5	1.5
1409	065	2500	0.06	606	4	65	100	3	6	2	7500	6894	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11250	10644	10644	1.5
1410	001	2372	0.05	4712	4	65	100	3	5	1	7116	2404	NC-1	65	form-based	true		true	0.75	9	1.799999952	5	5	10674	5962	5962	1.5
1410	007	2996	0.07	1803	1	65	100	3	7	6	8988	7185	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6585.799805	6585.799805	0.933333
1410	010	2996	0.07	3260	1	65	100	3	7	6	8988	5728	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	5128.799805	5128.799805	0.933333
1410	020	2500	0.06	4494	4	65	100	3	6	2	7500	3006	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11250	6756	6756	1.5
1410	039	2308	0.05	4152	4	65	100	3	5	1	6924	2772	RTO-C	65	form-based	true		true	0.75	9	1.799999952	5	5	10386	6234	6234	1.5
1410	040	1842	0.04	1884	2	65	100	3	4	2	5526	3642	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8289	6405	6405	1.5
1411	002	3026	0.07	1720	1	65	100	3	7	6	9078	7358	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6752.799805	6752.799805	0.933333
1411	004	3026	0.07	1800	1	65	100	3	7	6	9078	7278	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6672.799805	6672.799805	0.933333
1411	027	2476	0.06	2278	4	65	100	3	6	2	7428	5150	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11142	8864	8864	1.5
1412	005	2965	0.07	2857	1	65	100	3	7	6	8895	6038	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	5445	5445	0.933333
1412	005A	2965	0.07	2212	1	65	100	3	7	6	8895	6683	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	6090	6090	0.933333
1412	006	2965	0.07	2212	1	65	100	3	7	6	8895	6683	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	6090	6090	0.933333
1412	008	2965	0.07	1808	1	65	100	3	7	6	8895	7087	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	6494	6494	0.933333
1412	009	2965	0.07	2715	1	65	100	3	7	6	8895	6180	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	5587	5587	0.933333
1412	013	2965	0.07	2240	1	65	100	3	7	6	8895	6655	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	6062	6062	0.933333
1412	013A	2881	0.07	2240	1	65	100	3	7	6	8643	6403	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8066.799805	5826.799805	5826.799805	0.933333
1412	014	6072	0.14	15360	18	65	100	3	14	0	18216	2856	NCD-OUTE	65	form-based	true		true	0.75	23	1.642857194	5	5	27324	11964	11964	1.5
1412	018	2530	0.06	3460	4	65	100	3	6	2	7590	4130	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11385	7925	7925	1.5
1412	020B	2972	0.07	1880	1	65	100	3	7	6	8916	7036	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8321.599609	6441.599609	6441.599609	0.933333
1412	020C	3030	0.07	1880	1	65	100	3	7	6	9090	7210	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8484	6604	6604	0.933333
1412	023	3030	0.07	4356	1	65	100	3	7	6	9090	4734	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8484	4128	4128	0.933333
1412	023A	3030	0.07	4063	1	65	100	3	7	6	9090	5027	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8484	4421	4421	0.933333
1412	023B	3030	0.07	1946	1	65	100	3	7	6	9090	7144	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8484	6538	6538	0.933333
1412	024	3030	0.07	2010	1	65	100	3	7	6	9090	7080	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8484	6474	6474	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1412	024A	3030	0.07	2010	1	65	100	3	7	6	9090	7080	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8484	6474	6474	0.933333
1413	001	2362	0.05	4210	4	65	100	3	5	1	7086	2876	RTO-C	65	form-based		true	true	0.75	9	1.799999952	5	5	10629	6419	6419	1.5
1413	003	3021	0.07	1426	1	65	100	3	7	6	9063	7637	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7032.799805	7032.799805	0.933333
1413	004	3021	0.07	2200	1	65	100	3	7	6	9063	6863	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6258.799805	6258.799805	0.933333
1413	005	3021	0.07	2176	1	65	100	3	7	6	9063	6887	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6282.799805	6282.799805	0.933333
1413	010	3021	0.07	1972	1	65	100	3	7	6	9063	7091	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6486.799805	6486.799805	0.933333
1413	014	3021	0.07	1300	1	65	100	3	7	6	9063	7763	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7158.799805	7158.799805	0.933333
1414	032	3000	0.07	3112	1	65	100	3	7	6	9000	5888	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5288	5288	0.933333
1413	043	2500	0.06	3406	4	65	100	3	6	2	7500	4094	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	7844	7844	1.5
1413	044	1950	0.04	2816	2	65	100	3	4	2	5850	3034	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8775	5959	5959	1.5
1413	045	1833	0.04	1506	2	65	100	3	4	2	5499	3993	NCD-OUTE	65	form-based			true	0.75	7	1.75	5	5	8248.5	6742.5	6742.5	1.5
1414	001C	1754	0.04	2260	2	65	100	3	4	2	5262	3002	RTO-C	65	form-based			true	0.75	7	1.75	5	5	7893	5633	5633	1.5
1414	006	3004	0.07	1998	1	65	100	3	7	6	9012	7014	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6413.200195	6413.200195	0.933333
1414	026	3029	0.07	1932	1	65	100	3	7	6	9087	7155	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8481.200195	6549.200195	6549.200195	0.933333
1414	027	3000	0.07	2438	1	65	100	3	7	6	9000	6562	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5962	5962	0.933333
1414	029	3000	0.07	2556	1	65	100	3	7	6	9000	6444	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5844	5844	0.933333
1414	030	3000	0.07	1920	1	65	100	3	7	6	9000	7080	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6480	6480	0.933333
1414	031	3000	0.07	1960	1	65	100	3	7	6	9000	7040	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6440	6440	0.933333
1414	033	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
1414	034	3000	0.07	1656	1	65	100	3	7	6	9000	7344	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6744	6744	0.933333
1414	038	3000	0.07	2160	1	65	100	3	7	6	9000	6840	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6240	6240	0.933333
1414	038A	3000	0.07	2120	1	65	100	3	7	6	9000	6880	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6280	6280	0.933333
1414	038B	3000	0.07	2950	1	65	100	3	7	6	9000	6050	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5450	5450	0.933333
1414	039	3000	0.07	2060	1	65	100	3	7	6	9000	6940	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6340	6340	0.933333
1415	006	2989	0.07	1827	1	65	100	3	7	6	8967	7140	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6542.200195	6542.200195	0.933333
1415	007	2989	0.07	2088	1	65	100	3	7	6	8967	6879	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6281.200195	6281.200195	0.933333
1415	012	2517	0.06	2688	4	65	100	3	6	2	7551	4863	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11326.5	8638.5	8638.5	1.5
1415	013	2518	0.06	2750	4	65	100	3	6	2	7554	4804	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11331	8581	8581	1.5
1415	023	3000	0.07	1777	1	65	100	3	7	6	9000	7223	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6623	6623	0.933333
1415	024	1750	0.04	2530	2	65	100	3	4	2	5250	2720	RTO-C	65	form-based			true	0.75	7	1.75	5	5	7875	5345	5345	1.5
1415	024A	1750	0.04	1808	2	65	100	3	4	2	5250	3442	RTO-C	65	form-based			true	0.75	7	1.75	5	5	7875	6067	6067	1.5
1415	029	2503	0.06	2688	4	65	100	3	6	2	7509	4821	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11263.5	8575.5	8575.5	1.5
1416	006	2975	0.07	1712	1	65	100	3	7	6	8925	7213	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	6618	6618	0.933333
1416	007	2975	0.07	1712	1	65	100	3	7	6	8925	7213	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	6618	6618	0.933333
1416	010	2975	0.07	2945	1	65	100	3	7	6	8925	5980	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	5385	5385	0.933333
1416	012	2975	0.07	1772	1	65	100	3	7	6	8925	7153	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	6558	6558	0.933333
1416	018	2977	0.07	2682	1	65	100	3	7	6	8931	6249	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	5653.599609	5653.599609	0.933333
1416	026	3000	0.07	2392	1	65	100	3	7	6	9000	6608	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6008	6008	0.933333
1416	027	3000	0.07	1956	1	65	100	3	7	6	9000	7044	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6444	6444	0.933333
1416	028	3000	0.07	2450	1	65	100	3	7	6	9000	6550	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5950	5950	0.933333
1416	031	3000	0.07	1183	1	65	100	3	7	6	9000	7817	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7217	7217	0.933333
1416	033	3000	0.07	1988	1	65	100	3	7	6	9000	7012	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6412	6412	0.933333
1416	034	3000	0.07	2268	1	65	100	3	7	6	9000	6732	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6132	6132	0.933333
1416	036	3000	0.07	2459	1	65	100	3	7	6	9000	6541	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5941	5941	0.933333
1416	038	3000	0.07	1246	1	65	100	3	7	6	9000	7754	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7154	7154	0.933333
1416	046	2402	0.06	3376	4	65	100	3	6	2	7206	3830	NC-1	65	form-based			true	0.75	9	1.5	5	5	10809	7433	7433	1.5
1417	002	3325	0.08	5910	2	65	100	3	8	6	9975	4065	RH-2	40	form-based			true	0.7	7	0.875	5	5	9310	3400	3400	0.933333
1417	003A	3000	0.07	2845	1	65	100	3	7	6	9000	6155	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5555	5555	0.933333
1417	005A	3000	0.07	2150	1	65	100	3	7	6	9000	6850	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6250	6250	0.933333
1417	006	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
1417	007	3000	0.07	2152	1	65	100	3	7	6	9000	6848	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6248	6248	0.933333
1417	009	3000	0.07	3496	1	65	100	3	7	6	9000	5504	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4904	4904	0.933333
1417	011	3000	0.07	2400	1	65	100	3	7	6	9000	6600	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6000	6000	0.933333
1417	012	3000	0.07	2460	1	65	100	3	7	6	9000	6540	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5940	5940	0.933333
1417	018	3000	0.07	4338	6	65	100	3	7	1	9000	4662	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13500	9162	9162	1.5
1417	019	3000	0.07	4338	6	65	100	3	7	1	9000	4662	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13500	9162	9162	1.5
1417	025	3000	0.07	2312	1	65	100	3	7	6	9000	6688	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6088	6088	0.933333
1417	026	3000	0.07	2309	1	65	100	3	7	6	9000	6691	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6091	6091	0.933333
1417	030	3000	0.07	1486	1	65	100	3	7	6	9000	7514	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6914	6914	0.933333
1417	033	3843	0.09	6740	9	65	100	3	9	0	11529	4789	RTO-C	65	form-based			true	0.75	14	1.555555582	5	5	17293.5	10553.5	10553.5	1.5
1417	047	2667	0.06	1971	5	65	100	3	6	1	8001	6030	NC-1	65	form-based			true	0.75	10	1.666666627	5	5	12001.5	10030.5	10030.5	1.5
1418	011	3015	0.07	2924	1	65	100	3	7	6	9045	6121	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	5518	5518	0.933333
1418	012	3015	0.07	2110	1	65	100	3	7	6	9045	6935	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6332	6332	0.933333
1418	013	3015	0.07	2130	1	65	100	3	7	6	9045	6915	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6312	6312	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1418	014	3015	0.07	2240	1	65	100	3	7	6	9045	6805	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6202	6202	0.933333
1418	015	3015	0.07	3453	1	65	100	3	7	6	9045	5592	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	4989	4989	0.933333
1418	018	3188	0.07	7020	7	65	100	3	7	0	9564	2544	NC-1	65	form-based		true	true	0.75	12	1.714285731	5	5	14346	7326	7326	1.5
1418	027	3375	0.08	3681	2	65	100	3	8	6	10125	6444	RH-2	40	form-based			true	0.7	7	0.875	5	5	9450	5769	5769	0.933333
1418	028	3375	0.08	3681	2	65	100	3	8	6	10125	6444	RH-2	40	form-based			true	0.7	7	0.875	5	5	9450	5769	5769	0.933333
1418	034	2965	0.07	2801	1	65	100	3	7	6	8895	6094	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8302	5501	5501	0.933333
1418	037	2965	0.07	1980	1	65	100	3	7	6	8895	6915	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8302	6322	6322	0.933333
1418	038	2965	0.07	2515	1	65	100	3	7	6	8895	6380	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8302	5787	5787	0.933333
1418	044	2475	0.06	4186	4	65	100	3	6	2	7425	3239	RTO-C	65	form-based		true	true	0.75	9	1.5	5	5	11137.5	6951.5	6951.5	1.5
1418	055	3306	0.08	3549	2	65	100	3	8	6	9918	6369	RH-2	40	form-based			true	0.7	7	0.875	5	5	9256.799805	5707.799805	5707.799805	0.933333
1418	056	3133	0.07	3873	2	65	100	3	7	5	9399	5526	RH-2	40	form-based			true	0.7	7	1	5	5	8772.399414	4899.399414	4899.399414	0.933333
1419	009	3255	0.07	5452	2	65	100	3	7	5	9765	4313	RH-2	40	form-based			true	0.7	7	1	5	5	9114	3662	3662	0.933333
1419	018	2880	0.07	2310	1	65	100	3	7	6	8640	6330	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8064	5754	5754	0.933333
1419	020	2630	0.06	2145	1	65	100	3	6	5	7890	5745	RH-2	40	form-based			true	0.7	6	1	5	5	7364	5219	5219	0.933333
1419	031	3138	0.07	2756	2	65	100	3	7	5	9414	6658	RH-2	40	form-based			true	0.7	7	1	5	5	8786.399414	6030.399414	6030.399414	0.933333
1419	034	3138	0.07	4268	2	65	100	3	7	5	9414	5146	RH-2	40	form-based			true	0.7	7	1	5	5	8786.399414	4518.399414	4518.399414	0.933333
1419	035	3138	0.07	1666	2	65	100	3	7	5	9414	7748	RH-2	40	form-based			true	0.7	7	1	5	5	8786.399414	7120.399414	7120.399414	0.933333
1419	036	3138	0.07	2153	2	65	100	3	7	5	9414	7261	RH-2	40	form-based			true	0.7	7	1	5	5	8786.399414	6633.399414	6633.399414	0.933333
1419	037A	3138	0.07	3044	2	65	100	3	7	5	9414	6370	RH-2	40	form-based			true	0.7	7	1	5	5	8786.399414	5742.399414	5742.399414	0.933333
1419	037B	3138	0.07	3464	2	65	100	3	7	5	9414	5950	RH-2	40	form-based			true	0.7	7	1	5	5	8786.399414	5322.399414	5322.399414	0.933333
1419	037C	3138	0.07	3170	2	65	100	3	7	5	9414	6244	RH-2	40	form-based			true	0.7	7	1	5	5	8786.399414	5616.399414	5616.399414	0.933333
1419	037D	3138	0.07	3172	2	65	100	3	7	5	9414	6242	RH-2	40	form-based			true	0.7	7	1	5	5	8786.399414	5614.399414	5614.399414	0.933333
1419	039	3304	0.08	3724	2	65	100	3	8	6	9912	6188	RH-2	40	form-based			true	0.7	7	0.875	5	5	9251.200195	5527.200195	5527.200195	0.933333
1419	055	3138	0.07	1353	2	65	100	3	7	5	9414	8061	RH-2	40	form-based			true	0.7	7	1	5	5	8786.399414	7433.399414	7433.399414	0.933333
1421	004	2989	0.07	2754	1	65	100	3	7	6	8967	6213	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	5615.200195	5615.200195	0.933333
1421	005	2989	0.07	2800	1	65	100	3	7	6	8967	6167	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	5569.200195	5569.200195	0.933333
1421	009	2989	0.07	1618	1	65	100	3	7	6	8967	7349	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6751.200195	6751.200195	0.933333
1421	022	3000	0.07	1330	1	65	100	3	7	6	9000	7670	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7070	7070	0.933333
1421	023	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
1421	029A	1333	0.03	2992	2	65	100	3	3	1	3999	1007	RTO-C	85	form-based			true	0.75	7	2.333333254	5	4	7998	5006	5006	2
1422	005	3046	0.07	3000	1	65	100	3	7	6	9138	6138	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8528.799805	5528.799805	5528.799805	0.933333
1422	011	4081	0.09	4370	4	65	100	3	9	5	12243	7873	RM-1	40	form-based			true	0.7	9	1	5	5	11426.7998	7056.799805	7056.799805	0.933333
1422	022	2992	0.07	4620	6	65	100	3	7	1	8976	4356	NCD-INNE	65	form-based			true	0.75	11	1.571428537	5	5	13464	8844	8844	1.5
1422	023	2992	0.07	2514	1	65	100	3	7	6	8976	6462	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	5863.599609	5863.599609	0.933333
1422	029	2991	0.07	1735	1	65	100	3	7	6	8973	7238	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6639.799805	6639.799805	0.933333
1423	001	2174	0.05	5550	6	65	100	3	5	0	6522	972	RTO-C	85	form-based		true	true	0.75	11	2.200000048	5	4	13044	7494	7494	2
1423	006	2965	0.07	2260	1	65	100	3	7	6	8895	6635	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	6042	6042	0.933333
1423	007	2965	0.07	3132	1	65	100	3	7	6	8895	5763	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	5170	5170	0.933333
1423	008	2965	0.07	3031	1	65	100	3	7	6	8895	5864	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	5271	5271	0.933333
1423	010	2965	0.07	1012	1	65	100	3	7	6	8895	7883	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	7290	7290	0.933333
1423	013	2965	0.07	2004	1	65	100	3	7	6	8895	6891	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	6298	6298	0.933333
1423	023	1965	0.05	2840	2	65	100	3	5	3	5895	3055	NCD-INNE	65	form-based			true	0.75	7	1.399999976	5	5	8842.5	6002.5	6002.5	1.5
1423	030	3000	0.07	1834	1	65	100	3	7	6	9000	7166	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6566	6566	0.933333
1423	031	3000	0.07	2800	1	65	100	3	7	6	9000	6200	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5600	5600	0.933333
1423	033	3000	0.07	3373	1	65	100	3	7	6	9000	5627	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5027	5027	0.933333
1423	036	3000	0.07	2240	1	65	100	3	7	6	9000	6760	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6160	6160	0.933333
1423	037	3000	0.07	3208	1	65	100	3	7	6	9000	5792	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5192	5192	0.933333
1423	038	3000	0.07	2415	1	65	100	3	7	6	9000	6585	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5985	5985	0.933333
1423	039	3000	0.07	2650	1	65	100	3	7	6	9000	6350	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5750	5750	0.933333
1424	028	3000	0.07	2198	1	65	100	3	7	6	9000	6802	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6202	6202	0.933333
1423	040	3000	0.07	3515	1	65	100	3	7	6	9000	5485	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	4885	4885	0.933333
1424	005	3036	0.07	2197	1	65	100	3	7	6	9108	6911	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	6303.799805	6303.799805	0.933333
1424	006	3036	0.07	2624	1	65	100	3	7	6	9108	6484	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	5876.799805	5876.799805	0.933333
1424	007	3036	0.07	3256	1	65	100	3	7	6	9108	5852	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	5244.799805	5244.799805	0.933333
1424	013	3036	0.07	2288	1	65	100	3	7	6	9108	6820	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	6212.799805	6212.799805	0.933333
1424	014	3036	0.07	2288	1	65	100	3	7	6	9108	6820	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	6212.799805	6212.799805	0.933333
1424	015	3036	0.07	2488	1	65	100	3	7	6	9108	6620	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	6012.799805	6012.799805	0.933333
1424	016	3036	0.07	2488	1	65	100	3	7	6	9108	6620	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	6012.799805	6012.799805	0.933333
1424	023	6000	0.14	8110	8	65	100	3	14	6	18000	9890	RM-1	40	form-based			true	0.7	13	0.928571403	5	5	16800	8690	8690	0.933333
1424	027	3000	0.07	3850	1	65	100	3	7	6	9000	5150	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	4550	4550	0.933333
1424	029	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
1424	032	3000	0.07	1590	1	65	100	3	7	6	9000	7410	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6810	6810	0.933333
1424	033	3000	0.07	2837	1	65	100	3	7	6	9000	6163	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5563	5563	0.933333
1424	034	1300	0.03	2970	2	65	100	3	3	1	3900	930	RTO-C	85	form-based			true	0.75	7	2.333333254	5	4	7800	4830	4830	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1424	049	1208	0.03	1400	1	65	100	3	3	2	3624	2224	RTO-C	85	form-based			true	0.75	6	2	5	5	7248	5848	5848	2
1425	006	3064	0.07	4439	1	65	100	3	7	6	9192	4753	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8579.200195	4140.200195	4140.200195	0.933333
1425	010	2961	0.07	1850	1	65	100	3	7	6	8883	7033	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8290.799805	6440.799805	6440.799805	0.933333
1425	015	2961	0.07	2200	1	65	100	3	7	6	8883	6683	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8290.799805	6090.799805	6090.799805	0.933333
1425	017	2961	0.07	2436	1	65	100	3	7	6	8883	6447	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8290.799805	5854.799805	5854.799805	0.933333
1425	031	3143	0.07	2850	2	65	100	3	7	5	9429	6579	RM-1	40	form-based			true	0.7	7	1	5	5	8800.399414	5950.399414	5950.399414	0.933333
1425	033	3000	0.07	2200	1	65	100	3	7	6	9000	6800	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6200	6200	0.933333
1425	035	3000	0.07	2400	1	65	100	3	7	6	9000	6600	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6000	6000	0.933333
1425	036	3000	0.07	2400	1	65	100	3	7	6	9000	6600	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6000	6000	0.933333
1425	037	3300	0.08	3200	2	65	100	3	8	6	9900	6700	RM-1	40	form-based			true	0.7	7	0.875	5	5	9240	6040	6040	0.933333
1425	038	3432	0.08	3200	2	65	100	3	8	6	10296	7096	RM-1	40	form-based			true	0.7	7	0.875	5	5	9609.599609	6409.599609	6409.599609	0.933333
1425	039	3000	0.07	2200	1	65	100	3	7	6	9000	6800	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6200	6200	0.933333
1425	040	3000	0.07	2216	1	65	100	3	7	6	9000	6784	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6184	6184	0.933333
1425	041	3000	0.07	2705	1	65	100	3	7	6	9000	6295	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5695	5695	0.933333
1425	049	3410	0.08	3850	2	65	100	3	8	6	10230	6380	RM-1	40	form-based			true	0.7	7	0.875	5	5	9548	5698	5698	0.933333
1425	050	3167	0.07	2530	2	65	100	3	7	5	9501	6971	RM-1	40	form-based			true	0.7	7	1	5	5	8867.599609	6337.599609	6337.599609	0.933333
1426	008	2991	0.07	1352	1	65	100	3	7	6	8973	7621	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	7022.799805	7022.799805	0.933333
1426	012	3111	0.07	3640	2	65	100	3	7	5	9333	5693	RM-1	40	form-based			true	0.7	7	1	5	5	8710.799805	5070.799805	5070.799805	0.933333
1426	013	3111	0.07	1664	2	65	100	3	7	5	9333	7669	RM-1	40	form-based			true	0.7	7	1	5	5	8710.799805	7046.799805	7046.799805	0.933333
1426	015	2991	0.07	1945	1	65	100	3	7	6	8973	7028	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6429.799805	6429.799805	0.933333
1426	016	2984	0.07	2040	1	65	100	3	7	6	8952	6912	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	6315.200195	6315.200195	0.933333
1426	036	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
1426	037	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
1426	038	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
1426	039	3300	0.08	3040	2	65	100	3	8	6	9900	6860	RM-1	40	form-based			true	0.7	7	0.875	5	5	9240	6200	6200	0.933333
1427	015	2886	0.07	5125	6	65	100	3	7	1	8658	3533	NCD-INNE	65	form-based			true	0.75	11	1.571428537	5	5	12987	7862	7862	1.5
1427	026	3000	0.07	1865	1	65	100	3	7	6	9000	7135	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6535	6535	0.933333
1428	003	3010	0.07	2200	1	65	100	3	7	6	9030	6830	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6228	6228	0.933333
1428	004	3009	0.07	1860	1	65	100	3	7	6	9027	7167	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	6565.200195	6565.200195	0.933333
1428	006	3008	0.07	1680	1	65	100	3	7	6	9024	7344	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6742.399414	6742.399414	0.933333
1428	008	3007	0.07	1230	1	65	100	3	7	6	9021	7791	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7189.599609	7189.599609	0.933333
1428	024	2500	0.06	3680	4	65	100	3	6	2	7500	3820	NCD-INNE	65	form-based			true	0.75	9	1.5	5	5	11250	7570	7570	1.5
1428	033	3004	0.07	1698	1	65	100	3	7	6	9012	7314	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6713.200195	6713.200195	0.933333
1428	036	3000	0.07	1664	1	65	100	3	7	6	9000	7336	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6736	6736	0.933333
1428	038	2998	0.07	2553	1	65	100	3	7	6	8994	6441	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	5841.399414	5841.399414	0.933333
1428	039	2997	0.07	1980	1	65	100	3	7	6	8991	7011	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6411.599609	6411.599609	0.933333
1428	040	2995	0.07	1940	1	65	100	3	7	6	8985	7045	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6446	6446	0.933333
1429	004	3023	0.07	2053	1	65	100	3	7	6	9069	7016	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	6411.399414	6411.399414	0.933333
1429	005	3022	0.07	2370	1	65	100	3	7	6	9066	6696	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6091.599609	6091.599609	0.933333
1429	007	3019	0.07	1940	1	65	100	3	7	6	9057	7117	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6513.200195	6513.200195	0.933333
1429	022	2500	0.06	2900	4	65	100	3	6	2	7500	4600	NCD-INNE	65	form-based			true	0.75	9	1.5	5	5	11250	8350	8350	1.5
1429	035	2992	0.07	1805	1	65	100	3	7	6	8976	7171	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6572.599609	6572.599609	0.933333
1429	036	2991	0.07	1805	1	65	100	3	7	6	8973	7168	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6569.799805	6569.799805	0.933333
1429	038	2990	0.07	1420	1	65	100	3	7	6	8970	7550	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6952	6952	0.933333
1430	005	3019	0.07	2256	1	65	100	3	7	6	9057	6801	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6197.200195	6197.200195	0.933333
1430	007	3019	0.07	4415	1	65	100	3	7	6	9057	4642	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	4038.200195	4038.200195	0.933333
1430	009	3019	0.07	2586	1	65	100	3	7	6	9057	6471	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	5867.200195	5867.200195	0.933333
1430	010	3019	0.07	2320	1	65	100	3	7	6	9057	6737	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6133.200195	6133.200195	0.933333
1430	011	3019	0.07	1948	1	65	100	3	7	6	9057	7109	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6505.200195	6505.200195	0.933333
1430	012	3019	0.07	2091	1	65	100	3	7	6	9057	6966	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6362.200195	6362.200195	0.933333
1430	013	3019	0.07	2827	1	65	100	3	7	6	9057	6230	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	5626.200195	5626.200195	0.933333
1430	014	3019	0.07	2347	1	65	100	3	7	6	9057	6710	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6106.200195	6106.200195	0.933333
1430	016	3019	0.07	2130	1	65	100	3	7	6	9057	6927	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6323.200195	6323.200195	0.933333
1430	022	2533	0.06	3042	4	65	100	3	6	2	7599	4557	NCD-INNE	65	form-based			true	0.75	9	1.5	5	5	11398.5	8356.5	8356.5	1.5
1430	030	2868	0.07	1625	1	65	100	3	7	6	8604	6979	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8030.399902	6405.399902	6405.399902	0.933333
1431	002	3000	0.07	1388	1	65	100	3	7	6	9000	7612	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7012	7012	0.933333
1431	003	3000	0.07	1908	1	65	100	3	7	6	9000	7092	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6492	6492	0.933333
1431	014	3000	0.07	2464	1	65	100	3	7	6	9000	6536	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5936	5936	0.933333
1431	018	1456	0.03	3669	0	65	100	3	3	3	4368	699	NCD-INNE	65	form-based	true		true	0.75	5	1.666666627	5	5	6552	2883	2883	1.5
1431	028	3019	0.07	2050	1	65	100	3	7	6	9057	7007	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6403.200195	6403.200195	0.933333
1431	036	3019	0.07	1882	1	65	100	3	7	6	9057	7175	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6571.200195	6571.200195	0.933333
1431	037	3019	0.07	3480	1	65	100	3	7	6	9057	5577	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	4973.200195	4973.200195	0.933333
1432	002	2860	0.07	1807	1	65	100	3	7	6	8580	6773	RM-2	40	form-based			true	0.7	6	0.857142866	5	5	8008	6201	6201	0.933333
1432	012	3497	0.08	4888	8	65	100	3	8	0	10491	5603	RTO-C	65	form-based			true	0.75	13	1.625	5	5	15736.5	10848.5	10848.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1432	027	3000	0.07	3386	1	65	100	3	7	6	9000	5614	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5014	5014	0.933333
1432	031	3000	0.07	2078	1	65	100	3	7	6	9000	6922	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6322	6322	0.933333
1432	039	3000	0.07	3501	1	65	100	3	7	6	9000	5499	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	4899	4899	0.933333
1432	064	3018	0.07	3008	1	65	100	3	7	6	9054	6046	RM-2	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	5442.399414	5442.399414	0.933333
1433	025	2977	0.07	1120	1	65	100	3	7	6	8931	7811	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	7215.599609	7215.599609	0.933333
1433	039	2520	0.06	433	4	65	100	3	6	2	7560	7127	NCD-INNE	65	form-based			true	0.75	9	1.5	5	5	11340	10907	10907	1.5
1433	070	6351	0.15	14562	8	65	100	3	15	7	19053	4491	RM-2	40	form-based			true	0.7	13	0.866666675	5	5	17782.79883	3220.798828	3220.798828	0.933333
1434	001	3327	0.08	5562	7	65	100	3	8	1	9981	4419	NCD-INNE	65	form-based		true	true	0.75	12	1.5	5	5	14971.5	9409.5	9409.5	1.5
1434	004	3000	0.07	720	1	65	100	3	7	6	9000	8280	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7680	7680	0.933333
1434	005	3000	0.07	2137	1	65	100	3	7	6	9000	6863	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6263	6263	0.933333
1434	007	3000	0.07	2150	1	65	100	3	7	6	9000	6850	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6250	6250	0.933333
1434	012	6000	0.14	7190	8	65	100	3	14	6	18000	10810	RM-1	40	form-based			true	0.7	13	0.928571403	5	5	16800	9610	9610	0.933333
1434	023	2804	0.06	4090	1	65	100	3	6	5	8412	4322	RM-1	40	form-based			true	0.7	6	1	5	5	7851.199707	3761.199707	3761.199707	0.933333
1434	026	3019	0.07	1514	1	65	100	3	7	6	9057	7543	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6939.200195	6939.200195	0.933333
1434	029	3019	0.07	2650	1	65	100	3	7	6	9057	6407	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	5803.200195	5803.200195	0.933333
1434	034	3019	0.07	2793	1	65	100	3	7	6	9057	6264	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	5660.200195	5660.200195	0.933333
1434	036	3019	0.07	3400	1	65	100	3	7	6	9057	5657	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	5053.200195	5053.200195	0.933333
1435	007	3027	0.07	1884	1	65	100	3	7	6	9081	7197	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8475.599609	6591.599609	6591.599609	0.933333
1435	027	3000	0.07	2144	1	65	100	3	7	6	9000	6856	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6256	6256	0.933333
1435	028	3000	0.07	2244	1	65	100	3	7	6	9000	6756	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6156	6156	0.933333
1435	047	8476	0.19	12828	14	85	140	4	27	13	33904	21076	NCD-GEAR	40	form-based			true	0.75	19	0.703703701	5	5	25428	12600	12600	0.75
1436	008	2940	0.07	1216	1	65	100	3	7	6	8820	7604	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8232	7016	7016	0.933333
1436	024A	3036	0.07	875	1	65	100	3	7	6	9108	8233	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	7625.799805	7625.799805	0.933333
1437	012	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1437	024	3014	0.07	2100	1	85	140	4	10	9	12056	9956	RM-1	40	form-based			true	0.7	6	0.600000024	5	5	8439.200195	6339.200195	6339.200195	0.7
1437	031	3014	0.07	2090	1	65	100	3	7	6	9042	6952	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6349.200195	6349.200195	0.933333
1437	034	3014	0.07	2200	1	65	100	3	7	6	9042	6842	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6239.200195	6239.200195	0.933333
1437	038	3250	0.07	9350	7	65	100	3	7	0	9750	400	NCD-INNE	65	form-based		true	true	0.75	12	1.714285731	5	5	14625	5275	5275	1.5
1438	010	3066	0.07	4198	2	65	100	3	7	5	9198	5000	NCD-GEAR	40	form-based			true	0.75	7	1	5	5	9198	5000	5000	1
1438	021	2988	0.07	3287	2	85	140	4	10	8	11952	8665	NCD-GEAR	40	form-based			true	0.75	7	0.699999988	5	5	8964	5677	5677	0.75
1439	009	3000	0.07	1597	1	65	100	3	7	6	9000	7403	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6803	6803	0.933333
1439	034	3266	0.07	3118	2	65	100	3	7	5	9798	6680	RM-1	40	form-based			true	0.7	7	1	5	5	9144.799805	6026.799805	6026.799805	0.933333
1440	001	1767	0.04	3306	2	65	100	3	4	2	5301	1995	NCD-INNE	65	form-based		true	true	0.75	7	1.75	5	5	7951.5	4645.5	4645.5	1.5
1441	021	3000	0.07	2310	1	65	100	3	7	6	9000	6690	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6090	6090	0.933333
1441	026	3032	0.07	1670	1	65	100	3	7	6	9096	7426	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8489.599609	6819.599609	6819.599609	0.933333
1441	027	3032	0.07	2100	1	65	100	3	7	6	9096	6996	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8489.599609	6389.599609	6389.599609	0.933333
1442	002	2960	0.07	4372	6	65	100	3	7	1	8880	4508	NCD-INNE	65	form-based			true	0.75	11	1.571428537	5	5	13320	8948	8948	1.5
1442	005	2960	0.07	2170	1	65	100	3	7	6	8880	6710	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8288	6118	6118	0.933333
1442	007	2960	0.07	1725	1	65	100	3	7	6	8880	7155	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8288	6563	6563	0.933333
1442	029	3010	0.07	1300	1	65	100	3	7	6	9030	7730	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7128	7128	0.933333
1442	035	3019	0.07	1510	1	65	100	3	7	6	9057	7547	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6943.200195	6943.200195	0.933333
1442	038	2921	0.07	1970	1	65	100	3	7	6	8763	6793	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8178.799805	6208.799805	6208.799805	0.933333
1443	001	5280	0.12	9950	15	65	100	3	12	0	15840	5890	NCD-INNE	65	form-based		true	true	0.75	20	1.666666627	5	5	23760	13810	13810	1.5
1443	003	2970	0.07	1675	1	65	100	3	7	6	8910	7235	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8316	6641	6641	0.933333
1443	011	2982	0.07	1312	1	65	100	3	7	6	8946	7634	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7037.599609	7037.599609	0.933333
1443	015A	2265	0.05	0	0	65	100	3	5	5	6795	6795	RM-1	40	form-based			true	0.7	5	1	5	5	6342	6342	6342	0.933333
1443	026	3036	0.07	1985	1	65	100	3	7	6	9108	7123	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	6515.799805	6515.799805	0.933333
1443	037	3054	0.07	2825	1	65	100	3	7	6	9162	6337	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8551.200195	5726.200195	5726.200195	0.933333
1444	003	3000	0.07	1931	1	65	100	3	7	6	9000	7069	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6469	6469	0.933333
1444	004	3000	0.07	1580	1	65	100	3	7	6	9000	7420	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6820	6820	0.933333
1444	005	3000	0.07	2959	1	65	100	3	7	6	9000	6041	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5441	5441	0.933333
1444	006	3000	0.07	1890	1	65	100	3	7	6	9000	7110	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6510	6510	0.933333
1444	008	3000	0.07	1830	1	65	100	3	7	6	9000	7170	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6570	6570	0.933333
1444	011	3000	0.07	2855	1	65	100	3	7	6	9000	6145	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5545	5545	0.933333
1444	049	2500	0.06	4685	4	65	100	3	6	2	7500	2815	NCD-INNE	65	form-based			true	0.75	9	1.5	5	5	11250	6565	6565	1.5
1446	014	3258	0.07	3100	2	65	100	3	7	5	9774	6674	RH-3	40	form-based			true	0.7	7	1	5	5	9122.399414	6022.399414	6022.399414	0.933333
1446	017	3258	0.07	4204	2	65	100	3	7	5	9774	5570	RH-3	40	form-based			true	0.7	7	1	5	5	9122.399414	4918.399414	4918.399414	0.933333
1446	044	3138	0.07	1880	2	65	100	3	7	5	9414	7534	RH-2	40	form-based			true	0.7	7	1	5	5	8786.399414	6906.399414	6906.399414	0.933333
1446	048	5250	0.12	12418	15	65	100	3	12	0	15750	3332	NC-1	65	form-based			true	0.75	20	1.666666627	5	5	23625	11207	11207	1.5
1446	059	3258	0.07	2105	2	65	100	3	7	5	9774	7669	RH-3	40	form-based			true	0.7	7	1	5	5	9122.399414	7017.399414	7017.399414	0.933333
1447	001	2922	0.07	7275	6	65	100	3	7	1	8766	1491	NC-1	65	form-based		true	true	0.75	11	1.571428537	5	5	13149	5874	5874	1.5
1447	006	2675	0.06	1975	1	65	100	3	6	5	8025	6050	RH-2	40	form-based			true	0.7	6	1	5	5	7490	5515	5515	0.933333
1447	007	2822	0.06	1507	1	65	100	3	6	5	8466	6959	RH-2	40	form-based		true	true	0.7	6	1	5	5	7901.600098	6394.600098	6394.600098	0.933333
1447	010	3050	0.07	1250	1	65	100	3	7	6	9150	7900	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8540	7290	7290	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1447	011	3050	0.07	2480	1	65	100	3	7	6	9150	6670	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8540	6060	6060	0.933333
1447	016	3050	0.07	1795	1	65	100	3	7	6	9150	7355	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8540	6745	6745	0.933333
1447	023	1958	0.04	4410	5	65	100	3	4	0	5874	1464	NCD-GEAR	85	form-based			true	0.75	10	2.5	5	3	11748	7338	7338	2
1447	044	2466	0.06	4350	4	65	100	3	6	2	7398	3048	NC-1	65	form-based			true	0.75	9	1.5	5	5	11097	6747	6747	1.5
1447	049	5200	0.12	16290	22	65	100	3	12	0	15600	0	NCD-GEAR	85	form-based			true	0.75	27	2.25	5	2	31200	14910	14910	2
1448	001	2437	0.06	3960	4	65	100	3	6	2	7311	3351	RTO-C	65	form-based	true		true	0.75	9	1.5	5	5	10966.5	7006.5	7006.5	1.5
1448	003	3000	0.07	2150	1	65	100	3	7	6	9000	6850	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6250	6250	0.933333
1448	004	3000	0.07	2200	1	65	100	3	7	6	9000	6800	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6200	6200	0.933333
1448	005	3000	0.07	2682	1	65	100	3	7	6	9000	6318	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5718	5718	0.933333
1448	006	3000	0.07	2601	1	65	100	3	7	6	9000	6399	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5799	5799	0.933333
1448	007	3000	0.07	2175	1	65	100	3	7	6	9000	6825	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6225	6225	0.933333
1448	008	3000	0.07	2150	1	65	100	3	7	6	9000	6850	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6250	6250	0.933333
1448	009	3000	0.07	2917	1	65	100	3	7	6	9000	6083	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5483	5483	0.933333
1448	010	3000	0.07	2300	1	65	100	3	7	6	9000	6700	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6100	6100	0.933333
1448	011	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
1448	012	3000	0.07	2891	1	65	100	3	7	6	9000	6109	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5509	5509	0.933333
1448	013	3000	0.07	2250	1	65	100	3	7	6	9000	6750	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6150	6150	0.933333
1448	014	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1448	015	3000	0.07	2465	1	65	100	3	7	6	9000	6535	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5935	5935	0.933333
1448	016	3000	0.07	2767	1	65	100	3	7	6	9000	6233	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5633	5633	0.933333
1448	017	3000	0.07	2080	1	85	140	4	10	9	12000	9920	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6320	6320	0.7
1448	020	3000	0.07	1735	1	85	140	4	10	9	12000	10265	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6665	6665	0.7
1448	021	3000	0.07	1810	1	85	140	4	10	9	12000	10190	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6590	6590	0.7
1448	022	3000	0.07	1810	1	85	140	4	10	9	12000	10190	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6590	6590	0.7
1448	023	3000	0.07	2693	1	65	100	3	7	6	9000	6307	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5707	5707	0.933333
1448	024	3000	0.07	2275	1	65	100	3	7	6	9000	6725	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6125	6125	0.933333
1448	025	3000	0.07	2250	1	65	100	3	7	6	9000	6750	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6150	6150	0.933333
1448	026	3000	0.07	2615	1	65	100	3	7	6	9000	6385	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5785	5785	0.933333
1448	027	3000	0.07	2788	1	65	100	3	7	6	9000	6212	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5612	5612	0.933333
1448	028	3000	0.07	2550	1	65	100	3	7	6	9000	6450	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5850	5850	0.933333
1448	029	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
1448	030	3000	0.07	2150	1	65	100	3	7	6	9000	6850	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6250	6250	0.933333
1448	031	3000	0.07	3921	1	65	100	3	7	6	9000	5079	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4479	4479	0.933333
1448	032	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
1448	033	3000	0.07	2666	1	65	100	3	7	6	9000	6334	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5734	5734	0.933333
1448	034	3000	0.07	2025	1	65	100	3	7	6	9000	6975	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6375	6375	0.933333
1448	035	3000	0.07	1875	1	65	100	3	7	6	9000	7125	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6525	6525	0.933333
1448	037	2438	0.06	4674	4	65	100	3	6	2	7314	2640	NC-1	65	form-based	true		true	0.75	9	1.5	5	5	10971	6297	6297	1.5
1448	043	1875	0.04	3197	2	65	100	3	4	2	5625	2428	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	5240.5	5240.5	1.5
1448	044	1875	0.04	2200	2	65	100	3	4	2	5625	3425	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	6237.5	6237.5	1.5
1449	002	3000	0.07	2565	1	65	100	3	7	6	9000	6435	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5835	5835	0.933333
1449	003	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
1449	004	3000	0.07	2000	1	65	100	3	7	6	9000	7000	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6400	6400	0.933333
1449	005	3000	0.07	2200	1	65	100	3	7	6	9000	6800	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6200	6200	0.933333
1449	006	3000	0.07	2130	1	65	100	3	7	6	9000	6870	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6270	6270	0.933333
1449	007	3000	0.07	2937	1	65	100	3	7	6	9000	6063	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5463	5463	0.933333
1449	008	3000	0.07	1814	1	65	100	3	7	6	9000	7186	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6586	6586	0.933333
1449	009	3000	0.07	3155	1	65	100	3	7	6	9000	5845	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5245	5245	0.933333
1449	012	3000	0.07	2220	1	65	100	3	7	6	9000	6780	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6180	6180	0.933333
1449	013	3000	0.07	2200	1	65	100	3	7	6	9000	6800	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6200	6200	0.933333
1449	014	3000	0.07	2264	1	65	100	3	7	6	9000	6736	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6136	6136	0.933333
1449	015	3000	0.07	3214	1	65	100	3	7	6	9000	5786	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5186	5186	0.933333
1449	016	3000	0.07	1620	1	85	140	4	10	9	12000	10380	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6780	6780	0.7
1449	029	2975	0.07	2716	1	65	100	3	7	6	8925	6209	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	5614	5614	0.933333
1449	030	2975	0.07	1985	1	65	100	3	7	6	8925	6940	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	6345	6345	0.933333
1449	033	2975	0.07	2320	1	65	100	3	7	6	8925	6605	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	6010	6010	0.933333
1449	041	1875	0.04	3400	2	65	100	3	4	2	5625	2225	NC-1	65	form-based			true	0.75	7	1.75	5	5	8437.5	5037.5	5037.5	1.5
1449	042	1663	0.04	952	1	65	100	3	4	3	4989	4037	NC-1	65	form-based			true	0.75	6	1.5	5	5	7483.5	6531.5	6531.5	1.5
1450	003	2989	0.07	1584	1	65	100	3	7	6	8967	7383	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6785.200195	6785.200195	0.933333
1450	043	2244	0.05	1100	0	65	100	3	5	5	6732	5632	RM-1	40	form-based			true	0.7	5	1	5	5	6283.199707	5183.199707	5183.199707	0.933333
1451	008	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1451	001A	1750	0.04	2050	2	65	100	3	4	2	5250	3200	NCD-OUTE	65	form-based			true	0.75	7	1.75	5	5	7875	5825	5825	1.5
1451	001B	1750	0.04	2350	2	65	100	3	4	2	5250	2900	NCD-OUTE	65	form-based			true	0.75	7	1.75	5	5	7875	5525	5525	1.5
1451	001C	1750	0.04	2050	2	65	100	3	4	2	5250	3200	NCD-OUTE	65	form-based			true	0.75	7	1.75	5	5	7875	5825	5825	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1451	003	3000	0.07	1808	1	65	100	3	7	6	9000	7192	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6592	6592	0.933333
1451	005	3000	0.07	2338	1	65	100	3	7	6	9000	6662	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6062	6062	0.933333
1451	006	3000	0.07	1580	1	65	100	3	7	6	9000	7420	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6820	6820	0.933333
1451	007	3000	0.07	850	1	65	100	3	7	6	9000	8150	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7550	7550	0.933333
1451	009	3000	0.07	2000	1	65	100	3	7	6	9000	7000	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6400	6400	0.933333
1451	015	5340	0.12	4850	6	65	100	3	12	6	16020	11170	RM-1	40	form-based			true	0.7	11	0.916666687	5	5	14952	10102	10102	0.933333
1451	026	2110	0.05	5655	0	85	140	4	7	7	8440	2785	NCD-GEAR	40	form-based			true	0.75	5	0.714285731	5	5	6330	675	675	0.75
1451	035	3008	0.07	1650	1	65	100	3	7	6	9024	7374	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6772.399414	6772.399414	0.933333
1451	044	2502	0.06	3054	4	65	100	3	6	2	7506	4452	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11259	8205	8205	1.5
1452	028	3022	0.07	1312	1	65	100	3	7	6	9066	7754	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	7149.599609	7149.599609	0.933333
1452	032	3022	0.07	1200	1	65	100	3	7	6	9066	7866	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	7261.599609	7261.599609	0.933333
1452	040C	2511	0.06	3986	4	65	100	3	6	2	7533	3547	NCD-OUTE	65	form-based	true		true	0.75	9	1.5	5	5	11299.5	7313.5	7313.5	1.5
1453	003	3000	0.07	2619	1	65	100	3	7	6	9000	6381	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5781	5781	0.933333
1453	006	3000	0.07	2210	1	65	100	3	7	6	9000	6790	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6190	6190	0.933333
1453	014	2960	0.07	1550	1	65	100	3	7	6	8880	7330	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8288	6738	6738	0.933333
1453	036	2991	0.07	2200	1	65	100	3	7	6	8973	6773	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6174.799805	6174.799805	0.933333
1453	037	2991	0.07	2006	1	65	100	3	7	6	8973	6967	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6368.799805	6368.799805	0.933333
1453	038	2991	0.07	1300	1	65	100	3	7	6	8973	7673	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	7074.799805	7074.799805	0.933333
1453	040	2991	0.07	2515	1	65	100	3	7	6	8973	6458	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	5859.799805	5859.799805	0.933333
1453	043	2492	0.06	2820	4	65	100	3	6	2	7476	4656	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11214	8394	8394	1.5
1453	044	2492	0.06	2820	4	65	100	3	6	2	7476	4656	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11214	8394	8394	1.5
1454	001	2310	0.05	4280	4	65	100	3	5	1	6930	2650	NCD-OUTE	65	form-based	true		true	0.75	9	1.799999952	5	5	10395	6115	6115	1.5
1454	003	2970	0.07	1971	1	65	100	3	7	6	8910	6939	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8316	6345	6345	0.933333
1454	004	2970	0.07	1792	1	65	100	3	7	6	8910	7118	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8316	6524	6524	0.933333
1454	021	2500	0.06	5850	8	85	140	4	8	0	10000	4150	NCD-GEAR	85	form-based			true	0.75	13	1.625	5	5	15000	9150	9150	1.5
1454	022C	3372	0.08	3370	2	85	140	4	11	9	13488	10118	RM-1	40	form-based			true	0.7	7	0.636363626	5	5	9441.599609	6071.599609	6071.599609	0.7
1454	023	9163	0.21	8190	14	65	100	3	21	7	27489	19299	RM-1	40	form-based			true	0.7	19	0.90476191	5	5	25656.40039	17466.40039	17466.40039	0.933333
1454	027	3054	0.07	2083	1	65	100	3	7	6	9162	7079	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8551.200195	6468.200195	6468.200195	0.933333
1454	028	3054	0.07	2275	1	65	100	3	7	6	9162	6887	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8551.200195	6276.200195	6276.200195	0.933333
1454	029	3054	0.07	2050	1	65	100	3	7	6	9162	7112	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8551.200195	6501.200195	6501.200195	0.933333
1454	031	3054	0.07	875	1	65	100	3	7	6	9162	8287	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8551.200195	7676.200195	7676.200195	0.933333
1454	032	3054	0.07	2877	1	65	100	3	7	6	9162	6285	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8551.200195	5674.200195	5674.200195	0.933333
1454	037	2461	0.06	2918	4	65	100	3	6	2	7383	4465	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11074.5	8156.5	8156.5	1.5
1454	039	2462	0.06	2730	4	65	100	3	6	2	7386	4656	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11079	8349	8349	1.5
1454	042	3372	0.08	1840	2	85	140	4	11	9	13488	11648	RM-1	40	form-based			true	0.7	7	0.636363626	5	5	9441.599609	7601.599609	7601.599609	0.7
1455	003	3500	0.08	2100	2	65	100	3	8	6	10500	8400	RM-1	40	form-based			true	0.7	7	0.875	5	5	9800	7700	7700	0.933333
1455	024	2994	0.07	3640	1	65	100	3	7	6	8982	5342	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	4743.200195	4743.200195	0.933333
1455	025	2994	0.07	1350	1	65	100	3	7	6	8982	7632	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7033.200195	7033.200195	0.933333
1456	005	3000	0.07	690	1	65	100	3	7	6	9000	8310	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7710	7710	0.933333
1456	009	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
1456	010	3000	0.07	2453	1	65	100	3	7	6	9000	6547	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5947	5947	0.933333
1456	013	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
1456	014	3000	0.07	1975	1	85	140	4	10	9	12000	10025	RM-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6425	6425	0.7
1456	029	3008	0.07	1125	1	65	100	3	7	6	9024	7899	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7297.399414	7297.399414	0.933333
1456	037	3008	0.07	1000	1	65	100	3	7	6	9024	8024	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7422.399414	7422.399414	0.933333
1456	038	3008	0.07	1744	1	65	100	3	7	6	9024	7280	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6678.399414	6678.399414	0.933333
1456	042	2495	0.06	3600	4	65	100	3	6	2	7485	3885	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11227.5	7627.5	7627.5	1.5
1457	012	3250	0.07	2400	2	65	100	3	7	5	9750	7350	RM-1	40	form-based			true	0.7	7	1	5	5	9100	6700	6700	0.933333
1457	014	3250	0.07	2700	2	65	100	3	7	5	9750	7050	RM-1	40	form-based			true	0.7	7	1	5	5	9100	6400	6400	0.933333
1457	027	2727	0.06	2052	1	65	100	3	6	5	8181	6129	RM-1	40	form-based			true	0.7	6	1	5	5	7635.600098	5583.600098	5583.600098	0.933333
1457	028	2727	0.06	1653	1	65	100	3	6	5	8181	6528	RM-1	40	form-based			true	0.7	6	1	5	5	7635.600098	5982.600098	5982.600098	0.933333
1457	030	2727	0.06	1150	1	65	100	3	6	5	8181	7031	RM-1	40	form-based			true	0.7	6	1	5	5	7635.600098	6485.600098	6485.600098	0.933333
1457	030F	2727	0.06	1100	1	65	100	3	6	5	8181	7081	RM-1	40	form-based			true	0.7	6	1	5	5	7635.600098	6535.600098	6535.600098	0.933333
1457	030G	2727	0.06	1623	1	65	100	3	6	5	8181	6558	RM-1	40	form-based			true	0.7	6	1	5	5	7635.600098	6012.600098	6012.600098	0.933333
1457	038	2489	0.06	2702	4	65	100	3	6	2	7467	4765	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11200.5	8498.5	8498.5	1.5
1457	040	2490	0.06	6050	4	65	100	3	6	2	7470	1420	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11205	5155	5155	1.5
1458	026	3212	0.07	3700	2	65	100	3	7	5	9636	5936	RH-2	40	form-based			true	0.7	7	1	5	5	8993.599609	5293.599609	5293.599609	0.933333
1458	028	3021	0.07	1350	1	65	100	3	7	6	9063	7713	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7108.799805	7108.799805	0.933333
1458	035	2479	0.06	3506	4	65	100	3	6	2	7437	3931	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11155.5	7649.5	7649.5	1.5
1458	039	2482	0.06	3670	4	65	100	3	6	2	7446	3776	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11169	7499	7499	1.5
1458	040	2483	0.06	3212	4	65	100	3	6	2	7449	4237	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11173.5	7961.5	7961.5	1.5
1459	002	2994	0.07	1375	1	65	100	3	7	6	8982	7607	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7008.200195	7008.200195	0.933333
1459	002A	2991	0.07	1225	1	65	100	3	7	6	8973	7748	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	7149.799805	7149.799805	0.933333
1459	002B	2988	0.07	2166	1	65	100	3	7	6	8964	6798	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6200.399414	6200.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1459	002C	2986	0.07	1465	1	65	100	3	7	6	8958	7493	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	6895.799805	6895.799805	0.933333
1459	002D	2983	0.07	1948	1	65	100	3	7	6	8949	7001	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6404.399414	6404.399414	0.933333
1459	002E	2980	0.07	1776	1	65	100	3	7	6	8940	7164	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	6568	6568	0.933333
1459	002F	2977	0.07	1519	1	65	100	3	7	6	8931	7412	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6816.599609	6816.599609	0.933333
1459	002G	2975	0.07	1225	1	65	100	3	7	6	8925	7700	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	7105	7105	0.933333
1459	003	2972	0.07	1869	1	65	100	3	7	6	8916	7047	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8321.599609	6452.599609	6452.599609	0.933333
1459	003A	2969	0.07	1040	1	65	100	3	7	6	8907	7867	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	7273.200195	7273.200195	0.933333
1459	003B	2967	0.07	1225	1	65	100	3	7	6	8901	7676	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	7082.599609	7082.599609	0.933333
1459	004B	2953	0.07	1550	1	85	140	4	10	9	11812	10262	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8268.399414	6718.399414	6718.399414	0.7
1459	015	2989	0.07	1400	1	65	100	3	7	6	8967	7567	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6969.200195	6969.200195	0.933333
1459	018	2989	0.07	1416	1	65	100	3	7	6	8967	7551	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6953.200195	6953.200195	0.933333
1459	023	2989	0.07	2781	1	65	100	3	7	6	8967	6186	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	5588.200195	5588.200195	0.933333
1459	025	2989	0.07	1225	1	65	100	3	7	6	8967	7742	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	7144.200195	7144.200195	0.933333
1459	028	2472	0.06	4114	4	65	100	3	6	2	7416	3302	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11124	7010	7010	1.5
1459	032	2475	0.06	2500	4	65	100	3	6	2	7425	4925	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11137.5	8637.5	8637.5	1.5
1460	001D	3093	0.07	2050	1	65	100	3	7	6	9279	7229	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8660.399414	6610.399414	6610.399414	0.933333
1460	007	3512	0.08	3634	2	65	100	3	8	6	10536	6902	RH-2	40	form-based			true	0.7	7	0.875	5	5	9833.599609	6199.599609	6199.599609	0.933333
1460	009	3395	0.08	3633	2	65	100	3	8	6	10185	6552	RH-2	40	form-based			true	0.7	7	0.875	5	5	9506	5873	5873	0.933333
1460	011	3279	0.08	1684	2	65	100	3	8	6	9837	8153	RH-2	40	form-based			true	0.7	7	0.875	5	5	9181.200195	7497.200195	7497.200195	0.933333
1460	014A	2989	0.07	1725	1	65	100	3	7	6	8967	7242	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6644.200195	6644.200195	0.933333
1460	017A	2125	0.05	2520	3	65	100	3	5	2	6375	3855	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	9562.5	7042.5	7042.5	1.5
1460	024	1650	0.04	1315	1	65	100	3	4	3	4950	3635	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7425	6110	6110	1.5
1460	025	1650	0.04	1315	1	65	100	3	4	3	4950	3635	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7425	6110	6110	1.5
1462	002	2938	0.07	1700	1	65	100	3	7	6	8814	7114	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8226.399414	6526.399414	6526.399414	0.933333
1462	003	2938	0.07	1350	1	65	100	3	7	6	8814	7464	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8226.399414	6876.399414	6876.399414	0.933333
1462	004	2938	0.07	1250	1	65	100	3	7	6	8814	7564	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8226.399414	6976.399414	6976.399414	0.933333
1462	008	3526	0.08	5289	2	65	100	3	8	6	10578	5289	RH-2	40	form-based			true	0.7	7	0.875	5	5	9872.799805	4583.799805	4583.799805	0.933333
1462	011	2938	0.07	1495	1	65	100	3	7	6	8814	7319	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8226.399414	6731.399414	6731.399414	0.933333
1462	012	2938	0.07	1175	1	65	100	3	7	6	8814	7639	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8226.399414	7051.399414	7051.399414	0.933333
1462	027	3039	0.07	2170	1	65	100	3	7	6	9117	6947	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6339.200195	6339.200195	0.933333
1462	028	3039	0.07	1700	1	65	100	3	7	6	9117	7417	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6809.200195	6809.200195	0.933333
1462	029	3039	0.07	1700	1	65	100	3	7	6	9117	7417	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6809.200195	6809.200195	0.933333
1462	032	3039	0.07	2400	1	65	100	3	7	6	9117	6717	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6109.200195	6109.200195	0.933333
1462	040	3039	0.07	1312	1	65	100	3	7	6	9117	7805	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	7197.200195	7197.200195	0.933333
1463	003	3039	0.07	2611	1	65	100	3	7	6	9117	6506	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	5898.200195	5898.200195	0.933333
1463	010	3039	0.07	1700	1	65	100	3	7	6	9117	7417	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6809.200195	6809.200195	0.933333
1463	011	3039	0.07	1575	1	65	100	3	7	6	9117	7542	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6934.200195	6934.200195	0.933333
1463	014	3039	0.07	1385	1	65	100	3	7	6	9117	7732	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	7124.200195	7124.200195	0.933333
1463	018	3039	0.07	3822	1	65	100	3	7	6	9117	5295	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	4687.200195	4687.200195	0.933333
1463	029	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1463	031	3000	0.07	1933	1	65	100	3	7	6	9000	7067	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6467	6467	0.933333
1463	033	3000	0.07	1466	1	65	100	3	7	6	9000	7534	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6934	6934	0.933333
1463	034	3000	0.07	1968	1	65	100	3	7	6	9000	7032	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6432	6432	0.933333
1463	035	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1463	036	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1463	040	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
1463	053	15196	0.35	43310	75	85	140	4	49	0	60784	17474	RTO-C	85	form-based	true		true	0.75	80	1.632653117	5	5	91176	47866	47866	1.5
1464	001	2455	0.06	5227	4	65	100	3	6	2	7365	2138	NC-1	65	form-based	true		true	0.75	9	1.5	5	5	11047.5	5820.5	5820.5	1.5
1464	003	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
1464	003A	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1464	004	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
1464	004A	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
1464	004B	3000	0.07	1358	1	65	100	3	7	6	9000	7642	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7042	7042	0.933333
1464	004C	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1464	005	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
1464	005A	3000	0.07	2632	1	65	100	3	7	6	9000	6368	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5768	5768	0.933333
1464	005B	3000	0.07	2888	1	65	100	3	7	6	9000	6112	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5512	5512	0.933333
1464	007	3000	0.07	2285	1	65	100	3	7	6	9000	6715	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6115	6115	0.933333
1464	008	3000	0.07	1462	1	65	100	3	7	6	9000	7538	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6938	6938	0.933333
1464	013A	3021	0.07	1925	1	85	140	4	10	9	12084	10159	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8458.799805	6533.799805	6533.799805	0.7
1464	013C	3021	0.07	1400	1	65	100	3	7	6	9063	7663	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7058.799805	7058.799805	0.933333
1464	013D	3021	0.07	1500	1	65	100	3	7	6	9063	7563	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6958.799805	6958.799805	0.933333
1464	013E	3021	0.07	1700	1	65	100	3	7	6	9063	7363	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6758.799805	6758.799805	0.933333
1464	013F	3021	0.07	3642	1	65	100	3	7	6	9063	5421	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	4816.799805	4816.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1464	015	3021	0.07	2995	1	65	100	3	7	6	9063	6068	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5463.799805	5463.799805	0.933333
1464	016	3021	0.07	3144	1	65	100	3	7	6	9063	5919	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5314.799805	5314.799805	0.933333
1464	062	2771	0.06	2429	1	65	100	3	6	5	8313	5884	RH-2	40	form-based			true	0.7	6	1	5	5	7758.799805	5329.799805	5329.799805	0.933333
1466	026	3000	0.07	1790	1	65	100	3	7	6	9000	7210	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6610	6610	0.933333
1466	038	3000	0.07	1915	1	65	100	3	7	6	9000	7085	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6485	6485	0.933333
1466	044	3838	0.09	8394	9	65	100	3	9	0	11514	3120	RTO-C	65	form-based			true	0.75	14	1.555555582	5	5	17271	8877	8877	1.5
1466	045	3839	0.09	8187	9	65	100	3	9	0	11517	3330	RTO-C	65	form-based			true	0.75	14	1.555555582	5	5	17275.5	9088.5	9088.5	1.5
1466	047	6000	0.14	8282	8	65	100	3	14	6	18000	9718	RH-2	40	form-based			true	0.7	13	0.928571403	5	5	16800	8518	8518	0.933333
1467	004	3000	0.07	978	1	65	100	3	7	6	9000	8022	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7422	7422	0.933333
1467	006	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
1467	008	3000	0.07	2355	1	65	100	3	7	6	9000	6645	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6045	6045	0.933333
1467	017	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1467	029	2996	0.07	1943	1	65	100	3	7	6	8988	7045	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6445.799805	6445.799805	0.933333
1467	030	3051	0.07	1940	1	65	100	3	7	6	9153	7213	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8542.799805	6602.799805	6602.799805	0.933333
1467	031	2989	0.07	1900	1	65	100	3	7	6	8967	7067	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6469.200195	6469.200195	0.933333
1467	032	2989	0.07	2550	1	65	100	3	7	6	8967	6417	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	5819.200195	5819.200195	0.933333
1467	035	2989	0.07	1381	1	65	100	3	7	6	8967	7586	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6988.200195	6988.200195	0.933333
1467	036	2989	0.07	3426	1	65	100	3	7	6	8967	5541	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	4943.200195	4943.200195	0.933333
1467	037	2989	0.07	750	1	65	100	3	7	6	8967	8217	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	7619.200195	7619.200195	0.933333
1467	038	2989	0.07	2274	1	65	100	3	7	6	8967	6693	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6095.200195	6095.200195	0.933333
1467	039	2989	0.07	1942	1	65	100	3	7	6	8967	7025	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6427.200195	6427.200195	0.933333
1467	040	2989	0.07	1847	1	65	100	3	7	6	8967	7120	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6522.200195	6522.200195	0.933333
1467	041	2989	0.07	2337	1	65	100	3	7	6	8967	6630	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6032.200195	6032.200195	0.933333
1467	042	2989	0.07	2346	1	65	100	3	7	6	8967	6621	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6023.200195	6023.200195	0.933333
1467	043	2989	0.07	1450	1	65	100	3	7	6	8967	7517	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6919.200195	6919.200195	0.933333
1467	044	2989	0.07	3128	1	65	100	3	7	6	8967	5839	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	5241.200195	5241.200195	0.933333
1468	016	2924	0.07	3316	1	55	80	2.5	6	5	7310	3994	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	8187.199707	4871.199707	4871.199707	1.12
1468	016A	2991	0.07	2426	1	55	80	2.5	6	5	7478	5052	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8374.799805	5948.799805	5948.799805	1.119925
1468	017	2835	0.07	2174	1	55	80	2.5	6	5	7088	4914	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	7938	5764	5764	1.119921
1470	008	2989	0.07	1590	1	55	80	2.5	6	5	7472	5882	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	6779.200195	6779.200195	1.120075
1470	023	3000	0.07	2013	1	55	80	2.5	6	5	7500	5487	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8400	6387	6387	1.12
1469	004	2757	0.06	3316	1	65	100	3	6	5	8271	4955	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7719.600098	4403.600098	4403.600098	0.933333
1469	011	2693	0.06	3024	1	65	100	3	6	5	8079	5055	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7540.399902	4516.399902	4516.399902	0.933333
1469A	004	2700	0.06	3518	1	65	100	3	6	5	8100	4582	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7560	4042	4042	0.933333
1469A	011	2648	0.06	2922	1	55	80	2.5	5	4	6620	3698	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7414.399902	4492.399902	4492.399902	1.12
1470	003	2989	0.07	1055	1	55	80	2.5	6	5	7472	6417	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	7314.200195	7314.200195	1.120075
1470	004	2989	0.07	1850	1	55	80	2.5	6	5	7472	5622	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	6519.200195	6519.200195	1.120075
1470	005	2989	0.07	2075	1	55	80	2.5	6	5	7472	5397	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	6294.200195	6294.200195	1.120075
1470	005A	2989	0.07	2200	1	55	80	2.5	6	5	7472	5272	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	6169.200195	6169.200195	1.120075
1470	006	2989	0.07	2030	1	55	80	2.5	6	5	7472	5442	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	6339.200195	6339.200195	1.120075
1470	006A	2989	0.07	2030	1	55	80	2.5	6	5	7472	5442	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	6339.200195	6339.200195	1.120075
1470	007	2989	0.07	2050	1	55	80	2.5	6	5	7472	5422	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	6319.200195	6319.200195	1.120075
1470	009	2989	0.07	1700	1	55	80	2.5	6	5	7472	5772	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	6669.200195	6669.200195	1.120075
1470	009A	2989	0.07	2503	1	55	80	2.5	6	5	7472	4969	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	5866.200195	5866.200195	1.120075
1470	011	2989	0.07	2530	1	55	80	2.5	6	5	7472	4942	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	5839.200195	5839.200195	1.120075
1470	011A	2989	0.07	2325	1	55	80	2.5	6	5	7472	5147	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	6044.200195	6044.200195	1.120075
1470	012	2989	0.07	2674	1	55	80	2.5	6	5	7472	4798	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	5695.200195	5695.200195	1.120075
1470	022	3600	0.08	2237	3	55	80	2.5	6	3	9000	6763	RH-1(D)	40	form-based			true	0.7	8	1.333333373	5	5	10080	7843	7843	1.12
1470	024	3000	0.07	2013	1	55	80	2.5	6	5	7500	5487	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8400	6387	6387	1.12
1470	026	3000	0.07	1540	1	55	80	2.5	6	5	7500	5960	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8400	6860	6860	1.12
1470	027	3000	0.07	3395	1	55	80	2.5	6	5	7500	4105	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8400	5005	5005	1.12
1470	028	3000	0.07	1951	1	55	80	2.5	6	5	7500	5549	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8400	6449	6449	1.12
1470	044	2113	0.05	4620	6	55	80	2.5	4	0	5282	662	RTO-C	85	form-based	true		true	0.75	11	2.75	5	2	12678	8058	5944	2.400227
1470	048	3000	0.07	2444	1	55	80	2.5	6	5	7500	5056	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8400	5956	5956	1.12
1471	014	3000	0.07	2500	1	55	80	2.5	6	5	7500	5000	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8400	5900	5900	1.12
1472	001D	3022	0.07	1365	1	55	80	2.5	6	5	7555	6190	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	7096.599609	7096.599609	1.12
1472	001E	3022	0.07	1684	1	55	80	2.5	6	5	7555	5871	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6777.599609	6777.599609	1.12
1472	001F	3022	0.07	1590	1	55	80	2.5	6	5	7555	5965	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6871.599609	6871.599609	1.12
1472	001G	3022	0.07	1684	1	55	80	2.5	6	5	7555	5871	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6777.599609	6777.599609	1.12
1472	001H	3022	0.07	1684	1	55	80	2.5	6	5	7555	5871	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6777.599609	6777.599609	1.12
1472	001I	3022	0.07	1200	1	55	80	2.5	6	5	7555	6355	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	7261.599609	7261.599609	1.12
1472	001J	3022	0.07	1265	1	55	80	2.5	6	5	7555	6290	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	7196.599609	7196.599609	1.12
1472	001K	3022	0.07	1415	1	55	80	2.5	6	5	7555	6140	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	7046.599609	7046.599609	1.12
1472	001L	3022	0.07	1415	1	55	80	2.5	6	5	7555	6140	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	7046.599609	7046.599609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1472	001N	3022	0.07	1265	1	55	80	2.5	6	5	7555	6290	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	7196.599609	7196.599609	1.12
1472	010	2950	0.07	1200	1	55	80	2.5	6	5	7375	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8260	7060	7060	1.12
1472	011	2950	0.07	1200	1	55	80	2.5	6	5	7375	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8260	7060	7060	1.12
1472	011A	2950	0.07	1730	1	55	80	2.5	6	5	7375	5645	RH-1	40	form-based			true	0.7	6	1	5	5	8260	6530	6530	1.12
1472	011B	2950	0.07	1450	1	55	80	2.5	6	5	7375	5925	RH-1	40	form-based			true	0.7	6	1	5	5	8260	6810	6810	1.12
1472	011D	2926	0.07	1480	1	55	80	2.5	6	5	7315	5835	RH-1	40	form-based			true	0.7	6	1	5	5	8192.799805	6712.799805	6712.799805	1.12
1472	013	2950	0.07	2864	1	55	80	2.5	6	5	7375	4511	RH-1	40	form-based			true	0.7	6	1	5	5	8260	5396	5396	1.12
1472	014	2950	0.07	1280	1	55	80	2.5	6	5	7375	6095	RH-1	40	form-based			true	0.7	6	1	5	5	8260	6980	6980	1.12
1472	015	2950	0.07	1609	1	55	80	2.5	6	5	7375	5766	RH-1	40	form-based			true	0.7	6	1	5	5	8260	6651	6651	1.12
1472	016	2950	0.07	1505	1	55	80	2.5	6	5	7375	5870	RH-1	40	form-based			true	0.7	6	1	5	5	8260	6755	6755	1.12
1473	001C	2687	0.06	1375	1	55	80	2.5	5	4	6718	5343	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7523.600098	6148.600098	6148.600098	1.119917
1473	001D	3000	0.07	1814	1	55	80	2.5	6	5	7500	5686	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6586	6586	1.12
1473	001E	3000	0.07	1790	1	55	80	2.5	6	5	7500	5710	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6610	6610	1.12
1473	001F	3000	0.07	4480	1	55	80	2.5	6	5	7500	3020	RH-1	40	form-based			true	0.7	6	1	5	5	8400	3920	3920	1.12
1473	002B	3000	0.07	1540	1	55	80	2.5	6	5	7500	5960	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6860	6860	1.12
1473	002C	3000	0.07	1128	1	55	80	2.5	6	5	7500	6372	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7272	7272	1.12
1473	002D	3000	0.07	1100	1	55	80	2.5	6	5	7500	6400	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7300	7300	1.12
1473	002E	3000	0.07	1160	1	55	80	2.5	6	5	7500	6340	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7240	7240	1.12
1473	002F	3000	0.07	1310	1	55	80	2.5	6	5	7500	6190	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7090	7090	1.12
1473	002G	3000	0.07	2105	1	55	80	2.5	6	5	7500	5395	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6295	6295	1.12
1473	002H	3000	0.07	1758	1	55	80	2.5	6	5	7500	5742	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6642	6642	1.12
1473	002I	2947	0.07	1540	1	55	80	2.5	6	5	7368	5828	RH-1	40	form-based			true	0.7	6	1	5	5	8251.599609	6711.599609	6711.599609	1.119924
1473	004D	3026	0.07	1730	1	55	80	2.5	6	5	7565	5835	RH-2	40	form-based			true	0.7	6	1	5	5	8472.799805	6742.799805	6742.799805	1.12
1473	004F	3026	0.07	2214	1	55	80	2.5	6	5	7565	5351	RH-2	40	form-based			true	0.7	6	1	5	5	8472.799805	6258.799805	6258.799805	1.12
1503	002	3000	0.07	1539	1	55	80	2.5	6	5	7500	5961	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6861	6861	1.12
1503	008	3000	0.07	920	1	55	80	2.5	6	5	7500	6580	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7480	7480	1.12
1503	009	3000	0.07	1785	1	55	80	2.5	6	5	7500	5715	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6615	6615	1.12
1503	017	3000	0.07	1770	1	55	80	2.5	6	5	7500	5730	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6630	6630	1.12
1503	032	3025	0.07	2120	1	55	80	2.5	6	5	7562	5442	RH-2	40	form-based			true	0.7	6	1	5	5	8470	6350	6350	1.120074
1503	033	3025	0.07	1350	1	55	80	2.5	6	5	7562	6212	RH-2	40	form-based			true	0.7	6	1	5	5	8470	7120	7120	1.120074
1503	034	3025	0.07	3481	1	55	80	2.5	6	5	7562	4081	RH-2	40	form-based			true	0.7	6	1	5	5	8470	4989	4989	1.120074
1503	035	3025	0.07	1580	1	55	80	2.5	6	5	7562	5982	RH-2	40	form-based			true	0.7	6	1	5	5	8470	6890	6890	1.120074
1503	036	3025	0.07	1700	1	55	80	2.5	6	5	7562	5862	RH-2	40	form-based			true	0.7	6	1	5	5	8470	6770	6770	1.120074
1504	001I	2950	0.07	1315	1	55	80	2.5	6	5	7375	6060	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6945	6945	1.12
1504	001J	2950	0.07	1455	1	55	80	2.5	6	5	7375	5920	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6805	6805	1.12
1504	001K	2950	0.07	1462	1	55	80	2.5	6	5	7375	5913	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6798	6798	1.12
1504	001M	2950	0.07	2240	1	55	80	2.5	6	5	7375	5135	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6020	6020	1.12
1504	001Q	2950	0.07	1748	1	55	80	2.5	6	5	7375	5627	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6512	6512	1.12
1504	002	3036	0.07	1025	1	55	80	2.5	6	5	7590	6565	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7475.799805	7475.799805	1.12
1504	002A	3036	0.07	1025	1	55	80	2.5	6	5	7590	6565	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7475.799805	7475.799805	1.12
1504	002B	3036	0.07	1025	1	55	80	2.5	6	5	7590	6565	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7475.799805	7475.799805	1.12
1504	002C	3036	0.07	1165	1	55	80	2.5	6	5	7590	6425	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7335.799805	7335.799805	1.12
1504	003	3036	0.07	1300	1	55	80	2.5	6	5	7590	6290	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7200.799805	7200.799805	1.12
1504	006	3036	0.07	1277	1	55	80	2.5	6	5	7590	6313	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7223.799805	7223.799805	1.12
1504	015	2950	0.07	3986	1	55	80	2.5	6	5	7375	3389	RH-2	40	form-based			true	0.7	6	1	5	5	8260	4274	4274	1.12
1504	018	2950	0.07	1115	1	55	80	2.5	6	5	7375	6260	RH-2	40	form-based			true	0.7	6	1	5	5	8260	7145	7145	1.12
1504	019	2950	0.07	1250	1	55	80	2.5	6	5	7375	6125	RH-2	40	form-based			true	0.7	6	1	5	5	8260	7010	7010	1.12
1504	020	2950	0.07	1364	1	55	80	2.5	6	5	7375	6011	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6896	6896	1.12
1505	002	3049	0.07	2245	1	55	80	2.5	6	5	7622	5377	RH-2	40	form-based			true	0.7	6	1	5	5	8537.200195	6292.200195	6292.200195	1.120073
1505	003	3049	0.07	1100	1	55	80	2.5	6	5	7622	6522	RH-2	40	form-based			true	0.7	6	1	5	5	8537.200195	7437.200195	7437.200195	1.120073
1505	004	3049	0.07	1100	1	55	80	2.5	6	5	7622	6522	RH-2	40	form-based			true	0.7	6	1	5	5	8537.200195	7437.200195	7437.200195	1.120073
1505	009	3049	0.07	1120	1	55	80	2.5	6	5	7622	6502	RH-2	40	form-based			true	0.7	6	1	5	5	8537.200195	7417.200195	7417.200195	1.120073
1505	010	3049	0.07	767	1	55	80	2.5	6	5	7622	6855	RH-2	40	form-based			true	0.7	6	1	5	5	8537.200195	7770.200195	7770.200195	1.120073
1505	013	3049	0.07	2070	1	55	80	2.5	6	5	7622	5552	RH-2	40	form-based			true	0.7	6	1	5	5	8537.200195	6467.200195	6467.200195	1.120073
1506	039	2989	0.07	1275	1	55	80	2.5	6	5	7472	6197	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7094.200195	7094.200195	1.120075
1505	020	2964	0.07	1380	1	55	80	2.5	6	5	7410	6030	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	6919.200195	6919.200195	1.12
1505	021	2964	0.07	1314	1	55	80	2.5	6	5	7410	6096	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	6985.200195	6985.200195	1.12
1505	022	2964	0.07	3517	1	55	80	2.5	6	5	7410	3893	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	4782.200195	4782.200195	1.12
1505	026	2964	0.07	1050	1	55	80	2.5	6	5	7410	6360	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	7249.200195	7249.200195	1.12
1505	027	2964	0.07	960	1	55	80	2.5	6	5	7410	6450	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	7339.200195	7339.200195	1.12
1505	029	2964	0.07	1550	1	55	80	2.5	6	5	7410	5860	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	6749.200195	6749.200195	1.12
1505	030	2964	0.07	2578	1	55	80	2.5	6	5	7410	4832	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	5721.200195	5721.200195	1.12
1506	002	3000	0.07	1638	1	55	80	2.5	6	5	7500	5862	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6762	6762	1.12
1506	003	3000	0.07	2070	1	55	80	2.5	6	5	7500	5430	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6330	6330	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1506	004	3072	0.07	1463	1	55	80	2.5	6	5	7680	6217	RH-2	40	form-based			true	0.7	6	1	5	5	8601.599609	7138.599609	7138.599609	1.12
1506	005	3000	0.07	2380	1	55	80	2.5	6	5	7500	5120	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6020	6020	1.12
1506	006	3000	0.07	1490	1	55	80	2.5	6	5	7500	6010	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6910	6910	1.12
1506	007	3000	0.07	1490	1	55	80	2.5	6	5	7500	6010	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6910	6910	1.12
1506	008	3000	0.07	1490	1	55	80	2.5	6	5	7500	6010	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6910	6910	1.12
1506	009	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
1506	010	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
1506	011	3000	0.07	1525	1	55	80	2.5	6	5	7500	5975	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6875	6875	1.12
1506	012	3000	0.07	1953	1	55	80	2.5	6	5	7500	5547	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6447	6447	1.12
1506	013	3000	0.07	2503	1	55	80	2.5	6	5	7500	4997	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5897	5897	1.12
1506	014	3000	0.07	2060	1	55	80	2.5	6	5	7500	5440	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6340	6340	1.12
1506	015	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
1506	016	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
1506	017	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
1506	029	2989	0.07	1325	1	55	80	2.5	6	5	7472	6147	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7044.200195	7044.200195	1.120075
1506	030	2989	0.07	2025	1	55	80	2.5	6	5	7472	5447	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6344.200195	6344.200195	1.120075
1506	031	2989	0.07	3056	1	55	80	2.5	6	5	7472	4416	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	5313.200195	5313.200195	1.120075
1506	032	2989	0.07	1275	1	55	80	2.5	6	5	7472	6197	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7094.200195	7094.200195	1.120075
1506	034	2989	0.07	1275	1	55	80	2.5	6	5	7472	6197	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7094.200195	7094.200195	1.120075
1506	035	2989	0.07	1275	1	55	80	2.5	6	5	7472	6197	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7094.200195	7094.200195	1.120075
1506	036	2989	0.07	1275	1	55	80	2.5	6	5	7472	6197	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7094.200195	7094.200195	1.120075
1506	037	2989	0.07	1614	1	55	80	2.5	6	5	7472	5858	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6755.200195	6755.200195	1.120075
1506	038	2989	0.07	1275	1	55	80	2.5	6	5	7472	6197	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7094.200195	7094.200195	1.120075
1506	040	2989	0.07	1275	1	55	80	2.5	6	5	7472	6197	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7094.200195	7094.200195	1.120075
1506	041	2989	0.07	1275	1	55	80	2.5	6	5	7472	6197	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7094.200195	7094.200195	1.120075
1506	044	2963	0.07	1730	1	55	80	2.5	6	5	7408	5678	RH-2	40	form-based			true	0.7	6	1	5	5	8296.399414	6566.399414	6566.399414	1.119924
1507	003	3164	0.07	4356	2	65	100	3	7	5	9492	5136	RH-2	40	form-based			true	0.7	7	1	5	5	8859.200195	4503.200195	4503.200195	0.933333
1507	011	3609	0.08	4142	3	65	100	3	8	5	10827	6685	RH-2	40	form-based			true	0.7	8	1	5	5	10105.2002	5963.200195	5963.200195	0.933333
1507	018	2994	0.07	2471	1	55	80	2.5	6	5	7485	5014	RH-2	40	form-based			true	0.7	6	1	5	5	8383.200195	5912.200195	5912.200195	1.12
1507	025	2994	0.07	1500	1	55	80	2.5	6	5	7485	5985	RH-2	40	form-based			true	0.7	6	1	5	5	8383.200195	6883.200195	6883.200195	1.12
1507	030	2994	0.07	3724	1	55	80	2.5	6	5	7485	3761	RH-2	40	form-based			true	0.7	6	1	5	5	8383.200195	4659.200195	4659.200195	1.12
1507	042	2987	0.07	3641	1	65	100	3	7	6	8961	5320	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	4722.599609	4722.599609	0.933333
1507	043	2988	0.07	3641	1	65	100	3	7	6	8964	5323	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	4725.399414	4725.399414	0.933333
1508	005	3032	0.07	1489	1	65	100	3	7	6	9096	7607	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8489.599609	7000.599609	7000.599609	0.933333
1508	011A	2952	0.07	1388	1	65	100	3	7	6	8856	7468	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6877.599609	6877.599609	0.933333
1508	016	2974	0.07	1310	1	65	100	3	7	6	8922	7612	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8327.200195	7017.200195	7017.200195	0.933333
1509	002	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1509	003	3000	0.07	2338	1	65	100	3	7	6	9000	6662	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6062	6062	0.933333
1509	004	3000	0.07	1410	1	65	100	3	7	6	9000	7590	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6990	6990	0.933333
1509	005	2976	0.07	1220	1	65	100	3	7	6	8928	7708	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8332.799805	7112.799805	7112.799805	0.933333
1509	007	3000	0.07	1481	1	65	100	3	7	6	9000	7519	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6919	6919	0.933333
1509	008	3000	0.07	2298	1	65	100	3	7	6	9000	6702	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6102	6102	0.933333
1509	009	3000	0.07	2382	1	65	100	3	7	6	9000	6618	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6018	6018	0.933333
1509	010	3000	0.07	1322	1	65	100	3	7	6	9000	7678	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7078	7078	0.933333
1509	011	3000	0.07	1586	1	65	100	3	7	6	9000	7414	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6814	6814	0.933333
1509	012	3000	0.07	1322	1	65	100	3	7	6	9000	7678	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7078	7078	0.933333
1509	015	3024	0.07	1976	1	65	100	3	7	6	9072	7096	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	6491.200195	6491.200195	0.933333
1509	016	3000	0.07	2348	1	65	100	3	7	6	9000	6652	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6052	6052	0.933333
1509	017	3000	0.07	2034	1	65	100	3	7	6	9000	6966	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6366	6366	0.933333
1509	031	2994	0.07	1550	1	65	100	3	7	6	8982	7432	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6833.200195	6833.200195	0.933333
1509	034	2998	0.07	1612	1	65	100	3	7	6	8994	7382	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6782.399414	6782.399414	0.933333
1509	035	2999	0.07	1690	1	65	100	3	7	6	8997	7307	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6707.200195	6707.200195	0.933333
1509	038	3051	0.07	2600	1	65	100	3	7	6	9153	6553	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8542.799805	5942.799805	5942.799805	0.933333
1509	040	3006	0.07	1346	1	65	100	3	7	6	9018	7672	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7070.799805	7070.799805	0.933333
1509	041	3007	0.07	2300	1	65	100	3	7	6	9021	6721	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6119.599609	6119.599609	0.933333
1510	003	3000	0.07	2083	1	65	100	3	7	6	9000	6917	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6317	6317	0.933333
1510	005	3000	0.07	1355	1	65	100	3	7	6	9000	7645	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7045	7045	0.933333
1510	006	3000	0.07	1844	1	65	100	3	7	6	9000	7156	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6556	6556	0.933333
1510	008	3000	0.07	1172	1	65	100	3	7	6	9000	7828	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7228	7228	0.933333
1510	010	3000	0.07	1728	1	65	100	3	7	6	9000	7272	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6672	6672	0.933333
1510	014	3000	0.07	2472	1	65	100	3	7	6	9000	6528	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5928	5928	0.933333
1510	015	3000	0.07	1446	1	65	100	3	7	6	9000	7554	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6954	6954	0.933333
1510	017	3000	0.07	1295	1	65	100	3	7	6	9000	7705	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7105	7105	0.933333
1510	028	3000	0.07	1693	1	65	100	3	7	6	9000	7307	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6707	6707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1510	029	3000	0.07	1090	1	65	100	3	7	6	9000	7910	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7310	7310	0.933333
1510	030	3000	0.07	1090	1	65	100	3	7	6	9000	7910	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7310	7310	0.933333
1510	031	3000	0.07	1035	1	65	100	3	7	6	9000	7965	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7365	7365	0.933333
1510	032	3000	0.07	1016	1	65	100	3	7	6	9000	7984	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7384	7384	0.933333
1510	033	3000	0.07	2183	1	65	100	3	7	6	9000	6817	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6217	6217	0.933333
1510	034	3000	0.07	1834	1	65	100	3	7	6	9000	7166	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6566	6566	0.933333
1510	037	3000	0.07	3162	1	65	100	3	7	6	9000	5838	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5238	5238	0.933333
1510	038	3000	0.07	2076	1	65	100	3	7	6	9000	6924	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6324	6324	0.933333
1510	040	3000	0.07	1188	1	65	100	3	7	6	9000	7812	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7212	7212	0.933333
1510	041	3000	0.07	1516	1	65	100	3	7	6	9000	7484	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6884	6884	0.933333
1510	042	3000	0.07	1516	1	65	100	3	7	6	9000	7484	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6884	6884	0.933333
1510	043	3000	0.07	3426	1	65	100	3	7	6	9000	5574	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4974	4974	0.933333
1511	004	3000	0.07	1310	1	85	140	4	10	9	12000	10690	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	7090	7090	0.7
1511	007	3000	0.07	4245	1	65	100	3	7	6	9000	4755	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4155	4155	0.933333
1511	008	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
1511	009	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
1511	016	3000	0.07	1658	1	65	100	3	7	6	9000	7342	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6742	6742	0.933333
1511	017	3000	0.07	2480	1	65	100	3	7	6	9000	6520	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5920	5920	0.933333
1511	020	3041	0.07	1510	1	65	100	3	7	6	9123	7613	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	7004.799805	7004.799805	0.933333
1511	021	3041	0.07	1440	1	65	100	3	7	6	9123	7683	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	7074.799805	7074.799805	0.933333
1511	027	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
1511	028	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
1511	029	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
1511	030	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
1511	035	3000	0.07	1759	1	65	100	3	7	6	9000	7241	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6641	6641	0.933333
1511	038	3000	0.07	2271	1	65	100	3	7	6	9000	6729	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6129	6129	0.933333
1512	007	3000	0.07	2052	1	65	100	3	7	6	9000	6948	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6348	6348	0.933333
1512	004	3000	0.07	1915	1	65	100	3	7	6	9000	7085	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6485	6485	0.933333
1512	005	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
1512	006	3000	0.07	2290	1	65	100	3	7	6	9000	6710	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6110	6110	0.933333
1512	008	3000	0.07	1790	1	65	100	3	7	6	9000	7210	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6610	6610	0.933333
1512	009	3000	0.07	1605	1	65	100	3	7	6	9000	7395	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6795	6795	0.933333
1512	010	3000	0.07	1736	1	65	100	3	7	6	9000	7264	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6664	6664	0.933333
1512	011	3000	0.07	1987	1	65	100	3	7	6	9000	7013	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6413	6413	0.933333
1512	012	3000	0.07	1950	1	65	100	3	7	6	9000	7050	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6450	6450	0.933333
1512	013	3000	0.07	2755	1	65	100	3	7	6	9000	6245	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5645	5645	0.933333
1512	014	3000	0.07	1530	1	65	100	3	7	6	9000	7470	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6870	6870	0.933333
1512	015	3000	0.07	2095	1	65	100	3	7	6	9000	6905	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6305	6305	0.933333
1512	016	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
1512	017	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
1512	029	3021	0.07	1675	1	65	100	3	7	6	9063	7388	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6783.799805	6783.799805	0.933333
1512	030	3021	0.07	1480	1	65	100	3	7	6	9063	7583	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6978.799805	6978.799805	0.933333
1512	031	3021	0.07	1215	1	65	100	3	7	6	9063	7848	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7243.799805	7243.799805	0.933333
1512	032	3021	0.07	1215	1	65	100	3	7	6	9063	7848	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7243.799805	7243.799805	0.933333
1512	033	3021	0.07	1777	1	65	100	3	7	6	9063	7286	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6681.799805	6681.799805	0.933333
1512	034	3021	0.07	1415	1	65	100	3	7	6	9063	7648	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7043.799805	7043.799805	0.933333
1512	035	3021	0.07	1550	1	65	100	3	7	6	9063	7513	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6908.799805	6908.799805	0.933333
1512	036	3021	0.07	2717	1	65	100	3	7	6	9063	6346	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5741.799805	5741.799805	0.933333
1512	037	3021	0.07	1945	1	65	100	3	7	6	9063	7118	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6513.799805	6513.799805	0.933333
1512	038	3021	0.07	1205	1	65	100	3	7	6	9063	7858	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7253.799805	7253.799805	0.933333
1512	039	3021	0.07	1788	1	65	100	3	7	6	9063	7275	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6670.799805	6670.799805	0.933333
1512	040	3021	0.07	2260	1	65	100	3	7	6	9063	6803	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6198.799805	6198.799805	0.933333
1512	042	3021	0.07	1617	1	85	140	4	10	9	12084	10467	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8458.799805	6841.799805	6841.799805	0.7
1512	053	1255	0.03	2434	2	85	140	4	4	2	5020	2586	RTO-C	85	form-based	true		true	0.75	7	1.75	5	5	7530	5096	5096	1.5
1512	056	1438	0.03	2376	2	65	100	3	3	1	4314	1938	RH-2	85	form-based			true	0.7	7	2.333333254	5	4	8052.799805	5676.799805	5676.799805	1.866667
1515	006	3000	0.07	1245	1	65	100	3	7	6	9000	7755	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7155	7155	0.933333
1515	007	3000	0.07	1245	1	65	100	3	7	6	9000	7755	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7155	7155	0.933333
1515	011	2937	0.07	2405	1	65	100	3	7	6	8811	6406	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	5818.599609	5818.599609	0.933333
1515	012	2938	0.07	1400	1	65	100	3	7	6	8814	7414	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8226.399414	6826.399414	6826.399414	0.933333
1515	013	2937	0.07	2305	1	65	100	3	7	6	8811	6506	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	5918.599609	5918.599609	0.933333
1515	022	3102	0.07	4986	2	65	100	3	7	5	9306	4320	RH-2	40	form-based			true	0.7	7	1	5	5	8685.599609	3699.599609	3699.599609	0.933333
1515	027	3060	0.07	1725	1	65	100	3	7	6	9180	7455	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8568	6843	6843	0.933333
1515	029	3004	0.07	1490	1	65	100	3	7	6	9012	7522	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6921.200195	6921.200195	0.933333
1515	053	3539	0.08	619	2	65	100	3	8	6	10617	9998	RH-2	40	form-based			true	0.7	7	0.875	5	5	9909.200195	9290.200195	9290.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1516	009	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1516	012B	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
1516	019	2897	0.07	2064	1	65	100	3	7	6	8691	6627	RM-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8111.600098	6047.600098	6047.600098	0.933333
1516	021	2992	0.07	1310	1	65	100	3	7	6	8976	7666	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7067.599609	7067.599609	0.933333
1516	022	2992	0.07	1220	1	65	100	3	7	6	8976	7756	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7157.599609	7157.599609	0.933333
1516	023	2992	0.07	2570	1	65	100	3	7	6	8976	6406	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	5807.599609	5807.599609	0.933333
1516	024	2992	0.07	1700	1	65	100	3	7	6	8976	7276	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6677.599609	6677.599609	0.933333
1516	025	2992	0.07	2120	1	65	100	3	7	6	8976	6856	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6257.599609	6257.599609	0.933333
1516	026	2992	0.07	1395	1	65	100	3	7	6	8976	7581	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6982.599609	6982.599609	0.933333
1516	027	2992	0.07	2100	1	65	100	3	7	6	8976	6876	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6277.599609	6277.599609	0.933333
1516	028	2992	0.07	2894	1	65	100	3	7	6	8976	6082	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	5483.599609	5483.599609	0.933333
1516	029	2992	0.07	1102	1	65	100	3	7	6	8976	7874	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7275.599609	7275.599609	0.933333
1516	031	2992	0.07	1590	1	65	100	3	7	6	8976	7386	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6787.599609	6787.599609	0.933333
1516	032	2992	0.07	1970	1	65	100	3	7	6	8976	7006	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6407.599609	6407.599609	0.933333
1516	033	2992	0.07	1805	1	65	100	3	7	6	8976	7171	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6572.599609	6572.599609	0.933333
1516	034	2992	0.07	2176	1	65	100	3	7	6	8976	6800	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6201.599609	6201.599609	0.933333
1517	003	2800	0.06	2314	1	65	100	3	6	5	8400	6086	RH-2	40	form-based			true	0.7	6	1	5	5	7840	5526	5526	0.933333
1517	003B	2800	0.06	1906	1	65	100	3	6	5	8400	6494	RH-2	40	form-based			true	0.7	6	1	5	5	7840	5934	5934	0.933333
1517	004	3000	0.07	1530	1	65	100	3	7	6	9000	7470	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6870	6870	0.933333
1517	007A	2700	0.06	1117	1	65	100	3	6	5	8100	6983	RH-2	40	form-based			true	0.7	6	1	5	5	7560	6443	6443	0.933333
1517	007B	2700	0.06	1117	1	65	100	3	6	5	8100	6983	RH-2	40	form-based			true	0.7	6	1	5	5	7560	6443	6443	0.933333
1517	020	3286	0.08	3000	2	65	100	3	8	6	9858	6858	RM-1	40	form-based			true	0.7	7	0.875	5	5	9200.799805	6200.799805	6200.799805	0.933333
1517	024B	2700	0.06	1225	1	65	100	3	6	5	8100	6875	RM-1	40	form-based			true	0.7	6	1	5	5	7560	6335	6335	0.933333
1517	028	2929	0.07	2350	1	65	100	3	7	6	8787	6437	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8201.200195	5851.200195	5851.200195	0.933333
1518	003	3046	0.07	1840	1	65	100	3	7	6	9138	7298	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8528.799805	6688.799805	6688.799805	0.933333
1518	015D	2143	0.05	2950	0	65	100	3	5	5	6429	3479	RM-1	40	form-based		true	true	0.7	5	1	5	5	6000.399902	3050.399902	3050.399902	0.933333
1518	015E	3449	0.08	1375	2	65	100	3	8	6	10347	8972	RM-1	40	form-based			true	0.7	7	0.875	5	5	9657.200195	8282.200195	8282.200195	0.933333
1518	018	2937	0.07	1890	1	65	100	3	7	6	8811	6921	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6333.599609	6333.599609	0.933333
1518	019	2937	0.07	3145	1	65	100	3	7	6	8811	5666	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	5078.599609	5078.599609	0.933333
1518	020	3055	0.07	2758	1	65	100	3	7	6	9165	6407	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8554	5796	5796	0.933333
1518	020A	2937	0.07	1890	1	65	100	3	7	6	8811	6921	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6333.599609	6333.599609	0.933333
1518	021	2937	0.07	1693	1	65	100	3	7	6	8811	7118	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6530.599609	6530.599609	0.933333
1518	025	2937	0.07	1492	1	65	100	3	7	6	8811	7319	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6731.599609	6731.599609	0.933333
1518	041	4112	0.09	955	4	65	100	3	9	5	12336	11381	RH-2	40	form-based			true	0.7	9	1	5	5	11513.59961	10558.59961	10558.59961	0.933333
1519	007	2550	0.06	4005	0	65	100	3	6	6	7650	3645	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	7140	3135	3135	0.933333
1519	008	3521	0.08	4363	2	65	100	3	8	6	10563	6200	RH-2	40	form-based			true	0.7	7	0.875	5	5	9858.799805	5495.799805	5495.799805	0.933333
1519	022	2668	0.06	1231	1	65	100	3	6	5	8004	6773	RM-1	40	form-based			true	0.7	6	1	5	5	7470.399902	6239.399902	6239.399902	0.933333
1519	022A	2668	0.06	1636	1	65	100	3	6	5	8004	6368	RM-1	40	form-based			true	0.7	6	1	5	5	7470.399902	5834.399902	5834.399902	0.933333
1519	031A	3462	0.08	3185	2	65	100	3	8	6	10386	7201	RM-1	40	form-based			true	0.7	7	0.875	5	5	9693.599609	6508.599609	6508.599609	0.933333
1519	032B	2962	0.07	1430	1	65	100	3	7	6	8886	7456	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8293.599609	6863.599609	6863.599609	0.933333
1520	008	3000	0.07	2306	1	65	100	3	7	6	9000	6694	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6094	6094	0.933333
1520	011	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6825	6825	0.933333
1520	019B	2675	0.06	1195	1	65	100	3	6	5	8025	6830	RH-2	40	form-based			true	0.7	6	1	5	5	7490	6295	6295	0.933333
1520	019C	2675	0.06	1445	1	65	100	3	6	5	8025	6580	RH-2	40	form-based			true	0.7	6	1	5	5	7490	6045	6045	0.933333
1520	021	2987	0.07	2048	1	65	100	3	7	6	8961	6913	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6315.599609	6315.599609	0.933333
1520	022	2987	0.07	2130	1	65	100	3	7	6	8961	6831	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6233.599609	6233.599609	0.933333
1520	023	2987	0.07	1700	1	65	100	3	7	6	8961	7261	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6663.599609	6663.599609	0.933333
1520	024	2987	0.07	1800	1	65	100	3	7	6	8961	7161	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6563.599609	6563.599609	0.933333
1520	031	2987	0.07	1849	1	65	100	3	7	6	8961	7112	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6514.599609	6514.599609	0.933333
1521	002	3020	0.07	2160	1	85	140	4	10	9	12080	9920	RM-1	40	form-based			true	0.7	6	0.600000024	5	5	8456	6296	6296	0.7
1521	003A	3020	0.07	1135	1	65	100	3	7	6	9060	7925	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7321	7321	0.933333
1521	004	3020	0.07	1195	1	65	100	3	7	6	9060	7865	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7261	7261	0.933333
1521	014	3020	0.07	1505	1	65	100	3	7	6	9060	7555	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6951	6951	0.933333
1521	015	3020	0.07	1020	1	65	100	3	7	6	9060	8040	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7436	7436	0.933333
1521	018	2679	0.06	1685	1	65	100	3	6	5	8037	6352	RM-1	40	form-based			true	0.7	6	1	5	5	7501.199707	5816.199707	5816.199707	0.933333
1521	026	2996	0.07	1350	1	65	100	3	7	6	8988	7638	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	7038.799805	7038.799805	0.933333
1521	026A	2996	0.07	1350	1	65	100	3	7	6	8988	7638	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	7038.799805	7038.799805	0.933333
1521	026B	2996	0.07	1608	1	65	100	3	7	6	8988	7380	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6780.799805	6780.799805	0.933333
1521	026C	2996	0.07	1977	1	65	100	3	7	6	8988	7011	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6411.799805	6411.799805	0.933333
1521	027	2996	0.07	3674	1	65	100	3	7	6	8988	5314	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	4714.799805	4714.799805	0.933333
1521	028	2996	0.07	2482	1	65	100	3	7	6	8988	6506	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	5906.799805	5906.799805	0.933333
1521	030A	2996	0.07	2048	1	65	100	3	7	6	8988	6940	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6340.799805	6340.799805	0.933333
1521	031	2996	0.07	2530	1	65	100	3	7	6	8988	6458	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	5858.799805	5858.799805	0.933333
1522	008	2979	0.07	1990	1	65	100	3	7	6	8937	6947	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6351.200195	6351.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1522	012	2979	0.07	1394	1	65	100	3	7	6	8937	7543	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6947.200195	6947.200195	0.933333
1522	013	2979	0.07	2379	1	65	100	3	7	6	8937	6558	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	5962.200195	5962.200195	0.933333
1522	014	2979	0.07	1968	1	65	100	3	7	6	8937	6969	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6373.200195	6373.200195	0.933333
1522	029	3036	0.07	1800	1	65	100	3	7	6	9108	7308	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	6700.799805	6700.799805	0.933333
1523	003	3000	0.07	2601	1	65	100	3	7	6	9000	6399	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5799	5799	0.933333
1523	004	3000	0.07	1880	1	65	100	3	7	6	9000	7120	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6520	6520	0.933333
1523	006	3000	0.07	1505	1	65	100	3	7	6	9000	7495	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6895	6895	0.933333
1523	008	3000	0.07	1720	1	65	100	3	7	6	9000	7280	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6680	6680	0.933333
1523	017	3000	0.07	1492	1	65	100	3	7	6	9000	7508	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6908	6908	0.933333
1523	038	2985	0.07	1700	1	65	100	3	7	6	8955	7255	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8358	6658	6658	0.933333
1524	004	2971	0.07	2740	1	65	100	3	7	6	8913	6173	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	5578.799805	5578.799805	0.933333
1524	008	2971	0.07	2040	1	65	100	3	7	6	8913	6873	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	6278.799805	6278.799805	0.933333
1524	008A	2971	0.07	2184	1	65	100	3	7	6	8913	6729	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	6134.799805	6134.799805	0.933333
1524	009	2971	0.07	1890	1	65	100	3	7	6	8913	7023	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	6428.799805	6428.799805	0.933333
1524	010	2971	0.07	2537	1	65	100	3	7	6	8913	6376	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	5781.799805	5781.799805	0.933333
1524	017	2695	0.06	2102	1	65	100	3	6	5	8085	5983	RM-1	40	form-based			true	0.7	6	1	5	5	7546	5444	5444	0.933333
1524	018	2695	0.06	2203	1	65	100	3	6	5	8085	5882	RM-1	40	form-based			true	0.7	6	1	5	5	7546	5343	5343	0.933333
1524	018A	2695	0.06	2879	1	65	100	3	6	5	8085	5206	RM-1	40	form-based			true	0.7	6	1	5	5	7546	4667	4667	0.933333
1524	020	2695	0.06	1856	1	65	100	3	6	5	8085	6229	RM-1	40	form-based			true	0.7	6	1	5	5	7546	5690	5690	0.933333
1524	027	3025	0.07	1900	1	65	100	3	7	6	9075	7175	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8470	6570	6570	0.933333
1524	028	3025	0.07	1900	1	65	100	3	7	6	9075	7175	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8470	6570	6570	0.933333
1524	031	3025	0.07	2160	1	65	100	3	7	6	9075	6915	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8470	6310	6310	0.933333
1524	034	3025	0.07	2030	1	65	100	3	7	6	9075	7045	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8470	6440	6440	0.933333
1524	034A	3025	0.07	2030	1	65	100	3	7	6	9075	7045	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8470	6440	6440	0.933333
1524	035	3025	0.07	2857	1	65	100	3	7	6	9075	6218	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8470	5613	5613	0.933333
1524	035A	3025	0.07	2268	1	85	140	4	10	9	12100	9832	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8470	6202	6202	0.7
1525	003	3000	0.07	1746	1	65	100	3	7	6	9000	7254	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6654	6654	0.933333
1525	006	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
1525	016	3000	0.07	2020	1	65	100	3	7	6	9000	6980	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6380	6380	0.933333
1525	017	3000	0.07	1780	1	65	100	3	7	6	9000	7220	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6620	6620	0.933333
1526	023	2989	0.07	1860	1	65	100	3	7	6	8967	7107	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6509.200195	6509.200195	0.933333
1526	023A	2989	0.07	1860	1	65	100	3	7	6	8967	7107	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6509.200195	6509.200195	0.933333
1527	005	3000	0.07	2240	1	85	140	4	10	9	12000	9760	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6160	6160	0.7
1527	006	3000	0.07	2240	1	85	140	4	10	9	12000	9760	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6160	6160	0.7
1527	007	3000	0.07	2515	1	65	100	3	7	6	9000	6485	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5885	5885	0.933333
1527	008	3000	0.07	2420	1	65	100	3	7	6	9000	6580	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5980	5980	0.933333
1527	009	3000	0.07	2240	1	65	100	3	7	6	9000	6760	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6160	6160	0.933333
1527	010	3000	0.07	2240	1	65	100	3	7	6	9000	6760	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6160	6160	0.933333
1527	011	3000	0.07	2240	1	65	100	3	7	6	9000	6760	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6160	6160	0.933333
1527	012	3000	0.07	3228	1	65	100	3	7	6	9000	5772	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5172	5172	0.933333
1527	013	3000	0.07	1990	1	65	100	3	7	6	9000	7010	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6410	6410	0.933333
1527	014	3000	0.07	2158	1	65	100	3	7	6	9000	6842	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6242	6242	0.933333
1527	015	3000	0.07	1990	1	65	100	3	7	6	9000	7010	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6410	6410	0.933333
1527	016	3000	0.07	2140	1	65	100	3	7	6	9000	6860	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6260	6260	0.933333
1527	017	3000	0.07	2920	1	65	100	3	7	6	9000	6080	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5480	5480	0.933333
1527	018	3000	0.07	1990	1	65	100	3	7	6	9000	7010	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6410	6410	0.933333
1527	019	3000	0.07	1990	1	65	100	3	7	6	9000	7010	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6410	6410	0.933333
1527	032	3013	0.07	1684	1	65	100	3	7	6	9039	7355	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6752.399414	6752.399414	0.933333
1527	032A	3013	0.07	2078	1	65	100	3	7	6	9039	6961	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6358.399414	6358.399414	0.933333
1527	032B	3013	0.07	1888	1	65	100	3	7	6	9039	7151	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6548.399414	6548.399414	0.933333
1527	032C	3013	0.07	1888	1	65	100	3	7	6	9039	7151	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6548.399414	6548.399414	0.933333
1527	032D	3013	0.07	2678	1	65	100	3	7	6	9039	6361	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	5758.399414	5758.399414	0.933333
1527	032E	3013	0.07	1750	1	65	100	3	7	6	9039	7289	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6686.399414	6686.399414	0.933333
1527	032F	3013	0.07	2038	1	65	100	3	7	6	9039	7001	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6398.399414	6398.399414	0.933333
1527	032G	3013	0.07	2388	1	65	100	3	7	6	9039	6651	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6048.399414	6048.399414	0.933333
1527	032H	3013	0.07	2388	1	65	100	3	7	6	9039	6651	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6048.399414	6048.399414	0.933333
1527	032I	3013	0.07	1888	1	65	100	3	7	6	9039	7151	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6548.399414	6548.399414	0.933333
1528	004	3000	0.07	2236	1	65	100	3	7	6	9000	6764	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6164	6164	0.933333
1528	005	3000	0.07	1846	1	65	100	3	7	6	9000	7154	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6554	6554	0.933333
1528	006	3000	0.07	2838	1	65	100	3	7	6	9000	6162	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5562	5562	0.933333
1528	007	3000	0.07	1804	1	65	100	3	7	6	9000	7196	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6596	6596	0.933333
1528	008	3000	0.07	3489	1	65	100	3	7	6	9000	5511	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4911	4911	0.933333
1528	009	3000	0.07	1505	1	65	100	3	7	6	9000	7495	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6895	6895	0.933333
1528	010	3000	0.07	2430	1	65	100	3	7	6	9000	6570	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5970	5970	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1528	012	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1528	014	3000	0.07	2305	1	65	100	3	7	6	9000	6695	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6095	6095	0.933333
1528	015	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1528	016	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1528	018	3125	0.07	3501	2	65	100	3	7	5	9375	5874	RH-2	40	form-based			true	0.7	7	1	5	5	8750	5249	5249	0.933333
1528	026A	2251	0.05	2140	0	65	100	3	5	5	6753	4613	RH-2	40	form-based			true	0.7	5	1	5	5	6302.799805	4162.799805	4162.799805	0.933333
1528	027A	2876	0.07	2224	1	65	100	3	7	6	8628	6404	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8052.799805	5828.799805	5828.799805	0.933333
1528	027B	2876	0.07	2241	1	65	100	3	7	6	8628	6387	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8052.799805	5811.799805	5811.799805	0.933333
1528	028	3001	0.07	2380	1	65	100	3	7	6	9003	6623	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6022.799805	6022.799805	0.933333
1528	028A	3001	0.07	2380	1	65	100	3	7	6	9003	6623	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6022.799805	6022.799805	0.933333
1528	028B	3001	0.07	2380	1	65	100	3	7	6	9003	6623	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6022.799805	6022.799805	0.933333
1528	028C	3001	0.07	2380	1	65	100	3	7	6	9003	6623	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6022.799805	6022.799805	0.933333
1528	028D	3001	0.07	2380	1	65	100	3	7	6	9003	6623	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6022.799805	6022.799805	0.933333
1528	028E	3001	0.07	2768	1	65	100	3	7	6	9003	6235	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	5634.799805	5634.799805	0.933333
1528	028F	3001	0.07	2380	1	65	100	3	7	6	9003	6623	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6022.799805	6022.799805	0.933333
1528	028G	3001	0.07	2380	1	65	100	3	7	6	9003	6623	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6022.799805	6022.799805	0.933333
1528	028H	3001	0.07	2380	1	65	100	3	7	6	9003	6623	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6022.799805	6022.799805	0.933333
1528	029	3001	0.07	2680	1	65	100	3	7	6	9003	6323	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	5722.799805	5722.799805	0.933333
1528	029A	3001	0.07	2380	1	65	100	3	7	6	9003	6623	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6022.799805	6022.799805	0.933333
1528	045	2516	0.06	3684	0	65	100	3	6	6	7548	3864	RM-1	40	form-based			true	0.7	5	0.833333313	5	5	7044.799805	3360.799805	3360.799805	0.933333
1528	047	2516	0.06	1587	0	65	100	3	6	6	7548	5961	RM-1	40	form-based			true	0.7	5	0.833333313	5	5	7044.799805	5457.799805	5457.799805	0.933333
1529	002	3401	0.08	4110	2	65	100	3	8	6	10203	6093	RH-2	40	form-based			true	0.7	7	0.875	5	5	9522.799805	5412.799805	5412.799805	0.933333
1529	029	2967	0.07	1750	1	65	100	3	7	6	8901	7151	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6557.599609	6557.599609	0.933333
1529	030	2967	0.07	1700	1	65	100	3	7	6	8901	7201	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6607.599609	6607.599609	0.933333
1529	031	2967	0.07	1750	1	65	100	3	7	6	8901	7151	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6557.599609	6557.599609	0.933333
1529	032	2967	0.07	1784	1	65	100	3	7	6	8901	7117	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6523.599609	6523.599609	0.933333
1529	033	2967	0.07	1700	1	65	100	3	7	6	8901	7201	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6607.599609	6607.599609	0.933333
1529	034	2967	0.07	2736	1	65	100	3	7	6	8901	6165	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	5571.599609	5571.599609	0.933333
1529	035	2967	0.07	2851	1	65	100	3	7	6	8901	6050	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	5456.599609	5456.599609	0.933333
1529	036	2967	0.07	1720	1	65	100	3	7	6	8901	7181	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6587.599609	6587.599609	0.933333
1529	039	3387	0.08	1808	2	65	100	3	8	6	10161	8353	RH-2	40	form-based			true	0.7	7	0.875	5	5	9483.599609	7675.599609	7675.599609	0.933333
1529	040	2917	0.07	1808	1	65	100	3	7	6	8751	6943	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8167.600098	6359.600098	6359.600098	0.933333
1529	049	948	0.02	945	0	65	100	3	2	2	2844	1899	NCD-GEAR	85	form-based			true	0.75	5	2.5	5	4	5688	4743	4743	2
1530	009	2964	0.07	2400	1	65	100	3	7	6	8892	6492	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8299.200195	5899.200195	5899.200195	0.933333
1530	009A	2964	0.07	2610	1	65	100	3	7	6	8892	6282	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8299.200195	5689.200195	5689.200195	0.933333
1530	009F	3557	0.08	3320	2	65	100	3	8	6	10671	7351	RH-2	40	form-based			true	0.7	7	0.875	5	5	9959.599609	6639.599609	6639.599609	0.933333
1530	014	2629	0.06	2837	1	65	100	3	6	5	7887	5050	RM-1	40	form-based			true	0.7	6	1	5	5	7361.199707	4524.199707	4524.199707	0.933333
1530	014A	2629	0.06	2190	1	65	100	3	6	5	7887	5697	RM-1	40	form-based			true	0.7	6	1	5	5	7361.199707	5171.199707	5171.199707	0.933333
1530	015	2637	0.06	4320	1	65	100	3	6	5	7911	3591	RM-1	40	form-based	true		true	0.7	6	1	5	5	7383.600098	3063.600098	3063.600098	0.933333
1530	016	2896	0.07	2260	1	65	100	3	7	6	8688	6428	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8108.799805	5848.799805	5848.799805	0.933333
1530	017	2847	0.07	2514	1	65	100	3	7	6	8541	6027	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7971.600098	5457.600098	5457.600098	0.933333
1530	017A	2847	0.07	2460	1	65	100	3	7	6	8541	6081	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7971.600098	5511.600098	5511.600098	0.933333
1530	019	2805	0.06	2160	1	65	100	3	6	5	8415	6255	RH-2	40	form-based			true	0.7	6	1	5	5	7854	5694	5694	0.933333
1530	020	2817	0.06	2359	1	65	100	3	6	5	8451	6092	RH-2	40	form-based			true	0.7	6	1	5	5	7887.600098	5528.600098	5528.600098	0.933333
1530	024	2641	0.06	625	1	65	100	3	6	5	7923	7298	RH-2	40	form-based			true	0.7	6	1	5	5	7394.799805	6769.799805	6769.799805	0.933333
1532	009	3000	0.07	2098	1	65	100	3	7	6	9000	6902	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6302	6302	0.933333
1532	010	3000	0.07	2098	1	65	100	3	7	6	9000	6902	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6302	6302	0.933333
1532	011	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
1532	012	3000	0.07	2425	1	65	100	3	7	6	9000	6575	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5975	5975	0.933333
1532	013	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
1532	023	4491	0.1	5150	4	65	100	3	10	6	13473	8323	RH-2	40	form-based			true	0.7	9	0.899999976	5	5	12574.7998	7424.799805	7424.799805	0.933333
1532	025	4467	0.1	5150	4	65	100	3	10	6	13401	8251	RH-2	40	form-based			true	0.7	9	0.899999976	5	5	12507.59961	7357.599609	7357.599609	0.933333
1533	009	2979	0.07	2800	1	65	100	3	7	6	8937	6137	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	5541.200195	5541.200195	0.933333
1533	016	2979	0.07	1050	1	65	100	3	7	6	8937	7887	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	7291.200195	7291.200195	0.933333
1533	017	2979	0.07	2422	1	65	100	3	7	6	8937	6515	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	5919.200195	5919.200195	0.933333
1533	037	3039	0.07	2906	1	65	100	3	7	6	9117	6211	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	5603.200195	5603.200195	0.933333
1534	003	3000	0.07	4527	1	65	100	3	7	6	9000	4473	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	3873	3873	0.933333
1534	004	3000	0.07	2272	1	65	100	3	7	6	9000	6728	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6128	6128	0.933333
1534	005	3000	0.07	2815	1	65	100	3	7	6	9000	6185	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5585	5585	0.933333
1534	006	3000	0.07	2712	1	65	100	3	7	6	9000	6288	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5688	5688	0.933333
1534	007	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1534	010	3000	0.07	1468	1	65	100	3	7	6	9000	7532	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6932	6932	0.933333
1534	015	4500	0.1	5112	4	65	100	3	10	6	13500	8388	RH-2	40	form-based			true	0.7	9	0.899999976	5	5	12600	7488	7488	0.933333
1534	026	2982	0.07	1035	1	65	100	3	7	6	8946	7911	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7314.599609	7314.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1534	028	2982	0.07	1575	1	65	100	3	7	6	8946	7371	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6774.599609	6774.599609	0.933333
1534	031	2982	0.07	1655	1	65	100	3	7	6	8946	7291	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6694.599609	6694.599609	0.933333
1534	035	2982	0.07	3158	1	65	100	3	7	6	8946	5788	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	5191.599609	5191.599609	0.933333
1535	009	3011	0.07	1300	1	65	100	3	7	6	9033	7733	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	7130.799805	7130.799805	0.933333
1535	018	2521	0.06	4165	0	65	100	3	6	6	7563	3398	RM-1	40	form-based			true	0.7	5	0.833333313	5	5	7058.799805	2893.799805	2893.799805	0.933333
1535	022	2521	0.06	2930	0	65	100	3	6	6	7563	4633	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	7058.799805	4128.799805	4128.799805	0.933333
1535	030	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
1535	031	3000	0.07	1130	1	65	100	3	7	6	9000	7870	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7270	7270	0.933333
1535	032	3000	0.07	1130	1	65	100	3	7	6	9000	7870	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7270	7270	0.933333
1535	037	3000	0.07	2056	1	65	100	3	7	6	9000	6944	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6344	6344	0.933333
1536	013	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1536	022	2954	0.07	5175	1	65	100	3	7	6	8862	3687	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8271.200195	3096.200195	3096.200195	0.933333
1536	023	2954	0.07	1364	1	65	100	3	7	6	8862	7498	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8271.200195	6907.200195	6907.200195	0.933333
1536	024	2954	0.07	1364	1	65	100	3	7	6	8862	7498	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8271.200195	6907.200195	6907.200195	0.933333
1536	025	2954	0.07	2600	1	65	100	3	7	6	8862	6262	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8271.200195	5671.200195	5671.200195	0.933333
1536	025A	2954	0.07	2280	1	65	100	3	7	6	8862	6582	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8271.200195	5991.200195	5991.200195	0.933333
1537	004	2970	0.07	1820	1	65	100	3	7	6	8910	7090	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8316	6496	6496	0.933333
1537	030	3022	0.07	1600	1	65	100	3	7	6	9066	7466	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6861.599609	6861.599609	0.933333
1537	037	3022	0.07	2241	1	65	100	3	7	6	9066	6825	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6220.599609	6220.599609	0.933333
1538	002	3000	0.07	1500	1	85	140	4	10	9	12000	10500	RM-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6900	6900	0.7
1538	003	3000	0.07	1720	1	85	140	4	10	9	12000	10280	RM-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6680	6680	0.7
1538	012	3000	0.07	2300	1	65	100	3	7	6	9000	6700	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6100	6100	0.933333
1538	027	3014	0.07	2030	1	65	100	3	7	6	9042	7012	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6409.200195	6409.200195	0.933333
1538	028	3014	0.07	1674	1	65	100	3	7	6	9042	7368	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6765.200195	6765.200195	0.933333
1540	007	3000	0.07	2559	1	65	100	3	7	6	9000	6441	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8400	5841	5841	0.933333
1540	030	3033	0.07	1274	1	65	100	3	7	6	9099	7825	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	7218.399414	7218.399414	0.933333
1540	031	3033	0.07	1900	1	65	100	3	7	6	9099	7199	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	6592.399414	6592.399414	0.933333
1540	035	3033	0.07	1100	1	65	100	3	7	6	9099	7999	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	7392.399414	7392.399414	0.933333
1541	006	2977	0.07	3035	1	65	100	3	7	6	8931	5896	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	5300.599609	5300.599609	0.933333
1541	007	2977	0.07	2355	1	65	100	3	7	6	8931	6576	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	5980.599609	5980.599609	0.933333
1541	008	2977	0.07	2200	1	65	100	3	7	6	8931	6731	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6135.599609	6135.599609	0.933333
1541	015	2977	0.07	1295	1	65	100	3	7	6	8931	7636	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	7040.599609	7040.599609	0.933333
1541	016	2977	0.07	2002	1	65	100	3	7	6	8931	6929	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6333.599609	6333.599609	0.933333
1541	034	3026	0.07	1950	1	65	100	3	7	6	9078	7128	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6522.799805	6522.799805	0.933333
1541	038	3030	0.07	1900	1	65	100	3	7	6	9090	7190	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8484	6584	6584	0.933333
1541	039	3022	0.07	1900	1	65	100	3	7	6	9066	7166	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6561.599609	6561.599609	0.933333
1542	007	2965	0.07	1610	1	65	100	3	7	6	8895	7285	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8302	6692	6692	0.933333
1542	009	2967	0.07	1510	1	65	100	3	7	6	8901	7391	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6797.599609	6797.599609	0.933333
1542	010	2968	0.07	1630	1	65	100	3	7	6	8904	7274	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	6680.399414	6680.399414	0.933333
1542	011	2969	0.07	1860	1	65	100	3	7	6	8907	7047	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6453.200195	6453.200195	0.933333
1542	013	2970	0.07	1985	1	65	100	3	7	6	8910	6925	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8316	6331	6331	0.933333
1542	014	2971	0.07	1675	1	65	100	3	7	6	8913	7238	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	6643.799805	6643.799805	0.933333
1542	015	2972	0.07	1325	1	65	100	3	7	6	8916	7591	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8321.599609	6996.599609	6996.599609	0.933333
1542	016	2973	0.07	1050	1	65	100	3	7	6	8919	7869	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	7274.399414	7274.399414	0.933333
1542	017	2974	0.07	1450	1	65	100	3	7	6	8922	7472	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8327.200195	6877.200195	6877.200195	0.933333
1542	030	3041	0.07	1135	1	65	100	3	7	6	9123	7988	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	7379.799805	7379.799805	0.933333
1542	038	3832	0.09	4000	3	65	100	3	9	6	11496	7496	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10729.59961	6729.599609	6729.599609	0.933333
1543	031	3006	0.07	1780	1	65	100	3	7	6	9018	7238	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6636.799805	6636.799805	0.933333
1543	032	3007	0.07	2365	1	65	100	3	7	6	9021	6656	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6054.599609	6054.599609	0.933333
1543	034	3008	0.07	1578	1	65	100	3	7	6	9024	7446	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6844.399414	6844.399414	0.933333
1543	040	3013	0.07	1250	1	65	100	3	7	6	9039	7789	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7186.399414	7186.399414	0.933333
1544	014	2984	0.07	1514	1	65	100	3	7	6	8952	7438	RM-2	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	6841.200195	6841.200195	0.933333
1544	016	2984	0.07	1254	1	65	100	3	7	6	8952	7698	RM-2	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	7101.200195	7101.200195	0.933333
1544	024	2505	0.06	4448	4	65	100	3	6	2	7515	3067	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11272.5	6824.5	6824.5	1.5
1544	030	3004	0.07	1930	1	65	100	3	7	6	9012	7082	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6481.200195	6481.200195	0.933333
1544	032	3005	0.07	3192	1	65	100	3	7	6	9015	5823	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	5222	5222	0.933333
1544	033	3006	0.07	2820	1	65	100	3	7	6	9018	6198	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	5596.799805	5596.799805	0.933333
1544	035	3008	0.07	1295	1	65	100	3	7	6	9024	7729	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7127.399414	7127.399414	0.933333
1544	036	3009	0.07	2413	1	65	100	3	7	6	9027	6614	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	6012.200195	6012.200195	0.933333
1544	037	3009	0.07	1415	1	65	100	3	7	6	9027	7612	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7010.200195	7010.200195	0.933333
1544	039	3011	0.07	2120	1	65	100	3	7	6	9033	6913	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6310.799805	6310.799805	0.933333
1544	041	3013	0.07	1395	1	65	100	3	7	6	9039	7644	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7041.399414	7041.399414	0.933333
1544	043	3015	0.07	2333	1	65	100	3	7	6	9045	6712	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6109	6109	0.933333
1544	045	3016	0.07	1730	1	65	100	3	7	6	9048	7318	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	6714.799805	6714.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1544	046	3017	0.07	1080	1	65	100	3	7	6	9051	7971	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7367.599609	7367.599609	0.933333
1545	009	3001	0.07	1400	1	65	100	3	7	6	9003	7603	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7002.799805	7002.799805	0.933333
1545	010	3002	0.07	1445	1	65	100	3	7	6	9006	7561	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6960.599609	6960.599609	0.933333
1545	011	3003	0.07	1575	1	65	100	3	7	6	9009	7434	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6833.399414	6833.399414	0.933333
1545	012	3004	0.07	2020	1	65	100	3	7	6	9012	6992	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6391.200195	6391.200195	0.933333
1545	015	3006	0.07	2410	1	65	100	3	7	6	9018	6608	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6006.799805	6006.799805	0.933333
1545	018	3009	0.07	2734	1	65	100	3	7	6	9027	6293	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	5691.200195	5691.200195	0.933333
1545	019	3010	0.07	1365	1	65	100	3	7	6	9030	7665	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8428	7063	7063	0.933333
1545	037	3023	0.07	1750	1	65	100	3	7	6	9069	7319	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	6714.399414	6714.399414	0.933333
1545	040	3023	0.07	1877	1	65	100	3	7	6	9069	7192	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	6587.399414	6587.399414	0.933333
1545	042	3023	0.07	2242	1	65	100	3	7	6	9069	6827	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	6222.399414	6222.399414	0.933333
1546	011	3510	0.08	4134	2	65	100	3	8	6	10530	6396	RH-2	40	form-based			true	0.7	7	0.875	5	5	9828	5694	5694	0.933333
1546	022	3502	0.08	3050	2	65	100	3	8	6	10506	7456	RH-2	40	form-based			true	0.7	7	0.875	5	5	9805.599609	6755.599609	6755.599609	0.933333
1546	023	2937	0.07	2121	1	65	100	3	7	6	8811	6690	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6102.599609	6102.599609	0.933333
1546	024	2928	0.07	1720	1	65	100	3	7	6	8784	7064	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8198.399414	6478.399414	6478.399414	0.933333
1546	025	2918	0.07	1680	1	65	100	3	7	6	8754	7074	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8170.399902	6490.399902	6490.399902	0.933333
1546	026	2918	0.07	1790	1	65	100	3	7	6	8754	6964	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8170.399902	6380.399902	6380.399902	0.933333
1546	027	2918	0.07	1882	1	65	100	3	7	6	8754	6872	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8170.399902	6288.399902	6288.399902	0.933333
1546	029	2660	0.06	2710	1	65	100	3	6	5	7980	5270	RH-2	40	form-based			true	0.7	6	1	5	5	7448	4738	4738	0.933333
1546	031	2840	0.07	1654	1	65	100	3	7	6	8520	6866	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7952	6298	6298	0.933333
1546	033	2900	0.07	1825	1	65	100	3	7	6	8700	6875	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8120	6295	6295	0.933333
1547	006	2997	0.07	1830	1	65	100	3	7	6	8991	7161	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6561.599609	6561.599609	0.933333
1547	007	2997	0.07	1330	1	65	100	3	7	6	8991	7661	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	7061.599609	7061.599609	0.933333
1547	010	2997	0.07	2075	1	65	100	3	7	6	8991	6916	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6316.599609	6316.599609	0.933333
1547	012	2997	0.07	1897	1	65	100	3	7	6	8991	7094	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6494.599609	6494.599609	0.933333
1547	013	2997	0.07	2100	1	65	100	3	7	6	8991	6891	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6291.599609	6291.599609	0.933333
1547	014	2997	0.07	1820	1	65	100	3	7	6	8991	7171	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6571.599609	6571.599609	0.933333
1547	015	2997	0.07	1850	1	65	100	3	7	6	8991	7141	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6541.599609	6541.599609	0.933333
1547	018	2997	0.07	1845	1	65	100	3	7	6	8991	7146	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6546.599609	6546.599609	0.933333
1547	019	2997	0.07	1975	1	65	100	3	7	6	8991	7016	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6416.599609	6416.599609	0.933333
1547	025	2510	0.06	3975	4	65	100	3	6	2	7530	3555	NCD-INNE	65	form-based			true	0.75	9	1.5	5	5	11295	7320	7320	1.5
1547	031	3603	0.08	3527	3	65	100	3	8	5	10809	7282	RH-3	40	form-based			true	0.7	8	1	5	5	10088.39941	6561.399414	6561.399414	0.933333
1547	035	3612	0.08	4449	3	65	100	3	8	5	10836	6387	RH-3	40	form-based			true	0.7	8	1	5	5	10113.59961	5664.599609	5664.599609	0.933333
1547	045	3025	0.07	2045	1	65	100	3	7	6	9075	7030	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8470	6425	6425	0.933333
1547	052	3610	0.08	1163	3	65	100	3	8	5	10830	9667	RH-3	40	form-based			true	0.7	8	1	5	5	10108	8945	8945	0.933333
1548	013	2987	0.07	1680	1	65	100	3	7	6	8961	7281	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6683.599609	6683.599609	0.933333
1548	018	2995	0.07	2500	1	65	100	3	7	6	8985	6485	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8386	5886	5886	0.933333
1548	032	3009	0.07	2000	1	65	100	3	7	6	9027	7027	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	6425.200195	6425.200195	0.933333
1548	061	3611	0.08	1505	3	65	100	3	8	5	10833	9328	RH-3	40	form-based			true	0.7	8	1	5	5	10110.7998	8605.799805	8605.799805	0.933333
1549	012	2985	0.07	2010	1	65	100	3	7	6	8955	6945	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8358	6348	6348	0.933333
1549	013	2985	0.07	1820	1	65	100	3	7	6	8955	7135	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8358	6538	6538	0.933333
1549	016	2985	0.07	2750	1	65	100	3	7	6	8955	6205	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8358	5608	5608	0.933333
1549	025	1888	0.04	1980	2	65	100	3	4	2	5664	3684	NCD-INNE	65	form-based			true	0.75	7	1.75	5	5	8496	6516	6516	1.5
1549	029	3030	0.07	2831	1	65	100	3	7	6	9090	6259	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8484	5653	5653	0.933333
1549	030	3030	0.07	2065	1	65	100	3	7	6	9090	7025	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8484	6419	6419	0.933333
1549	035	3030	0.07	1815	1	65	100	3	7	6	9090	7275	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8484	6669	6669	0.933333
1549	038	3030	0.07	1888	1	65	100	3	7	6	9090	7202	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8484	6596	6596	0.933333
1549	039	3030	0.07	2496	1	65	100	3	7	6	9090	6594	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8484	5988	5988	0.933333
1549	042	3030	0.07	2605	1	65	100	3	7	6	9090	6485	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8484	5879	5879	0.933333
1549	071	2513	0.06	1457	4	65	100	3	6	2	7539	6082	NCD-INNE	65	form-based			true	0.75	9	1.5	5	5	11308.5	9851.5	9851.5	1.5
1550	009	2970	0.07	1900	1	65	100	3	7	6	8910	7010	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8316	6416	6416	0.933333
1550	010	2970	0.07	1900	1	65	100	3	7	6	8910	7010	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8316	6416	6416	0.933333
1550	011	2970	0.07	1933	1	65	100	3	7	6	8910	6977	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8316	6383	6383	0.933333
1550	012	2970	0.07	3120	1	65	100	3	7	6	8910	5790	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8316	5196	5196	0.933333
1550	034	3024	0.07	2809	1	65	100	3	7	6	9072	6263	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	5658.200195	5658.200195	0.933333
1550	041	3024	0.07	1000	1	65	100	3	7	6	9072	8072	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	7467.200195	7467.200195	0.933333
1550	044	3024	0.07	1630	1	65	100	3	7	6	9072	7442	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	6837.200195	6837.200195	0.933333
1551	002	2625	0.06	2586	1	65	100	3	6	5	7875	5289	RH-2	40	form-based			true	0.7	6	1	5	5	7350	4764	4764	0.933333
1551	003	3000	0.07	2930	1	65	100	3	7	6	9000	6070	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5470	5470	0.933333
1551	004	3000	0.07	1525	1	65	100	3	7	6	9000	7475	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6875	6875	0.933333
1551	005	3000	0.07	1525	1	65	100	3	7	6	9000	7475	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6875	6875	0.933333
1551	006	3000	0.07	1485	1	65	100	3	7	6	9000	7515	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6915	6915	0.933333
1551	011	3000	0.07	1463	1	65	100	3	7	6	9000	7537	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6937	6937	0.933333
1551	012	3000	0.07	1485	1	65	100	3	7	6	9000	7515	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6915	6915	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1551	013	3000	0.07	2290	1	65	100	3	7	6	9000	6710	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6110	6110	0.933333
1551	016	3000	0.07	1850	1	65	100	3	7	6	9000	7150	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6550	6550	0.933333
1551	017	3000	0.07	3150	1	65	100	3	7	6	9000	5850	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5250	5250	0.933333
1551	030	2958	0.07	1532	1	65	100	3	7	6	8874	7342	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	6750.399414	6750.399414	0.933333
1551	031	2958	0.07	2451	1	65	100	3	7	6	8874	6423	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	5831.399414	5831.399414	0.933333
1551	032	2958	0.07	1640	1	65	100	3	7	6	8874	7234	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	6642.399414	6642.399414	0.933333
1551	033	2958	0.07	2060	1	65	100	3	7	6	8874	6814	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	6222.399414	6222.399414	0.933333
1551	034	2958	0.07	2233	1	65	100	3	7	6	8874	6641	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	6049.399414	6049.399414	0.933333
1551	035	2958	0.07	1950	1	65	100	3	7	6	8874	6924	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	6332.399414	6332.399414	0.933333
1551	036	2958	0.07	1910	1	65	100	3	7	6	8874	6964	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	6372.399414	6372.399414	0.933333
1551	037	2958	0.07	2092	1	65	100	3	7	6	8874	6782	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	6190.399414	6190.399414	0.933333
1551	038	2958	0.07	2240	1	65	100	3	7	6	8874	6634	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	6042.399414	6042.399414	0.933333
1551	039	2958	0.07	1776	1	65	100	3	7	6	8874	7098	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	6506.399414	6506.399414	0.933333
1551	040	2958	0.07	1599	1	65	100	3	7	6	8874	7275	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	6683.399414	6683.399414	0.933333
1551	041	2958	0.07	3388	1	65	100	3	7	6	8874	5486	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	4894.399414	4894.399414	0.933333
1551	042	2958	0.07	1654	1	65	100	3	7	6	8874	7220	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	6628.399414	6628.399414	0.933333
1551	043	2958	0.07	3228	1	65	100	3	7	6	8874	5646	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	5054.399414	5054.399414	0.933333
1551	044	2958	0.07	1609	1	65	100	3	7	6	8874	7265	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	6673.399414	6673.399414	0.933333
1551	045	2958	0.07	2000	1	65	100	3	7	6	8874	6874	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	6282.399414	6282.399414	0.933333
1552	005	2977	0.07	1696	1	65	100	3	7	6	8931	7235	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6639.599609	6639.599609	0.933333
1552	006	2977	0.07	2250	1	65	100	3	7	6	8931	6681	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6085.599609	6085.599609	0.933333
1552	007	2977	0.07	1825	1	65	100	3	7	6	8931	7106	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6510.599609	6510.599609	0.933333
1552	008	2977	0.07	1875	1	65	100	3	7	6	8931	7056	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6460.599609	6460.599609	0.933333
1552	009	2977	0.07	2250	1	65	100	3	7	6	8931	6681	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6085.599609	6085.599609	0.933333
1552	010	2977	0.07	2415	1	65	100	3	7	6	8931	6516	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	5920.599609	5920.599609	0.933333
1552	012	2977	0.07	2090	1	65	100	3	7	6	8931	6841	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6245.599609	6245.599609	0.933333
1552	013	2977	0.07	1870	1	65	100	3	7	6	8931	7061	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6465.599609	6465.599609	0.933333
1552	014	2977	0.07	2220	1	65	100	3	7	6	8931	6711	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6115.599609	6115.599609	0.933333
1552	015	2977	0.07	2685	1	65	100	3	7	6	8931	6246	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	5650.599609	5650.599609	0.933333
1552	016	2977	0.07	1860	1	65	100	3	7	6	8931	7071	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6475.599609	6475.599609	0.933333
1552	017	2977	0.07	2614	1	65	100	3	7	6	8931	6317	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	5721.599609	5721.599609	0.933333
1552	018	2977	0.07	2207	1	65	100	3	7	6	8931	6724	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6128.599609	6128.599609	0.933333
1552	019	2977	0.07	2250	1	65	100	3	7	6	8931	6681	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6085.599609	6085.599609	0.933333
1552	020	2977	0.07	3131	1	65	100	3	7	6	8931	5800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	5204.599609	5204.599609	0.933333
1552	043	2949	0.07	3690	1	65	100	3	7	6	8847	5157	RH-1(D)	40	form-based	true		true	0.7	6	0.857142866	5	5	8257.200195	4567.200195	4567.200195	0.933333
1553	002	2688	0.06	2530	1	65	100	3	6	5	8064	5534	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7526.399902	4996.399902	4996.399902	0.933333
1553	026	2982	0.07	2000	1	65	100	3	7	6	8946	6946	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6349.599609	6349.599609	0.933333
1553	027	2982	0.07	1675	1	65	100	3	7	6	8946	7271	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6674.599609	6674.599609	0.933333
1553	028	2982	0.07	3352	1	65	100	3	7	6	8946	5594	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	4997.599609	4997.599609	0.933333
1553	030	2982	0.07	2200	1	65	100	3	7	6	8946	6746	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6149.599609	6149.599609	0.933333
1553	031	2982	0.07	2590	1	65	100	3	7	6	8946	6356	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	5759.599609	5759.599609	0.933333
1553	032	2982	0.07	2345	1	65	100	3	7	6	8946	6601	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6004.599609	6004.599609	0.933333
1553	033	3006	0.07	2200	1	65	100	3	7	6	9018	6818	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6216.799805	6216.799805	0.933333
1553	034	2982	0.07	2570	1	65	100	3	7	6	8946	6376	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	5779.599609	5779.599609	0.933333
1553	035	2982	0.07	2240	1	65	100	3	7	6	8946	6706	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6109.599609	6109.599609	0.933333
1553	037	3006	0.07	2370	1	65	100	3	7	6	9018	6648	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6046.799805	6046.799805	0.933333
1553	038	2982	0.07	2270	1	65	100	3	7	6	8946	6676	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6079.599609	6079.599609	0.933333
1553	039	2982	0.07	2771	1	65	100	3	7	6	8946	6175	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	5578.599609	5578.599609	0.933333
1553	040	2982	0.07	1780	1	65	100	3	7	6	8946	7166	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6569.599609	6569.599609	0.933333
1554	004	3021	0.07	2050	1	65	100	3	7	6	9063	7013	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6408.799805	6408.799805	0.933333
1554	005	3021	0.07	2735	1	65	100	3	7	6	9063	6328	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5723.799805	5723.799805	0.933333
1554	006	3021	0.07	2560	1	65	100	3	7	6	9063	6503	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5898.799805	5898.799805	0.933333
1554	007	3021	0.07	2800	1	65	100	3	7	6	9063	6263	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5658.799805	5658.799805	0.933333
1554	007A	3021	0.07	2496	1	65	100	3	7	6	9063	6567	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5962.799805	5962.799805	0.933333
1554	007B	3021	0.07	2800	1	65	100	3	7	6	9063	6263	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5658.799805	5658.799805	0.933333
1554	007C	3021	0.07	3037	1	65	100	3	7	6	9063	6026	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5421.799805	5421.799805	0.933333
1554	007D	3021	0.07	2150	1	65	100	3	7	6	9063	6913	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6308.799805	6308.799805	0.933333
1554	007E	3021	0.07	3341	1	65	100	3	7	6	9063	5722	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5117.799805	5117.799805	0.933333
1554	007F	3021	0.07	2730	1	65	100	3	7	6	9063	6333	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5728.799805	5728.799805	0.933333
1554	007G	3021	0.07	3066	1	65	100	3	7	6	9063	5997	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5392.799805	5392.799805	0.933333
1554	007H	3021	0.07	2900	1	65	100	3	7	6	9063	6163	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5558.799805	5558.799805	0.933333
1554	007I	3021	0.07	3000	1	65	100	3	7	6	9063	6063	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5458.799805	5458.799805	0.933333
1554	007J	3021	0.07	3331	1	65	100	3	7	6	9063	5732	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5127.799805	5127.799805	0.933333
1554	008	3021	0.07	2000	1	65	100	3	7	6	9063	7063	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6458.799805	6458.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1554	015A	3000	0.07	2560	1	65	100	3	7	6	9000	6440	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5840	5840	0.933333
1554	015B	3000	0.07	2500	1	65	100	3	7	6	9000	6500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5900	5900	0.933333
1554	015C	3000	0.07	2300	1	65	100	3	7	6	9000	6700	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6100	6100	0.933333
1554	015D	3000	0.07	2300	1	65	100	3	7	6	9000	6700	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6100	6100	0.933333
1554	015E	3000	0.07	2300	1	65	100	3	7	6	9000	6700	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6100	6100	0.933333
1554	015F	3000	0.07	3375	1	65	100	3	7	6	9000	5625	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5025	5025	0.933333
1554	015G	2462	0.06	4160	4	65	100	3	6	2	7386	3226	RTO-C	65	form-based		true	true	0.75	9	1.5	5	5	11079	6919	6919	1.5
1554	016	3000	0.07	2625	1	65	100	3	7	6	9000	6375	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5775	5775	0.933333
1554	017	3000	0.07	2045	1	65	100	3	7	6	9000	6955	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6355	6355	0.933333
1554	018	3000	0.07	2000	1	65	100	3	7	6	9000	7000	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6400	6400	0.933333
1554	019	3000	0.07	1780	1	65	100	3	7	6	9000	7220	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6620	6620	0.933333
1554	020	3000	0.07	2160	1	65	100	3	7	6	9000	6840	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6240	6240	0.933333
1554	021	3000	0.07	2200	1	65	100	3	7	6	9000	6800	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6200	6200	0.933333
1554	022	3000	0.07	2200	1	65	100	3	7	6	9000	6800	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6200	6200	0.933333
1554	023	3000	0.07	2240	1	65	100	3	7	6	9000	6760	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6160	6160	0.933333
1554	024	3000	0.07	2140	1	65	100	3	7	6	9000	6860	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6260	6260	0.933333
1554	025	3000	0.07	2120	1	65	100	3	7	6	9000	6880	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6280	6280	0.933333
1555	005	2986	0.07	2770	1	65	100	3	7	6	8958	6188	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	5590.799805	5590.799805	0.933333
1555	006	2986	0.07	3090	1	65	100	3	7	6	8958	5868	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	5270.799805	5270.799805	0.933333
1555	007	2986	0.07	2200	1	65	100	3	7	6	8958	6758	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	6160.799805	6160.799805	0.933333
1555	008	2986	0.07	2821	1	65	100	3	7	6	8958	6137	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	5539.799805	5539.799805	0.933333
1555	009	2986	0.07	2050	1	65	100	3	7	6	8958	6908	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	6310.799805	6310.799805	0.933333
1555	010	2986	0.07	3350	1	65	100	3	7	6	8958	5608	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	5010.799805	5010.799805	0.933333
1555	011	2986	0.07	3350	1	65	100	3	7	6	8958	5608	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	5010.799805	5010.799805	0.933333
1555	013	2986	0.07	2200	1	65	100	3	7	6	8958	6758	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	6160.799805	6160.799805	0.933333
1555	015	2986	0.07	2000	1	65	100	3	7	6	8958	6958	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	6360.799805	6360.799805	0.933333
1555	016	2986	0.07	1750	1	65	100	3	7	6	8958	7208	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	6610.799805	6610.799805	0.933333
1555	018	2986	0.07	1824	1	65	100	3	7	6	8958	7134	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	6536.799805	6536.799805	0.933333
1555	031	2642	0.06	2203	1	65	100	3	6	5	7926	5723	RH-2	40	form-based			true	0.7	6	1	5	5	7397.600098	5194.600098	5194.600098	0.933333
1555	032	3000	0.07	2880	1	65	100	3	7	6	9000	6120	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5520	5520	0.933333
1555	033	3000	0.07	3953	1	65	100	3	7	6	9000	5047	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4447	4447	0.933333
1555	034	3000	0.07	2729	1	65	100	3	7	6	9000	6271	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5671	5671	0.933333
1555	035	3000	0.07	3099	1	65	100	3	7	6	9000	5901	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5301	5301	0.933333
1555	041	3000	0.07	3275	1	65	100	3	7	6	9000	5725	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5125	5125	0.933333
1555	042	3000	0.07	2713	1	65	100	3	7	6	9000	6287	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5687	5687	0.933333
1555	043	3000	0.07	2835	1	65	100	3	7	6	9000	6165	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5565	5565	0.933333
1555	044	3000	0.07	2989	1	65	100	3	7	6	9000	6011	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5411	5411	0.933333
1555	048	2976	0.07	3259	1	65	100	3	7	6	8928	5669	RH-2	40	form-based		true	true	0.7	6	0.857142866	5	5	8332.799805	5073.799805	5073.799805	0.933333
1555	049	2975	0.07	2050	1	65	100	3	7	6	8925	6875	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	6280	6280	0.933333
1557	006A	3410	0.08	3470	2	65	100	3	8	6	10230	6760	RH-2	40	form-based			true	0.7	7	0.875	5	5	9548	6078	6078	0.933333
1557	007	3410	0.08	3470	2	65	100	3	8	6	10230	6760	RH-2	40	form-based			true	0.7	7	0.875	5	5	9548	6078	6078	0.933333
1557	009	3410	0.08	3470	2	65	100	3	8	6	10230	6760	RH-2	40	form-based			true	0.7	7	0.875	5	5	9548	6078	6078	0.933333
1557	010	3371	0.08	3470	2	65	100	3	8	6	10113	6643	RH-2	40	form-based			true	0.7	7	0.875	5	5	9438.799805	5968.799805	5968.799805	0.933333
1557	024	2845	0.07	2200	1	65	100	3	7	6	8535	6335	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	5766	5766	0.933333
1557	027	2845	0.07	2000	1	65	100	3	7	6	8535	6535	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	5966	5966	0.933333
1557	030A	3090	0.07	3108	1	65	100	3	7	6	9270	6162	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8652	5544	5544	0.933333
1557	031	3090	0.07	2240	1	65	100	3	7	6	9270	7030	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8652	6412	6412	0.933333
1557	033	3113	0.07	3840	2	65	100	3	7	5	9339	5499	RH-2	40	form-based			true	0.7	7	1	5	5	8716.399414	4876.399414	4876.399414	0.933333
1557	038	3121	0.07	3600	2	65	100	3	7	5	9363	5763	RM-1	40	form-based			true	0.7	7	1	5	5	8738.799805	5138.799805	5138.799805	0.933333
1557	039	3274	0.08	1725	2	65	100	3	8	6	9822	8097	RH-2	40	form-based			true	0.7	7	0.875	5	5	9167.200195	7442.200195	7442.200195	0.933333
1557	041	3215	0.07	1768	2	65	100	3	7	5	9645	7877	RH-2	40	form-based			true	0.7	7	1	5	5	9002	7234	7234	0.933333
1557	043	3128	0.07	1623	2	65	100	3	7	5	9384	7761	RH-2	40	form-based			true	0.7	7	1	5	5	8758.399414	7135.399414	7135.399414	0.933333
1557	045	2830	0.06	438	6	65	100	3	6	0	8490	8052	RTO-C	65	form-based			true	0.75	11	1.833333373	5	5	12735	12297	12297	1.5
1557	057	3410	0.08	1478	2	65	100	3	8	6	10230	8752	RH-2	40	form-based			true	0.7	7	0.875	5	5	9548	8070	8070	0.933333
1558	014	3191	0.07	3660	2	65	100	3	7	5	9573	5913	RH-2	40	form-based			true	0.7	7	1	5	5	8934.799805	5274.799805	5274.799805	0.933333
1558	015	3191	0.07	2550	2	65	100	3	7	5	9573	7023	RH-2	40	form-based			true	0.7	7	1	5	5	8934.799805	6384.799805	6384.799805	0.933333
1558	016	3191	0.07	3700	2	65	100	3	7	5	9573	5873	RH-2	40	form-based			true	0.7	7	1	5	5	8934.799805	5234.799805	5234.799805	0.933333
1558	020	1811	0.04	3176	2	55	80	2.5	3	1	4528	1352	RTO-C	65	form-based		true	true	0.75	7	2.333333254	5	4	8149.5	4973.5	4973.5	1.799801
1558	025	3187	0.07	3210	2	65	100	3	7	5	9561	6351	RH-2	40	form-based			true	0.7	7	1	5	5	8923.599609	5713.599609	5713.599609	0.933333
1558	029	3188	0.07	3388	2	65	100	3	7	5	9564	6176	RH-2	40	form-based			true	0.7	7	1	5	5	8926.399414	5538.399414	5538.399414	0.933333
1558	030	3187	0.07	3340	2	65	100	3	7	5	9561	6221	RH-2	40	form-based			true	0.7	7	1	5	5	8923.599609	5583.599609	5583.599609	0.933333
1558	032	3187	0.07	3520	2	65	100	3	7	5	9561	6041	RH-2	40	form-based			true	0.7	7	1	5	5	8923.599609	5403.599609	5403.599609	0.933333
1558	048	3188	0.07	1437	2	65	100	3	7	5	9564	8127	RH-2	40	form-based			true	0.7	7	1	5	5	8926.399414	7489.399414	7489.399414	0.933333
1559	005	2925	0.07	1500	1	65	100	3	7	6	8775	7275	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8190	6690	6690	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1559	007	3000	0.07	2150	1	65	100	3	7	6	9000	6850	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6250	6250	0.933333
1559	010	3000	0.07	1970	1	65	100	3	7	6	9000	7030	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6430	6430	0.933333
1559	015	3000	0.07	2310	1	65	100	3	7	6	9000	6690	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6090	6090	0.933333
1559	016	3000	0.07	2812	1	65	100	3	7	6	9000	6188	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5588	5588	0.933333
1559	017	3000	0.07	2112	1	65	100	3	7	6	9000	6888	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6288	6288	0.933333
1559	017A	3000	0.07	2208	1	65	100	3	7	6	9000	6792	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6192	6192	0.933333
1559	018	3000	0.07	2000	1	65	100	3	7	6	9000	7000	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6400	6400	0.933333
1559	024	3001	0.07	1990	1	65	100	3	7	6	9003	7013	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6412.799805	6412.799805	0.933333
1559	025	3001	0.07	1990	1	65	100	3	7	6	9003	7013	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6412.799805	6412.799805	0.933333
1559	028	3001	0.07	2598	1	65	100	3	7	6	9003	6405	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	5804.799805	5804.799805	0.933333
1559	029A	3001	0.07	1990	1	65	100	3	7	6	9003	7013	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6412.799805	6412.799805	0.933333
1559	031A	3001	0.07	2812	1	65	100	3	7	6	9003	6191	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	5590.799805	5590.799805	0.933333
1559	032	3001	0.07	1555	1	65	100	3	7	6	9003	7448	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6847.799805	6847.799805	0.933333
1559	033	3001	0.07	1735	1	65	100	3	7	6	9003	7268	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6667.799805	6667.799805	0.933333
1559	034	2881	0.07	2770	1	65	100	3	7	6	8643	5873	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8066.799805	5296.799805	5296.799805	0.933333
1559	036	3058	0.07	2090	1	65	100	3	7	6	9174	7084	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8562.399414	6472.399414	6472.399414	0.933333
1559	037	3076	0.07	1710	1	65	100	3	7	6	9228	7518	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8612.799805	6902.799805	6902.799805	0.933333
1560	006	2975	0.07	2367	1	65	100	3	7	6	8925	6558	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	5963	5963	0.933333
1560	007	2975	0.07	1805	1	65	100	3	7	6	8925	7120	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	6525	6525	0.933333
1560	008	2975	0.07	1900	1	65	100	3	7	6	8925	7025	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	6430	6430	0.933333
1560	009	2975	0.07	1900	1	65	100	3	7	6	8925	7025	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	6430	6430	0.933333
1560	018	2975	0.07	2090	1	65	100	3	7	6	8925	6835	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	6240	6240	0.933333
1560	021	2459	0.06	3263	4	65	100	3	6	2	7377	4114	NC-1	65	form-based			true	0.75	9	1.5	5	5	11065.5	7802.5	7802.5	1.5
1560	027	3038	0.07	2674	1	65	100	3	7	6	9114	6440	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	5832.399414	5832.399414	0.933333
1560	029	3038	0.07	2210	1	65	100	3	7	6	9114	6904	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6296.399414	6296.399414	0.933333
1560	030	3038	0.07	2190	1	65	100	3	7	6	9114	6924	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6316.399414	6316.399414	0.933333
1560	031	3038	0.07	1800	1	65	100	3	7	6	9114	7314	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6706.399414	6706.399414	0.933333
1560	032	3038	0.07	2300	1	65	100	3	7	6	9114	6814	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6206.399414	6206.399414	0.933333
1560	033	3038	0.07	2015	1	65	100	3	7	6	9114	7099	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6491.399414	6491.399414	0.933333
1560	034	3038	0.07	3637	1	65	100	3	7	6	9114	5477	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	4869.399414	4869.399414	0.933333
1560	035	3038	0.07	2150	1	65	100	3	7	6	9114	6964	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6356.399414	6356.399414	0.933333
1560	036	3038	0.07	2010	1	65	100	3	7	6	9114	7104	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6496.399414	6496.399414	0.933333
1560	038	3038	0.07	1980	1	65	100	3	7	6	9114	7134	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6526.399414	6526.399414	0.933333
1560	039	3038	0.07	2697	1	65	100	3	7	6	9114	6417	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	5809.399414	5809.399414	0.933333
1560	040	3038	0.07	1650	1	65	100	3	7	6	9114	7464	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6856.399414	6856.399414	0.933333
1560	041	3038	0.07	1960	1	65	100	3	7	6	9114	7154	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6546.399414	6546.399414	0.933333
1560	042	3038	0.07	2000	1	65	100	3	7	6	9114	7114	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6506.399414	6506.399414	0.933333
1561	005	2952	0.07	2050	1	65	100	3	7	6	8856	6806	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6215.599609	6215.599609	0.933333
1561	007	2952	0.07	1900	1	65	100	3	7	6	8856	6956	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6365.599609	6365.599609	0.933333
1561	008	2952	0.07	2031	1	65	100	3	7	6	8856	6825	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6234.599609	6234.599609	0.933333
1561	009	2952	0.07	2050	1	65	100	3	7	6	8856	6806	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6215.599609	6215.599609	0.933333
1561	010	2952	0.07	2194	1	65	100	3	7	6	8856	6662	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6071.599609	6071.599609	0.933333
1561	010A	2952	0.07	2110	1	65	100	3	7	6	8856	6746	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6155.599609	6155.599609	0.933333
1561	011	2952	0.07	2110	1	65	100	3	7	6	8856	6746	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6155.599609	6155.599609	0.933333
1561	015	2952	0.07	3446	1	65	100	3	7	6	8856	5410	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	4819.599609	4819.599609	0.933333
1561	016	2952	0.07	3041	1	65	100	3	7	6	8856	5815	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	5224.599609	5224.599609	0.933333
1561	017C	1884	0.04	3170	2	55	80	2.5	3	1	4710	1540	RTO-C	65	form-based	true		true	0.75	7	2.333333254	5	4	8478	5308	5308	1.8
1561	021	2062	0.05	2125	3	55	80	2.5	4	1	5155	3030	RTO-C	65	form-based			true	0.75	8	2	5	5	9279	7154	7154	1.8
1561	023	3000	0.07	2705	1	65	100	3	7	6	9000	6295	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5695	5695	0.933333
1561	024	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
1561	025	3000	0.07	2010	1	65	100	3	7	6	9000	6990	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6390	6390	0.933333
1561	026	3000	0.07	1922	1	65	100	3	7	6	9000	7078	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6478	6478	0.933333
1561	027	3000	0.07	2010	1	65	100	3	7	6	9000	6990	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6390	6390	0.933333
1561	029	3000	0.07	2704	1	65	100	3	7	6	9000	6296	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5696	5696	0.933333
1561	030	3000	0.07	3141	1	65	100	3	7	6	9000	5859	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5259	5259	0.933333
1561	033	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
1561	035	3000	0.07	2070	1	65	100	3	7	6	9000	6930	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6330	6330	0.933333
1561	036	3000	0.07	2150	1	65	100	3	7	6	9000	6850	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6250	6250	0.933333
1561	037	3000	0.07	3450	1	65	100	3	7	6	9000	5550	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4950	4950	0.933333
1562	006	3000	0.07	1970	1	65	100	3	7	6	9000	7030	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6430	6430	0.933333
1562	006A	3000	0.07	2284	1	65	100	3	7	6	9000	6716	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6116	6116	0.933333
1562	011	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
1562	012	3000	0.07	1330	1	65	100	3	7	6	9000	7670	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7070	7070	0.933333
1562	013	3000	0.07	2576	1	65	100	3	7	6	9000	6424	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5824	5824	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1562	014	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
1562	015	3000	0.07	1955	1	65	100	3	7	6	9000	7045	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6445	6445	0.933333
1562	016	3000	0.07	1840	1	65	100	3	7	6	9000	7160	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6560	6560	0.933333
1562	017	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1562	017A	3000	0.07	1840	1	65	100	3	7	6	9000	7160	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6560	6560	0.933333
1562	026	3037	0.07	1375	1	65	100	3	7	6	9111	7736	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	7128.599609	7128.599609	0.933333
1562	026A	3037	0.07	1350	1	65	100	3	7	6	9111	7761	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	7153.599609	7153.599609	0.933333
1562	027	3037	0.07	1950	1	65	100	3	7	6	9111	7161	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	6553.599609	6553.599609	0.933333
1562	034	3037	0.07	1100	1	65	100	3	7	6	9111	8011	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	7403.599609	7403.599609	0.933333
1562	037	3037	0.07	1475	1	65	100	3	7	6	9111	7636	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	7028.599609	7028.599609	0.933333
1562	038	3037	0.07	2043	1	65	100	3	7	6	9111	7068	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	6460.599609	6460.599609	0.933333
1563	004	2971	0.07	1900	1	65	100	3	7	6	8913	7013	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	6418.799805	6418.799805	0.933333
1563	005	2971	0.07	2050	1	65	100	3	7	6	8913	6863	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	6268.799805	6268.799805	0.933333
1563	006	2971	0.07	1950	1	65	100	3	7	6	8913	6963	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	6368.799805	6368.799805	0.933333
1563	006A	2971	0.07	2304	1	65	100	3	7	6	8913	6609	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	6014.799805	6014.799805	0.933333
1563	007	2971	0.07	2666	1	65	100	3	7	6	8913	6247	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	5652.799805	5652.799805	0.933333
1563	007A	2971	0.07	2570	1	65	100	3	7	6	8913	6343	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	5748.799805	5748.799805	0.933333
1563	010A	2971	0.07	1900	1	65	100	3	7	6	8913	7013	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	6418.799805	6418.799805	0.933333
1563	011	2971	0.07	1900	1	65	100	3	7	6	8913	7013	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	6418.799805	6418.799805	0.933333
1563	012	2971	0.07	3054	1	65	100	3	7	6	8913	5859	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	5264.799805	5264.799805	0.933333
1563	013	2971	0.07	2094	1	65	100	3	7	6	8913	6819	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	6224.799805	6224.799805	0.933333
1563	019	2460	0.06	4124	4	65	100	3	6	2	7380	3256	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11070	6946	6946	1.5
1563	031	3025	0.07	1940	1	65	100	3	7	6	9075	7135	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8470	6530	6530	0.933333
1563	032	3025	0.07	1910	1	65	100	3	7	6	9075	7165	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8470	6560	6560	0.933333
1563	037	3025	0.07	1056	1	65	100	3	7	6	9075	8019	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8470	7414	7414	0.933333
1564	002	2965	0.07	2344	1	65	100	3	7	6	8895	6551	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8302	5958	5958	0.933333
1564	006	2965	0.07	1150	1	65	100	3	7	6	8895	7745	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8302	7152	7152	0.933333
1564	008	2965	0.07	1502	1	65	100	3	7	6	8895	7393	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8302	6800	6800	0.933333
1564	009	2965	0.07	2260	1	65	100	3	7	6	8895	6635	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8302	6042	6042	0.933333
1564	009A	2965	0.07	2260	1	65	100	3	7	6	8895	6635	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8302	6042	6042	0.933333
1564	010	2964	0.07	1400	1	65	100	3	7	6	8892	7492	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8299.200195	6899.200195	6899.200195	0.933333
1564	011	2965	0.07	1400	1	65	100	3	7	6	8895	7495	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8302	6902	6902	0.933333
1564	022	2461	0.06	3750	4	65	100	3	6	2	7383	3633	NC-1	65	form-based			true	0.75	9	1.5	5	5	11074.5	7324.5	7324.5	1.5
1564	026	3021	0.07	2260	1	65	100	3	7	6	9063	6803	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6198.799805	6198.799805	0.933333
1564	029	3021	0.07	1125	1	65	100	3	7	6	9063	7938	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7333.799805	7333.799805	0.933333
1564	030	3021	0.07	1850	1	65	100	3	7	6	9063	7213	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6608.799805	6608.799805	0.933333
1564	031	3021	0.07	2021	1	65	100	3	7	6	9063	7042	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6437.799805	6437.799805	0.933333
1564	031A	3021	0.07	1080	1	65	100	3	7	6	9063	7983	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7378.799805	7378.799805	0.933333
1564	032	3021	0.07	1058	1	65	100	3	7	6	9063	8005	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7400.799805	7400.799805	0.933333
1564	033	3021	0.07	1200	1	65	100	3	7	6	9063	7863	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7258.799805	7258.799805	0.933333
1564	034	3021	0.07	1230	1	65	100	3	7	6	9063	7833	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7228.799805	7228.799805	0.933333
1564	035	3021	0.07	1075	1	65	100	3	7	6	9063	7988	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7383.799805	7383.799805	0.933333
1564	036	3021	0.07	1660	1	65	100	3	7	6	9063	7403	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6798.799805	6798.799805	0.933333
1564	037	3021	0.07	1712	1	65	100	3	7	6	9063	7351	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6746.799805	6746.799805	0.933333
1564	040	3021	0.07	1610	1	65	100	3	7	6	9063	7453	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6848.799805	6848.799805	0.933333
1565	002	3035	0.07	1800	1	65	100	3	7	6	9105	7305	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8498	6698	6698	0.933333
1565	003	3035	0.07	1950	1	65	100	3	7	6	9105	7155	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8498	6548	6548	0.933333
1565	004	3035	0.07	1255	1	65	100	3	7	6	9105	7850	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8498	7243	7243	0.933333
1565	005	3035	0.07	1185	1	65	100	3	7	6	9105	7920	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8498	7313	7313	0.933333
1565	005A	3035	0.07	2071	1	65	100	3	7	6	9105	7034	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8498	6427	6427	0.933333
1565	007	3035	0.07	2187	1	65	100	3	7	6	9105	6918	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8498	6311	6311	0.933333
1565	008	3035	0.07	1320	1	65	100	3	7	6	9105	7785	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8498	7178	7178	0.933333
1565	009	3035	0.07	1530	1	65	100	3	7	6	9105	7575	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8498	6968	6968	0.933333
1565	010	3035	0.07	1950	1	65	100	3	7	6	9105	7155	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8498	6548	6548	0.933333
1565	011	3035	0.07	2200	1	65	100	3	7	6	9105	6905	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8498	6298	6298	0.933333
1565	011A	3035	0.07	1420	1	65	100	3	7	6	9105	7685	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8498	7078	7078	0.933333
1565	014	2980	0.07	1150	1	65	100	3	7	6	8940	7790	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	7194	7194	0.933333
1565	014A	2980	0.07	2075	1	65	100	3	7	6	8940	6865	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	6269	6269	0.933333
1565	015	2980	0.07	1200	1	65	100	3	7	6	8940	7740	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	7144	7144	0.933333
1565	015A	2980	0.07	1100	1	65	100	3	7	6	8940	7840	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	7244	7244	0.933333
1565	016	2980	0.07	1245	1	65	100	3	7	6	8940	7695	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	7099	7099	0.933333
1565	016A	2980	0.07	1245	1	65	100	3	7	6	8940	7695	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	7099	7099	0.933333
1565	017	2980	0.07	1930	1	65	100	3	7	6	8940	7010	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	6414	6414	0.933333
1565	019	2980	0.07	1600	1	65	100	3	7	6	8940	7340	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	6744	6744	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1565	020	2980	0.07	2430	1	65	100	3	7	6	8940	6510	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	5914	5914	0.933333
1565	021	2980	0.07	1195	1	65	100	3	7	6	8940	7745	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	7149	7149	0.933333
1565	022	2980	0.07	1310	1	65	100	3	7	6	8940	7630	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	7034	7034	0.933333
1565	022A	2980	0.07	1310	1	65	100	3	7	6	8940	7630	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	7034	7034	0.933333
1565	025	2980	0.07	1346	1	65	100	3	7	6	8940	7594	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	6998	6998	0.933333
1566	007	3020	0.07	4391	1	65	100	3	7	6	9060	4669	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8456	4065	4065	0.933333
1566	016	2793	0.06	1080	1	65	100	3	6	5	8379	7299	RH-2	40	form-based			true	0.7	6	1	5	5	7820.399902	6740.399902	6740.399902	0.933333
1566	017	2793	0.06	1715	1	65	100	3	6	5	8379	6664	RH-2	40	form-based			true	0.7	6	1	5	5	7820.399902	6105.399902	6105.399902	0.933333
1566	018	2793	0.06	1714	1	65	100	3	6	5	8379	6665	RH-2	40	form-based			true	0.7	6	1	5	5	7820.399902	6106.399902	6106.399902	0.933333
1566	019	2793	0.06	2509	1	65	100	3	6	5	8379	5870	RH-2	40	form-based			true	0.7	6	1	5	5	7820.399902	5311.399902	5311.399902	0.933333
1566	025A	2440	0.06	4660	4	55	80	2.5	5	1	6100	1440	RTO-C	65	form-based	true		true	0.75	9	1.799999952	5	5	10980	6320	6320	1.8
1566	026A	2996	0.07	1853	1	65	100	3	7	6	8988	7135	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6535.799805	6535.799805	0.933333
1566	026D	2996	0.07	1150	1	65	100	3	7	6	8988	7838	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	7238.799805	7238.799805	0.933333
1566	026E	2996	0.07	1150	1	65	100	3	7	6	8988	7838	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	7238.799805	7238.799805	0.933333
1566	026F	2996	0.07	1964	1	65	100	3	7	6	8988	7024	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6424.799805	6424.799805	0.933333
1566	026G	2996	0.07	1950	1	65	100	3	7	6	8988	7038	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6438.799805	6438.799805	0.933333
1566	027	2996	0.07	1625	1	65	100	3	7	6	8988	7363	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6763.799805	6763.799805	0.933333
1566	031	2996	0.07	2766	1	65	100	3	7	6	8988	6222	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	5622.799805	5622.799805	0.933333
1566	033	2996	0.07	1978	1	65	100	3	7	6	8988	7010	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6410.799805	6410.799805	0.933333
1566	034	2996	0.07	2073	1	65	100	3	7	6	8988	6915	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6315.799805	6315.799805	0.933333
1566	035	2996	0.07	1936	1	65	100	3	7	6	8988	7052	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6452.799805	6452.799805	0.933333
1567	002	3314	0.08	2448	2	65	100	3	8	6	9942	7494	RH-2	40	form-based			true	0.7	7	0.875	5	5	9279.200195	6831.200195	6831.200195	0.933333
1567	003	3000	0.07	1195	1	65	100	3	7	6	9000	7805	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7205	7205	0.933333
1567	004	3000	0.07	1265	1	65	100	3	7	6	9000	7735	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7135	7135	0.933333
1567	004A	3000	0.07	1776	1	65	100	3	7	6	9000	7224	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6624	6624	0.933333
1567	005	3000	0.07	1498	1	65	100	3	7	6	9000	7502	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6902	6902	0.933333
1567	005A	3000	0.07	1939	1	65	100	3	7	6	9000	7061	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6461	6461	0.933333
1567	007	3000	0.07	2125	1	65	100	3	7	6	9000	6875	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6275	6275	0.933333
1567	007B	3000	0.07	3150	1	65	100	3	7	6	9000	5850	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5250	5250	0.933333
1567	021A	2987	0.07	1950	1	65	100	3	7	6	8961	7011	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6413.599609	6413.599609	0.933333
1567	022A	2987	0.07	1475	1	65	100	3	7	6	8961	7486	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6888.599609	6888.599609	0.933333
1567	025	2987	0.07	1740	1	65	100	3	7	6	8961	7221	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6623.599609	6623.599609	0.933333
1567	026A	2987	0.07	1881	1	65	100	3	7	6	8961	7080	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6482.599609	6482.599609	0.933333
1567	027	2987	0.07	1490	1	65	100	3	7	6	8961	7471	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6873.599609	6873.599609	0.933333
1567	029A	3561	0.08	2866	2	65	100	3	8	6	10683	7817	RH-2	40	form-based			true	0.7	7	0.875	5	5	9970.799805	7104.799805	7104.799805	0.933333
1567	044	3541	0.08	2448	2	65	100	3	8	6	10623	8175	RH-2	40	form-based			true	0.7	7	0.875	5	5	9914.799805	7466.799805	7466.799805	0.933333
1568	002	3021	0.07	1050	1	65	100	3	7	6	9063	8013	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7408.799805	7408.799805	0.933333
1568	004A	2800	0.06	2261	1	65	100	3	6	5	8400	6139	RH-2	40	form-based			true	0.7	6	1	5	5	7840	5579	5579	0.933333
1568	004B	2800	0.06	1135	1	65	100	3	6	5	8400	7265	RH-2	40	form-based			true	0.7	6	1	5	5	7840	6705	6705	0.933333
1568	005	3021	0.07	1510	1	65	100	3	7	6	9063	7553	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6948.799805	6948.799805	0.933333
1568	005A	3033	0.07	1844	1	65	100	3	7	6	9099	7255	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	6648.399414	6648.399414	0.933333
1568	008	2900	0.07	1320	1	65	100	3	7	6	8700	7380	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8120	6800	6800	0.933333
1568	011	1896	0.04	2809	2	65	100	3	4	2	5688	2879	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8532	5723	5723	1.5
1568	014B	1865	0.04	2780	2	65	100	3	4	2	5595	2815	RTO-C	65	form-based	true		true	0.75	7	1.75	5	5	8392.5	5612.5	5612.5	1.5
1568	015	2979	0.07	1125	1	65	100	3	7	6	8937	7812	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	7216.200195	7216.200195	0.933333
1568	016	2991	0.07	2526	1	65	100	3	7	6	8973	6447	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	5848.799805	5848.799805	0.933333
1568	018	2991	0.07	2078	1	65	100	3	7	6	8973	6895	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6296.799805	6296.799805	0.933333
1568	022	2991	0.07	1200	1	65	100	3	7	6	8973	7773	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	7174.799805	7174.799805	0.933333
1568	024	2991	0.07	1913	1	65	100	3	7	6	8973	7060	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6461.799805	6461.799805	0.933333
1569	005	2884	0.07	1675	1	65	100	3	7	6	8652	6977	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8075.199707	6400.199707	6400.199707	0.933333
1569	005A	3046	0.07	1450	1	65	100	3	7	6	9138	7688	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8528.799805	7078.799805	7078.799805	0.933333
1569	005B	3046	0.07	1300	1	65	100	3	7	6	9138	7838	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8528.799805	7228.799805	7228.799805	0.933333
1569	006	2843	0.07	1199	1	65	100	3	7	6	8529	7330	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7960.399902	6761.399902	6761.399902	0.933333
1569	006A	2843	0.07	1199	1	65	100	3	7	6	8529	7330	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7960.399902	6761.399902	6761.399902	0.933333
1569	006B	2843	0.07	1199	1	65	100	3	7	6	8529	7330	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7960.399902	6761.399902	6761.399902	0.933333
1569	007	5483	0.13	5816	7	65	100	3	13	6	16449	10633	RH-2	40	form-based			true	0.7	12	0.923076928	5	5	15352.39941	9536.399414	9536.399414	0.933333
1569	009	3046	0.07	1991	1	65	100	3	7	6	9138	7147	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8528.799805	6537.799805	6537.799805	0.933333
1569	012	3046	0.07	1315	1	65	100	3	7	6	9138	7823	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8528.799805	7213.799805	7213.799805	0.933333
1569	014A	1921	0.04	1898	2	65	100	3	4	2	5763	3865	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8644.5	6746.5	6746.5	1.5
1569	014D	1930	0.04	2928	2	55	80	2.5	3	1	4825	1897	RTO-C	65	form-based	true		true	0.75	7	2.333333254	5	4	8685	5757	5757	1.8
1569	017	2616	0.06	3366	5	65	100	3	6	1	7848	4482	RTO-C	65	form-based			true	0.75	10	1.666666627	5	5	11772	8406	8406	1.5
1569	020	2937	0.07	1754	1	65	100	3	7	6	8811	7057	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6469.599609	6469.599609	0.933333
1569	021	2937	0.07	1375	1	65	100	3	7	6	8811	7436	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6848.599609	6848.599609	0.933333
1569	022	2937	0.07	1850	1	65	100	3	7	6	8811	6961	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6373.599609	6373.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1569	024	2937	0.07	2150	1	65	100	3	7	6	8811	6661	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6073.599609	6073.599609	0.933333
1569	025	2937	0.07	1350	1	65	100	3	7	6	8811	7461	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6873.599609	6873.599609	0.933333
1569	028A	2937	0.07	2090	1	65	100	3	7	6	8811	6721	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6133.599609	6133.599609	0.933333
1569	029	2937	0.07	1265	1	65	100	3	7	6	8811	7546	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6958.599609	6958.599609	0.933333
1569	030	2937	0.07	2050	1	65	100	3	7	6	8811	6761	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6173.599609	6173.599609	0.933333
1570	002	2808	0.06	2541	1	65	100	3	6	5	8424	5883	RH-2	40	form-based			true	0.7	6	1	5	5	7862.399902	5321.399902	5321.399902	0.933333
1570	002A	2808	0.06	2249	1	65	100	3	6	5	8424	6175	RH-2	40	form-based			true	0.7	6	1	5	5	7862.399902	5613.399902	5613.399902	0.933333
1570	003	2808	0.06	1224	1	65	100	3	6	5	8424	7200	RH-2	40	form-based			true	0.7	6	1	5	5	7862.399902	6638.399902	6638.399902	0.933333
1570	003B	2808	0.06	1224	1	65	100	3	6	5	8424	7200	RH-2	40	form-based			true	0.7	6	1	5	5	7862.399902	6638.399902	6638.399902	0.933333
1570	004	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
1570	004A	3000	0.07	2796	1	65	100	3	7	6	9000	6204	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5604	5604	0.933333
1570	004B	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
1570	007	3000	0.07	1075	1	65	100	3	7	6	9000	7925	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7325	7325	0.933333
1570	008	3000	0.07	1195	1	65	100	3	7	6	9000	7805	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7205	7205	0.933333
1570	009	3000	0.07	1235	1	65	100	3	7	6	9000	7765	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7165	7165	0.933333
1570	012	1838	0.04	1730	2	65	100	3	4	2	5514	3784	NC-1	65	form-based			true	0.75	7	1.75	5	5	8271	6541	6541	1.5
1570	012A	1755	0.04	2800	2	65	100	3	4	2	5265	2465	NC-1	65	form-based		true	true	0.75	7	1.75	5	5	7897.5	5097.5	5097.5	1.5
1570	013	2989	0.07	1595	1	65	100	3	7	6	8967	7372	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6774.200195	6774.200195	0.933333
1570	013A	2989	0.07	1523	1	65	100	3	7	6	8967	7444	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6846.200195	6846.200195	0.933333
1570	014	2989	0.07	1375	1	65	100	3	7	6	8967	7592	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6994.200195	6994.200195	0.933333
1570	014B	2989	0.07	1903	1	65	100	3	7	6	8967	7064	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6466.200195	6466.200195	0.933333
1570	014C	2989	0.07	1425	1	65	100	3	7	6	8967	7542	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6944.200195	6944.200195	0.933333
1570	014D	2989	0.07	1450	1	65	100	3	7	6	8967	7517	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6919.200195	6919.200195	0.933333
1570	014E	2989	0.07	1450	1	65	100	3	7	6	8967	7517	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6919.200195	6919.200195	0.933333
1570	015	4459	0.1	4581	4	65	100	3	10	6	13377	8796	RH-2	40	form-based			true	0.7	9	0.899999976	5	5	12485.2002	7904.200195	7904.200195	0.933333
1570	019	5666	0.13	5996	7	65	100	3	13	6	16998	11002	RM-1	40	form-based			true	0.7	12	0.923076928	5	5	15864.7998	9868.799805	9868.799805	0.933333
1571	001	4386	0.1	5578	4	65	100	3	10	6	13158	7580	RM-1	40	form-based		true	true	0.7	9	0.899999976	5	5	12280.7998	6702.799805	6702.799805	0.933333
1571	002	4150	0.1	6570	4	65	100	3	10	6	12450	5880	RH-2	40	form-based			true	0.7	9	0.899999976	5	5	11620	5050	5050	0.933333
1571	002A	3000	0.07	1597	1	65	100	3	7	6	9000	7403	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6803	6803	0.933333
1571	002B	3000	0.07	1462	1	65	100	3	7	6	9000	7538	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6938	6938	0.933333
1571	003B	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
1571	003C	3000	0.07	1975	1	65	100	3	7	6	9000	7025	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6425	6425	0.933333
1571	004	3000	0.07	2342	1	65	100	3	7	6	9000	6658	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6058	6058	0.933333
1571	004A	3000	0.07	1836	1	65	100	3	7	6	9000	7164	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6564	6564	0.933333
1571	004B	3000	0.07	1446	1	65	100	3	7	6	9000	7554	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6954	6954	0.933333
1571	004C	3000	0.07	1818	1	65	100	3	7	6	9000	7182	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6582	6582	0.933333
1571	004D	3000	0.07	1640	1	65	100	3	7	6	9000	7360	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6760	6760	0.933333
1571	004E	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
1571	004F	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
1571	005D	2992	0.07	1050	1	65	100	3	7	6	8976	7926	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7327.599609	7327.599609	0.933333
1571	005E	2992	0.07	3776	1	65	100	3	7	6	8976	5200	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	4601.599609	4601.599609	0.933333
1571	005J	1943	0.04	2900	2	65	100	3	4	2	5829	2929	RTO-C	65	form-based		true	true	0.75	7	1.75	5	5	8743.5	5843.5	5843.5	1.5
1571	006	2992	0.07	1500	1	65	100	3	7	6	8976	7476	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6877.599609	6877.599609	0.933333
1571	007	2992	0.07	1976	1	65	100	3	7	6	8976	7000	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6401.599609	6401.599609	0.933333
1571	008	2992	0.07	1775	1	65	100	3	7	6	8976	7201	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6602.599609	6602.599609	0.933333
1571	009	2992	0.07	1325	1	65	100	3	7	6	8976	7651	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7052.599609	7052.599609	0.933333
1571	010	2992	0.07	1325	1	65	100	3	7	6	8976	7651	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7052.599609	7052.599609	0.933333
1571	011	2992	0.07	2005	1	65	100	3	7	6	8976	6971	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6372.599609	6372.599609	0.933333
1571	012	2992	0.07	3597	1	65	100	3	7	6	8976	5379	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	4780.599609	4780.599609	0.933333
1571	013	2992	0.07	1575	1	65	100	3	7	6	8976	7401	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6802.599609	6802.599609	0.933333
1571	014	2992	0.07	2050	1	65	100	3	7	6	8976	6926	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6327.599609	6327.599609	0.933333
1571	015	2992	0.07	1745	1	65	100	3	7	6	8976	7231	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6632.599609	6632.599609	0.933333
1571	015A	2992	0.07	2100	1	65	100	3	7	6	8976	6876	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6277.599609	6277.599609	0.933333
1571	015B	2992	0.07	2050	1	65	100	3	7	6	8976	6926	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6327.599609	6327.599609	0.933333
1571	015C	2992	0.07	2000	1	65	100	3	7	6	8976	6976	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6377.599609	6377.599609	0.933333
1571	015D	2992	0.07	1650	1	65	100	3	7	6	8976	7326	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6727.599609	6727.599609	0.933333
1572	004	2700	0.06	720	1	65	100	3	6	5	8100	7380	RH-2	40	form-based			true	0.7	6	1	5	5	7560	6840	6840	0.933333
1572	008A	2656	0.06	1825	1	65	100	3	6	5	7968	6143	RH-2	40	form-based			true	0.7	6	1	5	5	7436.799805	5611.799805	5611.799805	0.933333
1572	008B	2888	0.07	3080	1	65	100	3	7	6	8664	5584	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8086.399902	5006.399902	5006.399902	0.933333
1572	009	2799	0.06	3050	1	65	100	3	6	5	8397	5347	RH-2	40	form-based			true	0.7	6	1	5	5	7837.199707	4787.199707	4787.199707	0.933333
1572	016	3039	0.07	2044	1	65	100	3	7	6	9117	7073	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6465.200195	6465.200195	0.933333
1572	016A	3039	0.07	2017	1	65	100	3	7	6	9117	7100	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6492.200195	6492.200195	0.933333
1572	016B	3039	0.07	1800	1	65	100	3	7	6	9117	7317	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6709.200195	6709.200195	0.933333
1572	016C	3039	0.07	1800	1	65	100	3	7	6	9117	7317	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6709.200195	6709.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1572	016D	3089	0.07	1920	1	65	100	3	7	6	9267	7347	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8649.200195	6729.200195	6729.200195	0.933333
1572	016E	3039	0.07	3526	1	65	100	3	7	6	9117	5591	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	4983.200195	4983.200195	0.933333
1572	016F	3039	0.07	1800	1	65	100	3	7	6	9117	7317	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6709.200195	6709.200195	0.933333
1572	016G	3039	0.07	2281	1	65	100	3	7	6	9117	6836	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6228.200195	6228.200195	0.933333
1572	016H	3039	0.07	1800	1	65	100	3	7	6	9117	7317	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6709.200195	6709.200195	0.933333
1572	016I	3039	0.07	1800	1	65	100	3	7	6	9117	7317	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6709.200195	6709.200195	0.933333
1572	016J	3039	0.07	2177	1	65	100	3	7	6	9117	6940	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	6332.200195	6332.200195	0.933333
1572	016K	2825	0.06	1800	1	65	100	3	6	5	8475	6675	RH-2	40	form-based			true	0.7	6	1	5	5	7910	6110	6110	0.933333
1572	017	3172	0.07	5251	2	65	100	3	7	5	9516	4265	RH-2	40	form-based			true	0.7	7	1	5	5	8881.599609	3630.599609	3630.599609	0.933333
1572	018	3041	0.07	2262	1	65	100	3	7	6	9123	6861	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	6252.799805	6252.799805	0.933333
1572	018A	3144	0.07	3916	2	65	100	3	7	5	9432	5516	RM-1	40	form-based	true		true	0.7	7	1	5	5	8803.200195	4887.200195	4887.200195	0.933333
1574	009D	1840	0.04	2515	2	65	100	3	4	2	5520	3005	RTO-C	65	form-based	true		true	0.75	7	1.75	5	5	8280	5765	5765	1.5
1575	002	3000	0.07	2215	1	65	100	3	7	6	9000	6785	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6185	6185	0.933333
1575	003	3000	0.07	1756	1	65	100	3	7	6	9000	7244	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6644	6644	0.933333
1575	005	3000	0.07	2010	1	65	100	3	7	6	9000	6990	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6390	6390	0.933333
1575	006	3000	0.07	1925	1	65	100	3	7	6	9000	7075	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6475	6475	0.933333
1575	006A	3000	0.07	1925	1	65	100	3	7	6	9000	7075	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6475	6475	0.933333
1575	007	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6775	6775	0.933333
1575	007A	3000	0.07	2075	1	65	100	3	7	6	9000	6925	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6325	6325	0.933333
1575	008	3000	0.07	1716	1	65	100	3	7	6	9000	7284	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6684	6684	0.933333
1575	009	3000	0.07	1990	1	65	100	3	7	6	9000	7010	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6410	6410	0.933333
1575	009A	3000	0.07	2090	1	65	100	3	7	6	9000	6910	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6310	6310	0.933333
1575	011	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
1575	015	2466	0.06	2704	4	65	100	3	6	2	7398	4694	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11097	8393	8393	1.5
1575	038	2466	0.06	3130	4	65	100	3	6	2	7398	4268	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11097	7967	7967	1.5
1576	005B	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
1576	005D	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
1576	005E	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1576	005G	3000	0.07	1270	1	65	100	3	7	6	9000	7730	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7130	7130	0.933333
1576	005H	3000	0.07	1585	1	65	100	3	7	6	9000	7415	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6815	6815	0.933333
1576	005I	3000	0.07	1468	1	65	100	3	7	6	9000	7532	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6932	6932	0.933333
1576	005J	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
1576	006C	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1576	006F	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
1576	006G	3000	0.07	2823	1	65	100	3	7	6	9000	6177	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5577	5577	0.933333
1576	008	2466	0.06	3200	4	65	100	3	6	2	7398	4198	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11097	7897	7897	1.5
1576	009	2466	0.06	4470	4	65	100	3	6	2	7398	2928	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11097	6627	6627	1.5
1576	011	2466	0.06	2690	4	65	100	3	6	2	7398	4708	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11097	8407	8407	1.5
1576	015A	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
1576	015B	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7020	7020	0.933333
1576	015C	3000	0.07	1886	1	65	100	3	7	6	9000	7114	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6514	6514	0.933333
1576	015D	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
1576	016	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
1576	017	3000	0.07	1644	1	65	100	3	7	6	9000	7356	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6756	6756	0.933333
1577	002	3060	0.07	1928	1	65	100	3	7	6	9180	7252	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8568	6640	6640	0.933333
1577	004A	3000	0.07	1890	1	65	100	3	7	6	9000	7110	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6510	6510	0.933333
1577	004B	3000	0.07	1770	1	65	100	3	7	6	9000	7230	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6630	6630	0.933333
1577	006	3000	0.07	1731	1	65	100	3	7	6	9000	7269	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6669	6669	0.933333
1577	007	3000	0.07	1595	1	65	100	3	7	6	9000	7405	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6805	6805	0.933333
1577	008	3000	0.07	2432	1	65	100	3	7	6	9000	6568	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5968	5968	0.933333
1577	008A	3000	0.07	1631	1	65	100	3	7	6	9000	7369	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6769	6769	0.933333
1577	008B	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
1577	008D	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
1577	009	3000	0.07	1805	1	65	100	3	7	6	9000	7195	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6595	6595	0.933333
1577	011	3000	0.07	2663	1	65	100	3	7	6	9000	6337	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5737	5737	0.933333
1577	012	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
1577	013A	2466	0.06	5607	4	65	100	3	6	2	7398	1791	NCD-OUTE	65	form-based			true	0.75	9	1.5	5	5	11097	5490	5490	1.5
1577	014	3000	0.07	1403	1	65	100	3	7	6	9000	7597	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6997	6997	0.933333
1577	015	3000	0.07	1353	1	65	100	3	7	6	9000	7647	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7047	7047	0.933333
1577	017	3000	0.07	2704	1	65	100	3	7	6	9000	6296	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5696	5696	0.933333
1577	018	3000	0.07	1075	1	65	100	3	7	6	9000	7925	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7325	7325	0.933333
1577	022	3000	0.07	1318	1	65	100	3	7	6	9000	7682	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7082	7082	0.933333
1577	022A	3000	0.07	2838	1	65	100	3	7	6	9000	6162	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5562	5562	0.933333
1577	023	3000	0.07	1845	1	65	100	3	7	6	9000	7155	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6555	6555	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1577	024	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1578	002	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
1578	002A	3000	0.07	1965	1	65	100	3	7	6	9000	7035	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6435	6435	0.933333
1578	002B	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
1578	002C	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
1578	007	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1578	007A	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1578	008	3000	0.07	1859	1	65	100	3	7	6	9000	7141	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6541	6541	0.933333
1578	013	3000	0.07	1927	1	55	80	2.5	6	5	7500	5573	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6473	6473	1.12
1578	016A	2982	0.07	2243	1	55	80	2.5	6	5	7455	5212	RH-2	40	form-based			true	0.7	6	1	5	5	8349.599609	6106.599609	6106.599609	1.12
1578	017	2982	0.07	1853	1	65	100	3	7	6	8946	7093	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6496.599609	6496.599609	0.933333
1578	017A	2982	0.07	1700	1	65	100	3	7	6	8946	7246	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6649.599609	6649.599609	0.933333
1578	017B	2982	0.07	1844	1	65	100	3	7	6	8946	7102	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6505.599609	6505.599609	0.933333
1578	017C	2982	0.07	1916	1	65	100	3	7	6	8946	7030	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6433.599609	6433.599609	0.933333
1578	018	2982	0.07	2950	1	65	100	3	7	6	8946	5996	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	5399.599609	5399.599609	0.933333
1578	019	2982	0.07	1828	1	65	100	3	7	6	8946	7118	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6521.599609	6521.599609	0.933333
1578	020	2982	0.07	2465	1	65	100	3	7	6	8946	6481	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	5884.599609	5884.599609	0.933333
1578	021	2982	0.07	2260	1	65	100	3	7	6	8946	6686	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6089.599609	6089.599609	0.933333
1578	021A	2982	0.07	1600	1	65	100	3	7	6	8946	7346	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6749.599609	6749.599609	0.933333
1578	021B	2982	0.07	1752	1	65	100	3	7	6	8946	7194	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6597.599609	6597.599609	0.933333
1578	021C	2982	0.07	1700	1	65	100	3	7	6	8946	7246	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6649.599609	6649.599609	0.933333
1578	021D	2982	0.07	1500	1	65	100	3	7	6	8946	7446	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6849.599609	6849.599609	0.933333
1579	005	3051	0.07	1525	1	55	80	2.5	6	5	7628	6103	RH-2	40	form-based			true	0.7	6	1	5	5	8542.799805	7017.799805	7017.799805	1.119927
1579	007	3051	0.07	2062	1	55	80	2.5	6	5	7628	5566	RH-2	40	form-based			true	0.7	6	1	5	5	8542.799805	6480.799805	6480.799805	1.119927
1579	008	3051	0.07	1525	1	55	80	2.5	6	5	7628	6103	RH-2	40	form-based			true	0.7	6	1	5	5	8542.799805	7017.799805	7017.799805	1.119927
1579	009	3052	0.07	2125	1	55	80	2.5	6	5	7630	5505	RH-2	40	form-based			true	0.7	6	1	5	5	8545.599609	6420.599609	6420.599609	1.12
1579	011	3052	0.07	1780	1	55	80	2.5	6	5	7630	5850	RH-2	40	form-based			true	0.7	6	1	5	5	8545.599609	6765.599609	6765.599609	1.12
1579	017B	2993	0.07	1225	1	55	80	2.5	6	5	7482	6257	RH-2	40	form-based			true	0.7	6	1	5	5	8380.399414	7155.399414	7155.399414	1.120075
1579	017C	2991	0.07	1225	1	55	80	2.5	6	5	7478	6253	RH-2	40	form-based			true	0.7	6	1	5	5	8374.799805	7149.799805	7149.799805	1.119925
1579	017E	2987	0.07	1417	1	55	80	2.5	6	5	7468	6051	RH-2	40	form-based			true	0.7	6	1	5	5	8363.599609	6946.599609	6946.599609	1.119925
1579	017F	2986	0.07	1275	1	55	80	2.5	6	5	7465	6190	RH-2	40	form-based			true	0.7	6	1	5	5	8360.799805	7085.799805	7085.799805	1.12
1579	018	3282	0.08	2700	2	55	80	2.5	6	4	8205	5505	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9189.599609	6489.599609	6489.599609	1.12
1579	019	3280	0.08	2700	2	55	80	2.5	6	4	8200	5500	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9184	6484	6484	1.12
1580	001D	3053	0.07	2043	1	55	80	2.5	6	5	7632	5589	RH-2	40	form-based			true	0.7	6	1	5	5	8548.399414	6505.399414	6505.399414	1.120073
1580	001E	3055	0.07	1806	1	55	80	2.5	6	5	7638	5832	RH-2	40	form-based			true	0.7	6	1	5	5	8554	6748	6748	1.119927
1580	002	2955	0.07	2190	1	55	80	2.5	6	5	7388	5198	RH-2	40	form-based			true	0.7	6	1	5	5	8274	6084	6084	1.119924
1580	002A	3016	0.07	1260	1	55	80	2.5	6	5	7540	6280	RH-2	40	form-based			true	0.7	6	1	5	5	8444.799805	7184.799805	7184.799805	1.12
1580	002B	2794	0.06	1705	1	55	80	2.5	5	4	6985	5280	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7823.199707	6118.199707	6118.199707	1.12
1580	002C	2809	0.06	1882	1	55	80	2.5	5	4	7022	5140	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7865.199707	5983.199707	5983.199707	1.12008
1580	002D	2934	0.07	1271	1	55	80	2.5	6	5	7335	6064	RH-2	40	form-based			true	0.7	6	1	5	5	8215.200195	6944.200195	6944.200195	1.12
1580	002E	3014	0.07	1586	1	55	80	2.5	6	5	7535	5949	RH-2	40	form-based			true	0.7	6	1	5	5	8439.200195	6853.200195	6853.200195	1.12
1580	002F	3018	0.07	1160	1	55	80	2.5	6	5	7545	6385	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	7290.399414	7290.399414	1.12
1580	002G	3020	0.07	2216	1	55	80	2.5	6	5	7550	5334	RH-2	40	form-based			true	0.7	6	1	5	5	8456	6240	6240	1.12
1580	002H	2797	0.06	2103	1	55	80	2.5	5	4	6992	4889	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7831.600098	5728.600098	5728.600098	1.12008
1580	002I	2801	0.06	1640	1	55	80	2.5	5	4	7002	5362	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7842.799805	6202.799805	6202.799805	1.12008
1580	002J	2805	0.06	1606	1	55	80	2.5	5	4	7012	5406	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7854	6248	6248	1.12008
1580	002K	2813	0.06	1565	1	55	80	2.5	5	4	7032	5467	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6311.399902	6311.399902	1.12008
1580	002L	2817	0.06	2250	1	55	80	2.5	5	4	7042	4792	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7887.600098	5637.600098	5637.600098	1.12008
1580	002M	2821	0.06	2290	1	55	80	2.5	5	4	7052	4762	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7898.799805	5608.799805	5608.799805	1.120079
1580	003B	3000	0.07	3034	1	55	80	2.5	6	5	7500	4466	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5366	5366	1.12
1580	003C	2943	0.07	1582	1	55	80	2.5	6	5	7358	5776	RH-2	40	form-based			true	0.7	6	1	5	5	8240.399414	6658.399414	6658.399414	1.119924
1580	003D	2948	0.07	1582	1	55	80	2.5	6	5	7370	5788	RH-2	40	form-based			true	0.7	6	1	5	5	8254.399414	6672.399414	6672.399414	1.12
1580	003E	2952	0.07	1582	1	55	80	2.5	6	5	7380	5798	RH-2	40	form-based			true	0.7	6	1	5	5	8265.599609	6683.599609	6683.599609	1.12
1580	004	2956	0.07	1896	1	55	80	2.5	6	5	7390	5494	RH-2	40	form-based			true	0.7	6	1	5	5	8276.799805	6380.799805	6380.799805	1.12
1580	004B	2958	0.07	1880	1	55	80	2.5	6	5	7395	5515	RH-2	40	form-based			true	0.7	6	1	5	5	8282.399414	6402.399414	6402.399414	1.12
1580	004C	2959	0.07	1736	1	55	80	2.5	6	5	7398	5662	RH-2	40	form-based			true	0.7	6	1	5	5	8285.200195	6549.200195	6549.200195	1.119924
1580	004D	2961	0.07	2211	1	55	80	2.5	6	5	7402	5191	RH-2	40	form-based			true	0.7	6	1	5	5	8290.799805	6079.799805	6079.799805	1.120076
1580	004E	2963	0.07	1342	1	55	80	2.5	6	5	7408	6066	RH-2	40	form-based			true	0.7	6	1	5	5	8296.399414	6954.399414	6954.399414	1.119924
1580	005F	2100	0.05	4554	3	55	80	2.5	4	1	5250	696	NCD-OUTE	65	form-based			true	0.75	8	2	5	5	9450	4896	4896	1.8
1580	006	2934	0.07	1783	1	55	80	2.5	6	5	7335	5552	RH-2	40	form-based			true	0.7	6	1	5	5	8215.200195	6432.200195	6432.200195	1.12
1580	006A	2938	0.07	1805	1	55	80	2.5	6	5	7345	5540	RH-2	40	form-based			true	0.7	6	1	5	5	8226.399414	6421.399414	6421.399414	1.12
1581	003	3000	0.07	2774	1	55	80	2.5	6	5	7500	4726	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5626	5626	1.12
1581	005	3000	0.07	1800	1	55	80	2.5	6	5	7500	5700	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6600	6600	1.12
1581	006	3000	0.07	2568	1	55	80	2.5	6	5	7500	4932	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5832	5832	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1581	006A	3000	0.07	1763	1	55	80	2.5	6	5	7500	5737	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6637	6637	1.12
1581	006B	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
1581	006C	3000	0.07	1575	1	55	80	2.5	6	5	7500	5925	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6825	6825	1.12
1581	007	3000	0.07	1100	1	55	80	2.5	6	5	7500	6400	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7300	7300	1.12
1581	007A	3000	0.07	1100	1	55	80	2.5	6	5	7500	6400	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7300	7300	1.12
1581	007B	3000	0.07	1100	1	55	80	2.5	6	5	7500	6400	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7300	7300	1.12
1581	007D	3000	0.07	1425	1	55	80	2.5	6	5	7500	6075	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6975	6975	1.12
1581	007E	3000	0.07	1465	1	55	80	2.5	6	5	7500	6035	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6935	6935	1.12
1581	007F	3000	0.07	1100	1	55	80	2.5	6	5	7500	6400	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7300	7300	1.12
1581	007J	1949	0.04	2366	2	55	80	2.5	3	1	4872	2506	NCD-OUTE	65	form-based			true	0.75	7	2.333333254	5	4	8770.5	6404.5	6404.5	1.800185
1581	012	2989	0.07	2913	1	55	80	2.5	6	5	7472	4559	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	5456.200195	5456.200195	1.120075
1581	013	2989	0.07	1885	1	55	80	2.5	6	5	7472	5587	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6484.200195	6484.200195	1.120075
1581	014	2989	0.07	1600	1	55	80	2.5	6	5	7472	5872	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6769.200195	6769.200195	1.120075
1581	015	2989	0.07	1850	1	55	80	2.5	6	5	7472	5622	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6519.200195	6519.200195	1.120075
1581	016	2989	0.07	2190	1	55	80	2.5	6	5	7472	5282	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6179.200195	6179.200195	1.120075
1581	016A	2989	0.07	1857	1	55	80	2.5	6	5	7472	5615	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6512.200195	6512.200195	1.120075
1581	027	2686	0.06	3417	1	55	80	2.5	5	4	6715	3298	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7520.799805	4103.799805	4103.799805	1.12
1581	028	2686	0.06	1855	1	55	80	2.5	5	4	6715	4860	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7520.799805	5665.799805	5665.799805	1.12
1582	002	3000	0.07	1465	1	55	80	2.5	6	5	7500	6035	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6935	6935	1.12
1582	003	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
1582	004	3000	0.07	2106	1	55	80	2.5	6	5	7500	5394	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6294	6294	1.12
1582	005	3000	0.07	1790	1	55	80	2.5	6	5	7500	5710	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6610	6610	1.12
1582	006	3000	0.07	1425	1	55	80	2.5	6	5	7500	6075	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6975	6975	1.12
1582	008	3000	0.07	1380	1	55	80	2.5	6	5	7500	6120	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7020	7020	1.12
1582	009	3000	0.07	1175	1	55	80	2.5	6	5	7500	6325	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7225	7225	1.12
1582	010	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
1582	011	3000	0.07	1582	1	55	80	2.5	6	5	7500	5918	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6818	6818	1.12
1582	014	3000	0.07	1884	1	55	80	2.5	6	5	7500	5616	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6516	6516	1.12
1582	015	3000	0.07	1715	1	55	80	2.5	6	5	7500	5785	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6685	6685	1.12
1582	016	3000	0.07	1455	1	55	80	2.5	6	5	7500	6045	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6945	6945	1.12
1582	017	2688	0.06	2093	1	55	80	2.5	5	4	6720	4627	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7526.399902	5433.399902	5433.399902	1.12
1582	020	1844	0.04	1750	2	55	80	2.5	3	1	4610	2860	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	8298	6548	6548	1.8
1582	027	2638	0.06	1089	1	55	80	2.5	5	4	6595	5506	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7386.399902	6297.399902	6297.399902	1.12
1582	028	3013	0.07	1032	1	55	80	2.5	6	5	7532	6500	RH-2	40	form-based			true	0.7	6	1	5	5	8436.399414	7404.399414	7404.399414	1.120074
1582	029	3013	0.07	1032	1	55	80	2.5	6	5	7532	6500	RH-2	40	form-based			true	0.7	6	1	5	5	8436.399414	7404.399414	7404.399414	1.120074
1582	030	3013	0.07	1480	1	55	80	2.5	6	5	7532	6052	RH-2	40	form-based			true	0.7	6	1	5	5	8436.399414	6956.399414	6956.399414	1.120074
1582	031	3013	0.07	1032	1	55	80	2.5	6	5	7532	6500	RH-2	40	form-based			true	0.7	6	1	5	5	8436.399414	7404.399414	7404.399414	1.120074
1582	032	3013	0.07	1202	1	55	80	2.5	6	5	7532	6330	RH-2	40	form-based			true	0.7	6	1	5	5	8436.399414	7234.399414	7234.399414	1.120074
1582	033	3013	0.07	902	1	55	80	2.5	6	5	7532	6630	RH-2	40	form-based			true	0.7	6	1	5	5	8436.399414	7534.399414	7534.399414	1.120074
1582	035	3013	0.07	700	1	55	80	2.5	6	5	7532	6832	RH-2	40	form-based			true	0.7	6	1	5	5	8436.399414	7736.399414	7736.399414	1.120074
1582	036	3013	0.07	1250	1	55	80	2.5	6	5	7532	6282	RH-2	40	form-based			true	0.7	6	1	5	5	8436.399414	7186.399414	7186.399414	1.120074
1582	037	3013	0.07	2481	1	55	80	2.5	6	5	7532	5051	RH-2	40	form-based			true	0.7	6	1	5	5	8436.399414	5955.399414	5955.399414	1.120074
1583	005	3036	0.07	1896	1	55	80	2.5	6	5	7590	5694	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6604.799805	6604.799805	1.12
1583	007	3368	0.08	3180	2	55	80	2.5	6	4	8420	5240	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9430.399414	6250.399414	6250.399414	1.12
1583	009	3036	0.07	1350	1	55	80	2.5	6	5	7590	6240	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7150.799805	7150.799805	1.12
1583	010	3036	0.07	1850	1	55	80	2.5	6	5	7590	5740	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6650.799805	6650.799805	1.12
1583	011	3036	0.07	1448	1	55	80	2.5	6	5	7590	6142	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7052.799805	7052.799805	1.12
1583	012	3036	0.07	1250	1	55	80	2.5	6	5	7590	6340	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7250.799805	7250.799805	1.12
1583	013	3036	0.07	1988	1	55	80	2.5	6	5	7590	5602	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6512.799805	6512.799805	1.12
1583	014	3036	0.07	1465	1	55	80	2.5	6	5	7590	6125	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7035.799805	7035.799805	1.12
1583	015	3036	0.07	2204	1	55	80	2.5	6	5	7590	5386	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6296.799805	6296.799805	1.12
1583	016	3036	0.07	1460	1	55	80	2.5	6	5	7590	6130	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7040.799805	7040.799805	1.12
1583	017	3036	0.07	1505	1	55	80	2.5	6	5	7590	6085	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6995.799805	6995.799805	1.12
1583	018	3036	0.07	1285	1	55	80	2.5	6	5	7590	6305	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7215.799805	7215.799805	1.12
1583	019	3036	0.07	1220	1	55	80	2.5	6	5	7590	6370	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7280.799805	7280.799805	1.12
1583	032	2950	0.07	2225	1	55	80	2.5	6	5	7375	5150	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6035	6035	1.12
1583	033	2950	0.07	2341	1	55	80	2.5	6	5	7375	5034	RH-2	40	form-based			true	0.7	6	1	5	5	8260	5919	5919	1.12
1583	034	2950	0.07	1240	1	55	80	2.5	6	5	7375	6135	RH-2	40	form-based			true	0.7	6	1	5	5	8260	7020	7020	1.12
1583	035	2950	0.07	2310	1	55	80	2.5	6	5	7375	5065	RH-2	40	form-based			true	0.7	6	1	5	5	8260	5950	5950	1.12
1583	036	2950	0.07	1928	1	55	80	2.5	6	5	7375	5447	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6332	6332	1.12
1583	037	2950	0.07	1670	1	55	80	2.5	6	5	7375	5705	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6590	6590	1.12
1583	038	2950	0.07	2076	1	55	80	2.5	6	5	7375	5299	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6184	6184	1.12
1583	039	2950	0.07	1340	1	55	80	2.5	6	5	7375	6035	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6920	6920	1.12
1583	040	2950	0.07	1190	1	55	80	2.5	6	5	7375	6185	RH-2	40	form-based			true	0.7	6	1	5	5	8260	7070	7070	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1583	041	2950	0.07	2195	1	55	80	2.5	6	5	7375	5180	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6065	6065	1.12
1583	042	2950	0.07	2787	1	55	80	2.5	6	5	7375	4588	RH-2	40	form-based			true	0.7	6	1	5	5	8260	5473	5473	1.12
1583	043	2950	0.07	2290	1	55	80	2.5	6	5	7375	5085	RH-2	40	form-based			true	0.7	6	1	5	5	8260	5970	5970	1.12
1583	044	2950	0.07	1540	1	55	80	2.5	6	5	7375	5835	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6720	6720	1.12
1605	004	3000	0.07	1345	1	55	80	2.5	6	5	7500	6155	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7055	7055	1.12
1605	005	3000	0.07	1605	1	55	80	2.5	6	5	7500	5895	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6795	6795	1.12
1605	006	3000	0.07	1982	1	55	80	2.5	6	5	7500	5518	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6418	6418	1.12
1605	007	3000	0.07	1270	1	55	80	2.5	6	5	7500	6230	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7130	7130	1.12
1605	008	3000	0.07	1425	1	55	80	2.5	6	5	7500	6075	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6975	6975	1.12
1605	009	3000	0.07	1275	1	55	80	2.5	6	5	7500	6225	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7125	7125	1.12
1605	028	3012	0.07	1656	1	55	80	2.5	6	5	7530	5874	RH-2	40	form-based			true	0.7	6	1	5	5	8433.599609	6777.599609	6777.599609	1.12
1605	029	3012	0.07	2068	1	55	80	2.5	6	5	7530	5462	RH-2	40	form-based			true	0.7	6	1	5	5	8433.599609	6365.599609	6365.599609	1.12
1605	030	3012	0.07	1700	1	55	80	2.5	6	5	7530	5830	RH-2	40	form-based			true	0.7	6	1	5	5	8433.599609	6733.599609	6733.599609	1.12
1605	031	3057	0.07	1650	1	55	80	2.5	6	5	7642	5992	RH-2	40	form-based			true	0.7	6	1	5	5	8559.599609	6909.599609	6909.599609	1.120073
1605	032	3057	0.07	1620	1	55	80	2.5	6	5	7642	6022	RH-2	40	form-based			true	0.7	6	1	5	5	8559.599609	6939.599609	6939.599609	1.120073
1605	033	3057	0.07	1375	1	55	80	2.5	6	5	7642	6267	RH-2	40	form-based			true	0.7	6	1	5	5	8559.599609	7184.599609	7184.599609	1.120073
1605	034	3057	0.07	1425	1	55	80	2.5	6	5	7642	6217	RH-2	40	form-based			true	0.7	6	1	5	5	8559.599609	7134.599609	7134.599609	1.120073
1606	003	2630	0.06	1165	1	55	80	2.5	5	4	6575	5410	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7364	6199	6199	1.12
1606	004	2630	0.06	1265	1	55	80	2.5	5	4	6575	5310	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7364	6099	6099	1.12
1606	008	3024	0.07	1415	1	55	80	2.5	6	5	7560	6145	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	7052.200195	7052.200195	1.12
1606	011	3078	0.07	1576	1	55	80	2.5	6	5	7695	6119	RH-2	40	form-based			true	0.7	6	1	5	5	8618.399414	7042.399414	7042.399414	1.12
1606	012	3078	0.07	1250	1	55	80	2.5	6	5	7695	6445	RH-2	40	form-based			true	0.7	6	1	5	5	8618.399414	7368.399414	7368.399414	1.12
1606	013	3078	0.07	1190	1	55	80	2.5	6	5	7695	6505	RH-2	40	form-based			true	0.7	6	1	5	5	8618.399414	7428.399414	7428.399414	1.12
1606	014	2959	0.07	1190	1	55	80	2.5	6	5	7398	6208	RH-2	40	form-based			true	0.7	6	1	5	5	8285.200195	7095.200195	7095.200195	1.119924
1606	015	3078	0.07	1359	1	55	80	2.5	6	5	7695	6336	RH-2	40	form-based			true	0.7	6	1	5	5	8618.399414	7259.399414	7259.399414	1.12
1606	016	3078	0.07	1745	1	55	80	2.5	6	5	7695	5950	RH-2	40	form-based			true	0.7	6	1	5	5	8618.399414	6873.399414	6873.399414	1.12
1606	017	3078	0.07	1359	1	55	80	2.5	6	5	7695	6336	RH-2	40	form-based			true	0.7	6	1	5	5	8618.399414	7259.399414	7259.399414	1.12
1606	033	3105	0.07	2910	2	55	80	2.5	6	4	7762	4852	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8694	5784	5784	1.120072
1606	034	3105	0.07	2910	2	55	80	2.5	6	4	7762	4852	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8694	5784	5784	1.120072
1606	035	3097	0.07	2910	2	55	80	2.5	6	4	7742	4832	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8671.599609	5761.599609	5761.599609	1.120072
1606	038	3000	0.07	1800	1	55	80	2.5	6	5	7500	5700	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6600	6600	1.12
1606	039	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
1606	040	3000	0.07	1430	1	55	80	2.5	6	5	7500	6070	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6970	6970	1.12
1606	041	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
1606	042	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
1607	002	3084	0.07	2653	1	55	80	2.5	6	5	7710	5057	RH-2	40	form-based			true	0.7	6	1	5	5	8635.200195	5982.200195	5982.200195	1.12
1607	003	3084	0.07	2250	1	55	80	2.5	6	5	7710	5460	RH-2	40	form-based			true	0.7	6	1	5	5	8635.200195	6385.200195	6385.200195	1.12
1607	004	3084	0.07	2250	1	55	80	2.5	6	5	7710	5460	RH-2	40	form-based			true	0.7	6	1	5	5	8635.200195	6385.200195	6385.200195	1.12
1607	005	3084	0.07	3283	1	55	80	2.5	6	5	7710	4427	RH-2	40	form-based			true	0.7	6	1	5	5	8635.200195	5352.200195	5352.200195	1.12
1607	005A	3084	0.07	1625	1	55	80	2.5	6	5	7710	6085	RH-2	40	form-based			true	0.7	6	1	5	5	8635.200195	7010.200195	7010.200195	1.12
1607	007	3084	0.07	1625	1	55	80	2.5	6	5	7710	6085	RH-2	40	form-based			true	0.7	6	1	5	5	8635.200195	7010.200195	7010.200195	1.12
1607	008	3042	0.07	2315	1	55	80	2.5	6	5	7605	5290	RH-2	40	form-based			true	0.7	6	1	5	5	8517.599609	6202.599609	6202.599609	1.12
1607	009	3084	0.07	1625	1	55	80	2.5	6	5	7710	6085	RH-2	40	form-based			true	0.7	6	1	5	5	8635.200195	7010.200195	7010.200195	1.12
1607	009A	2908	0.07	1500	1	55	80	2.5	6	5	7270	5770	RH-2	40	form-based			true	0.7	6	1	5	5	8142.399902	6642.399902	6642.399902	1.12
1607	011A	3084	0.07	1670	1	55	80	2.5	6	5	7710	6040	RH-2	40	form-based			true	0.7	6	1	5	5	8635.200195	6965.200195	6965.200195	1.12
1607	011B	3084	0.07	1670	1	55	80	2.5	6	5	7710	6040	RH-2	40	form-based			true	0.7	6	1	5	5	8635.200195	6965.200195	6965.200195	1.12
1607	011C	3084	0.07	1670	1	55	80	2.5	6	5	7710	6040	RH-2	40	form-based			true	0.7	6	1	5	5	8635.200195	6965.200195	6965.200195	1.12
1607	011D	3084	0.07	1670	1	55	80	2.5	6	5	7710	6040	RH-2	40	form-based			true	0.7	6	1	5	5	8635.200195	6965.200195	6965.200195	1.12
1607	011E	3084	0.07	1730	1	55	80	2.5	6	5	7710	5980	RH-2	40	form-based			true	0.7	6	1	5	5	8635.200195	6905.200195	6905.200195	1.12
1607	011F	3084	0.07	1670	1	55	80	2.5	6	5	7710	6040	RH-2	40	form-based			true	0.7	6	1	5	5	8635.200195	6965.200195	6965.200195	1.12
1607	015	2907	0.07	1425	1	55	80	2.5	6	5	7268	5843	RH-2	40	form-based			true	0.7	6	1	5	5	8139.600098	6714.600098	6714.600098	1.119923
1607	016	2907	0.07	1433	1	55	80	2.5	6	5	7268	5835	RH-2	40	form-based			true	0.7	6	1	5	5	8139.600098	6706.600098	6706.600098	1.119923
1607	017	2907	0.07	1545	1	55	80	2.5	6	5	7268	5723	RH-2	40	form-based			true	0.7	6	1	5	5	8139.600098	6594.600098	6594.600098	1.119923
1607	017A	2907	0.07	1100	1	55	80	2.5	6	5	7268	6168	RH-2	40	form-based			true	0.7	6	1	5	5	8139.600098	7039.600098	7039.600098	1.119923
1607	018	2895	0.07	2020	1	55	80	2.5	6	5	7238	5218	RH-2	40	form-based			true	0.7	6	1	5	5	8106	6086	6086	1.119923
1607	018A	2920	0.07	2020	1	55	80	2.5	6	5	7300	5280	RH-2	40	form-based			true	0.7	6	1	5	5	8176	6156	6156	1.12
1607	020	2908	0.07	2539	1	55	80	2.5	6	5	7270	4731	RH-2	40	form-based			true	0.7	6	1	5	5	8142.399902	5603.399902	5603.399902	1.12
1607	021	2908	0.07	1360	1	55	80	2.5	6	5	7270	5910	RH-2	40	form-based			true	0.7	6	1	5	5	8142.399902	6782.399902	6782.399902	1.12
1607	021A	2909	0.07	1990	1	55	80	2.5	6	5	7272	5282	RH-2	40	form-based			true	0.7	6	1	5	5	8145.199707	6155.199707	6155.199707	1.120077
1607	021B	2909	0.07	1621	1	55	80	2.5	6	5	7272	5651	RH-2	40	form-based			true	0.7	6	1	5	5	8145.199707	6524.199707	6524.199707	1.120077
1607	021C	2909	0.07	1450	1	55	80	2.5	6	5	7272	5822	RH-2	40	form-based			true	0.7	6	1	5	5	8145.199707	6695.199707	6695.199707	1.120077
1607	021D	2909	0.07	2462	1	55	80	2.5	6	5	7272	4810	RH-2	40	form-based			true	0.7	6	1	5	5	8145.199707	5683.199707	5683.199707	1.120077
1607	021E	2909	0.07	1569	1	55	80	2.5	6	5	7272	5703	RH-2	40	form-based			true	0.7	6	1	5	5	8145.199707	6576.199707	6576.199707	1.120077
1607	022	2948	0.07	1300	1	55	80	2.5	6	5	7370	6070	RH-2	40	form-based			true	0.7	6	1	5	5	8254.399414	6954.399414	6954.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1607	022A	2910	0.07	1641	1	55	80	2.5	6	5	7275	5634	RH-2	40	form-based			true	0.7	6	1	5	5	8148	6507	6507	1.12
1607	026	3098	0.07	3995	2	55	80	2.5	6	4	7745	3750	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8674.399414	4679.399414	4679.399414	1.12
1607	027	3070	0.07	2625	1	55	80	2.5	6	5	7675	5050	RH-2	40	form-based			true	0.7	6	1	5	5	8596	5971	5971	1.12
1608	005	3077	0.07	2736	1	55	80	2.5	6	5	7692	4956	RH-3	40	form-based			true	0.7	6	1	5	5	8615.599609	5879.599609	5879.599609	1.120073
1608	006	3077	0.07	2570	1	55	80	2.5	6	5	7692	5122	RH-3	40	form-based			true	0.7	6	1	5	5	8615.599609	6045.599609	6045.599609	1.120073
1608	007	3077	0.07	2654	1	55	80	2.5	6	5	7692	5038	RH-3	40	form-based			true	0.7	6	1	5	5	8615.599609	5961.599609	5961.599609	1.120073
1608	007A	3077	0.07	2450	1	55	80	2.5	6	5	7692	5242	RH-3	40	form-based			true	0.7	6	1	5	5	8615.599609	6165.599609	6165.599609	1.120073
1608	010	3079	0.07	1435	1	55	80	2.5	6	5	7698	6263	RH-2	40	form-based			true	0.7	6	1	5	5	8621.200195	7186.200195	7186.200195	1.119927
1608	011A	2916	0.07	1940	1	55	80	2.5	6	5	7290	5350	RH-2	40	form-based			true	0.7	6	1	5	5	8164.799805	6224.799805	6224.799805	1.12
1608	011B	3079	0.07	1800	1	55	80	2.5	6	5	7698	5898	RH-2	40	form-based			true	0.7	6	1	5	5	8621.200195	6821.200195	6821.200195	1.119927
1608	011D	3080	0.07	1975	1	55	80	2.5	6	5	7700	5725	RH-2	40	form-based			true	0.7	6	1	5	5	8624	6649	6649	1.12
1608	011J	2791	0.06	2710	1	55	80	2.5	5	4	6978	4268	RH-2	40	form-based	true		true	0.7	6	1.200000048	5	5	7814.799805	5104.799805	5104.799805	1.11992
1608	011K	2791	0.06	1700	1	55	80	2.5	5	4	6978	5278	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7814.799805	6114.799805	6114.799805	1.11992
1608	011L	2866	0.07	1700	1	55	80	2.5	6	5	7165	5465	RH-2	40	form-based			true	0.7	6	1	5	5	8024.799805	6324.799805	6324.799805	1.12
1608	011M	2916	0.07	1700	1	55	80	2.5	6	5	7290	5590	RH-2	40	form-based			true	0.7	6	1	5	5	8164.799805	6464.799805	6464.799805	1.12
1608	011N	2916	0.07	1700	1	55	80	2.5	6	5	7290	5590	RH-2	40	form-based			true	0.7	6	1	5	5	8164.799805	6464.799805	6464.799805	1.12
1608	011O	2916	0.07	1935	1	55	80	2.5	6	5	7290	5355	RH-2	40	form-based			true	0.7	6	1	5	5	8164.799805	6229.799805	6229.799805	1.12
1608	011P	2791	0.06	1700	1	55	80	2.5	5	4	6978	5278	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7814.799805	6114.799805	6114.799805	1.11992
1608	012	2916	0.07	1750	1	55	80	2.5	6	5	7290	5540	RH-2	40	form-based			true	0.7	6	1	5	5	8164.799805	6414.799805	6414.799805	1.12
1608	013	2916	0.07	1500	1	55	80	2.5	6	5	7290	5790	RH-2	40	form-based			true	0.7	6	1	5	5	8164.799805	6664.799805	6664.799805	1.12
1608	016	2916	0.07	1700	1	55	80	2.5	6	5	7290	5590	RH-2	40	form-based			true	0.7	6	1	5	5	8164.799805	6464.799805	6464.799805	1.12
1608	017	2916	0.07	1735	1	55	80	2.5	6	5	7290	5555	RH-2	40	form-based			true	0.7	6	1	5	5	8164.799805	6429.799805	6429.799805	1.12
1609	008	3401	0.08	3415	2	55	80	2.5	6	4	8502	5087	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9522.799805	6107.799805	6107.799805	1.120066
1609	010	3037	0.07	2140	1	55	80	2.5	6	5	7592	5452	RH-2	40	form-based			true	0.7	6	1	5	5	8503.599609	6363.599609	6363.599609	1.120074
1609	010A	3037	0.07	2170	1	55	80	2.5	6	5	7592	5422	RH-2	40	form-based			true	0.7	6	1	5	5	8503.599609	6333.599609	6333.599609	1.120074
1609	014B	2657	0.06	1815	1	55	80	2.5	5	4	6642	4827	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7439.600098	5624.600098	5624.600098	1.120084
1609	017	3557	0.08	4900	2	55	80	2.5	6	4	8892	3992	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9959.599609	5059.599609	5059.599609	1.120063
1609	018	3557	0.08	4580	2	55	80	2.5	6	4	8892	4312	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9959.599609	5379.599609	5379.599609	1.120063
1609	021	2964	0.07	1470	1	55	80	2.5	6	5	7410	5940	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	6829.200195	6829.200195	1.12
1609	021A	2964	0.07	1470	1	55	80	2.5	6	5	7410	5940	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	6829.200195	6829.200195	1.12
1609	021B	2964	0.07	1618	1	55	80	2.5	6	5	7410	5792	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	6681.200195	6681.200195	1.12
1609	021C	2964	0.07	2095	1	55	80	2.5	6	5	7410	5315	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	6204.200195	6204.200195	1.12
1609	021D	2964	0.07	2550	1	55	80	2.5	6	5	7410	4860	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	5749.200195	5749.200195	1.12
1610	004	3000	0.07	1950	1	55	80	2.5	6	5	7500	5550	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6450	6450	1.12
1610	005	3000	0.07	2020	1	55	80	2.5	6	5	7500	5480	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6380	6380	1.12
1610	006	3000	0.07	2015	1	55	80	2.5	6	5	7500	5485	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6385	6385	1.12
1610	007	3000	0.07	1950	1	55	80	2.5	6	5	7500	5550	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6450	6450	1.12
1610	008	3000	0.07	2206	1	55	80	2.5	6	5	7500	5294	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6194	6194	1.12
1610	011	3000	0.07	1475	1	55	80	2.5	6	5	7500	6025	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6925	6925	1.12
1610	012	3360	0.08	2524	2	55	80	2.5	6	4	8400	5876	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9408	6884	6884	1.12
1610	018	2938	0.07	2484	1	55	80	2.5	6	5	7345	4861	RH-2	40	form-based			true	0.7	6	1	5	5	8226.399414	5742.399414	5742.399414	1.12
1611	002	3000	0.07	1848	1	55	80	2.5	6	5	7500	5652	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6552	6552	1.12
1611	003	3000	0.07	1977	1	55	80	2.5	6	5	7500	5523	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6423	6423	1.12
1611	004	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
1611	005	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
1611	006	3000	0.07	1720	1	55	80	2.5	6	5	7500	5780	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6680	6680	1.12
1611	007	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
1611	008	3000	0.07	2472	1	55	80	2.5	6	5	7500	5028	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5928	5928	1.12
1611	009	3000	0.07	1685	1	55	80	2.5	6	5	7500	5815	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6715	6715	1.12
1611	010	3000	0.07	1865	1	55	80	2.5	6	5	7500	5635	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6535	6535	1.12
1611	011	3000	0.07	1505	1	55	80	2.5	6	5	7500	5995	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6895	6895	1.12
1611	012	3000	0.07	1591	1	55	80	2.5	6	5	7500	5909	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6809	6809	1.12
1611	013	3000	0.07	2135	1	55	80	2.5	6	5	7500	5365	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6265	6265	1.12
1611	014	3000	0.07	1425	1	55	80	2.5	6	5	7500	6075	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6975	6975	1.12
1611	015	3000	0.07	1870	1	55	80	2.5	6	5	7500	5630	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6530	6530	1.12
1611	016	3000	0.07	1575	1	55	80	2.5	6	5	7500	5925	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6825	6825	1.12
1611	023	3000	0.07	3071	1	55	80	2.5	6	5	7500	4429	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5329	5329	1.12
1611	024	3000	0.07	2329	1	55	80	2.5	6	5	7500	5171	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6071	6071	1.12
1611	025	3000	0.07	2040	1	55	80	2.5	6	5	7500	5460	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6360	6360	1.12
1611	026	3000	0.07	2420	1	55	80	2.5	6	5	7500	5080	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5980	5980	1.12
1611	027	3000	0.07	2307	1	55	80	2.5	6	5	7500	5193	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6093	6093	1.12
1611	028	3000	0.07	1822	1	55	80	2.5	6	5	7500	5678	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6578	6578	1.12
1611	029	3000	0.07	2306	1	55	80	2.5	6	5	7500	5194	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6094	6094	1.12
1611	030	3000	0.07	1785	1	55	80	2.5	6	5	7500	5715	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6615	6615	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1611	031	3000	0.07	2035	1	55	80	2.5	6	5	7500	5465	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6365	6365	1.12
1611	032	3000	0.07	1785	1	55	80	2.5	6	5	7500	5715	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6615	6615	1.12
1611	033	3000	0.07	2870	1	55	80	2.5	6	5	7500	4630	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5530	5530	1.12
1611	035	3000	0.07	1225	1	55	80	2.5	6	5	7500	6275	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7175	7175	1.12
1612	001	1499	0.03	1754	1	55	80	2.5	2	1	3748	1994	RTO-C	65	form-based		true	true	0.75	6	3	5	3	6745.5	4991.5	4991.5	1.79976
1612	002	3021	0.07	2741	1	55	80	2.5	6	5	7552	4811	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	5717.799805	5717.799805	1.120074
1612	004	3021	0.07	1600	1	55	80	2.5	6	5	7552	5952	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	6858.799805	6858.799805	1.120074
1612	005	3021	0.07	2490	1	55	80	2.5	6	5	7552	5062	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	5968.799805	5968.799805	1.120074
1612	006	3021	0.07	2490	1	55	80	2.5	6	5	7552	5062	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	5968.799805	5968.799805	1.120074
1612	006A	3021	0.07	2907	1	55	80	2.5	6	5	7552	4645	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	5551.799805	5551.799805	1.120074
1612	006B	3021	0.07	2682	1	55	80	2.5	6	5	7552	4870	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	5776.799805	5776.799805	1.120074
1612	006C	3021	0.07	2490	1	55	80	2.5	6	5	7552	5062	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	5968.799805	5968.799805	1.120074
1612	007A	3021	0.07	1685	1	55	80	2.5	6	5	7552	5867	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	6773.799805	6773.799805	1.120074
1612	007B	3021	0.07	1650	1	55	80	2.5	6	5	7552	5902	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	6808.799805	6808.799805	1.120074
1612	007C	3021	0.07	2770	1	55	80	2.5	6	5	7552	4782	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	5688.799805	5688.799805	1.120074
1612	008	3021	0.07	2800	1	55	80	2.5	6	5	7552	4752	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	5658.799805	5658.799805	1.120074
1612	009	3021	0.07	1515	1	55	80	2.5	6	5	7552	6037	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	6943.799805	6943.799805	1.120074
1612	010	3021	0.07	1785	1	55	80	2.5	6	5	7552	5767	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	6673.799805	6673.799805	1.120074
1612	017A	3000	0.07	2050	1	55	80	2.5	6	5	7500	5450	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6350	6350	1.12
1612	017B	3000	0.07	2052	1	55	80	2.5	6	5	7500	5448	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6348	6348	1.12
1612	017C	3000	0.07	2050	1	55	80	2.5	6	5	7500	5450	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6350	6350	1.12
1612	017D	3000	0.07	2050	1	55	80	2.5	6	5	7500	5450	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6350	6350	1.12
1612	017E	3000	0.07	2050	1	55	80	2.5	6	5	7500	5450	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6350	6350	1.12
1612	017F	3000	0.07	2050	1	55	80	2.5	6	5	7500	5450	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6350	6350	1.12
1612	017G	3000	0.07	2050	1	55	80	2.5	6	5	7500	5450	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6350	6350	1.12
1612	017H	3000	0.07	2540	1	55	80	2.5	6	5	7500	4960	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5860	5860	1.12
1612	017I	3000	0.07	2410	1	55	80	2.5	6	5	7500	5090	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5990	5990	1.12
1612	017M	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
1612	017N	3000	0.07	1170	1	55	80	2.5	6	5	7500	6330	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7230	7230	1.12
1613	004A	3015	0.07	1725	1	55	80	2.5	6	5	7538	5813	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6717	6717	1.119926
1613	005D	3015	0.07	2640	1	55	80	2.5	6	5	7538	4898	RH-2	40	form-based			true	0.7	6	1	5	5	8442	5802	5802	1.119926
1613	005E	3015	0.07	2708	1	55	80	2.5	6	5	7538	4830	RH-2	40	form-based			true	0.7	6	1	5	5	8442	5734	5734	1.119926
1613	005F	3000	0.07	3560	1	55	80	2.5	6	5	7500	3940	RH-2	40	form-based			true	0.7	6	1	5	5	8400	4840	4840	1.12
1613	005G	3000	0.07	2680	1	55	80	2.5	6	5	7500	4820	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5720	5720	1.12
1613	005H	3000	0.07	2706	1	55	80	2.5	6	5	7500	4794	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5694	5694	1.12
1613	005I	3000	0.07	2700	1	55	80	2.5	6	5	7500	4800	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5700	5700	1.12
1613	005J	3000	0.07	2376	1	55	80	2.5	6	5	7500	5124	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6024	6024	1.12
1613	005K	3000	0.07	2376	1	55	80	2.5	6	5	7500	5124	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6024	6024	1.12
1613	005L	3000	0.07	2680	1	55	80	2.5	6	5	7500	4820	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5720	5720	1.12
1613	005M	3000	0.07	2680	1	55	80	2.5	6	5	7500	4820	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5720	5720	1.12
1613	005N	3000	0.07	2680	1	55	80	2.5	6	5	7500	4820	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5720	5720	1.12
1613	005O	3000	0.07	2848	1	55	80	2.5	6	5	7500	4652	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5552	5552	1.12
1613	005P	3015	0.07	2550	1	55	80	2.5	6	5	7538	4988	RH-2	40	form-based			true	0.7	6	1	5	5	8442	5892	5892	1.119926
1613	005Q	3015	0.07	2550	1	55	80	2.5	6	5	7538	4988	RH-2	40	form-based			true	0.7	6	1	5	5	8442	5892	5892	1.119926
1613	005R	3015	0.07	2640	1	55	80	2.5	6	5	7538	4898	RH-2	40	form-based			true	0.7	6	1	5	5	8442	5802	5802	1.119926
1613	006	3015	0.07	2640	1	55	80	2.5	6	5	7538	4898	RH-2	40	form-based			true	0.7	6	1	5	5	8442	5802	5802	1.119926
1613	006A	3015	0.07	2550	1	55	80	2.5	6	5	7538	4988	RH-2	40	form-based			true	0.7	6	1	5	5	8442	5892	5892	1.119926
1613	007	3015	0.07	3443	1	55	80	2.5	6	5	7538	4095	RH-2	40	form-based			true	0.7	6	1	5	5	8442	4999	4999	1.119926
1613	007M	3000	0.07	2680	1	55	80	2.5	6	5	7500	4820	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5720	5720	1.12
1613	007N	3000	0.07	2912	1	55	80	2.5	6	5	7500	4588	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5488	5488	1.12
1613	007O	3015	0.07	1981	1	55	80	2.5	6	5	7538	5557	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6461	6461	1.119926
1613	007P	3015	0.07	1280	1	55	80	2.5	6	5	7538	6258	RH-2	40	form-based			true	0.7	6	1	5	5	8442	7162	7162	1.119926
1613	007Q	3015	0.07	2385	1	55	80	2.5	6	5	7538	5153	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6057	6057	1.119926
1613	008	3000	0.07	2834	1	55	80	2.5	6	5	7500	4666	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5566	5566	1.12
1613	008A	3000	0.07	2680	1	55	80	2.5	6	5	7500	4820	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5720	5720	1.12
1614	001	1929	0.04	2848	2	55	80	2.5	3	1	4822	1974	RTO-C	65	form-based		true	true	0.75	7	2.333333254	5	4	8680.5	5832.5	5832.5	1.800187
1614	001A	1900	0.04	2848	2	55	80	2.5	3	1	4750	1902	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	8550	5702	5702	1.8
1614	001B	1900	0.04	3498	2	55	80	2.5	3	1	4750	1252	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	8550	5052	5052	1.8
1614	002	2978	0.07	1500	1	55	80	2.5	6	5	7445	5945	RH-2	40	form-based			true	0.7	6	1	5	5	8338.399414	6838.399414	6838.399414	1.12
1614	003	3037	0.07	1500	1	55	80	2.5	6	5	7592	6092	RH-2	40	form-based			true	0.7	6	1	5	5	8503.599609	7003.599609	7003.599609	1.120074
1614	004	3002	0.07	1500	1	55	80	2.5	6	5	7505	6005	RH-2	40	form-based			true	0.7	6	1	5	5	8405.599609	6905.599609	6905.599609	1.12
1614	009	2978	0.07	2179	1	55	80	2.5	6	5	7445	5266	RH-2	40	form-based			true	0.7	6	1	5	5	8338.399414	6159.399414	6159.399414	1.12
1614	009A	2978	0.07	1873	1	55	80	2.5	6	5	7445	5572	RH-2	40	form-based			true	0.7	6	1	5	5	8338.399414	6465.399414	6465.399414	1.12
1614	009B	2978	0.07	2370	1	55	80	2.5	6	5	7445	5075	RH-2	40	form-based			true	0.7	6	1	5	5	8338.399414	5968.399414	5968.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1614	010	2978	0.07	1450	1	55	80	2.5	6	5	7445	5995	RH-2	40	form-based			true	0.7	6	1	5	5	8338.399414	6888.399414	6888.399414	1.12
1614	010A	2978	0.07	1382	1	55	80	2.5	6	5	7445	6063	RH-2	40	form-based			true	0.7	6	1	5	5	8338.399414	6956.399414	6956.399414	1.12
1614	010B	2978	0.07	2141	1	55	80	2.5	6	5	7445	5304	RH-2	40	form-based			true	0.7	6	1	5	5	8338.399414	6197.399414	6197.399414	1.12
1614	012	3000	0.07	1235	1	55	80	2.5	6	5	7500	6265	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7165	7165	1.12
1614	012C	3024	0.07	2585	1	55	80	2.5	6	5	7560	4975	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	5882.200195	5882.200195	1.12
1614	012F	3024	0.07	1330	1	55	80	2.5	6	5	7560	6230	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	7137.200195	7137.200195	1.12
1614	012G	3024	0.07	2060	1	55	80	2.5	6	5	7560	5500	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6407.200195	6407.200195	1.12
1614	012H	3024	0.07	2257	1	55	80	2.5	6	5	7560	5303	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6210.200195	6210.200195	1.12
1614	015	3024	0.07	1515	1	55	80	2.5	6	5	7560	6045	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6952.200195	6952.200195	1.12
1614	016	3024	0.07	2217	1	55	80	2.5	6	5	7560	5343	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6250.200195	6250.200195	1.12
1614	017	3024	0.07	1700	1	55	80	2.5	6	5	7560	5860	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6767.200195	6767.200195	1.12
1615	001	2267	0.05	4000	4	55	80	2.5	4	0	5668	1668	RTO-C	65	form-based		true	true	0.75	9	2.25	5	4	10201.5	6201.5	6201.5	1.799841
1615	002	3016	0.07	1165	1	55	80	2.5	6	5	7540	6375	RH-2	40	form-based			true	0.7	6	1	5	5	8444.799805	7279.799805	7279.799805	1.12
1615	002A	3016	0.07	1035	1	55	80	2.5	6	5	7540	6505	RH-2	40	form-based			true	0.7	6	1	5	5	8444.799805	7409.799805	7409.799805	1.12
1615	004A	3078	0.07	1345	1	55	80	2.5	6	5	7695	6350	RH-2	40	form-based			true	0.7	6	1	5	5	8618.399414	7273.399414	7273.399414	1.12
1615	005	3016	0.07	1839	1	55	80	2.5	6	5	7540	5701	RH-2	40	form-based			true	0.7	6	1	5	5	8444.799805	6605.799805	6605.799805	1.12
1615	005A	3016	0.07	2430	1	55	80	2.5	6	5	7540	5110	RH-2	40	form-based			true	0.7	6	1	5	5	8444.799805	6014.799805	6014.799805	1.12
1615	006	3016	0.07	1625	1	55	80	2.5	6	5	7540	5915	RH-2	40	form-based			true	0.7	6	1	5	5	8444.799805	6819.799805	6819.799805	1.12
1615	008	3016	0.07	1609	1	55	80	2.5	6	5	7540	5931	RH-2	40	form-based			true	0.7	6	1	5	5	8444.799805	6835.799805	6835.799805	1.12
1615	009	3016	0.07	1410	1	55	80	2.5	6	5	7540	6130	RH-2	40	form-based			true	0.7	6	1	5	5	8444.799805	7034.799805	7034.799805	1.12
1615	009A	3016	0.07	1720	1	55	80	2.5	6	5	7540	5820	RH-2	40	form-based			true	0.7	6	1	5	5	8444.799805	6724.799805	6724.799805	1.12
1615	009B	3016	0.07	1410	1	55	80	2.5	6	5	7540	6130	RH-2	40	form-based			true	0.7	6	1	5	5	8444.799805	7034.799805	7034.799805	1.12
1615	011	3016	0.07	1677	1	55	80	2.5	6	5	7540	5863	RH-2	40	form-based			true	0.7	6	1	5	5	8444.799805	6767.799805	6767.799805	1.12
1615	013E	3000	0.07	1687	1	55	80	2.5	6	5	7500	5813	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6713	6713	1.12
1615	013G	3000	0.07	2427	1	55	80	2.5	6	5	7500	5073	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5973	5973	1.12
1615	013H	3000	0.07	2848	1	55	80	2.5	6	5	7500	4652	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5552	5552	1.12
1615	013K	3000	0.07	2540	1	55	80	2.5	6	5	7500	4960	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5860	5860	1.12
1615	013L	3000	0.07	1765	1	55	80	2.5	6	5	7500	5735	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6635	6635	1.12
1615	013M	3000	0.07	3335	1	55	80	2.5	6	5	7500	4165	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5065	5065	1.12
1615	013O	3000	0.07	1580	1	55	80	2.5	6	5	7500	5920	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6820	6820	1.12
1615	013P	2977	0.07	1580	1	55	80	2.5	6	5	7442	5862	RH-2	40	form-based			true	0.7	6	1	5	5	8335.599609	6755.599609	6755.599609	1.120075
1615	015	2994	0.07	1690	1	55	80	2.5	6	5	7485	5795	RH-2	40	form-based			true	0.7	6	1	5	5	8383.200195	6693.200195	6693.200195	1.12
1615	016C	1638	0.04	1125	1	55	80	2.5	3	2	4095	2970	RTO-C	65	form-based			true	0.75	6	2	5	5	7371	6246	6246	1.8
1615	016D	1638	0.04	1151	1	55	80	2.5	3	2	4095	2944	RTO-C	65	form-based			true	0.75	6	2	5	5	7371	6220	6220	1.8
1615	016E	1656	0.04	1270	1	55	80	2.5	3	2	4140	2870	RTO-C	65	form-based		true	true	0.75	6	2	5	5	7452	6182	6182	1.8
1616	003	3000	0.07	2025	1	55	80	2.5	6	5	7500	5475	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6375	6375	1.12
1616	004	3380	0.08	3490	2	55	80	2.5	6	4	8450	4960	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9464	5974	5974	1.12
1616	006	2955	0.07	1568	1	55	80	2.5	6	5	7388	5820	RH-2	40	form-based			true	0.7	6	1	5	5	8274	6706	6706	1.119924
1616	008	2716	0.06	1200	1	55	80	2.5	5	4	6790	5590	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7604.799805	6404.799805	6404.799805	1.12
1616	011	3000	0.07	1875	1	55	80	2.5	6	5	7500	5625	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6525	6525	1.12
1616	012	3000	0.07	2150	1	55	80	2.5	6	5	7500	5350	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6250	6250	1.12
1616	013	3000	0.07	2426	1	55	80	2.5	6	5	7500	5074	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5974	5974	1.12
1616	014	3000	0.07	2150	1	55	80	2.5	6	5	7500	5350	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6250	6250	1.12
1616	015	3000	0.07	2766	1	55	80	2.5	6	5	7500	4734	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5634	5634	1.12
1616	016	3000	0.07	2243	1	55	80	2.5	6	5	7500	5257	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6157	6157	1.12
1616	021	2700	0.06	1835	1	55	80	2.5	5	4	6750	4915	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7560	5725	5725	1.12
1616	022	2700	0.06	1780	1	55	80	2.5	5	4	6750	4970	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7560	5780	5780	1.12
1616	023	2700	0.06	2014	1	55	80	2.5	5	4	6750	4736	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7560	5546	5546	1.12
1616	025	3015	0.07	1735	1	55	80	2.5	6	5	7538	5803	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6707	6707	1.119926
1616	026	3015	0.07	1568	1	55	80	2.5	6	5	7538	5970	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6874	6874	1.119926
1616	027	3015	0.07	1370	1	55	80	2.5	6	5	7538	6168	RH-2	40	form-based			true	0.7	6	1	5	5	8442	7072	7072	1.119926
1616	028	3015	0.07	1430	1	55	80	2.5	6	5	7538	6108	RH-2	40	form-based			true	0.7	6	1	5	5	8442	7012	7012	1.119926
1616	029	3015	0.07	1804	1	55	80	2.5	6	5	7538	5734	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6638	6638	1.119926
1616	032	3136	0.07	3028	2	55	80	2.5	6	4	7840	4812	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8780.799805	5752.799805	5752.799805	1.12
1616	033	2730	0.06	2235	1	55	80	2.5	5	4	6825	4590	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7644	5409	5409	1.12
1616	034	3256	0.07	3385	2	55	80	2.5	6	4	8140	4755	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9116.799805	5731.799805	5731.799805	1.12
1616	035	3191	0.07	2756	2	55	80	2.5	6	4	7978	5222	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8934.799805	6178.799805	6178.799805	1.11993
1616	036	3407	0.08	2756	2	55	80	2.5	6	4	8518	5762	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9539.599609	6783.599609	6783.599609	1.119934
1616	038	3015	0.07	2122	1	55	80	2.5	6	5	7538	5416	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6320	6320	1.119926
1616	039	3015	0.07	2401	1	55	80	2.5	6	5	7538	5137	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6041	6041	1.119926
1616	040	3475	0.08	5362	8	55	80	2.5	6	0	8688	3326	RTO-C	65	form-based		true	true	0.75	13	2.166666746	5	4	15637.5	10275.5	10275.5	1.799896
1617	003B	2953	0.07	1475	1	55	80	2.5	6	5	7382	5907	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	6793.399414	6793.399414	1.120076
1617	004	3071	0.07	1488	1	55	80	2.5	6	5	7678	6190	RH-2	40	form-based			true	0.7	6	1	5	5	8598.799805	7110.799805	7110.799805	1.119927
1617	005	3071	0.07	1402	1	55	80	2.5	6	5	7678	6276	RH-2	40	form-based			true	0.7	6	1	5	5	8598.799805	7196.799805	7196.799805	1.119927

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1617	006	3071	0.07	1514	1	55	80	2.5	6	5	7678	6164	RH-2	40	form-based			true	0.7	6	1	5	5	8598.799805	7084.799805	7084.799805	1.119927
1617	007	3071	0.07	1750	1	55	80	2.5	6	5	7678	5928	RH-2	40	form-based			true	0.7	6	1	5	5	8598.799805	6848.799805	6848.799805	1.119927
1617	009	3071	0.07	1208	1	55	80	2.5	6	5	7678	6470	RH-2	40	form-based			true	0.7	6	1	5	5	8598.799805	7390.799805	7390.799805	1.119927
1617	010	3071	0.07	1964	1	55	80	2.5	6	5	7678	5714	RH-2	40	form-based			true	0.7	6	1	5	5	8598.799805	6634.799805	6634.799805	1.119927
1617	011	3071	0.07	1908	1	55	80	2.5	6	5	7678	5770	RH-2	40	form-based			true	0.7	6	1	5	5	8598.799805	6690.799805	6690.799805	1.119927
1617	012	3071	0.07	1702	1	55	80	2.5	6	5	7678	5976	RH-2	40	form-based			true	0.7	6	1	5	5	8598.799805	6896.799805	6896.799805	1.119927
1617	013	3071	0.07	1805	1	55	80	2.5	6	5	7678	5873	RH-2	40	form-based			true	0.7	6	1	5	5	8598.799805	6793.799805	6793.799805	1.119927
1617	016	2730	0.06	3081	1	55	80	2.5	5	4	6825	3744	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7644	4563	4563	1.12
1617	017	2730	0.06	2036	1	55	80	2.5	5	4	6825	4789	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7644	5608	5608	1.12
1617	017A	2730	0.06	1350	1	55	80	2.5	5	4	6825	5475	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7644	6294	6294	1.12
1617	018	2730	0.06	2122	1	55	80	2.5	5	4	6825	4703	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7644	5522	5522	1.12
1617	018A	2730	0.06	1798	1	55	80	2.5	5	4	6825	5027	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7644	5846	5846	1.12
1617	021	3120	0.07	2866	2	55	80	2.5	6	4	7800	4934	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8736	5870	5870	1.12
1617	024	3120	0.07	4175	2	55	80	2.5	6	4	7800	3625	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8736	4561	4561	1.12
1617	032B	2266	0.05	3457	3	55	80	2.5	4	1	5665	2208	NC-1	65	form-based			true	0.75	8	2	5	5	10197	6740	6740	1.8
1618	003A	3092	0.07	1240	1	55	80	2.5	6	5	7730	6490	RH-2	40	form-based			true	0.7	6	1	5	5	8657.599609	7417.599609	7417.599609	1.12
1618	003D	3230	0.07	3455	2	55	80	2.5	6	4	8075	4620	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9044	5589	5589	1.12
1618	003E	2973	0.07	2673	1	55	80	2.5	6	5	7432	4759	RH-2	40	form-based			true	0.7	6	1	5	5	8324.399414	5651.399414	5651.399414	1.120075
1618	004	2973	0.07	2070	1	55	80	2.5	6	5	7432	5362	RH-2	40	form-based			true	0.7	6	1	5	5	8324.399414	6254.399414	6254.399414	1.120075
1618	004A	3042	0.07	2750	1	55	80	2.5	6	5	7605	4855	RH-2	40	form-based			true	0.7	6	1	5	5	8517.599609	5767.599609	5767.599609	1.12
1618	004F	2750	0.06	1336	1	55	80	2.5	5	4	6875	5539	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7700	6364	6364	1.12
1618	004H	2973	0.07	2924	1	55	80	2.5	6	5	7432	4508	RH-2	40	form-based			true	0.7	6	1	5	5	8324.399414	5400.399414	5400.399414	1.120075
1618	004I	2973	0.07	2320	1	55	80	2.5	6	5	7432	5112	RH-2	40	form-based			true	0.7	6	1	5	5	8324.399414	6004.399414	6004.399414	1.120075
1618	004J	2973	0.07	2460	1	55	80	2.5	6	5	7432	4972	RH-2	40	form-based			true	0.7	6	1	5	5	8324.399414	5864.399414	5864.399414	1.120075
1618	005A	3218	0.07	3536	2	55	80	2.5	6	4	8045	4509	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9010.399414	5474.399414	5474.399414	1.12
1618	006	3218	0.07	3574	2	55	80	2.5	6	4	8045	4471	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9010.399414	5436.399414	5436.399414	1.12
1618	008	3036	0.07	2067	1	55	80	2.5	6	5	7590	5523	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6433.799805	6433.799805	1.12
1618	009	3036	0.07	1414	1	55	80	2.5	6	5	7590	6176	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7086.799805	7086.799805	1.12
1618	009A	3036	0.07	1527	1	55	80	2.5	6	5	7590	6063	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6973.799805	6973.799805	1.12
1618	010	3036	0.07	1355	1	55	80	2.5	6	5	7590	6235	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7145.799805	7145.799805	1.12
1618	010A	3036	0.07	4054	1	55	80	2.5	6	5	7590	3536	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	4446.799805	4446.799805	1.12
1618	010B	2740	0.06	1850	1	55	80	2.5	5	4	6850	5000	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7672	5822	5822	1.12
1618	010C	3036	0.07	1325	1	55	80	2.5	6	5	7590	6265	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7175.799805	7175.799805	1.12
1618	021	3558	0.08	5478	2	55	80	2.5	6	4	8895	3417	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9962.399414	4484.399414	4484.399414	1.12
1619	001	1805	0.04	2676	2	55	80	2.5	3	1	4512	1836	RTO-C	65	form-based	true		true	0.75	7	2.333333254	5	4	8122.5	5446.5	5446.5	1.8002
1619	006A	3000	0.07	1210	1	55	80	2.5	6	5	7500	6290	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7190	7190	1.12
1619	006B	3000	0.07	1435	1	55	80	2.5	6	5	7500	6065	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6965	6965	1.12
1619	006D	3000	0.07	1591	1	55	80	2.5	6	5	7500	5909	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6809	6809	1.12
1619	006E	3000	0.07	1578	1	55	80	2.5	6	5	7500	5922	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6822	6822	1.12
1619	007	3000	0.07	1708	1	55	80	2.5	6	5	7500	5792	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6692	6692	1.12
1619	017	3001	0.07	2470	1	55	80	2.5	6	5	7502	5032	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	5932.799805	5932.799805	1.120075
1619	017A	3001	0.07	2998	1	55	80	2.5	6	5	7502	4504	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	5404.799805	5404.799805	1.120075
1619	019	3001	0.07	1925	1	55	80	2.5	6	5	7502	5577	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6477.799805	6477.799805	1.120075
1619	019A	3001	0.07	1926	1	55	80	2.5	6	5	7502	5576	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6476.799805	6476.799805	1.120075
1619	021A	3001	0.07	1506	1	55	80	2.5	6	5	7502	5996	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6896.799805	6896.799805	1.120075
1619	022	3001	0.07	2954	1	55	80	2.5	6	5	7502	4548	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	5448.799805	5448.799805	1.120075
1619	024	3001	0.07	2364	1	55	80	2.5	6	5	7502	5138	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6038.799805	6038.799805	1.120075
1620	001B	3024	0.07	1437	1	55	80	2.5	6	5	7560	6123	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	7030.200195	7030.200195	1.12
1620	005	3369	0.08	4037	2	55	80	2.5	6	4	8422	4385	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9433.200195	5396.200195	5396.200195	1.120067
1620	005A	3360	0.08	3654	2	55	80	2.5	6	4	8400	4746	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9408	5754	5754	1.12
1620	006A	3240	0.07	3090	2	55	80	2.5	6	4	8100	5010	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9072	5982	5982	1.12
1620	007	3249	0.07	3600	2	55	80	2.5	6	4	8122	4522	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9097.200195	5497.200195	5497.200195	1.120069
1620	014	3240	0.07	3350	2	55	80	2.5	6	4	8100	4750	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9072	5722	5722	1.12
1620	016	3240	0.07	3590	2	55	80	2.5	6	4	8100	4510	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9072	5482	5482	1.12
1620	022	3000	0.07	4462	6	55	80	2.5	6	0	7500	3038	RTO-C	65	form-based			true	0.75	11	1.833333373	5	5	13500	9038	9038	1.8
1620	025	1727	0.04	1541	1	55	80	2.5	3	2	4318	2777	RTO-C	65	form-based			true	0.75	6	2	5	5	7771.5	6230.5	6230.5	1.799792
1620	028	3249	0.07	3630	2	55	80	2.5	6	4	8122	4492	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9097.200195	5467.200195	5467.200195	1.120069
1621	001E	2795	0.06	1085	1	55	80	2.5	5	4	6988	5903	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7826	6741	6741	1.11992
1621	001F	2795	0.06	1085	1	55	80	2.5	5	4	6988	5903	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7826	6741	6741	1.11992
1621	001G	2795	0.06	1085	1	55	80	2.5	5	4	6988	5903	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7826	6741	6741	1.11992
1621	001H	2795	0.06	1085	1	55	80	2.5	5	4	6988	5903	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7826	6741	6741	1.11992
1621	003	2996	0.07	1950	1	55	80	2.5	6	5	7490	5540	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6438.799805	6438.799805	1.12
1621	004	2996	0.07	1950	1	55	80	2.5	6	5	7490	5540	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6438.799805	6438.799805	1.12
1621	005	2996	0.07	2500	1	55	80	2.5	6	5	7490	4990	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	5888.799805	5888.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1621	006	2996	0.07	2030	1	55	80	2.5	6	5	7490	5460	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6358.799805	6358.799805	1.12
1621	007	2996	0.07	1950	1	55	80	2.5	6	5	7490	5540	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6438.799805	6438.799805	1.12
1621	008	2996	0.07	2325	1	55	80	2.5	6	5	7490	5165	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6063.799805	6063.799805	1.12
1621	009	2996	0.07	1950	1	55	80	2.5	6	5	7490	5540	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6438.799805	6438.799805	1.12
1621	010	2996	0.07	1950	1	55	80	2.5	6	5	7490	5540	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6438.799805	6438.799805	1.12
1621	011	2996	0.07	1950	1	55	80	2.5	6	5	7490	5540	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6438.799805	6438.799805	1.12
1621	012	2996	0.07	1950	1	55	80	2.5	6	5	7490	5540	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6438.799805	6438.799805	1.12
1621	024	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
1621	025	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
1621	026	3000	0.07	2194	1	55	80	2.5	6	5	7500	5306	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6206	6206	1.12
1621	027	3000	0.07	2288	1	55	80	2.5	6	5	7500	5212	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6112	6112	1.12
1621	028	3000	0.07	2338	1	55	80	2.5	6	5	7500	5162	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6062	6062	1.12
1621	029	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
1621	030	3000	0.07	2804	1	55	80	2.5	6	5	7500	4696	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5596	5596	1.12
1621	031	3000	0.07	3039	1	55	80	2.5	6	5	7500	4461	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5361	5361	1.12
1621	032	3000	0.07	2375	1	55	80	2.5	6	5	7500	5125	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6025	6025	1.12
1621	033	3000	0.07	2150	1	55	80	2.5	6	5	7500	5350	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6250	6250	1.12
1621	034	3000	0.07	2450	1	55	80	2.5	6	5	7500	5050	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5950	5950	1.12
1621	035	3000	0.07	2160	1	55	80	2.5	6	5	7500	5340	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6240	6240	1.12
1621	037	3000	0.07	2050	1	55	80	2.5	6	5	7500	5450	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6350	6350	1.12
1621	037A	3000	0.07	2050	1	55	80	2.5	6	5	7500	5450	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6350	6350	1.12
1621	039	3000	0.07	1425	1	55	80	2.5	6	5	7500	6075	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6975	6975	1.12
1621	041	1777	0.04	2500	2	55	80	2.5	3	1	4442	1942	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	7996.5	5496.5	5496.5	1.800203
1621	042	1777	0.04	2740	2	55	80	2.5	3	1	4442	1702	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	7996.5	5256.5	5256.5	1.800203
1621	043	1777	0.04	2500	2	55	80	2.5	3	1	4442	1942	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	7996.5	5496.5	5496.5	1.800203
1621	044	1777	0.04	2500	2	55	80	2.5	3	1	4442	1942	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	7996.5	5496.5	5496.5	1.800203
1622	002	3008	0.07	1495	1	55	80	2.5	6	5	7520	6025	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	6927.399414	6927.399414	1.12
1622	004	3008	0.07	1075	1	55	80	2.5	6	5	7520	6445	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	7347.399414	7347.399414	1.12
1622	005	3008	0.07	1075	1	55	80	2.5	6	5	7520	6445	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	7347.399414	7347.399414	1.12
1622	010	3008	0.07	1275	1	55	80	2.5	6	5	7520	6245	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	7147.399414	7147.399414	1.12
1622	011	3008	0.07	1275	1	55	80	2.5	6	5	7520	6245	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	7147.399414	7147.399414	1.12
1622	012	3008	0.07	1800	1	55	80	2.5	6	5	7520	5720	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	6622.399414	6622.399414	1.12
1622	014	3008	0.07	1379	1	55	80	2.5	6	5	7520	6141	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	7043.399414	7043.399414	1.12
1622	015	3008	0.07	1300	1	55	80	2.5	6	5	7520	6220	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	7122.399414	7122.399414	1.12
1622	016	3008	0.07	2531	1	55	80	2.5	6	5	7520	4989	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	5891.399414	5891.399414	1.12
1622	017	3008	0.07	1300	1	55	80	2.5	6	5	7520	6220	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	7122.399414	7122.399414	1.12
1622	021	2486	0.06	850	0	55	80	2.5	5	5	6215	5365	RH-2	40	form-based			true	0.7	5	1	5	5	6960.799805	6110.799805	6110.799805	1.12
1622	023	3000	0.07	1125	1	55	80	2.5	6	5	7500	6375	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7275	7275	1.12
1622	024	3000	0.07	1125	1	55	80	2.5	6	5	7500	6375	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7275	7275	1.12
1622	025	3000	0.07	2621	1	55	80	2.5	6	5	7500	4879	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5779	5779	1.12
1622	028	3000	0.07	1365	1	55	80	2.5	6	5	7500	6135	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7035	7035	1.12
1622	029	3000	0.07	1530	1	55	80	2.5	6	5	7500	5970	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6870	6870	1.12
1622	029A	3000	0.07	1365	1	55	80	2.5	6	5	7500	6135	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7035	7035	1.12
1622	029B	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
1622	030	3000	0.07	1100	1	55	80	2.5	6	5	7500	6400	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7300	7300	1.12
1622	031	3000	0.07	2232	1	55	80	2.5	6	5	7500	5268	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6168	6168	1.12
1622	032	3000	0.07	1100	1	55	80	2.5	6	5	7500	6400	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7300	7300	1.12
1622	034	3000	0.07	2050	1	55	80	2.5	6	5	7500	5450	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6350	6350	1.12
1623	002	3083	0.07	2300	1	55	80	2.5	6	5	7708	5408	RH-2	40	form-based			true	0.7	6	1	5	5	8632.399414	6332.399414	6332.399414	1.119927
1623	003	3083	0.07	3066	1	55	80	2.5	6	5	7708	4642	RH-2	40	form-based			true	0.7	6	1	5	5	8632.399414	5566.399414	5566.399414	1.119927
1623	004	3083	0.07	2675	1	55	80	2.5	6	5	7708	5033	RH-2	40	form-based			true	0.7	6	1	5	5	8632.399414	5957.399414	5957.399414	1.119927
1623	006	2670	0.06	1860	1	55	80	2.5	5	4	6675	4815	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7476	5616	5616	1.12
1623	007	2898	0.07	1860	1	55	80	2.5	6	5	7245	5385	RH-2	40	form-based			true	0.7	6	1	5	5	8114.399902	6254.399902	6254.399902	1.12
1623	008	2898	0.07	1860	1	55	80	2.5	6	5	7245	5385	RH-2	40	form-based			true	0.7	6	1	5	5	8114.399902	6254.399902	6254.399902	1.12
1623	009	2898	0.07	1860	1	55	80	2.5	6	5	7245	5385	RH-2	40	form-based			true	0.7	6	1	5	5	8114.399902	6254.399902	6254.399902	1.12
1623	011	2898	0.07	2220	1	55	80	2.5	6	5	7245	5025	RH-2	40	form-based			true	0.7	6	1	5	5	8114.399902	5894.399902	5894.399902	1.12
1623	012	2898	0.07	1860	1	55	80	2.5	6	5	7245	5385	RH-2	40	form-based			true	0.7	6	1	5	5	8114.399902	6254.399902	6254.399902	1.12
1623	013	2898	0.07	2504	1	55	80	2.5	6	5	7245	4741	RH-2	40	form-based			true	0.7	6	1	5	5	8114.399902	5610.399902	5610.399902	1.12
1623	014	2965	0.07	2150	1	55	80	2.5	6	5	7412	5262	RH-2	40	form-based			true	0.7	6	1	5	5	8302	6152	6152	1.120076
1623	014B	2965	0.07	2150	1	55	80	2.5	6	5	7412	5262	RH-2	40	form-based			true	0.7	6	1	5	5	8302	6152	6152	1.120076
1623	014C	2965	0.07	2150	1	55	80	2.5	6	5	7412	5262	RH-2	40	form-based			true	0.7	6	1	5	5	8302	6152	6152	1.120076
1623	024	3048	0.07	1505	1	55	80	2.5	6	5	7620	6115	RH-2	40	form-based			true	0.7	6	1	5	5	8534.399414	7029.399414	7029.399414	1.12
1623	025	3048	0.07	1125	1	55	80	2.5	6	5	7620	6495	RH-2	40	form-based			true	0.7	6	1	5	5	8534.399414	7409.399414	7409.399414	1.12
1623	026	3048	0.07	1752	1	55	80	2.5	6	5	7620	5868	RH-2	40	form-based			true	0.7	6	1	5	5	8534.399414	6782.399414	6782.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1623	030	2842	0.07	1305	1	55	80	2.5	6	5	7105	5800	RH-2	40	form-based			true	0.7	6	1	5	5	7957.600098	6652.600098	6652.600098	1.12
1623	032	3048	0.07	1325	1	55	80	2.5	6	5	7620	6295	RH-2	40	form-based			true	0.7	6	1	5	5	8534.399414	7209.399414	7209.399414	1.12
1623	033	3048	0.07	1570	1	55	80	2.5	6	5	7620	6050	RH-2	40	form-based			true	0.7	6	1	5	5	8534.399414	6964.399414	6964.399414	1.12
1623	034	3048	0.07	1720	1	55	80	2.5	6	5	7620	5900	RH-2	40	form-based			true	0.7	6	1	5	5	8534.399414	6814.399414	6814.399414	1.12
1624	001	2085	0.05	2790	3	55	80	2.5	4	1	5212	2422	RTO-C	65	form-based		true	true	0.75	8	2	5	5	9382.5	6592.5	6592.5	1.800173
1624	002	2989	0.07	1700	1	55	80	2.5	6	5	7472	5772	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6669.200195	6669.200195	1.120075
1624	002A	2989	0.07	1700	1	55	80	2.5	6	5	7472	5772	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6669.200195	6669.200195	1.120075
1624	003	2989	0.07	1900	1	55	80	2.5	6	5	7472	5572	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6469.200195	6469.200195	1.120075
1624	004	2989	0.07	1900	1	55	80	2.5	6	5	7472	5572	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6469.200195	6469.200195	1.120075
1624	005B	2989	0.07	1065	1	55	80	2.5	6	5	7472	6407	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7304.200195	7304.200195	1.120075
1624	005C	2989	0.07	2102	1	55	80	2.5	6	5	7472	5370	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6267.200195	6267.200195	1.120075
1624	005D	2989	0.07	1240	1	55	80	2.5	6	5	7472	6232	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7129.200195	7129.200195	1.120075
1624	005F	2989	0.07	1240	1	55	80	2.5	6	5	7472	6232	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7129.200195	7129.200195	1.120075
1624	005G	2989	0.07	1240	1	55	80	2.5	6	5	7472	6232	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7129.200195	7129.200195	1.120075
1624	005I	2989	0.07	1240	1	55	80	2.5	6	5	7472	6232	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7129.200195	7129.200195	1.120075
1624	005J	2989	0.07	1240	1	55	80	2.5	6	5	7472	6232	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7129.200195	7129.200195	1.120075
1624	006A	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
1624	006B	3000	0.07	1440	1	55	80	2.5	6	5	7500	6060	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6960	6960	1.12
1624	006C	3000	0.07	1483	1	55	80	2.5	6	5	7500	6017	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6917	6917	1.12
1624	006E	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
1624	006H	3120	0.07	2830	2	55	80	2.5	6	4	7800	4970	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8736	5906	5906	1.12
1624	006I	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
1624	006L	3000	0.07	1840	1	55	80	2.5	6	5	7500	5660	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6560	6560	1.12
1624	007	3000	0.07	1225	1	55	80	2.5	6	5	7500	6275	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7175	7175	1.12
1624	008	3000	0.07	1369	1	55	80	2.5	6	5	7500	6131	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7031	7031	1.12
1624	009	3000	0.07	2314	1	55	80	2.5	6	5	7500	5186	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6086	6086	1.12
1624	010	3000	0.07	1900	1	55	80	2.5	6	5	7500	5600	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6500	6500	1.12
1625	005E	3044	0.07	1850	1	55	80	2.5	6	5	7610	5760	RH-2	40	form-based			true	0.7	6	1	5	5	8523.200195	6673.200195	6673.200195	1.12
1625	008	2940	0.07	1150	1	55	80	2.5	6	5	7350	6200	RH-2	40	form-based			true	0.7	6	1	5	5	8232	7082	7082	1.12
1625	010I	3175	0.07	3255	2	55	80	2.5	6	4	7938	4683	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8890	5635	5635	1.119929
1625	013	2638	0.06	2170	1	55	80	2.5	5	4	6595	4425	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7386.399902	5216.399902	5216.399902	1.12
1625	018	3044	0.07	2305	1	55	80	2.5	6	5	7610	5305	RH-2	40	form-based			true	0.7	6	1	5	5	8523.200195	6218.200195	6218.200195	1.12
1625	020	3044	0.07	1050	1	55	80	2.5	6	5	7610	6560	RH-2	40	form-based			true	0.7	6	1	5	5	8523.200195	7473.200195	7473.200195	1.12
1625	022	3044	0.07	1850	1	55	80	2.5	6	5	7610	5760	RH-2	40	form-based			true	0.7	6	1	5	5	8523.200195	6673.200195	6673.200195	1.12
1625	022B	3044	0.07	1850	1	55	80	2.5	6	5	7610	5760	RH-2	40	form-based			true	0.7	6	1	5	5	8523.200195	6673.200195	6673.200195	1.12
1625	022C	3044	0.07	1850	1	55	80	2.5	6	5	7610	5760	RH-2	40	form-based			true	0.7	6	1	5	5	8523.200195	6673.200195	6673.200195	1.12
1625	023A	1661	0.04	1850	1	55	80	2.5	3	2	4152	2302	RTO-C	65	form-based			true	0.75	6	2	5	5	7474.5	5624.5	5624.5	1.800217
1625	024	1661	0.04	1850	1	55	80	2.5	3	2	4152	2302	RTO-C	65	form-based			true	0.75	6	2	5	5	7474.5	5624.5	5624.5	1.800217
1625	024A	1687	0.04	1850	1	55	80	2.5	3	2	4218	2368	RTO-C	65	form-based		true	true	0.75	6	2	5	5	7591.5	5741.5	5741.5	1.799787
1626	001A	2953	0.07	2170	1	55	80	2.5	6	5	7382	5212	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	6098.399414	6098.399414	1.120076
1626	001B	2953	0.07	1900	1	55	80	2.5	6	5	7382	5482	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	6368.399414	6368.399414	1.120076
1626	001C	2953	0.07	1900	1	55	80	2.5	6	5	7382	5482	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	6368.399414	6368.399414	1.120076
1626	001D	2953	0.07	2010	1	55	80	2.5	6	5	7382	5372	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	6258.399414	6258.399414	1.120076
1626	001G	2471	0.06	4500	4	55	80	2.5	5	1	6178	1678	NC-1	65	form-based		true	true	0.75	9	1.799999952	5	5	11119.5	6619.5	6619.5	1.799854
1626	002	2953	0.07	1425	1	55	80	2.5	6	5	7382	5957	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	6843.399414	6843.399414	1.120076
1626	003A	2953	0.07	2650	1	55	80	2.5	6	5	7382	4732	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	5618.399414	5618.399414	1.120076
1626	003B	3060	0.07	1500	1	55	80	2.5	6	5	7650	6150	RH-2	40	form-based			true	0.7	6	1	5	5	8568	7068	7068	1.12
1626	003C	3060	0.07	1400	1	55	80	2.5	6	5	7650	6250	RH-2	40	form-based			true	0.7	6	1	5	5	8568	7168	7168	1.12
1626	003E	3060	0.07	1725	1	55	80	2.5	6	5	7650	5925	RH-2	40	form-based			true	0.7	6	1	5	5	8568	6843	6843	1.12
1626	003F	3060	0.07	1400	1	55	80	2.5	6	5	7650	6250	RH-2	40	form-based			true	0.7	6	1	5	5	8568	7168	7168	1.12
1626	003G	3060	0.07	1150	1	55	80	2.5	6	5	7650	6500	RH-2	40	form-based			true	0.7	6	1	5	5	8568	7418	7418	1.12
1626	005	2953	0.07	1800	1	55	80	2.5	6	5	7382	5582	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	6468.399414	6468.399414	1.120076
1626	006	2953	0.07	1350	1	55	80	2.5	6	5	7382	6032	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	6918.399414	6918.399414	1.120076
1626	007	2953	0.07	1350	1	55	80	2.5	6	5	7382	6032	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	6918.399414	6918.399414	1.120076
1626	014	3060	0.07	1650	1	55	80	2.5	6	5	7650	6000	RH-2	40	form-based			true	0.7	6	1	5	5	8568	6918	6918	1.12
1626	014A	2810	0.06	1650	1	55	80	2.5	5	4	7025	5375	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7868	6218	6218	1.12
1626	016	3060	0.07	1775	1	55	80	2.5	6	5	7650	5875	RH-2	40	form-based			true	0.7	6	1	5	5	8568	6793	6793	1.12
1626	017	3060	0.07	1300	1	55	80	2.5	6	5	7650	6350	RH-2	40	form-based			true	0.7	6	1	5	5	8568	7268	7268	1.12
1626	019	3060	0.07	2450	1	55	80	2.5	6	5	7650	5200	RH-2	40	form-based			true	0.7	6	1	5	5	8568	6118	6118	1.12
1626	021	3060	0.07	2327	1	55	80	2.5	6	5	7650	5323	RH-2	40	form-based			true	0.7	6	1	5	5	8568	6241	6241	1.12
1626	022	3060	0.07	1900	1	55	80	2.5	6	5	7650	5750	RH-2	40	form-based			true	0.7	6	1	5	5	8568	6668	6668	1.12
1626	022A	3060	0.07	1900	1	55	80	2.5	6	5	7650	5750	RH-2	40	form-based			true	0.7	6	1	5	5	8568	6668	6668	1.12
1627	008	2678	0.06	1982	1	55	80	2.5	5	4	6695	4713	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7498.399902	5516.399902	5516.399902	1.12
1627	010A	2777	0.06	1807	1	55	80	2.5	5	4	6942	5135	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7775.600098	5968.600098	5968.600098	1.120081

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1627	011	2975	0.07	1898	1	55	80	2.5	6	5	7438	5540	RH-2	40	form-based			true	0.7	6	1	5	5	8330	6432	6432	1.119925
1627	014	3036	0.07	1850	1	55	80	2.5	6	5	7590	5740	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6650.799805	6650.799805	1.12
1627	015	3036	0.07	2600	1	55	80	2.5	6	5	7590	4990	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	5900.799805	5900.799805	1.12
1627	016	3036	0.07	3324	1	55	80	2.5	6	5	7590	4266	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	5176.799805	5176.799805	1.12
1627	017	2692	0.06	1506	1	55	80	2.5	5	4	6730	5224	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7537.600098	6031.600098	6031.600098	1.12
1627	017A	2874	0.07	1500	1	55	80	2.5	6	5	7185	5685	RH-2	40	form-based			true	0.7	6	1	5	5	8047.199707	6547.199707	6547.199707	1.12
1627	020	3036	0.07	1950	1	55	80	2.5	6	5	7590	5640	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6550.799805	6550.799805	1.12
1628	004	3001	0.07	2076	1	55	80	2.5	6	5	7502	5426	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6326.799805	6326.799805	1.120075
1628	005	3001	0.07	2000	1	55	80	2.5	6	5	7502	5502	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6402.799805	6402.799805	1.120075
1628	005A	3001	0.07	1605	1	55	80	2.5	6	5	7502	5897	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6797.799805	6797.799805	1.120075
1628	008	3001	0.07	2110	1	55	80	2.5	6	5	7502	5392	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6292.799805	6292.799805	1.120075
1628	009	3001	0.07	2590	1	55	80	2.5	6	5	7502	4912	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	5812.799805	5812.799805	1.120075
1628	016	2915	0.07	1240	1	55	80	2.5	6	5	7288	6048	RH-2	40	form-based			true	0.7	6	1	5	5	8162	6922	6922	1.119923
1628	016A	2915	0.07	2597	1	55	80	2.5	6	5	7288	4691	RH-2	40	form-based			true	0.7	6	1	5	5	8162	5565	5565	1.119923
1628	019	2888	0.07	1382	1	55	80	2.5	6	5	7220	5838	RH-2	40	form-based			true	0.7	6	1	5	5	8086.399902	6704.399902	6704.399902	1.12
1628	020	3000	0.07	1975	1	55	80	2.5	6	5	7500	5525	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6425	6425	1.12
1628	024	2868	0.07	1890	1	55	80	2.5	6	5	7170	5280	RH-2	40	form-based			true	0.7	6	1	5	5	8030.399902	6140.399902	6140.399902	1.12
1628	025	2844	0.07	1890	1	55	80	2.5	6	5	7110	5220	RH-2	40	form-based			true	0.7	6	1	5	5	7963.199707	6073.199707	6073.199707	1.12
1628	026	3000	0.07	1970	1	55	80	2.5	6	5	7500	5530	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6430	6430	1.12
1628	027	3000	0.07	1930	1	55	80	2.5	6	5	7500	5570	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6470	6470	1.12
1629	001B	1938	0.04	1780	2	55	80	2.5	3	1	4845	3065	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	8721	6941	6941	1.8
1629	001C	1938	0.04	2385	2	55	80	2.5	3	1	4845	2460	RTO-C	65	form-based			true	0.75	7	2.333333254	5	4	8721	6336	6336	1.8
1629	003	3188	0.07	3160	2	55	80	2.5	6	4	7970	4810	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8926.399414	5766.399414	5766.399414	1.12
1629	004	3188	0.07	3200	2	55	80	2.5	6	4	7970	4770	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8926.399414	5726.399414	5726.399414	1.12
1629	004A	3188	0.07	3775	2	55	80	2.5	6	4	7970	4195	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8926.399414	5151.399414	5151.399414	1.12
1629	009	3188	0.07	4375	2	55	80	2.5	6	4	7970	3595	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8926.399414	4551.399414	4551.399414	1.12
1629	011	3470	0.08	3942	2	55	80	2.5	6	4	8675	4733	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9716	5774	5774	1.12
1629	014	2950	0.07	2420	1	55	80	2.5	6	5	7375	4955	RH-2	40	form-based			true	0.7	6	1	5	5	8260	5840	5840	1.12
1629	017	2950	0.07	1436	1	55	80	2.5	6	5	7375	5939	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6824	6824	1.12
1629	018	2950	0.07	2440	1	55	80	2.5	6	5	7375	4935	RH-2	40	form-based			true	0.7	6	1	5	5	8260	5820	5820	1.12
1629	025	3524	0.08	3880	2	55	80	2.5	6	4	8810	4930	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9867.200195	5987.200195	5987.200195	1.12
1629	031	3318	0.08	3080	2	55	80	2.5	6	4	8295	5215	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9290.399414	6210.399414	6210.399414	1.12
1629	039C	1947	0.04	2979	2	55	80	2.5	3	1	4868	1889	RTO-C	65	form-based	true		true	0.75	7	2.333333254	5	4	8761.5	5782.5	5782.5	1.799815
1629	041	3190	0.07	1586	2	55	80	2.5	6	4	7975	6389	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8932	7346	7346	1.12
1629	043	3188	0.07	1490	2	55	80	2.5	6	4	7970	6480	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8926.399414	7436.399414	7436.399414	1.12
1629	047	3188	0.07	1798	2	55	80	2.5	6	4	7970	6172	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8926.399414	7128.399414	7128.399414	1.12
1630	011	3523	0.08	3560	2	55	80	2.5	6	4	8808	5248	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9864.399414	6304.399414	6304.399414	1.119936
1630	012	3210	0.07	3430	2	55	80	2.5	6	4	8025	4595	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8988	5558	5558	1.12
1630	015	3210	0.07	3600	2	55	80	2.5	6	4	8025	4425	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8988	5388	5388	1.12
1630	021	3100	0.07	3690	2	55	80	2.5	6	4	7750	4060	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8680	4990	4990	1.12
1630	022	3100	0.07	3924	2	55	80	2.5	6	4	7750	3826	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8680	4756	4756	1.12
1630	027A	2839	0.07	2360	1	55	80	2.5	6	5	7098	4738	RH-2	40	form-based			true	0.7	6	1	5	5	7949.199707	5589.199707	5589.199707	1.119921
1630	031	3025	0.07	2300	1	55	80	2.5	6	5	7562	5262	RH-2	40	form-based			true	0.7	6	1	5	5	8470	6170	6170	1.120074
1630	031A	3025	0.07	2550	1	55	80	2.5	6	5	7562	5012	RH-2	40	form-based			true	0.7	6	1	5	5	8470	5920	5920	1.120074
1630	032	3033	0.07	2062	1	55	80	2.5	6	5	7582	5520	RH-2	40	form-based			true	0.7	6	1	5	5	8492.399414	6430.399414	6430.399414	1.120074
1630	032A	3014	0.07	2300	1	55	80	2.5	6	5	7535	5235	RH-2	40	form-based			true	0.7	6	1	5	5	8439.200195	6139.200195	6139.200195	1.12
1630	032B	3014	0.07	2300	1	55	80	2.5	6	5	7535	5235	RH-2	40	form-based			true	0.7	6	1	5	5	8439.200195	6139.200195	6139.200195	1.12
1630	032C	3014	0.07	2050	1	55	80	2.5	6	5	7535	5485	RH-2	40	form-based			true	0.7	6	1	5	5	8439.200195	6389.200195	6389.200195	1.12
1630	032F	3033	0.07	2062	1	55	80	2.5	6	5	7582	5520	RH-2	40	form-based			true	0.7	6	1	5	5	8492.399414	6430.399414	6430.399414	1.120074
1630	037	3210	0.07	1755	2	55	80	2.5	6	4	8025	6270	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8988	7233	7233	1.12
1630	039	3210	0.07	1591	2	55	80	2.5	6	4	8025	6434	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8988	7397	7397	1.12
1630	041	3210	0.07	5304	2	55	80	2.5	6	4	8025	2721	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8988	3684	3684	1.12
1632	001	1707	0.04	1750	1	55	80	2.5	3	2	4268	2518	RTO-C	65	form-based	true		true	0.75	6	2	5	5	7681.5	5931.5	5931.5	1.799789
1632	004	2986	0.07	2274	1	55	80	2.5	6	5	7465	5191	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	6086.799805	6086.799805	1.12
1632	008	2986	0.07	2330	1	55	80	2.5	6	5	7465	5135	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	6030.799805	6030.799805	1.12
1632	008B	2986	0.07	2931	1	55	80	2.5	6	5	7465	4534	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5429.799805	5429.799805	1.12
1632	008C	2986	0.07	2642	1	55	80	2.5	6	5	7465	4823	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5718.799805	5718.799805	1.12
1632	008D	2986	0.07	2753	1	55	80	2.5	6	5	7465	4712	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5607.799805	5607.799805	1.12
1632	008E	2986	0.07	2642	1	55	80	2.5	6	5	7465	4823	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5718.799805	5718.799805	1.12
1632	008F	2986	0.07	2642	1	55	80	2.5	6	5	7465	4823	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5718.799805	5718.799805	1.12
1632	009K	2649	0.06	2647	1	55	80	2.5	5	4	6622	3975	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7417.199707	4770.199707	4770.199707	1.120085
1632	009L	2649	0.06	3498	1	55	80	2.5	5	4	6622	3124	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7417.199707	3919.199707	3919.199707	1.120085
1632	009Q	3024	0.07	2320	1	55	80	2.5	6	5	7560	5240	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6147.200195	6147.200195	1.12
1632	015	2424	0.06	3670	4	55	80	2.5	5	1	6060	2390	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	10908	7238	7238	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1632	017A	2361	0.05	3780	4	55	80	2.5	4	0	5902	2122	RTO-C	65	form-based		true	true	0.75	9	2.25	5	4	10624.5	6844.5	6844.5	1.800153
1632	021	1587	0.04	2617	1	55	80	2.5	3	2	3968	1351	RTO-C	65	form-based			true	0.75	6	2	5	5	7141.5	4524.5	4524.5	1.799773
1633	005	2994	0.07	2706	1	55	80	2.5	6	5	7485	4779	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	5677.200195	5677.200195	1.12
1633	006	2994	0.07	2538	1	55	80	2.5	6	5	7485	4947	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	5845.200195	5845.200195	1.12
1633	007	2994	0.07	2538	1	55	80	2.5	6	5	7485	4947	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	5845.200195	5845.200195	1.12
1633	008	2994	0.07	1740	1	55	80	2.5	6	5	7485	5745	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	6643.200195	6643.200195	1.12
1633	009	2994	0.07	3288	1	55	80	2.5	6	5	7485	4197	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	5095.200195	5095.200195	1.12
1633	010	2994	0.07	2463	1	55	80	2.5	6	5	7485	5022	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	5920.200195	5920.200195	1.12
1633	011	2994	0.07	2171	1	55	80	2.5	6	5	7485	5314	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	6212.200195	6212.200195	1.12
1633	012	2994	0.07	2085	1	55	80	2.5	6	5	7485	5400	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	6298.200195	6298.200195	1.12
1633	013	2994	0.07	1725	1	55	80	2.5	6	5	7485	5760	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	6658.200195	6658.200195	1.12
1633	014	2994	0.07	1700	1	55	80	2.5	6	5	7485	5785	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	6683.200195	6683.200195	1.12
1633	015	2994	0.07	2826	1	55	80	2.5	6	5	7485	4659	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	5557.200195	5557.200195	1.12
1633	016	2994	0.07	2000	1	55	80	2.5	6	5	7485	5485	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	6383.200195	6383.200195	1.12
1633	017	2994	0.07	1615	1	55	80	2.5	6	5	7485	5870	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	6768.200195	6768.200195	1.12
1633	018	2994	0.07	1615	1	55	80	2.5	6	5	7485	5870	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	6768.200195	6768.200195	1.12
1633	031	3000	0.07	2388	1	55	80	2.5	6	5	7500	5112	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6012	6012	1.12
1633	033	3000	0.07	3180	1	55	80	2.5	6	5	7500	4320	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5220	5220	1.12
1633	034	3000	0.07	3750	1	55	80	2.5	6	5	7500	3750	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4650	4650	1.12
1633	035	3000	0.07	3999	1	55	80	2.5	6	5	7500	3501	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4401	4401	1.12
1633	036	3000	0.07	3180	1	55	80	2.5	6	5	7500	4320	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5220	5220	1.12
1633	037	3000	0.07	2700	1	55	80	2.5	6	5	7500	4800	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5700	5700	1.12
1633	038	3000	0.07	2360	1	55	80	2.5	6	5	7500	5140	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6040	6040	1.12
1633	039	3000	0.07	2673	1	55	80	2.5	6	5	7500	4827	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5727	5727	1.12
1633	040	3000	0.07	2360	1	55	80	2.5	6	5	7500	5140	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6040	6040	1.12
1633	041	3000	0.07	2440	1	55	80	2.5	6	5	7500	5060	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5960	5960	1.12
1633	042	3000	0.07	3117	1	55	80	2.5	6	5	7500	4383	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5283	5283	1.12
1633	043	3000	0.07	2653	1	55	80	2.5	6	5	7500	4847	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5747	5747	1.12
1633	044	3000	0.07	3125	1	55	80	2.5	6	5	7500	4375	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5275	5275	1.12
1633	045	3000	0.07	2440	1	55	80	2.5	6	5	7500	5060	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5960	5960	1.12
1633	046	3000	0.07	2440	1	55	80	2.5	6	5	7500	5060	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5960	5960	1.12
1634	001C	2961	0.07	3222	1	55	80	2.5	6	5	7402	4180	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	5068.799805	5068.799805	1.120076
1634	001D	2961	0.07	2695	1	55	80	2.5	6	5	7402	4707	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	5595.799805	5595.799805	1.120076
1634	001E	2961	0.07	2140	1	55	80	2.5	6	5	7402	5262	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	6150.799805	6150.799805	1.120076
1634	001F	2961	0.07	1740	1	55	80	2.5	6	5	7402	5662	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	6550.799805	6550.799805	1.120076
1634	001G	2961	0.07	1812	1	55	80	2.5	6	5	7402	5590	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	6478.799805	6478.799805	1.120076
1634	001H	3533	0.08	3480	2	55	80	2.5	6	4	8832	5352	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9892.399414	6412.399414	6412.399414	1.120063
1634	005	2961	0.07	1950	1	55	80	2.5	6	5	7402	5452	RH-2	40	form-based			true	0.7	6	1	5	5	8290.799805	6340.799805	6340.799805	1.120076
1634	011	2636	0.06	2340	1	55	80	2.5	5	4	6590	4250	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7380.799805	5040.799805	5040.799805	1.12
1634	021	2804	0.06	2613	1	55	80	2.5	5	4	7010	4397	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7851.199707	5238.199707	5238.199707	1.12
1634	022	3048	0.07	2134	1	55	80	2.5	6	5	7620	5486	RH-2	40	form-based			true	0.7	6	1	5	5	8534.399414	6400.399414	6400.399414	1.12
1634	024	3048	0.07	1950	1	55	80	2.5	6	5	7620	5670	RH-1	40	form-based			true	0.7	6	1	5	5	8534.399414	6584.399414	6584.399414	1.12
1634	025	3048	0.07	2340	1	55	80	2.5	6	5	7620	5280	RH-1	40	form-based			true	0.7	6	1	5	5	8534.399414	6194.399414	6194.399414	1.12
1634	026	3048	0.07	2340	1	55	80	2.5	6	5	7620	5280	RH-1	40	form-based			true	0.7	6	1	5	5	8534.399414	6194.399414	6194.399414	1.12
1634	026A	3048	0.07	2340	1	55	80	2.5	6	5	7620	5280	RH-1	40	form-based			true	0.7	6	1	5	5	8534.399414	6194.399414	6194.399414	1.12
1634	027	3048	0.07	2869	1	55	80	2.5	6	5	7620	4751	RH-1	40	form-based			true	0.7	6	1	5	5	8534.399414	5665.399414	5665.399414	1.12
1634	027A	3048	0.07	2340	1	55	80	2.5	6	5	7620	5280	RH-1	40	form-based			true	0.7	6	1	5	5	8534.399414	6194.399414	6194.399414	1.12
1635	004	2988	0.07	2662	1	55	80	2.5	6	5	7470	4808	RH-2	40	form-based			true	0.7	6	1	5	5	8366.399414	5704.399414	5704.399414	1.12
1635	007	2988	0.07	2340	1	55	80	2.5	6	5	7470	5130	RH-2	40	form-based			true	0.7	6	1	5	5	8366.399414	6026.399414	6026.399414	1.12
1635	007A	2988	0.07	2340	1	55	80	2.5	6	5	7470	5130	RH-2	40	form-based			true	0.7	6	1	5	5	8366.399414	6026.399414	6026.399414	1.12
1635	007B	2988	0.07	2895	1	55	80	2.5	6	5	7470	4575	RH-2	40	form-based			true	0.7	6	1	5	5	8366.399414	5471.399414	5471.399414	1.12
1635	024	3033	0.07	2144	1	55	80	2.5	6	5	7582	5438	RH-2	40	form-based			true	0.7	6	1	5	5	8492.399414	6348.399414	6348.399414	1.120074
1635	030	1539	0.04	2100	1	55	80	2.5	3	2	3848	1748	RTO-C	65	form-based			true	0.75	6	2	5	5	6925.5	4825.5	4825.5	1.799766
1636	001B	3228	0.07	3960	2	55	80	2.5	6	4	8070	4110	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9038.399414	5078.399414	5078.399414	1.12
1636	001E	1997	0.05	2760	2	55	80	2.5	4	2	4992	2232	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8986.5	6226.5	6226.5	1.80018
1636	001F	1997	0.05	2760	2	55	80	2.5	4	2	4992	2232	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8986.5	6226.5	6226.5	1.80018
1636	001H	3228	0.07	3600	2	55	80	2.5	6	4	8070	4470	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9038.399414	5438.399414	5438.399414	1.12
1636	024	3303	0.08	3200	2	55	80	2.5	6	4	8258	5058	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9248.399414	6048.399414	6048.399414	1.119932
1636	034	1997	0.05	1380	2	55	80	2.5	4	2	4992	3612	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8986.5	7606.5	7606.5	1.80018
1637	003	3024	0.07	2000	1	55	80	2.5	6	5	7560	5560	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6467.200195	6467.200195	1.12
1637	004	3024	0.07	2220	1	55	80	2.5	6	5	7560	5340	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6247.200195	6247.200195	1.12
1637	004A	3024	0.07	2220	1	55	80	2.5	6	5	7560	5340	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6247.200195	6247.200195	1.12
1637	006	3024	0.07	2000	1	55	80	2.5	6	5	7560	5560	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6467.200195	6467.200195	1.12
1637	007	3024	0.07	2053	1	55	80	2.5	6	5	7560	5507	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6414.200195	6414.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1637	011	3024	0.07	2250	1	55	80	2.5	6	5	7560	5310	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6217.200195	6217.200195	1.12
1637	012	3024	0.07	3215	1	55	80	2.5	6	5	7560	4345	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	5252.200195	5252.200195	1.12
1637	020	3148	0.07	2980	2	55	80	2.5	6	4	7870	4890	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8814.399414	5834.399414	5834.399414	1.12
1637	031	3312	0.08	3048	2	55	80	2.5	6	4	8280	5232	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9273.599609	6225.599609	6225.599609	1.12
1638	006	2985	0.07	1850	1	55	80	2.5	6	5	7462	5612	RH-2	40	form-based			true	0.7	6	1	5	5	8358	6508	6508	1.120075
1638	007	2985	0.07	2358	1	55	80	2.5	6	5	7462	5104	RH-2	40	form-based			true	0.7	6	1	5	5	8358	6000	6000	1.120075
1638	031	2487	0.06	3967	4	55	80	2.5	5	1	6218	2251	NCD-INNE	65	form-based			true	0.75	9	1.799999952	5	5	11191.5	7224.5	7224.5	1.799855
1639	006	3009	0.07	3103	1	55	80	2.5	6	5	7522	4419	RH-2	40	form-based			true	0.7	6	1	5	5	8425.200195	5322.200195	5322.200195	1.120075
1639	009	3009	0.07	1250	1	55	80	2.5	6	5	7522	6272	RH-2	40	form-based			true	0.7	6	1	5	5	8425.200195	7175.200195	7175.200195	1.120075
1639	010	3009	0.07	1700	1	55	80	2.5	6	5	7522	5822	RH-2	40	form-based			true	0.7	6	1	5	5	8425.200195	6725.200195	6725.200195	1.120075
1639	016	3009	0.07	2100	1	55	80	2.5	6	5	7522	5422	RH-2	40	form-based			true	0.7	6	1	5	5	8425.200195	6325.200195	6325.200195	1.120075
1639	017	3009	0.07	2500	1	55	80	2.5	6	5	7522	5022	RH-2	40	form-based			true	0.7	6	1	5	5	8425.200195	5925.200195	5925.200195	1.120075
1639	042	3000	0.07	1750	1	55	80	2.5	6	5	7500	5750	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6650	6650	1.12
1640	005	2997	0.07	1584	1	55	80	2.5	6	5	7492	5908	RH-2	40	form-based			true	0.7	6	1	5	5	8391.599609	6807.599609	6807.599609	1.120075
1640	006	2997	0.07	1800	1	55	80	2.5	6	5	7492	5692	RH-2	40	form-based			true	0.7	6	1	5	5	8391.599609	6591.599609	6591.599609	1.120075
1640	007	2997	0.07	3051	1	55	80	2.5	6	5	7492	4441	RH-2	40	form-based			true	0.7	6	1	5	5	8391.599609	5340.599609	5340.599609	1.120075
1640	008	2997	0.07	2548	1	55	80	2.5	6	5	7492	4944	RH-2	40	form-based			true	0.7	6	1	5	5	8391.599609	5843.599609	5843.599609	1.120075
1640	039	3000	0.07	1880	1	55	80	2.5	6	5	7500	5620	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6520	6520	1.12
1640	040	3000	0.07	1800	1	55	80	2.5	6	5	7500	5700	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6600	6600	1.12
1640	044	3000	0.07	2195	1	55	80	2.5	6	5	7500	5305	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6205	6205	1.12
1640	046	3000	0.07	1684	1	55	80	2.5	6	5	7500	5816	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6716	6716	1.12
1641	001	2388	0.05	3971	4	55	80	2.5	4	0	5970	1999	NCD-INNE	65	form-based		true	true	0.75	9	2.25	5	4	10746	6775	6775	1.8
1641	005	3018	0.07	1864	1	55	80	2.5	6	5	7545	5681	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6586.399414	6586.399414	1.12
1641	011	3018	0.07	2194	1	55	80	2.5	6	5	7545	5351	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6256.399414	6256.399414	1.12
1641	012	3018	0.07	1844	1	55	80	2.5	6	5	7545	5701	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6606.399414	6606.399414	1.12
1641	015	3018	0.07	1922	1	55	80	2.5	6	5	7545	5623	RH-2	40	form-based			true	0.7	6	1	5	5	8450.399414	6528.399414	6528.399414	1.12
1641	031	3000	0.07	1680	1	55	80	2.5	6	5	7500	5820	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6720	6720	1.12
1641	037	3000	0.07	1015	1	55	80	2.5	6	5	7500	6485	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7385	7385	1.12
1641	041	3000	0.07	3120	1	55	80	2.5	6	5	7500	4380	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5280	5280	1.12
1641	042	3000	0.07	1923	1	55	80	2.5	6	5	7500	5577	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6477	6477	1.12
1641	044	3000	0.07	4057	1	55	80	2.5	6	5	7500	3443	RH-2	40	form-based			true	0.7	6	1	5	5	8400	4343	4343	1.12
1642	005	3014	0.07	2605	1	55	80	2.5	6	5	7535	4930	RH-2	40	form-based			true	0.7	6	1	5	5	8439.200195	5834.200195	5834.200195	1.12
1642	006	3014	0.07	1780	1	55	80	2.5	6	5	7535	5755	RH-2	40	form-based			true	0.7	6	1	5	5	8439.200195	6659.200195	6659.200195	1.12
1642	007	3014	0.07	1825	1	55	80	2.5	6	5	7535	5710	RH-2	40	form-based			true	0.7	6	1	5	5	8439.200195	6614.200195	6614.200195	1.12
1642	008	3014	0.07	1616	1	55	80	2.5	6	5	7535	5919	RH-2	40	form-based			true	0.7	6	1	5	5	8439.200195	6823.200195	6823.200195	1.12
1642	009	3014	0.07	1792	1	55	80	2.5	6	5	7535	5743	RH-2	40	form-based			true	0.7	6	1	5	5	8439.200195	6647.200195	6647.200195	1.12
1642	011	3014	0.07	1552	1	55	80	2.5	6	5	7535	5983	RH-2	40	form-based			true	0.7	6	1	5	5	8439.200195	6887.200195	6887.200195	1.12
1642	012	3014	0.07	1325	1	55	80	2.5	6	5	7535	6210	RH-2	40	form-based			true	0.7	6	1	5	5	8439.200195	7114.200195	7114.200195	1.12
1642	013	3014	0.07	1468	1	55	80	2.5	6	5	7535	6067	RH-2	40	form-based			true	0.7	6	1	5	5	8439.200195	6971.200195	6971.200195	1.12
1642	014	3014	0.07	1604	1	55	80	2.5	6	5	7535	5931	RH-2	40	form-based			true	0.7	6	1	5	5	8439.200195	6835.200195	6835.200195	1.12
1642	016	3014	0.07	2442	1	55	80	2.5	6	5	7535	5093	RH-2	40	form-based			true	0.7	6	1	5	5	8439.200195	5997.200195	5997.200195	1.12
1642	032	3000	0.07	2865	1	55	80	2.5	6	5	7500	4635	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5535	5535	1.12
1642	034	3000	0.07	1623	1	55	80	2.5	6	5	7500	5877	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6777	6777	1.12
1642	035	3000	0.07	1688	1	55	80	2.5	6	5	7500	5812	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6712	6712	1.12
1642	037	3000	0.07	1912	1	55	80	2.5	6	5	7500	5588	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6488	6488	1.12
1642	038	3000	0.07	2054	1	55	80	2.5	6	5	7500	5446	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6346	6346	1.12
1642	039	3000	0.07	3723	1	55	80	2.5	6	5	7500	3777	RH-2	40	form-based			true	0.7	6	1	5	5	8400	4677	4677	1.12
1642	042	3000	0.07	2346	1	55	80	2.5	6	5	7500	5154	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6054	6054	1.12
1642	051	2498	0.06	4257	4	55	80	2.5	5	1	6245	1988	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	11241	6984	6984	1.8
1642	053	2498	0.06	655	4	55	80	2.5	5	1	6245	5590	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	11241	10586	10586	1.8
1643	008	2986	0.07	1644	1	55	80	2.5	6	5	7465	5821	RM-2	40	form-based			true	0.7	6	1	5	5	8360.799805	6716.799805	6716.799805	1.12
1643	009	2986	0.07	1530	1	55	80	2.5	6	5	7465	5935	RM-2	40	form-based			true	0.7	6	1	5	5	8360.799805	6830.799805	6830.799805	1.12
1643	011	2986	0.07	2330	1	55	80	2.5	6	5	7465	5135	RM-2	40	form-based			true	0.7	6	1	5	5	8360.799805	6030.799805	6030.799805	1.12
1643	033	3000	0.07	2336	1	55	80	2.5	6	5	7500	5164	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6064	6064	1.12
1643	034	3000	0.07	2764	1	55	80	2.5	6	5	7500	4736	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5636	5636	1.12
1643	035	3000	0.07	1782	1	55	80	2.5	6	5	7500	5718	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6618	6618	1.12
1643	036	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
1643	037	3000	0.07	1763	1	55	80	2.5	6	5	7500	5737	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6637	6637	1.12
1643	038	3000	0.07	1882	1	55	80	2.5	6	5	7500	5618	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6518	6518	1.12
1643	039	3000	0.07	2869	1	55	80	2.5	6	5	7500	4631	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5531	5531	1.12
1643	040	3000	0.07	2494	1	55	80	2.5	6	5	7500	5006	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5906	5906	1.12
1643	042	3000	0.07	2556	1	55	80	2.5	6	5	7500	4944	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5844	5844	1.12
1643	043	3000	0.07	1700	1	55	80	2.5	6	5	7500	5800	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6700	6700	1.12
1643	044	3000	0.07	1851	1	55	80	2.5	6	5	7500	5649	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6549	6549	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1643	045	3000	0.07	1560	1	55	80	2.5	6	5	7500	5940	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6840	6840	1.12
1643	050	2506	0.06	4404	4	55	80	2.5	5	1	6265	1861	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	11277	6873	6873	1.8
1644	022	2903	0.07	1720	1	55	80	2.5	6	5	7258	5538	RH-2	40	form-based			true	0.7	6	1	5	5	8128.399902	6408.399902	6408.399902	1.119923
1644	023	2903	0.07	2598	1	55	80	2.5	6	5	7258	4660	RH-2	40	form-based			true	0.7	6	1	5	5	8128.399902	5530.399902	5530.399902	1.119923
1644	027	3500	0.08	3418	2	55	80	2.5	6	4	8750	5332	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9800	6382	6382	1.12
1645	004	3496	0.08	3412	2	55	80	2.5	6	4	8740	5328	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9788.799805	6376.799805	6376.799805	1.12
1645	005	3496	0.08	3292	2	55	80	2.5	6	4	8740	5448	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9788.799805	6496.799805	6496.799805	1.12
1645	007	3496	0.08	3856	2	55	80	2.5	6	4	8740	4884	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9788.799805	5932.799805	5932.799805	1.12
1645	008	3496	0.08	3172	2	55	80	2.5	6	4	8740	5568	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9788.799805	6616.799805	6616.799805	1.12
1645	010	3496	0.08	3588	2	55	80	2.5	6	4	8740	5152	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9788.799805	6200.799805	6200.799805	1.12
1645	021	3000	0.07	2030	1	55	80	2.5	6	5	7500	5470	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6370	6370	1.12
1645	022	3000	0.07	2294	1	55	80	2.5	6	5	7500	5206	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6106	6106	1.12
1645	023	3000	0.07	2060	1	55	80	2.5	6	5	7500	5440	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6340	6340	1.12
1645	023A	3000	0.07	2210	1	55	80	2.5	6	5	7500	5290	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6190	6190	1.12
1645	024	3000	0.07	1940	1	55	80	2.5	6	5	7500	5560	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6460	6460	1.12
1645	025	3000	0.07	2540	1	55	80	2.5	6	5	7500	4960	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5860	5860	1.12
1645	026	3000	0.07	2901	1	55	80	2.5	6	5	7500	4599	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5499	5499	1.12
1645	027A	2903	0.07	1900	1	55	80	2.5	6	5	7258	5358	RH-1	40	form-based			true	0.7	6	1	5	5	8128.399902	6228.399902	6228.399902	1.119923
1645	033	3496	0.08	1626	2	55	80	2.5	6	4	8740	7114	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9788.799805	8162.799805	8162.799805	1.12
1645	051	3496	0.08	1728	2	55	80	2.5	6	4	8740	7012	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9788.799805	8060.799805	8060.799805	1.12
1646	029	2716	0.06	2180	1	55	80	2.5	5	4	6790	4610	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7604.799805	5424.799805	5424.799805	1.12
1646	030	2716	0.06	2256	1	55	80	2.5	5	4	6790	4534	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7604.799805	5348.799805	5348.799805	1.12
1646	031	2758	0.06	3864	1	55	80	2.5	5	4	6895	3031	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7722.399902	3858.399902	3858.399902	1.12
1646	032	3047	0.07	2540	1	55	80	2.5	6	5	7618	5078	RH-1	40	form-based			true	0.7	6	1	5	5	8531.599609	5991.599609	5991.599609	1.119926
1646	033	3095	0.07	2235	1	55	80	2.5	6	5	7738	5503	RH-1	40	form-based			true	0.7	6	1	5	5	8666	6431	6431	1.119928
1647	001	2775	0.06	2016	1	55	80	2.5	5	4	6938	4922	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7770	5754	5754	1.119919
1647	004	3000	0.07	1248	1	55	80	2.5	6	5	7500	6252	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7152	7152	1.12
1647	005	3000	0.07	1268	1	55	80	2.5	6	5	7500	6232	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7132	7132	1.12
1647	006	3000	0.07	1248	1	55	80	2.5	6	5	7500	6252	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7152	7152	1.12
1647	006A	3000	0.07	2915	1	55	80	2.5	6	5	7500	4585	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5485	5485	1.12
1647	007	3000	0.07	1376	1	55	80	2.5	6	5	7500	6124	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7024	7024	1.12
1647	008	3000	0.07	2166	1	55	80	2.5	6	5	7500	5334	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6234	6234	1.12
1647	008A	3000	0.07	2237	1	55	80	2.5	6	5	7500	5263	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6163	6163	1.12
1647	009	3000	0.07	2603	1	55	80	2.5	6	5	7500	4897	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5797	5797	1.12
1647	010	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
1647	011	3000	0.07	1767	1	55	80	2.5	6	5	7500	5733	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6633	6633	1.12
1647	023	2997	0.07	1950	1	55	80	2.5	6	5	7492	5542	RH-2	40	form-based			true	0.7	6	1	5	5	8391.599609	6441.599609	6441.599609	1.120075
1647	024	2997	0.07	1680	1	55	80	2.5	6	5	7492	5812	RH-2	40	form-based			true	0.7	6	1	5	5	8391.599609	6711.599609	6711.599609	1.120075
1647	025	2997	0.07	1410	1	55	80	2.5	6	5	7492	6082	RH-2	40	form-based			true	0.7	6	1	5	5	8391.599609	6981.599609	6981.599609	1.120075
1647	027	2997	0.07	1680	1	55	80	2.5	6	5	7492	5812	RH-2	40	form-based			true	0.7	6	1	5	5	8391.599609	6711.599609	6711.599609	1.120075
1647	028	2997	0.07	2184	1	55	80	2.5	6	5	7492	5308	RH-2	40	form-based			true	0.7	6	1	5	5	8391.599609	6207.599609	6207.599609	1.120075
1647	029	2997	0.07	2212	1	55	80	2.5	6	5	7492	5280	RH-2	40	form-based			true	0.7	6	1	5	5	8391.599609	6179.599609	6179.599609	1.120075
1647	030	2997	0.07	2128	1	55	80	2.5	6	5	7492	5364	RH-2	40	form-based			true	0.7	6	1	5	5	8391.599609	6263.599609	6263.599609	1.120075
1647	031	2997	0.07	2400	1	55	80	2.5	6	5	7492	5092	RH-2	40	form-based			true	0.7	6	1	5	5	8391.599609	5991.599609	5991.599609	1.120075
1647	032	2997	0.07	2290	1	55	80	2.5	6	5	7492	5202	RH-2	40	form-based			true	0.7	6	1	5	5	8391.599609	6101.599609	6101.599609	1.120075
1648	027	3000	0.07	2107	1	55	80	2.5	6	5	7500	5393	RH-3	40	form-based			true	0.7	6	1	5	5	8400	6293	6293	1.12
1649	006	2985	0.07	1920	1	55	80	2.5	6	5	7462	5542	RH-3	40	form-based			true	0.7	6	1	5	5	8358	6438	6438	1.120075
1649	011D	3276	0.08	6708	12	55	80	2.5	6	0	8190	1482	RM-3	85	form-based			true	0.75	17	2.833333254	5	0	19656	12948	9672	2.4
1649	021	3000	0.07	1948	1	55	80	2.5	6	5	7500	5552	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6452	6452	1.12
1649	024	3000	0.07	1234	1	55	80	2.5	6	5	7500	6266	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7166	7166	1.12
1649	025	3000	0.07	2720	1	55	80	2.5	6	5	7500	4780	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5680	5680	1.12
1649	027	3000	0.07	1220	1	55	80	2.5	6	5	7500	6280	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7180	7180	1.12
1649	028	3000	0.07	1278	1	55	80	2.5	6	5	7500	6222	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7122	7122	1.12
1649	029	3000	0.07	1568	1	55	80	2.5	6	5	7500	5932	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6832	6832	1.12
1650	008	3024	0.07	2315	1	55	80	2.5	6	5	7560	5245	RH-3	40	form-based			true	0.7	6	1	5	5	8467.200195	6152.200195	6152.200195	1.12
1651	004	3000	0.07	2348	1	55	80	2.5	6	5	7500	5152	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6052	6052	1.12
1651	005	3000	0.07	2364	1	55	80	2.5	6	5	7500	5136	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6036	6036	1.12
1651	006	3000	0.07	780	1	55	80	2.5	6	5	7500	6720	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7620	7620	1.12
1651	011	3000	0.07	1786	1	55	80	2.5	6	5	7500	5714	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6614	6614	1.12
1651	013	3000	0.07	1850	1	55	80	2.5	6	5	7500	5650	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6550	6550	1.12
1651	014A	3000	0.07	1774	1	55	80	2.5	6	5	7500	5726	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6626	6626	1.12
1651	014B	3000	0.07	2055	1	55	80	2.5	6	5	7500	5445	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6345	6345	1.12
1651	033	2982	0.07	2080	1	55	80	2.5	6	5	7455	5375	RH-2	40	form-based			true	0.7	6	1	5	5	8349.599609	6269.599609	6269.599609	1.12
1651	034	2982	0.07	2772	1	55	80	2.5	6	5	7455	4683	RH-2	40	form-based			true	0.7	6	1	5	5	8349.599609	5577.599609	5577.599609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1651	038	2482	0.06	2500	0	55	80	2.5	5	5	6205	3705	RH-2	40	form-based		true	true	0.7	5	1	5	5	6949.600098	4449.600098	4449.600098	1.12
1652	016	3024	0.07	1876	1	55	80	2.5	6	5	7560	5684	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6591.200195	6591.200195	1.12
1652	017	3024	0.07	1835	1	55	80	2.5	6	5	7560	5725	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6632.200195	6632.200195	1.12
1652	018	3024	0.07	1892	1	55	80	2.5	6	5	7560	5668	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6575.200195	6575.200195	1.12
1652	019	3024	0.07	2100	1	55	80	2.5	6	5	7560	5460	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6367.200195	6367.200195	1.12
1652	020	3024	0.07	3050	1	55	80	2.5	6	5	7560	4510	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	5417.200195	5417.200195	1.12
1652	021	3024	0.07	2760	1	55	80	2.5	6	5	7560	4800	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	5707.200195	5707.200195	1.12
1652	024	3024	0.07	1840	1	55	80	2.5	6	5	7560	5720	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6627.200195	6627.200195	1.12
1652	026	3024	0.07	2460	1	55	80	2.5	6	5	7560	5100	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6007.200195	6007.200195	1.12
1652	027	3024	0.07	2490	1	55	80	2.5	6	5	7560	5070	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	5977.200195	5977.200195	1.12
1652	028	3024	0.07	2020	1	55	80	2.5	6	5	7560	5540	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6447.200195	6447.200195	1.12
1652	029	3024	0.07	2500	1	55	80	2.5	6	5	7560	5060	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	5967.200195	5967.200195	1.12
1652	030	3024	0.07	3521	1	55	80	2.5	6	5	7560	4039	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	4946.200195	4946.200195	1.12
1652	031	3024	0.07	1810	1	55	80	2.5	6	5	7560	5750	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6657.200195	6657.200195	1.12
1653	005	2976	0.07	1900	1	55	80	2.5	6	5	7440	5540	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	6432.799805	6432.799805	1.12
1653	006	2976	0.07	1875	1	55	80	2.5	6	5	7440	5565	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	6457.799805	6457.799805	1.12
1653	007	2976	0.07	2172	1	55	80	2.5	6	5	7440	5268	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	6160.799805	6160.799805	1.12
1653	008	2976	0.07	2811	1	55	80	2.5	6	5	7440	4629	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	5521.799805	5521.799805	1.12
1653	009	2976	0.07	1856	1	55	80	2.5	6	5	7440	5584	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	6476.799805	6476.799805	1.12
1653	010	2976	0.07	3110	1	55	80	2.5	6	5	7440	4330	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	5222.799805	5222.799805	1.12
1653	011	2976	0.07	3364	1	55	80	2.5	6	5	7440	4076	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	4968.799805	4968.799805	1.12
1653	013	2976	0.07	2614	1	55	80	2.5	6	5	7440	4826	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	5718.799805	5718.799805	1.12
1653	014	2976	0.07	1904	1	55	80	2.5	6	5	7440	5536	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	6428.799805	6428.799805	1.12
1653	015	2976	0.07	2685	1	55	80	2.5	6	5	7440	4755	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	5647.799805	5647.799805	1.12
1653	016	2976	0.07	2464	1	55	80	2.5	6	5	7440	4976	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	5868.799805	5868.799805	1.12
1653	018	2976	0.07	2846	1	55	80	2.5	6	5	7440	4594	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	5486.799805	5486.799805	1.12
1653	019	2976	0.07	3643	1	55	80	2.5	6	5	7440	3797	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	4689.799805	4689.799805	1.12
1653	020	2976	0.07	2290	1	55	80	2.5	6	5	7440	5150	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	6042.799805	6042.799805	1.12
1653	031	3007	0.07	2424	1	55	80	2.5	6	5	7518	5094	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	5995.599609	5995.599609	1.119925
1653	032	3007	0.07	1580	1	55	80	2.5	6	5	7518	5938	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	6839.599609	6839.599609	1.119925
1653	034	3007	0.07	1636	1	55	80	2.5	6	5	7518	5882	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	6783.599609	6783.599609	1.119925
1653	035	3007	0.07	1409	1	55	80	2.5	6	5	7518	6109	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	7010.599609	7010.599609	1.119925
1653	036	3007	0.07	1630	1	55	80	2.5	6	5	7518	5888	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	6789.599609	6789.599609	1.119925
1653	037	3007	0.07	1630	1	55	80	2.5	6	5	7518	5888	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	6789.599609	6789.599609	1.119925
1653	038	3007	0.07	1562	1	55	80	2.5	6	5	7518	5956	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	6857.599609	6857.599609	1.119925
1653	039	3007	0.07	1950	1	55	80	2.5	6	5	7518	5568	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	6469.599609	6469.599609	1.119925
1653	040	3007	0.07	2243	1	55	80	2.5	6	5	7518	5275	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	6176.599609	6176.599609	1.119925
1653	041	3007	0.07	1712	1	55	80	2.5	6	5	7518	5806	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	6707.599609	6707.599609	1.119925
1653	042	3007	0.07	1630	1	55	80	2.5	6	5	7518	5888	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	6789.599609	6789.599609	1.119925
1653	043	3007	0.07	2654	1	55	80	2.5	6	5	7518	4864	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	5765.599609	5765.599609	1.119925
1653	044	3007	0.07	2672	1	55	80	2.5	6	5	7518	4846	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	5747.599609	5747.599609	1.119925
1653	045	3007	0.07	2210	1	55	80	2.5	6	5	7518	5308	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	6209.599609	6209.599609	1.119925
1653	050	2625	0.06	1686	1	55	80	2.5	5	4	6562	4876	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5664	5664	1.120085
1654	002	2995	0.07	1434	1	55	80	2.5	6	5	7488	6054	RH-2	40	form-based			true	0.7	6	1	5	5	8386	6952	6952	1.119925
1654	003	2995	0.07	2800	1	55	80	2.5	6	5	7488	4688	RH-2	40	form-based			true	0.7	6	1	5	5	8386	5586	5586	1.119925
1654	004	2995	0.07	3422	1	55	80	2.5	6	5	7488	4066	RH-2	40	form-based			true	0.7	6	1	5	5	8386	4964	4964	1.119925
1654	015	2995	0.07	2360	1	55	80	2.5	6	5	7488	5128	RH-2	40	form-based			true	0.7	6	1	5	5	8386	6026	6026	1.119925
1654	038	3000	0.07	2868	1	55	80	2.5	6	5	7500	4632	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5532	5532	1.12
1654	076	3000	0.07	3116	1	55	80	2.5	6	5	7500	4384	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5284	5284	1.12
1655	005	2986	0.07	2438	1	55	80	2.5	6	5	7465	5027	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5922.799805	5922.799805	1.12
1655	006	2986	0.07	3288	1	55	80	2.5	6	5	7465	4177	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5072.799805	5072.799805	1.12
1655	007	2986	0.07	2438	1	55	80	2.5	6	5	7465	5027	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5922.799805	5922.799805	1.12
1655	008	2986	0.07	2438	1	55	80	2.5	6	5	7465	5027	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5922.799805	5922.799805	1.12
1655	009	2986	0.07	2438	1	55	80	2.5	6	5	7465	5027	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5922.799805	5922.799805	1.12
1655	010	2986	0.07	3218	1	55	80	2.5	6	5	7465	4247	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5142.799805	5142.799805	1.12
1655	011	2986	0.07	2438	1	55	80	2.5	6	5	7465	5027	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5922.799805	5922.799805	1.12
1655	012	2986	0.07	2438	1	55	80	2.5	6	5	7465	5027	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5922.799805	5922.799805	1.12
1655	013	2986	0.07	2495	1	55	80	2.5	6	5	7465	4970	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5865.799805	5865.799805	1.12
1655	014	2986	0.07	2880	1	55	80	2.5	6	5	7465	4585	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5480.799805	5480.799805	1.12
1655	015	2986	0.07	2380	1	55	80	2.5	6	5	7465	5085	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5980.799805	5980.799805	1.12
1655	016	2986	0.07	2380	1	55	80	2.5	6	5	7465	5085	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5980.799805	5980.799805	1.12
1655	017	2986	0.07	2380	1	55	80	2.5	6	5	7465	5085	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5980.799805	5980.799805	1.12
1655	018	2986	0.07	2530	1	55	80	2.5	6	5	7465	4935	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5830.799805	5830.799805	1.12
1655	019	2986	0.07	2480	1	55	80	2.5	6	5	7465	4985	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5880.799805	5880.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1655	020	2986	0.07	2480	1	55	80	2.5	6	5	7465	4985	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	5880.799805	5880.799805	1.12
1655	048	2750	0.06	2163	1	55	80	2.5	5	4	6875	4712	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7700	5537	5537	1.12
1657	005	3222	0.07	4000	2	55	80	2.5	6	4	8055	4055	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9021.599609	5021.599609	5021.599609	1.12
1657	012	4028	0.09	3657	3	55	80	2.5	7	4	10070	6413	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	11278.39941	7621.399414	7621.399414	1.12
1657	022	3151	0.07	3600	2	55	80	2.5	6	4	7878	4278	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8822.799805	5222.799805	5222.799805	1.119929
1657	022A	3151	0.07	3975	2	55	80	2.5	6	4	7878	3903	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8822.799805	4847.799805	4847.799805	1.119929
1657	023	3151	0.07	4475	2	55	80	2.5	6	4	7878	3403	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8822.799805	4347.799805	4347.799805	1.119929
1657	024	3151	0.07	3350	2	55	80	2.5	6	4	7878	4528	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8822.799805	5472.799805	5472.799805	1.119929
1657	025	3151	0.07	3885	2	55	80	2.5	6	4	7878	3993	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8822.799805	4937.799805	4937.799805	1.119929
1657	026	3151	0.07	4275	2	55	80	2.5	6	4	7878	3603	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8822.799805	4547.799805	4547.799805	1.119929
1657	030	3151	0.07	3200	2	55	80	2.5	6	4	7878	4678	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8822.799805	5622.799805	5622.799805	1.119929
1657	036	2750	0.06	1362	1	55	80	2.5	5	4	6875	5513	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7700	6338	6338	1.12
1657	043	3544	0.08	2265	2	55	80	2.5	6	4	8860	6595	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9923.200195	7658.200195	7658.200195	1.12
1657	045	3222	0.07	1748	2	55	80	2.5	6	4	8055	6307	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9021.599609	7273.599609	7273.599609	1.12
1657	047	3151	0.07	1500	2	55	80	2.5	6	4	7878	6378	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8822.799805	7322.799805	7322.799805	1.119929
1657	049	3151	0.07	1722	2	55	80	2.5	6	4	7878	6156	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8822.799805	7100.799805	7100.799805	1.119929
1658	002	3189	0.07	3400	2	55	80	2.5	6	4	7972	4572	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8929.200195	5529.200195	5529.200195	1.12007
1658	004	3189	0.07	4350	2	55	80	2.5	6	4	7972	3622	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8929.200195	4579.200195	4579.200195	1.12007
1658	008	3189	0.07	3750	2	55	80	2.5	6	4	7972	4222	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8929.200195	5179.200195	5179.200195	1.12007
1658	009	3189	0.07	2950	2	55	80	2.5	6	4	7972	5022	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8929.200195	5979.200195	5979.200195	1.12007
1658	011	3189	0.07	3100	2	55	80	2.5	6	4	7972	4872	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8929.200195	5829.200195	5829.200195	1.12007
1658	012	3189	0.07	3550	2	55	80	2.5	6	4	7972	4422	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8929.200195	5379.200195	5379.200195	1.12007
1658	020	3190	0.07	2544	2	55	80	2.5	6	4	7975	5431	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8932	6388	6388	1.12
1658	021	3190	0.07	3350	2	55	80	2.5	6	4	7975	4625	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8932	5582	5582	1.12
1658	023	3190	0.07	3400	2	55	80	2.5	6	4	7975	4575	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8932	5532	5532	1.12
1658	024	3190	0.07	3150	2	55	80	2.5	6	4	7975	4825	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8932	5782	5782	1.12
1658	026	3190	0.07	2440	2	55	80	2.5	6	4	7975	5535	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8932	6492	6492	1.12
1658	039	3190	0.07	1525	2	55	80	2.5	6	4	7975	6450	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8932	7407	7407	1.12
1659	003	3000	0.07	2680	1	55	80	2.5	6	5	7500	4820	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5720	5720	1.12
1659	004	3000	0.07	2300	1	55	80	2.5	6	5	7500	5200	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6100	6100	1.12
1659	004A	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
1659	005	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
1659	006	3000	0.07	1900	1	55	80	2.5	6	5	7500	5600	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6500	6500	1.12
1659	016	3000	0.07	2370	1	55	80	2.5	6	5	7500	5130	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6030	6030	1.12
1659	027	3001	0.07	2200	1	55	80	2.5	6	5	7502	5302	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6202.799805	6202.799805	1.120075
1659	028	3001	0.07	2620	1	55	80	2.5	6	5	7502	4882	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	5782.799805	5782.799805	1.120075
1659	031	3001	0.07	1730	1	55	80	2.5	6	5	7502	5772	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6672.799805	6672.799805	1.120075
1659	032	3001	0.07	2315	1	55	80	2.5	6	5	7502	5187	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6087.799805	6087.799805	1.120075
1659	033	3001	0.07	2000	1	55	80	2.5	6	5	7502	5502	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6402.799805	6402.799805	1.120075
1659	034	3001	0.07	2421	1	55	80	2.5	6	5	7502	5081	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	5981.799805	5981.799805	1.120075
1659	035	3001	0.07	1245	1	55	80	2.5	6	5	7502	6257	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	7157.799805	7157.799805	1.120075
1659	036	3001	0.07	1524	1	55	80	2.5	6	5	7502	5978	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6878.799805	6878.799805	1.120075
1659	037	3001	0.07	1285	1	55	80	2.5	6	5	7502	6217	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	7117.799805	7117.799805	1.120075
1659	038	3001	0.07	1791	1	55	80	2.5	6	5	7502	5711	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6611.799805	6611.799805	1.120075
1659	039	3001	0.07	1210	1	55	80	2.5	6	5	7502	6292	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	7192.799805	7192.799805	1.120075
1659	040	3001	0.07	1275	1	55	80	2.5	6	5	7502	6227	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	7127.799805	7127.799805	1.120075
1659	041	3001	0.07	1574	1	55	80	2.5	6	5	7502	5928	RH-2	40	form-based			true	0.7	6	1	5	5	8402.799805	6828.799805	6828.799805	1.120075
1660	003	3000	0.07	1475	1	55	80	2.5	6	5	7500	6025	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6925	6925	1.12
1660	007	3000	0.07	1365	1	55	80	2.5	6	5	7500	6135	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7035	7035	1.12
1660	008	3000	0.07	1800	1	55	80	2.5	6	5	7500	5700	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6600	6600	1.12
1660	009	3000	0.07	1852	1	55	80	2.5	6	5	7500	5648	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6548	6548	1.12
1660	010	3000	0.07	2148	1	55	80	2.5	6	5	7500	5352	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6252	6252	1.12
1660	011	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
1660	013	3000	0.07	1568	1	55	80	2.5	6	5	7500	5932	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6832	6832	1.12
1660	016	3015	0.07	2120	1	55	80	2.5	6	5	7538	5418	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6322	6322	1.119926
1660	033	3011	0.07	1288	1	55	80	2.5	6	5	7528	6240	RH-2	40	form-based			true	0.7	6	1	5	5	8430.799805	7142.799805	7142.799805	1.119926
1660	034	3011	0.07	2255	1	55	80	2.5	6	5	7528	5273	RH-2	40	form-based			true	0.7	6	1	5	5	8430.799805	6175.799805	6175.799805	1.119926
1660	035	3011	0.07	1962	1	55	80	2.5	6	5	7528	5566	RH-2	40	form-based			true	0.7	6	1	5	5	8430.799805	6468.799805	6468.799805	1.119926
1660	036	3011	0.07	1762	1	55	80	2.5	6	5	7528	5766	RH-2	40	form-based			true	0.7	6	1	5	5	8430.799805	6668.799805	6668.799805	1.119926
1660	038	3011	0.07	2187	1	55	80	2.5	6	5	7528	5341	RH-2	40	form-based			true	0.7	6	1	5	5	8430.799805	6243.799805	6243.799805	1.119926
1660	040	3011	0.07	2200	1	55	80	2.5	6	5	7528	5328	RH-2	40	form-based			true	0.7	6	1	5	5	8430.799805	6230.799805	6230.799805	1.119926
1660	040A	3011	0.07	2910	1	55	80	2.5	6	5	7528	4618	RH-2	40	form-based			true	0.7	6	1	5	5	8430.799805	5520.799805	5520.799805	1.119926
1660	044	2500	0.06	480	0	55	80	2.5	5	5	6250	5770	RH-2	40	form-based			true	0.7	5	1	5	5	7000	6520	6520	1.12
1661	004E	2964	0.07	3369	1	55	80	2.5	6	5	7410	4041	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	4930.200195	4930.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1661	007	2964	0.07	2380	1	55	80	2.5	6	5	7410	5030	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	5919.200195	5919.200195	1.12
1661	019	3049	0.07	2070	1	55	80	2.5	6	5	7622	5552	RH-2	40	form-based			true	0.7	6	1	5	5	8537.200195	6467.200195	6467.200195	1.120073
1661	020	3049	0.07	1924	1	55	80	2.5	6	5	7622	5698	RH-2	40	form-based			true	0.7	6	1	5	5	8537.200195	6613.200195	6613.200195	1.120073
1661	021	3049	0.07	1924	1	55	80	2.5	6	5	7622	5698	RH-2	40	form-based			true	0.7	6	1	5	5	8537.200195	6613.200195	6613.200195	1.120073
1661	022	3049	0.07	1527	1	55	80	2.5	6	5	7622	6095	RH-2	40	form-based			true	0.7	6	1	5	5	8537.200195	7010.200195	7010.200195	1.120073
1661	027	3049	0.07	1900	1	55	80	2.5	6	5	7622	5722	RH-2	40	form-based			true	0.7	6	1	5	5	8537.200195	6637.200195	6637.200195	1.120073
1661	028	3049	0.07	1900	1	55	80	2.5	6	5	7622	5722	RH-2	40	form-based			true	0.7	6	1	5	5	8537.200195	6637.200195	6637.200195	1.120073
1661	029	3049	0.07	2050	1	55	80	2.5	6	5	7622	5572	RH-2	40	form-based			true	0.7	6	1	5	5	8537.200195	6487.200195	6487.200195	1.120073
1661	031	3049	0.07	1400	1	55	80	2.5	6	5	7622	6222	RH-2	40	form-based			true	0.7	6	1	5	5	8537.200195	7137.200195	7137.200195	1.120073
1661	034	2740	0.06	1234	1	55	80	2.5	5	4	6850	5616	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7672	6438	6438	1.12
1662	004	2948	0.07	2512	1	55	80	2.5	6	5	7370	4858	RH-2	40	form-based			true	0.7	6	1	5	5	8254.399414	5742.399414	5742.399414	1.12
1662	007	2948	0.07	1862	1	55	80	2.5	6	5	7370	5508	RH-2	40	form-based			true	0.7	6	1	5	5	8254.399414	6392.399414	6392.399414	1.12
1662	008	2948	0.07	1862	1	55	80	2.5	6	5	7370	5508	RH-2	40	form-based			true	0.7	6	1	5	5	8254.399414	6392.399414	6392.399414	1.12
1662	012	2948	0.07	1915	1	55	80	2.5	6	5	7370	5455	RH-2	40	form-based			true	0.7	6	1	5	5	8254.399414	6339.399414	6339.399414	1.12
1662	017	2848	0.07	1535	1	55	80	2.5	6	5	7120	5585	RH-2	40	form-based			true	0.7	6	1	5	5	7974.399902	6439.399902	6439.399902	1.12
1662	026	2942	0.07	1796	1	55	80	2.5	6	5	7355	5559	RH-2	40	form-based			true	0.7	6	1	5	5	8237.599609	6441.599609	6441.599609	1.12
1663	002	2953	0.07	1482	1	55	80	2.5	6	5	7382	5900	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	6786.399414	6786.399414	1.120076
1663	013	2953	0.07	3176	1	55	80	2.5	6	5	7382	4206	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	5092.399414	5092.399414	1.120076
1663	023A	3388	0.08	3050	2	55	80	2.5	6	4	8470	5420	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9486.399414	6436.399414	6436.399414	1.12
1663	023B	3388	0.08	3050	2	55	80	2.5	6	4	8470	5420	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9486.399414	6436.399414	6436.399414	1.12
1663	023D	3388	0.08	3050	2	55	80	2.5	6	4	8470	5420	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9486.399414	6436.399414	6436.399414	1.12
1663	024A	3388	0.08	3050	2	55	80	2.5	6	4	8470	5420	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9486.399414	6436.399414	6436.399414	1.12
1663	024B	3509	0.08	3050	2	55	80	2.5	6	4	8772	5722	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9825.200195	6775.200195	6775.200195	1.120064
1663	025A	3025	0.07	2664	1	55	80	2.5	6	5	7562	4898	RH-2	40	form-based			true	0.7	6	1	5	5	8470	5806	5806	1.120074
1663	026	3025	0.07	1900	1	55	80	2.5	6	5	7562	5662	RH-2	40	form-based			true	0.7	6	1	5	5	8470	6570	6570	1.120074
1663	026A	3025	0.07	1660	1	55	80	2.5	6	5	7562	5902	RH-2	40	form-based			true	0.7	6	1	5	5	8470	6810	6810	1.120074
1663	027	3025	0.07	1696	1	55	80	2.5	6	5	7562	5866	RH-2	40	form-based			true	0.7	6	1	5	5	8470	6774	6774	1.120074
1663	028	3025	0.07	1135	1	55	80	2.5	6	5	7562	6427	RH-2	40	form-based			true	0.7	6	1	5	5	8470	7335	7335	1.120074
1663	030	3000	0.07	2550	1	55	80	2.5	6	5	7500	4950	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5850	5850	1.12
1663	031	3000	0.07	831	1	55	80	2.5	6	5	7500	6669	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7569	7569	1.12
1663	037	3278	0.08	3200	2	55	80	2.5	6	4	8195	4995	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9178.399414	5978.399414	5978.399414	1.12
1663	058	3388	0.08	1525	2	55	80	2.5	6	4	8470	6945	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9486.399414	7961.399414	7961.399414	1.12
1664	003	3600	0.08	3676	3	55	80	2.5	6	3	9000	5324	RH-2	40	form-based			true	0.7	8	1.333333373	5	5	10080	6404	6404	1.12
1664	006	3000	0.07	2480	1	55	80	2.5	6	5	7500	5020	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5920	5920	1.12
1664	014	3000	0.07	2212	1	55	80	2.5	6	5	7500	5288	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6188	6188	1.12
1664	031	3024	0.07	1090	1	55	80	2.5	6	5	7560	6470	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	7377.200195	7377.200195	1.12
1664	032	3024	0.07	1159	1	55	80	2.5	6	5	7560	6401	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	7308.200195	7308.200195	1.12
1664	033	3024	0.07	1234	1	55	80	2.5	6	5	7560	6326	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	7233.200195	7233.200195	1.12
1664	034	3024	0.07	1583	1	55	80	2.5	6	5	7560	5977	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6884.200195	6884.200195	1.12
1664	036	3024	0.07	1269	1	55	80	2.5	6	5	7560	6291	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	7198.200195	7198.200195	1.12
1664	037	3024	0.07	1425	1	55	80	2.5	6	5	7560	6135	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	7042.200195	7042.200195	1.12
1664	038	3024	0.07	1480	1	55	80	2.5	6	5	7560	6080	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6987.200195	6987.200195	1.12
1664	039	3024	0.07	1300	1	55	80	2.5	6	5	7560	6260	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	7167.200195	7167.200195	1.12
1664	040	2899	0.07	1479	1	55	80	2.5	6	5	7248	5769	RH-2	40	form-based			true	0.7	6	1	5	5	8117.199707	6638.199707	6638.199707	1.119923
1665	005	2940	0.07	1840	1	55	80	2.5	6	5	7350	5510	RH-2	40	form-based			true	0.7	6	1	5	5	8232	6392	6392	1.12
1665	007	2940	0.07	1804	1	55	80	2.5	6	5	7350	5546	RH-2	40	form-based			true	0.7	6	1	5	5	8232	6428	6428	1.12
1665	008	2940	0.07	1804	1	55	80	2.5	6	5	7350	5546	RH-2	40	form-based			true	0.7	6	1	5	5	8232	6428	6428	1.12
1665	009	2940	0.07	1804	1	55	80	2.5	6	5	7350	5546	RH-2	40	form-based			true	0.7	6	1	5	5	8232	6428	6428	1.12
1665	010	2940	0.07	1804	1	55	80	2.5	6	5	7350	5546	RH-2	40	form-based			true	0.7	6	1	5	5	8232	6428	6428	1.12
1665	011	2940	0.07	1804	1	55	80	2.5	6	5	7350	5546	RH-2	40	form-based			true	0.7	6	1	5	5	8232	6428	6428	1.12
1665	012	2940	0.07	1804	1	55	80	2.5	6	5	7350	5546	RH-2	40	form-based			true	0.7	6	1	5	5	8232	6428	6428	1.12
1665	013	2940	0.07	2843	1	55	80	2.5	6	5	7350	4507	RH-2	40	form-based			true	0.7	6	1	5	5	8232	5389	5389	1.12
1665	014	2940	0.07	2885	1	55	80	2.5	6	5	7350	4465	RH-2	40	form-based			true	0.7	6	1	5	5	8232	5347	5347	1.12
1665	015	2940	0.07	2016	1	55	80	2.5	6	5	7350	5334	RH-2	40	form-based			true	0.7	6	1	5	5	8232	6216	6216	1.12
1665	016	2940	0.07	1946	1	55	80	2.5	6	5	7350	5404	RH-2	40	form-based			true	0.7	6	1	5	5	8232	6286	6286	1.12
1665	017	2940	0.07	2787	1	55	80	2.5	6	5	7350	4563	RH-2	40	form-based			true	0.7	6	1	5	5	8232	5445	5445	1.12
1665	018	2940	0.07	1980	1	55	80	2.5	6	5	7350	5370	RH-2	40	form-based			true	0.7	6	1	5	5	8232	6252	6252	1.12
1665	019	2940	0.07	1780	1	55	80	2.5	6	5	7350	5570	RH-2	40	form-based			true	0.7	6	1	5	5	8232	6452	6452	1.12
1665	020	2940	0.07	1680	1	55	80	2.5	6	5	7350	5670	RH-2	40	form-based			true	0.7	6	1	5	5	8232	6552	6552	1.12
1666	004	2873	0.07	1625	1	55	80	2.5	6	5	7182	5557	RH-2	40	form-based			true	0.7	6	1	5	5	8044.399902	6419.399902	6419.399902	1.120078
1665	032	3056	0.07	2050	1	55	80	2.5	6	5	7640	5590	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6506.799805	6506.799805	1.12
1665	033	3056	0.07	2050	1	55	80	2.5	6	5	7640	5590	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6506.799805	6506.799805	1.12
1665	035	3056	0.07	1820	1	55	80	2.5	6	5	7640	5820	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6736.799805	6736.799805	1.12
1665	036	3056	0.07	1834	1	55	80	2.5	6	5	7640	5806	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6722.799805	6722.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1665	037	3056	0.07	1820	1	55	80	2.5	6	5	7640	5820	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6736.799805	6736.799805	1.12
1665	038	3056	0.07	1820	1	55	80	2.5	6	5	7640	5820	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6736.799805	6736.799805	1.12
1665	039	3056	0.07	2475	1	55	80	2.5	6	5	7640	5165	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6081.799805	6081.799805	1.12
1665	040	3056	0.07	1820	1	55	80	2.5	6	5	7640	5820	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6736.799805	6736.799805	1.12
1665	041	3056	0.07	1820	1	55	80	2.5	6	5	7640	5820	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6736.799805	6736.799805	1.12
1665	042	3056	0.07	2090	1	55	80	2.5	6	5	7640	5550	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6466.799805	6466.799805	1.12
1665	043	3056	0.07	2505	1	55	80	2.5	6	5	7640	5135	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6051.799805	6051.799805	1.12
1665	044	3056	0.07	1820	1	55	80	2.5	6	5	7640	5820	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6736.799805	6736.799805	1.12
1665	045	3056	0.07	2201	1	55	80	2.5	6	5	7640	5439	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6355.799805	6355.799805	1.12
1665	046	3056	0.07	2824	1	55	80	2.5	6	5	7640	4816	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	5732.799805	5732.799805	1.12
1665	047	3056	0.07	2050	1	55	80	2.5	6	5	7640	5590	RH-2	40	form-based			true	0.7	6	1	5	5	8556.799805	6506.799805	6506.799805	1.12
1666	002	2683	0.06	2288	1	55	80	2.5	5	4	6708	4420	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7512.399902	5224.399902	5224.399902	1.119917
1666	003	2683	0.06	1942	1	55	80	2.5	5	4	6708	4766	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7512.399902	5570.399902	5570.399902	1.119917
1666	005	3000	0.07	1750	1	55	80	2.5	6	5	7500	5750	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6650	6650	1.12
1666	006	3000	0.07	1475	1	55	80	2.5	6	5	7500	6025	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6925	6925	1.12
1666	007	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
1666	008	3000	0.07	2711	1	55	80	2.5	6	5	7500	4789	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5689	5689	1.12
1666	009	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
1666	010	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
1666	011	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
1666	012	3000	0.07	1161	1	55	80	2.5	6	5	7500	6339	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7239	7239	1.12
1666	013	3000	0.07	1671	1	55	80	2.5	6	5	7500	5829	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6729	6729	1.12
1666	014	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
1666	015	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
1666	016	3000	0.07	1575	1	55	80	2.5	6	5	7500	5925	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6825	6825	1.12
1666	017	2879	0.07	1375	1	55	80	2.5	6	5	7198	5823	RH-2	40	form-based			true	0.7	6	1	5	5	8061.199707	6686.199707	6686.199707	1.119922
1666	018	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
1666	019	3000	0.07	1900	1	55	80	2.5	6	5	7500	5600	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6500	6500	1.12
1666	020	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
1666	021	2683	0.06	2834	1	55	80	2.5	5	4	6708	3874	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7512.399902	4678.399902	4678.399902	1.119917
1666	030	2996	0.07	1840	1	55	80	2.5	6	5	7490	5650	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6548.799805	6548.799805	1.12
1666	031	2996	0.07	2050	1	55	80	2.5	6	5	7490	5440	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6338.799805	6338.799805	1.12
1666	032	2996	0.07	2250	1	55	80	2.5	6	5	7490	5240	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6138.799805	6138.799805	1.12
1666	033	2873	0.07	2250	1	55	80	2.5	6	5	7182	4932	RH-2	40	form-based			true	0.7	6	1	5	5	8044.399902	5794.399902	5794.399902	1.120078
1666	035	2996	0.07	1195	1	55	80	2.5	6	5	7490	6295	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	7193.799805	7193.799805	1.12
1666	035A	2996	0.07	1195	1	55	80	2.5	6	5	7490	6295	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	7193.799805	7193.799805	1.12
1666	036	2996	0.07	1225	1	55	80	2.5	6	5	7490	6265	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	7163.799805	7163.799805	1.12
1666	037	2996	0.07	1617	1	55	80	2.5	6	5	7490	5873	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6771.799805	6771.799805	1.12
1666	038	2996	0.07	1350	1	55	80	2.5	6	5	7490	6140	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	7038.799805	7038.799805	1.12
1666	039	2996	0.07	1775	1	55	80	2.5	6	5	7490	5715	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6613.799805	6613.799805	1.12
1666	040	2996	0.07	1905	1	55	80	2.5	6	5	7490	5585	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6483.799805	6483.799805	1.12
1666	041	2996	0.07	1645	1	55	80	2.5	6	5	7490	5845	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6743.799805	6743.799805	1.12
1666	042	2996	0.07	2170	1	55	80	2.5	6	5	7490	5320	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6218.799805	6218.799805	1.12
1666	044	2996	0.07	1830	1	55	80	2.5	6	5	7490	5660	RH-2	40	form-based			true	0.7	6	1	5	5	8388.799805	6558.799805	6558.799805	1.12
1667	005	3008	0.07	2240	1	55	80	2.5	6	5	7520	5280	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	6182.399414	6182.399414	1.12
1667	006	3008	0.07	2240	1	55	80	2.5	6	5	7520	5280	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	6182.399414	6182.399414	1.12
1667	010	3008	0.07	3025	1	55	80	2.5	6	5	7520	4495	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	5397.399414	5397.399414	1.12
1667	011	3008	0.07	1551	1	55	80	2.5	6	5	7520	5969	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	6871.399414	6871.399414	1.12
1667	012	3008	0.07	1431	1	55	80	2.5	6	5	7520	6089	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	6991.399414	6991.399414	1.12
1667	013	3008	0.07	2605	1	55	80	2.5	6	5	7520	4915	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	5817.399414	5817.399414	1.12
1667	015	3008	0.07	1381	1	55	80	2.5	6	5	7520	6139	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	7041.399414	7041.399414	1.12
1667	016	3008	0.07	2205	1	55	80	2.5	6	5	7520	5315	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	6217.399414	6217.399414	1.12
1667	017	3008	0.07	1400	1	55	80	2.5	6	5	7520	6120	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	7022.399414	7022.399414	1.12
1667	018	3008	0.07	1989	1	55	80	2.5	6	5	7520	5531	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	6433.399414	6433.399414	1.12
1667	034	3000	0.07	2140	1	55	80	2.5	6	5	7500	5360	RM-1	40	form-based			true	0.7	6	1	5	5	8400	6260	6260	1.12
1667	035	3000	0.07	2140	1	55	80	2.5	6	5	7500	5360	RM-1	40	form-based			true	0.7	6	1	5	5	8400	6260	6260	1.12
1667	036	3000	0.07	2240	1	55	80	2.5	6	5	7500	5260	RM-1	40	form-based			true	0.7	6	1	5	5	8400	6160	6160	1.12
1667	037	3000	0.07	2265	1	55	80	2.5	6	5	7500	5235	RM-1	40	form-based			true	0.7	6	1	5	5	8400	6135	6135	1.12
1667	038	3000	0.07	2920	1	55	80	2.5	6	5	7500	4580	RM-1	40	form-based			true	0.7	6	1	5	5	8400	5480	5480	1.12
1667	039	3000	0.07	2240	1	55	80	2.5	6	5	7500	5260	RM-1	40	form-based			true	0.7	6	1	5	5	8400	6160	6160	1.12
1667	040	3000	0.07	2240	1	55	80	2.5	6	5	7500	5260	RM-1	40	form-based			true	0.7	6	1	5	5	8400	6160	6160	1.12
1667	041	3000	0.07	2240	1	55	80	2.5	6	5	7500	5260	RM-1	40	form-based			true	0.7	6	1	5	5	8400	6160	6160	1.12
1668	009	3430	0.08	3424	2	55	80	2.5	6	4	8575	5151	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9604	6180	6180	1.12
1668	012	3420	0.08	4074	2	55	80	2.5	6	4	8550	4476	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9576	5502	5502	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1668	022	3251	0.07	3780	2	55	80	2.5	6	4	8128	4348	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9102.799805	5322.799805	5322.799805	1.119931
1668	054	3420	0.08	1845	2	55	80	2.5	6	4	8550	6705	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9576	7731	7731	1.12
1669	003	2720	0.06	1795	1	55	80	2.5	5	4	6800	5005	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7616	5821	5821	1.12
1669	004	2720	0.06	2095	1	55	80	2.5	5	4	6800	4705	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7616	5521	5521	1.12
1669	006	2720	0.06	1905	1	55	80	2.5	5	4	6800	4895	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7616	5711	5711	1.12
1669	007	2720	0.06	1623	1	55	80	2.5	5	4	6800	5177	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7616	5993	5993	1.12
1669	008	2720	0.06	2599	1	55	80	2.5	5	4	6800	4201	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7616	5017	5017	1.12
1669	009	2720	0.06	1623	1	55	80	2.5	5	4	6800	5177	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7616	5993	5993	1.12
1669	010	2720	0.06	1848	1	55	80	2.5	5	4	6800	4952	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7616	5768	5768	1.12
1669	011	2720	0.06	2423	1	55	80	2.5	5	4	6800	4377	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7616	5193	5193	1.12
1669	012	2720	0.06	2584	1	55	80	2.5	5	4	6800	4216	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7616	5032	5032	1.12
1669	014	2720	0.06	2373	1	55	80	2.5	5	4	6800	4427	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7616	5243	5243	1.12
1669	015	2720	0.06	2126	1	55	80	2.5	5	4	6800	4674	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7616	5490	5490	1.12
1669	026	3556	0.08	3290	2	55	80	2.5	6	4	8890	5600	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9956.799805	6666.799805	6666.799805	1.12
1669	026A	3536	0.08	3290	2	55	80	2.5	6	4	8840	5550	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9900.799805	6610.799805	6610.799805	1.12
1670	004	2953	0.07	2667	1	55	80	2.5	6	5	7382	4715	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	5601.399414	5601.399414	1.120076
1670	005	2953	0.07	1410	1	55	80	2.5	6	5	7382	5972	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	6858.399414	6858.399414	1.120076
1670	005A	2953	0.07	1884	1	55	80	2.5	6	5	7382	5498	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	6384.399414	6384.399414	1.120076
1670	010A	2953	0.07	2602	1	55	80	2.5	6	5	7382	4780	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	5666.399414	5666.399414	1.120076
1670	010B	2914	0.07	1673	1	55	80	2.5	6	5	7285	5612	RH-2	40	form-based			true	0.7	6	1	5	5	8159.199707	6486.199707	6486.199707	1.12
1670	010C	2992	0.07	1970	1	55	80	2.5	6	5	7480	5510	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	6407.599609	6407.599609	1.12
1670	010D	2953	0.07	2557	1	55	80	2.5	6	5	7382	4825	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	5711.399414	5711.399414	1.120076
1670	012D	3000	0.07	2702	1	55	80	2.5	6	5	7500	4798	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5698	5698	1.12
1670	012E	3040	0.07	2450	1	55	80	2.5	6	5	7600	5150	RH-2	40	form-based			true	0.7	6	1	5	5	8512	6062	6062	1.12
1670	012F	2960	0.07	2814	1	55	80	2.5	6	5	7400	4586	RH-2	40	form-based			true	0.7	6	1	5	5	8288	5474	5474	1.12
1670	014	3000	0.07	2396	1	55	80	2.5	6	5	7500	5104	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6004	6004	1.12
1670	015	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
1670	016	3000	0.07	3692	1	55	80	2.5	6	5	7500	3808	RH-2	40	form-based			true	0.7	6	1	5	5	8400	4708	4708	1.12
1670	018	3000	0.07	1975	1	55	80	2.5	6	5	7500	5525	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6425	6425	1.12
1670	019	3000	0.07	1830	1	55	80	2.5	6	5	7500	5670	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6570	6570	1.12
1670	020	3000	0.07	1740	1	55	80	2.5	6	5	7500	5760	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6660	6660	1.12
1671	002	2992	0.07	1319	1	55	80	2.5	6	5	7480	6161	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	7058.599609	7058.599609	1.12
1671	003	2992	0.07	1705	1	55	80	2.5	6	5	7480	5775	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	6672.599609	6672.599609	1.12
1671	003A	2992	0.07	1385	1	55	80	2.5	6	5	7480	6095	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	6992.599609	6992.599609	1.12
1671	004	2992	0.07	2382	1	55	80	2.5	6	5	7480	5098	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	5995.599609	5995.599609	1.12
1671	005	2992	0.07	1300	1	55	80	2.5	6	5	7480	6180	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	7077.599609	7077.599609	1.12
1671	006	2992	0.07	1641	1	55	80	2.5	6	5	7480	5839	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	6736.599609	6736.599609	1.12
1671	007	2992	0.07	2015	1	55	80	2.5	6	5	7480	5465	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	6362.599609	6362.599609	1.12
1671	007A	2992	0.07	1451	1	55	80	2.5	6	5	7480	6029	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	6926.599609	6926.599609	1.12
1671	007B	2992	0.07	2821	1	55	80	2.5	6	5	7480	4659	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	5556.599609	5556.599609	1.12
1671	007C	2992	0.07	1438	1	55	80	2.5	6	5	7480	6042	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	6939.599609	6939.599609	1.12
1671	007D	2992	0.07	2063	1	55	80	2.5	6	5	7480	5417	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	6314.599609	6314.599609	1.12
1671	007E	2992	0.07	1438	1	55	80	2.5	6	5	7480	6042	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	6939.599609	6939.599609	1.12
1671	007F	2992	0.07	1788	1	55	80	2.5	6	5	7480	5692	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	6589.599609	6589.599609	1.12
1671	007G	2992	0.07	1630	1	55	80	2.5	6	5	7480	5850	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	6747.599609	6747.599609	1.12
1671	007H	2992	0.07	2163	1	55	80	2.5	6	5	7480	5317	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	6214.599609	6214.599609	1.12
1671	007I	2992	0.07	1753	1	55	80	2.5	6	5	7480	5727	RH-2	40	form-based			true	0.7	6	1	5	5	8377.599609	6624.599609	6624.599609	1.12
1671	008B	3024	0.07	2065	1	55	80	2.5	6	5	7560	5495	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6402.200195	6402.200195	1.12
1671	008E	3024	0.07	1933	1	55	80	2.5	6	5	7560	5627	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6534.200195	6534.200195	1.12
1671	008F	3024	0.07	2294	1	55	80	2.5	6	5	7560	5266	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6173.200195	6173.200195	1.12
1671	008G	3024	0.07	1762	1	55	80	2.5	6	5	7560	5798	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6705.200195	6705.200195	1.12
1671	008H	3024	0.07	1438	1	55	80	2.5	6	5	7560	6122	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	7029.200195	7029.200195	1.12
1671	008I	3024	0.07	2415	1	55	80	2.5	6	5	7560	5145	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6052.200195	6052.200195	1.12
1671	008J	3024	0.07	1777	1	55	80	2.5	6	5	7560	5783	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6690.200195	6690.200195	1.12
1671	008K	3024	0.07	1438	1	55	80	2.5	6	5	7560	6122	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	7029.200195	7029.200195	1.12
1671	008L	3024	0.07	2666	1	55	80	2.5	6	5	7560	4894	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	5801.200195	5801.200195	1.12
1671	008N	3024	0.07	1438	1	55	80	2.5	6	5	7560	6122	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	7029.200195	7029.200195	1.12
1671	008O	3024	0.07	1618	1	55	80	2.5	6	5	7560	5942	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6849.200195	6849.200195	1.12
1671	008P	3024	0.07	1438	1	55	80	2.5	6	5	7560	6122	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	7029.200195	7029.200195	1.12
1671	008Q	3024	0.07	1578	1	55	80	2.5	6	5	7560	5982	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6889.200195	6889.200195	1.12
1671	008R	3024	0.07	1920	1	55	80	2.5	6	5	7560	5640	RH-2	40	form-based			true	0.7	6	1	5	5	8467.200195	6547.200195	6547.200195	1.12
1672	002	3015	0.07	1705	1	55	80	2.5	6	5	7538	5833	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6737	6737	1.119926
1672	002A	3015	0.07	1849	1	55	80	2.5	6	5	7538	5689	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6593	6593	1.119926
1672	002B	3015	0.07	1928	1	55	80	2.5	6	5	7538	5610	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6514	6514	1.119926

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1672	003	3015	0.07	1973	1	55	80	2.5	6	5	7538	5565	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6469	6469	1.119926
1672	003A	3015	0.07	1355	1	55	80	2.5	6	5	7538	6183	RH-2	40	form-based			true	0.7	6	1	5	5	8442	7087	7087	1.119926
1672	003B	3015	0.07	3085	1	55	80	2.5	6	5	7538	4453	RH-2	40	form-based			true	0.7	6	1	5	5	8442	5357	5357	1.119926
1672	005	3015	0.07	2326	1	55	80	2.5	6	5	7538	5212	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6116	6116	1.119926
1672	005A	3015	0.07	1625	1	55	80	2.5	6	5	7538	5913	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6817	6817	1.119926
1672	006	3015	0.07	1625	1	55	80	2.5	6	5	7538	5913	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6817	6817	1.119926
1672	007	3015	0.07	1625	1	55	80	2.5	6	5	7538	5913	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6817	6817	1.119926
1672	008A	3015	0.07	1500	1	55	80	2.5	6	5	7538	6038	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6942	6942	1.119926
1672	008B	3015	0.07	1600	1	55	80	2.5	6	5	7538	5938	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6842	6842	1.119926
1672	017	3000	0.07	1835	1	55	80	2.5	6	5	7500	5665	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6565	6565	1.12
1672	018	3000	0.07	1425	1	55	80	2.5	6	5	7500	6075	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6975	6975	1.12
1672	019	3000	0.07	1275	1	55	80	2.5	6	5	7500	6225	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7125	7125	1.12
1672	020	3000	0.07	1925	1	55	80	2.5	6	5	7500	5575	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6475	6475	1.12
1672	021	3000	0.07	2107	1	55	80	2.5	6	5	7500	5393	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6293	6293	1.12
1672	022	3000	0.07	2210	1	55	80	2.5	6	5	7500	5290	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6190	6190	1.12
1672	023	3000	0.07	1579	1	55	80	2.5	6	5	7500	5921	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6821	6821	1.12
1672	025	3000	0.07	1562	1	55	80	2.5	6	5	7500	5938	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6838	6838	1.12
1672	026	3000	0.07	1795	1	55	80	2.5	6	5	7500	5705	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6605	6605	1.12
1672	027	3000	0.07	1729	1	55	80	2.5	6	5	7500	5771	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6671	6671	1.12
1672	028	3000	0.07	1624	1	55	80	2.5	6	5	7500	5876	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6776	6776	1.12
1672	029	3000	0.07	1225	1	55	80	2.5	6	5	7500	6275	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7175	7175	1.12
1673	007	2978	0.07	1534	1	55	80	2.5	6	5	7445	5911	RH-2	40	form-based			true	0.7	6	1	5	5	8338.399414	6804.399414	6804.399414	1.12
1673	012	2978	0.07	1435	1	55	80	2.5	6	5	7445	6010	RH-2	40	form-based			true	0.7	6	1	5	5	8338.399414	6903.399414	6903.399414	1.12
1673	013	2978	0.07	1405	1	55	80	2.5	6	5	7445	6040	RH-2	40	form-based			true	0.7	6	1	5	5	8338.399414	6933.399414	6933.399414	1.12
1673	014	2978	0.07	1740	1	55	80	2.5	6	5	7445	5705	RH-2	40	form-based			true	0.7	6	1	5	5	8338.399414	6598.399414	6598.399414	1.12
1673	016	2978	0.07	1300	1	55	80	2.5	6	5	7445	6145	RH-2	40	form-based			true	0.7	6	1	5	5	8338.399414	7038.399414	7038.399414	1.12
1673	018	2978	0.07	2050	1	55	80	2.5	6	5	7445	5395	RH-2	40	form-based			true	0.7	6	1	5	5	8338.399414	6288.399414	6288.399414	1.12
1673	031	3036	0.07	1342	1	55	80	2.5	6	5	7590	6248	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7158.799805	7158.799805	1.12
1673	032	3036	0.07	2360	1	55	80	2.5	6	5	7590	5230	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6140.799805	6140.799805	1.12
1673	033	3036	0.07	2322	1	55	80	2.5	6	5	7590	5268	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6178.799805	6178.799805	1.12
1673	034	3036	0.07	2605	1	55	80	2.5	6	5	7590	4985	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	5895.799805	5895.799805	1.12
1673	035	3036	0.07	2350	1	55	80	2.5	6	5	7590	5240	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6150.799805	6150.799805	1.12
1673	036	3036	0.07	2350	1	55	80	2.5	6	5	7590	5240	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6150.799805	6150.799805	1.12
1673	040	3036	0.07	1850	1	55	80	2.5	6	5	7590	5740	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6650.799805	6650.799805	1.12
1673	041	3036	0.07	1960	1	55	80	2.5	6	5	7590	5630	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6540.799805	6540.799805	1.12
1673	042	3036	0.07	2605	1	55	80	2.5	6	5	7590	4985	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	5895.799805	5895.799805	1.12
1673	043	3036	0.07	1935	1	55	80	2.5	6	5	7590	5655	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	6565.799805	6565.799805	1.12
1673	044	3036	0.07	3914	1	55	80	2.5	6	5	7590	3676	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	4586.799805	4586.799805	1.12
1673	045	3036	0.07	1435	1	55	80	2.5	6	5	7590	6155	RH-2	40	form-based			true	0.7	6	1	5	5	8500.799805	7065.799805	7065.799805	1.12
1674	001C	3003	0.07	1860	1	55	80	2.5	6	5	7508	5648	RH-2	40	form-based			true	0.7	6	1	5	5	8408.399414	6548.399414	6548.399414	1.119925
1674	001D	3003	0.07	1575	1	55	80	2.5	6	5	7508	5933	RH-2	40	form-based			true	0.7	6	1	5	5	8408.399414	6833.399414	6833.399414	1.119925
1674	001E	3003	0.07	2493	1	55	80	2.5	6	5	7508	5015	RH-2	40	form-based			true	0.7	6	1	5	5	8408.399414	5915.399414	5915.399414	1.119925
1674	001F	3003	0.07	1575	1	55	80	2.5	6	5	7508	5933	RH-2	40	form-based			true	0.7	6	1	5	5	8408.399414	6833.399414	6833.399414	1.119925
1674	001G	2997	0.07	1675	1	55	80	2.5	6	5	7492	5817	RH-2	40	form-based			true	0.7	6	1	5	5	8391.599609	6716.599609	6716.599609	1.120075
1674	001H	3009	0.07	1791	1	55	80	2.5	6	5	7522	5731	RH-2	40	form-based			true	0.7	6	1	5	5	8425.200195	6634.200195	6634.200195	1.120075
1674	001I	3003	0.07	2371	1	55	80	2.5	6	5	7508	5137	RH-2	40	form-based			true	0.7	6	1	5	5	8408.399414	6037.399414	6037.399414	1.119925
1674	001J	3003	0.07	1855	1	55	80	2.5	6	5	7508	5653	RH-2	40	form-based			true	0.7	6	1	5	5	8408.399414	6553.399414	6553.399414	1.119925
1674	002	3003	0.07	2235	1	55	80	2.5	6	5	7508	5273	RH-2	40	form-based			true	0.7	6	1	5	5	8408.399414	6173.399414	6173.399414	1.119925
1674	002A	3003	0.07	1575	1	55	80	2.5	6	5	7508	5933	RH-2	40	form-based			true	0.7	6	1	5	5	8408.399414	6833.399414	6833.399414	1.119925
1674	003	3003	0.07	2275	1	55	80	2.5	6	5	7508	5233	RH-2	40	form-based			true	0.7	6	1	5	5	8408.399414	6133.399414	6133.399414	1.119925
1674	003A	3000	0.07	2828	1	55	80	2.5	6	5	7500	4672	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5572	5572	1.12
1674	003B	3000	0.07	3274	1	55	80	2.5	6	5	7500	4226	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5126	5126	1.12
1674	003C	3000	0.07	2530	1	55	80	2.5	6	5	7500	4970	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5870	5870	1.12
1674	003D	3003	0.07	1575	1	55	80	2.5	6	5	7508	5933	RH-2	40	form-based			true	0.7	6	1	5	5	8408.399414	6833.399414	6833.399414	1.119925
1674	003E	3003	0.07	1718	1	55	80	2.5	6	5	7508	5790	RH-2	40	form-based			true	0.7	6	1	5	5	8408.399414	6690.399414	6690.399414	1.119925
1674	003F	3003	0.07	1575	1	55	80	2.5	6	5	7508	5933	RH-2	40	form-based			true	0.7	6	1	5	5	8408.399414	6833.399414	6833.399414	1.119925
1674	003G	3000	0.07	3120	1	55	80	2.5	6	5	7500	4380	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5280	5280	1.12
1674	003H	3000	0.07	2530	1	55	80	2.5	6	5	7500	4970	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5870	5870	1.12
1674	003I	3000	0.07	3090	1	55	80	2.5	6	5	7500	4410	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5310	5310	1.12
1674	008	3000	0.07	3126	1	55	80	2.5	6	5	7500	4374	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5274	5274	1.12
1674	009	3000	0.07	2510	1	55	80	2.5	6	5	7500	4990	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5890	5890	1.12
1674	010	3006	0.07	2710	1	55	80	2.5	6	5	7515	4805	RH-2	40	form-based			true	0.7	6	1	5	5	8416.799805	5706.799805	5706.799805	1.12
1674	011	2994	0.07	2698	1	55	80	2.5	6	5	7485	4787	RH-2	40	form-based			true	0.7	6	1	5	5	8383.200195	5685.200195	5685.200195	1.12
1674	013	3000	0.07	2678	1	55	80	2.5	6	5	7500	4822	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5722	5722	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1674	014	3000	0.07	2530	1	55	80	2.5	6	5	7500	4970	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5870	5870	1.12
1674	015	3000	0.07	2530	1	55	80	2.5	6	5	7500	4970	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5870	5870	1.12
1675	001B	2779	0.06	1469	1	55	80	2.5	5	4	6948	5479	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7781.199707	6312.199707	6312.199707	1.119919
1675	001C	2779	0.06	1325	1	55	80	2.5	5	4	6948	5623	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7781.199707	6456.199707	6456.199707	1.119919
1675	002E	3504	0.08	1848	2	55	80	2.5	6	4	8760	6912	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9811.200195	7963.200195	7963.200195	1.12
1675	002F	2779	0.06	1528	1	55	80	2.5	5	4	6948	5420	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7781.199707	6253.199707	6253.199707	1.119919
1675	028	2666	0.06	1595	1	55	80	2.5	5	4	6665	5070	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7464.799805	5869.799805	5869.799805	1.12
1675	029	1261	0.03	1800	2	55	80	2.5	2	0	3152	1352	RTO-C	85	form-based		true	true	0.75	7	3.5	5	2	7566	5766	4504	2.400381
1676	001A	2880	0.07	1397	1	55	80	2.5	6	5	7200	5803	RH-2	40	form-based			true	0.7	6	1	5	5	8064	6667	6667	1.12
1676	001B	2880	0.07	1425	1	55	80	2.5	6	5	7200	5775	RH-2	40	form-based			true	0.7	6	1	5	5	8064	6639	6639	1.12
1676	001I	2748	0.06	1390	1	55	80	2.5	5	4	6870	5480	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7694.399902	6304.399902	6304.399902	1.12
1676	010	3000	0.07	2210	1	55	80	2.5	6	5	7500	5290	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6190	6190	1.12
1676	011	3000	0.07	2224	1	55	80	2.5	6	5	7500	5276	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6176	6176	1.12
1676	012	3000	0.07	1710	1	55	80	2.5	6	5	7500	5790	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6690	6690	1.12
1676	013	3000	0.07	3204	1	55	80	2.5	6	5	7500	4296	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5196	5196	1.12
1676	014	3000	0.07	1680	1	55	80	2.5	6	5	7500	5820	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6720	6720	1.12
1676	014A	3000	0.07	1640	1	55	80	2.5	6	5	7500	5860	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6760	6760	1.12
1676	015	3000	0.07	3257	1	55	80	2.5	6	5	7500	4243	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5143	5143	1.12
1676	016	3000	0.07	1750	1	55	80	2.5	6	5	7500	5750	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6650	6650	1.12
1677	001B	2700	0.06	1940	1	55	80	2.5	5	4	6750	4810	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7560	5620	5620	1.12
1677	001C	2700	0.06	1345	1	55	80	2.5	5	4	6750	5405	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7560	6215	6215	1.12
1677	004	3000	0.07	1528	1	55	80	2.5	6	5	7500	5972	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6872	6872	1.12
1677	004A	3000	0.07	2466	1	55	80	2.5	6	5	7500	5034	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5934	5934	1.12
1677	004B	3000	0.07	1489	1	55	80	2.5	6	5	7500	6011	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6911	6911	1.12
1677	005	3000	0.07	1595	1	55	80	2.5	6	5	7500	5905	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6805	6805	1.12
1677	007	3000	0.07	1815	1	55	80	2.5	6	5	7500	5685	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6585	6585	1.12
1677	008	3000	0.07	1837	1	55	80	2.5	6	5	7500	5663	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6563	6563	1.12
1677	009	3000	0.07	1525	1	55	80	2.5	6	5	7500	5975	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6875	6875	1.12
1677	010A	3000	0.07	1130	1	55	80	2.5	6	5	7500	6370	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7270	7270	1.12
1677	010B	3000	0.07	1130	1	55	80	2.5	6	5	7500	6370	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7270	7270	1.12
1677	010C	3000	0.07	1886	1	55	80	2.5	6	5	7500	5614	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6514	6514	1.12
1677	010D	3000	0.07	1460	1	55	80	2.5	6	5	7500	6040	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6940	6940	1.12
1677	015	3000	0.07	2710	1	55	80	2.5	6	5	7500	4790	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5690	5690	1.12
1677	015A	3000	0.07	2440	1	55	80	2.5	6	5	7500	5060	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5960	5960	1.12
1677	015B	3000	0.07	2440	1	55	80	2.5	6	5	7500	5060	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5960	5960	1.12
1677	016	3000	0.07	1412	1	55	80	2.5	6	5	7500	6088	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6988	6988	1.12
1677	016A	3000	0.07	1228	1	55	80	2.5	6	5	7500	6272	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7172	7172	1.12
1677	016B	3000	0.07	1572	1	55	80	2.5	6	5	7500	5928	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6828	6828	1.12
1677	016C	3000	0.07	1771	1	55	80	2.5	6	5	7500	5729	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6629	6629	1.12
1677	017	3000	0.07	1750	1	55	80	2.5	6	5	7500	5750	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6650	6650	1.12
1677	017A	3000	0.07	3200	1	55	80	2.5	6	5	7500	4300	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5200	5200	1.12
1677	017B	3000	0.07	2380	1	55	80	2.5	6	5	7500	5120	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6020	6020	1.12
1677	017C	3000	0.07	3212	1	55	80	2.5	6	5	7500	4288	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5188	5188	1.12
1677	017D	3000	0.07	3324	1	55	80	2.5	6	5	7500	4176	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5076	5076	1.12
1677	017E	3000	0.07	2856	1	55	80	2.5	6	5	7500	4644	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5544	5544	1.12
1677	017F	3000	0.07	2400	1	55	80	2.5	6	5	7500	5100	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6000	6000	1.12
1677	019A	2700	0.06	2900	1	55	80	2.5	5	4	6750	3850	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7560	4660	4660	1.12
1677	020	2700	0.06	2296	1	55	80	2.5	5	4	6750	4454	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7560	5264	5264	1.12
1678	005	3000	0.07	1295	1	55	80	2.5	6	5	7500	6205	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7105	7105	1.12
1678	006	3000	0.07	2196	1	55	80	2.5	6	5	7500	5304	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6204	6204	1.12
1678	007	3000	0.07	1435	1	55	80	2.5	6	5	7500	6065	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6965	6965	1.12
1678	008	3000	0.07	1855	1	55	80	2.5	6	5	7500	5645	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6545	6545	1.12
1678	009	3000	0.07	1529	1	55	80	2.5	6	5	7500	5971	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6871	6871	1.12
1678	010	3000	0.07	2251	1	55	80	2.5	6	5	7500	5249	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6149	6149	1.12
1678	012	3000	0.07	2340	1	55	80	2.5	6	5	7500	5160	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6060	6060	1.12
1678	012A	3000	0.07	2340	1	55	80	2.5	6	5	7500	5160	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6060	6060	1.12
1678	013	3000	0.07	2320	1	55	80	2.5	6	5	7500	5180	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6080	6080	1.12
1678	013A	3000	0.07	2340	1	55	80	2.5	6	5	7500	5160	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6060	6060	1.12
1678	014A	2964	0.07	2340	1	55	80	2.5	6	5	7410	5070	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	5959.200195	5959.200195	1.12
1678	014C	3000	0.07	2320	1	55	80	2.5	6	5	7500	5180	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6080	6080	1.12
1678	021	2702	0.06	1670	1	55	80	2.5	5	4	6755	5085	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7565.600098	5895.600098	5895.600098	1.12
1678	022	2988	0.07	1360	1	55	80	2.5	6	5	7470	6110	RH-2	40	form-based			true	0.7	6	1	5	5	8366.399414	7006.399414	7006.399414	1.12
1678	022A	2989	0.07	2010	1	55	80	2.5	6	5	7472	5462	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6359.200195	6359.200195	1.120075
1678	024	2988	0.07	1370	1	55	80	2.5	6	5	7470	6100	RH-2	40	form-based			true	0.7	6	1	5	5	8366.399414	6996.399414	6996.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1678	024A	2989	0.07	1672	1	55	80	2.5	6	5	7472	5800	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6697.200195	6697.200195	1.120075
1678	025	2988	0.07	1362	1	55	80	2.5	6	5	7470	6108	RH-2	40	form-based			true	0.7	6	1	5	5	8366.399414	7004.399414	7004.399414	1.12
1678	025A	2989	0.07	1642	1	55	80	2.5	6	5	7472	5830	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6727.200195	6727.200195	1.120075
1678	026	2988	0.07	2114	1	55	80	2.5	6	5	7470	5356	RH-2	40	form-based			true	0.7	6	1	5	5	8366.399414	6252.399414	6252.399414	1.12
1678	027	2988	0.07	1655	1	55	80	2.5	6	5	7470	5815	RH-2	40	form-based			true	0.7	6	1	5	5	8366.399414	6711.399414	6711.399414	1.12
1678	029	2989	0.07	1428	1	55	80	2.5	6	5	7472	6044	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6941.200195	6941.200195	1.120075
1678	030	2988	0.07	2200	1	55	80	2.5	6	5	7470	5270	RH-2	40	form-based			true	0.7	6	1	5	5	8366.399414	6166.399414	6166.399414	1.12
1678	030A	2988	0.07	1840	1	55	80	2.5	6	5	7470	5630	RH-2	40	form-based			true	0.7	6	1	5	5	8366.399414	6526.399414	6526.399414	1.12
1678	031	3088	0.07	1733	1	55	80	2.5	6	5	7720	5987	RH-2	40	form-based			true	0.7	6	1	5	5	8646.399414	6913.399414	6913.399414	1.12
1679	002	3095	0.07	2040	1	55	80	2.5	6	5	7738	5698	RH-2	40	form-based			true	0.7	6	1	5	5	8666	6626	6626	1.119928
1679	002A	3095	0.07	1975	1	55	80	2.5	6	5	7738	5763	RH-2	40	form-based			true	0.7	6	1	5	5	8666	6691	6691	1.119928
1679	003A	3095	0.07	1300	1	55	80	2.5	6	5	7738	6438	RH-2	40	form-based			true	0.7	6	1	5	5	8666	7366	7366	1.119928
1679	003B	3095	0.07	1300	1	55	80	2.5	6	5	7738	6438	RH-2	40	form-based			true	0.7	6	1	5	5	8666	7366	7366	1.119928
1679	006	3096	0.07	3902	2	55	80	2.5	6	4	7740	3838	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8668.799805	4766.799805	4766.799805	1.12
1679	007	3096	0.07	2600	2	55	80	2.5	6	4	7740	5140	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8668.799805	6068.799805	6068.799805	1.12
1679	007A	3097	0.07	2600	2	55	80	2.5	6	4	7742	5142	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8671.599609	6071.599609	6071.599609	1.120072
1679	019	2928	0.07	1720	1	55	80	2.5	6	5	7320	5600	RH-2	40	form-based			true	0.7	6	1	5	5	8198.399414	6478.399414	6478.399414	1.12
1679	020	2928	0.07	3021	1	55	80	2.5	6	5	7320	4299	RH-2	40	form-based			true	0.7	6	1	5	5	8198.399414	5177.399414	5177.399414	1.12
1679	021	2928	0.07	1880	1	55	80	2.5	6	5	7320	5440	RH-2	40	form-based			true	0.7	6	1	5	5	8198.399414	6318.399414	6318.399414	1.12
1679	021A	2928	0.07	1570	1	55	80	2.5	6	5	7320	5750	RH-2	40	form-based			true	0.7	6	1	5	5	8198.399414	6628.399414	6628.399414	1.12
1679	021B	2928	0.07	1822	1	55	80	2.5	6	5	7320	5498	RH-2	40	form-based			true	0.7	6	1	5	5	8198.399414	6376.399414	6376.399414	1.12
1679	021C	2928	0.07	1570	1	55	80	2.5	6	5	7320	5750	RH-2	40	form-based			true	0.7	6	1	5	5	8198.399414	6628.399414	6628.399414	1.12
1679	022	2928	0.07	1840	1	55	80	2.5	6	5	7320	5480	RH-2	40	form-based			true	0.7	6	1	5	5	8198.399414	6358.399414	6358.399414	1.12
1679	023	2928	0.07	2060	1	55	80	2.5	6	5	7320	5260	RH-2	40	form-based			true	0.7	6	1	5	5	8198.399414	6138.399414	6138.399414	1.12
1679	024	2928	0.07	2000	1	55	80	2.5	6	5	7320	5320	RH-2	40	form-based			true	0.7	6	1	5	5	8198.399414	6198.399414	6198.399414	1.12
1679	024A	2928	0.07	1570	1	55	80	2.5	6	5	7320	5750	RH-2	40	form-based			true	0.7	6	1	5	5	8198.399414	6628.399414	6628.399414	1.12
1680	003	2976	0.07	1740	1	55	80	2.5	6	5	7440	5700	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	6592.799805	6592.799805	1.12
1680	005	2976	0.07	2077	1	55	80	2.5	6	5	7440	5363	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	6255.799805	6255.799805	1.12
1680	006	2976	0.07	1770	1	55	80	2.5	6	5	7440	5670	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	6562.799805	6562.799805	1.12
1680	006A	2976	0.07	1763	1	55	80	2.5	6	5	7440	5677	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	6569.799805	6569.799805	1.12
1680	007	2975	0.07	1500	1	55	80	2.5	6	5	7438	5938	RH-2	40	form-based			true	0.7	6	1	5	5	8330	6830	6830	1.119925
1680	029	3000	0.07	1625	1	55	80	2.5	6	5	7500	5875	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6775	6775	1.12
1680	030	3000	0.07	1445	1	55	80	2.5	6	5	7500	6055	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6955	6955	1.12
1680	032	3000	0.07	1700	1	55	80	2.5	6	5	7500	5800	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6700	6700	1.12
1680	034	3691	0.08	4151	3	55	80	2.5	6	3	9228	5077	RH-2	40	form-based			true	0.7	8	1.333333373	5	5	10334.7998	6183.799805	6183.799805	1.119939
1702	001B	3000	0.07	961	1	65	100	3	7	6	9000	8039	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7439	7439	0.933333
1702	001C	3000	0.07	961	1	65	100	3	7	6	9000	8039	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7439	7439	0.933333
1702	001D	3000	0.07	1361	1	65	100	3	7	6	9000	7639	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7039	7039	0.933333
1702	001E	3000	0.07	1453	1	65	100	3	7	6	9000	7547	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6947	6947	0.933333
1702	002	3000	0.07	1215	1	65	100	3	7	6	9000	7785	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7185	7185	0.933333
1702	003	3000	0.07	875	1	65	100	3	7	6	9000	8125	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7525	7525	0.933333
1702	004	3000	0.07	1365	1	65	100	3	7	6	9000	7635	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7035	7035	0.933333
1702	005	3000	0.07	875	1	65	100	3	7	6	9000	8125	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7525	7525	0.933333
1702	006	3000	0.07	1807	1	65	100	3	7	6	9000	7193	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6593	6593	0.933333
1702	007	3000	0.07	965	1	65	100	3	7	6	9000	8035	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7435	7435	0.933333
1702	008	3000	0.07	1157	1	65	100	3	7	6	9000	7843	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7243	7243	0.933333
1702	009	3000	0.07	905	1	65	100	3	7	6	9000	8095	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7495	7495	0.933333
1702	010B	3000	0.07	1082	1	65	100	3	7	6	9000	7918	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7318	7318	0.933333
1702	012	2998	0.07	905	1	65	100	3	7	6	8994	8089	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7489.399414	7489.399414	0.933333
1702	041	2686	0.06	1683	1	65	100	3	6	5	8058	6375	RM-1	40	form-based			true	0.7	6	1	5	5	7520.799805	5837.799805	5837.799805	0.933333
1703	001	1591	0.04	1040	1	65	100	3	4	3	4773	3733	RTO-C	65	form-based	true		true	0.75	6	1.5	5	5	7159.5	6119.5	6119.5	1.5
1703	001A	1591	0.04	1040	1	65	100	3	4	3	4773	3733	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7159.5	6119.5	6119.5	1.5
1703	006	2983	0.07	1666	1	65	100	3	7	6	8949	7283	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6686.399414	6686.399414	0.933333
1703	009	2983	0.07	1548	1	65	100	3	7	6	8949	7401	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6804.399414	6804.399414	0.933333
1703	011	2983	0.07	816	1	65	100	3	7	6	8949	8133	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7536.399414	7536.399414	0.933333
1703	013	2983	0.07	1172	1	65	100	3	7	6	8949	7777	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7180.399414	7180.399414	0.933333
1703	015	2983	0.07	3123	1	65	100	3	7	6	8949	5826	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	5229.399414	5229.399414	0.933333
1703	016	2983	0.07	2480	1	65	100	3	7	6	8949	6469	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	5872.399414	5872.399414	0.933333
1703	016A	2983	0.07	1651	1	65	100	3	7	6	8949	7298	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6701.399414	6701.399414	0.933333
1703	036	3000	0.07	1215	1	65	100	3	7	6	9000	7785	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7185	7185	0.933333
1703	037	3000	0.07	1095	1	65	100	3	7	6	9000	7905	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7305	7305	0.933333
1703	038	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
1703	040	3000	0.07	1307	1	65	100	3	7	6	9000	7693	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7093	7093	0.933333
1703	041	3054	0.07	1225	1	65	100	3	7	6	9162	7937	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8551.200195	7326.200195	7326.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1703	046	2500	0.06	3961	4	65	100	3	6	2	7500	3539	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	7289	7289	1.5
1704	002	3000	0.07	1139	1	65	100	3	7	6	9000	7861	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7261	7261	0.933333
1704	003	3000	0.07	540	1	65	100	3	7	6	9000	8460	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7860	7860	0.933333
1704	011	3000	0.07	1725	1	65	100	3	7	6	9000	7275	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6675	6675	0.933333
1704	014	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1704	022	2500	0.06	3626	4	65	100	3	6	2	7500	3874	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	7624	7624	1.5
1704	029	3003	0.07	1204	1	65	100	3	7	6	9009	7805	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7204.399414	7204.399414	0.933333
1704	030	3003	0.07	1312	1	65	100	3	7	6	9009	7697	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7096.399414	7096.399414	0.933333
1704	031	3003	0.07	2550	1	65	100	3	7	6	9009	6459	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	5858.399414	5858.399414	0.933333
1704	032	3003	0.07	1475	1	65	100	3	7	6	9009	7534	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6933.399414	6933.399414	0.933333
1704	033	3003	0.07	1025	1	65	100	3	7	6	9009	7984	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7383.399414	7383.399414	0.933333
1704	036	3003	0.07	3080	1	65	100	3	7	6	9009	5929	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	5328.399414	5328.399414	0.933333
1704	038	3003	0.07	2345	1	65	100	3	7	6	9009	6664	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6063.399414	6063.399414	0.933333
1704	039	3003	0.07	966	1	65	100	3	7	6	9009	8043	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7442.399414	7442.399414	0.933333
1704	045	2500	0.06	3702	4	65	100	3	6	2	7500	3798	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	7548	7548	1.5
1705	003	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
1705	007	3000	0.07	1318	1	65	100	3	7	6	9000	7682	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7082	7082	0.933333
1705	010	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
1705	011	3000	0.07	1408	1	65	100	3	7	6	9000	7592	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6992	6992	0.933333
1705	012	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
1705	019	2500	0.06	2856	4	65	100	3	6	2	7500	4644	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	8394	8394	1.5
1705	027	3020	0.07	920	1	65	100	3	7	6	9060	8140	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8456	7536	7536	0.933333
1705	029	3005	0.07	825	1	65	100	3	7	6	9015	8190	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	7589	7589	0.933333
1705	030	3005	0.07	720	1	65	100	3	7	6	9015	8295	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	7694	7694	0.933333
1705	031	3005	0.07	1725	1	65	100	3	7	6	9015	7290	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	6689	6689	0.933333
1705	032	3005	0.07	1750	1	65	100	3	7	6	9015	7265	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	6664	6664	0.933333
1705	036	3005	0.07	1266	1	65	100	3	7	6	9015	7749	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	7148	7148	0.933333
1705	038	3005	0.07	1312	1	65	100	3	7	6	9015	7703	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	7102	7102	0.933333
1705	039	3005	0.07	2538	1	65	100	3	7	6	9015	6477	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	5876	5876	0.933333
1705	040	3005	0.07	3600	1	65	100	3	7	6	9015	5415	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	4814	4814	0.933333
1705	041	3005	0.07	1928	1	65	100	3	7	6	9015	7087	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	6486	6486	0.933333
1705	047	2500	0.06	3586	4	65	100	3	6	2	7500	3914	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	7664	7664	1.5
1705	049	1875	0.04	2500	2	65	100	3	4	2	5625	3125	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	5937.5	5937.5	1.5
1705	054	1875	0.04	1250	2	65	100	3	4	2	5625	4375	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	7187.5	7187.5	1.5
1706	004	3000	0.07	1526	1	65	100	3	7	6	9000	7474	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6874	6874	0.933333
1706	006	3000	0.07	2148	1	65	100	3	7	6	9000	6852	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6252	6252	0.933333
1706	010	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
1706	011	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1706	013	3000	0.07	988	1	65	100	3	7	6	9000	8012	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7412	7412	0.933333
1706	014	3000	0.07	988	1	65	100	3	7	6	9000	8012	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7412	7412	0.933333
1706	015	3000	0.07	1324	1	65	100	3	7	6	9000	7676	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7076	7076	0.933333
1706	016	3000	0.07	1205	1	65	100	3	7	6	9000	7795	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7195	7195	0.933333
1706	027	3067	0.07	1760	1	65	100	3	7	6	9201	7441	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8587.599609	6827.599609	6827.599609	0.933333
1706	028	3004	0.07	1895	1	65	100	3	7	6	9012	7117	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6516.200195	6516.200195	0.933333
1706	029	3004	0.07	1465	1	65	100	3	7	6	9012	7547	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6946.200195	6946.200195	0.933333
1706	030	3004	0.07	990	1	65	100	3	7	6	9012	8022	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7421.200195	7421.200195	0.933333
1706	032	3004	0.07	660	1	65	100	3	7	6	9012	8352	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7751.200195	7751.200195	0.933333
1706	034	3004	0.07	1000	1	65	100	3	7	6	9012	8012	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7411.200195	7411.200195	0.933333
1706	035	3004	0.07	1000	1	65	100	3	7	6	9012	8012	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7411.200195	7411.200195	0.933333
1706	036	3004	0.07	1000	1	65	100	3	7	6	9012	8012	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7411.200195	7411.200195	0.933333
1706	037	3004	0.07	484	1	65	100	3	7	6	9012	8528	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7927.200195	7927.200195	0.933333
1706	040	4506	0.1	2900	4	65	100	3	10	6	13518	10618	RH-2	40	form-based			true	0.7	9	0.899999976	5	5	12616.7998	9716.799805	9716.799805	0.933333
1706	048	2500	0.06	2311	4	65	100	3	6	2	7500	5189	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	8939	8939	1.5
1707	002	3041	0.07	1282	1	65	100	3	7	6	9123	7841	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	7232.799805	7232.799805	0.933333
1707	003	3013	0.07	1220	1	65	100	3	7	6	9039	7819	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7216.399414	7216.399414	0.933333
1707	004	3013	0.07	956	1	65	100	3	7	6	9039	8083	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7480.399414	7480.399414	0.933333
1707	005	3013	0.07	1000	1	65	100	3	7	6	9039	8039	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7436.399414	7436.399414	0.933333
1707	006	3013	0.07	1225	1	65	100	3	7	6	9039	7814	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7211.399414	7211.399414	0.933333
1707	007	3013	0.07	1225	1	65	100	3	7	6	9039	7814	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7211.399414	7211.399414	0.933333
1707	008	3013	0.07	1000	1	65	100	3	7	6	9039	8039	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7436.399414	7436.399414	0.933333
1707	009	3013	0.07	1038	1	65	100	3	7	6	9039	8001	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7398.399414	7398.399414	0.933333
1707	010	3013	0.07	1704	1	65	100	3	7	6	9039	7335	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6732.399414	6732.399414	0.933333
1707	011	3013	0.07	1738	1	65	100	3	7	6	9039	7301	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6698.399414	6698.399414	0.933333
1707	012	3013	0.07	2275	1	65	100	3	7	6	9039	6764	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6161.399414	6161.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1707	013	3013	0.07	1375	1	65	100	3	7	6	9039	7664	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7061.399414	7061.399414	0.933333
1707	014	3013	0.07	1012	1	65	100	3	7	6	9039	8027	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7424.399414	7424.399414	0.933333
1707	016	3013	0.07	1565	1	65	100	3	7	6	9039	7474	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6871.399414	6871.399414	0.933333
1707	017	3013	0.07	1375	1	65	100	3	7	6	9039	7664	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7061.399414	7061.399414	0.933333
1707	023	1875	0.04	2366	2	65	100	3	4	2	5625	3259	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	6071.5	6071.5	1.5
1707	027	3000	0.07	2869	1	65	100	3	7	6	9000	6131	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5531	5531	0.933333
1707	028	3000	0.07	1527	1	65	100	3	7	6	9000	7473	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6873	6873	0.933333
1707	029	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
1707	030	3000	0.07	2158	1	65	100	3	7	6	9000	6842	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6242	6242	0.933333
1707	035	3000	0.07	2194	1	65	100	3	7	6	9000	6806	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6206	6206	0.933333
1707	037	3000	0.07	988	1	65	100	3	7	6	9000	8012	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7412	7412	0.933333
1707	038	3000	0.07	988	1	65	100	3	7	6	9000	8012	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7412	7412	0.933333
1707	039	3000	0.07	988	1	65	100	3	7	6	9000	8012	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7412	7412	0.933333
1707	040	3000	0.07	988	1	65	100	3	7	6	9000	8012	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7412	7412	0.933333
1707	041	3000	0.07	950	1	65	100	3	7	6	9000	8050	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7450	7450	0.933333
1707	042	3038	0.07	1588	1	65	100	3	7	6	9114	7526	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6918.399414	6918.399414	0.933333
1707	043	1630	0.04	1509	1	65	100	3	4	3	4890	3381	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7335	5826	5826	1.5
1707	043A	1630	0.04	1500	1	65	100	3	4	3	4890	3390	RTO-C	65	form-based		true	true	0.75	6	1.5	5	5	7335	5835	5835	1.5
1708	001	4760	0.11	10950	13	65	100	3	11	0	14280	3330	RTO-C	65	form-based		true	true	0.75	18	1.636363626	5	5	21420	10470	10470	1.5
1708	002	3654	0.08	2019	3	65	100	3	8	5	10962	8943	RH-2	40	form-based			true	0.7	8	1	5	5	10231.2002	8212.200195	8212.200195	0.933333
1708	026	3000	0.07	1675	1	65	100	3	7	6	9000	7325	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6725	6725	0.933333
1708	027	3000	0.07	1849	1	65	100	3	7	6	9000	7151	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6551	6551	0.933333
1708	028	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
1708	029	3000	0.07	1792	1	65	100	3	7	6	9000	7208	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6608	6608	0.933333
1708	030	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
1708	031	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1708	032	3000	0.07	1806	1	65	100	3	7	6	9000	7194	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6594	6594	0.933333
1708	033	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1708	034	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1708	035	3000	0.07	2200	1	65	100	3	7	6	9000	6800	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6200	6200	0.933333
1708	036	3000	0.07	2668	1	65	100	3	7	6	9000	6332	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5732	5732	0.933333
1708	037	3000	0.07	2356	1	65	100	3	7	6	9000	6644	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6044	6044	0.933333
1708	038	3000	0.07	1620	1	65	100	3	7	6	9000	7380	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6780	6780	0.933333
1708	039	3000	0.07	1583	1	65	100	3	7	6	9000	7417	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6817	6817	0.933333
1708	040	3000	0.07	1075	1	65	100	3	7	6	9000	7925	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7325	7325	0.933333
1708	041	3082	0.07	1440	1	65	100	3	7	6	9246	7806	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8629.599609	7189.599609	7189.599609	0.933333
1709	001	1690	0.04	1636	1	65	100	3	4	3	5070	3434	RTO-C	65	form-based		true	true	0.75	6	1.5	5	5	7605	5969	5969	1.5
1709	001A	1560	0.04	2670	1	65	100	3	4	3	4680	2010	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7020	4350	4350	1.5
1709	003	3012	0.07	1683	1	65	100	3	7	6	9036	7353	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6750.599609	6750.599609	0.933333
1709	006	3012	0.07	2007	1	65	100	3	7	6	9036	7029	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6426.599609	6426.599609	0.933333
1709	009	3012	0.07	1025	1	65	100	3	7	6	9036	8011	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7408.599609	7408.599609	0.933333
1709	011	3012	0.07	1727	1	65	100	3	7	6	9036	7309	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6706.599609	6706.599609	0.933333
1709	012	3012	0.07	1922	1	65	100	3	7	6	9036	7114	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6511.599609	6511.599609	0.933333
1709	025	3000	0.07	1205	1	65	100	3	7	6	9000	7795	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7195	7195	0.933333
1709	028	3000	0.07	1337	1	65	100	3	7	6	9000	7663	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7063	7063	0.933333
1709	030	3000	0.07	1690	1	65	100	3	7	6	9000	7310	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6710	6710	0.933333
1709	036	3000	0.07	1241	1	65	100	3	7	6	9000	7759	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7159	7159	0.933333
1709	043	2500	0.06	3696	4	65	100	3	6	2	7500	3804	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	7554	7554	1.5
1709	050	1875	0.04	2774	2	65	100	3	4	2	5625	2851	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	5663.5	5663.5	1.5
1710	003	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
1710	003A	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
1710	004	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
1710	004A	3000	0.07	900	1	65	100	3	7	6	9000	8100	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7500	7500	0.933333
1710	005	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
1710	007	3000	0.07	1655	1	65	100	3	7	6	9000	7345	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6745	6745	0.933333
1710	008	3000	0.07	1504	1	65	100	3	7	6	9000	7496	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6896	6896	0.933333
1710	009	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1710	010	3000	0.07	2195	1	65	100	3	7	6	9000	6805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6205	6205	0.933333
1710	011	3000	0.07	1246	1	65	100	3	7	6	9000	7754	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7154	7154	0.933333
1710	012	3000	0.07	2022	1	65	100	3	7	6	9000	6978	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6378	6378	0.933333
1710	013	3000	0.07	1680	1	65	100	3	7	6	9000	7320	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6720	6720	0.933333
1710	014	3000	0.07	1388	1	65	100	3	7	6	9000	7612	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7012	7012	0.933333
1710	015	3000	0.07	1950	1	65	100	3	7	6	9000	7050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6450	6450	0.933333
1710	016	3000	0.07	2130	1	65	100	3	7	6	9000	6870	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6270	6270	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1710	017	2969	0.07	1644	1	65	100	3	7	6	8907	7263	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6669.200195	6669.200195	0.933333
1710	028	2981	0.07	1098	1	65	100	3	7	6	8943	7845	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8346.799805	7248.799805	7248.799805	0.933333
1710	029	3000	0.07	1739	1	65	100	3	7	6	9000	7261	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6661	6661	0.933333
1710	030	3000	0.07	1342	1	65	100	3	7	6	9000	7658	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7058	7058	0.933333
1710	032	3000	0.07	1725	1	65	100	3	7	6	9000	7275	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6675	6675	0.933333
1710	033	3000	0.07	1445	1	65	100	3	7	6	9000	7555	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6955	6955	0.933333
1710	034	3000	0.07	920	1	65	100	3	7	6	9000	8080	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7480	7480	0.933333
1710	035	3000	0.07	1570	1	65	100	3	7	6	9000	7430	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6830	6830	0.933333
1710	036	3000	0.07	1406	1	65	100	3	7	6	9000	7594	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6994	6994	0.933333
1710	037	3000	0.07	1360	1	65	100	3	7	6	9000	7640	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7040	7040	0.933333
1710	039	3000	0.07	1324	1	65	100	3	7	6	9000	7676	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7076	7076	0.933333
1710	042	1527	0.04	1499	1	65	100	3	4	3	4581	3082	RTO-C	65	form-based			true	0.75	6	1.5	5	5	6871.5	5372.5	5372.5	1.5
1710	042A	1712	0.04	1790	1	65	100	3	4	3	5136	3346	RTO-C	65	form-based		true	true	0.75	6	1.5	5	5	7704	5914	5914	1.5
1710	052	2500	0.06	3214	4	65	100	3	6	2	7500	4286	NC-1	65	form-based			true	0.75	9	1.5	5	5	11250	8036	8036	1.5
1711	003	2972	0.07	2181	1	65	100	3	7	6	8916	6735	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8321.599609	6140.599609	6140.599609	0.933333
1711	004	3010	0.07	1525	1	65	100	3	7	6	9030	7505	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6903	6903	0.933333
1711	005	3010	0.07	2265	1	65	100	3	7	6	9030	6765	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6163	6163	0.933333
1711	005A	3010	0.07	2309	1	65	100	3	7	6	9030	6721	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6119	6119	0.933333
1711	006	3010	0.07	1575	1	65	100	3	7	6	9030	7455	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6853	6853	0.933333
1711	007	3010	0.07	1525	1	65	100	3	7	6	9030	7505	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6903	6903	0.933333
1711	008	3010	0.07	2195	1	65	100	3	7	6	9030	6835	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6233	6233	0.933333
1711	009	3010	0.07	1525	1	65	100	3	7	6	9030	7505	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6903	6903	0.933333
1711	010	3010	0.07	1525	1	65	100	3	7	6	9030	7505	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6903	6903	0.933333
1711	011	3010	0.07	1525	1	65	100	3	7	6	9030	7505	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6903	6903	0.933333
1711	012	3010	0.07	2265	1	65	100	3	7	6	9030	6765	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6163	6163	0.933333
1711	013	3010	0.07	1525	1	65	100	3	7	6	9030	7505	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6903	6903	0.933333
1711	014	3010	0.07	2223	1	65	100	3	7	6	9030	6807	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6205	6205	0.933333
1711	015	3010	0.07	1525	1	65	100	3	7	6	9030	7505	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6903	6903	0.933333
1711	016	3010	0.07	1525	1	65	100	3	7	6	9030	7505	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6903	6903	0.933333
1711	017	3010	0.07	1925	1	65	100	3	7	6	9030	7105	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6503	6503	0.933333
1711	021	3000	0.07	1640	1	65	100	3	7	6	9000	7360	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6760	6760	0.933333
1711	021A	3000	0.07	1393	1	65	100	3	7	6	9000	7607	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7007	7007	0.933333
1711	021B	3000	0.07	1379	1	65	100	3	7	6	9000	7621	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7021	7021	0.933333
1711	021C	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
1711	022	3000	0.07	1631	1	65	100	3	7	6	9000	7369	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6769	6769	0.933333
1711	022A	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
1711	022B	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
1711	022C	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6775	6775	0.933333
1711	022D	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
1711	022E	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
1711	022F	3000	0.07	1455	1	65	100	3	7	6	9000	7545	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6945	6945	0.933333
1711	022G	3000	0.07	1815	1	65	100	3	7	6	9000	7185	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6585	6585	0.933333
1711	023	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1711	023A	3000	0.07	1470	1	65	100	3	7	6	9000	7530	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6930	6930	0.933333
1711	024	3000	0.07	1816	1	65	100	3	7	6	9000	7184	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6584	6584	0.933333
1711	024A	2958	0.07	1225	1	65	100	3	7	6	8874	7649	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	7057.399414	7057.399414	0.933333
1712	001C	2975	0.07	1953	1	65	100	3	7	6	8925	6972	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8330	6377	6377	0.933333
1712	001D	3004	0.07	2679	1	65	100	3	7	6	9012	6333	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	5732.200195	5732.200195	0.933333
1712	001E	3004	0.07	1555	1	65	100	3	7	6	9012	7457	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6856.200195	6856.200195	0.933333
1712	001F	3004	0.07	2125	1	65	100	3	7	6	9012	6887	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6286.200195	6286.200195	0.933333
1712	001G	3004	0.07	2570	1	65	100	3	7	6	9012	6442	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	5841.200195	5841.200195	0.933333
1712	001H	3004	0.07	1475	1	65	100	3	7	6	9012	7537	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6936.200195	6936.200195	0.933333
1712	001I	3004	0.07	1775	1	65	100	3	7	6	9012	7237	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6636.200195	6636.200195	0.933333
1712	001J	3004	0.07	1310	1	65	100	3	7	6	9012	7702	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7101.200195	7101.200195	0.933333
1712	001K	3004	0.07	2124	1	65	100	3	7	6	9012	6888	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6287.200195	6287.200195	0.933333
1712	001L	3004	0.07	1655	1	65	100	3	7	6	9012	7357	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6756.200195	6756.200195	0.933333
1712	001M	3004	0.07	1640	1	65	100	3	7	6	9012	7372	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6771.200195	6771.200195	0.933333
1712	001N	3004	0.07	1866	1	65	100	3	7	6	9012	7146	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6545.200195	6545.200195	0.933333
1712	001O	3004	0.07	1367	1	65	100	3	7	6	9012	7645	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7044.200195	7044.200195	0.933333
1712	001P	3004	0.07	1243	1	65	100	3	7	6	9012	7769	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7168.200195	7168.200195	0.933333
1712	001Q	3004	0.07	1975	1	65	100	3	7	6	9012	7037	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6436.200195	6436.200195	0.933333
1712	001R	3004	0.07	1820	1	65	100	3	7	6	9012	7192	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6591.200195	6591.200195	0.933333
1712	007	3000	0.07	1681	1	65	100	3	7	6	9000	7319	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6719	6719	0.933333
1712	007A	3000	0.07	2540	1	65	100	3	7	6	9000	6460	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5860	5860	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1712	007B	3000	0.07	2133	1	65	100	3	7	6	9000	6867	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6267	6267	0.933333
1712	007C	3000	0.07	2218	1	65	100	3	7	6	9000	6782	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6182	6182	0.933333
1712	007D	3000	0.07	1554	1	65	100	3	7	6	9000	7446	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6846	6846	0.933333
1712	007E	3000	0.07	1554	1	65	100	3	7	6	9000	7446	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6846	6846	0.933333
1712	007F	3000	0.07	1554	1	65	100	3	7	6	9000	7446	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6846	6846	0.933333
1712	007G	3000	0.07	1809	1	65	100	3	7	6	9000	7191	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6591	6591	0.933333
1712	007H	3000	0.07	1554	1	65	100	3	7	6	9000	7446	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6846	6846	0.933333
1712	007J	3000	0.07	3133	1	65	100	3	7	6	9000	5867	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5267	5267	0.933333
1712	007Q	3000	0.07	1566	1	65	100	3	7	6	9000	7434	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6834	6834	0.933333
1712	007R	2968	0.07	1798	1	65	100	3	7	6	8904	7106	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	6512.399414	6512.399414	0.933333
1712	007T	3000	0.07	1871	1	65	100	3	7	6	9000	7129	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6529	6529	0.933333
1712	007U	3000	0.07	1857	1	65	100	3	7	6	9000	7143	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6543	6543	0.933333
1713	001	1741	0.04	2100	2	65	100	3	4	2	5223	3123	RTO-C	65	form-based		true	true	0.75	7	1.75	5	5	7834.5	5734.5	5734.5	1.5
1713	001B	1741	0.04	2000	2	65	100	3	4	2	5223	3223	RTO-C	65	form-based			true	0.75	7	1.75	5	5	7834.5	5834.5	5834.5	1.5
1713	001C	1741	0.04	2000	2	65	100	3	4	2	5223	3223	RTO-C	65	form-based			true	0.75	7	1.75	5	5	7834.5	5834.5	5834.5	1.5
1713	002	2991	0.07	2464	1	65	100	3	7	6	8973	6509	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	5910.799805	5910.799805	0.933333
1713	004	2991	0.07	2492	1	65	100	3	7	6	8973	6481	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	5882.799805	5882.799805	0.933333
1713	005	2991	0.07	1900	1	65	100	3	7	6	8973	7073	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6474.799805	6474.799805	0.933333
1713	006	2991	0.07	2170	1	65	100	3	7	6	8973	6803	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6204.799805	6204.799805	0.933333
1713	007	2991	0.07	2225	1	65	100	3	7	6	8973	6748	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6149.799805	6149.799805	0.933333
1713	008	2991	0.07	2140	1	65	100	3	7	6	8973	6833	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6234.799805	6234.799805	0.933333
1713	009	2991	0.07	2170	1	65	100	3	7	6	8973	6803	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6204.799805	6204.799805	0.933333
1713	010	2991	0.07	1870	1	65	100	3	7	6	8973	7103	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6504.799805	6504.799805	0.933333
1713	011	2991	0.07	1932	1	65	100	3	7	6	8973	7041	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6442.799805	6442.799805	0.933333
1713	012	2991	0.07	2172	1	65	100	3	7	6	8973	6801	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6202.799805	6202.799805	0.933333
1713	013	2991	0.07	2644	1	65	100	3	7	6	8973	6329	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	5730.799805	5730.799805	0.933333
1713	014	2991	0.07	2030	1	65	100	3	7	6	8973	6943	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6344.799805	6344.799805	0.933333
1713	015	2991	0.07	1770	1	65	100	3	7	6	8973	7203	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6604.799805	6604.799805	0.933333
1713	016	2991	0.07	1770	1	65	100	3	7	6	8973	7203	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6604.799805	6604.799805	0.933333
1713	017	2972	0.07	2170	1	65	100	3	7	6	8916	6746	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8321.599609	6151.599609	6151.599609	0.933333
1713	022	2500	0.06	4094	4	65	100	3	6	2	7500	3406	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	7156	7156	1.5
1713	023	1875	0.04	2150	2	65	100	3	4	2	5625	3475	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	6287.5	6287.5	1.5
1713	024	1875	0.04	2150	2	65	100	3	4	2	5625	3475	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	6287.5	6287.5	1.5
1713	025A	1750	0.04	2605	2	65	100	3	4	2	5250	2645	RTO-C	65	form-based			true	0.75	7	1.75	5	5	7875	5270	5270	1.5
1713	026	1750	0.04	2150	2	65	100	3	4	2	5250	3100	RTO-C	65	form-based			true	0.75	7	1.75	5	5	7875	5725	5725	1.5
1713	029	3000	0.07	1738	1	65	100	3	7	6	9000	7262	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6662	6662	0.933333
1713	030	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1713	031	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1713	034	3000	0.07	1680	1	65	100	3	7	6	9000	7320	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6720	6720	0.933333
1713	035	3000	0.07	1999	1	65	100	3	7	6	9000	7001	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6401	6401	0.933333
1713	036	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6825	6825	0.933333
1713	038	3000	0.07	1847	1	65	100	3	7	6	9000	7153	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6553	6553	0.933333
1713	039	3000	0.07	1287	1	65	100	3	7	6	9000	7713	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7113	7113	0.933333
1713	040	3000	0.07	1287	1	65	100	3	7	6	9000	7713	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7113	7113	0.933333
1713	041	3000	0.07	1287	1	65	100	3	7	6	9000	7713	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7113	7113	0.933333
1713	042	3000	0.07	1912	1	65	100	3	7	6	9000	7088	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6488	6488	0.933333
1713	044	1750	0.04	2000	2	65	100	3	4	2	5250	3250	RTO-C	65	form-based			true	0.75	7	1.75	5	5	7875	5875	5875	1.5
1713	045	1750	0.04	2000	2	65	100	3	4	2	5250	3250	RTO-C	65	form-based			true	0.75	7	1.75	5	5	7875	5875	5875	1.5
1713	046	1750	0.04	2000	2	65	100	3	4	2	5250	3250	RTO-C	65	form-based			true	0.75	7	1.75	5	5	7875	5875	5875	1.5
1713	047	1750	0.04	2100	2	55	80	2.5	3	1	4375	2275	RTO-C	65	form-based		true	true	0.75	7	2.333333254	5	4	7875	5775	5775	1.8
1713	054	1741	0.04	865	2	65	100	3	4	2	5223	4358	RTO-C	65	form-based			true	0.75	7	1.75	5	5	7834.5	6969.5	6969.5	1.5
1715	002	3016	0.07	1075	1	65	100	3	7	6	9048	7973	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7369.799805	7369.799805	0.933333
1715	003	3015	0.07	1394	1	65	100	3	7	6	9045	7651	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	7048	7048	0.933333
1715	004	3015	0.07	1955	1	65	100	3	7	6	9045	7090	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6487	6487	0.933333
1715	005	3015	0.07	1678	1	65	100	3	7	6	9045	7367	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6764	6764	0.933333
1715	006	3015	0.07	1394	1	65	100	3	7	6	9045	7651	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	7048	7048	0.933333
1715	007	3015	0.07	2073	1	65	100	3	7	6	9045	6972	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6369	6369	0.933333
1715	008	3015	0.07	2244	1	65	100	3	7	6	9045	6801	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6198	6198	0.933333
1715	009	3015	0.07	1900	1	65	100	3	7	6	9045	7145	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6542	6542	0.933333
1715	010	3015	0.07	1494	1	65	100	3	7	6	9045	7551	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6948	6948	0.933333
1715	011	3015	0.07	1966	1	65	100	3	7	6	9045	7079	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6476	6476	0.933333
1715	012	3015	0.07	1470	1	65	100	3	7	6	9045	7575	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6972	6972	0.933333
1715	013	3015	0.07	1250	1	65	100	3	7	6	9045	7795	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	7192	7192	0.933333
1715	014	3015	0.07	2087	1	65	100	3	7	6	9045	6958	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6355	6355	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1715	015	3015	0.07	2327	1	65	100	3	7	6	9045	6718	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6115	6115	0.933333
1715	017	3015	0.07	2284	1	65	100	3	7	6	9045	6761	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6158	6158	0.933333
1715	035	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1715	036	3000	0.07	2093	1	65	100	3	7	6	9000	6907	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6307	6307	0.933333
1715	037	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
1715	037A	3000	0.07	1765	1	65	100	3	7	6	9000	7235	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6635	6635	0.933333
1715	037B	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
1715	038	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1715	039	3000	0.07	1907	1	65	100	3	7	6	9000	7093	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6493	6493	0.933333
1715	040	3000	0.07	1710	1	65	100	3	7	6	9000	7290	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6690	6690	0.933333
1715	041	2997	0.07	2442	1	65	100	3	7	6	8991	6549	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	5949.599609	5949.599609	0.933333
1715	042	1728	0.04	1335	1	65	100	3	4	3	5184	3849	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7776	6441	6441	1.5
1716	003	3006	0.07	1831	1	65	100	3	7	6	9018	7187	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6585.799805	6585.799805	0.933333
1716	004	3006	0.07	1162	1	65	100	3	7	6	9018	7856	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7254.799805	7254.799805	0.933333
1716	006	3006	0.07	2100	1	65	100	3	7	6	9018	6918	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6316.799805	6316.799805	0.933333
1716	007	3006	0.07	1777	1	65	100	3	7	6	9018	7241	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6639.799805	6639.799805	0.933333
1716	008	3006	0.07	2360	1	65	100	3	7	6	9018	6658	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6056.799805	6056.799805	0.933333
1716	009	3006	0.07	1550	1	65	100	3	7	6	9018	7468	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6866.799805	6866.799805	0.933333
1716	010	3006	0.07	2129	1	65	100	3	7	6	9018	6889	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6287.799805	6287.799805	0.933333
1716	011	3006	0.07	2487	1	65	100	3	7	6	9018	6531	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	5929.799805	5929.799805	0.933333
1716	012	3006	0.07	2330	1	65	100	3	7	6	9018	6688	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6086.799805	6086.799805	0.933333
1716	014	3006	0.07	2294	1	65	100	3	7	6	9018	6724	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6122.799805	6122.799805	0.933333
1716	015	3006	0.07	1550	1	65	100	3	7	6	9018	7468	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6866.799805	6866.799805	0.933333
1716	016	3006	0.07	2486	1	65	100	3	7	6	9018	6532	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	5930.799805	5930.799805	0.933333
1716	017	3017	0.07	1500	1	65	100	3	7	6	9051	7551	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6947.599609	6947.599609	0.933333
1716	028	3007	0.07	2325	1	65	100	3	7	6	9021	6696	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6094.599609	6094.599609	0.933333
1716	029	3000	0.07	1950	1	65	100	3	7	6	9000	7050	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6450	6450	0.933333
1716	030	3000	0.07	1950	1	65	100	3	7	6	9000	7050	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6450	6450	0.933333
1716	031	3000	0.07	2010	1	65	100	3	7	6	9000	6990	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6390	6390	0.933333
1716	033	3000	0.07	975	1	65	100	3	7	6	9000	8025	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7425	7425	0.933333
1716	034	3000	0.07	1055	1	65	100	3	7	6	9000	7945	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7345	7345	0.933333
1716	036	3000	0.07	1226	1	65	100	3	7	6	9000	7774	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7174	7174	0.933333
1716	037	3000	0.07	1640	1	65	100	3	7	6	9000	7360	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6760	6760	0.933333
1716	038	3000	0.07	2086	1	65	100	3	7	6	9000	6914	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6314	6314	0.933333
1716	039	3000	0.07	1280	1	65	100	3	7	6	9000	7720	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7120	7120	0.933333
1716	040	3000	0.07	1335	1	65	100	3	7	6	9000	7665	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7065	7065	0.933333
1717	003	3008	0.07	1500	1	65	100	3	7	6	9024	7524	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6922.399414	6922.399414	0.933333
1717	004	3008	0.07	1640	1	65	100	3	7	6	9024	7384	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6782.399414	6782.399414	0.933333
1717	005	3008	0.07	1960	1	65	100	3	7	6	9024	7064	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6462.399414	6462.399414	0.933333
1717	006	3008	0.07	1640	1	65	100	3	7	6	9024	7384	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6782.399414	6782.399414	0.933333
1717	007	3008	0.07	2052	1	65	100	3	7	6	9024	6972	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6370.399414	6370.399414	0.933333
1717	008	3008	0.07	1682	1	65	100	3	7	6	9024	7342	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6740.399414	6740.399414	0.933333
1717	009	3007	0.07	1508	1	65	100	3	7	6	9021	7513	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6911.599609	6911.599609	0.933333
1717	010	3007	0.07	1425	1	65	100	3	7	6	9021	7596	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6994.599609	6994.599609	0.933333
1717	011	3007	0.07	2125	1	65	100	3	7	6	9021	6896	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6294.599609	6294.599609	0.933333
1717	012	3007	0.07	2682	1	65	100	3	7	6	9021	6339	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	5737.599609	5737.599609	0.933333
1717	013	3007	0.07	2298	1	65	100	3	7	6	9021	6723	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6121.599609	6121.599609	0.933333
1717	014	3006	0.07	1343	1	65	100	3	7	6	9018	7675	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7073.799805	7073.799805	0.933333
1717	015	3006	0.07	1915	1	65	100	3	7	6	9018	7103	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6501.799805	6501.799805	0.933333
1717	017	3006	0.07	1500	1	65	100	3	7	6	9018	7518	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6916.799805	6916.799805	0.933333
1717	018	3026	0.07	1500	1	65	100	3	7	6	9078	7578	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6972.799805	6972.799805	0.933333
1717	029	3016	0.07	2700	1	65	100	3	7	6	9048	6348	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	5744.799805	5744.799805	0.933333
1717	030	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1717	033	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
1717	038	3000	0.07	2144	1	65	100	3	7	6	9000	6856	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6256	6256	0.933333
1717	039	3000	0.07	2640	1	65	100	3	7	6	9000	6360	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5760	5760	0.933333
1717	041	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
1717	044	3000	0.07	1590	1	65	100	3	7	6	9000	7410	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6810	6810	0.933333
1718	017	2700	0.06	1440	1	65	100	3	6	5	8100	6660	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7560	6120	6120	0.933333
1718	018	2700	0.06	1780	1	65	100	3	6	5	8100	6320	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7560	5780	5780	0.933333
1718	019	2700	0.06	2710	1	65	100	3	6	5	8100	5390	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	7560	4850	4850	0.933333
1718	020	2779	0.06	1275	1	65	100	3	6	5	8337	7062	RH-2	40	form-based			true	0.7	6	1	5	5	7781.199707	6506.199707	6506.199707	0.933333
1718	026	3000	0.07	2125	1	65	100	3	7	6	9000	6875	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6275	6275	0.933333
1718	027	3000	0.07	1770	1	65	100	3	7	6	9000	7230	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6630	6630	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1718	028	3000	0.07	1962	1	65	100	3	7	6	9000	7038	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6438	6438	0.933333
1718	029	3000	0.07	2620	1	65	100	3	7	6	9000	6380	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5780	5780	0.933333
1718	030	3000	0.07	2508	1	65	100	3	7	6	9000	6492	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5892	5892	0.933333
1718	031	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1718	032A	3000	0.07	1850	1	65	100	3	7	6	9000	7150	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6550	6550	0.933333
1718	033	3000	0.07	2065	1	65	100	3	7	6	9000	6935	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6335	6335	0.933333
1718	034	3000	0.07	1820	1	65	100	3	7	6	9000	7180	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6580	6580	0.933333
1718	035	3000	0.07	1820	1	65	100	3	7	6	9000	7180	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6580	6580	0.933333
1718	036	3000	0.07	2749	1	65	100	3	7	6	9000	6251	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5651	5651	0.933333
1718	037	3000	0.07	1244	1	65	100	3	7	6	9000	7756	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7156	7156	0.933333
1718	038	3000	0.07	975	1	65	100	3	7	6	9000	8025	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7425	7425	0.933333
1718	039	3000	0.07	1542	1	65	100	3	7	6	9000	7458	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6858	6858	0.933333
1718	040	3026	0.07	1700	1	65	100	3	7	6	9078	7378	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6772.799805	6772.799805	0.933333
1719	002G	2690	0.06	1929	1	65	100	3	6	5	8070	6141	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7532	5603	5603	0.933333
1719	002O	2690	0.06	1200	1	65	100	3	6	5	8070	6870	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7532	6332	6332	0.933333
1719	002P	2690	0.06	2204	1	65	100	3	6	5	8070	5866	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	7532	5328	5328	0.933333
1719	002Q	2700	0.06	1653	1	65	100	3	6	5	8100	6447	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7560	5907	5907	0.933333
1719	002R	2700	0.06	1350	1	65	100	3	6	5	8100	6750	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7560	6210	6210	0.933333
1719	002T	2700	0.06	1650	1	65	100	3	6	5	8100	6450	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7560	5910	5910	0.933333
1719	002U	2700	0.06	1950	1	65	100	3	6	5	8100	6150	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7560	5610	5610	0.933333
1720	007	3615	0.08	2006	3	65	100	3	8	5	10845	8839	RH-1(D)	40	form-based			true	0.7	8	1	5	5	10122	8116	8116	0.933333
1720	018	2715	0.06	1152	1	65	100	3	6	5	8145	6993	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7602	6450	6450	0.933333
1720	019	2715	0.06	1104	1	65	100	3	6	5	8145	7041	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7602	6498	6498	0.933333
1720	020	2722	0.06	1479	1	65	100	3	6	5	8166	6687	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	7621.600098	6142.600098	6142.600098	0.933333
1720	021	2702	0.06	1352	1	65	100	3	6	5	8106	6754	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7565.600098	6213.600098	6213.600098	0.933333
1720	022	2702	0.06	1352	1	65	100	3	6	5	8106	6754	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7565.600098	6213.600098	6213.600098	0.933333
1720	023	2722	0.06	1230	1	65	100	3	6	5	8166	6936	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	7621.600098	6391.600098	6391.600098	0.933333
1720	024	2715	0.06	1200	1	65	100	3	6	5	8145	6945	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7602	6402	6402	0.933333
1720	025	2715	0.06	1104	1	65	100	3	6	5	8145	7041	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7602	6498	6498	0.933333
1721	014	2837	0.07	1202	1	65	100	3	7	6	8511	7309	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7943.600098	6741.600098	6741.600098	0.933333
1721	019	2700	0.06	1575	1	65	100	3	6	5	8100	6525	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7560	5985	5985	0.933333
1721	020	2700	0.06	1512	1	65	100	3	6	5	8100	6588	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	7560	6048	6048	0.933333
1721	021	2700	0.06	2324	1	65	100	3	6	5	8100	5776	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7560	5236	5236	0.933333
1722	024	2727	0.06	1370	1	65	100	3	6	5	8181	6811	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7635.600098	6265.600098	6265.600098	0.933333
1723	002	3006	0.07	2040	1	65	100	3	7	6	9018	6978	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6376.799805	6376.799805	0.933333
1723	003	3084	0.07	1725	1	65	100	3	7	6	9252	7527	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8635.200195	6910.200195	6910.200195	0.933333
1723	004	3006	0.07	1996	1	65	100	3	7	6	9018	7022	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6420.799805	6420.799805	0.933333
1723	005	3006	0.07	2100	1	65	100	3	7	6	9018	6918	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6316.799805	6316.799805	0.933333
1723	006	3006	0.07	2350	1	65	100	3	7	6	9018	6668	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6066.799805	6066.799805	0.933333
1723	007	3006	0.07	2993	1	65	100	3	7	6	9018	6025	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	5423.799805	5423.799805	0.933333
1723	008	3006	0.07	2408	1	65	100	3	7	6	9018	6610	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6008.799805	6008.799805	0.933333
1723	009	3006	0.07	1810	1	65	100	3	7	6	9018	7208	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6606.799805	6606.799805	0.933333
1723	010	3006	0.07	1750	1	65	100	3	7	6	9018	7268	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6666.799805	6666.799805	0.933333
1723	011	3006	0.07	2000	1	65	100	3	7	6	9018	7018	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6416.799805	6416.799805	0.933333
1723	012	3006	0.07	1800	1	65	100	3	7	6	9018	7218	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6616.799805	6616.799805	0.933333
1723	013	3006	0.07	2000	1	65	100	3	7	6	9018	7018	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6416.799805	6416.799805	0.933333
1723	014	3006	0.07	2000	1	65	100	3	7	6	9018	7018	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6416.799805	6416.799805	0.933333
1723	015	3006	0.07	2831	1	65	100	3	7	6	9018	6187	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	5585.799805	5585.799805	0.933333
1723	016	3006	0.07	1850	1	65	100	3	7	6	9018	7168	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6566.799805	6566.799805	0.933333
1723	017	3006	0.07	1910	1	65	100	3	7	6	9018	7108	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6506.799805	6506.799805	0.933333
1723	018	3006	0.07	1750	1	65	100	3	7	6	9018	7268	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6666.799805	6666.799805	0.933333
1723	019	3006	0.07	1750	1	65	100	3	7	6	9018	7268	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6666.799805	6666.799805	0.933333
1723	025	3079	0.07	2420	1	65	100	3	7	6	9237	6817	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8621.200195	6201.200195	6201.200195	0.933333
1725	005	3017	0.07	2000	1	65	100	3	7	6	9051	7051	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6447.599609	6447.599609	0.933333
1725	008	3017	0.07	1750	1	65	100	3	7	6	9051	7301	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6697.599609	6697.599609	0.933333
1725	011	3017	0.07	1600	1	65	100	3	7	6	9051	7451	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6847.599609	6847.599609	0.933333
1725	012	3017	0.07	3626	1	65	100	3	7	6	9051	5425	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	4821.599609	4821.599609	0.933333
1725	013	3017	0.07	1600	1	65	100	3	7	6	9051	7451	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6847.599609	6847.599609	0.933333
1725	014	3017	0.07	1740	1	65	100	3	7	6	9051	7311	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6707.599609	6707.599609	0.933333
1725	015	3017	0.07	1700	1	65	100	3	7	6	9051	7351	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6747.599609	6747.599609	0.933333
1725	016	3017	0.07	1700	1	65	100	3	7	6	9051	7351	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6747.599609	6747.599609	0.933333
1725	029	3000	0.07	1920	1	65	100	3	7	6	9000	7080	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6480	6480	0.933333
1725	030	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1725	031	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1725	032	3000	0.07	2900	1	65	100	3	7	6	9000	6100	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5500	5500	0.933333
1725	033	3000	0.07	2540	1	65	100	3	7	6	9000	6460	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5860	5860	0.933333
1725	034	3000	0.07	1880	1	65	100	3	7	6	9000	7120	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6520	6520	0.933333
1725	035	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1725	036	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1725	037	3000	0.07	2250	1	65	100	3	7	6	9000	6750	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6150	6150	0.933333
1725	038	3000	0.07	2400	1	65	100	3	7	6	9000	6600	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6000	6000	0.933333
1725	039	3000	0.07	2250	1	65	100	3	7	6	9000	6750	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6150	6150	0.933333
1725	040	3000	0.07	2250	1	65	100	3	7	6	9000	6750	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6150	6150	0.933333
1725	042	3000	0.07	1904	1	65	100	3	7	6	9000	7096	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6496	6496	0.933333
1726	001	1544	0.04	1170	1	65	100	3	4	3	4632	3462	RTO-C	65	form-based		true	true	0.75	6	1.5	5	5	6948	5778	5778	1.5
1726	002	3109	0.07	4000	2	65	100	3	7	5	9327	5327	RH-2	40	form-based			true	0.7	7	1	5	5	8705.200195	4705.200195	4705.200195	0.933333
1726	003	3002	0.07	1998	1	65	100	3	7	6	9006	7008	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6407.599609	6407.599609	0.933333
1726	006	3002	0.07	2405	1	65	100	3	7	6	9006	6601	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6000.599609	6000.599609	0.933333
1726	010	3002	0.07	1880	1	65	100	3	7	6	9006	7126	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6525.599609	6525.599609	0.933333
1726	027	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1726	028	3000	0.07	2505	1	65	100	3	7	6	9000	6495	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5895	5895	0.933333
1726	033	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1726	034	3000	0.07	1760	1	65	100	3	7	6	9000	7240	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6640	6640	0.933333
1726	036	3000	0.07	1958	1	65	100	3	7	6	9000	7042	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6442	6442	0.933333
1726	037	3000	0.07	1494	1	65	100	3	7	6	9000	7506	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6906	6906	0.933333
1726	038	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1726	038A	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
1726	047	3104	0.07	4137	2	65	100	3	7	5	9312	5175	RH-2	40	form-based			true	0.7	7	1	5	5	8691.200195	4554.200195	4554.200195	0.933333
1727	005	3021	0.07	1750	1	65	100	3	7	6	9063	7313	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6708.799805	6708.799805	0.933333
1727	009	3021	0.07	1750	1	65	100	3	7	6	9063	7313	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6708.799805	6708.799805	0.933333
1727	010	3021	0.07	1776	1	65	100	3	7	6	9063	7287	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6682.799805	6682.799805	0.933333
1727	011	3021	0.07	2571	1	65	100	3	7	6	9063	6492	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5887.799805	5887.799805	0.933333
1727	012	3021	0.07	2660	1	65	100	3	7	6	9063	6403	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5798.799805	5798.799805	0.933333
1727	013	3021	0.07	1780	1	65	100	3	7	6	9063	7283	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6678.799805	6678.799805	0.933333
1727	014	3021	0.07	1264	1	65	100	3	7	6	9063	7799	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7194.799805	7194.799805	0.933333
1727	016	3021	0.07	1500	1	65	100	3	7	6	9063	7563	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6958.799805	6958.799805	0.933333
1727	017	3021	0.07	1450	1	65	100	3	7	6	9063	7613	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7008.799805	7008.799805	0.933333
1727	027	3000	0.07	1762	1	65	100	3	7	6	9000	7238	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6638	6638	0.933333
1727	028	3000	0.07	2009	1	65	100	3	7	6	9000	6991	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6391	6391	0.933333
1727	029	3000	0.07	1483	1	65	100	3	7	6	9000	7517	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6917	6917	0.933333
1727	030	3000	0.07	1344	1	65	100	3	7	6	9000	7656	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7056	7056	0.933333
1727	031	3000	0.07	1720	1	65	100	3	7	6	9000	7280	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6680	6680	0.933333
1727	032	3000	0.07	1668	1	65	100	3	7	6	9000	7332	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6732	6732	0.933333
1727	038	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1727	039	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1727	040	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1727	043	1532	0.04	838	1	65	100	3	4	3	4596	3758	RTO-C	65	form-based			true	0.75	6	1.5	5	5	6894	6056	6056	1.5
1727	043A	1728	0.04	1030	1	65	100	3	4	3	5184	4154	RTO-C	65	form-based		true	true	0.75	6	1.5	5	5	7776	6746	6746	1.5
1728	002	3008	0.07	2000	1	65	100	3	7	6	9024	7024	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6422.399414	6422.399414	0.933333
1728	003	3008	0.07	2000	1	65	100	3	7	6	9024	7024	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6422.399414	6422.399414	0.933333
1728	009	3321	0.08	4552	2	65	100	3	8	6	9963	5411	RH-2	40	form-based			true	0.7	7	0.875	5	5	9298.799805	4746.799805	4746.799805	0.933333
1728	010	3321	0.08	2935	2	65	100	3	8	6	9963	7028	RH-2	40	form-based			true	0.7	7	0.875	5	5	9298.799805	6363.799805	6363.799805	0.933333
1728	028	3007	0.07	2232	1	65	100	3	7	6	9021	6789	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6187.599609	6187.599609	0.933333
1728	030	3000	0.07	2255	1	65	100	3	7	6	9000	6745	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6145	6145	0.933333
1728	031	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
1728	032	3000	0.07	2017	1	65	100	3	7	6	9000	6983	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6383	6383	0.933333
1728	033	3000	0.07	2010	1	65	100	3	7	6	9000	6990	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6390	6390	0.933333
1728	034	3000	0.07	2250	1	65	100	3	7	6	9000	6750	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6150	6150	0.933333
1728	035	3000	0.07	2010	1	65	100	3	7	6	9000	6990	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6390	6390	0.933333
1728	036	3000	0.07	2854	1	65	100	3	7	6	9000	6146	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5546	5546	0.933333
1728	037	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
1728	038	3000	0.07	2000	1	65	100	3	7	6	9000	7000	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6400	6400	0.933333
1728	040	3000	0.07	2114	1	65	100	3	7	6	9000	6886	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6286	6286	0.933333
1728	041	3000	0.07	1075	1	65	100	3	7	6	9000	7925	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7325	7325	0.933333
1728	042	3000	0.07	2089	1	65	100	3	7	6	9000	6911	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6311	6311	0.933333
1728	043	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
1729	001	1995	0.05	2880	2	65	100	3	5	3	5985	3105	RTO-C	65	form-based		true	true	0.75	7	1.399999976	5	5	8977.5	6097.5	6097.5	1.5
1729	001A	1995	0.05	2280	2	65	100	3	5	3	5985	3705	RTO-C	65	form-based			true	0.75	7	1.399999976	5	5	8977.5	6697.5	6697.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1729	007	2997	0.07	2265	1	65	100	3	7	6	8991	6726	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6126.599609	6126.599609	0.933333
1729	011	2997	0.07	2785	1	65	100	3	7	6	8991	6206	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	5606.599609	5606.599609	0.933333
1729	014	2997	0.07	870	1	65	100	3	7	6	8991	8121	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	7521.599609	7521.599609	0.933333
1729	023B	3017	0.07	1875	1	65	100	3	7	6	9051	7176	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6572.599609	6572.599609	0.933333
1729	023C	3000	0.07	1688	1	65	100	3	7	6	9000	7312	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6712	6712	0.933333
1729	023D	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
1729	023E	3000	0.07	2584	1	65	100	3	7	6	9000	6416	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5816	5816	0.933333
1729	023F	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1729	023G	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1729	023H	3000	0.07	2008	1	65	100	3	7	6	9000	6992	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6392	6392	0.933333
1729	023J	2375	0.05	3350	4	65	100	3	5	1	7125	3775	RTO-C	65	form-based		true	true	0.75	9	1.799999952	5	5	10687.5	7337.5	7337.5	1.5
1729	023M	3000	0.07	2539	1	65	100	3	7	6	9000	6461	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5861	5861	0.933333
1729	023N	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
1729	023O	3000	0.07	1173	1	65	100	3	7	6	9000	7827	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7227	7227	0.933333
1729	023P	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
1729	023Q	3000	0.07	2490	1	65	100	3	7	6	9000	6510	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5910	5910	0.933333
1729	023R	3000	0.07	1755	1	65	100	3	7	6	9000	7245	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6645	6645	0.933333
1729	023S	3000	0.07	1775	1	65	100	3	7	6	9000	7225	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6625	6625	0.933333
1729	023V	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1730	005	3030	0.07	4573	6	65	100	3	7	1	9090	4517	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13635	9062	9062	1.5
1730	007	3030	0.07	4390	6	65	100	3	7	1	9090	4700	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13635	9245	9245	1.5
1730	008	2999	0.07	4018	6	65	100	3	7	1	8997	4979	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13495.5	9477.5	9477.5	1.5
1730	010	3030	0.07	3577	6	65	100	3	7	1	9090	5513	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13635	10058	10058	1.5
1731	034	3000	0.07	4312	6	65	100	3	7	1	9000	4688	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13500	9188	9188	1.5
1732	004	3002	0.07	4370	6	65	100	3	7	1	9006	4636	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13509	9139	9139	1.5
1733	006	2988	0.07	4388	6	65	100	3	7	1	8964	4576	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13446	9058	9058	1.5
1733	007	2988	0.07	4388	6	65	100	3	7	1	8964	4576	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13446	9058	9058	1.5
1733	010	2988	0.07	4562	6	65	100	3	7	1	8964	4402	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13446	8884	8884	1.5
1733	032	3000	0.07	4460	6	65	100	3	7	1	9000	4540	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13500	9040	9040	1.5
1733	035	3000	0.07	4308	6	65	100	3	7	1	9000	4692	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13500	9192	9192	1.5
1734	014	3010	0.07	2107	1	65	100	3	7	6	9030	6923	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6321	6321	0.933333
1734	014A	3010	0.07	1339	1	65	100	3	7	6	9030	7691	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7089	7089	0.933333
1734	015	3079	0.07	1349	1	65	100	3	7	6	9237	7888	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8621.200195	7272.200195	7272.200195	0.933333
1734	023	3000	0.07	1778	1	65	100	3	7	6	9000	7222	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6622	6622	0.933333
1734	026	3000	0.07	1772	1	65	100	3	7	6	9000	7228	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6628	6628	0.933333
1734	029	3000	0.07	2208	1	65	100	3	7	6	9000	6792	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6192	6192	0.933333
1734	031	3000	0.07	950	1	65	100	3	7	6	9000	8050	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7450	7450	0.933333
1734	032	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7020	7020	0.933333
1734	034	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
1734	040	2500	0.06	3670	4	65	100	3	6	2	7500	3830	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	7580	7580	1.5
1734	041	2500	0.06	3450	4	65	100	3	6	2	7500	4050	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	7800	7800	1.5
1735	004	3190	0.07	3440	2	65	100	3	7	5	9570	6130	RH-2	40	form-based			true	0.7	7	1	5	5	8932	5492	5492	0.933333
1735	012	3190	0.07	2897	2	65	100	3	7	5	9570	6673	RH-2	40	form-based			true	0.7	7	1	5	5	8932	6035	6035	0.933333
1735	016	3190	0.07	2250	2	65	100	3	7	5	9570	7320	RH-2	40	form-based			true	0.7	7	1	5	5	8932	6682	6682	0.933333
1735	018	3800	0.09	9960	15	65	100	3	9	0	11400	1440	NCD-INNE	85	form-based		true	true	0.75	20	2.222222328	5	3	22800	12840	12840	2
1735	044	3191	0.07	1723	2	65	100	3	7	5	9573	7850	RH-2	40	form-based			true	0.7	7	1	5	5	8934.799805	7211.799805	7211.799805	0.933333
1735	054A	2070	0.05	1578	3	65	100	3	5	2	6210	4632	RTO-C	65	form-based		true	true	0.75	8	1.600000024	5	5	9315	7737	7737	1.5
1735	057	2500	0.06	3436	4	65	100	3	6	2	7500	4064	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	7814	7814	1.5
1736	004	3180	0.07	4002	2	65	100	3	7	5	9540	5538	RH-2	40	form-based			true	0.7	7	1	5	5	8904	4902	4902	0.933333
1736	006	3180	0.07	3205	2	65	100	3	7	5	9540	6335	RH-2	40	form-based			true	0.7	7	1	5	5	8904	5699	5699	0.933333
1736	012	3180	0.07	2500	2	65	100	3	7	5	9540	7040	RH-2	40	form-based			true	0.7	7	1	5	5	8904	6404	6404	0.933333
1736	015	3180	0.07	3200	2	65	100	3	7	5	9540	6340	RH-2	40	form-based			true	0.7	7	1	5	5	8904	5704	5704	0.933333
1736	016	3180	0.07	2300	2	65	100	3	7	5	9540	7240	RH-2	40	form-based			true	0.7	7	1	5	5	8904	6604	6604	0.933333
1736	016A	3180	0.07	2300	2	65	100	3	7	5	9540	7240	RH-2	40	form-based			true	0.7	7	1	5	5	8904	6604	6604	0.933333
1736	021	3190	0.07	2432	2	65	100	3	7	5	9570	7138	RH-2	40	form-based			true	0.7	7	1	5	5	8932	6500	6500	0.933333
1736	022	3190	0.07	2432	2	65	100	3	7	5	9570	7138	RH-2	40	form-based			true	0.7	7	1	5	5	8932	6500	6500	0.933333
1736	024	3190	0.07	3516	2	65	100	3	7	5	9570	6054	RH-2	40	form-based			true	0.7	7	1	5	5	8932	5416	5416	0.933333
1736	025	3190	0.07	3516	2	65	100	3	7	5	9570	6054	RH-2	40	form-based			true	0.7	7	1	5	5	8932	5416	5416	0.933333
1736	026	3190	0.07	3551	2	65	100	3	7	5	9570	6019	RH-2	40	form-based			true	0.7	7	1	5	5	8932	5381	5381	0.933333
1736	027	3190	0.07	4052	2	65	100	3	7	5	9570	5518	RH-2	40	form-based			true	0.7	7	1	5	5	8932	4880	4880	0.933333
1736	031	3190	0.07	3200	2	65	100	3	7	5	9570	6370	RH-2	40	form-based			true	0.7	7	1	5	5	8932	5732	5732	0.933333
1736	032	3190	0.07	3216	2	65	100	3	7	5	9570	6354	RH-2	40	form-based			true	0.7	7	1	5	5	8932	5716	5716	0.933333
1736	037	2166	0.05	4836	3	65	100	3	5	2	6498	1662	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	9747	4911	4911	1.5
1738	002	3126	0.07	3346	2	65	100	3	7	5	9378	6032	RH-2	40	form-based			true	0.7	7	1	5	5	8752.799805	5406.799805	5406.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1738	003	3017	0.07	2168	1	65	100	3	7	6	9051	6883	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6279.599609	6279.599609	0.933333
1738	004	3017	0.07	2020	1	65	100	3	7	6	9051	7031	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6427.599609	6427.599609	0.933333
1738	005	3017	0.07	2020	1	65	100	3	7	6	9051	7031	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6427.599609	6427.599609	0.933333
1738	006	3017	0.07	2020	1	65	100	3	7	6	9051	7031	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6427.599609	6427.599609	0.933333
1738	007	3017	0.07	2020	1	65	100	3	7	6	9051	7031	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6427.599609	6427.599609	0.933333
1738	008	3017	0.07	2020	1	65	100	3	7	6	9051	7031	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6427.599609	6427.599609	0.933333
1738	010	3017	0.07	1859	1	65	100	3	7	6	9051	7192	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6588.599609	6588.599609	0.933333
1738	014	3017	0.07	1870	1	65	100	3	7	6	9051	7181	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6577.599609	6577.599609	0.933333
1738	015	3017	0.07	1870	1	65	100	3	7	6	9051	7181	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6577.599609	6577.599609	0.933333
1738	016	3017	0.07	1870	1	65	100	3	7	6	9051	7181	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6577.599609	6577.599609	0.933333
1738	027	3000	0.07	2112	1	65	100	3	7	6	9000	6888	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6288	6288	0.933333
1738	034	3000	0.07	3522	1	65	100	3	7	6	9000	5478	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4878	4878	0.933333
1738	039	3000	0.07	2047	1	65	100	3	7	6	9000	6953	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6353	6353	0.933333
1738	040	3000	0.07	750	1	65	100	3	7	6	9000	8250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7650	7650	0.933333
1738	041	3000	0.07	750	1	65	100	3	7	6	9000	8250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7650	7650	0.933333
1739	003	3000	0.07	1585	1	65	100	3	7	6	9000	7415	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6815	6815	0.933333
1739	029	3000	0.07	2390	1	65	100	3	7	6	9000	6610	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6010	6010	0.933333
1739	033	3000	0.07	2111	1	65	100	3	7	6	9000	6889	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6289	6289	0.933333
1739	034	3000	0.07	1960	1	65	100	3	7	6	9000	7040	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6440	6440	0.933333
1740	003	2979	0.07	1722	1	65	100	3	7	6	8937	7215	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6619.200195	6619.200195	0.933333
1740	004	2979	0.07	2704	1	65	100	3	7	6	8937	6233	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	5637.200195	5637.200195	0.933333
1740	005	2979	0.07	2160	1	65	100	3	7	6	8937	6777	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6181.200195	6181.200195	0.933333
1740	014	2979	0.07	1800	1	65	100	3	7	6	8937	7137	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6541.200195	6541.200195	0.933333
1740	017	2979	0.07	2634	1	65	100	3	7	6	8937	6303	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	5707.200195	5707.200195	0.933333
1740	028	3000	0.07	2110	1	65	100	3	7	6	9000	6890	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6290	6290	0.933333
1740	029	3000	0.07	2067	1	65	100	3	7	6	9000	6933	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6333	6333	0.933333
1740	030	3000	0.07	2474	1	65	100	3	7	6	9000	6526	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5926	5926	0.933333
1740	034	3000	0.07	1962	1	65	100	3	7	6	9000	7038	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6438	6438	0.933333
1740	036	3000	0.07	2120	1	65	100	3	7	6	9000	6880	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6280	6280	0.933333
1740	037	3000	0.07	2557	1	65	100	3	7	6	9000	6443	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5843	5843	0.933333
1740	039	3000	0.07	3135	1	65	100	3	7	6	9000	5865	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5265	5265	0.933333
1740	040	3000	0.07	2637	1	65	100	3	7	6	9000	6363	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5763	5763	0.933333
1740	042	3000	0.07	2441	1	65	100	3	7	6	9000	6559	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5959	5959	0.933333
1741	027	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1741	028	3000	0.07	1693	1	65	100	3	7	6	9000	7307	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6707	6707	0.933333
1741	031	3000	0.07	1470	1	65	100	3	7	6	9000	7530	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6930	6930	0.933333
1741	034	3000	0.07	2096	1	65	100	3	7	6	9000	6904	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6304	6304	0.933333
1741	035	3000	0.07	1812	1	65	100	3	7	6	9000	7188	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6588	6588	0.933333
1741	039	3000	0.07	1498	1	65	100	3	7	6	9000	7502	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6902	6902	0.933333
1742	004	2963	0.07	1443	1	65	100	3	7	6	8889	7446	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8296.399414	6853.399414	6853.399414	0.933333
1742	041	2500	0.06	3266	4	65	100	3	6	2	7500	4234	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	7984	7984	1.5
1743	032	3000	0.07	3426	1	65	100	3	7	6	9000	5574	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4974	4974	0.933333
1743	033	3000	0.07	2600	1	65	100	3	7	6	9000	6400	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5800	5800	0.933333
1743	035	2999	0.07	2855	1	65	100	3	7	6	8997	6142	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	5542.200195	5542.200195	0.933333
1743	037	3005	0.07	2962	1	65	100	3	7	6	9015	6053	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	5452	5452	0.933333
1743	038	2998	0.07	2800	1	65	100	3	7	6	8994	6194	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	5594.399414	5594.399414	0.933333
1743	039	2998	0.07	2800	1	65	100	3	7	6	8994	6194	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	5594.399414	5594.399414	0.933333
1743	043	3153	0.07	2696	2	65	100	3	7	5	9459	6763	RH-2	40	form-based			true	0.7	7	1	5	5	8828.399414	6132.399414	6132.399414	0.933333
1743	045	1875	0.04	2975	2	65	100	3	4	2	5625	2650	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8437.5	5462.5	5462.5	1.5
1743	046	2500	0.06	3132	4	65	100	3	6	2	7500	4368	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	8118	8118	1.5
1743	063	2500	0.06	664	4	65	100	3	6	2	7500	6836	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	10586	10586	1.5
1743	069	2438	0.06	896	4	65	100	3	6	2	7314	6418	RTO-C	65	form-based	true		true	0.75	9	1.5	5	5	10971	10075	10075	1.5
1744	016	3000	0.07	5700	6	65	100	3	7	1	9000	3300	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13500	7800	7800	1.5
1744	021	2375	0.05	3450	4	65	100	3	5	1	7125	3675	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	10687.5	7237.5	7237.5	1.5
1744	024	2375	0.05	3600	4	65	100	3	5	1	7125	3525	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	10687.5	7087.5	7087.5	1.5
1744	027	2057	0.05	4042	3	65	100	3	5	2	6171	2129	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	9256.5	5214.5	5214.5	1.5
1744	028	1909	0.04	4095	2	65	100	3	4	2	5727	1632	RTO-C	65	form-based	true		true	0.75	7	1.75	5	5	8590.5	4495.5	4495.5	1.5
1744	029	1925	0.04	3663	2	65	100	3	4	2	5775	2112	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8662.5	4999.5	4999.5	1.5
1744	030	1925	0.04	3663	2	65	100	3	4	2	5775	2112	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8662.5	4999.5	4999.5	1.5
1745	002	3005	0.07	2340	1	65	100	3	7	6	9015	6675	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	6074	6074	0.933333
1746	014	3000	0.07	1984	1	65	100	3	7	6	9000	7016	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6416	6416	0.933333
1746	015	3000	0.07	2991	1	65	100	3	7	6	9000	6009	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5409	5409	0.933333
1746	024	2330	0.05	3452	4	65	100	3	5	1	6990	3538	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	10485	7033	7033	1.5
1747	003	2365	0.05	3260	4	65	100	3	5	1	7095	3835	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	10642.5	7382.5	7382.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1747	022	2456	0.06	3170	4	65	100	3	6	2	7368	4198	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11052	7882	7882	1.5
1748	001	2324	0.05	3350	4	65	100	3	5	1	6972	3622	RTO-C	65	form-based		true	true	0.75	9	1.799999952	5	5	10458	7108	7108	1.5
1748	004	2062	0.05	3540	3	65	100	3	5	2	6186	2646	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	9279	5739	5739	1.5
1749	018	3000	0.07	2482	1	65	100	3	7	6	9000	6518	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5918	5918	0.933333
1750	018	3000	0.07	2300	1	85	140	4	10	9	12000	9700	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6100	6100	0.7
1750	023	2750	0.06	1950	1	85	140	4	8	7	11000	9050	RH-2	40	form-based			true	0.7	6	0.75	5	5	7700	5750	5750	0.7
1752	021	2373	0.05	2535	0	65	100	3	5	5	7119	4584	RH-2	40	form-based			true	0.7	5	1	5	5	6644.399902	4109.399902	4109.399902	0.933333
1754	017	3002	0.07	2200	1	85	140	4	10	9	12008	9808	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8405.599609	6205.599609	6205.599609	0.7
1754	018	3002	0.07	2715	1	85	140	4	10	9	12008	9293	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8405.599609	5690.599609	5690.599609	0.7
1754	023	2750	0.06	1750	1	65	100	3	6	5	8250	6500	RH-2	40	form-based			true	0.7	6	1	5	5	7700	5950	5950	0.933333
1755	006	2997	0.07	2640	1	85	140	4	10	9	11988	9348	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8391.599609	5751.599609	5751.599609	0.7
1755	018	2997	0.07	4446	6	65	100	3	7	1	8991	4545	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13486.5	9040.5	9040.5	1.5
1755	021	1961	0.05	2450	2	65	100	3	5	3	5883	3433	RTO-C	65	form-based			true	0.75	7	1.399999976	5	5	8824.5	6374.5	6374.5	1.5
1758	008	2995	0.07	2808	1	65	100	3	7	6	8985	6177	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8386	5578	5578	0.933333
1758	013	2995	0.07	2750	1	65	100	3	7	6	8985	6235	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8386	5636	5636	0.933333
1758	025	2683	0.06	2400	1	65	100	3	6	5	8049	5649	RH-2	40	form-based			true	0.7	6	1	5	5	7512.399902	5112.399902	5112.399902	0.933333
1758	026	3000	0.07	2496	1	65	100	3	7	6	9000	6504	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5904	5904	0.933333
1758	028	3000	0.07	2790	1	65	100	3	7	6	9000	6210	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5610	5610	0.933333
1758	029	3000	0.07	3000	1	65	100	3	7	6	9000	6000	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5400	5400	0.933333
1758	030	3000	0.07	2800	1	65	100	3	7	6	9000	6200	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5600	5600	0.933333
1758	031	3000	0.07	2600	1	65	100	3	7	6	9000	6400	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5800	5800	0.933333
1758	032	3000	0.07	3512	1	65	100	3	7	6	9000	5488	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4888	4888	0.933333
1758	033	3000	0.07	2600	1	65	100	3	7	6	9000	6400	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5800	5800	0.933333
1758	034	3000	0.07	2690	1	65	100	3	7	6	9000	6310	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5710	5710	0.933333
1758	044	1939	0.04	1161	2	65	100	3	4	2	5817	4656	RTO-C	65	form-based		true	true	0.75	7	1.75	5	5	8725.5	7564.5	7564.5	1.5
1759	006	3015	0.07	3002	1	65	100	3	7	6	9045	6043	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	5440	5440	0.933333
1759	007	3015	0.07	2488	1	65	100	3	7	6	9045	6557	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	5954	5954	0.933333
1759	008	3015	0.07	2150	1	65	100	3	7	6	9045	6895	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6292	6292	0.933333
1759	009	3015	0.07	2000	1	65	100	3	7	6	9045	7045	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6442	6442	0.933333
1759	010	3015	0.07	2400	1	65	100	3	7	6	9045	6645	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6042	6042	0.933333
1759	012	3015	0.07	2358	1	65	100	3	7	6	9045	6687	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6084	6084	0.933333
1759	013	3015	0.07	2430	1	65	100	3	7	6	9045	6615	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6012	6012	0.933333
1759	014	3015	0.07	2000	1	65	100	3	7	6	9045	7045	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6442	6442	0.933333
1759	015	3015	0.07	2000	1	65	100	3	7	6	9045	7045	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	6442	6442	0.933333
1759	016	3015	0.07	3189	1	65	100	3	7	6	9045	5856	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	5253	5253	0.933333
1759	017	3015	0.07	2932	1	65	100	3	7	6	9045	6113	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8442	5510	5510	0.933333
1759	031	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
1759	032	3000	0.07	2350	1	65	100	3	7	6	9000	6650	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6050	6050	0.933333
1759	033	3000	0.07	2085	1	65	100	3	7	6	9000	6915	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6315	6315	0.933333
1759	034	3000	0.07	2752	1	65	100	3	7	6	9000	6248	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5648	5648	0.933333
1759	035	3000	0.07	2550	1	65	100	3	7	6	9000	6450	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5850	5850	0.933333
1759	036	3000	0.07	2650	1	65	100	3	7	6	9000	6350	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5750	5750	0.933333
1759	037	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
1759	041	3000	0.07	1600	1	85	140	4	10	9	12000	10400	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6800	6800	0.7
1760	010	3005	0.07	1770	1	65	100	3	7	6	9015	7245	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	6644	6644	0.933333
1760	011	3005	0.07	2625	1	65	100	3	7	6	9015	6390	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	5789	5789	0.933333
1760	016	3005	0.07	2250	1	65	100	3	7	6	9015	6765	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	6164	6164	0.933333
1760	018	3005	0.07	2000	1	65	100	3	7	6	9015	7015	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	6414	6414	0.933333
1760	031	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
1760	032	3000	0.07	2971	1	65	100	3	7	6	9000	6029	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5429	5429	0.933333
1760	033	3000	0.07	2400	1	65	100	3	7	6	9000	6600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6000	6000	0.933333
1760	034	3000	0.07	2000	1	65	100	3	7	6	9000	7000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6400	6400	0.933333
1760	035	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
1760	036	3000	0.07	2400	1	65	100	3	7	6	9000	6600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6000	6000	0.933333
1760	037	3000	0.07	2226	1	65	100	3	7	6	9000	6774	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6174	6174	0.933333
1760	038	3000	0.07	3335	1	65	100	3	7	6	9000	5665	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5065	5065	0.933333
1761	011	2994	0.07	2758	1	65	100	3	7	6	8982	6224	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	5625.200195	5625.200195	0.933333
1761	012	2994	0.07	1750	1	65	100	3	7	6	8982	7232	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6633.200195	6633.200195	0.933333
1761	013	2995	0.07	2440	1	65	100	3	7	6	8985	6545	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	5946	5946	0.933333
1761	014	2994	0.07	1750	1	65	100	3	7	6	8982	7232	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6633.200195	6633.200195	0.933333
1761	015	2994	0.07	4115	1	65	100	3	7	6	8982	4867	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	4268.200195	4268.200195	0.933333
1762	008	4523	0.1	6930	12	65	100	3	10	0	13569	6639	RTO-C	65	form-based			true	0.75	17	1.700000048	5	5	20353.5	13423.5	13423.5	1.5
1762	014	3015	0.07	5100	6	65	100	3	7	1	9045	3945	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13567.5	8467.5	8467.5	1.5
1762	028	3000	0.07	1556	1	65	100	3	7	6	9000	7444	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6844	6844	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1762	032	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
1762	034	3000	0.07	1570	1	65	100	3	7	6	9000	7430	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6830	6830	0.933333
1762	035	3000	0.07	2385	1	65	100	3	7	6	9000	6615	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6015	6015	0.933333
1762	038	3000	0.07	2000	1	65	100	3	7	6	9000	7000	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6400	6400	0.933333
1762	039	3000	0.07	2000	1	65	100	3	7	6	9000	7000	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6400	6400	0.933333
1763	006	2963	0.07	1336	1	85	140	4	10	9	11852	10516	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8296.399414	6960.399414	6960.399414	0.7
1763	010	2963	0.07	1850	1	85	140	4	10	9	11852	10002	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8296.399414	6446.399414	6446.399414	0.7
1763	012	2963	0.07	1740	1	65	100	3	7	6	8889	7149	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8296.399414	6556.399414	6556.399414	0.933333
1763	014	2963	0.07	3542	1	65	100	3	7	6	8889	5347	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8296.399414	4754.399414	4754.399414	0.933333
1763	017	2963	0.07	2066	1	65	100	3	7	6	8889	6823	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8296.399414	6230.399414	6230.399414	0.933333
1763	018	2963	0.07	2350	1	65	100	3	7	6	8889	6539	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8296.399414	5946.399414	5946.399414	0.933333
1764	024	3000	0.07	1500	1	85	140	4	10	9	12000	10500	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6900	6900	0.7
1764	028	3000	0.07	1622	1	85	140	4	10	9	12000	10378	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6778	6778	0.7
1764	029	6000	0.14	7732	8	85	140	4	20	12	24000	16268	RH-2	40	form-based			true	0.7	13	0.649999976	5	5	16800	9068	9068	0.7
1764	032	3000	0.07	880	1	85	140	4	10	9	12000	11120	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	7520	7520	0.7
1764	033	3000	0.07	1475	1	85	140	4	10	9	12000	10525	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6925	6925	0.7
1765	004	2979	0.07	1202	1	65	100	3	7	6	8937	7735	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	7139.200195	7139.200195	0.933333
1765	009A	2979	0.07	1152	1	65	100	3	7	6	8937	7785	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	7189.200195	7189.200195	0.933333
1765	010	2979	0.07	960	1	65	100	3	7	6	8937	7977	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	7381.200195	7381.200195	0.933333
1765	026	3000	0.07	1496	1	65	100	3	7	6	9000	7504	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6904	6904	0.933333
1765	027	3000	0.07	2065	1	65	100	3	7	6	9000	6935	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6335	6335	0.933333
1765	032	3000	0.07	1848	1	65	100	3	7	6	9000	7152	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6552	6552	0.933333
1765	037	3074	0.07	1840	1	65	100	3	7	6	9222	7382	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8607.200195	6767.200195	6767.200195	0.933333
1766	004	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
1766	007	3000	0.07	1256	1	65	100	3	7	6	9000	7744	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7144	7144	0.933333
1766	008	3000	0.07	1112	1	65	100	3	7	6	9000	7888	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7288	7288	0.933333
1766	009	3000	0.07	2226	1	65	100	3	7	6	9000	6774	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6174	6174	0.933333
1766	012	3000	0.07	945	1	65	100	3	7	6	9000	8055	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7455	7455	0.933333
1766	017	3000	0.07	2090	1	85	140	4	10	9	12000	9910	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6310	6310	0.7
1766	029	3000	0.07	2110	1	85	140	4	10	9	12000	9890	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6290	6290	0.7
1766	031	3000	0.07	1845	1	65	100	3	7	6	9000	7155	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6555	6555	0.933333
1766	032	3000	0.07	2986	1	65	100	3	7	6	9000	6014	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5414	5414	0.933333
1766	033	3000	0.07	1950	1	65	100	3	7	6	9000	7050	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6450	6450	0.933333
1766	035	3000	0.07	1473	1	65	100	3	7	6	9000	7527	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6927	6927	0.933333
1766	037	3000	0.07	1485	1	65	100	3	7	6	9000	7515	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6915	6915	0.933333
1766	038	3000	0.07	1478	1	65	100	3	7	6	9000	7522	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6922	6922	0.933333
1766	039	3000	0.07	2007	1	65	100	3	7	6	9000	6993	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6393	6393	0.933333
1766	051	1073	0.02	1600	1	65	100	3	2	1	3219	1619	RTO-C	85	form-based			true	0.75	6	3	5	3	6438	4838	4838	2
1766	061	3171	0.07	915	2	65	100	3	7	5	9513	8598	RH-2	40	form-based			true	0.7	7	1	5	5	8878.799805	7963.799805	7963.799805	0.933333
1767	010	3017	0.07	1673	1	65	100	3	7	6	9051	7378	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6774.599609	6774.599609	0.933333
1767	013	3017	0.07	1868	1	65	100	3	7	6	9051	7183	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6579.599609	6579.599609	0.933333
1767	014	3017	0.07	2372	1	65	100	3	7	6	9051	6679	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6075.599609	6075.599609	0.933333
1767	016	3017	0.07	3900	1	65	100	3	7	6	9051	5151	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	4547.599609	4547.599609	0.933333
1767	017	3017	0.07	1140	1	65	100	3	7	6	9051	7911	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7307.599609	7307.599609	0.933333
1767	018	3017	0.07	1445	1	85	140	4	10	9	12068	10623	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8447.599609	7002.599609	7002.599609	0.7
1767	019	3017	0.07	1788	1	85	140	4	10	9	12068	10280	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8447.599609	6659.599609	6659.599609	0.7
1767	020	3017	0.07	1788	1	85	140	4	10	9	12068	10280	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8447.599609	6659.599609	6659.599609	0.7
1767	026	3000	0.07	1616	1	85	140	4	10	9	12000	10384	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6784	6784	0.7
1767	027	3000	0.07	935	1	85	140	4	10	9	12000	11065	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	7465	7465	0.7
1767	031	3000	0.07	2025	1	65	100	3	7	6	9000	6975	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6375	6375	0.933333
1767	034	3000	0.07	2081	1	65	100	3	7	6	9000	6919	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6319	6319	0.933333
1767	035	3000	0.07	2308	1	65	100	3	7	6	9000	6692	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6092	6092	0.933333
1767	037	3000	0.07	1656	1	65	100	3	7	6	9000	7344	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6744	6744	0.933333
1767	039	3000	0.07	2841	1	65	100	3	7	6	9000	6159	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5559	5559	0.933333
1767	039A	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
1769	005	3183	0.07	2652	2	65	100	3	7	5	9549	6897	RH-2	40	form-based			true	0.7	7	1	5	5	8912.399414	6260.399414	6260.399414	0.933333
1769	008	3183	0.07	2600	2	65	100	3	7	5	9549	6949	RH-2	40	form-based			true	0.7	7	1	5	5	8912.399414	6312.399414	6312.399414	0.933333
1769	010	2917	0.07	1065	1	65	100	3	7	6	8751	7686	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8167.600098	7102.600098	7102.600098	0.933333
1769	010A	2663	0.06	1065	1	65	100	3	6	5	7989	6924	RH-2	40	form-based			true	0.7	6	1	5	5	7456.399902	6391.399902	6391.399902	0.933333
1769	029	3187	0.07	1920	2	65	100	3	7	5	9561	7641	RH-2	40	form-based			true	0.7	7	1	5	5	8923.599609	7003.599609	7003.599609	0.933333
1769	034	3188	0.07	3080	2	65	100	3	7	5	9564	6484	RH-2	40	form-based			true	0.7	7	1	5	5	8926.399414	5846.399414	5846.399414	0.933333
1769	038	3187	0.07	3662	2	65	100	3	7	5	9561	5899	RH-2	40	form-based			true	0.7	7	1	5	5	8923.599609	5261.599609	5261.599609	0.933333
1769	041	3188	0.07	2725	2	65	100	3	7	5	9564	6839	RH-2	40	form-based			true	0.7	7	1	5	5	8926.399414	6201.399414	6201.399414	0.933333
1770	002	3193	0.07	2400	2	65	100	3	7	5	9579	7179	RH-2	40	form-based			true	0.7	7	1	5	5	8940.399414	6540.399414	6540.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1770	003	3327	0.08	3280	2	65	100	3	8	6	9981	6701	RH-2	40	form-based			true	0.7	7	0.875	5	5	9315.599609	6035.599609	6035.599609	0.933333
1770	004	3193	0.07	3000	2	65	100	3	7	5	9579	6579	RH-2	40	form-based			true	0.7	7	1	5	5	8940.399414	5940.399414	5940.399414	0.933333
1770	028	3187	0.07	3050	2	85	140	4	10	8	12748	9698	RH-2	40	form-based			true	0.7	7	0.699999988	5	5	8923.599609	5873.599609	5873.599609	0.7
1770	029	3188	0.07	4454	2	85	140	4	10	8	12752	8298	RH-2	40	form-based			true	0.7	7	0.699999988	5	5	8926.399414	4472.399414	4472.399414	0.7
1770	032	3187	0.07	3530	2	65	100	3	7	5	9561	6031	RH-2	40	form-based			true	0.7	7	1	5	5	8923.599609	5393.599609	5393.599609	0.933333
1770	032A	3187	0.07	2818	2	65	100	3	7	5	9561	6743	RH-2	40	form-based			true	0.7	7	1	5	5	8923.599609	6105.599609	6105.599609	0.933333
1770	032C	3187	0.07	4212	2	65	100	3	7	5	9561	5349	RM-1	40	form-based			true	0.7	7	1	5	5	8923.599609	4711.599609	4711.599609	0.933333
1770	032D	3187	0.07	2660	2	65	100	3	7	5	9561	6901	RH-2	40	form-based			true	0.7	7	1	5	5	8923.599609	6263.599609	6263.599609	0.933333
1770	032E	3188	0.07	2700	2	65	100	3	7	5	9564	6864	RH-2	40	form-based			true	0.7	7	1	5	5	8926.399414	6226.399414	6226.399414	0.933333
1770	053	2641	0.06	3177	1	65	100	3	6	5	7923	4746	RM-1	40	form-based			true	0.7	6	1	5	5	7394.799805	4217.799805	4217.799805	0.933333
1771	013	3149	0.07	3660	2	65	100	3	7	5	9447	5787	RM-1	40	form-based			true	0.7	7	1	5	5	8817.200195	5157.200195	5157.200195	0.933333
1775	020	3030	0.07	4100	6	65	100	3	7	1	9090	4990	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13635	9535	9535	1.5
1776	006	3000	0.07	2134	1	65	100	3	7	6	9000	6866	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6266	6266	0.933333
1776	006A	3000	0.07	2030	1	65	100	3	7	6	9000	6970	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6370	6370	0.933333
1776	007	3000	0.07	3346	1	65	100	3	7	6	9000	5654	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5054	5054	0.933333
1776	008	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
1776	008A	3000	0.07	2274	1	65	100	3	7	6	9000	6726	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6126	6126	0.933333
1776	009	3000	0.07	2380	1	65	100	3	7	6	9000	6620	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6020	6020	0.933333
1776	009A	2967	0.07	1912	1	65	100	3	7	6	8901	6989	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6395.599609	6395.599609	0.933333
1776	009B	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1776	009C	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1776	009D	3000	0.07	1990	1	65	100	3	7	6	9000	7010	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6410	6410	0.933333
1776	009E	3000	0.07	2066	1	65	100	3	7	6	9000	6934	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6334	6334	0.933333
1776	009F	3000	0.07	1440	1	65	100	3	7	6	9000	7560	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6960	6960	0.933333
1776	009G	3000	0.07	1440	1	65	100	3	7	6	9000	7560	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6960	6960	0.933333
1776	009J	2997	0.07	1560	1	65	100	3	7	6	8991	7431	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6831.599609	6831.599609	0.933333
1776	009K	2997	0.07	1987	1	65	100	3	7	6	8991	7004	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6404.599609	6404.599609	0.933333
1776	009L	2997	0.07	1535	1	65	100	3	7	6	8991	7456	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6856.599609	6856.599609	0.933333
1776	009M	2997	0.07	1440	1	65	100	3	7	6	8991	7551	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6951.599609	6951.599609	0.933333
1776	009N	2997	0.07	2911	1	65	100	3	7	6	8991	6080	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	5480.599609	5480.599609	0.933333
1776	009P	3565	0.08	3000	2	85	140	4	11	9	14260	11260	RH-3	40	form-based			true	0.7	7	0.636363626	5	5	9982	6982	6982	0.7
1776	009T	1298	0.03	1890	2	85	140	4	4	2	5192	3302	RTO-C	85	form-based			true	0.75	7	1.75	5	5	7788	5898	5898	1.5
1776	013	2997	0.07	1715	1	85	140	4	10	9	11988	10273	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8391.599609	6676.599609	6676.599609	0.7
1776	014A	1425	0.03	1890	2	85	140	4	4	2	5700	3810	RTO-C	85	form-based	true	true	true	0.75	7	1.75	5	5	8550	6660	6660	1.5
1777	009	3240	0.07	2779	2	65	100	3	7	5	9720	6941	RH-2	40	form-based			true	0.7	7	1	5	5	9072	6293	6293	0.933333
1777	010	3150	0.07	2256	2	65	100	3	7	5	9450	7194	RH-2	40	form-based			true	0.7	7	1	5	5	8820	6564	6564	0.933333
1777	013B	3150	0.07	2999	2	85	140	4	10	8	12600	9601	RH-2	40	form-based			true	0.7	7	0.699999988	5	5	8820	5821	5821	0.7
1777	021	3008	0.07	1623	1	85	140	4	10	9	12032	10409	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8422.399414	6799.399414	6799.399414	0.7
1777	022	3008	0.07	1050	1	85	140	4	10	9	12032	10982	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8422.399414	7372.399414	7372.399414	0.7
1777	023	3008	0.07	1050	1	85	140	4	10	9	12032	10982	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8422.399414	7372.399414	7372.399414	0.7
1777	024	3008	0.07	1050	1	65	100	3	7	6	9024	7974	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7372.399414	7372.399414	0.933333
1777	025	3008	0.07	1579	1	65	100	3	7	6	9024	7445	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6843.399414	6843.399414	0.933333
1777	026	3008	0.07	1510	1	65	100	3	7	6	9024	7514	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6912.399414	6912.399414	0.933333
1777	027	3008	0.07	1645	1	65	100	3	7	6	9024	7379	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6777.399414	6777.399414	0.933333
1777	028	3008	0.07	1050	1	65	100	3	7	6	9024	7974	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7372.399414	7372.399414	0.933333
1777	029	3008	0.07	1050	1	65	100	3	7	6	9024	7974	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7372.399414	7372.399414	0.933333
1777	030	3008	0.07	1050	1	65	100	3	7	6	9024	7974	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7372.399414	7372.399414	0.933333
1777	031	3008	0.07	1400	1	65	100	3	7	6	9024	7624	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7022.399414	7022.399414	0.933333
1777	032	3008	0.07	1050	1	65	100	3	7	6	9024	7974	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7372.399414	7372.399414	0.933333
1777	033	3008	0.07	1050	1	65	100	3	7	6	9024	7974	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7372.399414	7372.399414	0.933333
1777	034	3008	0.07	1000	1	65	100	3	7	6	9024	8024	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7422.399414	7422.399414	0.933333
1778	003	3021	0.07	1400	1	65	100	3	7	6	9063	7663	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7058.799805	7058.799805	0.933333
1778	004	3021	0.07	1388	1	65	100	3	7	6	9063	7675	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7070.799805	7070.799805	0.933333
1778	006	3021	0.07	4308	1	65	100	3	7	6	9063	4755	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	4150.799805	4150.799805	0.933333
1778	008	3021	0.07	3260	1	65	100	3	7	6	9063	5803	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5198.799805	5198.799805	0.933333
1778	009	3021	0.07	2090	1	65	100	3	7	6	9063	6973	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6368.799805	6368.799805	0.933333
1778	010	3021	0.07	916	1	65	100	3	7	6	9063	8147	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7542.799805	7542.799805	0.933333
1778	011	3072	0.07	2279	1	65	100	3	7	6	9216	6937	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8601.599609	6322.599609	6322.599609	0.933333
1778	014	3021	0.07	1755	1	85	140	4	10	9	12084	10329	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8458.799805	6703.799805	6703.799805	0.7
1778	015	3021	0.07	1314	1	85	140	4	10	9	12084	10770	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8458.799805	7144.799805	7144.799805	0.7
1778	025	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
1778	033	3000	0.07	2303	1	65	100	3	7	6	9000	6697	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6097	6097	0.933333
1778	034	3000	0.07	851	1	65	100	3	7	6	9000	8149	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7549	7549	0.933333
1778	036	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1778	037	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
1778	039	3000	0.07	2089	1	65	100	3	7	6	9000	6911	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6311	6311	0.933333
1779	002	3002	0.07	1760	1	65	100	3	7	6	9006	7246	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6645.599609	6645.599609	0.933333
1779	003	3002	0.07	2300	1	65	100	3	7	6	9006	6706	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6105.599609	6105.599609	0.933333
1779	004	3002	0.07	1780	1	65	100	3	7	6	9006	7226	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6625.599609	6625.599609	0.933333
1779	005	3002	0.07	1780	1	65	100	3	7	6	9006	7226	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6625.599609	6625.599609	0.933333
1779	008	3002	0.07	1860	1	65	100	3	7	6	9006	7146	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6545.599609	6545.599609	0.933333
1779	009	3002	0.07	1780	1	65	100	3	7	6	9006	7226	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6625.599609	6625.599609	0.933333
1779	010	3002	0.07	1950	1	65	100	3	7	6	9006	7056	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6455.599609	6455.599609	0.933333
1779	011	3002	0.07	1884	1	85	140	4	10	9	12008	10124	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8405.599609	6521.599609	6521.599609	0.7
1779	020	1415	0.03	2276	2	85	140	4	4	2	5660	3384	RTO-C	85	form-based		true	true	0.75	7	1.75	5	5	8490	6214	6214	1.5
1779	022	2905	0.07	1525	1	85	140	4	10	9	11620	10095	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8134	6609	6609	0.7
1779	023	3000	0.07	2560	1	85	140	4	10	9	12000	9440	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	5840	5840	0.7
1779	024	3000	0.07	2640	1	85	140	4	10	9	12000	9360	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	5760	5760	0.7
1779	025	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
1779	030	3000	0.07	2131	1	65	100	3	7	6	9000	6869	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6269	6269	0.933333
1779	031	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1780	002	2914	0.07	1395	1	65	100	3	7	6	8742	7347	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8159.199707	6764.199707	6764.199707	0.933333
1780	004	3017	0.07	2008	1	65	100	3	7	6	9051	7043	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6439.599609	6439.599609	0.933333
1780	005	3017	0.07	1683	1	65	100	3	7	6	9051	7368	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6764.599609	6764.599609	0.933333
1780	009	3017	0.07	2070	1	65	100	3	7	6	9051	6981	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6377.599609	6377.599609	0.933333
1780	014	3017	0.07	1900	1	65	100	3	7	6	9051	7151	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6547.599609	6547.599609	0.933333
1780	015	3017	0.07	1700	1	85	140	4	10	9	12068	10368	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8447.599609	6747.599609	6747.599609	0.7
1780	016	3017	0.07	1450	1	85	140	4	10	9	12068	10618	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8447.599609	6997.599609	6997.599609	0.7
1780	027	3000	0.07	1500	1	85	140	4	10	9	12000	10500	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6900	6900	0.7
1780	028	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
1780	029	3000	0.07	2400	1	65	100	3	7	6	9000	6600	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6000	6000	0.933333
1780	030	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1780	031	3000	0.07	2407	1	65	100	3	7	6	9000	6593	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5993	5993	0.933333
1780	033	3000	0.07	2030	1	65	100	3	7	6	9000	6970	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6370	6370	0.933333
1780	034	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
1780	035	3000	0.07	3407	1	65	100	3	7	6	9000	5593	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4993	4993	0.933333
1780	037	3000	0.07	2645	1	65	100	3	7	6	9000	6355	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5755	5755	0.933333
1780	038	3000	0.07	2452	1	65	100	3	7	6	9000	6548	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5948	5948	0.933333
1780	041	3000	0.07	1255	1	65	100	3	7	6	9000	7745	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7145	7145	0.933333
1780	042	2894	0.07	1893	1	65	100	3	7	6	8682	6789	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8103.199707	6210.199707	6210.199707	0.933333
1781	010	3011	0.07	1950	1	65	100	3	7	6	9033	7083	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6480.799805	6480.799805	0.933333
1781	016	3011	0.07	2250	1	65	100	3	7	6	9033	6783	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6180.799805	6180.799805	0.933333
1781	027	3002	0.07	1255	1	65	100	3	7	6	9006	7751	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7150.599609	7150.599609	0.933333
1781	028	3000	0.07	1270	1	65	100	3	7	6	9000	7730	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7130	7130	0.933333
1781	029	3000	0.07	3799	1	65	100	3	7	6	9000	5201	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4601	4601	0.933333
1781	030	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
1781	032	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
1781	034	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
1781	038	3000	0.07	1515	1	65	100	3	7	6	9000	7485	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6885	6885	0.933333
1781	041	3000	0.07	2300	1	65	100	3	7	6	9000	6700	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6100	6100	0.933333
1782	002	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6825	6825	0.933333
1782	003	3006	0.07	1175	1	65	100	3	7	6	9018	7843	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7241.799805	7241.799805	0.933333
1782	004	3006	0.07	1485	1	65	100	3	7	6	9018	7533	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6931.799805	6931.799805	0.933333
1782	005	3006	0.07	1490	1	65	100	3	7	6	9018	7528	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6926.799805	6926.799805	0.933333
1782	007	3006	0.07	2275	1	65	100	3	7	6	9018	6743	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6141.799805	6141.799805	0.933333
1782	009	3006	0.07	2205	1	65	100	3	7	6	9018	6813	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6211.799805	6211.799805	0.933333
1782	010	3006	0.07	1135	1	65	100	3	7	6	9018	7883	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7281.799805	7281.799805	0.933333
1782	011	3006	0.07	2068	1	65	100	3	7	6	9018	6950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6348.799805	6348.799805	0.933333
1782	012	3006	0.07	2160	1	65	100	3	7	6	9018	6858	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6256.799805	6256.799805	0.933333
1782	012A	3006	0.07	1350	1	65	100	3	7	6	9018	7668	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7066.799805	7066.799805	0.933333
1782	017A	3000	0.07	2768	1	85	140	4	10	9	12000	9232	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	5632	5632	0.7
1782	017B	3000	0.07	2122	1	85	140	4	10	9	12000	9878	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6278	6278	0.7
1782	017C	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1782	017D	3000	0.07	2002	1	65	100	3	7	6	9000	6998	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6398	6398	0.933333
1782	017E	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1782	017F	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
1782	017G	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
1782	017H	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1782	017I	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1782	018	3000	0.07	1379	1	65	100	3	7	6	9000	7621	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7021	7021	0.933333
1782	018A	3000	0.07	1565	1	65	100	3	7	6	9000	7435	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6835	6835	0.933333
1782	019	3000	0.07	1465	1	65	100	3	7	6	9000	7535	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6935	6935	0.933333
1782	020	3000	0.07	1525	1	65	100	3	7	6	9000	7475	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6875	6875	0.933333
1782	021	3000	0.07	1370	1	65	100	3	7	6	9000	7630	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7030	7030	0.933333
1782	022	2990	0.07	1500	1	65	100	3	7	6	8970	7470	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6872	6872	0.933333
1783	002	2966	0.07	3278	1	65	100	3	7	6	8898	5620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	5026.799805	5026.799805	0.933333
1783	003	2982	0.07	2469	1	65	100	3	7	6	8946	6477	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	5880.599609	5880.599609	0.933333
1783	004	2982	0.07	2068	1	65	100	3	7	6	8946	6878	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6281.599609	6281.599609	0.933333
1783	004A	2982	0.07	1724	1	65	100	3	7	6	8946	7222	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6625.599609	6625.599609	0.933333
1783	004B	2982	0.07	1300	1	65	100	3	7	6	8946	7646	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7049.599609	7049.599609	0.933333
1783	005	2982	0.07	2444	1	65	100	3	7	6	8946	6502	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	5905.599609	5905.599609	0.933333
1783	006	2982	0.07	1759	1	65	100	3	7	6	8946	7187	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6590.599609	6590.599609	0.933333
1783	007	2982	0.07	2319	1	65	100	3	7	6	8946	6627	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6030.599609	6030.599609	0.933333
1783	008	2982	0.07	1330	1	65	100	3	7	6	8946	7616	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7019.599609	7019.599609	0.933333
1783	008A	2982	0.07	1275	1	65	100	3	7	6	8946	7671	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7074.599609	7074.599609	0.933333
1783	009	2982	0.07	1235	1	65	100	3	7	6	8946	7711	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7114.599609	7114.599609	0.933333
1783	009A	2982	0.07	2238	1	65	100	3	7	6	8946	6708	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6111.599609	6111.599609	0.933333
1783	010	2982	0.07	2397	1	65	100	3	7	6	8946	6549	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	5952.599609	5952.599609	0.933333
1783	011	2982	0.07	2051	1	85	140	4	10	9	11928	9877	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8349.599609	6298.599609	6298.599609	0.7
1783	012	2982	0.07	2554	1	85	140	4	10	9	11928	9374	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8349.599609	5795.599609	5795.599609	0.7
1783	021	3000	0.07	1626	1	85	140	4	10	9	12000	10374	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6774	6774	0.7
1783	022	3000	0.07	1390	1	65	100	3	7	6	9000	7610	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7010	7010	0.933333
1783	023	3000	0.07	1235	1	65	100	3	7	6	9000	7765	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7165	7165	0.933333
1783	023A	3000	0.07	2492	1	65	100	3	7	6	9000	6508	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5908	5908	0.933333
1783	024	3000	0.07	2418	1	65	100	3	7	6	9000	6582	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5982	5982	0.933333
1783	024A	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
1783	025	3000	0.07	1420	1	65	100	3	7	6	9000	7580	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6980	6980	0.933333
1783	025A	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
1783	026	3000	0.07	1582	1	65	100	3	7	6	9000	7418	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6818	6818	0.933333
1783	027	3000	0.07	1916	1	65	100	3	7	6	9000	7084	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6484	6484	0.933333
1783	028	3000	0.07	1553	1	65	100	3	7	6	9000	7447	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6847	6847	0.933333
1783	029	3000	0.07	1966	1	65	100	3	7	6	9000	7034	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6434	6434	0.933333
1783	030	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
1783	031	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1783	032	3000	0.07	2420	1	65	100	3	7	6	9000	6580	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5980	5980	0.933333
1783	033	2979	0.07	1600	1	65	100	3	7	6	8937	7337	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6741.200195	6741.200195	0.933333
1784	001	2985	0.07	3528	1	65	100	3	7	6	8955	5427	RH-2	40	form-based	true		true	0.7	6	0.857142866	5	5	8358	4830	4830	0.933333
1784	001A	2985	0.07	2176	1	65	100	3	7	6	8955	6779	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8358	6182	6182	0.933333
1784	001B	2985	0.07	2824	1	65	100	3	7	6	8955	6131	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8358	5534	5534	0.933333
1784	001H	3017	0.07	2204	1	65	100	3	7	6	9051	6847	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6243.599609	6243.599609	0.933333
1784	001U	1394	0.03	1750	2	65	100	3	3	1	4182	2432	NCD-JUDA	85	form-based	true		true	0.75	7	2.333333254	5	4	8364	6614	6614	2
1784	006	2940	0.07	1600	1	65	100	3	7	6	8820	7220	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8232	6632	6632	0.933333
1784	007	3000	0.07	1390	1	65	100	3	7	6	9000	7610	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7010	7010	0.933333
1784	008	3000	0.07	2169	1	65	100	3	7	6	9000	6831	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6231	6231	0.933333
1784	009	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1784	011	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
1784	012	3000	0.07	1705	1	65	100	3	7	6	9000	7295	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6695	6695	0.933333
1784	012A	3000	0.07	1451	1	65	100	3	7	6	9000	7549	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6949	6949	0.933333
1784	013	3000	0.07	1560	1	65	100	3	7	6	9000	7440	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6840	6840	0.933333
1784	013A	3000	0.07	2130	1	65	100	3	7	6	9000	6870	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6270	6270	0.933333
1784	014	3000	0.07	2219	1	65	100	3	7	6	9000	6781	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6181	6181	0.933333
1784	014A	3000	0.07	1605	1	65	100	3	7	6	9000	7395	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6795	6795	0.933333
1784	014B	3000	0.07	1940	1	65	100	3	7	6	9000	7060	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6460	6460	0.933333
1784	015	3000	0.07	1025	1	65	100	3	7	6	9000	7975	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7375	7375	0.933333
1784	016	3000	0.07	2177	1	65	100	3	7	6	9000	6823	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6223	6223	0.933333
1784	016A	3000	0.07	1605	1	65	100	3	7	6	9000	7395	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6795	6795	0.933333
1785	002	2986	0.07	1818	1	65	100	3	7	6	8958	7140	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	6542.799805	6542.799805	0.933333
1785	003	3025	0.07	1415	1	65	100	3	7	6	9075	7660	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7055	7055	0.933333
1785	004	3025	0.07	1525	1	65	100	3	7	6	9075	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6945	6945	0.933333
1785	005	3025	0.07	2077	1	65	100	3	7	6	9075	6998	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6393	6393	0.933333
1785	006	3025	0.07	1575	1	65	100	3	7	6	9075	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6895	6895	0.933333
1785	007	3025	0.07	2306	1	65	100	3	7	6	9075	6769	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6164	6164	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1785	007A	3025	0.07	1685	1	65	100	3	7	6	9075	7390	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6785	6785	0.933333
1785	007B	3025	0.07	1750	1	65	100	3	7	6	9075	7325	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6720	6720	0.933333
1785	007C	3025	0.07	1670	1	65	100	3	7	6	9075	7405	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6800	6800	0.933333
1785	007D	3025	0.07	1450	1	65	100	3	7	6	9075	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7020	7020	0.933333
1785	007E	3025	0.07	1390	1	65	100	3	7	6	9075	7685	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7080	7080	0.933333
1785	008	3025	0.07	1581	1	65	100	3	7	6	9075	7494	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6889	6889	0.933333
1785	009	3025	0.07	2600	1	65	100	3	7	6	9075	6475	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	5870	5870	0.933333
1785	010	3025	0.07	1500	1	65	100	3	7	6	9075	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6970	6970	0.933333
1785	011	3025	0.07	1626	1	85	140	4	10	9	12100	10474	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8470	6844	6844	0.7
1785	019	3000	0.07	1450	1	85	140	4	10	9	12000	10550	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6950	6950	0.7
1785	020	3000	0.07	1516	1	85	140	4	10	9	12000	10484	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6884	6884	0.7
1785	021	3000	0.07	1857	1	65	100	3	7	6	9000	7143	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6543	6543	0.933333
1785	022	3000	0.07	2315	1	65	100	3	7	6	9000	6685	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6085	6085	0.933333
1785	022A	3000	0.07	1428	1	65	100	3	7	6	9000	7572	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6972	6972	0.933333
1785	022B	3000	0.07	1775	1	65	100	3	7	6	9000	7225	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6625	6625	0.933333
1785	022C	3000	0.07	1778	1	65	100	3	7	6	9000	7222	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6622	6622	0.933333
1785	022D	3000	0.07	2475	1	65	100	3	7	6	9000	6525	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5925	5925	0.933333
1785	022E	3000	0.07	1670	1	65	100	3	7	6	9000	7330	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6730	6730	0.933333
1785	022F	3000	0.07	1598	1	65	100	3	7	6	9000	7402	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6802	6802	0.933333
1785	023	3000	0.07	1620	1	65	100	3	7	6	9000	7380	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6780	6780	0.933333
1785	025	3000	0.07	2119	1	65	100	3	7	6	9000	6881	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6281	6281	0.933333
1785	026	3000	0.07	1720	1	65	100	3	7	6	9000	7280	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6680	6680	0.933333
1785	027	2957	0.07	1543	1	65	100	3	7	6	8871	7328	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8279.599609	6736.599609	6736.599609	0.933333
1786	002	2950	0.07	1655	1	65	100	3	7	6	8850	7195	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8260	6605	6605	0.933333
1786	002A	3000	0.07	2407	1	65	100	3	7	6	9000	6593	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5993	5993	0.933333
1786	004	3000	0.07	2543	1	65	100	3	7	6	9000	6457	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5857	5857	0.933333
1786	004A	3000	0.07	2658	1	65	100	3	7	6	9000	6342	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5742	5742	0.933333
1786	005	3000	0.07	2302	1	65	100	3	7	6	9000	6698	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6098	6098	0.933333
1786	005A	3000	0.07	2676	1	65	100	3	7	6	9000	6324	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5724	5724	0.933333
1786	006	3000	0.07	2000	1	65	100	3	7	6	9000	7000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6400	6400	0.933333
1786	007	3000	0.07	2235	1	65	100	3	7	6	9000	6765	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6165	6165	0.933333
1786	007A	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1786	008	3000	0.07	1610	1	65	100	3	7	6	9000	7390	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6790	6790	0.933333
1786	008A	3000	0.07	1822	1	65	100	3	7	6	9000	7178	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6578	6578	0.933333
1786	008B	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1786	009	3000	0.07	1350	1	85	140	4	10	9	12000	10650	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7050	7050	0.7
1786	018	2992	0.07	1995	1	65	100	3	7	6	8976	6981	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6382.599609	6382.599609	0.933333
1786	018A	2992	0.07	2050	1	65	100	3	7	6	8976	6926	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6327.599609	6327.599609	0.933333
1786	019A	2992	0.07	1650	1	65	100	3	7	6	8976	7326	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6727.599609	6727.599609	0.933333
1786	020	2992	0.07	1300	1	65	100	3	7	6	8976	7676	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7077.599609	7077.599609	0.933333
1786	020A	2992	0.07	1726	1	65	100	3	7	6	8976	7250	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6651.599609	6651.599609	0.933333
1786	021	2992	0.07	1769	1	65	100	3	7	6	8976	7207	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6608.599609	6608.599609	0.933333
1786	022	2992	0.07	1481	1	65	100	3	7	6	8976	7495	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6896.599609	6896.599609	0.933333
1786	023	2992	0.07	1481	1	65	100	3	7	6	8976	7495	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6896.599609	6896.599609	0.933333
1786	024	2992	0.07	2294	1	65	100	3	7	6	8976	6682	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6083.599609	6083.599609	0.933333
1786	025	2992	0.07	2090	1	65	100	3	7	6	8976	6886	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6287.599609	6287.599609	0.933333
1786	025A	2992	0.07	1479	1	65	100	3	7	6	8976	7497	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6898.599609	6898.599609	0.933333
1786	026	2992	0.07	1650	1	65	100	3	7	6	8976	7326	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6727.599609	6727.599609	0.933333
1786	027	2938	0.07	1680	1	65	100	3	7	6	8814	7134	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8226.399414	6546.399414	6546.399414	0.933333
1787	002	2963	0.07	2340	1	65	100	3	7	6	8889	6549	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8296.399414	5956.399414	5956.399414	0.933333
1787	003	3024	0.07	1500	1	65	100	3	7	6	9072	7572	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	6967.200195	6967.200195	0.933333
1787	003A	3024	0.07	1500	1	65	100	3	7	6	9072	7572	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	6967.200195	6967.200195	0.933333
1787	004	3024	0.07	2150	1	65	100	3	7	6	9072	6922	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	6317.200195	6317.200195	0.933333
1787	005	3024	0.07	1475	1	65	100	3	7	6	9072	7597	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	6992.200195	6992.200195	0.933333
1787	006	3025	0.07	2581	1	65	100	3	7	6	9075	6494	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	5889	5889	0.933333
1787	007	3025	0.07	2044	1	65	100	3	7	6	9075	7031	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6426	6426	0.933333
1787	008	3025	0.07	2402	1	65	100	3	7	6	9075	6673	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6068	6068	0.933333
1787	009	3025	0.07	1775	1	65	100	3	7	6	9075	7300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6695	6695	0.933333
1787	009A	3026	0.07	2647	1	65	100	3	7	6	9078	6431	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	5825.799805	5825.799805	0.933333
1787	009B	3026	0.07	1450	1	65	100	3	7	6	9078	7628	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7022.799805	7022.799805	0.933333
1787	009C	3026	0.07	1510	1	65	100	3	7	6	9078	7568	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6962.799805	6962.799805	0.933333
1787	009D	3026	0.07	1980	1	65	100	3	7	6	9078	7098	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6492.799805	6492.799805	0.933333
1787	009E	3026	0.07	2327	1	65	100	3	7	6	9078	6751	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6145.799805	6145.799805	0.933333
1787	009F	3025	0.07	1520	1	65	100	3	7	6	9075	7555	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6950	6950	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1787	018	3000	0.07	1540	1	65	100	3	7	6	9000	7460	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6860	6860	0.933333
1787	019	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1787	020	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
1787	020A	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1787	020B	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
1787	021	3000	0.07	1805	1	65	100	3	7	6	9000	7195	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6595	6595	0.933333
1787	022	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1787	022A	3000	0.07	1567	1	65	100	3	7	6	9000	7433	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6833	6833	0.933333
1787	023	3000	0.07	1773	1	65	100	3	7	6	9000	7227	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6627	6627	0.933333
1787	024	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1787	025	3000	0.07	1675	1	65	100	3	7	6	9000	7325	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6725	6725	0.933333
1787	026	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6775	6775	0.933333
1787	027	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6825	6825	0.933333
1787	027A	2935	0.07	1894	1	65	100	3	7	6	8805	6911	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8218	6324	6324	0.933333
1788	005	3003	0.07	1320	1	65	100	3	7	6	9009	7689	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7088.399414	7088.399414	0.933333
1788	006	3003	0.07	1575	1	65	100	3	7	6	9009	7434	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6833.399414	6833.399414	0.933333
1788	008	3002	0.07	2085	1	65	100	3	7	6	9006	6921	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6320.599609	6320.599609	0.933333
1788	009	3002	0.07	1408	1	65	100	3	7	6	9006	7598	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6997.599609	6997.599609	0.933333
1788	009A	3002	0.07	1475	1	65	100	3	7	6	9006	7531	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6930.599609	6930.599609	0.933333
1788	009B	3002	0.07	2073	1	65	100	3	7	6	9006	6933	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6332.599609	6332.599609	0.933333
1788	009C	3001	0.07	1450	1	65	100	3	7	6	9003	7553	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6952.799805	6952.799805	0.933333
1788	009D	3001	0.07	1450	1	65	100	3	7	6	9003	7553	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6952.799805	6952.799805	0.933333
1788	010	3001	0.07	1475	1	65	100	3	7	6	9003	7528	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6927.799805	6927.799805	0.933333
1788	011	3001	0.07	1835	1	65	100	3	7	6	9003	7168	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6567.799805	6567.799805	0.933333
1788	012	3001	0.07	2066	1	85	140	4	10	9	12004	9938	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8402.799805	6336.799805	6336.799805	0.7
1788	013	2929	0.07	1650	1	85	140	4	10	9	11716	10066	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8201.200195	6551.200195	6551.200195	0.7
1788	014C	1396	0.03	2350	2	85	140	4	4	2	5584	3234	RTO-C	85	form-based	true	true	true	0.75	7	1.75	5	5	8376	6026	6026	1.5
1788	019	1399	0.03	2392	2	85	140	4	4	2	5596	3204	RTO-C	85	form-based	true	true	true	0.75	7	1.75	5	5	8394	6002	6002	1.5
1788	025A	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
1788	025B	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
1788	028	3085	0.07	2113	1	65	100	3	7	6	9255	7142	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8638	6525	6525	0.933333
1788	029	3000	0.07	2265	1	65	100	3	7	6	9000	6735	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6135	6135	0.933333
1788	029A	3000	0.07	2361	1	65	100	3	7	6	9000	6639	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6039	6039	0.933333
1788	030	4115	0.09	3654	4	65	100	3	9	5	12345	8691	RH-2	40	form-based			true	0.7	9	1	5	5	11522	7868	7868	0.933333
1788	031	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
1789	001B	2923	0.07	1530	1	65	100	3	7	6	8769	7239	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8184.399902	6654.399902	6654.399902	0.933333
1789	002	3006	0.07	2195	1	65	100	3	7	6	9018	6823	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6221.799805	6221.799805	0.933333
1789	003	3006	0.07	920	1	65	100	3	7	6	9018	8098	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7496.799805	7496.799805	0.933333
1789	004	3006	0.07	1075	1	65	100	3	7	6	9018	7943	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7341.799805	7341.799805	0.933333
1789	005	3006	0.07	1125	1	65	100	3	7	6	9018	7893	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7291.799805	7291.799805	0.933333
1789	007	3006	0.07	1740	1	65	100	3	7	6	9018	7278	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6676.799805	6676.799805	0.933333
1789	008	3006	0.07	1610	1	65	100	3	7	6	9018	7408	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6806.799805	6806.799805	0.933333
1789	009	3006	0.07	1150	1	65	100	3	7	6	9018	7868	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7266.799805	7266.799805	0.933333
1789	010	3006	0.07	1276	1	65	100	3	7	6	9018	7742	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7140.799805	7140.799805	0.933333
1789	011	3006	0.07	1035	1	65	100	3	7	6	9018	7983	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7381.799805	7381.799805	0.933333
1789	012	3006	0.07	1100	1	65	100	3	7	6	9018	7918	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7316.799805	7316.799805	0.933333
1789	013	3006	0.07	1035	1	65	100	3	7	6	9018	7983	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7381.799805	7381.799805	0.933333
1789	015	3006	0.07	1643	1	85	140	4	10	9	12024	10381	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8416.799805	6773.799805	6773.799805	0.7
1789	016	3006	0.07	1761	1	85	140	4	10	9	12024	10263	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8416.799805	6655.799805	6655.799805	0.7
1789	017	3006	0.07	2302	1	85	140	4	10	9	12024	9722	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8416.799805	6114.799805	6114.799805	0.7
1789	019	3000	0.07	1280	1	85	140	4	10	9	12000	10720	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	7120	7120	0.7
1789	020	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1789	021	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1789	023	3000	0.07	1993	1	65	100	3	7	6	9000	7007	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6407	6407	0.933333
1789	024	3000	0.07	2125	1	65	100	3	7	6	9000	6875	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6275	6275	0.933333
1789	025	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
1789	026	3000	0.07	1965	1	65	100	3	7	6	9000	7035	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6435	6435	0.933333
1789	027	3000	0.07	2121	1	65	100	3	7	6	9000	6879	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6279	6279	0.933333
1789	028	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1789	029	3000	0.07	2214	1	65	100	3	7	6	9000	6786	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6186	6186	0.933333
1789	030	3000	0.07	2334	1	65	100	3	7	6	9000	6666	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6066	6066	0.933333
1789	031	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6825	6825	0.933333
1789	032	3000	0.07	1675	1	65	100	3	7	6	9000	7325	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6725	6725	0.933333
1789	033	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6775	6775	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1789	034	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6825	6825	0.933333
1789	035	2913	0.07	2183	1	65	100	3	7	6	8739	6556	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8156.399902	5973.399902	5973.399902	0.933333
1790	005	3020	0.07	1500	1	65	100	3	7	6	9060	7560	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8456	6956	6956	0.933333
1790	006	3020	0.07	1943	1	65	100	3	7	6	9060	7117	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8456	6513	6513	0.933333
1790	007	3020	0.07	2405	1	65	100	3	7	6	9060	6655	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8456	6051	6051	0.933333
1790	008	3020	0.07	1725	1	65	100	3	7	6	9060	7335	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8456	6731	6731	0.933333
1790	009	3020	0.07	2625	1	65	100	3	7	6	9060	6435	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8456	5831	5831	0.933333
1790	009A	3000	0.07	1768	1	65	100	3	7	6	9000	7232	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6632	6632	0.933333
1790	009B	3020	0.07	2445	1	65	100	3	7	6	9060	6615	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8456	6011	6011	0.933333
1790	009C	3020	0.07	2508	1	65	100	3	7	6	9060	6552	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8456	5948	5948	0.933333
1790	009D	3020	0.07	1380	1	65	100	3	7	6	9060	7680	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8456	7076	7076	0.933333
1790	009E	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1790	009F	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
1790	009G	3000	0.07	2199	1	65	100	3	7	6	9000	6801	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6201	6201	0.933333
1790	010	2926	0.07	1845	1	65	100	3	7	6	8778	6933	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8192.799805	6347.799805	6347.799805	0.933333
1790	010L	2902	0.07	1475	1	65	100	3	7	6	8706	7231	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8125.600098	6650.600098	6650.600098	0.933333
1790	010M	3020	0.07	3191	1	65	100	3	7	6	9060	5869	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8456	5265	5265	0.933333
1790	010N	3020	0.07	1380	1	65	100	3	7	6	9060	7680	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8456	7076	7076	0.933333
1790	010O	3020	0.07	2477	1	65	100	3	7	6	9060	6583	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8456	5979	5979	0.933333
1790	010P	3000	0.07	2195	1	65	100	3	7	6	9000	6805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6205	6205	0.933333
1790	010Q	3000	0.07	2282	1	65	100	3	7	6	9000	6718	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6118	6118	0.933333
1790	011	3000	0.07	1855	1	65	100	3	7	6	9000	7145	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6545	6545	0.933333
1790	011A	3000	0.07	2301	1	65	100	3	7	6	9000	6699	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6099	6099	0.933333
1790	011B	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
1790	012	3000	0.07	2277	1	65	100	3	7	6	9000	6723	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6123	6123	0.933333
1790	012A	3000	0.07	1675	1	65	100	3	7	6	9000	7325	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6725	6725	0.933333
1790	013	3000	0.07	1842	1	65	100	3	7	6	9000	7158	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6558	6558	0.933333
1790	014	3000	0.07	2200	1	65	100	3	7	6	9000	6800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6200	6200	0.933333
1790	015	3000	0.07	2075	1	65	100	3	7	6	9000	6925	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6325	6325	0.933333
1790	016	1630	0.04	1268	1	65	100	3	4	3	4890	3622	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7335	6067	6067	1.5
1790	016A	1630	0.04	838	1	65	100	3	4	3	4890	4052	RTO-C	65	form-based	true		true	0.75	6	1.5	5	5	7335	6497	6497	1.5
1792	002B	2991	0.07	2157	1	65	100	3	7	6	8973	6816	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6217.799805	6217.799805	0.933333
1792	002C	2991	0.07	1095	1	65	100	3	7	6	8973	7878	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	7279.799805	7279.799805	0.933333
1792	002E	2991	0.07	1085	1	65	100	3	7	6	8973	7888	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	7289.799805	7289.799805	0.933333
1792	002F	2991	0.07	1715	1	65	100	3	7	6	8973	7258	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6659.799805	6659.799805	0.933333
1792	002G	2991	0.07	2000	1	65	100	3	7	6	8973	6973	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6374.799805	6374.799805	0.933333
1792	002O	3000	0.07	1270	1	65	100	3	7	6	9000	7730	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7130	7130	0.933333
1792	002P	3000	0.07	1270	1	65	100	3	7	6	9000	7730	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7130	7130	0.933333
1792	002Q	3000	0.07	1270	1	65	100	3	7	6	9000	7730	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7130	7130	0.933333
1792	002R	3000	0.07	1270	1	65	100	3	7	6	9000	7730	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7130	7130	0.933333
1792	002S	3000	0.07	1790	1	65	100	3	7	6	9000	7210	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6610	6610	0.933333
1792	002T	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
1792	003	2991	0.07	2127	1	65	100	3	7	6	8973	6846	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6247.799805	6247.799805	0.933333
1792	005	2991	0.07	1240	1	65	100	3	7	6	8973	7733	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	7134.799805	7134.799805	0.933333
1792	005A	2991	0.07	2037	1	65	100	3	7	6	8973	6936	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6337.799805	6337.799805	0.933333
1792	006	2991	0.07	2170	1	65	100	3	7	6	8973	6803	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6204.799805	6204.799805	0.933333
1792	006A	2991	0.07	1962	1	65	100	3	7	6	8973	7011	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6412.799805	6412.799805	0.933333
1792	007	2991	0.07	1777	1	65	100	3	7	6	8973	7196	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6597.799805	6597.799805	0.933333
1792	007A	2875	0.07	1799	1	65	100	3	7	6	8625	6826	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8050	6251	6251	0.933333
1792	008A	1428	0.03	2250	2	65	100	3	3	1	4284	2034	RTO-C	85	form-based			true	0.75	7	2.333333254	5	4	8568	6318	6318	2
1792	008B	1428	0.03	2658	2	85	140	4	4	2	5712	3054	RTO-C	85	form-based			true	0.75	7	1.75	5	5	8568	5910	5910	1.5
1792	008C	1405	0.03	2250	2	85	140	4	4	2	5620	3370	RTO-C	85	form-based	true		true	0.75	7	1.75	5	5	8430	6180	6180	1.5
1792	012	1417	0.03	1592	2	65	100	3	3	1	4251	2659	NC-1	85	form-based	true		true	0.75	7	2.333333254	5	4	8502	6910	6910	2
1792	013	2880	0.07	1875	1	65	100	3	7	6	8640	6765	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8064	6189	6189	0.933333
1792	013A	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1792	013B	3000	0.07	1954	1	65	100	3	7	6	9000	7046	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6446	6446	0.933333
1792	013C	3000	0.07	2250	1	65	100	3	7	6	9000	6750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6150	6150	0.933333
1792	014	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
1792	015	3000	0.07	1756	1	65	100	3	7	6	9000	7244	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6644	6644	0.933333
1792	016	3000	0.07	1737	1	65	100	3	7	6	9000	7263	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6663	6663	0.933333
1793	004	3004	0.07	2460	1	65	100	3	7	6	9012	6552	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	5951.200195	5951.200195	0.933333
1793	010	3004	0.07	1010	1	65	100	3	7	6	9012	8002	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7401.200195	7401.200195	0.933333
1793	011	3004	0.07	1381	1	65	100	3	7	6	9012	7631	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7030.200195	7030.200195	0.933333
1793	012	3004	0.07	1085	1	65	100	3	7	6	9012	7927	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7326.200195	7326.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1793	013	3004	0.07	1040	1	65	100	3	7	6	9012	7972	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7371.200195	7371.200195	0.933333
1793	014	3004	0.07	2010	1	65	100	3	7	6	9012	7002	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6401.200195	6401.200195	0.933333
1793	015	3004	0.07	2154	1	65	100	3	7	6	9012	6858	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6257.200195	6257.200195	0.933333
1793	016	3004	0.07	1660	1	65	100	3	7	6	9012	7352	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6751.200195	6751.200195	0.933333
1793	017	3004	0.07	1440	1	65	100	3	7	6	9012	7572	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6971.200195	6971.200195	0.933333
1793	018	3004	0.07	1371	1	65	100	3	7	6	9012	7641	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7040.200195	7040.200195	0.933333
1793	027	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
1793	028	3000	0.07	1910	1	65	100	3	7	6	9000	7090	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6490	6490	0.933333
1793	029	3000	0.07	1701	1	65	100	3	7	6	9000	7299	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6699	6699	0.933333
1793	030	3000	0.07	1757	1	65	100	3	7	6	9000	7243	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6643	6643	0.933333
1793	031	3000	0.07	2214	1	65	100	3	7	6	9000	6786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6186	6186	0.933333
1793	032	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1793	033	3000	0.07	1365	1	65	100	3	7	6	9000	7635	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7035	7035	0.933333
1793	034	3000	0.07	2350	1	65	100	3	7	6	9000	6650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6050	6050	0.933333
1793	035	3000	0.07	2068	1	65	100	3	7	6	9000	6932	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6332	6332	0.933333
1793	036	3000	0.07	1821	1	65	100	3	7	6	9000	7179	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6579	6579	0.933333
1793	037	3000	0.07	1850	1	65	100	3	7	6	9000	7150	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6550	6550	0.933333
1793	038	2869	0.07	1695	1	65	100	3	7	6	8607	6912	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8033.199707	6338.199707	6338.199707	0.933333
1793	039	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
1793	040	3000	0.07	1617	1	65	100	3	7	6	9000	7383	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6783	6783	0.933333
1793	041	3000	0.07	1413	1	65	100	3	7	6	9000	7587	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6987	6987	0.933333
1793	042	3000	0.07	1075	1	65	100	3	7	6	9000	7925	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7325	7325	0.933333
1793	045	1750	0.04	2920	2	65	100	3	4	2	5250	2330	RTO-C	65	form-based		true	true	0.75	7	1.75	5	5	7875	4955	4955	1.5
1793	046	2500	0.06	3650	4	65	100	3	6	2	7500	3850	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	7600	7600	1.5
1793	055	1855	0.04	4537	5	65	100	3	4	0	5565	1028	NC-1	85	form-based		true	true	0.75	10	2.5	5	3	11130	6593	6593	2
1794	002	2862	0.07	1698	1	65	100	3	7	6	8586	6888	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8013.600098	6315.600098	6315.600098	0.933333
1794	003	3000	0.07	2600	1	65	100	3	7	6	9000	6400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5800	5800	0.933333
1794	004	3000	0.07	1470	1	65	100	3	7	6	9000	7530	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6930	6930	0.933333
1794	005	3000	0.07	3172	1	65	100	3	7	6	9000	5828	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5228	5228	0.933333
1794	005A	3000	0.07	1951	1	65	100	3	7	6	9000	7049	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6449	6449	0.933333
1794	006	3000	0.07	1481	1	65	100	3	7	6	9000	7519	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6919	6919	0.933333
1794	007	3000	0.07	1260	1	65	100	3	7	6	9000	7740	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7140	7140	0.933333
1794	008	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1794	009	3000	0.07	1445	1	65	100	3	7	6	9000	7555	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6955	6955	0.933333
1794	010	3000	0.07	1449	1	65	100	3	7	6	9000	7551	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6951	6951	0.933333
1794	010A	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
1794	011	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
1794	013	3000	0.07	1210	1	65	100	3	7	6	9000	7790	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7190	7190	0.933333
1794	014	3000	0.07	1175	1	85	140	4	10	9	12000	10825	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7225	7225	0.7
1794	015	3000	0.07	1210	1	85	140	4	10	9	12000	10790	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7190	7190	0.7
1794	025	3010	0.07	1713	1	85	140	4	10	9	12040	10327	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8428	6715	6715	0.7
1794	025A	3010	0.07	1630	1	85	140	4	10	9	12040	10410	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8428	6798	6798	0.7
1794	025B	3010	0.07	1852	1	85	140	4	10	9	12040	10188	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8428	6576	6576	0.7
1794	026	3010	0.07	1890	1	65	100	3	7	6	9030	7140	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6538	6538	0.933333
1794	027	3010	0.07	1225	1	65	100	3	7	6	9030	7805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7203	7203	0.933333
1794	028	3010	0.07	1915	1	65	100	3	7	6	9030	7115	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6513	6513	0.933333
1794	029	3010	0.07	1715	1	65	100	3	7	6	9030	7315	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6713	6713	0.933333
1794	030	3010	0.07	1175	1	65	100	3	7	6	9030	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7253	7253	0.933333
1794	031	3010	0.07	1330	1	65	100	3	7	6	9030	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7098	7098	0.933333
1794	032	3010	0.07	1435	1	65	100	3	7	6	9030	7595	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6993	6993	0.933333
1794	033	3010	0.07	1631	1	65	100	3	7	6	9030	7399	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6797	6797	0.933333
1794	034	3010	0.07	2315	1	65	100	3	7	6	9030	6715	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6113	6113	0.933333
1794	035	3010	0.07	1765	1	65	100	3	7	6	9030	7265	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6663	6663	0.933333
1794	038	2867	0.07	695	1	65	100	3	7	6	8601	7906	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8027.600098	7332.600098	7332.600098	0.933333
1795	002	3000	0.07	1962	1	65	100	3	7	6	9000	7038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6438	6438	0.933333
1795	003	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
1795	004	3000	0.07	1211	1	65	100	3	7	6	9000	7789	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7189	7189	0.933333
1795	006	3000	0.07	1608	1	65	100	3	7	6	9000	7392	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6792	6792	0.933333
1795	008	3000	0.07	1814	1	65	100	3	7	6	9000	7186	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6586	6586	0.933333
1795	009	3000	0.07	2377	1	65	100	3	7	6	9000	6623	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6023	6023	0.933333
1795	011	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
1795	011A	3000	0.07	1696	1	65	100	3	7	6	9000	7304	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6704	6704	0.933333
1795	012	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
1795	013	3000	0.07	2320	1	85	140	4	10	9	12000	9680	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6080	6080	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1795	014	3000	0.07	1543	1	85	140	4	10	9	12000	10457	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6857	6857	0.7
1795	014A	3000	0.07	1290	1	85	140	4	10	9	12000	10710	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	7110	7110	0.7
1795	019	2846	0.07	2364	1	65	100	3	7	6	8538	6174	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	5604.799805	5604.799805	0.933333
1795	019A	3000	0.07	1324	1	65	100	3	7	6	9000	7676	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7076	7076	0.933333
1795	019B	3000	0.07	1460	1	65	100	3	7	6	9000	7540	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6940	6940	0.933333
1795	021	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6825	6825	0.933333
1795	022	3000	0.07	1729	1	65	100	3	7	6	9000	7271	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6671	6671	0.933333
1795	023	3000	0.07	1673	1	65	100	3	7	6	9000	7327	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6727	6727	0.933333
1795	023A	3000	0.07	2030	1	65	100	3	7	6	9000	6970	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6370	6370	0.933333
1795	025	3000	0.07	2080	1	65	100	3	7	6	9000	6920	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6320	6320	0.933333
1795	026	3000	0.07	1313	1	65	100	3	7	6	9000	7687	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7087	7087	0.933333
1795	026A	3000	0.07	1313	1	65	100	3	7	6	9000	7687	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7087	7087	0.933333
1795	029	3250	0.07	5810	7	65	100	3	7	0	9750	3940	NC-1	65	form-based		true	true	0.75	12	1.714285731	5	5	14625	8815	8815	1.5
1795	031	2500	0.06	3554	4	65	100	3	6	2	7500	3946	NC-1	65	form-based			true	0.75	9	1.5	5	5	11250	7696	7696	1.5
1795	035	2500	0.06	3644	4	65	100	3	6	2	7500	3856	NC-1	65	form-based			true	0.75	9	1.5	5	5	11250	7606	7606	1.5
1795	040	1077	0.02	1083	1	65	100	3	2	1	3231	2148	RTO-C	85	form-based			true	0.75	6	3	5	3	6462	5379	5379	2
1796	002	3012	0.07	1300	1	65	100	3	7	6	9036	7736	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7133.599609	7133.599609	0.933333
1796	004	3012	0.07	3090	1	65	100	3	7	6	9036	5946	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	5343.599609	5343.599609	0.933333
1796	005	3012	0.07	1275	1	65	100	3	7	6	9036	7761	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7158.599609	7158.599609	0.933333
1796	006	3012	0.07	1760	1	65	100	3	7	6	9036	7276	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6673.599609	6673.599609	0.933333
1796	007	3012	0.07	1330	1	65	100	3	7	6	9036	7706	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7103.599609	7103.599609	0.933333
1796	008	3012	0.07	1594	1	65	100	3	7	6	9036	7442	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6839.599609	6839.599609	0.933333
1796	008A	3012	0.07	1911	1	65	100	3	7	6	9036	7125	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6522.599609	6522.599609	0.933333
1796	009	3012	0.07	2100	1	65	100	3	7	6	9036	6936	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6333.599609	6333.599609	0.933333
1796	009A	3012	0.07	1025	1	65	100	3	7	6	9036	8011	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7408.599609	7408.599609	0.933333
1796	010	3012	0.07	1711	1	65	100	3	7	6	9036	7325	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6722.599609	6722.599609	0.933333
1796	011	3012	0.07	1125	1	65	100	3	7	6	9036	7911	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7308.599609	7308.599609	0.933333
1796	012	3012	0.07	2461	1	65	100	3	7	6	9036	6575	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	5972.599609	5972.599609	0.933333
1796	013	3012	0.07	2619	1	65	100	3	7	6	9036	6417	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	5814.599609	5814.599609	0.933333
1796	014	3012	0.07	2003	1	65	100	3	7	6	9036	7033	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6430.599609	6430.599609	0.933333
1796	015	2851	0.07	1385	1	65	100	3	7	6	8553	7168	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7982.799805	6597.799805	6597.799805	0.933333
1796	022	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
1796	023	3000	0.07	1515	1	65	100	3	7	6	9000	7485	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6885	6885	0.933333
1796	024	3000	0.07	1538	1	65	100	3	7	6	9000	7462	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6862	6862	0.933333
1796	024A	3000	0.07	1386	1	65	100	3	7	6	9000	7614	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7014	7014	0.933333
1796	030	3000	0.07	2815	1	65	100	3	7	6	9000	6185	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5585	5585	0.933333
1796	032	3000	0.07	1327	1	65	100	3	7	6	9000	7673	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7073	7073	0.933333
1796	033	3000	0.07	1466	1	65	100	3	7	6	9000	7534	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6934	6934	0.933333
1797	001	1616	0.04	1869	1	65	100	3	4	3	4848	2979	RTO-C	65	form-based		true	true	0.75	6	1.5	5	5	7272	5403	5403	1.5
1797	001B	1663	0.04	1072	1	65	100	3	4	3	4989	3917	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7483.5	6411.5	6411.5	1.5
1797	012	3019	0.07	1564	1	85	140	4	10	9	12076	10512	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8453.200195	6889.200195	6889.200195	0.7
1797	013B	1264	0.03	1367	2	65	100	3	3	1	3792	2425	RTO-C	85	form-based		true	true	0.75	7	2.333333254	5	4	7584	6217	6217	2
1797	022	3000	0.07	875	1	85	140	4	10	9	12000	11125	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	7525	7525	0.7
1797	027	3000	0.07	1570	1	65	100	3	7	6	9000	7430	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6830	6830	0.933333
1797	028	3000	0.07	2327	1	65	100	3	7	6	9000	6673	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6073	6073	0.933333
1797	028A	3000	0.07	2383	1	65	100	3	7	6	9000	6617	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6017	6017	0.933333
1797	029	3000	0.07	1177	1	65	100	3	7	6	9000	7823	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7223	7223	0.933333
1797	030	3000	0.07	1875	1	65	100	3	7	6	9000	7125	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6525	6525	0.933333
1797	033	2464	0.06	3650	4	65	100	3	6	2	7392	3742	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11088	7438	7438	1.5
1797	036	2062	0.05	2855	3	65	100	3	5	2	6186	3331	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	9279	6424	6424	1.5
1797	037	2063	0.05	2935	3	65	100	3	5	2	6189	3254	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	9283.5	6348.5	6348.5	1.5
1797	038	2062	0.05	2855	3	65	100	3	5	2	6186	3331	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	9279	6424	6424	1.5
1798	005	3000	0.07	1030	1	65	100	3	7	6	9000	7970	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7370	7370	0.933333
1798	006	3000	0.07	1030	1	65	100	3	7	6	9000	7970	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7370	7370	0.933333
1798	007	3000	0.07	1568	1	65	100	3	7	6	9000	7432	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6832	6832	0.933333
1798	008	3000	0.07	1765	1	65	100	3	7	6	9000	7235	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6635	6635	0.933333
1798	009	3000	0.07	1030	1	65	100	3	7	6	9000	7970	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7370	7370	0.933333
1798	010	3000	0.07	1030	1	65	100	3	7	6	9000	7970	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7370	7370	0.933333
1798	012	3000	0.07	1030	1	65	100	3	7	6	9000	7970	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7370	7370	0.933333
1798	013	3000	0.07	1840	1	65	100	3	7	6	9000	7160	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6560	6560	0.933333
1798	014	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
1798	015	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1798	016	3000	0.07	2097	1	65	100	3	7	6	9000	6903	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6303	6303	0.933333
1798	018	3000	0.07	1978	1	85	140	4	10	9	12000	10022	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6422	6422	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1798	032	3013	0.07	1412	1	65	100	3	7	6	9039	7627	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7024.399414	7024.399414	0.933333
1798	033	3013	0.07	1054	1	65	100	3	7	6	9039	7985	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7382.399414	7382.399414	0.933333
1798	034	3013	0.07	1054	1	65	100	3	7	6	9039	7985	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7382.399414	7382.399414	0.933333
1798	035	3013	0.07	1075	1	65	100	3	7	6	9039	7964	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7361.399414	7361.399414	0.933333
1798	036	3013	0.07	1075	1	65	100	3	7	6	9039	7964	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7361.399414	7361.399414	0.933333
1798	037	3013	0.07	1054	1	65	100	3	7	6	9039	7985	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7382.399414	7382.399414	0.933333
1798	038	3013	0.07	1054	1	65	100	3	7	6	9039	7985	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7382.399414	7382.399414	0.933333
1798	039	3013	0.07	1289	1	65	100	3	7	6	9039	7750	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7147.399414	7147.399414	0.933333
1798	040	3013	0.07	1155	1	65	100	3	7	6	9039	7884	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7281.399414	7281.399414	0.933333
1798	041	3013	0.07	1510	1	65	100	3	7	6	9039	7529	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6926.399414	6926.399414	0.933333
1798	042	3013	0.07	1763	1	65	100	3	7	6	9039	7276	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6673.399414	6673.399414	0.933333
1798	043	3013	0.07	1155	1	65	100	3	7	6	9039	7884	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7281.399414	7281.399414	0.933333
1798	045	3013	0.07	1415	1	65	100	3	7	6	9039	7624	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7021.399414	7021.399414	0.933333
1798	046	3013	0.07	2066	1	65	100	3	7	6	9039	6973	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6370.399414	6370.399414	0.933333
1798	053	1763	0.04	1567	2	65	100	3	4	2	5289	3722	RTO-C	65	form-based			true	0.75	7	1.75	5	5	7933.5	6366.5	6366.5	1.5
1798	057	4547	0.1	4087	5	85	140	4	14	9	18188	14101	RH-2	40	form-based			true	0.7	10	0.714285731	5	5	12731.59961	8644.599609	8644.599609	0.7
1799	002	3004	0.07	1200	1	65	100	3	7	6	9012	7812	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7211.200195	7211.200195	0.933333
1799	003	3004	0.07	1344	1	65	100	3	7	6	9012	7668	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7067.200195	7067.200195	0.933333
1799	004	3004	0.07	1064	1	65	100	3	7	6	9012	7948	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7347.200195	7347.200195	0.933333
1799	005	3004	0.07	1030	1	65	100	3	7	6	9012	7982	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7381.200195	7381.200195	0.933333
1799	006	3004	0.07	1726	1	65	100	3	7	6	9012	7286	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6685.200195	6685.200195	0.933333
1799	007	3004	0.07	1030	1	65	100	3	7	6	9012	7982	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7381.200195	7381.200195	0.933333
1799	008	3004	0.07	1617	1	65	100	3	7	6	9012	7395	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6794.200195	6794.200195	0.933333
1799	008A	3004	0.07	1581	1	65	100	3	7	6	9012	7431	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6830.200195	6830.200195	0.933333
1799	010	3004	0.07	2234	1	65	100	3	7	6	9012	6778	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6177.200195	6177.200195	0.933333
1799	010A	3004	0.07	2030	1	65	100	3	7	6	9012	6982	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6381.200195	6381.200195	0.933333
1799	010B	3004	0.07	2287	1	65	100	3	7	6	9012	6725	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6124.200195	6124.200195	0.933333
1799	010C	3004	0.07	1500	1	65	100	3	7	6	9012	7512	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6911.200195	6911.200195	0.933333
1799	011	3004	0.07	1994	1	65	100	3	7	6	9012	7018	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6417.200195	6417.200195	0.933333
1799	012	3004	0.07	2121	1	65	100	3	7	6	9012	6891	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6290.200195	6290.200195	0.933333
1799	026	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
1799	026A	3000	0.07	1212	1	65	100	3	7	6	9000	7788	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7188	7188	0.933333
1799	027	2736	0.06	975	1	65	100	3	6	5	8208	7233	RH-2	40	form-based			true	0.7	6	1	5	5	7660.799805	6685.799805	6685.799805	0.933333
1799	028	2736	0.06	975	1	65	100	3	6	5	8208	7233	RH-2	40	form-based			true	0.7	6	1	5	5	7660.799805	6685.799805	6685.799805	0.933333
1799	028A	2736	0.06	975	1	65	100	3	6	5	8208	7233	RH-2	40	form-based			true	0.7	6	1	5	5	7660.799805	6685.799805	6685.799805	0.933333
1799	030	3000	0.07	900	1	65	100	3	7	6	9000	8100	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7500	7500	0.933333
1799	030A	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1799	031	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
1799	032	3000	0.07	2245	1	65	100	3	7	6	9000	6755	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6155	6155	0.933333
1799	033	3000	0.07	1080	1	65	100	3	7	6	9000	7920	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7320	7320	0.933333
1800	006	3005	0.07	3233	1	65	100	3	7	6	9015	5782	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	5181	5181	0.933333
1800	007	3005	0.07	2568	1	65	100	3	7	6	9015	6447	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	5846	5846	0.933333
1800	008	3005	0.07	1800	1	65	100	3	7	6	9015	7215	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	6614	6614	0.933333
1800	008A	3005	0.07	1650	1	65	100	3	7	6	9015	7365	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	6764	6764	0.933333
1800	009	3005	0.07	1300	1	65	100	3	7	6	9015	7715	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	7114	7114	0.933333
1800	010	3005	0.07	2380	1	65	100	3	7	6	9015	6635	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	6034	6034	0.933333
1800	010B	3005	0.07	875	1	65	100	3	7	6	9015	8140	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	7539	7539	0.933333
1800	010C	3005	0.07	1290	1	65	100	3	7	6	9015	7725	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	7124	7124	0.933333
1800	010E	3000	0.07	1807	1	85	140	4	10	9	12000	10193	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6593	6593	0.7
1800	010F	3000	0.07	2907	1	85	140	4	10	9	12000	9093	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	5493	5493	0.7
1800	010G	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
1800	010I	3005	0.07	1296	1	65	100	3	7	6	9015	7719	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	7118	7118	0.933333
1800	010J	3005	0.07	1312	1	85	140	4	10	9	12020	10708	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8414	7102	7102	0.7
1800	010K	3005	0.07	1250	1	85	140	4	10	9	12020	10770	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8414	7164	7164	0.7
1800	010L	3000	0.07	1670	1	85	140	4	10	9	12000	10330	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6730	6730	0.7
1800	010M	3000	0.07	1375	1	85	140	4	10	9	12000	10625	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	7025	7025	0.7
1800	010N	3000	0.07	3177	1	65	100	3	7	6	9000	5823	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5223	5223	0.933333
1800	012	3000	0.07	2264	1	65	100	3	7	6	9000	6736	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6136	6136	0.933333
1800	014	3000	0.07	2757	1	65	100	3	7	6	9000	6243	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5643	5643	0.933333
1800	015	3000	0.07	925	1	65	100	3	7	6	9000	8075	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7475	7475	0.933333
1800	016	3000	0.07	955	1	65	100	3	7	6	9000	8045	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7445	7445	0.933333
1800	017	3000	0.07	960	1	65	100	3	7	6	9000	8040	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7440	7440	0.933333
1800	021	1531	0.04	1724	1	65	100	3	4	3	4593	2869	RTO-C	65	form-based	true		true	0.75	6	1.5	5	5	6889.5	5165.5	5165.5	1.5
1800	021A	1690	0.04	1690	1	65	100	3	4	3	5070	3380	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7605	5915	5915	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1801	005	3003	0.07	2440	1	65	100	3	7	6	9009	6569	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	5968.399414	5968.399414	0.933333
1801	006	3003	0.07	1799	1	65	100	3	7	6	9009	7210	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6609.399414	6609.399414	0.933333
1801	007	3003	0.07	1200	1	65	100	3	7	6	9009	7809	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7208.399414	7208.399414	0.933333
1801	007A	3003	0.07	1415	1	65	100	3	7	6	9009	7594	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6993.399414	6993.399414	0.933333
1801	009	3003	0.07	1169	1	65	100	3	7	6	9009	7840	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7239.399414	7239.399414	0.933333
1801	010	3003	0.07	1200	1	65	100	3	7	6	9009	7809	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7208.399414	7208.399414	0.933333
1801	011	3003	0.07	1010	1	65	100	3	7	6	9009	7999	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7398.399414	7398.399414	0.933333
1801	014	3003	0.07	1000	1	85	140	4	10	9	12012	11012	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8408.399414	7408.399414	7408.399414	0.7
1801	015	2935	0.07	1504	1	85	140	4	10	9	11740	10236	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8218	6714	6714	0.7
1801	026	3000	0.07	1909	1	65	100	3	7	6	9000	7091	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6491	6491	0.933333
1801	033	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
1801	035	3000	0.07	2046	1	65	100	3	7	6	9000	6954	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6354	6354	0.933333
1801	036	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1801	037	3000	0.07	1506	1	65	100	3	7	6	9000	7494	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6894	6894	0.933333
1801	038	3000	0.07	825	1	65	100	3	7	6	9000	8175	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7575	7575	0.933333
1801	039	3000	0.07	950	1	65	100	3	7	6	9000	8050	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7450	7450	0.933333
1801	040	3000	0.07	1605	1	65	100	3	7	6	9000	7395	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6795	6795	0.933333
1801	041A	1595	0.04	1040	1	65	100	3	4	3	4785	3745	RTO-C	65	form-based		true	true	0.75	6	1.5	5	5	7177.5	6137.5	6137.5	1.5
1801	045	2477	0.06	2500	4	65	100	3	6	2	7431	4931	NC-1	65	form-based			true	0.75	9	1.5	5	5	11146.5	8646.5	8646.5	1.5
1801	046	2477	0.06	1700	4	65	100	3	6	2	7431	5731	NC-1	65	form-based			true	0.75	9	1.5	5	5	11146.5	9446.5	9446.5	1.5
1801	051	6006	0.14	5860	8	65	100	3	14	6	18018	12158	RH-2	40	form-based			true	0.7	13	0.928571403	5	5	16816.79883	10956.79883	10956.79883	0.933333
1802	004	2983	0.07	2773	1	65	100	3	7	6	8949	6176	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	5579.399414	5579.399414	0.933333
1802	004A	2983	0.07	862	1	65	100	3	7	6	8949	8087	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7490.399414	7490.399414	0.933333
1802	004B	3000	0.07	2016	1	65	100	3	7	6	9000	6984	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6384	6384	0.933333
1802	004D	3000	0.07	1745	1	65	100	3	7	6	9000	7255	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6655	6655	0.933333
1802	004E	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
1802	005	2983	0.07	1438	1	65	100	3	7	6	8949	7511	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6914.399414	6914.399414	0.933333
1802	005A	2983	0.07	1412	1	65	100	3	7	6	8949	7537	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6940.399414	6940.399414	0.933333
1802	006	2983	0.07	1305	1	65	100	3	7	6	8949	7644	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7047.399414	7047.399414	0.933333
1802	009	2983	0.07	900	1	65	100	3	7	6	8949	8049	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7452.399414	7452.399414	0.933333
1802	011	2915	0.07	2049	1	65	100	3	7	6	8745	6696	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8162	6113	6113	0.933333
1802	023	3000	0.07	528	1	65	100	3	7	6	9000	8472	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7872	7872	0.933333
1802	024	3000	0.07	920	1	65	100	3	7	6	9000	8080	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7480	7480	0.933333
1802	026B	3000	0.07	1386	1	65	100	3	7	6	9000	7614	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7014	7014	0.933333
1802	027	3000	0.07	2520	1	65	100	3	7	6	9000	6480	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5880	5880	0.933333
1802	028	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
1803	003	3000	0.07	1177	1	65	100	3	7	6	9000	7823	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7223	7223	0.933333
1803	003A	3000	0.07	1177	1	65	100	3	7	6	9000	7823	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7223	7223	0.933333
1803	003B	3000	0.07	1177	1	65	100	3	7	6	9000	7823	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7223	7223	0.933333
1803	005	3000	0.07	925	1	65	100	3	7	6	9000	8075	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7475	7475	0.933333
1803	006	3000	0.07	1282	1	65	100	3	7	6	9000	7718	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7118	7118	0.933333
1803	007	3000	0.07	1282	1	65	100	3	7	6	9000	7718	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7118	7118	0.933333
1803	010A	3000	0.07	1168	1	65	100	3	7	6	9000	7832	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7232	7232	0.933333
1803	026A	3021	0.07	1500	1	65	100	3	7	6	9063	7563	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6958.799805	6958.799805	0.933333
1803	026B	3021	0.07	1168	1	65	100	3	7	6	9063	7895	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7290.799805	7290.799805	0.933333
1803	027	3021	0.07	1000	1	65	100	3	7	6	9063	8063	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7458.799805	7458.799805	0.933333
1803	031	3021	0.07	1050	1	65	100	3	7	6	9063	8013	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7408.799805	7408.799805	0.933333
1803	032	3021	0.07	1336	1	65	100	3	7	6	9063	7727	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7122.799805	7122.799805	0.933333
1803	033	3021	0.07	1025	1	65	100	3	7	6	9063	8038	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7433.799805	7433.799805	0.933333
1803	034	3021	0.07	1000	1	65	100	3	7	6	9063	8063	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7458.799805	7458.799805	0.933333
1803	035	3021	0.07	1550	1	65	100	3	7	6	9063	7513	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6908.799805	6908.799805	0.933333
1803	036	2953	0.07	1168	1	65	100	3	7	6	8859	7691	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8268.399414	7100.399414	7100.399414	0.933333
1805	004	3000	0.07	800	1	85	140	4	10	9	12000	11200	RM-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
1805	005	3000	0.07	800	1	85	140	4	10	9	12000	11200	RM-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
1805	007	3000	0.07	800	1	65	100	3	7	6	9000	8200	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
1805	008	3000	0.07	800	1	65	100	3	7	6	9000	8200	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
1805	025	3021	0.07	1580	1	65	100	3	7	6	9063	7483	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6878.799805	6878.799805	0.933333
1805	035	3021	0.07	892	1	65	100	3	7	6	9063	8171	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7566.799805	7566.799805	0.933333
1805	037A	2659	0.06	1544	1	65	100	3	6	5	7977	6433	RM-1	40	form-based			true	0.7	6	1	5	5	7445.199707	5901.199707	5901.199707	0.933333
1805	053	2611	0.06	0	0	85	140	4	8	8	10444	10444	RM-1	40	form-based		true	true	0.7	5	0.625	5	5	7310.799805	7310.799805	7310.799805	0.7
1805	054	6043	0.14	4352	8	65	100	3	14	6	18129	13777	RM-1	40	form-based			true	0.7	13	0.928571403	5	5	16920.40039	12568.40039	12568.40039	0.933333
1806	007	2983	0.07	1100	1	65	100	3	7	6	8949	7849	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7252.399414	7252.399414	0.933333
1806	008	2983	0.07	1308	1	65	100	3	7	6	8949	7641	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7044.399414	7044.399414	0.933333
1806	009	2983	0.07	1125	1	65	100	3	7	6	8949	7824	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7227.399414	7227.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1806	009A	2983	0.07	1335	1	65	100	3	7	6	8949	7614	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7017.399414	7017.399414	0.933333
1806	010	2983	0.07	1271	1	65	100	3	7	6	8949	7678	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7081.399414	7081.399414	0.933333
1806	011	2983	0.07	860	1	65	100	3	7	6	8949	8089	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7492.399414	7492.399414	0.933333
1806	012	2934	0.07	905	1	65	100	3	7	6	8802	7897	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8215.200195	7310.200195	7310.200195	0.933333
1806	019	2951	0.07	1168	1	65	100	3	7	6	8853	7685	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8262.799805	7094.799805	7094.799805	0.933333
1806	019A	3000	0.07	1168	1	65	100	3	7	6	9000	7832	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7232	7232	0.933333
1806	022	4500	0.1	4112	4	65	100	3	10	6	13500	9388	RM-1	40	form-based			true	0.7	9	0.899999976	5	5	12600	8488	8488	0.933333
1806	028	3000	0.07	1036	1	85	140	4	10	9	12000	10964	RM-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7364	7364	0.7
1806	029	3000	0.07	1168	1	85	140	4	10	9	12000	10832	RM-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7232	7232	0.7
1806	030	3000	0.07	1343	1	85	140	4	10	9	12000	10657	RM-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7057	7057	0.7
1807	002	3003	0.07	1050	1	85	140	4	10	9	12012	10962	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8408.399414	7358.399414	7358.399414	0.7
1807	002A	3003	0.07	1612	1	85	140	4	10	9	12012	10400	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8408.399414	6796.399414	6796.399414	0.7
1807	002B	3003	0.07	1050	1	85	140	4	10	9	12012	10962	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8408.399414	7358.399414	7358.399414	0.7
1807	003	3003	0.07	770	1	65	100	3	7	6	9009	8239	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7638.399414	7638.399414	0.933333
1807	004	3003	0.07	660	1	65	100	3	7	6	9009	8349	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7748.399414	7748.399414	0.933333
1807	004A	3003	0.07	722	1	65	100	3	7	6	9009	8287	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7686.399414	7686.399414	0.933333
1807	005	3003	0.07	1195	1	65	100	3	7	6	9009	7814	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7213.399414	7213.399414	0.933333
1807	005A	3003	0.07	1575	1	65	100	3	7	6	9009	7434	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6833.399414	6833.399414	0.933333
1807	006	3003	0.07	1175	1	65	100	3	7	6	9009	7834	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7233.399414	7233.399414	0.933333
1807	007	3003	0.07	1175	1	65	100	3	7	6	9009	7834	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7233.399414	7233.399414	0.933333
1807	008	3003	0.07	1000	1	65	100	3	7	6	9009	8009	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7408.399414	7408.399414	0.933333
1807	011A	3038	0.07	1050	1	65	100	3	7	6	9114	8064	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	7456.399414	7456.399414	0.933333
1807	012	3003	0.07	1551	1	65	100	3	7	6	9009	7458	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6857.399414	6857.399414	0.933333
1807	013	2954	0.07	1350	1	65	100	3	7	6	8862	7512	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8271.200195	6921.200195	6921.200195	0.933333
1807	021	3000	0.07	930	1	65	100	3	7	6	9000	8070	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7470	7470	0.933333
1807	026	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1807	027	3000	0.07	932	1	65	100	3	7	6	9000	8068	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7468	7468	0.933333
1807	028	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
1807	029	3000	0.07	1405	1	65	100	3	7	6	9000	7595	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6995	6995	0.933333
1807	030	3000	0.07	785	1	65	100	3	7	6	9000	8215	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7615	7615	0.933333
1807	031	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
1807	033	3000	0.07	1460	1	85	140	4	10	9	12000	10540	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6940	6940	0.7
1808	003	2951	0.07	1100	1	65	100	3	7	6	8853	7753	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8262.799805	7162.799805	7162.799805	0.933333
1808	004	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
1808	005	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
1808	006	3000	0.07	1852	1	65	100	3	7	6	9000	7148	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6548	6548	0.933333
1808	007	3000	0.07	1580	1	65	100	3	7	6	9000	7420	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6820	6820	0.933333
1808	008	3000	0.07	2427	1	65	100	3	7	6	9000	6573	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5973	5973	0.933333
1808	009	3000	0.07	1672	1	65	100	3	7	6	9000	7328	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6728	6728	0.933333
1808	010	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
1808	011	3000	0.07	1834	1	65	100	3	7	6	9000	7166	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6566	6566	0.933333
1808	012	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
1808	013	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
1808	014	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
1808	016	3000	0.07	1775	1	65	100	3	7	6	9000	7225	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6625	6625	0.933333
1808	017	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
1808	018	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1808	030	3005	0.07	1030	1	65	100	3	7	6	9015	7985	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7384	7384	0.933333
1808	031	3005	0.07	1030	1	65	100	3	7	6	9015	7985	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7384	7384	0.933333
1808	032	3005	0.07	1330	1	65	100	3	7	6	9015	7685	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7084	7084	0.933333
1808	033	3005	0.07	1781	1	65	100	3	7	6	9015	7234	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6633	6633	0.933333
1808	034	3005	0.07	1030	1	65	100	3	7	6	9015	7985	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7384	7384	0.933333
1808	035	3005	0.07	1200	1	65	100	3	7	6	9015	7815	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7214	7214	0.933333
1808	036	3005	0.07	1030	1	65	100	3	7	6	9015	7985	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7384	7384	0.933333
1808	037	3005	0.07	1180	1	65	100	3	7	6	9015	7835	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7234	7234	0.933333
1808	038	3005	0.07	1646	1	65	100	3	7	6	9015	7369	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6768	6768	0.933333
1808	039	3005	0.07	1607	1	65	100	3	7	6	9015	7408	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6807	6807	0.933333
1808	040	3005	0.07	1280	1	65	100	3	7	6	9015	7735	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7134	7134	0.933333
1808	041	3005	0.07	1647	1	65	100	3	7	6	9015	7368	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6767	6767	0.933333
1808	042	3005	0.07	1670	1	65	100	3	7	6	9015	7345	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6744	6744	0.933333
1808	043	3005	0.07	2146	1	85	140	4	10	9	12020	9874	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8414	6268	6268	0.7
1808	044	3005	0.07	1050	1	85	140	4	10	9	12020	10970	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8414	7364	7364	0.7
1808	045	2956	0.07	1030	1	85	140	4	10	9	11824	10794	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8276.799805	7246.799805	7246.799805	0.7
1809	002	3002	0.07	1125	1	65	100	3	7	6	9006	7881	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7280.599609	7280.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1809	002A	3002	0.07	1884	1	65	100	3	7	6	9006	7122	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6521.599609	6521.599609	0.933333
1809	003	3002	0.07	1625	1	65	100	3	7	6	9006	7381	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6780.599609	6780.599609	0.933333
1809	003A	3002	0.07	2803	1	65	100	3	7	6	9006	6203	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	5602.599609	5602.599609	0.933333
1809	004	3002	0.07	1905	1	65	100	3	7	6	9006	7101	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6500.599609	6500.599609	0.933333
1809	005	3002	0.07	1535	1	65	100	3	7	6	9006	7471	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6870.599609	6870.599609	0.933333
1809	005A	3002	0.07	1455	1	65	100	3	7	6	9006	7551	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6950.599609	6950.599609	0.933333
1809	006	3002	0.07	1515	1	65	100	3	7	6	9006	7491	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6890.599609	6890.599609	0.933333
1809	006A	3002	0.07	1075	1	65	100	3	7	6	9006	7931	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7330.599609	7330.599609	0.933333
1809	007	3002	0.07	1737	1	65	100	3	7	6	9006	7269	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6668.599609	6668.599609	0.933333
1809	007A	3002	0.07	1187	1	65	100	3	7	6	9006	7819	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7218.599609	7218.599609	0.933333
1809	017	2953	0.07	1370	1	65	100	3	7	6	8859	7489	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8268.399414	6898.399414	6898.399414	0.933333
1809	018	3002	0.07	1093	1	65	100	3	7	6	9006	7913	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7312.599609	7312.599609	0.933333
1809	019	3002	0.07	1913	1	65	100	3	7	6	9006	7093	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6492.599609	6492.599609	0.933333
1809	020	3002	0.07	815	1	65	100	3	7	6	9006	8191	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7590.599609	7590.599609	0.933333
1809	021A	3002	0.07	2009	1	65	100	3	7	6	9006	6997	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6396.599609	6396.599609	0.933333
1809	022	3002	0.07	1760	1	65	100	3	7	6	9006	7246	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6645.599609	6645.599609	0.933333
1809	022A	3002	0.07	1418	1	65	100	3	7	6	9006	7588	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6987.599609	6987.599609	0.933333
1809	023	3002	0.07	1863	1	65	100	3	7	6	9006	7143	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6542.599609	6542.599609	0.933333
1809	023A	3002	0.07	1269	1	65	100	3	7	6	9006	7737	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7136.599609	7136.599609	0.933333
1809	024	3002	0.07	1222	1	65	100	3	7	6	9006	7784	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7183.599609	7183.599609	0.933333
1809	024A	3002	0.07	1013	1	65	100	3	7	6	9006	7993	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7392.599609	7392.599609	0.933333
1809	025	3002	0.07	1150	1	65	100	3	7	6	9006	7856	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7255.599609	7255.599609	0.933333
1809	025A	3002	0.07	1000	1	65	100	3	7	6	9006	8006	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7405.599609	7405.599609	0.933333
1809	026	3002	0.07	1848	1	65	100	3	7	6	9006	7158	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6557.599609	6557.599609	0.933333
1809	026A	3002	0.07	1548	1	65	100	3	7	6	9006	7458	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6857.599609	6857.599609	0.933333
1810	002	2964	0.07	1600	1	85	140	4	10	9	11856	10256	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8299.200195	6699.200195	6699.200195	0.7
1810	003	3013	0.07	2100	1	85	140	4	10	9	12052	9952	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8436.399414	6336.399414	6336.399414	0.7
1810	004	3013	0.07	2100	1	85	140	4	10	9	12052	9952	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8436.399414	6336.399414	6336.399414	0.7
1810	005	3013	0.07	1500	1	85	140	4	10	9	12052	10552	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8436.399414	6936.399414	6936.399414	0.7
1810	005A	3013	0.07	1395	1	65	100	3	7	6	9039	7644	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7041.399414	7041.399414	0.933333
1810	006	3013	0.07	1294	1	65	100	3	7	6	9039	7745	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7142.399414	7142.399414	0.933333
1810	007	3013	0.07	1208	1	65	100	3	7	6	9039	7831	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7228.399414	7228.399414	0.933333
1810	008	3013	0.07	1268	1	65	100	3	7	6	9039	7771	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7168.399414	7168.399414	0.933333
1810	009	3013	0.07	1388	1	65	100	3	7	6	9039	7651	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7048.399414	7048.399414	0.933333
1810	010	3013	0.07	700	1	65	100	3	7	6	9039	8339	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7736.399414	7736.399414	0.933333
1810	011	3013	0.07	840	1	65	100	3	7	6	9039	8199	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7596.399414	7596.399414	0.933333
1810	012	3013	0.07	2451	1	65	100	3	7	6	9039	6588	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	5985.399414	5985.399414	0.933333
1810	013	3013	0.07	2447	1	65	100	3	7	6	9039	6592	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	5989.399414	5989.399414	0.933333
1810	014	3013	0.07	1493	1	65	100	3	7	6	9039	7546	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6943.399414	6943.399414	0.933333
1810	015	3013	0.07	2000	1	65	100	3	7	6	9039	7039	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6436.399414	6436.399414	0.933333
1810	016	3013	0.07	2000	1	65	100	3	7	6	9039	7039	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6436.399414	6436.399414	0.933333
1810	026	3000	0.07	1610	1	65	100	3	7	6	9000	7390	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6790	6790	0.933333
1810	026A	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
1810	027	3000	0.07	1130	1	65	100	3	7	6	9000	7870	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7270	7270	0.933333
1810	028	3000	0.07	1130	1	65	100	3	7	6	9000	7870	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7270	7270	0.933333
1810	029	3000	0.07	1420	1	65	100	3	7	6	9000	7580	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6980	6980	0.933333
1810	030	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1810	031	3000	0.07	1686	1	65	100	3	7	6	9000	7314	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6714	6714	0.933333
1810	032	3000	0.07	1176	1	65	100	3	7	6	9000	7824	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7224	7224	0.933333
1810	033	3000	0.07	1656	1	65	100	3	7	6	9000	7344	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6744	6744	0.933333
1810	034	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
1810	034A	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
1810	034B	3000	0.07	1140	1	65	100	3	7	6	9000	7860	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7260	7260	0.933333
1810	035	3000	0.07	770	1	85	140	4	10	9	12000	11230	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7630	7630	0.7
1810	036	2951	0.07	1714	1	85	140	4	10	9	11804	10090	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8262.799805	6548.799805	6548.799805	0.7
1811	002	2991	0.07	1350	1	85	140	4	10	9	11964	10614	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8374.799805	7024.799805	7024.799805	0.7
1811	003	3040	0.07	1324	1	65	100	3	7	6	9120	7796	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	7188	7188	0.933333
1811	004	3040	0.07	1959	1	65	100	3	7	6	9120	7161	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	6553	6553	0.933333
1811	005	3040	0.07	1475	1	65	100	3	7	6	9120	7645	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	7037	7037	0.933333
1811	006	3040	0.07	1250	1	65	100	3	7	6	9120	7870	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	7262	7262	0.933333
1811	007	3040	0.07	1350	1	65	100	3	7	6	9120	7770	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	7162	7162	0.933333
1811	008	3040	0.07	1350	1	65	100	3	7	6	9120	7770	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	7162	7162	0.933333
1811	009	3040	0.07	2015	1	65	100	3	7	6	9120	7105	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	6497	6497	0.933333
1811	010	3040	0.07	1748	1	65	100	3	7	6	9120	7372	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	6764	6764	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1811	011	3040	0.07	1325	1	65	100	3	7	6	9120	7795	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	7187	7187	0.933333
1811	012	3040	0.07	1566	1	65	100	3	7	6	9120	7554	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	6946	6946	0.933333
1811	013	3040	0.07	1350	1	65	100	3	7	6	9120	7770	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	7162	7162	0.933333
1811	013A	3040	0.07	1150	1	65	100	3	7	6	9120	7970	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	7362	7362	0.933333
1811	014	3040	0.07	1150	1	65	100	3	7	6	9120	7970	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	7362	7362	0.933333
1811	015	3040	0.07	1981	1	65	100	3	7	6	9120	7139	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	6531	6531	0.933333
1811	016	3040	0.07	1550	1	65	100	3	7	6	9120	7570	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	6962	6962	0.933333
1811	026	3000	0.07	1768	1	65	100	3	7	6	9000	7232	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6632	6632	0.933333
1811	027	3000	0.07	1445	1	65	100	3	7	6	9000	7555	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6955	6955	0.933333
1811	028	3000	0.07	1120	1	65	100	3	7	6	9000	7880	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7280	7280	0.933333
1811	029	3000	0.07	1105	1	65	100	3	7	6	9000	7895	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7295	7295	0.933333
1811	030	3000	0.07	1105	1	65	100	3	7	6	9000	7895	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7295	7295	0.933333
1811	032	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6775	6775	0.933333
1811	033	3000	0.07	1841	1	65	100	3	7	6	9000	7159	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6559	6559	0.933333
1811	034	3000	0.07	2730	1	65	100	3	7	6	9000	6270	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5670	5670	0.933333
1811	035	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
1811	036	3000	0.07	1227	1	65	100	3	7	6	9000	7773	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7173	7173	0.933333
1811	037	3000	0.07	1105	1	65	100	3	7	6	9000	7895	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7295	7295	0.933333
1811	038	3000	0.07	1657	1	65	100	3	7	6	9000	7343	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6743	6743	0.933333
1811	039	3000	0.07	1105	1	85	140	4	10	9	12000	10895	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7295	7295	0.7
1811	041	2951	0.07	1165	1	85	140	4	10	9	11804	10639	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8262.799805	7097.799805	7097.799805	0.7
1812	002	2941	0.07	1672	1	65	100	3	7	6	8823	7151	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8234.799805	6562.799805	6562.799805	0.933333
1812	003	2990	0.07	1225	1	65	100	3	7	6	8970	7745	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7147	7147	0.933333
1812	004	2990	0.07	1450	1	65	100	3	7	6	8970	7520	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6922	6922	0.933333
1812	005	2990	0.07	1211	1	65	100	3	7	6	8970	7759	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7161	7161	0.933333
1812	006	2990	0.07	1390	1	65	100	3	7	6	8970	7580	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6982	6982	0.933333
1812	007	2990	0.07	1874	1	65	100	3	7	6	8970	7096	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6498	6498	0.933333
1812	009	2990	0.07	2305	1	65	100	3	7	6	8970	6665	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6067	6067	0.933333
1812	010	2990	0.07	1470	1	65	100	3	7	6	8970	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6902	6902	0.933333
1812	011	2990	0.07	2300	1	65	100	3	7	6	8970	6670	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6072	6072	0.933333
1812	012	2990	0.07	1250	1	65	100	3	7	6	8970	7720	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7122	7122	0.933333
1812	013	2990	0.07	1250	1	65	100	3	7	6	8970	7720	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7122	7122	0.933333
1812	014	2990	0.07	1645	1	65	100	3	7	6	8970	7325	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6727	6727	0.933333
1812	015	2990	0.07	1190	1	65	100	3	7	6	8970	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7182	7182	0.933333
1812	016	2990	0.07	1050	1	65	100	3	7	6	8970	7920	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7322	7322	0.933333
1812	017	2990	0.07	1842	1	65	100	3	7	6	8970	7128	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6530	6530	0.933333
1812	025	3000	0.07	2070	1	65	100	3	7	6	9000	6930	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6330	6330	0.933333
1812	026	3000	0.07	1743	1	65	100	3	7	6	9000	7257	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6657	6657	0.933333
1812	027	3000	0.07	1440	1	65	100	3	7	6	9000	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6960	6960	0.933333
1812	028	3000	0.07	2350	1	65	100	3	7	6	9000	6650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6050	6050	0.933333
1812	029	3000	0.07	1440	1	65	100	3	7	6	9000	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6960	6960	0.933333
1812	030	3000	0.07	2203	1	65	100	3	7	6	9000	6797	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6197	6197	0.933333
1812	031	3000	0.07	2070	1	65	100	3	7	6	9000	6930	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6330	6330	0.933333
1812	032	3000	0.07	1608	1	65	100	3	7	6	9000	7392	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6792	6792	0.933333
1812	034	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1812	035	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
1812	036	3000	0.07	1680	1	65	100	3	7	6	9000	7320	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6720	6720	0.933333
1812	037	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
1812	038	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
1812	039	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
1812	040	2951	0.07	1335	1	65	100	3	7	6	8853	7518	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8262.799805	6927.799805	6927.799805	0.933333
1813	002	2951	0.07	1150	1	85	140	4	10	9	11804	10654	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8262.799805	7112.799805	7112.799805	0.7
1813	003	3000	0.07	2172	1	85	140	4	10	9	12000	9828	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6228	6228	0.7
1813	004	3000	0.07	1212	1	65	100	3	7	6	9000	7788	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7188	7188	0.933333
1813	005	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1813	006	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1813	007	3000	0.07	1655	1	65	100	3	7	6	9000	7345	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6745	6745	0.933333
1813	008	3000	0.07	2052	1	65	100	3	7	6	9000	6948	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6348	6348	0.933333
1813	009	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1813	010	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1813	011	3000	0.07	1460	1	65	100	3	7	6	9000	7540	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6940	6940	0.933333
1813	012	3000	0.07	2039	1	65	100	3	7	6	9000	6961	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6361	6361	0.933333
1813	013	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1813	014	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1813	015	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1813	016	3000	0.07	1834	1	65	100	3	7	6	9000	7166	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6566	6566	0.933333
1813	017	3000	0.07	1701	1	65	100	3	7	6	9000	7299	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6699	6699	0.933333
1813	027	3000	0.07	1826	1	65	100	3	7	6	9000	7174	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6574	6574	0.933333
1813	028	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1813	029	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
1813	030	3000	0.07	1418	1	65	100	3	7	6	9000	7582	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6982	6982	0.933333
1813	031	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1813	032	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1813	033	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1813	034	3000	0.07	2395	1	65	100	3	7	6	9000	6605	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6005	6005	0.933333
1813	035	3000	0.07	2085	1	65	100	3	7	6	9000	6915	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6315	6315	0.933333
1813	036	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6825	6825	0.933333
1813	037	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1813	038	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1813	039	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1813	040	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1813	041	3000	0.07	2846	1	65	100	3	7	6	9000	6154	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5554	5554	0.933333
1813	042	2951	0.07	1715	1	65	100	3	7	6	8853	7138	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8262.799805	6547.799805	6547.799805	0.933333
1814	002	2961	0.07	1886	1	85	140	4	10	9	11844	9958	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8290.799805	6404.799805	6404.799805	0.7
1814	003	3010	0.07	1803	1	85	140	4	10	9	12040	10237	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8428	6625	6625	0.7
1814	004	3010	0.07	1375	1	85	140	4	10	9	12040	10665	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8428	7053	7053	0.7
1814	005	3010	0.07	1250	1	65	100	3	7	6	9030	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7178	7178	0.933333
1814	006	3010	0.07	1250	1	65	100	3	7	6	9030	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7178	7178	0.933333
1814	007	3010	0.07	1318	1	65	100	3	7	6	9030	7712	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7110	7110	0.933333
1814	008	3010	0.07	1910	1	65	100	3	7	6	9030	7120	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6518	6518	0.933333
1814	009	3010	0.07	1975	1	65	100	3	7	6	9030	7055	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6453	6453	0.933333
1814	010	3010	0.07	1727	1	65	100	3	7	6	9030	7303	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6701	6701	0.933333
1814	011	3010	0.07	1785	1	65	100	3	7	6	9030	7245	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6643	6643	0.933333
1814	012	3010	0.07	1245	1	65	100	3	7	6	9030	7785	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7183	7183	0.933333
1814	013	3010	0.07	1980	1	65	100	3	7	6	9030	7050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6448	6448	0.933333
1814	014	3010	0.07	1095	1	65	100	3	7	6	9030	7935	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7333	7333	0.933333
1814	015	3010	0.07	1235	1	65	100	3	7	6	9030	7795	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7193	7193	0.933333
1814	017	3010	0.07	1095	1	65	100	3	7	6	9030	7935	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7333	7333	0.933333
1814	028	3000	0.07	1390	1	65	100	3	7	6	9000	7610	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7010	7010	0.933333
1814	029	3000	0.07	1490	1	65	100	3	7	6	9000	7510	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6910	6910	0.933333
1814	030	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
1814	031	3000	0.07	2293	1	65	100	3	7	6	9000	6707	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6107	6107	0.933333
1814	032	3000	0.07	1385	1	65	100	3	7	6	9000	7615	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7015	7015	0.933333
1814	033	3000	0.07	1385	1	65	100	3	7	6	9000	7615	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7015	7015	0.933333
1814	034	3000	0.07	2431	1	65	100	3	7	6	9000	6569	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5969	5969	0.933333
1814	035	3000	0.07	1817	1	65	100	3	7	6	9000	7183	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6583	6583	0.933333
1814	036	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7020	7020	0.933333
1814	037	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7020	7020	0.933333
1814	038	3000	0.07	1385	1	65	100	3	7	6	9000	7615	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7015	7015	0.933333
1814	039	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7020	7020	0.933333
1814	040	3000	0.07	1675	1	85	140	4	10	9	12000	10325	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6725	6725	0.7
1814	041	3000	0.07	1460	1	85	140	4	10	9	12000	10540	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6940	6940	0.7
1814	042	3000	0.07	2262	1	85	140	4	10	9	12000	9738	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6138	6138	0.7
1814	043	2951	0.07	1390	1	85	140	4	10	9	11804	10414	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8262.799805	6872.799805	6872.799805	0.7
1815	004	3004	0.07	1875	1	65	100	3	7	6	9012	7137	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6536.200195	6536.200195	0.933333
1815	005	3004	0.07	1738	1	65	100	3	7	6	9012	7274	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6673.200195	6673.200195	0.933333
1815	005A	3004	0.07	1340	1	65	100	3	7	6	9012	7672	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7071.200195	7071.200195	0.933333
1815	005B	3004	0.07	2134	1	65	100	3	7	6	9012	6878	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6277.200195	6277.200195	0.933333
1815	005C	3004	0.07	2449	1	65	100	3	7	6	9012	6563	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	5962.200195	5962.200195	0.933333
1815	005D	3004	0.07	2087	1	65	100	3	7	6	9012	6925	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6324.200195	6324.200195	0.933333
1815	006	3004	0.07	1350	1	65	100	3	7	6	9012	7662	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7061.200195	7061.200195	0.933333
1815	006A	3004	0.07	1350	1	65	100	3	7	6	9012	7662	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7061.200195	7061.200195	0.933333
1815	007	3004	0.07	2135	1	65	100	3	7	6	9012	6877	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6276.200195	6276.200195	0.933333
1815	007A	3004	0.07	2370	1	65	100	3	7	6	9012	6642	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6041.200195	6041.200195	0.933333
1815	007B	3004	0.07	2281	1	65	100	3	7	6	9012	6731	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6130.200195	6130.200195	0.933333
1815	007C	3004	0.07	1390	1	65	100	3	7	6	9012	7622	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7021.200195	7021.200195	0.933333
1815	007D	3004	0.07	1390	1	65	100	3	7	6	9012	7622	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7021.200195	7021.200195	0.933333
1815	007E	3004	0.07	1380	1	65	100	3	7	6	9012	7632	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7031.200195	7031.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1815	007F	3004	0.07	1856	1	65	100	3	7	6	9012	7156	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6555.200195	6555.200195	0.933333
1815	007G	2955	0.07	2193	1	65	100	3	7	6	8865	6672	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8274	6081	6081	0.933333
1815	008E	2951	0.07	1950	1	65	100	3	7	6	8853	6903	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8262.799805	6312.799805	6312.799805	0.933333
1815	008F	3000	0.07	2270	1	65	100	3	7	6	9000	6730	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6130	6130	0.933333
1815	008G	3000	0.07	1495	1	65	100	3	7	6	9000	7505	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6905	6905	0.933333
1815	008H	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1815	008I	3000	0.07	2475	1	65	100	3	7	6	9000	6525	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5925	5925	0.933333
1815	008J	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1815	008K	3000	0.07	1330	1	65	100	3	7	6	9000	7670	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7070	7070	0.933333
1815	008L	3000	0.07	1466	1	65	100	3	7	6	9000	7534	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6934	6934	0.933333
1815	009	3000	0.07	1440	1	65	100	3	7	6	9000	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6960	6960	0.933333
1815	009B	3000	0.07	1455	1	65	100	3	7	6	9000	7545	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6945	6945	0.933333
1815	009C	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7020	7020	0.933333
1815	009D	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7020	7020	0.933333
1815	009F	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7020	7020	0.933333
1815	009H	3000	0.07	1886	1	65	100	3	7	6	9000	7114	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6514	6514	0.933333
1815	009I	3000	0.07	1739	1	65	100	3	7	6	9000	7261	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6661	6661	0.933333
1816	015	2991	0.07	1930	1	65	100	3	7	6	8973	7043	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6444.799805	6444.799805	0.933333
1816	024	2497	0.06	1375	0	65	100	3	6	6	7491	6116	RH-1	40	form-based		true	true	0.7	5	0.833333313	5	5	6991.600098	5616.600098	5616.600098	0.933333
1816	028	2750	0.06	2356	1	65	100	3	6	5	8250	5894	RH-1	40	form-based			true	0.7	6	1	5	5	7700	5344	5344	0.933333
1816	029	2750	0.06	1696	1	65	100	3	6	5	8250	6554	RH-1	40	form-based			true	0.7	6	1	5	5	7700	6004	6004	0.933333
1816	030	2750	0.06	1450	1	65	100	3	6	5	8250	6800	RH-1	40	form-based			true	0.7	6	1	5	5	7700	6250	6250	0.933333
1816	031	2750	0.06	1450	1	65	100	3	6	5	8250	6800	RH-1	40	form-based			true	0.7	6	1	5	5	7700	6250	6250	0.933333
1816	032	2750	0.06	2794	1	65	100	3	6	5	8250	5456	RH-1	40	form-based			true	0.7	6	1	5	5	7700	4906	4906	0.933333
1816	033	2750	0.06	1450	1	65	100	3	6	5	8250	6800	RH-1	40	form-based			true	0.7	6	1	5	5	7700	6250	6250	0.933333
1816	034	2750	0.06	1619	1	65	100	3	6	5	8250	6631	RH-1	40	form-based			true	0.7	6	1	5	5	7700	6081	6081	0.933333
1816	035	2750	0.06	1450	1	65	100	3	6	5	8250	6800	RH-1	40	form-based			true	0.7	6	1	5	5	7700	6250	6250	0.933333
1816	036	2750	0.06	2479	1	65	100	3	6	5	8250	5771	RH-1	40	form-based			true	0.7	6	1	5	5	7700	5221	5221	0.933333
1816	037	2750	0.06	2184	1	65	100	3	6	5	8250	6066	RH-1	40	form-based			true	0.7	6	1	5	5	7700	5516	5516	0.933333
1818	001D	2983	0.07	1386	1	65	100	3	7	6	8949	7563	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6966.399414	6966.399414	0.933333
1818	002	2733	0.06	1940	1	65	100	3	6	5	8199	6259	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	5712.399902	5712.399902	0.933333
1818	003	2733	0.06	2611	1	65	100	3	6	5	8199	5588	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	5041.399902	5041.399902	0.933333
1818	004	2733	0.06	1425	1	65	100	3	6	5	8199	6774	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	6227.399902	6227.399902	0.933333
1818	005	2733	0.06	1409	1	65	100	3	6	5	8199	6790	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	6243.399902	6243.399902	0.933333
1818	006	2733	0.06	1400	1	65	100	3	6	5	8199	6799	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	6252.399902	6252.399902	0.933333
1818	007	2733	0.06	1500	1	65	100	3	6	5	8199	6699	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	6152.399902	6152.399902	0.933333
1818	008	2733	0.06	1300	1	65	100	3	6	5	8199	6899	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	6352.399902	6352.399902	0.933333
1818	008A	2733	0.06	1935	1	65	100	3	6	5	8199	6264	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	5717.399902	5717.399902	0.933333
1818	009	2733	0.06	1425	1	65	100	3	6	5	8199	6774	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	6227.399902	6227.399902	0.933333
1818	010	2733	0.06	1425	1	65	100	3	6	5	8199	6774	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	6227.399902	6227.399902	0.933333
1818	011	2733	0.06	1663	1	65	100	3	6	5	8199	6536	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	5989.399902	5989.399902	0.933333
1818	012	2733	0.06	1728	1	65	100	3	6	5	8199	6471	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	5924.399902	5924.399902	0.933333
1818	012A	2733	0.06	1996	1	65	100	3	6	5	8199	6203	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	5656.399902	5656.399902	0.933333
1818	013	2733	0.06	1537	1	65	100	3	6	5	8199	6662	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	6115.399902	6115.399902	0.933333
1818	014	2733	0.06	1575	1	65	100	3	6	5	8199	6624	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	6077.399902	6077.399902	0.933333
1818	015	2733	0.06	1537	1	65	100	3	6	5	8199	6662	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	6115.399902	6115.399902	0.933333
1818	016	2733	0.06	1654	1	65	100	3	6	5	8199	6545	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	5998.399902	5998.399902	0.933333
1818	016A	2733	0.06	1250	1	65	100	3	6	5	8199	6949	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	6402.399902	6402.399902	0.933333
1818	017	2789	0.06	2350	1	65	100	3	6	5	8367	6017	RH-1	40	form-based		true	true	0.7	6	1	5	5	7809.199707	5459.199707	5459.199707	0.933333
1818	020A	2765	0.06	1475	1	65	100	3	6	5	8295	6820	RH-1	40	form-based			true	0.7	6	1	5	5	7742	6267	6267	0.933333
1818	021	2765	0.06	2697	1	65	100	3	6	5	8295	5598	RH-1	40	form-based			true	0.7	6	1	5	5	7742	5045	5045	0.933333
1818	022	2765	0.06	1650	1	65	100	3	6	5	8295	6645	RH-1	40	form-based			true	0.7	6	1	5	5	7742	6092	6092	0.933333
1818	023	2765	0.06	1965	1	65	100	3	6	5	8295	6330	RH-1	40	form-based			true	0.7	6	1	5	5	7742	5777	5777	0.933333
1818	025	2765	0.06	1720	1	65	100	3	6	5	8295	6575	RH-1	40	form-based			true	0.7	6	1	5	5	7742	6022	6022	0.933333
1818	026	2765	0.06	3091	1	65	100	3	6	5	8295	5204	RH-1	40	form-based			true	0.7	6	1	5	5	7742	4651	4651	0.933333
1818	027	2765	0.06	1500	1	65	100	3	6	5	8295	6795	RH-1	40	form-based			true	0.7	6	1	5	5	7742	6242	6242	0.933333
1818	028	2765	0.06	1546	1	65	100	3	6	5	8295	6749	RH-1	40	form-based			true	0.7	6	1	5	5	7742	6196	6196	0.933333
1818	029	2765	0.06	2400	1	65	100	3	6	5	8295	5895	RH-1	40	form-based			true	0.7	6	1	5	5	7742	5342	5342	0.933333
1818	030	2765	0.06	1680	1	65	100	3	6	5	8295	6615	RH-1	40	form-based			true	0.7	6	1	5	5	7742	6062	6062	0.933333
1818	031	2765	0.06	2080	1	65	100	3	6	5	8295	6215	RH-1	40	form-based			true	0.7	6	1	5	5	7742	5662	5662	0.933333
1818	032	2765	0.06	2194	1	65	100	3	6	5	8295	6101	RH-1	40	form-based			true	0.7	6	1	5	5	7742	5548	5548	0.933333
1818	033	2765	0.06	2813	1	65	100	3	6	5	8295	5482	RH-1	40	form-based			true	0.7	6	1	5	5	7742	4929	4929	0.933333
1818	035	2765	0.06	1475	1	65	100	3	6	5	8295	6820	RH-1	40	form-based			true	0.7	6	1	5	5	7742	6267	6267	0.933333
1818	036	2765	0.06	2109	1	65	100	3	6	5	8295	6186	RH-1	40	form-based			true	0.7	6	1	5	5	7742	5633	5633	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1819	002	2957	0.07	2168	1	85	140	4	10	9	11828	9660	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8279.599609	6111.599609	6111.599609	0.7
1819	002A	3006	0.07	2020	1	85	140	4	10	9	12024	10004	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8416.799805	6396.799805	6396.799805	0.7
1819	003	3006	0.07	1425	1	85	140	4	10	9	12024	10599	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8416.799805	6991.799805	6991.799805	0.7
1819	004	3006	0.07	1510	1	65	100	3	7	6	9018	7508	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6906.799805	6906.799805	0.933333
1819	005	3006	0.07	1413	1	65	100	3	7	6	9018	7605	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7003.799805	7003.799805	0.933333
1819	005A	3006	0.07	1975	1	65	100	3	7	6	9018	7043	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6441.799805	6441.799805	0.933333
1819	006	3006	0.07	2310	1	65	100	3	7	6	9018	6708	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6106.799805	6106.799805	0.933333
1819	007	3006	0.07	2250	1	65	100	3	7	6	9018	6768	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6166.799805	6166.799805	0.933333
1819	008	3006	0.07	1500	1	65	100	3	7	6	9018	7518	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6916.799805	6916.799805	0.933333
1819	009	3006	0.07	1500	1	65	100	3	7	6	9018	7518	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6916.799805	6916.799805	0.933333
1819	010	3006	0.07	1820	1	65	100	3	7	6	9018	7198	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6596.799805	6596.799805	0.933333
1819	011	3006	0.07	1840	1	65	100	3	7	6	9018	7178	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6576.799805	6576.799805	0.933333
1819	012	3006	0.07	1450	1	65	100	3	7	6	9018	7568	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6966.799805	6966.799805	0.933333
1819	012A	3006	0.07	3117	1	65	100	3	7	6	9018	5901	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	5299.799805	5299.799805	0.933333
1819	013	3006	0.07	1827	1	65	100	3	7	6	9018	7191	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6589.799805	6589.799805	0.933333
1819	014	3006	0.07	1992	1	65	100	3	7	6	9018	7026	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6424.799805	6424.799805	0.933333
1819	018	2548	0.06	2018	0	65	100	3	6	6	7644	5626	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7134.399902	5116.399902	5116.399902	0.933333
1819	023	3022	0.07	1175	1	65	100	3	7	6	9066	7891	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	7286.599609	7286.599609	0.933333
1819	024	3022	0.07	2375	1	65	100	3	7	6	9066	6691	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6086.599609	6086.599609	0.933333
1819	025	3022	0.07	1250	1	65	100	3	7	6	9066	7816	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	7211.599609	7211.599609	0.933333
1819	026	3022	0.07	2250	1	65	100	3	7	6	9066	6816	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6211.599609	6211.599609	0.933333
1819	027	3022	0.07	2744	1	65	100	3	7	6	9066	6322	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	5717.599609	5717.599609	0.933333
1819	028	3022	0.07	1150	1	65	100	3	7	6	9066	7916	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	7311.599609	7311.599609	0.933333
1819	029	3022	0.07	1900	1	65	100	3	7	6	9066	7166	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6561.599609	6561.599609	0.933333
1819	030	3022	0.07	1699	1	65	100	3	7	6	9066	7367	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6762.599609	6762.599609	0.933333
1819	031	3022	0.07	1375	1	65	100	3	7	6	9066	7691	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	7086.599609	7086.599609	0.933333
1819	032	3022	0.07	2059	1	65	100	3	7	6	9066	7007	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6402.599609	6402.599609	0.933333
1819	033	3022	0.07	2167	1	65	100	3	7	6	9066	6899	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6294.599609	6294.599609	0.933333
1819	034	3022	0.07	1604	1	65	100	3	7	6	9066	7462	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6857.599609	6857.599609	0.933333
1819	034A	3022	0.07	1526	1	65	100	3	7	6	9066	7540	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6935.599609	6935.599609	0.933333
1819	035	3022	0.07	1668	1	65	100	3	7	6	9066	7398	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6793.599609	6793.599609	0.933333
1819	036	3022	0.07	1842	1	85	140	4	10	9	12088	10246	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8461.599609	6619.599609	6619.599609	0.7
1819	037	2973	0.07	1664	1	85	140	4	10	9	11892	10228	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8324.399414	6660.399414	6660.399414	0.7
1820	002	2949	0.07	1973	1	85	140	4	10	9	11796	9823	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8257.200195	6284.200195	6284.200195	0.7
1820	003	2998	0.07	1390	1	65	100	3	7	6	8994	7604	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7004.399414	7004.399414	0.933333
1820	004	2998	0.07	1390	1	65	100	3	7	6	8994	7604	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7004.399414	7004.399414	0.933333
1820	005	2998	0.07	2355	1	65	100	3	7	6	8994	6639	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6039.399414	6039.399414	0.933333
1820	006	2998	0.07	1425	1	65	100	3	7	6	8994	7569	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6969.399414	6969.399414	0.933333
1820	007	2997	0.07	1671	1	65	100	3	7	6	8991	7320	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6720.599609	6720.599609	0.933333
1820	008	2997	0.07	1618	1	65	100	3	7	6	8991	7373	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6773.599609	6773.599609	0.933333
1820	009	2997	0.07	1900	1	65	100	3	7	6	8991	7091	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6491.599609	6491.599609	0.933333
1820	010	2997	0.07	1436	1	65	100	3	7	6	8991	7555	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6955.599609	6955.599609	0.933333
1820	011	2997	0.07	1380	1	65	100	3	7	6	8991	7611	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	7011.599609	7011.599609	0.933333
1820	012	2996	0.07	1450	1	65	100	3	7	6	8988	7538	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6938.799805	6938.799805	0.933333
1820	013	2996	0.07	1565	1	65	100	3	7	6	8988	7423	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6823.799805	6823.799805	0.933333
1820	014	2996	0.07	2249	1	65	100	3	7	6	8988	6739	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6139.799805	6139.799805	0.933333
1820	015	2996	0.07	1600	1	65	100	3	7	6	8988	7388	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6788.799805	6788.799805	0.933333
1820	016	2996	0.07	2071	1	65	100	3	7	6	8988	6917	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6317.799805	6317.799805	0.933333
1820	017	2995	0.07	1890	1	65	100	3	7	6	8985	7095	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6496	6496	0.933333
1820	027	3000	0.07	2425	1	65	100	3	7	6	9000	6575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5975	5975	0.933333
1820	028	3000	0.07	2815	1	65	100	3	7	6	9000	6185	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5585	5585	0.933333
1820	029	3000	0.07	1842	1	65	100	3	7	6	9000	7158	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6558	6558	0.933333
1820	030	3000	0.07	1563	1	65	100	3	7	6	9000	7437	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6837	6837	0.933333
1820	031	3000	0.07	990	1	65	100	3	7	6	9000	8010	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7410	7410	0.933333
1820	032	3000	0.07	1738	1	65	100	3	7	6	9000	7262	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6662	6662	0.933333
1820	033	3000	0.07	1850	1	65	100	3	7	6	9000	7150	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6550	6550	0.933333
1820	034	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1820	035	3000	0.07	1927	1	65	100	3	7	6	9000	7073	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6473	6473	0.933333
1820	036	3000	0.07	1195	1	65	100	3	7	6	9000	7805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7205	7205	0.933333
1820	037	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1820	038	3000	0.07	1710	1	65	100	3	7	6	9000	7290	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6690	6690	0.933333
1820	039	3000	0.07	1695	1	65	100	3	7	6	9000	7305	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6705	6705	0.933333
1820	040	3000	0.07	1710	1	85	140	4	10	9	12000	10290	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6690	6690	0.7
1820	041	3000	0.07	1475	1	85	140	4	10	9	12000	10525	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6925	6925	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1820	042	2951	0.07	1989	1	85	140	4	10	9	11804	9815	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8262.799805	6273.799805	6273.799805	0.7
1821	002	2962	0.07	1149	1	65	100	3	7	6	8886	7737	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8293.599609	7144.599609	7144.599609	0.933333
1821	003	3012	0.07	1380	1	65	100	3	7	6	9036	7656	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7053.599609	7053.599609	0.933333
1821	004	3012	0.07	2144	1	65	100	3	7	6	9036	6892	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6289.599609	6289.599609	0.933333
1821	005	3012	0.07	1380	1	65	100	3	7	6	9036	7656	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7053.599609	7053.599609	0.933333
1821	006	3012	0.07	1890	1	65	100	3	7	6	9036	7146	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6543.599609	6543.599609	0.933333
1821	007	3012	0.07	1942	1	65	100	3	7	6	9036	7094	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6491.599609	6491.599609	0.933333
1821	008	3013	0.07	2085	1	65	100	3	7	6	9039	6954	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6351.399414	6351.399414	0.933333
1821	008A	3013	0.07	1630	1	65	100	3	7	6	9039	7409	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6806.399414	6806.399414	0.933333
1821	009	3013	0.07	1725	1	65	100	3	7	6	9039	7314	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6711.399414	6711.399414	0.933333
1821	010	3013	0.07	1881	1	65	100	3	7	6	9039	7158	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6555.399414	6555.399414	0.933333
1821	011	3013	0.07	2111	1	65	100	3	7	6	9039	6928	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6325.399414	6325.399414	0.933333
1821	011A	3013	0.07	2375	1	65	100	3	7	6	9039	6664	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6061.399414	6061.399414	0.933333
1821	012	3014	0.07	1387	1	65	100	3	7	6	9042	7655	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7052.200195	7052.200195	0.933333
1821	013	3014	0.07	1580	1	65	100	3	7	6	9042	7462	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6859.200195	6859.200195	0.933333
1821	014	3014	0.07	1755	1	65	100	3	7	6	9042	7287	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6684.200195	6684.200195	0.933333
1821	014A	3014	0.07	1150	1	65	100	3	7	6	9042	7892	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7289.200195	7289.200195	0.933333
1821	023	3000	0.07	1917	1	65	100	3	7	6	9000	7083	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6483	6483	0.933333
1821	024	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1821	025	3000	0.07	1730	1	65	100	3	7	6	9000	7270	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6670	6670	0.933333
1821	026	3000	0.07	1690	1	65	100	3	7	6	9000	7310	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6710	6710	0.933333
1821	026A	3000	0.07	1640	1	65	100	3	7	6	9000	7360	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6760	6760	0.933333
1821	027	3000	0.07	2000	1	65	100	3	7	6	9000	7000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6400	6400	0.933333
1821	028	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1821	028A	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1821	029	3000	0.07	1360	1	65	100	3	7	6	9000	7640	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7040	7040	0.933333
1821	029A	3000	0.07	1390	1	65	100	3	7	6	9000	7610	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7010	7010	0.933333
1821	029B	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1821	029C	3000	0.07	1540	1	65	100	3	7	6	9000	7460	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6860	6860	0.933333
1821	030	3000	0.07	2015	1	65	100	3	7	6	9000	6985	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6385	6385	0.933333
1821	030A	3000	0.07	2195	1	65	100	3	7	6	9000	6805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6205	6205	0.933333
1821	030B	3000	0.07	1440	1	65	100	3	7	6	9000	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6960	6960	0.933333
1821	031	2951	0.07	1350	1	65	100	3	7	6	8853	7503	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8262.799805	6912.799805	6912.799805	0.933333
1822	002	2943	0.07	1250	1	85	140	4	10	9	11772	10522	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8240.399414	6990.399414	6990.399414	0.7
1822	003	2992	0.07	1810	1	85	140	4	10	9	11968	10158	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8377.599609	6567.599609	6567.599609	0.7
1822	004	2992	0.07	1550	1	65	100	3	7	6	8976	7426	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6827.599609	6827.599609	0.933333
1822	005	2992	0.07	1375	1	65	100	3	7	6	8976	7601	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7002.599609	7002.599609	0.933333
1822	006	2992	0.07	1730	1	65	100	3	7	6	8976	7246	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6647.599609	6647.599609	0.933333
1822	007	2992	0.07	1730	1	65	100	3	7	6	8976	7246	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6647.599609	6647.599609	0.933333
1822	008	2992	0.07	1600	1	65	100	3	7	6	8976	7376	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6777.599609	6777.599609	0.933333
1822	008A	2992	0.07	1600	1	65	100	3	7	6	8976	7376	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6777.599609	6777.599609	0.933333
1822	009	2992	0.07	2014	1	65	100	3	7	6	8976	6962	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6363.599609	6363.599609	0.933333
1822	009A	2992	0.07	2022	1	65	100	3	7	6	8976	6954	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6355.599609	6355.599609	0.933333
1822	010	2992	0.07	2281	1	65	100	3	7	6	8976	6695	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6096.599609	6096.599609	0.933333
1822	011	2992	0.07	2960	1	65	100	3	7	6	8976	6016	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	5417.599609	5417.599609	0.933333
1822	011A	2992	0.07	2027	1	65	100	3	7	6	8976	6949	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6350.599609	6350.599609	0.933333
1822	012	2992	0.07	2131	1	65	100	3	7	6	8976	6845	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6246.599609	6246.599609	0.933333
1822	012A	2992	0.07	1771	1	65	100	3	7	6	8976	7205	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6606.599609	6606.599609	0.933333
1822	013	2992	0.07	2187	1	65	100	3	7	6	8976	6789	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6190.599609	6190.599609	0.933333
1823	009	3025	0.07	1415	1	65	100	3	7	6	9075	7660	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7055	7055	0.933333
1822	018	3017	0.07	2265	1	65	100	3	7	6	9051	6786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6182.599609	6182.599609	0.933333
1822	019	3017	0.07	1730	1	65	100	3	7	6	9051	7321	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6717.599609	6717.599609	0.933333
1822	019A	3017	0.07	1950	1	65	100	3	7	6	9051	7101	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6497.599609	6497.599609	0.933333
1822	019B	3017	0.07	2430	1	65	100	3	7	6	9051	6621	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6017.599609	6017.599609	0.933333
1822	020	3017	0.07	2174	1	65	100	3	7	6	9051	6877	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6273.599609	6273.599609	0.933333
1822	021	3017	0.07	1630	1	65	100	3	7	6	9051	7421	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6817.599609	6817.599609	0.933333
1822	022	3017	0.07	1550	1	65	100	3	7	6	9051	7501	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6897.599609	6897.599609	0.933333
1822	023	3017	0.07	2469	1	65	100	3	7	6	9051	6582	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	5978.599609	5978.599609	0.933333
1822	023A	3017	0.07	1550	1	65	100	3	7	6	9051	7501	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6897.599609	6897.599609	0.933333
1822	024	3017	0.07	1350	1	65	100	3	7	6	9051	7701	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7097.599609	7097.599609	0.933333
1822	024A	3017	0.07	1350	1	65	100	3	7	6	9051	7701	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7097.599609	7097.599609	0.933333
1822	025	3017	0.07	1828	1	65	100	3	7	6	9051	7223	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6619.599609	6619.599609	0.933333
1822	026	3017	0.07	1700	1	65	100	3	7	6	9051	7351	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6747.599609	6747.599609	0.933333
1822	027	3017	0.07	1995	1	65	100	3	7	6	9051	7056	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6452.599609	6452.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1822	027A	2968	0.07	2300	1	65	100	3	7	6	8904	6604	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	6010.399414	6010.399414	0.933333
1823	002	2975	0.07	2330	1	85	140	4	10	9	11900	9570	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8330	6000	6000	0.7
1823	003	3025	0.07	1719	1	85	140	4	10	9	12100	10381	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8470	6751	6751	0.7
1823	004	3025	0.07	2101	1	85	140	4	10	9	12100	9999	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8470	6369	6369	0.7
1823	005	3025	0.07	1525	1	65	100	3	7	6	9075	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6945	6945	0.933333
1823	006	3025	0.07	2106	1	65	100	3	7	6	9075	6969	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6364	6364	0.933333
1823	007	3025	0.07	1500	1	65	100	3	7	6	9075	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6970	6970	0.933333
1823	008	3025	0.07	1520	1	65	100	3	7	6	9075	7555	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6950	6950	0.933333
1823	010	3025	0.07	1715	1	65	100	3	7	6	9075	7360	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6755	6755	0.933333
1823	011	3025	0.07	1855	1	65	100	3	7	6	9075	7220	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6615	6615	0.933333
1823	012	3025	0.07	1805	1	65	100	3	7	6	9075	7270	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6665	6665	0.933333
1823	013	3025	0.07	1595	1	65	100	3	7	6	9075	7480	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6875	6875	0.933333
1823	014	3025	0.07	2490	1	65	100	3	7	6	9075	6585	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	5980	5980	0.933333
1823	015	3025	0.07	1670	1	65	100	3	7	6	9075	7405	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6800	6800	0.933333
1823	016	3025	0.07	1875	1	65	100	3	7	6	9075	7200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6595	6595	0.933333
1823	017	3025	0.07	1340	1	65	100	3	7	6	9075	7735	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7130	7130	0.933333
1823	023	2747	0.06	2230	1	65	100	3	6	5	8241	6011	RH-1	40	form-based		true	true	0.7	6	1	5	5	7691.600098	5461.600098	5461.600098	0.933333
1823	027	3000	0.07	1813	1	65	100	3	7	6	9000	7187	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6587	6587	0.933333
1823	028	3000	0.07	2764	1	65	100	3	7	6	9000	6236	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5636	5636	0.933333
1823	029	3000	0.07	1505	1	65	100	3	7	6	9000	7495	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6895	6895	0.933333
1823	030	3000	0.07	2383	1	65	100	3	7	6	9000	6617	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6017	6017	0.933333
1823	031	3000	0.07	1630	1	65	100	3	7	6	9000	7370	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6770	6770	0.933333
1823	032	3000	0.07	1455	1	65	100	3	7	6	9000	7545	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6945	6945	0.933333
1823	033	3000	0.07	1540	1	65	100	3	7	6	9000	7460	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6860	6860	0.933333
1823	034	3000	0.07	1775	1	65	100	3	7	6	9000	7225	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6625	6625	0.933333
1823	035	3000	0.07	1440	1	65	100	3	7	6	9000	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6960	6960	0.933333
1823	036	3000	0.07	1390	1	65	100	3	7	6	9000	7610	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7010	7010	0.933333
1823	037	3000	0.07	2141	1	65	100	3	7	6	9000	6859	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6259	6259	0.933333
1823	038	3000	0.07	2044	1	65	100	3	7	6	9000	6956	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6356	6356	0.933333
1823	039	3000	0.07	1390	1	85	140	4	10	9	12000	10610	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7010	7010	0.7
1823	040	3000	0.07	1320	1	85	140	4	10	9	12000	10680	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7080	7080	0.7
1823	041	3000	0.07	1942	1	85	140	4	10	9	12000	10058	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6458	6458	0.7
1823	042	2951	0.07	1680	1	85	140	4	10	9	11804	10124	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8262.799805	6582.799805	6582.799805	0.7
1824	001	1424	0.03	2862	2	65	100	3	3	1	4272	1410	NCD-JUDA	85	form-based		true	true	0.75	7	2.333333254	5	4	8544	5682	5682	2
1824	001A	1424	0.03	2726	2	65	100	3	3	1	4272	1546	NCD-JUDA	85	form-based			true	0.75	7	2.333333254	5	4	8544	5818	5818	2
1824	001B	1424	0.03	2350	2	65	100	3	3	1	4272	1922	NCD-JUDA	85	form-based			true	0.75	7	2.333333254	5	4	8544	6194	6194	2
1824	002	2938	0.07	2205	1	65	100	3	7	6	8814	6609	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8226.399414	6021.399414	6021.399414	0.933333
1824	003	2987	0.07	1380	1	65	100	3	7	6	8961	7581	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6983.599609	6983.599609	0.933333
1824	004	2987	0.07	1918	1	65	100	3	7	6	8961	7043	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6445.599609	6445.599609	0.933333
1824	005	2987	0.07	1760	1	65	100	3	7	6	8961	7201	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6603.599609	6603.599609	0.933333
1824	006	2987	0.07	1819	1	65	100	3	7	6	8961	7142	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6544.599609	6544.599609	0.933333
1824	007	2987	0.07	2276	1	65	100	3	7	6	8961	6685	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6087.599609	6087.599609	0.933333
1824	008	2987	0.07	2272	1	65	100	3	7	6	8961	6689	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6091.599609	6091.599609	0.933333
1824	009	2987	0.07	1380	1	65	100	3	7	6	8961	7581	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6983.599609	6983.599609	0.933333
1824	010	2987	0.07	2316	1	65	100	3	7	6	8961	6645	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6047.599609	6047.599609	0.933333
1824	011	2987	0.07	2554	1	65	100	3	7	6	8961	6407	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	5809.599609	5809.599609	0.933333
1824	012	2987	0.07	2499	1	65	100	3	7	6	8961	6462	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	5864.599609	5864.599609	0.933333
1824	013	2987	0.07	1835	1	65	100	3	7	6	8961	7126	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6528.599609	6528.599609	0.933333
1824	014	2987	0.07	1770	1	65	100	3	7	6	8961	7191	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6593.599609	6593.599609	0.933333
1824	015	2987	0.07	1350	1	65	100	3	7	6	8961	7611	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	7013.599609	7013.599609	0.933333
1824	016	2987	0.07	1350	1	65	100	3	7	6	8961	7611	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	7013.599609	7013.599609	0.933333
1824	017	2987	0.07	1350	1	65	100	3	7	6	8961	7611	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	7013.599609	7013.599609	0.933333
1824	027	3000	0.07	2385	1	65	100	3	7	6	9000	6615	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6015	6015	0.933333
1824	028	3000	0.07	1818	1	65	100	3	7	6	9000	7182	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6582	6582	0.933333
1824	029	3000	0.07	1430	1	65	100	3	7	6	9000	7570	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6970	6970	0.933333
1824	030	3000	0.07	1595	1	65	100	3	7	6	9000	7405	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6805	6805	0.933333
1824	031	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1824	032	3000	0.07	1495	1	65	100	3	7	6	9000	7505	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6905	6905	0.933333
1824	033	3000	0.07	1813	1	65	100	3	7	6	9000	7187	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6587	6587	0.933333
1824	034	3000	0.07	1495	1	65	100	3	7	6	9000	7505	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6905	6905	0.933333
1824	035	3000	0.07	1495	1	65	100	3	7	6	9000	7505	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6905	6905	0.933333
1824	036	3000	0.07	1845	1	65	100	3	7	6	9000	7155	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6555	6555	0.933333
1824	037	3000	0.07	1455	1	65	100	3	7	6	9000	7545	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6945	6945	0.933333
1824	038	3000	0.07	1660	1	65	100	3	7	6	9000	7340	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6740	6740	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1824	039	3000	0.07	1955	1	65	100	3	7	6	9000	7045	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6445	6445	0.933333
1824	040	3000	0.07	1390	1	65	100	3	7	6	9000	7610	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7010	7010	0.933333
1824	041	3000	0.07	2140	1	65	100	3	7	6	9000	6860	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6260	6260	0.933333
1824	042	2951	0.07	3154	1	65	100	3	7	6	8853	5699	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8262.799805	5108.799805	5108.799805	0.933333
1825	022	3015	0.07	1675	1	65	100	3	7	6	9045	7370	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6767	6767	0.933333
1825	002	2969	0.07	1550	1	85	140	4	10	9	11876	10326	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8313.200195	6763.200195	6763.200195	0.7
1825	002B	2969	0.07	1700	1	85	140	4	10	9	11876	10176	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8313.200195	6613.200195	6613.200195	0.7
1825	003	2969	0.07	2670	1	85	140	4	10	9	11876	9206	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8313.200195	5643.200195	5643.200195	0.7
1825	004	2969	0.07	2096	1	65	100	3	7	6	8907	6811	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6217.200195	6217.200195	0.933333
1825	005	2969	0.07	1957	1	65	100	3	7	6	8907	6950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6356.200195	6356.200195	0.933333
1825	006	2969	0.07	1590	1	65	100	3	7	6	8907	7317	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6723.200195	6723.200195	0.933333
1825	007	2969	0.07	1490	1	65	100	3	7	6	8907	7417	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6823.200195	6823.200195	0.933333
1825	008	2969	0.07	2300	1	65	100	3	7	6	8907	6607	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6013.200195	6013.200195	0.933333
1825	009	2969	0.07	3103	1	65	100	3	7	6	8907	5804	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	5210.200195	5210.200195	0.933333
1825	009A	2969	0.07	1650	1	65	100	3	7	6	8907	7257	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6663.200195	6663.200195	0.933333
1825	011	2969	0.07	1510	1	65	100	3	7	6	8907	7397	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6803.200195	6803.200195	0.933333
1825	012	2969	0.07	2186	1	65	100	3	7	6	8907	6721	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6127.200195	6127.200195	0.933333
1825	012A	2969	0.07	1700	1	65	100	3	7	6	8907	7207	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6613.200195	6613.200195	0.933333
1825	013	2920	0.07	1876	1	65	100	3	7	6	8760	6884	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8176	6300	6300	0.933333
1825	020	2966	0.07	1815	1	65	100	3	7	6	8898	7083	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	6489.799805	6489.799805	0.933333
1825	021	3015	0.07	1855	1	65	100	3	7	6	9045	7190	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6587	6587	0.933333
1825	023	3015	0.07	1675	1	65	100	3	7	6	9045	7370	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6767	6767	0.933333
1825	024	3015	0.07	1780	1	65	100	3	7	6	9045	7265	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6662	6662	0.933333
1825	025	3015	0.07	2016	1	65	100	3	7	6	9045	7029	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6426	6426	0.933333
1825	026	3015	0.07	2485	1	65	100	3	7	6	9045	6560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	5957	5957	0.933333
1825	027	3015	0.07	1615	1	65	100	3	7	6	9045	7430	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6827	6827	0.933333
1825	028	3015	0.07	1615	1	65	100	3	7	6	9045	7430	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6827	6827	0.933333
1825	029	3015	0.07	1615	1	65	100	3	7	6	9045	7430	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6827	6827	0.933333
1825	030	3015	0.07	1850	1	65	100	3	7	6	9045	7195	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6592	6592	0.933333
1825	031	3015	0.07	2571	1	65	100	3	7	6	9045	6474	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	5871	5871	0.933333
1825	032	3015	0.07	1653	1	65	100	3	7	6	9045	7392	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6789	6789	0.933333
1825	033	3015	0.07	2537	1	65	100	3	7	6	9045	6508	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	5905	5905	0.933333
1825	034	3015	0.07	1610	1	85	140	4	10	9	12060	10450	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8442	6832	6832	0.7
1825	035	3015	0.07	2150	1	85	140	4	10	9	12060	9910	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8442	6292	6292	0.7
1826	002	2957	0.07	1550	1	85	140	4	10	9	11828	10278	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8279.599609	6729.599609	6729.599609	0.7
1826	003	3006	0.07	4168	1	65	100	3	7	6	9018	4850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	4248.799805	4248.799805	0.933333
1826	004	3006	0.07	1755	1	65	100	3	7	6	9018	7263	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6661.799805	6661.799805	0.933333
1826	005	3006	0.07	2270	1	65	100	3	7	6	9018	6748	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6146.799805	6146.799805	0.933333
1826	006	3006	0.07	1768	1	65	100	3	7	6	9018	7250	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6648.799805	6648.799805	0.933333
1826	006A	3006	0.07	2160	1	65	100	3	7	6	9018	6858	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6256.799805	6256.799805	0.933333
1826	007	3006	0.07	1790	1	65	100	3	7	6	9018	7228	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6626.799805	6626.799805	0.933333
1826	008	3006	0.07	1790	1	65	100	3	7	6	9018	7228	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6626.799805	6626.799805	0.933333
1826	009	3006	0.07	1250	1	65	100	3	7	6	9018	7768	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7166.799805	7166.799805	0.933333
1826	010	3006	0.07	1780	1	65	100	3	7	6	9018	7238	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6636.799805	6636.799805	0.933333
1826	011	3006	0.07	1680	1	65	100	3	7	6	9018	7338	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6736.799805	6736.799805	0.933333
1826	012	3006	0.07	1500	1	65	100	3	7	6	9018	7518	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6916.799805	6916.799805	0.933333
1826	013	3006	0.07	2123	1	65	100	3	7	6	9018	6895	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6293.799805	6293.799805	0.933333
1826	014	3006	0.07	2658	1	65	100	3	7	6	9018	6360	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	5758.799805	5758.799805	0.933333
1826	015	3006	0.07	1830	1	65	100	3	7	6	9018	7188	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6586.799805	6586.799805	0.933333
1826	016	3006	0.07	1795	1	65	100	3	7	6	9018	7223	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6621.799805	6621.799805	0.933333
1826	026	3013	0.07	1390	1	65	100	3	7	6	9039	7649	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7046.399414	7046.399414	0.933333
1826	027	3013	0.07	1810	1	65	100	3	7	6	9039	7229	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6626.399414	6626.399414	0.933333
1826	027A	3013	0.07	1200	1	65	100	3	7	6	9039	7839	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7236.399414	7236.399414	0.933333
1826	028	3013	0.07	2290	1	65	100	3	7	6	9039	6749	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6146.399414	6146.399414	0.933333
1826	029	3013	0.07	2566	1	65	100	3	7	6	9039	6473	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	5870.399414	5870.399414	0.933333
1826	030	3013	0.07	3610	1	65	100	3	7	6	9039	5429	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	4826.399414	4826.399414	0.933333
1826	031	3013	0.07	1600	1	65	100	3	7	6	9039	7439	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6836.399414	6836.399414	0.933333
1826	032	3013	0.07	1260	1	65	100	3	7	6	9039	7779	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7176.399414	7176.399414	0.933333
1826	033	3013	0.07	2205	1	65	100	3	7	6	9039	6834	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6231.399414	6231.399414	0.933333
1826	034	3013	0.07	1500	1	65	100	3	7	6	9039	7539	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6936.399414	6936.399414	0.933333
1826	035	3013	0.07	2050	1	65	100	3	7	6	9039	6989	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6386.399414	6386.399414	0.933333
1826	035A	3013	0.07	1390	1	65	100	3	7	6	9039	7649	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7046.399414	7046.399414	0.933333
1826	035B	3013	0.07	1996	1	65	100	3	7	6	9039	7043	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6440.399414	6440.399414	0.933333
1826	035C	3013	0.07	1608	1	85	140	4	10	9	12052	10444	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8436.399414	6828.399414	6828.399414	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1826	035D	3013	0.07	1440	1	85	140	4	10	9	12052	10612	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8436.399414	6996.399414	6996.399414	0.7
1826	035E	2964	0.07	2530	1	85	140	4	10	9	11856	9326	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8299.200195	5769.200195	5769.200195	0.7
1827	003	3011	0.07	1615	1	65	100	3	7	6	9033	7418	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6815.799805	6815.799805	0.933333
1827	003A	3011	0.07	2130	1	65	100	3	7	6	9033	6903	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6300.799805	6300.799805	0.933333
1827	004	3011	0.07	2456	1	65	100	3	7	6	9033	6577	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	5974.799805	5974.799805	0.933333
1827	004A	3011	0.07	1525	1	65	100	3	7	6	9033	7508	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6905.799805	6905.799805	0.933333
1827	005	3011	0.07	1525	1	65	100	3	7	6	9033	7508	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6905.799805	6905.799805	0.933333
1827	006	3011	0.07	1450	1	65	100	3	7	6	9033	7583	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6980.799805	6980.799805	0.933333
1827	007	3011	0.07	2097	1	65	100	3	7	6	9033	6936	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6333.799805	6333.799805	0.933333
1827	008	3011	0.07	2358	1	65	100	3	7	6	9033	6675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6072.799805	6072.799805	0.933333
1827	009	3011	0.07	1530	1	65	100	3	7	6	9033	7503	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6900.799805	6900.799805	0.933333
1827	010	3011	0.07	1530	1	65	100	3	7	6	9033	7503	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6900.799805	6900.799805	0.933333
1827	011	3011	0.07	1515	1	65	100	3	7	6	9033	7518	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6915.799805	6915.799805	0.933333
1827	012	3011	0.07	1515	1	65	100	3	7	6	9033	7518	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6915.799805	6915.799805	0.933333
1827	013	3011	0.07	1948	1	65	100	3	7	6	9033	7085	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6482.799805	6482.799805	0.933333
1827	022	3000	0.07	2236	1	65	100	3	7	6	9000	6764	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6164	6164	0.933333
1827	023	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6825	6825	0.933333
1827	024	3000	0.07	1315	1	65	100	3	7	6	9000	7685	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7085	7085	0.933333
1827	025	3000	0.07	2070	1	65	100	3	7	6	9000	6930	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6330	6330	0.933333
1827	026	3000	0.07	2451	1	65	100	3	7	6	9000	6549	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5949	5949	0.933333
1827	027	3000	0.07	1590	1	65	100	3	7	6	9000	7410	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6810	6810	0.933333
1827	028	3000	0.07	1868	1	65	100	3	7	6	9000	7132	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6532	6532	0.933333
1827	029	3000	0.07	1983	1	65	100	3	7	6	9000	7017	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6417	6417	0.933333
1827	030	3000	0.07	1430	1	65	100	3	7	6	9000	7570	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6970	6970	0.933333
1827	031	3000	0.07	1440	1	65	100	3	7	6	9000	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6960	6960	0.933333
1827	032	3000	0.07	1430	1	65	100	3	7	6	9000	7570	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6970	6970	0.933333
1827	033	3000	0.07	2169	1	65	100	3	7	6	9000	6831	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6231	6231	0.933333
1827	034	3000	0.07	1580	1	65	100	3	7	6	9000	7420	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6820	6820	0.933333
1827	035	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7020	7020	0.933333
1827	035A	3000	0.07	1755	1	65	100	3	7	6	9000	7245	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6645	6645	0.933333
1827	036	2951	0.07	1475	1	65	100	3	7	6	8853	7378	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8262.799805	6787.799805	6787.799805	0.933333
1827	041	1414	0.03	2286	2	65	100	3	3	1	4242	1956	RTO-C	85	form-based	true		true	0.75	7	2.333333254	5	4	8484	6198	6198	2
1828	002A	3017	0.07	1943	1	85	140	4	10	9	12068	10125	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8447.599609	6504.599609	6504.599609	0.7
1828	002B	2968	0.07	1563	1	85	140	4	10	9	11872	10309	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8310.399414	6747.399414	6747.399414	0.7
1828	002C	3017	0.07	1797	1	85	140	4	10	9	12068	10271	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8447.599609	6650.599609	6650.599609	0.7
1828	002D	3017	0.07	1545	1	85	140	4	10	9	12068	10523	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8447.599609	6902.599609	6902.599609	0.7
1828	003	3017	0.07	1939	1	65	100	3	7	6	9051	7112	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6508.599609	6508.599609	0.933333
1828	003A	3017	0.07	1320	1	65	100	3	7	6	9051	7731	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7127.599609	7127.599609	0.933333
1828	003B	3017	0.07	2410	1	65	100	3	7	6	9051	6641	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6037.599609	6037.599609	0.933333
1828	003C	3017	0.07	2092	1	65	100	3	7	6	9051	6959	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6355.599609	6355.599609	0.933333
1828	004	3017	0.07	1265	1	65	100	3	7	6	9051	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7182.599609	7182.599609	0.933333
1828	004A	3017	0.07	1265	1	65	100	3	7	6	9051	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7182.599609	7182.599609	0.933333
1828	004B	3017	0.07	1400	1	65	100	3	7	6	9051	7651	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7047.599609	7047.599609	0.933333
1828	004C	3017	0.07	2240	1	65	100	3	7	6	9051	6811	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6207.599609	6207.599609	0.933333
1828	004D	3017	0.07	1250	1	65	100	3	7	6	9051	7801	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7197.599609	7197.599609	0.933333
1828	004E	3017	0.07	1496	1	65	100	3	7	6	9051	7555	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6951.599609	6951.599609	0.933333
1828	004F	3017	0.07	2390	1	65	100	3	7	6	9051	6661	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6057.599609	6057.599609	0.933333
1828	007	2688	0.06	2356	1	65	100	3	6	5	8064	5708	RH-2	40	form-based	true		true	0.7	6	1	5	5	7526.399902	5170.399902	5170.399902	0.933333
1828	007A	2687	0.06	1702	1	65	100	3	6	5	8061	6359	RH-2	40	form-based			true	0.7	6	1	5	5	7523.600098	5821.600098	5821.600098	0.933333
1828	007B	2687	0.06	2749	1	65	100	3	6	5	8061	5312	RH-2	40	form-based			true	0.7	6	1	5	5	7523.600098	4774.600098	4774.600098	0.933333
1828	007C	2687	0.06	1600	1	65	100	3	6	5	8061	6461	RH-2	40	form-based			true	0.7	6	1	5	5	7523.600098	5923.600098	5923.600098	0.933333
1828	008	3000	0.07	1690	1	65	100	3	7	6	9000	7310	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6710	6710	0.933333
1828	008A	3000	0.07	2365	1	65	100	3	7	6	9000	6635	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6035	6035	0.933333
1828	008B	3000	0.07	1530	1	65	100	3	7	6	9000	7470	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6870	6870	0.933333
1828	008C	3000	0.07	1637	1	65	100	3	7	6	9000	7363	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6763	6763	0.933333
1828	008E	3000	0.07	1637	1	65	100	3	7	6	9000	7363	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6763	6763	0.933333
1828	008F	3000	0.07	1530	1	65	100	3	7	6	9000	7470	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6870	6870	0.933333
1828	009	3000	0.07	2750	1	65	100	3	7	6	9000	6250	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5650	5650	0.933333
1828	009A	3000	0.07	2043	1	65	100	3	7	6	9000	6957	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6357	6357	0.933333
1828	009B	3000	0.07	2115	1	65	100	3	7	6	9000	6885	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6285	6285	0.933333
1828	009C	3000	0.07	1830	1	65	100	3	7	6	9000	7170	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6570	6570	0.933333
1828	010	3000	0.07	1115	1	65	100	3	7	6	9000	7885	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7285	7285	0.933333
1828	010A	3000	0.07	1655	1	65	100	3	7	6	9000	7345	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6745	6745	0.933333
1828	010B	3000	0.07	1910	1	65	100	3	7	6	9000	7090	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6490	6490	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1828	010C	3000	0.07	1450	1	85	140	4	10	9	12000	10550	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6950	6950	0.7
1828	010D	2951	0.07	1050	1	85	140	4	10	9	11804	10754	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8262.799805	7212.799805	7212.799805	0.7
1829	002	3002	0.07	3407	1	85	140	4	10	9	12008	8601	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8405.599609	4998.599609	4998.599609	0.7
1829	004	3002	0.07	2174	1	65	100	3	7	6	9006	6832	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6231.599609	6231.599609	0.933333
1829	005	3002	0.07	1305	1	65	100	3	7	6	9006	7701	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7100.599609	7100.599609	0.933333
1829	006	3002	0.07	1690	1	65	100	3	7	6	9006	7316	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6715.599609	6715.599609	0.933333
1829	007	3002	0.07	1730	1	65	100	3	7	6	9006	7276	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6675.599609	6675.599609	0.933333
1829	008	3002	0.07	1876	1	65	100	3	7	6	9006	7130	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6529.599609	6529.599609	0.933333
1829	009	3002	0.07	1725	1	65	100	3	7	6	9006	7281	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6680.599609	6680.599609	0.933333
1829	011	3002	0.07	925	1	65	100	3	7	6	9006	8081	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7480.599609	7480.599609	0.933333
1829	012	3002	0.07	3063	1	65	100	3	7	6	9006	5943	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	5342.599609	5342.599609	0.933333
1829	013	3002	0.07	1602	1	65	100	3	7	6	9006	7404	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6803.599609	6803.599609	0.933333
1829	014	3002	0.07	3300	1	65	100	3	7	6	9006	5706	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	5105.599609	5105.599609	0.933333
1829	015	3002	0.07	1350	1	65	100	3	7	6	9006	7656	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7055.599609	7055.599609	0.933333
1829	015A	3002	0.07	2500	1	65	100	3	7	6	9006	6506	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	5905.599609	5905.599609	0.933333
1829	016	2953	0.07	2183	1	65	100	3	7	6	8859	6676	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8268.399414	6085.399414	6085.399414	0.933333
1829	026	2951	0.07	1120	1	65	100	3	7	6	8853	7733	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8262.799805	7142.799805	7142.799805	0.933333
1829	027	3000	0.07	2678	1	65	100	3	7	6	9000	6322	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5722	5722	0.933333
1829	028	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
1829	029	3000	0.07	2728	1	65	100	3	7	6	9000	6272	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5672	5672	0.933333
1829	030	3000	0.07	3172	1	65	100	3	7	6	9000	5828	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5228	5228	0.933333
1829	031	3000	0.07	1003	1	65	100	3	7	6	9000	7997	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7397	7397	0.933333
1829	032	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6825	6825	0.933333
1829	033	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
1829	034	3000	0.07	2112	1	65	100	3	7	6	9000	6888	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6288	6288	0.933333
1829	036	3000	0.07	1259	1	65	100	3	7	6	9000	7741	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7141	7141	0.933333
1829	037	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1829	038	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
1829	039	3000	0.07	1450	1	85	140	4	10	9	12000	10550	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6950	6950	0.7
1830	004	2827	0.06	1555	1	85	140	4	8	7	11308	9753	RH-1	40	form-based			true	0.7	6	0.75	5	5	7915.600098	6360.600098	6360.600098	0.7
1830	010	3021	0.07	1512	1	65	100	3	7	6	9063	7551	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6946.799805	6946.799805	0.933333
1830	011	3021	0.07	2503	1	65	100	3	7	6	9063	6560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5955.799805	5955.799805	0.933333
1830	012	3021	0.07	2944	1	65	100	3	7	6	9063	6119	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5514.799805	5514.799805	0.933333
1830	013	3021	0.07	1687	1	65	100	3	7	6	9063	7376	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6771.799805	6771.799805	0.933333
1830	014	3021	0.07	1385	1	65	100	3	7	6	9063	7678	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7073.799805	7073.799805	0.933333
1830	015	3021	0.07	2144	1	65	100	3	7	6	9063	6919	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6314.799805	6314.799805	0.933333
1830	016	3021	0.07	1325	1	65	100	3	7	6	9063	7738	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7133.799805	7133.799805	0.933333
1830	017	3021	0.07	1325	1	65	100	3	7	6	9063	7738	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7133.799805	7133.799805	0.933333
1830	018	3021	0.07	1405	1	65	100	3	7	6	9063	7658	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7053.799805	7053.799805	0.933333
1830	019	3021	0.07	1200	1	65	100	3	7	6	9063	7863	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7258.799805	7258.799805	0.933333
1830	020	2920	0.07	1200	1	65	100	3	7	6	8760	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8176	6976	6976	0.933333
1830	025	3000	0.07	1205	1	65	100	3	7	6	9000	7795	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7195	7195	0.933333
1830	032	3000	0.07	1525	1	65	100	3	7	6	9000	7475	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6875	6875	0.933333
1830	033A	3000	0.07	1685	1	65	100	3	7	6	9000	7315	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6715	6715	0.933333
1830	033B	3000	0.07	1145	1	65	100	3	7	6	9000	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7255	7255	0.933333
1830	033C	3000	0.07	1145	1	65	100	3	7	6	9000	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7255	7255	0.933333
1830	033D	3000	0.07	1887	1	65	100	3	7	6	9000	7113	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6513	6513	0.933333
1830	033E	3000	0.07	1145	1	65	100	3	7	6	9000	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7255	7255	0.933333
1830	033F	3000	0.07	1145	1	65	100	3	7	6	9000	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7255	7255	0.933333
1830	033G	3000	0.07	1525	1	65	100	3	7	6	9000	7475	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6875	6875	0.933333
1830	033H	2746	0.06	1145	1	65	100	3	6	5	8238	7093	RH-1	40	form-based			true	0.7	6	1	5	5	7688.799805	6543.799805	6543.799805	0.933333
1831	004	3008	0.07	2416	1	65	100	3	7	6	9024	6608	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6006.399414	6006.399414	0.933333
1831	005	3008	0.07	1450	1	65	100	3	7	6	9024	7574	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6972.399414	6972.399414	0.933333
1831	006	3008	0.07	1400	1	65	100	3	7	6	9024	7624	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7022.399414	7022.399414	0.933333
1831	007	3008	0.07	1030	1	65	100	3	7	6	9024	7994	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7392.399414	7392.399414	0.933333
1831	008	3008	0.07	1340	1	65	100	3	7	6	9024	7684	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7082.399414	7082.399414	0.933333
1831	009	3008	0.07	1835	1	65	100	3	7	6	9024	7189	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6587.399414	6587.399414	0.933333
1831	010	3008	0.07	1395	1	65	100	3	7	6	9024	7629	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7027.399414	7027.399414	0.933333
1831	011	3008	0.07	1300	1	65	100	3	7	6	9024	7724	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7122.399414	7122.399414	0.933333
1831	012	3008	0.07	2251	1	65	100	3	7	6	9024	6773	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6171.399414	6171.399414	0.933333
1831	013	3008	0.07	1264	1	65	100	3	7	6	9024	7760	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7158.399414	7158.399414	0.933333
1831	014	3008	0.07	1005	1	65	100	3	7	6	9024	8019	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7417.399414	7417.399414	0.933333
1831	015	3008	0.07	1000	1	65	100	3	7	6	9024	8024	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7422.399414	7422.399414	0.933333
1831	016	3008	0.07	1868	1	65	100	3	7	6	9024	7156	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6554.399414	6554.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1831	017	2959	0.07	1475	1	65	100	3	7	6	8877	7402	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8285.200195	6810.200195	6810.200195	0.933333
1831	024	2688	0.06	1175	1	65	100	3	6	5	8064	6889	RH-2	40	form-based			true	0.7	6	1	5	5	7526.399902	6351.399902	6351.399902	0.933333
1831	025	2687	0.06	1370	1	65	100	3	6	5	8061	6691	RH-2	40	form-based			true	0.7	6	1	5	5	7523.600098	6153.600098	6153.600098	0.933333
1831	026	2687	0.06	1550	1	65	100	3	6	5	8061	6511	RH-2	40	form-based			true	0.7	6	1	5	5	7523.600098	5973.600098	5973.600098	0.933333
1831	027	2951	0.07	850	1	65	100	3	7	6	8853	8003	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8262.799805	7412.799805	7412.799805	0.933333
1831	028	3000	0.07	1736	1	65	100	3	7	6	9000	7264	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6664	6664	0.933333
1831	029	3000	0.07	1470	1	65	100	3	7	6	9000	7530	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6930	6930	0.933333
1831	030	3000	0.07	1671	1	65	100	3	7	6	9000	7329	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6729	6729	0.933333
1831	031	3000	0.07	2029	1	65	100	3	7	6	9000	6971	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6371	6371	0.933333
1831	032	3000	0.07	935	1	65	100	3	7	6	9000	8065	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7465	7465	0.933333
1831	033	3000	0.07	1191	1	65	100	3	7	6	9000	7809	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7209	7209	0.933333
1831	034	3000	0.07	2000	1	65	100	3	7	6	9000	7000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6400	6400	0.933333
1831	035	3000	0.07	1950	1	65	100	3	7	6	9000	7050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6450	6450	0.933333
1831	037	3000	0.07	2000	1	65	100	3	7	6	9000	7000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6400	6400	0.933333
1831	042	3000	0.07	2803	1	85	140	4	10	9	12000	9197	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	5597	5597	0.7
1831	043	3000	0.07	3500	1	85	140	4	10	9	12000	8500	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	4900	4900	0.7
1831	052	3008	0.07	2416	1	85	140	4	10	9	12032	9616	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8422.399414	6006.399414	6006.399414	0.7
1831	053	3008	0.07	2416	1	65	100	3	7	6	9024	6608	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6006.399414	6006.399414	0.933333
1832	002	2995	0.07	1851	1	85	140	4	10	9	11980	10129	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8386	6535	6535	0.7
1832	015	2995	0.07	1525	1	65	100	3	7	6	8985	7460	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6861	6861	0.933333
1832	016	3010	0.07	1500	1	65	100	3	7	6	9030	7530	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6928	6928	0.933333
1832	023	2906	0.07	2225	1	65	100	3	7	6	8718	6493	RH-2	40	form-based		true	true	0.7	6	0.857142866	5	5	8136.799805	5911.799805	5911.799805	0.933333
1832	024	2850	0.07	2043	1	65	100	3	7	6	8550	6507	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5937	5937	0.933333
1832	025	2850	0.07	1100	1	65	100	3	7	6	8550	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6880	6880	0.933333
1832	040	3000	0.07	1475	1	85	140	4	10	9	12000	10525	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6925	6925	0.7
1834	026	3027	0.07	6468	6	65	100	3	7	1	9081	2613	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13621.5	7153.5	7153.5	1.5
1837	003	3010	0.07	1731	1	65	100	3	7	6	9030	7299	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8428	6697	6697	0.933333
1837	004	3010	0.07	2268	1	65	100	3	7	6	9030	6762	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8428	6160	6160	0.933333
1837	005	3010	0.07	1495	1	65	100	3	7	6	9030	7535	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8428	6933	6933	0.933333
1837	006	3010	0.07	2240	1	65	100	3	7	6	9030	6790	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8428	6188	6188	0.933333
1837	007	3010	0.07	2008	1	65	100	3	7	6	9030	7022	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8428	6420	6420	0.933333
1837	008	3010	0.07	1615	1	65	100	3	7	6	9030	7415	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8428	6813	6813	0.933333
1837	033	3000	0.07	1903	1	65	100	3	7	6	9000	7097	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6497	6497	0.933333
1837	039	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1838	001S	2566	0.06	2039	0	65	100	3	6	6	7698	5659	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	7184.799805	5145.799805	5145.799805	0.933333
1838	035	1324	0.03	1432	2	85	140	4	4	2	5296	3864	RTO-C	85	form-based		true	true	0.75	7	1.75	5	5	7944	6512	6512	1.5
1839	001C	2875	0.07	1420	1	65	100	3	7	6	8625	7205	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8050	6630	6630	0.933333
1839	001N	2379	0.05	0	0	65	100	3	5	5	7137	7137	RH-2	40	form-based			true	0.7	5	1	5	5	6661.199707	6661.199707	6661.199707	0.933333
1839	003	2884	0.07	1754	1	65	100	3	7	6	8652	6898	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8075.199707	6321.199707	6321.199707	0.933333
1839	004A	3190	0.07	2750	2	65	100	3	7	5	9570	6820	RH-2	40	form-based			true	0.7	7	1	5	5	8932	6182	6182	0.933333
1839	022	2280	0.05	3110	0	65	100	3	5	5	6840	3730	RH-2	40	form-based			true	0.7	5	1	5	5	6384	3274	3274	0.933333
1840	002	3014	0.07	1150	1	85	140	4	10	9	12056	10906	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8439.200195	7289.200195	7289.200195	0.7
1840	003	3014	0.07	1550	1	85	140	4	10	9	12056	10506	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8439.200195	6889.200195	6889.200195	0.7
1840	004	3014	0.07	2345	1	85	140	4	10	9	12056	9711	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8439.200195	6094.200195	6094.200195	0.7
1840	005	3014	0.07	1420	1	65	100	3	7	6	9042	7622	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7019.200195	7019.200195	0.933333
1840	006	3014	0.07	1400	1	65	100	3	7	6	9042	7642	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7039.200195	7039.200195	0.933333
1840	009	3014	0.07	1656	1	65	100	3	7	6	9042	7386	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6783.200195	6783.200195	0.933333
1840	010	3014	0.07	1200	1	65	100	3	7	6	9042	7842	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7239.200195	7239.200195	0.933333
1840	011	3014	0.07	1200	1	65	100	3	7	6	9042	7842	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7239.200195	7239.200195	0.933333
1840	013	3014	0.07	1740	1	65	100	3	7	6	9042	7302	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6699.200195	6699.200195	0.933333
1840	014	3014	0.07	1295	1	65	100	3	7	6	9042	7747	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7144.200195	7144.200195	0.933333
1840	014A	3014	0.07	1250	1	65	100	3	7	6	9042	7792	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7189.200195	7189.200195	0.933333
1840	014B	3014	0.07	1300	1	65	100	3	7	6	9042	7742	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7139.200195	7139.200195	0.933333
1840	014C	3014	0.07	1083	1	65	100	3	7	6	9042	7959	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7356.200195	7356.200195	0.933333
1840	014D	3014	0.07	1875	1	65	100	3	7	6	9042	7167	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6564.200195	6564.200195	0.933333
1840	014E	3014	0.07	1070	1	65	100	3	7	6	9042	7972	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7369.200195	7369.200195	0.933333
1840	015	3014	0.07	1860	1	65	100	3	7	6	9042	7182	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6579.200195	6579.200195	0.933333
1840	021	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1840	022	3000	0.07	2430	1	65	100	3	7	6	9000	6570	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5970	5970	0.933333
1840	023	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
1840	024	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1840	027	3000	0.07	1726	1	65	100	3	7	6	9000	7274	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6674	6674	0.933333
1840	028	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6775	6775	0.933333
1840	036	3000	0.07	1645	1	85	140	4	10	9	12000	10355	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6755	6755	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1841	001	1744	0.04	2740	4	85	140	4	6	2	6976	4236	RTO-C	85	form-based		true	true	0.75	9	1.5	5	5	10464	7724	7724	1.5
1841	002	2994	0.07	1700	1	85	140	4	10	9	11976	10276	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8383.200195	6683.200195	6683.200195	0.7
1841	003	2994	0.07	2916	1	85	140	4	10	9	11976	9060	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8383.200195	5467.200195	5467.200195	0.7
1841	004	2994	0.07	2770	1	85	140	4	10	9	11976	9206	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8383.200195	5613.200195	5613.200195	0.7
1841	005	2994	0.07	2360	1	65	100	3	7	6	8982	6622	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6023.200195	6023.200195	0.933333
1841	007	2994	0.07	2210	1	65	100	3	7	6	8982	6772	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6173.200195	6173.200195	0.933333
1841	008	2994	0.07	2060	1	65	100	3	7	6	8982	6922	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6323.200195	6323.200195	0.933333
1841	009	2994	0.07	1730	1	65	100	3	7	6	8982	7252	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6653.200195	6653.200195	0.933333
1841	010	2994	0.07	1790	1	65	100	3	7	6	8982	7192	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6593.200195	6593.200195	0.933333
1841	013	2994	0.07	1850	1	65	100	3	7	6	8982	7132	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6533.200195	6533.200195	0.933333
1841	018	3000	0.07	1910	1	65	100	3	7	6	9000	7090	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6490	6490	0.933333
1841	019	3000	0.07	1950	1	65	100	3	7	6	9000	7050	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6450	6450	0.933333
1841	020	3000	0.07	1910	1	65	100	3	7	6	9000	7090	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6490	6490	0.933333
1841	021	3000	0.07	1910	1	65	100	3	7	6	9000	7090	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6490	6490	0.933333
1841	022	3000	0.07	2210	1	65	100	3	7	6	9000	6790	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6190	6190	0.933333
1841	023	3000	0.07	1910	1	65	100	3	7	6	9000	7090	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6490	6490	0.933333
1841	024	3000	0.07	1850	1	65	100	3	7	6	9000	7150	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6550	6550	0.933333
1841	034B	1250	0.03	2315	2	85	140	4	4	2	5000	2685	RTO-C	85	form-based			true	0.75	7	1.75	5	5	7500	5185	5185	1.5
1842	003	3000	0.07	1945	1	65	100	3	7	6	9000	7055	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6455	6455	0.933333
1842	005	3000	0.07	969	1	65	100	3	7	6	9000	8031	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7431	7431	0.933333
1842	006	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1842	007	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1842	008	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1842	009	3000	0.07	2912	1	65	100	3	7	6	9000	6088	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5488	5488	0.933333
1842	010	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
1842	013	3000	0.07	3342	1	65	100	3	7	6	9000	5658	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5058	5058	0.933333
1842	017	3000	0.07	1870	1	65	100	3	7	6	9000	7130	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6530	6530	0.933333
1842	025	3342	0.08	1800	2	65	100	3	8	6	10026	8226	RH-2	40	form-based		true	true	0.7	7	0.875	5	5	9357.599609	7557.599609	7557.599609	0.933333
1842	027	3023	0.07	2860	1	65	100	3	7	6	9069	6209	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	5604.399414	5604.399414	0.933333
1842	029	3023	0.07	1950	1	65	100	3	7	6	9069	7119	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	6514.399414	6514.399414	0.933333
1842	033	3023	0.07	1410	1	65	100	3	7	6	9069	7659	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7054.399414	7054.399414	0.933333
1842	035	3023	0.07	1325	1	65	100	3	7	6	9069	7744	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7139.399414	7139.399414	0.933333
1842	036	3023	0.07	2263	1	65	100	3	7	6	9069	6806	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	6201.399414	6201.399414	0.933333
1842	037	3023	0.07	1325	1	65	100	3	7	6	9069	7744	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7139.399414	7139.399414	0.933333
1842	038	3023	0.07	2944	1	85	140	4	10	9	12092	9148	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8464.399414	5520.399414	5520.399414	0.7
1842	039	3023	0.07	1330	1	85	140	4	10	9	12092	10762	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8464.399414	7134.399414	7134.399414	0.7
1842	040	2973	0.07	1325	1	85	140	4	10	9	11892	10567	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8324.399414	6999.399414	6999.399414	0.7
1843	007	2997	0.07	1558	1	65	100	3	7	6	8991	7433	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6833.599609	6833.599609	0.933333
1843	008	2997	0.07	2039	1	65	100	3	7	6	8991	6952	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6352.599609	6352.599609	0.933333
1843	009	2997	0.07	1275	1	65	100	3	7	6	8991	7716	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	7116.599609	7116.599609	0.933333
1843	010	2997	0.07	2108	1	65	100	3	7	6	8991	6883	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6283.599609	6283.599609	0.933333
1843	011	2997	0.07	2568	1	65	100	3	7	6	8991	6423	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	5823.599609	5823.599609	0.933333
1843	013	2997	0.07	1938	1	65	100	3	7	6	8991	7053	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6453.599609	6453.599609	0.933333
1843	014	2997	0.07	2544	1	65	100	3	7	6	8991	6447	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	5847.599609	5847.599609	0.933333
1843	015	2997	0.07	2200	1	65	100	3	7	6	8991	6791	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6191.599609	6191.599609	0.933333
1843	016	2997	0.07	1363	1	65	100	3	7	6	8991	7628	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	7028.599609	7028.599609	0.933333
1843	028	3000	0.07	2259	1	65	100	3	7	6	9000	6741	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6141	6141	0.933333
1843	030	3000	0.07	2164	1	65	100	3	7	6	9000	6836	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6236	6236	0.933333
1843	031	3000	0.07	1610	1	65	100	3	7	6	9000	7390	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6790	6790	0.933333
1843	032	3000	0.07	1817	1	65	100	3	7	6	9000	7183	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6583	6583	0.933333
1843	033	3000	0.07	1980	1	65	100	3	7	6	9000	7020	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6420	6420	0.933333
1843	039	4677	0.11	4855	5	65	100	3	11	6	14031	9176	RH-2	40	form-based			true	0.7	10	0.909090936	5	5	13095.59961	8240.599609	8240.599609	0.933333
1843	041	2906	0.07	3488	1	65	100	3	7	6	8718	5230	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8136.799805	4648.799805	4648.799805	0.933333
1843	055	3000	0.07	975	1	65	100	3	7	6	9000	8025	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7425	7425	0.933333
1844	010	3013	0.07	1360	1	65	100	3	7	6	9039	7679	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7076.399414	7076.399414	0.933333
1844	013	3013	0.07	2412	1	65	100	3	7	6	9039	6627	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6024.399414	6024.399414	0.933333
1844	014	3013	0.07	2112	1	65	100	3	7	6	9039	6927	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6324.399414	6324.399414	0.933333
1844	016	3013	0.07	1365	1	65	100	3	7	6	9039	7674	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7071.399414	7071.399414	0.933333
1844	029	2982	0.07	1500	1	65	100	3	7	6	8946	7446	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6849.599609	6849.599609	0.933333
1844	032	2982	0.07	1932	1	65	100	3	7	6	8946	7014	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6417.599609	6417.599609	0.933333
1844	036	2982	0.07	1903	1	65	100	3	7	6	8946	7043	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6446.599609	6446.599609	0.933333
1844	038	2982	0.07	1780	1	65	100	3	7	6	8946	7166	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6569.599609	6569.599609	0.933333
1844	041	2982	0.07	2305	1	85	140	4	10	9	11928	9623	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8349.599609	6044.599609	6044.599609	0.7
1844	054	2508	0.06	1887	0	65	100	3	6	6	7524	5637	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	7022.399902	5135.399902	5135.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1845	002	2946	0.07	1775	1	65	100	3	7	6	8838	7063	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8248.799805	6473.799805	6473.799805	0.933333
1845	006	2995	0.07	1110	1	65	100	3	7	6	8985	7875	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8386	7276	7276	0.933333
1845	008	2995	0.07	2675	1	65	100	3	7	6	8985	6310	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8386	5711	5711	0.933333
1845	012	2995	0.07	1337	1	65	100	3	7	6	8985	7648	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8386	7049	7049	0.933333
1845	016	2995	0.07	2450	1	65	100	3	7	6	8985	6535	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8386	5936	5936	0.933333
1845	030	3000	0.07	1965	1	65	100	3	7	6	9000	7035	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6435	6435	0.933333
1845	031	3000	0.07	1720	1	65	100	3	7	6	9000	7280	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6680	6680	0.933333
1845	038	3000	0.07	1875	1	65	100	3	7	6	9000	7125	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6525	6525	0.933333
1845	040	3000	0.07	1650	1	85	140	4	10	9	12000	10350	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8400	6750	6750	0.7
1846	012	3015	0.07	4080	6	65	100	3	7	1	9045	4965	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13567.5	9487.5	9487.5	1.5
1846	018	3015	0.07	4346	6	65	100	3	7	1	9045	4699	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13567.5	9221.5	9221.5	1.5
1846	028	2968	0.07	1750	1	65	100	3	7	6	8904	7154	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	6560.399414	6560.399414	0.933333
1846	029	2968	0.07	1839	1	65	100	3	7	6	8904	7065	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	6471.399414	6471.399414	0.933333
1846	030	2968	0.07	1075	1	65	100	3	7	6	8904	7829	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	7235.399414	7235.399414	0.933333
1846	031	2968	0.07	1550	1	65	100	3	7	6	8904	7354	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	6760.399414	6760.399414	0.933333
1846	035	2968	0.07	825	1	65	100	3	7	6	8904	8079	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	7485.399414	7485.399414	0.933333
1846	040	2968	0.07	1440	1	65	100	3	7	6	8904	7464	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	6870.399414	6870.399414	0.933333
1846	046	3300	0.08	4609	2	65	100	3	8	6	9900	5291	RH-2	40	form-based			true	0.7	7	0.875	5	5	9240	4631	4631	0.933333
1847	005	2946	0.07	2055	1	65	100	3	7	6	8838	6783	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8248.799805	6193.799805	6193.799805	0.933333
1847	006	2994	0.07	1525	1	65	100	3	7	6	8982	7457	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6858.200195	6858.200195	0.933333
1847	007	2994	0.07	2050	1	65	100	3	7	6	8982	6932	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6333.200195	6333.200195	0.933333
1847	008	2994	0.07	2200	1	65	100	3	7	6	8982	6782	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6183.200195	6183.200195	0.933333
1847	012	2994	0.07	2050	1	65	100	3	7	6	8982	6932	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6333.200195	6333.200195	0.933333
1847	013	2994	0.07	2150	1	65	100	3	7	6	8982	6832	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6233.200195	6233.200195	0.933333
1847	014	2994	0.07	2823	1	65	100	3	7	6	8982	6159	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	5560.200195	5560.200195	0.933333
1847	015	2994	0.07	1859	1	65	100	3	7	6	8982	7123	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6524.200195	6524.200195	0.933333
1847	016	2994	0.07	1374	1	65	100	3	7	6	8982	7608	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7009.200195	7009.200195	0.933333
1847	017	2994	0.07	1200	1	65	100	3	7	6	8982	7782	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7183.200195	7183.200195	0.933333
1847	018	2994	0.07	3107	1	65	100	3	7	6	8982	5875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	5276.200195	5276.200195	0.933333
1847	019	2994	0.07	2050	1	65	100	3	7	6	8982	6932	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6333.200195	6333.200195	0.933333
1847	020	2994	0.07	1815	1	65	100	3	7	6	8982	7167	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6568.200195	6568.200195	0.933333
1847	038	3000	0.07	4590	6	65	100	3	7	1	9000	4410	RTO-C	65	form-based			true	0.75	11	1.571428537	5	5	13500	8910	8910	1.5
1847	039	6000	0.14	14625	18	65	100	3	14	0	18000	3375	RTO-C	65	form-based			true	0.75	23	1.642857194	5	5	27000	12375	12375	1.5
1848	006	3002	0.07	2222	1	65	100	3	7	6	9006	6784	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6183.599609	6183.599609	0.933333
1848	007	3002	0.07	2496	1	65	100	3	7	6	9006	6510	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	5909.599609	5909.599609	0.933333
1848	008	3002	0.07	2100	1	65	100	3	7	6	9006	6906	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6305.599609	6305.599609	0.933333
1848	009	3002	0.07	3381	1	65	100	3	7	6	9006	5625	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	5024.599609	5024.599609	0.933333
1848	010	3002	0.07	2244	1	65	100	3	7	6	9006	6762	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6161.599609	6161.599609	0.933333
1848	011	3002	0.07	3235	1	65	100	3	7	6	9006	5771	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	5170.599609	5170.599609	0.933333
1848	012	3002	0.07	2368	1	65	100	3	7	6	9006	6638	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6037.599609	6037.599609	0.933333
1848	013	3002	0.07	1785	1	65	100	3	7	6	9006	7221	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6620.599609	6620.599609	0.933333
1848	014	3002	0.07	1950	1	65	100	3	7	6	9006	7056	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6455.599609	6455.599609	0.933333
1848	015	3002	0.07	2680	1	65	100	3	7	6	9006	6326	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	5725.599609	5725.599609	0.933333
1848	016	3002	0.07	2550	1	65	100	3	7	6	9006	6456	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	5855.599609	5855.599609	0.933333
1848	017	3002	0.07	1100	1	65	100	3	7	6	9006	7906	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7305.599609	7305.599609	0.933333
1848	018	3002	0.07	2755	1	65	100	3	7	6	9006	6251	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	5650.599609	5650.599609	0.933333
1848	020	3002	0.07	2550	1	65	100	3	7	6	9006	6456	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	5855.599609	5855.599609	0.933333
1848	031	3020	0.07	1943	1	65	100	3	7	6	9060	7117	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6513	6513	0.933333
1848	032	3020	0.07	2690	1	65	100	3	7	6	9060	6370	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	5766	5766	0.933333
1848	033	3020	0.07	2836	1	65	100	3	7	6	9060	6224	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	5620	5620	0.933333
1848	034	3020	0.07	1950	1	65	100	3	7	6	9060	7110	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6506	6506	0.933333
1848	035	3020	0.07	2340	1	65	100	3	7	6	9060	6720	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6116	6116	0.933333
1848	036	3020	0.07	2300	1	65	100	3	7	6	9060	6760	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6156	6156	0.933333
1848	040	3020	0.07	1750	1	65	100	3	7	6	9060	7310	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6706	6706	0.933333
1848	041	3020	0.07	2840	1	65	100	3	7	6	9060	6220	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	5616	5616	0.933333
1848	042	3020	0.07	2380	1	65	100	3	7	6	9060	6680	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6076	6076	0.933333
1848	043	3020	0.07	3108	1	65	100	3	7	6	9060	5952	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	5348	5348	0.933333
1848	044	3020	0.07	4125	1	65	100	3	7	6	9060	4935	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	4331	4331	0.933333
1848	046	2971	0.07	2100	1	65	100	3	7	6	8913	6813	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	6218.799805	6218.799805	0.933333
1852	005	2994	0.07	1180	1	65	100	3	7	6	8982	7802	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7203.200195	7203.200195	0.933333
1852	006	2994	0.07	2050	1	65	100	3	7	6	8982	6932	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6333.200195	6333.200195	0.933333
1852	007	2994	0.07	2415	1	65	100	3	7	6	8982	6567	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	5968.200195	5968.200195	0.933333
1852	008	2994	0.07	1210	1	65	100	3	7	6	8982	7772	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7173.200195	7173.200195	0.933333
1853	004F	2979	0.07	2354	1	65	100	3	7	6	8937	6583	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	5987.200195	5987.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1853	004G	2979	0.07	1500	1	65	100	3	7	6	8937	7437	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6841.200195	6841.200195	0.933333
1853	004H	2979	0.07	1680	1	65	100	3	7	6	8937	7257	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6661.200195	6661.200195	0.933333
1853	004I	2979	0.07	1752	1	65	100	3	7	6	8937	7185	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6589.200195	6589.200195	0.933333
1853	004J	2979	0.07	1425	1	65	100	3	7	6	8937	7512	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6916.200195	6916.200195	0.933333
1853	004K	2979	0.07	1425	1	65	100	3	7	6	8937	7512	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6916.200195	6916.200195	0.933333
1853	012	2989	0.07	1680	1	65	100	3	7	6	8967	7287	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6689.200195	6689.200195	0.933333
1853	015	2979	0.07	1910	1	65	100	3	7	6	8937	7027	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6431.200195	6431.200195	0.933333
1853	015A	2979	0.07	2228	1	65	100	3	7	6	8937	6709	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6113.200195	6113.200195	0.933333
1853	016	2979	0.07	2238	1	65	100	3	7	6	8937	6699	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6103.200195	6103.200195	0.933333
1853	018	2979	0.07	1921	1	65	100	3	7	6	8937	7016	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6420.200195	6420.200195	0.933333
1854	002	2922	0.07	1754	1	65	100	3	7	6	8766	7012	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8181.600098	6427.600098	6427.600098	0.933333
1854	003	2984	0.07	1754	1	65	100	3	7	6	8952	7198	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	6601.200195	6601.200195	0.933333
1854	004	2984	0.07	1754	1	65	100	3	7	6	8952	7198	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	6601.200195	6601.200195	0.933333
1854	012C	3223	0.07	4275	2	65	100	3	7	5	9669	5394	RH-2	40	form-based			true	0.7	7	1	5	5	9024.399414	4749.399414	4749.399414	0.933333
1854	013	2984	0.07	1745	1	65	100	3	7	6	8952	7207	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	6610.200195	6610.200195	0.933333
1854	019	2880	0.07	2245	1	65	100	3	7	6	8640	6395	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8064	5819	5819	0.933333
1854	022	3000	0.07	2140	1	65	100	3	7	6	9000	6860	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6260	6260	0.933333
1854	027	3000	0.07	2060	1	65	100	3	7	6	9000	6940	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6340	6340	0.933333
1854	028	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1854	029	3000	0.07	2832	1	65	100	3	7	6	9000	6168	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5568	5568	0.933333
1854	030	3000	0.07	1883	1	65	100	3	7	6	9000	7117	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6517	6517	0.933333
1854	041	3570	0.08	1081	2	65	100	3	8	6	10710	9629	RH-2	40	form-based			true	0.7	7	0.875	5	5	9996	8915	8915	0.933333
1854	043	3000	0.07	1329	1	65	100	3	7	6	9000	7671	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7071	7071	0.933333
1855	003A	3500	0.08	2750	2	65	100	3	8	6	10500	7750	RH-2	40	form-based			true	0.7	7	0.875	5	5	9800	7050	7050	0.933333
1855	005	3000	0.07	2030	1	65	100	3	7	6	9000	6970	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6370	6370	0.933333
1855	010	3000	0.07	2010	1	65	100	3	7	6	9000	6990	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6390	6390	0.933333
1855	027	3013	0.07	3656	1	65	100	3	7	6	9039	5383	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	4780.399414	4780.399414	0.933333
1855	028	3013	0.07	2715	1	65	100	3	7	6	9039	6324	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	5721.399414	5721.399414	0.933333
1855	028C	3013	0.07	3150	1	65	100	3	7	6	9039	5889	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	5286.399414	5286.399414	0.933333
1855	031	3013	0.07	1875	1	65	100	3	7	6	9039	7164	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6561.399414	6561.399414	0.933333
1855	032	3013	0.07	1255	1	65	100	3	7	6	9039	7784	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7181.399414	7181.399414	0.933333
1855	036	3013	0.07	1875	1	65	100	3	7	6	9039	7164	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6561.399414	6561.399414	0.933333
1855	049	6000	0.14	8296	8	65	100	3	14	6	18000	9704	RH-2	40	form-based			true	0.7	13	0.928571403	5	5	16800	8504	8504	0.933333
1856	007	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
1856	009	3000	0.07	792	1	65	100	3	7	6	9000	8208	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7608	7608	0.933333
1856	010	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1856	011	3000	0.07	3600	1	65	100	3	7	6	9000	5400	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	4800	4800	0.933333
1856	012	3000	0.07	1295	1	65	100	3	7	6	9000	7705	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7105	7105	0.933333
1856	013	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1856	014	3000	0.07	2744	1	65	100	3	7	6	9000	6256	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5656	5656	0.933333
1856	015	3000	0.07	1886	1	65	100	3	7	6	9000	7114	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6514	6514	0.933333
1856	017	2995	0.07	2851	1	65	100	3	7	6	8985	6134	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8386	5535	5535	0.933333
1856	027	2976	0.07	1392	1	65	100	3	7	6	8928	7536	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8332.799805	6940.799805	6940.799805	0.933333
1856	028	2979	0.07	1680	1	65	100	3	7	6	8937	7257	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6661.200195	6661.200195	0.933333
1856	029	2979	0.07	2223	1	65	100	3	7	6	8937	6714	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6118.200195	6118.200195	0.933333
1856	030	2979	0.07	1350	1	65	100	3	7	6	8937	7587	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6991.200195	6991.200195	0.933333
1856	031	2979	0.07	2630	1	65	100	3	7	6	8937	6307	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	5711.200195	5711.200195	0.933333
1856	032	2979	0.07	1950	1	65	100	3	7	6	8937	6987	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6391.200195	6391.200195	0.933333
1856	035	2979	0.07	2132	1	65	100	3	7	6	8937	6805	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6209.200195	6209.200195	0.933333
1856	036	2979	0.07	1560	1	65	100	3	7	6	8937	7377	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6781.200195	6781.200195	0.933333
1856	037	2979	0.07	1550	1	65	100	3	7	6	8937	7387	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6791.200195	6791.200195	0.933333
1856	038	2979	0.07	1510	1	65	100	3	7	6	8937	7427	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6831.200195	6831.200195	0.933333
1856	039	2979	0.07	2258	1	65	100	3	7	6	8937	6679	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6083.200195	6083.200195	0.933333
1856	040	2979	0.07	1677	1	65	100	3	7	6	8937	7260	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6664.200195	6664.200195	0.933333
1856	041	2979	0.07	1324	1	65	100	3	7	6	8937	7613	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	7017.200195	7017.200195	0.933333
1856	042	2979	0.07	1450	1	65	100	3	7	6	8937	7487	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6891.200195	6891.200195	0.933333
1857	002	3000	0.07	1935	1	65	100	3	7	6	9000	7065	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6465	6465	0.933333
1857	003	3000	0.07	1480	1	65	100	3	7	6	9000	7520	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6920	6920	0.933333
1857	003A	3000	0.07	1480	1	65	100	3	7	6	9000	7520	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6920	6920	0.933333
1857	006	3000	0.07	1248	1	65	100	3	7	6	9000	7752	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7152	7152	0.933333
1857	006A	3000	0.07	1747	1	65	100	3	7	6	9000	7253	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6653	6653	0.933333
1857	009	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
1857	012	3000	0.07	1282	1	65	100	3	7	6	9000	7718	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7118	7118	0.933333
1857	013	3000	0.07	2065	1	65	100	3	7	6	9000	6935	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6335	6335	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1857	014	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1857	019	3000	0.07	2925	1	65	100	3	7	6	9000	6075	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5475	5475	0.933333
1857	020	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
1857	021	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1857	023	3000	0.07	3072	1	65	100	3	7	6	9000	5928	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	5328	5328	0.933333
1857	025	3000	0.07	2130	1	65	100	3	7	6	9000	6870	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6270	6270	0.933333
1857	026	3000	0.07	1714	1	65	100	3	7	6	9000	7286	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6686	6686	0.933333
1857	028	3000	0.07	1388	1	65	100	3	7	6	9000	7612	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7012	7012	0.933333
1857	029	3000	0.07	1991	1	65	100	3	7	6	9000	7009	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6409	6409	0.933333
1857	030	3000	0.07	1727	1	65	100	3	7	6	9000	7273	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6673	6673	0.933333
1857	031	3000	0.07	1540	1	65	100	3	7	6	9000	7460	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6860	6860	0.933333
1857	031A	3003	0.07	1320	1	65	100	3	7	6	9009	7689	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7088.399414	7088.399414	0.933333
1858	016	3000	0.07	1920	1	65	100	3	7	6	9000	7080	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6480	6480	0.933333
1858	017	3000	0.07	2195	1	65	100	3	7	6	9000	6805	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6205	6205	0.933333
1859A	004	3000	0.07	1969	1	65	100	3	7	6	9000	7031	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6431	6431	0.933333
1859A	006	3000	0.07	2390	1	65	100	3	7	6	9000	6610	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6010	6010	0.933333
1859A	007	3000	0.07	2320	1	65	100	3	7	6	9000	6680	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6080	6080	0.933333
1859A	008	3000	0.07	1359	1	65	100	3	7	6	9000	7641	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7041	7041	0.933333
1859A	009	3000	0.07	1536	1	65	100	3	7	6	9000	7464	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6864	6864	0.933333
1859A	010	3000	0.07	2469	1	65	100	3	7	6	9000	6531	RH-2	40	form-based		true	true	0.7	6	0.857142866	5	5	8400	5931	5931	0.933333
1859A	012	2741	0.06	1345	1	65	100	3	6	5	8223	6878	RH-1	40	form-based			true	0.7	6	1	5	5	7674.799805	6329.799805	6329.799805	0.933333
1859A	013	3076	0.07	2960	1	65	100	3	7	6	9228	6268	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8612.799805	5652.799805	5652.799805	0.933333
1860A	001B	2992	0.07	1242	1	65	100	3	7	6	8976	7734	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7135.599609	7135.599609	0.933333
1860A	001C	3032	0.07	1242	1	65	100	3	7	6	9096	7854	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8489.599609	7247.599609	7247.599609	0.933333
1860A	001D	2911	0.07	1242	1	65	100	3	7	6	8733	7491	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8150.799805	6908.799805	6908.799805	0.933333
1860A	003	2844	0.07	1509	1	65	100	3	7	6	8532	7023	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7963.199707	6454.199707	6454.199707	0.933333
1860A	003A	2826	0.06	1509	1	65	100	3	6	5	8478	6969	RH-1	40	form-based			true	0.7	6	1	5	5	7912.799805	6403.799805	6403.799805	0.933333
1860A	003B	2702	0.06	1509	1	65	100	3	6	5	8106	6597	RH-1	40	form-based			true	0.7	6	1	5	5	7565.600098	6056.600098	6056.600098	0.933333
1860A	007	3011	0.07	1152	1	65	100	3	7	6	9033	7881	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	7278.799805	7278.799805	0.933333
1860A	008A	3020	0.07	1554	1	65	100	3	7	6	9060	7506	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6902	6902	0.933333
1860A	009	3026	0.07	1714	1	65	100	3	7	6	9078	7364	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6758.799805	6758.799805	0.933333
1860A	010	3026	0.07	1356	1	65	100	3	7	6	9078	7722	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7116.799805	7116.799805	0.933333
1860A	011	3032	0.07	1356	1	65	100	3	7	6	9096	7740	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8489.599609	7133.599609	7133.599609	0.933333
1860A	012	2715	0.06	1805	1	65	100	3	6	5	8145	6340	RH-1	40	form-based			true	0.7	6	1	5	5	7602	5797	5797	0.933333
1860A	013A	2726	0.06	1235	1	65	100	3	6	5	8178	6943	RH-1	40	form-based			true	0.7	6	1	5	5	7632.799805	6397.799805	6397.799805	0.933333
1860A	023	2647	0.06	2042	1	65	100	3	6	5	7941	5899	RH-2	40	form-based			true	0.7	6	1	5	5	7411.600098	5369.600098	5369.600098	0.933333
1860A	024	2647	0.06	2042	1	65	100	3	6	5	7941	5899	RH-2	40	form-based			true	0.7	6	1	5	5	7411.600098	5369.600098	5369.600098	0.933333
1860A	027	2710	0.06	1196	1	65	100	3	6	5	8130	6934	RH-2	40	form-based		true	true	0.7	6	1	5	5	7588	6392	6392	0.933333
1860A	030	3069	0.07	1280	1	65	100	3	7	6	9207	7927	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8593.200195	7313.200195	7313.200195	0.933333
1860A	031	2660	0.06	1280	1	65	100	3	6	5	7980	6700	RH-1	40	form-based			true	0.7	6	1	5	5	7448	6168	6168	0.933333
1860A	032	2717	0.06	1280	1	65	100	3	6	5	8151	6871	RH-1	40	form-based			true	0.7	6	1	5	5	7607.600098	6327.600098	6327.600098	0.933333
1860A	035	2921	0.07	2107	1	65	100	3	7	6	8763	6656	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8178.799805	6071.799805	6071.799805	0.933333
1860A	036	3032	0.07	1951	1	65	100	3	7	6	9096	7145	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8489.599609	6538.599609	6538.599609	0.933333
1860B	014	2890	0.07	2607	1	55	80	2.5	6	5	7225	4618	RH-1	40	form-based			true	0.7	6	1	5	5	8092	5485	5485	1.12
1860B	016	2777	0.06	2702	1	55	80	2.5	5	4	6942	4240	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7775.600098	5073.600098	5073.600098	1.120081
1860B	017	2884	0.07	3448	1	55	80	2.5	6	5	7210	3762	RH-1	40	form-based			true	0.7	6	1	5	5	8075.199707	4627.199707	4627.199707	1.12
1860B	018	3026	0.07	2702	1	55	80	2.5	6	5	7565	4863	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	5770.799805	5770.799805	1.12
1860B	019	2912	0.07	2702	1	55	80	2.5	6	5	7280	4578	RH-1	40	form-based			true	0.7	6	1	5	5	8153.600098	5451.600098	5451.600098	1.12
1861A	013	2687	0.06	1215	1	65	100	3	6	5	8061	6846	RH-2	40	form-based			true	0.7	6	1	5	5	7523.600098	6308.600098	6308.600098	0.933333
1861A	014	2687	0.06	1215	1	65	100	3	6	5	8061	6846	RH-2	40	form-based			true	0.7	6	1	5	5	7523.600098	6308.600098	6308.600098	0.933333
1861A	015	2687	0.06	1560	1	65	100	3	6	5	8061	6501	RH-2	40	form-based			true	0.7	6	1	5	5	7523.600098	5963.600098	5963.600098	0.933333
1861A	016	2687	0.06	1215	1	65	100	3	6	5	8061	6846	RH-2	40	form-based			true	0.7	6	1	5	5	7523.600098	6308.600098	6308.600098	0.933333
1861A	017	2687	0.06	1215	1	65	100	3	6	5	8061	6846	RH-2	40	form-based			true	0.7	6	1	5	5	7523.600098	6308.600098	6308.600098	0.933333
1861A	018	2687	0.06	2052	1	65	100	3	6	5	8061	6009	RH-2	40	form-based			true	0.7	6	1	5	5	7523.600098	5471.600098	5471.600098	0.933333
1861A	019	2687	0.06	1950	1	65	100	3	6	5	8061	6111	RH-2	40	form-based			true	0.7	6	1	5	5	7523.600098	5573.600098	5573.600098	0.933333
1861B	002A	2708	0.06	1602	1	65	100	3	6	5	8124	6522	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7582.399902	5980.399902	5980.399902	0.933333
1861B	002B	2630	0.06	2044	1	65	100	3	6	5	7890	5846	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7364	5320	5320	0.933333
1861B	002D	2666	0.06	1350	1	65	100	3	6	5	7998	6648	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7464.799805	6114.799805	6114.799805	0.933333
1861B	008A	2856	0.07	1975	1	65	100	3	7	6	8568	6593	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7996.799805	6021.799805	6021.799805	0.933333
1861B	009	2951	0.07	2076	1	65	100	3	7	6	8853	6777	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8262.799805	6186.799805	6186.799805	0.933333
1861B	010	2947	0.07	1335	1	65	100	3	7	6	8841	7506	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8251.599609	6916.599609	6916.599609	0.933333
1861B	011	2677	0.06	1335	1	65	100	3	6	5	8031	6696	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7495.600098	6160.600098	6160.600098	0.933333
1861B	004G	2657	0.06	1200	1	55	80	2.5	5	4	6642	5442	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7439.600098	6239.600098	6239.600098	1.120084
1861B	004J	2794	0.06	1730	1	55	80	2.5	5	4	6985	5255	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7823.199707	6093.199707	6093.199707	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1861B	005B	2840	0.07	1255	1	55	80	2.5	6	5	7100	5845	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7952	6697	6697	1.12
1861B	005C	2893	0.07	2102	1	55	80	2.5	6	5	7232	5130	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8100.399902	5998.399902	5998.399902	1.120077
1861B	006A	3031	0.07	1570	1	55	80	2.5	6	5	7578	6008	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8486.799805	6916.799805	6916.799805	1.119926
1861B	007	2861	0.07	1794	1	65	100	3	7	6	8583	6789	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8010.799805	6216.799805	6216.799805	0.933333
1861B	018	3048	0.07	2204	1	55	80	2.5	6	5	7620	5416	RH-1	40	form-based			true	0.7	6	1	5	5	8534.399414	6330.399414	6330.399414	1.12
1861B	019	3091	0.07	2639	1	55	80	2.5	6	5	7728	5089	RH-1	40	form-based			true	0.7	6	1	5	5	8654.799805	6015.799805	6015.799805	1.119928
1861B	020	2771	0.06	2504	1	55	80	2.5	5	4	6928	4424	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7758.799805	5254.799805	5254.799805	1.119919
1861B	021	2651	0.06	2204	1	55	80	2.5	5	4	6628	4424	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7422.799805	5218.799805	5218.799805	1.119915
1861B	022	2664	0.06	2204	1	55	80	2.5	5	4	6660	4456	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7459.199707	5255.199707	5255.199707	1.12
1862A	006	3081	0.07	1450	1	65	100	3	7	6	9243	7793	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8626.799805	7176.799805	7176.799805	0.933333
1862A	006F	2678	0.06	1250	1	65	100	3	6	5	8034	6784	RH-1	40	form-based			true	0.7	6	1	5	5	7498.399902	6248.399902	6248.399902	0.933333
1862A	007A	2715	0.06	1538	1	65	100	3	6	5	8145	6607	RH-1	40	form-based			true	0.7	6	1	5	5	7602	6064	6064	0.933333
1862A	008	3087	0.07	1499	1	65	100	3	7	6	9261	7762	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8643.599609	7144.599609	7144.599609	0.933333
1862A	009	2994	0.07	1200	1	65	100	3	7	6	8982	7782	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7183.200195	7183.200195	0.933333
1863	006	2988	0.07	1500	1	65	100	3	7	6	8964	7464	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6866.399414	6866.399414	0.933333
1863	007	2988	0.07	1500	1	65	100	3	7	6	8964	7464	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6866.399414	6866.399414	0.933333
1863	008	2988	0.07	1650	1	65	100	3	7	6	8964	7314	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6716.399414	6716.399414	0.933333
1863	009	2988	0.07	1650	1	65	100	3	7	6	8964	7314	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6716.399414	6716.399414	0.933333
1863	010	2988	0.07	2533	1	65	100	3	7	6	8964	6431	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	5833.399414	5833.399414	0.933333
1863	011	2988	0.07	1669	1	65	100	3	7	6	8964	7295	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6697.399414	6697.399414	0.933333
1863	012	2988	0.07	1265	1	65	100	3	7	6	8964	7699	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	7101.399414	7101.399414	0.933333
1863	013	2988	0.07	1479	1	65	100	3	7	6	8964	7485	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6887.399414	6887.399414	0.933333
1863	014	2988	0.07	1265	1	65	100	3	7	6	8964	7699	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	7101.399414	7101.399414	0.933333
1863	015	2988	0.07	1265	1	65	100	3	7	6	8964	7699	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	7101.399414	7101.399414	0.933333
1863	016	2988	0.07	1265	1	65	100	3	7	6	8964	7699	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	7101.399414	7101.399414	0.933333
1863	017	2988	0.07	2045	1	65	100	3	7	6	8964	6919	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6321.399414	6321.399414	0.933333
1863	018	2988	0.07	2140	1	65	100	3	7	6	8964	6824	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6226.399414	6226.399414	0.933333
1863	019	2988	0.07	1390	1	65	100	3	7	6	8964	7574	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6976.399414	6976.399414	0.933333
1863	020	2988	0.07	1540	1	65	100	3	7	6	8964	7424	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6826.399414	6826.399414	0.933333
1863	021	2700	0.06	1600	1	65	100	3	6	5	8100	6500	RH-1	40	form-based			true	0.7	6	1	5	5	7560	5960	5960	0.933333
1863	021A	2970	0.07	3325	1	55	80	2.5	6	5	7425	4100	RH-1	40	form-based			true	0.7	6	1	5	5	8316	4991	4991	1.12
1863	021C	2698	0.06	1716	1	65	100	3	6	5	8094	6378	RH-1	40	form-based			true	0.7	6	1	5	5	7554.399902	5838.399902	5838.399902	0.933333
1863	021D	2698	0.06	1696	1	65	100	3	6	5	8094	6398	RH-1	40	form-based			true	0.7	6	1	5	5	7554.399902	5858.399902	5858.399902	0.933333
1863	021F	3116	0.07	2123	2	65	100	3	7	5	9348	7225	RH-1	40	form-based			true	0.7	7	1	5	5	8724.799805	6601.799805	6601.799805	0.933333
1863	021G	2833	0.07	1368	1	65	100	3	7	6	8499	7131	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7932.399902	6564.399902	6564.399902	0.933333
1863	022	3022	0.07	2850	1	65	100	3	7	6	9066	6216	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	5611.599609	5611.599609	0.933333
1863	023	3022	0.07	1875	1	65	100	3	7	6	9066	7191	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6586.599609	6586.599609	0.933333
1863	024	3022	0.07	2130	1	65	100	3	7	6	9066	6936	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6331.599609	6331.599609	0.933333
1863	026	3022	0.07	1375	1	65	100	3	7	6	9066	7691	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	7086.599609	7086.599609	0.933333
1863	027	3022	0.07	1375	1	65	100	3	7	6	9066	7691	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	7086.599609	7086.599609	0.933333
1863	028	3022	0.07	1375	1	65	100	3	7	6	9066	7691	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	7086.599609	7086.599609	0.933333
1863	029	3022	0.07	1375	1	65	100	3	7	6	9066	7691	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	7086.599609	7086.599609	0.933333
1863	030	3022	0.07	2485	1	65	100	3	7	6	9066	6581	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	5976.599609	5976.599609	0.933333
1863	031	3022	0.07	1925	1	65	100	3	7	6	9066	7141	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6536.599609	6536.599609	0.933333
1863	032	3022	0.07	1846	1	65	100	3	7	6	9066	7220	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6615.599609	6615.599609	0.933333
1863	033	3022	0.07	1652	1	65	100	3	7	6	9066	7414	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6809.599609	6809.599609	0.933333
1863	034	3022	0.07	1490	1	65	100	3	7	6	9066	7576	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6971.599609	6971.599609	0.933333
1863	035	3022	0.07	1665	1	65	100	3	7	6	9066	7401	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6796.599609	6796.599609	0.933333
1863	036	3022	0.07	1795	1	65	100	3	7	6	9066	7271	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6666.599609	6666.599609	0.933333
1863	038	2698	0.06	1945	1	65	100	3	6	5	8094	6149	RH-1	40	form-based			true	0.7	6	1	5	5	7554.399902	5609.399902	5609.399902	0.933333
1864	001E	2353	0.05	2179	0	65	100	3	5	5	7059	4880	RH-1	40	form-based			true	0.7	5	1	5	5	6588.399902	4409.399902	4409.399902	0.933333
1864	001F	2978	0.07	2190	1	65	100	3	7	6	8934	6744	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6148.399414	6148.399414	0.933333
1864	001G	2978	0.07	2310	1	65	100	3	7	6	8934	6624	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6028.399414	6028.399414	0.933333
1864	001H	2978	0.07	2125	1	65	100	3	7	6	8934	6809	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6213.399414	6213.399414	0.933333
1864	001J	2744	0.06	1670	1	65	100	3	6	5	8232	6562	RH-1	40	form-based			true	0.7	6	1	5	5	7683.199707	6013.199707	6013.199707	0.933333
1864	003	2978	0.07	1530	1	65	100	3	7	6	8934	7404	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6808.399414	6808.399414	0.933333
1864	003C	2978	0.07	1520	1	65	100	3	7	6	8934	7414	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6818.399414	6818.399414	0.933333
1864	003D	2978	0.07	1520	1	65	100	3	7	6	8934	7414	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6818.399414	6818.399414	0.933333
1864	003E	2978	0.07	2316	1	65	100	3	7	6	8934	6618	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6022.399414	6022.399414	0.933333
1864	003F	2978	0.07	2267	1	65	100	3	7	6	8934	6667	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6071.399414	6071.399414	0.933333
1865	014A	5080	0.12	3242	6	65	100	3	12	6	15240	11998	RH-2	40	form-based			true	0.7	11	0.916666687	5	5	14224	10982	10982	0.933333
1865	022	3300	0.08	2902	2	65	100	3	8	6	9900	6998	RH-2	40	form-based			true	0.7	7	0.875	5	5	9240	6338	6338	0.933333
1866	017	3272	0.08	3800	2	65	100	3	8	6	9816	6016	RH-2	40	form-based			true	0.7	7	0.875	5	5	9161.599609	5361.599609	5361.599609	0.933333
1866	019	3000	0.07	1660	1	65	100	3	7	6	9000	7340	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6740	6740	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1866	019A	3000	0.07	1680	1	65	100	3	7	6	9000	7320	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6720	6720	0.933333
1866	019B	3000	0.07	2225	1	65	100	3	7	6	9000	6775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6175	6175	0.933333
1866	020	3000	0.07	1515	1	65	100	3	7	6	9000	7485	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6885	6885	0.933333
1866	020A	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1866	020B	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
1866	020C	3000	0.07	1508	1	65	100	3	7	6	9000	7492	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6892	6892	0.933333
1866	021	3000	0.07	1758	1	65	100	3	7	6	9000	7242	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6642	6642	0.933333
1866	022	3000	0.07	2377	1	65	100	3	7	6	9000	6623	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6023	6023	0.933333
1866	023	3000	0.07	2690	1	65	100	3	7	6	9000	6310	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5710	5710	0.933333
1866	024	3000	0.07	2133	1	65	100	3	7	6	9000	6867	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6267	6267	0.933333
1866	025	3000	0.07	2254	1	65	100	3	7	6	9000	6746	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6146	6146	0.933333
1866	026	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1866	027	3000	0.07	1990	1	65	100	3	7	6	9000	7010	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6410	6410	0.933333
1866	028	3000	0.07	1932	1	65	100	3	7	6	9000	7068	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6468	6468	0.933333
1866	029	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1866	030	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
1866	031	3000	0.07	1780	1	65	100	3	7	6	9000	7220	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6620	6620	0.933333
1866	032	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	6775	6775	0.933333
1866	033	3000	0.07	1980	1	65	100	3	7	6	9000	7020	RH-2	40	form-based	true		true	0.7	6	0.857142866	5	5	8400	6420	6420	0.933333
1867	003	2999	0.07	1561	1	65	100	3	7	6	8997	7436	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6836.200195	6836.200195	0.933333
1867	004	2999	0.07	1893	1	65	100	3	7	6	8997	7104	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6504.200195	6504.200195	0.933333
1867	004A	2999	0.07	2417	1	65	100	3	7	6	8997	6580	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	5980.200195	5980.200195	0.933333
1867	005	2999	0.07	2757	1	65	100	3	7	6	8997	6240	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	5640.200195	5640.200195	0.933333
1867	006	2999	0.07	2030	1	65	100	3	7	6	8997	6967	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6367.200195	6367.200195	0.933333
1867	007	2999	0.07	1475	1	65	100	3	7	6	8997	7522	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6922.200195	6922.200195	0.933333
1867	008	2999	0.07	2750	1	65	100	3	7	6	8997	6247	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	5647.200195	5647.200195	0.933333
1867	009	2999	0.07	1716	1	65	100	3	7	6	8997	7281	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6681.200195	6681.200195	0.933333
1867	009A	2999	0.07	1275	1	65	100	3	7	6	8997	7722	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7122.200195	7122.200195	0.933333
1867	009B	2999	0.07	1500	1	65	100	3	7	6	8997	7497	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6897.200195	6897.200195	0.933333
1867	009C	2999	0.07	1732	1	65	100	3	7	6	8997	7265	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6665.200195	6665.200195	0.933333
1867	010	2999	0.07	1415	1	65	100	3	7	6	8997	7582	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6982.200195	6982.200195	0.933333
1867	011	2999	0.07	1445	1	65	100	3	7	6	8997	7552	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6952.200195	6952.200195	0.933333
1867	012	2999	0.07	1200	1	65	100	3	7	6	8997	7797	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7197.200195	7197.200195	0.933333
1867	012A	2999	0.07	1660	1	65	100	3	7	6	8997	7337	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6737.200195	6737.200195	0.933333
1867	017	3007	0.07	1463	1	65	100	3	7	6	9021	7558	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6956.599609	6956.599609	0.933333
1867	023	3000	0.07	1752	1	65	100	3	7	6	9000	7248	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6648	6648	0.933333
1867	024	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6775	6775	0.933333
1867	025	3000	0.07	2260	1	65	100	3	7	6	9000	6740	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6140	6140	0.933333
1867	026	3000	0.07	1365	1	65	100	3	7	6	9000	7635	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7035	7035	0.933333
1867	027	3000	0.07	1614	1	65	100	3	7	6	9000	7386	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6786	6786	0.933333
1867	028	3000	0.07	2283	1	65	100	3	7	6	9000	6717	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6117	6117	0.933333
1867	029	3000	0.07	1540	1	65	100	3	7	6	9000	7460	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6860	6860	0.933333
1867	030	3000	0.07	1390	1	65	100	3	7	6	9000	7610	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7010	7010	0.933333
1867	031	3000	0.07	1595	1	65	100	3	7	6	9000	7405	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6805	6805	0.933333
1867	032	3000	0.07	1562	1	65	100	3	7	6	9000	7438	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6838	6838	0.933333
1867	033	3000	0.07	1390	1	65	100	3	7	6	9000	7610	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7010	7010	0.933333
1867	034	3000	0.07	1290	1	65	100	3	7	6	9000	7710	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7110	7110	0.933333
1867	035	3000	0.07	2031	1	65	100	3	7	6	9000	6969	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6369	6369	0.933333
1867	037	3000	0.07	1321	1	65	100	3	7	6	9000	7679	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7079	7079	0.933333
1868	002	3210	0.07	1275	2	65	100	3	7	5	9630	8355	RH-1	40	form-based			true	0.7	7	1	5	5	8988	7713	7713	0.933333
1868	003	3008	0.07	2235	1	65	100	3	7	6	9024	6789	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6187.399414	6187.399414	0.933333
1868	004	3008	0.07	654	1	65	100	3	7	6	9024	8370	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7768.399414	7768.399414	0.933333
1868	005	3008	0.07	1660	1	65	100	3	7	6	9024	7364	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6762.399414	6762.399414	0.933333
1868	005A	3008	0.07	1820	1	65	100	3	7	6	9024	7204	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6602.399414	6602.399414	0.933333
1868	006	3008	0.07	2291	1	65	100	3	7	6	9024	6733	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6131.399414	6131.399414	0.933333
1868	007	3008	0.07	1750	1	65	100	3	7	6	9024	7274	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6672.399414	6672.399414	0.933333
1868	008	3008	0.07	2155	1	65	100	3	7	6	9024	6869	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6267.399414	6267.399414	0.933333
1868	009	3008	0.07	1110	1	65	100	3	7	6	9024	7914	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7312.399414	7312.399414	0.933333
1868	010	3008	0.07	2172	1	65	100	3	7	6	9024	6852	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6250.399414	6250.399414	0.933333
1868	012	3008	0.07	1940	1	65	100	3	7	6	9024	7084	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6482.399414	6482.399414	0.933333
1868	013	3008	0.07	2120	1	65	100	3	7	6	9024	6904	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6302.399414	6302.399414	0.933333
1868	014	3008	0.07	2115	1	65	100	3	7	6	9024	6909	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6307.399414	6307.399414	0.933333
1868	015	3008	0.07	2065	1	65	100	3	7	6	9024	6959	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6357.399414	6357.399414	0.933333
1868	016	3008	0.07	2745	1	65	100	3	7	6	9024	6279	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	5677.399414	5677.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1868	018A	3006	0.07	1806	1	65	100	3	7	6	9018	7212	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6610.799805	6610.799805	0.933333
1868	024	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1868	024A	3000	0.07	1735	1	65	100	3	7	6	9000	7265	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6665	6665	0.933333
1868	025	3000	0.07	1170	1	65	100	3	7	6	9000	7830	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7230	7230	0.933333
1868	026	3000	0.07	1525	1	65	100	3	7	6	9000	7475	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6875	6875	0.933333
1868	027	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
1868	027A	3000	0.07	2286	1	65	100	3	7	6	9000	6714	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6114	6114	0.933333
1868	028	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1868	029	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1868	030	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
1868	031	3000	0.07	1795	1	65	100	3	7	6	9000	7205	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6605	6605	0.933333
1868	032	3000	0.07	1638	1	65	100	3	7	6	9000	7362	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6762	6762	0.933333
1868	033	3000	0.07	1949	1	65	100	3	7	6	9000	7051	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6451	6451	0.933333
1868	034	3000	0.07	1705	1	65	100	3	7	6	9000	7295	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6695	6695	0.933333
1868	035	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1868	036	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1869	003	3000	0.07	2021	1	65	100	3	7	6	9000	6979	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6379	6379	0.933333
1869	004	3000	0.07	1771	1	65	100	3	7	6	9000	7229	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6629	6629	0.933333
1869	005	3000	0.07	1771	1	65	100	3	7	6	9000	7229	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6629	6629	0.933333
1869	006	3000	0.07	2254	1	65	100	3	7	6	9000	6746	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6146	6146	0.933333
1869	007	3000	0.07	2190	1	65	100	3	7	6	9000	6810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6210	6210	0.933333
1869	008	3000	0.07	2200	1	65	100	3	7	6	9000	6800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6200	6200	0.933333
1869	009	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1869	010	3000	0.07	1771	1	65	100	3	7	6	9000	7229	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6629	6629	0.933333
1869	012	3000	0.07	2400	1	65	100	3	7	6	9000	6600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6000	6000	0.933333
1869	013	3000	0.07	1639	1	65	100	3	7	6	9000	7361	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6761	6761	0.933333
1869	014	3000	0.07	2257	1	65	100	3	7	6	9000	6743	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6143	6143	0.933333
1869	015	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6775	6775	0.933333
1869	016	3000	0.07	1605	1	65	100	3	7	6	9000	7395	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6795	6795	0.933333
1869	017	3000	0.07	1910	1	65	100	3	7	6	9000	7090	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6490	6490	0.933333
1869	027	3021	0.07	1540	1	65	100	3	7	6	9063	7523	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6918.799805	6918.799805	0.933333
1869	028	3021	0.07	2002	1	65	100	3	7	6	9063	7061	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6456.799805	6456.799805	0.933333
1869	029	3021	0.07	2274	1	65	100	3	7	6	9063	6789	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6184.799805	6184.799805	0.933333
1869	030	3021	0.07	1280	1	65	100	3	7	6	9063	7783	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7178.799805	7178.799805	0.933333
1869	031	3021	0.07	1325	1	65	100	3	7	6	9063	7738	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7133.799805	7133.799805	0.933333
1869	032	3021	0.07	1405	1	65	100	3	7	6	9063	7658	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7053.799805	7053.799805	0.933333
1869	033	3021	0.07	1495	1	65	100	3	7	6	9063	7568	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6963.799805	6963.799805	0.933333
1869	034	3021	0.07	1934	1	65	100	3	7	6	9063	7129	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6524.799805	6524.799805	0.933333
1869	035	3021	0.07	1493	1	65	100	3	7	6	9063	7570	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6965.799805	6965.799805	0.933333
1869	036	3021	0.07	1500	1	65	100	3	7	6	9063	7563	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6958.799805	6958.799805	0.933333
1869	037	3021	0.07	1680	1	65	100	3	7	6	9063	7383	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6778.799805	6778.799805	0.933333
1869	038	3021	0.07	2180	1	65	100	3	7	6	9063	6883	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6278.799805	6278.799805	0.933333
1869	039	3021	0.07	1950	1	65	100	3	7	6	9063	7113	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6508.799805	6508.799805	0.933333
1869	040	3021	0.07	12188	1	65	100	3	7	6	9063	0	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	0	0	0.933333
1869	041	3021	0.07	2698	1	65	100	3	7	6	9063	6365	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	5760.799805	5760.799805	0.933333
1870	002	3000	0.07	1510	1	65	100	3	7	6	9000	7490	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6890	6890	0.933333
1870	002A	3000	0.07	1885	1	65	100	3	7	6	9000	7115	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6515	6515	0.933333
1870	003	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1870	004	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1870	004A	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
1870	005	3000	0.07	2476	1	65	100	3	7	6	9000	6524	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5924	5924	0.933333
1870	005A	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1870	005B	3000	0.07	2240	1	65	100	3	7	6	9000	6760	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6160	6160	0.933333
1870	005C	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1870	005D	3000	0.07	2062	1	65	100	3	7	6	9000	6938	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6338	6338	0.933333
1870	005E	3000	0.07	2363	1	65	100	3	7	6	9000	6637	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6037	6037	0.933333
1870	005F	3002	0.07	1450	1	65	100	3	7	6	9006	7556	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6955.599609	6955.599609	0.933333
1870	005G	3002	0.07	2285	1	65	100	3	7	6	9006	6721	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6120.599609	6120.599609	0.933333
1870	005H	3002	0.07	2215	1	65	100	3	7	6	9006	6791	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6190.599609	6190.599609	0.933333
1870	005I	3002	0.07	2007	1	65	100	3	7	6	9006	6999	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6398.599609	6398.599609	0.933333
1870	005J	3002	0.07	2033	1	65	100	3	7	6	9006	6973	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6372.599609	6372.599609	0.933333
1870	005K	3002	0.07	2032	1	65	100	3	7	6	9006	6974	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6373.599609	6373.599609	0.933333
1870	006	3000	0.07	2935	1	65	100	3	7	6	9000	6065	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5465	5465	0.933333
1870	006A	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1870	006B	3002	0.07	2250	1	65	100	3	7	6	9006	6756	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6155.599609	6155.599609	0.933333
1870	006C	3002	0.07	1918	1	65	100	3	7	6	9006	7088	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6487.599609	6487.599609	0.933333
1870	007	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1870	007A	3000	0.07	2430	1	65	100	3	7	6	9000	6570	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5970	5970	0.933333
1870	018	3002	0.07	1350	1	65	100	3	7	6	9006	7656	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7055.599609	7055.599609	0.933333
1870	018A	3002	0.07	2065	1	65	100	3	7	6	9006	6941	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6340.599609	6340.599609	0.933333
1870	019	3002	0.07	1325	1	65	100	3	7	6	9006	7681	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7080.599609	7080.599609	0.933333
1870	020	3002	0.07	1500	1	65	100	3	7	6	9006	7506	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6905.599609	6905.599609	0.933333
1870	020A	3002	0.07	2246	1	65	100	3	7	6	9006	6760	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6159.599609	6159.599609	0.933333
1870	021	3002	0.07	1300	1	65	100	3	7	6	9006	7706	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7105.599609	7105.599609	0.933333
1870	022	3002	0.07	1290	1	65	100	3	7	6	9006	7716	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7115.599609	7115.599609	0.933333
1870	030	1625	0.04	1450	1	65	100	3	4	3	4875	3425	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7312.5	5862.5	5862.5	1.5
1871	002A	3017	0.07	2104	1	65	100	3	7	6	9051	6947	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6343.599609	6343.599609	0.933333
1871	003	3017	0.07	1671	1	65	100	3	7	6	9051	7380	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6776.599609	6776.599609	0.933333
1871	004	3017	0.07	1705	1	65	100	3	7	6	9051	7346	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6742.599609	6742.599609	0.933333
1871	004A	3017	0.07	1640	1	65	100	3	7	6	9051	7411	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6807.599609	6807.599609	0.933333
1871	005	3017	0.07	1625	1	65	100	3	7	6	9051	7426	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6822.599609	6822.599609	0.933333
1871	006	3017	0.07	1750	1	65	100	3	7	6	9051	7301	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6697.599609	6697.599609	0.933333
1871	007	3017	0.07	1705	1	65	100	3	7	6	9051	7346	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6742.599609	6742.599609	0.933333
1871	007A	3017	0.07	1883	1	65	100	3	7	6	9051	7168	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6564.599609	6564.599609	0.933333
1871	008	3017	0.07	2034	1	65	100	3	7	6	9051	7017	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6413.599609	6413.599609	0.933333
1871	009	3017	0.07	1490	1	65	100	3	7	6	9051	7561	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6957.599609	6957.599609	0.933333
1871	009A	3017	0.07	1407	1	65	100	3	7	6	9051	7644	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7040.599609	7040.599609	0.933333
1871	010	3017	0.07	1804	1	65	100	3	7	6	9051	7247	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6643.599609	6643.599609	0.933333
1871	010A	3017	0.07	1790	1	65	100	3	7	6	9051	7261	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6657.599609	6657.599609	0.933333
1871	011	3017	0.07	1741	1	65	100	3	7	6	9051	7310	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6706.599609	6706.599609	0.933333
1871	011A	3017	0.07	1390	1	65	100	3	7	6	9051	7661	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7057.599609	7057.599609	0.933333
1871	015	3000	0.07	2557	1	65	100	3	7	6	9000	6443	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5843	5843	0.933333
1871	015A	3000	0.07	1787	1	65	100	3	7	6	9000	7213	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6613	6613	0.933333
1871	015B	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1871	015C	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1871	015D	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
1871	015E	3000	0.07	2175	1	65	100	3	7	6	9000	6825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6225	6225	0.933333
1871	015F	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
1871	015G	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1871	016	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
1871	017	3000	0.07	2167	1	65	100	3	7	6	9000	6833	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6233	6233	0.933333
1871	017A	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1871	018	3000	0.07	1886	1	65	100	3	7	6	9000	7114	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6514	6514	0.933333
1871	019	3000	0.07	1680	1	65	100	3	7	6	9000	7320	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6720	6720	0.933333
1871	020C	2690	0.06	2157	1	65	100	3	6	5	8070	5913	RH-2	40	form-based			true	0.7	6	1	5	5	7532	5375	5375	0.933333
1871	020D	2690	0.06	1741	1	65	100	3	6	5	8070	6329	RH-2	40	form-based			true	0.7	6	1	5	5	7532	5791	5791	0.933333
1871	020E	2690	0.06	2410	1	65	100	3	6	5	8070	5660	RH-2	40	form-based			true	0.7	6	1	5	5	7532	5122	5122	0.933333
1872	001D	3011	0.07	1540	1	65	100	3	7	6	9033	7493	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6890.799805	6890.799805	0.933333
1872	001E	3011	0.07	2190	1	65	100	3	7	6	9033	6843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6240.799805	6240.799805	0.933333
1872	001F	3011	0.07	1450	1	65	100	3	7	6	9033	7583	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6980.799805	6980.799805	0.933333
1872	001G	3011	0.07	1390	1	65	100	3	7	6	9033	7643	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	7040.799805	7040.799805	0.933333
1872	001H	3000	0.07	1465	1	65	100	3	7	6	9000	7535	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6935	6935	0.933333
1872	001I	3000	0.07	1605	1	65	100	3	7	6	9000	7395	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6795	6795	0.933333
1872	001J	3000	0.07	1810	1	65	100	3	7	6	9000	7190	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6590	6590	0.933333
1872	002	3011	0.07	1854	1	65	100	3	7	6	9033	7179	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6576.799805	6576.799805	0.933333
1872	003	3011	0.07	1375	1	65	100	3	7	6	9033	7658	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	7055.799805	7055.799805	0.933333
1872	004	3011	0.07	1930	1	65	100	3	7	6	9033	7103	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6500.799805	6500.799805	0.933333
1872	005	3011	0.07	2590	1	65	100	3	7	6	9033	6443	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	5840.799805	5840.799805	0.933333
1872	005A	3011	0.07	1482	1	65	100	3	7	6	9033	7551	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6948.799805	6948.799805	0.933333
1872	006	3011	0.07	1535	1	65	100	3	7	6	9033	7498	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6895.799805	6895.799805	0.933333
1872	007	3011	0.07	1938	1	65	100	3	7	6	9033	7095	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6492.799805	6492.799805	0.933333
1872	007B	3011	0.07	1462	1	65	100	3	7	6	9033	7571	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6968.799805	6968.799805	0.933333
1872	008	3011	0.07	1462	1	65	100	3	7	6	9033	7571	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6968.799805	6968.799805	0.933333
1872	009	3011	0.07	1462	1	65	100	3	7	6	9033	7571	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6968.799805	6968.799805	0.933333
1872	010	3011	0.07	1462	1	65	100	3	7	6	9033	7571	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6968.799805	6968.799805	0.933333
1872	011	3253	0.07	7056	7	65	100	3	7	0	9759	2703	RTO-C	65	form-based	true		true	0.75	12	1.714285731	5	5	14638.5	7582.5	7582.5	1.5
1872	012A	2504	0.06	3400	4	55	80	2.5	5	1	6260	2860	RTO-C	65	form-based			true	0.75	9	1.799999952	5	5	11268	7868	7868	1.8
1872	015	3000	0.07	1805	1	65	100	3	7	6	9000	7195	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6595	6595	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1872	015A	3000	0.07	2580	1	65	100	3	7	6	9000	6420	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5820	5820	0.933333
1872	015B	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6775	6775	0.933333
1872	015D	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1872	015E	3000	0.07	1698	1	65	100	3	7	6	9000	7302	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6702	6702	0.933333
1872	016	3000	0.07	1440	1	65	100	3	7	6	9000	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6960	6960	0.933333
1872	018	3000	0.07	1665	1	65	100	3	7	6	9000	7335	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6735	6735	0.933333
1872	018A	3000	0.07	1377	1	65	100	3	7	6	9000	7623	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7023	7023	0.933333
1872	019	3000	0.07	2168	1	65	100	3	7	6	9000	6832	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6232	6232	0.933333
1872	020	3000	0.07	2317	1	65	100	3	7	6	9000	6683	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6083	6083	0.933333
1873	002	3000	0.07	1680	1	65	100	3	7	6	9000	7320	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6720	6720	0.933333
1873	003	3000	0.07	1963	1	65	100	3	7	6	9000	7037	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6437	6437	0.933333
1873	004	3000	0.07	2315	1	65	100	3	7	6	9000	6685	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6085	6085	0.933333
1873	005	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1873	006	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1873	007	3000	0.07	2208	1	65	100	3	7	6	9000	6792	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6192	6192	0.933333
1873	007A	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1873	008	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1873	009	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1873	010	3000	0.07	2335	1	65	100	3	7	6	9000	6665	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6065	6065	0.933333
1873	011	3000	0.07	1917	1	65	100	3	7	6	9000	7083	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6483	6483	0.933333
1873	012	3000	0.07	2440	1	65	100	3	7	6	9000	6560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5960	5960	0.933333
1873	013	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
1873	014	3000	0.07	1735	1	65	100	3	7	6	9000	7265	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6665	6665	0.933333
1873	015	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
1873	023	3033	0.07	1555	1	65	100	3	7	6	9099	7544	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	6937.399414	6937.399414	0.933333
1873	024	3033	0.07	1480	1	65	100	3	7	6	9099	7619	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	7012.399414	7012.399414	0.933333
1873	024A	3033	0.07	1305	1	65	100	3	7	6	9099	7794	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	7187.399414	7187.399414	0.933333
1873	024B	3033	0.07	1305	1	65	100	3	7	6	9099	7794	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	7187.399414	7187.399414	0.933333
1873	025	3033	0.07	1730	1	65	100	3	7	6	9099	7369	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	6762.399414	6762.399414	0.933333
1873	025A	3033	0.07	1765	1	65	100	3	7	6	9099	7334	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	6727.399414	6727.399414	0.933333
1873	026	3033	0.07	2971	1	65	100	3	7	6	9099	6128	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	5521.399414	5521.399414	0.933333
1873	026A	3033	0.07	2240	1	65	100	3	7	6	9099	6859	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	6252.399414	6252.399414	0.933333
1873	027	3033	0.07	1426	1	65	100	3	7	6	9099	7673	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	7066.399414	7066.399414	0.933333
1873	027A	3033	0.07	3295	1	65	100	3	7	6	9099	5804	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	5197.399414	5197.399414	0.933333
1873	028	3033	0.07	1828	1	65	100	3	7	6	9099	7271	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	6664.399414	6664.399414	0.933333
1873	028A	3033	0.07	3455	1	65	100	3	7	6	9099	5644	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	5037.399414	5037.399414	0.933333
1873	029	3033	0.07	1890	1	65	100	3	7	6	9099	7209	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	6602.399414	6602.399414	0.933333
1873	030	3033	0.07	1200	1	65	100	3	7	6	9099	7899	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	7292.399414	7292.399414	0.933333
1873	031	3033	0.07	1390	1	65	100	3	7	6	9099	7709	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	7102.399414	7102.399414	0.933333
1873	032	2721	0.06	2034	1	65	100	3	6	5	8163	6129	RH-2	40	form-based			true	0.7	6	1	5	5	7618.799805	5584.799805	5584.799805	0.933333
1873	032A	2721	0.06	1330	1	65	100	3	6	5	8163	6833	RH-2	40	form-based			true	0.7	6	1	5	5	7618.799805	6288.799805	6288.799805	0.933333
1873	033	2721	0.06	1290	1	65	100	3	6	5	8163	6873	RH-2	40	form-based			true	0.7	6	1	5	5	7618.799805	6328.799805	6328.799805	0.933333
1874	005	2973	0.07	1115	1	65	100	3	7	6	8919	7804	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	7209.399414	7209.399414	0.933333
1874	006	2973	0.07	1115	1	65	100	3	7	6	8919	7804	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	7209.399414	7209.399414	0.933333
1874	007	2973	0.07	1115	1	65	100	3	7	6	8919	7804	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	7209.399414	7209.399414	0.933333
1874	008	2973	0.07	1115	1	65	100	3	7	6	8919	7804	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	7209.399414	7209.399414	0.933333
1874	009	2973	0.07	1307	1	65	100	3	7	6	8919	7612	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	7017.399414	7017.399414	0.933333
1874	010	2973	0.07	1115	1	65	100	3	7	6	8919	7804	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	7209.399414	7209.399414	0.933333
1874	011	2973	0.07	1115	1	65	100	3	7	6	8919	7804	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	7209.399414	7209.399414	0.933333
1874	012	2973	0.07	1115	1	65	100	3	7	6	8919	7804	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	7209.399414	7209.399414	0.933333
1874	013	2973	0.07	1371	1	65	100	3	7	6	8919	7548	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	6953.399414	6953.399414	0.933333
1874	014	2973	0.07	3854	1	65	100	3	7	6	8919	5065	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	4470.399414	4470.399414	0.933333
1874	015	2973	0.07	2342	1	65	100	3	7	6	8919	6577	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	5982.399414	5982.399414	0.933333
1874	016	2973	0.07	2920	1	65	100	3	7	6	8919	5999	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	5404.399414	5404.399414	0.933333
1874	017	2973	0.07	1555	1	65	100	3	7	6	8919	7364	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	6769.399414	6769.399414	0.933333
1874	018	2973	0.07	2270	1	65	100	3	7	6	8919	6649	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	6054.399414	6054.399414	0.933333
1874	019	2973	0.07	1660	1	65	100	3	7	6	8919	7259	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	6664.399414	6664.399414	0.933333
1874	033	3002	0.07	1222	1	65	100	3	7	6	9006	7784	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7183.599609	7183.599609	0.933333
1874	034	3002	0.07	1768	1	65	100	3	7	6	9006	7238	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6637.599609	6637.599609	0.933333
1874	035	3002	0.07	1240	1	65	100	3	7	6	9006	7766	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7165.599609	7165.599609	0.933333
1874	036	3002	0.07	2515	1	65	100	3	7	6	9006	6491	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	5890.599609	5890.599609	0.933333
1874	037	3002	0.07	2317	1	65	100	3	7	6	9006	6689	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6088.599609	6088.599609	0.933333
1874	038	3002	0.07	2010	1	65	100	3	7	6	9006	6996	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6395.599609	6395.599609	0.933333
1874	039	3002	0.07	1210	1	65	100	3	7	6	9006	7796	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7195.599609	7195.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1874	040	3002	0.07	1115	1	65	100	3	7	6	9006	7891	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7290.599609	7290.599609	0.933333
1874	041	3002	0.07	1210	1	65	100	3	7	6	9006	7796	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7195.599609	7195.599609	0.933333
1874	042	3002	0.07	1210	1	65	100	3	7	6	9006	7796	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7195.599609	7195.599609	0.933333
1874	043	3002	0.07	1210	1	65	100	3	7	6	9006	7796	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7195.599609	7195.599609	0.933333
1874	044	3002	0.07	1695	1	65	100	3	7	6	9006	7311	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6710.599609	6710.599609	0.933333
1874	045	3002	0.07	1225	1	65	100	3	7	6	9006	7781	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7180.599609	7180.599609	0.933333
1874	046	3002	0.07	1660	1	65	100	3	7	6	9006	7346	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6745.599609	6745.599609	0.933333
1874	047	3002	0.07	1693	1	65	100	3	7	6	9006	7313	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6712.599609	6712.599609	0.933333
1875	002	2982	0.07	1605	1	65	100	3	7	6	8946	7341	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6744.599609	6744.599609	0.933333
1875	003	2982	0.07	1315	1	65	100	3	7	6	8946	7631	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7034.599609	7034.599609	0.933333
1875	005	2982	0.07	1340	1	65	100	3	7	6	8946	7606	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7009.599609	7009.599609	0.933333
1875	006	2982	0.07	1325	1	65	100	3	7	6	8946	7621	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7024.599609	7024.599609	0.933333
1875	007	2982	0.07	2966	1	65	100	3	7	6	8946	5980	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	5383.599609	5383.599609	0.933333
1875	008	2982	0.07	1215	1	65	100	3	7	6	8946	7731	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7134.599609	7134.599609	0.933333
1875	009	2982	0.07	2175	1	65	100	3	7	6	8946	6771	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6174.599609	6174.599609	0.933333
1875	010	2982	0.07	1670	1	65	100	3	7	6	8946	7276	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6679.599609	6679.599609	0.933333
1875	011	2982	0.07	1690	1	65	100	3	7	6	8946	7256	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6659.599609	6659.599609	0.933333
1875	012	2982	0.07	1580	1	65	100	3	7	6	8946	7366	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6769.599609	6769.599609	0.933333
1875	013	2982	0.07	1910	1	65	100	3	7	6	8946	7036	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6439.599609	6439.599609	0.933333
1875	014	2982	0.07	2467	1	65	100	3	7	6	8946	6479	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	5882.599609	5882.599609	0.933333
1875	015	2982	0.07	1075	1	65	100	3	7	6	8946	7871	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7274.599609	7274.599609	0.933333
1875	015A	2982	0.07	2187	1	65	100	3	7	6	8946	6759	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6162.599609	6162.599609	0.933333
1875	025A	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1875	026	3000	0.07	1613	1	65	100	3	7	6	9000	7387	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6787	6787	0.933333
1875	026A	3000	0.07	2235	1	65	100	3	7	6	9000	6765	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6165	6165	0.933333
1875	027	3000	0.07	1779	1	65	100	3	7	6	9000	7221	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6621	6621	0.933333
1875	027A	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1875	027B	3000	0.07	1868	1	65	100	3	7	6	9000	7132	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6532	6532	0.933333
1875	028	3000	0.07	1668	1	65	100	3	7	6	9000	7332	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6732	6732	0.933333
1875	029	3000	0.07	2204	1	65	100	3	7	6	9000	6796	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6196	6196	0.933333
1875	030	3000	0.07	2161	1	65	100	3	7	6	9000	6839	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6239	6239	0.933333
1875	031	3000	0.07	1675	1	65	100	3	7	6	9000	7325	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6725	6725	0.933333
1875	032A	3000	0.07	1655	1	65	100	3	7	6	9000	7345	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6745	6745	0.933333
1875	033	3000	0.07	1655	1	65	100	3	7	6	9000	7345	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6745	6745	0.933333
1875	034	3000	0.07	1705	1	65	100	3	7	6	9000	7295	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6695	6695	0.933333
1875	036	2690	0.06	1705	1	65	100	3	6	5	8070	6365	RH-1	40	form-based			true	0.7	6	1	5	5	7532	5827	5827	0.933333
1875	036A	2690	0.06	1705	1	65	100	3	6	5	8070	6365	RH-1	40	form-based			true	0.7	6	1	5	5	7532	5827	5827	0.933333
1875	036B	2690	0.06	2019	1	65	100	3	6	5	8070	6051	RH-1	40	form-based			true	0.7	6	1	5	5	7532	5513	5513	0.933333
1875	036C	2690	0.06	1798	1	65	100	3	6	5	8070	6272	RH-1	40	form-based			true	0.7	6	1	5	5	7532	5734	5734	0.933333
1876	001A	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7020	7020	0.933333
1876	001C	3000	0.07	1829	1	65	100	3	7	6	9000	7171	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6571	6571	0.933333
1876	001D	3000	0.07	1530	1	65	100	3	7	6	9000	7470	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6870	6870	0.933333
1876	001E	3000	0.07	2390	1	65	100	3	7	6	9000	6610	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6010	6010	0.933333
1876	004	3025	0.07	2281	1	65	100	3	7	6	9075	6794	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6189	6189	0.933333
1876	005	3025	0.07	1669	1	65	100	3	7	6	9075	7406	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6801	6801	0.933333
1876	006	3025	0.07	1945	1	65	100	3	7	6	9075	7130	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6525	6525	0.933333
1876	007	3025	0.07	1891	1	65	100	3	7	6	9075	7184	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6579	6579	0.933333
1876	008	3025	0.07	1275	1	65	100	3	7	6	9075	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7195	7195	0.933333
1876	009	2690	0.06	1515	1	65	100	3	6	5	8070	6555	RH-1	40	form-based			true	0.7	6	1	5	5	7532	6017	6017	0.933333
1876	010	2690	0.06	1300	1	65	100	3	6	5	8070	6770	RH-1	40	form-based			true	0.7	6	1	5	5	7532	6232	6232	0.933333
1876	011	2690	0.06	1515	1	65	100	3	6	5	8070	6555	RH-1	40	form-based			true	0.7	6	1	5	5	7532	6017	6017	0.933333
1877	006	3000	0.07	1540	1	65	100	3	7	6	9000	7460	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6860	6860	0.933333
1877	007	3000	0.07	1690	1	65	100	3	7	6	9000	7310	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6710	6710	0.933333
1877	008	3000	0.07	2494	1	65	100	3	7	6	9000	6506	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5906	5906	0.933333
1877	009	3000	0.07	1440	1	65	100	3	7	6	9000	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6960	6960	0.933333
1877	010	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1877	011	3000	0.07	1740	1	65	100	3	7	6	9000	7260	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6660	6660	0.933333
1877	012	3000	0.07	2099	1	65	100	3	7	6	9000	6901	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6301	6301	0.933333
1877	013	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1877	014	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1877	015	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
1877	016	3000	0.07	1826	1	65	100	3	7	6	9000	7174	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6574	6574	0.933333
1877	017	3000	0.07	1794	1	65	100	3	7	6	9000	7206	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6606	6606	0.933333
1877	018	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1877	019	3000	0.07	2275	1	65	100	3	7	6	9000	6725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6125	6125	0.933333
1877	020	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1877	025	3030	0.07	1525	1	65	100	3	7	6	9090	7565	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8484	6959	6959	0.933333
1877	026	2965	0.07	1535	1	65	100	3	7	6	8895	7360	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	6767	6767	0.933333
1877	031	3013	0.07	1940	1	65	100	3	7	6	9039	7099	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6496.399414	6496.399414	0.933333
1877	032	3013	0.07	2060	1	65	100	3	7	6	9039	6979	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6376.399414	6376.399414	0.933333
1877	033	3013	0.07	1620	1	65	100	3	7	6	9039	7419	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6816.399414	6816.399414	0.933333
1877	034	3013	0.07	2040	1	65	100	3	7	6	9039	6999	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6396.399414	6396.399414	0.933333
1877	035	3013	0.07	2123	1	65	100	3	7	6	9039	6916	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6313.399414	6313.399414	0.933333
1877	036	3013	0.07	2091	1	65	100	3	7	6	9039	6948	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6345.399414	6345.399414	0.933333
1877	037	3013	0.07	1625	1	65	100	3	7	6	9039	7414	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6811.399414	6811.399414	0.933333
1877	038	3013	0.07	1655	1	65	100	3	7	6	9039	7384	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6781.399414	6781.399414	0.933333
1877	039	3013	0.07	1645	1	65	100	3	7	6	9039	7394	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6791.399414	6791.399414	0.933333
1877	040	3013	0.07	1938	1	65	100	3	7	6	9039	7101	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6498.399414	6498.399414	0.933333
1877	041	3013	0.07	1315	1	65	100	3	7	6	9039	7724	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7121.399414	7121.399414	0.933333
1877	042	3013	0.07	1450	1	65	100	3	7	6	9039	7589	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6986.399414	6986.399414	0.933333
1877	043	3013	0.07	1500	1	65	100	3	7	6	9039	7539	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6936.399414	6936.399414	0.933333
1877	044	3013	0.07	1400	1	65	100	3	7	6	9039	7639	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7036.399414	7036.399414	0.933333
1877	045	3013	0.07	1370	1	65	100	3	7	6	9039	7669	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7066.399414	7066.399414	0.933333
1877	051	2930	0.07	2237	1	65	100	3	7	6	8790	6553	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8204	5967	5967	0.933333
1877	052	2995	0.07	2165	1	65	100	3	7	6	8985	6820	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6221	6221	0.933333
1878	001D	2979	0.07	1642	1	65	100	3	7	6	8937	7295	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6699.200195	6699.200195	0.933333
1878	001E	2979	0.07	1545	1	65	100	3	7	6	8937	7392	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6796.200195	6796.200195	0.933333
1878	001F	2978	0.07	1740	1	65	100	3	7	6	8934	7194	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6598.399414	6598.399414	0.933333
1878	001G	2979	0.07	1716	1	65	100	3	7	6	8937	7221	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6625.200195	6625.200195	0.933333
1878	001H	2979	0.07	2035	1	65	100	3	7	6	8937	6902	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6306.200195	6306.200195	0.933333
1878	001I	2978	0.07	1540	1	65	100	3	7	6	8934	7394	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6798.399414	6798.399414	0.933333
1878	001J	2978	0.07	1640	1	65	100	3	7	6	8934	7294	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6698.399414	6698.399414	0.933333
1878	001K	2978	0.07	1390	1	65	100	3	7	6	8934	7544	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6948.399414	6948.399414	0.933333
1878	002	2978	0.07	1475	1	65	100	3	7	6	8934	7459	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6863.399414	6863.399414	0.933333
1878	002A	2979	0.07	1625	1	65	100	3	7	6	8937	7312	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6716.200195	6716.200195	0.933333
1878	002B	2978	0.07	2472	1	65	100	3	7	6	8934	6462	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	5866.399414	5866.399414	0.933333
1878	002D	2978	0.07	1475	1	65	100	3	7	6	8934	7459	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6863.399414	6863.399414	0.933333
1878	002E	2978	0.07	1450	1	65	100	3	7	6	8934	7484	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6888.399414	6888.399414	0.933333
1878	002F	2979	0.07	1450	1	65	100	3	7	6	8937	7487	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	6891.200195	6891.200195	0.933333
1878	002L	2848	0.07	1747	1	65	100	3	7	6	8544	6797	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7974.399902	6227.399902	6227.399902	0.933333
1878	002S	3037	0.07	1913	1	65	100	3	7	6	9111	7198	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	6590.599609	6590.599609	0.933333
1878	002T	3036	0.07	2175	1	65	100	3	7	6	9108	6933	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	6325.799805	6325.799805	0.933333
1878	002U	3036	0.07	2075	1	65	100	3	7	6	9108	7033	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	6425.799805	6425.799805	0.933333
1878	002V	3036	0.07	2400	1	65	100	3	7	6	9108	6708	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	6100.799805	6100.799805	0.933333
1878	002W	3036	0.07	2075	1	65	100	3	7	6	9108	7033	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	6425.799805	6425.799805	0.933333
1878	002X	3036	0.07	2170	1	65	100	3	7	6	9108	6938	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	6330.799805	6330.799805	0.933333
1878	002Y	3035	0.07	2537	1	65	100	3	7	6	9105	6568	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8498	5961	5961	0.933333
1878	003	3035	0.07	2065	1	65	100	3	7	6	9105	7040	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8498	6433	6433	0.933333
1878	004	3035	0.07	1540	1	65	100	3	7	6	9105	7565	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8498	6958	6958	0.933333
1878	005	3035	0.07	1640	1	65	100	3	7	6	9105	7465	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8498	6858	6858	0.933333
1878	006	3035	0.07	1705	1	65	100	3	7	6	9105	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8498	6793	6793	0.933333
1878	007	3034	0.07	1730	1	65	100	3	7	6	9102	7372	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8495.200195	6765.200195	6765.200195	0.933333
1878	008	3034	0.07	1716	1	65	100	3	7	6	9102	7386	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8495.200195	6779.200195	6779.200195	0.933333
1878	009	3034	0.07	1680	1	65	100	3	7	6	9102	7422	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8495.200195	6815.200195	6815.200195	0.933333
1878	010	3034	0.07	1550	1	65	100	3	7	6	9102	7552	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8495.200195	6945.200195	6945.200195	0.933333
1879	001E	2993	0.07	1805	1	65	100	3	7	6	8979	7174	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6575.399414	6575.399414	0.933333
1879	001F	2993	0.07	1805	1	65	100	3	7	6	8979	7174	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6575.399414	6575.399414	0.933333
1879	001G	2993	0.07	2335	1	65	100	3	7	6	8979	6644	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6045.399414	6045.399414	0.933333
1879	001H	2992	0.07	2343	1	65	100	3	7	6	8976	6633	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6034.599609	6034.599609	0.933333
1879	001I	2992	0.07	1950	1	65	100	3	7	6	8976	7026	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6427.599609	6427.599609	0.933333
1879	001J	2992	0.07	1780	1	65	100	3	7	6	8976	7196	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6597.599609	6597.599609	0.933333
1879	001K	2992	0.07	3150	1	65	100	3	7	6	8976	5826	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	5227.599609	5227.599609	0.933333
1879	001L	2992	0.07	1780	1	65	100	3	7	6	8976	7196	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6597.599609	6597.599609	0.933333
1879	001M	2991	0.07	1780	1	65	100	3	7	6	8973	7193	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6594.799805	6594.799805	0.933333
1879	001N	2991	0.07	2316	1	65	100	3	7	6	8973	6657	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6058.799805	6058.799805	0.933333
1879	001O	2991	0.07	1780	1	65	100	3	7	6	8973	7193	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6594.799805	6594.799805	0.933333
1879	001P	2991	0.07	2385	1	65	100	3	7	6	8973	6588	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	5989.799805	5989.799805	0.933333
1879	001R	2991	0.07	1740	1	65	100	3	7	6	8973	7233	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6634.799805	6634.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1879	001S	2990	0.07	2024	1	65	100	3	7	6	8970	6946	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6348	6348	0.933333
1879	002A	3000	0.07	1875	1	65	100	3	7	6	9000	7125	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6525	6525	0.933333
1879	002B	2875	0.07	1375	1	65	100	3	7	6	8625	7250	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8050	6675	6675	0.933333
1879	002C	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1879	002E	3000	0.07	2382	1	65	100	3	7	6	9000	6618	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6018	6018	0.933333
1879	003	3000	0.07	2225	1	65	100	3	7	6	9000	6775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6175	6175	0.933333
1879	004	3000	0.07	1946	1	65	100	3	7	6	9000	7054	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6454	6454	0.933333
1879	004A	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
1879	005	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1879	006	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1879	006A	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1879	006B	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1879	006C	3000	0.07	1639	1	65	100	3	7	6	9000	7361	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6761	6761	0.933333
1879	006D	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
1879	007	3000	0.07	1618	1	65	100	3	7	6	9000	7382	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6782	6782	0.933333
1879	008	3000	0.07	2120	1	65	100	3	7	6	9000	6880	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6280	6280	0.933333
1879	009	2863	0.07	1200	1	65	100	3	7	6	8589	7389	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8016.399902	6816.399902	6816.399902	0.933333
1880	029	3283	0.08	2610	2	65	100	3	8	6	9849	7239	RH-1	40	form-based			true	0.7	7	0.875	5	5	9192.399414	6582.399414	6582.399414	0.933333
1881	022	2726	0.06	2130	1	65	100	3	6	5	8178	6048	RH-1	40	form-based	true		true	0.7	6	1	5	5	7632.799805	5502.799805	5502.799805	0.933333
1881	028	3020	0.07	1825	1	65	100	3	7	6	9060	7235	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6631	6631	0.933333
1881	029	3020	0.07	1825	1	65	100	3	7	6	9060	7235	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6631	6631	0.933333
1881	030	3020	0.07	1900	1	65	100	3	7	6	9060	7160	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6556	6556	0.933333
1881	031	3020	0.07	1825	1	65	100	3	7	6	9060	7235	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6631	6631	0.933333
1881	032	3020	0.07	2125	1	65	100	3	7	6	9060	6935	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6331	6331	0.933333
1881	033	3020	0.07	2526	1	65	100	3	7	6	9060	6534	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	5930	5930	0.933333
1881	034	3020	0.07	1825	1	65	100	3	7	6	9060	7235	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6631	6631	0.933333
1881	035	3020	0.07	2175	1	65	100	3	7	6	9060	6885	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6281	6281	0.933333
1881	036	3020	0.07	1825	1	65	100	3	7	6	9060	7235	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6631	6631	0.933333
1881	037	3020	0.07	2475	1	65	100	3	7	6	9060	6585	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	5981	5981	0.933333
1881	038	3020	0.07	2125	1	65	100	3	7	6	9060	6935	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6331	6331	0.933333
1881	039	3020	0.07	1825	1	65	100	3	7	6	9060	7235	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6631	6631	0.933333
1881	040	3020	0.07	2623	1	65	100	3	7	6	9060	6437	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	5833	5833	0.933333
1881	041	3020	0.07	2534	1	65	100	3	7	6	9060	6526	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	5922	5922	0.933333
1881	042	3020	0.07	2030	1	65	100	3	7	6	9060	7030	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6426	6426	0.933333
1881	043	3020	0.07	1925	1	65	100	3	7	6	9060	7135	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6531	6531	0.933333
1881	044	3093	0.07	2941	1	65	100	3	7	6	9279	6338	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8660.399414	5719.399414	5719.399414	0.933333
1883	006	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
1883	007	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
1883	008	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1883	009	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1883	010	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
1883	011	3000	0.07	2088	1	65	100	3	7	6	9000	6912	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6312	6312	0.933333
1883	012	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1883	013	3000	0.07	1908	1	65	100	3	7	6	9000	7092	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6492	6492	0.933333
1883	014	3000	0.07	2404	1	65	100	3	7	6	9000	6596	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5996	5996	0.933333
1883	015	3000	0.07	1764	1	65	100	3	7	6	9000	7236	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6636	6636	0.933333
1883	016	3000	0.07	1702	1	65	100	3	7	6	9000	7298	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6698	6698	0.933333
1883	017	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1883	018	3000	0.07	3086	1	65	100	3	7	6	9000	5914	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5314	5314	0.933333
1883	019	3000	0.07	1820	1	65	100	3	7	6	9000	7180	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6580	6580	0.933333
1883	020	3000	0.07	2036	1	65	100	3	7	6	9000	6964	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6364	6364	0.933333
1883	031	2991	0.07	1312	1	65	100	3	7	6	8973	7661	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	7062.799805	7062.799805	0.933333
1883	032	2991	0.07	2081	1	65	100	3	7	6	8973	6892	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6293.799805	6293.799805	0.933333
1883	033	2991	0.07	1649	1	65	100	3	7	6	8973	7324	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6725.799805	6725.799805	0.933333
1883	034	2991	0.07	1312	1	65	100	3	7	6	8973	7661	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	7062.799805	7062.799805	0.933333
1883	035	2991	0.07	1662	1	65	100	3	7	6	8973	7311	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6712.799805	6712.799805	0.933333
1883	036	2991	0.07	1425	1	65	100	3	7	6	8973	7548	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6949.799805	6949.799805	0.933333
1883	037	2991	0.07	2003	1	65	100	3	7	6	8973	6970	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6371.799805	6371.799805	0.933333
1883	038	2991	0.07	1650	1	65	100	3	7	6	8973	7323	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6724.799805	6724.799805	0.933333
1883	039	2991	0.07	1500	1	65	100	3	7	6	8973	7473	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6874.799805	6874.799805	0.933333
1883	040	2991	0.07	1500	1	65	100	3	7	6	8973	7473	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6874.799805	6874.799805	0.933333
1883	041	2991	0.07	1925	1	65	100	3	7	6	8973	7048	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6449.799805	6449.799805	0.933333
1883	042	2991	0.07	1875	1	65	100	3	7	6	8973	7098	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6499.799805	6499.799805	0.933333
1883	043	2991	0.07	2275	1	65	100	3	7	6	8973	6698	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6099.799805	6099.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1883	044	2991	0.07	1450	1	65	100	3	7	6	8973	7523	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6924.799805	6924.799805	0.933333
1883	045	2991	0.07	1375	1	65	100	3	7	6	8973	7598	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6999.799805	6999.799805	0.933333
1884	005	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1884	006	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1884	007	3000	0.07	1797	1	65	100	3	7	6	9000	7203	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6603	6603	0.933333
1884	008	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1884	009	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1884	010	3000	0.07	1360	1	65	100	3	7	6	9000	7640	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7040	7040	0.933333
1884	011	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1884	012	3000	0.07	1342	1	65	100	3	7	6	9000	7658	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7058	7058	0.933333
1884	013	3000	0.07	1534	1	65	100	3	7	6	9000	7466	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6866	6866	0.933333
1884	014	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1884	015	3000	0.07	1576	1	65	100	3	7	6	9000	7424	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6824	6824	0.933333
1884	016	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1884	017	3000	0.07	1439	1	65	100	3	7	6	9000	7561	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6961	6961	0.933333
1884	018	3000	0.07	1428	1	65	100	3	7	6	9000	7572	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6972	6972	0.933333
1884	019	3000	0.07	1330	1	65	100	3	7	6	9000	7670	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7070	7070	0.933333
1884	033	3004	0.07	1342	1	65	100	3	7	6	9012	7670	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7069.200195	7069.200195	0.933333
1884	034	3004	0.07	1342	1	65	100	3	7	6	9012	7670	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7069.200195	7069.200195	0.933333
1884	035	3004	0.07	1342	1	65	100	3	7	6	9012	7670	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7069.200195	7069.200195	0.933333
1884	036	3004	0.07	1342	1	65	100	3	7	6	9012	7670	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7069.200195	7069.200195	0.933333
1884	037	3004	0.07	1537	1	65	100	3	7	6	9012	7475	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6874.200195	6874.200195	0.933333
1884	038	3004	0.07	1150	1	65	100	3	7	6	9012	7862	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7261.200195	7261.200195	0.933333
1884	039	3004	0.07	1410	1	65	100	3	7	6	9012	7602	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7001.200195	7001.200195	0.933333
1884	040	3004	0.07	1150	1	65	100	3	7	6	9012	7862	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7261.200195	7261.200195	0.933333
1884	041	3004	0.07	1625	1	65	100	3	7	6	9012	7387	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6786.200195	6786.200195	0.933333
1884	042	3004	0.07	1150	1	65	100	3	7	6	9012	7862	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7261.200195	7261.200195	0.933333
1884	043	3004	0.07	1293	1	65	100	3	7	6	9012	7719	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7118.200195	7118.200195	0.933333
1884	044	3004	0.07	1150	1	65	100	3	7	6	9012	7862	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7261.200195	7261.200195	0.933333
1884	045	3004	0.07	1581	1	65	100	3	7	6	9012	7431	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6830.200195	6830.200195	0.933333
1884	046	3004	0.07	1550	1	65	100	3	7	6	9012	7462	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6861.200195	6861.200195	0.933333
1884	047	3004	0.07	1267	1	65	100	3	7	6	9012	7745	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7144.200195	7144.200195	0.933333
1885	002	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
1885	003	3000	0.07	1830	1	65	100	3	7	6	9000	7170	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6570	6570	0.933333
1885	004	3000	0.07	1570	1	65	100	3	7	6	9000	7430	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6830	6830	0.933333
1885	005	3000	0.07	1448	1	65	100	3	7	6	9000	7552	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6952	6952	0.933333
1885	006	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6825	6825	0.933333
1885	007	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
1885	008	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1885	009	3000	0.07	1302	1	65	100	3	7	6	9000	7698	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7098	7098	0.933333
1885	035	3010	0.07	1312	1	65	100	3	7	6	9030	7718	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7116	7116	0.933333
1885	036	3010	0.07	1000	1	65	100	3	7	6	9030	8030	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7428	7428	0.933333
1885	037	3010	0.07	1000	1	65	100	3	7	6	9030	8030	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7428	7428	0.933333
1885	038	3010	0.07	1000	1	65	100	3	7	6	9030	8030	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7428	7428	0.933333
1885	039	3010	0.07	1257	1	65	100	3	7	6	9030	7773	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7171	7171	0.933333
1885	040	3010	0.07	1417	1	65	100	3	7	6	9030	7613	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7011	7011	0.933333
1885	041	3010	0.07	1162	1	65	100	3	7	6	9030	7868	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7266	7266	0.933333
1885	042	3010	0.07	1472	1	65	100	3	7	6	9030	7558	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6956	6956	0.933333
1886	003	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1886	004	3000	0.07	1420	1	65	100	3	7	6	9000	7580	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6980	6980	0.933333
1886	004A	3000	0.07	1370	1	65	100	3	7	6	9000	7630	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7030	7030	0.933333
1886	004B	3000	0.07	2031	1	65	100	3	7	6	9000	6969	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6369	6369	0.933333
1886	005	3000	0.07	1294	1	65	100	3	7	6	9000	7706	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7106	7106	0.933333
1886	006	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
1886	007	3000	0.07	1443	1	65	100	3	7	6	9000	7557	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6957	6957	0.933333
1886	007A	3000	0.07	1294	1	65	100	3	7	6	9000	7706	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7106	7106	0.933333
1886	008	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1886	009	3000	0.07	1635	1	65	100	3	7	6	9000	7365	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6765	6765	0.933333
1886	010	3000	0.07	1294	1	65	100	3	7	6	9000	7706	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7106	7106	0.933333
1886	011	3000	0.07	1745	1	65	100	3	7	6	9000	7255	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6655	6655	0.933333
1886	012	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1886	012A	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
1886	013	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7020	7020	0.933333
1886	021	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1886	022	3000	0.07	1630	1	65	100	3	7	6	9000	7370	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6770	6770	0.933333
1886	023	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1886	024	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1886	024A	3000	0.07	2617	1	65	100	3	7	6	9000	6383	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5783	5783	0.933333
1886	025	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
1886	026	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1886	027	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1886	028	3000	0.07	2149	1	65	100	3	7	6	9000	6851	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6251	6251	0.933333
1886	029	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1886	029A	3000	0.07	1318	1	65	100	3	7	6	9000	7682	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7082	7082	0.933333
1886	030	3000	0.07	1417	1	65	100	3	7	6	9000	7583	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6983	6983	0.933333
1886	030A	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1886	031	3000	0.07	1358	1	65	100	3	7	6	9000	7642	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7042	7042	0.933333
1886	032	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1887	001A	2871	0.07	1725	1	65	100	3	7	6	8613	6888	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8038.799805	6313.799805	6313.799805	0.933333
1887	001B	2990	0.07	1150	1	65	100	3	7	6	8970	7820	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7222	7222	0.933333
1887	001F	2880	0.07	1290	1	65	100	3	7	6	8640	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8064	6774	6774	0.933333
1887	001G	2880	0.07	1050	1	65	100	3	7	6	8640	7590	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8064	7014	7014	0.933333
1887	001H	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1887	001I	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
1887	001J	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1887	001K	3000	0.07	1545	1	65	100	3	7	6	9000	7455	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6855	6855	0.933333
1887	001L	3000	0.07	2110	1	65	100	3	7	6	9000	6890	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6290	6290	0.933333
1887	001M	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1887	001N	2990	0.07	1775	1	65	100	3	7	6	8970	7195	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6597	6597	0.933333
1887	001O	2990	0.07	1450	1	65	100	3	7	6	8970	7520	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6922	6922	0.933333
1887	001P	2990	0.07	1360	1	65	100	3	7	6	8970	7610	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7012	7012	0.933333
1887	001Q	2990	0.07	1468	1	65	100	3	7	6	8970	7502	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6904	6904	0.933333
1887	001R	2990	0.07	1332	1	65	100	3	7	6	8970	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7040	7040	0.933333
1887	001S	2871	0.07	1344	1	65	100	3	7	6	8613	7269	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8038.799805	6694.799805	6694.799805	0.933333
1887	002	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
1887	003	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1887	004	3000	0.07	2368	1	65	100	3	7	6	9000	6632	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6032	6032	0.933333
1887	005	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
1887	006	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
1887	007	3000	0.07	1995	1	65	100	3	7	6	9000	7005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6405	6405	0.933333
1887	008	3000	0.07	1838	1	65	100	3	7	6	9000	7162	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6562	6562	0.933333
1887	021	2990	0.07	1371	1	65	100	3	7	6	8970	7599	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7001	7001	0.933333
1887	022	2990	0.07	1175	1	65	100	3	7	6	8970	7795	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7197	7197	0.933333
1887	023	2990	0.07	1350	1	65	100	3	7	6	8970	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7022	7022	0.933333
1887	024	2990	0.07	1200	1	65	100	3	7	6	8970	7770	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7172	7172	0.933333
1887	025	2990	0.07	1430	1	65	100	3	7	6	8970	7540	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6942	6942	0.933333
1887	026	2990	0.07	1200	1	65	100	3	7	6	8970	7770	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7172	7172	0.933333
1887	027	2990	0.07	1200	1	65	100	3	7	6	8970	7770	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7172	7172	0.933333
1888	003A	3000	0.07	1720	1	65	100	3	7	6	9000	7280	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6680	6680	0.933333
1888	003B	3000	0.07	2112	1	65	100	3	7	6	9000	6888	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6288	6288	0.933333
1888	003C	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
1888	003D	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
1888	003E	3000	0.07	1643	1	65	100	3	7	6	9000	7357	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6757	6757	0.933333
1888	003F	3040	0.07	1150	1	65	100	3	7	6	9120	7970	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	7362	7362	0.933333
1888	003G	3040	0.07	1400	1	65	100	3	7	6	9120	7720	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	7112	7112	0.933333
1888	003H	3040	0.07	1590	1	65	100	3	7	6	9120	7530	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	6922	6922	0.933333
1888	003I	3040	0.07	1592	1	65	100	3	7	6	9120	7528	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	6920	6920	0.933333
1888	003J	3040	0.07	1886	1	65	100	3	7	6	9120	7234	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8512	6626	6626	0.933333
1888	010	2489	0.06	3200	4	65	100	3	6	2	7467	4267	NC-1	65	form-based			true	0.75	9	1.5	5	5	11200.5	8000.5	8000.5	1.5
1889	002	3000	0.07	1969	1	65	100	3	7	6	9000	7031	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6431	6431	0.933333
1889	003	3000	0.07	1215	1	65	100	3	7	6	9000	7785	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7185	7185	0.933333
1889	004	3000	0.07	2258	1	65	100	3	7	6	9000	6742	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6142	6142	0.933333
1889	005	3000	0.07	2485	1	65	100	3	7	6	9000	6515	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5915	5915	0.933333
1889	006	3000	0.07	1950	1	65	100	3	7	6	9000	7050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6450	6450	0.933333
1889	007	3000	0.07	1773	1	65	100	3	7	6	9000	7227	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6627	6627	0.933333
1889	008	3000	0.07	1465	1	65	100	3	7	6	9000	7535	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6935	6935	0.933333
1889	009	3000	0.07	2462	1	65	100	3	7	6	9000	6538	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5938	5938	0.933333
1889	010	3000	0.07	2224	1	65	100	3	7	6	9000	6776	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6176	6176	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1889	011	3000	0.07	2392	1	65	100	3	7	6	9000	6608	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6008	6008	0.933333
1889	013	3000	0.07	1645	1	65	100	3	7	6	9000	7355	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6755	6755	0.933333
1889	014	3000	0.07	1440	1	65	100	3	7	6	9000	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6960	6960	0.933333
1889	015	3000	0.07	1465	1	65	100	3	7	6	9000	7535	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6935	6935	0.933333
1889	016	3000	0.07	1465	1	65	100	3	7	6	9000	7535	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6935	6935	0.933333
1889	018A	3013	0.07	840	1	65	100	3	7	6	9039	8199	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7596.399414	7596.399414	0.933333
1889	018L	3013	0.07	1200	1	65	100	3	7	6	9039	7839	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7236.399414	7236.399414	0.933333
1889	018M	3013	0.07	1540	1	65	100	3	7	6	9039	7499	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6896.399414	6896.399414	0.933333
1889	018N	3013	0.07	1200	1	65	100	3	7	6	9039	7839	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7236.399414	7236.399414	0.933333
1889	018O	3013	0.07	1200	1	65	100	3	7	6	9039	7839	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7236.399414	7236.399414	0.933333
1889	018P	3013	0.07	1541	1	65	100	3	7	6	9039	7498	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6895.399414	6895.399414	0.933333
1889	018Q	3013	0.07	1826	1	65	100	3	7	6	9039	7213	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6610.399414	6610.399414	0.933333
1889	018R	3013	0.07	1475	1	65	100	3	7	6	9039	7564	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6961.399414	6961.399414	0.933333
1889	018S	3013	0.07	1325	1	65	100	3	7	6	9039	7714	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7111.399414	7111.399414	0.933333
1889	018T	3013	0.07	1802	1	65	100	3	7	6	9039	7237	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6634.399414	6634.399414	0.933333
1889	018U	3013	0.07	1325	1	65	100	3	7	6	9039	7714	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7111.399414	7111.399414	0.933333
1889	018V	3013	0.07	1377	1	65	100	3	7	6	9039	7662	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7059.399414	7059.399414	0.933333
1889	018W	3013	0.07	2560	1	65	100	3	7	6	9039	6479	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	5876.399414	5876.399414	0.933333
1889	018X	3013	0.07	2345	1	65	100	3	7	6	9039	6694	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6091.399414	6091.399414	0.933333
1889	018Y	3013	0.07	1890	1	65	100	3	7	6	9039	7149	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6546.399414	6546.399414	0.933333
1889	023	3012	0.07	1300	1	65	100	3	7	6	9036	7736	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7133.599609	7133.599609	0.933333
1889	024	2911	0.07	1265	1	65	100	3	7	6	8733	7468	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8150.799805	6885.799805	6885.799805	0.933333
1890	003	3000	0.07	1831	1	65	100	3	7	6	9000	7169	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6569	6569	0.933333
1890	004	3000	0.07	1280	1	65	100	3	7	6	9000	7720	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7120	7120	0.933333
1890	005A	3000	0.07	1137	1	65	100	3	7	6	9000	7863	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7263	7263	0.933333
1890	005B	3000	0.07	1137	1	65	100	3	7	6	9000	7863	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7263	7263	0.933333
1890	005C	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6775	6775	0.933333
1890	005D	3000	0.07	1212	1	65	100	3	7	6	9000	7788	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7188	7188	0.933333
1890	006	3000	0.07	1262	1	65	100	3	7	6	9000	7738	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7138	7138	0.933333
1890	007	3000	0.07	1036	1	65	100	3	7	6	9000	7964	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7364	7364	0.933333
1890	008	3000	0.07	2476	1	65	100	3	7	6	9000	6524	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5924	5924	0.933333
1890	009	3000	0.07	1668	1	65	100	3	7	6	9000	7332	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6732	6732	0.933333
1890	010	3000	0.07	1578	1	65	100	3	7	6	9000	7422	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6822	6822	0.933333
1890	011	3000	0.07	985	1	65	100	3	7	6	9000	8015	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7415	7415	0.933333
1890	012	3000	0.07	985	1	65	100	3	7	6	9000	8015	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7415	7415	0.933333
1890	013	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
1890	021	3004	0.07	1000	1	65	100	3	7	6	9012	8012	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7411.200195	7411.200195	0.933333
1890	023	3004	0.07	1692	1	65	100	3	7	6	9012	7320	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6719.200195	6719.200195	0.933333
1890	024	3004	0.07	1007	1	65	100	3	7	6	9012	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7404.200195	7404.200195	0.933333
1890	025	3004	0.07	955	1	65	100	3	7	6	9012	8057	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7456.200195	7456.200195	0.933333
1890	026	3004	0.07	1456	1	65	100	3	7	6	9012	7556	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6955.200195	6955.200195	0.933333
1890	027	3004	0.07	1075	1	65	100	3	7	6	9012	7937	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7336.200195	7336.200195	0.933333
1890	028	3004	0.07	1050	1	65	100	3	7	6	9012	7962	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7361.200195	7361.200195	0.933333
1890	030	3004	0.07	1135	1	65	100	3	7	6	9012	7877	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7276.200195	7276.200195	0.933333
1890	031	3004	0.07	1345	1	65	100	3	7	6	9012	7667	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7066.200195	7066.200195	0.933333
1890	032	3004	0.07	1756	1	65	100	3	7	6	9012	7256	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6655.200195	6655.200195	0.933333
1890	033	3004	0.07	1330	1	65	100	3	7	6	9012	7682	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7081.200195	7081.200195	0.933333
1890	034	3004	0.07	1726	1	65	100	3	7	6	9012	7286	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6685.200195	6685.200195	0.933333
1890	041	3004	0.07	1564	1	65	100	3	7	6	9012	7448	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6847.200195	6847.200195	0.933333
1890	042	3004	0.07	3678	1	65	100	3	7	6	9012	5334	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	4733.200195	4733.200195	0.933333
1891	002	3000	0.07	1366	1	65	100	3	7	6	9000	7634	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7034	7034	0.933333
1891	002A	3000	0.07	1458	1	65	100	3	7	6	9000	7542	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6942	6942	0.933333
1891	003	3000	0.07	1279	1	65	100	3	7	6	9000	7721	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7121	7121	0.933333
1891	004	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
1891	005	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
1891	006	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
1891	007	3000	0.07	1886	1	65	100	3	7	6	9000	7114	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6514	6514	0.933333
1891	008	3000	0.07	892	1	65	100	3	7	6	9000	8108	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7508	7508	0.933333
1891	009	3000	0.07	1438	1	65	100	3	7	6	9000	7562	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6962	6962	0.933333
1891	011	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
1891	015	3000	0.07	885	1	65	100	3	7	6	9000	8115	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7515	7515	0.933333
1891	030	3005	0.07	1050	1	65	100	3	7	6	9015	7965	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7364	7364	0.933333
1891	031	3005	0.07	1135	1	65	100	3	7	6	9015	7880	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7279	7279	0.933333
1891	032	3005	0.07	1135	1	65	100	3	7	6	9015	7880	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7279	7279	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1891	033	3005	0.07	1150	1	65	100	3	7	6	9015	7865	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7264	7264	0.933333
1891	034	3005	0.07	1140	1	65	100	3	7	6	9015	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7274	7274	0.933333
1891	035	3005	0.07	1579	1	65	100	3	7	6	9015	7436	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6835	6835	0.933333
1891	036	3005	0.07	1734	1	65	100	3	7	6	9015	7281	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6680	6680	0.933333
1891	037	3005	0.07	1150	1	65	100	3	7	6	9015	7865	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7264	7264	0.933333
1891	038	3005	0.07	1150	1	65	100	3	7	6	9015	7865	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7264	7264	0.933333
1891	039	3005	0.07	968	1	65	100	3	7	6	9015	8047	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7446	7446	0.933333
1891	040	3005	0.07	1429	1	65	100	3	7	6	9015	7586	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6985	6985	0.933333
1891	041	3005	0.07	1150	1	65	100	3	7	6	9015	7865	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7264	7264	0.933333
1891	042	3005	0.07	1144	1	65	100	3	7	6	9015	7871	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7270	7270	0.933333
1891	049	2480	0.06	2606	0	65	100	3	6	6	7440	4834	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	6944	4338	4338	0.933333
1892	002A	3000	0.07	1070	1	65	100	3	7	6	9000	7930	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7330	7330	0.933333
1892	002B	3000	0.07	1070	1	65	100	3	7	6	9000	7930	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7330	7330	0.933333
1892	002C	3000	0.07	1402	1	65	100	3	7	6	9000	7598	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6998	6998	0.933333
1892	002D	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
1892	002E	3000	0.07	1490	1	65	100	3	7	6	9000	7510	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6910	6910	0.933333
1892	002F	3000	0.07	1075	1	65	100	3	7	6	9000	7925	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7325	7325	0.933333
1892	002G	3000	0.07	1054	1	65	100	3	7	6	9000	7946	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7346	7346	0.933333
1892	003	3000	0.07	1130	1	65	100	3	7	6	9000	7870	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7270	7270	0.933333
1892	004	3000	0.07	1266	1	65	100	3	7	6	9000	7734	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7134	7134	0.933333
1892	005	3000	0.07	2680	1	65	100	3	7	6	9000	6320	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5720	5720	0.933333
1892	006	3000	0.07	1216	1	65	100	3	7	6	9000	7784	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7184	7184	0.933333
1892	007	3000	0.07	1554	1	65	100	3	7	6	9000	7446	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6846	6846	0.933333
1892	008	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
1892	008A	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
1892	014	3003	0.07	2634	1	65	100	3	7	6	9009	6375	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	5774.399414	5774.399414	0.933333
1892	014A	3003	0.07	1000	1	65	100	3	7	6	9009	8009	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7408.399414	7408.399414	0.933333
1892	015	3003	0.07	1540	1	65	100	3	7	6	9009	7469	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6868.399414	6868.399414	0.933333
1892	016	3003	0.07	1000	1	65	100	3	7	6	9009	8009	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7408.399414	7408.399414	0.933333
1892	017A	3003	0.07	1100	1	65	100	3	7	6	9009	7909	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7308.399414	7308.399414	0.933333
1892	017B	3003	0.07	2178	1	65	100	3	7	6	9009	6831	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6230.399414	6230.399414	0.933333
1892	018	3003	0.07	1182	1	65	100	3	7	6	9009	7827	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7226.399414	7226.399414	0.933333
1892	019	3003	0.07	612	1	65	100	3	7	6	9009	8397	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7796.399414	7796.399414	0.933333
1892	020	3003	0.07	1610	1	65	100	3	7	6	9009	7399	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6798.399414	6798.399414	0.933333
1892	021	3003	0.07	760	1	65	100	3	7	6	9009	8249	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7648.399414	7648.399414	0.933333
1892	022	3003	0.07	1094	1	65	100	3	7	6	9009	7915	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7314.399414	7314.399414	0.933333
1892	022A	3003	0.07	1725	1	65	100	3	7	6	9009	7284	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6683.399414	6683.399414	0.933333
1892	023	3003	0.07	1020	1	65	100	3	7	6	9009	7989	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7388.399414	7388.399414	0.933333
1892	031	3003	0.07	1219	1	65	100	3	7	6	9009	7790	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7189.399414	7189.399414	0.933333
1893	003	3000	0.07	903	1	65	100	3	7	6	9000	8097	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7497	7497	0.933333
1893	004	3000	0.07	950	1	65	100	3	7	6	9000	8050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7450	7450	0.933333
1893	006	3000	0.07	1110	1	65	100	3	7	6	9000	7890	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7290	7290	0.933333
1893	007	3000	0.07	1110	1	65	100	3	7	6	9000	7890	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7290	7290	0.933333
1893	008	3000	0.07	1205	1	65	100	3	7	6	9000	7795	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7195	7195	0.933333
1893	008A	3000	0.07	726	1	65	100	3	7	6	9000	8274	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7674	7674	0.933333
1893	009	3000	0.07	368	1	65	100	3	7	6	9000	8632	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	8032	8032	0.933333
1893	010	3000	0.07	1414	1	65	100	3	7	6	9000	7586	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6986	6986	0.933333
1893	011	3000	0.07	975	1	65	100	3	7	6	9000	8025	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7425	7425	0.933333
1893	012	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
1893	013	3000	0.07	1417	1	65	100	3	7	6	9000	7583	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6983	6983	0.933333
1893	014	3000	0.07	1110	1	65	100	3	7	6	9000	7890	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7290	7290	0.933333
1893	015	3000	0.07	950	1	65	100	3	7	6	9000	8050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7450	7450	0.933333
1893	016	3000	0.07	950	1	65	100	3	7	6	9000	8050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7450	7450	0.933333
1893	026	2983	0.07	1844	1	65	100	3	7	6	8949	7105	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6508.399414	6508.399414	0.933333
1893	028	2983	0.07	2212	1	65	100	3	7	6	8949	6737	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6140.399414	6140.399414	0.933333
1893	030	2983	0.07	1450	1	65	100	3	7	6	8949	7499	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6902.399414	6902.399414	0.933333
1893	031	2983	0.07	1195	1	65	100	3	7	6	8949	7754	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7157.399414	7157.399414	0.933333
1893	032	2983	0.07	1275	1	65	100	3	7	6	8949	7674	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7077.399414	7077.399414	0.933333
1893	033	2983	0.07	1125	1	65	100	3	7	6	8949	7824	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7227.399414	7227.399414	0.933333
1893	034	2983	0.07	1125	1	65	100	3	7	6	8949	7824	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7227.399414	7227.399414	0.933333
1893	039	2983	0.07	939	1	65	100	3	7	6	8949	8010	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7413.399414	7413.399414	0.933333
1893	051	2655	0.06	1057	1	65	100	3	6	5	7965	6908	RH-1	40	form-based			true	0.7	6	1	5	5	7434	6377	6377	0.933333
1894	019	3000	0.07	1167	1	65	100	3	7	6	9000	7833	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8400	7233	7233	0.933333
1894	039	3021	0.07	2120	1	65	100	3	7	6	9063	6943	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6338.799805	6338.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1894	049	3038	0.07	2432	1	65	100	3	7	6	9114	6682	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6074.399414	6074.399414	0.933333
1895	001	2753	0.06	1373	1	55	80	2.5	5	4	6882	5509	RH-2	40	form-based		true	true	0.7	6	1.200000048	5	5	7708.399902	6335.399902	6335.399902	1.120081
1895	008	3000	0.07	1240	1	55	80	2.5	6	5	7500	6260	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7160	7160	1.12
1895	009	3000	0.07	1293	1	55	80	2.5	6	5	7500	6207	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7107	7107	1.12
1895	011	3000	0.07	1100	1	55	80	2.5	6	5	7500	6400	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7300	7300	1.12
1895	012	2695	0.06	950	1	55	80	2.5	5	4	6738	5788	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7546	6596	6596	1.119917
1895	013	3000	0.07	697	1	55	80	2.5	6	5	7500	6803	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7703	7703	1.12
1895	015	3000	0.07	1124	1	55	80	2.5	6	5	7500	6376	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7276	7276	1.12
1895	018	2850	0.07	1530	1	55	80	2.5	6	5	7125	5595	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6450	6450	1.12
1895	026	2895	0.07	1527	1	55	80	2.5	6	5	7238	5711	RH-2	40	form-based			true	0.7	6	1	5	5	8106	6579	6579	1.119923
1895	026A	2930	0.07	2625	1	55	80	2.5	6	5	7325	4700	RH-2	40	form-based			true	0.7	6	1	5	5	8204	5579	5579	1.12
1895	029	2767	0.06	2877	1	55	80	2.5	5	4	6918	4041	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7747.600098	4870.600098	4870.600098	1.119919
1895	034	3021	0.07	1840	1	55	80	2.5	6	5	7552	5712	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	6618.799805	6618.799805	1.120074
1895	039	3021	0.07	1125	1	55	80	2.5	6	5	7552	6427	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	7333.799805	7333.799805	1.120074
1895	040	3021	0.07	1793	1	55	80	2.5	6	5	7552	5759	RH-2	40	form-based			true	0.7	6	1	5	5	8458.799805	6665.799805	6665.799805	1.120074
1895	050	2650	0.06	1049	1	55	80	2.5	5	4	6625	5576	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7420	6371	6371	1.12
1895	066	3432	0.08	3703	2	55	80	2.5	6	4	8580	4877	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9609.599609	5906.599609	5906.599609	1.12
1896	003	2983	0.07	942	1	55	80	2.5	6	5	7458	6516	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7410.399414	7410.399414	1.119925
1896	006	2983	0.07	2205	1	55	80	2.5	6	5	7458	5253	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6147.399414	6147.399414	1.119925
1896	007	2983	0.07	1650	1	55	80	2.5	6	5	7458	5808	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6702.399414	6702.399414	1.119925
1896	008	2983	0.07	934	1	55	80	2.5	6	5	7458	6524	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7418.399414	7418.399414	1.119925
1896	009	2983	0.07	900	1	55	80	2.5	6	5	7458	6558	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7452.399414	7452.399414	1.119925
1896	010	2983	0.07	1028	1	55	80	2.5	6	5	7458	6430	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7324.399414	7324.399414	1.119925
1896	012	2983	0.07	1175	1	55	80	2.5	6	5	7458	6283	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7177.399414	7177.399414	1.119925
1896	013	2983	0.07	1470	1	55	80	2.5	6	5	7458	5988	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6882.399414	6882.399414	1.119925
1896	014	2983	0.07	1651	1	55	80	2.5	6	5	7458	5807	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6701.399414	6701.399414	1.119925
1896	015	2983	0.07	1180	1	55	80	2.5	6	5	7458	6278	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7172.399414	7172.399414	1.119925
1896	016	2983	0.07	1501	1	55	80	2.5	6	5	7458	5957	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6851.399414	6851.399414	1.119925
1896	018	2983	0.07	1112	1	55	80	2.5	6	5	7458	6346	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7240.399414	7240.399414	1.119925
1896	019	2983	0.07	1117	1	55	80	2.5	6	5	7458	6341	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7235.399414	7235.399414	1.119925
1896	020A	3125	0.07	2776	2	55	80	2.5	6	4	7812	5036	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	8750	5974	5974	1.120072
1896	021	3125	0.07	1460	2	55	80	2.5	6	4	7812	6352	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	8750	7290	7290	1.120072
1896	026	3000	0.07	1228	1	55	80	2.5	6	5	7500	6272	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7172	7172	1.12
1896	027	3000	0.07	1370	1	55	80	2.5	6	5	7500	6130	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7030	7030	1.12
1896	029	3000	0.07	1418	1	55	80	2.5	6	5	7500	6082	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6982	6982	1.12
1896	032	3000	0.07	478	1	55	80	2.5	6	5	7500	7022	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7922	7922	1.12
1896	034	3000	0.07	2004	1	55	80	2.5	6	5	7500	5496	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6396	6396	1.12
1896	036	3000	0.07	2402	1	55	80	2.5	6	5	7500	5098	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5998	5998	1.12
1896	037	3000	0.07	2802	1	55	80	2.5	6	5	7500	4698	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5598	5598	1.12
1896	041	3000	0.07	1802	1	55	80	2.5	6	5	7500	5698	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6598	6598	1.12
1896	044	4363	0.1	3097	4	55	80	2.5	8	4	10908	7811	RH-2	40	form-based		true	true	0.7	9	1.125	5	5	12216.39941	9119.399414	9119.399414	1.119949
1896	048	3000	0.07	2372	1	55	80	2.5	6	5	7500	5128	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6028	6028	1.12
1897	005	2695	0.06	1318	1	55	80	2.5	5	4	6738	5420	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7546	6228	6228	1.119917
1897	006	3000	0.07	850	1	55	80	2.5	6	5	7500	6650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7550	7550	1.12
1897	007	3000	0.07	850	1	55	80	2.5	6	5	7500	6650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7550	7550	1.12
1897	008	3000	0.07	850	1	55	80	2.5	6	5	7500	6650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7550	7550	1.12
1897	009	3000	0.07	850	1	55	80	2.5	6	5	7500	6650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7550	7550	1.12
1897	010	3000	0.07	850	1	55	80	2.5	6	5	7500	6650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7550	7550	1.12
1897	011	3000	0.07	850	1	55	80	2.5	6	5	7500	6650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7550	7550	1.12
1897	012	3000	0.07	850	1	55	80	2.5	6	5	7500	6650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7550	7550	1.12
1897	013	3000	0.07	1049	1	55	80	2.5	6	5	7500	6451	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7351	7351	1.12
1897	014	3000	0.07	850	1	55	80	2.5	6	5	7500	6650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7550	7550	1.12
1897	015	3000	0.07	850	1	55	80	2.5	6	5	7500	6650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7550	7550	1.12
1897	016	3000	0.07	850	1	55	80	2.5	6	5	7500	6650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7550	7550	1.12
1897	017	3000	0.07	1920	1	55	80	2.5	6	5	7500	5580	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6480	6480	1.12
1897	018	3000	0.07	850	1	55	80	2.5	6	5	7500	6650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7550	7550	1.12
1897	019	3000	0.07	850	1	55	80	2.5	6	5	7500	6650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7550	7550	1.12
1897	020	3000	0.07	850	1	55	80	2.5	6	5	7500	6650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7550	7550	1.12
1897	033	3003	0.07	1315	1	55	80	2.5	6	5	7508	6193	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7093.399414	7093.399414	1.119925
1897	034	3003	0.07	1643	1	55	80	2.5	6	5	7508	5865	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	6765.399414	6765.399414	1.119925
1897	035	3003	0.07	850	1	55	80	2.5	6	5	7508	6658	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7558.399414	7558.399414	1.119925
1897	036	3003	0.07	850	1	55	80	2.5	6	5	7508	6658	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7558.399414	7558.399414	1.119925
1897	037	3003	0.07	1038	1	55	80	2.5	6	5	7508	6470	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7370.399414	7370.399414	1.119925
1897	038	3003	0.07	1288	1	55	80	2.5	6	5	7508	6220	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7120.399414	7120.399414	1.119925

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1897	039	3003	0.07	1611	1	55	80	2.5	6	5	7508	5897	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	6797.399414	6797.399414	1.119925
1897	040	3003	0.07	1528	1	55	80	2.5	6	5	7508	5980	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	6880.399414	6880.399414	1.119925
1897	041	3003	0.07	1038	1	55	80	2.5	6	5	7508	6470	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7370.399414	7370.399414	1.119925
1897	042	3003	0.07	1038	1	55	80	2.5	6	5	7508	6470	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7370.399414	7370.399414	1.119925
1897	043	3003	0.07	1395	1	55	80	2.5	6	5	7508	6113	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7013.399414	7013.399414	1.119925
1897	044	3003	0.07	2998	1	55	80	2.5	6	5	7508	4510	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	5410.399414	5410.399414	1.119925
1897	045	3003	0.07	1140	1	55	80	2.5	6	5	7508	6368	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7268.399414	7268.399414	1.119925
1897	046	3003	0.07	1052	1	55	80	2.5	6	5	7508	6456	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7356.399414	7356.399414	1.119925
1897	047	3003	0.07	850	1	55	80	2.5	6	5	7508	6658	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7558.399414	7558.399414	1.119925
1897	048	2698	0.06	850	1	55	80	2.5	5	4	6745	5895	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7554.399902	6704.399902	6704.399902	1.12
1898	002	3005	0.07	2575	1	55	80	2.5	6	5	7512	4937	RH-1	40	form-based			true	0.7	6	1	5	5	8414	5839	5839	1.120075
1898	003	3005	0.07	1293	1	55	80	2.5	6	5	7512	6219	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7121	7121	1.120075
1898	004	3005	0.07	1980	1	55	80	2.5	6	5	7512	5532	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6434	6434	1.120075
1898	005	3005	0.07	1835	1	55	80	2.5	6	5	7512	5677	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6579	6579	1.120075
1898	006	3005	0.07	2673	1	55	80	2.5	6	5	7512	4839	RH-1	40	form-based			true	0.7	6	1	5	5	8414	5741	5741	1.120075
1898	007	3005	0.07	1125	1	55	80	2.5	6	5	7512	6387	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7289	7289	1.120075
1898	008	3005	0.07	1305	1	55	80	2.5	6	5	7512	6207	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7109	7109	1.120075
1898	009	3005	0.07	1669	1	55	80	2.5	6	5	7512	5843	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6745	6745	1.120075
1898	010	3005	0.07	1125	1	55	80	2.5	6	5	7512	6387	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7289	7289	1.120075
1898	011	3005	0.07	1272	1	55	80	2.5	6	5	7512	6240	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7142	7142	1.120075
1898	012	3005	0.07	1125	1	55	80	2.5	6	5	7512	6387	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7289	7289	1.120075
1898	013	3005	0.07	2167	1	55	80	2.5	6	5	7512	5345	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6247	6247	1.120075
1898	014	3005	0.07	1596	1	55	80	2.5	6	5	7512	5916	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6818	6818	1.120075
1898	016	3005	0.07	1814	1	55	80	2.5	6	5	7512	5698	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6600	6600	1.120075
1898	016A	2699	0.06	1425	1	55	80	2.5	5	4	6748	5323	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7557.199707	6132.199707	6132.199707	1.119917
1898	017	3021	0.07	1691	1	55	80	2.5	6	5	7552	5861	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6767.799805	6767.799805	1.120074
1898	024	2695	0.06	600	1	55	80	2.5	5	4	6738	6138	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7546	6946	6946	1.119917
1898	025	3000	0.07	2678	1	55	80	2.5	6	5	7500	4822	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5722	5722	1.12
1898	028	3000	0.07	984	1	55	80	2.5	6	5	7500	6516	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7416	7416	1.12
1898	029	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
1898	030	3000	0.07	963	1	55	80	2.5	6	5	7500	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7437	7437	1.12
1898	031	3000	0.07	963	1	55	80	2.5	6	5	7500	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7437	7437	1.12
1898	032	3000	0.07	963	1	55	80	2.5	6	5	7500	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7437	7437	1.12
1898	033	3000	0.07	963	1	55	80	2.5	6	5	7500	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7437	7437	1.12
1898	034	3000	0.07	950	1	55	80	2.5	6	5	7500	6550	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7450	7450	1.12
1898	035	3000	0.07	963	1	55	80	2.5	6	5	7500	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7437	7437	1.12
1898	035A	3000	0.07	963	1	55	80	2.5	6	5	7500	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7437	7437	1.12
1898	036	3000	0.07	963	1	55	80	2.5	6	5	7500	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7437	7437	1.12
1898	037	3000	0.07	963	1	55	80	2.5	6	5	7500	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7437	7437	1.12
1898	038	3000	0.07	2935	1	55	80	2.5	6	5	7500	4565	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5465	5465	1.12
1899	002	3004	0.07	1301	1	55	80	2.5	6	5	7510	6209	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7110.200195	7110.200195	1.12
1899	003	3004	0.07	1572	1	55	80	2.5	6	5	7510	5938	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6839.200195	6839.200195	1.12
1899	004	3004	0.07	1468	1	55	80	2.5	6	5	7510	6042	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6943.200195	6943.200195	1.12
1899	005	3004	0.07	1291	1	55	80	2.5	6	5	7510	6219	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7120.200195	7120.200195	1.12
1899	006	3004	0.07	1250	1	55	80	2.5	6	5	7510	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7161.200195	7161.200195	1.12
1899	007	3004	0.07	1825	1	55	80	2.5	6	5	7510	5685	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6586.200195	6586.200195	1.12
1899	008	3004	0.07	1470	1	55	80	2.5	6	5	7510	6040	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6941.200195	6941.200195	1.12
1899	009	3004	0.07	1773	1	55	80	2.5	6	5	7510	5737	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6638.200195	6638.200195	1.12
1899	010	3004	0.07	1400	1	55	80	2.5	6	5	7510	6110	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7011.200195	7011.200195	1.12
1899	011	3004	0.07	1137	1	55	80	2.5	6	5	7510	6373	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7274.200195	7274.200195	1.12
1899	012	3004	0.07	1675	1	55	80	2.5	6	5	7510	5835	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6736.200195	6736.200195	1.12
1899	013	3004	0.07	2839	1	55	80	2.5	6	5	7510	4671	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	5572.200195	5572.200195	1.12
1899	014	3004	0.07	1000	1	55	80	2.5	6	5	7510	6510	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7411.200195	7411.200195	1.12
1899	015	3004	0.07	1000	1	55	80	2.5	6	5	7510	6510	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7411.200195	7411.200195	1.12
1899	016	3004	0.07	1238	1	55	80	2.5	6	5	7510	6272	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7173.200195	7173.200195	1.12
1899	017	2698	0.06	1290	1	55	80	2.5	5	4	6745	5455	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7554.399902	6264.399902	6264.399902	1.12
1899	027	2695	0.06	1225	1	55	80	2.5	5	4	6738	5513	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7546	6321	6321	1.119917
1899	028	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
1899	029	3000	0.07	1218	1	55	80	2.5	6	5	7500	6282	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7182	7182	1.12
1899	030	3000	0.07	1967	1	55	80	2.5	6	5	7500	5533	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6433	6433	1.12
1899	031	3000	0.07	1000	1	55	80	2.5	6	5	7500	6500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7400	7400	1.12
1899	032	3000	0.07	1000	1	55	80	2.5	6	5	7500	6500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7400	7400	1.12
1899	033	3000	0.07	1287	1	55	80	2.5	6	5	7500	6213	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7113	7113	1.12
1899	034	3000	0.07	850	1	55	80	2.5	6	5	7500	6650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7550	7550	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1899	035	3000	0.07	2562	1	55	80	2.5	6	5	7500	4938	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5838	5838	1.12
1899	036	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
1899	037	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
1899	038	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
1899	039	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
1899	040	3000	0.07	1290	1	55	80	2.5	6	5	7500	6210	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7110	7110	1.12
1899	041	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
1899	042	3000	0.07	950	1	55	80	2.5	6	5	7500	6550	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7450	7450	1.12
1899	043	2741	0.06	1876	1	55	80	2.5	5	4	6852	4976	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7674.799805	5798.799805	5798.799805	1.120082
1899	044	2757	0.06	1400	1	55	80	2.5	5	4	6892	5492	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7719.600098	6319.600098	6319.600098	1.120081
1900	002	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
1900	003	3000	0.07	1457	1	55	80	2.5	6	5	7500	6043	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6943	6943	1.12
1900	004	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
1900	005	3000	0.07	1690	1	55	80	2.5	6	5	7500	5810	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6710	6710	1.12
1900	006	3000	0.07	1892	1	55	80	2.5	6	5	7500	5608	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6508	6508	1.12
1900	007	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
1900	008	3000	0.07	1566	1	55	80	2.5	6	5	7500	5934	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6834	6834	1.12
1900	009	3000	0.07	2450	1	55	80	2.5	6	5	7500	5050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5950	5950	1.12
1900	010	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
1900	011	3000	0.07	1270	1	55	80	2.5	6	5	7500	6230	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7130	7130	1.12
1900	012	3000	0.07	1558	1	55	80	2.5	6	5	7500	5942	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6842	6842	1.12
1900	013	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
1900	014	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
1900	015	3000	0.07	1306	1	55	80	2.5	6	5	7500	6194	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7094	7094	1.12
1900	016	3000	0.07	1530	1	55	80	2.5	6	5	7500	5970	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6870	6870	1.12
1900	017	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
1900	027	3013	0.07	1125	1	55	80	2.5	6	5	7532	6407	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7311.399414	7311.399414	1.120074
1900	028	3013	0.07	1100	1	55	80	2.5	6	5	7532	6432	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7336.399414	7336.399414	1.120074
1900	028A	3013	0.07	1100	1	55	80	2.5	6	5	7532	6432	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7336.399414	7336.399414	1.120074
1900	029	3013	0.07	1985	1	55	80	2.5	6	5	7532	5547	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6451.399414	6451.399414	1.120074
1900	030	3013	0.07	2145	1	55	80	2.5	6	5	7532	5387	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6291.399414	6291.399414	1.120074
1900	031	3013	0.07	2102	1	55	80	2.5	6	5	7532	5430	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6334.399414	6334.399414	1.120074
1900	032	3013	0.07	1425	1	55	80	2.5	6	5	7532	6107	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7011.399414	7011.399414	1.120074
1900	033	3013	0.07	975	1	55	80	2.5	6	5	7532	6557	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7461.399414	7461.399414	1.120074
1900	033A	3013	0.07	1499	1	55	80	2.5	6	5	7532	6033	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6937.399414	6937.399414	1.120074
1900	035	3013	0.07	1195	1	55	80	2.5	6	5	7532	6337	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7241.399414	7241.399414	1.120074
1900	035A	3013	0.07	1075	1	55	80	2.5	6	5	7532	6457	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7361.399414	7361.399414	1.120074
1900	036	3013	0.07	1375	1	55	80	2.5	6	5	7532	6157	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7061.399414	7061.399414	1.120074
1900	036A	3013	0.07	1594	1	55	80	2.5	6	5	7532	5938	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6842.399414	6842.399414	1.120074
1900	037	3013	0.07	1614	1	55	80	2.5	6	5	7532	5918	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6822.399414	6822.399414	1.120074
1900	038	3013	0.07	1100	1	55	80	2.5	6	5	7532	6432	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7336.399414	7336.399414	1.120074
1901	002	2948	0.07	1125	1	55	80	2.5	6	5	7370	6245	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	7129.399414	7129.399414	1.12
1901	003	2948	0.07	1225	1	55	80	2.5	6	5	7370	6145	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	7029.399414	7029.399414	1.12
1901	004	2948	0.07	1327	1	55	80	2.5	6	5	7370	6043	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6927.399414	6927.399414	1.12
1901	005	2948	0.07	1075	1	55	80	2.5	6	5	7370	6295	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	7179.399414	7179.399414	1.12
1901	006	2948	0.07	1574	1	55	80	2.5	6	5	7370	5796	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6680.399414	6680.399414	1.12
1901	007	2948	0.07	1559	1	55	80	2.5	6	5	7370	5811	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6695.399414	6695.399414	1.12
1901	008	2948	0.07	1640	1	55	80	2.5	6	5	7370	5730	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6614.399414	6614.399414	1.12
1901	009	2948	0.07	1327	1	55	80	2.5	6	5	7370	6043	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6927.399414	6927.399414	1.12
1901	010	2948	0.07	1075	1	55	80	2.5	6	5	7370	6295	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	7179.399414	7179.399414	1.12
1901	011	2948	0.07	2198	1	55	80	2.5	6	5	7370	5172	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6056.399414	6056.399414	1.12
1901	013	2948	0.07	1725	1	55	80	2.5	6	5	7370	5645	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6529.399414	6529.399414	1.12
1901	014	2948	0.07	1903	1	55	80	2.5	6	5	7370	5467	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6351.399414	6351.399414	1.12
1901	015	2948	0.07	1976	1	55	80	2.5	6	5	7370	5394	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6278.399414	6278.399414	1.12
1901	016	2948	0.07	1560	1	55	80	2.5	6	5	7370	5810	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6694.399414	6694.399414	1.12
1901	017	2948	0.07	1425	1	55	80	2.5	6	5	7370	5945	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6829.399414	6829.399414	1.12
1901	018	2948	0.07	1813	1	55	80	2.5	6	5	7370	5557	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6441.399414	6441.399414	1.12
1901	027	3040	0.07	1237	1	55	80	2.5	6	5	7600	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8512	7275	7275	1.12
1901	028	3040	0.07	1821	1	55	80	2.5	6	5	7600	5779	RH-1	40	form-based			true	0.7	6	1	5	5	8512	6691	6691	1.12
1901	029	3040	0.07	1495	1	55	80	2.5	6	5	7600	6105	RH-1	40	form-based			true	0.7	6	1	5	5	8512	7017	7017	1.12
1901	030	3040	0.07	1150	1	55	80	2.5	6	5	7600	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8512	7362	7362	1.12
1901	031	3040	0.07	1150	1	55	80	2.5	6	5	7600	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8512	7362	7362	1.12
1901	032	3040	0.07	1350	1	55	80	2.5	6	5	7600	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8512	7162	7162	1.12
1901	033	3040	0.07	1150	1	55	80	2.5	6	5	7600	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8512	7362	7362	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1901	034	3040	0.07	1973	1	55	80	2.5	6	5	7600	5627	RH-1	40	form-based			true	0.7	6	1	5	5	8512	6539	6539	1.12
1901	035	3040	0.07	1150	1	55	80	2.5	6	5	7600	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8512	7362	7362	1.12
1901	036	3040	0.07	1150	1	55	80	2.5	6	5	7600	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8512	7362	7362	1.12
1901	037	3040	0.07	1150	1	55	80	2.5	6	5	7600	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8512	7362	7362	1.12
1901	038	3040	0.07	1150	1	55	80	2.5	6	5	7600	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8512	7362	7362	1.12
1901	039	3040	0.07	1197	1	55	80	2.5	6	5	7600	6403	RH-1	40	form-based			true	0.7	6	1	5	5	8512	7315	7315	1.12
1901	040	3040	0.07	1873	1	55	80	2.5	6	5	7600	5727	RH-1	40	form-based			true	0.7	6	1	5	5	8512	6639	6639	1.12
1901	041	3040	0.07	1150	1	55	80	2.5	6	5	7600	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8512	7362	7362	1.12
1901	042	3040	0.07	1150	1	55	80	2.5	6	5	7600	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8512	7362	7362	1.12
1901	043	3040	0.07	1150	1	55	80	2.5	6	5	7600	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8512	7362	7362	1.12
1902	001A	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
1902	001B	3000	0.07	1384	1	55	80	2.5	6	5	7500	6116	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7016	7016	1.12
1902	001C	3000	0.07	1538	1	55	80	2.5	6	5	7500	5962	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6862	6862	1.12
1902	001D	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
1902	001E	3000	0.07	1393	1	55	80	2.5	6	5	7500	6107	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7007	7007	1.12
1902	001F	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
1902	001G	3000	0.07	1559	1	55	80	2.5	6	5	7500	5941	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6841	6841	1.12
1902	001H	3000	0.07	1332	1	55	80	2.5	6	5	7500	6168	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7068	7068	1.12
1902	001K	3000	0.07	1635	1	55	80	2.5	6	5	7500	5865	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6765	6765	1.12
1902	002	3000	0.07	1787	1	55	80	2.5	6	5	7500	5713	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6613	6613	1.12
1902	002A	3000	0.07	1564	1	55	80	2.5	6	5	7500	5936	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6836	6836	1.12
1902	002B	3000	0.07	2225	1	55	80	2.5	6	5	7500	5275	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6175	6175	1.12
1902	002C	3000	0.07	1025	1	55	80	2.5	6	5	7500	6475	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7375	7375	1.12
1902	002D	3000	0.07	3246	1	55	80	2.5	6	5	7500	4254	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5154	5154	1.12
1902	002E	3000	0.07	1025	1	55	80	2.5	6	5	7500	6475	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7375	7375	1.12
1902	002F	3000	0.07	1025	1	55	80	2.5	6	5	7500	6475	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7375	7375	1.12
1902	003	3000	0.07	1195	1	55	80	2.5	6	5	7500	6305	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7205	7205	1.12
1902	003A	3000	0.07	1025	1	55	80	2.5	6	5	7500	6475	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7375	7375	1.12
1902	004	2831	0.06	875	1	55	80	2.5	5	4	7078	6203	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7926.799805	7051.799805	7051.799805	1.119921
1902	006	2804	0.06	1262	1	55	80	2.5	5	4	7010	5748	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7851.199707	6589.199707	6589.199707	1.12
1902	010	3042	0.07	2620	1	55	80	2.5	6	5	7605	4985	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	5897.599609	5897.599609	1.12
1902	011	3042	0.07	1568	1	55	80	2.5	6	5	7605	6037	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	6949.599609	6949.599609	1.12
1902	012	3042	0.07	1150	1	55	80	2.5	6	5	7605	6455	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	7367.599609	7367.599609	1.12
1902	013	3042	0.07	1674	1	55	80	2.5	6	5	7605	5931	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	6843.599609	6843.599609	1.12
1902	013A	3042	0.07	1598	1	55	80	2.5	6	5	7605	6007	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	6919.599609	6919.599609	1.12
1902	013B	3042	0.07	1714	1	55	80	2.5	6	5	7605	5891	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	6803.599609	6803.599609	1.12
1902	013C	3042	0.07	2243	1	55	80	2.5	6	5	7605	5362	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	6274.599609	6274.599609	1.12
1902	014	3042	0.07	1150	1	55	80	2.5	6	5	7605	6455	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	7367.599609	7367.599609	1.12
1902	015	3042	0.07	2768	1	55	80	2.5	6	5	7605	4837	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	5749.599609	5749.599609	1.12
1902	016	3042	0.07	1419	1	55	80	2.5	6	5	7605	6186	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	7098.599609	7098.599609	1.12
1902	017	3042	0.07	1318	1	55	80	2.5	6	5	7605	6287	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	7199.599609	7199.599609	1.12
1902	018	3042	0.07	1318	1	55	80	2.5	6	5	7605	6287	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	7199.599609	7199.599609	1.12
1902	019	3042	0.07	1969	1	55	80	2.5	6	5	7605	5636	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	6548.599609	6548.599609	1.12
1902	020	3042	0.07	1250	1	55	80	2.5	6	5	7605	6355	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	7267.599609	7267.599609	1.12
1902	021	3042	0.07	1150	1	55	80	2.5	6	5	7605	6455	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	7367.599609	7367.599609	1.12
1902	022	3042	0.07	1025	1	55	80	2.5	6	5	7605	6580	RH-1	40	form-based			true	0.7	6	1	5	5	8517.599609	7492.599609	7492.599609	1.12
1903	004	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
1903	005	3000	0.07	1700	1	55	80	2.5	6	5	7500	5800	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6700	6700	1.12
1903	006	3000	0.07	1697	1	55	80	2.5	6	5	7500	5803	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6703	6703	1.12
1903	007	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
1903	008	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
1903	009	3000	0.07	1763	1	55	80	2.5	6	5	7500	5737	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6637	6637	1.12
1903	010	3000	0.07	2595	1	55	80	2.5	6	5	7500	4905	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5805	5805	1.12
1903	011	3000	0.07	1025	1	55	80	2.5	6	5	7500	6475	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7375	7375	1.12
1903	012	3000	0.07	1025	1	55	80	2.5	6	5	7500	6475	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7375	7375	1.12
1903	013	3000	0.07	1025	1	55	80	2.5	6	5	7500	6475	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7375	7375	1.12
1903	014	3000	0.07	2087	1	55	80	2.5	6	5	7500	5413	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6313	6313	1.12
1903	015	3000	0.07	1807	1	55	80	2.5	6	5	7500	5693	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6593	6593	1.12
1903	016	3000	0.07	1025	1	55	80	2.5	6	5	7500	6475	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7375	7375	1.12
1903	017	3000	0.07	1025	1	55	80	2.5	6	5	7500	6475	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7375	7375	1.12
1903	018	3000	0.07	1993	1	55	80	2.5	6	5	7500	5507	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6407	6407	1.12
1903	019	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
1903	020	3000	0.07	1025	1	55	80	2.5	6	5	7500	6475	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7375	7375	1.12
1903	031	3000	0.07	1025	1	55	80	2.5	6	5	7500	6475	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7375	7375	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1903	032	3000	0.07	1025	1	55	80	2.5	6	5	7500	6475	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7375	7375	1.12
1903	033	3000	0.07	1738	1	55	80	2.5	6	5	7500	5762	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6662	6662	1.12
1903	034	3000	0.07	2021	1	55	80	2.5	6	5	7500	5479	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6379	6379	1.12
1903	035	3000	0.07	1620	1	55	80	2.5	6	5	7500	5880	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6780	6780	1.12
1903	036	3000	0.07	1642	1	55	80	2.5	6	5	7500	5858	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6758	6758	1.12
1903	037	3000	0.07	1270	1	55	80	2.5	6	5	7500	6230	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7130	7130	1.12
1903	038	3000	0.07	1270	1	55	80	2.5	6	5	7500	6230	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7130	7130	1.12
1903	039	3000	0.07	2603	1	55	80	2.5	6	5	7500	4897	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5797	5797	1.12
1903	040	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
1903	041	3000	0.07	1780	1	55	80	2.5	6	5	7500	5720	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6620	6620	1.12
1903	042	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
1903	043	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
1903	044	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
1903	045	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
1903	046	3000	0.07	1416	1	55	80	2.5	6	5	7500	6084	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6984	6984	1.12
1903	047	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
1904	005	3000	0.07	980	1	55	80	2.5	6	5	7500	6520	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7420	7420	1.12
1904	006	3000	0.07	1615	1	55	80	2.5	6	5	7500	5885	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6785	6785	1.12
1904	007	3000	0.07	1175	1	55	80	2.5	6	5	7500	6325	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7225	7225	1.12
1904	008	3000	0.07	1175	1	55	80	2.5	6	5	7500	6325	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7225	7225	1.12
1904	009	3000	0.07	1175	1	55	80	2.5	6	5	7500	6325	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7225	7225	1.12
1904	010	3000	0.07	1938	1	55	80	2.5	6	5	7500	5562	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6462	6462	1.12
1904	011	3000	0.07	1205	1	55	80	2.5	6	5	7500	6295	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7195	7195	1.12
1904	012	3000	0.07	925	1	55	80	2.5	6	5	7500	6575	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7475	7475	1.12
1904	013	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
1904	014	3000	0.07	925	1	55	80	2.5	6	5	7500	6575	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7475	7475	1.12
1904	015	3000	0.07	925	1	55	80	2.5	6	5	7500	6575	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7475	7475	1.12
1904	016	3000	0.07	925	1	55	80	2.5	6	5	7500	6575	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7475	7475	1.12
1904	017	3000	0.07	1391	1	55	80	2.5	6	5	7500	6109	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7009	7009	1.12
1904	018	3000	0.07	1285	1	55	80	2.5	6	5	7500	6215	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7115	7115	1.12
1904	019	3000	0.07	925	1	55	80	2.5	6	5	7500	6575	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7475	7475	1.12
1904	020	3000	0.07	875	1	55	80	2.5	6	5	7500	6625	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7525	7525	1.12
1904	033	3010	0.07	1260	1	55	80	2.5	6	5	7525	6265	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7168	7168	1.12
1904	034	3010	0.07	1150	1	55	80	2.5	6	5	7525	6375	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7278	7278	1.12
1904	035	3010	0.07	1330	1	55	80	2.5	6	5	7525	6195	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7098	7098	1.12
1904	036	3010	0.07	1777	1	55	80	2.5	6	5	7525	5748	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6651	6651	1.12
1904	037	3010	0.07	1638	1	55	80	2.5	6	5	7525	5887	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6790	6790	1.12
1904	038	3010	0.07	1621	1	55	80	2.5	6	5	7525	5904	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6807	6807	1.12
1904	039	3010	0.07	1150	1	55	80	2.5	6	5	7525	6375	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7278	7278	1.12
1904	040	3010	0.07	2143	1	55	80	2.5	6	5	7525	5382	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6285	6285	1.12
1904	041	3010	0.07	1388	1	55	80	2.5	6	5	7525	6137	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7040	7040	1.12
1904	042	3010	0.07	1630	1	55	80	2.5	6	5	7525	5895	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6798	6798	1.12
1904	043	3010	0.07	1000	1	55	80	2.5	6	5	7525	6525	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7428	7428	1.12
1904	044	3010	0.07	1168	1	55	80	2.5	6	5	7525	6357	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7260	7260	1.12
1904	045	3010	0.07	1400	1	55	80	2.5	6	5	7525	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7028	7028	1.12
1904	046	3010	0.07	1412	1	55	80	2.5	6	5	7525	6113	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7016	7016	1.12
1904	047	3010	0.07	1000	1	55	80	2.5	6	5	7525	6525	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7428	7428	1.12
1904	048	3010	0.07	1000	1	55	80	2.5	6	5	7525	6525	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7428	7428	1.12
1905	004	3000	0.07	1512	1	55	80	2.5	6	5	7500	5988	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6888	6888	1.12
1905	005	3000	0.07	1995	1	55	80	2.5	6	5	7500	5505	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6405	6405	1.12
1905	006	3000	0.07	1728	1	55	80	2.5	6	5	7500	5772	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6672	6672	1.12
1905	007	3000	0.07	1770	1	55	80	2.5	6	5	7500	5730	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6630	6630	1.12
1905	008	3000	0.07	1759	1	55	80	2.5	6	5	7500	5741	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6641	6641	1.12
1905	009	3000	0.07	1213	1	55	80	2.5	6	5	7500	6287	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7187	7187	1.12
1905	010	3000	0.07	1213	1	55	80	2.5	6	5	7500	6287	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7187	7187	1.12
1905	011	3000	0.07	1437	1	55	80	2.5	6	5	7500	6063	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6963	6963	1.12
1905	012	3000	0.07	1573	1	55	80	2.5	6	5	7500	5927	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6827	6827	1.12
1905	013	3000	0.07	1473	1	55	80	2.5	6	5	7500	6027	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6927	6927	1.12
1905	014	3000	0.07	1213	1	55	80	2.5	6	5	7500	6287	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7187	7187	1.12
1905	015	3000	0.07	1525	1	55	80	2.5	6	5	7500	5975	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6875	6875	1.12
1905	016	3000	0.07	1525	1	55	80	2.5	6	5	7500	5975	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6875	6875	1.12
1905	017	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
1905	018	3000	0.07	1655	1	55	80	2.5	6	5	7500	5845	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6745	6745	1.12
1905	020	3000	0.07	2075	1	55	80	2.5	6	5	7500	5425	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6325	6325	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1905	021	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
1905	032	3004	0.07	1150	1	55	80	2.5	6	5	7510	6360	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7261.200195	7261.200195	1.12
1905	033	3004	0.07	1671	1	55	80	2.5	6	5	7510	5839	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6740.200195	6740.200195	1.12
1905	034	3004	0.07	1354	1	55	80	2.5	6	5	7510	6156	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7057.200195	7057.200195	1.12
1905	035	3004	0.07	1150	1	55	80	2.5	6	5	7510	6360	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7261.200195	7261.200195	1.12
1905	036	3004	0.07	1578	1	55	80	2.5	6	5	7510	5932	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6833.200195	6833.200195	1.12
1905	037	3004	0.07	1540	1	55	80	2.5	6	5	7510	5970	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6871.200195	6871.200195	1.12
1905	038	3004	0.07	1150	1	55	80	2.5	6	5	7510	6360	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7261.200195	7261.200195	1.12
1905	039	3004	0.07	1375	1	55	80	2.5	6	5	7510	6135	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7036.200195	7036.200195	1.12
1905	040	3004	0.07	1696	1	55	80	2.5	6	5	7510	5814	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6715.200195	6715.200195	1.12
1905	041	3004	0.07	1604	1	55	80	2.5	6	5	7510	5906	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6807.200195	6807.200195	1.12
1905	042	3004	0.07	1293	1	55	80	2.5	6	5	7510	6217	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7118.200195	7118.200195	1.12
1905	043	3004	0.07	1150	1	55	80	2.5	6	5	7510	6360	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7261.200195	7261.200195	1.12
1905	044	3004	0.07	1553	1	55	80	2.5	6	5	7510	5957	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6858.200195	6858.200195	1.12
1905	045	3004	0.07	1150	1	55	80	2.5	6	5	7510	6360	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7261.200195	7261.200195	1.12
1905	046	3004	0.07	1150	1	55	80	2.5	6	5	7510	6360	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7261.200195	7261.200195	1.12
1905	047	3004	0.07	2016	1	55	80	2.5	6	5	7510	5494	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6395.200195	6395.200195	1.12
1905	048	3004	0.07	1598	1	55	80	2.5	6	5	7510	5912	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6813.200195	6813.200195	1.12
1905	049	3004	0.07	1737	1	55	80	2.5	6	5	7510	5773	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6674.200195	6674.200195	1.12
1906	002	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
1906	002A	3000	0.07	1695	1	55	80	2.5	6	5	7500	5805	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6705	6705	1.12
1906	003	3000	0.07	2276	1	55	80	2.5	6	5	7500	5224	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6124	6124	1.12
1906	003A	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
1906	004	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
1906	005	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
1906	006	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
1906	007	3000	0.07	1998	1	55	80	2.5	6	5	7500	5502	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6402	6402	1.12
1906	007A	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
1906	008	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
1906	009	3000	0.07	2054	1	55	80	2.5	6	5	7500	5446	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6346	6346	1.12
1906	010	3000	0.07	2289	1	55	80	2.5	6	5	7500	5211	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6111	6111	1.12
1906	010A	3000	0.07	1508	1	55	80	2.5	6	5	7500	5992	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6892	6892	1.12
1906	011	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
1906	012	3000	0.07	1871	1	55	80	2.5	6	5	7500	5629	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6529	6529	1.12
1906	013	3000	0.07	1881	1	55	80	2.5	6	5	7500	5619	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6519	6519	1.12
1906	020	2943	0.07	1741	1	55	80	2.5	6	5	7358	5617	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	6499.399414	6499.399414	1.119924
1906	021	2943	0.07	1162	1	55	80	2.5	6	5	7358	6196	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	7078.399414	7078.399414	1.119924
1906	022	2943	0.07	1466	1	55	80	2.5	6	5	7358	5892	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	6774.399414	6774.399414	1.119924
1906	022A	2943	0.07	1250	1	55	80	2.5	6	5	7358	6108	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	6990.399414	6990.399414	1.119924
1906	023	2943	0.07	1200	1	55	80	2.5	6	5	7358	6158	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	7040.399414	7040.399414	1.119924
1906	024	2943	0.07	1833	1	55	80	2.5	6	5	7358	5525	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	6407.399414	6407.399414	1.119924
1906	025	2943	0.07	800	1	55	80	2.5	6	5	7358	6558	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	7440.399414	7440.399414	1.119924
1906	026	2943	0.07	800	1	55	80	2.5	6	5	7358	6558	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	7440.399414	7440.399414	1.119924
1906	027	2943	0.07	1214	1	55	80	2.5	6	5	7358	6144	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	7026.399414	7026.399414	1.119924
1906	028	2943	0.07	1214	1	55	80	2.5	6	5	7358	6144	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	7026.399414	7026.399414	1.119924
1906	029	2943	0.07	1600	1	55	80	2.5	6	5	7358	5758	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	6640.399414	6640.399414	1.119924
1906	030	2943	0.07	1450	1	55	80	2.5	6	5	7358	5908	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	6790.399414	6790.399414	1.119924
1906	031	2943	0.07	1450	1	55	80	2.5	6	5	7358	5908	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	6790.399414	6790.399414	1.119924
1906	031A	2943	0.07	1450	1	55	80	2.5	6	5	7358	5908	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	6790.399414	6790.399414	1.119924
1906	032	2943	0.07	1853	1	55	80	2.5	6	5	7358	5505	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	6387.399414	6387.399414	1.119924
1906	032A	2943	0.07	1775	1	55	80	2.5	6	5	7358	5583	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	6465.399414	6465.399414	1.119924
1908	005	2972	0.07	1375	1	55	80	2.5	6	5	7430	6055	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	6946.599609	6946.599609	1.12
1908	006	2972	0.07	1375	1	55	80	2.5	6	5	7430	6055	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	6946.599609	6946.599609	1.12
1908	007	2972	0.07	1375	1	55	80	2.5	6	5	7430	6055	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	6946.599609	6946.599609	1.12
1908	008	2972	0.07	1583	1	55	80	2.5	6	5	7430	5847	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	6738.599609	6738.599609	1.12
1908	009	2972	0.07	1621	1	55	80	2.5	6	5	7430	5809	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	6700.599609	6700.599609	1.12
1908	010	2972	0.07	1288	1	55	80	2.5	6	5	7430	6142	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	7033.599609	7033.599609	1.12
1908	011	2972	0.07	2526	1	55	80	2.5	6	5	7430	4904	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	5795.599609	5795.599609	1.12
1908	012	2972	0.07	1869	1	55	80	2.5	6	5	7430	5561	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	6452.599609	6452.599609	1.12
1908	013	2972	0.07	1634	1	55	80	2.5	6	5	7430	5796	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	6687.599609	6687.599609	1.12
1908	014	2972	0.07	1668	1	55	80	2.5	6	5	7430	5762	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	6653.599609	6653.599609	1.12
1908	015	2972	0.07	1288	1	55	80	2.5	6	5	7430	6142	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	7033.599609	7033.599609	1.12
1908	016	2972	0.07	1288	1	55	80	2.5	6	5	7430	6142	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	7033.599609	7033.599609	1.12
1908	017	2972	0.07	1911	1	55	80	2.5	6	5	7430	5519	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	6410.599609	6410.599609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1908	018	2972	0.07	1288	1	55	80	2.5	6	5	7430	6142	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	7033.599609	7033.599609	1.12
1908	019	2972	0.07	1807	1	55	80	2.5	6	5	7430	5623	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	6514.599609	6514.599609	1.12
1908	020	2972	0.07	1288	1	55	80	2.5	6	5	7430	6142	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	7033.599609	7033.599609	1.12
1908	031	3020	0.07	1500	1	55	80	2.5	6	5	7550	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6956	6956	1.12
1908	032	3020	0.07	2127	1	55	80	2.5	6	5	7550	5423	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6329	6329	1.12
1908	033	3020	0.07	2641	1	55	80	2.5	6	5	7550	4909	RH-1	40	form-based			true	0.7	6	1	5	5	8456	5815	5815	1.12
1908	034	3020	0.07	1764	1	55	80	2.5	6	5	7550	5786	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6692	6692	1.12
1908	036	3020	0.07	1500	1	55	80	2.5	6	5	7550	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6956	6956	1.12
1908	037	3020	0.07	1823	1	55	80	2.5	6	5	7550	5727	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6633	6633	1.12
1908	038	3020	0.07	1500	1	55	80	2.5	6	5	7550	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6956	6956	1.12
1908	039	3020	0.07	2354	1	55	80	2.5	6	5	7550	5196	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6102	6102	1.12
1908	040	3020	0.07	2075	1	55	80	2.5	6	5	7550	5475	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6381	6381	1.12
1908	041	3020	0.07	1500	1	55	80	2.5	6	5	7550	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6956	6956	1.12
1908	042	3020	0.07	1500	1	55	80	2.5	6	5	7550	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6956	6956	1.12
1908	043	3020	0.07	1500	1	55	80	2.5	6	5	7550	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6956	6956	1.12
1908	044	3020	0.07	1500	1	55	80	2.5	6	5	7550	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6956	6956	1.12
1908	045	3020	0.07	1644	1	55	80	2.5	6	5	7550	5906	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6812	6812	1.12
1908	046	3020	0.07	1790	1	55	80	2.5	6	5	7550	5760	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6666	6666	1.12
1909	003	3000	0.07	2296	1	55	80	2.5	6	5	7500	5204	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6104	6104	1.12
1909	004	3000	0.07	1747	1	55	80	2.5	6	5	7500	5753	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6653	6653	1.12
1909	004A	3000	0.07	1701	1	55	80	2.5	6	5	7500	5799	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6699	6699	1.12
1909	005	3000	0.07	1932	1	55	80	2.5	6	5	7500	5568	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6468	6468	1.12
1909	006	3000	0.07	1425	1	55	80	2.5	6	5	7500	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6975	6975	1.12
1909	007	3000	0.07	1978	1	55	80	2.5	6	5	7500	5522	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6422	6422	1.12
1909	008	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
1909	009	3000	0.07	1519	1	55	80	2.5	6	5	7500	5981	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6881	6881	1.12
1909	010	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
1909	011	3000	0.07	2507	1	55	80	2.5	6	5	7500	4993	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5893	5893	1.12
1909	012	3000	0.07	1727	1	55	80	2.5	6	5	7500	5773	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6673	6673	1.12
1909	013	3000	0.07	1641	1	55	80	2.5	6	5	7500	5859	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6759	6759	1.12
1909	014	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
1909	015	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
1909	015A	3000	0.07	2616	1	55	80	2.5	6	5	7500	4884	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5784	5784	1.12
1909	015B	3000	0.07	2037	1	55	80	2.5	6	5	7500	5463	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6363	6363	1.12
1909	015C	3000	0.07	1700	1	55	80	2.5	6	5	7500	5800	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6700	6700	1.12
1909	015D	2688	0.06	1350	1	55	80	2.5	5	4	6720	5370	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7526.399902	6176.399902	6176.399902	1.12
1909	019A	3034	0.07	1200	1	55	80	2.5	6	5	7585	6385	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	7295.200195	7295.200195	1.12
1909	019B	3034	0.07	2117	1	55	80	2.5	6	5	7585	5468	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	6378.200195	6378.200195	1.12
1909	019C	3034	0.07	1392	1	55	80	2.5	6	5	7585	6193	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	7103.200195	7103.200195	1.12
1909	020	3034	0.07	1545	1	55	80	2.5	6	5	7585	6040	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	6950.200195	6950.200195	1.12
1909	021	3034	0.07	1425	1	55	80	2.5	6	5	7585	6160	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	7070.200195	7070.200195	1.12
1909	022	3034	0.07	1425	1	55	80	2.5	6	5	7585	6160	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	7070.200195	7070.200195	1.12
1909	023	3034	0.07	1621	1	55	80	2.5	6	5	7585	5964	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	6874.200195	6874.200195	1.12
1909	024	3034	0.07	1425	1	55	80	2.5	6	5	7585	6160	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	7070.200195	7070.200195	1.12
1909	025	3034	0.07	1900	1	55	80	2.5	6	5	7585	5685	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	6595.200195	6595.200195	1.12
1909	026	3034	0.07	1904	1	55	80	2.5	6	5	7585	5681	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	6591.200195	6591.200195	1.12
1909	027	3034	0.07	1500	1	55	80	2.5	6	5	7585	6085	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	6995.200195	6995.200195	1.12
1909	028	3034	0.07	2264	1	55	80	2.5	6	5	7585	5321	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	6231.200195	6231.200195	1.12
1909	029	3034	0.07	1823	1	55	80	2.5	6	5	7585	5762	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	6672.200195	6672.200195	1.12
1909	030	3034	0.07	1500	1	55	80	2.5	6	5	7585	6085	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	6995.200195	6995.200195	1.12
1909	031	3034	0.07	2273	1	55	80	2.5	6	5	7585	5312	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	6222.200195	6222.200195	1.12
1910	004	3015	0.07	1757	1	55	80	2.5	6	5	7538	5781	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6685	6685	1.119926
1910	005	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
1910	006	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
1910	007	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
1910	008	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
1910	009	3015	0.07	1859	1	55	80	2.5	6	5	7538	5679	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6583	6583	1.119926
1910	010	3015	0.07	1682	1	55	80	2.5	6	5	7538	5856	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6760	6760	1.119926
1910	011	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
1910	012	3015	0.07	1996	1	55	80	2.5	6	5	7538	5542	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6446	6446	1.119926
1910	013	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
1910	014	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
1910	015	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
1910	016	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1910	017	3015	0.07	1942	1	55	80	2.5	6	5	7538	5596	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6500	6500	1.119926
1910	018	3015	0.07	1830	1	55	80	2.5	6	5	7538	5708	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6612	6612	1.119926
1910	019	3015	0.07	2889	1	55	80	2.5	6	5	7538	4649	RH-1	40	form-based			true	0.7	6	1	5	5	8442	5553	5553	1.119926
1910	020	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
1910	021	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
1910	031	2985	0.07	1425	1	55	80	2.5	6	5	7462	6037	RH-1	40	form-based			true	0.7	6	1	5	5	8358	6933	6933	1.120075
1910	032	2985	0.07	1425	1	55	80	2.5	6	5	7462	6037	RH-1	40	form-based			true	0.7	6	1	5	5	8358	6933	6933	1.120075
1910	033	2985	0.07	1250	1	55	80	2.5	6	5	7462	6212	RH-1	40	form-based			true	0.7	6	1	5	5	8358	7108	7108	1.120075
1910	034	2986	0.07	1425	1	55	80	2.5	6	5	7465	6040	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	6935.799805	6935.799805	1.12
1910	035	2986	0.07	1450	1	55	80	2.5	6	5	7465	6015	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	6910.799805	6910.799805	1.12
1910	036	2986	0.07	1450	1	55	80	2.5	6	5	7465	6015	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	6910.799805	6910.799805	1.12
1910	037	2986	0.07	1425	1	55	80	2.5	6	5	7465	6040	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	6935.799805	6935.799805	1.12
1910	038	2986	0.07	1450	1	55	80	2.5	6	5	7465	6015	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	6910.799805	6910.799805	1.12
1910	039	2987	0.07	1630	1	55	80	2.5	6	5	7468	5838	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6733.599609	6733.599609	1.119925
1910	040	2987	0.07	1450	1	55	80	2.5	6	5	7468	6018	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6913.599609	6913.599609	1.119925
1910	041	2987	0.07	1450	1	55	80	2.5	6	5	7468	6018	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6913.599609	6913.599609	1.119925
1910	042	2987	0.07	2216	1	55	80	2.5	6	5	7468	5252	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6147.599609	6147.599609	1.119925
1910	043	2987	0.07	1425	1	55	80	2.5	6	5	7468	6043	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6938.599609	6938.599609	1.119925
1910	044	2988	0.07	1425	1	55	80	2.5	6	5	7470	6045	RH-1	40	form-based			true	0.7	6	1	5	5	8366.399414	6941.399414	6941.399414	1.12
1910	045	2988	0.07	2020	1	55	80	2.5	6	5	7470	5450	RH-1	40	form-based			true	0.7	6	1	5	5	8366.399414	6346.399414	6346.399414	1.12
1910	046	2988	0.07	1984	1	55	80	2.5	6	5	7470	5486	RH-1	40	form-based			true	0.7	6	1	5	5	8366.399414	6382.399414	6382.399414	1.12
1910	047	2988	0.07	1425	1	55	80	2.5	6	5	7470	6045	RH-1	40	form-based			true	0.7	6	1	5	5	8366.399414	6941.399414	6941.399414	1.12
1910	048	2988	0.07	1250	1	55	80	2.5	6	5	7470	6220	RH-1	40	form-based			true	0.7	6	1	5	5	8366.399414	7116.399414	7116.399414	1.12
1911	002	2971	0.07	1694	1	55	80	2.5	6	5	7428	5734	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	6624.799805	6624.799805	1.119925
1911	003	2971	0.07	1875	1	55	80	2.5	6	5	7428	5553	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	6443.799805	6443.799805	1.119925
1911	003A	2971	0.07	1621	1	55	80	2.5	6	5	7428	5807	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	6697.799805	6697.799805	1.119925
1911	003B	2971	0.07	2139	1	55	80	2.5	6	5	7428	5289	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	6179.799805	6179.799805	1.119925
1911	003C	2971	0.07	1600	1	55	80	2.5	6	5	7428	5828	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	6718.799805	6718.799805	1.119925
1911	003D	2971	0.07	1312	1	55	80	2.5	6	5	7428	6116	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	7006.799805	7006.799805	1.119925
1911	003E	2971	0.07	1250	1	55	80	2.5	6	5	7428	6178	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	7068.799805	7068.799805	1.119925
1911	003F	2971	0.07	2025	1	55	80	2.5	6	5	7428	5403	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	6293.799805	6293.799805	1.119925
1911	003G	2971	0.07	2009	1	55	80	2.5	6	5	7428	5419	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	6309.799805	6309.799805	1.119925
1911	003H	2971	0.07	1855	1	55	80	2.5	6	5	7428	5573	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	6463.799805	6463.799805	1.119925
1911	003I	2971	0.07	2635	1	55	80	2.5	6	5	7428	4793	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	5683.799805	5683.799805	1.119925
1911	003J	2971	0.07	2269	1	55	80	2.5	6	5	7428	5159	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	6049.799805	6049.799805	1.119925
1911	003K	2971	0.07	1300	1	55	80	2.5	6	5	7428	6128	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	7018.799805	7018.799805	1.119925
1911	003L	2971	0.07	2335	1	55	80	2.5	6	5	7428	5093	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	5983.799805	5983.799805	1.119925
1911	003M	2971	0.07	1842	1	55	80	2.5	6	5	7428	5586	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	6476.799805	6476.799805	1.119925
1911	003N	2971	0.07	2425	1	55	80	2.5	6	5	7428	5003	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	5893.799805	5893.799805	1.119925
1911	009	3027	0.07	1725	1	55	80	2.5	6	5	7568	5843	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	6750.599609	6750.599609	1.119926
1911	009A	3026	0.07	2208	1	55	80	2.5	6	5	7565	5357	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	6264.799805	6264.799805	1.12
1911	009B	3026	0.07	1677	1	55	80	2.5	6	5	7565	5888	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	6795.799805	6795.799805	1.12
1911	009C	3026	0.07	1425	1	55	80	2.5	6	5	7565	6140	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7047.799805	7047.799805	1.12
1911	009D	3026	0.07	1700	1	55	80	2.5	6	5	7565	5865	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	6772.799805	6772.799805	1.12
1911	010	3026	0.07	2227	1	55	80	2.5	6	5	7565	5338	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	6245.799805	6245.799805	1.12
1911	010A	3026	0.07	2296	1	55	80	2.5	6	5	7565	5269	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	6176.799805	6176.799805	1.12
1911	011	3025	0.07	1425	1	55	80	2.5	6	5	7562	6137	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7045	7045	1.120074
1911	012	3025	0.07	1661	1	55	80	2.5	6	5	7562	5901	RH-1	40	form-based			true	0.7	6	1	5	5	8470	6809	6809	1.120074
1911	012A	3025	0.07	1842	1	55	80	2.5	6	5	7562	5720	RH-1	40	form-based			true	0.7	6	1	5	5	8470	6628	6628	1.120074
1911	012B	3025	0.07	1425	1	55	80	2.5	6	5	7562	6137	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7045	7045	1.120074
1911	012C	3025	0.07	1425	1	55	80	2.5	6	5	7562	6137	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7045	7045	1.120074
1911	013	3024	0.07	1425	1	55	80	2.5	6	5	7560	6135	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	7042.200195	7042.200195	1.12
1911	014	3024	0.07	1605	1	55	80	2.5	6	5	7560	5955	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6862.200195	6862.200195	1.12
1911	015	3024	0.07	1925	1	55	80	2.5	6	5	7560	5635	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6542.200195	6542.200195	1.12
1911	016	3024	0.07	1450	1	55	80	2.5	6	5	7560	6110	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	7017.200195	7017.200195	1.12
1912	001A	2718	0.06	1734	1	55	80	2.5	5	4	6795	5061	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7610.399902	5876.399902	5876.399902	1.12
1912	001B	2718	0.06	2125	1	55	80	2.5	5	4	6795	4670	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7610.399902	5485.399902	5485.399902	1.12
1912	001C	2626	0.06	1803	1	55	80	2.5	5	4	6565	4762	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7352.799805	5549.799805	5549.799805	1.12
1912	001R	2718	0.06	1730	1	55	80	2.5	5	4	6795	5065	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7610.399902	5880.399902	5880.399902	1.12
1912	001S	2718	0.06	2000	1	55	80	2.5	5	4	6795	4795	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7610.399902	5610.399902	5610.399902	1.12
1912	001T	2784	0.06	1890	1	55	80	2.5	5	4	6960	5070	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7795.199707	5905.199707	5905.199707	1.12
1912	001U	2722	0.06	2495	1	55	80	2.5	5	4	6805	4310	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7621.600098	5126.600098	5126.600098	1.12
1912	002	3022	0.07	1915	1	55	80	2.5	6	5	7555	5640	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6546.599609	6546.599609	1.12
1912	002A	3021	0.07	2206	1	55	80	2.5	6	5	7552	5346	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6252.799805	6252.799805	1.120074

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1912	002B	3021	0.07	1827	1	55	80	2.5	6	5	7552	5725	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6631.799805	6631.799805	1.120074
1912	002C	3021	0.07	1675	1	55	80	2.5	6	5	7552	5877	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6783.799805	6783.799805	1.120074
1912	002D	3021	0.07	1425	1	55	80	2.5	6	5	7552	6127	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7033.799805	7033.799805	1.120074
1912	002E	3021	0.07	1525	1	55	80	2.5	6	5	7552	6027	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6933.799805	6933.799805	1.120074
1912	002I	3021	0.07	2075	1	55	80	2.5	6	5	7552	5477	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6383.799805	6383.799805	1.120074
1912	002J	3021	0.07	1325	1	55	80	2.5	6	5	7552	6227	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7133.799805	7133.799805	1.120074
1912	002K	3021	0.07	2037	1	55	80	2.5	6	5	7552	5515	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6421.799805	6421.799805	1.120074
1912	002L	3021	0.07	1300	1	55	80	2.5	6	5	7552	6252	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7158.799805	7158.799805	1.120074
1912	002M	3021	0.07	2250	1	55	80	2.5	6	5	7552	5302	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6208.799805	6208.799805	1.120074
1912	002O	3021	0.07	1525	1	55	80	2.5	6	5	7552	6027	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6933.799805	6933.799805	1.120074
1912	002P	3021	0.07	1500	1	55	80	2.5	6	5	7552	6052	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6958.799805	6958.799805	1.120074
1912	002Q	3021	0.07	2200	1	55	80	2.5	6	5	7552	5352	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6258.799805	6258.799805	1.120074
1912	003	3021	0.07	2100	1	55	80	2.5	6	5	7552	5452	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6358.799805	6358.799805	1.120074
1912	003A	3021	0.07	1350	1	55	80	2.5	6	5	7552	6202	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7108.799805	7108.799805	1.120074
1912	003B	3021	0.07	1550	1	55	80	2.5	6	5	7552	6002	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6908.799805	6908.799805	1.120074
1912	005	2926	0.07	2087	1	55	80	2.5	6	5	7315	5228	RH-1	40	form-based			true	0.7	6	1	5	5	8192.799805	6105.799805	6105.799805	1.12
1913	002	3001	0.07	1696	1	55	80	2.5	6	5	7502	5806	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6706.799805	6706.799805	1.120075
1913	002A	3001	0.07	1696	1	55	80	2.5	6	5	7502	5806	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6706.799805	6706.799805	1.120075
1913	002B	3001	0.07	1430	1	55	80	2.5	6	5	7502	6072	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6972.799805	6972.799805	1.120075
1913	003	3002	0.07	1680	1	55	80	2.5	6	5	7505	5825	RH-1	40	form-based			true	0.7	6	1	5	5	8405.599609	6725.599609	6725.599609	1.12
1913	004	3002	0.07	1550	1	55	80	2.5	6	5	7505	5955	RH-1	40	form-based			true	0.7	6	1	5	5	8405.599609	6855.599609	6855.599609	1.12
1913	005	3002	0.07	1843	1	55	80	2.5	6	5	7505	5662	RH-1	40	form-based			true	0.7	6	1	5	5	8405.599609	6562.599609	6562.599609	1.12
1913	006	3002	0.07	1430	1	55	80	2.5	6	5	7505	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8405.599609	6975.599609	6975.599609	1.12
1913	007	3003	0.07	2175	1	55	80	2.5	6	5	7508	5333	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	6233.399414	6233.399414	1.119925
1913	008	3003	0.07	1375	1	55	80	2.5	6	5	7508	6133	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7033.399414	7033.399414	1.119925
1913	009	3003	0.07	1695	1	55	80	2.5	6	5	7508	5813	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	6713.399414	6713.399414	1.119925
1913	010	3004	0.07	1500	1	55	80	2.5	6	5	7510	6010	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6911.200195	6911.200195	1.12
1913	011	3004	0.07	1806	1	55	80	2.5	6	5	7510	5704	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6605.200195	6605.200195	1.12
1913	012	3004	0.07	1375	1	55	80	2.5	6	5	7510	6135	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7036.200195	7036.200195	1.12
1913	013	3005	0.07	1375	1	55	80	2.5	6	5	7512	6137	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7039	7039	1.120075
1913	014	3005	0.07	2156	1	55	80	2.5	6	5	7512	5356	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6258	6258	1.120075
1913	015	3005	0.07	1043	1	55	80	2.5	6	5	7512	6469	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7371	7371	1.120075
1913	019	2518	0.06	1650	0	55	80	2.5	5	5	6295	4645	RH-1	40	form-based			true	0.7	5	1	5	5	7050.399902	5400.399902	5400.399902	1.12
1913	025	3010	0.07	1425	1	55	80	2.5	6	5	7525	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7003	7003	1.12
1913	025A	3010	0.07	1425	1	55	80	2.5	6	5	7525	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7003	7003	1.12
1913	026	3010	0.07	1722	1	55	80	2.5	6	5	7525	5803	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6706	6706	1.12
1913	027	3010	0.07	2940	1	55	80	2.5	6	5	7525	4585	RH-1	40	form-based			true	0.7	6	1	5	5	8428	5488	5488	1.12
1913	028	3010	0.07	2038	1	55	80	2.5	6	5	7525	5487	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6390	6390	1.12
1913	029	3010	0.07	1725	1	55	80	2.5	6	5	7525	5800	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6703	6703	1.12
1913	030	3010	0.07	2072	1	55	80	2.5	6	5	7525	5453	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6356	6356	1.12
1913	031	3010	0.07	1660	1	55	80	2.5	6	5	7525	5865	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6768	6768	1.12
1913	032	3010	0.07	1855	1	55	80	2.5	6	5	7525	5670	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6573	6573	1.12
1913	033	3010	0.07	1375	1	55	80	2.5	6	5	7525	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7053	7053	1.12
1913	034	3010	0.07	1725	1	55	80	2.5	6	5	7525	5800	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6703	6703	1.12
1913	035	3010	0.07	1325	1	55	80	2.5	6	5	7525	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7103	7103	1.12
1913	036	3010	0.07	1883	1	55	80	2.5	6	5	7525	5642	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6545	6545	1.12
1913	037	3010	0.07	1450	1	55	80	2.5	6	5	7525	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6978	6978	1.12
1913	038	3010	0.07	1730	1	55	80	2.5	6	5	7525	5795	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6698	6698	1.12
1913	039	3010	0.07	1843	1	55	80	2.5	6	5	7525	5682	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6585	6585	1.12
1913	040	2719	0.06	2355	1	55	80	2.5	5	4	6798	4443	RH-1	40	form-based	true	true	0.7	6	1.200000048	5	5	7613.199707	5258.199707	5258.199707	1.119918
1913	041	2926	0.07	2121	1	55	80	2.5	6	5	7315	5194	RH-1	40	form-based		true	0.7	6	1	5	5	8192.799805	6071.799805	6071.799805	1.12
1914	002	3000	0.07	2604	1	55	80	2.5	6	5	7500	4896	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5796	5796	1.12
1914	003	3000	0.07	2055	1	55	80	2.5	6	5	7500	5445	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6345	6345	1.12
1914	003A	3000	0.07	1582	1	55	80	2.5	6	5	7500	5918	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6818	6818	1.12
1914	004	3000	0.07	1910	1	55	80	2.5	6	5	7500	5590	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6490	6490	1.12
1914	006	3000	0.07	1925	1	55	80	2.5	6	5	7500	5575	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6475	6475	1.12
1914	007	3000	0.07	1525	1	55	80	2.5	6	5	7500	5975	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6875	6875	1.12
1914	007A	3000	0.07	1575	1	55	80	2.5	6	5	7500	5925	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6825	6825	1.12
1914	008	3000	0.07	1125	1	55	80	2.5	6	5	7500	6375	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7275	7275	1.12
1914	008A	3000	0.07	1114	1	55	80	2.5	6	5	7500	6386	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7286	7286	1.12
1914	008B	3000	0.07	1720	1	55	80	2.5	6	5	7500	5780	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6680	6680	1.12
1914	009	3000	0.07	2524	1	55	80	2.5	6	5	7500	4976	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5876	5876	1.12
1914	010	3000	0.07	1702	1	55	80	2.5	6	5	7500	5798	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6698	6698	1.12
1914	010A	3000	0.07	1824	1	55	80	2.5	6	5	7500	5676	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6576	6576	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1914	011	3000	0.07	1055	1	55	80	2.5	6	5	7500	6445	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7345	7345	1.12
1914	013	2997	0.07	1680	1	55	80	2.5	6	5	7492	5812	RH-1	40	form-based			true	0.7	6	1	5	5	8391.599609	6711.599609	6711.599609	1.120075
1914	013A	2997	0.07	2100	1	55	80	2.5	6	5	7492	5392	RH-1	40	form-based			true	0.7	6	1	5	5	8391.599609	6291.599609	6291.599609	1.120075
1914	013B	2997	0.07	2012	1	55	80	2.5	6	5	7492	5480	RH-1	40	form-based			true	0.7	6	1	5	5	8391.599609	6379.599609	6379.599609	1.120075
1914	013C	2998	0.07	1390	1	55	80	2.5	6	5	7495	6105	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7004.399414	7004.399414	1.12
1914	014	2998	0.07	1366	1	55	80	2.5	6	5	7495	6129	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7028.399414	7028.399414	1.12
1914	014A	2998	0.07	1977	1	55	80	2.5	6	5	7495	5518	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6417.399414	6417.399414	1.12
1914	014B	2999	0.07	2592	1	55	80	2.5	6	5	7498	4906	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	5805.200195	5805.200195	1.119925
1914	014C	2999	0.07	1568	1	55	80	2.5	6	5	7498	5930	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	6829.200195	6829.200195	1.119925
1914	015	2999	0.07	1250	1	55	80	2.5	6	5	7498	6248	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	7147.200195	7147.200195	1.119925
1914	016	2999	0.07	1674	1	55	80	2.5	6	5	7498	5824	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	6723.200195	6723.200195	1.119925
1914	017	3000	0.07	1120	1	55	80	2.5	6	5	7500	6380	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7280	7280	1.12
1914	017A	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
1914	018	3000	0.07	1971	1	55	80	2.5	6	5	7500	5529	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6429	6429	1.12
1914	018A	3001	0.07	1859	1	55	80	2.5	6	5	7502	5643	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6543.799805	6543.799805	1.120075
1914	019	3001	0.07	1680	1	55	80	2.5	6	5	7502	5822	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6722.799805	6722.799805	1.120075
1914	019A	3001	0.07	1988	1	55	80	2.5	6	5	7502	5514	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6414.799805	6414.799805	1.120075
1914	024	3046	0.07	2085	1	55	80	2.5	6	5	7615	5530	RH-1	40	form-based			true	0.7	6	1	5	5	8528.799805	6443.799805	6443.799805	1.12
1914	025	3046	0.07	1644	1	55	80	2.5	6	5	7615	5971	RH-1	40	form-based			true	0.7	6	1	5	5	8528.799805	6884.799805	6884.799805	1.12
1914	027	3000	0.07	1462	1	55	80	2.5	6	5	7500	6038	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6938	6938	1.12
1914	028	3000	0.07	1798	1	55	80	2.5	6	5	7500	5702	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6602	6602	1.12
1916	002	3000	0.07	1693	1	55	80	2.5	6	5	7500	5807	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6707	6707	1.12
1916	002A	3000	0.07	1867	1	55	80	2.5	6	5	7500	5633	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6533	6533	1.12
1916	002B	3000	0.07	2139	1	55	80	2.5	6	5	7500	5361	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6261	6261	1.12
1916	002D	3000	0.07	1525	1	55	80	2.5	6	5	7500	5975	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6875	6875	1.12
1916	003	3000	0.07	1668	1	55	80	2.5	6	5	7500	5832	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6732	6732	1.12
1916	003A	3000	0.07	2440	1	55	80	2.5	6	5	7500	5060	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5960	5960	1.12
1916	003B	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
1916	003C	3000	0.07	1680	1	55	80	2.5	6	5	7500	5820	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6720	6720	1.12
1916	003D	3000	0.07	1668	1	55	80	2.5	6	5	7500	5832	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6732	6732	1.12
1916	003E	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
1916	004	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
1916	004A	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
1916	004B	3000	0.07	1855	1	55	80	2.5	6	5	7500	5645	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6545	6545	1.12
1916	005	3000	0.07	1430	1	55	80	2.5	6	5	7500	6070	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6970	6970	1.12
1916	005A	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
1916	007	3006	0.07	2044	1	55	80	2.5	6	5	7515	5471	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6372.799805	6372.799805	1.12
1916	007A	3006	0.07	1440	1	55	80	2.5	6	5	7515	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6976.799805	6976.799805	1.12
1916	007B	3006	0.07	1440	1	55	80	2.5	6	5	7515	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6976.799805	6976.799805	1.12
1916	007C	3006	0.07	2080	1	55	80	2.5	6	5	7515	5435	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6336.799805	6336.799805	1.12
1916	007D	3006	0.07	1440	1	55	80	2.5	6	5	7515	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6976.799805	6976.799805	1.12
1916	007E	3006	0.07	1440	1	55	80	2.5	6	5	7515	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6976.799805	6976.799805	1.12
1916	007F	3006	0.07	1150	1	55	80	2.5	6	5	7515	6365	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7266.799805	7266.799805	1.12
1916	007G	3006	0.07	1298	1	55	80	2.5	6	5	7515	6217	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7118.799805	7118.799805	1.12
1916	007H	3006	0.07	2120	1	55	80	2.5	6	5	7515	5395	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6296.799805	6296.799805	1.12
1916	007I	3006	0.07	2290	1	55	80	2.5	6	5	7515	5225	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6126.799805	6126.799805	1.12
1916	007J	3006	0.07	1530	1	55	80	2.5	6	5	7515	5985	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6886.799805	6886.799805	1.12
1916	007K	3006	0.07	1440	1	55	80	2.5	6	5	7515	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6976.799805	6976.799805	1.12
1916	007L	3006	0.07	1440	1	55	80	2.5	6	5	7515	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6976.799805	6976.799805	1.12
1916	007M	3006	0.07	1440	1	55	80	2.5	6	5	7515	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6976.799805	6976.799805	1.12
1916	007N	3006	0.07	1560	1	55	80	2.5	6	5	7515	5955	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6856.799805	6856.799805	1.12
1916	007O	3006	0.07	1772	1	55	80	2.5	6	5	7515	5743	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6644.799805	6644.799805	1.12
1917	004	3000	0.07	1410	1	55	80	2.5	6	5	7500	6090	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6990	6990	1.12
1917	005	3000	0.07	1905	1	55	80	2.5	6	5	7500	5595	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6495	6495	1.12
1917	005A	3000	0.07	1985	1	55	80	2.5	6	5	7500	5515	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6415	6415	1.12
1917	005B	3000	0.07	1935	1	55	80	2.5	6	5	7500	5565	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6465	6465	1.12
1917	006	3000	0.07	1647	1	55	80	2.5	6	5	7500	5853	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6753	6753	1.12
1917	006A	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
1917	006B	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
1917	007	3000	0.07	1596	1	55	80	2.5	6	5	7500	5904	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6804	6804	1.12
1917	008	3000	0.07	1960	1	55	80	2.5	6	5	7500	5540	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6440	6440	1.12
1917	008A	3000	0.07	2025	1	55	80	2.5	6	5	7500	5475	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6375	6375	1.12
1917	009	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
1917	010	3000	0.07	1659	1	55	80	2.5	6	5	7500	5841	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6741	6741	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1917	010A	3000	0.07	2635	1	55	80	2.5	6	5	7500	4865	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5765	5765	1.12
1917	010B	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
1917	010C	3000	0.07	1725	1	55	80	2.5	6	5	7500	5775	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6675	6675	1.12
1917	010D	3000	0.07	1775	1	55	80	2.5	6	5	7500	5725	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6625	6625	1.12
1917	017	3011	0.07	1827	1	55	80	2.5	6	5	7528	5701	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6603.799805	6603.799805	1.119926
1917	017A	3011	0.07	1375	1	55	80	2.5	6	5	7528	6153	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7055.799805	7055.799805	1.119926
1917	017B	3011	0.07	1915	1	55	80	2.5	6	5	7528	5613	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6515.799805	6515.799805	1.119926
1917	017C	3011	0.07	1571	1	55	80	2.5	6	5	7528	5957	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6859.799805	6859.799805	1.119926
1917	018	3011	0.07	1406	1	55	80	2.5	6	5	7528	6122	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7024.799805	7024.799805	1.119926
1917	020	3011	0.07	2356	1	55	80	2.5	6	5	7528	5172	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6074.799805	6074.799805	1.119926
1917	020A	3011	0.07	2967	1	55	80	2.5	6	5	7528	4561	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	5463.799805	5463.799805	1.119926
1917	021	3011	0.07	1500	1	55	80	2.5	6	5	7528	6028	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6930.799805	6930.799805	1.119926
1917	021A	3011	0.07	1375	1	55	80	2.5	6	5	7528	6153	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7055.799805	7055.799805	1.119926
1917	021B	3011	0.07	2100	1	55	80	2.5	6	5	7528	5428	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6330.799805	6330.799805	1.119926
1917	021C	3011	0.07	2405	1	55	80	2.5	6	5	7528	5123	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6025.799805	6025.799805	1.119926
1917	022	3011	0.07	1525	1	55	80	2.5	6	5	7528	6003	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6905.799805	6905.799805	1.119926
1917	022A	3011	0.07	1529	1	55	80	2.5	6	5	7528	5999	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6901.799805	6901.799805	1.119926
1917	022B	3011	0.07	1525	1	55	80	2.5	6	5	7528	6003	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6905.799805	6905.799805	1.119926
1917	022C	3011	0.07	2216	1	55	80	2.5	6	5	7528	5312	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6214.799805	6214.799805	1.119926
1918	002	2976	0.07	1692	1	55	80	2.5	6	5	7440	5748	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6640.799805	6640.799805	1.12
1918	003	2976	0.07	1380	1	55	80	2.5	6	5	7440	6060	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6952.799805	6952.799805	1.12
1918	004	2976	0.07	1950	1	55	80	2.5	6	5	7440	5490	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6382.799805	6382.799805	1.12
1918	005	2976	0.07	2520	1	55	80	2.5	6	5	7440	4920	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	5812.799805	5812.799805	1.12
1918	006	2976	0.07	1980	1	55	80	2.5	6	5	7440	5460	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6352.799805	6352.799805	1.12
1918	007	2976	0.07	1380	1	55	80	2.5	6	5	7440	6060	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6952.799805	6952.799805	1.12
1918	008	2976	0.07	2050	1	55	80	2.5	6	5	7440	5390	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6282.799805	6282.799805	1.12
1918	009	2976	0.07	1330	1	55	80	2.5	6	5	7440	6110	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7002.799805	7002.799805	1.12
1918	010	2976	0.07	1880	1	55	80	2.5	6	5	7440	5560	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6452.799805	6452.799805	1.12
1918	011	2976	0.07	2005	1	55	80	2.5	6	5	7440	5435	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6327.799805	6327.799805	1.12
1918	012	2976	0.07	2130	1	55	80	2.5	6	5	7440	5310	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6202.799805	6202.799805	1.12
1918	013	2976	0.07	1686	1	55	80	2.5	6	5	7440	5754	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6646.799805	6646.799805	1.12
1918	014	2976	0.07	2481	1	55	80	2.5	6	5	7440	4959	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	5851.799805	5851.799805	1.12
1918	015	2976	0.07	1725	1	55	80	2.5	6	5	7440	5715	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6607.799805	6607.799805	1.12
1918	016	2976	0.07	1215	1	55	80	2.5	6	5	7440	6225	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7117.799805	7117.799805	1.12
1918	017	2976	0.07	1215	1	55	80	2.5	6	5	7440	6225	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7117.799805	7117.799805	1.12
1918	028	3017	0.07	1820	1	55	80	2.5	6	5	7542	5722	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6627.599609	6627.599609	1.120074
1918	029	3017	0.07	2041	1	55	80	2.5	6	5	7542	5501	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6406.599609	6406.599609	1.120074
1918	030	3017	0.07	1375	1	55	80	2.5	6	5	7542	6167	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7072.599609	7072.599609	1.120074
1918	031	3017	0.07	1909	1	55	80	2.5	6	5	7542	5633	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6538.599609	6538.599609	1.120074
1918	032	3017	0.07	1675	1	55	80	2.5	6	5	7542	5867	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6772.599609	6772.599609	1.120074
1918	033	3017	0.07	1400	1	55	80	2.5	6	5	7542	6142	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7047.599609	7047.599609	1.120074
1918	034	3017	0.07	1380	1	55	80	2.5	6	5	7542	6162	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7067.599609	7067.599609	1.120074
1918	035	3017	0.07	1380	1	55	80	2.5	6	5	7542	6162	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7067.599609	7067.599609	1.120074
1918	036	3017	0.07	1380	1	55	80	2.5	6	5	7542	6162	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7067.599609	7067.599609	1.120074
1918	037	3017	0.07	1600	1	55	80	2.5	6	5	7542	5942	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6847.599609	6847.599609	1.120074
1918	038	3017	0.07	2368	1	55	80	2.5	6	5	7542	5174	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6079.599609	6079.599609	1.120074
1918	039	3017	0.07	1380	1	55	80	2.5	6	5	7542	6162	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7067.599609	7067.599609	1.120074
1918	040	3017	0.07	1380	1	55	80	2.5	6	5	7542	6162	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7067.599609	7067.599609	1.120074
1918	041	3017	0.07	1380	1	55	80	2.5	6	5	7542	6162	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7067.599609	7067.599609	1.120074
1918	042	3017	0.07	1505	1	55	80	2.5	6	5	7542	6037	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6942.599609	6942.599609	1.120074
1918	043	3017	0.07	1605	1	55	80	2.5	6	5	7542	5937	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6842.599609	6842.599609	1.120074
1919	002	3000	0.07	1410	1	55	80	2.5	6	5	7500	6090	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6990	6990	1.12
1919	003	3000	0.07	1482	1	55	80	2.5	6	5	7500	6018	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6918	6918	1.12
1919	005	3000	0.07	1320	1	55	80	2.5	6	5	7500	6180	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7080	7080	1.12
1919	006	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
1919	007	3000	0.07	1320	1	55	80	2.5	6	5	7500	6180	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7080	7080	1.12
1919	008	3000	0.07	1465	1	55	80	2.5	6	5	7500	6035	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6935	6935	1.12
1919	009	3000	0.07	1625	1	55	80	2.5	6	5	7500	5875	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6775	6775	1.12
1919	010	3000	0.07	1320	1	55	80	2.5	6	5	7500	6180	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7080	7080	1.12
1919	011	3000	0.07	1335	1	55	80	2.5	6	5	7500	6165	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7065	7065	1.12
1919	012	3000	0.07	1335	1	55	80	2.5	6	5	7500	6165	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7065	7065	1.12
1919	013	3000	0.07	1887	1	55	80	2.5	6	5	7500	5613	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6513	6513	1.12
1919	014	3000	0.07	1475	1	55	80	2.5	6	5	7500	6025	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6925	6925	1.12
1919	015	3000	0.07	2230	1	55	80	2.5	6	5	7500	5270	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6170	6170	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1919	016	3000	0.07	1780	1	55	80	2.5	6	5	7500	5720	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6620	6620	1.12
1919	017	3000	0.07	2310	1	55	80	2.5	6	5	7500	5190	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6090	6090	1.12
1919	028	3026	0.07	1400	1	55	80	2.5	6	5	7565	6165	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7072.799805	7072.799805	1.12
1919	029	3026	0.07	1908	1	55	80	2.5	6	5	7565	5657	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	6564.799805	6564.799805	1.12
1919	030	3026	0.07	2190	1	55	80	2.5	6	5	7565	5375	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	6282.799805	6282.799805	1.12
1919	031	3026	0.07	1305	1	55	80	2.5	6	5	7565	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7167.799805	7167.799805	1.12
1919	032	3026	0.07	1305	1	55	80	2.5	6	5	7565	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7167.799805	7167.799805	1.12
1919	033	3026	0.07	1455	1	55	80	2.5	6	5	7565	6110	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7017.799805	7017.799805	1.12
1919	034	3026	0.07	2030	1	55	80	2.5	6	5	7565	5535	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	6442.799805	6442.799805	1.12
1919	035	3026	0.07	1305	1	55	80	2.5	6	5	7565	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7167.799805	7167.799805	1.12
1919	036	3026	0.07	1305	1	55	80	2.5	6	5	7565	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7167.799805	7167.799805	1.12
1919	037	3026	0.07	1305	1	55	80	2.5	6	5	7565	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7167.799805	7167.799805	1.12
1919	038	3026	0.07	1585	1	55	80	2.5	6	5	7565	5980	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	6887.799805	6887.799805	1.12
1919	039	3026	0.07	1305	1	55	80	2.5	6	5	7565	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7167.799805	7167.799805	1.12
1919	040	3026	0.07	1305	1	55	80	2.5	6	5	7565	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7167.799805	7167.799805	1.12
1919	041	3026	0.07	2569	1	55	80	2.5	6	5	7565	4996	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	5903.799805	5903.799805	1.12
1919	042	3026	0.07	2782	1	55	80	2.5	6	5	7565	4783	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	5690.799805	5690.799805	1.12
1919	043	3026	0.07	1465	1	55	80	2.5	6	5	7565	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7007.799805	7007.799805	1.12
1920	005	2979	0.07	1265	1	55	80	2.5	6	5	7448	6183	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7076.200195	7076.200195	1.119925
1920	006	2979	0.07	1265	1	55	80	2.5	6	5	7448	6183	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7076.200195	7076.200195	1.119925
1920	007	2979	0.07	1955	1	55	80	2.5	6	5	7448	5493	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6386.200195	6386.200195	1.119925
1920	008	2979	0.07	1265	1	55	80	2.5	6	5	7448	6183	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7076.200195	7076.200195	1.119925
1920	009	2979	0.07	1265	1	55	80	2.5	6	5	7448	6183	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7076.200195	7076.200195	1.119925
1920	010	2979	0.07	1265	1	55	80	2.5	6	5	7448	6183	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7076.200195	7076.200195	1.119925
1920	011	2979	0.07	1927	1	55	80	2.5	6	5	7448	5521	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6414.200195	6414.200195	1.119925
1920	012	2979	0.07	1440	1	55	80	2.5	6	5	7448	6008	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6901.200195	6901.200195	1.119925
1920	013	2979	0.07	1654	1	55	80	2.5	6	5	7448	5794	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6687.200195	6687.200195	1.119925
1920	014	2979	0.07	2199	1	55	80	2.5	6	5	7448	5249	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6142.200195	6142.200195	1.119925
1920	015	2979	0.07	2212	1	55	80	2.5	6	5	7448	5236	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6129.200195	6129.200195	1.119925
1920	016	2979	0.07	1440	1	55	80	2.5	6	5	7448	6008	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6901.200195	6901.200195	1.119925
1920	017	2979	0.07	2065	1	55	80	2.5	6	5	7448	5383	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6276.200195	6276.200195	1.119925
1920	018	2979	0.07	1990	1	55	80	2.5	6	5	7448	5458	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6351.200195	6351.200195	1.119925
1920	019	2979	0.07	1415	1	55	80	2.5	6	5	7448	6033	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6926.200195	6926.200195	1.119925
1920	020	2979	0.07	2658	1	55	80	2.5	6	5	7448	4790	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	5683.200195	5683.200195	1.119925
1920	031	3021	0.07	1645	1	55	80	2.5	6	5	7552	5907	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6813.799805	6813.799805	1.120074
1920	032	3021	0.07	1150	1	55	80	2.5	6	5	7552	6402	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7308.799805	7308.799805	1.120074
1920	033	3021	0.07	1250	1	55	80	2.5	6	5	7552	6302	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7208.799805	7208.799805	1.120074
1920	034	3021	0.07	1150	1	55	80	2.5	6	5	7552	6402	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7308.799805	7308.799805	1.120074
1920	035	3021	0.07	1150	1	55	80	2.5	6	5	7552	6402	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7308.799805	7308.799805	1.120074
1920	036	3021	0.07	1240	1	55	80	2.5	6	5	7552	6312	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7218.799805	7218.799805	1.120074
1920	037	3021	0.07	1546	1	55	80	2.5	6	5	7552	6006	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6912.799805	6912.799805	1.120074
1920	038	3021	0.07	1697	1	55	80	2.5	6	5	7552	5855	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6761.799805	6761.799805	1.120074
1920	039	3021	0.07	1525	1	55	80	2.5	6	5	7552	6027	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6933.799805	6933.799805	1.120074
1920	040	3021	0.07	1525	1	55	80	2.5	6	5	7552	6027	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6933.799805	6933.799805	1.120074
1920	041	3021	0.07	1525	1	55	80	2.5	6	5	7552	6027	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6933.799805	6933.799805	1.120074
1920	042	3021	0.07	2325	1	55	80	2.5	6	5	7552	5227	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6133.799805	6133.799805	1.120074
1920	043	3021	0.07	2522	1	55	80	2.5	6	5	7552	5030	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	5936.799805	5936.799805	1.120074
1920	044	3021	0.07	1888	1	55	80	2.5	6	5	7552	5664	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6570.799805	6570.799805	1.120074
1920	045	3021	0.07	1440	1	55	80	2.5	6	5	7552	6112	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7018.799805	7018.799805	1.120074
1920	046	3021	0.07	2020	1	55	80	2.5	6	5	7552	5532	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6438.799805	6438.799805	1.120074
1921	006	2983	0.07	2020	1	55	80	2.5	6	5	7458	5438	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6332.399414	6332.399414	1.119925
1921	007	2983	0.07	1305	1	55	80	2.5	6	5	7458	6153	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7047.399414	7047.399414	1.119925
1921	008	2983	0.07	1450	1	55	80	2.5	6	5	7458	6008	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6902.399414	6902.399414	1.119925
1921	009	2983	0.07	2574	1	55	80	2.5	6	5	7458	4884	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	5778.399414	5778.399414	1.119925
1921	010	2983	0.07	1862	1	55	80	2.5	6	5	7458	5596	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6490.399414	6490.399414	1.119925
1921	011	2983	0.07	2000	1	55	80	2.5	6	5	7458	5458	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6352.399414	6352.399414	1.119925
1921	012	2983	0.07	1365	1	55	80	2.5	6	5	7458	6093	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6987.399414	6987.399414	1.119925
1921	013	2983	0.07	1265	1	55	80	2.5	6	5	7458	6193	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7087.399414	7087.399414	1.119925
1921	014	2983	0.07	1703	1	55	80	2.5	6	5	7458	5755	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6649.399414	6649.399414	1.119925
1921	016	2983	0.07	1430	1	55	80	2.5	6	5	7458	6028	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6922.399414	6922.399414	1.119925
1921	017	2983	0.07	1980	1	55	80	2.5	6	5	7458	5478	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6372.399414	6372.399414	1.119925
1921	018	2983	0.07	1796	1	55	80	2.5	6	5	7458	5662	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6556.399414	6556.399414	1.119925
1921	019	2983	0.07	1400	1	55	80	2.5	6	5	7458	6058	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6952.399414	6952.399414	1.119925
1921	020	2983	0.07	1200	1	55	80	2.5	6	5	7458	6258	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7152.399414	7152.399414	1.119925

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1921	032	3030	0.07	1500	1	55	80	2.5	6	5	7575	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6984	6984	1.12
1921	033	3030	0.07	2515	1	55	80	2.5	6	5	7575	5060	RH-1	40	form-based			true	0.7	6	1	5	5	8484	5969	5969	1.12
1921	034	3030	0.07	1440	1	55	80	2.5	6	5	7575	6135	RH-1	40	form-based			true	0.7	6	1	5	5	8484	7044	7044	1.12
1921	035	3030	0.07	1823	1	55	80	2.5	6	5	7575	5752	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6661	6661	1.12
1921	036	3030	0.07	1746	1	55	80	2.5	6	5	7575	5829	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6738	6738	1.12
1921	037	3030	0.07	1326	1	55	80	2.5	6	5	7575	6249	RH-1	40	form-based			true	0.7	6	1	5	5	8484	7158	7158	1.12
1921	038	3030	0.07	1000	1	55	80	2.5	6	5	7575	6575	RH-1	40	form-based			true	0.7	6	1	5	5	8484	7484	7484	1.12
1921	039	3030	0.07	1450	1	55	80	2.5	6	5	7575	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8484	7034	7034	1.12
1921	040	3030	0.07	1955	1	55	80	2.5	6	5	7575	5620	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6529	6529	1.12
1921	041	3030	0.07	1450	1	55	80	2.5	6	5	7575	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8484	7034	7034	1.12
1921	042	3029	0.07	1240	1	55	80	2.5	6	5	7572	6332	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	7241.200195	7241.200195	1.120074
1921	043	3030	0.07	2285	1	55	80	2.5	6	5	7575	5290	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6199	6199	1.12
1921	044	3030	0.07	1590	1	55	80	2.5	6	5	7575	5985	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6894	6894	1.12
1921	045	3030	0.07	1360	1	55	80	2.5	6	5	7575	6215	RH-1	40	form-based			true	0.7	6	1	5	5	8484	7124	7124	1.12
1921	046	3030	0.07	1862	1	55	80	2.5	6	5	7575	5713	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6622	6622	1.12
1921	047	3030	0.07	1250	1	55	80	2.5	6	5	7575	6325	RH-1	40	form-based			true	0.7	6	1	5	5	8484	7234	7234	1.12
1922	002	3000	0.07	2382	1	55	80	2.5	6	5	7500	5118	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6018	6018	1.12
1922	003	3000	0.07	1510	1	55	80	2.5	6	5	7500	5990	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6890	6890	1.12
1922	004	3000	0.07	2615	1	55	80	2.5	6	5	7500	4885	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5785	5785	1.12
1922	005	3000	0.07	1654	1	55	80	2.5	6	5	7500	5846	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6746	6746	1.12
1922	006	3000	0.07	2281	1	55	80	2.5	6	5	7500	5219	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6119	6119	1.12
1922	007	3000	0.07	1950	1	55	80	2.5	6	5	7500	5550	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6450	6450	1.12
1922	008	3000	0.07	2094	1	55	80	2.5	6	5	7500	5406	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6306	6306	1.12
1922	009	3000	0.07	2340	1	55	80	2.5	6	5	7500	5160	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6060	6060	1.12
1922	010	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
1922	011	3000	0.07	2140	1	55	80	2.5	6	5	7500	5360	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6260	6260	1.12
1922	012	3000	0.07	2394	1	55	80	2.5	6	5	7500	5106	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6006	6006	1.12
1922	013	3000	0.07	1225	1	55	80	2.5	6	5	7500	6275	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7175	7175	1.12
1922	014	3000	0.07	1510	1	55	80	2.5	6	5	7500	5990	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6890	6890	1.12
1922	015	3000	0.07	2505	1	55	80	2.5	6	5	7500	4995	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5895	5895	1.12
1922	016	3000	0.07	2499	1	55	80	2.5	6	5	7500	5001	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5901	5901	1.12
1922	017	3000	0.07	2367	1	55	80	2.5	6	5	7500	5133	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6033	6033	1.12
1922	028	3016	0.07	1250	1	55	80	2.5	6	5	7540	6290	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	7194.799805	7194.799805	1.12
1922	029	3016	0.07	1612	1	55	80	2.5	6	5	7540	5928	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	6832.799805	6832.799805	1.12
1922	030	3016	0.07	1791	1	55	80	2.5	6	5	7540	5749	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	6653.799805	6653.799805	1.12
1922	031	3016	0.07	1250	1	55	80	2.5	6	5	7540	6290	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	7194.799805	7194.799805	1.12
1922	032	3016	0.07	1877	1	55	80	2.5	6	5	7540	5663	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	6567.799805	6567.799805	1.12
1922	033	3016	0.07	2421	1	55	80	2.5	6	5	7540	5119	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	6023.799805	6023.799805	1.12
1922	034	3016	0.07	1550	1	55	80	2.5	6	5	7540	5990	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	6894.799805	6894.799805	1.12
1922	035	3016	0.07	1792	1	55	80	2.5	6	5	7540	5748	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	6652.799805	6652.799805	1.12
1922	036	3016	0.07	1440	1	55	80	2.5	6	5	7540	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	7004.799805	7004.799805	1.12
1922	037	3016	0.07	1250	1	55	80	2.5	6	5	7540	6290	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	7194.799805	7194.799805	1.12
1922	038	3016	0.07	1250	1	55	80	2.5	6	5	7540	6290	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	7194.799805	7194.799805	1.12
1922	039	3016	0.07	1541	1	55	80	2.5	6	5	7540	5999	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	6903.799805	6903.799805	1.12
1922	040	3016	0.07	2560	1	55	80	2.5	6	5	7540	4980	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	5884.799805	5884.799805	1.12
1922	041	3016	0.07	1150	1	55	80	2.5	6	5	7540	6390	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	7294.799805	7294.799805	1.12
1922	042	3016	0.07	1749	1	55	80	2.5	6	5	7540	5791	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	6695.799805	6695.799805	1.12
1922	043	3016	0.07	1688	1	55	80	2.5	6	5	7540	5852	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	6756.799805	6756.799805	1.12
1923	002	2966	0.07	1630	1	55	80	2.5	6	5	7415	5785	RH-2	40	form-based			true	0.7	6	1	5	5	8304.799805	6674.799805	6674.799805	1.12
1923	005	2965	0.07	1250	1	55	80	2.5	6	5	7412	6162	RH-2	40	form-based			true	0.7	6	1	5	5	8302	7052	7052	1.120076
1923	007	2965	0.07	2035	1	55	80	2.5	6	5	7412	5377	RH-2	40	form-based			true	0.7	6	1	5	5	8302	6267	6267	1.120076
1923	008A	2964	0.07	1642	1	55	80	2.5	6	5	7410	5768	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	6657.200195	6657.200195	1.12
1923	009	2964	0.07	1250	1	55	80	2.5	6	5	7410	6160	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	7049.200195	7049.200195	1.12
1923	009A	2964	0.07	1870	1	55	80	2.5	6	5	7410	5540	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	6429.200195	6429.200195	1.12
1923	010	2964	0.07	1339	1	55	80	2.5	6	5	7410	6071	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	6960.200195	6960.200195	1.12
1923	010A	2963	0.07	2098	1	55	80	2.5	6	5	7408	5310	RH-2	40	form-based			true	0.7	6	1	5	5	8296.399414	6198.399414	6198.399414	1.119924
1923	020	3017	0.07	1550	1	55	80	2.5	6	5	7542	5992	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6897.599609	6897.599609	1.120074
1923	021	3017	0.07	1550	1	55	80	2.5	6	5	7542	5992	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6897.599609	6897.599609	1.120074
1923	021A	3017	0.07	2526	1	55	80	2.5	6	5	7542	5016	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	5921.599609	5921.599609	1.120074
1923	022	3017	0.07	1550	1	55	80	2.5	6	5	7542	5992	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6897.599609	6897.599609	1.120074
1923	023	3017	0.07	2555	1	55	80	2.5	6	5	7542	4987	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	5892.599609	5892.599609	1.120074
1923	023A	3017	0.07	1387	1	55	80	2.5	6	5	7542	6155	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7060.599609	7060.599609	1.120074
1923	024	3017	0.07	1380	1	55	80	2.5	6	5	7542	6162	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7067.599609	7067.599609	1.120074
1923	024A	3017	0.07	1530	1	55	80	2.5	6	5	7542	6012	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6917.599609	6917.599609	1.120074

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1923	025	3017	0.07	1440	1	55	80	2.5	6	5	7542	6102	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7007.599609	7007.599609	1.120074
1923	026	3017	0.07	2033	1	55	80	2.5	6	5	7542	5509	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6414.599609	6414.599609	1.120074
1923	027	3017	0.07	1939	1	55	80	2.5	6	5	7542	5603	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6508.599609	6508.599609	1.120074
1923	027A	3017	0.07	1275	1	55	80	2.5	6	5	7542	6267	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7172.599609	7172.599609	1.120074
1925	003	2882	0.07	1650	1	55	80	2.5	6	5	7205	5555	RH-1	40	form-based			true	0.7	6	1	5	5	8069.600098	6419.600098	6419.600098	1.12
1925	005	3027	0.07	2100	1	55	80	2.5	6	5	7568	5468	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	6375.599609	6375.599609	1.119926
1925	005A	3027	0.07	2033	1	55	80	2.5	6	5	7568	5535	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	6442.599609	6442.599609	1.119926
1925	005B	3027	0.07	1923	1	55	80	2.5	6	5	7568	5645	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	6552.599609	6552.599609	1.119926
1925	006	3027	0.07	1760	1	55	80	2.5	6	5	7568	5808	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	6715.599609	6715.599609	1.119926
1925	007	3027	0.07	1688	1	55	80	2.5	6	5	7568	5880	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	6787.599609	6787.599609	1.119926
1925	008	3027	0.07	2002	1	55	80	2.5	6	5	7568	5566	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	6473.599609	6473.599609	1.119926
1925	009A	3027	0.07	2258	1	55	80	2.5	6	5	7568	5310	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	6217.599609	6217.599609	1.119926
1925	010C	2922	0.07	1558	1	55	80	2.5	6	5	7305	5747	RH-1	40	form-based			true	0.7	6	1	5	5	8181.600098	6623.600098	6623.600098	1.12
1926	004	3000	0.07	2225	1	55	80	2.5	6	5	7500	5275	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6175	6175	1.12
1926	004A	3000	0.07	1525	1	55	80	2.5	6	5	7500	5975	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6875	6875	1.12
1926	005	3000	0.07	2373	1	55	80	2.5	6	5	7500	5127	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6027	6027	1.12
1926	006	3000	0.07	1813	1	55	80	2.5	6	5	7500	5687	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6587	6587	1.12
1926	007	3000	0.07	1825	1	55	80	2.5	6	5	7500	5675	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6575	6575	1.12
1926	008	3000	0.07	1781	1	55	80	2.5	6	5	7500	5719	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6619	6619	1.12
1926	008A	3000	0.07	2655	1	55	80	2.5	6	5	7500	4845	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5745	5745	1.12
1926	009	3000	0.07	1525	1	55	80	2.5	6	5	7500	5975	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6875	6875	1.12
1926	010	3000	0.07	1525	1	55	80	2.5	6	5	7500	5975	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6875	6875	1.12
1926	010A	3000	0.07	1849	1	55	80	2.5	6	5	7500	5651	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6551	6551	1.12
1926	011	3000	0.07	1821	1	55	80	2.5	6	5	7500	5679	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6579	6579	1.12
1926	012	3000	0.07	2220	1	55	80	2.5	6	5	7500	5280	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6180	6180	1.12
1926	012A	3000	0.07	2399	1	55	80	2.5	6	5	7500	5101	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6001	6001	1.12
1926	013	3000	0.07	2548	1	55	80	2.5	6	5	7500	4952	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5852	5852	1.12
1926	014	3000	0.07	1775	1	55	80	2.5	6	5	7500	5725	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6625	6625	1.12
1926	014A	3000	0.07	2007	1	55	80	2.5	6	5	7500	5493	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6393	6393	1.12
1926	016	3047	0.07	1290	1	55	80	2.5	6	5	7618	6328	RH-1	40	form-based			true	0.7	6	1	5	5	8531.599609	7241.599609	7241.599609	1.119926
1926	022	3077	0.07	1845	1	55	80	2.5	6	5	7692	5847	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6770.599609	6770.599609	1.120073
1926	023	3077	0.07	2077	1	55	80	2.5	6	5	7692	5615	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6538.599609	6538.599609	1.120073
1926	024	3077	0.07	1671	1	55	80	2.5	6	5	7692	6021	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6944.599609	6944.599609	1.120073
1926	025	3077	0.07	1671	1	55	80	2.5	6	5	7692	6021	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6944.599609	6944.599609	1.120073
1926	025A	3077	0.07	1671	1	55	80	2.5	6	5	7692	6021	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6944.599609	6944.599609	1.120073
1927A	001	2980	0.07	2551	1	55	80	2.5	6	5	7450	4899	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	8344	5793	5793	1.12
1928	018	3021	0.07	1873	1	55	80	2.5	6	5	7552	5679	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6585.799805	6585.799805	1.120074
1928	019	3009	0.07	1873	1	55	80	2.5	6	5	7522	5649	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6552.200195	6552.200195	1.120075
1929A	010	2849	0.07	2825	1	55	80	2.5	6	5	7122	4297	RH-1	40	form-based			true	0.7	6	1	5	5	7977.199707	5152.199707	5152.199707	1.120079
1930A	006D	2650	0.06	1144	1	55	80	2.5	5	4	6625	5481	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7420	6276	6276	1.12
1929A	030	2806	0.06	2285	1	55	80	2.5	5	4	7015	4730	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7856.799805	5571.799805	5571.799805	1.12
1929A	036	2896	0.07	3405	1	55	80	2.5	6	5	7240	3835	RH-1	40	form-based			true	0.7	6	1	5	5	8108.799805	4703.799805	4703.799805	1.12
1929A	037	2713	0.06	3410	1	55	80	2.5	5	4	6782	3372	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7596.399902	4186.399902	4186.399902	1.120082
1929A	038	2851	0.07	2453	1	55	80	2.5	6	5	7128	4675	RH-1	40	form-based			true	0.7	6	1	5	5	7982.799805	5529.799805	5529.799805	1.119921
1929A	039	2765	0.06	2453	1	55	80	2.5	5	4	6912	4459	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7742	5289	5289	1.120081
1929A	042	3066	0.07	2387	1	55	80	2.5	6	5	7665	5278	RH-1	40	form-based			true	0.7	6	1	5	5	8584.799805	6197.799805	6197.799805	1.12
1929A	045	2625	0.06	1962	1	55	80	2.5	5	4	6562	4600	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	5388	5388	1.120085
1929A	046	2819	0.06	1962	1	55	80	2.5	5	4	7048	5086	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7893.199707	5931.199707	5931.199707	1.11992
1930A	006E	3022	0.07	2325	1	55	80	2.5	6	5	7555	5230	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6136.599609	6136.599609	1.12
1930A	007	2780	0.06	2564	1	55	80	2.5	5	4	6950	4386	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7784	5220	5220	1.12
1931	014	2986	0.07	1086	1	55	80	2.5	6	5	7465	6379	RH-2	40	form-based			true	0.7	6	1	5	5	8360.799805	7274.799805	7274.799805	1.12
1929A	055	2799	0.06	1814	1	55	80	2.5	5	4	6998	5184	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7837.199707	6023.199707	6023.199707	1.11992
1929A	060	2865	0.07	2070	1	55	80	2.5	6	5	7162	5092	RH-1	40	form-based			true	0.7	6	1	5	5	8022	5952	5952	1.120078
1930A	009	2986	0.07	1275	1	55	80	2.5	6	5	7465	6190	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	7085.799805	7085.799805	1.12
1930A	011	3064	0.07	1275	1	55	80	2.5	6	5	7660	6385	RH-1	40	form-based			true	0.7	6	1	5	5	8579.200195	7304.200195	7304.200195	1.12
1930A	013	2889	0.07	1190	1	55	80	2.5	6	5	7222	6032	RH-1	40	form-based			true	0.7	6	1	5	5	8089.199707	6899.199707	6899.199707	1.120077
1930A	014	2774	0.06	2761	1	55	80	2.5	5	4	6935	4174	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7767.199707	5006.199707	5006.199707	1.12
1930A	001A	2941	0.07	958	1	65	100	3	7	6	8823	7865	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8234.799805	7276.799805	7276.799805	0.933333
1930A	001C	2814	0.06	1314	1	65	100	3	6	5	8442	7128	RH-1	40	form-based			true	0.7	6	1	5	5	7879.199707	6565.199707	6565.199707	0.933333
1930A	002	2836	0.07	878	1	65	100	3	7	6	8508	7630	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7940.799805	7062.799805	7062.799805	0.933333
1930A	002A	2739	0.06	1144	1	55	80	2.5	5	4	6848	5704	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7669.199707	6525.199707	6525.199707	1.119918
1930A	006A	3037	0.07	2158	1	55	80	2.5	6	5	7592	5434	RH-1	40	form-based			true	0.7	6	1	5	5	8503.599609	6345.599609	6345.599609	1.120074
1930A	015	2690	0.06	1604	1	65	100	3	6	5	8070	6466	RH-1	40	form-based			true	0.7	6	1	5	5	7532	5928	5928	0.933333
1930A	016	2683	0.06	1458	1	65	100	3	6	5	8049	6591	RH-1	40	form-based			true	0.7	6	1	5	5	7512.399902	6054.399902	6054.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1930A	017	2682	0.06	1313	1	65	100	3	6	5	8046	6733	RH-1	40	form-based			true	0.7	6	1	5	5	7509.600098	6196.600098	6196.600098	0.933333
1930A	018	2681	0.06	1093	1	65	100	3	6	5	8043	6950	RH-1	40	form-based			true	0.7	6	1	5	5	7506.799805	6413.799805	6413.799805	0.933333
1930A	019	2873	0.07	2862	1	65	100	3	7	6	8619	5757	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8044.399902	5182.399902	5182.399902	0.933333
1930A	021	2978	0.07	1382	1	55	80	2.5	6	5	7445	6063	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6956.399414	6956.399414	1.12
1930A	022	2926	0.07	2055	1	55	80	2.5	6	5	7315	5260	RH-1	40	form-based			true	0.7	6	1	5	5	8192.799805	6137.799805	6137.799805	1.12
1931	002	2986	0.07	1454	1	55	80	2.5	6	5	7465	6011	RH-2	40	form-based			true	0.7	6	1	5	5	8360.799805	6906.799805	6906.799805	1.12
1931	003	2986	0.07	1345	1	55	80	2.5	6	5	7465	6120	RH-2	40	form-based			true	0.7	6	1	5	5	8360.799805	7015.799805	7015.799805	1.12
1931	004	2986	0.07	1521	1	55	80	2.5	6	5	7465	5944	RH-2	40	form-based			true	0.7	6	1	5	5	8360.799805	6839.799805	6839.799805	1.12
1931	005	2986	0.07	800	1	55	80	2.5	6	5	7465	6665	RH-2	40	form-based			true	0.7	6	1	5	5	8360.799805	7560.799805	7560.799805	1.12
1931	006	2986	0.07	975	1	55	80	2.5	6	5	7465	6490	RH-2	40	form-based			true	0.7	6	1	5	5	8360.799805	7385.799805	7385.799805	1.12
1931	007	2986	0.07	3503	1	55	80	2.5	6	5	7465	3962	RH-2	40	form-based			true	0.7	6	1	5	5	8360.799805	4857.799805	4857.799805	1.12
1931	007A	2986	0.07	6074	1	55	80	2.5	6	5	7465	1391	RH-2	40	form-based			true	0.7	6	1	5	5	8360.799805	2286.799805	2286.799805	1.12
1931	009	2986	0.07	1339	1	55	80	2.5	6	5	7465	6126	RH-2	40	form-based			true	0.7	6	1	5	5	8360.799805	7021.799805	7021.799805	1.12
1931	011	2986	0.07	1283	1	55	80	2.5	6	5	7465	6182	RH-2	40	form-based			true	0.7	6	1	5	5	8360.799805	7077.799805	7077.799805	1.12
1931	012	2986	0.07	1527	1	55	80	2.5	6	5	7465	5938	RH-2	40	form-based			true	0.7	6	1	5	5	8360.799805	6833.799805	6833.799805	1.12
1931	023	3017	0.07	1791	1	55	80	2.5	6	5	7542	5751	RH-2	40	form-based			true	0.7	6	1	5	5	8447.599609	6656.599609	6656.599609	1.120074
1931	025	3017	0.07	1474	1	55	80	2.5	6	5	7542	6068	RH-2	40	form-based			true	0.7	6	1	5	5	8447.599609	6973.599609	6973.599609	1.120074
1931	026	3017	0.07	1495	1	55	80	2.5	6	5	7542	6047	RH-2	40	form-based			true	0.7	6	1	5	5	8447.599609	6952.599609	6952.599609	1.120074
1931	027	3017	0.07	1200	1	55	80	2.5	6	5	7542	6342	RH-2	40	form-based			true	0.7	6	1	5	5	8447.599609	7247.599609	7247.599609	1.120074
1931	028	3017	0.07	1537	1	55	80	2.5	6	5	7542	6005	RH-2	40	form-based			true	0.7	6	1	5	5	8447.599609	6910.599609	6910.599609	1.120074
1931	029	3017	0.07	1537	1	55	80	2.5	6	5	7542	6005	RH-2	40	form-based			true	0.7	6	1	5	5	8447.599609	6910.599609	6910.599609	1.120074
1931	037	5066	0.12	6260	6	55	80	2.5	10	4	12665	6405	RH-2	40	form-based			true	0.7	11	1.100000024	5	5	14184.7998	7924.799805	7924.799805	1.12
1931	038	5972	0.14	7520	8	55	80	2.5	11	3	14930	7410	RH-2	40	form-based			true	0.7	13	1.181818128	5	5	16721.59961	9201.599609	9201.599609	1.12
1932	001A	2989	0.07	1367	1	55	80	2.5	6	5	7472	6105	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7002.200195	7002.200195	1.120075
1932	002	2989	0.07	1589	1	55	80	2.5	6	5	7472	5883	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6780.200195	6780.200195	1.120075
1932	003	2989	0.07	1203	1	55	80	2.5	6	5	7472	6269	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7166.200195	7166.200195	1.120075
1932	006	2989	0.07	1110	1	55	80	2.5	6	5	7472	6362	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7259.200195	7259.200195	1.120075
1932	007	2989	0.07	1425	1	55	80	2.5	6	5	7472	6047	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6944.200195	6944.200195	1.120075
1932	008	2989	0.07	2550	1	55	80	2.5	6	5	7472	4922	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	5819.200195	5819.200195	1.120075
1932	008A	2989	0.07	1440	1	55	80	2.5	6	5	7472	6032	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6929.200195	6929.200195	1.120075
1932	009	2989	0.07	1440	1	55	80	2.5	6	5	7472	6032	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	6929.200195	6929.200195	1.120075
1932	010	2989	0.07	1314	1	55	80	2.5	6	5	7472	6158	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7055.200195	7055.200195	1.120075
1932	011	2989	0.07	1100	1	55	80	2.5	6	5	7472	6372	RH-2	40	form-based			true	0.7	6	1	5	5	8369.200195	7269.200195	7269.200195	1.120075
1932	019	2938	0.07	2230	1	55	80	2.5	6	5	7345	5115	RH-2	40	form-based			true	0.7	6	1	5	5	8226.399414	5996.399414	5996.399414	1.12
1932	020	2738	0.06	1942	1	55	80	2.5	5	4	6845	4903	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7666.399902	5724.399902	5724.399902	1.12
1932	025	3015	0.07	1960	1	55	80	2.5	6	5	7538	5578	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6482	6482	1.119926
1932	025A	3015	0.07	1440	1	55	80	2.5	6	5	7538	6098	RH-2	40	form-based			true	0.7	6	1	5	5	8442	7002	7002	1.119926
1932	025B	3015	0.07	1625	1	55	80	2.5	6	5	7538	5913	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6817	6817	1.119926
1932	026	3015	0.07	2060	1	55	80	2.5	6	5	7538	5478	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6382	6382	1.119926
1932	027	3015	0.07	2958	1	55	80	2.5	6	5	7538	4580	RH-2	40	form-based			true	0.7	6	1	5	5	8442	5484	5484	1.119926
1932	028	3015	0.07	2400	1	55	80	2.5	6	5	7538	5138	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6042	6042	1.119926
1932	032	3015	0.07	1260	1	55	80	2.5	6	5	7538	6278	RH-2	40	form-based			true	0.7	6	1	5	5	8442	7182	7182	1.119926
1932	032A	3015	0.07	1889	1	55	80	2.5	6	5	7538	5649	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6553	6553	1.119926
1932	034	3015	0.07	2235	1	55	80	2.5	6	5	7538	5303	RH-2	40	form-based			true	0.7	6	1	5	5	8442	6207	6207	1.119926
1932	035	3015	0.07	4331	1	55	80	2.5	6	5	7538	3207	RH-2	40	form-based			true	0.7	6	1	5	5	8442	4111	4111	1.119926
1933	001	3171	0.07	2205	2	55	80	2.5	6	4	7928	5723	RH-2	40	form-based	true		true	0.7	7	1.166666627	5	5	8878.799805	6673.799805	6673.799805	1.119929
1933	003	3000	0.07	1544	1	55	80	2.5	6	5	7500	5956	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6856	6856	1.12
1933	010	3000	0.07	1912	1	55	80	2.5	6	5	7500	5588	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6488	6488	1.12
1933	014	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
1933	015	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
1933	017	3000	0.07	1865	1	55	80	2.5	6	5	7500	5635	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6535	6535	1.12
1933	027	2990	0.07	2704	1	55	80	2.5	6	5	7475	4771	RH-2	40	form-based			true	0.7	6	1	5	5	8372	5668	5668	1.12
1933	028	2990	0.07	1114	1	55	80	2.5	6	5	7475	6361	RH-2	40	form-based			true	0.7	6	1	5	5	8372	7258	7258	1.12
1933	029	2990	0.07	1650	1	55	80	2.5	6	5	7475	5825	RH-2	40	form-based			true	0.7	6	1	5	5	8372	6722	6722	1.12
1933	030	2990	0.07	1410	1	55	80	2.5	6	5	7475	6065	RH-2	40	form-based			true	0.7	6	1	5	5	8372	6962	6962	1.12
1933	031	2990	0.07	2430	1	55	80	2.5	6	5	7475	5045	RH-2	40	form-based			true	0.7	6	1	5	5	8372	5942	5942	1.12
1933	033	2990	0.07	1185	1	55	80	2.5	6	5	7475	6290	RH-2	40	form-based			true	0.7	6	1	5	5	8372	7187	7187	1.12
1933	035	2990	0.07	2396	1	55	80	2.5	6	5	7475	5079	RH-2	40	form-based			true	0.7	6	1	5	5	8372	5976	5976	1.12
1933	036	2990	0.07	990	1	55	80	2.5	6	5	7475	6485	RH-2	40	form-based			true	0.7	6	1	5	5	8372	7382	7382	1.12
1933	037	2990	0.07	2018	1	55	80	2.5	6	5	7475	5457	RH-2	40	form-based			true	0.7	6	1	5	5	8372	6354	6354	1.12
1933	038	2990	0.07	1545	1	55	80	2.5	6	5	7475	5930	RH-2	40	form-based			true	0.7	6	1	5	5	8372	6827	6827	1.12
1933	039	2990	0.07	1142	1	55	80	2.5	6	5	7475	6333	RH-2	40	form-based			true	0.7	6	1	5	5	8372	7230	7230	1.12
1933	040	2990	0.07	894	1	55	80	2.5	6	5	7475	6581	RH-2	40	form-based			true	0.7	6	1	5	5	8372	7478	7478	1.12
1933	042	2990	0.07	1406	1	55	80	2.5	6	5	7475	6069	RH-2	40	form-based			true	0.7	6	1	5	5	8372	6966	6966	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1933	046	3172	0.07	1419	2	55	80	2.5	6	4	7930	6511	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8881.599609	7462.599609	7462.599609	1.12
1934	002	2953	0.07	1906	1	55	80	2.5	6	5	7382	5476	RH-2	40	form-based			true	0.7	6	1	5	5	8268.399414	6362.399414	6362.399414	1.120076
1934	005	3000	0.07	2160	1	55	80	2.5	6	5	7500	5340	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6240	6240	1.12
1934	007	3000	0.07	1025	1	55	80	2.5	6	5	7500	6475	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7375	7375	1.12
1934	009	3000	0.07	2070	1	55	80	2.5	6	5	7500	5430	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6330	6330	1.12
1934	011	3000	0.07	1280	1	55	80	2.5	6	5	7500	6220	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7120	7120	1.12
1934	018	2786	0.06	2166	1	55	80	2.5	5	4	6965	4799	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7800.799805	5634.799805	5634.799805	1.12
1934	020	2736	0.06	1911	1	55	80	2.5	5	4	6840	4929	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7660.799805	5749.799805	5749.799805	1.12
1934	023	2747	0.06	1400	1	55	80	2.5	5	4	6868	5468	RH-2	40	form-based		true	true	0.7	6	1.200000048	5	5	7691.600098	6291.600098	6291.600098	1.119918
1934	023A	2676	0.06	1609	1	55	80	2.5	5	4	6690	5081	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7492.799805	5883.799805	5883.799805	1.12
1934	025	3013	0.07	1750	1	55	80	2.5	6	5	7532	5782	RH-2	40	form-based			true	0.7	6	1	5	5	8436.399414	6686.399414	6686.399414	1.120074
1934	034	3013	0.07	2000	1	55	80	2.5	6	5	7532	5532	RH-2	40	form-based			true	0.7	6	1	5	5	8436.399414	6436.399414	6436.399414	1.120074
1934	037	3013	0.07	2124	1	55	80	2.5	6	5	7532	5408	RH-2	40	form-based			true	0.7	6	1	5	5	8436.399414	6312.399414	6312.399414	1.120074
1934	039	3013	0.07	1410	1	55	80	2.5	6	5	7532	6122	RH-2	40	form-based			true	0.7	6	1	5	5	8436.399414	7026.399414	7026.399414	1.120074
1935	017	3055	0.07	2072	1	55	80	2.5	6	5	7638	5566	RH-1	40	form-based			true	0.7	6	1	5	5	8554	6482	6482	1.119927
1935	018	2886	0.07	3726	1	55	80	2.5	6	5	7215	3489	RH-1	40	form-based			true	0.7	6	1	5	5	8080.799805	4354.799805	4354.799805	1.12
1935	019	2819	0.06	1275	1	55	80	2.5	5	4	7048	5773	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7893.199707	6618.199707	6618.199707	1.11992
1935	020	2816	0.06	1590	1	55	80	2.5	5	4	7040	5450	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7884.799805	6294.799805	6294.799805	1.12
1935	024	2988	0.07	1436	1	55	80	2.5	6	5	7470	6034	RH-1	40	form-based			true	0.7	6	1	5	5	8366.399414	6930.399414	6930.399414	1.12
1935	029	3093	0.07	2040	1	55	80	2.5	6	5	7732	5692	RH-1	40	form-based			true	0.7	6	1	5	5	8660.399414	6620.399414	6620.399414	1.120072
1935	030	3089	0.07	1825	1	55	80	2.5	6	5	7722	5897	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	6824.200195	6824.200195	1.120073
1935	036	3013	0.07	2818	1	55	80	2.5	6	5	7532	4714	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	5618.399414	5618.399414	1.120074
1935	037	3010	0.07	1600	1	55	80	2.5	6	5	7525	5925	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6828	6828	1.12
1935	038	3006	0.07	2237	1	55	80	2.5	6	5	7515	5278	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6179.799805	6179.799805	1.12
1935	041	2844	0.07	1664	1	55	80	2.5	6	5	7110	5446	RH-1	40	form-based			true	0.7	6	1	5	5	7963.199707	6299.199707	6299.199707	1.12
1935	042	2833	0.07	1644	1	55	80	2.5	6	5	7082	5438	RH-1	40	form-based			true	0.7	6	1	5	5	7932.399902	6288.399902	6288.399902	1.120079
1935	043	2778	0.06	1440	1	55	80	2.5	5	4	6945	5505	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7778.399902	6338.399902	6338.399902	1.12
1936	005	3089	0.07	1372	1	55	80	2.5	6	5	7722	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	7277.200195	7277.200195	1.120073
1936	006	3067	0.07	1358	1	55	80	2.5	6	5	7668	6310	RH-1	40	form-based			true	0.7	6	1	5	5	8587.599609	7229.599609	7229.599609	1.119927
1936	007	3067	0.07	1372	1	55	80	2.5	6	5	7668	6296	RH-1	40	form-based			true	0.7	6	1	5	5	8587.599609	7215.599609	7215.599609	1.119927
1936	008	3067	0.07	1065	1	55	80	2.5	6	5	7668	6603	RH-1	40	form-based			true	0.7	6	1	5	5	8587.599609	7522.599609	7522.599609	1.119927
1936	009	3067	0.07	1065	1	55	80	2.5	6	5	7668	6603	RH-1	40	form-based			true	0.7	6	1	5	5	8587.599609	7522.599609	7522.599609	1.119927
1936	010	3067	0.07	1223	1	55	80	2.5	6	5	7668	6445	RH-1	40	form-based			true	0.7	6	1	5	5	8587.599609	7364.599609	7364.599609	1.119927
1936	011	2945	0.07	2082	1	55	80	2.5	6	5	7362	5280	RH-1	40	form-based			true	0.7	6	1	5	5	8246	6164	6164	1.120076
1936	012A	2739	0.06	1300	1	55	80	2.5	5	4	6848	5548	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7669.199707	6369.199707	6369.199707	1.119918
1936	013	2739	0.06	1300	1	55	80	2.5	5	4	6848	5548	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7669.199707	6369.199707	6369.199707	1.119918
1936	013A	2739	0.06	1275	1	55	80	2.5	5	4	6848	5573	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7669.199707	6394.199707	6394.199707	1.119918
1936	014	2739	0.06	2158	1	55	80	2.5	5	4	6848	4690	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7669.199707	5511.199707	5511.199707	1.119918
1936	014A	2739	0.06	1837	1	55	80	2.5	5	4	6848	5011	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7669.199707	5832.199707	5832.199707	1.119918
1936	015	2739	0.06	1525	1	55	80	2.5	5	4	6848	5323	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7669.199707	6144.199707	6144.199707	1.119918
1936	015A	2739	0.06	1380	1	55	80	2.5	5	4	6848	5468	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7669.199707	6289.199707	6289.199707	1.119918
1936	015B	2739	0.06	1100	1	55	80	2.5	5	4	6848	5748	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7669.199707	6569.199707	6569.199707	1.119918
1936	016	2793	0.06	1150	1	55	80	2.5	5	4	6982	5832	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7820.399902	6670.399902	6670.399902	1.12008
1936	027	2957	0.07	2894	1	55	80	2.5	6	5	7392	4498	RH-1	40	form-based			true	0.7	6	1	5	5	8279.599609	5385.599609	5385.599609	1.120076
1936	028	3080	0.07	2175	1	55	80	2.5	6	5	7700	5525	RH-1	40	form-based			true	0.7	6	1	5	5	8624	6449	6449	1.12
1936	029	3080	0.07	2630	1	55	80	2.5	6	5	7700	5070	RH-1	40	form-based			true	0.7	6	1	5	5	8624	5994	5994	1.12
1936	030	3080	0.07	2152	1	55	80	2.5	6	5	7700	5548	RH-1	40	form-based			true	0.7	6	1	5	5	8624	6472	6472	1.12
1936	031	3080	0.07	2200	1	55	80	2.5	6	5	7700	5500	RH-1	40	form-based			true	0.7	6	1	5	5	8624	6424	6424	1.12
1936	032	3080	0.07	1165	1	55	80	2.5	6	5	7700	6535	RH-1	40	form-based			true	0.7	6	1	5	5	8624	7459	7459	1.12
1936	033	3011	0.07	1750	1	55	80	2.5	6	5	7528	5778	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6680.799805	6680.799805	1.119926
1936	034	2922	0.07	1567	1	55	80	2.5	6	5	7305	5738	RH-1	40	form-based			true	0.7	6	1	5	5	8181.600098	6614.600098	6614.600098	1.12
1936	035	2850	0.07	1920	1	55	80	2.5	6	5	7125	5205	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6060	6060	1.12
1936	036	2850	0.07	1365	1	55	80	2.5	6	5	7125	5760	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6615	6615	1.12
2001	002	2800	0.06	1120	1	55	80	2.5	5	4	7000	5880	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7840	6720	6720	1.12
2001	003	2800	0.06	1620	1	55	80	2.5	5	4	7000	5380	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7840	6220	6220	1.12
2001	004	2700	0.06	1535	1	55	80	2.5	5	4	6750	5215	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7560	6025	6025	1.12
2001	007	2700	0.06	1222	1	55	80	2.5	5	4	6750	5528	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7560	6338	6338	1.12
2001	038	2632	0.06	1546	1	55	80	2.5	5	4	6580	5034	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7369.600098	5823.600098	5823.600098	1.12
2002	006	2991	0.07	1238	1	55	80	2.5	6	5	7478	6240	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7136.799805	7136.799805	1.119925
2002	007	2990	0.07	1695	1	55	80	2.5	6	5	7475	5780	RH-1	40	form-based			true	0.7	6	1	5	5	8372	6677	6677	1.12
2002	008	2989	0.07	1125	1	55	80	2.5	6	5	7472	6347	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	7244.200195	7244.200195	1.120075
2002	009	2988	0.07	1345	1	55	80	2.5	6	5	7470	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8366.399414	7021.399414	7021.399414	1.12
2002	010	2987	0.07	1454	1	55	80	2.5	6	5	7468	6014	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6909.599609	6909.599609	1.119925
2002	011	2986	0.07	1238	1	55	80	2.5	6	5	7465	6227	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	7122.799805	7122.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2002	012	2986	0.07	1332	1	55	80	2.5	6	5	7465	6133	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	7028.799805	7028.799805	1.12
2002	013	2985	0.07	2902	1	55	80	2.5	6	5	7462	4560	RH-1	40	form-based			true	0.7	6	1	5	5	8358	5456	5456	1.120075
2002	014	2984	0.07	1238	1	55	80	2.5	6	5	7460	6222	RH-1	40	form-based			true	0.7	6	1	5	5	8355.200195	7117.200195	7117.200195	1.12
2002	015	2983	0.07	1238	1	55	80	2.5	6	5	7458	6220	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7114.399414	7114.399414	1.119925
2002	016	2982	0.07	1238	1	55	80	2.5	6	5	7455	6217	RH-1	40	form-based			true	0.7	6	1	5	5	8349.599609	7111.599609	7111.599609	1.12
2002	017	2981	0.07	1418	1	55	80	2.5	6	5	7452	6034	RH-1	40	form-based			true	0.7	6	1	5	5	8346.799805	6928.799805	6928.799805	1.120075
2002	018	2980	0.07	1238	1	55	80	2.5	6	5	7450	6212	RH-1	40	form-based			true	0.7	6	1	5	5	8344	7106	7106	1.12
2002	019	2979	0.07	3035	1	55	80	2.5	6	5	7448	4413	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	5306.200195	5306.200195	1.119925
2002	020	3067	0.07	1238	1	55	80	2.5	6	5	7668	6430	RH-1	40	form-based			true	0.7	6	1	5	5	8587.599609	7349.599609	7349.599609	1.119927
2002	021B	1700	0.04	1237	1	55	80	2.5	3	2	4250	3013	RTO-C	65	form-based			true	0.75	6	2	5	5	7650	6413	6413	1.8
2002	022	1700	0.04	1737	1	55	80	2.5	3	2	4250	2513	RTO-C	65	form-based			true	0.75	6	2	5	5	7650	5913	5913	1.8
2003	008	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2002	023A	1700	0.04	1237	1	55	80	2.5	3	2	4250	3013	RTO-C	65	form-based			true	0.75	6	2	5	5	7650	6413	6413	1.8
2002	023B	1700	0.04	1603	1	55	80	2.5	3	2	4250	2647	RTO-C	65	form-based			true	0.75	6	2	5	5	7650	6047	6047	1.8
2002	025	3089	0.07	1201	1	55	80	2.5	6	5	7722	6521	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	7448.200195	7448.200195	1.120073
2002	026	3000	0.07	1032	1	55	80	2.5	6	5	7500	6468	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7368	7368	1.12
2002	027	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2002	028	3000	0.07	944	1	55	80	2.5	6	5	7500	6556	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7456	7456	1.12
2002	029	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2002	030	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2002	031	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2002	032	3000	0.07	1064	1	55	80	2.5	6	5	7500	6436	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7336	7336	1.12
2002	033	3000	0.07	1312	1	55	80	2.5	6	5	7500	6188	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7088	7088	1.12
2002	035	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2002	036	3000	0.07	1125	1	55	80	2.5	6	5	7500	6375	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7275	7275	1.12
2002	037	3000	0.07	1251	1	55	80	2.5	6	5	7500	6249	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7149	7149	1.12
2002	038	3000	0.07	2136	1	55	80	2.5	6	5	7500	5364	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6264	6264	1.12
2003	005	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	006	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	007	2976	0.07	2345	1	55	80	2.5	6	5	7440	5095	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	5987.799805	5987.799805	1.12
2003	009	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	010	2976	0.07	1425	1	55	80	2.5	6	5	7440	6015	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6907.799805	6907.799805	1.12
2003	011	2976	0.07	2773	1	55	80	2.5	6	5	7440	4667	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	5559.799805	5559.799805	1.12
2003	012	2976	0.07	1217	1	55	80	2.5	6	5	7440	6223	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7115.799805	7115.799805	1.12
2003	013	2976	0.07	1020	1	55	80	2.5	6	5	7440	6420	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7312.799805	7312.799805	1.12
2003	014	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	015	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	016	2976	0.07	2161	1	55	80	2.5	6	5	7440	5279	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6171.799805	6171.799805	1.12
2003	017	2976	0.07	1130	1	55	80	2.5	6	5	7440	6310	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7202.799805	7202.799805	1.12
2003	018	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	019	2976	0.07	1406	1	55	80	2.5	6	5	7440	6034	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6926.799805	6926.799805	1.12
2003	020	3065	0.07	850	1	55	80	2.5	6	5	7662	6812	RH-1	40	form-based			true	0.7	6	1	5	5	8582	7732	7732	1.120073
2003	021	1659	0.04	850	1	55	80	2.5	3	2	4148	3298	RTO-C	65	form-based			true	0.75	6	2	5	5	7465.5	6615.5	6615.5	1.799783
2003	032	1659	0.04	985	1	55	80	2.5	3	2	4148	3163	RTO-C	65	form-based			true	0.75	6	2	5	5	7465.5	6480.5	6480.5	1.799783
2003	033	3065	0.07	850	1	55	80	2.5	6	5	7662	6812	RH-1	40	form-based			true	0.7	6	1	5	5	8582	7732	7732	1.120073
2003	034	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	035	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	036	2976	0.07	2230	1	55	80	2.5	6	5	7440	5210	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6102.799805	6102.799805	1.12
2003	037	2976	0.07	1359	1	55	80	2.5	6	5	7440	6081	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6973.799805	6973.799805	1.12
2003	038	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	039	2976	0.07	1179	1	55	80	2.5	6	5	7440	6261	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7153.799805	7153.799805	1.12
2003	040	2976	0.07	990	1	55	80	2.5	6	5	7440	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7342.799805	7342.799805	1.12
2003	041	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	042	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	043	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	044	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	045	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	046	2976	0.07	1408	1	55	80	2.5	6	5	7440	6032	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6924.799805	6924.799805	1.12
2003	047	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2003	048	2976	0.07	850	1	55	80	2.5	6	5	7440	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7482.799805	7482.799805	1.12
2004	005	3006	0.07	1082	1	55	80	2.5	6	5	7515	6433	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7334.799805	7334.799805	1.12
2004	006	3006	0.07	1082	1	55	80	2.5	6	5	7515	6433	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7334.799805	7334.799805	1.12
2004	007	3006	0.07	1632	1	55	80	2.5	6	5	7515	5883	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6784.799805	6784.799805	1.12
2004	008	3006	0.07	1082	1	55	80	2.5	6	5	7515	6433	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7334.799805	7334.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2004	009	3006	0.07	1082	1	55	80	2.5	6	5	7515	6433	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7334.799805	7334.799805	1.12
2004	010	3006	0.07	1082	1	55	80	2.5	6	5	7515	6433	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7334.799805	7334.799805	1.12
2004	011	3006	0.07	1238	1	55	80	2.5	6	5	7515	6277	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7178.799805	7178.799805	1.12
2004	012	3006	0.07	1082	1	55	80	2.5	6	5	7515	6433	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7334.799805	7334.799805	1.12
2004	013	3006	0.07	1770	1	55	80	2.5	6	5	7515	5745	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6646.799805	6646.799805	1.12
2004	014	3006	0.07	1562	1	55	80	2.5	6	5	7515	5953	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6854.799805	6854.799805	1.12
2004	015	3006	0.07	1082	1	55	80	2.5	6	5	7515	6433	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7334.799805	7334.799805	1.12
2004	016	3006	0.07	1082	1	55	80	2.5	6	5	7515	6433	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7334.799805	7334.799805	1.12
2004	017	3006	0.07	1082	1	55	80	2.5	6	5	7515	6433	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7334.799805	7334.799805	1.12
2004	018	3006	0.07	1082	1	55	80	2.5	6	5	7515	6433	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7334.799805	7334.799805	1.12
2004	019	3006	0.07	1024	1	55	80	2.5	6	5	7515	6491	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7392.799805	7392.799805	1.12
2004	020	3095	0.07	1518	1	55	80	2.5	6	5	7738	6220	RH-1	40	form-based			true	0.7	6	1	5	5	8666	7148	7148	1.119928
2004	022	1700	0.04	3000	1	55	80	2.5	3	2	4250	1250	NC-1	65	form-based		true	true	0.75	6	2	5	5	7650	4650	4650	1.8
2004	024	1700	0.04	1028	1	55	80	2.5	3	2	4250	3222	NC-1	65	form-based			true	0.75	6	2	5	5	7650	6622	6622	1.8
2004	024A	1700	0.04	800	1	55	80	2.5	3	2	4250	3450	NC-1	65	form-based			true	0.75	6	2	5	5	7650	6850	6850	1.8
2004	030	3089	0.07	1192	1	55	80	2.5	6	5	7722	6530	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	7457.200195	7457.200195	1.120073
2004	031	3000	0.07	1862	1	55	80	2.5	6	5	7500	5638	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6538	6538	1.12
2004	032	3000	0.07	1470	1	55	80	2.5	6	5	7500	6030	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6930	6930	1.12
2004	033	3000	0.07	1258	1	55	80	2.5	6	5	7500	6242	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7142	7142	1.12
2004	034	3000	0.07	881	1	55	80	2.5	6	5	7500	6619	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7519	7519	1.12
2004	035	3000	0.07	771	1	55	80	2.5	6	5	7500	6729	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7629	7629	1.12
2004	036	3000	0.07	1280	1	55	80	2.5	6	5	7500	6220	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7120	7120	1.12
2004	037	3000	0.07	771	1	55	80	2.5	6	5	7500	6729	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7629	7629	1.12
2004	038	3000	0.07	1195	1	55	80	2.5	6	5	7500	6305	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7205	7205	1.12
2004	039	3000	0.07	950	1	55	80	2.5	6	5	7500	6550	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7450	7450	1.12
2004	040	3000	0.07	1125	1	55	80	2.5	6	5	7500	6375	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7275	7275	1.12
2004	041	3000	0.07	1125	1	55	80	2.5	6	5	7500	6375	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7275	7275	1.12
2004	042	3000	0.07	2255	1	55	80	2.5	6	5	7500	5245	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6145	6145	1.12
2004	043	3000	0.07	1257	1	55	80	2.5	6	5	7500	6243	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7143	7143	1.12
2004	044	3000	0.07	1535	1	55	80	2.5	6	5	7500	5965	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6865	6865	1.12
2004	045	3000	0.07	1451	1	55	80	2.5	6	5	7500	6049	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6949	6949	1.12
2005	023	3000	0.07	1204	1	55	80	2.5	6	5	7500	6296	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7196	7196	1.12
2005	024	3000	0.07	1204	1	55	80	2.5	6	5	7500	6296	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7196	7196	1.12
2005	025	3000	0.07	1204	1	55	80	2.5	6	5	7500	6296	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7196	7196	1.12
2005	026	3000	0.07	1204	1	55	80	2.5	6	5	7500	6296	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7196	7196	1.12
2005	027	3000	0.07	1782	1	55	80	2.5	6	5	7500	5718	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6618	6618	1.12
2005	028	3000	0.07	1204	1	55	80	2.5	6	5	7500	6296	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7196	7196	1.12
2005	029	3000	0.07	1204	1	55	80	2.5	6	5	7500	6296	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7196	7196	1.12
2005	030	3000	0.07	1204	1	55	80	2.5	6	5	7500	6296	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7196	7196	1.12
2005	031	3000	0.07	1285	1	55	80	2.5	6	5	7500	6215	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7115	7115	1.12
2005	032	3000	0.07	1204	1	55	80	2.5	6	5	7500	6296	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7196	7196	1.12
2005	033	3000	0.07	1204	1	55	80	2.5	6	5	7500	6296	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7196	7196	1.12
2005	034	3000	0.07	1204	1	55	80	2.5	6	5	7500	6296	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7196	7196	1.12
2005	035	3000	0.07	1204	1	55	80	2.5	6	5	7500	6296	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7196	7196	1.12
2005	036	3000	0.07	1204	1	55	80	2.5	6	5	7500	6296	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7196	7196	1.12
2005	037	3000	0.07	1735	1	55	80	2.5	6	5	7500	5765	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6665	6665	1.12
2005	038	3065	0.07	1125	1	55	80	2.5	6	5	7662	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8582	7457	7457	1.120073
2006	002	3009	0.07	2223	1	55	80	2.5	6	5	7522	5299	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6202.200195	6202.200195	1.120075
2006	003	3010	0.07	1150	1	55	80	2.5	6	5	7525	6375	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7278	7278	1.12
2006	004	3012	0.07	1193	1	55	80	2.5	6	5	7530	6337	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	7240.599609	7240.599609	1.12
2006	005	3015	0.07	938	1	55	80	2.5	6	5	7538	6600	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7504	7504	1.119926
2006	005A	3016	0.07	938	1	55	80	2.5	6	5	7540	6602	RH-1	40	form-based			true	0.7	6	1	5	5	8444.799805	7506.799805	7506.799805	1.12
2006	005B	3018	0.07	938	1	55	80	2.5	6	5	7545	6607	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7512.399414	7512.399414	1.12
2006	005C	3019	0.07	981	1	55	80	2.5	6	5	7548	6567	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	7472.200195	7472.200195	1.119926
2006	005D	3021	0.07	938	1	55	80	2.5	6	5	7552	6614	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7520.799805	7520.799805	1.120074
2006	005E	3022	0.07	938	1	55	80	2.5	6	5	7555	6617	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	7523.599609	7523.599609	1.12
2006	006	2933	0.07	1032	1	55	80	2.5	6	5	7332	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8212.399414	7180.399414	7180.399414	1.120076
2006	006A	2935	0.07	1032	1	55	80	2.5	6	5	7338	6306	RH-1	40	form-based			true	0.7	6	1	5	5	8218	7186	7186	1.119924
2006	007	2936	0.07	1510	1	55	80	2.5	6	5	7340	5830	RH-1	40	form-based			true	0.7	6	1	5	5	8220.799805	6710.799805	6710.799805	1.12
2006	007A	2938	0.07	1032	1	55	80	2.5	6	5	7345	6313	RH-1	40	form-based			true	0.7	6	1	5	5	8226.399414	7194.399414	7194.399414	1.12
2006	008	2939	0.07	1032	1	55	80	2.5	6	5	7348	6316	RH-1	40	form-based			true	0.7	6	1	5	5	8229.200195	7197.200195	7197.200195	1.119924
2006	009	2940	0.07	1032	1	55	80	2.5	6	5	7350	6318	RH-1	40	form-based			true	0.7	6	1	5	5	8232	7200	7200	1.12
2006	016	3089	0.07	995	1	55	80	2.5	6	5	7722	6727	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	7654.200195	7654.200195	1.120073
2006	016A	3000	0.07	995	1	55	80	2.5	6	5	7500	6505	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7405	7405	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2006	017	3000	0.07	995	1	55	80	2.5	6	5	7500	6505	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7405	7405	1.12
2006	017A	3000	0.07	1320	1	55	80	2.5	6	5	7500	6180	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7080	7080	1.12
2006	018	3000	0.07	1364	1	55	80	2.5	6	5	7500	6136	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7036	7036	1.12
2006	019	3000	0.07	1417	1	55	80	2.5	6	5	7500	6083	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6983	6983	1.12
2006	020	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2006	020A	3000	0.07	1520	1	55	80	2.5	6	5	7500	5980	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6880	6880	1.12
2006	021	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
2006	021A	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2006	022	3000	0.07	2054	1	55	80	2.5	6	5	7500	5446	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6346	6346	1.12
2006	023	3000	0.07	2761	1	55	80	2.5	6	5	7500	4739	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5639	5639	1.12
2006	024	3000	0.07	1195	1	55	80	2.5	6	5	7500	6305	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7205	7205	1.12
2006	025	3000	0.07	1195	1	55	80	2.5	6	5	7500	6305	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7205	7205	1.12
2006	026	3000	0.07	1195	1	55	80	2.5	6	5	7500	6305	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7205	7205	1.12
2006	026A	3000	0.07	1195	1	55	80	2.5	6	5	7500	6305	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7205	7205	1.12
2007	002	3071	0.07	1516	1	55	80	2.5	6	5	7678	6162	RH-1	40	form-based			true	0.7	6	1	5	5	8598.799805	7082.799805	7082.799805	1.119927
2007	003	2983	0.07	1618	1	55	80	2.5	6	5	7458	5840	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6734.399414	6734.399414	1.119925
2007	003A	2984	0.07	1363	1	55	80	2.5	6	5	7460	6097	RH-1	40	form-based			true	0.7	6	1	5	5	8355.200195	6992.200195	6992.200195	1.12
2007	003B	2984	0.07	1420	1	55	80	2.5	6	5	7460	6040	RH-1	40	form-based			true	0.7	6	1	5	5	8355.200195	6935.200195	6935.200195	1.12
2007	003C	2985	0.07	2017	1	55	80	2.5	6	5	7462	5445	RH-1	40	form-based			true	0.7	6	1	5	5	8358	6341	6341	1.120075
2007	004	2985	0.07	1490	1	55	80	2.5	6	5	7462	5972	RH-1	40	form-based			true	0.7	6	1	5	5	8358	6868	6868	1.120075
2007	004A	2985	0.07	1192	1	55	80	2.5	6	5	7462	6270	RH-1	40	form-based			true	0.7	6	1	5	5	8358	7166	7166	1.120075
2007	004B	2986	0.07	1168	1	55	80	2.5	6	5	7465	6297	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	7192.799805	7192.799805	1.12
2007	004C	2986	0.07	1038	1	55	80	2.5	6	5	7465	6427	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	7322.799805	7322.799805	1.12
2007	004D	2987	0.07	1950	1	55	80	2.5	6	5	7468	5518	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6413.599609	6413.599609	1.119925
2007	004E	2987	0.07	1058	1	55	80	2.5	6	5	7468	6410	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	7305.599609	7305.599609	1.119925
2007	005	2987	0.07	938	1	55	80	2.5	6	5	7468	6530	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	7425.599609	7425.599609	1.119925
2007	005A	2988	0.07	2120	1	55	80	2.5	6	5	7470	5350	RH-1	40	form-based			true	0.7	6	1	5	5	8366.399414	6246.399414	6246.399414	1.12
2007	005B	2988	0.07	938	1	55	80	2.5	6	5	7470	6532	RH-1	40	form-based			true	0.7	6	1	5	5	8366.399414	7428.399414	7428.399414	1.12
2007	005C	2989	0.07	938	1	55	80	2.5	6	5	7472	6534	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	7431.200195	7431.200195	1.120075
2007	005D	2989	0.07	938	1	55	80	2.5	6	5	7472	6534	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	7431.200195	7431.200195	1.120075
2007	006E	3009	0.07	938	1	55	80	2.5	6	5	7522	6584	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7487.200195	7487.200195	1.120075
2007	006F	3011	0.07	938	1	55	80	2.5	6	5	7528	6590	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7492.799805	7492.799805	1.119926
2007	006G	3012	0.07	938	1	55	80	2.5	6	5	7530	6592	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	7495.599609	7495.599609	1.12
2007	006H	3014	0.07	938	1	55	80	2.5	6	5	7535	6597	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7501.200195	7501.200195	1.12
2007	006I	3015	0.07	938	1	55	80	2.5	6	5	7538	6600	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7504	7504	1.119926
2007	007	3017	0.07	938	1	55	80	2.5	6	5	7542	6604	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7509.599609	7509.599609	1.120074
2007	007A	3018	0.07	2092	1	55	80	2.5	6	5	7545	5453	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6358.399414	6358.399414	1.12
2007	007B	3020	0.07	1415	1	55	80	2.5	6	5	7550	6135	RH-1	40	form-based			true	0.7	6	1	5	5	8456	7041	7041	1.12
2007	007C	3021	0.07	1145	1	55	80	2.5	6	5	7552	6407	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7313.799805	7313.799805	1.120074
2007	007D	3023	0.07	938	1	55	80	2.5	6	5	7558	6620	RH-1	40	form-based			true	0.7	6	1	5	5	8464.399414	7526.399414	7526.399414	1.119926
2007	007E	3024	0.07	938	1	55	80	2.5	6	5	7560	6622	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	7529.200195	7529.200195	1.12
2007	008	3026	0.07	938	1	55	80	2.5	6	5	7565	6627	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7534.799805	7534.799805	1.12
2007	009	3028	0.07	1338	1	55	80	2.5	6	5	7570	6232	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	7140.399414	7140.399414	1.12
2007	010	3029	0.07	938	1	55	80	2.5	6	5	7572	6634	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	7543.200195	7543.200195	1.120074
2007	011	3031	0.07	1322	1	55	80	2.5	6	5	7578	6256	RH-1	40	form-based			true	0.7	6	1	5	5	8486.799805	7164.799805	7164.799805	1.119926
2008	001C	3018	0.07	1217	1	55	80	2.5	6	5	7545	6328	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7233.399414	7233.399414	1.12
2008	002	3018	0.07	1212	1	55	80	2.5	6	5	7545	6333	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7238.399414	7238.399414	1.12
2008	002A	3018	0.07	1225	1	55	80	2.5	6	5	7545	6320	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7225.399414	7225.399414	1.12
2008	002B	3018	0.07	1225	1	55	80	2.5	6	5	7545	6320	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7225.399414	7225.399414	1.12
2008	002C	3018	0.07	1225	1	55	80	2.5	6	5	7545	6320	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7225.399414	7225.399414	1.12
2008	002D	3018	0.07	1910	1	55	80	2.5	6	5	7545	5635	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6540.399414	6540.399414	1.12
2008	002E	3018	0.07	1548	1	55	80	2.5	6	5	7545	5997	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6902.399414	6902.399414	1.12
2008	002F	3018	0.07	1225	1	55	80	2.5	6	5	7545	6320	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7225.399414	7225.399414	1.12
2008	002G	3018	0.07	1379	1	55	80	2.5	6	5	7545	6166	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7071.399414	7071.399414	1.12
2008	002H	3018	0.07	1650	1	55	80	2.5	6	5	7545	5895	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6800.399414	6800.399414	1.12
2008	002I	3018	0.07	1150	1	55	80	2.5	6	5	7545	6395	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7300.399414	7300.399414	1.12
2008	002J	3018	0.07	1150	1	55	80	2.5	6	5	7545	6395	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7300.399414	7300.399414	1.12
2008	002K	3018	0.07	1150	1	55	80	2.5	6	5	7545	6395	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7300.399414	7300.399414	1.12
2008	002L	3018	0.07	2625	1	55	80	2.5	6	5	7545	4920	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	5825.399414	5825.399414	1.12
2008	002M	3018	0.07	1672	1	55	80	2.5	6	5	7545	5873	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6778.399414	6778.399414	1.12
2008	002N	3018	0.07	1513	1	55	80	2.5	6	5	7545	6032	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6937.399414	6937.399414	1.12
2008	004	3089	0.07	1050	1	55	80	2.5	6	5	7722	6672	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	7599.200195	7599.200195	1.120073
2008	005	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
2008	006	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2008	006A	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
2008	007	3000	0.07	1394	1	55	80	2.5	6	5	7500	6106	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7006	7006	1.12
2008	007A	3000	0.07	2800	1	55	80	2.5	6	5	7500	4700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5600	5600	1.12
2008	007B	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
2008	007C	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
2008	008	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2008	009	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2008	010	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2008	011	3000	0.07	1362	1	55	80	2.5	6	5	7500	6138	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7038	7038	1.12
2008	012	3000	0.07	1322	1	55	80	2.5	6	5	7500	6178	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7078	7078	1.12
2008	013	3000	0.07	2424	1	55	80	2.5	6	5	7500	5076	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5976	5976	1.12
2008	014	3000	0.07	1765	1	55	80	2.5	6	5	7500	5735	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6635	6635	1.12
2008	015	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2008	016	3000	0.07	1318	1	55	80	2.5	6	5	7500	6182	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7082	7082	1.12
2009	002	3014	0.07	1175	1	55	80	2.5	6	5	7535	6360	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7264.200195	7264.200195	1.12
2009	002A	3014	0.07	1615	1	55	80	2.5	6	5	7535	5920	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6824.200195	6824.200195	1.12
2009	002B	3014	0.07	1433	1	55	80	2.5	6	5	7535	6102	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7006.200195	7006.200195	1.12
2009	002C	3014	0.07	1175	1	55	80	2.5	6	5	7535	6360	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7264.200195	7264.200195	1.12
2009	002D	3014	0.07	1331	1	55	80	2.5	6	5	7535	6204	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7108.200195	7108.200195	1.12
2009	002E	3014	0.07	1213	1	55	80	2.5	6	5	7535	6322	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7226.200195	7226.200195	1.12
2009	002F	3014	0.07	2585	1	55	80	2.5	6	5	7535	4950	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	5854.200195	5854.200195	1.12
2009	002G	3014	0.07	1236	1	55	80	2.5	6	5	7535	6299	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7203.200195	7203.200195	1.12
2009	002H	3014	0.07	1213	1	55	80	2.5	6	5	7535	6322	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7226.200195	7226.200195	1.12
2009	002I	3014	0.07	1213	1	55	80	2.5	6	5	7535	6322	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7226.200195	7226.200195	1.12
2009	003	3014	0.07	1213	1	55	80	2.5	6	5	7535	6322	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7226.200195	7226.200195	1.12
2009	004	3014	0.07	2328	1	55	80	2.5	6	5	7535	5207	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6111.200195	6111.200195	1.12
2009	004B	1700	0.04	1169	1	55	80	2.5	3	2	4250	3081	RTO-C	65	form-based			true	0.75	6	2	5	5	7650	6481	6481	1.8
2009	004C	1700	0.04	1516	1	55	80	2.5	3	2	4250	2734	RTO-C	65	form-based			true	0.75	6	2	5	5	7650	6134	6134	1.8
2009	004J	3089	0.07	1684	1	55	80	2.5	6	5	7722	6038	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	6965.200195	6965.200195	1.120073
2009	004K	3000	0.07	2055	1	55	80	2.5	6	5	7500	5445	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6345	6345	1.12
2009	004L	3000	0.07	863	1	55	80	2.5	6	5	7500	6637	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7537	7537	1.12
2009	004M	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2009	004N	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2009	004O	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2009	004P	3000	0.07	1750	1	55	80	2.5	6	5	7500	5750	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6650	6650	1.12
2009	004Q	3000	0.07	1420	1	55	80	2.5	6	5	7500	6080	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6980	6980	1.12
2009	004R	3000	0.07	1655	1	55	80	2.5	6	5	7500	5845	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6745	6745	1.12
2009	004S	3000	0.07	1332	1	55	80	2.5	6	5	7500	6168	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7068	7068	1.12
2009	004T	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2009	004U	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2009	004V	3000	0.07	1665	1	55	80	2.5	6	5	7500	5835	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6735	6735	1.12
2009	004W	3014	0.07	1720	1	55	80	2.5	6	5	7535	5815	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6719.200195	6719.200195	1.12
2009	004X	3014	0.07	1213	1	55	80	2.5	6	5	7535	6322	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7226.200195	7226.200195	1.12
2009	004Y	3014	0.07	1213	1	55	80	2.5	6	5	7535	6322	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7226.200195	7226.200195	1.12
2009	005	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2009	005A	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2009	005B	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2010	004	2964	0.07	800	1	55	80	2.5	6	5	7410	6610	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7499.200195	7499.200195	1.12
2010	005	2964	0.07	800	1	55	80	2.5	6	5	7410	6610	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7499.200195	7499.200195	1.12
2010	006	2964	0.07	800	1	55	80	2.5	6	5	7410	6610	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7499.200195	7499.200195	1.12
2010	007	2964	0.07	1045	1	55	80	2.5	6	5	7410	6365	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7254.200195	7254.200195	1.12
2010	008	2964	0.07	1060	1	55	80	2.5	6	5	7410	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7239.200195	7239.200195	1.12
2010	009	2964	0.07	1009	1	55	80	2.5	6	5	7410	6401	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7290.200195	7290.200195	1.12
2010	010	2964	0.07	950	1	55	80	2.5	6	5	7410	6460	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7349.200195	7349.200195	1.12
2010	011	2964	0.07	800	1	55	80	2.5	6	5	7410	6610	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7499.200195	7499.200195	1.12
2010	012	2964	0.07	1281	1	55	80	2.5	6	5	7410	6129	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7018.200195	7018.200195	1.12
2010	013	2964	0.07	800	1	55	80	2.5	6	5	7410	6610	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7499.200195	7499.200195	1.12
2010	014	2964	0.07	800	1	55	80	2.5	6	5	7410	6610	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7499.200195	7499.200195	1.12
2010	015	2964	0.07	1032	1	55	80	2.5	6	5	7410	6378	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7267.200195	7267.200195	1.12
2010	016	2964	0.07	800	1	55	80	2.5	6	5	7410	6610	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7499.200195	7499.200195	1.12
2010	017	2964	0.07	800	1	55	80	2.5	6	5	7410	6610	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7499.200195	7499.200195	1.12
2010	018	2964	0.07	800	1	55	80	2.5	6	5	7410	6610	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7499.200195	7499.200195	1.12
2010	019	2964	0.07	930	1	55	80	2.5	6	5	7410	6480	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7369.200195	7369.200195	1.12
2010	020	2964	0.07	976	1	55	80	2.5	6	5	7410	6434	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7323.200195	7323.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2010	021	3053	0.07	1319	1	55	80	2.5	6	5	7632	6313	RH-1	40	form-based			true	0.7	6	1	5	5	8548.399414	7229.399414	7229.399414	1.120073
2010	033	3055	0.07	950	1	55	80	2.5	6	5	7638	6688	RH-1	40	form-based			true	0.7	6	1	5	5	8554	7604	7604	1.119927
2010	034	2965	0.07	800	1	55	80	2.5	6	5	7412	6612	RH-1	40	form-based			true	0.7	6	1	5	5	8302	7502	7502	1.120076
2010	035	2965	0.07	1943	1	55	80	2.5	6	5	7412	5469	RH-1	40	form-based			true	0.7	6	1	5	5	8302	6359	6359	1.120076
2010	036	2965	0.07	800	1	55	80	2.5	6	5	7412	6612	RH-1	40	form-based			true	0.7	6	1	5	5	8302	7502	7502	1.120076
2010	037	2965	0.07	2796	1	55	80	2.5	6	5	7412	4616	RH-1	40	form-based			true	0.7	6	1	5	5	8302	5506	5506	1.120076
2010	038	2965	0.07	1588	1	55	80	2.5	6	5	7412	5824	RH-1	40	form-based			true	0.7	6	1	5	5	8302	6714	6714	1.120076
2010	039	2965	0.07	2930	1	55	80	2.5	6	5	7412	4482	RH-1	40	form-based			true	0.7	6	1	5	5	8302	5372	5372	1.120076
2010	040	2965	0.07	2030	1	55	80	2.5	6	5	7412	5382	RH-1	40	form-based			true	0.7	6	1	5	5	8302	6272	6272	1.120076
2010	041	2965	0.07	1920	1	55	80	2.5	6	5	7412	5492	RH-1	40	form-based			true	0.7	6	1	5	5	8302	6382	6382	1.120076
2010	042	2965	0.07	1508	1	55	80	2.5	6	5	7412	5904	RH-1	40	form-based			true	0.7	6	1	5	5	8302	6794	6794	1.120076
2010	043	2965	0.07	900	1	55	80	2.5	6	5	7412	6512	RH-1	40	form-based			true	0.7	6	1	5	5	8302	7402	7402	1.120076
2010	044	2965	0.07	800	1	55	80	2.5	6	5	7412	6612	RH-1	40	form-based			true	0.7	6	1	5	5	8302	7502	7502	1.120076
2010	045	2965	0.07	800	1	55	80	2.5	6	5	7412	6612	RH-1	40	form-based			true	0.7	6	1	5	5	8302	7502	7502	1.120076
2010	046	2965	0.07	800	1	55	80	2.5	6	5	7412	6612	RH-1	40	form-based			true	0.7	6	1	5	5	8302	7502	7502	1.120076
2010	047	2965	0.07	800	1	55	80	2.5	6	5	7412	6612	RH-1	40	form-based			true	0.7	6	1	5	5	8302	7502	7502	1.120076
2010	048	2965	0.07	800	1	55	80	2.5	6	5	7412	6612	RH-1	40	form-based			true	0.7	6	1	5	5	8302	7502	7502	1.120076
2010	049	2965	0.07	1148	1	55	80	2.5	6	5	7412	6264	RH-1	40	form-based			true	0.7	6	1	5	5	8302	7154	7154	1.120076
2010	050	2965	0.07	800	1	55	80	2.5	6	5	7412	6612	RH-1	40	form-based			true	0.7	6	1	5	5	8302	7502	7502	1.120076
2011	001C	2948	0.07	2004	1	55	80	2.5	6	5	7370	5366	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6250.399414	6250.399414	1.12
2011	002	2948	0.07	1363	1	55	80	2.5	6	5	7370	6007	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6891.399414	6891.399414	1.12
2011	002A	2948	0.07	1545	1	55	80	2.5	6	5	7370	5825	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6709.399414	6709.399414	1.12
2011	002B	2948	0.07	1558	1	55	80	2.5	6	5	7370	5812	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6696.399414	6696.399414	1.12
2011	002C	2948	0.07	1363	1	55	80	2.5	6	5	7370	6007	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6891.399414	6891.399414	1.12
2011	003	2948	0.07	1225	1	55	80	2.5	6	5	7370	6145	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	7029.399414	7029.399414	1.12
2011	003A	2948	0.07	2051	1	55	80	2.5	6	5	7370	5319	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6203.399414	6203.399414	1.12
2011	003B	2948	0.07	1225	1	55	80	2.5	6	5	7370	6145	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	7029.399414	7029.399414	1.12
2011	003C	2948	0.07	1824	1	55	80	2.5	6	5	7370	5546	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6430.399414	6430.399414	1.12
2011	004	2948	0.07	1673	1	55	80	2.5	6	5	7370	5697	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6581.399414	6581.399414	1.12
2011	004A	2948	0.07	1325	1	55	80	2.5	6	5	7370	6045	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6929.399414	6929.399414	1.12
2011	004B	2948	0.07	1570	1	55	80	2.5	6	5	7370	5800	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6684.399414	6684.399414	1.12
2011	004C	2948	0.07	2375	1	55	80	2.5	6	5	7370	4995	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	5879.399414	5879.399414	1.12
2011	005	2948	0.07	1520	1	55	80	2.5	6	5	7370	5850	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6734.399414	6734.399414	1.12
2011	005A	2948	0.07	2522	1	55	80	2.5	6	5	7370	4848	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	5732.399414	5732.399414	1.12
2011	005B	2948	0.07	1325	1	55	80	2.5	6	5	7370	6045	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6929.399414	6929.399414	1.12
2011	005C	3037	0.07	1325	1	55	80	2.5	6	5	7592	6267	RH-1	40	form-based			true	0.7	6	1	5	5	8503.599609	7178.599609	7178.599609	1.120074
2011	008	3065	0.07	1000	1	55	80	2.5	6	5	7662	6662	RH-1	40	form-based			true	0.7	6	1	5	5	8582	7582	7582	1.120073
2011	008A	2991	0.07	1000	1	55	80	2.5	6	5	7478	6478	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7374.799805	7374.799805	1.119925
2011	008B	2991	0.07	1256	1	55	80	2.5	6	5	7478	6222	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7118.799805	7118.799805	1.119925
2011	008C	2991	0.07	1598	1	55	80	2.5	6	5	7478	5880	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	6776.799805	6776.799805	1.119925
2011	009	2991	0.07	1208	1	55	80	2.5	6	5	7478	6270	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7166.799805	7166.799805	1.119925
2011	009A	2991	0.07	1080	1	55	80	2.5	6	5	7478	6398	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7294.799805	7294.799805	1.119925
2011	009B	2991	0.07	1000	1	55	80	2.5	6	5	7478	6478	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7374.799805	7374.799805	1.119925
2011	009C	2991	0.07	1000	1	55	80	2.5	6	5	7478	6478	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7374.799805	7374.799805	1.119925
2011	010	2991	0.07	1238	1	55	80	2.5	6	5	7478	6240	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7136.799805	7136.799805	1.119925
2011	010A	2991	0.07	1000	1	55	80	2.5	6	5	7478	6478	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7374.799805	7374.799805	1.119925
2011	010B	2991	0.07	1240	1	55	80	2.5	6	5	7478	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7134.799805	7134.799805	1.119925
2011	010C	2991	0.07	1088	1	55	80	2.5	6	5	7478	6390	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7286.799805	7286.799805	1.119925
2011	011	2991	0.07	1509	1	55	80	2.5	6	5	7478	5969	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	6865.799805	6865.799805	1.119925
2011	011A	2991	0.07	1288	1	55	80	2.5	6	5	7478	6190	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7086.799805	7086.799805	1.119925
2011	011B	2991	0.07	1295	1	55	80	2.5	6	5	7478	6183	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7079.799805	7079.799805	1.119925
2011	011C	2991	0.07	1268	1	55	80	2.5	6	5	7478	6210	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7106.799805	7106.799805	1.119925
2011	012	2991	0.07	1268	1	55	80	2.5	6	5	7478	6210	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7106.799805	7106.799805	1.119925
2012	007	3029	0.07	2230	1	55	80	2.5	6	5	7572	5342	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	6251.200195	6251.200195	1.120074
2012	008	3029	0.07	1220	1	55	80	2.5	6	5	7572	6352	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	7261.200195	7261.200195	1.120074
2012	009	3029	0.07	1100	1	55	80	2.5	6	5	7572	6472	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	7381.200195	7381.200195	1.120074
2012	010	3029	0.07	1300	1	55	80	2.5	6	5	7572	6272	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	7181.200195	7181.200195	1.120074
2012	011	3029	0.07	2262	1	55	80	2.5	6	5	7572	5310	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	6219.200195	6219.200195	1.120074
2012	012	3029	0.07	1890	1	55	80	2.5	6	5	7572	5682	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	6591.200195	6591.200195	1.120074
2012	013	3029	0.07	1300	1	55	80	2.5	6	5	7572	6272	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	7181.200195	7181.200195	1.120074
2012	014	3029	0.07	1832	1	55	80	2.5	6	5	7572	5740	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	6649.200195	6649.200195	1.120074
2012	015	3029	0.07	1844	1	55	80	2.5	6	5	7572	5728	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	6637.200195	6637.200195	1.120074
2012	016	3029	0.07	1296	1	55	80	2.5	6	5	7572	6276	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	7185.200195	7185.200195	1.120074
2012	016A	3029	0.07	2315	1	55	80	2.5	6	5	7572	5257	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	6166.200195	6166.200195	1.120074

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2012	017	3029	0.07	1375	1	55	80	2.5	6	5	7572	6197	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	7106.200195	7106.200195	1.120074
2012	018	3029	0.07	1292	1	55	80	2.5	6	5	7572	6280	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	7189.200195	7189.200195	1.120074
2012	027	3089	0.07	1309	1	55	80	2.5	6	5	7722	6413	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	7340.200195	7340.200195	1.120073
2012	028	3000	0.07	1844	1	55	80	2.5	6	5	7500	5656	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6556	6556	1.12
2012	029	3000	0.07	1849	1	55	80	2.5	6	5	7500	5651	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6551	6551	1.12
2012	030	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
2012	031	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2012	032	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
2012	033	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2012	034	3000	0.07	1353	1	55	80	2.5	6	5	7500	6147	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7047	7047	1.12
2012	035	3000	0.07	1548	1	55	80	2.5	6	5	7500	5952	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6852	6852	1.12
2012	036	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2012	037	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2012	038	3000	0.07	1510	1	55	80	2.5	6	5	7500	5990	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6890	6890	1.12
2012	039	3000	0.07	1497	1	55	80	2.5	6	5	7500	6003	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6903	6903	1.12
2012	040	3000	0.07	1093	1	55	80	2.5	6	5	7500	6407	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7307	7307	1.12
2012	041	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2012	042	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2014	002A	3014	0.07	1200	1	55	80	2.5	6	5	7535	6335	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7239.200195	7239.200195	1.12
2014	002B	3014	0.07	1200	1	55	80	2.5	6	5	7535	6335	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7239.200195	7239.200195	1.12
2014	002C	3014	0.07	2113	1	55	80	2.5	6	5	7535	5422	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6326.200195	6326.200195	1.12
2014	002D	3014	0.07	1948	1	55	80	2.5	6	5	7535	5587	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6491.200195	6491.200195	1.12
2014	002E	3014	0.07	1723	1	55	80	2.5	6	5	7535	5812	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6716.200195	6716.200195	1.12
2014	002F	3014	0.07	1570	1	55	80	2.5	6	5	7535	5965	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6869.200195	6869.200195	1.12
2014	002G	3014	0.07	1900	1	55	80	2.5	6	5	7535	5635	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6539.200195	6539.200195	1.12
2014	002H	3014	0.07	1620	1	55	80	2.5	6	5	7535	5915	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6819.200195	6819.200195	1.12
2014	002I	3014	0.07	1690	1	55	80	2.5	6	5	7535	5845	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6749.200195	6749.200195	1.12
2014	002J	3014	0.07	1444	1	55	80	2.5	6	5	7535	6091	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6995.200195	6995.200195	1.12
2014	003	3014	0.07	1567	1	55	80	2.5	6	5	7535	5968	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6872.200195	6872.200195	1.12
2014	003A	3014	0.07	2522	1	55	80	2.5	6	5	7535	5013	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	5917.200195	5917.200195	1.12
2014	003B	3014	0.07	1313	1	55	80	2.5	6	5	7535	6222	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7126.200195	7126.200195	1.12
2014	003C	3014	0.07	1225	1	55	80	2.5	6	5	7535	6310	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7214.200195	7214.200195	1.12
2014	003D	3014	0.07	1425	1	55	80	2.5	6	5	7535	6110	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7014.200195	7014.200195	1.12
2014	004A	3000	0.07	2298	1	55	80	2.5	6	5	7500	5202	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6102	6102	1.12
2014	004B	3000	0.07	1625	1	55	80	2.5	6	5	7500	5875	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6775	6775	1.12
2014	004C	3000	0.07	1650	1	55	80	2.5	6	5	7500	5850	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6750	6750	1.12
2014	004D	3000	0.07	1908	1	55	80	2.5	6	5	7500	5592	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6492	6492	1.12
2014	004E	3000	0.07	2523	1	55	80	2.5	6	5	7500	4977	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5877	5877	1.12
2014	005	3000	0.07	2265	1	55	80	2.5	6	5	7500	5235	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6135	6135	1.12
2014	005A	3000	0.07	1619	1	55	80	2.5	6	5	7500	5881	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6781	6781	1.12
2014	005B	3000	0.07	1632	1	55	80	2.5	6	5	7500	5868	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6768	6768	1.12
2014	005D	3000	0.07	1950	1	55	80	2.5	6	5	7500	5550	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6450	6450	1.12
2014	005E	3000	0.07	1475	1	55	80	2.5	6	5	7500	6025	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6925	6925	1.12
2014	005F	3000	0.07	1808	1	55	80	2.5	6	5	7500	5692	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6592	6592	1.12
2014	006	3000	0.07	2050	1	55	80	2.5	6	5	7500	5450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6350	6350	1.12
2014	007	3000	0.07	1650	1	55	80	2.5	6	5	7500	5850	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6750	6750	1.12
2014	008	3089	0.07	1700	1	55	80	2.5	6	5	7722	6022	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	6949.200195	6949.200195	1.120073
2014	009	2687	0.06	1200	1	55	80	2.5	5	4	6718	5518	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7523.600098	6323.600098	6323.600098	1.119917
2015	002	3000	0.07	1270	1	55	80	2.5	6	5	7500	6230	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7130	7130	1.12
2015	003	3000	0.07	1633	1	55	80	2.5	6	5	7500	5867	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6767	6767	1.12
2015	004	3000	0.07	1811	1	55	80	2.5	6	5	7500	5689	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6589	6589	1.12
2015	005	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2015	006	3000	0.07	1552	1	55	80	2.5	6	5	7500	5948	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6848	6848	1.12
2015	007	3000	0.07	2354	1	55	80	2.5	6	5	7500	5146	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6046	6046	1.12
2015	008	3000	0.07	1626	1	55	80	2.5	6	5	7500	5874	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6774	6774	1.12
2015	009	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2015	009A	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2015	010	3000	0.07	2086	1	55	80	2.5	6	5	7500	5414	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6314	6314	1.12
2015	011	3000	0.07	1602	1	55	80	2.5	6	5	7500	5898	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6798	6798	1.12
2015	011A	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2015	012	3000	0.07	1425	1	55	80	2.5	6	5	7500	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6975	6975	1.12
2015	012A	3000	0.07	2125	1	55	80	2.5	6	5	7500	5375	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6275	6275	1.12
2015	013	3000	0.07	2579	1	55	80	2.5	6	5	7500	4921	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5821	5821	1.12
2015	014	3089	0.07	1675	1	55	80	2.5	6	5	7722	6047	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	6974.200195	6974.200195	1.120073

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2015	020	3089	0.07	2200	1	55	80	2.5	6	5	7722	5522	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	6449.200195	6449.200195	1.120073
2015	021	3000	0.07	2010	1	55	80	2.5	6	5	7500	5490	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6390	6390	1.12
2015	021A	3000	0.07	1655	1	55	80	2.5	6	5	7500	5845	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6745	6745	1.12
2015	022	3000	0.07	1125	1	55	80	2.5	6	5	7500	6375	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7275	7275	1.12
2015	023	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
2015	023A	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
2015	024	3000	0.07	1774	1	55	80	2.5	6	5	7500	5726	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6626	6626	1.12
2015	024A	3000	0.07	1445	1	55	80	2.5	6	5	7500	6055	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6955	6955	1.12
2015	024B	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2015	024C	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2015	025	3000	0.07	2288	1	55	80	2.5	6	5	7500	5212	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6112	6112	1.12
2015	025A	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2015	026	3000	0.07	1354	1	55	80	2.5	6	5	7500	6146	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7046	7046	1.12
2015	026A	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2015	027	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2015	028	3000	0.07	1370	1	55	80	2.5	6	5	7500	6130	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7030	7030	1.12
2016	004	2979	0.07	2651	1	55	80	2.5	6	5	7448	4797	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	5690.200195	5690.200195	1.119925
2016	005	2991	0.07	1300	1	55	80	2.5	6	5	7478	6178	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7074.799805	7074.799805	1.119925
2016	006	2991	0.07	1300	1	55	80	2.5	6	5	7478	6178	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7074.799805	7074.799805	1.119925
2016	007	2991	0.07	1550	1	55	80	2.5	6	5	7478	5928	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	6824.799805	6824.799805	1.119925
2016	008	2991	0.07	1690	1	55	80	2.5	6	5	7478	5788	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	6684.799805	6684.799805	1.119925
2016	009	2991	0.07	1562	1	55	80	2.5	6	5	7478	5916	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	6812.799805	6812.799805	1.119925
2016	010	2991	0.07	1696	1	55	80	2.5	6	5	7478	5782	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	6678.799805	6678.799805	1.119925
2016	011	2991	0.07	1820	1	55	80	2.5	6	5	7478	5658	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	6554.799805	6554.799805	1.119925
2016	012	2991	0.07	1555	1	55	80	2.5	6	5	7478	5923	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	6819.799805	6819.799805	1.119925
2016	013	2991	0.07	2422	1	55	80	2.5	6	5	7478	5056	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	5952.799805	5952.799805	1.119925
2016	014	2991	0.07	2944	1	55	80	2.5	6	5	7478	4534	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	5430.799805	5430.799805	1.119925
2016	015	2991	0.07	1300	1	55	80	2.5	6	5	7478	6178	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	7074.799805	7074.799805	1.119925
2016	017	2991	0.07	1600	1	55	80	2.5	6	5	7478	5878	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	6774.799805	6774.799805	1.119925
2016	018	2991	0.07	1630	1	55	80	2.5	6	5	7478	5848	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	6744.799805	6744.799805	1.119925
2016	019	2991	0.07	1950	1	55	80	2.5	6	5	7478	5528	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	6424.799805	6424.799805	1.119925
2016	020	2991	0.07	1600	1	55	80	2.5	6	5	7478	5878	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	6774.799805	6774.799805	1.119925
2016	021	2803	0.06	1225	1	55	80	2.5	5	4	7008	5783	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7848.399902	6623.399902	6623.399902	1.11992
2016	031	2789	0.06	1025	1	55	80	2.5	5	4	6972	5947	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7809.199707	6784.199707	6784.199707	1.12008
2016	032	2976	0.07	1911	1	55	80	2.5	6	5	7440	5529	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6421.799805	6421.799805	1.12
2016	033	2976	0.07	1025	1	55	80	2.5	6	5	7440	6415	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7307.799805	7307.799805	1.12
2016	034	2976	0.07	1025	1	55	80	2.5	6	5	7440	6415	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7307.799805	7307.799805	1.12
2016	035	2976	0.07	1700	1	55	80	2.5	6	5	7440	5740	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6632.799805	6632.799805	1.12
2016	036	2976	0.07	1025	1	55	80	2.5	6	5	7440	6415	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7307.799805	7307.799805	1.12
2016	037	2976	0.07	1025	1	55	80	2.5	6	5	7440	6415	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7307.799805	7307.799805	1.12
2016	038	2976	0.07	1477	1	55	80	2.5	6	5	7440	5963	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6855.799805	6855.799805	1.12
2016	039	2976	0.07	1313	1	55	80	2.5	6	5	7440	6127	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7019.799805	7019.799805	1.12
2016	040	2976	0.07	2036	1	55	80	2.5	6	5	7440	5404	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6296.799805	6296.799805	1.12
2016	041	2976	0.07	2148	1	55	80	2.5	6	5	7440	5292	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6184.799805	6184.799805	1.12
2016	042	2976	0.07	1433	1	55	80	2.5	6	5	7440	6007	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6899.799805	6899.799805	1.12
2016	043	2976	0.07	1313	1	55	80	2.5	6	5	7440	6127	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7019.799805	7019.799805	1.12
2016	044	2976	0.07	1313	1	55	80	2.5	6	5	7440	6127	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7019.799805	7019.799805	1.12
2016	045	2976	0.07	1313	1	55	80	2.5	6	5	7440	6127	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7019.799805	7019.799805	1.12
2016	046	2976	0.07	1150	1	55	80	2.5	6	5	7440	6290	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7182.799805	7182.799805	1.12
2016	047	2976	0.07	1311	1	55	80	2.5	6	5	7440	6129	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7021.799805	7021.799805	1.12
2016	048	2964	0.07	1150	1	55	80	2.5	6	5	7410	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7149.200195	7149.200195	1.12
2017	004	3028	0.07	1363	1	55	80	2.5	6	5	7570	6207	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	7115.399414	7115.399414	1.12
2017	005	3028	0.07	1350	1	55	80	2.5	6	5	7570	6220	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	7128.399414	7128.399414	1.12
2017	006	3028	0.07	1350	1	55	80	2.5	6	5	7570	6220	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	7128.399414	7128.399414	1.12
2017	007	3028	0.07	1545	1	55	80	2.5	6	5	7570	6025	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	6933.399414	6933.399414	1.12
2017	008	3028	0.07	1350	1	55	80	2.5	6	5	7570	6220	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	7128.399414	7128.399414	1.12
2017	009	3028	0.07	2150	1	55	80	2.5	6	5	7570	5420	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	6328.399414	6328.399414	1.12
2017	010	3028	0.07	1530	1	55	80	2.5	6	5	7570	6040	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	6948.399414	6948.399414	1.12
2017	011	3028	0.07	1511	1	55	80	2.5	6	5	7570	6059	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	6967.399414	6967.399414	1.12
2017	012	3028	0.07	1350	1	55	80	2.5	6	5	7570	6220	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	7128.399414	7128.399414	1.12
2017	013	3028	0.07	1350	1	55	80	2.5	6	5	7570	6220	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	7128.399414	7128.399414	1.12
2017	014	3028	0.07	1647	1	55	80	2.5	6	5	7570	5923	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	6831.399414	6831.399414	1.12
2017	015	3028	0.07	1350	1	55	80	2.5	6	5	7570	6220	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	7128.399414	7128.399414	1.12
2017	016	3028	0.07	1350	1	55	80	2.5	6	5	7570	6220	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	7128.399414	7128.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2017	017	3028	0.07	1875	1	55	80	2.5	6	5	7570	5695	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	6603.399414	6603.399414	1.12
2017	018	3028	0.07	1700	1	55	80	2.5	6	5	7570	5870	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	6778.399414	6778.399414	1.12
2017	019	3028	0.07	1955	1	55	80	2.5	6	5	7570	5615	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	6523.399414	6523.399414	1.12
2017	022	3089	0.07	1629	1	55	80	2.5	6	5	7722	6093	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	7020.200195	7020.200195	1.120073
2017	023	3000	0.07	2511	1	55	80	2.5	6	5	7500	4989	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5889	5889	1.12
2017	024	3000	0.07	2643	1	55	80	2.5	6	5	7500	4857	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5757	5757	1.12
2017	025	3000	0.07	1306	1	55	80	2.5	6	5	7500	6194	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7094	7094	1.12
2017	026	3000	0.07	1338	1	55	80	2.5	6	5	7500	6162	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7062	7062	1.12
2017	027	3000	0.07	1467	1	55	80	2.5	6	5	7500	6033	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6933	6933	1.12
2017	028	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2017	029	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2017	030	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2017	031	3000	0.07	1750	1	55	80	2.5	6	5	7500	5750	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6650	6650	1.12
2017	032	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2017	033	3000	0.07	2462	1	55	80	2.5	6	5	7500	5038	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5938	5938	1.12
2017	034	3000	0.07	1942	1	55	80	2.5	6	5	7500	5558	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6458	6458	1.12
2017	035	3000	0.07	1390	1	55	80	2.5	6	5	7500	6110	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7010	7010	1.12
2017	036	3000	0.07	1891	1	55	80	2.5	6	5	7500	5609	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6509	6509	1.12
2017	037	3000	0.07	1270	1	55	80	2.5	6	5	7500	6230	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7130	7130	1.12
2017	038	3000	0.07	1680	1	55	80	2.5	6	5	7500	5820	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6720	6720	1.12
2018	001A	3045	0.07	1804	1	55	80	2.5	6	5	7612	5808	RH-1	40	form-based			true	0.7	6	1	5	5	8526	6722	6722	1.120074
2018	001C	3045	0.07	1800	1	55	80	2.5	6	5	7612	5812	RH-1	40	form-based			true	0.7	6	1	5	5	8526	6726	6726	1.120074
2018	001D	3045	0.07	1400	1	55	80	2.5	6	5	7612	6212	RH-1	40	form-based			true	0.7	6	1	5	5	8526	7126	7126	1.120074
2018	001E	3045	0.07	1325	1	55	80	2.5	6	5	7612	6287	RH-1	40	form-based			true	0.7	6	1	5	5	8526	7201	7201	1.120074
2018	001F	3045	0.07	1617	1	55	80	2.5	6	5	7612	5995	RH-1	40	form-based			true	0.7	6	1	5	5	8526	6909	6909	1.120074
2018	001G	3045	0.07	2075	1	55	80	2.5	6	5	7612	5537	RH-1	40	form-based			true	0.7	6	1	5	5	8526	6451	6451	1.120074
2018	001H	3045	0.07	1250	1	55	80	2.5	6	5	7612	6362	RH-1	40	form-based			true	0.7	6	1	5	5	8526	7276	7276	1.120074
2018	002	3045	0.07	1500	1	55	80	2.5	6	5	7612	6112	RH-1	40	form-based			true	0.7	6	1	5	5	8526	7026	7026	1.120074
2018	002A	3045	0.07	1418	1	55	80	2.5	6	5	7612	6194	RH-1	40	form-based			true	0.7	6	1	5	5	8526	7108	7108	1.120074
2018	002B	3045	0.07	2010	1	55	80	2.5	6	5	7612	5602	RH-1	40	form-based			true	0.7	6	1	5	5	8526	6516	6516	1.120074
2018	002C	3045	0.07	1250	1	55	80	2.5	6	5	7612	6362	RH-1	40	form-based			true	0.7	6	1	5	5	8526	7276	7276	1.120074
2018	002D	3045	0.07	2061	1	55	80	2.5	6	5	7612	5551	RH-1	40	form-based			true	0.7	6	1	5	5	8526	6465	6465	1.120074
2018	002E	3045	0.07	2900	1	55	80	2.5	6	5	7612	4712	RH-1	40	form-based			true	0.7	6	1	5	5	8526	5626	5626	1.120074
2018	002F	3045	0.07	1872	1	55	80	2.5	6	5	7612	5740	RH-1	40	form-based			true	0.7	6	1	5	5	8526	6654	6654	1.120074
2018	004A	3000	0.07	4212	1	55	80	2.5	6	5	7500	3288	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4188	4188	1.12
2018	004B	3089	0.07	1150	1	55	80	2.5	6	5	7722	6572	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	7499.200195	7499.200195	1.120073
2018	004C	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2018	004D	3000	0.07	1513	1	55	80	2.5	6	5	7500	5987	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6887	6887	1.12
2018	004E	3000	0.07	1560	1	55	80	2.5	6	5	7500	5940	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6840	6840	1.12
2018	005	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2018	006	3000	0.07	1918	1	55	80	2.5	6	5	7500	5582	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6482	6482	1.12
2018	007	3000	0.07	2048	1	55	80	2.5	6	5	7500	5452	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6352	6352	1.12
2018	008	3000	0.07	1537	1	55	80	2.5	6	5	7500	5963	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6863	6863	1.12
2018	009	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2018	010	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2018	011	3000	0.07	1758	1	55	80	2.5	6	5	7500	5742	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6642	6642	1.12
2018	012	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2018	013	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2018	014	3000	0.07	2260	1	55	80	2.5	6	5	7500	5240	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6140	6140	1.12
2018	014A	3000	0.07	1475	1	55	80	2.5	6	5	7500	6025	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6925	6925	1.12
2019	001D	2983	0.07	2556	1	55	80	2.5	6	5	7458	4902	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	5796.399414	5796.399414	1.119925
2019	001E	2983	0.07	1125	1	55	80	2.5	6	5	7458	6333	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7227.399414	7227.399414	1.119925
2019	001F	2983	0.07	1125	1	55	80	2.5	6	5	7458	6333	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7227.399414	7227.399414	1.119925
2019	001G	2983	0.07	1125	1	55	80	2.5	6	5	7458	6333	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7227.399414	7227.399414	1.119925
2019	001H	2983	0.07	1125	1	55	80	2.5	6	5	7458	6333	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	7227.399414	7227.399414	1.119925
2019	002	2983	0.07	1834	1	55	80	2.5	6	5	7458	5624	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6518.399414	6518.399414	1.119925
2019	002A	2983	0.07	1394	1	55	80	2.5	6	5	7458	6064	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6958.399414	6958.399414	1.119925
2019	002B	2983	0.07	1854	1	55	80	2.5	6	5	7458	5604	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6498.399414	6498.399414	1.119925
2019	002C	2983	0.07	1425	1	55	80	2.5	6	5	7458	6033	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6927.399414	6927.399414	1.119925
2019	002D	2983	0.07	2046	1	55	80	2.5	6	5	7458	5412	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6306.399414	6306.399414	1.119925
2019	002E	3071	0.07	1907	1	55	80	2.5	6	5	7678	5771	RH-1	40	form-based			true	0.7	6	1	5	5	8598.799805	6691.799805	6691.799805	1.119927
2019	002F	3089	0.07	1620	1	55	80	2.5	6	5	7722	6102	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	7029.200195	7029.200195	1.120073
2019	002G	3000	0.07	1605	1	55	80	2.5	6	5	7500	5895	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6795	6795	1.12
2019	002H	3000	0.07	2122	1	55	80	2.5	6	5	7500	5378	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6278	6278	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2019	002I	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2019	002J	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2019	002K	3000	0.07	1418	1	55	80	2.5	6	5	7500	6082	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6982	6982	1.12
2019	004	3000	0.07	1368	1	55	80	2.5	6	5	7500	6132	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7032	7032	1.12
2019	005	3000	0.07	1463	1	55	80	2.5	6	5	7500	6037	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6937	6937	1.12
2019	006	3000	0.07	1476	1	55	80	2.5	6	5	7500	6024	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6924	6924	1.12
2019	007	3000	0.07	2299	1	55	80	2.5	6	5	7500	5201	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6101	6101	1.12
2019	008	3000	0.07	1368	1	55	80	2.5	6	5	7500	6132	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7032	7032	1.12
2020	004	2888	0.07	2250	1	55	80	2.5	6	5	7220	4970	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	5836.399902	5836.399902	1.12
2020	005	2888	0.07	2114	1	55	80	2.5	6	5	7220	5106	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	5972.399902	5972.399902	1.12
2020	005A	2888	0.07	2420	1	55	80	2.5	6	5	7220	4800	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	5666.399902	5666.399902	1.12
2020	005B	2888	0.07	1325	1	55	80	2.5	6	5	7220	5895	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	6761.399902	6761.399902	1.12
2020	006	2888	0.07	1965	1	55	80	2.5	6	5	7220	5255	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	6121.399902	6121.399902	1.12
2020	007	2888	0.07	1425	1	55	80	2.5	6	5	7220	5795	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	6661.399902	6661.399902	1.12
2020	008	2888	0.07	1493	1	55	80	2.5	6	5	7220	5727	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	6593.399902	6593.399902	1.12
2020	008A	2888	0.07	1325	1	55	80	2.5	6	5	7220	5895	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	6761.399902	6761.399902	1.12
2020	008B	2888	0.07	1528	1	55	80	2.5	6	5	7220	5692	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	6558.399902	6558.399902	1.12
2020	009	2888	0.07	1528	1	55	80	2.5	6	5	7220	5692	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	6558.399902	6558.399902	1.12
2020	009A	2888	0.07	2480	1	55	80	2.5	6	5	7220	4740	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	5606.399902	5606.399902	1.12
2020	009B	2888	0.07	1125	1	55	80	2.5	6	5	7220	6095	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	6961.399902	6961.399902	1.12
2020	009C	2888	0.07	1595	1	55	80	2.5	6	5	7220	5625	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	6491.399902	6491.399902	1.12
2020	009D	2974	0.07	1986	1	55	80	2.5	6	5	7435	5449	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6341.200195	6341.200195	1.12
2020	009E	2888	0.07	1125	1	55	80	2.5	6	5	7220	6095	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	6961.399902	6961.399902	1.12
2020	009F	2888	0.07	1125	1	55	80	2.5	6	5	7220	6095	RH-1	40	form-based			true	0.7	6	1	5	5	8086.399902	6961.399902	6961.399902	1.12
2021	001	3063	0.07	2282	1	55	80	2.5	6	5	7658	5376	RH-1	40	form-based	true		true	0.7	6	1	5	5	8576.399414	6294.399414	6294.399414	1.119927
2021	002	2959	0.07	1469	1	55	80	2.5	6	5	7398	5929	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	6816.200195	6816.200195	1.119924
2021	003	2959	0.07	1900	1	55	80	2.5	6	5	7398	5498	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	6385.200195	6385.200195	1.119924
2021	004	2959	0.07	1300	1	55	80	2.5	6	5	7398	6098	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	6985.200195	6985.200195	1.119924
2021	005	2959	0.07	1803	1	55	80	2.5	6	5	7398	5595	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	6482.200195	6482.200195	1.119924
2021	006	2959	0.07	1979	1	55	80	2.5	6	5	7398	5419	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	6306.200195	6306.200195	1.119924
2021	007	2959	0.07	1374	1	55	80	2.5	6	5	7398	6024	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	6911.200195	6911.200195	1.119924
2021	007A	2959	0.07	1345	1	55	80	2.5	6	5	7398	6053	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	6940.200195	6940.200195	1.119924
2021	008	2959	0.07	1150	1	55	80	2.5	6	5	7398	6248	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	7135.200195	7135.200195	1.119924
2021	009	2959	0.07	1871	1	55	80	2.5	6	5	7398	5527	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	6414.200195	6414.200195	1.119924
2021	009A	2959	0.07	1125	1	55	80	2.5	6	5	7398	6273	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	7160.200195	7160.200195	1.119924
2021	010	2959	0.07	1541	1	55	80	2.5	6	5	7398	5857	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	6744.200195	6744.200195	1.119924
2021	010A	2959	0.07	1150	1	55	80	2.5	6	5	7398	6248	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	7135.200195	7135.200195	1.119924
2021	011	2959	0.07	1600	1	55	80	2.5	6	5	7398	5798	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	6685.200195	6685.200195	1.119924
2021	012	2959	0.07	1150	1	55	80	2.5	6	5	7398	6248	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	7135.200195	7135.200195	1.119924
2021	013	2959	0.07	2104	1	55	80	2.5	6	5	7398	5294	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	6181.200195	6181.200195	1.119924
2021	014	3047	0.07	1625	1	55	80	2.5	6	5	7618	5993	RH-1	40	form-based			true	0.7	6	1	5	5	8531.599609	6906.599609	6906.599609	1.119926
2021	021	3089	0.07	1562	1	55	80	2.5	6	5	7722	6160	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	7087.200195	7087.200195	1.120073
2021	022	3000	0.07	1508	1	55	80	2.5	6	5	7500	5992	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6892	6892	1.12
2021	023	3000	0.07	1656	1	55	80	2.5	6	5	7500	5844	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6744	6744	1.12
2021	024	3000	0.07	1506	1	55	80	2.5	6	5	7500	5994	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6894	6894	1.12
2021	026	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2021	026A	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2021	027	3000	0.07	1624	1	55	80	2.5	6	5	7500	5876	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6776	6776	1.12
2021	028	3000	0.07	2314	1	55	80	2.5	6	5	7500	5186	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6086	6086	1.12
2021	028A	3000	0.07	1525	1	55	80	2.5	6	5	7500	5975	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6875	6875	1.12
2021	028B	3000	0.07	1342	1	55	80	2.5	6	5	7500	6158	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7058	7058	1.12
2021	029	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2021	029A	3000	0.07	1419	1	55	80	2.5	6	5	7500	6081	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6981	6981	1.12
2022	002	3020	0.07	1664	1	55	80	2.5	6	5	7550	5886	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6792	6792	1.12
2022	003	3020	0.07	2212	1	55	80	2.5	6	5	7550	5338	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6244	6244	1.12
2022	004	3020	0.07	2132	1	55	80	2.5	6	5	7550	5418	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6324	6324	1.12
2022	005	3020	0.07	1847	1	55	80	2.5	6	5	7550	5703	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6609	6609	1.12
2022	006	3020	0.07	2642	1	55	80	2.5	6	5	7550	4908	RH-1	40	form-based			true	0.7	6	1	5	5	8456	5814	5814	1.12
2022	007	3020	0.07	1587	1	55	80	2.5	6	5	7550	5963	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6869	6869	1.12
2022	008	3020	0.07	2600	1	55	80	2.5	6	5	7550	4950	RH-1	40	form-based			true	0.7	6	1	5	5	8456	5856	5856	1.12
2022	009	3020	0.07	2100	1	55	80	2.5	6	5	7550	5450	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6356	6356	1.12
2022	010	3020	0.07	1400	1	55	80	2.5	6	5	7550	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8456	7056	7056	1.12
2022	011	3020	0.07	1400	1	55	80	2.5	6	5	7550	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8456	7056	7056	1.12
2022	012	3020	0.07	2100	1	55	80	2.5	6	5	7550	5450	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6356	6356	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2022	013	3020	0.07	1875	1	55	80	2.5	6	5	7550	5675	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6581	6581	1.12
2022	014	3020	0.07	1770	1	55	80	2.5	6	5	7550	5780	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6686	6686	1.12
2022	015	3020	0.07	1695	1	55	80	2.5	6	5	7550	5855	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6761	6761	1.12
2022	016	3020	0.07	1875	1	55	80	2.5	6	5	7550	5675	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6581	6581	1.12
2022	020	2976	0.07	1150	1	55	80	2.5	6	5	7440	6290	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7182.799805	7182.799805	1.12
2022	021	2976	0.07	1420	1	55	80	2.5	6	5	7440	6020	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6912.799805	6912.799805	1.12
2022	022	2976	0.07	1626	1	55	80	2.5	6	5	7440	5814	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6706.799805	6706.799805	1.12
2022	023	2976	0.07	1525	1	55	80	2.5	6	5	7440	5915	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6807.799805	6807.799805	1.12
2022	024	2976	0.07	1773	1	55	80	2.5	6	5	7440	5667	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6559.799805	6559.799805	1.12
2022	025	2976	0.07	2150	1	55	80	2.5	6	5	7440	5290	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6182.799805	6182.799805	1.12
2022	026	2976	0.07	1831	1	55	80	2.5	6	5	7440	5609	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6501.799805	6501.799805	1.12
2022	027	2976	0.07	1878	1	55	80	2.5	6	5	7440	5562	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6454.799805	6454.799805	1.12
2022	028	2976	0.07	2018	1	55	80	2.5	6	5	7440	5422	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6314.799805	6314.799805	1.12
2022	029	2976	0.07	1231	1	55	80	2.5	6	5	7440	6209	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	7101.799805	7101.799805	1.12
2022	030	2976	0.07	1599	1	55	80	2.5	6	5	7440	5841	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6733.799805	6733.799805	1.12
2022	031	2976	0.07	2117	1	55	80	2.5	6	5	7440	5323	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6215.799805	6215.799805	1.12
2022	032	2976	0.07	2050	1	55	80	2.5	6	5	7440	5390	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6282.799805	6282.799805	1.12
2022	033	2976	0.07	2100	1	55	80	2.5	6	5	7440	5340	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	6232.799805	6232.799805	1.12
2022	034	2976	0.07	2344	1	55	80	2.5	6	5	7440	5096	RH-1	40	form-based			true	0.7	6	1	5	5	8332.799805	5988.799805	5988.799805	1.12
2022	035	2668	0.06	2139	1	55	80	2.5	5	4	6670	4531	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7470.399902	5331.399902	5331.399902	1.12
2023	005	3001	0.07	2677	1	55	80	2.5	6	5	7502	4825	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	5725.799805	5725.799805	1.120075
2023	006	3001	0.07	1419	1	55	80	2.5	6	5	7502	6083	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6983.799805	6983.799805	1.120075
2023	007	3001	0.07	1570	1	55	80	2.5	6	5	7502	5932	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6832.799805	6832.799805	1.120075
2023	008	3001	0.07	1265	1	55	80	2.5	6	5	7502	6237	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	7137.799805	7137.799805	1.120075
2023	009	3001	0.07	1460	1	55	80	2.5	6	5	7502	6042	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6942.799805	6942.799805	1.120075
2023	010	3001	0.07	1190	1	55	80	2.5	6	5	7502	6312	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	7212.799805	7212.799805	1.120075
2023	011	3001	0.07	1650	1	55	80	2.5	6	5	7502	5852	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6752.799805	6752.799805	1.120075
2023	012	3001	0.07	1375	1	55	80	2.5	6	5	7502	6127	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	7027.799805	7027.799805	1.120075
2023	013	3001	0.07	1265	1	55	80	2.5	6	5	7502	6237	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	7137.799805	7137.799805	1.120075
2023	014	3001	0.07	1445	1	55	80	2.5	6	5	7502	6057	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6957.799805	6957.799805	1.120075
2023	015	3001	0.07	1940	1	55	80	2.5	6	5	7502	5562	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6462.799805	6462.799805	1.120075
2023	016	3001	0.07	1640	1	55	80	2.5	6	5	7502	5862	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6762.799805	6762.799805	1.120075
2023	017	3001	0.07	1265	1	55	80	2.5	6	5	7502	6237	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	7137.799805	7137.799805	1.120075
2023	018	3001	0.07	1710	1	55	80	2.5	6	5	7502	5792	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6692.799805	6692.799805	1.120075
2023	019	3001	0.07	1430	1	55	80	2.5	6	5	7502	6072	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6972.799805	6972.799805	1.120075
2023	020	3090	0.07	1420	1	55	80	2.5	6	5	7725	6305	RH-1	40	form-based			true	0.7	6	1	5	5	8652	7232	7232	1.12
2023	032	3089	0.07	2200	1	55	80	2.5	6	5	7722	5522	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	6449.200195	6449.200195	1.120073
2023	033	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
2023	034	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
2023	035	3000	0.07	2180	1	55	80	2.5	6	5	7500	5320	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6220	6220	1.12
2023	036	3000	0.07	1554	1	55	80	2.5	6	5	7500	5946	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6846	6846	1.12
2023	037	3000	0.07	1305	1	55	80	2.5	6	5	7500	6195	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7095	7095	1.12
2023	038	3000	0.07	1493	1	55	80	2.5	6	5	7500	6007	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6907	6907	1.12
2023	039	3000	0.07	1205	1	55	80	2.5	6	5	7500	6295	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7195	7195	1.12
2023	040	3000	0.07	2105	1	55	80	2.5	6	5	7500	5395	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6295	6295	1.12
2023	041	3000	0.07	1910	1	55	80	2.5	6	5	7500	5590	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6490	6490	1.12
2023	042	3000	0.07	1941	1	55	80	2.5	6	5	7500	5559	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6459	6459	1.12
2023	043	3000	0.07	2049	1	55	80	2.5	6	5	7500	5451	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6351	6351	1.12
2023	044	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2023	045	3000	0.07	1289	1	55	80	2.5	6	5	7500	6211	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7111	7111	1.12
2023	047	3000	0.07	2079	1	55	80	2.5	6	5	7500	5421	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6321	6321	1.12
2024	005	3030	0.07	1275	1	55	80	2.5	6	5	7575	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8484	7209	7209	1.12
2024	006	3030	0.07	1440	1	55	80	2.5	6	5	7575	6135	RH-1	40	form-based			true	0.7	6	1	5	5	8484	7044	7044	1.12
2024	007	3030	0.07	1987	1	55	80	2.5	6	5	7575	5588	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6497	6497	1.12
2024	008	3030	0.07	1340	1	55	80	2.5	6	5	7575	6235	RH-1	40	form-based			true	0.7	6	1	5	5	8484	7144	7144	1.12
2024	009	3030	0.07	1435	1	55	80	2.5	6	5	7575	6140	RH-1	40	form-based			true	0.7	6	1	5	5	8484	7049	7049	1.12
2024	010	3030	0.07	1720	1	55	80	2.5	6	5	7575	5855	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6764	6764	1.12
2024	011	3030	0.07	2628	1	55	80	2.5	6	5	7575	4947	RH-1	40	form-based			true	0.7	6	1	5	5	8484	5856	5856	1.12
2024	012	3030	0.07	1715	1	55	80	2.5	6	5	7575	5860	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6769	6769	1.12
2024	013	3030	0.07	1851	1	55	80	2.5	6	5	7575	5724	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6633	6633	1.12
2024	014	3030	0.07	1702	1	55	80	2.5	6	5	7575	5873	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6782	6782	1.12
2024	015	3030	0.07	1350	1	55	80	2.5	6	5	7575	6225	RH-1	40	form-based			true	0.7	6	1	5	5	8484	7134	7134	1.12
2024	016	3030	0.07	1505	1	55	80	2.5	6	5	7575	6070	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6979	6979	1.12
2024	017	3030	0.07	1350	1	55	80	2.5	6	5	7575	6225	RH-1	40	form-based			true	0.7	6	1	5	5	8484	7134	7134	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2024	018	3030	0.07	2322	1	55	80	2.5	6	5	7575	5253	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6162	6162	1.12
2024	019	3030	0.07	1490	1	55	80	2.5	6	5	7575	6085	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6994	6994	1.12
2024	030	3088	0.07	1300	1	55	80	2.5	6	5	7720	6420	RH-1	40	form-based			true	0.7	6	1	5	5	8646.399414	7346.399414	7346.399414	1.12
2024	031	2999	0.07	1300	1	55	80	2.5	6	5	7498	6198	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	7097.200195	7097.200195	1.119925
2024	032	2999	0.07	1250	1	55	80	2.5	6	5	7498	6248	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	7147.200195	7147.200195	1.119925
2024	033	2999	0.07	2091	1	55	80	2.5	6	5	7498	5407	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	6306.200195	6306.200195	1.119925
2024	034	2999	0.07	2080	1	55	80	2.5	6	5	7498	5418	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	6317.200195	6317.200195	1.119925
2024	035	2999	0.07	1380	1	55	80	2.5	6	5	7498	6118	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	7017.200195	7017.200195	1.119925
2024	036	2999	0.07	2582	1	55	80	2.5	6	5	7498	4916	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	5815.200195	5815.200195	1.119925
2024	037	2999	0.07	1380	1	55	80	2.5	6	5	7498	6118	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	7017.200195	7017.200195	1.119925
2024	038	2999	0.07	1720	1	55	80	2.5	6	5	7498	5778	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	6677.200195	6677.200195	1.119925
2024	039	2999	0.07	1380	1	55	80	2.5	6	5	7498	6118	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	7017.200195	7017.200195	1.119925
2024	040	2999	0.07	1918	1	55	80	2.5	6	5	7498	5580	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	6479.200195	6479.200195	1.119925
2024	041	2999	0.07	2162	1	55	80	2.5	6	5	7498	5336	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	6235.200195	6235.200195	1.119925
2024	042	2999	0.07	1754	1	55	80	2.5	6	5	7498	5744	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	6643.200195	6643.200195	1.119925
2024	043	2999	0.07	1360	1	55	80	2.5	6	5	7498	6138	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	7037.200195	7037.200195	1.119925
2024	044	2999	0.07	1620	1	55	80	2.5	6	5	7498	5878	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	6777.200195	6777.200195	1.119925
2024	045	2999	0.07	2072	1	55	80	2.5	6	5	7498	5426	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	6325.200195	6325.200195	1.119925
2025	001D	3008	0.07	1755	1	55	80	2.5	6	5	7520	5765	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	6667.399414	6667.399414	1.12
2025	001F	3008	0.07	3139	1	55	80	2.5	6	5	7520	4381	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	5283.399414	5283.399414	1.12
2025	001G	3008	0.07	1788	1	55	80	2.5	6	5	7520	5732	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	6634.399414	6634.399414	1.12
2025	001H	3008	0.07	1752	1	55	80	2.5	6	5	7520	5768	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	6670.399414	6670.399414	1.12
2025	002	3008	0.07	1400	1	55	80	2.5	6	5	7520	6120	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	7022.399414	7022.399414	1.12
2025	002A	3008	0.07	1568	1	55	80	2.5	6	5	7520	5952	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	6854.399414	6854.399414	1.12
2025	002B	3008	0.07	1660	1	55	80	2.5	6	5	7520	5860	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	6762.399414	6762.399414	1.12
2025	002C	3008	0.07	1400	1	55	80	2.5	6	5	7520	6120	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	7022.399414	7022.399414	1.12
2025	002D	3008	0.07	2043	1	55	80	2.5	6	5	7520	5477	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	6379.399414	6379.399414	1.12
2025	002E	3008	0.07	2070	1	55	80	2.5	6	5	7520	5450	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	6352.399414	6352.399414	1.12
2025	002F	2969	0.07	1400	1	55	80	2.5	6	5	7422	6022	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	6913.200195	6913.200195	1.120075
2025	002G	2969	0.07	2278	1	55	80	2.5	6	5	7422	5144	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	6035.200195	6035.200195	1.120075
2025	002H	2969	0.07	1650	1	55	80	2.5	6	5	7422	5772	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	6663.200195	6663.200195	1.120075
2025	002I	2969	0.07	1592	1	55	80	2.5	6	5	7422	5830	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	6721.200195	6721.200195	1.120075
2025	002J	2969	0.07	1400	1	55	80	2.5	6	5	7422	6022	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	6913.200195	6913.200195	1.120075
2025	002K	2969	0.07	2436	1	55	80	2.5	6	5	7422	4986	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	5877.200195	5877.200195	1.120075
2025	003D	2969	0.07	2680	1	55	80	2.5	6	5	7422	4742	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	5633.200195	5633.200195	1.120075
2025	003G	2969	0.07	2174	1	55	80	2.5	6	5	7422	5248	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	6139.200195	6139.200195	1.120075
2025	003H	3057	0.07	1400	1	55	80	2.5	6	5	7642	6242	RH-1	40	form-based			true	0.7	6	1	5	5	8559.599609	7159.599609	7159.599609	1.120073
2025	003I	2969	0.07	1450	1	55	80	2.5	6	5	7422	5972	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	6863.200195	6863.200195	1.120075
2025	003J	3008	0.07	1450	1	55	80	2.5	6	5	7520	6070	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	6972.399414	6972.399414	1.12
2025	004	2969	0.07	1568	1	55	80	2.5	6	5	7422	5854	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	6745.200195	6745.200195	1.120075
2025	005	2969	0.07	1400	1	55	80	2.5	6	5	7422	6022	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	6913.200195	6913.200195	1.120075
2025	006	2969	0.07	1568	1	55	80	2.5	6	5	7422	5854	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	6745.200195	6745.200195	1.120075
2025	007	2969	0.07	1400	1	55	80	2.5	6	5	7422	6022	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	6913.200195	6913.200195	1.120075
2025	008	2969	0.07	1660	1	55	80	2.5	6	5	7422	5762	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	6653.200195	6653.200195	1.120075
2026	005	3045	0.07	1520	1	55	80	2.5	6	5	7612	6092	RH-1	40	form-based			true	0.7	6	1	5	5	8526	7006	7006	1.120074
2026	006	3045	0.07	2014	1	55	80	2.5	6	5	7612	5598	RH-1	40	form-based			true	0.7	6	1	5	5	8526	6512	6512	1.120074
2026	007	3045	0.07	1400	1	55	80	2.5	6	5	7612	6212	RH-1	40	form-based			true	0.7	6	1	5	5	8526	7126	7126	1.120074
2026	008	3045	0.07	1375	1	55	80	2.5	6	5	7612	6237	RH-1	40	form-based			true	0.7	6	1	5	5	8526	7151	7151	1.120074
2026	010	3045	0.07	1350	1	55	80	2.5	6	5	7612	6262	RH-1	40	form-based			true	0.7	6	1	5	5	8526	7176	7176	1.120074
2026	011	3045	0.07	1466	1	55	80	2.5	6	5	7612	6146	RH-1	40	form-based			true	0.7	6	1	5	5	8526	7060	7060	1.120074
2026	012	3045	0.07	1930	1	55	80	2.5	6	5	7612	5682	RH-1	40	form-based			true	0.7	6	1	5	5	8526	6596	6596	1.120074
2026	013	3045	0.07	1543	1	55	80	2.5	6	5	7612	6069	RH-1	40	form-based			true	0.7	6	1	5	5	8526	6983	6983	1.120074
2026	014	3045	0.07	1350	1	55	80	2.5	6	5	7612	6262	RH-1	40	form-based			true	0.7	6	1	5	5	8526	7176	7176	1.120074
2026	015	3045	0.07	1575	1	55	80	2.5	6	5	7612	6037	RH-1	40	form-based			true	0.7	6	1	5	5	8526	6951	6951	1.120074
2026	016	3045	0.07	1458	1	55	80	2.5	6	5	7612	6154	RH-1	40	form-based			true	0.7	6	1	5	5	8526	7068	7068	1.120074
2026	017	3045	0.07	1659	1	55	80	2.5	6	5	7612	5953	RH-1	40	form-based			true	0.7	6	1	5	5	8526	6867	6867	1.120074
2026	018	3045	0.07	1680	1	55	80	2.5	6	5	7612	5932	RH-1	40	form-based			true	0.7	6	1	5	5	8526	6846	6846	1.120074
2026	019	3045	0.07	1625	1	55	80	2.5	6	5	7612	5987	RH-1	40	form-based			true	0.7	6	1	5	5	8526	6901	6901	1.120074
2026	030	3063	0.07	2122	1	55	80	2.5	6	5	7658	5536	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	6454.399414	6454.399414	1.119927
2026	031	2974	0.07	2297	1	55	80	2.5	6	5	7435	5138	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6030.200195	6030.200195	1.12
2026	032	2974	0.07	2085	1	55	80	2.5	6	5	7435	5350	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6242.200195	6242.200195	1.12
2026	033	2974	0.07	1641	1	55	80	2.5	6	5	7435	5794	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6686.200195	6686.200195	1.12
2026	034	2974	0.07	1375	1	55	80	2.5	6	5	7435	6060	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6952.200195	6952.200195	1.12
2026	035	2974	0.07	1375	1	55	80	2.5	6	5	7435	6060	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6952.200195	6952.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2026	036	2974	0.07	1641	1	55	80	2.5	6	5	7435	5794	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6686.200195	6686.200195	1.12
2026	037	2974	0.07	1350	1	55	80	2.5	6	5	7435	6085	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6977.200195	6977.200195	1.12
2026	038	2974	0.07	2088	1	55	80	2.5	6	5	7435	5347	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6239.200195	6239.200195	1.12
2026	039	2974	0.07	1680	1	55	80	2.5	6	5	7435	5755	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6647.200195	6647.200195	1.12
2026	040	2974	0.07	1835	1	55	80	2.5	6	5	7435	5600	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6492.200195	6492.200195	1.12
2026	041	2974	0.07	1538	1	55	80	2.5	6	5	7435	5897	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6789.200195	6789.200195	1.12
2026	042	2974	0.07	1300	1	55	80	2.5	6	5	7435	6135	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	7027.200195	7027.200195	1.12
2026	043	2974	0.07	1470	1	55	80	2.5	6	5	7435	5965	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6857.200195	6857.200195	1.12
2026	044	2974	0.07	1540	1	55	80	2.5	6	5	7435	5895	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6787.200195	6787.200195	1.12
2026	045	2974	0.07	2010	1	55	80	2.5	6	5	7435	5425	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6317.200195	6317.200195	1.12
2027	002	3005	0.07	2909	1	55	80	2.5	6	5	7512	4603	RH-1	40	form-based			true	0.7	6	1	5	5	8414	5505	5505	1.120075
2027	002A	3005	0.07	2500	1	55	80	2.5	6	5	7512	5012	RH-1	40	form-based			true	0.7	6	1	5	5	8414	5914	5914	1.120075
2027	002B	3005	0.07	1872	1	55	80	2.5	6	5	7512	5640	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6542	6542	1.120075
2027	003	3005	0.07	1440	1	55	80	2.5	6	5	7512	6072	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6974	6974	1.120075
2027	004	3005	0.07	2263	1	55	80	2.5	6	5	7512	5249	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6151	6151	1.120075
2027	005	3005	0.07	1680	1	55	80	2.5	6	5	7512	5832	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6734	6734	1.120075
2027	005A	3005	0.07	1380	1	55	80	2.5	6	5	7512	6132	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7034	7034	1.120075
2027	006	3005	0.07	1947	1	55	80	2.5	6	5	7512	5565	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6467	6467	1.120075
2027	006A	3005	0.07	1655	1	55	80	2.5	6	5	7512	5857	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6759	6759	1.120075
2027	007	3005	0.07	2828	1	55	80	2.5	6	5	7512	4684	RH-1	40	form-based			true	0.7	6	1	5	5	8414	5586	5586	1.120075
2027	008	3005	0.07	1403	1	55	80	2.5	6	5	7512	6109	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7011	7011	1.120075
2027	009	3005	0.07	1620	1	55	80	2.5	6	5	7512	5892	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6794	6794	1.120075
2027	010	3005	0.07	1200	1	55	80	2.5	6	5	7512	6312	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7214	7214	1.120075
2027	012	3005	0.07	1430	1	55	80	2.5	6	5	7512	6082	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6984	6984	1.120075
2027	012A	3094	0.07	1425	1	55	80	2.5	6	5	7735	6310	RH-1	40	form-based			true	0.7	6	1	5	5	8663.200195	7238.200195	7238.200195	1.12
2027	019	3089	0.07	1250	1	55	80	2.5	6	5	7722	6472	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	7399.200195	7399.200195	1.120073
2027	020	3000	0.07	1840	1	55	80	2.5	6	5	7500	5660	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6560	6560	1.12
2027	020A	3000	0.07	1656	1	55	80	2.5	6	5	7500	5844	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6744	6744	1.12
2027	021	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2027	021A	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2027	022	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
2027	022A	3000	0.07	1407	1	55	80	2.5	6	5	7500	6093	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6993	6993	1.12
2027	023	3000	0.07	2764	1	55	80	2.5	6	5	7500	4736	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5636	5636	1.12
2027	024	3000	0.07	2534	1	55	80	2.5	6	5	7500	4966	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5866	5866	1.12
2027	024A	3000	0.07	2711	1	55	80	2.5	6	5	7500	4789	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5689	5689	1.12
2027	025	3000	0.07	1363	1	55	80	2.5	6	5	7500	6137	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7037	7037	1.12
2027	025A	3000	0.07	1520	1	55	80	2.5	6	5	7500	5980	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6880	6880	1.12
2027	026	3000	0.07	2039	1	55	80	2.5	6	5	7500	5461	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6361	6361	1.12
2027	027	3000	0.07	1321	1	55	80	2.5	6	5	7500	6179	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7079	7079	1.12
2027	028	3000	0.07	3490	1	55	80	2.5	6	5	7500	4010	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4910	4910	1.12
2027	028A	3000	0.07	1718	1	55	80	2.5	6	5	7500	5782	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6682	6682	1.12
2028	001	3252	0.07	2490	2	55	80	2.5	6	4	8130	5640	RH-1	40	form-based	true		true	0.7	7	1.166666627	5	5	9105.599609	6615.599609	6615.599609	1.12
2028	004	3006	0.07	2087	1	55	80	2.5	6	5	7515	5428	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6329.799805	6329.799805	1.12
2028	005	3006	0.07	1745	1	55	80	2.5	6	5	7515	5770	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6671.799805	6671.799805	1.12
2028	006	3006	0.07	1784	1	55	80	2.5	6	5	7515	5731	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6632.799805	6632.799805	1.12
2028	006A	3006	0.07	1390	1	55	80	2.5	6	5	7515	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7026.799805	7026.799805	1.12
2028	007	3007	0.07	2259	1	55	80	2.5	6	5	7518	5259	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	6160.599609	6160.599609	1.119925
2028	008	3006	0.07	2294	1	55	80	2.5	6	5	7515	5221	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6122.799805	6122.799805	1.12
2028	008A	3007	0.07	2088	1	55	80	2.5	6	5	7518	5430	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	6331.599609	6331.599609	1.119925
2028	009	3006	0.07	1880	1	55	80	2.5	6	5	7515	5635	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6536.799805	6536.799805	1.12
2028	009A	3006	0.07	1630	1	55	80	2.5	6	5	7515	5885	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6786.799805	6786.799805	1.12
2028	010	3007	0.07	1200	1	55	80	2.5	6	5	7518	6318	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	7219.599609	7219.599609	1.119925
2028	010A	3006	0.07	1240	1	55	80	2.5	6	5	7515	6275	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7176.799805	7176.799805	1.12
2028	011	3006	0.07	1325	1	55	80	2.5	6	5	7515	6190	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7091.799805	7091.799805	1.12
2028	015	3089	0.07	1525	1	55	80	2.5	6	5	7722	6197	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	7124.200195	7124.200195	1.120073
2028	016	3000	0.07	1830	1	55	80	2.5	6	5	7500	5670	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6570	6570	1.12
2028	016A	3000	0.07	1440	1	55	80	2.5	6	5	7500	6060	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6960	6960	1.12
2028	017	3000	0.07	1218	1	55	80	2.5	6	5	7500	6282	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7182	7182	1.12
2028	018	3000	0.07	1380	1	55	80	2.5	6	5	7500	6120	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7020	7020	1.12
2028	019	3000	0.07	1880	1	55	80	2.5	6	5	7500	5620	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6520	6520	1.12
2028	019A	3000	0.07	1595	1	55	80	2.5	6	5	7500	5905	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6805	6805	1.12
2028	019B	3000	0.07	2040	1	55	80	2.5	6	5	7500	5460	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6360	6360	1.12
2028	020	3000	0.07	1618	1	55	80	2.5	6	5	7500	5882	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6782	6782	1.12
2028	020A	3000	0.07	1190	1	55	80	2.5	6	5	7500	6310	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7210	7210	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2028	020B	3000	0.07	1532	1	55	80	2.5	6	5	7500	5968	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6868	6868	1.12
2028	021	3000	0.07	1390	1	55	80	2.5	6	5	7500	6110	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7010	7010	1.12
2028	022	3000	0.07	2416	1	55	80	2.5	6	5	7500	5084	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5984	5984	1.12
2028	023	3000	0.07	1355	1	55	80	2.5	6	5	7500	6145	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7045	7045	1.12
2028	024	3000	0.07	1560	1	55	80	2.5	6	5	7500	5940	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6840	6840	1.12
2029	004	2987	0.07	1450	1	55	80	2.5	6	5	7468	6018	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6913.599609	6913.599609	1.119925
2029	005	2987	0.07	1651	1	55	80	2.5	6	5	7468	5817	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6712.599609	6712.599609	1.119925
2029	006	2987	0.07	1738	1	55	80	2.5	6	5	7468	5730	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6625.599609	6625.599609	1.119925
2029	007	2987	0.07	1103	1	55	80	2.5	6	5	7468	6365	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	7260.599609	7260.599609	1.119925
2029	008	2987	0.07	1045	1	55	80	2.5	6	5	7468	6423	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	7318.599609	7318.599609	1.119925
2029	009	2987	0.07	2027	1	55	80	2.5	6	5	7468	5441	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6336.599609	6336.599609	1.119925
2029	010	2987	0.07	1045	1	55	80	2.5	6	5	7468	6423	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	7318.599609	7318.599609	1.119925
2029	011	2987	0.07	1045	1	55	80	2.5	6	5	7468	6423	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	7318.599609	7318.599609	1.119925
2029	012	2987	0.07	1765	1	55	80	2.5	6	5	7468	5703	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6598.599609	6598.599609	1.119925
2029	013	2987	0.07	1045	1	55	80	2.5	6	5	7468	6423	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	7318.599609	7318.599609	1.119925
2029	014	2987	0.07	1387	1	55	80	2.5	6	5	7468	6081	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6976.599609	6976.599609	1.119925
2029	015	2987	0.07	1570	1	55	80	2.5	6	5	7468	5898	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6793.599609	6793.599609	1.119925
2029	016	2987	0.07	1045	1	55	80	2.5	6	5	7468	6423	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	7318.599609	7318.599609	1.119925
2029	017	2987	0.07	1045	1	55	80	2.5	6	5	7468	6423	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	7318.599609	7318.599609	1.119925
2029	018	2987	0.07	1038	1	55	80	2.5	6	5	7468	6430	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	7325.599609	7325.599609	1.119925
2029	019	3076	0.07	1045	1	55	80	2.5	6	5	7690	6645	RH-1	40	form-based			true	0.7	6	1	5	5	8612.799805	7567.799805	7567.799805	1.12
2029	028	3089	0.07	1035	1	55	80	2.5	6	5	7722	6687	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	7614.200195	7614.200195	1.120073
2029	029	3000	0.07	1380	1	55	80	2.5	6	5	7500	6120	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7020	7020	1.12
2029	030	3000	0.07	1442	1	55	80	2.5	6	5	7500	6058	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6958	6958	1.12
2029	031	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2029	032	3000	0.07	1717	1	55	80	2.5	6	5	7500	5783	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6683	6683	1.12
2029	033	3000	0.07	1475	1	55	80	2.5	6	5	7500	6025	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6925	6925	1.12
2029	034	3000	0.07	1475	1	55	80	2.5	6	5	7500	6025	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6925	6925	1.12
2029	035	3000	0.07	1475	1	55	80	2.5	6	5	7500	6025	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6925	6925	1.12
2029	036	3000	0.07	1475	1	55	80	2.5	6	5	7500	6025	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6925	6925	1.12
2029	037	3000	0.07	2365	1	55	80	2.5	6	5	7500	5135	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6035	6035	1.12
2029	038	3000	0.07	1100	1	55	80	2.5	6	5	7500	6400	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7300	7300	1.12
2029	039	3000	0.07	1244	1	55	80	2.5	6	5	7500	6256	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7156	7156	1.12
2029	040	3000	0.07	2500	1	55	80	2.5	6	5	7500	5000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5900	5900	1.12
2029	043	3000	0.07	1525	1	55	80	2.5	6	5	7500	5975	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6875	6875	1.12
2029	049	2978	0.07	1450	1	55	80	2.5	6	5	7445	5995	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6888.399414	6888.399414	1.12
2029	050	2947	0.07	1450	1	55	80	2.5	6	5	7368	5918	RH-1	40	form-based			true	0.7	6	1	5	5	8251.599609	6801.599609	6801.599609	1.119924
2029	051	3054	0.07	2200	1	55	80	2.5	6	5	7635	5435	RH-1	40	form-based			true	0.7	6	1	5	5	8551.200195	6351.200195	6351.200195	1.12
2030	014	3015	0.07	1150	1	55	80	2.5	6	5	7538	6388	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7292	7292	1.119926
2030	015	3015	0.07	1150	1	55	80	2.5	6	5	7538	6388	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7292	7292	1.119926
2030	016	3015	0.07	1150	1	55	80	2.5	6	5	7538	6388	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7292	7292	1.119926
2030	017	3015	0.07	1150	1	55	80	2.5	6	5	7538	6388	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7292	7292	1.119926
2030	018	3015	0.07	1900	1	55	80	2.5	6	5	7538	5638	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6542	6542	1.119926
2030	019	3015	0.07	1519	1	55	80	2.5	6	5	7538	6019	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6923	6923	1.119926
2030	020	3015	0.07	1150	1	55	80	2.5	6	5	7538	6388	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7292	7292	1.119926
2030	021	3015	0.07	1294	1	55	80	2.5	6	5	7538	6244	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7148	7148	1.119926
2031	002	3000	0.07	2050	1	55	80	2.5	6	5	7500	5450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6350	6350	1.12
2031	003	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
2031	003A	3000	0.07	1675	1	55	80	2.5	6	5	7500	5825	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6725	6725	1.12
2031	003B	3000	0.07	2038	1	55	80	2.5	6	5	7500	5462	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6362	6362	1.12
2031	003C	3000	0.07	1778	1	55	80	2.5	6	5	7500	5722	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6622	6622	1.12
2031	005	3000	0.07	2352	1	55	80	2.5	6	5	7500	5148	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6048	6048	1.12
2031	006	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2031	007	3000	0.07	1785	1	55	80	2.5	6	5	7500	5715	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6615	6615	1.12
2031	008	3000	0.07	1721	1	55	80	2.5	6	5	7500	5779	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6679	6679	1.12
2031	009	3000	0.07	1965	1	55	80	2.5	6	5	7500	5535	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6435	6435	1.12
2032	003	3005	0.07	1716	1	55	80	2.5	6	5	7512	5796	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6698	6698	1.120075
2032	003A	3005	0.07	2580	1	55	80	2.5	6	5	7512	4932	RH-1	40	form-based			true	0.7	6	1	5	5	8414	5834	5834	1.120075
2032	004	3005	0.07	2100	1	55	80	2.5	6	5	7512	5412	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6314	6314	1.120075
2032	004A	3005	0.07	1500	1	55	80	2.5	6	5	7512	6012	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6914	6914	1.120075
2032	004B	3005	0.07	1998	1	55	80	2.5	6	5	7512	5514	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6416	6416	1.120075
2032	005	3005	0.07	1897	1	55	80	2.5	6	5	7512	5615	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6517	6517	1.120075
2032	005A	3005	0.07	1473	1	55	80	2.5	6	5	7512	6039	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6941	6941	1.120075
2032	005B	3005	0.07	1447	1	55	80	2.5	6	5	7512	6065	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6967	6967	1.120075

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2032	006	3005	0.07	1848	1	55	80	2.5	6	5	7512	5664	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6566	6566	1.120075
2032	006A	3005	0.07	2466	1	55	80	2.5	6	5	7512	5046	RH-1	40	form-based			true	0.7	6	1	5	5	8414	5948	5948	1.120075
2032	006B	3005	0.07	1797	1	55	80	2.5	6	5	7512	5715	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6617	6617	1.120075
2032	006C	3005	0.07	1550	1	55	80	2.5	6	5	7512	5962	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6864	6864	1.120075
2032	006D	3005	0.07	1760	1	55	80	2.5	6	5	7512	5752	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6654	6654	1.120075
2032	007	3005	0.07	1500	1	55	80	2.5	6	5	7512	6012	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6914	6914	1.120075
2032	007A	3005	0.07	1799	1	55	80	2.5	6	5	7512	5713	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6615	6615	1.120075
2032	014	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2032	015	3000	0.07	1625	1	55	80	2.5	6	5	7500	5875	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6775	6775	1.12
2032	016	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2032	016A	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
2032	017	3000	0.07	2118	1	55	80	2.5	6	5	7500	5382	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6282	6282	1.12
2032	017A	3000	0.07	2398	1	55	80	2.5	6	5	7500	5102	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6002	6002	1.12
2032	018	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2032	019	3000	0.07	1254	1	55	80	2.5	6	5	7500	6246	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7146	7146	1.12
2032	020	3000	0.07	1861	1	55	80	2.5	6	5	7500	5639	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6539	6539	1.12
2032	020A	3000	0.07	2052	1	55	80	2.5	6	5	7500	5448	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6348	6348	1.12
2032	021	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2032	022	3000	0.07	1870	1	55	80	2.5	6	5	7500	5630	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6530	6530	1.12
2032	023	3000	0.07	1175	1	55	80	2.5	6	5	7500	6325	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7225	7225	1.12
2032	023A	3000	0.07	2092	1	55	80	2.5	6	5	7500	5408	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6308	6308	1.12
2032	024	3000	0.07	1270	1	55	80	2.5	6	5	7500	6230	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7130	7130	1.12
2032	025	3089	0.07	1150	1	55	80	2.5	6	5	7722	6572	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	7499.200195	7499.200195	1.120073
2034A	034	3023	0.07	1834	1	55	80	2.5	6	5	7558	5724	RH-1	40	form-based			true	0.7	6	1	5	5	8464.399414	6630.399414	6630.399414	1.119926
2034A	043	2838	0.07	2304	1	55	80	2.5	6	5	7095	4791	RH-1	40	form-based	true		true	0.7	6	1	5	5	7946.399902	5642.399902	5642.399902	1.12
2034A	045	2704	0.06	2227	1	55	80	2.5	5	4	6760	4533	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7571.199707	5344.199707	5344.199707	1.12
2035A	001	2639	0.06	2295	1	55	80	2.5	5	4	6598	4303	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7389.199707	5094.199707	5094.199707	1.119915
2035A	002	2885	0.07	2173	1	55	80	2.5	6	5	7212	5039	RH-1	40	form-based			true	0.7	6	1	5	5	8078	5905	5905	1.120078
2035A	003	2926	0.07	2173	1	55	80	2.5	6	5	7315	5142	RH-1	40	form-based			true	0.7	6	1	5	5	8192.799805	6019.799805	6019.799805	1.12
2035A	004	3031	0.07	2751	1	55	80	2.5	6	5	7578	4827	RH-1	40	form-based			true	0.7	6	1	5	5	8486.799805	5735.799805	5735.799805	1.119926
2035A	005	2783	0.06	2185	1	55	80	2.5	5	4	6958	4773	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7792.399902	5607.399902	5607.399902	1.11992
2035A	006	2864	0.07	1894	1	55	80	2.5	6	5	7160	5266	RH-1	40	form-based			true	0.7	6	1	5	5	8019.199707	6125.199707	6125.199707	1.12
2035A	007	2924	0.07	1990	1	55	80	2.5	6	5	7310	5320	RH-1	40	form-based			true	0.7	6	1	5	5	8187.199707	6197.199707	6197.199707	1.12
2036A	001	3709	0.09	3413	3	55	80	2.5	7	4	9272	5859	RH-2	40	form-based	true		true	0.7	8	1.142857194	5	5	10385.2002	6972.200195	6972.200195	1.12006
2036A	001A	2626	0.06	1378	1	55	80	2.5	5	4	6565	5187	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7352.799805	5974.799805	5974.799805	1.12
2036A	002	2874	0.07	1036	1	55	80	2.5	6	5	7185	6149	RH-1	40	form-based			true	0.7	6	1	5	5	8047.199707	7011.199707	7011.199707	1.12
2036A	003	3060	0.07	1473	1	55	80	2.5	6	5	7650	6177	RH-1	40	form-based			true	0.7	6	1	5	5	8568	7095	7095	1.12
2036A	010	2863	0.07	2012	1	55	80	2.5	6	5	7158	5146	RH-1	40	form-based			true	0.7	6	1	5	5	8016.399902	6004.399902	6004.399902	1.119922
2036A	011	2737	0.06	2801	1	55	80	2.5	5	4	6842	4041	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7663.600098	4862.600098	4862.600098	1.120082
2036A	014	2658	0.06	1978	1	55	80	2.5	5	4	6645	4667	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7442.399902	5464.399902	5464.399902	1.12
2036A	015	2897	0.07	2102	1	55	80	2.5	6	5	7242	5140	RH-1	40	form-based			true	0.7	6	1	5	5	8111.600098	6009.600098	6009.600098	1.120077
2036B	004A	2675	0.06	1594	1	55	80	2.5	5	4	6688	5094	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7490	5896	5896	1.119916
2036B	004B	2670	0.06	1594	1	55	80	2.5	5	4	6675	5081	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7476	5882	5882	1.12
2036B	005	2774	0.06	1594	1	55	80	2.5	5	4	6935	5341	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7767.199707	6173.199707	6173.199707	1.12
2036B	008	2866	0.07	1556	1	55	80	2.5	6	5	7165	5609	RH-1	40	form-based			true	0.7	6	1	5	5	8024.799805	6468.799805	6468.799805	1.12
2036B	008A	2787	0.06	1540	1	55	80	2.5	5	4	6968	5428	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7803.600098	6263.600098	6263.600098	1.11992
2036B	009	2735	0.06	1540	1	55	80	2.5	5	4	6838	5298	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7658	6118	6118	1.119918
2036B	020	3087	0.07	1447	1	55	80	2.5	6	5	7718	6271	RH-1	40	form-based			true	0.7	6	1	5	5	8643.599609	7196.599609	7196.599609	1.119927
2036B	021	3083	0.07	1527	1	55	80	2.5	6	5	7708	6181	RH-1	40	form-based			true	0.7	6	1	5	5	8632.399414	7105.399414	7105.399414	1.119927
2036B	025	2732	0.06	2417	1	55	80	2.5	5	4	6830	4413	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7649.600098	5232.600098	5232.600098	1.12
2036B	026	2731	0.06	2417	1	55	80	2.5	5	4	6828	4411	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7646.799805	5229.799805	5229.799805	1.119918
2037A	002	3020	0.07	1328	1	55	80	2.5	6	5	7550	6222	RH-1	40	form-based			true	0.7	6	1	5	5	8456	7128	7128	1.12
2037A	003	3020	0.07	1328	1	55	80	2.5	6	5	7550	6222	RH-1	40	form-based			true	0.7	6	1	5	5	8456	7128	7128	1.12
2037A	004	3020	0.07	1000	1	55	80	2.5	6	5	7550	6550	RH-1	40	form-based			true	0.7	6	1	5	5	8456	7456	7456	1.12
2037A	006	3020	0.07	1962	1	55	80	2.5	6	5	7550	5588	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6494	6494	1.12
2037A	007	3020	0.07	1000	1	55	80	2.5	6	5	7550	6550	RH-1	40	form-based			true	0.7	6	1	5	5	8456	7456	7456	1.12
2037A	008	3026	0.07	1426	1	55	80	2.5	6	5	7565	6139	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7046.799805	7046.799805	1.12
2037A	011	2694	0.06	1532	1	55	80	2.5	5	4	6735	5203	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7543.199707	6011.199707	6011.199707	1.12
2037A	015	3001	0.07	2073	1	55	80	2.5	6	5	7502	5429	RH-1	40	form-based	true		true	0.7	6	1	5	5	8402.799805	6329.799805	6329.799805	1.120075
2040	028	2714	0.06	1900	1	55	80	2.5	5	4	6785	4885	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7599.199707	5699.199707	5699.199707	1.12
2037A	026	2960	0.07	2089	1	55	80	2.5	6	5	7400	5311	RH-2	40	form-based			true	0.7	6	1	5	5	8288	6199	6199	1.12
2037A	029	3026	0.07	1998	1	55	80	2.5	6	5	7565	5567	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	6474.799805	6474.799805	1.12
2038A	002	3007	0.07	1425	1	55	80	2.5	6	5	7518	6093	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	6994.599609	6994.599609	1.119925
2038A	003	3007	0.07	1038	1	55	80	2.5	6	5	7518	6480	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	7381.599609	7381.599609	1.119925

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2038A	005	3007	0.07	1100	1	55	80	2.5	6	5	7518	6418	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	7319.599609	7319.599609	1.119925
2038A	006	3007	0.07	1648	1	55	80	2.5	6	5	7518	5870	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	6771.599609	6771.599609	1.119925
2038A	008	2881	0.07	1175	1	55	80	2.5	6	5	7202	6027	RH-1	40	form-based			true	0.7	6	1	5	5	8066.799805	6891.799805	6891.799805	1.120078
2038A	010	3007	0.07	1081	1	55	80	2.5	6	5	7518	6437	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	7338.599609	7338.599609	1.119925
2038A	011	3007	0.07	1250	1	55	80	2.5	6	5	7518	6268	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	7169.599609	7169.599609	1.119925
2038A	013	3007	0.07	3893	1	55	80	2.5	6	5	7518	3625	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	4526.599609	4526.599609	1.119925
2038A	015	2982	0.07	1439	1	55	80	2.5	6	5	7455	6016	RH-1	40	form-based			true	0.7	6	1	5	5	8349.599609	6910.599609	6910.599609	1.12
2038A	020	3000	0.07	1394	1	55	80	2.5	6	5	7500	6106	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7006	7006	1.12
2038A	021	3000	0.07	1560	1	55	80	2.5	6	5	7500	5940	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6840	6840	1.12
2038A	022	3000	0.07	2038	1	55	80	2.5	6	5	7500	5462	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6362	6362	1.12
2038A	023	3000	0.07	1180	1	55	80	2.5	6	5	7500	6320	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7220	7220	1.12
2038A	024	3000	0.07	1545	1	55	80	2.5	6	5	7500	5955	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6855	6855	1.12
2038A	025	3000	0.07	2635	1	55	80	2.5	6	5	7500	4865	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5765	5765	1.12
2038A	027	3000	0.07	1434	1	55	80	2.5	6	5	7500	6066	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6966	6966	1.12
2038A	028	3000	0.07	2198	1	55	80	2.5	6	5	7500	5302	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6202	6202	1.12
2038A	029	3000	0.07	1425	1	55	80	2.5	6	5	7500	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6975	6975	1.12
2038A	036	3007	0.07	1050	1	55	80	2.5	6	5	7518	6468	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	7369.599609	7369.599609	1.119925
2039	013	3011	0.07	700	1	55	80	2.5	6	5	7528	6828	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7730.799805	7730.799805	1.119926
2039	014	3011	0.07	1036	1	55	80	2.5	6	5	7528	6492	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7394.799805	7394.799805	1.119926
2039	015	3011	0.07	3465	1	55	80	2.5	6	5	7528	4063	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	4965.799805	4965.799805	1.119926
2039	030A	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12
2038A	045	3000	0.07	3481	1	55	80	2.5	6	5	7500	4019	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4919	4919	1.12
2038A	046	2710	0.06	3046	1	55	80	2.5	5	4	6775	3729	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7588	4542	4542	1.12
2039	002	3011	0.07	1625	1	55	80	2.5	6	5	7528	5903	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6805.799805	6805.799805	1.119926
2039	003	3011	0.07	1085	1	55	80	2.5	6	5	7528	6443	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7345.799805	7345.799805	1.119926
2039	005	3011	0.07	1538	1	55	80	2.5	6	5	7528	5990	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6892.799805	6892.799805	1.119926
2039	006	3011	0.07	1680	1	55	80	2.5	6	5	7528	5848	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6750.799805	6750.799805	1.119926
2039	007	3011	0.07	1800	1	55	80	2.5	6	5	7528	5728	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6630.799805	6630.799805	1.119926
2039	008	3011	0.07	1760	1	55	80	2.5	6	5	7528	5768	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6670.799805	6670.799805	1.119926
2039	009	3011	0.07	1760	1	55	80	2.5	6	5	7528	5768	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6670.799805	6670.799805	1.119926
2039	010	3011	0.07	1072	1	55	80	2.5	6	5	7528	6456	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7358.799805	7358.799805	1.119926
2039	027	3000	0.07	2882	1	55	80	2.5	6	5	7500	4618	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5518	5518	1.12
2039	028	3000	0.07	1240	1	55	80	2.5	6	5	7500	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7160	7160	1.12
2039	029	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2039	030	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12
2039	031	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
2039	032	3000	0.07	1821	1	55	80	2.5	6	5	7500	5679	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6579	6579	1.12
2039	034	3000	0.07	2206	1	55	80	2.5	6	5	7500	5294	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6194	6194	1.12
2039	035	3000	0.07	1075	1	55	80	2.5	6	5	7500	6425	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7325	7325	1.12
2039	036	3000	0.07	1838	1	55	80	2.5	6	5	7500	5662	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6562	6562	1.12
2039	037	3000	0.07	1439	1	55	80	2.5	6	5	7500	6061	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6961	6961	1.12
2039	038	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2039	039	3000	0.07	1240	1	55	80	2.5	6	5	7500	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7160	7160	1.12
2039	050	3000	0.07	4063	1	55	80	2.5	6	5	7500	3437	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4337	4337	1.12
2040	005	2977	0.07	3082	1	55	80	2.5	6	5	7442	4360	RH-2	40	form-based			true	0.7	6	1	5	5	8335.599609	5253.599609	5253.599609	1.120075
2040	008A	3870	0.09	4271	3	55	80	2.5	7	4	9675	5404	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10836	6565	6565	1.12
2040	010	2977	0.07	1300	1	55	80	2.5	6	5	7442	6142	RH-2	40	form-based			true	0.7	6	1	5	5	8335.599609	7035.599609	7035.599609	1.120075
2040	011A	2977	0.07	1300	1	55	80	2.5	6	5	7442	6142	RH-2	40	form-based			true	0.7	6	1	5	5	8335.599609	7035.599609	7035.599609	1.120075
2040	011C	3231	0.07	4756	2	55	80	2.5	6	4	8078	3322	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9046.799805	4290.799805	4290.799805	1.119931
2040	011D	3227	0.07	4274	2	55	80	2.5	6	4	8068	3794	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9035.599609	4761.599609	4761.599609	1.119931
2040	012	2977	0.07	1350	1	55	80	2.5	6	5	7442	6092	RH-2	40	form-based			true	0.7	6	1	5	5	8335.599609	6985.599609	6985.599609	1.120075
2040	014	2977	0.07	2600	1	55	80	2.5	6	5	7442	4842	RH-2	40	form-based			true	0.7	6	1	5	5	8335.599609	5735.599609	5735.599609	1.120075
2040	016D	3000	0.07	1425	1	55	80	2.5	6	5	7500	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6975	6975	1.12
2040	016E	3000	0.07	1425	1	55	80	2.5	6	5	7500	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6975	6975	1.12
2040	016F	3000	0.07	2309	1	55	80	2.5	6	5	7500	5191	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6091	6091	1.12
2040	016G	3000	0.07	2321	1	55	80	2.5	6	5	7500	5179	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6079	6079	1.12
2040	016H	2648	0.06	1350	1	55	80	2.5	5	4	6620	5270	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7414.399902	6064.399902	6064.399902	1.12
2040	017	3000	0.07	1975	1	55	80	2.5	6	5	7500	5525	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6425	6425	1.12
2040	020	3000	0.07	1210	1	55	80	2.5	6	5	7500	6290	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7190	7190	1.12
2040	021	3000	0.07	1574	1	55	80	2.5	6	5	7500	5926	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6826	6826	1.12
2040	022	3000	0.07	2793	1	55	80	2.5	6	5	7500	4707	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5607	5607	1.12
2040	023	3000	0.07	2088	1	55	80	2.5	6	5	7500	5412	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6312	6312	1.12
2040	024	3000	0.07	2438	1	55	80	2.5	6	5	7500	5062	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5962	5962	1.12
2040	025	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2040	026	3000	0.07	1292	1	55	80	2.5	6	5	7500	6208	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7108	7108	1.12
2040	026A	3000	0.07	1562	1	55	80	2.5	6	5	7500	5938	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6838	6838	1.12
2040	027	3371	0.08	4444	2	55	80	2.5	6	4	8428	3984	RH-2	40	form-based		true	true	0.7	7	1.166666627	5	5	9438.799805	4994.799805	4994.799805	1.119933
2040	037	3215	0.07	1440	2	55	80	2.5	6	4	8038	6598	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9002	7562	7562	1.11993
2041	002	3004	0.07	1247	1	55	80	2.5	6	5	7510	6263	RH-2	40	form-based			true	0.7	6	1	5	5	8411.200195	7164.200195	7164.200195	1.12
2041	003	3004	0.07	1425	1	55	80	2.5	6	5	7510	6085	RH-2	40	form-based			true	0.7	6	1	5	5	8411.200195	6986.200195	6986.200195	1.12
2041	004	3004	0.07	1350	1	55	80	2.5	6	5	7510	6160	RH-2	40	form-based			true	0.7	6	1	5	5	8411.200195	7061.200195	7061.200195	1.12
2041	005	3004	0.07	1718	1	55	80	2.5	6	5	7510	5792	RH-2	40	form-based			true	0.7	6	1	5	5	8411.200195	6693.200195	6693.200195	1.12
2041	009	2872	0.07	1196	1	55	80	2.5	6	5	7180	5984	RH-2	40	form-based			true	0.7	6	1	5	5	8041.600098	6845.600098	6845.600098	1.12
2041	011	3010	0.07	1760	1	55	80	2.5	6	5	7525	5765	RH-2	40	form-based			true	0.7	6	1	5	5	8428	6668	6668	1.12
2041	011A	3004	0.07	1715	1	55	80	2.5	6	5	7510	5795	RH-2	40	form-based			true	0.7	6	1	5	5	8411.200195	6696.200195	6696.200195	1.12
2041	012	3004	0.07	2351	1	55	80	2.5	6	5	7510	5159	RH-2	40	form-based			true	0.7	6	1	5	5	8411.200195	6060.200195	6060.200195	1.12
2041	012A	3004	0.07	2500	1	55	80	2.5	6	5	7510	5010	RH-2	40	form-based			true	0.7	6	1	5	5	8411.200195	5911.200195	5911.200195	1.12
2041	013	3016	0.07	1961	1	55	80	2.5	6	5	7540	5579	RH-2	40	form-based			true	0.7	6	1	5	5	8444.799805	6483.799805	6483.799805	1.12
2041	014	3004	0.07	1854	1	55	80	2.5	6	5	7510	5656	RH-2	40	form-based			true	0.7	6	1	5	5	8411.200195	6557.200195	6557.200195	1.12
2041	030	3000	0.07	2682	1	55	80	2.5	6	5	7500	4818	RH-2	40	form-based			true	0.7	6	1	5	5	8400	5718	5718	1.12
2041	030A	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
2041	030B	3000	0.07	1860	1	55	80	2.5	6	5	7500	5640	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6540	6540	1.12
2041	036	3000	0.07	1365	1	55	80	2.5	6	5	7500	6135	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7035	7035	1.12
2041	040	3000	0.07	1334	1	55	80	2.5	6	5	7500	6166	RH-2	40	form-based			true	0.7	6	1	5	5	8400	7066	7066	1.12
2041	040A	3081	0.07	3068	1	55	80	2.5	6	5	7702	4634	RH-2	40	form-based		true	true	0.7	6	1	5	5	8626.799805	5558.799805	5558.799805	1.120073
2042	018	3500	0.08	2376	2	55	80	2.5	6	4	8750	6374	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9800	7424	7424	1.12
2042	019	3500	0.08	2376	2	55	80	2.5	6	4	8750	6374	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9800	7424	7424	1.12
2042	020	3500	0.08	2376	2	55	80	2.5	6	4	8750	6374	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9800	7424	7424	1.12
2042	031	3300	0.08	3600	2	55	80	2.5	6	4	8250	4650	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9240	5640	5640	1.12
2042	032	3300	0.08	3600	2	55	80	2.5	6	4	8250	4650	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9240	5640	5640	1.12
2042	035	3500	0.08	2376	2	55	80	2.5	6	4	8750	6374	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9800	7424	7424	1.12
2045	010	3004	0.07	1580	1	55	80	2.5	6	5	7510	5930	RH-2	40	form-based			true	0.7	6	1	5	5	8411.200195	6831.200195	6831.200195	1.12
2045	012	3004	0.07	1640	1	55	80	2.5	6	5	7510	5870	RH-2	40	form-based			true	0.7	6	1	5	5	8411.200195	6771.200195	6771.200195	1.12
2045	016	2946	0.07	3546	1	55	80	2.5	6	5	7365	3819	RH-2	40	form-based			true	0.7	6	1	5	5	8248.799805	4702.799805	4702.799805	1.12
2045	018	2530	0.06	4700	0	55	80	2.5	5	5	6325	1625	RH-2	40	form-based			true	0.7	5	1	5	5	7084	2384	2384	1.12
2045	027	3000	0.07	1990	1	55	80	2.5	6	5	7500	5510	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6410	6410	1.12
2045	028	3000	0.07	1990	1	55	80	2.5	6	5	7500	5510	RH-2	40	form-based			true	0.7	6	1	5	5	8400	6410	6410	1.12
2046	017A	2690	0.06	1525	1	55	80	2.5	5	4	6725	5200	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7532	6007	6007	1.12
2048	002	2911	0.07	2594	1	55	80	2.5	6	5	7278	4684	RH-1	40	form-based			true	0.7	6	1	5	5	8150.799805	5556.799805	5556.799805	1.119923
2048	005	2943	0.07	2376	1	55	80	2.5	6	5	7358	4982	RH-1	40	form-based			true	0.7	6	1	5	5	8240.399414	5864.399414	5864.399414	1.119924
2048	006	2874	0.07	1430	1	55	80	2.5	6	5	7185	5755	RH-1	40	form-based			true	0.7	6	1	5	5	8047.199707	6617.199707	6617.199707	1.12
2048	007	3057	0.07	1430	1	55	80	2.5	6	5	7642	6212	RH-1	40	form-based			true	0.7	6	1	5	5	8559.599609	7129.599609	7129.599609	1.120073
2124A	009	3014	0.07	1986	1	55	80	2.5	6	5	7535	5549	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6453.200195	6453.200195	1.12
2123B	001A	2925	0.07	1200	1	55	80	2.5	6	5	7312	6112	RH-1	40	form-based		true	true	0.7	6	1	5	5	8190	6990	6990	1.120077
2123B	001B	3031	0.07	1230	1	55	80	2.5	6	5	7578	6348	RH-1	40	form-based		true	true	0.7	6	1	5	5	8486.799805	7256.799805	7256.799805	1.119926
2124A	010	3012	0.07	950	1	55	80	2.5	6	5	7530	6580	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	7483.599609	7483.599609	1.12
2124A	008	3017	0.07	1075	1	55	80	2.5	6	5	7542	6467	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7372.599609	7372.599609	1.120074
2124A	008A	3015	0.07	950	1	55	80	2.5	6	5	7538	6588	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7492	7492	1.119926
2124A	014G	2809	0.06	1620	1	55	80	2.5	5	4	7022	5402	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7865.199707	6245.199707	6245.199707	1.12008
2124A	014H	3020	0.07	1600	1	55	80	2.5	6	5	7550	5950	RH-1	40	form-based			true	0.7	6	1	5	5	8456	6856	6856	1.12
2125	001B	2973	0.07	1225	1	55	80	2.5	6	5	7432	6207	RH-1	40	form-based			true	0.7	6	1	5	5	8324.399414	7099.399414	7099.399414	1.120075
2125	001C	2973	0.07	1320	1	55	80	2.5	6	5	7432	6112	RH-1	40	form-based			true	0.7	6	1	5	5	8324.399414	7004.399414	7004.399414	1.120075
2125	002	2973	0.07	1925	1	55	80	2.5	6	5	7432	5507	RH-1	40	form-based			true	0.7	6	1	5	5	8324.399414	6399.399414	6399.399414	1.120075
2125	002A	2973	0.07	1937	1	55	80	2.5	6	5	7432	5495	RH-1	40	form-based			true	0.7	6	1	5	5	8324.399414	6387.399414	6387.399414	1.120075
2125	003	2973	0.07	1075	1	55	80	2.5	6	5	7432	6357	RH-1	40	form-based			true	0.7	6	1	5	5	8324.399414	7249.399414	7249.399414	1.120075
2125	003A	2973	0.07	1075	1	55	80	2.5	6	5	7432	6357	RH-1	40	form-based			true	0.7	6	1	5	5	8324.399414	7249.399414	7249.399414	1.120075
2125	003B	2973	0.07	1075	1	55	80	2.5	6	5	7432	6357	RH-1	40	form-based			true	0.7	6	1	5	5	8324.399414	7249.399414	7249.399414	1.120075
2125	003C	2973	0.07	1050	1	55	80	2.5	6	5	7432	6382	RH-1	40	form-based			true	0.7	6	1	5	5	8324.399414	7274.399414	7274.399414	1.120075
2125	003D	2973	0.07	1150	1	55	80	2.5	6	5	7432	6282	RH-1	40	form-based			true	0.7	6	1	5	5	8324.399414	7174.399414	7174.399414	1.120075
2125	003E	2973	0.07	1075	1	55	80	2.5	6	5	7432	6357	RH-1	40	form-based			true	0.7	6	1	5	5	8324.399414	7249.399414	7249.399414	1.120075
2125	003F	2972	0.07	1075	1	55	80	2.5	6	5	7430	6355	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	7246.599609	7246.599609	1.12
2125	003G	2972	0.07	1240	1	55	80	2.5	6	5	7430	6190	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	7081.599609	7081.599609	1.12
2125	004	2972	0.07	1470	1	55	80	2.5	6	5	7430	5960	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	6851.599609	6851.599609	1.12
2125	004A	2972	0.07	1813	1	55	80	2.5	6	5	7430	5617	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	6508.599609	6508.599609	1.12
2125	004I	2972	0.07	1360	1	55	80	2.5	6	5	7430	6070	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	6961.599609	6961.599609	1.12
2125	004J	2972	0.07	2019	1	55	80	2.5	6	5	7430	5411	RH-1	40	form-based			true	0.7	6	1	5	5	8321.599609	6302.599609	6302.599609	1.12
2125	004Q	2932	0.07	1485	1	55	80	2.5	6	5	7330	5845	RH-1	40	form-based			true	0.7	6	1	5	5	8209.599609	6724.599609	6724.599609	1.12
2125	006	3000	0.07	1100	1	55	80	2.5	6	5	7500	6400	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7300	7300	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2125	006A	3000	0.07	2045	1	55	80	2.5	6	5	7500	5455	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6355	6355	1.12
2125	006C	3000	0.07	1396	1	55	80	2.5	6	5	7500	6104	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7004	7004	1.12
2125	006D	3000	0.07	1592	1	55	80	2.5	6	5	7500	5908	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6808	6808	1.12
2125	006E	3000	0.07	1315	1	55	80	2.5	6	5	7500	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7085	7085	1.12
2125	006F	3000	0.07	1965	1	55	80	2.5	6	5	7500	5535	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6435	6435	1.12
2125	008	3000	0.07	682	1	55	80	2.5	6	5	7500	6818	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7718	7718	1.12
2125	011	2658	0.06	1341	1	55	80	2.5	5	4	6645	5304	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7442.399902	6101.399902	6101.399902	1.12
2126	001	2687	0.06	1350	1	55	80	2.5	5	4	6718	5368	RH-1(D)	40	form-based		true	true	0.7	6	1.200000048	5	5	7523.600098	6173.600098	6173.600098	1.119917
2126	020	2660	0.06	1800	1	55	80	2.5	5	4	6650	4850	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7448	5648	5648	1.12
2126	010	3091	0.07	2517	1	55	80	2.5	6	5	7728	5211	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8654.799805	6137.799805	6137.799805	1.119928
2126	015	2920	0.07	1720	1	55	80	2.5	6	5	7300	5580	RH-1	40	form-based			true	0.7	6	1	5	5	8176	6456	6456	1.12
2126	015C	2968	0.07	1800	1	55	80	2.5	6	5	7420	5620	RH-1	40	form-based			true	0.7	6	1	5	5	8310.399414	6510.399414	6510.399414	1.12
2129	001A	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2129	001B	3000	0.07	2292	1	55	80	2.5	6	5	7500	5208	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6108	6108	1.12
2129	001G	3000	0.07	1515	1	55	80	2.5	6	5	7500	5985	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6885	6885	1.12
2129	001I	2971	0.07	2109	1	55	80	2.5	6	5	7428	5319	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	6209.799805	6209.799805	1.119925
2129	001J	2964	0.07	2285	1	55	80	2.5	6	5	7410	5125	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	6014.200195	6014.200195	1.12
2129	001K	2962	0.07	950	1	55	80	2.5	6	5	7405	6455	RH-1	40	form-based			true	0.7	6	1	5	5	8293.599609	7343.599609	7343.599609	1.12
2129	001L	3000	0.07	1763	1	55	80	2.5	6	5	7500	5737	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6637	6637	1.12
2129	001N	2969	0.07	950	1	55	80	2.5	6	5	7422	6472	RH-1	40	form-based			true	0.7	6	1	5	5	8313.200195	7363.200195	7363.200195	1.120075
2129	001O	2967	0.07	964	1	55	80	2.5	6	5	7418	6454	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	7343.599609	7343.599609	1.119924
2129	002C	2850	0.07	2998	1	55	80	2.5	6	5	7125	4127	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7980	4982	4982	1.12
2129	002D	2960	0.07	1024	1	55	80	2.5	6	5	7400	6376	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8288	7264	7264	1.12
2129	004	3000	0.07	1399	1	55	80	2.5	6	5	7500	6101	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7001	7001	1.12
2129	004A	3000	0.07	1838	1	55	80	2.5	6	5	7500	5662	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6562	6562	1.12
2129	004B	3000	0.07	1620	1	55	80	2.5	6	5	7500	5880	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6780	6780	1.12
2129	004C	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2129	005	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
2129	006	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2129	007A	3000	0.07	2200	1	55	80	2.5	6	5	7500	5300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6200	6200	1.12
2129	008	3000	0.07	1597	1	55	80	2.5	6	5	7500	5903	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6803	6803	1.12
2129	008A	3000	0.07	2457	1	55	80	2.5	6	5	7500	5043	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5943	5943	1.12
2129	008B	3000	0.07	1853	1	55	80	2.5	6	5	7500	5647	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6547	6547	1.12
2129	009	3000	0.07	1689	1	55	80	2.5	6	5	7500	5811	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6711	6711	1.12
2129	010	3551	0.08	2400	2	55	80	2.5	6	4	8878	6478	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9942.799805	7542.799805	7542.799805	1.119937
2130A	001Q	2703	0.06	2178	1	55	80	2.5	5	4	6758	4580	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7568.399902	5390.399902	5390.399902	1.119917
2130A	002	3020	0.07	1144	1	55	80	2.5	6	5	7550	6406	RH-1	40	form-based			true	0.7	6	1	5	5	8456	7312	7312	1.12
2130A	003	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
2130A	004	3000	0.07	1180	1	55	80	2.5	6	5	7500	6320	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7220	7220	1.12
2130A	004A	3000	0.07	1415	1	55	80	2.5	6	5	7500	6085	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6985	6985	1.12
2130A	005F	3000	0.07	1633	1	55	80	2.5	6	5	7500	5867	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6767	6767	1.12
2130A	006C	2970	0.07	1588	1	55	80	2.5	6	5	7425	5837	RH-1	40	form-based		true	true	0.7	6	1	5	5	8316	6728	6728	1.12
2130A	006G	3027	0.07	1075	1	55	80	2.5	6	5	7568	6493	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	7400.599609	7400.599609	1.119926
2130A	006H	3026	0.07	1075	1	55	80	2.5	6	5	7565	6490	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7397.799805	7397.799805	1.12
2130A	006I	3026	0.07	1075	1	55	80	2.5	6	5	7565	6490	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7397.799805	7397.799805	1.12
2130A	006J	3026	0.07	1075	1	55	80	2.5	6	5	7565	6490	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	7397.799805	7397.799805	1.12
2130A	007	3024	0.07	1142	1	55	80	2.5	6	5	7560	6418	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	7325.200195	7325.200195	1.12
2130A	008	3023	0.07	1172	1	55	80	2.5	6	5	7558	6386	RH-1	40	form-based			true	0.7	6	1	5	5	8464.399414	7292.399414	7292.399414	1.119926
2130A	008A	3022	0.07	1734	1	55	80	2.5	6	5	7555	5821	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6727.599609	6727.599609	1.12
2131A	002	2873	0.07	1400	1	55	80	2.5	6	5	7182	5782	RH-1	40	form-based			true	0.7	6	1	5	5	8044.399902	6644.399902	6644.399902	1.120078
2131A	003	3083	0.07	2350	1	55	80	2.5	6	5	7708	5358	RH-1	40	form-based			true	0.7	6	1	5	5	8632.399414	6282.399414	6282.399414	1.119927
2131A	003A	3079	0.07	2344	1	55	80	2.5	6	5	7698	5354	RH-1	40	form-based			true	0.7	6	1	5	5	8621.200195	6277.200195	6277.200195	1.119927
2131A	004	2950	0.07	1400	1	55	80	2.5	6	5	7375	5975	RH-1	40	form-based			true	0.7	6	1	5	5	8260	6860	6860	1.12
2131A	013	2646	0.06	1148	1	55	80	2.5	5	4	6615	5467	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7408.799805	6260.799805	6260.799805	1.12
2131A	027	2752	0.06	2855	1	55	80	2.5	5	4	6880	4025	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7705.600098	4850.600098	4850.600098	1.12
2131A	028	3069	0.07	1505	1	55	80	2.5	6	5	7672	6167	RH-1	40	form-based			true	0.7	6	1	5	5	8593.200195	7088.200195	7088.200195	1.120073
2131A	028A	2980	0.07	1505	1	55	80	2.5	6	5	7450	5945	RH-1	40	form-based			true	0.7	6	1	5	5	8344	6839	6839	1.12
2131A	041	2882	0.07	1804	1	55	80	2.5	6	5	7205	5401	RH-1	40	form-based			true	0.7	6	1	5	5	8069.600098	6265.600098	6265.600098	1.12
2131A	042	2670	0.06	1321	1	55	80	2.5	5	4	6675	5354	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7476	6155	6155	1.12
2131A	043	2687	0.06	1321	1	55	80	2.5	5	4	6718	5397	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7523.600098	6202.600098	6202.600098	1.119917
2131A	046	2992	0.07	1469	1	55	80	2.5	6	5	7480	6011	RH-1	40	form-based			true	0.7	6	1	5	5	8377.599609	6908.599609	6908.599609	1.12
2131A	047	2735	0.06	1469	1	55	80	2.5	5	4	6838	5369	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7658	6189	6189	1.119918
2131A	049	2841	0.07	2287	1	55	80	2.5	6	5	7102	4815	RH-1	40	form-based		true	true	0.7	6	1	5	5	7954.799805	5667.799805	5667.799805	1.120079
2131A	050	2699	0.06	2281	1	55	80	2.5	5	4	6748	4467	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7557.199707	5276.199707	5276.199707	1.119917

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2133A	002A	2812	0.06	1500	1	55	80	2.5	5	4	7030	5530	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6373.600098	6373.600098	1.12
2133A	002B	2671	0.06	1500	1	55	80	2.5	5	4	6678	5178	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7478.799805	5978.799805	5978.799805	1.119916
2133A	002H	3066	0.07	1500	1	55	80	2.5	6	5	7665	6165	RH-1	40	form-based			true	0.7	6	1	5	5	8584.799805	7084.799805	7084.799805	1.12
2133A	002I	2671	0.06	1500	1	55	80	2.5	5	4	6678	5178	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7478.799805	5978.799805	5978.799805	1.119916
2133A	004	2676	0.06	1374	1	55	80	2.5	5	4	6690	5316	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7492.799805	6118.799805	6118.799805	1.12
2133A	005	2692	0.06	2426	1	55	80	2.5	5	4	6730	4304	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7537.600098	5111.600098	5111.600098	1.12
2133A	010A	3077	0.07	1454	1	55	80	2.5	6	5	7692	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	7161.599609	7161.599609	1.120073
2133A	017	3538	0.08	1458	2	55	80	2.5	6	4	8845	7387	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9906.399414	8448.399414	8448.399414	1.12
2133A	026	2672	0.06	1962	1	55	80	2.5	5	4	6680	4718	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7481.600098	5519.600098	5519.600098	1.12
2134A	014	2984	0.07	1191	1	55	80	2.5	6	5	7460	6269	RH-1	40	form-based			true	0.7	6	1	5	5	8355.200195	7164.200195	7164.200195	1.12
2135	001B	2779	0.06	1323	1	55	80	2.5	5	4	6948	5625	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7781.199707	6458.199707	6458.199707	1.119919
2135	001C	2779	0.06	1323	1	55	80	2.5	5	4	6948	5625	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7781.199707	6458.199707	6458.199707	1.119919
2135	001P	3003	0.07	1350	1	55	80	2.5	6	5	7508	6158	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8408.399414	7058.399414	7058.399414	1.119925
2135	001Q	3003	0.07	2072	1	55	80	2.5	6	5	7508	5436	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8408.399414	6336.399414	6336.399414	1.119925
2135	002A	2830	0.06	1574	1	55	80	2.5	5	4	7075	5501	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7924	6350	6350	1.12
2135	002B	2671	0.06	1586	1	55	80	2.5	5	4	6678	5092	RH-1(D)	40	form-based	true		true	0.7	6	1.200000048	5	5	7478.799805	5892.799805	5892.799805	1.119916
2136	004	2841	0.07	1554	1	55	80	2.5	6	5	7102	5548	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	7954.799805	6400.799805	6400.799805	1.120079
2136	005A	3072	0.07	3471	1	55	80	2.5	6	5	7680	4209	RH-1	40	form-based	true		true	0.7	6	1	5	5	8601.599609	5130.599609	5130.599609	1.12
2136	006	2623	0.06	1916	1	55	80	2.5	5	4	6558	4642	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7344.399902	5428.399902	5428.399902	1.119915
2136	007A	2623	0.06	1125	1	55	80	2.5	5	4	6558	5433	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7344.399902	6219.399902	6219.399902	1.119915
2136	007B	3035	0.07	1543	1	55	80	2.5	6	5	7588	6045	RH-1	40	form-based			true	0.7	6	1	5	5	8498	6955	6955	1.119926
2136	007C	3035	0.07	1780	1	55	80	2.5	6	5	7588	5808	RH-1	40	form-based			true	0.7	6	1	5	5	8498	6718	6718	1.119926
2136	007D	3035	0.07	1450	1	55	80	2.5	6	5	7588	6138	RH-1	40	form-based			true	0.7	6	1	5	5	8498	7048	7048	1.119926
2136	007E	3035	0.07	1450	1	55	80	2.5	6	5	7588	6138	RH-1	40	form-based			true	0.7	6	1	5	5	8498	7048	7048	1.119926
2136	007F	3035	0.07	2338	1	55	80	2.5	6	5	7588	5250	RH-1	40	form-based			true	0.7	6	1	5	5	8498	6160	6160	1.119926
2136	007G	3035	0.07	1315	1	55	80	2.5	6	5	7588	6273	RH-1	40	form-based			true	0.7	6	1	5	5	8498	7183	7183	1.119926
2136	007H	3035	0.07	1565	1	55	80	2.5	6	5	7588	6023	RH-1	40	form-based			true	0.7	6	1	5	5	8498	6933	6933	1.119926
2136	007I	3035	0.07	1315	1	55	80	2.5	6	5	7588	6273	RH-1	40	form-based			true	0.7	6	1	5	5	8498	7183	7183	1.119926
2136	007J	3035	0.07	2025	1	55	80	2.5	6	5	7588	5563	RH-1	40	form-based			true	0.7	6	1	5	5	8498	6473	6473	1.119926
2136	007K	3035	0.07	1315	1	55	80	2.5	6	5	7588	6273	RH-1	40	form-based			true	0.7	6	1	5	5	8498	7183	7183	1.119926
2136	007L	3035	0.07	1375	1	55	80	2.5	6	5	7588	6213	RH-1	40	form-based			true	0.7	6	1	5	5	8498	7123	7123	1.119926
2136	008	3035	0.07	1870	1	55	80	2.5	6	5	7588	5718	RH-1	40	form-based			true	0.7	6	1	5	5	8498	6628	6628	1.119926
2136	009	3035	0.07	1450	1	55	80	2.5	6	5	7588	6138	RH-1	40	form-based			true	0.7	6	1	5	5	8498	7048	7048	1.119926
2136	010	3035	0.07	1500	1	55	80	2.5	6	5	7588	6088	RH-1	40	form-based			true	0.7	6	1	5	5	8498	6998	6998	1.119926
2136	011	3035	0.07	1200	1	55	80	2.5	6	5	7588	6388	RH-1	40	form-based			true	0.7	6	1	5	5	8498	7298	7298	1.119926
2136	012	2835	0.07	1728	1	55	80	2.5	6	5	7088	5360	RH-1	40	form-based			true	0.7	6	1	5	5	7938	6210	6210	1.119921
2136	013	2940	0.07	1455	1	55	80	2.5	6	5	7350	5895	RH-1	40	form-based			true	0.7	6	1	5	5	8232	6777	6777	1.12
2137	001C	2815	0.06	1610	1	55	80	2.5	5	4	7038	5428	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6272	6272	1.11992
2137	001D	2815	0.06	1490	1	55	80	2.5	5	4	7038	5548	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6392	6392	1.11992
2137	001E	2815	0.06	1203	1	55	80	2.5	5	4	7038	5835	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6679	6679	1.11992
2137	001F	2815	0.06	1455	1	55	80	2.5	5	4	7038	5583	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6427	6427	1.11992
2137	001G	2815	0.06	2060	1	55	80	2.5	5	4	7038	4978	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	5822	5822	1.11992
2137	002	3002	0.07	1446	1	55	80	2.5	6	5	7505	6059	RH-1	40	form-based			true	0.7	6	1	5	5	8405.599609	6959.599609	6959.599609	1.12
2137	002A	3002	0.07	1400	1	55	80	2.5	6	5	7505	6105	RH-1	40	form-based			true	0.7	6	1	5	5	8405.599609	7005.599609	7005.599609	1.12
2137	002B	3002	0.07	1960	1	55	80	2.5	6	5	7505	5545	RH-1	40	form-based			true	0.7	6	1	5	5	8405.599609	6445.599609	6445.599609	1.12
2137	002C	3002	0.07	1800	1	55	80	2.5	6	5	7505	5705	RH-1	40	form-based			true	0.7	6	1	5	5	8405.599609	6605.599609	6605.599609	1.12
2137	002D	3002	0.07	1853	1	55	80	2.5	6	5	7505	5652	RH-1	40	form-based			true	0.7	6	1	5	5	8405.599609	6552.599609	6552.599609	1.12
2137	002E	3002	0.07	1965	1	55	80	2.5	6	5	7505	5540	RH-1	40	form-based			true	0.7	6	1	5	5	8405.599609	6440.599609	6440.599609	1.12
2137	002F	3001	0.07	2525	1	55	80	2.5	6	5	7502	4977	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	5877.799805	5877.799805	1.120075
2137	002G	3001	0.07	1580	1	55	80	2.5	6	5	7502	5922	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6822.799805	6822.799805	1.120075
2137	002H	3001	0.07	1350	1	55	80	2.5	6	5	7502	6152	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	7052.799805	7052.799805	1.120075
2137	002I	3001	0.07	1350	1	55	80	2.5	6	5	7502	6152	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	7052.799805	7052.799805	1.120075
2137	002J	3001	0.07	2397	1	55	80	2.5	6	5	7502	5105	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6005.799805	6005.799805	1.120075
2137	002K	3001	0.07	1500	1	55	80	2.5	6	5	7502	6002	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	6902.799805	6902.799805	1.120075
2137	002L	3076	0.07	2665	1	55	80	2.5	6	5	7690	5025	RH-1	40	form-based			true	0.7	6	1	5	5	8612.799805	5947.799805	5947.799805	1.12
2137	002N	3004	0.07	1400	1	55	80	2.5	6	5	7510	6110	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7011.200195	7011.200195	1.12
2137	002O	3004	0.07	1400	1	55	80	2.5	6	5	7510	6110	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7011.200195	7011.200195	1.12
2137	002P	3004	0.07	2300	1	55	80	2.5	6	5	7510	5210	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6111.200195	6111.200195	1.12
2137	002Q	3004	0.07	2068	1	55	80	2.5	6	5	7510	5442	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6343.200195	6343.200195	1.12
2137	002R	3004	0.07	2355	1	55	80	2.5	6	5	7510	5155	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6056.200195	6056.200195	1.12
2137	002S	3003	0.07	1400	1	55	80	2.5	6	5	7508	6108	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7008.399414	7008.399414	1.119925
2137	002T	3003	0.07	1400	1	55	80	2.5	6	5	7508	6108	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7008.399414	7008.399414	1.119925
2137	002U	3003	0.07	2190	1	55	80	2.5	6	5	7508	5318	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	6218.399414	6218.399414	1.119925
2137	002V	3003	0.07	1400	1	55	80	2.5	6	5	7508	6108	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7008.399414	7008.399414	1.119925

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2137	002W	3003	0.07	1400	1	55	80	2.5	6	5	7508	6108	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7008.399414	7008.399414	1.119925
2137	002X	3003	0.07	1550	1	55	80	2.5	6	5	7508	5958	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	6858.399414	6858.399414	1.119925
2137	002Y	3003	0.07	1400	1	55	80	2.5	6	5	7508	6108	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7008.399414	7008.399414	1.119925
2137	004	2643	0.06	1630	1	55	80	2.5	5	4	6608	4978	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7400.399902	5770.399902	5770.399902	1.119915
2137	005	2815	0.06	2420	1	55	80	2.5	5	4	7038	4618	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	5462	5462	1.11992
2137	006	2815	0.06	2260	1	55	80	2.5	5	4	7038	4778	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	5622	5622	1.11992
2137	007	2815	0.06	1500	1	55	80	2.5	5	4	7038	5538	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6382	6382	1.11992
2137	008	2815	0.06	1425	1	55	80	2.5	5	4	7038	5613	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6457	6457	1.11992
2137	009	2815	0.06	1440	1	55	80	2.5	5	4	7038	5598	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6442	6442	1.11992
2137	010	2815	0.06	1925	1	55	80	2.5	5	4	7038	5113	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	5957	5957	1.11992
2137	011	2815	0.06	2526	1	55	80	2.5	5	4	7038	4512	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	5356	5356	1.11992
2138	002	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2138	003	3000	0.07	2084	1	55	80	2.5	6	5	7500	5416	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6316	6316	1.12
2139	016	2989	0.07	1715	1	55	80	2.5	6	5	7472	5757	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	6654.200195	6654.200195	1.120075
2139	016A	2989	0.07	1759	1	55	80	2.5	6	5	7472	5713	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	6610.200195	6610.200195	1.120075
2139	017	2989	0.07	1537	1	55	80	2.5	6	5	7472	5935	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	6832.200195	6832.200195	1.120075
2139	017A	2989	0.07	1950	1	55	80	2.5	6	5	7472	5522	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	6419.200195	6419.200195	1.120075
2139	018	2989	0.07	1805	1	55	80	2.5	6	5	7472	5667	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	6564.200195	6564.200195	1.120075
2139	018A	2989	0.07	1500	1	55	80	2.5	6	5	7472	5972	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	6869.200195	6869.200195	1.120075
2139	019	2989	0.07	1350	1	55	80	2.5	6	5	7472	6122	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	7019.200195	7019.200195	1.120075
2139	019A	2989	0.07	1400	1	55	80	2.5	6	5	7472	6072	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	6969.200195	6969.200195	1.120075
2139	020	2989	0.07	2234	1	55	80	2.5	6	5	7472	5238	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	6135.200195	6135.200195	1.120075
2139	020A	2989	0.07	1325	1	55	80	2.5	6	5	7472	6147	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	7044.200195	7044.200195	1.120075
2139	021	2989	0.07	2296	1	55	80	2.5	6	5	7472	5176	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	6073.200195	6073.200195	1.120075
2139	021A	2989	0.07	1400	1	55	80	2.5	6	5	7472	6072	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	6969.200195	6969.200195	1.120075
2139	021B	2989	0.07	1400	1	55	80	2.5	6	5	7472	6072	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	6969.200195	6969.200195	1.120075
2139	021C	2989	0.07	875	1	55	80	2.5	6	5	7472	6597	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	7494.200195	7494.200195	1.120075
2139	021G	2989	0.07	1350	1	55	80	2.5	6	5	7472	6122	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	7019.200195	7019.200195	1.120075
2140	002A	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2140	003	3000	0.07	1575	1	55	80	2.5	6	5	7500	5925	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6825	6825	1.12
2140	004	3000	0.07	2212	1	55	80	2.5	6	5	7500	5288	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6188	6188	1.12
2140	004A	3000	0.07	765	1	55	80	2.5	6	5	7500	6735	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7635	7635	1.12
2140	004B	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2140	005A	3000	0.07	2160	1	55	80	2.5	6	5	7500	5340	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6240	6240	1.12
2140	006	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2140	007	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2140	007A	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2140	008	3000	0.07	2018	1	55	80	2.5	6	5	7500	5482	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6382	6382	1.12
2140	008A	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2140	010	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2140	011	3000	0.07	1383	1	55	80	2.5	6	5	7500	6117	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7017	7017	1.12
2140	012	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2140	012A	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2140	013	3000	0.07	1650	1	55	80	2.5	6	5	7500	5850	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6750	6750	1.12
2140	015A	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2140	015B	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2140	015C	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2140	015D	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
2140	015E	3000	0.07	1290	1	55	80	2.5	6	5	7500	6210	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7110	7110	1.12
2140	015F	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2140	016	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2140	016A	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2140	016B	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
2140	016C	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2140	016D	3000	0.07	1775	1	55	80	2.5	6	5	7500	5725	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6625	6625	1.12
2140	016E	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2140	016F	3000	0.07	1910	1	55	80	2.5	6	5	7500	5590	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6490	6490	1.12
2140	016G	3000	0.07	1940	1	55	80	2.5	6	5	7500	5560	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6460	6460	1.12
2140	017	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2140	018	3000	0.07	1750	1	55	80	2.5	6	5	7500	5750	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6650	6650	1.12
2140	019	3000	0.07	1319	1	55	80	2.5	6	5	7500	6181	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7081	7081	1.12
2140	020	3000	0.07	1440	1	55	80	2.5	6	5	7500	6060	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6960	6960	1.12
2140	020A	3000	0.07	1290	1	55	80	2.5	6	5	7500	6210	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7110	7110	1.12
2141	001D	3000	0.07	1338	1	55	80	2.5	6	5	7500	6162	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7062	7062	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2141	001E	3000	0.07	1120	1	55	80	2.5	6	5	7500	6380	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7280	7280	1.12
2141	001F	3000	0.07	1062	1	55	80	2.5	6	5	7500	6438	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7338	7338	1.12
2141	001G	3000	0.07	2602	1	55	80	2.5	6	5	7500	4898	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5798	5798	1.12
2141	002	3000	0.07	1175	1	55	80	2.5	6	5	7500	6325	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7225	7225	1.12
2141	002A	3000	0.07	1175	1	55	80	2.5	6	5	7500	6325	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7225	7225	1.12
2141	003	3000	0.07	1675	1	55	80	2.5	6	5	7500	5825	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6725	6725	1.12
2141	003A	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2141	004	3000	0.07	2314	1	55	80	2.5	6	5	7500	5186	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6086	6086	1.12
2141	004A	3000	0.07	1745	1	55	80	2.5	6	5	7500	5755	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6655	6655	1.12
2141	005	3000	0.07	1837	1	55	80	2.5	6	5	7500	5663	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6563	6563	1.12
2141	005A	3000	0.07	1801	1	55	80	2.5	6	5	7500	5699	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6599	6599	1.12
2141	006	3000	0.07	1480	1	55	80	2.5	6	5	7500	6020	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6920	6920	1.12
2141	006A	3009	0.07	1524	1	55	80	2.5	6	5	7522	5998	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6901.200195	6901.200195	1.120075
2141	006B	3000	0.07	1700	1	55	80	2.5	6	5	7500	5800	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6700	6700	1.12
2141	006C	3000	0.07	1405	1	55	80	2.5	6	5	7500	6095	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6995	6995	1.12
2141	006D	3000	0.07	1894	1	55	80	2.5	6	5	7500	5606	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6506	6506	1.12
2141	006E	3009	0.07	1100	1	55	80	2.5	6	5	7522	6422	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7325.200195	7325.200195	1.120075
2141	006F	3009	0.07	1100	1	55	80	2.5	6	5	7522	6422	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7325.200195	7325.200195	1.120075
2141	006G	3009	0.07	1494	1	55	80	2.5	6	5	7522	6028	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6931.200195	6931.200195	1.120075
2141	007C	2500	0.06	867	0	55	80	2.5	5	5	6250	5383	RH-1	40	form-based			true	0.7	5	1	5	5	7000	6133	6133	1.12
2141	009	3009	0.07	1404	1	55	80	2.5	6	5	7522	6118	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7021.200195	7021.200195	1.120075
2141	009A	3009	0.07	1200	1	55	80	2.5	6	5	7522	6322	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7225.200195	7225.200195	1.120075
2141	010	3009	0.07	1200	1	55	80	2.5	6	5	7522	6322	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7225.200195	7225.200195	1.120075
2141	010A	3009	0.07	1416	1	55	80	2.5	6	5	7522	6106	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7009.200195	7009.200195	1.120075
2141	011	3009	0.07	1520	1	55	80	2.5	6	5	7522	6002	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6905.200195	6905.200195	1.120075
2141	012	3009	0.07	1200	1	55	80	2.5	6	5	7522	6322	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7225.200195	7225.200195	1.120075
2141	012A	3009	0.07	1400	1	55	80	2.5	6	5	7522	6122	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7025.200195	7025.200195	1.120075
2141	013	3009	0.07	1509	1	55	80	2.5	6	5	7522	6013	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6916.200195	6916.200195	1.120075
2141	013A	3009	0.07	1200	1	55	80	2.5	6	5	7522	6322	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7225.200195	7225.200195	1.120075
2141	013B	3009	0.07	2299	1	55	80	2.5	6	5	7522	5223	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6126.200195	6126.200195	1.120075
2141	013C	3009	0.07	900	1	55	80	2.5	6	5	7522	6622	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7525.200195	7525.200195	1.120075
2141	013D	3009	0.07	1200	1	55	80	2.5	6	5	7522	6322	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7225.200195	7225.200195	1.120075
2142	001D	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2142	001E	3000	0.07	1950	1	55	80	2.5	6	5	7500	5550	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6450	6450	1.12
2142	002	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
2142	003	3000	0.07	1510	1	55	80	2.5	6	5	7500	5990	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6890	6890	1.12
2142	004	3000	0.07	1740	1	55	80	2.5	6	5	7500	5760	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6660	6660	1.12
2142	004A	3000	0.07	2308	1	55	80	2.5	6	5	7500	5192	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6092	6092	1.12
2142	005	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2142	005A	3000	0.07	1426	1	55	80	2.5	6	5	7500	6074	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6974	6974	1.12
2142	006	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
2142	006A	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2142	007	3000	0.07	1522	1	55	80	2.5	6	5	7500	5978	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6878	6878	1.12
2142	007A	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2142	008	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2142	009	3000	0.07	2021	1	55	80	2.5	6	5	7500	5479	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6379	6379	1.12
2142	010	3000	0.07	2312	1	55	80	2.5	6	5	7500	5188	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6088	6088	1.12
2142	010A	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2142	017	3014	0.07	1330	1	55	80	2.5	6	5	7535	6205	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7109.200195	7109.200195	1.12
2142	017A	3014	0.07	1933	1	55	80	2.5	6	5	7535	5602	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6506.200195	6506.200195	1.12
2142	018	3014	0.07	1350	1	55	80	2.5	6	5	7535	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7089.200195	7089.200195	1.12
2142	018A	3014	0.07	1350	1	55	80	2.5	6	5	7535	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7089.200195	7089.200195	1.12
2142	018B	3014	0.07	1350	1	55	80	2.5	6	5	7535	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7089.200195	7089.200195	1.12
2142	018C	3014	0.07	1530	1	55	80	2.5	6	5	7535	6005	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6909.200195	6909.200195	1.12
2142	019	3014	0.07	1835	1	55	80	2.5	6	5	7535	5700	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6604.200195	6604.200195	1.12
2142	019A	3014	0.07	1590	1	55	80	2.5	6	5	7535	5945	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6849.200195	6849.200195	1.12
2142	020	3014	0.07	2230	1	55	80	2.5	6	5	7535	5305	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6209.200195	6209.200195	1.12
2142	021	3014	0.07	1350	1	55	80	2.5	6	5	7535	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7089.200195	7089.200195	1.12
2142	021A	3014	0.07	1350	1	55	80	2.5	6	5	7535	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7089.200195	7089.200195	1.12
2142	021B	3014	0.07	1872	1	55	80	2.5	6	5	7535	5663	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6567.200195	6567.200195	1.12
2142	022	3014	0.07	1563	1	55	80	2.5	6	5	7535	5972	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6876.200195	6876.200195	1.12
2142	023	3014	0.07	1350	1	55	80	2.5	6	5	7535	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7089.200195	7089.200195	1.12
2142	024	3014	0.07	1510	1	55	80	2.5	6	5	7535	6025	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6929.200195	6929.200195	1.12
2142	024A	3014	0.07	1644	1	55	80	2.5	6	5	7535	5891	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6795.200195	6795.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2143	005	3009	0.07	800	1	55	80	2.5	6	5	7522	6722	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7625.200195	7625.200195	1.120075
2143	006	3009	0.07	944	1	55	80	2.5	6	5	7522	6578	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7481.200195	7481.200195	1.120075
2143	007	3009	0.07	1025	1	55	80	2.5	6	5	7522	6497	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7400.200195	7400.200195	1.120075
2143	008	3009	0.07	920	1	55	80	2.5	6	5	7522	6602	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7505.200195	7505.200195	1.120075
2143	009	3009	0.07	800	1	55	80	2.5	6	5	7522	6722	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7625.200195	7625.200195	1.120075
2143	010	3009	0.07	800	1	55	80	2.5	6	5	7522	6722	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7625.200195	7625.200195	1.120075
2143	011	3009	0.07	950	1	55	80	2.5	6	5	7522	6572	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7475.200195	7475.200195	1.120075
2143	012	3009	0.07	800	1	55	80	2.5	6	5	7522	6722	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7625.200195	7625.200195	1.120075
2143	013	3009	0.07	800	1	55	80	2.5	6	5	7522	6722	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7625.200195	7625.200195	1.120075
2143	014	3009	0.07	1588	1	55	80	2.5	6	5	7522	5934	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6837.200195	6837.200195	1.120075
2143	015	3009	0.07	1994	1	55	80	2.5	6	5	7522	5528	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6431.200195	6431.200195	1.120075
2143	016	3009	0.07	800	1	55	80	2.5	6	5	7522	6722	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7625.200195	7625.200195	1.120075
2143	017	3009	0.07	1005	1	55	80	2.5	6	5	7522	6517	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7420.200195	7420.200195	1.120075
2143	018	3009	0.07	1915	1	55	80	2.5	6	5	7522	5607	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6510.200195	6510.200195	1.120075
2143	019	3009	0.07	1156	1	55	80	2.5	6	5	7522	6366	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7269.200195	7269.200195	1.120075
2143	020	3009	0.07	1200	1	55	80	2.5	6	5	7522	6322	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7225.200195	7225.200195	1.120075
2143	034	3000	0.07	2492	1	55	80	2.5	6	5	7500	5008	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5908	5908	1.12
2143	035	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2143	036	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2143	037	3000	0.07	1016	1	55	80	2.5	6	5	7500	6484	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7384	7384	1.12
2143	038	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2143	039	3000	0.07	1315	1	55	80	2.5	6	5	7500	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7085	7085	1.12
2143	040	3000	0.07	1840	1	55	80	2.5	6	5	7500	5660	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6560	6560	1.12
2143	041	3000	0.07	1359	1	55	80	2.5	6	5	7500	6141	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7041	7041	1.12
2143	042	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2143	043	3000	0.07	944	1	55	80	2.5	6	5	7500	6556	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7456	7456	1.12
2143	044	3000	0.07	950	1	55	80	2.5	6	5	7500	6550	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7450	7450	1.12
2143	045	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2143	046	3000	0.07	1000	1	55	80	2.5	6	5	7500	6500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7400	7400	1.12
2143	047	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2143	048	3000	0.07	920	1	55	80	2.5	6	5	7500	6580	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7480	7480	1.12
2143	049	3000	0.07	1584	1	55	80	2.5	6	5	7500	5916	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6816	6816	1.12
2148	004	2967	0.07	1118	1	55	80	2.5	6	5	7418	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	7189.599609	7189.599609	1.119924
2148	005	2967	0.07	1150	1	55	80	2.5	6	5	7418	6268	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	7157.599609	7157.599609	1.119924
2148	006	2967	0.07	1550	1	55	80	2.5	6	5	7418	5868	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6757.599609	6757.599609	1.119924
2148	007	2967	0.07	1679	1	55	80	2.5	6	5	7418	5739	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6628.599609	6628.599609	1.119924
2148	008	2967	0.07	1150	1	55	80	2.5	6	5	7418	6268	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	7157.599609	7157.599609	1.119924
2148	009	2967	0.07	1508	1	55	80	2.5	6	5	7418	5910	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6799.599609	6799.599609	1.119924
2148	010	2967	0.07	1600	1	55	80	2.5	6	5	7418	5818	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6707.599609	6707.599609	1.119924
2148	011	2967	0.07	1456	1	55	80	2.5	6	5	7418	5962	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6851.599609	6851.599609	1.119924
2148	012	2967	0.07	1470	1	55	80	2.5	6	5	7418	5948	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6837.599609	6837.599609	1.119924
2148	013	2967	0.07	1150	1	55	80	2.5	6	5	7418	6268	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	7157.599609	7157.599609	1.119924
2148	014	2967	0.07	1702	1	55	80	2.5	6	5	7418	5716	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6605.599609	6605.599609	1.119924
2148	015	2967	0.07	1150	1	55	80	2.5	6	5	7418	6268	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	7157.599609	7157.599609	1.119924
2148	016	2967	0.07	1890	1	55	80	2.5	6	5	7418	5528	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6417.599609	6417.599609	1.119924
2148	017	2967	0.07	1150	1	55	80	2.5	6	5	7418	6268	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	7157.599609	7157.599609	1.119924
2148	018	2967	0.07	1150	1	55	80	2.5	6	5	7418	6268	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	7157.599609	7157.599609	1.119924
2148	019	2967	0.07	1650	1	55	80	2.5	6	5	7418	5768	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6657.599609	6657.599609	1.119924
2148	020	2967	0.07	1495	1	55	80	2.5	6	5	7418	5923	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6812.599609	6812.599609	1.119924
2148	021	2967	0.07	1205	1	55	80	2.5	6	5	7418	6213	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	7102.599609	7102.599609	1.119924
2148	033	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2148	034	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2148	035	3000	0.07	1028	1	55	80	2.5	6	5	7500	6472	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7372	7372	1.12
2148	036	3000	0.07	969	1	55	80	2.5	6	5	7500	6531	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7431	7431	1.12
2148	037	3000	0.07	956	1	55	80	2.5	6	5	7500	6544	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7444	7444	1.12
2148	038	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2148	039	3000	0.07	948	1	55	80	2.5	6	5	7500	6552	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7452	7452	1.12
2148	040	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2148	041	3000	0.07	956	1	55	80	2.5	6	5	7500	6544	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7444	7444	1.12
2148	042	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2148	043	3000	0.07	980	1	55	80	2.5	6	5	7500	6520	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7420	7420	1.12
2148	044	3000	0.07	950	1	55	80	2.5	6	5	7500	6550	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7450	7450	1.12
2148	045	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2148	046	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2148	047	3000	0.07	1198	1	55	80	2.5	6	5	7500	6302	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7202	7202	1.12
2148	048	3000	0.07	1311	1	55	80	2.5	6	5	7500	6189	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7089	7089	1.12
2148	049	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2149	001D	3018	0.07	1267	1	55	80	2.5	6	5	7545	6278	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7183.399414	7183.399414	1.12
2149	001E	3018	0.07	1467	1	55	80	2.5	6	5	7545	6078	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6983.399414	6983.399414	1.12
2149	001F	3018	0.07	1690	1	55	80	2.5	6	5	7545	5855	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6760.399414	6760.399414	1.12
2149	001G	3018	0.07	2243	1	55	80	2.5	6	5	7545	5302	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6207.399414	6207.399414	1.12
2149	001H	3018	0.07	1407	1	55	80	2.5	6	5	7545	6138	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7043.399414	7043.399414	1.12
2149	001I	3018	0.07	1914	1	55	80	2.5	6	5	7545	5631	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6536.399414	6536.399414	1.12
2149	001J	3018	0.07	1135	1	55	80	2.5	6	5	7545	6410	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7315.399414	7315.399414	1.12
2149	001K	3018	0.07	1725	1	55	80	2.5	6	5	7545	5820	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6725.399414	6725.399414	1.12
2149	002	3018	0.07	1370	1	55	80	2.5	6	5	7545	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7080.399414	7080.399414	1.12
2149	002A	3018	0.07	2250	1	55	80	2.5	6	5	7545	5295	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6200.399414	6200.399414	1.12
2149	002B	3018	0.07	1125	1	55	80	2.5	6	5	7545	6420	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7325.399414	7325.399414	1.12
2149	002C	3018	0.07	1365	1	55	80	2.5	6	5	7545	6180	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7085.399414	7085.399414	1.12
2149	002D	3018	0.07	1476	1	55	80	2.5	6	5	7545	6069	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6974.399414	6974.399414	1.12
2149	002E	3018	0.07	1565	1	55	80	2.5	6	5	7545	5980	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6885.399414	6885.399414	1.12
2149	002F	3018	0.07	1175	1	55	80	2.5	6	5	7545	6370	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7275.399414	7275.399414	1.12
2149	002G	3018	0.07	1873	1	55	80	2.5	6	5	7545	5672	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6577.399414	6577.399414	1.12
2149	003J	3000	0.07	1485	1	55	80	2.5	6	5	7500	6015	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6915	6915	1.12
2149	003K	3000	0.07	1775	1	55	80	2.5	6	5	7500	5725	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6625	6625	1.12
2149	003L	3000	0.07	1175	1	55	80	2.5	6	5	7500	6325	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7225	7225	1.12
2149	003M	3000	0.07	2260	1	55	80	2.5	6	5	7500	5240	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6140	6140	1.12
2149	003N	3000	0.07	1449	1	55	80	2.5	6	5	7500	6051	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6951	6951	1.12
2149	003O	3000	0.07	1517	1	55	80	2.5	6	5	7500	5983	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6883	6883	1.12
2149	003P	3000	0.07	1825	1	55	80	2.5	6	5	7500	5675	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6575	6575	1.12
2149	003Q	3000	0.07	1175	1	55	80	2.5	6	5	7500	6325	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7225	7225	1.12
2149	003R	3000	0.07	1175	1	55	80	2.5	6	5	7500	6325	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7225	7225	1.12
2149	004	3000	0.07	1566	1	55	80	2.5	6	5	7500	5934	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6834	6834	1.12
2149	005	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2149	006	3000	0.07	1228	1	55	80	2.5	6	5	7500	6272	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7172	7172	1.12
2149	007	3000	0.07	1000	1	55	80	2.5	6	5	7500	6500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7400	7400	1.12
2149	008	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12
2149	009	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2149	010	3000	0.07	950	1	55	80	2.5	6	5	7500	6550	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7450	7450	1.12
2149	011	3000	0.07	991	1	55	80	2.5	6	5	7500	6509	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7409	7409	1.12
2150	001C	2686	0.06	1442	1	55	80	2.5	5	4	6715	5273	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7520.799805	6078.799805	6078.799805	1.12
2150	002	2998	0.07	1697	1	55	80	2.5	6	5	7495	5798	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6697.399414	6697.399414	1.12
2150	002A	2998	0.07	1200	1	55	80	2.5	6	5	7495	6295	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7194.399414	7194.399414	1.12
2150	002B	2998	0.07	1200	1	55	80	2.5	6	5	7495	6295	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7194.399414	7194.399414	1.12
2150	002C	2998	0.07	1200	1	55	80	2.5	6	5	7495	6295	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7194.399414	7194.399414	1.12
2150	002D	2998	0.07	1484	1	55	80	2.5	6	5	7495	6011	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6910.399414	6910.399414	1.12
2150	002E	2998	0.07	1200	1	55	80	2.5	6	5	7495	6295	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7194.399414	7194.399414	1.12
2150	002F	2998	0.07	1200	1	55	80	2.5	6	5	7495	6295	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7194.399414	7194.399414	1.12
2150	002G	2998	0.07	1976	1	55	80	2.5	6	5	7495	5519	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6418.399414	6418.399414	1.12
2150	002H	2998	0.07	1466	1	55	80	2.5	6	5	7495	6029	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6928.399414	6928.399414	1.12
2150	002I	2998	0.07	1511	1	55	80	2.5	6	5	7495	5984	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6883.399414	6883.399414	1.12
2150	002J	2998	0.07	1200	1	55	80	2.5	6	5	7495	6295	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7194.399414	7194.399414	1.12
2150	003	2998	0.07	1200	1	55	80	2.5	6	5	7495	6295	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7194.399414	7194.399414	1.12
2150	003A	2998	0.07	1200	1	55	80	2.5	6	5	7495	6295	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7194.399414	7194.399414	1.12
2150	004	2998	0.07	1350	1	55	80	2.5	6	5	7495	6145	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7044.399414	7044.399414	1.12
2150	004A	2998	0.07	1947	1	55	80	2.5	6	5	7495	5548	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6447.399414	6447.399414	1.12
2150	005	2998	0.07	1350	1	55	80	2.5	6	5	7495	6145	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7044.399414	7044.399414	1.12
2150	011	3000	0.07	1506	1	55	80	2.5	6	5	7500	5994	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6894	6894	1.12
2150	012	3000	0.07	1306	1	55	80	2.5	6	5	7500	6194	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7094	7094	1.12
2150	013	3000	0.07	1590	1	55	80	2.5	6	5	7500	5910	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6810	6810	1.12
2150	014	3000	0.07	1306	1	55	80	2.5	6	5	7500	6194	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7094	7094	1.12
2150	014A	3000	0.07	1306	1	55	80	2.5	6	5	7500	6194	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7094	7094	1.12
2150	014B	3000	0.07	1306	1	55	80	2.5	6	5	7500	6194	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7094	7094	1.12
2150	014C	3000	0.07	1826	1	55	80	2.5	6	5	7500	5674	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6574	6574	1.12
2150	015	3000	0.07	2050	1	55	80	2.5	6	5	7500	5450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6350	6350	1.12
2150	015A	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2150	015B	3000	0.07	1680	1	55	80	2.5	6	5	7500	5820	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6720	6720	1.12
2150	015C	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2150	016	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2150	016A	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
2150	016B	3000	0.07	1815	1	55	80	2.5	6	5	7500	5685	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6585	6585	1.12
2150	016C	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
2150	017	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2151	004	3013	0.07	1357	1	55	80	2.5	6	5	7532	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7079.399414	7079.399414	1.120074
2151	005	3013	0.07	1820	1	55	80	2.5	6	5	7532	5712	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6616.399414	6616.399414	1.120074
2151	006	3013	0.07	1162	1	55	80	2.5	6	5	7532	6370	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7274.399414	7274.399414	1.120074
2151	007	3013	0.07	1474	1	55	80	2.5	6	5	7532	6058	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6962.399414	6962.399414	1.120074
2151	008	3013	0.07	1379	1	55	80	2.5	6	5	7532	6153	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7057.399414	7057.399414	1.120074
2151	009	3013	0.07	1370	1	55	80	2.5	6	5	7532	6162	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7066.399414	7066.399414	1.120074
2151	010	3013	0.07	1162	1	55	80	2.5	6	5	7532	6370	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7274.399414	7274.399414	1.120074
2151	011	3013	0.07	1414	1	55	80	2.5	6	5	7532	6118	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7022.399414	7022.399414	1.120074
2151	012	3013	0.07	2437	1	55	80	2.5	6	5	7532	5095	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	5999.399414	5999.399414	1.120074
2151	013	3013	0.07	1358	1	55	80	2.5	6	5	7532	6174	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7078.399414	7078.399414	1.120074
2151	014	3013	0.07	1678	1	55	80	2.5	6	5	7532	5854	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6758.399414	6758.399414	1.120074
2151	015	3013	0.07	1502	1	55	80	2.5	6	5	7532	6030	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6934.399414	6934.399414	1.120074
2151	016	3013	0.07	1162	1	55	80	2.5	6	5	7532	6370	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7274.399414	7274.399414	1.120074
2151	017	3013	0.07	1162	1	55	80	2.5	6	5	7532	6370	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7274.399414	7274.399414	1.120074
2151	018	3013	0.07	1715	1	55	80	2.5	6	5	7532	5817	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6721.399414	6721.399414	1.120074
2151	019	3013	0.07	1294	1	55	80	2.5	6	5	7532	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7142.399414	7142.399414	1.120074
2151	020	3013	0.07	1664	1	55	80	2.5	6	5	7532	5868	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6772.399414	6772.399414	1.120074
2151	021	3013	0.07	1162	1	55	80	2.5	6	5	7532	6370	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7274.399414	7274.399414	1.120074
2151	033	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2151	034	3000	0.07	2334	1	55	80	2.5	6	5	7500	5166	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6066	6066	1.12
2151	035	3000	0.07	2350	1	55	80	2.5	6	5	7500	5150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6050	6050	1.12
2151	036	3000	0.07	2062	1	55	80	2.5	6	5	7500	5438	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6338	6338	1.12
2151	037	3000	0.07	1730	1	55	80	2.5	6	5	7500	5770	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6670	6670	1.12
2151	038	3000	0.07	1650	1	55	80	2.5	6	5	7500	5850	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6750	6750	1.12
2151	039	3000	0.07	1099	1	55	80	2.5	6	5	7500	6401	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7301	7301	1.12
2151	040	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2151	041	3000	0.07	1031	1	55	80	2.5	6	5	7500	6469	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7369	7369	1.12
2151	042	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2151	043	3000	0.07	1689	1	55	80	2.5	6	5	7500	5811	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6711	6711	1.12
2151	044	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2151	045	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
2151	046	3000	0.07	1100	1	55	80	2.5	6	5	7500	6400	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7300	7300	1.12
2151	047	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2151	048	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2151	049	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2151	050	3000	0.07	800	1	55	80	2.5	6	5	7500	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7600	7600	1.12
2152	004	3019	0.07	848	1	55	80	2.5	6	5	7548	6700	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	7605.200195	7605.200195	1.119926
2152	005	3019	0.07	800	1	55	80	2.5	6	5	7548	6748	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	7653.200195	7653.200195	1.119926
2152	006	3019	0.07	800	1	55	80	2.5	6	5	7548	6748	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	7653.200195	7653.200195	1.119926
2152	007	3019	0.07	800	1	55	80	2.5	6	5	7548	6748	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	7653.200195	7653.200195	1.119926
2152	008	3019	0.07	1879	1	55	80	2.5	6	5	7548	5669	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	6574.200195	6574.200195	1.119926
2152	009	3019	0.07	2176	1	55	80	2.5	6	5	7548	5372	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	6277.200195	6277.200195	1.119926
2152	010	3019	0.07	800	1	55	80	2.5	6	5	7548	6748	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	7653.200195	7653.200195	1.119926
2152	011	3019	0.07	1650	1	55	80	2.5	6	5	7548	5898	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	6803.200195	6803.200195	1.119926
2152	012	3019	0.07	800	1	55	80	2.5	6	5	7548	6748	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	7653.200195	7653.200195	1.119926
2152	013	3019	0.07	1025	1	55	80	2.5	6	5	7548	6523	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	7428.200195	7428.200195	1.119926
2152	014	3019	0.07	2545	1	55	80	2.5	6	5	7548	5003	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	5908.200195	5908.200195	1.119926
2152	015	3019	0.07	1985	1	55	80	2.5	6	5	7548	5563	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	6468.200195	6468.200195	1.119926
2152	016	3019	0.07	1936	1	55	80	2.5	6	5	7548	5612	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	6517.200195	6517.200195	1.119926
2152	017	3019	0.07	800	1	55	80	2.5	6	5	7548	6748	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	7653.200195	7653.200195	1.119926
2152	018	3019	0.07	1406	1	55	80	2.5	6	5	7548	6142	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	7047.200195	7047.200195	1.119926
2152	019	3019	0.07	968	1	55	80	2.5	6	5	7548	6580	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	7485.200195	7485.200195	1.119926
2152	020	3019	0.07	1650	1	55	80	2.5	6	5	7548	5898	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	6803.200195	6803.200195	1.119926
2152	022	3000	0.07	1438	1	55	80	2.5	6	5	7500	6062	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6962	6962	1.12
2152	023	3000	0.07	1980	1	55	80	2.5	6	5	7500	5520	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6420	6420	1.12
2152	024	3000	0.07	1702	1	55	80	2.5	6	5	7500	5798	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6698	6698	1.12
2152	025	3000	0.07	1387	1	55	80	2.5	6	5	7500	6113	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7013	7013	1.12
2152	026	3000	0.07	1632	1	55	80	2.5	6	5	7500	5868	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6768	6768	1.12
2152	027	3000	0.07	1937	1	55	80	2.5	6	5	7500	5563	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6463	6463	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2152	028	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2152	029	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2152	030	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
2152	031	3000	0.07	1402	1	55	80	2.5	6	5	7500	6098	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6998	6998	1.12
2152	032	3000	0.07	1372	1	55	80	2.5	6	5	7500	6128	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7028	7028	1.12
2152	033	3000	0.07	1711	1	55	80	2.5	6	5	7500	5789	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6689	6689	1.12
2152	034	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2152	035	3000	0.07	1535	1	55	80	2.5	6	5	7500	5965	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6865	6865	1.12
2152	036	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2152	037	3000	0.07	1322	1	55	80	2.5	6	5	7500	6178	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7078	7078	1.12
2152	038	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2153	005	3011	0.07	1605	1	55	80	2.5	6	5	7528	5923	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6825.799805	6825.799805	1.119926
2153	006	3011	0.07	1605	1	55	80	2.5	6	5	7528	5923	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6825.799805	6825.799805	1.119926
2153	007	3011	0.07	1605	1	55	80	2.5	6	5	7528	5923	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6825.799805	6825.799805	1.119926
2153	008	3011	0.07	1605	1	55	80	2.5	6	5	7528	5923	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6825.799805	6825.799805	1.119926
2153	009	3011	0.07	1605	1	55	80	2.5	6	5	7528	5923	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6825.799805	6825.799805	1.119926
2153	010	3011	0.07	1605	1	55	80	2.5	6	5	7528	5923	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6825.799805	6825.799805	1.119926
2153	011	3011	0.07	1925	1	55	80	2.5	6	5	7528	5603	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6505.799805	6505.799805	1.119926
2153	012	3011	0.07	2255	1	55	80	2.5	6	5	7528	5273	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6175.799805	6175.799805	1.119926
2153	013	3011	0.07	1511	1	55	80	2.5	6	5	7528	6017	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6919.799805	6919.799805	1.119926
2153	014	3011	0.07	1511	1	55	80	2.5	6	5	7528	6017	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6919.799805	6919.799805	1.119926
2153	015	3011	0.07	1511	1	55	80	2.5	6	5	7528	6017	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6919.799805	6919.799805	1.119926
2153	016	3011	0.07	1511	1	55	80	2.5	6	5	7528	6017	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6919.799805	6919.799805	1.119926
2153	017	3011	0.07	1511	1	55	80	2.5	6	5	7528	6017	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6919.799805	6919.799805	1.119926
2153	018	3011	0.07	1511	1	55	80	2.5	6	5	7528	6017	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6919.799805	6919.799805	1.119926
2153	019	3011	0.07	1511	1	55	80	2.5	6	5	7528	6017	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6919.799805	6919.799805	1.119926
2153	020	3011	0.07	1601	1	55	80	2.5	6	5	7528	5927	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6829.799805	6829.799805	1.119926
2153	026	2500	0.06	1251	0	55	80	2.5	5	5	6250	4999	RH-1	40	form-based			true	0.7	5	1	5	5	7000	5749	5749	1.12
2153	032	3000	0.07	2250	1	55	80	2.5	6	5	7500	5250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6150	6150	1.12
2153	033	3000	0.07	2158	1	55	80	2.5	6	5	7500	5342	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6242	6242	1.12
2153	034	3000	0.07	1324	1	55	80	2.5	6	5	7500	6176	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7076	7076	1.12
2153	035	3000	0.07	1324	1	55	80	2.5	6	5	7500	6176	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7076	7076	1.12
2153	036	3000	0.07	2340	1	55	80	2.5	6	5	7500	5160	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6060	6060	1.12
2153	037	3000	0.07	1324	1	55	80	2.5	6	5	7500	6176	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7076	7076	1.12
2153	038	3000	0.07	1324	1	55	80	2.5	6	5	7500	6176	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7076	7076	1.12
2153	039	3000	0.07	1579	1	55	80	2.5	6	5	7500	5921	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6821	6821	1.12
2153	040	3000	0.07	1409	1	55	80	2.5	6	5	7500	6091	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6991	6991	1.12
2153	041	3000	0.07	1324	1	55	80	2.5	6	5	7500	6176	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7076	7076	1.12
2153	042	3000	0.07	1704	1	55	80	2.5	6	5	7500	5796	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6696	6696	1.12
2153	043	3000	0.07	2040	1	55	80	2.5	6	5	7500	5460	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6360	6360	1.12
2153	044	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2153	045	3000	0.07	1646	1	55	80	2.5	6	5	7500	5854	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6754	6754	1.12
2153	046	3000	0.07	1530	1	55	80	2.5	6	5	7500	5970	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6870	6870	1.12
2153	047	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2153	052	2514	0.06	1750	0	55	80	2.5	5	5	6285	4535	RH-1	40	form-based			true	0.7	5	1	5	5	7039.199707	5289.199707	5289.199707	1.12
2155	005	3014	0.07	1930	1	55	80	2.5	6	5	7535	5605	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6509.200195	6509.200195	1.12
2155	006	3014	0.07	1715	1	55	80	2.5	6	5	7535	5820	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6724.200195	6724.200195	1.12
2155	007	3014	0.07	1772	1	55	80	2.5	6	5	7535	5763	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6667.200195	6667.200195	1.12
2155	008	3014	0.07	1450	1	55	80	2.5	6	5	7535	6085	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6989.200195	6989.200195	1.12
2155	009	3014	0.07	1905	1	55	80	2.5	6	5	7535	5630	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6534.200195	6534.200195	1.12
2155	010	3014	0.07	1560	1	55	80	2.5	6	5	7535	5975	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6879.200195	6879.200195	1.12
2155	011	3014	0.07	1680	1	55	80	2.5	6	5	7535	5855	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6759.200195	6759.200195	1.12
2155	012	3014	0.07	1450	1	55	80	2.5	6	5	7535	6085	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6989.200195	6989.200195	1.12
2155	013	3014	0.07	1925	1	55	80	2.5	6	5	7535	5610	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6514.200195	6514.200195	1.12
2155	014	3014	0.07	3061	1	55	80	2.5	6	5	7535	4474	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	5378.200195	5378.200195	1.12
2155	015	3014	0.07	1850	1	55	80	2.5	6	5	7535	5685	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6589.200195	6589.200195	1.12
2155	016	3014	0.07	1450	1	55	80	2.5	6	5	7535	6085	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6989.200195	6989.200195	1.12
2155	017	3014	0.07	1450	1	55	80	2.5	6	5	7535	6085	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6989.200195	6989.200195	1.12
2155	018	3014	0.07	1674	1	55	80	2.5	6	5	7535	5861	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6765.200195	6765.200195	1.12
2155	019	3014	0.07	1840	1	55	80	2.5	6	5	7535	5695	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6599.200195	6599.200195	1.12
2155	020	3014	0.07	1941	1	55	80	2.5	6	5	7535	5594	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6498.200195	6498.200195	1.12
2155	032	2974	0.07	1590	1	55	80	2.5	6	5	7435	5845	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6737.200195	6737.200195	1.12
2155	033	2974	0.07	1350	1	55	80	2.5	6	5	7435	6085	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6977.200195	6977.200195	1.12
2155	034	2974	0.07	1350	1	55	80	2.5	6	5	7435	6085	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6977.200195	6977.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2155	035	2974	0.07	1825	1	55	80	2.5	6	5	7435	5610	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6502.200195	6502.200195	1.12
2155	036	2974	0.07	3199	1	55	80	2.5	6	5	7435	4236	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	5128.200195	5128.200195	1.12
2155	037	2974	0.07	1350	1	55	80	2.5	6	5	7435	6085	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6977.200195	6977.200195	1.12
2155	038	2974	0.07	1950	1	55	80	2.5	6	5	7435	5485	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6377.200195	6377.200195	1.12
2155	039	2974	0.07	1696	1	55	80	2.5	6	5	7435	5739	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6631.200195	6631.200195	1.12
2155	040	2974	0.07	1823	1	55	80	2.5	6	5	7435	5612	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6504.200195	6504.200195	1.12
2155	041	2974	0.07	1400	1	55	80	2.5	6	5	7435	6035	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6927.200195	6927.200195	1.12
2155	042	2974	0.07	2464	1	55	80	2.5	6	5	7435	4971	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	5863.200195	5863.200195	1.12
2155	043	2974	0.07	1450	1	55	80	2.5	6	5	7435	5985	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6877.200195	6877.200195	1.12
2155	044	2974	0.07	1450	1	55	80	2.5	6	5	7435	5985	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6877.200195	6877.200195	1.12
2155	045	2974	0.07	1450	1	55	80	2.5	6	5	7435	5985	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6877.200195	6877.200195	1.12
2155	046	2974	0.07	1730	1	55	80	2.5	6	5	7435	5705	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6597.200195	6597.200195	1.12
2155	047	2974	0.07	1881	1	55	80	2.5	6	5	7435	5554	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6446.200195	6446.200195	1.12
2161	002	3003	0.07	893	1	55	80	2.5	6	5	7508	6615	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7515.399414	7515.399414	1.119925
2161	003	3003	0.07	1355	1	55	80	2.5	6	5	7508	6153	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7053.399414	7053.399414	1.119925
2161	004	3004	0.07	1904	1	55	80	2.5	6	5	7510	5606	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6507.200195	6507.200195	1.12
2161	005	3004	0.07	893	1	55	80	2.5	6	5	7510	6617	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7518.200195	7518.200195	1.12
2161	005A	3005	0.07	893	1	55	80	2.5	6	5	7512	6619	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7521	7521	1.120075
2161	006	3005	0.07	893	1	55	80	2.5	6	5	7512	6619	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7521	7521	1.120075
2161	006A	3005	0.07	1415	1	55	80	2.5	6	5	7512	6097	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6999	6999	1.120075
2161	006B	3006	0.07	905	1	55	80	2.5	6	5	7515	6610	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7511.799805	7511.799805	1.12
2161	007	3006	0.07	1799	1	55	80	2.5	6	5	7515	5716	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6617.799805	6617.799805	1.12
2161	007A	3007	0.07	1949	1	55	80	2.5	6	5	7518	5569	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	6470.599609	6470.599609	1.119925
2161	007B	3007	0.07	905	1	55	80	2.5	6	5	7518	6613	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	7514.599609	7514.599609	1.119925
2161	007C	3008	0.07	1302	1	55	80	2.5	6	5	7520	6218	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	7120.399414	7120.399414	1.12
2161	008	3008	0.07	1119	1	55	80	2.5	6	5	7520	6401	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	7303.399414	7303.399414	1.12
2161	009	3008	0.07	1091	1	55	80	2.5	6	5	7520	6429	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	7331.399414	7331.399414	1.12
2161	010	3009	0.07	905	1	55	80	2.5	6	5	7522	6617	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7520.200195	7520.200195	1.120075
2161	011	3009	0.07	1375	1	55	80	2.5	6	5	7522	6147	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7050.200195	7050.200195	1.120075
2161	019	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2161	020	3000	0.07	1521	1	55	80	2.5	6	5	7500	5979	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6879	6879	1.12
2161	021	3000	0.07	1390	1	55	80	2.5	6	5	7500	6110	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7010	7010	1.12
2161	021A	3000	0.07	1357	1	55	80	2.5	6	5	7500	6143	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7043	7043	1.12
2161	022	3000	0.07	1882	1	55	80	2.5	6	5	7500	5618	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6518	6518	1.12
2161	022A	3000	0.07	1786	1	55	80	2.5	6	5	7500	5714	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6614	6614	1.12
2161	022B	3000	0.07	1357	1	55	80	2.5	6	5	7500	6143	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7043	7043	1.12
2161	022C	3000	0.07	1627	1	55	80	2.5	6	5	7500	5873	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6773	6773	1.12
2161	022D	3000	0.07	2182	1	55	80	2.5	6	5	7500	5318	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6218	6218	1.12
2161	022E	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2161	023	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2161	024	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2161	024A	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2161	025	3000	0.07	905	1	55	80	2.5	6	5	7500	6595	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7495	7495	1.12
2161	026	3000	0.07	1045	1	55	80	2.5	6	5	7500	6455	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7355	7355	1.12
2161	026A	3000	0.07	905	1	55	80	2.5	6	5	7500	6595	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7495	7495	1.12
2162	002	3010	0.07	1550	1	55	80	2.5	6	5	7525	5975	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6878	6878	1.12
2162	003	3010	0.07	1286	1	55	80	2.5	6	5	7525	6239	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7142	7142	1.12
2162	004	3010	0.07	1214	1	55	80	2.5	6	5	7525	6311	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7214	7214	1.12
2162	005	3010	0.07	1214	1	55	80	2.5	6	5	7525	6311	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7214	7214	1.12
2162	006	3010	0.07	1254	1	55	80	2.5	6	5	7525	6271	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7174	7174	1.12
2162	006A	3010	0.07	1214	1	55	80	2.5	6	5	7525	6311	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7214	7214	1.12
2162	006B	3010	0.07	1430	1	55	80	2.5	6	5	7525	6095	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6998	6998	1.12
2162	006C	3010	0.07	1466	1	55	80	2.5	6	5	7525	6059	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6962	6962	1.12
2162	007	3010	0.07	2046	1	55	80	2.5	6	5	7525	5479	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6382	6382	1.12
2162	009	3010	0.07	1300	1	55	80	2.5	6	5	7525	6225	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7128	7128	1.12
2162	010	3010	0.07	2290	1	55	80	2.5	6	5	7525	5235	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6138	6138	1.12
2162	011	3010	0.07	1300	1	55	80	2.5	6	5	7525	6225	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7128	7128	1.12
2162	012	3010	0.07	1925	1	55	80	2.5	6	5	7525	5600	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6503	6503	1.12
2162	013	3010	0.07	1300	1	55	80	2.5	6	5	7525	6225	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7128	7128	1.12
2162	014	3010	0.07	1566	1	55	80	2.5	6	5	7525	5959	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6862	6862	1.12
2162	024	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2162	025	3000	0.07	1248	1	55	80	2.5	6	5	7500	6252	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7152	7152	1.12
2162	026	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2162	027	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2162	028	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2162	029	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2162	030	3000	0.07	2048	1	55	80	2.5	6	5	7500	5452	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6352	6352	1.12
2162	032	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2162	033	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2162	034	3000	0.07	1337	1	55	80	2.5	6	5	7500	6163	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7063	7063	1.12
2162	035	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2162	036	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2162	037	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2162	038	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2162	039	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2163	005	3013	0.07	1214	1	55	80	2.5	6	5	7532	6318	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7222.399414	7222.399414	1.120074
2163	006	3013	0.07	1978	1	55	80	2.5	6	5	7532	5554	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6458.399414	6458.399414	1.120074
2163	007	3013	0.07	1512	1	55	80	2.5	6	5	7532	6020	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6924.399414	6924.399414	1.120074
2163	008	3013	0.07	1214	1	55	80	2.5	6	5	7532	6318	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7222.399414	7222.399414	1.120074
2163	009	3013	0.07	1214	1	55	80	2.5	6	5	7532	6318	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7222.399414	7222.399414	1.120074
2163	011	3013	0.07	1214	1	55	80	2.5	6	5	7532	6318	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7222.399414	7222.399414	1.120074
2163	012	3013	0.07	1214	1	55	80	2.5	6	5	7532	6318	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7222.399414	7222.399414	1.120074
2163	013	3013	0.07	1214	1	55	80	2.5	6	5	7532	6318	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7222.399414	7222.399414	1.120074
2163	014	3013	0.07	1388	1	55	80	2.5	6	5	7532	6144	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7048.399414	7048.399414	1.120074
2163	015	3013	0.07	1387	1	55	80	2.5	6	5	7532	6145	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7049.399414	7049.399414	1.120074
2163	016	3013	0.07	1214	1	55	80	2.5	6	5	7532	6318	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7222.399414	7222.399414	1.120074
2163	017	3013	0.07	1502	1	55	80	2.5	6	5	7532	6030	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6934.399414	6934.399414	1.120074
2163	018	3013	0.07	2342	1	55	80	2.5	6	5	7532	5190	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6094.399414	6094.399414	1.120074
2163	019	3013	0.07	1214	1	55	80	2.5	6	5	7532	6318	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7222.399414	7222.399414	1.120074
2163	020	3013	0.07	1214	1	55	80	2.5	6	5	7532	6318	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7222.399414	7222.399414	1.120074
2163	029	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2163	030	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2163	031	3000	0.07	2364	1	55	80	2.5	6	5	7500	5136	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6036	6036	1.12
2163	032	3000	0.07	2344	1	55	80	2.5	6	5	7500	5156	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6056	6056	1.12
2163	033	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2163	034	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2163	035	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2163	036	3000	0.07	1652	1	55	80	2.5	6	5	7500	5848	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6748	6748	1.12
2163	038	3000	0.07	1664	1	55	80	2.5	6	5	7500	5836	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6736	6736	1.12
2163	039	3000	0.07	1994	1	55	80	2.5	6	5	7500	5506	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6406	6406	1.12
2163	040	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2163	041	3000	0.07	1754	1	55	80	2.5	6	5	7500	5746	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6646	6646	1.12
2163	042	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2163	043	3000	0.07	1782	1	55	80	2.5	6	5	7500	5718	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6618	6618	1.12
2163	044	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2164	002	3006	0.07	1680	1	55	80	2.5	6	5	7515	5835	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6736.799805	6736.799805	1.12
2164	003	3006	0.07	1214	1	55	80	2.5	6	5	7515	6301	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7202.799805	7202.799805	1.12
2164	004	3006	0.07	1264	1	55	80	2.5	6	5	7515	6251	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7152.799805	7152.799805	1.12
2164	005	3006	0.07	1214	1	55	80	2.5	6	5	7515	6301	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7202.799805	7202.799805	1.12
2164	006	3006	0.07	1214	1	55	80	2.5	6	5	7515	6301	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7202.799805	7202.799805	1.12
2164	006A	3006	0.07	1214	1	55	80	2.5	6	5	7515	6301	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7202.799805	7202.799805	1.12
2164	006B	3006	0.07	1844	1	55	80	2.5	6	5	7515	5671	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6572.799805	6572.799805	1.12
2164	006C	3006	0.07	1214	1	55	80	2.5	6	5	7515	6301	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7202.799805	7202.799805	1.12
2164	007	3006	0.07	1214	1	55	80	2.5	6	5	7515	6301	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7202.799805	7202.799805	1.12
2164	008	3006	0.07	1214	1	55	80	2.5	6	5	7515	6301	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7202.799805	7202.799805	1.12
2164	008A	3006	0.07	1214	1	55	80	2.5	6	5	7515	6301	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7202.799805	7202.799805	1.12
2164	009	3006	0.07	1247	1	55	80	2.5	6	5	7515	6268	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7169.799805	7169.799805	1.12
2164	010	3006	0.07	1494	1	55	80	2.5	6	5	7515	6021	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6922.799805	6922.799805	1.12
2164	011	3006	0.07	1214	1	55	80	2.5	6	5	7515	6301	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7202.799805	7202.799805	1.12
2164	012	3006	0.07	1802	1	55	80	2.5	6	5	7515	5713	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6614.799805	6614.799805	1.12
2164	013	3006	0.07	1787	1	55	80	2.5	6	5	7515	5728	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6629.799805	6629.799805	1.12
2164	017	3000	0.07	1799	1	55	80	2.5	6	5	7500	5701	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6601	6601	1.12
2164	017A	3000	0.07	1560	1	55	80	2.5	6	5	7500	5940	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6840	6840	1.12
2164	018	3000	0.07	1406	1	55	80	2.5	6	5	7500	6094	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6994	6994	1.12
2164	019	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2164	019A	3000	0.07	1984	1	55	80	2.5	6	5	7500	5516	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6416	6416	1.12
2164	020	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2164	020A	3000	0.07	1399	1	55	80	2.5	6	5	7500	6101	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7001	7001	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2164	021	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2164	021A	3000	0.07	1710	1	55	80	2.5	6	5	7500	5790	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6690	6690	1.12
2164	022	3000	0.07	1810	1	55	80	2.5	6	5	7500	5690	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6590	6590	1.12
2164	022A	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2164	023	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2164	024	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2164	025	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2164	026	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2164	027	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2165	002	3015	0.07	1531	1	55	80	2.5	6	5	7538	6007	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6911	6911	1.119926
2165	002A	3015	0.07	1440	1	55	80	2.5	6	5	7538	6098	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7002	7002	1.119926
2165	003	3015	0.07	1590	1	55	80	2.5	6	5	7538	5948	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6852	6852	1.119926
2165	003A	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
2165	004	3015	0.07	1535	1	55	80	2.5	6	5	7538	6003	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6907	6907	1.119926
2165	005	3015	0.07	1987	1	55	80	2.5	6	5	7538	5551	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6455	6455	1.119926
2165	006	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
2165	007	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
2165	008	3015	0.07	1588	1	55	80	2.5	6	5	7538	5950	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6854	6854	1.119926
2165	009	3015	0.07	1322	1	55	80	2.5	6	5	7538	6216	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7120	7120	1.119926
2165	010	3015	0.07	1713	1	55	80	2.5	6	5	7538	5825	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6729	6729	1.119926
2165	011	3015	0.07	1589	1	55	80	2.5	6	5	7538	5949	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6853	6853	1.119926
2165	012	3015	0.07	1214	1	55	80	2.5	6	5	7538	6324	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7228	7228	1.119926
2165	012A	3015	0.07	1214	1	55	80	2.5	6	5	7538	6324	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7228	7228	1.119926
2165	013	3015	0.07	1485	1	55	80	2.5	6	5	7538	6053	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6957	6957	1.119926
2165	014	3015	0.07	1214	1	55	80	2.5	6	5	7538	6324	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7228	7228	1.119926
2165	024	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2165	025	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2165	026	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2165	027	3000	0.07	1612	1	55	80	2.5	6	5	7500	5888	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6788	6788	1.12
2165	028	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2165	029	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2165	030	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2165	031	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2165	032	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2165	033	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2165	034	3000	0.07	1342	1	55	80	2.5	6	5	7500	6158	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7058	7058	1.12
2165	035	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2165	036	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2165	036A	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2165	037	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2165	037A	3000	0.07	1254	1	55	80	2.5	6	5	7500	6246	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7146	7146	1.12
2166	005	3013	0.07	1593	1	55	80	2.5	6	5	7532	5939	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6843.399414	6843.399414	1.120074
2166	006	3013	0.07	1340	1	55	80	2.5	6	5	7532	6192	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7096.399414	7096.399414	1.120074
2166	007	3013	0.07	1425	1	55	80	2.5	6	5	7532	6107	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7011.399414	7011.399414	1.120074
2166	008	3013	0.07	1146	1	55	80	2.5	6	5	7532	6386	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7290.399414	7290.399414	1.120074
2166	009	3013	0.07	1247	1	55	80	2.5	6	5	7532	6285	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7189.399414	7189.399414	1.120074
2166	010	3013	0.07	1000	1	55	80	2.5	6	5	7532	6532	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7436.399414	7436.399414	1.120074
2166	011	3013	0.07	1195	1	55	80	2.5	6	5	7532	6337	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7241.399414	7241.399414	1.120074
2166	012	3013	0.07	1000	1	55	80	2.5	6	5	7532	6532	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7436.399414	7436.399414	1.120074
2166	013	3013	0.07	1250	1	55	80	2.5	6	5	7532	6282	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7186.399414	7186.399414	1.120074
2166	014	3013	0.07	1270	1	55	80	2.5	6	5	7532	6262	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7166.399414	7166.399414	1.120074
2166	015	3013	0.07	1000	1	55	80	2.5	6	5	7532	6532	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7436.399414	7436.399414	1.120074
2166	016	3013	0.07	1270	1	55	80	2.5	6	5	7532	6262	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7166.399414	7166.399414	1.120074
2166	017	3013	0.07	1615	1	55	80	2.5	6	5	7532	5917	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6821.399414	6821.399414	1.120074
2166	018	3013	0.07	1168	1	55	80	2.5	6	5	7532	6364	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7268.399414	7268.399414	1.120074
2166	019	3013	0.07	1208	1	55	80	2.5	6	5	7532	6324	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7228.399414	7228.399414	1.120074
2166	020	3013	0.07	1355	1	55	80	2.5	6	5	7532	6177	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7081.399414	7081.399414	1.120074
2166	033	3000	0.07	1505	1	55	80	2.5	6	5	7500	5995	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6895	6895	1.12
2166	034	3000	0.07	1000	1	55	80	2.5	6	5	7500	6500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7400	7400	1.12
2166	035	3000	0.07	1000	1	55	80	2.5	6	5	7500	6500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7400	7400	1.12
2166	036	3000	0.07	1000	1	55	80	2.5	6	5	7500	6500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7400	7400	1.12
2166	037	3000	0.07	1874	1	55	80	2.5	6	5	7500	5626	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6526	6526	1.12
2166	038	3000	0.07	1592	1	55	80	2.5	6	5	7500	5908	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6808	6808	1.12
2166	039	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2166	040	3000	0.07	1238	1	55	80	2.5	6	5	7500	6262	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7162	7162	1.12
2166	041	3000	0.07	1595	1	55	80	2.5	6	5	7500	5905	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6805	6805	1.12
2166	042	3000	0.07	1192	1	55	80	2.5	6	5	7500	6308	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7208	7208	1.12
2166	043	3000	0.07	1000	1	55	80	2.5	6	5	7500	6500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7400	7400	1.12
2166	044	3000	0.07	2027	1	55	80	2.5	6	5	7500	5473	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6373	6373	1.12
2166	045	3000	0.07	1000	1	55	80	2.5	6	5	7500	6500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7400	7400	1.12
2166	046	3000	0.07	1224	1	55	80	2.5	6	5	7500	6276	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7176	7176	1.12
2166	047	3000	0.07	1180	1	55	80	2.5	6	5	7500	6320	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7220	7220	1.12
2166	048	3000	0.07	1000	1	55	80	2.5	6	5	7500	6500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7400	7400	1.12
2167	002	3013	0.07	1272	1	55	80	2.5	6	5	7532	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7164.399414	7164.399414	1.120074
2167	003	3013	0.07	1272	1	55	80	2.5	6	5	7532	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7164.399414	7164.399414	1.120074
2167	004	3013	0.07	1272	1	55	80	2.5	6	5	7532	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7164.399414	7164.399414	1.120074
2167	005	3013	0.07	1272	1	55	80	2.5	6	5	7532	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7164.399414	7164.399414	1.120074
2167	006	3013	0.07	1521	1	55	80	2.5	6	5	7532	6011	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6915.399414	6915.399414	1.120074
2167	007	3013	0.07	1457	1	55	80	2.5	6	5	7532	6075	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6979.399414	6979.399414	1.120074
2167	008	3013	0.07	1347	1	55	80	2.5	6	5	7532	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7089.399414	7089.399414	1.120074
2167	009	3013	0.07	1347	1	55	80	2.5	6	5	7532	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7089.399414	7089.399414	1.120074
2167	010	3013	0.07	1347	1	55	80	2.5	6	5	7532	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7089.399414	7089.399414	1.120074
2167	011	3013	0.07	1070	1	55	80	2.5	6	5	7532	6462	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7366.399414	7366.399414	1.120074
2167	012	3013	0.07	3470	1	55	80	2.5	6	5	7532	4062	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	4966.399414	4966.399414	1.120074
2167	013	3013	0.07	1895	1	55	80	2.5	6	5	7532	5637	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6541.399414	6541.399414	1.120074
2167	014	3013	0.07	1354	1	55	80	2.5	6	5	7532	6178	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7082.399414	7082.399414	1.120074
2167	015	3013	0.07	1300	1	55	80	2.5	6	5	7532	6232	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7136.399414	7136.399414	1.120074
2167	016	3013	0.07	1300	1	55	80	2.5	6	5	7532	6232	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7136.399414	7136.399414	1.120074
2167	017	3013	0.07	1100	1	55	80	2.5	6	5	7532	6432	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7336.399414	7336.399414	1.120074
2167	024	3000	0.07	1312	1	55	80	2.5	6	5	7500	6188	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7088	7088	1.12
2167	025	3000	0.07	1429	1	55	80	2.5	6	5	7500	6071	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6971	6971	1.12
2167	026	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2167	027	3000	0.07	1018	1	55	80	2.5	6	5	7500	6482	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7382	7382	1.12
2167	028	3000	0.07	1668	1	55	80	2.5	6	5	7500	5832	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6732	6732	1.12
2167	029	3000	0.07	1872	1	55	80	2.5	6	5	7500	5628	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6528	6528	1.12
2167	030	3000	0.07	1647	1	55	80	2.5	6	5	7500	5853	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6753	6753	1.12
2167	031	3000	0.07	2152	1	55	80	2.5	6	5	7500	5348	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6248	6248	1.12
2167	032	3000	0.07	2040	1	55	80	2.5	6	5	7500	5460	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6360	6360	1.12
2167	033	3000	0.07	1558	1	55	80	2.5	6	5	7500	5942	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6842	6842	1.12
2167	034	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2167	034A	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2167	035	3000	0.07	2003	1	55	80	2.5	6	5	7500	5497	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6397	6397	1.12
2167	036	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2167	037	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2167	037A	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2167	038	2701	0.06	1207	1	55	80	2.5	5	4	6752	5545	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7562.799805	6355.799805	6355.799805	1.120083
2169	011	2682	0.06	1470	1	55	80	2.5	5	4	6705	5235	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7509.600098	6039.600098	6039.600098	1.12
2170	005	3013	0.07	1326	1	55	80	2.5	6	5	7532	6206	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7110.399414	7110.399414	1.120074
2170	006	3013	0.07	1150	1	55	80	2.5	6	5	7532	6382	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7286.399414	7286.399414	1.120074
2170	007	3013	0.07	1162	1	55	80	2.5	6	5	7532	6370	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7274.399414	7274.399414	1.120074
2170	008	3013	0.07	1725	1	55	80	2.5	6	5	7532	5807	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6711.399414	6711.399414	1.120074
2170	009	3013	0.07	1022	1	55	80	2.5	6	5	7532	6510	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7414.399414	7414.399414	1.120074
2170	010	3013	0.07	995	1	55	80	2.5	6	5	7532	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7441.399414	7441.399414	1.120074
2170	011	3013	0.07	995	1	55	80	2.5	6	5	7532	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7441.399414	7441.399414	1.120074
2170	012	3013	0.07	995	1	55	80	2.5	6	5	7532	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7441.399414	7441.399414	1.120074
2170	013	3013	0.07	1379	1	55	80	2.5	6	5	7532	6153	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7057.399414	7057.399414	1.120074
2170	014	3013	0.07	1180	1	55	80	2.5	6	5	7532	6352	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7256.399414	7256.399414	1.120074
2170	015	3013	0.07	1410	1	55	80	2.5	6	5	7532	6122	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7026.399414	7026.399414	1.120074
2170	016	3013	0.07	2067	1	55	80	2.5	6	5	7532	5465	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6369.399414	6369.399414	1.120074
2170	017	3013	0.07	1125	1	55	80	2.5	6	5	7532	6407	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7311.399414	7311.399414	1.120074
2170	018	3013	0.07	1125	1	55	80	2.5	6	5	7532	6407	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7311.399414	7311.399414	1.120074
2170	019	3013	0.07	1125	1	55	80	2.5	6	5	7532	6407	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7311.399414	7311.399414	1.120074
2170	020	3013	0.07	1465	1	55	80	2.5	6	5	7532	6067	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6971.399414	6971.399414	1.120074
2170	032	3000	0.07	931	1	55	80	2.5	6	5	7500	6569	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7469	7469	1.12
2170	033	3000	0.07	1169	1	55	80	2.5	6	5	7500	6331	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7231	7231	1.12
2170	034	3000	0.07	1947	1	55	80	2.5	6	5	7500	5553	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6453	6453	1.12
2170	035	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2170	037	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2170	038	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2170	039	3000	0.07	1451	1	55	80	2.5	6	5	7500	6049	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6949	6949	1.12
2170	040	3000	0.07	2088	1	55	80	2.5	6	5	7500	5412	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6312	6312	1.12
2170	041	3000	0.07	1022	1	55	80	2.5	6	5	7500	6478	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7378	7378	1.12
2170	042	3000	0.07	1749	1	55	80	2.5	6	5	7500	5751	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6651	6651	1.12
2170	043	3000	0.07	1032	1	55	80	2.5	6	5	7500	6468	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7368	7368	1.12
2170	044	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2170	045	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2170	046	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2170	047	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2170	053	2883	0.07	1410	1	55	80	2.5	6	5	7208	5798	RH-1	40	form-based			true	0.7	6	1	5	5	8072.399902	6662.399902	6662.399902	1.119922
2171	005	3013	0.07	1292	1	55	80	2.5	6	5	7532	6240	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7144.399414	7144.399414	1.120074
2171	006	3013	0.07	1360	1	55	80	2.5	6	5	7532	6172	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7076.399414	7076.399414	1.120074
2171	007	3013	0.07	1100	1	55	80	2.5	6	5	7532	6432	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7336.399414	7336.399414	1.120074
2171	008	3013	0.07	1100	1	55	80	2.5	6	5	7532	6432	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7336.399414	7336.399414	1.120074
2171	009	3013	0.07	1100	1	55	80	2.5	6	5	7532	6432	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7336.399414	7336.399414	1.120074
2171	010	3013	0.07	1569	1	55	80	2.5	6	5	7532	5963	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6867.399414	6867.399414	1.120074
2171	011	3013	0.07	2241	1	55	80	2.5	6	5	7532	5291	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6195.399414	6195.399414	1.120074
2171	012	3013	0.07	1100	1	55	80	2.5	6	5	7532	6432	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7336.399414	7336.399414	1.120074
2171	013	3013	0.07	1100	1	55	80	2.5	6	5	7532	6432	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7336.399414	7336.399414	1.120074
2171	014	3013	0.07	1480	1	55	80	2.5	6	5	7532	6052	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6956.399414	6956.399414	1.120074
2171	015	3013	0.07	1100	1	55	80	2.5	6	5	7532	6432	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7336.399414	7336.399414	1.120074
2171	016	3013	0.07	1361	1	55	80	2.5	6	5	7532	6171	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7075.399414	7075.399414	1.120074
2171	017	3013	0.07	1300	1	55	80	2.5	6	5	7532	6232	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7136.399414	7136.399414	1.120074
2171	018	3013	0.07	1538	1	55	80	2.5	6	5	7532	5994	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6898.399414	6898.399414	1.120074
2171	019	3013	0.07	1300	1	55	80	2.5	6	5	7532	6232	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7136.399414	7136.399414	1.120074
2171	020	3013	0.07	1200	1	55	80	2.5	6	5	7532	6332	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7236.399414	7236.399414	1.120074
2171	032	3000	0.07	1904	1	55	80	2.5	6	5	7500	5596	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6496	6496	1.12
2171	033	3000	0.07	1534	1	55	80	2.5	6	5	7500	5966	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6866	6866	1.12
2171	034	2880	0.07	1856	1	55	80	2.5	6	5	7200	5344	RH-1	40	form-based			true	0.7	6	1	5	5	8064	6208	6208	1.12
2171	035	3000	0.07	1521	1	55	80	2.5	6	5	7500	5979	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6879	6879	1.12
2171	036	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2171	037	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2171	038	3000	0.07	1805	1	55	80	2.5	6	5	7500	5695	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6595	6595	1.12
2171	039	3000	0.07	1335	1	55	80	2.5	6	5	7500	6165	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7065	7065	1.12
2171	040	3000	0.07	1481	1	55	80	2.5	6	5	7500	6019	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6919	6919	1.12
2171	041	3000	0.07	1220	1	55	80	2.5	6	5	7500	6280	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7180	7180	1.12
2171	042	3000	0.07	1100	1	55	80	2.5	6	5	7500	6400	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7300	7300	1.12
2171	043	3000	0.07	2262	1	55	80	2.5	6	5	7500	5238	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6138	6138	1.12
2171	044	3000	0.07	1482	1	55	80	2.5	6	5	7500	6018	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6918	6918	1.12
2171	045	3000	0.07	1987	1	55	80	2.5	6	5	7500	5513	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6413	6413	1.12
2171	046	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2171	047	3000	0.07	1997	1	55	80	2.5	6	5	7500	5503	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6403	6403	1.12
2172	002	2967	0.07	1000	1	55	80	2.5	6	5	7418	6418	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	7307.599609	7307.599609	1.119924
2172	003	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
2172	004	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
2172	005	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
2172	006	3015	0.07	1028	1	55	80	2.5	6	5	7538	6510	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7414	7414	1.119926
2172	007	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
2172	008	3015	0.07	1200	1	55	80	2.5	6	5	7538	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7242	7242	1.119926
2172	009	3015	0.07	1300	1	55	80	2.5	6	5	7538	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7142	7142	1.119926
2172	010	3015	0.07	1000	1	55	80	2.5	6	5	7538	6538	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7442	7442	1.119926
2172	011	3015	0.07	1000	1	55	80	2.5	6	5	7538	6538	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7442	7442	1.119926
2172	012	3015	0.07	1475	1	55	80	2.5	6	5	7538	6063	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6967	6967	1.119926
2172	013	3015	0.07	1231	1	55	80	2.5	6	5	7538	6307	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7211	7211	1.119926
2172	014	3015	0.07	1000	1	55	80	2.5	6	5	7538	6538	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7442	7442	1.119926
2172	015	3015	0.07	1410	1	55	80	2.5	6	5	7538	6128	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7032	7032	1.119926
2172	016	3015	0.07	1198	1	55	80	2.5	6	5	7538	6340	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7244	7244	1.119926
2172	017	3015	0.07	1530	1	55	80	2.5	6	5	7538	6008	RH-1	40	form-based			true	0.7	6	1	5	5	8442	6912	6912	1.119926
2172	023	2875	0.07	1037	1	55	80	2.5	6	5	7188	6151	RH-1	40	form-based			true	0.7	6	1	5	5	8050	7013	7013	1.119922
2172	024	2875	0.07	1037	1	55	80	2.5	6	5	7188	6151	RH-1	40	form-based			true	0.7	6	1	5	5	8050	7013	7013	1.119922
2172	025	3000	0.07	1995	1	55	80	2.5	6	5	7500	5505	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6405	6405	1.12
2172	026	3000	0.07	1095	1	55	80	2.5	6	5	7500	6405	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7305	7305	1.12
2172	027	3000	0.07	875	1	55	80	2.5	6	5	7500	6625	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7525	7525	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2172	028	3000	0.07	1525	1	55	80	2.5	6	5	7500	5975	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6875	6875	1.12
2172	029	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2172	030	3000	0.07	1000	1	55	80	2.5	6	5	7500	6500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7400	7400	1.12
2172	030A	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2172	031	3000	0.07	1774	1	55	80	2.5	6	5	7500	5726	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6626	6626	1.12
2172	031A	3000	0.07	1749	1	55	80	2.5	6	5	7500	5751	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6651	6651	1.12
2172	031B	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2172	031C	3000	0.07	2120	1	55	80	2.5	6	5	7500	5380	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6280	6280	1.12
2172	032	3000	0.07	1452	1	55	80	2.5	6	5	7500	6048	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6948	6948	1.12
2172	033	3000	0.07	2945	1	55	80	2.5	6	5	7500	4555	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5455	5455	1.12
2172	034	3000	0.07	1125	1	55	80	2.5	6	5	7500	6375	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7275	7275	1.12
2172	035	3000	0.07	1110	1	55	80	2.5	6	5	7500	6390	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7290	7290	1.12
2172	036	2952	0.07	1566	1	55	80	2.5	6	5	7380	5814	RH-1	40	form-based			true	0.7	6	1	5	5	8265.599609	6699.599609	6699.599609	1.12
2172	038	2875	0.07	1110	1	55	80	2.5	6	5	7188	6078	RH-1	40	form-based			true	0.7	6	1	5	5	8050	6940	6940	1.119922
2172	039	2875	0.07	2280	1	55	80	2.5	6	5	7188	4908	RH-1	40	form-based			true	0.7	6	1	5	5	8050	5770	5770	1.119922
2172	040	2853	0.07	1200	1	55	80	2.5	6	5	7132	5932	RH-1	40	form-based	true		true	0.7	6	1	5	5	7988.399902	6788.399902	6788.399902	1.120079
2173	005	3006	0.07	1120	1	55	80	2.5	6	5	7515	6395	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7296.799805	7296.799805	1.12
2173	006	3006	0.07	1405	1	55	80	2.5	6	5	7515	6110	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7011.799805	7011.799805	1.12
2173	007	3006	0.07	1480	1	55	80	2.5	6	5	7515	6035	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6936.799805	6936.799805	1.12
2173	008	3006	0.07	1051	1	55	80	2.5	6	5	7515	6464	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7365.799805	7365.799805	1.12
2173	009	3006	0.07	1596	1	55	80	2.5	6	5	7515	5919	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6820.799805	6820.799805	1.12
2173	010	3006	0.07	2427	1	55	80	2.5	6	5	7515	5088	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	5989.799805	5989.799805	1.12
2173	011	3006	0.07	1000	1	55	80	2.5	6	5	7515	6515	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7416.799805	7416.799805	1.12
2173	012	3006	0.07	1000	1	55	80	2.5	6	5	7515	6515	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7416.799805	7416.799805	1.12
2173	013	3006	0.07	1108	1	55	80	2.5	6	5	7515	6407	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7308.799805	7308.799805	1.12
2173	014	3006	0.07	1000	1	55	80	2.5	6	5	7515	6515	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7416.799805	7416.799805	1.12
2173	015	3006	0.07	1485	1	55	80	2.5	6	5	7515	6030	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6931.799805	6931.799805	1.12
2173	016	3006	0.07	1551	1	55	80	2.5	6	5	7515	5964	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6865.799805	6865.799805	1.12
2173	017	3006	0.07	1000	1	55	80	2.5	6	5	7515	6515	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7416.799805	7416.799805	1.12
2173	018	3006	0.07	1000	1	55	80	2.5	6	5	7515	6515	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7416.799805	7416.799805	1.12
2173	019	3006	0.07	1000	1	55	80	2.5	6	5	7515	6515	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7416.799805	7416.799805	1.12
2173	020	3006	0.07	1225	1	55	80	2.5	6	5	7515	6290	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7191.799805	7191.799805	1.12
2173	032	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2173	033	3000	0.07	982	1	55	80	2.5	6	5	7500	6518	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7418	7418	1.12
2173	034	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2173	035	3000	0.07	1308	1	55	80	2.5	6	5	7500	6192	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7092	7092	1.12
2173	036	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2173	037	3000	0.07	956	1	55	80	2.5	6	5	7500	6544	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7444	7444	1.12
2173	038	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2173	039	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2173	040	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2173	041	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2173	042	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2173	043	3000	0.07	938	1	55	80	2.5	6	5	7500	6562	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7462	7462	1.12
2173	044	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2173	045	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2173	046	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2173	047	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2174	005	3013	0.07	995	1	55	80	2.5	6	5	7532	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7441.399414	7441.399414	1.120074
2174	006	3013	0.07	995	1	55	80	2.5	6	5	7532	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7441.399414	7441.399414	1.120074
2174	007	3013	0.07	995	1	55	80	2.5	6	5	7532	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7441.399414	7441.399414	1.120074
2174	008	3013	0.07	995	1	55	80	2.5	6	5	7532	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7441.399414	7441.399414	1.120074
2174	009	3013	0.07	995	1	55	80	2.5	6	5	7532	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7441.399414	7441.399414	1.120074
2174	010	3013	0.07	1295	1	55	80	2.5	6	5	7532	6237	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7141.399414	7141.399414	1.120074
2174	011	3013	0.07	1191	1	55	80	2.5	6	5	7532	6341	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7245.399414	7245.399414	1.120074
2174	012	3013	0.07	995	1	55	80	2.5	6	5	7532	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7441.399414	7441.399414	1.120074
2174	013	3013	0.07	995	1	55	80	2.5	6	5	7532	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7441.399414	7441.399414	1.120074
2174	014	3013	0.07	1195	1	55	80	2.5	6	5	7532	6337	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7241.399414	7241.399414	1.120074
2174	015	3013	0.07	995	1	55	80	2.5	6	5	7532	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7441.399414	7441.399414	1.120074
2174	016	3013	0.07	2245	1	55	80	2.5	6	5	7532	5287	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6191.399414	6191.399414	1.120074
2174	017	3013	0.07	995	1	55	80	2.5	6	5	7532	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7441.399414	7441.399414	1.120074
2174	018	3013	0.07	1195	1	55	80	2.5	6	5	7532	6337	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7241.399414	7241.399414	1.120074
2174	019	3013	0.07	1390	1	55	80	2.5	6	5	7532	6142	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7046.399414	7046.399414	1.120074
2174	020	3013	0.07	995	1	55	80	2.5	6	5	7532	6537	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7441.399414	7441.399414	1.120074

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2174	031	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2174	032	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2174	033	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2174	034	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2174	035	3000	0.07	1743	1	55	80	2.5	6	5	7500	5757	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6657	6657	1.12
2174	036	3000	0.07	2220	1	55	80	2.5	6	5	7500	5280	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6180	6180	1.12
2174	037	3000	0.07	1120	1	55	80	2.5	6	5	7500	6380	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7280	7280	1.12
2174	038	3000	0.07	870	1	55	80	2.5	6	5	7500	6630	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7530	7530	1.12
2174	039	3000	0.07	1452	1	55	80	2.5	6	5	7500	6048	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6948	6948	1.12
2174	040	3000	0.07	1120	1	55	80	2.5	6	5	7500	6380	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7280	7280	1.12
2174	041	3000	0.07	1120	1	55	80	2.5	6	5	7500	6380	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7280	7280	1.12
2174	042	3000	0.07	1120	1	55	80	2.5	6	5	7500	6380	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7280	7280	1.12
2174	043	3000	0.07	870	1	55	80	2.5	6	5	7500	6630	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7530	7530	1.12
2174	044	3000	0.07	1120	1	55	80	2.5	6	5	7500	6380	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7280	7280	1.12
2174	045	3000	0.07	1120	1	55	80	2.5	6	5	7500	6380	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7280	7280	1.12
2174	046	3000	0.07	1175	1	55	80	2.5	6	5	7500	6325	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7225	7225	1.12
2175	002	3010	0.07	1612	1	55	80	2.5	6	5	7525	5913	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6816	6816	1.12
2175	002A	3010	0.07	1162	1	55	80	2.5	6	5	7525	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7266	7266	1.12
2175	003	3010	0.07	1162	1	55	80	2.5	6	5	7525	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7266	7266	1.12
2175	004	3010	0.07	1564	1	55	80	2.5	6	5	7525	5961	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6864	6864	1.12
2175	005	3010	0.07	1508	1	55	80	2.5	6	5	7525	6017	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6920	6920	1.12
2175	006	3010	0.07	1175	1	55	80	2.5	6	5	7525	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7253	7253	1.12
2175	006A	3010	0.07	1410	1	55	80	2.5	6	5	7525	6115	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7018	7018	1.12
2175	006B	3010	0.07	1675	1	55	80	2.5	6	5	7525	5850	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6753	6753	1.12
2175	006C	3010	0.07	1602	1	55	80	2.5	6	5	7525	5923	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6826	6826	1.12
2175	006D	3010	0.07	1724	1	55	80	2.5	6	5	7525	5801	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6704	6704	1.12
2175	006E	3010	0.07	1175	1	55	80	2.5	6	5	7525	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7253	7253	1.12
2175	006F	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
2175	006G	3000	0.07	1236	1	55	80	2.5	6	5	7500	6264	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7164	7164	1.12
2175	006H	3000	0.07	2125	1	55	80	2.5	6	5	7500	5375	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6275	6275	1.12
2175	006I	3000	0.07	1266	1	55	80	2.5	6	5	7500	6234	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7134	7134	1.12
2175	006J	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
2175	006K	3000	0.07	1290	1	55	80	2.5	6	5	7500	6210	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7110	7110	1.12
2175	007	3010	0.07	1214	1	55	80	2.5	6	5	7525	6311	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7214	7214	1.12
2175	007A	3010	0.07	1214	1	55	80	2.5	6	5	7525	6311	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7214	7214	1.12
2175	007B	3010	0.07	1214	1	55	80	2.5	6	5	7525	6311	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7214	7214	1.12
2175	007C	3010	0.07	1410	1	55	80	2.5	6	5	7525	6115	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7018	7018	1.12
2175	007D	3010	0.07	1214	1	55	80	2.5	6	5	7525	6311	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7214	7214	1.12
2175	007Q	3000	0.07	995	1	55	80	2.5	6	5	7500	6505	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7405	7405	1.12
2175	007R	3000	0.07	1194	1	55	80	2.5	6	5	7500	6306	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7206	7206	1.12
2175	007S	3000	0.07	1223	1	55	80	2.5	6	5	7500	6277	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7177	7177	1.12
2175	007T	3000	0.07	995	1	55	80	2.5	6	5	7500	6505	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7405	7405	1.12
2175	007U	3000	0.07	2903	1	55	80	2.5	6	5	7500	4597	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5497	5497	1.12
2175	008	3000	0.07	1000	1	55	80	2.5	6	5	7500	6500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7400	7400	1.12
2175	008A	3000	0.07	1000	1	55	80	2.5	6	5	7500	6500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7400	7400	1.12
2175	010	3000	0.07	1513	1	55	80	2.5	6	5	7500	5987	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6887	6887	1.12
2175	032	2485	0.06	0	0	55	80	2.5	5	5	6212	6212	RH-1	40	form-based			true	0.7	5	1	5	5	6958	6958	6958	1.12009
2176	005	3011	0.07	1137	1	55	80	2.5	6	5	7528	6391	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7293.799805	7293.799805	1.119926
2176	006	3011	0.07	1137	1	55	80	2.5	6	5	7528	6391	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7293.799805	7293.799805	1.119926
2176	007	3011	0.07	1137	1	55	80	2.5	6	5	7528	6391	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7293.799805	7293.799805	1.119926
2176	008	3011	0.07	2666	1	55	80	2.5	6	5	7528	4862	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	5764.799805	5764.799805	1.119926
2176	009	3011	0.07	2762	1	55	80	2.5	6	5	7528	4766	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	5668.799805	5668.799805	1.119926
2176	010	3011	0.07	1137	1	55	80	2.5	6	5	7528	6391	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7293.799805	7293.799805	1.119926
2176	011	3011	0.07	1552	1	55	80	2.5	6	5	7528	5976	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6878.799805	6878.799805	1.119926
2176	012	3011	0.07	1637	1	55	80	2.5	6	5	7528	5891	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6793.799805	6793.799805	1.119926
2176	013	3011	0.07	2197	1	55	80	2.5	6	5	7528	5331	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6233.799805	6233.799805	1.119926
2176	014	3011	0.07	1305	1	55	80	2.5	6	5	7528	6223	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7125.799805	7125.799805	1.119926
2176	015	3011	0.07	1245	1	55	80	2.5	6	5	7528	6283	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7185.799805	7185.799805	1.119926
2176	016	3011	0.07	1137	1	55	80	2.5	6	5	7528	6391	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7293.799805	7293.799805	1.119926
2176	017	3011	0.07	1137	1	55	80	2.5	6	5	7528	6391	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7293.799805	7293.799805	1.119926
2176	018	3011	0.07	1137	1	55	80	2.5	6	5	7528	6391	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7293.799805	7293.799805	1.119926
2176	019	3011	0.07	1562	1	55	80	2.5	6	5	7528	5966	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6868.799805	6868.799805	1.119926
2176	020	3011	0.07	2885	1	55	80	2.5	6	5	7528	4643	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	5545.799805	5545.799805	1.119926
2176	033	3000	0.07	1597	1	55	80	2.5	6	5	7500	5903	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6803	6803	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2176	035	3000	0.07	1137	1	55	80	2.5	6	5	7500	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7263	7263	1.12
2176	036	3000	0.07	1712	1	55	80	2.5	6	5	7500	5788	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6688	6688	1.12
2176	037	3000	0.07	1662	1	55	80	2.5	6	5	7500	5838	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6738	6738	1.12
2176	038	3000	0.07	1137	1	55	80	2.5	6	5	7500	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7263	7263	1.12
2176	039	3000	0.07	1137	1	55	80	2.5	6	5	7500	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7263	7263	1.12
2176	040	3000	0.07	1569	1	55	80	2.5	6	5	7500	5931	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6831	6831	1.12
2176	041	3000	0.07	1137	1	55	80	2.5	6	5	7500	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7263	7263	1.12
2176	042	3000	0.07	1682	1	55	80	2.5	6	5	7500	5818	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6718	6718	1.12
2176	043	3000	0.07	1424	1	55	80	2.5	6	5	7500	6076	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6976	6976	1.12
2176	044	3000	0.07	1137	1	55	80	2.5	6	5	7500	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7263	7263	1.12
2176	045	3000	0.07	1137	1	55	80	2.5	6	5	7500	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7263	7263	1.12
2176	046	3000	0.07	1985	1	55	80	2.5	6	5	7500	5515	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6415	6415	1.12
2176	047	3000	0.07	1137	1	55	80	2.5	6	5	7500	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7263	7263	1.12
2176	048	3000	0.07	1647	1	55	80	2.5	6	5	7500	5853	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6753	6753	1.12
2177	005	3006	0.07	1214	1	55	80	2.5	6	5	7515	6301	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7202.799805	7202.799805	1.12
2177	006	3007	0.07	1406	1	55	80	2.5	6	5	7518	6112	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	7013.599609	7013.599609	1.119925
2177	007	3007	0.07	1544	1	55	80	2.5	6	5	7518	5974	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	6875.599609	6875.599609	1.119925
2177	008	3007	0.07	1214	1	55	80	2.5	6	5	7518	6304	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	7205.599609	7205.599609	1.119925
2177	009	3008	0.07	1214	1	55	80	2.5	6	5	7520	6306	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	7208.399414	7208.399414	1.12
2177	010	3008	0.07	1614	1	55	80	2.5	6	5	7520	5906	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	6808.399414	6808.399414	1.12
2177	011	3009	0.07	1377	1	55	80	2.5	6	5	7522	6145	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7048.200195	7048.200195	1.120075
2177	012	3009	0.07	1214	1	55	80	2.5	6	5	7522	6308	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7211.200195	7211.200195	1.120075
2177	013	3010	0.07	1250	1	55	80	2.5	6	5	7525	6275	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7178	7178	1.12
2177	014	3010	0.07	1246	1	55	80	2.5	6	5	7525	6279	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7182	7182	1.12
2177	015	3010	0.07	1214	1	55	80	2.5	6	5	7525	6311	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7214	7214	1.12
2177	017	3011	0.07	1264	1	55	80	2.5	6	5	7528	6264	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7166.799805	7166.799805	1.119926
2177	018	3012	0.07	1862	1	55	80	2.5	6	5	7530	5668	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	6571.599609	6571.599609	1.12
2177	019	3012	0.07	2078	1	55	80	2.5	6	5	7530	5452	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	6355.599609	6355.599609	1.12
2177	020	3012	0.07	1730	1	55	80	2.5	6	5	7530	5800	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	6703.599609	6703.599609	1.12
2177	033	3000	0.07	2953	1	55	80	2.5	6	5	7500	4547	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5447	5447	1.12
2177	034	3000	0.07	1544	1	55	80	2.5	6	5	7500	5956	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6856	6856	1.12
2177	035	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2177	036	3000	0.07	2359	1	55	80	2.5	6	5	7500	5141	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6041	6041	1.12
2177	037	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2177	038	3000	0.07	1245	1	55	80	2.5	6	5	7500	6255	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7155	7155	1.12
2177	039	3000	0.07	1528	1	55	80	2.5	6	5	7500	5972	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6872	6872	1.12
2177	040	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2177	041	3000	0.07	862	1	55	80	2.5	6	5	7500	6638	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7538	7538	1.12
2177	042	3000	0.07	1585	1	55	80	2.5	6	5	7500	5915	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6815	6815	1.12
2177	043	3000	0.07	2212	1	55	80	2.5	6	5	7500	5288	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6188	6188	1.12
2177	044	3000	0.07	962	1	55	80	2.5	6	5	7500	6538	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7438	7438	1.12
2177	046	3000	0.07	2960	1	55	80	2.5	6	5	7500	4540	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5440	5440	1.12
2177	047	3000	0.07	862	1	55	80	2.5	6	5	7500	6638	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7538	7538	1.12
2177	048	3000	0.07	1030	1	55	80	2.5	6	5	7500	6470	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7370	7370	1.12
2178	005	3000	0.07	1399	1	55	80	2.5	6	5	7500	6101	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7001	7001	1.12
2178	006	3000	0.07	1541	1	55	80	2.5	6	5	7500	5959	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6859	6859	1.12
2178	007	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2178	008	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2178	009	3000	0.07	1237	1	55	80	2.5	6	5	7500	6263	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7163	7163	1.12
2178	010	3000	0.07	1895	1	55	80	2.5	6	5	7500	5605	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6505	6505	1.12
2178	011	3000	0.07	2200	1	55	80	2.5	6	5	7500	5300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6200	6200	1.12
2178	012	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2178	013	3000	0.07	1684	1	55	80	2.5	6	5	7500	5816	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6716	6716	1.12
2178	014	3000	0.07	1746	1	55	80	2.5	6	5	7500	5754	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6654	6654	1.12
2178	015	3000	0.07	1458	1	55	80	2.5	6	5	7500	6042	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6942	6942	1.12
2178	016	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12
2178	017	3000	0.07	1515	1	55	80	2.5	6	5	7500	5985	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6885	6885	1.12
2178	018	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12
2178	019	3000	0.07	1262	1	55	80	2.5	6	5	7500	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7138	7138	1.12
2178	020	3000	0.07	1501	1	55	80	2.5	6	5	7500	5999	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6899	6899	1.12
2178	033	3000	0.07	1505	1	55	80	2.5	6	5	7500	5995	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6895	6895	1.12
2178	034	3000	0.07	1012	1	55	80	2.5	6	5	7500	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7388	7388	1.12
2178	035	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12
2178	036	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2178	037	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12
2178	038	3000	0.07	1690	1	55	80	2.5	6	5	7500	5810	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6710	6710	1.12
2178	039	3000	0.07	1371	1	55	80	2.5	6	5	7500	6129	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7029	7029	1.12
2178	040	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12
2178	041	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2178	042	3000	0.07	2680	1	55	80	2.5	6	5	7500	4820	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5720	5720	1.12
2178	043	3000	0.07	1399	1	55	80	2.5	6	5	7500	6101	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7001	7001	1.12
2178	044	3000	0.07	1729	1	55	80	2.5	6	5	7500	5771	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6671	6671	1.12
2178	045	3000	0.07	1746	1	55	80	2.5	6	5	7500	5754	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6654	6654	1.12
2178	047	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2178	048	3000	0.07	1405	1	55	80	2.5	6	5	7500	6095	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6995	6995	1.12
2182	002	3014	0.07	1250	1	55	80	2.5	6	5	7535	6285	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7189.200195	7189.200195	1.12
2182	002A	3014	0.07	1250	1	55	80	2.5	6	5	7535	6285	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7189.200195	7189.200195	1.12
2182	003	3014	0.07	1670	1	55	80	2.5	6	5	7535	5865	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6769.200195	6769.200195	1.12
2182	004	3014	0.07	2875	1	55	80	2.5	6	5	7535	4660	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	5564.200195	5564.200195	1.12
2182	005	3014	0.07	1200	1	55	80	2.5	6	5	7535	6335	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7239.200195	7239.200195	1.12
2182	005A	3014	0.07	1610	1	55	80	2.5	6	5	7535	5925	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6829.200195	6829.200195	1.12
2182	006	3014	0.07	1200	1	55	80	2.5	6	5	7535	6335	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7239.200195	7239.200195	1.12
2182	006A	3014	0.07	1768	1	55	80	2.5	6	5	7535	5767	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6671.200195	6671.200195	1.12
2182	007	3014	0.07	1845	1	55	80	2.5	6	5	7535	5690	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6594.200195	6594.200195	1.12
2182	007A	3014	0.07	1350	1	55	80	2.5	6	5	7535	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7089.200195	7089.200195	1.12
2182	008	3014	0.07	2300	1	55	80	2.5	6	5	7535	5235	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6139.200195	6139.200195	1.12
2182	008A	3014	0.07	1350	1	55	80	2.5	6	5	7535	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7089.200195	7089.200195	1.12
2182	009	3014	0.07	1578	1	55	80	2.5	6	5	7535	5957	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6861.200195	6861.200195	1.12
2182	010	3014	0.07	1350	1	55	80	2.5	6	5	7535	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7089.200195	7089.200195	1.12
2182	011	3014	0.07	1350	1	55	80	2.5	6	5	7535	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7089.200195	7089.200195	1.12
2182	011A	3014	0.07	1700	1	55	80	2.5	6	5	7535	5835	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	6739.200195	6739.200195	1.12
2182	014	2974	0.07	1370	1	55	80	2.5	6	5	7435	6065	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6957.200195	6957.200195	1.12
2182	014A	2974	0.07	1600	1	55	80	2.5	6	5	7435	5835	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6727.200195	6727.200195	1.12
2182	015	2974	0.07	1500	1	55	80	2.5	6	5	7435	5935	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6827.200195	6827.200195	1.12
2182	015A	2974	0.07	2070	1	55	80	2.5	6	5	7435	5365	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6257.200195	6257.200195	1.12
2182	015B	2974	0.07	2428	1	55	80	2.5	6	5	7435	5007	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	5899.200195	5899.200195	1.12
2182	015C	2974	0.07	1500	1	55	80	2.5	6	5	7435	5935	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6827.200195	6827.200195	1.12
2182	015D	2974	0.07	3612	1	55	80	2.5	6	5	7435	3823	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	4715.200195	4715.200195	1.12
2182	015E	2974	0.07	1500	1	55	80	2.5	6	5	7435	5935	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6827.200195	6827.200195	1.12
2182	015F	2974	0.07	1500	1	55	80	2.5	6	5	7435	5935	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6827.200195	6827.200195	1.12
2182	015G	2974	0.07	2218	1	55	80	2.5	6	5	7435	5217	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6109.200195	6109.200195	1.12
2182	015H	2974	0.07	2100	1	55	80	2.5	6	5	7435	5335	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6227.200195	6227.200195	1.12
2182	015I	2974	0.07	1580	1	55	80	2.5	6	5	7435	5855	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6747.200195	6747.200195	1.12
2182	015J	2974	0.07	1500	1	55	80	2.5	6	5	7435	5935	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6827.200195	6827.200195	1.12
2182	016	2974	0.07	2120	1	55	80	2.5	6	5	7435	5315	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6207.200195	6207.200195	1.12
2182	016A	2974	0.07	1962	1	55	80	2.5	6	5	7435	5473	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6365.200195	6365.200195	1.12
2182	016B	2974	0.07	1424	1	55	80	2.5	6	5	7435	6011	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	6903.200195	6903.200195	1.12
2183	002	3006	0.07	1175	1	55	80	2.5	6	5	7515	6340	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7241.799805	7241.799805	1.12
2183	002A	3006	0.07	1175	1	55	80	2.5	6	5	7515	6340	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7241.799805	7241.799805	1.12
2183	002B	3006	0.07	1778	1	55	80	2.5	6	5	7515	5737	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6638.799805	6638.799805	1.12
2183	002C	3006	0.07	1850	1	55	80	2.5	6	5	7515	5665	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6566.799805	6566.799805	1.12
2183	002D	3006	0.07	1834	1	55	80	2.5	6	5	7515	5681	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6582.799805	6582.799805	1.12
2183	002E	3006	0.07	1860	1	55	80	2.5	6	5	7515	5655	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6556.799805	6556.799805	1.12
2183	003	3006	0.07	1860	1	55	80	2.5	6	5	7515	5655	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6556.799805	6556.799805	1.12
2183	004	3006	0.07	2001	1	55	80	2.5	6	5	7515	5514	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6415.799805	6415.799805	1.12
2183	004A	3006	0.07	1425	1	55	80	2.5	6	5	7515	6090	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6991.799805	6991.799805	1.12
2183	005	3006	0.07	1359	1	55	80	2.5	6	5	7515	6156	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7057.799805	7057.799805	1.12
2183	006	3006	0.07	1137	1	55	80	2.5	6	5	7515	6378	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7279.799805	7279.799805	1.12
2183	006A	3006	0.07	2764	1	55	80	2.5	6	5	7515	4751	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	5652.799805	5652.799805	1.12
2183	007	3006	0.07	1050	1	55	80	2.5	6	5	7515	6465	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7366.799805	7366.799805	1.12
2183	008	3006	0.07	1050	1	55	80	2.5	6	5	7515	6465	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7366.799805	7366.799805	1.12
2183	008A	3006	0.07	1200	1	55	80	2.5	6	5	7515	6315	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	7216.799805	7216.799805	1.12
2183	008B	3006	0.07	1591	1	55	80	2.5	6	5	7515	5924	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6825.799805	6825.799805	1.12
2183	016	3000	0.07	1345	1	55	80	2.5	6	5	7500	6155	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7055	7055	1.12
2183	017	3000	0.07	2109	1	55	80	2.5	6	5	7500	5391	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6291	6291	1.12
2183	018	3000	0.07	1630	1	55	80	2.5	6	5	7500	5870	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6770	6770	1.12
2183	019	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2183	019A	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2183	020	3000	0.07	1781	1	55	80	2.5	6	5	7500	5719	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6619	6619	1.12
2183	020A	3000	0.07	1608	1	55	80	2.5	6	5	7500	5892	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6792	6792	1.12
2183	021	3000	0.07	1875	1	55	80	2.5	6	5	7500	5625	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6525	6525	1.12
2183	022	3000	0.07	1333	1	55	80	2.5	6	5	7500	6167	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7067	7067	1.12
2183	022A	3000	0.07	1355	1	55	80	2.5	6	5	7500	6145	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7045	7045	1.12
2183	022B	3000	0.07	1585	1	55	80	2.5	6	5	7500	5915	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6815	6815	1.12
2183	022C	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2183	023	3000	0.07	1552	1	55	80	2.5	6	5	7500	5948	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6848	6848	1.12
2183	023A	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
2183	023B	3000	0.07	1305	1	55	80	2.5	6	5	7500	6195	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7095	7095	1.12
2183	023C	3000	0.07	1145	1	55	80	2.5	6	5	7500	6355	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7255	7255	1.12
2184	002	3011	0.07	1956	1	55	80	2.5	6	5	7528	5572	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6474.799805	6474.799805	1.119926
2184	003	3011	0.07	1657	1	55	80	2.5	6	5	7528	5871	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6773.799805	6773.799805	1.119926
2184	004	3011	0.07	2636	1	55	80	2.5	6	5	7528	4892	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	5794.799805	5794.799805	1.119926
2184	005	3011	0.07	2166	1	55	80	2.5	6	5	7528	5362	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6264.799805	6264.799805	1.119926
2184	006	3011	0.07	1231	1	55	80	2.5	6	5	7528	6297	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7199.799805	7199.799805	1.119926
2184	007	3011	0.07	1231	1	55	80	2.5	6	5	7528	6297	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7199.799805	7199.799805	1.119926
2184	008	3011	0.07	1231	1	55	80	2.5	6	5	7528	6297	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7199.799805	7199.799805	1.119926
2184	009	3011	0.07	1231	1	55	80	2.5	6	5	7528	6297	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7199.799805	7199.799805	1.119926
2184	010	3011	0.07	1450	1	55	80	2.5	6	5	7528	6078	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6980.799805	6980.799805	1.119926
2184	011	3011	0.07	1747	1	55	80	2.5	6	5	7528	5781	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6683.799805	6683.799805	1.119926
2184	011A	3011	0.07	2065	1	55	80	2.5	6	5	7528	5463	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6365.799805	6365.799805	1.119926
2184	012	3011	0.07	1605	1	55	80	2.5	6	5	7528	5923	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6825.799805	6825.799805	1.119926
2184	013	3011	0.07	1604	1	55	80	2.5	6	5	7528	5924	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6826.799805	6826.799805	1.119926
2184	014	3011	0.07	1402	1	55	80	2.5	6	5	7528	6126	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7028.799805	7028.799805	1.119926
2184	015	3011	0.07	1987	1	55	80	2.5	6	5	7528	5541	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6443.799805	6443.799805	1.119926
2184	016	3011	0.07	2135	1	55	80	2.5	6	5	7528	5393	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	6295.799805	6295.799805	1.119926
2184	026	3021	0.07	1300	1	55	80	2.5	6	5	7552	6252	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7158.799805	7158.799805	1.120074
2184	027	3021	0.07	1970	1	55	80	2.5	6	5	7552	5582	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6488.799805	6488.799805	1.120074
2184	028	3021	0.07	1861	1	55	80	2.5	6	5	7552	5691	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6597.799805	6597.799805	1.120074
2184	029	3021	0.07	1475	1	55	80	2.5	6	5	7552	6077	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6983.799805	6983.799805	1.120074
2184	030	3021	0.07	1675	1	55	80	2.5	6	5	7552	5877	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6783.799805	6783.799805	1.120074
2184	031	3021	0.07	2566	1	55	80	2.5	6	5	7552	4986	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	5892.799805	5892.799805	1.120074
2184	032	3021	0.07	1475	1	55	80	2.5	6	5	7552	6077	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6983.799805	6983.799805	1.120074
2184	033	3021	0.07	1462	1	55	80	2.5	6	5	7552	6090	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6996.799805	6996.799805	1.120074
2184	033A	3021	0.07	2305	1	55	80	2.5	6	5	7552	5247	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6153.799805	6153.799805	1.120074
2184	034	3021	0.07	2419	1	55	80	2.5	6	5	7552	5133	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6039.799805	6039.799805	1.120074
2184	035	3021	0.07	1415	1	55	80	2.5	6	5	7552	6137	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7043.799805	7043.799805	1.120074
2184	035A	3021	0.07	1350	1	55	80	2.5	6	5	7552	6202	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7108.799805	7108.799805	1.120074
2184	036	3021	0.07	1796	1	55	80	2.5	6	5	7552	5756	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6662.799805	6662.799805	1.120074
2184	037	3021	0.07	1605	1	55	80	2.5	6	5	7552	5947	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6853.799805	6853.799805	1.120074
2184	038	3021	0.07	1375	1	55	80	2.5	6	5	7552	6177	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	7083.799805	7083.799805	1.120074
2184	038A	3021	0.07	2075	1	55	80	2.5	6	5	7552	5477	RH-1	40	form-based			true	0.7	6	1	5	5	8458.799805	6383.799805	6383.799805	1.120074
2185	002	2971	0.07	2379	1	55	80	2.5	6	5	7428	5049	RH-1	40	form-based			true	0.7	6	1	5	5	8318.799805	5939.799805	5939.799805	1.119925
2185	003	3019	0.07	1448	1	55	80	2.5	6	5	7548	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	7005.200195	7005.200195	1.119926
2185	004	2911	0.07	1851	1	55	80	2.5	6	5	7278	5427	RH-1	40	form-based			true	0.7	6	1	5	5	8150.799805	6299.799805	6299.799805	1.119923
2185	005	2958	0.07	2457	1	55	80	2.5	6	5	7395	4938	RH-1	40	form-based			true	0.7	6	1	5	5	8282.399414	5825.399414	5825.399414	1.12
2185	006	2958	0.07	1810	1	55	80	2.5	6	5	7395	5585	RH-1	40	form-based			true	0.7	6	1	5	5	8282.399414	6472.399414	6472.399414	1.12
2185	007	2946	0.07	1950	1	55	80	2.5	6	5	7365	5415	RH-1	40	form-based			true	0.7	6	1	5	5	8248.799805	6298.799805	6298.799805	1.12
2185	008	2946	0.07	1450	1	55	80	2.5	6	5	7365	5915	RH-1	40	form-based			true	0.7	6	1	5	5	8248.799805	6798.799805	6798.799805	1.12
2185	010	3019	0.07	1565	1	55	80	2.5	6	5	7548	5983	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	6888.200195	6888.200195	1.119926
2185	011	3019	0.07	2276	1	55	80	2.5	6	5	7548	5272	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	6177.200195	6177.200195	1.119926
2185	012	3019	0.07	1650	1	55	80	2.5	6	5	7548	5898	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	6803.200195	6803.200195	1.119926
2185	013	3019	0.07	2385	1	55	80	2.5	6	5	7548	5163	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	6068.200195	6068.200195	1.119926
2185	014	3019	0.07	1425	1	55	80	2.5	6	5	7548	6123	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	7028.200195	7028.200195	1.119926
2185	015	3019	0.07	1950	1	55	80	2.5	6	5	7548	5598	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	6503.200195	6503.200195	1.119926
2185	016	3019	0.07	2604	1	55	80	2.5	6	5	7548	4944	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	5849.200195	5849.200195	1.119926
2185	017	3019	0.07	1724	1	55	80	2.5	6	5	7548	5824	RH-1	40	form-based			true	0.7	6	1	5	5	8453.200195	6729.200195	6729.200195	1.119926
2185	027	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
2185	028	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2185	029	3000	0.07	1848	1	55	80	2.5	6	5	7500	5652	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6552	6552	1.12
2185	030	3000	0.07	1315	1	55	80	2.5	6	5	7500	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7085	7085	1.12
2185	031	3000	0.07	1537	1	55	80	2.5	6	5	7500	5963	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6863	6863	1.12
2185	032	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2185	033	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2185	034	3000	0.07	2409	1	55	80	2.5	6	5	7500	5091	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5991	5991	1.12
2185	035	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
2185	036	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2185	037	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
2185	038	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
2185	039	3000	0.07	2253	1	55	80	2.5	6	5	7500	5247	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6147	6147	1.12
2185	040	3000	0.07	1415	1	55	80	2.5	6	5	7500	6085	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6985	6985	1.12
2185	041	3000	0.07	1735	1	55	80	2.5	6	5	7500	5765	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6665	6665	1.12
2185	042	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
2186	005	3013	0.07	2165	1	55	80	2.5	6	5	7532	5367	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6271.399414	6271.399414	1.120074
2186	006	3013	0.07	1657	1	55	80	2.5	6	5	7532	5875	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6779.399414	6779.399414	1.120074
2186	007	3013	0.07	1345	1	55	80	2.5	6	5	7532	6187	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7091.399414	7091.399414	1.120074
2186	008	3013	0.07	1887	1	55	80	2.5	6	5	7532	5645	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6549.399414	6549.399414	1.120074
2186	009	3013	0.07	1269	1	55	80	2.5	6	5	7532	6263	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7167.399414	7167.399414	1.120074
2186	010	3013	0.07	1325	1	55	80	2.5	6	5	7532	6207	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7111.399414	7111.399414	1.120074
2186	011	3013	0.07	1925	1	55	80	2.5	6	5	7532	5607	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6511.399414	6511.399414	1.120074
2186	012	3013	0.07	1325	1	55	80	2.5	6	5	7532	6207	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7111.399414	7111.399414	1.120074
2186	013	3013	0.07	1625	1	55	80	2.5	6	5	7532	5907	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6811.399414	6811.399414	1.120074
2186	014	3013	0.07	1325	1	55	80	2.5	6	5	7532	6207	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7111.399414	7111.399414	1.120074
2186	015	3013	0.07	1721	1	55	80	2.5	6	5	7532	5811	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6715.399414	6715.399414	1.120074
2186	016	3013	0.07	1625	1	55	80	2.5	6	5	7532	5907	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6811.399414	6811.399414	1.120074
2186	017	3013	0.07	1325	1	55	80	2.5	6	5	7532	6207	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7111.399414	7111.399414	1.120074
2186	018	3013	0.07	2050	1	55	80	2.5	6	5	7532	5482	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6386.399414	6386.399414	1.120074
2186	019	3013	0.07	1380	1	55	80	2.5	6	5	7532	6152	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7056.399414	7056.399414	1.120074
2186	020	3013	0.07	1200	1	55	80	2.5	6	5	7532	6332	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7236.399414	7236.399414	1.120074
2186	031	3000	0.07	1666	1	55	80	2.5	6	5	7500	5834	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6734	6734	1.12
2186	032	3000	0.07	1380	1	55	80	2.5	6	5	7500	6120	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7020	7020	1.12
2186	033	3000	0.07	1850	1	55	80	2.5	6	5	7500	5650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6550	6550	1.12
2186	034	3000	0.07	1484	1	55	80	2.5	6	5	7500	6016	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6916	6916	1.12
2186	035	3000	0.07	1484	1	55	80	2.5	6	5	7500	6016	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6916	6916	1.12
2186	036	3000	0.07	1484	1	55	80	2.5	6	5	7500	6016	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6916	6916	1.12
2186	037	3000	0.07	1484	1	55	80	2.5	6	5	7500	6016	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6916	6916	1.12
2186	038	3000	0.07	1850	1	55	80	2.5	6	5	7500	5650	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6550	6550	1.12
2186	039	3000	0.07	2330	1	55	80	2.5	6	5	7500	5170	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6070	6070	1.12
2186	040	3000	0.07	2589	1	55	80	2.5	6	5	7500	4911	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5811	5811	1.12
2186	041	3000	0.07	1944	1	55	80	2.5	6	5	7500	5556	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6456	6456	1.12
2186	042	3000	0.07	2979	1	55	80	2.5	6	5	7500	4521	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5421	5421	1.12
2186	043	3000	0.07	1395	1	55	80	2.5	6	5	7500	6105	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7005	7005	1.12
2186	044	3000	0.07	1854	1	55	80	2.5	6	5	7500	5646	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6546	6546	1.12
2186	045	3000	0.07	1623	1	55	80	2.5	6	5	7500	5877	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6777	6777	1.12
2186	046	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2187	001A	2373	0.05	2128	0	55	80	2.5	4	4	5932	3804	RH-1	40	form-based			true	0.7	5	1.25	5	5	6644.399902	4516.399902	4516.399902	1.120094
2187	001D	2998	0.07	1350	1	55	80	2.5	6	5	7495	6145	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7044.399414	7044.399414	1.12
2187	001F	2998	0.07	1590	1	55	80	2.5	6	5	7495	5905	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6804.399414	6804.399414	1.12
2187	001G	2998	0.07	1514	1	55	80	2.5	6	5	7495	5981	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6880.399414	6880.399414	1.12
2187	002	2998	0.07	2167	1	55	80	2.5	6	5	7495	5328	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6227.399414	6227.399414	1.12
2187	002A	2998	0.07	2385	1	55	80	2.5	6	5	7495	5110	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6009.399414	6009.399414	1.12
2187	002B	2998	0.07	1931	1	55	80	2.5	6	5	7495	5564	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6463.399414	6463.399414	1.12
2187	002C	2998	0.07	1475	1	55	80	2.5	6	5	7495	6020	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6919.399414	6919.399414	1.12
2187	002D	2998	0.07	2284	1	55	80	2.5	6	5	7495	5211	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6110.399414	6110.399414	1.12
2187	002E	2998	0.07	2100	1	55	80	2.5	6	5	7495	5395	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6294.399414	6294.399414	1.12
2187	003	2998	0.07	1050	1	55	80	2.5	6	5	7495	6445	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7344.399414	7344.399414	1.12
2187	004	2998	0.07	2235	1	55	80	2.5	6	5	7495	5260	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6159.399414	6159.399414	1.12
2187	005	2998	0.07	1812	1	55	80	2.5	6	5	7495	5683	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6582.399414	6582.399414	1.12
2187	006	2998	0.07	1400	1	55	80	2.5	6	5	7495	6095	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6994.399414	6994.399414	1.12
2187	007	2998	0.07	2000	1	55	80	2.5	6	5	7495	5495	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6394.399414	6394.399414	1.12
2187	013E	3000	0.07	2492	1	55	80	2.5	6	5	7500	5008	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5908	5908	1.12
2187	013F	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2187	013G	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2187	013H	3000	0.07	925	1	55	80	2.5	6	5	7500	6575	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7475	7475	1.12
2187	013I	3000	0.07	877	1	55	80	2.5	6	5	7500	6623	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7523	7523	1.12
2187	014	3000	0.07	1505	1	55	80	2.5	6	5	7500	5995	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6895	6895	1.12
2187	015	3000	0.07	1612	1	55	80	2.5	6	5	7500	5888	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6788	6788	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2187	016	3000	0.07	1125	1	55	80	2.5	6	5	7500	6375	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7275	7275	1.12
2187	018	3000	0.07	1125	1	55	80	2.5	6	5	7500	6375	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7275	7275	1.12
2187	019	3000	0.07	1980	1	55	80	2.5	6	5	7500	5520	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6420	6420	1.12
2187	020	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2187	021	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2187	022	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2187	023	3000	0.07	1566	1	55	80	2.5	6	5	7500	5934	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6834	6834	1.12
2187	024	3000	0.07	1359	1	55	80	2.5	6	5	7500	6141	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7041	7041	1.12
2188	005	2853	0.07	1997	1	55	80	2.5	6	5	7132	5135	RH-1	40	form-based			true	0.7	6	1	5	5	7988.399902	5991.399902	5991.399902	1.120079
2188	009	3018	0.07	2528	1	55	80	2.5	6	5	7545	5017	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	5922.399414	5922.399414	1.12
2188	010	3018	0.07	1675	1	55	80	2.5	6	5	7545	5870	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6775.399414	6775.399414	1.12
2188	011	3018	0.07	1425	1	55	80	2.5	6	5	7545	6120	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7025.399414	7025.399414	1.12
2188	012	3018	0.07	2835	1	55	80	2.5	6	5	7545	4710	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	5615.399414	5615.399414	1.12
2188	013	3018	0.07	2078	1	55	80	2.5	6	5	7545	5467	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6372.399414	6372.399414	1.12
2188	014	3018	0.07	1700	1	55	80	2.5	6	5	7545	5845	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6750.399414	6750.399414	1.12
2188	015	3018	0.07	1550	1	55	80	2.5	6	5	7545	5995	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6900.399414	6900.399414	1.12
2188	016	3018	0.07	1740	1	55	80	2.5	6	5	7545	5805	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6710.399414	6710.399414	1.12
2188	017	3018	0.07	1425	1	55	80	2.5	6	5	7545	6120	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7025.399414	7025.399414	1.12
2188	018	3018	0.07	1425	1	55	80	2.5	6	5	7545	6120	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7025.399414	7025.399414	1.12
2188	019	3018	0.07	1425	1	55	80	2.5	6	5	7545	6120	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7025.399414	7025.399414	1.12
2188	020	3018	0.07	1425	1	55	80	2.5	6	5	7545	6120	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	7025.399414	7025.399414	1.12
2188	031	3000	0.07	1765	1	55	80	2.5	6	5	7500	5735	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6635	6635	1.12
2188	032	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2188	033	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2188	034	3000	0.07	2185	1	55	80	2.5	6	5	7500	5315	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6215	6215	1.12
2188	035	3000	0.07	2069	1	55	80	2.5	6	5	7500	5431	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6331	6331	1.12
2188	036	3000	0.07	1529	1	55	80	2.5	6	5	7500	5971	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6871	6871	1.12
2188	037	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
2188	038	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2188	039	3000	0.07	2200	1	55	80	2.5	6	5	7500	5300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6200	6200	1.12
2188	040	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2188	041	3000	0.07	1572	1	55	80	2.5	6	5	7500	5928	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6828	6828	1.12
2188	042	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2188	043	3000	0.07	2100	1	55	80	2.5	6	5	7500	5400	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6300	6300	1.12
2188	044	3000	0.07	1397	1	55	80	2.5	6	5	7500	6103	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7003	7003	1.12
2188	045	3000	0.07	1780	1	55	80	2.5	6	5	7500	5720	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6620	6620	1.12
2188	046	3000	0.07	1235	1	55	80	2.5	6	5	7500	6265	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7165	7165	1.12
2189	001	2839	0.07	2909	1	55	80	2.5	6	5	7098	4189	RH-1	40	form-based	true		true	0.7	6	1	5	5	7949.199707	5040.199707	5040.199707	1.119921
2189	001A	2967	0.07	1467	1	55	80	2.5	6	5	7418	5951	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6840.599609	6840.599609	1.119924
2189	001B	2967	0.07	1507	1	55	80	2.5	6	5	7418	5911	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6800.599609	6800.599609	1.119924
2189	001C	2967	0.07	2099	1	55	80	2.5	6	5	7418	5319	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6208.599609	6208.599609	1.119924
2189	001D	2990	0.07	2740	1	55	80	2.5	6	5	7475	4735	RH-1	40	form-based			true	0.7	6	1	5	5	8372	5632	5632	1.12
2189	001E	2967	0.07	2066	1	55	80	2.5	6	5	7418	5352	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6241.599609	6241.599609	1.119924
2189	001F	2967	0.07	2342	1	55	80	2.5	6	5	7418	5076	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	5965.599609	5965.599609	1.119924
2189	001G	2967	0.07	1322	1	55	80	2.5	6	5	7418	6096	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6985.599609	6985.599609	1.119924
2189	001H	2967	0.07	1925	1	55	80	2.5	6	5	7418	5493	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6382.599609	6382.599609	1.119924
2189	001I	2967	0.07	1250	1	55	80	2.5	6	5	7418	6168	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	7057.599609	7057.599609	1.119924
2189	001J	2967	0.07	1750	1	55	80	2.5	6	5	7418	5668	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6557.599609	6557.599609	1.119924
2189	001K	2967	0.07	1358	1	55	80	2.5	6	5	7418	6060	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6949.599609	6949.599609	1.119924
2189	002	2967	0.07	1621	1	55	80	2.5	6	5	7418	5797	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6686.599609	6686.599609	1.119924
2189	003	2967	0.07	1520	1	55	80	2.5	6	5	7418	5898	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6787.599609	6787.599609	1.119924
2189	003A	2967	0.07	2354	1	55	80	2.5	6	5	7418	5064	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	5953.599609	5953.599609	1.119924
2189	003B	2967	0.07	1525	1	55	80	2.5	6	5	7418	5893	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6782.599609	6782.599609	1.119924
2189	003F	2967	0.07	1765	1	55	80	2.5	6	5	7418	5653	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6542.599609	6542.599609	1.119924
2189	003G	2967	0.07	1425	1	55	80	2.5	6	5	7418	5993	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6882.599609	6882.599609	1.119924
2189	003H	2967	0.07	1878	1	55	80	2.5	6	5	7418	5540	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6429.599609	6429.599609	1.119924
2189	003I	2967	0.07	1725	1	55	80	2.5	6	5	7418	5693	RH-1	40	form-based			true	0.7	6	1	5	5	8307.599609	6582.599609	6582.599609	1.119924
2189	010	3000	0.07	1736	1	55	80	2.5	6	5	7500	5764	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6664	6664	1.12
2189	010A	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2189	011	3000	0.07	1650	1	55	80	2.5	6	5	7500	5850	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6750	6750	1.12
2189	011A	3000	0.07	1650	1	55	80	2.5	6	5	7500	5850	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6750	6750	1.12
2189	012	3000	0.07	2050	1	55	80	2.5	6	5	7500	5450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6350	6350	1.12
2189	013	3000	0.07	1625	1	55	80	2.5	6	5	7500	5875	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6775	6775	1.12
2189	014	3000	0.07	2057	1	55	80	2.5	6	5	7500	5443	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6343	6343	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2189	015	3000	0.07	1424	1	55	80	2.5	6	5	7500	6076	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6976	6976	1.12
2189	015A	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2189	016	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2189	016A	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2189	017	3000	0.07	1700	1	55	80	2.5	6	5	7500	5800	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6700	6700	1.12
2189	018	3000	0.07	2052	1	55	80	2.5	6	5	7500	5448	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6348	6348	1.12
2189	018A	3000	0.07	2145	1	55	80	2.5	6	5	7500	5355	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6255	6255	1.12
2189	019	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2189	019A	3000	0.07	1981	1	55	80	2.5	6	5	7500	5519	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6419	6419	1.12
2189	019B	3000	0.07	1412	1	55	80	2.5	6	5	7500	6088	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6988	6988	1.12
2189	020	3000	0.07	1150	1	55	80	2.5	6	5	7500	6350	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7250	7250	1.12
2189	021	3000	0.07	1494	1	55	80	2.5	6	5	7500	6006	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6906	6906	1.12
2189	022	2895	0.07	1567	1	55	80	2.5	6	5	7238	5671	RH-1	40	form-based		true	true	0.7	6	1	5	5	8106	6539	6539	1.119923
2190	001A	3022	0.07	1639	1	55	80	2.5	6	5	7555	5916	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6822.599609	6822.599609	1.12
2190	001B	3022	0.07	1552	1	55	80	2.5	6	5	7555	6003	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6909.599609	6909.599609	1.12
2190	001C	3022	0.07	1932	1	55	80	2.5	6	5	7555	5623	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6529.599609	6529.599609	1.12
2190	001D	3022	0.07	1420	1	55	80	2.5	6	5	7555	6135	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	7041.599609	7041.599609	1.12
2190	001E	3022	0.07	1614	1	55	80	2.5	6	5	7555	5941	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6847.599609	6847.599609	1.12
2190	001F	3022	0.07	1409	1	55	80	2.5	6	5	7555	6146	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	7052.599609	7052.599609	1.12
2190	001G	3022	0.07	1225	1	55	80	2.5	6	5	7555	6330	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	7236.599609	7236.599609	1.12
2190	002	3022	0.07	1225	1	55	80	2.5	6	5	7555	6330	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	7236.599609	7236.599609	1.12
2190	002B	3022	0.07	1225	1	55	80	2.5	6	5	7555	6330	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	7236.599609	7236.599609	1.12
2190	002C	3022	0.07	1725	1	55	80	2.5	6	5	7555	5830	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6736.599609	6736.599609	1.12
2190	003	3022	0.07	1595	1	55	80	2.5	6	5	7555	5960	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6866.599609	6866.599609	1.12
2190	003C	3022	0.07	2029	1	55	80	2.5	6	5	7555	5526	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6432.599609	6432.599609	1.12
2190	003D	3022	0.07	1672	1	55	80	2.5	6	5	7555	5883	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6789.599609	6789.599609	1.12
2190	003E	3022	0.07	1400	1	55	80	2.5	6	5	7555	6155	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	7061.599609	7061.599609	1.12
2190	003F	3022	0.07	1400	1	55	80	2.5	6	5	7555	6155	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	7061.599609	7061.599609	1.12
2190	003K	3000	0.07	2451	1	55	80	2.5	6	5	7500	5049	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5949	5949	1.12
2190	003L	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2190	003M	3000	0.07	2145	1	55	80	2.5	6	5	7500	5355	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6255	6255	1.12
2190	003N	3000	0.07	1730	1	55	80	2.5	6	5	7500	5770	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6670	6670	1.12
2190	003O	3000	0.07	1502	1	55	80	2.5	6	5	7500	5998	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6898	6898	1.12
2190	003P	3000	0.07	1700	1	55	80	2.5	6	5	7500	5800	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6700	6700	1.12
2190	003Q	3000	0.07	1750	1	55	80	2.5	6	5	7500	5750	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6650	6650	1.12
2190	005	3000	0.07	1175	1	55	80	2.5	6	5	7500	6325	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7225	7225	1.12
2190	005A	3000	0.07	1715	1	55	80	2.5	6	5	7500	5785	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6685	6685	1.12
2190	005B	3000	0.07	1494	1	55	80	2.5	6	5	7500	6006	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6906	6906	1.12
2190	005C	3000	0.07	2159	1	55	80	2.5	6	5	7500	5341	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6241	6241	1.12
2190	005D	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
2190	006	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2190	006A	3000	0.07	1617	1	55	80	2.5	6	5	7500	5883	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6783	6783	1.12
2190	006B	3000	0.07	1830	1	55	80	2.5	6	5	7500	5670	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6570	6570	1.12
2190	006C	3000	0.07	1690	1	55	80	2.5	6	5	7500	5810	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6710	6710	1.12
2190	006D	3000	0.07	1480	1	55	80	2.5	6	5	7500	6020	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6920	6920	1.12
2191	002	3010	0.07	1425	1	55	80	2.5	6	5	7525	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7003	7003	1.12
2191	003	3010	0.07	1350	1	55	80	2.5	6	5	7525	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7078	7078	1.12
2191	004	3010	0.07	1857	1	55	80	2.5	6	5	7525	5668	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6571	6571	1.12
2191	005	3010	0.07	2250	1	55	80	2.5	6	5	7525	5275	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6178	6178	1.12
2191	005A	3010	0.07	2120	1	55	80	2.5	6	5	7525	5405	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6308	6308	1.12
2191	005B	3010	0.07	2240	1	55	80	2.5	6	5	7525	5285	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6188	6188	1.12
2191	006	3010	0.07	1687	1	55	80	2.5	6	5	7525	5838	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6741	6741	1.12
2191	006A	3010	0.07	1833	1	55	80	2.5	6	5	7525	5692	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6595	6595	1.12
2191	007	3010	0.07	1491	1	55	80	2.5	6	5	7525	6034	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6937	6937	1.12
2191	007A	3010	0.07	2225	1	55	80	2.5	6	5	7525	5300	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6203	6203	1.12
2191	008	3010	0.07	2102	1	55	80	2.5	6	5	7525	5423	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6326	6326	1.12
2191	008A	3010	0.07	1400	1	55	80	2.5	6	5	7525	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7028	7028	1.12
2191	008D	3010	0.07	1946	1	55	80	2.5	6	5	7525	5579	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6482	6482	1.12
2191	008E	3010	0.07	1400	1	55	80	2.5	6	5	7525	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7028	7028	1.12
2191	009D	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
2191	009E	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2191	009F	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2191	009G	3000	0.07	2063	1	55	80	2.5	6	5	7500	5437	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6337	6337	1.12
2191	009H	3000	0.07	2115	1	55	80	2.5	6	5	7500	5385	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6285	6285	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2191	010	3000	0.07	1207	1	55	80	2.5	6	5	7500	6293	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7193	7193	1.12
2191	010A	3000	0.07	1700	1	55	80	2.5	6	5	7500	5800	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6700	6700	1.12
2191	011	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2191	012	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2191	013	3000	0.07	1946	1	55	80	2.5	6	5	7500	5554	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6454	6454	1.12
2191	014	3000	0.07	1586	1	55	80	2.5	6	5	7500	5914	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6814	6814	1.12
2191	014A	3000	0.07	1000	1	55	80	2.5	6	5	7500	6500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7400	7400	1.12
2191	014B	3000	0.07	1848	1	55	80	2.5	6	5	7500	5652	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6552	6552	1.12
2191	014D	3000	0.07	807	1	55	80	2.5	6	5	7500	6693	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7593	7593	1.12
2191	014F	3000	0.07	807	1	55	80	2.5	6	5	7500	6693	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7593	7593	1.12
2191	014J	3000	0.07	1370	1	55	80	2.5	6	5	7500	6130	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7030	7030	1.12
2192	002C	2978	0.07	1400	1	55	80	2.5	6	5	7445	6045	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6938.399414	6938.399414	1.12
2192	002D	2978	0.07	2050	1	55	80	2.5	6	5	7445	5395	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6288.399414	6288.399414	1.12
2192	002E	2978	0.07	3281	1	55	80	2.5	6	5	7445	4164	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	5057.399414	5057.399414	1.12
2192	002F	2978	0.07	1659	1	55	80	2.5	6	5	7445	5786	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6679.399414	6679.399414	1.12
2192	002G	2978	0.07	1936	1	55	80	2.5	6	5	7445	5509	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6402.399414	6402.399414	1.12
2192	002H	2978	0.07	1704	1	55	80	2.5	6	5	7445	5741	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6634.399414	6634.399414	1.12
2192	002I	2978	0.07	1592	1	55	80	2.5	6	5	7445	5853	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6746.399414	6746.399414	1.12
2192	002J	2978	0.07	1636	1	55	80	2.5	6	5	7445	5809	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6702.399414	6702.399414	1.12
2192	002K	2978	0.07	1400	1	55	80	2.5	6	5	7445	6045	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6938.399414	6938.399414	1.12
2192	002L	2978	0.07	1400	1	55	80	2.5	6	5	7445	6045	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6938.399414	6938.399414	1.12
2192	002M	2978	0.07	1400	1	55	80	2.5	6	5	7445	6045	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6938.399414	6938.399414	1.12
2192	002N	2978	0.07	1626	1	55	80	2.5	6	5	7445	5819	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6712.399414	6712.399414	1.12
2192	003	2978	0.07	1806	1	55	80	2.5	6	5	7445	5639	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6532.399414	6532.399414	1.12
2192	003A	2978	0.07	1556	1	55	80	2.5	6	5	7445	5889	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	6782.399414	6782.399414	1.12
2192	003B	2978	0.07	1200	1	55	80	2.5	6	5	7445	6245	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	7138.399414	7138.399414	1.12
2192	003C	2978	0.07	1300	1	55	80	2.5	6	5	7445	6145	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	7038.399414	7038.399414	1.12
2192	011	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2192	012	3000	0.07	1478	1	55	80	2.5	6	5	7500	6022	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6922	6922	1.12
2192	013	3000	0.07	1315	1	55	80	2.5	6	5	7500	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7085	7085	1.12
2192	014	3000	0.07	1478	1	55	80	2.5	6	5	7500	6022	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6922	6922	1.12
2192	015	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
2192	016	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
2192	017	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
2192	018	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
2192	019	3000	0.07	2750	1	55	80	2.5	6	5	7500	4750	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5650	5650	1.12
2192	020	3000	0.07	1628	1	55	80	2.5	6	5	7500	5872	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6772	6772	1.12
2192	021	3000	0.07	2957	1	55	80	2.5	6	5	7500	4543	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5443	5443	1.12
2192	022	3000	0.07	1652	1	55	80	2.5	6	5	7500	5848	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6748	6748	1.12
2192	023	3000	0.07	1788	1	55	80	2.5	6	5	7500	5712	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6612	6612	1.12
2192	024	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
2192	025	3000	0.07	1913	1	55	80	2.5	6	5	7500	5587	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6487	6487	1.12
2192	026	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
2193	003B	3025	0.07	2224	1	55	80	2.5	6	5	7562	5338	RH-1	40	form-based			true	0.7	6	1	5	5	8470	6246	6246	1.120074
2193	003C	3025	0.07	1693	1	55	80	2.5	6	5	7562	5869	RH-1	40	form-based			true	0.7	6	1	5	5	8470	6777	6777	1.120074
2193	004	3025	0.07	1342	1	55	80	2.5	6	5	7562	6220	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7128	7128	1.120074
2193	004A	3025	0.07	1162	1	55	80	2.5	6	5	7562	6400	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7308	7308	1.120074
2193	004B	3025	0.07	1512	1	55	80	2.5	6	5	7562	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8470	6958	6958	1.120074
2193	004C	3025	0.07	1306	1	55	80	2.5	6	5	7562	6256	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7164	7164	1.120074
2193	004D	3025	0.07	1162	1	55	80	2.5	6	5	7562	6400	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7308	7308	1.120074
2193	004E	3025	0.07	1000	1	55	80	2.5	6	5	7562	6562	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7470	7470	1.120074
2193	005	3025	0.07	1403	1	55	80	2.5	6	5	7562	6159	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7067	7067	1.120074
2193	006	3025	0.07	1192	1	55	80	2.5	6	5	7562	6370	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7278	7278	1.120074
2193	007	3025	0.07	1000	1	55	80	2.5	6	5	7562	6562	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7470	7470	1.120074
2193	008	3025	0.07	1000	1	55	80	2.5	6	5	7562	6562	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7470	7470	1.120074
2193	009	3025	0.07	1275	1	55	80	2.5	6	5	7562	6287	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7195	7195	1.120074
2193	019	3000	0.07	1190	1	55	80	2.5	6	5	7500	6310	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7210	7210	1.12
2193	020	3000	0.07	1366	1	55	80	2.5	6	5	7500	6134	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7034	7034	1.12
2193	020A	3000	0.07	2433	1	55	80	2.5	6	5	7500	5067	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5967	5967	1.12
2193	021	3000	0.07	2260	1	55	80	2.5	6	5	7500	5240	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6140	6140	1.12
2193	022	3000	0.07	2290	1	55	80	2.5	6	5	7500	5210	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6110	6110	1.12
2193	022A	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2193	022B	3000	0.07	1446	1	55	80	2.5	6	5	7500	6054	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6954	6954	1.12
2193	022C	3000	0.07	2220	1	55	80	2.5	6	5	7500	5280	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6180	6180	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2193	022D	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2193	022E	3000	0.07	1527	1	55	80	2.5	6	5	7500	5973	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6873	6873	1.12
2193	022F	3000	0.07	1162	1	55	80	2.5	6	5	7500	6338	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7238	7238	1.12
2193	023	3000	0.07	1489	1	55	80	2.5	6	5	7500	6011	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6911	6911	1.12
2193	024	3000	0.07	2391	1	55	80	2.5	6	5	7500	5109	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6009	6009	1.12
2196	002	3009	0.07	2106	1	55	80	2.5	6	5	7522	5416	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6319.200195	6319.200195	1.120075
2196	003	3009	0.07	1496	1	55	80	2.5	6	5	7522	6026	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6929.200195	6929.200195	1.120075
2196	004	3009	0.07	2108	1	55	80	2.5	6	5	7522	5414	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6317.200195	6317.200195	1.120075
2196	005	3009	0.07	1747	1	55	80	2.5	6	5	7522	5775	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6678.200195	6678.200195	1.120075
2196	006	3009	0.07	1838	1	55	80	2.5	6	5	7522	5684	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6587.200195	6587.200195	1.120075
2196	007	3009	0.07	1650	1	55	80	2.5	6	5	7522	5872	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6775.200195	6775.200195	1.120075
2196	008	3009	0.07	2231	1	55	80	2.5	6	5	7522	5291	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6194.200195	6194.200195	1.120075
2196	009	3009	0.07	1650	1	55	80	2.5	6	5	7522	5872	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6775.200195	6775.200195	1.120075
2196	010	3009	0.07	1425	1	55	80	2.5	6	5	7522	6097	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7000.200195	7000.200195	1.120075
2196	011	3009	0.07	1425	1	55	80	2.5	6	5	7522	6097	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7000.200195	7000.200195	1.120075
2196	012	3009	0.07	2219	1	55	80	2.5	6	5	7522	5303	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6206.200195	6206.200195	1.120075
2196	013	3009	0.07	2453	1	55	80	2.5	6	5	7522	5069	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	5972.200195	5972.200195	1.120075
2196	014	3009	0.07	2819	1	55	80	2.5	6	5	7522	4703	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	5606.200195	5606.200195	1.120075
2196	015	3009	0.07	1472	1	55	80	2.5	6	5	7522	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6953.200195	6953.200195	1.120075
2196	016	3009	0.07	1472	1	55	80	2.5	6	5	7522	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6953.200195	6953.200195	1.120075
2196	017	3009	0.07	1472	1	55	80	2.5	6	5	7522	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6953.200195	6953.200195	1.120075
2196	018	3009	0.07	1606	1	55	80	2.5	6	5	7522	5916	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6819.200195	6819.200195	1.120075
2196	023	2685	0.06	1631	1	55	80	2.5	5	4	6712	5081	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7518	5887	5887	1.120083
2196	024	2685	0.06	1580	1	55	80	2.5	5	4	6712	5132	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7518	5938	5938	1.120083
2196	030	3000	0.07	1486	1	55	80	2.5	6	5	7500	6014	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6914	6914	1.12
2196	031	3000	0.07	2474	1	55	80	2.5	6	5	7500	5026	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5926	5926	1.12
2196	032	3000	0.07	2686	1	55	80	2.5	6	5	7500	4814	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5714	5714	1.12
2196	033	3000	0.07	1891	1	55	80	2.5	6	5	7500	5609	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6509	6509	1.12
2196	035	3000	0.07	1691	1	55	80	2.5	6	5	7500	5809	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6709	6709	1.12
2196	036	3000	0.07	2475	1	55	80	2.5	6	5	7500	5025	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5925	5925	1.12
2196	037	3000	0.07	2342	1	55	80	2.5	6	5	7500	5158	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6058	6058	1.12
2196	038	3000	0.07	2344	1	55	80	2.5	6	5	7500	5156	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6056	6056	1.12
2196	039	3000	0.07	1448	1	55	80	2.5	6	5	7500	6052	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6952	6952	1.12
2196	040	3000	0.07	2252	1	55	80	2.5	6	5	7500	5248	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6148	6148	1.12
2196	041	3000	0.07	1504	1	55	80	2.5	6	5	7500	5996	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6896	6896	1.12
2196	042	3000	0.07	1490	1	55	80	2.5	6	5	7500	6010	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6910	6910	1.12
2196	042A	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2196	042B	3000	0.07	2685	1	55	80	2.5	6	5	7500	4815	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5715	5715	1.12
2196	042C	3000	0.07	1670	1	55	80	2.5	6	5	7500	5830	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6730	6730	1.12
2197	002A	3000	0.07	1274	1	55	80	2.5	6	5	7500	6226	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7126	7126	1.12
2197	002B	3000	0.07	2300	1	55	80	2.5	6	5	7500	5200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6100	6100	1.12
2197	002C	3000	0.07	1274	1	55	80	2.5	6	5	7500	6226	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7126	7126	1.12
2197	002D	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2197	002E	3000	0.07	2225	1	55	80	2.5	6	5	7500	5275	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6175	6175	1.12
2197	002F	3000	0.07	2088	1	55	80	2.5	6	5	7500	5412	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6312	6312	1.12
2197	002G	3000	0.07	2173	1	55	80	2.5	6	5	7500	5327	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6227	6227	1.12
2197	002H	3000	0.07	1272	1	55	80	2.5	6	5	7500	6228	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7128	7128	1.12
2197	002I	3000	0.07	1955	1	55	80	2.5	6	5	7500	5545	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6445	6445	1.12
2197	002J	3000	0.07	1323	1	55	80	2.5	6	5	7500	6177	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7077	7077	1.12
2197	002K	3000	0.07	1259	1	55	80	2.5	6	5	7500	6241	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7141	7141	1.12
2197	002L	2990	0.07	2307	1	55	80	2.5	6	5	7475	5168	RH-1	40	form-based			true	0.7	6	1	5	5	8372	6065	6065	1.12
2197	002M	2957	0.07	1037	1	55	80	2.5	6	5	7392	6355	RH-1	40	form-based			true	0.7	6	1	5	5	8279.599609	7242.599609	7242.599609	1.120076
2197	002O	3000	0.07	1412	1	55	80	2.5	6	5	7500	6088	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6988	6988	1.12
2197	002P	3000	0.07	1587	1	55	80	2.5	6	5	7500	5913	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6813	6813	1.12
2197	002Q	3000	0.07	1037	1	55	80	2.5	6	5	7500	6463	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7363	7363	1.12
2197	002R	3000	0.07	1560	1	55	80	2.5	6	5	7500	5940	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6840	6840	1.12
2197	002S	3000	0.07	1662	1	55	80	2.5	6	5	7500	5838	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6738	6738	1.12
2197	002T	3000	0.07	1037	1	55	80	2.5	6	5	7500	6463	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7363	7363	1.12
2197	002V	3000	0.07	1375	1	55	80	2.5	6	5	7500	6125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7025	7025	1.12
2197	002W	3000	0.07	1750	1	55	80	2.5	6	5	7500	5750	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6650	6650	1.12
2197	002X	3000	0.07	1370	1	55	80	2.5	6	5	7500	6130	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7030	7030	1.12
2197	002Y	3000	0.07	1370	1	55	80	2.5	6	5	7500	6130	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7030	7030	1.12
2197	002Z	3000	0.07	1402	1	55	80	2.5	6	5	7500	6098	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6998	6998	1.12
2197	003D	2988	0.07	1558	1	55	80	2.5	6	5	7470	5912	RH-1	40	form-based	true		true	0.7	6	1	5	5	8366.399414	6808.399414	6808.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2197	003G	2990	0.07	1803	1	55	80	2.5	6	5	7475	5672	RH-1	40	form-based			true	0.7	6	1	5	5	8372	6569	6569	1.12
2197	003H	2840	0.07	1462	1	55	80	2.5	6	5	7100	5638	RH-1	40	form-based			true	0.7	6	1	5	5	7952	6490	6490	1.12
2198	019A	3004	0.07	1800	1	55	80	2.5	6	5	7510	5710	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6611.200195	6611.200195	1.12
2198	019B	3004	0.07	2645	1	55	80	2.5	6	5	7510	4865	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	5766.200195	5766.200195	1.12
2198	020	3004	0.07	1716	1	55	80	2.5	6	5	7510	5794	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6695.200195	6695.200195	1.12
2198	020A	3004	0.07	1462	1	55	80	2.5	6	5	7510	6048	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6949.200195	6949.200195	1.12
2198	020B	3004	0.07	2574	1	55	80	2.5	6	5	7510	4936	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	5837.200195	5837.200195	1.12
2198	021	3004	0.07	2038	1	55	80	2.5	6	5	7510	5472	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6373.200195	6373.200195	1.12
2198	021A	3004	0.07	1625	1	55	80	2.5	6	5	7510	5885	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6786.200195	6786.200195	1.12
2198	022	3004	0.07	1200	1	55	80	2.5	6	5	7510	6310	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7211.200195	7211.200195	1.12
2198	022A	3004	0.07	1500	1	55	80	2.5	6	5	7510	6010	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6911.200195	6911.200195	1.12
2198	024	2837	0.07	1337	1	55	80	2.5	6	5	7092	5755	RH-1	40	form-based			true	0.7	6	1	5	5	7943.600098	6606.600098	6606.600098	1.120079
2198	025	3000	0.07	1487	1	55	80	2.5	6	5	7500	6013	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6913	6913	1.12
2198	026	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2198	029	2975	0.07	1691	1	55	80	2.5	6	5	7438	5747	RH-1	40	form-based	true		true	0.7	6	1	5	5	8330	6639	6639	1.119925
2198	036	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2199	001	2804	0.06	1350	1	55	80	2.5	5	4	7010	5660	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7851.199707	6501.199707	6501.199707	1.12
2199	001A	3015	0.07	2649	1	55	80	2.5	6	5	7538	4889	RH-1	40	form-based			true	0.7	6	1	5	5	8442	5793	5793	1.119926
2199	001B	2857	0.07	1358	1	55	80	2.5	6	5	7142	5784	RH-1	40	form-based			true	0.7	6	1	5	5	7999.600098	6641.600098	6641.600098	1.120078
2199	001C	3041	0.07	1883	1	55	80	2.5	6	5	7602	5719	RH-1	40	form-based			true	0.7	6	1	5	5	8514.799805	6631.799805	6631.799805	1.120074
2199	001E	3010	0.07	1250	1	55	80	2.5	6	5	7525	6275	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7178	7178	1.12
2200	003A	2714	0.06	1291	1	55	80	2.5	5	4	6785	5494	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7599.199707	6308.199707	6308.199707	1.12
2200	002	3005	0.07	1390	1	55	80	2.5	6	5	7512	6122	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7024	7024	1.120075
2200	002A	3000	0.07	1840	1	55	80	2.5	6	5	7500	5660	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6560	6560	1.12
2200	002C	3000	0.07	2115	1	55	80	2.5	6	5	7500	5385	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6285	6285	1.12
2200	002D	3005	0.07	1571	1	55	80	2.5	6	5	7512	5941	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6843	6843	1.120075
2200	002E	3005	0.07	1260	1	55	80	2.5	6	5	7512	6252	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7154	7154	1.120075
2200	002F	3005	0.07	2050	1	55	80	2.5	6	5	7512	5462	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6364	6364	1.120075
2200	002H	3005	0.07	1860	1	55	80	2.5	6	5	7512	5652	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6554	6554	1.120075
2200	002I	3005	0.07	1325	1	55	80	2.5	6	5	7512	6187	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7089	7089	1.120075
2200	002J	3005	0.07	1624	1	55	80	2.5	6	5	7512	5888	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6790	6790	1.120075
2200	002K	3005	0.07	1701	1	55	80	2.5	6	5	7512	5811	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6713	6713	1.120075
2200	002L	3005	0.07	1620	1	55	80	2.5	6	5	7512	5892	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6794	6794	1.120075
2200	002M	3005	0.07	2858	1	55	80	2.5	6	5	7512	4654	RH-1	40	form-based			true	0.7	6	1	5	5	8414	5556	5556	1.120075
2200	002N	3005	0.07	2675	1	55	80	2.5	6	5	7512	4837	RH-1	40	form-based			true	0.7	6	1	5	5	8414	5739	5739	1.120075
2200	002O	2927	0.07	1234	1	55	80	2.5	6	5	7318	6084	RH-1	40	form-based			true	0.7	6	1	5	5	8195.599609	6961.599609	6961.599609	1.119923
2200	002P	3000	0.07	1633	1	55	80	2.5	6	5	7500	5867	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6767	6767	1.12
2200	003	3554	0.08	3042	2	55	80	2.5	6	4	8885	5843	RH-1	40	form-based	true		true	0.7	7	1.166666627	5	5	9951.200195	6909.200195	6909.200195	1.12
2200	009	3000	0.07	1575	1	55	80	2.5	6	5	7500	5925	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6825	6825	1.12
2200	010	3000	0.07	1342	1	55	80	2.5	6	5	7500	6158	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7058	7058	1.12
2200	012	3000	0.07	1885	1	55	80	2.5	6	5	7500	5615	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6515	6515	1.12
2200	012A	3000	0.07	1526	1	55	80	2.5	6	5	7500	5974	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6874	6874	1.12
2200	013	3000	0.07	2688	1	55	80	2.5	6	5	7500	4812	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5712	5712	1.12
2200	013A	3000	0.07	1867	1	55	80	2.5	6	5	7500	5633	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6533	6533	1.12
2200	017	3000	0.07	2529	1	55	80	2.5	6	5	7500	4971	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5871	5871	1.12
2200	018	2917	0.07	1500	1	55	80	2.5	6	5	7292	5792	RH-1	40	form-based			true	0.7	6	1	5	5	8167.600098	6667.600098	6667.600098	1.120077
2200	019	3000	0.07	2640	1	55	80	2.5	6	5	7500	4860	RH-1	40	form-based	true		true	0.7	6	1	5	5	8400	5760	5760	1.12
2200	021	3000	0.07	1735	1	55	80	2.5	6	5	7500	5765	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6665	6665	1.12
2201	001A	3024	0.07	1930	1	55	80	2.5	6	5	7560	5630	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6537.200195	6537.200195	1.12
2201	001C	3024	0.07	1369	1	55	80	2.5	6	5	7560	6191	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	7098.200195	7098.200195	1.12
2201	001D	3024	0.07	1412	1	55	80	2.5	6	5	7560	6148	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	7055.200195	7055.200195	1.12
2201	001O	3024	0.07	1740	1	55	80	2.5	6	5	7560	5820	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6727.200195	6727.200195	1.12
2201	001P	3024	0.07	1490	1	55	80	2.5	6	5	7560	6070	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6977.200195	6977.200195	1.12
2201	001Q	3024	0.07	1750	1	55	80	2.5	6	5	7560	5810	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6717.200195	6717.200195	1.12
2201	001R	3024	0.07	2200	1	55	80	2.5	6	5	7560	5360	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6267.200195	6267.200195	1.12
2201	001S	3024	0.07	1250	1	55	80	2.5	6	5	7560	6310	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	7217.200195	7217.200195	1.12
2201	001T	3024	0.07	1734	1	55	80	2.5	6	5	7560	5826	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6733.200195	6733.200195	1.12
2201	001U	3024	0.07	2199	1	55	80	2.5	6	5	7560	5361	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6268.200195	6268.200195	1.12
2201	001V	3024	0.07	2260	1	55	80	2.5	6	5	7560	5300	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6207.200195	6207.200195	1.12
2201	001W	3024	0.07	1975	1	55	80	2.5	6	5	7560	5585	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6492.200195	6492.200195	1.12
2201	001X	3024	0.07	2270	1	55	80	2.5	6	5	7560	5290	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6197.200195	6197.200195	1.12
2201	001Y	3024	0.07	1330	1	55	80	2.5	6	5	7560	6230	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	7137.200195	7137.200195	1.12
2201	001Z	3024	0.07	1757	1	55	80	2.5	6	5	7560	5803	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6710.200195	6710.200195	1.12
2201	002B	3024	0.07	1536	1	55	80	2.5	6	5	7560	6024	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6931.200195	6931.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2201	003B	2983	0.07	1535	1	55	80	2.5	6	5	7458	5923	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6817.399414	6817.399414	1.119925
2201	003C	3063	0.07	2541	1	55	80	2.5	6	5	7658	5117	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	6035.399414	6035.399414	1.119927
2201	004E	3050	0.07	1280	1	55	80	2.5	6	5	7625	6345	RH-1	40	form-based			true	0.7	6	1	5	5	8540	7260	7260	1.12
2202	001	2778	0.06	1904	1	55	80	2.5	5	4	6945	5041	RH-1(D)	40	form-based		true	true	0.7	6	1.200000048	5	5	7778.399902	5874.399902	5874.399902	1.12
2202	001A	2778	0.06	1482	1	55	80	2.5	5	4	6945	5463	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7778.399902	6296.399902	6296.399902	1.12
2202	001B	2778	0.06	1755	1	55	80	2.5	5	4	6945	5190	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7778.399902	6023.399902	6023.399902	1.12
2202	001J	4040	0.09	2368	3	55	80	2.5	7	4	10100	7732	RH-1(D)	40	form-based			true	0.7	8	1.142857194	5	5	11312	8944	8944	1.12
2202	002A	3093	0.07	2275	1	55	80	2.5	6	5	7732	5457	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8660.399414	6385.399414	6385.399414	1.120072
2202	004	3011	0.07	1325	1	55	80	2.5	6	5	7528	6203	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8430.799805	7105.799805	7105.799805	1.119926
2202	005	3011	0.07	1325	1	55	80	2.5	6	5	7528	6203	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8430.799805	7105.799805	7105.799805	1.119926
2202	006	3011	0.07	2158	1	55	80	2.5	6	5	7528	5370	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8430.799805	6272.799805	6272.799805	1.119926
2202	007	3011	0.07	1375	1	55	80	2.5	6	5	7528	6153	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8430.799805	7055.799805	7055.799805	1.119926
2202	008	3011	0.07	2062	1	55	80	2.5	6	5	7528	5466	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8430.799805	6368.799805	6368.799805	1.119926
2202	009	3011	0.07	1325	1	55	80	2.5	6	5	7528	6203	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8430.799805	7105.799805	7105.799805	1.119926
2202	010	3011	0.07	1325	1	55	80	2.5	6	5	7528	6203	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8430.799805	7105.799805	7105.799805	1.119926
2202	011	3011	0.07	1325	1	55	80	2.5	6	5	7528	6203	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8430.799805	7105.799805	7105.799805	1.119926
2202	019	2925	0.07	1325	1	55	80	2.5	6	5	7312	5987	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8190	6865	6865	1.120077
2202	020	2925	0.07	1325	1	55	80	2.5	6	5	7312	5987	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8190	6865	6865	1.120077
2202	022	2881	0.07	1616	1	55	80	2.5	6	5	7202	5586	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8066.799805	6450.799805	6450.799805	1.120078
2203	006	2967	0.07	1504	1	55	80	2.5	6	5	7418	5914	RH-1	40	form-based		true	true	0.7	6	1	5	5	8307.599609	6803.599609	6803.599609	1.119924
2203	008	2796	0.06	2385	1	55	80	2.5	5	4	6990	4605	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7828.799805	5443.799805	5443.799805	1.12
2204	002	2961	0.07	3815	1	55	80	2.5	6	5	7402	3587	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	4475.799805	4475.799805	1.120076
2204	002B	2961	0.07	4499	1	55	80	2.5	6	5	7402	2903	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	3791.799805	3791.799805	1.120076
2204	003	2961	0.07	2245	1	55	80	2.5	6	5	7402	5157	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	6045.799805	6045.799805	1.120076
2204	004	2961	0.07	2445	1	55	80	2.5	6	5	7402	4957	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	5845.799805	5845.799805	1.120076
2204	005	2961	0.07	2445	1	55	80	2.5	6	5	7402	4957	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	5845.799805	5845.799805	1.120076
2204	006	2961	0.07	2469	1	55	80	2.5	6	5	7402	4933	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	5821.799805	5821.799805	1.120076
2204	007	2961	0.07	6151	1	55	80	2.5	6	5	7402	1251	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	2139.799805	2139.799805	1.120076
2204	012	2974	0.07	3670	1	55	80	2.5	6	5	7435	3765	RH-1	40	form-based			true	0.7	6	1	5	5	8327.200195	4657.200195	4657.200195	1.12
2204	013	2726	0.06	3660	1	55	80	2.5	5	4	6815	3155	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7632.799805	3972.799805	3972.799805	1.12
2204	015	3077	0.07	1912	1	55	80	2.5	6	5	7692	5780	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6703.599609	6703.599609	1.120073
2204	018	3077	0.07	1912	1	55	80	2.5	6	5	7692	5780	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6703.599609	6703.599609	1.120073
2204	019	3077	0.07	1912	1	55	80	2.5	6	5	7692	5780	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6703.599609	6703.599609	1.120073
2204	020	3077	0.07	2172	1	55	80	2.5	6	5	7692	5520	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6443.599609	6443.599609	1.120073
2204	021	3077	0.07	1666	1	55	80	2.5	6	5	7692	6026	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6949.599609	6949.599609	1.120073
2204	023	3077	0.07	4266	1	55	80	2.5	6	5	7692	3426	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	4349.599609	4349.599609	1.120073
2204	024	3077	0.07	3815	1	55	80	2.5	6	5	7692	3877	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	4800.599609	4800.599609	1.120073
2204	032	3077	0.07	3214	1	55	80	2.5	6	5	7692	4478	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	5401.599609	5401.599609	1.120073
2204	033	3077	0.07	2543	1	55	80	2.5	6	5	7692	5149	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6072.599609	6072.599609	1.120073
2204	034	3077	0.07	1950	1	55	80	2.5	6	5	7692	5742	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6665.599609	6665.599609	1.120073
2204	035	3077	0.07	2202	1	55	80	2.5	6	5	7692	5490	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6413.599609	6413.599609	1.120073
2204	036	3077	0.07	2395	1	55	80	2.5	6	5	7692	5297	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6220.599609	6220.599609	1.120073
2204	037	2961	0.07	2610	1	55	80	2.5	6	5	7402	4792	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	5680.799805	5680.799805	1.120076
2204	038	2961	0.07	2340	1	55	80	2.5	6	5	7402	5062	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	5950.799805	5950.799805	1.120076
2204	039	2961	0.07	2340	1	55	80	2.5	6	5	7402	5062	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	5950.799805	5950.799805	1.120076
2204	040	2961	0.07	2340	1	55	80	2.5	6	5	7402	5062	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	5950.799805	5950.799805	1.120076
2204	041	2961	0.07	2340	1	55	80	2.5	6	5	7402	5062	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	5950.799805	5950.799805	1.120076
2204	042	2961	0.07	2248	1	55	80	2.5	6	5	7402	5154	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	6042.799805	6042.799805	1.120076
2204	043	2961	0.07	2248	1	55	80	2.5	6	5	7402	5154	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	6042.799805	6042.799805	1.120076
2204	044	2961	0.07	2245	1	55	80	2.5	6	5	7402	5157	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	6045.799805	6045.799805	1.120076
2204	045	2961	0.07	2445	1	55	80	2.5	6	5	7402	4957	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	5845.799805	5845.799805	1.120076
2204	046	3077	0.07	1590	1	55	80	2.5	6	5	7692	6102	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	7025.599609	7025.599609	1.120073
2204	047	3077	0.07	1618	1	55	80	2.5	6	5	7692	6074	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	6997.599609	6997.599609	1.120073
2204	048	3077	0.07	1350	1	55	80	2.5	6	5	7692	6342	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	7265.599609	7265.599609	1.120073
2204	049	3077	0.07	1350	1	55	80	2.5	6	5	7692	6342	RH-1	40	form-based			true	0.7	6	1	5	5	8615.599609	7265.599609	7265.599609	1.120073
2204	052	2973	0.07	4488	1	55	80	2.5	6	5	7432	2944	RH-1	40	form-based		true	true	0.7	6	1	5	5	8324.399414	3836.399414	3836.399414	1.120075
2204	053	2667	0.06	4305	1	55	80	2.5	5	4	6668	2363	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7467.600098	3162.600098	3162.600098	1.119916
2204	054	2667	0.06	4225	1	55	80	2.5	5	4	6668	2443	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7467.600098	3242.600098	3242.600098	1.119916
2204	055	2667	0.06	4243	1	55	80	2.5	5	4	6668	2425	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7467.600098	3224.600098	3224.600098	1.119916
2204	056	2667	0.06	4331	1	55	80	2.5	5	4	6668	2337	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7467.600098	3136.600098	3136.600098	1.119916
2204	057	2667	0.06	4219	1	55	80	2.5	5	4	6668	2449	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7467.600098	3248.600098	3248.600098	1.119916
2204	058	2667	0.06	3908	1	55	80	2.5	5	4	6668	2760	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7467.600098	3559.600098	3559.600098	1.119916
2204	059	2667	0.06	3935	1	55	80	2.5	5	4	6668	2733	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7467.600098	3532.600098	3532.600098	1.119916
2205	004	2979	0.07	1100	1	55	80	2.5	6	5	7448	6348	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7241.200195	7241.200195	1.119925

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2205	005	2979	0.07	1100	1	55	80	2.5	6	5	7448	6348	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7241.200195	7241.200195	1.119925
2205	006	2979	0.07	1820	1	55	80	2.5	6	5	7448	5628	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6521.200195	6521.200195	1.119925
2205	007	2979	0.07	1665	1	55	80	2.5	6	5	7448	5783	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6676.200195	6676.200195	1.119925
2205	008	2979	0.07	1549	1	55	80	2.5	6	5	7448	5899	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6792.200195	6792.200195	1.119925
2205	009	2979	0.07	1380	1	55	80	2.5	6	5	7448	6068	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6961.200195	6961.200195	1.119925
2205	009A	2979	0.07	1100	1	55	80	2.5	6	5	7448	6348	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7241.200195	7241.200195	1.119925
2205	009B	2979	0.07	1362	1	55	80	2.5	6	5	7448	6086	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6979.200195	6979.200195	1.119925
2205	009C	2979	0.07	1321	1	55	80	2.5	6	5	7448	6127	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7020.200195	7020.200195	1.119925
2205	009D	2979	0.07	1431	1	55	80	2.5	6	5	7448	6017	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6910.200195	6910.200195	1.119925
2205	009E	2979	0.07	1705	1	55	80	2.5	6	5	7448	5743	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6636.200195	6636.200195	1.119925
2205	010	2979	0.07	1100	1	55	80	2.5	6	5	7448	6348	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7241.200195	7241.200195	1.119925
2205	010A	2979	0.07	1454	1	55	80	2.5	6	5	7448	5994	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6887.200195	6887.200195	1.119925
2205	011	2979	0.07	1100	1	55	80	2.5	6	5	7448	6348	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7241.200195	7241.200195	1.119925
2205	011A	2979	0.07	1100	1	55	80	2.5	6	5	7448	6348	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7241.200195	7241.200195	1.119925
2205	012	2979	0.07	1100	1	55	80	2.5	6	5	7448	6348	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7241.200195	7241.200195	1.119925
2205	013	2979	0.07	1100	1	55	80	2.5	6	5	7448	6348	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7241.200195	7241.200195	1.119925
2205	014	2979	0.07	1100	1	55	80	2.5	6	5	7448	6348	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	7241.200195	7241.200195	1.119925
2205	015	2979	0.07	1350	1	55	80	2.5	6	5	7448	6098	RH-1	40	form-based			true	0.7	6	1	5	5	8341.200195	6991.200195	6991.200195	1.119925
2205	016	2875	0.07	1280	1	55	80	2.5	6	5	7188	5908	RH-1	40	form-based	true		true	0.7	6	1	5	5	8050	6770	6770	1.119922
2205	021	3000	0.07	2375	1	55	80	2.5	6	5	7500	5125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6025	6025	1.12
2205	022	3000	0.07	1800	1	55	80	2.5	6	5	7500	5700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6600	6600	1.12
2205	023	3000	0.07	1800	1	55	80	2.5	6	5	7500	5700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6600	6600	1.12
2205	024	3000	0.07	1800	1	55	80	2.5	6	5	7500	5700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6600	6600	1.12
2205	025	3000	0.07	1800	1	55	80	2.5	6	5	7500	5700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6600	6600	1.12
2205	026	3000	0.07	2043	1	55	80	2.5	6	5	7500	5457	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6357	6357	1.12
2205	034	2895	0.07	3145	1	55	80	2.5	6	5	7238	4093	RH-1	40	form-based	true		true	0.7	6	1	5	5	8106	4961	4961	1.119923
2205	035	3000	0.07	2781	1	55	80	2.5	6	5	7500	4719	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5619	5619	1.12
2205	036	3000	0.07	2668	1	55	80	2.5	6	5	7500	4832	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5732	5732	1.12
2205	037	3000	0.07	2100	1	55	80	2.5	6	5	7500	5400	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6300	6300	1.12
2205	038	3000	0.07	2600	1	55	80	2.5	6	5	7500	4900	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5800	5800	1.12
2205	039	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
2205	040	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
2205	041	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
2205	044	3000	0.07	1990	1	55	80	2.5	6	5	7500	5510	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6410	6410	1.12
2205	045	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2205	046	3000	0.07	2160	1	55	80	2.5	6	5	7500	5340	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6240	6240	1.12
2205	047	3000	0.07	2375	1	55	80	2.5	6	5	7500	5125	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6025	6025	1.12
2205	048	3000	0.07	2135	1	55	80	2.5	6	5	7500	5365	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6265	6265	1.12
2205	049	3000	0.07	2135	1	55	80	2.5	6	5	7500	5365	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6265	6265	1.12
2206	022A	2641	0.06	887	1	55	80	2.5	5	4	6602	5715	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7394.799805	6507.799805	6507.799805	1.120085
2206	023	2881	0.07	1168	1	55	80	2.5	6	5	7202	6034	RH-1	40	form-based			true	0.7	6	1	5	5	8066.799805	6898.799805	6898.799805	1.120078
2206	024	2668	0.06	887	1	55	80	2.5	5	4	6670	5783	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7470.399902	6583.399902	6583.399902	1.12
2206	025	2691	0.06	887	1	55	80	2.5	5	4	6728	5841	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7534.799805	6647.799805	6647.799805	1.119917
2206	026	2801	0.06	1127	1	55	80	2.5	5	4	7002	5875	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7842.799805	6715.799805	6715.799805	1.12008
2206	027	2655	0.06	887	1	55	80	2.5	5	4	6638	5751	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7434	6547	6547	1.119916
2206	028	2656	0.06	887	1	55	80	2.5	5	4	6640	5753	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7436.799805	6549.799805	6549.799805	1.12
2206	029	2657	0.06	887	1	55	80	2.5	5	4	6642	5755	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7439.600098	6552.600098	6552.600098	1.120084
2206	029A	2658	0.06	1285	1	55	80	2.5	5	4	6645	5360	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7442.399902	6157.399902	6157.399902	1.12
2206	029B	2659	0.06	884	1	55	80	2.5	5	4	6648	5764	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7445.199707	6561.199707	6561.199707	1.119916
2206	041	2691	0.06	1788	1	55	80	2.5	5	4	6728	4940	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7534.799805	5746.799805	5746.799805	1.119917
2206	050	3000	0.07	1544	1	55	80	2.5	6	5	7500	5956	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6856	6856	1.12
2206	051	3000	0.07	2383	1	55	80	2.5	6	5	7500	5117	RH-1	40	form-based	true		true	0.7	6	1	5	5	8400	6017	6017	1.12
2206	052	2800	0.06	1583	1	55	80	2.5	5	4	7000	5417	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7840	6257	6257	1.12
2207	030	2638	0.06	1204	1	55	80	2.5	5	4	6595	5391	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7386.399902	6182.399902	6182.399902	1.12
2207	001	3062	0.07	2479	1	55	80	2.5	6	5	7655	5176	RH-1	40	form-based	true		true	0.7	6	1	5	5	8573.599609	6094.599609	6094.599609	1.12
2207	028	2850	0.07	2032	1	55	80	2.5	6	5	7125	5093	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5948	5948	1.12
2207	028A	2900	0.07	1603	1	55	80	2.5	6	5	7250	5647	RH-1	40	form-based	true		true	0.7	6	1	5	5	8120	6517	6517	1.12
2207	042	2811	0.06	2501	1	55	80	2.5	5	4	7028	4527	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7870.799805	5369.799805	5369.799805	1.11992
2207	044	2752	0.06	2320	1	55	80	2.5	5	4	6880	4560	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7705.600098	5385.600098	5385.600098	1.12
2302	011	3006	0.07	1551	1	65	100	3	7	6	9018	7467	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6865.799805	6865.799805	0.933333
2302	012	3007	0.07	2008	1	65	100	3	7	6	9021	7013	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6411.599609	6411.599609	0.933333
2302	013	3008	0.07	1280	1	65	100	3	7	6	9024	7744	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7142.399414	7142.399414	0.933333
2302	014	3008	0.07	1100	1	65	100	3	7	6	9024	7924	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7322.399414	7322.399414	0.933333
2302	015	3009	0.07	1143	1	65	100	3	7	6	9027	7884	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7282.200195	7282.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2302	016	3010	0.07	975	1	65	100	3	7	6	9030	8055	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7453	7453	0.933333
2207	047	2865	0.07	2860	1	55	80	2.5	6	5	7162	4302	RH-1	40	form-based			true	0.7	6	1	5	5	8022	5162	5162	1.120078
2208	001	2888	0.07	1162	1	55	80	2.5	6	5	7220	6058	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8086.399902	6924.399902	6924.399902	1.12
2302	017	3011	0.07	1280	1	65	100	3	7	6	9033	7753	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	7150.799805	7150.799805	0.933333
2302	018	3012	0.07	1106	1	65	100	3	7	6	9036	7930	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7327.599609	7327.599609	0.933333
2208	002	2834	0.07	2106	1	55	80	2.5	6	5	7085	4979	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7935.199707	5829.199707	5829.199707	1.12
2208	007	2651	0.06	1162	1	55	80	2.5	5	4	6628	5466	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7422.799805	6260.799805	6260.799805	1.119915
2302	005	3001	0.07	1468	1	65	100	3	7	6	9003	7535	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6934.799805	6934.799805	0.933333
2302	006	3002	0.07	1505	1	65	100	3	7	6	9006	7501	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6900.599609	6900.599609	0.933333
2302	007	3003	0.07	1195	1	65	100	3	7	6	9009	7814	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7213.399414	7213.399414	0.933333
2302	008	3004	0.07	2125	1	65	100	3	7	6	9012	6887	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6286.200195	6286.200195	0.933333
2302	009	3004	0.07	1284	1	65	100	3	7	6	9012	7728	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7127.200195	7127.200195	0.933333
2302	010	3005	0.07	1195	1	65	100	3	7	6	9015	7820	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7219	7219	0.933333
2302	031	2702	0.06	1594	1	65	100	3	6	5	8106	6512	RH-1	40	form-based			true	0.7	6	1	5	5	7565.600098	5971.600098	5971.600098	0.933333
2302	033	2977	0.07	1200	1	65	100	3	7	6	8931	7731	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	7135.599609	7135.599609	0.933333
2302	034	3000	0.07	2833	1	65	100	3	7	6	9000	6167	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5567	5567	0.933333
2302	035	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2302	036	3000	0.07	1858	1	65	100	3	7	6	9000	7142	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6542	6542	0.933333
2302	037	3000	0.07	1852	1	65	100	3	7	6	9000	7148	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6548	6548	0.933333
2302	038	3000	0.07	900	1	65	100	3	7	6	9000	8100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7500	7500	0.933333
2302	039	3000	0.07	1454	1	65	100	3	7	6	9000	7546	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6946	6946	0.933333
2302	040	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
2302	041	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2302	043	3000	0.07	1195	1	65	100	3	7	6	9000	7805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7205	7205	0.933333
2302	044	3000	0.07	1195	1	65	100	3	7	6	9000	7805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7205	7205	0.933333
2302	045	3000	0.07	1195	1	65	100	3	7	6	9000	7805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7205	7205	0.933333
2302	046	3000	0.07	1195	1	65	100	3	7	6	9000	7805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7205	7205	0.933333
2302	047	3000	0.07	1195	1	65	100	3	7	6	9000	7805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7205	7205	0.933333
2302	048	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
2302	057	3012	0.07	2193	1	65	100	3	7	6	9036	6843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6240.599609	6240.599609	0.933333
2302	058	2990	0.07	1436	1	65	100	3	7	6	8970	7534	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6936	6936	0.933333
2303	002	3009	0.07	1160	1	65	100	3	7	6	9027	7867	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7265.200195	7265.200195	0.933333
2303	003	3008	0.07	2304	1	65	100	3	7	6	9024	6720	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6118.399414	6118.399414	0.933333
2303	004	3008	0.07	1157	1	65	100	3	7	6	9024	7867	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7265.399414	7265.399414	0.933333
2303	005	3008	0.07	1688	1	65	100	3	7	6	9024	7336	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6734.399414	6734.399414	0.933333
2303	006	3008	0.07	1715	1	65	100	3	7	6	9024	7309	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6707.399414	6707.399414	0.933333
2303	007	3008	0.07	1788	1	65	100	3	7	6	9024	7236	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6634.399414	6634.399414	0.933333
2303	008	3008	0.07	875	1	65	100	3	7	6	9024	8149	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7547.399414	7547.399414	0.933333
2303	009	3008	0.07	1150	1	65	100	3	7	6	9024	7874	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7272.399414	7272.399414	0.933333
2303	010	3007	0.07	1150	1	65	100	3	7	6	9021	7871	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7269.599609	7269.599609	0.933333
2303	011	2936	0.07	2428	1	65	100	3	7	6	8808	6380	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8220.799805	5792.799805	5792.799805	0.933333
2303	027	2977	0.07	995	1	65	100	3	7	6	8931	7936	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	7340.599609	7340.599609	0.933333
2303	028	3000	0.07	1135	1	65	100	3	7	6	9000	7865	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7265	7265	0.933333
2303	029	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2303	030	3000	0.07	1266	1	65	100	3	7	6	9000	7734	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7134	7134	0.933333
2303	031	3000	0.07	2016	1	65	100	3	7	6	9000	6984	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6384	6384	0.933333
2303	032	3000	0.07	1120	1	65	100	3	7	6	9000	7880	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7280	7280	0.933333
2303	033	3000	0.07	1978	1	65	100	3	7	6	9000	7022	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6422	6422	0.933333
2303	034	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2303	035	3000	0.07	1011	1	65	100	3	7	6	9000	7989	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7389	7389	0.933333
2303	036	3000	0.07	1386	1	65	100	3	7	6	9000	7614	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7014	7014	0.933333
2303	037	3000	0.07	1011	1	65	100	3	7	6	9000	7989	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7389	7389	0.933333
2303	038	3000	0.07	1611	1	65	100	3	7	6	9000	7389	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6789	6789	0.933333
2303	039	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2303	040	3000	0.07	2115	1	65	100	3	7	6	9000	6885	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6285	6285	0.933333
2303	041	3000	0.07	2163	1	65	100	3	7	6	9000	6837	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6237	6237	0.933333
2303	042	3000	0.07	1189	1	65	100	3	7	6	9000	7811	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7211	7211	0.933333
2304	001D	3013	0.07	1334	1	65	100	3	7	6	9039	7705	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7102.399414	7102.399414	0.933333
2304	001E	3012	0.07	1145	1	65	100	3	7	6	9036	7891	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7288.599609	7288.599609	0.933333
2304	001F	3012	0.07	1145	1	65	100	3	7	6	9036	7891	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7288.599609	7288.599609	0.933333
2304	001G	3012	0.07	1145	1	65	100	3	7	6	9036	7891	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7288.599609	7288.599609	0.933333
2304	001H	3012	0.07	1350	1	65	100	3	7	6	9036	7686	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7083.599609	7083.599609	0.933333
2304	001I	3012	0.07	2100	1	65	100	3	7	6	9036	6936	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6333.599609	6333.599609	0.933333
2304	001J	3012	0.07	1305	1	65	100	3	7	6	9036	7731	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7128.599609	7128.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2304	001K	3012	0.07	1145	1	65	100	3	7	6	9036	7891	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7288.599609	7288.599609	0.933333
2304	002	3012	0.07	1137	1	65	100	3	7	6	9036	7899	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7296.599609	7296.599609	0.933333
2304	002A	3012	0.07	1137	1	65	100	3	7	6	9036	7899	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7296.599609	7296.599609	0.933333
2304	002B	3012	0.07	1151	1	65	100	3	7	6	9036	7885	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7282.599609	7282.599609	0.933333
2304	002C	3012	0.07	1427	1	65	100	3	7	6	9036	7609	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7006.599609	7006.599609	0.933333
2304	002D	3011	0.07	995	1	65	100	3	7	6	9033	8038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	7435.799805	7435.799805	0.933333
2304	002E	3011	0.07	2340	1	65	100	3	7	6	9033	6693	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6090.799805	6090.799805	0.933333
2304	002F	3011	0.07	2398	1	65	100	3	7	6	9033	6635	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6032.799805	6032.799805	0.933333
2304	002L	2745	0.06	1270	1	65	100	3	6	5	8235	6965	RH-1	40	form-based			true	0.7	6	1	5	5	7686	6416	6416	0.933333
2304	003	2994	0.07	1425	1	65	100	3	7	6	8982	7557	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6958.200195	6958.200195	0.933333
2304	006A	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2304	006B	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
2304	006C	3000	0.07	2527	1	65	100	3	7	6	9000	6473	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5873	5873	0.933333
2304	006D	3000	0.07	2097	1	65	100	3	7	6	9000	6903	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6303	6303	0.933333
2304	007	3000	0.07	962	1	65	100	3	7	6	9000	8038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7438	7438	0.933333
2304	008	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
2304	008A	3000	0.07	1040	1	65	100	3	7	6	9000	7960	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7360	7360	0.933333
2304	009	3000	0.07	1320	1	65	100	3	7	6	9000	7680	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7080	7080	0.933333
2304	010	3000	0.07	1145	1	65	100	3	7	6	9000	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7255	7255	0.933333
2304	012	3000	0.07	2175	1	65	100	3	7	6	9000	6825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6225	6225	0.933333
2304	013	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
2304	014	3000	0.07	1801	1	65	100	3	7	6	9000	7199	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6599	6599	0.933333
2304	015	3000	0.07	1297	1	65	100	3	7	6	9000	7703	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7103	7103	0.933333
2304	016	3000	0.07	2101	1	65	100	3	7	6	9000	6899	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6299	6299	0.933333
2304	017	3000	0.07	1145	1	65	100	3	7	6	9000	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7255	7255	0.933333
2305	001A	2637	0.06	1867	1	65	100	3	6	5	7911	6044	RH-1	40	form-based			true	0.7	6	1	5	5	7383.600098	5516.600098	5516.600098	0.933333
2305	001B	2638	0.06	1100	1	65	100	3	6	5	7914	6814	RH-1	40	form-based			true	0.7	6	1	5	5	7386.399902	6286.399902	6286.399902	0.933333
2305	002	3009	0.07	1228	1	65	100	3	7	6	9027	7799	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7197.200195	7197.200195	0.933333
2305	003	3009	0.07	2121	1	65	100	3	7	6	9027	6906	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	6304.200195	6304.200195	0.933333
2305	004	3009	0.07	920	1	65	100	3	7	6	9027	8107	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7505.200195	7505.200195	0.933333
2305	005	3009	0.07	846	1	65	100	3	7	6	9027	8181	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7579.200195	7579.200195	0.933333
2305	006	3010	0.07	1114	1	65	100	3	7	6	9030	7916	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7314	7314	0.933333
2305	007	3010	0.07	825	1	65	100	3	7	6	9030	8205	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7603	7603	0.933333
2305	008	3010	0.07	1196	1	65	100	3	7	6	9030	7834	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7232	7232	0.933333
2305	009	3010	0.07	962	1	65	100	3	7	6	9030	8068	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7466	7466	0.933333
2305	010	3010	0.07	1451	1	65	100	3	7	6	9030	7579	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6977	6977	0.933333
2305	011	3010	0.07	1075	1	65	100	3	7	6	9030	7955	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7353	7353	0.933333
2305	012	3010	0.07	1295	1	65	100	3	7	6	9030	7735	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7133	7133	0.933333
2305	013	3010	0.07	1075	1	65	100	3	7	6	9030	7955	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7353	7353	0.933333
2305	027	2978	0.07	700	1	65	100	3	7	6	8934	8234	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	7638.399414	7638.399414	0.933333
2305	030	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2305	031	3000	0.07	1880	1	65	100	3	7	6	9000	7120	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6520	6520	0.933333
2305	032	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2305	033	3000	0.07	1788	1	65	100	3	7	6	9000	7212	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6612	6612	0.933333
2305	034	3000	0.07	1567	1	65	100	3	7	6	9000	7433	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6833	6833	0.933333
2305	040	3000	0.07	962	1	65	100	3	7	6	9000	8038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7438	7438	0.933333
2305	041	3000	0.07	962	1	65	100	3	7	6	9000	8038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7438	7438	0.933333
2305	042	3000	0.07	962	1	65	100	3	7	6	9000	8038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7438	7438	0.933333
2306	003	3016	0.07	1225	1	65	100	3	7	6	9048	7823	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7219.799805	7219.799805	0.933333
2306	004	3016	0.07	1216	1	65	100	3	7	6	9048	7832	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7228.799805	7228.799805	0.933333
2306	005	2994	0.07	1244	1	65	100	3	7	6	8982	7738	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7139.200195	7139.200195	0.933333
2306	005A	3000	0.07	1616	1	65	100	3	7	6	9000	7384	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6784	6784	0.933333
2306	005B	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2306	005C	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2306	005D	2978	0.07	1000	1	65	100	3	7	6	8934	7934	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	7338.399414	7338.399414	0.933333
2306	005E	3016	0.07	1531	1	65	100	3	7	6	9048	7517	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	6913.799805	6913.799805	0.933333
2306	005F	3016	0.07	1176	1	65	100	3	7	6	9048	7872	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7268.799805	7268.799805	0.933333
2306	005G	3016	0.07	1234	1	65	100	3	7	6	9048	7814	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7210.799805	7210.799805	0.933333
2306	006	3016	0.07	1000	1	65	100	3	7	6	9048	8048	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7444.799805	7444.799805	0.933333
2306	006A	3000	0.07	1830	1	65	100	3	7	6	9000	7170	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6570	6570	0.933333
2306	007	3016	0.07	1147	1	65	100	3	7	6	9048	7901	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7297.799805	7297.799805	0.933333
2306	008	3016	0.07	1100	1	65	100	3	7	6	9048	7948	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7344.799805	7344.799805	0.933333
2306	009	3016	0.07	1192	1	65	100	3	7	6	9048	7856	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7252.799805	7252.799805	0.933333
2306	009A	3017	0.07	1425	1	65	100	3	7	6	9051	7626	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7022.599609	7022.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2306	009B	3017	0.07	1500	1	65	100	3	7	6	9051	7551	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6947.599609	6947.599609	0.933333
2306	009C	3017	0.07	1000	1	65	100	3	7	6	9051	8051	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7447.599609	7447.599609	0.933333
2306	009D	3017	0.07	1000	1	65	100	3	7	6	9051	8051	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7447.599609	7447.599609	0.933333
2306	009E	3017	0.07	1272	1	65	100	3	7	6	9051	7779	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7175.599609	7175.599609	0.933333
2306	009F	3017	0.07	1740	1	65	100	3	7	6	9051	7311	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6707.599609	6707.599609	0.933333
2306	009G	3017	0.07	1000	1	65	100	3	7	6	9051	8051	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7447.599609	7447.599609	0.933333
2306	009H	3017	0.07	1000	1	65	100	3	7	6	9051	8051	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7447.599609	7447.599609	0.933333
2306	011	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2306	012	3000	0.07	3070	1	65	100	3	7	6	9000	5930	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5330	5330	0.933333
2306	013	3000	0.07	893	1	65	100	3	7	6	9000	8107	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7507	7507	0.933333
2306	014	3000	0.07	893	1	65	100	3	7	6	9000	8107	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7507	7507	0.933333
2306	015	3000	0.07	1360	1	65	100	3	7	6	9000	7640	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7040	7040	0.933333
2306	016	3000	0.07	1705	1	65	100	3	7	6	9000	7295	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6695	6695	0.933333
2306	017	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2306	018	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2306	019	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2306	020	3000	0.07	1132	1	65	100	3	7	6	9000	7868	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7268	7268	0.933333
2306	021	3000	0.07	1132	1	65	100	3	7	6	9000	7868	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7268	7268	0.933333
2307	002	2987	0.07	1160	1	65	100	3	7	6	8961	7801	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	7203.599609	7203.599609	0.933333
2307	002A	3008	0.07	1658	1	65	100	3	7	6	9024	7366	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6764.399414	6764.399414	0.933333
2307	003	3008	0.07	2015	1	65	100	3	7	6	9024	7009	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6407.399414	6407.399414	0.933333
2307	003A	3008	0.07	1300	1	65	100	3	7	6	9024	7724	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7122.399414	7122.399414	0.933333
2307	003B	3008	0.07	1531	1	65	100	3	7	6	9024	7493	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6891.399414	6891.399414	0.933333
2307	003C	3008	0.07	2160	1	65	100	3	7	6	9024	6864	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6262.399414	6262.399414	0.933333
2307	003D	3008	0.07	2121	1	65	100	3	7	6	9024	6903	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6301.399414	6301.399414	0.933333
2307	004	3008	0.07	905	1	65	100	3	7	6	9024	8119	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7517.399414	7517.399414	0.933333
2307	005	3008	0.07	1085	1	65	100	3	7	6	9024	7939	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7337.399414	7337.399414	0.933333
2307	006	3008	0.07	1905	1	65	100	3	7	6	9024	7119	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6517.399414	6517.399414	0.933333
2307	007	3008	0.07	2254	1	65	100	3	7	6	9024	6770	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6168.399414	6168.399414	0.933333
2307	008	3008	0.07	1952	1	65	100	3	7	6	9024	7072	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6470.399414	6470.399414	0.933333
2307	009	3008	0.07	1393	1	65	100	3	7	6	9024	7631	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7029.399414	7029.399414	0.933333
2307	010	3008	0.07	1535	1	65	100	3	7	6	9024	7489	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6887.399414	6887.399414	0.933333
2307	011	3008	0.07	905	1	65	100	3	7	6	9024	8119	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7517.399414	7517.399414	0.933333
2307	012	3008	0.07	1079	1	65	100	3	7	6	9024	7945	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7343.399414	7343.399414	0.933333
2307	023A	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2307	025	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2307	026	3000	0.07	1012	1	65	100	3	7	6	9000	7988	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7388	7388	0.933333
2307	027	3000	0.07	1295	1	65	100	3	7	6	9000	7705	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7105	7105	0.933333
2307	028	3000	0.07	1180	1	65	100	3	7	6	9000	7820	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7220	7220	0.933333
2307	029	3000	0.07	1398	1	65	100	3	7	6	9000	7602	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7002	7002	0.933333
2307	030	3000	0.07	1954	1	65	100	3	7	6	9000	7046	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6446	6446	0.933333
2307	031	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2307	032	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2307	033	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2307	034	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2307	035	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2307	036	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2307	037	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
2307	038	3000	0.07	1813	1	65	100	3	7	6	9000	7187	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6587	6587	0.933333
2307	039	2979	0.07	1140	1	65	100	3	7	6	8937	7797	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	7201.200195	7201.200195	0.933333
2308	002	3007	0.07	1012	1	65	100	3	7	6	9021	8009	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7407.599609	7407.599609	0.933333
2308	003	3007	0.07	1264	1	65	100	3	7	6	9021	7757	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7155.599609	7155.599609	0.933333
2308	004	3006	0.07	1012	1	65	100	3	7	6	9018	8006	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7404.799805	7404.799805	0.933333
2308	005	3006	0.07	1012	1	65	100	3	7	6	9018	8006	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7404.799805	7404.799805	0.933333
2308	005A	3006	0.07	1012	1	65	100	3	7	6	9018	8006	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7404.799805	7404.799805	0.933333
2308	006	3006	0.07	1180	1	65	100	3	7	6	9018	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7236.799805	7236.799805	0.933333
2308	006A	3006	0.07	1012	1	65	100	3	7	6	9018	8006	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7404.799805	7404.799805	0.933333
2308	006B	3006	0.07	1012	1	65	100	3	7	6	9018	8006	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7404.799805	7404.799805	0.933333
2308	007	3006	0.07	1362	1	65	100	3	7	6	9018	7656	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7054.799805	7054.799805	0.933333
2308	008	3005	0.07	1436	1	65	100	3	7	6	9015	7579	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6978	6978	0.933333
2308	011	3005	0.07	1448	1	65	100	3	7	6	9015	7567	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6966	6966	0.933333
2308	012	3005	0.07	1730	1	65	100	3	7	6	9015	7285	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6684	6684	0.933333
2308	013	3005	0.07	1720	1	65	100	3	7	6	9015	7295	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6694	6694	0.933333
2308	014	2984	0.07	1217	1	65	100	3	7	6	8952	7735	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	7138.200195	7138.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2308	022A	3000	0.07	905	1	65	100	3	7	6	9000	8095	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7495	7495	0.933333
2308	022B	3000	0.07	905	1	65	100	3	7	6	9000	8095	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7495	7495	0.933333
2308	022C	3000	0.07	2303	1	65	100	3	7	6	9000	6697	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6097	6097	0.933333
2308	022D	3000	0.07	905	1	65	100	3	7	6	9000	8095	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7495	7495	0.933333
2308	022E	3000	0.07	2415	1	65	100	3	7	6	9000	6585	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5985	5985	0.933333
2308	023	3000	0.07	1121	1	65	100	3	7	6	9000	7879	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7279	7279	0.933333
2308	023A	3000	0.07	905	1	65	100	3	7	6	9000	8095	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7495	7495	0.933333
2308	025	3000	0.07	2651	1	65	100	3	7	6	9000	6349	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5749	5749	0.933333
2308	025A	3000	0.07	1991	1	65	100	3	7	6	9000	7009	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6409	6409	0.933333
2308	025B	3000	0.07	1814	1	65	100	3	7	6	9000	7186	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6586	6586	0.933333
2308	026	3000	0.07	1767	1	65	100	3	7	6	9000	7233	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6633	6633	0.933333
2308	027	3000	0.07	1682	1	65	100	3	7	6	9000	7318	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6718	6718	0.933333
2308	027A	3000	0.07	962	1	65	100	3	7	6	9000	8038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7438	7438	0.933333
2308	031	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2308	032	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2309	001C	2997	0.07	1011	1	65	100	3	7	6	8991	7980	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	7380.599609	7380.599609	0.933333
2309	001D	3017	0.07	1011	1	65	100	3	7	6	9051	8040	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7436.599609	7436.599609	0.933333
2309	001E	3017	0.07	1643	1	65	100	3	7	6	9051	7408	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6804.599609	6804.599609	0.933333
2309	001F	3017	0.07	1011	1	65	100	3	7	6	9051	8040	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7436.599609	7436.599609	0.933333
2309	001G	3017	0.07	1571	1	65	100	3	7	6	9051	7480	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6876.599609	6876.599609	0.933333
2309	001H	3017	0.07	1498	1	65	100	3	7	6	9051	7553	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6949.599609	6949.599609	0.933333
2309	001I	3017	0.07	1011	1	65	100	3	7	6	9051	8040	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7436.599609	7436.599609	0.933333
2309	001J	3017	0.07	1487	1	65	100	3	7	6	9051	7564	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6960.599609	6960.599609	0.933333
2309	001K	3017	0.07	1161	1	65	100	3	7	6	9051	7890	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7286.599609	7286.599609	0.933333
2309	002	3017	0.07	1124	1	65	100	3	7	6	9051	7927	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7323.599609	7323.599609	0.933333
2309	003	3017	0.07	1137	1	65	100	3	7	6	9051	7914	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7310.599609	7310.599609	0.933333
2309	004	3017	0.07	1137	1	65	100	3	7	6	9051	7914	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7310.599609	7310.599609	0.933333
2309	005	3017	0.07	1531	1	65	100	3	7	6	9051	7520	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6916.599609	6916.599609	0.933333
2309	006	3017	0.07	1506	1	65	100	3	7	6	9051	7545	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6941.599609	6941.599609	0.933333
2309	007	3017	0.07	1699	1	65	100	3	7	6	9051	7352	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6748.599609	6748.599609	0.933333
2309	008	3017	0.07	1611	1	65	100	3	7	6	9051	7440	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6836.599609	6836.599609	0.933333
2309	009	3017	0.07	1011	1	65	100	3	7	6	9051	8040	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7436.599609	7436.599609	0.933333
2309	018	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2309	019	3000	0.07	1355	1	65	100	3	7	6	9000	7645	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7045	7045	0.933333
2309	019A	3000	0.07	1412	1	65	100	3	7	6	9000	7588	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6988	6988	0.933333
2309	019B	3000	0.07	1187	1	65	100	3	7	6	9000	7813	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7213	7213	0.933333
2309	019C	3000	0.07	962	1	65	100	3	7	6	9000	8038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7438	7438	0.933333
2309	019D	3000	0.07	1648	1	65	100	3	7	6	9000	7352	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6752	6752	0.933333
2309	020	3000	0.07	1535	1	65	100	3	7	6	9000	7465	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6865	6865	0.933333
2309	021	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2309	022	3000	0.07	900	1	65	100	3	7	6	9000	8100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7500	7500	0.933333
2309	022A	3000	0.07	900	1	65	100	3	7	6	9000	8100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7500	7500	0.933333
2309	022B	3000	0.07	900	1	65	100	3	7	6	9000	8100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7500	7500	0.933333
2309	022C	3000	0.07	1120	1	65	100	3	7	6	9000	7880	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7280	7280	0.933333
2309	022D	3000	0.07	1248	1	65	100	3	7	6	9000	7752	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7152	7152	0.933333
2309	022E	3000	0.07	900	1	65	100	3	7	6	9000	8100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7500	7500	0.933333
2309	022F	3000	0.07	900	1	65	100	3	7	6	9000	8100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7500	7500	0.933333
2309	022G	3000	0.07	1180	1	65	100	3	7	6	9000	7820	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7220	7220	0.933333
2309	022H	2980	0.07	2192	1	65	100	3	7	6	8940	6748	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8344	6152	6152	0.933333
2310	001C	3007	0.07	1169	1	65	100	3	7	6	9021	7852	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7250.599609	7250.599609	0.933333
2310	002	3007	0.07	1460	1	65	100	3	7	6	9021	7561	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6959.599609	6959.599609	0.933333
2310	003	3007	0.07	1367	1	65	100	3	7	6	9021	7654	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7052.599609	7052.599609	0.933333
2310	004	3007	0.07	951	1	65	100	3	7	6	9021	8070	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7468.599609	7468.599609	0.933333
2310	004A	3007	0.07	1954	1	65	100	3	7	6	9021	7067	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6465.599609	6465.599609	0.933333
2310	004B	3007	0.07	1169	1	65	100	3	7	6	9021	7852	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7250.599609	7250.599609	0.933333
2310	005	3007	0.07	1169	1	65	100	3	7	6	9021	7852	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7250.599609	7250.599609	0.933333
2310	005A	3007	0.07	1169	1	65	100	3	7	6	9021	7852	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7250.599609	7250.599609	0.933333
2310	005B	3007	0.07	1169	1	65	100	3	7	6	9021	7852	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7250.599609	7250.599609	0.933333
2310	006	3007	0.07	1600	1	65	100	3	7	6	9021	7421	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6819.599609	6819.599609	0.933333
2310	006A	3007	0.07	1293	1	65	100	3	7	6	9021	7728	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7126.599609	7126.599609	0.933333
2310	006B	3007	0.07	1137	1	65	100	3	7	6	9021	7884	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7282.599609	7282.599609	0.933333
2310	006C	3007	0.07	1137	1	65	100	3	7	6	9021	7884	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7282.599609	7282.599609	0.933333
2310	006D	3007	0.07	1137	1	65	100	3	7	6	9021	7884	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7282.599609	7282.599609	0.933333
2310	006E	3007	0.07	1297	1	65	100	3	7	6	9021	7724	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7122.599609	7122.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2310	006F	3007	0.07	1637	1	65	100	3	7	6	9021	7384	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6782.599609	6782.599609	0.933333
2310	006G	3007	0.07	1654	1	65	100	3	7	6	9021	7367	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6765.599609	6765.599609	0.933333
2310	008D	3000	0.07	1011	1	65	100	3	7	6	9000	7989	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7389	7389	0.933333
2310	008E	3000	0.07	1910	1	65	100	3	7	6	9000	7090	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6490	6490	0.933333
2310	009	3000	0.07	1715	1	65	100	3	7	6	9000	7285	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6685	6685	0.933333
2310	009A	3000	0.07	1011	1	65	100	3	7	6	9000	7989	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7389	7389	0.933333
2310	009B	3000	0.07	1835	1	65	100	3	7	6	9000	7165	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6565	6565	0.933333
2310	009C	3000	0.07	2044	1	65	100	3	7	6	9000	6956	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6356	6356	0.933333
2310	009D	3000	0.07	1658	1	65	100	3	7	6	9000	7342	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6742	6742	0.933333
2310	009E	3000	0.07	1664	1	65	100	3	7	6	9000	7336	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6736	6736	0.933333
2310	010	3000	0.07	1417	1	65	100	3	7	6	9000	7583	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6983	6983	0.933333
2310	011	3000	0.07	2001	1	65	100	3	7	6	9000	6999	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6399	6399	0.933333
2310	012	3000	0.07	905	1	65	100	3	7	6	9000	8095	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7495	7495	0.933333
2310	013	3000	0.07	905	1	65	100	3	7	6	9000	8095	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7495	7495	0.933333
2310	014	3000	0.07	905	1	65	100	3	7	6	9000	8095	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7495	7495	0.933333
2310	015	3000	0.07	1889	1	65	100	3	7	6	9000	7111	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6511	6511	0.933333
2310	016	3000	0.07	1606	1	65	100	3	7	6	9000	7394	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6794	6794	0.933333
2310	016A	3000	0.07	905	1	65	100	3	7	6	9000	8095	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7495	7495	0.933333
2311	002	2994	0.07	1162	1	65	100	3	7	6	8982	7820	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7221.200195	7221.200195	0.933333
2311	003	2993	0.07	1640	1	65	100	3	7	6	8979	7339	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6740.399414	6740.399414	0.933333
2311	004	2993	0.07	2412	1	65	100	3	7	6	8979	6567	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	5968.399414	5968.399414	0.933333
2311	004A	2993	0.07	1162	1	65	100	3	7	6	8979	7817	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7218.399414	7218.399414	0.933333
2311	005	2993	0.07	1162	1	65	100	3	7	6	8979	7817	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7218.399414	7218.399414	0.933333
2311	006	2993	0.07	1282	1	65	100	3	7	6	8979	7697	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7098.399414	7098.399414	0.933333
2311	006A	2993	0.07	2259	1	65	100	3	7	6	8979	6720	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6121.399414	6121.399414	0.933333
2311	006B	2993	0.07	1769	1	65	100	3	7	6	8979	7210	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6611.399414	6611.399414	0.933333
2311	006C	2993	0.07	1162	1	65	100	3	7	6	8979	7817	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7218.399414	7218.399414	0.933333
2311	007	2993	0.07	1162	1	65	100	3	7	6	8979	7817	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7218.399414	7218.399414	0.933333
2311	008	2993	0.07	2135	1	65	100	3	7	6	8979	6844	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6245.399414	6245.399414	0.933333
2311	008A	2992	0.07	1162	1	65	100	3	7	6	8976	7814	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7215.599609	7215.599609	0.933333
2311	008B	2992	0.07	1162	1	65	100	3	7	6	8976	7814	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7215.599609	7215.599609	0.933333
2311	008C	2992	0.07	1162	1	65	100	3	7	6	8976	7814	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7215.599609	7215.599609	0.933333
2311	008D	2992	0.07	1402	1	65	100	3	7	6	8976	7574	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6975.599609	6975.599609	0.933333
2311	008E	2992	0.07	1357	1	65	100	3	7	6	8976	7619	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7020.599609	7020.599609	0.933333
2311	010	3000	0.07	1628	1	65	100	3	7	6	9000	7372	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6772	6772	0.933333
2311	010A	3000	0.07	2127	1	65	100	3	7	6	9000	6873	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6273	6273	0.933333
2311	011	3000	0.07	1846	1	65	100	3	7	6	9000	7154	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6554	6554	0.933333
2311	011A	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2311	012	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2311	012A	3000	0.07	1819	1	65	100	3	7	6	9000	7181	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6581	6581	0.933333
2311	013	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2311	013A	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2311	014	3000	0.07	1165	1	65	100	3	7	6	9000	7835	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7235	7235	0.933333
2311	015	3000	0.07	1725	1	65	100	3	7	6	9000	7275	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6675	6675	0.933333
2311	015A	3000	0.07	1979	1	65	100	3	7	6	9000	7021	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6421	6421	0.933333
2311	015B	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2311	016	3000	0.07	1850	1	65	100	3	7	6	9000	7150	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6550	6550	0.933333
2311	016A	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2311	016B	3000	0.07	1520	1	65	100	3	7	6	9000	7480	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6880	6880	0.933333
2311	016C	3000	0.07	1460	1	65	100	3	7	6	9000	7540	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6940	6940	0.933333
2312	002	2984	0.07	1200	1	65	100	3	7	6	8952	7752	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	7155.200195	7155.200195	0.933333
2312	003	3003	0.07	1200	1	65	100	3	7	6	9009	7809	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7208.399414	7208.399414	0.933333
2312	004	3003	0.07	1625	1	65	100	3	7	6	9009	7384	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6783.399414	6783.399414	0.933333
2312	005	3003	0.07	1200	1	65	100	3	7	6	9009	7809	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7208.399414	7208.399414	0.933333
2312	006	3002	0.07	1200	1	65	100	3	7	6	9006	7806	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7205.599609	7205.599609	0.933333
2312	007	3002	0.07	2125	1	65	100	3	7	6	9006	6881	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6280.599609	6280.599609	0.933333
2312	007A	3002	0.07	1326	1	65	100	3	7	6	9006	7680	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7079.599609	7079.599609	0.933333
2312	008	3002	0.07	1326	1	65	100	3	7	6	9006	7680	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7079.599609	7079.599609	0.933333
2312	008A	3002	0.07	1326	1	65	100	3	7	6	9006	7680	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7079.599609	7079.599609	0.933333
2312	008B	3002	0.07	1326	1	65	100	3	7	6	9006	7680	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7079.599609	7079.599609	0.933333
2312	008C	3002	0.07	1326	1	65	100	3	7	6	9006	7680	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7079.599609	7079.599609	0.933333
2312	009	3001	0.07	1445	1	65	100	3	7	6	9003	7558	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6957.799805	6957.799805	0.933333
2312	009A	3001	0.07	1250	1	65	100	3	7	6	9003	7753	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7152.799805	7152.799805	0.933333
2312	009B	3001	0.07	1712	1	65	100	3	7	6	9003	7291	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6690.799805	6690.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2312	009C	3001	0.07	1250	1	65	100	3	7	6	9003	7753	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7152.799805	7152.799805	0.933333
2312	009D	3001	0.07	1375	1	65	100	3	7	6	9003	7628	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7027.799805	7027.799805	0.933333
2312	010	2688	0.06	1445	1	65	100	3	6	5	8064	6619	RH-1	40	form-based			true	0.7	6	1	5	5	7526.399902	6081.399902	6081.399902	0.933333
2312	015	3000	0.07	1770	1	65	100	3	7	6	9000	7230	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6630	6630	0.933333
2312	016	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2312	016A	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2312	017	3000	0.07	1708	1	65	100	3	7	6	9000	7292	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6692	6692	0.933333
2312	017A	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
2312	018	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
2312	019	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
2312	020	3000	0.07	1522	1	65	100	3	7	6	9000	7478	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6878	6878	0.933333
2312	021	3000	0.07	1338	1	65	100	3	7	6	9000	7662	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7062	7062	0.933333
2312	022	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2312	022A	3000	0.07	1617	1	65	100	3	7	6	9000	7383	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6783	6783	0.933333
2312	023	3000	0.07	2133	1	65	100	3	7	6	9000	6867	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6267	6267	0.933333
2312	024	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2312	025	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
2312	026	3000	0.07	1378	1	65	100	3	7	6	9000	7622	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7022	7022	0.933333
2312	027	2981	0.07	2312	1	65	100	3	7	6	8943	6631	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8346.799805	6034.799805	6034.799805	0.933333
2314	004	2988	0.07	1650	1	65	100	3	7	6	8964	7314	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6716.399414	6716.399414	0.933333
2314	005	3006	0.07	1660	1	65	100	3	7	6	9018	7358	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6756.799805	6756.799805	0.933333
2314	006	3005	0.07	1606	1	65	100	3	7	6	9015	7409	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6808	6808	0.933333
2314	007	3005	0.07	1182	1	65	100	3	7	6	9015	7833	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7232	7232	0.933333
2314	008	3005	0.07	1500	1	65	100	3	7	6	9015	7515	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6914	6914	0.933333
2314	009	3005	0.07	2100	1	65	100	3	7	6	9015	6915	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6314	6314	0.933333
2314	010	3005	0.07	1385	1	65	100	3	7	6	9015	7630	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7029	7029	0.933333
2314	011	3005	0.07	1125	1	65	100	3	7	6	9015	7890	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7289	7289	0.933333
2314	012	3004	0.07	2397	1	65	100	3	7	6	9012	6615	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6014.200195	6014.200195	0.933333
2314	013	3004	0.07	1737	1	65	100	3	7	6	9012	7275	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6674.200195	6674.200195	0.933333
2314	013A	3004	0.07	1450	1	65	100	3	7	6	9012	7562	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6961.200195	6961.200195	0.933333
2314	014	3004	0.07	1800	1	65	100	3	7	6	9012	7212	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6611.200195	6611.200195	0.933333
2314	014A	3004	0.07	1800	1	65	100	3	7	6	9012	7212	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6611.200195	6611.200195	0.933333
2314	015	3004	0.07	1661	1	65	100	3	7	6	9012	7351	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6750.200195	6750.200195	0.933333
2314	016	3003	0.07	1665	1	65	100	3	7	6	9009	7344	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6743.399414	6743.399414	0.933333
2314	016A	3003	0.07	1639	1	65	100	3	7	6	9009	7370	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6769.399414	6769.399414	0.933333
2314	022	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2314	022A	3000	0.07	1949	1	65	100	3	7	6	9000	7051	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6451	6451	0.933333
2314	022B	3000	0.07	1835	1	65	100	3	7	6	9000	7165	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6565	6565	0.933333
2314	023	3000	0.07	1537	1	65	100	3	7	6	9000	7463	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6863	6863	0.933333
2314	023A	3000	0.07	1572	1	65	100	3	7	6	9000	7428	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6828	6828	0.933333
2314	024	3000	0.07	1701	1	65	100	3	7	6	9000	7299	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6699	6699	0.933333
2314	025	3000	0.07	2397	1	65	100	3	7	6	9000	6603	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6003	6003	0.933333
2314	025A	3000	0.07	1912	1	65	100	3	7	6	9000	7088	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6488	6488	0.933333
2314	026	3000	0.07	1521	1	65	100	3	7	6	9000	7479	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6879	6879	0.933333
2314	026A	3000	0.07	1560	1	65	100	3	7	6	9000	7440	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6840	6840	0.933333
2314	027	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2314	028	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2314	029	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
2314	029A	3000	0.07	1932	1	65	100	3	7	6	9000	7068	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6468	6468	0.933333
2314	030	3000	0.07	1949	1	65	100	3	7	6	9000	7051	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6451	6451	0.933333
2314	030B	2982	0.07	2164	1	65	100	3	7	6	8946	6782	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6185.599609	6185.599609	0.933333
2315	002	2962	0.07	1475	1	65	100	3	7	6	8886	7411	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8293.599609	6818.599609	6818.599609	0.933333
2315	003	2963	0.07	1702	1	65	100	3	7	6	8889	7187	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8296.399414	6594.399414	6594.399414	0.933333
2315	004	2964	0.07	2305	1	65	100	3	7	6	8892	6587	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8299.200195	5994.200195	5994.200195	0.933333
2315	005	2964	0.07	1655	1	65	100	3	7	6	8892	7237	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8299.200195	6644.200195	6644.200195	0.933333
2315	006	2965	0.07	1809	1	65	100	3	7	6	8895	7086	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	6493	6493	0.933333
2315	006A	2965	0.07	1325	1	65	100	3	7	6	8895	7570	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	6977	6977	0.933333
2315	006B	2966	0.07	2598	1	65	100	3	7	6	8898	6300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	5706.799805	5706.799805	0.933333
2315	007	2966	0.07	1475	1	65	100	3	7	6	8898	7423	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	6829.799805	6829.799805	0.933333
2315	007A	2967	0.07	1475	1	65	100	3	7	6	8901	7426	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6832.599609	6832.599609	0.933333
2315	008	2967	0.07	1475	1	65	100	3	7	6	8901	7426	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6832.599609	6832.599609	0.933333
2315	008A	2968	0.07	1475	1	65	100	3	7	6	8904	7429	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	6835.399414	6835.399414	0.933333
2315	009	2969	0.07	2122	1	65	100	3	7	6	8907	6785	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6191.200195	6191.200195	0.933333
2315	010	2969	0.07	1335	1	65	100	3	7	6	8907	7572	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6978.200195	6978.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2315	011	2970	0.07	1535	1	65	100	3	7	6	8910	7375	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8316	6781	6781	0.933333
2315	011A	2970	0.07	1609	1	65	100	3	7	6	8910	7301	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8316	6707	6707	0.933333
2315	011B	2971	0.07	1335	1	65	100	3	7	6	8913	7578	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8318.799805	6983.799805	6983.799805	0.933333
2315	011C	3000	0.07	1335	1	65	100	3	7	6	9000	7665	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7065	7065	0.933333
2315	011D	3000	0.07	1335	1	65	100	3	7	6	9000	7665	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7065	7065	0.933333
2315	011E	3000	0.07	1551	1	65	100	3	7	6	9000	7449	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6849	6849	0.933333
2315	013	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
2315	013A	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
2315	014	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2315	014A	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
2315	015	3000	0.07	1772	1	65	100	3	7	6	9000	7228	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6628	6628	0.933333
2315	015A	3000	0.07	2595	1	65	100	3	7	6	9000	6405	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5805	5805	0.933333
2315	015B	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2315	015C	3000	0.07	964	1	65	100	3	7	6	9000	8036	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7436	7436	0.933333
2315	016	3000	0.07	964	1	65	100	3	7	6	9000	8036	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7436	7436	0.933333
2315	016A	3000	0.07	964	1	65	100	3	7	6	9000	8036	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7436	7436	0.933333
2315	017	3000	0.07	1516	1	65	100	3	7	6	9000	7484	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6884	6884	0.933333
2315	018	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2315	019	3000	0.07	1563	1	65	100	3	7	6	9000	7437	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6837	6837	0.933333
2315	025	2954	0.07	2523	1	55	80	2.5	6	5	7385	4862	RH-1	40	form-based			true	0.7	6	1	5	5	8271.200195	5748.200195	5748.200195	1.12
2315	026	2955	0.07	1158	1	55	80	2.5	6	5	7388	6230	RH-1	40	form-based			true	0.7	6	1	5	5	8274	7116	7116	1.119924
2316	001A	2698	0.06	987	1	65	100	3	6	5	8094	7107	RH-1	40	form-based			true	0.7	6	1	5	5	7554.399902	6567.399902	6567.399902	0.933333
2316	001C	2954	0.07	2113	1	65	100	3	7	6	8862	6749	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8271.200195	6158.200195	6158.200195	0.933333
2316	001D	3073	0.07	1375	1	65	100	3	7	6	9219	7844	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8604.399414	7229.399414	7229.399414	0.933333
2316	001E	3073	0.07	1450	1	65	100	3	7	6	9219	7769	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8604.399414	7154.399414	7154.399414	0.933333
2316	001G	3000	0.07	1507	1	65	100	3	7	6	9000	7493	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6893	6893	0.933333
2316	001H	3000	0.07	1623	1	65	100	3	7	6	9000	7377	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6777	6777	0.933333
2316	001I	3000	0.07	1997	1	65	100	3	7	6	9000	7003	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6403	6403	0.933333
2316	001N	2686	0.06	1470	1	65	100	3	6	5	8058	6588	RH-1	40	form-based			true	0.7	6	1	5	5	7520.799805	6050.799805	6050.799805	0.933333
2316	002A	3070	0.07	1710	1	65	100	3	7	6	9210	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8596	6886	6886	0.933333
2316	002B	3069	0.07	2145	1	65	100	3	7	6	9207	7062	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8593.200195	6448.200195	6448.200195	0.933333
2316	002C	3068	0.07	1834	1	65	100	3	7	6	9204	7370	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8590.399414	6756.399414	6756.399414	0.933333
2316	002D	3067	0.07	1825	1	65	100	3	7	6	9201	7376	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8587.599609	6762.599609	6762.599609	0.933333
2316	002E	3067	0.07	1425	1	65	100	3	7	6	9201	7776	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8587.599609	7162.599609	7162.599609	0.933333
2316	002F	3066	0.07	1698	1	65	100	3	7	6	9198	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8584.799805	6886.799805	6886.799805	0.933333
2316	002G	3065	0.07	2038	1	65	100	3	7	6	9195	7157	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8582	6544	6544	0.933333
2316	002H	3065	0.07	1575	1	65	100	3	7	6	9195	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8582	7007	7007	0.933333
2316	002I	3064	0.07	1355	1	65	100	3	7	6	9192	7837	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8579.200195	7224.200195	7224.200195	0.933333
2316	002J	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
2316	002K	3000	0.07	1641	1	65	100	3	7	6	9000	7359	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6759	6759	0.933333
2316	002L	3000	0.07	1825	1	65	100	3	7	6	9000	7175	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6575	6575	0.933333
2316	002M	3000	0.07	2237	1	65	100	3	7	6	9000	6763	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6163	6163	0.933333
2316	002N	3000	0.07	1579	1	65	100	3	7	6	9000	7421	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6821	6821	0.933333
2316	002O	3000	0.07	2163	1	65	100	3	7	6	9000	6837	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6237	6237	0.933333
2316	002P	3000	0.07	1387	1	65	100	3	7	6	9000	7613	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7013	7013	0.933333
2316	002Q	3000	0.07	1819	1	65	100	3	7	6	9000	7181	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6581	6581	0.933333
2316	002R	3000	0.07	2167	1	65	100	3	7	6	9000	6833	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6233	6233	0.933333
2316	002S	3000	0.07	1387	1	65	100	3	7	6	9000	7613	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7013	7013	0.933333
2316	002T	3000	0.07	1387	1	65	100	3	7	6	9000	7613	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7013	7013	0.933333
2316	004	2875	0.07	2190	1	65	100	3	7	6	8625	6435	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8050	5860	5860	0.933333
2316	005	2875	0.07	1377	1	65	100	3	7	6	8625	7248	RH-1	40	form-based	true		true	0.7	6	0.857142866	5	5	8050	6673	6673	0.933333
2316	013	2983	0.07	1525	1	65	100	3	7	6	8949	7424	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6827.399414	6827.399414	0.933333
2316	014	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
2317	005	3010	0.07	1440	1	65	100	3	7	6	9030	7590	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6988	6988	0.933333
2317	006	3010	0.07	1335	1	65	100	3	7	6	9030	7695	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7093	7093	0.933333
2317	007	3010	0.07	1444	1	65	100	3	7	6	9030	7586	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6984	6984	0.933333
2317	008	3010	0.07	1212	1	65	100	3	7	6	9030	7818	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7216	7216	0.933333
2317	008A	3010	0.07	1212	1	65	100	3	7	6	9030	7818	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7216	7216	0.933333
2317	009	3010	0.07	2020	1	65	100	3	7	6	9030	7010	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6408	6408	0.933333
2317	009A	3010	0.07	1930	1	65	100	3	7	6	9030	7100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6498	6498	0.933333
2317	010	3010	0.07	1940	1	65	100	3	7	6	9030	7090	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6488	6488	0.933333
2317	010A	3010	0.07	1300	1	65	100	3	7	6	9030	7730	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7128	7128	0.933333
2317	010B	3010	0.07	1995	1	65	100	3	7	6	9030	7035	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6433	6433	0.933333
2317	011	3010	0.07	2589	1	65	100	3	7	6	9030	6441	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	5839	5839	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2317	012	3010	0.07	1630	1	65	100	3	7	6	9030	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6798	6798	0.933333
2317	013	3010	0.07	1200	1	65	100	3	7	6	9030	7830	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7228	7228	0.933333
2317	014	3010	0.07	1852	1	65	100	3	7	6	9030	7178	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6576	6576	0.933333
2317	015	3010	0.07	1550	1	65	100	3	7	6	9030	7480	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6878	6878	0.933333
2317	016	2993	0.07	1305	1	65	100	3	7	6	8979	7674	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7075.399414	7075.399414	0.933333
2317	016E	2680	0.06	1290	1	65	100	3	6	5	8040	6750	RH-1	40	form-based			true	0.7	6	1	5	5	7504	6214	6214	0.933333
2317	016F	2680	0.06	1410	1	65	100	3	6	5	8040	6630	RH-1	40	form-based			true	0.7	6	1	5	5	7504	6094	6094	0.933333
2317	016G	2680	0.06	2327	1	65	100	3	6	5	8040	5713	RH-1	40	form-based			true	0.7	6	1	5	5	7504	5177	5177	0.933333
2317	016L	2983	0.07	2050	1	65	100	3	7	6	8949	6899	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6302.399414	6302.399414	0.933333
2317	017	3000	0.07	2332	1	65	100	3	7	6	9000	6668	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6068	6068	0.933333
2317	018	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
2317	019	3000	0.07	2130	1	65	100	3	7	6	9000	6870	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6270	6270	0.933333
2317	020	3000	0.07	1397	1	65	100	3	7	6	9000	7603	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7003	7003	0.933333
2317	021	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2317	022	3000	0.07	1876	1	65	100	3	7	6	9000	7124	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6524	6524	0.933333
2317	023	3000	0.07	1839	1	65	100	3	7	6	9000	7161	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6561	6561	0.933333
2317	024	3000	0.07	2552	1	65	100	3	7	6	9000	6448	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5848	5848	0.933333
2317	025	3000	0.07	1345	1	65	100	3	7	6	9000	7655	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7055	7055	0.933333
2317	026	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2317	027	3000	0.07	2150	1	65	100	3	7	6	9000	6850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6250	6250	0.933333
2317	027A	3000	0.07	1929	1	65	100	3	7	6	9000	7071	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6471	6471	0.933333
2317	028	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2317	029	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2317	030	3000	0.07	1406	1	65	100	3	7	6	9000	7594	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6994	6994	0.933333
2318	006	3014	0.07	2025	1	65	100	3	7	6	9042	7017	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6414.200195	6414.200195	0.933333
2318	007	3014	0.07	1405	1	65	100	3	7	6	9042	7637	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7034.200195	7034.200195	0.933333
2318	008	3014	0.07	1225	1	65	100	3	7	6	9042	7817	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7214.200195	7214.200195	0.933333
2318	009	3014	0.07	1240	1	65	100	3	7	6	9042	7802	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7199.200195	7199.200195	0.933333
2318	010	3015	0.07	1240	1	65	100	3	7	6	9045	7805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7202	7202	0.933333
2318	011	3015	0.07	1864	1	65	100	3	7	6	9045	7181	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6578	6578	0.933333
2318	012	3015	0.07	1836	1	65	100	3	7	6	9045	7209	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6606	6606	0.933333
2318	013	3015	0.07	1860	1	65	100	3	7	6	9045	7185	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6582	6582	0.933333
2318	014	3015	0.07	1240	1	65	100	3	7	6	9045	7805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7202	7202	0.933333
2318	015	3015	0.07	1880	1	65	100	3	7	6	9045	7165	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6562	6562	0.933333
2318	016	3015	0.07	2483	1	65	100	3	7	6	9045	6562	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	5959	5959	0.933333
2318	017	3015	0.07	1240	1	65	100	3	7	6	9045	7805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7202	7202	0.933333
2318	018	3015	0.07	1818	1	65	100	3	7	6	9045	7227	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6624	6624	0.933333
2318	019	3015	0.07	1497	1	65	100	3	7	6	9045	7548	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6945	6945	0.933333
2318	020	3015	0.07	1763	1	65	100	3	7	6	9045	7282	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6679	6679	0.933333
2318	022	2900	0.07	1525	1	65	100	3	7	6	8700	7175	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8120	6595	6595	0.933333
2318	023	2900	0.07	1525	1	65	100	3	7	6	8700	7175	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8120	6595	6595	0.933333
2318	028	3000	0.07	1660	1	65	100	3	7	6	9000	7340	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6740	6740	0.933333
2318	028A	3000	0.07	2236	1	65	100	3	7	6	9000	6764	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6164	6164	0.933333
2318	028B	3000	0.07	3230	1	65	100	3	7	6	9000	5770	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5170	5170	0.933333
2318	028C	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
2318	028D	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2318	028E	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2318	028F	3000	0.07	1010	1	65	100	3	7	6	9000	7990	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7390	7390	0.933333
2318	028G	3000	0.07	2060	1	65	100	3	7	6	9000	6940	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6340	6340	0.933333
2318	028H	3000	0.07	1237	1	65	100	3	7	6	9000	7763	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7163	7163	0.933333
2318	028I	3000	0.07	1260	1	65	100	3	7	6	9000	7740	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7140	7140	0.933333
2318	028J	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2318	028K	3000	0.07	1026	1	65	100	3	7	6	9000	7974	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7374	7374	0.933333
2318	028L	3000	0.07	1160	1	65	100	3	7	6	9000	7840	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7240	7240	0.933333
2318	028M	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2318	029	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2318	030	3000	0.07	1274	1	65	100	3	7	6	9000	7726	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7126	7126	0.933333
2319	004	3006	0.07	1550	1	65	100	3	7	6	9018	7468	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6866.799805	6866.799805	0.933333
2319	004A	3006	0.07	1575	1	65	100	3	7	6	9018	7443	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6841.799805	6841.799805	0.933333
2319	005	3006	0.07	1175	1	65	100	3	7	6	9018	7843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7241.799805	7241.799805	0.933333
2319	006	3006	0.07	1570	1	65	100	3	7	6	9018	7448	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6846.799805	6846.799805	0.933333
2319	006A	3006	0.07	1150	1	65	100	3	7	6	9018	7868	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7266.799805	7266.799805	0.933333
2319	007	3006	0.07	1150	1	65	100	3	7	6	9018	7868	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7266.799805	7266.799805	0.933333
2319	007A	3000	0.07	1315	1	65	100	3	7	6	9000	7685	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7085	7085	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2319	007B	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
2319	007C	3006	0.07	1150	1	65	100	3	7	6	9018	7868	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7266.799805	7266.799805	0.933333
2319	008	3006	0.07	1950	1	65	100	3	7	6	9018	7068	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6466.799805	6466.799805	0.933333
2319	008A	3006	0.07	2240	1	65	100	3	7	6	9018	6778	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6176.799805	6176.799805	0.933333
2319	008B	3005	0.07	1785	1	65	100	3	7	6	9015	7230	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6629	6629	0.933333
2319	009	3005	0.07	1767	1	65	100	3	7	6	9015	7248	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6647	6647	0.933333
2319	009A	3005	0.07	1350	1	65	100	3	7	6	9015	7665	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7064	7064	0.933333
2319	010	3005	0.07	2225	1	65	100	3	7	6	9015	6790	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6189	6189	0.933333
2319	010A	3005	0.07	1720	1	65	100	3	7	6	9015	7295	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6694	6694	0.933333
2319	011	3005	0.07	1350	1	65	100	3	7	6	9015	7665	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7064	7064	0.933333
2319	012	3005	0.07	1500	1	65	100	3	7	6	9015	7515	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6914	6914	0.933333
2319	013A	2850	0.07	1875	1	65	100	3	7	6	8550	6675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6105	6105	0.933333
2319	013B	2913	0.07	2050	1	65	100	3	7	6	8739	6689	RH-1	40	form-based	true		true	0.7	6	0.857142866	5	5	8156.399902	6106.399902	6106.399902	0.933333
2319	013C	2850	0.07	2070	1	65	100	3	7	6	8550	6480	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5910	5910	0.933333
2319	017	3000	0.07	1819	1	65	100	3	7	6	9000	7181	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6581	6581	0.933333
2319	017A	3000	0.07	1115	1	65	100	3	7	6	9000	7885	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7285	7285	0.933333
2319	018	3000	0.07	1455	1	65	100	3	7	6	9000	7545	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6945	6945	0.933333
2319	018A	2858	0.07	1307	1	65	100	3	7	6	8574	7267	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8002.399902	6695.399902	6695.399902	0.933333
2319	018B	2858	0.07	3391	1	65	100	3	7	6	8574	5183	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8002.399902	4611.399902	4611.399902	0.933333
2319	018E	3000	0.07	1910	1	65	100	3	7	6	9000	7090	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6490	6490	0.933333
2319	018F	3000	0.07	2105	1	65	100	3	7	6	9000	6895	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6295	6295	0.933333
2319	018G	3000	0.07	1455	1	65	100	3	7	6	9000	7545	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6945	6945	0.933333
2319	018H	3000	0.07	1818	1	65	100	3	7	6	9000	7182	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6582	6582	0.933333
2320	002D	3006	0.07	2040	1	65	100	3	7	6	9018	6978	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6376.799805	6376.799805	0.933333
2320	002E	3006	0.07	2080	1	65	100	3	7	6	9018	6938	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6336.799805	6336.799805	0.933333
2320	002F	3005	0.07	1200	1	65	100	3	7	6	9015	7815	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7214	7214	0.933333
2320	003	3005	0.07	2569	1	65	100	3	7	6	9015	6446	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	5845	5845	0.933333
2320	003A	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2320	003B	3000	0.07	1540	1	65	100	3	7	6	9000	7460	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6860	6860	0.933333
2320	003C	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
2320	003D	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
2320	003F	3003	0.07	1992	1	65	100	3	7	6	9009	7017	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6416.399414	6416.399414	0.933333
2320	003G	3002	0.07	1572	1	65	100	3	7	6	9006	7434	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6833.599609	6833.599609	0.933333
2320	003H	3002	0.07	1417	1	65	100	3	7	6	9006	7589	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6988.599609	6988.599609	0.933333
2320	003I	3001	0.07	2208	1	65	100	3	7	6	9003	6795	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6194.799805	6194.799805	0.933333
2320	003J	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2320	003M	3000	0.07	1145	1	65	100	3	7	6	9000	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7255	7255	0.933333
2320	003N	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2320	003O	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2320	003P	3000	0.07	1704	1	65	100	3	7	6	9000	7296	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6696	6696	0.933333
2320	003Q	3000	0.07	1819	1	65	100	3	7	6	9000	7181	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6581	6581	0.933333
2320	003R	3000	0.07	1740	1	65	100	3	7	6	9000	7260	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6660	6660	0.933333
2320	004C	2680	0.06	1435	1	65	100	3	6	5	8040	6605	RH-1	40	form-based			true	0.7	6	1	5	5	7504	6069	6069	0.933333
2320	004D	2680	0.06	1435	1	65	100	3	6	5	8040	6605	RH-1	40	form-based			true	0.7	6	1	5	5	7504	6069	6069	0.933333
2320	004E	2680	0.06	2664	1	65	100	3	6	5	8040	5376	RH-1	40	form-based			true	0.7	6	1	5	5	7504	4840	4840	0.933333
2320	005	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2320	005A	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2320	006	3000	0.07	1896	1	65	100	3	7	6	9000	7104	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6504	6504	0.933333
2320	006A	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2320	007	2985	0.07	1217	1	65	100	3	7	6	8955	7738	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8358	7141	7141	0.933333
2321	001	2747	0.06	2557	1	55	80	2.5	5	4	6868	4311	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7691.600098	5134.600098	5134.600098	1.119918
2321	002A	2982	0.07	1550	1	65	100	3	7	6	8946	7396	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6799.599609	6799.599609	0.933333
2321	003	2983	0.07	1210	1	65	100	3	7	6	8949	7739	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7142.399414	7142.399414	0.933333
2321	004	2984	0.07	1210	1	65	100	3	7	6	8952	7742	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	7145.200195	7145.200195	0.933333
2321	005	2984	0.07	1450	1	65	100	3	7	6	8952	7502	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	6905.200195	6905.200195	0.933333
2321	006	2985	0.07	2095	1	65	100	3	7	6	8955	6860	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8358	6263	6263	0.933333
2321	007	2986	0.07	1604	1	65	100	3	7	6	8958	7354	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	6756.799805	6756.799805	0.933333
2321	008	2986	0.07	3067	1	65	100	3	7	6	8958	5891	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	5293.799805	5293.799805	0.933333
2321	009	2987	0.07	1400	1	65	100	3	7	6	8961	7561	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6963.599609	6963.599609	0.933333
2321	010	2987	0.07	1400	1	65	100	3	7	6	8961	7561	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6963.599609	6963.599609	0.933333
2321	011	2991	0.07	1610	1	65	100	3	7	6	8973	7363	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6764.799805	6764.799805	0.933333
2321	011D	2990	0.07	1690	1	65	100	3	7	6	8970	7280	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6682	6682	0.933333
2321	012	2992	0.07	2014	1	65	100	3	7	6	8976	6962	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6363.599609	6363.599609	0.933333
2321	012A	2992	0.07	2170	1	65	100	3	7	6	8976	6806	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6207.599609	6207.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2321	014	3000	0.07	2306	1	65	100	3	7	6	9000	6694	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6094	6094	0.933333
2321	015	3000	0.07	1270	1	65	100	3	7	6	9000	7730	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7130	7130	0.933333
2321	016	3000	0.07	2188	1	65	100	3	7	6	9000	6812	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6212	6212	0.933333
2321	017	3000	0.07	1216	1	65	100	3	7	6	9000	7784	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7184	7184	0.933333
2321	017A	3000	0.07	2485	1	65	100	3	7	6	9000	6515	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5915	5915	0.933333
2321	018	3000	0.07	1825	1	65	100	3	7	6	9000	7175	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6575	6575	0.933333
2321	018A	3000	0.07	1460	1	65	100	3	7	6	9000	7540	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6940	6940	0.933333
2321	019	3000	0.07	1610	1	65	100	3	7	6	9000	7390	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6790	6790	0.933333
2321	020	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2321	020A	3000	0.07	1747	1	65	100	3	7	6	9000	7253	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6653	6653	0.933333
2321	021	3000	0.07	1806	1	65	100	3	7	6	9000	7194	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6594	6594	0.933333
2321	021A	3000	0.07	2675	1	65	100	3	7	6	9000	6325	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5725	5725	0.933333
2321	022	3000	0.07	1675	1	65	100	3	7	6	9000	7325	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6725	6725	0.933333
2321	022A	3000	0.07	2030	1	65	100	3	7	6	9000	6970	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6370	6370	0.933333
2321	023	3000	0.07	1870	1	65	100	3	7	6	9000	7130	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6530	6530	0.933333
2321	024	3000	0.07	2108	1	65	100	3	7	6	9000	6892	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6292	6292	0.933333
2322	002	3003	0.07	2145	1	65	100	3	7	6	9009	6864	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6263.399414	6263.399414	0.933333
2322	003	3004	0.07	2276	1	65	100	3	7	6	9012	6736	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6135.200195	6135.200195	0.933333
2322	004	3004	0.07	1500	1	65	100	3	7	6	9012	7512	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6911.200195	6911.200195	0.933333
2322	004A	3004	0.07	1662	1	65	100	3	7	6	9012	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6749.200195	6749.200195	0.933333
2322	005	3004	0.07	2297	1	65	100	3	7	6	9012	6715	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6114.200195	6114.200195	0.933333
2322	006	3004	0.07	2552	1	65	100	3	7	6	9012	6460	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	5859.200195	5859.200195	0.933333
2322	007	3004	0.07	1800	1	65	100	3	7	6	9012	7212	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6611.200195	6611.200195	0.933333
2322	007A	3004	0.07	1749	1	65	100	3	7	6	9012	7263	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6662.200195	6662.200195	0.933333
2322	008	3004	0.07	1546	1	65	100	3	7	6	9012	7466	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6865.200195	6865.200195	0.933333
2322	009	3005	0.07	1750	1	65	100	3	7	6	9015	7265	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6664	6664	0.933333
2322	009A	3005	0.07	1841	1	65	100	3	7	6	9015	7174	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6573	6573	0.933333
2322	009B	3005	0.07	1800	1	65	100	3	7	6	9015	7215	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6614	6614	0.933333
2322	009C	3005	0.07	1460	1	65	100	3	7	6	9015	7555	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6954	6954	0.933333
2322	010	3005	0.07	2275	1	65	100	3	7	6	9015	6740	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6139	6139	0.933333
2322	011	3005	0.07	2000	1	65	100	3	7	6	9015	7015	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6414	6414	0.933333
2322	011A	3005	0.07	1600	1	65	100	3	7	6	9015	7415	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6814	6814	0.933333
2322	016	3000	0.07	1213	1	65	100	3	7	6	9000	7787	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7187	7187	0.933333
2322	016A	3000	0.07	2034	1	65	100	3	7	6	9000	6966	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6366	6366	0.933333
2322	017	3000	0.07	1557	1	65	100	3	7	6	9000	7443	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6843	6843	0.933333
2322	017A	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
2322	018	3000	0.07	1270	1	65	100	3	7	6	9000	7730	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7130	7130	0.933333
2322	018A	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2322	019	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2322	020	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2322	021	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2322	022	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2322	023	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2322	023A	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
2322	024	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
2322	025	3000	0.07	2041	1	65	100	3	7	6	9000	6959	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6359	6359	0.933333
2322	025A	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2322	025B	3000	0.07	1738	1	65	100	3	7	6	9000	7262	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6662	6662	0.933333
2322	026	3000	0.07	1809	1	65	100	3	7	6	9000	7191	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6591	6591	0.933333
2322	027	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2323	002	3022	0.07	1450	1	65	100	3	7	6	9066	7616	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	7011.599609	7011.599609	0.933333
2323	002A	3021	0.07	2435	1	65	100	3	7	6	9063	6628	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6023.799805	6023.799805	0.933333
2323	003	3021	0.07	3698	1	65	100	3	7	6	9063	5365	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	4760.799805	4760.799805	0.933333
2323	003A	3021	0.07	2019	1	65	100	3	7	6	9063	7044	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6439.799805	6439.799805	0.933333
2323	003B	3020	0.07	1460	1	65	100	3	7	6	9060	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6996	6996	0.933333
2323	004	3020	0.07	2119	1	65	100	3	7	6	9060	6941	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6337	6337	0.933333
2323	004A	3020	0.07	2292	1	65	100	3	7	6	9060	6768	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6164	6164	0.933333
2323	005	3019	0.07	1595	1	65	100	3	7	6	9057	7462	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6858.200195	6858.200195	0.933333
2323	006	3019	0.07	1600	1	65	100	3	7	6	9057	7457	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6853.200195	6853.200195	0.933333
2323	007	3019	0.07	1624	1	65	100	3	7	6	9057	7433	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6829.200195	6829.200195	0.933333
2323	007A	3018	0.07	1738	1	65	100	3	7	6	9054	7316	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	6712.399414	6712.399414	0.933333
2323	008	3018	0.07	2232	1	65	100	3	7	6	9054	6822	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	6218.399414	6218.399414	0.933333
2323	009	3018	0.07	1610	1	65	100	3	7	6	9054	7444	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	6840.399414	6840.399414	0.933333
2323	010	3017	0.07	2244	1	65	100	3	7	6	9051	6807	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6203.599609	6203.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2323	011	3017	0.07	1600	1	65	100	3	7	6	9051	7451	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6847.599609	6847.599609	0.933333
2323	012	3003	0.07	1450	1	65	100	3	7	6	9009	7559	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6958.399414	6958.399414	0.933333
2323	018	2986	0.07	1210	1	65	100	3	7	6	8958	7748	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	7150.799805	7150.799805	0.933333
2323	019	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2323	020	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
2323	020A	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2323	021	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
2323	021A	3000	0.07	3107	1	65	100	3	7	6	9000	5893	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5293	5293	0.933333
2323	022	3000	0.07	1427	1	65	100	3	7	6	9000	7573	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6973	6973	0.933333
2323	022A	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
2323	023	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2323	024	3000	0.07	1564	1	65	100	3	7	6	9000	7436	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6836	6836	0.933333
2323	025	3000	0.07	1724	1	65	100	3	7	6	9000	7276	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6676	6676	0.933333
2323	025A	3000	0.07	1585	1	65	100	3	7	6	9000	7415	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6815	6815	0.933333
2323	025B	3000	0.07	1775	1	65	100	3	7	6	9000	7225	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6625	6625	0.933333
2323	026	3000	0.07	1492	1	65	100	3	7	6	9000	7508	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6908	6908	0.933333
2323	026A	3000	0.07	2352	1	65	100	3	7	6	9000	6648	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6048	6048	0.933333
2323	027	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2324	002	3014	0.07	1744	1	65	100	3	7	6	9042	7298	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6695.200195	6695.200195	0.933333
2324	002A	3013	0.07	2660	1	65	100	3	7	6	9039	6379	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	5776.399414	5776.399414	0.933333
2324	002B	3013	0.07	2036	1	65	100	3	7	6	9039	7003	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6400.399414	6400.399414	0.933333
2324	002C	3013	0.07	1750	1	65	100	3	7	6	9039	7289	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6686.399414	6686.399414	0.933333
2324	002D	3013	0.07	1325	1	65	100	3	7	6	9039	7714	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7111.399414	7111.399414	0.933333
2324	002E	3012	0.07	1750	1	65	100	3	7	6	9036	7286	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6683.599609	6683.599609	0.933333
2324	002F	3012	0.07	1265	1	65	100	3	7	6	9036	7771	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7168.599609	7168.599609	0.933333
2324	002G	3012	0.07	2125	1	65	100	3	7	6	9036	6911	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6308.599609	6308.599609	0.933333
2324	003A	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2324	003B	3000	0.07	2193	1	65	100	3	7	6	9000	6807	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6207	6207	0.933333
2324	003C	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
2324	003D	3000	0.07	1895	1	65	100	3	7	6	9000	7105	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6505	6505	0.933333
2324	003E	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
2324	003F	3011	0.07	1800	1	65	100	3	7	6	9033	7233	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6630.799805	6630.799805	0.933333
2324	003G	3011	0.07	2289	1	65	100	3	7	6	9033	6744	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6141.799805	6141.799805	0.933333
2324	003H	3011	0.07	1820	1	65	100	3	7	6	9033	7213	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6610.799805	6610.799805	0.933333
2324	003I	3011	0.07	2371	1	65	100	3	7	6	9033	6662	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6059.799805	6059.799805	0.933333
2324	004	3011	0.07	1600	1	65	100	3	7	6	9033	7433	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6830.799805	6830.799805	0.933333
2324	004A	3010	0.07	1724	1	65	100	3	7	6	9030	7306	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6704	6704	0.933333
2324	004B	2996	0.07	1800	1	65	100	3	7	6	8988	7188	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6588.799805	6588.799805	0.933333
2324	006	2986	0.07	1024	1	65	100	3	7	6	8958	7934	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	7336.799805	7336.799805	0.933333
2324	007	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2324	007A	3000	0.07	1024	1	65	100	3	7	6	9000	7976	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7376	7376	0.933333
2324	008	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2324	008A	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2324	008B	3000	0.07	1410	1	65	100	3	7	6	9000	7590	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6990	6990	0.933333
2324	008C	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
2324	008D	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
2324	008E	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
2324	008F	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2324	008G	3000	0.07	2091	1	65	100	3	7	6	9000	6909	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6309	6309	0.933333
2325	005	2990	0.07	1835	1	65	100	3	7	6	8970	7135	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6537	6537	0.933333
2325	006	2990	0.07	1370	1	65	100	3	7	6	8970	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7002	7002	0.933333
2325	007	2990	0.07	1575	1	65	100	3	7	6	8970	7395	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6797	6797	0.933333
2325	008	2990	0.07	1460	1	65	100	3	7	6	8970	7510	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6912	6912	0.933333
2325	009	2991	0.07	1200	1	65	100	3	7	6	8973	7773	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	7174.799805	7174.799805	0.933333
2325	010	2991	0.07	1392	1	65	100	3	7	6	8973	7581	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6982.799805	6982.799805	0.933333
2325	011	2991	0.07	1715	1	65	100	3	7	6	8973	7258	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6659.799805	6659.799805	0.933333
2325	012	2991	0.07	1250	1	65	100	3	7	6	8973	7723	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	7124.799805	7124.799805	0.933333
2325	013	2992	0.07	1250	1	65	100	3	7	6	8976	7726	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7127.599609	7127.599609	0.933333
2325	014	2992	0.07	1375	1	65	100	3	7	6	8976	7601	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7002.599609	7002.599609	0.933333
2325	015	2992	0.07	1950	1	65	100	3	7	6	8976	7026	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6427.599609	6427.599609	0.933333
2325	016	2992	0.07	1940	1	65	100	3	7	6	8976	7036	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6437.599609	6437.599609	0.933333
2325	017	2992	0.07	1677	1	65	100	3	7	6	8976	7299	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6700.599609	6700.599609	0.933333
2325	018	2993	0.07	1200	1	65	100	3	7	6	8979	7779	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7180.399414	7180.399414	0.933333
2325	019	2993	0.07	1200	1	65	100	3	7	6	8979	7779	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7180.399414	7180.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2325	020	2993	0.07	1298	1	65	100	3	7	6	8979	7681	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7082.399414	7082.399414	0.933333
2325	031	3000	0.07	2155	1	65	100	3	7	6	9000	6845	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6245	6245	0.933333
2325	032	3000	0.07	1994	1	65	100	3	7	6	9000	7006	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6406	6406	0.933333
2325	033	3000	0.07	1759	1	65	100	3	7	6	9000	7241	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6641	6641	0.933333
2325	034	3000	0.07	2053	1	65	100	3	7	6	9000	6947	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6347	6347	0.933333
2325	035	3000	0.07	2094	1	65	100	3	7	6	9000	6906	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6306	6306	0.933333
2325	036	3000	0.07	2192	1	65	100	3	7	6	9000	6808	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6208	6208	0.933333
2325	037	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
2325	038	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2325	039	3000	0.07	1670	1	65	100	3	7	6	9000	7330	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6730	6730	0.933333
2325	040	3000	0.07	1584	1	65	100	3	7	6	9000	7416	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6816	6816	0.933333
2325	041	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6825	6825	0.933333
2325	042	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
2325	043	3000	0.07	2035	1	65	100	3	7	6	9000	6965	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6365	6365	0.933333
2325	044	3000	0.07	1627	1	65	100	3	7	6	9000	7373	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6773	6773	0.933333
2325	045	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2325	046	3000	0.07	1692	1	65	100	3	7	6	9000	7308	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6708	6708	0.933333
2328	001A	3016	0.07	1966	1	65	100	3	7	6	9048	7082	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	6478.799805	6478.799805	0.933333
2328	002	2984	0.07	1380	1	65	100	3	7	6	8952	7572	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	6975.200195	6975.200195	0.933333
2328	002A	2983	0.07	1500	1	65	100	3	7	6	8949	7449	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6852.399414	6852.399414	0.933333
2328	002B	2983	0.07	2625	1	65	100	3	7	6	8949	6324	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	5727.399414	5727.399414	0.933333
2328	002C	2984	0.07	1825	1	65	100	3	7	6	8952	7127	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	6530.200195	6530.200195	0.933333
2328	003	2983	0.07	1731	1	65	100	3	7	6	8949	7218	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6621.399414	6621.399414	0.933333
2328	003A	2983	0.07	1580	1	65	100	3	7	6	8949	7369	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6772.399414	6772.399414	0.933333
2328	004	2983	0.07	2984	1	65	100	3	7	6	8949	5965	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	5368.399414	5368.399414	0.933333
2328	005	2983	0.07	1640	1	65	100	3	7	6	8949	7309	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6712.399414	6712.399414	0.933333
2328	006	2982	0.07	1300	1	65	100	3	7	6	8946	7646	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7049.599609	7049.599609	0.933333
2328	006A	2982	0.07	2208	1	65	100	3	7	6	8946	6738	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6141.599609	6141.599609	0.933333
2328	007	2982	0.07	1375	1	65	100	3	7	6	8946	7571	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6974.599609	6974.599609	0.933333
2328	007A	2982	0.07	1360	1	65	100	3	7	6	8946	7586	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6989.599609	6989.599609	0.933333
2328	008	2982	0.07	1300	1	65	100	3	7	6	8946	7646	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7049.599609	7049.599609	0.933333
2328	009	3008	0.07	1315	1	65	100	3	7	6	9024	7709	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7107.399414	7107.399414	0.933333
2328	009C	2856	0.07	1541	1	65	100	3	7	6	8568	7027	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7996.799805	6455.799805	6455.799805	0.933333
2328	009D	2981	0.07	1250	1	65	100	3	7	6	8943	7693	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8346.799805	7096.799805	7096.799805	0.933333
2328	009I	3008	0.07	1530	1	65	100	3	7	6	9024	7494	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6892.399414	6892.399414	0.933333
2328	009K	2831	0.06	2110	1	65	100	3	6	5	8493	6383	RH-1	40	form-based			true	0.7	6	1	5	5	7926.799805	5816.799805	5816.799805	0.933333
2328	009O	3008	0.07	1100	1	65	100	3	7	6	9024	7924	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7322.399414	7322.399414	0.933333
2328	010	3008	0.07	1950	1	65	100	3	7	6	9024	7074	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6472.399414	6472.399414	0.933333
2328	011	3007	0.07	1934	1	65	100	3	7	6	9021	7087	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6485.599609	6485.599609	0.933333
2328	012	3007	0.07	1885	1	65	100	3	7	6	9021	7136	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6534.599609	6534.599609	0.933333
2328	013	3007	0.07	2316	1	65	100	3	7	6	9021	6705	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6103.599609	6103.599609	0.933333
2328	014	3007	0.07	1660	1	65	100	3	7	6	9021	7361	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6759.599609	6759.599609	0.933333
2328	015	3007	0.07	1450	1	65	100	3	7	6	9021	7571	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6969.599609	6969.599609	0.933333
2328	016	3007	0.07	1475	1	65	100	3	7	6	9021	7546	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6944.599609	6944.599609	0.933333
2328	016A	3006	0.07	1400	1	65	100	3	7	6	9018	7618	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7016.799805	7016.799805	0.933333
2328	016B	3006	0.07	1380	1	65	100	3	7	6	9018	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7036.799805	7036.799805	0.933333
2328	016C	3006	0.07	2359	1	65	100	3	7	6	9018	6659	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6057.799805	6057.799805	0.933333
2328	016D	3006	0.07	1500	1	65	100	3	7	6	9018	7518	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6916.799805	6916.799805	0.933333
2328	016E	3006	0.07	2050	1	65	100	3	7	6	9018	6968	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6366.799805	6366.799805	0.933333
2328	017	3015	0.07	2224	1	65	100	3	7	6	9045	6821	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6218	6218	0.933333
2328	017A	3015	0.07	2581	1	65	100	3	7	6	9045	6464	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	5861	5861	0.933333
2328	018	3079	0.07	1185	1	65	100	3	7	6	9237	8052	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8621.200195	7436.200195	7436.200195	0.933333
2328	019	2952	0.07	1241	1	65	100	3	7	6	8856	7615	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	7024.599609	7024.599609	0.933333
2329	001B	2917	0.07	2139	1	65	100	3	7	6	8751	6612	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8167.600098	6028.600098	6028.600098	0.933333
2329	002	3004	0.07	1180	1	65	100	3	7	6	9012	7832	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7231.200195	7231.200195	0.933333
2329	002A	3006	0.07	1165	1	65	100	3	7	6	9018	7853	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7251.799805	7251.799805	0.933333
2329	002B	3007	0.07	1328	1	65	100	3	7	6	9021	7693	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7091.599609	7091.599609	0.933333
2329	002C	3005	0.07	1500	1	65	100	3	7	6	9015	7515	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6914	6914	0.933333
2329	002D	3006	0.07	2377	1	65	100	3	7	6	9018	6641	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6039.799805	6039.799805	0.933333
2329	002E	3005	0.07	1095	1	65	100	3	7	6	9015	7920	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7319	7319	0.933333
2329	002F	3005	0.07	2223	1	65	100	3	7	6	9015	6792	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6191	6191	0.933333
2329	002I	3006	0.07	1497	1	65	100	3	7	6	9018	7521	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6919.799805	6919.799805	0.933333
2329	002J	3004	0.07	2073	1	65	100	3	7	6	9012	6939	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6338.200195	6338.200195	0.933333
2329	002K	3004	0.07	1157	1	65	100	3	7	6	9012	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7254.200195	7254.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2329	002L	3004	0.07	1200	1	65	100	3	7	6	9012	7812	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7211.200195	7211.200195	0.933333
2329	009A	2695	0.06	1350	1	65	100	3	6	5	8085	6735	RH-1	40	form-based			true	0.7	6	1	5	5	7546	6196	6196	0.933333
2329	009B	3000	0.07	1896	1	65	100	3	7	6	9000	7104	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6504	6504	0.933333
2329	012	3000	0.07	1984	1	65	100	3	7	6	9000	7016	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6416	6416	0.933333
2329	012A	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2329	013	3000	0.07	1248	1	65	100	3	7	6	9000	7752	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7152	7152	0.933333
2329	014	3000	0.07	1462	1	65	100	3	7	6	9000	7538	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6938	6938	0.933333
2329	015	3000	0.07	1671	1	65	100	3	7	6	9000	7329	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6729	6729	0.933333
2329	015A	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
2329	015B	3000	0.07	1230	1	65	100	3	7	6	9000	7770	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7170	7170	0.933333
2329	015C	3000	0.07	1608	1	65	100	3	7	6	9000	7392	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6792	6792	0.933333
2329	015D	3000	0.07	1841	1	65	100	3	7	6	9000	7159	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6559	6559	0.933333
2329	015E	3000	0.07	1778	1	65	100	3	7	6	9000	7222	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6622	6622	0.933333
2329	016	3000	0.07	1115	1	65	100	3	7	6	9000	7885	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7285	7285	0.933333
2330	005N	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2330	005O	3000	0.07	2043	1	65	100	3	7	6	9000	6957	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6357	6357	0.933333
2330	005P	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2330	005Q	3000	0.07	2611	1	65	100	3	7	6	9000	6389	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5789	5789	0.933333
2330	005R	3000	0.07	1857	1	65	100	3	7	6	9000	7143	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6543	6543	0.933333
2330	005S	3000	0.07	1240	1	65	100	3	7	6	9000	7760	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7160	7160	0.933333
2330	005T	3000	0.07	1060	1	65	100	3	7	6	9000	7940	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7340	7340	0.933333
2330	005U	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2330	005V	3000	0.07	1675	1	65	100	3	7	6	9000	7325	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6725	6725	0.933333
2330	005W	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2330	005X	3000	0.07	1065	1	65	100	3	7	6	9000	7935	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7335	7335	0.933333
2330	005Y	2995	0.07	1280	1	65	100	3	7	6	8985	7705	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7106	7106	0.933333
2330	015	3065	0.07	2000	1	65	100	3	7	6	9195	7195	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8582	6582	6582	0.933333
2331	001	2856	0.07	2360	1	65	100	3	7	6	8568	6208	RH-1	40	form-based	true		true	0.7	6	0.857142866	5	5	7996.799805	5636.799805	5636.799805	0.933333
2331	003A	2978	0.07	1499	1	65	100	3	7	6	8934	7435	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6839.399414	6839.399414	0.933333
2331	004	2625	0.06	1475	1	65	100	3	6	5	7875	6400	RH-1	40	form-based			true	0.7	6	1	5	5	7350	5875	5875	0.933333
2332	003	2988	0.07	1823	1	65	100	3	7	6	8964	7141	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6543.399414	6543.399414	0.933333
2332	004	2988	0.07	1450	1	65	100	3	7	6	8964	7514	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6916.399414	6916.399414	0.933333
2332	005	2988	0.07	1550	1	65	100	3	7	6	8964	7414	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6816.399414	6816.399414	0.933333
2332	006	2988	0.07	2100	1	65	100	3	7	6	8964	6864	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6266.399414	6266.399414	0.933333
2332	007	2989	0.07	1450	1	65	100	3	7	6	8967	7517	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6919.200195	6919.200195	0.933333
2332	008	2989	0.07	1233	1	65	100	3	7	6	8967	7734	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	7136.200195	7136.200195	0.933333
2332	009	2989	0.07	1625	1	65	100	3	7	6	8967	7342	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6744.200195	6744.200195	0.933333
2332	010	2990	0.07	1095	1	65	100	3	7	6	8970	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7277	7277	0.933333
2332	011	2990	0.07	1325	1	65	100	3	7	6	8970	7645	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7047	7047	0.933333
2332	012	2990	0.07	1245	1	65	100	3	7	6	8970	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7127	7127	0.933333
2332	013	2990	0.07	2058	1	65	100	3	7	6	8970	6912	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6314	6314	0.933333
2332	023	3000	0.07	1789	1	65	100	3	7	6	9000	7211	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6611	6611	0.933333
2332	024	3000	0.07	1935	1	65	100	3	7	6	9000	7065	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6465	6465	0.933333
2332	025	3000	0.07	2740	1	65	100	3	7	6	9000	6260	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5660	5660	0.933333
2332	026	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2332	027	3000	0.07	1542	1	65	100	3	7	6	9000	7458	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6858	6858	0.933333
2332	028	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2332	029	3000	0.07	1524	1	65	100	3	7	6	9000	7476	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6876	6876	0.933333
2332	030	3000	0.07	1310	1	65	100	3	7	6	9000	7690	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7090	7090	0.933333
2332	031	3000	0.07	1531	1	65	100	3	7	6	9000	7469	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6869	6869	0.933333
2332	032	3000	0.07	2160	1	65	100	3	7	6	9000	6840	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6240	6240	0.933333
2332	033	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2332	035	2800	0.06	2622	1	65	100	3	6	5	8400	5778	RH-1	40	form-based			true	0.7	6	1	5	5	7840	5218	5218	0.933333
2332	036	3000	0.07	2170	1	65	100	3	7	6	9000	6830	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6230	6230	0.933333
2332	037	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
2333A	002	2791	0.06	1100	1	65	100	3	6	5	8373	7273	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7814.799805	6714.799805	6714.799805	0.933333
2333A	003	2970	0.07	1625	1	65	100	3	7	6	8910	7285	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8316	6691	6691	0.933333
2333A	004	2907	0.07	1425	1	65	100	3	7	6	8721	7296	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8139.600098	6714.600098	6714.600098	0.933333
2333A	007	3052	0.07	1997	1	65	100	3	7	6	9156	7159	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8545.599609	6548.599609	6548.599609	0.933333
2333A	008	2980	0.07	2145	1	65	100	3	7	6	8940	6795	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8344	6199	6199	0.933333
2333A	009	2934	0.07	1685	1	65	100	3	7	6	8802	7117	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8215.200195	6530.200195	6530.200195	0.933333
2333A	010	2906	0.07	1154	1	65	100	3	7	6	8718	7564	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8136.799805	6982.799805	6982.799805	0.933333
2333A	011	2879	0.07	1130	1	65	100	3	7	6	8637	7507	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8061.199707	6931.199707	6931.199707	0.933333
2333A	012	2851	0.07	1550	1	65	100	3	7	6	8553	7003	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7982.799805	6432.799805	6432.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2333A	013	2823	0.06	2155	1	65	100	3	6	5	8469	6314	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7904.399902	5749.399902	5749.399902	0.933333
2333A	014	2769	0.06	1765	1	65	100	3	6	5	8307	6542	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7753.199707	5988.199707	5988.199707	0.933333
2333A	015	2636	0.06	1180	1	65	100	3	6	5	7908	6728	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7380.799805	6200.799805	6200.799805	0.933333
2333A	017	3042	0.07	1829	1	65	100	3	7	6	9126	7297	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8517.599609	6688.599609	6688.599609	0.933333
2333A	018	2988	0.07	2230	1	65	100	3	7	6	8964	6734	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6136.399414	6136.399414	0.933333
2333A	019	2757	0.06	1500	1	65	100	3	6	5	8271	6771	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7719.600098	6219.600098	6219.600098	0.933333
2333A	022	2665	0.06	1100	1	65	100	3	6	5	7995	6895	RH-1	40	form-based			true	0.7	6	1	5	5	7462	6362	6362	0.933333
2333A	024	2879	0.07	1085	1	65	100	3	7	6	8637	7552	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8061.199707	6976.199707	6976.199707	0.933333
2333A	027	2941	0.07	3468	1	65	100	3	7	6	8823	5355	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8234.799805	4766.799805	4766.799805	0.933333
2333A	028	2941	0.07	1185	1	65	100	3	7	6	8823	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8234.799805	7049.799805	7049.799805	0.933333
2333A	029	2941	0.07	1205	1	65	100	3	7	6	8823	7618	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8234.799805	7029.799805	7029.799805	0.933333
2333A	030	2941	0.07	3182	1	65	100	3	7	6	8823	5641	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8234.799805	5052.799805	5052.799805	0.933333
2333A	031	2941	0.07	1325	1	65	100	3	7	6	8823	7498	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8234.799805	6909.799805	6909.799805	0.933333
2333A	031A	2941	0.07	2040	1	65	100	3	7	6	8823	6783	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8234.799805	6194.799805	6194.799805	0.933333
2333A	031B	2941	0.07	2	1	65	100	3	7	6	8823	8821	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8234.799805	8232.799805	8232.799805	0.933333
2333A	033	2941	0.07	1340	1	65	100	3	7	6	8823	7483	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8234.799805	6894.799805	6894.799805	0.933333
2333A	035	2740	0.06	1185	1	65	100	3	6	5	8220	7035	RH-1	40	form-based			true	0.7	6	1	5	5	7672	6487	6487	0.933333
2333A	036	2740	0.06	2503	1	65	100	3	6	5	8220	5717	RH-1	40	form-based			true	0.7	6	1	5	5	7672	5169	5169	0.933333
2334A	005	2671	0.06	1325	1	65	100	3	6	5	8013	6688	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7478.799805	6153.799805	6153.799805	0.933333
2334A	006	2728	0.06	1618	1	65	100	3	6	5	8184	6566	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7638.399902	6020.399902	6020.399902	0.933333
2334A	007	2778	0.06	1446	1	65	100	3	6	5	8334	6888	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7778.399902	6332.399902	6332.399902	0.933333
2334A	008	2776	0.06	2381	1	65	100	3	6	5	8328	5947	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7772.799805	5391.799805	5391.799805	0.933333
2334A	009	2758	0.06	2444	1	65	100	3	6	5	8274	5830	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7722.399902	5278.399902	5278.399902	0.933333
2334A	010	2723	0.06	1955	1	65	100	3	6	5	8169	6214	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7624.399902	5669.399902	5669.399902	0.933333
2334A	011	2673	0.06	1655	1	65	100	3	6	5	8019	6364	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7484.399902	5829.399902	5829.399902	0.933333
2334A	029	2751	0.06	1162	1	65	100	3	6	5	8253	7091	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7702.799805	6540.799805	6540.799805	0.933333
2334A	030	2784	0.06	1225	1	65	100	3	6	5	8352	7127	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7795.199707	6570.199707	6570.199707	0.933333
2334A	031	2813	0.06	1350	1	65	100	3	6	5	8439	7089	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7876.399902	6526.399902	6526.399902	0.933333
2334A	032	2840	0.07	1400	1	65	100	3	7	6	8520	7120	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7952	6552	6552	0.933333
2334A	033	2846	0.07	1668	1	65	100	3	7	6	8538	6870	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	6300.799805	6300.799805	0.933333
2334A	034	2822	0.06	1820	1	65	100	3	6	5	8466	6646	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7901.600098	6081.600098	6081.600098	0.933333
2334A	035	2779	0.06	1837	1	65	100	3	6	5	8337	6500	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7781.199707	5944.199707	5944.199707	0.933333
2334A	036	2760	0.06	1662	1	65	100	3	6	5	8280	6618	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7728	6066	6066	0.933333
2334A	038	2654	0.06	1065	1	65	100	3	6	5	7962	6897	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7431.199707	6366.199707	6366.199707	0.933333
2335A	008A	2626	0.06	1590	1	65	100	3	6	5	7878	6288	RH-1	40	form-based			true	0.7	6	1	5	5	7352.799805	5762.799805	5762.799805	0.933333
2335A	009	2655	0.06	2290	1	65	100	3	6	5	7965	5675	RH-1	40	form-based			true	0.7	6	1	5	5	7434	5144	5144	0.933333
2335A	010	2685	0.06	2887	1	65	100	3	6	5	8055	5168	RH-1	40	form-based			true	0.7	6	1	5	5	7518	4631	4631	0.933333
2334B	023	2627	0.06	1895	1	65	100	3	6	5	7881	5986	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7355.600098	5460.600098	5460.600098	0.933333
2334B	024	2656	0.06	1953	1	65	100	3	6	5	7968	6015	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7436.799805	5483.799805	5483.799805	0.933333
2334B	025	2636	0.06	1675	1	65	100	3	6	5	7908	6233	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7380.799805	5705.799805	5705.799805	0.933333
2335A	011	2715	0.06	1743	1	65	100	3	6	5	8145	6402	RH-1	40	form-based			true	0.7	6	1	5	5	7602	5859	5859	0.933333
2335A	012	2745	0.06	1702	1	65	100	3	6	5	8235	6533	RH-1	40	form-based			true	0.7	6	1	5	5	7686	5984	5984	0.933333
2335A	013	2774	0.06	2134	1	65	100	3	6	5	8322	6188	RH-1	40	form-based			true	0.7	6	1	5	5	7767.199707	5633.199707	5633.199707	0.933333
2335A	014	2804	0.06	1700	1	65	100	3	6	5	8412	6712	RH-1	40	form-based			true	0.7	6	1	5	5	7851.199707	6151.199707	6151.199707	0.933333
2335A	016	2800	0.06	1500	1	65	100	3	6	5	8400	6900	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7840	6340	6340	0.933333
2335A	018	2692	0.06	2188	1	65	100	3	6	5	8076	5888	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7537.600098	5349.600098	5349.600098	0.933333
2335A	023	2901	0.07	1890	1	65	100	3	7	6	8703	6813	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8122.799805	6232.799805	6232.799805	0.933333
2335A	024	2805	0.06	1550	1	65	100	3	6	5	8415	6865	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7854	6304	6304	0.933333
2335A	025	2727	0.06	1985	1	65	100	3	6	5	8181	6196	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7635.600098	5650.600098	5650.600098	0.933333
2335A	026	2666	0.06	1435	1	65	100	3	6	5	7998	6563	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7464.799805	6029.799805	6029.799805	0.933333
2335A	027	2623	0.06	1038	1	65	100	3	6	5	7869	6831	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7344.399902	6306.399902	6306.399902	0.933333
2335A	031	2626	0.06	1300	1	65	100	3	6	5	7878	6578	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7352.799805	6052.799805	6052.799805	0.933333
2335A	032	2657	0.06	1425	1	65	100	3	6	5	7971	6546	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7439.600098	6014.600098	6014.600098	0.933333
2336	015	3000	0.07	2388	1	65	100	3	7	6	9000	6612	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6012	6012	0.933333
2336	016	3000	0.07	1840	1	65	100	3	7	6	9000	7160	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6560	6560	0.933333
2336	017	3000	0.07	1418	1	65	100	3	7	6	9000	7582	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6982	6982	0.933333
2336	018	3000	0.07	1756	1	65	100	3	7	6	9000	7244	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6644	6644	0.933333
2336	019	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2336	020	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
2336	021	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2336	022	3000	0.07	1905	1	65	100	3	7	6	9000	7095	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6495	6495	0.933333
2336	022A	3000	0.07	1813	1	65	100	3	7	6	9000	7187	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6587	6587	0.933333
2338	003	2794	0.06	3265	1	55	80	2.5	5	4	6985	3720	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7823.199707	4558.199707	4558.199707	1.12
2338	031	2877	0.07	1693	1	55	80	2.5	6	5	7192	5499	RH-1	40	form-based			true	0.7	6	1	5	5	8055.600098	6362.600098	6362.600098	1.120078

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2338	032	2791	0.06	1794	1	55	80	2.5	5	4	6978	5184	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7814.799805	6020.799805	6020.799805	1.11992
2338	033	2949	0.07	1794	1	55	80	2.5	6	5	7372	5578	RH-1	40	form-based			true	0.7	6	1	5	5	8257.200195	6463.200195	6463.200195	1.120076
2337	003	2610	0.06	0	0	55	80	2.5	5	5	6525	6525	RH-1	40	form-based			true	0.7	5	1	5	5	7308	7308	7308	1.12
2337	016	2670	0.06	1100	1	55	80	2.5	5	4	6675	5575	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7476	6376	6376	1.12
2338	015	2660	0.06	1438	1	55	80	2.5	5	4	6650	5212	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7448	6010	6010	1.12
2338	030	2877	0.07	1873	1	55	80	2.5	6	5	7192	5319	RH-1	40	form-based			true	0.7	6	1	5	5	8055.600098	6182.600098	6182.600098	1.120078
2338	034	2853	0.07	1993	1	55	80	2.5	6	5	7132	5139	RH-1	40	form-based			true	0.7	6	1	5	5	7988.399902	5995.399902	5995.399902	1.120079
2338	035	2900	0.07	1826	1	55	80	2.5	6	5	7250	5424	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6294	6294	1.12
2338	036	2874	0.07	1794	1	55	80	2.5	6	5	7185	5391	RH-1	40	form-based			true	0.7	6	1	5	5	8047.199707	6253.199707	6253.199707	1.12
2338	037	2751	0.06	1900	1	55	80	2.5	5	4	6878	4978	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	5802.799805	5802.799805	1.119919
2338	038	2897	0.07	2066	1	55	80	2.5	6	5	7242	5176	RH-1	40	form-based			true	0.7	6	1	5	5	8111.600098	6045.600098	6045.600098	1.120077
2338	039	2771	0.06	2088	1	55	80	2.5	5	4	6928	4840	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7758.799805	5670.799805	5670.799805	1.119919
2338	040	2822	0.06	1954	1	55	80	2.5	5	4	7055	5101	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7901.600098	5947.600098	5947.600098	1.12
2338A	005	3086	0.07	1297	1	55	80	2.5	6	5	7715	6418	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8640.799805	7343.799805	7343.799805	1.12
2338A	006	2823	0.06	1565	1	55	80	2.5	5	4	7058	5493	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7904.399902	6339.399902	6339.399902	1.119921
2338A	007	2815	0.06	1834	1	55	80	2.5	5	4	7038	5204	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7882	6048	6048	1.11992
2338A	014	2300	0.05	0	0	55	80	2.5	4	4	5750	5750	RH-1(D)	40	form-based			true	0.7	5	1.25	5	5	6440	6440	6440	1.12
2338A	015	2241	0.05	0	0	55	80	2.5	4	4	5602	5602	RH-1(D)	40	form-based			true	0.7	5	1.25	5	5	6274.799805	6274.799805	6274.799805	1.1201
2338A	016	2546	0.06	0	0	55	80	2.5	5	5	6365	6365	RH-1(D)	40	form-based			true	0.7	5	1	5	5	7128.799805	7128.799805	7128.799805	1.12
2338A	022	2859	0.07	3287	1	55	80	2.5	6	5	7148	3861	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8005.199707	4718.199707	4718.199707	1.119922
2341	002	3012	0.07	1320	1	65	100	3	7	6	9036	7716	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7113.599609	7113.599609	0.933333
2341	006A	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2341	006B	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2341	006C	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2341	006D	3000	0.07	2369	1	65	100	3	7	6	9000	6631	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6031	6031	0.933333
2341	006E	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2341	006F	3000	0.07	2855	1	65	100	3	7	6	9000	6145	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	5545	5545	0.933333
2341	006G	3019	0.07	1500	1	65	100	3	7	6	9057	7557	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6953.200195	6953.200195	0.933333
2341	006H	3018	0.07	1500	1	65	100	3	7	6	9054	7554	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	6950.399414	6950.399414	0.933333
2341	006I	3017	0.07	1500	1	65	100	3	7	6	9051	7551	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6947.599609	6947.599609	0.933333
2341	006J	3017	0.07	1500	1	65	100	3	7	6	9051	7551	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6947.599609	6947.599609	0.933333
2341	006K	3016	0.07	2816	1	65	100	3	7	6	9048	6232	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	5628.799805	5628.799805	0.933333
2341	023	3095	0.07	1450	1	65	100	3	7	6	9285	7835	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8666	7216	7216	0.933333
2341	027	3000	0.07	1868	1	65	100	3	7	6	9000	7132	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6532	6532	0.933333
2342	016A	1750	0.04	2113	2	65	100	3	4	2	5250	3137	NCD-INNE	65	form-based	true		true	0.75	7	1.75	5	5	7875	5762	5762	1.5
2342	019	2942	0.07	4170	6	65	100	3	7	1	8826	4656	NCD-INNE	65	form-based			true	0.75	11	1.571428537	5	5	13239	9069	9069	1.5
2343	018	3000	0.07	3574	6	85	140	4	10	4	12000	8426	NCD-INNE	65	form-based			true	0.75	11	1.100000024	5	5	13500	9926	9926	1.125
2343	033	3108	0.07	3496	2	65	100	3	7	5	9324	5828	RH-1(D)	40	form-based			true	0.7	7	1	5	5	8702.399414	5206.399414	5206.399414	0.933333
2344A	011	2819	0.06	2536	1	65	100	3	6	5	8457	5921	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7893.199707	5357.199707	5357.199707	0.933333
2344A	012	2810	0.06	2287	1	65	100	3	6	5	8430	6143	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7868	5581	5581	0.933333
2344A	013	2914	0.07	1450	1	65	100	3	7	6	8742	7292	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8159.199707	6709.199707	6709.199707	0.933333
2344A	020A	3192	0.07	2250	2	65	100	3	7	5	9576	7326	RH-1(D)	40	form-based			true	0.7	7	1	5	5	8937.599609	6687.599609	6687.599609	0.933333
2344A	022	3040	0.07	1944	1	65	100	3	7	6	9120	7176	RH-1(D)	40	form-based	true		true	0.7	6	0.857142866	5	5	8512	6568	6568	0.933333
2344A	025	3058	0.07	1325	1	65	100	3	7	6	9174	7849	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8562.399414	7237.399414	7237.399414	0.933333
2344A	030	2631	0.06	1375	1	65	100	3	6	5	7893	6518	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7366.799805	5991.799805	5991.799805	0.933333
2344A	031	2646	0.06	1787	1	65	100	3	6	5	7938	6151	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7408.799805	5621.799805	5621.799805	0.933333
2344A	032	2633	0.06	1916	1	65	100	3	6	5	7899	5983	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7372.399902	5456.399902	5456.399902	0.933333
2345A	006	2651	0.06	2027	1	65	100	3	6	5	7953	5926	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7422.799805	5395.799805	5395.799805	0.933333
2345A	017	3450	0.08	3165	2	85	140	4	11	9	13800	10635	RH-1(D)	40	form-based			true	0.7	7	0.636363626	5	5	9660	6495	6495	0.7
2345A	030	3318	0.08	3888	2	65	100	3	8	6	9954	6066	RH-1	40	form-based			true	0.7	7	0.875	5	5	9290.399414	5402.399414	5402.399414	0.933333
2350	001	3175	0.07	3890	2	65	100	3	7	5	9525	5635	RH-2	40	form-based	true		true	0.7	7	1	5	5	8890	5000	5000	0.933333
2350	006	2989	0.07	4259	1	65	100	3	7	6	8967	4708	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	4110.200195	4110.200195	0.933333
2350	007A	2988	0.07	1200	1	65	100	3	7	6	8964	7764	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	7166.399414	7166.399414	0.933333
2350	008	2988	0.07	935	1	65	100	3	7	6	8964	8029	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	7431.399414	7431.399414	0.933333
2350	009	2988	0.07	915	1	65	100	3	7	6	8964	8049	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	7451.399414	7451.399414	0.933333
2350	013	2987	0.07	1490	1	65	100	3	7	6	8961	7471	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6873.599609	6873.599609	0.933333
2350	014	2987	0.07	2000	1	65	100	3	7	6	8961	6961	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6363.599609	6363.599609	0.933333
2350	016	2987	0.07	2250	1	85	140	4	10	9	11948	9698	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8363.599609	6113.599609	6113.599609	0.7
2350	025	3180	0.07	2850	2	85	140	4	10	8	12720	9870	RM-1	40	form-based			true	0.7	7	0.699999988	5	5	8904	6054	6054	0.7
2350	025A	3180	0.07	3072	2	85	140	4	10	8	12720	9648	RM-1	40	form-based			true	0.7	7	0.699999988	5	5	8904	5832	5832	0.7
2350	026	3180	0.07	3100	2	65	100	3	7	5	9540	6440	RM-1	40	form-based			true	0.7	7	1	5	5	8904	5804	5804	0.933333
2350	031	3060	0.07	1425	1	65	100	3	7	6	9180	7755	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8568	7143	7143	0.933333
2350	031B	3000	0.07	2040	1	65	100	3	7	6	9000	6960	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6360	6360	0.933333
2350	034	3000	0.07	2010	1	65	100	3	7	6	9000	6990	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6390	6390	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2350	036	3000	0.07	1525	1	65	100	3	7	6	9000	7475	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6875	6875	0.933333
2353	001D	3369	0.08	2730	2	65	100	3	8	6	10107	7377	RM-1	40	form-based			true	0.7	7	0.875	5	5	9433.200195	6703.200195	6703.200195	0.933333
2353	001E	3369	0.08	2730	2	65	100	3	8	6	10107	7377	RM-1	40	form-based			true	0.7	7	0.875	5	5	9433.200195	6703.200195	6703.200195	0.933333
2353	001F	3370	0.08	3365	2	65	100	3	8	6	10110	6745	RM-1	40	form-based			true	0.7	7	0.875	5	5	9436	6071	6071	0.933333
2353	001G	3395	0.08	3180	2	65	100	3	8	6	10185	7005	RM-1	40	form-based			true	0.7	7	0.875	5	5	9506	6326	6326	0.933333
2353	002A	2750	0.06	2249	1	65	100	3	6	5	8250	6001	RH-1	40	form-based			true	0.7	6	1	5	5	7700	5451	5451	0.933333
2353	002B	2750	0.06	1500	1	65	100	3	6	5	8250	6750	RH-1	40	form-based			true	0.7	6	1	5	5	7700	6200	6200	0.933333
2353	002C	2750	0.06	1500	1	65	100	3	6	5	8250	6750	RH-1	40	form-based			true	0.7	6	1	5	5	7700	6200	6200	0.933333
2353	002D	2750	0.06	1500	1	65	100	3	6	5	8250	6750	RH-1	40	form-based			true	0.7	6	1	5	5	7700	6200	6200	0.933333
2353	002E	2750	0.06	1680	1	65	100	3	6	5	8250	6570	RH-1	40	form-based			true	0.7	6	1	5	5	7700	6020	6020	0.933333
2353	002F	2750	0.06	2320	1	65	100	3	6	5	8250	5930	RH-1	40	form-based			true	0.7	6	1	5	5	7700	5380	5380	0.933333
2353	003	3100	0.07	3398	2	65	100	3	7	5	9300	5902	RM-1	40	form-based			true	0.7	7	1	5	5	8680	5282	5282	0.933333
2353	017	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2353	018	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2353	019	3095	0.07	1544	1	65	100	3	7	6	9285	7741	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8666	7122	7122	0.933333
2353	020	3000	0.07	1520	1	65	100	3	7	6	9000	7480	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6880	6880	0.933333
2353	021	3000	0.07	1520	1	65	100	3	7	6	9000	7480	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6880	6880	0.933333
2353	022	3000	0.07	1520	1	65	100	3	7	6	9000	7480	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6880	6880	0.933333
2353	023	3000	0.07	1540	1	65	100	3	7	6	9000	7460	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6860	6860	0.933333
2353	024	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
2353	030	2922	0.07	1270	1	65	100	3	7	6	8766	7496	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8181.600098	6911.600098	6911.600098	0.933333
2354	001D	3060	0.07	1425	1	65	100	3	7	6	9180	7755	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8568	7143	7143	0.933333
2354	001E	3060	0.07	1850	1	65	100	3	7	6	9180	7330	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8568	6718	6718	0.933333
2354	001F	3060	0.07	2215	1	65	100	3	7	6	9180	6965	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8568	6353	6353	0.933333
2354	001G	3060	0.07	2228	1	65	100	3	7	6	9180	6952	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8568	6340	6340	0.933333
2354	001H	3060	0.07	1425	1	65	100	3	7	6	9180	7755	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8568	7143	7143	0.933333
2354	001I	3060	0.07	1425	1	65	100	3	7	6	9180	7755	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8568	7143	7143	0.933333
2354	001J	3060	0.07	2640	1	65	100	3	7	6	9180	6540	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8568	5928	5928	0.933333
2354	001K	3060	0.07	2607	1	65	100	3	7	6	9180	6573	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8568	5961	5961	0.933333
2354	001L	3060	0.07	1408	1	65	100	3	7	6	9180	7772	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8568	7160	7160	0.933333
2354	004	3000	0.07	1461	1	65	100	3	7	6	9000	7539	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6939	6939	0.933333
2354	005	3000	0.07	1880	1	65	100	3	7	6	9000	7120	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6520	6520	0.933333
2354	007	3000	0.07	1708	1	85	140	4	10	9	12000	10292	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6692	6692	0.7
2354	016	3003	0.07	1225	1	85	140	4	10	9	12012	10787	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8408.399414	7183.399414	7183.399414	0.7
2354	017	3004	0.07	1225	1	85	140	4	10	9	12016	10791	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8411.200195	7186.200195	7186.200195	0.7
2354	019	3004	0.07	880	1	85	140	4	10	9	12016	11136	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8411.200195	7531.200195	7531.200195	0.7
2354	020	3004	0.07	1400	1	65	100	3	7	6	9012	7612	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7011.200195	7011.200195	0.933333
2354	021	3005	0.07	1110	1	65	100	3	7	6	9015	7905	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7304	7304	0.933333
2354	022	3005	0.07	1260	1	65	100	3	7	6	9015	7755	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7154	7154	0.933333
2354	022A	3005	0.07	1340	1	65	100	3	7	6	9015	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7074	7074	0.933333
2354	023	3005	0.07	1515	1	65	100	3	7	6	9015	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6899	6899	0.933333
2354	024	3006	0.07	1175	1	65	100	3	7	6	9018	7843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7241.799805	7241.799805	0.933333
2354	025	3006	0.07	1175	1	65	100	3	7	6	9018	7843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7241.799805	7241.799805	0.933333
2354	026	3006	0.07	1175	1	65	100	3	7	6	9018	7843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7241.799805	7241.799805	0.933333
2354	027	3006	0.07	1175	1	65	100	3	7	6	9018	7843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7241.799805	7241.799805	0.933333
2354	028	3007	0.07	1250	1	65	100	3	7	6	9021	7771	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7169.599609	7169.599609	0.933333
2354	029	3007	0.07	1718	1	65	100	3	7	6	9021	7303	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6701.599609	6701.599609	0.933333
2354	030	2976	0.07	1175	1	65	100	3	7	6	8928	7753	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8332.799805	7157.799805	7157.799805	0.933333
2354	035	2652	0.06	1675	1	65	100	3	6	5	7956	6281	RH-1	40	form-based			true	0.7	6	1	5	5	7425.600098	5750.600098	5750.600098	0.933333
2354	036	2652	0.06	1475	1	65	100	3	6	5	7956	6481	RH-1	40	form-based			true	0.7	6	1	5	5	7425.600098	5950.600098	5950.600098	0.933333
2355	003	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2355	004	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2355	005	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2355	005A	3000	0.07	1440	1	85	140	4	10	9	12000	10560	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6960	6960	0.7
2355	006	3000	0.07	1125	1	85	140	4	10	9	12000	10875	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7275	7275	0.7
2355	015	3008	0.07	1151	1	65	100	3	7	6	9024	7873	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7271.399414	7271.399414	0.933333
2355	016	3008	0.07	1590	1	65	100	3	7	6	9024	7434	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6832.399414	6832.399414	0.933333
2355	017	3008	0.07	1838	1	65	100	3	7	6	9024	7186	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6584.399414	6584.399414	0.933333
2355	018	3009	0.07	1175	1	65	100	3	7	6	9027	7852	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7250.200195	7250.200195	0.933333
2355	019	3009	0.07	1900	1	65	100	3	7	6	9027	7127	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	6525.200195	6525.200195	0.933333
2355	020	3010	0.07	1175	1	65	100	3	7	6	9030	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7253	7253	0.933333
2355	020A	2699	0.06	1175	1	65	100	3	6	5	8097	6922	RH-1	40	form-based			true	0.7	6	1	5	5	7557.199707	6382.199707	6382.199707	0.933333
2355	022	3011	0.07	2107	1	65	100	3	7	6	9033	6926	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6323.799805	6323.799805	0.933333
2355	023	3011	0.07	1135	1	65	100	3	7	6	9033	7898	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	7295.799805	7295.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2355	024	3011	0.07	1200	1	65	100	3	7	6	9033	7833	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	7230.799805	7230.799805	0.933333
2355	025	3012	0.07	1135	1	65	100	3	7	6	9036	7901	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7298.599609	7298.599609	0.933333
2355	026	3012	0.07	1324	1	65	100	3	7	6	9036	7712	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7109.599609	7109.599609	0.933333
2355	027	3012	0.07	2405	1	65	100	3	7	6	9036	6631	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6028.599609	6028.599609	0.933333
2355	028	2961	0.07	1200	1	65	100	3	7	6	8883	7683	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8290.799805	7090.799805	7090.799805	0.933333
2355	033	2670	0.06	1630	1	65	100	3	6	5	8010	6380	RH-1	40	form-based			true	0.7	6	1	5	5	7476	5846	5846	0.933333
2355	034	2719	0.06	1210	1	65	100	3	6	5	8157	6947	RH-1	40	form-based			true	0.7	6	1	5	5	7613.199707	6403.199707	6403.199707	0.933333
2356	001	2779	0.06	2908	1	65	100	3	6	5	8337	5429	RH-1	40	form-based		true	true	0.7	6	1	5	5	7781.199707	4873.199707	4873.199707	0.933333
2356	001A	2779	0.06	2325	1	65	100	3	6	5	8337	6012	RH-1	40	form-based			true	0.7	6	1	5	5	7781.199707	5456.199707	5456.199707	0.933333
2356	001B	2758	0.06	1430	1	65	100	3	6	5	8274	6844	RH-1	40	form-based			true	0.7	6	1	5	5	7722.399902	6292.399902	6292.399902	0.933333
2356	003	3008	0.07	1570	1	65	100	3	7	6	9024	7454	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6852.399414	6852.399414	0.933333
2356	003A	3008	0.07	2100	1	65	100	3	7	6	9024	6924	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6322.399414	6322.399414	0.933333
2356	004	3009	0.07	2104	1	65	100	3	7	6	9027	6923	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	6321.200195	6321.200195	0.933333
2356	004A	3009	0.07	1265	1	65	100	3	7	6	9027	7762	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7160.200195	7160.200195	0.933333
2356	005	3009	0.07	2291	1	65	100	3	7	6	9027	6736	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	6134.200195	6134.200195	0.933333
2356	016	3000	0.07	1075	1	65	100	3	7	6	9000	7925	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7325	7325	0.933333
2356	017	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
2356	018	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
2356	019	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2356	020	3000	0.07	1929	1	65	100	3	7	6	9000	7071	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6471	6471	0.933333
2356	021	3000	0.07	1779	1	65	100	3	7	6	9000	7221	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6621	6621	0.933333
2356	022	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2356	023	3000	0.07	1335	1	65	100	3	7	6	9000	7665	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7065	7065	0.933333
2356	023A	3000	0.07	2151	1	65	100	3	7	6	9000	6849	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6249	6249	0.933333
2356	029	3600	0.08	2652	3	65	100	3	8	5	10800	8148	RH-1	40	form-based			true	0.7	8	1	5	5	10080	7428	7428	0.933333
2357	001	3042	0.07	1480	1	65	100	3	7	6	9126	7646	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8517.599609	7037.599609	7037.599609	0.933333
2357	001A	2833	0.07	1825	1	65	100	3	7	6	8499	6674	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7932.399902	6107.399902	6107.399902	0.933333
2357	003	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2357	004	3000	0.07	2201	1	65	100	3	7	6	9000	6799	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6199	6199	0.933333
2357	005	3000	0.07	1281	1	65	100	3	7	6	9000	7719	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7119	7119	0.933333
2357	006	3000	0.07	1246	1	65	100	3	7	6	9000	7754	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7154	7154	0.933333
2357	006A	3000	0.07	1499	1	65	100	3	7	6	9000	7501	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6901	6901	0.933333
2357	007	3000	0.07	1629	1	65	100	3	7	6	9000	7371	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6771	6771	0.933333
2357	008	3000	0.07	1365	1	65	100	3	7	6	9000	7635	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7035	7035	0.933333
2357	015	1437	0.03	2656	3	65	100	3	3	0	4311	1655	NCD-TARA	85	form-based		true	true	0.75	8	2.666666746	5	3	8622	5966	5966	2
2357	018	3010	0.07	2031	1	65	100	3	7	6	9030	6999	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6397	6397	0.933333
2357	019	3009	0.07	1000	1	65	100	3	7	6	9027	8027	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7425.200195	7425.200195	0.933333
2357	020	3009	0.07	1750	1	65	100	3	7	6	9027	7277	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	6675.200195	6675.200195	0.933333
2357	021	3008	0.07	1437	1	65	100	3	7	6	9024	7587	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6985.399414	6985.399414	0.933333
2357	022	3007	0.07	2391	1	65	100	3	7	6	9021	6630	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6028.599609	6028.599609	0.933333
2357	023	3006	0.07	1550	1	65	100	3	7	6	9018	7468	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6866.799805	6866.799805	0.933333
2357	024	3006	0.07	1636	1	65	100	3	7	6	9018	7382	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6780.799805	6780.799805	0.933333
2357	033A	2730	0.06	1255	1	65	100	3	6	5	8190	6935	RH-1	40	form-based		true	true	0.7	6	1	5	5	7644	6389	6389	0.933333
2358	001F	2846	0.07	2010	1	65	100	3	7	6	8538	6528	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	5958.799805	5958.799805	0.933333
2358	001G	2847	0.07	1306	1	65	100	3	7	6	8541	7235	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7971.600098	6665.600098	6665.600098	0.933333
2358	002	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6775	6775	0.933333
2358	003	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
2358	004	3000	0.07	2376	1	65	100	3	7	6	9000	6624	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6024	6024	0.933333
2358	005	3000	0.07	1215	1	65	100	3	7	6	9000	7785	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7185	7185	0.933333
2358	006	3000	0.07	2297	1	65	100	3	7	6	9000	6703	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6103	6103	0.933333
2358	007	3000	0.07	1725	1	65	100	3	7	6	9000	7275	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6675	6675	0.933333
2358	008	3000	0.07	1825	1	65	100	3	7	6	9000	7175	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6575	6575	0.933333
2358	009	3000	0.07	2027	1	65	100	3	7	6	9000	6973	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6373	6373	0.933333
2358	010	3000	0.07	1508	1	85	140	4	10	9	12000	10492	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6892	6892	0.7
2358	011	3000	0.07	2552	1	85	140	4	10	9	12000	9448	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	5848	5848	0.7
2358	021	2989	0.07	958	1	85	140	4	10	9	11956	10998	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8369.200195	7411.200195	7411.200195	0.7
2358	022	2990	0.07	1575	1	85	140	4	10	9	11960	10385	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8372	6797	6797	0.7
2358	023	2990	0.07	2412	1	85	140	4	10	9	11960	9548	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8372	5960	5960	0.7
2358	023A	2990	0.07	1392	1	85	140	4	10	9	11960	10568	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8372	6980	6980	0.7
2358	024	2991	0.07	1924	1	65	100	3	7	6	8973	7049	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6450.799805	6450.799805	0.933333
2358	024A	2991	0.07	2310	1	65	100	3	7	6	8973	6663	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6064.799805	6064.799805	0.933333
2358	025	2992	0.07	1602	1	65	100	3	7	6	8976	7374	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6775.599609	6775.599609	0.933333
2358	026	2992	0.07	2016	1	65	100	3	7	6	8976	6960	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6361.599609	6361.599609	0.933333
2358	026A	2993	0.07	990	1	65	100	3	7	6	8979	7989	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7390.399414	7390.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2358	032	2850	0.07	1275	1	65	100	3	7	6	8550	7275	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6705	6705	0.933333
2358	033	2850	0.07	1650	1	65	100	3	7	6	8550	6900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6330	6330	0.933333
2359	001A	2779	0.06	2446	1	65	100	3	6	5	8337	5891	RH-1	40	form-based			true	0.7	6	1	5	5	7781.199707	5335.199707	5335.199707	0.933333
2359	001C	2855	0.07	1437	1	65	100	3	7	6	8565	7128	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7994	6557	6557	0.933333
2359	001E	3004	0.07	1185	1	65	100	3	7	6	9012	7827	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7226.200195	7226.200195	0.933333
2359	001F	3004	0.07	1286	1	65	100	3	7	6	9012	7726	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7125.200195	7125.200195	0.933333
2359	001J	2641	0.06	2092	1	65	100	3	6	5	7923	5831	RH-1	40	form-based		true	true	0.7	6	1	5	5	7394.799805	5302.799805	5302.799805	0.933333
2359	001K	3059	0.07	1151	1	65	100	3	7	6	9177	8026	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8565.200195	7414.200195	7414.200195	0.933333
2359	002	3003	0.07	1340	1	65	100	3	7	6	9009	7669	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7068.399414	7068.399414	0.933333
2359	002A	3003	0.07	2016	1	65	100	3	7	6	9009	6993	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6392.399414	6392.399414	0.933333
2359	002B	3003	0.07	1906	1	65	100	3	7	6	9009	7103	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6502.399414	6502.399414	0.933333
2359	002C	3003	0.07	1340	1	65	100	3	7	6	9009	7669	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7068.399414	7068.399414	0.933333
2359	002D	3003	0.07	1340	1	65	100	3	7	6	9009	7669	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7068.399414	7068.399414	0.933333
2359	002E	3003	0.07	1340	1	65	100	3	7	6	9009	7669	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7068.399414	7068.399414	0.933333
2359	002F	3000	0.07	1409	1	65	100	3	7	6	9000	7591	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6991	6991	0.933333
2359	002G	3000	0.07	1402	1	65	100	3	7	6	9000	7598	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6998	6998	0.933333
2359	002H	3000	0.07	1951	1	65	100	3	7	6	9000	7049	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6449	6449	0.933333
2359	002I	3000	0.07	2062	1	65	100	3	7	6	9000	6938	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6338	6338	0.933333
2359	002K	3000	0.07	1402	1	65	100	3	7	6	9000	7598	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6998	6998	0.933333
2359	003	3003	0.07	1955	1	65	100	3	7	6	9009	7054	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6453.399414	6453.399414	0.933333
2359	004	3003	0.07	1290	1	65	100	3	7	6	9009	7719	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7118.399414	7118.399414	0.933333
2359	005	3003	0.07	1640	1	85	140	4	10	9	12012	10372	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8408.399414	6768.399414	6768.399414	0.7
2359	006	3003	0.07	2171	1	85	140	4	10	9	12012	9841	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8408.399414	6237.399414	6237.399414	0.7
2359	007	3002	0.07	1904	1	85	140	4	10	9	12008	10104	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8405.599609	6501.599609	6501.599609	0.7
2359	009B	1437	0.03	2466	3	85	140	4	4	1	5748	3282	NCD-TARA	85	form-based		true	true	0.75	8	2	5	5	8622	6156	6156	1.5
2359	015	3000	0.07	1790	1	85	140	4	10	9	12000	10210	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6610	6610	0.7
2359	016	3000	0.07	2053	1	65	100	3	7	6	9000	6947	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6347	6347	0.933333
2359	017	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
2359	018	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2359	019	3000	0.07	1402	1	65	100	3	7	6	9000	7598	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6998	6998	0.933333
2360	001A	2869	0.07	2018	1	65	100	3	7	6	8607	6589	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8033.199707	6015.199707	6015.199707	0.933333
2360	001B	2870	0.07	1300	1	65	100	3	7	6	8610	7310	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8036	6736	6736	0.933333
2360	001L	2874	0.07	1470	1	65	100	3	7	6	8622	7152	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8047.199707	6577.199707	6577.199707	0.933333
2360	003	3017	0.07	1628	1	65	100	3	7	6	9051	7423	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6819.599609	6819.599609	0.933333
2360	004	3017	0.07	2084	1	65	100	3	7	6	9051	6967	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6363.599609	6363.599609	0.933333
2360	005	3017	0.07	2016	1	65	100	3	7	6	9051	7035	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6431.599609	6431.599609	0.933333
2360	007	3017	0.07	1420	1	65	100	3	7	6	9051	7631	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7027.599609	7027.599609	0.933333
2360	008	3017	0.07	1501	1	65	100	3	7	6	9051	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6946.599609	6946.599609	0.933333
2360	009	3018	0.07	1692	1	65	100	3	7	6	9054	7362	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	6758.399414	6758.399414	0.933333
2360	010	3018	0.07	1860	1	65	100	3	7	6	9054	7194	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	6590.399414	6590.399414	0.933333
2360	012	3018	0.07	1460	1	85	140	4	10	9	12072	10612	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8450.399414	6990.399414	6990.399414	0.7
2360	020	3000	0.07	1114	1	85	140	4	10	9	12000	10886	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7286	7286	0.7
2360	020A	3000	0.07	1630	1	85	140	4	10	9	12000	10370	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6770	6770	0.7
2360	021	3000	0.07	1770	1	85	140	4	10	9	12000	10230	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6630	6630	0.7
2360	022	3000	0.07	1616	1	85	140	4	10	9	12000	10384	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6784	6784	0.7
2360	023	3000	0.07	1176	1	65	100	3	7	6	9000	7824	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7224	7224	0.933333
2360	024	3000	0.07	1077	1	65	100	3	7	6	9000	7923	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7323	7323	0.933333
2360	025	3000	0.07	2145	1	65	100	3	7	6	9000	6855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6255	6255	0.933333
2360	026	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
2360	027	3000	0.07	1997	1	65	100	3	7	6	9000	7003	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6403	6403	0.933333
2360	028	3000	0.07	1281	1	65	100	3	7	6	9000	7719	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7119	7119	0.933333
2360	029	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2360	030	3090	0.07	2461	1	65	100	3	7	6	9270	6809	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8652	6191	6191	0.933333
2361	001	2862	0.07	1669	1	65	100	3	7	6	8586	6917	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8013.600098	6344.600098	6344.600098	0.933333
2361	001C	2862	0.07	2480	1	65	100	3	7	6	8586	6106	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8013.600098	5533.600098	5533.600098	0.933333
2361	001I	2850	0.07	1277	1	65	100	3	7	6	8550	7273	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6703	6703	0.933333
2361	001J	2850	0.07	2607	1	65	100	3	7	6	8550	5943	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5373	5373	0.933333
2361	006	3010	0.07	1075	1	65	100	3	7	6	9030	7955	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7353	7353	0.933333
2361	007	3130	0.07	2565	2	65	100	3	7	5	9390	6825	RH-1	40	form-based			true	0.7	7	1	5	5	8764	6199	6199	0.933333
2361	008	2889	0.07	1190	1	65	100	3	7	6	8667	7477	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	6899.199707	6899.199707	0.933333
2361	009	3010	0.07	2172	1	65	100	3	7	6	9030	6858	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6256	6256	0.933333
2361	010	3010	0.07	1305	1	65	100	3	7	6	9030	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7123	7123	0.933333
2361	011	3010	0.07	1160	1	85	140	4	10	9	12040	10880	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8428	7268	7268	0.7
2361	012	3010	0.07	2676	1	85	140	4	10	9	12040	9364	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8428	5752	5752	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2361	023	3000	0.07	1880	1	65	100	3	7	6	9000	7120	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6520	6520	0.933333
2361	024	3000	0.07	1266	1	65	100	3	7	6	9000	7734	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7134	7134	0.933333
2361	025	3000	0.07	2500	1	65	100	3	7	6	9000	6500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5900	5900	0.933333
2361	028	3000	0.07	1376	1	65	100	3	7	6	9000	7624	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7024	7024	0.933333
2361	029	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2361	030	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
2361	031	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
2361	032	3000	0.07	1577	1	65	100	3	7	6	9000	7423	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6823	6823	0.933333
2361	033	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2362	001D	3054	0.07	1471	1	65	100	3	7	6	9162	7691	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8551.200195	7080.200195	7080.200195	0.933333
2362	001E	3053	0.07	1350	1	65	100	3	7	6	9159	7809	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8548.399414	7198.399414	7198.399414	0.933333
2362	002	3052	0.07	1994	1	65	100	3	7	6	9156	7162	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8545.599609	6551.599609	6551.599609	0.933333
2362	003	3051	0.07	1252	1	65	100	3	7	6	9153	7901	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8542.799805	7290.799805	7290.799805	0.933333
2362	004	3050	0.07	1160	1	65	100	3	7	6	9150	7990	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8540	7380	7380	0.933333
2362	005	3050	0.07	1325	1	65	100	3	7	6	9150	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8540	7215	7215	0.933333
2362	006	3049	0.07	2550	1	65	100	3	7	6	9147	6597	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8537.200195	5987.200195	5987.200195	0.933333
2362	007	3048	0.07	1450	1	65	100	3	7	6	9144	7694	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8534.399414	7084.399414	7084.399414	0.933333
2362	008	3048	0.07	1800	1	65	100	3	7	6	9144	7344	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8534.399414	6734.399414	6734.399414	0.933333
2362	009	3047	0.07	1986	1	65	100	3	7	6	9141	7155	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8531.599609	6545.599609	6545.599609	0.933333
2362	010	3046	0.07	1600	1	65	100	3	7	6	9138	7538	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8528.799805	6928.799805	6928.799805	0.933333
2362	011	3045	0.07	1065	1	65	100	3	7	6	9135	8070	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8526	7461	7461	0.933333
2362	012	3045	0.07	1603	1	65	100	3	7	6	9135	7532	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8526	6923	6923	0.933333
2362	013	3044	0.07	1700	1	65	100	3	7	6	9132	7432	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8523.200195	6823.200195	6823.200195	0.933333
2362	014	3043	0.07	1250	1	65	100	3	7	6	9129	7879	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8520.399414	7270.399414	7270.399414	0.933333
2362	022A	1792	0.04	2699	4	65	100	3	4	0	5376	2677	NCD-TARA	85	form-based			true	0.75	9	2.25	5	4	10752	8053	8053	2
2362	031	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2362	032	3000	0.07	925	1	65	100	3	7	6	9000	8075	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7475	7475	0.933333
2362	033	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2362	037	3000	0.07	1477	1	65	100	3	7	6	9000	7523	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6923	6923	0.933333
2362	038	2750	0.06	1716	1	65	100	3	6	5	8250	6534	RH-1	40	form-based			true	0.7	6	1	5	5	7700	5984	5984	0.933333
2362	039	2750	0.06	2490	1	65	100	3	6	5	8250	5760	RH-1	40	form-based			true	0.7	6	1	5	5	7700	5210	5210	0.933333
2362	040	2750	0.06	3081	1	65	100	3	6	5	8250	5169	RH-1	40	form-based	true		true	0.7	6	1	5	5	7700	4619	4619	0.933333
2362	041	2500	0.06	1905	0	65	100	3	6	6	7500	5595	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7000	5095	5095	0.933333
2363	002A	2681	0.06	1510	1	65	100	3	6	5	8043	6533	RH-1	40	form-based			true	0.7	6	1	5	5	7506.799805	5996.799805	5996.799805	0.933333
2363	004	2932	0.07	1725	1	65	100	3	7	6	8796	7071	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8209.599609	6484.599609	6484.599609	0.933333
2363	004A	2981	0.07	1650	1	65	100	3	7	6	8943	7293	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8346.799805	6696.799805	6696.799805	0.933333
2363	005	2981	0.07	1125	1	65	100	3	7	6	8943	7818	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8346.799805	7221.799805	7221.799805	0.933333
2363	006	2982	0.07	1545	1	65	100	3	7	6	8946	7401	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6804.599609	6804.599609	0.933333
2363	007	2982	0.07	1000	1	65	100	3	7	6	8946	7946	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7349.599609	7349.599609	0.933333
2363	008	2983	0.07	1594	1	65	100	3	7	6	8949	7355	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6758.399414	6758.399414	0.933333
2363	009	2983	0.07	1950	1	65	100	3	7	6	8949	6999	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6402.399414	6402.399414	0.933333
2363	010	2984	0.07	1200	1	65	100	3	7	6	8952	7752	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	7155.200195	7155.200195	0.933333
2363	011	2985	0.07	1325	1	65	100	3	7	6	8955	7630	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8358	7033	7033	0.933333
2363	012	2985	0.07	1325	1	65	100	3	7	6	8955	7630	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8358	7033	7033	0.933333
2363	012A	2986	0.07	1710	1	65	100	3	7	6	8958	7248	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	6650.799805	6650.799805	0.933333
2363	013	3081	0.07	1375	1	65	100	3	7	6	9243	7868	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8626.799805	7251.799805	7251.799805	0.933333
2363	023	3095	0.07	1600	1	65	100	3	7	6	9285	7685	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8666	7066	7066	0.933333
2363	024	3000	0.07	1069	1	65	100	3	7	6	9000	7931	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7331	7331	0.933333
2363	025	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2363	026	3000	0.07	1525	1	65	100	3	7	6	9000	7475	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6875	6875	0.933333
2363	026A	3000	0.07	1435	1	65	100	3	7	6	9000	7565	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6965	6965	0.933333
2363	027	3000	0.07	1210	1	65	100	3	7	6	9000	7790	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7190	7190	0.933333
2363	028	3000	0.07	1866	1	65	100	3	7	6	9000	7134	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6534	6534	0.933333
2363	029	3000	0.07	1890	1	65	100	3	7	6	9000	7110	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6510	6510	0.933333
2363	030	3000	0.07	1987	1	65	100	3	7	6	9000	7013	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6413	6413	0.933333
2363	031	3000	0.07	1210	1	65	100	3	7	6	9000	7790	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7190	7190	0.933333
2363	032	3000	0.07	2128	1	65	100	3	7	6	9000	6872	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6272	6272	0.933333
2363	033	3000	0.07	1715	1	65	100	3	7	6	9000	7285	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6685	6685	0.933333
2363	034	3000	0.07	1643	1	65	100	3	7	6	9000	7357	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6757	6757	0.933333
2363	035	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
2363	035A	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
2363	036	3000	0.07	1610	1	65	100	3	7	6	9000	7390	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6790	6790	0.933333
2363	039	2641	0.06	1914	1	65	100	3	6	5	7923	6009	RH-1	40	form-based			true	0.7	6	1	5	5	7394.799805	5480.799805	5480.799805	0.933333
2364	002	3000	0.07	1397	1	65	100	3	7	6	9000	7603	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7003	7003	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2364	006	3000	0.07	1215	1	65	100	3	7	6	9000	7785	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7185	7185	0.933333
2364	007	3000	0.07	2220	1	65	100	3	7	6	9000	6780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6180	6180	0.933333
2364	008	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2364	009	3000	0.07	1090	1	65	100	3	7	6	9000	7910	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7310	7310	0.933333
2364	009A	3000	0.07	1169	1	65	100	3	7	6	9000	7831	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7231	7231	0.933333
2364	010	3000	0.07	1047	1	65	100	3	7	6	9000	7953	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7353	7353	0.933333
2364	012	3000	0.07	1629	1	65	100	3	7	6	9000	7371	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6771	6771	0.933333
2364	013	3000	0.07	1410	1	65	100	3	7	6	9000	7590	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6990	6990	0.933333
2364	014	3000	0.07	1641	1	65	100	3	7	6	9000	7359	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6759	6759	0.933333
2364	015	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
2364	016	3000	0.07	1668	1	65	100	3	7	6	9000	7332	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6732	6732	0.933333
2364	017	3000	0.07	2708	1	65	100	3	7	6	9000	6292	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5692	5692	0.933333
2364	018	3000	0.07	2181	1	65	100	3	7	6	9000	6819	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6219	6219	0.933333
2364	028	2998	0.07	2194	1	65	100	3	7	6	8994	6800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6200.399414	6200.399414	0.933333
2364	029	2999	0.07	1235	1	65	100	3	7	6	8997	7762	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7162.200195	7162.200195	0.933333
2364	030	2999	0.07	2302	1	65	100	3	7	6	8997	6695	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6095.200195	6095.200195	0.933333
2364	031	2999	0.07	1846	1	65	100	3	7	6	8997	7151	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6551.200195	6551.200195	0.933333
2364	032	2999	0.07	2311	1	65	100	3	7	6	8997	6686	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6086.200195	6086.200195	0.933333
2364	033	2999	0.07	1250	1	65	100	3	7	6	8997	7747	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7147.200195	7147.200195	0.933333
2364	034	2999	0.07	1880	1	65	100	3	7	6	8997	7117	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6517.200195	6517.200195	0.933333
2364	035	3000	0.07	1580	1	65	100	3	7	6	9000	7420	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6820	6820	0.933333
2364	036	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2364	037	3000	0.07	1369	1	65	100	3	7	6	9000	7631	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7031	7031	0.933333
2364	038	3000	0.07	1219	1	65	100	3	7	6	9000	7781	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7181	7181	0.933333
2364	038A	3000	0.07	1219	1	65	100	3	7	6	9000	7781	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7181	7181	0.933333
2364	039	3000	0.07	1653	1	65	100	3	7	6	9000	7347	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6747	6747	0.933333
2364	040	3001	0.07	1624	1	65	100	3	7	6	9003	7379	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6778.799805	6778.799805	0.933333
2364	041	3001	0.07	1725	1	65	100	3	7	6	9003	7278	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6677.799805	6677.799805	0.933333
2364	051	3000	0.07	3532	1	65	100	3	7	6	9000	5468	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	4868	4868	0.933333
2364	052	3000	0.07	3532	1	65	100	3	7	6	9000	5468	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	4868	4868	0.933333
2366	005	3095	0.07	1350	1	65	100	3	7	6	9285	7935	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8666	7316	7316	0.933333
2366	006	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2366	007	3000	0.07	1860	1	65	100	3	7	6	9000	7140	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6540	6540	0.933333
2366	008	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2366	009	3000	0.07	2339	1	65	100	3	7	6	9000	6661	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6061	6061	0.933333
2366	010	3000	0.07	1845	1	65	100	3	7	6	9000	7155	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6555	6555	0.933333
2366	011	3000	0.07	1758	1	65	100	3	7	6	9000	7242	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6642	6642	0.933333
2366	012	3000	0.07	2458	1	65	100	3	7	6	9000	6542	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5942	5942	0.933333
2366	013	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2366	014	3000	0.07	1654	1	65	100	3	7	6	9000	7346	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6746	6746	0.933333
2366	015	3000	0.07	2065	1	65	100	3	7	6	9000	6935	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6335	6335	0.933333
2366	016	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2366	017	3000	0.07	1956	1	65	100	3	7	6	9000	7044	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6444	6444	0.933333
2366	018	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
2366	019	3000	0.07	2090	1	65	100	3	7	6	9000	6910	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6310	6310	0.933333
2366	020	3000	0.07	1603	1	65	100	3	7	6	9000	7397	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6797	6797	0.933333
2366	024	2996	0.07	1375	1	65	100	3	7	6	8988	7613	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	7013.799805	7013.799805	0.933333
2366	025	2997	0.07	1300	1	65	100	3	7	6	8991	7691	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	7091.599609	7091.599609	0.933333
2366	026	2997	0.07	1645	1	65	100	3	7	6	8991	7346	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6746.599609	6746.599609	0.933333
2366	027	2997	0.07	1645	1	65	100	3	7	6	8991	7346	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6746.599609	6746.599609	0.933333
2366	028	2997	0.07	2796	1	65	100	3	7	6	8991	6195	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	5595.599609	5595.599609	0.933333
2366	029	2997	0.07	1450	1	65	100	3	7	6	8991	7541	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6941.599609	6941.599609	0.933333
2366	030	2997	0.07	1870	1	65	100	3	7	6	8991	7121	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6521.599609	6521.599609	0.933333
2366	031	2998	0.07	1980	1	65	100	3	7	6	8994	7014	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6414.399414	6414.399414	0.933333
2366	032	2998	0.07	1987	1	65	100	3	7	6	8994	7007	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6407.399414	6407.399414	0.933333
2366	033	2998	0.07	1600	1	65	100	3	7	6	8994	7394	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6794.399414	6794.399414	0.933333
2366	034	2998	0.07	1130	1	65	100	3	7	6	8994	7864	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7264.399414	7264.399414	0.933333
2366	035	2998	0.07	1190	1	65	100	3	7	6	8994	7804	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7204.399414	7204.399414	0.933333
2366	036	2998	0.07	1587	1	65	100	3	7	6	8994	7407	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6807.399414	6807.399414	0.933333
2366	037	2999	0.07	1655	1	65	100	3	7	6	8997	7342	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6742.200195	6742.200195	0.933333
2366	038	2999	0.07	1255	1	65	100	3	7	6	8997	7742	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7142.200195	7142.200195	0.933333
2366	039	3094	0.07	1861	1	65	100	3	7	6	9282	7421	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8663.200195	6802.200195	6802.200195	0.933333
2367	002	3091	0.07	2156	1	65	100	3	7	6	9273	7117	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8654.799805	6498.799805	6498.799805	0.933333
2367	003	2995	0.07	800	1	65	100	3	7	6	8985	8185	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7586	7586	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2367	004	2995	0.07	1011	1	65	100	3	7	6	8985	7974	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7375	7375	0.933333
2367	005	2995	0.07	800	1	65	100	3	7	6	8985	8185	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7586	7586	0.933333
2367	005A	2995	0.07	800	1	65	100	3	7	6	8985	8185	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7586	7586	0.933333
2367	005B	2995	0.07	800	1	65	100	3	7	6	8985	8185	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7586	7586	0.933333
2367	005C	2995	0.07	1325	1	65	100	3	7	6	8985	7660	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7061	7061	0.933333
2367	005D	2995	0.07	800	1	65	100	3	7	6	8985	8185	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7586	7586	0.933333
2367	006	2995	0.07	1232	1	65	100	3	7	6	8985	7753	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7154	7154	0.933333
2367	007	2994	0.07	1232	1	65	100	3	7	6	8982	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7151.200195	7151.200195	0.933333
2367	007A	2994	0.07	1232	1	65	100	3	7	6	8982	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7151.200195	7151.200195	0.933333
2367	008	2994	0.07	800	1	65	100	3	7	6	8982	8182	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7583.200195	7583.200195	0.933333
2367	008A	2994	0.07	800	1	65	100	3	7	6	8982	8182	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7583.200195	7583.200195	0.933333
2367	009	2994	0.07	1414	1	65	100	3	7	6	8982	7568	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6969.200195	6969.200195	0.933333
2367	010	2994	0.07	1902	1	65	100	3	7	6	8982	7080	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6481.200195	6481.200195	0.933333
2367	011	2994	0.07	1705	1	65	100	3	7	6	8982	7277	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6678.200195	6678.200195	0.933333
2367	020	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2367	020A	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2367	021	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2367	022	3000	0.07	1449	1	65	100	3	7	6	9000	7551	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6951	6951	0.933333
2367	023	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2367	023A	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2367	023B	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2367	023C	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2367	024	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2367	024A	3000	0.07	1233	1	65	100	3	7	6	9000	7767	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7167	7167	0.933333
2367	025	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2367	026	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2367	027	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2367	028	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2367	029	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2367	029A	3095	0.07	1220	1	65	100	3	7	6	9285	8065	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8666	7446	7446	0.933333
2368	002	3000	0.07	1362	1	65	100	3	7	6	9000	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7038	7038	0.933333
2368	003	3000	0.07	1362	1	65	100	3	7	6	9000	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7038	7038	0.933333
2368	004	3000	0.07	1720	1	65	100	3	7	6	9000	7280	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6680	6680	0.933333
2368	004A	3000	0.07	1362	1	65	100	3	7	6	9000	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7038	7038	0.933333
2368	005	3000	0.07	1362	1	65	100	3	7	6	9000	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7038	7038	0.933333
2368	006	3000	0.07	1362	1	65	100	3	7	6	9000	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7038	7038	0.933333
2368	007	3000	0.07	1362	1	65	100	3	7	6	9000	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7038	7038	0.933333
2368	008	3000	0.07	1362	1	65	100	3	7	6	9000	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7038	7038	0.933333
2368	008A	3000	0.07	1362	1	65	100	3	7	6	9000	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7038	7038	0.933333
2368	009	3000	0.07	1362	1	65	100	3	7	6	9000	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7038	7038	0.933333
2368	009A	3000	0.07	1932	1	65	100	3	7	6	9000	7068	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6468	6468	0.933333
2368	010	3000	0.07	1362	1	65	100	3	7	6	9000	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7038	7038	0.933333
2368	011	3000	0.07	2315	1	65	100	3	7	6	9000	6685	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6085	6085	0.933333
2368	012	3000	0.07	2179	1	65	100	3	7	6	9000	6821	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6221	6221	0.933333
2368	013	3000	0.07	1362	1	85	140	4	10	9	12000	10638	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7038	7038	0.7
2368	013A	3095	0.07	1802	1	85	140	4	10	9	12380	10578	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8666	6864	6864	0.7
2368	014	1395	0.03	2793	2	85	140	4	4	2	5580	2787	RTO-C	85	form-based			true	0.75	7	1.75	5	5	8370	5577	5577	1.5
2368	015	1487	0.03	2550	3	85	140	4	4	1	5948	3398	RTO-C	85	form-based	true		true	0.75	8	2	5	5	8922	6372	6372	1.5
2368	019A	3003	0.07	2234	1	85	140	4	10	9	12012	9778	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8408.399414	6174.399414	6174.399414	0.7
2368	019B	3003	0.07	1362	1	85	140	4	10	9	12012	10650	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8408.399414	7046.399414	7046.399414	0.7
2368	020	3003	0.07	1362	1	85	140	4	10	9	12012	10650	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8408.399414	7046.399414	7046.399414	0.7
2368	020A	3003	0.07	1632	1	65	100	3	7	6	9009	7377	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6776.399414	6776.399414	0.933333
2368	020B	3003	0.07	1587	1	65	100	3	7	6	9009	7422	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6821.399414	6821.399414	0.933333
2368	021	3003	0.07	1362	1	65	100	3	7	6	9009	7647	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7046.399414	7046.399414	0.933333
2368	022	3003	0.07	1362	1	65	100	3	7	6	9009	7647	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7046.399414	7046.399414	0.933333
2368	023	3003	0.07	2012	1	65	100	3	7	6	9009	6997	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6396.399414	6396.399414	0.933333
2368	024	3003	0.07	1362	1	65	100	3	7	6	9009	7647	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7046.399414	7046.399414	0.933333
2368	025	3003	0.07	1362	1	65	100	3	7	6	9009	7647	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7046.399414	7046.399414	0.933333
2368	025A	3003	0.07	1882	1	65	100	3	7	6	9009	7127	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6526.399414	6526.399414	0.933333
2368	026A	3003	0.07	2274	1	65	100	3	7	6	9009	6735	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6134.399414	6134.399414	0.933333
2368	027	3003	0.07	2245	1	65	100	3	7	6	9009	6764	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6163.399414	6163.399414	0.933333
2368	028	3003	0.07	1856	1	65	100	3	7	6	9009	7153	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6552.399414	6552.399414	0.933333
2368	044	1392	0.03	2754	2	85	140	4	4	2	5568	2814	RTO-C	85	form-based			true	0.75	7	1.75	5	5	8352	5598	5598	1.5
2369	003A	3016	0.07	1030	1	65	100	3	7	6	9048	8018	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7414.799805	7414.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2369	003B	3016	0.07	1030	1	65	100	3	7	6	9048	8018	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7414.799805	7414.799805	0.933333
2369	003C	3016	0.07	1030	1	65	100	3	7	6	9048	8018	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7414.799805	7414.799805	0.933333
2369	004	3016	0.07	2180	1	65	100	3	7	6	9048	6868	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	6264.799805	6264.799805	0.933333
2369	004A	3016	0.07	1250	1	65	100	3	7	6	9048	7798	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7194.799805	7194.799805	0.933333
2369	004B	3016	0.07	1705	1	65	100	3	7	6	9048	7343	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	6739.799805	6739.799805	0.933333
2369	005	3016	0.07	1500	1	65	100	3	7	6	9048	7548	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	6944.799805	6944.799805	0.933333
2369	006	3016	0.07	1030	1	65	100	3	7	6	9048	8018	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7414.799805	7414.799805	0.933333
2369	006A	3016	0.07	1030	1	65	100	3	7	6	9048	8018	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7414.799805	7414.799805	0.933333
2369	007	3016	0.07	1238	1	65	100	3	7	6	9048	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7206.799805	7206.799805	0.933333
2369	007A	3016	0.07	1030	1	65	100	3	7	6	9048	8018	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7414.799805	7414.799805	0.933333
2369	008	3016	0.07	1030	1	65	100	3	7	6	9048	8018	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7414.799805	7414.799805	0.933333
2369	008A	3016	0.07	1250	1	85	140	4	10	9	12064	10814	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8444.799805	7194.799805	7194.799805	0.7
2369	009	3016	0.07	1752	1	85	140	4	10	9	12064	10312	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8444.799805	6692.799805	6692.799805	0.7
2369	009B	3016	0.07	1423	1	85	140	4	10	9	12064	10641	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8444.799805	7021.799805	7021.799805	0.7
2369	017	3000	0.07	1906	1	65	100	3	7	6	9000	7094	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6494	6494	0.933333
2369	017A	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2369	018	3000	0.07	1276	1	65	100	3	7	6	9000	7724	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7124	7124	0.933333
2369	018A	3000	0.07	2073	1	65	100	3	7	6	9000	6927	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6327	6327	0.933333
2369	019	3000	0.07	1690	1	65	100	3	7	6	9000	7310	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6710	6710	0.933333
2369	020	3000	0.07	1176	1	65	100	3	7	6	9000	7824	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7224	7224	0.933333
2369	021	3000	0.07	1726	1	65	100	3	7	6	9000	7274	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6674	6674	0.933333
2369	021A	3000	0.07	1030	1	65	100	3	7	6	9000	7970	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7370	7370	0.933333
2369	022	3000	0.07	1174	1	65	100	3	7	6	9000	7826	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7226	7226	0.933333
2369	022A	3000	0.07	2680	1	65	100	3	7	6	9000	6320	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5720	5720	0.933333
2369	023	3000	0.07	1030	1	65	100	3	7	6	9000	7970	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7370	7370	0.933333
2369	023A	3000	0.07	1030	1	65	100	3	7	6	9000	7970	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7370	7370	0.933333
2369	024	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2369	025	3000	0.07	1154	1	65	100	3	7	6	9000	7846	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7246	7246	0.933333
2369	026	3000	0.07	1030	1	65	100	3	7	6	9000	7970	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7370	7370	0.933333
2369	026A	3095	0.07	1524	1	65	100	3	7	6	9285	7761	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8666	7142	7142	0.933333
2370	055	3002	0.07	2250	1	65	100	3	7	6	9006	6756	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6155.599609	6155.599609	0.933333
2370	056	3002	0.07	1900	1	65	100	3	7	6	9006	7106	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6505.599609	6505.599609	0.933333
2370	057	3002	0.07	2100	1	65	100	3	7	6	9006	6906	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6305.599609	6305.599609	0.933333
2370	058	3001	0.07	1984	1	65	100	3	7	6	9003	7019	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6418.799805	6418.799805	0.933333
2370	059	3001	0.07	2179	1	65	100	3	7	6	9003	6824	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6223.799805	6223.799805	0.933333
2370	060	3001	0.07	1575	1	65	100	3	7	6	9003	7428	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6827.799805	6827.799805	0.933333
2370	061	3001	0.07	1575	1	65	100	3	7	6	9003	7428	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6827.799805	6827.799805	0.933333
2370	062	3001	0.07	1575	1	85	140	4	10	9	12004	10429	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8402.799805	6827.799805	6827.799805	0.7
2370	063	3001	0.07	1623	1	85	140	4	10	9	12004	10381	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8402.799805	6779.799805	6779.799805	0.7
2370	064	3000	0.07	1600	1	85	140	4	10	9	12000	10400	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6800	6800	0.7
2370	065	3000	0.07	2092	1	85	140	4	10	9	12000	9908	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6308	6308	0.7
2370	066	3000	0.07	1650	1	85	140	4	10	9	12000	10350	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6750	6750	0.7
2370	067	3000	0.07	1960	1	85	140	4	10	9	12000	10040	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6440	6440	0.7
2370	069	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
2370	070	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
2370	071	3000	0.07	1780	1	65	100	3	7	6	9000	7220	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6620	6620	0.933333
2370	072	3000	0.07	2083	1	65	100	3	7	6	9000	6917	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6317	6317	0.933333
2370	073	3000	0.07	2140	1	65	100	3	7	6	9000	6860	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6260	6260	0.933333
2371	002	3007	0.07	1459	1	65	100	3	7	6	9021	7562	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6960.599609	6960.599609	0.933333
2371	003	3007	0.07	1461	1	65	100	3	7	6	9021	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6958.599609	6958.599609	0.933333
2371	004	3007	0.07	1267	1	65	100	3	7	6	9021	7754	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7152.599609	7152.599609	0.933333
2371	005	3007	0.07	1109	1	65	100	3	7	6	9021	7912	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7310.599609	7310.599609	0.933333
2371	006	3007	0.07	1251	1	65	100	3	7	6	9021	7770	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7168.599609	7168.599609	0.933333
2371	007	3007	0.07	1011	1	65	100	3	7	6	9021	8010	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7408.599609	7408.599609	0.933333
2371	007A	3007	0.07	1651	1	65	100	3	7	6	9021	7370	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6768.599609	6768.599609	0.933333
2371	007B	3007	0.07	1471	1	65	100	3	7	6	9021	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6948.599609	6948.599609	0.933333
2371	007C	3007	0.07	1841	1	65	100	3	7	6	9021	7180	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6578.599609	6578.599609	0.933333
2371	007D	3007	0.07	1221	1	65	100	3	7	6	9021	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7198.599609	7198.599609	0.933333
2371	007E	3007	0.07	1011	1	65	100	3	7	6	9021	8010	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7408.599609	7408.599609	0.933333
2371	008	3007	0.07	1011	1	65	100	3	7	6	9021	8010	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7408.599609	7408.599609	0.933333
2371	008A	3006	0.07	1011	1	65	100	3	7	6	9018	8007	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7405.799805	7405.799805	0.933333
2371	009	3006	0.07	1590	1	85	140	4	10	9	12024	10434	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8416.799805	6826.799805	6826.799805	0.7
2371	010	3006	0.07	2035	1	85	140	4	10	9	12024	9989	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8416.799805	6381.799805	6381.799805	0.7
2371	018	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2371	019	3000	0.07	1387	1	65	100	3	7	6	9000	7613	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7013	7013	0.933333
2371	020	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2371	021	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
2371	021A	3000	0.07	1532	1	65	100	3	7	6	9000	7468	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6868	6868	0.933333
2371	021B	3000	0.07	1617	1	65	100	3	7	6	9000	7383	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6783	6783	0.933333
2371	021C	3000	0.07	2073	1	65	100	3	7	6	9000	6927	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6327	6327	0.933333
2371	021D	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2371	021E	3000	0.07	1343	1	65	100	3	7	6	9000	7657	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7057	7057	0.933333
2371	021F	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2371	022	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2371	023	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2371	024	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2371	024A	3000	0.07	825	1	65	100	3	7	6	9000	8175	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7575	7575	0.933333
2371	025	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
2372	003	3018	0.07	950	1	65	100	3	7	6	9054	8104	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	7500.399414	7500.399414	0.933333
2372	004	3018	0.07	800	1	65	100	3	7	6	9054	8254	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	7650.399414	7650.399414	0.933333
2372	005	3018	0.07	1751	1	65	100	3	7	6	9054	7303	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	6699.399414	6699.399414	0.933333
2372	006	3018	0.07	995	1	65	100	3	7	6	9054	8059	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	7455.399414	7455.399414	0.933333
2372	007	3018	0.07	995	1	65	100	3	7	6	9054	8059	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	7455.399414	7455.399414	0.933333
2372	008	3019	0.07	995	1	65	100	3	7	6	9057	8062	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7458.200195	7458.200195	0.933333
2372	009	3019	0.07	995	1	65	100	3	7	6	9057	8062	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7458.200195	7458.200195	0.933333
2372	010	3019	0.07	995	1	65	100	3	7	6	9057	8062	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7458.200195	7458.200195	0.933333
2372	011	3019	0.07	1162	1	65	100	3	7	6	9057	7895	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7291.200195	7291.200195	0.933333
2372	012	3019	0.07	1986	1	65	100	3	7	6	9057	7071	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6467.200195	6467.200195	0.933333
2372	015	3019	0.07	1900	1	65	100	3	7	6	9057	7157	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6553.200195	6553.200195	0.933333
2372	016	3019	0.07	1036	1	85	140	4	10	9	12076	11040	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8453.200195	7417.200195	7417.200195	0.7
2372	017	3019	0.07	1036	1	85	140	4	10	9	12076	11040	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8453.200195	7417.200195	7417.200195	0.7
2372	025	3000	0.07	1306	1	85	140	4	10	9	12000	10694	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7094	7094	0.7
2372	026	3000	0.07	1402	1	85	140	4	10	9	12000	10598	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6998	6998	0.7
2372	027	3000	0.07	1620	1	85	140	4	10	9	12000	10380	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6780	6780	0.7
2372	028	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2372	029	3000	0.07	1030	1	65	100	3	7	6	9000	7970	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7370	7370	0.933333
2372	030	3000	0.07	850	1	65	100	3	7	6	9000	8150	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7550	7550	0.933333
2372	031	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2372	032	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2372	033	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2372	034	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2372	035	3000	0.07	1512	1	65	100	3	7	6	9000	7488	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6888	6888	0.933333
2372	036	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2372	037	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2372	038	3000	0.07	2106	1	65	100	3	7	6	9000	6894	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6294	6294	0.933333
2372	039	3000	0.07	1845	1	65	100	3	7	6	9000	7155	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6555	6555	0.933333
2372	040	3095	0.07	1689	1	65	100	3	7	6	9285	7596	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8666	6977	6977	0.933333
2372	051	3019	0.07	2530	1	65	100	3	7	6	9057	6527	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	5923.200195	5923.200195	0.933333
2372	052	3019	0.07	2530	1	65	100	3	7	6	9057	6527	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	5923.200195	5923.200195	0.933333
2373	002	3095	0.07	1252	1	65	100	3	7	6	9285	8033	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8666	7414	7414	0.933333
2373	003	3000	0.07	1684	1	65	100	3	7	6	9000	7316	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6716	6716	0.933333
2373	004	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2373	005	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2373	006	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6775	6775	0.933333
2373	007	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
2373	008	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
2373	009	3000	0.07	1805	1	65	100	3	7	6	9000	7195	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6595	6595	0.933333
2373	010	3000	0.07	1011	1	65	100	3	7	6	9000	7989	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7389	7389	0.933333
2373	011	3000	0.07	960	1	65	100	3	7	6	9000	8040	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7440	7440	0.933333
2373	012	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
2373	013	3000	0.07	1938	1	65	100	3	7	6	9000	7062	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6462	6462	0.933333
2373	014	3000	0.07	1498	1	65	100	3	7	6	9000	7502	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6902	6902	0.933333
2373	015	3000	0.07	2480	1	85	140	4	10	9	12000	9520	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	5920	5920	0.7
2373	016	3000	0.07	1162	1	85	140	4	10	9	12000	10838	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7238	7238	0.7
2373	017	3000	0.07	1619	1	85	140	4	10	9	12000	10381	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6781	6781	0.7
2373	026	3013	0.07	1350	1	65	100	3	7	6	9039	7689	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7086.399414	7086.399414	0.933333
2373	027	3013	0.07	1573	1	65	100	3	7	6	9039	7466	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6863.399414	6863.399414	0.933333
2373	028	3013	0.07	1425	1	65	100	3	7	6	9039	7614	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7011.399414	7011.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2373	029	3013	0.07	1525	1	65	100	3	7	6	9039	7514	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6911.399414	6911.399414	0.933333
2373	030	3013	0.07	1200	1	65	100	3	7	6	9039	7839	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7236.399414	7236.399414	0.933333
2373	031	3012	0.07	1359	1	65	100	3	7	6	9036	7677	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7074.599609	7074.599609	0.933333
2373	032	3012	0.07	1831	1	65	100	3	7	6	9036	7205	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6602.599609	6602.599609	0.933333
2373	033	3012	0.07	1138	1	65	100	3	7	6	9036	7898	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7295.599609	7295.599609	0.933333
2373	034	3012	0.07	1138	1	65	100	3	7	6	9036	7898	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7295.599609	7295.599609	0.933333
2373	035	3012	0.07	1892	1	65	100	3	7	6	9036	7144	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6541.599609	6541.599609	0.933333
2373	036	3012	0.07	1150	1	65	100	3	7	6	9036	7886	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7283.599609	7283.599609	0.933333
2373	037	3012	0.07	1150	1	65	100	3	7	6	9036	7886	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7283.599609	7283.599609	0.933333
2373	038	3012	0.07	1464	1	65	100	3	7	6	9036	7572	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6969.599609	6969.599609	0.933333
2373	039	3012	0.07	1000	1	65	100	3	7	6	9036	8036	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7433.599609	7433.599609	0.933333
2373	040	3012	0.07	925	1	65	100	3	7	6	9036	8111	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7508.599609	7508.599609	0.933333
2374	002	3095	0.07	1725	1	65	100	3	7	6	9285	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8666	6941	6941	0.933333
2374	003	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2374	004	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
2374	005	3000	0.07	1554	1	65	100	3	7	6	9000	7446	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6846	6846	0.933333
2374	006	3000	0.07	1730	1	65	100	3	7	6	9000	7270	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6670	6670	0.933333
2374	007	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2374	008	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
2374	009	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
2374	009A	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
2374	009B	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2374	009C	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2374	010	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2374	011	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2374	012	3000	0.07	1168	1	65	100	3	7	6	9000	7832	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7232	7232	0.933333
2374	013	3000	0.07	1795	1	85	140	4	10	9	12000	10205	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6605	6605	0.7
2374	014	3000	0.07	2640	1	85	140	4	10	9	12000	9360	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	5760	5760	0.7
2374	022	3009	0.07	1070	1	85	140	4	10	9	12036	10966	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8425.200195	7355.200195	7355.200195	0.7
2374	023	3009	0.07	1550	1	85	140	4	10	9	12036	10486	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8425.200195	6875.200195	6875.200195	0.7
2374	024	3009	0.07	1550	1	85	140	4	10	9	12036	10486	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8425.200195	6875.200195	6875.200195	0.7
2374	025	3009	0.07	1634	1	65	100	3	7	6	9027	7393	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	6791.200195	6791.200195	0.933333
2374	025A	3009	0.07	1162	1	65	100	3	7	6	9027	7865	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7263.200195	7263.200195	0.933333
2374	025B	3009	0.07	1162	1	65	100	3	7	6	9027	7865	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7263.200195	7263.200195	0.933333
2374	026	3009	0.07	1660	1	65	100	3	7	6	9027	7367	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	6765.200195	6765.200195	0.933333
2374	026A	3009	0.07	1025	1	65	100	3	7	6	9027	8002	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7400.200195	7400.200195	0.933333
2374	027	3009	0.07	2365	1	65	100	3	7	6	9027	6662	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	6060.200195	6060.200195	0.933333
2374	028	3009	0.07	1400	1	65	100	3	7	6	9027	7627	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7025.200195	7025.200195	0.933333
2374	029	3010	0.07	1175	1	65	100	3	7	6	9030	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7253	7253	0.933333
2374	030	3010	0.07	1125	1	65	100	3	7	6	9030	7905	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7303	7303	0.933333
2374	031	3010	0.07	2004	1	65	100	3	7	6	9030	7026	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6424	6424	0.933333
2374	032	3010	0.07	1300	1	65	100	3	7	6	9030	7730	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7128	7128	0.933333
2374	033	3010	0.07	1045	1	65	100	3	7	6	9030	7985	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7383	7383	0.933333
2375	002	3095	0.07	1012	1	65	100	3	7	6	9285	8273	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8666	7654	7654	0.933333
2375	003	3000	0.07	2012	1	65	100	3	7	6	9000	6988	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6388	6388	0.933333
2375	004	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
2375	005	3000	0.07	1525	1	65	100	3	7	6	9000	7475	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6875	6875	0.933333
2375	006	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
2375	007	3000	0.07	1493	1	65	100	3	7	6	9000	7507	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6907	6907	0.933333
2375	008	3000	0.07	2060	1	65	100	3	7	6	9000	6940	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6340	6340	0.933333
2375	009	3000	0.07	1717	1	65	100	3	7	6	9000	7283	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6683	6683	0.933333
2375	010	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
2375	011	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
2375	012	3000	0.07	1701	1	65	100	3	7	6	9000	7299	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6699	6699	0.933333
2375	013	3000	0.07	1598	1	65	100	3	7	6	9000	7402	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6802	6802	0.933333
2375	014	3000	0.07	1920	1	65	100	3	7	6	9000	7080	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6480	6480	0.933333
2375	015	3000	0.07	1350	1	85	140	4	10	9	12000	10650	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7050	7050	0.7
2375	016	3000	0.07	1300	1	85	140	4	10	9	12000	10700	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7100	7100	0.7
2375	017	3000	0.07	1025	1	85	140	4	10	9	12000	10975	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7375	7375	0.7
2375	027	3002	0.07	1500	1	65	100	3	7	6	9006	7506	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6905.599609	6905.599609	0.933333
2375	028	3002	0.07	950	1	65	100	3	7	6	9006	8056	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7455.599609	7455.599609	0.933333
2375	029	3003	0.07	1214	1	65	100	3	7	6	9009	7795	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7194.399414	7194.399414	0.933333
2375	030	3003	0.07	1214	1	65	100	3	7	6	9009	7795	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7194.399414	7194.399414	0.933333
2375	031	3003	0.07	1162	1	65	100	3	7	6	9009	7847	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7246.399414	7246.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2375	032	3003	0.07	925	1	65	100	3	7	6	9009	8084	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7483.399414	7483.399414	0.933333
2375	033	3003	0.07	1025	1	65	100	3	7	6	9009	7984	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7383.399414	7383.399414	0.933333
2375	034	3003	0.07	1025	1	65	100	3	7	6	9009	7984	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7383.399414	7383.399414	0.933333
2375	036	3004	0.07	1125	1	65	100	3	7	6	9012	7887	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7286.200195	7286.200195	0.933333
2375	037	3004	0.07	2021	1	65	100	3	7	6	9012	6991	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6390.200195	6390.200195	0.933333
2375	038	3004	0.07	1500	1	65	100	3	7	6	9012	7512	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6911.200195	6911.200195	0.933333
2375	039	3004	0.07	1175	1	65	100	3	7	6	9012	7837	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7236.200195	7236.200195	0.933333
2375	040	3004	0.07	1375	1	65	100	3	7	6	9012	7637	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7036.200195	7036.200195	0.933333
2375	041	3004	0.07	1162	1	65	100	3	7	6	9012	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7249.200195	7249.200195	0.933333
2376	004	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2376	005	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2376	006	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
2376	009	3000	0.07	1403	1	65	100	3	7	6	9000	7597	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6997	6997	0.933333
2376	010	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
2376	010A	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
2376	011	3000	0.07	1424	1	65	100	3	7	6	9000	7576	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6976	6976	0.933333
2376	012	3000	0.07	1637	1	65	100	3	7	6	9000	7363	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6763	6763	0.933333
2376	013	3000	0.07	2387	1	65	100	3	7	6	9000	6613	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6013	6013	0.933333
2376	014	3000	0.07	1705	1	65	100	3	7	6	9000	7295	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6695	6695	0.933333
2376	015	3000	0.07	900	1	65	100	3	7	6	9000	8100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7500	7500	0.933333
2376	016	3000	0.07	1413	1	65	100	3	7	6	9000	7587	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6987	6987	0.933333
2376	017	3000	0.07	1593	1	65	100	3	7	6	9000	7407	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6807	6807	0.933333
2376	018	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
2376	019	3000	0.07	900	1	65	100	3	7	6	9000	8100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7500	7500	0.933333
2376	028	3035	0.07	2250	1	65	100	3	7	6	9105	6855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8498	6248	6248	0.933333
2376	029	3034	0.07	1325	1	65	100	3	7	6	9102	7777	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8495.200195	7170.200195	7170.200195	0.933333
2376	030	3033	0.07	1325	1	65	100	3	7	6	9099	7774	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	7167.399414	7167.399414	0.933333
2376	031	3033	0.07	2320	1	65	100	3	7	6	9099	6779	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	6172.399414	6172.399414	0.933333
2376	032	3032	0.07	1150	1	65	100	3	7	6	9096	7946	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8489.599609	7339.599609	7339.599609	0.933333
2376	033	3031	0.07	1012	1	65	100	3	7	6	9093	8081	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8486.799805	7474.799805	7474.799805	0.933333
2376	034	3030	0.07	1012	1	65	100	3	7	6	9090	8078	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8484	7472	7472	0.933333
2376	035	3029	0.07	1668	1	65	100	3	7	6	9087	7419	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8481.200195	6813.200195	6813.200195	0.933333
2376	036	3029	0.07	2492	1	65	100	3	7	6	9087	6595	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8481.200195	5989.200195	5989.200195	0.933333
2376	037	3028	0.07	2114	1	65	100	3	7	6	9084	6970	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8478.399414	6364.399414	6364.399414	0.933333
2376	037A	3027	0.07	1475	1	65	100	3	7	6	9081	7606	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8475.599609	7000.599609	7000.599609	0.933333
2376	038	3026	0.07	2818	1	65	100	3	7	6	9078	6260	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	5654.799805	5654.799805	0.933333
2376	040	3024	0.07	1370	1	65	100	3	7	6	9072	7702	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	7097.200195	7097.200195	0.933333
2376	041	3023	0.07	1370	1	65	100	3	7	6	9069	7699	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7094.399414	7094.399414	0.933333
2378	002	2687	0.06	1831	1	65	100	3	6	5	8061	6230	RH-1	40	form-based			true	0.7	6	1	5	5	7523.600098	5692.600098	5692.600098	0.933333
2378	003	2688	0.06	1638	1	65	100	3	6	5	8064	6426	RH-1	40	form-based			true	0.7	6	1	5	5	7526.399902	5888.399902	5888.399902	0.933333
2378	004	3000	0.07	1151	1	65	100	3	7	6	9000	7849	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7249	7249	0.933333
2378	005	3000	0.07	2230	1	65	100	3	7	6	9000	6770	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6170	6170	0.933333
2378	008	3048	0.07	1652	1	65	100	3	7	6	9144	7492	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8534.399414	6882.399414	6882.399414	0.933333
2378	009	3049	0.07	3360	1	65	100	3	7	6	9147	5787	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8537.200195	5177.200195	5177.200195	0.933333
2378	010	3051	0.07	1088	1	65	100	3	7	6	9153	8065	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8542.799805	7454.799805	7454.799805	0.933333
2378	011	3052	0.07	1304	1	65	100	3	7	6	9156	7852	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8545.599609	7241.599609	7241.599609	0.933333
2378	012	3053	0.07	800	1	65	100	3	7	6	9159	8359	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8548.399414	7748.399414	7748.399414	0.933333
2378	013	3054	0.07	1950	1	65	100	3	7	6	9162	7212	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8551.200195	6601.200195	6601.200195	0.933333
2378	014	3054	0.07	800	1	65	100	3	7	6	9162	8362	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8551.200195	7751.200195	7751.200195	0.933333
2378	015	3055	0.07	920	1	65	100	3	7	6	9165	8245	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8554	7634	7634	0.933333
2378	030	3000	0.07	1587	1	65	100	3	7	6	9000	7413	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6813	6813	0.933333
2378	040	3046	0.07	1024	1	65	100	3	7	6	9138	8114	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8528.799805	7504.799805	7504.799805	0.933333
2378	040A	3045	0.07	1024	1	65	100	3	7	6	9135	8111	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8526	7502	7502	0.933333
2378	041	2688	0.06	1005	1	65	100	3	6	5	8064	7059	RM-1	40	form-based			true	0.7	6	1	5	5	7526.399902	6521.399902	6521.399902	0.933333
2378	042	2687	0.06	2303	1	65	100	3	6	5	8061	5758	RM-1	40	form-based			true	0.7	6	1	5	5	7523.600098	5220.600098	5220.600098	0.933333
2378	045	2721	0.06	1968	1	65	100	3	6	5	8163	6195	RM-1	40	form-based			true	0.7	6	1	5	5	7618.799805	5650.799805	5650.799805	0.933333
2379	002	3218	0.07	2548	2	85	140	4	10	8	12872	10324	RH-1	40	form-based			true	0.7	7	0.699999988	5	5	9010.399414	6462.399414	6462.399414	0.7
2379	003	3000	0.07	1125	1	85	140	4	10	9	12000	10875	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7275	7275	0.7
2379	004	3000	0.07	1667	1	85	140	4	10	9	12000	10333	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6733	6733	0.7
2379	005	3000	0.07	1299	1	85	140	4	10	9	12000	10701	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7101	7101	0.7
2379	006	3000	0.07	1299	1	65	100	3	7	6	9000	7701	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7101	7101	0.933333
2379	007	3000	0.07	1299	1	65	100	3	7	6	9000	7701	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7101	7101	0.933333
2379	008	2999	0.07	1299	1	65	100	3	7	6	8997	7698	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7098.200195	7098.200195	0.933333
2379	009	2999	0.07	1143	1	65	100	3	7	6	8997	7854	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7254.200195	7254.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2379	010	2999	0.07	1113	1	65	100	3	7	6	8997	7884	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7284.200195	7284.200195	0.933333
2379	011	2999	0.07	1113	1	65	100	3	7	6	8997	7884	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7284.200195	7284.200195	0.933333
2379	012	2999	0.07	1533	1	65	100	3	7	6	8997	7464	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6864.200195	6864.200195	0.933333
2379	013	2999	0.07	1813	1	65	100	3	7	6	8997	7184	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6584.200195	6584.200195	0.933333
2379	014	2999	0.07	1113	1	85	140	4	10	9	11996	10883	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8397.200195	7284.200195	7284.200195	0.7
2379	015	2998	0.07	2517	1	85	140	4	10	9	11992	9475	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8394.399414	5877.399414	5877.399414	0.7
2379	016	2998	0.07	1520	1	85	140	4	10	9	11992	10472	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8394.399414	6874.399414	6874.399414	0.7
2379	024	3000	0.07	1003	1	85	140	4	10	9	12000	10997	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7397	7397	0.7
2379	025	3000	0.07	1024	1	85	140	4	10	9	12000	10976	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7376	7376	0.7
2379	026	3000	0.07	1024	1	65	100	3	7	6	9000	7976	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7376	7376	0.933333
2379	027	3000	0.07	934	1	65	100	3	7	6	9000	8066	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7466	7466	0.933333
2379	028	3000	0.07	1491	1	65	100	3	7	6	9000	7509	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6909	6909	0.933333
2379	029	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
2379	030	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
2379	031	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
2379	032	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2379	033	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2379	034	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2379	035	3000	0.07	2097	1	65	100	3	7	6	9000	6903	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6303	6303	0.933333
2379	036	3000	0.07	898	1	65	100	3	7	6	9000	8102	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7502	7502	0.933333
2379	036A	3000	0.07	898	1	65	100	3	7	6	9000	8102	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7502	7502	0.933333
2379	036B	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2380	003	3007	0.07	1137	1	85	140	4	10	9	12028	10891	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8419.599609	7282.599609	7282.599609	0.7
2380	004	3007	0.07	800	1	65	100	3	7	6	9021	8221	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7619.599609	7619.599609	0.933333
2380	007	3007	0.07	1605	1	65	100	3	7	6	9021	7416	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6814.599609	6814.599609	0.933333
2380	008	3007	0.07	995	1	65	100	3	7	6	9021	8026	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7424.599609	7424.599609	0.933333
2380	009	3007	0.07	1844	1	65	100	3	7	6	9021	7177	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6575.599609	6575.599609	0.933333
2380	009A	3007	0.07	1214	1	65	100	3	7	6	9021	7807	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7205.599609	7205.599609	0.933333
2380	010	3007	0.07	1300	1	65	100	3	7	6	9021	7721	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7119.599609	7119.599609	0.933333
2380	011	3007	0.07	1300	1	65	100	3	7	6	9021	7721	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7119.599609	7119.599609	0.933333
2380	012	3007	0.07	1300	1	65	100	3	7	6	9021	7721	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7119.599609	7119.599609	0.933333
2380	013	3006	0.07	1673	1	65	100	3	7	6	9018	7345	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6743.799805	6743.799805	0.933333
2380	014	3006	0.07	1816	1	65	100	3	7	6	9018	7202	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6600.799805	6600.799805	0.933333
2380	015	3006	0.07	2025	1	65	100	3	7	6	9018	6993	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6391.799805	6391.799805	0.933333
2380	016	3006	0.07	1602	1	65	100	3	7	6	9018	7416	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6814.799805	6814.799805	0.933333
2380	026	3000	0.07	2139	1	85	140	4	10	9	12000	9861	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6261	6261	0.7
2380	027	3000	0.07	1300	1	85	140	4	10	9	12000	10700	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7100	7100	0.7
2380	028	3000	0.07	1300	1	85	140	4	10	9	12000	10700	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7100	7100	0.7
2380	029	3000	0.07	1708	1	85	140	4	10	9	12000	10292	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6692	6692	0.7
2380	030	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2380	031	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2380	032	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2380	033	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2380	034	3000	0.07	1998	1	65	100	3	7	6	9000	7002	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6402	6402	0.933333
2380	035	3000	0.07	1825	1	65	100	3	7	6	9000	7175	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6575	6575	0.933333
2380	036	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2380	037	3000	0.07	1514	1	65	100	3	7	6	9000	7486	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6886	6886	0.933333
2380	038	3000	0.07	1006	1	85	140	4	10	9	12000	10994	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7394	7394	0.7
2380	039	3000	0.07	995	1	85	140	4	10	9	12000	11005	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7405	7405	0.7
2380	040	3000	0.07	1569	1	85	140	4	10	9	12000	10431	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6831	6831	0.7
2380	048	3007	0.07	2525	1	65	100	3	7	6	9021	6496	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	5894.599609	5894.599609	0.933333
2380	049	3007	0.07	2525	1	65	100	3	7	6	9021	6496	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	5894.599609	5894.599609	0.933333
2381	002	3014	0.07	1942	1	85	140	4	10	9	12056	10114	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8439.200195	6497.200195	6497.200195	0.7
2381	003	3014	0.07	1976	1	85	140	4	10	9	12056	10080	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8439.200195	6463.200195	6463.200195	0.7
2381	004	3014	0.07	1450	1	85	140	4	10	9	12056	10606	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8439.200195	6989.200195	6989.200195	0.7
2381	005	3014	0.07	1610	1	85	140	4	10	9	12056	10446	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8439.200195	6829.200195	6829.200195	0.7
2381	006	3014	0.07	1250	1	65	100	3	7	6	9042	7792	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7189.200195	7189.200195	0.933333
2381	007	3014	0.07	962	1	65	100	3	7	6	9042	8080	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7477.200195	7477.200195	0.933333
2381	008	3015	0.07	1662	1	65	100	3	7	6	9045	7383	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6780	6780	0.933333
2381	009	3015	0.07	962	1	65	100	3	7	6	9045	8083	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7480	7480	0.933333
2381	010	3015	0.07	1688	1	65	100	3	7	6	9045	7357	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6754	6754	0.933333
2381	011	3015	0.07	1450	1	65	100	3	7	6	9045	7595	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6992	6992	0.933333
2381	012	3015	0.07	995	1	65	100	3	7	6	9045	8050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7447	7447	0.933333
2381	013	3015	0.07	995	1	65	100	3	7	6	9045	8050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7447	7447	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2381	014	3015	0.07	1551	1	65	100	3	7	6	9045	7494	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6891	6891	0.933333
2381	015	3015	0.07	995	1	65	100	3	7	6	9045	8050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7447	7447	0.933333
2381	016	3015	0.07	1175	1	65	100	3	7	6	9045	7870	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7267	7267	0.933333
2381	028	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2381	029	3000	0.07	1271	1	65	100	3	7	6	9000	7729	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7129	7129	0.933333
2381	030	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2381	031	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2381	032	3000	0.07	1477	1	65	100	3	7	6	9000	7523	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6923	6923	0.933333
2381	033	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2381	034	3000	0.07	1524	1	65	100	3	7	6	9000	7476	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6876	6876	0.933333
2381	035	3000	0.07	1428	1	65	100	3	7	6	9000	7572	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6972	6972	0.933333
2381	036	3000	0.07	1647	1	65	100	3	7	6	9000	7353	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6753	6753	0.933333
2381	037	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2381	038	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2381	039	3000	0.07	1205	1	65	100	3	7	6	9000	7795	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7195	7195	0.933333
2381	040	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2381	041	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2382	001C	2690	0.06	2550	1	85	140	4	8	7	10760	8210	RH-1	40	form-based			true	0.7	6	0.75	5	5	7532	4982	4982	0.7
2382	001E	3020	0.07	1250	1	65	100	3	7	6	9060	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7206	7206	0.933333
2382	001F	3020	0.07	800	1	65	100	3	7	6	9060	8260	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7656	7656	0.933333
2382	001G	3021	0.07	800	1	65	100	3	7	6	9063	8263	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7658.799805	7658.799805	0.933333
2382	001H	3021	0.07	800	1	65	100	3	7	6	9063	8263	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7658.799805	7658.799805	0.933333
2382	001I	3021	0.07	1461	1	65	100	3	7	6	9063	7602	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6997.799805	6997.799805	0.933333
2382	001J	3021	0.07	800	1	65	100	3	7	6	9063	8263	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7658.799805	7658.799805	0.933333
2382	001K	3021	0.07	1508	1	65	100	3	7	6	9063	7555	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6950.799805	6950.799805	0.933333
2382	002	3021	0.07	800	1	65	100	3	7	6	9063	8263	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7658.799805	7658.799805	0.933333
2382	003	3021	0.07	1016	1	65	100	3	7	6	9063	8047	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7442.799805	7442.799805	0.933333
2382	004	3021	0.07	956	1	65	100	3	7	6	9063	8107	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7502.799805	7502.799805	0.933333
2382	004A	3021	0.07	1375	1	65	100	3	7	6	9063	7688	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7083.799805	7083.799805	0.933333
2382	004B	3021	0.07	1275	1	65	100	3	7	6	9063	7788	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7183.799805	7183.799805	0.933333
2382	004C	3021	0.07	1275	1	65	100	3	7	6	9063	7788	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7183.799805	7183.799805	0.933333
2382	004D	3021	0.07	1275	1	65	100	3	7	6	9063	7788	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7183.799805	7183.799805	0.933333
2382	004E	3022	0.07	1491	1	65	100	3	7	6	9066	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6970.599609	6970.599609	0.933333
2382	005D	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
2382	005E	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
2382	005F	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
2382	005G	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
2382	005H	3000	0.07	1443	1	65	100	3	7	6	9000	7557	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6957	6957	0.933333
2382	005I	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
2382	006	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2382	007	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2382	008	3000	0.07	1555	1	65	100	3	7	6	9000	7445	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6845	6845	0.933333
2382	008A	3000	0.07	1037	1	65	100	3	7	6	9000	7963	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7363	7363	0.933333
2382	008B	3000	0.07	1037	1	65	100	3	7	6	9000	7963	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7363	7363	0.933333
2382	008C	3000	0.07	1037	1	65	100	3	7	6	9000	7963	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7363	7363	0.933333
2382	008D	3000	0.07	2852	1	65	100	3	7	6	9000	6148	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5548	5548	0.933333
2382	009	3000	0.07	2994	1	85	140	4	10	9	12000	9006	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	5406	5406	0.7
2382	009A	3000	0.07	1293	1	85	140	4	10	9	12000	10707	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7107	7107	0.7
2383	002A	3006	0.07	1214	1	85	140	4	10	9	12024	10810	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8416.799805	7202.799805	7202.799805	0.7
2383	003	3006	0.07	912	1	85	140	4	10	9	12024	11112	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8416.799805	7504.799805	7504.799805	0.7
2383	004	3006	0.07	912	1	85	140	4	10	9	12024	11112	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8416.799805	7504.799805	7504.799805	0.7
2383	005	3006	0.07	2746	1	65	100	3	7	6	9018	6272	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	5670.799805	5670.799805	0.933333
2383	006	3006	0.07	1558	1	65	100	3	7	6	9018	7460	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6858.799805	6858.799805	0.933333
2383	007	3006	0.07	1214	1	65	100	3	7	6	9018	7804	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7202.799805	7202.799805	0.933333
2383	008	3005	0.07	1615	1	65	100	3	7	6	9015	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6799	6799	0.933333
2383	009	3005	0.07	995	1	65	100	3	7	6	9015	8020	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7419	7419	0.933333
2383	009A	3005	0.07	1441	1	65	100	3	7	6	9015	7574	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6973	6973	0.933333
2383	010	3005	0.07	1046	1	65	100	3	7	6	9015	7969	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7368	7368	0.933333
2383	011	3005	0.07	1753	1	65	100	3	7	6	9015	7262	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6661	6661	0.933333
2383	012	3005	0.07	1013	1	65	100	3	7	6	9015	8002	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7401	7401	0.933333
2383	013	3005	0.07	995	1	65	100	3	7	6	9015	8020	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7419	7419	0.933333
2383	014	3005	0.07	1668	1	65	100	3	7	6	9015	7347	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6746	6746	0.933333
2383	015	3005	0.07	1260	1	65	100	3	7	6	9015	7755	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7154	7154	0.933333
2383	023	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2383	023A	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2383	023B	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2383	023C	3000	0.07	1268	1	65	100	3	7	6	9000	7732	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7132	7132	0.933333
2383	023D	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2383	023E	3000	0.07	1609	1	65	100	3	7	6	9000	7391	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6791	6791	0.933333
2383	023F	3000	0.07	1354	1	65	100	3	7	6	9000	7646	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7046	7046	0.933333
2383	023G	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2383	023H	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2383	023I	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2383	023J	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2383	023K	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2383	024	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2383	025	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2383	026	3000	0.07	995	1	85	140	4	10	9	12000	11005	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7405	7405	0.7
2383	027C	1497	0.03	2412	3	85	140	4	4	1	5988	3576	RTO-C	85	form-based	true		true	0.75	8	2	5	5	8982	6570	6570	1.5
2384	001	1437	0.03	2580	3	85	140	4	4	1	5748	3168	RTO-C	85	form-based	true		true	0.75	8	2	5	5	8622	6042	6042	1.5
2384	002A	2999	0.07	1214	1	65	100	3	7	6	8997	7783	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7183.200195	7183.200195	0.933333
2384	002B	2999	0.07	1214	1	65	100	3	7	6	8997	7783	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7183.200195	7183.200195	0.933333
2384	003	2999	0.07	1462	1	65	100	3	7	6	8997	7535	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6935.200195	6935.200195	0.933333
2384	003A	2998	0.07	1192	1	65	100	3	7	6	8994	7802	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7202.399414	7202.399414	0.933333
2384	004	2998	0.07	1225	1	65	100	3	7	6	8994	7769	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7169.399414	7169.399414	0.933333
2384	005	2998	0.07	1225	1	65	100	3	7	6	8994	7769	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7169.399414	7169.399414	0.933333
2384	006	2998	0.07	1214	1	65	100	3	7	6	8994	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7180.399414	7180.399414	0.933333
2384	007	2998	0.07	1402	1	65	100	3	7	6	8994	7592	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6992.399414	6992.399414	0.933333
2384	007A	2998	0.07	1214	1	65	100	3	7	6	8994	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7180.399414	7180.399414	0.933333
2384	007B	2998	0.07	1214	1	65	100	3	7	6	8994	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7180.399414	7180.399414	0.933333
2384	008	2997	0.07	1214	1	65	100	3	7	6	8991	7777	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	7177.599609	7177.599609	0.933333
2384	009	2997	0.07	1214	1	65	100	3	7	6	8991	7777	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	7177.599609	7177.599609	0.933333
2384	010	2997	0.07	1451	1	65	100	3	7	6	8991	7540	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6940.599609	6940.599609	0.933333
2384	010A	2997	0.07	962	1	65	100	3	7	6	8991	8029	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	7429.599609	7429.599609	0.933333
2384	011	2997	0.07	962	1	65	100	3	7	6	8991	8029	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	7429.599609	7429.599609	0.933333
2384	018	3000	0.07	1824	1	65	100	3	7	6	9000	7176	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6576	6576	0.933333
2384	018A	3000	0.07	846	1	65	100	3	7	6	9000	8154	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7554	7554	0.933333
2384	018B	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2384	019	3000	0.07	1030	1	65	100	3	7	6	9000	7970	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7370	7370	0.933333
2384	019A	3000	0.07	1030	1	65	100	3	7	6	9000	7970	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7370	7370	0.933333
2384	020	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2384	020A	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2384	020B	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2384	021	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2384	022	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2384	022A	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2384	023	3000	0.07	2067	1	65	100	3	7	6	9000	6933	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6333	6333	0.933333
2384	024A	3000	0.07	1475	1	85	140	4	10	9	12000	10525	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6925	6925	0.7
2384	025	3000	0.07	2803	1	85	140	4	10	9	12000	9197	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	5597	5597	0.7
2385	005	3015	0.07	2718	1	85	140	4	10	9	12060	9342	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8442	5724	5724	0.7
2385	006	3015	0.07	1668	1	65	100	3	7	6	9045	7377	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6774	6774	0.933333
2385	007	3015	0.07	1477	1	65	100	3	7	6	9045	7568	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6965	6965	0.933333
2385	007A	3015	0.07	1162	1	65	100	3	7	6	9045	7883	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7280	7280	0.933333
2385	007B	3015	0.07	1162	1	65	100	3	7	6	9045	7883	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7280	7280	0.933333
2385	008	3015	0.07	2071	1	65	100	3	7	6	9045	6974	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6371	6371	0.933333
2385	009	3015	0.07	995	1	65	100	3	7	6	9045	8050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7447	7447	0.933333
2385	010	3015	0.07	1400	1	65	100	3	7	6	9045	7645	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7042	7042	0.933333
2385	011	3015	0.07	1375	1	65	100	3	7	6	9045	7670	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7067	7067	0.933333
2385	012	3015	0.07	1375	1	65	100	3	7	6	9045	7670	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7067	7067	0.933333
2385	013	3015	0.07	1375	1	65	100	3	7	6	9045	7670	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7067	7067	0.933333
2385	014	3015	0.07	1187	1	65	100	3	7	6	9045	7858	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7255	7255	0.933333
2385	015	3015	0.07	1734	1	65	100	3	7	6	9045	7311	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6708	6708	0.933333
2385	025	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2385	026	3000	0.07	2216	1	65	100	3	7	6	9000	6784	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6184	6184	0.933333
2385	027	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2385	028	3000	0.07	1310	1	65	100	3	7	6	9000	7690	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7090	7090	0.933333
2385	029	3000	0.07	1321	1	65	100	3	7	6	9000	7679	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7079	7079	0.933333
2385	030	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2385	031	3000	0.07	1454	1	65	100	3	7	6	9000	7546	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6946	6946	0.933333
2385	032	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2385	033	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2385	034	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2385	035	3000	0.07	1322	1	65	100	3	7	6	9000	7678	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7078	7078	0.933333
2385	036	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2385	037	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2385	037A	3000	0.07	1605	1	65	100	3	7	6	9000	7395	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6795	6795	0.933333
2385	038	3000	0.07	1162	1	85	140	4	10	9	12000	10838	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7238	7238	0.7
2386	003	3026	0.07	1368	1	65	100	3	7	6	9078	7710	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7104.799805	7104.799805	0.933333
2386	003A	3026	0.07	1000	1	65	100	3	7	6	9078	8078	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7472.799805	7472.799805	0.933333
2386	004	3026	0.07	1200	1	65	100	3	7	6	9078	7878	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7272.799805	7272.799805	0.933333
2386	005	3026	0.07	1600	1	65	100	3	7	6	9078	7478	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6872.799805	6872.799805	0.933333
2386	006	3026	0.07	1300	1	65	100	3	7	6	9078	7778	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7172.799805	7172.799805	0.933333
2386	007	3026	0.07	1300	1	65	100	3	7	6	9078	7778	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7172.799805	7172.799805	0.933333
2386	008	3026	0.07	1050	1	65	100	3	7	6	9078	8028	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7422.799805	7422.799805	0.933333
2386	009	3026	0.07	1300	1	65	100	3	7	6	9078	7778	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7172.799805	7172.799805	0.933333
2386	009A	3026	0.07	1300	1	65	100	3	7	6	9078	7778	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7172.799805	7172.799805	0.933333
2386	010	3026	0.07	1420	1	65	100	3	7	6	9078	7658	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7052.799805	7052.799805	0.933333
2386	011	3026	0.07	1560	1	65	100	3	7	6	9078	7518	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6912.799805	6912.799805	0.933333
2386	012	3026	0.07	1300	1	65	100	3	7	6	9078	7778	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7172.799805	7172.799805	0.933333
2386	013	3026	0.07	1500	1	65	100	3	7	6	9078	7578	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6972.799805	6972.799805	0.933333
2386	014	3026	0.07	1891	1	65	100	3	7	6	9078	7187	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6581.799805	6581.799805	0.933333
2386	015	3026	0.07	1958	1	65	100	3	7	6	9078	7120	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6514.799805	6514.799805	0.933333
2386	025	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2386	026	3000	0.07	1683	1	65	100	3	7	6	9000	7317	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6717	6717	0.933333
2386	027	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2386	028	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2386	029	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
2386	030	3000	0.07	2122	1	65	100	3	7	6	9000	6878	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6278	6278	0.933333
2386	031	3000	0.07	1632	1	65	100	3	7	6	9000	7368	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6768	6768	0.933333
2386	032	3000	0.07	1247	1	65	100	3	7	6	9000	7753	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7153	7153	0.933333
2386	033	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2386	034	3000	0.07	2237	1	65	100	3	7	6	9000	6763	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6163	6163	0.933333
2386	035	3000	0.07	2008	1	65	100	3	7	6	9000	6992	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6392	6392	0.933333
2386	036	3000	0.07	1478	1	65	100	3	7	6	9000	7522	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6922	6922	0.933333
2386	037	3000	0.07	1025	1	65	100	3	7	6	9000	7975	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7375	7375	0.933333
2386	038	3000	0.07	1445	1	85	140	4	10	9	12000	10555	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6955	6955	0.7
2386	039	3000	0.07	995	1	85	140	4	10	9	12000	11005	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7405	7405	0.7
2387	003	2970	0.07	1273	1	65	100	3	7	6	8910	7637	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8316	7043	7043	0.933333
2387	003A	2970	0.07	1000	1	65	100	3	7	6	8910	7910	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8316	7316	7316	0.933333
2387	004	2970	0.07	1312	1	65	100	3	7	6	8910	7598	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8316	7004	7004	0.933333
2387	005	2970	0.07	1964	1	65	100	3	7	6	8910	6946	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8316	6352	6352	0.933333
2387	006	2970	0.07	1456	1	65	100	3	7	6	8910	7454	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8316	6860	6860	0.933333
2387	006A	2970	0.07	1456	1	65	100	3	7	6	8910	7454	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8316	6860	6860	0.933333
2387	028A	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2387	028B	3000	0.07	1615	1	65	100	3	7	6	9000	7385	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6785	6785	0.933333
2387	029	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2387	030	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
2387	031	3000	0.07	1368	1	65	100	3	7	6	9000	7632	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7032	7032	0.933333
2387	031A	3000	0.07	1368	1	65	100	3	7	6	9000	7632	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7032	7032	0.933333
2387	043	2970	0.07	3425	1	65	100	3	7	6	8910	5485	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8316	4891	4891	0.933333
2387	044	2969	0.07	3425	1	65	100	3	7	6	8907	5482	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	4888.200195	4888.200195	0.933333
2387	045	2969	0.07	3425	1	65	100	3	7	6	8907	5482	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	4888.200195	4888.200195	0.933333
2387	046	2969	0.07	3425	1	65	100	3	7	6	8907	5482	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	4888.200195	4888.200195	0.933333
2387	047	2969	0.07	3425	1	65	100	3	7	6	8907	5482	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	4888.200195	4888.200195	0.933333
2387	048	2969	0.07	3425	1	65	100	3	7	6	8907	5482	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	4888.200195	4888.200195	0.933333
2387	049	2969	0.07	2397	1	65	100	3	7	6	8907	6510	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	5916.200195	5916.200195	0.933333
2387	050	2969	0.07	2397	1	65	100	3	7	6	8907	6510	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	5916.200195	5916.200195	0.933333
2387	051	2969	0.07	2397	1	65	100	3	7	6	8907	6510	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	5916.200195	5916.200195	0.933333
2387	052	2644	0.06	2397	1	65	100	3	6	5	7932	5535	RH-1	40	form-based			true	0.7	6	1	5	5	7403.199707	5006.199707	5006.199707	0.933333
2387	062	2675	0.06	2654	1	65	100	3	6	5	8025	5371	RH-1	40	form-based			true	0.7	6	1	5	5	7490	4836	4836	0.933333
2387	063	3000	0.07	2397	1	65	100	3	7	6	9000	6603	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6003	6003	0.933333
2387	064	3000	0.07	2700	1	65	100	3	7	6	9000	6300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5700	5700	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2387	065	3000	0.07	2700	1	65	100	3	7	6	9000	6300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5700	5700	0.933333
2387	066	3000	0.07	2397	1	65	100	3	7	6	9000	6603	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6003	6003	0.933333
2387	067	3000	0.07	2700	1	65	100	3	7	6	9000	6300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5700	5700	0.933333
2387	068	3000	0.07	2700	1	65	100	3	7	6	9000	6300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5700	5700	0.933333
2387	069	3000	0.07	2700	1	65	100	3	7	6	9000	6300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5700	5700	0.933333
2387	070	3000	0.07	2700	1	65	100	3	7	6	9000	6300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5700	5700	0.933333
2387	071	3000	0.07	2700	1	65	100	3	7	6	9000	6300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5700	5700	0.933333
2388	002	2994	0.07	1632	1	65	100	3	7	6	8982	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6751.200195	6751.200195	0.933333
2388	002A	2994	0.07	1200	1	65	100	3	7	6	8982	7782	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7183.200195	7183.200195	0.933333
2388	003	2994	0.07	2700	1	65	100	3	7	6	8982	6282	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	5683.200195	5683.200195	0.933333
2388	003A	2994	0.07	1200	1	65	100	3	7	6	8982	7782	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7183.200195	7183.200195	0.933333
2388	004	2994	0.07	1540	1	65	100	3	7	6	8982	7442	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6843.200195	6843.200195	0.933333
2388	004A	2994	0.07	2010	1	65	100	3	7	6	8982	6972	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6373.200195	6373.200195	0.933333
2388	005	2994	0.07	1819	1	65	100	3	7	6	8982	7163	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6564.200195	6564.200195	0.933333
2388	006	2993	0.07	1651	1	65	100	3	7	6	8979	7328	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6729.399414	6729.399414	0.933333
2388	007	2993	0.07	1595	1	65	100	3	7	6	8979	7384	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6785.399414	6785.399414	0.933333
2388	007A	2993	0.07	1375	1	65	100	3	7	6	8979	7604	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7005.399414	7005.399414	0.933333
2388	008	2993	0.07	1375	1	65	100	3	7	6	8979	7604	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7005.399414	7005.399414	0.933333
2388	009	2993	0.07	1975	1	65	100	3	7	6	8979	7004	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6405.399414	6405.399414	0.933333
2388	010	2993	0.07	2694	1	65	100	3	7	6	8979	6285	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	5686.399414	5686.399414	0.933333
2388	011	2992	0.07	1454	1	65	100	3	7	6	8976	7522	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6923.599609	6923.599609	0.933333
2388	012	2992	0.07	2575	1	65	100	3	7	6	8976	6401	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	5802.599609	5802.599609	0.933333
2388	018A	3000	0.07	1476	1	65	100	3	7	6	9000	7524	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6924	6924	0.933333
2388	019	3000	0.07	2157	1	65	100	3	7	6	9000	6843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6243	6243	0.933333
2388	020	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
2388	020A	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
2388	021	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
2388	022	3000	0.07	1290	1	65	100	3	7	6	9000	7710	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7110	7110	0.933333
2388	022A	3000	0.07	2013	1	65	100	3	7	6	9000	6987	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6387	6387	0.933333
2388	023	3000	0.07	1470	1	65	100	3	7	6	9000	7530	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6930	6930	0.933333
2388	023A	3000	0.07	1935	1	65	100	3	7	6	9000	7065	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6465	6465	0.933333
2388	024	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
2388	024A	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
2388	025	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
2388	025A	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
2388	026	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
2388	027	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
2390	002	2996	0.07	1910	1	65	100	3	7	6	8988	7078	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6478.799805	6478.799805	0.933333
2390	003	2996	0.07	1870	1	65	100	3	7	6	8988	7118	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6518.799805	6518.799805	0.933333
2390	004	2996	0.07	1650	1	65	100	3	7	6	8988	7338	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6738.799805	6738.799805	0.933333
2390	005	2996	0.07	1250	1	65	100	3	7	6	8988	7738	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	7138.799805	7138.799805	0.933333
2390	006	2996	0.07	1180	1	65	100	3	7	6	8988	7808	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	7208.799805	7208.799805	0.933333
2390	007	2995	0.07	1100	1	65	100	3	7	6	8985	7885	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7286	7286	0.933333
2390	008	2995	0.07	1595	1	65	100	3	7	6	8985	7390	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6791	6791	0.933333
2390	009	2995	0.07	1250	1	65	100	3	7	6	8985	7735	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7136	7136	0.933333
2390	009A	2995	0.07	1150	1	65	100	3	7	6	8985	7835	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7236	7236	0.933333
2390	010	2995	0.07	1075	1	65	100	3	7	6	8985	7910	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7311	7311	0.933333
2390	011	2994	0.07	1550	1	65	100	3	7	6	8982	7432	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6833.200195	6833.200195	0.933333
2390	012	2994	0.07	1612	1	65	100	3	7	6	8982	7370	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6771.200195	6771.200195	0.933333
2390	013	2994	0.07	1492	1	65	100	3	7	6	8982	7490	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6891.200195	6891.200195	0.933333
2390	013A	2994	0.07	1885	1	65	100	3	7	6	8982	7097	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6498.200195	6498.200195	0.933333
2390	013B	2994	0.07	1832	1	65	100	3	7	6	8982	7150	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6551.200195	6551.200195	0.933333
2390	025	3000	0.07	1624	1	65	100	3	7	6	9000	7376	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6776	6776	0.933333
2390	026	3000	0.07	1547	1	65	100	3	7	6	9000	7453	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6853	6853	0.933333
2390	027	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2390	028	3000	0.07	640	1	65	100	3	7	6	9000	8360	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7760	7760	0.933333
2390	029	3000	0.07	1040	1	65	100	3	7	6	9000	7960	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7360	7360	0.933333
2390	030	3000	0.07	1369	1	65	100	3	7	6	9000	7631	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7031	7031	0.933333
2390	031	3000	0.07	1888	1	65	100	3	7	6	9000	7112	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6512	6512	0.933333
2390	032	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2390	033	3000	0.07	1875	1	65	100	3	7	6	9000	7125	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6525	6525	0.933333
2390	034	3000	0.07	2300	1	65	100	3	7	6	9000	6700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6100	6100	0.933333
2390	035	3000	0.07	1891	1	65	100	3	7	6	9000	7109	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6509	6509	0.933333
2390	036	3000	0.07	1743	1	65	100	3	7	6	9000	7257	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6657	6657	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2390	037	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
2390	038	3000	0.07	1525	1	65	100	3	7	6	9000	7475	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6875	6875	0.933333
2390	039	3000	0.07	1865	1	65	100	3	7	6	9000	7135	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6535	6535	0.933333
2391	002	2993	0.07	2497	1	65	100	3	7	6	8979	6482	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	5883.399414	5883.399414	0.933333
2391	003	2994	0.07	1175	1	65	100	3	7	6	8982	7807	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7208.200195	7208.200195	0.933333
2391	004	2994	0.07	1140	1	65	100	3	7	6	8982	7842	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7243.200195	7243.200195	0.933333
2391	005	2995	0.07	1962	1	65	100	3	7	6	8985	7023	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6424	6424	0.933333
2391	006	2995	0.07	1110	1	65	100	3	7	6	8985	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7276	7276	0.933333
2391	007	2996	0.07	1150	1	65	100	3	7	6	8988	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	7238.799805	7238.799805	0.933333
2391	008	2997	0.07	1540	1	65	100	3	7	6	8991	7451	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6851.599609	6851.599609	0.933333
2391	009	2997	0.07	1529	1	65	100	3	7	6	8991	7462	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6862.599609	6862.599609	0.933333
2391	010	2998	0.07	1155	1	65	100	3	7	6	8994	7839	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7239.399414	7239.399414	0.933333
2391	011	2998	0.07	1475	1	65	100	3	7	6	8994	7519	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6919.399414	6919.399414	0.933333
2391	012	2999	0.07	1250	1	65	100	3	7	6	8997	7747	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7147.200195	7147.200195	0.933333
2391	013	2999	0.07	1745	1	65	100	3	7	6	8997	7252	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6652.200195	6652.200195	0.933333
2391	015	3001	0.07	1426	1	65	100	3	7	6	9003	7577	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6976.799805	6976.799805	0.933333
2391	016	3001	0.07	1211	1	65	100	3	7	6	9003	7792	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7191.799805	7191.799805	0.933333
2391	017	3002	0.07	1388	1	65	100	3	7	6	9006	7618	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7017.599609	7017.599609	0.933333
2391	023	2688	0.06	1715	1	65	100	3	6	5	8064	6349	RH-1	40	form-based		true	true	0.7	6	1	5	5	7526.399902	5811.399902	5811.399902	0.933333
2391	024	2687	0.06	1355	1	65	100	3	6	5	8061	6706	RH-1	40	form-based			true	0.7	6	1	5	5	7523.600098	6168.600098	6168.600098	0.933333
2391	025	2688	0.06	1240	1	65	100	3	6	5	8064	6824	RH-1	40	form-based			true	0.7	6	1	5	5	7526.399902	6286.399902	6286.399902	0.933333
2391	026	2687	0.06	1200	1	65	100	3	6	5	8061	6861	RH-1	40	form-based			true	0.7	6	1	5	5	7523.600098	6323.600098	6323.600098	0.933333
2391	027	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2391	028	3000	0.07	1941	1	65	100	3	7	6	9000	7059	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6459	6459	0.933333
2391	032	3000	0.07	1365	1	65	100	3	7	6	9000	7635	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7035	7035	0.933333
2391	033	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2391	034	3000	0.07	1530	1	65	100	3	7	6	9000	7470	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6870	6870	0.933333
2391	035	3000	0.07	1210	1	65	100	3	7	6	9000	7790	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7190	7190	0.933333
2391	036	3000	0.07	1210	1	65	100	3	7	6	9000	7790	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7190	7190	0.933333
2391	037	3000	0.07	1660	1	65	100	3	7	6	9000	7340	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6740	6740	0.933333
2391	038	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2391	039	3000	0.07	1570	1	65	100	3	7	6	9000	7430	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6830	6830	0.933333
2391	040	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
2391	041	3000	0.07	1427	1	65	100	3	7	6	9000	7573	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6973	6973	0.933333
2391	042	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
2392	023	3086	0.07	2296	1	65	100	3	7	6	9258	6962	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8640.799805	6344.799805	6344.799805	0.933333
2392	003	3034	0.07	1860	1	65	100	3	7	6	9102	7242	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8495.200195	6635.200195	6635.200195	0.933333
2392	004	3033	0.07	1542	1	65	100	3	7	6	9099	7557	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8492.399414	6950.399414	6950.399414	0.933333
2392	005	3032	0.07	1336	1	65	100	3	7	6	9096	7760	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8489.599609	7153.599609	7153.599609	0.933333
2392	005A	3032	0.07	1370	1	65	100	3	7	6	9096	7726	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8489.599609	7119.599609	7119.599609	0.933333
2392	006	3031	0.07	1110	1	65	100	3	7	6	9093	7983	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8486.799805	7376.799805	7376.799805	0.933333
2392	007	3030	0.07	1200	1	65	100	3	7	6	9090	7890	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8484	7284	7284	0.933333
2392	008	3030	0.07	1125	1	65	100	3	7	6	9090	7965	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8484	7359	7359	0.933333
2392	009	3029	0.07	1350	1	65	100	3	7	6	9087	7737	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8481.200195	7131.200195	7131.200195	0.933333
2392	010	3028	0.07	1232	1	65	100	3	7	6	9084	7852	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8478.399414	7246.399414	7246.399414	0.933333
2392	011	3027	0.07	1050	1	65	100	3	7	6	9081	8031	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8475.599609	7425.599609	7425.599609	0.933333
2392	012	2940	0.07	998	1	65	100	3	7	6	8820	7822	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8232	7234	7234	0.933333
2392	013	2940	0.07	1076	1	65	100	3	7	6	8820	7744	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8232	7156	7156	0.933333
2392	014	2940	0.07	2625	1	65	100	3	7	6	8820	6195	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8232	5607	5607	0.933333
2392	015	2940	0.07	1125	1	65	100	3	7	6	8820	7695	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8232	7107	7107	0.933333
2392	016	2940	0.07	1075	1	65	100	3	7	6	8820	7745	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8232	7157	7157	0.933333
2392	021	3084	0.07	1300	1	65	100	3	7	6	9252	7952	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8635.200195	7335.200195	7335.200195	0.933333
2392	022	3085	0.07	2045	1	65	100	3	7	6	9255	7210	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8638	6593	6593	0.933333
2392	022A	3085	0.07	2444	1	65	100	3	7	6	9255	6811	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8638	6194	6194	0.933333
2392	024	3087	0.07	2100	1	65	100	3	7	6	9261	7161	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8643.599609	6543.599609	6543.599609	0.933333
2392	025	3000	0.07	2601	1	65	100	3	7	6	9000	6399	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5799	5799	0.933333
2392	026	3000	0.07	1565	1	65	100	3	7	6	9000	7435	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6835	6835	0.933333
2392	027	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2392	028	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
2392	029	3000	0.07	1636	1	65	100	3	7	6	9000	7364	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6764	6764	0.933333
2392	030	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2392	031	3000	0.07	1070	1	65	100	3	7	6	9000	7930	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7330	7330	0.933333
2392	032	3000	0.07	1075	1	65	100	3	7	6	9000	7925	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7325	7325	0.933333
2392	033	3000	0.07	1035	1	65	100	3	7	6	9000	7965	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7365	7365	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2392	034	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2392	035	1358	0.03	2322	2	65	100	3	3	1	4074	1752	NCD-TARA	85	form-based			true	0.75	7	2.333333254	5	4	8148	5826	5826	2
2392	036A	1517	0.03	2622	3	65	100	3	3	0	4551	1929	NCD-TARA	85	form-based		true	true	0.75	8	2.666666746	5	3	9102	6480	6480	2
2393	003	3010	0.07	2473	1	85	140	4	10	9	12040	9567	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8428	5955	5955	0.7
2393	004	3010	0.07	1680	1	85	140	4	10	9	12040	10360	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8428	6748	6748	0.7
2393	005	3010	0.07	1578	1	65	100	3	7	6	9030	7452	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6850	6850	0.933333
2393	006	3010	0.07	1468	1	65	100	3	7	6	9030	7562	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6960	6960	0.933333
2393	007	3010	0.07	995	1	65	100	3	7	6	9030	8035	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7433	7433	0.933333
2393	008	3010	0.07	1868	1	65	100	3	7	6	9030	7162	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6560	6560	0.933333
2393	009	3010	0.07	1739	1	65	100	3	7	6	9030	7291	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6689	6689	0.933333
2393	010	3010	0.07	1125	1	65	100	3	7	6	9030	7905	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7303	7303	0.933333
2393	011	3010	0.07	1550	1	65	100	3	7	6	9030	7480	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6878	6878	0.933333
2393	012	3010	0.07	1994	1	65	100	3	7	6	9030	7036	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6434	6434	0.933333
2393	013	3010	0.07	1631	1	65	100	3	7	6	9030	7399	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6797	6797	0.933333
2393	014	3010	0.07	1255	1	65	100	3	7	6	9030	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7173	7173	0.933333
2393	015	3010	0.07	3252	1	65	100	3	7	6	9030	5778	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	5176	5176	0.933333
2393	016	3010	0.07	1055	1	65	100	3	7	6	9030	7975	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7373	7373	0.933333
2393	017	3010	0.07	1377	1	65	100	3	7	6	9030	7653	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7051	7051	0.933333
2393	018	2689	0.06	1430	1	65	100	3	6	5	8067	6637	RH-1	40	form-based			true	0.7	6	1	5	5	7529.199707	6099.199707	6099.199707	0.933333
2393	019	2689	0.06	1688	1	65	100	3	6	5	8067	6379	RH-1	40	form-based			true	0.7	6	1	5	5	7529.199707	5841.199707	5841.199707	0.933333
2393	020	2689	0.06	1865	1	65	100	3	6	5	8067	6202	RH-1	40	form-based			true	0.7	6	1	5	5	7529.199707	5664.199707	5664.199707	0.933333
2393	021	2689	0.06	1300	1	65	100	3	6	5	8067	6767	RH-1	40	form-based		true	true	0.7	6	1	5	5	7529.199707	6229.199707	6229.199707	0.933333
2393	025	3000	0.07	1739	1	65	100	3	7	6	9000	7261	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6661	6661	0.933333
2393	026	3000	0.07	1685	1	65	100	3	7	6	9000	7315	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6715	6715	0.933333
2393	027	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
2393	028	3000	0.07	2690	1	65	100	3	7	6	9000	6310	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5710	5710	0.933333
2393	029	3000	0.07	1520	1	65	100	3	7	6	9000	7480	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6880	6880	0.933333
2393	030	3000	0.07	1070	1	65	100	3	7	6	9000	7930	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7330	7330	0.933333
2393	031	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2393	032	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
2393	033	3000	0.07	973	1	65	100	3	7	6	9000	8027	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7427	7427	0.933333
2393	033A	3000	0.07	980	1	65	100	3	7	6	9000	8020	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7420	7420	0.933333
2393	034	3000	0.07	1662	1	65	100	3	7	6	9000	7338	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6738	6738	0.933333
2393	035	3000	0.07	2605	1	65	100	3	7	6	9000	6395	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5795	5795	0.933333
2393	036	3000	0.07	2046	1	65	100	3	7	6	9000	6954	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6354	6354	0.933333
2393	037	3000	0.07	1065	1	65	100	3	7	6	9000	7935	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7335	7335	0.933333
2393	038	3000	0.07	1090	1	85	140	4	10	9	12000	10910	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7310	7310	0.7
2394	002	3019	0.07	1125	1	85	140	4	10	9	12076	10951	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8453.200195	7328.200195	7328.200195	0.7
2394	003	3019	0.07	1155	1	65	100	3	7	6	9057	7902	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7298.200195	7298.200195	0.933333
2394	004	3019	0.07	1125	1	65	100	3	7	6	9057	7932	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7328.200195	7328.200195	0.933333
2394	005	3019	0.07	1400	1	65	100	3	7	6	9057	7657	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7053.200195	7053.200195	0.933333
2394	006	3019	0.07	1465	1	65	100	3	7	6	9057	7592	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6988.200195	6988.200195	0.933333
2394	007	3019	0.07	1510	1	65	100	3	7	6	9057	7547	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6943.200195	6943.200195	0.933333
2394	008	3019	0.07	1275	1	65	100	3	7	6	9057	7782	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7178.200195	7178.200195	0.933333
2394	008A	3020	0.07	1457	1	65	100	3	7	6	9060	7603	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6999	6999	0.933333
2394	009	3020	0.07	1234	1	65	100	3	7	6	9060	7826	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7222	7222	0.933333
2394	010	3020	0.07	1260	1	65	100	3	7	6	9060	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7196	7196	0.933333
2394	011	3020	0.07	1170	1	65	100	3	7	6	9060	7890	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7286	7286	0.933333
2394	012	3020	0.07	830	1	65	100	3	7	6	9060	8230	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7626	7626	0.933333
2394	013	3020	0.07	2466	1	65	100	3	7	6	9060	6594	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	5990	5990	0.933333
2394	014	3020	0.07	2315	1	65	100	3	7	6	9060	6745	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6141	6141	0.933333
2394	015	3020	0.07	1280	1	65	100	3	7	6	9060	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7176	7176	0.933333
2394	018	2920	0.07	1586	1	65	100	3	7	6	8760	7174	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8176	6590	6590	0.933333
2394	019	2920	0.07	1804	1	65	100	3	7	6	8760	6956	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8176	6372	6372	0.933333
2394	020	2982	0.07	1435	1	65	100	3	7	6	8946	7511	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6914.599609	6914.599609	0.933333
2394	021	2900	0.07	1450	1	65	100	3	7	6	8700	7250	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8120	6670	6670	0.933333
2394	022	2920	0.07	1764	1	65	100	3	7	6	8760	6996	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8176	6412	6412	0.933333
2394	023	2920	0.07	1150	1	65	100	3	7	6	8760	7610	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8176	7026	7026	0.933333
2394	027	3000	0.07	1075	1	65	100	3	7	6	9000	7925	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7325	7325	0.933333
2394	028	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7175	7175	0.933333
2394	028A	3000	0.07	1636	1	65	100	3	7	6	9000	7364	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6764	6764	0.933333
2394	029	3000	0.07	2137	1	65	100	3	7	6	9000	6863	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6263	6263	0.933333
2394	029A	3000	0.07	2280	1	65	100	3	7	6	9000	6720	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6120	6120	0.933333
2394	030	3000	0.07	1937	1	65	100	3	7	6	9000	7063	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6463	6463	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2394	031	3000	0.07	2266	1	65	100	3	7	6	9000	6734	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6134	6134	0.933333
2394	032	3000	0.07	1340	1	65	100	3	7	6	9000	7660	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7060	7060	0.933333
2394	033	3000	0.07	1305	1	65	100	3	7	6	9000	7695	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7095	7095	0.933333
2394	034	3000	0.07	1305	1	65	100	3	7	6	9000	7695	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7095	7095	0.933333
2394	035	3000	0.07	1305	1	65	100	3	7	6	9000	7695	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7095	7095	0.933333
2394	036	3000	0.07	1522	1	65	100	3	7	6	9000	7478	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6878	6878	0.933333
2394	037	3000	0.07	1910	1	85	140	4	10	9	12000	10090	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6490	6490	0.7
2394	038	3000	0.07	1150	1	85	140	4	10	9	12000	10850	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7250	7250	0.7
2394	039	3000	0.07	1750	1	85	140	4	10	9	12000	10250	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6650	6650	0.7
2395	002	3001	0.07	2500	1	85	140	4	10	9	12004	9504	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8402.799805	5902.799805	5902.799805	0.7
2395	003	3001	0.07	1691	1	85	140	4	10	9	12004	10313	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8402.799805	6711.799805	6711.799805	0.7
2395	004	3001	0.07	1375	1	85	140	4	10	9	12004	10629	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8402.799805	7027.799805	7027.799805	0.7
2395	005	3001	0.07	1295	1	65	100	3	7	6	9003	7708	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7107.799805	7107.799805	0.933333
2395	006	3001	0.07	1500	1	65	100	3	7	6	9003	7503	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6902.799805	6902.799805	0.933333
2395	007	3001	0.07	1419	1	65	100	3	7	6	9003	7584	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6983.799805	6983.799805	0.933333
2395	008	3001	0.07	1070	1	65	100	3	7	6	9003	7933	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7332.799805	7332.799805	0.933333
2395	008A	3001	0.07	2128	1	65	100	3	7	6	9003	6875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6274.799805	6274.799805	0.933333
2395	009	3001	0.07	1255	1	65	100	3	7	6	9003	7748	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7147.799805	7147.799805	0.933333
2395	010	3001	0.07	1795	1	65	100	3	7	6	9003	7208	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6607.799805	6607.799805	0.933333
2395	011	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2395	013	3000	0.07	1467	1	65	100	3	7	6	9000	7533	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6933	6933	0.933333
2395	014	3000	0.07	1545	1	65	100	3	7	6	9000	7455	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6855	6855	0.933333
2395	015	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
2395	026	3000	0.07	1799	1	65	100	3	7	6	9000	7201	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6601	6601	0.933333
2395	027	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
2395	028	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2395	029	3000	0.07	1455	1	65	100	3	7	6	9000	7545	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6945	6945	0.933333
2395	030	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2395	030A	3000	0.07	2508	1	65	100	3	7	6	9000	6492	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5892	5892	0.933333
2395	031	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2395	031A	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
2395	032	3000	0.07	1112	1	65	100	3	7	6	9000	7888	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7288	7288	0.933333
2395	033	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7275	7275	0.933333
2395	033A	3000	0.07	1065	1	65	100	3	7	6	9000	7935	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7335	7335	0.933333
2395	034	3000	0.07	1064	1	65	100	3	7	6	9000	7936	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7336	7336	0.933333
2395	034A	3000	0.07	1064	1	65	100	3	7	6	9000	7936	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7336	7336	0.933333
2395	035	3000	0.07	1650	1	85	140	4	10	9	12000	10350	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6750	6750	0.7
2395	036	3000	0.07	1550	1	85	140	4	10	9	12000	10450	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6850	6850	0.7
2396	001	1478	0.03	2598	3	85	140	4	4	1	5912	3314	NCD-TARA	85	form-based	true		true	0.75	8	2	5	5	8868	6270	6270	1.5
2396	002	3063	0.07	1045	1	85	140	4	10	9	12252	11207	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8576.399414	7531.399414	7531.399414	0.7
2396	003	2983	0.07	1388	1	65	100	3	7	6	8949	7561	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6964.399414	6964.399414	0.933333
2396	004	2983	0.07	1550	1	65	100	3	7	6	8949	7399	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6802.399414	6802.399414	0.933333
2396	004A	2982	0.07	1230	1	65	100	3	7	6	8946	7716	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	7119.599609	7119.599609	0.933333
2396	005	2982	0.07	1825	1	65	100	3	7	6	8946	7121	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8349.599609	6524.599609	6524.599609	0.933333
2396	006	2981	0.07	1815	1	65	100	3	7	6	8943	7128	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8346.799805	6531.799805	6531.799805	0.933333
2396	007	2981	0.07	1954	1	65	100	3	7	6	8943	6989	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8346.799805	6392.799805	6392.799805	0.933333
2396	007A	2980	0.07	1655	1	65	100	3	7	6	8940	7285	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8344	6689	6689	0.933333
2396	007B	2980	0.07	1475	1	65	100	3	7	6	8940	7465	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8344	6869	6869	0.933333
2396	008	2980	0.07	1500	1	65	100	3	7	6	8940	7440	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8344	6844	6844	0.933333
2396	009	2979	0.07	1325	1	65	100	3	7	6	8937	7612	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	7016.200195	7016.200195	0.933333
2396	010	2979	0.07	1020	1	65	100	3	7	6	8937	7917	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	7321.200195	7321.200195	0.933333
2396	011	2978	0.07	1991	1	65	100	3	7	6	8934	6943	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6347.399414	6347.399414	0.933333
2396	012	2978	0.07	1155	1	65	100	3	7	6	8934	7779	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	7183.399414	7183.399414	0.933333
2396	012A	2977	0.07	1455	1	65	100	3	7	6	8931	7476	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6880.599609	6880.599609	0.933333
2396	012B	2977	0.07	1155	1	65	100	3	7	6	8931	7776	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	7180.599609	7180.599609	0.933333
2396	022	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
2396	023	3000	0.07	1233	1	65	100	3	7	6	9000	7767	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7167	7167	0.933333
2396	024	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2396	025	3000	0.07	1470	1	65	100	3	7	6	9000	7530	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6930	6930	0.933333
2396	026	3000	0.07	1075	1	65	100	3	7	6	9000	7925	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7325	7325	0.933333
2396	027	3000	0.07	2122	1	65	100	3	7	6	9000	6878	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6278	6278	0.933333
2396	027A	3000	0.07	1456	1	65	100	3	7	6	9000	7544	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6944	6944	0.933333
2396	028	3000	0.07	1420	1	65	100	3	7	6	9000	7580	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6980	6980	0.933333
2396	029	3000	0.07	1320	1	65	100	3	7	6	9000	7680	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7080	7080	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2396	030	3000	0.07	3375	1	65	100	3	7	6	9000	5625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5025	5025	0.933333
2396	031	3000	0.07	1935	1	65	100	3	7	6	9000	7065	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6465	6465	0.933333
2396	032	3000	0.07	3055	1	65	100	3	7	6	9000	5945	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5345	5345	0.933333
2396	033	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2396	034	3000	0.07	1865	1	65	100	3	7	6	9000	7135	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6535	6535	0.933333
2396	035	3000	0.07	1065	1	85	140	4	10	9	12000	10935	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7335	7335	0.7
2396	035A	3081	0.07	1310	1	85	140	4	10	9	12324	11014	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8626.799805	7316.799805	7316.799805	0.7
2396	036A	1419	0.03	2382	2	85	140	4	4	2	5676	3294	NCD-TARA	85	form-based			true	0.75	7	1.75	5	5	8514	6132	6132	1.5
2396	036B	1420	0.03	2576	2	85	140	4	4	2	5680	3104	NCD-TARA	85	form-based			true	0.75	7	1.75	5	5	8520	5944	5944	1.5
2397	002A	3019	0.07	2273	1	65	100	3	7	6	9057	6784	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6180.200195	6180.200195	0.933333
2397	003	3019	0.07	930	1	65	100	3	7	6	9057	8127	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7523.200195	7523.200195	0.933333
2397	004	3020	0.07	1570	1	65	100	3	7	6	9060	7490	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6886	6886	0.933333
2397	005	3021	0.07	1386	1	65	100	3	7	6	9063	7677	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7072.799805	7072.799805	0.933333
2397	006	3021	0.07	1725	1	65	100	3	7	6	9063	7338	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6733.799805	6733.799805	0.933333
2397	007	3022	0.07	1500	1	65	100	3	7	6	9066	7566	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6961.599609	6961.599609	0.933333
2397	008	3023	0.07	1710	1	65	100	3	7	6	9069	7359	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	6754.399414	6754.399414	0.933333
2397	009	3023	0.07	1828	1	65	100	3	7	6	9069	7241	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	6636.399414	6636.399414	0.933333
2397	010	3024	0.07	1210	1	65	100	3	7	6	9072	7862	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	7257.200195	7257.200195	0.933333
2397	011	3025	0.07	2280	1	65	100	3	7	6	9075	6795	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6190	6190	0.933333
2397	012	3025	0.07	1868	1	65	100	3	7	6	9075	7207	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6602	6602	0.933333
2397	013	3026	0.07	1375	1	65	100	3	7	6	9078	7703	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7097.799805	7097.799805	0.933333
2397	014	3027	0.07	1075	1	65	100	3	7	6	9081	8006	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8475.599609	7400.599609	7400.599609	0.933333
2397	015	3027	0.07	1646	1	65	100	3	7	6	9081	7435	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8475.599609	6829.599609	6829.599609	0.933333
2397	015A	3028	0.07	1791	1	65	100	3	7	6	9084	7293	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8478.399414	6687.399414	6687.399414	0.933333
2397	024	3000	0.07	1174	1	65	100	3	7	6	9000	7826	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7226	7226	0.933333
2397	025	3000	0.07	1554	1	65	100	3	7	6	9000	7446	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6846	6846	0.933333
2397	025A	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
2397	025B	3000	0.07	1364	1	65	100	3	7	6	9000	7636	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7036	7036	0.933333
2397	026	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2397	026A	3000	0.07	2208	1	65	100	3	7	6	9000	6792	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6192	6192	0.933333
2397	027	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
2397	027A	3000	0.07	1847	1	65	100	3	7	6	9000	7153	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6553	6553	0.933333
2397	028	3000	0.07	1755	1	65	100	3	7	6	9000	7245	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6645	6645	0.933333
2397	029	3000	0.07	1185	1	65	100	3	7	6	9000	7815	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7215	7215	0.933333
2397	030	3000	0.07	1215	1	65	100	3	7	6	9000	7785	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7185	7185	0.933333
2397	031	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2397	032	3000	0.07	1266	1	65	100	3	7	6	9000	7734	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7134	7134	0.933333
2397	033	3000	0.07	1210	1	65	100	3	7	6	9000	7790	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7190	7190	0.933333
2397	034	3000	0.07	1030	1	65	100	3	7	6	9000	7970	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7370	7370	0.933333
2397	034A	3089	0.07	2480	1	65	100	3	7	6	9267	6787	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8649.200195	6169.200195	6169.200195	0.933333
2398	003	3011	0.07	1580	1	65	100	3	7	6	9033	7453	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6850.799805	6850.799805	0.933333
2398	004	3011	0.07	2025	1	65	100	3	7	6	9033	7008	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6405.799805	6405.799805	0.933333
2398	005	3011	0.07	1740	1	65	100	3	7	6	9033	7293	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6690.799805	6690.799805	0.933333
2398	006	3011	0.07	1090	1	65	100	3	7	6	9033	7943	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	7340.799805	7340.799805	0.933333
2398	007	3011	0.07	1012	1	65	100	3	7	6	9033	8021	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	7418.799805	7418.799805	0.933333
2398	007A	3012	0.07	1908	1	65	100	3	7	6	9036	7128	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6525.599609	6525.599609	0.933333
2398	008	3012	0.07	2338	1	65	100	3	7	6	9036	6698	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6095.599609	6095.599609	0.933333
2398	009	2988	0.07	1665	1	65	100	3	7	6	8964	7299	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6701.399414	6701.399414	0.933333
2398	010	3012	0.07	2001	1	65	100	3	7	6	9036	7035	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6432.599609	6432.599609	0.933333
2398	011	3012	0.07	1250	1	65	100	3	7	6	9036	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7183.599609	7183.599609	0.933333
2398	020	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
2398	021	3000	0.07	970	1	65	100	3	7	6	9000	8030	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7430	7430	0.933333
2398	024	3000	0.07	1678	1	65	100	3	7	6	9000	7322	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6722	6722	0.933333
2398	033	3000	0.07	1386	1	65	100	3	7	6	9000	7614	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7014	7014	0.933333
2398	034	3000	0.07	1610	1	65	100	3	7	6	9000	7390	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6790	6790	0.933333
2398	035	3000	0.07	1045	1	65	100	3	7	6	9000	7955	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7355	7355	0.933333
2398	036	3000	0.07	2055	1	65	100	3	7	6	9000	6945	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6345	6345	0.933333
2398	037	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
2398	038	3000	0.07	1080	1	65	100	3	7	6	9000	7920	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7320	7320	0.933333
2399	002A	3003	0.07	1506	1	85	140	4	10	9	12012	10506	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8408.399414	6902.399414	6902.399414	0.7
2399	003	3003	0.07	1973	1	85	140	4	10	9	12012	10039	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8408.399414	6435.399414	6435.399414	0.7
2399	004	3002	0.07	2104	1	65	100	3	7	6	9006	6902	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6301.599609	6301.599609	0.933333
2399	004A	3002	0.07	1558	1	65	100	3	7	6	9006	7448	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6847.599609	6847.599609	0.933333
2399	005	3002	0.07	1965	1	65	100	3	7	6	9006	7041	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6440.599609	6440.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2399	005A	3001	0.07	1558	1	65	100	3	7	6	9003	7445	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6844.799805	6844.799805	0.933333
2399	006	3001	0.07	910	1	65	100	3	7	6	9003	8093	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7492.799805	7492.799805	0.933333
2399	007	3001	0.07	2175	1	65	100	3	7	6	9003	6828	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6227.799805	6227.799805	0.933333
2399	008	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
2399	009	3000	0.07	2015	1	65	100	3	7	6	9000	6985	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6385	6385	0.933333
2399	010	3000	0.07	2225	1	65	100	3	7	6	9000	6775	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6175	6175	0.933333
2399	011	2999	0.07	2025	1	65	100	3	7	6	8997	6972	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6372.200195	6372.200195	0.933333
2399	012	2999	0.07	1665	1	65	100	3	7	6	8997	7332	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6732.200195	6732.200195	0.933333
2399	013	2999	0.07	1640	1	65	100	3	7	6	8997	7357	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6757.200195	6757.200195	0.933333
2399	014	2998	0.07	1550	1	65	100	3	7	6	8994	7444	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6844.399414	6844.399414	0.933333
2399	022	3240	0.07	2580	2	65	100	3	7	5	9720	7140	RH-1	40	form-based		true	true	0.7	7	1	5	5	9072	6492	6492	0.933333
2399	023	3000	0.07	2074	1	65	100	3	7	6	9000	6926	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6326	6326	0.933333
2399	023A	3000	0.07	1106	1	65	100	3	7	6	9000	7894	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7294	7294	0.933333
2399	024	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
2399	025	3000	0.07	1720	1	65	100	3	7	6	9000	7280	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6680	6680	0.933333
2399	026	3000	0.07	3372	1	65	100	3	7	6	9000	5628	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5028	5028	0.933333
2399	027	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
2399	028	3000	0.07	1105	1	65	100	3	7	6	9000	7895	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7295	7295	0.933333
2399	029	3000	0.07	1445	1	65	100	3	7	6	9000	7555	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6955	6955	0.933333
2399	030	3000	0.07	1335	1	65	100	3	7	6	9000	7665	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7065	7065	0.933333
2399	031	3000	0.07	1929	1	65	100	3	7	6	9000	7071	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6471	6471	0.933333
2399	032	3000	0.07	2020	1	65	100	3	7	6	9000	6980	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6380	6380	0.933333
2399	033	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
2399	034	3000	0.07	1530	1	65	100	3	7	6	9000	7470	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6870	6870	0.933333
2399	035	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
2399	036	3000	0.07	1801	1	85	140	4	10	9	12000	10199	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6599	6599	0.7
2400	003	3011	0.07	1360	1	65	100	3	7	6	9033	7673	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	7070.799805	7070.799805	0.933333
2400	004	3011	0.07	1310	1	65	100	3	7	6	9033	7723	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	7120.799805	7120.799805	0.933333
2400	004A	3012	0.07	2165	1	65	100	3	7	6	9036	6871	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6268.599609	6268.599609	0.933333
2400	005	3012	0.07	1335	1	65	100	3	7	6	9036	7701	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7098.599609	7098.599609	0.933333
2400	006	3012	0.07	2020	1	65	100	3	7	6	9036	7016	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6413.599609	6413.599609	0.933333
2400	007	3013	0.07	2304	1	65	100	3	7	6	9039	6735	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6132.399414	6132.399414	0.933333
2400	008	3013	0.07	4200	1	65	100	3	7	6	9039	4839	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	4236.399414	4236.399414	0.933333
2400	009	3014	0.07	1696	1	65	100	3	7	6	9042	7346	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6743.200195	6743.200195	0.933333
2400	010	3014	0.07	1916	1	65	100	3	7	6	9042	7126	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6523.200195	6523.200195	0.933333
2400	011	3014	0.07	1100	1	65	100	3	7	6	9042	7942	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7339.200195	7339.200195	0.933333
2400	012	3015	0.07	2307	1	65	100	3	7	6	9045	6738	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6135	6135	0.933333
2400	013	3015	0.07	3741	1	65	100	3	7	6	9045	5304	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	4701	4701	0.933333
2400	014	3015	0.07	1967	1	65	100	3	7	6	9045	7078	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6475	6475	0.933333
2400	015	3016	0.07	1334	1	65	100	3	7	6	9048	7714	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7110.799805	7110.799805	0.933333
2400	015A	3016	0.07	1225	1	65	100	3	7	6	9048	7823	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7219.799805	7219.799805	0.933333
2400	024	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2400	026	3000	0.07	2259	1	65	100	3	7	6	9000	6741	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6141	6141	0.933333
2400	027	3000	0.07	1477	1	65	100	3	7	6	9000	7523	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6923	6923	0.933333
2400	028	3000	0.07	1115	1	65	100	3	7	6	9000	7885	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7285	7285	0.933333
2400	028A	3000	0.07	1090	1	65	100	3	7	6	9000	7910	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7310	7310	0.933333
2400	029	3000	0.07	1360	1	65	100	3	7	6	9000	7640	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7040	7040	0.933333
2400	030	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2400	031	3000	0.07	1005	1	65	100	3	7	6	9000	7995	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7395	7395	0.933333
2400	032	3000	0.07	1989	1	65	100	3	7	6	9000	7011	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6411	6411	0.933333
2400	033	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
2400	034	3000	0.07	2335	1	65	100	3	7	6	9000	6665	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6065	6065	0.933333
2400	035	3000	0.07	2174	1	85	140	4	10	9	12000	9826	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6226	6226	0.7
2400	036	3000	0.07	1810	1	85	140	4	10	9	12000	10190	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6590	6590	0.7
2401	030A	3000	0.07	1776	1	65	100	3	7	6	9000	7224	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6624	6624	0.933333
2401	031	3000	0.07	2065	1	65	100	3	7	6	9000	6935	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6335	6335	0.933333
2401	002A	3006	0.07	1922	1	65	100	3	7	6	9018	7096	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6494.799805	6494.799805	0.933333
2401	003	3006	0.07	1832	1	65	100	3	7	6	9018	7186	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6584.799805	6584.799805	0.933333
2401	004	3006	0.07	2384	1	65	100	3	7	6	9018	6634	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6032.799805	6032.799805	0.933333
2401	005	3006	0.07	1200	1	65	100	3	7	6	9018	7818	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7216.799805	7216.799805	0.933333
2401	006	3007	0.07	1475	1	65	100	3	7	6	9021	7546	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6944.599609	6944.599609	0.933333
2401	007	3007	0.07	1590	1	65	100	3	7	6	9021	7431	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6829.599609	6829.599609	0.933333
2401	008	3007	0.07	1850	1	65	100	3	7	6	9021	7171	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6569.599609	6569.599609	0.933333
2401	008A	3007	0.07	1545	1	65	100	3	7	6	9021	7476	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6874.599609	6874.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2401	009	3007	0.07	2170	1	65	100	3	7	6	9021	6851	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6249.599609	6249.599609	0.933333
2401	010	3007	0.07	1515	1	65	100	3	7	6	9021	7506	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6904.599609	6904.599609	0.933333
2401	011	3007	0.07	1935	1	65	100	3	7	6	9021	7086	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6484.599609	6484.599609	0.933333
2401	012	3007	0.07	1585	1	65	100	3	7	6	9021	7436	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6834.599609	6834.599609	0.933333
2401	013	3007	0.07	1584	1	65	100	3	7	6	9021	7437	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6835.599609	6835.599609	0.933333
2401	013A	3008	0.07	1907	1	65	100	3	7	6	9024	7117	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6515.399414	6515.399414	0.933333
2401	014	3008	0.07	2256	1	65	100	3	7	6	9024	6768	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6166.399414	6166.399414	0.933333
2401	022	3000	0.07	1550	1	65	100	3	7	6	9000	7450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6850	6850	0.933333
2401	023	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2401	024	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2401	025	3000	0.07	1340	1	65	100	3	7	6	9000	7660	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7060	7060	0.933333
2401	026	3000	0.07	2678	1	65	100	3	7	6	9000	6322	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5722	5722	0.933333
2401	027	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2401	028	3000	0.07	1870	1	65	100	3	7	6	9000	7130	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6530	6530	0.933333
2401	029	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
2401	029A	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2401	030	3000	0.07	1290	1	65	100	3	7	6	9000	7710	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7110	7110	0.933333
2401	032	3000	0.07	1340	1	65	100	3	7	6	9000	7660	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7060	7060	0.933333
2401	033	3000	0.07	1532	1	65	100	3	7	6	9000	7468	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6868	6868	0.933333
2401	034	3000	0.07	2757	1	65	100	3	7	6	9000	6243	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5643	5643	0.933333
2402	002	3085	0.07	1771	1	85	140	4	10	9	12340	10569	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8638	6867	6867	0.7
2402	002B	3007	0.07	2142	1	65	100	3	7	6	9021	6879	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6277.599609	6277.599609	0.933333
2402	003	3006	0.07	1184	1	65	100	3	7	6	9018	7834	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	7232.799805	7232.799805	0.933333
2402	004	3005	0.07	1658	1	65	100	3	7	6	9015	7357	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6756	6756	0.933333
2402	005	3005	0.07	2002	1	65	100	3	7	6	9015	7013	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6412	6412	0.933333
2402	005A	3004	0.07	1816	1	65	100	3	7	6	9012	7196	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6595.200195	6595.200195	0.933333
2402	006	3004	0.07	1410	1	65	100	3	7	6	9012	7602	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7001.200195	7001.200195	0.933333
2402	007	3003	0.07	1410	1	65	100	3	7	6	9009	7599	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6998.399414	6998.399414	0.933333
2402	007A	3003	0.07	1010	1	65	100	3	7	6	9009	7999	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7398.399414	7398.399414	0.933333
2402	008	3003	0.07	1375	1	65	100	3	7	6	9009	7634	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7033.399414	7033.399414	0.933333
2402	009	3002	0.07	1500	1	65	100	3	7	6	9006	7506	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6905.599609	6905.599609	0.933333
2402	010	3002	0.07	1720	1	65	100	3	7	6	9006	7286	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6685.599609	6685.599609	0.933333
2402	011	3001	0.07	1849	1	65	100	3	7	6	9003	7154	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6553.799805	6553.799805	0.933333
2402	011A	3001	0.07	2235	1	65	100	3	7	6	9003	6768	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6167.799805	6167.799805	0.933333
2402	017	2438	0.06	4123	0	65	100	3	6	6	7314	3191	RH-1	40	form-based	true		true	0.7	5	0.833333313	5	5	6826.399902	2703.399902	2703.399902	0.933333
2402	018	3000	0.07	3206	1	65	100	3	7	6	9000	5794	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5194	5194	0.933333
2402	019	3000	0.07	1285	1	65	100	3	7	6	9000	7715	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7115	7115	0.933333
2402	019A	3000	0.07	1530	1	65	100	3	7	6	9000	7470	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6870	6870	0.933333
2402	019B	3000	0.07	1865	1	65	100	3	7	6	9000	7135	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6535	6535	0.933333
2402	020	3000	0.07	1915	1	65	100	3	7	6	9000	7085	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6485	6485	0.933333
2402	021	3000	0.07	1835	1	65	100	3	7	6	9000	7165	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6565	6565	0.933333
2402	021A	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
2402	021B	3000	0.07	1510	1	65	100	3	7	6	9000	7490	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6890	6890	0.933333
2402	022	3000	0.07	2015	1	65	100	3	7	6	9000	6985	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6385	6385	0.933333
2402	023	3000	0.07	2165	1	65	100	3	7	6	9000	6835	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6235	6235	0.933333
2402	024	3000	0.07	1933	1	65	100	3	7	6	9000	7067	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6467	6467	0.933333
2402	024A	3000	0.07	2183	1	65	100	3	7	6	9000	6817	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6217	6217	0.933333
2402	025	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2402	025A	3000	0.07	1370	1	65	100	3	7	6	9000	7630	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7030	7030	0.933333
2402	025B	3000	0.07	2175	1	85	140	4	10	9	12000	9825	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6225	6225	0.7
2402	025C	2987	0.07	1370	1	85	140	4	10	9	11948	10578	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8363.599609	6993.599609	6993.599609	0.7
2403	003	3018	0.07	1964	1	65	100	3	7	6	9054	7090	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	6486.399414	6486.399414	0.933333
2403	003A	3018	0.07	1600	1	65	100	3	7	6	9054	7454	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	6850.399414	6850.399414	0.933333
2403	004	3019	0.07	1550	1	65	100	3	7	6	9057	7507	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6903.200195	6903.200195	0.933333
2403	005	3019	0.07	1335	1	65	100	3	7	6	9057	7722	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7118.200195	7118.200195	0.933333
2403	006	3019	0.07	2248	1	65	100	3	7	6	9057	6809	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6205.200195	6205.200195	0.933333
2403	007	3019	0.07	949	1	65	100	3	7	6	9057	8108	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7504.200195	7504.200195	0.933333
2403	007A	3019	0.07	1759	1	65	100	3	7	6	9057	7298	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6694.200195	6694.200195	0.933333
2403	008	3019	0.07	1380	1	65	100	3	7	6	9057	7677	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7073.200195	7073.200195	0.933333
2403	009	3020	0.07	1960	1	65	100	3	7	6	9060	7100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6496	6496	0.933333
2403	010	3020	0.07	1100	1	65	100	3	7	6	9060	7960	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7356	7356	0.933333
2403	011	3020	0.07	2075	1	65	100	3	7	6	9060	6985	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6381	6381	0.933333
2403	012	3020	0.07	1450	1	65	100	3	7	6	9060	7610	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7006	7006	0.933333
2403	013	3020	0.07	1915	1	65	100	3	7	6	9060	7145	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6541	6541	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2403	014	3020	0.07	1695	1	65	100	3	7	6	9060	7365	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6761	6761	0.933333
2403	022	2760	0.06	2178	1	65	100	3	6	5	8280	6102	RH-1	40	form-based			true	0.7	6	1	5	5	7728	5550	5550	0.933333
2403	022A	3073	0.07	2100	1	65	100	3	7	6	9219	7119	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8604.399414	6504.399414	6504.399414	0.933333
2403	023	3000	0.07	2206	1	65	100	3	7	6	9000	6794	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6194	6194	0.933333
2403	023A	3000	0.07	1995	1	65	100	3	7	6	9000	7005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6405	6405	0.933333
2403	023B	3000	0.07	1606	1	65	100	3	7	6	9000	7394	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6794	6794	0.933333
2403	024	3000	0.07	1105	1	65	100	3	7	6	9000	7895	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7295	7295	0.933333
2403	024A	3000	0.07	2296	1	65	100	3	7	6	9000	6704	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6104	6104	0.933333
2403	025	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
2403	026	3000	0.07	2304	1	65	100	3	7	6	9000	6696	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6096	6096	0.933333
2403	027	3000	0.07	2933	1	65	100	3	7	6	9000	6067	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5467	5467	0.933333
2403	028	3000	0.07	1530	1	65	100	3	7	6	9000	7470	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6870	6870	0.933333
2403	028A	3000	0.07	3900	1	65	100	3	7	6	9000	5100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	4500	4500	0.933333
2403	029	3000	0.07	3680	1	65	100	3	7	6	9000	5320	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	4720	4720	0.933333
2403	029A	3000	0.07	1335	1	65	100	3	7	6	9000	7665	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7065	7065	0.933333
2403	030	3000	0.07	1695	1	65	100	3	7	6	9000	7305	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6705	6705	0.933333
2403	030A	3000	0.07	1260	1	65	100	3	7	6	9000	7740	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7140	7140	0.933333
2404	032	3000	0.07	1505	1	85	140	4	10	9	12000	10495	RH-1(D)	40	form-based			true	0.7	6	0.600000024	5	5	8400	6895	6895	0.7
2409	003	2993	0.07	1575	1	85	140	4	10	9	11972	10397	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8380.399414	6805.399414	6805.399414	0.7
2409	004	2993	0.07	1500	1	65	100	3	7	6	8979	7479	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6880.399414	6880.399414	0.933333
2409	005	2993	0.07	1880	1	65	100	3	7	6	8979	7099	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6500.399414	6500.399414	0.933333
2409	006	2994	0.07	2505	1	65	100	3	7	6	8982	6477	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	5878.200195	5878.200195	0.933333
2409	007	2994	0.07	1390	1	65	100	3	7	6	8982	7592	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6993.200195	6993.200195	0.933333
2409	008	2994	0.07	2088	1	65	100	3	7	6	8982	6894	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6295.200195	6295.200195	0.933333
2409	009	2994	0.07	2315	1	65	100	3	7	6	8982	6667	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6068.200195	6068.200195	0.933333
2409	010	2887	0.07	1840	1	65	100	3	7	6	8661	6821	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8083.600098	6243.600098	6243.600098	0.933333
2409	011	3019	0.07	1808	1	65	100	3	7	6	9057	7249	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6645.200195	6645.200195	0.933333
2409	012	2995	0.07	1925	1	65	100	3	7	6	8985	7060	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6461	6461	0.933333
2409	013	2996	0.07	1850	1	65	100	3	7	6	8988	7138	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6538.799805	6538.799805	0.933333
2409	014	2996	0.07	2310	1	65	100	3	7	6	8988	6678	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6078.799805	6078.799805	0.933333
2409	015	3008	0.07	2623	1	65	100	3	7	6	9024	6401	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	5799.399414	5799.399414	0.933333
2409	019	2641	0.06	1450	1	65	100	3	6	5	7923	6473	RH-1	40	form-based	true		true	0.7	6	1	5	5	7394.799805	5944.799805	5944.799805	0.933333
2409	023	3000	0.07	1260	1	65	100	3	7	6	9000	7740	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7140	7140	0.933333
2409	024	3000	0.07	1260	1	65	100	3	7	6	9000	7740	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7140	7140	0.933333
2409	025	3000	0.07	2019	1	65	100	3	7	6	9000	6981	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6381	6381	0.933333
2409	026	3000	0.07	1590	1	65	100	3	7	6	9000	7410	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6810	6810	0.933333
2409	027	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2409	028	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
2409	029	3000	0.07	1675	1	65	100	3	7	6	9000	7325	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6725	6725	0.933333
2409	030	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2409	031	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2409	032	3000	0.07	1180	1	65	100	3	7	6	9000	7820	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7220	7220	0.933333
2409	033	3000	0.07	1325	1	85	140	4	10	9	12000	10675	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7075	7075	0.7
2409	034	3000	0.07	1835	1	85	140	4	10	9	12000	10165	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6565	6565	0.7
2409	035	3000	0.07	2655	1	85	140	4	10	9	12000	9345	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	5745	5745	0.7
2410	012	2965	0.07	1563	1	65	100	3	7	6	8895	7332	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	6739	6739	0.933333
2410	012A	2965	0.07	1185	1	65	100	3	7	6	8895	7710	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	7117	7117	0.933333
2410	013	2965	0.07	2035	1	65	100	3	7	6	8895	6860	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8302	6267	6267	0.933333
2410	016	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2410	016A	3000	0.07	2180	1	65	100	3	7	6	9000	6820	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6220	6220	0.933333
2410	017	3000	0.07	2320	1	65	100	3	7	6	9000	6680	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6080	6080	0.933333
2410	018	3000	0.07	1435	1	65	100	3	7	6	9000	7565	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6965	6965	0.933333
2410	019	3000	0.07	2524	1	65	100	3	7	6	9000	6476	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5876	5876	0.933333
2410	020	3000	0.07	2466	1	65	100	3	7	6	9000	6534	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5934	5934	0.933333
2410	021	3000	0.07	2025	1	65	100	3	7	6	9000	6975	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6375	6375	0.933333
2410	022	3000	0.07	2037	1	65	100	3	7	6	9000	6963	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6363	6363	0.933333
2410	023	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
2410	024	3000	0.07	1817	1	65	100	3	7	6	9000	7183	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6583	6583	0.933333
2410	025	3000	0.07	1939	1	65	100	3	7	6	9000	7061	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6461	6461	0.933333
2410	026	3000	0.07	4268	1	65	100	3	7	6	9000	4732	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	4132	4132	0.933333
2410	042	1185	0.03	1402	1	65	100	3	3	2	3555	2153	NCD-INNE	85	form-based			true	0.75	6	2	5	5	7110	5708	5708	2
2413	008	3023	0.07	2486	1	65	100	3	7	6	9069	6583	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	5978.399414	5978.399414	0.933333
2413	019	2946	0.07	1746	1	65	100	3	7	6	8838	7092	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8248.799805	6502.799805	6502.799805	0.933333
2413	020	2842	0.07	2789	1	65	100	3	7	6	8526	5737	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7957.600098	5168.600098	5168.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2413	021	2985	0.07	2025	1	65	100	3	7	6	8955	6930	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8358	6333	6333	0.933333
2413	022	2989	0.07	1550	1	65	100	3	7	6	8967	7417	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6819.200195	6819.200195	0.933333
2413	023	2824	0.06	3220	1	65	100	3	6	5	8472	5252	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7907.199707	4687.199707	4687.199707	0.933333
2414	003D	3069	0.07	1350	1	65	100	3	7	6	9207	7857	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8593.200195	7243.200195	7243.200195	0.933333
2414	003E	2808	0.06	2025	1	65	100	3	6	5	8424	6399	RH-1	40	form-based			true	0.7	6	1	5	5	7862.399902	5837.399902	5837.399902	0.933333
2414	005A	2696	0.06	2789	1	65	100	3	6	5	8088	5299	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7548.799805	4759.799805	4759.799805	0.933333
2414	006	3003	0.07	1400	1	65	100	3	7	6	9009	7609	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7008.399414	7008.399414	0.933333
2414	023	2827	0.06	1955	1	65	100	3	6	5	8481	6526	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7915.600098	5960.600098	5960.600098	0.933333
2414	024	2840	0.07	1843	1	65	100	3	7	6	8520	6677	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7952	6109	6109	0.933333
2414	025	2854	0.07	1950	1	65	100	3	7	6	8562	6612	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7991.199707	6041.199707	6041.199707	0.933333
2414	026	2868	0.07	1890	1	65	100	3	7	6	8604	6714	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8030.399902	6140.399902	6140.399902	0.933333
2414	029	3050	0.07	2426	1	65	100	3	7	6	9150	6724	RH-1(D)	40	form-based	true		true	0.7	6	0.857142866	5	5	8540	6114	6114	0.933333
2415	014	2888	0.07	1875	1	65	100	3	7	6	8664	6789	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8086.399902	6211.399902	6211.399902	0.933333
2415	015	2735	0.06	1500	1	65	100	3	6	5	8205	6705	RH-1	40	form-based			true	0.7	6	1	5	5	7658	6158	6158	0.933333
2415	016	2750	0.06	1430	1	65	100	3	6	5	8250	6820	RH-1	40	form-based			true	0.7	6	1	5	5	7700	6270	6270	0.933333
2415	016A	2664	0.06	2200	1	65	100	3	6	5	7992	5792	RH-1	40	form-based			true	0.7	6	1	5	5	7459.199707	5259.199707	5259.199707	0.933333
2415	018B	2735	0.06	2392	1	65	100	3	6	5	8205	5813	RH-1	40	form-based			true	0.7	6	1	5	5	7658	5266	5266	0.933333
2415	019	2869	0.07	1714	1	65	100	3	7	6	8607	6893	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8033.199707	6319.199707	6319.199707	0.933333
2416	002K	2888	0.07	1525	1	65	100	3	7	6	8664	7139	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8086.399902	6561.399902	6561.399902	0.933333
2416	005	2917	0.07	1450	1	65	100	3	7	6	8751	7301	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8167.600098	6717.600098	6717.600098	0.933333
2416	018	2649	0.06	1500	1	65	100	3	6	5	7947	6447	RH-1	40	form-based	true		true	0.7	6	1	5	5	7417.199707	5917.199707	5917.199707	0.933333
2416	019	2749	0.06	1804	1	65	100	3	6	5	8247	6443	RH-1	40	form-based			true	0.7	6	1	5	5	7697.199707	5893.199707	5893.199707	0.933333
2416	020	2749	0.06	1786	1	65	100	3	6	5	8247	6461	RH-1	40	form-based			true	0.7	6	1	5	5	7697.199707	5911.199707	5911.199707	0.933333
2416	021	2749	0.06	1375	1	65	100	3	6	5	8247	6872	RH-1	40	form-based			true	0.7	6	1	5	5	7697.199707	6322.199707	6322.199707	0.933333
2417	001	2845	0.07	3711	1	65	100	3	7	6	8535	4824	RH-1	40	form-based	true		true	0.7	6	0.857142866	5	5	7966	4255	4255	0.933333
2417	001A	2690	0.06	2604	1	65	100	3	6	5	8070	5466	RH-1	40	form-based			true	0.7	6	1	5	5	7532	4928	4928	0.933333
2417	001B	2690	0.06	1800	1	65	100	3	6	5	8070	6270	RH-1	40	form-based			true	0.7	6	1	5	5	7532	5732	5732	0.933333
2417	001C	2690	0.06	1565	1	65	100	3	6	5	8070	6505	RH-1	40	form-based			true	0.7	6	1	5	5	7532	5967	5967	0.933333
2417	002	2718	0.06	1215	1	65	100	3	6	5	8154	6939	RH-1	40	form-based			true	0.7	6	1	5	5	7610.399902	6395.399902	6395.399902	0.933333
2417	002A	3000	0.07	2635	1	65	100	3	7	6	9000	6365	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5765	5765	0.933333
2417	002B	3000	0.07	1735	1	65	100	3	7	6	9000	7265	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6665	6665	0.933333
2417	002C	3000	0.07	1455	1	65	100	3	7	6	9000	7545	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6945	6945	0.933333
2417	002D	3000	0.07	1525	1	65	100	3	7	6	9000	7475	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6875	6875	0.933333
2417	003	3000	0.07	2358	1	65	100	3	7	6	9000	6642	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6042	6042	0.933333
2417	004	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
2417	005	3000	0.07	1334	1	65	100	3	7	6	9000	7666	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7066	7066	0.933333
2417	005A	3000	0.07	2037	1	65	100	3	7	6	9000	6963	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6363	6363	0.933333
2417	006	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
2417	006A	3000	0.07	2625	1	65	100	3	7	6	9000	6375	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5775	5775	0.933333
2417	007	3000	0.07	2553	1	65	100	3	7	6	9000	6447	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5847	5847	0.933333
2417	008	3000	0.07	1730	1	65	100	3	7	6	9000	7270	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6670	6670	0.933333
2417	008A	3000	0.07	1640	1	65	100	3	7	6	9000	7360	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6760	6760	0.933333
2417	009	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7020	7020	0.933333
2417	009A	3000	0.07	1430	1	65	100	3	7	6	9000	7570	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6970	6970	0.933333
2417	010A	3060	0.07	2050	1	65	100	3	7	6	9180	7130	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8568	6518	6518	0.933333
2417	011	3000	0.07	1701	1	65	100	3	7	6	9000	7299	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6699	6699	0.933333
2417	013	3005	0.07	1575	1	65	100	3	7	6	9015	7440	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6839	6839	0.933333
2417	014	3005	0.07	2005	1	65	100	3	7	6	9015	7010	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6409	6409	0.933333
2417	014A	3005	0.07	1465	1	65	100	3	7	6	9015	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6949	6949	0.933333
2417	015	3004	0.07	2315	1	65	100	3	7	6	9012	6697	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6096.200195	6096.200195	0.933333
2417	015A	3004	0.07	2325	1	65	100	3	7	6	9012	6687	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6086.200195	6086.200195	0.933333
2417	016	3004	0.07	1325	1	65	100	3	7	6	9012	7687	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7086.200195	7086.200195	0.933333
2417	017	3003	0.07	1825	1	65	100	3	7	6	9009	7184	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6583.399414	6583.399414	0.933333
2417	017A	3003	0.07	1825	1	65	100	3	7	6	9009	7184	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6583.399414	6583.399414	0.933333
2417	018	3003	0.07	1910	1	65	100	3	7	6	9009	7099	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6498.399414	6498.399414	0.933333
2417	018A	3003	0.07	1220	1	65	100	3	7	6	9009	7789	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7188.399414	7188.399414	0.933333
2417	019	3002	0.07	1235	1	65	100	3	7	6	9006	7771	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7170.599609	7170.599609	0.933333
2417	019A	3002	0.07	1125	1	65	100	3	7	6	9006	7881	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7280.599609	7280.599609	0.933333
2417	020	3002	0.07	1400	1	65	100	3	7	6	9006	7606	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7005.599609	7005.599609	0.933333
2417	021	3001	0.07	1405	1	65	100	3	7	6	9003	7598	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6997.799805	6997.799805	0.933333
2417	022	3001	0.07	1825	1	65	100	3	7	6	9003	7178	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6577.799805	6577.799805	0.933333
2417	022A	2719	0.06	1825	1	65	100	3	6	5	8157	6332	RH-1	40	form-based			true	0.7	6	1	5	5	7613.199707	5788.199707	5788.199707	0.933333
2418	002	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
2418	003	3000	0.07	1560	1	65	100	3	7	6	9000	7440	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6840	6840	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2418	005	3055	0.07	2144	1	65	100	3	7	6	9165	7021	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8554	6410	6410	0.933333
2419	004	2906	0.07	2293	1	65	100	3	7	6	8718	6425	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8136.799805	5843.799805	5843.799805	0.933333
2419	004A	2905	0.07	1425	1	65	100	3	7	6	8715	7290	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8134	6709	6709	0.933333
2419	004B	2903	0.07	2575	1	65	100	3	7	6	8709	6134	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8128.399902	5553.399902	5553.399902	0.933333
2419	004C	2902	0.07	1425	1	65	100	3	7	6	8706	7281	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8125.600098	6700.600098	6700.600098	0.933333
2419	004D	2901	0.07	1500	1	65	100	3	7	6	8703	7203	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8122.799805	6622.799805	6622.799805	0.933333
2419	004E	2900	0.07	1490	1	65	100	3	7	6	8700	7210	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8120	6630	6630	0.933333
2419	005	3000	0.07	1430	1	65	100	3	7	6	9000	7570	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6970	6970	0.933333
2419	005A	3000	0.07	1977	1	65	100	3	7	6	9000	7023	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6423	6423	0.933333
2419	005B	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2419	005C	3000	0.07	2705	1	65	100	3	7	6	9000	6295	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5695	5695	0.933333
2419	005D	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2419	010A	2719	0.06	2248	1	65	100	3	6	5	8157	5909	RH-1	40	form-based			true	0.7	6	1	5	5	7613.199707	5365.199707	5365.199707	0.933333
2421	005	2738	0.06	835	1	65	100	3	6	5	8214	7379	RH-1	40	form-based			true	0.7	6	1	5	5	7666.399902	6831.399902	6831.399902	0.933333
2421	006	3022	0.07	1625	1	65	100	3	7	6	9066	7441	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6836.599609	6836.599609	0.933333
2421	007	3023	0.07	835	1	65	100	3	7	6	9069	8234	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7629.399414	7629.399414	0.933333
2421	008	3023	0.07	1584	1	65	100	3	7	6	9069	7485	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	6880.399414	6880.399414	0.933333
2421	009	3023	0.07	1197	1	65	100	3	7	6	9069	7872	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7267.399414	7267.399414	0.933333
2421	010	3024	0.07	1582	1	65	100	3	7	6	9072	7490	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	6885.200195	6885.200195	0.933333
2421	011	3024	0.07	1075	1	65	100	3	7	6	9072	7997	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	7392.200195	7392.200195	0.933333
2421	012	3024	0.07	1405	1	65	100	3	7	6	9072	7667	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	7062.200195	7062.200195	0.933333
2421	013	3025	0.07	1933	1	65	100	3	7	6	9075	7142	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	6537	6537	0.933333
2421	014	3025	0.07	2519	1	65	100	3	7	6	9075	6556	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	5951	5951	0.933333
2421	015	3025	0.07	1350	1	65	100	3	7	6	9075	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7120	7120	0.933333
2421	016	3026	0.07	1319	1	65	100	3	7	6	9078	7759	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7153.799805	7153.799805	0.933333
2421	017	3026	0.07	2042	1	65	100	3	7	6	9078	7036	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6430.799805	6430.799805	0.933333
2421	018	3026	0.07	1875	1	65	100	3	7	6	9078	7203	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6597.799805	6597.799805	0.933333
2421	019	3027	0.07	1319	1	65	100	3	7	6	9081	7762	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8475.599609	7156.599609	7156.599609	0.933333
2421	020	3027	0.07	2160	1	65	100	3	7	6	9081	6921	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8475.599609	6315.599609	6315.599609	0.933333
2421	032	3000	0.07	1530	1	65	100	3	7	6	9000	7470	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6870	6870	0.933333
2421	033	3000	0.07	1405	1	65	100	3	7	6	9000	7595	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6995	6995	0.933333
2421	034	3000	0.07	1742	1	65	100	3	7	6	9000	7258	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6658	6658	0.933333
2421	035	3000	0.07	2193	1	65	100	3	7	6	9000	6807	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6207	6207	0.933333
2421	036	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
2421	038	3000	0.07	1175	1	65	100	3	7	6	9000	7825	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7225	7225	0.933333
2421	039	3000	0.07	1925	1	65	100	3	7	6	9000	7075	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6475	6475	0.933333
2421	040	3000	0.07	1792	1	65	100	3	7	6	9000	7208	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6608	6608	0.933333
2421	041	3000	0.07	1160	1	65	100	3	7	6	9000	7840	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7240	7240	0.933333
2421	042	3000	0.07	2298	1	65	100	3	7	6	9000	6702	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6102	6102	0.933333
2421	043	3000	0.07	2503	1	65	100	3	7	6	9000	6497	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5897	5897	0.933333
2421	044	3000	0.07	1110	1	65	100	3	7	6	9000	7890	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7290	7290	0.933333
2421	045	3000	0.07	1110	1	65	100	3	7	6	9000	7890	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7290	7290	0.933333
2421	046	3000	0.07	1110	1	65	100	3	7	6	9000	7890	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7290	7290	0.933333
2421	047	2718	0.06	1110	1	65	100	3	6	5	8154	7044	RH-1	40	form-based			true	0.7	6	1	5	5	7610.399902	6500.399902	6500.399902	0.933333
2422	022	2701	0.06	1300	1	65	100	3	6	5	8103	6803	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7562.799805	6262.799805	6262.799805	0.933333
2422	022A	2701	0.06	1305	1	65	100	3	6	5	8103	6798	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7562.799805	6257.799805	6257.799805	0.933333
2422	041	2702	0.06	870	1	65	100	3	6	5	8106	7236	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7565.600098	6695.600098	6695.600098	0.933333
2424	004	2995	0.07	1885	1	65	100	3	7	6	8985	7100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6501	6501	0.933333
2424	005	2995	0.07	1988	1	65	100	3	7	6	8985	6997	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6398	6398	0.933333
2424	006	2994	0.07	2390	1	65	100	3	7	6	8982	6592	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	5993.200195	5993.200195	0.933333
2424	007	2994	0.07	2355	1	65	100	3	7	6	8982	6627	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6028.200195	6028.200195	0.933333
2424	008	2994	0.07	1535	1	65	100	3	7	6	8982	7447	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6848.200195	6848.200195	0.933333
2424	009	2993	0.07	1860	1	65	100	3	7	6	8979	7119	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6520.399414	6520.399414	0.933333
2424	010	2993	0.07	1205	1	65	100	3	7	6	8979	7774	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7175.399414	7175.399414	0.933333
2424	011	2992	0.07	2630	1	65	100	3	7	6	8976	6346	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	5747.599609	5747.599609	0.933333
2424	012	2992	0.07	1520	1	65	100	3	7	6	8976	7456	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6857.599609	6857.599609	0.933333
2424	013	2991	0.07	1550	1	65	100	3	7	6	8973	7423	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6824.799805	6824.799805	0.933333
2424	014	2991	0.07	1275	1	65	100	3	7	6	8973	7698	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	7099.799805	7099.799805	0.933333
2424	015	2990	0.07	1896	1	65	100	3	7	6	8970	7074	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6476	6476	0.933333
2424	016	2990	0.07	1960	1	65	100	3	7	6	8970	7010	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6412	6412	0.933333
2424	016A	2989	0.07	1120	1	65	100	3	7	6	8967	7847	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	7249.200195	7249.200195	0.933333
2424	017	2989	0.07	1375	1	65	100	3	7	6	8967	7592	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6994.200195	6994.200195	0.933333
2424	018	2989	0.07	1114	1	65	100	3	7	6	8967	7853	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	7255.200195	7255.200195	0.933333
2424	019	2988	0.07	1175	1	65	100	3	7	6	8964	7789	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	7191.399414	7191.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2424	020	2988	0.07	1250	1	65	100	3	7	6	8964	7714	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	7116.399414	7116.399414	0.933333
2424	027	3000	0.07	1171	1	65	100	3	7	6	9000	7829	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	7229	7229	0.933333
2424	038	3000	0.07	1849	1	65	100	3	7	6	9000	7151	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6551	6551	0.933333
2424	039	3000	0.07	1405	1	65	100	3	7	6	9000	7595	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6995	6995	0.933333
2424	040	3000	0.07	1285	1	65	100	3	7	6	9000	7715	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	7115	7115	0.933333
2424	041	3000	0.07	1610	1	65	100	3	7	6	9000	7390	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6790	6790	0.933333
2424	045	1800	0.04	2400	2	65	100	3	4	2	5400	3000	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8100	5700	5700	1.5
2424	046	1800	0.04	2400	2	65	100	3	4	2	5400	3000	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8100	5700	5700	1.5
2424	048	1725	0.04	3090	1	65	100	3	4	3	5175	2085	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7762.5	4672.5	4672.5	1.5
2425	001	2975	0.07	2241	1	65	100	3	7	6	8925	6684	RH-1(D)	40	form-based		true	true	0.7	6	0.857142866	5	5	8330	6089	6089	0.933333
2426	002B	2620	0.06	1325	1	65	100	3	6	5	7860	6535	RH-1	40	form-based			true	0.7	6	1	5	5	7336	6011	6011	0.933333
2426	002C	2718	0.06	1450	1	65	100	3	6	5	8154	6704	RH-1	40	form-based			true	0.7	6	1	5	5	7610.399902	6160.399902	6160.399902	0.933333
2426	002D	3000	0.07	1965	1	65	100	3	7	6	9000	7035	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6435	6435	0.933333
2426	002E	3000	0.07	1875	1	65	100	3	7	6	9000	7125	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6525	6525	0.933333
2426	003	3000	0.07	1860	1	65	100	3	7	6	9000	7140	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6540	6540	0.933333
2426	003A	3000	0.07	1205	1	65	100	3	7	6	9000	7795	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7195	7195	0.933333
2426	003B	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2426	003C	3000	0.07	2715	1	65	100	3	7	6	9000	6285	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5685	5685	0.933333
2426	003D	3000	0.07	1756	1	65	100	3	7	6	9000	7244	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6644	6644	0.933333
2426	004	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2426	004A	3000	0.07	2077	1	65	100	3	7	6	9000	6923	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6323	6323	0.933333
2426	004B	3000	0.07	1671	1	65	100	3	7	6	9000	7329	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6729	6729	0.933333
2426	004C	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2426	004D	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2426	004E	3000	0.07	1632	1	65	100	3	7	6	9000	7368	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6768	6768	0.933333
2426	004H	2732	0.06	2310	1	65	100	3	6	5	8196	5886	RH-1	40	form-based			true	0.7	6	1	5	5	7649.600098	5339.600098	5339.600098	0.933333
2426	004I	2732	0.06	2347	1	65	100	3	6	5	8196	5849	RH-1	40	form-based			true	0.7	6	1	5	5	7649.600098	5302.600098	5302.600098	0.933333
2426	004J	2733	0.06	2726	1	65	100	3	6	5	8199	5473	RH-1	40	form-based		true	true	0.7	6	1	5	5	7652.399902	4926.399902	4926.399902	0.933333
2426	004K	2892	0.07	1925	1	65	100	3	7	6	8676	6751	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8097.600098	6172.600098	6172.600098	0.933333
2426	004M	2700	0.06	2560	1	65	100	3	6	5	8100	5540	RH-1	40	form-based		true	true	0.7	6	1	5	5	7560	5000	5000	0.933333
2426	004N	2700	0.06	1190	1	65	100	3	6	5	8100	6910	RH-1	40	form-based			true	0.7	6	1	5	5	7560	6370	6370	0.933333
2426	004T	3025	0.07	2557	1	65	100	3	7	6	9075	6518	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	5913	5913	0.933333
2426	004U	3024	0.07	1971	1	65	100	3	7	6	9072	7101	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	6496.200195	6496.200195	0.933333
2426	004V	3024	0.07	2377	1	65	100	3	7	6	9072	6695	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	6090.200195	6090.200195	0.933333
2426	004W	3023	0.07	2162	1	65	100	3	7	6	9069	6907	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	6302.399414	6302.399414	0.933333
2426	005	3023	0.07	1252	1	65	100	3	7	6	9069	7817	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7212.399414	7212.399414	0.933333
2426	005A	3023	0.07	1315	1	65	100	3	7	6	9069	7754	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7149.399414	7149.399414	0.933333
2426	005B	3022	0.07	1870	1	65	100	3	7	6	9066	7196	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6591.599609	6591.599609	0.933333
2426	005C	3022	0.07	2020	1	65	100	3	7	6	9066	7046	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6441.599609	6441.599609	0.933333
2426	005D	3022	0.07	1270	1	65	100	3	7	6	9066	7796	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	7191.599609	7191.599609	0.933333
2426	005E	3021	0.07	1795	1	65	100	3	7	6	9063	7268	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6663.799805	6663.799805	0.933333
2426	005F	3021	0.07	2200	1	65	100	3	7	6	9063	6863	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6258.799805	6258.799805	0.933333
2426	006	2737	0.06	1550	1	65	100	3	6	5	8211	6661	RH-1	40	form-based			true	0.7	6	1	5	5	7663.600098	6113.600098	6113.600098	0.933333
2427	001	2720	0.06	1020	1	65	100	3	6	5	8160	7140	RH-1	40	form-based		true	true	0.7	6	1	5	5	7616	6596	6596	0.933333
2427	002	3002	0.07	1407	1	65	100	3	7	6	9006	7599	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6998.599609	6998.599609	0.933333
2427	003	3002	0.07	1959	1	65	100	3	7	6	9006	7047	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6446.599609	6446.599609	0.933333
2427	004	3001	0.07	1115	1	65	100	3	7	6	9003	7888	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7287.799805	7287.799805	0.933333
2427	005	3001	0.07	1115	1	65	100	3	7	6	9003	7888	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7287.799805	7287.799805	0.933333
2427	006	3001	0.07	1115	1	65	100	3	7	6	9003	7888	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7287.799805	7287.799805	0.933333
2427	007	3001	0.07	1135	1	65	100	3	7	6	9003	7868	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7267.799805	7267.799805	0.933333
2427	008	3000	0.07	1977	1	65	100	3	7	6	9000	7023	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6423	6423	0.933333
2427	009	3000	0.07	1602	1	65	100	3	7	6	9000	7398	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6798	6798	0.933333
2427	010	3000	0.07	1827	1	65	100	3	7	6	9000	7173	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6573	6573	0.933333
2427	011	2999	0.07	1090	1	65	100	3	7	6	8997	7907	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7307.200195	7307.200195	0.933333
2427	012	2999	0.07	1926	1	65	100	3	7	6	8997	7071	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6471.200195	6471.200195	0.933333
2427	013	2999	0.07	2120	1	65	100	3	7	6	8997	6877	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6277.200195	6277.200195	0.933333
2427	013A	2999	0.07	1603	1	65	100	3	7	6	8997	7394	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6794.200195	6794.200195	0.933333
2427	013B	2998	0.07	2055	1	65	100	3	7	6	8994	6939	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6339.399414	6339.399414	0.933333
2427	013C	2998	0.07	1970	1	65	100	3	7	6	8994	7024	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6424.399414	6424.399414	0.933333
2427	013D	2998	0.07	1615	1	65	100	3	7	6	8994	7379	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6779.399414	6779.399414	0.933333
2427	013E	2998	0.07	1455	1	65	100	3	7	6	8994	7539	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6939.399414	6939.399414	0.933333
2427	013F	2997	0.07	1320	1	65	100	3	7	6	8991	7671	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	7071.599609	7071.599609	0.933333
2427	013G	2997	0.07	1400	1	65	100	3	7	6	8991	7591	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6991.599609	6991.599609	0.933333
2427	015	3000	0.07	2545	1	65	100	3	7	6	9000	6455	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5855	5855	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2427	016	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2427	017	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7020	7020	0.933333
2427	018	3000	0.07	1527	1	65	100	3	7	6	9000	7473	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6873	6873	0.933333
2427	019	3000	0.07	1925	1	65	100	3	7	6	9000	7075	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6475	6475	0.933333
2427	020	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
2427	021	3000	0.07	1787	1	65	100	3	7	6	9000	7213	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6613	6613	0.933333
2427	022	3000	0.07	1896	1	65	100	3	7	6	9000	7104	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6504	6504	0.933333
2427	023	3000	0.07	2401	1	65	100	3	7	6	9000	6599	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5999	5999	0.933333
2427	024	3000	0.07	1160	1	65	100	3	7	6	9000	7840	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7240	7240	0.933333
2427	025	3000	0.07	1025	1	65	100	3	7	6	9000	7975	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7375	7375	0.933333
2427	025A	3000	0.07	1160	1	65	100	3	7	6	9000	7840	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7240	7240	0.933333
2427	026	3000	0.07	1160	1	65	100	3	7	6	9000	7840	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7240	7240	0.933333
2427	027	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2427	028	3000	0.07	1695	1	65	100	3	7	6	9000	7305	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6705	6705	0.933333
2427	029	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2427	030	3000	0.07	1383	1	65	100	3	7	6	9000	7617	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7017	7017	0.933333
2427	031	3000	0.07	2414	1	65	100	3	7	6	9000	6586	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5986	5986	0.933333
2427	032	3000	0.07	1000	1	65	100	3	7	6	9000	8000	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7400	7400	0.933333
2427	033	2718	0.06	1820	1	65	100	3	6	5	8154	6334	RH-1	40	form-based		true	true	0.7	6	1	5	5	7610.399902	5790.399902	5790.399902	0.933333
2428	002	3000	0.07	1650	1	65	100	3	7	6	9000	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6750	6750	0.933333
2428	003	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2428	004	3000	0.07	1441	1	65	100	3	7	6	9000	7559	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6959	6959	0.933333
2428	005	3000	0.07	1060	1	65	100	3	7	6	9000	7940	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7340	7340	0.933333
2428	006	3000	0.07	960	1	65	100	3	7	6	9000	8040	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7440	7440	0.933333
2428	007	3000	0.07	1805	1	65	100	3	7	6	9000	7195	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6595	6595	0.933333
2428	008	3000	0.07	1135	1	65	100	3	7	6	9000	7865	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7265	7265	0.933333
2428	008A	3000	0.07	1990	1	65	100	3	7	6	9000	7010	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6410	6410	0.933333
2428	008B	3000	0.07	1240	1	65	100	3	7	6	9000	7760	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7160	7160	0.933333
2428	008D	3000	0.07	1530	1	65	100	3	7	6	9000	7470	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6870	6870	0.933333
2428	008E	3000	0.07	1230	1	65	100	3	7	6	9000	7770	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7170	7170	0.933333
2428	008F	3000	0.07	1795	1	65	100	3	7	6	9000	7205	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6605	6605	0.933333
2428	008G	3009	0.07	1375	1	65	100	3	7	6	9027	7652	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7050.200195	7050.200195	0.933333
2428	008H	3009	0.07	1205	1	65	100	3	7	6	9027	7822	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7220.200195	7220.200195	0.933333
2428	008I	3009	0.07	1205	1	65	100	3	7	6	9027	7822	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7220.200195	7220.200195	0.933333
2428	008J	3008	0.07	2150	1	65	100	3	7	6	9024	6874	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6272.399414	6272.399414	0.933333
2428	008K	3008	0.07	1751	1	65	100	3	7	6	9024	7273	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6671.399414	6671.399414	0.933333
2428	008L	3008	0.07	1327	1	65	100	3	7	6	9024	7697	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7095.399414	7095.399414	0.933333
2428	008M	3008	0.07	1205	1	65	100	3	7	6	9024	7819	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7217.399414	7217.399414	0.933333
2428	008N	3008	0.07	2611	1	65	100	3	7	6	9024	6413	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	5811.399414	5811.399414	0.933333
2428	008O	3000	0.07	3291	1	65	100	3	7	6	9000	5709	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5109	5109	0.933333
2428	008P	3000	0.07	1085	1	65	100	3	7	6	9000	7915	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7315	7315	0.933333
2428	008Q	3000	0.07	2107	1	65	100	3	7	6	9000	6893	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6293	6293	0.933333
2428	008R	3000	0.07	1700	1	65	100	3	7	6	9000	7300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6700	6700	0.933333
2428	008S	3000	0.07	1440	1	65	100	3	7	6	9000	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6960	6960	0.933333
2428	010	3008	0.07	945	1	65	100	3	7	6	9024	8079	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7477.399414	7477.399414	0.933333
2428	011	3008	0.07	2177	1	65	100	3	7	6	9024	6847	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6245.399414	6245.399414	0.933333
2428	012	3008	0.07	912	1	65	100	3	7	6	9024	8112	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7510.399414	7510.399414	0.933333
2428	013	3008	0.07	2200	1	65	100	3	7	6	9024	6824	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6222.399414	6222.399414	0.933333
2428	014	3008	0.07	893	1	65	100	3	7	6	9024	8131	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7529.399414	7529.399414	0.933333
2428	015	3008	0.07	1160	1	65	100	3	7	6	9024	7864	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7262.399414	7262.399414	0.933333
2428	016	3008	0.07	1300	1	65	100	3	7	6	9024	7724	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	7122.399414	7122.399414	0.933333
2428	017	3007	0.07	2523	1	65	100	3	7	6	9021	6498	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	5896.599609	5896.599609	0.933333
2428	018	3007	0.07	1000	1	65	100	3	7	6	9021	8021	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	7419.599609	7419.599609	0.933333
2428	019	3007	0.07	1500	1	65	100	3	7	6	9021	7521	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6919.599609	6919.599609	0.933333
2429	003	2774	0.06	1456	1	65	100	3	6	5	8322	6866	RH-1	40	form-based			true	0.7	6	1	5	5	7767.199707	6311.199707	6311.199707	0.933333
2429	004	3000	0.07	1325	1	65	100	3	7	6	9000	7675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7075	7075	0.933333
2429	005	3000	0.07	1460	1	65	100	3	7	6	9000	7540	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6940	6940	0.933333
2429	005A	3000	0.07	2533	1	65	100	3	7	6	9000	6467	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5867	5867	0.933333
2429	006	3000	0.07	1631	1	65	100	3	7	6	9000	7369	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6769	6769	0.933333
2429	007	3000	0.07	925	1	65	100	3	7	6	9000	8075	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7475	7475	0.933333
2429	008	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2429	009	3000	0.07	1770	1	65	100	3	7	6	9000	7230	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6630	6630	0.933333
2429	010	3000	0.07	2039	1	65	100	3	7	6	9000	6961	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6361	6361	0.933333
2429	011	3000	0.07	1598	1	65	100	3	7	6	9000	7402	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6802	6802	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2429	012	3000	0.07	1870	1	65	100	3	7	6	9000	7130	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6530	6530	0.933333
2429	013	3000	0.07	2550	1	65	100	3	7	6	9000	6450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5850	5850	0.933333
2429	014	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2429	014A	3000	0.07	1778	1	65	100	3	7	6	9000	7222	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6622	6622	0.933333
2429	014B	3000	0.07	1948	1	65	100	3	7	6	9000	7052	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6452	6452	0.933333
2429	014C	3000	0.07	2335	1	65	100	3	7	6	9000	6665	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6065	6065	0.933333
2429	014D	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
2429	014I	3000	0.07	1720	1	65	100	3	7	6	9000	7280	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6680	6680	0.933333
2429	014J	2878	0.07	1600	1	65	100	3	7	6	8634	7034	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8058.399902	6458.399902	6458.399902	0.933333
2429	014O	2969	0.07	2160	1	65	100	3	7	6	8907	6747	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6153.200195	6153.200195	0.933333
2429	014P	2969	0.07	1525	1	65	100	3	7	6	8907	7382	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6788.200195	6788.200195	0.933333
2429	014Q	2968	0.07	1473	1	65	100	3	7	6	8904	7431	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	6837.399414	6837.399414	0.933333
2429	014R	2968	0.07	1825	1	65	100	3	7	6	8904	7079	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	6485.399414	6485.399414	0.933333
2429	015	2968	0.07	1320	1	65	100	3	7	6	8904	7584	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	6990.399414	6990.399414	0.933333
2429	016	2968	0.07	1188	1	65	100	3	7	6	8904	7716	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	7122.399414	7122.399414	0.933333
2429	017	2968	0.07	1740	1	65	100	3	7	6	8904	7164	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8310.399414	6570.399414	6570.399414	0.933333
2429	018	2967	0.07	1925	1	65	100	3	7	6	8901	6976	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6382.599609	6382.599609	0.933333
2429	021	2967	0.07	1220	1	65	100	3	7	6	8901	7681	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	7087.599609	7087.599609	0.933333
2429	022	2967	0.07	1135	1	65	100	3	7	6	8901	7766	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	7172.599609	7172.599609	0.933333
2429	023	2966	0.07	1407	1	65	100	3	7	6	8898	7491	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	6897.799805	6897.799805	0.933333
2429	024	2966	0.07	1525	1	65	100	3	7	6	8898	7373	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	6779.799805	6779.799805	0.933333
2429	025	2966	0.07	1856	1	65	100	3	7	6	8898	7042	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	6448.799805	6448.799805	0.933333
2429	026	2966	0.07	1050	1	65	100	3	7	6	8898	7848	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	7254.799805	7254.799805	0.933333
2429	027	2743	0.06	1412	1	65	100	3	6	5	8229	6817	RH-1	40	form-based			true	0.7	6	1	5	5	7680.399902	6268.399902	6268.399902	0.933333
2429	031	2967	0.07	2125	1	65	100	3	7	6	8901	6776	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6182.599609	6182.599609	0.933333
2429	032	2967	0.07	1700	1	65	100	3	7	6	8901	7201	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6607.599609	6607.599609	0.933333
2430	004	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2430	005	3000	0.07	1490	1	65	100	3	7	6	9000	7510	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6910	6910	0.933333
2430	006	3000	0.07	2189	1	65	100	3	7	6	9000	6811	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6211	6211	0.933333
2430	007	3000	0.07	2014	1	65	100	3	7	6	9000	6986	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6386	6386	0.933333
2430	007A	3000	0.07	1660	1	65	100	3	7	6	9000	7340	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6740	6740	0.933333
2430	008	3000	0.07	1925	1	65	100	3	7	6	9000	7075	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6475	6475	0.933333
2430	008A	3000	0.07	1188	1	65	100	3	7	6	9000	7812	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7212	7212	0.933333
2430	009	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2430	009A	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2430	010	3000	0.07	2232	1	65	100	3	7	6	9000	6768	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6168	6168	0.933333
2430	011	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
2430	012	3000	0.07	2539	1	65	100	3	7	6	9000	6461	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5861	5861	0.933333
2430	013	3000	0.07	1410	1	65	100	3	7	6	9000	7590	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6990	6990	0.933333
2430	014	3000	0.07	651	1	65	100	3	7	6	9000	8349	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7749	7749	0.933333
2430	015	3000	0.07	1410	1	65	100	3	7	6	9000	7590	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6990	6990	0.933333
2430	016	3000	0.07	1370	1	65	100	3	7	6	9000	7630	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7030	7030	0.933333
2430	016A	3000	0.07	2205	1	65	100	3	7	6	9000	6795	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6195	6195	0.933333
2430	019A	3041	0.07	1550	1	65	100	3	7	6	9123	7573	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	6964.799805	6964.799805	0.933333
2430	019F	3041	0.07	1400	1	65	100	3	7	6	9123	7723	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	7114.799805	7114.799805	0.933333
2430	019G	3041	0.07	1601	1	65	100	3	7	6	9123	7522	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	6913.799805	6913.799805	0.933333
2430	020	3041	0.07	2455	1	65	100	3	7	6	9123	6668	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	6059.799805	6059.799805	0.933333
2430	021	3041	0.07	1080	1	65	100	3	7	6	9123	8043	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	7434.799805	7434.799805	0.933333
2430	022	3041	0.07	1160	1	65	100	3	7	6	9123	7963	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	7354.799805	7354.799805	0.933333
2430	023	3041	0.07	1200	1	65	100	3	7	6	9123	7923	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	7314.799805	7314.799805	0.933333
2430	024	3041	0.07	1745	1	65	100	3	7	6	9123	7378	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	6769.799805	6769.799805	0.933333
2430	025	3041	0.07	2246	1	65	100	3	7	6	9123	6877	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	6268.799805	6268.799805	0.933333
2430	025A	3041	0.07	1725	1	65	100	3	7	6	9123	7398	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	6789.799805	6789.799805	0.933333
2430	025B	3041	0.07	1540	1	65	100	3	7	6	9123	7583	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	6974.799805	6974.799805	0.933333
2430	025C	3041	0.07	1480	1	65	100	3	7	6	9123	7643	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	7034.799805	7034.799805	0.933333
2430	025D	3041	0.07	1250	1	65	100	3	7	6	9123	7873	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	7264.799805	7264.799805	0.933333
2430	026	3041	0.07	1825	1	65	100	3	7	6	9123	7298	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	6689.799805	6689.799805	0.933333
2430	027	3041	0.07	1766	1	65	100	3	7	6	9123	7357	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	6748.799805	6748.799805	0.933333
2430	027A	3041	0.07	1953	1	65	100	3	7	6	9123	7170	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	6561.799805	6561.799805	0.933333
2430	028	3041	0.07	1525	1	65	100	3	7	6	9123	7598	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	6989.799805	6989.799805	0.933333
2430	029	3041	0.07	1566	1	65	100	3	7	6	9123	7557	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	6948.799805	6948.799805	0.933333
2430	030	3041	0.07	1257	1	65	100	3	7	6	9123	7866	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	7257.799805	7257.799805	0.933333
2430	031	3041	0.07	1970	1	65	100	3	7	6	9123	7153	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8514.799805	6544.799805	6544.799805	0.933333
2431	004	2999	0.07	1495	1	65	100	3	7	6	8997	7502	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6902.200195	6902.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2431	004A	2999	0.07	1702	1	65	100	3	7	6	8997	7295	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6695.200195	6695.200195	0.933333
2431	005	2999	0.07	2895	1	65	100	3	7	6	8997	6102	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	5502.200195	5502.200195	0.933333
2431	005A	2999	0.07	1700	1	65	100	3	7	6	8997	7297	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6697.200195	6697.200195	0.933333
2431	006	2999	0.07	1400	1	65	100	3	7	6	8997	7597	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6997.200195	6997.200195	0.933333
2431	007	2999	0.07	1400	1	65	100	3	7	6	8997	7597	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6997.200195	6997.200195	0.933333
2431	008	2998	0.07	1325	1	65	100	3	7	6	8994	7669	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7069.399414	7069.399414	0.933333
2431	008A	2998	0.07	1697	1	65	100	3	7	6	8994	7297	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6697.399414	6697.399414	0.933333
2431	008B	2998	0.07	2000	1	65	100	3	7	6	8994	6994	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6394.399414	6394.399414	0.933333
2431	008C	2998	0.07	2628	1	65	100	3	7	6	8994	6366	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	5766.399414	5766.399414	0.933333
2431	008D	2998	0.07	1430	1	65	100	3	7	6	8994	7564	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6964.399414	6964.399414	0.933333
2431	008E	2998	0.07	2291	1	65	100	3	7	6	8994	6703	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6103.399414	6103.399414	0.933333
2431	009	2998	0.07	2288	1	65	100	3	7	6	8994	6706	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6106.399414	6106.399414	0.933333
2431	010	2998	0.07	1529	1	65	100	3	7	6	8994	7465	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6865.399414	6865.399414	0.933333
2431	011	2998	0.07	2292	1	65	100	3	7	6	8994	6702	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6102.399414	6102.399414	0.933333
2431	012	2998	0.07	1000	1	65	100	3	7	6	8994	7994	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	7394.399414	7394.399414	0.933333
2431	013	2998	0.07	1475	1	65	100	3	7	6	8994	7519	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6919.399414	6919.399414	0.933333
2431	014	2997	0.07	2820	1	65	100	3	7	6	8991	6171	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	5571.599609	5571.599609	0.933333
2431	014A	2997	0.07	1873	1	65	100	3	7	6	8991	7118	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6518.599609	6518.599609	0.933333
2431	016	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2431	016A	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2431	017	3000	0.07	880	1	65	100	3	7	6	9000	8120	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7520	7520	0.933333
2431	018	3000	0.07	1915	1	65	100	3	7	6	9000	7085	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6485	6485	0.933333
2431	019	3000	0.07	1060	1	65	100	3	7	6	9000	7940	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7340	7340	0.933333
2431	020	3000	0.07	1163	1	65	100	3	7	6	9000	7837	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7237	7237	0.933333
2431	021	3000	0.07	1756	1	65	100	3	7	6	9000	7244	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6644	6644	0.933333
2431	021A	3000	0.07	1480	1	65	100	3	7	6	9000	7520	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6920	6920	0.933333
2431	021B	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2431	021C	3000	0.07	2055	1	65	100	3	7	6	9000	6945	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6345	6345	0.933333
2431	021D	3000	0.07	1624	1	65	100	3	7	6	9000	7376	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6776	6776	0.933333
2431	021E	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2431	021F	3000	0.07	1965	1	65	100	3	7	6	9000	7035	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6435	6435	0.933333
2431	022	3000	0.07	1910	1	65	100	3	7	6	9000	7090	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6490	6490	0.933333
2431	023	3000	0.07	1655	1	65	100	3	7	6	9000	7345	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6745	6745	0.933333
2431	024	3000	0.07	2004	1	65	100	3	7	6	9000	6996	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6396	6396	0.933333
2431	025	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
2431	026	3000	0.07	1888	1	65	100	3	7	6	9000	7112	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6512	6512	0.933333
2431	027	2734	0.06	1100	1	65	100	3	6	5	8202	7102	RH-1	40	form-based	true		true	0.7	6	1	5	5	7655.199707	6555.199707	6555.199707	0.933333
2432	001	2700	0.06	1470	1	65	100	3	6	5	8100	6630	RH-1	40	form-based	true		true	0.7	6	1	5	5	7560	6090	6090	0.933333
2432	001A	3000	0.07	1823	1	65	100	3	7	6	9000	7177	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6577	6577	0.933333
2432	001E	3000	0.07	1646	1	65	100	3	7	6	9000	7354	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6754	6754	0.933333
2432	001F	3000	0.07	1960	1	65	100	3	7	6	9000	7040	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6440	6440	0.933333
2432	001G	3000	0.07	1498	1	65	100	3	7	6	9000	7502	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6902	6902	0.933333
2432	001H	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2432	001I	3000	0.07	1445	1	65	100	3	7	6	9000	7555	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6955	6955	0.933333
2432	002	3000	0.07	1636	1	65	100	3	7	6	9000	7364	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6764	6764	0.933333
2432	002A	2995	0.07	1367	1	65	100	3	7	6	8985	7618	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7019	7019	0.933333
2432	002B	2995	0.07	1935	1	65	100	3	7	6	8985	7050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6451	6451	0.933333
2432	002C	2995	0.07	1250	1	65	100	3	7	6	8985	7735	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7136	7136	0.933333
2432	002D	2995	0.07	1430	1	65	100	3	7	6	8985	7555	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6956	6956	0.933333
2432	002E	2994	0.07	1732	1	65	100	3	7	6	8982	7250	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6651.200195	6651.200195	0.933333
2432	002F	2994	0.07	2095	1	65	100	3	7	6	8982	6887	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6288.200195	6288.200195	0.933333
2432	002G	2995	0.07	1546	1	65	100	3	7	6	8985	7439	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6840	6840	0.933333
2432	002H	3000	0.07	1605	1	65	100	3	7	6	9000	7395	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6795	6795	0.933333
2432	002I	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2432	003	3000	0.07	2201	1	65	100	3	7	6	9000	6799	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6199	6199	0.933333
2432	004	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2432	005	3000	0.07	1555	1	65	100	3	7	6	9000	7445	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6845	6845	0.933333
2432	007	3000	0.07	1195	1	65	100	3	7	6	9000	7805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7205	7205	0.933333
2432	008	3000	0.07	1060	1	65	100	3	7	6	9000	7940	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7340	7340	0.933333
2432	009	3000	0.07	2550	1	65	100	3	7	6	9000	6450	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5850	5850	0.933333
2432	010	3000	0.07	1613	1	65	100	3	7	6	9000	7387	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6787	6787	0.933333
2432	013	2714	0.06	1300	1	65	100	3	6	5	8142	6842	RH-1	40	form-based			true	0.7	6	1	5	5	7599.199707	6299.199707	6299.199707	0.933333
2432	014	2996	0.07	1114	1	65	100	3	7	6	8988	7874	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	7274.799805	7274.799805	0.933333
2432	015	2996	0.07	1731	1	65	100	3	7	6	8988	7257	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6657.799805	6657.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2432	016	2996	0.07	1536	1	65	100	3	7	6	8988	7452	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6852.799805	6852.799805	0.933333
2432	017	2995	0.07	1475	1	65	100	3	7	6	8985	7510	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6911	6911	0.933333
2432	018	2995	0.07	2497	1	65	100	3	7	6	8985	6488	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	5889	5889	0.933333
2432	019	2995	0.07	1365	1	65	100	3	7	6	8985	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7021	7021	0.933333
2432	020	2995	0.07	1866	1	65	100	3	7	6	8985	7119	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6520	6520	0.933333
2432	021	2995	0.07	1330	1	65	100	3	7	6	8985	7655	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7056	7056	0.933333
2432	022	2995	0.07	1854	1	65	100	3	7	6	8985	7131	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6532	6532	0.933333
2432	023	2994	0.07	1630	1	65	100	3	7	6	8982	7352	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6753.200195	6753.200195	0.933333
2432	023F	2994	0.07	1550	1	65	100	3	7	6	8982	7432	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6833.200195	6833.200195	0.933333
2432	024	3074	0.07	1300	1	65	100	3	7	6	9222	7922	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8607.200195	7307.200195	7307.200195	0.933333
2433	003	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2433	004	3000	0.07	1738	1	65	100	3	7	6	9000	7262	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6662	6662	0.933333
2433	005	3000	0.07	1318	1	65	100	3	7	6	9000	7682	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7082	7082	0.933333
2433	006	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2433	007	3000	0.07	1950	1	65	100	3	7	6	9000	7050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6450	6450	0.933333
2433	008	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2433	008A	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2433	009	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2433	010	3000	0.07	1635	1	65	100	3	7	6	9000	7365	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6765	6765	0.933333
2433	011	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2433	012	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
2433	012A	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
2433	013	3000	0.07	1475	1	65	100	3	7	6	9000	7525	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6925	6925	0.933333
2433	013A	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7150	7150	0.933333
2433	014	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2433	014A	3000	0.07	1716	1	65	100	3	7	6	9000	7284	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6684	6684	0.933333
2433	014B	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
2433	015	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2433	016	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2433	017	3000	0.07	1490	1	65	100	3	7	6	9000	7510	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6910	6910	0.933333
2433	018	2718	0.06	960	1	65	100	3	6	5	8154	7194	RH-1	40	form-based	true		true	0.7	6	1	5	5	7610.399902	6650.399902	6650.399902	0.933333
2433	020	3037	0.07	1474	1	65	100	3	7	6	9111	7637	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	7029.599609	7029.599609	0.933333
2433	020A	3037	0.07	1628	1	65	100	3	7	6	9111	7483	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	6875.599609	6875.599609	0.933333
2433	022	3037	0.07	2079	1	65	100	3	7	6	9111	7032	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	6424.599609	6424.599609	0.933333
2433	022A	3037	0.07	1829	1	65	100	3	7	6	9111	7282	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	6674.599609	6674.599609	0.933333
2433	023	3037	0.07	1900	1	65	100	3	7	6	9111	7211	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	6603.599609	6603.599609	0.933333
2433	023A	3037	0.07	1708	1	65	100	3	7	6	9111	7403	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	6795.599609	6795.599609	0.933333
2433	024	3037	0.07	2073	1	65	100	3	7	6	9111	7038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	6430.599609	6430.599609	0.933333
2433	024A	3037	0.07	3322	1	65	100	3	7	6	9111	5789	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	5181.599609	5181.599609	0.933333
2433	024B	3037	0.07	1280	1	65	100	3	7	6	9111	7831	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	7223.599609	7223.599609	0.933333
2433	024C	3037	0.07	1900	1	65	100	3	7	6	9111	7211	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	6603.599609	6603.599609	0.933333
2433	024D	3037	0.07	1550	1	65	100	3	7	6	9111	7561	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	6953.599609	6953.599609	0.933333
2433	024E	3037	0.07	2417	1	65	100	3	7	6	9111	6694	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	6086.599609	6086.599609	0.933333
2433	024F	3037	0.07	1280	1	65	100	3	7	6	9111	7831	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	7223.599609	7223.599609	0.933333
2433	024G	3037	0.07	1280	1	65	100	3	7	6	9111	7831	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	7223.599609	7223.599609	0.933333
2433	024H	3037	0.07	1500	1	65	100	3	7	6	9111	7611	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	7003.599609	7003.599609	0.933333
2434	002	2718	0.06	1275	1	65	100	3	6	5	8154	6879	RH-1	40	form-based			true	0.7	6	1	5	5	7610.399902	6335.399902	6335.399902	0.933333
2434	003	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2434	004	3000	0.07	1485	1	65	100	3	7	6	9000	7515	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6915	6915	0.933333
2434	005	3000	0.07	2165	1	65	100	3	7	6	9000	6835	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6235	6235	0.933333
2434	006	3000	0.07	2070	1	65	100	3	7	6	9000	6930	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6330	6330	0.933333
2434	007	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2434	008	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2434	009	3000	0.07	2310	1	65	100	3	7	6	9000	6690	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6090	6090	0.933333
2434	010	3000	0.07	2208	1	65	100	3	7	6	9000	6792	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6192	6192	0.933333
2434	011	3000	0.07	1506	1	65	100	3	7	6	9000	7494	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6894	6894	0.933333
2434	012	3000	0.07	1612	1	65	100	3	7	6	9000	7388	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6788	6788	0.933333
2434	013	3000	0.07	2392	1	65	100	3	7	6	9000	6608	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6008	6008	0.933333
2434	014	3000	0.07	1446	1	65	100	3	7	6	9000	7554	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6954	6954	0.933333
2434	016	3000	0.07	1215	1	65	100	3	7	6	9000	7785	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7185	7185	0.933333
2434	021	2500	0.06	2970	4	65	100	3	6	2	7500	4530	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	8280	8280	1.5
2434	023	2500	0.06	3711	4	65	100	3	6	2	7500	3789	NC-1	65	form-based			true	0.75	9	1.5	5	5	11250	7539	7539	1.5
2434	025	3004	0.07	1212	1	65	100	3	7	6	9012	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7199.200195	7199.200195	0.933333
2434	026	3005	0.07	1290	1	65	100	3	7	6	9015	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7124	7124	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2434	027	3006	0.07	2128	1	65	100	3	7	6	9018	6890	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	6288.799805	6288.799805	0.933333
2434	028	3007	0.07	1963	1	65	100	3	7	6	9021	7058	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6456.599609	6456.599609	0.933333
2434	029	3007	0.07	1950	1	65	100	3	7	6	9021	7071	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6469.599609	6469.599609	0.933333
2434	030	3008	0.07	1540	1	65	100	3	7	6	9024	7484	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8422.399414	6882.399414	6882.399414	0.933333
2434	030A	3009	0.07	1162	1	65	100	3	7	6	9027	7865	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7263.200195	7263.200195	0.933333
2434	031	3009	0.07	875	1	65	100	3	7	6	9027	8152	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7550.200195	7550.200195	0.933333
2434	032	3010	0.07	1375	1	65	100	3	7	6	9030	7655	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7053	7053	0.933333
2434	033	3011	0.07	1790	1	65	100	3	7	6	9033	7243	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6640.799805	6640.799805	0.933333
2434	034	3012	0.07	1666	1	65	100	3	7	6	9036	7370	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6767.599609	6767.599609	0.933333
2434	035	3012	0.07	1771	1	65	100	3	7	6	9036	7265	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6662.599609	6662.599609	0.933333
2434	036	3013	0.07	1500	1	65	100	3	7	6	9039	7539	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6936.399414	6936.399414	0.933333
2434	037	3014	0.07	2183	1	65	100	3	7	6	9042	6859	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6256.200195	6256.200195	0.933333
2434	038	3014	0.07	1400	1	65	100	3	7	6	9042	7642	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7039.200195	7039.200195	0.933333
2434	039	2732	0.06	2174	1	65	100	3	6	5	8196	6022	RH-1	40	form-based			true	0.7	6	1	5	5	7649.600098	5475.600098	5475.600098	0.933333
2434	045	3000	0.07	2764	1	65	100	3	7	6	9000	6236	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5636	5636	0.933333
2434	046	3000	0.07	3375	1	65	100	3	7	6	9000	5625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5025	5025	0.933333
2435	002	2718	0.06	1300	1	65	100	3	6	5	8154	6854	RH-1	40	form-based			true	0.7	6	1	5	5	7610.399902	6310.399902	6310.399902	0.933333
2435	002A	3000	0.07	2170	1	65	100	3	7	6	9000	6830	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6230	6230	0.933333
2435	003	3000	0.07	1765	1	65	100	3	7	6	9000	7235	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6635	6635	0.933333
2435	003A	3000	0.07	1380	1	65	100	3	7	6	9000	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7020	7020	0.933333
2435	004	3000	0.07	1458	1	65	100	3	7	6	9000	7542	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6942	6942	0.933333
2435	005	3000	0.07	1464	1	65	100	3	7	6	9000	7536	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6936	6936	0.933333
2435	005A	3000	0.07	1324	1	65	100	3	7	6	9000	7676	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7076	7076	0.933333
2435	006	3000	0.07	2240	1	65	100	3	7	6	9000	6760	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6160	6160	0.933333
2435	007	3000	0.07	1759	1	65	100	3	7	6	9000	7241	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6641	6641	0.933333
2435	008	3000	0.07	1216	1	65	100	3	7	6	9000	7784	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7184	7184	0.933333
2435	009	3000	0.07	1474	1	65	100	3	7	6	9000	7526	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6926	6926	0.933333
2435	010	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2435	010A	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
2435	010B	3000	0.07	1851	1	65	100	3	7	6	9000	7149	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6549	6549	0.933333
2435	011	3000	0.07	1725	1	65	100	3	7	6	9000	7275	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6675	6675	0.933333
2435	012	3000	0.07	1159	1	55	80	2.5	6	5	7500	6341	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7241	7241	1.12
2435	018	3017	0.07	1350	1	65	100	3	7	6	9051	7701	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7097.599609	7097.599609	0.933333
2435	019	3016	0.07	2070	1	65	100	3	7	6	9048	6978	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	6374.799805	6374.799805	0.933333
2435	020	3016	0.07	1350	1	65	100	3	7	6	9048	7698	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7094.799805	7094.799805	0.933333
2435	021	3015	0.07	1478	1	65	100	3	7	6	9045	7567	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6964	6964	0.933333
2435	022	3015	0.07	1350	1	65	100	3	7	6	9045	7695	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	7092	7092	0.933333
2435	022A	3014	0.07	1350	1	65	100	3	7	6	9042	7692	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	7089.200195	7089.200195	0.933333
2435	022B	3014	0.07	1931	1	65	100	3	7	6	9042	7111	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6508.200195	6508.200195	0.933333
2435	023	3013	0.07	1941	1	65	100	3	7	6	9039	7098	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6495.399414	6495.399414	0.933333
2435	024	3012	0.07	1610	1	65	100	3	7	6	9036	7426	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6823.599609	6823.599609	0.933333
2435	025	3012	0.07	2250	1	65	100	3	7	6	9036	6786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6183.599609	6183.599609	0.933333
2435	026	3011	0.07	2351	1	65	100	3	7	6	9033	6682	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6079.799805	6079.799805	0.933333
2435	027	3011	0.07	1800	1	65	100	3	7	6	9033	7233	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6630.799805	6630.799805	0.933333
2435	027A	3010	0.07	1420	1	65	100	3	7	6	9030	7610	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7008	7008	0.933333
2435	028	3010	0.07	1250	1	65	100	3	7	6	9030	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7178	7178	0.933333
2435	028A	3009	0.07	1250	1	65	100	3	7	6	9027	7777	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7175.200195	7175.200195	0.933333
2435	029	2726	0.06	2000	1	65	100	3	6	5	8178	6178	RH-1	40	form-based			true	0.7	6	1	5	5	7632.799805	5632.799805	5632.799805	0.933333
2436	001D	2710	0.06	1350	1	65	100	3	6	5	8130	6780	RH-1	40	form-based			true	0.7	6	1	5	5	7588	6238	6238	0.933333
2436	001E	2991	0.07	1350	1	65	100	3	7	6	8973	7623	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	7024.799805	7024.799805	0.933333
2436	001F	2991	0.07	1914	1	65	100	3	7	6	8973	7059	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6460.799805	6460.799805	0.933333
2436	001G	2991	0.07	1800	1	65	100	3	7	6	8973	7173	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6574.799805	6574.799805	0.933333
2436	001H	2991	0.07	1530	1	65	100	3	7	6	8973	7443	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6844.799805	6844.799805	0.933333
2436	001I	2991	0.07	1724	1	65	100	3	7	6	8973	7249	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6650.799805	6650.799805	0.933333
2436	001J	2990	0.07	1350	1	65	100	3	7	6	8970	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7022	7022	0.933333
2436	001K	2990	0.07	1350	1	65	100	3	7	6	8970	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7022	7022	0.933333
2436	001L	2990	0.07	1350	1	65	100	3	7	6	8970	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7022	7022	0.933333
2436	001M	2990	0.07	1350	1	65	100	3	7	6	8970	7620	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7022	7022	0.933333
2436	001N	2990	0.07	2050	1	65	100	3	7	6	8970	6920	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6322	6322	0.933333
2436	001O	2990	0.07	2084	1	65	100	3	7	6	8970	6886	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6288	6288	0.933333
2436	001P	2989	0.07	1520	1	65	100	3	7	6	8967	7447	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6849.200195	6849.200195	0.933333
2436	001Q	2989	0.07	1350	1	65	100	3	7	6	8967	7617	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	7019.200195	7019.200195	0.933333
2436	001R	2989	0.07	1350	1	65	100	3	7	6	8967	7617	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	7019.200195	7019.200195	0.933333
2436	001S	2989	0.07	1350	1	65	100	3	7	6	8967	7617	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	7019.200195	7019.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2436	007	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2436	008	3000	0.07	2878	1	65	100	3	7	6	9000	6122	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5522	5522	0.933333
2436	009	3000	0.07	1624	1	65	100	3	7	6	9000	7376	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6776	6776	0.933333
2436	010	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2436	011	3000	0.07	2146	1	65	100	3	7	6	9000	6854	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6254	6254	0.933333
2436	012	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2436	013	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2436	014	3000	0.07	2212	1	65	100	3	7	6	9000	6788	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6188	6188	0.933333
2436	015	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2436	016	3000	0.07	1900	1	65	100	3	7	6	9000	7100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6500	6500	0.933333
2436	017	3000	0.07	1886	1	65	100	3	7	6	9000	7114	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6514	6514	0.933333
2436	018	3000	0.07	1972	1	65	100	3	7	6	9000	7028	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6428	6428	0.933333
2436	019	3000	0.07	2275	1	65	100	3	7	6	9000	6725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6125	6125	0.933333
2436	020	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2436	021	3000	0.07	1625	1	65	100	3	7	6	9000	7375	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6775	6775	0.933333
2436	022	2718	0.06	1400	1	65	100	3	6	5	8154	6754	RH-1	40	form-based			true	0.7	6	1	5	5	7610.399902	6210.399902	6210.399902	0.933333
2438	002	3000	0.07	1210	1	65	100	3	7	6	9000	7790	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7190	7190	0.933333
2438	003	3000	0.07	1651	1	65	100	3	7	6	9000	7349	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6749	6749	0.933333
2438	004	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
2438	005	3000	0.07	1375	1	65	100	3	7	6	9000	7625	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7025	7025	0.933333
2438	006	3000	0.07	2054	1	65	100	3	7	6	9000	6946	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6346	6346	0.933333
2438	007	3000	0.07	1525	1	65	100	3	7	6	9000	7475	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6875	6875	0.933333
2438	008	3000	0.07	1416	1	65	100	3	7	6	9000	7584	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6984	6984	0.933333
2438	009	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2438	009A	3000	0.07	1769	1	65	100	3	7	6	9000	7231	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6631	6631	0.933333
2438	009B	3000	0.07	1365	1	65	100	3	7	6	9000	7635	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7035	7035	0.933333
2438	009C	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2438	010	3000	0.07	1590	1	65	100	3	7	6	9000	7410	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6810	6810	0.933333
2438	011	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
2438	012	3000	0.07	2012	1	65	100	3	7	6	9000	6988	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6388	6388	0.933333
2438	013	3000	0.07	1425	1	65	100	3	7	6	9000	7575	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6975	6975	0.933333
2438	014	2832	0.07	2200	1	65	100	3	7	6	8496	6296	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7929.600098	5729.600098	5729.600098	0.933333
2438	023	2811	0.06	2022	1	65	100	3	6	5	8433	6411	RH-1	40	form-based			true	0.7	6	1	5	5	7870.799805	5848.799805	5848.799805	0.933333
2438	024	2988	0.07	1338	1	65	100	3	7	6	8964	7626	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	7028.399414	7028.399414	0.933333
2438	025	2988	0.07	1950	1	65	100	3	7	6	8964	7014	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6416.399414	6416.399414	0.933333
2438	026	2988	0.07	1895	1	65	100	3	7	6	8964	7069	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6471.399414	6471.399414	0.933333
2438	027	2988	0.07	1145	1	65	100	3	7	6	8964	7819	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	7221.399414	7221.399414	0.933333
2438	027A	2989	0.07	1320	1	65	100	3	7	6	8967	7647	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	7049.200195	7049.200195	0.933333
2438	028	2989	0.07	1125	1	65	100	3	7	6	8967	7842	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	7244.200195	7244.200195	0.933333
2438	029	2989	0.07	1162	1	65	100	3	7	6	8967	7805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	7207.200195	7207.200195	0.933333
2438	030	2989	0.07	1449	1	65	100	3	7	6	8967	7518	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6920.200195	6920.200195	0.933333
2438	031	2989	0.07	1173	1	65	100	3	7	6	8967	7794	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	7196.200195	7196.200195	0.933333
2438	032	2989	0.07	2199	1	65	100	3	7	6	8967	6768	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6170.200195	6170.200195	0.933333
2438	032A	2990	0.07	1787	1	65	100	3	7	6	8970	7183	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6585	6585	0.933333
2438	032B	2990	0.07	1162	1	65	100	3	7	6	8970	7808	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7210	7210	0.933333
2438	033	2990	0.07	1252	1	65	100	3	7	6	8970	7718	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7120	7120	0.933333
2438	034	2990	0.07	1867	1	65	100	3	7	6	8970	7103	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	6505	6505	0.933333
2438	035	2990	0.07	1210	1	65	100	3	7	6	8970	7760	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8372	7162	7162	0.933333
2439	021	2966	0.07	1100	1	65	100	3	7	6	8898	7798	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	7204.799805	7204.799805	0.933333
2439	002	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2439	003	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2439	004	3000	0.07	1235	1	65	100	3	7	6	9000	7765	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7165	7165	0.933333
2439	005	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2439	006	3000	0.07	1648	1	65	100	3	7	6	9000	7352	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6752	6752	0.933333
2439	007	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2439	007A	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2439	008	3000	0.07	995	1	65	100	3	7	6	9000	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7405	7405	0.933333
2439	009	3000	0.07	1210	1	65	100	3	7	6	9000	7790	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7190	7190	0.933333
2439	010	3000	0.07	875	1	65	100	3	7	6	9000	8125	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7525	7525	0.933333
2439	010A	3000	0.07	1275	1	65	100	3	7	6	9000	7725	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7125	7125	0.933333
2439	011	3000	0.07	1955	1	65	100	3	7	6	9000	7045	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6445	6445	0.933333
2439	012	3000	0.07	1257	1	65	100	3	7	6	9000	7743	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7143	7143	0.933333
2439	013	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2439	014	3000	0.07	910	1	65	100	3	7	6	9000	8090	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7490	7490	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2439	014A	2807	0.06	944	1	65	100	3	6	5	8421	7477	RH-1	40	form-based			true	0.7	6	1	5	5	7859.600098	6915.600098	6915.600098	0.933333
2439	016A	1346	0.03	1711	0	55	80	2.5	2	2	3365	1654	RTO-C	65	form-based		true	true	0.75	5	2.5	5	4	6057	4346	4346	1.8
2439	019B	1499	0.03	800	1	65	100	3	3	2	4497	3697	RTO-C	65	form-based			true	0.75	6	2	5	5	6745.5	5945.5	5945.5	1.5
2439	020	2766	0.06	800	1	65	100	3	6	5	8298	7498	RH-1	40	form-based			true	0.7	6	1	5	5	7744.799805	6944.799805	6944.799805	0.933333
2439	022	2966	0.07	1508	1	65	100	3	7	6	8898	7390	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	6796.799805	6796.799805	0.933333
2439	023	2966	0.07	1017	1	65	100	3	7	6	8898	7881	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	7287.799805	7287.799805	0.933333
2439	024	2966	0.07	1383	1	65	100	3	7	6	8898	7515	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	6921.799805	6921.799805	0.933333
2439	025	2966	0.07	800	1	65	100	3	7	6	8898	8098	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	7504.799805	7504.799805	0.933333
2439	025A	2966	0.07	800	1	65	100	3	7	6	8898	8098	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	7504.799805	7504.799805	0.933333
2439	026	2966	0.07	1310	1	65	100	3	7	6	8898	7588	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	6994.799805	6994.799805	0.933333
2439	027	2967	0.07	1312	1	65	100	3	7	6	8901	7589	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6995.599609	6995.599609	0.933333
2439	028	2967	0.07	800	1	65	100	3	7	6	8901	8101	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	7507.599609	7507.599609	0.933333
2439	029	2967	0.07	1162	1	65	100	3	7	6	8901	7739	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	7145.599609	7145.599609	0.933333
2439	030	2967	0.07	1162	1	65	100	3	7	6	8901	7739	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	7145.599609	7145.599609	0.933333
2439	031	2967	0.07	1162	1	65	100	3	7	6	8901	7739	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	7145.599609	7145.599609	0.933333
2439	032	2967	0.07	1162	1	65	100	3	7	6	8901	7739	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	7145.599609	7145.599609	0.933333
2439	033	2967	0.07	1638	1	65	100	3	7	6	8901	7263	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6669.599609	6669.599609	0.933333
2439	034	2967	0.07	995	1	65	100	3	7	6	8901	7906	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	7312.599609	7312.599609	0.933333
2440	004	2783	0.06	1552	1	65	100	3	6	5	8349	6797	RH-1	40	form-based			true	0.7	6	1	5	5	7792.399902	6240.399902	6240.399902	0.933333
2440	005	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2440	006	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
2440	007	3000	0.07	2262	1	65	100	3	7	6	9000	6738	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6138	6138	0.933333
2440	008	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2440	009	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2440	010	3000	0.07	1979	1	65	100	3	7	6	9000	7021	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6421	6421	0.933333
2440	011	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2440	012	3000	0.07	1950	1	65	100	3	7	6	9000	7050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6450	6450	0.933333
2440	013	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2440	014	3000	0.07	2043	1	65	100	3	7	6	9000	6957	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6357	6357	0.933333
2440	015	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2440	016	3000	0.07	1682	1	65	100	3	7	6	9000	7318	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6718	6718	0.933333
2440	017	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2440	018	3000	0.07	1907	1	65	100	3	7	6	9000	7093	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6493	6493	0.933333
2440	019	3000	0.07	1409	1	65	100	3	7	6	9000	7591	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6991	6991	0.933333
2440	020	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2440	021	3000	0.07	1162	1	65	100	3	7	6	9000	7838	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7238	7238	0.933333
2440	034	3021	0.07	1562	1	65	100	3	7	6	9063	7501	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6896.799805	6896.799805	0.933333
2440	035	3021	0.07	1687	1	65	100	3	7	6	9063	7376	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6771.799805	6771.799805	0.933333
2440	036	3021	0.07	1665	1	65	100	3	7	6	9063	7398	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6793.799805	6793.799805	0.933333
2440	037	3020	0.07	1296	1	65	100	3	7	6	9060	7764	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7160	7160	0.933333
2440	038	3020	0.07	1162	1	65	100	3	7	6	9060	7898	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7294	7294	0.933333
2440	039	3020	0.07	1471	1	65	100	3	7	6	9060	7589	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6985	6985	0.933333
2440	040	3020	0.07	1656	1	65	100	3	7	6	9060	7404	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6800	6800	0.933333
2440	041	3020	0.07	1784	1	65	100	3	7	6	9060	7276	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6672	6672	0.933333
2440	042	3020	0.07	1847	1	65	100	3	7	6	9060	7213	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6609	6609	0.933333
2440	043	3020	0.07	1789	1	65	100	3	7	6	9060	7271	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6667	6667	0.933333
2440	044	3019	0.07	1330	1	65	100	3	7	6	9057	7727	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7123.200195	7123.200195	0.933333
2440	045	3019	0.07	1162	1	65	100	3	7	6	9057	7895	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7291.200195	7291.200195	0.933333
2440	046	3019	0.07	1462	1	65	100	3	7	6	9057	7595	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6991.200195	6991.200195	0.933333
2440	047	3019	0.07	1797	1	65	100	3	7	6	9057	7260	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6656.200195	6656.200195	0.933333
2440	048	3019	0.07	1162	1	65	100	3	7	6	9057	7895	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7291.200195	7291.200195	0.933333
2440	049	3019	0.07	2140	1	65	100	3	7	6	9057	6917	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6313.200195	6313.200195	0.933333
2440	050	3018	0.07	1354	1	65	100	3	7	6	9054	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	7096.399414	7096.399414	0.933333
2440	051	2791	0.06	1162	1	65	100	3	6	5	8373	7211	RH-1	40	form-based			true	0.7	6	1	5	5	7814.799805	6652.799805	6652.799805	0.933333
2441	015	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2441	016	3000	0.07	1750	1	65	100	3	7	6	9000	7250	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6650	6650	0.933333
2441	017	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2441	027	3021	0.07	2387	1	65	100	3	7	6	9063	6676	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6071.799805	6071.799805	0.933333
2441	028	3021	0.07	800	1	65	100	3	7	6	9063	8263	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7658.799805	7658.799805	0.933333
2441	029	3021	0.07	800	1	65	100	3	7	6	9063	8263	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7658.799805	7658.799805	0.933333
2441	030	3021	0.07	995	1	65	100	3	7	6	9063	8068	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7463.799805	7463.799805	0.933333
2441	031	3021	0.07	995	1	65	100	3	7	6	9063	8068	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7463.799805	7463.799805	0.933333
2442	002	2734	0.06	1024	1	65	100	3	6	5	8202	7178	RH-1	40	form-based			true	0.7	6	1	5	5	7655.199707	6631.199707	6631.199707	0.933333
2442	003	3000	0.07	1024	1	65	100	3	7	6	9000	7976	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7376	7376	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2442	004	3000	0.07	1730	1	65	100	3	7	6	9000	7270	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6670	6670	0.933333
2442	005	3000	0.07	1200	1	65	100	3	7	6	9000	7800	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7200	7200	0.933333
2442	006	3000	0.07	1193	1	65	100	3	7	6	9000	7807	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7207	7207	0.933333
2442	007	3000	0.07	2244	1	65	100	3	7	6	9000	6756	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6156	6156	0.933333
2442	007A	3000	0.07	1474	1	65	100	3	7	6	9000	7526	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6926	6926	0.933333
2442	008	3000	0.07	1267	1	65	100	3	7	6	9000	7733	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7133	7133	0.933333
2442	008A	3000	0.07	1024	1	65	100	3	7	6	9000	7976	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7376	7376	0.933333
2442	008B	3000	0.07	1024	1	65	100	3	7	6	9000	7976	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7376	7376	0.933333
2442	008C	3000	0.07	1210	1	65	100	3	7	6	9000	7790	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7190	7190	0.933333
2442	009	3000	0.07	1586	1	65	100	3	7	6	9000	7414	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6814	6814	0.933333
2442	010	3000	0.07	1265	1	65	100	3	7	6	9000	7735	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7135	7135	0.933333
2442	010A	3000	0.07	1024	1	65	100	3	7	6	9000	7976	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7376	7376	0.933333
2442	012A	1618	0.04	1804	1	65	100	3	4	3	4854	3050	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7281	5477	5477	1.5
2442	012B	1618	0.04	1950	1	65	100	3	4	3	4854	2904	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7281	5331	5331	1.5
2442	013	1617	0.04	1669	1	65	100	3	4	3	4851	3182	RTO-C	65	form-based		true	true	0.75	6	1.5	5	5	7276.5	5607.5	5607.5	1.5
2442	015	2993	0.07	2071	1	65	100	3	7	6	8979	6908	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6309.399414	6309.399414	0.933333
2442	016	2993	0.07	2132	1	65	100	3	7	6	8979	6847	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6248.399414	6248.399414	0.933333
2442	017	2993	0.07	1341	1	65	100	3	7	6	8979	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7039.399414	7039.399414	0.933333
2442	018	2993	0.07	1341	1	65	100	3	7	6	8979	7638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	7039.399414	7039.399414	0.933333
2442	019	2994	0.07	2124	1	65	100	3	7	6	8982	6858	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6259.200195	6259.200195	0.933333
2442	019A	2994	0.07	1232	1	65	100	3	7	6	8982	7750	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7151.200195	7151.200195	0.933333
2442	020	2994	0.07	1360	1	65	100	3	7	6	8982	7622	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7023.200195	7023.200195	0.933333
2442	021	2994	0.07	1094	1	65	100	3	7	6	8982	7888	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7289.200195	7289.200195	0.933333
2442	021A	2994	0.07	962	1	65	100	3	7	6	8982	8020	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7421.200195	7421.200195	0.933333
2442	022	2994	0.07	1655	1	65	100	3	7	6	8982	7327	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6728.200195	6728.200195	0.933333
2442	023	2994	0.07	1333	1	65	100	3	7	6	8982	7649	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7050.200195	7050.200195	0.933333
2442	024	2995	0.07	1233	1	65	100	3	7	6	8985	7752	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7153	7153	0.933333
2442	025	2995	0.07	1267	1	65	100	3	7	6	8985	7718	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7119	7119	0.933333
2442	026	2995	0.07	1981	1	65	100	3	7	6	8985	7004	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6405	6405	0.933333
2442	027	2995	0.07	962	1	65	100	3	7	6	8985	8023	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7424	7424	0.933333
2442	027A	2721	0.06	1162	1	65	100	3	6	5	8163	7001	RH-1	40	form-based			true	0.7	6	1	5	5	7618.799805	6456.799805	6456.799805	0.933333
2442	034	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
2442	035	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6800	6800	0.933333
2443	002	2790	0.06	2353	1	65	100	3	6	5	8370	6017	RH-1	40	form-based			true	0.7	6	1	5	5	7812	5459	5459	0.933333
2443	003	3000	0.07	1047	1	65	100	3	7	6	9000	7953	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7353	7353	0.933333
2443	004	3000	0.07	2365	1	65	100	3	7	6	9000	6635	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6035	6035	0.933333
2443	004A	3000	0.07	1656	1	65	100	3	7	6	9000	7344	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6744	6744	0.933333
2443	005	3000	0.07	1179	1	65	100	3	7	6	9000	7821	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7221	7221	0.933333
2443	006	3000	0.07	1790	1	65	100	3	7	6	9000	7210	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6610	6610	0.933333
2443	006A	3000	0.07	1244	1	65	100	3	7	6	9000	7756	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7156	7156	0.933333
2443	006B	3000	0.07	962	1	65	100	3	7	6	9000	8038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7438	7438	0.933333
2443	007	3000	0.07	962	1	65	100	3	7	6	9000	8038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7438	7438	0.933333
2443	007A	3000	0.07	962	1	65	100	3	7	6	9000	8038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7438	7438	0.933333
2443	008	3000	0.07	1291	1	65	100	3	7	6	9000	7709	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7109	7109	0.933333
2443	008A	3000	0.07	962	1	65	100	3	7	6	9000	8038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7438	7438	0.933333
2443	009	3000	0.07	1502	1	65	100	3	7	6	9000	7498	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6898	6898	0.933333
2443	009A	3000	0.07	1187	1	65	100	3	7	6	9000	7813	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7213	7213	0.933333
2443	010	3000	0.07	1393	1	65	100	3	7	6	9000	7607	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7007	7007	0.933333
2443	011	3000	0.07	1474	1	65	100	3	7	6	9000	7526	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6926	6926	0.933333
2444	005B	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2443	020	3004	0.07	1500	1	65	100	3	7	6	9012	7512	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6911.200195	6911.200195	0.933333
2443	021	3004	0.07	1054	1	65	100	3	7	6	9012	7958	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7357.200195	7357.200195	0.933333
2443	022	3004	0.07	1157	1	65	100	3	7	6	9012	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7254.200195	7254.200195	0.933333
2443	023	3004	0.07	962	1	65	100	3	7	6	9012	8050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7449.200195	7449.200195	0.933333
2443	024	3004	0.07	1314	1	65	100	3	7	6	9012	7698	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7097.200195	7097.200195	0.933333
2443	024A	3004	0.07	962	1	65	100	3	7	6	9012	8050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7449.200195	7449.200195	0.933333
2443	024B	3004	0.07	962	1	65	100	3	7	6	9012	8050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7449.200195	7449.200195	0.933333
2443	024C	3004	0.07	962	1	65	100	3	7	6	9012	8050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7449.200195	7449.200195	0.933333
2443	024E	3004	0.07	1170	1	65	100	3	7	6	9012	7842	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7241.200195	7241.200195	0.933333
2443	024F	3004	0.07	962	1	65	100	3	7	6	9012	8050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7449.200195	7449.200195	0.933333
2443	025	3004	0.07	1300	1	65	100	3	7	6	9012	7712	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7111.200195	7111.200195	0.933333
2443	026	3004	0.07	962	1	65	100	3	7	6	9012	8050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7449.200195	7449.200195	0.933333
2443	027	3005	0.07	1625	1	65	100	3	7	6	9015	7390	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6789	6789	0.933333
2443	028	3005	0.07	1966	1	65	100	3	7	6	9015	7049	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6448	6448	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2443	029	2785	0.06	962	1	65	100	3	6	5	8355	7393	RH-1	40	form-based			true	0.7	6	1	5	5	7798	6836	6836	0.933333
2444	002	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2444	002A	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2444	003	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2444	003A	3000	0.07	1420	1	65	100	3	7	6	9000	7580	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6980	6980	0.933333
2444	003B	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2444	004	3000	0.07	1312	1	65	100	3	7	6	9000	7688	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7088	7088	0.933333
2444	004A	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2444	005	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2444	005A	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2444	006	3000	0.07	1100	1	65	100	3	7	6	9000	7900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7300	7300	0.933333
2444	006A	3000	0.07	2333	1	65	100	3	7	6	9000	6667	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6067	6067	0.933333
2444	006B	3000	0.07	1685	1	65	100	3	7	6	9000	7315	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6715	6715	0.933333
2444	007	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
2444	007A	3000	0.07	1861	1	65	100	3	7	6	9000	7139	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6539	6539	0.933333
2444	007B	2765	0.06	1865	1	65	100	3	6	5	8295	6430	RH-1	40	form-based			true	0.7	6	1	5	5	7742	5877	5877	0.933333
2444	012A	1601	0.04	1355	1	65	100	3	4	3	4803	3448	RTO-C	65	form-based		true	true	0.75	6	1.5	5	5	7204.5	5849.5	5849.5	1.5
2444	013	2777	0.06	1835	1	65	100	3	6	5	8331	6496	RH-1	40	form-based			true	0.7	6	1	5	5	7775.600098	5940.600098	5940.600098	0.933333
2444	013A	3024	0.07	1500	1	65	100	3	7	6	9072	7572	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	6967.200195	6967.200195	0.933333
2444	013B	3024	0.07	1214	1	65	100	3	7	6	9072	7858	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	7253.200195	7253.200195	0.933333
2444	014	3023	0.07	1321	1	65	100	3	7	6	9069	7748	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7143.399414	7143.399414	0.933333
2444	015	3023	0.07	1214	1	65	100	3	7	6	9069	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7250.399414	7250.399414	0.933333
2444	015A	3023	0.07	1214	1	65	100	3	7	6	9069	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7250.399414	7250.399414	0.933333
2444	016	3023	0.07	1339	1	65	100	3	7	6	9069	7730	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7125.399414	7125.399414	0.933333
2444	016A	3023	0.07	1611	1	65	100	3	7	6	9069	7458	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	6853.399414	6853.399414	0.933333
2444	017	3023	0.07	1418	1	65	100	3	7	6	9069	7651	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7046.399414	7046.399414	0.933333
2444	018	3023	0.07	1214	1	65	100	3	7	6	9069	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7250.399414	7250.399414	0.933333
2444	018A	3023	0.07	999	1	65	100	3	7	6	9069	8070	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7465.399414	7465.399414	0.933333
2444	019	3023	0.07	962	1	65	100	3	7	6	9069	8107	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7502.399414	7502.399414	0.933333
2444	020	3023	0.07	1214	1	65	100	3	7	6	9069	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7250.399414	7250.399414	0.933333
2444	021	3023	0.07	1214	1	65	100	3	7	6	9069	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7250.399414	7250.399414	0.933333
2444	021A	3023	0.07	1214	1	65	100	3	7	6	9069	7855	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7250.399414	7250.399414	0.933333
2444	022	3022	0.07	1252	1	65	100	3	7	6	9066	7814	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	7209.599609	7209.599609	0.933333
2445	002	2661	0.06	1214	1	65	100	3	6	5	7983	6769	RH-1	40	form-based			true	0.7	6	1	5	5	7450.799805	6236.799805	6236.799805	0.933333
2445	003	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2445	003A	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2445	004	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2445	005	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2445	006	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2445	007	3000	0.07	1352	1	65	100	3	7	6	9000	7648	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7048	7048	0.933333
2445	008	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2445	008A	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2445	008B	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2445	008C	3000	0.07	1312	1	65	100	3	7	6	9000	7688	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7088	7088	0.933333
2445	009	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2445	009A	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2445	009B	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2445	010	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2445	011	3000	0.07	1560	1	65	100	3	7	6	9000	7440	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6840	6840	0.933333
2445	015	3018	0.07	1119	1	65	100	3	7	6	9054	7935	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	7331.399414	7331.399414	0.933333
2445	016	3018	0.07	1119	1	65	100	3	7	6	9054	7935	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	7331.399414	7331.399414	0.933333
2445	017	3018	0.07	1119	1	65	100	3	7	6	9054	7935	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	7331.399414	7331.399414	0.933333
2445	018	3017	0.07	1816	1	65	100	3	7	6	9051	7235	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6631.599609	6631.599609	0.933333
2445	019	3017	0.07	1119	1	65	100	3	7	6	9051	7932	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7328.599609	7328.599609	0.933333
2445	020	3017	0.07	1119	1	65	100	3	7	6	9051	7932	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7328.599609	7328.599609	0.933333
2445	021	3017	0.07	1349	1	65	100	3	7	6	9051	7702	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7098.599609	7098.599609	0.933333
2445	022	3017	0.07	1143	1	65	100	3	7	6	9051	7908	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7304.599609	7304.599609	0.933333
2445	022A	3017	0.07	1862	1	65	100	3	7	6	9051	7189	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6585.599609	6585.599609	0.933333
2445	023	3017	0.07	1499	1	65	100	3	7	6	9051	7552	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6948.599609	6948.599609	0.933333
2445	024	3017	0.07	1299	1	65	100	3	7	6	9051	7752	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7148.599609	7148.599609	0.933333
2445	025	3017	0.07	2209	1	65	100	3	7	6	9051	6842	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6238.599609	6238.599609	0.933333
2445	026	3017	0.07	1299	1	65	100	3	7	6	9051	7752	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7148.599609	7148.599609	0.933333
2445	027	3017	0.07	1299	1	65	100	3	7	6	9051	7752	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	7148.599609	7148.599609	0.933333
2445	027A	3017	0.07	2549	1	65	100	3	7	6	9051	6502	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	5898.599609	5898.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2445	028	2666	0.06	2000	1	65	100	3	6	5	7998	5998	RH-1	40	form-based			true	0.7	6	1	5	5	7464.799805	5464.799805	5464.799805	0.933333
2446	004	3005	0.07	1300	1	85	140	4	10	9	12020	10720	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8414	7114	7114	0.7
2446	005	3005	0.07	1300	1	85	140	4	10	9	12020	10720	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8414	7114	7114	0.7
2446	006	3005	0.07	1300	1	85	140	4	10	9	12020	10720	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8414	7114	7114	0.7
2446	007	3005	0.07	1300	1	65	100	3	7	6	9015	7715	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7114	7114	0.933333
2446	008	3005	0.07	1685	1	65	100	3	7	6	9015	7330	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6729	6729	0.933333
2446	009	3005	0.07	1690	1	65	100	3	7	6	9015	7325	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6724	6724	0.933333
2446	010	3005	0.07	1600	1	65	100	3	7	6	9015	7415	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	6814	6814	0.933333
2446	011	3004	0.07	1175	1	65	100	3	7	6	9012	7837	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7236.200195	7236.200195	0.933333
2446	012	3004	0.07	1175	1	65	100	3	7	6	9012	7837	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7236.200195	7236.200195	0.933333
2446	013	3004	0.07	1175	1	65	100	3	7	6	9012	7837	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7236.200195	7236.200195	0.933333
2446	014	3004	0.07	1300	1	65	100	3	7	6	9012	7712	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7111.200195	7111.200195	0.933333
2446	015	3004	0.07	1300	1	65	100	3	7	6	9012	7712	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7111.200195	7111.200195	0.933333
2446	016	3004	0.07	1540	1	65	100	3	7	6	9012	7472	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6871.200195	6871.200195	0.933333
2446	017	3004	0.07	1780	1	65	100	3	7	6	9012	7232	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6631.200195	6631.200195	0.933333
2446	018	3004	0.07	1300	1	65	100	3	7	6	9012	7712	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7111.200195	7111.200195	0.933333
2446	019	3004	0.07	1725	1	65	100	3	7	6	9012	7287	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6686.200195	6686.200195	0.933333
2446	020	3004	0.07	1300	1	65	100	3	7	6	9012	7712	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	7111.200195	7111.200195	0.933333
2446	024	1542	0.04	1580	1	85	140	4	6	5	6168	4588	RTO-C	65	form-based	true		true	0.75	6	1	5	5	6939	5359	5359	1.125
2446	029	1532	0.04	1385	1	85	140	4	6	5	6128	4743	RTO-C	65	form-based	true		true	0.75	6	1	5	5	6894	5509	5509	1.125
2446	033	3000	0.07	1270	1	85	140	4	10	9	12000	10730	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7130	7130	0.7
2446	034	3000	0.07	825	1	85	140	4	10	9	12000	11175	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7575	7575	0.7
2446	035	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2446	036	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2446	037	3000	0.07	1180	1	65	100	3	7	6	9000	7820	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7220	7220	0.933333
2446	038	3000	0.07	1037	1	65	100	3	7	6	9000	7963	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7363	7363	0.933333
2446	039	3000	0.07	2100	1	65	100	3	7	6	9000	6900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6300	6300	0.933333
2446	040	3000	0.07	944	1	65	100	3	7	6	9000	8056	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7456	7456	0.933333
2446	041	3000	0.07	920	1	65	100	3	7	6	9000	8080	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7480	7480	0.933333
2446	042	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2446	043	3000	0.07	1761	1	65	100	3	7	6	9000	7239	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6639	6639	0.933333
2446	044	3000	0.07	1432	1	65	100	3	7	6	9000	7568	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6968	6968	0.933333
2446	045	3000	0.07	2527	1	85	140	4	10	9	12000	9473	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	5873	5873	0.7
2446	046	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2446	047	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2446	048	3000	0.07	944	1	85	140	4	10	9	12000	11056	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7456	7456	0.7
2447	005	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2447	006	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2447	007	3000	0.07	900	1	85	140	4	10	9	12000	11100	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7500	7500	0.7
2447	008	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2447	009	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2447	010	3000	0.07	950	1	65	100	3	7	6	9000	8050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7450	7450	0.933333
2447	011	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2447	012	3000	0.07	1031	1	65	100	3	7	6	9000	7969	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7369	7369	0.933333
2447	013	3000	0.07	980	1	65	100	3	7	6	9000	8020	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7420	7420	0.933333
2447	014	3000	0.07	944	1	65	100	3	7	6	9000	8056	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7456	7456	0.933333
2447	015	3000	0.07	1222	1	65	100	3	7	6	9000	7778	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7178	7178	0.933333
2447	016	3000	0.07	800	1	65	100	3	7	6	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7600	7600	0.933333
2447	017	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2447	018	3000	0.07	2110	1	85	140	4	10	9	12000	9890	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6290	6290	0.7
2447	019	3000	0.07	1900	1	85	140	4	10	9	12000	10100	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6500	6500	0.7
2447	021	1615	0.04	800	1	85	140	4	6	5	6460	5660	RTO-C	65	form-based			true	0.75	6	1	5	5	7267.5	6467.5	6467.5	1.125
2447	033	1629	0.04	1058	1	65	100	3	4	3	4887	3829	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7330.5	6272.5	6272.5	1.5
2447	035	2994	0.07	1012	1	85	140	4	10	9	11976	10964	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8383.200195	7371.200195	7371.200195	0.7
2447	036	2994	0.07	1145	1	65	100	3	7	6	8982	7837	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7238.200195	7238.200195	0.933333
2447	037	2994	0.07	1001	1	65	100	3	7	6	8982	7981	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7382.200195	7382.200195	0.933333
2447	038	2995	0.07	2459	1	65	100	3	7	6	8985	6526	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	5927	5927	0.933333
2447	039	2995	0.07	1350	1	65	100	3	7	6	8985	7635	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7036	7036	0.933333
2447	040	2995	0.07	1769	1	65	100	3	7	6	8985	7216	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6617	6617	0.933333
2447	041	2995	0.07	1001	1	65	100	3	7	6	8985	7984	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7385	7385	0.933333
2447	042	2995	0.07	1012	1	65	100	3	7	6	8985	7973	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7374	7374	0.933333
2447	043	2995	0.07	1213	1	65	100	3	7	6	8985	7772	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7173	7173	0.933333
2447	044	2995	0.07	1001	1	65	100	3	7	6	8985	7984	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7385	7385	0.933333
2447	045	2996	0.07	1917	1	65	100	3	7	6	8988	7071	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6471.799805	6471.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2447	046	2996	0.07	1001	1	65	100	3	7	6	8988	7987	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	7387.799805	7387.799805	0.933333
2447	047	2996	0.07	1001	1	65	100	3	7	6	8988	7987	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	7387.799805	7387.799805	0.933333
2447	048	2996	0.07	1691	1	65	100	3	7	6	8988	7297	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6697.799805	6697.799805	0.933333
2447	049	2996	0.07	1262	1	65	100	3	7	6	8988	7726	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	7126.799805	7126.799805	0.933333
2448	001E	3000	0.07	878	1	65	100	3	7	6	9000	8122	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7522	7522	0.933333
2448	001F	3000	0.07	878	1	65	100	3	7	6	9000	8122	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7522	7522	0.933333
2448	001G	3000	0.07	878	1	65	100	3	7	6	9000	8122	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7522	7522	0.933333
2448	001H	3000	0.07	1014	1	65	100	3	7	6	9000	7986	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7386	7386	0.933333
2448	001I	3000	0.07	1014	1	65	100	3	7	6	9000	7986	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7386	7386	0.933333
2448	001J	3000	0.07	1439	1	65	100	3	7	6	9000	7561	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6961	6961	0.933333
2448	001K	3000	0.07	1014	1	65	100	3	7	6	9000	7986	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7386	7386	0.933333
2448	001L	3000	0.07	1014	1	65	100	3	7	6	9000	7986	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7386	7386	0.933333
2448	001M	3000	0.07	1014	1	65	100	3	7	6	9000	7986	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7386	7386	0.933333
2448	001N	3000	0.07	1300	1	65	100	3	7	6	9000	7700	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7100	7100	0.933333
2448	001O	3000	0.07	1048	1	65	100	3	7	6	9000	7952	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7352	7352	0.933333
2448	001P	3000	0.07	878	1	65	100	3	7	6	9000	8122	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7522	7522	0.933333
2448	001Q	3000	0.07	1263	1	65	100	3	7	6	9000	7737	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7137	7137	0.933333
2448	001R	3000	0.07	1510	1	65	100	3	7	6	9000	7490	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6890	6890	0.933333
2448	001S	3000	0.07	878	1	65	100	3	7	6	9000	8122	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7522	7522	0.933333
2448	001T	2812	0.06	1272	1	65	100	3	6	5	8436	7164	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6601.600098	6601.600098	0.933333
2448	002F	2985	0.07	2361	1	65	100	3	7	6	8955	6594	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8358	5997	5997	0.933333
2448	002G	2829	0.06	1525	1	65	100	3	6	5	8487	6962	RH-1	40	form-based			true	0.7	6	1	5	5	7921.199707	6396.199707	6396.199707	0.933333
2448	002H	2861	0.07	1125	1	65	100	3	7	6	8583	7458	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8010.799805	6885.799805	6885.799805	0.933333
2448	003	2892	0.07	1925	1	65	100	3	7	6	8676	6751	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8097.600098	6172.600098	6172.600098	0.933333
2448	003A	2924	0.07	1910	1	65	100	3	7	6	8772	6862	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8187.199707	6277.199707	6277.199707	0.933333
2448	003B	2952	0.07	2139	1	65	100	3	7	6	8856	6717	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6126.599609	6126.599609	0.933333
2448	003C	2969	0.07	1575	1	65	100	3	7	6	8907	7332	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6738.200195	6738.200195	0.933333
2448	003D	2984	0.07	1517	1	65	100	3	7	6	8952	7435	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	6838.200195	6838.200195	0.933333
2448	003E	2998	0.07	1775	1	65	100	3	7	6	8994	7219	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8394.399414	6619.399414	6619.399414	0.933333
2448	003F	3010	0.07	1485	1	65	100	3	7	6	9030	7545	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6943	6943	0.933333
2448	003G	3021	0.07	1749	1	65	100	3	7	6	9063	7314	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6709.799805	6709.799805	0.933333
2448	003H	3030	0.07	1875	1	65	100	3	7	6	9090	7215	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8484	6609	6609	0.933333
2448	004	3038	0.07	2450	1	65	100	3	7	6	9114	6664	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6056.399414	6056.399414	0.933333
2448	005	3045	0.07	1125	1	65	100	3	7	6	9135	8010	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8526	7401	7401	0.933333
2448	005A	3050	0.07	1125	1	65	100	3	7	6	9150	8025	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8540	7415	7415	0.933333
2448	005B	3054	0.07	1413	1	65	100	3	7	6	9162	7749	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8551.200195	7138.200195	7138.200195	0.933333
2448	006	2627	0.06	1465	1	65	100	3	6	5	7881	6416	RH-1	40	form-based			true	0.7	6	1	5	5	7355.600098	5890.600098	5890.600098	0.933333
2449	003	2699	0.06	800	1	65	100	3	6	5	8097	7297	RH-1	40	form-based			true	0.7	6	1	5	5	7557.199707	6757.199707	6757.199707	0.933333
2449	004	2687	0.06	800	1	65	100	3	6	5	8061	7261	RH-1	40	form-based			true	0.7	6	1	5	5	7523.600098	6723.600098	6723.600098	0.933333
2449	005	2675	0.06	960	1	85	140	4	8	7	10700	9740	RH-1	40	form-based			true	0.7	6	0.75	5	5	7490	6530	6530	0.7
2449	006	2663	0.06	968	1	85	140	4	8	7	10652	9684	RH-1	40	form-based			true	0.7	6	0.75	5	5	7456.399902	6488.399902	6488.399902	0.7
2449	007	2839	0.07	1064	1	85	140	4	10	9	11356	10292	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	7949.199707	6885.199707	6885.199707	0.7
2450	001C	1574	0.04	1220	1	85	140	4	6	5	6296	5076	RTO-C	65	form-based			true	0.75	6	1	5	5	7083	5863	5863	1.125
2450	003	2992	0.07	1700	1	85	140	4	10	9	11968	10268	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8377.599609	6677.599609	6677.599609	0.7
2450	004	2992	0.07	1346	1	85	140	4	10	9	11968	10622	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8377.599609	7031.599609	7031.599609	0.7
2450	005	2992	0.07	1125	1	85	140	4	10	9	11968	10843	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8377.599609	7252.599609	7252.599609	0.7
2450	006	2991	0.07	1214	1	85	140	4	10	9	11964	10750	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8374.799805	7160.799805	7160.799805	0.7
2450	007	2991	0.07	1214	1	85	140	4	10	9	11964	10750	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8374.799805	7160.799805	7160.799805	0.7
2450	008	2991	0.07	1655	1	85	140	4	10	9	11964	10309	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8374.799805	6719.799805	6719.799805	0.7
2450	009	2991	0.07	1432	1	85	140	4	10	9	11964	10532	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8374.799805	6942.799805	6942.799805	0.7
2450	010	2991	0.07	1214	1	85	140	4	10	9	11964	10750	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8374.799805	7160.799805	7160.799805	0.7
2450	011	2991	0.07	1602	1	85	140	4	10	9	11964	10362	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8374.799805	6772.799805	6772.799805	0.7
2450	012	2991	0.07	1676	1	85	140	4	10	9	11964	10288	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8374.799805	6698.799805	6698.799805	0.7
2450	013	2990	0.07	1284	1	85	140	4	10	9	11960	10676	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8372	7088	7088	0.7
2450	014	2990	0.07	1214	1	85	140	4	10	9	11960	10746	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8372	7158	7158	0.7
2450	015	2990	0.07	1214	1	85	140	4	10	9	11960	10746	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8372	7158	7158	0.7
2450	016	2990	0.07	1214	1	85	140	4	10	9	11960	10746	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8372	7158	7158	0.7
2450	017	2990	0.07	1415	1	85	140	4	10	9	11960	10545	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8372	6957	6957	0.7
2450	020	3000	0.07	1100	1	85	140	4	10	9	12000	10900	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7300	7300	0.7
2450	021	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2450	022	3000	0.07	1546	1	85	140	4	10	9	12000	10454	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6854	6854	0.7
2450	023	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2450	024	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2450	025	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2450	026	3000	0.07	1016	1	85	140	4	10	9	12000	10984	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7384	7384	0.7
2450	027	3000	0.07	1184	1	85	140	4	10	9	12000	10816	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7216	7216	0.7
2450	028	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2450	029	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2450	030	3000	0.07	1485	1	85	140	4	10	9	12000	10515	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6915	6915	0.7
2450	031	3000	0.07	990	1	85	140	4	10	9	12000	11010	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7410	7410	0.7
2450	032	3000	0.07	956	1	85	140	4	10	9	12000	11044	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7444	7444	0.7
2450	033	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2450	034	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2450	036	1568	0.04	800	1	65	100	3	4	3	4704	3904	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7056	6256	6256	1.5
2451	002F	3002	0.07	2218	1	65	100	3	7	6	9006	6788	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6187.599609	6187.599609	0.933333
2451	002G	3002	0.07	1802	1	65	100	3	7	6	9006	7204	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6603.599609	6603.599609	0.933333
2451	002H	3002	0.07	1546	1	65	100	3	7	6	9006	7460	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6859.599609	6859.599609	0.933333
2451	002I	3002	0.07	1350	1	65	100	3	7	6	9006	7656	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7055.599609	7055.599609	0.933333
2451	002J	3001	0.07	1835	1	65	100	3	7	6	9003	7168	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6567.799805	6567.799805	0.933333
2451	002K	3001	0.07	1350	1	65	100	3	7	6	9003	7653	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7052.799805	7052.799805	0.933333
2451	002L	3001	0.07	1350	1	65	100	3	7	6	9003	7653	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7052.799805	7052.799805	0.933333
2451	002M	3001	0.07	1968	1	65	100	3	7	6	9003	7035	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	6434.799805	6434.799805	0.933333
2451	002O	3002	0.07	1533	1	65	100	3	7	6	9006	7473	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6872.599609	6872.599609	0.933333
2451	002P	3002	0.07	1575	1	65	100	3	7	6	9006	7431	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6830.599609	6830.599609	0.933333
2451	002Q	3002	0.07	1000	1	65	100	3	7	6	9006	8006	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7405.599609	7405.599609	0.933333
2451	002R	3002	0.07	1000	1	65	100	3	7	6	9006	8006	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7405.599609	7405.599609	0.933333
2451	002S	3002	0.07	1000	1	65	100	3	7	6	9006	8006	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7405.599609	7405.599609	0.933333
2451	002T	3002	0.07	1000	1	65	100	3	7	6	9006	8006	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	7405.599609	7405.599609	0.933333
2451	005	3000	0.07	900	1	65	100	3	7	6	9000	8100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7500	7500	0.933333
2451	005A	3000	0.07	900	1	65	100	3	7	6	9000	8100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7500	7500	0.933333
2451	006	3000	0.07	944	1	65	100	3	7	6	9000	8056	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7456	7456	0.933333
2451	006A	3000	0.07	900	1	65	100	3	7	6	9000	8100	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7500	7500	0.933333
2451	006B	3000	0.07	1601	1	65	100	3	7	6	9000	7399	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6799	6799	0.933333
2451	006C	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2451	006D	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2451	006E	3000	0.07	1150	1	65	100	3	7	6	9000	7850	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7250	7250	0.933333
2451	006F	3000	0.07	1547	1	85	140	4	10	9	12000	10453	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	6853	6853	0.7
2451	006G	3000	0.07	1376	1	85	140	4	10	9	12000	10624	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7024	7024	0.7
2451	006I	3000	0.07	800	1	85	140	4	10	9	12000	11200	RH-1	40	form-based			true	0.7	6	0.600000024	5	5	8400	7600	7600	0.7
2452	002	3019	0.07	1166	1	65	100	3	7	6	9057	7891	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7287.200195	7287.200195	0.933333
2452	002A	3019	0.07	1600	1	65	100	3	7	6	9057	7457	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6853.200195	6853.200195	0.933333
2452	002B	3019	0.07	1455	1	65	100	3	7	6	9057	7602	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6998.200195	6998.200195	0.933333
2452	002C	3019	0.07	1192	1	65	100	3	7	6	9057	7865	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7261.200195	7261.200195	0.933333
2452	002D	3019	0.07	1192	1	65	100	3	7	6	9057	7865	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7261.200195	7261.200195	0.933333
2452	002E	3019	0.07	1595	1	65	100	3	7	6	9057	7462	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6858.200195	6858.200195	0.933333
2452	002F	3019	0.07	1690	1	65	100	3	7	6	9057	7367	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	6763.200195	6763.200195	0.933333
2452	004	3020	0.07	1977	1	65	100	3	7	6	9060	7083	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6479	6479	0.933333
2452	004A	3020	0.07	1539	1	65	100	3	7	6	9060	7521	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6917	6917	0.933333
2452	004B	3020	0.07	1293	1	65	100	3	7	6	9060	7767	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7163	7163	0.933333
2452	004C	3020	0.07	1888	1	65	100	3	7	6	9060	7172	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6568	6568	0.933333
2452	004D	3020	0.07	1893	1	65	100	3	7	6	9060	7167	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6563	6563	0.933333
2452	004E	3020	0.07	1293	1	65	100	3	7	6	9060	7767	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	7163	7163	0.933333
2452	016	3000	0.07	1135	1	65	100	3	7	6	9000	7865	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7265	7265	0.933333
2452	017	3000	0.07	1401	1	65	100	3	7	6	9000	7599	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6999	6999	0.933333
2452	017A	3000	0.07	1192	1	65	100	3	7	6	9000	7808	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7208	7208	0.933333
2452	018	3000	0.07	962	1	65	100	3	7	6	9000	8038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7438	7438	0.933333
2452	019	3000	0.07	1586	1	65	100	3	7	6	9000	7414	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6814	6814	0.933333
2452	020	3000	0.07	893	1	65	100	3	7	6	9000	8107	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7507	7507	0.933333
2452	021	3000	0.07	893	1	65	100	3	7	6	9000	8107	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7507	7507	0.933333
2452	022	3000	0.07	893	1	65	100	3	7	6	9000	8107	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7507	7507	0.933333
2452	023	3000	0.07	1249	1	65	100	3	7	6	9000	7751	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7151	7151	0.933333
2452	023A	3000	0.07	1718	1	65	100	3	7	6	9000	7282	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6682	6682	0.933333
2452	024	3000	0.07	1012	1	65	100	3	7	6	9000	7988	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7388	7388	0.933333
2452	025	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2452	026	3000	0.07	1242	1	65	100	3	7	6	9000	7758	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7158	7158	0.933333
2452	027	3000	0.07	1802	1	65	100	3	7	6	9000	7198	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6598	6598	0.933333
2452	028	3000	0.07	2283	1	65	100	3	7	6	9000	6717	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6117	6117	0.933333
2452	037	3019	0.07	1450	1	65	100	3	7	6	9057	7607	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	7003.200195	7003.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2452	038	3020	0.07	2410	1	65	100	3	7	6	9060	6650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8456	6046	6046	0.933333
2453	001A	3025	0.07	1232	1	65	100	3	7	6	9075	7843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7238	7238	0.933333
2453	001B	3025	0.07	1463	1	65	100	3	7	6	9075	7612	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7007	7007	0.933333
2453	001C	3025	0.07	1232	1	65	100	3	7	6	9075	7843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7238	7238	0.933333
2453	001D	3025	0.07	1232	1	65	100	3	7	6	9075	7843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7238	7238	0.933333
2453	001E	3025	0.07	1232	1	65	100	3	7	6	9075	7843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7238	7238	0.933333
2453	001F	3025	0.07	2486	1	65	100	3	7	6	9075	6589	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	5984	5984	0.933333
2453	001G	3026	0.07	1232	1	65	100	3	7	6	9078	7846	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7240.799805	7240.799805	0.933333
2453	001H	3026	0.07	1232	1	65	100	3	7	6	9078	7846	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7240.799805	7240.799805	0.933333
2453	001I	3026	0.07	1720	1	65	100	3	7	6	9078	7358	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6752.799805	6752.799805	0.933333
2453	001J	3026	0.07	1232	1	65	100	3	7	6	9078	7846	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7240.799805	7240.799805	0.933333
2453	001K	3026	0.07	1232	1	65	100	3	7	6	9078	7846	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	7240.799805	7240.799805	0.933333
2453	001R	3025	0.07	1232	1	65	100	3	7	6	9075	7843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7238	7238	0.933333
2453	001S	3025	0.07	1232	1	65	100	3	7	6	9075	7843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7238	7238	0.933333
2453	001T	3025	0.07	1232	1	65	100	3	7	6	9075	7843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7238	7238	0.933333
2453	001U	3025	0.07	1232	1	65	100	3	7	6	9075	7843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7238	7238	0.933333
2453	001V	3025	0.07	1232	1	65	100	3	7	6	9075	7843	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7238	7238	0.933333
2453	004	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2453	004A	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2453	005	3000	0.07	1270	1	65	100	3	7	6	9000	7730	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7130	7130	0.933333
2453	005A	3000	0.07	1265	1	65	100	3	7	6	9000	7735	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7135	7135	0.933333
2453	006	3000	0.07	1593	1	65	100	3	7	6	9000	7407	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6807	6807	0.933333
2453	007	3000	0.07	1791	1	65	100	3	7	6	9000	7209	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6609	6609	0.933333
2453	008	3000	0.07	1050	1	65	100	3	7	6	9000	7950	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7350	7350	0.933333
2453	009	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2453	010	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2453	011	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2453	012	3000	0.07	2527	1	65	100	3	7	6	9000	6473	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5873	5873	0.933333
2453	013	3000	0.07	1443	1	65	100	3	7	6	9000	7557	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6957	6957	0.933333
2453	013A	3000	0.07	1665	1	65	100	3	7	6	9000	7335	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6735	6735	0.933333
2453	014	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2453	014A	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2453	015	3000	0.07	1220	1	65	100	3	7	6	9000	7780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7180	7180	0.933333
2454	007	3003	0.07	1190	1	65	100	3	7	6	9009	7819	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7218.399414	7218.399414	0.933333
2454	008	3003	0.07	1358	1	65	100	3	7	6	9009	7651	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7050.399414	7050.399414	0.933333
2454	009	3003	0.07	1305	1	65	100	3	7	6	9009	7704	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7103.399414	7103.399414	0.933333
2454	010	3003	0.07	2027	1	65	100	3	7	6	9009	6982	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6381.399414	6381.399414	0.933333
2454	011	3003	0.07	1190	1	65	100	3	7	6	9009	7819	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7218.399414	7218.399414	0.933333
2454	012	3003	0.07	1190	1	65	100	3	7	6	9009	7819	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7218.399414	7218.399414	0.933333
2454	013	3003	0.07	1012	1	65	100	3	7	6	9009	7997	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7396.399414	7396.399414	0.933333
2454	014	3003	0.07	1192	1	65	100	3	7	6	9009	7817	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7216.399414	7216.399414	0.933333
2454	015	3003	0.07	1876	1	65	100	3	7	6	9009	7133	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6532.399414	6532.399414	0.933333
2454	016	3003	0.07	1012	1	65	100	3	7	6	9009	7997	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7396.399414	7396.399414	0.933333
2454	017	3003	0.07	1012	1	65	100	3	7	6	9009	7997	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7396.399414	7396.399414	0.933333
2454	018	3003	0.07	2045	1	65	100	3	7	6	9009	6964	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6363.399414	6363.399414	0.933333
2454	019	3003	0.07	1462	1	65	100	3	7	6	9009	7547	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	6946.399414	6946.399414	0.933333
2454	020	3003	0.07	1012	1	65	100	3	7	6	9009	7997	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8408.399414	7396.399414	7396.399414	0.933333
2454	033	3000	0.07	1012	1	65	100	3	7	6	9000	7988	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7388	7388	0.933333
2454	034	3000	0.07	1012	1	65	100	3	7	6	9000	7988	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7388	7388	0.933333
2454	035	3000	0.07	1012	1	65	100	3	7	6	9000	7988	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7388	7388	0.933333
2454	036	3000	0.07	1012	1	65	100	3	7	6	9000	7988	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7388	7388	0.933333
2454	037	3000	0.07	1603	1	65	100	3	7	6	9000	7397	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6797	6797	0.933333
2454	038	3000	0.07	1204	1	65	100	3	7	6	9000	7796	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7196	7196	0.933333
2454	039	3000	0.07	1412	1	65	100	3	7	6	9000	7588	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6988	6988	0.933333
2454	040	3000	0.07	1910	1	65	100	3	7	6	9000	7090	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6490	6490	0.933333
2454	041	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
2454	042	3000	0.07	1415	1	65	100	3	7	6	9000	7585	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6985	6985	0.933333
2454	043	3000	0.07	1540	1	65	100	3	7	6	9000	7460	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6860	6860	0.933333
2454	044	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
2454	045	3000	0.07	1190	1	65	100	3	7	6	9000	7810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7210	7210	0.933333
2454	046	3000	0.07	1393	1	65	100	3	7	6	9000	7607	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7007	7007	0.933333
2457	002A	3023	0.07	1162	1	55	80	2.5	6	5	7558	6396	RH-1	40	form-based			true	0.7	6	1	5	5	8464.399414	7302.399414	7302.399414	1.119926
2457	003	3023	0.07	1512	1	55	80	2.5	6	5	7558	6046	RH-1	40	form-based			true	0.7	6	1	5	5	8464.399414	6952.399414	6952.399414	1.119926
2457	003A	3023	0.07	1137	1	55	80	2.5	6	5	7558	6421	RH-1	40	form-based			true	0.7	6	1	5	5	8464.399414	7327.399414	7327.399414	1.119926

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2457	004	3023	0.07	1401	1	55	80	2.5	6	5	7558	6157	RH-1	40	form-based			true	0.7	6	1	5	5	8464.399414	7063.399414	7063.399414	1.119926
2457	004A	3024	0.07	2216	1	55	80	2.5	6	5	7560	5344	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6251.200195	6251.200195	1.12
2457	005	3024	0.07	2044	1	55	80	2.5	6	5	7560	5516	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6423.200195	6423.200195	1.12
2457	005A	3024	0.07	1366	1	55	80	2.5	6	5	7560	6194	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	7101.200195	7101.200195	1.12
2457	006	3024	0.07	1011	1	55	80	2.5	6	5	7560	6549	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	7456.200195	7456.200195	1.12
2457	007	3024	0.07	1179	1	55	80	2.5	6	5	7560	6381	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	7288.200195	7288.200195	1.12
2457	007A	3024	0.07	1587	1	55	80	2.5	6	5	7560	5973	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	6880.200195	6880.200195	1.12
2457	008	3024	0.07	1311	1	55	80	2.5	6	5	7560	6249	RH-1	40	form-based			true	0.7	6	1	5	5	8467.200195	7156.200195	7156.200195	1.12
2457	009	3025	0.07	1011	1	55	80	2.5	6	5	7562	6551	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7459	7459	1.120074
2457	010	3025	0.07	1330	1	55	80	2.5	6	5	7562	6232	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7140	7140	1.120074
2457	011	3025	0.07	1011	1	55	80	2.5	6	5	7562	6551	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7459	7459	1.120074
2457	012	3025	0.07	1011	1	55	80	2.5	6	5	7562	6551	RH-1	40	form-based			true	0.7	6	1	5	5	8470	7459	7459	1.120074
2457	022	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12
2457	023	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12
2457	024	3000	0.07	2030	1	55	80	2.5	6	5	7500	5470	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6370	6370	1.12
2457	025	3000	0.07	1950	1	55	80	2.5	6	5	7500	5550	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6450	6450	1.12
2457	026	3000	0.07	1642	1	55	80	2.5	6	5	7500	5858	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6758	6758	1.12
2457	027	3000	0.07	1817	1	55	80	2.5	6	5	7500	5683	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6583	6583	1.12
2457	028	3000	0.07	1547	1	55	80	2.5	6	5	7500	5953	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6853	6853	1.12
2457	029	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12
2457	030	3000	0.07	1263	1	55	80	2.5	6	5	7500	6237	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7137	7137	1.12
2457	031	3000	0.07	1794	1	55	80	2.5	6	5	7500	5706	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6606	6606	1.12
2457	032	3000	0.07	1681	1	55	80	2.5	6	5	7500	5819	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6719	6719	1.12
2457	033	3000	0.07	1514	1	55	80	2.5	6	5	7500	5986	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6886	6886	1.12
2457	034	3000	0.07	1894	1	55	80	2.5	6	5	7500	5606	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6506	6506	1.12
2457	035	3000	0.07	1469	1	55	80	2.5	6	5	7500	6031	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6931	6931	1.12
2457	036	3000	0.07	1349	1	55	80	2.5	6	5	7500	6151	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7051	7051	1.12
2458	001A	2964	0.07	1251	1	55	80	2.5	6	5	7410	6159	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7048.200195	7048.200195	1.12
2458	001C	2964	0.07	995	1	55	80	2.5	6	5	7410	6415	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7304.200195	7304.200195	1.12
2458	001D	1715	0.04	850	1	55	80	2.5	3	2	4288	3438	RTO-C	65	form-based			true	0.75	6	2	5	5	7717.5	6867.5	6867.5	1.79979
2458	001E	1715	0.04	850	1	55	80	2.5	3	2	4288	3438	RTO-C	65	form-based			true	0.75	6	2	5	5	7717.5	6867.5	6867.5	1.79979
2458	001F	1715	0.04	850	1	55	80	2.5	3	2	4288	3438	RTO-C	65	form-based			true	0.75	6	2	5	5	7717.5	6867.5	6867.5	1.79979
2458	001G	2964	0.07	1275	1	55	80	2.5	6	5	7410	6135	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7024.200195	7024.200195	1.12
2458	001H	2964	0.07	850	1	55	80	2.5	6	5	7410	6560	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7449.200195	7449.200195	1.12
2458	001I	2964	0.07	850	1	55	80	2.5	6	5	7410	6560	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7449.200195	7449.200195	1.12
2458	001J	2964	0.07	850	1	55	80	2.5	6	5	7410	6560	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7449.200195	7449.200195	1.12
2458	001K	2964	0.07	1350	1	55	80	2.5	6	5	7410	6060	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	6949.200195	6949.200195	1.12
2458	001L	2964	0.07	850	1	55	80	2.5	6	5	7410	6560	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	7449.200195	7449.200195	1.12
2458	001M	2963	0.07	1025	1	55	80	2.5	6	5	7408	6383	RH-1	40	form-based			true	0.7	6	1	5	5	8296.399414	7271.399414	7271.399414	1.119924
2458	001N	2963	0.07	1025	1	55	80	2.5	6	5	7408	6383	RH-1	40	form-based			true	0.7	6	1	5	5	8296.399414	7271.399414	7271.399414	1.119924
2458	001O	2963	0.07	1025	1	55	80	2.5	6	5	7408	6383	RH-1	40	form-based			true	0.7	6	1	5	5	8296.399414	7271.399414	7271.399414	1.119924
2458	001P	2963	0.07	1374	1	55	80	2.5	6	5	7408	6034	RH-1	40	form-based			true	0.7	6	1	5	5	8296.399414	6922.399414	6922.399414	1.119924
2458	001Q	2963	0.07	1000	1	55	80	2.5	6	5	7408	6408	RH-1	40	form-based			true	0.7	6	1	5	5	8296.399414	7296.399414	7296.399414	1.119924
2458	001R	2963	0.07	1306	1	55	80	2.5	6	5	7408	6102	RH-1	40	form-based			true	0.7	6	1	5	5	8296.399414	6990.399414	6990.399414	1.119924
2458	001S	2963	0.07	2964	1	55	80	2.5	6	5	7408	4444	RH-1	40	form-based			true	0.7	6	1	5	5	8296.399414	5332.399414	5332.399414	1.119924
2458	001Z	2964	0.07	1370	1	55	80	2.5	6	5	7410	6040	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	6929.200195	6929.200195	1.12
2458	003	3000	0.07	1012	1	55	80	2.5	6	5	7500	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7388	7388	1.12
2458	004	3000	0.07	1012	1	55	80	2.5	6	5	7500	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7388	7388	1.12
2458	005	3000	0.07	1012	1	55	80	2.5	6	5	7500	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7388	7388	1.12
2458	006	3000	0.07	1012	1	55	80	2.5	6	5	7500	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7388	7388	1.12
2458	007	3000	0.07	1585	1	55	80	2.5	6	5	7500	5915	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6815	6815	1.12
2458	008	3000	0.07	1137	1	55	80	2.5	6	5	7500	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7263	7263	1.12
2458	009	3000	0.07	1137	1	55	80	2.5	6	5	7500	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7263	7263	1.12
2458	010	3000	0.07	1137	1	55	80	2.5	6	5	7500	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7263	7263	1.12
2458	011	3000	0.07	1923	1	55	80	2.5	6	5	7500	5577	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6477	6477	1.12
2458	012	3000	0.07	1137	1	55	80	2.5	6	5	7500	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7263	7263	1.12
2458	013	3000	0.07	1767	1	55	80	2.5	6	5	7500	5733	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6633	6633	1.12
2458	013A	3000	0.07	1507	1	55	80	2.5	6	5	7500	5993	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6893	6893	1.12
2458	013B	3000	0.07	1137	1	55	80	2.5	6	5	7500	6363	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7263	7263	1.12
2458	014	3000	0.07	1256	1	55	80	2.5	6	5	7500	6244	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7144	7144	1.12
2458	015	3000	0.07	2336	1	55	80	2.5	6	5	7500	5164	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6064	6064	1.12
2458	015A	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12
2459	005	2986	0.07	2020	1	55	80	2.5	6	5	7465	5445	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	6340.799805	6340.799805	1.12
2459	006	2986	0.07	1698	1	55	80	2.5	6	5	7465	5767	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	6662.799805	6662.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2459	007	2985	0.07	2705	1	55	80	2.5	6	5	7462	4757	RH-1	40	form-based			true	0.7	6	1	5	5	8358	5653	5653	1.120075
2459	008	2985	0.07	1250	1	55	80	2.5	6	5	7462	6212	RH-1	40	form-based			true	0.7	6	1	5	5	8358	7108	7108	1.120075
2459	009	2985	0.07	1904	1	55	80	2.5	6	5	7462	5558	RH-1	40	form-based			true	0.7	6	1	5	5	8358	6454	6454	1.120075
2459	010	2985	0.07	1650	1	55	80	2.5	6	5	7462	5812	RH-1	40	form-based			true	0.7	6	1	5	5	8358	6708	6708	1.120075
2459	011	2985	0.07	1250	1	55	80	2.5	6	5	7462	6212	RH-1	40	form-based			true	0.7	6	1	5	5	8358	7108	7108	1.120075
2459	012	2985	0.07	1250	1	55	80	2.5	6	5	7462	6212	RH-1	40	form-based			true	0.7	6	1	5	5	8358	7108	7108	1.120075
2459	013	2985	0.07	1250	1	55	80	2.5	6	5	7462	6212	RH-1	40	form-based			true	0.7	6	1	5	5	8358	7108	7108	1.120075
2459	014	2984	0.07	1610	1	55	80	2.5	6	5	7460	5850	RH-1	40	form-based			true	0.7	6	1	5	5	8355.200195	6745.200195	6745.200195	1.12
2459	015	2984	0.07	1730	1	55	80	2.5	6	5	7460	5730	RH-1	40	form-based			true	0.7	6	1	5	5	8355.200195	6625.200195	6625.200195	1.12
2459	016	2984	0.07	1418	1	55	80	2.5	6	5	7460	6042	RH-1	40	form-based			true	0.7	6	1	5	5	8355.200195	6937.200195	6937.200195	1.12
2459	017	2984	0.07	2819	1	55	80	2.5	6	5	7460	4641	RH-1	40	form-based			true	0.7	6	1	5	5	8355.200195	5536.200195	5536.200195	1.12
2459	018	2984	0.07	1250	1	55	80	2.5	6	5	7460	6210	RH-1	40	form-based			true	0.7	6	1	5	5	8355.200195	7105.200195	7105.200195	1.12
2459	019	2984	0.07	2656	1	55	80	2.5	6	5	7460	4804	RH-1	40	form-based			true	0.7	6	1	5	5	8355.200195	5699.200195	5699.200195	1.12
2459	020	2983	0.07	1600	1	55	80	2.5	6	5	7458	5858	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6752.399414	6752.399414	1.119925
2459	032	3000	0.07	1690	1	55	80	2.5	6	5	7500	5810	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6710	6710	1.12
2459	033	3000	0.07	1246	1	55	80	2.5	6	5	7500	6254	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7154	7154	1.12
2459	034	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
2459	035	3000	0.07	1575	1	55	80	2.5	6	5	7500	5925	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6825	6825	1.12
2459	036	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
2459	037	3000	0.07	1672	1	55	80	2.5	6	5	7500	5828	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6728	6728	1.12
2459	038	3000	0.07	1050	1	55	80	2.5	6	5	7500	6450	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7350	7350	1.12
2459	039	3000	0.07	2010	1	55	80	2.5	6	5	7500	5490	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6390	6390	1.12
2459	040	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2459	041	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2459	042	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2459	043	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2459	044	3000	0.07	1680	1	55	80	2.5	6	5	7500	5820	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6720	6720	1.12
2459	045	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2459	046	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2459	047	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2461A	001Q	2899	0.07	1543	1	55	80	2.5	6	5	7248	5705	RH-1	40	form-based			true	0.7	6	1	5	5	8117.199707	6574.199707	6574.199707	1.119923
2461A	001R	2898	0.07	3059	1	55	80	2.5	6	5	7245	4186	RH-1	40	form-based			true	0.7	6	1	5	5	8114.399902	5055.399902	5055.399902	1.12
2461A	001T	2981	0.07	1475	1	55	80	2.5	6	5	7452	5977	RH-1	40	form-based			true	0.7	6	1	5	5	8346.799805	6871.799805	6871.799805	1.120075
2461A	001U	2825	0.06	1475	1	55	80	2.5	5	4	7062	5587	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7910	6435	6435	1.120079
2461A	002	3082	0.07	1260	1	55	80	2.5	6	5	7705	6445	RH-1	40	form-based	true		true	0.7	6	1	5	5	8629.599609	7369.599609	7369.599609	1.12
2462A	013	2777	0.06	1200	1	55	80	2.5	5	4	6942	5742	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7775.600098	6575.600098	6575.600098	1.120081
2462A	014	2777	0.06	1344	1	55	80	2.5	5	4	6942	5598	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7775.600098	6431.600098	6431.600098	1.120081
2462A	015	2776	0.06	1385	1	55	80	2.5	5	4	6940	5555	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7772.799805	6387.799805	6387.799805	1.12
2462A	016	2775	0.06	2123	1	55	80	2.5	5	4	6938	4815	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7770	5647	5647	1.119919
2462A	017	2775	0.06	2345	1	55	80	2.5	5	4	6938	4593	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7770	5425	5425	1.119919
2462A	018	2774	0.06	2621	1	55	80	2.5	5	4	6935	4314	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7767.199707	5146.199707	5146.199707	1.12
2462A	019	2774	0.06	1582	1	55	80	2.5	5	4	6935	5353	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7767.199707	6185.199707	6185.199707	1.12
2462A	020	2773	0.06	1780	1	55	80	2.5	5	4	6932	5152	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7764.399902	5984.399902	5984.399902	1.120081
2462A	021	2773	0.06	1500	1	55	80	2.5	5	4	6932	5432	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7764.399902	6264.399902	6264.399902	1.120081
2462A	022	2772	0.06	1500	1	55	80	2.5	5	4	6930	5430	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7761.600098	6261.600098	6261.600098	1.12
2462A	023	2918	0.07	2381	1	55	80	2.5	6	5	7295	4914	RH-1	40	form-based			true	0.7	6	1	5	5	8170.399902	5789.399902	5789.399902	1.12
2462A	024	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
2462A	025	3000	0.07	1500	1	55	80	2.5	6	5	7500	6000	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6900	6900	1.12
2464A	011	2912	0.07	2085	1	55	80	2.5	6	5	7280	5195	RH-1	40	form-based			true	0.7	6	1	5	5	8153.600098	6068.600098	6068.600098	1.12
2464A	004	2807	0.06	1390	1	55	80	2.5	5	4	7018	5628	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7859.600098	6469.600098	6469.600098	1.11992
2464A	005	2978	0.07	1300	1	55	80	2.5	6	5	7445	6145	RH-1	40	form-based			true	0.7	6	1	5	5	8338.399414	7038.399414	7038.399414	1.12
2464A	013	3055	0.07	1400	1	55	80	2.5	6	5	7638	6238	RH-1	40	form-based			true	0.7	6	1	5	5	8554	7154	7154	1.119927
2464A	014	2876	0.07	1475	1	55	80	2.5	6	5	7190	5715	RH-1	40	form-based			true	0.7	6	1	5	5	8052.799805	6577.799805	6577.799805	1.12
2465A	005	2939	0.07	2105	1	55	80	2.5	6	5	7348	5243	RH-1	40	form-based			true	0.7	6	1	5	5	8229.200195	6124.200195	6124.200195	1.119924
2465A	006	2638	0.06	1842	1	55	80	2.5	5	4	6595	4753	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7386.399902	5544.399902	5544.399902	1.12
2465A	007	2662	0.06	1550	1	55	80	2.5	5	4	6655	5105	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7453.600098	5903.600098	5903.600098	1.12
2465A	009	2662	0.06	2005	1	55	80	2.5	5	4	6655	4650	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7453.600098	5448.600098	5448.600098	1.12
2465A	021	2623	0.06	1897	1	55	80	2.5	5	4	6558	4661	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7344.399902	5447.399902	5447.399902	1.119915
2465A	023	2656	0.06	1450	1	55	80	2.5	5	4	6640	5190	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7436.799805	5986.799805	5986.799805	1.12
2465A	024	2929	0.07	1665	1	55	80	2.5	6	5	7322	5657	RH-1	40	form-based			true	0.7	6	1	5	5	8201.200195	6536.200195	6536.200195	1.120077
2465A	030	2797	0.06	1395	1	55	80	2.5	5	4	6992	5597	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7831.600098	6436.600098	6436.600098	1.12008
2466A	003	2749	0.06	1352	1	55	80	2.5	5	4	6872	5520	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7697.199707	6345.199707	6345.199707	1.120081
2466A	004	2621	0.06	1560	1	55	80	2.5	5	4	6552	4992	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7338.799805	5778.799805	5778.799805	1.120085
2466A	008G	2731	0.06	1034	1	55	80	2.5	5	4	6828	5794	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7646.799805	6612.799805	6612.799805	1.119918

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2466A	015	2710	0.06	1349	1	55	80	2.5	5	4	6775	5426	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7588	6239	6239	1.12
2466A	016	3075	0.07	1583	1	55	80	2.5	6	5	7688	6105	RH-1	40	form-based			true	0.7	6	1	5	5	8610	7027	7027	1.119927
2468	017	2975	0.07	1478	1	55	80	2.5	6	5	7438	5960	RH-1	40	form-based			true	0.7	6	1	5	5	8330	6852	6852	1.119925
2468	018	2960	0.07	2073	1	55	80	2.5	6	5	7400	5327	RH-1	40	form-based			true	0.7	6	1	5	5	8288	6215	6215	1.12
2468	019	2897	0.07	1970	1	55	80	2.5	6	5	7242	5272	RH-1	40	form-based			true	0.7	6	1	5	5	8111.600098	6141.600098	6141.600098	1.120077
2468	020	2995	0.07	2346	1	55	80	2.5	6	5	7488	5142	RH-1	40	form-based			true	0.7	6	1	5	5	8386	6040	6040	1.119925
2468	021	2977	0.07	1478	1	55	80	2.5	6	5	7442	5964	RH-1	40	form-based			true	0.7	6	1	5	5	8335.599609	6857.599609	6857.599609	1.120075
2468	022	3060	0.07	1478	1	55	80	2.5	6	5	7650	6172	RH-1	40	form-based		true	true	0.7	6	1	5	5	8568	7090	7090	1.12
2471	005	3027	0.07	1368	1	55	80	2.5	6	5	7568	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	7107.599609	7107.599609	1.119926
2471	006	3028	0.07	1475	1	55	80	2.5	6	5	7570	6095	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	7003.399414	7003.399414	1.12
2471	007	3028	0.07	1703	1	55	80	2.5	6	5	7570	5867	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	6775.399414	6775.399414	1.12
2471	008	3028	0.07	1895	1	55	80	2.5	6	5	7570	5675	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	6583.399414	6583.399414	1.12
2471	009	3029	0.07	3325	1	55	80	2.5	6	5	7572	4247	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	5156.200195	5156.200195	1.120074
2471	010	3029	0.07	1693	1	55	80	2.5	6	5	7572	5879	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	6788.200195	6788.200195	1.120074
2471	011	3029	0.07	2200	1	55	80	2.5	6	5	7572	5372	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	6281.200195	6281.200195	1.120074
2471	012	3030	0.07	1524	1	55	80	2.5	6	5	7575	6051	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6960	6960	1.12
2471	013	3030	0.07	1524	1	55	80	2.5	6	5	7575	6051	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6960	6960	1.12
2471	014	3030	0.07	1524	1	55	80	2.5	6	5	7575	6051	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6960	6960	1.12
2471	015	3031	0.07	1234	1	55	80	2.5	6	5	7578	6344	RH-1	40	form-based			true	0.7	6	1	5	5	8486.799805	7252.799805	7252.799805	1.119926
2471	016	3031	0.07	1837	1	55	80	2.5	6	5	7578	5741	RH-1	40	form-based			true	0.7	6	1	5	5	8486.799805	6649.799805	6649.799805	1.119926
2471	029	3003	0.07	4090	1	55	80	2.5	6	5	7508	3418	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	4318.399414	4318.399414	1.119925
2471	032	3003	0.07	1782	1	55	80	2.5	6	5	7508	5726	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	6626.399414	6626.399414	1.119925
2471	057	2821	0.06	2443	1	55	80	2.5	5	4	7052	4609	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7898.799805	5455.799805	5455.799805	1.120079
2471	062	3003	0.07	4195	1	55	80	2.5	6	5	7508	3313	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	4213.399414	4213.399414	1.119925
2472	002A	3012	0.07	1531	1	55	80	2.5	6	5	7530	5999	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	6902.599609	6902.599609	1.12
2472	002B	3012	0.07	1793	1	55	80	2.5	6	5	7530	5737	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	6640.599609	6640.599609	1.12
2472	002C	3012	0.07	1160	1	55	80	2.5	6	5	7530	6370	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	7273.599609	7273.599609	1.12
2472	003	3012	0.07	1350	1	55	80	2.5	6	5	7530	6180	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	7083.599609	7083.599609	1.12
2472	003A	3013	0.07	1375	1	55	80	2.5	6	5	7532	6157	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7061.399414	7061.399414	1.120074
2472	003B	3013	0.07	1375	1	55	80	2.5	6	5	7532	6157	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7061.399414	7061.399414	1.120074
2472	003C	3013	0.07	1687	1	55	80	2.5	6	5	7532	5845	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6749.399414	6749.399414	1.120074
2472	003D	3013	0.07	1412	1	55	80	2.5	6	5	7532	6120	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7024.399414	7024.399414	1.120074
2472	003E	3013	0.07	1700	1	55	80	2.5	6	5	7532	5832	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6736.399414	6736.399414	1.120074
2472	003F	3013	0.07	1490	1	55	80	2.5	6	5	7532	6042	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6946.399414	6946.399414	1.120074
2472	003G	3055	0.07	1633	1	55	80	2.5	6	5	7638	6005	RH-1	40	form-based			true	0.7	6	1	5	5	8554	6921	6921	1.119927
2472	003H	3013	0.07	2075	1	55	80	2.5	6	5	7532	5457	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6361.399414	6361.399414	1.120074
2472	003I	3013	0.07	1425	1	55	80	2.5	6	5	7532	6107	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7011.399414	7011.399414	1.120074
2472	003L	3013	0.07	1675	1	55	80	2.5	6	5	7532	5857	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6761.399414	6761.399414	1.120074
2472	003O	3014	0.07	1425	1	55	80	2.5	6	5	7535	6110	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7014.200195	7014.200195	1.12
2472	003P	3014	0.07	1300	1	55	80	2.5	6	5	7535	6235	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7139.200195	7139.200195	1.12
2472	038	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2472	039	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2472	040	3000	0.07	1764	1	55	80	2.5	6	5	7500	5736	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6636	6636	1.12
2472	041	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6400	6400	1.12
2472	042	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2472	043	3000	0.07	2064	1	55	80	2.5	6	5	7500	5436	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6336	6336	1.12
2472	044	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2472	045	3000	0.07	1700	1	55	80	2.5	6	5	7500	5800	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6700	6700	1.12
2472	046	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2472	047	3000	0.07	1300	1	55	80	2.5	6	5	7500	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7100	7100	1.12
2472	048	3000	0.07	1550	1	55	80	2.5	6	5	7500	5950	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6850	6850	1.12
2472	055	2964	0.07	2166	1	55	80	2.5	6	5	7410	5244	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	6133.200195	6133.200195	1.12
2472	059	2640	0.06	2460	1	55	80	2.5	5	4	6600	4140	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7392	4932	4932	1.12
2472	060	2640	0.06	2460	1	55	80	2.5	5	4	6600	4140	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7392	4932	4932	1.12
2472	061	2640	0.06	2460	1	55	80	2.5	5	4	6600	4140	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7392	4932	4932	1.12
2472	062	2640	0.06	2460	1	55	80	2.5	5	4	6600	4140	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7392	4932	4932	1.12
2473	002	2983	0.07	2392	1	55	80	2.5	6	5	7458	5066	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	5960.399414	5960.399414	1.119925
2473	003	2982	0.07	2100	1	55	80	2.5	6	5	7455	5355	RH-1	40	form-based			true	0.7	6	1	5	5	8349.599609	6249.599609	6249.599609	1.12
2473	016	2798	0.06	1488	1	55	80	2.5	5	4	6995	5507	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	6346.399902	6346.399902	1.12
2473	017	2797	0.06	1500	1	55	80	2.5	5	4	6992	5492	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7831.600098	6331.600098	6331.600098	1.12008
2473	018	2797	0.06	2328	1	55	80	2.5	5	4	6992	4664	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7831.600098	5503.600098	5503.600098	1.12008
2473	019	2844	0.07	1525	1	55	80	2.5	6	5	7110	5585	RH-1	40	form-based		true	true	0.7	6	1	5	5	7963.199707	6438.199707	6438.199707	1.12
2473	021	2856	0.07	1200	1	55	80	2.5	6	5	7140	5940	RH-1	40	form-based			true	0.7	6	1	5	5	7996.799805	6796.799805	6796.799805	1.12
2473	026	2699	0.06	1395	1	55	80	2.5	5	4	6748	5353	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7557.199707	6162.199707	6162.199707	1.119917

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2473	027	3000	0.07	1395	1	55	80	2.5	6	5	7500	6105	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7005	7005	1.12
2473	028	3000	0.07	1691	1	55	80	2.5	6	5	7500	5809	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6709	6709	1.12
2473	029	3000	0.07	1715	1	55	80	2.5	6	5	7500	5785	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6685	6685	1.12
2473	030	3000	0.07	1395	1	55	80	2.5	6	5	7500	6105	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7005	7005	1.12
2473	031	3000	0.07	2600	1	55	80	2.5	6	5	7500	4900	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5800	5800	1.12
2473	032	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
2473	033	3000	0.07	1270	1	55	80	2.5	6	5	7500	6230	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7130	7130	1.12
2473	033A	3000	0.07	1395	1	55	80	2.5	6	5	7500	6105	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7005	7005	1.12
2473	042A	2250	0.05	2675	3	55	80	2.5	4	1	5625	2950	NC-1	65	form-based			true	0.75	8	2	5	5	10125	7450	7450	1.8
2473	045	2505	0.06	2824	4	55	80	2.5	5	1	6262	3438	NC-1	65	form-based			true	0.75	9	1.799999952	5	5	11272.5	8448.5	8448.5	1.800144
2474	002	3026	0.07	2222	1	55	80	2.5	6	5	7565	5343	RH-1	40	form-based			true	0.7	6	1	5	5	8472.799805	6250.799805	6250.799805	1.12
2474	003	3027	0.07	2037	1	55	80	2.5	6	5	7568	5531	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	6438.599609	6438.599609	1.119926
2474	004	3027	0.07	1442	1	55	80	2.5	6	5	7568	6126	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	7033.599609	7033.599609	1.119926
2474	005	3027	0.07	1100	1	55	80	2.5	6	5	7568	6468	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	7375.599609	7375.599609	1.119926
2474	007	3027	0.07	2100	1	55	80	2.5	6	5	7568	5468	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	6375.599609	6375.599609	1.119926
2474	008	3027	0.07	1755	1	55	80	2.5	6	5	7568	5813	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	6720.599609	6720.599609	1.119926
2474	009	3028	0.07	1345	1	55	80	2.5	6	5	7570	6225	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	7133.399414	7133.399414	1.12
2474	010	3028	0.07	1354	1	55	80	2.5	6	5	7570	6216	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	7124.399414	7124.399414	1.12
2474	019A	2884	0.07	1400	1	55	80	2.5	6	5	7210	5810	RH-1	40	form-based		true	true	0.7	6	1	5	5	8075.199707	6675.199707	6675.199707	1.12
2474	021	2948	0.07	1680	1	55	80	2.5	6	5	7370	5690	RH-1	40	form-based			true	0.7	6	1	5	5	8254.399414	6574.399414	6574.399414	1.12
2474	022	3064	0.07	1434	1	55	80	2.5	6	5	7660	6226	RH-1	40	form-based			true	0.7	6	1	5	5	8579.200195	7145.200195	7145.200195	1.12
2474	040	3000	0.07	1701	1	55	80	2.5	6	5	7500	5799	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6699	6699	1.12
2474	041	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2475	005	2999	0.07	1589	1	55	80	2.5	6	5	7498	5909	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	6808.200195	6808.200195	1.119925
2475	006	2999	0.07	2222	1	55	80	2.5	6	5	7498	5276	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	6175.200195	6175.200195	1.119925
2475	007	2999	0.07	1736	1	55	80	2.5	6	5	7498	5762	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	6661.200195	6661.200195	1.119925
2475	008	2999	0.07	1345	1	55	80	2.5	6	5	7498	6153	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	7052.200195	7052.200195	1.119925
2475	009	2998	0.07	1330	1	55	80	2.5	6	5	7495	6165	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7064.399414	7064.399414	1.12
2475	011	2998	0.07	1135	1	55	80	2.5	6	5	7495	6360	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7259.399414	7259.399414	1.12
2475	012	2998	0.07	1135	1	55	80	2.5	6	5	7495	6360	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	7259.399414	7259.399414	1.12
2475	013	2998	0.07	1660	1	55	80	2.5	6	5	7495	5835	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	6734.399414	6734.399414	1.12
2475	014	2998	0.07	3228	1	55	80	2.5	6	5	7495	4267	RH-1	40	form-based			true	0.7	6	1	5	5	8394.399414	5166.399414	5166.399414	1.12
2475	015	2997	0.07	2488	1	55	80	2.5	6	5	7492	5004	RH-1	40	form-based			true	0.7	6	1	5	5	8391.599609	5903.599609	5903.599609	1.120075
2475	016	2997	0.07	1490	1	55	80	2.5	6	5	7492	6002	RH-1	40	form-based			true	0.7	6	1	5	5	8391.599609	6901.599609	6901.599609	1.120075
2475	018	2997	0.07	1290	1	55	80	2.5	6	5	7492	6202	RH-1	40	form-based			true	0.7	6	1	5	5	8391.599609	7101.599609	7101.599609	1.120075
2475	019	2997	0.07	1250	1	55	80	2.5	6	5	7492	6242	RH-1	40	form-based			true	0.7	6	1	5	5	8391.599609	7141.599609	7141.599609	1.120075
2475	020	2996	0.07	1460	1	55	80	2.5	6	5	7490	6030	RH-1	40	form-based			true	0.7	6	1	5	5	8388.799805	6928.799805	6928.799805	1.12
2475	032	3000	0.07	1420	1	55	80	2.5	6	5	7500	6080	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6980	6980	1.12
2475	033	3000	0.07	1225	1	55	80	2.5	6	5	7500	6275	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7175	7175	1.12
2475	034	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2475	035	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2475	036	3000	0.07	1640	1	55	80	2.5	6	5	7500	5860	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6760	6760	1.12
2475	037	3000	0.07	1416	1	55	80	2.5	6	5	7500	6084	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6984	6984	1.12
2475	038	3000	0.07	1420	1	55	80	2.5	6	5	7500	6080	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6980	6980	1.12
2475	039	3000	0.07	2255	1	55	80	2.5	6	5	7500	5245	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6145	6145	1.12
2475	040	3000	0.07	1275	1	55	80	2.5	6	5	7500	6225	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7125	7125	1.12
2475	041	3000	0.07	1350	1	55	80	2.5	6	5	7500	6150	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7050	7050	1.12
2475	042	3000	0.07	30670	1	55	80	2.5	6	5	7500	0	RH-1	40	form-based			true	0.7	6	1	5	5	8400	0	0	1.12
2475	043	3000	0.07	2100	1	55	80	2.5	6	5	7500	5400	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6300	6300	1.12
2475	044	3000	0.07	1270	1	55	80	2.5	6	5	7500	6230	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7130	7130	1.12
2475	045	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2475	046	3000	0.07	1610	1	55	80	2.5	6	5	7500	5890	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6790	6790	1.12
2475	047	3000	0.07	1450	1	55	80	2.5	6	5	7500	6050	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6950	6950	1.12
2476	005	3031	0.07	1345	1	55	80	2.5	6	5	7578	6233	RH-1	40	form-based			true	0.7	6	1	5	5	8486.799805	7141.799805	7141.799805	1.119926
2476	006	3031	0.07	1105	1	55	80	2.5	6	5	7578	6473	RH-1	40	form-based			true	0.7	6	1	5	5	8486.799805	7381.799805	7381.799805	1.119926
2476	007	3032	0.07	1780	1	55	80	2.5	6	5	7580	5800	RH-1	40	form-based			true	0.7	6	1	5	5	8489.599609	6709.599609	6709.599609	1.12
2476	008	3032	0.07	1494	1	55	80	2.5	6	5	7580	6086	RH-1	40	form-based			true	0.7	6	1	5	5	8489.599609	6995.599609	6995.599609	1.12
2476	009	3032	0.07	1105	1	55	80	2.5	6	5	7580	6475	RH-1	40	form-based			true	0.7	6	1	5	5	8489.599609	7384.599609	7384.599609	1.12
2476	010	3033	0.07	2231	1	55	80	2.5	6	5	7582	5351	RH-1	40	form-based			true	0.7	6	1	5	5	8492.399414	6261.399414	6261.399414	1.120074
2476	011	3033	0.07	2146	1	55	80	2.5	6	5	7582	5436	RH-1	40	form-based			true	0.7	6	1	5	5	8492.399414	6346.399414	6346.399414	1.120074
2476	012	3033	0.07	1300	1	55	80	2.5	6	5	7582	6282	RH-1	40	form-based			true	0.7	6	1	5	5	8492.399414	7192.399414	7192.399414	1.120074
2476	014	3034	0.07	1140	1	55	80	2.5	6	5	7585	6445	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	7355.200195	7355.200195	1.12
2476	015	3034	0.07	1465	1	55	80	2.5	6	5	7585	6120	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	7030.200195	7030.200195	1.12
2476	016	3034	0.07	1591	1	55	80	2.5	6	5	7585	5994	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	6904.200195	6904.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2476	017	3035	0.07	1700	1	55	80	2.5	6	5	7588	5888	RH-1	40	form-based			true	0.7	6	1	5	5	8498	6798	6798	1.119926
2476	018	3035	0.07	1628	1	55	80	2.5	6	5	7588	5960	RH-1	40	form-based			true	0.7	6	1	5	5	8498	6870	6870	1.119926
2476	019	3035	0.07	1100	1	55	80	2.5	6	5	7588	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8498	7398	7398	1.119926
2476	020	3036	0.07	2579	1	55	80	2.5	6	5	7590	5011	RH-1	40	form-based			true	0.7	6	1	5	5	8500.799805	5921.799805	5921.799805	1.12
2476	032	3000	0.07	2054	1	55	80	2.5	6	5	7500	5446	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6346	6346	1.12
2476	033	3000	0.07	1455	1	55	80	2.5	6	5	7500	6045	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6945	6945	1.12
2476	035	3000	0.07	2130	1	55	80	2.5	6	5	7500	5370	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6270	6270	1.12
2476	036	3000	0.07	1145	1	55	80	2.5	6	5	7500	6355	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7255	7255	1.12
2476	037	3000	0.07	1871	1	55	80	2.5	6	5	7500	5629	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6529	6529	1.12
2476	038	3000	0.07	1355	1	55	80	2.5	6	5	7500	6145	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7045	7045	1.12
2476	039	3000	0.07	1145	1	55	80	2.5	6	5	7500	6355	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7255	7255	1.12
2476	040	3000	0.07	1685	1	55	80	2.5	6	5	7500	5815	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6715	6715	1.12
2476	041	3000	0.07	1145	1	55	80	2.5	6	5	7500	6355	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7255	7255	1.12
2476	042	3000	0.07	1827	1	55	80	2.5	6	5	7500	5673	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6573	6573	1.12
2476	043	3000	0.07	1943	1	55	80	2.5	6	5	7500	5557	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6457	6457	1.12
2476	044	3000	0.07	1060	1	55	80	2.5	6	5	7500	6440	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7340	7340	1.12
2476	045	3000	0.07	1060	1	55	80	2.5	6	5	7500	6440	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7340	7340	1.12
2476	046	3000	0.07	1175	1	55	80	2.5	6	5	7500	6325	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7225	7225	1.12
2476	047	3000	0.07	1265	1	55	80	2.5	6	5	7500	6235	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7135	7135	1.12
2478	005	3066	0.07	2226	1	55	80	2.5	6	5	7665	5439	RH-1	40	form-based			true	0.7	6	1	5	5	8584.799805	6358.799805	6358.799805	1.12
2478	006	3072	0.07	2375	1	55	80	2.5	6	5	7680	5305	RH-1	40	form-based			true	0.7	6	1	5	5	8601.599609	6226.599609	6226.599609	1.12
2478	007	3078	0.07	1585	1	55	80	2.5	6	5	7695	6110	RH-1	40	form-based			true	0.7	6	1	5	5	8618.399414	7033.399414	7033.399414	1.12
2478	008	3083	0.07	1905	1	55	80	2.5	6	5	7708	5803	RH-1	40	form-based			true	0.7	6	1	5	5	8632.399414	6727.399414	6727.399414	1.119927
2478	009	3089	0.07	2125	1	55	80	2.5	6	5	7722	5597	RH-1	40	form-based			true	0.7	6	1	5	5	8649.200195	6524.200195	6524.200195	1.120073
2478	010	3095	0.07	1585	1	55	80	2.5	6	5	7738	6153	RH-1	40	form-based			true	0.7	6	1	5	5	8666	7081	7081	1.119928
2479	005	3015	0.07	2730	1	65	100	3	7	6	9045	6315	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	5712	5712	0.933333
2479	006	3015	0.07	1500	1	65	100	3	7	6	9045	7545	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8442	6942	6942	0.933333
2479	009	3016	0.07	1450	1	65	100	3	7	6	9048	7598	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	6994.799805	6994.799805	0.933333
2479	010	3016	0.07	2537	1	65	100	3	7	6	9048	6511	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	5907.799805	5907.799805	0.933333
2479	011	3017	0.07	2194	1	65	100	3	7	6	9051	6857	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6253.599609	6253.599609	0.933333
2479	012	3017	0.07	2390	1	65	100	3	7	6	9051	6661	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6057.599609	6057.599609	0.933333
2479	016	3018	0.07	1500	1	65	100	3	7	6	9054	7554	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	6950.399414	6950.399414	0.933333
2479	017	3018	0.07	1992	1	65	100	3	7	6	9054	7062	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	6458.399414	6458.399414	0.933333
2479	018	3019	0.07	3178	1	65	100	3	7	6	9057	5879	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	5275.200195	5275.200195	0.933333
2479	024	3042	0.07	2300	1	65	100	3	7	6	9126	6826	RH-1	40	form-based	true	true	0.7	6	0.857142866	5	5	8517.599609	6217.599609	6217.599609	0.933333
2479	028	2700	0.06	2004	1	65	100	3	6	5	8100	6096	RH-1	40	form-based	true	true	0.7	6	1	5	5	7560	5556	5556	0.933333
2479	032	3000	0.07	2700	1	65	100	3	7	6	9000	6300	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5700	5700	0.933333
2479	033	3000	0.07	2487	1	65	100	3	7	6	9000	6513	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5913	5913	0.933333
2479	034	3000	0.07	1416	1	65	100	3	7	6	9000	7584	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6984	6984	0.933333
2479	035	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2479	036	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2479	037	3000	0.07	1466	1	55	80	2.5	6	5	7500	6034	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6934	6934	1.12
2479	038	3000	0.07	1967	1	55	80	2.5	6	5	7500	5533	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6433	6433	1.12
2479	039	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2479	040	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7150	7150	1.12
2479	041	3000	0.07	1475	1	55	80	2.5	6	5	7500	6025	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6925	6925	1.12
2479	042	3000	0.07	1600	1	55	80	2.5	6	5	7500	5900	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6800	6800	1.12
2479	043	3000	0.07	2213	1	55	80	2.5	6	5	7500	5287	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6187	6187	1.12
2479	044	3000	0.07	1800	1	55	80	2.5	6	5	7500	5700	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6600	6600	1.12
2479	045	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
2479	047	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
2479	048	3000	0.07	3633	1	55	80	2.5	6	5	7500	3867	RH-1	40	form-based			true	0.7	6	1	5	5	8400	4767	4767	1.12
2479	053	2804	0.06	1615	1	65	100	3	6	5	8412	6797	RH-1	40	form-based			true	0.7	6	1	5	5	7851.199707	6236.199707	6236.199707	0.933333
2479	054	2861	0.07	1315	1	65	100	3	7	6	8583	7268	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8010.799805	6695.799805	6695.799805	0.933333
2480	002	3009	0.07	2542	1	65	100	3	7	6	9027	6485	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	5883.200195	5883.200195	0.933333
2480	002A	3009	0.07	1840	1	65	100	3	7	6	9027	7187	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	6585.200195	6585.200195	0.933333
2480	002B	3010	0.07	1600	1	65	100	3	7	6	9030	7430	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6828	6828	0.933333
2480	003	3010	0.07	1375	1	65	100	3	7	6	9030	7655	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	7053	7053	0.933333
2480	003A	3012	0.07	2428	1	65	100	3	7	6	9036	6608	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	6005.599609	6005.599609	0.933333
2480	003B	3000	0.07	1912	1	65	100	3	7	6	9000	7088	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6488	6488	0.933333
2480	003C	3000	0.07	2525	1	65	100	3	7	6	9000	6475	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5875	5875	0.933333
2480	003D	3000	0.07	1605	1	65	100	3	7	6	9000	7395	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6795	6795	0.933333
2480	003E	3000	0.07	2158	1	65	100	3	7	6	9000	6842	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6242	6242	0.933333
2480	003F	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2480	003G	3000	0.07	2029	1	65	100	3	7	6	9000	6971	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6371	6371	0.933333
2480	003H	3011	0.07	1365	1	65	100	3	7	6	9033	7668	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	7065.799805	7065.799805	0.933333
2480	003I	3011	0.07	1644	1	65	100	3	7	6	9033	7389	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6786.799805	6786.799805	0.933333
2480	003J	3011	0.07	1644	1	65	100	3	7	6	9033	7389	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	6786.799805	6786.799805	0.933333
2480	003K	3012	0.07	2500	1	65	100	3	7	6	9036	6536	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	5933.599609	5933.599609	0.933333
2480	003L	3000	0.07	1827	1	65	100	3	7	6	9000	7173	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6573	6573	0.933333
2480	003M	3000	0.07	2448	1	65	100	3	7	6	9000	6552	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5952	5952	0.933333
2480	003N	3012	0.07	1296	1	65	100	3	7	6	9036	7740	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8433.599609	7137.599609	7137.599609	0.933333
2480	003O	3000	0.07	1450	1	65	100	3	7	6	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6950	6950	0.933333
2480	003P	3000	0.07	1430	1	65	100	3	7	6	9000	7570	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6970	6970	0.933333
2480	003Q	3010	0.07	2331	1	65	100	3	7	6	9030	6699	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8428	6097	6097	0.933333
2480	004	3013	0.07	1670	1	65	100	3	7	6	9039	7369	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6766.399414	6766.399414	0.933333
2480	004A	3013	0.07	1300	1	65	100	3	7	6	9039	7739	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7136.399414	7136.399414	0.933333
2480	004B	3013	0.07	1595	1	65	100	3	7	6	9039	7444	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6841.399414	6841.399414	0.933333
2480	004C	3013	0.07	2142	1	65	100	3	7	6	9039	6897	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	6294.399414	6294.399414	0.933333
2480	005	3014	0.07	1979	1	65	100	3	7	6	9042	7063	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6460.200195	6460.200195	0.933333
2480	012	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2480	013	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7050	7050	0.933333
2480	014	3000	0.07	2314	1	65	100	3	7	6	9000	6686	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6086	6086	0.933333
2480	014A	3000	0.07	1400	1	65	100	3	7	6	9000	7600	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7000	7000	0.933333
2480	015	3000	0.07	1563	1	65	100	3	7	6	9000	7437	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6837	6837	0.933333
2480	016	3000	0.07	1530	1	65	100	3	7	6	9000	7470	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6870	6870	0.933333
2480	017	2834	0.07	2167	1	65	100	3	7	6	8502	6335	RH-1	40	form-based	true		true	0.7	6	0.857142866	5	5	7935.199707	5768.199707	5768.199707	0.933333
2480	017D	2995	0.07	1300	1	65	100	3	7	6	8985	7685	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7086	7086	0.933333
2481	001	2865	0.07	2480	1	65	100	3	7	6	8595	6115	RH-1	40	form-based	true		true	0.7	6	0.857142866	5	5	8022	5542	5542	0.933333
2481	020	2760	0.06	2229	1	65	100	3	6	5	8280	6051	RH-1	40	form-based			true	0.7	6	1	5	5	7728	5499	5499	0.933333
2482	001	2626	0.06	2250	1	65	100	3	6	5	7878	5628	RH-1	40	form-based	true		true	0.7	6	1	5	5	7352.799805	5102.799805	5102.799805	0.933333
2482	017	2746	0.06	3957	1	65	100	3	6	5	8238	4281	RH-1	40	form-based	true		true	0.7	6	1	5	5	7688.799805	3731.799805	3731.799805	0.933333
2484	009	927	0.02	0	0	65	100	3	2	2	2781	2781	RTO-C	85	form-based			true	0.75	5	2.5	5	4	5562	5562	5562	2
2483	001	3008	0.07	3210	1	65	100	3	7	6	9024	5814	RH-1(D)	40	form-based	true		true	0.7	6	0.857142866	5	5	8422.399414	5212.399414	5212.399414	0.933333
2483	017	2688	0.06	2020	1	65	100	3	6	5	8064	6044	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7526.399902	5506.399902	5506.399902	0.933333
2483	021	2811	0.06	1175	1	65	100	3	6	5	8433	7258	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7870.799805	6695.799805	6695.799805	0.933333
2483	024	2797	0.06	1662	1	65	100	3	6	5	8391	6729	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7831.600098	6169.600098	6169.600098	0.933333
2483	025	2825	0.06	2269	1	65	100	3	6	5	8475	6206	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7910	5641	5641	0.933333
2483	028	2898	0.07	1600	1	65	100	3	7	6	8694	7094	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8114.399902	6514.399902	6514.399902	0.933333
2483	029	2948	0.07	1560	1	85	140	4	10	9	11792	10232	RH-1(D)	40	form-based			true	0.7	6	0.600000024	5	5	8254.399414	6694.399414	6694.399414	0.7
2483	031	3089	0.07	2296	1	85	140	4	10	9	12356	10060	RH-1(D)	40	form-based	true		true	0.7	6	0.600000024	5	5	8649.200195	6353.200195	6353.200195	0.7
2506	003	3017	0.07	1925	1	55	80	2.5	6	5	7542	5617	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6522.599609	6522.599609	1.120074
2503A	017	2949	0.07	1253	1	55	80	2.5	6	5	7372	6119	RH-1	40	form-based	true		true	0.7	6	1	5	5	8257.200195	7004.200195	7004.200195	1.120076
2503A	031	2643	0.06	1150	1	55	80	2.5	5	4	6608	5458	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7400.399902	6250.399902	6250.399902	1.119915
2503A	032	2814	0.06	1150	1	55	80	2.5	5	4	7035	5885	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	6729.199707	6729.199707	1.12
2503A	033	2828	0.06	1150	1	55	80	2.5	5	4	7070	5920	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	6768.399902	6768.399902	1.12
2503A	034	2828	0.06	1924	1	55	80	2.5	5	4	7070	5146	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	5994.399902	5994.399902	1.12
2503A	035	3005	0.07	1935	1	55	80	2.5	6	5	7512	5577	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6479	6479	1.120075
2503A	036	2947	0.07	1524	1	55	80	2.5	6	5	7368	5844	RH-1	40	form-based			true	0.7	6	1	5	5	8251.599609	6727.599609	6727.599609	1.119924
2503A	037	2879	0.07	2040	1	55	80	2.5	6	5	7198	5158	RH-1	40	form-based			true	0.7	6	1	5	5	8061.199707	6021.199707	6021.199707	1.119922
2503A	040	2788	0.06	2933	1	55	80	2.5	5	4	6970	4037	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7806.399902	4873.399902	4873.399902	1.12
2504A	001E	2995	0.07	1350	1	55	80	2.5	6	5	7488	6138	RH-1	40	form-based			true	0.7	6	1	5	5	8386	7036	7036	1.119925
2504A	001F	2994	0.07	1724	1	55	80	2.5	6	5	7485	5761	RH-1	40	form-based			true	0.7	6	1	5	5	8383.200195	6659.200195	6659.200195	1.12
2504A	001G	2993	0.07	3265	1	55	80	2.5	6	5	7482	4217	RH-1	40	form-based			true	0.7	6	1	5	5	8380.399414	5115.399414	5115.399414	1.120075
2504A	001H	2992	0.07	1916	1	55	80	2.5	6	5	7480	5564	RH-1	40	form-based			true	0.7	6	1	5	5	8377.599609	6461.599609	6461.599609	1.12
2504A	001I	2992	0.07	1446	1	55	80	2.5	6	5	7480	6034	RH-1	40	form-based			true	0.7	6	1	5	5	8377.599609	6931.599609	6931.599609	1.12
2504A	001J	2991	0.07	2300	1	55	80	2.5	6	5	7478	5178	RH-1	40	form-based			true	0.7	6	1	5	5	8374.799805	6074.799805	6074.799805	1.119925
2504A	001K	2990	0.07	2411	1	55	80	2.5	6	5	7475	5064	RH-1	40	form-based			true	0.7	6	1	5	5	8372	5961	5961	1.12
2504A	001L	2989	0.07	1500	1	55	80	2.5	6	5	7472	5972	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	6869.200195	6869.200195	1.120075
2504A	001M	2989	0.07	1410	1	55	80	2.5	6	5	7472	6062	RH-1	40	form-based			true	0.7	6	1	5	5	8369.200195	6959.200195	6959.200195	1.120075
2504A	001N	2988	0.07	1500	1	55	80	2.5	6	5	7470	5970	RH-1	40	form-based			true	0.7	6	1	5	5	8366.399414	6866.399414	6866.399414	1.12
2504A	001O	2987	0.07	2110	1	55	80	2.5	6	5	7468	5358	RH-1	40	form-based			true	0.7	6	1	5	5	8363.599609	6253.599609	6253.599609	1.119925
2504A	001P	2986	0.07	1350	1	55	80	2.5	6	5	7465	6115	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	7010.799805	7010.799805	1.12
2504A	001Q	2986	0.07	1350	1	55	80	2.5	6	5	7465	6115	RH-1	40	form-based			true	0.7	6	1	5	5	8360.799805	7010.799805	7010.799805	1.12
2504A	001R	2985	0.07	1664	1	55	80	2.5	6	5	7462	5798	RH-1	40	form-based			true	0.7	6	1	5	5	8358	6694	6694	1.120075
2504A	001S	2984	0.07	2085	1	55	80	2.5	6	5	7460	5375	RH-1	40	form-based			true	0.7	6	1	5	5	8355.200195	6270.200195	6270.200195	1.12
2504A	001T	2983	0.07	2291	1	55	80	2.5	6	5	7458	5167	RH-1	40	form-based			true	0.7	6	1	5	5	8352.399414	6061.399414	6061.399414	1.119925
2504A	001U	2982	0.07	2194	1	55	80	2.5	6	5	7455	5261	RH-1	40	form-based			true	0.7	6	1	5	5	8349.599609	6155.599609	6155.599609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2504A	001V	2982	0.07	2184	1	55	80	2.5	6	5	7455	5271	RH-1	40	form-based			true	0.7	6	1	5	5	8349.599609	6165.599609	6165.599609	1.12
2504A	002	2887	0.07	1980	1	55	80	2.5	6	5	7218	5238	RH-1	40	form-based			true	0.7	6	1	5	5	8083.600098	6103.600098	6103.600098	1.119922
2504A	008	3003	0.07	1350	1	55	80	2.5	6	5	7508	6158	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7058.399414	7058.399414	1.119925
2504A	009	3005	0.07	1622	1	55	80	2.5	6	5	7512	5890	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6792	6792	1.120075
2504A	010	3007	0.07	1630	1	55	80	2.5	6	5	7518	5888	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	6789.599609	6789.599609	1.119925
2504A	011	3008	0.07	2286	1	55	80	2.5	6	5	7520	5234	RH-1	40	form-based			true	0.7	6	1	5	5	8422.399414	6136.399414	6136.399414	1.12
2504A	012	3010	0.07	2100	1	55	80	2.5	6	5	7525	5425	RH-1	40	form-based			true	0.7	6	1	5	5	8428	6328	6328	1.12
2504A	013	3012	0.07	1425	1	55	80	2.5	6	5	7530	6105	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	7008.599609	7008.599609	1.12
2504A	014	3013	0.07	1725	1	55	80	2.5	6	5	7532	5807	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	6711.399414	6711.399414	1.120074
2504A	015	3015	0.07	1425	1	55	80	2.5	6	5	7538	6113	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7017	7017	1.119926
2504A	016	3017	0.07	2005	1	55	80	2.5	6	5	7542	5537	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6442.599609	6442.599609	1.120074
2504A	017	3018	0.07	1817	1	55	80	2.5	6	5	7545	5728	RH-1	40	form-based			true	0.7	6	1	5	5	8450.399414	6633.399414	6633.399414	1.12
2504A	018	3020	0.07	1350	1	55	80	2.5	6	5	7550	6200	RH-1	40	form-based			true	0.7	6	1	5	5	8456	7106	7106	1.12
2504A	019	3022	0.07	2082	1	55	80	2.5	6	5	7555	5473	RH-1	40	form-based			true	0.7	6	1	5	5	8461.599609	6379.599609	6379.599609	1.12
2504A	020	3023	0.07	1625	1	55	80	2.5	6	5	7558	5933	RH-1	40	form-based			true	0.7	6	1	5	5	8464.399414	6839.399414	6839.399414	1.119926
2504A	021	3025	0.07	2280	1	55	80	2.5	6	5	7562	5282	RH-1	40	form-based			true	0.7	6	1	5	5	8470	6190	6190	1.120074
2504A	022	3027	0.07	1425	1	55	80	2.5	6	5	7568	6143	RH-1	40	form-based			true	0.7	6	1	5	5	8475.599609	7050.599609	7050.599609	1.119926
2504A	023	3028	0.07	1713	1	55	80	2.5	6	5	7570	5857	RH-1	40	form-based			true	0.7	6	1	5	5	8478.399414	6765.399414	6765.399414	1.12
2504A	024	3030	0.07	1853	1	55	80	2.5	6	5	7575	5722	RH-1	40	form-based			true	0.7	6	1	5	5	8484	6631	6631	1.12
2504A	025	3032	0.07	1425	1	55	80	2.5	6	5	7580	6155	RH-1	40	form-based			true	0.7	6	1	5	5	8489.599609	7064.599609	7064.599609	1.12
2504A	026	3034	0.07	2258	1	55	80	2.5	6	5	7585	5327	RH-1	40	form-based			true	0.7	6	1	5	5	8495.200195	6237.200195	6237.200195	1.12
2504A	030	2624	0.06	1950	1	55	80	2.5	5	4	6560	4610	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7347.199707	5397.199707	5397.199707	1.12
2504A	033	2749	0.06	2068	1	55	80	2.5	5	4	6872	4804	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7697.199707	5629.199707	5629.199707	1.120081
2506	004	3017	0.07	1325	1	55	80	2.5	6	5	7542	6217	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7122.599609	7122.599609	1.120074
2506	005	3017	0.07	1935	1	55	80	2.5	6	5	7542	5607	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6512.599609	6512.599609	1.120074
2506	005A	3017	0.07	1725	1	55	80	2.5	6	5	7542	5817	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6722.599609	6722.599609	1.120074
2506	006	3017	0.07	1635	1	55	80	2.5	6	5	7542	5907	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6812.599609	6812.599609	1.120074
2506	007	3017	0.07	1895	1	55	80	2.5	6	5	7542	5647	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6552.599609	6552.599609	1.120074
2506	007A	3017	0.07	1375	1	55	80	2.5	6	5	7542	6167	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7072.599609	7072.599609	1.120074
2506	008	3017	0.07	1525	1	55	80	2.5	6	5	7542	6017	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6922.599609	6922.599609	1.120074
2506	008A	3017	0.07	2123	1	55	80	2.5	6	5	7542	5419	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6324.599609	6324.599609	1.120074
2506	009	3017	0.07	1375	1	55	80	2.5	6	5	7542	6167	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7072.599609	7072.599609	1.120074
2506	010	3017	0.07	1375	1	55	80	2.5	6	5	7542	6167	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7072.599609	7072.599609	1.120074
2506	011	3017	0.07	1723	1	55	80	2.5	6	5	7542	5819	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	6724.599609	6724.599609	1.120074
2506	026	3000	0.07	1569	1	55	80	2.5	6	5	7500	5931	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6831	6831	1.12
2506	027	3000	0.07	1239	1	55	80	2.5	6	5	7500	6261	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7161	7161	1.12
2506	002	3017	0.07	1375	1	55	80	2.5	6	5	7542	6167	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7072.599609	7072.599609	1.120074
2506	012	3017	0.07	1325	1	55	80	2.5	6	5	7542	6217	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7122.599609	7122.599609	1.120074
2506	013	3017	0.07	1325	1	55	80	2.5	6	5	7542	6217	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7122.599609	7122.599609	1.120074
2506	014	3017	0.07	1250	1	55	80	2.5	6	5	7542	6292	RH-1	40	form-based			true	0.7	6	1	5	5	8447.599609	7197.599609	7197.599609	1.120074
2506	024	3000	0.07	1031	1	55	80	2.5	6	5	7500	6469	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7369	7369	1.12
2506	024A	3000	0.07	1971	1	55	80	2.5	6	5	7500	5529	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6429	6429	1.12
2506	025	3000	0.07	1870	1	55	80	2.5	6	5	7500	5630	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6530	6530	1.12
2506	027A	3000	0.07	1239	1	55	80	2.5	6	5	7500	6261	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7161	7161	1.12
2506	027B	3000	0.07	1836	1	55	80	2.5	6	5	7500	5664	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6564	6564	1.12
2506	028	3000	0.07	1190	1	55	80	2.5	6	5	7500	6310	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7210	7210	1.12
2506	028A	3000	0.07	1190	1	55	80	2.5	6	5	7500	6310	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7210	7210	1.12
2506	029	3000	0.07	2990	1	55	80	2.5	6	5	7500	4510	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5410	5410	1.12
2506	030	3000	0.07	1750	1	55	80	2.5	6	5	7500	5750	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6650	6650	1.12
2506	031	3000	0.07	1190	1	55	80	2.5	6	5	7500	6310	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7210	7210	1.12
2506	032	3000	0.07	2012	1	55	80	2.5	6	5	7500	5488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6388	6388	1.12
2506	033	3000	0.07	1190	1	55	80	2.5	6	5	7500	6310	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7210	7210	1.12
2506	034	3000	0.07	1190	1	55	80	2.5	6	5	7500	6310	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7210	7210	1.12
2506	035	3000	0.07	1912	1	55	80	2.5	6	5	7500	5588	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6488	6488	1.12
2507	002	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2507	002A	3000	0.07	1920	1	55	80	2.5	6	5	7500	5580	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6480	6480	1.12
2507	002B	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2507	003	3000	0.07	1335	1	55	80	2.5	6	5	7500	6165	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7065	7065	1.12
2507	004	3000	0.07	1325	1	55	80	2.5	6	5	7500	6175	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7075	7075	1.12
2507	005	3000	0.07	1214	1	55	80	2.5	6	5	7500	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7186	7186	1.12
2507	006	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12
2507	007	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2507	008	3000	0.07	2243	1	55	80	2.5	6	5	7500	5257	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6157	6157	1.12
2507	009	3000	0.07	1011	1	55	80	2.5	6	5	7500	6489	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7389	7389	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2507	010	3000	0.07	1355	1	55	80	2.5	6	5	7500	6145	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7045	7045	1.12
2507	011	3000	0.07	1686	1	55	80	2.5	6	5	7500	5814	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6714	6714	1.12
2507	012	3000	0.07	1511	1	55	80	2.5	6	5	7500	5989	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6889	6889	1.12
2507	013	3000	0.07	1655	1	55	80	2.5	6	5	7500	5845	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6745	6745	1.12
2507	014	3000	0.07	1581	1	55	80	2.5	6	5	7500	5919	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6819	6819	1.12
2507	015	3000	0.07	1974	1	55	80	2.5	6	5	7500	5526	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6426	6426	1.12
2507	025	2953	0.07	1459	1	55	80	2.5	6	5	7382	5923	RH-1	40	form-based			true	0.7	6	1	5	5	8268.399414	6809.399414	6809.399414	1.120076
2507	026	2954	0.07	1011	1	55	80	2.5	6	5	7385	6374	RH-1	40	form-based			true	0.7	6	1	5	5	8271.200195	7260.200195	7260.200195	1.12
2507	027	2954	0.07	1011	1	55	80	2.5	6	5	7385	6374	RH-1	40	form-based			true	0.7	6	1	5	5	8271.200195	7260.200195	7260.200195	1.12
2507	028	2955	0.07	1011	1	55	80	2.5	6	5	7388	6377	RH-1	40	form-based			true	0.7	6	1	5	5	8274	7263	7263	1.119924
2507	029	2955	0.07	1011	1	55	80	2.5	6	5	7388	6377	RH-1	40	form-based			true	0.7	6	1	5	5	8274	7263	7263	1.119924
2507	030	2956	0.07	1457	1	55	80	2.5	6	5	7390	5933	RH-1	40	form-based			true	0.7	6	1	5	5	8276.799805	6819.799805	6819.799805	1.12
2507	031	2956	0.07	1011	1	55	80	2.5	6	5	7390	6379	RH-1	40	form-based			true	0.7	6	1	5	5	8276.799805	7265.799805	7265.799805	1.12
2507	032	2957	0.07	2397	1	55	80	2.5	6	5	7392	4995	RH-1	40	form-based			true	0.7	6	1	5	5	8279.599609	5882.599609	5882.599609	1.120076
2507	033	2957	0.07	1011	1	55	80	2.5	6	5	7392	6381	RH-1	40	form-based			true	0.7	6	1	5	5	8279.599609	7268.599609	7268.599609	1.120076
2507	034	2958	0.07	1435	1	55	80	2.5	6	5	7395	5960	RH-1	40	form-based			true	0.7	6	1	5	5	8282.399414	6847.399414	6847.399414	1.12
2507	035	2958	0.07	1214	1	55	80	2.5	6	5	7395	6181	RH-1	40	form-based			true	0.7	6	1	5	5	8282.399414	7068.399414	7068.399414	1.12
2507	036	2959	0.07	1214	1	55	80	2.5	6	5	7398	6184	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	7071.200195	7071.200195	1.119924
2507	037	2959	0.07	1214	1	55	80	2.5	6	5	7398	6184	RH-1	40	form-based			true	0.7	6	1	5	5	8285.200195	7071.200195	7071.200195	1.119924
2507	038	2960	0.07	1214	1	55	80	2.5	6	5	7400	6186	RH-1	40	form-based			true	0.7	6	1	5	5	8288	7074	7074	1.12
2507	039	2961	0.07	1214	1	55	80	2.5	6	5	7402	6188	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	7076.799805	7076.799805	1.120076
2507	040	2961	0.07	1900	1	55	80	2.5	6	5	7402	5502	RH-1	40	form-based			true	0.7	6	1	5	5	8290.799805	6390.799805	6390.799805	1.120076
2508	001D	2999	0.07	1207	1	55	80	2.5	6	5	7498	6291	RH-1	40	form-based			true	0.7	6	1	5	5	8397.200195	7190.200195	7190.200195	1.119925
2508	002	3000	0.07	1606	1	55	80	2.5	6	5	7500	5894	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6794	6794	1.12
2508	003	3001	0.07	1012	1	55	80	2.5	6	5	7502	6490	RH-1	40	form-based			true	0.7	6	1	5	5	8402.799805	7390.799805	7390.799805	1.120075
2508	004	3002	0.07	1429	1	55	80	2.5	6	5	7505	6076	RH-1	40	form-based			true	0.7	6	1	5	5	8405.599609	6976.599609	6976.599609	1.12
2508	005	3003	0.07	1430	1	55	80	2.5	6	5	7508	6078	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	6978.399414	6978.399414	1.119925
2508	006	3004	0.07	2189	1	55	80	2.5	6	5	7510	5321	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	6222.200195	6222.200195	1.12
2508	007	3005	0.07	1915	1	55	80	2.5	6	5	7512	5597	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6499	6499	1.120075
2508	008	3006	0.07	2120	1	55	80	2.5	6	5	7515	5395	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6296.799805	6296.799805	1.12
2508	008A	3000	0.07	2213	1	55	80	2.5	6	5	7500	5287	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6187	6187	1.12
2508	009	3007	0.07	1502	1	55	80	2.5	6	5	7518	6016	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	6917.599609	6917.599609	1.119925
2508	009A	3000	0.07	1283	1	55	80	2.5	6	5	7500	6217	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7117	7117	1.12
2508	010	3009	0.07	1037	1	55	80	2.5	6	5	7522	6485	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7388.200195	7388.200195	1.120075
2508	010A	3010	0.07	1037	1	55	80	2.5	6	5	7525	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8428	7391	7391	1.12
2508	011	3011	0.07	1252	1	55	80	2.5	6	5	7528	6276	RH-1	40	form-based			true	0.7	6	1	5	5	8430.799805	7178.799805	7178.799805	1.119926
2508	012	3012	0.07	1162	1	55	80	2.5	6	5	7530	6368	RH-1	40	form-based			true	0.7	6	1	5	5	8433.599609	7271.599609	7271.599609	1.12
2508	012A	3013	0.07	1312	1	55	80	2.5	6	5	7532	6220	RH-1	40	form-based			true	0.7	6	1	5	5	8436.399414	7124.399414	7124.399414	1.120074
2508	013	3014	0.07	1347	1	55	80	2.5	6	5	7535	6188	RH-1	40	form-based			true	0.7	6	1	5	5	8439.200195	7092.200195	7092.200195	1.12
2508	013A	3015	0.07	1012	1	55	80	2.5	6	5	7538	6526	RH-1	40	form-based			true	0.7	6	1	5	5	8442	7430	7430	1.119926
2508	019B	3000	0.07	1156	1	55	80	2.5	6	5	7500	6344	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7244	7244	1.12
2508	019C	3000	0.07	1292	1	55	80	2.5	6	5	7500	6208	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7108	7108	1.12
2508	020	3000	0.07	1527	1	55	80	2.5	6	5	7500	5973	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6873	6873	1.12
2508	020A	3000	0.07	2515	1	55	80	2.5	6	5	7500	4985	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5885	5885	1.12
2508	020B	3000	0.07	1733	1	55	80	2.5	6	5	7500	5767	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6667	6667	1.12
2508	020C	3000	0.07	1341	1	55	80	2.5	6	5	7500	6159	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7059	7059	1.12
2508	021	3000	0.07	2098	1	55	80	2.5	6	5	7500	5402	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6302	6302	1.12
2508	022	3000	0.07	2665	1	55	80	2.5	6	5	7500	4835	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5735	5735	1.12
2508	023	3000	0.07	1530	1	55	80	2.5	6	5	7500	5970	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6870	6870	1.12
2508	024	3000	0.07	1194	1	55	80	2.5	6	5	7500	6306	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7206	7206	1.12
2508	025	3000	0.07	1512	1	55	80	2.5	6	5	7500	5988	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6888	6888	1.12
2508	026	3000	0.07	1012	1	55	80	2.5	6	5	7500	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7388	7388	1.12
2508	027	3000	0.07	1180	1	55	80	2.5	6	5	7500	6320	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7220	7220	1.12
2509	002	3000	0.07	1012	1	55	80	2.5	6	5	7500	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7388	7388	1.12
2509	003	3000	0.07	1012	1	55	80	2.5	6	5	7500	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7388	7388	1.12
2509	004	3000	0.07	1952	1	55	80	2.5	6	5	7500	5548	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6448	6448	1.12
2509	005	3000	0.07	1624	1	55	80	2.5	6	5	7500	5876	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6776	6776	1.12
2509	006	3000	0.07	2435	1	55	80	2.5	6	5	7500	5065	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5965	5965	1.12
2509	007	3000	0.07	2315	1	55	80	2.5	6	5	7500	5185	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6085	6085	1.12
2509	007A	3000	0.07	1012	1	55	80	2.5	6	5	7500	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7388	7388	1.12
2509	007B	3000	0.07	1192	1	55	80	2.5	6	5	7500	6308	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7208	7208	1.12
2509	008	3000	0.07	1478	1	55	80	2.5	6	5	7500	6022	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6922	6922	1.12
2509	008A	3005	0.07	2236	1	55	80	2.5	6	5	7512	5276	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6178	6178	1.120075
2509	009A	3000	0.07	1565	1	55	80	2.5	6	5	7500	5935	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6835	6835	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2509	026	3002	0.07	1214	1	55	80	2.5	6	5	7505	6291	RH-1	40	form-based			true	0.7	6	1	5	5	8405.599609	7191.599609	7191.599609	1.12
2509	027	2819	0.06	1214	1	55	80	2.5	5	4	7048	5834	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7893.199707	6679.199707	6679.199707	1.11992
2509	028	2655	0.06	1656	1	55	80	2.5	5	4	6638	4982	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7434	5778	5778	1.119916
2509	035	3005	0.07	1741	1	55	80	2.5	6	5	7512	5771	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6673	6673	1.120075
2509	038	3031	0.07	1214	1	55	80	2.5	6	5	7578	6364	RH-1	40	form-based			true	0.7	6	1	5	5	8486.799805	7272.799805	7272.799805	1.119926
2509	039	3002	0.07	1214	1	55	80	2.5	6	5	7505	6291	RH-1	40	form-based			true	0.7	6	1	5	5	8405.599609	7191.599609	7191.599609	1.12
2509	040	3003	0.07	951	1	55	80	2.5	6	5	7508	6557	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7457.399414	7457.399414	1.119925
2509	041	3003	0.07	951	1	55	80	2.5	6	5	7508	6557	RH-1	40	form-based			true	0.7	6	1	5	5	8408.399414	7457.399414	7457.399414	1.119925
2509	042	3004	0.07	951	1	55	80	2.5	6	5	7510	6559	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7460.200195	7460.200195	1.12
2509	043	3005	0.07	1244	1	55	80	2.5	6	5	7512	6268	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7170	7170	1.120075
2509	044	3005	0.07	951	1	55	80	2.5	6	5	7512	6561	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7463	7463	1.120075
2509	052	3005	0.07	1219	1	55	80	2.5	6	5	7512	6293	RH-1	40	form-based			true	0.7	6	1	5	5	8414	7195	7195	1.120075
2509	053	3005	0.07	2060	1	55	80	2.5	6	5	7512	5452	RH-1	40	form-based			true	0.7	6	1	5	5	8414	6354	6354	1.120075
2510	002	3009	0.07	1012	1	55	80	2.5	6	5	7522	6510	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7413.200195	7413.200195	1.120075
2510	003	3009	0.07	1512	1	55	80	2.5	6	5	7522	6010	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6913.200195	6913.200195	1.120075
2510	004	3009	0.07	1012	1	55	80	2.5	6	5	7522	6510	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7413.200195	7413.200195	1.120075
2510	005	3009	0.07	1012	1	55	80	2.5	6	5	7522	6510	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7413.200195	7413.200195	1.120075
2510	006	3009	0.07	1012	1	55	80	2.5	6	5	7522	6510	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7413.200195	7413.200195	1.120075
2510	007	3009	0.07	1012	1	55	80	2.5	6	5	7522	6510	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7413.200195	7413.200195	1.120075
2510	008	3009	0.07	1387	1	55	80	2.5	6	5	7522	6135	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7038.200195	7038.200195	1.120075
2510	009	3009	0.07	1012	1	55	80	2.5	6	5	7522	6510	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	7413.200195	7413.200195	1.120075
2510	010	3009	0.07	1469	1	55	80	2.5	6	5	7522	6053	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6956.200195	6956.200195	1.120075
2510	011	3009	0.07	1443	1	55	80	2.5	6	5	7522	6079	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6982.200195	6982.200195	1.120075
2510	012	3009	0.07	2024	1	55	80	2.5	6	5	7522	5498	RH-1	40	form-based			true	0.7	6	1	5	5	8425.200195	6401.200195	6401.200195	1.120075
2510	013	3004	0.07	1012	1	55	80	2.5	6	5	7510	6498	RH-1	40	form-based			true	0.7	6	1	5	5	8411.200195	7399.200195	7399.200195	1.12
2510	014	2966	0.07	1012	1	55	80	2.5	6	5	7415	6403	RH-1	40	form-based			true	0.7	6	1	5	5	8304.799805	7292.799805	7292.799805	1.12
2510	015	2887	0.07	1233	1	55	80	2.5	6	5	7218	5985	RH-1	40	form-based			true	0.7	6	1	5	5	8083.600098	6850.600098	6850.600098	1.119922
2510	027	2641	0.06	1012	1	55	80	2.5	5	4	6602	5590	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7394.799805	6382.799805	6382.799805	1.120085
2510	031	3063	0.07	1012	1	55	80	2.5	6	5	7658	6646	RH-1	40	form-based			true	0.7	6	1	5	5	8576.399414	7564.399414	7564.399414	1.119927
2510	032	3006	0.07	1854	1	55	80	2.5	6	5	7515	5661	RH-1	40	form-based			true	0.7	6	1	5	5	8416.799805	6562.799805	6562.799805	1.12
2510	033	3000	0.07	1122	1	55	80	2.5	6	5	7500	6378	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7278	7278	1.12
2510	034	3000	0.07	1012	1	55	80	2.5	6	5	7500	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7388	7388	1.12
2510	035	3000	0.07	1012	1	55	80	2.5	6	5	7500	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7388	7388	1.12
2510	036	3000	0.07	1012	1	55	80	2.5	6	5	7500	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7388	7388	1.12
2510	037	3000	0.07	2690	1	55	80	2.5	6	5	7500	4810	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5710	5710	1.12
2510	038	3000	0.07	1208	1	55	80	2.5	6	5	7500	6292	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7192	7192	1.12
2510	039	3000	0.07	1012	1	55	80	2.5	6	5	7500	6488	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7388	7388	1.12
2510	040	3000	0.07	2543	1	65	100	3	7	6	9000	6457	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5857	5857	0.933333
2510	041	3000	0.07	1228	1	65	100	3	7	6	9000	7772	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7172	7172	0.933333
2511	002	2999	0.07	1667	1	65	100	3	7	6	8997	7330	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6730.200195	6730.200195	0.933333
2511	003	2999	0.07	1220	1	65	100	3	7	6	8997	7777	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7177.200195	7177.200195	0.933333
2511	004	2999	0.07	1220	1	65	100	3	7	6	8997	7777	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7177.200195	7177.200195	0.933333
2511	005	2999	0.07	1192	1	65	100	3	7	6	8997	7805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7205.200195	7205.200195	0.933333
2511	005A	2999	0.07	1501	1	65	100	3	7	6	8997	7496	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6896.200195	6896.200195	0.933333
2511	007	2999	0.07	1732	1	65	100	3	7	6	8997	7265	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6665.200195	6665.200195	0.933333
2511	008	2999	0.07	1571	1	65	100	3	7	6	8997	7426	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6826.200195	6826.200195	0.933333
2511	021	3000	0.07	2067	1	65	100	3	7	6	9000	6933	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6333	6333	0.933333
2511	022	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2511	023	3000	0.07	2164	1	65	100	3	7	6	9000	6836	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6236	6236	0.933333
2511	024	3000	0.07	1214	1	65	100	3	7	6	9000	7786	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7186	7186	0.933333
2511	025	3000	0.07	1885	1	65	100	3	7	6	9000	7115	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6515	6515	0.933333
2511	026	3000	0.07	1330	1	65	100	3	7	6	9000	7670	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7070	7070	0.933333
2512	002	3023	0.07	1037	1	65	100	3	7	6	9069	8032	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7427.399414	7427.399414	0.933333
2512	003	3023	0.07	1037	1	65	100	3	7	6	9069	8032	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7427.399414	7427.399414	0.933333
2512	006A	3000	0.07	2119	1	65	100	3	7	6	9000	6881	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6281	6281	0.933333
2512	007	3000	0.07	1012	1	65	100	3	7	6	9000	7988	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7388	7388	0.933333
2519	033	2725	0.06	1393	1	55	80	2.5	5	4	6812	5419	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7630	6237	6237	1.120082
2519	034	2725	0.06	1192	1	55	80	2.5	5	4	6812	5620	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7630	6438	6438	1.120082
2519	035	2725	0.06	1192	1	55	80	2.5	5	4	6812	5620	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7630	6438	6438	1.120082
2519	037	2950	0.07	1190	1	55	80	2.5	6	5	7375	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8260	7070	7070	1.12
2519	038	2950	0.07	1796	1	55	80	2.5	6	5	7375	5579	RH-1	40	form-based			true	0.7	6	1	5	5	8260	6464	6464	1.12
2519	039	2950	0.07	1190	1	55	80	2.5	6	5	7375	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8260	7070	7070	1.12
2519	040	2950	0.07	1190	1	55	80	2.5	6	5	7375	6185	RH-1	40	form-based			true	0.7	6	1	5	5	8260	7070	7070	1.12
2528	030	3069	0.07	2234	1	55	80	2.5	6	5	7672	5438	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8593.200195	6359.200195	6359.200195	1.120073

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2528	031	3055	0.07	1434	1	55	80	2.5	6	5	7638	6204	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8554	7120	7120	1.119927
2607	024	3125	0.07	3544	2	55	80	2.5	6	4	7812	4268	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	5206	5206	1.120072
2607	026	3125	0.07	3375	2	55	80	2.5	6	4	7812	4437	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	5375	5375	1.120072
2607	027	3125	0.07	2416	2	55	80	2.5	6	4	7812	5396	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	6334	6334	1.120072
2607	029	3125	0.07	2500	2	55	80	2.5	6	4	7812	5312	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	6250	6250	1.120072
2607	033	3125	0.07	2560	2	55	80	2.5	6	4	7812	5252	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	6190	6190	1.120072
2607	034	3125	0.07	2725	2	55	80	2.5	6	4	7812	5087	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	6025	6025	1.120072
2603	001	2683	0.06	2665	1	55	80	2.5	5	4	6708	4043	RH-3	40	form-based		true	true	0.7	6	1.200000048	5	5	7512.399902	4847.399902	4847.399902	1.119917
2603	008	2972	0.07	2160	1	55	80	2.5	6	5	7430	5270	RH-2	40	form-based			true	0.7	6	1	5	5	8321.599609	6161.599609	6161.599609	1.12
2607	016	3125	0.07	4350	2	55	80	2.5	6	4	7812	3462	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	4400	4400	1.120072
2607	021	3125	0.07	3044	2	55	80	2.5	6	4	7812	4768	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	5706	5706	1.120072
2607	044	3069	0.07	2583	1	55	80	2.5	6	5	7672	5089	RH-2	40	form-based			true	0.7	6	1	5	5	8593.200195	6010.200195	6010.200195	1.120073
2607	054	2976	0.07	1801	1	55	80	2.5	6	5	7440	5639	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	6531.799805	6531.799805	1.12
2607	092	3125	0.07	1757	2	55	80	2.5	6	4	7812	6055	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	6993	6993	1.120072
2607	111	3125	0.07	1375	2	55	80	2.5	6	4	7812	6437	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	7375	7375	1.120072
2607	275	3125	0.07	1381	2	55	80	2.5	6	4	7812	6431	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	7369	7369	1.120072
2607	282	3125	0.07	1303	2	55	80	2.5	6	4	7812	6509	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	7447	7447	1.120072
2607	288	3125	0.07	1292	2	55	80	2.5	6	4	7812	6520	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	7458	7458	1.120072
2608	002	2956	0.07	2628	1	55	80	2.5	6	5	7390	4762	RH-2	40	form-based			true	0.7	6	1	5	5	8276.799805	5648.799805	5648.799805	1.12
2608	003	2957	0.07	3773	1	55	80	2.5	6	5	7392	3619	RH-2	40	form-based			true	0.7	6	1	5	5	8279.599609	4506.599609	4506.599609	1.120076
2608	004	2957	0.07	2085	1	55	80	2.5	6	5	7392	5307	RH-2	40	form-based			true	0.7	6	1	5	5	8279.599609	6194.599609	6194.599609	1.120076
2608	005	2957	0.07	1950	1	55	80	2.5	6	5	7392	5442	RH-2	40	form-based			true	0.7	6	1	5	5	8279.599609	6329.599609	6329.599609	1.120076
2608	008	2957	0.07	2557	1	55	80	2.5	6	5	7392	4835	RH-2	40	form-based			true	0.7	6	1	5	5	8279.599609	5722.599609	5722.599609	1.120076
2608	009	2958	0.07	3052	1	55	80	2.5	6	5	7395	4343	RH-2	40	form-based			true	0.7	6	1	5	5	8282.399414	5230.399414	5230.399414	1.12
2608	010	2958	0.07	1080	1	55	80	2.5	6	5	7395	6315	RH-2	40	form-based			true	0.7	6	1	5	5	8282.399414	7202.399414	7202.399414	1.12
2608	014	2958	0.07	2067	1	55	80	2.5	6	5	7395	5328	RH-2	40	form-based			true	0.7	6	1	5	5	8282.399414	6215.399414	6215.399414	1.12
2608	015	2959	0.07	1135	1	55	80	2.5	6	5	7398	6263	RH-2	40	form-based			true	0.7	6	1	5	5	8285.200195	7150.200195	7150.200195	1.119924
2608	016	2959	0.07	2583	1	55	80	2.5	6	5	7398	4815	RH-2	40	form-based			true	0.7	6	1	5	5	8285.200195	5702.200195	5702.200195	1.119924
2608	017	2959	0.07	1683	1	55	80	2.5	6	5	7398	5715	RH-2	40	form-based			true	0.7	6	1	5	5	8285.200195	6602.200195	6602.200195	1.119924
2608	018	2747	0.06	2800	1	55	80	2.5	5	4	6868	4068	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7691.600098	4891.600098	4891.600098	1.119918
2608	019	2807	0.06	1570	1	55	80	2.5	5	4	7018	5448	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7859.600098	6289.600098	6289.600098	1.11992
2608	034	2791	0.06	3180	1	55	80	2.5	5	4	6978	3798	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7814.799805	4634.799805	4634.799805	1.11992
2608	035	3418	0.08	2000	2	55	80	2.5	6	4	8545	6545	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9570.399414	7570.399414	7570.399414	1.12
2608	041	2861	0.07	2626	1	55	80	2.5	6	5	7152	4526	RH-2	40	form-based			true	0.7	6	1	5	5	8010.799805	5384.799805	5384.799805	1.120078
2608	045	2861	0.07	2786	1	55	80	2.5	6	5	7152	4366	RH-2	40	form-based			true	0.7	6	1	5	5	8010.799805	5224.799805	5224.799805	1.120078
2608	046	2861	0.07	1246	1	55	80	2.5	6	5	7152	5906	RH-2	40	form-based			true	0.7	6	1	5	5	8010.799805	6764.799805	6764.799805	1.120078
2608	048	2861	0.07	2000	1	55	80	2.5	6	5	7152	5152	RH-2	40	form-based			true	0.7	6	1	5	5	8010.799805	6010.799805	6010.799805	1.120078
2609	006	2667	0.06	2141	1	65	100	3	6	5	8001	5860	RH-2	40	form-based			true	0.7	6	1	5	5	7467.600098	5326.600098	5326.600098	0.933333
2619	046	2712	0.06	1125	1	55	80	2.5	5	4	6780	5655	RH-2	40	form-based		true	true	0.7	6	1.200000048	5	5	7593.600098	6468.600098	6468.600098	1.12
2609	009	2250	0.05	2292	0	65	100	3	5	5	6750	4458	RH-2	40	form-based			true	0.7	5	1	5	5	6300	4008	4008	0.933333
2609	030	2808	0.06	3800	1	55	80	2.5	5	4	7020	3220	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7862.399902	4062.399902	4062.399902	1.12
2609	034	2808	0.06	3107	1	65	100	3	6	5	8424	5317	RH-2	40	form-based			true	0.7	6	1	5	5	7862.399902	4755.399902	4755.399902	0.933333
2609	036	2808	0.06	2220	1	65	100	3	6	5	8424	6204	RH-2	40	form-based			true	0.7	6	1	5	5	7862.399902	5642.399902	5642.399902	0.933333
2609	045	2649	0.06	6726	1	65	100	3	6	5	7947	1221	RH-2	40	form-based		true	true	0.7	6	1	5	5	7417.199707	691.199707	691.199707	0.933333
2610	002	2867	0.07	3520	1	65	100	3	7	6	8601	5081	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8027.600098	4507.600098	4507.600098	0.933333
2613	004	3599	0.08	3136	3	65	100	3	8	5	10797	7661	RH-3	40	form-based		true	true	0.7	8	1	5	5	10077.2002	6941.200195	6941.200195	0.933333
2610	034	3241	0.07	4754	2	65	100	3	7	5	9723	4969	RH-2	40	form-based			true	0.7	7	1	5	5	9074.799805	4320.799805	4320.799805	0.933333
2610	036	3372	0.08	3375	2	65	100	3	8	6	10116	6741	RH-2	40	form-based			true	0.7	7	0.875	5	5	9441.599609	6066.599609	6066.599609	0.933333
2611	003	2683	0.06	2798	1	65	100	3	6	5	8049	5251	RM-1	40	form-based			true	0.7	6	1	5	5	7512.399902	4714.399902	4714.399902	0.933333
2611	027	2729	0.06	3710	1	65	100	3	6	5	8187	4477	RH-3	40	form-based			true	0.7	6	1	5	5	7641.199707	3931.199707	3931.199707	0.933333
2612	002	2995	0.07	1150	1	65	100	3	7	6	8985	7835	RH-3	40	form-based		true	true	0.7	6	0.857142866	5	5	8386	7236	7236	0.933333
2612	003	2994	0.07	1801	1	65	100	3	7	6	8982	7181	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	6582.200195	6582.200195	0.933333
2612	010	2878	0.07	2112	1	65	100	3	7	6	8634	6522	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8058.399902	5946.399902	5946.399902	0.933333
2612	011	2877	0.07	2357	1	65	100	3	7	6	8631	6274	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8055.600098	5698.600098	5698.600098	0.933333
2612	020	3303	0.08	1842	2	55	80	2.5	6	4	8258	6416	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9248.399414	7406.399414	7406.399414	1.119932
2612	080	4072	0.09	919	4	55	80	2.5	7	3	10180	9261	RH-2	40	form-based			true	0.7	9	1.285714269	5	5	11401.59961	10482.59961	10482.59961	1.12
2612	097	3303	0.08	2469	2	55	80	2.5	6	4	8258	5789	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9248.399414	6779.399414	6779.399414	1.119932
2607	253	3125	0.07	1921	2	55	80	2.5	6	4	7812	5891	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	6829	6829	1.120072
2607	257	3125	0.07	1615	2	55	80	2.5	6	4	7812	6197	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	7135	7135	1.120072
2607	261	3125	0.07	2171	2	55	80	2.5	6	4	7812	5641	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	6579	6579	1.120072
2612	047	2861	0.07	993	1	65	100	3	7	6	8583	7590	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8010.799805	7017.799805	7017.799805	0.933333
2612	064	2875	0.07	1158	1	65	100	3	7	6	8625	7467	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8050	6892	6892	0.933333
2613	046	3147	0.07	1300	2	65	100	3	7	5	9441	8141	RH-3	40	form-based			true	0.7	7	1	5	5	8811.599609	7511.599609	7511.599609	0.933333
2614	002	3599	0.08	3160	3	65	100	3	8	5	10797	7637	RH-3	40	form-based			true	0.7	8	1	5	5	10077.2002	6917.200195	6917.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2614	005	3119	0.07	3765	2	65	100	3	7	5	9357	5592	RH-3	40	form-based			true	0.7	7	1	5	5	8733.200195	4968.200195	4968.200195	0.933333
2614	006	3838	0.09	2678	3	65	100	3	9	6	11514	8836	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10746.39941	8068.399414	8068.399414	0.933333
2614	011	5382	0.12	4725	6	65	100	3	12	6	16146	11421	RH-2	40	form-based			true	0.7	11	0.916666687	5	5	15069.59961	10344.59961	10344.59961	0.933333
2614	043	2750	0.06	1275	1	55	80	2.5	5	4	6875	5600	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7700	6425	6425	1.12
2614	044	2903	0.07	1205	1	55	80	2.5	6	5	7258	6053	RH-2	40	form-based			true	0.7	6	1	5	5	8128.399902	6923.399902	6923.399902	1.119923
2614	045	2900	0.07	1894	1	55	80	2.5	6	5	7250	5356	RH-2	40	form-based			true	0.7	6	1	5	5	8120	6226	6226	1.12
2614	046	2896	0.07	1932	1	55	80	2.5	6	5	7240	5308	RH-2	40	form-based			true	0.7	6	1	5	5	8108.799805	6176.799805	6176.799805	1.12
2614	049	2886	0.07	2500	1	55	80	2.5	6	5	7215	4715	RH-2	40	form-based			true	0.7	6	1	5	5	8080.799805	5580.799805	5580.799805	1.12
2614	052	2875	0.07	1128	1	55	80	2.5	6	5	7188	6060	RH-2	40	form-based			true	0.7	6	1	5	5	8050	6922	6922	1.119922
2614	053	2871	0.07	1497	1	55	80	2.5	6	5	7178	5681	RH-2	40	form-based			true	0.7	6	1	5	5	8038.799805	6541.799805	6541.799805	1.119922
2614	056	2861	0.07	1630	1	55	80	2.5	6	5	7152	5522	RH-2	40	form-based			true	0.7	6	1	5	5	8010.799805	6380.799805	6380.799805	1.120078
2614	070	2629	0.06	1226	1	55	80	2.5	5	4	6572	5346	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7361.199707	6135.199707	6135.199707	1.120085
2614	071	2625	0.06	1175	1	55	80	2.5	5	4	6562	5387	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	6175	6175	1.120085
2614	088	3274	0.08	3640	2	65	100	3	8	6	9822	6182	RH-2	40	form-based			true	0.7	7	0.875	5	5	9167.200195	5527.200195	5527.200195	0.933333
2614	100	3021	0.07	2098	1	65	100	3	7	6	9063	6965	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	6360.799805	6360.799805	0.933333
2614	102	3696	0.08	3114	3	65	100	3	8	5	11088	7974	RH-2	40	form-based			true	0.7	8	1	5	5	10348.7998	7234.799805	7234.799805	0.933333
2614	115	2804	0.06	1943	1	65	100	3	6	5	8412	6469	RH-2	40	form-based			true	0.7	6	1	5	5	7851.199707	5908.199707	5908.199707	0.933333
2614	127	3212	0.07	2639	2	65	100	3	7	5	9636	6997	RH-2	40	form-based			true	0.7	7	1	5	5	8993.599609	6354.599609	6354.599609	0.933333
2614	145	2481	0.06	2644	0	55	80	2.5	5	5	6202	3558	RH-2	40	form-based			true	0.7	5	1	5	5	6946.799805	4302.799805	4302.799805	1.12009
2614	146	2487	0.06	2644	0	65	100	3	6	6	7461	4817	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	6963.600098	4319.600098	4319.600098	0.933333
2614	147	2492	0.06	2644	0	65	100	3	6	6	7476	4832	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	6977.600098	4333.600098	4333.600098	0.933333
2616	006	3254	0.07	3620	2	55	80	2.5	6	4	8135	4515	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9111.200195	5491.200195	5491.200195	1.12
2616	016	3153	0.07	2200	2	55	80	2.5	6	4	7882	5682	RH-3	40	form-based	true		true	0.7	7	1.166666627	5	5	8828.399414	6628.399414	6628.399414	1.120071
2617	008	2859	0.07	3125	1	55	80	2.5	6	5	7148	4023	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8005.199707	4880.199707	4880.199707	1.119922
2617	013	3083	0.07	2940	1	55	80	2.5	6	5	7708	4768	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8632.399414	5692.399414	5692.399414	1.119927
2617	028	2642	0.06	1260	1	65	100	3	6	5	7926	6666	RH-2	40	form-based			true	0.7	6	1	5	5	7397.600098	6137.600098	6137.600098	0.933333
2617	037	3000	0.07	2058	1	65	100	3	7	6	9000	6942	RH-1(D)	40	form-based	true		true	0.7	6	0.857142866	5	5	8400	6342	6342	0.933333
2617	040	2859	0.07	2928	1	55	80	2.5	6	5	7148	4220	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8005.199707	5077.199707	5077.199707	1.119922
2617A	006	3000	0.07	3051	1	55	80	2.5	6	5	7500	4449	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8400	5349	5349	1.12
2617A	014	2807	0.06	3710	1	55	80	2.5	5	4	7018	3308	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7859.600098	4149.600098	4149.600098	1.11992
2617A	018	2708	0.06	2200	1	55	80	2.5	5	4	6770	4570	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7582.399902	5382.399902	5382.399902	1.12
2617A	022	3068	0.07	3400	1	55	80	2.5	6	5	7670	4270	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	8590.399414	5190.399414	5190.399414	1.12
2617A	050	3125	0.07	1321	2	55	80	2.5	6	4	7812	6491	RH-1(D)	40	form-based			true	0.7	7	1.166666627	5	5	8750	7429	7429	1.120072
2618	009	2954	0.07	875	1	55	80	2.5	6	5	7385	6510	RH-2	40	form-based			true	0.7	6	1	5	5	8271.200195	7396.200195	7396.200195	1.12
2618	010	3120	0.07	1525	2	55	80	2.5	6	4	7800	6275	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8736	7211	7211	1.12
2618	011	2876	0.07	1750	1	55	80	2.5	6	5	7190	5440	RH-2	40	form-based			true	0.7	6	1	5	5	8052.799805	6302.799805	6302.799805	1.12
2618	012	3218	0.07	3840	2	55	80	2.5	6	4	8045	4205	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9010.399414	5170.399414	5170.399414	1.12
2618	026	2875	0.07	2277	1	55	80	2.5	6	5	7188	4911	RH-2	40	form-based			true	0.7	6	1	5	5	8050	5773	5773	1.119922
2618	027	2763	0.06	1785	1	55	80	2.5	5	4	6908	5123	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7736.399902	5951.399902	5951.399902	1.119919
2618	028	2761	0.06	1575	1	55	80	2.5	5	4	6902	5327	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7730.799805	6155.799805	6155.799805	1.120081
2618	037	2733	0.06	1780	1	55	80	2.5	5	4	6832	5052	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7652.399902	5872.399902	5872.399902	1.120082
2618	063	2505	0.06	2732	0	55	80	2.5	5	5	6262	3530	RH-1	40	form-based	true		true	0.7	5	1	5	5	7014	4282	4282	1.120089
2618	049	2567	0.06	0	0	55	80	2.5	5	5	6418	6418	RH-2	40	form-based			true	0.7	5	1	5	5	7187.600098	7187.600098	7187.600098	1.119913
2618	050	3274	0.08	2143	2	55	80	2.5	6	4	8185	6042	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9167.200195	7024.200195	7024.200195	1.12
2618	058	3168	0.07	1252	2	55	80	2.5	6	4	7920	6668	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8870.399414	7618.399414	7618.399414	1.12
2618	102	3291	0.08	1433	2	55	80	2.5	6	4	8228	6795	RH-2	40	form-based	true		true	0.7	7	1.166666627	5	5	9214.799805	7781.799805	7781.799805	1.119932
2618A	009	2644	0.06	1978	1	55	80	2.5	5	4	6610	4632	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7403.199707	5425.199707	5425.199707	1.12
2618A	026	2661	0.06	2950	1	55	80	2.5	5	4	6652	3702	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7450.799805	4500.799805	4500.799805	1.120084
2618A	037	2927	0.07	2140	1	55	80	2.5	6	5	7318	5178	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8195.599609	6055.599609	6055.599609	1.119923
2618A	038	2769	0.06	1894	1	55	80	2.5	5	4	6922	5028	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7753.199707	5859.199707	5859.199707	1.120081
2618A	039	2703	0.06	3768	1	55	80	2.5	5	4	6758	2990	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7568.399902	3800.399902	3800.399902	1.119917
2618A	040	2962	0.07	1339	1	55	80	2.5	6	5	7405	6066	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8293.599609	6954.599609	6954.599609	1.12
2619	010	2453	0.06	0	0	55	80	2.5	5	5	6132	6132	RH-1	40	form-based			true	0.7	5	1	5	5	6868.399902	6868.399902	6868.399902	1.120091
2619	011	2576	0.06	0	0	55	80	2.5	5	5	6440	6440	RH-1	40	form-based			true	0.7	5	1	5	5	7212.799805	7212.799805	7212.799805	1.12
2619	013	2821	0.06	1055	1	55	80	2.5	5	4	7052	5997	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7898.799805	6843.799805	6843.799805	1.120079
2619	018	3206	0.07	1500	2	55	80	2.5	6	4	8015	6515	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8976.799805	7476.799805	7476.799805	1.12
2620	133	3144	0.07	2520	2	55	80	2.5	6	4	7860	5340	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8803.200195	6283.200195	6283.200195	1.12
2619	020	2985	0.07	3068	1	55	80	2.5	6	5	7462	4394	RH-2	40	form-based			true	0.7	6	1	5	5	8358	5290	5290	1.120075
2619	021	2737	0.06	1666	1	55	80	2.5	5	4	6842	5176	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7663.600098	5997.600098	5997.600098	1.120082
2619	045A	3096	0.07	1670	2	55	80	2.5	6	4	7740	6070	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8668.799805	6998.799805	6998.799805	1.12
2619	058	2936	0.07	1832	1	55	80	2.5	6	5	7340	5508	RH-2	40	form-based			true	0.7	6	1	5	5	8220.799805	6388.799805	6388.799805	1.12
2619	060	2928	0.07	1004	1	55	80	2.5	6	5	7320	6316	RH-2	40	form-based			true	0.7	6	1	5	5	8198.399414	7194.399414	7194.399414	1.12
2619	066	2918	0.07	1000	1	55	80	2.5	6	5	7295	6295	RH-2	40	form-based			true	0.7	6	1	5	5	8170.399902	7170.399902	7170.399902	1.12
2619	067	2916	0.07	1475	1	55	80	2.5	6	5	7290	5815	RH-2	40	form-based			true	0.7	6	1	5	5	8164.799805	6689.799805	6689.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2619	084	3404	0.08	2812	2	55	80	2.5	6	4	8510	5698	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9531.200195	6719.200195	6719.200195	1.12
2619	092	3182	0.07	3342	2	55	80	2.5	6	4	7955	4613	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8909.599609	5567.599609	5567.599609	1.12
2619	097	3231	0.07	2117	2	55	80	2.5	6	4	8078	5961	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9046.799805	6929.799805	6929.799805	1.119931
2619	125	3243	0.07	2724	2	55	80	2.5	6	4	8108	5384	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9080.399414	6356.399414	6356.399414	1.119931
2620	009	3146	0.07	1602	2	65	100	3	7	5	9438	7836	RH-2	40	form-based			true	0.7	7	1	5	5	8808.799805	7206.799805	7206.799805	0.933333
2620	010	3146	0.07	2157	2	65	100	3	7	5	9438	7281	RH-2	40	form-based			true	0.7	7	1	5	5	8808.799805	6651.799805	6651.799805	0.933333
2620	013	3145	0.07	4044	2	65	100	3	7	5	9435	5391	RH-2	40	form-based			true	0.7	7	1	5	5	8806	4762	4762	0.933333
2620	021	3144	0.07	2431	2	55	80	2.5	6	4	7860	5429	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8803.200195	6372.200195	6372.200195	1.12
2620	025	3144	0.07	4034	2	55	80	2.5	6	4	7860	3826	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8803.200195	4769.200195	4769.200195	1.12
2620	027	3144	0.07	1908	2	55	80	2.5	6	4	7860	5952	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8803.200195	6895.200195	6895.200195	1.12
2620	063	3568	0.08	3528	2	65	100	3	8	6	10704	7176	RH-2	40	form-based			true	0.7	7	0.875	5	5	9990.399414	6462.399414	6462.399414	0.933333
2620	127	3145	0.07	1500	2	65	100	3	7	5	9435	7935	RH-2	40	form-based			true	0.7	7	1	5	5	8806	7306	7306	0.933333
2622	015	2536	0.06	2677	2	65	100	3	6	4	7608	4931	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8876	6199	6199	1.166667
2622	016	2539	0.06	2677	2	65	100	3	6	4	7617	4940	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8886.5	6209.5	6209.5	1.166667
2622	035	3000	0.07	1954	3	65	100	3	7	4	9000	7046	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10500	8546	8546	1.166667
2622	043	2519	0.06	1295	0	65	100	3	6	6	7557	6262	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	7053.199707	5758.199707	5758.199707	0.933333
2622	057	2535	0.06	3178	2	65	100	3	6	4	7605	4427	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8872.5	5694.5	5694.5	1.166667
2622	068	2526	0.06	1399	2	65	100	3	6	4	7578	6179	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8841	7442	7442	1.166667
2622	070	2529	0.06	1399	2	65	100	3	6	4	7587	6188	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8851.5	7452.5	7452.5	1.166667
2622	072	2533	0.06	1399	2	65	100	3	6	4	7599	6200	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8865.5	7466.5	7466.5	1.166667
2622	081	2601	0.06	1089	2	65	100	3	6	4	7803	6714	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	9103.5	8014.5	8014.5	1.166667
2623	030A	4180	0.1	3150	4	65	100	3	10	6	12540	9390	RH-3	40	form-based			true	0.7	9	0.899999976	5	5	11704	8554	8554	0.933333
2623	035	4066	0.09	4362	4	65	100	3	9	5	12198	7836	RH-3	40	form-based			true	0.7	9	1	5	5	11384.7998	7022.799805	7022.799805	0.933333
2623	070	2622	0.06	2700	2	65	100	3	6	4	7866	5166	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	9177	6477	6477	1.166667
2623	082	2587	0.06	2420	2	85	140	4	8	6	10348	7928	RH-2	50	form-based			true	0.7	7	0.875	5	5	9054.5	6634.5	6634.5	0.875
2625	001	2911	0.07	2455	1	65	100	3	7	6	8733	6278	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8150.799805	5695.799805	5695.799805	0.933333
2623	102	3375	0.08	2800	2	65	100	3	8	6	10125	7325	RH-3	40	form-based			true	0.7	7	0.875	5	5	9450	6650	6650	0.933333
2623	163	3166	0.07	1018	2	65	100	3	7	5	9498	8480	RH-2	40	form-based			true	0.7	7	1	5	5	8864.799805	7846.799805	7846.799805	0.933333
2623	205	2667	0.06	1545	2	65	100	3	6	4	8001	6456	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	9334.5	7789.5	7789.5	1.166667
2623	215	2632	0.06	1543	2	65	100	3	6	4	7896	6353	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	9212	7669	7669	1.166667
2623	236	3700	0.08	2204	3	65	100	3	8	5	11100	8896	RH-2	40	form-based			true	0.7	8	1	5	5	10360	8156	8156	0.933333
2623	239	2649	0.06	1981	2	65	100	3	6	4	7947	5966	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	9271.5	7290.5	7290.5	1.166667
2625	031	2455	0.06	2810	0	65	100	3	6	6	7365	4555	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	6874	4064	4064	0.933333
2625	033	3157	0.07	1058	2	55	80	2.5	6	4	7892	6834	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8839.599609	7781.599609	7781.599609	1.120071
2626	051	3338	0.08	828	2	55	80	2.5	6	4	8345	7517	RH-1	40	form-based	true		true	0.7	7	1.166666627	5	5	9346.399414	8518.399414	8518.399414	1.12
2627	004	2950	0.07	852	1	55	80	2.5	6	5	7375	6523	RH-2	40	form-based			true	0.7	6	1	5	5	8260	7408	7408	1.12
2627	013	2762	0.06	974	1	55	80	2.5	5	4	6905	5931	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7733.600098	6759.600098	6759.600098	1.12
2627	017	2991	0.07	1915	1	55	80	2.5	6	5	7478	5563	RH-2	40	form-based			true	0.7	6	1	5	5	8374.799805	6459.799805	6459.799805	1.119925
2627	018	2885	0.07	1870	1	55	80	2.5	6	5	7212	5342	RH-2	40	form-based			true	0.7	6	1	5	5	8078	6208	6208	1.120078
2627	019	2780	0.06	1350	1	55	80	2.5	5	4	6950	5600	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7784	6434	6434	1.12
2627	020	2675	0.06	1250	1	55	80	2.5	5	4	6688	5438	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7490	6240	6240	1.119916
2628	060	3015	0.07	3450	1	55	80	2.5	6	5	7538	4088	RH-2	40	form-based			true	0.7	6	1	5	5	8442	4992	4992	1.119926
2629	006	2987	0.07	2400	1	55	80	2.5	6	5	7468	5068	RH-2	40	form-based			true	0.7	6	1	5	5	8363.599609	5963.599609	5963.599609	1.119925
2628	080	3507	0.08	4704	2	55	80	2.5	6	4	8768	4064	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9819.599609	5115.599609	5115.599609	1.119936
2628	113	3181	0.07	1671	2	55	80	2.5	6	4	7952	6281	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8906.799805	7235.799805	7235.799805	1.12007
2629	050	2525	0.06	2040	0	55	80	2.5	5	5	6312	4272	RH-2	40	form-based			true	0.7	5	1	5	5	7070	5030	5030	1.120089
2629A	028	2840	0.07	1270	1	55	80	2.5	6	5	7100	5830	RH-3	40	form-based	true		true	0.7	6	1	5	5	7952	6682	6682	1.12
2629A	032	4015	0.09	3511	3	55	80	2.5	7	4	10038	6527	RH-3	40	form-based			true	0.7	8	1.142857194	5	5	11242	7731	7731	1.119944
2629A	037	2761	0.06	3300	1	55	80	2.5	5	4	6902	3602	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7730.799805	4430.799805	4430.799805	1.120081
2630	058	2788	0.06	3474	1	65	100	3	6	5	8364	4890	RH-2	40	form-based			true	0.7	6	1	5	5	7806.399902	4332.399902	4332.399902	0.933333
2630	001	2025	0.05	4402	3	65	100	3	5	2	6075	1673	NC-1	65	form-based	true		true	0.75	8	1.600000024	5	5	9112.5	4710.5	4710.5	1.5
2630	007A	6950	0.16	7390	14	65	100	3	16	2	20850	13460	RH-3	50	form-based			true	0.7	19	1.1875	5	5	24325	16935	16935	1.166667
2630	014	2788	0.06	2873	1	65	100	3	6	5	8364	5491	RH-2	40	form-based			true	0.7	6	1	5	5	7806.399902	4933.399902	4933.399902	0.933333
2630	020	2583	0.06	0	0	65	100	3	6	6	7749	7749	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	7232.399902	7232.399902	7232.399902	0.933333
2630	025	2800	0.06	1960	1	65	100	3	6	5	8400	6440	RH-2	40	form-based			true	0.7	6	1	5	5	7840	5880	5880	0.933333
2630	026	3089	0.07	2220	1	65	100	3	7	6	9267	7047	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8649.200195	6429.200195	6429.200195	0.933333
2630	035	2549	0.06	3540	2	65	100	3	6	4	7647	4107	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8921.5	5381.5	5381.5	1.166667
2630	042	2038	0.05	3070	3	65	100	3	5	2	6114	3044	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	9171	6101	6101	1.5
2630	053	2537	0.06	1060	2	65	100	3	6	4	7611	6551	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8879.5	7819.5	7819.5	1.166667
2630	055	2040	0.05	1204	3	65	100	3	5	2	6120	4916	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	9180	7976	7976	1.5
2631	006	2000	0.05	2072	1	65	100	3	5	4	6000	3928	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7000	4928	4928	1.166667
2631	007	2000	0.05	1980	1	65	100	3	5	4	6000	4020	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7000	5020	5020	1.166667
2631	009	2000	0.05	2045	1	65	100	3	5	4	6000	3955	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7000	4955	4955	1.166667
2631	035	2703	0.06	2465	1	65	100	3	6	5	8109	5644	RH-2	40	form-based			true	0.7	6	1	5	5	7568.399902	5103.399902	5103.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2631	046	2069	0.05	1540	1	65	100	3	5	4	6207	4667	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7241.5	5701.5	5701.5	1.166667
2631	047	2036	0.05	2795	1	65	100	3	5	4	6108	3313	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7126	4331	4331	1.166667
2631	070	2492	0.06	2665	0	65	100	3	6	6	7476	4811	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	6977.600098	4312.600098	4312.600098	0.933333
2632	015	2243	0.05	1800	1	65	100	3	5	4	6729	4929	RH-1	50	form-based			true	0.7	6	1.200000048	5	5	7850.5	6050.5	6050.5	1.166667
2632	016	2271	0.05	1744	1	65	100	3	5	4	6813	5069	RH-1	50	form-based			true	0.7	6	1.200000048	5	5	7948.5	6204.5	6204.5	1.166667
2632	017	2162	0.05	2263	1	65	100	3	5	4	6486	4223	RH-1	50	form-based			true	0.7	6	1.200000048	5	5	7567	5304	5304	1.166667
2632	018	2153	0.05	2226	1	65	100	3	5	4	6459	4233	RH-1	50	form-based			true	0.7	6	1.200000048	5	5	7535.5	5309.5	5309.5	1.166667
2633	004A	1350	0.03	0	0	65	100	3	3	3	4050	4050	RTO-C	65	form-based			true	0.75	5	1.666666627	5	5	6075	6075	6075	1.5
2633	012	1599	0.04	2302	1	65	100	3	4	3	4797	2495	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7195.5	4893.5	4893.5	1.5
2633	013	1621	0.04	1872	1	65	100	3	4	3	4863	2991	RTO-C	65	form-based			true	0.75	6	1.5	5	5	7294.5	5422.5	5422.5	1.5
2633	015	1809	0.04	983	2	65	100	3	4	2	5427	4444	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8140.5	7157.5	7157.5	1.5
2633	017	1744	0.04	803	2	65	100	3	4	2	5232	4429	RTO-C	65	form-based			true	0.75	7	1.75	5	5	7848	7045	7045	1.5
2634	061	8287	0.19	10596	12	55	80	2.5	15	3	20718	10122	RM-2	40	form-based			true	0.7	17	1.133333325	5	5	23203.59961	12607.59961	12607.59961	1.119973
2634	063	8003	0.18	9344	12	55	80	2.5	14	2	20008	10664	RM-2	40	form-based			true	0.7	17	1.214285731	5	5	22408.40039	13064.40039	13064.40039	1.119972
2634	067	2934	0.07	1647	1	55	80	2.5	6	5	7335	5688	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8215.200195	6568.200195	6568.200195	1.12
2634	070	3075	0.07	1402	1	55	80	2.5	6	5	7688	6286	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8610	7208	7208	1.119927
2636	007	3490	0.08	2870	2	55	80	2.5	6	4	8725	5855	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9772	6902	6902	1.12
2636	010	3348	0.08	2870	2	55	80	2.5	6	4	8370	5500	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9374.399414	6504.399414	6504.399414	1.12
2636	011	3486	0.08	4210	2	55	80	2.5	6	4	8715	4505	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	9760.799805	5550.799805	5550.799805	1.12
2636	019	3166	0.07	3859	2	55	80	2.5	6	4	7915	4056	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	8864.799805	5005.799805	5005.799805	1.12
2638	017	3206	0.07	1088	2	55	80	2.5	6	4	8015	6927	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	8976.799805	7888.799805	7888.799805	1.12
2638	005	3151	0.07	4465	2	55	80	2.5	6	4	7878	3413	RM-1	40	form-based			true	0.7	7	1.166666627	5	5	8822.799805	4357.799805	4357.799805	1.119929
2641	014	2947	0.07	2142	1	65	100	3	7	6	8841	6699	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8251.599609	6109.599609	6109.599609	0.933333
2641	015	2952	0.07	2253	1	65	100	3	7	6	8856	6603	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6012.599609	6012.599609	0.933333
2641	016	2956	0.07	1290	1	65	100	3	7	6	8868	7578	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8276.799805	6986.799805	6986.799805	0.933333
2641	017	2961	0.07	2200	1	65	100	3	7	6	8883	6683	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8290.799805	6090.799805	6090.799805	0.933333
2641	019	2972	0.07	3116	1	65	100	3	7	6	8916	5800	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8321.599609	5205.599609	5205.599609	0.933333
2641	026	3012	0.07	2978	1	55	80	2.5	6	5	7530	4552	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8433.599609	5455.599609	5455.599609	1.12
2641	027	3017	0.07	1056	1	55	80	2.5	6	5	7542	6486	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8447.599609	7391.599609	7391.599609	1.120074
2642	029	2990	0.07	2720	1	65	100	3	7	6	8970	6250	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8372	5652	5652	0.933333
2644	004	2795	0.06	1721	1	65	100	3	6	5	8385	6664	RH-2	40	form-based			true	0.7	6	1	5	5	7826	6105	6105	0.933333
2644	002	2798	0.06	2020	1	65	100	3	6	5	8394	6374	RH-2	40	form-based			true	0.7	6	1	5	5	7834.399902	5814.399902	5814.399902	0.933333
2644	006	3000	0.07	4060	1	65	100	3	7	6	9000	4940	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	4340	4340	0.933333
2644	007	3000	0.07	3453	1	65	100	3	7	6	9000	5547	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	4947	4947	0.933333
2644	010A	2741	0.06	1608	1	65	100	3	6	5	8223	6615	RH-1	40	form-based			true	0.7	6	1	5	5	7674.799805	6066.799805	6066.799805	0.933333
2645	002	2644	0.06	1130	1	55	80	2.5	5	4	6610	5480	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7403.199707	6273.199707	6273.199707	1.12
2646	051	2169	0.05	0	0	55	80	2.5	4	4	5422	5422	RH-2	40	form-based			true	0.7	5	1.25	5	5	6073.199707	6073.199707	6073.199707	1.120103
2647	018	4346	0.1	7450	7	65	100	3	10	3	13038	5588	RH-3	50	form-based			true	0.7	12	1.200000048	5	5	15211	7761	7761	1.166667
2647	049	3107	0.07	960	4	65	100	3	7	3	9321	8361	RH-3	50	form-based			true	0.7	9	1.285714269	5	5	10874.5	9914.5	9914.5	1.166667
2648	008	3083	0.07	1030	1	65	100	3	7	6	9249	8219	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8632.399414	7602.399414	7602.399414	0.933333
2648	023	3120	0.07	3790	2	65	100	3	7	5	9360	5570	RH-3	40	form-based			true	0.7	7	1	5	5	8736	4946	4946	0.933333
2648	024	3056	0.07	1715	1	65	100	3	7	6	9168	7453	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8556.799805	6841.799805	6841.799805	0.933333
2648	028	3112	0.07	2540	2	65	100	3	7	5	9336	6796	RH-3	40	form-based			true	0.7	7	1	5	5	8713.599609	6173.599609	6173.599609	0.933333
2648	031	3108	0.07	3040	2	65	100	3	7	5	9324	6284	RH-3	40	form-based			true	0.7	7	1	5	5	8702.399414	5662.399414	5662.399414	0.933333
2648	049	1989	0.05	2063	1	65	100	3	5	4	5967	3904	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	6961.5	4898.5	4898.5	1.166667
2648	050	1979	0.05	1945	1	65	100	3	5	4	5937	3992	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	6926.5	4981.5	4981.5	1.166667
2648	059	3116	0.07	1436	2	65	100	3	7	5	9348	7912	RH-3	40	form-based			true	0.7	7	1	5	5	8724.799805	7288.799805	7288.799805	0.933333
2649	007	3062	0.07	1800	1	65	100	3	7	6	9186	7386	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8573.599609	6773.599609	6773.599609	0.933333
2649	007A	3062	0.07	1788	1	65	100	3	7	6	9186	7398	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8573.599609	6785.599609	6785.599609	0.933333
2649	008	3125	0.07	2520	2	65	100	3	7	5	9375	6855	RH-3	40	form-based			true	0.7	7	1	5	5	8750	6230	6230	0.933333
2649	014	3062	0.07	1850	1	65	100	3	7	6	9186	7336	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8573.599609	6723.599609	6723.599609	0.933333
2649	022A	3117	0.07	2824	2	65	100	3	7	5	9351	6527	RH-3	40	form-based			true	0.7	7	1	5	5	8727.599609	5903.599609	5903.599609	0.933333
2649	023	3076	0.07	1500	1	65	100	3	7	6	9228	7728	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8612.799805	7112.799805	7112.799805	0.933333
2649	065	3125	0.07	3750	2	65	100	3	7	5	9375	5625	RH-3	40	form-based			true	0.7	7	1	5	5	8750	5000	5000	0.933333
2650	003	3063	0.07	1700	1	65	100	3	7	6	9189	7489	RM-1	40	form-based			true	0.7	6	0.857142866	5	5	8576.399414	6876.399414	6876.399414	0.933333
2650	011	3083	0.07	1911	1	65	100	3	7	6	9249	7338	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8632.399414	6721.399414	6721.399414	0.933333
2650	020	2250	0.05	0	0	65	100	3	5	5	6750	6750	RH-3	40	form-based			true	0.7	5	1	5	5	6300	6300	6300	0.933333
2650	024	2890	0.07	1635	1	65	100	3	7	6	8670	7035	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8092	6457	6457	0.933333
2650	026	3142	0.07	3260	2	65	100	3	7	5	9426	6166	RH-3	40	form-based			true	0.7	7	1	5	5	8797.599609	5537.599609	5537.599609	0.933333
2650	056	3156	0.07	1308	2	65	100	3	7	5	9468	8160	RH-3	40	form-based			true	0.7	7	1	5	5	8836.799805	7528.799805	7528.799805	0.933333
2650	081	3125	0.07	2600	2	65	100	3	7	5	9375	6775	RH-3	40	form-based			true	0.7	7	1	5	5	8750	6150	6150	0.933333
2651	001	2354	0.05	0	0	65	100	3	5	5	7062	7062	RH-2	40	form-based	true		true	0.7	5	1	5	5	6591.199707	6591.199707	6591.199707	0.933333
2651	025	3297	0.08	1200	2	55	80	2.5	6	4	8242	7042	RH-2	40	form-based	true		true	0.7	7	1.166666627	5	5	9231.599609	8031.599609	8031.599609	1.120068
2652	001	5028	0.12	7719	6	55	80	2.5	10	4	12570	4851	RH-2	40	form-based	true		true	0.7	11	1.100000024	5	5	14078.39941	6359.399414	6359.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2652	010	3057	0.07	1676	1	55	80	2.5	6	5	7642	5966	RH-2	40	form-based			true	0.7	6	1	5	5	8559.599609	6883.599609	6883.599609	1.120073
2652	013	2699	0.06	1660	1	55	80	2.5	5	4	6748	5088	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7557.199707	5897.199707	5897.199707	1.119917
2653	039	3182	0.07	1004	2	55	80	2.5	6	4	7955	6951	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8909.599609	7905.599609	7905.599609	1.12
2654	003	2897	0.07	2125	1	55	80	2.5	6	5	7242	5117	RH-2	40	form-based			true	0.7	6	1	5	5	8111.600098	5986.600098	5986.600098	1.120077
2654	004	2757	0.06	835	1	55	80	2.5	5	4	6892	6057	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7719.600098	6884.600098	6884.600098	1.120081
2654	006	2477	0.06	1737	0	55	80	2.5	5	5	6192	4455	RH-2	40	form-based			true	0.7	5	1	5	5	6935.600098	5198.600098	5198.600098	1.12009
2654	015	2632	0.06	990	1	55	80	2.5	5	4	6580	5590	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7369.600098	6379.600098	6379.600098	1.12
2654	016	3270	0.08	3694	2	55	80	2.5	6	4	8175	4481	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9156	5462	5462	1.12
2654	018	2828	0.06	3180	1	55	80	2.5	5	4	7070	3890	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	4738.399902	4738.399902	1.12
2654	025	2862	0.07	2623	1	55	80	2.5	6	5	7155	4532	RH-2	40	form-based			true	0.7	6	1	5	5	8013.600098	5390.600098	5390.600098	1.12
2654	027	2974	0.07	2098	1	55	80	2.5	6	5	7435	5337	RH-2	40	form-based			true	0.7	6	1	5	5	8327.200195	6229.200195	6229.200195	1.12
2654	030	2907	0.07	1230	1	55	80	2.5	6	5	7268	6038	RH-2	40	form-based			true	0.7	6	1	5	5	8139.600098	6909.600098	6909.600098	1.119923
2654	031	2634	0.06	4320	1	55	80	2.5	5	4	6585	2265	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7375.199707	3055.199707	3055.199707	1.12
2654	042	3235	0.07	1573	2	55	80	2.5	6	4	8088	6515	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9058	7485	7485	1.119931
2655	002	3047	0.07	2124	1	55	80	2.5	6	5	7618	5494	RH-2	40	form-based			true	0.7	6	1	5	5	8531.599609	6407.599609	6407.599609	1.119926
2655	008	2622	0.06	1675	1	55	80	2.5	5	4	6555	4880	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7341.600098	5666.600098	5666.600098	1.12
2655	009	2864	0.07	2635	1	55	80	2.5	6	5	7160	4525	RH-2	40	form-based			true	0.7	6	1	5	5	8019.199707	5384.199707	5384.199707	1.12
2655	060	3348	0.08	1426	2	55	80	2.5	6	4	8370	6944	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9374.399414	7948.399414	7948.399414	1.12
2656	031	3161	0.07	1620	2	55	80	2.5	6	4	7902	6282	RH-2	40	form-based	true		true	0.7	7	1.166666627	5	5	8850.799805	7230.799805	7230.799805	1.120071
2656	041	2689	0.06	1895	1	55	80	2.5	5	4	6722	4827	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7529.199707	5634.199707	5634.199707	1.120083
2656	045	2722	0.06	800	1	55	80	2.5	5	4	6805	6005	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7621.600098	6821.600098	6821.600098	1.12
2658	014	2207	0.05	1851	0	55	80	2.5	4	4	5518	3667	RH-2	40	form-based			true	0.7	5	1.25	5	5	6179.600098	4328.600098	4328.600098	1.119899
2659	025	2875	0.07	2336	1	55	80	2.5	6	5	7188	4852	RH-2	40	form-based			true	0.7	6	1	5	5	8050	5714	5714	1.119922
2659	054	2968	0.07	1120	1	55	80	2.5	6	5	7420	6300	RH-2	40	form-based			true	0.7	6	1	5	5	8310.399414	7190.399414	7190.399414	1.12
2659	069	2265	0.05	2125	0	55	80	2.5	4	4	5662	3537	RH-2	40	form-based			true	0.7	5	1.25	5	5	6342	4217	4217	1.120099
2660	012	3084	0.07	1341	1	55	80	2.5	6	5	7710	6369	RH-2	40	form-based			true	0.7	6	1	5	5	8635.200195	7294.200195	7294.200195	1.12
2660	039	3338	0.08	2148	2	55	80	2.5	6	4	8345	6197	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9346.399414	7198.399414	7198.399414	1.12
2662	023	3001	0.07	2200	1	55	80	2.5	6	5	7502	5302	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8402.799805	6202.799805	6202.799805	1.120075
2662	024	3001	0.07	2289	1	55	80	2.5	6	5	7502	5213	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8402.799805	6113.799805	6113.799805	1.120075
2664	005	3000	0.07	1825	1	65	100	3	7	6	9000	7175	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6575	6575	0.933333
2664	006	3000	0.07	2052	1	55	80	2.5	6	5	7500	5448	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6348	6348	1.12
2664	008	3000	0.07	1200	1	55	80	2.5	6	5	7500	6300	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7200	7200	1.12
2664	010	3000	0.07	1455	1	55	80	2.5	6	5	7500	6045	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6945	6945	1.12
2664	011	3000	0.07	1201	1	55	80	2.5	6	5	7500	6299	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7199	7199	1.12
2664	013	3000	0.07	2444	1	55	80	2.5	6	5	7500	5056	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5956	5956	1.12
2664	014	3000	0.07	1328	1	55	80	2.5	6	5	7500	6172	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7072	7072	1.12
2664	015	3000	0.07	1546	1	55	80	2.5	6	5	7500	5954	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6854	6854	1.12
2664	016	3000	0.07	1194	1	55	80	2.5	6	5	7500	6306	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7206	7206	1.12
2664	017	3000	0.07	2692	1	55	80	2.5	6	5	7500	4808	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5708	5708	1.12
2664	018	3000	0.07	2672	1	55	80	2.5	6	5	7500	4828	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5728	5728	1.12
2664	020	3000	0.07	2421	1	55	80	2.5	6	5	7500	5079	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5979	5979	1.12
2664	021	3000	0.07	1900	1	55	80	2.5	6	5	7500	5600	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6500	6500	1.12
2664	022	3000	0.07	1400	1	55	80	2.5	6	5	7500	6100	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7000	7000	1.12
2664	023	3000	0.07	1820	1	55	80	2.5	6	5	7500	5680	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6580	6580	1.12
2664	024	3000	0.07	2590	1	55	80	2.5	6	5	7500	4910	RH-1	40	form-based			true	0.7	6	1	5	5	8400	5810	5810	1.12
2664	025	3000	0.07	2005	1	55	80	2.5	6	5	7500	5495	RH-1	40	form-based			true	0.7	6	1	5	5	8400	6395	6395	1.12
2665	001B	4401	0.1	3815	4	55	80	2.5	8	4	11002	7187	RH-1(D)	40	form-based			true	0.7	9	1.125	5	5	12322.7998	8507.799805	8507.799805	1.120051
2665	008	3545	0.08	4578	2	55	80	2.5	6	4	8862	4284	RH-1(D)	40	form-based	true		true	0.7	7	1.166666627	5	5	9926	5348	5348	1.120063
2675	044	3000	0.07	1336	1	55	80	2.5	6	5	7500	6164	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8400	7064	7064	1.12
2675	022	2971	0.07	1956	1	55	80	2.5	6	5	7428	5472	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8318.799805	6362.799805	6362.799805	1.119925
2675	023	2788	0.06	1408	1	55	80	2.5	5	4	6970	5562	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7806.399902	6398.399902	6398.399902	1.12
2675	024	3034	0.07	1408	1	55	80	2.5	6	5	7585	6177	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8495.200195	7087.200195	7087.200195	1.12
2675	025	2965	0.07	1408	1	55	80	2.5	6	5	7412	6004	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8302	6894	6894	1.120076
2675	026	2911	0.07	2032	1	55	80	2.5	6	5	7278	5246	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8150.799805	6118.799805	6118.799805	1.119923
2675	027	3011	0.07	2012	1	55	80	2.5	6	5	7528	5516	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8430.799805	6418.799805	6418.799805	1.119926
2675	037	2741	0.06	1037	1	55	80	2.5	5	4	6852	5815	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7674.799805	6637.799805	6637.799805	1.120082
2675	039	2989	0.07	1673	1	55	80	2.5	6	5	7472	5799	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	6696.200195	6696.200195	1.120075
2675	040	3061	0.07	1433	1	55	80	2.5	6	5	7652	6219	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8570.799805	7137.799805	7137.799805	1.120073
2675	041	3070	0.07	1433	1	55	80	2.5	6	5	7675	6242	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8596	7163	7163	1.12
2675	028	2779	0.06	1408	1	55	80	2.5	5	4	6948	5540	RH-1(D)	40	form-based	true		true	0.7	6	1.200000048	5	5	7781.199707	6373.199707	6373.199707	1.119919
2675	043	2974	0.07	1336	1	55	80	2.5	6	5	7435	6099	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	8327.200195	6991.200195	6991.200195	1.12
2676	001	2733	0.06	2739	1	55	80	2.5	5	4	6832	4093	RH-1(D)	40	form-based	true		true	0.7	6	1.200000048	5	5	7652.399902	4913.399902	4913.399902	1.120082
2676	004	2814	0.06	1945	1	55	80	2.5	5	4	7035	5090	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	5934.199707	5934.199707	1.12
2676	005	2682	0.06	1255	1	55	80	2.5	5	4	6705	5450	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7509.600098	6254.600098	6254.600098	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2677	002	2681	0.06	2010	1	55	80	2.5	5	4	6702	4692	RH-1(D)	40	form-based		true	true	0.7	6	1.200000048	5	5	7506.799805	5496.799805	5496.799805	1.120084
2678	017	3091	0.07	1500	1	55	80	2.5	6	5	7728	6228	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8654.799805	7154.799805	7154.799805	1.119928
2680	005	2907	0.07	1426	1	55	80	2.5	6	5	7268	5842	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8139.600098	6713.600098	6713.600098	1.119923
2680	014	2921	0.07	1228	1	55	80	2.5	6	5	7302	6074	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8178.799805	6950.799805	6950.799805	1.120077
2680	015	2904	0.07	1228	1	55	80	2.5	6	5	7260	6032	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8131.199707	6903.199707	6903.199707	1.12
2680	022	2828	0.06	1790	1	55	80	2.5	5	4	7070	5280	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	6128.399902	6128.399902	1.12
2680	023	2893	0.07	1445	1	55	80	2.5	6	5	7232	5787	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8100.399902	6655.399902	6655.399902	1.120077
2680	024	2899	0.07	1265	1	55	80	2.5	6	5	7248	5983	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8117.199707	6852.199707	6852.199707	1.119923
2680	025	2677	0.06	1265	1	55	80	2.5	5	4	6692	5427	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7495.600098	6230.600098	6230.600098	1.120084
2680	026	3068	0.07	1645	1	55	80	2.5	6	5	7670	6025	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8590.399414	6945.399414	6945.399414	1.12
2682	018	2686	0.06	2177	1	55	80	2.5	5	4	6715	4538	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7520.799805	5343.799805	5343.799805	1.12
2683	003	2870	0.07	1408	1	55	80	2.5	6	5	7175	5767	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8036	6628	6628	1.12
2683	005	3080	0.07	2088	1	55	80	2.5	6	5	7700	5612	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8624	6536	6536	1.12
2684	005	2794	0.06	1431	1	55	80	2.5	5	4	6985	5554	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7823.199707	6392.199707	6392.199707	1.12
2684	007	3093	0.07	1848	1	55	80	2.5	6	5	7732	5884	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8660.399414	6812.399414	6812.399414	1.120072
2686	019	3063	0.07	1661	1	55	80	2.5	6	5	7658	5997	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8576.399414	6915.399414	6915.399414	1.119927
2686	020	2942	0.07	1245	1	55	80	2.5	6	5	7355	6110	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8237.599609	6992.599609	6992.599609	1.12
2686	022	2624	0.06	1408	1	55	80	2.5	5	4	6560	5152	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7347.199707	5939.199707	5939.199707	1.12
2686	023	2694	0.06	1408	1	55	80	2.5	5	4	6735	5327	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7543.199707	6135.199707	6135.199707	1.12
2686	024	2838	0.07	2478	1	55	80	2.5	6	5	7095	4617	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7946.399902	5468.399902	5468.399902	1.12
2686	025	2768	0.06	1408	1	55	80	2.5	5	4	6920	5512	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7750.399902	6342.399902	6342.399902	1.12
2686	026	2913	0.07	1465	1	55	80	2.5	6	5	7282	5817	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8156.399902	6691.399902	6691.399902	1.120077
2687	019	2837	0.07	1699	1	55	80	2.5	6	5	7092	5393	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	7943.600098	6244.600098	6244.600098	1.120079
2687	020	2663	0.06	3100	1	55	80	2.5	5	4	6658	3558	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7456.399902	4356.399902	4356.399902	1.119916
2688	019	2654	0.06	3730	1	55	80	2.5	5	4	6635	2905	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7431.199707	3701.199707	3701.199707	1.12
2688	023	2727	0.06	3650	1	55	80	2.5	5	4	6818	3168	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7635.600098	3985.600098	3985.600098	1.119918
2688	024	2836	0.07	2300	1	55	80	2.5	6	5	7090	4790	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7940.799805	5640.799805	5640.799805	1.12
2688	031	2763	0.06	1450	1	55	80	2.5	5	4	6908	5458	RH-1(D)	40	form-based		true	true	0.7	6	1.200000048	5	5	7736.399902	6286.399902	6286.399902	1.119919
2688	033	2741	0.06	1752	1	55	80	2.5	5	4	6852	5100	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7674.799805	5922.799805	5922.799805	1.120082
2688	044	2437	0.06	0	0	55	80	2.5	5	5	6092	6092	RH-1(D)	40	form-based			true	0.7	5	1	5	5	6823.600098	6823.600098	6823.600098	1.120092
2688	045	2306	0.05	0	0	55	80	2.5	4	4	5765	5765	RH-1(D)	40	form-based			true	0.7	5	1.25	5	5	6456.799805	6456.799805	6456.799805	1.12
2689	004	2728	0.06	1325	1	55	80	2.5	5	4	6820	5495	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7638.399902	6313.399902	6313.399902	1.12
2689	005	2880	0.07	1712	1	55	80	2.5	6	5	7200	5488	RH-1	40	form-based			true	0.7	6	1	5	5	8064	6352	6352	1.12
2689	006	2876	0.07	1085	1	55	80	2.5	6	5	7190	6105	RH-1	40	form-based			true	0.7	6	1	5	5	8052.799805	6967.799805	6967.799805	1.12
2690	004A	3005	0.07	2443	1	55	80	2.5	6	5	7512	5069	RH-2	40	form-based			true	0.7	6	1	5	5	8414	5971	5971	1.120075
2690	007	3007	0.07	2075	1	55	80	2.5	6	5	7518	5443	RH-2	40	form-based			true	0.7	6	1	5	5	8419.599609	6344.599609	6344.599609	1.119925
2690	008	3008	0.07	3368	1	55	80	2.5	6	5	7520	4152	RH-2	40	form-based			true	0.7	6	1	5	5	8422.399414	5054.399414	5054.399414	1.12
2690	010	3009	0.07	1494	1	55	80	2.5	6	5	7522	6028	RH-2	40	form-based			true	0.7	6	1	5	5	8425.200195	6931.200195	6931.200195	1.120075
2690	011	3005	0.07	1550	1	55	80	2.5	6	5	7512	5962	RH-2	40	form-based			true	0.7	6	1	5	5	8414	6864	6864	1.120075
2690	015B	3064	0.07	1177	1	55	80	2.5	6	5	7660	6483	RH-2	40	form-based		true	true	0.7	6	1	5	5	8579.200195	7402.200195	7402.200195	1.12
2690	018	3009	0.07	1650	1	55	80	2.5	6	5	7522	5872	RH-2	40	form-based			true	0.7	6	1	5	5	8425.200195	6775.200195	6775.200195	1.120075
2690	047	3158	0.07	1409	2	55	80	2.5	6	4	7895	6486	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8842.399414	7433.399414	7433.399414	1.12
2691	003	3750	0.09	3350	3	55	80	2.5	7	4	9375	6025	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10500	7150	7150	1.12
2691	010	2692	0.06	1830	1	55	80	2.5	5	4	6730	4900	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7537.600098	5707.600098	5707.600098	1.12
2691	012	3025	0.07	1400	1	55	80	2.5	6	5	7562	6162	RH-2	40	form-based			true	0.7	6	1	5	5	8470	7070	7070	1.120074
2691	013	3025	0.07	1175	1	55	80	2.5	6	5	7562	6387	RH-2	40	form-based			true	0.7	6	1	5	5	8470	7295	7295	1.120074
2691	014A	3025	0.07	1250	1	55	80	2.5	6	5	7562	6312	RH-2	40	form-based			true	0.7	6	1	5	5	8470	7220	7220	1.120074
2691	016	3025	0.07	2000	1	55	80	2.5	6	5	7562	5562	RH-2	40	form-based			true	0.7	6	1	5	5	8470	6470	6470	1.120074
2691	020	3025	0.07	2700	1	55	80	2.5	6	5	7562	4862	RH-2	40	form-based			true	0.7	6	1	5	5	8470	5770	5770	1.120074
2691	040	2704	0.06	2470	1	55	80	2.5	5	4	6760	4290	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7571.199707	5101.199707	5101.199707	1.12
2691	048	3033	0.07	2136	1	55	80	2.5	6	5	7582	5446	RH-2	40	form-based			true	0.7	6	1	5	5	8492.399414	6356.399414	6356.399414	1.120074
2692	005	4075	0.09	3556	4	65	100	3	9	5	12225	8669	RH-2	40	form-based			true	0.7	9	1	5	5	11410	7854	7854	0.933333
2692	013	2626	0.06	2065	1	55	80	2.5	5	4	6565	4500	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7352.799805	5287.799805	5287.799805	1.12
2692	030	3160	0.07	4078	2	55	80	2.5	6	4	7900	3822	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8848	4770	4770	1.12
2692	031	3160	0.07	2565	2	55	80	2.5	6	4	7900	5335	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8848	6283	6283	1.12
2692	032	3160	0.07	2805	2	55	80	2.5	6	4	7900	5095	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8848	6043	6043	1.12
2692	044	3125	0.07	2900	2	55	80	2.5	6	4	7812	4912	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	5850	5850	1.120072
2692	050	3125	0.07	1675	2	55	80	2.5	6	4	7812	6137	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	7075	7075	1.120072
2692	052	3125	0.07	1335	2	65	100	3	7	5	9375	8040	RH-2	40	form-based			true	0.7	7	1	5	5	8750	7415	7415	0.933333
2692	056	3125	0.07	1497	2	55	80	2.5	6	4	7812	6315	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	7253	7253	1.120072
2692	067	3160	0.07	2479	2	55	80	2.5	6	4	7900	5421	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8848	6369	6369	1.12
2692	069	3125	0.07	1422	2	65	100	3	7	5	9375	7953	RH-2	40	form-based			true	0.7	7	1	5	5	8750	7328	7328	0.933333
2693	007	3125	0.07	3000	2	65	100	3	7	5	9375	6375	RH-3	40	form-based			true	0.7	7	1	5	5	8750	5750	5750	0.933333
2693	010	3000	0.07	2756	1	65	100	3	7	6	9000	6244	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8400	5644	5644	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2693	011	3125	0.07	2750	2	65	100	3	7	5	9375	6625	RH-3	40	form-based			true	0.7	7	1	5	5	8750	6000	6000	0.933333
2693	023	3078	0.07	1625	1	65	100	3	7	6	9234	7609	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8618.399414	6993.399414	6993.399414	0.933333
2695	006	3151	0.07	5093	4	65	100	3	7	3	9453	4360	NCD-CAST	50	form-based			true	0.75	9	1.285714269	5	5	11816.25	6723.25	6723.25	1.25
2695	019	2964	0.07	3876	3	65	100	3	7	4	8892	5016	RH-3	50	form-based		true	true	0.7	8	1.142857194	5	5	10374	6498	6498	1.166667
2695	028	3023	0.07	1800	3	65	100	3	7	4	9069	7269	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10580.5	8780.5	8780.5	1.166667
2695	030	2961	0.07	2452	3	65	100	3	7	4	8883	6431	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10363.5	7911.5	7911.5	1.166667
2696	002	3167	0.07	2064	2	65	100	3	7	5	9501	7437	RH-3	40	form-based			true	0.7	7	1	5	5	8867.599609	6803.599609	6803.599609	0.933333
2696	021	2715	0.06	2655	1	55	80	2.5	5	4	6788	4133	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7602	4947	4947	1.119918
2696	022	3402	0.08	2428	2	55	80	2.5	6	4	8505	6077	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9525.599609	7097.599609	7097.599609	1.12
2696	023	2989	0.07	3750	1	55	80	2.5	6	5	7472	3722	RH-3	40	form-based			true	0.7	6	1	5	5	8369.200195	4619.200195	4619.200195	1.120075
2696	033	3229	0.07	2816	2	65	100	3	7	5	9687	6871	RH-3	40	form-based			true	0.7	7	1	5	5	9041.200195	6225.200195	6225.200195	0.933333
2696	038	3125	0.07	1596	2	55	80	2.5	6	4	7812	6216	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8750	7154	7154	1.120072
2696	062	3438	0.08	1412	2	55	80	2.5	6	4	8595	7183	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	8214.399414	8214.399414	1.12
2696	068	3438	0.08	1349	2	55	80	2.5	6	4	8595	7246	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9626.399414	8277.399414	8277.399414	1.12
2697	009	3449	0.08	2430	2	55	80	2.5	6	4	8622	6192	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9657.200195	7227.200195	7227.200195	1.120065
2697	012	2750	0.06	1350	1	55	80	2.5	5	4	6875	5525	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7700	6350	6350	1.12
2697	013	2750	0.06	3046	1	55	80	2.5	5	4	6875	3829	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7700	4654	4654	1.12
2697	015	2795	0.06	1850	1	55	80	2.5	5	4	6988	5138	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7826	5976	5976	1.11992
2697	016	2770	0.06	2538	1	55	80	2.5	5	4	6925	4387	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7756	5218	5218	1.12
2697	029	3757	0.09	2670	3	55	80	2.5	7	4	9392	6722	RH-3	40	form-based			true	0.7	8	1.142857194	5	5	10519.59961	7849.599609	7849.599609	1.12006
2697	029A	3131	0.07	2006	2	55	80	2.5	6	4	7828	5822	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8766.799805	6760.799805	6760.799805	1.119928
2697	036	3444	0.08	1670	2	55	80	2.5	6	4	8610	6940	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9643.200195	7973.200195	7973.200195	1.12
2697	038	3135	0.07	2450	2	55	80	2.5	6	4	7838	5388	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8778	6328	6328	1.119929
2698	005	3125	0.07	2224	2	55	80	2.5	6	4	7812	5588	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8750	6526	6526	1.120072
2698	006	3125	0.07	2880	2	55	80	2.5	6	4	7812	4932	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8750	5870	5870	1.120072
2698	016	2750	0.06	2700	1	55	80	2.5	5	4	6875	4175	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7700	5000	5000	1.12
2698	019	2750	0.06	1890	1	55	80	2.5	5	4	6875	4985	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7700	5810	5810	1.12
2698	020	2750	0.06	2739	1	55	80	2.5	5	4	6875	4136	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7700	4961	4961	1.12
2698	023	3035	0.07	2149	1	55	80	2.5	6	5	7588	5439	RH-2	40	form-based			true	0.7	6	1	5	5	8498	6349	6349	1.119926
2698	024	3035	0.07	2893	1	55	80	2.5	6	5	7588	4695	RH-2	40	form-based			true	0.7	6	1	5	5	8498	5605	5605	1.119926
2698	027	3098	0.07	2624	2	55	80	2.5	6	4	7745	5121	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8674.399414	6050.399414	6050.399414	1.12
2698	029A	3409	0.08	2272	2	55	80	2.5	6	4	8522	6250	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9545.200195	7273.200195	7273.200195	1.120066
2698	051	4520	0.1	966	4	55	80	2.5	8	4	11300	10334	RH-2	40	form-based			true	0.7	9	1.125	5	5	12656	11690	11690	1.12
2698	055	3099	0.07	1304	2	55	80	2.5	6	4	7748	6444	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8677.200195	7373.200195	7373.200195	1.119928
2698	057	3097	0.07	1185	2	55	80	2.5	6	4	7742	6557	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8671.599609	7486.599609	7486.599609	1.120072
2699	009	3041	0.07	3096	1	55	80	2.5	6	5	7602	4506	RH-2	40	form-based			true	0.7	6	1	5	5	8514.799805	5418.799805	5418.799805	1.120074
2699	010	3041	0.07	1764	1	55	80	2.5	6	5	7602	5838	RH-2	40	form-based			true	0.7	6	1	5	5	8514.799805	6750.799805	6750.799805	1.120074
2699	014	3063	0.07	1802	1	55	80	2.5	6	5	7658	5856	RH-2	40	form-based			true	0.7	6	1	5	5	8576.399414	6774.399414	6774.399414	1.119927
2699	016	3062	0.07	1450	1	55	80	2.5	6	5	7655	6205	RH-2	40	form-based			true	0.7	6	1	5	5	8573.599609	7123.599609	7123.599609	1.12
2699	017	3062	0.07	1450	1	55	80	2.5	6	5	7655	6205	RH-2	40	form-based			true	0.7	6	1	5	5	8573.599609	7123.599609	7123.599609	1.12
2699	028	2884	0.07	2891	1	55	80	2.5	6	5	7210	4319	RH-2	40	form-based			true	0.7	6	1	5	5	8075.199707	5184.199707	5184.199707	1.12
2699	035	3135	0.07	2100	2	55	80	2.5	6	4	7838	5738	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8778	6678	6678	1.119929
2699	038	3135	0.07	1704	2	55	80	2.5	6	4	7838	6134	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8778	7074	7074	1.119929
2699	040	3073	0.07	1380	1	55	80	2.5	6	5	7682	6302	RH-2	40	form-based			true	0.7	6	1	5	5	8604.399414	7224.399414	7224.399414	1.120073
2699	049	3135	0.07	1140	2	55	80	2.5	6	4	7838	6698	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8778	7638	7638	1.119929
2700	002	2625	0.06	240	1	55	80	2.5	5	4	6562	6322	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	7110	7110	1.120085
2700	010	2926	0.07	2527	1	55	80	2.5	6	5	7315	4788	RH-2	40	form-based			true	0.7	6	1	5	5	8192.799805	5665.799805	5665.799805	1.12
2700	011	2926	0.07	4420	1	55	80	2.5	6	5	7315	2895	RH-2	40	form-based			true	0.7	6	1	5	5	8192.799805	3772.799805	3772.799805	1.12
2700	012	3106	0.07	4696	2	55	80	2.5	6	4	7765	3069	RH-2	40	form-based	true		true	0.7	7	1.166666627	5	5	8696.799805	4000.799805	4000.799805	1.12
2700	013	2678	0.06	4092	1	55	80	2.5	5	4	6695	2603	RH-2	40	form-based	true		true	0.7	6	1.200000048	5	5	7498.399902	3406.399902	3406.399902	1.12
2700	023	2656	0.06	4285	1	55	80	2.5	5	4	6640	2355	RH-2	40	form-based	true		true	0.7	6	1.200000048	5	5	7436.799805	3151.799805	3151.799805	1.12
2700	033	2930	0.07	1206	1	55	80	2.5	6	5	7325	6119	RH-2	40	form-based			true	0.7	6	1	5	5	8204	6998	6998	1.12
2700	034	2897	0.07	2063	1	55	80	2.5	6	5	7242	5179	RH-2	40	form-based	true		true	0.7	6	1	5	5	8111.600098	6048.600098	6048.600098	1.120077
2700	039	2626	0.06	1175	1	55	80	2.5	5	4	6565	5390	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7352.799805	6177.799805	6177.799805	1.12
2700	049	2400	0.06	1905	0	55	80	2.5	5	5	6000	4095	RH-2	40	form-based			true	0.7	5	1	5	5	6720	4815	4815	1.12
2700	057	2400	0.06	3016	0	55	80	2.5	5	5	6000	2984	RH-2	40	form-based	true		true	0.7	5	1	5	5	6720	3704	3704	1.12
2700	059	2998	0.07	2190	1	55	80	2.5	6	5	7495	5305	RH-2	40	form-based			true	0.7	6	1	5	5	8394.399414	6204.399414	6204.399414	1.12
2700	060	2826	0.06	2262	1	55	80	2.5	5	4	7065	4803	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7912.799805	5650.799805	5650.799805	1.12
2700	062	2828	0.06	1525	1	55	80	2.5	5	4	7070	5545	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	6393.399902	6393.399902	1.12
2701	025	2666	0.06	2125	1	55	80	2.5	5	4	6665	4540	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7464.799805	5339.799805	5339.799805	1.12
2701	028	3065	0.07	1171	1	55	80	2.5	6	5	7662	6491	RH-2	40	form-based			true	0.7	6	1	5	5	8582	7411	7411	1.120073
2701	030	2885	0.07	1195	1	55	80	2.5	6	5	7212	6017	RH-2	40	form-based			true	0.7	6	1	5	5	8078	6883	6883	1.120078
2701	031	2851	0.07	4029	1	55	80	2.5	6	5	7128	3099	RH-2	40	form-based			true	0.7	6	1	5	5	7982.799805	3953.799805	3953.799805	1.119921
2701A	002	2294	0.05	2227	0	55	80	2.5	4	4	5735	3508	RH-2	40	form-based			true	0.7	5	1.25	5	5	6423.199707	4196.199707	4196.199707	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2701A	005	2625	0.06	2105	1	55	80	2.5	5	4	6562	4457	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5245	5245	1.120085
2701A	006	2625	0.06	2914	1	55	80	2.5	5	4	6562	3648	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	4436	4436	1.120085
2701A	007	2625	0.06	2650	1	55	80	2.5	5	4	6562	3912	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	4700	4700	1.120085
2701A	008	2893	0.07	2550	1	55	80	2.5	6	5	7232	4682	RH-2	40	form-based			true	0.7	6	1	5	5	8100.399902	5550.399902	5550.399902	1.120077
2701A	020	3025	0.07	1933	1	55	80	2.5	6	5	7562	5629	RH-2	40	form-based		true	true	0.7	6	1	5	5	8470	6537	6537	1.120074
2701A	026	2501	0.06	0	0	55	80	2.5	5	5	6252	6252	RH-2	40	form-based			true	0.7	5	1	5	5	7002.799805	7002.799805	7002.799805	1.12009
2702	020	2623	0.06	1485	1	55	80	2.5	5	4	6558	5073	RH-2	40	form-based		true	true	0.7	6	1.200000048	5	5	7344.399902	5859.399902	5859.399902	1.119915
2702	030	3203	0.07	1308	2	55	80	2.5	6	4	8008	6700	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8968.399414	7660.399414	7660.399414	1.11993
2705	026	2651	0.06	1570	1	55	80	2.5	5	4	6628	5058	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7422.799805	5852.799805	5852.799805	1.119915
2706	004	2730	0.06	2100	1	55	80	2.5	5	4	6825	4725	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7644	5544	5544	1.12
2706	005	2625	0.06	1542	1	55	80	2.5	5	4	6562	5020	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7350	5808	5808	1.120085
2706	006	2752	0.06	2624	1	55	80	2.5	5	4	6880	4256	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7705.600098	5081.600098	5081.600098	1.12
2711	010	2766	0.06	1516	1	55	80	2.5	5	4	6915	5399	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7744.799805	6228.799805	6228.799805	1.12
2711	036	2693	0.06	978	1	55	80	2.5	5	4	6732	5754	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7540.399902	6562.399902	6562.399902	1.120083
2711	039	2942	0.07	978	1	55	80	2.5	6	5	7355	6377	RH-2	40	form-based			true	0.7	6	1	5	5	8237.599609	7259.599609	7259.599609	1.12
2711	040	3482	0.08	809	2	55	80	2.5	6	4	8705	7896	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9749.599609	8940.599609	8940.599609	1.12
2714	002	2791	0.06	1714	1	55	80	2.5	5	4	6978	5264	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7814.799805	6100.799805	6100.799805	1.11992
2714	003	2465	0.06	1995	0	55	80	2.5	5	5	6162	4167	RH-2	40	form-based			true	0.7	5	1	5	5	6902	4907	4907	1.120091
2714	021	5445	0.12	5966	6	55	80	2.5	10	4	13612	7646	RH-2	40	form-based			true	0.7	11	1.100000024	5	5	15246	9280	9280	1.120041
2714	042	3448	0.08	2124	2	55	80	2.5	6	4	8620	6496	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9654.399414	7530.399414	7530.399414	1.12
2715	046	7311	0.17	8892	10	55	80	2.5	14	4	18278	9386	RH-2	40	form-based		true	true	0.7	15	1.071428537	5	5	20470.79883	11578.79883	11578.79883	1.119969
2748	002	2430	0.06	1995	0	55	80	2.5	5	5	6075	4080	RH-2	40	form-based			true	0.7	5	1	5	5	6804	4809	4809	1.12
2748	016	2856	0.07	2710	1	55	80	2.5	6	5	7140	4430	RM-1	40	form-based			true	0.7	6	1	5	5	7996.799805	5286.799805	5286.799805	1.12
2748	021	7630	0.18	7648	11	55	80	2.5	14	3	19075	11427	RH-2	40	form-based			true	0.7	16	1.142857194	5	5	21364	13716	13716	1.12
2749	002	3253	0.07	2400	2	55	80	2.5	6	4	8132	5732	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9108.399414	6708.399414	6708.399414	1.120069
2749	006	3255	0.07	2050	2	55	80	2.5	6	4	8138	6088	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9114	7064	7064	1.119931
2749	007	3256	0.07	2888	2	55	80	2.5	6	4	8140	5252	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9116.799805	6228.799805	6228.799805	1.12
2749	009	3257	0.07	1760	2	55	80	2.5	6	4	8142	6382	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9119.599609	7359.599609	7359.599609	1.120069
2749	012A	3260	0.07	2640	2	55	80	2.5	6	4	8150	5510	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9128	6488	6488	1.12
2749	013	3261	0.07	2152	2	55	80	2.5	6	4	8152	6000	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9130.799805	6978.799805	6978.799805	1.120069
2749	014	3261	0.07	1880	2	55	80	2.5	6	4	8152	6272	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9130.799805	7250.799805	7250.799805	1.120069
2749	020	2640	0.06	1852	1	55	80	2.5	5	4	6600	4748	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7392	5540	5540	1.12
2749	023	2717	0.06	1455	1	55	80	2.5	5	4	6792	5337	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7607.600098	6152.600098	6152.600098	1.120082
2749	027	3260	0.07	2923	2	55	80	2.5	6	4	8150	5227	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9128	6205	6205	1.12
2749	033	3260	0.07	2090	2	55	80	2.5	6	4	8150	6060	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9128	7038	7038	1.12
2749	048	3000	0.07	3800	1	55	80	2.5	6	5	7500	3700	RH-2	40	form-based			true	0.7	6	1	5	5	8400	4600	4600	1.12
2749	054	3254	0.07	1462	2	55	80	2.5	6	4	8135	6673	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9111.200195	7649.200195	7649.200195	1.12
2749	063	3260	0.07	1285	2	55	80	2.5	6	4	8150	6865	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9128	7843	7843	1.12
2749	067	3255	0.07	836	2	55	80	2.5	6	4	8138	7302	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9114	8278	8278	1.119931
2750	011	3113	0.07	1641	2	55	80	2.5	6	4	7782	6141	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8716.399414	7075.399414	7075.399414	1.120072
2750	032	3125	0.07	2540	2	55	80	2.5	6	4	7812	5272	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	6210	6210	1.120072
2750	035	3125	0.07	3687	2	55	80	2.5	6	4	7812	4125	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	5063	5063	1.120072
2750	061	3112	0.07	1146	2	55	80	2.5	6	4	7780	6634	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8713.599609	7567.599609	7567.599609	1.12
2751	007E	3250	0.07	4300	2	55	80	2.5	6	4	8125	3825	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9100	4800	4800	1.12
2751	017	3126	0.07	4765	2	55	80	2.5	6	4	7815	3050	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8752.799805	3987.799805	3987.799805	1.12
2751	029	2525	0.06	2441	0	55	80	2.5	5	5	6312	3871	RH-2	40	form-based			true	0.7	5	1	5	5	7070	4629	4629	1.120089
2751	034	3125	0.07	1364	2	55	80	2.5	6	4	7812	6448	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	7386	7386	1.120072
2751	036	4000	0.09	2922	3	55	80	2.5	7	4	10000	7078	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	11200	8278	8278	1.12
2752	013	3207	0.07	2093	2	55	80	2.5	6	4	8018	5925	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8979.599609	6886.599609	6886.599609	1.11993
2752	016	3206	0.07	2266	2	55	80	2.5	6	4	8015	5749	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8976.799805	6710.799805	6710.799805	1.12
2752	022C	2846	0.07	3493	1	55	80	2.5	6	5	7115	3622	RH-2	40	form-based		true	true	0.7	6	1	5	5	7968.799805	4475.799805	4475.799805	1.12
2752	025	3097	0.07	1750	2	55	80	2.5	6	4	7742	5992	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8671.599609	6921.599609	6921.599609	1.120072
2752	028	2750	0.06	1033	1	55	80	2.5	5	4	6875	5842	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7700	6667	6667	1.12
2752	036	3208	0.07	1177	2	55	80	2.5	6	4	8020	6843	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8982.399414	7805.399414	7805.399414	1.12
2752	040	3205	0.07	2029	2	55	80	2.5	6	4	8012	5983	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8974	6945	6945	1.12007
2753	024C	2767	0.06	1234	1	55	80	2.5	5	4	6918	5684	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7747.600098	6513.600098	6513.600098	1.119919
2753	026	2624	0.06	1847	1	55	80	2.5	5	4	6560	4713	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7347.199707	5500.199707	5500.199707	1.12
2768	004	2885	0.07	2252	1	55	80	2.5	6	5	7212	4960	RH-2	40	form-based			true	0.7	6	1	5	5	8078	5826	5826	1.120078
2768	002	2885	0.07	3922	1	55	80	2.5	6	5	7212	3290	RH-2	40	form-based			true	0.7	6	1	5	5	8078	4156	4156	1.120078
2768	002A	2885	0.07	1806	1	55	80	2.5	6	5	7212	5406	RH-2	40	form-based			true	0.7	6	1	5	5	8078	6272	6272	1.120078
2768	003	2885	0.07	1092	1	55	80	2.5	6	5	7212	6120	RH-2	40	form-based			true	0.7	6	1	5	5	8078	6986	6986	1.120078
2768	008	2885	0.07	3462	1	55	80	2.5	6	5	7212	3750	RH-2	40	form-based			true	0.7	6	1	5	5	8078	4616	4616	1.120078
2768	009	2885	0.07	1272	1	55	80	2.5	6	5	7212	5940	RH-2	40	form-based			true	0.7	6	1	5	5	8078	6806	6806	1.120078
2768	010	2885	0.07	1952	1	55	80	2.5	6	5	7212	5260	RH-2	40	form-based			true	0.7	6	1	5	5	8078	6126	6126	1.120078

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2768	011	2885	0.07	1206	1	55	80	2.5	6	5	7212	6006	RH-2	40	form-based			true	0.7	6	1	5	5	8078	6872	6872	1.120078
2768	012	2885	0.07	755	1	55	80	2.5	6	5	7212	6457	RH-2	40	form-based			true	0.7	6	1	5	5	8078	7323	7323	1.120078
2768	014	2885	0.07	1250	1	55	80	2.5	6	5	7212	5962	RH-2	40	form-based			true	0.7	6	1	5	5	8078	6828	6828	1.120078
2768	015	2885	0.07	1567	1	55	80	2.5	6	5	7212	5645	RH-2	40	form-based			true	0.7	6	1	5	5	8078	6511	6511	1.120078
2768	037A	2608	0.06	2263	0	55	80	2.5	5	5	6520	4257	RH-2	40	form-based			true	0.7	5	1	5	5	7302.399902	5039.399902	5039.399902	1.12
2769	002	3090	0.07	2006	1	55	80	2.5	6	5	7725	5719	RH-2	40	form-based			true	0.7	6	1	5	5	8652	6646	6646	1.12
2769	005	3090	0.07	1327	1	55	80	2.5	6	5	7725	6398	RH-2	40	form-based			true	0.7	6	1	5	5	8652	7325	7325	1.12
2769	006	3090	0.07	4218	1	55	80	2.5	6	5	7725	3507	RH-2	40	form-based			true	0.7	6	1	5	5	8652	4434	4434	1.12
2769	019	3200	0.07	2064	2	55	80	2.5	6	4	8000	5936	RH-3	40	form-based		true	true	0.7	7	1.166666627	5	5	8960	6896	6896	1.12
2769	033	2760	0.06	2758	1	55	80	2.5	5	4	6900	4142	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7728	4970	4970	1.12
2769	038	3122	0.07	3033	2	55	80	2.5	6	4	7805	4772	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8741.599609	5708.599609	5708.599609	1.12
2769	042	2700	0.06	2518	1	55	80	2.5	5	4	6750	4232	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7560	5042	5042	1.12
2769	043	3000	0.07	2518	1	55	80	2.5	6	5	7500	4982	RH-3	40	form-based			true	0.7	6	1	5	5	8400	5882	5882	1.12
2769	044	3125	0.07	2518	2	55	80	2.5	6	4	7812	5294	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8750	6232	6232	1.120072
2769	045	3125	0.07	2610	2	55	80	2.5	6	4	7812	5202	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8750	6140	6140	1.120072
2769	046	3125	0.07	2066	2	55	80	2.5	6	4	7812	5746	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8750	6684	6684	1.120072
2769	047	3125	0.07	2404	2	55	80	2.5	6	4	7812	5408	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8750	6346	6346	1.120072
2769	048	3125	0.07	1134	2	55	80	2.5	6	4	7812	6678	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8750	7616	7616	1.120072
2770	009A	3157	0.07	1718	2	55	80	2.5	6	4	7892	6174	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8839.599609	7121.599609	7121.599609	1.120071
2770	022	2976	0.07	1991	1	55	80	2.5	6	5	7440	5449	RH-2	40	form-based			true	0.7	6	1	5	5	8332.799805	6341.799805	6341.799805	1.12
2770	024	3100	0.07	3171	2	55	80	2.5	6	4	7750	4579	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8680	5509	5509	1.12
2770	025	3100	0.07	2967	2	55	80	2.5	6	4	7750	4783	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8680	5713	5713	1.12
2771	002	2634	0.06	1867	1	55	80	2.5	5	4	6585	4718	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7375.199707	5508.199707	5508.199707	1.12
2771	003	2634	0.06	1867	1	55	80	2.5	5	4	6585	4718	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7375.199707	5508.199707	5508.199707	1.12
2771	004	2634	0.06	2017	1	55	80	2.5	5	4	6585	4568	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7375.199707	5358.199707	5358.199707	1.12
2771	005	2633	0.06	1850	1	55	80	2.5	5	4	6582	4732	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7372.399902	5522.399902	5522.399902	1.120085
2771	023	2625	0.06	1100	1	55	80	2.5	5	4	6562	5462	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	6250	6250	1.120085
2771	025	2625	0.06	1245	1	55	80	2.5	5	4	6562	5317	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	6105	6105	1.120085
2771	026	2625	0.06	1250	1	55	80	2.5	5	4	6562	5312	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	6100	6100	1.120085
2771	027	2625	0.06	987	1	55	80	2.5	5	4	6562	5575	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	6363	6363	1.120085
2771	028	2625	0.06	1412	1	55	80	2.5	5	4	6562	5150	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5938	5938	1.120085
2771	029	2625	0.06	1075	1	55	80	2.5	5	4	6562	5487	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	6275	6275	1.120085
2771	034	2849	0.07	1195	1	55	80	2.5	6	5	7122	5927	RH-2	40	form-based			true	0.7	6	1	5	5	7977.199707	6782.199707	6782.199707	1.120079
2771	035	2849	0.07	1600	1	55	80	2.5	6	5	7122	5522	RH-2	40	form-based			true	0.7	6	1	5	5	7977.199707	6377.199707	6377.199707	1.120079
2771	036	2849	0.07	1055	1	55	80	2.5	6	5	7122	6067	RH-2	40	form-based			true	0.7	6	1	5	5	7977.199707	6922.199707	6922.199707	1.120079
2771	037	2849	0.07	2121	1	55	80	2.5	6	5	7122	5001	RH-2	40	form-based			true	0.7	6	1	5	5	7977.199707	5856.199707	5856.199707	1.120079
2771	039	2848	0.07	871	1	55	80	2.5	6	5	7120	6249	RH-2	40	form-based			true	0.7	6	1	5	5	7974.399902	7103.399902	7103.399902	1.12
2771	040	2848	0.07	2499	1	55	80	2.5	6	5	7120	4621	RH-2	40	form-based			true	0.7	6	1	5	5	7974.399902	5475.399902	5475.399902	1.12
2771	041	2848	0.07	2544	1	55	80	2.5	6	5	7120	4576	RH-2	40	form-based			true	0.7	6	1	5	5	7974.399902	5430.399902	5430.399902	1.12
2771	061	3200	0.07	1873	2	55	80	2.5	6	4	8000	6127	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8960	7087	7087	1.12
2771	063	3200	0.07	1279	2	55	80	2.5	6	4	8000	6721	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8960	7681	7681	1.12
2771	065	3200	0.07	1279	2	55	80	2.5	6	4	8000	6721	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8960	7681	7681	1.12
2771	067	3200	0.07	2375	2	55	80	2.5	6	4	8000	5625	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	8960	6585	6585	1.12
2771	069	4106	0.09	798	4	55	80	2.5	7	3	10265	9467	RM-2	40	form-based		true	true	0.7	9	1.285714269	5	5	11496.7998	10698.7998	10698.7998	1.12
2772	002	2894	0.07	1229	1	55	80	2.5	6	5	7235	6006	RH-2	40	form-based			true	0.7	6	1	5	5	8103.199707	6874.199707	6874.199707	1.12
2772	009	2836	0.07	1225	1	55	80	2.5	6	5	7090	5865	RH-2	40	form-based			true	0.7	6	1	5	5	7940.799805	6715.799805	6715.799805	1.12
2772	010	2894	0.07	2443	1	55	80	2.5	6	5	7235	4792	RH-2	40	form-based			true	0.7	6	1	5	5	8103.199707	5660.199707	5660.199707	1.12
2772	011	2894	0.07	1195	1	55	80	2.5	6	5	7235	6040	RH-2	40	form-based			true	0.7	6	1	5	5	8103.199707	6908.199707	6908.199707	1.12
2772	012	2894	0.07	2982	1	55	80	2.5	6	5	7235	4253	RH-2	40	form-based			true	0.7	6	1	5	5	8103.199707	5121.199707	5121.199707	1.12
2772	013A	2894	0.07	1610	1	55	80	2.5	6	5	7235	5625	RH-2	40	form-based			true	0.7	6	1	5	5	8103.199707	6493.199707	6493.199707	1.12
2772	014	2894	0.07	2845	1	55	80	2.5	6	5	7235	4390	RH-2	40	form-based			true	0.7	6	1	5	5	8103.199707	5258.199707	5258.199707	1.12
2788	002	2931	0.07	863	1	55	80	2.5	6	5	7328	6465	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8206.799805	7343.799805	7343.799805	1.119924
2788	032	2987	0.07	1850	1	55	80	2.5	6	5	7468	5618	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8363.599609	6513.599609	6513.599609	1.119925
2789	001	2920	0.07	1574	1	55	80	2.5	6	5	7300	5726	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8176	6602	6602	1.12
2792	008	3030	0.07	1237	1	55	80	2.5	6	5	7575	6338	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8484	7247	7247	1.12
2793	009	3048	0.07	1064	1	55	80	2.5	6	5	7620	6556	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8534.399414	7470.399414	7470.399414	1.12
2803	003	2828	0.06	1174	1	55	80	2.5	5	4	7070	5896	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	6744.399902	6744.399902	1.12
2803	004	2828	0.06	2737	1	55	80	2.5	5	4	7070	4333	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	5181.399902	5181.399902	1.12
2803	005	2828	0.06	2261	1	55	80	2.5	5	4	7070	4809	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	5657.399902	5657.399902	1.12
2803	007	2828	0.06	2288	1	55	80	2.5	5	4	7070	4782	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	5630.399902	5630.399902	1.12
2803	008	2828	0.06	1320	1	55	80	2.5	5	4	7070	5750	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	6598.399902	6598.399902	1.12
2803	009	2828	0.06	2654	1	55	80	2.5	5	4	7070	4416	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	5264.399902	5264.399902	1.12
2803	010	2828	0.06	1356	1	55	80	2.5	5	4	7070	5714	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	6562.399902	6562.399902	1.12
2803	011	2828	0.06	1542	1	55	80	2.5	5	4	7070	5528	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	6376.399902	6376.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2803	012	2828	0.06	1225	1	55	80	2.5	5	4	7070	5845	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	6693.399902	6693.399902	1.12
2803	013	2828	0.06	1441	1	55	80	2.5	5	4	7070	5629	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	6477.399902	6477.399902	1.12
2803	014	2828	0.06	1410	1	55	80	2.5	5	4	7070	5660	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	6508.399902	6508.399902	1.12
2803	015	2828	0.06	1150	1	55	80	2.5	5	4	7070	5920	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	6768.399902	6768.399902	1.12
2803	017	2620	0.06	1739	1	55	80	2.5	5	4	6550	4811	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7336	5597	5597	1.12
2803	018	2620	0.06	1666	1	55	80	2.5	5	4	6550	4884	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7336	5670	5670	1.12
2803	026	2864	0.07	1920	1	55	80	2.5	6	5	7160	5240	RH-2	40	form-based			true	0.7	6	1	5	5	8019.199707	6099.199707	6099.199707	1.12
2803	027	2864	0.07	1750	1	55	80	2.5	6	5	7160	5410	RH-2	40	form-based			true	0.7	6	1	5	5	8019.199707	6269.199707	6269.199707	1.12
2803	027B	2863	0.07	1155	1	55	80	2.5	6	5	7158	6003	RH-2	40	form-based			true	0.7	6	1	5	5	8016.399902	6861.399902	6861.399902	1.119922
2803	028A	2862	0.07	1208	1	55	80	2.5	6	5	7155	5947	RH-2	40	form-based			true	0.7	6	1	5	5	8013.600098	6805.600098	6805.600098	1.12
2803	028B	2862	0.07	2110	1	55	80	2.5	6	5	7155	5045	RH-2	40	form-based			true	0.7	6	1	5	5	8013.600098	5903.600098	5903.600098	1.12
2803	028C	2863	0.07	900	1	55	80	2.5	6	5	7158	6258	RH-2	40	form-based			true	0.7	6	1	5	5	8016.399902	7116.399902	7116.399902	1.119922
2803	029	2862	0.07	1507	1	55	80	2.5	6	5	7155	5648	RH-2	40	form-based			true	0.7	6	1	5	5	8013.600098	6506.600098	6506.600098	1.12
2803	030	2861	0.07	1318	1	55	80	2.5	6	5	7152	5834	RH-2	40	form-based			true	0.7	6	1	5	5	8010.799805	6692.799805	6692.799805	1.120078
2803	031	2861	0.07	1458	1	55	80	2.5	6	5	7152	5694	RH-2	40	form-based			true	0.7	6	1	5	5	8010.799805	6552.799805	6552.799805	1.120078
2803	032	2861	0.07	2294	1	55	80	2.5	6	5	7152	4858	RH-2	40	form-based			true	0.7	6	1	5	5	8010.799805	5716.799805	5716.799805	1.120078
2804	009	2850	0.07	3299	1	55	80	2.5	6	5	7125	3826	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4681	4681	1.12
2804	011	2964	0.07	2306	1	55	80	2.5	6	5	7410	5104	RH-2	40	form-based			true	0.7	6	1	5	5	8299.200195	5993.200195	5993.200195	1.12
2804	013	2945	0.07	2158	1	55	80	2.5	6	5	7362	5204	RH-2	40	form-based			true	0.7	6	1	5	5	8246	6088	6088	1.120076
2804	015	2945	0.07	1440	1	55	80	2.5	6	5	7362	5922	RH-2	40	form-based			true	0.7	6	1	5	5	8246	6806	6806	1.120076
2804	016	2850	0.07	1280	1	55	80	2.5	6	5	7125	5845	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6700	6700	1.12
2804	016A	3040	0.07	2278	1	55	80	2.5	6	5	7600	5322	RH-2	40	form-based			true	0.7	6	1	5	5	8512	6234	6234	1.12
2804	032	2847	0.07	3590	1	55	80	2.5	6	5	7118	3528	RH-2	40	form-based			true	0.7	6	1	5	5	7971.600098	4381.600098	4381.600098	1.119921
2804	034	2847	0.07	1350	1	55	80	2.5	6	5	7118	5768	RH-2	40	form-based			true	0.7	6	1	5	5	7971.600098	6621.600098	6621.600098	1.119921
2804	037	2913	0.07	1120	1	55	80	2.5	6	5	7282	6162	RH-2	40	form-based			true	0.7	6	1	5	5	8156.399902	7036.399902	7036.399902	1.120077
2804	042	2942	0.07	2661	1	55	80	2.5	6	5	7355	4694	RH-2	40	form-based			true	0.7	6	1	5	5	8237.599609	5576.599609	5576.599609	1.12
2804	043	2961	0.07	2725	1	55	80	2.5	6	5	7402	4677	RH-2	40	form-based			true	0.7	6	1	5	5	8290.799805	5565.799805	5565.799805	1.120076
2804	044	2961	0.07	1773	1	55	80	2.5	6	5	7402	5629	RH-2	40	form-based			true	0.7	6	1	5	5	8290.799805	6517.799805	6517.799805	1.120076
2822	011	2967	0.07	1020	1	55	80	2.5	6	5	7418	6398	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8307.599609	7287.599609	7287.599609	1.119924
2822	010	2932	0.07	1182	1	55	80	2.5	6	5	7330	6148	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8209.599609	7027.599609	7027.599609	1.12
2821	014	3091	0.07	1150	1	55	80	2.5	6	5	7728	6578	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8654.799805	7504.799805	7504.799805	1.119928
2821	025	2425	0.06	0	0	55	80	2.5	5	5	6062	6062	RH-1	40	form-based			true	0.7	5	1	5	5	6790	6790	6790	1.120092
2821	026	2505	0.06	0	0	55	80	2.5	5	5	6262	6262	RH-1	40	form-based			true	0.7	5	1	5	5	7014	7014	7014	1.120089
2822	009	2897	0.07	1938	1	55	80	2.5	6	5	7242	5304	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8111.600098	6173.600098	6173.600098	1.120077
2822	012	2924	0.07	1020	1	55	80	2.5	6	5	7310	6290	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	8187.199707	7167.199707	7167.199707	1.12
2822A	013	2863	0.07	1153	1	55	80	2.5	6	5	7158	6005	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8016.399902	6863.399902	6863.399902	1.119922
2822A	014	2957	0.07	1153	1	55	80	2.5	6	5	7392	6239	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8279.599609	7126.599609	7126.599609	1.120076
2822A	015	2953	0.07	1026	1	55	80	2.5	6	5	7382	6356	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8268.399414	7242.399414	7242.399414	1.120076
2822A	016	2948	0.07	1026	1	55	80	2.5	6	5	7370	6344	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8254.399414	7228.399414	7228.399414	1.12
2822A	017	2943	0.07	1026	1	55	80	2.5	6	5	7358	6332	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8240.399414	7214.399414	7214.399414	1.119924
2822B	002	2954	0.07	939	1	55	80	2.5	6	5	7385	6446	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8271.200195	7332.200195	7332.200195	1.12
2822B	003	2904	0.07	2606	1	55	80	2.5	6	5	7260	4654	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8131.199707	5525.199707	5525.199707	1.12
2822B	004	3022	0.07	1226	1	55	80	2.5	6	5	7555	6329	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8461.599609	7235.599609	7235.599609	1.12
2822B	005	2894	0.07	1502	1	55	80	2.5	6	5	7235	5733	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8103.199707	6601.199707	6601.199707	1.12
2822B	007	3048	0.07	1153	1	55	80	2.5	6	5	7620	6467	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8534.399414	7381.399414	7381.399414	1.12
2822B	008	3067	0.07	1153	1	55	80	2.5	6	5	7668	6515	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8587.599609	7434.599609	7434.599609	1.119927
2822B	009	3063	0.07	1703	1	55	80	2.5	6	5	7658	5955	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8576.399414	6873.399414	6873.399414	1.119927
2822B	010	3001	0.07	1153	1	55	80	2.5	6	5	7502	6349	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8402.799805	7249.799805	7249.799805	1.120075
2822B	011	3072	0.07	1650	1	55	80	2.5	6	5	7680	6030	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8601.599609	6951.599609	6951.599609	1.12
2822B	012	2934	0.07	2181	1	55	80	2.5	6	5	7335	5154	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8215.200195	6034.200195	6034.200195	1.12
2822B	034	2663	0.06	1026	1	55	80	2.5	5	4	6658	5632	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7456.399902	6430.399902	6430.399902	1.119916
2822B	022	2958	0.07	1493	1	55	80	2.5	6	5	7395	5902	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8282.399414	6789.399414	6789.399414	1.12
2822B	023	2988	0.07	1290	1	55	80	2.5	6	5	7470	6180	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8366.399414	7076.399414	7076.399414	1.12
2822B	024	2842	0.07	1026	1	55	80	2.5	6	5	7105	6079	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7957.600098	6931.600098	6931.600098	1.12
2822B	025	2811	0.06	1153	1	55	80	2.5	5	4	7028	5875	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7870.799805	6717.799805	6717.799805	1.11992
2822B	026	2782	0.06	1153	1	55	80	2.5	5	4	6955	5802	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7789.600098	6636.600098	6636.600098	1.12
2822B	027	2814	0.06	1153	1	55	80	2.5	5	4	7035	5882	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	6726.199707	6726.199707	1.12
2822B	028	2756	0.06	1153	1	55	80	2.5	5	4	6890	5737	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7716.799805	6563.799805	6563.799805	1.12
2822B	029	2876	0.07	1463	1	55	80	2.5	6	5	7190	5727	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8052.799805	6589.799805	6589.799805	1.12
2822B	030	2712	0.06	1333	1	55	80	2.5	5	4	6780	5447	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7593.600098	6260.600098	6260.600098	1.12
2822B	031	2814	0.06	1985	1	55	80	2.5	5	4	7035	5050	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	5894.199707	5894.199707	1.12
2822B	032	2727	0.06	1710	1	55	80	2.5	5	4	6818	5108	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7635.600098	5925.600098	5925.600098	1.119918
2822B	033	2719	0.06	1026	1	55	80	2.5	5	4	6798	5772	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7613.199707	6587.199707	6587.199707	1.119918
2822B	035	2706	0.06	2052	1	55	80	2.5	5	4	6765	4713	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7576.799805	5524.799805	5524.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2822B	036	2763	0.06	1153	1	55	80	2.5	5	4	6908	5755	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7736.399902	6583.399902	6583.399902	1.119919
2822B	037	2772	0.06	1237	1	55	80	2.5	5	4	6930	5693	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7761.600098	6524.600098	6524.600098	1.12
2822B	038	2949	0.07	937	1	55	80	2.5	6	5	7372	6435	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8257.200195	7320.200195	7320.200195	1.120076
2823	002	3013	0.07	1153	1	55	80	2.5	6	5	7532	6379	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8436.399414	7283.399414	7283.399414	1.120074
2823	008	3027	0.07	937	1	55	80	2.5	6	5	7568	6631	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8475.599609	7538.599609	7538.599609	1.119926
2823	011	2988	0.07	1720	1	55	80	2.5	6	5	7470	5750	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8366.399414	6646.399414	6646.399414	1.12
2823	012	3346	0.08	2142	2	55	80	2.5	6	4	8365	6223	RH-1(D)	40	form-based			true	0.7	7	1.166666627	5	5	9368.799805	7226.799805	7226.799805	1.12
2823A	002	2805	0.06	1654	1	55	80	2.5	5	4	7012	5358	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7854	6200	6200	1.12008
2823A	003	2805	0.06	1153	1	55	80	2.5	5	4	7012	5859	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7854	6701	6701	1.12008
2823A	004	2805	0.06	1645	1	55	80	2.5	5	4	7012	5367	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7854	6209	6209	1.12008
2823A	005	2805	0.06	1153	1	55	80	2.5	5	4	7012	5859	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7854	6701	6701	1.12008
2823A	006	2828	0.06	1153	1	55	80	2.5	5	4	7070	5917	RH-1(D)	40	form-based		true	true	0.7	6	1.200000048	5	5	7918.399902	6765.399902	6765.399902	1.12
2823A	041	2665	0.06	3765	1	55	80	2.5	5	4	6662	2897	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7462	3697	3697	1.120084
2823B	009	3094	0.07	1584	1	55	80	2.5	6	5	7735	6151	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8663.200195	7079.200195	7079.200195	1.12
2823C	003	2795	0.06	1056	1	55	80	2.5	5	4	6988	5932	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7826	6770	6770	1.11992
2823C	004	2774	0.06	1055	1	55	80	2.5	5	4	6935	5880	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7767.199707	6712.199707	6712.199707	1.12
2823C	005	2977	0.07	1055	1	55	80	2.5	6	5	7442	6387	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8335.599609	7280.599609	7280.599609	1.120075
2831	004A	2398	0.06	3620	4	55	80	2.5	5	1	5995	2375	NCD-24TH	65	form-based			true	0.75	9	1.799999952	5	5	10791	7171	7171	1.8
2831	007	2824	0.06	3966	6	55	80	2.5	5	0	7060	3094	NCD-24TH	65	form-based			true	0.75	11	2.200000048	5	4	12708	8742	8742	1.8
2831	016	3397	0.08	5850	8	55	80	2.5	6	0	8492	2642	NCD-24TH	65	form-based			true	0.75	13	2.166666746	5	4	15286.5	9436.5	9436.5	1.800106
2834	001	2885	0.07	1996	1	55	80	2.5	6	5	7212	5216	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8078	6082	6082	1.120078
2834	037	2730	0.06	1275	1	55	80	2.5	5	4	6825	5550	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7644	6369	6369	1.12
2834	038	2782	0.06	1275	1	55	80	2.5	5	4	6955	5680	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7789.600098	6514.600098	6514.600098	1.12
2834	039	2834	0.07	1533	1	55	80	2.5	6	5	7085	5552	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7935.199707	6402.199707	6402.199707	1.12
2834	040	2886	0.07	1275	1	55	80	2.5	6	5	7215	5940	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8080.799805	6805.799805	6805.799805	1.12
2835	046	2969	0.07	1276	1	55	80	2.5	6	5	7422	6146	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8313.200195	7037.200195	7037.200195	1.120075
2835	047	2901	0.07	1776	1	55	80	2.5	6	5	7252	5476	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8122.799805	6346.799805	6346.799805	1.120077
2835	048	2808	0.06	1056	1	55	80	2.5	5	4	7020	5964	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7862.399902	6806.399902	6806.399902	1.12
2835	049	2815	0.06	1056	1	55	80	2.5	5	4	7038	5982	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7882	6826	6826	1.11992
2835	050	2771	0.06	1505	1	55	80	2.5	5	4	6928	5423	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7758.799805	6253.799805	6253.799805	1.119919
2835	051	2750	0.06	1275	1	55	80	2.5	5	4	6875	5600	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7700	6425	6425	1.12
2840	040	2964	0.07	1343	1	65	100	3	7	6	8892	7549	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8299.200195	6956.200195	6956.200195	0.933333
2840	041	2905	0.07	2120	1	65	100	3	7	6	8715	6595	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8134	6014	6014	0.933333
2884	031	2921	0.07	1702	1	65	100	3	7	6	8763	7061	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8178.799805	6476.799805	6476.799805	0.933333
2856	012	2839	0.07	1738	1	65	100	3	7	6	8517	6779	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7949.199707	6211.199707	6211.199707	0.933333
2857	026	2336	0.05	484	0	65	100	3	5	5	7008	6524	RH-1(D)	40	form-based			true	0.7	5	1	5	5	6540.799805	6056.799805	6056.799805	0.933333
2862	009	2978	0.07	2304	1	65	100	3	7	6	8934	6630	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8338.399414	6034.399414	6034.399414	0.933333
2864	024	3092	0.07	1496	1	65	100	3	7	6	9276	7780	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8657.599609	7161.599609	7161.599609	0.933333
2876	009	2656	0.06	3504	1	55	80	2.5	5	4	6640	3136	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7436.799805	3932.799805	3932.799805	1.12
2876	010	2656	0.06	3569	1	55	80	2.5	5	4	6640	3071	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7436.799805	3867.799805	3867.799805	1.12
2876	011	2656	0.06	3504	1	55	80	2.5	5	4	6640	3136	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7436.799805	3932.799805	3932.799805	1.12
2876	012	2656	0.06	3569	1	55	80	2.5	5	4	6640	3071	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7436.799805	3867.799805	3867.799805	1.12
2876	013	2656	0.06	3569	1	55	80	2.5	5	4	6640	3071	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7436.799805	3867.799805	3867.799805	1.12
2876	014	2656	0.06	3504	1	55	80	2.5	5	4	6640	3136	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7436.799805	3932.799805	3932.799805	1.12
2876	015	2656	0.06	3569	1	55	80	2.5	5	4	6640	3071	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7436.799805	3867.799805	3867.799805	1.12
2876	016	2656	0.06	3504	1	55	80	2.5	5	4	6640	3136	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7436.799805	3932.799805	3932.799805	1.12
2886	010	3059	0.07	1885	1	55	80	2.5	6	5	7648	5763	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8565.200195	6680.200195	6680.200195	1.119927
2886	010A	3059	0.07	2405	1	55	80	2.5	6	5	7648	5243	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8565.200195	6160.200195	6160.200195	1.119927
2886	011	3058	0.07	1885	1	55	80	2.5	6	5	7645	5760	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8562.399414	6677.399414	6677.399414	1.12
2886	013	3058	0.07	1972	1	55	80	2.5	6	5	7645	5673	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8562.399414	6590.399414	6590.399414	1.12
2886	014	3058	0.07	1922	1	55	80	2.5	6	5	7645	5723	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8562.399414	6640.399414	6640.399414	1.12
2886	014A	2924	0.07	1825	1	55	80	2.5	6	5	7310	5485	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8187.199707	6362.199707	6362.199707	1.12
2889	010	2627	0.06	2169	1	65	100	3	6	5	7881	5712	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7355.600098	5186.600098	5186.600098	0.933333
2891	018C	2977	0.07	1254	1	55	80	2.5	6	5	7442	6188	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8335.599609	7081.599609	7081.599609	1.120075
2890	017	2876	0.07	1272	1	65	100	3	7	6	8628	7356	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8052.799805	6780.799805	6780.799805	0.933333
2891	018D	3082	0.07	216	1	55	80	2.5	6	5	7705	7489	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8629.599609	8413.599609	8413.599609	1.12
2891	002	2935	0.07	1603	1	55	80	2.5	6	5	7338	5735	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8218	6615	6615	1.119924
2891	003	2982	0.07	1603	1	55	80	2.5	6	5	7455	5852	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8349.599609	6746.599609	6746.599609	1.12
2891	004	3008	0.07	1603	1	55	80	2.5	6	5	7520	5917	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8422.399414	6819.399414	6819.399414	1.12
2891	005	3021	0.07	1603	1	55	80	2.5	6	5	7552	5949	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8458.799805	6855.799805	6855.799805	1.120074
2891	006	2876	0.07	1125	1	55	80	2.5	6	5	7190	6065	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8052.799805	6927.799805	6927.799805	1.12
2891	008	2949	0.07	1224	1	55	80	2.5	6	5	7372	6148	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8257.200195	7033.200195	7033.200195	1.120076
2891	010	3077	0.07	1652	1	55	80	2.5	6	5	7692	6040	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8615.599609	6963.599609	6963.599609	1.120073
2891	011	3038	0.07	2226	1	55	80	2.5	6	5	7595	5369	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8506.399414	6280.399414	6280.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2891	017	3042	0.07	1050	1	55	80	2.5	6	5	7605	6555	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8517.599609	7467.599609	7467.599609	1.12
2891	018A	3029	0.07	1494	1	55	80	2.5	6	5	7572	6078	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8481.200195	6987.200195	6987.200195	1.120074
2891	020	3447	0.08	2241	2	55	80	2.5	6	4	8618	6377	RH-1(D)	40	form-based			true	0.7	7	1.166666627	5	5	9651.599609	7410.599609	7410.599609	1.119935
2891	031	3036	0.07	2070	1	65	100	3	7	6	9108	7038	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	6430.799805	6430.799805	0.933333
2892	005	2765	0.06	1165	1	55	80	2.5	5	4	6912	5747	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7742	6577	6577	1.120081
2892	007	2666	0.06	1084	1	55	80	2.5	5	4	6665	5581	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7464.799805	6380.799805	6380.799805	1.12
2892	008	2752	0.06	1473	1	55	80	2.5	5	4	6880	5407	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7705.600098	6232.600098	6232.600098	1.12
2892	016	3023	0.07	1131	1	55	80	2.5	6	5	7558	6427	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8464.399414	7333.399414	7333.399414	1.119926
2892	017	3023	0.07	1131	1	55	80	2.5	6	5	7558	6427	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8464.399414	7333.399414	7333.399414	1.119926
2892	019	2743	0.06	1131	1	55	80	2.5	5	4	6858	5727	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7680.399902	6549.399902	6549.399902	1.119918
2901A	017	2622	0.06	1798	1	55	80	2.5	5	4	6555	4757	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7341.600098	5543.600098	5543.600098	1.12
2901A	018	2934	0.07	1250	1	55	80	2.5	6	5	7335	6085	RH-1	40	form-based			true	0.7	6	1	5	5	8215.200195	6965.200195	6965.200195	1.12
2901A	019	2692	0.06	1196	1	55	80	2.5	5	4	6730	5534	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7537.600098	6341.600098	6341.600098	1.12
2901A	020	2815	0.06	1148	1	55	80	2.5	5	4	7038	5890	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6734	6734	1.11992
2901A	021	2817	0.06	1148	1	55	80	2.5	5	4	7042	5894	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7887.600098	6739.600098	6739.600098	1.12008
2901A	022	2923	0.07	1751	1	55	80	2.5	6	5	7308	5557	RH-1	40	form-based			true	0.7	6	1	5	5	8184.399902	6433.399902	6433.399902	1.119923
2901A	023	2891	0.07	1250	1	55	80	2.5	6	5	7228	5978	RH-1	40	form-based			true	0.7	6	1	5	5	8094.799805	6844.799805	6844.799805	1.119923
2901B	012	3000	0.07	1125	1	55	80	2.5	6	5	7500	6375	RH-1	40	form-based			true	0.7	6	1	5	5	8400	7275	7275	1.12
2901C	002	2962	0.07	1616	1	55	80	2.5	6	5	7405	5789	RH-1	40	form-based	true		true	0.7	6	1	5	5	8293.599609	6677.599609	6677.599609	1.12
2901D	001	2745	0.06	2090	1	55	80	2.5	5	4	6862	4772	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7686	5596	5596	1.120082
2901D	008	2860	0.07	1800	1	55	80	2.5	6	5	7150	5350	RH-1	40	form-based	true		true	0.7	6	1	5	5	8008	6208	6208	1.12
2901E	005	2980	0.07	1660	1	55	80	2.5	6	5	7450	5790	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8344	6684	6684	1.12
2901E	006	2990	0.07	1705	1	55	80	2.5	6	5	7475	5770	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8372	6667	6667	1.12
2901E	030	2987	0.07	1467	1	55	80	2.5	6	5	7468	6001	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8363.599609	6896.599609	6896.599609	1.119925
2902	024	2905	0.07	2060	1	55	80	2.5	6	5	7262	5202	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8134	6074	6074	1.120077
2902	025	2933	0.07	1450	1	55	80	2.5	6	5	7332	5882	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8212.399414	6762.399414	6762.399414	1.120076
2902	026	2961	0.07	1650	1	55	80	2.5	6	5	7402	5752	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8290.799805	6640.799805	6640.799805	1.120076
2902	027	2989	0.07	1976	1	55	80	2.5	6	5	7472	5496	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	6393.200195	6393.200195	1.120075
2902	028	3017	0.07	1344	1	55	80	2.5	6	5	7542	6198	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8447.599609	7103.599609	7103.599609	1.120074
2902	029	3045	0.07	1550	1	55	80	2.5	6	5	7612	6062	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8526	6976	6976	1.120074
2902	030	3074	0.07	1250	1	55	80	2.5	6	5	7685	6435	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8607.200195	7357.200195	7357.200195	1.12
2902	031	3001	0.07	1960	1	55	80	2.5	6	5	7502	5542	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8402.799805	6442.799805	6442.799805	1.120075
2902	032	3027	0.07	2361	1	55	80	2.5	6	5	7568	5207	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8475.599609	6114.599609	6114.599609	1.119926
2914	019	2995	0.07	2037	1	55	80	2.5	6	5	7488	5451	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8386	6349	6349	1.119925
2902	039	2883	0.07	1983	1	55	80	2.5	6	5	7208	5225	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8072.399902	6089.399902	6089.399902	1.119922
2902	046	2761	0.06	1887	1	55	80	2.5	5	4	6902	5015	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7730.799805	5843.799805	5843.799805	1.120081
2914	010	2885	0.07	2115	1	55	80	2.5	6	5	7212	5097	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8078	5963	5963	1.120078
2914	004	3088	0.07	1650	1	55	80	2.5	6	5	7720	6070	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8646.399414	6996.399414	6996.399414	1.12
2914	006	2974	0.07	1225	1	55	80	2.5	6	5	7435	6210	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8327.200195	7102.200195	7102.200195	1.12
2914	007	3082	0.07	1225	1	55	80	2.5	6	5	7705	6480	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8629.599609	7404.599609	7404.599609	1.12
2914	008	3005	0.07	1820	1	55	80	2.5	6	5	7512	5692	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8414	6594	6594	1.120075
2914	014	2834	0.07	1800	1	55	80	2.5	6	5	7085	5285	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	7935.199707	6135.199707	6135.199707	1.12
2914	016	2985	0.07	2145	1	55	80	2.5	6	5	7462	5317	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8358	6213	6213	1.120075
2914	017	2989	0.07	2409	1	55	80	2.5	6	5	7472	5063	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8369.200195	5960.200195	5960.200195	1.120075
2914	018	2992	0.07	2063	1	55	80	2.5	6	5	7480	5417	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8377.599609	6314.599609	6314.599609	1.12
2914	020	2998	0.07	1605	1	55	80	2.5	6	5	7495	5890	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8394.399414	6789.399414	6789.399414	1.12
2914	021	3001	0.07	1425	1	55	80	2.5	6	5	7502	6077	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8402.799805	6977.799805	6977.799805	1.120075
2914	022	3004	0.07	1490	1	55	80	2.5	6	5	7510	6020	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8411.200195	6921.200195	6921.200195	1.12
2914	023	3007	0.07	1928	1	55	80	2.5	6	5	7518	5590	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8419.599609	6491.599609	6491.599609	1.119925
2914	024	3069	0.07	3435	1	55	80	2.5	6	5	7672	4237	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8593.200195	5158.200195	5158.200195	1.120073
2914	030	2703	0.06	1491	1	55	80	2.5	5	4	6758	5267	RH-1(D)	40	form-based	true		true	0.7	6	1.200000048	5	5	7568.399902	6077.399902	6077.399902	1.119917
2914	043	3068	0.07	1380	1	55	80	2.5	6	5	7670	6290	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8590.399414	7210.399414	7210.399414	1.12
2914	044	3023	0.07	2325	1	55	80	2.5	6	5	7558	5233	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8464.399414	6139.399414	6139.399414	1.119926
2914	047	3091	0.07	1582	1	55	80	2.5	6	5	7728	6146	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8654.799805	7072.799805	7072.799805	1.119928
2915	022	2980	0.07	1067	1	55	80	2.5	6	5	7450	6383	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8344	7277	7277	1.12
2916	002	2931	0.07	1620	1	55	80	2.5	6	5	7328	5708	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8206.799805	6586.799805	6586.799805	1.119924
2916	003	2693	0.06	1435	1	55	80	2.5	5	4	6732	5297	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7540.399902	6105.399902	6105.399902	1.120083
2916	004	2747	0.06	1719	1	55	80	2.5	5	4	6868	5149	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7691.600098	5972.600098	5972.600098	1.119918
2916	009A	2839	0.07	1374	1	55	80	2.5	6	5	7098	5724	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7949.199707	6575.199707	6575.199707	1.119921
2916	013	2661	0.06	1800	1	55	80	2.5	5	4	6652	4852	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7450.799805	5650.799805	5650.799805	1.120084
2916	033	2764	0.06	1702	1	55	80	2.5	5	4	6910	5208	RH-1(D)	40	form-based	true		true	0.7	6	1.200000048	5	5	7739.199707	6037.199707	6037.199707	1.12
2916	033A	2765	0.06	1176	1	55	80	2.5	5	4	6912	5736	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7742	6566	6566	1.120081
2916	033B	2766	0.06	1122	1	55	80	2.5	5	4	6915	5793	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7744.799805	6622.799805	6622.799805	1.12
2916	023	2955	0.07	1700	1	55	80	2.5	6	5	7388	5688	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8274	6574	6574	1.119924

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2916	025	2673	0.06	1343	1	55	80	2.5	5	4	6682	5339	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7484.399902	6141.399902	6141.399902	1.120084
2916	033C	2767	0.06	1477	1	55	80	2.5	5	4	6918	5441	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7747.600098	6270.600098	6270.600098	1.119919
2916	034	2768	0.06	1390	1	55	80	2.5	5	4	6920	5530	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7750.399902	6360.399902	6360.399902	1.12
2916	035	2769	0.06	1390	1	55	80	2.5	5	4	6922	5532	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7753.199707	6363.199707	6363.199707	1.120081
2917	024	2929	0.07	1792	1	65	100	3	7	6	8787	6995	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8201.200195	6409.200195	6409.200195	0.933333
2917	037	2920	0.07	987	1	65	100	3	7	6	8760	7773	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8176	7189	7189	0.933333
2917	038	2925	0.07	2337	1	65	100	3	7	6	8775	6438	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8190	5853	5853	0.933333
2917	039	2929	0.07	1275	1	65	100	3	7	6	8787	7512	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8201.200195	6926.200195	6926.200195	0.933333
2917	039A	2933	0.07	968	1	65	100	3	7	6	8799	7831	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8212.399414	7244.399414	7244.399414	0.933333
2917	040	2938	0.07	1136	1	65	100	3	7	6	8814	7678	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8226.399414	7090.399414	7090.399414	0.933333
2917	040A	2942	0.07	2343	1	65	100	3	7	6	8826	6483	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8237.599609	5894.599609	5894.599609	0.933333
2917	041	2967	0.07	1400	1	65	100	3	7	6	8901	7501	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8307.599609	6907.599609	6907.599609	0.933333
2918	004	3089	0.07	2074	1	65	100	3	7	6	9267	7193	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8649.200195	6575.200195	6575.200195	0.933333
2919	030	3037	0.07	1691	1	85	140	4	10	9	12148	10457	RH-1(D)	40	form-based			true	0.7	6	0.600000024	5	5	8503.599609	6812.599609	6812.599609	0.7
2919A	005	3062	0.07	2171	1	65	100	3	7	6	9186	7015	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8573.599609	6402.599609	6402.599609	0.933333
2919A	006	3065	0.07	1929	1	65	100	3	7	6	9195	7266	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8582	6653	6653	0.933333
2919A	007	3069	0.07	2464	1	65	100	3	7	6	9207	6743	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8593.200195	6129.200195	6129.200195	0.933333
2919A	008	2973	0.07	2028	1	65	100	3	7	6	8919	6891	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	6296.399414	6296.399414	0.933333
2919A	009	2977	0.07	1635	1	65	100	3	7	6	8931	7296	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	6700.599609	6700.599609	0.933333
2919A	010	2980	0.07	1626	1	65	100	3	7	6	8940	7314	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8344	6718	6718	0.933333
2919A	011	2983	0.07	1470	1	65	100	3	7	6	8949	7479	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	6882.399414	6882.399414	0.933333
2919A	012	2987	0.07	2288	1	65	100	3	7	6	8961	6673	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6075.599609	6075.599609	0.933333
2919A	013	2990	0.07	2830	1	65	100	3	7	6	8970	6140	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8372	5542	5542	0.933333
2919A	015	2997	0.07	1758	1	65	100	3	7	6	8991	7233	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8391.599609	6633.599609	6633.599609	0.933333
2919A	016	3000	0.07	1404	1	65	100	3	7	6	9000	7596	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6996	6996	0.933333
2919A	017	3004	0.07	1549	1	65	100	3	7	6	9012	7463	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6862.200195	6862.200195	0.933333
2919A	018	3007	0.07	2025	1	65	100	3	7	6	9021	6996	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6394.599609	6394.599609	0.933333
2920	002	3000	0.07	2025	1	65	100	3	7	6	9000	6975	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6375	6375	0.933333
2920	003	3000	0.07	1800	1	65	100	3	7	6	9000	7200	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6600	6600	0.933333
2920	003A	3000	0.07	1460	1	65	100	3	7	6	9000	7540	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6940	6940	0.933333
2920	004	3000	0.07	1155	1	65	100	3	7	6	9000	7845	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	7245	7245	0.933333
2923	028B	2978	0.07	1052	1	55	80	2.5	6	5	7445	6393	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8338.399414	7286.399414	7286.399414	1.12
2923	029	2608	0.06	1698	0	55	80	2.5	5	5	6520	4822	RH-1(D)	40	form-based			true	0.7	5	1	5	5	7302.399902	5604.399902	5604.399902	1.12
2923	033	2946	0.07	2121	1	55	80	2.5	6	5	7365	5244	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8248.799805	6127.799805	6127.799805	1.12
2926	018	2963	0.07	4000	1	65	100	3	7	6	8889	4889	RH-1(D)	40	form-based	true		true	0.7	6	0.857142866	5	5	8296.399414	4296.399414	4296.399414	0.933333
2928	017	2972	0.07	2251	1	65	100	3	7	6	8916	6665	RH-1(D)	40	form-based	true		true	0.7	6	0.857142866	5	5	8321.599609	6070.599609	6070.599609	0.933333
2930	006	3018	0.07	1888	1	65	100	3	7	6	9054	7166	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	6562.399414	6562.399414	0.933333
2930	007	2871	0.07	1888	1	65	100	3	7	6	8613	6725	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8038.799805	6150.799805	6150.799805	0.933333
2930	012	2790	0.06	1830	1	65	100	3	6	5	8370	6540	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7812	5982	5982	0.933333
2930	013	3026	0.07	2025	1	65	100	3	7	6	9078	7053	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	6447.799805	6447.799805	0.933333
2932	008	2825	0.06	2636	1	65	100	3	6	5	8475	5839	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7910	5274	5274	0.933333
2932	015	2643	0.06	1356	1	65	100	3	6	5	7929	6573	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7400.399902	6044.399902	6044.399902	0.933333
2932	016	3093	0.07	1731	1	65	100	3	7	6	9279	7548	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8660.399414	6929.399414	6929.399414	0.933333
2932	032	3068	0.07	1320	1	65	100	3	7	6	9204	7884	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8590.399414	7270.399414	7270.399414	0.933333
2936A	009	3053	0.07	1696	1	55	80	2.5	6	5	7632	5936	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8548.399414	6852.399414	6852.399414	1.120073
2936A	017	2707	0.06	2037	1	55	80	2.5	5	4	6768	4731	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7579.600098	5542.600098	5542.600098	1.119917
2936A	021	2674	0.06	1200	1	55	80	2.5	5	4	6685	5485	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7487.199707	6287.199707	6287.199707	1.12
2936A	023	3012	0.07	1521	1	55	80	2.5	6	5	7530	6009	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8433.599609	6912.599609	6912.599609	1.12
2936A	056	2908	0.07	1240	1	55	80	2.5	6	5	7270	6030	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8142.399902	6902.399902	6902.399902	1.12
2936A	058	2831	0.07	2034	1	55	80	2.5	6	5	7078	5044	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7926.799805	5892.799805	5892.799805	1.119921
2936B	026	2864	0.07	2802	1	55	80	2.5	6	5	7160	4358	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8019.199707	5217.199707	5217.199707	1.12
2957A	005	2812	0.06	1752	1	55	80	2.5	5	4	7030	5278	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6121.600098	6121.600098	1.12
2958	003	3087	0.07	1517	1	55	80	2.5	6	5	7718	6201	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8643.599609	7126.599609	7126.599609	1.119927
2972	001	2901	0.07	2040	1	55	80	2.5	6	5	7252	5212	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8122.799805	6082.799805	6082.799805	1.120077
2972	001A	2971	0.07	1163	1	55	80	2.5	6	5	7428	6265	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8318.799805	7155.799805	7155.799805	1.119925
2972	016	2882	0.07	1923	1	55	80	2.5	6	5	7205	5282	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8069.600098	6146.600098	6146.600098	1.12
2972	017	2774	0.06	1923	1	55	80	2.5	5	4	6935	5012	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7767.199707	5844.199707	5844.199707	1.12
2972	018	2781	0.06	1923	1	55	80	2.5	5	4	6952	5029	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7786.799805	5863.799805	5863.799805	1.12008
2972	020	3052	0.07	2609	1	55	80	2.5	6	5	7630	5021	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8545.599609	5936.599609	5936.599609	1.12
2972	025	2914	0.07	1971	1	55	80	2.5	6	5	7285	5314	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8159.199707	6188.199707	6188.199707	1.12
2975	001	3033	0.07	1247	1	55	80	2.5	6	5	7582	6335	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8492.399414	7245.399414	7245.399414	1.120074
2975	047	2935	0.07	1423	1	55	80	2.5	6	5	7338	5915	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8218	6795	6795	1.119924
2976	002	2921	0.07	992	1	65	100	3	7	6	8763	7771	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8178.799805	7186.799805	7186.799805	0.933333
2976	004	2786	0.06	1248	1	65	100	3	6	5	8358	7110	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7800.799805	6552.799805	6552.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2976	005	2993	0.07	1508	1	65	100	3	7	6	8979	7471	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6872.399414	6872.399414	0.933333
2976	007	2895	0.07	1065	1	65	100	3	7	6	8685	7620	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8106	7041	7041	0.933333
2976	008	2936	0.07	1792	1	65	100	3	7	6	8808	7016	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8220.799805	6428.799805	6428.799805	0.933333
2976	009	2939	0.07	2823	1	65	100	3	7	6	8817	5994	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8229.200195	5406.200195	5406.200195	0.933333
2976	010	3026	0.07	3196	1	65	100	3	7	6	9078	5882	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8472.799805	5276.799805	5276.799805	0.933333
2976	011	3053	0.07	1450	1	65	100	3	7	6	9159	7709	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8548.399414	7098.399414	7098.399414	0.933333
2976	012	3002	0.07	1450	1	65	100	3	7	6	9006	7556	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6955.599609	6955.599609	0.933333
2976	013	3076	0.07	2274	1	65	100	3	7	6	9228	6954	RH-1(D)	40	form-based		true	true	0.7	6	0.857142866	5	5	8612.799805	6338.799805	6338.799805	0.933333
2977	002	3000	0.07	2022	1	65	100	3	7	6	9000	6978	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6378	6378	0.933333
2977	003	3000	0.07	1500	1	65	100	3	7	6	9000	7500	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6900	6900	0.933333
2977	016	3024	0.07	2530	1	65	100	3	7	6	9072	6542	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	5937.200195	5937.200195	0.933333
2977	017	3023	0.07	1408	1	65	100	3	7	6	9069	7661	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8464.399414	7056.399414	7056.399414	0.933333
2978	002	3000	0.07	3086	1	65	100	3	7	6	9000	5914	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	5314	5314	0.933333
2978	003	3000	0.07	2050	1	65	100	3	7	6	9000	6950	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6350	6350	0.933333
2978	004	3000	0.07	1322	1	65	100	3	7	6	9000	7678	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	7078	7078	0.933333
2978	005	3000	0.07	1202	1	65	100	3	7	6	9000	7798	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	7198	7198	0.933333
2978	006	3000	0.07	1226	1	65	100	3	7	6	9000	7774	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	7174	7174	0.933333
2978	007	3000	0.07	1170	1	65	100	3	7	6	9000	7830	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	7230	7230	0.933333
2978	008	3000	0.07	2300	1	65	100	3	7	6	9000	6700	RH-1(D)	40	form-based		true	true	0.7	6	0.857142866	5	5	8400	6100	6100	0.933333
2978	009	2966	0.07	1380	1	65	100	3	7	6	8898	7518	RH-1(D)	40	form-based		true	true	0.7	6	0.857142866	5	5	8304.799805	6924.799805	6924.799805	0.933333
2978	010	2973	0.07	1836	1	65	100	3	7	6	8919	7083	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	6488.399414	6488.399414	0.933333
2978	011	2980	0.07	2663	1	65	100	3	7	6	8940	6277	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8344	5681	5681	0.933333
2978	012	2986	0.07	2210	1	65	100	3	7	6	8958	6748	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8360.799805	6150.799805	6150.799805	0.933333
2978	013	2993	0.07	2160	1	65	100	3	7	6	8979	6819	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6220.399414	6220.399414	0.933333
2978	014	3000	0.07	2195	1	65	100	3	7	6	9000	6805	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8400	6205	6205	0.933333
2978	015	3007	0.07	1646	1	65	100	3	7	6	9021	7375	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8419.599609	6773.599609	6773.599609	0.933333
2978	016	2989	0.07	1906	1	65	100	3	7	6	8967	7061	RH-1(D)	40	form-based		true	true	0.7	6	0.857142866	5	5	8369.200195	6463.200195	6463.200195	0.933333
2979	002	3075	0.07	1566	1	65	100	3	7	6	9225	7659	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8610	7044	7044	0.933333
2979A	007	3024	0.07	1494	1	65	100	3	7	6	9072	7578	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	6973.200195	6973.200195	0.933333
2979	047	2805	0.06	1082	1	65	100	3	6	5	8415	7333	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7854	6772	6772	0.933333
2979	048	3076	0.07	1554	1	65	100	3	7	6	9228	7674	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8612.799805	7058.799805	7058.799805	0.933333
2979	050	3064	0.07	1124	1	65	100	3	7	6	9192	8068	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8579.200195	7455.200195	7455.200195	0.933333
2979	051	3029	0.07	1970	1	65	100	3	7	6	9087	7117	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8481.200195	6511.200195	6511.200195	0.933333
2979A	011	2957	0.07	2248	1	65	100	3	7	6	8871	6623	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8279.599609	6031.599609	6031.599609	0.933333
2979A	012	3036	0.07	2582	1	65	100	3	7	6	9108	6526	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	5918.799805	5918.799805	0.933333
2980	002	2900	0.07	2065	1	55	80	2.5	6	5	7250	5185	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8120	6055	6055	1.12
2980	003	3041	0.07	1430	1	55	80	2.5	6	5	7602	6172	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8514.799805	7084.799805	7084.799805	1.120074
2980	009	2979	0.07	2154	1	55	80	2.5	6	5	7448	5294	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8341.200195	6187.200195	6187.200195	1.119925
2980	011	2910	0.07	1586	1	55	80	2.5	6	5	7275	5689	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8148	6562	6562	1.12
2980	012	3017	0.07	2933	1	55	80	2.5	6	5	7542	4609	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8447.599609	5514.599609	5514.599609	1.120074
2981	001	2991	0.07	1899	1	65	100	3	7	6	8973	7074	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8374.799805	6475.799805	6475.799805	0.933333
2981	002	2829	0.06	3347	1	65	100	3	6	5	8487	5140	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7921.199707	4574.199707	4574.199707	0.933333
2981	003	2766	0.06	1531	1	65	100	3	6	5	8298	6767	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7744.799805	6213.799805	6213.799805	0.933333
2981	004	2822	0.06	1446	1	65	100	3	6	5	8466	7020	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7901.600098	6455.600098	6455.600098	0.933333
2981	005	2781	0.06	1786	1	65	100	3	6	5	8343	6557	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7786.799805	6000.799805	6000.799805	0.933333
2981	011	2726	0.06	1765	1	65	100	3	6	5	8178	6413	RH-1(D)	40	form-based	true	true	true	0.7	6	1	5	5	7632.799805	5867.799805	5867.799805	0.933333
2981	025	2905	0.07	2509	1	65	100	3	7	6	8715	6206	RH-1(D)	40	form-based	true	true	true	0.7	6	0.857142866	5	5	8134	5625	5625	0.933333
2981	038	3071	0.07	2505	1	65	100	3	7	6	9213	6708	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8598.799805	6093.799805	6093.799805	0.933333
2982	020	2997	0.07	1757	1	55	80	2.5	6	5	7492	5735	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8391.599609	6634.599609	6634.599609	1.120075
2986	018	3072	0.07	1600	1	65	100	3	7	6	9216	7616	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8601.599609	7001.599609	7001.599609	0.933333
2982	003	3030	0.07	1058	1	55	80	2.5	6	5	7575	6517	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8484	7426	7426	1.12
2982	004	2970	0.07	1550	1	55	80	2.5	6	5	7425	5875	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8316	6766	6766	1.12
2982	005	2972	0.07	2040	1	55	80	2.5	6	5	7430	5390	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8321.599609	6281.599609	6281.599609	1.12
2982	006	2845	0.07	1058	1	55	80	2.5	6	5	7112	6054	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7966	6908	6908	1.120079
2982	021	2971	0.07	1480	1	55	80	2.5	6	5	7428	5948	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8318.799805	6838.799805	6838.799805	1.119925
2982	022	2944	0.07	1998	1	55	80	2.5	6	5	7360	5362	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8243.200195	6245.200195	6245.200195	1.12
2982	023	3021	0.07	1410	1	55	80	2.5	6	5	7552	6142	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8458.799805	7048.799805	7048.799805	1.120074
2982	024	2769	0.06	1240	1	55	80	2.5	5	4	6922	5682	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7753.199707	6513.199707	6513.199707	1.120081
2982	025	2867	0.07	1866	1	55	80	2.5	6	5	7168	5302	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8027.600098	6161.600098	6161.600098	1.119922
2982	026	2856	0.07	1469	1	55	80	2.5	6	5	7140	5671	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7996.799805	6527.799805	6527.799805	1.12
2982	027	2790	0.06	1212	1	55	80	2.5	5	4	6975	5763	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7812	6600	6600	1.12
2982	033	3095	0.07	1250	1	55	80	2.5	6	5	7738	6488	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8666	7416	7416	1.119928
2982	034	2898	0.07	1215	1	55	80	2.5	6	5	7245	6030	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8114.399902	6899.399902	6899.399902	1.12
2982	035	2834	0.07	1225	1	55	80	2.5	6	5	7085	5860	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7935.199707	6710.199707	6710.199707	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2982	036	2760	0.06	1225	1	55	80	2.5	5	4	6900	5675	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7728	6503	6503	1.12
2982	037	2862	0.07	1300	1	55	80	2.5	6	5	7155	5855	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8013.600098	6713.600098	6713.600098	1.12
2982	038	2876	0.07	2248	1	55	80	2.5	6	5	7190	4942	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8052.799805	5804.799805	5804.799805	1.12
2982	039	2874	0.07	1867	1	55	80	2.5	6	5	7185	5318	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8047.199707	6180.199707	6180.199707	1.12
2982	040	2957	0.07	1275	1	55	80	2.5	6	5	7392	6117	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8279.599609	7004.599609	7004.599609	1.120076
2983	028	2989	0.07	1198	1	65	100	3	7	6	8967	7769	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	7171.200195	7171.200195	0.933333
2983	034	2933	0.07	1145	1	65	100	3	7	6	8799	7654	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8212.399414	7067.399414	7067.399414	0.933333
2983	035	2894	0.07	2306	1	65	100	3	7	6	8682	6376	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8103.199707	5797.199707	5797.199707	0.933333
2983	036	2897	0.07	1135	1	65	100	3	7	6	8691	7556	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8111.600098	6976.600098	6976.600098	0.933333
2985	018	3084	0.07	1934	1	55	80	2.5	6	5	7710	5776	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8635.200195	6701.200195	6701.200195	1.12
2985	019	3061	0.07	1850	1	55	80	2.5	6	5	7652	5802	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8570.799805	6720.799805	6720.799805	1.120073
2985	020	2973	0.07	1325	1	55	80	2.5	6	5	7432	6107	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8324.399414	6999.399414	6999.399414	1.120075
2985	021	2886	0.07	2180	1	55	80	2.5	6	5	7215	5035	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8080.799805	5900.799805	5900.799805	1.12
2984	001	2730	0.06	2868	1	65	100	3	6	5	8190	5322	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7644	4776	4776	0.933333
2984	002	2755	0.06	1818	1	65	100	3	6	5	8265	6447	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7714	5896	5896	0.933333
2984	003	2641	0.06	2156	1	65	100	3	6	5	7923	5767	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7394.799805	5238.799805	5238.799805	0.933333
2984	012	2954	0.07	1500	1	65	100	3	7	6	8862	7362	RH-1(D)	40	form-based		true	true	0.7	6	0.857142866	5	5	8271.200195	6771.200195	6771.200195	0.933333
2984	014	3085	0.07	1724	1	65	100	3	7	6	9255	7531	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8638	6914	6914	0.933333
2984	016	2999	0.07	1656	1	65	100	3	7	6	8997	7341	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	6741.200195	6741.200195	0.933333
2985	011	3086	0.07	1754	1	55	80	2.5	6	5	7715	5961	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8640.799805	6886.799805	6886.799805	1.12
2985	022	3042	0.07	2133	1	55	80	2.5	6	5	7605	5472	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8517.599609	6384.599609	6384.599609	1.12
2985	024	3074	0.07	1485	1	55	80	2.5	6	5	7685	6200	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8607.200195	7122.200195	7122.200195	1.12
2986	016	3002	0.07	1734	1	65	100	3	7	6	9006	7272	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6671.599609	6671.599609	0.933333
2986	003	2804	0.06	1321	1	65	100	3	6	5	8412	7091	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7851.199707	6530.199707	6530.199707	0.933333
2986	004	3074	0.07	1670	1	65	100	3	7	6	9222	7552	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8607.200195	6937.200195	6937.200195	0.933333
2986	005	3069	0.07	837	1	65	100	3	7	6	9207	8370	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8593.200195	7756.200195	7756.200195	0.933333
2986	006	3017	0.07	2320	1	65	100	3	7	6	9051	6731	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6127.599609	6127.599609	0.933333
2986	011	2840	0.07	2569	1	65	100	3	7	6	8520	5951	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7952	5383	5383	0.933333
2986	012	2631	0.06	1879	1	65	100	3	6	5	7893	6014	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7366.799805	5487.799805	5487.799805	0.933333
2986	013	2989	0.07	1722	1	65	100	3	7	6	8967	7245	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8369.200195	6647.200195	6647.200195	0.933333
2986	026	2808	0.06	900	1	65	100	3	6	5	8424	7524	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7862.399902	6962.399902	6962.399902	0.933333
2987	002	2883	0.07	2635	1	65	100	3	7	6	8649	6014	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8072.399902	5437.399902	5437.399902	0.933333
2987	005	3053	0.07	1940	1	65	100	3	7	6	9159	7219	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8548.399414	6608.399414	6608.399414	0.933333
2987	006	2881	0.07	2556	1	65	100	3	7	6	8643	6087	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8066.799805	5510.799805	5510.799805	0.933333
2987	007	2981	0.07	1000	1	65	100	3	7	6	8943	7943	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8346.799805	7346.799805	7346.799805	0.933333
2987	014	2965	0.07	2093	1	65	100	3	7	6	8895	6802	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8302	6209	6209	0.933333
2987	015	2994	0.07	1220	1	65	100	3	7	6	8982	7762	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8383.200195	7163.200195	7163.200195	0.933333
2987	022	3066	0.07	1985	1	65	100	3	7	6	9198	7213	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8584.799805	6599.799805	6599.799805	0.933333
2987	023	3039	0.07	1260	1	65	100	3	7	6	9117	7857	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	7249.200195	7249.200195	0.933333
2987	025	3038	0.07	1844	1	65	100	3	7	6	9114	7270	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6662.399414	6662.399414	0.933333
2987	026	3063	0.07	1480	1	65	100	3	7	6	9189	7709	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8576.399414	7096.399414	7096.399414	0.933333
2987	027	2980	0.07	1584	1	65	100	3	7	6	8940	7356	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8344	6760	6760	0.933333
2987	029	2977	0.07	1010	1	65	100	3	7	6	8931	7921	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8335.599609	7325.599609	7325.599609	0.933333
2987	030	3009	0.07	1175	1	65	100	3	7	6	9027	7852	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	7250.200195	7250.200195	0.933333
2988A	017	2679	0.06	2084	1	85	140	4	8	7	10716	8632	RH-1(D)	40	form-based		true	true	0.7	6	0.75	5	5	7501.199707	5417.199707	5417.199707	0.7
2988	018	3090	0.07	1146	1	55	80	2.5	6	5	7725	6579	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8652	7506	7506	1.12
2988	019	3089	0.07	1439	1	55	80	2.5	6	5	7722	6283	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8649.200195	7210.200195	7210.200195	1.120073
2988	021	3000	0.07	2156	1	55	80	2.5	6	5	7500	5344	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8400	6244	6244	1.12
2988	024	3004	0.07	1200	1	55	80	2.5	6	5	7510	6310	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8411.200195	7211.200195	7211.200195	1.12
2988	025	2918	0.07	1200	1	55	80	2.5	6	5	7295	6095	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8170.399902	6970.399902	6970.399902	1.12
2988	026	3023	0.07	2060	1	55	80	2.5	6	5	7558	5498	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8464.399414	6404.399414	6404.399414	1.119926
2988A	018	2706	0.06	960	1	85	140	4	8	7	10824	9864	RH-1(D)	40	form-based			true	0.7	6	0.75	5	5	7576.799805	6616.799805	6616.799805	0.7
2988A	019	2748	0.06	2723	1	85	140	4	8	7	10992	8269	RH-1(D)	40	form-based			true	0.7	6	0.75	5	5	7694.399902	4971.399902	4971.399902	0.7
2988A	019A	2854	0.07	1160	1	85	140	4	10	9	11416	10256	RH-1(D)	40	form-based			true	0.7	6	0.600000024	5	5	7991.199707	6831.199707	6831.199707	0.7
2988A	020	2921	0.07	1215	1	65	100	3	7	6	8763	7548	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8178.799805	6963.799805	6963.799805	0.933333
2988A	021	2976	0.07	1137	1	65	100	3	7	6	8928	7791	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8332.799805	7195.799805	7195.799805	0.933333
2988A	022	2942	0.07	2194	1	65	100	3	7	6	8826	6632	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8237.599609	6043.599609	6043.599609	0.933333
2989	001	3084	0.07	2102	1	55	80	2.5	6	5	7710	5608	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8635.200195	6533.200195	6533.200195	1.12
2989	056	2829	0.06	1649	1	55	80	2.5	5	4	7072	5423	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7921.199707	6272.199707	6272.199707	1.120079
2989	057	2848	0.07	2091	1	55	80	2.5	6	5	7120	5029	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7974.399902	5883.399902	5883.399902	1.12
2989	058	2889	0.07	1415	1	55	80	2.5	6	5	7222	5807	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8089.199707	6674.199707	6674.199707	1.120077
2989	059	2942	0.07	1015	1	55	80	2.5	6	5	7355	6340	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8237.599609	7222.599609	7222.599609	1.12
2989	046	2983	0.07	2637	1	55	80	2.5	6	5	7458	4821	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8352.399414	5715.399414	5715.399414	1.119925
2989	047	2988	0.07	1387	1	55	80	2.5	6	5	7470	6083	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8366.399414	6979.399414	6979.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2989	048	2999	0.07	1110	1	55	80	2.5	6	5	7498	6388	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8397.200195	7287.200195	7287.200195	1.119925
2989	049	2922	0.07	2128	1	55	80	2.5	6	5	7305	5177	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8181.600098	6053.600098	6053.600098	1.12
2989	050	3041	0.07	1270	1	55	80	2.5	6	5	7602	6332	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8514.799805	7244.799805	7244.799805	1.120074
2989	051	2958	0.07	1045	1	55	80	2.5	6	5	7395	6350	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8282.399414	7237.399414	7237.399414	1.12
2989	052	2959	0.07	1467	1	55	80	2.5	6	5	7398	5931	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8285.200195	6818.200195	6818.200195	1.119924
2989	053	2956	0.07	2279	1	55	80	2.5	6	5	7390	5111	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8276.799805	5997.799805	5997.799805	1.12
2989	054	3043	0.07	1050	1	55	80	2.5	6	5	7608	6558	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8520.399414	7470.399414	7470.399414	1.119926
2989	055	2842	0.07	2611	1	55	80	2.5	6	5	7105	4494	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7957.600098	5346.600098	5346.600098	1.12
2989	060	3007	0.07	1165	1	55	80	2.5	6	5	7518	6353	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8419.599609	7254.599609	7254.599609	1.119925
2989A	037	2373	0.05	0	0	65	100	3	5	5	7119	7119	RH-1(D)	40	form-based		true	true	0.7	5	1	5	5	6644.399902	6644.399902	6644.399902	0.933333
2989A	038	2233	0.05	0	0	65	100	3	5	5	6699	6699	RH-1(D)	40	form-based		true	true	0.7	5	1	5	5	6252.399902	6252.399902	6252.399902	0.933333
3000C	010	2779	0.06	2253	1	55	80	2.5	5	4	6948	4695	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7781.199707	5528.199707	5528.199707	1.119919
3000C	027	2762	0.06	1800	1	55	80	2.5	5	4	6905	5105	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7733.600098	5933.600098	5933.600098	1.12
3028B	031	2765	0.06	1125	1	55	80	2.5	5	4	6912	5787	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7742	6617	6617	1.120081
3028B	032	2724	0.06	1125	1	55	80	2.5	5	4	6810	5685	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7627.199707	6502.199707	6502.199707	1.12
3028B	033	3031	0.07	1125	1	55	80	2.5	6	5	7578	6453	RH-1	40	form-based			true	0.7	6	1	5	5	8486.799805	7361.799805	7361.799805	1.119926
3028B	034	2664	0.06	1230	1	55	80	2.5	5	4	6660	5430	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7459.199707	6229.199707	6229.199707	1.12
3028B	036	2633	0.06	1343	1	55	80	2.5	5	4	6582	5239	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7372.399902	6029.399902	6029.399902	1.120085
3028B	037	2677	0.06	2190	1	55	80	2.5	5	4	6692	4502	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7495.600098	5305.600098	5305.600098	1.120084
3028B	038	2892	0.07	1428	1	55	80	2.5	6	5	7230	5802	RH-1	40	form-based			true	0.7	6	1	5	5	8097.600098	6669.600098	6669.600098	1.12
3028B	040	2944	0.07	1730	1	55	80	2.5	6	5	7360	5630	RH-1	40	form-based			true	0.7	6	1	5	5	8243.200195	6513.200195	6513.200195	1.12
3028B	042	2731	0.06	1200	1	55	80	2.5	5	4	6828	5628	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7646.799805	6446.799805	6446.799805	1.119918
3028B	049	3029	0.07	1177	1	55	80	2.5	6	5	7572	6395	RH-1	40	form-based			true	0.7	6	1	5	5	8481.200195	7304.200195	7304.200195	1.120074
3029C	014	2835	0.07	1979	1	55	80	2.5	6	5	7088	5109	RH-1	40	form-based			true	0.7	6	1	5	5	7938	5959	5959	1.119921
3033	010	2849	0.07	2008	1	55	80	2.5	6	5	7122	5114	RH-1	40	form-based			true	0.7	6	1	5	5	7977.199707	5969.199707	5969.199707	1.120079
3033	011	2964	0.07	2028	1	55	80	2.5	6	5	7410	5382	RH-1	40	form-based			true	0.7	6	1	5	5	8299.200195	6271.200195	6271.200195	1.12
3033	015	2721	0.06	3625	1	55	80	2.5	5	4	6802	3177	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7618.799805	3993.799805	3993.799805	1.120082
3033	028	3548	0.08	2617	2	55	80	2.5	6	4	8870	6253	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	9934.399414	7317.399414	7317.399414	1.12
3037	002	2715	0.06	1800	1	55	80	2.5	5	4	6788	4988	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7602	5802	5802	1.119918
3037	003	2849	0.07	1800	1	55	80	2.5	6	5	7122	5322	RH-1	40	form-based			true	0.7	6	1	5	5	7977.199707	6177.199707	6177.199707	1.120079
3037	004	2805	0.06	1800	1	55	80	2.5	5	4	7012	5212	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7854	6054	6054	1.12008
3037	005	2798	0.06	1800	1	55	80	2.5	5	4	6995	5195	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	6034.399902	6034.399902	1.12
3041	017	3029	0.07	2572	1	55	80	2.5	6	5	7572	5000	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8481.200195	5909.200195	5909.200195	1.120074
3041	018	3041	0.07	2071	1	55	80	2.5	6	5	7602	5531	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8514.799805	6443.799805	6443.799805	1.120074
3042	003	3046	0.07	2365	1	55	80	2.5	6	5	7615	5250	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8528.799805	6163.799805	6163.799805	1.12
3059	009	2325	0.05	0	0	65	100	3	5	5	6975	6975	RH-1	40	form-based			true	0.7	5	1	5	5	6510	6510	6510	0.933333
3062	003	2813	0.06	1026	1	65	100	3	6	5	8439	7413	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6850.399902	6850.399902	0.933333
3062	004	2813	0.06	1026	1	65	100	3	6	5	8439	7413	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6850.399902	6850.399902	0.933333
3062	005	2812	0.06	1026	1	55	80	2.5	5	4	7030	6004	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6847.600098	6847.600098	1.12
3062	006	2813	0.06	1049	1	55	80	2.5	5	4	7032	5983	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6827.399902	6827.399902	1.12008
3062	009	2813	0.06	1125	1	55	80	2.5	5	4	7032	5907	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6751.399902	6751.399902	1.12008
3062	010	2812	0.06	1050	1	55	80	2.5	5	4	7030	5980	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6823.600098	6823.600098	1.12
3062	011	2813	0.06	1162	1	55	80	2.5	5	4	7032	5870	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6714.399902	6714.399902	1.12008
3062	012	2813	0.06	1113	1	55	80	2.5	5	4	7032	5919	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6763.399902	6763.399902	1.12008
3062	013	2812	0.06	876	1	55	80	2.5	5	4	7030	6154	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6997.600098	6997.600098	1.12
3062	014	2813	0.06	1107	1	55	80	2.5	5	4	7032	5925	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6769.399902	6769.399902	1.12008
3062	015	2813	0.06	1107	1	55	80	2.5	5	4	7032	5925	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6769.399902	6769.399902	1.12008
3062	016	2812	0.06	1107	1	55	80	2.5	5	4	7030	5923	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6766.600098	6766.600098	1.12
3062	017	2813	0.06	1101	1	55	80	2.5	5	4	7032	5931	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6775.399902	6775.399902	1.12008
3062	018	2813	0.06	874	1	55	80	2.5	5	4	7032	6158	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	7002.399902	7002.399902	1.12008
3062	045	2813	0.06	1333	1	65	100	3	6	5	8439	7106	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6543.399902	6543.399902	0.933333
3062	050	2812	0.06	3260	1	55	80	2.5	5	4	7030	3770	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	4613.600098	4613.600098	1.12
3088	040	2498	0.06	0	0	55	80	2.5	5	5	6245	6245	RH-1	40	form-based			true	0.7	5	1	5	5	6994.399902	6994.399902	6994.399902	1.12
3089	053	2802	0.06	1183	1	55	80	2.5	5	4	7005	5822	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7845.600098	6662.600098	6662.600098	1.12
3089	054	2802	0.06	1183	1	55	80	2.5	5	4	7005	5822	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7845.600098	6662.600098	6662.600098	1.12
3089	055	2801	0.06	1233	1	55	80	2.5	5	4	7002	5769	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7842.799805	6609.799805	6609.799805	1.12008
3089	056	2800	0.06	1235	1	55	80	2.5	5	4	7000	5765	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7840	6605	6605	1.12
3089	057	2799	0.06	1855	1	55	80	2.5	5	4	6998	5143	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7837.199707	5982.199707	5982.199707	1.11992
3089	058	2799	0.06	1233	1	55	80	2.5	5	4	6998	5765	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7837.199707	6604.199707	6604.199707	1.11992
3089	059	2798	0.06	1310	1	55	80	2.5	5	4	6995	5685	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	6524.399902	6524.399902	1.12
3089	060	2797	0.06	957	1	55	80	2.5	5	4	6992	6035	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7831.600098	6874.600098	6874.600098	1.12008
3089	061	2796	0.06	1480	1	55	80	2.5	5	4	6990	5510	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7828.799805	6348.799805	6348.799805	1.12
3089	062	2796	0.06	957	1	55	80	2.5	5	4	6990	6033	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7828.799805	6871.799805	6871.799805	1.12
3089	063	2795	0.06	957	1	55	80	2.5	5	4	6988	6031	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7826	6869	6869	1.11992

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3089	064	2794	0.06	1173	1	55	80	2.5	5	4	6985	5812	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7823.199707	6650.199707	6650.199707	1.12
3089	066	2793	0.06	957	1	55	80	2.5	5	4	6982	6025	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7820.399902	6863.399902	6863.399902	1.12008
3089	067	2792	0.06	957	1	55	80	2.5	5	4	6980	6023	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7817.600098	6860.600098	6860.600098	1.12
3089	068	2791	0.06	1334	1	55	80	2.5	5	4	6978	5644	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7814.799805	6480.799805	6480.799805	1.11992
3089	069	2790	0.06	957	1	55	80	2.5	5	4	6975	6018	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7812	6855	6855	1.12
3089	070	2790	0.06	957	1	55	80	2.5	5	4	6975	6018	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7812	6855	6855	1.12
3089	071	2789	0.06	1197	1	55	80	2.5	5	4	6972	5775	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7809.199707	6612.199707	6612.199707	1.12008
3089	072	2788	0.06	1375	1	55	80	2.5	5	4	6970	5595	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7806.399902	6431.399902	6431.399902	1.12
3089	073	2788	0.06	957	1	55	80	2.5	5	4	6970	6013	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7806.399902	6849.399902	6849.399902	1.12
3090	034	2806	0.06	1531	1	55	80	2.5	5	4	7015	5484	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7856.799805	6325.799805	6325.799805	1.12
3090	035	2805	0.06	2105	1	55	80	2.5	5	4	7012	4907	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7854	5749	5749	1.12008
3090	036	2805	0.06	1126	1	55	80	2.5	5	4	7012	5886	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7854	6728	6728	1.12008
3090	037	2805	0.06	1126	1	55	80	2.5	5	4	7012	5886	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7854	6728	6728	1.12008
3090	038	2805	0.06	1388	1	55	80	2.5	5	4	7012	5624	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7854	6466	6466	1.12008
3090	039	2805	0.06	1126	1	55	80	2.5	5	4	7012	5886	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7854	6728	6728	1.12008
3090	040	2805	0.06	1126	1	55	80	2.5	5	4	7012	5886	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7854	6728	6728	1.12008
3090	041	2805	0.06	1126	1	55	80	2.5	5	4	7012	5886	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7854	6728	6728	1.12008
3090	042	2805	0.06	1126	1	55	80	2.5	5	4	7012	5886	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7854	6728	6728	1.12008
3090	043	2805	0.06	1266	1	55	80	2.5	5	4	7012	5746	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7854	6588	6588	1.12008
3090	044	2805	0.06	1049	1	55	80	2.5	5	4	7012	5963	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7854	6805	6805	1.12008
3090	045	2805	0.06	1416	1	55	80	2.5	5	4	7012	5596	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7854	6438	6438	1.12008
3090	046	2805	0.06	1126	1	65	100	3	6	5	8415	7289	RH-1	40	form-based			true	0.7	6	1	5	5	7854	6728	6728	0.933333
3090	047	2805	0.06	1097	1	65	100	3	6	5	8415	7318	RH-1	40	form-based			true	0.7	6	1	5	5	7854	6757	6757	0.933333
3090	050	3058	0.07	1463	1	55	80	2.5	6	5	7645	6182	RH-1	40	form-based			true	0.7	6	1	5	5	8562.399414	7099.399414	7099.399414	1.12
3090	057	2806	0.06	1680	1	55	80	2.5	5	4	7015	5335	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7856.799805	6176.799805	6176.799805	1.12
3091	002	2448	0.06	0	0	65	100	3	6	6	7344	7344	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	6854.399902	6854.399902	6854.399902	0.933333
3091	005	3078	0.07	2346	1	65	100	3	7	6	9234	6888	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8618.399414	6272.399414	6272.399414	0.933333
3092	069	2637	0.06	2740	1	55	80	2.5	5	4	6592	3852	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7383.600098	4643.600098	4643.600098	1.120085
3092	012	2500	0.06	940	0	55	80	2.5	5	5	6250	5310	RM-1	40	form-based			true	0.7	5	1	5	5	7000	6060	6060	1.12
3092	026	3000	0.07	1240	1	55	80	2.5	6	5	7500	6260	RM-1	40	form-based			true	0.7	6	1	5	5	8400	7160	7160	1.12
3092	027	2667	0.06	1162	1	55	80	2.5	5	4	6668	5506	RM-1	40	form-based			true	0.7	6	1.200000048	5	5	7467.600098	6305.600098	6305.600098	1.119916
3092	028	2667	0.06	1669	1	55	80	2.5	5	4	6668	4999	RM-1	40	form-based			true	0.7	6	1.200000048	5	5	7467.600098	5798.600098	5798.600098	1.119916
3092	029	2667	0.06	1611	1	55	80	2.5	5	4	6668	5057	RM-1	40	form-based			true	0.7	6	1.200000048	5	5	7467.600098	5856.600098	5856.600098	1.119916
3092	033	2500	0.06	1941	0	55	80	2.5	5	5	6250	4309	RM-1	40	form-based	true		true	0.7	5	1	5	5	7000	5059	5059	1.12
3092	040	2980	0.07	716	1	55	80	2.5	6	5	7450	6734	RH-1	40	form-based			true	0.7	6	1	5	5	8344	7628	7628	1.12
3092	041	2981	0.07	1046	1	55	80	2.5	6	5	7452	6406	RH-1	40	form-based			true	0.7	6	1	5	5	8346.799805	7300.799805	7300.799805	1.120075
3093	008	2482	0.06	1571	1	55	80	2.5	5	4	6205	4634	NC-1	40	form-based			true	0.75	6	1.200000048	5	5	7446	5875	5875	1.2
3093	015	2482	0.06	1010	1	55	80	2.5	5	4	6205	5195	NC-1	40	form-based			true	0.75	6	1.200000048	5	5	7446	6436	6436	1.2
3093	016	2483	0.06	1400	1	55	80	2.5	5	4	6208	4808	NC-1	40	form-based			true	0.75	6	1.200000048	5	5	7449	6049	6049	1.199903
3093	017	2483	0.06	1320	1	55	80	2.5	5	4	6208	4888	NC-1	40	form-based			true	0.75	6	1.200000048	5	5	7449	6129	6129	1.199903
3106	003	2899	0.07	2079	1	55	80	2.5	6	5	7248	5169	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8117.199707	6038.199707	6038.199707	1.119923
3110	008	3426	0.08	2403	2	55	80	2.5	6	4	8565	6162	RH-1(D)	40	form-based			true	0.7	7	1.166666627	5	5	9592.799805	7189.799805	7189.799805	1.12
3111	002	2965	0.07	2218	1	55	80	2.5	6	5	7412	5194	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8302	6084	6084	1.120076
3111	018	3049	0.07	1700	1	55	80	2.5	6	5	7622	5922	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8537.200195	6837.200195	6837.200195	1.120073
3113	004	3067	0.07	1142	1	55	80	2.5	6	5	7668	6526	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8587.599609	7445.599609	7445.599609	1.119927
3113	005	2851	0.07	1128	1	55	80	2.5	6	5	7128	6000	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7982.799805	6854.799805	6854.799805	1.119921
3113	009	3009	0.07	1152	1	55	80	2.5	6	5	7522	6370	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8425.200195	7273.200195	7273.200195	1.120075
3113	010	2963	0.07	1169	1	55	80	2.5	6	5	7408	6239	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8296.399414	7127.399414	7127.399414	1.119924
3116	008	2812	0.06	2364	1	55	80	2.5	5	4	7030	4666	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	5509.600098	5509.600098	1.12
3116	011	2812	0.06	1250	1	55	80	2.5	5	4	7030	5780	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6623.600098	6623.600098	1.12
3116	012	2812	0.06	1184	1	55	80	2.5	5	4	7030	5846	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6689.600098	6689.600098	1.12
3116	013	2813	0.06	2056	1	55	80	2.5	5	4	7032	4976	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5820.399902	5820.399902	1.12008
3116	014	2812	0.06	988	1	55	80	2.5	5	4	7030	6042	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6885.600098	6885.600098	1.12
3116	015	2813	0.06	2418	1	55	80	2.5	5	4	7032	4614	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5458.399902	5458.399902	1.12008
3116	016	2812	0.06	1819	1	55	80	2.5	5	4	7030	5211	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6054.600098	6054.600098	1.12
3116	017	2812	0.06	1365	1	55	80	2.5	5	4	7030	5665	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6508.600098	6508.600098	1.12
3116	018	2813	0.06	2365	1	55	80	2.5	5	4	7032	4667	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5511.399902	5511.399902	1.12008
3116	019	2812	0.06	1510	1	55	80	2.5	5	4	7030	5520	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6363.600098	6363.600098	1.12
3116	020	2813	0.06	2042	1	55	80	2.5	5	4	7032	4990	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5834.399902	5834.399902	1.12008
3116	021	2813	0.06	1619	1	55	80	2.5	5	4	7032	5413	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6257.399902	6257.399902	1.12008
3116	022	2812	0.06	1060	1	55	80	2.5	5	4	7030	5970	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6813.600098	6813.600098	1.12
3116	032	2851	0.07	1337	1	55	80	2.5	6	5	7128	5791	RH-1	40	form-based			true	0.7	6	1	5	5	7982.799805	6645.799805	6645.799805	1.119921
3116	033	2852	0.07	1336	1	55	80	2.5	6	5	7130	5794	RH-1	40	form-based			true	0.7	6	1	5	5	7985.600098	6649.600098	6649.600098	1.12
3116	034	2852	0.07	1800	1	55	80	2.5	6	5	7130	5330	RH-1	40	form-based			true	0.7	6	1	5	5	7985.600098	6185.600098	6185.600098	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3116	035	2853	0.07	1194	1	55	80	2.5	6	5	7132	5938	RH-1	40	form-based			true	0.7	6	1	5	5	7988.399902	6794.399902	6794.399902	1.120079
3116	036	2853	0.07	1225	1	55	80	2.5	6	5	7132	5907	RH-1	40	form-based			true	0.7	6	1	5	5	7988.399902	6763.399902	6763.399902	1.120079
3116	037	2854	0.07	1424	1	55	80	2.5	6	5	7135	5711	RH-1	40	form-based			true	0.7	6	1	5	5	7991.199707	6567.199707	6567.199707	1.12
3116	038	2854	0.07	1077	1	55	80	2.5	6	5	7135	6058	RH-1	40	form-based			true	0.7	6	1	5	5	7991.199707	6914.199707	6914.199707	1.12
3116	039	2855	0.07	2070	1	55	80	2.5	6	5	7138	5068	RH-1	40	form-based			true	0.7	6	1	5	5	7994	5924	5924	1.119922
3116	044	2857	0.07	1355	1	55	80	2.5	6	5	7142	5787	RH-2	40	form-based			true	0.7	6	1	5	5	7999.600098	6644.600098	6644.600098	1.120078
3116	046	2858	0.07	2812	1	55	80	2.5	6	5	7145	4333	RH-2	40	form-based			true	0.7	6	1	5	5	8002.399902	5190.399902	5190.399902	1.12
3116	051	5075	0.12	5438	6	55	80	2.5	10	4	12688	7250	RH-1	40	form-based			true	0.7	11	1.100000024	5	5	14210	8772	8772	1.119956
3117	010	2812	0.06	1494	1	55	80	2.5	5	4	7030	5536	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6379.600098	6379.600098	1.12
3117	013	2812	0.06	1424	1	55	80	2.5	5	4	7030	5606	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6449.600098	6449.600098	1.12
3117	014	2813	0.06	1055	1	55	80	2.5	5	4	7032	5977	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6821.399902	6821.399902	1.12008
3117	015	2812	0.06	1741	1	55	80	2.5	5	4	7030	5289	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6132.600098	6132.600098	1.12
3117	016	2813	0.06	864	1	55	80	2.5	5	4	7032	6168	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	7012.399902	7012.399902	1.12008
3117	017	2813	0.06	3000	1	55	80	2.5	5	4	7032	4032	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	4876.399902	4876.399902	1.12008
3117	018	2812	0.06	539	1	55	80	2.5	5	4	7030	6491	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	7334.600098	7334.600098	1.12
3117	019	2813	0.06	1432	1	55	80	2.5	5	4	7032	5600	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6444.399902	6444.399902	1.12008
3117	021	2813	0.06	1292	1	55	80	2.5	5	4	7032	5740	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6584.399902	6584.399902	1.12008
3117	022	2813	0.06	1025	1	55	80	2.5	5	4	7032	6007	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6851.399902	6851.399902	1.12008
3117	023	2812	0.06	1500	1	55	80	2.5	5	4	7030	5530	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6373.600098	6373.600098	1.12
3117	024	2813	0.06	1671	1	55	80	2.5	5	4	7032	5361	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6205.399902	6205.399902	1.12008
3117	025	2813	0.06	1096	1	55	80	2.5	5	4	7032	5936	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6780.399902	6780.399902	1.12008
3117	050	2858	0.07	1291	1	55	80	2.5	6	5	7145	5854	RH-2	40	form-based			true	0.7	6	1	5	5	8002.399902	6711.399902	6711.399902	1.12
3118	007	3065	0.07	1063	1	65	100	3	7	6	9195	8132	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8582	7519	7519	0.933333
3118	008	2815	0.06	947	1	65	100	3	6	5	8445	7498	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6935	6935	0.933333
3118	009	2815	0.06	1270	1	65	100	3	6	5	8445	7175	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6612	6612	0.933333
3118	010	2815	0.06	1525	1	65	100	3	6	5	8445	6920	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6357	6357	0.933333
3118	011	2815	0.06	1609	1	65	100	3	6	5	8445	6836	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6273	6273	0.933333
3118	012	2815	0.06	1000	1	65	100	3	6	5	8445	7445	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6882	6882	0.933333
3118	013	2815	0.06	1545	1	65	100	3	6	5	8445	6900	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6337	6337	0.933333
3118	014	2815	0.06	2226	1	65	100	3	6	5	8445	6219	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5656	5656	0.933333
3118	015	2815	0.06	1487	1	65	100	3	6	5	8445	6958	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6395	6395	0.933333
3118	016	2815	0.06	1199	1	65	100	3	6	5	8445	7246	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6683	6683	0.933333
3118	017	2815	0.06	1199	1	65	100	3	6	5	8445	7246	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6683	6683	0.933333
3118	018	2815	0.06	1199	1	65	100	3	6	5	8445	7246	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6683	6683	0.933333
3118	019	2815	0.06	836	1	65	100	3	6	5	8445	7609	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7046	7046	0.933333
3118	020	2815	0.06	1334	1	65	100	3	6	5	8445	7111	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6548	6548	0.933333
3118	021	2815	0.06	1387	1	65	100	3	6	5	8445	7058	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6495	6495	0.933333
3118	022	2815	0.06	1498	1	65	100	3	6	5	8445	6947	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6384	6384	0.933333
3118	029	3835	0.09	2594	3	55	80	2.5	7	4	9588	6994	RH-2	40	form-based			true	0.7	8	1.142857194	5	5	10738	8144	8144	1.119942
3118	033	2851	0.07	1550	1	65	100	3	7	6	8553	7003	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7982.799805	6432.799805	6432.799805	0.933333
3118	034	2850	0.07	1291	1	65	100	3	7	6	8550	7259	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6689	6689	0.933333
3118	035	2849	0.07	1390	1	65	100	3	7	6	8547	7157	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7977.199707	6587.199707	6587.199707	0.933333
3118	037	2848	0.07	1144	1	65	100	3	7	6	8544	7400	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7974.399902	6830.399902	6830.399902	0.933333
3118	038	2848	0.07	1662	1	65	100	3	7	6	8544	6882	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7974.399902	6312.399902	6312.399902	0.933333
3118	039	2847	0.07	1300	1	65	100	3	7	6	8541	7241	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7971.600098	6671.600098	6671.600098	0.933333
3118	040	2846	0.07	1351	1	65	100	3	7	6	8538	7187	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	6617.799805	6617.799805	0.933333
3118	041	2846	0.07	1300	1	65	100	3	7	6	8538	7238	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	6668.799805	6668.799805	0.933333
3118	043	2844	0.07	2561	1	65	100	3	7	6	8532	5971	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7963.199707	5402.199707	5402.199707	0.933333
3118	045	2843	0.07	1900	1	65	100	3	7	6	8529	6629	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7960.399902	6060.399902	6060.399902	0.933333
3118	046	2842	0.07	1700	1	65	100	3	7	6	8526	6826	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7957.600098	6257.600098	6257.600098	0.933333
3119	001	2395	0.05	1020	0	65	100	3	5	5	7185	6165	RH-1	40	form-based	true	true	0.7	5	1	5	5	6706	5686	5686	0.933333
3119	010	2813	0.06	1115	1	65	100	3	6	5	8439	7324	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6761.399902	6761.399902	0.933333
3119	011	2813	0.06	1973	1	65	100	3	6	5	8439	6466	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	5903.399902	5903.399902	0.933333
3119	012	2813	0.06	1165	1	65	100	3	6	5	8439	7274	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6711.399902	6711.399902	0.933333
3119	013	2813	0.06	1165	1	65	100	3	6	5	8439	7274	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6711.399902	6711.399902	0.933333
3119	014	2813	0.06	1165	1	65	100	3	6	5	8439	7274	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6711.399902	6711.399902	0.933333
3119	015	2813	0.06	1165	1	65	100	3	6	5	8439	7274	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6711.399902	6711.399902	0.933333
3119	016	2813	0.06	1165	1	65	100	3	6	5	8439	7274	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6711.399902	6711.399902	0.933333
3119	017	2813	0.06	1165	1	65	100	3	6	5	8439	7274	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6711.399902	6711.399902	0.933333
3119	018	2813	0.06	990	1	65	100	3	6	5	8439	7449	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6886.399902	6886.399902	0.933333
3119	019	2813	0.06	990	1	65	100	3	6	5	8439	7449	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6886.399902	6886.399902	0.933333
3119	020	2813	0.06	1240	1	65	100	3	6	5	8439	7199	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6636.399902	6636.399902	0.933333
3119	021	2812	0.06	1118	1	65	100	3	6	5	8436	7318	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6755.600098	6755.600098	0.933333
3119	022	2813	0.06	1790	1	65	100	3	6	5	8439	6649	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6086.399902	6086.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3119	023	2813	0.06	1515	1	65	100	3	6	5	8439	6924	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6361.399902	6361.399902	0.933333
3119	024	2812	0.06	736	1	65	100	3	6	5	8436	7700	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	7137.600098	7137.600098	0.933333
3119	025	2813	0.06	1629	1	65	100	3	6	5	8439	6810	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6247.399902	6247.399902	0.933333
3119	035	2826	0.06	865	1	65	100	3	6	5	8478	7613	RH-1	40	form-based			true	0.7	6	1	5	5	7912.799805	7047.799805	7047.799805	0.933333
3119	036	2823	0.06	1958	1	65	100	3	6	5	8469	6511	RH-1	40	form-based			true	0.7	6	1	5	5	7904.399902	5946.399902	5946.399902	0.933333
3119	037	2821	0.06	1545	1	65	100	3	6	5	8463	6918	RH-1	40	form-based			true	0.7	6	1	5	5	7898.799805	6353.799805	6353.799805	0.933333
3119	038	2819	0.06	865	1	65	100	3	6	5	8457	7592	RH-1	40	form-based			true	0.7	6	1	5	5	7893.199707	7028.199707	7028.199707	0.933333
3119	039	2817	0.06	935	1	65	100	3	6	5	8451	7516	RH-1	40	form-based			true	0.7	6	1	5	5	7887.600098	6952.600098	6952.600098	0.933333
3119	040	2814	0.06	865	1	65	100	3	6	5	8442	7577	RH-1	40	form-based			true	0.7	6	1	5	5	7879.199707	7014.199707	7014.199707	0.933333
3119	041	2812	0.06	865	1	65	100	3	6	5	8436	7571	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	7008.600098	7008.600098	0.933333
3119	042	2810	0.06	1740	1	65	100	3	6	5	8430	6690	RH-1	40	form-based			true	0.7	6	1	5	5	7868	6128	6128	0.933333
3119	043	2808	0.06	865	1	65	100	3	6	5	8424	7559	RH-1	40	form-based			true	0.7	6	1	5	5	7862.399902	6997.399902	6997.399902	0.933333
3119	044	2805	0.06	1336	1	65	100	3	6	5	8415	7079	RH-1	40	form-based			true	0.7	6	1	5	5	7854	6518	6518	0.933333
3119	045	2803	0.06	1295	1	65	100	3	6	5	8409	7114	RH-1	40	form-based			true	0.7	6	1	5	5	7848.399902	6553.399902	6553.399902	0.933333
3119	046	2801	0.06	1395	1	65	100	3	6	5	8403	7008	RH-1	40	form-based			true	0.7	6	1	5	5	7842.799805	6447.799805	6447.799805	0.933333
3119	047	2799	0.06	1049	1	65	100	3	6	5	8397	7348	RH-1	40	form-based			true	0.7	6	1	5	5	7837.199707	6788.199707	6788.199707	0.933333
3119	048	2796	0.06	1675	1	65	100	3	6	5	8388	6713	RH-1	40	form-based			true	0.7	6	1	5	5	7828.799805	6153.799805	6153.799805	0.933333
3119	049	2794	0.06	1543	1	65	100	3	6	5	8382	6839	RH-1	40	form-based			true	0.7	6	1	5	5	7823.199707	6280.199707	6280.199707	0.933333
3119	050	2792	0.06	1506	1	65	100	3	6	5	8376	6870	RH-1	40	form-based			true	0.7	6	1	5	5	7817.600098	6311.600098	6311.600098	0.933333
3120	010	2812	0.06	990	1	55	80	2.5	5	4	7030	6040	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6883.600098	6883.600098	1.12
3120	011	2813	0.06	950	1	55	80	2.5	5	4	7032	6082	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6926.399902	6926.399902	1.12008
3120	012	2812	0.06	950	1	55	80	2.5	5	4	7030	6080	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6923.600098	6923.600098	1.12
3120	013	2813	0.06	2055	1	55	80	2.5	5	4	7032	4977	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5821.399902	5821.399902	1.12008
3120	014	2813	0.06	1385	1	55	80	2.5	5	4	7032	5647	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6491.399902	6491.399902	1.12008
3120	015	2812	0.06	1621	1	55	80	2.5	5	4	7030	5409	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6252.600098	6252.600098	1.12
3120	016	2813	0.06	1009	1	55	80	2.5	5	4	7032	6023	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6867.399902	6867.399902	1.12008
3120	017	2812	0.06	930	1	55	80	2.5	5	4	7030	6100	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6943.600098	6943.600098	1.12
3120	018	2812	0.06	915	1	55	80	2.5	5	4	7030	6115	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6958.600098	6958.600098	1.12
3120	019	2813	0.06	955	1	55	80	2.5	5	4	7032	6077	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6921.399902	6921.399902	1.12008
3120	020	2812	0.06	820	1	55	80	2.5	5	4	7030	6210	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	7053.600098	7053.600098	1.12
3120	021	2812	0.06	1186	1	55	80	2.5	5	4	7030	5844	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6687.600098	6687.600098	1.12
3120	022	2813	0.06	1095	1	55	80	2.5	5	4	7032	5937	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6781.399902	6781.399902	1.12008
3120	023	2812	0.06	950	1	55	80	2.5	5	4	7030	6080	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6923.600098	6923.600098	1.12
3120	024	2813	0.06	950	1	55	80	2.5	5	4	7032	6082	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6926.399902	6926.399902	1.12008
3120	025	2813	0.06	2261	1	55	80	2.5	5	4	7032	4771	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5615.399902	5615.399902	1.12008
3120	035	2818	0.06	1368	1	55	80	2.5	5	4	7045	5677	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6522.399902	6522.399902	1.12
3120	037	2818	0.06	1317	1	55	80	2.5	5	4	7045	5728	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6573.399902	6573.399902	1.12
3120	038	2818	0.06	985	1	55	80	2.5	5	4	7045	6060	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6905.399902	6905.399902	1.12
3120	039	2818	0.06	1400	1	55	80	2.5	5	4	7045	5645	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6490.399902	6490.399902	1.12
3120	041	2818	0.06	1126	1	55	80	2.5	5	4	7045	5919	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6764.399902	6764.399902	1.12
3120	042	2818	0.06	2138	1	55	80	2.5	5	4	7045	4907	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	5752.399902	5752.399902	1.12
3120	043	2818	0.06	1075	1	55	80	2.5	5	4	7045	5970	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6815.399902	6815.399902	1.12
3120	044	2818	0.06	2200	1	55	80	2.5	5	4	7045	4845	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	5690.399902	5690.399902	1.12
3120	045	2818	0.06	1425	1	55	80	2.5	5	4	7045	5620	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6465.399902	6465.399902	1.12
3120	046	2818	0.06	1038	1	55	80	2.5	5	4	7045	6007	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6852.399902	6852.399902	1.12
3120	047	2818	0.06	2640	1	55	80	2.5	5	4	7045	4405	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	5250.399902	5250.399902	1.12
3120	048	2818	0.06	1606	1	55	80	2.5	5	4	7045	5439	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6284.399902	6284.399902	1.12
3120	049	2818	0.06	870	1	55	80	2.5	5	4	7045	6175	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	7020.399902	7020.399902	1.12
3120	050	2818	0.06	1817	1	55	80	2.5	5	4	7045	5228	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6073.399902	6073.399902	1.12
3121	004	2500	0.06	3858	0	55	80	2.5	5	5	6250	2392	RH-1	40	form-based			true	0.7	5	1	5	5	7000	3142	3142	1.12
3121	005	2500	0.06	0	0	55	80	2.5	5	5	6250	6250	RH-1	40	form-based			true	0.7	5	1	5	5	7000	7000	7000	1.12
3121	010	2813	0.06	827	1	55	80	2.5	5	4	7032	6205	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	7049.399902	7049.399902	1.12008
3121	011	2812	0.06	1750	1	55	80	2.5	5	4	7030	5280	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6123.600098	6123.600098	1.12
3121	012	2813	0.06	2093	1	55	80	2.5	5	4	7032	4939	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5783.399902	5783.399902	1.12008
3121	013	2812	0.06	1966	1	55	80	2.5	5	4	7030	5064	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	5907.600098	5907.600098	1.12
3121	014	2813	0.06	2377	1	55	80	2.5	5	4	7032	4655	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5499.399902	5499.399902	1.12008
3121	015	2813	0.06	1180	1	55	80	2.5	5	4	7032	5852	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6696.399902	6696.399902	1.12008
3121	016	2812	0.06	1144	1	55	80	2.5	5	4	7030	5886	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6729.600098	6729.600098	1.12
3121	017	2813	0.06	1426	1	55	80	2.5	5	4	7032	5606	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6450.399902	6450.399902	1.12008
3121	018	2813	0.06	1485	1	55	80	2.5	5	4	7032	5547	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6391.399902	6391.399902	1.12008
3123	010	2812	0.06	1210	1	55	80	2.5	5	4	7030	5820	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6663.600098	6663.600098	1.12
3123	011	2813	0.06	1190	1	55	80	2.5	5	4	7032	5842	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6686.399902	6686.399902	1.12008
3123	012	2812	0.06	1375	1	55	80	2.5	5	4	7030	5655	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6498.600098	6498.600098	1.12
3123	013	2812	0.06	1520	1	55	80	2.5	5	4	7030	5510	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6353.600098	6353.600098	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3123	014	2813	0.06	1186	1	55	80	2.5	5	4	7032	5846	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6690.399902	6690.399902	1.12008
3123	015	2812	0.06	1186	1	55	80	2.5	5	4	7030	5844	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6687.600098	6687.600098	1.12
3123	016	2813	0.06	2020	1	55	80	2.5	5	4	7032	5012	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5856.399902	5856.399902	1.12008
3123	017	2812	0.06	1334	1	55	80	2.5	5	4	7030	5696	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6539.600098	6539.600098	1.12
3123	018	2812	0.06	1450	1	55	80	2.5	5	4	7030	5580	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6423.600098	6423.600098	1.12
3123	019	2813	0.06	1550	1	55	80	2.5	5	4	7032	5482	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6326.399902	6326.399902	1.12008
3123	020	2812	0.06	2026	1	55	80	2.5	5	4	7030	5004	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	5847.600098	5847.600098	1.12
3123	021	2812	0.06	1354	1	55	80	2.5	5	4	7030	5676	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6519.600098	6519.600098	1.12
3123	022	2813	0.06	1115	1	55	80	2.5	5	4	7032	5917	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6761.399902	6761.399902	1.12008
3123	023	2812	0.06	1115	1	55	80	2.5	5	4	7030	5915	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6758.600098	6758.600098	1.12
3123	035	2818	0.06	1150	1	55	80	2.5	5	4	7045	5895	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6740.399902	6740.399902	1.12
3123	036	2818	0.06	1542	1	55	80	2.5	5	4	7045	5503	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6348.399902	6348.399902	1.12
3123	037	2818	0.06	2536	1	55	80	2.5	5	4	7045	4509	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	5354.399902	5354.399902	1.12
3123	038	2818	0.06	1489	1	55	80	2.5	5	4	7045	5556	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6401.399902	6401.399902	1.12
3123	039	2818	0.06	1302	1	55	80	2.5	5	4	7045	5743	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6588.399902	6588.399902	1.12
3123	040	2818	0.06	1360	1	55	80	2.5	5	4	7045	5685	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6530.399902	6530.399902	1.12
3123	041	2818	0.06	1138	1	55	80	2.5	5	4	7045	5907	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6752.399902	6752.399902	1.12
3123	042	2818	0.06	1126	1	55	80	2.5	5	4	7045	5919	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6764.399902	6764.399902	1.12
3123	043	2818	0.06	1360	1	55	80	2.5	5	4	7045	5685	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6530.399902	6530.399902	1.12
3123	044	2818	0.06	1070	1	55	80	2.5	5	4	7045	5975	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6820.399902	6820.399902	1.12
3123	045	2818	0.06	962	1	55	80	2.5	5	4	7045	6083	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6928.399902	6928.399902	1.12
3123	046	2818	0.06	1696	1	55	80	2.5	5	4	7045	5349	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6194.399902	6194.399902	1.12
3123	047	2818	0.06	2080	1	55	80	2.5	5	4	7045	4965	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	5810.399902	5810.399902	1.12
3123	048	2818	0.06	960	1	55	80	2.5	5	4	7045	6085	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6930.399902	6930.399902	1.12
3123	049	2818	0.06	1368	1	55	80	2.5	5	4	7045	5677	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	6522.399902	6522.399902	1.12
3123	050	2818	0.06	700	1	55	80	2.5	5	4	7045	6345	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7890.399902	7190.399902	7190.399902	1.12
3123	051	2813	0.06	1175	1	55	80	2.5	5	4	7032	5857	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6701.399902	6701.399902	1.12008
3123	052	2812	0.06	1175	1	55	80	2.5	5	4	7030	5855	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6698.600098	6698.600098	1.12
3135	001	3041	0.07	2172	1	55	80	2.5	6	5	7602	5430	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	8514.799805	6342.799805	6342.799805	1.120074
3135	011	2789	0.06	1230	1	55	80	2.5	5	4	6972	5742	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7809.199707	6579.199707	6579.199707	1.12008
3135	012	3055	0.07	1040	1	55	80	2.5	6	5	7638	6598	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8554	7514	7514	1.119927
3138	001	2880	0.07	1047	1	55	80	2.5	6	5	7200	6153	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	8064	7017	7017	1.12
3138	003	2880	0.07	1858	1	55	80	2.5	6	5	7200	5342	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8064	6206	6206	1.12
3138	004	2880	0.07	1039	1	55	80	2.5	6	5	7200	6161	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8064	7025	7025	1.12
3138	005	2880	0.07	1125	1	55	80	2.5	6	5	7200	6075	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8064	6939	6939	1.12
3138	006	2880	0.07	1085	1	55	80	2.5	6	5	7200	6115	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8064	6979	6979	1.12
3138	007	2792	0.06	1085	1	55	80	2.5	5	4	6980	5895	RH-1(D)	40	form-based	true		true	0.7	6	1.200000048	5	5	7817.600098	6732.600098	6732.600098	1.12
3138	015	2995	0.07	1716	1	55	80	2.5	6	5	7488	5772	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	8386	6670	6670	1.119925
3141	023	2791	0.06	865	1	55	80	2.5	5	4	6978	6113	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7814.799805	6949.799805	6949.799805	1.11992
3139	010	2812	0.06	1553	1	55	80	2.5	5	4	7030	5477	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6320.600098	6320.600098	1.12
3139	011	2812	0.06	1689	1	55	80	2.5	5	4	7030	5341	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6184.600098	6184.600098	1.12
3139	012	2813	0.06	1647	1	55	80	2.5	5	4	7032	5385	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6229.399902	6229.399902	1.12008
3139	014	2812	0.06	1735	1	55	80	2.5	5	4	7030	5295	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6138.600098	6138.600098	1.12
3139	015	2812	0.06	1014	1	55	80	2.5	5	4	7030	6016	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6859.600098	6859.600098	1.12
3139	016	2813	0.06	1014	1	55	80	2.5	5	4	7032	6018	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6862.399902	6862.399902	1.12008
3139	017	2812	0.06	1215	1	55	80	2.5	5	4	7030	5815	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6658.600098	6658.600098	1.12
3139	019	2920	0.07	1787	1	55	80	2.5	6	5	7300	5513	RH-1	40	form-based			true	0.7	6	1	5	5	8176	6389	6389	1.12
3139	024	2767	0.06	1058	1	55	80	2.5	5	4	6918	5860	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7747.600098	6689.600098	6689.600098	1.119919
3139	025	2767	0.06	967	1	55	80	2.5	5	4	6918	5951	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7747.600098	6780.600098	6780.600098	1.119919
3139	026	2767	0.06	1030	1	55	80	2.5	5	4	6918	5888	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7747.600098	6717.600098	6717.600098	1.119919
3139	027	2767	0.06	1086	1	55	80	2.5	5	4	6918	5832	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7747.600098	6661.600098	6661.600098	1.119919
3139	028	2767	0.06	2049	1	55	80	2.5	5	4	6918	4869	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7747.600098	5698.600098	5698.600098	1.119919
3140	006	2700	0.06	1128	1	55	80	2.5	5	4	6750	5622	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7560	6432	6432	1.12
3140	007	2700	0.06	1128	1	55	80	2.5	5	4	6750	5622	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7560	6432	6432	1.12
3140	030	2699	0.06	1271	1	55	80	2.5	5	4	6748	5477	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7557.199707	6286.199707	6286.199707	1.119917
3140	032	2699	0.06	1525	1	55	80	2.5	5	4	6748	5223	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7557.199707	6032.199707	6032.199707	1.119917
3140	033	2699	0.06	1271	1	55	80	2.5	5	4	6748	5477	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7557.199707	6286.199707	6286.199707	1.119917
3141	010	2814	0.06	1757	1	55	80	2.5	5	4	7035	5278	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	6122.199707	6122.199707	1.12
3141	011	2812	0.06	900	1	55	80	2.5	5	4	7030	6130	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6973.600098	6973.600098	1.12
3141	012	2810	0.06	900	1	55	80	2.5	5	4	7025	6125	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7868	6968	6968	1.12
3141	013	2809	0.06	1356	1	55	80	2.5	5	4	7022	5666	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7865.199707	6509.199707	6509.199707	1.12008
3141	014	2807	0.06	875	1	55	80	2.5	5	4	7018	6143	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7859.600098	6984.600098	6984.600098	1.11992
3141	015	2805	0.06	1380	1	55	80	2.5	5	4	7012	5632	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7854	6474	6474	1.12008
3141	016	2803	0.06	875	1	55	80	2.5	5	4	7008	6133	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7848.399902	6973.399902	6973.399902	1.11992

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3141	017	2802	0.06	2465	1	55	80	2.5	5	4	7005	4540	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7845.600098	5380.600098	5380.600098	1.12
3141	018	2800	0.06	865	1	55	80	2.5	5	4	7000	6135	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7840	6975	6975	1.12
3141	019	2798	0.06	909	1	55	80	2.5	5	4	6995	6086	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	6925.399902	6925.399902	1.12
3141	020	2796	0.06	1525	1	55	80	2.5	5	4	6990	5465	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7828.799805	6303.799805	6303.799805	1.12
3141	021	2795	0.06	1173	1	55	80	2.5	5	4	6988	5815	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7826	6653	6653	1.11992
3141	022	2793	0.06	865	1	55	80	2.5	5	4	6982	6117	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7820.399902	6955.399902	6955.399902	1.12008
3141	024	2789	0.06	1350	1	55	80	2.5	5	4	6972	5622	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7809.199707	6459.199707	6459.199707	1.12008
3141	025	2788	0.06	1436	1	55	80	2.5	5	4	6970	5534	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7806.399902	6370.399902	6370.399902	1.12
3141	035	2778	0.06	1972	1	55	80	2.5	5	4	6945	4973	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7778.399902	5806.399902	5806.399902	1.12
3141	036	2776	0.06	846	1	55	80	2.5	5	4	6940	6094	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7772.799805	6926.799805	6926.799805	1.12
3141	037	2775	0.06	1325	1	55	80	2.5	5	4	6938	5613	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7770	6445	6445	1.119919
3141	038	2773	0.06	1222	1	55	80	2.5	5	4	6932	5710	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7764.399902	6542.399902	6542.399902	1.120081
3141	039	2771	0.06	1213	1	55	80	2.5	5	4	6928	5715	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7758.799805	6545.799805	6545.799805	1.119919
3141	040	2770	0.06	1617	1	55	80	2.5	5	4	6925	5308	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7756	6139	6139	1.12
3141	041	2768	0.06	1876	1	55	80	2.5	5	4	6920	5044	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7750.399902	5874.399902	5874.399902	1.12
3141	042	2766	0.06	940	1	55	80	2.5	5	4	6915	5975	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7744.799805	6804.799805	6804.799805	1.12
3141	043	2764	0.06	940	1	55	80	2.5	5	4	6910	5970	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7739.199707	6799.199707	6799.199707	1.12
3141	044	2763	0.06	835	1	55	80	2.5	5	4	6908	6073	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7736.399902	6901.399902	6901.399902	1.119919
3141	045	2761	0.06	912	1	55	80	2.5	5	4	6902	5990	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7730.799805	6818.799805	6818.799805	1.120081
3141	046	2759	0.06	1990	1	55	80	2.5	5	4	6898	4908	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7725.199707	5735.199707	5735.199707	1.119919
3141	047	2757	0.06	1648	1	55	80	2.5	5	4	6892	5244	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7719.600098	6071.600098	6071.600098	1.120081
3141	048	2756	0.06	1146	1	55	80	2.5	5	4	6890	5744	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7716.799805	6570.799805	6570.799805	1.12
3141	049	2754	0.06	1187	1	55	80	2.5	5	4	6885	5698	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7711.199707	6524.199707	6524.199707	1.12
3141	050	2752	0.06	908	1	55	80	2.5	5	4	6880	5972	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7705.600098	6797.600098	6797.600098	1.12
3141	052	2841	0.07	822	1	55	80	2.5	6	5	7102	6280	RH-1	40	form-based			true	0.7	6	1	5	5	7954.799805	7132.799805	7132.799805	1.120079
3142	006	3730	0.09	2192	3	65	100	3	9	6	11190	8998	RH-1	40	form-based			true	0.7	8	0.888888896	5	5	10444	8252	8252	0.933333
3142	009	2815	0.06	1344	1	55	80	2.5	5	4	7038	5694	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6538	6538	1.11992
3142	010	2815	0.06	1202	1	55	80	2.5	5	4	7038	5836	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6680	6680	1.11992
3142	011	2815	0.06	1080	1	55	80	2.5	5	4	7038	5958	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6802	6802	1.11992
3142	012	2815	0.06	1516	1	55	80	2.5	5	4	7038	5522	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6366	6366	1.11992
3142	013	2815	0.06	1370	1	55	80	2.5	5	4	7038	5668	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6512	6512	1.11992
3142	014	2815	0.06	970	1	55	80	2.5	5	4	7038	6068	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6912	6912	1.11992
3142	015	2815	0.06	1040	1	55	80	2.5	5	4	7038	5998	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6842	6842	1.11992
3142	016	2815	0.06	1560	1	55	80	2.5	5	4	7038	5478	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6322	6322	1.11992
3142	017	2815	0.06	2412	1	55	80	2.5	5	4	7038	4626	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	5470	5470	1.11992
3142	018	2815	0.06	970	1	55	80	2.5	5	4	7038	6068	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6912	6912	1.11992
3142	019	2815	0.06	816	1	55	80	2.5	5	4	7038	6222	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	7066	7066	1.11992
3142	020	2815	0.06	905	1	55	80	2.5	5	4	7038	6133	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6977	6977	1.11992
3142	021	2815	0.06	902	1	55	80	2.5	5	4	7038	6136	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6980	6980	1.11992
3142	022	2815	0.06	910	1	55	80	2.5	5	4	7038	6128	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6972	6972	1.11992
3142	023	2815	0.06	1447	1	55	80	2.5	5	4	7038	5591	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6435	6435	1.11992
3142	024	2815	0.06	905	1	55	80	2.5	5	4	7038	6133	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6977	6977	1.11992
3142	033	2751	0.06	1645	1	55	80	2.5	5	4	6878	5233	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	6057.799805	6057.799805	1.119919
3142	034	2751	0.06	1262	1	55	80	2.5	5	4	6878	5616	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	6440.799805	6440.799805	1.119919
3142	035	2751	0.06	1451	1	55	80	2.5	5	4	6878	5427	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	6251.799805	6251.799805	1.119919
3142	038	2751	0.06	1923	1	55	80	2.5	5	4	6878	4955	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	5779.799805	5779.799805	1.119919
3142	039	2751	0.06	1125	1	55	80	2.5	5	4	6878	5753	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	6577.799805	6577.799805	1.119919
3142	040	2751	0.06	1657	1	55	80	2.5	5	4	6878	5221	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	6045.799805	6045.799805	1.119919
3142	041	2751	0.06	1090	1	55	80	2.5	5	4	6878	5788	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	6612.799805	6612.799805	1.119919
3142	042	2751	0.06	1376	1	55	80	2.5	5	4	6878	5502	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	6326.799805	6326.799805	1.119919
3142	043	2751	0.06	1145	1	55	80	2.5	5	4	6878	5733	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	6557.799805	6557.799805	1.119919
3142	044	2751	0.06	1563	1	55	80	2.5	5	4	6878	5315	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	6139.799805	6139.799805	1.119919
3142	045	2751	0.06	3129	1	55	80	2.5	5	4	6878	3749	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	4573.799805	4573.799805	1.119919
3142	046	2751	0.06	1250	1	55	80	2.5	5	4	6878	5628	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	6452.799805	6452.799805	1.119919
3142	047	2751	0.06	1380	1	55	80	2.5	5	4	6878	5498	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	6322.799805	6322.799805	1.119919
3142	048	2751	0.06	1066	1	55	80	2.5	5	4	6878	5812	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7702.799805	6636.799805	6636.799805	1.119919
3143	010	2777	0.06	1050	1	65	100	3	6	5	8331	7281	RH-1	40	form-based			true	0.7	6	1	5	5	7775.600098	6725.600098	6725.600098	0.933333
3143	011	2775	0.06	2307	1	65	100	3	6	5	8325	6018	RH-1	40	form-based			true	0.7	6	1	5	5	7770	5463	5463	0.933333
3143	012	2773	0.06	744	1	65	100	3	6	5	8319	7575	RH-1	40	form-based			true	0.7	6	1	5	5	7764.399902	7020.399902	7020.399902	0.933333
3143	013	2770	0.06	1134	1	65	100	3	6	5	8310	7176	RH-1	40	form-based			true	0.7	6	1	5	5	7756	6622	6622	0.933333
3143	014	2768	0.06	1303	1	65	100	3	6	5	8304	7001	RH-1	40	form-based			true	0.7	6	1	5	5	7750.399902	6447.399902	6447.399902	0.933333
3143	015	2766	0.06	1698	1	65	100	3	6	5	8298	6600	RH-1	40	form-based			true	0.7	6	1	5	5	7744.799805	6046.799805	6046.799805	0.933333
3143	016	2764	0.06	557	1	65	100	3	6	5	8292	7735	RH-1	40	form-based			true	0.7	6	1	5	5	7739.199707	7182.199707	7182.199707	0.933333
3143	017	2761	0.06	814	1	65	100	3	6	5	8283	7469	RH-1	40	form-based			true	0.7	6	1	5	5	7730.799805	6916.799805	6916.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3143	018	2759	0.06	1222	1	65	100	3	6	5	8277	7055	RH-1	40	form-based			true	0.7	6	1	5	5	7725.199707	6503.199707	6503.199707	0.933333
3143	020	2755	0.06	1355	1	65	100	3	6	5	8265	6910	RH-1	40	form-based			true	0.7	6	1	5	5	7714	6359	6359	0.933333
3143	021	2752	0.06	2343	1	65	100	3	6	5	8256	5913	RH-1	40	form-based			true	0.7	6	1	5	5	7705.600098	5362.600098	5362.600098	0.933333
3143	022	2750	0.06	1910	1	65	100	3	6	5	8250	6340	RH-1	40	form-based			true	0.7	6	1	5	5	7700	5790	5790	0.933333
3143	023	2748	0.06	1361	1	65	100	3	6	5	8244	6883	RH-1	40	form-based			true	0.7	6	1	5	5	7694.399902	6333.399902	6333.399902	0.933333
3143	024	2746	0.06	1724	1	65	100	3	6	5	8238	6514	RH-1	40	form-based			true	0.7	6	1	5	5	7688.799805	5964.799805	5964.799805	0.933333
3143	034	2812	0.06	968	1	65	100	3	6	5	8436	7468	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6905.600098	6905.600098	0.933333
3143	035	2813	0.06	1735	1	65	100	3	6	5	8439	6704	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6141.399902	6141.399902	0.933333
3143	036	2813	0.06	949	1	65	100	3	6	5	8439	7490	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6927.399902	6927.399902	0.933333
3143	037	2813	0.06	949	1	65	100	3	6	5	8439	7490	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6927.399902	6927.399902	0.933333
3143	038	2813	0.06	1800	1	65	100	3	6	5	8439	6639	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6076.399902	6076.399902	0.933333
3143	039	2813	0.06	968	1	65	100	3	6	5	8439	7471	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6908.399902	6908.399902	0.933333
3143	040	2813	0.06	968	1	65	100	3	6	5	8439	7471	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6908.399902	6908.399902	0.933333
3143	041	2813	0.06	1938	1	65	100	3	6	5	8439	6501	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	5938.399902	5938.399902	0.933333
3143	042	2813	0.06	719	1	65	100	3	6	5	8439	7720	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7157.399902	7157.399902	0.933333
3143	043	2813	0.06	2699	1	65	100	3	6	5	8439	5740	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	5177.399902	5177.399902	0.933333
3143	044	2813	0.06	1085	1	65	100	3	6	5	8439	7354	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6791.399902	6791.399902	0.933333
3143	045	2813	0.06	905	1	65	100	3	6	5	8439	7534	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6971.399902	6971.399902	0.933333
3143	046	2813	0.06	1725	1	65	100	3	6	5	8439	6714	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6151.399902	6151.399902	0.933333
3143	047	2812	0.06	905	1	65	100	3	6	5	8436	7531	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6968.600098	6968.600098	0.933333
3143	048	2812	0.06	905	1	65	100	3	6	5	8436	7531	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6968.600098	6968.600098	0.933333
3143	049	2813	0.06	1898	1	65	100	3	6	5	8439	6541	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	5978.399902	5978.399902	0.933333
3143	051	2626	0.06	1217	1	65	100	3	6	5	7878	6661	RH-1	40	form-based			true	0.7	6	1	5	5	7352.799805	6135.799805	6135.799805	0.933333
3144C	021	2601	0.06	1657	1	65	100	3	6	5	7803	6146	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7282.799805	5625.799805	5625.799805	0.933333
3146	001	3200	0.07	1292	1	65	100	3	7	6	9600	8308	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8960	7668	7668	0.933333
3145	019	3441	0.08	1520	1	65	100	3	8	7	10323	8803	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9634.799805	8114.799805	8114.799805	0.933333
3145	021	5499	0.13	2080	1	65	100	3	13	12	16497	14417	RH-1	40	density-lim	3000	true		0.7	6	0.461538464	5	5	15397.2002	13317.2002	13317.2002	0.933333
3146	032	2557	0.06	1625	1	65	100	3	6	5	7671	6046	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7159.600098	5534.600098	5534.600098	0.933333
3146	034A	3132	0.07	2125	1	65	100	3	7	6	9396	7271	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8769.599609	6644.599609	6644.599609	0.933333
3146	047	1696	0.04	1000	1	65	100	3	4	3	5088	4088	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4748.799805	3748.799805	3748.799805	0.933333
3148	017B	2080	0.05	1152	1	55	80	2.5	4	3	5200	4048	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5824	4672	4672	1.12
3148	019	1901	0.04	846	1	55	80	2.5	3	2	4752	3906	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5322.799805	4476.799805	4476.799805	1.120118
3149	001	2480	0.06	1175	1	65	100	3	6	5	7440	6265	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6944	5769	5769	0.933333
3149	008	1848	0.04	1352	1	65	100	3	4	3	5544	4192	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5174.399902	3822.399902	3822.399902	0.933333
3149	032	2013	0.05	1225	1	55	80	2.5	4	3	5032	3807	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5636.399902	4411.399902	4411.399902	1.120111
3149	032G	2152	0.05	1046	1	55	80	2.5	4	3	5380	4334	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6025.600098	4979.600098	4979.600098	1.12
3150	001	2696	0.06	1355	1	65	100	3	6	5	8088	6733	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7548.799805	6193.799805	6193.799805	0.933333
3150	002A	3350	0.08	1402	1	65	100	3	8	7	10050	8648	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9380	7978	7978	0.933333
3150	014	3102	0.07	1280	1	65	100	3	7	6	9306	8026	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8685.599609	7405.599609	7405.599609	0.933333
3150	015	3105	0.07	2174	1	65	100	3	7	6	9315	7141	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8694	6520	6520	0.933333
3151	001	3114	0.07	1484	1	65	100	3	7	6	9342	7858	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8719.200195	7235.200195	7235.200195	0.933333
3151	002	3179	0.07	2343	1	65	100	3	7	6	9537	7194	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8901.200195	6558.200195	6558.200195	0.933333
3151	019	2972	0.07	1185	1	65	100	3	7	6	8916	7731	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8321.599609	7136.599609	7136.599609	0.933333
3151	020	2976	0.07	1430	1	65	100	3	7	6	8928	7498	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8332.799805	6902.799805	6902.799805	0.933333
3152	001	3173	0.07	1190	1	65	100	3	7	6	9519	8329	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8884.399414	7694.399414	7694.399414	0.933333
3152	002	3178	0.07	1320	1	65	100	3	7	6	9534	8214	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8898.399414	7578.399414	7578.399414	0.933333
3152	019	2978	0.07	1350	1	65	100	3	7	6	8934	7584	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8338.399414	6988.399414	6988.399414	0.933333
3153	001	2252	0.05	2392	1	65	100	3	5	4	6756	4364	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6305.600098	3913.600098	3913.600098	0.933333
3153	005	3237	0.07	2125	1	65	100	3	7	6	9711	7586	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	9063.599609	6938.599609	6938.599609	0.933333
3153	023	1309	0.03	1741	1	65	100	3	3	2	3927	2186	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	3665.199951	1924.199951	1924.199951	0.933333
3153	029	2239	0.05	1025	1	65	100	3	5	4	6717	5692	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6269.199707	5244.199707	5244.199707	0.933333
3153	034	1953	0.04	1030	1	65	100	3	4	3	5859	4829	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5468.399902	4438.399902	4438.399902	0.933333
3153	046	2157	0.05	1290	1	65	100	3	5	4	6471	5181	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6039.600098	4749.600098	4749.600098	0.933333
3154	012	1820	0.04	1133	1	65	100	3	4	3	5460	4327	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5096	3963	3963	0.933333
3154	017	1776	0.04	1739	1	65	100	3	4	3	5328	3589	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4972.799805	3233.799805	3233.799805	0.933333
3154	019	2961	0.07	1375	1	65	100	3	7	6	8883	7508	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8290.799805	6915.799805	6915.799805	0.933333
3156	006	2971	0.07	2600	1	65	100	3	7	6	8913	6313	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8318.799805	5718.799805	5718.799805	0.933333
3156	007	3000	0.07	760	1	65	100	3	7	6	9000	8240	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7640	7640	0.933333
3156	007B	3000	0.07	1865	1	65	100	3	7	6	9000	7135	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6535	6535	0.933333
3156	019	2815	0.06	1157	1	65	100	3	6	5	8445	7288	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6725	6725	0.933333
3156	020	2815	0.06	995	1	65	100	3	6	5	8445	7450	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6887	6887	0.933333
3156	021	2815	0.06	670	1	65	100	3	6	5	8445	7775	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7212	7212	0.933333
3156	022	2815	0.06	850	1	65	100	3	6	5	8445	7595	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7032	7032	0.933333
3156	032	2804	0.06	994	1	65	100	3	6	5	8412	7418	RH-1	40	form-based			true	0.7	6	1	5	5	7851.199707	6857.199707	6857.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3156	033	2803	0.06	994	1	65	100	3	6	5	8409	7415	RH-1	40	form-based			true	0.7	6	1	5	5	7848.399902	6854.399902	6854.399902	0.933333
3156	034	2802	0.06	994	1	65	100	3	6	5	8406	7412	RH-1	40	form-based			true	0.7	6	1	5	5	7845.600098	6851.600098	6851.600098	0.933333
3156	035	2801	0.06	994	1	65	100	3	6	5	8403	7409	RH-1	40	form-based			true	0.7	6	1	5	5	7842.799805	6848.799805	6848.799805	0.933333
3156	036	2799	0.06	1417	1	65	100	3	6	5	8397	6980	RH-1	40	form-based			true	0.7	6	1	5	5	7837.199707	6420.199707	6420.199707	0.933333
3156	037	2798	0.06	975	1	65	100	3	6	5	8394	7419	RH-1	40	form-based			true	0.7	6	1	5	5	7834.399902	6859.399902	6859.399902	0.933333
3156	038	2797	0.06	994	1	65	100	3	6	5	8391	7397	RH-1	40	form-based			true	0.7	6	1	5	5	7831.600098	6837.600098	6837.600098	0.933333
3156	047	2787	0.06	1436	1	65	100	3	6	5	8361	6925	RH-1	40	form-based			true	0.7	6	1	5	5	7803.600098	6367.600098	6367.600098	0.933333
3157	010	2818	0.06	1417	1	65	100	3	6	5	8454	7037	RH-1	40	form-based			true	0.7	6	1	5	5	7890.399902	6473.399902	6473.399902	0.933333
3157	011	2818	0.06	918	1	65	100	3	6	5	8454	7536	RH-1	40	form-based			true	0.7	6	1	5	5	7890.399902	6972.399902	6972.399902	0.933333
3157	012	2819	0.06	918	1	65	100	3	6	5	8457	7539	RH-1	40	form-based			true	0.7	6	1	5	5	7893.199707	6975.199707	6975.199707	0.933333
3157	013	2820	0.06	1304	1	65	100	3	6	5	8460	7156	RH-1	40	form-based			true	0.7	6	1	5	5	7896	6592	6592	0.933333
3157	014	2821	0.06	1645	1	65	100	3	6	5	8463	6818	RH-1	40	form-based			true	0.7	6	1	5	5	7898.799805	6253.799805	6253.799805	0.933333
3157	046	2813	0.06	960	1	65	100	3	6	5	8439	7479	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6916.399902	6916.399902	0.933333
3157	047	2812	0.06	960	1	65	100	3	6	5	8436	7476	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6913.600098	6913.600098	0.933333
3157	017	2768	0.06	815	1	65	100	3	6	5	8304	7489	RH-1	40	form-based			true	0.7	6	1	5	5	7750.399902	6935.399902	6935.399902	0.933333
3157	026	3025	0.07	1191	1	65	100	3	7	6	9075	7884	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8470	7279	7279	0.933333
3157	033	2813	0.06	960	1	65	100	3	6	5	8439	7479	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6916.399902	6916.399902	0.933333
3157	034	2812	0.06	960	1	65	100	3	6	5	8436	7476	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6913.600098	6913.600098	0.933333
3157	035	2813	0.06	960	1	65	100	3	6	5	8439	7479	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6916.399902	6916.399902	0.933333
3157	036	2813	0.06	960	1	65	100	3	6	5	8439	7479	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6916.399902	6916.399902	0.933333
3157	037	2813	0.06	960	1	65	100	3	6	5	8439	7479	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6916.399902	6916.399902	0.933333
3157	038	2812	0.06	1295	1	65	100	3	6	5	8436	7141	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6578.600098	6578.600098	0.933333
3157	039	2813	0.06	960	1	65	100	3	6	5	8439	7479	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6916.399902	6916.399902	0.933333
3157	040	2813	0.06	960	1	65	100	3	6	5	8439	7479	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6916.399902	6916.399902	0.933333
3157	041	2812	0.06	960	1	65	100	3	6	5	8436	7476	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6913.600098	6913.600098	0.933333
3157	042	2813	0.06	1321	1	65	100	3	6	5	8439	7118	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6555.399902	6555.399902	0.933333
3157	043	2813	0.06	960	1	65	100	3	6	5	8439	7479	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6916.399902	6916.399902	0.933333
3157	044	2812	0.06	960	1	65	100	3	6	5	8436	7476	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6913.600098	6913.600098	0.933333
3157	045	2813	0.06	1462	1	65	100	3	6	5	8439	6977	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6414.399902	6414.399902	0.933333
3157	048	2813	0.06	960	1	65	100	3	6	5	8439	7479	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6916.399902	6916.399902	0.933333
3159	006	2788	0.06	950	1	55	80	2.5	5	4	6970	6020	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7806.399902	6856.399902	6856.399902	1.12
3159	007	2867	0.07	1191	1	55	80	2.5	6	5	7168	5977	RH-1	40	form-based		true	true	0.7	6	1	5	5	8027.600098	6836.600098	6836.600098	1.119922
3159	017	2689	0.06	1526	1	55	80	2.5	5	4	6722	5196	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7529.199707	6003.199707	6003.199707	1.120083
3159	028	3038	0.07	1768	1	55	80	2.5	6	5	7595	5827	RH-1	40	form-based			true	0.7	6	1	5	5	8506.399414	6738.399414	6738.399414	1.12
3160	002	2898	0.07	1057	1	55	80	2.5	6	5	7245	6188	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8114.399902	7057.399902	7057.399902	1.12
3160	003	2720	0.06	1275	1	55	80	2.5	5	4	6800	5525	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7616	6341	6341	1.12
3160	004	2623	0.06	1056	1	55	80	2.5	5	4	6558	5502	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7344.399902	6288.399902	6288.399902	1.119915
3160	005	2772	0.06	1630	1	55	80	2.5	5	4	6930	5300	RH-1(D)	40	form-based		true	true	0.7	6	1.200000048	5	5	7761.600098	6131.600098	6131.600098	1.12
3160	006	2860	0.07	1060	1	55	80	2.5	6	5	7150	6090	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8008	6948	6948	1.12
3160	007	2843	0.07	1000	1	55	80	2.5	6	5	7108	6108	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7960.399902	6960.399902	6960.399902	1.119921
3160	008	2834	0.07	1775	1	55	80	2.5	6	5	7085	5310	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7935.199707	6160.199707	6160.199707	1.12
3160	009	2826	0.06	924	1	55	80	2.5	5	4	7065	6141	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7912.799805	6988.799805	6988.799805	1.12
3160	010	2820	0.06	1854	1	55	80	2.5	5	4	7050	5196	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7896	6042	6042	1.12
3160	011	2867	0.07	924	1	55	80	2.5	6	5	7168	6244	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8027.600098	7103.600098	7103.600098	1.119922
3160	012	2776	0.06	1050	1	55	80	2.5	5	4	6940	5890	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7772.799805	6722.799805	6722.799805	1.12
3160	018	2942	0.07	1125	1	55	80	2.5	6	5	7355	6230	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8237.599609	7112.599609	7112.599609	1.12
3160	019	2865	0.07	1125	1	55	80	2.5	6	5	7162	6037	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8022	6897	6897	1.120078
3160	020	2641	0.06	1625	1	55	80	2.5	5	4	6602	4977	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7394.799805	5769.799805	5769.799805	1.120085
3160	021	2645	0.06	1565	1	55	80	2.5	5	4	6612	5047	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7406	5841	5841	1.120085
3167	010	3070	0.07	1496	1	65	100	3	7	6	9210	7714	RH-1(D)	40	form-based		true	true	0.7	6	0.857142866	5	5	8596	7100	7100	0.933333
3167	011	3011	0.07	1300	1	65	100	3	7	6	9033	7733	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8430.799805	7130.799805	7130.799805	0.933333
3167	012	2966	0.07	1300	1	65	100	3	7	6	8898	7598	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8304.799805	7004.799805	7004.799805	0.933333
3167	013	2894	0.07	1600	1	65	100	3	7	6	8682	7082	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8103.199707	6503.199707	6503.199707	0.933333
3167	014	2879	0.07	1110	1	65	100	3	7	6	8637	7527	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8061.199707	6951.199707	6951.199707	0.933333
3167	015	2655	0.06	1110	1	65	100	3	6	5	7965	6855	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7434	6324	6324	0.933333
3168	003	2712	0.06	1300	1	65	100	3	6	5	8136	6836	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7593.600098	6293.600098	6293.600098	0.933333
3168	004	2852	0.07	1542	1	65	100	3	7	6	8556	7014	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7985.600098	6443.600098	6443.600098	0.933333
3168	005	2879	0.07	1498	1	65	100	3	7	6	8637	7139	RH-1(D)	40	form-based		true	true	0.7	6	0.857142866	5	5	8061.199707	6563.199707	6563.199707	0.933333
3168	012	2979	0.07	1110	1	65	100	3	7	6	8937	7827	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8341.200195	7231.200195	7231.200195	0.933333
3168	013	2624	0.06	1110	1	65	100	3	6	5	7872	6762	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7347.199707	6237.199707	6237.199707	0.933333
3169	002	3010	0.07	1642	1	65	100	3	7	6	9030	7388	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8428	6786	6786	0.933333
3169	003	2840	0.07	1585	1	65	100	3	7	6	8520	6935	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7952	6367	6367	0.933333
3169	004	2951	0.07	1441	1	65	100	3	7	6	8853	7412	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8262.799805	6821.799805	6821.799805	0.933333
3169	005	2940	0.07	1654	1	65	100	3	7	6	8820	7166	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8232	6578	6578	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3169	014	2710	0.06	1133	1	65	100	3	6	5	8130	6997	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7588	6455	6455	0.933333
3173	008	2872	0.07	1408	1	65	100	3	7	6	8616	7208	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8041.600098	6633.600098	6633.600098	0.933333
3174	031	3077	0.07	840	1	65	100	3	7	6	9231	8391	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8615.599609	7775.599609	7775.599609	0.933333
3175	027	3054	0.07	1695	1	65	100	3	7	6	9162	7467	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8551.200195	6856.200195	6856.200195	0.933333
3176	009	2927	0.07	1580	1	65	100	3	7	6	8781	7201	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8195.599609	6615.599609	6615.599609	0.933333
3176	010	2829	0.06	1095	1	65	100	3	6	5	8487	7392	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7921.199707	6826.199707	6826.199707	0.933333
3177	020	2999	0.07	1325	1	65	100	3	7	6	8997	7672	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	7072.200195	7072.200195	0.933333
3177	022	3292	0.08	2704	2	65	100	3	8	6	9876	7172	RH-1(D)	40	form-based			true	0.7	7	0.875	5	5	9217.599609	6513.599609	6513.599609	0.933333
3177	023	3084	0.07	1100	1	65	100	3	7	6	9252	8152	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8635.200195	7535.200195	7535.200195	0.933333
3177	030	3030	0.07	1220	1	65	100	3	7	6	9090	7870	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8484	7264	7264	0.933333
3177	031	2942	0.07	2119	1	65	100	3	7	6	8826	6707	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8237.599609	6118.599609	6118.599609	0.933333
3178	010	3025	0.07	1145	1	65	100	3	7	6	9075	7930	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8470	7325	7325	0.933333
3178	017	2780	0.06	1050	1	65	100	3	6	5	8340	7290	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	7784	6734	6734	0.933333
3182	018	2813	0.06	805	1	65	100	3	6	5	8439	7634	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7071.399902	7071.399902	0.933333
3181	036	2812	0.06	3500	1	65	100	3	6	5	8436	4936	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	4373.600098	4373.600098	0.933333
3182	013	2813	0.06	770	1	65	100	3	6	5	8439	7669	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7106.399902	7106.399902	0.933333
3182	014	2813	0.06	805	1	65	100	3	6	5	8439	7634	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7071.399902	7071.399902	0.933333
3182	015	2812	0.06	840	1	65	100	3	6	5	8436	7596	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	7033.600098	7033.600098	0.933333
3182	016	2813	0.06	840	1	65	100	3	6	5	8439	7599	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7036.399902	7036.399902	0.933333
3182	017	2812	0.06	2514	1	65	100	3	6	5	8436	5922	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	5359.600098	5359.600098	0.933333
3181	009	2813	0.06	1173	1	65	100	3	6	5	8439	7266	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6703.399902	6703.399902	0.933333
3181	010	2812	0.06	908	1	65	100	3	6	5	8436	7528	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6965.600098	6965.600098	0.933333
3181	011	2813	0.06	625	1	65	100	3	6	5	8439	7814	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7251.399902	7251.399902	0.933333
3181	012	2812	0.06	960	1	65	100	3	6	5	8436	7476	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6913.600098	6913.600098	0.933333
3181	013	2813	0.06	1048	1	65	100	3	6	5	8439	7391	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6828.399902	6828.399902	0.933333
3181	014	2813	0.06	1307	1	65	100	3	6	5	8439	7132	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6569.399902	6569.399902	0.933333
3181	015	2813	0.06	2354	1	65	100	3	6	5	8439	6085	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	5522.399902	5522.399902	0.933333
3181	016	2813	0.06	863	1	65	100	3	6	5	8439	7576	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7013.399902	7013.399902	0.933333
3181	022	3005	0.07	750	1	65	100	3	7	6	9015	8265	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8414	7664	7664	0.933333
3181	023	2884	0.07	1908	1	65	100	3	7	6	8652	6744	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8075.199707	6167.199707	6167.199707	0.933333
3181	024	2822	0.06	773	1	65	100	3	6	5	8466	7693	RH-1	40	form-based			true	0.7	6	1	5	5	7901.600098	7128.600098	7128.600098	0.933333
3181	025	2812	0.06	2156	1	65	100	3	6	5	8436	6280	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	5717.600098	5717.600098	0.933333
3181	026	2813	0.06	892	1	65	100	3	6	5	8439	7547	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6984.399902	6984.399902	0.933333
3181	027	2814	0.06	1226	1	65	100	3	6	5	8442	7216	RH-1	40	form-based			true	0.7	6	1	5	5	7879.199707	6653.199707	6653.199707	0.933333
3181	028	2815	0.06	900	1	65	100	3	6	5	8445	7545	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6982	6982	0.933333
3181	029	2817	0.06	1083	1	65	100	3	6	5	8451	7368	RH-1	40	form-based			true	0.7	6	1	5	5	7887.600098	6804.600098	6804.600098	0.933333
3181	030	2818	0.06	1310	1	65	100	3	6	5	8454	7144	RH-1	40	form-based			true	0.7	6	1	5	5	7890.399902	6580.399902	6580.399902	0.933333
3182	019	2813	0.06	805	1	65	100	3	6	5	8439	7634	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7071.399902	7071.399902	0.933333
3182	020	2812	0.06	850	1	65	100	3	6	5	8436	7586	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	7023.600098	7023.600098	0.933333
3182	030	2834	0.07	720	1	65	100	3	7	6	8502	7782	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7935.199707	7215.199707	7215.199707	0.933333
3182	031	2835	0.07	950	1	65	100	3	7	6	8505	7555	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7938	6988	6988	0.933333
3182	032	2837	0.07	920	1	65	100	3	7	6	8511	7591	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7943.600098	7023.600098	7023.600098	0.933333
3182	033	2838	0.07	1597	1	65	100	3	7	6	8514	6917	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7946.399902	6349.399902	6349.399902	0.933333
3182	034	2840	0.07	1005	1	65	100	3	7	6	8520	7515	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7952	6947	6947	0.933333
3182	035	2842	0.07	1445	1	65	100	3	7	6	8526	7081	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7957.600098	6512.600098	6512.600098	0.933333
3182	036	2843	0.07	1005	1	65	100	3	7	6	8529	7524	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7960.399902	6955.399902	6955.399902	0.933333
3182	037	2845	0.07	1035	1	65	100	3	7	6	8535	7500	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7966	6931	6931	0.933333
3182	054	2813	0.06	1005	1	65	100	3	6	5	8439	7434	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6871.399902	6871.399902	0.933333
3182	057	2689	0.06	2207	1	65	100	3	6	5	8067	5860	RH-1	40	form-based			true	0.7	6	1	5	5	7529.199707	5322.199707	5322.199707	0.933333
3184	009	2788	0.06	990	1	65	100	3	6	5	8364	7374	RH-1	40	form-based			true	0.7	6	1	5	5	7806.399902	6816.399902	6816.399902	0.933333
3184	019	2812	0.06	840	1	65	100	3	6	5	8436	7596	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	7033.600098	7033.600098	0.933333
3184	020	2813	0.06	2321	1	65	100	3	6	5	8439	6118	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	5555.399902	5555.399902	0.933333
3184	021	2813	0.06	1288	1	65	100	3	6	5	8439	7151	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6588.399902	6588.399902	0.933333
3184	032	2717	0.06	985	1	65	100	3	6	5	8151	7166	RH-1	40	form-based			true	0.7	6	1	5	5	7607.600098	6622.600098	6622.600098	0.933333
3185	022	2778	0.06	900	1	65	100	3	6	5	8334	7434	RH-1	40	form-based			true	0.7	6	1	5	5	7778.399902	6878.399902	6878.399902	0.933333
3185	023	2629	0.06	2770	1	65	100	3	6	5	7887	5117	RH-1	40	form-based			true	0.7	6	1	5	5	7361.199707	4591.199707	4591.199707	0.933333
3185	024	2629	0.06	750	1	65	100	3	6	5	7887	7137	RH-1	40	form-based			true	0.7	6	1	5	5	7361.199707	6611.199707	6611.199707	0.933333
3185	026	2630	0.06	1112	1	65	100	3	6	5	7890	6778	RH-1	40	form-based			true	0.7	6	1	5	5	7364	6252	6252	0.933333
3185	027	2630	0.06	1372	1	65	100	3	6	5	7890	6518	RH-1	40	form-based			true	0.7	6	1	5	5	7364	5992	5992	0.933333
3185	028	2631	0.06	740	1	65	100	3	6	5	7893	7153	RH-1	40	form-based			true	0.7	6	1	5	5	7366.799805	6626.799805	6626.799805	0.933333
3185	029	2631	0.06	2490	1	65	100	3	6	5	7893	5403	RH-1	40	form-based			true	0.7	6	1	5	5	7366.799805	4876.799805	4876.799805	0.933333
3185	030	2631	0.06	1600	1	65	100	3	6	5	7893	6293	RH-1	40	form-based			true	0.7	6	1	5	5	7366.799805	5766.799805	5766.799805	0.933333
3185	032	2632	0.06	704	1	65	100	3	6	5	7896	7192	RH-1	40	form-based			true	0.7	6	1	5	5	7369.600098	6665.600098	6665.600098	0.933333
3189	002	2645	0.06	2776	1	65	100	3	6	5	7935	5159	RH-1(D)	40	form-based	true		true	0.7	6	1	5	5	7406	4630	4630	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3189	004	3092	0.07	1782	1	65	100	3	7	6	9276	7494	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8657.599609	6875.599609	6875.599609	0.933333
3189	005	2937	0.07	1615	1	65	100	3	7	6	8811	7196	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6608.599609	6608.599609	0.933333
3189	010	3067	0.07	1296	1	65	100	3	7	6	9201	7905	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8587.599609	7291.599609	7291.599609	0.933333
3190	013	3089	0.07	1648	1	65	100	3	7	6	9267	7619	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8649.200195	7001.200195	7001.200195	0.933333
3190	015	3016	0.07	1250	1	65	100	3	7	6	9048	7798	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7194.799805	7194.799805	0.933333
3190	017	2953	0.07	1363	1	65	100	3	7	6	8859	7496	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8268.399414	6905.399414	6905.399414	0.933333
3190	018	3048	0.07	1185	1	65	100	3	7	6	9144	7959	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8534.399414	7349.399414	7349.399414	0.933333
3190	019	3044	0.07	1125	1	65	100	3	7	6	9132	8007	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8523.200195	7398.200195	7398.200195	0.933333
3190	020	2874	0.07	1205	1	65	100	3	7	6	8622	7417	RH-1(D)	40	form-based		true	true	0.7	6	0.857142866	5	5	8047.199707	6842.199707	6842.199707	0.933333
3198	022	3036	0.07	1250	1	65	100	3	7	6	9108	7858	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8500.799805	7250.799805	7250.799805	0.933333
3198	023	2964	0.07	1000	1	65	100	3	7	6	8892	7892	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8299.200195	7299.200195	7299.200195	0.933333
3202	018	3649	0.08	1485	1	85	140	4	11	10	14596	13111	RH-1	40	density-lim	3000	true		0.7	6	0.545454562	5	5	10217.2002	8732.200195	8732.200195	0.7
3202	019	3569	0.08	1830	1	85	140	4	11	10	14276	12446	RH-1	40	density-lim	3000	true		0.7	6	0.545454562	5	5	9993.200195	8163.200195	8163.200195	0.7
3198	004	2775	0.06	1200	1	65	100	3	6	5	8325	7125	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7770	6570	6570	0.933333
3198	005	2798	0.06	1125	1	65	100	3	6	5	8394	7269	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7834.399902	6709.399902	6709.399902	0.933333
3198	006	2970	0.07	1125	1	65	100	3	7	6	8910	7785	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8316	7191	7191	0.933333
3198	007	2907	0.07	1860	1	65	100	3	7	6	8721	6861	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8139.600098	6279.600098	6279.600098	0.933333
3198	009	2823	0.06	1269	1	65	100	3	6	5	8469	7200	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7904.399902	6635.399902	6635.399902	0.933333
3198	018	2996	0.07	1412	1	65	100	3	7	6	8988	7576	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8388.799805	6976.799805	6976.799805	0.933333
3198	019	2963	0.07	1775	1	65	100	3	7	6	8889	7114	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8296.399414	6521.399414	6521.399414	0.933333
3198	020	3072	0.07	1680	1	65	100	3	7	6	9216	7536	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8601.599609	6921.599609	6921.599609	0.933333
3199	010	2936	0.07	1000	1	65	100	3	7	6	8808	7808	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8220.799805	7220.799805	7220.799805	0.933333
3199	015	3078	0.07	1125	1	65	100	3	7	6	9234	8109	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8618.399414	7493.399414	7493.399414	0.933333
3203	001	2911	0.07	1250	1	65	100	3	7	6	8733	7483	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8150.799805	6900.799805	6900.799805	0.933333
3203	002	3231	0.07	1756	1	65	100	3	7	6	9693	7937	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	9046.799805	7290.799805	7290.799805	0.933333
3203	014	4819	0.11	1574	1	65	100	3	11	10	14457	12883	RH-1	40	density-lim	3000	true		0.7	6	0.545454562	5	5	13493.2002	11919.2002	11919.2002	0.933333
3204	001	3393	0.08	1320	1	65	100	3	8	7	10179	8859	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9500.399414	8180.399414	8180.399414	0.933333
3204	002	3419	0.08	1983	1	65	100	3	8	7	10257	8274	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9573.200195	7590.200195	7590.200195	0.933333
3204	014A	3863	0.09	1879	1	65	100	3	9	8	11589	9710	RH-1	40	density-lim	3000	true		0.7	6	0.666666687	5	5	10816.39941	8937.399414	8937.399414	0.933333
3206	013	2273	0.05	2100	1	55	80	2.5	4	3	5682	3582	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6364.399902	4264.399902	4264.399902	1.120099
3206	017A	1913	0.04	1155	1	55	80	2.5	3	2	4782	3627	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5356.399902	4201.399902	4201.399902	1.120117
3207	004	2927	0.07	2842	0	55	80	2.5	6	6	7318	4476	NCD-EXCE	65	density-lim	600			0.75	5	0.833333313	5	5	13171.5	10329.5	10329.5	1.799877
3207	011	3470	0.08	1424	1	55	80	2.5	6	5	8675	7251	NCD-EXCE	65	density-lim	600			0.75	6	1	5	5	15615	14191	14191	1.8
3207	012	3081	0.07	2883	0	55	80	2.5	6	6	7702	4819	NCD-EXCE	65	density-lim	600			0.75	5	0.833333313	5	5	13864.5	10981.5	10981.5	1.800117
3208A	001G	2000	0.05	1580	1	55	80	2.5	4	3	5000	3420	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5600	4020	4020	1.12
3208A	001	2238	0.05	1590	1	55	80	2.5	4	3	5595	4005	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6266.399902	4676.399902	4676.399902	1.12
3209	001	2728	0.06	1320	1	65	100	3	6	5	8184	6864	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7638.399902	6318.399902	6318.399902	0.933333
3209	002C	2309	0.05	1221	1	65	100	3	5	4	6927	5706	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6465.199707	5244.199707	5244.199707	0.933333
3209	003	3702	0.08	1265	1	65	100	3	8	7	11106	9841	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	10365.59961	9100.599609	9100.599609	0.933333
3209	007	4242	0.1	2757	1	65	100	3	10	9	12726	9969	RH-1	40	density-lim	3000	true		0.7	6	0.600000024	5	5	11877.59961	9120.599609	9120.599609	0.933333
3210	001	3537	0.08	2600	1	65	100	3	8	7	10611	8011	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9903.599609	7303.599609	7303.599609	0.933333
3210	014	3999	0.09	1878	1	65	100	3	9	8	11997	10119	RH-1	40	density-lim	3000	true		0.7	6	0.666666687	5	5	11197.2002	9319.200195	9319.200195	0.933333
3210	024	1964	0.05	950	1	65	100	3	5	4	5892	4942	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5499.199707	4549.199707	4549.199707	0.933333
3211	001	4023	0.09	1425	1	65	100	3	9	8	12069	10644	RH-1	40	density-lim	3000	true		0.7	6	0.666666687	5	5	11264.39941	9839.399414	9839.399414	0.933333
3211	003	1966	0.05	1731	1	65	100	3	5	4	5898	4167	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5504.799805	3773.799805	3773.799805	0.933333
3211	003R	1937	0.04	1824	1	65	100	3	4	3	5811	3987	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5423.600098	3599.600098	3599.600098	0.933333
3211	005	2293	0.05	2112	1	65	100	3	5	4	6879	4767	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6420.399902	4308.399902	4308.399902	0.933333
3211	005R	2812	0.06	1290	1	65	100	3	6	5	8436	7146	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7873.600098	6583.600098	6583.600098	0.933333
3211	006	1702	0.04	1794	1	65	100	3	4	3	5106	3312	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4765.600098	2971.600098	2971.600098	0.933333
3211	012	1607	0.04	1525	1	65	100	3	4	3	4821	3296	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4499.600098	2974.600098	2974.600098	0.933333
3211	013	1867	0.04	1500	1	65	100	3	4	3	5601	4101	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5227.600098	3727.600098	3727.600098	0.933333
3211	018	5301	0.12	1795	1	65	100	3	12	11	15903	14108	RH-1	40	density-lim	3000	true		0.7	6	0.5	5	5	14842.7998	13047.7998	13047.7998	0.933333
3212	001	3767	0.09	2473	1	85	140	4	13	12	15068	12595	RH-1	40	density-lim	3000	true		0.7	6	0.461538464	5	5	10547.59961	8074.599609	8074.599609	0.7
3212	043	3286	0.08	1640	1	85	140	4	11	10	13144	11504	RH-1	40	density-lim	3000	true		0.7	6	0.545454562	5	5	9200.799805	7560.799805	7560.799805	0.7
3263	007	2891	0.07	1450	1	55	80	2.5	6	5	7228	5778	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8094.799805	6644.799805	6644.799805	1.119923
3263	009	2802	0.06	2103	1	55	80	2.5	5	4	7005	4902	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7845.600098	5742.600098	5742.600098	1.12
3264	001	2704	0.06	2205	1	65	100	3	6	5	8112	5907	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7571.199707	5366.199707	5366.199707	0.933333
3270	002A	2804	0.06	1296	1	65	100	3	6	5	8412	7116	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7851.199707	6555.199707	6555.199707	0.933333
3270	003	2823	0.06	2378	1	65	100	3	6	5	8469	6091	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7904.399902	5526.399902	5526.399902	0.933333
3270	004	2847	0.07	2148	1	65	100	3	7	6	8541	6393	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7971.600098	5823.600098	5823.600098	0.933333
3270	005	3088	0.07	1440	1	65	100	3	7	6	9264	7824	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8646.399414	7206.399414	7206.399414	0.933333
3270	006	3006	0.07	2730	1	65	100	3	7	6	9018	6288	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8416.799805	5686.799805	5686.799805	0.933333
3270	006A	3044	0.07	1612	1	65	100	3	7	6	9132	7520	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8523.200195	6911.200195	6911.200195	0.933333
3270	011A	2676	0.06	2470	1	65	100	3	6	5	8028	5558	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7492.799805	5022.799805	5022.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3271	001	2678	0.06	2134	1	65	100	3	6	5	8034	5900	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	7498.399902	5364.399902	5364.399902	0.933333
3271	002	2984	0.07	1446	1	65	100	3	7	6	8952	7506	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8355.200195	6909.200195	6909.200195	0.933333
3271	003	2983	0.07	1256	1	65	100	3	7	6	8949	7693	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8352.399414	7096.399414	7096.399414	0.933333
3271	004	3051	0.07	1541	1	65	100	3	7	6	9153	7612	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8542.799805	7001.799805	7001.799805	0.933333
3271	005	2806	0.06	2158	1	65	100	3	6	5	8418	6260	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7856.799805	5698.799805	5698.799805	0.933333
3271	006	2856	0.07	1634	1	65	100	3	7	6	8568	6934	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7996.799805	6362.799805	6362.799805	0.933333
3271	007	2856	0.07	1385	1	65	100	3	7	6	8568	7183	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7996.799805	6611.799805	6611.799805	0.933333
3271	008	2674	0.06	1332	1	65	100	3	6	5	8022	6690	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7487.199707	6155.199707	6155.199707	0.933333
3271	009	2760	0.06	1175	1	65	100	3	6	5	8280	7105	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7728	6553	6553	0.933333
3271	010	2707	0.06	1986	1	65	100	3	6	5	8121	6135	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7579.600098	5593.600098	5593.600098	0.933333
3271	011	2751	0.06	1344	1	65	100	3	6	5	8253	6909	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7702.799805	6358.799805	6358.799805	0.933333
3271	013	2980	0.07	2243	1	65	100	3	7	6	8940	6697	RH-1(D)	40	form-based		true	true	0.7	6	0.857142866	5	5	8344	6101	6101	0.933333
3271	014	2907	0.07	2570	1	65	100	3	7	6	8721	6151	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8139.600098	5569.600098	5569.600098	0.933333
3271	015	2944	0.07	1444	1	65	100	3	7	6	8832	7388	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8243.200195	6799.200195	6799.200195	0.933333
3271	016	2869	0.07	1707	1	65	100	3	7	6	8607	6900	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8033.199707	6326.199707	6326.199707	0.933333
3271	017	3009	0.07	2756	1	65	100	3	7	6	9027	6271	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8425.200195	5669.200195	5669.200195	0.933333
3271	018	2955	0.07	2120	1	65	100	3	7	6	8865	6745	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8274	6154	6154	0.933333
3271	019	2957	0.07	1920	1	65	100	3	7	6	8871	6951	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8279.599609	6359.599609	6359.599609	0.933333
3271	020	3060	0.07	2207	1	65	100	3	7	6	9180	6973	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8568	6361	6361	0.933333
3271	021	2866	0.07	1928	1	65	100	3	7	6	8598	6670	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8024.799805	6096.799805	6096.799805	0.933333
3271	022	3085	0.07	1984	1	65	100	3	7	6	9255	7271	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8638	6654	6654	0.933333
3272	001	2941	0.07	1909	1	65	100	3	7	6	8823	6914	RH-1(D)	40	form-based		true	true	0.7	6	0.857142866	5	5	8234.799805	6325.799805	6325.799805	0.933333
3272	006	3074	0.07	1608	1	65	100	3	7	6	9222	7614	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8607.200195	6999.200195	6999.200195	0.933333
3272	007	2962	0.07	2033	1	65	100	3	7	6	8886	6853	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8293.599609	6260.599609	6260.599609	0.933333
3274	011	2748	0.06	2477	1	55	80	2.5	5	4	6870	4393	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7694.399902	5217.399902	5217.399902	1.12
3274	012	2834	0.07	1711	1	55	80	2.5	6	5	7085	5374	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7935.199707	6224.199707	6224.199707	1.12
3275	016	3037	0.07	1482	1	65	100	3	7	6	9111	7629	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	7021.599609	7021.599609	0.933333
3275A	004	2913	0.07	2348	1	65	100	3	7	6	8739	6391	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8156.399902	5808.399902	5808.399902	0.933333
3276	032	2840	0.07	2253	1	65	100	3	7	6	8520	6267	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7952	5699	5699	0.933333
3276	033	2844	0.07	1568	1	65	100	3	7	6	8532	6964	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7963.199707	6395.199707	6395.199707	0.933333
3276	001	2690	0.06	1996	1	65	100	3	6	5	8070	6074	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	7532	5536	5536	0.933333
3276	003	2626	0.06	1312	1	65	100	3	6	5	7878	6566	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7352.799805	6040.799805	6040.799805	0.933333
3276	004	2814	0.06	1154	1	65	100	3	6	5	8442	7288	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7879.199707	6725.199707	6725.199707	0.933333
3276	005	3061	0.07	1013	1	65	100	3	7	6	9183	8170	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8570.799805	7557.799805	7557.799805	0.933333
3276	028	3072	0.07	1322	1	65	100	3	7	6	9216	7894	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8601.599609	7279.599609	7279.599609	0.933333
3277	002	3039	0.07	1328	1	65	100	3	7	6	9117	7789	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8509.200195	7181.200195	7181.200195	0.933333
3277	003	2962	0.07	1218	1	65	100	3	7	6	8886	7668	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8293.599609	7075.599609	7075.599609	0.933333
3277	004	2832	0.07	2236	1	65	100	3	7	6	8496	6260	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7929.600098	5693.600098	5693.600098	0.933333
3277	005	2783	0.06	1212	1	65	100	3	6	5	8349	7137	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7792.399902	6580.399902	6580.399902	0.933333
3277	006	2823	0.06	1783	1	65	100	3	6	5	8469	6686	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7904.399902	6121.399902	6121.399902	0.933333
3277	007	2895	0.07	2312	1	65	100	3	7	6	8685	6373	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8106	5794	5794	0.933333
3277	009	2813	0.06	2338	1	65	100	3	6	5	8439	6101	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	7876.399902	5538.399902	5538.399902	0.933333
3277	010	2695	0.06	2116	1	65	100	3	6	5	8085	5969	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7546	5430	5430	0.933333
3277	011	2659	0.06	1762	1	65	100	3	6	5	7977	6215	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7445.199707	5683.199707	5683.199707	0.933333
3277	013	2820	0.06	1226	1	65	100	3	6	5	8460	7234	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7896	6670	6670	0.933333
3278	001	2991	0.07	2711	1	65	100	3	7	6	8973	6262	RH-1(D)	40	form-based		true	true	0.7	6	0.857142866	5	5	8374.799805	5663.799805	5663.799805	0.933333
3278	002	2693	0.06	1482	1	65	100	3	6	5	8079	6597	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7540.399902	6058.399902	6058.399902	0.933333
3278	002A	2796	0.06	2473	1	65	100	3	6	5	8388	5915	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7828.799805	5355.799805	5355.799805	0.933333
3278	003	2764	0.06	1714	1	65	100	3	6	5	8292	6578	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7739.199707	6025.199707	6025.199707	0.933333
3278	004	2868	0.07	1957	1	65	100	3	7	6	8604	6647	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8030.399902	6073.399902	6073.399902	0.933333
3278	005	2915	0.07	1930	1	65	100	3	7	6	8745	6815	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8162	6232	6232	0.933333
3278	005A	2890	0.07	3071	1	65	100	3	7	6	8670	5599	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8092	5021	5021	0.933333
3278	006	3093	0.07	2378	1	65	100	3	7	6	9279	6901	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8660.399414	6282.399414	6282.399414	0.933333
3278	008	3043	0.07	1630	1	65	100	3	7	6	9129	7499	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8520.399414	6890.399414	6890.399414	0.933333
3278	012H	1537	0.04	1125	1	65	100	3	4	3	4611	3486	RTO-C	65	form-based			true	0.75	6	1.5	5	5	6916.5	5791.5	5791.5	1.5
3278	016	3062	0.07	1595	1	65	100	3	7	6	9186	7591	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8573.599609	6978.599609	6978.599609	0.933333
3278	017A	2779	0.06	2378	1	65	100	3	6	5	8337	5959	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7781.199707	5403.199707	5403.199707	0.933333
3278	018	2791	0.06	2044	1	65	100	3	6	5	8373	6329	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7814.799805	5770.799805	5770.799805	0.933333
3278	019	2701	0.06	1540	1	65	100	3	6	5	8103	6563	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7562.799805	6022.799805	6022.799805	0.933333
3278	021	2863	0.07	2175	1	65	100	3	7	6	8589	6414	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8016.399902	5841.399902	5841.399902	0.933333
3278	022	2768	0.06	1540	1	65	100	3	6	5	8304	6764	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7750.399902	6210.399902	6210.399902	0.933333
3278	023	2866	0.07	1498	1	65	100	3	7	6	8598	7100	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8024.799805	6526.799805	6526.799805	0.933333
3279	005	2910	0.07	1444	1	65	100	3	7	6	8730	7286	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8148	6704	6704	0.933333
3281	012	3067	0.07	2225	1	65	100	3	7	6	9201	6976	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8587.599609	6362.599609	6362.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3281	014	2877	0.07	2059	1	65	100	3	7	6	8631	6572	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8055.600098	5996.600098	5996.600098	0.933333
3281	014A	3010	0.07	2738	1	65	100	3	7	6	9030	6292	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8428	5690	5690	0.933333
3281	015	2945	0.07	1200	1	65	100	3	7	6	8835	7635	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8246	7046	7046	0.933333
3281	015A	2957	0.07	1200	1	65	100	3	7	6	8871	7671	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8279.599609	7079.599609	7079.599609	0.933333
3280	004	2720	0.06	2110	1	65	100	3	6	5	8160	6050	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7616	5506	5506	0.933333
3280	005	2712	0.06	2250	1	65	100	3	6	5	8136	5886	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7593.600098	5343.600098	5343.600098	0.933333
3280	006	2766	0.06	2416	1	65	100	3	6	5	8298	5882	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7744.799805	5328.799805	5328.799805	0.933333
3280	006A	2852	0.07	1954	1	65	100	3	7	6	8556	6602	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	7985.600098	6031.600098	6031.600098	0.933333
3281	001	2663	0.06	3044	1	65	100	3	6	5	7989	4945	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7456.399902	4412.399902	4412.399902	0.933333
3281	026	3049	0.07	1802	1	65	100	3	7	6	9147	7345	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8537.200195	6735.200195	6735.200195	0.933333
3281	026A	3016	0.07	1287	1	65	100	3	7	6	9048	7761	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7157.799805	7157.799805	0.933333
3281	027A	2829	0.06	1476	1	65	100	3	6	5	8487	7011	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7921.199707	6445.199707	6445.199707	0.933333
3281	030	3073	0.07	1698	1	65	100	3	7	6	9219	7521	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8604.399414	6906.399414	6906.399414	0.933333
3281	033	2714	0.06	1698	1	65	100	3	6	5	8142	6444	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7599.199707	5901.199707	5901.199707	0.933333
3281	034	2860	0.07	1412	1	65	100	3	7	6	8580	7168	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8008	6596	6596	0.933333
3282	011	3075	0.07	1724	1	65	100	3	7	6	9225	7501	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8610	6886	6886	0.933333
3281	057	3425	0.08	2251	2	65	100	3	8	6	10275	8024	RH-1(D)	40	form-based			true	0.7	7	0.875	5	5	9590	7339	7339	0.933333
3281	058	3141	0.07	2973	2	65	100	3	7	5	9423	6450	RH-1(D)	40	form-based			true	0.7	7	1	5	5	8794.799805	5821.799805	5821.799805	0.933333
3282	006	2973	0.07	1894	1	65	100	3	7	6	8919	7025	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8324.399414	6430.399414	6430.399414	0.933333
3282	007	2656	0.06	2513	1	65	100	3	6	5	7968	5455	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7436.799805	4923.799805	4923.799805	0.933333
3282	012A	2988	0.07	1978	1	65	100	3	7	6	8964	6986	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8366.399414	6388.399414	6388.399414	0.933333
3282	016	2814	0.06	1250	1	65	100	3	6	5	8442	7192	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7879.199707	6629.199707	6629.199707	0.933333
3282	016A	2817	0.06	1125	1	65	100	3	6	5	8451	7326	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7887.600098	6762.600098	6762.600098	0.933333
3282	017	2748	0.06	1125	1	65	100	3	6	5	8244	7119	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7694.399902	6569.399902	6569.399902	0.933333
3282	018	2628	0.06	1125	1	65	100	3	6	5	7884	6759	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7358.399902	6233.399902	6233.399902	0.933333
3282	019	2831	0.06	1250	1	65	100	3	6	5	8493	7243	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7926.799805	6676.799805	6676.799805	0.933333
3282	020	2944	0.07	1540	1	65	100	3	7	6	8832	7292	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8243.200195	6703.200195	6703.200195	0.933333
3282	020A	3035	0.07	1904	1	65	100	3	7	6	9105	7201	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8498	6594	6594	0.933333
3283	043	2969	0.07	2723	1	65	100	3	7	6	8907	6184	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	5590.200195	5590.200195	0.933333
3283	109	3193	0.07	1403	2	65	100	3	7	5	9579	8176	RH-2	40	form-based			true	0.7	7	1	5	5	8940.399414	7537.399414	7537.399414	0.933333
3502	037	1973	0.05	4845	5	85	140	4	7	2	7892	3047	RTO-1	85	form-based			true	0.7	10	1.428571463	5	5	11048.7998	6203.799805	6203.799805	1.4
3502	048	2000	0.05	950	1	85	140	4	7	6	8000	7050	RTO-1	50	form-based			true	0.7	6	0.857142866	5	5	7000	6050	6050	0.875
3502	071	2121	0.05	1680	1	65	100	3	5	4	6363	4683	RTO-1	50	form-based			true	0.7	6	1.200000048	5	5	7423.5	5743.5	5743.5	1.166667
3504	027	2333	0.05	1467	2	65	100	3	5	3	6999	5532	NCT-3	50	form-based				0.75	7	1.399999976	5	5	8748.75	7281.75	7281.75	1.25
3504	028	2354	0.05	1640	2	65	100	3	5	3	7062	5422	NCT-3	50	form-based	true			0.75	7	1.399999976	5	5	8827.5	7187.5	7187.5	1.25
3509	045	2766	0.06	4919	1	75	120	3.5	7	6	9681	4762	RED-MX	45	form-based				0.75	6	0.857142866	5	5	8298	3379	3379	0.857143
3509	050	2987	0.07	2889	2	75	120	3.5	8	6	10454	7565	RED-MX	45	form-based				0.75	7	0.875	5	5	8961	6072	6072	0.857184
3510	007	1565	0.04	0	0	65	100	3	4	4	4695	4695	RCD	55	form-based				0.75	5	1.25	5	5	5868.75	5868.75	5868.75	1.25
3510	010	2250	0.05	6750	0	65	100	3	5	5	6750	0	RED-MX	45	form-based				0.75	5	1	5	5	6750	0	0	1
3510	043	2106	0.05	2012	0	65	100	3	5	5	6318	4306	RED-MX	45	form-based				0.75	5	1	5	5	6318	4306	4306	1
3511	073	2133	0.05	4125	6	85	140	4	7	1	8532	4407	WMUG	85	form-based			true	0.75	11	1.571428537	5	5	12798	8673	8673	1.5
3511	078	2110	0.05	4174	0	65	100	3	5	5	6330	2156	RED	40	form-based				0.75	5	1	5	5	6330	2156	2156	1
3513	056	2125	0.05	4350	6	65	100	3	5	0	6375	2025	NCT-3	85	form-based				0.75	11	2.200000048	5	4	12750	8400	8400	2
3515	009	909	0.02	0	0	65	100	3	2	2	2727	2727	WMUG	85	form-based			true	0.75	5	2.5	5	4	5454	5454	5454	2
3515	010	2093	0.05	6450	6	65	100	3	5	0	6279	0	WMUG	85	form-based	true	true		0.75	11	2.200000048	5	4	12558	6108	6108	2
3516	040	2071	0.05	0	0	65	100	3	5	5	6213	6213	RED-MX	40	form-based				0.75	5	1	5	5	6213	6213	6213	1
3516	041	2083	0.05	0	0	65	100	3	5	5	6249	6249	RED-MX	40	form-based				0.75	5	1	5	5	6249	6249	6249	1
3516	042	2223	0.05	0	0	65	100	3	5	5	6669	6669	RED-MX	40	form-based				0.75	5	1	5	5	6669	6669	6669	1
3518	024	2125	0.05	2591	0	65	100	3	5	5	6375	3784	RED-MX	45	form-based				0.75	5	1	5	5	6375	3784	3784	1
3519	013	2375	0.05	2244	2	65	100	3	5	3	7125	4881	WMUG	55	form-based				0.75	7	1.399999976	5	5	8906.25	6662.25	6662.25	1.25
3519	025	2500	0.06	3914	1	65	100	3	6	5	7500	3586	RED	40	form-based				0.75	6	1	5	5	7500	3586	3586	1
3519	033	2521	0.06	1030	1	65	100	3	6	5	7563	6533	RED	40	form-based				0.75	6	1	5	5	7563	6533	6533	1
3519	037	2521	0.06	1700	1	65	100	3	6	5	7563	5863	RED	40	form-based				0.75	6	1	5	5	7563	5863	5863	1
3519	042	2479	0.06	2276	2	65	100	3	6	4	7437	5161	RCD	55	form-based				0.75	7	1.166666627	5	5	9296.25	7020.25	7020.25	1.25
3519	043	2479	0.06	1960	2	65	100	3	6	4	7437	5477	RCD	55	form-based				0.75	7	1.166666627	5	5	9296.25	7336.25	7336.25	1.25
3519	044	2479	0.06	2451	2	65	100	3	6	4	7437	4986	RCD	55	form-based				0.75	7	1.166666627	5	5	9296.25	6845.25	6845.25	1.25
3519	057	2125	0.05	4242	0	65	100	3	5	5	6375	2133	RED	40	form-based				0.75	5	1	5	5	6375	2133	2133	1
3519	070	2500	0.06	2000	1	65	100	3	6	5	7500	5500	RED	40	form-based				0.75	6	1	5	5	7500	5500	5500	1
3521	088	1773	0.04	836	4	65	100	3	4	0	5319	4483	WMUG	85	form-based			true	0.75	9	2.25	5	4	10638	9802	9802	2
3522	002	2017	0.05	2862	0	65	100	3	5	5	6051	3189	RED-MX	45	form-based				0.75	5	1	5	5	6051	3189	3189	1
3525	075	2100	0.05	2100	0	55	80	2.5	4	4	5250	3150	RED-MX	45	form-based	true			0.75	5	1.25	5	5	6300	4200	4200	1.2
3532	003	2500	0.06	5200	4	65	100	3	6	2	7500	2300	UMU	68	form-based				0.75	9	1.5	5	5	11250	6050	6050	1.5
3532	088	2330	0.05	859	2	65	100	3	5	3	6990	6131	NCT-3	50	form-based	true			0.75	7	1.399999976	5	5	8737.5	7878.5	7878.5	1.25
3534	011	3880	0.09	4826	3	65	100	3	9	6	11640	6814	RTO-1	40	form-based		true		0.7	8	0.888888896	5	5	10864	6038	6038	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3534	017B	2586	0.06	3152	2	65	100	3	6	4	7758	4606	RTO-1	50	form-based			true	0.7	7	1.166666627	5	5	9051	5899	5899	1.166667
3534	025C	3165	0.07	4814	4	65	100	3	7	3	9495	4681	RTO-1	50	form-based		true	true	0.7	9	1.285714269	5	5	11077.5	6263.5	6263.5	1.166667
3534	031	1748	0.04	3462	4	85	140	4	6	2	6992	3530	RTO-1	85	form-based			true	0.7	9	1.5	5	5	9788.799805	6326.799805	6326.799805	1.4
3534	031A	4000	0.09	10512	15	85	140	4	13	0	16000	5488	RTO-1	85	form-based		true	true	0.7	20	1.538461566	5	5	22400	11888	11888	1.4
3534	176	3883	0.09	1245	6	65	100	3	9	3	11649	10404	RTO-1	50	form-based			true	0.7	11	1.222222209	5	5	13590.5	12345.5	12345.5	1.166667
3537	023	3700	0.08	7195	6	65	100	3	8	2	11100	3905	NCT-UPPE	50	form-based			true	0.75	11	1.375	5	5	13875	6680	6680	1.25
3537	040	3125	0.07	2376	2	65	100	3	7	5	9375	6999	RTO-1	40	form-based			true	0.7	7	1	5	5	8750	6374	6374	0.933333
3537	131	3125	0.07	988	2	65	100	3	7	5	9375	8387	RTO-1	40	form-based			true	0.7	7	1	5	5	8750	7762	7762	0.933333
3537	133	2144	0.05	1810	6	65	100	3	5	0	6432	4622	RTO-C	85	form-based			true	0.75	11	2.200000048	5	4	12864	11054	11054	2
3538	014	3249	0.07	3674	2	65	100	3	7	5	9747	6073	RTO-1	40	form-based			true	0.7	7	1	5	5	9097.200195	5423.200195	5423.200195	0.933333
3538	042	3840	0.09	3468	3	65	100	3	9	6	11520	8052	RTO-1	40	form-based			true	0.7	8	0.888888896	5	5	10752	7284	7284	0.933333
3538	048	3747	0.09	2476	3	85	140	4	13	10	14988	12512	RTO-1	40	form-based			true	0.7	8	0.615384638	5	5	10491.59961	8015.599609	8015.599609	0.7
3538	124	3249	0.07	2109	2	65	100	3	7	5	9747	7638	RTO-1	40	form-based			true	0.7	7	1	5	5	9097.200195	6988.200195	6988.200195	0.933333
3538	180	3744	0.09	1396	3	65	100	3	9	6	11232	9836	RTO-1	40	form-based			true	0.7	8	0.888888896	5	5	10483.2002	9087.200195	9087.200195	0.933333
3540	018	2875	0.07	750	1	65	100	3	7	6	8625	7875	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8050	7300	7300	0.933333
3540	027	2875	0.07	2068	1	65	100	3	7	6	8625	6557	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8050	5982	5982	0.933333
3540	043	2882	0.07	1243	1	65	100	3	7	6	8646	7403	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8069.600098	6826.600098	6826.600098	0.933333
3540	045	3228	0.07	2667	2	65	100	3	7	5	9684	7017	RH-3	40	form-based			true	0.7	7	1	5	5	9038.399414	6371.399414	6371.399414	0.933333
3540	050	3228	0.07	2840	2	65	100	3	7	5	9684	6844	RH-3	40	form-based			true	0.7	7	1	5	5	9038.399414	6198.399414	6198.399414	0.933333
3540	051	3458	0.08	2184	2	65	100	3	8	6	10374	8190	RH-3	40	form-based			true	0.7	7	0.875	5	5	9682.399414	7498.399414	7498.399414	0.933333
3540	058	2990	0.07	1040	1	65	100	3	7	6	8970	7930	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8372	7332	7332	0.933333
3540	060	2990	0.07	1264	1	65	100	3	7	6	8970	7706	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8372	7108	7108	0.933333
3540	064	2990	0.07	1378	1	65	100	3	7	6	8970	7592	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8372	6994	6994	0.933333
3540	077	2992	0.07	1620	1	65	100	3	7	6	8976	7356	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6757.599609	6757.599609	0.933333
3540	078	2992	0.07	3100	1	65	100	3	7	6	8976	5876	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	5277.599609	5277.599609	0.933333
3540	085	2990	0.07	1336	1	65	100	3	7	6	8970	7634	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8372	7036	7036	0.933333
3540	141	5307	0.12	981	6	65	100	3	12	6	15921	14940	RH-3	40	form-based			true	0.7	11	0.916666687	5	5	14859.59961	13878.59961	13878.59961	0.933333
3541	003	2635	0.06	1570	2	65	100	3	6	4	7905	6335	RTO-1	50	form-based			true	0.7	7	1.166666627	5	5	9222.5	7652.5	7652.5	1.166667
3541	004	2635	0.06	1960	2	65	100	3	6	4	7905	5945	RTO-1	50	form-based			true	0.7	7	1.166666627	5	5	9222.5	7262.5	7262.5	1.166667
3541	019	2588	0.06	2256	2	65	100	3	6	4	7764	5508	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	9058	6802	6802	1.166667
3541	019A	2588	0.06	2256	2	65	100	3	6	4	7764	5508	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	9058	6802	6802	1.166667
3541	038	2882	0.07	2250	3	65	100	3	7	4	8646	6396	RTO-1	50	form-based			true	0.7	8	1.142857194	5	5	10087	7837	7837	1.166667
3541	046	2882	0.07	3324	3	65	100	3	7	4	8646	5322	RTO-1	50	form-based			true	0.7	8	1.142857194	5	5	10087	6763	6763	1.166667
3541	047	2875	0.07	3660	3	65	100	3	7	4	8625	4965	RTO-1	50	form-based			true	0.7	8	1.142857194	5	5	10062.5	6402.5	6402.5	1.166667
3541	050	2875	0.07	3031	3	65	100	3	7	4	8625	5594	RTO-1	50	form-based			true	0.7	8	1.142857194	5	5	10062.5	7031.5	7031.5	1.166667
3541	055	2875	0.07	2260	1	65	100	3	7	6	8625	6365	RTO-1	40	form-based			true	0.7	6	0.857142866	5	5	8050	5790	5790	0.933333
3541	056	2875	0.07	1800	1	65	100	3	7	6	8625	6825	RTO-1	40	form-based			true	0.7	6	0.857142866	5	5	8050	6250	6250	0.933333
3541	068	2873	0.07	1552	1	65	100	3	7	6	8619	7067	RTO-1	40	form-based			true	0.7	6	0.857142866	5	5	8044.399902	6492.399902	6492.399902	0.933333
3541	070	2873	0.07	1920	1	65	100	3	7	6	8619	6699	RTO-1	40	form-based			true	0.7	6	0.857142866	5	5	8044.399902	6124.399902	6124.399902	0.933333
3541	073	2872	0.07	1848	1	65	100	3	7	6	8616	6768	RTO-1	40	form-based			true	0.7	6	0.857142866	5	5	8041.600098	6193.600098	6193.600098	0.933333
3541	074	2872	0.07	3080	1	65	100	3	7	6	8616	5536	RTO-1	40	form-based			true	0.7	6	0.857142866	5	5	8041.600098	4961.600098	4961.600098	0.933333
3541	085	2882	0.07	1252	3	65	100	3	7	4	8646	7394	RTO-1	50	form-based			true	0.7	8	1.142857194	5	5	10087	8835	8835	1.166667
3541	091	2882	0.07	1748	3	65	100	3	7	4	8646	6898	RTO-1	50	form-based			true	0.7	8	1.142857194	5	5	10087	8339	8339	1.166667
3541	094	2871	0.07	1737	3	65	100	3	7	4	8613	6876	RTO-1	50	form-based			true	0.7	8	1.142857194	5	5	10048.5	8311.5	8311.5	1.166667
3541	123	2882	0.07	1475	3	65	100	3	7	4	8646	7171	RTO-1	50	form-based			true	0.7	8	1.142857194	5	5	10087	8612	8612	1.166667
3541	129	2875	0.07	1048	3	65	100	3	7	4	8625	7577	RTO-1	50	form-based			true	0.7	8	1.142857194	5	5	10062.5	9014.5	9014.5	1.166667
3544	002	2465	0.06	3440	2	65	100	3	6	4	7395	3955	RTO-1	50	form-based			true	0.7	7	1.166666627	5	5	8627.5	5187.5	5187.5	1.166667
3544	003	2515	0.06	3200	2	65	100	3	6	4	7545	4345	RTO-1	50	form-based			true	0.7	7	1.166666627	5	5	8802.5	5602.5	5602.5	1.166667
3544	013A	5127	0.12	7600	9	65	100	3	12	3	15381	7781	RTO-1	50	form-based			true	0.7	14	1.166666627	5	5	17944.5	10344.5	10344.5	1.166667
3544	025	3125	0.07	5550	4	65	100	3	7	3	9375	3825	RTO-1	50	form-based			true	0.7	9	1.285714269	5	5	10937.5	5387.5	5387.5	1.166667
3544	028	3125	0.07	4730	4	65	100	3	7	3	9375	4645	RTO-1	50	form-based			true	0.7	9	1.285714269	5	5	10937.5	6207.5	6207.5	1.166667
3544	031A	2500	0.06	1900	2	65	100	3	6	4	7500	5600	RTO-1	50	form-based			true	0.7	7	1.166666627	5	5	8750	6850	6850	1.166667
3544	033	2856	0.07	4425	3	85	140	4	10	7	11424	6999	RTO-1	50	form-based			true	0.7	8	0.800000012	5	5	9996	5571	5571	0.875
3544	040	3125	0.07	4310	4	65	100	3	7	3	9375	5065	RTO-1	50	form-based			true	0.7	9	1.285714269	5	5	10937.5	6627.5	6627.5	1.166667
3544	043	3125	0.07	4460	4	65	100	3	7	3	9375	4915	RTO-1	50	form-based			true	0.7	9	1.285714269	5	5	10937.5	6477.5	6477.5	1.166667
3544	044	2500	0.06	1975	2	65	100	3	6	4	7500	5525	RTO-1	50	form-based			true	0.7	7	1.166666627	5	5	8750	6775	6775	1.166667
3544	120	3125	0.07	1450	4	65	100	3	7	3	9375	7925	RTO-1	50	form-based			true	0.7	9	1.285714269	5	5	10937.5	9487.5	9487.5	1.166667
3544	139	3125	0.07	682	4	65	100	3	7	3	9375	8693	RTO-1	50	form-based			true	0.7	9	1.285714269	5	5	10937.5	10255.5	10255.5	1.166667
3545	003	3296	0.08	10107	0	65	100	3	8	8	9888	0	RTO-1	40	density-lin	600			0.7	5	0.625	5	5	9228.799805	0	0	0.933333
3548	020	2034	0.05	990	1	75	120	3.5	6	5	7119	6129	UMU	58	form-based				0.75	6	1	5	5	7627.5	6637.5	6637.5	1.071429
3548	022	2520	0.06	2796	2	75	120	3.5	7	5	8820	6024	RTO-M	55	form-based		true		0.7	7	1	5	5	8820	6024	6024	1
3548	042	2400	0.06	0	0	85	140	4	8	8	9600	9600	NCT-MISSI	40	form-based				0.75	5	0.625	5	5	7200	7200	7200	0.75
3548	063	2000	0.05	2400	0	75	120	3.5	6	6	7000	4600	UMU	48	form-based				0.75	5	0.833333313	5	5	6000	3600	3600	0.857143
3549	034	3726	0.09	6750	6	75	120	3.5	11	5	13041	6291	UMU	58	form-based				0.75	11	1	5	5	13972.5	7222.5	7222.5	1.071429

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3549	060	3000	0.07	3541	4	75	120	3.5	8	4	10500	6959	UMU	58	form-based				0.75	9	1.125	5	5	11250	7709	7709	1.071429
3553	003	4013	0.09	5970	6	75	120	3.5	11	5	14046	8076	RTO-M	55	form-based				0.7	11	1	5	5	14045.5	8075.5	8075.5	0.999964
3553	045	3600	0.08	5650	3	75	120	3.5	10	7	12600	6950	RTO-M	40	form-based				0.7	8	0.800000012	5	5	10080	4430	4430	0.8
3555	031	2848	0.07	1250	1	75	120	3.5	8	7	9968	8718	RTO-M	45	form-based				0.7	6	0.75	5	5	7974.399902	6724.399902	6724.399902	0.8
3555	031A	2991	0.07	1250	1	75	120	3.5	8	7	10468	9218	RTO-M	45	form-based				0.7	6	0.75	5	5	8374.799805	7124.799805	7124.799805	0.800038
3555	031B	2919	0.07	1488	1	75	120	3.5	8	7	10216	8728	RTO-M	45	form-based				0.7	6	0.75	5	5	8173.199707	6685.199707	6685.199707	0.800039
3555	031E	2876	0.07	1250	1	75	120	3.5	8	7	10066	8816	RTO-M	45	form-based				0.7	6	0.75	5	5	8052.799805	6802.799805	6802.799805	0.8
3555	031G	2971	0.07	1000	1	75	120	3.5	8	7	10398	9398	RTO-M	45	form-based				0.7	6	0.75	5	5	8318.799805	7318.799805	7318.799805	0.800038
3555	038	2712	0.06	4938	3	75	120	3.5	7	4	9492	4554	RTO-M	55	form-based				0.7	8	1.142857194	5	5	9492	4554	4554	1
3555	047	2677	0.06	1350	1	75	120	3.5	7	6	9370	8020	RTO-M	45	form-based				0.7	6	0.857142866	5	5	7495.600098	6145.600098	6145.600098	0.799957
3556	028	3181	0.07	1966	2	85	140	4	10	8	12724	10758	RTO-1	40	form-based			true	0.7	7	0.699999988	5	5	8906.799805	6940.799805	6940.799805	0.7
3557	044	2375	0.05	5154	3	65	100	3	5	2	7125	1971	RTO-1	65	form-based			true	0.7	8	1.600000024	5	5	9975	4821	4821	1.4
3556	274	6668	0.15	7845	9	65	100	3	15	6	20004	12159	RTO-1	40	form-based			true	0.7	14	0.933333337	5	5	18670.40039	10825.40039	10825.40039	0.933333
3557	038	3125	0.07	5550	6	85	140	4	10	4	12500	6950	RTO-1	65	form-based			true	0.7	11	1.100000024	5	5	13125	7575	7575	1.05
3557	052	2511	0.06	2746	2	65	100	3	6	4	7533	4787	RTO-1	50	form-based			true	0.7	7	1.166666627	5	5	8788.5	6042.5	6042.5	1.166667
3557	054	2511	0.06	2270	2	65	100	3	6	4	7533	5263	RTO-1	50	form-based			true	0.7	7	1.166666627	5	5	8788.5	6518.5	6518.5	1.166667
3557	055A	3264	0.07	3594	4	65	100	3	7	3	9792	6198	RTO-1	50	form-based			true	0.7	9	1.285714269	5	5	11424	7830	7830	1.166667
3557	124	2511	0.06	1362	2	65	100	3	6	4	7533	6171	RTO-1	50	form-based			true	0.7	7	1.166666627	5	5	8788.5	7426.5	7426.5	1.166667
3557	126	2511	0.06	1750	2	65	100	3	6	4	7533	5783	RTO-1	50	form-based			true	0.7	7	1.166666627	5	5	8788.5	7038.5	7038.5	1.166667
3558	021	2740	0.06	4500	3	65	100	3	6	3	8220	3720	RTO-1	50	form-based			true	0.7	8	1.333333373	5	5	9590	5090	5090	1.166667
3558	035A	4080	0.09	4137	6	85	140	4	13	7	16320	12183	RTO-1	50	form-based			true	0.7	11	0.846153855	5	5	14280	10143	10143	0.875
3558	040	2521	0.06	3000	2	85	140	4	8	6	10084	7084	RTO-1	50	form-based			true	0.7	7	0.875	5	5	8823.5	5823.5	5823.5	0.875
3558	068	2500	0.06	1580	2	65	100	3	6	4	7500	5920	RTO-1	50	form-based			true	0.7	7	1.166666627	5	5	8750	7170	7170	1.166667
3558	069	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RTO-1	50	form-based			true	0.7	7	1.166666627	5	5	8750	6750	6750	1.166667
3559	026	2750	0.06	1755	3	65	100	3	6	3	8250	6495	RTO-1	50	form-based			true	0.7	8	1.333333373	5	5	9625	7870	7870	1.166667
3560	021	3153	0.07	1785	4	65	100	3	7	3	9459	7674	RH-2	50	form-based			true	0.7	9	1.285714269	5	5	11035.5	9250.5	9250.5	1.166667
3560	032	2754	0.06	1430	3	65	100	3	6	3	8262	6832	RM-2	50	form-based			true	0.7	8	1.333333373	5	5	9639	8209	8209	1.166667
3560	037	2715	0.06	1394	3	65	100	3	6	3	8145	6751	RM-2	50	form-based			true	0.7	8	1.333333373	5	5	9502.5	8108.5	8108.5	1.166667
3561	002	2624	0.06	2475	2	65	100	3	6	4	7872	5397	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	9184	6709	6709	1.166667
3561	004	2748	0.06	2070	3	65	100	3	6	3	8244	6174	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9618	7548	7548	1.166667
3561	010	2758	0.06	4909	3	85	140	4	8	5	11032	6123	NCT-UPPE	50	form-based			true	0.75	8	1	5	5	10342.5	5433.5	5433.5	0.9375
3561	025	2899	0.07	2903	3	65	100	3	7	4	8697	5794	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10146.5	7243.5	7243.5	1.166667
3561	033	2500	0.06	3630	2	65	100	3	6	4	7500	3870	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	5120	5120	1.166667
3561	050	2875	0.07	3430	3	65	100	3	7	4	8625	5195	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10062.5	6632.5	6632.5	1.166667
3561	065E	3250	0.07	2908	2	65	100	3	7	5	9750	6842	RH-2	40	form-based			true	0.7	7	1	5	5	9100	6192	6192	0.933333
3561	068	2809	0.06	2808	1	65	100	3	6	5	8427	5619	RH-3	40	form-based	true		true	0.7	6	1	5	5	7865.199707	5057.199707	5057.199707	0.933333
3561	086	5500	0.13	10075	10	65	100	3	13	3	16500	6425	RH-3	50	form-based	true		true	0.7	15	1.153846145	5	5	19250	9175	9175	1.166667
3561	123	2899	0.07	1527	3	65	100	3	7	4	8697	7170	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10146.5	8619.5	8619.5	1.166667
3563	004	2625	0.06	2292	2	65	100	3	6	4	7875	5583	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	9187.5	6895.5	6895.5	1.166667
3563	009	3000	0.07	2320	3	85	140	4	10	7	12000	9680	RH-3	50	form-based			true	0.7	8	0.800000012	5	5	10500	8180	8180	0.875
3563	010	2375	0.05	3674	2	85	140	4	7	5	9500	5826	RH-3	50	form-based			true	0.7	7	1	5	5	8312.5	4638.5	4638.5	0.875
3563	042	2625	0.06	1348	2	85	140	4	8	6	10500	9152	RH-3	50	form-based			true	0.7	7	0.875	5	5	9187.5	7839.5	7839.5	0.875
3564	005	2500	0.06	2900	2	65	100	3	6	4	7500	4600	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	5850	5850	1.166667
3564	008	2500	0.06	2204	2	65	100	3	6	4	7500	5296	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	6546	6546	1.166667
3564	010	2500	0.06	3000	2	65	100	3	6	4	7500	4500	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	5750	5750	1.166667
3564	030	2008	0.05	945	1	65	100	3	5	4	6024	5079	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7028	6083	6083	1.166667
3564	032	2008	0.05	2336	1	65	100	3	5	4	6024	3688	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7028	4692	4692	1.166667
3564	035	2008	0.05	2770	1	65	100	3	5	4	6024	3254	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7028	4258	4258	1.166667
3564	066	2000	0.05	1125	1	65	100	3	5	4	6000	4875	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7000	5875	5875	1.166667
3564	067	2000	0.05	1414	1	65	100	3	5	4	6000	4586	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7000	5586	5586	1.166667
3564	068	2250	0.05	2330	1	65	100	3	5	4	6750	4420	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7875	5545	5545	1.166667
3564	070A	2569	0.06	2768	2	65	100	3	6	4	7707	4939	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8991.5	6223.5	6223.5	1.166667
3564	076	2287	0.05	1340	1	85	140	4	7	6	9148	7808	RH-3	50	form-based			true	0.7	6	0.857142866	5	5	8004.5	6664.5	6664.5	0.875
3564	083	2405	0.06	3600	2	85	140	4	8	6	9620	6020	RH-3	50	form-based			true	0.7	7	0.875	5	5	8417.5	4817.5	4817.5	0.875
3564	084	2523	0.06	2480	2	65	100	3	6	4	7569	5089	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8830.5	6350.5	6350.5	1.166667
3564	085	2274	0.05	1399	1	65	100	3	5	4	6822	5423	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7959	6560	6560	1.166667
3564	086	2524	0.06	3695	3	85	140	4	8	5	10096	6401	NCT-UPPE	50	form-based			true	0.75	8	1	5	5	9465	5770	5770	0.9375
3564	098	2616	0.06	3425	2	65	100	3	6	4	7848	4423	RM-1	50	form-based			true	0.7	7	1.166666627	5	5	9156	5731	5731	1.166667
3564	099	2500	0.06	1030	2	65	100	3	6	4	7500	6470	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	7720	7720	1.166667
3564	115	2500	0.06	1097	2	65	100	3	6	4	7500	6403	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	7653	7653	1.166667
3565	082	2125	0.05	1528	1	65	100	3	5	4	6375	4847	RM-1	50	form-based			true	0.7	6	1.200000048	5	5	7437.5	5909.5	5909.5	1.166667
3564	207	2500	0.06	1864	2	65	100	3	6	4	7500	5636	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	6886	6886	1.166667
3565	080	2125	0.05	1700	1	65	100	3	5	4	6375	4675	RM-1	50	form-based			true	0.7	6	1.200000048	5	5	7437.5	5737.5	5737.5	1.166667
3565	083	2125	0.05	1225	1	65	100	3	5	4	6375	5150	RM-1	50	form-based			true	0.7	6	1.200000048	5	5	7437.5	6212.5	6212.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3566	014	2240	0.05	1083	1	65	100	3	5	4	6720	5637	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7840	6757	6757	1.166667
3566	015	2163	0.05	1320	1	65	100	3	5	4	6489	5169	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7570.5	6250.5	6250.5	1.166667
3566	018	2132	0.05	1565	1	65	100	3	5	4	6396	4831	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7462	5897	5897	1.166667
3566	020	2255	0.05	1125	1	65	100	3	5	4	6765	5640	RH-2	50	form-based		true	true	0.7	6	1.200000048	5	5	7892.5	6767.5	6767.5	1.166667
3566	031	2436	0.06	2860	2	65	100	3	6	4	7308	4448	RM-1	50	form-based			true	0.7	7	1.166666627	5	5	8526	5666	5666	1.166667
3566	033	2859	0.07	3885	3	65	100	3	7	4	8577	4692	RM-1	50	form-based			true	0.7	8	1.142857194	5	5	10006.5	6121.5	6121.5	1.166667
3566	035	3102	0.07	3500	4	65	100	3	7	3	9306	5806	RM-1	50	form-based			true	0.7	9	1.285714269	5	5	10857	7357	7357	1.166667
3566	044	2347	0.05	2900	2	65	100	3	5	3	7041	4141	RM-2	50	form-based			true	0.7	7	1.399999976	5	5	8214.5	5314.5	5314.5	1.166667
3566	045	2476	0.06	1540	2	65	100	3	6	4	7428	5888	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8666	7126	7126	1.166667
3566	050	2257	0.05	908	1	65	100	3	5	4	6771	5863	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7899.5	6991.5	6991.5	1.166667
3566	062	2065	0.05	1336	3	85	140	4	7	4	8260	6924	RTO-C	65	form-based			true	0.75	8	1.142857194	5	5	9292.5	7956.5	7956.5	1.125
3566	077	2475	0.06	1375	2	65	100	3	6	4	7425	6050	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8662.5	7287.5	7287.5	1.166667
3566	079	2483	0.06	1297	2	65	100	3	6	4	7449	6152	RM-1	50	form-based			true	0.7	7	1.166666627	5	5	8690.5	7393.5	7393.5	1.166667
3566	093	2874	0.07	1221	3	65	100	3	7	4	8622	7401	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10059	8838	8838	1.166667
3568	004	2672	0.06	5230	3	85	140	4	8	5	10688	5458	NCT-VALEI	55	form-based				0.75	8	1	5	5	10020	4790	4790	0.9375
3568	016	2250	0.05	0	0	75	120	3.5	6	6	7875	7875	RTO-M	45	form-based				0.7	5	0.833333313	5	5	6300	6300	6300	0.8
3568	017	4380	0.1	5580	4	75	120	3.5	12	8	15330	9750	RTO-M	45	form-based				0.7	9	0.75	5	5	12264	6684	6684	0.8
3568	048	3474	0.08	3964	2	75	120	3.5	10	8	12159	8195	RTO-M	45	form-based				0.7	7	0.699999988	5	5	9727.200195	5763.200195	5763.200195	0.8
3568	077	2448	0.06	1384	2	75	120	3.5	7	5	8568	7184	RTO-M	55	form-based				0.7	7	1	5	5	8568	7184	7184	1
3574	086	5106	0.12	6741	0	65	100	3	12	12	15318	8577	RH-3	55	density-lin	1000			0.7	5	0.416666657	5	5	17871	11130	11130	1.166667
3577	007	5000	0.11	8478	10	75	120	3.5	13	3	17500	9022	NCT-VALEI	55	form-based				0.75	15	1.153846145	5	5	18750	10272	10272	1.071429
3577	012A	4500	0.1	6946	8	65	100	3	10	2	13500	6554	RTO-M	55	form-based				0.7	13	1.299999952	5	5	15750	8804	8804	1.166667
3577	012B	4500	0.1	7090	8	65	100	3	10	2	13500	6410	RTO-M	55	form-based				0.7	13	1.299999952	5	5	15750	8660	8660	1.166667
3577	015	2249	0.05	0	0	65	100	3	5	5	6747	6747	RTO-M	45	form-based				0.7	5	1	5	5	6297.199707	6297.199707	6297.199707	0.933333
3577	025	3500	0.08	3010	2	65	100	3	8	6	10500	7490	RTO-M	45	form-based				0.7	7	0.875	5	5	9800	6790	6790	0.933333
3577	026	3419	0.08	3010	2	65	100	3	8	6	10257	7247	RTO-M	45	form-based				0.7	7	0.875	5	5	9573.200195	6563.200195	6563.200195	0.933333
3579	028	2463	0.06	2794	2	65	100	3	6	4	7389	4595	RM-1	50	form-based			true	0.7	7	1.166666627	5	5	8620.5	5826.5	5826.5	1.166667
3579	033	2413	0.06	1620	2	65	100	3	6	4	7239	5619	RM-1	50	form-based			true	0.7	7	1.166666627	5	5	8445.5	6825.5	6825.5	1.166667
3579	035	2484	0.06	1615	2	65	100	3	6	4	7452	5837	RM-1	50	form-based			true	0.7	7	1.166666627	5	5	8694	7079	7079	1.166667
3580	008	2094	0.05	5034	3	85	140	4	7	4	8376	3342	RTO-C	65	form-based			true	0.75	8	1.142857194	5	5	9423	4389	4389	1.125
3580	034	4201	0.1	5969	7	65	100	3	10	3	12603	6634	RM-1	50	form-based			true	0.7	12	1.200000048	5	5	14703.5	8734.5	8734.5	1.166667
3580	039	3001	0.07	2780	3	65	100	3	7	4	9003	6223	RM-1	50	form-based			true	0.7	8	1.142857194	5	5	10503.5	7723.5	7723.5	1.166667
3580	061	2500	0.06	2768	2	65	100	3	6	4	7500	4732	RM-1	50	form-based			true	0.7	7	1.166666627	5	5	8750	5982	5982	1.166667
3580	063	2500	0.06	3100	2	65	100	3	6	4	7500	4400	RM-1	50	form-based			true	0.7	7	1.166666627	5	5	8750	5650	5650	1.166667
3580	065	2500	0.06	1609	2	65	100	3	6	4	7500	5891	RM-1	50	form-based			true	0.7	7	1.166666627	5	5	8750	7141	7141	1.166667
3580	067	2500	0.06	2750	2	65	100	3	6	4	7500	4750	RM-1	50	form-based			true	0.7	7	1.166666627	5	5	8750	6000	6000	1.166667
3580	160	3016	0.07	2046	3	85	140	4	10	7	12064	10018	RM-1	50	form-based			true	0.7	8	0.800000012	5	5	10556	8510	8510	0.875
3580	165	2500	0.06	1197	2	85	140	4	8	6	10000	8803	RM-1	50	form-based			true	0.7	7	0.875	5	5	8750	7553	7553	0.875
3580	169	2500	0.06	4358	2	65	100	3	6	4	7500	3142	RM-1	50	form-based			true	0.7	7	1.166666627	5	5	8750	4392	4392	1.166667
3580	178	3174	0.07	727	4	65	100	3	7	3	9522	8795	RM-1	50	form-based			true	0.7	9	1.285714269	5	5	11109	10382	10382	1.166667
3581	019	2850	0.07	2641	1	65	100	3	7	6	8550	5909	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	5339	5339	0.933333
3581	020	2850	0.07	2225	1	65	100	3	7	6	8550	6325	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	5755	5755	0.933333
3581	020A	2850	0.07	1575	1	65	100	3	7	6	8550	6975	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	6405	6405	0.933333
3581	020B	2850	0.07	1627	1	65	100	3	7	6	8550	6923	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	6353	6353	0.933333
3581	031	2760	0.06	1260	1	65	100	3	6	5	8280	7020	RH-3	40	form-based			true	0.7	6	1	5	5	7728	6468	6468	0.933333
3581	037	2846	0.07	1009	1	65	100	3	7	6	8538	7529	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	6959.799805	6959.799805	0.933333
3581	038	2846	0.07	1502	1	65	100	3	7	6	8538	7036	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	6466.799805	6466.799805	0.933333
3581	043	2845	0.07	4260	1	65	100	3	7	6	8535	4275	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	3706	3706	0.933333
3581	044	2845	0.07	1435	1	65	100	3	7	6	8535	7100	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	6531	6531	0.933333
3581	045	2845	0.07	1770	1	65	100	3	7	6	8535	6765	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	6196	6196	0.933333
3581	047	2844	0.07	1740	1	65	100	3	7	6	8532	6792	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7963.199707	6223.199707	6223.199707	0.933333
3581	051	2850	0.07	1278	1	65	100	3	7	6	8550	7272	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6702	6702	0.933333
3581	053	2850	0.07	1502	1	65	100	3	7	6	8550	7048	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6478	6478	0.933333
3581	055	2850	0.07	2365	1	65	100	3	7	6	8550	6185	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5615	5615	0.933333
3581	057	2850	0.07	1095	1	65	100	3	7	6	8550	7455	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6885	6885	0.933333
3581	060	2850	0.07	1478	1	65	100	3	7	6	8550	7072	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6502	6502	0.933333
3581	061	2850	0.07	1460	1	65	100	3	7	6	8550	7090	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6520	6520	0.933333
3581	062	2850	0.07	1190	1	65	100	3	7	6	8550	7360	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6790	6790	0.933333
3581	070A	2782	0.06	2388	1	85	140	4	8	7	11128	8740	RH-3	40	form-based			true	0.7	6	0.75	5	5	7789.600098	5401.600098	5401.600098	0.7
3581	076	2835	0.07	2398	1	65	100	3	7	6	8505	6107	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7938	5540	5540	0.933333
3581	082	2836	0.07	1585	1	65	100	3	7	6	8508	6923	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7940.799805	6355.799805	6355.799805	0.933333
3581	084	2837	0.07	2722	1	65	100	3	7	6	8511	5789	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7943.600098	5221.600098	5221.600098	0.933333
3582	004	3117	0.07	3066	4	85	140	4	10	6	12468	9402	RH-3	50	form-based			true	0.7	9	0.899999976	5	5	10909.5	7843.5	7843.5	0.875
3582	007	3117	0.07	2768	2	65	100	3	7	5	9351	6583	RH-3	40	form-based			true	0.7	7	1	5	5	8727.599609	5959.599609	5959.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3582	008	3117	0.07	2916	2	65	100	3	7	5	9351	6435	RH-3	40	form-based			true	0.7	7	1	5	5	8727.599609	5811.599609	5811.599609	0.933333
3582	009	3117	0.07	2602	2	65	100	3	7	5	9351	6749	RH-3	40	form-based			true	0.7	7	1	5	5	8727.599609	6125.599609	6125.599609	0.933333
3582	011	3117	0.07	2711	2	65	100	3	7	5	9351	6640	RH-3	40	form-based			true	0.7	7	1	5	5	8727.599609	6016.599609	6016.599609	0.933333
3582	014	3117	0.07	1984	2	65	100	3	7	5	9351	7367	RH-3	40	form-based			true	0.7	7	1	5	5	8727.599609	6743.599609	6743.599609	0.933333
3582	025	3792	0.09	4755	3	65	100	3	9	6	11376	6621	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10617.59961	5862.599609	5862.599609	0.933333
3582	027	3125	0.07	2368	2	65	100	3	7	5	9375	7007	RH-3	40	form-based			true	0.7	7	1	5	5	8750	6382	6382	0.933333
3582	028	3125	0.07	2909	2	65	100	3	7	5	9375	6466	RH-3	40	form-based			true	0.7	7	1	5	5	8750	5841	5841	0.933333
3582	040	2000	0.05	1787	1	65	100	3	5	4	6000	4213	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7000	5213	5213	1.166667
3582	044	2550	0.06	1646	2	65	100	3	6	4	7650	6004	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8925	7279	7279	1.166667
3582	053	2500	0.06	4840	3	65	100	3	6	3	7500	2660	NCD-CAST	50	form-based			true	0.75	8	1.333333373	5	5	9375	4535	4535	1.25
3582	055	2500	0.06	4682	3	65	100	3	6	3	7500	2818	NCD-CAST	50	form-based			true	0.75	8	1.333333373	5	5	9375	4693	4693	1.25
3582	056	2500	0.06	3975	3	65	100	3	6	3	7500	3525	NCD-CAST	50	form-based			true	0.75	8	1.333333373	5	5	9375	5400	5400	1.25
3582	101	2550	0.06	1007	2	65	100	3	6	4	7650	6643	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8925	7918	7918	1.166667
3583	010	3125	0.07	2600	2	65	100	3	7	5	9375	6775	RH-3	40	form-based			true	0.7	7	1	5	5	8750	6150	6150	0.933333
3583	034	3065	0.07	1069	1	65	100	3	7	6	9195	8126	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8582	7513	7513	0.933333
3583	055	2250	0.05	2136	1	65	100	3	5	4	6750	4614	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7875	5739	5739	1.166667
3583	066	3125	0.07	4530	4	65	100	3	7	3	9375	4845	NCD-CAST	50	form-based			true	0.75	9	1.285714269	5	5	11718.75	7188.75	7188.75	1.25
3583	070	3042	0.07	5340	4	65	100	3	7	3	9126	3786	NCD-CAST	50	form-based			true	0.75	9	1.285714269	5	5	11407.5	6067.5	6067.5	1.25
3583	104	2801	0.06	1909	1	65	100	3	6	5	8403	6494	NCD-CAST	40	form-based			true	0.75	6	1	5	5	8403	6494	6494	1
3583	118	2467	0.06	1997	2	65	100	3	6	4	7401	5404	NCD-CAST	50	form-based			true	0.75	7	1.166666627	5	5	9251.25	7254.25	7254.25	1.25
3583	121	3125	0.07	856	2	65	100	3	7	5	9375	8519	RH-3	40	form-based			true	0.7	7	1	5	5	8750	7894	7894	0.933333
3584	002	2625	0.06	1805	1	65	100	3	6	5	7875	6070	RH-3	40	form-based			true	0.7	6	1	5	5	7350	5545	5545	0.933333
3584	012	2625	0.06	4000	1	65	100	3	6	5	7875	3875	RH-3	40	form-based			true	0.7	6	1	5	5	7350	3350	3350	0.933333
3584	015	2887	0.07	2651	1	65	100	3	7	6	8661	6010	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8083.600098	5432.600098	5432.600098	0.933333
3584	016	2625	0.06	2076	1	65	100	3	6	5	7875	5799	RH-3	40	form-based			true	0.7	6	1	5	5	7350	5274	5274	0.933333
3584	020	2853	0.07	1658	1	65	100	3	7	6	8559	6901	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7988.399902	6330.399902	6330.399902	0.933333
3584	021	2853	0.07	1530	1	65	100	3	7	6	8559	7029	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7988.399902	6458.399902	6458.399902	0.933333
3584	027	2854	0.07	1400	1	65	100	3	7	6	8562	7162	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7991.199707	6591.199707	6591.199707	0.933333
3584	030	2855	0.07	1714	1	65	100	3	7	6	8565	6851	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7994	6280	6280	0.933333
3584	032	2855	0.07	1441	1	65	100	3	7	6	8565	7124	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7994	6553	6553	0.933333
3584	036	2625	0.06	1494	1	65	100	3	6	5	7875	6381	RH-3	40	form-based			true	0.7	6	1	5	5	7350	5856	5856	0.933333
3584	039	2625	0.06	2991	1	65	100	3	6	5	7875	4884	RH-3	40	form-based			true	0.7	6	1	5	5	7350	4359	4359	0.933333
3584	043	2897	0.07	1850	1	65	100	3	7	6	8691	6841	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8111.600098	6261.600098	6261.600098	0.933333
3584	044	2850	0.07	2510	1	65	100	3	7	6	8550	6040	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	5470	5470	0.933333
3584	046	2850	0.07	1184	1	65	100	3	7	6	8550	7366	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	6796	6796	0.933333
3584	050	2850	0.07	1086	1	65	100	3	7	6	8550	7464	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	6894	6894	0.933333
3584	051	2850	0.07	1976	1	65	100	3	7	6	8550	6574	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	6004	6004	0.933333
3584	061	2850	0.07	945	1	65	100	3	7	6	8550	7605	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	7035	7035	0.933333
3584	067	2850	0.07	3220	1	65	100	3	7	6	8550	5330	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	4760	4760	0.933333
3584	068	2850	0.07	1856	1	65	100	3	7	6	8550	6694	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	6124	6124	0.933333
3584	069	2850	0.07	1765	1	65	100	3	7	6	8550	6785	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	6215	6215	0.933333
3584	090	2836	0.07	1076	1	65	100	3	7	6	8508	7432	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7940.799805	6864.799805	6864.799805	0.933333
3584	092	2836	0.07	1565	1	65	100	3	7	6	8508	6943	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7940.799805	6375.799805	6375.799805	0.933333
3584	120	3135	0.07	1069	2	65	100	3	7	5	9405	8336	RH-3	40	form-based			true	0.7	7	1	5	5	8778	7709	7709	0.933333
3584	139	2625	0.06	1988	1	65	100	3	6	5	7875	5887	RH-3	40	form-based			true	0.7	6	1	5	5	7350	5362	5362	0.933333
3585	013	1818	0.04	2767	2	65	100	3	4	2	5454	2687	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8181	5414	5414	1.5
3585	014	1818	0.04	2704	2	65	100	3	4	2	5454	2750	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8181	5477	5477	1.5
3585	027	2850	0.07	2335	3	65	100	3	7	4	8550	6215	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	9975	7640	7640	1.166667
3585	030	2500	0.06	3730	2	65	100	3	6	4	7500	3770	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	5020	5020	1.166667
3585	038	2851	0.07	2900	3	65	100	3	7	4	8553	5653	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	9978.5	7078.5	7078.5	1.166667
3585	063	2250	0.05	1120	1	65	100	3	5	4	6750	5630	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7875	6755	6755	1.166667
3585	064	2750	0.06	4596	3	65	100	3	6	3	8250	3654	RH-3	50	form-based			true	0.7	8	1.333333373	5	5	9625	5029	5029	1.166667
3585	117	2850	0.07	900	3	65	100	3	7	4	8550	7650	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	9975	9075	9075	1.166667
3585	123	2850	0.07	1189	3	65	100	3	7	4	8550	7361	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	9975	8786	8786	1.166667
3585	126	2849	0.07	1228	3	65	100	3	7	4	8547	7319	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	9971.5	8743.5	8743.5	1.166667
3585	142	2489	0.06	1421	2	65	100	3	6	4	7467	6046	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8711.5	7290.5	7290.5	1.166667
3585	146	2840	0.07	444	3	65	100	3	7	4	8520	8076	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	9940	9496	9496	1.166667
3585	149	2850	0.07	769	3	65	100	3	7	4	8550	7781	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	9975	9206	9206	1.166667
3585	155	2500	0.06	1146	2	65	100	3	6	4	7500	6354	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8750	7604	7604	1.166667
3587	001	7024	0.16	10552	4	65	100	3	16	12	21072	10520	NC-1	40	density-lin	800	true		0.75	9	0.5625	5	5	21072	10520	10520	1
3588	008	2250	0.05	3060	2	65	100	3	5	3	6750	3690	NCT-VALEI	55	form-based			true	0.75	7	1.399999976	5	5	8437.5	5377.5	5377.5	1.25
3588	017	2500	0.06	3574	2	65	100	3	6	4	7500	3926	RTO-M	55	form-based			true	0.7	7	1.166666627	5	5	8750	5176	5176	1.166667
3588	047	2511	0.06	2690	2	65	100	3	6	4	7533	4843	RTO-M	55	form-based			true	0.7	7	1.166666627	5	5	8788.5	6098.5	6098.5	1.166667
3588	048	2511	0.06	2920	2	65	100	3	6	4	7533	4613	RTO-M	55	form-based			true	0.7	7	1.166666627	5	5	8788.5	5868.5	5868.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3588	049O	2449	0.06	2690	2	65	100	3	6	4	7347	4657	RTO-M	55	form-based				0.7	7	1.166666627	5	5	8571.5	5881.5	5881.5	1.166667
3588	052	2287	0.05	0	0	65	100	3	5	5	6861	6861	RTO-M	45	form-based				0.7	5	1	5	5	6403.600098	6403.600098	6403.600098	0.933333
3588	068	2500	0.06	3360	2	65	100	3	6	4	7500	4140	RTO-M	55	form-based				0.7	7	1.166666627	5	5	8750	5390	5390	1.166667
3588	069	2500	0.06	3360	2	65	100	3	6	4	7500	4140	RTO-M	55	form-based				0.7	7	1.166666627	5	5	8750	5390	5390	1.166667
3588	083	3000	0.07	1800	3	65	100	3	7	4	9000	7200	RTO-M	55	form-based		true		0.7	8	1.142857194	5	5	10500	8700	8700	1.166667
3588	152	2449	0.06	1773	2	65	100	3	6	4	7347	5574	RTO-M	55	form-based				0.7	7	1.166666627	5	5	8571.5	6798.5	6798.5	1.166667
3593	032	5000	0.11	4028	0	65	100	3	11	11	15000	10972	RH-3	65	density-lim	1000			0.7	5	0.454545468	5	5	21000	16972	16972	1.4
3594	042	4165	0.1	3840	0	65	100	3	10	10	12495	8655	NC-2	50	density-lim	800			0.75	5	0.5	5	5	15618.75	11778.75	11778.75	1.25
3597	019	2536	0.06	2860	2	65	100	3	6	4	7608	4748	RTO-M	55	form-based				0.7	7	1.166666627	5	5	8876	6016	6016	1.166667
3597	026	2882	0.07	2450	3	65	100	3	7	4	8646	6196	RTO-M	55	form-based				0.7	8	1.142857194	5	5	10087	7637	7637	1.166667
3597	067	3002	0.07	1820	1	65	100	3	7	6	9006	7186	RTO-M	45	form-based				0.7	6	0.857142866	5	5	8405.599609	6585.599609	6585.599609	0.933333
3597	069	3002	0.07	1300	1	65	100	3	7	6	9006	7706	RTO-M	45	form-based				0.7	6	0.857142866	5	5	8405.599609	7105.599609	7105.599609	0.933333
3597	070	2841	0.07	4500	3	65	100	3	7	4	8523	4023	RTO-M	55	form-based				0.7	8	1.142857194	5	5	9943.5	5443.5	5443.5	1.166667
3597	071	2500	0.06	4500	3	65	100	3	6	3	7500	3000	NCT-VALEI	55	form-based				0.75	8	1.333333373	5	5	9375	4875	4875	1.25
3597	086	3228	0.07	1102	4	65	100	3	7	3	9684	8582	RTO-M	55	form-based				0.7	9	1.285714269	5	5	11298	10196	10196	1.166667
3597	090	2536	0.06	1987	2	65	100	3	6	4	7608	5621	RTO-M	55	form-based				0.7	7	1.166666627	5	5	8876	6889	6889	1.166667
3597	121	2839	0.07	1869	3	65	100	3	7	4	8517	6648	RTO-M	55	form-based				0.7	8	1.142857194	5	5	9936.5	8067.5	8067.5	1.166667
3600	030	2211	0.05	2430	1	65	100	3	5	4	6633	4203	RH-1	50	form-based			true	0.7	6	1.200000048	5	5	7738.5	5308.5	5308.5	1.166667
3600	031	2211	0.05	1402	1	65	100	3	5	4	6633	5231	RH-1	50	form-based			true	0.7	6	1.200000048	5	5	7738.5	6336.5	6336.5	1.166667
3600	032	2211	0.05	2645	1	65	100	3	5	4	6633	3988	RH-1	50	form-based			true	0.7	6	1.200000048	5	5	7738.5	5093.5	5093.5	1.166667
3600	035A	2835	0.07	1805	3	65	100	3	7	4	8505	6700	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	9922.5	8117.5	8117.5	1.166667
3601	008	2952	0.07	2138	1	65	100	3	7	6	8856	6718	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6127.599609	6127.599609	0.933333
3601	008A	2952	0.07	1320	1	65	100	3	7	6	8856	7536	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6945.599609	6945.599609	0.933333
3601	009	2952	0.07	2046	1	65	100	3	7	6	8856	6810	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6219.599609	6219.599609	0.933333
3601	014	2850	0.07	2986	1	65	100	3	7	6	8550	5564	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	4994	4994	0.933333
3601	018	2850	0.07	2044	1	65	100	3	7	6	8550	6506	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5936	5936	0.933333
3601	019	2850	0.07	1353	1	65	100	3	7	6	8550	7197	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6627	6627	0.933333
3601	020	2850	0.07	2494	1	65	100	3	7	6	8550	6056	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5486	5486	0.933333
3601	021	2850	0.07	1801	1	65	100	3	7	6	8550	6749	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6179	6179	0.933333
3601	022	2850	0.07	2919	1	65	100	3	7	6	8550	5631	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5061	5061	0.933333
3601	023	2850	0.07	792	1	65	100	3	7	6	8550	7758	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	7188	7188	0.933333
3601	024	2850	0.07	1603	1	65	100	3	7	6	8550	6947	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6377	6377	0.933333
3601	027	2992	0.07	984	1	65	100	3	7	6	8976	7992	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	7393.599609	7393.599609	0.933333
3601	028	2940	0.07	1292	1	65	100	3	7	6	8820	7528	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8232	6940	6940	0.933333
3601	029	3045	0.07	4000	1	65	100	3	7	6	9135	5135	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8526	4526	4526	0.933333
3601	032	2882	0.07	1692	1	65	100	3	7	6	8646	6954	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8069.600098	6377.600098	6377.600098	0.933333
3601	033	2882	0.07	1910	1	65	100	3	7	6	8646	6736	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8069.600098	6159.600098	6159.600098	0.933333
3601	034	2882	0.07	3560	1	65	100	3	7	6	8646	5086	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8069.600098	4509.600098	4509.600098	0.933333
3601	035	2881	0.07	2765	1	65	100	3	7	6	8643	5878	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8066.799805	5301.799805	5301.799805	0.933333
3601	036	2881	0.07	3968	1	65	100	3	7	6	8643	4675	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8066.799805	4098.799805	4098.799805	0.933333
3601	037	2881	0.07	1504	1	65	100	3	7	6	8643	7139	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8066.799805	6562.799805	6562.799805	0.933333
3601	039	2880	0.07	1234	1	65	100	3	7	6	8640	7406	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8064	6830	6830	0.933333
3601	040	2880	0.07	2380	1	65	100	3	7	6	8640	6260	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8064	5684	5684	0.933333
3601	041	2880	0.07	2380	1	65	100	3	7	6	8640	6260	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8064	5684	5684	0.933333
3601	042	2880	0.07	1585	1	65	100	3	7	6	8640	7055	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8064	6479	6479	0.933333
3601	047	2850	0.07	1500	1	65	100	3	7	6	8550	7050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6480	6480	0.933333
3601	048	2850	0.07	2500	1	65	100	3	7	6	8550	6050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5480	5480	0.933333
3601	049A	2850	0.07	1968	1	65	100	3	7	6	8550	6582	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6012	6012	0.933333
3601	050	2850	0.07	1900	1	65	100	3	7	6	8550	6650	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6080	6080	0.933333
3601	050A	2850	0.07	1500	1	65	100	3	7	6	8550	7050	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6480	6480	0.933333
3601	052	2850	0.07	3129	1	65	100	3	7	6	8550	5421	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	4851	4851	0.933333
3601	053	2850	0.07	3135	1	65	100	3	7	6	8550	5415	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	4845	4845	0.933333
3601	053A	2850	0.07	941	1	65	100	3	7	6	8550	7609	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	7039	7039	0.933333
3601	054	2850	0.07	2804	1	65	100	3	7	6	8550	5746	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5176	5176	0.933333
3601	055	2850	0.07	720	1	65	100	3	7	6	8550	7830	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	7260	7260	0.933333
3601	057	2993	0.07	2160	1	65	100	3	7	6	8979	6819	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6220.399414	6220.399414	0.933333
3601	058	2992	0.07	2038	1	65	100	3	7	6	8976	6938	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	6339.599609	6339.599609	0.933333
3601	059	2783	0.06	1843	1	65	100	3	6	5	8349	6506	RH-2	40	form-based			true	0.7	6	1	5	5	7792.399902	5949.399902	5949.399902	0.933333
3601	067	2851	0.07	1790	1	65	100	3	7	6	8553	6763	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7982.799805	6192.799805	6192.799805	0.933333
3601	071	2852	0.07	575	1	65	100	3	7	6	8556	7981	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7985.600098	7410.600098	7410.600098	0.933333
3601	072	2852	0.07	1000	1	65	100	3	7	6	8556	7556	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7985.600098	6985.600098	6985.600098	0.933333
3601	073	2853	0.07	1334	1	65	100	3	7	6	8559	7225	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7988.399902	6654.399902	6654.399902	0.933333
3601	080	2851	0.07	1550	1	65	100	3	7	6	8553	7003	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7982.799805	6432.799805	6432.799805	0.933333
3601	100	3110	0.07	1181	2	65	100	3	7	5	9330	8149	RH-2	40	form-based			true	0.7	7	1	5	5	8708	7527	7527	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3601	103	2898	0.07	781	1	65	100	3	7	6	8694	7913	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8114.399902	7333.399902	7333.399902	0.933333
3601	109	2851	0.07	1504	1	65	100	3	7	6	8553	7049	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7982.799805	6478.799805	6478.799805	0.933333
3602	030	3125	0.07	2147	2	55	80	2.5	6	4	7812	5665	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8750	6603	6603	1.120072
3602	031	3125	0.07	1895	2	55	80	2.5	6	4	7812	5917	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8750	6855	6855	1.120072
3602	032	3125	0.07	2581	2	55	80	2.5	6	4	7812	5231	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8750	6169	6169	1.120072
3602	034	3125	0.07	2380	2	55	80	2.5	6	4	7812	5432	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8750	6370	6370	1.120072
3602	040	2725	0.06	1916	1	55	80	2.5	5	4	6812	4896	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7630	5714	5714	1.120082
3602	048	2750	0.06	1764	1	55	80	2.5	5	4	6875	5111	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7700	5936	5936	1.12
3602	049	2750	0.06	1300	1	55	80	2.5	5	4	6875	5575	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7700	6400	6400	1.12
3602	052	2750	0.06	1535	1	55	80	2.5	5	4	6875	5340	RH-3	40	form-based			true	0.7	6	1.200000048	5	5	7700	6165	6165	1.12
3602	064	3487	0.08	3340	2	55	80	2.5	6	4	8718	5378	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9763.599609	6423.599609	6423.599609	1.119936
3602	080	3811	0.09	1348	3	65	100	3	9	6	11433	10085	RH-3	40	form-based			true	0.7	8	0.888888896	5	5	10670.7998	9322.799805	9322.799805	0.933333
3602	101	3117	0.07	1385	2	55	80	2.5	6	4	7792	6407	RH-1	40	form-based			true	0.7	7	1.166666627	5	5	8727.599609	7342.599609	7342.599609	1.120072
3602	109	3323	0.08	1643	2	55	80	2.5	6	4	8308	6665	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	9304.399414	7661.399414	7661.399414	1.119933
3602	116	3125	0.07	1019	2	55	80	2.5	6	4	7812	6793	RH-3	40	form-based			true	0.7	7	1.166666627	5	5	8750	7731	7731	1.120072
3603	002	2764	0.06	2726	1	55	80	2.5	5	4	6910	4184	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7739.199707	5013.199707	5013.199707	1.12
3603	010	2850	0.07	1450	1	55	80	2.5	6	5	7125	5675	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6530	6530	1.12
3603	011	2850	0.07	1450	1	55	80	2.5	6	5	7125	5675	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6530	6530	1.12
3603	012	2850	0.07	2457	1	55	80	2.5	6	5	7125	4668	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5523	5523	1.12
3603	014	2850	0.07	1740	1	55	80	2.5	6	5	7125	5385	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6240	6240	1.12
3603	016	2850	0.07	1740	1	55	80	2.5	6	5	7125	5385	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6240	6240	1.12
3603	017	2850	0.07	2953	1	55	80	2.5	6	5	7125	4172	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5027	5027	1.12
3603	018	2850	0.07	3408	1	55	80	2.5	6	5	7125	3717	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4572	4572	1.12
3603	019	2850	0.07	3000	1	55	80	2.5	6	5	7125	4125	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4980	4980	1.12
3603	020	2850	0.07	2891	1	55	80	2.5	6	5	7125	4234	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5089	5089	1.12
3603	026	2500	0.06	1900	0	55	80	2.5	5	5	6250	4350	RH-2	40	form-based			true	0.7	5	1	5	5	7000	5100	5100	1.12
3603	034	2798	0.06	2059	1	55	80	2.5	5	4	6995	4936	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	5775.399902	5775.399902	1.12
3603	036	2798	0.06	1682	1	55	80	2.5	5	4	6995	5313	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	6152.399902	6152.399902	1.12
3603	037	2798	0.06	1885	1	55	80	2.5	5	4	6995	5110	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	5949.399902	5949.399902	1.12
3603	038	2798	0.06	2421	1	55	80	2.5	5	4	6995	4574	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	5413.399902	5413.399902	1.12
3603	039	2798	0.06	1715	1	55	80	2.5	5	4	6995	5280	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	6119.399902	6119.399902	1.12
3603	041	2798	0.06	3000	1	55	80	2.5	5	4	6995	3995	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	4834.399902	4834.399902	1.12
3603	042	2798	0.06	2200	1	55	80	2.5	5	4	6995	4795	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	5634.399902	5634.399902	1.12
3603	043	2798	0.06	2228	1	55	80	2.5	5	4	6995	4767	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	5606.399902	5606.399902	1.12
3603	044	2798	0.06	1971	1	55	80	2.5	5	4	6995	5024	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	5863.399902	5863.399902	1.12
3603	045	2798	0.06	1416	1	55	80	2.5	5	4	6995	5579	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	6418.399902	6418.399902	1.12
3603	046	2798	0.06	2110	1	55	80	2.5	5	4	6995	4885	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	5724.399902	5724.399902	1.12
3603	053	2850	0.07	1225	1	55	80	2.5	6	5	7125	5900	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6755	6755	1.12
3603	054	2850	0.07	2748	1	55	80	2.5	6	5	7125	4377	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5232	5232	1.12
3603	055	2850	0.07	1848	1	55	80	2.5	6	5	7125	5277	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6132	6132	1.12
3603	056	2850	0.07	1822	1	55	80	2.5	6	5	7125	5303	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6158	6158	1.12
3603	057	2850	0.07	1624	1	55	80	2.5	6	5	7125	5501	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6356	6356	1.12
3603	058	2850	0.07	3132	1	55	80	2.5	6	5	7125	3993	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4848	4848	1.12
3603	059	2850	0.07	2074	1	55	80	2.5	6	5	7125	5051	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5906	5906	1.12
3603	061	2850	0.07	2865	1	55	80	2.5	6	5	7125	4260	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5115	5115	1.12
3603	062	2850	0.07	1782	1	55	80	2.5	6	5	7125	5343	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6198	6198	1.12
3603	063	2850	0.07	2845	1	55	80	2.5	6	5	7125	4280	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5135	5135	1.12
3603	064	2850	0.07	2287	1	55	80	2.5	6	5	7125	4838	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5693	5693	1.12
3603	065	2850	0.07	2042	1	55	80	2.5	6	5	7125	5083	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5938	5938	1.12
3603	066	2850	0.07	2287	1	55	80	2.5	6	5	7125	4838	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5693	5693	1.12
3603	068	2625	0.06	2732	1	55	80	2.5	5	4	6562	3830	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	4618	4618	1.120085
3603	069	2625	0.06	1804	1	55	80	2.5	5	4	6562	4758	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5546	5546	1.120085
3603	071	2625	0.06	1890	1	55	80	2.5	5	4	6562	4672	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5460	5460	1.120085
3603	075	2785	0.06	1453	1	55	80	2.5	5	4	6962	5509	RH-3	40	form-based	true		true	0.7	6	1.200000048	5	5	7798	6345	6345	1.12008
3603	076	2851	0.07	2750	1	55	80	2.5	6	5	7128	4378	RH-2	40	form-based			true	0.7	6	1	5	5	7982.799805	5232.799805	5232.799805	1.119921
3603	086	2853	0.07	2004	1	55	80	2.5	6	5	7132	5128	RH-2	40	form-based			true	0.7	6	1	5	5	7988.399902	5984.399902	5984.399902	1.120079
3603	089	2853	0.07	1801	1	55	80	2.5	6	5	7132	5331	RH-2	40	form-based			true	0.7	6	1	5	5	7988.399902	6187.399902	6187.399902	1.120079
3604	021	2850	0.07	1935	1	65	100	3	7	6	8550	6615	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6045	6045	0.933333
3604	012	2885	0.07	1415	1	65	100	3	7	6	8655	7240	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8078	6663	6663	0.933333
3604	015A	2733	0.06	1835	1	65	100	3	6	5	8199	6364	RH-1	40	form-based	true		true	0.7	6	1	5	5	7652.399902	5817.399902	5817.399902	0.933333
3604	017	2850	0.07	2387	1	65	100	3	7	6	8550	6163	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5593	5593	0.933333
3604	018	2850	0.07	1557	1	65	100	3	7	6	8550	6993	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6423	6423	0.933333
3604	018A	2850	0.07	1751	1	65	100	3	7	6	8550	6799	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6229	6229	0.933333
3604	020	2850	0.07	3698	1	65	100	3	7	6	8550	4852	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	4282	4282	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3604	023	2850	0.07	1266	1	65	100	3	7	6	8550	7284	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6714	6714	0.933333
3604	024	2850	0.07	3137	1	65	100	3	7	6	8550	5413	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	4843	4843	0.933333
3604	025	2850	0.07	2648	1	65	100	3	7	6	8550	5902	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	7980	5332	5332	0.933333
3604	030A	3098	0.07	3382	2	65	100	3	7	5	9294	5912	RH-2	40	form-based		true	true	0.7	7	1	5	5	8674.399414	5292.399414	5292.399414	0.933333
3604	035	2798	0.06	960	1	65	100	3	6	5	8394	7434	RH-1	40	form-based			true	0.7	6	1	5	5	7834.399902	6874.399902	6874.399902	0.933333
3604	038	2798	0.06	833	1	65	100	3	6	5	8394	7561	RH-1	40	form-based			true	0.7	6	1	5	5	7834.399902	7001.399902	7001.399902	0.933333
3604	039	2798	0.06	2217	1	65	100	3	6	5	8394	6177	RH-1	40	form-based			true	0.7	6	1	5	5	7834.399902	5617.399902	5617.399902	0.933333
3604	040	2798	0.06	660	1	65	100	3	6	5	8394	7734	RH-1	40	form-based			true	0.7	6	1	5	5	7834.399902	7174.399902	7174.399902	0.933333
3604	041	2798	0.06	2324	1	65	100	3	6	5	8394	6070	RH-1	40	form-based			true	0.7	6	1	5	5	7834.399902	5510.399902	5510.399902	0.933333
3604	044	2850	0.07	2984	1	65	100	3	7	6	8550	5566	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	4996	4996	0.933333
3604	045	2850	0.07	2488	1	65	100	3	7	6	8550	6062	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5492	5492	0.933333
3604	046	2850	0.07	3746	1	65	100	3	7	6	8550	4804	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	4234	4234	0.933333
3604	047	2850	0.07	2200	1	65	100	3	7	6	8550	6350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5780	5780	0.933333
3604	058	2856	0.07	3720	1	65	100	3	7	6	8568	4848	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7996.799805	4276.799805	4276.799805	0.933333
3604	058A	2856	0.07	2724	1	65	100	3	7	6	8568	5844	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7996.799805	5272.799805	5272.799805	0.933333
3604	070	2856	0.07	1715	1	65	100	3	7	6	8568	6853	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7996.799805	6281.799805	6281.799805	0.933333
3604	071	2856	0.07	2223	1	65	100	3	7	6	8568	6345	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7996.799805	5773.799805	5773.799805	0.933333
3604	079	2632	0.06	2026	1	65	100	3	6	5	7896	5870	RH-1	40	form-based			true	0.7	6	1	5	5	7369.600098	5343.600098	5343.600098	0.933333
3604	080	2632	0.06	2026	1	65	100	3	6	5	7896	5870	RH-1	40	form-based			true	0.7	6	1	5	5	7369.600098	5343.600098	5343.600098	0.933333
3604	081	2632	0.06	2026	1	65	100	3	6	5	7896	5870	RH-1	40	form-based			true	0.7	6	1	5	5	7369.600098	5343.600098	5343.600098	0.933333
3604	082	2632	0.06	2026	1	65	100	3	6	5	7896	5870	RH-1	40	form-based			true	0.7	6	1	5	5	7369.600098	5343.600098	5343.600098	0.933333
3604	083	2845	0.07	2026	1	65	100	3	7	6	8535	6509	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7966	5940	5940	0.933333
3604	087	2850	0.07	2953	1	65	100	3	7	6	8550	5597	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	7980	5027	5027	0.933333
3604	089	2858	0.07	2550	1	65	100	3	7	6	8574	6024	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8002.399902	5452.399902	5452.399902	0.933333
3604	091	3267	0.07	1169	2	65	100	3	7	5	9801	8632	RH-2	40	form-based			true	0.7	7	1	5	5	9147.599609	7978.599609	7978.599609	0.933333
3604	093	3241	0.07	1005	2	65	100	3	7	5	9723	8718	RH-2	40	form-based			true	0.7	7	1	5	5	9074.799805	8069.799805	8069.799805	0.933333
3604	095	3267	0.07	1185	2	65	100	3	7	5	9801	8616	RH-2	40	form-based			true	0.7	7	1	5	5	9147.599609	7962.599609	7962.599609	0.933333
3604	097	2798	0.06	1880	1	65	100	3	6	5	8394	6514	RH-1	40	form-based			true	0.7	6	1	5	5	7834.399902	5954.399902	5954.399902	0.933333
3604	098	2797	0.06	2751	1	65	100	3	6	5	8391	5640	RH-1	40	form-based			true	0.7	6	1	5	5	7831.600098	5080.600098	5080.600098	0.933333
3604	101	2850	0.07	2445	1	65	100	3	7	6	8550	6105	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5535	5535	0.933333
3604	102	2850	0.07	1821	1	65	100	3	7	6	8550	6729	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6159	6159	0.933333
3604	105	3195	0.07	1313	2	65	100	3	7	5	9585	8272	RH-2	40	form-based			true	0.7	7	1	5	5	8946	7633	7633	0.933333
3604	113	3541	0.08	1491	2	65	100	3	8	6	10623	9132	RH-2	40	form-based		true	true	0.7	7	0.875	5	5	9914.799805	8423.799805	8423.799805	0.933333
3605	016	2824	0.06	4605	1	65	100	3	6	5	8472	3867	RH-1	40	form-based			true	0.7	6	1	5	5	7907.199707	3302.199707	3302.199707	0.933333
3605	017	2823	0.06	1456	1	65	100	3	6	5	8469	7013	RH-1	40	form-based			true	0.7	6	1	5	5	7904.399902	6448.399902	6448.399902	0.933333
3605	021	2821	0.06	2949	1	65	100	3	6	5	8463	5514	RH-1	40	form-based			true	0.7	6	1	5	5	7898.799805	4949.799805	4949.799805	0.933333
3605	021A	2820	0.06	2899	1	65	100	3	6	5	8460	5561	RH-1	40	form-based			true	0.7	6	1	5	5	7896	4997	4997	0.933333
3605	028	2850	0.07	2510	1	65	100	3	7	6	8550	6040	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5470	5470	0.933333
3605	029	2850	0.07	1200	1	65	100	3	7	6	8550	7350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6780	6780	0.933333
3605	030	2850	0.07	2159	1	65	100	3	7	6	8550	6391	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5821	5821	0.933333
3605	032	2850	0.07	4393	1	65	100	3	7	6	8550	4157	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	3587	3587	0.933333
3605	033	2850	0.07	1650	1	65	100	3	7	6	8550	6900	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6330	6330	0.933333
3605	034	2850	0.07	2014	1	65	100	3	7	6	8550	6536	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5966	5966	0.933333
3605	037	2850	0.07	1993	1	65	100	3	7	6	8550	6557	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5987	5987	0.933333
3605	039	2850	0.07	2200	1	65	100	3	7	6	8550	6350	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5780	5780	0.933333
3605	040	2850	0.07	1325	1	65	100	3	7	6	8550	7225	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6655	6655	0.933333
3605	042	2835	0.07	1143	1	65	100	3	7	6	8505	7362	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7938	6795	6795	0.933333
3605	042A	2835	0.07	1260	1	65	100	3	7	6	8505	7245	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7938	6678	6678	0.933333
3605	043	2835	0.07	975	1	65	100	3	7	6	8505	7530	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7938	6963	6963	0.933333
3605	043A	2836	0.07	1050	1	65	100	3	7	6	8508	7458	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7940.799805	6890.799805	6890.799805	0.933333
3605	044	2836	0.07	2684	1	65	100	3	7	6	8508	5824	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7940.799805	5256.799805	5256.799805	0.933333
3605	045	2836	0.07	1448	1	65	100	3	7	6	8508	7060	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7940.799805	6492.799805	6492.799805	0.933333
3605	047	2836	0.07	4576	1	65	100	3	7	6	8508	3932	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7940.799805	3364.799805	3364.799805	0.933333
3605	050	2838	0.07	1950	1	65	100	3	7	6	8514	6564	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7946.399902	5996.399902	5996.399902	0.933333
3605	054	3312	0.08	1544	2	65	100	3	8	6	9936	8392	RH-1	40	form-based			true	0.7	7	0.875	5	5	9273.599609	7729.599609	7729.599609	0.933333
3605	056	2850	0.07	2511	1	65	100	3	7	6	8550	6039	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5469	5469	0.933333
3605	057	2850	0.07	1512	1	65	100	3	7	6	8550	7038	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6468	6468	0.933333
3605	058	2850	0.07	3514	1	65	100	3	7	6	8550	5036	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	4466	4466	0.933333
3605	059	2850	0.07	2526	1	65	100	3	7	6	8550	6024	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5454	5454	0.933333
3605	067	2850	0.07	3741	1	65	100	3	7	6	8550	4809	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	4239	4239	0.933333
3605	068	2850	0.07	2400	1	65	100	3	7	6	8550	6150	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5580	5580	0.933333
3605	071	2800	0.06	3821	1	65	100	3	6	5	8400	4579	RH-1	40	form-based			true	0.7	6	1	5	5	7840	4019	4019	0.933333
3605	074	2825	0.06	1902	1	65	100	3	6	5	8475	6573	RH-1	40	form-based			true	0.7	6	1	5	5	7910	6008	6008	0.933333
3605	075	2825	0.06	1862	1	65	100	3	6	5	8475	6613	RH-1	40	form-based			true	0.7	6	1	5	5	7910	6048	6048	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3605	080	2850	0.07	1890	1	65	100	3	7	6	8550	6660	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6090	6090	0.933333
3605	086	1935	0.04	1375	2	85	140	4	6	4	7740	6365	RTO-C	65	form-based			true	0.75	7	1.166666627	5	5	8707.5	7332.5	7332.5	1.125
3605	099	2836	0.07	1166	1	65	100	3	7	6	8508	7342	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7940.799805	6774.799805	6774.799805	0.933333
3605	143	2089	0.05	761	3	65	100	3	5	2	6267	5506	RTO-C	65	form-based		true	true	0.75	8	1.600000024	5	5	9400.5	8639.5	8639.5	1.5
3606	009	2625	0.06	3057	2	85	140	4	8	6	10500	7443	RH-3	50	form-based			true	0.7	7	0.875	5	5	9187.5	6130.5	6130.5	0.875
3606	056	2069	0.05	1910	1	85	140	4	7	6	8276	6366	RM-1	50	form-based			true	0.7	6	0.857142866	5	5	7241.5	5331.5	5331.5	0.875
3606	057	2108	0.05	2896	1	85	140	4	7	6	8432	5536	RM-1	50	form-based			true	0.7	6	0.857142866	5	5	7378	4482	4482	0.875
3606	076	2828	0.06	4125	3	85	140	4	8	5	11312	7187	RH-3	50	form-based			true	0.7	8	1	5	5	9898	5773	5773	0.875
3606	078	2828	0.06	5816	3	85	140	4	8	5	11312	5496	RM-1	50	form-based			true	0.7	8	1	5	5	9898	4082	4082	0.875
3606	091	2828	0.06	1739	3	85	140	4	8	5	11312	9573	RH-3	50	form-based			true	0.7	8	1	5	5	9898	8159	8159	0.875
3606	098	2828	0.06	1716	3	85	140	4	8	5	11312	9596	RH-3	50	form-based			true	0.7	8	1	5	5	9898	8182	8182	0.875
3606	103	2850	0.07	1092	3	85	140	4	10	7	11400	10308	RH-3	50	form-based			true	0.7	8	0.800000012	5	5	9975	8883	8883	0.875
3606	117	2721	0.06	1963	3	85	140	4	8	5	10884	8921	RH-3	50	form-based			true	0.7	8	1	5	5	9523.5	7560.5	7560.5	0.875
3607	023	2312	0.05	3257	1	65	100	3	5	4	6936	3679	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	5	5	6473.600098	3216.600098	3216.600098	0.933333
3607	056A	1912	0.04	2150	1	65	100	3	4	3	5736	3586	RH-3	40	density-lim	1000	true		0.7	6	1.5	5	5	5353.600098	3203.600098	3203.600098	0.933333
3607	058A	1773	0.04	1349	1	65	100	3	4	3	5319	3970	RH-3	40	density-lim	1000	true		0.7	6	1.5	5	5	4964.399902	3615.399902	3615.399902	0.933333
3608	051	1925	0.04	1672	1	65	100	3	4	3	5775	4103	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	5390	3718	3718	0.933333
3608	069	5605	0.13	4000	1	65	100	3	13	12	16815	12815	RH-3	40	density-lim	1000			0.7	6	0.461538464	5	5	15694	11694	11694	0.933333
3611	045	7395	0.17	3107	2	65	100	3	17	15	22185	19078	RH-3	40	density-lim	1000			0.7	7	0.411764711	5	5	20706	17599	17599	0.933333
3612	064	6125	0.14	6125	1	65	100	3	14	13	18375	12250	RH-3	40	density-lim	1000			0.7	6	0.428571433	5	5	17150	11025	11025	0.933333
3612	071	4750	0.11	14250	0	55	80	2.5	9	9	11875	0	RH-3	45	density-lim	1000			0.7	5	0.555555582	5	5	13300	0	0	1.12
3612	117	3491	0.08	1617	3	65	100	3	8	5	10473	8856	UMU	40	form-based		true		0.75	8	1	5	5	10473	8856	8856	1
3614	063	2805	0.06	3305	0	65	100	3	6	6	8415	5110	RM-2	55	density-lim	600			0.7	5	0.833333313	5	5	9817.5	6512.5	6512.5	1.166667
3617	006	4500	0.1	8630	9	65	100	3	10	1	13500	4870	NCT-VALEI	55	form-based		true		0.75	14	1.399999976	5	5	16875	8245	8245	1.25
3618	001	5367	0.12	6070	4	65	100	3	12	8	16101	10031	RM-2	40	density-lim	600	true		0.7	9	0.75	5	5	15027.59961	8957.599609	8957.599609	0.933333
3618	002	3995	0.09	4007	2	65	100	3	9	7	11985	7978	RM-2	40	density-lim	600			0.7	7	0.777777791	5	5	11186	7179	7179	0.933333
3619	003	2375	0.05	3457	2	85	140	4	7	5	9500	6043	RH-3	50	form-based			true	0.7	7	1	5	5	8312.5	4855.5	4855.5	0.875
3619	007	3250	0.07	3928	4	65	100	3	7	3	9750	5822	RH-3	50	form-based			true	0.7	9	1.285714269	5	5	11375	7447	7447	1.166667
3619	022	2524	0.06	1848	2	65	100	3	6	4	7572	5724	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8834	6986	6986	1.166667
3619	023	2500	0.06	3200	2	65	100	3	6	4	7500	4300	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	5550	5550	1.166667
3619	025	2283	0.05	964	1	65	100	3	5	4	6849	5885	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7990.5	7026.5	7026.5	1.166667
3619	029	2353	0.05	2160	2	65	100	3	5	3	7059	4899	RH-2	50	form-based			true	0.7	7	1.399999976	5	5	8235.5	6075.5	6075.5	1.166667
3619	031	2184	0.05	2030	1	85	140	4	7	6	8736	6706	RH-2	50	form-based			true	0.7	6	0.857142866	5	5	7644	5614	5614	0.875
3619	077	3256	0.07	2440	4	85	140	4	10	6	13024	10584	RH-2	50	form-based			true	0.7	9	0.899999976	5	5	11396	8956	8956	0.875
3619	080	3131	0.07	4612	4	85	140	4	10	6	12524	7912	RH-2	50	form-based			true	0.7	9	0.899999976	5	5	10958.5	6346.5	6346.5	0.875
3619	085	2597	0.06	3867	2	85	140	4	8	6	10388	6521	RH-2	50	form-based			true	0.7	7	0.875	5	5	9089.5	5222.5	5222.5	0.875
3619	089	2080	0.05	812	1	85	140	4	7	6	8320	7508	RM-1	50	form-based			true	0.7	6	0.857142866	5	5	7280	6468	6468	0.875
3619	107	2517	0.06	2006	2	85	140	4	8	6	10068	8062	RH-2	50	form-based			true	0.7	7	0.875	5	5	8809.5	6803.5	6803.5	0.875
3619	114	2089	0.05	942	3	85	140	4	7	4	8356	7414	RTO-C	65	form-based			true	0.75	8	1.142857194	5	5	9400.5	8458.5	8458.5	1.125
3619	131	2597	0.06	2834	2	85	140	4	8	6	10388	7554	RH-2	50	form-based			true	0.7	7	0.875	5	5	9089.5	6255.5	6255.5	0.875
3619	133	2621	0.06	2509	2	85	140	4	8	6	10484	7975	RH-2	50	form-based		true	true	0.7	7	0.875	5	5	9173.5	6664.5	6664.5	0.875
3619	138	2210	0.05	859	3	85	140	4	7	4	8840	7981	RTO-C	65	form-based		true	true	0.75	8	1.142857194	5	5	9945	9086	9086	1.125
3619	144	2375	0.05	2165	2	85	140	4	7	5	9500	7335	RH-3	50	form-based			true	0.7	7	1	5	5	8312.5	6147.5	6147.5	0.875
3620	009	2850	0.07	1835	1	65	100	3	7	6	8550	6715	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6145	6145	0.933333
3620	010	3059	0.07	2825	1	65	100	3	7	6	9177	6352	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8565.200195	5740.200195	5740.200195	0.933333
3620	012	2902	0.07	1175	1	65	100	3	7	6	8706	7531	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8125.600098	6950.600098	6950.600098	0.933333
3620	013	2902	0.07	1470	1	65	100	3	7	6	8706	7236	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8125.600098	6655.600098	6655.600098	0.933333
3620	014	2859	0.07	2408	1	65	100	3	7	6	8577	6169	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8005.199707	5597.199707	5597.199707	0.933333
3620	015	2945	0.07	3200	1	65	100	3	7	6	8835	5635	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8246	5046	5046	0.933333
3620	016	2902	0.07	1912	1	65	100	3	7	6	8706	6794	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8125.600098	6213.600098	6213.600098	0.933333
3620	016A	2902	0.07	3232	1	65	100	3	7	6	8706	5474	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8125.600098	4893.600098	4893.600098	0.933333
3620	017	2850	0.07	1365	1	65	100	3	7	6	8550	7185	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6615	6615	0.933333
3620	017A	2955	0.07	2864	1	65	100	3	7	6	8865	6001	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8274	5410	5410	0.933333
3620	018	2850	0.07	2290	1	65	100	3	7	6	8550	6260	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5690	5690	0.933333
3620	026	2910	0.07	655	1	65	100	3	7	6	8730	8075	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8148	7493	7493	0.933333
3620	027	2807	0.06	2499	1	65	100	3	6	5	8421	5922	RH-1	40	form-based			true	0.7	6	1	5	5	7859.600098	5360.600098	5360.600098	0.933333
3620	028	2859	0.07	800	1	65	100	3	7	6	8577	7777	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8005.199707	7205.199707	7205.199707	0.933333
3620	028A	2859	0.07	2872	1	65	100	3	7	6	8577	5705	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8005.199707	5133.199707	5133.199707	0.933333
3620	029	2901	0.07	1100	1	65	100	3	7	6	8703	7603	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8122.799805	7022.799805	7022.799805	0.933333
3620	030	2816	0.06	1340	1	65	100	3	6	5	8448	7108	RH-1	40	form-based			true	0.7	6	1	5	5	7884.799805	6544.799805	6544.799805	0.933333
3620	031	2859	0.07	1145	1	65	100	3	7	6	8577	7432	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8005.199707	6860.199707	6860.199707	0.933333
3620	036	2859	0.07	1654	1	65	100	3	7	6	8577	6923	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8005.199707	6351.199707	6351.199707	0.933333
3620	036A	2859	0.07	1588	1	65	100	3	7	6	8577	6989	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8005.199707	6417.199707	6417.199707	0.933333
3620	038	2902	0.07	2609	1	65	100	3	7	6	8706	6097	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8125.600098	5516.600098	5516.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3620	039	2888	0.07	1363	1	65	100	3	7	6	8664	7301	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8086.399902	6723.399902	6723.399902	0.933333
3620	040	2850	0.07	792	1	65	100	3	7	6	8550	7758	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	7188	7188	0.933333
3620	043	2907	0.07	2377	1	65	100	3	7	6	8721	6344	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8139.600098	5762.600098	5762.600098	0.933333
3620	048	2889	0.07	1275	1	65	100	3	7	6	8667	7392	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	6814.199707	6814.199707	0.933333
3620	055	2995	0.07	1275	1	65	100	3	7	6	8985	7710	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7111	7111	0.933333
3620	056	2995	0.07	2212	1	65	100	3	7	6	8985	6773	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	6174	6174	0.933333
3620	057	2889	0.07	1900	1	65	100	3	7	6	8667	6767	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	6189.199707	6189.199707	0.933333
3620	058	2942	0.07	2667	1	65	100	3	7	6	8826	6159	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8237.599609	5570.599609	5570.599609	0.933333
3620	059	2947	0.07	1107	1	65	100	3	7	6	8841	7734	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8251.599609	7144.599609	7144.599609	0.933333
3620	060	2947	0.07	2624	1	65	100	3	7	6	8841	6217	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8251.599609	5627.599609	5627.599609	0.933333
3620	061	2995	0.07	1060	1	65	100	3	7	6	8985	7925	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8386	7326	7326	0.933333
3620	062	2889	0.07	3003	1	65	100	3	7	6	8667	5664	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	5086.199707	5086.199707	0.933333
3620	063	2928	0.07	3204	1	65	100	3	7	6	8784	5580	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8198.399414	4994.399414	4994.399414	0.933333
3620	063A	2889	0.07	1862	1	65	100	3	7	6	8667	6805	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	6227.199707	6227.199707	0.933333
3620	068	2850	0.07	2154	1	65	100	3	7	6	8550	6396	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5826	5826	0.933333
3620	074	2955	0.07	1320	1	65	100	3	7	6	8865	7545	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8274	6954	6954	0.933333
3620	075	2907	0.07	1812	1	65	100	3	7	6	8721	6909	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8139.600098	6327.600098	6327.600098	0.933333
3620	100	2981	0.07	3400	1	65	100	3	7	6	8943	5543	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8346.799805	4946.799805	4946.799805	0.933333
3620	101	2928	0.07	3402	1	65	100	3	7	6	8784	5382	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8198.399414	4796.399414	4796.399414	0.933333
3621	014	2850	0.07	1530	1	65	100	3	7	6	8550	7020	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6450	6450	0.933333
3621	016	2850	0.07	1175	1	65	100	3	7	6	8550	7375	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6805	6805	0.933333
3621	017	2850	0.07	2732	1	65	100	3	7	6	8550	5818	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5248	5248	0.933333
3621	020	2850	0.07	1870	1	65	100	3	7	6	8550	6680	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6110	6110	0.933333
3621	021	2850	0.07	3498	1	65	100	3	7	6	8550	5052	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	4482	4482	0.933333
3621	022	2850	0.07	1016	1	65	100	3	7	6	8550	7534	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6964	6964	0.933333
3621	024	2858	0.07	3000	1	65	100	3	7	6	8574	5574	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8002.399902	5002.399902	5002.399902	0.933333
3621	025	2850	0.07	2285	1	65	100	3	7	6	8550	6265	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5695	5695	0.933333
3621	029	2750	0.06	2140	1	65	100	3	6	5	8250	6110	RH-2	40	form-based			true	0.7	6	1	5	5	7700	5560	5560	0.933333
3621	031	2750	0.06	1937	1	65	100	3	6	5	8250	6313	RH-2	40	form-based			true	0.7	6	1	5	5	7700	5763	5763	0.933333
3621	033	2750	0.06	1280	1	65	100	3	6	5	8250	6970	RH-2	40	form-based			true	0.7	6	1	5	5	7700	6420	6420	0.933333
3621	034	2750	0.06	2460	1	65	100	3	6	5	8250	5790	RH-2	40	form-based			true	0.7	6	1	5	5	7700	5240	5240	0.933333
3621	041	2815	0.06	1265	1	65	100	3	6	5	8445	7180	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6617	6617	0.933333
3621	042	2799	0.06	1816	1	65	100	3	6	5	8397	6581	RH-1	40	form-based			true	0.7	6	1	5	5	7837.199707	6021.199707	6021.199707	0.933333
3621	043	2807	0.06	2906	1	65	100	3	6	5	8421	5515	RH-1	40	form-based			true	0.7	6	1	5	5	7859.600098	4953.600098	4953.600098	0.933333
3621	044	2807	0.06	1150	1	65	100	3	6	5	8421	7271	RH-1	40	form-based			true	0.7	6	1	5	5	7859.600098	6709.600098	6709.600098	0.933333
3621	046	2807	0.06	1004	1	65	100	3	6	5	8421	7417	RH-1	40	form-based			true	0.7	6	1	5	5	7859.600098	6855.600098	6855.600098	0.933333
3621	047	2807	0.06	2880	1	65	100	3	6	5	8421	5541	RH-1	40	form-based			true	0.7	6	1	5	5	7859.600098	4979.600098	4979.600098	0.933333
3621	048	2807	0.06	1346	1	65	100	3	6	5	8421	7075	RH-1	40	form-based			true	0.7	6	1	5	5	7859.600098	6513.600098	6513.600098	0.933333
3621	049	2807	0.06	980	1	65	100	3	6	5	8421	7441	RH-1	40	form-based			true	0.7	6	1	5	5	7859.600098	6879.600098	6879.600098	0.933333
3621	050	2807	0.06	1576	1	65	100	3	6	5	8421	6845	RH-1	40	form-based			true	0.7	6	1	5	5	7859.600098	6283.600098	6283.600098	0.933333
3621	051	2807	0.06	1755	1	65	100	3	6	5	8421	6666	RH-1	40	form-based			true	0.7	6	1	5	5	7859.600098	6104.600098	6104.600098	0.933333
3621	055	2850	0.07	2020	1	65	100	3	7	6	8550	6530	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5960	5960	0.933333
3621	056	2850	0.07	2012	1	65	100	3	7	6	8550	6538	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5968	5968	0.933333
3621	057	2850	0.07	2012	1	65	100	3	7	6	8550	6538	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5968	5968	0.933333
3621	058	2850	0.07	1993	1	65	100	3	7	6	8550	6557	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5987	5987	0.933333
3621	059	2850	0.07	1425	1	65	100	3	7	6	8550	7125	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6555	6555	0.933333
3621	060	2850	0.07	1425	1	65	100	3	7	6	8550	7125	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6555	6555	0.933333
3621	061	2850	0.07	2140	1	65	100	3	7	6	8550	6410	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	5840	5840	0.933333
3621	062	2850	0.07	1425	1	65	100	3	7	6	8550	7125	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6555	6555	0.933333
3621	064	2850	0.07	3088	1	65	100	3	7	6	8550	5462	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	4892	4892	0.933333
3621	065	2850	0.07	3150	1	65	100	3	7	6	8550	5400	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	4830	4830	0.933333
3621	070	2993	0.07	2265	1	65	100	3	7	6	8979	6714	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6115.399414	6115.399414	0.933333
3621	073	2889	0.07	1685	1	65	100	3	7	6	8667	6982	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	6404.199707	6404.199707	0.933333
3621	074	2889	0.07	1704	1	65	100	3	7	6	8667	6963	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	6385.199707	6385.199707	0.933333
3621	075	2889	0.07	1585	1	65	100	3	7	6	8667	7082	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	6504.199707	6504.199707	0.933333
3621	076	2889	0.07	2736	1	65	100	3	7	6	8667	5931	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	5353.199707	5353.199707	0.933333
3621	077	2889	0.07	1120	1	65	100	3	7	6	8667	7547	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	6969.199707	6969.199707	0.933333
3621	077A	2889	0.07	2272	1	65	100	3	7	6	8667	6395	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	5817.199707	5817.199707	0.933333
3621	082	2850	0.07	1374	1	65	100	3	7	6	8550	7176	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6606	6606	0.933333
3621	083	2850	0.07	1374	1	65	100	3	7	6	8550	7176	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7980	6606	6606	0.933333
3621	086	4117	0.09	3498	4	65	100	3	9	5	12351	8853	RH-2	40	form-based			true	0.7	9	1	5	5	11527.59961	8029.599609	8029.599609	0.933333
3622	016	2807	0.06	2012	1	55	80	2.5	5	4	7018	5006	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7859.600098	5847.600098	5847.600098	1.11992
3622	017	2807	0.06	2695	1	55	80	2.5	5	4	7018	4323	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7859.600098	5164.600098	5164.600098	1.11992
3622	018	2807	0.06	5814	1	55	80	2.5	5	4	7018	1204	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7859.600098	2045.600098	2045.600098	1.11992

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3622	020	2807	0.06	1352	1	55	80	2.5	5	4	7018	5666	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7859.600098	6507.600098	6507.600098	1.11992
3622	022	2807	0.06	2095	1	55	80	2.5	5	4	7018	4923	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7859.600098	5764.600098	5764.600098	1.11992
3622	023	2807	0.06	3239	1	55	80	2.5	5	4	7018	3779	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7859.600098	4620.600098	4620.600098	1.11992
3622	040	2850	0.07	2000	1	55	80	2.5	6	5	7125	5125	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5980	5980	1.12
3622	041	2850	0.07	1730	1	55	80	2.5	6	5	7125	5395	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6250	6250	1.12
3622	042	2850	0.07	1930	1	55	80	2.5	6	5	7125	5195	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6050	6050	1.12
3622	043	2850	0.07	2992	1	55	80	2.5	6	5	7125	4133	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4988	4988	1.12
3622	046	2850	0.07	2148	1	55	80	2.5	6	5	7125	4977	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5832	5832	1.12
3622	051	2850	0.07	1328	1	55	80	2.5	6	5	7125	5797	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6652	6652	1.12
3622	051A	2850	0.07	1812	1	55	80	2.5	6	5	7125	5313	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6168	6168	1.12
3622	054	2850	0.07	2300	1	55	80	2.5	6	5	7125	4825	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5680	5680	1.12
3622	055	2850	0.07	2244	1	55	80	2.5	6	5	7125	4881	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5736	5736	1.12
3622	059	2850	0.07	3455	1	55	80	2.5	6	5	7125	3670	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4525	4525	1.12
3622	060	2850	0.07	2666	1	55	80	2.5	6	5	7125	4459	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5314	5314	1.12
3622	063	2850	0.07	1896	1	55	80	2.5	6	5	7125	5229	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6084	6084	1.12
3622	066	2850	0.07	1729	1	55	80	2.5	6	5	7125	5396	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6251	6251	1.12
3622	069	2850	0.07	3085	1	55	80	2.5	6	5	7125	4040	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4895	4895	1.12
3622	080	2889	0.07	1700	1	55	80	2.5	6	5	7222	5522	RH-2	40	form-based			true	0.7	6	1	5	5	8089.199707	6389.199707	6389.199707	1.120077
3622	081	2889	0.07	1700	1	55	80	2.5	6	5	7222	5522	RH-2	40	form-based			true	0.7	6	1	5	5	8089.199707	6389.199707	6389.199707	1.120077
3622	082	2889	0.07	1838	1	55	80	2.5	6	5	7222	5384	RH-2	40	form-based			true	0.7	6	1	5	5	8089.199707	6251.199707	6251.199707	1.120077
3622	084	2889	0.07	2640	1	55	80	2.5	6	5	7222	4582	RH-2	40	form-based			true	0.7	6	1	5	5	8089.199707	5449.199707	5449.199707	1.120077
3622	086	2889	0.07	2752	1	55	80	2.5	6	5	7222	4470	RH-2	40	form-based			true	0.7	6	1	5	5	8089.199707	5337.199707	5337.199707	1.120077
3622	087	2889	0.07	2392	1	55	80	2.5	6	5	7222	4830	RH-2	40	form-based			true	0.7	6	1	5	5	8089.199707	5697.199707	5697.199707	1.120077
3622	088	2889	0.07	2100	1	55	80	2.5	6	5	7222	5122	RH-2	40	form-based			true	0.7	6	1	5	5	8089.199707	5989.199707	5989.199707	1.120077
3622	091	2889	0.07	4004	1	55	80	2.5	6	5	7222	3218	RH-2	40	form-based			true	0.7	6	1	5	5	8089.199707	4085.199707	4085.199707	1.120077
3622	092	2889	0.07	1642	1	55	80	2.5	6	5	7222	5580	RH-2	40	form-based			true	0.7	6	1	5	5	8089.199707	6447.199707	6447.199707	1.120077
3622	093	2889	0.07	2144	1	55	80	2.5	6	5	7222	5078	RH-2	40	form-based			true	0.7	6	1	5	5	8089.199707	5945.199707	5945.199707	1.120077
3623	010	2850	0.07	2445	1	55	80	2.5	6	5	7125	4680	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5535	5535	1.12
3623	011	2850	0.07	2332	1	55	80	2.5	6	5	7125	4793	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5648	5648	1.12
3623	012	2850	0.07	2431	1	55	80	2.5	6	5	7125	4694	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5549	5549	1.12
3623	013	2850	0.07	2199	1	55	80	2.5	6	5	7125	4926	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5781	5781	1.12
3623	014	2850	0.07	3005	1	55	80	2.5	6	5	7125	4120	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4975	4975	1.12
3623	015	2850	0.07	1984	1	55	80	2.5	6	5	7125	5141	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5996	5996	1.12
3623	016	2850	0.07	2687	1	55	80	2.5	6	5	7125	4438	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5293	5293	1.12
3623	017	2850	0.07	2260	1	55	80	2.5	6	5	7125	4865	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5720	5720	1.12
3623	018	2850	0.07	1850	1	55	80	2.5	6	5	7125	5275	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6130	6130	1.12
3623	019	2850	0.07	1850	1	55	80	2.5	6	5	7125	5275	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6130	6130	1.12
3623	020	2850	0.07	1850	1	55	80	2.5	6	5	7125	5275	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6130	6130	1.12
3623	021	3420	0.08	2756	2	55	80	2.5	6	4	8550	5794	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9576	6820	6820	1.12
3623	025A	4051	0.09	4540	4	55	80	2.5	7	3	10128	5588	RH-2	40	form-based			true	0.7	9	1.285714269	5	5	11342.7998	6802.799805	6802.799805	1.119945
3623	026	2893	0.07	3166	1	55	80	2.5	6	5	7232	4066	RH-2	40	form-based			true	0.7	6	1	5	5	8100.399902	4934.399902	4934.399902	1.120077
3623	027	2893	0.07	1675	1	55	80	2.5	6	5	7232	5557	RH-2	40	form-based			true	0.7	6	1	5	5	8100.399902	6425.399902	6425.399902	1.120077
3623	028	2893	0.07	1850	1	55	80	2.5	6	5	7232	5382	RH-2	40	form-based			true	0.7	6	1	5	5	8100.399902	6250.399902	6250.399902	1.120077
3623	029	2893	0.07	2680	1	55	80	2.5	6	5	7232	4552	RH-2	40	form-based			true	0.7	6	1	5	5	8100.399902	5420.399902	5420.399902	1.120077
3623	030	2893	0.07	2103	1	55	80	2.5	6	5	7232	5129	RH-2	40	form-based			true	0.7	6	1	5	5	8100.399902	5997.399902	5997.399902	1.120077
3623	032	2893	0.07	2436	1	55	80	2.5	6	5	7232	4796	RH-2	40	form-based			true	0.7	6	1	5	5	8100.399902	5664.399902	5664.399902	1.120077
3623	033	2893	0.07	1796	1	55	80	2.5	6	5	7232	5436	RH-2	40	form-based			true	0.7	6	1	5	5	8100.399902	6304.399902	6304.399902	1.120077
3623	034	2893	0.07	2438	1	55	80	2.5	6	5	7232	4794	RH-2	40	form-based			true	0.7	6	1	5	5	8100.399902	5662.399902	5662.399902	1.120077
3623	035	2893	0.07	1850	1	55	80	2.5	6	5	7232	5382	RH-2	40	form-based			true	0.7	6	1	5	5	8100.399902	6250.399902	6250.399902	1.120077
3623	036	2893	0.07	2435	1	55	80	2.5	6	5	7232	4797	RH-2	40	form-based			true	0.7	6	1	5	5	8100.399902	5665.399902	5665.399902	1.120077
3623	037	2893	0.07	1631	1	55	80	2.5	6	5	7232	5601	RH-2	40	form-based			true	0.7	6	1	5	5	8100.399902	6469.399902	6469.399902	1.120077
3623	038	2893	0.07	1860	1	55	80	2.5	6	5	7232	5372	RH-2	40	form-based			true	0.7	6	1	5	5	8100.399902	6240.399902	6240.399902	1.120077
3624	009	2850	0.07	2545	1	55	80	2.5	6	5	7125	4580	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5435	5435	1.12
3624	012	2850	0.07	1770	1	55	80	2.5	6	5	7125	5355	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6210	6210	1.12
3624	013	2850	0.07	3025	1	55	80	2.5	6	5	7125	4100	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4955	4955	1.12
3624	014	2850	0.07	2195	1	55	80	2.5	6	5	7125	4930	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5785	5785	1.12
3624	015	2850	0.07	1950	1	55	80	2.5	6	5	7125	5175	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6030	6030	1.12
3624	016	2850	0.07	1475	1	55	80	2.5	6	5	7125	5650	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6505	6505	1.12
3624	019	2850	0.07	982	1	55	80	2.5	6	5	7125	6143	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6998	6998	1.12
3624	020	2850	0.07	3395	1	55	80	2.5	6	5	7125	3730	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4585	4585	1.12
3624	022	2850	0.07	2435	1	55	80	2.5	6	5	7125	4690	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5545	5545	1.12
3624	033	2839	0.07	2045	1	55	80	2.5	6	5	7098	5053	RH-2	40	form-based			true	0.7	6	1	5	5	7949.199707	5904.199707	5904.199707	1.119921
3624	035	2839	0.07	1600	1	55	80	2.5	6	5	7098	5498	RH-2	40	form-based			true	0.7	6	1	5	5	7949.199707	6349.199707	6349.199707	1.119921
3624	036	2839	0.07	3978	1	55	80	2.5	6	5	7098	3120	RH-2	40	form-based			true	0.7	6	1	5	5	7949.199707	3971.199707	3971.199707	1.119921

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3624	039	2839	0.07	2218	1	55	80	2.5	6	5	7098	4880	RH-2	40	form-based			true	0.7	6	1	5	5	7949.199707	5731.199707	5731.199707	1.119921
3624	040	2839	0.07	1590	1	55	80	2.5	6	5	7098	5508	RH-2	40	form-based			true	0.7	6	1	5	5	7949.199707	6359.199707	6359.199707	1.119921
3624	044	2839	0.07	2782	1	55	80	2.5	6	5	7098	4316	RH-2	40	form-based			true	0.7	6	1	5	5	7949.199707	5167.199707	5167.199707	1.119921
3624	045	2839	0.07	3082	1	55	80	2.5	6	5	7098	4016	RH-2	40	form-based			true	0.7	6	1	5	5	7949.199707	4867.199707	4867.199707	1.119921
3624	046	2839	0.07	2310	1	55	80	2.5	6	5	7098	4788	RH-2	40	form-based			true	0.7	6	1	5	5	7949.199707	5639.199707	5639.199707	1.119921
3625	006A	2839	0.07	1090	1	65	100	3	7	6	8517	7427	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7949.199707	6859.199707	6859.199707	0.933333
3625	011	2896	0.07	2854	1	65	100	3	7	6	8688	5834	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8108.799805	5254.799805	5254.799805	0.933333
3625	012	2669	0.06	1120	1	65	100	3	6	5	8007	6887	RH-3	40	form-based			true	0.7	6	1	5	5	7473.199707	6353.199707	6353.199707	0.933333
3625	012A	3134	0.07	1764	2	65	100	3	7	5	9402	7638	RH-3	40	form-based			true	0.7	7	1	5	5	8775.200195	7011.200195	7011.200195	0.933333
3625	013	2896	0.07	1560	1	65	100	3	7	6	8688	7128	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8108.799805	6548.799805	6548.799805	0.933333
3625	015	2905	0.07	2848	1	65	100	3	7	6	8715	5867	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8134	5286	5286	0.933333
3625	018	5690	0.13	4710	7	65	100	3	13	6	17070	12360	RH-3	40	form-based			true	0.7	12	0.923076928	5	5	15932	11222	11222	0.933333
3625	021	2896	0.07	1984	1	65	100	3	7	6	8688	6704	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	8108.799805	6124.799805	6124.799805	0.933333
3625	022	3228	0.07	4127	2	65	100	3	7	5	9684	5557	RH-3	40	form-based	true		true	0.7	7	1	5	5	9038.399414	4911.399414	4911.399414	0.933333
3625	024	2705	0.06	1135	1	65	100	3	6	5	8115	6980	RH-2	40	form-based			true	0.7	6	1	5	5	7574	6439	6439	0.933333
3625	025	2705	0.06	2125	1	65	100	3	6	5	8115	5990	RH-2	40	form-based			true	0.7	6	1	5	5	7574	5449	5449	0.933333
3625	031	2888	0.07	1512	1	65	100	3	7	6	8664	7152	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8086.399902	6574.399902	6574.399902	0.933333
3625	032	2916	0.07	1810	1	65	100	3	7	6	8748	6938	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8164.799805	6354.799805	6354.799805	0.933333
3625	033	2918	0.07	1871	1	65	100	3	7	6	8754	6883	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8170.399902	6299.399902	6299.399902	0.933333
3625	034	2907	0.07	1697	1	65	100	3	7	6	8721	7024	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8139.600098	6442.600098	6442.600098	0.933333
3625	035	2850	0.07	2077	1	65	100	3	7	6	8550	6473	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5903	5903	0.933333
3625	036	2975	0.07	4170	1	65	100	3	7	6	8925	4755	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8330	4160	4160	0.933333
3625	037	2907	0.07	2369	1	65	100	3	7	6	8721	6352	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8139.600098	5770.600098	5770.600098	0.933333
3625	040	2907	0.07	1895	1	65	100	3	7	6	8721	6826	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8139.600098	6244.600098	6244.600098	0.933333
3626	003	2639	0.06	1090	1	65	100	3	6	5	7917	6827	RH-2	40	form-based			true	0.7	6	1	5	5	7389.199707	6299.199707	6299.199707	0.933333
3626	004	2639	0.06	1122	1	65	100	3	6	5	7917	6795	RH-2	40	form-based			true	0.7	6	1	5	5	7389.199707	6267.199707	6267.199707	0.933333
3626	005	2639	0.06	1994	1	65	100	3	6	5	7917	5923	RH-2	40	form-based			true	0.7	6	1	5	5	7389.199707	5395.199707	5395.199707	0.933333
3626	006	2639	0.06	1508	1	65	100	3	6	5	7917	6409	RH-2	40	form-based			true	0.7	6	1	5	5	7389.199707	5881.199707	5881.199707	0.933333
3626	007	2808	0.06	1810	1	65	100	3	6	5	8424	6614	RH-2	40	form-based	true		true	0.7	6	1	5	5	7862.399902	6052.399902	6052.399902	0.933333
3626	010	2850	0.07	1430	1	65	100	3	7	6	8550	7120	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6550	6550	0.933333
3626	011	2850	0.07	1469	1	65	100	3	7	6	8550	7081	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6511	6511	0.933333
3626	013	2850	0.07	1644	1	65	100	3	7	6	8550	6906	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6336	6336	0.933333
3626	014	2850	0.07	1600	1	65	100	3	7	6	8550	6950	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6380	6380	0.933333
3626	015	2850	0.07	2020	1	65	100	3	7	6	8550	6530	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5960	5960	0.933333
3626	016	2850	0.07	1650	1	65	100	3	7	6	8550	6900	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6330	6330	0.933333
3626	016A	2850	0.07	1812	1	65	100	3	7	6	8550	6738	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6168	6168	0.933333
3626	017	2850	0.07	1103	1	65	100	3	7	6	8550	7447	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6877	6877	0.933333
3626	017B	2850	0.07	2200	1	65	100	3	7	6	8550	6350	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5780	5780	0.933333
3626	019A	2940	0.07	1626	1	65	100	3	7	6	8820	7194	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8232	6606	6606	0.933333
3626	020	2625	0.06	1470	1	65	100	3	6	5	7875	6405	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5880	5880	0.933333
3626	021	2625	0.06	1778	1	65	100	3	6	5	7875	6097	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5572	5572	0.933333
3626	022	2625	0.06	1658	1	65	100	3	6	5	7875	6217	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5692	5692	0.933333
3626	023	2625	0.06	1588	1	65	100	3	6	5	7875	6287	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5762	5762	0.933333
3626	025	2893	0.07	1780	1	65	100	3	7	6	8679	6899	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	6320.399902	6320.399902	0.933333
3626	027	2893	0.07	1588	1	65	100	3	7	6	8679	7091	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	6512.399902	6512.399902	0.933333
3626	028	2893	0.07	1556	1	65	100	3	7	6	8679	7123	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	6544.399902	6544.399902	0.933333
3626	029	2893	0.07	2638	1	65	100	3	7	6	8679	6041	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	5462.399902	5462.399902	0.933333
3626	030	2893	0.07	1780	1	65	100	3	7	6	8679	6899	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	6320.399902	6320.399902	0.933333
3626	031	2893	0.07	2978	1	65	100	3	7	6	8679	5701	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	5122.399902	5122.399902	0.933333
3626	032	2893	0.07	2245	1	65	100	3	7	6	8679	6434	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	5855.399902	5855.399902	0.933333
3626	033	2893	0.07	2700	1	65	100	3	7	6	8679	5979	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	5400.399902	5400.399902	0.933333
3626	034	2893	0.07	2154	1	65	100	3	7	6	8679	6525	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	5946.399902	5946.399902	0.933333
3626	035	2893	0.07	2602	1	65	100	3	7	6	8679	6077	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	5498.399902	5498.399902	0.933333
3626	036	2893	0.07	1974	1	65	100	3	7	6	8679	6705	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	6126.399902	6126.399902	0.933333
3626	037	2893	0.07	2710	1	65	100	3	7	6	8679	5969	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	5390.399902	5390.399902	0.933333
3626	038	2893	0.07	2500	1	65	100	3	7	6	8679	6179	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	5600.399902	5600.399902	0.933333
3626	047	3025	0.07	1848	1	65	100	3	7	6	9075	7227	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8470	6622	6622	0.933333
3627	006	2250	0.05	3200	1	65	100	3	5	4	6750	3550	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7875	4675	4675	1.166667
3627	007	2250	0.05	2713	1	65	100	3	5	4	6750	4037	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7875	5162	5162	1.166667
3627	023	2511	0.06	3432	2	65	100	3	6	4	7533	4101	RH-3	50	form-based	true		true	0.7	7	1.166666627	5	5	8788.5	5356.5	5356.5	1.166667
3627	036	2250	0.05	3371	1	65	100	3	5	4	6750	3379	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7875	4504	4504	1.166667
3627	037	2250	0.05	1095	1	65	100	3	5	4	6750	5655	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7875	6780	6780	1.166667
3627	039	2250	0.05	928	1	65	100	3	5	4	6750	5822	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7875	6947	6947	1.166667
3627	041	2250	0.05	1355	1	65	100	3	5	4	6750	5395	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7875	6520	6520	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3627	050	2831	0.06	1618	3	65	100	3	6	3	8493	6875	RH-2	50	form-based			true	0.7	8	1.333333373	5	5	9908.5	8290.5	8290.5	1.166667
3628	017	2250	0.05	1460	1	65	100	3	5	4	6750	5290	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7875	6415	6415	1.166667
3628	031	2539	0.06	3774	2	85	140	4	8	6	10156	6382	RH-2	50	form-based			true	0.7	7	0.875	5	5	8886.5	5112.5	5112.5	0.875
3629	038	2205	0.05	5745	3	85	140	4	7	4	8820	3075	RTO-C	65	form-based		true	true	0.75	8	1.142857194	5	5	9922.5	4177.5	4177.5	1.125
3629	041	1988	0.05	1820	1	85	140	4	7	6	7952	6132	RH-2	50	form-based			true	0.7	6	0.857142866	5	5	6958	5138	5138	0.875
3630	015A	2251	0.05	1080	1	65	100	3	5	4	6753	5673	RH-2	50	form-based		true	true	0.7	6	1.200000048	5	5	7878.5	6798.5	6798.5	1.166667
3630	034	2839	0.07	1318	3	65	100	3	7	4	8517	7199	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	9936.5	8618.5	8618.5	1.166667
3632	012	3633	0.08	14187	0	65	100	3	8	8	10899	0	RM-1	40	density-lin	800			0.7	5	0.625	5	5	10172.39941	0	0	0.933333
3635	002	3466	0.08	8463	5	75	120	3.5	10	5	12131	3668	NCT-VALEI	55	form-based				0.75	10	1	5	5	12997.5	4534.5	4534.5	1.071429
3636	013	2000	0.05	2229	1	75	120	3.5	6	5	7000	4771	NCT-MISSI	55	form-based				0.75	6	1	5	5	7500	5271	5271	1.071429
3636	014	2000	0.05	1755	1	75	120	3.5	6	5	7000	5245	RTO-M	55	form-based				0.7	6	1	5	5	7000	5245	5245	1
3636	015	2000	0.05	2596	1	75	120	3.5	6	5	7000	4404	RTO-M	55	form-based				0.7	6	1	5	5	7000	4404	4404	1
3636	018	2640	0.06	1968	2	75	120	3.5	7	5	9240	7272	RTO-M	55	form-based				0.7	7	1	5	5	9240	7272	7272	1
3636	022	2000	0.05	1760	1	75	120	3.5	6	5	7000	5240	RTO-M	55	form-based				0.7	6	1	5	5	7000	5240	5240	1
3636	023	2000	0.05	1759	1	75	120	3.5	6	5	7000	5241	RTO-M	55	form-based				0.7	6	1	5	5	7000	5241	5241	1
3636	041	2500	0.06	0	0	75	120	3.5	7	7	8750	8750	RTO-M	45	form-based				0.7	5	0.714285731	5	5	7000	7000	7000	0.8
3636	042	2500	0.06	317	0	75	120	3.5	7	7	8750	8433	RTO-M	45	form-based				0.7	5	0.714285731	5	5	7000	6683	6683	0.8
3636	044	3125	0.07	2803	2	75	120	3.5	8	6	10938	8135	RTO-M	45	form-based				0.7	7	0.875	5	5	8750	5947	5947	0.799963
3636	046	5000	0.11	6040	5	85	140	4	15	10	20000	13960	RTO-M	45	form-based				0.7	10	0.666666687	5	5	14000	7960	7960	0.7
3637	004	3185	0.07	3156	4	75	120	3.5	8	4	11148	7992	RTO-M	50	form-based				0.7	9	1.125	5	5	11147.5	7991.5	7991.5	0.999955
3637	006	3190	0.07	3120	4	75	120	3.5	8	4	11165	8045	RTO-M	50	form-based				0.7	9	1.125	5	5	11165	8045	8045	1
3637	012	3369	0.08	3220	4	75	120	3.5	10	6	11792	8572	RTO-M	50	form-based				0.7	9	0.899999976	5	5	11791.5	8571.5	8571.5	0.999958
3637	015	3369	0.08	3080	4	75	120	3.5	10	6	11792	8712	RTO-M	50	form-based				0.7	9	0.899999976	5	5	11791.5	8711.5	8711.5	0.999958
3637	019	3666	0.08	2013	3	75	120	3.5	10	7	12831	10818	RTO-M	40	form-based				0.7	8	0.800000012	5	5	10264.7998	8251.799805	8251.799805	0.8
3637	019A	2700	0.06	1624	1	75	120	3.5	7	6	9450	7826	RTO-M	40	form-based				0.7	6	0.857142866	5	5	7560	5936	5936	0.8
3637	043	2444	0.06	0	0	75	120	3.5	7	7	8554	8554	RTO-M	40	form-based				0.7	5	0.714285731	5	5	6843.199707	6843.199707	6843.199707	0.8
3637	044	2444	0.06	0	0	75	120	3.5	7	7	8554	8554	RTO-M	40	form-based				0.7	5	0.714285731	5	5	6843.199707	6843.199707	6843.199707	0.8
3637	046A	2284	0.05	1098	0	75	120	3.5	6	6	7994	6896	RTO-M	40	form-based				0.7	5	0.833333313	5	5	6395.199707	5297.199707	5297.199707	0.8
3637	061	3263	0.07	3544	2	75	120	3.5	8	6	11420	7876	RTO-M	40	form-based				0.7	7	0.875	5	5	9136.399414	5592.399414	5592.399414	0.800035
3637	086	3369	0.08	1600	4	75	120	3.5	10	6	11792	10192	RTO-M	50	form-based				0.7	9	0.899999976	5	5	11791.5	10191.5	10191.5	0.999958
3639	035	3287	0.08	4240	2	65	100	3	8	6	9861	5621	UMU	48	form-based				0.75	7	0.875	5	5	9861	5621	5621	1
3642	005	3888	0.09	7458	6	75	120	3.5	11	5	13608	6150	RTO-M	50	form-based				0.7	11	1	5	5	13608	6150	6150	1
3642	018	3000	0.07	2165	4	75	120	3.5	8	4	10500	8335	NCT-MISSI	55	form-based				0.75	9	1.125	5	5	11250	9085	9085	1.071429
3642	037	3062	0.07	2150	1	75	120	3.5	8	7	10717	8567	RTO-M	40	form-based				0.7	6	0.75	5	5	8573.599609	6423.599609	6423.599609	0.8
3642	038	4900	0.11	6761	5	75	120	3.5	13	8	17150	10389	RTO-M	40	form-based				0.7	10	0.769230783	5	5	13720	6959	6959	0.8
3642	055	4838	0.11	4854	5	75	120	3.5	13	8	16933	12079	RTO-M	40	form-based				0.7	10	0.769230783	5	5	13546.39941	8692.399414	8692.399414	0.8
3642	090	3086	0.07	1466	1	75	120	3.5	8	7	10801	9335	RTO-M	40	form-based				0.7	6	0.75	5	5	8640.799805	7174.799805	7174.799805	0.8
3642	092	3654	0.08	1503	3	75	120	3.5	10	7	12789	11286	RTO-M	40	form-based				0.7	8	0.800000012	5	5	10231.2002	8728.200195	8728.200195	0.8
3643	015	2580	0.06	5160	3	75	120	3.5	7	4	9030	3870	NCT-VALEI	55	form-based		true		0.75	8	1.142857194	5	5	9675	4515	4515	1.071429
3643	019	2245	0.05	2784	2	75	120	3.5	6	4	7858	5074	NCT-VALEI	55	form-based				0.75	7	1.166666627	5	5	8418.75	5634.75	5634.75	1.07136
3643	041	3125	0.07	2370	2	75	120	3.5	8	6	10938	8568	RTO-M	45	form-based				0.7	7	0.875	5	5	8750	6380	6380	0.799963
3643	052	2666	0.06	6021	3	75	120	3.5	7	4	9331	3310	NCT-MISSI	55	form-based				0.75	8	1.142857194	5	5	9997.5	3976.5	3976.5	1.071429
3643	077	3437	0.08	848	2	75	120	3.5	10	8	12030	11182	RTO-M	45	form-based				0.7	7	0.699999988	5	5	9623.599609	8775.599609	8775.599609	0.799967
3644	002	1753	0.04	1652	0	75	120	3.5	5	5	6136	4484	NCT-VALEI	55	form-based				0.75	5	1	5	5	6573.75	4921.75	4921.75	1.071341
3647	039	6990	0.16	1610	2	65	100	3	16	14	20970	19360	RH-3	40	density-lin	1000			0.7	7	0.4375	5	5	19572	17962	17962	0.933333
3649	017	2372	0.05	2464	2	65	100	3	5	3	7116	4652	RH-2	50	form-based			true	0.7	7	1.399999976	5	5	8302	5838	5838	1.166667
3649	024	2965	0.07	2464	3	65	100	3	7	4	8895	6431	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10377.5	7913.5	7913.5	1.166667
3649	032	2361	0.05	2944	2	65	100	3	5	3	7083	4139	RH-2	50	form-based			true	0.7	7	1.399999976	5	5	8263.5	5319.5	5319.5	1.166667
3649	033	2361	0.05	3001	2	65	100	3	5	3	7083	4082	RH-2	50	form-based			true	0.7	7	1.399999976	5	5	8263.5	5262.5	5262.5	1.166667
3649	056	2361	0.05	2944	2	65	100	3	5	3	7083	4139	RH-2	50	form-based			true	0.7	7	1.399999976	5	5	8263.5	5319.5	5319.5	1.166667
3650	001	2204	0.05	1420	1	65	100	3	5	4	6612	5192	RH-2	50	form-based		true	true	0.7	6	1.200000048	5	5	7714	6294	6294	1.166667
3650	004A	2112	0.05	1949	1	65	100	3	5	4	6336	4387	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7392	5443	5443	1.166667
3650	013	2471	0.06	2568	2	65	100	3	6	4	7413	4845	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8648.5	6080.5	6080.5	1.166667
3650	021	2248	0.05	3650	3	85	140	4	7	4	8992	5342	NCD-24TH	65	form-based		true	true	0.75	8	1.142857194	5	5	10116	6466	6466	1.125
3650	028	2500	0.06	3884	4	65	100	3	6	2	7500	3616	RTO-C	65	form-based			true	0.75	9	1.5	5	5	11250	7366	7366	1.5
3650	031	1794	0.04	1400	2	65	100	3	4	2	5382	3982	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8073	6673	6673	1.5
3650	037	1803	0.04	3240	2	65	100	3	4	2	5409	2169	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8113.5	4873.5	4873.5	1.5
3650	039	2204	0.05	2310	1	65	100	3	5	4	6612	4302	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7714	5404	5404	1.166667
3650	040	2204	0.05	2280	1	65	100	3	5	4	6612	4332	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7714	5434	5434	1.166667
3650	041	2204	0.05	1005	1	65	100	3	5	4	6612	5607	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7714	6709	6709	1.166667
3650	042	2204	0.05	2280	1	65	100	3	5	4	6612	4332	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7714	5434	5434	1.166667
3650	045	2500	0.06	2840	2	65	100	3	6	4	7500	4660	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	5910	5910	1.166667
3651	009	2210	0.05	1251	1	65	100	3	5	4	6630	5379	RH-3	50	form-based		true	true	0.7	6	1.200000048	5	5	7735	6484	6484	1.166667
3651	011	1860	0.04	2414	2	85	140	4	6	4	7440	5026	RTO-C	65	form-based			true	0.75	7	1.166666627	5	5	8370	5956	5956	1.125

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3651	019	2850	0.07	4188	6	85	140	4	10	4	11400	7212	NCD-24TH	65	form-based			true	0.75	11	1.100000024	5	5	12825	8637	8637	1.125
3651	041	1990	0.05	2837	2	65	100	3	5	3	5970	3133	RTO-C	65	form-based		true	true	0.75	7	1.399999976	5	5	8955	6118	6118	1.5
3651	071	2930	0.07	1280	3	65	100	3	7	4	8790	7510	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10255	8975	8975	1.166667
3652	005	2984	0.07	3720	3	65	100	3	7	4	8952	5232	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10444	6724	6724	1.166667
3652	006	2986	0.07	2424	3	65	100	3	7	4	8958	6534	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10451	8027	8027	1.166667
3652	007	1840	0.04	2774	0	65	100	3	4	4	5520	2746	RH-3	50	form-based			true	0.7	5	1.25	5	5	6440	3666	3666	1.166667
3652	009	2392	0.05	3344	2	65	100	3	5	3	7176	3832	RH-3	50	form-based		true	true	0.7	7	1.399999976	5	5	8372	5028	5028	1.166667
3652	011	2900	0.07	1270	3	65	100	3	7	4	8700	7430	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10150	8880	8880	1.166667
3652	019	2521	0.06	3028	2	65	100	3	6	4	7563	4535	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8823.5	5795.5	5795.5	1.166667
3652	027	2486	0.06	2410	2	65	100	3	6	4	7458	5048	RH-3	50	form-based		true	true	0.7	7	1.166666627	5	5	8701	6291	6291	1.166667
3653	010	2850	0.07	1000	1	65	100	3	7	6	8550	7550	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	6980	6980	0.933333
3653	014	2850	0.07	3936	1	65	100	3	7	6	8550	4614	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	4044	4044	0.933333
3653	015	2850	0.07	2092	1	65	100	3	7	6	8550	6458	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	5888	5888	0.933333
3653	018	2850	0.07	1650	1	65	100	3	7	6	8550	6900	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	6330	6330	0.933333
3653	019	2850	0.07	1636	1	65	100	3	7	6	8550	6914	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	6344	6344	0.933333
3653	019A	2850	0.07	1399	1	65	100	3	7	6	8550	7151	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7980	6581	6581	0.933333
3653	024	3189	0.07	2776	2	65	100	3	7	5	9567	6791	RH-3	40	form-based			true	0.7	7	1	5	5	8929.200195	6153.200195	6153.200195	0.933333
3653	025	3189	0.07	3042	2	65	100	3	7	5	9567	6525	RH-3	40	form-based			true	0.7	7	1	5	5	8929.200195	5887.200195	5887.200195	0.933333
3653	026	3189	0.07	3486	2	65	100	3	7	5	9567	6081	RH-3	40	form-based			true	0.7	7	1	5	5	8929.200195	5443.200195	5443.200195	0.933333
3653	033	2846	0.07	1659	1	65	100	3	7	6	8538	6879	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	6309.799805	6309.799805	0.933333
3653	034	2846	0.07	2556	1	65	100	3	7	6	8538	5982	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	5412.799805	5412.799805	0.933333
3653	038	2846	0.07	1898	1	65	100	3	7	6	8538	6640	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	6070.799805	6070.799805	0.933333
3653	039	2846	0.07	1032	1	65	100	3	7	6	8538	7506	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	6936.799805	6936.799805	0.933333
3653	040	2846	0.07	1990	1	65	100	3	7	6	8538	6548	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	5978.799805	5978.799805	0.933333
3653	041	2846	0.07	1276	1	65	100	3	7	6	8538	7262	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	6692.799805	6692.799805	0.933333
3653	043	2846	0.07	3762	1	65	100	3	7	6	8538	4776	RH-3	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	4206.799805	4206.799805	0.933333
3654	002	3987	0.09	4036	6	65	100	3	9	3	11961	7925	RH-3	50	form-based			true	0.7	11	1.222222209	5	5	13954.5	9918.5	9918.5	1.166667
3654	004	2556	0.06	2646	2	65	100	3	6	4	7668	5022	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8946	6300	6300	1.166667
3654	022	2271	0.05	2545	1	65	100	3	5	4	6813	4268	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7948.5	5403.5	5403.5	1.166667
3654	065	2556	0.06	1753	2	65	100	3	6	4	7668	5915	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8946	7193	7193	1.166667
3655	011	2850	0.07	3065	1	55	80	2.5	6	5	7125	4060	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4915	4915	1.12
3655	013	3420	0.08	4430	2	55	80	2.5	6	4	8550	4120	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9576	5146	5146	1.12
3655	015	2850	0.07	2178	1	55	80	2.5	6	5	7125	4947	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5802	5802	1.12
3655	016	2850	0.07	1950	1	55	80	2.5	6	5	7125	5175	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6030	6030	1.12
3655	017	2850	0.07	1341	1	55	80	2.5	6	5	7125	5784	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6639	6639	1.12
3655	018	2850	0.07	2787	1	55	80	2.5	6	5	7125	4338	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5193	5193	1.12
3655	020	2850	0.07	1399	1	55	80	2.5	6	5	7125	5726	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6581	6581	1.12
3655	022	2850	0.07	4087	1	55	80	2.5	6	5	7125	3038	RH-2	40	form-based			true	0.7	6	1	5	5	7980	3893	3893	1.12
3655	028	2625	0.06	2204	1	55	80	2.5	5	4	6562	4358	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5146	5146	1.120085
3655	030	2625	0.06	2043	1	55	80	2.5	5	4	6562	4519	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5307	5307	1.120085
3655	038	2846	0.07	1700	1	55	80	2.5	6	5	7115	5415	RH-2	40	form-based			true	0.7	6	1	5	5	7968.799805	6268.799805	6268.799805	1.12
3655	039	2846	0.07	1700	1	55	80	2.5	6	5	7115	5415	RH-2	40	form-based			true	0.7	6	1	5	5	7968.799805	6268.799805	6268.799805	1.12
3655	040	2846	0.07	1700	1	55	80	2.5	6	5	7115	5415	RH-2	40	form-based			true	0.7	6	1	5	5	7968.799805	6268.799805	6268.799805	1.12
3655	055	3415	0.08	1865	2	55	80	2.5	6	4	8538	6673	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9562	7697	7697	1.119934
3656	001	2619	0.06	3045	2	55	80	2.5	5	3	6548	3503	RH-3	50	form-based		true	true	0.7	7	1.399999976	5	5	9166.5	6121.5	6121.5	1.399893
3656	030	2838	0.07	2420	3	55	80	2.5	6	3	7095	4675	RH-2	50	form-based			true	0.7	8	1.333333373	5	5	9933	7513	7513	1.4
3656	035	2838	0.07	4098	3	55	80	2.5	6	3	7095	2997	RH-2	50	form-based			true	0.7	8	1.333333373	5	5	9933	5835	5835	1.4
3656	045	2838	0.07	1333	3	55	80	2.5	6	3	7095	5762	RH-2	50	form-based			true	0.7	8	1.333333373	5	5	9933	8600	8600	1.4
3656	061	2567	0.06	1378	2	55	80	2.5	5	3	6418	5040	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8984.5	7606.5	7606.5	1.399891
3726	087	2000	0.05	552	0	65	100	3	5	5	6000	5448	RED	45	form-based				0.75	5	1	5	5	6000	5448	5448	1
3727	205	6046	0.14	1264	9	75	120	3.5	17	8	21161	19897	RED	40	form-based				0.75	14	0.823529422	5	5	18138	16874	16874	0.857143
3728	017	2250	0.05	2700	0	75	120	3.5	6	6	7875	5175	RED-MX	45	form-based				0.75	5	0.833333313	5	5	6750	4050	4050	0.857143
3728	060	2014	0.05	1430	0	75	120	3.5	6	6	7049	5619	RED-MX	45	form-based				0.75	5	0.833333313	5	5	6042	4612	4612	0.857143
3729	038	2028	0.05	4000	0	65	100	3	5	5	6084	2084	RED-MX	45	form-based				0.75	5	1	5	5	6084	2084	2084	1
3730	039	2250	0.05	3480	2	65	100	3	5	3	6750	3270	WMUG	55	form-based				0.75	7	1.399999976	5	5	8437.5	4957.5	4957.5	1.25
3730	066	2854	0.07	1430	1	65	100	3	7	6	8562	7132	RED	40	form-based				0.75	6	0.857142866	5	5	8562	7132	7132	1
3731	026	2000	0.05	3050	3	65	100	3	5	2	6000	2950	NCT-SOMA	65	form-based				0.75	8	1.600000024	5	5	9000	5950	5950	1.5
3731	079	2489	0.06	2710	4	65	100	3	6	2	7467	4757	RED	65	form-based				0.75	9	1.5	5	5	11200.5	8490.5	8490.5	1.5
3731	082	2988	0.07	6890	6	65	100	3	7	1	8964	2074	RED	65	form-based				0.75	11	1.571428537	5	5	13446	6556	6556	1.5
3731	083	2989	0.07	6600	6	65	100	3	7	1	8967	2367	RED	65	form-based				0.75	11	1.571428537	5	5	13450.5	6850.5	6850.5	1.5
3731	088	3042	0.07	7880	6	65	100	3	7	1	9126	1246	MUG	65	form-based				0.75	11	1.571428537	5	5	13689	5809	5809	1.5
3731	124	2042	0.05	2000	0	65	100	3	5	5	6126	4126	RED	45	form-based				0.75	5	1	5	5	6126	4126	4126	1
3732	044	2234	0.05	0	0	65	100	3	5	5	6702	6702	MUR	45	form-based				0.75	5	1	5	5	6702	6702	6702	1
3732	080	2000	0.05	1800	0	65	100	3	5	5	6000	4200	MUR	45	form-based				0.75	5	1	5	5	6000	4200	4200	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3732	090	2000	0.05	5833	0	65	100	3	5	5	6000	167	MUR	45	form-based				0.75	5	1	5	5	6000	167	167	1
3732	107	2106	0.05	2106	0	65	100	3	5	5	6318	4212	MUR	45	form-based				0.75	5	1	5	5	6318	4212	4212	1
3749	009	1759	0.04	2458	2	75	120	3.5	5	3	6156	3698	RH DTR	65	form-based				0.8	7	1.399999976	5	5	8443.200195	5985.200195	5985.200195	1.37154
3749	514	1750	0.04	1870	2	75	120	3.5	5	3	6125	4255	RH DTR	65	form-based				0.8	7	1.399999976	5	5	8400	6530	6530	1.371429
3751	054	2000	0.05	0	0	65	100	3	5	5	6000	6000	CMUO	45	form-based		true		0.8	5	1	5	5	6400	6400	6400	1.066667
3752	014	2125	0.05	2125	0	65	100	3	5	5	6375	4250	MUR	45	form-based				0.75	5	1	5	5	6375	4250	4250	1
3752	051	2000	0.05	2000	0	65	100	3	5	5	6000	4000	MUR	45	form-based				0.75	5	1	5	5	6000	4000	4000	1
3752	052	2000	0.05	900	0	65	100	3	5	5	6000	5100	MUR	45	form-based				0.75	5	1	5	5	6000	5100	5100	1
3752	109	10427	0.24	805	18	65	100	3	24	6	31281	30476	MUR	45	form-based				0.75	23	0.958333313	5	5	31281	30476	30476	1
3752	591	5844	0.13	598	26	65	100	3	13	0	17532	16934	MUR	85	form-based				0.75	31	2.384615421	5	0	35064	34466	34466	2
3753	025	2338	0.05	3334	4	65	100	3	5	1	7014	3680	MUR	65	form-based				0.75	9	1.799999952	5	5	10521	7187	7187	1.5
3753	026	2337	0.05	2756	4	65	100	3	5	1	7011	4255	MUR	65	form-based				0.75	9	1.799999952	5	5	10516.5	7760.5	7760.5	1.5
3753	116	2028	0.05	4000	0	65	100	3	5	5	6084	2084	MUR	45	form-based				0.75	5	1	5	5	6084	2084	2084	1
3755	098	1875	0.04	4475	2	65	100	3	4	2	5625	1150	NCT-FOLSO	65	form-based				0.75	7	1.75	5	5	8437.5	3962.5	3962.5	1.5
3756	038	2228	0.05	3750	3	65	100	3	5	2	6684	2934	NCT-FOLSO	65	form-based				0.75	8	1.600000024	5	5	10026	6276	6276	1.5
3756	045	2236	0.05	4500	3	65	100	3	5	2	6708	2208	NCT-FOLSO	65	form-based				0.75	8	1.600000024	5	5	10062	5562	5562	1.5
3768	003	873	0.02	0	0	65	100	3	2	2	2619	2619	RH DTR	84	form-based				0.8	5	2.5	5	4	5587.200195	5587.200195	5238	2.133333
3768	136	29037	0.67	1176	158	65	100	3	67	0	87111	85935	RH DTR	84	form-based		true		0.8	163	2.432835817	5	0	185836.7969	184660.7969	173046	2.133333
3775	012	2100	0.05	1007	0	65	100	3	5	5	6300	5293	CMUO	45	form-based				0.8	5	1	5	5	6720	5713	5713	1.066667
3775	017	1892	0.04	2860	0	65	100	3	4	4	5676	2816	CMUO	45	form-based				0.8	5	1.25	5	5	6054.399902	3194.399902	3194.399902	1.066667
3775	020	1892	0.04	3700	0	65	100	3	4	4	5676	1976	CMUO	45	form-based				0.8	5	1.25	5	5	6054.399902	2354.399902	2354.399902	1.066667
3775	021	1892	0.04	3520	0	65	100	3	4	4	5676	2156	CMUO	45	form-based				0.8	5	1.25	5	5	6054.399902	2534.399902	2534.399902	1.066667
3775	029	2406	0.06	12679	0	65	100	3	6	6	7218	0	SPD	40	form-based				0.75	5	0.833333313	5	5	7218	0	0	1
3775	049	2180	0.05	6000	0	65	100	3	5	5	6540	540	SPD	40	form-based				0.75	5	1	5	5	6540	540	540	1
3775	058	2369	0.05	7020	0	65	100	3	5	5	7107	87	SPD	40	form-based				0.75	5	1	5	5	7107	87	87	1
3775	059	2171	0.05	4268	0	65	100	3	5	5	6513	2245	SPD	40	form-based				0.75	5	1	5	5	6513	2245	2245	1
3775	060	2170	0.05	2695	0	65	100	3	5	5	6510	3815	SPD	40	form-based				0.75	5	1	5	5	6510	3815	3815	1
3775	061	2169	0.05	8523	0	65	100	3	5	5	6507	0	SPD	40	form-based				0.75	5	1	5	5	6507	0	0	1
3775	063	2168	0.05	3245	0	65	100	3	5	5	6504	3259	SPD	40	form-based				0.75	5	1	5	5	6504	3259	3259	1
3775	064	2167	0.05	11038	0	65	100	3	5	5	6501	0	SPD	40	form-based				0.75	5	1	5	5	6501	0	0	1
3775	070	3181	0.07	4485	2	65	100	3	7	5	9543	5058	SPD	40	form-based				0.75	7	1	5	5	9543	5058	5058	1
3775	084	2000	0.05	5415	0	65	100	3	5	5	6000	585	CMUO	45	form-based				0.8	5	1	5	5	6400	985	985	1.066667
3775	085	2000	0.05	6000	0	65	100	3	5	5	6000	0	CMUO	45	form-based				0.8	5	1	5	5	6400	400	400	1.066667
3775	093	2000	0.05	12026	0	65	100	3	5	5	6000	0	CMUO	45	form-based				0.8	5	1	5	5	6400	0	0	1.066667
3775	094	2000	0.05	12971	0	65	100	3	5	5	6000	0	CMUO	45	form-based				0.8	5	1	5	5	6400	0	0	1.066667
3775	096	2000	0.05	2550	0	65	100	3	5	5	6000	3450	CMUO	45	form-based				0.8	5	1	5	5	6400	3850	3850	1.066667
3775	099	2080	0.05	12742	0	65	100	3	5	5	6240	0	CMUO	45	form-based				0.8	5	1	5	5	6656	0	0	1.066667
3777	013	2060	0.05	1989	0	75	120	3.5	6	6	7210	5221	CMUO	45	form-based				0.8	5	0.833333313	5	5	6592	4603	4603	0.914286
3777	024	2000	0.05	6024	0	75	120	3.5	6	6	7000	976	CMUO	45	form-based				0.8	5	0.833333313	5	5	6400	376	376	0.914286
3777	035	1779	0.04	2750	2	85	140	4	6	4	7116	4366	MUG	65	form-based				0.75	7	1.166666627	5	5	8005.5	5255.5	5255.5	1.125
3779	057	2000	0.05	0	0	65	100	3	5	5	6000	6000	RED-MX	45	form-based				0.75	5	1	5	5	6000	6000	6000	1
3779	058	2000	0.05	0	0	65	100	3	5	5	6000	6000	RED-MX	45	form-based				0.75	5	1	5	5	6000	6000	6000	1
3779	089	3024	0.07	2510	2	65	100	3	7	5	9072	6562	RED-MX	45	form-based				0.75	7	1	5	5	9072	6562	6562	1
3779	092	2949	0.07	3252	2	65	100	3	7	5	8847	5595	RED-MX	45	form-based				0.75	7	1	5	5	8847	5595	5595	1
3779	106	2000	0.05	4183	0	65	100	3	5	5	6000	1817	RED-MX	45	form-based				0.75	5	1	5	5	6000	1817	1817	1
3779	107	2000	0.05	4026	0	65	100	3	5	5	6000	1974	RED-MX	45	form-based				0.75	5	1	5	5	6000	1974	1974	1
3779	108	2000	0.05	3234	0	65	100	3	5	5	6000	2766	RED-MX	45	form-based				0.75	5	1	5	5	6000	2766	2766	1
3779	109	2000	0.05	0	0	65	100	3	5	5	6000	6000	RED-MX	45	form-based				0.75	5	1	5	5	6000	6000	6000	1
3779	171	3800	0.09	691	4	65	100	3	9	5	11400	10709	RED-MX	45	form-based				0.75	9	1	5	5	11400	10709	10709	1
3780	030	2175	0.05	2675	0	65	100	3	5	5	6525	3850	UMU	48	form-based				0.75	5	1	5	5	6525	3850	3850	1
3784	022	2000	0.05	0	0	65	100	3	5	5	6000	6000	RED-MX	45	form-based				0.75	5	1	5	5	6000	6000	6000	1
3784	023	2000	0.05	2000	0	65	100	3	5	5	6000	4000	RED-MX	45	form-based				0.75	5	1	5	5	6000	4000	4000	1
3787	015	1160	0.03	0	0	75	120	3.5	4	4	4060	4060	CMUO	65	form-based				0.8	5	1.25	5	5	5568	5568	5568	1.371429
3787	040A	1245	0.03	0	0	75	120	3.5	4	4	4358	4358	CMUO	65	form-based				0.8	5	1.25	5	5	5976	5976	5976	1.371271
3774	045	2067	0.05	4600	3	65	100	3	5	2	6201	1601	MUO	65	form-based				0.75	8	1.600000024	5	5	9301.5	4701.5	4701.5	1.5
3976	033	1688	0.04	2416	1	65	100	3	4	3	5064	2648	RH-3	40	density-lim	1000	true		0.7	6	1.5	5	5	4726.399902	2310.399902	2310.399902	0.933333
3977	003B	1867	0.04	1176	1	65	100	3	4	3	5601	4425	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	5227.600098	4051.600098	4051.600098	0.933333
3984	006B	2188	0.05	1630	1	65	100	3	5	4	6564	4934	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	5	5	6126.399902	4496.399902	4496.399902	0.933333
3987	003A	2348	0.05	2250	0	65	100	3	5	5	7044	4794	UMU	40	form-based				0.75	5	1	5	5	7044	4794	4794	1
3998	005	1826	0.04	0	0	65	100	3	4	4	5478	5478	UMU	58	form-based		true		0.75	5	1.25	5	5	6847.5	6847.5	6847.5	1.25
4003	001	2527	0.06	1625	1	65	100	3	6	5	7581	5956	RH-3	40	density-lim	1000	true		0.7	6	1	5	5	7075.600098	5450.600098	5450.600098	0.933333
4004	031	1960	0.05	1903	1	65	100	3	5	4	5880	3977	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	5	5	5488	3585	3585	0.933333
4008	003E	2500	0.06	1935	1	55	80	2.5	5	4	6250	4315	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	7000	5065	5065	1.12
4008	007	2390	0.05	1651	1	65	100	3	5	4	7170	5519	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	6692	5041	5041	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4009	001	1821	0.04	1275	1	65	100	3	4	3	5463	4188	RH-2	40	density-lin	1500	true		0.7	6	1.5	5	5	5098.799805	3823.799805	3823.799805	0.933333
4009	008N	2397	0.06	1268	1	65	100	3	6	5	7191	5923	RH-3	40	density-lin	1000	true		0.7	6	1	5	5	6711.600098	5443.600098	5443.600098	0.933333
4010	017	1803	0.04	1400	1	65	100	3	4	3	5409	4009	RH-3	40	density-lin	1000	true		0.7	6	1.5	5	5	5048.399902	3648.399902	3648.399902	0.933333
4011	025	1465	0.03	2400	1	65	100	3	3	2	4395	1995	RH-3	40	density-lin	1000	true		0.7	6	2	5	5	4102	1702	1702	0.933333
4022	023	2488	0.06	1752	4	65	100	3	6	2	7464	5712	UMU	68	form-based				0.75	9	1.5	5	5	11196	9444	9444	1.5
4029	018	2000	0.05	1894	1	65	100	3	5	4	6000	4106	RH-2	40	density-lin	1500	true		0.7	6	1.200000048	5	5	5600	3706	3706	0.933333
4030	015	2510	0.06	918	1	65	100	3	6	5	7530	6612	RH-2	40	density-lin	1500	true		0.7	6	1	5	5	7028	6110	6110	0.933333
4030	040	2010	0.05	2477	1	55	80	2.5	4	3	5025	2548	RH-2	40	density-lin	1500	true		0.7	6	1.5	5	5	5628	3151	3151	1.12
4035	001	4231	0.1	5055	0	65	100	3	10	10	12693	7638	NC-2	40	density-lin	800	true		0.75	5	0.5	5	5	12693	7638	7638	1
4039	040	2500	0.06	3410	1	65	100	3	6	5	7500	4090	RH-2	40	density-lin	1500	true		0.7	6	1	5	5	7000	3590	3590	0.933333
4040	018	2500	0.06	3121	1	65	100	3	6	5	7500	4379	RH-2	40	density-lin	1500	true		0.7	6	1	5	5	7000	3879	3879	0.933333
4058	223	5496	0.13	770	16	85	140	4	18	2	21984	21214	UMU	68	form-based				0.75	21	1.166666627	5	5	24732	23962	23962	1.125
4060	004	2066	0.05	0	0	65	100	3	5	5	6198	6198	UMU	45	form-based				0.75	5	1	5	5	6198	6198	6198	1
4063	002	2500	0.06	2642	1	75	120	3.5	7	6	8750	6108	RH-2	40	density-lin	1500	true		0.7	6	0.857142866	5	5	7000	4358	4358	0.8
4064	028	2431	0.06	4030	1	65	100	3	6	5	7293	3263	RH-2	40	density-lin	1500	true		0.7	6	1	5	5	6806.799805	2776.799805	2776.799805	0.933333
4065	001	1718	0.04	1175	1	65	100	3	4	3	5154	3979	RH-2	40	density-lin	1500	true		0.7	6	1.5	5	5	4810.399902	3635.399902	3635.399902	0.933333
4065	009	1556	0.04	1000	1	65	100	3	4	3	4668	3668	RH-2	40	density-lin	1500	true		0.7	6	1.5	5	5	4356.799805	3356.799805	3356.799805	0.933333
4065	014	1664	0.04	940	1	65	100	3	4	3	4992	4052	RH-2	40	density-lin	1500	true		0.7	6	1.5	5	5	4659.199707	3719.199707	3719.199707	0.933333
4065	024	2625	0.06	2822	1	65	100	3	6	5	7875	5053	RH-2	40	density-lin	1500	true		0.7	6	1	5	5	7350	4528	4528	0.933333
4066	026	1398	0.03	1365	1	65	100	3	3	2	4194	2829	RH-2	40	density-lin	1500	true		0.7	6	2	5	5	3914.399902	2549.399902	2549.399902	0.933333
4068	001	2504	0.06	765	1	65	100	3	6	5	7512	6747	RH-2	40	density-lin	1500	true		0.7	6	1	5	5	7011.199707	6246.199707	6246.199707	0.933333
4068	012	2041	0.05	2458	1	65	100	3	5	4	6123	3665	RH-2	40	density-lin	1500	true		0.7	6	1.200000048	5	5	5714.799805	3256.799805	3256.799805	0.933333
4069	018	5003	0.11	2976	1	65	100	3	11	10	15009	12033	RH-2	40	density-lin	1500	true		0.7	6	0.545454562	5	5	14008.39941	11032.39941	11032.39941	0.933333
4071	001	1602	0.04	797	1	55	80	2.5	3	2	4005	3208	RH-2	40	density-lin	1500	true		0.7	6	2	5	5	4485.600098	3688.600098	3688.600098	1.12
4072	022	2250	0.05	1360	1	55	80	2.5	4	3	5625	4265	RH-2	40	density-lin	1500	true		0.7	6	1.5	5	5	6300	4940	4940	1.12
4073	011	2486	0.06	3382	1	55	80	2.5	5	4	6215	2833	RH-3	40	density-lin	1000	true		0.7	6	1.200000048	5	5	6960.799805	3578.799805	3578.799805	1.12
4073	024	2500	0.06	2882	1	65	100	3	6	5	7500	4618	RH-2	40	density-lin	1500	true		0.7	6	1	5	5	7000	4118	4118	0.933333
4075	016	2466	0.06	1263	1	65	100	3	6	5	7398	6135	RH-2	40	density-lin	1500	true		0.7	6	1	5	5	6904.799805	5641.799805	5641.799805	0.933333
4075	017	2500	0.06	3746	1	65	100	3	6	5	7500	3754	RH-2	40	density-lin	1500	true		0.7	6	1	5	5	7000	3254	3254	0.933333
4075	032	2419	0.06	1647	1	65	100	3	6	5	7257	5610	RH-2	40	density-lin	1500	true		0.7	6	1	5	5	6773.199707	5126.199707	5126.199707	0.933333
4081	073	1800	0.04	832	1	65	100	3	4	3	5400	4568	RH-2	65	density-lin	1500	true		0.7	6	1.5	5	5	7560	6728	6728	1.4
4083	022	5722	0.13	939	16	55	80	2.5	10	0	14305	13366	UMU	68	form-based				0.75	21	2.099999905	5	4	25749	24810	24810	1.8
4084	031	2596	0.06	1740	1	55	80	2.5	5	4	6490	4750	UMU	48	form-based				0.75	6	1.200000048	5	5	7788	6048	6048	1.2
4086	026	1797	0.04	1017	1	65	100	3	4	3	5391	4374	RH-2	45	density-lin	1500	true		0.7	6	1.5	5	5	5031.600098	4014.600098	4014.600098	0.933333
4093	113	2564	0.06	2084	1	65	100	3	6	5	7692	5608	RH-3	40	density-lin	1000	true		0.7	6	1	5	5	7179.199707	5095.199707	5095.199707	0.933333
4094	038	2503	0.06	1214	1	65	100	3	6	5	7509	6295	RH-3	40	density-lin	1000	true		0.7	6	1	5	5	7008.399902	5794.399902	5794.399902	0.933333
4096	018	7407	0.17	4212	0	65	100	3	17	17	22221	18009	RH-2	40	density-lin	1500			0.7	5	0.294117659	5	5	20739.59961	16527.59961	16527.59961	0.933333
4096	041	1845	0.04	3756	1	65	100	3	4	3	5535	1779	RH-2	40	density-lin	1500	true		0.7	6	1.5	5	5	5166	1410	1410	0.933333
4096	114	7396	0.17	5510	0	65	100	3	17	17	22188	16678	RH-2	40	density-lin	1500			0.7	5	0.294117659	5	5	20708.79883	15198.79883	15198.79883	0.933333
4097	001	2531	0.06	2044	1	65	100	3	6	5	7593	5549	RH-2	40	density-lin	1500	true		0.7	6	1	5	5	7086.799805	5042.799805	5042.799805	0.933333
4097	049B	2500	0.06	2555	1	65	100	3	6	5	7500	4945	RH-2	40	density-lin	1500	true		0.7	6	1	5	5	7000	4445	4445	0.933333
4098	036K	4850	0.11	2190	1	65	100	3	11	10	14550	12360	RH-2	40	density-lin	1500	true		0.7	6	0.545454562	5	5	13580	11390	11390	0.933333
4101	020	2501	0.06	1060	1	75	120	3.5	7	6	8754	7694	RH-2	40	density-lin	1500	true		0.7	6	0.857142866	5	5	7002.799805	5942.799805	5942.799805	0.799954
4101	054	1884	0.04	1269	1	75	120	3.5	5	4	6594	5325	RH-2	40	density-lin	1500	true		0.7	6	1.200000048	5	5	5275.199707	4006.199707	4006.199707	0.8
4101	058	1940	0.04	1112	1	65	100	3	4	3	5820	4708	RH-2	40	density-lin	1500	true		0.7	6	1.5	5	5	5432	4320	4320	0.933333
4103	001	2454	0.06	1574	1	75	120	3.5	7	6	8589	7015	RH-2	40	density-lin	1500	true		0.7	6	0.857142866	5	5	6871.199707	5297.199707	5297.199707	0.8
4107	009	2184	0.05	5354	0	75	120	3.5	6	6	7644	2290	NCT-2	45	form-based		true		0.75	5	0.833333313	5	5	6552	1198	1198	0.857143
4108	003	2370	0.05	3070	0	85	140	4	7	7	9480	6410	UMU	45	form-based				0.75	5	0.714285731	5	5	7110	4040	4040	0.75
4108	006	2559	0.06	1794	1	75	120	3.5	7	6	8956	7162	NCT-2	45	form-based				0.75	6	0.857142866	5	5	7677	5883	5883	0.857191
4147	050	9364	0.21	1654	16	65	100	3	21	5	28092	26438	UMU	48	form-based				0.75	21	1	5	5	28092	26438	26438	1
4148	032	4651	0.11	4750	0	65	100	3	11	11	13953	9203	RH-3	40	density-lin	1000			0.7	5	0.454545468	5	5	13022.7998	8272.799805	8272.799805	0.933333
4149	019B	1775	0.04	1715	1	65	100	3	4	3	5325	3610	RH-2	40	density-lin	1500	true		0.7	6	1.5	5	5	4970	3255	3255	0.933333
4150	031A	1978	0.05	1145	1	65	100	3	5	4	5934	4789	RH-3	40	density-lin	1000	true		0.7	6	1.200000048	5	5	5538.399902	4393.399902	4393.399902	0.933333
4158	063	2646	0.06	1065	1	65	100	3	6	5	7938	6873	RH-3	40	density-lin	1000	true		0.7	6	1	5	5	7408.799805	6343.799805	6343.799805	0.933333
4160	082	2606	0.06	2147	1	65	100	3	6	5	7818	5671	RH-3	40	density-lin	1000	true		0.7	6	1	5	5	7296.799805	5149.799805	5149.799805	0.933333
4161	031	2500	0.06	1700	1	65	100	3	6	5	7500	5800	RH-2	40	density-lin	1500	true		0.7	6	1	5	5	7000	5300	5300	0.933333
4172	002	2084	0.05	3200	0	75	120	3.5	6	6	7294	4094	NCT-2	45	form-based				0.75	5	0.833333313	5	5	6252	3052	3052	0.857143
4172	005	2180	0.05	1590	0	75	120	3.5	6	6	7630	6040	NCT-2	45	form-based				0.75	5	0.833333313	5	5	6540	4950	4950	0.857143
4172	018A	2620	0.06	840	1	75	120	3.5	7	6	9170	8330	NCT-2	40	form-based				0.75	6	0.857142866	5	5	7860	7020	7020	0.857143
4172	020	2989	0.07	2220	2	75	120	3.5	8	6	10462	8242	NCT-2	45	form-based				0.75	7	0.875	5	5	8967	6747	6747	0.857102
4172	035	2500	0.06	975	1	75	120	3.5	7	6	8750	7775	NCT-2	40	form-based				0.75	6	0.857142866	5	5	7500	6525	6525	0.857143
4172	047	5000	0.11	1963	6	75	120	3.5	13	7	17500	15537	NCT-2	40	form-based				0.75	11	0.846153855	5	5	15000	13037	13037	0.857143
4207	032	1950	0.04	1538	1	65	100	3	4	3	5850	4312	RH-2	40	density-lin	1500	true		0.7	6	1.5	5	5	5460	3922	3922	0.933333
4209	038	10524	0.24	14950	8	65	100	3	24	16	31572	16622	RM-1	40	density-lin	800	true		0.7	13	0.541666687	5	5	29467.19922	14517.19922	14517.19922	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4217	001	2465	0.06	1850	1	65	100	3	6	5	7395	5545	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	6902	5052	5052	0.933333
4218	049	2981	0.07	1211	1	65	100	3	7	6	8943	7732	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	5	5	8346.799805	7135.799805	7135.799805	0.933333
4220	028	2500	0.06	1900	1	65	100	3	6	5	7500	5600	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	7000	5100	5100	0.933333
4224	039	5000	0.11	0	0	75	120	3.5	13	13	17500	17500	RH-3	40	density-lim	1000			0.7	5	0.384615391	5	5	14000	14000	14000	0.8
4224	043	2576	0.06	1795	1	65	100	3	6	5	7728	5933	RH-3	40	density-lim	1000	true		0.7	6	1	5	5	7212.799805	5417.799805	5417.799805	0.933333
4224	178	5000	0.11	0	0	65	100	3	11	11	15000	15000	RH-3	40	density-lim	1000			0.7	5	0.454545468	5	5	14000	14000	14000	0.933333
4259	010	2500	0.06	1765	1	55	80	2.5	5	4	6250	4485	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	5	5	7000	5235	5235	1.12
4259	033	3221	0.07	1280	1	55	80	2.5	6	5	8052	6772	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	9018.799805	7738.799805	7738.799805	1.12007
4260	025B	1909	0.04	1371	1	65	100	3	4	3	5727	4356	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	5345.199707	3974.199707	3974.199707	0.933333
4264	024	2184	0.05	5625	3	85	140	4	7	4	8736	3111	NCT-24TH-	65	form-based		true		0.75	8	1.142857194	5	5	9828	4203	4203	1.125
4264	048	2719	0.06	1130	5	85	140	4	8	3	10876	9746	NCT-24TH-	65	form-based				0.75	10	1.25	5	5	12235.5	11105.5	11105.5	1.125
4264	065	4165	0.1	1393	4	85	140	4	14	10	16660	15267	NCT-24TH-	40	form-based				0.75	9	0.642857134	5	5	12495	11102	11102	0.75
4266	020C	1750	0.04	1250	1	65	100	3	4	3	5250	4000	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4900	3650	3650	0.933333
4269	027	8125	0.19	10773	0	65	100	3	19	19	24375	13602	RH-2	40	density-lim	1500			0.7	5	0.263157904	5	5	22750	11977	11977	0.933333
4274	011C	1689	0.04	1295	1	65	100	3	4	3	5067	3772	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4729.199707	3434.199707	3434.199707	0.933333
4275	001	1643	0.04	1860	1	65	100	3	4	3	4929	3069	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4600.399902	2740.399902	2740.399902	0.933333
4281A	012A	2719	0.06	1495	1	55	80	2.5	5	4	6798	5303	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	7613.199707	6118.199707	6118.199707	1.119918
4281A	016	2700	0.06	1215	1	55	80	2.5	5	4	6750	5535	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	7560	6345	6345	1.12
4281A	025	1250	0.03	1455	1	65	100	3	3	2	3750	2295	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	3500	2045	2045	0.933333
4282A	009	3317	0.08	1112	1	55	80	2.5	6	5	8292	7180	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	9287.599609	8175.599609	8175.599609	1.120067
4283B	EASN	15245	0.35	0	0	65	100	3	35	35	45735	45735	RH-1	40	density-lim	3000			0.7	5	0.142857149	5	5	42686	42686	42686	0.933333
4334	019	2010	0.05	1110	1	65	100	3	5	4	6030	4920	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	5628	4518	4518	0.933333
4334	002D	1366	0.03	1780	1	65	100	3	3	2	4098	2318	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	3824.800049	2044.800049	2044.800049	0.933333
4335	001	1875	0.04	1580	1	65	100	3	4	3	5625	4045	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	5250	3670	3670	0.933333
4335	003C	1214	0.03	1450	1	55	80	2.5	2	1	3035	1585	RH-2	40	density-lim	1500	true		0.7	6	3	5	3	3399.199951	1949.199951	1949.199951	1.12
4337	011	2412	0.06	1205	1	55	80	2.5	5	4	6030	4825	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	6753.600098	5548.600098	5548.600098	1.12
5505	005	1748	0.04	1181	1	55	80	2.5	3	2	4370	3189	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	4894.399902	3713.399902	3713.399902	1.12
5511	003	1750	0.04	1850	1	55	80	2.5	3	2	4375	2525	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	4900	3050	3050	1.12
5512	008	1750	0.04	1180	1	55	80	2.5	3	2	4375	3195	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	4900	3720	3720	1.12
5513	001	2418	0.06	1325	1	55	80	2.5	5	4	6045	4720	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	6770.399902	5445.399902	5445.399902	1.12
5513	010	1750	0.04	2115	1	55	80	2.5	3	2	4375	2260	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	4900	2785	2785	1.12
5513	016	2500	0.06	3011	1	55	80	2.5	5	4	6250	3239	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	7000	3989	3989	1.12
5514	006	2500	0.06	725	1	55	80	2.5	5	4	6250	5525	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	7000	6275	6275	1.12
5515	010	2086	0.05	1485	1	55	80	2.5	4	3	5215	3730	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	5840.799805	4355.799805	4355.799805	1.12
5515	036	1123	0.03	1000	1	55	80	2.5	2	1	2808	1808	RH-2	40	density-lim	1500	true		0.7	6	3	5	3	3144.399902	2144.399902	2144.399902	1.119801
5527	001	1863	0.04	1075	1	55	80	2.5	3	2	4658	3583	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5216.399902	4141.399902	4141.399902	1.11988
5527	003	2500	0.06	1187	1	55	80	2.5	5	4	6250	5063	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7000	5813	5813	1.12
5527	015A	1076	0.02	1500	1	55	80	2.5	2	1	2690	1190	RH-2	40	density-lim	1500	true		0.7	6	3	5	3	3012.800049	1512.800049	1512.800049	1.12
5528	002	1749	0.04	2585	1	55	80	2.5	3	2	4372	1787	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4897.199707	2312.199707	2312.199707	1.120128
5528	011	2674	0.06	1440	1	55	80	2.5	5	4	6685	5245	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	7487.199707	6047.199707	6047.199707	1.12
5529	009	1875	0.04	1709	1	55	80	2.5	3	2	4688	2979	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5250	3541	3541	1.119881
5530	004	2607	0.06	2140	1	55	80	2.5	5	4	6518	4378	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7299.600098	5159.600098	5159.600098	1.119914
5530	011	2070	0.05	187	1	55	80	2.5	4	3	5175	4988	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	5796	5609	5609	1.12
5531	001	2528	0.06	1784	1	55	80	2.5	5	4	6320	4536	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	7078.399902	5294.399902	5294.399902	1.12
5531	005	1875	0.04	1797	1	55	80	2.5	3	2	4688	2891	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5250	3453	3453	1.119881
5532	001	1838	0.04	1100	1	55	80	2.5	3	2	4595	3495	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5146.399902	4046.399902	4046.399902	1.12
5534	001	1750	0.04	1748	1	55	80	2.5	3	2	4375	2627	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4900	3152	3152	1.12
5534	048	1778	0.04	1748	1	55	80	2.5	3	2	4445	2697	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4978.399902	3230.399902	3230.399902	1.12
5534	052	2862	0.07	2206	1	55	80	2.5	6	5	7155	4949	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	8013.600098	5807.600098	5807.600098	1.12
5535	031	2212	0.05	1287	1	55	80	2.5	4	3	5530	4243	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6193.600098	4906.600098	4906.600098	1.12
5536	004	2039	0.05	1270	1	55	80	2.5	4	3	5098	3828	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5709.199707	4439.199707	4439.199707	1.11989
5536	009	1493	0.03	1421	1	55	80	2.5	2	1	3732	2311	RH-1	40	density-lim	3000	true		0.7	6	3	5	3	4180.399902	2759.399902	2759.399902	1.12015
5536A	001	2939	0.07	2000	1	55	80	2.5	6	5	7348	5348	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	8229.200195	6229.200195	6229.200195	1.119924
5536A	009	4167	0.1	2090	1	55	80	2.5	8	7	10418	8328	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	11667.59961	9577.599609	9577.599609	1.119946
5536A	010	2821	0.06	1606	1	55	80	2.5	5	4	7052	5446	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7898.799805	6292.799805	6292.799805	1.120079
5536A	027	1851	0.04	2221	1	55	80	2.5	3	2	4628	2407	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5182.799805	2961.799805	2961.799805	1.119879
5537	013	2529	0.06	2112	1	55	80	2.5	5	4	6322	4210	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7081.199707	4969.199707	4969.199707	1.120089
5537	017	2660	0.06	1410	1	55	80	2.5	5	4	6650	5240	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7448	6038	6038	1.12
5537	027	1126	0.03	1100	1	55	80	2.5	2	1	2815	1715	RH-1	40	density-lim	3000	true		0.7	6	3	5	3	3152.800049	2052.800049	2052.800049	1.12
5538	001	1716	0.04	2000	1	55	80	2.5	3	2	4290	2290	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4804.799805	2804.799805	2804.799805	1.12
5538	002	1750	0.04	982	1	55	80	2.5	3	2	4375	3393	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4900	3918	3918	1.12
5539	001	1763	0.04	2836	1	55	80	2.5	3	2	4408	1572	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4936.399902	2100.399902	2100.399902	1.119873
5539	002	1750	0.04	1554	1	55	80	2.5	3	2	4375	2821	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4900	3346	3346	1.12
5555	020	1805	0.04	2017	1	55	80	2.5	3	2	4512	2495	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5054	3037	3037	1.120124

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5609	026	1837	0.04	2240	1	65	100	3	4	3	5511	3271	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	5143.600098	2903.600098	2903.600098	0.933333
5609	030	1140	0.03	1550	1	65	100	3	3	2	3420	1870	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	3192	1642	1642	0.933333
5610	014	3117	0.07	1670	1	65	100	3	7	6	9351	7681	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	5	5	8727.599609	7057.599609	7057.599609	0.933333
5610A	001	6550	0.15	1500	1	65	100	3	15	14	19650	18150	RH-2	40	density-lim	1500	true		0.7	6	0.400000006	5	5	18340	16840	16840	0.933333
5611	056	2356	0.05	660	1	65	100	3	5	4	7068	6408	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	6596.799805	5936.799805	5936.799805	0.933333
5612	001	2450	0.06	1125	1	65	100	3	6	5	7350	6225	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6860	5735	5735	0.933333
5612	029A	1772	0.04	825	1	65	100	3	4	3	5316	4491	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4961.600098	4136.600098	4136.600098	0.933333
5612	030	1813	0.04	825	1	65	100	3	4	3	5439	4614	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5076.399902	4251.399902	4251.399902	0.933333
5612	059	1805	0.04	2003	1	65	100	3	4	3	5415	3412	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5054	3051	3051	0.933333
5615	001	1642	0.04	1400	1	65	100	3	4	3	4926	3526	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4597.600098	3197.600098	3197.600098	0.933333
5615	024	1818	0.04	1800	1	65	100	3	4	3	5454	3654	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	5090.399902	3290.399902	3290.399902	0.933333
5615	028	4663	0.11	3325	3	65	100	3	11	8	13989	10664	NCD-MISSI	40	density-lim	600			0.75	8	0.727272749	5	5	13989	10664	10664	1
5615	049	6764	0.16	6375	6	85	140	4	22	16	27056	20681	NCD-MISSI	40	density-lim	600			0.75	11	0.5	5	5	20292	13917	13917	0.75
5615	071	2958	0.07	2500	0	65	100	3	7	7	8874	6374	NCD-MISSI	40	density-lim	600			0.75	5	0.714285731	5	5	8874	6374	6374	1
5616	019	1500	0.03	1200	1	65	100	3	3	2	4500	3300	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	4200	3000	3000	0.933333
5616	037	1775	0.04	1600	1	65	100	3	4	3	5325	3725	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4970	3370	3370	0.933333
5616	038	1789	0.04	744	1	65	100	3	4	3	5367	4623	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	5009.199707	4265.199707	4265.199707	0.933333
5616	059	2029	0.05	2639	1	65	100	3	5	4	6087	3448	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	5681.199707	3042.199707	3042.199707	0.933333
5618	001	1875	0.04	2035	1	65	100	3	4	3	5625	3590	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	3215	3215	0.933333
5618	026	1174	0.03	825	1	65	100	3	3	2	3522	2697	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	3287.199951	2462.199951	2462.199951	0.933333
5618	027	2081	0.05	1914	1	65	100	3	5	4	6243	4329	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5826.799805	3912.799805	3912.799805	0.933333
5618	046	1707	0.04	1450	1	65	100	3	4	3	5121	3671	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4779.600098	3329.600098	3329.600098	0.933333
5619	034	2126	0.05	1503	1	65	100	3	5	4	6378	4875	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5952.799805	4449.799805	4449.799805	0.933333
5619	035	1509	0.03	1536	1	65	100	3	3	2	4527	2991	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4225.199707	2689.199707	2689.199707	0.933333
5642	002	1898	0.04	1637	1	65	100	3	4	3	5694	4057	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	5314.399902	3677.399902	3677.399902	0.933333
5643	001	1971	0.05	1644	1	65	100	3	5	4	5913	4269	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	5518.799805	3874.799805	3874.799805	0.933333
5643	010	1638	0.04	1460	1	65	100	3	4	3	4914	3454	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4586.399902	3126.399902	3126.399902	0.933333
5644	012	1753	0.04	1500	1	65	100	3	4	3	5259	3759	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4908.399902	3408.399902	3408.399902	0.933333
5644	014	1750	0.04	1471	1	65	100	3	4	3	5250	3779	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4900	3429	3429	0.933333
5644	015	1720	0.04	2450	1	65	100	3	4	3	5160	2710	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4816	2366	2366	0.933333
5644	041	3507	0.08	855	1	65	100	3	8	7	10521	9666	RH-2	40	density-lim	1500	true		0.7	6	0.75	5	5	9819.599609	8964.599609	8964.599609	0.933333
5669	001	2910	0.07	2555	1	65	100	3	7	6	8730	6175	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8148	5593	5593	0.933333
5669	031	1826	0.04	1275	1	65	100	3	4	3	5478	4203	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5112.799805	3837.799805	3837.799805	0.933333
5670	001	1844	0.04	1275	1	65	100	3	4	3	5532	4257	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	5163.199707	3888.199707	3888.199707	0.933333
5670	035	1806	0.04	1722	1	65	100	3	4	3	5418	3696	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	5056.799805	3334.799805	3334.799805	0.933333
5671	001	1814	0.04	2067	1	65	100	3	4	3	5442	3375	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	5079.199707	3012.199707	3012.199707	0.933333
5671	036	1739	0.04	1160	1	65	100	3	4	3	5217	4057	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4869.199707	3709.199707	3709.199707	0.933333
5672	001	1624	0.04	1420	1	65	100	3	4	3	4872	3452	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4547.199707	3127.199707	3127.199707	0.933333
5672	005	1686	0.04	1790	1	65	100	3	4	3	5058	3268	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4720.799805	2930.799805	2930.799805	0.933333
5672	028E	1976	0.05	1377	1	65	100	3	5	4	5928	4551	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	5532.799805	4155.799805	4155.799805	0.933333
5674	001	2478	0.06	1727	1	65	100	3	6	5	7434	5707	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	6938.399902	5211.399902	5211.399902	0.933333
5675	001A	1650	0.04	1605	1	65	100	3	4	3	4950	3345	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4620	3015	3015	0.933333
5675	014	2977	0.07	2095	1	65	100	3	7	6	8931	6836	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	5	5	8335.599609	6240.599609	6240.599609	0.933333
5676	011	2570	0.06	800	1	55	80	2.5	5	4	6425	5625	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	7196	6396	6396	1.12
5676	019	1659	0.04	1450	1	65	100	3	4	3	4977	3527	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	4645.199707	3195.199707	3195.199707	0.933333
5676	035A	1726	0.04	750	1	65	100	3	4	3	5178	4428	RH-3	40	density-lim	1000	true		0.7	6	1.5	5	5	4832.799805	4082.799805	4082.799805	0.933333
5677	006	2500	0.06	2120	1	55	80	2.5	5	4	6250	4130	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	7000	4880	4880	1.12
5677	009	3088	0.07	2227	1	55	80	2.5	6	5	7720	5493	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	8646.399414	6419.399414	6419.399414	1.12
5678	009	1696	0.04	1500	1	55	80	2.5	3	2	4240	2740	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	4748.799805	3248.799805	3248.799805	1.12
5678	017	1711	0.04	2100	1	55	80	2.5	3	2	4278	2178	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	4790.799805	2690.799805	2690.799805	1.119869
5707	013	1750	0.04	1125	1	55	80	2.5	3	2	4375	3250	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4900	3775	3775	1.12
5707	014	1204	0.03	1303	1	55	80	2.5	2	1	3010	1707	RH-1	40	density-lim	3000	true		0.7	6	3	5	3	3371.199951	2068.199951	2068.199951	1.12
5708	015	2412	0.06	1884	1	55	80	2.5	5	4	6030	4146	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	6753.600098	4869.600098	4869.600098	1.12
5708	020	2500	0.06	1170	1	55	80	2.5	5	4	6250	5080	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	7000	5830	5830	1.12
5709	001	2579	0.06	1220	1	55	80	2.5	5	4	6448	5228	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	7221.199707	6001.199707	6001.199707	1.119913
5709	007	2500	0.06	1406	1	55	80	2.5	5	4	6250	4844	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	7000	5594	5594	1.12
5709	014	3257	0.07	980	1	55	80	2.5	6	5	8142	7162	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	9119.599609	8139.599609	8139.599609	1.120069
5710	009	2725	0.06	2395	1	65	100	3	6	5	8175	5780	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	7630	5235	5235	0.933333
5710	027A	1250	0.03	1000	1	65	100	3	3	2	3750	2750	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	3500	2500	2500	0.933333
5712	019	2725	0.06	2078	1	65	100	3	6	5	8175	6097	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	7630	5552	5552	0.933333
5716	001	1727	0.04	1250	1	55	80	2.5	3	2	4318	3068	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	4835.600098	3585.600098	3585.600098	1.11987
5716	021	2500	0.06	296	1	55	80	2.5	5	4	6250	5954	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	7000	6704	6704	1.12
5716	028	2370	0.05	1296	1	55	80	2.5	4	3	5925	4629	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	6636	5340	5340	1.12
5717	007	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	7000	6000	6000	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5717	024B	1584	0.04	2364	1	55	80	2.5	3	2	3960	1596	RH-2	40	density-lin	1500	true		0.7	6	2	5	5	4435.199707	2071.199707	2071.199707	1.12
5717	031	2249	0.05	2247	1	55	80	2.5	4	3	5622	3375	RH-2	40	density-lin	1500	true		0.7	6	1.5	5	5	6297.199707	4050.199707	4050.199707	1.1201
5719	010	549	0.01	1350	1	65	100	3	1	0	1647	297	RH-2	40	density-lin	1500	true		0.7	6	6	5	1	1537.199951	187.1999512	187.1999512	0.933333
5720	060	2462	0.06	1750	1	55	80	2.5	5	4	6155	4405	RH-2	40	density-lin	1500	true		0.7	6	1.200000048	5	5	6893.600098	5143.600098	5143.600098	1.12
5721	047	2286	0.05	1275	1	55	80	2.5	4	3	5715	4440	RH-2	40	density-lin	1500	true		0.7	6	1.5	5	5	6400.799805	5125.799805	5125.799805	1.12
5722	016	1750	0.04	1283	1	55	80	2.5	3	2	4375	3092	RH-1	40	density-lin	3000	true		0.7	6	2	5	5	4900	3617	3617	1.12
5745	061	2333	0.05	1195	1	55	80	2.5	4	3	5832	4637	RH-2	40	density-lin	1500	true		0.7	6	1.5	5	5	6532.399902	5337.399902	5337.399902	1.120096
6300	001	2747	0.06	1000	1	55	80	2.5	5	4	6868	5868	RH-1	40	density-lin	3000	true		0.7	6	1.200000048	5	5	7691.600098	6691.600098	6691.600098	1.119918
6469	001	1648	0.04	1160	1	55	80	2.5	3	2	4120	2960	RH-1	40	density-lin	3000	true		0.7	6	2	5	5	4614.399902	3454.399902	3454.399902	1.12
6472	010	2095	0.05	1733	1	55	80	2.5	4	3	5238	3505	RH-1	40	density-lin	3000	true		0.7	6	1.5	5	5	5866	4133	4133	1.119893
6472	020A	1875	0.04	2176	1	55	80	2.5	3	2	4688	2512	RH-1	40	density-lin	3000	true		0.7	6	2	5	5	5250	3074	3074	1.119881
6473	007	2883	0.07	2451	1	55	80	2.5	6	5	7208	4757	RH-1	40	density-lin	3000	true		0.7	6	1	5	5	8072.399902	5621.399902	5621.399902	1.119922
6473	020	3100	0.07	3338	1	55	80	2.5	6	5	7750	4412	RH-1	40	density-lin	3000	true		0.7	6	1	5	5	8680	5342	5342	1.12
6473	038	5890	0.14	5446	5	55	80	2.5	11	6	14725	9279	NCD-EXCE	40	density-lin	600			0.75	10	0.909090936	5	5	17670	12224	12224	1.2
6474	005C	1875	0.04	1950	1	55	80	2.5	3	2	4688	2738	RH-1	40	density-lin	3000	true		0.7	6	2	5	5	5250	3300	3300	1.119881
6474	014D	1845	0.04	1560	1	55	80	2.5	3	2	4612	3052	RH-1	40	density-lin	3000	true		0.7	6	2	5	5	5166	3606	3606	1.120121
6475	001	2405	0.06	1404	1	55	80	2.5	5	4	6012	4608	RH-1	40	density-lin	3000	true		0.7	6	1.200000048	5	5	6734	5330	5330	1.120093
6475	014A	2473	0.06	1600	1	55	80	2.5	5	4	6182	4582	RH-1	40	density-lin	3000	true		0.7	6	1.200000048	5	5	6924.399902	5324.399902	5324.399902	1.120091
6489	060	1877	0.04	1795	1	55	80	2.5	3	2	4692	2897	RH-1	40	density-lin	3000	true		0.7	6	2	5	5	5255.600098	3460.600098	3460.600098	1.120119
6489	065	2053	0.05	2065	1	55	80	2.5	4	3	5132	3067	RH-1	40	density-lin	3000	true		0.7	6	1.5	5	5	5748.399902	3683.399902	3683.399902	1.120109
6490	017G	2006	0.05	1484	1	55	80	2.5	4	3	5015	3531	RH-1	40	density-lin	3000	true		0.7	6	1.5	5	5	5616.799805	4132.799805	4132.799805	1.12
6490	031	2495	0.06	1769	1	55	80	2.5	5	4	6238	4469	RH-1	40	density-lin	3000	true		0.7	6	1.200000048	5	5	6986	5217	5217	1.11991
6490	032	2519	0.06	2145	1	55	80	2.5	5	4	6298	4153	RH-1	40	density-lin	3000	true		0.7	6	1.200000048	5	5	7053.199707	4908.199707	4908.199707	1.119911
6506	005	2007	0.05	3950	3	55	80	2.5	4	1	5018	1068	NCD-24TH	65	form-based			true	0.75	8	2	5	5	9031.5	5081.5	5081.5	1.799821
6506	038	2280	0.05	3266	4	55	80	2.5	4	0	5700	2434	NCD-24TH	65	form-based			true	0.75	9	2.25	5	4	10260	6994	6994	1.8
6507	001	4470	0.1	11320	12	55	80	2.5	8	0	11175	0	NCD-24TH	65	form-based		true	true	0.75	17	2.125	5	4	20115	8795	8795	1.8
6507	005	1996	0.05	1224	1	55	80	2.5	4	3	4990	3766	RH-2	50	form-based			true	0.7	6	1.5	5	5	6986	5762	5762	1.4
6507	006	2276	0.05	1564	1	55	80	2.5	4	3	5690	4126	RH-2	50	form-based			true	0.7	6	1.5	5	5	7966	6402	6402	1.4
6507	007	2276	0.05	1440	1	55	80	2.5	4	3	5690	4250	RH-2	50	form-based			true	0.7	6	1.5	5	5	7966	6526	6526	1.4
6507	008	2276	0.05	1760	1	55	80	2.5	4	3	5690	3930	RH-2	50	form-based			true	0.7	6	1.5	5	5	7966	6206	6206	1.4
6507	016	2049	0.05	2750	3	55	80	2.5	4	1	5122	2372	NCD-24TH	65	form-based			true	0.75	8	2	5	5	9220.5	6470.5	6470.5	1.800176
6507	030	2850	0.07	5390	6	55	80	2.5	6	0	7125	1735	NCD-24TH	65	form-based			true	0.75	11	1.833333373	5	5	12825	7435	7435	1.8
6507	042	2080	0.05	2966	1	55	80	2.5	4	3	5200	2234	RH-2	50	form-based		true	true	0.7	6	1.5	5	5	7280	4314	4314	1.4
6508	019	2940	0.07	3500	3	65	100	3	7	4	8820	5320	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10290	6790	6790	1.166667
6508	020	2949	0.07	3500	3	65	100	3	7	4	8847	5347	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10321.5	6821.5	6821.5	1.166667
6508	024	2278	0.05	2610	1	65	100	3	5	4	6834	4224	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7973	5363	5363	1.166667
6508	026	2000	0.05	3790	3	65	100	3	5	2	6000	2210	NCD-24TH	65	form-based			true	0.75	8	1.600000024	5	5	9000	5210	5210	1.5
6508	027	2073	0.05	2816	3	65	100	3	5	2	6219	3403	NCD-24TH	65	form-based			true	0.75	8	1.600000024	5	5	9328.5	6512.5	6512.5	1.5
6508	040	2033	0.05	4383	3	65	100	3	5	2	6099	1716	NCD-24TH	65	form-based			true	0.75	8	1.600000024	5	5	9148.5	4765.5	4765.5	1.5
6508	043	2902	0.07	1029	6	65	100	3	7	1	8706	7677	NCD-24TH	65	form-based			true	0.75	11	1.571428537	5	5	13059	12030	12030	1.5
6509	002A	1891	0.04	2200	2	85	140	4	6	4	7564	5364	RTO-C	65	form-based			true	0.75	7	1.166666627	5	5	8509.5	6309.5	6309.5	1.125
6509	005	1890	0.04	1975	2	85	140	4	6	4	7560	5585	RTO-C	65	form-based			true	0.75	7	1.166666627	5	5	8505	6530	6530	1.125
6509	014A	2000	0.05	1402	1	65	100	3	5	4	6000	4598	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7000	5598	5598	1.166667
6509	019	2400	0.06	2620	2	65	100	3	6	4	7200	4580	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8400	5780	5780	1.166667
6509	030	2521	0.06	2050	2	65	100	3	6	4	7563	5513	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8823.5	6773.5	6773.5	1.166667
6509	034	2250	0.05	810	1	65	100	3	5	4	6750	5940	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7875	7065	7065	1.166667
6509	035	2025	0.05	5661	3	65	100	3	5	2	6075	414	NCD-24TH	65	form-based		true	true	0.75	8	1.600000024	5	5	9112.5	3451.5	3451.5	1.5
6509	053	1825	0.04	2269	2	65	100	3	4	2	5475	3206	NCD-24TH	65	form-based		true	true	0.75	7	1.75	5	5	8212.5	5943.5	5943.5	1.5
6509	061	2025	0.05	1105	3	65	100	3	5	2	6075	4970	NCD-24TH	65	form-based			true	0.75	8	1.600000024	5	5	9112.5	8007.5	8007.5	1.5
6509	075	2251	0.05	1397	3	85	140	4	7	4	9004	7607	RTO-C	65	form-based		true	true	0.75	8	1.142857194	5	5	10129.5	8732.5	8732.5	1.125
6510	022A	2845	0.07	1700	4	85	140	4	10	6	11380	9680	NCD-24TH	50	form-based			true	0.75	9	0.899999976	5	5	10668.75	8968.75	8968.75	0.9375
6510	024	2476	0.06	1953	2	85	140	4	8	6	9904	7951	RH-2	50	form-based			true	0.7	7	0.875	5	5	8666	6713	6713	0.875
6510	025	2476	0.06	4661	2	85	140	4	8	6	9904	5243	RH-2	50	form-based			true	0.7	7	0.875	5	5	8666	4005	4005	0.875
6510	028	2500	0.06	1550	2	65	100	3	6	4	7500	5950	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	7200	7200	1.166667
6510	029A	2500	0.06	3200	2	65	100	3	6	4	7500	4300	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	5550	5550	1.166667
6510	029B	2500	0.06	3200	2	65	100	3	6	4	7500	4300	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	5550	5550	1.166667
6510	036	2500	0.06	1296	2	65	100	3	6	4	7500	6204	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	7454	7454	1.166667
6510	040	2447	0.06	1137	2	65	100	3	6	4	7341	6204	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8564.5	7427.5	7427.5	1.166667
6510	042	2635	0.06	2500	2	65	100	3	6	4	7905	5405	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	9222.5	6722.5	6722.5	1.166667
6511	007	6169	0.14	4126	1	65	100	3	14	13	18507	14381	RH-3	40	density-lin	1000			0.7	6	0.428571433	5	5	17273.19922	13147.19922	13147.19922	0.933333
6513	001	2319	0.05	1882	1	75	120	3.5	6	5	8116	6234	RH-3	40	density-lin	1000	true		0.7	6	1	5	5	6493.199707	4611.199707	4611.199707	0.800049
6514	002	2704	0.06	3288	3	75	120	3.5	7	4	9464	6176	NCT-VALEI	55	form-based				0.75	8	1.142857194	5	5	10140	6852	6852	1.071429
6514	012	3037	0.07	1795	1	75	120	3.5	8	7	10630	8835	RH-3	40	density-lin	1000	true		0.7	6	0.75	5	5	8503.599609	6708.599609	6708.599609	0.799962
6515	006	2933	0.07	990	1	75	120	3.5	8	7	10266	9276	RTO-M	45	form-based				0.7	6	0.75	5	5	8212.399414	7222.399414	7222.399414	0.799961

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6516	017	2975	0.07	1765	1	75	120	3.5	8	7	10412	8647	RTO-M	45	form-based				0.7	6	0.75	5	5	8330	6565	6565	0.800038
6516	030	4166	0.1	4722	4	75	120	3.5	12	8	14581	9859	RTO-M	45	form-based				0.7	9	0.75	5	5	11664.7998	6942.799805	6942.799805	0.8
6517	029	3451	0.08	5475	13	85	140	4	11	0	13804	8329	NCT-MISSI	85	form-based				0.75	18	1.636363626	5	5	20706	15231	15231	1.5
6518	007	4016	0.09	5568	6	75	120	3.5	11	5	14056	8488	RTO-M	50	form-based				0.7	11	1	5	5	14056	8488	8488	1
6518	017	2869	0.07	1158	1	75	120	3.5	8	7	10042	8884	RTO-M	40	form-based				0.7	6	0.75	5	5	8033.199707	6875.199707	6875.199707	0.79996
6518	021	4590	0.11	4690	5	75	120	3.5	13	8	16065	11375	RTO-M	40	form-based				0.7	10	0.769230783	5	5	12852	8162	8162	0.8
6518	022	2983	0.07	2093	1	75	120	3.5	8	7	10440	8347	RTO-M	40	form-based				0.7	6	0.75	5	5	8352.399414	6259.399414	6259.399414	0.800038
6518	034	2869	0.07	3964	3	75	120	3.5	8	5	10042	6078	RTO-M	50	form-based				0.7	8	1	5	5	10041.5	6077.5	6077.5	0.99995
6518	036	2869	0.07	800	3	75	120	3.5	8	5	10042	9242	RTO-M	50	form-based				0.7	8	1	5	5	10041.5	9241.5	9241.5	0.99995
6527	005	2869	0.07	4650	3	75	120	3.5	8	5	10042	5392	RTO-M	50	form-based				0.7	8	1	5	5	10041.5	5391.5	5391.5	0.99995
6527	021	2869	0.07	1848	1	75	120	3.5	8	7	10042	8194	RTO-M	40	form-based				0.7	6	0.75	5	5	8033.199707	6185.199707	6185.199707	0.79996
6528	053	2732	0.06	4960	3	75	120	3.5	7	4	9562	4602	NCT-MISSI	55	form-based		true		0.75	8	1.142857194	5	5	10245	5285	5285	1.071429
6528	056	4199	0.1	2119	4	75	120	3.5	12	8	14696	12577	RTO-M	40	form-based				0.7	9	0.75	5	5	11757.2002	9638.200195	9638.200195	0.800027
6529	017	3248	0.07	2832	2	75	120	3.5	8	6	11368	8536	RTO-M	45	form-based				0.7	7	0.875	5	5	9094.399414	6262.399414	6262.399414	0.8
6529	018	2953	0.07	2950	1	75	120	3.5	8	7	10336	7386	RTO-M	45	form-based				0.7	6	0.75	5	5	8268.399414	5318.399414	5318.399414	0.799961
6529	025	2455	0.06	1770	2	75	120	3.5	7	5	8592	6822	RTO-M	55	form-based		true		0.7	7	1	5	5	8592.5	6822.5	6822.5	1.000058
6530	004	3046	0.07	1593	1	75	120	3.5	8	7	10661	9068	RTO-M	45	form-based				0.7	6	0.75	5	5	8528.799805	6935.799805	6935.799805	0.8
6530	006	4100	0.09	2900	4	75	120	3.5	11	7	14350	11450	RTO-M	45	form-based				0.7	9	0.818181813	5	5	11480	8580	8580	0.8
6530	010A	2929	0.07	1530	1	75	120	3.5	8	7	10252	8722	RTO-M	45	form-based				0.7	6	0.75	5	5	8201.200195	6671.200195	6671.200195	0.799961
6531	001	5787	0.13	12778	12	75	120	3.5	16	4	20254	7476	NCT-VALEI	55	form-based		true		0.75	17	1.0625	5	5	21701.25	8923.25	8923.25	1.071455
6531	010	1801	0.04	3334	0	75	120	3.5	5	5	6304	2970	NCT-VALEI	55	form-based				0.75	5	1	5	5	6753.75	3419.75	3419.75	1.071344
6532	031	2282	0.05	2368	1	65	100	3	5	4	6846	4478	RH-3	40	density-lin	1000	true		0.7	6	1.200000048	5	5	6389.600098	4021.600098	4021.600098	0.933333
6534	001	3503	0.08	2487	1	65	100	3	8	7	10509	8022	RH-3	40	density-lin	1000	true		0.7	6	0.75	5	5	9808.399414	7321.399414	7321.399414	0.933333
6535	002	2365	0.05	5170	2	65	100	3	5	3	7095	1925	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8277.5	3107.5	3107.5	1.166667
6535	017	2890	0.07	2625	3	65	100	3	7	4	8670	6045	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10115	7490	7490	1.166667
6535	035	2983	0.07	1857	3	65	100	3	7	4	8949	7092	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10440.5	8583.5	8583.5	1.166667
6535	060	2907	0.07	781	3	65	100	3	7	4	8721	7940	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10174.5	9393.5	9393.5	1.166667
6535	064	2365	0.05	1802	2	65	100	3	5	3	7095	5293	RH-3	50	form-based			true	0.7	7	1.399999976	5	5	8277.5	6475.5	6475.5	1.166667
6535	072	2867	0.07	1477	3	65	100	3	7	4	8601	7124	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	10034.5	8557.5	8557.5	1.166667
6536	002	1963	0.05	1050	2	65	100	3	5	3	5889	4839	RTO-C	65	form-based			true	0.75	7	1.399999976	5	5	8833.5	7783.5	7783.5	1.5
6536	007	1884	0.04	2450	2	65	100	3	4	2	5652	3202	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8478	6028	6028	1.5
6536	015	2117	0.05	1216	1	65	100	3	5	4	6351	5135	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7409.5	6193.5	6193.5	1.166667
6536	041	5700	0.13	7380	11	65	100	3	13	2	17100	9720	RH-2	50	form-based			true	0.7	16	1.230769277	5	5	19950	12570	12570	1.166667
6536	042A	2850	0.07	3025	3	65	100	3	7	4	8550	5525	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	9975	6950	6950	1.166667
6536	047	3238	0.07	984	4	65	100	3	7	3	9714	8730	RH-2	50	form-based		true	true	0.7	9	1.285714269	5	5	11333	10349	10349	1.166667
6536	051	1887	0.04	1064	2	65	100	3	4	2	5661	4597	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8491.5	7427.5	7427.5	1.5
6536	053	1809	0.04	2687	2	65	100	3	4	2	5427	2740	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8140.5	5453.5	5453.5	1.5
6537	009	2844	0.07	1548	1	65	100	3	7	6	8532	6984	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7963.199707	6415.199707	6415.199707	0.933333
6537	010	2844	0.07	1620	1	65	100	3	7	6	8532	6912	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7963.199707	6343.199707	6343.199707	0.933333
6537	011	2845	0.07	3511	1	65	100	3	7	6	8535	5024	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	4455	4455	0.933333
6537	012	2845	0.07	1526	1	65	100	3	7	6	8535	7009	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	6440	6440	0.933333
6537	013	2845	0.07	1700	1	65	100	3	7	6	8535	6835	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	6266	6266	0.933333
6537	014	2845	0.07	1892	1	65	100	3	7	6	8535	6643	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	6074	6074	0.933333
6537	015	2845	0.07	1776	1	65	100	3	7	6	8535	6759	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	6190	6190	0.933333
6537	016	2845	0.07	1605	1	65	100	3	7	6	8535	6930	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	6361	6361	0.933333
6537	017	2845	0.07	3517	1	65	100	3	7	6	8535	5018	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	4449	4449	0.933333
6537	018	2845	0.07	1300	1	65	100	3	7	6	8535	7235	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	6666	6666	0.933333
6537	019	2845	0.07	1542	1	65	100	3	7	6	8535	6993	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	6424	6424	0.933333
6537	020	2845	0.07	2324	1	65	100	3	7	6	8535	6211	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7966	5642	5642	0.933333
6537	022	2846	0.07	1354	1	65	100	3	7	6	8538	7184	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	6614.799805	6614.799805	0.933333
6537	031	2850	0.07	764	1	65	100	3	7	6	8550	7786	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	7216	7216	0.933333
6537	032	2850	0.07	1075	1	65	100	3	7	6	8550	7475	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6905	6905	0.933333
6537	034	2850	0.07	918	1	65	100	3	7	6	8550	7632	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	7062	7062	0.933333
6537	035	2850	0.07	1400	1	65	100	3	7	6	8550	7150	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6580	6580	0.933333
6537	037	2850	0.07	1095	1	65	100	3	7	6	8550	7455	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6885	6885	0.933333
6537	041	2850	0.07	3765	1	65	100	3	7	6	8550	4785	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	4215	4215	0.933333
6537	053	2850	0.07	1202	1	65	100	3	7	6	8550	7348	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6778	6778	0.933333
6538	003	2663	0.06	1346	1	55	80	2.5	5	4	6658	5312	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7456.399902	6110.399902	6110.399902	1.119916
6538	004	2630	0.06	2931	1	55	80	2.5	5	4	6575	3644	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7364	4433	4433	1.12
6538	007	2841	0.07	1683	1	55	80	2.5	6	5	7102	5419	RH-2	40	form-based			true	0.7	6	1	5	5	7954.799805	6271.799805	6271.799805	1.120079
6538	008	2841	0.07	1075	1	55	80	2.5	6	5	7102	6027	RH-2	40	form-based			true	0.7	6	1	5	5	7954.799805	6879.799805	6879.799805	1.120079
6538	014	2728	0.06	1942	1	55	80	2.5	5	4	6820	4878	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7638.399902	5696.399902	5696.399902	1.12
6538	023	2000	0.05	2450	3	55	80	2.5	4	1	5000	2550	NCD-24TH	65	form-based			true	0.75	8	2	5	5	9000	6550	6550	1.8
6538	027	2850	0.07	1512	1	55	80	2.5	6	5	7125	5613	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6468	6468	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6538	028	2850	0.07	1050	1	55	80	2.5	6	5	7125	6075	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6930	6930	1.12
6538	029	2850	0.07	820	1	55	80	2.5	6	5	7125	6305	RH-2	40	form-based			true	0.7	6	1	5	5	7980	7160	7160	1.12
6538	030	2850	0.07	1741	1	55	80	2.5	6	5	7125	5384	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6239	6239	1.12
6538	031	2850	0.07	3771	1	55	80	2.5	6	5	7125	3354	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4209	4209	1.12
6538	034	2850	0.07	2540	1	55	80	2.5	6	5	7125	4585	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5440	5440	1.12
6539	008	2849	0.07	3069	1	55	80	2.5	6	5	7122	4053	RH-2	40	form-based			true	0.7	6	1	5	5	7977.199707	4908.199707	4908.199707	1.120079
6539	013	2850	0.07	1630	1	55	80	2.5	6	5	7125	5495	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6350	6350	1.12
6539	014	3055	0.07	1793	1	55	80	2.5	6	5	7638	5845	RH-2	40	form-based			true	0.7	6	1	5	5	8554	6761	6761	1.119927
6539	016	3055	0.07	1687	1	55	80	2.5	6	5	7638	5951	RH-2	40	form-based			true	0.7	6	1	5	5	8554	6867	6867	1.119927
6539	017	2850	0.07	1659	1	55	80	2.5	6	5	7125	5466	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6321	6321	1.12
6539	029	2850	0.07	3445	1	55	80	2.5	6	5	7125	3680	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4535	4535	1.12
6539	029A	2850	0.07	2168	1	55	80	2.5	6	5	7125	4957	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5812	5812	1.12
6539	032	3055	0.07	975	1	55	80	2.5	6	5	7638	6663	RH-2	40	form-based			true	0.7	6	1	5	5	8554	7579	7579	1.119927
6539	043	3420	0.08	1555	2	55	80	2.5	6	4	8550	6995	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9576	8021	8021	1.12
6540	004	3517	0.08	2033	2	55	80	2.5	6	4	8792	6759	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9847.599609	7814.599609	7814.599609	1.120064
6545	005	2785	0.06	1763	1	55	80	2.5	5	4	6962	5199	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7798	6035	6035	1.12008
6545	006	2666	0.06	2150	1	55	80	2.5	5	4	6665	4515	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7464.799805	5314.799805	5314.799805	1.12
6546	002	2701	0.06	3240	1	55	80	2.5	5	4	6752	3512	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7562.799805	4322.799805	4322.799805	1.120083
6546	005	2835	0.07	2175	1	55	80	2.5	6	5	7088	4913	RH-2	40	form-based			true	0.7	6	1	5	5	7938	5763	5763	1.119921
6546	006	2834	0.07	2100	1	55	80	2.5	6	5	7085	4985	RH-2	40	form-based			true	0.7	6	1	5	5	7935.199707	5835.199707	5835.199707	1.12
6546	007	2834	0.07	1525	1	55	80	2.5	6	5	7085	5560	RH-2	40	form-based			true	0.7	6	1	5	5	7935.199707	6410.199707	6410.199707	1.12
6546	010	2845	0.07	1311	1	55	80	2.5	6	5	7112	5801	RH-2	40	form-based			true	0.7	6	1	5	5	7966	6655	6655	1.120079
6546	011	2845	0.07	1282	1	55	80	2.5	6	5	7112	5830	RH-2	40	form-based			true	0.7	6	1	5	5	7966	6684	6684	1.120079
6546	014	2898	0.07	1460	1	55	80	2.5	6	5	7245	5785	RH-2	40	form-based			true	0.7	6	1	5	5	8114.399902	6654.399902	6654.399902	1.12
6546	016	2845	0.07	1516	1	55	80	2.5	6	5	7112	5596	RH-2	40	form-based			true	0.7	6	1	5	5	7966	6450	6450	1.120079
6546	018	3035	0.07	1497	1	55	80	2.5	6	5	7588	6091	RH-2	40	form-based			true	0.7	6	1	5	5	8498	7001	7001	1.119926
6546	019	3035	0.07	3101	1	55	80	2.5	6	5	7588	4487	RH-2	40	form-based			true	0.7	6	1	5	5	8498	5397	5397	1.119926
6546	020	2845	0.07	2783	1	55	80	2.5	6	5	7112	4329	RH-2	40	form-based			true	0.7	6	1	5	5	7966	5183	5183	1.120079
6546	032	2855	0.07	2323	1	55	80	2.5	6	5	7138	4815	RH-2	40	form-based			true	0.7	6	1	5	5	7994	5671	5671	1.119922
6546	033	2855	0.07	2598	1	55	80	2.5	6	5	7138	4540	RH-2	40	form-based			true	0.7	6	1	5	5	7994	5396	5396	1.119922
6546	034	3045	0.07	1400	1	55	80	2.5	6	5	7612	6212	RH-2	40	form-based			true	0.7	6	1	5	5	8526	7126	7126	1.120074
6546	035	3045	0.07	1424	1	55	80	2.5	6	5	7612	6188	RH-2	40	form-based			true	0.7	6	1	5	5	8526	7102	7102	1.120074
6546	036	3045	0.07	1065	1	55	80	2.5	6	5	7612	6547	RH-2	40	form-based			true	0.7	6	1	5	5	8526	7461	7461	1.120074
6546	038	3061	0.07	1474	1	55	80	2.5	6	5	7652	6178	RH-2	40	form-based			true	0.7	6	1	5	5	8570.799805	7096.799805	7096.799805	1.120073
6546	040	3083	0.07	1010	1	55	80	2.5	6	5	7708	6698	RH-2	40	form-based			true	0.7	6	1	5	5	8632.399414	7622.399414	7622.399414	1.119927
6546	041	3083	0.07	1608	1	55	80	2.5	6	5	7708	6100	RH-2	40	form-based			true	0.7	6	1	5	5	8632.399414	7024.399414	7024.399414	1.119927
6546	042	2969	0.07	3060	1	55	80	2.5	6	5	7422	4362	RH-2	40	form-based			true	0.7	6	1	5	5	8313.200195	5253.200195	5253.200195	1.120075
6548	005A	2558	0.06	3832	0	65	100	3	6	6	7674	3842	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	7162.399902	3330.399902	3330.399902	0.933333
6548	010	3072	0.07	2347	1	65	100	3	7	6	9216	6869	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8601.599609	6254.599609	6254.599609	0.933333
6548	011	2889	0.07	2569	1	65	100	3	7	6	8667	6098	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	5520.199707	5520.199707	0.933333
6548	012	3024	0.07	1800	1	65	100	3	7	6	9072	7272	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8467.200195	6667.200195	6667.200195	0.933333
6548	014	2995	0.07	1200	1	65	100	3	7	6	8985	7785	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8386	7186	7186	0.933333
6548	014A	2942	0.07	1250	1	65	100	3	7	6	8826	7576	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8237.599609	6987.599609	6987.599609	0.933333
6548	016	2889	0.07	2192	1	65	100	3	7	6	8667	6475	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	5897.199707	5897.199707	0.933333
6548	017	2889	0.07	2169	1	65	100	3	7	6	8667	6498	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	5920.199707	5920.199707	0.933333
6548	018	2889	0.07	2809	1	65	100	3	7	6	8667	5858	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	5280.199707	5280.199707	0.933333
6548	030	2829	0.06	1400	1	65	100	3	6	5	8487	7087	RH-2	40	form-based			true	0.7	6	1	5	5	7921.199707	6521.199707	6521.199707	0.933333
6548	031	2850	0.07	995	1	65	100	3	7	6	8550	7555	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6985	6985	0.933333
6548	032	2850	0.07	3322	1	65	100	3	7	6	8550	5228	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	4658	4658	0.933333
6548	033	2964	0.07	1300	1	65	100	3	7	6	8892	7592	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8299.200195	6999.200195	6999.200195	0.933333
6548	034	2964	0.07	3354	1	65	100	3	7	6	8892	5538	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8299.200195	4945.200195	4945.200195	0.933333
6548	036A	2850	0.07	1958	1	65	100	3	7	6	8550	6592	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6022	6022	0.933333
6548	037	2850	0.07	1400	1	65	100	3	7	6	8550	7150	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6580	6580	0.933333
6548	041	2736	0.06	1865	1	65	100	3	6	5	8208	6343	RH-2	40	form-based			true	0.7	6	1	5	5	7660.799805	5795.799805	5795.799805	0.933333
6548	042	2850	0.07	2080	1	65	100	3	7	6	8550	6470	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5900	5900	0.933333
6548	043	2658	0.06	1908	1	65	100	3	6	5	7974	6066	RH-2	40	form-based			true	0.7	6	1	5	5	7442.399902	5534.399902	5534.399902	0.933333
6549	012	2897	0.07	2670	3	65	100	3	7	4	8691	6021	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10139.5	7469.5	7469.5	1.166667
6549	025	2124	0.05	1500	1	65	100	3	5	4	6372	4872	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7434	5934	5934	1.166667
6549	040	2736	0.06	3366	3	65	100	3	6	3	8208	4842	RH-2	50	form-based			true	0.7	8	1.333333373	5	5	9576	6210	6210	1.166667
6549	073	2973	0.07	1457	3	65	100	3	7	4	8919	7462	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10405.5	8948.5	8948.5	1.166667
6550	045	2850	0.07	2665	3	65	100	3	7	4	8550	5885	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	9975	7310	7310	1.166667
6550	060	1641	0.04	785	1	65	100	3	4	3	4923	4138	NC-1	65	form-based	true		true	0.75	6	1.5	5	5	7384.5	6599.5	6599.5	1.5
6551	004	2471	0.06	2950	2	65	100	3	6	4	7413	4463	RH-3	50	form-based			true	0.7	7	1.166666627	5	5	8648.5	5698.5	5698.5	1.166667
6551	014	2963	0.07	3957	3	65	100	3	7	4	8889	4932	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10370.5	6413.5	6413.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6551	054	1870	0.04	1362	2	85	140	4	6	4	7480	6118	RTO-C	65	form-based			true	0.75	7	1.166666627	5	5	8415	7053	7053	1.125
6552	004	2124	0.05	2730	3	85	140	4	7	4	8496	5766	RTO-C	65	form-based			true	0.75	8	1.142857194	5	5	9558	6828	6828	1.125
6552	006	2323	0.05	3420	4	85	140	4	7	3	9292	5872	RTO-C	65	form-based			true	0.75	9	1.285714269	5	5	10453.5	7033.5	7033.5	1.125
6552	013	3209	0.07	6124	4	65	100	3	7	3	9627	3503	RH-2	50	form-based			true	0.7	9	1.285714269	5	5	11231.5	5107.5	5107.5	1.166667
6552	016	2819	0.06	3445	3	65	100	3	6	3	8457	5012	RH-2	50	form-based			true	0.7	8	1.333333373	5	5	9866.5	6421.5	6421.5	1.166667
6552	024	2000	0.05	1075	1	65	100	3	5	4	6000	4925	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7000	5925	5925	1.166667
6552	025	2000	0.05	1200	1	65	100	3	5	4	6000	4800	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7000	5800	5800	1.166667
6552	026	2000	0.05	2488	1	65	100	3	5	4	6000	3512	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7000	4512	4512	1.166667
6552	027	2000	0.05	1341	1	65	100	3	5	4	6000	4659	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7000	5659	5659	1.166667
6552	030	2964	0.07	3613	3	65	100	3	7	4	8892	5279	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10374	6761	6761	1.166667
6552	059	2973	0.07	1240	3	65	100	3	7	4	8919	7679	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10405.5	9165.5	9165.5	1.166667
6553	033	2850	0.07	2084	1	65	100	3	7	6	8550	6466	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5896	5896	0.933333
6553	015	2822	0.06	2235	1	65	100	3	6	5	8466	6231	RH-2	40	form-based			true	0.7	6	1	5	5	7901.600098	5666.600098	5666.600098	0.933333
6553	017	3082	0.07	2865	1	65	100	3	7	6	9246	6381	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8629.599609	5764.599609	5764.599609	0.933333
6553	018	2931	0.07	1308	1	65	100	3	7	6	8793	7485	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8206.799805	6898.799805	6898.799805	0.933333
6553	019	3005	0.07	1752	1	65	100	3	7	6	9015	7263	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8414	6662	6662	0.933333
6553	029	3040	0.07	1668	1	65	100	3	7	6	9120	7452	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8512	6844	6844	0.933333
6553	030	2793	0.06	3023	1	65	100	3	6	5	8379	5356	RH-2	40	form-based			true	0.7	6	1	5	5	7820.399902	4797.399902	4797.399902	0.933333
6553	032	2850	0.07	1898	1	65	100	3	7	6	8550	6652	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6082	6082	0.933333
6553	034	2812	0.06	1935	1	65	100	3	6	5	8436	6501	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	5938.600098	5938.600098	0.933333
6553	035	2793	0.06	2254	1	65	100	3	6	5	8379	6125	RH-2	40	form-based			true	0.7	6	1	5	5	7820.399902	5566.399902	5566.399902	0.933333
6553	037	2793	0.06	1769	1	65	100	3	6	5	8379	6610	RH-2	40	form-based			true	0.7	6	1	5	5	7820.399902	6051.399902	6051.399902	0.933333
6553	038	2793	0.06	1250	1	65	100	3	6	5	8379	7129	RH-2	40	form-based			true	0.7	6	1	5	5	7820.399902	6570.399902	6570.399902	0.933333
6553	039	2793	0.06	1328	1	65	100	3	6	5	8379	7051	RH-2	40	form-based			true	0.7	6	1	5	5	7820.399902	6492.399902	6492.399902	0.933333
6553	040	2850	0.07	2703	1	65	100	3	7	6	8550	5847	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5277	5277	0.933333
6553	041	2850	0.07	2050	1	65	100	3	7	6	8550	6500	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5930	5930	0.933333
6553	042	2850	0.07	1224	1	65	100	3	7	6	8550	7326	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6756	6756	0.933333
6553	043	2850	0.07	2871	1	65	100	3	7	6	8550	5679	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5109	5109	0.933333
6554	018	2870	0.07	2445	1	55	80	2.5	6	5	7175	4730	RH-2	40	form-based			true	0.7	6	1	5	5	8036	5591	5591	1.12
6554	026	2850	0.07	2466	1	55	80	2.5	6	5	7125	4659	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5514	5514	1.12
6554	031	2850	0.07	3176	1	55	80	2.5	6	5	7125	3949	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4804	4804	1.12
6554	032	2850	0.07	975	1	55	80	2.5	6	5	7125	6150	RH-2	40	form-based			true	0.7	6	1	5	5	7980	7005	7005	1.12
6554	039	3055	0.07	2981	1	55	80	2.5	6	5	7638	4657	RH-2	40	form-based			true	0.7	6	1	5	5	8554	5573	5573	1.119927
6555	012	2520	0.06	2757	0	55	80	2.5	5	5	6300	3543	RH-1	40	form-based			true	0.7	5	1	5	5	7056	4299	4299	1.12
6555	020	3047	0.07	3980	1	55	80	2.5	6	5	7618	3638	RH-1	40	form-based			true	0.7	6	1	5	5	8531.599609	4551.599609	4551.599609	1.119926
6555	021	3046	0.07	3488	1	55	80	2.5	6	5	7615	4127	RH-1	40	form-based			true	0.7	6	1	5	5	8528.799805	5040.799805	5040.799805	1.12
6555	022	3045	0.07	1379	1	55	80	2.5	6	5	7612	6233	RH-1	40	form-based			true	0.7	6	1	5	5	8526	7147	7147	1.120074
6555	036	3062	0.07	1152	1	55	80	2.5	6	5	7655	6503	RH-2	40	form-based			true	0.7	6	1	5	5	8573.599609	7421.599609	7421.599609	1.12
6555	037	3062	0.07	1185	1	55	80	2.5	6	5	7655	6470	RH-2	40	form-based			true	0.7	6	1	5	5	8573.599609	7388.599609	7388.599609	1.12
6555	039	2856	0.07	1600	1	55	80	2.5	6	5	7140	5540	RH-2	40	form-based			true	0.7	6	1	5	5	7996.799805	6396.799805	6396.799805	1.12
6555	040	2856	0.07	2514	1	55	80	2.5	6	5	7140	4626	RH-2	40	form-based			true	0.7	6	1	5	5	7996.799805	5482.799805	5482.799805	1.12
6555	041	2856	0.07	1475	1	55	80	2.5	6	5	7140	5665	RH-2	40	form-based			true	0.7	6	1	5	5	7996.799805	6521.799805	6521.799805	1.12
6555	042	2856	0.07	1312	1	55	80	2.5	6	5	7140	5828	RH-2	40	form-based			true	0.7	6	1	5	5	7996.799805	6684.799805	6684.799805	1.12
6555	043	3062	0.07	3157	1	55	80	2.5	6	5	7655	4498	RH-2	40	form-based			true	0.7	6	1	5	5	8573.599609	5416.599609	5416.599609	1.12
6555	044	3062	0.07	1609	1	55	80	2.5	6	5	7655	6046	RH-2	40	form-based			true	0.7	6	1	5	5	8573.599609	6964.599609	6964.599609	1.12
6555	046	3062	0.07	1470	1	55	80	2.5	6	5	7655	6185	RH-2	40	form-based			true	0.7	6	1	5	5	8573.599609	7103.599609	7103.599609	1.12
6555	047	3085	0.07	2699	1	55	80	2.5	6	5	7712	5013	RH-2	40	form-based			true	0.7	6	1	5	5	8638	5939	5939	1.120073
6561	001	2624	0.06	1365	1	55	80	2.5	5	4	6560	5195	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7347.199707	5982.199707	5982.199707	1.12
6562	006	2890	0.07	1750	1	55	80	2.5	6	5	7225	5475	RH-2	40	form-based			true	0.7	6	1	5	5	8092	6342	6342	1.12
6562	015	2902	0.07	946	1	55	80	2.5	6	5	7255	6309	RH-1	40	form-based			true	0.7	6	1	5	5	8125.600098	7179.600098	7179.600098	1.12
6562	020	2633	0.06	1659	1	55	80	2.5	5	4	6582	4923	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7372.399902	5713.399902	5713.399902	1.120085
6562	023	2850	0.07	1260	1	55	80	2.5	6	5	7125	5865	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6720	6720	1.12
6562	024	2850	0.07	2457	1	55	80	2.5	6	5	7125	4668	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5523	5523	1.12
6562	024A	2850	0.07	1570	1	55	80	2.5	6	5	7125	5555	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6410	6410	1.12
6562	025	2850	0.07	2525	1	55	80	2.5	6	5	7125	4600	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5455	5455	1.12
6562	030	2736	0.06	2398	1	55	80	2.5	5	4	6840	4442	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7660.799805	5262.799805	5262.799805	1.12
6562	033	2850	0.07	1603	1	55	80	2.5	6	5	7125	5522	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6377	6377	1.12
6562	034	2850	0.07	958	1	55	80	2.5	6	5	7125	6167	RH-1	40	form-based			true	0.7	6	1	5	5	7980	7022	7022	1.12
6562	035	3007	0.07	1265	1	55	80	2.5	6	5	7518	6253	RH-1	40	form-based			true	0.7	6	1	5	5	8419.599609	7154.599609	7154.599609	1.119925
6562	036	2902	0.07	1200	1	55	80	2.5	6	5	7255	6055	RH-1	40	form-based			true	0.7	6	1	5	5	8125.600098	6925.600098	6925.600098	1.12
6562	055	2624	0.06	2729	1	55	80	2.5	5	4	6560	3831	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7347.199707	4618.199707	4618.199707	1.12
6562	056	2624	0.06	2729	1	55	80	2.5	5	4	6560	3831	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7347.199707	4618.199707	4618.199707	1.12
6562	059	2701	0.06	2401	1	55	80	2.5	5	4	6752	4351	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7562.799805	5161.799805	5161.799805	1.120083
6562	061	3069	0.07	1182	1	55	80	2.5	6	5	7672	6490	RH-1	40	form-based			true	0.7	6	1	5	5	8593.200195	7411.200195	7411.200195	1.120073

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6563	002	3075	0.07	1140	1	65	100	3	7	6	9225	8085	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8610	7470	7470	0.933333
6563	012	2890	0.07	910	1	55	80	2.5	6	5	7225	6315	RH-2	40	form-based			true	0.7	6	1	5	5	8092	7182	7182	1.12
6563	014	2890	0.07	2603	1	55	80	2.5	6	5	7225	4622	RH-2	40	form-based			true	0.7	6	1	5	5	8092	5489	5489	1.12
6563	023	2850	0.07	914	1	55	80	2.5	6	5	7125	6211	RH-2	40	form-based			true	0.7	6	1	5	5	7980	7066	7066	1.12
6563	024	2850	0.07	2133	1	55	80	2.5	6	5	7125	4992	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5847	5847	1.12
6563	025	2850	0.07	900	1	55	80	2.5	6	5	7125	6225	RH-2	40	form-based			true	0.7	6	1	5	5	7980	7080	7080	1.12
6563	029	2850	0.07	1001	1	55	80	2.5	6	5	7125	6124	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6979	6979	1.12
6563	030	2993	0.07	4390	1	55	80	2.5	6	5	7482	3092	RH-2	40	form-based			true	0.7	6	1	5	5	8380.399414	3990.399414	3990.399414	1.120075
6563	031	2850	0.07	1160	1	55	80	2.5	6	5	7125	5965	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6820	6820	1.12
6563	036	2850	0.07	1351	1	55	80	2.5	6	5	7125	5774	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6629	6629	1.12
6564	010	2843	0.07	1164	1	65	100	3	7	6	8529	7365	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7960.399902	6796.399902	6796.399902	0.933333
6564	014	3044	0.07	2192	1	65	100	3	7	6	9132	6940	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8523.200195	6331.200195	6331.200195	0.933333
6564	016	3013	0.07	850	1	65	100	3	7	6	9039	8189	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7586.399414	7586.399414	0.933333
6564	017	3021	0.07	850	1	65	100	3	7	6	9063	8213	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8458.799805	7608.799805	7608.799805	0.933333
6564	017A	3020	0.07	2950	1	65	100	3	7	6	9060	6110	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8456	5506	5506	0.933333
6564	017B	3018	0.07	3677	1	65	100	3	7	6	9054	5377	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	4773.399414	4773.399414	0.933333
6564	018	3017	0.07	2233	1	65	100	3	7	6	9051	6818	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8447.599609	6214.599609	6214.599609	0.933333
6564	018A	3016	0.07	1250	1	65	100	3	7	6	9048	7798	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8444.799805	7194.799805	7194.799805	0.933333
6564	022	2850	0.07	1425	1	65	100	3	7	6	8550	7125	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6555	6555	0.933333
6564	023	2850	0.07	2298	1	65	100	3	7	6	8550	6252	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5682	5682	0.933333
6564	024	2850	0.07	1575	1	65	100	3	7	6	8550	6975	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6405	6405	0.933333
6564	026	2850	0.07	2011	1	65	100	3	7	6	8550	6539	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5969	5969	0.933333
6564	028	2850	0.07	1800	1	65	100	3	7	6	8550	6750	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6180	6180	0.933333
6564	035	2850	0.07	3058	1	65	100	3	7	6	8550	5492	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	4922	4922	0.933333
6564	036	2964	0.07	880	1	65	100	3	7	6	8892	8012	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8299.200195	7419.200195	7419.200195	0.933333
6564	036B	2813	0.06	1500	1	65	100	3	6	5	8439	6939	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	6376.399902	6376.399902	0.933333
6565	001	2446	0.06	3580	4	85	140	4	8	4	9784	6204	NC-1	65	form-based		true	true	0.75	9	1.125	5	5	11007	7427	7427	1.125
6565	023	3471	0.08	2820	5	65	100	3	8	3	10413	7593	RH-2	50	form-based			true	0.7	10	1.25	5	5	12148.5	9328.5	9328.5	1.166667
6565	028	2160	0.05	1042	1	65	100	3	5	4	6480	5438	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7560	6518	6518	1.166667
6565	029	2080	0.05	1385	1	65	100	3	5	4	6240	4855	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7280	5895	5895	1.166667
6565	033	3192	0.07	2860	4	65	100	3	7	3	9576	6716	RH-2	50	form-based			true	0.7	9	1.285714269	5	5	11172	8312	8312	1.166667
6566	004	2835	0.07	4494	3	65	100	3	7	4	8505	4011	RH-3	50	form-based			true	0.7	8	1.142857194	5	5	9922.5	5428.5	5428.5	1.166667
6566	008	2093	0.05	2592	1	65	100	3	5	4	6279	3687	RH-3	50	form-based			true	0.7	6	1.200000048	5	5	7325.5	4733.5	4733.5	1.166667
6566	035	2850	0.07	3789	3	65	100	3	7	4	8550	4761	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	9975	6186	6186	1.166667
6567	028	2565	0.06	2387	1	65	100	3	6	5	7695	5308	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	7182	4795	4795	0.933333
6568	011	1579	0.04	1197	0	65	100	3	4	4	4737	3540	NCT-VALEI	55	form-based		true		0.75	5	1.25	5	5	5921.25	4724.25	4724.25	1.25
6568	017	1333	0.03	1492	1	65	100	3	3	2	3999	2507	RH-3	40	density-lim	1000	true		0.7	6	2	5	5	3732.399902	2240.399902	2240.399902	0.933333
6577	029	2146	0.05	2348	1	65	100	3	5	4	6438	4090	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	6008.799805	3660.799805	3660.799805	0.933333
6578	002	2210	0.05	1868	1	65	100	3	5	4	6630	4762	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7735	5867	5867	1.166667
6578	003	2207	0.05	2025	1	65	100	3	5	4	6621	4596	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7724.5	5699.5	5699.5	1.166667
6578	004	2205	0.05	1963	1	65	100	3	5	4	6615	4652	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7717.5	5754.5	5754.5	1.166667
6578	014	2824	0.06	3130	3	65	100	3	6	3	8472	5342	RH-2	50	form-based			true	0.7	8	1.333333373	5	5	9884	6754	6754	1.166667
6578	022	2838	0.07	2188	3	65	100	3	7	4	8514	6326	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	9933	7745	7745	1.166667
6578	032	2850	0.07	2069	3	65	100	3	7	4	8550	6481	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	9975	7906	7906	1.166667
6578	047	5653	0.13	6760	11	65	100	3	13	2	16959	10199	RH-2	50	form-based			true	0.7	16	1.230769277	5	5	19785.5	13025.5	13025.5	1.166667
6578	050	2850	0.07	552	3	65	100	3	7	4	8550	7998	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	9975	9423	9423	1.166667
6574	020	2889	0.07	10755	0	65	100	3	7	7	8667	0	NCD-MISS	50	density-lim	600			0.75	5	0.714285731	5	5	10833.75	78.75	78.75	1.25
6574	021	3096	0.07	10755	0	65	100	3	7	7	9288	0	NCD-MISS	50	density-lim	600			0.75	5	0.714285731	5	5	11610	855	855	1.25
6579	026	2000	0.05	1761	1	65	100	3	5	4	6000	4239	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7000	5239	5239	1.166667
6579	024	2000	0.05	1250	1	65	100	3	5	4	6000	4750	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7000	5750	5750	1.166667
6579	025	2000	0.05	2041	1	65	100	3	5	4	6000	3959	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7000	4959	4959	1.166667
6579	028	2080	0.05	2870	1	65	100	3	5	4	6240	3370	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7280	4410	4410	1.166667
6579	032	3040	0.07	3830	4	65	100	3	7	3	9120	5290	RH-2	50	form-based			true	0.7	9	1.285714269	5	5	10640	6810	6810	1.166667
6579	061	2866	0.07	4062	3	65	100	3	7	4	8598	4536	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10031	5969	5969	1.166667
6580	010	2863	0.07	1736	1	65	100	3	7	6	8589	6853	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8016.399902	6280.399902	6280.399902	0.933333
6580	011	2864	0.07	1650	1	65	100	3	7	6	8592	6942	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8019.199707	6369.199707	6369.199707	0.933333
6580	013	3073	0.07	832	1	65	100	3	7	6	9219	8387	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8604.399414	7772.399414	7772.399414	0.933333
6580	014	3074	0.07	3071	1	65	100	3	7	6	9222	6151	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8607.200195	5536.200195	5536.200195	0.933333
6580	015	2869	0.07	2080	1	65	100	3	7	6	8607	6527	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8033.199707	5953.199707	5953.199707	0.933333
6580	016	2870	0.07	2742	1	65	100	3	7	6	8610	5868	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8036	5294	5294	0.933333
6580	020	2875	0.07	3146	1	65	100	3	7	6	8625	5479	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8050	4904	4904	0.933333
6580	031	3055	0.07	1033	1	65	100	3	7	6	9165	8132	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8554	7521	7521	0.933333
6580	031A	3055	0.07	1532	1	65	100	3	7	6	9165	7633	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8554	7022	7022	0.933333
6580	034	2850	0.07	1400	1	65	100	3	7	6	8550	7150	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6580	6580	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6580	038	2850	0.07	2334	1	65	100	3	7	6	8550	6216	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5646	5646	0.933333
6580	040	2850	0.07	1800	1	65	100	3	7	6	8550	6750	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6180	6180	0.933333
6581	007	2915	0.07	1500	1	55	80	2.5	6	5	7288	5788	RH-2	40	form-based			true	0.7	6	1	5	5	8162	6662	6662	1.119923
6581	008	2917	0.07	1408	1	55	80	2.5	6	5	7292	5884	RH-2	40	form-based			true	0.7	6	1	5	5	8167.600098	6759.600098	6759.600098	1.120077
6581	023	2772	0.06	906	1	55	80	2.5	5	4	6930	6024	RH-2	40	form-based		true	true	0.7	6	1.200000048	5	5	7761.600098	6855.600098	6855.600098	1.12
6581	025	2950	0.07	855	1	55	80	2.5	6	5	7375	6520	RH-2	40	form-based			true	0.7	6	1	5	5	8260	7405	7405	1.12
6581	026	2950	0.07	1150	1	55	80	2.5	6	5	7375	6225	RH-2	40	form-based			true	0.7	6	1	5	5	8260	7110	7110	1.12
6581	027	2950	0.07	3044	1	55	80	2.5	6	5	7375	4331	RH-2	40	form-based			true	0.7	6	1	5	5	8260	5216	5216	1.12
6581	028	2950	0.07	1659	1	55	80	2.5	6	5	7375	5716	RH-2	40	form-based			true	0.7	6	1	5	5	8260	6601	6601	1.12
6581	032	2850	0.07	1125	1	55	80	2.5	6	5	7125	6000	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6855	6855	1.12
6581	033	2850	0.07	1076	1	55	80	2.5	6	5	7125	6049	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6904	6904	1.12
6581	034	2850	0.07	3889	1	55	80	2.5	6	5	7125	3236	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4091	4091	1.12
6581	053	8324	0.19	8568	12	55	80	2.5	15	3	20810	12242	RM-1	40	form-based			true	0.7	17	1.133333325	5	5	23307.19922	14739.19922	14739.19922	1.12
6582	002	2801	0.06	1920	1	55	80	2.5	5	4	7002	5082	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7842.799805	5922.799805	5922.799805	1.12008
6582	004	2795	0.06	1502	1	55	80	2.5	5	4	6988	5486	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7826	6324	6324	1.11992
6582	018	2857	0.07	1620	1	55	80	2.5	6	5	7142	5522	RH-1	40	form-based			true	0.7	6	1	5	5	7999.600098	6379.600098	6379.600098	1.120078
6582	019	2857	0.07	1210	1	55	80	2.5	6	5	7142	5932	RH-1	40	form-based			true	0.7	6	1	5	5	7999.600098	6789.600098	6789.600098	1.120078
6582	020A	2692	0.06	2200	1	55	80	2.5	5	4	6730	4530	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7537.600098	5337.600098	5337.600098	1.12
6582	022A	2844	0.07	1774	1	55	80	2.5	6	5	7110	5336	RH-1	40	form-based			true	0.7	6	1	5	5	7963.199707	6189.199707	6189.199707	1.12
6582	023	2736	0.06	1307	1	55	80	2.5	5	4	6840	5533	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7660.799805	6353.799805	6353.799805	1.12
6582	023A	2944	0.07	1800	1	55	80	2.5	6	5	7360	5560	RH-1	40	form-based			true	0.7	6	1	5	5	8243.200195	6443.200195	6443.200195	1.12
6582	025	2806	0.06	1145	1	55	80	2.5	5	4	7015	5870	RM-1	40	form-based			true	0.7	6	1.200000048	5	5	7856.799805	6711.799805	6711.799805	1.12
6582	041	3180	0.07	922	2	55	80	2.5	6	4	7950	7028	RH-2	40	form-based		true	true	0.7	7	1.166666627	5	5	8904	7982	7982	1.12
6590	018	2829	0.06	3233	1	55	80	2.5	5	4	7072	3839	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7921.199707	4688.199707	4688.199707	1.120079
6590	019	2829	0.06	1200	1	55	80	2.5	5	4	7072	5872	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7921.199707	6721.199707	6721.199707	1.120079
6590	024	2385	0.05	0	0	55	80	2.5	4	4	5962	5962	RH-2	40	form-based		true	true	0.7	5	1.25	5	5	6678	6678	6678	1.120094
6590	025	2325	0.05	0	0	55	80	2.5	4	4	5812	5812	RH-2	40	form-based			true	0.7	5	1.25	5	5	6510	6510	6510	1.120096
6590	026	2325	0.05	0	0	55	80	2.5	4	4	5812	5812	RH-2	40	form-based			true	0.7	5	1.25	5	5	6510	6510	6510	1.120096
6590	027	2325	0.05	0	0	55	80	2.5	4	4	5812	5812	RH-2	40	form-based			true	0.7	5	1.25	5	5	6510	6510	6510	1.120096
6590	029	2325	0.05	0	0	55	80	2.5	4	4	5812	5812	RH-2	40	form-based			true	0.7	5	1.25	5	5	6510	6510	6510	1.120096
6591	013	2860	0.07	2025	1	65	100	3	7	6	8580	6555	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8008	5983	5983	0.933333
6591	015	2860	0.07	987	1	65	100	3	7	6	8580	7593	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8008	7021	7021	0.933333
6591	016	2860	0.07	1025	1	65	100	3	7	6	8580	7555	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8008	6983	6983	0.933333
6591	017	3066	0.07	1063	1	65	100	3	7	6	9198	8135	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8584.799805	7521.799805	7521.799805	0.933333
6591	017A	3066	0.07	2025	1	65	100	3	7	6	9198	7173	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8584.799805	6559.799805	6559.799805	0.933333
6591	017B	3066	0.07	1945	1	65	100	3	7	6	9198	7253	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8584.799805	6639.799805	6639.799805	0.933333
6591	019	2974	0.07	2838	1	65	100	3	7	6	8922	6084	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8327.200195	5489.200195	5489.200195	0.933333
6591	021	2974	0.07	2640	1	65	100	3	7	6	8922	6282	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8327.200195	5687.200195	5687.200195	0.933333
6591	028	3022	0.07	1788	1	65	100	3	7	6	9066	7278	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6673.599609	6673.599609	0.933333
6591	029	3022	0.07	2055	1	65	100	3	7	6	9066	7011	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6406.599609	6406.599609	0.933333
6591	030	3022	0.07	2188	1	65	100	3	7	6	9066	6878	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6273.599609	6273.599609	0.933333
6591	031	3022	0.07	2135	1	65	100	3	7	6	9066	6931	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6326.599609	6326.599609	0.933333
6591	032	3022	0.07	1643	1	65	100	3	7	6	9066	7423	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	6818.599609	6818.599609	0.933333
6591	033	3022	0.07	3836	1	65	100	3	7	6	9066	5230	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8461.599609	4625.599609	4625.599609	0.933333
6591	034	2819	0.06	3223	1	65	100	3	6	5	8457	5234	RH-2	40	form-based			true	0.7	6	1	5	5	7893.199707	4670.199707	4670.199707	0.933333
6591	042	2819	0.06	1050	1	65	100	3	6	5	8457	7407	RH-2	40	form-based			true	0.7	6	1	5	5	7893.199707	6843.199707	6843.199707	0.933333
6591	043	2819	0.06	2354	1	65	100	3	6	5	8457	6103	RH-2	40	form-based			true	0.7	6	1	5	5	7893.199707	5539.199707	5539.199707	0.933333
6592	004	2049	0.05	3000	3	65	100	3	5	2	6147	3147	RTO-C	65	form-based			true	0.75	8	1.600000024	5	5	9220.5	6220.5	6220.5	1.5
6592	010	2537	0.06	3290	2	65	100	3	6	4	7611	4321	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8879.5	5589.5	5589.5	1.166667
6592	017	2455	0.06	1880	2	65	100	3	6	4	7365	5485	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8592.5	6712.5	6712.5	1.166667
6592	022	2452	0.06	2040	2	65	100	3	6	4	7356	5316	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8582	6542	6542	1.166667
6592	025	2606	0.06	2144	2	65	100	3	6	4	7818	5674	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	9121	6977	6977	1.166667
6592	040	2660	0.06	2040	2	65	100	3	6	4	7980	5940	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	9310	7270	7270	1.166667
6592	041	2275	0.05	656	1	65	100	3	5	4	6825	6169	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7962.5	7306.5	7306.5	1.166667
6592	045	2468	0.06	2051	2	65	100	3	6	4	7404	5353	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8638	6587	6587	1.166667
6592	060	2467	0.06	1087	2	65	100	3	6	4	7401	6314	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8634.5	7547.5	7547.5	1.166667
6592	071	2682	0.06	4198	3	65	100	3	6	3	8046	3848	RH-2	50	form-based			true	0.7	8	1.333333373	5	5	9387	5189	5189	1.166667
6592	078	2454	0.06	838	2	65	100	3	6	4	7362	6524	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8589	7751	7751	1.166667
6593	001	2445	0.06	1544	2	65	100	3	6	4	7335	5791	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8557.5	7013.5	7013.5	1.166667
6593	004A	2230	0.05	1807	1	65	100	3	5	4	6690	4883	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7805	5998	5998	1.166667
6593	019	1830	0.04	2076	2	65	100	3	4	2	5490	3414	NC-1	65	form-based			true	0.75	7	1.75	5	5	8235	6159	6159	1.5
6593	021A	1864	0.04	1976	2	65	100	3	4	2	5592	3616	RTO-C	65	form-based			true	0.75	7	1.75	5	5	8388	6412	6412	1.5
6593	022	2208	0.05	2160	3	65	100	3	5	2	6624	4464	NC-1	65	form-based			true	0.75	8	1.600000024	5	5	9936	7776	7776	1.5
6593	029	2736	0.06	2720	3	65	100	3	6	3	8208	5488	RH-2	50	form-based			true	0.7	8	1.333333373	5	5	9576	6856	6856	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6593	033	2736	0.06	2006	3	65	100	3	6	3	8208	6202	RH-2	50	form-based			true	0.7	8	1.333333373	5	5	9576	7570	7570	1.166667
6593	046	2190	0.05	1200	1	65	100	3	5	4	6570	5370	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7665	6465	6465	1.166667
6593	053	2736	0.06	941	3	65	100	3	6	3	8208	7267	RH-2	50	form-based			true	0.7	8	1.333333373	5	5	9576	8635	8635	1.166667
6595	015	2113	0.05	2427	1	65	100	3	5	4	6339	3912	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	5916.399902	3489.399902	3489.399902	0.933333
6596	010	9999	0.23	15025	12	65	100	3	23	11	29997	14972	NCD-MISS	40	density-lim	600			0.75	17	0.739130437	5	5	29997	14972	14972	1
6600	005	2534	0.06	2550	2	65	100	3	6	4	7602	5052	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8869	6319	6319	1.166667
6600	007	2534	0.06	2375	2	65	100	3	6	4	7602	5227	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8869	6494	6494	1.166667
6600	017	2850	0.07	2300	3	85	140	4	10	7	11400	9100	RH-2	50	form-based			true	0.7	8	0.800000012	5	5	9975	7675	7675	0.875
6600	020A	1995	0.05	4186	2	85	140	4	7	5	7980	3794	NC-1	65	form-based		true	true	0.75	7	1	5	5	8977.5	4791.5	4791.5	1.125
6600	022	2500	0.06	3430	4	85	140	4	8	4	10000	6570	RTO-C	65	form-based			true	0.75	9	1.125	5	5	11250	7820	7820	1.125
6600	033	2400	0.06	1492	2	65	100	3	6	4	7200	5708	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8400	6908	6908	1.166667
6600	035	2400	0.06	2150	2	65	100	3	6	4	7200	5050	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8400	6250	6250	1.166667
6600	037C	2134	0.05	885	1	65	100	3	5	4	6402	5517	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7469	6584	6584	1.166667
6600	039	1875	0.04	3350	2	85	140	4	6	4	7500	4150	NC-1	65	form-based			true	0.75	7	1.166666627	5	5	8437.5	5087.5	5087.5	1.125
6600	040	2534	0.06	1596	2	65	100	3	6	4	7602	6006	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8869	7273	7273	1.166667
6600	042	2400	0.06	2373	2	65	100	3	6	4	7200	4827	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8400	6027	6027	1.166667
6600	048	2533	0.06	715	2	65	100	3	6	4	7599	6884	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8865.5	8150.5	8150.5	1.166667
6601	004	2518	0.06	2810	4	85	140	4	8	4	10072	7262	RTO-C	65	form-based			true	0.75	9	1.125	5	5	11331	8521	8521	1.125
6601	017	2926	0.07	3954	3	65	100	3	7	4	8778	4824	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10241	6287	6287	1.166667
6601	021	2500	0.06	2808	2	65	100	3	6	4	7500	4692	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	5942	5942	1.166667
6601	052	2447	0.06	2040	2	65	100	3	6	4	7341	5301	RH-2	50	form-based		true	true	0.7	7	1.166666627	5	5	8564.5	6524.5	6524.5	1.166667
6601	054	2926	0.07	1104	3	85	140	4	10	7	11704	10600	RH-2	50	form-based			true	0.7	8	0.800000012	5	5	10241	9137	9137	0.875
6602	009	2624	0.06	952	1	65	100	3	6	5	7872	6920	RH-2	40	form-based			true	0.7	6	1	5	5	7347.199707	6395.199707	6395.199707	0.933333
6602	017	2972	0.07	1203	1	65	100	3	7	6	8916	7713	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8321.599609	7118.599609	7118.599609	0.933333
6602	020	3090	0.07	1550	1	65	100	3	7	6	9270	7720	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8652	7102	7102	0.933333
6602	028	3060	0.07	1313	1	65	100	3	7	6	9180	7867	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8568	7255	7255	0.933333
6602	028A	2949	0.07	2385	1	65	100	3	7	6	8847	6462	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8257.200195	5872.200195	5872.200195	0.933333
6602	028B	2731	0.06	1050	1	65	100	3	6	5	8193	7143	RH-2	40	form-based			true	0.7	6	1	5	5	7646.799805	6596.799805	6596.799805	0.933333
6602	029	3013	0.07	448	1	65	100	3	7	6	9039	8591	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8436.399414	7988.399414	7988.399414	0.933333
6602	031	2727	0.06	870	1	65	100	3	6	5	8181	7311	RH-2	40	form-based			true	0.7	6	1	5	5	7635.600098	6765.600098	6765.600098	0.933333
6602	032	2726	0.06	1275	1	65	100	3	6	5	8178	6903	RH-2	40	form-based			true	0.7	6	1	5	5	7632.799805	6357.799805	6357.799805	0.933333
6602	033	2725	0.06	1140	1	65	100	3	6	5	8175	7035	RH-2	40	form-based			true	0.7	6	1	5	5	7630	6490	6490	0.933333
6602	034	3269	0.08	2556	2	65	100	3	8	6	9807	7251	RH-2	40	form-based			true	0.7	7	0.875	5	5	9153.200195	6597.200195	6597.200195	0.933333
6602	035	2723	0.06	3217	1	65	100	3	6	5	8169	4952	RH-2	40	form-based			true	0.7	6	1	5	5	7624.399902	4407.399902	4407.399902	0.933333
6602	036	2722	0.06	1410	1	65	100	3	6	5	8166	6756	RH-2	40	form-based			true	0.7	6	1	5	5	7621.600098	6211.600098	6211.600098	0.933333
6602	040	3328	0.08	4296	2	65	100	3	8	6	9984	5688	RH-2	40	form-based			true	0.7	7	0.875	5	5	9318.399414	5022.399414	5022.399414	0.933333
6602	044	3187	0.07	1500	2	65	100	3	7	5	9561	8061	RH-2	40	form-based			true	0.7	7	1	5	5	8923.599609	7423.599609	7423.599609	0.933333
6602	046	3187	0.07	1271	2	65	100	3	7	5	9561	8290	RH-2	40	form-based			true	0.7	7	1	5	5	8923.599609	7652.599609	7652.599609	0.933333
6603	003	2925	0.07	3320	1	65	100	3	7	6	8775	5455	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8190	4870	4870	0.933333
6603	004	2925	0.07	2514	1	65	100	3	7	6	8775	6261	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8190	5676	5676	0.933333
6603	005	2925	0.07	1231	1	65	100	3	7	6	8775	7544	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8190	6959	6959	0.933333
6603	010	3451	0.08	2168	2	55	80	2.5	6	4	8628	6460	RH-2	40	form-based			true	0.7	7	1.166666627	5	5	9662.799805	7494.799805	7494.799805	1.119935
6603	012	2895	0.07	896	1	55	80	2.5	6	5	7238	6342	RH-2	40	form-based			true	0.7	6	1	5	5	8106	7210	7210	1.119923
6603	013	2895	0.07	730	1	55	80	2.5	6	5	7238	6508	RH-2	40	form-based			true	0.7	6	1	5	5	8106	7376	7376	1.119923
6603	014	2895	0.07	746	1	55	80	2.5	6	5	7238	6492	RH-2	40	form-based			true	0.7	6	1	5	5	8106	7360	7360	1.119923
6603	015	2895	0.07	1750	1	55	80	2.5	6	5	7238	5488	RH-2	40	form-based			true	0.7	6	1	5	5	8106	6356	6356	1.119923
6603	017	2895	0.07	1233	1	55	80	2.5	6	5	7238	6005	RH-2	40	form-based			true	0.7	6	1	5	5	8106	6873	6873	1.119923
6603	017A	2895	0.07	705	1	55	80	2.5	6	5	7238	6533	RH-2	40	form-based			true	0.7	6	1	5	5	8106	7401	7401	1.119923
6603	028	2875	0.07	1200	1	55	80	2.5	6	5	7188	5988	RH-2	40	form-based			true	0.7	6	1	5	5	8050	6850	6850	1.119922
6603	029	2874	0.07	1200	1	55	80	2.5	6	5	7185	5985	RH-2	40	form-based			true	0.7	6	1	5	5	8047.199707	6847.199707	6847.199707	1.12
6603	030	2874	0.07	1850	1	55	80	2.5	6	5	7185	5335	RH-2	40	form-based			true	0.7	6	1	5	5	8047.199707	6197.199707	6197.199707	1.12
6603	032	2873	0.07	1550	1	55	80	2.5	6	5	7182	5632	RH-2	40	form-based			true	0.7	6	1	5	5	8044.399902	6494.399902	6494.399902	1.120078
6603	033	2873	0.07	1800	1	55	80	2.5	6	5	7182	5382	RH-2	40	form-based			true	0.7	6	1	5	5	8044.399902	6244.399902	6244.399902	1.120078
6603	034	2872	0.07	2028	1	55	80	2.5	6	5	7180	5152	RH-2	40	form-based			true	0.7	6	1	5	5	8041.600098	6013.600098	6013.600098	1.12
6603	036	2871	0.07	1687	1	55	80	2.5	6	5	7178	5491	RH-2	40	form-based			true	0.7	6	1	5	5	8038.799805	6351.799805	6351.799805	1.119922
6604	009	2850	0.07	1414	1	55	80	2.5	6	5	7125	5711	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6566	6566	1.12
6604	010	2850	0.07	700	1	55	80	2.5	6	5	7125	6425	RH-1	40	form-based			true	0.7	6	1	5	5	7980	7280	7280	1.12
6604	011	2850	0.07	3910	1	55	80	2.5	6	5	7125	3215	RH-1	40	form-based			true	0.7	6	1	5	5	7980	4070	4070	1.12
6604	012	2850	0.07	667	1	55	80	2.5	6	5	7125	6458	RH-1	40	form-based			true	0.7	6	1	5	5	7980	7313	7313	1.12
6604	014	2850	0.07	560	1	55	80	2.5	6	5	7125	6565	RH-1	40	form-based			true	0.7	6	1	5	5	7980	7420	7420	1.12
6604	015	2850	0.07	3758	1	55	80	2.5	6	5	7125	3367	RH-1	40	form-based			true	0.7	6	1	5	5	7980	4222	4222	1.12
6604	016	2850	0.07	860	1	55	80	2.5	6	5	7125	6265	RH-1	40	form-based			true	0.7	6	1	5	5	7980	7120	7120	1.12
6604	019	2850	0.07	2520	1	55	80	2.5	6	5	7125	4605	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5460	5460	1.12
6604	020	2850	0.07	1605	1	55	80	2.5	6	5	7125	5520	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6375	6375	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6604	022	2625	0.06	1500	1	55	80	2.5	5	4	6562	5062	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	5850	5850	1.120085
6604	023	2625	0.06	1655	1	55	80	2.5	5	4	6562	4907	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	5695	5695	1.120085
6604	024	2625	0.06	1523	1	55	80	2.5	5	4	6562	5039	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	5827	5827	1.120085
6604	025	2625	0.06	1668	1	55	80	2.5	5	4	6562	4894	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	5682	5682	1.120085
6604	026	2625	0.06	2130	1	55	80	2.5	5	4	6562	4432	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	5220	5220	1.120085
6604	027	2761	0.06	3455	1	55	80	2.5	5	4	6902	3447	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7730.799805	4275.799805	4275.799805	1.120081
6604	028	2845	0.07	1307	1	55	80	2.5	6	5	7112	5805	RH-1	40	form-based			true	0.7	6	1	5	5	7966	6659	6659	1.120079
6604	029	2845	0.07	1069	1	55	80	2.5	6	5	7112	6043	RH-1	40	form-based			true	0.7	6	1	5	5	7966	6897	6897	1.120079
6604	030	2846	0.07	954	1	55	80	2.5	6	5	7115	6161	RH-1	40	form-based			true	0.7	6	1	5	5	7968.799805	7014.799805	7014.799805	1.12
6604	031	2846	0.07	1330	1	55	80	2.5	6	5	7115	5785	RH-1	40	form-based			true	0.7	6	1	5	5	7968.799805	6638.799805	6638.799805	1.12
6604	032	2846	0.07	1140	1	55	80	2.5	6	5	7115	5975	RH-1	40	form-based			true	0.7	6	1	5	5	7968.799805	6828.799805	6828.799805	1.12
6604	033	2846	0.07	800	1	55	80	2.5	6	5	7115	6315	RH-1	40	form-based			true	0.7	6	1	5	5	7968.799805	7168.799805	7168.799805	1.12
6604	034	2846	0.07	1800	1	55	80	2.5	6	5	7115	5315	RH-1	40	form-based			true	0.7	6	1	5	5	7968.799805	6168.799805	6168.799805	1.12
6604	035	2846	0.07	2446	1	55	80	2.5	6	5	7115	4669	RH-1	40	form-based			true	0.7	6	1	5	5	7968.799805	5522.799805	5522.799805	1.12
6604	038	2846	0.07	4085	1	55	80	2.5	6	5	7115	3030	RH-1	40	form-based			true	0.7	6	1	5	5	7968.799805	3883.799805	3883.799805	1.12
6604	039	2847	0.07	4772	1	55	80	2.5	6	5	7118	2346	RH-1	40	form-based			true	0.7	6	1	5	5	7971.600098	3199.600098	3199.600098	1.119921
6604	049	2802	0.06	1848	1	55	80	2.5	5	4	7005	5157	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7845.600098	5997.600098	5997.600098	1.12
6611	001	2621	0.06	1830	1	55	80	2.5	5	4	6552	4722	RH-2	40	form-based		true	true	0.7	6	1.200000048	5	5	7338.799805	5508.799805	5508.799805	1.120085
6611	002	2625	0.06	1040	1	55	80	2.5	5	4	6562	5522	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	6310	6310	1.120085
6611	003	2625	0.06	2380	1	55	80	2.5	5	4	6562	4182	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	4970	4970	1.120085
6611	004	2625	0.06	1700	1	55	80	2.5	5	4	6562	4862	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5650	5650	1.120085
6611	005	2625	0.06	2175	1	55	80	2.5	5	4	6562	4387	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5175	5175	1.120085
6611	006	2625	0.06	915	1	55	80	2.5	5	4	6562	5647	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	6435	6435	1.120085
6611	007	2625	0.06	1685	1	55	80	2.5	5	4	6562	4877	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5665	5665	1.120085
6611	008	2625	0.06	2155	1	55	80	2.5	5	4	6562	4407	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5195	5195	1.120085
6611	009	2793	0.06	1219	1	55	80	2.5	5	4	6982	5763	RH-2	40	form-based		true	true	0.7	6	1.200000048	5	5	7820.399902	6601.399902	6601.399902	1.12008
6611	010	2850	0.07	1194	1	55	80	2.5	6	5	7125	5931	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6786	6786	1.12
6611	011	2850	0.07	3027	1	55	80	2.5	6	5	7125	4098	RH-1	40	form-based			true	0.7	6	1	5	5	7980	4953	4953	1.12
6611	012	2850	0.07	800	1	55	80	2.5	6	5	7125	6325	RH-1	40	form-based			true	0.7	6	1	5	5	7980	7180	7180	1.12
6611	013	2850	0.07	2511	1	55	80	2.5	6	5	7125	4614	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5469	5469	1.12
6611	014	2850	0.07	1000	1	55	80	2.5	6	5	7125	6125	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6980	6980	1.12
6611	017	2850	0.07	2008	1	55	80	2.5	6	5	7125	5117	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5972	5972	1.12
6611	019	2850	0.07	2992	1	55	80	2.5	6	5	7125	4133	RH-1	40	form-based			true	0.7	6	1	5	5	7980	4988	4988	1.12
6611	020	2850	0.07	3916	1	55	80	2.5	6	5	7125	3209	RH-1	40	form-based			true	0.7	6	1	5	5	7980	4064	4064	1.12
6611	021	2850	0.07	2496	1	55	80	2.5	6	5	7125	4629	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5484	5484	1.12
6611	022	2869	0.07	1214	1	55	80	2.5	6	5	7172	5958	RH-1	40	form-based			true	0.7	6	1	5	5	8033.199707	6819.199707	6819.199707	1.120078
6611	023	3064	0.07	1303	1	55	80	2.5	6	5	7660	6357	RH-1	40	form-based			true	0.7	6	1	5	5	8579.200195	7276.200195	7276.200195	1.12
6611	027	2625	0.06	1112	1	55	80	2.5	5	4	6562	5450	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	6238	6238	1.120085
6611	028	2625	0.06	1956	1	55	80	2.5	5	4	6562	4606	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	5394	5394	1.120085
6611	029	2625	0.06	4169	1	55	80	2.5	5	4	6562	2393	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	3181	3181	1.120085
6611	029A	2625	0.06	2670	1	55	80	2.5	5	4	6562	3892	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	4680	4680	1.120085
6611	030	2625	0.06	1124	1	55	80	2.5	5	4	6562	5438	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	6226	6226	1.120085
6611	031	2621	0.06	980	1	55	80	2.5	5	4	6552	5572	RH-1	40	form-based		true	true	0.7	6	1.200000048	5	5	7338.799805	6358.799805	6358.799805	1.120085
6611	032	2864	0.07	900	1	55	80	2.5	6	5	7160	6260	RH-1	40	form-based			true	0.7	6	1	5	5	8019.199707	7119.199707	7119.199707	1.12
6611	035	2814	0.06	1925	1	55	80	2.5	5	4	7035	5110	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	5954.199707	5954.199707	1.12
6611	037	2814	0.06	1505	1	55	80	2.5	5	4	7035	5530	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	6374.199707	6374.199707	1.12
6611	037A	2814	0.06	1000	1	55	80	2.5	5	4	7035	6035	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	6879.199707	6879.199707	1.12
6611	037B	2814	0.06	2955	1	55	80	2.5	5	4	7035	4080	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	4924.199707	4924.199707	1.12
6611	039	2814	0.06	2497	1	55	80	2.5	5	4	7035	4538	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	5382.199707	5382.199707	1.12
6611	040	2814	0.06	950	1	55	80	2.5	5	4	7035	6085	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	6929.199707	6929.199707	1.12
6611	041	2814	0.06	2300	1	55	80	2.5	5	4	7035	4735	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	5579.199707	5579.199707	1.12
6611	042	2814	0.06	3551	1	55	80	2.5	5	4	7035	3484	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	4328.199707	4328.199707	1.12
6611	043	2814	0.06	1350	1	55	80	2.5	5	4	7035	5685	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	6529.199707	6529.199707	1.12
6611	045	2814	0.06	3896	1	55	80	2.5	5	4	7035	3139	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	3983.199707	3983.199707	1.12
6611	046	2814	0.06	1214	1	55	80	2.5	5	4	7035	5821	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	6665.199707	6665.199707	1.12
6611	047	2850	0.07	3700	1	55	80	2.5	6	5	7125	3425	RH-1	40	form-based			true	0.7	6	1	5	5	7980	4280	4280	1.12
6611	049	2814	0.06	1554	1	55	80	2.5	5	4	7035	5481	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	6325.199707	6325.199707	1.12
6612	004	2625	0.06	1472	1	65	100	3	6	5	7875	6403	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5878	5878	0.933333
6612	004A	2625	0.06	1565	1	65	100	3	6	5	7875	6310	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5785	5785	0.933333
6612	005	2625	0.06	1700	1	65	100	3	6	5	7875	6175	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5650	5650	0.933333
6612	006	2625	0.06	882	1	65	100	3	6	5	7875	6993	RH-2	40	form-based			true	0.7	6	1	5	5	7350	6468	6468	0.933333
6612	010	2781	0.06	1293	1	55	80	2.5	5	4	6952	5659	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7786.799805	6493.799805	6493.799805	1.12008
6612	011	2854	0.07	3114	1	55	80	2.5	6	5	7135	4021	RH-2	40	form-based			true	0.7	6	1	5	5	7991.199707	4877.199707	4877.199707	1.12
6612	012	2853	0.07	995	1	55	80	2.5	6	5	7132	6137	RH-2	40	form-based			true	0.7	6	1	5	5	7988.399902	6993.399902	6993.399902	1.120079

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6612	013	2852	0.07	1300	1	55	80	2.5	6	5	7130	5830	RH-2	40	form-based			true	0.7	6	1	5	5	7985.600098	6685.600098	6685.600098	1.12
6612	013A	2851	0.07	1881	1	55	80	2.5	6	5	7128	5247	RH-2	40	form-based			true	0.7	6	1	5	5	7982.799805	6101.799805	6101.799805	1.119921
6612	016	2848	0.07	1266	1	55	80	2.5	6	5	7120	5854	RH-2	40	form-based			true	0.7	6	1	5	5	7974.399902	6708.399902	6708.399902	1.12
6612	018	2846	0.07	1446	1	55	80	2.5	6	5	7115	5669	RH-2	40	form-based			true	0.7	6	1	5	5	7968.799805	6522.799805	6522.799805	1.12
6612	019	2845	0.07	748	1	55	80	2.5	6	5	7112	6364	RH-2	40	form-based			true	0.7	6	1	5	5	7966	7218	7218	1.120079
6612	021	2842	0.07	1250	1	55	80	2.5	6	5	7105	5855	RH-2	40	form-based			true	0.7	6	1	5	5	7957.600098	6707.600098	6707.600098	1.12
6612	023	2793	0.06	3174	1	55	80	2.5	5	4	6982	3808	RH-2	40	form-based		true	true	0.7	6	1.200000048	5	5	7820.399902	4646.399902	4646.399902	1.12008
6612	025	2625	0.06	1386	1	55	80	2.5	5	4	6562	5176	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5964	5964	1.120085
6612	026	2625	0.06	4292	1	55	80	2.5	5	4	6562	2270	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	3058	3058	1.120085
6612	028	2625	0.06	1058	1	55	80	2.5	5	4	6562	5504	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	6292	6292	1.120085
6612	029	2625	0.06	1185	1	55	80	2.5	5	4	6562	5377	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	6165	6165	1.120085
6612	033	2850	0.07	1782	1	55	80	2.5	6	5	7125	5343	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6198	6198	1.12
6612	034	2850	0.07	800	1	55	80	2.5	6	5	7125	6325	RH-2	40	form-based			true	0.7	6	1	5	5	7980	7180	7180	1.12
6612	037	2850	0.07	1425	1	55	80	2.5	6	5	7125	5700	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6555	6555	1.12
6612	038	2850	0.07	950	1	55	80	2.5	6	5	7125	6175	RH-2	40	form-based			true	0.7	6	1	5	5	7980	7030	7030	1.12
6612	039	2850	0.07	1900	1	55	80	2.5	6	5	7125	5225	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6080	6080	1.12
6612	039A	2850	0.07	1388	1	55	80	2.5	6	5	7125	5737	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6592	6592	1.12
6612	039B	2850	0.07	1629	1	55	80	2.5	6	5	7125	5496	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6351	6351	1.12
6612	039C	2850	0.07	1305	1	55	80	2.5	6	5	7125	5820	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6675	6675	1.12
6612	042	2731	0.06	1050	1	55	80	2.5	5	4	6828	5778	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7646.799805	6596.799805	6596.799805	1.119918
6612	052	2847	0.07	1201	1	55	80	2.5	6	5	7118	5917	RH-2	40	form-based			true	0.7	6	1	5	5	7971.600098	6770.600098	6770.600098	1.119921
6613	004	2625	0.06	1950	1	65	100	3	6	5	7875	5925	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5400	5400	0.933333
6613	005	2625	0.06	2306	1	65	100	3	6	5	7875	5569	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5044	5044	0.933333
6613	011	2849	0.07	2153	1	65	100	3	7	6	8547	6394	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7977.199707	5824.199707	5824.199707	0.933333
6613	015	2848	0.07	1195	1	65	100	3	7	6	8544	7349	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7974.399902	6779.399902	6779.399902	0.933333
6613	016	2847	0.07	1859	1	65	100	3	7	6	8541	6682	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7971.600098	6112.600098	6112.600098	0.933333
6613	017	2847	0.07	1800	1	65	100	3	7	6	8541	6741	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7971.600098	6171.600098	6171.600098	0.933333
6613	018	2847	0.07	1715	1	65	100	3	7	6	8541	6826	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7971.600098	6256.600098	6256.600098	0.933333
6613	019	2847	0.07	793	1	65	100	3	7	6	8541	7748	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7971.600098	7178.600098	7178.600098	0.933333
6613	020	2847	0.07	1300	1	65	100	3	7	6	8541	7241	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7971.600098	6671.600098	6671.600098	0.933333
6613	021	2846	0.07	1832	1	65	100	3	7	6	8538	6706	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	6136.799805	6136.799805	0.933333
6613	022	2957	0.07	1160	1	65	100	3	7	6	8871	7711	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8279.599609	7119.599609	7119.599609	0.933333
6613	023	2764	0.06	2750	1	65	100	3	6	5	8292	5542	RH-2	40	form-based		true	true	0.7	6	1	5	5	7739.199707	4989.199707	4989.199707	0.933333
6613	024	2625	0.06	760	1	65	100	3	6	5	7875	7115	RH-2	40	form-based			true	0.7	6	1	5	5	7350	6590	6590	0.933333
6613	026	2625	0.06	1335	1	65	100	3	6	5	7875	6540	RH-2	40	form-based			true	0.7	6	1	5	5	7350	6015	6015	0.933333
6613	027	2625	0.06	968	1	65	100	3	6	5	7875	6907	RH-2	40	form-based			true	0.7	6	1	5	5	7350	6382	6382	0.933333
6613	033	3018	0.07	1957	1	65	100	3	7	6	9054	7097	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	6493.399414	6493.399414	0.933333
6613	034	2891	0.07	2118	1	65	100	3	7	6	8673	6555	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8094.799805	5976.799805	5976.799805	0.933333
6613	036	2891	0.07	1490	1	65	100	3	7	6	8673	7183	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8094.799805	6604.799805	6604.799805	0.933333
6613	037	2891	0.07	2050	1	65	100	3	7	6	8673	6623	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8094.799805	6044.799805	6044.799805	0.933333
6613	041	2890	0.07	1073	1	65	100	3	7	6	8670	7597	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8092	7019	7019	0.933333
6613	042	2890	0.07	1010	1	65	100	3	7	6	8670	7660	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8092	7082	7082	0.933333
6613	043	2890	0.07	2400	1	65	100	3	7	6	8670	6270	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8092	5692	5692	0.933333
6613	048	2889	0.07	640	1	65	100	3	7	6	8667	8027	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8089.199707	7449.199707	7449.199707	0.933333
6614	023	2500	0.06	2120	2	65	100	3	6	4	7500	5380	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	6630	6630	1.166667
6614	024	2500	0.06	1840	2	65	100	3	6	4	7500	5660	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	6910	6910	1.166667
6614	044	3003	0.07	858	3	65	100	3	7	4	9009	8151	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10510.5	9652.5	9652.5	1.166667
6614	047	2500	0.06	1213	2	65	100	3	6	4	7500	6287	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	7537	7537	1.166667
6614	051	2500	0.06	1285	2	65	100	3	6	4	7500	6215	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	7465	7465	1.166667
6615	002	2500	0.06	2650	2	65	100	3	6	4	7500	4850	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	6100	6100	1.166667
6615	009	2850	0.07	2675	3	65	100	3	7	4	8550	5875	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	9975	7300	7300	1.166667
6615	015A	2850	0.07	3838	3	65	100	3	7	4	8550	4712	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	9975	6137	6137	1.166667
6615	029	2852	0.07	3502	3	85	140	4	10	7	11408	7906	RH-2	50	form-based			true	0.7	8	0.800000012	5	5	9982	6480	6480	0.875
6615	045	1971	0.05	3540	2	85	140	4	7	5	7884	4344	NC-1	65	form-based		true	true	0.75	7	1	5	5	8869.5	5329.5	5329.5	1.125
6615	052	1970	0.05	850	1	65	100	3	5	4	5910	5060	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	6895	6045	6045	1.166667
6615	056	2500	0.06	884	2	65	100	3	6	4	7500	6616	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	7866	7866	1.166667
6615	070	2500	0.06	1008	2	65	100	3	6	4	7500	6492	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	7742	7742	1.166667
6618	002	2550	0.06	1750	2	65	100	3	6	4	7650	5900	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8925	7175	7175	1.166667
6618	006	2500	0.06	3631	2	65	100	3	6	4	7500	3869	RH-2	50	form-based			true	0.7	7	1.166666627	5	5	8750	5119	5119	1.166667
6618	017	2850	0.07	2880	3	85	140	4	10	7	11400	8520	RH-2	50	form-based			true	0.7	8	0.800000012	5	5	9975	7095	7095	0.875
6618	021	2500	0.06	3950	4	85	140	4	8	4	10000	6050	NC-1	65	form-based			true	0.75	9	1.125	5	5	11250	7300	7300	1.125
6618	061	2512	0.06	1519	2	65	100	3	6	4	7536	6017	RH-2	50	form-based		true	true	0.7	7	1.166666627	5	5	8792	7273	7273	1.166667
6619	012	2850	0.07	3000	3	65	100	3	7	4	8550	5550	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	9975	6975	6975	1.166667
6619	012A	3040	0.07	3228	4	65	100	3	7	3	9120	5892	NC-1	50	form-based			true	0.75	9	1.285714269	5	5	11400	8172	8172	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6619	015	2478	0.06	1500	2	65	100	3	6	4	7434	5934	NC-1	50	form-based			true	0.75	7	1.166666627	5	5	9292.5	7792.5	7792.5	1.25
6619	022	2968	0.07	2969	3	65	100	3	7	4	8904	5935	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10388	7419	7419	1.166667
6620	002	2625	0.06	1170	1	65	100	3	6	5	7875	6705	RH-2	40	form-based			true	0.7	6	1	5	5	7350	6180	6180	0.933333
6620	003	2625	0.06	2964	1	65	100	3	6	5	7875	4911	RH-2	40	form-based			true	0.7	6	1	5	5	7350	4386	4386	0.933333
6620	004	2625	0.06	2749	1	65	100	3	6	5	7875	5126	RH-2	40	form-based			true	0.7	6	1	5	5	7350	4601	4601	0.933333
6620	005	2625	0.06	2105	1	65	100	3	6	5	7875	5770	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5245	5245	0.933333
6620	009	2900	0.07	1374	1	65	100	3	7	6	8700	7326	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8120	6746	6746	0.933333
6620	010	2850	0.07	1165	1	65	100	3	7	6	8550	7385	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6815	6815	0.933333
6620	011	2850	0.07	955	1	65	100	3	7	6	8550	7595	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	7025	7025	0.933333
6620	012	2850	0.07	2021	1	65	100	3	7	6	8550	6529	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5959	5959	0.933333
6620	013	2850	0.07	3438	1	65	100	3	7	6	8550	5112	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	4542	4542	0.933333
6620	015	2850	0.07	1493	1	65	100	3	7	6	8550	7057	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6487	6487	0.933333
6620	018	2850	0.07	1120	1	65	100	3	7	6	8550	7430	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6860	6860	0.933333
6620	019	2850	0.07	900	1	65	100	3	7	6	8550	7650	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	7080	7080	0.933333
6620	020	2850	0.07	1700	1	65	100	3	7	6	8550	6850	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6280	6280	0.933333
6620	021	2850	0.07	1260	1	65	100	3	7	6	8550	7290	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6720	6720	0.933333
6620	029	3250	0.07	2170	2	65	100	3	7	5	9750	7580	RH-2	40	form-based			true	0.7	7	1	5	5	9100	6930	6930	0.933333
6620	033	2840	0.07	482	1	65	100	3	7	6	8520	8038	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7952	7470	7470	0.933333
6620	034	2840	0.07	1350	1	65	100	3	7	6	8520	7170	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7952	6602	6602	0.933333
6620	036	2839	0.07	1383	1	65	100	3	7	6	8517	7134	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7949.199707	6566.199707	6566.199707	0.933333
6620	037	2839	0.07	1002	1	65	100	3	7	6	8517	7515	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7949.199707	6947.199707	6947.199707	0.933333
6620	039	2838	0.07	953	1	65	100	3	7	6	8514	7561	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7946.399902	6993.399902	6993.399902	0.933333
6620	040	2838	0.07	1450	1	65	100	3	7	6	8514	7064	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7946.399902	6496.399902	6496.399902	0.933333
6620	041	2838	0.07	1450	1	65	100	3	7	6	8514	7064	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7946.399902	6496.399902	6496.399902	0.933333
6620	042	2838	0.07	1450	1	65	100	3	7	6	8514	7064	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7946.399902	6496.399902	6496.399902	0.933333
6620	043	2806	0.06	1873	1	65	100	3	6	5	8418	6545	RH-2	40	form-based			true	0.7	6	1	5	5	7856.799805	5983.799805	5983.799805	0.933333
6621	002	2625	0.06	1462	1	55	80	2.5	5	4	6562	5100	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5888	5888	1.120085
6621	003	2625	0.06	1973	1	55	80	2.5	5	4	6562	4589	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5377	5377	1.120085
6621	004	2625	0.06	1675	1	55	80	2.5	5	4	6562	4887	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5675	5675	1.120085
6621	005	2625	0.06	1800	1	55	80	2.5	5	4	6562	4762	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	5550	5550	1.120085
6621	011	2850	0.07	1375	1	55	80	2.5	6	5	7125	5750	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6605	6605	1.12
6621	012	2850	0.07	1359	1	55	80	2.5	6	5	7125	5766	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6621	6621	1.12
6621	014	2850	0.07	1875	1	55	80	2.5	6	5	7125	5250	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6105	6105	1.12
6621	016	2850	0.07	1800	1	55	80	2.5	6	5	7125	5325	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6180	6180	1.12
6621	017	2850	0.07	2066	1	55	80	2.5	6	5	7125	5059	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5914	5914	1.12
6621	018	2850	0.07	1800	1	55	80	2.5	6	5	7125	5325	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6180	6180	1.12
6621	019	2850	0.07	1744	1	55	80	2.5	6	5	7125	5381	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6236	6236	1.12
6621	021	2850	0.07	1584	1	55	80	2.5	6	5	7125	5541	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6396	6396	1.12
6621	031	2845	0.07	638	1	55	80	2.5	6	5	7112	6474	RH-2	40	form-based			true	0.7	6	1	5	5	7966	7328	7328	1.120079
6621	032	2843	0.07	1820	1	55	80	2.5	6	5	7108	5288	RH-2	40	form-based			true	0.7	6	1	5	5	7960.399902	6140.399902	6140.399902	1.119921
6621	033	2842	0.07	1004	1	55	80	2.5	6	5	7105	6101	RH-2	40	form-based			true	0.7	6	1	5	5	7957.600098	6953.600098	6953.600098	1.12
6621	034	2840	0.07	3182	1	55	80	2.5	6	5	7100	3918	RH-2	40	form-based			true	0.7	6	1	5	5	7952	4770	4770	1.12
6621	035	2838	0.07	1304	1	55	80	2.5	6	5	7095	5791	RH-2	40	form-based			true	0.7	6	1	5	5	7946.399902	6642.399902	6642.399902	1.12
6621	036	2836	0.07	2664	1	55	80	2.5	6	5	7090	4426	RH-2	40	form-based			true	0.7	6	1	5	5	7940.799805	5276.799805	5276.799805	1.12
6621	037	2834	0.07	1440	1	55	80	2.5	6	5	7085	5645	RH-2	40	form-based			true	0.7	6	1	5	5	7935.199707	6495.199707	6495.199707	1.12
6621	038	2833	0.07	2515	1	55	80	2.5	6	5	7082	4567	RH-2	40	form-based			true	0.7	6	1	5	5	7932.399902	5417.399902	5417.399902	1.120079
6621	039	2831	0.06	1324	1	55	80	2.5	5	4	7078	5754	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7926.799805	6602.799805	6602.799805	1.119921
6621	040	2829	0.06	1760	1	55	80	2.5	5	4	7072	5312	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7921.199707	6161.199707	6161.199707	1.120079
6621	041	2827	0.06	1284	1	55	80	2.5	5	4	7068	5784	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7915.600098	6631.600098	6631.600098	1.119921
6621	042	2825	0.06	862	1	55	80	2.5	5	4	7062	6200	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7910	7048	7048	1.120079
6621	043	2824	0.06	2145	1	55	80	2.5	5	4	7060	4915	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7907.199707	5762.199707	5762.199707	1.12
6630	006	3009	0.07	2650	1	65	100	3	7	6	9027	6377	RH-2	40	form-based	true		true	0.7	6	0.857142866	5	5	8425.200195	5775.200195	5775.200195	0.933333
6630	007	2907	0.07	1411	1	55	80	2.5	6	5	7268	5857	RH-1	40	form-based			true	0.7	6	1	5	5	8139.600098	6728.600098	6728.600098	1.119923
6630	008	2865	0.07	1375	1	55	80	2.5	6	5	7162	5787	RH-1	40	form-based			true	0.7	6	1	5	5	8022	6647	6647	1.120078
6630	009	2864	0.07	3632	1	55	80	2.5	6	5	7160	3528	RH-1	40	form-based			true	0.7	6	1	5	5	8019.199707	4387.199707	4387.199707	1.12
6630	010	2863	0.07	1025	1	55	80	2.5	6	5	7158	6133	RH-1	40	form-based			true	0.7	6	1	5	5	8016.399902	6991.399902	6991.399902	1.119922
6630	011	2861	0.07	1832	1	55	80	2.5	6	5	7152	5320	RH-1	40	form-based			true	0.7	6	1	5	5	8010.799805	6178.799805	6178.799805	1.120078
6630	012	2860	0.07	837	1	55	80	2.5	6	5	7150	6313	RH-1	40	form-based			true	0.7	6	1	5	5	8008	7171	7171	1.12
6630	013	2859	0.07	2346	1	55	80	2.5	6	5	7148	4802	RH-1	40	form-based			true	0.7	6	1	5	5	8005.199707	5659.199707	5659.199707	1.119922
6630	014	2857	0.07	1946	1	55	80	2.5	6	5	7142	5196	RH-1	40	form-based			true	0.7	6	1	5	5	7999.600098	6053.600098	6053.600098	1.120078
6630	015	2856	0.07	1740	1	55	80	2.5	6	5	7140	5400	RH-1	40	form-based			true	0.7	6	1	5	5	7996.799805	6256.799805	6256.799805	1.12
6630	016	2855	0.07	2076	1	55	80	2.5	6	5	7138	5062	RH-1	40	form-based			true	0.7	6	1	5	5	7994	5918	5918	1.119922
6630	017	2853	0.07	1836	1	55	80	2.5	6	5	7132	5296	RH-1	40	form-based			true	0.7	6	1	5	5	7988.399902	6152.399902	6152.399902	1.120079
6630	018	2852	0.07	1302	1	55	80	2.5	6	5	7130	5828	RH-1	40	form-based			true	0.7	6	1	5	5	7985.600098	6683.600098	6683.600098	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6630	019	2851	0.07	1805	1	55	80	2.5	6	5	7128	5323	RH-1	40	form-based			true	0.7	6	1	5	5	7982.799805	6177.799805	6177.799805	1.119921
6630	020	2849	0.07	950	1	55	80	2.5	6	5	7122	6172	RH-1	40	form-based			true	0.7	6	1	5	5	7977.199707	7027.199707	7027.199707	1.120079
6630	021	2848	0.07	1549	1	55	80	2.5	6	5	7120	5571	RH-1	40	form-based			true	0.7	6	1	5	5	7974.399902	6425.399902	6425.399902	1.12
6630	022	2847	0.07	2034	1	55	80	2.5	6	5	7118	5084	RH-1	40	form-based			true	0.7	6	1	5	5	7971.600098	5937.600098	5937.600098	1.119921
6630	023	2845	0.07	1000	1	55	80	2.5	6	5	7112	6112	RH-1	40	form-based			true	0.7	6	1	5	5	7966	6966	6966	1.120079
6630	027	2850	0.07	1300	1	55	80	2.5	6	5	7125	5825	RH-2	40	form-based		true	true	0.7	6	1	5	5	7980	6680	6680	1.12
6630	028	2850	0.07	3505	1	55	80	2.5	6	5	7125	3620	RH-2	40	form-based			true	0.7	6	1	5	5	7980	4475	4475	1.12
6630	030	2850	0.07	2629	1	55	80	2.5	6	5	7125	4496	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5351	5351	1.12
6630	032	2850	0.07	2090	1	55	80	2.5	6	5	7125	5035	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5890	5890	1.12
6630	034	2850	0.07	1120	1	55	80	2.5	6	5	7125	6005	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6860	6860	1.12
6630	035	2850	0.07	2675	1	55	80	2.5	6	5	7125	4450	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5305	5305	1.12
6630	039	2850	0.07	2060	1	55	80	2.5	6	5	7125	5065	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5920	5920	1.12
6630	040	2850	0.07	1615	1	55	80	2.5	6	5	7125	5510	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6365	6365	1.12
6630	041	2850	0.07	2122	1	55	80	2.5	6	5	7125	5003	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5858	5858	1.12
6630	042	2850	0.07	1822	1	55	80	2.5	6	5	7125	5303	RH-2	40	form-based			true	0.7	6	1	5	5	7980	6158	6158	1.12
6630	045	2850	0.07	2491	1	55	80	2.5	6	5	7125	4634	RH-2	40	form-based			true	0.7	6	1	5	5	7980	5489	5489	1.12
6631	007	2850	0.07	2158	1	65	100	3	7	6	8550	6392	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5822	5822	0.933333
6631	008	2850	0.07	1345	1	65	100	3	7	6	8550	7205	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6635	6635	0.933333
6631	009	2850	0.07	935	1	65	100	3	7	6	8550	7615	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	7045	7045	0.933333
6631	011	2850	0.07	1864	1	65	100	3	7	6	8550	6686	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6116	6116	0.933333
6631	013	2850	0.07	1375	1	65	100	3	7	6	8550	7175	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6605	6605	0.933333
6631	014	2850	0.07	908	1	65	100	3	7	6	8550	7642	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	7072	7072	0.933333
6631	016	2850	0.07	1172	1	65	100	3	7	6	8550	7378	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6808	6808	0.933333
6631	017	2850	0.07	1450	1	65	100	3	7	6	8550	7100	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6530	6530	0.933333
6631	018	2850	0.07	2048	1	65	100	3	7	6	8550	6502	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5932	5932	0.933333
6631	020	2850	0.07	1107	1	65	100	3	7	6	8550	7443	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6873	6873	0.933333
6631	027	2856	0.07	4181	1	65	100	3	7	6	8568	4387	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7996.799805	3815.799805	3815.799805	0.933333
6631	030	2855	0.07	2502	1	65	100	3	7	6	8565	6063	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7994	5492	5492	0.933333
6631	035	2855	0.07	760	1	65	100	3	7	6	8565	7805	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7994	7234	7234	0.933333
6631	037	2854	0.07	1400	1	65	100	3	7	6	8562	7162	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7991.199707	6591.199707	6591.199707	0.933333
6631	040	2854	0.07	2070	1	65	100	3	7	6	8562	6492	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7991.199707	5921.199707	5921.199707	0.933333
6631	043	2853	0.07	2730	1	65	100	3	7	6	8559	5829	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7988.399902	5258.399902	5258.399902	0.933333
6631	057	2855	0.07	785	1	65	100	3	7	6	8565	7780	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7994	7209	7209	0.933333
6632	001	2236	0.05	3528	3	85	140	4	7	4	8944	5416	NC-1	65	form-based		true	true	0.75	8	1.142857194	5	5	10062	6534	6534	1.125
6632	009	2000	0.05	3490	3	85	140	4	7	4	8000	4510	NC-1	65	form-based		true	true	0.75	8	1.142857194	5	5	9000	5510	5510	1.125
6632	023	2870	0.07	3003	3	65	100	3	7	4	8610	5607	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10045	7042	7042	1.166667
6632	038	4235	0.1	6494	7	65	100	3	10	3	12705	6211	RM-1	50	form-based			true	0.7	12	1.200000048	5	5	14822.5	8328.5	8328.5	1.166667
6632	051	2000	0.05	1752	1	65	100	3	5	4	6000	4248	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7000	5248	5248	1.166667
6632	097	1906	0.04	1256	0	85	140	4	6	6	7624	6368	RH-2	50	form-based			true	0.7	5	0.833333313	5	5	6671	5415	5415	0.875
6632	110	2016	0.05	2172	1	65	100	3	5	4	6048	3876	RH-2	50	form-based			true	0.7	6	1.200000048	5	5	7056	4884	4884	1.166667
6632	125	2870	0.07	904	3	65	100	3	7	4	8610	7706	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10045	9141	9141	1.166667
6633	003	2879	0.07	3807	3	65	100	3	7	4	8637	4830	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	10076.5	6269.5	6269.5	1.166667
6633	012A	3249	0.07	3238	4	65	100	3	7	3	9747	6509	RH-2	50	form-based			true	0.7	9	1.285714269	5	5	11371.5	8133.5	8133.5	1.166667
6633	019	1680	0.04	1605	1	85	140	4	6	5	6720	5115	NC-1	65	form-based			true	0.75	6	1	5	5	7560	5955	5955	1.125
6633	019A	1680	0.04	1530	1	85	140	4	6	5	6720	5190	NC-1	65	form-based			true	0.75	6	1	5	5	7560	6030	6030	1.125
6633	023	2177	0.05	3520	3	85	140	4	7	4	8708	5188	NC-1	65	form-based		true	true	0.75	8	1.142857194	5	5	9796.5	6276.5	6276.5	1.125
6633	032	3648	0.08	6100	5	65	100	3	8	3	10944	4844	RH-2	50	form-based			true	0.7	10	1.25	5	5	12768	6668	6668	1.166667
6633	051	2853	0.07	1225	3	85	140	4	10	7	11412	10187	RH-2	50	form-based			true	0.7	8	0.800000012	5	5	9985.5	8760.5	8760.5	0.875
6635	043	6648	0.15	7406	6	65	100	3	15	9	19944	12538	NCD-MISS	40	density-lim	600			0.75	11	0.733333349	5	5	19944	12538	12538	1
6636	020	2653	0.06	1445	1	65	100	3	6	5	7959	6514	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	7428.399902	5983.399902	5983.399902	0.933333
6637	002	3360	0.08	3040	4	85	140	4	11	7	13440	10400	RM-1	50	form-based			true	0.7	9	0.818181813	5	5	11760	8720	8720	0.875
6637	005	2250	0.05	1580	1	85	140	4	7	6	9000	7420	RM-1	50	form-based			true	0.7	6	0.857142866	5	5	7875	6295	6295	0.875
6637	006	2250	0.05	2249	1	85	140	4	7	6	9000	6751	RM-1	50	form-based			true	0.7	6	0.857142866	5	5	7875	5626	5626	0.875
6637	051	2850	0.07	2750	3	65	100	3	7	4	8550	5800	RH-2	50	form-based			true	0.7	8	1.142857194	5	5	9975	7225	7225	1.166667
6638	005	2280	0.05	4740	4	85	140	4	7	3	9120	4380	NC-1	65	form-based		true	true	0.75	9	1.285714269	5	5	10260	5520	5520	1.125
6639	002	2625	0.06	2157	1	65	100	3	6	5	7875	5718	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5193	5193	0.933333
6639	003	2625	0.06	2360	1	65	100	3	6	5	7875	5515	RH-2	40	form-based			true	0.7	6	1	5	5	7350	4990	4990	0.933333
6639	004	2625	0.06	1680	1	65	100	3	6	5	7875	6195	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5670	5670	0.933333
6639	006	2625	0.06	1950	1	65	100	3	6	5	7875	5925	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5400	5400	0.933333
6639	007	2625	0.06	1750	1	65	100	3	6	5	7875	6125	RH-2	40	form-based			true	0.7	6	1	5	5	7350	5600	5600	0.933333
6639	013	2850	0.07	1996	1	65	100	3	7	6	8550	6554	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5984	5984	0.933333
6639	016	2850	0.07	1116	1	65	100	3	7	6	8550	7434	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6864	6864	0.933333
6639	017	2850	0.07	1626	1	65	100	3	7	6	8550	6924	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6354	6354	0.933333
6639	019	2850	0.07	1208	1	65	100	3	7	6	8550	7342	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6772	6772	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6639	020	2850	0.07	2950	1	65	100	3	7	6	8550	5600	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	5030	5030	0.933333
6639	021	2850	0.07	1964	1	65	100	3	7	6	8550	6586	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6016	6016	0.933333
6639	022	2850	0.07	1130	1	65	100	3	7	6	8550	7420	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7980	6850	6850	0.933333
6639	027	2891	0.07	1043	1	65	100	3	7	6	8673	7630	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8094.799805	7051.799805	7051.799805	0.933333
6639	029	2671	0.06	1250	1	65	100	3	6	5	8013	6763	RH-2	40	form-based			true	0.7	6	1	5	5	7478.799805	6228.799805	6228.799805	0.933333
6639	030	2672	0.06	1080	1	65	100	3	6	5	8016	6936	RH-2	40	form-based			true	0.7	6	1	5	5	7481.600098	6401.600098	6401.600098	0.933333
6639	031	2694	0.06	2365	1	65	100	3	6	5	8082	5717	RH-2	40	form-based			true	0.7	6	1	5	5	7543.199707	5178.199707	5178.199707	0.933333
6639	033	2859	0.07	1000	1	65	100	3	7	6	8577	7577	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8005.199707	7005.199707	7005.199707	0.933333
6639	035	2860	0.07	2013	1	65	100	3	7	6	8580	6567	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8008	5995	5995	0.933333
6639	036	2860	0.07	2652	1	65	100	3	7	6	8580	5928	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8008	5356	5356	0.933333
6639	037	2861	0.07	3075	1	65	100	3	7	6	8583	5508	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8010.799805	4935.799805	4935.799805	0.933333
6639	038	2861	0.07	1213	1	65	100	3	7	6	8583	7370	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8010.799805	6797.799805	6797.799805	0.933333
6639	039	2862	0.07	750	1	65	100	3	7	6	8586	7836	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8013.600098	7263.600098	7263.600098	0.933333
6639	040	2862	0.07	1400	1	65	100	3	7	6	8586	7186	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8013.600098	6613.600098	6613.600098	0.933333
6639	042	2864	0.07	2897	1	65	100	3	7	6	8592	5695	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8019.199707	5122.199707	5122.199707	0.933333
6639	043	2864	0.07	2586	1	65	100	3	7	6	8592	6006	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8019.199707	5433.199707	5433.199707	0.933333
6639	045	2865	0.07	2150	1	65	100	3	7	6	8595	6445	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8022	5872	5872	0.933333
6640	002	2808	0.06	1848	1	55	80	2.5	5	4	7020	5172	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7862.399902	6014.399902	6014.399902	1.12
6640	002B	2803	0.06	2115	1	55	80	2.5	5	4	7008	4893	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7848.399902	5733.399902	5733.399902	1.11992
6640	002C	2798	0.06	1700	1	55	80	2.5	5	4	6995	5295	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	6134.399902	6134.399902	1.12
6640	002D	2793	0.06	1241	1	55	80	2.5	5	4	6982	5741	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7820.399902	6579.399902	6579.399902	1.12008
6640	002E	2788	0.06	1345	1	55	80	2.5	5	4	6970	5625	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7806.399902	6461.399902	6461.399902	1.12
6640	003	2773	0.06	2273	1	55	80	2.5	5	4	6932	4659	RH-1(S)	40	form-based			true	0.7	6	1.200000048	5	5	7764.399902	5491.399902	5491.399902	1.120081
6640	004	2768	0.06	1954	1	55	80	2.5	5	4	6920	4966	RH-1(S)	40	form-based			true	0.7	6	1.200000048	5	5	7750.399902	5796.399902	5796.399902	1.12
6640	005	2654	0.06	2755	1	55	80	2.5	5	4	6635	3880	RH-1(S)	40	form-based			true	0.7	6	1.200000048	5	5	7431.199707	4676.199707	4676.199707	1.12
6640	007A	2850	0.07	3260	1	55	80	2.5	6	5	7125	3865	RH-1	40	form-based			true	0.7	6	1	5	5	7980	4720	4720	1.12
6640	007C	2850	0.07	1783	1	55	80	2.5	6	5	7125	5342	RH-1	40	form-based	true		true	0.7	6	1	5	5	7980	6197	6197	1.12
6640	007D	2850	0.07	1864	1	55	80	2.5	6	5	7125	5261	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6116	6116	1.12
6640	007E	2850	0.07	1118	1	55	80	2.5	6	5	7125	6007	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6862	6862	1.12
6640	007F	2850	0.07	2104	1	55	80	2.5	6	5	7125	5021	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5876	5876	1.12
6640	007G	2850	0.07	2160	1	55	80	2.5	6	5	7125	4965	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5820	5820	1.12
6640	007H	2850	0.07	1090	1	55	80	2.5	6	5	7125	6035	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6890	6890	1.12
6640	008	2850	0.07	2002	1	55	80	2.5	6	5	7125	5123	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5978	5978	1.12
6640	009	2850	0.07	1690	1	55	80	2.5	6	5	7125	5435	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6290	6290	1.12
6640	010	2850	0.07	2500	1	55	80	2.5	6	5	7125	4625	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5480	5480	1.12
6640	011	2850	0.07	2105	1	55	80	2.5	6	5	7125	5020	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5875	5875	1.12
6640	012	2850	0.07	2186	1	55	80	2.5	6	5	7125	4939	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5794	5794	1.12
6640	013	2850	0.07	2254	1	55	80	2.5	6	5	7125	4871	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5726	5726	1.12
6640	013A	2850	0.07	2405	1	55	80	2.5	6	5	7125	4720	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5575	5575	1.12
6651	006	2738	0.06	2186	1	65	100	3	6	5	8214	6028	RH-1	40	form-based			true	0.7	6	1	5	5	7666.399902	5480.399902	5480.399902	0.933333
6651	008A	3460	0.08	3331	2	55	80	2.5	6	4	8650	5319	RH-1	40	form-based	true		true	0.7	7	1.166666627	5	5	9688	6357	6357	1.12
6652	001	3354	0.08	2364	2	65	100	3	8	6	10062	7698	RH-2	40	form-based	true		true	0.7	7	0.875	5	5	9391.200195	7027.200195	7027.200195	0.933333
6652	004	3500	0.08	3073	2	65	100	3	8	6	10500	7427	RH-2	40	form-based			true	0.7	7	0.875	5	5	9800	6727	6727	0.933333
6652	009	2980	0.07	2458	1	65	100	3	7	6	8940	6482	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8344	5886	5886	0.933333
6652	025	2700	0.06	1325	1	65	100	3	6	5	8100	6775	RH-2	40	form-based	true		true	0.7	6	1	5	5	7560	6235	6235	0.933333
6652	031	3125	0.07	1914	2	65	100	3	7	5	9375	7461	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6836	6836	0.933333
6652	035	3500	0.08	1982	2	65	100	3	8	6	10500	8518	RH-2	40	form-based			true	0.7	7	0.875	5	5	9800	7818	7818	0.933333
6653	009	3135	0.07	2380	2	65	100	3	7	5	9405	7025	RH-2	40	form-based			true	0.7	7	1	5	5	8778	6398	6398	0.933333
6653	011	3004	0.07	1968	1	65	100	3	7	6	9012	7044	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	6443.200195	6443.200195	0.933333
6653	017	2822	0.06	3183	1	65	100	3	6	5	8466	5283	RH-2	40	form-based			true	0.7	6	1	5	5	7901.600098	4718.600098	4718.600098	0.933333
6653	022	3125	0.07	1408	2	65	100	3	7	5	9375	7967	RH-2	40	form-based			true	0.7	7	1	5	5	8750	7342	7342	0.933333
6653	035	3125	0.07	1760	2	65	100	3	7	5	9375	7615	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6990	6990	0.933333
6654	001	4362	0.1	4830	4	65	100	3	10	6	13086	8256	RH-2	40	form-based	true		true	0.7	9	0.899999976	5	5	12213.59961	7383.599609	7383.599609	0.933333
6654	008	3114	0.07	1319	2	65	100	3	7	5	9342	8023	RH-2	40	form-based			true	0.7	7	1	5	5	8719.200195	7400.200195	7400.200195	0.933333
6654	019	3120	0.07	2640	2	65	100	3	7	5	9360	6720	RH-2	40	form-based			true	0.7	7	1	5	5	8736	6096	6096	0.933333
6654	020	2920	0.07	2543	1	65	100	3	7	6	8760	6217	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8176	5633	5633	0.933333
6654	034	3125	0.07	2818	2	65	100	3	7	5	9375	6557	RH-2	40	form-based			true	0.7	7	1	5	5	8750	5932	5932	0.933333
6654	036	3125	0.07	2232	2	65	100	3	7	5	9375	7143	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6518	6518	0.933333
6654	037	3125	0.07	2340	2	65	100	3	7	5	9375	7035	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6410	6410	0.933333
6654	042	3125	0.07	2400	2	65	100	3	7	5	9375	6975	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6350	6350	0.933333
6654	062	3336	0.08	2000	2	65	100	3	8	6	10008	8008	RH-2	40	form-based			true	0.7	7	0.875	5	5	9340.799805	7340.799805	7340.799805	0.933333
6655	003	2923	0.07	2100	1	85	140	4	10	9	11692	9592	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8184.399902	6084.399902	6084.399902	0.7
6655	005	3125	0.07	2468	2	65	100	3	7	5	9375	6907	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6282	6282	0.933333
6655	008	3125	0.07	2635	2	65	100	3	7	5	9375	6740	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6115	6115	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6655	009	3125	0.07	3385	2	65	100	3	7	5	9375	5990	RH-2	40	form-based			true	0.7	7	1	5	5	8750	5365	5365	0.933333
6655	011	3125	0.07	2640	2	65	100	3	7	5	9375	6735	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6110	6110	0.933333
6655	017	3125	0.07	2438	2	65	100	3	7	5	9375	6937	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6312	6312	0.933333
6655	022	3125	0.07	2132	2	65	100	3	7	5	9375	7243	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6618	6618	0.933333
6655	023A	3125	0.07	1981	2	65	100	3	7	5	9375	7394	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6769	6769	0.933333
6655	028	3180	0.07	3654	2	65	100	3	7	5	9540	5886	RH-2	40	form-based			true	0.7	7	1	5	5	8904	5250	5250	0.933333
6655	029	3070	0.07	3037	1	65	100	3	7	6	9210	6173	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8596	5559	5559	0.933333
6655	040	3114	0.07	2714	2	65	100	3	7	5	9342	6628	RH-2	40	form-based			true	0.7	7	1	5	5	8719.200195	6005.200195	6005.200195	0.933333
6655	056	2928	0.07	1260	1	65	100	3	7	6	8784	7524	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8198.399414	6938.399414	6938.399414	0.933333
6655	057	2610	0.06	1756	0	65	100	3	6	6	7830	6074	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	7308	5552	5552	0.933333
6655	067	3125	0.07	1000	2	65	100	3	7	5	9375	8375	RH-2	40	form-based			true	0.7	7	1	5	5	8750	7750	7750	0.933333
6655	069	3125	0.07	1174	2	65	100	3	7	5	9375	8201	RH-2	40	form-based			true	0.7	7	1	5	5	8750	7576	7576	0.933333
6655	071	3125	0.07	1444	2	65	100	3	7	5	9375	7931	RH-2	40	form-based			true	0.7	7	1	5	5	8750	7306	7306	0.933333
6655	073	3125	0.07	1104	2	65	100	3	7	5	9375	8271	RH-2	40	form-based			true	0.7	7	1	5	5	8750	7646	7646	0.933333
6655	077	3125	0.07	1038	2	65	100	3	7	5	9375	8337	RH-2	40	form-based			true	0.7	7	1	5	5	8750	7712	7712	0.933333
6655	079	3162	0.07	988	2	85	140	4	10	8	12648	11660	RH-2	40	form-based			true	0.7	7	0.699999988	5	5	8853.599609	7865.599609	7865.599609	0.7
6655	081	3125	0.07	1168	2	65	100	3	7	5	9375	8207	RH-2	40	form-based			true	0.7	7	1	5	5	8750	7582	7582	0.933333
6656	004	3141	0.07	2200	2	65	100	3	7	5	9423	7223	RH-2	40	form-based			true	0.7	7	1	5	5	8794.799805	6594.799805	6594.799805	0.933333
6656	005	3143	0.07	2336	2	65	100	3	7	5	9429	7093	RH-2	40	form-based			true	0.7	7	1	5	5	8800.399414	6464.399414	6464.399414	0.933333
6656	006	3145	0.07	2408	2	65	100	3	7	5	9435	7027	RH-2	40	form-based			true	0.7	7	1	5	5	8806	6398	6398	0.933333
6656	008	3150	0.07	1012	2	65	100	3	7	5	9450	8438	RH-2	40	form-based			true	0.7	7	1	5	5	8820	7808	7808	0.933333
6656	012A	3163	0.07	2564	2	65	100	3	7	5	9489	6925	RH-2	40	form-based			true	0.7	7	1	5	5	8856.399414	6292.399414	6292.399414	0.933333
6656	014A	3171	0.07	3381	2	65	100	3	7	5	9513	6132	RH-2	40	form-based			true	0.7	7	1	5	5	8878.799805	5497.799805	5497.799805	0.933333
6656	017	3176	0.07	4275	2	65	100	3	7	5	9528	5253	RH-2	40	form-based			true	0.7	7	1	5	5	8892.799805	4617.799805	4617.799805	0.933333
6656	018	3178	0.07	2146	2	65	100	3	7	5	9534	7388	RH-2	40	form-based			true	0.7	7	1	5	5	8898.399414	6752.399414	6752.399414	0.933333
6656	028	3125	0.07	2948	2	65	100	3	7	5	9375	6427	RH-2	40	form-based			true	0.7	7	1	5	5	8750	5802	5802	0.933333
6656	037	3125	0.07	2580	2	65	100	3	7	5	9375	6795	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6170	6170	0.933333
6656	040	3125	0.07	2402	2	65	100	3	7	5	9375	6973	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6348	6348	0.933333
6656	049	2200	0.05	1144	0	85	140	4	7	7	8800	7656	RH-2	40	form-based			true	0.7	5	0.714285731	5	5	6160	5016	5016	0.7
6656	054	2850	0.07	1530	1	85	140	4	10	9	11400	9870	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	7980	6450	6450	0.7
6656	059	3139	0.07	2120	2	85	140	4	10	8	12556	10436	RH-2	40	form-based			true	0.7	7	0.699999988	5	5	8789.200195	6669.200195	6669.200195	0.7
6656	062	3125	0.07	1421	2	65	100	3	7	5	9375	7954	RH-2	40	form-based			true	0.7	7	1	5	5	8750	7329	7329	0.933333
6656	064	3152	0.07	1280	2	65	100	3	7	5	9456	8176	RH-2	40	form-based			true	0.7	7	1	5	5	8825.599609	7545.599609	7545.599609	0.933333
6656	066	3125	0.07	1440	2	65	100	3	7	5	9375	7935	RH-2	40	form-based			true	0.7	7	1	5	5	8750	7310	7310	0.933333
6656	068	3125	0.07	1423	2	65	100	3	7	5	9375	7952	RH-2	40	form-based			true	0.7	7	1	5	5	8750	7327	7327	0.933333
6656	070	3125	0.07	1422	2	85	140	4	10	8	12500	11078	RH-2	40	form-based			true	0.7	7	0.699999988	5	5	8750	7328	7328	0.7
6657	010	2673	0.06	2012	1	65	100	3	6	5	8019	6007	RH-2	40	form-based			true	0.7	6	1	5	5	7484.399902	5472.399902	5472.399902	0.933333
6657	034	3989	0.09	5142	3	65	100	3	9	6	11967	6825	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	11169.2002	6027.200195	6027.200195	0.933333
6657	041	3318	0.08	2650	2	65	100	3	8	6	9954	7304	RH-2	40	form-based			true	0.7	7	0.875	5	5	9290.399414	6640.399414	6640.399414	0.933333
6657	048	2860	0.07	1104	1	85	140	4	10	9	11440	10336	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8008	6904	6904	0.7
6657	049	2860	0.07	1125	1	85	140	4	10	9	11440	10315	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8008	6883	6883	0.7
6657	054	2716	0.06	1820	1	65	100	3	6	5	8148	6328	RH-2	40	form-based			true	0.7	6	1	5	5	7604.799805	5784.799805	5784.799805	0.933333
6659	009A	1171	0.03	1251	1	65	100	3	3	2	3513	2262	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	3278.800049	2027.800049	2027.800049	0.933333
6660	011	2799	0.06	1360	0	65	100	3	6	6	8397	7037	NCD-MISSI	40	density-lim	600			0.75	5	0.833333313	5	5	8397	7037	7037	1
6660	012	2783	0.06	990	0	65	100	3	6	6	8349	7359	NCD-MISSI	40	density-lim	600			0.75	5	0.833333313	5	5	8349	7359	7359	1
6660	036	2281	0.05	880	1	65	100	3	5	4	6843	5963	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	6386.799805	5506.799805	5506.799805	0.933333
6662	007	3750	0.09	2731	3	65	100	3	9	6	11250	8519	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10500	7769	7769	0.933333
6662	008	3750	0.09	3442	3	65	100	3	9	6	11250	7808	RH-2	40	form-based			true	0.7	8	0.888888896	5	5	10500	7058	7058	0.933333
6662	005	3696	0.08	4410	3	85	140	4	11	8	14784	10374	RH-2	40	form-based		true		0.7	8	0.727272749	5	5	10348.7998	5938.799805	5938.799805	0.7
6662	015	3037	0.07	1488	1	65	100	3	7	6	9111	7623	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	7015.599609	7015.599609	0.933333
6662	019	3122	0.07	2920	2	65	100	3	7	5	9366	6446	RH-2	40	form-based			true	0.7	7	1	5	5	8741.599609	5821.599609	5821.599609	0.933333
6663	015	3082	0.07	1376	1	65	100	3	7	6	9246	7870	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8629.599609	7253.599609	7253.599609	0.933333
6663	022	2888	0.07	1974	1	65	100	3	7	6	8664	6690	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8086.399902	6112.399902	6112.399902	0.933333
6663	028	3187	0.07	3060	2	65	100	3	7	5	9561	6501	RH-2	40	form-based			true	0.7	7	1	5	5	8923.599609	5863.599609	5863.599609	0.933333
6663	029	3063	0.07	2060	1	65	100	3	7	6	9189	7129	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8576.399414	6516.399414	6516.399414	0.933333
6663	035	3125	0.07	2246	2	65	100	3	7	5	9375	7129	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6504	6504	0.933333
6663	042	3151	0.07	1600	2	65	100	3	7	5	9453	7853	RH-2	40	form-based			true	0.7	7	1	5	5	8822.799805	7222.799805	7222.799805	0.933333
6663	043	3150	0.07	3401	2	65	100	3	7	5	9450	6049	RH-2	40	form-based			true	0.7	7	1	5	5	8820	5419	5419	0.933333
6663	044	3125	0.07	1525	2	65	100	3	7	5	9375	7850	RH-2	40	form-based			true	0.7	7	1	5	5	8750	7225	7225	0.933333
6663	046	3125	0.07	2104	2	65	100	3	7	5	9375	7271	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6646	6646	0.933333
6663	048	3125	0.07	2398	2	65	100	3	7	5	9375	6977	RH-2	40	form-based			true	0.7	7	1	5	5	8750	6352	6352	0.933333
6663	050	3145	0.07	1664	2	65	100	3	7	5	9435	7771	RH-2	40	form-based			true	0.7	7	1	5	5	8806	7142	7142	0.933333
6663	055	2685	0.06	1211	1	65	100	3	6	5	8055	6844	RH-2	40	form-based		true	true	0.7	6	1	5	5	7518	6307	6307	0.933333
6664	005	2641	0.06	1556	1	65	100	3	6	5	7923	6367	RH-2	40	form-based			true	0.7	6	1	5	5	7394.799805	5838.799805	5838.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6664	011	3074	0.07	1744	1	65	100	3	7	6	9222	7478	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8607.200195	6863.200195	6863.200195	0.933333
6664	049	2750	0.06	2515	1	65	100	3	6	5	8250	5735	RH-2	40	form-based			true	0.7	6	1	5	5	7700	5185	5185	0.933333
6665	018	2782	0.06	1498	1	65	100	3	6	5	8346	6848	RH-1	40	form-based			true	0.7	6	1	5	5	7789.600098	6291.600098	6291.600098	0.933333
6665	060	2464	0.06	0	0	65	100	3	6	6	7392	7392	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	6899.199707	6899.199707	6899.199707	0.933333
6665	063	2468	0.06	0	0	65	100	3	6	6	7404	7404	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	6910.399902	6910.399902	6910.399902	0.933333
6665	074	3300	0.08	3282	2	65	100	3	8	6	9900	6618	RH-2	40	form-based			true	0.7	7	0.875	5	5	9240	5958	5958	0.933333
6684	015A	2721	0.06	1118	1	65	100	3	6	5	8163	7045	RH-2	40	form-based		true	true	0.7	6	1	5	5	7618.799805	6500.799805	6500.799805	0.933333
6684	019	2677	0.06	1050	1	65	100	3	6	5	8031	6981	RH-1	40	form-based			true	0.7	6	1	5	5	7495.600098	6445.600098	6445.600098	0.933333
6684	025	2697	0.06	1462	1	65	100	3	6	5	8091	6629	RH-1	40	form-based			true	0.7	6	1	5	5	7551.600098	6089.600098	6089.600098	0.933333
6685	003	2886	0.07	1822	1	65	100	3	7	6	8658	6836	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8080.799805	6258.799805	6258.799805	0.933333
6685	004	2801	0.06	2410	1	65	100	3	6	5	8403	5993	RH-2	40	form-based			true	0.7	6	1	5	5	7842.799805	5432.799805	5432.799805	0.933333
6685	005	3244	0.07	1840	2	65	100	3	7	5	9732	7892	RH-2	40	form-based			true	0.7	7	1	5	5	9083.200195	7243.200195	7243.200195	0.933333
6685	026	2934	0.07	1120	1	65	100	3	7	6	8802	7682	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8215.200195	7095.200195	7095.200195	0.933333
6685	031	2661	0.06	1143	1	65	100	3	6	5	7983	6840	RH-2	40	form-based			true	0.7	6	1	5	5	7450.799805	6307.799805	6307.799805	0.933333
6685	032	2918	0.07	1877	1	65	100	3	7	6	8754	6877	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8170.399902	6293.399902	6293.399902	0.933333
6685	036	2958	0.07	1549	1	65	100	3	7	6	8874	7325	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8282.399414	6733.399414	6733.399414	0.933333
6685	037	3361	0.08	1720	2	65	100	3	8	6	10083	8363	RH-2	40	form-based			true	0.7	7	0.875	5	5	9410.799805	7690.799805	7690.799805	0.933333
6685	045	3253	0.07	1100	2	65	100	3	7	5	9759	8659	RH-2	40	form-based		true	true	0.7	7	1	5	5	9108.399414	8008.399414	8008.399414	0.933333
6686	021	3001	0.07	1115	1	65	100	3	7	6	9003	7888	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8402.799805	7287.799805	7287.799805	0.933333
6690	001A	2756	0.06	1600	1	65	100	3	6	5	8268	6668	RH-2	40	form-based		true	true	0.7	6	1	5	5	7716.799805	6116.799805	6116.799805	0.933333
6690	005	2193	0.05	1800	0	65	100	3	5	5	6579	4779	RH-2	40	form-based			true	0.7	5	1	5	5	6140.399902	4340.399902	4340.399902	0.933333
6690	007	2900	0.07	1250	1	65	100	3	7	6	8700	7450	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8120	6870	6870	0.933333
6690	008	2911	0.07	1557	1	65	100	3	7	6	8733	7176	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8150.799805	6593.799805	6593.799805	0.933333
6690	009	2892	0.07	1050	1	65	100	3	7	6	8676	7626	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8097.600098	7047.600098	7047.600098	0.933333
6690	012	3054	0.07	2135	1	65	100	3	7	6	9162	7027	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8551.200195	6416.200195	6416.200195	0.933333
6690	014	2901	0.07	1633	1	65	100	3	7	6	8703	7070	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8122.799805	6489.799805	6489.799805	0.933333
6690	015	2899	0.07	1913	1	65	100	3	7	6	8697	6784	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8117.199707	6204.199707	6204.199707	0.933333
6690	016	2898	0.07	1186	1	65	100	3	7	6	8694	7508	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8114.399902	6928.399902	6928.399902	0.933333
6690	018	2895	0.07	1888	1	65	100	3	7	6	8685	6797	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8106	6218	6218	0.933333
6690	020	2892	0.07	1290	1	65	100	3	7	6	8676	7386	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8097.600098	6807.600098	6807.600098	0.933333
6690	021	2890	0.07	1200	1	65	100	3	7	6	8670	7470	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8092	6892	6892	0.933333
6690	028	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	7000	7000	7000	0.933333
6690	031	2900	0.07	1240	1	65	100	3	7	6	8700	7460	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8120	6880	6880	0.933333
6690	038	3050	0.07	1988	1	65	100	3	7	6	9150	7162	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8540	6552	6552	0.933333
6695	005	2800	0.06	3074	1	65	100	3	6	5	8400	5326	RH-2	40	form-based			true	0.7	6	1	5	5	7840	4766	4766	0.933333
6695	005A	2800	0.06	926	1	65	100	3	6	5	8400	7474	RH-2	40	form-based			true	0.7	6	1	5	5	7840	6914	6914	0.933333
6695	006	2800	0.06	1162	1	65	100	3	6	5	8400	7238	RH-2	40	form-based			true	0.7	6	1	5	5	7840	6678	6678	0.933333
6695	012	2717	0.06	1458	1	65	100	3	6	5	8151	6693	RH-2	40	form-based			true	0.7	6	1	5	5	7607.600098	6149.600098	6149.600098	0.933333
6695	013	2717	0.06	1120	1	65	100	3	6	5	8151	7031	RH-2	40	form-based			true	0.7	6	1	5	5	7607.600098	6487.600098	6487.600098	0.933333
6695	014	2717	0.06	1350	1	65	100	3	6	5	8151	6801	RH-2	40	form-based			true	0.7	6	1	5	5	7607.600098	6257.600098	6257.600098	0.933333
6695	022	2266	0.05	2538	0	65	100	3	5	5	6798	4260	RH-1	40	form-based		true	true	0.7	5	1	5	5	6344.799805	3806.799805	3806.799805	0.933333
6695	029	3045	0.07	1986	1	65	100	3	7	6	9135	7149	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8526	6540	6540	0.933333
6696	006	3242	0.07	2010	2	65	100	3	7	5	9726	7716	RH-1	40	form-based			true	0.7	7	1	5	5	9077.599609	7067.599609	7067.599609	0.933333
6696	007	2993	0.07	1863	1	65	100	3	7	6	8979	7116	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8380.399414	6517.399414	6517.399414	0.933333
6696	015	2795	0.06	750	1	65	100	3	6	5	8385	7635	RH-1	40	form-based			true	0.7	6	1	5	5	7826	7076	7076	0.933333
6696	016	2896	0.07	937	1	65	100	3	7	6	8688	7751	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8108.799805	7171.799805	7171.799805	0.933333
6700	003	3046	0.07	2086	1	65	100	3	7	6	9138	7052	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8528.799805	6442.799805	6442.799805	0.933333
6700	006	3080	0.07	1680	1	65	100	3	7	6	9240	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8624	6944	6944	0.933333
6700	007	3061	0.07	1146	1	65	100	3	7	6	9183	8037	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8570.799805	7424.799805	7424.799805	0.933333
6700	022	3088	0.07	1175	1	65	100	3	7	6	9264	8089	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8646.399414	7471.399414	7471.399414	0.933333
6706	039	2653	0.06	677	1	65	100	3	6	5	7959	7282	RH-1	40	form-based			true	0.7	6	1	5	5	7428.399902	6751.399902	6751.399902	0.933333
6706	042	2980	0.07	2099	1	65	100	3	7	6	8940	6841	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8344	6245	6245	0.933333
6709	001	2828	0.06	1233	1	65	100	3	6	5	8484	7251	RH-1	40	form-based		true	true	0.7	6	1	5	5	7918.399902	6685.399902	6685.399902	0.933333
6709	015	2998	0.07	1638	1	65	100	3	7	6	8994	7356	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8394.399414	6756.399414	6756.399414	0.933333
6709	016	2817	0.06	941	1	65	100	3	6	5	8451	7510	RH-1	40	form-based			true	0.7	6	1	5	5	7887.600098	6946.600098	6946.600098	0.933333
6709	017	2654	0.06	1463	1	65	100	3	6	5	7962	6499	RH-1	40	form-based			true	0.7	6	1	5	5	7431.199707	5968.199707	5968.199707	0.933333
6709	019	2952	0.07	1274	1	65	100	3	7	6	8856	7582	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8265.599609	6991.599609	6991.599609	0.933333
6709	020	2789	0.06	1480	1	65	100	3	6	5	8367	6887	RH-1	40	form-based			true	0.7	6	1	5	5	7809.199707	6329.199707	6329.199707	0.933333
6709	021	2625	0.06	1616	1	65	100	3	6	5	7875	6259	RH-1	40	form-based			true	0.7	6	1	5	5	7350	5734	5734	0.933333
6710	005	2627	0.06	1350	1	65	100	3	6	5	7881	6531	RH-1	40	form-based			true	0.7	6	1	5	5	7355.600098	6005.600098	6005.600098	0.933333
6710	010	2699	0.06	1910	1	65	100	3	6	5	8097	6187	RH-1	40	form-based			true	0.7	6	1	5	5	7557.199707	5647.199707	5647.199707	0.933333
6710	011	2893	0.07	1650	1	65	100	3	7	6	8679	7029	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	6450.399902	6450.399902	0.933333
6710	012	3087	0.07	1625	1	65	100	3	7	6	9261	7636	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8643.599609	7018.599609	7018.599609	0.933333
6710	014	2969	0.07	1625	1	65	100	3	7	6	8907	7282	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8313.200195	6688.200195	6688.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6710	033	2642	0.06	1472	1	65	100	3	6	5	7926	6454	RH-1	40	form-based			true	0.7	6	1	5	5	7397.600098	5925.600098	5925.600098	0.933333
6712	006	2751	0.06	894	1	65	100	3	6	5	8253	7359	RH-1	40	form-based		true	true	0.7	6	1	5	5	7702.799805	6808.799805	6808.799805	0.933333
6712	011	2808	0.06	1486	1	65	100	3	6	5	8424	6938	RH-1	40	form-based			true	0.7	6	1	5	5	7862.399902	6376.399902	6376.399902	0.933333
6712	012	2677	0.06	2439	1	65	100	3	6	5	8031	5592	RH-1	40	form-based			true	0.7	6	1	5	5	7495.600098	5056.600098	5056.600098	0.933333
6712	016	2929	0.07	882	1	65	100	3	7	6	8787	7905	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8201.200195	7319.200195	7319.200195	0.933333
6712	025	2955	0.07	1000	1	65	100	3	7	6	8865	7865	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8274	7274	7274	0.933333
6712	026	2871	0.07	750	1	65	100	3	7	6	8613	7863	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8038.799805	7288.799805	7288.799805	0.933333
6712	027	2684	0.06	1295	1	65	100	3	6	5	8052	6757	RH-1	40	form-based			true	0.7	6	1	5	5	7515.199707	6220.199707	6220.199707	0.933333
6712	028	2900	0.07	2324	1	65	100	3	7	6	8700	6376	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8120	5796	5796	0.933333
6712	037	2789	0.06	2883	1	65	100	3	6	5	8367	5484	RH-1	40	form-based			true	0.7	6	1	5	5	7809.199707	4926.199707	4926.199707	0.933333
6713	003	2796	0.06	903	1	65	100	3	6	5	8388	7485	RH-1	40	form-based			true	0.7	6	1	5	5	7828.799805	6925.799805	6925.799805	0.933333
6713	025	2665	0.06	1150	1	75	120	3.5	7	6	9328	8178	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7462	6312	6312	0.799957
6713	026	2772	0.06	1697	1	75	120	3.5	7	6	9702	8005	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7761.600098	6064.600098	6064.600098	0.8
6713	027	2811	0.06	1400	1	65	100	3	6	5	8433	7033	RH-1	40	form-based			true	0.7	6	1	5	5	7870.799805	6470.799805	6470.799805	0.933333
6713	028	2780	0.06	1473	1	65	100	3	6	5	8340	6867	RH-1	40	form-based			true	0.7	6	1	5	5	7784	6311	6311	0.933333
6713	029	2730	0.06	2885	1	65	100	3	6	5	8190	5305	RH-1	40	form-based			true	0.7	6	1	5	5	7644	4759	4759	0.933333
6713	030	2679	0.06	1338	1	65	100	3	6	5	8037	6699	RH-1	40	form-based			true	0.7	6	1	5	5	7501.199707	6163.199707	6163.199707	0.933333
6713	031	2628	0.06	950	1	65	100	3	6	5	7884	6934	RH-1	40	form-based			true	0.7	6	1	5	5	7358.399902	6408.399902	6408.399902	0.933333
6713	044	2500	0.06	726	0	65	100	3	6	6	7500	6774	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7000	6274	6274	0.933333
6717	001	2784	0.06	1225	1	65	100	3	6	5	8352	7127	RH-1	40	form-based		true	true	0.7	6	1	5	5	7795.199707	6570.199707	6570.199707	0.933333
6717	002	2800	0.06	1908	1	65	100	3	6	5	8400	6492	RH-1	40	form-based			true	0.7	6	1	5	5	7840	5932	5932	0.933333
6717	003	2800	0.06	1503	1	65	100	3	6	5	8400	6897	RH-1	40	form-based			true	0.7	6	1	5	5	7840	6337	6337	0.933333
6717	004	2800	0.06	1120	1	65	100	3	6	5	8400	7280	RH-1	40	form-based			true	0.7	6	1	5	5	7840	6720	6720	0.933333
6717	005	2800	0.06	1830	1	65	100	3	6	5	8400	6570	RH-2	40	form-based			true	0.7	6	1	5	5	7840	6010	6010	0.933333
6717	006	2800	0.06	3217	1	65	100	3	6	5	8400	5183	RH-2	40	form-based			true	0.7	6	1	5	5	7840	4623	4623	0.933333
6717	007	2800	0.06	1490	1	65	100	3	6	5	8400	6910	RH-2	40	form-based			true	0.7	6	1	5	5	7840	6350	6350	0.933333
6717	020	2819	0.06	780	1	75	120	3.5	7	6	9866	9086	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7893.199707	7113.199707	7113.199707	0.800041
6719	006	3050	0.07	1281	1	65	100	3	7	6	9150	7869	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8540	7259	7259	0.933333
6719	006A	3010	0.07	1281	1	65	100	3	7	6	9030	7749	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8428	7147	7147	0.933333
6722	009	2161	0.05	1307	1	65	100	3	5	4	6483	5176	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	6050.799805	4743.799805	4743.799805	0.933333
6722	015A	1250	0.03	1800	1	65	100	3	3	2	3750	1950	RH-2	40	density-lim	1500	true		0.7	6	2	5	5	3500	1700	1700	0.933333
6722	029	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	7000	5850	5850	0.933333
6723	026	2360	0.05	3582	1	75	120	3.5	6	5	8260	4678	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6608	3026	3026	0.8
6724	002	2228	0.05	2140	1	75	120	3.5	6	5	7798	5658	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	6238.399902	4098.399902	4098.399902	0.8
6724	012	1600	0.04	2140	1	75	120	3.5	5	4	5600	3460	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	4480	2340	2340	0.8
6724	017	1600	0.04	2140	1	75	120	3.5	5	4	5600	3460	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	4480	2340	2340	0.8
6724	022	1321	0.03	2150	1	75	120	3.5	4	3	4624	2474	RH-2	40	density-lim	1500	true		0.7	6	1.5	5	5	3698.800049	1548.800049	1548.800049	0.799914
6726	003	2849	0.07	2618	1	75	120	3.5	8	7	9972	7354	RH-2	40	form-based			true	0.7	6	0.75	5	5	7977.199707	5359.199707	5359.199707	0.79996
6726	016	2250	0.05	1296	1	75	120	3.5	6	5	7875	6579	RH-2	50	form-based			true	0.7	6	1	5	5	7875	6579	6579	1
6726	017	2250	0.05	1038	1	75	120	3.5	6	5	7875	6837	RH-2	50	form-based			true	0.7	6	1	5	5	7875	6837	6837	1
6726	018	2250	0.05	1456	1	75	120	3.5	6	5	7875	6419	RH-2	50	form-based			true	0.7	6	1	5	5	7875	6419	6419	1
6726	019	2250	0.05	982	1	75	120	3.5	6	5	7875	6893	RH-2	50	form-based			true	0.7	6	1	5	5	7875	6893	6893	1
6726	023	2250	0.05	1996	1	75	120	3.5	6	5	7875	5879	RH-2	50	form-based			true	0.7	6	1	5	5	7875	5879	5879	1
6726	025	2250	0.05	2070	1	75	120	3.5	6	5	7875	5805	RH-2	50	form-based			true	0.7	6	1	5	5	7875	5805	5805	1
6726	026	2130	0.05	950	1	75	120	3.5	6	5	7455	6505	RH-2	50	form-based		true	true	0.7	6	1	5	5	7455	6505	6505	1
6726	029B	2130	0.05	1290	1	75	120	3.5	6	5	7455	6165	RH-2	50	form-based			true	0.7	6	1	5	5	7455	6165	6165	1
6726	040	3135	0.07	2468	2	75	120	3.5	8	6	10972	8504	RH-2	40	form-based			true	0.7	7	0.875	5	5	8778	6310	6310	0.800036
6726	048	3136	0.07	1575	2	75	120	3.5	8	6	10976	9401	RH-2	40	form-based			true	0.7	7	0.875	5	5	8780.799805	7205.799805	7205.799805	0.8
6726	052	3000	0.07	1515	1	75	120	3.5	8	7	10500	8985	RH-2	40	form-based			true	0.7	6	0.75	5	5	8400	6885	6885	0.8
6727	019	2270	0.05	850	1	75	120	3.5	6	5	7945	7095	RH-2	50	form-based			true	0.7	6	1	5	5	7945	7095	7095	1
6727	020	2420	0.06	2258	2	75	120	3.5	7	5	8470	6212	RH-2	50	form-based			true	0.7	7	1	5	5	8470	6212	6212	1
6727	023A	2642	0.06	3154	3	75	120	3.5	7	4	9247	6093	NCT-GLEN	50	form-based		true	true	0.75	8	1.142857194	5	5	9907.5	6753.5	6753.5	1.071429
6727	042	2977	0.07	1085	1	75	120	3.5	8	7	10420	9335	RH-1	40	form-based			true	0.7	6	0.75	5	5	8335.599609	7250.599609	7250.599609	0.799962
6727	046	2498	0.06	2728	2	75	120	3.5	7	5	8743	6015	RH-2	50	form-based			true	0.7	7	1	5	5	8743	6015	6015	1
6728	001	2704	0.06	1209	1	75	120	3.5	7	6	9464	8255	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	7571.199707	6362.199707	6362.199707	0.8
6728	002	2825	0.06	1235	1	75	120	3.5	7	6	9888	8653	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7910	6675	6675	0.79996
6728	003	2825	0.06	1550	1	75	120	3.5	7	6	9888	8338	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7910	6360	6360	0.79996
6728	004	2825	0.06	1235	1	75	120	3.5	7	6	9888	8653	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7910	6675	6675	0.79996
6728	005	2825	0.06	2570	1	75	120	3.5	7	6	9888	7318	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7910	5340	5340	0.79996
6728	007	2825	0.06	2123	1	75	120	3.5	7	6	9888	7765	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7910	5787	5787	0.79996
6728	011	3363	0.08	3965	2	75	120	3.5	10	8	11770	7805	RH-1	40	form-based			true	0.7	7	0.699999988	5	5	9416.399414	5451.399414	5451.399414	0.800034
6728	022A	2058	0.05	895	1	75	120	3.5	6	5	7203	6308	RH-1	50	form-based		true	true	0.7	6	1	5	5	7203	6308	6308	1
6728	024A	2754	0.06	2535	1	75	120	3.5	7	6	9639	7104	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	7711.199707	5176.199707	5176.199707	0.8
6729	003	2631	0.06	780	1	65	100	3	6	5	7893	7113	RH-1	40	form-based			true	0.7	6	1	5	5	7366.799805	6586.799805	6586.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6729	004	2898	0.07	1125	1	65	100	3	7	6	8694	7569	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8114.399902	6989.399902	6989.399902	0.933333
6729	030	2164	0.05	2200	1	75	120	3.5	6	5	7574	5374	RH-1	50	form-based			true	0.7	6	1	5	5	7574	5374	5374	1
6729	037	2253	0.05	1100	1	75	120	3.5	6	5	7886	6786	RH-1	50	form-based		true	true	0.7	6	1	5	5	7885.5	6785.5	6785.5	0.999937
6729	040	2104	0.05	1092	1	75	120	3.5	6	5	7364	6272	RH-1	50	form-based			true	0.7	6	1	5	5	7364	6272	6272	1
6729	041	2113	0.05	1237	1	75	120	3.5	6	5	7396	6159	RH-1	50	form-based			true	0.7	6	1	5	5	7395.5	6158.5	6158.5	0.999932
6729	042	2122	0.05	1237	1	75	120	3.5	6	5	7427	6190	RH-1	50	form-based			true	0.7	6	1	5	5	7427	6190	6190	1
6729	043	2130	0.05	1235	1	75	120	3.5	6	5	7455	6220	RH-1	50	form-based			true	0.7	6	1	5	5	7455	6220	6220	1
6729	045	2148	0.05	1056	1	75	120	3.5	6	5	7518	6462	RH-1	50	form-based			true	0.7	6	1	5	5	7518	6462	6462	1
6729	046	2157	0.05	1678	1	75	120	3.5	6	5	7550	5872	RH-1	50	form-based			true	0.7	6	1	5	5	7549.5	5871.5	5871.5	0.999934
6729	048	2174	0.05	2064	0	75	120	3.5	6	6	7609	5545	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	6087.199707	4023.199707	4023.199707	0.8
6729	058	2690	0.06	2479	1	75	120	3.5	7	6	9415	6936	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7532	5053	5053	0.8
6729	066	2087	0.05	2469	1	75	120	3.5	6	5	7304	4835	RH-1	50	form-based		true	true	0.7	6	1	5	5	7304.5	4835.5	4835.5	1.000068
6730	001	2838	0.07	1232	1	65	100	3	7	6	8514	7282	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	7946.399902	6714.399902	6714.399902	0.933333
6730	012	2916	0.07	1680	1	75	120	3.5	8	7	10206	8526	RH-1	40	form-based			true	0.7	6	0.75	5	5	8164.799805	6484.799805	6484.799805	0.8
6730	016	2313	0.05	0	0	75	120	3.5	6	6	8096	8096	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	6476.399902	6476.399902	6476.399902	0.799951
6730	019	2807	0.06	1075	1	75	120	3.5	7	6	9824	8749	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7859.600098	6784.600098	6784.600098	0.800041
6730	026	2756	0.06	1359	1	75	120	3.5	7	6	9646	8287	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7716.799805	6357.799805	6357.799805	0.8
6730	027	2826	0.06	1947	1	75	120	3.5	7	6	9891	7944	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7912.799805	5965.799805	5965.799805	0.8
6730	028	2826	0.06	1424	1	75	120	3.5	7	6	9891	8467	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7912.799805	6488.799805	6488.799805	0.8
6731	035	2800	0.06	1912	1	65	100	3	6	5	8400	6488	RH-1	40	form-based			true	0.7	6	1	5	5	7840	5928	5928	0.933333
6731	056	2972	0.07	1240	1	65	100	3	7	6	8916	7676	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8321.599609	7081.599609	7081.599609	0.933333
6731	057	2818	0.06	1090	1	65	100	3	6	5	8454	7364	RH-1	40	form-based			true	0.7	6	1	5	5	7890.399902	6800.399902	6800.399902	0.933333
6731	058	2664	0.06	991	1	65	100	3	6	5	7992	7001	RH-1	40	form-based			true	0.7	6	1	5	5	7459.199707	6468.199707	6468.199707	0.933333
6732	023	3018	0.07	731	1	75	120	3.5	8	7	10563	9832	RH-1	40	form-based			true	0.7	6	0.75	5	5	8450.399414	7719.399414	7719.399414	0.8
6732	024	2839	0.07	1360	1	75	120	3.5	8	7	9936	8576	RH-1	40	form-based			true	0.7	6	0.75	5	5	7949.199707	6589.199707	6589.199707	0.80004
6732	025	2661	0.06	1580	1	65	100	3	6	5	7983	6403	RH-1	40	form-based			true	0.7	6	1	5	5	7450.799805	5870.799805	5870.799805	0.933333
6732	041	2761	0.06	1408	1	65	100	3	6	5	8283	6875	RH-1	40	form-based			true	0.7	6	1	5	5	7730.799805	6322.799805	6322.799805	0.933333
6732	042	2831	0.06	894	1	65	100	3	6	5	8493	7599	RH-1	40	form-based			true	0.7	6	1	5	5	7926.799805	7032.799805	7032.799805	0.933333
6732	043	3019	0.07	3014	1	65	100	3	7	6	9057	6043	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8453.200195	5439.200195	5439.200195	0.933333
6732	050	3434	0.08	2067	2	75	120	3.5	10	8	12019	9952	RH-1	40	form-based			true	0.7	7	0.699999988	5	5	9615.200195	7548.200195	7548.200195	0.8
6732	054	2982	0.07	2015	1	75	120	3.5	8	7	10437	8422	RH-1	40	form-based			true	0.7	6	0.75	5	5	8349.599609	6334.599609	6334.599609	0.8
6732	064	2986	0.07	1144	1	75	120	3.5	8	7	10451	9307	RH-1	40	form-based			true	0.7	6	0.75	5	5	8360.799805	7216.799805	7216.799805	0.8
6733A	005F	2625	0.06	1050	1	65	100	3	6	5	7875	6825	RH-1	40	form-based			true	0.7	6	1	5	5	7350	6300	6300	0.933333
6733A	005N	2735	0.06	2043	1	65	100	3	6	5	8205	6162	RH-1	40	form-based		true	true	0.7	6	1	5	5	7658	5615	5615	0.933333
6733A	036	2711	0.06	1188	1	65	100	3	6	5	8133	6945	RH-1	40	form-based			true	0.7	6	1	5	5	7590.799805	6402.799805	6402.799805	0.933333
6733A	037	2976	0.07	1716	1	65	100	3	7	6	8928	7212	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8332.799805	6616.799805	6616.799805	0.933333
6733A	038	2937	0.07	2952	1	65	100	3	7	6	8811	5859	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	5271.599609	5271.599609	0.933333
6734	005	3085	0.07	3740	1	65	100	3	7	6	9255	5515	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8638	4898	4898	0.933333
6734	006	2750	0.06	2761	1	65	100	3	6	5	8250	5489	RH-1	40	form-based			true	0.7	6	1	5	5	7700	4939	4939	0.933333
6734	007	3037	0.07	2687	1	65	100	3	7	6	9111	6424	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	5816.599609	5816.599609	0.933333
6734	009	2763	0.06	1592	1	65	100	3	6	5	8289	6697	RH-1	40	form-based			true	0.7	6	1	5	5	7736.399902	6144.399902	6144.399902	0.933333
6734	033	2669	0.06	1830	1	65	100	3	6	5	8007	6177	RH-1	40	form-based			true	0.7	6	1	5	5	7473.199707	5643.199707	5643.199707	0.933333
6735	009	2615	0.06	0	0	65	100	3	6	6	7845	7845	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7322	7322	7322	0.933333
6735	010	2597	0.06	0	0	65	100	3	6	6	7791	7791	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7271.600098	7271.600098	7271.600098	0.933333
6735	011	2579	0.06	0	0	65	100	3	6	6	7737	7737	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7221.199707	7221.199707	7221.199707	0.933333
6735	012	2561	0.06	0	0	65	100	3	6	6	7683	7683	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7170.799805	7170.799805	7170.799805	0.933333
6735	013	2543	0.06	0	0	65	100	3	6	6	7629	7629	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7120.399902	7120.399902	7120.399902	0.933333
6735	014	2525	0.06	0	0	65	100	3	6	6	7575	7575	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7070	7070	7070	0.933333
6735	025	2728	0.06	1237	1	65	100	3	6	5	8184	6947	RH-1	40	form-based			true	0.7	6	1	5	5	7638.399902	6401.399902	6401.399902	0.933333
6735	059	2693	0.06	1672	1	65	100	3	6	5	8079	6407	RH-1	40	form-based			true	0.7	6	1	5	5	7540.399902	5868.399902	5868.399902	0.933333
6735	027	2705	0.06	1386	1	65	100	3	6	5	8115	6729	RH-1	40	form-based			true	0.7	6	1	5	5	7574	6188	6188	0.933333
6735	029	2652	0.06	1221	1	65	100	3	6	5	7956	6735	RH-1	40	form-based			true	0.7	6	1	5	5	7425.600098	6204.600098	6204.600098	0.933333
6735	032	2622	0.06	1760	1	65	100	3	6	5	7866	6106	RH-1	40	form-based			true	0.7	6	1	5	5	7341.600098	5581.600098	5581.600098	0.933333
6735	033	2669	0.06	1608	1	65	100	3	6	5	8007	6399	RH-1	40	form-based			true	0.7	6	1	5	5	7473.199707	5865.199707	5865.199707	0.933333
6735	034	2709	0.06	1200	1	65	100	3	6	5	8127	6927	RH-1	40	form-based			true	0.7	6	1	5	5	7585.199707	6385.199707	6385.199707	0.933333
6735	036	2766	0.06	2028	1	65	100	3	6	5	8298	6270	RH-1	40	form-based			true	0.7	6	1	5	5	7744.799805	5716.799805	5716.799805	0.933333
6735	050	3286	0.08	1580	2	65	100	3	8	6	9858	8278	RH-1	40	form-based			true	0.7	7	0.875	5	5	9200.799805	7620.799805	7620.799805	0.933333
6736	017	2500	0.06	1447	0	65	100	3	6	6	7500	6053	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7000	5553	5553	0.933333
6736	035	2183	0.05	2897	1	75	120	3.5	6	5	7640	4743	RH-1	50	form-based			true	0.7	6	1	5	5	7640.5	4743.5	4743.5	1.000065
6736	036	2086	0.05	2990	1	75	120	3.5	6	5	7301	4311	RH-1	50	form-based			true	0.7	6	1	5	5	7301	4311	4311	1
6736	037	2004	0.05	2889	1	75	120	3.5	6	5	7014	4125	RH-1	50	form-based			true	0.7	6	1	5	5	7014	4125	4125	1
6738	003	1967	0.05	1774	1	75	120	3.5	6	5	6884	5110	RH-1	50	form-based			true	0.7	6	1	5	5	6884.5	5110.5	5110.5	1.000073
6738	015	2250	0.05	2650	1	75	120	3.5	6	5	7875	5225	RH-1	50	form-based			true	0.7	6	1	5	5	7875	5225	5225	1
6738	024	2285	0.05	2705	1	75	120	3.5	6	5	7998	5293	RH-1	50	form-based		true	true	0.7	6	1	5	5	7997.5	5292.5	5292.5	0.999937

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6739	015	2175	0.05	1460	1	75	120	3.5	6	5	7612	6152	RH-1	50	form-based			true	0.7	6	1	5	5	7612.5	6152.5	6152.5	1.000066
6739	018A	2200	0.05	864	1	75	120	3.5	6	5	7700	6836	RH-1	50	form-based			true	0.7	6	1	5	5	7700	6836	6836	1
6739	024	2267	0.05	975	1	75	120	3.5	6	5	7934	6959	RH-1	50	form-based			true	0.7	6	1	5	5	7934.5	6959.5	6959.5	1.000063
6740	004	2130	0.05	1307	1	75	120	3.5	6	5	7455	6148	RH-2	50	form-based			true	0.7	6	1	5	5	7455	6148	6148	1
6740	008	2476	0.06	2200	2	75	120	3.5	7	5	8666	6466	RH-2	50	form-based			true	0.7	7	1	5	5	8666	6466	6466	1
6740	010	2427	0.06	1530	2	75	120	3.5	7	5	8494	6964	RH-2	50	form-based			true	0.7	7	1	5	5	8494.5	6964.5	6964.5	1.000059
6740	017	1877	0.04	2391	2	75	120	3.5	5	3	6570	4179	NCT-GLEN	65	form-based			true	0.75	7	1.399999976	5	5	8446.5	6055.5	6055.5	1.285616
6740	025	2315	0.05	1493	1	75	120	3.5	6	5	8102	6609	RH-2	50	form-based			true	0.7	6	1	5	5	8102.5	6609.5	6609.5	1.000062
6740	026	2476	0.06	1262	2	75	120	3.5	7	5	8666	7404	RH-2	50	form-based			true	0.7	7	1	5	5	8666	7404	7404	1
6741	001A	2132	0.05	1022	1	75	120	3.5	6	5	7462	6440	RH-2	50	form-based			true	0.7	6	1	5	5	7462	6440	6440	1
6741	005	2217	0.05	1482	1	75	120	3.5	6	5	7760	6278	RH-2	50	form-based			true	0.7	6	1	5	5	7759.5	6277.5	6277.5	0.999936
6741	022	2273	0.05	1358	1	75	120	3.5	6	5	7956	6598	RH-2	50	form-based			true	0.7	6	1	5	5	7955.5	6597.5	6597.5	0.999937
6742	019	2130	0.05	3482	3	75	120	3.5	6	3	7455	3973	NCT-GLEN	65	form-based			true	0.75	8	1.333333373	5	5	9585	6103	6103	1.285714
6742	020	1916	0.04	4338	2	75	120	3.5	5	3	6706	2368	NCT-GLEN	65	form-based			true	0.75	7	1.399999976	5	5	8622	4284	4284	1.285714
6742	021	2527	0.06	3150	4	75	120	3.5	7	3	8844	5694	NCT-GLEN	65	form-based			true	0.75	9	1.285714269	5	5	11371.5	8221.5	8221.5	1.285787
6743	018	2500	0.06	2676	2	75	120	3.5	7	5	8750	6074	RH-1	50	form-based		true	true	0.7	7	1	5	5	8750	6074	6074	1
6746	028	1768	0.04	3293	2	75	120	3.5	5	3	6188	2895	NCT-GLEN	65	form-based		true	true	0.75	7	1.399999976	5	5	7956	4663	4663	1.285714
6748	044	2500	0.06	1425	1	65	100	3	6	5	7500	6075	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	7000	5575	5575	0.933333
6750	050	3468	0.08	1995	1	65	100	3	8	7	10404	8409	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9710.399414	7715.399414	7715.399414	0.933333
6751	001	1832	0.04	1276	1	75	120	3.5	5	4	6412	5136	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	5129.600098	3853.600098	3853.600098	0.8
6751	023	1875	0.04	1008	1	75	120	3.5	5	4	6562	5554	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5250	4242	4242	0.800061
6752	001	1818	0.04	1200	1	75	120	3.5	5	4	6363	5163	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	5090.399902	3890.399902	3890.399902	0.8
6752	027	1209	0.03	660	1	75	120	3.5	4	3	4232	3572	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	3385.199951	2725.199951	2725.199951	0.799905
6752	047	1586	0.04	1200	1	75	120	3.5	5	4	5551	4351	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	4440.799805	3240.799805	3240.799805	0.8
6752	060	3360	0.08	1312	1	75	120	3.5	10	9	11760	10448	RH-1	40	density-lim	3000	true		0.7	6	0.600000024	5	5	9408	8096	8096	0.8
6752	063	2313	0.05	1733	1	75	120	3.5	6	5	8096	6363	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6476.399902	4743.399902	4743.399902	0.799951
6752	065	3820	0.09	2192	1	75	120	3.5	11	10	13370	11178	RH-1	40	density-lim	3000	true		0.7	6	0.545454562	5	5	10696	8504	8504	0.8
6752	066	2643	0.06	904	1	75	120	3.5	7	6	9250	8346	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	7400.399902	6496.399902	6496.399902	0.800043
6753	028	2916	0.07	2014	1	75	120	3.5	8	7	10206	8192	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	8164.799805	6150.799805	6150.799805	0.8
6753	058	2179	0.05	1100	1	75	120	3.5	6	5	7626	6526	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6101.199707	5001.199707	5001.199707	0.800052
6753	066	1250	0.03	875	1	75	120	3.5	4	3	4375	3500	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	3500	2625	2625	0.8
6754	056	2309	0.05	1299	1	75	120	3.5	6	5	8082	6783	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6465.199707	5166.199707	5166.199707	0.79995
6754	025A	1875	0.04	1250	1	75	120	3.5	5	4	6562	5312	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5250	4000	4000	0.800061
6754	032	2738	0.06	1630	1	75	120	3.5	7	6	9583	7953	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	7666.399902	6036.399902	6036.399902	0.8
6758	035	2500	0.06	780	2	75	120	3.5	7	5	8750	7970	RH-2	50	form-based			true	0.7	7	1	5	5	8750	7970	7970	1
6759	024	2991	0.07	1454	1	75	120	3.5	8	7	10468	9014	RH-1	40	form-based			true	0.7	6	0.75	5	5	8374.799805	6920.799805	6920.799805	0.800038
6760	003	2708	0.06	2020	1	75	120	3.5	7	6	9478	7458	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7582.399902	5562.399902	5562.399902	0.8
6760	024	2681	0.06	1180	1	65	100	3	6	5	8043	6863	RH-1	40	form-based			true	0.7	6	1	5	5	7506.799805	6326.799805	6326.799805	0.933333
6760	026	3024	0.07	1860	1	65	100	3	7	6	9072	7212	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8467.200195	6607.200195	6607.200195	0.933333
6760	027	3000	0.07	886	1	65	100	3	7	6	9000	8114	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7514	7514	0.933333
6760	029	3000	0.07	908	1	65	100	3	7	6	9000	8092	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7492	7492	0.933333
6760	030	3000	0.07	1015	1	65	100	3	7	6	9000	7985	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7385	7385	0.933333
6760	031	3000	0.07	840	1	75	120	3.5	8	7	10500	9660	RH-1	40	form-based			true	0.7	6	0.75	5	5	8400	7560	7560	0.8
6761	001	2678	0.06	1090	1	65	100	3	6	5	8034	6944	RH-1	40	form-based		true	true	0.7	6	1	5	5	7498.399902	6408.399902	6408.399902	0.933333
6761	009	2681	0.06	907	1	65	100	3	6	5	8043	7136	RH-1	40	form-based			true	0.7	6	1	5	5	7506.799805	6599.799805	6599.799805	0.933333
6761	010	2796	0.06	907	1	65	100	3	6	5	8388	7481	RH-1	40	form-based			true	0.7	6	1	5	5	7828.799805	6921.799805	6921.799805	0.933333
6761	011	2910	0.07	907	1	65	100	3	7	6	8730	7823	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8148	7241	7241	0.933333
6761	012	3025	0.07	907	1	65	100	3	7	6	9075	8168	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8470	7563	7563	0.933333
6761	022	2481	0.06	0	0	65	100	3	6	6	7443	7443	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	6946.799805	6946.799805	6946.799805	0.933333
6761	023	2187	0.05	0	0	65	100	3	5	5	6561	6561	RH-1	40	form-based			true	0.7	5	1	5	5	6123.600098	6123.600098	6123.600098	0.933333
6761	025	3089	0.07	1767	1	65	100	3	7	6	9267	7500	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8649.200195	6882.200195	6882.200195	0.933333
6762	026	2940	0.07	2080	1	65	100	3	7	6	8820	6740	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8232	6152	6152	0.933333
6762	028	2792	0.06	1614	1	65	100	3	6	5	8376	6762	RH-1	40	form-based			true	0.7	6	1	5	5	7817.600098	6203.600098	6203.600098	0.933333
6763	008	3304	0.08	2308	2	65	100	3	8	6	9912	7604	RH-1	40	form-based			true	0.7	7	0.875	5	5	9251.200195	6943.200195	6943.200195	0.933333
6763	016	2626	0.06	600	1	65	100	3	6	5	7878	7278	RH-1	40	form-based			true	0.7	6	1	5	5	7352.799805	6752.799805	6752.799805	0.933333
6763	030	2700	0.06	747	1	65	100	3	6	5	8100	7353	RH-1	40	form-based			true	0.7	6	1	5	5	7560	6813	6813	0.933333
6763	031	2937	0.07	2285	1	65	100	3	7	6	8811	6526	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	5938.599609	5938.599609	0.933333
6763	039	2649	0.06	1425	1	65	100	3	6	5	7947	6522	RH-1	40	form-based			true	0.7	6	1	5	5	7417.199707	5992.199707	5992.199707	0.933333
6764	001	2860	0.07	2940	1	65	100	3	7	6	8580	5640	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8008	5068	5068	0.933333
6765	017	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7000	7000	7000	0.933333
6765	042	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7000	7000	7000	0.933333
6765	043	2500	0.06	870	0	65	100	3	6	6	7500	6630	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7000	6130	6130	0.933333
6766	052	2500	0.06	3385	0	65	100	3	6	6	7500	4115	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7000	3615	3615	0.933333
6767	004	1055	0.02	1690	1	75	120	3.5	2	1	3692	2002	RTO-C	85	form-based			true	0.75	6	3	5	3	6330	4640	4640	1.714518

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6767	005	1209	0.03	1234	1	75	120	3.5	4	3	4232	2998	RTO-C	85	form-based			true	0.75	6	1.5	5	5	7254	6020	6020	1.714083
6767	014	2467	0.06	2204	2	75	120	3.5	7	5	8634	6430	RH-2	50	form-based			true	0.7	7	1	5	5	8634.5	6430.5	6430.5	1.000058
6768	011	2003	0.05	1492	1	75	120	3.5	6	5	7010	5518	RH-2	50	form-based			true	0.7	6	1	5	5	7010.5	5518.5	5518.5	1.000071
6768	016	2634	0.06	2302	2	75	120	3.5	7	5	9219	6917	RH-2	50	form-based			true	0.7	7	1	5	5	9219	6917	6917	1
6768	018	2623	0.06	974	1	75	120	3.5	7	6	9180	8206	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7344.399902	6370.399902	6370.399902	0.800044
6768	026	2500	0.06	1052	2	75	120	3.5	7	5	8750	7698	RH-1	50	form-based			true	0.7	7	1	5	5	8750	7698	7698	1
6768	030	2500	0.06	1869	2	75	120	3.5	7	5	8750	6881	RH-2	50	form-based			true	0.7	7	1	5	5	8750	6881	6881	1
6768	039	1112	0.03	2100	1	75	120	3.5	4	3	3892	1792	NCT-GLEN	85	form-based			true	0.75	6	1.5	5	5	6672	4572	4572	1.714286
6768	041	2645	0.06	3203	2	75	120	3.5	7	5	9258	6055	RH-2	50	form-based			true	0.7	7	1	5	5	9257.5	6054.5	6054.5	0.999946
6768	042	2605	0.06	2750	2	75	120	3.5	7	5	9118	6368	RH-2	50	form-based			true	0.7	7	1	5	5	9117.5	6367.5	6367.5	0.999945
6769	061	2500	0.06	1173	0	65	100	3	6	6	7500	6327	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7000	5827	5827	0.933333
6769	062	2500	0.06	1560	0	65	100	3	6	6	7500	5940	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7000	5440	5440	0.933333
6770	018	2474	0.06	0	0	65	100	3	6	6	7422	7422	RH-2	40	form-based			true	0.7	5	0.833333313	5	5	6927.199707	6927.199707	6927.199707	0.933333
6770	019	2976	0.07	2275	1	65	100	3	7	6	8928	6653	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8332.799805	6057.799805	6057.799805	0.933333
6770	040	2550	0.06	415	0	65	100	3	6	6	7650	7235	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7140	6725	6725	0.933333
6770	044	2559	0.06	0	0	65	100	3	6	6	7677	7677	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7165.199707	7165.199707	7165.199707	0.933333
6770	057	8166	0.19	2037	0	65	100	3	19	19	24498	22461	RH-2	40	density-lin	1500			0.7	5	0.263157904	5	5	22864.79883	20827.79883	20827.79883	0.933333
6771	007	2762	0.06	616	1	65	100	3	6	5	8286	7670	RH-1	40	form-based			true	0.7	6	1	5	5	7733.600098	7117.600098	7117.600098	0.933333
6771	008	2764	0.06	2293	1	65	100	3	6	5	8292	5999	RH-1	40	form-based			true	0.7	6	1	5	5	7739.199707	5446.199707	5446.199707	0.933333
6771	009	2765	0.06	704	1	65	100	3	6	5	8295	7591	RH-1	40	form-based			true	0.7	6	1	5	5	7742	7038	7038	0.933333
6771	010	2767	0.06	825	1	65	100	3	6	5	8301	7476	RH-1	40	form-based			true	0.7	6	1	5	5	7747.600098	6922.600098	6922.600098	0.933333
6771	011	2769	0.06	825	1	65	100	3	6	5	8307	7482	RH-1	40	form-based			true	0.7	6	1	5	5	7753.199707	6928.199707	6928.199707	0.933333
6771	012	2771	0.06	1026	1	65	100	3	6	5	8313	7287	RH-1	40	form-based			true	0.7	6	1	5	5	7758.799805	6732.799805	6732.799805	0.933333
6771	013	2773	0.06	966	1	65	100	3	6	5	8319	7353	RH-1	40	form-based			true	0.7	6	1	5	5	7764.399902	6798.399902	6798.399902	0.933333
6771	015	2776	0.06	1750	1	65	100	3	6	5	8328	6578	RH-1	40	form-based			true	0.7	6	1	5	5	7772.799805	6022.799805	6022.799805	0.933333
6771	016	2778	0.06	1330	1	65	100	3	6	5	8334	7004	RH-1	40	form-based			true	0.7	6	1	5	5	7778.399902	6448.399902	6448.399902	0.933333
6771	017	2780	0.06	1116	1	65	100	3	6	5	8340	7224	RH-1	40	form-based			true	0.7	6	1	5	5	7784	6668	6668	0.933333
6771	018	2781	0.06	1350	1	65	100	3	6	5	8343	6993	RH-1	40	form-based			true	0.7	6	1	5	5	7786.799805	6436.799805	6436.799805	0.933333
6771	019	2783	0.06	1180	1	65	100	3	6	5	8349	7169	RH-1	40	form-based			true	0.7	6	1	5	5	7792.399902	6612.399902	6612.399902	0.933333
6771	020	2785	0.06	1040	1	65	100	3	6	5	8355	7315	RH-1	40	form-based			true	0.7	6	1	5	5	7798	6758	6758	0.933333
6771	021	2787	0.06	1723	1	65	100	3	6	5	8361	6638	RH-1	40	form-based			true	0.7	6	1	5	5	7803.600098	6080.600098	6080.600098	0.933333
6771	022	2789	0.06	1338	1	65	100	3	6	5	8367	7029	RH-1	40	form-based			true	0.7	6	1	5	5	7809.199707	6471.199707	6471.199707	0.933333
6771	033	2827	0.06	1225	1	65	100	3	6	5	8481	7256	RH-2	40	form-based			true	0.7	6	1	5	5	7915.600098	6690.600098	6690.600098	0.933333
6771	034	2829	0.06	1500	1	65	100	3	6	5	8487	6987	RH-2	40	form-based			true	0.7	6	1	5	5	7921.199707	6421.199707	6421.199707	0.933333
6771	035	2832	0.07	1399	1	65	100	3	7	6	8496	7097	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7929.600098	6530.600098	6530.600098	0.933333
6771	036	2834	0.07	2100	1	65	100	3	7	6	8502	6402	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7935.199707	5835.199707	5835.199707	0.933333
6771	037	2836	0.07	1125	1	65	100	3	7	6	8508	7383	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7940.799805	6815.799805	6815.799805	0.933333
6771	038	2839	0.07	1125	1	65	100	3	7	6	8517	7392	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7949.199707	6824.199707	6824.199707	0.933333
6771	039	2841	0.07	1059	1	65	100	3	7	6	8523	7464	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7954.799805	6895.799805	6895.799805	0.933333
6771	041	2846	0.07	1675	1	65	100	3	7	6	8538	6863	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	6293.799805	6293.799805	0.933333
6771	042	2849	0.07	2142	1	65	100	3	7	6	8547	6405	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7977.199707	5835.199707	5835.199707	0.933333
6771	043	2851	0.07	2078	1	65	100	3	7	6	8553	6475	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7982.799805	5904.799805	5904.799805	0.933333
6771	044	2854	0.07	1577	1	65	100	3	7	6	8562	6985	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7991.199707	6414.199707	6414.199707	0.933333
6771	045	2856	0.07	1200	1	65	100	3	7	6	8568	7368	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7996.799805	6796.799805	6796.799805	0.933333
6771	046	2858	0.07	2812	1	65	100	3	7	6	8574	5762	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8002.399902	5190.399902	5190.399902	0.933333
6772	009	2832	0.07	1858	1	65	100	3	7	6	8496	6638	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7929.600098	6071.600098	6071.600098	0.933333
6772	010	2725	0.06	1075	1	65	100	3	6	5	8175	7100	RH-1	40	form-based	true		true	0.7	6	1	5	5	7630	6555	6555	0.933333
6772	011	2731	0.06	1225	1	65	100	3	6	5	8193	6968	RH-1	40	form-based			true	0.7	6	1	5	5	7646.799805	6421.799805	6421.799805	0.933333
6772	012	2733	0.06	1260	1	65	100	3	6	5	8199	6939	RH-1	40	form-based			true	0.7	6	1	5	5	7652.399902	6392.399902	6392.399902	0.933333
6772	013	2735	0.06	1496	1	65	100	3	6	5	8205	6709	RH-1	40	form-based			true	0.7	6	1	5	5	7658	6162	6162	0.933333
6772	014	2736	0.06	1240	1	65	100	3	6	5	8208	6968	RH-1	40	form-based			true	0.7	6	1	5	5	7660.799805	6420.799805	6420.799805	0.933333
6772	015	2738	0.06	1401	1	65	100	3	6	5	8214	6813	RH-1	40	form-based			true	0.7	6	1	5	5	7666.399902	6265.399902	6265.399902	0.933333
6772	016	2740	0.06	1344	1	65	100	3	6	5	8220	6876	RH-1	40	form-based			true	0.7	6	1	5	5	7672	6328	6328	0.933333
6772	017	2742	0.06	1344	1	65	100	3	6	5	8226	6882	RH-1	40	form-based			true	0.7	6	1	5	5	7677.600098	6333.600098	6333.600098	0.933333
6772	027	2915	0.07	1411	1	65	100	3	7	6	8745	7334	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8162	6751	6751	0.933333
6772	028	2911	0.07	1075	1	65	100	3	7	6	8733	7658	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8150.799805	7075.799805	7075.799805	0.933333
6772	029	2907	0.07	1315	1	65	100	3	7	6	8721	7406	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8139.600098	6824.600098	6824.600098	0.933333
6772	030	2903	0.07	1291	1	65	100	3	7	6	8709	7418	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8128.399902	6837.399902	6837.399902	0.933333
6772	031	2899	0.07	1075	1	65	100	3	7	6	8697	7622	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8117.199707	7042.199707	7042.199707	0.933333
6772	032	2895	0.07	1075	1	65	100	3	7	6	8685	7610	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8106	7031	7031	0.933333
6772	033	2891	0.07	1678	1	65	100	3	7	6	8673	6995	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8094.799805	6416.799805	6416.799805	0.933333
6772	034	2887	0.07	1629	1	65	100	3	7	6	8661	7032	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8083.600098	6454.600098	6454.600098	0.933333
6772	046	3042	0.07	2436	1	75	120	3.5	8	7	10647	8211	RH-2	40	form-based	true		true	0.7	6	0.75	5	5	8517.599609	6081.599609	6081.599609	0.8
6774	006	2643	0.06	888	1	65	100	3	6	5	7929	7041	RH-1	40	form-based			true	0.7	6	1	5	5	7400.399902	6512.399902	6512.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6774	011	2761	0.06	1441	1	65	100	3	6	5	8283	6842	RH-1	40	form-based		true	true	0.7	6	1	5	5	7730.799805	6289.799805	6289.799805	0.933333
6774	012	2813	0.06	2270	1	65	100	3	6	5	8439	6169	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	5606.399902	5606.399902	0.933333
6774	013	2813	0.06	980	1	65	100	3	6	5	8439	7459	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6896.399902	6896.399902	0.933333
6774	014	2813	0.06	1356	1	65	100	3	6	5	8439	7083	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6520.399902	6520.399902	0.933333
6774	018	2813	0.06	1133	1	65	100	3	6	5	8439	7306	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6743.399902	6743.399902	0.933333
6774	019	2813	0.06	1568	1	65	100	3	6	5	8439	6871	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6308.399902	6308.399902	0.933333
6774	020	2813	0.06	1465	1	65	100	3	6	5	8439	6974	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6411.399902	6411.399902	0.933333
6774	021	2813	0.06	1000	1	65	100	3	6	5	8439	7439	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6876.399902	6876.399902	0.933333
6774	022	2813	0.06	1350	1	65	100	3	6	5	8439	7089	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6526.399902	6526.399902	0.933333
6774	032	2811	0.06	1230	1	65	100	3	6	5	8433	7203	RH-1	40	form-based			true	0.7	6	1	5	5	7870.799805	6640.799805	6640.799805	0.933333
6774	033	2809	0.06	1056	1	65	100	3	6	5	8427	7371	RH-1	40	form-based			true	0.7	6	1	5	5	7865.199707	6809.199707	6809.199707	0.933333
6774	034	2808	0.06	1000	1	65	100	3	6	5	8424	7424	RH-1	40	form-based			true	0.7	6	1	5	5	7862.399902	6862.399902	6862.399902	0.933333
6774	036	2805	0.06	2192	1	65	100	3	6	5	8415	6223	RH-1	40	form-based			true	0.7	6	1	5	5	7854	5662	5662	0.933333
6774	037	2804	0.06	930	1	65	100	3	6	5	8412	7482	RH-1	40	form-based			true	0.7	6	1	5	5	7851.199707	6921.199707	6921.199707	0.933333
6774	038	2802	0.06	930	1	65	100	3	6	5	8406	7476	RH-1	40	form-based			true	0.7	6	1	5	5	7845.600098	6915.600098	6915.600098	0.933333
6774	039	2801	0.06	1369	1	65	100	3	6	5	8403	7034	RH-1	40	form-based			true	0.7	6	1	5	5	7842.799805	6473.799805	6473.799805	0.933333
6774	040	2800	0.06	930	1	65	100	3	6	5	8400	7470	RH-1	40	form-based			true	0.7	6	1	5	5	7840	6910	6910	0.933333
6774	041	2798	0.06	1160	1	65	100	3	6	5	8394	7234	RH-1	40	form-based			true	0.7	6	1	5	5	7834.399902	6674.399902	6674.399902	0.933333
6774	042	2797	0.06	1329	1	65	100	3	6	5	8391	7062	RH-1	40	form-based			true	0.7	6	1	5	5	7831.600098	6502.600098	6502.600098	0.933333
6774	043	2795	0.06	970	1	65	100	3	6	5	8385	7415	RH-1	40	form-based			true	0.7	6	1	5	5	7826	6856	6856	0.933333
6774	044	2794	0.06	1915	1	65	100	3	6	5	8382	6467	RH-1	40	form-based			true	0.7	6	1	5	5	7823.199707	5908.199707	5908.199707	0.933333
6774	045	3574	0.08	2740	3	65	100	3	8	5	10722	7982	RH-1	40	form-based			true	0.7	8	1	5	5	10007.2002	7267.200195	7267.200195	0.933333
6776	001	3201	0.07	3328	2	65	100	3	7	5	9603	6275	RH-1	40	form-based		true	true	0.7	7	1	5	5	8962.799805	5634.799805	5634.799805	0.933333
6778	001	3099	0.07	1375	1	65	100	3	7	6	9297	7922	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8677.200195	7302.200195	7302.200195	0.933333
6778	002	3148	0.07	1305	1	65	100	3	7	6	9444	8139	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8814.399414	7509.399414	7509.399414	0.933333
6778	017	2224	0.05	1125	1	65	100	3	5	4	6672	5547	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6227.199707	5102.199707	5102.199707	0.933333
6778	024	2786	0.06	1522	1	85	140	4	8	7	11144	9622	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	7800.799805	6278.799805	6278.799805	0.7
6779	023	4092	0.09	2762	1	65	100	3	9	8	12276	9514	RH-1	40	density-lim	3000	true		0.7	6	0.666666687	5	5	11457.59961	8695.599609	8695.599609	0.933333
6779	056	3365	0.08	1465	1	65	100	3	8	7	10095	8630	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9422	7957	7957	0.933333
6779	073	2838	0.07	1830	1	65	100	3	7	6	8514	6684	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	7946.399902	6116.399902	6116.399902	0.933333
6780	004	2442	0.06	1830	1	65	100	3	6	5	7326	5496	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6837.600098	5007.600098	5007.600098	0.933333
6780	020A	1955	0.04	1150	1	65	100	3	4	3	5865	4715	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5474	4324	4324	0.933333
6780	020H	2625	0.06	1175	1	65	100	3	6	5	7875	6700	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7350	6175	6175	0.933333
6780	048	2895	0.07	1400	1	65	100	3	7	6	8685	7285	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8106	6706	6706	0.933333
6781	018A	2418	0.06	1175	1	75	120	3.5	7	6	8463	7288	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	6770.399902	5595.399902	5595.399902	0.8
6781	018F	2097	0.05	1275	1	65	100	3	5	4	6291	5016	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5871.600098	4596.600098	4596.600098	0.933333
6781	045	2412	0.06	1574	1	75	120	3.5	7	6	8442	6868	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	6753.600098	5179.600098	5179.600098	0.8
6781	048	1385	0.03	1242	1	75	120	3.5	4	3	4848	3606	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	3878	2636	2636	0.799918
6782	014	1751	0.04	1300	1	75	120	3.5	5	4	6128	4828	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	4902.799805	3602.799805	3602.799805	0.800065
6782	021	1487	0.03	665	1	75	120	3.5	4	3	5204	4539	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4163.600098	3498.600098	3498.600098	0.800077
6783	002	1944	0.04	2134	1	75	120	3.5	5	4	6804	4670	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5443.199707	3309.199707	3309.199707	0.8
6783	003	4282	0.1	1750	1	75	120	3.5	12	11	14987	13237	RH-1	40	density-lim	3000	true		0.7	6	0.5	5	5	11989.59961	10239.59961	10239.59961	0.8
6783	011	2463	0.06	1058	1	75	120	3.5	7	6	8620	7562	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	6896.399902	5838.399902	5838.399902	0.800046
6783	022	2567	0.06	1058	1	75	120	3.5	7	6	8984	7926	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	7187.600098	6129.600098	6129.600098	0.800045
6784	003	2560	0.06	1774	1	75	120	3.5	7	6	8960	7186	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	7168	5394	5394	0.8
6784	016	2590	0.06	1550	1	75	120	3.5	7	6	9065	7515	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	7252	5702	5702	0.8
6784	022	2330	0.05	1250	1	75	120	3.5	6	5	8155	6905	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6524	5274	5274	0.8
6784	034	7500	0.17	1791	1	75	120	3.5	20	19	26250	24459	RH-1	40	density-lim	3000	true		0.7	6	0.300000012	5	5	21000	19209	19209	0.8
6785	003	2500	0.06	1350	1	75	120	3.5	7	6	8750	7400	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	7000	5650	5650	0.8
6785	009A	1847	0.04	1200	1	75	120	3.5	5	4	6464	5264	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5171.600098	3971.600098	3971.600098	0.800062
6785	016	2419	0.06	1891	1	75	120	3.5	7	6	8466	6575	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	6773.199707	4882.199707	4882.199707	0.800047
6785	022	2486	0.06	2162	1	75	120	3.5	7	6	8701	6539	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	6960.799805	4798.799805	4798.799805	0.8
6786	009B	2692	0.06	1750	1	75	120	3.5	7	6	9422	7672	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	7537.600098	5787.600098	5787.600098	0.8
6786	012	1868	0.04	744	1	75	120	3.5	5	4	6538	5794	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5230.399902	4486.399902	4486.399902	0.8
6786	029A	1405	0.03	1200	1	75	120	3.5	4	3	4918	3718	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	3934	2734	2734	0.799919
6786	032	2303	0.05	1420	1	75	120	3.5	6	5	8060	6640	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6448.399902	5028.399902	5028.399902	0.80005
6786	086	2015	0.05	1475	1	75	120	3.5	6	5	7052	5577	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	5642	4167	4167	0.800057
6786	090	1353	0.03	1050	1	75	120	3.5	4	3	4736	3686	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	3788.399902	2738.399902	2738.399902	0.799915
6793	009	4153	0.1	3900	0	85	140	4	14	14	16612	12712	NC-1	40	density-lim	800			0.75	5	0.357142866	5	5	12459	8559	8559	0.75
6794	001	3161	0.07	1817	1	65	100	3	7	6	9483	7666	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8850.799805	7033.799805	7033.799805	0.933333
6794	013	2965	0.07	1475	1	65	100	3	7	6	8895	7420	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8302	6827	6827	0.933333
6794	021	2870	0.07	1160	1	65	100	3	7	6	8610	7450	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8036	6876	6876	0.933333
6795A	002	3714	0.09	2215	1	65	100	3	9	8	11142	8927	RH-1	40	density-lim	3000	true		0.7	6	0.666666687	5	5	10399.2002	8184.200195	8184.200195	0.933333
6795A	025	1706	0.04	1200	1	65	100	3	4	3	5118	3918	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4776.799805	3576.799805	3576.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6795C	002F	1748	0.04	1120	1	65	100	3	4	3	5244	4124	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4894.399902	3774.399902	3774.399902	0.933333
6795C	006	2311	0.05	1225	1	65	100	3	5	4	6933	5708	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6470.799805	5245.799805	5245.799805	0.933333
6795C	024	1994	0.05	1525	1	65	100	3	5	4	5982	4457	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5583.199707	4058.199707	4058.199707	0.933333
6795C	027	2283	0.05	1751	1	65	100	3	5	4	6849	5098	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6392.399902	4641.399902	4641.399902	0.933333
6795D	001	2424	0.06	1450	1	75	120	3.5	7	6	8484	7034	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	6787.199707	5337.199707	5337.199707	0.8
6795D	014	2346	0.05	1585	1	65	100	3	5	4	7038	5453	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6568.799805	4983.799805	4983.799805	0.933333
6795D	017	2358	0.05	1926	1	65	100	3	5	4	7074	5148	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6602.399902	4676.399902	4676.399902	0.933333
6795D	024	2000	0.05	1709	1	65	100	3	5	4	6000	4291	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5600	3891	3891	0.933333
6795D	027A	1538	0.04	918	1	65	100	3	4	3	4614	3696	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4306.399902	3388.399902	3388.399902	0.933333
6795D	034	2365	0.05	1833	1	65	100	3	5	4	7095	5262	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6622	4789	4789	0.933333
6795D	035	3311	0.08	1901	1	65	100	3	8	7	9933	8032	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9270.799805	7369.799805	7369.799805	0.933333
6795D	044	2113	0.05	2253	1	65	100	3	5	4	6339	4086	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5916.399902	3663.399902	3663.399902	0.933333
6796	021	14275	0.33	7854	0	65	100	3	33	33	42825	34971	RH-1	40	density-lim	3000			0.7	5	0.151515156	5	5	39970	32116	32116	0.933333
6796	051	5000	0.11	7450	3	65	100	3	11	8	15000	7550	NCD-EXCE	40	density-lim	600			0.75	8	0.727272749	5	5	15000	7550	7550	1
6797	024	1831	0.04	1372	1	65	100	3	4	3	5493	4121	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5126.799805	3754.799805	3754.799805	0.933333
6797	027A	2370	0.05	1120	1	65	100	3	5	4	7110	5990	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6636	5516	5516	0.933333
6798	021A	2461	0.06	1180	1	65	100	3	6	5	7383	6203	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6890.799805	5710.799805	5710.799805	0.933333
6798	023	1503	0.03	1100	1	65	100	3	3	2	4509	3409	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4208.399902	3108.399902	3108.399902	0.933333
6799	020	2506	0.06	2525	1	65	100	3	6	5	7518	4993	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7016.799805	4491.799805	4491.799805	0.933333
6799	040	1253	0.03	575	1	65	100	3	3	2	3759	3184	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	3508.399902	2933.399902	2933.399902	0.933333
6800	019	2680	0.06	1460	1	65	100	3	6	5	8040	6580	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7504	6044	6044	0.933333
6800	025	2184	0.05	1940	1	75	120	3.5	6	5	7644	5704	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6115.199707	4175.199707	4175.199707	0.8
6801	001	1536	0.04	1574	1	75	120	3.5	5	4	5376	3802	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	4300.799805	2726.799805	2726.799805	0.8
6801	015	2090	0.05	1550	1	65	100	3	5	4	6270	4720	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5852	4302	4302	0.933333
6801	021	2844	0.07	1395	1	75	120	3.5	8	7	9954	8559	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	7963.199707	6568.199707	6568.199707	0.8
6802	015	2182	0.05	1670	1	65	100	3	5	4	6546	4876	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6109.600098	4439.600098	4439.600098	0.933333
6802	017	2636	0.06	1736	1	65	100	3	6	5	7908	6172	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7380.799805	5644.799805	5644.799805	0.933333
6803	014	2242	0.05	1488	1	65	100	3	5	4	6726	5238	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6277.600098	4789.600098	4789.600098	0.933333
6803	018	1921	0.04	1651	1	65	100	3	4	3	5763	4112	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5378.799805	3727.799805	3727.799805	0.933333
6804	016	2306	0.05	1290	1	75	120	3.5	6	5	8071	6781	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6456.799805	5166.799805	5166.799805	0.8
6908	016	7735	0.18	3180	1	65	100	3	18	17	23205	20025	RH-1(D)	40	density-lim	3000	true		0.7	6	0.333333343	5	5	21658	18478	18478	0.933333
6933	005	2815	0.06	1530	1	85	140	4	8	7	11260	9730	RH-1	40	form-based			true	0.7	6	0.75	5	5	7882	6352	6352	0.7
6915	034A	2536	0.06	3120	0	65	100	3	6	6	7608	4488	RH-1(D)	40	form-based			true	0.7	5	0.833333313	5	5	7100.799805	3980.799805	3980.799805	0.933333
6933	006	2815	0.06	1250	1	65	100	3	6	5	8445	7195	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6632	6632	0.933333
6933	008	2815	0.06	880	1	65	100	3	6	5	8445	7565	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7002	7002	0.933333
6933	009	2815	0.06	2136	1	65	100	3	6	5	8445	6309	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5746	5746	0.933333
6933	010	2815	0.06	1338	1	65	100	3	6	5	8445	7107	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6544	6544	0.933333
6933	020	2810	0.06	1495	1	65	100	3	6	5	8430	6935	RH-1	40	form-based			true	0.7	6	1	5	5	7868	6373	6373	0.933333
6933	021	2811	0.06	1375	1	65	100	3	6	5	8433	7058	RH-1	40	form-based			true	0.7	6	1	5	5	7870.799805	6495.799805	6495.799805	0.933333
6933	022	2813	0.06	1425	1	65	100	3	6	5	8439	7014	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6451.399902	6451.399902	0.933333
6933	023	2815	0.06	1885	1	65	100	3	6	5	8445	6560	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5997	5997	0.933333
6933	024	2816	0.06	1922	1	65	100	3	6	5	8448	6526	RH-1	40	form-based			true	0.7	6	1	5	5	7884.799805	5962.799805	5962.799805	0.933333
6933	025	2818	0.06	1375	1	65	100	3	6	5	8454	7079	RH-1	40	form-based			true	0.7	6	1	5	5	7890.399902	6515.399902	6515.399902	0.933333
6933	002	2815	0.06	1250	1	85	140	4	8	7	11260	10010	RH-1	40	form-based			true	0.7	6	0.75	5	5	7882	6632	6632	0.7
6933	003	2815	0.06	800	1	85	140	4	8	7	11260	10460	RH-1	40	form-based			true	0.7	6	0.75	5	5	7882	7082	7082	0.7
6933	004	2815	0.06	1810	1	85	140	4	8	7	11260	9450	RH-1	40	form-based			true	0.7	6	0.75	5	5	7882	6072	6072	0.7
6933	026	2819	0.06	700	1	65	100	3	6	5	8457	7757	RH-1	40	form-based			true	0.7	6	1	5	5	7893.199707	7193.199707	7193.199707	0.933333
6933	027	2821	0.06	2763	1	85	140	4	8	7	11284	8521	RH-1	40	form-based			true	0.7	6	0.75	5	5	7898.799805	5135.799805	5135.799805	0.7
6933	028	2823	0.06	1907	1	85	140	4	8	7	11292	9385	RH-1	40	form-based			true	0.7	6	0.75	5	5	7904.399902	5997.399902	5997.399902	0.7
6934	003	2825	0.06	884	1	65	100	3	6	5	8475	7591	RH-2	40	form-based			true	0.7	6	1	5	5	7910	7026	7026	0.933333
6934	004	2825	0.06	1490	1	65	100	3	6	5	8475	6985	RH-2	40	form-based			true	0.7	6	1	5	5	7910	6420	6420	0.933333
6934	005	2826	0.06	1908	1	65	100	3	6	5	8478	6570	RH-2	40	form-based			true	0.7	6	1	5	5	7912.799805	6004.799805	6004.799805	0.933333
6934	006	2827	0.06	1750	1	65	100	3	6	5	8481	6731	RH-2	40	form-based			true	0.7	6	1	5	5	7915.600098	6165.600098	6165.600098	0.933333
6934	011	2500	0.06	1755	0	65	100	3	6	6	7500	5745	RH-1	40	form-based		true	true	0.7	5	0.833333313	5	5	7000	5245	5245	0.933333
6934	015	2815	0.06	702	1	65	100	3	6	5	8445	7743	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7180	7180	0.933333
6934	016	2815	0.06	610	1	65	100	3	6	5	8445	7835	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7272	7272	0.933333
6934	017	2815	0.06	1304	1	65	100	3	6	5	8445	7141	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6578	6578	0.933333
6934	019	2815	0.06	2240	1	65	100	3	6	5	8445	6205	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5642	5642	0.933333
6934	021	2500	0.06	0	0	85	140	4	8	8	10000	10000	RH-1	40	form-based			true	0.7	5	0.625	5	5	7000	7000	7000	0.7
6935	002	2810	0.06	2620	1	65	100	3	6	5	8430	5810	RH-2	40	form-based			true	0.7	6	1	5	5	7868	5248	5248	0.933333
6935	013	2813	0.06	2156	1	65	100	3	6	5	8439	6283	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	5720.399902	5720.399902	0.933333
6937	002	2820	0.06	720	1	65	100	3	6	5	8460	7740	RH-2	40	form-based			true	0.7	6	1	5	5	7896	7176	7176	0.933333
6937	004	2820	0.06	1325	1	65	100	3	6	5	8460	7135	RH-2	40	form-based			true	0.7	6	1	5	5	7896	6571	6571	0.933333
6937	005	2820	0.06	1184	1	65	100	3	6	5	8460	7276	RH-2	40	form-based			true	0.7	6	1	5	5	7896	6712	6712	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6937	006	2707	0.06	1190	1	65	100	3	6	5	8121	6931	RH-2	40	form-based			true	0.7	6	1	5	5	7579.600098	6389.600098	6389.600098	0.933333
6937	008	4510	0.1	2962	4	65	100	3	10	6	13530	10568	RH-2	40	form-based			true	0.7	9	0.899999976	5	5	12628	9666	9666	0.933333
6937	009	2819	0.06	1487	1	65	100	3	6	5	8457	6970	RH-2	40	form-based			true	0.7	6	1	5	5	7893.199707	6406.199707	6406.199707	0.933333
6937	010	2818	0.06	710	1	65	100	3	6	5	8454	7744	RH-2	40	form-based			true	0.7	6	1	5	5	7890.399902	7180.399902	7180.399902	0.933333
6937	011	2818	0.06	2009	1	65	100	3	6	5	8454	6445	RH-2	40	form-based			true	0.7	6	1	5	5	7890.399902	5881.399902	5881.399902	0.933333
6937	012	2818	0.06	2037	1	65	100	3	6	5	8454	6417	RH-2	40	form-based			true	0.7	6	1	5	5	7890.399902	5853.399902	5853.399902	0.933333
6937	013	2818	0.06	1800	1	65	100	3	6	5	8454	6654	RH-2	40	form-based			true	0.7	6	1	5	5	7890.399902	6090.399902	6090.399902	0.933333
6937	014	2818	0.06	1800	1	65	100	3	6	5	8454	6654	RH-2	40	form-based			true	0.7	6	1	5	5	7890.399902	6090.399902	6090.399902	0.933333
6937	015	2771	0.06	1102	1	65	100	3	6	5	8313	7211	RH-2	40	form-based			true	0.7	6	1	5	5	7758.799805	6656.799805	6656.799805	0.933333
6937	016	2864	0.07	1750	1	65	100	3	7	6	8592	6842	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8019.199707	6269.199707	6269.199707	0.933333
6937	027	2812	0.06	1305	1	65	100	3	6	5	8436	7131	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6568.600098	6568.600098	0.933333
6937	028	2812	0.06	1443	1	65	100	3	6	5	8436	6993	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6430.600098	6430.600098	0.933333
6937	029	2813	0.06	3756	1	65	100	3	6	5	8439	4683	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	4120.399902	4120.399902	0.933333
6937	030	2813	0.06	1775	1	65	100	3	6	5	8439	6664	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6101.399902	6101.399902	0.933333
6937	031	2813	0.06	925	1	65	100	3	6	5	8439	7514	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6951.399902	6951.399902	0.933333
6937	032	2813	0.06	1125	1	65	100	3	6	5	8439	7314	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6751.399902	6751.399902	0.933333
6937	033	2813	0.06	1700	1	65	100	3	6	5	8439	6739	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6176.399902	6176.399902	0.933333
6937	034	2813	0.06	1920	1	65	100	3	6	5	8439	6519	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	5956.399902	5956.399902	0.933333
6937	035	2813	0.06	1508	1	65	100	3	6	5	8439	6931	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6368.399902	6368.399902	0.933333
6937	036	2812	0.06	1125	1	65	100	3	6	5	8436	7311	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6748.600098	6748.600098	0.933333
6937	037	2813	0.06	1225	1	65	100	3	6	5	8439	7214	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6651.399902	6651.399902	0.933333
6937	038	2813	0.06	1842	1	65	100	3	6	5	8439	6597	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6034.399902	6034.399902	0.933333
6937	039	2813	0.06	1025	1	65	100	3	6	5	8439	7414	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6851.399902	6851.399902	0.933333
6937	040	2813	0.06	1650	1	65	100	3	6	5	8439	6789	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6226.399902	6226.399902	0.933333
6937	041	2812	0.06	1475	1	65	100	3	6	5	8436	6961	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6398.600098	6398.600098	0.933333
6938	002	2819	0.06	1220	1	65	100	3	6	5	8457	7237	RH-1	40	form-based			true	0.7	6	1	5	5	7893.199707	6673.199707	6673.199707	0.933333
6938	003	2819	0.06	1005	1	65	100	3	6	5	8457	7452	RH-1	40	form-based			true	0.7	6	1	5	5	7893.199707	6888.199707	6888.199707	0.933333
6938	004	2820	0.06	1250	1	65	100	3	6	5	8460	7210	RH-1	40	form-based			true	0.7	6	1	5	5	7896	6646	6646	0.933333
6938	005	2821	0.06	1755	1	65	100	3	6	5	8463	6708	RH-1	40	form-based			true	0.7	6	1	5	5	7898.799805	6143.799805	6143.799805	0.933333
6938	006	2821	0.06	950	1	65	100	3	6	5	8463	7513	RH-1	40	form-based			true	0.7	6	1	5	5	7898.799805	6948.799805	6948.799805	0.933333
6938	007	2822	0.06	1000	1	65	100	3	6	5	8466	7466	RH-1	40	form-based			true	0.7	6	1	5	5	7901.600098	6901.600098	6901.600098	0.933333
6938	008	2823	0.06	1275	1	65	100	3	6	5	8469	7194	RH-1	40	form-based			true	0.7	6	1	5	5	7904.399902	6629.399902	6629.399902	0.933333
6938	009	2823	0.06	1523	1	65	100	3	6	5	8469	6946	RH-1	40	form-based			true	0.7	6	1	5	5	7904.399902	6381.399902	6381.399902	0.933333
6938	010	2824	0.06	1115	1	65	100	3	6	5	8472	7357	RH-1	40	form-based			true	0.7	6	1	5	5	7907.199707	6792.199707	6792.199707	0.933333
6938	011	2825	0.06	960	1	65	100	3	6	5	8475	7515	RH-1	40	form-based			true	0.7	6	1	5	5	7910	6950	6950	0.933333
6938	013	2826	0.06	1287	1	65	100	3	6	5	8478	7191	RH-1	40	form-based			true	0.7	6	1	5	5	7912.799805	6625.799805	6625.799805	0.933333
6938	014	2827	0.06	1494	1	65	100	3	6	5	8481	6987	RH-1	40	form-based			true	0.7	6	1	5	5	7915.600098	6421.600098	6421.600098	0.933333
6938	017	2829	0.06	1300	1	65	100	3	6	5	8487	7187	RH-1	40	form-based			true	0.7	6	1	5	5	7921.199707	6621.199707	6621.199707	0.933333
6938	027	2815	0.06	1691	1	65	100	3	6	5	8445	6754	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6191	6191	0.933333
6938	028	2815	0.06	2661	1	65	100	3	6	5	8445	5784	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5221	5221	0.933333
6938	029	2815	0.06	2045	1	65	100	3	6	5	8445	6400	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5837	5837	0.933333
6938	030	2815	0.06	1370	1	65	100	3	6	5	8445	7075	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6512	6512	0.933333
6938	031	2815	0.06	1365	1	65	100	3	6	5	8445	7080	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6517	6517	0.933333
6938	032	2815	0.06	1747	1	65	100	3	6	5	8445	6698	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6135	6135	0.933333
6938	033	2815	0.06	1158	1	65	100	3	6	5	8445	7287	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6724	6724	0.933333
6938	034	2815	0.06	1175	1	65	100	3	6	5	8445	7270	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6707	6707	0.933333
6938	035	2815	0.06	1565	1	65	100	3	6	5	8445	6880	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6317	6317	0.933333
6938	036	2815	0.06	1375	1	65	100	3	6	5	8445	7070	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6507	6507	0.933333
6938	037	2815	0.06	1255	1	65	100	3	6	5	8445	7190	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6627	6627	0.933333
6938	038	2815	0.06	1700	1	65	100	3	6	5	8445	6745	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6182	6182	0.933333
6938	039	2815	0.06	570	1	65	100	3	6	5	8445	7875	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7312	7312	0.933333
6938	040	2815	0.06	720	1	65	100	3	6	5	8445	7725	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7162	7162	0.933333
6938	041	2815	0.06	975	1	65	100	3	6	5	8445	7470	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6907	6907	0.933333
6938	042	2815	0.06	1295	1	65	100	3	6	5	8445	7150	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6587	6587	0.933333
6938	050	2827	0.06	1413	1	65	100	3	6	5	8481	7068	RH-1	40	form-based			true	0.7	6	1	5	5	7915.600098	6502.600098	6502.600098	0.933333
6938	051	2828	0.06	1413	1	65	100	3	6	5	8484	7071	RH-1	40	form-based			true	0.7	6	1	5	5	7918.399902	6505.399902	6505.399902	0.933333
6939	002	2826	0.06	1429	1	65	100	3	6	5	8478	7049	RH-1	40	form-based			true	0.7	6	1	5	5	7912.799805	6483.799805	6483.799805	0.933333
6939	003	2825	0.06	1315	1	65	100	3	6	5	8475	7160	RH-1	40	form-based			true	0.7	6	1	5	5	7910	6595	6595	0.933333
6939	004	2824	0.06	1325	1	65	100	3	6	5	8472	7147	RH-1	40	form-based			true	0.7	6	1	5	5	7907.199707	6582.199707	6582.199707	0.933333
6939	005	2824	0.06	1565	1	65	100	3	6	5	8472	6907	RH-1	40	form-based			true	0.7	6	1	5	5	7907.199707	6342.199707	6342.199707	0.933333
6939	006	2823	0.06	964	1	65	100	3	6	5	8469	7505	RH-1	40	form-based			true	0.7	6	1	5	5	7904.399902	6940.399902	6940.399902	0.933333
6939	007	2823	0.06	1255	1	65	100	3	6	5	8469	7214	RH-1	40	form-based			true	0.7	6	1	5	5	7904.399902	6649.399902	6649.399902	0.933333
6939	008	2822	0.06	934	1	65	100	3	6	5	8466	7532	RH-1	40	form-based			true	0.7	6	1	5	5	7901.600098	6967.600098	6967.600098	0.933333
6939	009	2822	0.06	2684	1	65	100	3	6	5	8466	5782	RH-1	40	form-based			true	0.7	6	1	5	5	7901.600098	5217.600098	5217.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6939	010	2821	0.06	938	1	65	100	3	6	5	8463	7525	RH-1	40	form-based			true	0.7	6	1	5	5	7898.799805	6960.799805	6960.799805	0.933333
6939	011	2820	0.06	1287	1	65	100	3	6	5	8460	7173	RH-1	40	form-based			true	0.7	6	1	5	5	7896	6609	6609	0.933333
6939	012	2820	0.06	975	1	65	100	3	6	5	8460	7485	RH-1	40	form-based			true	0.7	6	1	5	5	7896	6921	6921	0.933333
6939	013	2819	0.06	1044	1	65	100	3	6	5	8457	7413	RH-1	40	form-based			true	0.7	6	1	5	5	7893.199707	6849.199707	6849.199707	0.933333
6939	014	2819	0.06	568	1	65	100	3	6	5	8457	7889	RH-1	40	form-based			true	0.7	6	1	5	5	7893.199707	7325.199707	7325.199707	0.933333
6939	015	2818	0.06	1020	1	65	100	3	6	5	8454	7434	RH-1	40	form-based			true	0.7	6	1	5	5	7890.399902	6870.399902	6870.399902	0.933333
6939	017	2817	0.06	1655	1	65	100	3	6	5	8451	6796	RH-1	40	form-based			true	0.7	6	1	5	5	7887.600098	6232.600098	6232.600098	0.933333
6939	027	2815	0.06	2190	1	65	100	3	6	5	8445	6255	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5692	5692	0.933333
6939	028	2815	0.06	874	1	65	100	3	6	5	8445	7571	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7008	7008	0.933333
6939	029	2815	0.06	1283	1	65	100	3	6	5	8445	7162	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6599	6599	0.933333
6939	030	2815	0.06	1570	1	65	100	3	6	5	8445	6875	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6312	6312	0.933333
6939	031	2815	0.06	1859	1	65	100	3	6	5	8445	6586	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6023	6023	0.933333
6939	032	2815	0.06	1568	1	65	100	3	6	5	8445	6877	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6314	6314	0.933333
6939	033	2815	0.06	1100	1	65	100	3	6	5	8445	7345	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6782	6782	0.933333
6939	034	2815	0.06	1334	1	65	100	3	6	5	8445	7111	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6548	6548	0.933333
6939	035	2815	0.06	1362	1	65	100	3	6	5	8445	7083	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6520	6520	0.933333
6939	036	2815	0.06	950	1	65	100	3	6	5	8445	7495	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6932	6932	0.933333
6939	037	2815	0.06	1250	1	65	100	3	6	5	8445	7195	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6632	6632	0.933333
6939	038	2815	0.06	856	1	65	100	3	6	5	8445	7589	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7026	7026	0.933333
6939	039	2815	0.06	2155	1	65	100	3	6	5	8445	6290	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5727	5727	0.933333
6939	040	2815	0.06	1200	1	65	100	3	6	5	8445	7245	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6682	6682	0.933333
6939	041	2815	0.06	2373	1	65	100	3	6	5	8445	6072	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5509	5509	0.933333
6939	042	2815	0.06	2026	1	65	100	3	6	5	8445	6419	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5856	5856	0.933333
6940	008	2800	0.06	1200	1	65	100	3	6	5	8400	7200	RH-1	40	form-based			true	0.7	6	1	5	5	7840	6640	6640	0.933333
6940	009	2800	0.06	1000	1	65	100	3	6	5	8400	7400	RH-1	40	form-based			true	0.7	6	1	5	5	7840	6840	6840	0.933333
6940	010	2799	0.06	1715	1	65	100	3	6	5	8397	6682	RH-1	40	form-based			true	0.7	6	1	5	5	7837.199707	6122.199707	6122.199707	0.933333
6940	011	2799	0.06	1285	1	65	100	3	6	5	8397	7112	RH-1	40	form-based			true	0.7	6	1	5	5	7837.199707	6552.199707	6552.199707	0.933333
6940	013	2798	0.06	1350	1	65	100	3	6	5	8394	7044	RH-1	40	form-based			true	0.7	6	1	5	5	7834.399902	6484.399902	6484.399902	0.933333
6940	015	2797	0.06	1312	1	65	100	3	6	5	8391	7079	RH-1	40	form-based			true	0.7	6	1	5	5	7831.600098	6519.600098	6519.600098	0.933333
6940	025	2813	0.06	1197	1	65	100	3	6	5	8439	7242	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6679.399902	6679.399902	0.933333
6940	026	2813	0.06	1375	1	65	100	3	6	5	8439	7064	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6501.399902	6501.399902	0.933333
6940	027	2813	0.06	1375	1	65	100	3	6	5	8439	7064	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6501.399902	6501.399902	0.933333
6940	028	2813	0.06	1375	1	65	100	3	6	5	8439	7064	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6501.399902	6501.399902	0.933333
6940	029	2813	0.06	1375	1	65	100	3	6	5	8439	7064	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6501.399902	6501.399902	0.933333
6940	030	2813	0.06	1375	1	65	100	3	6	5	8439	7064	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6501.399902	6501.399902	0.933333
6940	032	2813	0.06	1375	1	65	100	3	6	5	8439	7064	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6501.399902	6501.399902	0.933333
6941	003	2819	0.06	1000	1	65	100	3	6	5	8457	7457	RH-2	40	form-based			true	0.7	6	1	5	5	7893.199707	6893.199707	6893.199707	0.933333
6941	004	2818	0.06	750	1	65	100	3	6	5	8454	7704	RH-2	40	form-based			true	0.7	6	1	5	5	7890.399902	7140.399902	7140.399902	0.933333
6941	005	2817	0.06	1754	1	65	100	3	6	5	8451	6697	RH-2	40	form-based			true	0.7	6	1	5	5	7887.600098	6133.600098	6133.600098	0.933333
6941	006	2817	0.06	710	1	65	100	3	6	5	8451	7741	RH-2	40	form-based			true	0.7	6	1	5	5	7887.600098	7177.600098	7177.600098	0.933333
6941	007	2816	0.06	1144	1	65	100	3	6	5	8448	7304	RH-2	40	form-based			true	0.7	6	1	5	5	7884.799805	6740.799805	6740.799805	0.933333
6941	008	2815	0.06	1618	1	65	100	3	6	5	8445	6827	RH-2	40	form-based			true	0.7	6	1	5	5	7882	6264	6264	0.933333
6941	009	2815	0.06	2240	1	65	100	3	6	5	8445	6205	RH-2	40	form-based			true	0.7	6	1	5	5	7882	5642	5642	0.933333
6941	010	2814	0.06	1054	1	65	100	3	6	5	8442	7388	RH-2	40	form-based			true	0.7	6	1	5	5	7879.199707	6825.199707	6825.199707	0.933333
6941	011	2813	0.06	1004	1	65	100	3	6	5	8439	7435	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	6872.399902	6872.399902	0.933333
6941	012	2812	0.06	1272	1	65	100	3	6	5	8436	7164	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	6601.600098	6601.600098	0.933333
6941	013	2812	0.06	894	1	65	100	3	6	5	8436	7542	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	6979.600098	6979.600098	0.933333
6941	014	2811	0.06	1150	1	65	100	3	6	5	8433	7283	RH-2	40	form-based			true	0.7	6	1	5	5	7870.799805	6720.799805	6720.799805	0.933333
6941	015	2810	0.06	1222	1	65	100	3	6	5	8430	7208	RH-2	40	form-based			true	0.7	6	1	5	5	7868	6646	6646	0.933333
6941	016	2810	0.06	758	1	65	100	3	6	5	8430	7672	RH-2	40	form-based			true	0.7	6	1	5	5	7868	7110	7110	0.933333
6941	018	2808	0.06	1053	1	65	100	3	6	5	8424	7371	RH-2	40	form-based			true	0.7	6	1	5	5	7862.399902	6809.399902	6809.399902	0.933333
6941	019	2808	0.06	468	1	65	100	3	6	5	8424	7956	RH-2	40	form-based			true	0.7	6	1	5	5	7862.399902	7394.399902	7394.399902	0.933333
6941	022	2862	0.07	1335	1	65	100	3	7	6	8586	7251	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8013.600098	6678.600098	6678.600098	0.933333
6941	023	2749	0.06	1946	1	65	100	3	6	5	8247	6301	RH-2	40	form-based			true	0.7	6	1	5	5	7697.199707	5751.199707	5751.199707	0.933333
6941	035	2869	0.07	1128	1	65	100	3	7	6	8607	7479	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8033.199707	6905.199707	6905.199707	0.933333
6941	036	2813	0.06	3217	1	65	100	3	6	5	8439	5222	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	4659.399902	4659.399902	0.933333
6941	037	2812	0.06	975	1	65	100	3	6	5	8436	7461	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	6898.600098	6898.600098	0.933333
6941	038	2813	0.06	1476	1	65	100	3	6	5	8439	6963	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	6400.399902	6400.399902	0.933333
6941	039	2813	0.06	1452	1	65	100	3	6	5	8439	6987	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	6424.399902	6424.399902	0.933333
6941	041	2812	0.06	644	1	65	100	3	6	5	8436	7792	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	7229.600098	7229.600098	0.933333
6941	042	2813	0.06	540	1	65	100	3	6	5	8439	7899	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	7336.399902	7336.399902	0.933333
6941	043	2812	0.06	680	1	65	100	3	6	5	8436	7756	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	7193.600098	7193.600098	0.933333
6941	044	2812	0.06	753	1	65	100	3	6	5	8436	7683	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	7120.600098	7120.600098	0.933333
6941	045	2812	0.06	810	1	65	100	3	6	5	8436	7626	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	7063.600098	7063.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6941	046	2813	0.06	810	1	65	100	3	6	5	8439	7629	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	7066.399902	7066.399902	0.933333
6941	047	2812	0.06	885	1	65	100	3	6	5	8436	7551	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	6988.600098	6988.600098	0.933333
6941	048	2813	0.06	875	1	65	100	3	6	5	8439	7564	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	7001.399902	7001.399902	0.933333
6941	049	2812	0.06	1197	1	65	100	3	6	5	8436	7239	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	6676.600098	6676.600098	0.933333
6941	050	2812	0.06	1280	1	65	100	3	6	5	8436	7156	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	6593.600098	6593.600098	0.933333
6941	051	2813	0.06	1395	1	65	100	3	6	5	8439	7044	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	6481.399902	6481.399902	0.933333
6941	052	2812	0.06	2222	1	65	100	3	6	5	8436	6214	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	5651.600098	5651.600098	0.933333
6941	053	2813	0.06	2100	1	65	100	3	6	5	8439	6339	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	5776.399902	5776.399902	0.933333
6941	054	2812	0.06	800	1	65	100	3	6	5	8436	7636	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	7073.600098	7073.600098	0.933333
6942	003	2800	0.06	1152	1	65	100	3	6	5	8400	7248	RH-2	40	form-based			true	0.7	6	1	5	5	7840	6688	6688	0.933333
6942	004	2800	0.06	1360	1	65	100	3	6	5	8400	7040	RH-2	40	form-based			true	0.7	6	1	5	5	7840	6480	6480	0.933333
6942	005	2801	0.06	800	1	65	100	3	6	5	8403	7603	RH-2	40	form-based			true	0.7	6	1	5	5	7842.799805	7042.799805	7042.799805	0.933333
6942	006	2802	0.06	672	1	65	100	3	6	5	8406	7734	RH-2	40	form-based			true	0.7	6	1	5	5	7845.600098	7173.600098	7173.600098	0.933333
6942	007	2802	0.06	1030	1	65	100	3	6	5	8406	7376	RH-2	40	form-based			true	0.7	6	1	5	5	7845.600098	6815.600098	6815.600098	0.933333
6942	008	2803	0.06	1189	1	65	100	3	6	5	8409	7220	RH-2	40	form-based			true	0.7	6	1	5	5	7848.399902	6659.399902	6659.399902	0.933333
6942	009	2804	0.06	2101	1	65	100	3	6	5	8412	6311	RH-2	40	form-based			true	0.7	6	1	5	5	7851.199707	5750.199707	5750.199707	0.933333
6942	010	2804	0.06	1381	1	65	100	3	6	5	8412	7031	RH-2	40	form-based			true	0.7	6	1	5	5	7851.199707	6470.199707	6470.199707	0.933333
6942	011	2805	0.06	779	1	65	100	3	6	5	8415	7636	RH-2	40	form-based			true	0.7	6	1	5	5	7854	7075	7075	0.933333
6942	012	2806	0.06	1219	1	65	100	3	6	5	8418	7199	RH-2	40	form-based			true	0.7	6	1	5	5	7856.799805	6637.799805	6637.799805	0.933333
6942	013	2806	0.06	1250	1	65	100	3	6	5	8418	7168	RH-2	40	form-based			true	0.7	6	1	5	5	7856.799805	6606.799805	6606.799805	0.933333
6942	014	2807	0.06	1161	1	65	100	3	6	5	8421	7260	RH-2	40	form-based			true	0.7	6	1	5	5	7859.600098	6698.600098	6698.600098	0.933333
6942	018	2810	0.06	2265	1	65	100	3	6	5	8430	6165	RH-2	40	form-based			true	0.7	6	1	5	5	7868	5603	5603	0.933333
6942	020	2699	0.06	1651	1	65	100	3	6	5	8097	6446	RH-2	40	form-based			true	0.7	6	1	5	5	7557.199707	5906.199707	5906.199707	0.933333
6942	030	2815	0.06	920	1	65	100	3	6	5	8445	7525	RH-2	40	form-based			true	0.7	6	1	5	5	7882	6962	6962	0.933333
6942	035	2815	0.06	3546	1	65	100	3	6	5	8445	4899	RH-2	40	form-based			true	0.7	6	1	5	5	7882	4336	4336	0.933333
6942	036	2815	0.06	1833	1	65	100	3	6	5	8445	6612	RH-2	40	form-based			true	0.7	6	1	5	5	7882	6049	6049	0.933333
6942	037	2815	0.06	1752	1	65	100	3	6	5	8445	6693	RH-2	40	form-based			true	0.7	6	1	5	5	7882	6130	6130	0.933333
6942	038	2815	0.06	1015	1	65	100	3	6	5	8445	7430	RH-2	40	form-based			true	0.7	6	1	5	5	7882	6867	6867	0.933333
6942	039	2815	0.06	1362	1	65	100	3	6	5	8445	7083	RH-2	40	form-based			true	0.7	6	1	5	5	7882	6520	6520	0.933333
6942	041	2815	0.06	1730	1	65	100	3	6	5	8445	6715	RH-2	40	form-based			true	0.7	6	1	5	5	7882	6152	6152	0.933333
6942	042	2815	0.06	1590	1	65	100	3	6	5	8445	6855	RH-2	40	form-based			true	0.7	6	1	5	5	7882	6292	6292	0.933333
6942	043	2815	0.06	1525	1	65	100	3	6	5	8445	6920	RH-2	40	form-based			true	0.7	6	1	5	5	7882	6357	6357	0.933333
6942	044	2815	0.06	1207	1	65	100	3	6	5	8445	7238	RH-2	40	form-based			true	0.7	6	1	5	5	7882	6675	6675	0.933333
6943	005	2779	0.06	1050	1	65	100	3	6	5	8337	7287	RH-2	40	form-based			true	0.7	6	1	5	5	7781.199707	6731.199707	6731.199707	0.933333
6943	006	2780	0.06	1536	1	65	100	3	6	5	8340	6804	RH-2	40	form-based			true	0.7	6	1	5	5	7784	6248	6248	0.933333
6943	009	2784	0.06	1418	1	65	100	3	6	5	8352	6934	RH-2	40	form-based			true	0.7	6	1	5	5	7795.199707	6377.199707	6377.199707	0.933333
6943	010	2786	0.06	2100	1	65	100	3	6	5	8358	6258	RH-2	40	form-based			true	0.7	6	1	5	5	7800.799805	5700.799805	5700.799805	0.933333
6943	013	2790	0.06	1446	1	65	100	3	6	5	8370	6924	RH-2	40	form-based			true	0.7	6	1	5	5	7812	6366	6366	0.933333
6943	014	2792	0.06	1056	1	65	100	3	6	5	8376	7320	RH-2	40	form-based			true	0.7	6	1	5	5	7817.600098	6761.600098	6761.600098	0.933333
6943	027	2812	0.06	1445	1	65	100	3	6	5	8436	6991	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	6428.600098	6428.600098	0.933333
6943	028	2812	0.06	1775	1	65	100	3	6	5	8436	6661	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	6098.600098	6098.600098	0.933333
6943	029	2813	0.06	1030	1	65	100	3	6	5	8439	7409	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	6846.399902	6846.399902	0.933333
6943	030	2812	0.06	1126	1	65	100	3	6	5	8436	7310	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	6747.600098	6747.600098	0.933333
6943	031	2812	0.06	1010	1	65	100	3	6	5	8436	7426	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	6863.600098	6863.600098	0.933333
6943	032	2812	0.06	874	1	65	100	3	6	5	8436	7562	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	6999.600098	6999.600098	0.933333
6943	036	2812	0.06	2957	1	65	100	3	6	5	8436	5479	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	4916.600098	4916.600098	0.933333
6943	037	2812	0.06	920	1	65	100	3	6	5	8436	7516	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	6953.600098	6953.600098	0.933333
6944	003	2743	0.06	1008	1	85	140	4	8	7	10972	9964	RH-2	40	form-based			true	0.7	6	0.75	5	5	7680.399902	6672.399902	6672.399902	0.7
6944	004	2799	0.06	1000	1	85	140	4	8	7	11196	10196	RH-2	40	form-based			true	0.7	6	0.75	5	5	7837.199707	6837.199707	6837.199707	0.7
6944	005	2798	0.06	2280	1	85	140	4	8	7	11192	8912	RH-2	40	form-based			true	0.7	6	0.75	5	5	7834.399902	5554.399902	5554.399902	0.7
6944	007	2853	0.07	1450	1	65	100	3	7	6	8559	7109	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	7988.399902	6538.399902	6538.399902	0.933333
6944	008	2741	0.06	1264	1	65	100	3	6	5	8223	6959	RH-2	40	form-based			true	0.7	6	1	5	5	7674.799805	6410.799805	6410.799805	0.933333
6944	010	2796	0.06	2720	1	65	100	3	6	5	8388	5668	RH-2	40	form-based			true	0.7	6	1	5	5	7828.799805	5108.799805	5108.799805	0.933333
6944	011	2795	0.06	569	1	65	100	3	6	5	8385	7816	RH-2	40	form-based			true	0.7	6	1	5	5	7826	7257	7257	0.933333
6944	014	2794	0.06	2349	1	65	100	3	6	5	8382	6033	RH-2	40	form-based			true	0.7	6	1	5	5	7823.199707	5474.199707	5474.199707	0.933333
6944	024	2813	0.06	1992	1	65	100	3	6	5	8439	6447	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	5884.399902	5884.399902	0.933333
6944	025	2813	0.06	2521	1	65	100	3	6	5	8439	5918	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	5355.399902	5355.399902	0.933333
6944	026	2813	0.06	2716	1	65	100	3	6	5	8439	5723	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	5160.399902	5160.399902	0.933333
6944	029	2756	0.06	950	1	65	100	3	6	5	8268	7318	RH-2	40	form-based			true	0.7	6	1	5	5	7716.799805	6766.799805	6766.799805	0.933333
6944	030	2869	0.07	1325	1	65	100	3	7	6	8607	7282	RH-2	40	form-based			true	0.7	6	0.857142866	5	5	8033.199707	6708.199707	6708.199707	0.933333
6944	033	2813	0.06	1392	1	85	140	4	8	7	11252	9860	RH-2	40	form-based			true	0.7	6	0.75	5	5	7876.399902	6484.399902	6484.399902	0.7
6944	034	2756	0.06	858	1	85	140	4	8	7	11024	10166	RH-2	40	form-based			true	0.7	6	0.75	5	5	7716.799805	6858.799805	6858.799805	0.7
6944	035	2869	0.07	1395	1	85	140	4	10	9	11476	10081	RH-2	40	form-based			true	0.7	6	0.600000024	5	5	8033.199707	6638.199707	6638.199707	0.7
6945	003	2841	0.07	2252	1	65	100	3	7	6	8523	6271	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7954.799805	5702.799805	5702.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6945	004	2840	0.07	1898	1	65	100	3	7	6	8520	6622	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7952	6054	6054	0.933333
6945	006	2839	0.07	1147	1	65	100	3	7	6	8517	7370	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7949.199707	6802.199707	6802.199707	0.933333
6945	007	2839	0.07	1380	1	65	100	3	7	6	8517	7137	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7949.199707	6569.199707	6569.199707	0.933333
6945	008	2838	0.07	1631	1	65	100	3	7	6	8514	6883	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7946.399902	6315.399902	6315.399902	0.933333
6945	011	2836	0.07	902	1	65	100	3	7	6	8508	7606	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7940.799805	7038.799805	7038.799805	0.933333
6945	021	2812	0.06	1058	1	65	100	3	6	5	8436	7378	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	6815.600098	6815.600098	0.933333
6945	022	2812	0.06	1630	1	65	100	3	6	5	8436	6806	RH-2	40	form-based			true	0.7	6	1	5	5	7873.600098	6243.600098	6243.600098	0.933333
6945	026	2813	0.06	892	1	65	100	3	6	5	8439	7547	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	6984.399902	6984.399902	0.933333
6945	030	2813	0.06	1460	1	65	100	3	6	5	8439	6979	RH-2	40	form-based			true	0.7	6	1	5	5	7876.399902	6416.399902	6416.399902	0.933333
6946	008	2815	0.06	2715	1	85	140	4	8	7	11260	8545	RH-1	40	form-based			true	0.7	6	0.75	5	5	7882	5167	5167	0.7
6946	009	2815	0.06	850	1	85	140	4	8	7	11260	10410	RH-1	40	form-based			true	0.7	6	0.75	5	5	7882	7032	7032	0.7
6946	010	2815	0.06	1010	1	75	120	3.5	7	6	9852	8842	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7882	6872	6872	0.800041
6946	011	2815	0.06	726	1	75	120	3.5	7	6	9852	9126	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7882	7156	7156	0.800041
6946	012	2815	0.06	1240	1	75	120	3.5	7	6	9852	8612	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7882	6642	6642	0.800041
6946	013	2815	0.06	2045	1	75	120	3.5	7	6	9852	7807	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7882	5837	5837	0.800041
6946	014	2815	0.06	1144	1	65	100	3	6	5	8445	7301	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6738	6738	0.933333
6946	015	2815	0.06	760	1	65	100	3	6	5	8445	7685	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7122	7122	0.933333
6946	016	2815	0.06	1294	1	65	100	3	6	5	8445	7151	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6588	6588	0.933333
6946	017	2815	0.06	1895	1	65	100	3	6	5	8445	6550	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5987	5987	0.933333
6946	018	2815	0.06	2416	1	65	100	3	6	5	8445	6029	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5466	5466	0.933333
6946	020	2815	0.06	2072	1	65	100	3	6	5	8445	6373	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5810	5810	0.933333
6946	053	2722	0.06	1500	1	75	120	3.5	7	6	9527	8027	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7621.600098	6121.600098	6121.600098	0.8
6946	059	2746	0.06	1034	1	85	140	4	8	7	10984	9950	RH-1	40	form-based			true	0.7	6	0.75	5	5	7688.799805	6654.799805	6654.799805	0.7
6951	009B	2610	0.06	2000	1	65	100	3	6	5	7830	5830	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7308	5308	5308	0.933333
6951	010F	2663	0.06	1518	1	75	120	3.5	7	6	9320	7802	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	7456.399902	5938.399902	5938.399902	0.800043
6951	014	9173	0.21	1680	1	65	100	3	21	20	27519	25839	RH-2	40	density-lim	1500			0.7	6	0.285714298	5	5	25684.40039	24004.40039	24004.40039	0.933333
6951	014C	2810	0.06	1025	1	75	120	3.5	7	6	9835	8810	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	5	5	7868	6843	6843	0.8
6951	029	2886	0.07	1248	1	65	100	3	7	6	8658	7410	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	5	5	8080.799805	6832.799805	6832.799805	0.933333
6953	001	3139	0.07	1232	1	65	100	3	7	6	9417	8185	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8789.200195	7557.200195	7557.200195	0.933333
6953	014A	1947	0.04	1248	1	65	100	3	4	3	5841	4593	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5451.600098	4203.600098	4203.600098	0.933333
6953	021	1875	0.04	1280	1	65	100	3	4	3	5625	4345	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	3970	3970	0.933333
6953	030	2654	0.06	1276	1	65	100	3	6	5	7962	6686	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7431.199707	6155.199707	6155.199707	0.933333
6953	040	2653	0.06	1625	1	65	100	3	6	5	7959	6334	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7428.399902	5803.399902	5803.399902	0.933333
6953	056	1906	0.04	1115	1	65	100	3	4	3	5718	4603	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5336.799805	4221.799805	4221.799805	0.933333
6954	023	1648	0.04	1200	1	65	100	3	4	3	4944	3744	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4614.399902	3414.399902	3414.399902	0.933333
6954	024	1682	0.04	1848	1	65	100	3	4	3	5046	3198	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4709.600098	2861.600098	2861.600098	0.933333
6955	011	3170	0.07	5089	0	55	80	2.5	6	6	7925	2836	NCD-EXCE	65	density-lim	600			0.75	5	0.833333313	5	5	14265	9176	9176	1.8
6956	001	2766	0.06	3075	0	55	80	2.5	5	5	6915	3840	NCD-EXCE	65	density-lim	600	true		0.75	5	1	5	5	12447	9372	9372	1.8
6957	013	2037	0.05	1500	1	65	100	3	5	4	6111	4611	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5703.600098	4203.600098	4203.600098	0.933333
6957	020	1875	0.04	2045	1	65	100	3	4	3	5625	3580	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	3205	3205	0.933333
6957	026	2157	0.05	1140	1	65	100	3	5	4	6471	5331	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6039.600098	4899.600098	4899.600098	0.933333
6957	036	1946	0.04	1315	1	65	100	3	4	3	5838	4523	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5448.799805	4133.799805	4133.799805	0.933333
6958	001	2070	0.05	1100	1	65	100	3	5	4	6210	5110	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5796	4696	4696	0.933333
6958	028	2060	0.05	1477	1	65	100	3	5	4	6180	4703	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5768	4291	4291	0.933333
6958	036	2187	0.05	2340	1	65	100	3	5	4	6561	4221	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6123.600098	3783.600098	3783.600098	0.933333
6958	039	2512	0.06	1986	1	65	100	3	6	5	7536	5550	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7033.600098	5047.600098	5047.600098	0.933333
6958	040	2059	0.05	1224	1	65	100	3	5	4	6177	4953	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5765.199707	4541.199707	4541.199707	0.933333
6958	050	1826	0.04	1250	1	65	100	3	4	3	5478	4228	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5112.799805	3862.799805	3862.799805	0.933333
6965A	001	2023	0.05	880	1	75	120	3.5	6	5	7080	6200	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	5664.399902	4784.399902	4784.399902	0.800056
6965A	027	3462	0.08	1260	1	65	100	3	8	7	10386	9126	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9693.599609	8433.599609	8433.599609	0.933333
6965A	029	2327	0.05	1946	1	65	100	3	5	4	6981	5035	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6515.600098	4569.600098	4569.600098	0.933333
6965A	052	2194	0.05	1308	1	75	120	3.5	6	5	7679	6371	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6143.199707	4835.199707	4835.199707	0.8
6965B	001	2705	0.06	1490	1	75	120	3.5	7	6	9468	7978	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	7574	6084	6084	0.799958
6965B	046	2914	0.07	3005	1	75	120	3.5	8	7	10199	7194	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	8159.199707	5154.199707	5154.199707	0.8
6965B	023	2000	0.05	1766	1	65	100	3	5	4	6000	4234	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5600	3834	3834	0.933333
6965B	025	1907	0.04	828	1	65	100	3	4	3	5721	4893	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5339.600098	4511.600098	4511.600098	0.933333
6967	010	1869	0.04	1102	1	65	100	3	4	3	5607	4505	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5233.199707	4131.199707	4131.199707	0.933333
6967	020	2903	0.07	1700	1	65	100	3	7	6	8709	7009	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8128.399902	6428.399902	6428.399902	0.933333
6967	025	3653	0.08	1994	1	65	100	3	8	7	10959	8965	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	10228.39941	8234.399414	8234.399414	0.933333
6968	024	1875	0.04	700	1	65	100	3	4	3	5625	4925	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	4550	4550	0.933333
6968	036	2937	0.07	1035	1	65	100	3	7	6	8811	7776	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8223.599609	7188.599609	7188.599609	0.933333
6968	037	1939	0.04	1688	1	65	100	3	4	3	5817	4129	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5429.199707	3741.199707	3741.199707	0.933333
6968	058	1394	0.03	800	1	65	100	3	3	2	4182	3382	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	3903.199951	3103.199951	3103.199951	0.933333
6968	061	1375	0.03	1111	1	65	100	3	3	2	4125	3014	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	3850	2739	2739	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6969	004D	3668	0.08	1260	1	65	100	3	8	7	11004	9744	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	10270.39941	9010.399414	9010.399414	0.933333
6969	005	3870	0.09	3158	1	65	100	3	9	8	11610	8452	RH-1	40	density-lim	3000	true		0.7	6	0.666666687	5	5	10836	7678	7678	0.933333
6969	008D	2180	0.05	2553	1	65	100	3	5	4	6540	3987	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6104	3551	3551	0.933333
6970	005A	2684	0.06	1674	1	65	100	3	6	5	8052	6378	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7515.199707	5841.199707	5841.199707	0.933333
6970	005C	2705	0.06	1754	1	65	100	3	6	5	8115	6361	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7574	5820	5820	0.933333
6970	011	1792	0.04	950	1	65	100	3	4	3	5376	4426	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5017.600098	4067.600098	4067.600098	0.933333
6970	024	3719	0.09	1485	1	65	100	3	9	8	11157	9672	RH-1	40	density-lim	3000	true		0.7	6	0.666666687	5	5	10413.2002	8928.200195	8928.200195	0.933333
6970	040	2346	0.05	1375	1	65	100	3	5	4	7038	5663	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6568.799805	5193.799805	5193.799805	0.933333
6970	043	4387	0.1	3200	1	65	100	3	10	9	13161	9961	RH-1	40	density-lim	3000	true		0.7	6	0.600000024	5	5	12283.59961	9083.599609	9083.599609	0.933333
6971A	022	2325	0.05	1056	1	65	100	3	5	4	6975	5919	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6510	5454	5454	0.933333
6971A	065	2863	0.07	1741	1	75	120	3.5	8	7	10020	8279	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	8016.399902	6275.399902	6275.399902	0.80004
6971A	066	2315	0.05	1365	1	65	100	3	5	4	6945	5580	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6482	5117	5117	0.933333
6971B	001	1450	0.03	1122	1	75	120	3.5	4	3	5075	3953	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4060	2938	2938	0.8
6971B	018	2005	0.05	1094	1	65	100	3	5	4	6015	4921	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5614	4520	4520	0.933333
6971B	035	3943	0.09	1950	1	75	120	3.5	11	10	13800	11850	RH-1	40	density-lim	3000	true		0.7	6	0.545454562	5	5	11040.39941	9090.399414	9090.399414	0.800029
6971B	037	3387	0.08	900	1	65	100	3	8	7	10161	9261	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9483.599609	8583.599609	8583.599609	0.933333
6976	002	2638	0.06	1114	1	75	120	3.5	7	6	9233	8119	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7386.399902	6272.399902	6272.399902	0.8
6976	003	2638	0.06	1349	1	75	120	3.5	7	6	9233	7884	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7386.399902	6037.399902	6037.399902	0.8
6976	006B	2751	0.06	995	1	75	120	3.5	7	6	9628	8633	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	7702.799805	6707.799805	6707.799805	0.800041
6976	008A	2831	0.06	1800	1	75	120	3.5	7	6	9908	8108	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7926.799805	6126.799805	6126.799805	0.80004
6977	004	2913	0.07	1575	1	75	120	3.5	8	7	10196	8621	RH-1	40	form-based			true	0.7	6	0.75	5	5	8156.399902	6581.399902	6581.399902	0.799961
6978	002	2809	0.06	796	1	65	100	3	6	5	8427	7631	RH-1	40	form-based			true	0.7	6	1	5	5	7865.199707	7069.199707	7069.199707	0.933333
6978	003	2812	0.06	1355	1	65	100	3	6	5	8436	7081	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6518.600098	6518.600098	0.933333
6978	004	2814	0.06	1324	1	65	100	3	6	5	8442	7118	RH-1	40	form-based			true	0.7	6	1	5	5	7879.199707	6555.199707	6555.199707	0.933333
6978	005	2816	0.06	910	1	65	100	3	6	5	8448	7538	RH-1	40	form-based			true	0.7	6	1	5	5	7884.799805	6974.799805	6974.799805	0.933333
6978	006	2818	0.06	924	1	65	100	3	6	5	8454	7530	RH-1	40	form-based			true	0.7	6	1	5	5	7890.399902	6966.399902	6966.399902	0.933333
6978	007	2821	0.06	910	1	65	100	3	6	5	8463	7553	RH-1	40	form-based			true	0.7	6	1	5	5	7898.799805	6988.799805	6988.799805	0.933333
6978	008	2823	0.06	910	1	65	100	3	6	5	8469	7559	RH-1	40	form-based			true	0.7	6	1	5	5	7904.399902	6994.399902	6994.399902	0.933333
6978	009	2825	0.06	644	1	65	100	3	6	5	8475	7831	RH-1	40	form-based			true	0.7	6	1	5	5	7910	7266	7266	0.933333
6978	010	2827	0.06	720	1	65	100	3	6	5	8481	7761	RH-1	40	form-based			true	0.7	6	1	5	5	7915.600098	7195.600098	7195.600098	0.933333
6978	011	2830	0.06	629	1	65	100	3	6	5	8490	7861	RH-1	40	form-based			true	0.7	6	1	5	5	7924	7295	7295	0.933333
6978	012	2832	0.07	1340	1	65	100	3	7	6	8496	7156	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7929.600098	6589.600098	6589.600098	0.933333
6978	013	2834	0.07	718	1	65	100	3	7	6	8502	7784	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7935.199707	7217.199707	7217.199707	0.933333
6978	030	2815	0.06	1303	1	65	100	3	6	5	8445	7142	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6579	6579	0.933333
6978	031	2815	0.06	1303	1	65	100	3	6	5	8445	7142	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6579	6579	0.933333
6978	032	2815	0.06	1375	1	65	100	3	6	5	8445	7070	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6507	6507	0.933333
6978	033	2815	0.06	1375	1	65	100	3	6	5	8445	7070	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6507	6507	0.933333
6978	034	2815	0.06	1825	1	65	100	3	6	5	8445	6620	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6057	6057	0.933333
6978	035	2815	0.06	1242	1	65	100	3	6	5	8445	7203	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6640	6640	0.933333
6978	036	2815	0.06	912	1	65	100	3	6	5	8445	7533	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6970	6970	0.933333
6978	037	2815	0.06	912	1	65	100	3	6	5	8445	7533	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6970	6970	0.933333
6978	038	2815	0.06	1300	1	65	100	3	6	5	8445	7145	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6582	6582	0.933333
6978	039	2815	0.06	1285	1	65	100	3	6	5	8445	7160	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6597	6597	0.933333
6978	041	2815	0.06	985	1	65	100	3	6	5	8445	7460	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6897	6897	0.933333
6978	042	2815	0.06	870	1	65	100	3	6	5	8445	7575	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7012	7012	0.933333
6978	043	2815	0.06	1929	1	65	100	3	6	5	8445	6516	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5953	5953	0.933333
6978	049	2815	0.06	799	1	65	100	3	6	5	8445	7646	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7083	7083	0.933333
6978	050	2815	0.06	799	1	65	100	3	6	5	8445	7646	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7083	7083	0.933333
6978	051	2815	0.06	799	1	65	100	3	6	5	8445	7646	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7083	7083	0.933333
6978	052	2815	0.06	1140	1	65	100	3	6	5	8445	7305	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6742	6742	0.933333
6978	065	2815	0.06	1747	1	65	100	3	6	5	8445	6698	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6135	6135	0.933333
6978	070	2815	0.06	1747	1	65	100	3	6	5	8445	6698	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6135	6135	0.933333
6978	071	2815	0.06	499	1	65	100	3	6	5	8445	7946	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7383	7383	0.933333
6978	072	2938	0.07	2475	1	65	100	3	7	6	8814	6339	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8226.399414	5751.399414	5751.399414	0.933333
6978	073	2840	0.07	1987	1	65	100	3	7	6	8520	6533	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7952	5965	5965	0.933333
6978	074	3014	0.07	1930	1	65	100	3	7	6	9042	7112	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8439.200195	6509.200195	6509.200195	0.933333
6979	003	2801	0.06	2984	1	65	100	3	6	5	8403	5419	RH-1	40	form-based			true	0.7	6	1	5	5	7842.799805	4858.799805	4858.799805	0.933333
6979	004	2803	0.06	1087	1	65	100	3	6	5	8409	7322	RH-1	40	form-based			true	0.7	6	1	5	5	7848.399902	6761.399902	6761.399902	0.933333
6979	007	2807	0.06	2165	1	65	100	3	6	5	8421	6256	RH-1	40	form-based			true	0.7	6	1	5	5	7859.600098	5694.600098	5694.600098	0.933333
6979	008	2808	0.06	944	1	65	100	3	6	5	8424	7480	RH-1	40	form-based			true	0.7	6	1	5	5	7862.399902	6918.399902	6918.399902	0.933333
6979	009	2809	0.06	1000	1	65	100	3	6	5	8427	7427	RH-1	40	form-based			true	0.7	6	1	5	5	7865.199707	6865.199707	6865.199707	0.933333
6979	010	2810	0.06	986	1	65	100	3	6	5	8430	7444	RH-1	40	form-based			true	0.7	6	1	5	5	7868	6882	6882	0.933333
6979	011	2811	0.06	1062	1	65	100	3	6	5	8433	7371	RH-1	40	form-based			true	0.7	6	1	5	5	7870.799805	6808.799805	6808.799805	0.933333
6979	012	2812	0.06	943	1	65	100	3	6	5	8436	7493	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6930.600098	6930.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6979	013	2813	0.06	2060	1	65	100	3	6	5	8439	6379	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	5816.399902	5816.399902	0.933333
6979	014	2814	0.06	1185	1	65	100	3	6	5	8442	7257	RH-1	40	form-based			true	0.7	6	1	5	5	7879.199707	6694.199707	6694.199707	0.933333
6979	015	2816	0.06	975	1	65	100	3	6	5	8448	7473	RH-1	40	form-based			true	0.7	6	1	5	5	7884.799805	6909.799805	6909.799805	0.933333
6979	016	2817	0.06	1587	1	65	100	3	6	5	8451	6864	RH-1	40	form-based			true	0.7	6	1	5	5	7887.600098	6300.600098	6300.600098	0.933333
6979	025	2815	0.06	2230	1	65	100	3	6	5	8445	6215	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5652	5652	0.933333
6979	026	2815	0.06	720	1	65	100	3	6	5	8445	7725	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7162	7162	0.933333
6979	027	2815	0.06	792	1	65	100	3	6	5	8445	7653	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7090	7090	0.933333
6979	028	2815	0.06	1758	1	65	100	3	6	5	8445	6687	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6124	6124	0.933333
6979	029	2815	0.06	1258	1	65	100	3	6	5	8445	7187	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6624	6624	0.933333
6979	030	2815	0.06	791	1	65	100	3	6	5	8445	7654	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7091	7091	0.933333
6979	031	2815	0.06	995	1	65	100	3	6	5	8445	7450	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6887	6887	0.933333
6979	032	2815	0.06	874	1	65	100	3	6	5	8445	7571	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7008	7008	0.933333
6979	033	2815	0.06	3433	1	65	100	3	6	5	8445	5012	RH-1	40	form-based			true	0.7	6	1	5	5	7882	4449	4449	0.933333
6979	034	2815	0.06	520	1	65	100	3	6	5	8445	7925	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7362	7362	0.933333
6979	037	2815	0.06	1341	1	65	100	3	6	5	8445	7104	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6541	6541	0.933333
6979	038	2815	0.06	1672	1	65	100	3	6	5	8445	6773	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6210	6210	0.933333
6979	039	2815	0.06	781	1	65	100	3	6	5	8445	7664	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7101	7101	0.933333
6980	004	2797	0.06	875	1	65	100	3	6	5	8391	7516	RH-1	40	form-based			true	0.7	6	1	5	5	7831.600098	6956.600098	6956.600098	0.933333
6980	005	2799	0.06	1000	1	65	100	3	6	5	8397	7397	RH-1	40	form-based			true	0.7	6	1	5	5	7837.199707	6837.199707	6837.199707	0.933333
6980	006	2801	0.06	1470	1	65	100	3	6	5	8403	6933	RH-1	40	form-based			true	0.7	6	1	5	5	7842.799805	6372.799805	6372.799805	0.933333
6980	007	2803	0.06	1983	1	65	100	3	6	5	8409	6426	RH-1	40	form-based			true	0.7	6	1	5	5	7848.399902	5865.399902	5865.399902	0.933333
6980	008	2805	0.06	1240	1	65	100	3	6	5	8415	7175	RH-1	40	form-based			true	0.7	6	1	5	5	7854	6614	6614	0.933333
6980	009	2807	0.06	1935	1	65	100	3	6	5	8421	6486	RH-1	40	form-based			true	0.7	6	1	5	5	7859.600098	5924.600098	5924.600098	0.933333
6980	010	2893	0.07	1000	1	65	100	3	7	6	8679	7679	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	7100.399902	7100.399902	0.933333
6980	011	2726	0.06	1327	1	65	100	3	6	5	8178	6851	RH-1	40	form-based			true	0.7	6	1	5	5	7632.799805	6305.799805	6305.799805	0.933333
6980	012	2812	0.06	1132	1	65	100	3	6	5	8436	7304	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6741.600098	6741.600098	0.933333
6980	013	2814	0.06	1392	1	65	100	3	6	5	8442	7050	RH-1	40	form-based			true	0.7	6	1	5	5	7879.199707	6487.199707	6487.199707	0.933333
6980	014	2816	0.06	2815	1	65	100	3	6	5	8448	5633	RH-1	40	form-based			true	0.7	6	1	5	5	7884.799805	5069.799805	5069.799805	0.933333
6980	015	2818	0.06	1546	1	65	100	3	6	5	8454	6908	RH-1	40	form-based			true	0.7	6	1	5	5	7890.399902	6344.399902	6344.399902	0.933333
6980	016	2820	0.06	1165	1	65	100	3	6	5	8460	7295	RH-1	40	form-based			true	0.7	6	1	5	5	7896	6731	6731	0.933333
6980	024	2813	0.06	1200	1	65	100	3	6	5	8439	7239	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6676.399902	6676.399902	0.933333
6980	025	2813	0.06	1200	1	65	100	3	6	5	8439	7239	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6676.399902	6676.399902	0.933333
6980	026	2813	0.06	700	1	65	100	3	6	5	8439	7739	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7176.399902	7176.399902	0.933333
6980	027	2813	0.06	910	1	65	100	3	6	5	8439	7529	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6966.399902	6966.399902	0.933333
6980	028	2813	0.06	750	1	65	100	3	6	5	8439	7689	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7126.399902	7126.399902	0.933333
6980	029	2728	0.06	2098	1	65	100	3	6	5	8184	6086	RH-1	40	form-based			true	0.7	6	1	5	5	7638.399902	5540.399902	5540.399902	0.933333
6980	030	2897	0.07	1440	1	65	100	3	7	6	8691	7251	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8111.600098	6671.600098	6671.600098	0.933333
6980	031	2813	0.06	1054	1	65	100	3	6	5	8439	7385	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6822.399902	6822.399902	0.933333
6980	032	2813	0.06	1016	1	65	100	3	6	5	8439	7423	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6860.399902	6860.399902	0.933333
6980	033	2813	0.06	1460	1	65	100	3	6	5	8439	6979	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6416.399902	6416.399902	0.933333
6980	034	2813	0.06	1281	1	65	100	3	6	5	8439	7158	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6595.399902	6595.399902	0.933333
6980	035	2813	0.06	1210	1	65	100	3	6	5	8439	7229	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6666.399902	6666.399902	0.933333
6980	038	2813	0.06	2393	1	65	100	3	6	5	8439	6046	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	5483.399902	5483.399902	0.933333
6980	040	2512	0.06	720	1	65	100	3	6	5	7536	6816	NC-1	40	form-based			true	0.75	6	1	5	5	7536	6816	6816	1
6981	035	2815	0.06	2406	1	65	100	3	6	5	8445	6039	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5476	5476	0.933333
6981	002	2826	0.06	1550	1	65	100	3	6	5	8478	6928	RH-1	40	form-based			true	0.7	6	1	5	5	7912.799805	6362.799805	6362.799805	0.933333
6981	003	2824	0.06	1185	1	65	100	3	6	5	8472	7287	RH-1	40	form-based			true	0.7	6	1	5	5	7907.199707	6722.199707	6722.199707	0.933333
6981	004	2821	0.06	1553	1	65	100	3	6	5	8463	6910	RH-1	40	form-based			true	0.7	6	1	5	5	7898.799805	6345.799805	6345.799805	0.933333
6981	005	2818	0.06	1000	1	65	100	3	6	5	8454	7454	RH-1	40	form-based			true	0.7	6	1	5	5	7890.399902	6890.399902	6890.399902	0.933333
6981	006	2816	0.06	1499	1	65	100	3	6	5	8448	6949	RH-1	40	form-based			true	0.7	6	1	5	5	7884.799805	6385.799805	6385.799805	0.933333
6981	007	2813	0.06	1443	1	65	100	3	6	5	8439	6996	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6433.399902	6433.399902	0.933333
6981	008	2810	0.06	1919	1	65	100	3	6	5	8430	6511	RH-1	40	form-based			true	0.7	6	1	5	5	7868	5949	5949	0.933333
6981	009	2808	0.06	752	1	65	100	3	6	5	8424	7672	RH-1	40	form-based			true	0.7	6	1	5	5	7862.399902	7110.399902	7110.399902	0.933333
6981	010	2805	0.06	1360	1	65	100	3	6	5	8415	7055	RH-1	40	form-based			true	0.7	6	1	5	5	7854	6494	6494	0.933333
6981	011	2802	0.06	870	1	65	100	3	6	5	8406	7536	RH-1	40	form-based			true	0.7	6	1	5	5	7845.600098	6975.600098	6975.600098	0.933333
6981	012	2800	0.06	2285	1	65	100	3	6	5	8400	6115	RH-1	40	form-based			true	0.7	6	1	5	5	7840	5555	5555	0.933333
6981	013	2797	0.06	672	1	65	100	3	6	5	8391	7719	RH-1	40	form-based			true	0.7	6	1	5	5	7831.600098	7159.600098	7159.600098	0.933333
6981	016	2789	0.06	3237	1	65	100	3	6	5	8367	5130	RH-1	40	form-based			true	0.7	6	1	5	5	7809.199707	4572.199707	4572.199707	0.933333
6981	017	2786	0.06	1750	1	65	100	3	6	5	8358	6608	RH-1	40	form-based			true	0.7	6	1	5	5	7800.799805	6050.799805	6050.799805	0.933333
6981	026	2815	0.06	2280	1	65	100	3	6	5	8445	6165	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5602	5602	0.933333
6981	028	2815	0.06	1943	1	65	100	3	6	5	8445	6502	RH-1	40	form-based			true	0.7	6	1	5	5	7882	5939	5939	0.933333
6981	029	2815	0.06	974	1	65	100	3	6	5	8445	7471	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6908	6908	0.933333
6981	030	2815	0.06	1090	1	65	100	3	6	5	8445	7355	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6792	6792	0.933333
6981	031	2815	0.06	954	1	65	100	3	6	5	8445	7491	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6928	6928	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6981	032	2815	0.06	1420	1	65	100	3	6	5	8445	7025	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6462	6462	0.933333
6981	036	2815	0.06	1120	1	65	100	3	6	5	8445	7325	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6762	6762	0.933333
6981	037	2815	0.06	812	1	65	100	3	6	5	8445	7633	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7070	7070	0.933333
6981	038	2815	0.06	1175	1	65	100	3	6	5	8445	7270	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6707	6707	0.933333
6981	039	2815	0.06	690	1	65	100	3	6	5	8445	7755	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7192	7192	0.933333
6981	040	2815	0.06	760	1	65	100	3	6	5	8445	7685	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7122	7122	0.933333
6981	040A	2815	0.06	1015	1	65	100	3	6	5	8445	7430	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6867	6867	0.933333
6981	048	2501	0.06	2520	1	65	100	3	6	5	7503	4983	NC-1	40	form-based			true	0.75	6	1	5	5	7503	4983	4983	1
6982	003	2812	0.06	1756	1	65	100	3	6	5	8436	6680	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6117.600098	6117.600098	0.933333
6982	004	2812	0.06	1263	1	65	100	3	6	5	8436	7173	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6610.600098	6610.600098	0.933333
6982	005	2813	0.06	1123	1	65	100	3	6	5	8439	7316	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6753.399902	6753.399902	0.933333
6982	006	2812	0.06	1086	1	65	100	3	6	5	8436	7350	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6787.600098	6787.600098	0.933333
6982	007	2813	0.06	1840	1	65	100	3	6	5	8439	6599	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6036.399902	6036.399902	0.933333
6982	008	2813	0.06	1570	1	65	100	3	6	5	8439	6869	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6306.399902	6306.399902	0.933333
6982	009	2812	0.06	939	1	65	100	3	6	5	8436	7497	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6934.600098	6934.600098	0.933333
6982	010	2812	0.06	1042	1	65	100	3	6	5	8436	7394	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6831.600098	6831.600098	0.933333
6982	011	2813	0.06	1042	1	65	100	3	6	5	8439	7397	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6834.399902	6834.399902	0.933333
6982	012	2812	0.06	2012	1	65	100	3	6	5	8436	6424	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	5861.600098	5861.600098	0.933333
6982	013	2812	0.06	1332	1	65	100	3	6	5	8436	7104	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6541.600098	6541.600098	0.933333
6982	014	2813	0.06	1128	1	65	100	3	6	5	8439	7311	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6748.399902	6748.399902	0.933333
6982	015	2812	0.06	1454	1	65	100	3	6	5	8436	6982	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6419.600098	6419.600098	0.933333
6982	016	2813	0.06	2123	1	65	100	3	6	5	8439	6316	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	5753.399902	5753.399902	0.933333
6982	017	2812	0.06	1250	1	65	100	3	6	5	8436	7186	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6623.600098	6623.600098	0.933333
6982	021	2500	0.06	2256	0	65	100	3	6	6	7500	5244	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7000	4744	4744	0.933333
6982	026	2637	0.06	1690	1	65	100	3	6	5	7911	6221	RH-1	40	form-based	true		true	0.7	6	1	5	5	7383.600098	5693.600098	5693.600098	0.933333
6982	028	2846	0.07	1780	1	65	100	3	7	6	8538	6758	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	6188.799805	6188.799805	0.933333
6982	029	2846	0.07	2215	1	65	100	3	7	6	8538	6323	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	5753.799805	5753.799805	0.933333
6982	030	2846	0.07	2758	1	65	100	3	7	6	8538	5780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	5210.799805	5210.799805	0.933333
6982	031	2846	0.07	1379	1	65	100	3	7	6	8538	7159	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	6589.799805	6589.799805	0.933333
6982	032	2846	0.07	2484	1	65	100	3	7	6	8538	6054	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7968.799805	5484.799805	5484.799805	0.933333
6982	033	2845	0.07	1797	1	65	100	3	7	6	8535	6738	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7966	6169	6169	0.933333
6982	034	2845	0.07	854	1	65	100	3	7	6	8535	7681	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7966	7112	7112	0.933333
6982	035	2845	0.07	852	1	65	100	3	7	6	8535	7683	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7966	7114	7114	0.933333
6982	039	2844	0.07	1315	1	65	100	3	7	6	8532	7217	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7963.199707	6648.199707	6648.199707	0.933333
6982	041	2844	0.07	1600	1	65	100	3	7	6	8532	6932	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7963.199707	6363.199707	6363.199707	0.933333
6983	002	2775	0.06	780	1	65	100	3	6	5	8325	7545	RH-1	40	form-based			true	0.7	6	1	5	5	7770	6990	6990	0.933333
6983	005	2780	0.06	1145	1	65	100	3	6	5	8340	7195	RH-1	40	form-based			true	0.7	6	1	5	5	7784	6639	6639	0.933333
6983	006	2782	0.06	1105	1	65	100	3	6	5	8346	7241	RH-1	40	form-based			true	0.7	6	1	5	5	7789.600098	6684.600098	6684.600098	0.933333
6983	007	2783	0.06	2115	1	65	100	3	6	5	8349	6234	RH-1	40	form-based			true	0.7	6	1	5	5	7792.399902	5677.399902	5677.399902	0.933333
6983	008	2785	0.06	754	1	65	100	3	6	5	8355	7601	RH-1	40	form-based			true	0.7	6	1	5	5	7798	7044	7044	0.933333
6983	010	2788	0.06	986	1	65	100	3	6	5	8364	7378	RH-1	40	form-based			true	0.7	6	1	5	5	7806.399902	6820.399902	6820.399902	0.933333
6983	012	2792	0.06	1062	1	65	100	3	6	5	8376	7314	RH-1	40	form-based			true	0.7	6	1	5	5	7817.600098	6755.600098	6755.600098	0.933333
6983	013	2793	0.06	2982	1	65	100	3	6	5	8379	5397	RH-1	40	form-based			true	0.7	6	1	5	5	7820.399902	4838.399902	4838.399902	0.933333
6983	014	2795	0.06	1320	1	65	100	3	6	5	8385	7065	RH-1	40	form-based			true	0.7	6	1	5	5	7826	6506	6506	0.933333
6983	026	2813	0.06	1650	1	55	80	2.5	5	4	7032	5382	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6226.399902	6226.399902	1.12008
6983	027	2813	0.06	1275	1	55	80	2.5	5	4	7032	5757	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6601.399902	6601.399902	1.12008
6983	028	2808	0.06	640	1	55	80	2.5	5	4	7020	6380	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7862.399902	7222.399902	7222.399902	1.12
6983	029	2817	0.06	725	1	65	100	3	6	5	8451	7726	RH-1	40	form-based			true	0.7	6	1	5	5	7887.600098	7162.600098	7162.600098	0.933333
6983	030	2813	0.06	1636	1	65	100	3	6	5	8439	6803	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6240.399902	6240.399902	0.933333
6983	034	2813	0.06	640	1	65	100	3	6	5	8439	7799	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7236.399902	7236.399902	0.933333
6983	035	2813	0.06	686	1	65	100	3	6	5	8439	7753	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7190.399902	7190.399902	0.933333
6983	036	2813	0.06	1025	1	65	100	3	6	5	8439	7414	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6851.399902	6851.399902	0.933333
6983	037	2813	0.06	1368	1	65	100	3	6	5	8439	7071	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6508.399902	6508.399902	0.933333
6983	038	2813	0.06	1200	1	65	100	3	6	5	8439	7239	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6676.399902	6676.399902	0.933333
6983	039	2813	0.06	872	1	65	100	3	6	5	8439	7567	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7004.399902	7004.399902	0.933333
6983	040	2813	0.06	1265	1	65	100	3	6	5	8439	7174	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6611.399902	6611.399902	0.933333
6983	041	2813	0.06	2072	1	65	100	3	6	5	8439	6367	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	5804.399902	5804.399902	0.933333
6983	050	2777	0.06	2282	1	65	100	3	6	5	8331	6049	RH-1	40	form-based			true	0.7	6	1	5	5	7775.600098	5493.600098	5493.600098	0.933333
6983	051	2778	0.06	2190	1	65	100	3	6	5	8334	6144	RH-1	40	form-based			true	0.7	6	1	5	5	7778.399902	5588.399902	5588.399902	0.933333
6984	002	2824	0.06	2134	1	65	100	3	6	5	8472	6338	RH-1	40	form-based			true	0.7	6	1	5	5	7907.199707	5773.199707	5773.199707	0.933333
6984	003	2824	0.06	975	1	65	100	3	6	5	8472	7497	RH-1	40	form-based			true	0.7	6	1	5	5	7907.199707	6932.199707	6932.199707	0.933333
6984	004	2823	0.06	2411	1	65	100	3	6	5	8469	6058	RH-1	40	form-based			true	0.7	6	1	5	5	7904.399902	5493.399902	5493.399902	0.933333
6984	005	2823	0.06	1385	1	65	100	3	6	5	8469	7084	RH-1	40	form-based			true	0.7	6	1	5	5	7904.399902	6519.399902	6519.399902	0.933333
6984	009	2822	0.06	1485	1	65	100	3	6	5	8466	6981	RH-1	40	form-based			true	0.7	6	1	5	5	7901.600098	6416.600098	6416.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6984	010	2822	0.06	1421	1	65	100	3	6	5	8466	7045	RH-1	40	form-based			true	0.7	6	1	5	5	7901.600098	6480.600098	6480.600098	0.933333
6984	012	2821	0.06	725	1	65	100	3	6	5	8463	7738	RH-1	40	form-based			true	0.7	6	1	5	5	7898.799805	7173.799805	7173.799805	0.933333
6984	013	2821	0.06	1684	1	55	80	2.5	5	4	7052	5368	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7898.799805	6214.799805	6214.799805	1.120079
6984	014	2821	0.06	962	1	55	80	2.5	5	4	7052	6090	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7898.799805	6936.799805	6936.799805	1.120079
6984	015	2821	0.06	3023	1	55	80	2.5	5	4	7052	4029	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7898.799805	4875.799805	4875.799805	1.120079
6984	025	2813	0.06	2829	1	55	80	2.5	5	4	7032	4203	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5047.399902	5047.399902	1.12008
6984	026	2812	0.06	1485	1	55	80	2.5	5	4	7030	5545	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6388.600098	6388.600098	1.12
6984	027	2812	0.06	3225	1	55	80	2.5	5	4	7030	3805	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	4648.600098	4648.600098	1.12
6984	028	2813	0.06	1653	1	65	100	3	6	5	8439	6786	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6223.399902	6223.399902	0.933333
6984	029	2813	0.06	1690	1	65	100	3	6	5	8439	6749	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6186.399902	6186.399902	0.933333
6984	030	2813	0.06	755	1	65	100	3	6	5	8439	7684	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7121.399902	7121.399902	0.933333
6984	033	2813	0.06	1899	1	65	100	3	6	5	8439	6540	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	5977.399902	5977.399902	0.933333
6984	034	2812	0.06	1888	1	65	100	3	6	5	8436	6548	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	5985.600098	5985.600098	0.933333
6984	035	2813	0.06	3006	1	65	100	3	6	5	8439	5433	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	4870.399902	4870.399902	0.933333
6984	036	2813	0.06	2200	1	65	100	3	6	5	8439	6239	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	5676.399902	5676.399902	0.933333
6984	039	2813	0.06	1000	1	65	100	3	6	5	8439	7439	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6876.399902	6876.399902	0.933333
6984	040	2812	0.06	1443	1	65	100	3	6	5	8436	6993	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6430.600098	6430.600098	0.933333
6984	049	3038	0.07	1674	1	65	100	3	7	6	9114	7440	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8506.399414	6832.399414	6832.399414	0.933333
6984	051	2813	0.06	1288	1	65	100	3	6	5	8439	7151	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6588.399902	6588.399902	0.933333
6984	052	2813	0.06	1813	1	65	100	3	6	5	8439	6626	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6063.399902	6063.399902	0.933333
6985	002	2831	0.06	1206	1	65	100	3	6	5	8493	7287	RH-1	40	form-based			true	0.7	6	1	5	5	7926.799805	6720.799805	6720.799805	0.933333
6985	003	2829	0.06	1206	1	65	100	3	6	5	8487	7281	RH-1	40	form-based			true	0.7	6	1	5	5	7921.199707	6715.199707	6715.199707	0.933333
6985	004	2828	0.06	1220	1	65	100	3	6	5	8484	7264	RH-1	40	form-based			true	0.7	6	1	5	5	7918.399902	6698.399902	6698.399902	0.933333
6985	006	2825	0.06	1237	1	55	80	2.5	5	4	7062	5825	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7910	6673	6673	1.120079
6985	007	2823	0.06	1290	1	55	80	2.5	5	4	7058	5768	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7904.399902	6614.399902	6614.399902	1.119921
6985	008	2821	0.06	850	1	55	80	2.5	5	4	7052	6202	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7898.799805	7048.799805	7048.799805	1.120079
6985	009	2820	0.06	1224	1	55	80	2.5	5	4	7050	5826	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7896	6672	6672	1.12
6985	020	2812	0.06	1850	1	55	80	2.5	5	4	7030	5180	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6023.600098	6023.600098	1.12
6985	021	2813	0.06	825	1	55	80	2.5	5	4	7032	6207	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	7051.399902	7051.399902	1.12008
6985	022	2813	0.06	1327	1	55	80	2.5	5	4	7032	5705	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6549.399902	6549.399902	1.12008
6985	023	2812	0.06	1888	1	55	80	2.5	5	4	7030	5142	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	5985.600098	5985.600098	1.12
6985	024	2812	0.06	1663	1	55	80	2.5	5	4	7030	5367	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6210.600098	6210.600098	1.12
6985	025	2813	0.06	1000	1	55	80	2.5	5	4	7032	6032	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6876.399902	6876.399902	1.12008
6985	026	2813	0.06	1500	1	65	100	3	6	5	8439	6939	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	6376.399902	6376.399902	0.933333
6985	027	2812	0.06	1175	1	65	100	3	6	5	8436	7261	RH-1	40	form-based			true	0.7	6	1	5	5	7873.600098	6698.600098	6698.600098	0.933333
6985	028	2813	0.06	875	1	65	100	3	6	5	8439	7564	RH-1	40	form-based			true	0.7	6	1	5	5	7876.399902	7001.399902	7001.399902	0.933333
6986	002	2815	0.06	1100	1	65	100	3	6	5	8445	7345	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6782	6782	0.933333
6986	003	2815	0.06	1375	1	65	100	3	6	5	8445	7070	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6507	6507	0.933333
6986	004	2815	0.06	1497	1	65	100	3	6	5	8445	6948	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6385	6385	0.933333
6986	005	2815	0.06	1375	1	65	100	3	6	5	8445	7070	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6507	6507	0.933333
6986	006	2815	0.06	850	1	65	100	3	6	5	8445	7595	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7032	7032	0.933333
6986	007	2715	0.06	875	1	65	100	3	6	5	8145	7270	RH-1	40	form-based			true	0.7	6	1	5	5	7602	6727	6727	0.933333
6986	008	2815	0.06	975	1	65	100	3	6	5	8445	7470	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6907	6907	0.933333
6986	009	2815	0.06	1458	1	55	80	2.5	5	4	7038	5580	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6424	6424	1.11992
6986	010	2815	0.06	875	1	55	80	2.5	5	4	7038	6163	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	7007	7007	1.11992
6986	011	2815	0.06	1250	1	55	80	2.5	5	4	7038	5788	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6632	6632	1.11992
6986	014A	2815	0.06	1052	1	55	80	2.5	5	4	7038	5986	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6830	6830	1.11992
6986	024A	2785	0.06	825	1	55	80	2.5	5	4	6962	6137	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7798	6973	6973	1.12008
6986	024B	2764	0.06	1449	1	55	80	2.5	5	4	6910	5461	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7739.199707	6290.199707	6290.199707	1.12
6986	025	2787	0.06	905	1	55	80	2.5	5	4	6968	6063	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7803.600098	6898.600098	6898.600098	1.11992
6986	025A	2788	0.06	1649	1	55	80	2.5	5	4	6970	5321	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7806.399902	6157.399902	6157.399902	1.12
6986	026	2789	0.06	1560	1	55	80	2.5	5	4	6972	5412	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7809.199707	6249.199707	6249.199707	1.12008
6986	026A	2790	0.06	1225	1	55	80	2.5	5	4	6975	5750	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7812	6587	6587	1.12
6986	027	2790	0.06	850	1	55	80	2.5	5	4	6975	6125	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7812	6962	6962	1.12
6986	027A	2791	0.06	1000	1	55	80	2.5	5	4	6978	5978	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7814.799805	6814.799805	6814.799805	1.11992
6986	028A	2793	0.06	1923	1	55	80	2.5	5	4	6982	5059	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7820.399902	5897.399902	5897.399902	1.12008
6986	029	2794	0.06	975	1	55	80	2.5	5	4	6985	6010	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7823.199707	6848.199707	6848.199707	1.12
6986	030	2795	0.06	1305	1	65	100	3	6	5	8385	7080	RH-1	40	form-based			true	0.7	6	1	5	5	7826	6521	6521	0.933333
6986	033	2798	0.06	2009	1	65	100	3	6	5	8394	6385	RH-1	40	form-based			true	0.7	6	1	5	5	7834.399902	5825.399902	5825.399902	0.933333
6987	002	2815	0.06	825	1	65	100	3	6	5	8445	7620	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7057	7057	0.933333
6987	003	2815	0.06	825	1	65	100	3	6	5	8445	7620	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7057	7057	0.933333
6987	004	2815	0.06	825	1	65	100	3	6	5	8445	7620	RH-1	40	form-based			true	0.7	6	1	5	5	7882	7057	7057	0.933333
6987	005	2815	0.06	898	1	55	80	2.5	5	4	7038	6140	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6984	6984	1.11992
6987	006	2815	0.06	1606	1	55	80	2.5	5	4	7038	5432	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6276	6276	1.11992

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6987	007	2815	0.06	1750	1	55	80	2.5	5	4	7038	5288	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6132	6132	1.11992
6987	015	2815	0.06	1000	1	55	80	2.5	5	4	7038	6038	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6882	6882	1.11992
6987	016	3055	0.07	2211	1	55	80	2.5	6	5	7638	5427	RH-1	40	form-based			true	0.7	6	1	5	5	8554	6343	6343	1.119927
6987	024	2815	0.06	1000	1	55	80	2.5	5	4	7038	6038	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6882	6882	1.11992
6987	025	2815	0.06	1250	1	55	80	2.5	5	4	7038	5788	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6632	6632	1.11992
6987	025A	2838	0.07	1924	1	55	80	2.5	6	5	7095	5171	RH-1	40	form-based			true	0.7	6	1	5	5	7946.399902	6022.399902	6022.399902	1.12
6987	026	2815	0.06	1250	1	55	80	2.5	5	4	7038	5788	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6632	6632	1.11992
6987	027	2815	0.06	1370	1	55	80	2.5	5	4	7038	5668	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6512	6512	1.11992
6987	028	2815	0.06	1440	1	55	80	2.5	5	4	7038	5598	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6442	6442	1.11992
6987	029	2815	0.06	2022	1	55	80	2.5	5	4	7038	5016	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	5860	5860	1.11992
6987	030	2815	0.06	1854	1	55	80	2.5	5	4	7038	5184	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6028	6028	1.11992
6987	031	2815	0.06	1435	1	55	80	2.5	5	4	7038	5603	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6447	6447	1.11992
6987	033	2815	0.06	1314	1	55	80	2.5	5	4	7038	5724	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6568	6568	1.11992
6987	038	2815	0.06	1420	1	65	100	3	6	5	8445	7025	RH-1	40	form-based			true	0.7	6	1	5	5	7882	6462	6462	0.933333
6987	041	4314	0.1	6300	5	65	100	3	10	5	12942	6642	NC-1	40	form-based		true	true	0.75	10	1	5	5	12942	6642	6642	1
6989	028	2731	0.06	1480	1	55	80	2.5	5	4	6828	5348	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7646.799805	6166.799805	6166.799805	1.119918
6988	001	6467	0.15	2040	1	65	100	3	15	14	19401	17361	RH-1(D)	40	density-lim	3000	true		0.7	6	0.400000006	5	5	18107.59961	16067.59961	16067.59961	0.933333
6988	012	2135	0.05	875	1	55	80	2.5	4	3	5338	4463	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5978	5103	5103	1.119895
6989	001	5751	0.13	1800	1	65	100	3	13	12	17253	15453	RH-1(D)	40	density-lim	3000	true		0.7	6	0.461538464	5	5	16102.7998	14302.7998	14302.7998	0.933333
6989	018	2715	0.06	1016	1	55	80	2.5	5	4	6788	5772	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7602	6586	6586	1.119918
6989	046	5750	0.13	2937	1	55	80	2.5	10	9	14375	11438	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	16100	13163	13163	1.12
6990	001	5872	0.13	1740	1	55	80	2.5	10	9	14680	12940	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	16441.59961	14701.59961	14701.59961	1.12
6990	020	2627	0.06	1060	1	55	80	2.5	5	4	6568	5508	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7355.600098	6295.600098	6295.600098	1.119915
6990	027	2402	0.06	1558	1	55	80	2.5	5	4	6005	4447	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6725.600098	5167.600098	5167.600098	1.12
6990	046	5750	0.13	1496	1	55	80	2.5	10	9	14375	12879	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	16100	14604	14604	1.12
6991	001	5623	0.13	2897	1	55	80	2.5	10	9	14058	11161	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	15744.39941	12847.39941	12847.39941	1.11996
6991	020	2438	0.06	1523	1	55	80	2.5	5	4	6095	4572	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6826.399902	5303.399902	5303.399902	1.12
6991	026	2000	0.05	986	1	55	80	2.5	4	3	5000	4014	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5600	4614	4614	1.12
6991	046	5702	0.13	1500	1	55	80	2.5	10	9	14255	12755	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	15965.59961	14465.59961	14465.59961	1.12
6992	001	5638	0.13	2235	1	55	80	2.5	10	9	14095	11860	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	15786.39941	13551.39941	13551.39941	1.12
6992	020A	1829	0.04	1449	1	55	80	2.5	3	2	4572	3123	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5121.199707	3672.199707	3672.199707	1.120122
6992	027	1875	0.04	732	1	55	80	2.5	3	2	4688	3956	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5250	4518	4518	1.119881
6992	046	5715	0.13	1669	1	55	80	2.5	10	9	14288	12619	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	16002	14333	14333	1.119961
6993	001	5721	0.13	1990	1	55	80	2.5	10	9	14302	12312	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	16018.7998	14028.7998	14028.7998	1.120039
6993	020	1875	0.04	1486	1	55	80	2.5	3	2	4688	3202	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5250	3764	3764	1.119881
6993	027	2500	0.06	1665	1	55	80	2.5	5	4	6250	4585	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7000	5335	5335	1.12
6993	046	5728	0.13	2197	1	55	80	2.5	10	9	14320	12123	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	16038.39941	13841.39941	13841.39941	1.12
6994	001	5734	0.13	1956	1	55	80	2.5	10	9	14335	12379	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	16055.2002	14099.2002	14099.2002	1.12
6994	019	1875	0.04	800	1	55	80	2.5	3	2	4688	3888	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5250	4450	4450	1.119881
6994	026	1875	0.04	800	1	55	80	2.5	3	2	4688	3888	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5250	4450	4450	1.119881
6994	045	5741	0.13	2100	1	55	80	2.5	10	9	14352	12252	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	16074.7998	13974.7998	13974.7998	1.120039
6995	001	5737	0.13	1596	1	55	80	2.5	10	9	14342	12746	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	16063.59961	14467.59961	14467.59961	1.120039
6995	020	1875	0.04	1320	1	55	80	2.5	3	2	4688	3368	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5250	3930	3930	1.119881
6995	027	2500	0.06	1333	1	55	80	2.5	5	4	6250	4917	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7000	5667	5667	1.12
6995	046	5744	0.13	2170	1	55	80	2.5	10	9	14360	12190	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	16083.2002	13913.2002	13913.2002	1.12
6996	001	5826	0.13	1566	1	55	80	2.5	10	9	14565	12999	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	16312.7998	14746.7998	14746.7998	1.12
6996	020	1928	0.04	1940	1	55	80	2.5	3	2	4820	2880	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5398.399902	3458.399902	3458.399902	1.12
6996	025	3266	0.07	1357	1	65	100	3	7	6	9798	8441	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	9144.799805	7787.799805	7787.799805	0.933333
6996	045	5744	0.13	2190	1	55	80	2.5	10	9	14360	12170	RH-1(D)	40	density-lim	3000	true		0.7	6	0.600000024	5	5	16083.2002	13893.2002	13893.2002	1.12
6997	001	5881	0.14	3475	1	55	80	2.5	11	10	14702	11227	RH-1(D)	40	density-lim	3000	true		0.7	6	0.545454562	5	5	16466.79883	12991.79883	12991.79883	1.120038
6997	020	2535	0.06	1382	1	65	100	3	6	5	7605	6223	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7098	5716	5716	0.933333
6997	027	1875	0.04	726	1	65	100	3	4	3	5625	4899	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	4524	4524	0.933333
6997	046	5752	0.13	1765	1	65	100	3	13	12	17256	15491	RH-1(D)	40	density-lim	3000	true		0.7	6	0.461538464	5	5	16105.59961	14340.59961	14340.59961	0.933333
6998	001	5629	0.13	1380	1	65	100	3	13	12	16887	15507	RH-1(D)	40	density-lim	3000	true		0.7	6	0.461538464	5	5	15761.2002	14381.2002	14381.2002	0.933333
6998	020	2718	0.06	1786	1	65	100	3	6	5	8154	6368	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7610.399902	5824.399902	5824.399902	0.933333
6998	046	5750	0.13	1125	1	65	100	3	13	12	17250	16125	RH-1(D)	40	density-lim	3000	true		0.7	6	0.461538464	5	5	16100	14975	14975	0.933333
6999	015	2629	0.06	1180	1	65	100	3	6	5	7887	6707	RH-1	40	form-based			true	0.7	6	1	5	5	7361.199707	6181.199707	6181.199707	0.933333
6999	016	2662	0.06	1275	1	65	100	3	6	5	7986	6711	RH-1	40	form-based			true	0.7	6	1	5	5	7453.600098	6178.600098	6178.600098	0.933333
6999	017	2694	0.06	1350	1	65	100	3	6	5	8082	6732	RH-1	40	form-based			true	0.7	6	1	5	5	7543.199707	6193.199707	6193.199707	0.933333
6999	018	2727	0.06	1325	1	65	100	3	6	5	8181	6856	RH-1	40	form-based			true	0.7	6	1	5	5	7635.600098	6310.600098	6310.600098	0.933333
6999	019	2759	0.06	1163	1	65	100	3	6	5	8277	7114	RH-1	40	form-based			true	0.7	6	1	5	5	7725.199707	6562.199707	6562.199707	0.933333
6999	020	2792	0.06	1300	1	65	100	3	6	5	8376	7076	RH-1	40	form-based			true	0.7	6	1	5	5	7817.600098	6517.600098	6517.600098	0.933333
6999	021	2824	0.06	2224	1	65	100	3	6	5	8472	6248	RH-1	40	form-based			true	0.7	6	1	5	5	7907.199707	5683.199707	5683.199707	0.933333
6999	022	2857	0.07	1250	1	65	100	3	7	6	8571	7321	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7999.600098	6749.600098	6749.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7000	021	3000	0.07	1188	1	65	100	3	7	6	9000	7812	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7212	7212	0.933333
7000	022	3000	0.07	1188	1	65	100	3	7	6	9000	7812	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	7212	7212	0.933333
7000	023	3000	0.07	1440	1	65	100	3	7	6	9000	7560	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6960	6960	0.933333
7000	024	3000	0.07	1738	1	65	100	3	7	6	9000	7262	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8400	6662	6662	0.933333
7001	001	2308	0.05	1274	1	65	100	3	5	4	6924	5650	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6462.399902	5188.399902	5188.399902	0.933333
7001	018	2591	0.06	1408	1	65	100	3	6	5	7773	6365	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7254.799805	5846.799805	5846.799805	0.933333
7001	024	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	6100	6100	0.933333
7001	042	2196	0.05	1500	1	65	100	3	5	4	6588	5088	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6148.799805	4648.799805	4648.799805	0.933333
7002	001	2104	0.05	1840	1	65	100	3	5	4	6312	4472	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5891.199707	4051.199707	4051.199707	0.933333
7002	018	2400	0.06	1408	1	65	100	3	6	5	7200	5792	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6720	5312	5312	0.933333
7002	025	2500	0.06	1969	1	65	100	3	6	5	7500	5531	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	5031	5031	0.933333
7002	042	2196	0.05	1205	1	65	100	3	5	4	6588	5383	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6148.799805	4943.799805	4943.799805	0.933333
7003	001	2553	0.06	1137	1	65	100	3	6	5	7659	6522	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7148.399902	6011.399902	6011.399902	0.933333
7003	018	2681	0.06	775	1	65	100	3	6	5	8043	7268	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7506.799805	6731.799805	6731.799805	0.933333
7003	025	2500	0.06	1333	1	65	100	3	6	5	7500	6167	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	5667	5667	0.933333
7003	042	2196	0.05	1607	1	65	100	3	5	4	6588	4981	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6148.799805	4541.799805	4541.799805	0.933333
7004	022	2525	0.06	1584	1	65	100	3	6	5	7575	5991	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7070	5486	5486	0.933333
7004	042	2190	0.05	1936	1	55	80	2.5	4	3	5475	3539	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6132	4196	4196	1.12
7004	050	1818	0.04	1159	1	65	100	3	4	3	5454	4295	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5090.399902	3931.399902	3931.399902	0.933333
7004	057	1460	0.03	750	1	55	80	2.5	2	1	3650	2900	RH-1	40	density-lim	3000	true		0.7	6	3	5	3	4088	3338	3338	1.12
7005	001	1107	0.03	850	1	55	80	2.5	2	1	2768	1918	RH-1	40	density-lim	3000	true		0.7	6	3	5	3	3099.599854	2249.599854	2249.599854	1.119798
7005	018	1891	0.04	800	1	55	80	2.5	3	2	4728	3928	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5294.799805	4494.799805	4494.799805	1.119882
7005	025	1875	0.04	800	1	65	100	3	4	3	5625	4825	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	4450	4450	0.933333
7005	042	2126	0.05	1000	1	55	80	2.5	4	3	5315	4315	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5952.799805	4952.799805	4952.799805	1.12
7006	001	4500	0.1	2573	1	55	80	2.5	8	7	11250	8677	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	12600	10027	10027	1.12
7006	018	2576	0.06	1780	1	55	80	2.5	5	4	6440	4660	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7212.799805	5432.799805	5432.799805	1.12
7006	025	2500	0.06	1110	1	55	80	2.5	5	4	6250	5140	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7000	5890	5890	1.12
7006	043	962	0.02	781	1	55	80	2.5	2	1	2405	1624	RH-1	40	density-lim	3000	true		0.7	6	3	5	3	2693.599854	1912.599854	1912.599854	1.12
7007	001	2079	0.05	1112	1	55	80	2.5	4	3	5198	4086	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5821.199707	4709.199707	4709.199707	1.119892
7007	025	1875	0.04	1525	1	55	80	2.5	3	2	4688	3163	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5250	3725	3725	1.119881
7007	042	4439	0.1	2740	1	55	80	2.5	8	7	11098	8358	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	12429.2002	9689.200195	9689.200195	1.11995
7008	001	2353	0.05	1141	1	55	80	2.5	4	3	5882	4741	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6588.399902	5447.399902	5447.399902	1.120095
7008	018A	1951	0.04	1125	1	55	80	2.5	3	2	4878	3753	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5462.799805	4337.799805	4337.799805	1.119885
7008	025	1750	0.04	849	1	55	80	2.5	3	2	4375	3526	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4900	4051	4051	1.12
7008	043	2254	0.05	1320	1	55	80	2.5	4	3	5635	4315	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6311.199707	4991.199707	4991.199707	1.12
7009	019	1852	0.04	850	1	55	80	2.5	3	2	4630	3780	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5185.600098	4335.600098	4335.600098	1.12
7009	023	1875	0.04	750	1	55	80	2.5	3	2	4688	3938	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5250	4500	4500	1.119881
7009	040	2286	0.05	1450	1	55	80	2.5	4	3	5715	4265	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6400.799805	4950.799805	4950.799805	1.12
7009	052	2033	0.05	849	1	55	80	2.5	4	3	5082	4233	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5692.399902	4843.399902	4843.399902	1.12011
7010	025	1875	0.04	850	1	55	80	2.5	3	2	4688	3838	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5250	4400	4400	1.119881
7010	052	2785	0.06	1185	1	55	80	2.5	5	4	6962	5777	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7798	6613	6613	1.12008
7010	057	2204	0.05	1265	1	55	80	2.5	4	3	5510	4245	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6171.199707	4906.199707	4906.199707	1.12
7011	001	1763	0.04	1716	1	55	80	2.5	3	2	4408	2692	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4936.399902	3220.399902	3220.399902	1.119873
7011	016	4132	0.09	3391	1	55	80	2.5	7	6	10330	6939	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	11569.59961	8178.599609	8178.599609	1.12
7012	002	2815	0.06	1000	1	55	80	2.5	5	4	7038	6038	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6882	6882	1.11992
7012	003	2815	0.06	1182	1	55	80	2.5	5	4	7038	5856	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6700	6700	1.11992
7012	004	2815	0.06	1195	1	55	80	2.5	5	4	7038	5843	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6687	6687	1.11992
7012	005	2815	0.06	1521	1	55	80	2.5	5	4	7038	5517	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6361	6361	1.11992
7012	006	2815	0.06	1195	1	55	80	2.5	5	4	7038	5843	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6687	6687	1.11992
7012	007	2815	0.06	1195	1	55	80	2.5	5	4	7038	5843	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6687	6687	1.11992
7012	008	2815	0.06	1195	1	55	80	2.5	5	4	7038	5843	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6687	6687	1.11992
7012	009	2815	0.06	1426	1	55	80	2.5	5	4	7038	5612	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6456	6456	1.11992
7012	010	2815	0.06	1195	1	55	80	2.5	5	4	7038	5843	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6687	6687	1.11992
7012	011	2815	0.06	1195	1	55	80	2.5	5	4	7038	5843	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6687	6687	1.11992
7012	012	2815	0.06	1025	1	55	80	2.5	5	4	7038	6013	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6857	6857	1.11992
7012	013	2815	0.06	1025	1	55	80	2.5	5	4	7038	6013	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6857	6857	1.11992
7012	014	2815	0.06	1025	1	55	80	2.5	5	4	7038	6013	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6857	6857	1.11992
7012	015	2815	0.06	1025	1	55	80	2.5	5	4	7038	6013	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6857	6857	1.11992
7012	016	2815	0.06	1440	1	55	80	2.5	5	4	7038	5598	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6442	6442	1.11992
7012	017	2815	0.06	1100	1	55	80	2.5	5	4	7038	5938	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6782	6782	1.11992
7012	030	2757	0.06	1250	1	55	80	2.5	5	4	6892	5642	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7719.600098	6469.600098	6469.600098	1.120081
7012	031	2762	0.06	1250	1	55	80	2.5	5	4	6905	5655	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7733.600098	6483.600098	6483.600098	1.12
7012	032	2767	0.06	1250	1	55	80	2.5	5	4	6918	5668	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7747.600098	6497.600098	6497.600098	1.119919
7012	033	2773	0.06	1250	1	55	80	2.5	5	4	6932	5682	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7764.399902	6514.399902	6514.399902	1.120081

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7012	034	2778	0.06	1250	1	55	80	2.5	5	4	6945	5695	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7778.399902	6528.399902	6528.399902	1.12
7012	035	2783	0.06	1250	1	55	80	2.5	5	4	6958	5708	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7792.399902	6542.399902	6542.399902	1.11992
7012	036	2788	0.06	1250	1	55	80	2.5	5	4	6970	5720	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7806.399902	6556.399902	6556.399902	1.12
7012	037	2794	0.06	1250	1	55	80	2.5	5	4	6985	5735	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7823.199707	6573.199707	6573.199707	1.12
7012	038	2799	0.06	1250	1	55	80	2.5	5	4	6998	5748	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7837.199707	6587.199707	6587.199707	1.11992
7012	039	2804	0.06	1250	1	55	80	2.5	5	4	7010	5760	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7851.199707	6601.199707	6601.199707	1.12
7012	040	2809	0.06	950	1	55	80	2.5	5	4	7022	6072	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7865.199707	6915.199707	6915.199707	1.12008
7012	041	2814	0.06	950	1	55	80	2.5	5	4	7035	6085	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	6929.199707	6929.199707	1.12
7012	042	2820	0.06	495	1	55	80	2.5	5	4	7050	6555	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7896	7401	7401	1.12
7013	003	2813	0.06	1650	1	55	80	2.5	5	4	7032	5382	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6226.399902	6226.399902	1.12008
7013	004	2813	0.06	1140	1	55	80	2.5	5	4	7032	5892	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6736.399902	6736.399902	1.12008
7013	005	2813	0.06	1408	1	55	80	2.5	5	4	7032	5624	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6468.399902	6468.399902	1.12008
7013	007	2813	0.06	1867	1	55	80	2.5	5	4	7032	5165	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6009.399902	6009.399902	1.12008
7013	009	2813	0.06	1510	1	55	80	2.5	5	4	7032	5522	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6366.399902	6366.399902	1.12008
7013	010	2813	0.06	1650	1	55	80	2.5	5	4	7032	5382	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6226.399902	6226.399902	1.12008
7013	011	2813	0.06	1270	1	55	80	2.5	5	4	7032	5762	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6606.399902	6606.399902	1.12008
7013	012	2813	0.06	1270	1	55	80	2.5	5	4	7032	5762	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6606.399902	6606.399902	1.12008
7013	013	2813	0.06	1250	1	55	80	2.5	5	4	7032	5782	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6626.399902	6626.399902	1.12008
7013	014	2813	0.06	1150	1	55	80	2.5	5	4	7032	5882	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6726.399902	6726.399902	1.12008
7013	015	2813	0.06	1150	1	55	80	2.5	5	4	7032	5882	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6726.399902	6726.399902	1.12008
7013	027	2819	0.06	1025	1	55	80	2.5	5	4	7048	6023	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7893.199707	6868.199707	6868.199707	1.11992
7013	028	2817	0.06	1425	1	55	80	2.5	5	4	7042	5617	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7887.600098	6462.600098	6462.600098	1.12008
7013	029	2815	0.06	1025	1	55	80	2.5	5	4	7038	6013	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7882	6857	6857	1.11992
7013	030	2814	0.06	1025	1	55	80	2.5	5	4	7035	6010	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7879.199707	6854.199707	6854.199707	1.12
7013	031	2812	0.06	1025	1	55	80	2.5	5	4	7030	6005	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	6848.600098	6848.600098	1.12
7013	032	2810	0.06	2254	1	55	80	2.5	5	4	7025	4771	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7868	5614	5614	1.12
7013	033	2808	0.06	1025	1	55	80	2.5	5	4	7020	5995	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7862.399902	6837.399902	6837.399902	1.12
7013	034	2807	0.06	1025	1	55	80	2.5	5	4	7018	5993	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7859.600098	6834.600098	6834.600098	1.11992
7013	037	2801	0.06	1344	1	55	80	2.5	5	4	7002	5658	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7842.799805	6498.799805	6498.799805	1.12008
7013	038	2799	0.06	1000	1	55	80	2.5	5	4	6998	5998	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7837.199707	6837.199707	6837.199707	1.11992
7013	039	2798	0.06	1294	1	55	80	2.5	5	4	6995	5701	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7834.399902	6540.399902	6540.399902	1.12
7013	040	2796	0.06	3149	1	55	80	2.5	5	4	6990	3841	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7828.799805	4679.799805	4679.799805	1.12
7013	041	2794	0.06	1000	1	55	80	2.5	5	4	6985	5985	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7823.199707	6823.199707	6823.199707	1.12
7013	042	2792	0.06	1750	1	55	80	2.5	5	4	6980	5230	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7817.600098	6067.600098	6067.600098	1.12
7013	048	2805	0.06	1296	1	55	80	2.5	5	4	7012	5716	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7854	6558	6558	1.12008
7013	049	2803	0.06	1296	1	55	80	2.5	5	4	7008	5712	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7848.399902	6552.399902	6552.399902	1.11992
7013	050	2813	0.06	2312	1	55	80	2.5	5	4	7032	4720	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5564.399902	5564.399902	1.12008
7013	051	2813	0.06	2528	1	55	80	2.5	5	4	7032	4504	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5348.399902	5348.399902	1.12008
7014	002	2828	0.06	875	1	55	80	2.5	5	4	7070	6195	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	7043.399902	7043.399902	1.12
7014	003	2828	0.06	1475	1	55	80	2.5	5	4	7070	5595	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	6443.399902	6443.399902	1.12
7014	004	2828	0.06	875	1	55	80	2.5	5	4	7070	6195	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	7043.399902	7043.399902	1.12
7014	005	2828	0.06	1566	1	55	80	2.5	5	4	7070	5504	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	6352.399902	6352.399902	1.12
7014	006	2828	0.06	1851	1	55	80	2.5	5	4	7070	5219	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7918.399902	6067.399902	6067.399902	1.12
7014	007	2827	0.06	1050	1	55	80	2.5	5	4	7068	6018	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7915.600098	6865.600098	6865.600098	1.119921
7014	008	2827	0.06	1138	1	55	80	2.5	5	4	7068	5930	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7915.600098	6777.600098	6777.600098	1.119921
7014	009	2827	0.06	1687	1	55	80	2.5	5	4	7068	5381	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7915.600098	6228.600098	6228.600098	1.119921
7014	010	2827	0.06	1872	1	55	80	2.5	5	4	7068	5196	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7915.600098	6043.600098	6043.600098	1.119921
7014	011	2826	0.06	1689	1	55	80	2.5	5	4	7065	5376	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7912.799805	6223.799805	6223.799805	1.12
7014	012	2826	0.06	2680	1	55	80	2.5	5	4	7065	4385	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7912.799805	5232.799805	5232.799805	1.12
7014	013	2826	0.06	1058	1	55	80	2.5	5	4	7065	6007	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7912.799805	6854.799805	6854.799805	1.12
7014	014	2826	0.06	1269	1	55	80	2.5	5	4	7065	5796	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7912.799805	6643.799805	6643.799805	1.12
7014	015	2825	0.06	832	1	55	80	2.5	5	4	7062	6230	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7910	7078	7078	1.120079
7014	016	2825	0.06	1088	1	55	80	2.5	5	4	7062	5974	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7910	6822	6822	1.120079
7014	017	2825	0.06	875	1	55	80	2.5	5	4	7062	6187	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7910	7035	7035	1.120079
7014	027	2813	0.06	2280	1	55	80	2.5	5	4	7032	4752	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5596.399902	5596.399902	1.12008
7014	028	2813	0.06	1721	1	55	80	2.5	5	4	7032	5311	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6155.399902	6155.399902	1.12008
7014	029	2813	0.06	1233	1	55	80	2.5	5	4	7032	5799	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6643.399902	6643.399902	1.12008
7014	030	2813	0.06	762	1	55	80	2.5	5	4	7032	6270	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	7114.399902	7114.399902	1.12008
7014	031	2813	0.06	930	1	55	80	2.5	5	4	7032	6102	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6946.399902	6946.399902	1.12008
7014	032	2813	0.06	762	1	55	80	2.5	5	4	7032	6270	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	7114.399902	7114.399902	1.12008
7014	033	2813	0.06	762	1	55	80	2.5	5	4	7032	6270	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	7114.399902	7114.399902	1.12008
7014	034	2812	0.06	762	1	55	80	2.5	5	4	7030	6268	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7873.600098	7111.600098	7111.600098	1.12
7014	035	2813	0.06	2730	1	55	80	2.5	5	4	7032	4302	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5146.399902	5146.399902	1.12008
7014	036	2813	0.06	1127	1	55	80	2.5	5	4	7032	5905	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6749.399902	6749.399902	1.12008

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7014	037	2813	0.06	1250	1	55	80	2.5	5	4	7032	5782	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6626.399902	6626.399902	1.12008
7014	038	2813	0.06	1796	1	55	80	2.5	5	4	7032	5236	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6080.399902	6080.399902	1.12008
7014	039	2813	0.06	1455	1	55	80	2.5	5	4	7032	5577	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6421.399902	6421.399902	1.12008
7014	040	2813	0.06	1669	1	55	80	2.5	5	4	7032	5363	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6207.399902	6207.399902	1.12008
7014	041	2813	0.06	1079	1	55	80	2.5	5	4	7032	5953	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	6797.399902	6797.399902	1.12008
7014	042	2813	0.06	2496	1	55	80	2.5	5	4	7032	4536	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7876.399902	5380.399902	5380.399902	1.12008
7014	043	2625	0.06	1000	1	55	80	2.5	5	4	6562	5562	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	6350	6350	1.120085
7014	043A	2625	0.06	1000	1	55	80	2.5	5	4	6562	5562	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	6350	6350	1.120085
7022	005	2190	0.05	0	0	75	120	3.5	6	6	7665	7665	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	6132	6132	6132	0.8
7022	017	3045	0.07	1048	1	65	100	3	7	6	9135	8087	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8526	7478	7478	0.933333
7022	019	3045	0.07	1500	1	65	100	3	7	6	9135	7635	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8526	7026	7026	0.933333
7022	020	3045	0.07	1300	1	65	100	3	7	6	9135	7835	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8526	7226	7226	0.933333
7022	022	3045	0.07	1448	1	65	100	3	7	6	9135	7687	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8526	7078	7078	0.933333
7028A	001	1176	0.03	1371	1	75	120	3.5	4	3	4116	2745	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	3292.800049	1921.800049	1921.800049	0.8
7028A	014	3265	0.07	1245	1	65	100	3	7	6	9795	8550	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	9142	7897	7897	0.933333
7028A	017	3221	0.07	2362	1	65	100	3	7	6	9663	7301	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	9018.799805	6656.799805	6656.799805	0.933333
7028A	030	2871	0.07	1364	1	75	120	3.5	8	7	10048	8684	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	8038.799805	6674.799805	6674.799805	0.80004
7028B	001	3692	0.08	2325	1	65	100	3	8	7	11076	8751	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	10337.59961	8012.599609	8012.599609	0.933333
7028B	012	2249	0.05	1850	1	65	100	3	5	4	6747	4897	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6297.199707	4447.199707	4447.199707	0.933333
7028B	014	2263	0.05	1240	1	65	100	3	5	4	6789	5549	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6336.399902	5096.399902	5096.399902	0.933333
7028B	024	3274	0.08	1962	1	65	100	3	8	7	9822	7860	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9167.200195	7205.200195	7205.200195	0.933333
7029	004B	2960	0.07	3481	1	65	100	3	7	6	8880	5399	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8288	4807	4807	0.933333
7029	005G	1872	0.04	1222	1	65	100	3	4	3	5616	4394	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5241.600098	4019.600098	4019.600098	0.933333
7029	012	2092	0.05	2096	1	65	100	3	5	4	6276	4180	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5857.600098	3761.600098	3761.600098	0.933333
7030	006A	2920	0.07	1830	0	65	100	3	7	7	8760	6930	NCD-EXCE	65	density-lim	600			0.75	5	0.714285731	5	5	13140	11310	11310	1.5
7030	019B	1950	0.04	1275	1	65	100	3	4	3	5850	4575	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5460	4185	4185	0.933333
7031	004A	2000	0.05	975	1	55	80	2.5	4	3	5000	4025	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5600	4625	4625	1.12
7031	007F	1682	0.04	1032	1	65	100	3	4	3	5046	4014	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4709.600098	3677.600098	3677.600098	0.933333
7031	010A	2579	0.06	2100	1	65	100	3	6	5	7737	5637	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7221.199707	5121.199707	5121.199707	0.933333
7031	012B	1732	0.04	1119	1	65	100	3	4	3	5196	4077	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4849.600098	3730.600098	3730.600098	0.933333
7031	012E	1723	0.04	1080	1	65	100	3	4	3	5169	4089	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4824.399902	3744.399902	3744.399902	0.933333
7032A	001	2399	0.06	1296	1	65	100	3	6	5	7197	5901	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6717.199707	5421.199707	5421.199707	0.933333
7032A	007	2558	0.06	2019	1	65	100	3	6	5	7674	5655	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7162.399902	5143.399902	5143.399902	0.933333
7032A	007D	2709	0.06	1756	1	65	100	3	6	5	8127	6371	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7585.199707	5829.199707	5829.199707	0.933333
7032A	014	2749	0.06	1375	1	65	100	3	6	5	8247	6872	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7697.199707	6322.199707	6322.199707	0.933333
7032A	018	3673	0.08	1425	1	65	100	3	8	7	11019	9594	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	10284.39941	8859.399414	8859.399414	0.933333
7032A	032	3256	0.07	2221	1	65	100	3	7	6	9768	7547	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	9116.799805	6895.799805	6895.799805	0.933333
7039A	001	2021	0.05	1250	1	65	100	3	5	4	6063	4813	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5658.799805	4408.799805	4408.799805	0.933333
7039A	002	2000	0.05	1900	1	65	100	3	5	4	6000	4100	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5600	3700	3700	0.933333
7039A	009	2051	0.05	2396	1	75	120	3.5	6	5	7178	4782	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	5742.799805	3346.799805	3346.799805	0.800056
7039B	001	2000	0.05	1350	1	65	100	3	5	4	6000	4650	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5600	4250	4250	0.933333
7040A	001	2020	0.05	1863	1	65	100	3	5	4	6060	4197	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5656	3793	3793	0.933333
7040A	002	1958	0.04	1150	1	65	100	3	4	3	5874	4724	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5482.399902	4332.399902	4332.399902	0.933333
7040A	009	2000	0.05	1250	1	65	100	3	5	4	6000	4750	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5600	4350	4350	0.933333
7040A	010	2022	0.05	1250	1	65	100	3	5	4	6066	4816	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5661.600098	4411.600098	4411.600098	0.933333
7040B	001	2268	0.05	1150	1	65	100	3	5	4	6804	5654	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6350.399902	5200.399902	5200.399902	0.933333
7040B	002	2600	0.06	1150	1	65	100	3	6	5	7800	6650	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7280	6130	6130	0.933333
7040B	008	2407	0.06	1500	1	65	100	3	6	5	7221	5721	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6739.600098	5239.600098	5239.600098	0.933333
7040B	009	2000	0.05	1212	1	65	100	3	5	4	6000	4788	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5600	4388	4388	0.933333
7041	001	3357	0.08	1720	1	65	100	3	8	7	10071	8351	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9399.599609	7679.599609	7679.599609	0.933333
7041	007	1976	0.05	1160	1	65	100	3	5	4	5928	4768	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5532.799805	4372.799805	4372.799805	0.933333
7041	022	1930	0.04	1543	1	65	100	3	4	3	5790	4247	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5404	3861	3861	0.933333
7041	023	2877	0.07	1355	1	65	100	3	7	6	8631	7276	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8055.600098	6700.600098	6700.600098	0.933333
7042A	001	2191	0.05	1190	1	65	100	3	5	4	6573	5383	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6134.799805	4944.799805	4944.799805	0.933333
7042A	008	2607	0.06	2240	1	65	100	3	6	5	7821	5581	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7299.600098	5059.600098	5059.600098	0.933333
7042B	001	2009	0.05	1350	1	65	100	3	5	4	6027	4677	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5625.199707	4275.199707	4275.199707	0.933333
7042B	002	2450	0.06	1534	1	65	100	3	6	5	7350	5816	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6860	5326	5326	0.933333
7042B	017	2158	0.05	1165	1	65	100	3	5	4	6474	5309	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6042.399902	4877.399902	4877.399902	0.933333
7042B	018	1745	0.04	1255	1	65	100	3	4	3	5235	3980	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4886	3631	3631	0.933333
7043	003	2125	0.05	2000	1	55	80	2.5	4	3	5312	3312	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5950	3950	3950	1.120105
7043	005A	2207	0.05	1695	1	55	80	2.5	4	3	5518	3823	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6179.600098	4484.600098	4484.600098	1.119899
7043	005B	2001	0.05	1360	1	55	80	2.5	4	3	5002	3642	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5602.799805	4242.799805	4242.799805	1.120112
7043	007D	1872	0.04	1400	1	55	80	2.5	3	2	4680	3280	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5241.600098	3841.600098	3841.600098	1.12
7043	008	1875	0.04	1040	1	55	80	2.5	3	2	4688	3648	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5250	4210	4210	1.119881

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7043	009F	1915	0.04	930	1	65	100	3	4	3	5745	4815	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5362	4432	4432	0.933333
7043	010	2196	0.05	1498	1	65	100	3	5	4	6588	5090	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6148.799805	4650.799805	4650.799805	0.933333
7043	010H	2691	0.06	1152	1	65	100	3	6	5	8073	6921	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7534.799805	6382.799805	6382.799805	0.933333
7043	014	2208	0.05	2432	1	65	100	3	5	4	6624	4192	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6182.399902	3750.399902	3750.399902	0.933333
7043	015A	2220	0.05	1000	1	65	100	3	5	4	6660	5660	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6216	5216	5216	0.933333
7044A	006D	2430	0.06	1123	1	55	80	2.5	5	4	6075	4952	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6804	5681	5681	1.12
7044A	017	2112	0.05	1375	1	55	80	2.5	4	3	5280	3905	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5913.600098	4538.600098	4538.600098	1.12
7044B	001	2150	0.05	1225	1	65	100	3	5	4	6450	5225	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6020	4795	4795	0.933333
7044B	017	2287	0.05	1025	1	55	80	2.5	4	3	5718	4693	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6403.600098	5378.600098	5378.600098	1.119902
7044B	018	2259	0.05	1375	1	55	80	2.5	4	3	5648	4273	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6325.199707	4950.199707	4950.199707	1.119901
7044B	034	2303	0.05	1150	1	65	100	3	5	4	6909	5759	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6448.399902	5298.399902	5298.399902	0.933333
7044C	001	2245	0.05	1215	1	65	100	3	5	4	6735	5520	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6286	5071	5071	0.933333
7044C	017	2257	0.05	1300	1	55	80	2.5	4	3	5642	4342	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6319.600098	5019.600098	5019.600098	1.120099
7044C	019	2204	0.05	1120	1	55	80	2.5	4	3	5510	4390	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6171.199707	5051.199707	5051.199707	1.12
7044C	034	2200	0.05	1355	1	65	100	3	5	4	6600	5245	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6160	4805	4805	0.933333
7045	004	2000	0.05	1200	1	65	100	3	5	4	6000	4800	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5600	4400	4400	0.933333
7045	005	2038	0.05	1250	1	65	100	3	5	4	6114	4864	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5706.399902	4456.399902	4456.399902	0.933333
7045A	001	2043	0.05	1591	1	65	100	3	5	4	6129	4538	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5720.399902	4129.399902	4129.399902	0.933333
7045A	005	2209	0.05	1554	1	65	100	3	5	4	6627	5073	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6185.199707	4631.199707	4631.199707	0.933333
7045A	010	1967	0.05	1250	1	65	100	3	5	4	5901	4651	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5507.600098	4257.600098	4257.600098	0.933333
7045B	001	2433	0.06	1801	1	65	100	3	6	5	7299	5498	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6812.399902	5011.399902	5011.399902	0.933333
7045B	022	2171	0.05	1533	1	65	100	3	5	4	6513	4980	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6078.799805	4545.799805	4545.799805	0.933333
7045B	005	1838	0.04	1380	1	65	100	3	4	3	5514	4134	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5146.399902	3766.399902	3766.399902	0.933333
7045B	015	3094	0.07	1440	1	65	100	3	7	6	9282	7842	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8663.200195	7223.200195	7223.200195	0.933333
7045B	028	2113	0.05	1201	1	65	100	3	5	4	6339	5138	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5916.399902	4715.399902	4715.399902	0.933333
7046A	008	2142	0.05	1370	1	65	100	3	5	4	6426	5056	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5997.600098	4627.600098	4627.600098	0.933333
7046B	009	2105	0.05	1503	1	65	100	3	5	4	6315	4812	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5894	4391	4391	0.933333
7046B	015	2171	0.05	2350	1	65	100	3	5	4	6513	4163	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6078.799805	3728.799805	3728.799805	0.933333
7052	014	2400	0.06	1672	1	55	80	2.5	5	4	6000	4328	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6720	5048	5048	1.12
7052	044	3822	0.09	504	1	65	100	3	9	8	11466	10962	RH-1	40	density-lim	3000	true		0.7	6	0.666666687	5	5	10701.59961	10197.59961	10197.59961	0.933333
7052	049	2194	0.05	2083	1	55	80	2.5	4	3	5485	3402	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6143.199707	4060.199707	4060.199707	1.12
7053	001	2268	0.05	1387	1	55	80	2.5	4	3	5670	4283	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6350.399902	4963.399902	4963.399902	1.12
7053	003C	1668	0.04	630	1	55	80	2.5	3	2	4170	3540	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4670.399902	4040.399902	4040.399902	1.12
7053	015A	1875	0.04	1550	1	55	80	2.5	3	2	4688	3138	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5250	3700	3700	1.119881
7053	046	2275	0.05	1386	1	55	80	2.5	4	3	5688	4302	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6370	4984	4984	1.119902
7054	001	1961	0.05	1744	1	55	80	2.5	4	3	4902	3158	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5490.799805	3746.799805	3746.799805	1.120114
7054	004A	2222	0.05	1086	1	55	80	2.5	4	3	5555	4469	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	6221.600098	5135.600098	5135.600098	1.12
7054	036	2400	0.06	750	1	65	100	3	6	5	7200	6450	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6720	5970	5970	0.933333
7055	003	1621	0.04	1723	1	65	100	3	4	3	4863	3140	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4538.799805	2815.799805	2815.799805	0.933333
7055	013A	1875	0.04	1065	1	65	100	3	4	3	5625	4560	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	4185	4185	0.933333
7055	014D	1928	0.04	750	1	65	100	3	4	3	5784	5034	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5398.399902	4648.399902	4648.399902	0.933333
7055	028	1631	0.04	1180	1	55	80	2.5	3	2	4078	2898	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4566.799805	3386.799805	3386.799805	1.119863
7055A	010A	2250	0.05	1145	1	65	100	3	5	4	6750	5605	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6300	5155	5155	0.933333
7055A	019	3791	0.09	1250	1	55	80	2.5	7	6	9478	8228	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	10614.7998	9364.799805	9364.799805	1.119941
7055A	024	1740	0.04	2137	1	55	80	2.5	3	2	4350	2213	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4872	2735	2735	1.12
7055A	028	2005	0.05	1652	1	65	100	3	5	4	6015	4363	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5614	3962	3962	0.933333
7056	033	2503	0.06	1643	1	55	80	2.5	5	4	6258	4615	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7008.399902	5365.399902	5365.399902	1.11991
7056	038	2468	0.06	1691	1	65	100	3	6	5	7404	5713	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6910.399902	5219.399902	5219.399902	0.933333
7056	045	2500	0.06	1502	1	55	80	2.5	5	4	6250	4748	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7000	5498	5498	1.12
7057	005	2029	0.05	850	1	65	100	3	5	4	6087	5237	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5681.199707	4831.199707	4831.199707	0.933333
7057	021	1719	0.04	855	1	65	100	3	4	3	5157	4302	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4813.199707	3958.199707	3958.199707	0.933333
7057	030	1875	0.04	975	1	55	80	2.5	3	2	4688	3713	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5250	4275	4275	1.119881
7057	042	1878	0.04	1025	1	65	100	3	4	3	5634	4609	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5258.399902	4233.399902	4233.399902	0.933333
7058	001	2500	0.06	1507	1	65	100	3	6	5	7500	5993	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	5493	5493	0.933333
7058	008	3263	0.07	2539	1	65	100	3	7	6	9789	7250	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	9136.399414	6597.399414	6597.399414	0.933333
7058	014	2500	0.06	1425	1	65	100	3	6	5	7500	6075	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	5575	5575	0.933333
7059	001	1820	0.04	1200	1	65	100	3	4	3	5460	4260	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5096	3896	3896	0.933333
7059	014	1681	0.04	1754	1	65	100	3	4	3	5043	3289	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4706.799805	2952.799805	2952.799805	0.933333
7059	027	2500	0.06	1335	1	65	100	3	6	5	7500	6165	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	5665	5665	0.933333
7059	036	2786	0.06	806	1	65	100	3	6	5	8358	7552	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7800.799805	6994.799805	6994.799805	0.933333
7060	001	2479	0.06	2085	1	65	100	3	6	5	7437	5352	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6941.199707	4856.199707	4856.199707	0.933333
7060	022	2202	0.05	2593	1	65	100	3	5	4	6606	4013	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6165.600098	3572.600098	3572.600098	0.933333
7060	039	2500	0.06	1338	1	65	100	3	6	5	7500	6162	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	5662	5662	0.933333
7061	048A	1444	0.03	1025	1	65	100	3	3	2	4332	3307	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4043.199951	3018.199951	3018.199951	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7062	001	1347	0.03	1000	1	85	140	4	4	3	5388	4388	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	3771.599854	2771.599854	2771.599854	0.7
7062	049	2500	0.06	1122	1	65	100	3	6	5	7500	6378	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	5878	5878	0.933333
7063A	009	2084	0.05	1200	1	65	100	3	5	4	6252	5052	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5835.199707	4635.199707	4635.199707	0.933333
7063B	012	1746	0.04	1214	1	65	100	3	4	3	5238	4024	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4888.799805	3674.799805	3674.799805	0.933333
7063B	008	1726	0.04	1587	1	65	100	3	4	3	5178	3591	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4832.799805	3245.799805	3245.799805	0.933333
7064	001	2017	0.05	1225	1	65	100	3	5	4	6051	4826	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5647.600098	4422.600098	4422.600098	0.933333
7064	007C	1250	0.03	1300	1	65	100	3	3	2	3750	2450	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	3500	2200	2200	0.933333
7064	012	1918	0.04	1766	1	65	100	3	4	3	5754	3988	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5370.399902	3604.399902	3604.399902	0.933333
7064	040	3095	0.07	4008	1	65	100	3	7	6	9285	5277	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8666	4658	4658	0.933333
7064A	001	2120	0.05	2070	1	65	100	3	5	4	6360	4290	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5936	3866	3866	0.933333
7064A	003	3362	0.08	2350	1	65	100	3	8	7	10086	7736	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9413.599609	7063.599609	7063.599609	0.933333
7064A	021A	1969	0.05	1508	1	65	100	3	5	4	5907	4399	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5513.199707	4005.199707	4005.199707	0.933333
7064A	022	1592	0.04	875	1	65	100	3	4	3	4776	3901	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4457.600098	3582.600098	3582.600098	0.933333
7065	012A	1485	0.03	1090	1	65	100	3	3	2	4455	3365	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4158	3068	3068	0.933333
7065	014	2949	0.07	2445	1	65	100	3	7	6	8847	6402	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8257.200195	5812.200195	5812.200195	0.933333
7065	015	2970	0.07	1899	1	65	100	3	7	6	8910	7011	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8316	6417	6417	0.933333
7065	017	2437	0.06	1178	1	65	100	3	6	5	7311	6133	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6823.600098	5645.600098	5645.600098	0.933333
7065	037	5018	0.12	2012	1	55	80	2.5	10	9	12545	10533	RH-1	40	density-lim	3000	true		0.7	6	0.600000024	5	5	14050.39941	12038.39941	12038.39941	1.12
7065	047	2060	0.05	1503	1	55	80	2.5	4	3	5150	3647	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5768	4265	4265	1.12
7066	001	2024	0.05	1300	1	55	80	2.5	4	3	5060	3760	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5667.199707	4367.199707	4367.199707	1.12
7067	025A	2924	0.07	2050	1	65	100	3	7	6	8772	6722	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8187.199707	6137.199707	6137.199707	0.933333
7067	034	2788	0.06	1752	1	65	100	3	6	5	8364	6612	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7806.399902	6054.399902	6054.399902	0.933333
7067	046	1750	0.04	1437	1	65	100	3	4	3	5250	3813	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4900	3463	3463	0.933333
7069	001	2970	0.07	2327	1	65	100	3	7	6	8910	6583	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8316	5989	5989	0.933333
7069	005A	3388	0.08	2008	1	65	100	3	8	7	10164	8156	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9486.399414	7478.399414	7478.399414	0.933333
7069	020	2772	0.06	2091	1	65	100	3	6	5	8316	6225	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7761.600098	5670.600098	5670.600098	0.933333
7069	022	2875	0.07	825	1	65	100	3	7	6	8625	7800	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8050	7225	7225	0.933333
7069	024	2875	0.07	1515	1	65	100	3	7	6	8625	7110	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8050	6535	6535	0.933333
7069	024A	2875	0.07	936	1	65	100	3	7	6	8625	7689	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8050	7114	7114	0.933333
7069	024B	1625	0.04	915	1	65	100	3	4	3	4875	3960	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4550	3635	3635	0.933333
7070	001	2616	0.06	1705	1	65	100	3	6	5	7848	6143	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7324.799805	5619.799805	5619.799805	0.933333
7070	018	2175	0.05	1130	1	65	100	3	5	4	6525	5395	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6090	4960	4960	0.933333
7070	024	2500	0.06	1152	1	65	100	3	6	5	7500	6348	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	5848	5848	0.933333
7070	043	1868	0.04	1050	1	65	100	3	4	3	5604	4554	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5230.399902	4180.399902	4180.399902	0.933333
7071	001	1851	0.04	1842	1	65	100	3	4	3	5553	3711	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5182.799805	3340.799805	3340.799805	0.933333
7071	019	1885	0.04	1010	1	65	100	3	4	3	5655	4645	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5278	4268	4268	0.933333
7071	023	1875	0.04	1553	1	65	100	3	4	3	5625	4072	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	3697	3697	0.933333
7071	042	1868	0.04	2050	1	65	100	3	4	3	5604	3554	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5230.399902	3180.399902	3180.399902	0.933333
7072	001	2584	0.06	1962	1	65	100	3	6	5	7752	5790	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7235.199707	5273.199707	5273.199707	0.933333
7072	021	2513	0.06	1696	1	65	100	3	6	5	7539	5843	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7036.399902	5340.399902	5340.399902	0.933333
7072	022	2500	0.06	1080	1	65	100	3	6	5	7500	6420	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	5920	5920	0.933333
7072	042A	1868	0.04	781	1	65	100	3	4	3	5604	4823	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5230.399902	4449.399902	4449.399902	0.933333
7073	001	1816	0.04	781	1	65	100	3	4	3	5448	4667	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5084.799805	4303.799805	4303.799805	0.933333
7073	020	1834	0.04	781	1	65	100	3	4	3	5502	4721	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5135.199707	4354.199707	4354.199707	0.933333
7073	042	2568	0.06	1479	1	65	100	3	6	5	7704	6225	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7190.399902	5711.399902	5711.399902	0.933333
7074	001	2576	0.06	1050	1	65	100	3	6	5	7728	6678	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7212.799805	6162.799805	6162.799805	0.933333
7075	001	2611	0.06	1186	1	65	100	3	6	5	7833	6647	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7310.799805	6124.799805	6124.799805	0.933333
7075	042	2568	0.06	1330	1	65	100	3	6	5	7704	6374	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7190.399902	5860.399902	5860.399902	0.933333
7075	054	1875	0.04	1075	1	65	100	3	4	3	5625	4550	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	4175	4175	0.933333
7076	001	2664	0.06	1250	1	65	100	3	6	5	7992	6742	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7459.199707	6209.199707	6209.199707	0.933333
7076	018	2619	0.06	1813	1	65	100	3	6	5	7857	6044	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7333.199707	5520.199707	5520.199707	0.933333
7076	025	2500	0.06	2129	1	65	100	3	6	5	7500	5371	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	4871	4871	0.933333
7076	042	2493	0.06	1696	1	65	100	3	6	5	7479	5783	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6980.399902	5284.399902	5284.399902	0.933333
7077	001	4935	0.11	1584	1	65	100	3	11	10	14805	13221	RH-1	40	density-lim	3000	true		0.7	6	0.545454562	5	5	13818	12234	12234	0.933333
7077	020	1874	0.04	1175	1	65	100	3	4	3	5622	4447	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5247.199707	4072.199707	4072.199707	0.933333
7077	023	1875	0.04	1025	1	65	100	3	4	3	5625	4600	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	4225	4225	0.933333
7077	050	1878	0.04	1899	1	65	100	3	4	3	5634	3735	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5258.399902	3359.399902	3359.399902	0.933333
7078	018A	1805	0.04	1593	1	65	100	3	4	3	5415	3822	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5054	3461	3461	0.933333
7078	053	1875	0.04	1596	1	65	100	3	4	3	5625	4029	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	3654	3654	0.933333
7079	001	1928	0.04	1459	1	65	100	3	4	3	5784	4325	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5398.399902	3939.399902	3939.399902	0.933333
7079	020	1885	0.04	2291	1	85	140	4	6	5	7540	5249	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	5278	2987	2987	0.7
7081A	011	3029	0.07	1200	1	85	140	4	10	9	12116	10916	RH-1	40	density-lim	3000	true		0.7	6	0.600000024	5	5	8481.200195	7281.200195	7281.200195	0.7
7081A	019	3507	0.08	1975	2	85	140	4	11	9	14028	12053	RH-1	40	form-based			true	0.7	7	0.636363626	5	5	9819.599609	7844.599609	7844.599609	0.7
7081A	030	2780	0.06	1325	1	65	100	3	6	5	8340	7015	RH-2	40	form-based			true	0.7	6	1	5	5	7784	6459	6459	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7083	001	2408	0.06	1293	1	65	100	3	6	5	7224	5931	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6742.399902	5449.399902	5449.399902	0.933333
7083	022	2500	0.06	1269	1	65	100	3	6	5	7500	6231	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	5731	5731	0.933333
7084	045	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	5800	5800	0.933333
7085	043A	2045	0.05	1175	1	65	100	3	5	4	6135	4960	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5726	4551	4551	0.933333
7085	051	2450	0.06	1731	1	65	100	3	6	5	7350	5619	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6860	5129	5129	0.933333
7086	020A	1896	0.04	1846	1	85	140	4	6	5	7584	5738	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	5308.799805	3462.799805	3462.799805	0.7
7086	052	1886	0.04	1000	1	65	100	3	4	3	5658	4658	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5280.799805	4280.799805	4280.799805	0.933333
7086	060	1849	0.04	1427	1	65	100	3	4	3	5547	4120	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5177.199707	3750.199707	3750.199707	0.933333
7087	001	2323	0.05	1708	1	65	100	3	5	4	6969	5261	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6504.399902	4796.399902	4796.399902	0.933333
7087	049	3250	0.07	1320	1	65	100	3	7	6	9750	8430	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	9100	7780	7780	0.933333
7088	001	1733	0.04	855	1	65	100	3	4	3	5199	4344	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4852.399902	3997.399902	3997.399902	0.933333
7088	043	2413	0.06	945	1	65	100	3	6	5	7239	6294	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6756.399902	5811.399902	5811.399902	0.933333
7089	001	2564	0.06	1413	1	65	100	3	6	5	7692	6279	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7179.199707	5766.199707	5766.199707	0.933333
7089	042	2524	0.06	1466	1	65	100	3	6	5	7572	6106	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7067.199707	5601.199707	5601.199707	0.933333
7090	001	1766	0.04	750	1	65	100	3	4	3	5298	4548	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4944.799805	4194.799805	4194.799805	0.933333
7090	023	1875	0.04	1872	1	85	140	4	6	5	7500	5628	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	5250	3378	3378	0.7
7090	051	1791	0.04	1175	1	65	100	3	4	3	5373	4198	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5014.799805	3839.799805	3839.799805	0.933333
7091	001	2542	0.06	2741	1	65	100	3	6	5	7626	4885	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7117.600098	4376.600098	4376.600098	0.933333
7091	043	1882	0.04	1481	1	65	100	3	4	3	5646	4165	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5269.600098	3788.600098	3788.600098	0.933333
7092	001	1875	0.04	1305	1	65	100	3	4	3	5625	4320	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	3945	3945	0.933333
7092	041	2256	0.05	1828	1	65	100	3	5	4	6768	4940	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6316.799805	4488.799805	4488.799805	0.933333
7092	089	3459	0.08	2304	1	65	100	3	8	7	10377	8073	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9685.200195	7381.200195	7381.200195	0.933333
7094	018	2558	0.06	1150	1	65	100	3	6	5	7674	6524	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7162.399902	6012.399902	6012.399902	0.933333
7094	022D	2500	0.06	1425	1	65	100	3	6	5	7500	6075	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	5575	5575	0.933333
7094	062	3934	0.09	2411	1	65	100	3	9	8	11802	9391	RH-1	40	density-lim	3000	true		0.7	6	0.666666687	5	5	11015.2002	8604.200195	8604.200195	0.933333
7096A	012	2498	0.06	1333	1	65	100	3	6	5	7494	6161	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6994.399902	5661.399902	5661.399902	0.933333
7096A	022	2645	0.06	1705	1	65	100	3	6	5	7935	6230	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7406	5701	5701	0.933333
7096A	034	2146	0.05	1665	1	65	100	3	5	4	6438	4773	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6008.799805	4343.799805	4343.799805	0.933333
7096A	041	2501	0.06	1832	1	65	100	3	6	5	7503	5671	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7002.799805	5170.799805	5170.799805	0.933333
7096A	052	2800	0.06	1617	1	65	100	3	6	5	8400	6783	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7840	6223	6223	0.933333
7096B	028	2065	0.05	1960	1	65	100	3	5	4	6195	4235	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5782	3822	3822	0.933333
7096B	031	2264	0.05	1388	1	65	100	3	5	4	6792	5404	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6339.199707	4951.199707	4951.199707	0.933333
7096C	001	2262	0.05	2757	1	65	100	3	5	4	6786	4029	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6333.600098	3576.600098	3576.600098	0.933333
7096C	007	2250	0.05	2377	1	65	100	3	5	4	6750	4373	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6300	3923	3923	0.933333
7096C	010	2308	0.05	1430	1	65	100	3	5	4	6924	5494	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6462.399902	5032.399902	5032.399902	0.933333
7097	001	5082	0.12	2490	1	55	80	2.5	10	9	12705	10215	RH-1	40	density-lim	3000	true		0.7	6	0.600000024	5	5	14229.59961	11739.59961	11739.59961	1.12
7097	008A	1446	0.03	1174	1	55	80	2.5	2	1	3615	2441	RH-1	40	density-lim	3000	true		0.7	6	3	5	3	4048.800049	2874.800049	2874.800049	1.12
7097	035	2088	0.05	1440	1	65	100	3	5	4	6264	4824	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5846.399902	4406.399902	4406.399902	0.933333
7097	039	2015	0.05	1075	1	65	100	3	5	4	6045	4970	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5642	4567	4567	0.933333
7097	044	2184	0.05	1276	1	65	100	3	5	4	6552	5276	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6115.199707	4839.199707	4839.199707	0.933333
7097	049	2590	0.06	1530	1	55	80	2.5	5	4	6475	4945	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7252	5722	5722	1.12
7098	010	2537	0.06	1395	1	55	80	2.5	5	4	6342	4947	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	7103.600098	5708.600098	5708.600098	1.120088
7100	001	1874	0.04	1127	1	55	80	2.5	3	2	4685	3558	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	5247.199707	4120.199707	4120.199707	1.12
7100	011	2097	0.05	1400	1	55	80	2.5	4	3	5242	3842	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5871.600098	4471.600098	4471.600098	1.120107
7100	031A	1681	0.04	1901	1	65	100	3	4	3	5043	3142	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4706.799805	2805.799805	2805.799805	0.933333
7100	038	2946	0.07	525	1	65	100	3	7	6	8838	8313	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8248.799805	7723.799805	7723.799805	0.933333
7100	044A	1975	0.05	1545	1	65	100	3	5	4	5925	4380	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5530	3985	3985	0.933333
7100	044D	2014	0.05	1125	1	65	100	3	5	4	6042	4917	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5639.199707	4514.199707	4514.199707	0.933333
7100	046	3262	0.07	600	1	65	100	3	7	6	9786	9186	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	9133.599609	8533.599609	8533.599609	0.933333
7101A	001	2089	0.05	2306	1	65	100	3	5	4	6267	3961	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5849.199707	3543.199707	3543.199707	0.933333
7101A	007	2550	0.06	2100	1	65	100	3	6	5	7650	5550	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7140	5040	5040	0.933333
7101A	011	2472	0.06	1538	1	65	100	3	6	5	7416	5878	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6921.600098	5383.600098	5383.600098	0.933333
7101A	017	2120	0.05	1700	1	65	100	3	5	4	6360	4660	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5936	4236	4236	0.933333
7101B	001	2233	0.05	1425	1	65	100	3	5	4	6699	5274	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6252.399902	4827.399902	4827.399902	0.933333
7101B	010	3500	0.08	3457	1	65	100	3	8	7	10500	7043	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9800	6343	6343	0.933333
7101B	016	2400	0.06	1900	1	65	100	3	6	5	7200	5300	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6720	4820	4820	0.933333
7104	001	2644	0.06	1686	1	65	100	3	6	5	7932	6246	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	7403.199707	5717.199707	5717.199707	0.933333
7104	024	2523	0.06	3500	1	65	100	3	6	5	7569	4069	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7064.399902	3564.399902	3564.399902	0.933333
7104	053	2163	0.05	1597	1	65	100	3	5	4	6489	4892	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6056.399902	4459.399902	4459.399902	0.933333
7105	017	3086	0.07	913	1	65	100	3	7	6	9258	8345	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8640.799805	7727.799805	7727.799805	0.933333
7115	018	2550	0.06	1240	1	85	140	4	8	7	10200	8960	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	7140	5900	5900	0.7
7115	022	1835	0.04	1178	1	65	100	3	4	3	5505	4327	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5138	3960	3960	0.933333
7116	042	1975	0.05	1219	1	85	140	4	7	6	7900	6681	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	5	5	5530	4311	4311	0.7
7117	001	1975	0.05	1431	1	65	100	3	5	4	5925	4494	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	5530	4099	4099	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7119	042	1903	0.04	600	1	85	140	4	6	5	7612	7012	RH-2	40	density-lim	1500	true		0.7	6	1	5	5	5328.399902	4728.399902	4728.399902	0.7
7120	001	1975	0.05	800	1	85	140	4	7	6	7900	7100	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	5	5	5530	4730	4730	0.7
7120	041	2047	0.05	1355	1	85	140	4	7	6	8188	6833	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	5	5	5731.600098	4376.600098	4376.600098	0.7
7121	001	1975	0.05	1452	1	65	100	3	5	4	5925	4473	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	5	5	5530	4078	4078	0.933333
7124	001	2500	0.06	1150	1	85	140	4	8	7	10000	8850	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	7000	5850	5850	0.7
7125	001	1312	0.03	715	1	85	140	4	4	3	5248	4533	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	3673.599854	2958.599854	2958.599854	0.7
7125	026A	1875	0.04	1200	1	85	140	4	6	5	7500	6300	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	5250	4050	4050	0.7
7127	028	1875	0.04	1167	1	65	100	3	4	3	5625	4458	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	4083	4083	0.933333
7129	001	1890	0.04	1585	1	65	100	3	4	3	5670	4085	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5292	3707	3707	0.933333
7129	015A	1924	0.04	1490	1	65	100	3	4	3	5772	4282	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5387.199707	3897.199707	3897.199707	0.933333
7129	024	2769	0.06	2110	1	65	100	3	6	5	8307	6197	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7753.199707	5643.199707	5643.199707	0.933333
7129	039	1934	0.04	1025	1	65	100	3	4	3	5802	4777	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5415.199707	4390.199707	4390.199707	0.933333
7134	018	1854	0.04	1240	1	65	100	3	4	3	5562	4322	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5191.199707	3951.199707	3951.199707	0.933333
7134	024	2065	0.05	1200	1	65	100	3	5	4	6195	4995	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5782	4582	4582	0.933333
7134	031	2628	0.06	1200	1	65	100	3	6	5	7884	6684	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7358.399902	6158.399902	6158.399902	0.933333
7135	020	2500	0.06	984	1	65	100	3	6	5	7500	6516	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	7000	6016	6016	0.933333
7150	020A	1533	0.04	1100	1	75	120	3.5	5	4	5366	4266	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	4292.399902	3192.399902	3192.399902	0.799925
7150	027	2184	0.05	1175	1	75	120	3.5	6	5	7644	6469	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6115.199707	4940.199707	4940.199707	0.8
7151	024	1790	0.04	1353	1	75	120	3.5	5	4	6265	4912	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5012	3659	3659	0.8
7126B	024	2409	0.06	1711	1	65	100	3	6	5	7227	5516	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6745.199707	5034.199707	5034.199707	0.933333
7130	024	2861	0.07	1200	1	65	100	3	7	6	8583	7383	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	5	5	8010.799805	6810.799805	6810.799805	0.933333
7130	028	2085	0.05	1718	1	65	100	3	5	4	6255	4537	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5838	4120	4120	0.933333
7132	001	2159	0.05	1150	1	65	100	3	5	4	6477	5327	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	6045.199707	4895.199707	4895.199707	0.933333
7132	007	1967	0.05	1037	1	65	100	3	5	4	5901	4864	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5507.600098	4470.600098	4470.600098	0.933333
7133	006	2134	0.05	1057	1	65	100	3	5	4	6402	5345	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5975.199707	4918.199707	4918.199707	0.933333
7133	017	1875	0.04	1025	1	65	100	3	4	3	5625	4600	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	4225	4225	0.933333
7133	020	2431	0.06	1263	1	65	100	3	6	5	7293	6030	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	6806.799805	5543.799805	5543.799805	0.933333
7133	028	1800	0.04	1000	1	65	100	3	4	3	5400	4400	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5040	4040	4040	0.933333
7135	048	2045	0.05	2699	1	65	100	3	5	4	6135	3436	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5726	3027	3027	0.933333
7136	014	1513	0.03	900	1	65	100	3	3	2	4539	3639	RH-1	40	density-lim	3000	true		0.7	6	2	5	5	4236.399902	3336.399902	3336.399902	0.933333
7136	016	1985	0.05	1368	1	65	100	3	5	4	5955	4587	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	5558	4190	4190	0.933333
7136	043	1750	0.04	1252	1	65	100	3	4	3	5250	3998	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	4900	3648	3648	0.933333
7149	005A	3334	0.08	1106	1	75	120	3.5	10	9	11669	10563	RH-1	40	density-lim	3000	true		0.7	6	0.600000024	5	5	9335.200195	8229.200195	8229.200195	0.8
7149	013	2109	0.05	1478	1	75	120	3.5	6	5	7382	5904	RH-1	40	density-lim	3000	true		0.7	6	1	5	5	5905.199707	4427.199707	4427.199707	0.799946
7149	017	1875	0.04	1390	1	65	100	3	4	3	5625	4235	RH-1	40	density-lim	3000	true		0.7	6	1.5	5	5	5250	3860	3860	0.933333
7150	048	3446	0.08	1650	1	65	100	3	8	7	10338	8688	RH-1	40	density-lim	3000	true		0.7	6	0.75	5	5	9648.799805	7998.799805	7998.799805	0.933333
7179	018	1751	0.04	1098	1	75	120	3.5	5	4	6128	5030	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	5	5	4902.799805	3804.799805	3804.799805	0.800065
7204	006B	2973	0.07	1618	1	65	100	3	7	6	8919	7301	RH-1(D)	40	form-based		true	true	0.7	6	0.857142866	5	5	8324.399414	6706.399414	6706.399414	0.933333
7210	008	2900	0.07	1587	1	55	80	2.5	6	5	7250	5663	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6533	6533	1.12
7210	009	2900	0.07	1537	1	55	80	2.5	6	5	7250	5713	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6583	6583	1.12
7210	010	2900	0.07	1802	1	55	80	2.5	6	5	7250	5448	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6318	6318	1.12
7210	011	2900	0.07	1287	1	55	80	2.5	6	5	7250	5963	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6833	6833	1.12
7210	012	2900	0.07	1537	1	55	80	2.5	6	5	7250	5713	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6583	6583	1.12
7210	013	2900	0.07	1287	1	55	80	2.5	6	5	7250	5963	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6833	6833	1.12
7210	014	2900	0.07	1799	1	55	80	2.5	6	5	7250	5451	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6321	6321	1.12
7210	015	2900	0.07	1287	1	55	80	2.5	6	5	7250	5963	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6833	6833	1.12
7210	016	2900	0.07	1448	1	55	80	2.5	6	5	7250	5802	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6672	6672	1.12
7210	017	2900	0.07	1287	1	55	80	2.5	6	5	7250	5963	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6833	6833	1.12
7210	018	2900	0.07	2245	1	55	80	2.5	6	5	7250	5005	RH-1	40	form-based			true	0.7	6	1	5	5	8120	5875	5875	1.12
7210	019	2900	0.07	1287	1	55	80	2.5	6	5	7250	5963	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6833	6833	1.12
7210	020	2900	0.07	1840	1	55	80	2.5	6	5	7250	5410	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6280	6280	1.12
7210	021	2900	0.07	2351	1	55	80	2.5	6	5	7250	4899	RH-1	40	form-based			true	0.7	6	1	5	5	8120	5769	5769	1.12
7210	022	2900	0.07	1760	1	55	80	2.5	6	5	7250	5490	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6360	6360	1.12
7210	023	2900	0.07	1540	1	55	80	2.5	6	5	7250	5710	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6580	6580	1.12
7210	024	2900	0.07	2161	1	55	80	2.5	6	5	7250	5089	RH-1	40	form-based			true	0.7	6	1	5	5	8120	5959	5959	1.12
7211	008	2900	0.07	1287	1	55	80	2.5	6	5	7250	5963	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6833	6833	1.12
7211	009	2900	0.07	1647	1	55	80	2.5	6	5	7250	5603	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6473	6473	1.12
7211	010	2900	0.07	1287	1	55	80	2.5	6	5	7250	5963	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6833	6833	1.12
7211	011	2900	0.07	1287	1	55	80	2.5	6	5	7250	5963	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6833	6833	1.12
7211	012	2900	0.07	1851	1	55	80	2.5	6	5	7250	5399	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6269	6269	1.12
7211	013	2900	0.07	1962	1	55	80	2.5	6	5	7250	5288	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6158	6158	1.12
7211	014	2900	0.07	2073	1	55	80	2.5	6	5	7250	5177	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6047	6047	1.12
7211	015	2900	0.07	1530	1	55	80	2.5	6	5	7250	5720	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6590	6590	1.12
7211	016	2900	0.07	1527	1	55	80	2.5	6	5	7250	5723	RH-1	40	form-based			true	0.7	6	1	5	5	8120	6593	6593	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7229A	010	4149	0.1	4408	4	65	100	3	10	6	12447	8039	RM-1	40	form-based		true	true	0.7	9	0.899999976	5	5	11617.2002	7209.200195	7209.200195	0.933333
7229A	011	3248	0.07	3471	2	65	100	3	7	5	9744	6273	RM-1	40	form-based			true	0.7	7	1	5	5	9094.399414	5623.399414	5623.399414	0.933333
7241	028	2649	0.06	1256	1	65	100	3	6	5	7947	6691	RH-1(D)	40	form-based			true	0.7	6	1	5	5	7417.199707	6161.199707	6161.199707	0.933333
7241	029	3056	0.07	1850	1	65	100	3	7	6	9168	7318	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8556.799805	6706.799805	6706.799805	0.933333
7241	046	2935	0.07	1798	1	65	100	3	7	6	8805	7007	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8218	6420	6420	0.933333
7242	010	3055	0.07	1300	1	65	100	3	7	6	9165	7865	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8554	7254	7254	0.933333
7242	011	2907	0.07	1613	1	65	100	3	7	6	8721	7108	RH-1(D)	40	form-based			true	0.7	6	0.857142866	5	5	8139.600098	6526.600098	6526.600098	0.933333
7245	001	3004	0.07	2200	1	55	80	2.5	6	5	7510	5310	RH-1	40	form-based		true	true	0.7	6	1	5	5	8411.200195	6211.200195	6211.200195	1.12
7273	036	2931	0.07	1413	1	55	80	2.5	6	5	7328	5915	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8206.799805	6793.799805	6793.799805	1.119924
7273	035	2986	0.07	1413	1	55	80	2.5	6	5	7465	6052	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8360.799805	6947.799805	6947.799805	1.12
7273	004	3533	0.08	1431	2	55	80	2.5	6	4	8832	7401	RH-1(D)	40	form-based			true	0.7	7	1.166666627	5	5	9892.399414	8461.399414	8461.399414	1.120063
7273	021	3022	0.07	1818	1	55	80	2.5	6	5	7555	5737	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8461.599609	6643.599609	6643.599609	1.12
7273	022	2959	0.07	1872	1	55	80	2.5	6	5	7398	5526	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8285.200195	6413.200195	6413.200195	1.119924
7273	023	2811	0.06	1251	1	55	80	2.5	5	4	7028	5777	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7870.799805	6619.799805	6619.799805	1.11992
7273	024	3022	0.07	1251	1	55	80	2.5	6	5	7555	6304	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8461.599609	7210.599609	7210.599609	1.12
7273	025	2881	0.07	1251	1	55	80	2.5	6	5	7202	5951	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8066.799805	6815.799805	6815.799805	1.120078
7273	026	2887	0.07	1429	1	55	80	2.5	6	5	7218	5789	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8083.600098	6654.600098	6654.600098	1.119922
7273	027	2826	0.06	1207	1	55	80	2.5	5	4	7065	5858	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7912.799805	6705.799805	6705.799805	1.12
7273	028	3003	0.07	1207	1	55	80	2.5	6	5	7508	6301	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8408.399414	7201.399414	7201.399414	1.119925
7273	029	2918	0.07	1863	1	55	80	2.5	6	5	7295	5432	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8170.399902	6307.399902	6307.399902	1.12
7273	030	3039	0.07	1851	1	55	80	2.5	6	5	7598	5747	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8509.200195	6658.200195	6658.200195	1.119926
7273	031	3008	0.07	1863	1	55	80	2.5	6	5	7520	5657	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8422.399414	6559.399414	6559.399414	1.12
7273	032	2863	0.07	1413	1	55	80	2.5	6	5	7158	5745	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8016.399902	6603.399902	6603.399902	1.119922
7273	033	2824	0.06	1751	1	55	80	2.5	5	4	7060	5309	RH-1(D)	40	form-based			true	0.7	6	1.200000048	5	5	7907.199707	6156.199707	6156.199707	1.12
7273	034	3045	0.07	1559	1	55	80	2.5	6	5	7612	6053	RH-1(D)	40	form-based			true	0.7	6	1	5	5	8526	6967	6967	1.120074
7278	001	3090	0.07	1589	1	55	80	2.5	6	5	7725	6136	RH-1(D)	40	form-based		true	true	0.7	6	1	5	5	8652	7063	7063	1.12
7520	003	2926	0.07	2021	1	55	80	2.5	6	5	7315	5294	RH-1	40	form-based			true	0.7	6	1	5	5	8192.799805	6171.799805	6171.799805	1.12
7520	004	2926	0.07	2828	1	55	80	2.5	6	5	7315	4487	RH-1	40	form-based			true	0.7	6	1	5	5	8192.799805	5364.799805	5364.799805	1.12
7526	002	2702	0.06	2435	1	65	100	3	6	5	8106	5671	RH-1	40	form-based		true	true	0.7	6	1	5	5	7565.600098	5130.600098	5130.600098	0.933333
7527	024	2629	0.06	1776	1	65	100	3	6	5	7887	6111	RH-1	40	form-based		true	true	0.7	6	1	5	5	7361.199707	5585.199707	5585.199707	0.933333
7527	003	2872	0.07	1950	1	65	100	3	7	6	8616	6666	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8041.600098	6091.600098	6091.600098	0.933333
7527	007	2756	0.06	1881	1	65	100	3	6	5	8268	6387	RH-1	40	form-based			true	0.7	6	1	5	5	7716.799805	5835.799805	5835.799805	0.933333
7527	010	2835	0.07	3000	1	65	100	3	7	6	8505	5505	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7938	4938	4938	0.933333
7527	011	2777	0.06	1550	1	65	100	3	6	5	8331	6781	RH-1	40	form-based			true	0.7	6	1	5	5	7775.600098	6225.600098	6225.600098	0.933333
7527	012	2974	0.07	1982	1	65	100	3	7	6	8922	6940	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8327.200195	6345.200195	6345.200195	0.933333
7527	013	2716	0.06	2275	1	65	100	3	6	5	8148	5873	RH-1	40	form-based			true	0.7	6	1	5	5	7604.799805	5329.799805	5329.799805	0.933333
7527	025	2729	0.06	1776	1	65	100	3	6	5	8187	6411	RH-1	40	form-based			true	0.7	6	1	5	5	7641.199707	5865.199707	5865.199707	0.933333
7527	026	2716	0.06	2742	1	65	100	3	6	5	8148	5406	RH-1	40	form-based			true	0.7	6	1	5	5	7604.799805	4862.799805	4862.799805	0.933333
7527	027	2715	0.06	2430	1	65	100	3	6	5	8145	5715	RH-1	40	form-based			true	0.7	6	1	5	5	7602	5172	5172	0.933333
7527	028	2632	0.06	2112	1	65	100	3	6	5	7896	5784	RH-1	40	form-based			true	0.7	6	1	5	5	7369.600098	5257.600098	5257.600098	0.933333
7527	029	2646	0.06	2402	1	65	100	3	6	5	7938	5536	RH-1	40	form-based			true	0.7	6	1	5	5	7408.799805	5006.799805	5006.799805	0.933333
7527	030	2731	0.06	2250	1	65	100	3	6	5	8193	5943	RH-1	40	form-based			true	0.7	6	1	5	5	7646.799805	5396.799805	5396.799805	0.933333
7527	032	2624	0.06	1984	1	65	100	3	6	5	7872	5888	RH-1	40	form-based			true	0.7	6	1	5	5	7347.199707	5363.199707	5363.199707	0.933333
7527	033	2745	0.06	1872	1	65	100	3	6	5	8235	6363	RH-1	40	form-based			true	0.7	6	1	5	5	7686	5814	5814	0.933333
7527	036	3037	0.07	1832	1	65	100	3	7	6	9111	7279	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8503.599609	6671.599609	6671.599609	0.933333
7527	037	2696	0.06	1828	1	65	100	3	6	5	8088	6260	RH-1	40	form-based			true	0.7	6	1	5	5	7548.799805	5720.799805	5720.799805	0.933333
7527	038	2709	0.06	1828	1	65	100	3	6	5	8127	6299	RH-1	40	form-based			true	0.7	6	1	5	5	7585.199707	5757.199707	5757.199707	0.933333
7527	041	2975	0.07	1776	1	65	100	3	7	6	8925	7149	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8330	6554	6554	0.933333
7536	036	2625	0.06	3888	1	55	80	2.5	5	4	6562	2674	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	3462	3462	1.120085
7532	015	2732	0.06	2271	1	65	100	3	6	5	8196	5925	RH-1	40	form-based			true	0.7	6	1	5	5	7649.600098	5378.600098	5378.600098	0.933333
7532	016	2822	0.06	2075	1	65	100	3	6	5	8466	6391	RH-1	40	form-based			true	0.7	6	1	5	5	7901.600098	5826.600098	5826.600098	0.933333
7532	018	2893	0.07	2610	1	65	100	3	7	6	8679	6069	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8100.399902	5490.399902	5490.399902	0.933333
7532	029	2887	0.07	1670	1	65	100	3	7	6	8661	6991	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8083.600098	6413.600098	6413.600098	0.933333
7532	030	2924	0.07	1670	1	65	100	3	7	6	8772	7102	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8187.199707	6517.199707	6517.199707	0.933333
7532	031	2764	0.06	1670	1	65	100	3	6	5	8292	6622	RH-1	40	form-based			true	0.7	6	1	5	5	7739.199707	6069.199707	6069.199707	0.933333
7532	032	2743	0.06	1670	1	65	100	3	6	5	8229	6559	RH-1	40	form-based			true	0.7	6	1	5	5	7680.399902	6010.399902	6010.399902	0.933333
7532	033	2725	0.06	1670	1	65	100	3	6	5	8175	6505	RH-1	40	form-based			true	0.7	6	1	5	5	7630	5960	5960	0.933333
7536	019	2850	0.07	4400	1	55	80	2.5	6	5	7125	2725	RH-1	40	form-based			true	0.7	6	1	5	5	7980	3580	3580	1.12
7536	020	2850	0.07	3700	1	55	80	2.5	6	5	7125	3425	RH-1	40	form-based			true	0.7	6	1	5	5	7980	4280	4280	1.12
7536	021	2850	0.07	1014	1	55	80	2.5	6	5	7125	6111	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6966	6966	1.12
7536	022	2850	0.07	4305	1	55	80	2.5	6	5	7125	2820	RH-1	40	form-based			true	0.7	6	1	5	5	7980	3675	3675	1.12
7536	023	2850	0.07	4404	1	55	80	2.5	6	5	7125	2721	RH-1	40	form-based			true	0.7	6	1	5	5	7980	3576	3576	1.12
7536	024	2850	0.07	2365	1	55	80	2.5	6	5	7125	4760	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5615	5615	1.12
7536	025	2850	0.07	2524	1	55	80	2.5	6	5	7125	4601	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5456	5456	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7536	029	2850	0.07	3156	1	55	80	2.5	6	5	7125	3969	RH-1	40	form-based			true	0.7	6	1	5	5	7980	4824	4824	1.12
7536	030	2850	0.07	1688	1	55	80	2.5	6	5	7125	5437	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6292	6292	1.12
7536	031	2850	0.07	3375	1	55	80	2.5	6	5	7125	3750	RH-1	40	form-based			true	0.7	6	1	5	5	7980	4605	4605	1.12
7536	034	2625	0.06	3914	1	55	80	2.5	5	4	6562	2648	RH-2	40	form-based			true	0.7	6	1.200000048	5	5	7350	3436	3436	1.120085
7536	005	2882	0.07	1550	1	55	80	2.5	6	5	7205	5655	RH-1	40	form-based			true	0.7	6	1	5	5	8069.600098	6519.600098	6519.600098	1.12
7536	007	2882	0.07	1200	1	55	80	2.5	6	5	7205	6005	RH-1	40	form-based			true	0.7	6	1	5	5	8069.600098	6869.600098	6869.600098	1.12
7536	008	2883	0.07	922	1	55	80	2.5	6	5	7208	6286	RH-1	40	form-based			true	0.7	6	1	5	5	8072.399902	7150.399902	7150.399902	1.119922
7536	010	2883	0.07	1843	1	55	80	2.5	6	5	7208	5365	RH-1	40	form-based			true	0.7	6	1	5	5	8072.399902	6229.399902	6229.399902	1.119922
7536	011	2883	0.07	2318	1	55	80	2.5	6	5	7208	4890	RH-1	40	form-based			true	0.7	6	1	5	5	8072.399902	5754.399902	5754.399902	1.119922
7536	012	2883	0.07	1940	1	55	80	2.5	6	5	7208	5268	RH-1	40	form-based			true	0.7	6	1	5	5	8072.399902	6132.399902	6132.399902	1.119922
7536	013	2883	0.07	805	1	55	80	2.5	6	5	7208	6403	RH-1	40	form-based			true	0.7	6	1	5	5	8072.399902	7267.399902	7267.399902	1.119922
7536	014	2883	0.07	3005	1	55	80	2.5	6	5	7208	4203	RH-1	40	form-based			true	0.7	6	1	5	5	8072.399902	5067.399902	5067.399902	1.119922
7536	017	2884	0.07	1008	1	55	80	2.5	6	5	7210	6202	RH-1	40	form-based			true	0.7	6	1	5	5	8075.199707	7067.199707	7067.199707	1.12
7549	022	2623	0.06	770	1	65	100	3	6	5	7869	7099	RH-1	40	form-based			true	0.7	6	1	5	5	7344.399902	6574.399902	6574.399902	0.933333
7537	006	2625	0.06	1775	1	55	80	2.5	5	4	6562	4787	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	5575	5575	1.120085
7537	007	2625	0.06	2075	1	55	80	2.5	5	4	6562	4487	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	5275	5275	1.120085
7537	008	2625	0.06	2103	1	55	80	2.5	5	4	6562	4459	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	5247	5247	1.120085
7537	009	2939	0.07	2593	1	55	80	2.5	6	5	7348	4755	RH-1	40	form-based	true		true	0.7	6	1	5	5	8229.200195	5636.200195	5636.200195	1.119924
7537	010	2783	0.06	1395	1	55	80	2.5	5	4	6958	5563	RH-1	40	form-based	true		true	0.7	6	1.200000048	5	5	7792.399902	6397.399902	6397.399902	1.11992
7537	011	2625	0.06	2611	1	55	80	2.5	5	4	6562	3951	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	4739	4739	1.120085
7537	012	2625	0.06	1275	1	55	80	2.5	5	4	6562	5287	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	6075	6075	1.120085
7537	013	2625	0.06	1578	1	55	80	2.5	5	4	6562	4984	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	5772	5772	1.120085
7537	014	2625	0.06	915	1	55	80	2.5	5	4	6562	5647	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	6435	6435	1.120085
7537	015	2625	0.06	4018	1	55	80	2.5	5	4	6562	2544	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	3332	3332	1.120085
7537	016	2625	0.06	2747	1	55	80	2.5	5	4	6562	3815	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	4603	4603	1.120085
7537	017	2625	0.06	1000	1	55	80	2.5	5	4	6562	5562	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7350	6350	6350	1.120085
7537	027	2850	0.07	1829	1	55	80	2.5	6	5	7125	5296	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6151	6151	1.12
7537	028	2850	0.07	1573	1	55	80	2.5	6	5	7125	5552	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6407	6407	1.12
7537	029	2850	0.07	760	1	55	80	2.5	6	5	7125	6365	RH-1	40	form-based			true	0.7	6	1	5	5	7980	7220	7220	1.12
7537	030	2850	0.07	820	1	55	80	2.5	6	5	7125	6305	RH-1	40	form-based			true	0.7	6	1	5	5	7980	7160	7160	1.12
7537	031	2850	0.07	1152	1	55	80	2.5	6	5	7125	5973	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6828	6828	1.12
7537	034	2891	0.07	1700	1	55	80	2.5	6	5	7228	5528	RH-1	40	form-based			true	0.7	6	1	5	5	8094.799805	6394.799805	6394.799805	1.119923
7537	035	2892	0.07	1638	1	55	80	2.5	6	5	7230	5592	RH-1	40	form-based			true	0.7	6	1	5	5	8097.600098	6459.600098	6459.600098	1.12
7537	036	2893	0.07	3285	1	55	80	2.5	6	5	7232	3947	RH-1	40	form-based			true	0.7	6	1	5	5	8100.399902	4815.399902	4815.399902	1.120077
7537	037	2894	0.07	1632	1	55	80	2.5	6	5	7235	5603	RH-1	40	form-based			true	0.7	6	1	5	5	8103.199707	6471.199707	6471.199707	1.12
7537	038	2896	0.07	925	1	55	80	2.5	6	5	7240	6315	RH-1	40	form-based			true	0.7	6	1	5	5	8108.799805	7183.799805	7183.799805	1.12
7537	050	2850	0.07	2018	1	55	80	2.5	6	5	7125	5107	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5962	5962	1.12
7537	051	2850	0.07	2675	1	55	80	2.5	6	5	7125	4450	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5305	5305	1.12
7537	052	2850	0.07	1083	1	55	80	2.5	6	5	7125	6042	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6897	6897	1.12
7537	053	2850	0.07	2504	1	55	80	2.5	6	5	7125	4621	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5476	5476	1.12
7537	054	2850	0.07	1300	1	55	80	2.5	6	5	7125	5825	RH-1	40	form-based			true	0.7	6	1	5	5	7980	6680	6680	1.12
7537	055	2850	0.07	2200	1	55	80	2.5	6	5	7125	4925	RH-1	40	form-based			true	0.7	6	1	5	5	7980	5780	5780	1.12
7537	063	2586	0.06	0	0	55	80	2.5	5	5	6465	6465	RH-1	40	form-based			true	0.7	5	1	5	5	7240.799805	7240.799805	7240.799805	1.12
7537	070	3094	0.07	2184	1	55	80	2.5	6	5	7735	5551	RH-1	40	form-based	true		true	0.7	6	1	5	5	8663.200195	6479.200195	6479.200195	1.12
7537	071	2755	0.06	2184	1	55	80	2.5	5	4	6888	4704	RH-1	40	form-based			true	0.7	6	1.200000048	5	5	7714	5530	5530	1.119919
7537	077	2893	0.07	3898	1	55	80	2.5	6	5	7232	3334	RH-1	40	form-based			true	0.7	6	1	5	5	8100.399902	4202.399902	4202.399902	1.120077
7539	001	3006	0.07	2815	1	55	80	2.5	6	5	7515	4700	RH-1	40	form-based	true		true	0.7	6	1	5	5	8416.799805	5601.799805	5601.799805	1.12
7541	020	2470	0.06	0	0	65	100	3	6	6	7410	7410	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	6916	6916	6916	0.933333
7541	021	2435	0.06	0	0	65	100	3	6	6	7305	7305	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	6818	6818	6818	0.933333
7542	031	3000	0.07	1489	1	65	100	3	7	6	9000	7511	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	6911	6911	0.933333
7545	017	3049	0.07	923	1	65	100	3	7	6	9147	8224	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8537.200195	7614.200195	7614.200195	0.933333
7545	024	2676	0.06	923	1	65	100	3	6	5	8028	7105	RH-1	40	form-based			true	0.7	6	1	5	5	7492.799805	6569.799805	6569.799805	0.933333
7545	006	2633	0.06	1201	1	65	100	3	6	5	7899	6698	RH-1	40	form-based			true	0.7	6	1	5	5	7372.399902	6171.399902	6171.399902	0.933333
7545	007	2649	0.06	1556	1	65	100	3	6	5	7947	6391	RH-1	40	form-based			true	0.7	6	1	5	5	7417.199707	5861.199707	5861.199707	0.933333
7545	008	2632	0.06	1067	1	65	100	3	6	5	7896	6829	RH-1	40	form-based			true	0.7	6	1	5	5	7369.600098	6302.600098	6302.600098	0.933333
7545	010	2747	0.06	1060	1	65	100	3	6	5	8241	7181	RH-1	40	form-based			true	0.7	6	1	5	5	7691.600098	6631.600098	6631.600098	0.933333
7545	011	2741	0.06	923	1	65	100	3	6	5	8223	7300	RH-1	40	form-based			true	0.7	6	1	5	5	7674.799805	6751.799805	6751.799805	0.933333
7545	012	2735	0.06	923	1	65	100	3	6	5	8205	7282	RH-1	40	form-based			true	0.7	6	1	5	5	7658	6735	6735	0.933333
7545	013	2729	0.06	1075	1	65	100	3	6	5	8187	7112	RH-1	40	form-based			true	0.7	6	1	5	5	7641.199707	6566.199707	6566.199707	0.933333
7545	014	2723	0.06	1175	1	65	100	3	6	5	8169	6994	RH-1	40	form-based			true	0.7	6	1	5	5	7624.399902	6449.399902	6449.399902	0.933333
7545	015	2717	0.06	923	1	65	100	3	6	5	8151	7228	RH-1	40	form-based			true	0.7	6	1	5	5	7607.600098	6684.600098	6684.600098	0.933333
7545	028	2732	0.06	1597	1	65	100	3	6	5	8196	6599	RH-1	40	form-based			true	0.7	6	1	5	5	7649.600098	6052.600098	6052.600098	0.933333
7546	002	2668	0.06	725	1	65	100	3	6	5	8004	7279	RH-1	40	form-based			true	0.7	6	1	5	5	7470.399902	6745.399902	6745.399902	0.933333
7546	026	2962	0.07	837	1	65	100	3	7	6	8886	8049	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8293.599609	7456.599609	7456.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7546	027	2848	0.07	837	1	65	100	3	7	6	8544	7707	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7974.399902	7137.399902	7137.399902	0.933333
7546	028	2729	0.06	2403	1	65	100	3	6	5	8187	5784	RH-1	40	form-based			true	0.7	6	1	5	5	7641.199707	5238.199707	5238.199707	0.933333
7547	017	2932	0.07	2250	1	65	100	3	7	6	8796	6546	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8209.599609	5959.599609	5959.599609	0.933333
7547	018	2825	0.06	1210	1	65	100	3	6	5	8475	7265	RH-1	40	form-based			true	0.7	6	1	5	5	7910	6700	6700	0.933333
7547	019	2825	0.06	1080	1	65	100	3	6	5	8475	7395	RH-1	40	form-based			true	0.7	6	1	5	5	7910	6830	6830	0.933333
7547	020	2825	0.06	1291	1	65	100	3	6	5	8475	7184	RH-1	40	form-based			true	0.7	6	1	5	5	7910	6619	6619	0.933333
7547	001	2876	0.07	875	1	65	100	3	7	6	8628	7753	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	8052.799805	7177.799805	7177.799805	0.933333
7547	002	2838	0.07	1758	1	65	100	3	7	6	8514	6756	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7946.399902	6188.399902	6188.399902	0.933333
7547	003	2858	0.07	1795	1	65	100	3	7	6	8574	6779	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8002.399902	6207.399902	6207.399902	0.933333
7547	004	2858	0.07	1278	1	65	100	3	7	6	8574	7296	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8002.399902	6724.399902	6724.399902	0.933333
7547	005	2859	0.07	1280	1	65	100	3	7	6	8577	7297	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8005.199707	6725.199707	6725.199707	0.933333
7547	006	2859	0.07	1820	1	65	100	3	7	6	8577	6757	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8005.199707	6185.199707	6185.199707	0.933333
7548	006	2694	0.06	2425	1	75	120	3.5	7	6	9429	7004	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7543.199707	5118.199707	5118.199707	0.8
7548	009	2642	0.06	2198	1	75	120	3.5	7	6	9247	7049	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7397.600098	5199.600098	5199.600098	0.8
7548	010	2659	0.06	756	1	75	120	3.5	7	6	9306	8550	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7445.199707	6689.199707	6689.199707	0.800043
7548	012	2650	0.06	1235	1	75	120	3.5	7	6	9275	8040	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7420	6185	6185	0.8
7548	016	2742	0.06	1680	1	75	120	3.5	7	6	9597	7917	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7677.600098	5997.600098	5997.600098	0.8
7549	004	2747	0.06	1199	1	65	100	3	6	5	8241	7042	RH-1	40	form-based			true	0.7	6	1	5	5	7691.600098	6492.600098	6492.600098	0.933333
7549	009	2839	0.07	1890	1	65	100	3	7	6	8517	6627	RH-1	40	form-based		true	true	0.7	6	0.857142866	5	5	7949.199707	6059.199707	6059.199707	0.933333
7549	010	2999	0.07	2970	1	65	100	3	7	6	8997	6027	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8397.200195	5427.200195	5427.200195	0.933333
7549	014	2992	0.07	2448	1	65	100	3	7	6	8976	6528	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8377.599609	5929.599609	5929.599609	0.933333
7549	027	2856	0.07	1788	1	65	100	3	7	6	8568	6780	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	7996.799805	6208.799805	6208.799805	0.933333
7549	028	2763	0.06	2539	1	65	100	3	6	5	8289	5750	RH-1	40	form-based			true	0.7	6	1	5	5	7736.399902	5197.399902	5197.399902	0.933333
7550	020	2938	0.07	2105	1	65	100	3	7	6	8814	6709	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8226.399414	6121.399414	6121.399414	0.933333
7550	021	2937	0.07	2105	1	65	100	3	7	6	8811	6706	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	6118.599609	6118.599609	0.933333
7550	022	2937	0.07	2670	1	65	100	3	7	6	8811	6141	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8223.599609	5553.599609	5553.599609	0.933333
7550	023	2742	0.06	1554	1	65	100	3	6	5	8226	6672	RH-1	40	form-based			true	0.7	6	1	5	5	7677.600098	6123.600098	6123.600098	0.933333
7551	007	2687	0.06	1500	1	65	100	3	6	5	8061	6561	RH-1	40	form-based			true	0.7	6	1	5	5	7523.600098	6023.600098	6023.600098	0.933333
7551	020	2680	0.06	1950	1	65	100	3	6	5	8040	6090	RH-1	40	form-based			true	0.7	6	1	5	5	7504	5554	5554	0.933333
7551	021	2718	0.06	1995	1	65	100	3	6	5	8154	6159	RH-1	40	form-based			true	0.7	6	1	5	5	7610.399902	5615.399902	5615.399902	0.933333
7551	023	2830	0.06	1890	1	65	100	3	6	5	8490	6600	RH-1	40	form-based			true	0.7	6	1	5	5	7924	6034	6034	0.933333
7551	024	2671	0.06	1618	1	65	100	3	6	5	8013	6395	RH-1	40	form-based			true	0.7	6	1	5	5	7478.799805	5860.799805	5860.799805	0.933333
7551	025	2817	0.06	2462	1	65	100	3	6	5	8451	5989	RH-1	40	form-based			true	0.7	6	1	5	5	7887.600098	5425.600098	5425.600098	0.933333
7551	026	3072	0.07	1700	1	65	100	3	7	6	9216	7516	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8601.599609	6901.599609	6901.599609	0.933333
7551	027	3031	0.07	1700	1	65	100	3	7	6	9093	7393	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8486.799805	6786.799805	6786.799805	0.933333
7551	028	3002	0.07	1700	1	65	100	3	7	6	9006	7306	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8405.599609	6705.599609	6705.599609	0.933333
7551	029	2987	0.07	1700	1	65	100	3	7	6	8961	7261	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8363.599609	6663.599609	6663.599609	0.933333
7551	030	3029	0.07	2372	1	65	100	3	7	6	9087	6715	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8481.200195	6109.200195	6109.200195	0.933333
7551	034	3032	0.07	2847	1	65	100	3	7	6	9096	6249	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8489.599609	5642.599609	5642.599609	0.933333
7551	104	2555	0.06	3023	0	65	100	3	6	6	7665	4642	RH-1	40	form-based		true	true	0.7	5	0.833333313	5	5	7154	4131	4131	0.933333
7552	009	2620	0.06	474	1	65	100	3	6	5	7860	7386	RH-1	40	form-based			true	0.7	6	1	5	5	7336	6862	6862	0.933333
7552	041	2503	0.06	3683	0	65	100	3	6	6	7509	3826	RH-1	40	form-based			true	0.7	5	0.833333313	5	5	7008.399902	3325.399902	3325.399902	0.933333
7552	042	3000	0.07	3176	1	65	100	3	7	6	9000	5824	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8400	5224	5224	0.933333
7552	043	3004	0.07	3176	1	65	100	3	7	6	9012	5836	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8411.200195	5235.200195	5235.200195	0.933333
7553	002	2870	0.07	1080	1	65	100	3	7	6	8610	7530	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8036	6956	6956	0.933333
7553	004	3018	0.07	2231	1	65	100	3	7	6	9054	6823	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8450.399414	6219.399414	6219.399414	0.933333
7553	017	2862	0.07	1175	1	65	100	3	7	6	8586	7411	RH-1	40	form-based			true	0.7	6	0.857142866	5	5	8013.600098	6838.600098	6838.600098	0.933333
7553	018	2709	0.06	1314	1	65	100	3	6	5	8127	6813	RH-1	40	form-based			true	0.7	6	1	5	5	7585.199707	6271.199707	6271.199707	0.933333
7554	003	2686	0.06	975	1	65	100	3	6	5	8058	7083	RH-1	40	form-based			true	0.7	6	1	5	5	7520.799805	6545.799805	6545.799805	0.933333
7554	034	2627	0.06	1012	1	65	100	3	6	5	7881	6869	RH-1	40	form-based			true	0.7	6	1	5	5	7355.600098	6343.600098	6343.600098	0.933333
7554	035	2766	0.06	2770	1	65	100	3	6	5	8298	5528	RH-1	40	form-based			true	0.7	6	1	5	5	7744.799805	4974.799805	4974.799805	0.933333
0024	038	1775	0.04	1150	3	65	100	3	4	1	5325	4175	RTO-C	65	form-based			true	0.75	7	1.75	4	4	7987.5	6837.5	6837.5	1.5
0025	032	4747	0.11	1188	7	65	100	3	11	4	14241	13053	C-2	40	form-based			true	0.8	11	1	4	4	15190.40039	14002.40039	14002.40039	1.066667
0026	018A	2679	0.06	2688	2	65	100	3	6	4	8037	5349	RH-3	40	form-based			true	0.7	6	1	4	4	7501.199707	4813.199707	4813.199707	0.933333
0026	021	3707	0.09	3600	4	65	100	3	9	5	11121	7521	RH-3	40	form-based			true	0.7	8	0.888888896	4	4	10379.59961	6779.599609	6779.599609	0.933333
0026	024	3713	0.09	3588	4	65	100	3	9	5	11139	7551	RH-3	40	form-based			true	0.7	8	0.888888896	4	4	10396.39941	6808.399414	6808.399414	0.933333
0026	031	3218	0.07	2530	3	65	100	3	7	4	9654	7124	RH-3	40	form-based			true	0.7	7	1	4	4	9010.399414	6480.399414	6480.399414	0.933333
0026	039	1776	0.04	1962	0	65	100	3	4	4	5328	3366	RH-3	40	form-based		true	true	0.7	4	1	4	4	4972.799805	3010.799805	3010.799805	0.933333
0026	051	1825	0.04	1056	0	65	100	3	4	4	5475	4419	RH-3	40	form-based			true	0.7	4	1	4	4	5110	4054	4054	0.933333
0026	061	3437	0.08	1643	3	65	100	3	8	5	10311	8668	RH-3	40	form-based			true	0.7	7	0.875	4	4	9623.599609	7980.599609	7980.599609	0.933333
0027	001D	2230	0.05	3273	1	65	100	3	5	4	6690	3417	RH-3	40	form-based			true	0.7	5	1	4	4	6244	2971	2971	0.933333
0027	023	2187	0.05	1977	1	65	100	3	5	4	6561	4584	RH-3	40	form-based			true	0.7	5	1	4	4	6123.600098	4146.600098	4146.600098	0.933333
0028	006A	1914	0.04	3570	3	65	100	3	4	1	5742	2172	RTO-C	65	form-based			true	0.75	7	1.75	4	4	8613	5043	5043	1.5
0028	006B	1914	0.04	3316	3	65	100	3	4	1	5742	2426	RTO-C	65	form-based			true	0.75	7	1.75	4	4	8613	5297	5297	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0028	006H	1513	0.03	2369	2	65	100	3	3	1	4539	2170	RTO-C	65	form-based			true	0.75	6	2	4	4	6808.5	4439.5	4439.5	1.5
0028	007	2700	0.06	5759	6	65	100	3	6	0	8100	2341	RTO-C	65	form-based			true	0.75	10	1.666666627	4	4	12150	6391	6391	1.5
0039	013	1658	0.04	2640	2	65	100	3	4	2	4974	2334	RH-3	40	density-lim	1000	true		0.7	6	1.5	4	4	4642.399902	2002.399902	2002.399902	0.933333
0039	021	1587	0.04	1369	0	65	100	3	4	4	4761	3392	RM-3	40	density-lim	400			0.75	4	1	4	4	4761	3392	3392	1
0039	040	3264	0.07	1441	4	65	100	3	7	3	9792	8351	RM-3	40	density-lim	400			0.75	8	1.142857194	4	4	9792	8351	8351	1
0039	109	1140	0.03	1079	2	65	100	3	3	1	3420	2341	RH-3	40	density-lim	1000	true		0.7	6	2	4	4	3192	2113	2113	0.933333
0041	013	2755	0.06	4180	3	65	100	3	6	3	8265	4085	NCD-NORT	40	density-lim	400			0.75	7	1.166666627	4	4	8265	4085	4085	1
0044	002D	2313	0.05	2658	2	65	100	3	5	3	6939	4281	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	8095.5	5437.5	5437.5	1.166667
0044	002G	2437	0.06	2868	3	65	100	3	6	3	7311	4443	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	8529.5	5661.5	5661.5	1.166667
0044	028	2160	0.05	1097	2	65	100	3	5	3	6480	5383	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7560	6463	6463	1.166667
0044	041	2160	0.05	1352	2	65	100	3	5	3	6480	5128	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7560	6208	6208	1.166667
0044	045	2159	0.05	1111	2	65	100	3	5	3	6477	5366	RH-2	50	form-based		true	true	0.7	6	1.200000048	4	4	7556.5	6445.5	6445.5	1.166667
0045	047	2521	0.06	1900	1	65	100	3	6	5	7563	5663	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7058.799805	5158.799805	5158.799805	0.933333
0045	048	3642	0.08	480	4	65	100	3	8	4	10926	10446	RH-3	40	form-based			true	0.7	8	1	4	4	10197.59961	9717.599609	9717.599609	0.933333
0048	001	2451	0.06	587	1	65	100	3	6	5	7353	6766	RH-1(D)	40	form-based		true	true	0.7	5	0.833333313	4	4	6862.799805	6275.799805	6275.799805	0.933333
0049	007	2562	0.06	3314	1	65	100	3	6	5	7686	4372	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7173.600098	3859.600098	3859.600098	0.933333
0049	010A	2205	0.05	2055	1	65	100	3	5	4	6615	4560	RH-3	40	form-based		true	true	0.7	5	1	4	4	6174	4119	4119	0.933333
0049	010D	1890	0.04	1744	1	65	100	3	4	3	5670	3926	RH-3	50	form-based			true	0.7	5	1.25	4	4	6615	4871	4871	1.166667
0050	001A	4264	0.1	11680	12	65	100	3	10	0	12792	1112	NCD-NORT	65	form-based		true	true	0.75	16	1.600000024	4	4	19188	7508	7508	1.5
0050	003	1168	0.03	1333	0	65	100	3	3	3	3504	2171	NCD-NORT	65	form-based		true	true	0.75	4	1.333333373	4	4	5256	3923	3923	1.5
0050	028	2078	0.05	1375	2	65	100	3	5	3	6234	4859	RM-1	50	form-based			true	0.7	6	1.200000048	4	4	7273	5898	5898	1.166667
0051	009	1282	0.03	1840	0	65	100	3	3	3	3846	2006	NCD-NORT	50	form-based			true	0.75	4	1.333333373	4	4	4807.5	2967.5	2967.5	1.25
0051	022	1219	0.03	1188	0	65	100	3	3	3	3657	2469	NCD-NORT	50	form-based			true	0.75	4	1.333333373	4	4	4571.25	3383.25	3383.25	1.25
0051	023	2219	0.05	3192	3	65	100	3	5	2	6657	3465	NCD-NORT	50	form-based			true	0.75	7	1.399999976	4	4	8321.25	5129.25	5129.25	1.25
0053	004	7906	0.18	8690	6	65	100	3	18	12	23718	15028	RM-1	40	density-lim	800			0.7	10	0.555555582	4	4	22136.79883	13446.79883	13446.79883	0.933333
0054	001	1566	0.04	2520	2	65	100	3	4	2	4698	2178	RH-3	40	density-lim	1000	true		0.7	6	1.5	4	4	4384.799805	1864.799805	1864.799805	0.933333
0054	016	2000	0.05	2500	2	65	100	3	5	3	6000	3500	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	4	4	5600	3100	3100	0.933333
0054	036	1148	0.03	2100	2	65	100	3	3	1	3444	1344	RH-3	40	density-lim	1000	true		0.7	6	2	4	4	3214.399902	1114.399902	1114.399902	0.933333
0054	051	1524	0.03	1744	2	65	100	3	3	1	4572	2828	RH-3	40	density-lim	1000	true		0.7	6	2	4	4	4267.199707	2523.199707	2523.199707	0.933333
0054	074	1400	0.03	3705	2	65	100	3	3	1	4200	495	RH-3	40	density-lim	1000	true		0.7	6	2	4	4	3920	215	215	0.933333
0061	011	2320	0.05	1317	1	65	100	3	5	4	6960	5643	RH-3	40	form-based			true	0.7	5	1	4	4	6496	5179	5179	0.933333
0061	021A	3090	0.07	5300	2	65	100	3	7	5	9270	3970	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8652	3352	3352	0.933333
0062	004	3451	0.08	4900	3	65	100	3	8	5	10353	5453	RH-3	40	form-based			true	0.7	7	0.875	4	4	9662.799805	4762.799805	4762.799805	0.933333
0062	011	2625	0.06	3507	2	65	100	3	6	4	7875	4368	RH-3	40	form-based			true	0.7	6	1	4	4	7350	3843	3843	0.933333
0062	017E	2928	0.07	3454	2	55	80	2.5	6	4	7320	3866	RM-1	40	form-based			true	0.7	6	1	4	4	8198.399414	4744.399414	4744.399414	1.12
0062	024C	2600	0.06	1185	1	65	100	3	6	5	7800	6615	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7280	6095	6095	0.933333
0063	025A	3536	0.08	4686	3	55	80	2.5	6	3	8840	4154	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9900.799805	5214.799805	5214.799805	1.12
0063	011	3300	0.08	4104	3	55	80	2.5	6	3	8250	4146	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9240	5136	5136	1.12
0063	014	3071	0.07	2565	2	55	80	2.5	6	4	7678	5113	RM-2	40	form-based			true	0.7	6	1	4	4	8598.799805	6033.799805	6033.799805	1.119927
0063	021	2630	0.06	2318	2	55	80	2.5	5	3	6575	4257	RM-2	40	form-based			true	0.7	6	1.200000048	4	4	7364	5046	5046	1.12
0063	028	4832	0.11	6720	6	55	80	2.5	9	3	12080	5360	RM-2	40	form-based			true	0.7	10	1.111111164	4	4	13529.59961	6809.599609	6809.599609	1.12
0063	030	3703	0.09	1140	4	55	80	2.5	7	3	9258	8118	RM-1	40	form-based			true	0.7	8	1.142857194	4	4	10368.39941	9228.399414	9228.399414	1.119939
0064	011	4180	0.1	7588	8	55	80	2.5	8	0	10450	2862	RM-2	50	form-based			true	0.7	12	1.5	4	4	14630	7042	7042	1.4
0064	015	4940	0.11	10250	10	55	80	2.5	9	0	12350	2100	RM-2	50	form-based			true	0.7	14	1.555555582	4	4	17290	7040	7040	1.4
0064	032	1987	0.05	2636	2	55	80	2.5	4	2	4968	2332	RM-2	50	form-based			true	0.7	6	1.5	4	4	6954.5	4318.5	4318.5	1.399859
0065	006	2328	0.05	3204	3	55	80	2.5	4	1	5820	2616	RM-2	50	form-based			true	0.7	7	1.75	4	4	8148	4944	4944	1.4
0065	008	1650	0.04	1706	1	55	80	2.5	3	2	4125	2419	RM-2	50	form-based			true	0.7	5	1.666666627	4	4	5775	4069	4069	1.4
0065	010	3200	0.07	6264	8	55	80	2.5	6	0	8000	1736	NCD-NORT	65	form-based		true	true	0.75	12	2	4	4	14400	8136	8136	1.8
0065	062	2328	0.05	1638	3	55	80	2.5	4	1	5820	4182	RM-2	50	form-based			true	0.7	7	1.75	4	4	8148	6510	6510	1.4
0066	003	3177	0.07	4576	5	55	80	2.5	6	1	7942	3366	RM-1	50	form-based			true	0.7	9	1.5	4	4	11119.5	6543.5	6543.5	1.400088
0066	003A	3176	0.07	5305	5	55	80	2.5	6	1	7940	2635	RM-1	50	form-based		true	true	0.7	9	1.5	4	4	11116	5811	5811	1.4
0067	006	2688	0.06	2950	2	55	80	2.5	5	3	6720	3770	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7526.399902	4576.399902	4576.399902	1.12
0067	008	2391	0.05	2310	1	55	80	2.5	4	3	5978	3668	RH-3	40	form-based			true	0.7	5	1.25	4	4	6694.799805	4384.799805	4384.799805	1.119906
0067	009	2858	0.07	3135	2	55	80	2.5	6	4	7145	4010	RH-3	40	form-based			true	0.7	6	1	4	4	8002.399902	4867.399902	4867.399902	1.12
0071	030	2178	0.05	2136	2	55	80	2.5	4	2	5445	3309	RH-3	50	form-based			true	0.7	6	1.5	4	4	7623	5487	5487	1.4
0071	032	1491	0.03	1570	0	55	80	2.5	2	2	3728	2158	RH-3	50	form-based			true	0.7	4	2	4	4	5218.5	3648.5	3648.5	1.399812
0071	045	2688	0.06	1450	4	55	80	2.5	5	1	6720	5270	RH-3	50	form-based			true	0.7	8	1.600000024	4	4	9408	7958	7958	1.4
0072	006	3950	0.09	3786	4	55	80	2.5	7	3	9875	6089	RM-1	40	form-based			true	0.7	8	1.142857194	4	4	11060	7274	7274	1.12
0072	048	3424	0.08	3705	3	55	80	2.5	6	3	8560	4855	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9587.200195	5882.200195	5882.200195	1.12
0073	006	6298	0.14	8445	9	55	80	2.5	11	2	15745	7300	RM-1	40	form-based			true	0.7	13	1.181818128	4	4	17634.40039	9189.400391	9189.400391	1.12
0073	008	3410	0.08	3918	3	55	80	2.5	6	3	8525	4607	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9548	5630	5630	1.12
0073	009	3163	0.07	3615	3	55	80	2.5	6	3	7908	4293	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	8856.399414	5241.399414	5241.399414	1.119929
0073	017A	3425	0.08	1980	3	55	80	2.5	6	3	8562	6582	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9590	7610	7610	1.120065
0073	063	2911	0.07	1005	4	55	80	2.5	6	2	7278	6273	RM-1	50	form-based		true	true	0.7	8	1.333333373	4	4	10188.5	9183.5	9183.5	1.399904

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0074	043	3414	0.08	4676	6	55	80	2.5	6	0	8535	3859	RM-2	50	form-based		true	true	0.7	10	1.666666627	4	4	11949	7273	7273	1.4
0076	014	4756	0.11	5213	6	55	80	2.5	9	3	11890	6677	RM-2	40	form-based			true	0.7	10	1.111111164	4	4	13316.7998	8103.799805	8103.799805	1.12
0076	017	3675	0.08	4992	6	55	80	2.5	6	0	9188	4196	RM-2	50	form-based		true	true	0.7	10	1.666666627	4	4	12862.5	7870.5	7870.5	1.399924
0076	023	2239	0.05	2728	2	55	80	2.5	4	2	5598	2870	RM-2	50	form-based			true	0.7	6	1.5	4	4	7836.5	5108.5	5108.5	1.399875
0076	026	5302	0.12	4779	7	55	80	2.5	10	3	13255	8476	RM-2	40	form-based			true	0.7	11	1.100000024	4	4	14845.59961	10066.59961	10066.59961	1.12
0077	021	4812	0.11	4572	6	55	80	2.5	9	3	12030	7458	RH-3	40	form-based			true	0.7	10	1.111111164	4	4	13473.59961	8901.599609	8901.599609	1.12
0077	039	3600	0.08	6465	4	55	80	2.5	6	2	9000	2535	RH-3	40	form-based			true	0.7	8	1.333333373	4	4	10080	3615	3615	1.12
0078	046	2257	0.05	1702	1	65	100	3	5	4	6771	5069	RH-3	40	form-based			true	0.7	5	1	4	4	6319.600098	4617.600098	4617.600098	0.933333
0085	026D	1563	0.04	0	0	65	100	3	4	4	4689	4689	RH-3	40	density-lim	1000			0.7	4	1	4	4	4376.399902	4376.399902	4376.399902	0.933333
0085	029	300	0.01	4978	0	65	100	3	1	1	900	0	RH-3	40	density-lim	1000			0.7	4	4	4	2	840	0	0	0.933333
0085	033	1787	0.04	0	0	65	100	3	4	4	5361	5361	RH-3	40	density-lim	1000			0.7	4	1	4	4	5003.600098	5003.600098	5003.600098	0.933333
0085	046	1831	0.04	1495	2	65	100	3	4	2	5493	3998	RH-3	40	density-lim	1000	true		0.7	6	1.5	4	4	5126.799805	3631.799805	3631.799805	0.933333
0086	004	2188	0.05	3180	1	65	100	3	5	4	6564	3384	RH-3	40	form-based			true	0.7	5	1	4	4	6126.399902	2946.399902	2946.399902	0.933333
0087	020	3438	0.08	5022	3	55	80	2.5	6	3	8595	3573	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	4604.399414	4604.399414	1.12
0087	024	2188	0.05	6375	1	65	100	3	5	4	6564	189	RH-3	40	form-based			true	0.7	5	1	4	4	6126.399902	0	0	0.933333
0087	026	2568	0.06	2195	1	55	80	2.5	5	4	6420	4225	RH-3	40	form-based			true	0.7	5	1	4	4	7190.399902	4995.399902	4995.399902	1.12
0088	019	2659	0.06	5070	3	55	80	2.5	5	2	6648	1578	NCD-NORT	40	density-lim	400			0.75	7	1.399999976	4	4	7977	2907	2907	1.19991
0089	024	2580	0.06	3603	1	55	80	2.5	5	4	6450	2847	RM-1	40	form-based			true	0.7	5	1	4	4	7224	3621	3621	1.12
0090	006	1750	0.04	1750	0	55	80	2.5	3	3	4375	2625	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	4	4	5250	3500	3500	1.2
0090	037	3541	0.08	5940	5	55	80	2.5	6	1	8852	2912	NCD-NORT	40	density-lim	400			0.75	9	1.5	4	4	10623	4683	4683	1.200068
0092	040	2407	0.06	2169	1	55	80	2.5	5	4	6018	3849	RM-1	40	form-based			true	0.7	5	1	4	4	6739.600098	4570.600098	4570.600098	1.119907
0093	004	3025	0.07	2450	2	55	80	2.5	6	4	7562	5112	RM-1	40	form-based			true	0.7	6	1	4	4	8470	6020	6020	1.120074
0093	005	2819	0.06	3068	2	55	80	2.5	5	3	7048	3980	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7893.199707	4825.199707	4825.199707	1.11992
0093	015	3946	0.09	6339	4	55	80	2.5	7	3	9865	3526	RM-1	40	form-based			true	0.7	8	1.142857194	4	4	11048.7998	4709.799805	4709.799805	1.12
0093	054	3750	0.09	797	4	55	80	2.5	7	3	9375	8578	RM-1	40	form-based			true	0.7	8	1.142857194	4	4	10500	9703	9703	1.12
0093	068	2188	0.05	1351	1	55	80	2.5	4	3	5470	4119	RM-1	40	form-based		true	true	0.7	5	1.25	4	4	6126.399902	4775.399902	4775.399902	1.12
0094	003	2170	0.05	2212	2	55	80	2.5	4	2	5425	3213	RH-3	50	form-based			true	0.7	6	1.5	4	4	7595	5383	5383	1.4
0094	006	2190	0.05	3345	2	55	80	2.5	4	2	5475	2130	RH-3	50	form-based			true	0.7	6	1.5	4	4	7665	4320	4320	1.4
0095	019	2281	0.05	2456	2	65	100	3	5	3	6843	4387	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7983.5	5527.5	5527.5	1.166667
0095	022	2240	0.05	5417	2	65	100	3	5	3	6720	1303	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7840	2423	2423	1.166667
0095	032	2283	0.05	1075	2	65	100	3	5	3	6849	5774	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7990.5	6915.5	6915.5	1.166667
0096	002	1715	0.04	2784	2	55	80	2.5	3	1	4288	1504	RH-3	65	form-based			true	0.7	6	2	4	4	7203	4419	4419	1.679804
0096	009	2400	0.06	4120	4	65	100	3	6	2	7200	3080	RH-3	65	form-based			true	0.7	8	1.333333373	4	4	10080	5960	5960	1.4
0096	012	2400	0.06	3560	4	65	100	3	6	2	7200	3640	RH-3	65	form-based			true	0.7	8	1.333333373	4	4	10080	6520	6520	1.4
0096	022	2250	0.05	4060	4	65	100	3	5	1	6750	2690	RH-3	65	form-based			true	0.7	8	1.600000024	4	4	9450	5390	5390	1.4
0096	023	2250	0.05	4060	4	65	100	3	5	1	6750	2690	RH-3	65	form-based			true	0.7	8	1.600000024	4	4	9450	5390	5390	1.4
0096	040	2025	0.05	3940	3	65	100	3	5	2	6075	2135	RH-3	65	form-based			true	0.7	7	1.399999976	4	4	8505	4565	4565	1.4
0096	063	2025	0.05	1291	3	65	100	3	5	2	6075	4784	RH-3	65	form-based			true	0.7	7	1.399999976	4	4	8505	7214	7214	1.4
0096	066	1646	0.04	1227	2	55	80	2.5	3	1	4115	2888	RH-3	65	form-based		true	true	0.7	6	2	4	4	6913.199707	5686.199707	5686.199707	1.68
0097	022	1782	0.04	2262	2	55	80	2.5	3	1	4455	2193	RH-3	65	form-based		true	true	0.7	6	2	4	4	7484.399902	5222.399902	5222.399902	1.68
0097	038A	1434	0.03	2046	1	55	80	2.5	2	1	3585	1539	RH-3	65	form-based			true	0.7	5	2.5	4	3	6022.799805	3976.799805	3976.799805	1.68
0098	020	2629	0.06	1561	2	55	80	2.5	5	3	6572	5011	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7361.199707	5800.199707	5800.199707	1.120085
0099	004C	3434	0.08	5550	3	55	80	2.5	6	3	8585	3035	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9615.200195	4065.200195	4065.200195	1.12
0099	004D	3433	0.08	4231	3	55	80	2.5	6	3	8582	4351	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9612.399414	5381.399414	5381.399414	1.120065
0099	005A	3432	0.08	5508	3	55	80	2.5	6	3	8580	3072	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9609.599609	4101.599609	4101.599609	1.12
0099	018	2748	0.06	2532	2	55	80	2.5	5	3	6870	4338	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7694.399902	5162.399902	5162.399902	1.12
0099	019	4769	0.11	7311	6	55	80	2.5	9	3	11922	4611	RM-1	40	form-based			true	0.7	10	1.111111164	4	4	13353.2002	6042.200195	6042.200195	1.120047
0099	024	3781	0.09	1970	4	55	80	2.5	7	3	9452	7482	RM-1	40	form-based		true	true	0.7	8	1.142857194	4	4	10586.7998	8616.799805	8616.799805	1.120059
0100	007	1983	0.05	305	0	55	80	2.5	4	4	4958	4653	RM-1	40	form-based		true	true	0.7	4	1	4	4	5552.399902	5247.399902	5247.399902	1.119887
0100	022	5411	0.12	10070	7	55	80	2.5	10	3	13528	3458	RM-2	40	form-based		true	true	0.7	11	1.100000024	4	4	15150.7998	5080.799805	5080.799805	1.119959
0100	039	2406	0.06	4178	1	55	80	2.5	5	4	6015	1837	RM-1	40	form-based			true	0.7	5	1	4	4	6736.799805	2558.799805	2558.799805	1.12
0101	039	3972	0.09	1168	6	55	80	2.5	7	1	9930	8762	NCD-NORT	40	density-lim	400			0.75	10	1.428571463	4	4	11916	10748	10748	1.2
0103	003	2571	0.06	3208	2	55	80	2.5	5	3	6428	3220	NCD-NORT	40	density-lim	400			0.75	6	1.200000048	4	4	7713	4505	4505	1.199907
0104	053	1176	0.03	1720	2	55	80	2.5	2	0	2940	1220	RH-3	40	density-lim	1000	true		0.7	6	3	4	2	3292.800049	1572.800049	1572.800049	1.12
0105	049	3210	0.07	6127	3	55	80	2.5	6	3	8025	1898	RH-3	40	form-based		true	true	0.7	7	1.166666627	4	4	8988	2861	2861	1.12
0105	066	3025	0.07	2247	2	55	80	2.5	6	4	7562	5315	RH-3	40	form-based			true	0.7	6	1	4	4	8470	6223	6223	1.120074
0106	006	1500	0.03	0	0	65	100	3	3	3	4500	4500	RH-3	40	density-lim	1000			0.7	4	1.333333373	4	4	4200	4200	4200	0.933333
0106	025	1500	0.03	0	0	65	100	3	3	3	4500	4500	RH-3	40	density-lim	1000			0.7	4	1.333333373	4	4	4200	4200	4200	0.933333
0106	043	265	0.01	0	0	65	100	3	1	1	795	795	RH-3	40	density-lim	1000			0.7	4	4	4	2	742	742	742	0.933333
0106	045	85	0	1100	0	65	100	3	0	0	255	0	RH-3	40	density-lim	1000			0.7	4		4	4	238	0	0	0.933333
0106	066	2580	0.06	0	0	65	100	3	6	6	7740	7740	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	7224	7224	7224	0.933333
0112	007	3006	0.07	9000	0	65	100	3	7	7	9018	18	C-2	65	density-lim	800	true		0.8	4	0.571428597	4	4	14428.7998	5428.799805	5428.799805	1.6
0113	011	3153	0.07	0	0	65	100	3	7	7	9459	9459	RH-3	40	density-lim	1000			0.7	4	0.571428597	4	4	8828.399414	8828.399414	8828.399414	0.933333
0113	029	2099	0.05	0	0	65	100	3	5	5	6297	6297	RH-3	40	density-lim	1000			0.7	4	0.800000012	4	4	5877.199707	5877.199707	5877.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0113	034	5579	0.13	3434	2	65	100	3	13	11	16737	13303	RH-3	40	density-lim	1000	true		0.7	6	0.461538464	4	4	15621.2002	12187.2002	12187.2002	0.933333
0113	053	3151	0.07	555	3	65	100	3	7	4	9453	8898	RH-3	40	form-based			true	0.7	7	1	4	4	8822.799805	8267.799805	8267.799805	0.933333
0114	036	2213	0.05	1300	1	55	80	2.5	4	3	5532	4232	RH-3	40	form-based			true	0.7	5	1.25	4	4	6196.399902	4896.399902	4896.399902	1.120101
0117	003	1732	0.04	5181	0	55	80	2.5	3	3	4330	0	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	4	4	5196	15	15	1.2
0117	008	3438	0.08	7317	5	55	80	2.5	6	1	8595	1278	NCD-NORT	40	density-lim	400			0.75	9	1.5	4	4	10314	2997	2997	1.2
0118	003	2263	0.05	3226	2	55	80	2.5	4	2	5658	2432	NCD-NORT	40	density-lim	400			0.75	6	1.5	4	4	6789	3563	3563	1.199894
0118	040A	3492	0.08	3100	2	55	80	2.5	6	4	8730	5630	RM-2	40	density-lim	600			0.7	6	1	4	4	9777.599609	6677.599609	6677.599609	1.12
0119	005	3021	0.07	2848	2	55	80	2.5	6	4	7552	4704	RM-2	40	form-based			true	0.7	6	1	4	4	8458.799805	5610.799805	5610.799805	1.120074
0119	016	3169	0.07	3624	3	55	80	2.5	6	3	7922	4298	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	8873.200195	5249.200195	5249.200195	1.120071
0119	017	3129	0.07	2700	3	55	80	2.5	6	3	7822	5122	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	8761.200195	6061.200195	6061.200195	1.120072
0119	046	2869	0.07	1456	2	55	80	2.5	6	4	7172	5716	RM-2	40	form-based			true	0.7	6	1	4	4	8033.199707	6577.199707	6577.199707	1.120078
0120	026	3259	0.07	4320	3	55	80	2.5	6	3	8148	3828	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9125.200195	4805.200195	4805.200195	1.119931
0120	027	2112	0.05	3278	0	55	80	2.5	4	4	5280	2002	RH-2	40	form-based			true	0.7	4	1	4	4	5913.600098	2635.600098	2635.600098	1.12
0121	021	3218	0.07	5207	3	55	80	2.5	6	3	8045	2838	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9010.399414	3803.399414	3803.399414	1.12
0121	022	2733	0.06	2504	2	55	80	2.5	5	3	6832	4328	RM-2	40	form-based			true	0.7	6	1.200000048	4	4	7652.399902	5148.399902	5148.399902	1.120082
0121	023	2734	0.06	2828	2	55	80	2.5	5	3	6835	4007	RM-2	40	form-based			true	0.7	6	1.200000048	4	4	7655.199707	4827.199707	4827.199707	1.12
0122	015	2425	0.06	3424	4	55	80	2.5	5	1	6062	2638	RH-3	65	form-based			true	0.7	8	1.600000024	4	4	10185	6761	6761	1.680139
0122	029	4582	0.11	9816	13	55	80	2.5	9	0	11455	1639	NC-1	65	form-based		true	true	0.75	17	1.888888836	4	4	20619	10803	10803	1.8
0122	030	2875	0.07	850	6	55	80	2.5	6	0	7188	6338	RH-3	65	form-based			true	0.7	10	1.666666627	4	4	12075	11225	11225	1.679883
0122	069	1960	0.04	1450	3	55	80	2.5	3	0	4900	3450	RH-3	65	form-based			true	0.7	7	2.333333254	4	3	8232	6782	6782	1.68
0122	087	2875	0.07	8851	6	55	80	2.5	6	0	7188	0	RH-3	65	form-based			true	0.7	10	1.666666627	4	4	12075	3224	3224	1.679883
0123	008	1200	0.03	664	0	65	100	3	3	3	3600	2936	RH-2	65	form-based			true	0.7	4	1.333333373	4	4	5040	4376	4376	1.4
0123	039	2358	0.05	3520	4	65	100	3	5	1	7074	3554	RH-3	65	form-based			true	0.7	8	1.600000024	4	4	9903.599609	6383.599609	6383.599609	1.4
0123	043	2091	0.05	3600	3	65	100	3	5	2	6273	2673	RH-3	65	form-based			true	0.7	7	1.399999976	4	4	8782.200195	5182.200195	5182.200195	1.4
0123	048	1591	0.04	1990	2	65	100	3	4	2	4773	2783	RH-3	65	form-based			true	0.7	6	1.5	4	4	6682.199707	4692.199707	4692.199707	1.4
0123	050	1382	0.03	1670	1	65	100	3	3	2	4146	2476	RH-3	65	form-based			true	0.7	5	1.666666627	4	4	5804.399902	4134.399902	4134.399902	1.4
0124	004	1977	0.05	3093	3	55	80	2.5	4	1	4942	1849	RM-1	65	form-based			true	0.7	7	1.75	4	4	8303.399414	5210.399414	5210.399414	1.68017
0124	006	1750	0.04	2038	2	65	100	3	4	2	5250	3212	RM-1	65	form-based			true	0.7	6	1.5	4	4	7350	5312	5312	1.4
0124	010	1800	0.04	2656	2	65	100	3	4	2	5400	2744	RH-3	65	form-based			true	0.7	6	1.5	4	4	7560	4904	4904	1.4
0124	013	1400	0.03	2420	1	65	100	3	3	2	4200	1780	RH-2	65	form-based			true	0.7	5	1.666666627	4	4	5880	3460	3460	1.4
0124	014	1400	0.03	1674	1	65	100	3	3	2	4200	2526	RH-2	65	form-based			true	0.7	5	1.666666627	4	4	5880	4206	4206	1.4
0124	015	1400	0.03	1015	1	65	100	3	3	2	4200	3185	RH-2	65	form-based			true	0.7	5	1.666666627	4	4	5880	4865	4865	1.4
0124	022	1314	0.03	1709	1	65	100	3	3	2	3942	2233	RH-2	65	form-based			true	0.7	5	1.666666627	4	4	5518.799805	3809.799805	3809.799805	1.4
0124	025	1938	0.04	4920	3	65	100	3	4	1	5814	894	RH-3	65	form-based		true	true	0.7	7	1.75	4	4	8139.600098	3219.600098	3219.600098	1.4
0124	026	1411	0.03	2370	1	65	100	3	3	2	4233	1863	RH-3	65	form-based			true	0.7	5	1.666666627	4	4	5926.199707	3556.199707	3556.199707	1.4
0124	028	2841	0.07	6626	6	65	100	3	7	1	8523	1897	RH-3	65	form-based		true	true	0.7	10	1.428571463	4	4	11932.2002	5306.200195	5306.200195	1.4
0124	032	1959	0.04	4635	3	65	100	3	4	1	5877	1242	RH-3	65	form-based			true	0.7	7	1.75	4	4	8227.799805	3592.799805	3592.799805	1.4
0124	034	2982	0.07	7092	6	65	100	3	7	1	8946	1854	RH-3	65	form-based		true	true	0.7	10	1.428571463	4	4	12524.39941	5432.399414	5432.399414	1.4
0124	038	1717	0.04	2422	2	65	100	3	4	2	5151	2729	RH-3	65	form-based			true	0.7	6	1.5	4	4	7211.399902	4789.399902	4789.399902	1.4
0126	001	1915	0.04	3904	2	55	80	2.5	3	1	4788	884	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	5362	1458	1458	1.119883
0126	021	3499	0.08	3764	2	55	80	2.5	6	4	8748	4984	RM-2	40	density-lim	600			0.7	6	1	4	4	9797.200195	6033.200195	6033.200195	1.119936
0126	061	1925	0.04	3850	2	55	80	2.5	3	1	4812	962	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	5390	1540	1540	1.120116
0127	025	6950	0.16	3537	1	55	80	2.5	13	12	17375	13838	RH-2	40	density-lim	1500			0.7	5	0.384615391	4	4	19460	15923	15923	1.12
0128	003	5762	0.13	450	0	55	80	2.5	10	10	14405	13955	RH-2	40	density-lim	1500			0.7	4	0.400000006	4	4	16133.59961	15683.59961	15683.59961	1.12
0128	001	6188	0.14	3900	2	55	80	2.5	11	9	15470	11570	RH-2	40	density-lim	1500	true		0.7	6	0.545454562	4	4	17326.40039	13426.40039	13426.40039	1.12
0128	012	7312	0.17	2320	1	55	80	2.5	14	13	18280	15960	RH-2	40	density-lim	1500			0.7	5	0.357142866	4	4	20473.59961	18153.59961	18153.59961	1.12
0129	002	2451	0.06	2480	2	55	80	2.5	5	3	6128	3648	NCD-NORT	40	density-lim	400			0.75	6	1.200000048	4	4	7353	4873	4873	1.199902
0130	022	3154	0.07	8660	4	55	80	2.5	6	2	7885	0	NCD-NORT	40	density-lim	400	true		0.75	8	1.333333373	4	4	9462	802	802	1.2
0133	020	2750	0.06	3900	2	55	80	2.5	5	3	6875	2975	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7700	3800	3800	1.12
0133	039	3446	0.08	4371	3	55	80	2.5	6	3	8615	4244	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9648.799805	5277.799805	5277.799805	1.12
0134	003	4737	0.11	6972	6	65	100	3	11	5	14211	7239	RM-1	40	form-based			true	0.7	10	0.909090936	4	4	13263.59961	6291.599609	6291.599609	0.933333
0134	023	1918	0.04	0	0	55	80	2.5	3	3	4795	4795	RH-3	40	form-based			true	0.7	4	1.333333373	4	4	5370.399902	5370.399902	5370.399902	1.12
0134	033	3190	0.07	1332	3	65	100	3	7	4	9570	8238	RM-1	40	form-based			true	0.7	7	1	4	4	8932	7600	7600	0.933333
0141	021	4474	0.1	7846	2	65	100	3	10	8	13422	5576	C-2	65	density-lim	800	true		0.8	6	0.600000024	4	4	21475.20117	13629.20117	13629.20117	1.6
0144	010	3094	0.07	5400	4	55	80	2.5	6	2	7735	2335	NCD-BROA	65	density-lim	400			0.75	8	1.333333373	4	4	13923	8523	8523	1.8
0144	083	4763	0.11	1392	4	55	80	2.5	9	5	11908	10516	RM-2	40	density-lim	600			0.7	8	0.888888896	4	4	13336.39941	11944.39941	11944.39941	1.119953
0144	101	5844	0.13	1008	6	55	80	2.5	10	4	14610	13602	RM-2	40	density-lim	600	true		0.7	10	1	4	4	16363.2002	15355.2002	15355.2002	1.12
0145	011	3367	0.08	10196	4	65	100	3	8	4	10101	0	NCD-BROA	65	density-lim	400	true		0.75	8	1	4	4	15151.5	4955.5	4955.5	1.5
0145	018	3306	0.08	0	0	55	80	2.5	6	6	8265	8265	RM-1	40	density-lim	800	true		0.7	4	0.666666687	4	4	9256.799805	9256.799805	9256.799805	1.12
0147	007	1401	0.03	3900	3	65	100	3	3	0	4203	303	CCB	65	density-lim	200			0.75	7	2.333333254	4	3	6304.5	2404.5	2404.5	1.5
0147	010	1797	0.04	4066	5	65	100	3	4	0	5391	1325	CCB	65	density-lim	200			0.75	9	2.25	4	3	8086.5	4020.5	4020.5	1.5
0147	028	1791	0.04	3348	0	65	100	3	4	4	5373	2025	NCD-NORT	40	density-lim	400			0.75	4	1	4	4	5373	2025	2025	1
0148	030	3536	0.08	11039	5	55	80	2.5	6	1	8840	0	NCD-NORT	40	density-lim	400			0.75	9	1.5	4	4	10608	0	0	1.2
0149	027B	3988	0.09	4896	3	55	80	2.5	7	4	9970	5074	RM-2	40	density-lim	600			0.7	7	1	4	4	11166.39941	6270.399414	6270.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0150	001	8448	0.19	9477	2	55	80	2.5	15	13	21120	11643	RH-2	40	density-lim	1500	true		0.7	6	0.400000006	4	4	23654.40039	14177.40039	14177.40039	1.12
0150	011A	1812	0.04	6585	0	55	80	2.5	3	3	4530	0	RH-2	40	density-lim	1500			0.7	4	1.333333373	4	4	5073.600098	0	0	1.12
0150	017	2299	0.05	5174	2	55	80	2.5	4	2	5748	574	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	6437.199707	1263.199707	1263.199707	1.119902
0150	021	7755	0.18	5250	1	55	80	2.5	14	13	19388	14138	RH-2	40	density-lim	1500			0.7	5	0.357142866	4	4	21714	16464	16464	1.119971
0150	031	6915	0.16	3779	1	55	80	2.5	13	12	17288	13509	RH-2	40	density-lim	1500			0.7	5	0.384615391	4	4	19362	15583	15583	1.119968
0150	045	7398	0.17	3890	1	55	80	2.5	14	13	18495	14605	RH-2	40	density-lim	1500			0.7	5	0.357142866	4	4	20714.40039	16824.40039	16824.40039	1.12
0151	043	1380	0.03	2330	0	55	80	2.5	2	2	3450	1120	RH-2	40	density-lim	1500			0.7	4	2	4	4	3864	1534	1534	1.12
0151	050	1360	0.03	2560	2	55	80	2.5	2	0	3400	840	RH-3	40	density-lim	1000	true		0.7	6	3	4	2	3808	1248	1248	1.12
0151	055	1360	0.03	2520	2	55	80	2.5	2	0	3400	880	RH-3	40	density-lim	1000	true		0.7	6	3	4	2	3808	1288	1288	1.12
0151	057	30	0	0	0	55	80	2.5	0	0	75	75	RH-3	40	density-lim	1000			0.7	4		4	4	84	84	84	1.12
0152	002	1735	0.04	1790	1	55	80	2.5	3	2	4338	2548	RH-3	50	form-based			true	0.7	5	1.666666627	4	4	6072.5	4282.5	4282.5	1.399839
0152	002A	2319	0.05	2792	2	55	80	2.5	4	2	5798	3006	RH-3	50	form-based			true	0.7	6	1.5	4	4	8116.5	5324.5	5324.5	1.399879
0152	015	6316	0.14	11681	18	55	80	2.5	11	0	15790	4109	RH-3	65	form-based			true	0.7	22	2	4	4	26527.19922	14846.19922	14846.19922	1.68
0152	045	3805	0.09	1868	7	55	80	2.5	7	0	9512	7644	RH-3	50	form-based			true	0.7	11	1.571428537	4	4	13317.5	11449.5	11449.5	1.400074
0153	004	2103	0.05	2406	2	65	100	3	5	3	6309	3903	RM-1	50	form-based			true	0.7	6	1.200000048	4	4	7360.5	4954.5	4954.5	1.166667
0153	005	2106	0.05	2552	2	55	80	2.5	4	2	5265	2713	RM-1	50	form-based			true	0.7	6	1.5	4	4	7371	4819	4819	1.4
0153	020	2223	0.05	5100	4	65	100	3	5	1	6669	1569	RH-3	65	form-based			true	0.7	8	1.600000024	4	4	9336.599609	4236.599609	4236.599609	1.4
0153	042	2146	0.05	1324	2	65	100	3	5	3	6438	5114	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7511	6187	6187	1.166667
0154	017	1374	0.03	1522	1	65	100	3	3	2	4122	2600	NCD-PACIF	65	form-based			true	0.75	5	1.666666627	4	4	6183	4661	4661	1.5
0154	018	1776	0.04	2800	3	65	100	3	4	1	5328	2528	NCD-PACIF	65	form-based			true	0.75	7	1.75	4	4	7992	5192	5192	1.5
0154	034	1340	0.03	1010	1	65	100	3	3	2	4020	3010	RH-3	65	form-based			true	0.7	5	1.666666627	4	4	5628	4618	4618	1.4
0154	038	1674	0.04	2606	2	65	100	3	4	2	5022	2416	RH-3	65	form-based			true	0.7	6	1.5	4	4	7030.799805	4424.799805	4424.799805	1.4
0154	039	1758	0.04	2642	2	65	100	3	4	2	5274	2632	RH-3	65	form-based			true	0.7	6	1.5	4	4	7383.600098	4741.600098	4741.600098	1.4
0155	021	1050	0.02	510	0	55	80	2.5	2	2	2625	2115	NCD-PACIF	65	form-based			true	0.75	4	2	4	4	4725	4215	4215	1.8
0155	027A	1500	0.03	1179	1	55	80	2.5	2	1	3750	2571	RH-2	65	form-based			true	0.7	5	2.5	4	3	6300	5121	5121	1.68
0155	028	1500	0.03	1744	1	55	80	2.5	2	1	3750	2006	RH-2	65	form-based			true	0.7	5	2.5	4	3	6300	4556	4556	1.68
0155	034	1767	0.04	1680	2	55	80	2.5	3	1	4418	2738	RM-1	65	form-based			true	0.7	6	2	4	4	7421.399902	5741.399902	5741.399902	1.67981
0155	038	1066	0.02	0	0	55	80	2.5	2	2	2665	2665	RM-1	65	form-based		true	true	0.7	4	2	4	4	4477.199707	4477.199707	4477.199707	1.68
0155	045A	1979	0.05	3900	3	55	80	2.5	4	1	4948	1048	RM-1	65	form-based			true	0.7	7	1.75	4	4	8311.799805	4411.799805	4411.799805	1.67983
0155	054	1650	0.04	3312	2	55	80	2.5	3	1	4125	813	NCD-PACIF	65	form-based			true	0.75	6	2	4	4	7425	4113	4113	1.8
0156	026	1380	0.03	2250	0	55	80	2.5	2	2	3450	1200	RH-3	65	density-lim	1000			0.7	4	2	4	4	5796	3546	3546	1.68
0156	071	1371	0.03	1675	0	55	80	2.5	2	2	3428	1753	RH-3	65	density-lim	1000			0.7	4	2	4	4	5758.199707	4083.199707	4083.199707	1.679755
0159	005	1192	0.03	2302	2	65	100	3	3	1	3576	1274	CRNC	65	density-lim	200			0.75	6	2	4	4	5364	3062	3062	1.5
0160	011	1241	0.03	2000	2	65	100	3	3	1	3723	1723	CRNC	65	density-lim	200			0.75	6	2	4	4	5584.5	3584.5	3584.5	1.5
0160	013	1418	0.03	3717	3	65	100	3	3	0	4254	537	CRNC	65	density-lim	200			0.75	7	2.333333254	4	3	6381	2664	2664	1.5
0161	021	1265	0.03	2423	2	65	100	3	3	1	3795	1372	CRNC	85	density-lim	200			0.75	6	2	4	4	7590	5167	5167	2
0161	024	1429	0.03	4199	3	65	100	3	3	0	4287	88	CRNC	85	density-lim	200	true		0.75	7	2.333333254	4	3	8574	4375	4375	2
0162	018	1782	0.04	4110	0	65	100	3	4	4	5346	1236	NCD-BROA	65	density-lim	400	true		0.75	4	1	4	4	8019	3909	3909	1.5
0163	006	3451	0.08	3750	0	65	100	3	8	8	10353	6603	C-2	65	density-lim	800			0.8	4	0.5	4	4	16564.80078	12814.80078	12814.80078	1.6
0163	020	1463	0.03	5391	0	65	100	3	3	3	4389	0	NCD-BROA	65	density-lim	400			0.75	4	1.333333373	4	4	6583.5	1192.5	1192.5	1.5
0164	015	2200	0.05	2600	2	65	100	3	5	3	6600	4000	NCD-BROA	65	density-lim	400			0.75	6	1.200000048	4	4	9900	7300	7300	1.5
0164	018	2325	0.05	8829	2	65	100	3	5	3	6975	0	NCD-BROA	65	density-lim	400	true		0.75	6	1.200000048	4	4	10462.5	1633.5	1633.5	1.5
0164	030	3473	0.08	13741	0	65	100	3	8	8	10419	0	C-2	65	density-lim	800			0.8	4	0.5	4	4	16670.40039	2929.400391	2929.400391	1.6
0175	009	2860	0.07	2859	0	65	100	3	7	7	8580	5721	C-2	65	density-lim	800			0.8	4	0.571428597	4	4	13728	10869	10869	1.6
0175	010	3300	0.08	8400	0	65	100	3	8	8	9900	1500	C-2	65	density-lim	800			0.8	4	0.5	4	4	15840	7440	7440	1.6
0175	015	2860	0.07	4126	0	65	100	3	7	7	8580	4454	C-2	65	density-lim	800			0.8	4	0.571428597	4	4	13728	9602	9602	1.6
0175	027	3446	0.08	10264	0	65	100	3	8	8	10338	74	C-2	65	density-lim	800			0.8	4	0.5	4	4	16540.80078	6276.800781	6276.800781	1.6
0179	007	1933	0.04	5615	6	65	100	3	4	0	5799	184	CRNC	85	density-lim	200			0.75	10	2.5	4	2	11598	5983	5983	2
0179	011	1373	0.03	3978	3	65	100	3	3	0	4119	141	CRNC	85	density-lim	200	true		0.75	7	2.333333254	4	3	8238	4260	4260	2
0179	020	1150	0.03	3650	2	65	100	3	3	1	3450	0	CRNC	65	density-lim	200			0.75	6	2	4	4	5175	1525	1525	1.5
0180	002	1356	0.03	3377	3	65	100	3	3	0	4068	691	CRNC	65	density-lim	200			0.75	7	2.333333254	4	3	6102	2725	2725	1.5
0180	003	2400	0.06	6023	8	65	100	3	6	0	7200	1177	CRNC	65	density-lim	200	true		0.75	12	2	4	4	10800	4777	4777	1.5
0180	004A	998	0.02	0	0	65	100	3	2	2	2994	2994	RH-3	65	density-lim	1000			0.7	4	2	4	4	4191.600098	4191.600098	4191.600098	1.4
0180	008	1200	0.03	3676	0	65	100	3	3	3	3600	0	RH-3	65	density-lim	1000			0.7	4	1.333333373	4	4	5040	1364	1364	1.4
0180	028	1408	0.03	0	0	65	100	3	3	3	4224	4224	RH-3	65	density-lim	1000			0.7	4	1.333333373	4	4	5913.600098	5913.600098	5913.600098	1.4
0180	029	1476	0.03	0	0	65	100	3	3	3	4428	4428	RH-3	65	density-lim	1000			0.7	4	1.333333373	4	4	6199.199707	6199.199707	6199.199707	1.4
0180	030	1141	0.03	0	0	65	100	3	3	3	3423	3423	RH-3	65	density-lim	1000			0.7	4	1.333333373	4	4	4792.199707	4792.199707	4792.199707	1.4
0181	015	3185	0.07	5353	0	65	100	3	7	7	9555	4202	RH-3	65	density-lim	1000			0.7	4	0.571428597	4	4	13377	8024	8024	1.4
0181	049	4071	0.09	1025	6	55	80	2.5	7	1	10178	9153	RM-3	65	density-lim	400			0.75	10	1.428571463	4	4	18319.5	17294.5	17294.5	1.799912
0182	009	4469	0.1	7920	7	55	80	2.5	8	1	11172	3252	RM-3	65	density-lim	400			0.75	11	1.375	4	4	20110.5	12190.5	12190.5	1.800081
0182	010	4125	0.09	7800	6	55	80	2.5	7	1	10312	2512	RM-3	65	density-lim	400			0.75	10	1.428571463	4	4	18562.5	10762.5	10762.5	1.800087
0182	017	1860	0.04	1342	1	55	80	2.5	3	2	4650	3308	RM-3	65	density-lim	400			0.75	5	1.666666627	4	4	8370	7028	7028	1.8
0182	019	3893	0.09	4440	6	55	80	2.5	7	1	9732	5292	RM-3	65	density-lim	400			0.75	10	1.428571463	4	4	17518.5	13078.5	13078.5	1.800092
0183	008	2824	0.06	5430	3	55	80	2.5	5	2	7060	1630	RM-3	65	density-lim	400			0.75	7	1.399999976	4	4	12708	7278	7278	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0183	029	4037	0.09	4275	0	55	80	2.5	7	7	10092	5817	NCD-PACIF	40	density-lim	1000			0.75	4	0.571428597	4	4	12111	7836	7836	1.200059
0184	023	2760	0.06	4315	4	55	80	2.5	5	1	6900	2585	NCD-PACIF	50	form-based			true	0.75	8	1.600000024	4	4	10350	6035	6035	1.5
0184	037	1470	0.03	1810	2	55	80	2.5	2	0	3675	1865	NCD-PACIF	65	form-based			true	0.75	6	3	4	2	6615	4805	4805	1.8
0185	001	4066	0.09	9717	11	55	80	2.5	7	0	10165	448	NCD-PACIF	65	form-based		true	true	0.75	15	2.142857075	4	3	18297	8580	8580	1.8
0185	004	2031	0.05	6352	4	55	80	2.5	4	0	5078	0	NCD-PACIF	65	form-based			true	0.75	8	2	4	4	9139.5	2787.5	2787.5	1.799823
0185	018	2013	0.05	4725	3	65	100	3	5	2	6039	1314	RM-1	65	form-based			true	0.7	7	1.399999976	4	4	8454.599609	3729.599609	3729.599609	1.4
0185	033	1365	0.03	1496	1	65	100	3	3	2	4095	2599	RH-1	65	form-based			true	0.7	5	1.666666627	4	4	5733	4237	4237	1.4
0185	039	1469	0.03	3450	2	65	100	3	3	1	4407	957	NCD-PACIF	65	form-based			true	0.75	6	2	4	4	6610.5	3160.5	3160.5	1.5
0186	005	2750	0.06	5190	6	55	80	2.5	5	0	6875	1685	RM-3	65	form-based			true	0.75	10	2	4	4	12375	7185	7185	1.8
0186	016	2063	0.05	5160	3	65	100	3	5	2	6189	1029	RM-2	65	form-based			true	0.7	7	1.399999976	4	4	8664.599609	3504.599609	3504.599609	1.4
0186	024	2171	0.05	4385	4	65	100	3	5	1	6513	2128	RM-1	65	form-based			true	0.7	8	1.600000024	4	4	9118.200195	4733.200195	4733.200195	1.4
0187	015	2769	0.06	8052	6	55	80	2.5	5	0	6922	0	RM-3	65	form-based		true	true	0.75	10	2	4	4	12460.5	4408.5	4408.5	1.80013
0187	023	1828	0.04	4179	3	55	80	2.5	3	0	4570	391	RM-3	65	form-based			true	0.75	7	2.333333254	4	3	8226	4047	4047	1.8
0187	024	1828	0.04	4179	3	55	80	2.5	3	0	4570	391	RM-3	65	form-based			true	0.75	7	2.333333254	4	3	8226	4047	4047	1.8
0187	037	5346	0.12	9520	16	55	80	2.5	10	0	13365	3845	RM-3	65	form-based			true	0.75	20	2	4	4	24057	14537	14537	1.8
0189	004	4895	0.11	6984	8	55	80	2.5	9	1	12238	5254	RM-3	65	density-lim	400			0.75	12	1.333333373	4	4	22027.5	15043.5	15043.5	1.799926
0189	043	3554	0.08	0	0	55	80	2.5	6	6	8885	8885	RH-3	50	density-lim	1000			0.7	4	0.666666687	4	4	12439	12439	12439	1.4
0191	001	1615	0.04	4533	4	65	100	3	4	0	4845	312	CRNC	65	density-lim	200	true		0.75	8	2	4	4	7267.5	2734.5	2734.5	1.5
0191	012	2750	0.06	4200	3	65	100	3	6	3	8250	4050	RM-3	65	density-lim	400			0.75	7	1.166666627	4	4	12375	8175	8175	1.5
0191	033	5188	0.12	971	9	65	100	3	12	3	15564	14593	RM-3	65	density-lim	400			0.75	13	1.083333373	4	4	23346	22375	22375	1.5
0191	048	2736	0.06	825	3	65	100	3	6	3	8208	7383	RC-3	65	density-lim	400			0.75	7	1.166666627	4	4	12312	11487	11487	1.5
0192	007	1342	0.03	4140	3	65	100	3	3	0	4026	0	CRNC	65	density-lim	200	true		0.75	7	2.333333254	4	3	6039	1899	1899	1.5
0192	025	1200	0.03	2567	2	65	100	3	3	1	3600	1033	CRNC	65	density-lim	200			0.75	6	2	4	4	5400	2833	2833	1.5
0192	044	859	0.02	0	0	65	100	3	2	2	2577	2577	CRNC	110	density-lim	200	true		0.75	4	2	4	4	7731	7731	5154	3
0194	013	855	0.02	3598	0	65	100	3	2	2	2565	0	CVR	50	density-lim	200			0.75	4	2	4	4	3206.25	0	0	1.25
0195	006	2100	0.05	6300	7	65	100	3	5	0	6300	0	CCB	65	density-lim	200			0.75	11	2.200000048	4	3	9450	3150	3150	1.5
0196	002	3035	0.07	5936	0	65	100	3	7	7	9105	3169	C-2	65	density-lim	800			0.8	4	0.571428597	4	4	14568	8632	8632	1.6
0196	015	3175	0.07	7485	0	65	100	3	7	7	9525	2040	C-2	65	density-lim	800			0.8	4	0.571428597	4	4	15240	7755	7755	1.6
0196	028	3162	0.07	11455	0	65	100	3	7	7	9486	0	C-2	65	density-lim	800	true		0.8	4	0.571428597	4	4	15177.60059	3722.600586	3722.600586	1.6
0196	062	7688	0.18	7227	6	65	100	3	18	12	23064	15837	C-2	65	density-lim	800			0.8	10	0.555555582	4	4	36902.40234	29675.40234	29675.40234	1.6
0209	016	1100	0.03	3264	2	65	100	3	3	1	3300	36	CVR	50	density-lim	200			0.75	6	2	4	4	4125	861	861	1.25
0210	006	1400	0.03	5120	3	65	100	3	3	0	4200	0	CRNC	50	density-lim	200			0.75	7	2.333333254	4	3	5250	130	130	1.25
0210	011	1845	0.04	8940	5	65	100	3	4	0	5535	0	CRNC	50	density-lim	200	true		0.75	9	2.25	4	3	6918.75	0	0	1.25
0210	019	1218	0.03	2242	2	85	140	4	4	2	4872	2630	CRNC	50	density-lim	200			0.75	6	1.5	4	4	4567.5	2325.5	2325.5	0.9375
0210	020	1289	0.03	2320	2	85	140	4	4	2	5156	2836	CRNC	50	density-lim	200	true		0.75	6	1.5	4	4	4833.75	2513.75	2513.75	0.9375
0210	029	1302	0.03	3780	3	65	100	3	3	0	3906	126	CRNC	50	density-lim	200	true		0.75	7	2.333333254	4	3	4882.5	1102.5	1102.5	1.25
0211	003	890	0.02	2920	0	85	140	4	3	3	3560	640	CRNC	85	density-lim	200			0.75	4	1.333333373	4	4	5340	2420	2420	1.5
0212	003	1200	0.03	2708	2	65	100	3	3	1	3600	892	RC-4	65	density-lim	200			0.75	6	2	4	4	5400	2692	2692	1.5
0212	029	2950	0.07	5526	3	65	100	3	7	4	8850	3324	RM-3	65	density-lim	400			0.75	7	1	4	4	13275	7749	7749	1.5
0212	030	6660	0.15	10860	13	65	100	3	15	2	19980	9120	RM-3	65	density-lim	400	true		0.75	17	1.133333325	4	4	29970	19110	19110	1.5
0213	010	3850	0.09	8619	10	65	100	3	9	0	11550	2931	RM-3	65	form-based			true	0.75	14	1.555555582	4	4	17325	8706	8706	1.5
0215	015	2528	0.06	3890	5	55	80	2.5	5	0	6320	2430	RM-3	65	form-based			true	0.75	9	1.799999952	4	4	11376	7486	7486	1.8
0215	021	1821	0.04	3496	3	55	80	2.5	3	0	4552	1056	RM-3	65	form-based		true	true	0.75	7	2.333333254	4	3	8194.5	4698.5	4698.5	1.800198
0215	022	4855	0.11	11386	14	55	80	2.5	9	0	12138	752	RM-3	65	form-based			true	0.75	18	2	4	4	21847.5	10461.5	10461.5	1.799926
0215	028	2050	0.05	2060	2	55	80	2.5	4	2	5125	3065	RH-2	50	form-based			true	0.7	6	1.5	4	4	7175	5115	5115	1.4
0216	026	3440	0.08	5238	9	55	80	2.5	6	0	8600	3362	RM-3	65	form-based			true	0.75	13	2.166666746	4	3	15480	10242	10242	1.8
0216	029	4347	0.1	11874	12	55	80	2.5	8	0	10868	0	RM-3	65	form-based			true	0.75	16	2	4	4	19561.5	7687.5	7687.5	1.799917
0217	011	1543	0.04	2266	2	65	100	3	4	2	4629	2363	RM-3	65	form-based			true	0.75	6	1.5	4	4	6943.5	4677.5	4677.5	1.5
0217	012	1868	0.04	4716	3	65	100	3	4	1	5604	888	RM-3	65	form-based			true	0.75	7	1.75	4	4	8406	3690	3690	1.5
0217	014	2550	0.06	5964	6	65	100	3	6	0	7650	1686	RM-3	65	form-based			true	0.75	10	1.666666627	4	4	11475	5511	5511	1.5
0219	003	1694	0.04	1522	2	55	80	2.5	3	1	4235	2713	RM-3	65	form-based			true	0.75	6	2	4	4	7623	6101	6101	1.8
0219	008	4725	0.11	6600	14	55	80	2.5	9	0	11812	5212	RM-3	65	form-based			true	0.75	18	2	4	4	21262.5	14662.5	14662.5	1.800076
0221	003	2521	0.06	6600	5	55	80	2.5	5	0	6302	0	RM-3	65	form-based		true	true	0.75	9	1.799999952	4	4	11344.5	4744.5	4744.5	1.800143
0221	003B	4813	0.11	14271	14	55	80	2.5	9	0	12032	0	RM-3	65	form-based			true	0.75	18	2	4	4	21658.5	7387.5	7387.5	1.800075
0221	038	1228	0.03	2180	1	55	80	2.5	2	1	3070	890	RM-3	65	form-based			true	0.75	5	2.5	4	3	5526	3346	3346	1.8
0221	129	1740	0.04	1191	3	55	80	2.5	3	0	4350	3159	RM-3	65	form-based			true	0.75	7	2.333333254	4	3	7830	6639	6639	1.8
0222	018	1840	0.04	1649	1	55	80	2.5	3	2	4600	2951	RM-3	65	density-lim	400			0.75	5	1.666666627	4	4	8280	6631	6631	1.8
0222	021	1800	0.04	4664	3	55	80	2.5	3	0	4500	0	RM-3	65	form-based			true	0.75	7	2.333333254	4	3	8100	3436	3436	1.8
0222	022	1820	0.04	3696	3	55	80	2.5	3	0	4550	854	RM-3	65	form-based			true	0.75	7	2.333333254	4	3	8190	4494	4494	1.8
0222	037	1840	0.04	3638	3	65	100	3	4	1	5520	1882	RM-3	65	form-based			true	0.75	7	1.75	4	4	8280	4642	4642	1.5
0222	165	1920	0.04	1243	3	65	100	3	4	1	5760	4517	RM-3	65	form-based		true	true	0.75	7	1.75	4	4	8640	7397	7397	1.5
0223	022	1458	0.03	0	0	65	100	3	3	3	4374	4374	RM-3	85	density-lim	400			0.75	4	1.333333373	4	4	8748	8748	8748	2
0226	008	710	0.02	2792	0	65	100	3	2	2	2130	0	CCB	50	density-lim	200	true		0.75	4	2	4	4	2662.5	0	0	1.25
0226	009	2364	0.05	6720	8	65	100	3	5	0	7092	372	CCB	50	density-lim	200			0.75	12	2.400000095	4	2	8865	2145	2145	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0226	033	1305	0.03	3540	3	65	100	3	3	0	3915	375	CCB	50	density-lim	200			0.75	7	2.333333254	4	3	4893.75	1353.75	1353.75	1.25
0227	020	870	0.02	3100	0	65	100	3	2	2	2610	0	CCB	50	density-lim	200	true		0.75	4	2	4	4	3262.5	162.5	162.5	1.25
0247	016	2000	0.05	5250	4	55	80	2.5	4	0	5000	0	RM-3	65	form-based			true	0.75	8	2	4	4	9000	3750	3750	1.8
0247	018	1833	0.04	4800	3	55	80	2.5	3	0	4582	0	RM-3	65	form-based			true	0.75	7	2.333333254	4	3	8248.5	3448.5	3448.5	1.800196
0247	021	1853	0.04	4200	3	55	80	2.5	3	0	4632	432	RM-3	65	form-based			true	0.75	7	2.333333254	4	3	8338.5	4138.5	4138.5	1.800194
0247	029	2703	0.06	8871	6	55	80	2.5	5	0	6758	0	RM-3	65	form-based			true	0.75	10	2	4	4	12163.5	3292.5	3292.5	1.799867
0247	045	2750	0.06	6360	6	55	80	2.5	5	0	6875	515	RM-3	65	form-based			true	0.75	10	2	4	4	12375	6015	6015	1.8
0248	010	2438	0.06	6030	5	55	80	2.5	5	0	6095	65	RM-3	65	form-based			true	0.75	9	1.799999952	4	4	10971	4941	4941	1.8
0248	029	3324	0.08	7523	8	55	80	2.5	6	0	8310	787	RM-3	65	form-based		true	true	0.75	12	2	4	4	14958	7435	7435	1.8
0248	031	1452	0.03	747	1	55	80	2.5	2	1	3630	2883	RM-3	65	form-based			true	0.75	5	2.5	4	3	6534	5787	5787	1.8
0248	033	1875	0.04	1576	3	55	80	2.5	3	0	4688	3112	RM-3	65	form-based			true	0.75	7	2.333333254	4	3	8437.5	6861.5	6861.5	1.799808
0249	006	2926	0.07	6680	7	55	80	2.5	6	0	7315	635	RM-3	65	form-based			true	0.75	11	1.833333373	4	4	13167	6487	6487	1.8
0253	010	3438	0.08	9220	13	55	80	2.5	6	0	8595	0	RM-4	65	density-lim	200			0.75	17	2.833333254	4	0	15471	6251	6251	1.8
0253	015	3548	0.08	13995	14	55	80	2.5	6	0	8870	0	RM-4	65	density-lim	200	true		0.75	18	3	4	0	15966	1971	1971	1.8
0254	003A	2047	0.05	4368	1	65	100	3	5	4	6141	1773	RM-3	65	density-lim	400			0.75	5	1	4	4	9211.5	4843.5	4843.5	1.5
0254	003B	2047	0.05	4844	1	65	100	3	5	4	6141	1297	RM-3	65	density-lim	400			0.75	5	1	4	4	9211.5	4367.5	4367.5	1.5
0254	009	1437	0.03	4503	0	65	100	3	3	3	4311	0	RM-3	65	density-lim	400	true		0.75	4	1.333333373	4	4	6466.5	1963.5	1963.5	1.5
0254	022	3094	0.07	9035	11	55	80	2.5	6	0	7735	0	RM-4	65	density-lim	200			0.75	15	2.5	4	1	13923	4888	4888	1.8
0269	007	1121	0.03	3285	0	75	120	3.5	4	4	3924	639	C-3-O	50	form-based				0.8	4	1	4	4	4484	1199	1199	1.142712
0269	009	1121	0.03	2515	0	75	120	3.5	4	4	3924	1409	C-3-O	50	form-based				0.8	4	1	4	4	4484	1969	1969	1.142712
0269	013	1201	0.03	2304	0	75	120	3.5	4	4	4204	1900	C-3-O	50	form-based				0.8	4	1	4	4	4804	2500	2500	1.142721
0269	014	1201	0.03	1150	0	75	120	3.5	4	4	4204	3054	C-3-O	50	form-based				0.8	4	1	4	4	4804	3654	3654	1.142721
0269	018	1251	0.03	3400	0	75	120	3.5	4	4	4378	978	C-3-O	50	form-based				0.8	4	1	4	4	5004	1604	1604	1.142988
0269	019	1251	0.03	0	0	75	120	3.5	4	4	4378	4378	C-3-O	50	form-based				0.8	4	1	4	4	5004	5004	5004	1.142988
0269	020	1297	0.03	2226	0	75	120	3.5	4	4	4540	2314	C-3-O	50	form-based		true		0.8	4	1	4	4	5188	2962	2962	1.142731
0271	004	1365	0.03	4425	3	65	100	3	3	0	4095	0	CCB	50	density-lim	200			0.75	7	2.333333254	4	3	5118.75	693.75	693.75	1.25
0271	020	2674	0.06	6234	9	65	100	3	6	0	8022	1788	RM-4	65	density-lim	200			0.75	13	2.166666746	4	3	12033	5799	5799	1.5
0271	051	1898	0.04	1275	4	65	100	3	4	0	5694	4419	C-3-G	65	form-based				0.8	8	2	4	4	9110.400391	7835.400391	7835.400391	1.6
0274	024	7948	0.18	29610	36	65	100	3	18	0	23844	0	RM-4	65	density-lim	200	true		0.75	40	2.222222328	4	0	35766	6156	6156	1.5
0276	023	2194	0.05	6314	7	65	100	3	5	0	6582	268	RM-4	65	density-lim	200			0.75	11	2.200000048	4	3	9873	3559	3559	1.5
0276	024	2195	0.05	6314	7	65	100	3	5	0	6585	271	RM-4	65	density-lim	200			0.75	11	2.200000048	4	3	9877.5	3563.5	3563.5	1.5
0280	019	4588	0.11	8000	19	65	100	3	11	0	13764	5764	RC-4	80	density-lim	200			0.75	23	2.090909004	4	3	27528	19528	19528	2
0280	024	3486	0.08	7410	13	65	100	3	8	0	10458	3048	RC-4	80	density-lim	200			0.75	17	2.125	4	3	20916	13506	13506	2
0280	030	4174	0.1	11594	17	65	100	3	10	0	12522	928	RC-4	65	density-lim	200			0.75	21	2.099999905	4	3	18783	7189	7189	1.5
0281	015	6830	0.16	18750	30	65	100	3	16	0	20490	1740	RC-4	65	density-lim	200			0.75	34	2.125	4	2	30735	11985	11985	1.5
0281	016	4894	0.11	13239	20	65	100	3	11	0	14682	1443	RC-4	65	density-lim	200			0.75	24	2.181818247	4	2	22023	8784	8784	1.5
0282	019	2001	0.05	1302	6	65	100	3	5	0	6003	4701	RC-4	65	density-lim	200			0.75	10	2	4	4	9004.5	7702.5	7702.5	1.5
0283	011	2145	0.05	6104	7	65	100	3	5	0	6435	331	RC-4	80	density-lim	200			0.75	11	2.200000048	4	3	12870	6766	6766	2
0283	019	6875	0.16	19160	30	65	100	3	16	0	20625	1465	RC-4	65	density-lim	200			0.75	34	2.125	4	2	30937.5	11777.5	11777.5	1.5
0302	007	2187	0.05	6444	7	65	100	3	5	0	6561	117	RC-4	80	density-lim	200			0.75	11	2.200000048	4	3	13122	6678	6678	2
0302	015	1352	0.03	3488	3	85	140	4	4	1	5408	1920	RC-4	80	density-lim	200			0.75	7	1.75	4	4	8112	4624	4624	1.5
0302	027A	1526	0.04	4578	4	65	100	3	4	0	4578	0	RC-4	80	density-lim	200	true		0.75	8	2	4	4	9156	4578	4578	2
0303	012	2188	0.05	6475	7	65	100	3	5	0	6564	89	RC-4	80	density-lim	200			0.75	11	2.200000048	4	3	13128	6653	6653	2
0319	016	7775	0.18	20388	35	65	100	3	18	0	23325	2937	RC-4	80	density-lim	200	true		0.75	39	2.166666746	4	1	46650	26262	26262	2
0323	026	6045	0.14	15812	26	65	100	3	14	0	18135	2323	RC-4	80	density-lim	200			0.75	30	2.142857075	4	2	36270	20458	20458	2
0338	025	22662	0.52	135380	109	65	100	3	52	0	67986	0	RC-4	120	density-lim	200			0.75	113	2.173076868	4	0	160975.5	25595.5	592	2.367774
0436B	001H	2497	0.06	2634	1	55	80	2.5	5	4	6242	3608	RH-1	40	form-based			true	0.7	5	1	4	4	6991.600098	4357.600098	4357.600098	1.12009
0436B	001I	2502	0.06	2620	1	55	80	2.5	5	4	6255	3635	RH-1	40	form-based			true	0.7	5	1	4	4	7005.600098	4385.600098	4385.600098	1.12
0436B	001J	2507	0.06	2900	1	55	80	2.5	5	4	6268	3368	RH-1	40	form-based			true	0.7	5	1	4	4	7019.600098	4119.600098	4119.600098	1.119911
0436B	001K	2314	0.05	2400	1	55	80	2.5	4	3	5785	3385	RH-1	40	form-based			true	0.7	5	1.25	4	4	6479.199707	4079.199707	4079.199707	1.12
0436B	001M	2512	0.06	2608	1	55	80	2.5	5	4	6280	3672	RH-1	40	form-based			true	0.7	5	1	4	4	7033.600098	4425.600098	4425.600098	1.12
0436B	002	2228	0.05	1875	1	55	80	2.5	4	3	5570	3695	RH-2	40	form-based			true	0.7	5	1.25	4	4	6238.399902	4363.399902	4363.399902	1.12
0445A	052	4125	0.09	1509	5	55	80	2.5	7	2	10312	8803	RH-2	40	form-based			true	0.7	9	1.285714269	4	4	11550	10041	10041	1.120054
0453	006	2188	0.05	910	1	65	100	3	5	4	6564	5654	RM-3	40	form-based			true	0.75	5	1	4	4	6564	5654	5654	1
0453	011	3438	0.08	4032	4	65	100	3	8	4	10314	6282	NC-1	40	form-based			true	0.75	8	1	4	4	10314	6282	6282	1
0453	012	3437	0.08	4140	4	65	100	3	8	4	10311	6171	NC-1	40	form-based			true	0.75	8	1	4	4	10311	6171	6171	1
0460A	001	1706	0.04	5169	0	55	80	2.5	3	3	4265	0	NC-2	40	form-based		true	true	0.75	4	1.333333373	4	4	5118	0	0	1.2
0460A	004	2500	0.06	2499	2	55	80	2.5	5	3	6250	3751	NC-2	40	form-based			true	0.75	6	1.200000048	4	4	7500	5001	5001	1.2
0460A	010	2217	0.05	2399	1	55	80	2.5	4	3	5542	3143	RM-3	40	form-based			true	0.75	5	1.25	4	4	6651	4252	4252	1.200108
0472	032	3438	0.08	3000	3	65	100	3	8	5	10314	7314	RM-1	40	form-based			true	0.7	7	0.875	4	4	9626.399414	6626.399414	6626.399414	0.933333
0472	038	2818	0.06	3350	2	65	100	3	6	4	8454	5104	RM-1	40	form-based			true	0.7	6	1	4	4	7890.399902	4540.399902	4540.399902	0.933333
0473	003	2750	0.06	3724	2	65	100	3	6	4	8250	4526	RH-3	40	form-based			true	0.7	6	1	4	4	7700	3976	3976	0.933333
0473	013	3438	0.08	3400	3	65	100	3	8	5	10314	6914	RH-3	40	form-based			true	0.7	7	0.875	4	4	9626.399414	6226.399414	6226.399414	0.933333
0473	013A	2505	0.06	4679	1	65	100	3	6	5	7515	2836	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7014	2335	2335	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0473	013C	2505	0.06	1848	1	65	100	3	6	5	7515	5667	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7014	5166	5166	0.933333
0473	015A	3901	0.09	5528	4	65	100	3	9	5	11703	6175	RM-1	40	form-based			true	0.7	8	0.888888896	4	4	10922.7998	5394.799805	5394.799805	0.933333
0473	031	3094	0.07	2223	2	65	100	3	7	5	9282	7059	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8663.200195	6440.200195	6440.200195	0.933333
0474	003	4612	0.11	8121	13	65	100	3	11	0	13836	5715	RTO-C	65	form-based			true	0.75	17	1.545454502	4	4	20754	12633	12633	1.5
0474	009	3781	0.09	4804	4	65	100	3	9	5	11343	6539	RM-1	40	form-based			true	0.7	8	0.888888896	4	4	10586.7998	5782.799805	5782.799805	0.933333
0476	001	2603	0.06	1968	1	65	100	3	6	5	7809	5841	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7288.399902	5320.399902	5320.399902	0.933333
0476	001B	2231	0.05	3500	1	65	100	3	5	4	6693	3193	RH-1	40	form-based			true	0.7	5	1	4	4	6246.799805	2746.799805	2746.799805	0.933333
0476	001H	2243	0.05	2630	1	65	100	3	5	4	6729	4099	RH-1	40	form-based			true	0.7	5	1	4	4	6280.399902	3650.399902	3650.399902	0.933333
0476	006A	2504	0.06	1675	1	65	100	3	6	5	7512	5837	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	5336.199707	5336.199707	0.933333
0477	010	1822	0.04	0	0	65	100	3	4	4	5466	5466	RH-2	40	form-based			true	0.7	4	1	4	4	5101.600098	5101.600098	5101.600098	0.933333
0477	017E	2378	0.05	1688	1	65	100	3	5	4	7134	5446	RH-2	40	form-based			true	0.7	5	1	4	4	6658.399902	4970.399902	4970.399902	0.933333
0479	001A	4390	0.1	10824	12	85	140	4	14	2	17560	6736	RTO-C	65	form-based			true	0.75	16	1.142857194	4	4	19755	8931	8931	1.125
0479	002	4390	0.1	10824	12	85	140	4	14	2	17560	6736	RTO-C	65	form-based			true	0.75	16	1.142857194	4	4	19755	8931	8931	1.125
0479	002C	4390	0.1	11024	12	85	140	4	14	2	17560	6536	RTO-C	65	form-based			true	0.75	16	1.142857194	4	4	19755	8731	8731	1.125
0479	015	5328	0.12	1448	7	65	100	3	12	5	15984	14536	RH-3	40	form-based			true	0.7	11	0.916666687	4	4	14918.39941	13470.39941	13470.39941	0.933333
0480	003C	6875	0.16	15102	22	65	100	3	16	0	20625	5523	RTO-C	65	form-based			true	0.75	26	1.625	4	4	30937.5	15835.5	15835.5	1.5
0480	004D	2815	0.06	3150	2	65	100	3	6	4	8445	5295	RH-3	40	form-based			true	0.7	6	1	4	4	7882	4732	4732	0.933333
0480	029	3438	0.08	1402	3	65	100	3	8	5	10314	8912	RH-3	40	form-based			true	0.7	7	0.875	4	4	9626.399414	8224.399414	8224.399414	0.933333
0481	011	2187	0.05	3600	4	65	100	3	5	1	6561	2961	RTO-C	65	form-based			true	0.75	8	1.600000024	4	4	9841.5	6241.5	6241.5	1.5
0481	038	2812	0.06	2650	2	65	100	3	6	4	8436	5786	RH-3	40	form-based			true	0.7	6	1	4	4	7873.600098	5223.600098	5223.600098	0.933333
0481	040	3437	0.08	1923	3	65	100	3	8	5	10311	8388	RH-3	40	form-based			true	0.7	7	0.875	4	4	9623.599609	7700.599609	7700.599609	0.933333
0482	002	2731	0.06	3150	2	55	80	2.5	5	3	6828	3678	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7646.799805	4496.799805	4496.799805	1.119918
0482	021	4180	0.1	9993	12	55	80	2.5	8	0	10450	457	RTO-C	65	form-based			true	0.75	16	2	4	4	18810	8817	8817	1.8
0493	020	1650	0.04	1650	2	55	80	2.5	3	1	4125	2475	RTO-C	65	form-based			true	0.75	6	2	4	4	7425	5775	5775	1.8
0493	021	1606	0.04	1688	2	55	80	2.5	3	1	4015	2327	RTO-C	65	form-based			true	0.75	6	2	4	4	7227	5539	5539	1.8
0494	003	3425	0.08	8190	14	55	80	2.5	6	0	8562	372	NC-3	85	form-based		true	true	0.75	18	3	4	0	20550	12360	8934	2.40014
0494	013	2396	0.05	4544	5	55	80	2.5	4	0	5990	1446	RTO-C	65	form-based		true	true	0.75	9	2.25	4	3	10782	6238	6238	1.8
0494	013F	2213	0.05	3598	4	55	80	2.5	4	0	5532	1934	RTO-C	65	form-based			true	0.75	8	2	4	4	9958.5	6360.5	6360.5	1.800163
0494	026	1600	0.04	1180	2	55	80	2.5	3	1	4000	2820	RTO-C	65	form-based			true	0.75	6	2	4	4	7200	6020	6020	1.8
0496	001C	2487	0.06	4548	5	65	100	3	6	1	7461	2913	RTO-C	65	form-based			true	0.75	9	1.5	4	4	11191.5	6643.5	6643.5	1.5
0496	001D	2489	0.06	4357	5	65	100	3	6	1	7467	3110	RTO-C	65	form-based			true	0.75	9	1.5	4	4	11200.5	6843.5	6843.5	1.5
0496	016A	5148	0.12	9993	15	65	100	3	12	0	15444	5451	RTO-C	65	form-based			true	0.75	19	1.583333373	4	4	23166	13173	13173	1.5
0497	023	2134	0.05	880	4	65	100	3	5	1	6402	5522	RTO-C	65	form-based		true	true	0.75	8	1.600000024	4	4	9603	8723	8723	1.5
0498	005	4097	0.09	8270	11	65	100	3	9	0	12291	4021	RC-3	65	form-based			true	0.75	15	1.666666627	4	4	18436.5	10166.5	10166.5	1.5
0498	024	2250	0.05	3250	4	65	100	3	5	1	6750	3500	RTO-C	65	form-based			true	0.75	8	1.600000024	4	4	10125	6875	6875	1.5
0499	001	5647	0.13	13125	12	65	100	3	13	1	16941	3816	RM-1	50	form-based		true	true	0.7	16	1.230769277	4	4	19764.5	6639.5	6639.5	1.166667
0499	001C	2999	0.07	7584	7	65	100	3	7	0	8997	1413	RM-3	65	form-based			true	0.75	11	1.571428537	4	4	13495.5	5911.5	5911.5	1.5
0499	002	2999	0.07	7584	7	65	100	3	7	0	8997	1413	RM-3	65	form-based			true	0.75	11	1.571428537	4	4	13495.5	5911.5	5911.5	1.5
0500	005A	2357	0.05	3091	3	65	100	3	5	2	7071	3980	RH-2	50	form-based			true	0.7	7	1.399999976	4	4	8249.5	5158.5	5158.5	1.166667
0500	020A	1857	0.04	1488	1	65	100	3	4	3	5571	4083	RH-3	50	form-based			true	0.7	5	1.25	4	4	6499.5	5011.5	5011.5	1.166667
0500	021	3439	0.08	6342	6	65	100	3	8	2	10317	3975	RH-3	50	form-based			true	0.7	10	1.25	4	4	12036.5	5694.5	5694.5	1.166667
0500	021A	3438	0.08	6342	6	65	100	3	8	2	10314	3972	RH-3	50	form-based		true	true	0.7	10	1.25	4	4	12033	5691	5691	1.166667
0500	024	1994	0.05	1854	2	65	100	3	5	3	5982	4128	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	6979	5125	5125	1.166667
0500	025	1994	0.05	810	2	65	100	3	5	3	5982	5172	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	6979	6169	6169	1.166667
0500	034	2579	0.06	2525	3	65	100	3	6	3	7737	5212	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	9026.5	6501.5	6501.5	1.166667
0500	047	2138	0.05	3690	2	65	100	3	5	3	6414	2724	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7483	3793	3793	1.166667
0502	003B	4255	0.1	10846	12	65	100	3	10	0	12765	1919	RM-3	65	form-based			true	0.75	16	1.600000024	4	4	19147.5	8301.5	8301.5	1.5
0503	009	3437	0.08	3428	3	65	100	3	8	5	10311	6883	RH-3	40	form-based			true	0.7	7	0.875	4	4	9623.599609	6195.599609	6195.599609	0.933333
0503	010	3437	0.08	3390	3	65	100	3	8	5	10311	6921	RH-3	40	form-based			true	0.7	7	0.875	4	4	9623.599609	6233.599609	6233.599609	0.933333
0503	011	2744	0.06	4600	2	65	100	3	6	4	8232	3632	RH-3	40	form-based		true	true	0.7	6	1	4	4	7683.199707	3083.199707	3083.199707	0.933333
0503	106	2744	0.06	989	2	65	100	3	6	4	8232	7243	NC-3	40	form-based			true	0.75	6	1	4	4	8232	7243	7243	1
0504	002G	1856	0.04	2990	0	65	100	3	4	4	5568	2578	RH-3	40	form-based		true	true	0.7	4	1	4	4	5196.799805	2206.799805	2206.799805	0.933333
0504	002H	2184	0.05	1500	1	65	100	3	5	4	6552	5052	RH-3	40	form-based			true	0.7	5	1	4	4	6115.199707	4615.199707	4615.199707	0.933333
0504	002I	2183	0.05	2123	1	65	100	3	5	4	6549	4426	RH-3	40	form-based			true	0.7	5	1	4	4	6112.399902	3989.399902	3989.399902	0.933333
0504	003E	2500	0.06	1792	1	65	100	3	6	5	7500	5708	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	5208	5208	0.933333
0505	001E	2055	0.05	550	0	65	100	3	5	5	6165	5615	RH-3	40	form-based			true	0.7	4	0.800000012	4	4	5754	5204	5204	0.933333
0505	010	2500	0.06	2100	1	55	80	2.5	5	4	6250	4150	RH-3	40	form-based			true	0.7	5	1	4	4	7000	4900	4900	1.12
0506	004	2656	0.06	3240	2	55	80	2.5	5	3	6640	3400	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	4196.799805	4196.799805	1.12
0507	006	2500	0.06	1025	1	55	80	2.5	5	4	6250	5225	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5975	5975	1.12
0507	007	2500	0.06	2346	1	55	80	2.5	5	4	6250	3904	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4654	4654	1.12
0507	013	3437	0.08	5433	3	55	80	2.5	6	3	8592	3159	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	4190.599609	4190.599609	1.120065
0507	015	2500	0.06	1200	1	55	80	2.5	5	4	6250	5050	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5800	5800	1.12
0507	015A	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5750	5750	1.12
0507	043	2664	0.06	947	2	55	80	2.5	5	3	6660	5713	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7459.199707	6512.199707	6512.199707	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0507	053	1743	0.04	4342	5	55	80	2.5	3	0	4358	16	NC-3	85	form-based			true	0.75	9	3	4	1	10458	6116	4374	2.399725
0523	005A	750	0.02	0	0	65	100	3	2	2	2250	2250	RM-3	85	form-based			true	0.75	4	2	4	4	4500	4500	4500	2
0518	001	3080	0.07	3000	2	55	80	2.5	6	4	7700	4700	RH-2	40	form-based		true	true	0.7	6	1	4	4	8624	5624	5624	1.12
0518	002	2200	0.05	2594	1	55	80	2.5	4	3	5500	2906	RH-2	40	form-based			true	0.7	5	1.25	4	4	6160	3566	3566	1.12
0518	006	2175	0.05	2009	1	55	80	2.5	4	3	5438	3429	RH-2	40	form-based			true	0.7	5	1.25	4	4	6090	4081	4081	1.119897
0518	007	2175	0.05	1560	1	55	80	2.5	4	3	5438	3878	RH-2	40	form-based			true	0.7	5	1.25	4	4	6090	4530	4530	1.119897
0518	026	2302	0.05	3127	1	55	80	2.5	4	3	5755	2628	RH-2	40	form-based			true	0.7	5	1.25	4	4	6445.600098	3318.600098	3318.600098	1.12
0518	042	2704	0.06	1900	2	55	80	2.5	5	3	6760	4860	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7571.199707	5671.199707	5671.199707	1.12
0519	002	2500	0.06	2285	1	55	80	2.5	5	4	6250	3965	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4715	4715	1.12
0519	009	2500	0.06	2362	1	55	80	2.5	5	4	6250	3888	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4638	4638	1.12
0519	012	2500	0.06	2146	1	55	80	2.5	5	4	6250	4104	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4854	4854	1.12
0519	024	2219	0.05	1500	1	55	80	2.5	4	3	5548	4048	RH-2	40	form-based			true	0.7	5	1.25	4	4	6213.199707	4713.199707	4713.199707	1.119899
0519	025	2219	0.05	1238	1	55	80	2.5	4	3	5548	4310	RH-2	40	form-based			true	0.7	5	1.25	4	4	6213.199707	4975.199707	4975.199707	1.119899
0519	039	2198	0.05	1146	1	55	80	2.5	4	3	5495	4349	RH-2	40	form-based			true	0.7	5	1.25	4	4	6154.399902	5008.399902	5008.399902	1.12
0519	040	2198	0.05	1301	1	55	80	2.5	4	3	5495	4194	RH-2	40	form-based			true	0.7	5	1.25	4	4	6154.399902	4853.399902	4853.399902	1.12
0519	041	2198	0.05	3501	1	55	80	2.5	4	3	5495	1994	RH-2	40	form-based			true	0.7	5	1.25	4	4	6154.399902	2653.399902	2653.399902	1.12
0519	053	2331	0.05	1952	1	55	80	2.5	4	3	5828	3876	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6526.799805	4574.799805	4574.799805	1.119904
0520	009	4142	0.1	4644	5	65	100	3	10	5	12426	7782	RH-3	40	form-based			true	0.7	9	0.899999976	4	4	11597.59961	6953.599609	6953.599609	0.933333
0520	010	4133	0.09	5640	5	65	100	3	9	4	12399	6759	RH-3	40	form-based			true	0.7	9	1	4	4	11572.39941	5932.399414	5932.399414	0.933333
0520	028	2860	0.07	2738	2	65	100	3	7	5	8580	5842	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8008	5270	5270	0.933333
0520	029	2860	0.07	2712	2	65	100	3	7	5	8580	5868	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8008	5296	5296	0.933333
0520	041	2974	0.07	1972	2	65	100	3	7	5	8922	6950	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8327.200195	6355.200195	6355.200195	0.933333
0521	013	2379	0.05	6692	8	65	100	3	5	0	7137	445	RTO-C	85	form-based			true	0.75	12	2.400000095	4	2	14274	7582	7582	2
0523	009	2249	0.05	6185	7	65	100	3	5	0	6747	562	RM-2	85	form-based		true	true	0.7	11	2.200000048	4	3	12594.39941	6409.399414	6409.399414	1.866667
0523	010	3021	0.07	6843	12	65	100	3	7	0	9063	2220	RM-3	85	form-based			true	0.75	16	2.285714388	4	2	18126	11283	11283	2
0523	050	2762	0.06	998	6	65	100	3	6	0	8286	7288	RM-2	65	form-based		true	true	0.7	10	1.666666627	4	4	11600.39941	10602.39941	10602.39941	1.4
0524	018	1925	0.04	4729	5	65	100	3	4	0	5775	1046	RM-2	85	form-based			true	0.7	9	2.25	4	3	10780	6051	6051	1.866667
0524	021A	4875	0.11	11145	13	65	100	3	11	0	14625	3480	RM-2	65	form-based			true	0.7	17	1.545454502	4	4	20475	9330	9330	1.4
0526	007	2454	0.06	3978	5	65	100	3	6	1	7362	3384	NCD-POLK	65	form-based		true	true	0.75	9	1.5	4	4	11043	7065	7065	1.5
0529	013	2125	0.05	4950	4	55	80	2.5	4	0	5312	362	NCD-UNIO	65	form-based			true	0.75	8	2	4	4	9562.5	4612.5	4612.5	1.800169
0529	018A	2750	0.06	2690	2	65	100	3	6	4	8250	5560	RH-3	40	form-based			true	0.7	6	1	4	4	7700	5010	5010	0.933333
0530	023C	3000	0.07	2632	2	55	80	2.5	6	4	7500	4868	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5768	5768	1.12
0530	035	2700	0.06	1428	2	55	80	2.5	5	3	6750	5322	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7560	6132	6132	1.12
0530	039	2135	0.05	833	4	55	80	2.5	4	0	5338	4505	NCD-UNIO	65	form-based		true	true	0.75	8	2	4	4	9607.5	8774.5	8774.5	1.799831
0531	026	3444	0.08	2225	3	55	80	2.5	6	3	8610	6385	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9643.200195	7418.200195	7418.200195	1.12
0531	027	2756	0.06	2458	2	55	80	2.5	5	3	6890	4432	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7716.799805	5258.799805	5258.799805	1.12
0531	034	2622	0.06	1303	2	55	80	2.5	5	3	6555	5252	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7341.600098	6038.600098	6038.600098	1.12
0531	052	2756	0.06	1078	2	55	80	2.5	5	3	6890	5812	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7716.799805	6638.799805	6638.799805	1.12
0532	001	2238	0.05	2038	1	55	80	2.5	4	3	5595	3557	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6266.399902	4228.399902	4228.399902	1.12
0532	002	2685	0.06	2820	2	55	80	2.5	5	3	6712	3892	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7518	4698	4698	1.120083
0532	003	2461	0.06	2105	1	55	80	2.5	5	4	6152	4047	RH-2	40	form-based			true	0.7	5	1	4	4	6890.799805	4785.799805	4785.799805	1.120091
0532	004	3010	0.07	2674	2	55	80	2.5	6	4	7525	4851	RH-2	40	form-based			true	0.7	6	1	4	4	8428	5754	5754	1.12
0532	005	3010	0.07	3500	2	55	80	2.5	6	4	7525	4025	RH-2	40	form-based			true	0.7	6	1	4	4	8428	4928	4928	1.12
0541	035	3435	0.08	634	3	55	80	2.5	6	3	8588	7954	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9618	8984	8984	1.119935
0542	013	2791	0.06	3464	2	55	80	2.5	5	3	6978	3514	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7814.799805	4350.799805	4350.799805	1.11992
0542	088	2750	0.06	2052	2	55	80	2.5	5	3	6875	4823	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7700	5648	5648	1.12
0542	090	2607	0.06	3005	1	55	80	2.5	5	4	6518	3513	RH-2	40	form-based		true	true	0.7	5	1	4	4	7299.600098	4294.600098	4294.600098	1.119914
0542	091	3437	0.08	1896	3	55	80	2.5	6	3	8592	6696	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	7727.599609	7727.599609	1.120065
0543	009	2417	0.06	2688	1	55	80	2.5	5	4	6042	3354	RH-2	40	form-based			true	0.7	5	1	4	4	6767.600098	4079.600098	4079.600098	1.120093
0543	014	3438	0.08	6172	3	55	80	2.5	6	3	8595	2423	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	3454.399414	3454.399414	1.12
0543	016	3438	0.08	5250	3	55	80	2.5	6	3	8595	3345	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	4376.399414	4376.399414	1.12
0543	032	1529	0.04	3248	2	55	80	2.5	3	1	3822	574	NCD-UNIO	65	form-based			true	0.75	6	2	4	4	6880.5	3632.5	3632.5	1.800236
0543	044	3437	0.08	1998	3	55	80	2.5	6	3	8592	6594	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	7625.599609	7625.599609	1.120065
0545	011	3300	0.08	4867	3	65	100	3	8	5	9900	5033	RM-2	40	form-based			true	0.7	7	0.875	4	4	9240	4373	4373	0.933333
0547	001	11209	0.26	43120	38	65	100	3	26	0	33627	0	NCD-POLK	65	form-based		true	true	0.75	42	1.615384579	4	4	50440.5	7320.5	7320.5	1.5
0548	014	1923	0.04	5250	5	65	100	3	4	0	5769	519	RM-2	85	form-based			true	0.7	9	2.25	4	3	10768.7998	5518.799805	5518.799805	1.866667
0548	018	1885	0.04	4500	3	65	100	3	4	1	5655	1155	NCD-POLK	65	form-based			true	0.75	7	1.75	4	4	8482.5	3982.5	3982.5	1.5
0549	001A	4555	0.1	9450	12	65	100	3	10	0	13665	4215	RM-2	65	form-based			true	0.7	16	1.600000024	4	4	19131	9681	9681	1.4
0549	033	2400	0.06	800	4	65	100	3	6	2	7200	6400	RH-3	65	form-based			true	0.7	8	1.333333373	4	4	10080	9280	9280	1.4
0550	050	1297	0.03	1680	3	65	100	3	3	0	3891	2211	RTO-C	85	form-based			true	0.75	7	2.333333254	4	3	7782	6102	6102	2
0551	017A	8314	0.19	15306	40	65	100	3	19	0	24942	9636	RTO-C	85	form-based			true	0.75	44	2.315789461	4	0	49884	34578	34578	2
0553	004	2503	0.06	3250	1	65	100	3	6	5	7509	4259	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	3758.399902	3758.399902	0.933333
0553	019	2625	0.06	3160	2	55	80	2.5	5	3	6562	3402	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	4190	4190	1.120085
0553	019A	2625	0.06	2850	2	55	80	2.5	5	3	6562	3712	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	4500	4500	1.120085

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0554	004A	3116	0.07	3810	3	55	80	2.5	6	3	7790	3980	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8724.799805	4914.799805	4914.799805	1.12
0554	057	3046	0.07	2297	2	55	80	2.5	6	4	7615	5318	RH-2	40	form-based			true	0.7	6	1	4	4	8528.799805	6231.799805	6231.799805	1.12
0555	005	3129	0.07	3825	3	55	80	2.5	6	3	7822	3997	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8761.200195	4936.200195	4936.200195	1.120072
0555	006	2762	0.06	4265	2	55	80	2.5	5	3	6905	2640	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7733.600098	3468.600098	3468.600098	1.12
0556	002	2231	0.05	2562	1	55	80	2.5	4	3	5578	3016	RH-2	40	form-based			true	0.7	5	1.25	4	4	6246.799805	3684.799805	3684.799805	1.1199
0556	003	2231	0.05	3050	1	55	80	2.5	4	3	5578	2528	RH-2	40	form-based			true	0.7	5	1.25	4	4	6246.799805	3196.799805	3196.799805	1.1199
0556	004	2231	0.05	4638	1	55	80	2.5	4	3	5578	940	RH-2	40	form-based			true	0.7	5	1.25	4	4	6246.799805	1608.799805	1608.799805	1.1199
0556	005	2231	0.05	3010	1	55	80	2.5	4	3	5578	2568	RH-2	40	form-based			true	0.7	5	1.25	4	4	6246.799805	3236.799805	3236.799805	1.1199
0556	006	2243	0.05	2250	1	55	80	2.5	4	3	5608	3358	RH-2	40	form-based			true	0.7	5	1.25	4	4	6280.399902	4030.399902	4030.399902	1.1199
0556	014	4812	0.11	4770	6	55	80	2.5	9	3	12030	7260	RH-2	40	form-based			true	0.7	10	1.111111164	4	4	13473.59961	8703.599609	8703.599609	1.12
0556	038	6875	0.16	473	10	55	80	2.5	13	3	17188	16715	RH-2	40	form-based			true	0.7	14	1.076923132	4	4	19250	18777	18777	1.119967
0557	011	4483	0.1	7029	5	55	80	2.5	8	3	11208	4179	RH-2	40	form-based			true	0.7	9	1.125	4	4	12552.39941	5523.399414	5523.399414	1.11995
0557	021	6188	0.14	12451	9	55	80	2.5	11	2	15470	3019	RM-1	40	form-based			true	0.7	13	1.181818128	4	4	17326.40039	4875.400391	4875.400391	1.12
0559	024B	2834	0.07	4350	2	55	80	2.5	6	4	7085	2735	RH-2	40	form-based			true	0.7	6	1	4	4	7935.199707	3585.199707	3585.199707	1.12
0559	030	2928	0.07	2750	2	55	80	2.5	6	4	7320	4570	RH-2	40	form-based			true	0.7	6	1	4	4	8198.399414	5448.399414	5448.399414	1.12
0559	031	3730	0.09	3574	4	55	80	2.5	7	3	9325	5751	RH-2	40	form-based			true	0.7	8	1.142857194	4	4	10444	6870	6870	1.12
0559	045	2678	0.06	1950	2	55	80	2.5	5	3	6695	4745	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7498.399902	5548.399902	5548.399902	1.12
0559	049	2709	0.06	2450	2	55	80	2.5	5	3	6772	4322	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7585.199707	5135.199707	5135.199707	1.120083
0559	057	3458	0.08	1689	3	55	80	2.5	6	3	8645	6956	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9682.399414	7993.399414	7993.399414	1.12
0560	003	2490	0.06	3344	1	55	80	2.5	5	4	6225	2881	RH-1	40	form-based			true	0.7	5	1	4	4	6972	3628	3628	1.12
0560	004	2490	0.06	2720	1	55	80	2.5	5	4	6225	3505	RH-1	40	form-based			true	0.7	5	1	4	4	6972	4252	4252	1.12
0560	005	14971	0.34	5875	1	55	80	2.5	27	26	37428	31553	RH-1	40	density-lin	3000			0.7	5	0.185185179	4	4	41918.80078	36043.80078	36043.80078	1.119985
0560	006	2491	0.06	2750	1	55	80	2.5	5	4	6228	3478	RH-1	40	form-based			true	0.7	5	1	4	4	6974.799805	4224.799805	4224.799805	1.11991
0560	009	2500	0.06	2150	1	55	80	2.5	5	4	6250	4100	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4850	4850	1.12
0560	012	2550	0.06	2390	1	55	80	2.5	5	4	6375	3985	RH-1	40	form-based			true	0.7	5	1	4	4	7140	4750	4750	1.12
0560	028	2525	0.06	2000	1	55	80	2.5	5	4	6312	4312	RH-1	40	form-based			true	0.7	5	1	4	4	7070	5070	5070	1.120089
0560	029	2525	0.06	2346	1	55	80	2.5	5	4	6312	3966	RH-1	40	form-based			true	0.7	5	1	4	4	7070	4724	4724	1.120089
0561	001	2497	0.06	6202	1	55	80	2.5	5	4	6242	40	RH-1	40	form-based		true	true	0.7	5	1	4	4	6991.600098	789.6000977	789.6000977	1.12009
0561	007	2500	0.06	5836	1	55	80	2.5	5	4	6250	414	RH-1	40	form-based			true	0.7	5	1	4	4	7000	1164	1164	1.12
0561	008	2500	0.06	3652	1	55	80	2.5	5	4	6250	2598	RH-1	40	form-based			true	0.7	5	1	4	4	7000	3348	3348	1.12
0561	035	5000	0.11	2255	6	55	80	2.5	9	3	12500	10245	RH-1	40	form-based			true	0.7	10	1.111111164	4	4	14000	11745	11745	1.12
0562	029	2644	0.06	1874	2	55	80	2.5	5	3	6610	4736	RH-1	40	form-based			true	0.7	6	1.200000048	4	4	7403.199707	5529.199707	5529.199707	1.12
0562	051	2643	0.06	3860	2	55	80	2.5	5	3	6608	2748	RH-1	40	form-based			true	0.7	6	1.200000048	4	4	7400.399902	3540.399902	3540.399902	1.119915
0563	017	2535	0.06	4180	1	55	80	2.5	5	4	6338	2158	RH-1	40	form-based			true	0.7	5	1	4	4	7098	2918	2918	1.119912
0563	018	2388	0.05	3722	1	55	80	2.5	4	3	5970	2248	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6686.399902	2964.399902	2964.399902	1.12
0563	019	2178	0.05	3634	1	55	80	2.5	4	3	5445	1811	RH-1	40	form-based			true	0.7	5	1.25	4	4	6098.399902	2464.399902	2464.399902	1.12
0563	029	2558	0.06	5142	1	55	80	2.5	5	4	6395	1253	RH-1	40	form-based			true	0.7	5	1	4	4	7162.399902	2020.399902	2020.399902	1.12
0563	030	2173	0.05	4084	1	55	80	2.5	4	3	5432	1348	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6084.399902	2000.399902	2000.399902	1.120103
0565	004	2425	0.06	3576	1	55	80	2.5	5	4	6062	2486	RH-2	40	form-based			true	0.7	5	1	4	4	6790	3214	3214	1.120092
0565	015	2397	0.06	3599	1	55	80	2.5	5	4	5992	2393	RH-2	40	form-based			true	0.7	5	1	4	4	6711.600098	3112.600098	3112.600098	1.120093
0565	016	2624	0.06	5323	2	55	80	2.5	5	3	6560	1237	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7347.199707	2024.199707	2024.199707	1.12
0566	016	2600	0.06	3736	1	55	80	2.5	5	4	6500	2764	RH-2	40	form-based			true	0.7	5	1	4	4	7280	3544	3544	1.12
0566	016A	2600	0.06	2683	1	55	80	2.5	5	4	6500	3817	RH-2	40	form-based			true	0.7	5	1	4	4	7280	4597	4597	1.12
0567	003	2816	0.06	2822	2	55	80	2.5	5	3	7040	4218	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7884.799805	5062.799805	5062.799805	1.12
0567	006	3441	0.08	2450	3	55	80	2.5	6	3	8602	6152	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9634.799805	7184.799805	7184.799805	1.120065
0572	004	2009	0.05	3790	3	65	100	3	5	2	6027	2237	RH-3	65	form-based			true	0.7	7	1.399999976	4	4	8437.799805	4647.799805	4647.799805	1.4
0572	006	2013	0.05	4050	3	65	100	3	5	2	6039	1989	RH-3	65	form-based			true	0.7	7	1.399999976	4	4	8454.599609	4404.599609	4404.599609	1.4
0572	003	4013	0.09	5880	0	65	100	3	9	9	12039	6159	RH-3	40	density-lin	1000			0.7	4	0.444444448	4	4	11236.39941	5356.399414	5356.399414	0.933333
0572	007	2015	0.05	4905	3	65	100	3	5	2	6045	1140	RH-3	65	form-based			true	0.7	7	1.399999976	4	4	8463	3558	3558	1.4
0572	008	2029	0.05	4920	3	65	100	3	5	2	6087	1167	RH-3	65	form-based		true	true	0.7	7	1.399999976	4	4	8521.799805	3601.799805	3601.799805	1.4
0572	021	2267	0.05	8750	7	65	100	3	5	0	6801	0	RM-2	85	form-based			true	0.7	11	2.200000048	4	3	12695.2002	3945.200195	3945.200195	1.866667
0572	086	2011	0.05	1531	3	65	100	3	5	2	6033	4502	RH-3	65	form-based			true	0.7	7	1.399999976	4	4	8446.200195	6915.200195	6915.200195	1.4
0573	004A	1692	0.04	2850	2	65	100	3	4	2	5076	2226	NCD-PACIF	65	form-based			true	0.75	6	1.5	4	4	7614	4764	4764	1.5
0578	038	8779	0.2	17297	14	55	80	2.5	16	2	21948	4651	RM-2	40	form-based			true	0.7	18	1.125	4	4	24581.19922	7284.199219	7284.199219	1.119974
0581	013A	3500	0.08	12253	9	55	80	2.5	6	0	8750	0	RTO-C	65	form-based		true	true	0.75	13	2.166666746	4	3	15750	3497	3497	1.8
0581	056	2578	0.06	1121	6	55	80	2.5	5	0	6445	5324	RTO-C	65	form-based			true	0.75	10	2	4	4	11601	10480	10480	1.8
0582	002	2500	0.06	4550	1	55	80	2.5	5	4	6250	1700	RM-1	40	form-based			true	0.7	5	1	4	4	7000	2450	2450	1.12
0582	014A	2255	0.05	2328	1	55	80	2.5	4	3	5638	3310	RH-1	40	form-based			true	0.7	5	1.25	4	4	6314	3986	3986	1.119901
0582	015	2443	0.06	2578	1	55	80	2.5	5	4	6108	3530	RH-1	40	form-based		true	true	0.7	5	1	4	4	6840.399902	4262.399902	4262.399902	1.119908
0584	001	2398	0.06	4352	1	55	80	2.5	5	4	5995	1643	RH-1	40	form-based		true	true	0.7	5	1	4	4	6714.399902	2362.399902	2362.399902	1.12
0584	021	2401	0.06	3915	1	55	80	2.5	5	4	6002	2087	RH-1	40	form-based			true	0.7	5	1	4	4	6722.799805	2807.799805	2807.799805	1.120093
0584	022	2400	0.06	3930	1	55	80	2.5	5	4	6000	2070	RH-1	40	form-based			true	0.7	5	1	4	4	6720	2790	2790	1.12
0584	023	2399	0.06	3915	1	55	80	2.5	5	4	5998	2083	RH-1	40	form-based			true	0.7	5	1	4	4	6717.199707	2802.199707	2802.199707	1.119907
0585	012	2395	0.05	5025	1	55	80	2.5	4	3	5988	963	RH-2	40	form-based			true	0.7	5	1.25	4	4	6706	1681	1681	1.119906

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0585	012B	2429	0.06	3205	1	55	80	2.5	5	4	6072	2867	RH-2	40	form-based			true	0.7	5	1	4	4	6801.199707	3596.199707	3596.199707	1.120092
0585	012C	2168	0.05	3105	1	55	80	2.5	4	3	5420	2315	RH-2	40	form-based			true	0.7	5	1.25	4	4	6070.399902	2965.399902	2965.399902	1.12
0585	012D	2428	0.06	3651	1	55	80	2.5	5	4	6070	2419	RH-2	40	form-based			true	0.7	5	1	4	4	6798.399902	3147.399902	3147.399902	1.12
0585	012E	2310	0.05	4258	1	55	80	2.5	4	3	5775	1517	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6468	2210	2210	1.12
0585	012F	2462	0.06	3780	1	55	80	2.5	5	4	6155	2375	RH-1	40	form-based			true	0.7	5	1	4	4	6893.600098	3113.600098	3113.600098	1.12
0587	019	3398	0.08	5156	3	55	80	2.5	6	3	8495	3339	RH-1	40	form-based			true	0.7	7	1.166666627	4	4	9514.399414	4358.399414	4358.399414	1.12
0588	017	3307	0.08	4790	3	55	80	2.5	6	3	8268	3478	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9259.599609	4469.599609	4469.599609	1.119932
0588	028	2756	0.06	3746	2	55	80	2.5	5	3	6890	3144	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7716.799805	3970.799805	3970.799805	1.12
0588	032	3678	0.08	2137	4	55	80	2.5	6	2	9195	7058	RH-2	40	form-based			true	0.7	8	1.333333373	4	4	10298.39941	8161.399414	8161.399414	1.12
0589	009	2869	0.07	5281	2	55	80	2.5	6	4	7172	1891	RH-2	40	form-based			true	0.7	6	1	4	4	8033.199707	2752.199707	2752.199707	1.120078
0590	028	4513	0.1	3300	5	55	80	2.5	8	3	11282	7982	RM-2	40	form-based			true	0.7	9	1.125	4	4	12636.39941	9336.399414	9336.399414	1.12005
0591	014	3524	0.08	4444	3	55	80	2.5	6	3	8810	4366	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9867.200195	5423.200195	5423.200195	1.12
0592	008C	2178	0.05	2457	1	55	80	2.5	4	3	5445	2988	RH-1	40	form-based			true	0.7	5	1.25	4	4	6098.399902	3641.399902	3641.399902	1.12
0592	010	2207	0.05	2410	1	65	100	3	5	4	6621	4211	RH-1	40	form-based			true	0.7	5	1	4	4	6179.600098	3769.600098	3769.600098	0.933333
0592	018	4992	0.11	1634	6	65	100	3	11	5	14976	13342	RH-2	40	form-based			true	0.7	10	0.909090936	4	4	13977.59961	12343.59961	12343.59961	0.933333
0597	013	2146	0.05	5077	7	65	100	3	5	0	6438	1361	RM-2	85	form-based			true	0.7	11	2.200000048	4	3	12017.59961	6940.599609	6940.599609	1.866667
0597	015	5262	0.12	18960	24	65	100	3	12	0	15786	0	NCD-POLK	85	form-based		true	true	0.75	28	2.333333254	4	0	31572	12612	12612	2
0597	025	1140	0.03	2046	2	65	100	3	3	1	3420	1374	RM-2	85	form-based			true	0.7	6	2	4	4	6384	4338	4338	1.866667
0600	003	4664	0.11	6285	6	65	100	3	11	5	13992	7707	RH-2	40	form-based			true	0.7	10	0.909090936	4	4	13059.2002	6774.200195	6774.200195	0.933333
0605	028	3202	0.07	2250	3	65	100	3	7	4	9606	7356	RH-2	40	form-based			true	0.7	7	1	4	4	8965.599609	6715.599609	6715.599609	0.933333
0606	007	2569	0.06	2552	1	65	100	3	6	5	7707	5155	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7193.199707	4641.199707	4641.199707	0.933333
0606	009	2610	0.06	3419	1	65	100	3	6	5	7830	4411	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7308	3889	3889	0.933333
0606	015	2968	0.07	2488	2	65	100	3	7	5	8904	6416	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8310.399414	5822.399414	5822.399414	0.933333
0606	019	2298	0.05	4857	1	65	100	3	5	4	6894	2037	RM-1	40	form-based			true	0.7	5	1	4	4	6434.399902	1577.399902	1577.399902	0.933333
0606	028	4150	0.1	6679	5	65	100	3	10	5	12450	5771	RH-2	40	form-based			true	0.7	9	0.899999976	4	4	11620	4941	4941	0.933333
0606	044	3511	0.08	2158	3	65	100	3	8	5	10533	8375	RH-2	40	form-based			true	0.7	7	0.875	4	4	9830.799805	7672.799805	7672.799805	0.933333
0606	053	3467	0.08	2256	3	65	100	3	8	5	10401	8145	RH-2	40	form-based			true	0.7	7	0.875	4	4	9707.599609	7451.599609	7451.599609	0.933333
0611	013	4018	0.09	3300	4	65	100	3	9	5	12054	8754	RH-2	40	form-based			true	0.7	8	0.888888896	4	4	11250.39941	7950.399414	7950.399414	0.933333
0611	015	2590	0.06	3289	1	65	100	3	6	5	7770	4481	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7252	3963	3963	0.933333
0611	017	2591	0.06	3250	1	65	100	3	6	5	7773	4523	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7254.799805	4004.799805	4004.799805	0.933333
0611	018	2591	0.06	5250	1	65	100	3	6	5	7773	2523	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	7254.799805	2004.799805	2004.799805	0.933333
0611	019	2500	0.06	2559	1	65	100	3	6	5	7500	4941	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4441	4441	0.933333
0611	035	2898	0.07	1230	2	65	100	3	7	5	8694	7464	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8114.399902	6884.399902	6884.399902	0.933333
0612	007	1980	0.05	2136	0	65	100	3	5	5	5940	3804	RH-2	40	density-lin	1500			0.7	4	0.800000012	4	4	5544	3408	3408	0.933333
0612	017	2250	0.05	2300	1	65	100	3	5	4	6750	4450	RH-2	40	form-based			true	0.7	5	1	4	4	6300	4000	4000	0.933333
0612	024	2247	0.05	3269	1	65	100	3	5	4	6741	3472	RH-2	40	form-based			true	0.7	5	1	4	4	6291.600098	3022.600098	3022.600098	0.933333
0612	029	3343	0.08	4794	3	65	100	3	8	5	10029	5235	RH-2	40	form-based			true	0.7	7	0.875	4	4	9360.399414	4566.399414	4566.399414	0.933333
0612	036	3498	0.08	3200	3	65	100	3	8	5	10494	7294	RH-2	40	form-based			true	0.7	7	0.875	4	4	9794.399414	6594.399414	6594.399414	0.933333
0613	001	4273	0.1	8522	5	55	80	2.5	8	3	10682	2160	RM-1	40	form-based		true	true	0.7	9	1.125	4	4	11964.39941	3442.399414	3442.399414	1.120052
0614	009	2593	0.06	3273	1	55	80	2.5	5	4	6482	3209	RH-2	40	form-based			true	0.7	5	1	4	4	7260.399902	3987.399902	3987.399902	1.120086
0614	010	2593	0.06	3342	1	55	80	2.5	5	4	6482	3140	RH-2	40	form-based			true	0.7	5	1	4	4	7260.399902	3918.399902	3918.399902	1.120086
0614	013	2657	0.06	4467	2	55	80	2.5	5	3	6642	2175	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7439.600098	2972.600098	2972.600098	1.120084
0614	015	3749	0.09	6020	4	55	80	2.5	7	3	9372	3352	RH-2	40	form-based			true	0.7	8	1.142857194	4	4	10497.2002	4477.200195	4477.200195	1.12006
0614	020	3094	0.07	4238	2	55	80	2.5	6	4	7735	3497	RH-2	40	form-based			true	0.7	6	1	4	4	8663.200195	4425.200195	4425.200195	1.12
0621	004	3058	0.07	7050	7	65	100	3	7	0	9174	2124	RM-3	65	form-based			true	0.75	11	1.571428537	4	4	13761	6711	6711	1.5
0624	014	4979	0.11	1700	6	65	100	3	11	5	14937	13237	RH-2	40	form-based			true	0.7	10	0.909090936	4	4	13941.2002	12241.2002	12241.2002	0.933333
0624	100	3662	0.08	497	4	65	100	3	8	4	10986	10489	RH-2	40	form-based			true	0.7	8	1	4	4	10253.59961	9756.599609	9756.599609	0.933333
0624	112	3661	0.08	1852	4	65	100	3	8	4	10983	9131	RH-2	40	form-based			true	0.7	8	1	4	4	10250.7998	8398.799805	8398.799805	0.933333
0627	047	3291	0.08	1780	3	55	80	2.5	6	3	8228	6448	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9214.799805	7434.799805	7434.799805	1.119932
0627	054	8938	0.21	5726	2	55	80	2.5	17	15	22345	16619	RH-2	40	density-lin	1500			0.7	6	0.352941185	4	4	25026.40039	19300.40039	19300.40039	1.12
0630	007	2263	0.05	4701	4	65	100	3	5	1	6789	2088	NCD-UPPE	65	form-based			true	0.75	8	1.600000024	4	4	10183.5	5482.5	5482.5	1.5
0631	002	2355	0.05	3120	1	65	100	3	5	4	7065	3945	RH-2	40	form-based			true	0.7	5	1	4	4	6594	3474	3474	0.933333
0631	004	2353	0.05	1973	1	65	100	3	5	4	7059	5086	RH-2	40	form-based			true	0.7	5	1	4	4	6588.399902	4615.399902	4615.399902	0.933333
0631	019	2678	0.06	6336	3	65	100	3	6	3	8034	1698	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	9373	3037	3037	1.166667
0631	021	3064	0.07	3288	5	65	100	3	7	2	9192	5904	RH-3	50	form-based			true	0.7	9	1.285714269	4	4	10724	7436	7436	1.166667
0631	023	2344	0.05	2395	1	65	100	3	5	4	7032	4637	RH-3	40	form-based			true	0.7	5	1	4	4	6563.199707	4168.199707	4168.199707	0.933333
0631	025	2344	0.05	3390	1	65	100	3	5	4	7032	3642	RH-3	40	form-based			true	0.7	5	1	4	4	6563.199707	3173.199707	3173.199707	0.933333
0631	026	2344	0.05	3042	1	65	100	3	5	4	7032	3990	RH-3	40	form-based			true	0.7	5	1	4	4	6563.199707	3521.199707	3521.199707	0.933333
0632	007	5544	0.13	11670	12	65	100	3	13	1	16632	4962	RH-2	50	form-based			true	0.7	16	1.230769277	4	4	19404	7734	7734	1.166667
0632	014	2414	0.06	3574	1	65	100	3	6	5	7242	3668	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	6759.199707	3185.199707	3185.199707	0.933333
0632	015	2414	0.06	3645	1	65	100	3	6	5	7242	3597	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	6759.199707	3114.199707	3114.199707	0.933333
0632	016	2415	0.06	2815	1	65	100	3	6	5	7245	4430	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	6762	3947	3947	0.933333
0633	001M	3381	0.08	3268	5	85	140	4	11	6	13524	10256	RH-2	50	form-based			true	0.7	9	0.818181813	4	4	11833.5	8565.5	8565.5	0.875
0633	009	1920	0.04	1782	1	65	100	3	4	3	5760	3978	RM-2	50	form-based			true	0.7	5	1.25	4	4	6720	4938	4938	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0634	016A	2475	0.06	3328	3	65	100	3	6	3	7425	4097	RH-3	50	form-based		true	true	0.7	7	1.166666627	4	4	8662.5	5334.5	5334.5	1.166667
0634	021	2736	0.06	2860	4	65	100	3	6	2	8208	5348	RH-3	50	form-based			true	0.7	8	1.333333373	4	4	9576	6716	6716	1.166667
0635	014	2138	0.05	3060	2	85	140	4	7	5	8552	5492	RH-2	50	form-based			true	0.7	6	0.857142866	4	4	7483	4423	4423	0.875
0636	031	3399	0.08	4069	3	65	100	3	8	5	10197	6128	RM-1	40	form-based			true	0.7	7	0.875	4	4	9517.200195	5448.200195	5448.200195	0.933333
0636	032	1838	0.04	2149	0	65	100	3	4	4	5514	3365	RM-1	40	form-based			true	0.7	4	1	4	4	5146.399902	2997.399902	2997.399902	0.933333
0638	012	6129	0.14	8365	9	55	80	2.5	11	2	15322	6957	RM-1	40	form-based			true	0.7	13	1.181818128	4	4	17161.19922	8796.199219	8796.199219	1.120036
0639	042	3622	0.08	765	4	55	80	2.5	6	2	9055	8290	RM-2	40	form-based			true	0.7	8	1.333333373	4	4	10141.59961	9376.599609	9376.599609	1.12
0644	021	3540	0.08	8178	15	65	100	3	8	0	10620	2442	RM-3	85	form-based			true	0.75	19	2.375	4	1	21240	13062	13062	2
0649	002	3025	0.07	3058	0	65	100	3	7	7	9075	6017	RH-2	40	density-lim	1500			0.7	4	0.571428597	4	4	8470	5412	5412	0.933333
0649	005	3300	0.08	3350	0	65	100	3	8	8	9900	6550	RH-2	40	density-lim	1500			0.7	4	0.5	4	4	9240	5890	5890	0.933333
0650	041	2128	0.05	1451	2	55	80	2.5	4	2	5320	3869	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5958.399902	4507.399902	4507.399902	1.12
0651	003A	4906	0.11	9559	0	55	80	2.5	9	9	12265	2706	RH-2	40	density-lim	1500			0.7	4	0.444444448	4	4	13736.7998	4177.799805	4177.799805	1.12
0651	009	2350	0.05	4302	0	55	80	2.5	4	4	5875	1573	RH-2	40	density-lim	1500			0.7	4	1	4	4	6580	2278	2278	1.12
0652	007	2055	0.05	4760	2	55	80	2.5	4	2	5138	378	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5754	994	994	1.119891
0652	008	2750	0.06	1630	0	55	80	2.5	5	5	6875	5245	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	7700	6070	6070	1.12
0652	018	2234	0.05	2720	0	65	100	3	5	5	6702	3982	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	6255.199707	3535.199707	3535.199707	0.933333
0653	009	2188	0.05	2487	0	65	100	3	5	5	6564	4077	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	6126.399902	3639.399902	3639.399902	0.933333
0654	008	3151	0.07	4520	1	65	100	3	7	6	9453	4933	NCD-UPPE	40	density-lim	600			0.75	5	0.714285731	4	4	9453	4933	4933	1
0655	018	2187	0.05	4324	1	65	100	3	5	4	6561	2237	RH-2	40	form-based		true	true	0.7	5	1	4	4	6123.600098	1799.600098	1799.600098	0.933333
0655	019	2312	0.05	1509	1	85	140	4	7	6	9248	7739	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	6473.600098	4964.600098	4964.600098	0.7
0655	020	2312	0.05	1632	1	85	140	4	7	6	9248	7616	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	6473.600098	4841.600098	4841.600098	0.7
0655	021	2313	0.05	2206	1	85	140	4	7	6	9252	7046	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	6476.399902	4270.399902	4270.399902	0.7
0655	022	2312	0.05	2050	1	85	140	4	7	6	9248	7198	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	6473.600098	4423.600098	4423.600098	0.7
0656	010	2800	0.06	2775	2	65	100	3	6	4	8400	5625	RH-2	40	form-based			true	0.7	6	1	4	4	7840	5065	5065	0.933333
0656	045	3544	0.08	1620	3	65	100	3	8	5	10632	9012	RH-2	40	form-based			true	0.7	7	0.875	4	4	9923.200195	8303.200195	8303.200195	0.933333
0659	001	2248	0.05	5338	4	65	100	3	5	1	6744	1406	NCD-UPPE	65	form-based		true	true	0.75	8	1.600000024	4	4	10116	4778	4778	1.5
0659	061	3166	0.07	2100	1	65	100	3	7	6	9498	7398	NCD-UPPE	40	density-lim	600			0.75	5	0.714285731	4	4	9498	7398	7398	1
0659	067	1497	0.03	1190	2	65	100	3	3	1	4491	3301	RH-3	40	density-lim	1000	true		0.7	6	2	4	4	4191.600098	3001.600098	3001.600098	0.933333
0660	017	2093	0.05	4200	4	65	100	3	5	1	6279	2079	NCD-UPPE	65	form-based			true	0.75	8	1.600000024	4	4	9418.5	5218.5	5218.5	1.5
0660	020	4060	0.09	11100	11	65	100	3	9	0	12180	1080	NCD-UPPE	65	form-based		true	true	0.75	15	1.666666627	4	4	18270	7170	7170	1.5
0660	030A	1525	0.04	1540	0	65	100	3	4	4	4575	3035	RH-2	40	density-lim	1500			0.7	4	1	4	4	4270	2730	2730	0.933333
0660	087	1146	0.03	1989	0	65	100	3	3	3	3438	1449	RH-2	40	density-lim	1500			0.7	4	1.333333373	4	4	3208.800049	1219.800049	1219.800049	0.933333
0660	088	2042	0.05	3010	0	65	100	3	5	5	6126	3116	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	5717.600098	2707.600098	2707.600098	0.933333
0662	004	2188	0.05	2850	0	65	100	3	5	5	6564	3714	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	6126.399902	3276.399902	3276.399902	0.933333
0662	005	3437	0.08	5724	0	65	100	3	8	8	10311	4587	RH-2	40	density-lim	1500			0.7	4	0.5	4	4	9623.599609	3899.599609	3899.599609	0.933333
0662	028	1851	0.04	1950	0	65	100	3	4	4	5553	3603	RH-2	40	density-lim	1500			0.7	4	1	4	4	5182.799805	3232.799805	3232.799805	0.933333
0662	030	1706	0.04	2328	2	55	80	2.5	3	1	4265	1937	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	4776.799805	2448.799805	2448.799805	1.12
0663	046	1729	0.04	1440	2	65	100	3	4	2	5187	3747	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	4841.199707	3401.199707	3401.199707	0.933333
0664	020A	3510	0.08	5200	0	65	100	3	8	8	10530	5330	RH-2	40	density-lim	1500			0.7	4	0.5	4	4	9828	4628	4628	0.933333
0665	012	1860	0.04	2498	0	65	100	3	4	4	5580	3082	RH-3	80	density-lim	1000			0.7	4	1	4	4	10416	7918	7918	1.866667
0665	033	4777	0.11	12585	20	65	100	3	11	0	14331	1746	RM-4	80	density-lim	200	true		0.75	24	2.181818247	4	2	28662	16077	16077	2
0675	019	2346	0.05	4110	2	65	100	3	5	3	7038	2928	RM-3	40	density-lim	400			0.75	6	1.200000048	4	4	7038	2928	2928	1
0675	020	2070	0.05	2010	1	65	100	3	5	4	6210	4200	RM-3	40	density-lim	400			0.75	5	1	4	4	6210	4200	4200	1
0675	021	1890	0.04	2508	1	65	100	3	4	3	5670	3162	RM-3	40	density-lim	400			0.75	5	1.25	4	4	5670	3162	3162	1
0675	025	4182	0.1	4724	6	65	100	3	10	4	12546	7822	RM-3	40	density-lim	400			0.75	10	1	4	4	12546	7822	7822	1
0675	049	15125	0.35	29800	34	65	100	3	35	1	45375	15575	RM-3	50	density-lim	400			0.75	38	1.08571434	4	4	56718.75	26918.75	26918.75	1.25
0677	032	4303	0.1	3500	1	65	100	3	10	9	12909	9409	RM-1	40	density-lim	800			0.7	5	0.5	4	4	12048.39941	8548.399414	8548.399414	0.933333
0678	126	17706	0.41	1331	36	65	100	3	41	5	53118	51787	NCT-FILLM	40	form-based		true		0.75	40	0.975609779	4	4	53118	51787	51787	1
0679	020	1391	0.03	3673	3	65	100	3	3	0	4173	500	RTO-C	85	form-based		true	true	0.75	7	2.333333254	4	3	8346	4673	4673	2
0679	035	844	0.02	0	0	65	100	3	2	2	2532	2532	RTO-C	85	form-based			true	0.75	4	2	4	4	5064	5064	5064	2
0684	043	2171	0.05	2986	3	65	100	3	5	2	6513	3527	NCT-FILLM	50	form-based				0.75	7	1.399999976	4	4	8141.25	5155.25	5155.25	1.25
0685	001	2225	0.05	4254	2	65	100	3	5	3	6675	2421	NCD-JAPAI	50	density-lim	400	true		0.75	6	1.200000048	4	4	8343.75	4089.75	4089.75	1.25
0685	039	2491	0.06	6042	2	65	100	3	6	4	7473	1431	NCD-JAPAI	50	density-lim	400			0.75	6	1	4	4	9341.25	3299.25	3299.25	1.25
0686	004	1554	0.04	3124	0	65	100	3	4	4	4662	1538	NCD-JAPAI	50	density-lim	400	true		0.75	4	1	4	4	5827.5	2703.5	2703.5	1.25
0686	036	1739	0.04	3432	0	65	100	3	4	4	5217	1785	NCD-JAPAI	50	density-lim	400			0.75	4	1	4	4	6521.25	3089.25	3089.25	1.25
0686	039	1500	0.03	0	0	65	100	3	3	3	4500	4500	NCD-JAPAI	50	density-lim	400			0.75	4	1.333333373	4	4	5625	5625	5625	1.25
0686	040	5375	0.12	10594	9	65	100	3	12	3	16125	5531	NCD-JAPAI	50	density-lim	400			0.75	13	1.083333373	4	4	20156.25	9562.25	9562.25	1.25
0686	043	2679	0.06	4005	3	65	100	3	6	3	8037	4032	NCD-JAPAI	50	density-lim	400			0.75	7	1.166666627	4	4	10046.25	6041.25	6041.25	1.25
0716	009	3206	0.07	11600	12	65	100	3	7	0	9618	0	RC-4	80	density-lim	200			0.75	16	2.285714388	4	2	19236	7636	7636	2
0728	004	2187	0.05	2170	1	65	100	3	5	4	6561	4391	RM-3	65	density-lim	400			0.75	5	1	4	4	9841.5	7671.5	7671.5	1.5
0728	031	2500	0.06	1550	2	65	100	3	6	4	7500	5950	RM-3	65	density-lim	400			0.75	6	1	4	4	11250	9700	9700	1.5
0724	043	2511	0.06	1336	2	65	100	3	6	4	7533	6197	RM-3	50	density-lim	400			0.75	6	1	4	4	9416.25	8080.25	8080.25	1.25
0735	101	3090	0.07	1080	4	65	100	3	7	3	9270	8190	RM-3	80	density-lim	400	true		0.75	8	1.142857194	4	4	18540	17460	17460	2
0737	002A	3875	0.09	10011	15	65	100	3	9	0	11625	1614	RC-4	80	density-lim	200	true		0.75	19	2.111111164	4	3	23250	13239	13239	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0749	011	4750	0.11	778	8	65	100	3	11	3	14250	13472	RM-3	50	density-lim	400	true		0.75	12	0.090909123	4	4	17812.5	17034.5	17034.5	1.25
0753	011	1321	0.03	2470	2	55	80	2.5	2	0	3302	832	RH-3	40	density-lim	1000	true		0.7	6	3	4	2	3698.800049	1228.800049	1228.800049	1.12017
0754	012	3937	0.09	5868	6	55	80	2.5	7	1	9842	3974	RM-3	40	density-lim	400			0.75	10	1.428571463	4	4	11811	5943	5943	1.200061
0755	006	9453	0.22	10346	20	55	80	2.5	18	0	23632	13286	RM-3	65	density-lim	400			0.75	24	1.333333373	4	4	42538.5	32192.5	32192.5	1.800038
0775	002	5110	0.12	3700	1	55	80	2.5	10	9	12775	9075	RH-3	40	density-lim	1000			0.7	5	0.5	4	4	14308	10608	10608	1.12
0775	011	3712	0.09	3000	1	55	80	2.5	7	6	9280	6280	RM-1	40	density-lim	800			0.7	5	0.714285731	4	4	10393.59961	7393.599609	7393.599609	1.12
0775	012	3713	0.09	3000	1	55	80	2.5	7	6	9282	6282	RM-1	40	density-lim	800			0.7	5	0.714285731	4	4	10396.39941	7396.399414	7396.399414	1.12006
0775	020B	3450	0.08	3602	0	55	80	2.5	6	6	8625	5023	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	9660	6058	6058	1.12
0776	014A	113	0	0	0	55	80	2.5	0	0	282	282	RH-3	40	density-lim	1000			0.7	4		4	4	316.3999939	316.3999939	316.3999939	1.121986
0777	010	4812	0.11	4980	1	55	80	2.5	9	8	12030	7050	RH-3	40	density-lim	1000			0.7	5	0.555555582	4	4	13473.59961	8493.599609	8493.599609	1.12
0777	011	2500	0.06	3516	0	55	80	2.5	5	5	6250	2734	RH-3	40	density-lim	1000			0.7	4	0.800000012	4	4	7000	3484	3484	1.12
0777	024	5569	0.13	2500	2	55	80	2.5	10	8	13922	11422	RH-3	40	density-lim	1000			0.7	6	0.600000024	4	4	15593.2002	13093.2002	13093.2002	1.12004
0777	041	3149	0.07	1333	0	55	80	2.5	6	6	7872	6539	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	8817.200195	7484.200195	7484.200195	1.120071
0793	012	1895	0.04	1890	0	65	100	3	4	4	5685	3795	NCT-HAYE	40	form-based				0.75	4	1	4	4	5685	3795	3795	1
0793	013	1895	0.04	1890	0	55	80	2.5	3	3	4738	2848	NCT-HAYE	40	form-based				0.75	4	1.333333373	4	4	5685	3795	3795	1.199873
0793	014	1895	0.04	1593	0	55	80	2.5	3	3	4738	3145	NCT-HAYE	40	form-based				0.75	4	1.333333373	4	4	5685	4092	4092	1.199873
0803	010	3438	0.08	6150	3	55	80	2.5	6	3	8595	2445	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	3476.399414	3476.399414	1.12
0803	011	3438	0.08	6150	3	55	80	2.5	6	3	8595	2445	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	3476.399414	3476.399414	1.12
0794	010	3600	0.08	3100	4	55	80	2.5	6	2	9000	5900	RTO-1	40	form-based			true	0.7	8	1.333333373	4	4	10080	6980	6980	1.12
0803	013	2500	0.06	2100	1	55	80	2.5	5	4	6250	4150	RM-2	40	form-based			true	0.7	5	1	4	4	7000	4900	4900	1.12
0797	010	2475	0.06	2520	2	55	80	2.5	5	3	6188	3668	RH-3	50	density-lim	1000	true		0.7	6	1.200000048	4	4	8662.5	6142.5	6142.5	1.399887
0798	001	2873	0.07	5937	5	55	80	2.5	6	1	7182	1245	NCT-FILLM	50	form-based		true		0.75	9	1.5	4	4	10773.75	4836.75	4836.75	1.500104
0798	017	5156	0.12	4000	1	55	80	2.5	10	9	12890	8890	RH-3	40	density-lim	1000			0.7	5	0.5	4	4	14436.7998	10436.7998	10436.7998	1.12
0798	020	5156	0.12	4700	1	55	80	2.5	10	9	12890	8190	RH-3	40	density-lim	1000			0.7	5	0.5	4	4	14436.7998	9736.799805	9736.799805	1.12
0798	021	1719	0.04	450	0	55	80	2.5	3	3	4298	3848	RH-3	50	density-lim	1000			0.7	4	1.333333373	4	4	6016.5	5566.5	5566.5	1.399837
0803	004	2496	0.06	4875	3	55	80	2.5	5	2	6240	1365	RM-2	50	form-based			true	0.7	7	1.399999976	4	4	8736	3861	3861	1.4
0803	007	8750	0.2	17960	14	55	80	2.5	16	2	21875	3915	RM-2	40	form-based			true	0.7	18	1.125	4	4	24500	6540	6540	1.12
0803	009	3438	0.08	5775	3	55	80	2.5	6	3	8595	2820	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	3851.399414	3851.399414	1.12
0803	023	2328	0.05	4255	2	55	80	2.5	4	2	5820	1565	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	6518.399902	2263.399902	2263.399902	1.12
0803	025	6901	0.16	2646	1	55	80	2.5	13	12	17252	14606	RH-2	40	density-lim	1500			0.7	5	0.384615391	4	4	19322.79883	16676.79883	16676.79883	1.120032
0804	008	2600	0.06	3817	3	55	80	2.5	5	2	6500	2683	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	9100	5283	5283	1.4
0804	043	2500	0.06	1646	3	55	80	2.5	5	2	6250	4604	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8750	7104	7104	1.4
0805	008	3088	0.07	7654	5	55	80	2.5	6	1	7720	66	RH-3	50	form-based			true	0.7	9	1.5	4	4	10808	3154	3154	1.4
0805	009	2565	0.06	4986	3	55	80	2.5	5	2	6412	1426	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8977.5	3991.5	3991.5	1.400109
0805	014	3000	0.07	3100	4	55	80	2.5	6	2	7500	4400	RH-3	50	form-based			true	0.7	8	1.333333373	4	4	10500	7400	7400	1.4
0805	019	2597	0.06	3585	3	55	80	2.5	5	2	6492	2907	RH-3	50	form-based		true	true	0.7	7	1.399999976	4	4	9089.5	5504.5	5504.5	1.400108
0805	026	2858	0.07	3240	4	55	80	2.5	6	2	7145	3905	RH-3	50	form-based			true	0.7	8	1.333333373	4	4	10003	6763	6763	1.4
0805	027	2165	0.05	2268	2	55	80	2.5	4	2	5412	3144	RH-3	50	form-based			true	0.7	6	1.5	4	4	7577.5	5309.5	5309.5	1.400129
0808	018	2980	0.07	2976	3	55	80	2.5	6	3	7450	4474	NCT-HAYE	40	form-based		true		0.75	7	1.166666627	4	4	8940	5964	5964	1.2
0809	029	6000	0.14	1086	14	65	100	3	14	0	18000	16914	NCT-HAYE	50	form-based				0.75	18	1.285714269	4	4	22500	21414	21414	1.25
0818	018A	1306	0.03	1124	0	55	80	2.5	2	2	3265	2141	RTO-1	50	form-based			true	0.7	4	2	4	4	4571	3447	3447	1.4
0818	022A	1774	0.04	2090	0	55	80	2.5	3	3	4435	2345	NCT-HAYE	40	form-based				0.75	4	1.333333373	4	4	5322	3232	3232	1.2
0818	036	1774	0.04	1375	0	55	80	2.5	3	3	4435	3060	NCT-HAYE	40	form-based				0.75	4	1.333333373	4	4	5322	3947	3947	1.2
0818	040	2121	0.05	3180	2	65	100	3	5	3	6363	3183	NCT-HAYE	50	form-based		true		0.75	6	1.200000048	4	4	7953.75	4773.75	4773.75	1.25
0818	041	2162	0.05	2922	2	65	100	3	5	3	6486	3564	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7567	4645	4645	1.166667
0818	042	2162	0.05	2922	2	65	100	3	5	3	6486	3564	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7567	4645	4645	1.166667
0818	055	3946	0.09	2461	8	55	80	2.5	7	0	9865	7404	NCT-HAYE	50	form-based				0.75	12	1.714285731	4	4	14797.5	12336.5	12336.5	1.5
0818	068	1939	0.04	3038	0	55	80	2.5	3	3	4848	1810	NCT-HAYE	40	form-based				0.75	4	1.333333373	4	4	5817	2779	2779	1.199876
0819	051	1843	0.04	1300	0	55	80	2.5	3	3	4608	3308	RTO-1	40	form-based			true	0.7	4	1.333333373	4	4	5160.399902	3860.399902	3860.399902	1.119878
0821	003	2250	0.05	2567	2	55	80	2.5	4	2	5625	3058	RM-1	50	form-based			true	0.7	6	1.5	4	4	7875	5308	5308	1.4
0821	013	3438	0.08	7168	6	55	80	2.5	6	0	8595	1427	RM-1	50	form-based			true	0.7	10	1.666666627	4	4	12033	4865	4865	1.4
0821	036	3444	0.08	5910	6	55	80	2.5	6	0	8610	2700	RM-1	50	form-based			true	0.7	10	1.666666627	4	4	12054	6144	6144	1.4
0821	039	2475	0.06	1500	3	55	80	2.5	5	2	6188	4688	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8662.5	7162.5	7162.5	1.399887
0821	042	2475	0.06	1500	3	55	80	2.5	5	2	6188	4688	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8662.5	7162.5	7162.5	1.399887
0821	087	2250	0.05	1522	2	55	80	2.5	4	2	5625	4103	RM-1	50	form-based			true	0.7	6	1.5	4	4	7875	6353	6353	1.4
0822	004	2684	0.06	4450	4	55	80	2.5	5	1	6710	2260	RM-1	50	form-based			true	0.7	8	1.600000024	4	4	9394	4944	4944	1.4
0822	011	2483	0.06	5310	3	55	80	2.5	5	2	6208	898	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8690.5	3380.5	3380.5	1.399887
0822	015	3437	0.08	5085	3	55	80	2.5	6	3	8592	3507	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	4538.599609	4538.599609	1.120065
0822	016	3438	0.08	6870	3	55	80	2.5	6	3	8595	1725	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	2756.399414	2756.399414	1.12
0822	033	3442	0.08	5250	3	55	80	2.5	6	3	8605	3355	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9637.599609	4387.599609	4387.599609	1.12
0822	034	3442	0.08	5250	3	55	80	2.5	6	3	8605	3355	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9637.599609	4387.599609	4387.599609	1.12
0822	063	3442	0.08	1547	3	55	80	2.5	6	3	8605	7058	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9637.599609	8090.599609	8090.599609	1.12
0822	066	3000	0.07	2011	2	55	80	2.5	6	4	7500	5489	RM-1	40	form-based			true	0.7	6	1	4	4	8400	6389	6389	1.12
0822	077	2500	0.06	1480	3	55	80	2.5	5	2	6250	4770	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8750	7270	7270	1.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0822	080	3438	0.08	2157	3	55	80	2.5	6	3	8595	6438	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	7469.399414	7469.399414	1.12
0823	004	4538	0.1	2099	1	55	80	2.5	8	7	11345	9246	RH-3	40	density-lim	1000			0.7	5	0.625	4	4	12706.39941	10607.39941	10607.39941	1.12
0823	009	4125	0.09	1560	1	55	80	2.5	7	6	10312	8752	RM-1	40	density-lim	800			0.7	5	0.714285731	4	4	11550	9990	9990	1.120054
0824	002	11337	0.26	16300	15	55	80	2.5	21	6	28342	12042	RM-2	40	density-lim	600			0.7	19	0.90476191	4	4	31743.59961	15443.59961	15443.59961	1.12002
0824	023	2925	0.07	1901	2	55	80	2.5	6	4	7312	5411	RH-3	40	form-based			true	0.7	6	1	4	4	8190	6289	6289	1.120077
0825	003	2556	0.06	2232	1	55	80	2.5	5	4	6390	4158	RH-3	40	form-based			true	0.7	5	1	4	4	7156.799805	4924.799805	4924.799805	1.12
0825	007	3437	0.08	6375	3	55	80	2.5	6	3	8592	2217	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	3248.599609	3248.599609	1.120065
0825	008	3438	0.08	5004	3	55	80	2.5	6	3	8595	3591	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	4622.399414	4622.399414	1.12
0825	009	3437	0.08	5004	3	55	80	2.5	6	3	8592	3588	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	4619.599609	4619.599609	1.120065
0825	016	3437	0.08	4327	3	55	80	2.5	6	3	8592	4265	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	5296.599609	5296.599609	1.120065
0825	049	2144	0.05	1225	1	55	80	2.5	4	3	5360	4135	RM-1	40	form-based			true	0.7	5	1.25	4	4	6003.199707	4778.199707	4778.199707	1.12
0826	017	2502	0.06	2084	1	55	80	2.5	5	4	6255	4171	RM-1	40	form-based			true	0.7	5	1	4	4	7005.600098	4921.600098	4921.600098	1.12
0827	004	2755	0.06	3350	2	55	80	2.5	5	3	6888	3538	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7714	4364	4364	1.119919
0827	011	6941	0.16	7758	11	55	80	2.5	13	2	17352	9594	RM-1	40	form-based			true	0.7	15	1.153846145	4	4	19434.79883	11676.79883	11676.79883	1.120032
0827	014	5553	0.13	4950	8	55	80	2.5	10	2	13882	8932	RM-1	40	form-based			true	0.7	12	1.200000048	4	4	15548.39941	10598.39941	10598.39941	1.12004
0827	020	2750	0.06	3078	2	55	80	2.5	5	3	6875	3797	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7700	4622	4622	1.12
0827	024	5098	0.12	7445	7	55	80	2.5	10	3	12745	5300	RM-1	40	form-based			true	0.7	11	1.100000024	4	4	14274.39941	6829.399414	6829.399414	1.12
0827	027	3391	0.08	5550	3	55	80	2.5	6	3	8478	2928	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9494.799805	3944.799805	3944.799805	1.119934
0827	045	3391	0.08	1632	3	55	80	2.5	6	3	8478	6846	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9494.799805	7862.799805	7862.799805	1.119934
0828	020	2500	0.06	2752	1	55	80	2.5	5	4	6250	3498	RM-1	40	form-based			true	0.7	5	1	4	4	7000	4248	4248	1.12
0828	042	3485	0.08	1520	3	55	80	2.5	6	3	8712	7192	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9758	8238	8238	1.120064
0829	010	3300	0.08	4320	3	55	80	2.5	6	3	8250	3930	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9240	4920	4920	1.12
0829	011	3300	0.08	3890	3	55	80	2.5	6	3	8250	4360	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9240	5350	5350	1.12
0829	043	3300	0.08	1096	3	55	80	2.5	6	3	8250	7154	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9240	8144	8144	1.12
0830	018	2495	0.06	1872	1	55	80	2.5	5	4	6238	4366	RTO-1	40	form-based			true	0.7	5	1	4	4	6986	5114	5114	1.11991
0830	027	2470	0.06	2275	1	55	80	2.5	5	4	6175	3900	RTO-1	40	form-based			true	0.7	5	1	4	4	6916	4641	4641	1.12
0830	036	2147	0.05	1280	1	55	80	2.5	4	3	5368	4088	RTO-1	40	form-based			true	0.7	5	1.25	4	4	6011.600098	4731.600098	4731.600098	1.119896
0830	045	2239	0.05	3263	1	55	80	2.5	4	3	5598	2335	RTO-1	40	form-based			true	0.7	5	1.25	4	4	6269.199707	3006.199707	3006.199707	1.1199
0830	047	3051	0.07	1820	2	55	80	2.5	6	4	7628	5808	RTO-1	40	form-based			true	0.7	6	1	4	4	8542.799805	6722.799805	6722.799805	1.119927
0831	021	2142	0.05	2724	2	65	100	3	5	3	6426	3702	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7497	4773	4773	1.166667
0832	072	1173	0.03	1914	0	65	100	3	3	3	3519	1605	NCT-HAYE	50	form-based				0.75	4	1.333333373	4	4	4398.75	2484.75	2484.75	1.25
0836	032	4337	0.1	27546	35	65	100	3	10	0	13011	0	C-3-G	140	form-based			true	0.8	39	3.900000095	4	0	39033	11487	0	3
0838	001	2743	0.06	4425	4	65	100	3	6	2	8229	3804	NCT-HAYE	50	form-based		true		0.75	8	1.333333373	4	4	10286.25	5861.25	5861.25	1.25
0839	005A	1876	0.04	2484	2	65	100	3	4	2	5628	3144	NCT-HAYE	50	form-based				0.75	6	1.5	4	4	7035	4551	4551	1.25
0839	005B	1876	0.04	2484	2	65	100	3	4	2	5628	3144	NCT-HAYE	50	form-based				0.75	6	1.5	4	4	7035	4551	4551	1.25
0839	067	3031	0.07	1202	2	65	100	3	7	5	9093	7891	RTO-1	40	form-based			true	0.7	6	0.857142866	4	4	8486.799805	7284.799805	7284.799805	0.933333
0839	075	3334	0.08	864	3	65	100	3	8	5	10002	9138	RTO-1	40	form-based			true	0.7	7	0.875	4	4	9335.200195	8471.200195	8471.200195	0.933333
0840	005	3000	0.07	2678	2	65	100	3	7	5	9000	6322	RTO-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5722	5722	0.933333
0840	008	3300	0.08	5775	3	65	100	3	8	5	9900	4125	RTO-1	40	form-based			true	0.7	7	0.875	4	4	9240	3465	3465	0.933333
0840	032	3333	0.08	800	3	65	100	3	8	5	9999	9199	RTO-1	40	form-based			true	0.7	7	0.875	4	4	9332.399414	8532.399414	8532.399414	0.933333
0841	001	5042	0.12	7050	7	55	80	2.5	10	3	12605	5555	RTO-1	40	form-based		true	true	0.7	11	1.100000024	4	4	14117.59961	7067.599609	7067.599609	1.12
0841	021	3330	0.08	2610	3	55	80	2.5	6	3	8325	5715	RTO-1	40	form-based			true	0.7	7	1.166666627	4	4	9324	6714	6714	1.12
0841	026	3330	0.08	4350	3	55	80	2.5	6	3	8325	3975	RTO-1	40	form-based			true	0.7	7	1.166666627	4	4	9324	4974	4974	1.12
0842	017	2521	0.06	3640	1	55	80	2.5	5	4	6302	2662	RM-1	40	form-based			true	0.7	5	1	4	4	7058.799805	3418.799805	3418.799805	1.120089
0842	051	3160	0.07	1141	3	55	80	2.5	6	3	7900	6759	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	8848	7707	7707	1.12
0842	066	2500	0.06	785	1	55	80	2.5	5	4	6250	5465	RM-1	40	form-based			true	0.7	5	1	4	4	7000	6215	6215	1.12
0843	002	2758	0.06	2760	2	55	80	2.5	5	3	6895	4135	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7722.399902	4962.399902	4962.399902	1.12
0843	022	3091	0.07	2400	2	55	80	2.5	6	4	7728	5328	RM-1	40	form-based			true	0.7	6	1	4	4	8654.799805	6254.799805	6254.799805	1.119928
0843	023	3091	0.07	3335	2	55	80	2.5	6	4	7728	4393	RM-1	40	form-based			true	0.7	6	1	4	4	8654.799805	5319.799805	5319.799805	1.119928
0844	013	3438	0.08	4125	3	65	100	3	8	5	10314	6189	RH-3	40	form-based			true	0.7	7	0.875	4	4	9626.399414	5501.399414	5501.399414	0.933333
0844	048	3437	0.08	1740	3	65	100	3	8	5	10311	8571	RH-3	40	form-based			true	0.7	7	0.875	4	4	9623.599609	7883.599609	7883.599609	0.933333
0845	010	3438	0.08	4200	3	65	100	3	8	5	10314	6114	RH-3	40	form-based			true	0.7	7	0.875	4	4	9626.399414	5426.399414	5426.399414	0.933333
0845	032	3457	0.08	2512	3	55	80	2.5	6	3	8642	6130	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9679.599609	7167.599609	7167.599609	1.120065
0845	039	2500	0.06	1340	1	65	100	3	6	5	7500	6160	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	5660	5660	0.933333
0845	040	3111	0.07	3680	3	65	100	3	7	4	9333	5653	RH-3	40	form-based		true	true	0.7	7	1	4	4	8710.799805	5030.799805	5030.799805	0.933333
0845	048	2642	0.06	1225	2	55	80	2.5	5	3	6605	5380	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7397.600098	6172.600098	6172.600098	1.12
0845	050	3438	0.08	626	3	65	100	3	8	5	10314	9688	RH-3	40	form-based			true	0.7	7	0.875	4	4	9626.399414	9000.399414	9000.399414	0.933333
0845	053	2655	0.06	1650	2	55	80	2.5	5	3	6638	4988	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7434	5784	5784	1.119916
0845	060	2844	0.07	1755	2	55	80	2.5	6	4	7110	5355	RH-3	40	form-based			true	0.7	6	1	4	4	7963.199707	6208.199707	6208.199707	1.12
0845	062	2656	0.06	1764	2	55	80	2.5	5	3	6640	4876	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	5672.799805	5672.799805	1.12
0845	064	2656	0.06	1078	2	55	80	2.5	5	3	6640	5562	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	6358.799805	6358.799805	1.12
0846	027	2656	0.06	5325	3	65	100	3	6	3	7968	2643	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	9296	3971	3971	1.166667
0846	028	3976	0.09	8691	7	65	100	3	9	2	11928	3237	RH-3	50	form-based		true	true	0.7	11	1.222222209	4	4	13916	5225	5225	1.166667
0846	039	4356	0.1	9240	12	65	100	3	10	0	13068	3828	RTO-C	65	form-based			true	0.75	16	1.600000024	4	4	19602	10362	10362	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0846	062	2656	0.06	431	3	65	100	3	6	3	7968	7537	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	9296	8865	8865	1.166667
0846	077	2640	0.06	1259	3	65	100	3	6	3	7920	6661	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	9240	7981	7981	1.166667
0847	009	2150	0.05	3600	4	65	100	3	5	1	6450	2850	RTO-C	65	form-based			true	0.75	8	1.600000024	4	4	9675	6075	6075	1.5
0847	020	2750	0.06	4950	6	65	100	3	6	0	8250	3300	NC-1	65	form-based			true	0.75	10	1.666666627	4	4	12375	7425	7425	1.5
0847	021	2500	0.06	5725	5	65	100	3	6	1	7500	1775	NC-1	65	form-based		true	true	0.75	9	1.5	4	4	11250	5525	5525	1.5
0847	024	3125	0.07	3930	5	65	100	3	7	2	9375	5445	RH-3	50	form-based			true	0.7	9	1.285714269	4	4	10937.5	7007.5	7007.5	1.166667
0847	032	3435	0.08	6225	6	65	100	3	8	2	10305	4080	RH-3	50	form-based			true	0.7	10	1.25	4	4	12022.5	5797.5	5797.5	1.166667
0847	056	2096	0.05	2728	2	65	100	3	5	3	6288	3560	RM-1	50	form-based			true	0.7	6	1.200000048	4	4	7336	4608	4608	1.166667
0847	058	2096	0.05	2722	2	65	100	3	5	3	6288	3566	RM-1	50	form-based			true	0.7	6	1.200000048	4	4	7336	4614	4614	1.166667
0847	062	2096	0.05	1328	2	65	100	3	5	3	6288	4960	RM-1	50	form-based			true	0.7	6	1.200000048	4	4	7336	6008	6008	1.166667
0848	002C	2533	0.06	3043	3	65	100	3	6	3	7599	4556	RM-1	50	form-based			true	0.7	7	1.166666627	4	4	8865.5	5822.5	5822.5	1.166667
0848	005	2464	0.06	5670	5	65	100	3	6	1	7392	1722	NCD-LOWI	65	form-based			true	0.75	9	1.5	4	4	11088	5418	5418	1.5
0848	018	1664	0.04	1393	1	65	100	3	4	3	4992	3599	RM-1	50	form-based			true	0.7	5	1.25	4	4	5824	4431	4431	1.166667
0849	007	2515	0.06	4950	3	65	100	3	6	3	7545	2595	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8802.5	3852.5	3852.5	1.166667
0849	038	2623	0.06	1544	3	65	100	3	6	3	7869	6325	RM-1	50	form-based			true	0.7	7	1.166666627	4	4	9180.5	7636.5	7636.5	1.166667
0849	051	2623	0.06	1204	3	65	100	3	6	3	7869	6665	RM-1	50	form-based			true	0.7	7	1.166666627	4	4	9180.5	7976.5	7976.5	1.166667
0849	057	2515	0.06	1404	3	65	100	3	6	3	7545	6141	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8802.5	7398.5	7398.5	1.166667
0851	012	4119	0.09	7550	5	65	100	3	9	4	12357	4807	RTO-1	40	form-based			true	0.7	9	1	4	4	11533.2002	3983.200195	3983.200195	0.933333
0851	027	2130	0.05	0	0	65	100	3	5	5	6390	6390	RTO-1	40	form-based			true	0.7	4	0.800000012	4	4	5964	5964	5964	0.933333
0851	030	8478	0.19	1102	14	65	100	3	19	5	25434	24332	RTO-1	40	form-based		true	true	0.7	18	0.947368443	4	4	23738.40039	22636.40039	22636.40039	0.933333
0856	001	3698	0.08	12190	7	65	100	3	8	1	11094	0	NCT-HAYE	50	form-based		true	true	0.75	11	1.375	4	4	13867.5	1677.5	1677.5	1.25
0856	025	2499	0.06	3500	3	65	100	3	6	3	7497	3997	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	8746.5	5246.5	5246.5	1.166667
0858	005	2297	0.05	1906	1	65	100	3	5	4	6891	4985	RTO-1	40	form-based			true	0.7	5	1	4	4	6431.600098	4525.600098	4525.600098	0.933333
0858	008	3002	0.07	2590	2	65	100	3	7	5	9006	6416	RTO-1	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	5815.599609	5815.599609	0.933333
0858	033	3603	0.08	1761	4	65	100	3	8	4	10809	9048	RTO-1	40	form-based			true	0.7	8	1	4	4	10088.39941	8327.399414	8327.399414	0.933333
0858	068	1942	0.04	2993	0	65	100	3	4	4	5826	2833	RTO-1	40	form-based			true	0.7	4	1	4	4	5437.600098	2444.600098	2444.600098	0.933333
0859	005	2600	0.06	2280	3	65	100	3	6	3	7800	5520	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	9100	6820	6820	1.166667
0859	012	1689	0.04	1099	1	65	100	3	4	3	5067	3968	RH-3	50	form-based			true	0.7	5	1.25	4	4	5911.5	4812.5	4812.5	1.166667
0859	014	2750	0.06	4575	4	65	100	3	6	2	8250	3675	RH-3	50	form-based			true	0.7	8	1.333333373	4	4	9625	5050	5050	1.166667
0859	018	2355	0.05	4875	3	65	100	3	5	2	7065	2190	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8242.5	3367.5	3367.5	1.166667
0860	028	1756	0.04	4395	3	65	100	3	4	1	5268	873	NCD-LOWI	65	form-based			true	0.75	7	1.75	4	4	7902	3507	3507	1.5
0860	037	1819	0.04	4905	3	65	100	3	4	1	5457	552	NCD-LOWI	65	form-based			true	0.75	7	1.75	4	4	8185.5	3280.5	3280.5	1.5
0860	038	1931	0.04	5250	3	65	100	3	4	1	5793	543	NCD-LOWI	65	form-based			true	0.75	7	1.75	4	4	8689.5	3439.5	3439.5	1.5
0861	006	2645	0.06	4150	3	65	100	3	6	3	7935	3785	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	9257.5	5107.5	5107.5	1.166667
0861	043	2645	0.06	1525	3	65	100	3	6	3	7935	6410	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	9257.5	7732.5	7732.5	1.166667
0862	001	2365	0.05	6675	5	65	100	3	5	0	7095	420	NC-1	65	form-based		true	true	0.75	9	1.799999952	4	4	10642.5	3967.5	3967.5	1.5
0862	034	2062	0.05	2332	2	65	100	3	5	3	6186	3854	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7217	4885	4885	1.166667
0862	041	2086	0.05	1604	2	65	100	3	5	3	6258	4654	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7301	5697	5697	1.166667
0867	027	3828	0.09	6350	4	65	100	3	9	5	11484	5134	RTO-1	40	form-based		true	true	0.7	8	0.888888896	4	4	10718.39941	4368.399414	4368.399414	0.933333
0867	032	2980	0.07	4000	2	65	100	3	7	5	8940	4940	RTO-1	40	form-based			true	0.7	6	0.857142866	4	4	8344	4344	4344	0.933333
0867	037	1876	0.04	3506	0	65	100	3	4	4	5628	2122	RTO-1	40	form-based			true	0.7	4	1	4	4	5252.799805	1746.799805	1746.799805	0.933333
0867	052	3840	0.09	800	4	65	100	3	9	5	11520	10720	RTO-1	40	form-based		true	true	0.7	8	0.888888896	4	4	10752	9952	9952	0.933333
0868	015	3000	0.07	3280	2	65	100	3	7	5	9000	5720	RTO-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5120	5120	0.933333
0869	008	2212	0.05	2940	2	65	100	3	5	3	6636	3696	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7742	4802	4802	1.166667
0869	011	2127	0.05	1945	2	65	100	3	5	3	6381	4436	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7444.5	5499.5	5499.5	1.166667
0869	019	3434	0.08	3360	3	65	100	3	8	5	10302	6942	RTO-1	40	form-based			true	0.7	7	0.875	4	4	9615.200195	6255.200195	6255.200195	0.933333
0869	023	2188	0.05	850	1	65	100	3	5	4	6564	5714	RTO-1	40	form-based			true	0.7	5	1	4	4	6126.399902	5276.399902	5276.399902	0.933333
0869	027	2438	0.06	1550	1	65	100	3	6	5	7314	5764	RTO-1	40	form-based			true	0.7	5	0.833333313	4	4	6826.399902	5276.399902	5276.399902	0.933333
0869	029	3656	0.08	3550	4	65	100	3	8	4	10968	7418	RTO-1	40	form-based		true	true	0.7	8	1	4	4	10236.7998	6686.799805	6686.799805	0.933333
0869	034A	3538	0.08	3530	3	65	100	3	8	5	10614	7084	RTO-1	40	form-based			true	0.7	7	0.875	4	4	9906.399414	6376.399414	6376.399414	0.933333
0869	044	3165	0.07	1212	3	65	100	3	7	4	9495	8283	RTO-1	40	form-based			true	0.7	7	1	4	4	8862	7650	7650	0.933333
0869	051	2931	0.07	1874	2	65	100	3	7	5	8793	6919	RTO-1	40	form-based			true	0.7	6	0.857142866	4	4	8206.799805	6332.799805	6332.799805	0.933333
0869	062	3306	0.08	1537	5	65	100	3	8	3	9918	8381	RTO-1	50	form-based			true	0.7	9	1.125	4	4	11571	10034	10034	1.166667
0874	011	1996	0.05	2345	0	85	140	4	7	7	7984	5639	RTO-1	40	form-based			true	0.7	4	0.571428597	4	4	5588.799805	3243.799805	3243.799805	0.7
0875	023	9328	0.21	29633	42	65	100	3	21	0	27984	0	RTO-1	85	form-based			true	0.7	46	2.190476179	4	0	52236.80078	22603.80078	22603.80078	1.866667
0955	005	2500	0.06	3563	1	55	80	2.5	5	4	6250	2687	RH-1	40	form-based			true	0.7	5	1	4	4	7000	3437	3437	1.12
0955	006	2500	0.06	3580	1	55	80	2.5	5	4	6250	2670	RH-1	40	form-based			true	0.7	5	1	4	4	7000	3420	3420	1.12
0955	019	2750	0.06	5365	2	55	80	2.5	5	3	6875	1510	RH-1	40	form-based			true	0.7	6	1.200000048	4	4	7700	2335	2335	1.12
0955	020	2500	0.06	3626	1	55	80	2.5	5	4	6250	2624	RH-1	40	form-based			true	0.7	5	1	4	4	7000	3374	3374	1.12
0955	021	2500	0.06	2935	1	55	80	2.5	5	4	6250	3315	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4065	4065	1.12
0956	002	2600	0.06	2207	1	55	80	2.5	5	4	6500	4293	RH-1	40	form-based			true	0.7	5	1	4	4	7280	5073	5073	1.12
0956	005	2612	0.06	3912	1	55	80	2.5	5	4	6530	2618	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7313.600098	3401.600098	3401.600098	1.12
0959	028	2295	0.05	2734	1	55	80	2.5	4	3	5738	3004	RH-1(D)	40	form-based		true	true	0.7	5	1.25	4	4	6426	3692	3692	1.119902
0960	001	2433	0.06	2335	1	55	80	2.5	5	4	6082	3747	RH-1	40	form-based		true	true	0.7	5	1	4	4	6812.399902	4477.399902	4477.399902	1.120092

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0960	001K	2479	0.06	3885	1	55	80	2.5	5	4	6198	2313	RH-1	40	form-based			true	0.7	5	1	4	4	6941.199707	3056.199707	3056.199707	1.11991
0960	001L	2479	0.06	3160	1	55	80	2.5	5	4	6198	3038	RH-1	40	form-based			true	0.7	5	1	4	4	6941.199707	3781.199707	3781.199707	1.11991
0960	001N	2479	0.06	4871	1	55	80	2.5	5	4	6198	1327	RH-1	40	form-based			true	0.7	5	1	4	4	6941.199707	2070.199707	2070.199707	1.11991
0960	001O	2479	0.06	2253	1	55	80	2.5	5	4	6198	3945	RH-1	40	form-based			true	0.7	5	1	4	4	6941.199707	4688.199707	4688.199707	1.11991
0963	007	1915	0.04	0	0	55	80	2.5	3	3	4788	4788	RH-1	40	form-based			true	0.7	4	1.333333373	4	4	5362	5362	5362	1.119883
0973	015	2475	0.06	3000	1	55	80	2.5	5	4	6188	3188	RH-1	40	form-based		true	true	0.7	5	1	4	4	6930	3930	3930	1.11991
0973	017	2406	0.06	4634	1	55	80	2.5	5	4	6015	1381	RH-1	40	form-based			true	0.7	5	1	4	4	6736.799805	2102.799805	2102.799805	1.12
0973	027	2168	0.05	3060	1	55	80	2.5	4	3	5420	2360	RH-1	40	form-based			true	0.7	5	1.25	4	4	6070.399902	3010.399902	3010.399902	1.12
0973	028	2288	0.05	2749	1	55	80	2.5	4	3	5720	2971	RH-1	40	form-based			true	0.7	5	1.25	4	4	6406.399902	3657.399902	3657.399902	1.12
0973	036	3511	0.08	2675	3	55	80	2.5	6	3	8778	6103	RH-1	40	form-based			true	0.7	7	1.166666627	4	4	9830.799805	7155.799805	7155.799805	1.119936
0974	010	2246	0.05	4654	1	55	80	2.5	4	3	5615	961	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6288.799805	1634.799805	1634.799805	1.12
0975	013A	2390	0.05	3080	1	55	80	2.5	4	3	5975	2895	RH-3	40	form-based			true	0.7	5	1.25	4	4	6692	3612	3612	1.12
0975	013B	2608	0.06	3723	1	55	80	2.5	5	4	6520	2797	RH-3	40	form-based			true	0.7	5	1	4	4	7302.399902	3579.399902	3579.399902	1.12
0975	024	3819	0.09	2115	4	55	80	2.5	7	3	9548	7433	RH-3	40	form-based			true	0.7	8	1.142857194	4	4	10693.2002	8578.200195	8578.200195	1.119941
0976	006	2650	0.06	3260	2	55	80	2.5	5	3	6625	3365	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7420	4160	4160	1.12
0976	015	2500	0.06	3062	1	55	80	2.5	5	4	6250	3188	RH-3	40	form-based			true	0.7	5	1	4	4	7000	3938	3938	1.12
0976	033	2907	0.07	2558	2	55	80	2.5	6	4	7268	4710	RM-2	40	form-based			true	0.7	6	1	4	4	8139.600098	5581.600098	5581.600098	1.119923
0976	062	2650	0.06	2196	2	55	80	2.5	5	3	6625	4429	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7420	5224	5224	1.12
0976	066	5000	0.11	914	6	55	80	2.5	9	3	12500	11586	RH-3	40	form-based			true	0.7	10	1.111111164	4	4	14000	13086	13086	1.12
0976	076	3777	0.09	2159	4	55	80	2.5	7	3	9442	7283	RM-2	40	form-based			true	0.7	8	1.142857194	4	4	10575.59961	8416.599609	8416.599609	1.120059
0977	014	2284	0.05	3100	1	55	80	2.5	4	3	5710	2610	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6395.199707	3295.199707	3295.199707	1.12
0979	012	3511	0.08	5065	3	65	100	3	8	5	10533	5468	RH-2	40	form-based			true	0.7	7	0.875	4	4	9830.799805	4765.799805	4765.799805	0.933333
0979	015	3511	0.08	6736	3	65	100	3	8	5	10533	3797	RH-2	40	form-based			true	0.7	7	0.875	4	4	9830.799805	3094.799805	3094.799805	0.933333
0979	024	2781	0.06	3078	2	65	100	3	6	4	8343	5265	RH-2	40	form-based			true	0.7	6	1	4	4	7786.799805	4708.799805	4708.799805	0.933333
0980	014A	2274	0.05	1453	1	65	100	3	5	4	6822	5369	NC-1	40	form-based			true	0.75	5	1	4	4	6822	5369	5369	1
0980	021	2674	0.06	5001	2	65	100	3	6	4	8022	3021	RM-1	40	form-based			true	0.7	6	1	4	4	7487.199707	2486.199707	2486.199707	0.933333
0980	031	3545	0.08	1953	3	65	100	3	8	5	10635	8682	RM-1	40	form-based		true	true	0.7	7	0.875	4	4	9926	7973	7973	0.933333
0980	067	3469	0.08	1784	3	65	100	3	8	5	10407	8623	RM-1	40	form-based			true	0.7	7	0.875	4	4	9713.200195	7929.200195	7929.200195	0.933333
0980	083	2500	0.06	1367	2	65	100	3	6	4	7500	6133	NC-1	40	form-based		true	true	0.75	6	1	4	4	7500	6133	6133	1
0981	006	2241	0.05	1052	1	65	100	3	5	4	6723	5671	RH-2	40	form-based			true	0.7	5	1	4	4	6274.799805	5222.799805	5222.799805	0.933333
0981	007	2241	0.05	1950	1	65	100	3	5	4	6723	4773	RH-2	40	form-based			true	0.7	5	1	4	4	6274.799805	4324.799805	4324.799805	0.933333
0981	008	2242	0.05	1552	1	65	100	3	5	4	6726	5174	RH-2	40	form-based			true	0.7	5	1	4	4	6277.600098	4725.600098	4725.600098	0.933333
0981	025	2500	0.06	2480	1	65	100	3	6	5	7500	5020	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4520	4520	0.933333
0981	045	3851	0.09	1768	4	65	100	3	9	5	11553	9785	RH-2	40	form-based		true	true	0.7	8	0.888888896	4	4	10782.7998	9014.799805	9014.799805	0.933333
0981	065	3214	0.07	2490	3	65	100	3	7	4	9642	7152	RH-3	40	form-based			true	0.7	7	1	4	4	8999.200195	6509.200195	6509.200195	0.933333
0982	001	2522	0.06	4601	1	65	100	3	6	5	7566	2965	RH-3	40	form-based		true	true	0.7	5	0.833333313	4	4	7061.600098	2460.600098	2460.600098	0.933333
0982	005	2567	0.06	3631	1	65	100	3	6	5	7701	4070	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	3556.600098	3556.600098	0.933333
0982	022	3055	0.07	7542	2	65	100	3	7	5	9165	1623	RH-3	40	form-based		true	true	0.7	6	0.857142866	4	4	8554	1012	1012	0.933333
0982	032	2522	0.06	2510	1	65	100	3	6	5	7566	5056	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7061.600098	4551.600098	4551.600098	0.933333
0982	033	2522	0.06	4451	1	65	100	3	6	5	7566	3115	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7061.600098	2610.600098	2610.600098	0.933333
0982	037	3094	0.07	1119	2	65	100	3	7	5	9282	8163	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8663.200195	7544.200195	7544.200195	0.933333
0982	097	2935	0.07	1989	2	65	100	3	7	5	8805	6816	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8218	6229	6229	0.933333
0983	010	3472	0.08	5130	3	65	100	3	8	5	10416	5286	RH-2	40	form-based			true	0.7	7	0.875	4	4	9721.599609	4591.599609	4591.599609	0.933333
0983	014	3273	0.08	7398	3	65	100	3	8	5	9819	2421	RH-2	40	form-based			true	0.7	7	0.875	4	4	9164.399414	1766.399414	1766.399414	0.933333
0983	023	2685	0.06	3848	2	65	100	3	6	4	8055	4207	RH-2	40	form-based			true	0.7	6	1	4	4	7518	3670	3670	0.933333
0984	001	2242	0.05	3625	1	65	100	3	5	4	6726	3101	RH-1	40	form-based		true	true	0.7	5	1	4	4	6277.600098	2652.600098	2652.600098	0.933333
0985	022	2522	0.06	3026	1	65	100	3	6	5	7566	4540	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7061.600098	4035.600098	4035.600098	0.933333
0986	001A	2384	0.05	3174	1	55	80	2.5	4	3	5960	2786	RH-1	40	form-based			true	0.7	5	1.25	4	4	6675.199707	3501.199707	3501.199707	1.12
0986	002	2318	0.05	2950	1	55	80	2.5	4	3	5795	2845	RH-1	40	form-based			true	0.7	5	1.25	4	4	6490.399902	3540.399902	3540.399902	1.12
0986	029	3461	0.08	2295	3	55	80	2.5	6	3	8652	6357	RH-1	40	form-based			true	0.7	7	1.166666627	4	4	9690.799805	7395.799805	7395.799805	1.120065
0987	026	5143	0.12	394	7	55	80	2.5	10	3	12858	12464	RH-1	40	form-based			true	0.7	11	1.100000024	4	4	14400.39941	14006.39941	14006.39941	1.119956
0987	038	2494	0.06	3923	1	55	80	2.5	5	4	6235	2312	RH-1	40	form-based			true	0.7	5	1	4	4	6983.199707	3060.199707	3060.199707	1.12
0988	001	2507	0.06	5475	1	55	80	2.5	5	4	6268	793	RH-1	40	form-based		true	true	0.7	5	1	4	4	7019.600098	1544.600098	1544.600098	1.119911
0988	002	2438	0.06	3670	1	55	80	2.5	5	4	6095	2425	RH-1	40	form-based			true	0.7	5	1	4	4	6826.399902	3156.399902	3156.399902	1.12
0988	003	2438	0.06	3725	1	55	80	2.5	5	4	6095	2370	RH-1	40	form-based			true	0.7	5	1	4	4	6826.399902	3101.399902	3101.399902	1.12
0988	004	2420	0.06	3708	1	55	80	2.5	5	4	6050	2342	RH-1	40	form-based			true	0.7	5	1	4	4	6776	3068	3068	1.12
0991	003A	2500	0.06	3100	1	55	80	2.5	5	4	6250	3150	RH-1	40	form-based			true	0.7	5	1	4	4	7000	3900	3900	1.12
0991	004	3000	0.07	4240	2	55	80	2.5	6	4	7500	3260	RH-1	40	form-based			true	0.7	6	1	4	4	8400	4160	4160	1.12
0991	006	2800	0.06	3646	2	55	80	2.5	5	3	7000	3354	RH-1	40	form-based			true	0.7	6	1.200000048	4	4	7840	4194	4194	1.12
0991	038	2778	0.06	1690	2	55	80	2.5	5	3	6945	5255	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7778.399902	6088.399902	6088.399902	1.12
0991	071	3033	0.07	1412	2	55	80	2.5	6	4	7582	6170	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	7080.399414	7080.399414	1.120074
0992	020	2551	0.06	2674	1	55	80	2.5	5	4	6378	3704	RH-1	40	form-based			true	0.7	5	1	4	4	7142.799805	4468.799805	4468.799805	1.119912
0992	026	2793	0.06	1670	2	55	80	2.5	5	3	6982	5312	RH-1	40	form-based			true	0.7	6	1.200000048	4	4	7820.399902	6150.399902	6150.399902	1.12008
0992	032	2888	0.07	3078	2	55	80	2.5	6	4	7220	4142	RH-1	40	form-based			true	0.7	6	1	4	4	8086.399902	5008.399902	5008.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0993	005	2500	0.06	3250	1	55	80	2.5	5	4	6250	3000	RH-1	40	form-based			true	0.7	5	1	4	4	7000	3750	3750	1.12
0993	006	2500	0.06	2805	1	55	80	2.5	5	4	6250	3445	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4195	4195	1.12
0994	002B	2578	0.06	4424	1	55	80	2.5	5	4	6445	2021	RH-1	40	form-based			true	0.7	5	1	4	4	7218.399902	2794.399902	2794.399902	1.12
0994	002C	2578	0.06	4424	1	55	80	2.5	5	4	6445	2021	RH-1	40	form-based			true	0.7	5	1	4	4	7218.399902	2794.399902	2794.399902	1.12
0996	002	2319	0.05	3206	1	65	100	3	5	4	6957	3751	RH-1	40	form-based			true	0.7	5	1	4	4	6493.199707	3287.199707	3287.199707	0.933333
0996	021	2454	0.06	4551	1	65	100	3	6	5	7362	2811	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6871.199707	2320.199707	2320.199707	0.933333
0996	022	2454	0.06	3460	1	65	100	3	6	5	7362	3902	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6871.199707	3411.199707	3411.199707	0.933333
0996	046	2917	0.07	3115	2	65	100	3	7	5	8751	5636	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8167.600098	5052.600098	5052.600098	0.933333
0996	048	3075	0.07	2289	2	65	100	3	7	5	9225	6936	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8610	6321	6321	0.933333
0996	055	3192	0.07	1523	3	65	100	3	7	4	9576	8053	RH-1	40	form-based			true	0.7	7	1	4	4	8937.599609	7414.599609	7414.599609	0.933333
0997	005	2750	0.06	3180	2	65	100	3	6	4	8250	5070	RM-1	40	form-based			true	0.7	6	1	4	4	7700	4520	4520	0.933333
0997	006	2750	0.06	4025	2	65	100	3	6	4	8250	4225	RM-1	40	form-based			true	0.7	6	1	4	4	7700	3675	3675	0.933333
0997	007	5108	0.12	6262	7	65	100	3	12	5	15324	9062	RH-1	40	form-based			true	0.7	11	0.916666687	4	4	14302.39941	8040.399414	8040.399414	0.933333
0997	026	2420	0.06	3099	1	65	100	3	6	5	7260	4161	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6776	3677	3677	0.933333
0997	027	2251	0.05	2698	1	65	100	3	5	4	6753	4055	RH-1	40	form-based			true	0.7	5	1	4	4	6302.799805	3604.799805	3604.799805	0.933333
0997	028	2251	0.05	2668	1	65	100	3	5	4	6753	4085	RH-1	40	form-based			true	0.7	5	1	4	4	6302.799805	3634.799805	3634.799805	0.933333
0997	029	3046	0.07	1875	2	65	100	3	7	5	9138	7263	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8528.799805	6653.799805	6653.799805	0.933333
0997	036	2573	0.06	3172	1	65	100	3	6	5	7719	4547	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7204.399902	4032.399902	4032.399902	0.933333
0998	014	2240	0.05	3377	1	65	100	3	5	4	6720	3343	RM-1	40	form-based			true	0.7	5	1	4	4	6272	2895	2895	0.933333
0998	014B	2240	0.05	3369	1	65	100	3	5	4	6720	3351	RM-1	40	form-based			true	0.7	5	1	4	4	6272	2903	2903	0.933333
0998	018	2340	0.05	3600	1	65	100	3	5	4	7020	3420	RM-1	40	form-based			true	0.7	5	1	4	4	6552	2952	2952	0.933333
0998	027	2635	0.06	2295	2	65	100	3	6	4	7905	5610	RM-1	40	form-based			true	0.7	6	1	4	4	7378	5083	5083	0.933333
0998	050	2750	0.06	1966	2	65	100	3	6	4	8250	6284	RH-2	40	form-based			true	0.7	6	1	4	4	7700	5734	5734	0.933333
0999	006	2687	0.06	4200	2	65	100	3	6	4	8061	3861	RH-2	40	form-based			true	0.7	6	1	4	4	7523.600098	3323.600098	3323.600098	0.933333
0999	011	3192	0.07	4455	3	65	100	3	7	4	9576	5121	RH-3	40	form-based			true	0.7	7	1	4	4	8937.599609	4482.599609	4482.599609	0.933333
0999	016	3192	0.07	5520	3	65	100	3	7	4	9576	4056	RH-3	40	form-based			true	0.7	7	1	4	4	8937.599609	3417.599609	3417.599609	0.933333
0999	033	3112	0.07	3680	3	65	100	3	7	4	9336	5656	RH-3	40	form-based			true	0.7	7	1	4	4	8713.599609	5033.599609	5033.599609	0.933333
0999	046	3192	0.07	937	3	65	100	3	7	4	9576	8639	RH-3	40	form-based			true	0.7	7	1	4	4	8937.599609	8000.599609	8000.599609	0.933333
0999	053	3192	0.07	1939	3	65	100	3	7	4	9576	7637	RH-3	40	form-based			true	0.7	7	1	4	4	8937.599609	6998.599609	6998.599609	0.933333
0999	062	2625	0.06	1940	2	65	100	3	6	4	7875	5935	RH-3	40	form-based			true	0.7	6	1	4	4	7350	5410	5410	0.933333
1000	011	6384	0.15	6118	9	65	100	3	15	6	19152	13034	RH-3	40	form-based			true	0.7	13	0.866666675	4	4	17875.19922	11757.19922	11757.19922	0.933333
1000	020	2618	0.06	2736	1	65	100	3	6	5	7854	5118	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7330.399902	4594.399902	4594.399902	0.933333
1000	037	3179	0.07	788	3	65	100	3	7	4	9537	8749	RH-2	40	form-based			true	0.7	7	1	4	4	8901.200195	8113.200195	8113.200195	0.933333
1000	045	2676	0.06	1945	2	65	100	3	6	4	8028	6083	RH-2	40	form-based			true	0.7	6	1	4	4	7492.799805	5547.799805	5547.799805	0.933333
1000	047	2625	0.06	1956	2	65	100	3	6	4	7875	5919	RH-3	40	form-based			true	0.7	6	1	4	4	7350	5394	5394	0.933333
1000	049	3180	0.07	2178	3	65	100	3	7	4	9540	7362	RH-2	40	form-based			true	0.7	7	1	4	4	8904	6726	6726	0.933333
1000	052	3045	0.07	1769	2	65	100	3	7	5	9135	7366	RH-3	40	form-based	true		true	0.7	6	0.857142866	4	4	8526	6757	6757	0.933333
1000	054	2675	0.06	1750	2	65	100	3	6	4	8025	6275	RH-2	40	form-based			true	0.7	6	1	4	4	7490	5740	5740	0.933333
1000	056	3192	0.07	2010	3	65	100	3	7	4	9576	7566	RH-3	40	form-based			true	0.7	7	1	4	4	8937.599609	6927.599609	6927.599609	0.933333
1001	016	2750	0.06	2150	2	65	100	3	6	4	8250	6100	RH-2	40	form-based			true	0.7	6	1	4	4	7700	5550	5550	0.933333
1001	019	2215	0.05	1837	1	65	100	3	5	4	6645	4808	RH-2	40	form-based			true	0.7	5	1	4	4	6202	4365	4365	0.933333
1001	029	3284	0.08	4040	3	65	100	3	8	5	9852	5812	RH-2	40	form-based			true	0.7	7	0.875	4	4	9195.200195	5155.200195	5155.200195	0.933333
1001	031	3285	0.08	2840	3	65	100	3	8	5	9855	7015	RH-2	40	form-based			true	0.7	7	0.875	4	4	9198	6358	6358	0.933333
1001	040	3875	0.09	1540	4	65	100	3	9	5	11625	10085	RH-2	40	form-based			true	0.7	8	0.888888896	4	4	10850	9310	9310	0.933333
1002	004	2769	0.06	5559	2	65	100	3	6	4	8307	2748	RH-2	40	form-based			true	0.7	6	1	4	4	7753.199707	2194.199707	2194.199707	0.933333
1002	006	2269	0.05	2662	1	65	100	3	5	4	6807	4145	RH-2	40	form-based			true	0.7	5	1	4	4	6353.199707	3691.199707	3691.199707	0.933333
1002	007	2269	0.05	3158	1	65	100	3	5	4	6807	3649	RH-2	40	form-based			true	0.7	5	1	4	4	6353.199707	3195.199707	3195.199707	0.933333
1002	008	2269	0.05	2500	1	65	100	3	5	4	6807	4307	RH-2	40	form-based			true	0.7	5	1	4	4	6353.199707	3853.199707	3853.199707	0.933333
1002	010	2567	0.06	2000	1	65	100	3	6	5	7701	5701	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	5187.600098	5187.600098	0.933333
1002	016	3671	0.08	2700	4	65	100	3	8	4	11013	8313	RH-2	40	form-based			true	0.7	8	1	4	4	10278.7998	7578.799805	7578.799805	0.933333
1002	020	2750	0.06	3810	2	65	100	3	6	4	8250	4440	RH-2	40	form-based			true	0.7	6	1	4	4	7700	3890	3890	0.933333
1002	046	2750	0.06	1770	2	65	100	3	6	4	8250	6480	RH-2	40	form-based			true	0.7	6	1	4	4	7700	5930	5930	0.933333
1002	050	2750	0.06	1572	2	65	100	3	6	4	8250	6678	RH-2	40	form-based			true	0.7	6	1	4	4	7700	6128	6128	0.933333
1002	054	2894	0.07	1824	2	65	100	3	7	5	8682	6858	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8103.199707	6279.199707	6279.199707	0.933333
1003	005	2031	0.05	1506	0	65	100	3	5	5	6093	4587	RH-3	40	form-based			true	0.7	4	0.800000012	4	4	5686.799805	4180.799805	4180.799805	0.933333
1003	006	2031	0.05	2550	2	65	100	3	5	3	6093	3543	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7108.5	4558.5	4558.5	1.166667
1003	008	2031	0.05	2410	2	65	100	3	5	3	6093	3683	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7108.5	4698.5	4698.5	1.166667
1003	014	3192	0.07	5250	5	65	100	3	7	2	9576	4326	RH-3	50	form-based			true	0.7	9	1.285714269	4	4	11172	5922	5922	1.166667
1003	017	3192	0.07	5265	5	65	100	3	7	2	9576	4311	RH-3	50	form-based			true	0.7	9	1.285714269	4	4	11172	5907	5907	1.166667
1003	031	3133	0.07	4770	3	65	100	3	7	4	9399	4629	RH-3	40	form-based			true	0.7	7	1	4	4	8772.399414	4002.399414	4002.399414	0.933333
1003	044	2031	0.05	1775	2	65	100	3	5	3	6093	4318	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7108.5	5333.5	5333.5	1.166667
1003	046	2028	0.05	3264	2	65	100	3	5	3	6084	2820	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7098	3834	3834	1.166667
1003	051	3132	0.07	4520	3	65	100	3	7	4	9396	4876	RH-3	40	form-based			true	0.7	7	1	4	4	8769.599609	4249.599609	4249.599609	0.933333
1003	052	3134	0.07	1410	3	65	100	3	7	4	9402	7992	RH-3	40	form-based			true	0.7	7	1	4	4	8775.200195	7365.200195	7365.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1003	065	3134	0.07	2290	3	65	100	3	7	4	9402	7112	RH-3	40	form-based			true	0.7	7	1	4	4	8775.200195	6485.200195	6485.200195	0.933333
1003	081	3135	0.07	2122	3	65	100	3	7	4	9405	7283	RH-3	40	form-based			true	0.7	7	1	4	4	8778	6656	6656	0.933333
1003	093	3132	0.07	1417	3	65	100	3	7	4	9396	7979	RH-3	40	form-based			true	0.7	7	1	4	4	8769.599609	7352.599609	7352.599609	0.933333
1004	001	2144	0.05	3196	1	65	100	3	5	4	6432	3236	RH-2	40	form-based		true	true	0.7	5	1	4	4	6003.199707	2807.199707	2807.199707	0.933333
1004	017	2062	0.05	3225	2	65	100	3	5	3	6186	2961	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7217	3992	3992	1.166667
1004	031	2733	0.06	2190	2	65	100	3	6	4	8199	6009	RH-2	40	form-based			true	0.7	6	1	4	4	7652.399902	5462.399902	5462.399902	0.933333
1005	001B	2227	0.05	2720	1	65	100	3	5	4	6681	3961	RH-2	40	form-based			true	0.7	5	1	4	4	6235.600098	3515.600098	3515.600098	0.933333
1005	009	3831	0.09	6150	7	65	100	3	9	2	11493	5343	RH-2	50	form-based			true	0.7	11	1.222222209	4	4	13408.5	7258.5	7258.5	1.166667
1005	018	2601	0.06	1542	3	65	100	3	6	3	7803	6261	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	9103.5	7561.5	7561.5	1.166667
1005	021	3148	0.07	3989	3	65	100	3	7	4	9444	5455	RH-3	40	form-based		true	true	0.7	7	1	4	4	8814.399414	4825.399414	4825.399414	0.933333
1005	053	3511	0.08	700	6	65	100	3	8	2	10533	9833	RH-2	50	form-based			true	0.7	10	1.25	4	4	12288.5	11588.5	11588.5	1.166667
1005	060	3789	0.09	1689	4	65	100	3	9	5	11367	9678	RH-3	40	form-based			true	0.7	8	0.888888896	4	4	10609.2002	8920.200195	8920.200195	0.933333
1006	002	2562	0.06	3395	1	65	100	3	6	5	7686	4291	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7173.600098	3778.600098	3778.600098	0.933333
1006	016	2782	0.06	1555	2	65	100	3	6	4	8346	6791	RH-2	40	form-based			true	0.7	6	1	4	4	7789.600098	6234.600098	6234.600098	0.933333
1007	004	2423	0.06	1294	1	65	100	3	6	5	7269	5975	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6784.399902	5490.399902	5490.399902	0.933333
1007	007	3101	0.07	7125	5	65	100	3	7	2	9303	2178	NCD-SACR	50	form-based		true	true	0.75	9	1.285714269	4	4	11628.75	4503.75	4503.75	1.25
1007	043	2625	0.06	1726	2	65	100	3	6	4	7875	6149	RH-2	40	form-based			true	0.7	6	1	4	4	7350	5624	5624	0.933333
1008	047	2195	0.05	1228	4	65	100	3	5	1	6585	5357	NCD-SACR	65	form-based		true	true	0.75	8	1.600000024	4	4	9877.5	8649.5	8649.5	1.5
1008	053	3073	0.07	1982	2	65	100	3	7	5	9219	7237	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8604.399414	6622.399414	6622.399414	0.933333
1009	002	2968	0.07	7377	2	65	100	3	7	5	8904	1527	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8310.399414	933.3994141	933.3994141	0.933333
1009	003	2796	0.06	2886	2	65	100	3	6	4	8388	5502	RH-2	40	form-based			true	0.7	6	1	4	4	7828.799805	4942.799805	4942.799805	0.933333
1009	007	4320	0.1	11661	12	65	100	3	10	0	12960	1299	NCD-SACR	65	form-based		true	true	0.75	16	1.600000024	4	4	19440	7779	7779	1.5
1009	017	2319	0.05	2204	2	65	100	3	5	3	6957	4753	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	8116.5	5912.5	5912.5	1.166667
1010	020	2535	0.06	3021	1	55	80	2.5	5	4	6338	3317	RH-1	40	form-based			true	0.7	5	1	4	4	7098	4077	4077	1.119912
1009	032	2104	0.05	1688	2	65	100	3	5	3	6312	4624	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7364	5676	5676	1.166667
1011	002	2363	0.05	2356	1	55	80	2.5	4	3	5908	3552	RH-1	40	form-based			true	0.7	5	1.25	4	4	6616.399902	4260.399902	4260.399902	1.119905
1011	018	2204	0.05	3704	1	55	80	2.5	4	3	5510	1806	RH-1	40	form-based			true	0.7	5	1.25	4	4	6171.199707	2467.199707	2467.199707	1.12
1012	024	2178	0.05	2245	1	55	80	2.5	4	3	5445	3200	RH-1	40	form-based			true	0.7	5	1.25	4	4	6098.399902	3853.399902	3853.399902	1.12
1012	025	2178	0.05	1809	1	55	80	2.5	4	3	5445	3636	RH-1	40	form-based			true	0.7	5	1.25	4	4	6098.399902	4289.399902	4289.399902	1.12
1012	026	2178	0.05	1807	1	55	80	2.5	4	3	5445	3638	RH-1	40	form-based			true	0.7	5	1.25	4	4	6098.399902	4291.399902	4291.399902	1.12
1012	027	2538	0.06	2250	1	55	80	2.5	5	4	6345	4095	RH-1	40	form-based		true	true	0.7	5	1	4	4	7106.399902	4856.399902	4856.399902	1.12
1012	031	3228	0.07	4440	3	55	80	2.5	6	3	8070	3630	RH-1	40	form-based			true	0.7	7	1.166666627	4	4	9038.399414	4598.399414	4598.399414	1.12
1013	016	1840	0.04	2000	1	55	80	2.5	3	2	4600	2600	RM-1	50	form-based			true	0.7	5	1.666666627	4	4	6440	4440	4440	1.4
1013	016A	1843	0.04	1820	1	55	80	2.5	3	2	4608	2788	RM-1	50	form-based			true	0.7	5	1.666666627	4	4	6450.5	4630.5	4630.5	1.399848
1013	020	2864	0.07	4545	2	55	80	2.5	6	4	7160	2615	RH-1	40	form-based			true	0.7	6	1	4	4	8019.199707	3474.199707	3474.199707	1.12
1013	021	2604	0.06	4340	1	55	80	2.5	5	4	6510	2170	RH-1	40	form-based			true	0.7	5	1	4	4	7291.199707	2951.199707	2951.199707	1.12
1013	022	2604	0.06	4755	1	55	80	2.5	5	4	6510	1755	RH-1	40	form-based			true	0.7	5	1	4	4	7291.199707	2536.199707	2536.199707	1.12
1013	040	3437	0.08	4710	3	55	80	2.5	6	3	8592	3882	RH-1	40	form-based		true	true	0.7	7	1.166666627	4	4	9623.599609	4913.599609	4913.599609	1.120065
1013	046	2567	0.06	1450	3	55	80	2.5	5	2	6418	4968	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8984.5	7534.5	7534.5	1.399891
1013	054	2505	0.06	1077	3	55	80	2.5	5	2	6262	5185	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8767.5	7690.5	7690.5	1.400112
1014	006	3645	0.08	6212	6	55	80	2.5	6	0	9112	2900	RM-1	50	form-based		true	true	0.7	10	1.666666627	4	4	12757.5	6545.5	6545.5	1.400077
1014	030	2527	0.06	3569	1	55	80	2.5	5	4	6318	2749	RH-1	40	form-based			true	0.7	5	1	4	4	7075.600098	3506.600098	3506.600098	1.119911
1014	031	2532	0.06	2070	1	55	80	2.5	5	4	6330	4260	RH-1	40	form-based			true	0.7	5	1	4	4	7089.600098	5019.600098	5019.600098	1.12
1014	032	2596	0.06	1974	1	55	80	2.5	5	4	6490	4516	RH-1	40	form-based			true	0.7	5	1	4	4	7268.799805	5294.799805	5294.799805	1.12
1014	043	2278	0.05	4347	1	55	80	2.5	4	3	5695	1348	RH-1	40	form-based			true	0.7	5	1.25	4	4	6378.399902	2031.399902	2031.399902	1.12
1014	045	3242	0.07	1825	3	55	80	2.5	6	3	8105	6280	RH-1	40	form-based			true	0.7	7	1.166666627	4	4	9077.599609	7252.599609	7252.599609	1.12
1014	059	2916	0.07	3342	2	55	80	2.5	6	4	7290	3948	RH-1	40	form-based			true	0.7	6	1	4	4	8164.799805	4822.799805	4822.799805	1.12
1014	064	2788	0.06	784	4	55	80	2.5	5	1	6970	6186	RM-1	50	form-based			true	0.7	8	1.600000024	4	4	9758	8974	8974	1.4
1014	074	2567	0.06	1455	3	55	80	2.5	5	2	6418	4963	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8984.5	7529.5	7529.5	1.399891
1015	059	2883	0.07	2000	4	55	80	2.5	6	2	7208	5208	RM-1	50	form-based			true	0.7	8	1.333333373	4	4	10090.5	8090.5	8090.5	1.399903
1018	007	1511	0.03	3432	2	55	80	2.5	2	0	3778	346	NC-S	65	form-based			true	0.75	6	3	4	2	6799.5	3367.5	3367.5	1.799762
1019	001	1364	0.03	2300	1	65	100	3	3	2	4092	1792	NCD-SACR	65	form-based		true	true	0.75	5	1.666666627	4	4	6138	3838	3838	1.5
1019	001A	1345	0.03	1350	1	65	100	3	3	2	4035	2685	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6052.5	4702.5	4702.5	1.5
1019	001B	1353	0.03	1350	1	65	100	3	3	2	4059	2709	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6088.5	4738.5	4738.5	1.5
1019	001C	1350	0.03	1075	1	65	100	3	3	2	4050	2975	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6075	5000	5000	1.5
1019	001D	1343	0.03	1350	1	65	100	3	3	2	4029	2679	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6043.5	4693.5	4693.5	1.5
1020	036	1779	0.04	680	3	65	100	3	4	1	5337	4657	NCD-SACR	65	form-based		true	true	0.75	7	1.75	4	4	8005.5	7325.5	7325.5	1.5
1020	084	1702	0.04	1637	2	65	100	3	4	2	5106	3469	NCD-SACR	65	form-based			true	0.75	6	1.5	4	4	7659	6022	6022	1.5
1022	005	2984	0.07	2860	4	65	100	3	7	3	8952	6092	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10444	7584	7584	1.166667
1022	031	2957	0.07	2053	4	65	100	3	7	3	8871	6818	RH-2	50	form-based		true	true	0.7	8	1.142857194	4	4	10349.5	8296.5	8296.5	1.166667
1024	003	2269	0.05	2860	2	65	100	3	5	3	6807	3947	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7941.5	5081.5	5081.5	1.166667
1024	004	2270	0.05	2896	2	65	100	3	5	3	6810	3914	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7945	5049	5049	1.166667
1024	017	2260	0.05	2990	2	85	140	4	7	5	9040	6050	RH-2	50	form-based			true	0.7	6	0.857142866	4	4	7910	4920	4920	0.875
1024	019	2259	0.05	2445	2	85	140	4	7	5	9036	6591	RH-2	50	form-based			true	0.7	6	0.857142866	4	4	7906.5	5461.5	5461.5	0.875

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1024	021	2151	0.05	2436	2	65	100	3	5	3	6453	4017	NC-1	50	form-based			true	0.75	6	1.200000048	4	4	8066.25	5630.25	5630.25	1.25
1024	022	2152	0.05	2835	2	65	100	3	5	3	6456	3621	NC-1	50	form-based			true	0.75	6	1.200000048	4	4	8070	5235	5235	1.25
1025	026	2854	0.07	3530	4	65	100	3	7	3	8562	5032	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	9989	6459	6459	1.166667
1028	011	3437	0.08	3170	3	85	140	4	11	8	13748	10578	RH-2	40	form-based			true	0.7	7	0.636363626	4	4	9623.599609	6453.599609	6453.599609	0.7
1028	025	3778	0.09	21134	16	85	140	4	13	0	15112	0	NC-2	85	form-based			true	0.75	20	1.538461566	4	4	22668	1534	1534	1.5
1028	031	3034	0.07	1653	2	65	100	3	7	5	9102	7449	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8495.200195	6842.200195	6842.200195	0.933333
1028	033	2922	0.07	2196	2	65	100	3	7	5	8766	6570	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8181.600098	5985.600098	5985.600098	0.933333
1028	035	2922	0.07	1891	2	65	100	3	7	5	8766	6875	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8181.600098	6290.600098	6290.600098	0.933333
1028	043	2750	0.06	1445	2	65	100	3	6	4	8250	6805	RH-2	40	form-based			true	0.7	6	1	4	4	7700	6255	6255	0.933333
1028	071	2750	0.06	4208	2	65	100	3	6	4	8250	4042	RH-2	40	form-based			true	0.7	6	1	4	4	7700	3492	3492	0.933333
1029	006	2269	0.05	2141	1	65	100	3	5	4	6807	4666	RH-2	40	form-based			true	0.7	5	1	4	4	6353.199707	4212.199707	4212.199707	0.933333
1029	007	2269	0.05	2526	1	65	100	3	5	4	6807	4281	RH-2	40	form-based			true	0.7	5	1	4	4	6353.199707	3827.199707	3827.199707	0.933333
1029	010	3781	0.09	3440	4	65	100	3	9	5	11343	7903	RH-2	40	form-based			true	0.7	8	0.888888896	4	4	10586.7998	7146.799805	7146.799805	0.933333
1029	013	4125	0.09	4320	5	85	140	4	13	8	16500	12180	RH-2	40	form-based			true	0.7	9	0.692307711	4	4	11550	7230	7230	0.7
1030	005	2656	0.06	1300	2	65	100	3	6	4	7968	6668	RH-2	40	form-based			true	0.7	6	1	4	4	7436.799805	6136.799805	6136.799805	0.933333
1030	009	3438	0.08	5136	3	65	100	3	8	5	10314	5178	RH-2	40	form-based			true	0.7	7	0.875	4	4	9626.399414	4490.399414	4490.399414	0.933333
1030	010	3438	0.08	4540	3	65	100	3	8	5	10314	5774	RH-2	40	form-based			true	0.7	7	0.875	4	4	9626.399414	5086.399414	5086.399414	0.933333
1030	018	2500	0.06	1420	1	65	100	3	6	5	7500	6080	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5580	5580	0.933333
1030	023	2688	0.06	3330	2	65	100	3	6	4	8064	4734	RH-2	40	form-based			true	0.7	6	1	4	4	7526.399902	4196.399902	4196.399902	0.933333
1030	055	2688	0.06	1550	2	65	100	3	6	4	8064	6514	RH-2	40	form-based			true	0.7	6	1	4	4	7526.399902	5976.399902	5976.399902	0.933333
1031	012	3000	0.07	3554	2	65	100	3	7	5	9000	5446	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8400	4846	4846	0.933333
1031	016	2500	0.06	2354	1	65	100	3	6	5	7500	5146	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	4646	4646	0.933333
1031	031	3338	0.08	746	8	65	100	3	8	0	10014	9268	RM-1	65	form-based		true	true	0.7	12	1.5	4	4	14019.59961	13273.59961	13273.59961	1.4
1037	016	2477	0.06	1898	1	65	100	3	6	5	7431	5533	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6935.600098	5037.600098	5037.600098	0.933333
1037	017	2477	0.06	2479	1	65	100	3	6	5	7431	4952	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6935.600098	4456.600098	4456.600098	0.933333
1037	018	2259	0.05	2552	1	65	100	3	5	4	6777	4225	RH-1(D)	40	form-based		true	true	0.7	5	1	4	4	6325.199707	3773.199707	3773.199707	0.933333
1037	052	4024	0.09	1250	4	55	80	2.5	7	3	10060	8810	RM-2	40	form-based			true	0.7	8	1.142857194	4	4	11267.2002	10017.2002	10017.2002	1.12
1039	044	3016	0.07	1722	2	65	100	3	7	5	9048	7326	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8444.799805	6722.799805	6722.799805	0.933333
1040	005	4800	0.11	4550	6	55	80	2.5	9	3	12000	7450	RM-1	40	form-based			true	0.7	10	1.111111164	4	4	13440	8890	8890	1.12
1040	006	4800	0.11	4782	6	55	80	2.5	9	3	12000	7218	RM-1	40	form-based			true	0.7	10	1.111111164	4	4	13440	8658	8658	1.12
1040	009	4800	0.11	3906	6	65	100	3	11	5	14400	10494	RM-1	40	form-based			true	0.7	10	0.909090936	4	4	13440	9534	9534	0.933333
1040	010	4800	0.11	4550	6	65	100	3	11	5	14400	9850	RM-1	40	form-based			true	0.7	10	0.909090936	4	4	13440	8890	8890	0.933333
1040	023A	2968	0.07	4443	2	65	100	3	7	5	8904	4461	RM-2	40	form-based			true	0.7	6	0.857142866	4	4	8310.399414	3867.399414	3867.399414	0.933333
1040	024	2967	0.07	4443	2	65	100	3	7	5	8901	4458	RM-2	40	form-based			true	0.7	6	0.857142866	4	4	8307.599609	3864.599609	3864.599609	0.933333
1040	025A	2967	0.07	3876	2	65	100	3	7	5	8901	5025	RM-2	40	form-based			true	0.7	6	0.857142866	4	4	8307.599609	4431.599609	4431.599609	0.933333
1040	027	2984	0.07	4870	2	65	100	3	7	5	8952	4082	RM-2	40	form-based			true	0.7	6	0.857142866	4	4	8355.200195	3485.200195	3485.200195	0.933333
1040	027A	2949	0.07	3976	2	65	100	3	7	5	8847	4871	RM-2	40	form-based			true	0.7	6	0.857142866	4	4	8257.200195	4281.200195	4281.200195	0.933333
1040	032A	3705	0.09	5230	4	55	80	2.5	7	3	9262	4032	RM-2	40	form-based			true	0.7	8	1.142857194	4	4	10374	5144	5144	1.12006
1040	041	3706	0.09	1107	4	55	80	2.5	7	3	9265	8158	RM-2	40	form-based			true	0.7	8	1.142857194	4	4	10376.7998	9269.799805	9269.799805	1.12
1040	045	3706	0.09	1260	4	55	80	2.5	7	3	9265	8005	RM-2	40	form-based			true	0.7	8	1.142857194	4	4	10376.7998	9116.799805	9116.799805	1.12
1040	055	3706	0.09	1264	4	55	80	2.5	7	3	9265	8001	RM-2	40	form-based			true	0.7	8	1.142857194	4	4	10376.7998	9112.799805	9112.799805	1.12
1040	059	2968	0.07	2280	2	65	100	3	7	5	8904	6624	RM-2	40	form-based			true	0.7	6	0.857142866	4	4	8310.399414	6030.399414	6030.399414	0.933333
1040	075	2967	0.07	2018	2	65	100	3	7	5	8901	6883	RM-2	40	form-based			true	0.7	6	0.857142866	4	4	8307.599609	6289.599609	6289.599609	0.933333
1042	009	3690	0.08	3782	4	65	100	3	8	4	11070	7288	RH-2	40	form-based			true	0.7	8	1	4	4	10332	6550	6550	0.933333
1042	011	3673	0.08	4264	4	65	100	3	8	4	11019	6755	RH-2	40	form-based			true	0.7	8	1	4	4	10284.39941	6020.399414	6020.399414	0.933333
1042	012	3648	0.08	4264	4	65	100	3	8	4	10944	6680	RH-2	40	form-based			true	0.7	8	1	4	4	10214.39941	5950.399414	5950.399414	0.933333
1042	013	3770	0.09	4264	4	65	100	3	9	5	11310	7046	RH-2	40	form-based			true	0.7	8	0.888888896	4	4	10556	6292	6292	0.933333
1042	021	3606	0.08	3674	4	65	100	3	8	4	10818	7144	RH-2	40	form-based			true	0.7	8	1	4	4	10096.7998	6422.799805	6422.799805	0.933333
1042	022	3622	0.08	3674	4	65	100	3	8	4	10866	7192	RH-2	40	form-based			true	0.7	8	1	4	4	10141.59961	6467.599609	6467.599609	0.933333
1042	027	3574	0.08	3674	4	65	100	3	8	4	10722	7048	RH-2	40	form-based			true	0.7	8	1	4	4	10007.2002	6333.200195	6333.200195	0.933333
1042	035	3637	0.08	918	4	65	100	3	8	4	10911	9993	RH-2	40	form-based			true	0.7	8	1	4	4	10183.59961	9265.599609	9265.599609	0.933333
1042	039	3757	0.09	870	4	65	100	3	9	5	11271	10401	RM-1	40	form-based			true	0.7	8	0.888888896	4	4	10519.59961	9649.599609	9649.599609	0.933333
1042	047	3619	0.08	1128	4	65	100	3	8	4	10857	9729	RH-2	40	form-based			true	0.7	8	1	4	4	10133.2002	9005.200195	9005.200195	0.933333
1042	065	3704	0.09	1016	4	65	100	3	9	5	11112	10096	RH-2	40	form-based			true	0.7	8	0.888888896	4	4	10371.2002	9355.200195	9355.200195	0.933333
1043	029	3265	0.07	3340	3	55	80	2.5	6	3	8162	4822	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9142	5802	5802	1.120069
1045	012	5879	0.13	7472	8	65	100	3	13	5	17637	10165	RH-2	40	form-based		true	true	0.7	12	0.923076928	4	4	16461.19922	8989.199219	8989.199219	0.933333
1046	028	2500	0.06	2440	1	65	100	3	6	5	7500	5060	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	4560	4560	0.933333
1046	004	2187	0.05	2005	1	65	100	3	5	4	6561	4556	RH-3	40	form-based			true	0.7	5	1	4	4	6123.600098	4118.600098	4118.600098	0.933333
1046	006	2500	0.06	2090	1	65	100	3	6	5	7500	5410	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	4910	4910	0.933333
1046	007	2500	0.06	1980	1	65	100	3	6	5	7500	5520	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	5020	5020	0.933333
1046	008	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	5725	5725	0.933333
1046	024	2741	0.06	5736	6	65	100	3	6	0	8223	2487	RM-1	65	form-based			true	0.7	10	1.666666627	4	4	11512.2002	5776.200195	5776.200195	1.4
1046	032	2263	0.05	3128	4	65	100	3	5	1	6789	3661	RM-1	65	form-based			true	0.7	8	1.600000024	4	4	9504.599609	6376.599609	6376.599609	1.4
1046	037	1994	0.05	1320	3	65	100	3	5	2	5982	4662	RM-1	65	form-based		true	true	0.7	7	1.399999976	4	4	8374.799805	7054.799805	7054.799805	1.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1047	019	2500	0.06	1950	1	65	100	3	6	5	7500	5550	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5050	5050	0.933333
1047	021	2500	0.06	2937	1	65	100	3	6	5	7500	4563	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4063	4063	0.933333
1047	026	2614	0.06	1912	1	65	100	3	6	5	7842	5930	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7319.199707	5407.199707	5407.199707	0.933333
1047	027	2614	0.06	2440	1	65	100	3	6	5	7842	5402	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7319.199707	4879.199707	4879.199707	0.933333
1047	035	3440	0.08	3268	3	65	100	3	8	5	10320	7052	RH-2	40	form-based			true	0.7	7	0.875	4	4	9632	6364	6364	0.933333
1047	041	2812	0.06	2980	2	65	100	3	6	4	8436	5456	RH-2	40	form-based			true	0.7	6	1	4	4	7873.600098	4893.600098	4893.600098	0.933333
1047	042	2813	0.06	2850	2	65	100	3	6	4	8439	5589	RH-2	40	form-based			true	0.7	6	1	4	4	7876.399902	5026.399902	5026.399902	0.933333
1047	043	3438	0.08	540	3	65	100	3	8	5	10314	9774	RH-2	40	form-based			true	0.7	7	0.875	4	4	9626.399414	9086.399414	9086.399414	0.933333
1048	003	2500	0.06	2354	1	65	100	3	6	5	7500	5146	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4646	4646	0.933333
1048	008	2500	0.06	2267	1	65	100	3	6	5	7500	5233	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4733	4733	0.933333
1048	009	2500	0.06	2648	1	65	100	3	6	5	7500	4852	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4352	4352	0.933333
1048	019	3781	0.09	4622	4	65	100	3	9	5	11343	6721	RH-2	40	form-based			true	0.7	8	0.888888896	4	4	10586.7998	5964.799805	5964.799805	0.933333
1048	023	2770	0.06	3368	2	65	100	3	6	4	8310	4942	RH-2	40	form-based	true	true	true	0.7	6	1	4	4	7756	4388	4388	0.933333
1048	025	2270	0.05	1215	1	65	100	3	5	4	6810	5595	RH-2	40	form-based			true	0.7	5	1	4	4	6356	5141	5141	0.933333
1048	029	2191	0.05	2245	1	65	100	3	5	4	6573	4328	RH-2	40	form-based			true	0.7	5	1	4	4	6134.799805	3889.799805	3889.799805	0.933333
1048	029A	2191	0.05	2280	1	65	100	3	5	4	6573	4293	RH-2	40	form-based			true	0.7	5	1	4	4	6134.799805	3854.799805	3854.799805	0.933333
1048	039	2192	0.05	1780	1	65	100	3	5	4	6576	4796	RH-2	40	form-based			true	0.7	5	1	4	4	6137.600098	4357.600098	4357.600098	0.933333
1048	048	2750	0.06	1135	2	65	100	3	6	4	8250	7115	RH-2	40	form-based			true	0.7	6	1	4	4	7700	6565	6565	0.933333
1049	014	3575	0.08	4534	4	65	100	3	8	4	10725	6191	RH-2	40	form-based			true	0.7	8	1	4	4	10010	5476	5476	0.933333
1049	027	2289	0.05	3415	1	65	100	3	5	4	6867	3452	RH-2	40	form-based			true	0.7	5	1	4	4	6409.199707	2994.199707	2994.199707	0.933333
1049	035	2491	0.06	2478	1	65	100	3	6	5	7473	4995	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6974.799805	4496.799805	4496.799805	0.933333
1049	036	2432	0.06	2616	1	65	100	3	6	5	7296	4680	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6809.600098	4193.600098	4193.600098	0.933333
1049	050	2750	0.06	2502	2	65	100	3	6	4	8250	5748	RH-2	40	form-based			true	0.7	6	1	4	4	7700	5198	5198	0.933333
1049	061	2416	0.06	2049	1	65	100	3	6	5	7248	5199	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	6764.799805	4715.799805	4715.799805	0.933333
1049	077	2750	0.06	810	2	65	100	3	6	4	8250	7440	RH-2	40	form-based			true	0.7	6	1	4	4	7700	6890	6890	0.933333
1050	007	908	0.02	1659	1	65	100	3	2	1	2724	1065	RTO-C	85	form-based	true	true	true	0.75	5	2.5	4	3	5448	3789	3789	2
1050	027	2936	0.07	2970	2	65	100	3	7	5	8808	5838	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8220.799805	5250.799805	5250.799805	0.933333
1050	031	2333	0.05	1410	1	65	100	3	5	4	6999	5589	RH-2	40	form-based			true	0.7	5	1	4	4	6532.399902	5122.399902	5122.399902	0.933333
1052	036	3173	0.07	2688	3	65	100	3	7	4	9519	6831	RH-3	40	form-based			true	0.7	7	1	4	4	8884.399414	6196.399414	6196.399414	0.933333
1053	006	2750	0.06	3210	2	65	100	3	6	4	8250	5040	RH-3	40	form-based			true	0.7	6	1	4	4	7700	4490	4490	0.933333
1053	007	3025	0.07	3630	2	65	100	3	7	5	9075	5445	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8470	4840	4840	0.933333
1053	017	2824	0.06	3162	2	65	100	3	6	4	8472	5310	RH-3	40	form-based	true		true	0.7	6	1	4	4	7907.199707	4745.199707	4745.199707	0.933333
1053	020	2500	0.06	750	1	65	100	3	6	5	7500	6750	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	6250	6250	0.933333
1053	025	2185	0.05	2672	1	65	100	3	5	4	6555	3883	RH-3	40	form-based			true	0.7	5	1	4	4	6118	3446	3446	0.933333
1053	036	3435	0.08	1721	3	65	100	3	8	5	10305	8584	RH-3	40	form-based			true	0.7	7	0.875	4	4	9618	7897	7897	0.933333
1053	050	3438	0.08	1849	3	65	100	3	8	5	10314	8465	RH-3	40	form-based			true	0.7	7	0.875	4	4	9626.399414	7777.399414	7777.399414	0.933333
1053	053	2750	0.06	1460	2	65	100	3	6	4	8250	6790	RH-3	40	form-based			true	0.7	6	1	4	4	7700	6240	6240	0.933333
1054	002	2625	0.06	3528	2	65	100	3	6	4	7875	4347	RH-3	40	form-based			true	0.7	6	1	4	4	7350	3822	3822	0.933333
1054	004	2812	0.06	1344	2	65	100	3	6	4	8436	7092	RH-3	40	form-based			true	0.7	6	1	4	4	7873.600098	6529.600098	6529.600098	0.933333
1054	006	2812	0.06	1260	2	65	100	3	6	4	8436	7176	RH-3	40	form-based			true	0.7	6	1	4	4	7873.600098	6613.600098	6613.600098	0.933333
1054	008	3697	0.08	4200	4	65	100	3	8	4	11091	6891	RH-3	40	form-based	true		true	0.7	8	1	4	4	10351.59961	6151.599609	6151.599609	0.933333
1054	013	3128	0.07	2650	3	65	100	3	7	4	9384	6734	RH-3	40	form-based			true	0.7	7	1	4	4	8758.399414	6108.399414	6108.399414	0.933333
1054	016	3128	0.07	2800	3	65	100	3	7	4	9384	6584	RH-3	40	form-based			true	0.7	7	1	4	4	8758.399414	5958.399414	5958.399414	0.933333
1054	017	3300	0.08	2790	3	65	100	3	8	5	9900	7110	RH-3	40	form-based			true	0.7	7	0.875	4	4	9240	6450	6450	0.933333
1054	021	1793	0.04	1874	0	65	100	3	4	4	5379	3505	RH-3	40	form-based			true	0.7	4	1	4	4	5020.399902	3146.399902	3146.399902	0.933333
1054	034	2184	0.05	1562	1	65	100	3	5	4	6552	4990	RH-2	40	form-based			true	0.7	5	1	4	4	6115.199707	4553.199707	4553.199707	0.933333
1054	037	2098	0.05	1736	0	65	100	3	5	5	6294	4558	RH-2	40	form-based	true		true	0.7	4	0.800000012	4	4	5874.399902	4138.399902	4138.399902	0.933333
1054	041	2813	0.06	1671	2	65	100	3	6	4	8439	6768	RH-3	40	form-based			true	0.7	6	1	4	4	7876.399902	6205.399902	6205.399902	0.933333
1054	043	2812	0.06	1094	2	65	100	3	6	4	8436	7342	RH-3	40	form-based			true	0.7	6	1	4	4	7873.600098	6779.600098	6779.600098	0.933333
1055	001	4615	0.11	6060	6	65	100	3	11	5	13845	7785	RH-3	40	form-based	true		true	0.7	10	0.909090936	4	4	12922	6862	6862	0.933333
1055	002	2063	0.05	1936	0	65	100	3	5	5	6189	4253	RH-3	40	form-based			true	0.7	4	0.800000012	4	4	5776.399902	3840.399902	3840.399902	0.933333
1055	007	2813	0.06	2736	2	65	100	3	6	4	8439	5703	RH-3	40	form-based			true	0.7	6	1	4	4	7876.399902	5140.399902	5140.399902	0.933333
1055	023	2764	0.06	3375	2	65	100	3	6	4	8292	4917	RH-3	40	form-based			true	0.7	6	1	4	4	7739.199707	4364.199707	4364.199707	0.933333
1055	030	2812	0.06	1312	2	65	100	3	6	4	8436	7124	RH-3	40	form-based			true	0.7	6	1	4	4	7873.600098	6561.600098	6561.600098	0.933333
1061	009	4240	0.1	5343	5	65	100	3	10	5	12720	7377	RM-1	40	form-based			true	0.7	9	0.899999976	4	4	11872	6529	6529	0.933333
1057	014	4161	0.1	4242	5	65	100	3	10	5	12483	8241	RH-3	40	form-based			true	0.7	9	0.899999976	4	4	11650.7998	7408.799805	7408.799805	0.933333
1061	047	2455	0.06	1978	1	65	100	3	6	5	7365	5387	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	6874	4896	4896	0.933333
1062	015	4000	0.09	5388	4	65	100	3	9	5	12000	6612	RH-1(D)	40	form-based			true	0.7	8	0.888888896	4	4	11200	5812	5812	0.933333
1062	016	4000	0.09	5388	4	65	100	3	9	5	12000	6612	RH-1(D)	40	form-based			true	0.7	8	0.888888896	4	4	11200	5812	5812	0.933333
1062	044	3792	0.09	5300	4	65	100	3	9	5	11376	6076	RM-1	40	form-based			true	0.7	8	0.888888896	4	4	10617.59961	5317.599609	5317.599609	0.933333
1062	062	3890	0.09	1276	4	65	100	3	9	5	11670	10394	RM-1	40	form-based			true	0.7	8	0.888888896	4	4	10892	9616	9616	0.933333
1063	051	4853	0.11	1120	6	85	140	4	15	9	19412	18292	RH-1(D)	40	form-based			true	0.7	10	0.666666687	4	4	13588.39941	12468.39941	12468.39941	0.7
1064	004	2613	0.06	2024	1	65	100	3	6	5	7839	5815	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7316.399902	5292.399902	5292.399902	0.933333
1064	015	3091	0.07	2526	2	65	100	3	7	5	9273	6747	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8654.799805	6128.799805	6128.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1064	015A	3080	0.07	5200	2	65	100	3	7	5	9240	4040	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8624	3424	3424	0.933333
1064	018	3318	0.08	4428	3	65	100	3	8	5	9954	5526	RH-2	40	form-based			true	0.7	7	0.875	4	4	9290.399414	4862.399414	4862.399414	0.933333
1064	020	3303	0.08	3748	3	65	100	3	8	5	9909	6161	RH-2	40	form-based			true	0.7	7	0.875	4	4	9248.399414	5500.399414	5500.399414	0.933333
1064	065	3007	0.07	1134	2	65	100	3	7	5	9021	7887	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8419.599609	7285.599609	7285.599609	0.933333
1065	009	2950	0.07	1952	2	65	100	3	7	5	8850	6898	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8260	6308	6308	0.933333
1065	010	2949	0.07	2200	2	65	100	3	7	5	8847	6647	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8257.200195	6057.200195	6057.200195	0.933333
1065	011	2949	0.07	2200	2	65	100	3	7	5	8847	6647	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8257.200195	6057.200195	6057.200195	0.933333
1065	012	2947	0.07	2330	2	65	100	3	7	5	8841	6511	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8251.599609	5921.599609	5921.599609	0.933333
1065	013	2923	0.07	3250	2	65	100	3	7	5	8769	5519	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8184.399902	4934.399902	4934.399902	0.933333
1065	016	2833	0.07	1911	2	65	100	3	7	5	8499	6588	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7932.399902	6021.399902	6021.399902	0.933333
1065	017	3028	0.07	3078	2	65	100	3	7	5	9084	6006	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8478.399414	5400.399414	5400.399414	0.933333
1065	018	3001	0.07	3348	2	65	100	3	7	5	9003	5655	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8402.799805	5054.799805	5054.799805	0.933333
1065	022	2986	0.07	2714	2	85	140	4	10	8	11944	9230	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8360.799805	5646.799805	5646.799805	0.7
1065	028	3054	0.07	4351	2	65	100	3	7	5	9162	4811	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8551.200195	4200.200195	4200.200195	0.933333
1065	029	2886	0.07	4382	2	65	100	3	7	5	8658	4276	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8080.799805	3698.799805	3698.799805	0.933333
1065	034	2777	0.06	1949	2	65	100	3	6	4	8331	6382	RH-2	40	form-based			true	0.7	6	1	4	4	7775.600098	5826.600098	5826.600098	0.933333
1065	034A	2748	0.06	1954	2	65	100	3	6	4	8244	6290	RH-2	40	form-based			true	0.7	6	1	4	4	7694.399902	5740.399902	5740.399902	0.933333
1065	037	2591	0.06	750	1	65	100	3	6	5	7773	7023	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7254.799805	6504.799805	6504.799805	0.933333
1065	038	2790	0.06	3100	2	65	100	3	6	4	8370	5270	RH-2	40	form-based			true	0.7	6	1	4	4	7812	4712	4712	0.933333
1065	043	2700	0.06	2840	2	65	100	3	6	4	8100	5260	RH-2	40	form-based			true	0.7	6	1	4	4	7560	4720	4720	0.933333
1065	045	2809	0.06	4350	2	65	100	3	6	4	8427	4077	RH-2	40	form-based			true	0.7	6	1	4	4	7865.199707	3515.199707	3515.199707	0.933333
1065	050	2958	0.07	3688	2	65	100	3	7	5	8874	5186	RM-2	40	form-based			true	0.7	6	0.857142866	4	4	8282.399414	4594.399414	4594.399414	0.933333
1065	069	2995	0.07	1763	2	65	100	3	7	5	8985	7222	RM-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	6623	6623	0.933333
1065	071	2922	0.07	1152	2	65	100	3	7	5	8766	7614	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8181.600098	7029.600098	7029.600098	0.933333
1065	073	2962	0.07	1582	2	65	100	3	7	5	8886	7304	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8293.599609	6711.599609	6711.599609	0.933333
1065	078	2952	0.07	872	2	65	100	3	7	5	8856	7984	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8265.599609	7393.599609	7393.599609	0.933333
1066	004	3002	0.07	3630	2	65	100	3	7	5	9006	5376	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	4775.599609	4775.599609	0.933333
1066	005	3002	0.07	4629	2	65	100	3	7	5	9006	4377	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	3776.599609	3776.599609	0.933333
1066	006	3002	0.07	3564	2	65	100	3	7	5	9006	5442	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	4841.599609	4841.599609	0.933333
1066	007	3002	0.07	3180	2	65	100	3	7	5	9006	5826	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	5225.599609	5225.599609	0.933333
1066	011	3001	0.07	2750	2	65	100	3	7	5	9003	6253	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8402.799805	5652.799805	5652.799805	0.933333
1066	016	3001	0.07	2847	2	65	100	3	7	5	9003	6156	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8402.799805	5555.799805	5555.799805	0.933333
1066	030	3024	0.07	1380	2	85	140	4	10	8	12096	10716	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8467.200195	7087.200195	7087.200195	0.7
1066	031	3024	0.07	3200	2	85	140	4	10	8	12096	8896	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8467.200195	5267.200195	5267.200195	0.7
1066	033	3024	0.07	2024	2	65	100	3	7	5	9072	7048	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	6443.200195	6443.200195	0.933333
1066	035	3024	0.07	2950	2	65	100	3	7	5	9072	6122	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	5517.200195	5517.200195	0.933333
1066	036	3024	0.07	2606	2	65	100	3	7	5	9072	6466	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	5861.200195	5861.200195	0.933333
1066	041	3023	0.07	2085	2	65	100	3	7	5	9069	6984	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	6379.399414	6379.399414	0.933333
1066	058	3002	0.07	3982	2	65	100	3	7	5	9006	5024	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	4423.599609	4423.599609	0.933333
1066	059	3001	0.07	3982	2	65	100	3	7	5	9003	5021	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8402.799805	4420.799805	4420.799805	0.933333
1066	068	3001	0.07	1844	2	65	100	3	7	5	9003	7159	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8402.799805	6558.799805	6558.799805	0.933333
1066	070	3001	0.07	1203	2	65	100	3	7	5	9003	7800	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8402.799805	7199.799805	7199.799805	0.933333
1067	010	3000	0.07	3200	2	65	100	3	7	5	9000	5800	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5200	5200	0.933333
1067	012A	3000	0.07	3270	2	65	100	3	7	5	9000	5730	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5130	5130	0.933333
1067	017	2921	0.07	2250	2	65	100	3	7	5	8763	6513	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8178.799805	5928.799805	5928.799805	0.933333
1067	029	3045	0.07	3276	2	65	100	3	7	5	9135	5859	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8526	5250	5250	0.933333
1067	030	3030	0.07	2050	2	65	100	3	7	5	9090	7040	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	6434	6434	0.933333
1067	050	3050	0.07	1385	2	65	100	3	7	5	9150	7765	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8540	7155	7155	0.933333
1067	060	3000	0.07	3285	2	65	100	3	7	5	9000	5715	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5115	5115	0.933333
1067	062	3030	0.07	3495	2	65	100	3	7	5	9090	5595	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	4989	4989	0.933333
1067	064	3000	0.07	2363	2	65	100	3	7	5	9000	6637	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6037	6037	0.933333
1068	008	2949	0.07	6500	2	65	100	3	7	5	8847	2347	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8257.200195	1757.200195	1757.200195	0.933333
1068	011	2949	0.07	1680	2	65	100	3	7	5	8847	7167	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8257.200195	6577.200195	6577.200195	0.933333
1068	013	2949	0.07	2712	2	65	100	3	7	5	8847	6135	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8257.200195	5545.200195	5545.200195	0.933333
1068	016	2949	0.07	2712	2	65	100	3	7	5	8847	6135	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8257.200195	5545.200195	5545.200195	0.933333
1068	016A	2949	0.07	2712	2	65	100	3	7	5	8847	6135	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8257.200195	5545.200195	5545.200195	0.933333
1068	018	2949	0.07	3200	2	65	100	3	7	5	8847	5647	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8257.200195	5057.200195	5057.200195	0.933333
1068	020	2949	0.07	1735	2	65	100	3	7	5	8847	7112	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8257.200195	6522.200195	6522.200195	0.933333
1068	026	2969	0.07	5164	2	65	100	3	7	5	8907	3743	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8313.200195	3149.200195	3149.200195	0.933333
1069	006	2958	0.07	1980	2	65	100	3	7	5	8874	6894	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8282.399414	6302.399414	6302.399414	0.933333
1069	009	2968	0.07	3956	2	65	100	3	7	5	8904	4948	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8310.399414	4354.399414	4354.399414	0.933333
1069	027	2949	0.07	1950	2	65	100	3	7	5	8847	6897	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8257.200195	6307.200195	6307.200195	0.933333
1069	042	4672	0.11	12000	6	65	100	3	11	5	14016	2016	RH-3	40	form-based			true	0.7	10	0.909090936	4	4	13081.59961	1081.599609	1081.599609	0.933333
1070	007	2194	0.05	1120	1	65	100	3	5	4	6582	5462	RH-2	40	form-based			true	0.7	5	1	4	4	6143.199707	5023.199707	5023.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1070	009	2500	0.06	2422	1	65	100	3	6	5	7500	5078	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4578	4578	0.933333
1073	004	2356	0.05	1224	1	65	100	3	5	4	7068	5844	RH-3	40	form-based			true	0.7	5	1	4	4	6596.799805	5372.799805	5372.799805	0.933333
1073	015	2375	0.05	945	1	65	100	3	5	4	7125	6180	RH-3	40	form-based			true	0.7	5	1	4	4	6650	5705	5705	0.933333
1073	022	2157	0.05	1450	1	65	100	3	5	4	6471	5021	RH-3	40	form-based			true	0.7	5	1	4	4	6039.600098	4589.600098	4589.600098	0.933333
1073	023	2157	0.05	1600	1	65	100	3	5	4	6471	4871	RH-3	40	form-based			true	0.7	5	1	4	4	6039.600098	4439.600098	4439.600098	0.933333
1073	036	2008	0.05	1078	3	65	100	3	5	2	6024	4946	RM-1	65	form-based		true	true	0.7	7	1.399999976	4	4	8433.599609	7355.599609	7355.599609	1.4
1073	039	2981	0.07	896	2	65	100	3	7	5	8943	8047	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8346.799805	7450.799805	7450.799805	0.933333
1074	004	2500	0.06	1732	1	65	100	3	6	5	7500	5768	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	5268	5268	0.933333
1074	009	2500	0.06	1128	1	65	100	3	6	5	7500	6372	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	5872	5872	0.933333
1074	011	3437	0.08	3857	3	65	100	3	8	5	10311	6454	RH-3	40	form-based			true	0.7	7	0.875	4	4	9623.599609	5766.599609	5766.599609	0.933333
1074	013	3438	0.08	3150	3	65	100	3	8	5	10314	7164	RH-3	40	form-based			true	0.7	7	0.875	4	4	9626.399414	6476.399414	6476.399414	0.933333
1074	025	3008	0.07	2750	2	65	100	3	7	5	9024	6274	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	5672.399414	5672.399414	0.933333
1074	026	3764	0.09	4155	4	65	100	3	9	5	11292	7137	RH-3	40	form-based			true	0.7	8	0.888888896	4	4	10539.2002	6384.200195	6384.200195	0.933333
1074	031	3420	0.08	3026	3	65	100	3	8	5	10260	7234	RH-3	40	form-based			true	0.7	7	0.875	4	4	9576	6550	6550	0.933333
1074	035	3419	0.08	1482	3	65	100	3	8	5	10257	8775	RH-3	40	form-based			true	0.7	7	0.875	4	4	9573.200195	8091.200195	8091.200195	0.933333
1074	042	3437	0.08	1931	3	65	100	3	8	5	10311	8380	RH-3	40	form-based			true	0.7	7	0.875	4	4	9623.599609	7692.599609	7692.599609	0.933333
1076	019	2748	0.06	3000	2	65	100	3	6	4	8244	5244	RM-1	40	form-based			true	0.7	6	1	4	4	7694.399902	4694.399902	4694.399902	0.933333
1076	021A	2188	0.05	1730	1	65	100	3	5	4	6564	4834	RM-1	40	form-based			true	0.7	5	1	4	4	6126.399902	4396.399902	4396.399902	0.933333
1076	022	2625	0.06	1890	2	65	100	3	6	4	7875	5985	RM-1	40	form-based			true	0.7	6	1	4	4	7350	5460	5460	0.933333
1076	024	3781	0.09	4212	4	65	100	3	9	5	11343	7131	RM-1	40	form-based			true	0.7	8	0.888888896	4	4	10586.7998	6374.799805	6374.799805	0.933333
1076	040	2724	0.06	1500	2	65	100	3	6	4	8172	6672	RM-1	40	form-based			true	0.7	6	1	4	4	7627.199707	6127.199707	6127.199707	0.933333
1076	051	2748	0.06	1191	2	65	100	3	6	4	8244	7053	RM-1	40	form-based			true	0.7	6	1	4	4	7694.399902	6503.399902	6503.399902	0.933333
1080	001	1744	0.04	1725	0	65	100	3	4	4	5232	3507	RM-1	40	form-based		true	true	0.7	4	1	4	4	4883.199707	3158.199707	3158.199707	0.933333
1080	012	750	0.02	2050	3	65	100	3	2	0	2250	200	RTO-C	140	form-based			true	0.75	7	3.5	4	1	6750	4700	2450	3
1080	022A	2187	0.05	1163	1	65	100	3	5	4	6561	5398	RH-3	40	form-based			true	0.7	5	1	4	4	6123.600098	4960.600098	4960.600098	0.933333
1080	027	3438	0.08	4260	3	65	100	3	8	5	10314	6054	RH-3	40	form-based			true	0.7	7	0.875	4	4	9626.399414	5366.399414	5366.399414	0.933333
1080	028	3437	0.08	4260	3	65	100	3	8	5	10311	6051	RH-3	40	form-based			true	0.7	7	0.875	4	4	9623.599609	5363.599609	5363.599609	0.933333
1080	029	3438	0.08	3570	3	65	100	3	8	5	10314	6744	RH-3	40	form-based			true	0.7	7	0.875	4	4	9626.399414	6056.399414	6056.399414	0.933333
1081	037	2400	0.06	890	1	65	100	3	6	5	7200	6310	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	6720	5830	5830	0.933333
1081	074	3781	0.09	1132	4	65	100	3	9	5	11343	10211	RH-3	40	form-based			true	0.7	8	0.888888896	4	4	10586.7998	9454.799805	9454.799805	0.933333
1082	021	2461	0.06	1960	1	65	100	3	6	5	7383	5423	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	6890.799805	4930.799805	4930.799805	0.933333
1100	130	989	0.02	1310	1	65	100	3	2	1	2967	1657	NCT-DIVIS/	85	form-based		true	true	0.75	5	2.5	4	3	5934	4624	4624	2
1100	132	1261	0.03	1370	1	65	100	3	3	2	3783	2413	NCT-DIVIS/	65	form-based			true	0.75	5	1.666666627	4	4	5674.5	4304.5	4304.5	1.5
1100	133	1262	0.03	1060	1	65	100	3	3	2	3786	2726	NCT-DIVIS/	65	form-based			true	0.75	5	1.666666627	4	4	5679	4619	4619	1.5
1101	010	3480	0.08	4934	6	65	100	3	8	2	10440	5506	RM-3	50	form-based			true	0.75	10	1.25	4	4	13050	8116	8116	1.25
1101	045	2165	0.05	1352	2	65	100	3	5	3	6495	5143	RM-3	50	form-based			true	0.75	6	1.200000048	4	4	8118.75	6766.75	6766.75	1.25
1101	049	1980	0.05	1484	2	65	100	3	5	3	5940	4456	RM-3	50	form-based			true	0.75	6	1.200000048	4	4	7425	5941	5941	1.25
1101	051	4285	0.1	651	12	65	100	3	10	0	12855	12204	NCT-DIVIS/	65	form-based			true	0.75	16	1.600000024	4	4	19282.5	18631.5	18631.5	1.5
1101	084	2188	0.05	685	3	65	100	3	5	2	6564	5879	RM-3	50	form-based			true	0.75	7	1.399999976	4	4	8205	7520	7520	1.25
1102	007	2528	0.06	2990	1	65	100	3	6	5	7584	4594	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7078.399902	4088.399902	4088.399902	0.933333
1104	007	4430	0.1	10038	5	65	100	3	10	5	13290	3252	RM-1	40	form-based			true	0.7	9	0.899999976	4	4	12404	2366	2366	0.933333
1134	008	2445	0.06	1430	1	65	100	3	6	5	7335	5905	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6846	5416	5416	0.933333
1134	008A	2445	0.06	1360	1	65	100	3	6	5	7335	5975	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6846	5486	5486	0.933333
1103	101	3674	0.08	1730	4	65	100	3	8	4	11022	9292	RM-2	40	form-based			true	0.7	8	1	4	4	10287.2002	8557.200195	8557.200195	0.933333
1109	005A	2192	0.05	1250	1	65	100	3	5	4	6576	5326	RH-1	40	form-based			true	0.7	5	1	4	4	6137.600098	4887.600098	4887.600098	0.933333
1126	012	3459	0.08	4575	6	65	100	3	8	2	10377	5802	RM-3	50	form-based			true	0.75	10	1.25	4	4	12971.25	8396.25	8396.25	1.25
1126	018	2397	0.06	3575	3	65	100	3	6	3	7191	3616	RM-3	50	form-based			true	0.75	7	1.166666627	4	4	8988.75	5413.75	5413.75	1.25
1108	007B	2264	0.05	3080	1	65	100	3	5	4	6792	3712	RH-1	40	form-based			true	0.7	5	1	4	4	6339.199707	3259.199707	3259.199707	0.933333
1108	007C	2325	0.05	2400	1	65	100	3	5	4	6975	4575	RH-1	40	form-based			true	0.7	5	1	4	4	6510	4110	4110	0.933333
1108	008A	2325	0.05	2825	1	65	100	3	5	4	6975	4150	RH-1	40	form-based			true	0.7	5	1	4	4	6510	3685	3685	0.933333
1108	008B	2325	0.05	2641	1	65	100	3	5	4	6975	4334	RH-1	40	form-based			true	0.7	5	1	4	4	6510	3869	3869	0.933333
1108	008C	2325	0.05	2431	1	65	100	3	5	4	6975	4544	RH-1	40	form-based			true	0.7	5	1	4	4	6510	4079	4079	0.933333
1108	009A	2325	0.05	2600	1	65	100	3	5	4	6975	4375	RH-1	40	form-based			true	0.7	5	1	4	4	6510	3910	3910	0.933333
1108	009B	2216	0.05	2850	1	65	100	3	5	4	6648	3798	RH-1	40	form-based			true	0.7	5	1	4	4	6204.799805	3354.799805	3354.799805	0.933333
1109	007C	2274	0.05	1350	1	65	100	3	5	4	6822	5472	RH-1	40	form-based			true	0.7	5	1	4	4	6367.199707	5017.199707	5017.199707	0.933333
1109	008A	2276	0.05	1772	1	65	100	3	5	4	6828	5056	RH-1	40	form-based			true	0.7	5	1	4	4	6372.799805	4600.799805	4600.799805	0.933333
1109	008B	2277	0.05	2189	1	65	100	3	5	4	6831	4642	RH-1	40	form-based			true	0.7	5	1	4	4	6375.600098	4186.600098	4186.600098	0.933333
1109	008C	2278	0.05	1250	1	65	100	3	5	4	6834	5584	RH-1	40	form-based			true	0.7	5	1	4	4	6378.399902	5128.399902	5128.399902	0.933333
1109	009A	2280	0.05	1287	1	65	100	3	5	4	6840	5553	RH-1	40	form-based			true	0.7	5	1	4	4	6384	5097	5097	0.933333
1109	009B	2186	0.05	1250	1	65	100	3	5	4	6558	5308	RH-1	40	form-based			true	0.7	5	1	4	4	6120.799805	4870.799805	4870.799805	0.933333
1134	009	2445	0.06	1430	1	65	100	3	6	5	7335	5905	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6846	5416	5416	0.933333
1108	004A	2286	0.05	1600	1	65	100	3	5	4	6858	5258	RH-1	40	form-based			true	0.7	5	1	4	4	6400.799805	4800.799805	4800.799805	0.933333
1109	003C	1770	0.04	3070	3	65	100	3	4	1	5310	2240	RTO-C	65	form-based			true	0.75	7	1.75	4	4	7965	4895	4895	1.5
1109	004A	2504	0.06	1450	1	65	100	3	6	5	7512	6062	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	5561.199707	5561.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1109	004B	2355	0.05	1637	1	65	100	3	5	4	7065	5428	RH-1	40	form-based			true	0.7	5	1	4	4	6594	4957	4957	0.933333
1109	004C	2354	0.05	1450	1	65	100	3	5	4	7062	5612	RH-1	40	form-based			true	0.7	5	1	4	4	6591.199707	5141.199707	5141.199707	0.933333
1110	001A	2466	0.06	2148	1	65	100	3	6	5	7398	5250	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6904.799805	4756.799805	4756.799805	0.933333
1110	003C	2539	0.06	1898	1	65	100	3	6	5	7617	5719	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7109.199707	5211.199707	5211.199707	0.933333
1110	004A	2556	0.06	2213	1	65	100	3	6	5	7668	5455	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7156.799805	4943.799805	4943.799805	0.933333
1110	006C	2476	0.06	2594	1	65	100	3	6	5	7428	4834	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6932.799805	4338.799805	4338.799805	0.933333
1113	012	3744	0.09	3313	4	65	100	3	9	5	11232	7919	RH-2	40	form-based			true	0.7	8	0.888888896	4	4	10483.2002	7170.200195	7170.200195	0.933333
1115	002	3885	0.09	3954	4	65	100	3	9	5	11655	7701	RH-1	40	form-based			true	0.7	8	0.888888896	4	4	10878	6924	6924	0.933333
1115	003	3807	0.09	3954	4	65	100	3	9	5	11421	7467	RH-1	40	form-based			true	0.7	8	0.888888896	4	4	10659.59961	6705.599609	6705.599609	0.933333
1115	030	4409	0.1	5850	5	65	100	3	10	5	13227	7377	RM-2	40	form-based		true	true	0.7	9	0.899999976	4	4	12345.2002	6495.200195	6495.200195	0.933333
1115	035	3787	0.09	972	4	65	100	3	9	5	11361	10389	RH-1	40	form-based			true	0.7	8	0.888888896	4	4	10603.59961	9631.599609	9631.599609	0.933333
1117	010	4400	0.1	4550	5	65	100	3	10	5	13200	8650	RM-1	40	form-based		true	true	0.7	9	0.899999976	4	4	12320	7770	7770	0.933333
1130	007	2762	0.06	3200	2	65	100	3	6	4	8286	5086	RM-1	40	form-based			true	0.7	6	1	4	4	7733.600098	4533.600098	4533.600098	0.933333
1131	001	79	0	0	0	65	100	3	0	0	237	237	RH-1	40	density-lin	3000			0.7	4		4	4	221.1999969	221.1999969	221.1999969	0.933333
1131	008B	2896	0.07	2593	2	65	100	3	7	5	8688	6095	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8108.799805	5515.799805	5515.799805	0.933333
1131	012A	2571	0.06	1428	1	65	100	3	6	5	7713	6285	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7198.799805	5770.799805	5770.799805	0.933333
1131	012B	2570	0.06	1428	1	65	100	3	6	5	7710	6282	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7196	5768	5768	0.933333
1131	015	2567	0.06	1494	1	65	100	3	6	5	7701	6207	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	5693.600098	5693.600098	0.933333
1131	015A	2565	0.06	2260	1	65	100	3	6	5	7695	5435	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7182	4922	4922	0.933333
1132	001	358	0.01	0	0	65	100	3	1	1	1074	1074	RH-1	40	density-lin	3000			0.7	4	4	4	2	1002.399963	1002.399963	1002.399963	0.933333
1132	008A	2604	0.06	1652	1	65	100	3	6	5	7812	6160	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7291.199707	5639.199707	5639.199707	0.933333
1133	002	2700	0.06	3758	2	65	100	3	6	4	8100	4342	RH-2	40	form-based			true	0.7	6	1	4	4	7560	3802	3802	0.933333
1133	005	2571	0.06	1820	1	65	100	3	6	5	7713	5893	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7198.799805	5378.799805	5378.799805	0.933333
1133	007	2730	0.06	3201	2	65	100	3	6	4	8190	4989	RH-2	40	form-based			true	0.7	6	1	4	4	7644	4443	4443	0.933333
1134	005	2445	0.06	1363	1	65	100	3	6	5	7335	5972	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6846	5483	5483	0.933333
1134	005A	2445	0.06	1430	1	65	100	3	6	5	7335	5905	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6846	5416	5416	0.933333
1134	006	2445	0.06	1430	1	65	100	3	6	5	7335	5905	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6846	5416	5416	0.933333
1134	007	2445	0.06	2200	1	65	100	3	6	5	7335	5135	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6846	4646	4646	0.933333
1134	002A	2164	0.05	1843	1	65	100	3	5	4	6492	4649	RH-2	40	form-based			true	0.7	5	1	4	4	6059.199707	4216.199707	4216.199707	0.933333
1134	003	2340	0.05	2175	1	65	100	3	5	4	7020	4845	RH-2	40	form-based			true	0.7	5	1	4	4	6552	4377	4377	0.933333
1134	004	2436	0.06	1542	1	65	100	3	6	5	7308	5766	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6820.799805	5278.799805	5278.799805	0.933333
1134	010	3467	0.08	4420	3	65	100	3	8	5	10401	5981	RH-2	40	form-based		true	true	0.7	7	0.875	4	4	9707.599609	5287.599609	5287.599609	0.933333
1134	012	2387	0.05	2866	1	65	100	3	5	4	7161	4295	RH-2	40	form-based			true	0.7	5	1	4	4	6683.600098	3817.600098	3817.600098	0.933333
1134	012A	2387	0.05	2766	1	65	100	3	5	4	7161	4395	RH-2	40	form-based			true	0.7	5	1	4	4	6683.600098	3917.600098	3917.600098	0.933333
1134	013	2387	0.05	2746	1	65	100	3	5	4	7161	4415	RH-2	40	form-based			true	0.7	5	1	4	4	6683.600098	3937.600098	3937.600098	0.933333
1134	014	2387	0.05	2810	1	65	100	3	5	4	7161	4351	RH-2	40	form-based			true	0.7	5	1	4	4	6683.600098	3873.600098	3873.600098	0.933333
1134	015	2387	0.05	3134	1	65	100	3	5	4	7161	4027	RH-2	40	form-based			true	0.7	5	1	4	4	6683.600098	3549.600098	3549.600098	0.933333
1134	016	2387	0.05	1800	1	65	100	3	5	4	7161	5361	RH-2	40	form-based			true	0.7	5	1	4	4	6683.600098	4883.600098	4883.600098	0.933333
1134	017	2387	0.05	1800	1	65	100	3	5	4	7161	5361	RH-2	40	form-based			true	0.7	5	1	4	4	6683.600098	4883.600098	4883.600098	0.933333
1134	018	2387	0.05	1800	1	65	100	3	5	4	7161	5361	RH-2	40	form-based			true	0.7	5	1	4	4	6683.600098	4883.600098	4883.600098	0.933333
1134	018A	2387	0.05	1800	1	65	100	3	5	4	7161	5361	RH-2	40	form-based			true	0.7	5	1	4	4	6683.600098	4883.600098	4883.600098	0.933333
1134	023	2969	0.07	1431	2	65	100	3	7	5	8907	7476	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8313.200195	6882.200195	6882.200195	0.933333
1135	002	2147	0.05	3100	1	65	100	3	5	4	6441	3341	RH-2	40	form-based			true	0.7	5	1	4	4	6011.600098	2911.600098	2911.600098	0.933333
1135	007	3069	0.07	3628	2	65	100	3	7	5	9207	5579	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8593.200195	4965.200195	4965.200195	0.933333
1135	008	3069	0.07	3628	2	65	100	3	7	5	9207	5579	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8593.200195	4965.200195	4965.200195	0.933333
1135	009	3069	0.07	3628	2	65	100	3	7	5	9207	5579	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8593.200195	4965.200195	4965.200195	0.933333
1135	013	2383	0.05	2050	1	65	100	3	5	4	7149	5099	RH-2	40	form-based			true	0.7	5	1	4	4	6672.399902	4622.399902	4622.399902	0.933333
1135	014	2383	0.05	1926	1	65	100	3	5	4	7149	5223	RH-2	40	form-based			true	0.7	5	1	4	4	6672.399902	4746.399902	4746.399902	0.933333
1135	015	2383	0.05	2058	1	65	100	3	5	4	7149	5091	RH-2	40	form-based			true	0.7	5	1	4	4	6672.399902	4614.399902	4614.399902	0.933333
1135	016	2383	0.05	1458	1	65	100	3	5	4	7149	5691	RH-2	40	form-based			true	0.7	5	1	4	4	6672.399902	5214.399902	5214.399902	0.933333
1135	016A	2383	0.05	2156	1	65	100	3	5	4	7149	4993	RH-2	40	form-based			true	0.7	5	1	4	4	6672.399902	4516.399902	4516.399902	0.933333
1135	017	2383	0.05	1492	1	65	100	3	5	4	7149	5657	RH-2	40	form-based			true	0.7	5	1	4	4	6672.399902	5180.399902	5180.399902	0.933333
1135	018	2383	0.05	1492	1	65	100	3	5	4	7149	5657	RH-2	40	form-based			true	0.7	5	1	4	4	6672.399902	5180.399902	5180.399902	0.933333
1135	019	2390	0.05	1492	1	65	100	3	5	4	7170	5678	RH-2	40	form-based			true	0.7	5	1	4	4	6692	5200	5200	0.933333
1135	020	2498	0.06	3067	1	65	100	3	6	5	7494	4427	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6994.399902	3927.399902	3927.399902	0.933333
1135	032	3069	0.07	1346	2	65	100	3	7	5	9207	7861	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8593.200195	7247.200195	7247.200195	0.933333
1136	018	2640	0.06	2682	2	65	100	3	6	4	7920	5238	RH-2	40	form-based			true	0.7	6	1	4	4	7392	4710	4710	0.933333
1136	021A	2640	0.06	2760	2	65	100	3	6	4	7920	5160	RH-2	40	form-based			true	0.7	6	1	4	4	7392	4632	4632	0.933333
1136	027	2567	0.06	2629	1	65	100	3	6	5	7701	5072	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	4558.600098	4558.600098	0.933333
1136	028	2567	0.06	2102	1	65	100	3	6	5	7701	5599	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	5085.600098	5085.600098	0.933333
1136	029	2567	0.06	2106	1	65	100	3	6	5	7701	5595	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	5081.600098	5081.600098	0.933333
1136	030	2567	0.06	2102	1	65	100	3	6	5	7701	5599	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	5085.600098	5085.600098	0.933333
1136	031	2567	0.06	2102	1	65	100	3	6	5	7701	5599	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	5085.600098	5085.600098	0.933333
1136	032	2567	0.06	2102	1	65	100	3	6	5	7701	5599	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	5085.600098	5085.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1136	033	2567	0.06	2106	1	65	100	3	6	5	7701	5595	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	5081.600098	5081.600098	0.933333
1136	034	2567	0.06	2102	1	65	100	3	6	5	7701	5599	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	5085.600098	5085.600098	0.933333
1136	037	2800	0.06	1596	2	65	100	3	6	4	8400	6804	RH-2	40	form-based			true	0.7	6	1	4	4	7840	6244	6244	0.933333
1136	039	2640	0.06	1114	2	65	100	3	6	4	7920	6806	RH-2	40	form-based			true	0.7	6	1	4	4	7392	6278	6278	0.933333
1136	043	2640	0.06	1482	2	65	100	3	6	4	7920	6438	RH-2	40	form-based			true	0.7	6	1	4	4	7392	5910	5910	0.933333
1137	002	2612	0.06	2648	1	65	100	3	6	5	7836	5188	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7313.600098	4665.600098	4665.600098	0.933333
1137	003	2710	0.06	3480	2	65	100	3	6	4	8130	4650	RH-2	40	form-based			true	0.7	6	1	4	4	7588	4108	4108	0.933333
1138	009	2543	0.06	2276	1	65	100	3	6	5	7629	5353	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7120.399902	4844.399902	4844.399902	0.933333
1138	010	2441	0.06	2930	1	65	100	3	6	5	7323	4393	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6834.799805	3904.799805	3904.799805	0.933333
1138	011	2390	0.05	1675	1	65	100	3	5	4	7170	5495	RH-2	40	form-based			true	0.7	5	1	4	4	6692	5017	5017	0.933333
1138	011B	2390	0.05	1675	1	65	100	3	5	4	7170	5495	RH-2	40	form-based			true	0.7	5	1	4	4	6692	5017	5017	0.933333
1138	016	3043	0.07	4998	2	65	100	3	7	5	9129	4131	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8520.399414	3522.399414	3522.399414	0.933333
1138	018	2428	0.06	1703	1	65	100	3	6	5	7284	5581	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6798.399902	5095.399902	5095.399902	0.933333
1138	019	2428	0.06	2051	1	65	100	3	6	5	7284	5233	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6798.399902	4747.399902	4747.399902	0.933333
1138	020	2428	0.06	1657	1	65	100	3	6	5	7284	5627	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6798.399902	5141.399902	5141.399902	0.933333
1138	021	2443	0.06	2067	1	65	100	3	6	5	7329	5262	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6840.399902	4773.399902	4773.399902	0.933333
1138	021A	2443	0.06	2067	1	65	100	3	6	5	7329	5262	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6840.399902	4773.399902	4773.399902	0.933333
1138	022	3003	0.07	2884	2	65	100	3	7	5	9009	6125	RH-2	40	form-based		true	true	0.7	6	0.857142866	4	4	8408.399414	5524.399414	5524.399414	0.933333
1139	002	2627	0.06	4088	2	65	100	3	6	4	7881	3793	RH-2	40	form-based			true	0.7	6	1	4	4	7355.600098	3267.600098	3267.600098	0.933333
1139	003	2721	0.06	2954	2	65	100	3	6	4	8163	5209	RH-2	40	form-based			true	0.7	6	1	4	4	7618.799805	4664.799805	4664.799805	0.933333
1139	004	2346	0.05	2075	1	65	100	3	5	4	7038	4963	RH-2	40	form-based			true	0.7	5	1	4	4	6568.799805	4493.799805	4493.799805	0.933333
1139	004A	2346	0.05	1700	1	65	100	3	5	4	7038	5338	RH-2	40	form-based			true	0.7	5	1	4	4	6568.799805	4868.799805	4868.799805	0.933333
1139	006	2580	0.06	2294	1	65	100	3	6	5	7740	5446	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7224	4930	4930	0.933333
1139	007	2580	0.06	2148	1	65	100	3	6	5	7740	5592	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7224	5076	5076	0.933333
1139	008	2580	0.06	2135	1	65	100	3	6	5	7740	5605	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7224	5089	5089	0.933333
1139	009	2580	0.06	2920	1	65	100	3	6	5	7740	4820	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7224	4304	4304	0.933333
1139	010	2580	0.06	1705	1	65	100	3	6	5	7740	6035	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7224	5519	5519	0.933333
1139	010A	2580	0.06	1705	1	65	100	3	6	5	7740	6035	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7224	5519	5519	0.933333
1139	016	2455	0.06	3541	1	65	100	3	6	5	7365	3824	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6874	3333	3333	0.933333
1139	016A	2455	0.06	2868	1	65	100	3	6	5	7365	4497	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6874	4006	4006	0.933333
1139	017	2455	0.06	3151	1	65	100	3	6	5	7365	4214	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6874	3723	3723	0.933333
1139	018	2455	0.06	2712	1	65	100	3	6	5	7365	4653	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6874	4162	4162	0.933333
1139	019	2455	0.06	2743	1	65	100	3	6	5	7365	4622	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6874	4131	4131	0.933333
1139	020	2455	0.06	2478	1	65	100	3	6	5	7365	4887	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6874	4396	4396	0.933333
1139	020A	2455	0.06	3550	1	65	100	3	6	5	7365	3815	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6874	3324	3324	0.933333
1139	021	2455	0.06	2262	1	65	100	3	6	5	7365	5103	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6874	4612	4612	0.933333
1139	023	2346	0.05	1871	1	65	100	3	5	4	7038	5167	RH-2	40	form-based			true	0.7	5	1	4	4	6568.799805	4697.799805	4697.799805	0.933333
1140	003	2240	0.05	3086	1	65	100	3	5	4	6720	3634	RH-2	40	form-based			true	0.7	5	1	4	4	6272	3186	3186	0.933333
1140	004	2240	0.05	1260	1	65	100	3	5	4	6720	5460	RH-2	40	form-based			true	0.7	5	1	4	4	6272	5012	5012	0.933333
1140	004A	2240	0.05	2310	1	65	100	3	5	4	6720	4410	RH-2	40	form-based			true	0.7	5	1	4	4	6272	3962	3962	0.933333
1140	005	2330	0.05	1500	1	65	100	3	5	4	6990	5490	RH-2	40	form-based			true	0.7	5	1	4	4	6524	5024	5024	0.933333
1140	006	2240	0.05	1804	1	65	100	3	5	4	6720	4916	RH-2	40	form-based			true	0.7	5	1	4	4	6272	4468	4468	0.933333
1141	003	2500	0.06	1174	1	65	100	3	6	5	7500	6326	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5826	5826	0.933333
1141	004	2500	0.06	2200	1	65	100	3	6	5	7500	5300	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4800	4800	0.933333
1141	005	2500	0.06	1720	1	65	100	3	6	5	7500	5780	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5280	5280	0.933333
1141	006	2496	0.06	2440	1	65	100	3	6	5	7488	5048	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	6988.799805	4548.799805	4548.799805	0.933333
1141	007	2499	0.06	1400	1	65	100	3	6	5	7497	6097	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6997.199707	5597.199707	5597.199707	0.933333
1141	008	2502	0.06	2779	1	65	100	3	6	5	7506	4727	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7005.600098	4226.600098	4226.600098	0.933333
1141	009	2505	0.06	1760	1	65	100	3	6	5	7515	5755	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7014	5254	5254	0.933333
1141	010	2762	0.06	3000	2	65	100	3	6	4	8286	5286	RH-2	40	form-based			true	0.7	6	1	4	4	7733.600098	4733.600098	4733.600098	0.933333
1141	013	2763	0.06	4935	2	65	100	3	6	4	8289	3354	RH-2	40	form-based			true	0.7	6	1	4	4	7736.399902	2801.399902	2801.399902	0.933333
1141	014	2762	0.06	3647	2	65	100	3	6	4	8286	4639	RH-2	40	form-based			true	0.7	6	1	4	4	7733.600098	4086.600098	4086.600098	0.933333
1141	015	2763	0.06	2653	2	65	100	3	6	4	8289	5636	RH-2	40	form-based			true	0.7	6	1	4	4	7736.399902	5083.399902	5083.399902	0.933333
1141	022	2512	0.06	4554	1	65	100	3	6	5	7536	2982	RM-2	40	form-based			true	0.7	5	0.833333313	4	4	7033.600098	2479.600098	2479.600098	0.933333
1141	022A	2511	0.06	1130	1	65	100	3	6	5	7533	6403	RM-2	40	form-based			true	0.7	5	0.833333313	4	4	7030.799805	5900.799805	5900.799805	0.933333
1141	032	2763	0.06	2195	2	65	100	3	6	4	8289	6094	RH-2	40	form-based			true	0.7	6	1	4	4	7736.399902	5541.399902	5541.399902	0.933333
1142	003	2500	0.06	1412	1	55	80	2.5	5	4	6250	4838	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5588	5588	1.12
1142	008	2500	0.06	1030	1	55	80	2.5	5	4	6250	5220	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5970	5970	1.12
1142	009	2500	0.06	1583	1	55	80	2.5	5	4	6250	4667	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5417	5417	1.12
1142	025	2530	0.06	2312	1	55	80	2.5	5	4	6325	4013	RH-2	40	form-based			true	0.7	5	1	4	4	7084	4772	4772	1.12
1142	031	2755	0.06	2950	2	55	80	2.5	5	3	6888	3938	RH-2	40	form-based		true	true	0.7	6	1.200000048	4	4	7714	4764	4764	1.119919
1142	033	3650	0.08	4256	4	55	80	2.5	6	2	9125	4869	RM-1	40	form-based			true	0.7	8	1.333333373	4	4	10220	5964	5964	1.12
1143	009	3172	0.07	3570	3	55	80	2.5	6	3	7930	4360	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8881.599609	5311.599609	5311.599609	1.12
1144	001A	2407	0.06	2000	1	55	80	2.5	5	4	6018	4018	RH-2	40	form-based			true	0.7	5	1	4	4	6739.600098	4739.600098	4739.600098	1.119907

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1146	014	2500	0.06	2320	1	55	80	2.5	5	4	6250	3930	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4680	4680	1.12
1145A	004	2492	0.06	2650	1	55	80	2.5	5	4	6230	3580	RH-2	40	form-based			true	0.7	5	1	4	4	6977.600098	4327.600098	4327.600098	1.12
1145A	005	2493	0.06	2629	1	55	80	2.5	5	4	6232	3603	RH-2	40	form-based			true	0.7	5	1	4	4	6980.399902	4351.399902	4351.399902	1.12009
1145A	006	2493	0.06	3137	1	55	80	2.5	5	4	6232	3095	RH-2	40	form-based			true	0.7	5	1	4	4	6980.399902	3843.399902	3843.399902	1.12009
1145A	007	2494	0.06	2288	1	55	80	2.5	5	4	6235	3947	RH-2	40	form-based			true	0.7	5	1	4	4	6983.199707	4695.199707	4695.199707	1.12
1145A	013	2500	0.06	2700	1	55	80	2.5	5	4	6250	3550	RM-1	40	form-based			true	0.7	5	1	4	4	7000	4300	4300	1.12
1145A	019	2250	0.05	1967	1	55	80	2.5	4	3	5625	3658	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4333	4333	1.12
1145A	020	2250	0.05	1967	1	55	80	2.5	4	3	5625	3658	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4333	4333	1.12
1146	004	2515	0.06	1550	1	55	80	2.5	5	4	6288	4738	RH-2	40	form-based			true	0.7	5	1	4	4	7042	5492	5492	1.119911
1146	005	2515	0.06	1650	1	55	80	2.5	5	4	6288	4638	RH-2	40	form-based			true	0.7	5	1	4	4	7042	5392	5392	1.119911
1146	006	2515	0.06	2642	1	55	80	2.5	5	4	6288	3646	RH-2	40	form-based			true	0.7	5	1	4	4	7042	4400	4400	1.119911
1146	007	2515	0.06	2237	1	55	80	2.5	5	4	6288	4051	RH-2	40	form-based			true	0.7	5	1	4	4	7042	4805	4805	1.119911
1146	010	2500	0.06	1625	1	55	80	2.5	5	4	6250	4625	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5375	5375	1.12
1146	011	2500	0.06	1625	1	55	80	2.5	5	4	6250	4625	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5375	5375	1.12
1146	012	2500	0.06	2738	1	55	80	2.5	5	4	6250	3512	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4262	4262	1.12
1146	013	2500	0.06	2400	1	55	80	2.5	5	4	6250	3850	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4600	4600	1.12
1146	015	2500	0.06	1575	1	55	80	2.5	5	4	6250	4675	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5425	5425	1.12
1146	020	2250	0.05	1725	1	55	80	2.5	4	3	5625	3900	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4575	4575	1.12
1147	002	2518	0.06	1550	1	55	80	2.5	5	4	6295	4745	RH-2	40	form-based			true	0.7	5	1	4	4	7050.399902	5500.399902	5500.399902	1.12
1147	003	2518	0.06	2325	1	55	80	2.5	5	4	6295	3970	RH-2	40	form-based			true	0.7	5	1	4	4	7050.399902	4725.399902	4725.399902	1.12
1147	004	2518	0.06	3194	1	55	80	2.5	5	4	6295	3101	RH-2	40	form-based			true	0.7	5	1	4	4	7050.399902	3856.399902	3856.399902	1.12
1147	005	2518	0.06	1812	1	55	80	2.5	5	4	6295	4483	RH-2	40	form-based			true	0.7	5	1	4	4	7050.399902	5238.399902	5238.399902	1.12
1147	006	2518	0.06	1895	1	55	80	2.5	5	4	6295	4400	RH-2	40	form-based			true	0.7	5	1	4	4	7050.399902	5155.399902	5155.399902	1.12
1147	007	2518	0.06	2164	1	55	80	2.5	5	4	6295	4131	RH-2	40	form-based			true	0.7	5	1	4	4	7050.399902	4886.399902	4886.399902	1.12
1147	010	2500	0.06	1886	1	55	80	2.5	5	4	6250	4364	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5114	5114	1.12
1147	011	2500	0.06	1928	1	55	80	2.5	5	4	6250	4322	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5072	5072	1.12
1147	012	2500	0.06	2636	1	55	80	2.5	5	4	6250	3614	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4364	4364	1.12
1147	013	2500	0.06	1466	1	55	80	2.5	5	4	6250	4784	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5534	5534	1.12
1147	014	2500	0.06	1790	1	55	80	2.5	5	4	6250	4460	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5210	5210	1.12
1147	015	2500	0.06	1575	1	55	80	2.5	5	4	6250	4675	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5425	5425	1.12
1147	020	2250	0.05	2073	1	55	80	2.5	4	3	5625	3552	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4227	4227	1.12
1147	021	2250	0.05	2077	1	55	80	2.5	4	3	5625	3548	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4223	4223	1.12
1147	022	2250	0.05	1675	1	55	80	2.5	4	3	5625	3950	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4625	4625	1.12
1148	002	2514	0.06	2185	1	55	80	2.5	5	4	6285	4100	RH-2	40	form-based			true	0.7	5	1	4	4	7039.199707	4854.199707	4854.199707	1.12
1148	003	2514	0.06	2400	1	55	80	2.5	5	4	6285	3885	RH-2	40	form-based			true	0.7	5	1	4	4	7039.199707	4639.199707	4639.199707	1.12
1148	004	2514	0.06	1535	1	55	80	2.5	5	4	6285	4750	RH-2	40	form-based			true	0.7	5	1	4	4	7039.199707	5504.199707	5504.199707	1.12
1148	005	2514	0.06	2077	1	55	80	2.5	5	4	6285	4208	RH-2	40	form-based			true	0.7	5	1	4	4	7039.199707	4962.199707	4962.199707	1.12
1148	006	2514	0.06	1535	1	55	80	2.5	5	4	6285	4750	RH-2	40	form-based			true	0.7	5	1	4	4	7039.199707	5504.199707	5504.199707	1.12
1148	007	2514	0.06	2170	1	55	80	2.5	5	4	6285	4115	RH-2	40	form-based			true	0.7	5	1	4	4	7039.199707	4869.199707	4869.199707	1.12
1148	008	2964	0.07	4350	2	55	80	2.5	6	4	7410	3060	RH-2	40	form-based	true		true	0.7	6	1	4	4	8299.200195	3949.200195	3949.200195	1.12
1148	010	2500	0.06	2270	1	55	80	2.5	5	4	6250	3980	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4730	4730	1.12
1148	011	2500	0.06	2270	1	55	80	2.5	5	4	6250	3980	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4730	4730	1.12
1148	012	2500	0.06	2270	1	55	80	2.5	5	4	6250	3980	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4730	4730	1.12
1148	013	2500	0.06	2270	1	55	80	2.5	5	4	6250	3980	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4730	4730	1.12
1148	014	2500	0.06	2270	1	55	80	2.5	5	4	6250	3980	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4730	4730	1.12
1148	015	2500	0.06	2270	1	55	80	2.5	5	4	6250	3980	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4730	4730	1.12
1148	017	2250	0.05	2300	1	55	80	2.5	4	3	5625	3325	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4000	4000	1.12
1148	018	2250	0.05	2550	1	55	80	2.5	4	3	5625	3075	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	3750	3750	1.12
1148	019	2250	0.05	2550	1	55	80	2.5	4	3	5625	3075	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	3750	3750	1.12
1148	020	2250	0.05	1960	1	55	80	2.5	4	3	5625	3665	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4340	4340	1.12
1149	004	2967	0.07	1830	2	55	80	2.5	6	4	7418	5588	RH-3	40	form-based			true	0.7	6	1	4	4	8307.599609	6477.599609	6477.599609	1.119924
1149	009	2671	0.06	3000	2	55	80	2.5	5	3	6678	3678	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7478.799805	4478.799805	4478.799805	1.119916
1149	020	2812	0.06	3350	2	55	80	2.5	5	3	7030	3680	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7873.600098	4523.600098	4523.600098	1.12
1149	022	3438	0.08	5400	3	55	80	2.5	6	3	8595	3195	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	4226.399414	4226.399414	1.12
1149	026	3438	0.08	5500	3	55	80	2.5	6	3	8595	3095	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	4126.399414	4126.399414	1.12
1149	030	2645	0.06	1289	2	55	80	2.5	5	3	6612	5323	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7406	6117	6117	1.120085
1149	035	3438	0.08	1750	3	55	80	2.5	6	3	8595	6845	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	7876.399414	7876.399414	1.12
1149	044	2969	0.07	881	2	55	80	2.5	6	4	7422	6541	RH-3	40	form-based			true	0.7	6	1	4	4	8313.200195	7432.200195	7432.200195	1.120075
1150	006	2813	0.06	2650	2	55	80	2.5	5	3	7032	4382	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7876.399902	5226.399902	5226.399902	1.12008
1150	009	2920	0.07	2500	2	55	80	2.5	6	4	7300	4800	RH-3	40	form-based			true	0.7	6	1	4	4	8176	5676	5676	1.12
1150	011	2432	0.06	2575	1	55	80	2.5	5	4	6080	3505	RH-3	40	form-based			true	0.7	5	1	4	4	6809.600098	4234.600098	4234.600098	1.12
1150	020	2500	0.06	1335	1	55	80	2.5	5	4	6250	4915	RH-3	40	form-based			true	0.7	5	1	4	4	7000	5665	5665	1.12
1150	022	2500	0.06	1488	1	55	80	2.5	5	4	6250	4762	RH-3	40	form-based			true	0.7	5	1	4	4	7000	5512	5512	1.12
1150	044	3569	0.08	1569	3	55	80	2.5	6	3	8922	7353	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9993.200195	8424.200195	8424.200195	1.120063

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1150	051	2812	0.06	1455	2	55	80	2.5	5	3	7030	5575	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7873.600098	6418.600098	6418.600098	1.12
1151	001	3025	0.07	1535	2	55	80	2.5	6	4	7562	6027	RH-3	40	form-based		true	true	0.7	6	1	4	4	8470	6935	6935	1.120074
1151	004	3025	0.07	2900	2	55	80	2.5	6	4	7562	4662	RH-3	40	form-based			true	0.7	6	1	4	4	8470	5570	5570	1.120074
1151	005	3025	0.07	1955	2	55	80	2.5	6	4	7562	5607	RH-3	40	form-based			true	0.7	6	1	4	4	8470	6515	6515	1.120074
1151	011	3379	0.08	2610	3	55	80	2.5	6	3	8448	5838	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9461.200195	6851.200195	6851.200195	1.119934
1151	034	3271	0.08	1584	3	55	80	2.5	6	3	8178	6594	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9158.799805	7574.799805	7574.799805	1.119931
1151	039	3125	0.07	976	3	55	80	2.5	6	3	7812	6836	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	8750	7774	7774	1.120072
1152	003	3094	0.07	2880	2	55	80	2.5	6	4	7735	4855	RH-3	40	form-based			true	0.7	6	1	4	4	8663.200195	5783.200195	5783.200195	1.12
1152	010	2204	0.05	2230	1	55	80	2.5	4	3	5510	3280	RM-1	40	form-based			true	0.7	5	1.25	4	4	6171.199707	3941.199707	3941.199707	1.12
1152	032	3438	0.08	2700	3	55	80	2.5	6	3	8595	5895	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	6926.399414	6926.399414	1.12
1152	038	3093	0.07	1532	2	55	80	2.5	6	4	7732	6200	RH-3	40	form-based			true	0.7	6	1	4	4	8660.399414	7128.399414	7128.399414	1.120072
1152	063	3591	0.08	1887	4	55	80	2.5	6	2	8978	7091	RM-1	40	form-based			true	0.7	8	1.333333373	4	4	10054.7998	8167.799805	8167.799805	1.119938
1153	011	3477	0.08	4150	6	55	80	2.5	6	0	8692	4542	RM-1	50	form-based			true	0.7	10	1.666666627	4	4	12169.5	8019.5	8019.5	1.400081
1153	015	2469	0.06	2276	3	55	80	2.5	5	2	6172	3896	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8641.5	6365.5	6365.5	1.400113
1153	055	4263	0.1	1799	8	55	80	2.5	8	0	10658	8859	RM-1	50	form-based			true	0.7	12	1.5	4	4	14920.5	13121.5	13121.5	1.399934
1154	009	2218	0.05	3070	2	55	80	2.5	4	2	5545	2475	RM-1	50	form-based			true	0.7	6	1.5	4	4	7763	4693	4693	1.4
1154	017B	1522	0.03	4875	4	55	80	2.5	2	0	3805	0	NCT-DIVIS.	85	form-based		true	true	0.75	8	4	4	0	9132	4257	2735	2.4
1154	024	2254	0.05	1870	2	55	80	2.5	4	2	5635	3765	RH-3	50	form-based			true	0.7	6	1.5	4	4	7889	6019	6019	1.4
1154	028	2255	0.05	4440	2	55	80	2.5	4	2	5638	1198	RH-3	50	form-based			true	0.7	6	1.5	4	4	7892.5	3452.5	3452.5	1.399876
1155	008	3429	0.08	5019	6	55	80	2.5	6	0	8572	3553	RM-1	50	form-based			true	0.7	10	1.666666627	4	4	12001.5	6982.5	6982.5	1.400082
1155	011	3429	0.08	4560	6	55	80	2.5	6	0	8572	4012	RM-1	50	form-based			true	0.7	10	1.666666627	4	4	12001.5	7441.5	7441.5	1.400082
1155	030	3437	0.08	4410	6	55	80	2.5	6	0	8592	4182	RM-1	50	form-based			true	0.7	10	1.666666627	4	4	12029.5	7619.5	7619.5	1.400082
1156	016	3429	0.08	4500	6	55	80	2.5	6	0	8572	4072	RM-1	50	form-based			true	0.7	10	1.666666627	4	4	12001.5	7501.5	7501.5	1.400082
1156	031	2504	0.06	4980	3	55	80	2.5	5	2	6260	1280	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8764	3784	3784	1.4
1157	002	5212	0.12	7545	7	55	80	2.5	10	3	13030	5485	RM-1	40	form-based			true	0.7	11	1.100000024	4	4	14593.59961	7048.599609	7048.599609	1.12
1157	004	2188	0.05	2680	2	55	80	2.5	4	2	5470	2790	RM-1	50	form-based			true	0.7	6	1.5	4	4	7658	4978	4978	1.4
1157	010	3047	0.07	4170	2	55	80	2.5	6	4	7618	3448	RH-3	40	form-based			true	0.7	6	1	4	4	8531.599609	4361.599609	4361.599609	1.119926
1157	016A	3781	0.09	4148	4	55	80	2.5	7	3	9452	5304	RM-1	40	form-based			true	0.7	8	1.142857194	4	4	10586.7998	6438.799805	6438.799805	1.120059
1157	018	3156	0.07	1987	3	55	80	2.5	6	3	7890	5903	RM-1	40	form-based		true	true	0.7	7	1.166666627	4	4	8836.799805	6849.799805	6849.799805	1.12
1157	021	3781	0.09	834	4	55	80	2.5	7	3	9452	8618	RM-1	40	form-based			true	0.7	8	1.142857194	4	4	10586.7998	9752.799805	9752.799805	1.120059
1157	025	3781	0.09	802	4	55	80	2.5	7	3	9452	8650	RM-1	40	form-based			true	0.7	8	1.142857194	4	4	10586.7998	9784.799805	9784.799805	1.120059
1157	031	3781	0.09	809	4	55	80	2.5	7	3	9452	8643	RM-1	40	form-based			true	0.7	8	1.142857194	4	4	10586.7998	9777.799805	9777.799805	1.120059
1157	035	3781	0.09	832	4	55	80	2.5	7	3	9452	8620	RM-1	40	form-based			true	0.7	8	1.142857194	4	4	10586.7998	9754.799805	9754.799805	1.120059
1158	014	3429	0.08	4518	6	55	80	2.5	6	0	8572	4054	RH-3	50	form-based			true	0.7	10	1.666666627	4	4	12001.5	7483.5	7483.5	1.400082
1158	019	2492	0.06	5985	3	55	80	2.5	5	2	6230	245	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8722	2737	2737	1.4
1158	020	2492	0.06	4200	3	55	80	2.5	5	2	6230	2030	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8722	4522	4522	1.4
1158	021	2492	0.06	4350	3	55	80	2.5	5	2	6230	1880	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8722	4372	4372	1.4
1158	027	2500	0.06	3377	1	55	80	2.5	5	4	6250	2873	RM-1	40	form-based			true	0.7	5	1	4	4	7000	3623	3623	1.12
1158	079	2500	0.06	1467	3	55	80	2.5	5	2	6250	4783	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8750	7283	7283	1.4
1159	003	2596	0.06	430	1	55	80	2.5	5	4	6490	6060	RM-1	40	form-based			true	0.7	5	1	4	4	7268.799805	6838.799805	6838.799805	1.12
1159	005	2492	0.06	5500	3	55	80	2.5	5	2	6230	730	RM-1	50	form-based		true	true	0.7	7	1.399999976	4	4	8722	3222	3222	1.4
1159	008	2492	0.06	4175	3	55	80	2.5	5	2	6230	2055	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8722	4547	4547	1.4
1159	012	3429	0.08	4995	6	55	80	2.5	6	0	8572	3577	RM-1	50	form-based			true	0.7	10	1.666666627	4	4	12001.5	7006.5	7006.5	1.400082
1159	032	2500	0.06	1235	1	55	80	2.5	5	4	6250	5015	RH-3	40	form-based			true	0.7	5	1	4	4	7000	5765	5765	1.12
1159	050	1664	0.04	1103	1	55	80	2.5	3	2	4160	3057	RH-3	50	form-based			true	0.7	5	1.666666627	4	4	5824	4721	4721	1.4
1160	026	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-3	40	form-based			true	0.7	5	1	4	4	7000	5600	5600	1.12
1160	035	2487	0.06	1250	1	55	80	2.5	5	4	6218	4968	RH-3	40	form-based			true	0.7	5	1	4	4	6963.600098	5713.600098	5713.600098	1.11991
1160	037	2482	0.06	1300	1	55	80	2.5	5	4	6205	4905	RH-3	40	form-based			true	0.7	5	1	4	4	6949.600098	5649.600098	5649.600098	1.12
1160	045	3433	0.08	1652	3	55	80	2.5	6	3	8582	6930	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9612.399414	7960.399414	7960.399414	1.120065
1161	002	2515	0.06	2440	1	55	80	2.5	5	4	6288	3848	RH-2	40	form-based			true	0.7	5	1	4	4	7042	4602	4602	1.119911
1161	003	2515	0.06	1755	1	55	80	2.5	5	4	6288	4533	RH-2	40	form-based			true	0.7	5	1	4	4	7042	5287	5287	1.119911
1161	004	2515	0.06	1575	1	55	80	2.5	5	4	6288	4713	RH-2	40	form-based			true	0.7	5	1	4	4	7042	5467	5467	1.119911
1161	005	2515	0.06	1575	1	55	80	2.5	5	4	6288	4713	RH-2	40	form-based			true	0.7	5	1	4	4	7042	5467	5467	1.119911
1161	006	2515	0.06	2185	1	55	80	2.5	5	4	6288	4103	RH-2	40	form-based			true	0.7	5	1	4	4	7042	4857	4857	1.119911
1161	007	2515	0.06	1575	1	55	80	2.5	5	4	6288	4713	RH-2	40	form-based			true	0.7	5	1	4	4	7042	5467	5467	1.119911
1161	010	2500	0.06	1840	1	55	80	2.5	5	4	6250	4410	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5160	5160	1.12
1161	011	2500	0.06	1300	1	55	80	2.5	5	4	6250	4950	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5700	5700	1.12
1161	012	2500	0.06	1300	1	55	80	2.5	5	4	6250	4950	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5700	5700	1.12
1161	013	2500	0.06	1300	1	55	80	2.5	5	4	6250	4950	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5700	5700	1.12
1161	014	2500	0.06	2512	1	55	80	2.5	5	4	6250	3738	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4488	4488	1.12
1161	015	2500	0.06	2692	1	55	80	2.5	5	4	6250	3558	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4308	4308	1.12
1161	017	2250	0.05	1683	1	55	80	2.5	4	3	5625	3942	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4617	4617	1.12
1161	018	2250	0.05	1500	1	55	80	2.5	4	3	5625	4125	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4800	4800	1.12
1161	019	2250	0.05	2231	1	55	80	2.5	4	3	5625	3394	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4069	4069	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1161	020	2250	0.05	1500	1	55	80	2.5	4	3	5625	4125	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4800	4800	1.12
1161	021	2250	0.05	1600	1	55	80	2.5	4	3	5625	4025	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4700	4700	1.12
1161	022	2250	0.05	1780	1	55	80	2.5	4	3	5625	3845	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4520	4520	1.12
1162	002	2468	0.06	1780	1	55	80	2.5	5	4	6170	4390	RH-2	40	form-based			true	0.7	5	1	4	4	6910.399902	5130.399902	5130.399902	1.12
1162	003	2468	0.06	1625	1	55	80	2.5	5	4	6170	4545	RH-2	40	form-based			true	0.7	5	1	4	4	6910.399902	5285.399902	5285.399902	1.12
1162	005	2468	0.06	2584	1	55	80	2.5	5	4	6170	3586	RH-2	40	form-based			true	0.7	5	1	4	4	6910.399902	4326.399902	4326.399902	1.12
1162	006	2468	0.06	2442	1	55	80	2.5	5	4	6170	3728	RH-2	40	form-based			true	0.7	5	1	4	4	6910.399902	4468.399902	4468.399902	1.12
1162	007	2468	0.06	2442	1	55	80	2.5	5	4	6170	3728	RH-2	40	form-based			true	0.7	5	1	4	4	6910.399902	4468.399902	4468.399902	1.12
1162	009	2987	0.07	4032	2	55	80	2.5	6	4	7468	3436	RH-2	40	form-based		true	true	0.7	6	1	4	4	8363.599609	4331.599609	4331.599609	1.119925
1162	010	2500	0.06	2415	1	55	80	2.5	5	4	6250	3835	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4585	4585	1.12
1162	011	2500	0.06	1724	1	55	80	2.5	5	4	6250	4526	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5276	5276	1.12
1162	012	2500	0.06	1875	1	55	80	2.5	5	4	6250	4375	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5125	5125	1.12
1162	013	2500	0.06	1825	1	55	80	2.5	5	4	6250	4425	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5175	5175	1.12
1162	014	2500	0.06	1975	1	55	80	2.5	5	4	6250	4275	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5025	5025	1.12
1162	015	2500	0.06	1824	1	55	80	2.5	5	4	6250	4426	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5176	5176	1.12
1162	017	2250	0.05	1490	1	55	80	2.5	4	3	5625	4135	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4810	4810	1.12
1162	019	2250	0.05	4022	1	55	80	2.5	4	3	5625	1603	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	2278	2278	1.12
1163	007	2526	0.06	2263	1	55	80	2.5	5	4	6315	4052	RH-2	40	form-based			true	0.7	5	1	4	4	7072.799805	4809.799805	4809.799805	1.12
1163	016	2250	0.05	1807	1	55	80	2.5	4	3	5625	3818	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6300	4493	4493	1.12
1166	001	2458	0.06	1425	1	55	80	2.5	5	4	6145	4720	RH-1	40	form-based		true	true	0.7	5	1	4	4	6882.399902	5457.399902	5457.399902	1.12
1166	001A	2223	0.05	1692	1	55	80	2.5	4	3	5558	3866	RH-1	40	form-based			true	0.7	5	1.25	4	4	6224.399902	4532.399902	4532.399902	1.119899
1166	001B	2223	0.05	1811	1	55	80	2.5	4	3	5558	3747	RH-1	40	form-based			true	0.7	5	1.25	4	4	6224.399902	4413.399902	4413.399902	1.119899
1166	001C	2223	0.05	1692	1	55	80	2.5	4	3	5558	3866	RH-1	40	form-based			true	0.7	5	1.25	4	4	6224.399902	4532.399902	4532.399902	1.119899
1166	001D	2223	0.05	2100	1	55	80	2.5	4	3	5558	3458	RH-1	40	form-based			true	0.7	5	1.25	4	4	6224.399902	4124.399902	4124.399902	1.119899
1166	001E	2223	0.05	956	1	55	80	2.5	4	3	5558	4602	RH-1	40	form-based			true	0.7	5	1.25	4	4	6224.399902	5268.399902	5268.399902	1.119899
1166	001F	2223	0.05	1660	1	55	80	2.5	4	3	5558	3898	RH-1	40	form-based			true	0.7	5	1.25	4	4	6224.399902	4564.399902	4564.399902	1.119899
1166	002C	2148	0.05	1843	1	55	80	2.5	4	3	5370	3527	RH-1	40	form-based			true	0.7	5	1.25	4	4	6014.399902	4171.399902	4171.399902	1.12
1166	002D	2202	0.05	1200	1	55	80	2.5	4	3	5505	4305	RH-1	40	form-based			true	0.7	5	1.25	4	4	6165.600098	4965.600098	4965.600098	1.12
1166	002E	2256	0.05	1200	1	55	80	2.5	4	3	5640	4440	RH-1	40	form-based			true	0.7	5	1.25	4	4	6316.799805	5116.799805	5116.799805	1.12
1166	002F	2303	0.05	2096	1	55	80	2.5	4	3	5758	3662	RH-1	40	form-based			true	0.7	5	1.25	4	4	6448.399902	4352.399902	4352.399902	1.119903
1166	002G	2217	0.05	1200	1	55	80	2.5	4	3	5542	4342	RH-1	40	form-based			true	0.7	5	1.25	4	4	6207.600098	5007.600098	5007.600098	1.120101
1166	002I	2391	0.05	1646	1	55	80	2.5	4	3	5978	4332	RH-1	40	form-based			true	0.7	5	1.25	4	4	6694.799805	5048.799805	5048.799805	1.119906
1166	003	3332	0.08	4164	3	55	80	2.5	6	3	8330	4166	RH-2	40	form-based		true	true	0.7	7	1.166666627	4	4	9329.599609	5165.599609	5165.599609	1.12
1166	004	4398	0.1	4006	5	55	80	2.5	8	3	10995	6989	RH-2	40	form-based			true	0.7	9	1.125	4	4	12314.39941	8308.399414	8308.399414	1.12
1166	024	3863	0.09	3880	4	55	80	2.5	7	3	9658	5778	RH-2	40	form-based			true	0.7	8	1.142857194	4	4	10816.39941	6936.399414	6936.399414	1.119942
1166	036	3653	0.08	3450	4	55	80	2.5	6	2	9132	5682	RH-2	40	form-based			true	0.7	8	1.333333373	4	4	10228.39941	6778.399414	6778.399414	1.120061
1166	038	2544	0.06	1458	1	55	80	2.5	5	4	6360	4902	RH-1	40	form-based			true	0.7	5	1	4	4	7123.199707	5665.199707	5665.199707	1.12
1166	043	2497	0.06	1336	1	55	80	2.5	5	4	6242	4906	RH-1	40	form-based			true	0.7	5	1	4	4	6991.600098	5655.600098	5655.600098	1.12009
1167	005	2514	0.06	1250	1	55	80	2.5	5	4	6285	5035	RM-1	40	form-based			true	0.7	5	1	4	4	7039.199707	5789.199707	5789.199707	1.12
1167	006	2475	0.06	1443	1	55	80	2.5	5	4	6188	4745	RH-3	40	form-based			true	0.7	5	1	4	4	6930	5487	5487	1.11991
1167	007	2654	0.06	3644	2	55	80	2.5	5	3	6635	2991	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7431.199707	3787.199707	3787.199707	1.12
1167	016	3676	0.08	4252	4	55	80	2.5	6	2	9190	4938	RH-3	40	form-based			true	0.7	8	1.333333373	4	4	10292.7998	6040.799805	6040.799805	1.12
1167	018	2528	0.06	3500	2	55	80	2.5	5	3	6320	2820	NC-1	40	form-based		true	true	0.75	6	1.200000048	4	4	7584	4084	4084	1.2
1167	040	2465	0.06	1600	1	55	80	2.5	5	4	6162	4562	RH-2	40	form-based			true	0.7	5	1	4	4	6902	5302	5302	1.120091
1168	035	3438	0.08	2903	3	55	80	2.5	6	3	8595	5692	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	6723.399414	6723.399414	1.12
1168	037	3438	0.08	2890	3	55	80	2.5	6	3	8595	5705	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	6736.399414	6736.399414	1.12
1168	042	3438	0.08	4563	3	55	80	2.5	6	3	8595	4032	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	5063.399414	5063.399414	1.12
1168	045	3438	0.08	3190	3	55	80	2.5	6	3	8595	5405	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	6436.399414	6436.399414	1.12
1168	047	3438	0.08	36994	3	55	80	2.5	6	3	8595	0	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	0	0	1.12
1168	050	3438	0.08	1146	3	55	80	2.5	6	3	8595	7449	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	8480.399414	8480.399414	1.12
1168	057	3369	0.08	2268	3	55	80	2.5	6	3	8422	6154	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9433.200195	7165.200195	7165.200195	1.120067
1169	018	2375	0.05	2250	1	55	80	2.5	4	3	5938	3688	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4400	4400	1.119906
1169	028	3000	0.07	2700	2	55	80	2.5	6	4	7500	4800	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5700	5700	1.12
1169	029	3000	0.07	2800	2	55	80	2.5	6	4	7500	4700	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5600	5600	1.12
1169	030	3000	0.07	4017	2	55	80	2.5	6	4	7500	3483	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4383	4383	1.12
1169	035	2375	0.05	2800	1	55	80	2.5	4	3	5938	3138	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	3850	3850	1.119906
1173	001A	2667	0.06	3050	2	55	80	2.5	5	3	6668	3618	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7467.600098	4417.600098	4417.600098	1.119916
1173	001B	2667	0.06	3810	2	55	80	2.5	5	3	6668	2858	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7467.600098	3657.600098	3657.600098	1.119916
1173	001C	2667	0.06	3810	2	55	80	2.5	5	3	6668	2858	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7467.600098	3657.600098	3657.600098	1.119916
1173	001E	2667	0.06	3810	2	55	80	2.5	5	3	6668	2858	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7467.600098	3657.600098	3657.600098	1.119916
1173	001I	2803	0.06	2916	2	55	80	2.5	5	3	7008	4092	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7848.399902	4932.399902	4932.399902	1.11992
1173	001J	2669	0.06	2916	2	55	80	2.5	5	3	6672	3756	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7473.199707	4557.199707	4557.199707	1.120084
1173	001K	2669	0.06	2916	2	55	80	2.5	5	3	6672	3756	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7473.199707	4557.199707	4557.199707	1.120084
1173	001M	2669	0.06	2916	2	55	80	2.5	5	3	6672	3756	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7473.199707	4557.199707	4557.199707	1.120084

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1173	001N	2669	0.06	2972	2	55	80	2.5	5	3	6672	3700	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7473.199707	4501.199707	4501.199707	1.120084
1173	001O	2669	0.06	2916	2	55	80	2.5	5	3	6672	3756	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7473.199707	4557.199707	4557.199707	1.120084
1173	003	2764	0.06	2654	2	55	80	2.5	5	3	6910	4256	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7739.199707	5085.199707	5085.199707	1.12
1173	006	2764	0.06	2654	2	55	80	2.5	5	3	6910	4256	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7739.199707	5085.199707	5085.199707	1.12
1173	010	3550	0.08	3701	3	55	80	2.5	6	3	8875	5174	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9940	6239	6239	1.12
1173	011	3458	0.08	2654	3	55	80	2.5	6	3	8645	5991	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9682.399414	7028.399414	7028.399414	1.12
1173	021	2769	0.06	1415	2	55	80	2.5	5	3	6922	5507	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7753.199707	6338.199707	6338.199707	1.120081
1173	023	2667	0.06	1525	2	55	80	2.5	5	3	6668	5143	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7467.600098	5942.600098	5942.600098	1.119916
1173	025	2764	0.06	1796	2	55	80	2.5	5	3	6910	5114	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7739.199707	5943.199707	5943.199707	1.12
1173	027	2764	0.06	1338	2	55	80	2.5	5	3	6910	5572	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7739.199707	6401.199707	6401.199707	1.12
1173	029	2800	0.06	1268	2	55	80	2.5	5	3	7000	5732	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7840	6572	6572	1.12
1173	035	2764	0.06	1460	2	55	80	2.5	5	3	6910	5450	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7739.199707	6279.199707	6279.199707	1.12
1174	007	2483	0.06	1650	1	55	80	2.5	5	4	6208	4558	RH-2	40	form-based			true	0.7	5	1	4	4	6952.399902	5302.399902	5302.399902	1.11991
1174	008	2483	0.06	2370	1	55	80	2.5	5	4	6208	3838	RH-2	40	form-based			true	0.7	5	1	4	4	6952.399902	4582.399902	4582.399902	1.11991
1174	009	2483	0.06	2524	1	55	80	2.5	5	4	6208	3684	RH-2	40	form-based			true	0.7	5	1	4	4	6952.399902	4428.399902	4428.399902	1.11991
1174	010	2483	0.06	1906	1	55	80	2.5	5	4	6208	4302	RH-2	40	form-based			true	0.7	5	1	4	4	6952.399902	5046.399902	5046.399902	1.11991
1174	011	2483	0.06	1640	1	55	80	2.5	5	4	6208	4568	RH-2	40	form-based			true	0.7	5	1	4	4	6952.399902	5312.399902	5312.399902	1.11991
1174	012	2483	0.06	1760	1	55	80	2.5	5	4	6208	4448	RH-2	40	form-based			true	0.7	5	1	4	4	6952.399902	5192.399902	5192.399902	1.11991
1174	013	2483	0.06	2400	1	55	80	2.5	5	4	6208	3808	RH-2	40	form-based			true	0.7	5	1	4	4	6952.399902	4552.399902	4552.399902	1.11991
1174	014	2483	0.06	2033	1	55	80	2.5	5	4	6208	4175	RH-2	40	form-based			true	0.7	5	1	4	4	6952.399902	4919.399902	4919.399902	1.11991
1176	002	2656	0.06	4200	3	55	80	2.5	5	2	6640	2440	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	9296	5096	5096	1.4
1176	016	3494	0.08	4575	3	55	80	2.5	6	3	8735	4160	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9783.200195	5208.200195	5208.200195	1.12
1176	025	2500	0.06	3720	3	55	80	2.5	5	2	6250	2530	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8750	5030	5030	1.4
1176	026	2596	0.06	3720	3	55	80	2.5	5	2	6490	2770	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	9086	5366	5366	1.4
1176	051	3494	0.08	1570	3	55	80	2.5	6	3	8735	7165	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9783.200195	8213.200195	8213.200195	1.12
1177	001	2437	0.06	7260	3	55	80	2.5	5	2	6092	0	RM-1	50	form-based		true	true	0.7	7	1.399999976	4	4	8529.5	1269.5	1269.5	1.400115
1177	002	2422	0.06	3070	3	55	80	2.5	5	2	6055	2985	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8477	5407	5407	1.4
1177	003	2422	0.06	3300	3	55	80	2.5	5	2	6055	2755	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8477	5177	5177	1.4
1177	007	3047	0.07	2130	2	55	80	2.5	6	4	7618	5488	RH-3	40	form-based			true	0.7	6	1	4	4	8531.599609	6401.599609	6401.599609	1.119926
1177	009	2422	0.06	2850	1	55	80	2.5	5	4	6055	3205	RH-3	40	form-based			true	0.7	5	1	4	4	6781.600098	3931.600098	3931.600098	1.12
1177	013	3494	0.08	3750	3	55	80	2.5	6	3	8735	4985	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9783.200195	6033.200195	6033.200195	1.12
1177	016	3494	0.08	4200	3	55	80	2.5	6	3	8735	4535	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9783.200195	5583.200195	5583.200195	1.12
1177	027	2479	0.06	2530	3	55	80	2.5	5	2	6198	3668	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8676.5	6146.5	6146.5	1.399887
1177	035	2187	0.05	2750	2	55	80	2.5	4	2	5468	2718	RH-3	50	form-based			true	0.7	6	1.5	4	4	7654.5	4904.5	4904.5	1.399872
1177	037	3494	0.08	1330	3	55	80	2.5	6	3	8735	7405	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9783.200195	8453.200195	8453.200195	1.12
1177	044	3494	0.08	536	3	55	80	2.5	6	3	8735	8199	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9783.200195	9247.200195	9247.200195	1.12
1177	047	2545	0.06	1320	3	55	80	2.5	5	2	6362	5042	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8907.5	7587.5	7587.5	1.40011
1178	001B	2250	0.05	3100	2	55	80	2.5	4	2	5625	2525	RH-3	50	form-based			true	0.7	6	1.5	4	4	7875	4775	4775	1.4
1178	001D	2112	0.05	2920	2	55	80	2.5	4	2	5280	2360	RM-1	50	form-based			true	0.7	6	1.5	4	4	7392	4472	4472	1.4
1178	002	2167	0.05	1730	1	55	80	2.5	4	3	5418	3688	RH-3	40	form-based			true	0.7	5	1.25	4	4	6067.600098	4337.600098	4337.600098	1.119897
1178	031	2065	0.05	1323	2	55	80	2.5	4	2	5162	3839	RH-3	50	form-based			true	0.7	6	1.5	4	4	7227.5	5904.5	5904.5	1.400136
1178	038	2416	0.06	2127	1	55	80	2.5	5	4	6040	3913	RH-3	40	form-based			true	0.7	5	1	4	4	6764.799805	4637.799805	4637.799805	1.12
1178	040	2187	0.05	900	2	55	80	2.5	4	2	5468	4568	RM-1	50	form-based			true	0.7	6	1.5	4	4	7654.5	6754.5	6754.5	1.399872
1181	005	4657	0.11	5900	1	55	80	2.5	9	8	11642	5742	RH-3	40	density-lim	1000			0.7	5	0.555555582	4	4	13039.59961	7139.599609	7139.599609	1.120048
1181	011	3073	0.07	5080	5	55	80	2.5	6	1	7682	2602	RM-2	50	form-based			true	0.7	9	1.5	4	4	10755.5	5675.5	5675.5	1.400091
1181	021	2781	0.06	1635	0	55	80	2.5	5	5	6952	5317	RH-3	40	density-lim	1000			0.7	4	0.800000012	4	4	7786.799805	6151.799805	6151.799805	1.12008
1181	039	5544	0.13	5424	2	55	80	2.5	10	8	13860	8436	RH-3	40	density-lim	1000			0.7	6	0.600000024	4	4	15523.2002	10099.2002	10099.2002	1.12
1182	018	2763	0.06	2767	4	55	80	2.5	5	1	6908	4141	RH-3	50	form-based			true	0.7	8	1.600000024	4	4	9670.5	6903.5	6903.5	1.399899
1182	068	2449	0.06	1328	3	55	80	2.5	5	2	6122	4794	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8571.5	7243.5	7243.5	1.400114
1183	003	2500	0.06	1078	1	55	80	2.5	5	4	6250	5172	RH-3	40	form-based			true	0.7	5	1	4	4	7000	5922	5922	1.12
1183	012	3421	0.08	3322	3	55	80	2.5	6	3	8552	5230	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9578.799805	6256.799805	6256.799805	1.120065
1183	044	3065	0.07	1357	2	55	80	2.5	6	4	7662	6305	RH-3	40	form-based			true	0.7	6	1	4	4	8582	7225	7225	1.120073
1183	056	3065	0.07	1178	2	55	80	2.5	6	4	7662	6484	RH-3	40	form-based			true	0.7	6	1	4	4	8582	7404	7404	1.120073
1183	083	3438	0.08	1727	3	55	80	2.5	6	3	8595	6868	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	7899.399414	7899.399414	1.12
1183	086	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-3	40	form-based			true	0.7	5	1	4	4	7000	5900	5900	1.12
1184	005	3125	0.07	5745	3	55	80	2.5	6	3	7812	2067	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	8750	3005	3005	1.120072
1184	008	2500	0.06	2400	1	55	80	2.5	5	4	6250	3850	RH-3	40	form-based			true	0.7	5	1	4	4	7000	4600	4600	1.12
1184	020	3052	0.07	2960	2	55	80	2.5	6	4	7630	4670	RH-3	40	form-based			true	0.7	6	1	4	4	8545.599609	5585.599609	5585.599609	1.12
1184	021	3051	0.07	3919	2	55	80	2.5	6	4	7628	3709	RH-3	40	form-based			true	0.7	6	1	4	4	8542.799805	4623.799805	4623.799805	1.119927
1184	027	2508	0.06	3230	1	55	80	2.5	5	4	6270	3040	RH-3	40	form-based			true	0.7	5	1	4	4	7022.399902	3792.399902	3792.399902	1.12
1184	028	3437	0.08	4300	3	55	80	2.5	6	3	8592	4292	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	5323.599609	5323.599609	1.120065
1184	029	3437	0.08	2400	3	55	80	2.5	6	3	8592	6192	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	7223.599609	7223.599609	1.120065
1184	030	3438	0.08	4796	3	55	80	2.5	6	3	8595	3799	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	4830.399414	4830.399414	1.12
1184	031	3437	0.08	3570	3	55	80	2.5	6	3	8592	5022	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	6053.599609	6053.599609	1.120065

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1184	032	3438	0.08	3570	3	55	80	2.5	6	3	8595	5025	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	6056.399414	6056.399414	1.12
1184	036	3125	0.07	2015	3	55	80	2.5	6	3	7812	5797	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	8750	6735	6735	1.120072
1185	002	2656	0.06	2720	2	55	80	2.5	5	3	6640	3920	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	4716.799805	4716.799805	1.12
1185	022	2680	0.06	2830	2	55	80	2.5	5	3	6700	3870	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7504	4674	4674	1.12
1185	034	3438	0.08	3960	3	55	80	2.5	6	3	8595	4635	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	5666.399414	5666.399414	1.12
1185	039	2680	0.06	1460	2	55	80	2.5	5	3	6700	5240	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7504	6044	6044	1.12
1185	041	3421	0.08	1475	3	55	80	2.5	6	3	8552	7077	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9578.799805	8103.799805	8103.799805	1.120065
1185	048	3421	0.08	1544	3	55	80	2.5	6	3	8552	7008	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9578.799805	8034.799805	8034.799805	1.120065
1185	055	3421	0.08	5011	3	55	80	2.5	6	3	8552	3541	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9578.799805	4567.799805	4567.799805	1.120065
1186	009A	2784	0.06	3800	2	55	80	2.5	5	3	6960	3160	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7795.199707	3995.199707	3995.199707	1.12
1186	012	4186	0.1	9126	12	55	80	2.5	8	0	10465	1339	RTO-C	65	form-based			true	0.75	16	2	4	4	18837	9711	9711	1.8
1187	006A	3088	0.07	3900	2	55	80	2.5	6	4	7720	3820	RH-2	40	form-based			true	0.7	6	1	4	4	8646.399414	4746.399414	4746.399414	1.12
1188	002	3350	0.08	3750	3	55	80	2.5	6	3	8375	4625	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9380	5630	5630	1.12
1188	002B	2750	0.06	2950	2	55	80	2.5	5	3	6875	3925	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7700	4750	4750	1.12
1188	004	3763	0.09	4224	4	55	80	2.5	7	3	9408	5184	RH-2	40	form-based			true	0.7	8	1.142857194	4	4	10536.39941	6312.399414	6312.399414	1.11994
1188	009	2656	0.06	2910	2	55	80	2.5	5	3	6640	3730	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	4526.799805	4526.799805	1.12
1188	013	2656	0.06	4563	2	55	80	2.5	5	3	6640	2077	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	2873.799805	2873.799805	1.12
1188	018	2636	0.06	1419	2	55	80	2.5	5	3	6590	5171	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7380.799805	5961.799805	5961.799805	1.12
1188	022	2656	0.06	1614	2	55	80	2.5	5	3	6640	5026	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	5822.799805	5822.799805	1.12
1188	024	3763	0.09	656	4	55	80	2.5	7	3	9408	8752	RH-2	40	form-based			true	0.7	8	1.142857194	4	4	10536.39941	9880.399414	9880.399414	1.11994
1188	030	2636	0.06	1141	2	55	80	2.5	5	3	6590	5449	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7380.799805	6239.799805	6239.799805	1.12
1188	035	2750	0.06	1508	2	55	80	2.5	5	3	6875	5367	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7700	6192	6192	1.12
1189	001D	2656	0.06	3350	2	55	80	2.5	5	3	6640	3290	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	4086.799805	4086.799805	1.12
1189	001F	2656	0.06	3350	2	55	80	2.5	5	3	6640	3290	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	4086.799805	4086.799805	1.12
1189	002	2656	0.06	3400	2	55	80	2.5	5	3	6640	3240	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	4036.799805	4036.799805	1.12
1189	002A	2656	0.06	3400	2	55	80	2.5	5	3	6640	3240	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	4036.799805	4036.799805	1.12
1189	016	2057	0.05	4335	7	55	80	2.5	4	0	5142	807	RTO-C	85	form-based			true	0.75	11	2.75	4	1	12342	8007	5949	2.400233
1189	025	2656	0.06	1401	2	55	80	2.5	5	3	6640	5239	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	6035.799805	6035.799805	1.12
1189	027	2682	0.06	1200	2	55	80	2.5	5	3	6705	5505	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7509.600098	6309.600098	6309.600098	1.12
1190	001D	3000	0.07	3026	2	55	80	2.5	6	4	7500	4474	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5374	5374	1.12
1190	001P	3000	0.07	3666	2	55	80	2.5	6	4	7500	3834	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4734	4734	1.12
1190	002	3000	0.07	3725	2	55	80	2.5	6	4	7500	3775	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4675	4675	1.12
1190	004	3000	0.07	1655	2	55	80	2.5	6	4	7500	5845	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6745	6745	1.12
1190	011	3000	0.07	1779	2	55	80	2.5	6	4	7500	5721	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6621	6621	1.12
1201	064	2841	0.07	794	4	55	80	2.5	6	2	7102	6308	RM-1	50	form-based			true	0.7	8	1.333333373	4	4	9943.5	9149.5	9149.5	1.400099
1203	002	2512	0.06	3920	3	55	80	2.5	5	2	6280	2360	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8792	4872	4872	1.4
1203	031	3437	0.08	3600	6	55	80	2.5	6	0	8592	4992	RH-3	50	form-based			true	0.7	10	1.666666627	4	4	12029.5	8429.5	8429.5	1.400082
1203	032	3438	0.08	3600	6	55	80	2.5	6	0	8595	4995	RH-3	50	form-based			true	0.7	10	1.666666627	4	4	12033	8433	8433	1.4
1203	040	2500	0.06	1803	3	55	80	2.5	5	2	6250	4447	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8750	6947	6947	1.4
1203	043	2511	0.06	1467	3	55	80	2.5	5	2	6278	4811	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8788.5	7321.5	7321.5	1.399889
1204	019	3437	0.08	3910	6	55	80	2.5	6	0	8592	4682	RM-1	50	form-based			true	0.7	10	1.666666627	4	4	12029.5	8119.5	8119.5	1.400082
1204	061	2656	0.06	1190	3	55	80	2.5	5	2	6640	5450	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	9296	8106	8106	1.4
1205	007	2422	0.06	2302	1	55	80	2.5	5	4	6055	3753	RH-3	40	form-based			true	0.7	5	1	4	4	6781.600098	4479.600098	4479.600098	1.12
1205	012	3438	0.08	5325	3	55	80	2.5	6	3	8595	3270	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	4301.399414	4301.399414	1.12
1205	014	3437	0.08	5400	3	55	80	2.5	6	3	8592	3192	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	4223.599609	4223.599609	1.120065
1205	028	3438	0.08	2100	3	55	80	2.5	6	3	8595	6495	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	7526.399414	7526.399414	1.12
1205	030	3437	0.08	4225	3	55	80	2.5	6	3	8592	4367	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	5398.599609	5398.599609	1.120065
1205	030A	3438	0.08	4175	3	55	80	2.5	6	3	8595	4420	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	5451.399414	5451.399414	1.12
1205	041	5000	0.11	1234	6	55	80	2.5	9	3	12500	11266	RM-1	40	form-based	true		true	0.7	10	1.111111164	4	4	14000	12766	12766	1.12
1205	047	3438	0.08	1912	3	55	80	2.5	6	3	8595	6683	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	7714.399414	7714.399414	1.12
1210	012	3429	0.08	4453	3	55	80	2.5	6	3	8572	4119	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9601.200195	5148.200195	5148.200195	1.120065
1210	013	3430	0.08	5280	3	55	80	2.5	6	3	8575	3295	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9604	4324	4324	1.12
1210	025	2656	0.06	3470	2	55	80	2.5	5	3	6640	3170	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	3966.799805	3966.799805	1.12
1211	016	3438	0.08	5280	3	55	80	2.5	6	3	8595	3315	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	4346.399414	4346.399414	1.12
1211	026	2656	0.06	3570	2	55	80	2.5	5	3	6640	3070	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	3866.799805	3866.799805	1.12
1211	039	3436	0.08	2035	3	55	80	2.5	6	3	8590	6555	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9620.799805	7585.799805	7585.799805	1.12
1211	047	2656	0.06	1868	2	55	80	2.5	5	3	6640	4772	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	5568.799805	5568.799805	1.12
1212	011B	2966	0.07	3000	2	55	80	2.5	6	4	7415	4415	RH-3	40	form-based			true	0.7	6	1	4	4	8304.799805	5304.799805	5304.799805	1.12
1212	024	3401	0.08	4500	3	55	80	2.5	6	3	8502	4002	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9522.799805	5022.799805	5022.799805	1.120066
1212	064	2965	0.07	1440	2	55	80	2.5	6	4	7412	5972	RH-3	40	form-based			true	0.7	6	1	4	4	8302	6862	6862	1.120076
1212	066	2965	0.07	1444	2	55	80	2.5	6	4	7412	5968	RH-3	40	form-based			true	0.7	6	1	4	4	8302	6858	6858	1.120076
1212	074	3400	0.08	1978	3	55	80	2.5	6	3	8500	6522	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9520	7542	7542	1.12
1216	001C	2188	0.05	2930	2	55	80	2.5	4	2	5470	2540	RH-3	50	form-based			true	0.7	6	1.5	4	4	7658	4728	4728	1.4
1216	001D	2188	0.05	2930	2	55	80	2.5	4	2	5470	2540	RH-3	50	form-based			true	0.7	6	1.5	4	4	7658	4728	4728	1.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1216	053	2188	0.05	1274	2	55	80	2.5	4	2	5470	4196	RH-3	50	form-based			true	0.7	6	1.5	4	4	7658	6384	6384	1.4
1217	002	2628	0.06	4529	3	55	80	2.5	5	2	6570	2041	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	9198	4669	4669	1.4
1217	047	3412	0.08	1212	6	55	80	2.5	6	0	8530	7318	RH-3	50	form-based			true	0.7	10	1.666666627	4	4	11942	10730	10730	1.4
1217	071	3412	0.08	1125	6	55	80	2.5	6	0	8530	7405	RH-3	50	form-based			true	0.7	10	1.666666627	4	4	11942	10817	10817	1.4
1218	001	3786	0.09	11430	16	55	80	2.5	7	0	9465	0	NCT-DIVIS.	85	form-based		true	true	0.75	20	2.857142925	4	0	22716	11286	7500	2.4
1218	020	2750	0.06	3724	4	55	80	2.5	5	1	6875	3151	RM-2	50	form-based			true	0.7	8	1.600000024	4	4	9625	5901	5901	1.4
1218	024	2112	0.05	7498	2	55	80	2.5	4	2	5280	0	RM-2	50	form-based			true	0.7	6	1.5	4	4	7392	0	0	1.4
1218	042	2750	0.06	828	4	55	80	2.5	5	1	6875	6047	RM-2	50	form-based			true	0.7	8	1.600000024	4	4	9625	8797	8797	1.4
1218	046	2750	0.06	791	4	55	80	2.5	5	1	6875	6084	RM-1	50	form-based			true	0.7	8	1.600000024	4	4	9625	8834	8834	1.4
1218	051	2750	0.06	930	4	55	80	2.5	5	1	6875	5945	RM-2	50	form-based		true	true	0.7	8	1.600000024	4	4	9625	8695	8695	1.4
1219	002	2521	0.06	2250	1	55	80	2.5	5	4	6302	4052	RM-2	40	form-based			true	0.7	5	1	4	4	7058.799805	4808.799805	4808.799805	1.120089
1219	004	2522	0.06	4049	1	55	80	2.5	5	4	6305	2256	RM-2	40	form-based			true	0.7	5	1	4	4	7061.600098	3012.600098	3012.600098	1.12
1219	015	3438	0.08	3531	3	55	80	2.5	6	3	8595	5064	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	6095.399414	6095.399414	1.12
1219	024	2422	0.06	2583	1	55	80	2.5	5	4	6055	3472	RH-3	40	form-based			true	0.7	5	1	4	4	6781.600098	4198.600098	4198.600098	1.12
1219	025	2422	0.06	2500	1	55	80	2.5	5	4	6055	3555	RH-3	40	form-based			true	0.7	5	1	4	4	6781.600098	4281.600098	4281.600098	1.12
1219	079	3449	0.08	758	3	55	80	2.5	6	3	8622	7864	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9657.200195	8899.200195	8899.200195	1.120065
1220	009	3437	0.08	3860	3	55	80	2.5	6	3	8592	4732	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	5763.599609	5763.599609	1.120065
1220	009A	4108	0.09	5080	5	55	80	2.5	7	2	10270	5190	RH-3	40	form-based			true	0.7	9	1.285714269	4	4	11502.39941	6422.399414	6422.399414	1.12
1220	017	2500	0.06	2950	1	55	80	2.5	5	4	6250	3300	RH-3	40	form-based		true	true	0.7	5	1	4	4	7000	4050	4050	1.12
1220	019	2415	0.06	2546	1	55	80	2.5	5	4	6038	3492	RH-3	40	form-based			true	0.7	5	1	4	4	6762	4216	4216	1.119907
1220	022	2279	0.05	3432	1	55	80	2.5	4	3	5698	2266	RH-3	40	form-based			true	0.7	5	1.25	4	4	6381.199707	2949.199707	2949.199707	1.119902
1220	026	3081	0.07	3200	2	55	80	2.5	6	4	7702	4502	RH-3	40	form-based			true	0.7	6	1	4	4	8626.799805	5426.799805	5426.799805	1.120073
1220	029	3362	0.08	4875	3	55	80	2.5	6	3	8405	3530	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9413.599609	4538.599609	4538.599609	1.12
1220	031	3359	0.08	4500	3	55	80	2.5	6	3	8398	3898	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9405.200195	4905.200195	4905.200195	1.119933
1220	038	3363	0.08	1304	3	55	80	2.5	6	3	8408	7104	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9416.399414	8112.399414	8112.399414	1.119933
1222	004	2560	0.06	3506	1	55	80	2.5	5	4	6400	2894	RH-3	40	form-based			true	0.7	5	1	4	4	7168	3662	3662	1.12
1222	010	2888	0.07	5038	2	55	80	2.5	6	4	7220	2182	RH-3	40	form-based			true	0.7	6	1	4	4	8086.399902	3048.399902	3048.399902	1.12
1222	012	5491	0.13	9420	8	55	80	2.5	10	2	13728	4308	RH-3	40	form-based			true	0.7	12	1.200000048	4	4	15374.7998	5954.799805	5954.799805	1.119959
1222	018	2500	0.06	4380	1	55	80	2.5	5	4	6250	1870	RH-3	40	form-based			true	0.7	5	1	4	4	7000	2620	2620	1.12
1222	021	2750	0.06	3873	2	55	80	2.5	5	3	6875	3002	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7700	3827	3827	1.12
1222	031	2839	0.07	3204	2	55	80	2.5	6	4	7098	3894	RM-2	40	form-based			true	0.7	6	1	4	4	7949.199707	4745.199707	4745.199707	1.119921
1223	009	1897	0.04	2750	0	55	80	2.5	3	3	4742	1992	RH-3	40	form-based			true	0.7	4	1.333333373	4	4	5311.600098	2561.600098	2561.600098	1.120118
1223	014	3382	0.08	6345	3	55	80	2.5	6	3	8455	2110	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9469.599609	3124.599609	3124.599609	1.12
1223	021	3387	0.08	5941	3	55	80	2.5	6	3	8468	2527	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9483.599609	3542.599609	3542.599609	1.119934
1223	027	2447	0.06	2300	1	55	80	2.5	5	4	6118	3818	RM-1	40	form-based			true	0.7	5	1	4	4	6851.600098	4551.600098	4551.600098	1.119908
1223	028	4794	0.11	1430	6	55	80	2.5	9	3	11985	10555	RM-1	40	form-based			true	0.7	10	1.111111164	4	4	13423.2002	11993.2002	11993.2002	1.12
1224	005	2666	0.06	3300	2	55	80	2.5	5	3	6665	3365	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7464.799805	4164.799805	4164.799805	1.12
1224	011	3438	0.08	4700	3	55	80	2.5	6	3	8595	3895	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	4926.399414	4926.399414	1.12
1224	014	3438	0.08	4600	3	55	80	2.5	6	3	8595	3995	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	5026.399414	5026.399414	1.12
1224	020	2656	0.06	1630	2	55	80	2.5	5	3	6640	5010	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	5806.799805	5806.799805	1.12
1224	021	2656	0.06	1272	2	55	80	2.5	5	3	6640	5368	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	6164.799805	6164.799805	1.12
1224	026	3393	0.08	3750	3	55	80	2.5	6	3	8482	4732	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9500.399414	5750.399414	5750.399414	1.120066
1224	034	2453	0.06	2375	1	55	80	2.5	5	4	6132	3757	RH-3	40	form-based			true	0.7	5	1	4	4	6868.399902	4493.399902	4493.399902	1.120091
1224	042	3393	0.08	800	3	55	80	2.5	6	3	8482	7682	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9500.399414	8700.399414	8700.399414	1.120066
1224	050	3437	0.08	1444	3	55	80	2.5	6	3	8592	7148	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	8179.599609	8179.599609	1.120065
1224	053	3437	0.08	1437	3	55	80	2.5	6	3	8592	7155	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	8186.599609	8186.599609	1.120065
1224	058	3438	0.08	1870	3	55	80	2.5	6	3	8595	6725	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	7756.399414	7756.399414	1.12
1224	069	3437	0.08	1622	3	55	80	2.5	6	3	8592	6970	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	8001.599609	8001.599609	1.120065
1225	013	3438	0.08	6375	3	55	80	2.5	6	3	8595	2220	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	3251.399414	3251.399414	1.12
1225	014	3438	0.08	6375	3	55	80	2.5	6	3	8595	2220	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	3251.399414	3251.399414	1.12
1225	024	2656	0.06	2800	2	55	80	2.5	5	3	6640	3840	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7436.799805	4636.799805	4636.799805	1.12
1225	033	3398	0.08	1600	3	55	80	2.5	6	3	8495	6895	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9514.399414	7914.399414	7914.399414	1.12
1225	045	3437	0.08	3460	3	55	80	2.5	6	3	8592	5132	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	6163.599609	6163.599609	1.120065
1225	046	3437	0.08	1298	3	55	80	2.5	6	3	8592	7294	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	8325.599609	8325.599609	1.120065
1226	011	4765	0.11	6195	6	55	80	2.5	9	3	11912	5717	RM-2	40	form-based			true	0.7	10	1.111111164	4	4	13342	7147	7147	1.120047
1226	012	3404	0.08	2125	3	55	80	2.5	6	3	8510	6385	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9531.200195	7406.200195	7406.200195	1.12
1226	023	2500	0.06	2576	1	55	80	2.5	5	4	6250	3674	RM-2	40	form-based			true	0.7	5	1	4	4	7000	4424	4424	1.12
1226	025	3438	0.08	4612	3	55	80	2.5	6	3	8595	3983	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	5014.399414	5014.399414	1.12
1226	032	2465	0.06	3778	1	55	80	2.5	5	4	6162	2384	RM-2	40	form-based			true	0.7	5	1	4	4	6902	3124	3124	1.120091
1226	033	2464	0.06	2920	1	55	80	2.5	5	4	6160	3240	RM-2	40	form-based			true	0.7	5	1	4	4	6899.199707	3979.199707	3979.199707	1.12
1226	042	2677	0.06	1824	2	55	80	2.5	5	3	6692	4868	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7495.600098	5671.600098	5671.600098	1.120084
1226	044	3402	0.08	1331	3	55	80	2.5	6	3	8505	7174	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9525.599609	8194.599609	8194.599609	1.12
1226	047	2678	0.06	2391	2	55	80	2.5	5	3	6695	4304	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7498.399902	5107.399902	5107.399902	1.12
1226	051	3438	0.08	5285	3	55	80	2.5	6	3	8595	3310	RM-2	40	form-based			true	0.7	7	1.166666627	4	4	9626.399414	4341.399414	4341.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1227	001	3765	0.09	5941	4	55	80	2.5	7	3	9412	3471	RM-2	40	form-based		true	true	0.7	8	1.142857194	4	4	10542	4601	4601	1.120059
1227	024	10000	0.23	28190	34	55	80	2.5	18	0	25000	0	RTO-C	65	form-based		true	true	0.75	38	2.111111164	4	2	45000	16810	16810	1.8
1228	010	8250	0.19	15140	19	55	80	2.5	15	0	20625	5485	RM-2	50	form-based			true	0.7	23	1.533333302	4	4	28875	13735	13735	1.4
1228	013	3437	0.08	5445	6	55	80	2.5	6	0	8592	3147	RM-2	50	form-based			true	0.7	10	1.666666627	4	4	12029.5	6584.5	6584.5	1.400082
1228	016	2750	0.06	3700	4	55	80	2.5	5	1	6875	3175	RM-2	50	form-based			true	0.7	8	1.600000024	4	4	9625	5925	5925	1.4
1229	013	2516	0.06	5340	5	55	80	2.5	5	0	6290	950	NCD-HAIG	65	form-based			true	0.75	9	1.799999952	4	4	11322	5982	5982	1.8
1229	016	2722	0.06	4500	4	55	80	2.5	5	1	6805	2305	RM-2	50	form-based			true	0.7	8	1.600000024	4	4	9527	5027	5027	1.4
1229	030	4159	0.1	5130	8	55	80	2.5	8	0	10398	5268	RH-3	50	form-based			true	0.7	12	1.5	4	4	14556.5	9426.5	9426.5	1.399933
1230	004	2656	0.06	4100	3	55	80	2.5	5	2	6640	2540	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	9296	5196	5196	1.4
1230	018	4338	0.1	7701	8	55	80	2.5	8	0	10845	3144	RH-3	50	form-based			true	0.7	12	1.5	4	4	15183	7482	7482	1.4
1230	021	2623	0.06	3400	3	55	80	2.5	5	2	6558	3158	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	9180.5	5780.5	5780.5	1.399893
1230	034	2656	0.06	1894	3	55	80	2.5	5	2	6640	4746	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	9296	7402	7402	1.4
1230	046	3034	0.07	1685	4	55	80	2.5	6	2	7585	5900	RH-3	50	form-based		true	true	0.7	8	1.333333373	4	4	10619	8934	8934	1.4
1231	004	2189	0.05	3090	2	55	80	2.5	4	2	5472	2382	RH-3	50	form-based			true	0.7	6	1.5	4	4	7661.5	4571.5	4571.5	1.400128
1231	035	2500	0.06	1590	3	55	80	2.5	5	2	6250	4660	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8750	7160	7160	1.4
1231	061	2496	0.06	807	5	55	80	2.5	5	0	6240	5433	RTO-C	65	form-based			true	0.75	9	1.799999952	4	4	11232	10425	10425	1.8
1232	003	2558	0.06	2068	3	55	80	2.5	5	2	6395	4327	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8953	6885	6885	1.4
1232	039	2500	0.06	1295	3	55	80	2.5	5	2	6250	4955	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8750	7455	7455	1.4
1233	005	2327	0.05	5415	3	55	80	2.5	4	1	5818	403	RH-3	50	form-based			true	0.7	7	1.75	4	4	8144.5	2729.5	2729.5	1.39988
1233	026	2344	0.05	3380	3	55	80	2.5	4	1	5860	2480	RH-3	50	form-based			true	0.7	7	1.75	4	4	8204	4824	4824	1.4
1233	028	2344	0.05	3890	3	55	80	2.5	4	1	5860	1970	RH-3	50	form-based			true	0.7	7	1.75	4	4	8204	4314	4314	1.4
1233	048	2325	0.05	1660	3	55	80	2.5	4	1	5812	4152	RH-3	50	form-based			true	0.7	7	1.75	4	4	8137.5	6477.5	6477.5	1.40012
1234	003	2598	0.06	5235	3	55	80	2.5	5	2	6495	1260	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	9093	3858	3858	1.4
1235	001	2700	0.06	4181	4	55	80	2.5	5	1	6750	2569	RH-3	50	form-based		true	true	0.7	8	1.600000024	4	4	9450	5269	5269	1.4
1235	002	2250	0.05	2600	2	55	80	2.5	4	2	5625	3025	RH-3	50	form-based			true	0.7	6	1.5	4	4	7875	5275	5275	1.4
1235	003	2200	0.05	2492	2	55	80	2.5	4	2	5500	3008	RH-3	50	form-based			true	0.7	6	1.5	4	4	7700	5208	5208	1.4
1235	005	2200	0.05	2640	2	55	80	2.5	4	2	5500	2860	RH-3	50	form-based			true	0.7	6	1.5	4	4	7700	5060	5060	1.4
1235	020	2500	0.06	4290	3	55	80	2.5	5	2	6250	1960	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8750	4460	4460	1.4
1235	028	3700	0.08	4500	6	55	80	2.5	6	0	9250	4750	RH-3	50	form-based			true	0.7	10	1.666666627	4	4	12950	8450	8450	1.4
1235	068	2535	0.06	1810	3	55	80	2.5	5	2	6338	4528	RH-3	50	form-based		true	true	0.7	7	1.399999976	4	4	8872.5	7062.5	7062.5	1.39989
1236	005	3466	0.08	6768	6	55	80	2.5	6	0	8665	1897	RM-2	50	form-based			true	0.7	10	1.666666627	4	4	12131	5363	5363	1.4
1236	036	2664	0.06	1916	3	55	80	2.5	5	2	6660	4744	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	9324	7408	7408	1.4
1237	034	2646	0.06	1700	3	55	80	2.5	5	2	6615	4915	RM-2	50	form-based		true	true	0.7	7	1.399999976	4	4	9261	7561	7561	1.4
1239	023	2645	0.06	4500	3	65	100	3	6	3	7935	3435	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	9257.5	4757.5	4757.5	1.166667
1237	059	2187	0.05	1077	2	55	80	2.5	4	2	5468	4391	RM-1	50	form-based			true	0.7	6	1.5	4	4	7654.5	6577.5	6577.5	1.399872
1238	021	3817	0.09	10200	16	65	100	3	9	0	11451	1251	NCT-DIVIS	85	form-based		true	true	0.75	20	2.222222328	4	2	22902	12702	12702	2
1238	022	2188	0.05	5950	7	65	100	3	5	0	6564	614	NCT-DIVIS	85	form-based			true	0.75	11	2.200000048	4	3	13128	7178	7178	2
1238	036	1875	0.04	2215	1	65	100	3	4	3	5625	3410	RH-3	50	form-based			true	0.7	5	1.25	4	4	6562.5	4347.5	4347.5	1.166667
1238	037	1875	0.04	2215	1	65	100	3	4	3	5625	3410	RH-3	50	form-based			true	0.7	5	1.25	4	4	6562.5	4347.5	4347.5	1.166667
1239	024	2756	0.06	5520	4	65	100	3	6	2	8268	2748	RH-3	50	form-based			true	0.7	8	1.333333373	4	4	9646	4126	4126	1.166667
1239	025	2450	0.06	2080	3	65	100	3	6	3	7350	5270	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8575	6495	6495	1.166667
1239	040	2628	0.06	1348	3	65	100	3	6	3	7884	6536	RH-3	50	form-based		true	true	0.7	7	1.166666627	4	4	9198	7850	7850	1.166667
1239	043	2850	0.07	477	4	65	100	3	7	3	8550	8073	RH-3	50	form-based		true	true	0.7	8	1.142857194	4	4	9975	9498	9498	1.166667
1239	051	2650	0.06	4225	3	65	100	3	6	3	7950	3725	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	9275	5050	5050	1.166667
1240	011	3437	0.08	5050	6	65	100	3	8	2	10311	5261	RH-3	50	form-based			true	0.7	10	1.25	4	4	12029.5	6979.5	6979.5	1.166667
1240	026	2750	0.06	4935	6	55	80	2.5	5	0	6875	1940	RTO-C	65	form-based			true	0.75	10	2	4	4	12375	7440	7440	1.8
1240	037	6875	0.16	10416	15	65	100	3	16	1	20625	10209	RH-3	50	form-based			true	0.7	19	1.1875	4	4	24062.5	13646.5	13646.5	1.166667
1241	003	2500	0.06	3090	3	55	80	2.5	5	2	6250	3160	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8750	5660	5660	1.4
1241	007	2633	0.06	2405	3	55	80	2.5	5	2	6582	4177	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	9215.5	6810.5	6810.5	1.400106
1241	012	2250	0.05	2630	4	55	80	2.5	4	0	5625	2995	RTO-C	65	form-based			true	0.75	8	2	4	4	10125	7495	7495	1.8
1241	021	1488	0.03	953	2	55	80	2.5	2	0	3720	2767	RTO-C	65	form-based			true	0.75	6	3	4	2	6696	5743	5743	1.8
1241	031	1514	0.03	2027	2	55	80	2.5	2	0	3785	1758	RTO-C	65	form-based			true	0.75	6	3	4	2	6813	4786	4786	1.8
1243	001	2813	0.06	8425	7	55	80	2.5	5	0	7032	0	NCD-HAIG	65	form-based		true	true	0.75	11	2.200000048	4	3	12658.5	4233.5	4233.5	1.800128
1243	035	2188	0.05	969	2	55	80	2.5	4	2	5470	4501	RH-3	50	form-based			true	0.7	6	1.5	4	4	7658	6689	6689	1.4
1244	006	2637	0.06	4875	3	55	80	2.5	5	2	6592	1717	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	9229.5	4354.5	4354.5	1.400106
1244	017	2400	0.06	4650	3	55	80	2.5	5	2	6000	1350	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8400	3750	3750	1.4
1244	018	2400	0.06	4650	3	55	80	2.5	5	2	6000	1350	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8400	3750	3750	1.4
1244	048	3425	0.08	669	6	55	80	2.5	6	0	8562	7893	RH-3	50	form-based		true	true	0.7	10	1.666666627	4	4	11987.5	11318.5	11318.5	1.400082
1245	004	2536	0.06	4050	3	55	80	2.5	5	2	6340	2290	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8876	4826	4826	1.4
1245	005	2536	0.06	4050	3	55	80	2.5	5	2	6340	2290	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8876	4826	4826	1.4
1245	006	2535	0.06	4050	3	55	80	2.5	5	2	6338	2288	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8872.5	4822.5	4822.5	1.39989
1246	009	2388	0.05	4875	3	65	100	3	5	2	7164	2289	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8358	3483	3483	1.166667
1246	013	2517	0.06	3100	3	65	100	3	6	3	7551	4451	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8809.5	5709.5	5709.5	1.166667
1246	016	2500	0.06	3900	3	65	100	3	6	3	7500	3600	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8750	4850	4850	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1246	034	2387	0.05	1658	3	65	100	3	5	2	7161	5503	RH-3	50	form-based			true	0.7	7	1.399999976	4	4	8354.5	6696.5	6696.5	1.166667
1246	051	1881	0.04	1620	3	65	100	3	4	1	5643	4023	RTO-C	65	form-based			true	0.75	7	1.75	4	4	8464.5	6844.5	6844.5	1.5
1246	054	2483	0.06	7821	3	65	100	3	6	3	7449	0	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8690.5	869.5	869.5	1.166667
1247	007	2500	0.06	3975	3	65	100	3	6	3	7500	3525	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8750	4775	4775	1.166667
1247	026	2500	0.06	1475	3	65	100	3	6	3	7500	6025	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8750	7275	7275	1.166667
1247	029	2500	0.06	1668	3	65	100	3	6	3	7500	5832	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8750	7082	7082	1.166667
1247	032	2404	0.06	1425	3	65	100	3	6	3	7212	5787	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8414	6989	6989	1.166667
1247	042	2402	0.06	1096	3	65	100	3	6	3	7206	6110	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8407	7311	7311	1.166667
1248	002	3368	0.08	5700	5	65	100	3	8	3	10104	4404	RH-3	50	form-based			true	0.7	9	1.125	4	4	11788	6088	6088	1.166667
1248	015	3462	0.08	4835	6	65	100	3	8	2	10386	5551	RH-3	50	form-based	true		true	0.7	10	1.25	4	4	12117	7282	7282	1.166667
1248	043	2500	0.06	1500	3	65	100	3	6	3	7500	6000	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8750	7250	7250	1.166667
1249	022	2507	0.06	4275	3	65	100	3	6	3	7521	3246	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8774.5	4499.5	4499.5	1.166667
1250	003A	2151	0.05	3038	2	65	100	3	5	3	6453	3415	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7528.5	4490.5	4490.5	1.166667
1250	009	2380	0.05	5040	3	65	100	3	5	2	7140	2100	RH-3	50	form-based	true		true	0.7	7	1.399999976	4	4	8330	3290	3290	1.166667
1250	017	2500	0.06	4589	3	65	100	3	6	3	7500	2911	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8750	4161	4161	1.166667
1250	059	2151	0.05	1519	2	65	100	3	5	3	6453	4934	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7528.5	6009.5	6009.5	1.166667
1250	064	3438	0.08	4484	6	65	100	3	8	2	10314	5830	RH-3	50	form-based			true	0.7	10	1.25	4	4	12033	7549	7549	1.166667
1251	013	2750	0.06	4120	4	65	100	3	6	2	8250	4130	RH-3	50	form-based	true		true	0.7	8	1.333333373	4	4	9625	5505	5505	1.166667
1251	021	2460	0.06	3200	3	65	100	3	6	3	7380	4180	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8610	5410	5410	1.166667
1252	004	2540	0.06	2952	3	65	100	3	6	3	7620	4668	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8890	5938	5938	1.166667
1252	020	2440	0.06	4125	3	65	100	3	6	3	7320	3195	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8540	4415	4415	1.166667
1252	037	3125	0.07	4483	5	65	100	3	7	2	9375	4892	RH-3	50	form-based			true	0.7	9	1.285714269	4	4	10937.5	6454.5	6454.5	1.166667
1252	038	2853	0.07	2870	4	65	100	3	7	3	8559	5689	RH-3	50	form-based			true	0.7	8	1.142857194	4	4	9985.5	7115.5	7115.5	1.166667
1252	049	2719	0.06	3550	4	65	100	3	6	2	8157	4607	RH-3	50	form-based			true	0.7	8	1.333333373	4	4	9516.5	5966.5	5966.5	1.166667
1252	073	2441	0.06	1432	3	65	100	3	6	3	7323	5891	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8543.5	7111.5	7111.5	1.166667
1253	002	2519	0.06	4954	3	65	100	3	6	3	7557	2603	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8816.5	3862.5	3862.5	1.166667
1254	010	2769	0.06	2595	2	65	100	3	6	4	8307	5712	RH-3	40	form-based			true	0.7	6	1	4	4	7753.199707	5158.199707	5158.199707	0.933333
1254	019	2913	0.07	3139	2	65	100	3	7	5	8739	5600	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8156.399902	5017.399902	5017.399902	0.933333
1254	020	2913	0.07	3250	2	65	100	3	7	5	8739	5489	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8156.399902	4906.399902	4906.399902	0.933333
1254	026	2575	0.06	2800	1	65	100	3	6	5	7725	4925	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7210	4410	4410	0.933333
1254	031	2650	0.06	3811	2	65	100	3	6	4	7950	4139	RH-3	40	form-based			true	0.7	6	1	4	4	7420	3609	3609	0.933333
1254	032	2650	0.06	3350	2	65	100	3	6	4	7950	4600	RH-3	40	form-based			true	0.7	6	1	4	4	7420	4070	4070	0.933333
1254	037	2650	0.06	3500	2	65	100	3	6	4	7950	4450	RH-3	40	form-based			true	0.7	6	1	4	4	7420	3920	3920	0.933333
1254	038	2650	0.06	3150	2	65	100	3	6	4	7950	4800	RH-3	40	form-based			true	0.7	6	1	4	4	7420	4270	4270	0.933333
1254	040	2244	0.05	2426	1	65	100	3	5	4	6732	4306	RH-3	40	form-based			true	0.7	5	1	4	4	6283.199707	3857.199707	3857.199707	0.933333
1254	041	2650	0.06	2850	2	65	100	3	6	4	7950	5100	RH-3	40	form-based			true	0.7	6	1	4	4	7420	4570	4570	0.933333
1254	091	2650	0.06	1157	2	65	100	3	6	4	7950	6793	RH-3	40	form-based			true	0.7	6	1	4	4	7420	6263	6263	0.933333
1254	093	2650	0.06	1648	2	65	100	3	6	4	7950	6302	RH-3	40	form-based			true	0.7	6	1	4	4	7420	5772	5772	0.933333
1254	095	2650	0.06	1200	2	65	100	3	6	4	7950	6750	RH-3	40	form-based			true	0.7	6	1	4	4	7420	6220	6220	0.933333
1254	105	2644	0.06	1289	2	65	100	3	6	4	7932	6643	RH-3	40	form-based			true	0.7	6	1	4	4	7403.199707	6114.199707	6114.199707	0.933333
1254	121	2650	0.06	1316	2	65	100	3	6	4	7950	6634	RH-3	40	form-based			true	0.7	6	1	4	4	7420	6104	6104	0.933333
1254	125	2650	0.06	2255	2	65	100	3	6	4	7950	5695	RH-3	40	form-based			true	0.7	6	1	4	4	7420	5165	5165	0.933333
1255	005	2609	0.06	2190	1	55	80	2.5	5	4	6522	4332	RH-3	40	form-based			true	0.7	5	1	4	4	7305.199707	5115.199707	5115.199707	1.120086
1255	006	2451	0.06	2704	1	55	80	2.5	5	4	6128	3424	RH-3	40	form-based			true	0.7	5	1	4	4	6862.799805	4158.799805	4158.799805	1.119909
1255	007	2606	0.06	2500	1	55	80	2.5	5	4	6515	4015	RH-3	40	form-based			true	0.7	5	1	4	4	7296.799805	4796.799805	4796.799805	1.12
1255	008	2605	0.06	1900	1	55	80	2.5	5	4	6512	4612	RH-3	40	form-based			true	0.7	5	1	4	4	7294	5394	5394	1.120086
1255	009	2604	0.06	1920	1	55	80	2.5	5	4	6510	4590	RH-3	40	form-based			true	0.7	5	1	4	4	7291.199707	5371.199707	5371.199707	1.12
1255	010	2603	0.06	2259	1	55	80	2.5	5	4	6508	4249	RH-3	40	form-based			true	0.7	5	1	4	4	7288.399902	5029.399902	5029.399902	1.119914
1255	015	2598	0.06	2310	1	55	80	2.5	5	4	6495	4185	RH-3	40	form-based			true	0.7	5	1	4	4	7274.399902	4964.399902	4964.399902	1.12
1255	026	2500	0.06	3436	1	65	100	3	6	5	7500	4064	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	3564	3564	0.933333
1255	027	2666	0.06	5325	2	65	100	3	6	4	7998	2673	RH-3	40	form-based			true	0.7	6	1	4	4	7464.799805	2139.799805	2139.799805	0.933333
1255	030	2656	0.06	3162	2	65	100	3	6	4	7968	4806	RH-3	40	form-based			true	0.7	6	1	4	4	7436.799805	4274.799805	4274.799805	0.933333
1255	035	2538	0.06	2450	1	65	100	3	6	5	7614	5164	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7106.399902	4656.399902	4656.399902	0.933333
1255	039	2669	0.06	2680	2	55	80	2.5	5	3	6672	3992	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7473.199707	4793.199707	4793.199707	1.120084
1255	046	3300	0.08	2485	3	55	80	2.5	6	3	8250	5765	RH-3	40	form-based	true		true	0.7	7	1.166666627	4	4	9240	6755	6755	1.12
1255	077	2500	0.06	2658	1	55	80	2.5	5	4	6250	3592	RH-3	40	form-based			true	0.7	5	1	4	4	7000	4342	4342	1.12
1255	080	2500	0.06	3164	1	55	80	2.5	5	4	6250	3086	RH-3	40	form-based			true	0.7	5	1	4	4	7000	3836	3836	1.12
1255	091	2714	0.06	1281	2	65	100	3	6	4	8142	6861	RH-3	40	form-based			true	0.7	6	1	4	4	7599.199707	6318.199707	6318.199707	0.933333
1256	022	2350	0.05	2888	1	55	80	2.5	4	3	5875	2987	RH-3	40	form-based			true	0.7	5	1.25	4	4	6580	3692	3692	1.12
1256	023	2350	0.05	2230	1	55	80	2.5	4	3	5875	3645	RH-3	40	form-based			true	0.7	5	1.25	4	4	6580	4350	4350	1.12
1256	043	2835	0.07	4640	2	55	80	2.5	6	4	7088	2448	RH-3	40	form-based			true	0.7	6	1	4	4	7938	3298	3298	1.119921
1256	050	7455	0.17	9252	12	55	80	2.5	14	2	18638	9386	RH-3	40	form-based			true	0.7	16	1.142857194	4	4	20874	11622	11622	1.11997
1256	068	2835	0.07	3307	2	55	80	2.5	6	4	7088	3781	RH-3	40	form-based			true	0.7	6	1	4	4	7938	4631	4631	1.119921
1258	018	3009	0.07	4080	2	55	80	2.5	6	4	7522	3442	RH-3	40	form-based			true	0.7	6	1	4	4	8425.200195	4345.200195	4345.200195	1.120075

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1258	023	2894	0.07	2740	2	55	80	2.5	6	4	7235	4495	RH-3	40	form-based			true	0.7	6	1	4	4	8103.199707	5363.199707	5363.199707	1.12
1259	030	2550	0.06	2020	1	65	100	3	6	5	7650	5630	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7140	5120	5120	0.933333
1259	033	3095	0.07	1373	2	65	100	3	7	5	9285	7912	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8666	7293	7293	0.933333
1259	053	2825	0.06	2001	2	65	100	3	6	4	8475	6474	RH-3	40	form-based			true	0.7	6	1	4	4	7910	5909	5909	0.933333
1260	004	2900	0.07	3428	2	65	100	3	7	5	8700	5272	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8120	4692	4692	0.933333
1260	017	3020	0.07	3080	2	65	100	3	7	5	9060	5980	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8456	5376	5376	0.933333
1260	034	2500	0.06	1340	1	65	100	3	6	5	7500	6160	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	5660	5660	0.933333
1260	035	2500	0.06	3184	1	65	100	3	6	5	7500	4316	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	3816	3816	0.933333
1260	036	2500	0.06	1490	1	65	100	3	6	5	7500	6010	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	5510	5510	0.933333
1260	053	3243	0.07	2823	3	65	100	3	7	4	9729	6906	RH-3	40	form-based			true	0.7	7	1	4	4	9080.399414	6257.399414	6257.399414	0.933333
1260	058	2900	0.07	2142	2	65	100	3	7	5	8700	6558	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8120	5978	5978	0.933333
1260	073	2969	0.07	1350	2	65	100	3	7	5	8907	7557	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8313.200195	6963.200195	6963.200195	0.933333
1260	081	2969	0.07	1410	2	65	100	3	7	5	8907	7497	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8313.200195	6903.200195	6903.200195	0.933333
1261	002	2000	0.05	2656	2	65	100	3	5	3	6000	3344	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7000	4344	4344	1.166667
1261	003	2000	0.05	2656	2	65	100	3	5	3	6000	3344	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7000	4344	4344	1.166667
1261	013	2500	0.06	4665	3	65	100	3	6	3	7500	2835	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8750	4085	4085	1.166667
1261	015	2988	0.07	6015	4	65	100	3	7	3	8964	2949	RH-3	50	form-based		true	true	0.7	8	1.142857194	4	4	10458	4443	4443	1.166667
1261	018	3345	0.08	3432	5	65	100	3	8	3	10035	6603	RH-3	50	form-based			true	0.7	9	1.125	4	4	11707.5	8275.5	8275.5	1.166667
1261	024	1961	0.05	2675	1	65	100	3	5	4	5883	3208	RH-3	50	form-based		true	true	0.7	5	1	4	4	6863.5	4188.5	4188.5	1.166667
1262	002	2031	0.05	2370	2	65	100	3	5	3	6093	3723	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7108.5	4738.5	4738.5	1.166667
1262	009	2031	0.05	2300	2	65	100	3	5	3	6093	3793	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7108.5	4808.5	4808.5	1.166667
1262	014	2500	0.06	3056	3	65	100	3	6	3	7500	4444	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8750	5694	5694	1.166667
1262	015	4375	0.1	3180	8	65	100	3	10	2	13125	9945	RH-3	50	form-based			true	0.7	12	1.200000048	4	4	15312.5	12132.5	12132.5	1.166667
1262	016	3437	0.08	3035	6	65	100	3	8	2	10311	7276	RH-3	50	form-based			true	0.7	10	1.25	4	4	12029.5	8994.5	8994.5	1.166667
1262	028	2695	0.06	5520	6	65	100	3	6	0	8085	2565	RTO-C	65	form-based			true	0.75	10	1.666666627	4	4	12127.5	6607.5	6607.5	1.5
1262	030	2694	0.06	4577	6	65	100	3	6	0	8082	3505	RTO-C	65	form-based			true	0.75	10	1.666666627	4	4	12123	7546	7546	1.5
1262	044	2500	0.06	1628	3	65	100	3	6	3	7500	5872	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8750	7122	7122	1.166667
1265	010	3781	0.09	5718	10	65	100	3	9	0	11343	5625	RTO-C	65	form-based			true	0.75	14	1.555555582	4	4	17014.5	11296.5	11296.5	1.5
1266	005	2688	0.06	3750	6	85	140	4	8	2	10752	7002	RTO-C	65	form-based			true	0.75	10	1.25	4	4	12096	8346	8346	1.125
1268	012	2500	0.06	3600	3	65	100	3	6	3	7500	3900	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8750	5150	5150	1.166667
1268	032	2850	0.07	2982	4	85	140	4	10	6	11400	8418	RH-3	50	form-based			true	0.7	8	0.800000012	4	4	9975	6993	6993	0.875
1268	037	2815	0.06	2800	4	65	100	3	6	2	8445	5645	RH-3	50	form-based			true	0.7	8	1.333333373	4	4	9852.5	7052.5	7052.5	1.166667
1268	046	3002	0.07	4120	4	65	100	3	7	3	9006	4886	RH-3	50	form-based			true	0.7	8	1.142857194	4	4	10507	6387	6387	1.166667
1268	048	2866	0.07	4125	4	65	100	3	7	3	8598	4473	RH-3	50	form-based			true	0.7	8	1.142857194	4	4	10031	5906	5906	1.166667
1268	055	1839	0.04	1183	3	85	140	4	6	3	7356	6173	NCD-COLE	65	form-based			true	0.75	7	1.166666627	4	4	8275.5	7092.5	7092.5	1.125
1268	061	2500	0.06	374	3	65	100	3	6	3	7500	7126	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8750	8376	8376	1.166667
1268	066	3135	0.07	5403	5	65	100	3	7	2	9405	4002	RH-3	50	form-based			true	0.7	9	1.285714269	4	4	10972.5	5569.5	5569.5	1.166667
1269	026	2656	0.06	2878	2	65	100	3	6	4	7968	5090	RH-2	40	form-based			true	0.7	6	1	4	4	7436.799805	4558.799805	4558.799805	0.933333
1269	033	2469	0.06	3057	1	65	100	3	6	5	7407	4350	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	3856.199707	3856.199707	0.933333
1269	056	2263	0.05	2202	1	65	100	3	5	4	6789	4587	RH-2	40	form-based			true	0.7	5	1	4	4	6336.399902	4134.399902	4134.399902	0.933333
1269	058	2372	0.05	2700	1	65	100	3	5	4	7116	4416	RH-2	40	form-based			true	0.7	5	1	4	4	6641.600098	3941.600098	3941.600098	0.933333
1269	065	2674	0.06	2500	2	65	100	3	6	4	8022	5522	RH-2	40	form-based			true	0.7	6	1	4	4	7487.199707	4987.199707	4987.199707	0.933333
1269	067	2663	0.06	2375	2	65	100	3	6	4	7989	5614	RH-2	40	form-based			true	0.7	6	1	4	4	7456.399902	5081.399902	5081.399902	0.933333
1269	075	2549	0.06	2250	1	65	100	3	6	5	7647	5397	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7137.199707	4887.199707	4887.199707	0.933333
1269	076	2549	0.06	1732	1	65	100	3	6	5	7647	5915	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7137.199707	5405.199707	5405.199707	0.933333
1269	077	2549	0.06	1892	1	65	100	3	6	5	7647	5755	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7137.199707	5245.199707	5245.199707	0.933333
1269	168	2651	0.06	2692	2	65	100	3	6	4	7953	5261	RH-2	40	form-based			true	0.7	6	1	4	4	7422.799805	4730.799805	4730.799805	0.933333
1270	004	3500	0.08	4830	3	55	80	2.5	6	3	8750	3920	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9800	4970	4970	1.12
1270	012	3125	0.07	3500	3	55	80	2.5	6	3	7812	4312	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8750	5250	5250	1.120072
1270	014	2110	0.05	2110	0	55	80	2.5	4	4	5275	3165	RH-2	40	form-based			true	0.7	4	1	4	4	5908	3798	3798	1.12
1270	019	2506	0.06	2180	1	65	100	3	6	5	7518	5338	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7016.799805	4836.799805	4836.799805	0.933333
1270	026	3187	0.07	4345	3	65	100	3	7	4	9561	5216	RH-3	40	form-based			true	0.7	7	1	4	4	8923.599609	4578.599609	4578.599609	0.933333
1270	033A	2588	0.06	1500	1	65	100	3	6	5	7764	6264	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7246.399902	5746.399902	5746.399902	0.933333
1270	035	2402	0.06	2155	1	65	100	3	6	5	7206	5051	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	6725.600098	4570.600098	4570.600098	0.933333
1270	044	2588	0.06	1350	1	65	100	3	6	5	7764	6414	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7246.399902	5896.399902	5896.399902	0.933333
1270	045	2800	0.06	1892	2	65	100	3	6	4	8400	6508	RH-2	40	form-based			true	0.7	6	1	4	4	7840	5948	5948	0.933333
1270	054	2151	0.05	2807	1	65	100	3	5	4	6453	3646	RH-2	40	form-based			true	0.7	5	1	4	4	6022.799805	3215.799805	3215.799805	0.933333
1270	059	2337	0.05	1628	1	55	80	2.5	4	3	5842	4214	RH-2	40	form-based			true	0.7	5	1.25	4	4	6543.600098	4915.600098	4915.600098	1.120096
1270	060	2351	0.05	1920	1	55	80	2.5	4	3	5878	3958	RH-2	40	form-based			true	0.7	5	1.25	4	4	6582.799805	4662.799805	4662.799805	1.119905
1270	064	2634	0.06	3240	2	65	100	3	6	4	7902	4662	RH-2	40	form-based			true	0.7	6	1	4	4	7375.199707	4135.199707	4135.199707	0.933333
1270	066	2641	0.06	2950	2	65	100	3	6	4	7923	4973	RH-2	40	form-based			true	0.7	6	1	4	4	7394.799805	4444.799805	4444.799805	0.933333
1270	067	2204	0.05	950	1	65	100	3	5	4	6612	5662	RH-2	40	form-based			true	0.7	5	1	4	4	6171.199707	5221.199707	5221.199707	0.933333
1270	071	2219	0.05	2650	1	55	80	2.5	4	3	5548	2898	RH-2	40	form-based			true	0.7	5	1.25	4	4	6213.199707	3563.199707	3563.199707	1.119899
1270	073	3922	0.09	4745	4	55	80	2.5	7	3	9805	5060	RH-3	40	form-based			true	0.7	8	1.142857194	4	4	10981.59961	6236.599609	6236.599609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1270	085	3000	0.07	977	2	65	100	3	7	5	9000	8023	RH-3	40	form-based		true	true	0.7	6	0.857142866	4	4	8400	7423	7423	0.933333
1270	087	3197	0.07	1055	3	55	80	2.5	6	3	7992	6937	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8951.599609	7896.599609	7896.599609	1.12007
1271	054	2500	0.06	1775	3	65	100	3	6	3	7500	5725	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	8750	6975	6975	1.166667
1272	025	3077	0.07	4400	8	85	140	4	10	2	12308	7908	RTO-C	65	form-based			true	0.75	12	1.200000048	4	4	13846.5	9446.5	9446.5	1.125
1274	002	2687	0.06	3960	6	85	140	4	8	2	10748	6788	RTO-C	65	form-based			true	0.75	10	1.25	4	4	12091.5	8131.5	8131.5	1.125
1274	017	3053	0.07	9180	7	65	100	3	7	0	9159	0	RTO-C	65	form-based		true	true	0.75	11	1.571428537	4	4	13738.5	4558.5	4558.5	1.5
1275	007	2295	0.05	3575	5	65	100	3	5	0	6885	3310	RTO-C	65	form-based			true	0.75	9	1.799999952	4	4	10327.5	6752.5	6752.5	1.5
1277	002	2684	0.06	5475	6	65	100	3	6	0	8052	2577	RTO-C	65	form-based			true	0.75	10	1.666666627	4	4	12078	6603	6603	1.5
1277	014	3000	0.07	3950	4	65	100	3	7	3	9000	5050	RH-3	50	form-based			true	0.7	8	1.142857194	4	4	10500	6550	6550	1.166667
1278	008	2687	0.06	3924	4	65	100	3	6	2	8061	4137	RH-2	50	form-based		true	true	0.7	8	1.333333373	4	4	9404.5	5480.5	5480.5	1.166667
1278	018	2500	0.06	4200	3	65	100	3	6	3	7500	3300	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8750	4550	4550	1.166667
1278	020	2750	0.06	5070	6	65	100	3	6	0	8250	3180	RTO-C	65	form-based			true	0.75	10	1.666666627	4	4	12375	7305	7305	1.5
1278	022	3034	0.07	5382	7	65	100	3	7	0	9102	3720	NCD-COLE	65	form-based		true	true	0.75	11	1.571428537	4	4	13653	8271	8271	1.5
1279	014	2293	0.05	2592	1	65	100	3	5	4	6879	4287	RH-2	40	form-based			true	0.7	5	1	4	4	6420.399902	3828.399902	3828.399902	0.933333
1279	027	2318	0.05	2203	1	65	100	3	5	4	6954	4751	RH-2	40	form-based			true	0.7	5	1	4	4	6490.399902	4287.399902	4287.399902	0.933333
1279	031	2325	0.05	1370	1	65	100	3	5	4	6975	5605	RH-2	40	form-based			true	0.7	5	1	4	4	6510	5140	5140	0.933333
1279	032	2327	0.05	1050	1	55	80	2.5	4	3	5818	4768	RH-2	40	form-based			true	0.7	5	1.25	4	4	6515.600098	5465.600098	5465.600098	1.119904
1279	033	2326	0.05	1319	1	55	80	2.5	4	3	5815	4496	RH-2	40	form-based			true	0.7	5	1.25	4	4	6512.799805	5193.799805	5193.799805	1.12
1279	034	2322	0.05	1178	1	55	80	2.5	4	3	5805	4627	RH-2	40	form-based			true	0.7	5	1.25	4	4	6501.600098	5323.600098	5323.600098	1.12
1279	035	2318	0.05	1275	1	55	80	2.5	4	3	5795	4520	RH-2	40	form-based			true	0.7	5	1.25	4	4	6490.399902	5215.399902	5215.399902	1.12
1279	037	2446	0.06	1807	1	55	80	2.5	5	4	6115	4308	RH-2	40	form-based			true	0.7	5	1	4	4	6848.799805	5041.799805	5041.799805	1.12
1279	040	2293	0.05	2012	1	55	80	2.5	4	3	5732	3720	RH-2	40	form-based			true	0.7	5	1.25	4	4	6420.399902	4408.399902	4408.399902	1.120098
1279	041	2289	0.05	1800	1	55	80	2.5	4	3	5722	3922	RH-2	40	form-based			true	0.7	5	1.25	4	4	6409.199707	4609.199707	4609.199707	1.120098
1279	046	2625	0.06	2200	2	55	80	2.5	5	3	6562	4362	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	5150	5150	1.120085
1279	047	2563	0.06	1902	1	55	80	2.5	5	4	6408	4506	RH-2	40	form-based			true	0.7	5	1	4	4	7176.399902	5274.399902	5274.399902	1.119913
1279	048	2512	0.06	2846	1	55	80	2.5	5	4	6280	3434	RH-2	40	form-based		true	true	0.7	5	1	4	4	7033.600098	4187.600098	4187.600098	1.12
1279	049	3489	0.08	2418	3	55	80	2.5	6	3	8722	6304	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9769.200195	7351.200195	7351.200195	1.120064
1279	055	3489	0.08	3760	3	65	100	3	8	5	10467	6707	RH-2	40	form-based			true	0.7	7	0.875	4	4	9769.200195	6009.200195	6009.200195	0.933333
1279	108	2679	0.06	4972	2	55	80	2.5	5	3	6698	1726	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7501.199707	2529.199707	2529.199707	1.119916
1280	002	2509	0.06	1125	1	65	100	3	6	5	7527	6402	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7025.199707	5900.199707	5900.199707	0.933333
1280	003	2509	0.06	1837	1	65	100	3	6	5	7527	5690	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7025.199707	5188.199707	5188.199707	0.933333
1280	004	2509	0.06	2054	1	65	100	3	6	5	7527	5473	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7025.199707	4971.199707	4971.199707	0.933333
1280	005	2509	0.06	3370	1	65	100	3	6	5	7527	4157	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7025.199707	3655.199707	3655.199707	0.933333
1280	006	2509	0.06	1980	1	65	100	3	6	5	7527	5547	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7025.199707	5045.199707	5045.199707	0.933333
1280	009	2509	0.06	1744	1	65	100	3	6	5	7527	5783	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7025.199707	5281.199707	5281.199707	0.933333
1280	011	3123	0.07	2500	3	65	100	3	7	4	9369	6869	RH-2	40	form-based			true	0.7	7	1	4	4	8744.399414	6244.399414	6244.399414	0.933333
1280	020	2446	0.06	3461	1	65	100	3	6	5	7338	3877	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	6848.799805	3387.799805	3387.799805	0.933333
1280	021	2448	0.06	2019	1	65	100	3	6	5	7344	5325	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	6854.399902	4835.399902	4835.399902	0.933333
1282	019	2272	0.05	1160	1	65	100	3	5	4	6816	5656	RH-2	40	form-based			true	0.7	5	1	4	4	6361.600098	5201.600098	5201.600098	0.933333
1282	020	2267	0.05	1752	1	65	100	3	5	4	6801	5049	RH-3	40	form-based			true	0.7	5	1	4	4	6347.600098	4595.600098	4595.600098	0.933333
1282	021	2828	0.06	3004	2	65	100	3	6	4	8484	5480	RH-3	40	form-based			true	0.7	6	1	4	4	7918.399902	4914.399902	4914.399902	0.933333
1282	028	2306	0.05	2056	1	65	100	3	5	4	6918	4862	RH-3	40	form-based			true	0.7	5	1	4	4	6456.799805	4400.799805	4400.799805	0.933333
1282	030	2823	0.06	1199	2	65	100	3	6	4	8469	7270	RH-3	40	form-based			true	0.7	6	1	4	4	7904.399902	6705.399902	6705.399902	0.933333
1282	040	2827	0.06	1300	2	65	100	3	6	4	8481	7181	RH-3	40	form-based			true	0.7	6	1	4	4	7915.600098	6615.600098	6615.600098	0.933333
1284	004	2500	0.06	2467	1	65	100	3	6	5	7500	5033	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4533	4533	0.933333
1284	006	2500	0.06	1850	1	65	100	3	6	5	7500	5650	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5150	5150	0.933333
1284	012	2617	0.06	1260	1	65	100	3	6	5	7851	6591	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7327.600098	6067.600098	6067.600098	0.933333
1284	013	2617	0.06	3639	1	65	100	3	6	5	7851	4212	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7327.600098	3688.600098	3688.600098	0.933333
1284	015	2498	0.06	2390	1	65	100	3	6	5	7494	5104	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	6994.399902	4604.399902	4604.399902	0.933333
1284	018	2500	0.06	1750	1	65	100	3	6	5	7500	5750	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5250	5250	0.933333
1284	019	2501	0.06	1167	1	65	100	3	6	5	7503	6336	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7002.799805	5835.799805	5835.799805	0.933333
1284	021	2502	0.06	2300	1	65	100	3	6	5	7506	5206	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7005.600098	4705.600098	4705.600098	0.933333
1284	035	2627	0.06	1648	2	65	100	3	6	4	7881	6233	RH-2	40	form-based			true	0.7	6	1	4	4	7355.600098	5707.600098	5707.600098	0.933333
1285	002	2443	0.06	2645	1	65	100	3	6	5	7329	4684	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6840.399902	4195.399902	4195.399902	0.933333
1285	004	2440	0.06	1312	1	65	100	3	6	5	7320	6008	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6832	5520	5520	0.933333
1285	005	2438	0.06	1312	1	65	100	3	6	5	7314	6002	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6826.399902	5514.399902	5514.399902	0.933333
1285	007	2435	0.06	2930	1	65	100	3	6	5	7305	4375	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6818	3888	3888	0.933333
1285	009	2500	0.06	1700	1	65	100	3	6	5	7500	5800	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5300	5300	0.933333
1285	010	2500	0.06	1670	1	65	100	3	6	5	7500	5830	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5330	5330	0.933333
1285	011	2500	0.06	1157	1	65	100	3	6	5	7500	6343	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5843	5843	0.933333
1285	012	2500	0.06	2550	1	65	100	3	6	5	7500	4950	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4450	4450	0.933333
1285	013	2500	0.06	1440	1	65	100	3	6	5	7500	6060	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5560	5560	0.933333
1285	018	2760	0.06	3150	2	65	100	3	6	4	8280	5130	RH-2	40	form-based			true	0.7	6	1	4	4	7728	4578	4578	0.933333
1285	021	2532	0.06	1612	1	65	100	3	6	5	7596	5984	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	5477.600098	5477.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1285	022	2535	0.06	3134	1	65	100	3	6	5	7605	4471	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7098	3964	3964	0.933333
1285	024	2539	0.06	2994	1	65	100	3	6	5	7617	4623	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7109.199707	4115.199707	4115.199707	0.933333
1285	026	2760	0.06	1655	2	65	100	3	6	4	8280	6625	RH-2	40	form-based			true	0.7	6	1	4	4	7728	6073	6073	0.933333
1286	005	2446	0.06	1700	1	55	80	2.5	5	4	6115	4415	RH-2	40	form-based			true	0.7	5	1	4	4	6848.799805	5148.799805	5148.799805	1.12
1286	006	2473	0.06	2531	1	55	80	2.5	5	4	6182	3651	RH-2	40	form-based			true	0.7	5	1	4	4	6924.399902	4393.399902	4393.399902	1.120091
1286	011	2232	0.05	2000	1	55	80	2.5	4	3	5580	3580	RH-2	40	form-based			true	0.7	5	1.25	4	4	6249.600098	4249.600098	4249.600098	1.12
1286	012	2181	0.05	2150	1	55	80	2.5	4	3	5452	3302	RH-2	40	form-based			true	0.7	5	1.25	4	4	6106.799805	3956.799805	3956.799805	1.120103
1286	023	2725	0.06	3672	2	55	80	2.5	5	3	6812	3140	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7630	3958	3958	1.120082
1286	025	2729	0.06	3058	2	65	100	3	6	4	8187	5129	RH-2	40	form-based			true	0.7	6	1	4	4	7641.199707	4583.199707	4583.199707	0.933333
1287	004	2750	0.06	3498	2	65	100	3	6	4	8250	4752	RH-2	40	form-based			true	0.7	6	1	4	4	7700	4202	4202	0.933333
1287	005	2750	0.06	2900	2	55	80	2.5	5	3	6875	3975	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7700	4800	4800	1.12
1287	021	2494	0.06	1470	1	55	80	2.5	5	4	6235	4765	RH-2	40	form-based			true	0.7	5	1	4	4	6983.199707	5513.199707	5513.199707	1.12
1287	031	2750	0.06	1278	2	55	80	2.5	5	3	6875	5597	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7700	6422	6422	1.12
1287	033	2750	0.06	1388	2	55	80	2.5	5	3	6875	5487	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7700	6312	6312	1.12
1287	035	2750	0.06	1324	2	55	80	2.5	5	3	6875	5551	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7700	6376	6376	1.12
1287	043	2750	0.06	1372	2	65	100	3	6	4	8250	6878	RH-2	40	form-based			true	0.7	6	1	4	4	7700	6328	6328	0.933333
1287	047	2750	0.06	1679	2	65	100	3	6	4	8250	6571	RH-2	40	form-based			true	0.7	6	1	4	4	7700	6021	6021	0.933333
1288	004	2384	0.05	1616	1	55	80	2.5	4	3	5960	4344	RH-2	40	form-based			true	0.7	5	1.25	4	4	6675.199707	5059.199707	5059.199707	1.12
1288	012	3022	0.07	2385	2	55	80	2.5	6	4	7555	5170	RH-2	40	form-based			true	0.7	6	1	4	4	8461.599609	6076.599609	6076.599609	1.12
1288	014	2749	0.06	2038	2	55	80	2.5	5	3	6872	4834	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7697.199707	5659.199707	5659.199707	1.120081
1288	022	2500	0.06	1804	1	65	100	3	6	5	7500	5696	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5196	5196	0.933333
1288	023	2500	0.06	1800	1	65	100	3	6	5	7500	5700	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5200	5200	0.933333
1289	002	2471	0.06	1750	1	55	80	2.5	5	4	6178	4428	RH-2	40	form-based			true	0.7	5	1	4	4	6918.799805	5168.799805	5168.799805	1.119909
1289	003	2341	0.05	3150	1	55	80	2.5	4	3	5852	2702	RH-2	40	form-based			true	0.7	5	1.25	4	4	6554.799805	3404.799805	3404.799805	1.120096
1289	004	2395	0.05	2046	1	55	80	2.5	4	3	5988	3942	RH-2	40	form-based			true	0.7	5	1.25	4	4	6706	4660	4660	1.119906
1290	005	2470	0.06	2460	1	55	80	2.5	5	4	6175	3715	RH-2	40	form-based			true	0.7	5	1	4	4	6916	4456	4456	1.12
1289	024	1699	0.04	0	0	55	80	2.5	3	3	4248	4248	RH-1(D)	40	form-based			true	0.7	4	1.333333373	4	4	4757.199707	4757.199707	4757.199707	1.119868
1289	040	2416	0.06	1851	1	55	80	2.5	5	4	6040	4189	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6764.799805	4913.799805	4913.799805	1.12
1289	041	3506	0.08	2183	3	55	80	2.5	6	3	8765	6582	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9816.799805	7633.799805	7633.799805	1.12
1290	006	2469	0.06	1400	1	55	80	2.5	5	4	6172	4772	RH-2	40	form-based			true	0.7	5	1	4	4	6913.199707	5513.199707	5513.199707	1.120091
1289	062	4453	0.1	4034	5	55	80	2.5	8	3	11132	7098	RH-2	40	form-based			true	0.7	9	1.125	4	4	12468.39941	8434.399414	8434.399414	1.12005
1289	077	2559	0.06	1149	1	55	80	2.5	5	4	6398	5249	RH-2	40	form-based			true	0.7	5	1	4	4	7165.199707	6016.199707	6016.199707	1.119912
1290	004	2470	0.06	2170	1	55	80	2.5	5	4	6175	4005	RH-2	40	form-based			true	0.7	5	1	4	4	6916	4746	4746	1.12
1290	007	2468	0.06	1930	1	55	80	2.5	5	4	6170	4240	RH-2	40	form-based			true	0.7	5	1	4	4	6910.399902	4980.399902	4980.399902	1.12
1290	008	2467	0.06	1860	1	55	80	2.5	5	4	6168	4308	RH-2	40	form-based			true	0.7	5	1	4	4	6907.600098	5047.600098	5047.600098	1.119909
1290	016	2518	0.06	3204	1	55	80	2.5	5	4	6295	3091	RH-2	40	form-based			true	0.7	5	1	4	4	7050.399902	3846.399902	3846.399902	1.12
1290	018	2518	0.06	2341	1	55	80	2.5	5	4	6295	3954	RH-2	40	form-based			true	0.7	5	1	4	4	7050.399902	4709.399902	4709.399902	1.12
1290	019	2518	0.06	1147	1	55	80	2.5	5	4	6295	5148	RH-2	40	form-based			true	0.7	5	1	4	4	7050.399902	5903.399902	5903.399902	1.12
1290	020	2518	0.06	2102	1	55	80	2.5	5	4	6295	4193	RH-2	40	form-based			true	0.7	5	1	4	4	7050.399902	4948.399902	4948.399902	1.12
1290	023	2760	0.06	3965	2	55	80	2.5	5	3	6900	2935	RH-2	40	form-based	true		true	0.7	6	1.200000048	4	4	7728	3763	3763	1.12
1290	024	3035	0.07	2310	2	55	80	2.5	6	4	7588	5278	RH-2	40	form-based			true	0.7	6	1	4	4	8498	6188	6188	1.119926
1290	026	3033	0.07	2650	2	55	80	2.5	6	4	7582	4932	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	5842.399414	5842.399414	1.120074
1290	029	3033	0.07	2500	2	55	80	2.5	6	4	7582	5082	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	5992.399414	5992.399414	1.120074
1290	034	3793	0.09	2015	4	55	80	2.5	7	3	9482	7467	RH-2	40	form-based			true	0.7	8	1.142857194	4	4	10620.39941	8605.399414	8605.399414	1.120059
1290	038	3033	0.07	1069	2	55	80	2.5	6	4	7582	6513	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	7423.399414	7423.399414	1.120074
1291	001	2667	0.06	3107	2	55	80	2.5	5	3	6668	3561	RH-2	40	form-based	true		true	0.7	6	1.200000048	4	4	7467.600098	4360.600098	4360.600098	1.119916
1291	002	2434	0.06	2955	1	55	80	2.5	5	4	6085	3130	RH-2	40	form-based			true	0.7	5	1	4	4	6815.199707	3860.199707	3860.199707	1.12
1291	005	2439	0.06	2030	1	55	80	2.5	5	4	6098	4068	RH-2	40	form-based			true	0.7	5	1	4	4	6829.199707	4799.199707	4799.199707	1.119908
1291	006	2440	0.06	2030	1	55	80	2.5	5	4	6100	4070	RH-2	40	form-based			true	0.7	5	1	4	4	6832	4802	4802	1.12
1291	007	2442	0.06	2380	1	55	80	2.5	5	4	6105	3725	RH-2	40	form-based			true	0.7	5	1	4	4	6837.600098	4457.600098	4457.600098	1.12
1291	011	2828	0.06	1980	2	55	80	2.5	5	3	7070	5090	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7918.399902	5938.399902	5938.399902	1.12
1291	016	2517	0.06	2480	1	55	80	2.5	5	4	6292	3812	RH-2	40	form-based			true	0.7	5	1	4	4	7047.600098	4567.600098	4567.600098	1.120089
1291	017	2517	0.06	2400	1	55	80	2.5	5	4	6292	3892	RH-2	40	form-based			true	0.7	5	1	4	4	7047.600098	4647.600098	4647.600098	1.120089
1291	019	2517	0.06	2075	1	55	80	2.5	5	4	6292	4217	RH-2	40	form-based			true	0.7	5	1	4	4	7047.600098	4972.600098	4972.600098	1.120089
1291	021	2517	0.06	2523	1	55	80	2.5	5	4	6292	3769	RH-2	40	form-based			true	0.7	5	1	4	4	7047.600098	4524.600098	4524.600098	1.120089
1291	022	2517	0.06	1760	1	55	80	2.5	5	4	6292	4532	RH-2	40	form-based			true	0.7	5	1	4	4	7047.600098	5287.600098	5287.600098	1.120089
1291	031	2830	0.06	1444	2	55	80	2.5	5	3	7075	5631	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7924	6480	6480	1.12
1292	012	2339	0.05	2930	1	55	80	2.5	4	3	5848	2918	RH-2	40	form-based	true		true	0.7	5	1.25	4	4	6549.199707	3619.199707	3619.199707	1.119904
1292	017	2517	0.06	2095	1	55	80	2.5	5	4	6292	4197	RH-2	40	form-based			true	0.7	5	1	4	4	7047.600098	4952.600098	4952.600098	1.120089
1292	018	2517	0.06	1245	1	55	80	2.5	5	4	6292	5047	RH-2	40	form-based			true	0.7	5	1	4	4	7047.600098	5802.600098	5802.600098	1.120089
1292	019	2517	0.06	955	1	55	80	2.5	5	4	6292	5337	RH-2	40	form-based			true	0.7	5	1	4	4	7047.600098	6092.600098	6092.600098	1.120089
1292	021	2578	0.06	1376	1	55	80	2.5	5	4	6445	5069	RH-2	40	form-based			true	0.7	5	1	4	4	7218.399902	5842.399902	5842.399902	1.12
1292	022	3056	0.07	2797	2	55	80	2.5	6	4	7640	4843	RH-2	40	form-based	true		true	0.7	6	1	4	4	8556.799805	5759.799805	5759.799805	1.12
1292	026	2994	0.07	1799	2	55	80	2.5	6	4	7485	5686	RH-2	40	form-based			true	0.7	6	1	4	4	8383.200195	6584.200195	6584.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1293	002	2508	0.06	1250	1	55	80	2.5	5	4	6270	5020	RH-2	40	form-based			true	0.7	5	1	4	4	7022.399902	5772.399902	5772.399902	1.12
1293	021	2512	0.06	2066	1	55	80	2.5	5	4	6280	4214	RH-2	40	form-based			true	0.7	5	1	4	4	7033.600098	4967.600098	4967.600098	1.12
1293	022	2512	0.06	2058	1	55	80	2.5	5	4	6280	4222	RH-2	40	form-based			true	0.7	5	1	4	4	7033.600098	4975.600098	4975.600098	1.12
1293	023	2512	0.06	2302	1	55	80	2.5	5	4	6280	3978	RH-2	40	form-based			true	0.7	5	1	4	4	7033.600098	4731.600098	4731.600098	1.12
1293	024	2512	0.06	1162	1	55	80	2.5	5	4	6280	5118	RH-2	40	form-based			true	0.7	5	1	4	4	7033.600098	5871.600098	5871.600098	1.12
1294	002	2504	0.06	808	1	55	80	2.5	5	4	6260	5452	RH-2	40	form-based			true	0.7	5	1	4	4	7011.199707	6203.199707	6203.199707	1.12
1294	003	2422	0.06	3375	1	55	80	2.5	5	4	6055	2680	RH-2	40	form-based			true	0.7	5	1	4	4	6781.600098	3406.600098	3406.600098	1.12
1294	004	2347	0.05	2335	1	55	80	2.5	4	3	5868	3533	RH-2	40	form-based			true	0.7	5	1.25	4	4	6571.600098	4236.600098	4236.600098	1.119905
1294	006	2433	0.06	1564	1	55	80	2.5	5	4	6082	4518	RH-2	40	form-based			true	0.7	5	1	4	4	6812.399902	5248.399902	5248.399902	1.120092
1294	007	2266	0.05	1513	1	55	80	2.5	4	3	5665	4152	RH-2	40	form-based			true	0.7	5	1.25	4	4	6344.799805	4831.799805	4831.799805	1.12
1294	008	2593	0.06	2920	1	55	80	2.5	5	4	6482	3562	RH-2	40	form-based			true	0.7	5	1	4	4	7260.399902	4340.399902	4340.399902	1.120086
1294	021	2605	0.06	3413	1	55	80	2.5	5	4	6512	3099	RH-2	40	form-based			true	0.7	5	1	4	4	7294	3881	3881	1.120086
1294	023	2522	0.06	1807	1	55	80	2.5	5	4	6305	4498	RH-2	40	form-based			true	0.7	5	1	4	4	7061.600098	5254.600098	5254.600098	1.12
1294	025	2503	0.06	1800	1	55	80	2.5	5	4	6258	4458	RH-2	40	form-based			true	0.7	5	1	4	4	7008.399902	5208.399902	5208.399902	1.11991
1294	026	2571	0.06	1500	1	55	80	2.5	5	4	6428	4928	RH-2	40	form-based			true	0.7	5	1	4	4	7198.799805	5698.799805	5698.799805	1.119913
1294	027	2618	0.06	1910	1	55	80	2.5	5	4	6545	4635	RH-2	40	form-based			true	0.7	5	1	4	4	7330.399902	5420.399902	5420.399902	1.12
1294	028	2506	0.06	1775	1	55	80	2.5	5	4	6265	4490	RH-2	40	form-based			true	0.7	5	1	4	4	7016.799805	5241.799805	5241.799805	1.12
1294	029	2989	0.07	2510	2	55	80	2.5	6	4	7472	4962	RH-2	40	form-based	true		true	0.7	6	1	4	4	8369.200195	5859.200195	5859.200195	1.120075
1294	041	2949	0.07	2294	2	55	80	2.5	6	4	7372	5078	RH-2	40	form-based			true	0.7	6	1	4	4	8257.200195	5963.200195	5963.200195	1.120076
1312	008	2412	0.06	2704	1	55	80	2.5	5	4	6030	3326	RH-1(D)	40	form-based	true		true	0.7	5	1	4	4	6753.600098	4049.600098	4049.600098	1.12
1312	013	2596	0.06	3373	1	55	80	2.5	5	4	6490	3117	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7268.799805	3895.799805	3895.799805	1.12
1312	015	2484	0.06	2634	1	55	80	2.5	5	4	6210	3576	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6955.199707	4321.199707	4321.199707	1.12
1332	034	2937	0.07	3470	2	55	80	2.5	6	4	7342	3872	RH-1	40	form-based			true	0.7	6	1	4	4	8223.599609	4753.599609	4753.599609	1.120076
1332	037	2203	0.05	3339	1	55	80	2.5	4	3	5508	2169	RH-1	40	form-based			true	0.7	5	1.25	4	4	6168.399902	2829.399902	2829.399902	1.119898
1332	037A	2213	0.05	2343	1	55	80	2.5	4	3	5532	3189	RH-1	40	form-based			true	0.7	5	1.25	4	4	6196.399902	3853.399902	3853.399902	1.120101
1332	055	2937	0.07	1905	2	55	80	2.5	6	4	7342	5437	RH-1	40	form-based			true	0.7	6	1	4	4	8223.599609	6318.599609	6318.599609	1.120076
1333	021	2700	0.06	4082	2	55	80	2.5	5	3	6750	2668	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7560	3478	3478	1.12
1333	038	2506	0.06	2348	1	55	80	2.5	5	4	6265	3917	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	4668.799805	4668.799805	1.12
1333	039	2508	0.06	2499	1	55	80	2.5	5	4	6270	3771	RH-1	40	form-based			true	0.7	5	1	4	4	7022.399902	4523.399902	4523.399902	1.12
1333	040	2511	0.06	2160	1	55	80	2.5	5	4	6278	4118	RH-1	40	form-based			true	0.7	5	1	4	4	7030.799805	4870.799805	4870.799805	1.119911
1333	041	2513	0.06	2390	1	55	80	2.5	5	4	6282	3892	RH-1	40	form-based			true	0.7	5	1	4	4	7036.399902	4646.399902	4646.399902	1.120089
1333	060	3055	0.07	1910	2	55	80	2.5	6	4	7638	5728	RH-1	40	form-based			true	0.7	6	1	4	4	8554	6644	6644	1.119927
1336	002	2525	0.06	3880	1	55	80	2.5	5	4	6312	2432	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7070	3190	3190	1.120089
1336	003	2352	0.05	2208	1	55	80	2.5	4	3	5880	3672	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6585.600098	4377.600098	4377.600098	1.12
1336	004	2257	0.05	3016	1	55	80	2.5	4	3	5642	2626	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6319.600098	3303.600098	3303.600098	1.120099
1337	015	2540	0.06	3324	1	55	80	2.5	5	4	6350	3026	RH-1	40	form-based			true	0.7	5	1	4	4	7112	3788	3788	1.12
1337	016	2341	0.05	2118	1	55	80	2.5	4	3	5852	3734	RH-1	40	form-based			true	0.7	5	1.25	4	4	6554.799805	4436.799805	4436.799805	1.120096
1337	005	3047	0.07	3398	2	55	80	2.5	6	4	7618	4220	RH-1	40	form-based			true	0.7	6	1	4	4	8531.599609	5133.599609	5133.599609	1.119926
1337	007	2431	0.06	2102	1	55	80	2.5	5	4	6078	3976	RH-1	40	form-based			true	0.7	5	1	4	4	6806.799805	4704.799805	4704.799805	1.119908
1337	010A	2303	0.05	2647	1	55	80	2.5	4	3	5758	3111	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6448.399902	3801.399902	3801.399902	1.119903
1337	011	2548	0.06	1925	1	55	80	2.5	5	4	6370	4445	RH-1	40	form-based			true	0.7	5	1	4	4	7134.399902	5209.399902	5209.399902	1.12
1337	012	2516	0.06	2000	1	55	80	2.5	5	4	6290	4290	RH-1	40	form-based			true	0.7	5	1	4	4	7044.799805	5044.799805	5044.799805	1.12
1337	014	2488	0.06	2025	1	55	80	2.5	5	4	6220	4195	RH-1	40	form-based			true	0.7	5	1	4	4	6966.399902	4941.399902	4941.399902	1.12
1338	005	2336	0.05	3480	1	55	80	2.5	4	3	5840	2360	RH-1	40	form-based			true	0.7	5	1.25	4	4	6540.799805	3060.799805	3060.799805	1.12
1338	007	2500	0.06	2790	1	55	80	2.5	5	4	6250	3460	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4210	4210	1.12
1338	008	2500	0.06	3038	1	55	80	2.5	5	4	6250	3212	RH-1	40	form-based			true	0.7	5	1	4	4	7000	3962	3962	1.12
1338	009	2500	0.06	2310	1	55	80	2.5	5	4	6250	3940	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4690	4690	1.12
1338	010	2500	0.06	2420	1	55	80	2.5	5	4	6250	3830	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4580	4580	1.12
1338	011	2500	0.06	2580	1	55	80	2.5	5	4	6250	3670	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4420	4420	1.12
1338	012	2500	0.06	2988	1	55	80	2.5	5	4	6250	3262	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4012	4012	1.12
1340	006	2500	0.06	2851	1	55	80	2.5	5	4	6250	3399	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4149	4149	1.12
1340	008	2500	0.06	2977	1	55	80	2.5	5	4	6250	3273	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4023	4023	1.12
1340	010	2592	0.06	3288	1	55	80	2.5	5	4	6480	3192	RH-1	40	form-based			true	0.7	5	1	4	4	7257.600098	3969.600098	3969.600098	1.12
1341	016	1725	0.04	440	0	55	80	2.5	3	3	4312	3872	RH-1	40	form-based			true	0.7	4	1.333333373	4	4	4830	4390	4390	1.12013
1341	017	1700	0.04	0	0	55	80	2.5	3	3	4250	4250	RH-1	40	form-based			true	0.7	4	1.333333373	4	4	4760	4760	4760	1.12
1341	018	2210	0.05	5149	1	55	80	2.5	4	3	5525	376	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6188	1039	1039	1.12
1342	007	2500	0.06	3206	1	55	80	2.5	5	4	6250	3044	RH-1	40	form-based			true	0.7	5	1	4	4	7000	3794	3794	1.12
1342	008	2500	0.06	3121	1	55	80	2.5	5	4	6250	3129	RH-1	40	form-based			true	0.7	5	1	4	4	7000	3879	3879	1.12
1342	009	2500	0.06	3408	1	55	80	2.5	5	4	6250	2842	RH-1	40	form-based			true	0.7	5	1	4	4	7000	3592	3592	1.12
1342	010	2500	0.06	2120	1	55	80	2.5	5	4	6250	4130	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4880	4880	1.12
1342	017	2176	0.05	3138	1	55	80	2.5	4	3	5440	2302	RH-1	40	form-based			true	0.7	5	1.25	4	4	6092.799805	2954.799805	2954.799805	1.12
1343	010	2310	0.05	2881	1	55	80	2.5	4	3	5775	2894	RH-1	40	form-based			true	0.7	5	1.25	4	4	6468	3587	3587	1.12
1344	011	2969	0.07	4608	2	55	80	2.5	6	4	7422	2814	RH-2	40	form-based	true		true	0.7	6	1	4	4	8313.200195	3705.200195	3705.200195	1.120075
1347	001	2177	0.05	2730	1	55	80	2.5	4	3	5442	2712	RH-2	40	form-based	true		true	0.7	5	1.25	4	4	6095.600098	3365.600098	3365.600098	1.120103

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1348	007	2262	0.05	1632	1	55	80	2.5	4	3	5655	4023	RH-2	40	form-based			true	0.7	5	1.25	4	4	6333.600098	4701.600098	4701.600098	1.12
1350	001	2209	0.05	3082	1	55	80	2.5	4	3	5522	2440	RM-1	40	form-based		true	true	0.7	5	1.25	4	4	6185.199707	3103.199707	3103.199707	1.120101
1351	011	2870	0.07	2850	2	55	80	2.5	6	4	7175	4325	RH-2	40	form-based			true	0.7	6	1	4	4	8036	5186	5186	1.12
1351	011A	2870	0.07	4768	2	55	80	2.5	6	4	7175	2407	RH-2	40	form-based			true	0.7	6	1	4	4	8036	3268	3268	1.12
1352	009	2938	0.07	3500	2	55	80	2.5	6	4	7345	3845	RH-1	40	form-based			true	0.7	6	1	4	4	8226.399414	4726.399414	4726.399414	1.12
1352	021B	3003	0.07	4447	2	55	80	2.5	6	4	7508	3061	RH-2	40	form-based			true	0.7	6	1	4	4	8408.399414	3961.399414	3961.399414	1.119925
1352	021E	2993	0.07	3800	2	55	80	2.5	6	4	7482	3682	RH-2	40	form-based			true	0.7	6	1	4	4	8380.399414	4580.399414	4580.399414	1.120075
1352	021F	2996	0.07	3800	2	55	80	2.5	6	4	7490	3690	RH-2	40	form-based			true	0.7	6	1	4	4	8388.799805	4588.799805	4588.799805	1.12
1352	042	2957	0.07	2804	2	55	80	2.5	6	4	7392	4588	RH-1	40	form-based			true	0.7	6	1	4	4	8279.599609	5475.599609	5475.599609	1.120076
1352	044	2999	0.07	1900	2	55	80	2.5	6	4	7498	5598	RH-2	40	form-based			true	0.7	6	1	4	4	8397.200195	6497.200195	6497.200195	1.119925
1352	050	3000	0.07	1975	2	55	80	2.5	6	4	7500	5525	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6425	6425	1.12
1352	054	3001	0.07	2016	2	55	80	2.5	6	4	7502	5486	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	6386.799805	6386.799805	1.120075
1352	056	3003	0.07	1943	2	55	80	2.5	6	4	7508	5565	RH-2	40	form-based			true	0.7	6	1	4	4	8408.399414	6465.399414	6465.399414	1.119925
1353	020	2184	0.05	2280	1	55	80	2.5	4	3	5460	3180	RM-2	40	form-based			true	0.7	5	1.25	4	4	6115.199707	3835.199707	3835.199707	1.12
1353	021	2184	0.05	1768	1	55	80	2.5	4	3	5460	3692	RM-2	40	form-based			true	0.7	5	1.25	4	4	6115.199707	4347.199707	4347.199707	1.12
1353	024	3071	0.07	3832	2	55	80	2.5	6	4	7678	3846	RH-1	40	form-based			true	0.7	6	1	4	4	8598.799805	4766.799805	4766.799805	1.119927
1354	003	2500	0.06	2942	1	55	80	2.5	5	4	6250	3308	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4058	4058	1.12
1354	006	2377	0.05	2690	1	55	80	2.5	4	3	5942	3252	RH-1	40	form-based			true	0.7	5	1.25	4	4	6655.600098	3965.600098	3965.600098	1.120094
1354	029	3002	0.07	1759	2	55	80	2.5	6	4	7505	5746	RH-1	40	form-based			true	0.7	6	1	4	4	8405.599609	6646.599609	6646.599609	1.12
1355	014	2628	0.06	4550	2	55	80	2.5	5	3	6570	2020	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7358.399902	2808.399902	2808.399902	1.12
1355	018	2368	0.05	2773	1	55	80	2.5	4	3	5920	3147	RM-1	40	form-based		true	true	0.7	5	1.25	4	4	6630.399902	3857.399902	3857.399902	1.12
1361	005	3013	0.07	5070	2	55	80	2.5	6	4	7532	2462	RM-1	40	form-based			true	0.7	6	1	4	4	8436.399414	3366.399414	3366.399414	1.120074
1361	010	3014	0.07	3260	2	55	80	2.5	6	4	7535	4275	RM-1	40	form-based			true	0.7	6	1	4	4	8439.200195	5179.200195	5179.200195	1.12
1361	019	1321	0.03	3298	3	55	80	2.5	2	0	3302	4	RTO-C	85	form-based		true	true	0.75	7	3.5	4	1	7926	4628	3306	2.400363
1355	069	2743	0.06	1470	2	55	80	2.5	5	3	6858	5388	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7680.399902	6210.399902	6210.399902	1.119918
1361	032	3000	0.07	2910	2	55	80	2.5	6	4	7500	4590	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5490	5490	1.12
1361	033	3000	0.07	2839	2	55	80	2.5	6	4	7500	4661	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5561	5561	1.12
1361	039	2553	0.06	3012	1	55	80	2.5	5	4	6382	3370	RM-1	40	form-based			true	0.7	5	1	4	4	7148.399902	4136.399902	4136.399902	1.120088
1361	062	3000	0.07	1275	2	55	80	2.5	6	4	7500	6225	RH-2	40	form-based			true	0.7	6	1	4	4	8400	7125	7125	1.12
1361	096	3014	0.07	1515	2	55	80	2.5	6	4	7535	6020	RM-1	40	form-based			true	0.7	6	1	4	4	8439.200195	6924.200195	6924.200195	1.12
1361	101	3000	0.07	1209	2	55	80	2.5	6	4	7500	6291	RH-2	40	form-based			true	0.7	6	1	4	4	8400	7191	7191	1.12
1361	109	3013	0.07	1554	2	55	80	2.5	6	4	7532	5978	RM-1	40	form-based			true	0.7	6	1	4	4	8436.399414	6882.399414	6882.399414	1.120074
1362	002	2437	0.06	3209	1	55	80	2.5	5	4	6092	2883	RH-2	40	form-based			true	0.7	5	1	4	4	6823.600098	3614.600098	3614.600098	1.120092
1362	003	2437	0.06	2642	1	55	80	2.5	5	4	6092	3450	RH-2	40	form-based			true	0.7	5	1	4	4	6823.600098	4181.600098	4181.600098	1.120092
1362	005	3000	0.07	3402	2	55	80	2.5	6	4	7500	4098	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4998	4998	1.12
1362	007	3000	0.07	2046	2	55	80	2.5	6	4	7500	5454	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6354	6354	1.12
1362	028	2680	0.06	4156	2	55	80	2.5	5	3	6700	2544	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7504	3348	3348	1.12
1362	030	3004	0.07	1612	2	55	80	2.5	6	4	7510	5898	RH-2	40	form-based			true	0.7	6	1	4	4	8411.200195	6799.200195	6799.200195	1.12
1362	032	3004	0.07	2200	2	55	80	2.5	6	4	7510	5310	RH-2	40	form-based			true	0.7	6	1	4	4	8411.200195	6211.200195	6211.200195	1.12
1362	033	3004	0.07	1726	2	55	80	2.5	6	4	7510	5784	RH-2	40	form-based			true	0.7	6	1	4	4	8411.200195	6685.200195	6685.200195	1.12
1362	035	3004	0.07	2160	2	55	80	2.5	6	4	7510	5350	RH-2	40	form-based			true	0.7	6	1	4	4	8411.200195	6251.200195	6251.200195	1.12
1362	036	3004	0.07	3044	2	55	80	2.5	6	4	7510	4466	RH-2	40	form-based			true	0.7	6	1	4	4	8411.200195	5367.200195	5367.200195	1.12
1362	043	5000	0.11	1980	6	55	80	2.5	9	3	12500	10520	RM-1	40	form-based			true	0.7	10	1.111111164	4	4	14000	12020	12020	1.12
1363	001	2274	0.05	3578	1	55	80	2.5	4	3	5685	2107	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6367.199707	2789.199707	2789.199707	1.12
1363	003	2274	0.05	2000	1	55	80	2.5	4	3	5685	3685	RH-2	40	form-based			true	0.7	5	1.25	4	4	6367.199707	4367.199707	4367.199707	1.12
1363	004	2274	0.05	2408	1	55	80	2.5	4	3	5685	3277	RH-2	40	form-based			true	0.7	5	1.25	4	4	6367.199707	3959.199707	3959.199707	1.12
1363	011	2964	0.07	2708	2	55	80	2.5	6	4	7410	4702	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	5591.200195	5591.200195	1.12
1363	032	3033	0.07	1940	2	55	80	2.5	6	4	7582	5642	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	6552.399414	6552.399414	1.120074
1363	039	3000	0.07	2798	2	55	80	2.5	6	4	7500	4702	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5602	5602	1.12
1363	043	3033	0.07	1441	2	55	80	2.5	6	4	7582	6141	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	7051.399414	7051.399414	1.120074
1363	049	3033	0.07	2885	2	55	80	2.5	6	4	7582	4697	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	5607.399414	5607.399414	1.120074
1363	051	2759	0.06	1446	2	55	80	2.5	5	3	6898	5452	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7725.199707	6279.199707	6279.199707	1.119919
1363	055	2964	0.07	2002	2	55	80	2.5	6	4	7410	5408	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	6297.200195	6297.200195	1.12
1363	057	2964	0.07	1601	2	55	80	2.5	6	4	7410	5809	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	6698.200195	6698.200195	1.12
1364	010	3028	0.07	2900	2	55	80	2.5	6	4	7570	4670	RH-2	40	form-based			true	0.7	6	1	4	4	8478.399414	5578.399414	5578.399414	1.12
1364	033	2969	0.07	4500	2	55	80	2.5	6	4	7422	2922	RH-2	40	form-based			true	0.7	6	1	4	4	8313.200195	3813.200195	3813.200195	1.120075
1364	035	2969	0.07	2349	2	55	80	2.5	6	4	7422	5073	RH-2	40	form-based			true	0.7	6	1	4	4	8313.200195	5964.200195	5964.200195	1.120075
1364	041	2500	0.06	3466	1	55	80	2.5	5	4	6250	2784	RH-2	40	form-based			true	0.7	5	1	4	4	7000	3534	3534	1.12
1364	042	2500	0.06	3168	1	55	80	2.5	5	4	6250	3082	RH-2	40	form-based			true	0.7	5	1	4	4	7000	3832	3832	1.12
1364	050	3028	0.07	2052	2	55	80	2.5	6	4	7570	5518	RH-2	40	form-based			true	0.7	6	1	4	4	8478.399414	6426.399414	6426.399414	1.12
1364	052	3028	0.07	1376	2	55	80	2.5	6	4	7570	6194	RH-2	40	form-based			true	0.7	6	1	4	4	8478.399414	7102.399414	7102.399414	1.12
1365	010	3000	0.07	2976	2	55	80	2.5	6	4	7500	4524	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5424	5424	1.12
1365	030	3034	0.07	3382	2	55	80	2.5	6	4	7585	4203	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	5113.200195	5113.200195	1.12
1365	035	2750	0.06	3295	2	55	80	2.5	5	3	6875	3580	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7700	4405	4405	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1366	002	2466	0.06	3033	1	55	80	2.5	5	4	6165	3132	RH-2	40	form-based			true	0.7	5	1	4	4	6904.799805	3871.799805	3871.799805	1.12
1366	004	2841	0.07	2550	2	55	80	2.5	6	4	7102	4552	RH-2	40	form-based			true	0.7	6	1	4	4	7954.799805	5404.799805	5404.799805	1.120079
1366	005	3000	0.07	2270	2	55	80	2.5	6	4	7500	5230	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6130	6130	1.12
1366	006	3000	0.07	2852	2	55	80	2.5	6	4	7500	4648	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5548	5548	1.12
1366	018	3000	0.07	2610	2	55	80	2.5	6	4	7500	4890	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5790	5790	1.12
1366	035	2966	0.07	3278	2	55	80	2.5	6	4	7415	4137	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	5026.799805	5026.799805	1.12
1366	036	2966	0.07	3254	2	55	80	2.5	6	4	7415	4161	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	5050.799805	5050.799805	1.12
1366	037	2966	0.07	1850	2	55	80	2.5	6	4	7415	5565	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	6454.799805	6454.799805	1.12
1366	039	2966	0.07	2690	2	55	80	2.5	6	4	7415	4725	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	5614.799805	5614.799805	1.12
1366	044	2500	0.06	2360	1	55	80	2.5	5	4	6250	3890	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4640	4640	1.12
1366	046	2512	0.06	2166	1	55	80	2.5	5	4	6280	4114	RH-2	40	form-based			true	0.7	5	1	4	4	7033.600098	4867.600098	4867.600098	1.12
1366	051	3000	0.07	1479	2	55	80	2.5	6	4	7500	6021	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6921	6921	1.12
1366	053	2966	0.07	1344	2	55	80	2.5	6	4	7415	6071	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	6960.799805	6960.799805	1.12
1367	002	2321	0.05	3220	1	55	80	2.5	4	3	5802	2582	RH-2	40	form-based			true	0.7	5	1.25	4	4	6498.799805	3278.799805	3278.799805	1.120096
1367	006	2946	0.07	2992	2	55	80	2.5	6	4	7365	4373	RH-2	40	form-based			true	0.7	6	1	4	4	8248.799805	5256.799805	5256.799805	1.12
1367	010	2946	0.07	3014	2	55	80	2.5	6	4	7365	4351	RH-2	40	form-based			true	0.7	6	1	4	4	8248.799805	5234.799805	5234.799805	1.12
1367	012	2946	0.07	2992	2	55	80	2.5	6	4	7365	4373	RH-2	40	form-based			true	0.7	6	1	4	4	8248.799805	5256.799805	5256.799805	1.12
1367	014	2946	0.07	2990	2	55	80	2.5	6	4	7365	4375	RH-2	40	form-based			true	0.7	6	1	4	4	8248.799805	5258.799805	5258.799805	1.12
1367	015	2946	0.07	3848	2	55	80	2.5	6	4	7365	3517	RH-2	40	form-based			true	0.7	6	1	4	4	8248.799805	4400.799805	4400.799805	1.12
1367	018	2946	0.07	2992	2	55	80	2.5	6	4	7365	4373	RH-2	40	form-based			true	0.7	6	1	4	4	8248.799805	5256.799805	5256.799805	1.12
1367	030	3040	0.07	4752	2	55	80	2.5	6	4	7600	2848	RH-2	40	form-based			true	0.7	6	1	4	4	8512	3760	3760	1.12
1367	031	3040	0.07	3168	2	55	80	2.5	6	4	7600	4432	RH-2	40	form-based			true	0.7	6	1	4	4	8512	5344	5344	1.12
1367	032	3040	0.07	2375	2	55	80	2.5	6	4	7600	5225	RH-2	40	form-based			true	0.7	6	1	4	4	8512	6137	6137	1.12
1367	034	3040	0.07	3511	2	55	80	2.5	6	4	7600	4089	RH-2	40	form-based			true	0.7	6	1	4	4	8512	5001	5001	1.12
1367	037	3040	0.07	2990	2	55	80	2.5	6	4	7600	4610	RH-2	40	form-based			true	0.7	6	1	4	4	8512	5522	5522	1.12
1367	038	3040	0.07	3723	2	55	80	2.5	6	4	7600	3877	RH-2	40	form-based			true	0.7	6	1	4	4	8512	4789	4789	1.12
1367	040	3040	0.07	2402	2	55	80	2.5	6	4	7600	5198	RH-2	40	form-based			true	0.7	6	1	4	4	8512	6110	6110	1.12
1367	041	3040	0.07	2402	2	55	80	2.5	6	4	7600	5198	RH-2	40	form-based			true	0.7	6	1	4	4	8512	6110	6110	1.12
1367	042	3040	0.07	2844	2	55	80	2.5	6	4	7600	4756	RH-2	40	form-based			true	0.7	6	1	4	4	8512	5668	5668	1.12
1367	044	3040	0.07	3300	2	55	80	2.5	6	4	7600	4300	RH-2	40	form-based			true	0.7	6	1	4	4	8512	5212	5212	1.12
1367	045	2415	0.06	3465	1	55	80	2.5	5	4	6038	2573	RH-2	40	form-based			true	0.7	5	1	4	4	6762	3297	3297	1.119907
1367	055	2946	0.07	1502	2	55	80	2.5	6	4	7365	5863	RH-2	40	form-based			true	0.7	6	1	4	4	8248.799805	6746.799805	6746.799805	1.12
1367	057	2946	0.07	1674	2	55	80	2.5	6	4	7365	5691	RH-2	40	form-based			true	0.7	6	1	4	4	8248.799805	6574.799805	6574.799805	1.12
1367	059	2946	0.07	1322	2	55	80	2.5	6	4	7365	6043	RH-2	40	form-based			true	0.7	6	1	4	4	8248.799805	6926.799805	6926.799805	1.12
1367	063	3040	0.07	1244	2	55	80	2.5	6	4	7600	6356	RH-2	40	form-based			true	0.7	6	1	4	4	8512	7268	7268	1.12
1367	065	3040	0.07	1437	2	55	80	2.5	6	4	7600	6163	RH-2	40	form-based			true	0.7	6	1	4	4	8512	7075	7075	1.12
1367	067	2946	0.07	1199	2	55	80	2.5	6	4	7365	6166	RH-2	40	form-based			true	0.7	6	1	4	4	8248.799805	7049.799805	7049.799805	1.12
1367	069	2946	0.07	1336	2	55	80	2.5	6	4	7365	6029	RH-2	40	form-based			true	0.7	6	1	4	4	8248.799805	6912.799805	6912.799805	1.12
1367	071	3040	0.07	1982	2	55	80	2.5	6	4	7600	5618	RH-2	40	form-based			true	0.7	6	1	4	4	8512	6530	6530	1.12
1368	003	2960	0.07	3302	2	55	80	2.5	6	4	7400	4098	RH-2	40	form-based			true	0.7	6	1	4	4	8288	4986	4986	1.12
1368	004	2960	0.07	1832	2	55	80	2.5	6	4	7400	5568	RH-2	40	form-based			true	0.7	6	1	4	4	8288	6456	6456	1.12
1368	010	2960	0.07	2811	2	55	80	2.5	6	4	7400	4589	RH-2	40	form-based			true	0.7	6	1	4	4	8288	5477	5477	1.12
1368	012	2960	0.07	2561	2	55	80	2.5	6	4	7400	4839	RH-2	40	form-based			true	0.7	6	1	4	4	8288	5727	5727	1.12
1368	017	2960	0.07	3464	2	55	80	2.5	6	4	7400	3936	RH-2	40	form-based			true	0.7	6	1	4	4	8288	4824	4824	1.12
1368	028	3027	0.07	3125	2	55	80	2.5	6	4	7568	4443	RH-2	40	form-based			true	0.7	6	1	4	4	8475.599609	5350.599609	5350.599609	1.119926
1368	033	3027	0.07	2432	2	55	80	2.5	6	4	7568	5136	RH-2	40	form-based			true	0.7	6	1	4	4	8475.599609	6043.599609	6043.599609	1.119926
1368	035	3027	0.07	3000	2	55	80	2.5	6	4	7568	4568	RH-2	40	form-based			true	0.7	6	1	4	4	8475.599609	5475.599609	5475.599609	1.119926
1368	038	3027	0.07	3442	2	55	80	2.5	6	4	7568	4126	RH-2	40	form-based			true	0.7	6	1	4	4	8475.599609	5033.599609	5033.599609	1.119926
1368	039	3027	0.07	3210	2	55	80	2.5	6	4	7568	4358	RH-2	40	form-based			true	0.7	6	1	4	4	8475.599609	5265.599609	5265.599609	1.119926
1368	042	2527	0.06	1890	1	55	80	2.5	5	4	6318	4428	RH-2	40	form-based			true	0.7	5	1	4	4	7075.600098	5185.600098	5185.600098	1.119911
1368	043	2527	0.06	2188	1	55	80	2.5	5	4	6318	4130	RH-2	40	form-based			true	0.7	5	1	4	4	7075.600098	4887.600098	4887.600098	1.119911
1368	050	3027	0.07	3270	2	55	80	2.5	6	4	7568	4298	RH-2	40	form-based			true	0.7	6	1	4	4	8475.599609	5205.599609	5205.599609	1.119926
1368	052	3027	0.07	1840	2	55	80	2.5	6	4	7568	5728	RH-2	40	form-based			true	0.7	6	1	4	4	8475.599609	6635.599609	6635.599609	1.119926
1368	054	3027	0.07	2872	2	55	80	2.5	6	4	7568	4696	RH-2	40	form-based			true	0.7	6	1	4	4	8475.599609	5603.599609	5603.599609	1.119926
1368	058	2960	0.07	2216	2	55	80	2.5	6	4	7400	5184	RH-2	40	form-based			true	0.7	6	1	4	4	8288	6072	6072	1.12
1368	060	3027	0.07	2179	2	55	80	2.5	6	4	7568	5389	RH-2	40	form-based			true	0.7	6	1	4	4	8475.599609	6296.599609	6296.599609	1.119926
1369	001F	3034	0.07	3100	2	55	80	2.5	6	4	7585	4485	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	5395.200195	5395.200195	1.12
1369	002	3034	0.07	4082	2	55	80	2.5	6	4	7585	3503	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	4413.200195	4413.200195	1.12
1369	002B	3034	0.07	3390	2	55	80	2.5	6	4	7585	4195	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	5105.200195	5105.200195	1.12
1369	002D	3034	0.07	3240	2	55	80	2.5	6	4	7585	4345	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	5255.200195	5255.200195	1.12
1369	003	3034	0.07	3338	2	55	80	2.5	6	4	7585	4247	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	5157.200195	5157.200195	1.12
1369	004	3034	0.07	2852	2	55	80	2.5	6	4	7585	4733	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	5643.200195	5643.200195	1.12
1369	005	3034	0.07	3216	2	55	80	2.5	6	4	7585	4369	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	5279.200195	5279.200195	1.12
1369	006	3034	0.07	3152	2	55	80	2.5	6	4	7585	4433	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	5343.200195	5343.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1369	007	3034	0.07	3072	2	55	80	2.5	6	4	7585	4513	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	5423.200195	5423.200195	1.12
1369	009	3034	0.07	3755	2	55	80	2.5	6	4	7585	3830	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	4740.200195	4740.200195	1.12
1369	010	3034	0.07	4008	2	55	80	2.5	6	4	7585	3577	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	4487.200195	4487.200195	1.12
1369	020	3000	0.07	2400	2	55	80	2.5	6	4	7500	5100	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6000	6000	1.12
1369	026	3000	0.07	3040	2	55	80	2.5	6	4	7500	4460	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5360	5360	1.12
1369	027	3000	0.07	2709	2	55	80	2.5	6	4	7500	4791	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5691	5691	1.12
1369	028	3000	0.07	3245	2	55	80	2.5	6	4	7500	4255	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5155	5155	1.12
1369	031	3000	0.07	2516	2	55	80	2.5	6	4	7500	4984	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5884	5884	1.12
1369	038	2534	0.06	2860	1	55	80	2.5	5	4	6335	3475	RH-2	40	form-based			true	0.7	5	1	4	4	7095.199707	4235.199707	4235.199707	1.12
1369	039	2534	0.06	2380	1	55	80	2.5	5	4	6335	3955	RH-2	40	form-based			true	0.7	5	1	4	4	7095.199707	4715.199707	4715.199707	1.12
1369	047	3000	0.07	1417	2	55	80	2.5	6	4	7500	6083	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6983	6983	1.12
1369	055	3000	0.07	1420	2	55	80	2.5	6	4	7500	6080	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6980	6980	1.12
1369	061	3034	0.07	1446	2	55	80	2.5	6	4	7585	6139	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	7049.200195	7049.200195	1.12
1369	066	3034	0.07	1692	2	55	80	2.5	6	4	7585	5893	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	6803.200195	6803.200195	1.12
1370	001	2466	0.06	1820	1	55	80	2.5	5	4	6165	4345	RH-2	40	form-based		true	true	0.7	5	1	4	4	6904.799805	5084.799805	5084.799805	1.12
1370	002	2340	0.05	1816	1	55	80	2.5	4	3	5850	4034	RH-2	40	form-based			true	0.7	5	1.25	4	4	6552	4736	4736	1.12
1370	003	2340	0.05	1950	1	55	80	2.5	4	3	5850	3900	RH-2	40	form-based			true	0.7	5	1.25	4	4	6552	4602	4602	1.12
1370	004	2340	0.05	2339	1	55	80	2.5	4	3	5850	3511	RH-2	40	form-based			true	0.7	5	1.25	4	4	6552	4213	4213	1.12
1370	008	2965	0.07	3386	2	55	80	2.5	6	4	7412	4026	RH-2	40	form-based			true	0.7	6	1	4	4	8302	4916	4916	1.120076
1370	009	2965	0.07	2882	2	55	80	2.5	6	4	7412	4530	RH-2	40	form-based			true	0.7	6	1	4	4	8302	5420	5420	1.120076
1370	011	2965	0.07	2795	2	55	80	2.5	6	4	7412	4617	RH-2	40	form-based			true	0.7	6	1	4	4	8302	5507	5507	1.120076
1370	043	2393	0.05	2470	1	55	80	2.5	4	3	5982	3512	RH-2	40	form-based			true	0.7	5	1.25	4	4	6700.399902	4230.399902	4230.399902	1.120094
1370	044	2393	0.05	3073	1	55	80	2.5	4	3	5982	2909	RH-2	40	form-based			true	0.7	5	1.25	4	4	6700.399902	3627.399902	3627.399902	1.120094
1370	045	2393	0.05	1820	1	55	80	2.5	4	3	5982	4162	RH-2	40	form-based			true	0.7	5	1.25	4	4	6700.399902	4880.399902	4880.399902	1.120094
1370	047	2533	0.06	1675	1	55	80	2.5	5	4	6332	4657	RH-2	40	form-based			true	0.7	5	1	4	4	7092.399902	5417.399902	5417.399902	1.120088
1370	048	2533	0.06	2416	1	55	80	2.5	5	4	6332	3916	RH-2	40	form-based			true	0.7	5	1	4	4	7092.399902	4676.399902	4676.399902	1.120088
1370	049	2965	0.07	2760	2	55	80	2.5	6	4	7412	4652	RH-2	40	form-based			true	0.7	6	1	4	4	8302	5542	5542	1.120076
1371	006	2982	0.07	1894	2	55	80	2.5	6	4	7455	5561	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	6455.599609	6455.599609	1.12
1371	008	2982	0.07	3608	2	55	80	2.5	6	4	7455	3847	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	4741.599609	4741.599609	1.12
1371	011	2982	0.07	2642	2	55	80	2.5	6	4	7455	4813	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	5707.599609	5707.599609	1.12
1371	012	2982	0.07	2670	2	55	80	2.5	6	4	7455	4785	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	5679.599609	5679.599609	1.12
1371	014	2982	0.07	3098	2	55	80	2.5	6	4	7455	4357	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	5251.599609	5251.599609	1.12
1371	017	2982	0.07	3400	2	55	80	2.5	6	4	7455	4055	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	4949.599609	4949.599609	1.12
1371	027	3037	0.07	2660	2	55	80	2.5	6	4	7592	4932	RH-2	40	form-based			true	0.7	6	1	4	4	8503.599609	5843.599609	5843.599609	1.120074
1371	028	3037	0.07	2274	2	55	80	2.5	6	4	7592	5318	RH-2	40	form-based			true	0.7	6	1	4	4	8503.599609	6229.599609	6229.599609	1.120074
1371	029	3037	0.07	3440	2	55	80	2.5	6	4	7592	4152	RH-2	40	form-based			true	0.7	6	1	4	4	8503.599609	5063.599609	5063.599609	1.120074
1371	032	3037	0.07	2145	2	55	80	2.5	6	4	7592	5447	RH-2	40	form-based			true	0.7	6	1	4	4	8503.599609	6358.599609	6358.599609	1.120074
1371	040	3037	0.07	2678	2	55	80	2.5	6	4	7592	4914	RH-2	40	form-based			true	0.7	6	1	4	4	8503.599609	5825.599609	5825.599609	1.120074
1371	043	2532	0.06	4071	1	55	80	2.5	5	4	6330	2259	RH-2	40	form-based			true	0.7	5	1	4	4	7089.600098	3018.600098	3018.600098	1.12
1371	044	2532	0.06	1880	1	55	80	2.5	5	4	6330	4450	RH-2	40	form-based			true	0.7	5	1	4	4	7089.600098	5209.600098	5209.600098	1.12
1371	045	2532	0.06	841	1	55	80	2.5	5	4	6330	5489	RH-2	40	form-based			true	0.7	5	1	4	4	7089.600098	6248.600098	6248.600098	1.12
1371	047	2532	0.06	1294	1	55	80	2.5	5	4	6330	5036	RH-2	40	form-based			true	0.7	5	1	4	4	7089.600098	5795.600098	5795.600098	1.12
1371	051	3037	0.07	1761	2	55	80	2.5	6	4	7592	5831	RH-2	40	form-based			true	0.7	6	1	4	4	8503.599609	6742.599609	6742.599609	1.120074
1371	053	3037	0.07	1735	2	55	80	2.5	6	4	7592	5857	RH-2	40	form-based			true	0.7	6	1	4	4	8503.599609	6768.599609	6768.599609	1.120074
1372	007	3011	0.07	2580	2	55	80	2.5	6	4	7528	4948	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	5850.799805	5850.799805	1.119926
1372	009	3011	0.07	3588	2	55	80	2.5	6	4	7528	3940	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	4842.799805	4842.799805	1.119926
1372	011	3011	0.07	2010	2	55	80	2.5	6	4	7528	5518	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	6420.799805	6420.799805	1.119926
1372	015	3011	0.07	6204	2	55	80	2.5	6	4	7528	1324	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	2226.799805	2226.799805	1.119926
1372	017	3011	0.07	4826	2	55	80	2.5	6	4	7528	2702	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	3604.799805	3604.799805	1.119926
1372	027A	3000	0.07	2900	2	55	80	2.5	6	4	7500	4600	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5500	5500	1.12
1372	028	3000	0.07	3410	2	55	80	2.5	6	4	7500	4090	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4990	4990	1.12
1372	029	2892	0.07	4310	2	55	80	2.5	6	4	7230	2920	RH-2	40	form-based			true	0.7	6	1	4	4	8097.600098	3787.600098	3787.600098	1.12
1372	032	3000	0.07	3230	2	55	80	2.5	6	4	7500	4270	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5170	5170	1.12
1372	036	3000	0.07	3400	2	55	80	2.5	6	4	7500	4100	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5000	5000	1.12
1372	040	3000	0.07	2842	2	55	80	2.5	6	4	7500	4658	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5558	5558	1.12
1372	050	3035	0.07	3200	2	55	80	2.5	6	4	7588	4388	RH-2	40	form-based			true	0.7	6	1	4	4	8498	5298	5298	1.119926
1372	059	3000	0.07	2000	2	55	80	2.5	6	4	7500	5500	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6400	6400	1.12
1372	063	3000	0.07	1450	2	55	80	2.5	6	4	7500	6050	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6950	6950	1.12
1372	065	2903	0.07	1580	2	55	80	2.5	6	4	7258	5678	RH-2	40	form-based			true	0.7	6	1	4	4	8128.399902	6548.399902	6548.399902	1.119923
1372	067	3011	0.07	1319	2	55	80	2.5	6	4	7528	6209	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	7111.799805	7111.799805	1.119926
1372	069	3011	0.07	1295	2	55	80	2.5	6	4	7528	6233	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	7135.799805	7135.799805	1.119926
1372	071	3000	0.07	2177	2	55	80	2.5	6	4	7500	5323	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6223	6223	1.12
1372	081	3000	0.07	1757	2	55	80	2.5	6	4	7500	5743	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6643	6643	1.12
1372	083	3000	0.07	2045	2	55	80	2.5	6	4	7500	5455	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6355	6355	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1374	002	2320	0.05	3807	1	55	80	2.5	4	3	5800	1993	RH-2	40	form-based			true	0.7	5	1.25	4	4	6496	2689	2689	1.12
1374	003	2320	0.05	3305	1	55	80	2.5	4	3	5800	2495	RH-2	40	form-based			true	0.7	5	1.25	4	4	6496	3191	3191	1.12
1374	004	2320	0.05	2290	1	55	80	2.5	4	3	5800	3510	RH-2	40	form-based			true	0.7	5	1.25	4	4	6496	4206	4206	1.12
1374	036	2250	0.05	2254	1	55	80	2.5	4	3	5625	3371	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4046	4046	1.12
1374	037	2250	0.05	2392	1	55	80	2.5	4	3	5625	3233	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	3908	3908	1.12
1374	038	2250	0.05	2278	1	55	80	2.5	4	3	5625	3347	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4022	4022	1.12
1375	047	2750	0.06	5140	2	55	80	2.5	5	3	6875	1735	RH-2	40	form-based		true	true	0.7	6	1.200000048	4	4	7700	2560	2560	1.12
1375	048	2500	0.06	1216	1	55	80	2.5	5	4	6250	5034	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5784	5784	1.12
1375	051	2500	0.06	3120	1	55	80	2.5	5	4	6250	3130	RH-2	40	form-based			true	0.7	5	1	4	4	7000	3880	3880	1.12
1375	052	2500	0.06	2878	1	55	80	2.5	5	4	6250	3372	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4122	4122	1.12
1375	053	2500	0.06	3293	1	55	80	2.5	5	4	6250	2957	RH-2	40	form-based			true	0.7	5	1	4	4	7000	3707	3707	1.12
1375	054	2500	0.06	2540	1	55	80	2.5	5	4	6250	3710	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4460	4460	1.12
1376	002	3000	0.07	2874	2	55	80	2.5	6	4	7500	4626	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5526	5526	1.12
1376	003	3000	0.07	2874	2	55	80	2.5	6	4	7500	4626	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5526	5526	1.12
1376	004	3000	0.07	2018	2	55	80	2.5	6	4	7500	5482	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6382	6382	1.12
1376	009	3000	0.07	3016	2	55	80	2.5	6	4	7500	4484	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5384	5384	1.12
1376	013	3000	0.07	2436	2	55	80	2.5	6	4	7500	5064	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5964	5964	1.12
1376	028	2966	0.07	3094	2	55	80	2.5	6	4	7415	4321	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	5210.799805	5210.799805	1.12
1376	029	2966	0.07	3094	2	55	80	2.5	6	4	7415	4321	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	5210.799805	5210.799805	1.12
1376	031	2966	0.07	3140	2	55	80	2.5	6	4	7415	4275	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	5164.799805	5164.799805	1.12
1376	032	2966	0.07	3702	2	55	80	2.5	6	4	7415	3713	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	4602.799805	4602.799805	1.12
1376	033	2966	0.07	3140	2	55	80	2.5	6	4	7415	4275	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	5164.799805	5164.799805	1.12
1376	034	2966	0.07	3140	2	55	80	2.5	6	4	7415	4275	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	5164.799805	5164.799805	1.12
1376	034A	2966	0.07	3140	2	55	80	2.5	6	4	7415	4275	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	5164.799805	5164.799805	1.12
1376	035	2966	0.07	3140	2	55	80	2.5	6	4	7415	4275	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	5164.799805	5164.799805	1.12
1376	036	2966	0.07	2508	2	55	80	2.5	6	4	7415	4907	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	5796.799805	5796.799805	1.12
1376	038	2966	0.07	2860	2	55	80	2.5	6	4	7415	4555	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	5444.799805	5444.799805	1.12
1376	039	2966	0.07	1835	2	55	80	2.5	6	4	7415	5580	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	6469.799805	6469.799805	1.12
1376	056	3241	0.07	3260	3	55	80	2.5	6	3	8102	4842	RH-2	40	form-based		true	true	0.7	7	1.166666627	4	4	9074.799805	5814.799805	5814.799805	1.120069
1376	062	3000	0.07	1793	2	55	80	2.5	6	4	7500	5707	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6607	6607	1.12
1376	066	1627	0.04	892	2	55	80	2.5	3	1	4068	3176	RTO-C	65	form-based			true	0.75	6	2	4	4	7321.5	6429.5	6429.5	1.799779
1376	068	3000	0.07	1454	2	55	80	2.5	6	4	7500	6046	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6946	6946	1.12
1377	029	3094	0.07	3559	2	55	80	2.5	6	4	7735	4176	RH-2	40	form-based			true	0.7	6	1	4	4	8663.200195	5104.200195	5104.200195	1.12
1377	032	2975	0.07	4296	2	55	80	2.5	6	4	7438	3142	RH-2	40	form-based			true	0.7	6	1	4	4	8330	4034	4034	1.119925
1377	041	2975	0.07	2810	2	55	80	2.5	6	4	7438	4628	RH-2	40	form-based			true	0.7	6	1	4	4	8330	5520	5520	1.119925
1377	052	2733	0.06	2314	2	55	80	2.5	5	3	6832	4518	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7652.399902	5338.399902	5338.399902	1.120082
1378	003	3000	0.07	3490	2	55	80	2.5	6	4	7500	4010	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4910	4910	1.12
1378	005	3000	0.07	3830	2	55	80	2.5	6	4	7500	3670	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4570	4570	1.12
1378	017	3078	0.07	5496	8	55	80	2.5	6	0	7695	2199	RTO-C	65	form-based			true	0.75	12	2	4	4	13851	8355	8355	1.8
1378	023	3096	0.07	3190	3	55	80	2.5	6	3	7740	4550	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8668.799805	5478.799805	5478.799805	1.12
1378	024	2989	0.07	3340	2	55	80	2.5	6	4	7472	4132	RH-2	40	form-based			true	0.7	6	1	4	4	8369.200195	5029.200195	5029.200195	1.120075
1378	026	2989	0.07	3710	2	55	80	2.5	6	4	7472	3762	RH-2	40	form-based			true	0.7	6	1	4	4	8369.200195	4659.200195	4659.200195	1.120075
1378	034	2500	0.06	1840	1	55	80	2.5	5	4	6250	4410	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5160	5160	1.12
1378	035	2500	0.06	2677	1	55	80	2.5	5	4	6250	3573	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4323	4323	1.12
1378	040	2340	0.05	6027	1	55	80	2.5	4	3	5850	0	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6552	525	525	1.12
1379	025	3126	0.07	2691	3	55	80	2.5	6	3	7815	5124	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8752.799805	6061.799805	6061.799805	1.12
1379	027	3126	0.07	4338	3	55	80	2.5	6	3	7815	3477	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8752.799805	4414.799805	4414.799805	1.12
1379	039	2500	0.06	1700	1	55	80	2.5	5	4	6250	4550	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5300	5300	1.12
1379	051	3006	0.07	658	2	55	80	2.5	6	4	7515	6857	RH-2	40	form-based			true	0.7	6	1	4	4	8416.799805	7758.799805	7758.799805	1.12
1380	010	3000	0.07	2110	2	55	80	2.5	6	4	7500	5390	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6290	6290	1.12
1380	012	3000	0.07	1618	2	55	80	2.5	6	4	7500	5882	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6782	6782	1.12
1380	014	3000	0.07	2630	2	55	80	2.5	6	4	7500	4870	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5770	5770	1.12
1380	024	3021	0.07	3450	2	55	80	2.5	6	4	7552	4102	RH-2	40	form-based			true	0.7	6	1	4	4	8458.799805	5008.799805	5008.799805	1.120074
1380	025A	3021	0.07	3357	2	55	80	2.5	6	4	7552	4195	RH-2	40	form-based			true	0.7	6	1	4	4	8458.799805	5101.799805	5101.799805	1.120074
1380	025B	3021	0.07	3450	2	55	80	2.5	6	4	7552	4102	RH-2	40	form-based			true	0.7	6	1	4	4	8458.799805	5008.799805	5008.799805	1.120074
1380	025C	3021	0.07	3450	2	55	80	2.5	6	4	7552	4102	RH-2	40	form-based			true	0.7	6	1	4	4	8458.799805	5008.799805	5008.799805	1.120074
1380	063	3021	0.07	1591	2	55	80	2.5	6	4	7552	5961	RH-2	40	form-based			true	0.7	6	1	4	4	8458.799805	6867.799805	6867.799805	1.120074
1381	006	3000	0.07	3900	2	55	80	2.5	6	4	7500	3600	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4500	4500	1.12
1381	010B	2600	0.06	1900	1	55	80	2.5	5	4	6500	4600	RH-2	40	form-based			true	0.7	5	1	4	4	7280	5380	5380	1.12
1381	010C	3000	0.07	4195	2	55	80	2.5	6	4	7500	3305	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4205	4205	1.12
1381	014B	1602	0.04	2576	2	55	80	2.5	3	1	4005	1429	RTO-C	65	form-based		true	true	0.75	6	2	4	4	7209	4633	4633	1.8
1381	015	1720	0.04	2350	2	55	80	2.5	3	1	4300	1950	RTO-C	65	form-based			true	0.75	6	2	4	4	7740	5390	5390	1.8
1381	016	1719	0.04	2350	2	55	80	2.5	3	1	4298	1948	RTO-C	65	form-based			true	0.75	6	2	4	4	7735.5	5385.5	5385.5	1.799791
1381	019	2960	0.07	5505	7	55	80	2.5	6	0	7400	1895	RTO-C	65	form-based			true	0.75	11	1.833333373	4	4	13320	7815	7815	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1381	031	2962	0.07	3350	2	55	80	2.5	6	4	7405	4055	RH-2	40	form-based			true	0.7	6	1	4	4	8293.599609	4943.599609	4943.599609	1.12
1381	034	2962	0.07	3450	2	55	80	2.5	6	4	7405	3955	RH-2	40	form-based			true	0.7	6	1	4	4	8293.599609	4843.599609	4843.599609	1.12
1381	036A	2188	0.05	3655	1	55	80	2.5	4	3	5470	1815	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6126.399902	2471.399902	2471.399902	1.12
1381	039	2400	0.06	1960	1	55	80	2.5	5	4	6000	4040	RH-2	40	form-based			true	0.7	5	1	4	4	6720	4760	4760	1.12
1382	003	3000	0.07	3140	2	55	80	2.5	6	4	7500	4360	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5260	5260	1.12
1382	018B	1717	0.04	2350	2	55	80	2.5	3	1	4292	1942	RTO-C	65	form-based			true	0.75	6	2	4	4	7726.5	5376.5	5376.5	1.80021
1382	025A	1443	0.03	1500	1	55	80	2.5	2	1	3608	2108	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6493.5	4993.5	4993.5	1.799751
1382	026	3056	0.07	3150	2	55	80	2.5	6	4	7640	4490	RH-2	40	form-based			true	0.7	6	1	4	4	8556.799805	5406.799805	5406.799805	1.12
1382	035	3056	0.07	3258	2	55	80	2.5	6	4	7640	4382	RH-2	40	form-based			true	0.7	6	1	4	4	8556.799805	5298.799805	5298.799805	1.12
1382	041	2500	0.06	2450	1	55	80	2.5	5	4	6250	3800	RH-2	40	form-based		true	true	0.7	5	1	4	4	7000	4550	4550	1.12
1382	042	2500	0.06	1576	1	55	80	2.5	5	4	6250	4674	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5424	5424	1.12
1382	043	2500	0.06	2885	1	55	80	2.5	5	4	6250	3365	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4115	4115	1.12
1382	044	2500	0.06	1281	1	55	80	2.5	5	4	6250	4969	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5719	5719	1.12
1382	045	2500	0.06	1800	1	55	80	2.5	5	4	6250	4450	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5200	5200	1.12
1382	046	2500	0.06	1932	1	55	80	2.5	5	4	6250	4318	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5068	5068	1.12
1382	048	2500	0.06	3201	1	55	80	2.5	5	4	6250	3049	RH-2	40	form-based			true	0.7	5	1	4	4	7000	3799	3799	1.12
1382	049	2500	0.06	2543	1	55	80	2.5	5	4	6250	3707	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4457	4457	1.12
1382	058	1716	0.04	1016	2	55	80	2.5	3	1	4290	3274	RTO-C	65	form-based			true	0.75	6	2	4	4	7722	6706	6706	1.8
1383	004	3000	0.07	3526	2	55	80	2.5	6	4	7500	3974	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4874	4874	1.12
1383	008	3000	0.07	2760	2	55	80	2.5	6	4	7500	4740	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5640	5640	1.12
1383	027	2996	0.07	2836	2	55	80	2.5	6	4	7490	4654	RH-2	40	form-based			true	0.7	6	1	4	4	8388.799805	5552.799805	5552.799805	1.12
1383	032	2996	0.07	3950	2	55	80	2.5	6	4	7490	3540	RH-2	40	form-based			true	0.7	6	1	4	4	8388.799805	4438.799805	4438.799805	1.12
1383	033	2996	0.07	3080	2	55	80	2.5	6	4	7490	4410	RH-2	40	form-based			true	0.7	6	1	4	4	8388.799805	5308.799805	5308.799805	1.12
1383	035	2996	0.07	3504	2	55	80	2.5	6	4	7490	3986	RH-2	40	form-based			true	0.7	6	1	4	4	8388.799805	4884.799805	4884.799805	1.12
1383	039	2996	0.07	3668	2	55	80	2.5	6	4	7490	3822	RH-2	40	form-based			true	0.7	6	1	4	4	8388.799805	4720.799805	4720.799805	1.12
1383	039A	2996	0.07	3310	2	55	80	2.5	6	4	7490	4180	RH-2	40	form-based			true	0.7	6	1	4	4	8388.799805	5078.799805	5078.799805	1.12
1383	040	2996	0.07	3310	2	55	80	2.5	6	4	7490	4180	RH-2	40	form-based			true	0.7	6	1	4	4	8388.799805	5078.799805	5078.799805	1.12
1383	045	2500	0.06	3104	1	55	80	2.5	5	4	6250	3146	RM-1	40	form-based			true	0.7	5	1	4	4	7000	3896	3896	1.12
1383	051	3000	0.07	1280	2	55	80	2.5	6	4	7500	6220	RH-2	40	form-based			true	0.7	6	1	4	4	8400	7120	7120	1.12
1383	053	2996	0.07	1549	2	55	80	2.5	6	4	7490	5941	RH-2	40	form-based			true	0.7	6	1	4	4	8388.799805	6839.799805	6839.799805	1.12
1383	055	2996	0.07	1778	2	55	80	2.5	6	4	7490	5712	RH-2	40	form-based			true	0.7	6	1	4	4	8388.799805	6610.799805	6610.799805	1.12
1383	060	3000	0.07	2201	2	55	80	2.5	6	4	7500	5299	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6199	6199	1.12
1384	004	3010	0.07	3288	2	55	80	2.5	6	4	7525	4237	RH-2	40	form-based			true	0.7	6	1	4	4	8428	5140	5140	1.12
1384	008	3000	0.07	3594	2	55	80	2.5	6	4	7500	3906	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4806	4806	1.12
1384	009	3000	0.07	3096	2	55	80	2.5	6	4	7500	4404	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5304	5304	1.12
1384	009A	3000	0.07	3544	2	55	80	2.5	6	4	7500	3956	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4856	4856	1.12
1384	009N	3008	0.07	3100	2	55	80	2.5	6	4	7520	4420	RH-2	40	form-based			true	0.7	6	1	4	4	8422.399414	5322.399414	5322.399414	1.12
1384	010	3008	0.07	2476	2	55	80	2.5	6	4	7520	5044	RH-2	40	form-based			true	0.7	6	1	4	4	8422.399414	5946.399414	5946.399414	1.12
1384	011	3008	0.07	3800	2	55	80	2.5	6	4	7520	3720	RH-2	40	form-based			true	0.7	6	1	4	4	8422.399414	4622.399414	4622.399414	1.12
1385	002	3037	0.07	3580	2	55	80	2.5	6	4	7592	4012	RM-1	40	form-based			true	0.7	6	1	4	4	8503.599609	4923.599609	4923.599609	1.120074
1385	015	3037	0.07	1889	2	55	80	2.5	6	4	7592	5703	RH-2	40	form-based			true	0.7	6	1	4	4	8503.599609	6614.599609	6614.599609	1.120074
1385	024	3000	0.07	2120	2	55	80	2.5	6	4	7500	5380	RM-1	40	form-based			true	0.7	6	1	4	4	8400	6280	6280	1.12
1385	028A	3720	0.09	3712	4	55	80	2.5	7	3	9300	5588	RM-1	40	form-based			true	0.7	8	1.142857194	4	4	10416	6704	6704	1.12
1385	035	2750	0.06	3540	2	55	80	2.5	5	3	6875	3335	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7700	4160	4160	1.12
1385	063	3037	0.07	3579	2	55	80	2.5	6	4	7592	4013	RH-2	40	form-based			true	0.7	6	1	4	4	8503.599609	4924.599609	4924.599609	1.120074
1385	065	3037	0.07	2208	2	55	80	2.5	6	4	7592	5384	RH-2	40	form-based			true	0.7	6	1	4	4	8503.599609	6295.599609	6295.599609	1.120074
1385	072	3000	0.07	2321	2	55	80	2.5	6	4	7500	5179	RM-1	40	form-based			true	0.7	6	1	4	4	8400	6079	6079	1.12
1386	013	2937	0.07	3380	2	55	80	2.5	6	4	7342	3962	RM-1	40	form-based			true	0.7	6	1	4	4	8223.599609	4843.599609	4843.599609	1.120076
1386	013A	2937	0.07	2410	2	55	80	2.5	6	4	7342	4932	RM-1	40	form-based			true	0.7	6	1	4	4	8223.599609	5813.599609	5813.599609	1.120076
1386	014	2937	0.07	2370	2	55	80	2.5	6	4	7342	4972	RM-1	40	form-based			true	0.7	6	1	4	4	8223.599609	5853.599609	5853.599609	1.120076
1386	016	2242	0.05	3612	4	55	80	2.5	4	0	5605	1993	RTO-C	65	form-based		true	true	0.75	8	2	4	4	10089	6477	6477	1.8
1386	022	1726	0.04	2680	2	55	80	2.5	3	1	4315	1635	RTO-C	65	form-based		true	true	0.75	6	2	4	4	7767	5087	5087	1.8
1386	028	3000	0.07	2680	2	55	80	2.5	6	4	7500	4820	RM-1	40	form-based			true	0.7	6	1	4	4	8400	5720	5720	1.12
1386	030	3000	0.07	3083	2	55	80	2.5	6	4	7500	4417	RM-1	40	form-based			true	0.7	6	1	4	4	8400	5317	5317	1.12
1386	031	3000	0.07	2996	2	55	80	2.5	6	4	7500	4504	RM-1	40	form-based			true	0.7	6	1	4	4	8400	5404	5404	1.12
1386	033	3000	0.07	3115	2	55	80	2.5	6	4	7500	4385	RM-1	40	form-based			true	0.7	6	1	4	4	8400	5285	5285	1.12
1386	040	2500	0.06	1318	1	55	80	2.5	5	4	6250	4932	RM-1	40	form-based			true	0.7	5	1	4	4	7000	5682	5682	1.12
1386	043	2500	0.06	1850	1	55	80	2.5	5	4	6250	4400	RM-1	40	form-based			true	0.7	5	1	4	4	7000	5150	5150	1.12
1386	046	2500	0.06	2468	1	55	80	2.5	5	4	6250	3782	RM-1	40	form-based			true	0.7	5	1	4	4	7000	4532	4532	1.12
1387	014	2400	0.06	1130	1	55	80	2.5	5	4	6000	4870	RM-1	40	form-based			true	0.7	5	1	4	4	6720	5590	5590	1.12
1387	015	3600	0.08	3980	4	55	80	2.5	6	2	9000	5020	RM-1	40	form-based			true	0.7	8	1.333333373	4	4	10080	6100	6100	1.12
1387	018	2524	0.06	4245	1	55	80	2.5	5	4	6310	2065	RH-2	40	form-based			true	0.7	5	1	4	4	7067.199707	2822.199707	2822.199707	1.12
1387	023	3707	0.09	5834	4	55	80	2.5	7	3	9268	3434	RM-1	40	form-based			true	0.7	8	1.142857194	4	4	10379.59961	4545.599609	4545.599609	1.11994
1391	002	2500	0.06	1561	1	55	80	2.5	5	4	6250	4689	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5439	5439	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1391	003	2500	0.06	1458	1	55	80	2.5	5	4	6250	4792	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5542	5542	1.12
1391	005	2530	0.06	1250	1	55	80	2.5	5	4	6325	5075	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7084	5834	5834	1.12
1391	006	2361	0.05	4520	1	55	80	2.5	4	3	5902	1382	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6610.799805	2090.799805	2090.799805	1.120095
1392	026	2541	0.06	1812	1	55	80	2.5	5	4	6352	4540	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7114.799805	5302.799805	5302.799805	1.120088
1392	027	2461	0.06	1395	1	55	80	2.5	5	4	6152	4757	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6890.799805	5495.799805	5495.799805	1.120091
1392	029	2302	0.05	1512	1	55	80	2.5	4	3	5755	4243	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6445.600098	4933.600098	4933.600098	1.12
1392	030	2222	0.05	2687	1	55	80	2.5	4	3	5555	2868	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6221.600098	3534.600098	3534.600098	1.12
1401	003	2557	0.06	1956	1	65	100	3	6	5	7671	5715	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7159.600098	5203.600098	5203.600098	0.933333
1401	004	2559	0.06	1926	1	65	100	3	6	5	7677	5751	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7165.199707	5239.199707	5239.199707	0.933333
1401	005	2561	0.06	1926	1	65	100	3	6	5	7683	5757	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7170.799805	5244.799805	5244.799805	0.933333
1401	006	2563	0.06	1926	1	65	100	3	6	5	7689	5763	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7176.399902	5250.399902	5250.399902	0.933333
1401	007	2565	0.06	1634	1	65	100	3	6	5	7695	6061	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7182	5548	5548	0.933333
1401	008	2567	0.06	1926	1	65	100	3	6	5	7701	5775	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	5261.600098	5261.600098	0.933333
1401	009	2450	0.06	1926	1	65	100	3	6	5	7350	5424	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6860	4934	4934	0.933333
1401	010	2423	0.06	1926	1	65	100	3	6	5	7269	5343	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6784.399902	4858.399902	4858.399902	0.933333
1401	011	2375	0.05	1926	1	65	100	3	5	4	7125	5199	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4724	4724	0.933333
1401	012	2406	0.06	1926	1	65	100	3	6	5	7218	5292	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6736.799805	4810.799805	4810.799805	0.933333
1401	013	2549	0.06	1926	1	65	100	3	6	5	7647	5721	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7137.199707	5211.199707	5211.199707	0.933333
1401	014	2550	0.06	1926	1	65	100	3	6	5	7650	5724	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7140	5214	5214	0.933333
1401	015	2550	0.06	1926	1	65	100	3	6	5	7650	5724	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7140	5214	5214	0.933333
1401	016	2550	0.06	1926	1	65	100	3	6	5	7650	5724	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7140	5214	5214	0.933333
1401	017	2550	0.06	1926	1	65	100	3	6	5	7650	5724	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7140	5214	5214	0.933333
1401	018	2550	0.06	1956	1	65	100	3	6	5	7650	5694	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7140	5184	5184	0.933333
1401	021	7400	0.17	11910	12	65	100	3	17	5	22200	10290	RM-1	40	form-based			true	0.7	16	0.941176474	4	4	20720	8810	8810	0.933333
1402	001	3324	0.08	4720	3	65	100	3	8	5	9972	5252	RH-2	40	form-based		true	true	0.7	7	0.875	4	4	9307.200195	4587.200195	4587.200195	0.933333
1402	002	3039	0.07	2332	2	65	100	3	7	5	9117	6785	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	6177.200195	6177.200195	0.933333
1402	015	3039	0.07	2442	2	65	100	3	7	5	9117	6675	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	6067.200195	6067.200195	0.933333
1402	016	3039	0.07	3342	2	65	100	3	7	5	9117	5775	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	5167.200195	5167.200195	0.933333
1402	040	3120	0.07	2534	3	65	100	3	7	4	9360	6826	RH-2	40	form-based			true	0.7	7	1	4	4	8736	6202	6202	0.933333
1403	002	2978	0.07	3168	2	65	100	3	7	5	8934	5766	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8338.399414	5170.399414	5170.399414	0.933333
1403	021	3502	0.08	3258	3	65	100	3	8	5	10506	7248	RH-2	40	form-based			true	0.7	7	0.875	4	4	9805.599609	6547.599609	6547.599609	0.933333
1403	026	3000	0.07	2691	2	65	100	3	7	5	9000	6309	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5709	5709	0.933333
1403	028	3000	0.07	3423	2	65	100	3	7	5	9000	5577	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4977	4977	0.933333
1404	003	2414	0.06	2072	1	65	100	3	6	5	7242	5170	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6759.199707	4687.199707	4687.199707	0.933333
1404	006	3039	0.07	3995	2	65	100	3	7	5	9117	5122	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	4514.200195	4514.200195	0.933333
1404	007	3039	0.07	3034	2	65	100	3	7	5	9117	6083	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	5475.200195	5475.200195	0.933333
1404	020	3039	0.07	2180	2	65	100	3	7	5	9117	6937	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	6329.200195	6329.200195	0.933333
1404	022A	1664	0.04	2900	2	65	100	3	4	2	4992	2092	RTO-C	65	form-based		true	true	0.75	6	1.5	4	4	7488	4588	4588	1.5
1404	027E	2500	0.06	1560	1	65	100	3	6	5	7500	5940	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5440	5440	0.933333
1404	029	3000	0.07	3260	2	65	100	3	7	5	9000	5740	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5140	5140	0.933333
1404	030	3000	0.07	1526	2	65	100	3	7	5	9000	7474	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6874	6874	0.933333
1404	032	3000	0.07	3108	2	65	100	3	7	5	9000	5892	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5292	5292	0.933333
1404	033	3000	0.07	3300	2	65	100	3	7	5	9000	5700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5100	5100	0.933333
1404	038	3000	0.07	3142	2	65	100	3	7	5	9000	5858	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5258	5258	0.933333
1404	039	3000	0.07	3484	2	65	100	3	7	5	9000	5516	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4916	4916	0.933333
1404	042	2375	0.05	1585	1	65	100	3	5	4	7125	5540	RH-2	40	form-based			true	0.7	5	1	4	4	6650	5065	5065	0.933333
1404	044	2375	0.05	1040	1	65	100	3	5	4	7125	6085	RH-2	40	form-based			true	0.7	5	1	4	4	6650	5610	5610	0.933333
1404	049	3039	0.07	1378	2	65	100	3	7	5	9117	7739	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	7131.200195	7131.200195	0.933333
1404	051	3000	0.07	1778	2	65	100	3	7	5	9000	7222	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6622	6622	0.933333
1405	005	2992	0.07	2770	2	65	100	3	7	5	8976	6206	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	5607.599609	5607.599609	0.933333
1405	007	2992	0.07	3260	2	65	100	3	7	5	8976	5716	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	5117.599609	5117.599609	0.933333
1405	008	2992	0.07	2388	2	65	100	3	7	5	8976	6588	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	5989.599609	5989.599609	0.933333
1405	014	2992	0.07	3280	2	65	100	3	7	5	8976	5696	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	5097.599609	5097.599609	0.933333
1405	015	2992	0.07	3780	2	65	100	3	7	5	8976	5196	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	4597.599609	4597.599609	0.933333
1405	016	2992	0.07	3280	2	65	100	3	7	5	8976	5696	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	5097.599609	5097.599609	0.933333
1405	017	2992	0.07	3280	2	65	100	3	7	5	8976	5696	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	5097.599609	5097.599609	0.933333
1405	018	2992	0.07	3280	2	65	100	3	7	5	8976	5696	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	5097.599609	5097.599609	0.933333
1405	019	2992	0.07	3280	2	65	100	3	7	5	8976	5696	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	5097.599609	5097.599609	0.933333
1405	022	2494	0.06	4372	5	65	100	3	6	1	7482	3110	RTO-C	65	form-based		true	true	0.75	9	1.5	4	4	11223	6851	6851	1.5
1405	032	3000	0.07	3318	2	65	100	3	7	5	9000	5682	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5082	5082	0.933333
1405	034	3000	0.07	3318	2	65	100	3	7	5	9000	5682	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5082	5082	0.933333
1405	035	3000	0.07	3318	2	65	100	3	7	5	9000	5682	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5082	5082	0.933333
1405	036	3000	0.07	3318	2	65	100	3	7	5	9000	5682	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5082	5082	0.933333
1405	037	3000	0.07	3318	2	65	100	3	7	5	9000	5682	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5082	5082	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1405	038	3000	0.07	3318	2	65	100	3	7	5	9000	5682	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5082	5082	0.933333
1405	045	3000	0.07	3583	2	65	100	3	7	5	9000	5417	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4817	4817	0.933333
1405	046	3000	0.07	3965	2	65	100	3	7	5	9000	5035	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4435	4435	0.933333
1405	048	2375	0.05	2146	1	65	100	3	5	4	7125	4979	RH-2	40	form-based			true	0.7	5	1	4	4	6650	4504	4504	0.933333
1405	058	3000	0.07	1540	2	65	100	3	7	5	9000	7460	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6860	6860	0.933333
1405	060	3000	0.07	1528	2	65	100	3	7	5	9000	7472	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6872	6872	0.933333
1405	062	3000	0.07	1659	2	65	100	3	7	5	9000	7341	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6741	6741	0.933333
1405	070	2992	0.07	4045	2	65	100	3	7	5	8976	4931	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	4332.599609	4332.599609	0.933333
1406	004	2989	0.07	4477	2	65	100	3	7	5	8967	4490	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	3892.200195	3892.200195	0.933333
1406	010	2989	0.07	4348	2	65	100	3	7	5	8967	4619	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4021.200195	4021.200195	0.933333
1406	011	2989	0.07	3730	2	65	100	3	7	5	8967	5237	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4639.200195	4639.200195	0.933333
1406	014	2989	0.07	3427	2	65	100	3	7	5	8967	5540	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4942.200195	4942.200195	0.933333
1406	017	3021	0.07	3130	2	65	100	3	7	5	9063	5933	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5328.799805	5328.799805	0.933333
1406	028	3000	0.07	1678	2	65	100	3	7	5	9000	7322	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6722	6722	0.933333
1406	028A	3000	0.07	3300	2	65	100	3	7	5	9000	5700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5100	5100	0.933333
1406	033	3000	0.07	3768	2	65	100	3	7	5	9000	5232	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4632	4632	0.933333
1406	041	2716	0.06	1834	2	65	100	3	6	4	8148	6314	RH-1(S)	40	form-based			true	0.7	6	1	4	4	7604.799805	5770.799805	5770.799805	0.933333
1406	042	2472	0.06	1920	1	65	100	3	6	5	7416	5496	RH-1(S)	40	form-based			true	0.7	5	0.833333313	4	4	6921.600098	5001.600098	5001.600098	0.933333
1406	043	2475	0.06	954	1	65	100	3	6	5	7425	6471	RH-1(S)	40	form-based			true	0.7	5	0.833333313	4	4	6930	5976	5976	0.933333
1406	045	2356	0.05	1442	1	65	100	3	5	4	7068	5626	RH-1(S)	40	form-based			true	0.7	5	1	4	4	6596.799805	5154.799805	5154.799805	0.933333
1406	046	2359	0.05	1889	1	65	100	3	5	4	7077	5188	RH-1(S)	40	form-based			true	0.7	5	1	4	4	6605.199707	4716.199707	4716.199707	0.933333
1406	057	2989	0.07	1448	2	65	100	3	7	5	8967	7519	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	6921.200195	6921.200195	0.933333
1406	059	3000	0.07	1910	2	65	100	3	7	5	9000	7090	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6490	6490	0.933333
1406	061	3000	0.07	2195	2	65	100	3	7	5	9000	6805	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6205	6205	0.933333
1407	003	3237	0.07	5137	3	65	100	3	7	4	9711	4574	RM-1	40	form-based			true	0.7	7	1	4	4	9063.599609	3926.599609	3926.599609	0.933333
1407	009	2997	0.07	4688	2	65	100	3	7	5	8991	4303	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	3703.599609	3703.599609	0.933333
1407	032	3000	0.07	2113	2	65	100	3	7	5	9000	6887	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6287	6287	0.933333
1407	057	2997	0.07	1418	2	65	100	3	7	5	8991	7573	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	6973.599609	6973.599609	0.933333
1407	061	2294	0.05	3531	5	65	100	3	5	0	6882	3351	NCD-OUTE	65	form-based			true	0.75	9	1.799999952	4	4	10323	6792	6792	1.5
1408	002	3037	0.07	4355	2	65	100	3	7	5	9111	4756	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	4148.599609	4148.599609	0.933333
1408	003	3037	0.07	3130	2	65	100	3	7	5	9111	5981	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	5373.599609	5373.599609	0.933333
1408	006	3037	0.07	2168	2	65	100	3	7	5	9111	6943	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	6335.599609	6335.599609	0.933333
1408	006A	3037	0.07	2330	2	65	100	3	7	5	9111	6781	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	6173.599609	6173.599609	0.933333
1408	008A	3037	0.07	2512	2	65	100	3	7	5	9111	6599	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	5991.599609	5991.599609	0.933333
1408	008B	3037	0.07	2512	2	65	100	3	7	5	9111	6599	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	5991.599609	5991.599609	0.933333
1408	012	3037	0.07	2656	2	65	100	3	7	5	9111	6455	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	5847.599609	5847.599609	0.933333
1408	033	5291	0.12	5634	7	65	100	3	12	5	15873	10239	RM-1	40	form-based			true	0.7	11	0.916666687	4	4	14814.7998	9180.799805	9180.799805	0.933333
1409	001A	1476	0.03	2200	2	65	100	3	3	1	4428	2228	RTO-C	65	form-based			true	0.75	6	2	4	4	6642	4442	4442	1.5
1409	017	3038	0.07	2836	2	65	100	3	7	5	9114	6278	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8506.399414	5670.399414	5670.399414	0.933333
1409	029	3000	0.07	1936	2	65	100	3	7	5	9000	7064	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6464	6464	0.933333
1409	035	3000	0.07	3450	2	65	100	3	7	5	9000	5550	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	4950	4950	0.933333
1409	036	3000	0.07	3580	2	65	100	3	7	5	9000	5420	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	4820	4820	0.933333
1409	039	3000	0.07	4204	2	65	100	3	7	5	9000	4796	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	4196	4196	0.933333
1409	040	3000	0.07	2722	2	65	100	3	7	5	9000	6278	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5678	5678	0.933333
1410	003	2996	0.07	3410	2	65	100	3	7	5	8988	5578	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	4978.799805	4978.799805	0.933333
1410	005	2996	0.07	2765	2	65	100	3	7	5	8988	6223	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	5623.799805	5623.799805	0.933333
1410	005A	2996	0.07	1835	2	65	100	3	7	5	8988	7153	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	6553.799805	6553.799805	0.933333
1410	006	2996	0.07	2920	2	65	100	3	7	5	8988	6068	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	5468.799805	5468.799805	0.933333
1410	008	2996	0.07	1980	2	65	100	3	7	5	8988	7008	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	6408.799805	6408.799805	0.933333
1410	009	2996	0.07	3450	2	65	100	3	7	5	8988	5538	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	4938.799805	4938.799805	0.933333
1410	014A	2996	0.07	3060	2	65	100	3	7	5	8988	5928	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	5328.799805	5328.799805	0.933333
1410	015	2996	0.07	2558	2	65	100	3	7	5	8988	6430	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	5830.799805	5830.799805	0.933333
1410	016	2996	0.07	2974	2	65	100	3	7	5	8988	6014	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	5414.799805	5414.799805	0.933333
1410	024	2970	0.07	2000	2	65	100	3	7	5	8910	6910	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8316	6316	6316	0.933333
1410	025	2970	0.07	3452	2	65	100	3	7	5	8910	5458	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8316	4864	4864	0.933333
1410	035	2970	0.07	3200	2	65	100	3	7	5	8910	5710	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8316	5116	5116	0.933333
1410	036	2970	0.07	2750	2	65	100	3	7	5	8910	6160	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8316	5566	5566	0.933333
1410	070	2996	0.07	1810	2	65	100	3	7	5	8988	7178	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	6578.799805	6578.799805	0.933333
1411	003	3026	0.07	2908	2	65	100	3	7	5	9078	6170	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	5564.799805	5564.799805	0.933333
1411	003A	3026	0.07	2908	2	65	100	3	7	5	9078	6170	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	5564.799805	5564.799805	0.933333
1411	007	3026	0.07	3160	2	65	100	3	7	5	9078	5918	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	5312.799805	5312.799805	0.933333
1411	007A	3026	0.07	3160	2	65	100	3	7	5	9078	5918	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	5312.799805	5312.799805	0.933333
1411	007B	3026	0.07	3160	2	65	100	3	7	5	9078	5918	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	5312.799805	5312.799805	0.933333
1411	016	3000	0.07	3280	2	65	100	3	7	5	9000	5720	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5120	5120	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1411	020	3000	0.07	2376	2	65	100	3	7	5	9000	6624	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6024	6024	0.933333
1411	030	3026	0.07	3199	2	65	100	3	7	5	9078	5879	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	5273.799805	5273.799805	0.933333
1412	001A	1220	0.03	1847	1	65	100	3	3	2	3660	1813	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	5490	3643	3643	1.5
1412	002	2965	0.07	3312	2	65	100	3	7	5	8895	5583	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8302	4990	4990	0.933333
1412	002B	3030	0.07	3312	2	65	100	3	7	5	9090	5778	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	5172	5172	0.933333
1412	002C	3030	0.07	3312	2	65	100	3	7	5	9090	5778	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	5172	5172	0.933333
1412	012	2965	0.07	3240	2	65	100	3	7	5	8895	5655	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8302	5062	5062	0.933333
1412	012A	3030	0.07	3292	2	65	100	3	7	5	9090	5798	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	5192	5192	0.933333
1412	012B	3030	0.07	3623	2	65	100	3	7	5	9090	5467	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	4861	4861	0.933333
1412	012C	2965	0.07	3240	2	65	100	3	7	5	8895	5655	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8302	5062	5062	0.933333
1412	023C	3030	0.07	2325	2	65	100	3	7	5	9090	6765	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	6159	6159	0.933333
1412	044	1915	0.04	1172	3	65	100	3	4	1	5745	4573	NCD-OUTE	65	form-based			true	0.75	7	1.75	4	4	8617.5	7445.5	7445.5	1.5
1412	059	3030	0.07	2519	2	65	100	3	7	5	9090	6571	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	5965	5965	0.933333
1413	006	3021	0.07	3180	2	65	100	3	7	5	9063	5883	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5278.799805	5278.799805	0.933333
1413	007	3021	0.07	2912	2	65	100	3	7	5	9063	6151	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5546.799805	5546.799805	0.933333
1413	008	3021	0.07	2725	2	65	100	3	7	5	9063	6338	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5733.799805	5733.799805	0.933333
1413	016	3021	0.07	2956	2	65	100	3	7	5	9063	6107	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5502.799805	5502.799805	0.933333
1413	025B	3000	0.07	3800	2	65	100	3	7	5	9000	5200	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	4600	4600	0.933333
1413	031	3000	0.07	2920	2	65	100	3	7	5	9000	6080	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5480	5480	0.933333
1413	032	3000	0.07	3400	2	65	100	3	7	5	9000	5600	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5000	5000	0.933333
1413	038	3000	0.07	1840	2	65	100	3	7	5	9000	7160	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6560	6560	0.933333
1413	051	3000	0.07	1900	2	65	100	3	7	5	9000	7100	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6500	6500	0.933333
1413	058	2914	0.07	1652	2	65	100	3	7	5	8742	7090	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8159.199707	6507.199707	6507.199707	0.933333
1414	007	3004	0.07	2908	2	65	100	3	7	5	9012	6104	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	5503.200195	5503.200195	0.933333
1414	009	3004	0.07	3600	2	65	100	3	7	5	9012	5412	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	4811.200195	4811.200195	0.933333
1414	010	3004	0.07	2800	2	65	100	3	7	5	9012	6212	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	5611.200195	5611.200195	0.933333
1414	011	3004	0.07	3386	2	65	100	3	7	5	9012	5626	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	5025.200195	5025.200195	0.933333
1414	013	3004	0.07	2950	2	65	100	3	7	5	9012	6062	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	5461.200195	5461.200195	0.933333
1414	015	3004	0.07	2648	2	65	100	3	7	5	9012	6364	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	5763.200195	5763.200195	0.933333
1414	016	3001	0.07	4662	2	65	100	3	7	5	9003	4341	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8402.799805	3740.799805	3740.799805	0.933333
1414	035	3000	0.07	2120	2	65	100	3	7	5	9000	6880	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6280	6280	0.933333
1414	036	3000	0.07	2120	2	65	100	3	7	5	9000	6880	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6280	6280	0.933333
1414	037	3000	0.07	2120	2	65	100	3	7	5	9000	6880	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6280	6280	0.933333
1414	065	3004	0.07	3172	2	65	100	3	7	5	9012	5840	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	5239.200195	5239.200195	0.933333
1415	001	2239	0.05	3700	4	55	80	2.5	4	0	5598	1898	RTO-C	65	form-based	true		true	0.75	8	2	4	4	10075.5	6375.5	6375.5	1.799839
1415	002A	2989	0.07	3124	2	65	100	3	7	5	8967	5843	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	5245.200195	5245.200195	0.933333
1415	002B	2989	0.07	3124	2	65	100	3	7	5	8967	5843	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	5245.200195	5245.200195	0.933333
1415	003B	2989	0.07	2650	2	65	100	3	7	5	8967	6317	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	5719.200195	5719.200195	0.933333
1415	005	2989	0.07	3280	2	65	100	3	7	5	8967	5687	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	5089.200195	5089.200195	0.933333
1415	005A	2989	0.07	3280	2	65	100	3	7	5	8967	5687	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	5089.200195	5089.200195	0.933333
1415	008	2989	0.07	2986	2	65	100	3	7	5	8967	5981	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	5383.200195	5383.200195	0.933333
1415	016A	2062	0.05	2772	4	65	100	3	5	1	6186	3414	NCD-OUTE	65	form-based	true		true	0.75	8	1.600000024	4	4	9279	6507	6507	1.5
1415	017	3000	0.07	2320	2	65	100	3	7	5	9000	6680	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6080	6080	0.933333
1415	021	3000	0.07	3080	2	65	100	3	7	5	9000	5920	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5320	5320	0.933333
1415	023A	3000	0.07	3008	2	65	100	3	7	5	9000	5992	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5392	5392	0.933333
1415	037	2989	0.07	1807	2	65	100	3	7	5	8967	7160	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	6562.200195	6562.200195	0.933333
1416	002	2975	0.07	2920	2	65	100	3	7	5	8925	6005	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	5410	5410	0.933333
1416	004	2975	0.07	3272	2	65	100	3	7	5	8925	5653	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	5058	5058	0.933333
1416	008	2975	0.07	3668	2	65	100	3	7	5	8925	5257	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	4662	4662	0.933333
1416	009	2975	0.07	1588	2	65	100	3	7	5	8925	7337	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	6742	6742	0.933333
1416	011	2975	0.07	2874	2	65	100	3	7	5	8925	6051	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	5456	5456	0.933333
1416	013	2975	0.07	3560	2	65	100	3	7	5	8925	5365	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	4770	4770	0.933333
1416	014	2975	0.07	4210	2	65	100	3	7	5	8925	4715	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	4120	4120	0.933333
1416	015	2975	0.07	4614	2	65	100	3	7	5	8925	4311	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	3716	3716	0.933333
1416	016	2975	0.07	2834	2	65	100	3	7	5	8925	6091	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	5496	5496	0.933333
1416	025	3000	0.07	2578	2	65	100	3	7	5	9000	6422	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5822	5822	0.933333
1416	029	3000	0.07	2676	2	65	100	3	7	5	9000	6324	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5724	5724	0.933333
1416	030	3000	0.07	4292	2	65	100	3	7	5	9000	4708	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4108	4108	0.933333
1416	032A	3000	0.07	3440	2	65	100	3	7	5	9000	5560	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4960	4960	0.933333
1416	037	3000	0.07	2480	2	65	100	3	7	5	9000	6520	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5920	5920	0.933333
1416	039	3000	0.07	3050	2	65	100	3	7	5	9000	5950	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5350	5350	0.933333
1417	004	3000	0.07	3750	2	65	100	3	7	5	9000	5250	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4650	4650	0.933333
1417	005	3000	0.07	4054	2	65	100	3	7	5	9000	4946	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4346	4346	0.933333
1417	008	3000	0.07	3094	2	65	100	3	7	5	9000	5906	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5306	5306	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1417	008A	3000	0.07	2844	2	65	100	3	7	5	9000	6156	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5556	5556	0.933333
1417	010	3000	0.07	3516	2	65	100	3	7	5	9000	5484	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4884	4884	0.933333
1417	010A	3000	0.07	3292	2	65	100	3	7	5	9000	5708	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5108	5108	0.933333
1417	013	3000	0.07	3284	2	65	100	3	7	5	9000	5716	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5116	5116	0.933333
1417	017	3423	0.08	9030	9	65	100	3	8	0	10269	1239	RTO-C	65	form-based		true	true	0.75	13	1.625	4	4	15403.5	6373.5	6373.5	1.5
1417	020	3000	0.07	3250	2	65	100	3	7	5	9000	5750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5150	5150	0.933333
1417	020A	3000	0.07	3250	2	65	100	3	7	5	9000	5750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5150	5150	0.933333
1417	020B	3000	0.07	3410	2	65	100	3	7	5	9000	5590	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4990	4990	0.933333
1417	021	3000	0.07	4104	2	65	100	3	7	5	9000	4896	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4296	4296	0.933333
1417	021A	3000	0.07	3410	2	65	100	3	7	5	9000	5590	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4990	4990	0.933333
1417	021B	3000	0.07	3410	2	65	100	3	7	5	9000	5590	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4990	4990	0.933333
1417	021C	3000	0.07	3340	2	65	100	3	7	5	9000	5660	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5060	5060	0.933333
1417	028	3000	0.07	3956	2	65	100	3	7	5	9000	5044	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4444	4444	0.933333
1417	037	3000	0.07	2255	2	65	100	3	7	5	9000	6745	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6145	6145	0.933333
1417	041	3000	0.07	1429	2	65	100	3	7	5	9000	7571	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6971	6971	0.933333
1417	059	3000	0.07	1822	2	65	100	3	7	5	9000	7178	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6578	6578	0.933333
1417	061	3000	0.07	2239	2	65	100	3	7	5	9000	6761	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6161	6161	0.933333
1417	063	3000	0.07	1780	2	65	100	3	7	5	9000	7220	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6620	6620	0.933333
1418	017	3015	0.07	3276	2	65	100	3	7	5	9045	5769	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8442	5166	5166	0.933333
1418	033	3468	0.08	3002	3	65	100	3	8	5	10404	7402	RH-2	40	form-based			true	0.7	7	0.875	4	4	9710.399414	6708.399414	6708.399414	0.933333
1418	059	3050	0.07	1461	2	65	100	3	7	5	9150	7689	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8540	7079	7079	0.933333
1419	010	3255	0.07	4332	3	65	100	3	7	4	9765	5433	RH-2	40	form-based			true	0.7	7	1	4	4	9114	4782	4782	0.933333
1419	028	3138	0.07	3023	3	65	100	3	7	4	9414	6391	RH-2	40	form-based			true	0.7	7	1	4	4	8786.399414	5763.399414	5763.399414	0.933333
1421	002	2989	0.07	3380	2	65	100	3	7	5	8967	5587	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4989.200195	4989.200195	0.933333
1421	003	2989	0.07	3380	2	65	100	3	7	5	8967	5587	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4989.200195	4989.200195	0.933333
1421	008	2989	0.07	1955	2	65	100	3	7	5	8967	7012	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	6414.200195	6414.200195	0.933333
1421	011A	2989	0.07	3000	2	65	100	3	7	5	8967	5967	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	5369.200195	5369.200195	0.933333
1421	037	4765	0.11	11232	14	65	100	3	11	0	14295	3063	NCD-INNE	65	form-based		true	true	0.75	18	1.636363626	4	4	21442.5	10210.5	10210.5	1.5
1421	039	3000	0.07	1436	2	65	100	3	7	5	9000	7564	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6964	6964	0.933333
1421	043	3000	0.07	1996	2	65	100	3	7	5	9000	7004	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6404	6404	0.933333
1422	003	3046	0.07	3200	2	55	80	2.5	6	4	7615	4415	RM-1	40	form-based			true	0.7	6	1	4	4	8528.799805	5328.799805	5328.799805	1.12
1422	006	3046	0.07	3434	2	65	100	3	7	5	9138	5704	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8528.799805	5094.799805	5094.799805	0.933333
1422	012	3046	0.07	2780	2	65	100	3	7	5	9138	6358	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8528.799805	5748.799805	5748.799805	0.933333
1422	013	3046	0.07	2580	2	65	100	3	7	5	9138	6558	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8528.799805	5948.799805	5948.799805	0.933333
1422	016	3046	0.07	2600	2	65	100	3	7	5	9138	6538	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8528.799805	5928.799805	5928.799805	0.933333
1422	017	2326	0.05	4710	5	65	100	3	5	0	6978	2268	NCD-INNE	65	form-based		true	true	0.75	9	1.799999952	4	4	10467	5757	5757	1.5
1422	024	2992	0.07	3500	2	65	100	3	7	5	8976	5476	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	4877.599609	4877.599609	0.933333
1422	032	3111	0.07	3236	3	65	100	3	7	4	9333	6097	RM-1	40	form-based			true	0.7	7	1	4	4	8710.799805	5474.799805	5474.799805	0.933333
1422	032A	2871	0.07	3000	2	65	100	3	7	5	8613	5613	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8038.799805	5038.799805	5038.799805	0.933333
1422	038	2990	0.07	2700	2	65	100	3	7	5	8970	6270	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8372	5672	5672	0.933333
1423	009	2965	0.07	3500	2	65	100	3	7	5	8895	5395	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8302	4802	4802	0.933333
1423	012	2965	0.07	2940	2	65	100	3	7	5	8895	5955	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8302	5362	5362	0.933333
1423	017	2965	0.07	3300	2	65	100	3	7	5	8895	5595	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8302	5002	5002	0.933333
1423	026	3000	0.07	2730	2	65	100	3	7	5	9000	6270	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5670	5670	0.933333
1423	027	3000	0.07	2577	2	65	100	3	7	5	9000	6423	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5823	5823	0.933333
1423	029	3000	0.07	2060	2	65	100	3	7	5	9000	6940	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6340	6340	0.933333
1423	032	3000	0.07	2312	2	65	100	3	7	5	9000	6688	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6088	6088	0.933333
1423	034	3000	0.07	3500	2	65	100	3	7	5	9000	5500	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	4900	4900	0.933333
1423	035	3000	0.07	2900	2	65	100	3	7	5	9000	6100	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5500	5500	0.933333
1424	002	3036	0.07	3300	2	65	100	3	7	5	9108	5808	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8500.799805	5200.799805	5200.799805	0.933333
1424	003	3036	0.07	3076	2	65	100	3	7	5	9108	6032	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8500.799805	5424.799805	5424.799805	0.933333
1424	010	3036	0.07	2834	2	65	100	3	7	5	9108	6274	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8500.799805	5666.799805	5666.799805	0.933333
1424	025	3000	0.07	3400	2	65	100	3	7	5	9000	5600	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5000	5000	0.933333
1424	030	3000	0.07	3000	2	65	100	3	7	5	9000	6000	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5400	5400	0.933333
1425	004	2961	0.07	3300	2	65	100	3	7	5	8883	5583	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8290.799805	4990.799805	4990.799805	0.933333
1425	016	2961	0.07	2241	2	65	100	3	7	5	8883	6642	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8290.799805	6049.799805	6049.799805	0.933333
1425	019	2198	0.05	4130	4	65	100	3	5	1	6594	2464	NCD-INNE	65	form-based		true	true	0.75	8	1.600000024	4	4	9891	5761	5761	1.5
1425	059	2961	0.07	1326	2	65	100	3	7	5	8883	7557	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8290.799805	6964.799805	6964.799805	0.933333
1425	070	3000	0.07	1547	2	65	100	3	7	5	9000	7453	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6853	6853	0.933333
1426	005	2991	0.07	3242	2	65	100	3	7	5	8973	5731	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8374.799805	5132.799805	5132.799805	0.933333
1426	006	2991	0.07	3242	2	65	100	3	7	5	8973	5731	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8374.799805	5132.799805	5132.799805	0.933333
1426	007	2991	0.07	3242	2	65	100	3	7	5	8973	5731	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8374.799805	5132.799805	5132.799805	0.933333
1426	010	3111	0.07	3016	3	65	100	3	7	4	9333	6317	RM-1	40	form-based			true	0.7	7	1	4	4	8710.799805	5694.799805	5694.799805	0.933333
1426	033	3960	0.09	6137	4	65	100	3	9	5	11880	5743	RM-1	40	form-based			true	0.7	8	0.888888896	4	4	11088	4951	4951	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1426	061	2991	0.07	1444	2	65	100	3	7	5	8973	7529	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8374.799805	6930.799805	6930.799805	0.933333
1427	009	3002	0.07	2996	2	65	100	3	7	5	9006	6010	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	5409.599609	5409.599609	0.933333
1427	022	3000	0.07	3258	2	65	100	3	7	5	9000	5742	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5142	5142	0.933333
1427	024	3000	0.07	1980	2	65	100	3	7	5	9000	7020	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6420	6420	0.933333
1427	025	3000	0.07	2170	2	65	100	3	7	5	9000	6830	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6230	6230	0.933333
1427	027	3000	0.07	2974	2	65	100	3	7	5	9000	6026	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5426	5426	0.933333
1427	028	3000	0.07	2489	2	65	100	3	7	5	9000	6511	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5911	5911	0.933333
1428	002	3010	0.07	3080	2	65	100	3	7	5	9030	5950	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8428	5348	5348	0.933333
1428	005	3009	0.07	2590	2	65	100	3	7	5	9027	6437	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8425.200195	5835.200195	5835.200195	0.933333
1428	009	3007	0.07	2373	2	65	100	3	7	5	9021	6648	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8419.599609	6046.599609	6046.599609	0.933333
1428	012	3005	0.07	2580	2	65	100	3	7	5	9015	6435	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8414	5834	5834	0.933333
1428	030	3008	0.07	3370	2	65	100	3	7	5	9024	5654	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	5052.399414	5052.399414	0.933333
1428	031	3006	0.07	3901	2	65	100	3	7	5	9018	5117	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	4515.799805	4515.799805	0.933333
1428	032	3005	0.07	2882	2	65	100	3	7	5	9015	6133	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8414	5532	5532	0.933333
1428	037	2999	0.07	2786	2	65	100	3	7	5	8997	6211	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8397.200195	5611.200195	5611.200195	0.933333
1428	041	2994	0.07	3386	2	65	100	3	7	5	8982	5596	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	4997.200195	4997.200195	0.933333
1428	055	3006	0.07	1344	2	65	100	3	7	5	9018	7674	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	7072.799805	7072.799805	0.933333
1428	057	3003	0.07	2408	2	65	100	3	7	5	9009	6601	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8408.399414	6000.399414	6000.399414	0.933333
1429	002	3026	0.07	2620	2	65	100	3	7	5	9078	6458	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	5852.799805	5852.799805	0.933333
1429	003	3025	0.07	3728	2	65	100	3	7	5	9075	5347	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8470	4742	4742	0.933333
1429	009	3017	0.07	2884	2	65	100	3	7	5	9051	6167	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	5563.599609	5563.599609	0.933333
1429	012	3013	0.07	2450	2	65	100	3	7	5	9039	6589	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	5986.399414	5986.399414	0.933333
1429	013	3012	0.07	2600	2	65	100	3	7	5	9036	6436	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	5833.599609	5833.599609	0.933333
1429	014	3010	0.07	2310	2	65	100	3	7	5	9030	6720	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8428	6118	6118	0.933333
1429	016	3008	0.07	3014	2	65	100	3	7	5	9024	6010	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	5408.399414	5408.399414	0.933333
1429	026	2351	0.05	2820	1	65	100	3	5	4	7053	4233	RM-1	40	form-based			true	0.7	5	1	4	4	6582.799805	3762.799805	3762.799805	0.933333
1429	032	2994	0.07	2544	2	65	100	3	7	5	8982	6438	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	5839.200195	5839.200195	0.933333
1429	034	2992	0.07	3320	2	65	100	3	7	5	8976	5656	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	5057.599609	5057.599609	0.933333
1429	037	2991	0.07	3580	2	65	100	3	7	5	8973	5393	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8374.799805	4794.799805	4794.799805	0.933333
1429	041	2500	0.06	2519	1	65	100	3	6	5	7500	4981	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4481	4481	0.933333
1429	042	2500	0.06	1933	1	65	100	3	6	5	7500	5567	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5067	5067	0.933333
1429	044	2500	0.06	1606	1	65	100	3	6	5	7500	5894	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5394	5394	0.933333
1430	003	2350	0.05	1780	1	65	100	3	5	4	7050	5270	RM-1	40	form-based			true	0.7	5	1	4	4	6580	4800	4800	0.933333
1430	004	2350	0.05	1780	1	65	100	3	5	4	7050	5270	RM-1	40	form-based			true	0.7	5	1	4	4	6580	4800	4800	0.933333
1430	031	2993	0.07	2860	2	65	100	3	7	5	8979	6119	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8380.399414	5520.399414	5520.399414	0.933333
1430	036	2986	0.07	1816	2	65	100	3	7	5	8958	7142	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8360.799805	6544.799805	6544.799805	0.933333
1430	038	2984	0.07	2928	2	65	100	3	7	5	8952	6024	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8355.200195	5427.200195	5427.200195	0.933333
1430	039	2983	0.07	2500	2	65	100	3	7	5	8949	6449	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	5852.399414	5852.399414	0.933333
1430	040	2981	0.07	1988	2	65	100	3	7	5	8943	6955	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8346.799805	6358.799805	6358.799805	0.933333
1430	042	2977	0.07	2600	2	65	100	3	7	5	8931	6331	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8335.599609	5735.599609	5735.599609	0.933333
1430	045	2800	0.06	2766	2	65	100	3	6	4	8400	5634	RM-1	40	form-based			true	0.7	6	1	4	4	7840	5074	5074	0.933333
1431	010	3000	0.07	2630	2	65	100	3	7	5	9000	6370	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5770	5770	0.933333
1431	012	3000	0.07	3082	2	65	100	3	7	5	9000	5918	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5318	5318	0.933333
1431	016	2885	0.07	2485	2	65	100	3	7	5	8655	6170	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8078	5593	5593	0.933333
1431	020	2500	0.06	4030	5	65	100	3	6	1	7500	3470	NCD-INNE	65	form-based			true	0.75	9	1.5	4	4	11250	7220	7220	1.5
1431	022	2500	0.06	4654	5	65	100	3	6	1	7500	2846	NCD-INNE	65	form-based			true	0.75	9	1.5	4	4	11250	6596	6596	1.5
1431	032	3019	0.07	2650	2	65	100	3	7	5	9057	6407	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8453.200195	5803.200195	5803.200195	0.933333
1431	034	3019	0.07	2752	2	65	100	3	7	5	9057	6305	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8453.200195	5701.200195	5701.200195	0.933333
1431	039	3019	0.07	2770	2	65	100	3	7	5	9057	6287	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8453.200195	5683.200195	5683.200195	0.933333
1431	048	2500	0.06	1070	1	65	100	3	6	5	7500	6430	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5930	5930	0.933333
1431	049	2500	0.06	1353	1	65	100	3	6	5	7500	6147	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5647	5647	0.933333
1431	051	3000	0.07	1334	2	65	100	3	7	5	9000	7666	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	7066	7066	0.933333
1431	053	3019	0.07	1432	2	65	100	3	7	5	9057	7625	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8453.200195	7021.200195	7021.200195	0.933333
1431	055	3019	0.07	1740	2	65	100	3	7	5	9057	7317	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8453.200195	6713.200195	6713.200195	0.933333
1432	021	2063	0.05	4026	4	65	100	3	5	1	6189	2163	NCD-INNE	65	form-based	true		true	0.75	8	1.600000024	4	4	9283.5	5257.5	5257.5	1.5
1432	026	3000	0.07	2738	2	65	100	3	7	5	9000	6262	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5662	5662	0.933333
1432	033	3000	0.07	2828	2	65	100	3	7	5	9000	6172	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5572	5572	0.933333
1432	058	3000	0.07	1407	2	65	100	3	7	5	9000	7593	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6993	6993	0.933333
1432	062	2879	0.07	1253	2	65	100	3	7	5	8637	7384	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8061.199707	6808.199707	6808.199707	0.933333
1433	006	3044	0.07	2662	2	65	100	3	7	5	9132	6470	RM-2	40	form-based			true	0.7	6	0.857142866	4	4	8523.200195	5861.200195	5861.200195	0.933333
1433	019	2977	0.07	2686	2	65	100	3	7	5	8931	6245	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8335.599609	5649.599609	5649.599609	0.933333
1434	024	3019	0.07	2120	2	65	100	3	7	5	9057	6937	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8453.200195	6333.200195	6333.200195	0.933333
1434	025	3019	0.07	2795	2	65	100	3	7	5	9057	6262	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8453.200195	5658.200195	5658.200195	0.933333
1434	028	3019	0.07	2340	2	65	100	3	7	5	9057	6717	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8453.200195	6113.200195	6113.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1434	035	3019	0.07	3371	2	65	100	3	7	5	9057	5686	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8453.200195	5082.200195	5082.200195	0.933333
1435	006	3027	0.07	2474	2	65	100	3	7	5	9081	6607	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8475.599609	6001.599609	6001.599609	0.933333
1435	008	3027	0.07	2500	2	65	100	3	7	5	9081	6581	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8475.599609	5975.599609	5975.599609	0.933333
1435	021	3000	0.07	2110	2	85	140	4	10	8	12000	9890	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	6290	6290	0.7
1435	023	3000	0.07	1620	2	65	100	3	7	5	9000	7380	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6780	6780	0.933333
1435	026	3000	0.07	1275	2	65	100	3	7	5	9000	7725	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	7125	7125	0.933333
1435	029	3000	0.07	2440	2	65	100	3	7	5	9000	6560	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5960	5960	0.933333
1435	031	3000	0.07	2250	2	65	100	3	7	5	9000	6750	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6150	6150	0.933333
1435	032	3000	0.07	1940	2	65	100	3	7	5	9000	7060	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6460	6460	0.933333
1435	033	3000	0.07	1666	2	65	100	3	7	5	9000	7334	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6734	6734	0.933333
1435	034	3000	0.07	2230	2	65	100	3	7	5	9000	6770	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6170	6170	0.933333
1435	035	3000	0.07	2310	2	65	100	3	7	5	9000	6690	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6090	6090	0.933333
1435	042	2500	0.06	6495	5	65	100	3	6	1	7500	1005	NCD-INNE	65	form-based			true	0.75	9	1.5	4	4	11250	4755	4755	1.5
1435	048	3000	0.07	1272	2	65	100	3	7	5	9000	7728	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	7128	7128	0.933333
1436	002	3000	0.07	2734	3	65	100	3	7	4	9000	6266	NCD-INNE	40	form-based			true	0.75	7	1	4	4	9000	6266	6266	1
1436	003	3000	0.07	1930	2	65	100	3	7	5	9000	7070	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6470	6470	0.933333
1436	006	3000	0.07	2630	2	65	100	3	7	5	9000	6370	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5770	5770	0.933333
1436	010A	3000	0.07	3614	2	65	100	3	7	5	9000	5386	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	4786	4786	0.933333
1436	011	3000	0.07	2860	2	65	100	3	7	5	9000	6140	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5540	5540	0.933333
1436	015	2970	0.07	2856	2	65	100	3	7	5	8910	6054	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8316	5460	5460	0.933333
1436	025	3006	0.07	2890	2	65	100	3	7	5	9018	6128	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	5526.799805	5526.799805	0.933333
1436	026	3006	0.07	4244	2	65	100	3	7	5	9018	4774	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	4172.799805	4172.799805	0.933333
1436	027	3006	0.07	2465	2	65	100	3	7	5	9018	6553	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	5951.799805	5951.799805	0.933333
1436	028	3006	0.07	2130	2	65	100	3	7	5	9018	6888	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	6286.799805	6286.799805	0.933333
1436	033	3209	0.07	3070	3	65	100	3	7	4	9627	6557	RM-1	40	form-based			true	0.7	7	1	4	4	8985.200195	5915.200195	5915.200195	0.933333
1436	034	3006	0.07	2890	2	65	100	3	7	5	9018	6128	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	5526.799805	5526.799805	0.933333
1436	058	3030	0.07	1067	2	65	100	3	7	5	9090	8023	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8484	7417	7417	0.933333
1437	004	3000	0.07	3040	2	65	100	3	7	5	9000	5960	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5360	5360	0.933333
1437	005	3000	0.07	2400	2	65	100	3	7	5	9000	6600	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6000	6000	0.933333
1437	013	3000	0.07	4132	2	65	100	3	7	5	9000	4868	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	4268	4268	0.933333
1437	025	3014	0.07	3237	2	85	140	4	10	8	12056	8819	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8439.200195	5202.200195	5202.200195	0.7
1437	028	3014	0.07	2790	2	65	100	3	7	5	9042	6252	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8439.200195	5649.200195	5649.200195	0.933333
1437	029	3014	0.07	2790	2	65	100	3	7	5	9042	6252	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8439.200195	5649.200195	5649.200195	0.933333
1437	032	3014	0.07	2680	2	65	100	3	7	5	9042	6362	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8439.200195	5759.200195	5759.200195	0.933333
1438	052	2011	0.05	2269	1	85	140	4	7	6	8044	5775	NCD-GEAR	40	form-based			true	0.75	5	0.714285731	4	4	6033	3764	3764	0.75
1439	005	3300	0.08	3524	3	65	100	3	8	5	9900	6376	RM-1	40	form-based			true	0.7	7	0.875	4	4	9240	5716	5716	0.933333
1439	014	3615	0.08	3400	4	65	100	3	8	4	10845	7445	RM-1	40	form-based			true	0.7	8	1	4	4	10122	6722	6722	0.933333
1439	015	3615	0.08	3400	4	65	100	3	8	4	10845	7445	RM-1	40	form-based			true	0.7	8	1	4	4	10122	6722	6722	0.933333
1439	016	3615	0.08	3400	4	65	100	3	8	4	10845	7445	RM-1	40	form-based			true	0.7	8	1	4	4	10122	6722	6722	0.933333
1439	024	3024	0.07	2075	2	65	100	3	7	5	9072	6997	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	6392.200195	6392.200195	0.933333
1439	026A	3024	0.07	2700	2	65	100	3	7	5	9072	6372	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	5767.200195	5767.200195	0.933333
1439	027	3024	0.07	2090	2	65	100	3	7	5	9072	6982	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	6377.200195	6377.200195	0.933333
1439	028	3024	0.07	2840	2	65	100	3	7	5	9072	6232	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	5627.200195	5627.200195	0.933333
1439	038	4237	0.1	9620	12	65	100	3	10	0	12711	3091	NCD-INNE	65	form-based	true		true	0.75	16	1.600000024	4	4	19066.5	9446.5	9446.5	1.5
1439	051	3615	0.08	850	4	65	100	3	8	4	10845	9995	RM-1	40	form-based			true	0.7	8	1	4	4	10122	9272	9272	0.933333
1439	065	3024	0.07	1289	2	65	100	3	7	5	9072	7783	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	7178.200195	7178.200195	0.933333
1439	070	3000	0.07	1362	2	65	100	3	7	5	9000	7638	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	7038	7038	0.933333
1441	023	3000	0.07	2402	2	65	100	3	7	5	9000	6598	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5998	5998	0.933333
1441	024	3032	0.07	2930	2	65	100	3	7	5	9096	6166	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8489.599609	5559.599609	5559.599609	0.933333
1441	028	3032	0.07	2742	2	65	100	3	7	5	9096	6354	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8489.599609	5747.599609	5747.599609	0.933333
1441	033	2500	0.06	5150	5	65	100	3	6	1	7500	2350	NCD-INNE	65	form-based			true	0.75	9	1.5	4	4	11250	6100	6100	1.5
1441	034	2500	0.06	5850	5	65	100	3	6	1	7500	1650	NCD-INNE	65	form-based			true	0.75	9	1.5	4	4	11250	5400	5400	1.5
1441	040	3000	0.07	882	2	85	140	4	10	8	12000	11118	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	7518	7518	0.7
1442	003	2460	0.06	1867	1	65	100	3	6	5	7380	5513	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	6888	5021	5021	0.933333
1442	004	2960	0.07	3250	2	65	100	3	7	5	8880	5630	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8288	5038	5038	0.933333
1442	009	2368	0.05	1300	1	65	100	3	5	4	7104	5804	RM-1	40	form-based			true	0.7	5	1	4	4	6630.399902	5330.399902	5330.399902	0.933333
1442	010	2282	0.05	1000	1	65	100	3	5	4	6846	5846	RM-1	40	form-based			true	0.7	5	1	4	4	6389.600098	5389.600098	5389.600098	0.933333
1442	011	2960	0.07	1965	2	65	100	3	7	5	8880	6915	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8288	6323	6323	0.933333
1442	012	2960	0.07	3070	2	65	100	3	7	5	8880	5810	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8288	5218	5218	0.933333
1442	026A	981	0.02	2104	1	65	100	3	2	1	2943	839	NCD-GEAR	85	form-based			true	0.75	5	2.5	4	3	5886	3782	3782	2
1442	028	3008	0.07	1840	2	65	100	3	7	5	9024	7184	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	6582.399414	6582.399414	0.933333
1442	030	3011	0.07	2260	2	65	100	3	7	5	9033	6773	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	6170.799805	6170.799805	0.933333
1442	031	3013	0.07	2887	2	65	100	3	7	5	9039	6152	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	5549.399414	5549.399414	0.933333
1442	032	3015	0.07	2400	2	65	100	3	7	5	9045	6645	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8442	6042	6042	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1443	007	2989	0.07	2100	2	65	100	3	7	5	8967	6867	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	6269.200195	6269.200195	0.933333
1443	008	2803	0.06	3530	2	65	100	3	6	4	8409	4879	RM-1	40	form-based			true	0.7	6	1	4	4	7848.399902	4318.399902	4318.399902	0.933333
1443	009	2979	0.07	3164	2	65	100	3	7	5	8937	5773	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	5177.200195	5177.200195	0.933333
1443	010	2981	0.07	2400	2	65	100	3	7	5	8943	6543	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8346.799805	5946.799805	5946.799805	0.933333
1443	025	3036	0.07	3496	2	65	100	3	7	5	9108	5612	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8500.799805	5004.799805	5004.799805	0.933333
1443	028A	3036	0.07	2560	2	65	100	3	7	5	9108	6548	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8500.799805	5940.799805	5940.799805	0.933333
1443	031	3036	0.07	2820	2	65	100	3	7	5	9108	6288	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8500.799805	5680.799805	5680.799805	0.933333
1443	032	3036	0.07	3288	2	65	100	3	7	5	9108	5820	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8500.799805	5212.799805	5212.799805	0.933333
1443	033	3036	0.07	1243	2	65	100	3	7	5	9108	7865	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8500.799805	7257.799805	7257.799805	0.933333
1444	002	3000	0.07	3125	2	65	100	3	7	5	9000	5875	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5275	5275	0.933333
1444	007	3000	0.07	2420	2	65	100	3	7	5	9000	6580	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5980	5980	0.933333
1444	009	3000	0.07	2028	2	65	100	3	7	5	9000	6972	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6372	6372	0.933333
1444	010	3000	0.07	3549	2	65	100	3	7	5	9000	5451	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	4851	4851	0.933333
1444	014	3000	0.07	2360	2	65	100	3	7	5	9000	6640	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6040	6040	0.933333
1444	015	3000	0.07	3649	2	65	100	3	7	5	9000	5351	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	4751	4751	0.933333
1444	017	2852	0.07	2810	2	65	100	3	7	5	8556	5746	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	7985.600098	5175.600098	5175.600098	0.933333
1444	031	2987	0.07	3020	2	65	100	3	7	5	8961	5941	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	5343.599609	5343.599609	0.933333
1444	032	2987	0.07	3295	2	65	100	3	7	5	8961	5666	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	5068.599609	5068.599609	0.933333
1444	034	2987	0.07	3180	2	65	100	3	7	5	8961	5781	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	5183.599609	5183.599609	0.933333
1444	036	2987	0.07	3180	2	65	100	3	7	5	8961	5781	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	5183.599609	5183.599609	0.933333
1444	039	2987	0.07	2910	2	65	100	3	7	5	8961	6051	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	5453.599609	5453.599609	0.933333
1444	040	2987	0.07	2910	2	65	100	3	7	5	8961	6051	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	5453.599609	5453.599609	0.933333
1444	051	2987	0.07	1512	2	65	100	3	7	5	8961	7449	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	6851.599609	6851.599609	0.933333
1444	053	2987	0.07	1574	2	65	100	3	7	5	8961	7387	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	6789.599609	6789.599609	0.933333
1444	055	2987	0.07	1387	2	65	100	3	7	5	8961	7574	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	6976.599609	6976.599609	0.933333
1444	057	2987	0.07	1572	2	65	100	3	7	5	8961	7389	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	6791.599609	6791.599609	0.933333
1444	068	2987	0.07	2205	2	65	100	3	7	5	8961	6756	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	6158.599609	6158.599609	0.933333
1444	070	2825	0.06	2197	2	85	140	4	8	6	11300	9103	RM-1	40	form-based			true	0.7	6	0.75	4	4	7910	5713	5713	0.7
1446	013	3258	0.07	2820	3	65	100	3	7	4	9774	6954	RH-3	40	form-based			true	0.7	7	1	4	4	9122.399414	6302.399414	6302.399414	0.933333
1446	015	3258	0.07	3550	3	65	100	3	7	4	9774	6224	RH-3	40	form-based			true	0.7	7	1	4	4	9122.399414	5572.399414	5572.399414	0.933333
1446	038	3138	0.07	2808	3	65	100	3	7	4	9414	6606	RH-2	40	form-based			true	0.7	7	1	4	4	8786.399414	5978.399414	5978.399414	0.933333
1446	043	3138	0.07	3192	3	65	100	3	7	4	9414	6222	RH-2	40	form-based			true	0.7	7	1	4	4	8786.399414	5594.399414	5594.399414	0.933333
1446	057	3258	0.07	5279	3	65	100	3	7	4	9774	4495	RH-3	40	form-based			true	0.7	7	1	4	4	9122.399414	3843.399414	3843.399414	0.933333
1447	004	2675	0.06	2340	2	65	100	3	6	4	8025	5685	RH-2	40	form-based			true	0.7	6	1	4	4	7490	5150	5150	0.933333
1447	005	2675	0.06	1800	2	65	100	3	6	4	8025	6225	RH-2	40	form-based			true	0.7	6	1	4	4	7490	5690	5690	0.933333
1447	009	3050	0.07	3474	2	65	100	3	7	5	9150	5676	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8540	5066	5066	0.933333
1447	013	3050	0.07	2140	2	65	100	3	7	5	9150	7010	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8540	6400	6400	0.933333
1447	014	3050	0.07	3468	2	65	100	3	7	5	9150	5682	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8540	5072	5072	0.933333
1447	015	3050	0.07	2210	2	65	100	3	7	5	9150	6940	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8540	6330	6330	0.933333
1447	024	2615	0.06	1946	1	65	100	3	6	5	7845	5899	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7322	5376	5376	0.933333
1447	025	2525	0.06	3569	1	65	100	3	6	5	7575	4006	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7070	3501	3501	0.933333
1447	026	2435	0.06	1915	1	65	100	3	6	5	7305	5390	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6818	4903	4903	0.933333
1447	027	2345	0.05	2000	1	65	100	3	5	4	7035	5035	RH-2	40	form-based			true	0.7	5	1	4	4	6566	4566	4566	0.933333
1447	028	2256	0.05	1925	1	65	100	3	5	4	6768	4843	RH-2	40	form-based			true	0.7	5	1	4	4	6316.799805	4391.799805	4391.799805	0.933333
1447	029	2166	0.05	2200	1	65	100	3	5	4	6498	4298	RH-2	40	form-based			true	0.7	5	1	4	4	6064.799805	3864.799805	3864.799805	0.933333
1447	036	2426	0.06	2140	1	65	100	3	6	5	7278	5138	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6792.799805	4652.799805	4652.799805	0.933333
1447	061	3050	0.07	1640	2	65	100	3	7	5	9150	7510	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8540	6900	6900	0.933333
1448	042	2500	0.06	3837	5	65	100	3	6	1	7500	3663	RTO-C	65	form-based			true	0.75	9	1.5	4	4	11250	7413	7413	1.5
1449	010	3000	0.07	3318	2	65	100	3	7	5	9000	5682	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5082	5082	0.933333
1449	031A	2975	0.07	2580	2	65	100	3	7	5	8925	6345	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	5750	5750	0.933333
1449	032	2975	0.07	2580	2	65	100	3	7	5	8925	6345	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	5750	5750	0.933333
1449	034	2975	0.07	3300	2	65	100	3	7	5	8925	5625	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	5030	5030	0.933333
1449	046	2975	0.07	1413	2	65	100	3	7	5	8925	7512	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	6917	6917	0.933333
1449	048	2975	0.07	1058	2	65	100	3	7	5	8925	7867	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	7272	7272	0.933333
1450	002	2989	0.07	3739	2	65	100	3	7	5	8967	5228	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4630.200195	4630.200195	0.933333
1450	004	2989	0.07	4033	2	65	100	3	7	5	8967	4934	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4336.200195	4336.200195	0.933333
1450	005	2989	0.07	5163	2	65	100	3	7	5	8967	3804	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	3206.200195	3206.200195	0.933333
1450	006	2989	0.07	4856	2	65	100	3	7	5	8967	4111	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	3513.200195	3513.200195	0.933333
1450	019B	7632	0.18	13160	36	65	100	3	18	0	22896	9736	NCD-GEAR	85	form-based	true		true	0.75	40	2.222222328	4	0	45792	32632	32632	2
1450	022	3000	0.07	2800	2	65	100	3	7	5	9000	6200	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5600	5600	0.933333
1450	023	3000	0.07	2800	2	65	100	3	7	5	9000	6200	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5600	5600	0.933333
1450	024	3000	0.07	2800	2	65	100	3	7	5	9000	6200	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5600	5600	0.933333
1450	029	3000	0.07	2900	2	65	100	3	7	5	9000	6100	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5500	5500	0.933333
1450	029A	3024	0.07	3029	2	65	100	3	7	5	9072	6043	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	5438.200195	5438.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1450	040	2500	0.06	3010	5	65	100	3	6	1	7500	4490	RTO-C	65	form-based			true	0.75	9	1.5	4	4	11250	8240	8240	1.5
1450	142	3013	0.07	2200	2	65	100	3	7	5	9039	6839	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	6236.399414	6236.399414	0.933333
1451	001	1758	0.04	3000	3	65	100	3	4	1	5274	2274	NCD-OUTE	65	form-based		true	true	0.75	7	1.75	4	4	7911	4911	4911	1.5
1451	004	3000	0.07	2700	2	65	100	3	7	5	9000	6300	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5700	5700	0.933333
1451	011	3000	0.07	3084	2	65	100	3	7	5	9000	5916	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5316	5316	0.933333
1451	014	2400	0.06	1000	1	65	100	3	6	5	7200	6200	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	6720	5720	5720	0.933333
1451	030	3008	0.07	2700	2	65	100	3	7	5	9024	6324	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	5722.399414	5722.399414	0.933333
1451	031	3008	0.07	2500	2	65	100	3	7	5	9024	6524	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	5922.399414	5922.399414	0.933333
1451	033	3008	0.07	3300	2	65	100	3	7	5	9024	5724	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	5122.399414	5122.399414	0.933333
1451	036	3008	0.07	2700	2	65	100	3	7	5	9024	6324	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	5722.399414	5722.399414	0.933333
1451	037	3008	0.07	3402	2	65	100	3	7	5	9024	5622	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	5020.399414	5020.399414	0.933333
1451	038	3008	0.07	2700	2	65	100	3	7	5	9024	6324	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	5722.399414	5722.399414	0.933333
1451	038A	3008	0.07	2700	2	65	100	3	7	5	9024	6324	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	5722.399414	5722.399414	0.933333
1451	039	3008	0.07	2500	2	65	100	3	7	5	9024	6524	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	5922.399414	5922.399414	0.933333
1451	045	2502	0.06	2560	5	65	100	3	6	1	7506	4946	NCD-OUTE	65	form-based			true	0.75	9	1.5	4	4	11259	8699	8699	1.5
1451	048	3008	0.07	1128	2	65	100	3	7	5	9024	7896	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	7294.399414	7294.399414	0.933333
1451	061	3008	0.07	2147	2	65	100	3	7	5	9024	6877	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	6275.399414	6275.399414	0.933333
1452	008	3000	0.07	2440	2	65	100	3	7	5	9000	6560	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5960	5960	0.933333
1452	010	3000	0.07	2200	2	65	100	3	7	5	9000	6800	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6200	6200	0.933333
1452	015	3000	0.07	3150	2	65	100	3	7	5	9000	5850	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5250	5250	0.933333
1452	030	3022	0.07	2500	2	65	100	3	7	5	9066	6566	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8461.599609	5961.599609	5961.599609	0.933333
1452	031	3022	0.07	2200	2	65	100	3	7	5	9066	6866	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8461.599609	6261.599609	6261.599609	0.933333
1452	035	3022	0.07	2690	2	65	100	3	7	5	9066	6376	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8461.599609	5771.599609	5771.599609	0.933333
1452	036	3022	0.07	2490	2	65	100	3	7	5	9066	6576	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8461.599609	5971.599609	5971.599609	0.933333
1452	037	3022	0.07	2034	2	65	100	3	7	5	9066	7032	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8461.599609	6427.599609	6427.599609	0.933333
1453	004	3000	0.07	2700	2	65	100	3	7	5	9000	6300	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5700	5700	0.933333
1453	007	3000	0.07	3308	2	65	100	3	7	5	9000	5692	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5092	5092	0.933333
1453	015	3040	0.07	4038	2	65	100	3	7	5	9120	5082	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8512	4474	4474	0.933333
1453	026	2991	0.07	3250	2	65	100	3	7	5	8973	5723	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8374.799805	5124.799805	5124.799805	0.933333
1453	034	2991	0.07	1957	2	65	100	3	7	5	8973	7016	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8374.799805	6417.799805	6417.799805	0.933333
1453	035	2991	0.07	2200	2	65	100	3	7	5	8973	6773	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8374.799805	6174.799805	6174.799805	0.933333
1454	011	2970	0.07	3543	2	65	100	3	7	5	8910	5367	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8316	4773	4773	0.933333
1454	012	2970	0.07	2500	2	65	100	3	7	5	8910	6410	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8316	5816	5816	0.933333
1454	017	2970	0.07	4100	2	85	140	4	10	8	11880	7780	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8316	4216	4216	0.7
1454	024	3054	0.07	2850	2	65	100	3	7	5	9162	6312	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8551.200195	5701.200195	5701.200195	0.933333
1454	024A	3054	0.07	2850	2	65	100	3	7	5	9162	6312	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8551.200195	5701.200195	5701.200195	0.933333
1454	026	3054	0.07	2855	2	65	100	3	7	5	9162	6307	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8551.200195	5696.200195	5696.200195	0.933333
1454	030	3054	0.07	2900	2	65	100	3	7	5	9162	6262	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8551.200195	5651.200195	5651.200195	0.933333
1454	033	3054	0.07	3380	2	65	100	3	7	5	9162	5782	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8551.200195	5171.200195	5171.200195	0.933333
1455	007	3000	0.07	1390	2	65	100	3	7	5	9000	7610	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	7010	7010	0.933333
1455	026	2994	0.07	3700	2	65	100	3	7	5	8982	5282	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	4683.200195	4683.200195	0.933333
1455	030	2494	0.06	1140	1	65	100	3	6	5	7482	6342	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	6983.199707	5843.199707	5843.199707	0.933333
1456	002	3000	0.07	3200	2	65	100	3	7	5	9000	5800	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5200	5200	0.933333
1456	004	3000	0.07	2800	2	65	100	3	7	5	9000	6200	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5600	5600	0.933333
1456	004A	3000	0.07	2800	2	65	100	3	7	5	9000	6200	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5600	5600	0.933333
1456	011	3000	0.07	1984	2	65	100	3	7	5	9000	7016	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6416	6416	0.933333
1456	041	3276	0.08	5718	8	65	100	3	8	0	9828	4110	NCD-OUTE	65	form-based		true	true	0.75	12	1.5	4	4	14742	9024	9024	1.5
1457	006	3250	0.07	3663	3	65	100	3	7	4	9750	6087	RM-1	40	form-based			true	0.7	7	1	4	4	9100	5437	5437	0.933333
1457	015	3250	0.07	3077	3	85	140	4	10	7	13000	9923	RM-1	40	form-based			true	0.7	7	0.699999988	4	4	9100	6023	6023	0.7
1457	030A	2727	0.06	2400	2	65	100	3	6	4	8181	5781	RM-1	40	form-based			true	0.7	6	1	4	4	7635.600098	5235.600098	5235.600098	0.933333
1457	030D	2727	0.06	2400	2	65	100	3	6	4	8181	5781	RM-1	40	form-based			true	0.7	6	1	4	4	7635.600098	5235.600098	5235.600098	0.933333
1457	034	3143	0.07	5800	8	65	100	3	7	0	9429	3629	NCD-OUTE	65	form-based		true	true	0.75	12	1.714285731	4	4	14143.5	8343.5	8343.5	1.5
1457	047	3250	0.07	1287	3	65	100	3	7	4	9750	8463	RM-1	40	form-based			true	0.7	7	1	4	4	9100	7813	7813	0.933333
1458	007	3250	0.07	4197	3	65	100	3	7	4	9750	5553	RM-1	40	form-based			true	0.7	7	1	4	4	9100	4903	4903	0.933333
1458	011	3007	0.07	2900	2	65	100	3	7	5	9021	6121	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8419.599609	5519.599609	5519.599609	0.933333
1458	012	2946	0.07	2200	2	65	100	3	7	5	8838	6638	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8248.799805	6048.799805	6048.799805	0.933333
1458	016	2702	0.06	2830	2	65	100	3	6	4	8106	5276	RM-1	40	form-based			true	0.7	6	1	4	4	7565.600098	4735.600098	4735.600098	0.933333
1458	029	2703	0.06	3300	2	65	100	3	6	4	8109	4809	RH-2	40	form-based			true	0.7	6	1	4	4	7568.399902	4268.399902	4268.399902	0.933333
1458	029A	2894	0.07	3300	2	65	100	3	7	5	8682	5382	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8103.199707	4803.199707	4803.199707	0.933333
1458	029B	2830	0.06	3300	2	65	100	3	6	4	8490	5190	RH-2	40	form-based			true	0.7	6	1	4	4	7924	4624	4624	0.933333
1458	029C	2766	0.06	3300	2	65	100	3	6	4	8298	4998	RH-2	40	form-based			true	0.7	6	1	4	4	7744.799805	4444.799805	4444.799805	0.933333
1458	049	3433	0.08	2264	3	65	100	3	8	5	10299	8035	RM-1	40	form-based			true	0.7	7	0.875	4	4	9612.399414	7348.399414	7348.399414	0.933333
1458	071	3372	0.08	2158	3	65	100	3	8	5	10116	7958	RM-1	40	form-based			true	0.7	7	0.875	4	4	9441.599609	7283.599609	7283.599609	0.933333
1459	003C	2964	0.07	2271	2	65	100	3	7	5	8892	6621	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8299.200195	6028.200195	6028.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1459	004	2961	0.07	3300	2	65	100	3	7	5	8883	5583	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8290.799805	4990.799805	4990.799805	0.933333
1459	004C	2959	0.07	2500	2	65	100	3	7	5	8877	6377	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8285.200195	5785.200195	5785.200195	0.933333
1459	011	2676	0.06	1150	2	85	140	4	8	6	10704	9554	RH-2	40	form-based			true	0.7	6	0.75	4	4	7492.799805	6342.799805	6342.799805	0.7
1459	012	2989	0.07	2616	2	85	140	4	10	8	11956	9340	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8369.200195	5753.200195	5753.200195	0.7
1459	013	2989	0.07	3740	2	85	140	4	10	8	11956	8216	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8369.200195	4629.200195	4629.200195	0.7
1459	014	2989	0.07	2800	2	65	100	3	7	5	8967	6167	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	5569.200195	5569.200195	0.933333
1459	016	2989	0.07	3700	2	65	100	3	7	5	8967	5267	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4669.200195	4669.200195	0.933333
1459	017	2989	0.07	3946	2	65	100	3	7	5	8967	5021	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4423.200195	4423.200195	0.933333
1459	019	2989	0.07	3656	2	65	100	3	7	5	8967	5311	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4713.200195	4713.200195	0.933333
1459	021	2989	0.07	3004	2	65	100	3	7	5	8967	5963	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	5365.200195	5365.200195	0.933333
1459	024	2989	0.07	3390	2	65	100	3	7	5	8967	5577	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4979.200195	4979.200195	0.933333
1459	025A	2989	0.07	3960	2	65	100	3	7	5	8967	5007	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4409.200195	4409.200195	0.933333
1459	035	2989	0.07	2379	2	65	100	3	7	5	8967	6588	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	5990.200195	5990.200195	0.933333
1460	001E	3035	0.07	2600	2	65	100	3	7	5	9105	6505	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8498	5898	5898	0.933333
1460	001G	2919	0.07	3592	2	65	100	3	7	5	8757	5165	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8173.199707	4581.199707	4581.199707	0.933333
1460	001H	2861	0.07	2600	2	65	100	3	7	5	8583	5983	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8010.799805	5410.799805	5410.799805	0.933333
1460	001I	2802	0.06	2600	2	65	100	3	6	4	8406	5806	RH-2	40	form-based			true	0.7	6	1	4	4	7845.600098	5245.600098	5245.600098	0.933333
1460	001J	2744	0.06	2600	2	65	100	3	6	4	8232	5632	RH-2	40	form-based			true	0.7	6	1	4	4	7683.199707	5083.199707	5083.199707	0.933333
1460	001K	2686	0.06	2600	2	65	100	3	6	4	8058	5458	RH-2	40	form-based			true	0.7	6	1	4	4	7520.799805	4920.799805	4920.799805	0.933333
1460	001L	2628	0.06	2540	2	65	100	3	6	4	7884	5344	RH-2	40	form-based			true	0.7	6	1	4	4	7358.399902	4818.399902	4818.399902	0.933333
1460	001P	2396	0.06	2600	1	85	140	4	8	7	9584	6984	RH-2	40	form-based			true	0.7	5	0.625	4	4	6708.799805	4108.799805	4108.799805	0.7
1460	005	2342	0.05	2625	1	65	100	3	5	4	7026	4401	RH-2	40	form-based			true	0.7	5	1	4	4	6557.600098	3932.600098	3932.600098	0.933333
1460	017	2489	0.06	4460	5	65	100	3	6	1	7467	3007	RTO-C	65	form-based		true	true	0.75	9	1.5	4	4	11200.5	6740.5	6740.5	1.5
1462	005	2938	0.07	2826	2	65	100	3	7	5	8814	5988	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8226.399414	5400.399414	5400.399414	0.933333
1462	009	2938	0.07	4428	2	65	100	3	7	5	8814	4386	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8226.399414	3798.399414	3798.399414	0.933333
1462	010	2938	0.07	3150	2	65	100	3	7	5	8814	5664	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8226.399414	5076.399414	5076.399414	0.933333
1462	013	2938	0.07	3644	2	65	100	3	7	5	8814	5170	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8226.399414	4582.399414	4582.399414	0.933333
1462	014	2938	0.07	4012	2	85	140	4	10	8	11752	7740	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8226.399414	4214.399414	4214.399414	0.7
1462	015	2938	0.07	4331	2	85	140	4	10	8	11752	7421	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8226.399414	3895.399414	3895.399414	0.7
1462	016	2938	0.07	3898	2	85	140	4	10	8	11752	7854	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8226.399414	4328.399414	4328.399414	0.7
1462	026	3039	0.07	3711	2	65	100	3	7	5	9117	5406	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	4798.200195	4798.200195	0.933333
1462	030	3039	0.07	3990	2	65	100	3	7	5	9117	5127	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	4519.200195	4519.200195	0.933333
1462	034	3039	0.07	3200	2	65	100	3	7	5	9117	5917	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	5309.200195	5309.200195	0.933333
1462	036	3039	0.07	4193	2	65	100	3	7	5	9117	4924	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	4316.200195	4316.200195	0.933333
1462	037	3039	0.07	2200	2	65	100	3	7	5	9117	6917	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	6309.200195	6309.200195	0.933333
1462	038	3039	0.07	4090	2	65	100	3	7	5	9117	5027	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	4419.200195	4419.200195	0.933333
1462	039	3039	0.07	4663	2	65	100	3	7	5	9117	4454	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	3846.200195	3846.200195	0.933333
1462	041	3039	0.07	3820	2	65	100	3	7	5	9117	5297	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	4689.200195	4689.200195	0.933333
1462	042	1704	0.04	1650	2	65	100	3	4	2	5112	3462	NC-1	65	form-based			true	0.75	6	1.5	4	4	7668	6018	6018	1.5
1462	067	3039	0.07	2690	2	65	100	3	7	5	9117	6427	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	5819.200195	5819.200195	0.933333
1463	006	3039	0.07	4546	2	65	100	3	7	5	9117	4571	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	3963.200195	3963.200195	0.933333
1463	007	3039	0.07	5657	2	65	100	3	7	5	9117	3460	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	2852.200195	2852.200195	0.933333
1463	009	3039	0.07	3745	2	65	100	3	7	5	9117	5372	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	4764.200195	4764.200195	0.933333
1463	015	3039	0.07	3531	2	65	100	3	7	5	9117	5586	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	4978.200195	4978.200195	0.933333
1463	016	3039	0.07	3340	2	65	100	3	7	5	9117	5777	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	5169.200195	5169.200195	0.933333
1463	028	3000	0.07	2800	2	65	100	3	7	5	9000	6200	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5600	5600	0.933333
1463	030	3000	0.07	2400	2	65	100	3	7	5	9000	6600	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6000	6000	0.933333
1463	037	3000	0.07	3622	2	65	100	3	7	5	9000	5378	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4778	4778	0.933333
1463	040A	3000	0.07	4488	2	65	100	3	7	5	9000	4512	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	3912	3912	0.933333
1463	041	3000	0.07	4366	2	65	100	3	7	5	9000	4634	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4034	4034	0.933333
1463	042	3000	0.07	3404	2	65	100	3	7	5	9000	5596	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4996	4996	0.933333
1463	051	2250	0.05	1230	1	65	100	3	5	4	6750	5520	RH-2	40	form-based			true	0.7	5	1	4	4	6300	5070	5070	0.933333
1463	058	3000	0.07	1208	2	65	100	3	7	5	9000	7792	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7192	7192	0.933333
1463	071	3000	0.07	1150	2	65	100	3	7	5	9000	7850	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7250	7250	0.933333
1463	073	2889	0.07	2248	2	65	100	3	7	5	8667	6419	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8089.199707	5841.199707	5841.199707	0.933333
1464	009	3000	0.07	4247	2	65	100	3	7	5	9000	4753	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4153	4153	0.933333
1464	013	3021	0.07	3600	2	85	140	4	10	8	12084	8484	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8458.799805	4858.799805	4858.799805	0.7
1464	013G	3021	0.07	2640	2	65	100	3	7	5	9063	6423	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5818.799805	5818.799805	0.933333
1464	064	3000	0.07	1970	2	65	100	3	7	5	9000	7030	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6430	6430	0.933333
1465	001A	3000	0.07	4000	2	65	100	3	7	5	9000	5000	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4400	4400	0.933333
1465	001B	3000	0.07	3837	2	65	100	3	7	5	9000	5163	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4563	4563	0.933333
1465	002	3000	0.07	3400	2	65	100	3	7	5	9000	5600	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5000	5000	0.933333
1465	003	3000	0.07	2350	2	65	100	3	7	5	9000	6650	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6050	6050	0.933333
1465	003A	3000	0.07	2350	2	65	100	3	7	5	9000	6650	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6050	6050	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1465	004	3000	0.07	3400	2	65	100	3	7	5	9000	5600	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5000	5000	0.933333
1465	004A	3000	0.07	3400	2	65	100	3	7	5	9000	5600	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5000	5000	0.933333
1465	004B	3000	0.07	3400	2	65	100	3	7	5	9000	5600	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5000	5000	0.933333
1465	005A	3000	0.07	3200	2	65	100	3	7	5	9000	5800	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5200	5200	0.933333
1465	005B	3000	0.07	3200	2	65	100	3	7	5	9000	5800	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5200	5200	0.933333
1465	005C	3000	0.07	3400	2	65	100	3	7	5	9000	5600	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5000	5000	0.933333
1465	006	3000	0.07	3200	2	65	100	3	7	5	9000	5800	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5200	5200	0.933333
1465	006A	3000	0.07	3200	2	65	100	3	7	5	9000	5800	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5200	5200	0.933333
1465	006B	3000	0.07	3200	2	65	100	3	7	5	9000	5800	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5200	5200	0.933333
1465	006C	3000	0.07	3200	2	85	140	4	10	8	12000	8800	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	5200	5200	0.7
1465	014	3000	0.07	3300	2	65	100	3	7	5	9000	5700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5100	5100	0.933333
1465	014A	3000	0.07	3700	2	65	100	3	7	5	9000	5300	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4700	4700	0.933333
1465	015	3000	0.07	3300	2	65	100	3	7	5	9000	5700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5100	5100	0.933333
1465	017B	3000	0.07	3300	2	65	100	3	7	5	9000	5700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5100	5100	0.933333
1465	017C	3000	0.07	3300	2	65	100	3	7	5	9000	5700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5100	5100	0.933333
1465	019	3000	0.07	3100	2	65	100	3	7	5	9000	5900	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5300	5300	0.933333
1465	019B	3000	0.07	3200	2	65	100	3	7	5	9000	5800	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5200	5200	0.933333
1465	021	1561	0.04	2250	2	65	100	3	4	2	4683	2433	RTO-C	65	form-based		true	true	0.75	6	1.5	4	4	7024.5	4774.5	4774.5	1.5
1465	065	3000	0.07	1484	2	65	100	3	7	5	9000	7516	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6916	6916	0.933333
1466	001	1562	0.04	2350	2	65	100	3	4	2	4686	2336	RTO-C	65	form-based		true	true	0.75	6	1.5	4	4	7029	4679	4679	1.5
1466	010	3000	0.07	3950	2	65	100	3	7	5	9000	5050	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4450	4450	0.933333
1466	011	3000	0.07	3400	2	65	100	3	7	5	9000	5600	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5000	5000	0.933333
1466	012	3000	0.07	3210	2	65	100	3	7	5	9000	5790	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5190	5190	0.933333
1466	015	3000	0.07	2950	2	65	100	3	7	5	9000	6050	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5450	5450	0.933333
1466	028	3000	0.07	3830	2	65	100	3	7	5	9000	5170	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4570	4570	0.933333
1466	029	3000	0.07	4249	2	65	100	3	7	5	9000	4751	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4151	4151	0.933333
1466	032	3000	0.07	3250	2	65	100	3	7	5	9000	5750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5150	5150	0.933333
1466	039	3000	0.07	3165	2	65	100	3	7	5	9000	5835	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5235	5235	0.933333
1466	040	2680	0.06	3165	2	65	100	3	6	4	8040	4875	RH-2	40	form-based			true	0.7	6	1	4	4	7504	4339	4339	0.933333
1466	052	3000	0.07	4698	2	65	100	3	7	5	9000	4302	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	3702	3702	0.933333
1466	053	3000	0.07	3024	2	65	100	3	7	5	9000	5976	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5376	5376	0.933333
1467	005	3000	0.07	3039	2	65	100	3	7	5	9000	5961	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5361	5361	0.933333
1467	010	3000	0.07	2650	2	65	100	3	7	5	9000	6350	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5750	5750	0.933333
1467	011	3000	0.07	2710	2	65	100	3	7	5	9000	6290	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5690	5690	0.933333
1467	012	3000	0.07	2650	2	65	100	3	7	5	9000	6350	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5750	5750	0.933333
1467	015	3000	0.07	2818	2	65	100	3	7	5	9000	6182	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5582	5582	0.933333
1467	016	3000	0.07	3456	2	65	100	3	7	5	9000	5544	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4944	4944	0.933333
1467	018	2999	0.07	3521	2	65	100	3	7	5	8997	5476	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8397.200195	4876.200195	4876.200195	0.933333
1467	019	3008	0.07	2950	2	65	100	3	7	5	9024	6074	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	5472.399414	5472.399414	0.933333
1467	022	4125	0.09	10935	18	65	100	3	9	0	12375	1440	RTO-C	85	form-based		true	true	0.75	22	2.444444418	4	0	24750	13815	13815	2
1467	052	1421	0.03	1689	1	65	100	3	3	2	4263	2574	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6394.5	4705.5	4705.5	1.5
1467	065	3000	0.07	1338	2	65	100	3	7	5	9000	7662	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7062	7062	0.933333
1469A	015	2609	0.06	2750	1	55	80	2.5	5	4	6522	3772	RH-1(D)	40	form-based		true	true	0.7	5	1	4	4	7305.199707	4555.199707	4555.199707	1.120086
1470	001	1371	0.03	956	1	55	80	2.5	2	1	3428	2472	RTO-C	65	form-based		true	true	0.75	5	2.5	4	3	6169.5	5213.5	5213.5	1.799737
1470	025	3000	0.07	1450	2	55	80	2.5	6	4	7500	6050	RH-1(D)	40	form-based			true	0.7	6	1	4	4	8400	6950	6950	1.12
1470	040	1373	0.03	1021	1	55	80	2.5	2	1	3432	2411	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6178.5	5157.5	5157.5	1.800262
1470	041	1372	0.03	821	1	55	80	2.5	2	1	3430	2609	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6174	5353	5353	1.8
1470	042	1372	0.03	1096	1	55	80	2.5	2	1	3430	2334	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6174	5078	5078	1.8
1470	045	4709	0.11	4620	6	55	80	2.5	9	3	11772	7152	RM-1	40	form-based			true	0.7	10	1.111111164	4	4	13185.2002	8565.200195	8565.200195	1.120048
1471	020	2171	0.05	1535	1	55	80	2.5	4	3	5428	3893	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6078.799805	4543.799805	4543.799805	1.119897
1471	021	2171	0.05	1400	1	55	80	2.5	4	3	5428	4028	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6078.799805	4678.799805	4678.799805	1.119897
1472	002E	2289	0.05	1450	1	55	80	2.5	4	3	5722	4272	RH-1	40	form-based			true	0.7	5	1.25	4	4	6409.199707	4959.199707	4959.199707	1.120098
1472	002F	2193	0.05	1450	1	55	80	2.5	4	3	5482	4032	RH-1	40	form-based			true	0.7	5	1.25	4	4	6140.399902	4690.399902	4690.399902	1.120102
1472	002G	2178	0.05	1400	1	55	80	2.5	4	3	5445	4045	RH-1	40	form-based			true	0.7	5	1.25	4	4	6098.399902	4698.399902	4698.399902	1.12
1472	008	2178	0.05	1480	1	55	80	2.5	4	3	5445	3965	RH-1	40	form-based			true	0.7	5	1.25	4	4	6098.399902	4618.399902	4618.399902	1.12
1472	012	2959	0.07	1280	2	55	80	2.5	6	4	7398	6118	RH-1	40	form-based			true	0.7	6	1	4	4	8285.200195	7005.200195	7005.200195	1.119924
1472	026	2225	0.05	1280	1	55	80	2.5	4	3	5562	4282	RH-1	40	form-based			true	0.7	5	1.25	4	4	6230	4950	4950	1.120101
1473	002J	2351	0.05	1525	1	55	80	2.5	4	3	5878	4353	RH-1	40	form-based			true	0.7	5	1.25	4	4	6582.799805	5057.799805	5057.799805	1.119905
1473	003B	2377	0.05	1572	5	55	80	2.5	4	0	5942	4370	RTO-C	65	form-based			true	0.75	9	2.25	4	3	10696.5	9124.5	9124.5	1.800151
1503	003	3000	0.07	2100	2	55	80	2.5	6	4	7500	5400	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6300	6300	1.12
1503	005	3000	0.07	2650	2	55	80	2.5	6	4	7500	4850	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5750	5750	1.12
1503	007	3000	0.07	3492	2	55	80	2.5	6	4	7500	4008	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4908	4908	1.12
1503	010	3000	0.07	3366	2	55	80	2.5	6	4	7500	4134	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5034	5034	1.12
1503	011	3000	0.07	3710	2	55	80	2.5	6	4	7500	3790	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4690	4690	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1503	014	3000	0.07	4029	2	55	80	2.5	6	4	7500	3471	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4371	4371	1.12
1503	016	3000	0.07	3895	2	55	80	2.5	6	4	7500	3605	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4505	4505	1.12
1503	020	2455	0.06	1125	1	55	80	2.5	5	4	6138	5013	RH-2	40	form-based			true	0.7	5	1	4	4	6874	5749	5749	1.119909
1503	021	2455	0.06	1225	1	55	80	2.5	5	4	6138	4913	RH-2	40	form-based			true	0.7	5	1	4	4	6874	5649	5649	1.119909
1503	037	3025	0.07	3823	2	55	80	2.5	6	4	7562	3739	RH-2	40	form-based			true	0.7	6	1	4	4	8470	4647	4647	1.120074
1503	040	3025	0.07	3780	2	55	80	2.5	6	4	7562	3782	RH-2	40	form-based			true	0.7	6	1	4	4	8470	4690	4690	1.120074
1503	062	3025	0.07	3172	2	55	80	2.5	6	4	7562	4390	RH-2	40	form-based			true	0.7	6	1	4	4	8470	5298	5298	1.120074
1503	068	3025	0.07	1296	2	55	80	2.5	6	4	7562	6266	RH-2	40	form-based			true	0.7	6	1	4	4	8470	7174	7174	1.120074
1503	072	3000	0.07	2206	2	55	80	2.5	6	4	7500	5294	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6194	6194	1.12
1504	001H	2950	0.07	2850	2	55	80	2.5	6	4	7375	4525	RH-2	40	form-based			true	0.7	6	1	4	4	8260	5410	5410	1.12
1504	001N	2950	0.07	3560	2	55	80	2.5	6	4	7375	3815	RH-2	40	form-based			true	0.7	6	1	4	4	8260	4700	4700	1.12
1504	001O	2950	0.07	2600	2	55	80	2.5	6	4	7375	4775	RH-2	40	form-based			true	0.7	6	1	4	4	8260	5660	5660	1.12
1504	002D	3036	0.07	2447	2	55	80	2.5	6	4	7590	5143	RH-2	40	form-based			true	0.7	6	1	4	4	8500.799805	6053.799805	6053.799805	1.12
1504	004	3036	0.07	4057	2	55	80	2.5	6	4	7590	3533	RH-2	40	form-based			true	0.7	6	1	4	4	8500.799805	4443.799805	4443.799805	1.12
1504	005	3036	0.07	3829	2	55	80	2.5	6	4	7590	3761	RH-2	40	form-based			true	0.7	6	1	4	4	8500.799805	4671.799805	4671.799805	1.12
1504	007	2236	0.05	985	1	55	80	2.5	4	3	5590	4605	RH-2	40	form-based			true	0.7	5	1.25	4	4	6260.799805	5275.799805	5275.799805	1.12
1504	007A	2236	0.05	1860	1	55	80	2.5	4	3	5590	3730	RH-2	40	form-based			true	0.7	5	1.25	4	4	6260.799805	4400.799805	4400.799805	1.12
1504	007B	2236	0.05	1816	1	55	80	2.5	4	3	5590	3774	RH-2	40	form-based			true	0.7	5	1.25	4	4	6260.799805	4444.799805	4444.799805	1.12
1504	012	2455	0.06	1100	1	55	80	2.5	5	4	6138	5038	RH-2	40	form-based			true	0.7	5	1	4	4	6874	5774	5774	1.119909
1504	014	2949	0.07	3205	2	55	80	2.5	6	4	7372	4167	RH-2	40	form-based			true	0.7	6	1	4	4	8257.200195	5052.200195	5052.200195	1.120076
1504	017	2950	0.07	2750	2	55	80	2.5	6	4	7375	4625	RH-2	40	form-based			true	0.7	6	1	4	4	8260	5510	5510	1.12
1504	024	2950	0.07	2040	2	55	80	2.5	6	4	7375	5335	RH-2	40	form-based			true	0.7	6	1	4	4	8260	6220	6220	1.12
1505	008	3049	0.07	3238	2	55	80	2.5	6	4	7622	4384	RH-2	40	form-based			true	0.7	6	1	4	4	8537.200195	5299.200195	5299.200195	1.120073
1505	016	2455	0.06	1500	1	55	80	2.5	5	4	6138	4638	RH-2	40	form-based			true	0.7	5	1	4	4	6874	5374	5374	1.119909
1505	016A	2455	0.06	1597	1	55	80	2.5	5	4	6138	4541	RH-2	40	form-based			true	0.7	5	1	4	4	6874	5277	5277	1.119909
1505	016B	2455	0.06	1200	1	55	80	2.5	5	4	6138	4938	RH-2	40	form-based			true	0.7	5	1	4	4	6874	5674	5674	1.119909
1505	028	2964	0.07	4213	2	55	80	2.5	6	4	7410	3197	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	4086.200195	4086.200195	1.12
1505	041	2964	0.07	3752	2	55	80	2.5	6	4	7410	3658	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	4547.200195	4547.200195	1.12
1505	042	2964	0.07	3760	2	55	80	2.5	6	4	7410	3650	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	4539.200195	4539.200195	1.12
1505	045	2964	0.07	1832	2	55	80	2.5	6	4	7410	5578	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	6467.200195	6467.200195	1.12
1505	047	3049	0.07	2444	2	55	80	2.5	6	4	7622	5178	RH-2	40	form-based			true	0.7	6	1	4	4	8537.200195	6093.200195	6093.200195	1.120073
1506	022	2440	0.06	1390	1	55	80	2.5	5	4	6100	4710	RH-2	40	form-based			true	0.7	5	1	4	4	6832	5442	5442	1.12
1506	023	2440	0.06	1275	1	55	80	2.5	5	4	6100	4825	RH-2	40	form-based			true	0.7	5	1	4	4	6832	5557	5557	1.12
1506	024	2440	0.06	1375	1	55	80	2.5	5	4	6100	4725	RH-2	40	form-based			true	0.7	5	1	4	4	6832	5457	5457	1.12
1506	033	2989	0.07	2000	2	55	80	2.5	6	4	7472	5472	RH-2	40	form-based			true	0.7	6	1	4	4	8369.200195	6369.200195	6369.200195	1.120075
1507	007	2990	0.07	3492	2	65	100	3	7	5	8970	5478	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8372	4880	4880	0.933333
1507	008	2991	0.07	1400	2	65	100	3	7	5	8973	7573	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8374.799805	6974.799805	6974.799805	0.933333
1507	012A	3002	0.07	3707	2	55	80	2.5	6	4	7505	3798	RH-2	40	form-based			true	0.7	6	1	4	4	8405.599609	4698.599609	4698.599609	1.12
1507	012B	3003	0.07	3897	2	55	80	2.5	6	4	7508	3611	RH-2	40	form-based			true	0.7	6	1	4	4	8408.399414	4511.399414	4511.399414	1.119925
1507	012C	3000	0.07	3608	2	65	100	3	7	5	9000	5392	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4792	4792	0.933333
1507	016	2532	0.06	1380	1	55	80	2.5	5	4	6330	4950	RH-2	40	form-based			true	0.7	5	1	4	4	7089.600098	5709.600098	5709.600098	1.12
1507	016A	2532	0.06	1594	1	55	80	2.5	5	4	6330	4736	RH-2	40	form-based			true	0.7	5	1	4	4	7089.600098	5495.600098	5495.600098	1.12
1507	017A	2532	0.06	3015	1	55	80	2.5	5	4	6330	3315	RH-2	40	form-based			true	0.7	5	1	4	4	7089.600098	4074.600098	4074.600098	1.12
1507	017B	2532	0.06	1430	1	55	80	2.5	5	4	6330	4900	RH-2	40	form-based			true	0.7	5	1	4	4	7089.600098	5659.600098	5659.600098	1.12
1507	017C	1985	0.05	1324	0	55	80	2.5	4	4	4962	3638	RH-2	40	form-based	true		true	0.7	4	1	4	4	5558	4234	4234	1.120113
1507	020	2994	0.07	3944	2	55	80	2.5	6	4	7485	3541	RH-2	40	form-based			true	0.7	6	1	4	4	8383.200195	4439.200195	4439.200195	1.12
1507	021	2994	0.07	3926	2	55	80	2.5	6	4	7485	3559	RH-2	40	form-based			true	0.7	6	1	4	4	8383.200195	4457.200195	4457.200195	1.12
1507	022	2994	0.07	5303	2	55	80	2.5	6	4	7485	2182	RH-2	40	form-based			true	0.7	6	1	4	4	8383.200195	3080.200195	3080.200195	1.12
1507	023	2916	0.07	3058	2	55	80	2.5	6	4	7290	4232	RH-2	40	form-based			true	0.7	6	1	4	4	8164.799805	5106.799805	5106.799805	1.12
1507	024	2994	0.07	3200	2	55	80	2.5	6	4	7485	4285	RH-2	40	form-based			true	0.7	6	1	4	4	8383.200195	5183.200195	5183.200195	1.12
1507	026	2994	0.07	2620	2	55	80	2.5	6	4	7485	4865	RH-2	40	form-based			true	0.7	6	1	4	4	8383.200195	5763.200195	5763.200195	1.12
1507	027	2994	0.07	3762	2	55	80	2.5	6	4	7485	3723	RH-2	40	form-based			true	0.7	6	1	4	4	8383.200195	4621.200195	4621.200195	1.12
1507	028	2994	0.07	3762	2	55	80	2.5	6	4	7485	3723	RH-2	40	form-based			true	0.7	6	1	4	4	8383.200195	4621.200195	4621.200195	1.12
1507	029	2994	0.07	4757	2	55	80	2.5	6	4	7485	2728	RH-2	40	form-based			true	0.7	6	1	4	4	8383.200195	3626.200195	3626.200195	1.12
1507	033	5479	0.13	7434	8	55	80	2.5	10	2	13698	6264	RH-2	40	form-based			true	0.7	12	1.200000048	4	4	15341.2002	7907.200195	7907.200195	1.119959
1507	044	2893	0.07	2672	2	65	100	3	7	5	8679	6007	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8100.399902	5428.399902	5428.399902	0.933333
1507	045	2894	0.07	2672	2	65	100	3	7	5	8682	6010	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8103.199707	5431.199707	5431.199707	0.933333
1507	048	2999	0.07	4472	2	65	100	3	7	5	8997	4525	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8397.200195	3925.200195	3925.200195	0.933333
1508	004	3031	0.07	4700	2	65	100	3	7	5	9093	4393	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8486.799805	3786.799805	3786.799805	0.933333
1508	006	3033	0.07	2184	2	65	100	3	7	5	9099	6915	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8492.399414	6308.399414	6308.399414	0.933333
1508	007	3029	0.07	3013	2	65	100	3	7	5	9087	6074	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8481.200195	5468.200195	5468.200195	0.933333
1508	007A	3030	0.07	2200	2	65	100	3	7	5	9090	6890	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	6284	6284	0.933333
1508	007B	3031	0.07	2200	2	65	100	3	7	5	9093	6893	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8486.799805	6286.799805	6286.799805	0.933333
1508	007C	3033	0.07	2200	2	65	100	3	7	5	9099	6899	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8492.399414	6292.399414	6292.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1508	007D	3034	0.07	2600	2	65	100	3	7	5	9102	6502	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8495.200195	5895.200195	5895.200195	0.933333
1508	008	3081	0.07	4116	2	65	100	3	7	5	9243	5127	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8626.799805	4510.799805	4510.799805	0.933333
1508	010	3047	0.07	4879	2	65	100	3	7	5	9141	4262	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8531.599609	3652.599609	3652.599609	0.933333
1508	010A	3048	0.07	4786	2	65	100	3	7	5	9144	4358	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8534.399414	3748.399414	3748.399414	0.933333
1508	010B	2300	0.05	1330	1	65	100	3	5	4	6900	5570	RH-2	40	form-based			true	0.7	5	1	4	4	6440	5110	5110	0.933333
1508	010C	2301	0.05	1070	1	65	100	3	5	4	6903	5833	RH-2	40	form-based			true	0.7	5	1	4	4	6442.799805	5372.799805	5372.799805	0.933333
1508	010D	2302	0.05	980	1	65	100	3	5	4	6906	5926	RH-2	40	form-based			true	0.7	5	1	4	4	6445.600098	5465.600098	5465.600098	0.933333
1508	010F	2532	0.06	1392	1	65	100	3	6	5	7596	6204	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	5697.600098	5697.600098	0.933333
1508	010G	2532	0.06	1426	1	65	100	3	6	5	7596	6170	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	5663.600098	5663.600098	0.933333
1508	011	2532	0.06	1628	1	65	100	3	6	5	7596	5968	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	5461.600098	5461.600098	0.933333
1508	011B	2955	0.07	3690	2	65	100	3	7	5	8865	5175	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8274	4584	4584	0.933333
1508	011G	2953	0.07	3896	2	65	100	3	7	5	8859	4963	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8268.399414	4372.399414	4372.399414	0.933333
1508	012	2956	0.07	3394	2	65	100	3	7	5	8868	5474	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8276.799805	4882.799805	4882.799805	0.933333
1508	014	2971	0.07	3300	2	65	100	3	7	5	8913	5613	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8318.799805	5018.799805	5018.799805	0.933333
1508	015	2973	0.07	5321	2	65	100	3	7	5	8919	3598	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8324.399414	3003.399414	3003.399414	0.933333
1508	031	2968	0.07	3300	2	65	100	3	7	5	8904	5604	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8310.399414	5010.399414	5010.399414	0.933333
1508	032	2970	0.07	3300	2	65	100	3	7	5	8910	5610	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	5016	5016	0.933333
1509	006	3048	0.07	3758	2	65	100	3	7	5	9144	5386	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8534.399414	4776.399414	4776.399414	0.933333
1509	013	3000	0.07	3676	2	65	100	3	7	5	9000	5324	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4724	4724	0.933333
1509	014	2988	0.07	3800	2	65	100	3	7	5	8964	5164	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8366.399414	4566.399414	4566.399414	0.933333
1509	018	2500	0.06	2219	1	65	100	3	6	5	7500	5281	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4781	4781	0.933333
1509	019	2500	0.06	1864	1	65	100	3	6	5	7500	5636	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5136	5136	0.933333
1509	022	2533	0.06	1450	1	65	100	3	6	5	7599	6149	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7092.399902	5642.399902	5642.399902	0.933333
1509	024	2349	0.05	1825	1	65	100	3	5	4	7047	5222	RH-2	40	form-based	true		true	0.7	5	1	4	4	6577.199707	4752.199707	4752.199707	0.933333
1509	024A	2234	0.05	1785	1	65	100	3	5	4	6702	4917	RH-2	40	form-based			true	0.7	5	1	4	4	6255.199707	4470.199707	4470.199707	0.933333
1509	027	2988	0.07	4076	2	65	100	3	7	5	8964	4888	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8366.399414	4290.399414	4290.399414	0.933333
1509	030	2980	0.07	2600	2	65	100	3	7	5	8940	6340	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8344	5744	5744	0.933333
1509	032	2995	0.07	2790	2	65	100	3	7	5	8985	6195	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	5596	5596	0.933333
1509	033	2996	0.07	2552	2	65	100	3	7	5	8988	6436	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	5836.799805	5836.799805	0.933333
1509	036	3000	0.07	3636	2	65	100	3	7	5	9000	5364	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4764	4764	0.933333
1509	037	3002	0.07	3820	2	65	100	3	7	5	9006	5186	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	4585.599609	4585.599609	0.933333
1509	039	2980	0.07	4213	2	65	100	3	7	5	8940	4727	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8344	4131	4131	0.933333
1509	042	3008	0.07	2600	2	65	100	3	7	5	9024	6424	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	5822.399414	5822.399414	0.933333
1510	002	3000	0.07	3970	2	65	100	3	7	5	9000	5030	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4430	4430	0.933333
1510	004	3000	0.07	4183	2	65	100	3	7	5	9000	4817	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4217	4217	0.933333
1510	007	3000	0.07	3442	2	65	100	3	7	5	9000	5558	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4958	4958	0.933333
1510	011	3000	0.07	3927	2	65	100	3	7	5	9000	5073	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4473	4473	0.933333
1510	012	3000	0.07	3252	2	65	100	3	7	5	9000	5748	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5148	5148	0.933333
1510	016	3000	0.07	3502	2	65	100	3	7	5	9000	5498	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4898	4898	0.933333
1510	018	2375	0.05	1540	1	65	100	3	5	4	7125	5585	RH-2	40	form-based			true	0.7	5	1	4	4	6650	5110	5110	0.933333
1510	019	2375	0.05	1698	1	65	100	3	5	4	7125	5427	RH-2	40	form-based			true	0.7	5	1	4	4	6650	4952	4952	0.933333
1510	020	2375	0.05	3094	1	65	100	3	5	4	7125	4031	RH-2	40	form-based			true	0.7	5	1	4	4	6650	3556	3556	0.933333
1510	023	2533	0.06	1320	1	65	100	3	6	5	7599	6279	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7092.399902	5772.399902	5772.399902	0.933333
1510	026	2375	0.05	1035	1	65	100	3	5	4	7125	6090	RH-2	40	form-based			true	0.7	5	1	4	4	6650	5615	5615	0.933333
1510	035	3000	0.07	4080	2	65	100	3	7	5	9000	4920	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4320	4320	0.933333
1510	036	3000	0.07	2794	2	65	100	3	7	5	9000	6206	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5606	5606	0.933333
1510	039	3000	0.07	3340	2	65	100	3	7	5	9000	5660	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5060	5060	0.933333
1510	043A	1199	0.03	1820	2	65	100	3	3	1	3597	1777	RH-2	85	form-based			true	0.7	6	2	4	4	6714.399902	4894.399902	4894.399902	1.866667
1510	044	1099	0.03	1992	2	65	100	3	3	1	3297	1305	RTO-C	85	form-based	true		true	0.75	6	2	4	4	6594	4602	4602	2
1510	052	3000	0.07	2412	2	65	100	3	7	5	9000	6588	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5988	5988	0.933333
1511	002	3000	0.07	4179	2	85	140	4	10	8	12000	7821	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	4221	4221	0.7
1511	003	3000	0.07	3635	2	85	140	4	10	8	12000	8365	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	4765	4765	0.7
1511	005	3000	0.07	3550	2	85	140	4	10	8	12000	8450	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	4850	4850	0.7
1511	006	3000	0.07	4785	2	65	100	3	7	5	9000	4215	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	3615	3615	0.933333
1511	010	3000	0.07	3480	2	65	100	3	7	5	9000	5520	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4920	4920	0.933333
1511	011	3000	0.07	2180	2	65	100	3	7	5	9000	6820	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6220	6220	0.933333
1511	012	3000	0.07	3250	2	65	100	3	7	5	9000	5750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5150	5150	0.933333
1511	019	3041	0.07	4455	2	65	100	3	7	5	9123	4668	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8514.799805	4059.799805	4059.799805	0.933333
1511	022	2534	0.06	1568	1	65	100	3	6	5	7602	6034	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7095.199707	5527.199707	5527.199707	0.933333
1511	023	2534	0.06	1525	1	65	100	3	6	5	7602	6077	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7095.199707	5570.199707	5570.199707	0.933333
1511	024	2534	0.06	1025	1	65	100	3	6	5	7602	6577	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7095.199707	6070.199707	6070.199707	0.933333
1511	026	3000	0.07	3050	2	65	100	3	7	5	9000	5950	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5350	5350	0.933333
1511	031	3000	0.07	2727	2	65	100	3	7	5	9000	6273	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5673	5673	0.933333
1511	034	3000	0.07	5677	2	65	100	3	7	5	9000	3323	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	2723	2723	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1511	036	3000	0.07	4421	2	65	100	3	7	5	9000	4579	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	3979	3979	0.933333
1511	037	3000	0.07	2750	2	65	100	3	7	5	9000	6250	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5650	5650	0.933333
1511	039	3000	0.07	4158	2	65	100	3	7	5	9000	4842	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4242	4242	0.933333
1511	043A	1312	0.03	3319	3	85	140	4	4	1	5248	1929	NC-1	85	form-based		true	true	0.75	7	1.75	4	4	7872	4553	4553	1.5
1511	048	3000	0.07	2400	2	65	100	3	7	5	9000	6600	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6000	6000	0.933333
1511	049	3000	0.07	2992	2	65	100	3	7	5	9000	6008	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5408	5408	0.933333
1511	052	3000	0.07	1685	2	65	100	3	7	5	9000	7315	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6715	6715	0.933333
1511	054	3000	0.07	1117	2	85	140	4	10	8	12000	10883	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	7283	7283	0.7
1512	002	3000	0.07	1225	2	85	140	4	10	8	12000	10775	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	7175	7175	0.7
1512	003	3000	0.07	1549	2	65	100	3	7	5	9000	7451	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6851	6851	0.933333
1512	021	2179	0.05	1690	1	65	100	3	5	4	6537	4847	RH-2	40	form-based		true	true	0.7	5	1	4	4	6101.199707	4411.199707	4411.199707	0.933333
1512	022	2534	0.06	1175	1	65	100	3	6	5	7602	6427	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7095.199707	5920.199707	5920.199707	0.933333
1512	023	2534	0.06	1175	1	65	100	3	6	5	7602	6427	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7095.199707	5920.199707	5920.199707	0.933333
1512	024	2534	0.06	1283	1	65	100	3	6	5	7602	6319	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7095.199707	5812.199707	5812.199707	0.933333
1512	025	2195	0.05	1175	1	65	100	3	5	4	6585	5410	RH-2	40	form-based		true	true	0.7	5	1	4	4	6146	4971	4971	0.933333
1512	041	3021	0.07	2410	2	85	140	4	10	8	12084	9674	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8458.799805	6048.799805	6048.799805	0.7
1512	043	3021	0.07	3170	2	85	140	4	10	8	12084	8914	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8458.799805	5288.799805	5288.799805	0.7
1512	044	3021	0.07	3000	2	85	140	4	10	8	12084	9084	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8458.799805	5458.799805	5458.799805	0.7
1515	002	3000	0.07	3200	2	65	100	3	7	5	9000	5800	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5200	5200	0.933333
1515	003	3000	0.07	2600	2	65	100	3	7	5	9000	6400	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5800	5800	0.933333
1515	004	3000	0.07	2828	2	65	100	3	7	5	9000	6172	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5572	5572	0.933333
1515	008	2988	0.07	3436	2	65	100	3	7	5	8964	5528	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8366.399414	4930.399414	4930.399414	0.933333
1515	014	2500	0.06	1544	1	65	100	3	6	5	7500	5956	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5456	5456	0.933333
1515	021	2289	0.05	1987	1	65	100	3	5	4	6867	4880	RH-2	40	form-based			true	0.7	5	1	4	4	6409.199707	4422.199707	4422.199707	0.933333
1515	021A	2289	0.05	1987	1	65	100	3	5	4	6867	4880	RH-2	40	form-based			true	0.7	5	1	4	4	6409.199707	4422.199707	4422.199707	0.933333
1515	023A	2500	0.06	1712	1	65	100	3	6	5	7500	5788	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5288	5288	0.933333
1515	024	2500	0.06	2012	1	65	100	3	6	5	7500	5488	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4988	4988	0.933333
1515	026	2164	0.05	1567	1	65	100	3	5	4	6492	4925	RH-2	40	form-based			true	0.7	5	1	4	4	6059.199707	4492.199707	4492.199707	0.933333
1515	028	3060	0.07	3410	2	65	100	3	7	5	9180	5770	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8568	5158	5158	0.933333
1515	055	2162	0.05	1240	1	85	140	4	7	6	8648	7408	RM-2	40	form-based			true	0.7	5	0.714285731	4	4	6053.600098	4813.600098	4813.600098	0.7
1516	004	3000	0.07	2900	2	85	140	4	10	8	12000	9100	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	5500	5500	0.7
1516	005	3000	0.07	4473	2	65	100	3	7	5	9000	4527	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	3927	3927	0.933333
1516	006	3000	0.07	2796	2	65	100	3	7	5	9000	6204	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5604	5604	0.933333
1516	007	4800	0.11	5000	6	65	100	3	11	5	14400	9400	RM-1	40	form-based			true	0.7	10	0.909090936	4	4	13440	8440	8440	0.933333
1516	008	2850	0.07	2356	2	65	100	3	7	5	8550	6194	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	7980	5624	5624	0.933333
1516	008A	2850	0.07	2356	2	65	100	3	7	5	8550	6194	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	7980	5624	5624	0.933333
1516	008B	2850	0.07	2356	2	65	100	3	7	5	8550	6194	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	7980	5624	5624	0.933333
1516	008C	2850	0.07	2356	2	65	100	3	7	5	8550	6194	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	7980	5624	5624	0.933333
1516	013	2519	0.06	1225	1	65	100	3	6	5	7557	6332	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7053.199707	5828.199707	5828.199707	0.933333
1516	017	2509	0.06	2060	1	65	100	3	6	5	7527	5467	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7025.199707	4965.199707	4965.199707	0.933333
1516	030	2992	0.07	2784	2	65	100	3	7	5	8976	6192	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	5593.599609	5593.599609	0.933333
1516	036	2992	0.07	2800	2	85	140	4	10	8	11968	9168	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8377.599609	5577.599609	5577.599609	0.7
1517	002	2375	0.05	1800	1	65	100	3	5	4	7125	5325	RH-2	40	form-based			true	0.7	5	1	4	4	6650	4850	4850	0.933333
1517	003A	2800	0.06	2790	2	65	100	3	6	4	8400	5610	RH-2	40	form-based			true	0.7	6	1	4	4	7840	5050	5050	0.933333
1517	004A	3000	0.07	4936	2	65	100	3	7	5	9000	4064	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	3464	3464	0.933333
1517	015	2385	0.05	1075	1	65	100	3	5	4	7155	6080	RM-1	40	form-based			true	0.7	5	1	4	4	6678	5603	5603	0.933333
1517	016	2385	0.05	1284	1	65	100	3	5	4	7155	5871	RM-1	40	form-based			true	0.7	5	1	4	4	6678	5394	5394	0.933333
1517	017	2259	0.05	1400	1	65	100	3	5	4	6777	5377	RM-1	40	form-based			true	0.7	5	1	4	4	6325.199707	4925.199707	4925.199707	0.933333
1517	017A	2259	0.05	2139	1	65	100	3	5	4	6777	4638	RM-1	40	form-based			true	0.7	5	1	4	4	6325.199707	4186.199707	4186.199707	0.933333
1517	024C	2250	0.05	1495	1	65	100	3	5	4	6750	5255	RM-1	40	form-based			true	0.7	5	1	4	4	6300	4805	4805	0.933333
1517	029	2989	0.07	3810	2	85	140	4	10	8	11956	8146	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8369.200195	4559.200195	4559.200195	0.7
1517	038	3586	0.08	831	4	65	100	3	8	4	10758	9927	RM-1	40	form-based			true	0.7	8	1	4	4	10040.7998	9209.799805	9209.799805	0.933333
1517	044	3000	0.07	1589	2	65	100	3	7	5	9000	7411	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6811	6811	0.933333
1518	002	3046	0.07	3560	2	65	100	3	7	5	9138	5578	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8528.799805	4968.799805	4968.799805	0.933333
1518	004	3046	0.07	2290	2	65	100	3	7	5	9138	6848	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8528.799805	6238.799805	6238.799805	0.933333
1518	005	3046	0.07	2980	2	65	100	3	7	5	9138	6158	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8528.799805	5548.799805	5548.799805	0.933333
1518	007	3656	0.08	2956	4	65	100	3	8	4	10968	8012	RM-1	40	form-based			true	0.7	8	1	4	4	10236.7998	7280.799805	7280.799805	0.933333
1518	014	2437	0.06	775	1	65	100	3	6	5	7311	6536	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	6823.600098	6048.600098	6048.600098	0.933333
1518	023	2350	0.05	3810	1	65	100	3	5	4	7050	3240	RH-2	40	form-based			true	0.7	5	1	4	4	6580	2770	2770	0.933333
1518	024	2937	0.07	3823	2	65	100	3	7	5	8811	4988	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8223.599609	4400.599609	4400.599609	0.933333
1518	037	3656	0.08	581	4	65	100	3	8	4	10968	10387	RM-1	40	form-based			true	0.7	8	1	4	4	10236.7998	9655.799805	9655.799805	0.933333
1519	002	2550	0.06	2364	1	85	140	4	8	7	10200	7836	RM-1	40	form-based			true	0.7	5	0.625	4	4	7140	4776	4776	0.7
1519	003	2153	0.05	1584	1	85	140	4	7	6	8612	7028	RM-1	40	form-based			true	0.7	5	0.714285731	4	4	6028.399902	4444.399902	4444.399902	0.7
1519	005	2550	0.06	1649	1	65	100	3	6	5	7650	6001	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7140	5491	5491	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1519	006	2550	0.06	1283	1	65	100	3	6	5	7650	6367	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7140	5857	5857	0.933333
1519	009	2550	0.06	2139	1	65	100	3	6	5	7650	5511	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7140	5001	5001	0.933333
1519	012	2550	0.06	1800	1	65	100	3	6	5	7650	5850	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7140	5340	5340	0.933333
1519	013	2550	0.06	1796	1	65	100	3	6	5	7650	5854	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7140	5344	5344	0.933333
1519	017	2550	0.06	2240	1	65	100	3	6	5	7650	5410	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7140	4900	4900	0.933333
1519	018	2550	0.06	740	1	65	100	3	6	5	7650	6910	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7140	6400	6400	0.933333
1519	020	2550	0.06	1800	1	65	100	3	6	5	7650	5850	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7140	5340	5340	0.933333
1520	003	3000	0.07	2600	2	65	100	3	7	5	9000	6400	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5800	5800	0.933333
1520	006	3000	0.07	4407	2	65	100	3	7	5	9000	4593	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	3993	3993	0.933333
1520	007	3000	0.07	4074	2	65	100	3	7	5	9000	4926	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4326	4326	0.933333
1520	007C	3000	0.07	2474	2	65	100	3	7	5	9000	6526	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5926	5926	0.933333
1520	017	2511	0.06	1680	1	65	100	3	6	5	7533	5853	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7030.799805	5350.799805	5350.799805	0.933333
1520	019A	2987	0.07	2010	2	65	100	3	7	5	8961	6951	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	6353.599609	6353.599609	0.933333
1520	020	2987	0.07	3624	2	65	100	3	7	5	8961	5337	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	4739.599609	4739.599609	0.933333
1520	026	2987	0.07	2550	2	65	100	3	7	5	8961	6411	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	5813.599609	5813.599609	0.933333
1520	027	2987	0.07	2570	2	65	100	3	7	5	8961	6391	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	5793.599609	5793.599609	0.933333
1520	029	2987	0.07	3500	2	65	100	3	7	5	8961	5461	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	4863.599609	4863.599609	0.933333
1520	034	2987	0.07	2670	2	85	140	4	10	8	11948	9278	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8363.599609	5693.599609	5693.599609	0.7
1520	050	2987	0.07	2000	2	65	100	3	7	5	8961	6961	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	6363.599609	6363.599609	0.933333
1520	052	3000	0.07	1040	2	65	100	3	7	5	9000	7960	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7360	7360	0.933333
1521	005	3020	0.07	2380	2	65	100	3	7	5	9060	6680	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8456	6076	6076	0.933333
1521	006	3020	0.07	2310	2	65	100	3	7	5	9060	6750	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8456	6146	6146	0.933333
1521	009	3020	0.07	2770	2	65	100	3	7	5	9060	6290	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8456	5686	5686	0.933333
1521	019	2679	0.06	2450	2	65	100	3	6	4	8037	5587	RM-1	40	form-based			true	0.7	6	1	4	4	7501.199707	5051.199707	5051.199707	0.933333
1521	020	2512	0.06	2223	1	65	100	3	6	5	7536	5313	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7033.600098	4810.600098	4810.600098	0.933333
1521	024	2996	0.07	4864	2	65	100	3	7	5	8988	4124	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	3524.799805	3524.799805	0.933333
1521	025	2996	0.07	3249	2	65	100	3	7	5	8988	5739	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	5139.799805	5139.799805	0.933333
1521	027A	2996	0.07	3664	2	65	100	3	7	5	8988	5324	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	4724.799805	4724.799805	0.933333
1521	028A	2996	0.07	2560	2	65	100	3	7	5	8988	6428	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	5828.799805	5828.799805	0.933333
1521	029	2996	0.07	5081	2	65	100	3	7	5	8988	3907	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	3307.799805	3307.799805	0.933333
1521	030	2996	0.07	3258	2	65	100	3	7	5	8988	5730	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	5130.799805	5130.799805	0.933333
1521	031A	2996	0.07	2950	2	65	100	3	7	5	8988	6038	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	5438.799805	5438.799805	0.933333
1521	032	2996	0.07	3350	2	65	100	3	7	5	8988	5638	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	5038.799805	5038.799805	0.933333
1521	037	3020	0.07	1571	2	65	100	3	7	5	9060	7489	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8456	6885	6885	0.933333
1522	002	2979	0.07	2504	2	85	140	4	10	8	11916	9412	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8341.200195	5837.200195	5837.200195	0.7
1522	005	2979	0.07	3360	2	65	100	3	7	5	8937	5577	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	4981.200195	4981.200195	0.933333
1522	009	2979	0.07	2800	2	65	100	3	7	5	8937	6137	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	5541.200195	5541.200195	0.933333
1522	010	2979	0.07	2856	2	65	100	3	7	5	8937	6081	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	5485.200195	5485.200195	0.933333
1522	017	2513	0.06	955	1	65	100	3	6	5	7539	6584	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7036.399902	6081.399902	6081.399902	0.933333
1522	018	2722	0.06	3116	2	65	100	3	6	4	8166	5050	RM-1	40	form-based			true	0.7	6	1	4	4	7621.600098	4505.600098	4505.600098	0.933333
1522	032	3036	0.07	3100	2	65	100	3	7	5	9108	6008	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8500.799805	5400.799805	5400.799805	0.933333
1522	033	3036	0.07	2608	2	85	140	4	10	8	12144	9536	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8500.799805	5892.799805	5892.799805	0.7
1523	002	3000	0.07	2850	2	65	100	3	7	5	9000	6150	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5550	5550	0.933333
1523	005	3000	0.07	3150	2	65	100	3	7	5	9000	5850	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5250	5250	0.933333
1523	009	3000	0.07	3060	2	65	100	3	7	5	9000	5940	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5340	5340	0.933333
1523	016	3000	0.07	2490	2	65	100	3	7	5	9000	6510	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5910	5910	0.933333
1523	019	2513	0.06	1205	1	65	100	3	6	5	7539	6334	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7036.399902	5831.399902	5831.399902	0.933333
1523	020	2513	0.06	1571	1	65	100	3	6	5	7539	5968	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7036.399902	5465.399902	5465.399902	0.933333
1523	021	2513	0.06	1090	1	65	100	3	6	5	7539	6449	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7036.399902	5946.399902	5946.399902	0.933333
1523	022	2451	0.06	1300	1	65	100	3	6	5	7353	6053	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	6862.799805	5562.799805	5562.799805	0.933333
1523	023	2388	0.05	1800	1	65	100	3	5	4	7164	5364	RM-1	40	form-based			true	0.7	5	1	4	4	6686.399902	4886.399902	4886.399902	0.933333
1523	029	2985	0.07	3322	2	65	100	3	7	5	8955	5633	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8358	5036	5036	0.933333
1523	035	3164	0.07	3834	3	65	100	3	7	4	9492	5658	RM-1	40	form-based			true	0.7	7	1	4	4	8859.200195	5025.200195	5025.200195	0.933333
1523	037	2985	0.07	3148	2	65	100	3	7	5	8955	5807	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8358	5210	5210	0.933333
1524	005	2971	0.07	2720	2	65	100	3	7	5	8913	6193	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8318.799805	5598.799805	5598.799805	0.933333
1524	008B	2971	0.07	2378	2	65	100	3	7	5	8913	6535	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8318.799805	5940.799805	5940.799805	0.933333
1524	010A	2971	0.07	3540	2	65	100	3	7	5	8913	5373	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8318.799805	4778.799805	4778.799805	0.933333
1524	012	2971	0.07	2260	2	65	100	3	7	5	8913	6653	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8318.799805	6058.799805	6058.799805	0.933333
1524	022	3025	0.07	3412	2	65	100	3	7	5	9075	5663	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	5058	5058	0.933333
1524	025	3025	0.07	1784	2	65	100	3	7	5	9075	7291	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	6686	6686	0.933333
1524	026	3025	0.07	2614	2	65	100	3	7	5	9075	6461	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	5856	5856	0.933333
1524	029	3025	0.07	3428	2	65	100	3	7	5	9075	5647	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	5042	5042	0.933333
1524	030	3025	0.07	3665	2	65	100	3	7	5	9075	5410	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	4805	4805	0.933333
1524	032	3025	0.07	4036	2	65	100	3	7	5	9075	5039	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	4434	4434	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1524	046	2971	0.07	1264	2	65	100	3	7	5	8913	7649	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8318.799805	7054.799805	7054.799805	0.933333
1524	048	3025	0.07	1485	2	65	100	3	7	5	9075	7590	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	6985	6985	0.933333
1525	008	3000	0.07	2730	2	65	100	3	7	5	9000	6270	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5670	5670	0.933333
1525	011	3000	0.07	4252	2	65	100	3	7	5	9000	4748	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	4148	4148	0.933333
1525	012	3000	0.07	2350	2	65	100	3	7	5	9000	6650	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6050	6050	0.933333
1525	030	3037	0.07	2256	2	65	100	3	7	5	9111	6855	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	6247.599609	6247.599609	0.933333
1525	037	3037	0.07	2250	2	65	100	3	7	5	9111	6861	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	6253.599609	6253.599609	0.933333
1525	038	4556	0.1	5996	6	85	140	4	14	8	18224	12228	RM-1	40	form-based			true	0.7	10	0.714285731	4	4	12756.7998	6760.799805	6760.799805	0.7
1525	040	2357	0.05	1990	1	85	140	4	7	6	9428	7438	RM-1	40	form-based			true	0.7	5	0.714285731	4	4	6599.600098	4609.600098	4609.600098	0.7
1525	050	3037	0.07	1303	2	65	100	3	7	5	9111	7808	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	7200.599609	7200.599609	0.933333
1526	005	2962	0.07	3144	2	65	100	3	7	5	8886	5742	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8293.599609	5149.599609	5149.599609	0.933333
1526	006	2962	0.07	3144	2	65	100	3	7	5	8886	5742	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8293.599609	5149.599609	5149.599609	0.933333
1526	008	2962	0.07	3040	2	65	100	3	7	5	8886	5846	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8293.599609	5253.599609	5253.599609	0.933333
1526	008A	2962	0.07	3510	2	65	100	3	7	5	8886	5376	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8293.599609	4783.599609	4783.599609	0.933333
1526	009	2962	0.07	3040	2	65	100	3	7	5	8886	5846	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8293.599609	5253.599609	5253.599609	0.933333
1526	011	2962	0.07	3040	2	65	100	3	7	5	8886	5846	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8293.599609	5253.599609	5253.599609	0.933333
1526	015	2515	0.06	1973	1	65	100	3	6	5	7545	5572	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7042	5069	5069	0.933333
1526	021	2989	0.07	2016	2	65	100	3	7	5	8967	6951	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	6353.200195	6353.200195	0.933333
1526	022	2989	0.07	1960	2	65	100	3	7	5	8967	7007	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	6409.200195	6409.200195	0.933333
1526	024	2989	0.07	3351	2	65	100	3	7	5	8967	5616	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	5018.200195	5018.200195	0.933333
1526	025	2989	0.07	2427	2	65	100	3	7	5	8967	6540	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	5942.200195	5942.200195	0.933333
1526	026	2989	0.07	2240	2	65	100	3	7	5	8967	6727	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	6129.200195	6129.200195	0.933333
1526	027	2989	0.07	3160	2	65	100	3	7	5	8967	5807	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	5209.200195	5209.200195	0.933333
1527	020	3000	0.07	3156	2	65	100	3	7	5	9000	5844	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5244	5244	0.933333
1527	028	3013	0.07	3020	2	65	100	3	7	5	9039	6019	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	5416.399414	5416.399414	0.933333
1527	029	3013	0.07	2450	2	65	100	3	7	5	9039	6589	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	5986.399414	5986.399414	0.933333
1527	030	3013	0.07	2450	2	65	100	3	7	5	9039	6589	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	5986.399414	5986.399414	0.933333
1527	031	3013	0.07	2450	2	65	100	3	7	5	9039	6589	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	5986.399414	5986.399414	0.933333
1527	031A	3013	0.07	2450	2	65	100	3	7	5	9039	6589	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	5986.399414	5986.399414	0.933333
1527	036	2107	0.05	5500	7	65	100	3	5	0	6321	821	NCD-GEAR	85	form-based	true	true	true	0.75	11	2.200000048	4	3	12642	7142	7142	2
1528	003	3000	0.07	2964	2	85	140	4	10	8	12000	9036	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	5436	5436	0.7
1528	011	3000	0.07	2158	2	65	100	3	7	5	9000	6842	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6242	6242	0.933333
1528	019	2500	0.06	1750	1	65	100	3	6	5	7500	5750	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5250	5250	0.933333
1528	020	2500	0.06	2687	1	65	100	3	6	5	7500	4813	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4313	4313	0.933333
1528	021	2500	0.06	1435	1	65	100	3	6	5	7500	6065	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5565	5565	0.933333
1528	026	2251	0.05	2140	1	65	100	3	5	4	6753	4613	RH-2	40	form-based			true	0.7	5	1	4	4	6302.799805	4162.799805	4162.799805	0.933333
1528	031	3001	0.07	4074	2	85	140	4	10	8	12004	7930	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8402.799805	4328.799805	4328.799805	0.7
1528	032	3001	0.07	3804	2	85	140	4	10	8	12004	8200	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8402.799805	4598.799805	4598.799805	0.7
1528	049	3001	0.07	1969	2	65	100	3	7	5	9003	7034	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8402.799805	6433.799805	6433.799805	0.933333
1529	001A	2440	0.06	2336	1	65	100	3	6	5	7320	4984	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6832	4496	4496	0.933333
1529	001B	2451	0.06	2356	1	65	100	3	6	5	7353	4997	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6862.799805	4506.799805	4506.799805	0.933333
1529	016	2287	0.05	1980	1	65	100	3	5	4	6861	4881	RH-2	40	form-based			true	0.7	5	1	4	4	6403.600098	4423.600098	4423.600098	0.933333
1529	019	2517	0.06	1780	1	65	100	3	6	5	7551	5771	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7047.600098	5267.600098	5267.600098	0.933333
1529	020	2517	0.06	1620	1	65	100	3	6	5	7551	5931	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7047.600098	5427.600098	5427.600098	0.933333
1529	023	2217	0.05	1290	1	65	100	3	5	4	6651	5361	RH-2	40	form-based			true	0.7	5	1	4	4	6207.600098	4917.600098	4917.600098	0.933333
1529	024	2217	0.05	1290	1	65	100	3	5	4	6651	5361	RH-2	40	form-based			true	0.7	5	1	4	4	6207.600098	4917.600098	4917.600098	0.933333
1529	025	2217	0.05	2515	1	65	100	3	5	4	6651	4136	RH-2	40	form-based			true	0.7	5	1	4	4	6207.600098	3692.600098	3692.600098	0.933333
1529	028	2967	0.07	3432	2	65	100	3	7	5	8901	5469	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8307.599609	4875.599609	4875.599609	0.933333
1529	037	2967	0.07	1720	2	65	100	3	7	5	8901	7181	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8307.599609	6587.599609	6587.599609	0.933333
1530	007	2589	0.06	2738	1	65	100	3	6	5	7767	5029	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7249.199707	4511.199707	4511.199707	0.933333
1530	008	2965	0.07	3618	2	65	100	3	7	5	8895	5277	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8302	4684	4684	0.933333
1530	025	2463	0.06	1660	1	65	100	3	6	5	7389	5729	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6896.399902	5236.399902	5236.399902	0.933333
1530	026	2463	0.06	2182	1	65	100	3	6	5	7389	5207	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6896.399902	4714.399902	4714.399902	0.933333
1530	032A	4730	0.11	4212	6	65	100	3	11	5	14190	9978	RH-2	40	form-based			true	0.7	10	0.909090936	4	4	13244	9032	9032	0.933333
1532	002	3000	0.07	3160	2	65	100	3	7	5	9000	5840	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5240	5240	0.933333
1532	003	3000	0.07	3160	2	65	100	3	7	5	9000	5840	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5240	5240	0.933333
1532	004	3000	0.07	3160	2	65	100	3	7	5	9000	5840	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5240	5240	0.933333
1532	006	3000	0.07	3560	2	65	100	3	7	5	9000	5440	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4840	4840	0.933333
1532	007A	2970	0.07	2580	2	65	100	3	7	5	8910	6330	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	5736	5736	0.933333
1532	007B	2970	0.07	2580	2	65	100	3	7	5	8910	6330	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	5736	5736	0.933333
1532	007C	2970	0.07	2652	2	65	100	3	7	5	8910	6258	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	5664	5664	0.933333
1532	007D	2970	0.07	2628	2	65	100	3	7	5	8910	6282	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	5688	5688	0.933333
1532	008	3000	0.07	2980	2	65	100	3	7	5	9000	6020	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5420	5420	0.933333
1532	022	2986	0.07	3656	2	65	100	3	7	5	8958	5302	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8360.799805	4704.799805	4704.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1532	026A	2986	0.07	2980	2	65	100	3	7	5	8958	5978	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8360.799805	5380.799805	5380.799805	0.933333
1532	027	2986	0.07	3320	2	65	100	3	7	5	8958	5638	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8360.799805	5040.799805	5040.799805	0.933333
1532	029	2986	0.07	3320	2	65	100	3	7	5	8958	5638	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8360.799805	5040.799805	5040.799805	0.933333
1532	030	2986	0.07	3620	2	85	140	4	10	8	11944	8324	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8360.799805	4740.799805	4740.799805	0.7
1532	031	2986	0.07	3320	2	85	140	4	10	8	11944	8624	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8360.799805	5040.799805	5040.799805	0.7
1532	040	2986	0.07	2880	2	65	100	3	7	5	8958	6078	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8360.799805	5480.799805	5480.799805	0.933333
1532	059	2986	0.07	1348	2	65	100	3	7	5	8958	7610	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8360.799805	7012.799805	7012.799805	0.933333
1532	061	2986	0.07	1311	2	65	100	3	7	5	8958	7647	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8360.799805	7049.799805	7049.799805	0.933333
1533	002	2979	0.07	2580	2	65	100	3	7	5	8937	6357	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	5761.200195	5761.200195	0.933333
1533	003	2979	0.07	4136	2	65	100	3	7	5	8937	4801	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	4205.200195	4205.200195	0.933333
1533	004	2979	0.07	3176	2	65	100	3	7	5	8937	5761	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	5165.200195	5165.200195	0.933333
1533	005	2979	0.07	2123	2	65	100	3	7	5	8937	6814	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	6218.200195	6218.200195	0.933333
1533	007	2979	0.07	3260	2	65	100	3	7	5	8937	5677	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	5081.200195	5081.200195	0.933333
1533	008	2979	0.07	3725	2	65	100	3	7	5	8937	5212	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	4616.200195	4616.200195	0.933333
1533	010	2979	0.07	2630	2	65	100	3	7	5	8937	6307	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	5711.200195	5711.200195	0.933333
1533	011	2979	0.07	2670	2	65	100	3	7	5	8937	6267	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	5671.200195	5671.200195	0.933333
1533	013	2979	0.07	3000	2	65	100	3	7	5	8937	5937	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	5341.200195	5341.200195	0.933333
1533	014	2979	0.07	3477	2	65	100	3	7	5	8937	5460	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	4864.200195	4864.200195	0.933333
1533	015	2979	0.07	1944	2	65	100	3	7	5	8937	6993	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	6397.200195	6397.200195	0.933333
1533	024	3039	0.07	3998	2	65	100	3	7	5	9117	5119	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	4511.200195	4511.200195	0.933333
1533	027	3039	0.07	2236	2	65	100	3	7	5	9117	6881	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	6273.200195	6273.200195	0.933333
1533	028	3039	0.07	2740	2	65	100	3	7	5	9117	6377	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	5769.200195	5769.200195	0.933333
1533	032	3039	0.07	3160	2	65	100	3	7	5	9117	5957	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	5349.200195	5349.200195	0.933333
1533	033	3039	0.07	3120	2	65	100	3	7	5	9117	5997	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	5389.200195	5389.200195	0.933333
1533	035	3039	0.07	4050	2	65	100	3	7	5	9117	5067	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	4459.200195	4459.200195	0.933333
1533	036	3039	0.07	2060	2	65	100	3	7	5	9117	7057	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	6449.200195	6449.200195	0.933333
1533	038	3039	0.07	3100	2	65	100	3	7	5	9117	6017	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	5409.200195	5409.200195	0.933333
1533	039	3039	0.07	3700	2	65	100	3	7	5	9117	5417	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	4809.200195	4809.200195	0.933333
1533	050	3039	0.07	1630	2	65	100	3	7	5	9117	7487	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8509.200195	6879.200195	6879.200195	0.933333
1534	002	3000	0.07	2552	2	65	100	3	7	5	9000	6448	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5848	5848	0.933333
1534	009	3000	0.07	2380	2	65	100	3	7	5	9000	6620	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6020	6020	0.933333
1534	012	3000	0.07	1767	2	65	100	3	7	5	9000	7233	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6633	6633	0.933333
1534	018	2520	0.06	1610	1	65	100	3	6	5	7560	5950	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7056	5446	5446	0.933333
1534	019	2520	0.06	1662	1	65	100	3	6	5	7560	5898	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7056	5394	5394	0.933333
1534	021	2520	0.06	1920	1	65	100	3	6	5	7560	5640	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7056	5136	5136	0.933333
1534	025	2982	0.07	2160	2	65	100	3	7	5	8946	6786	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	6189.599609	6189.599609	0.933333
1534	029	2982	0.07	2700	2	65	100	3	7	5	8946	6246	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	5649.599609	5649.599609	0.933333
1534	030	2982	0.07	4512	2	65	100	3	7	5	8946	4434	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	3837.599609	3837.599609	0.933333
1534	032	2982	0.07	4480	2	65	100	3	7	5	8946	4466	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	3869.599609	3869.599609	0.933333
1534	034	2982	0.07	3408	2	65	100	3	7	5	8946	5538	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	4941.599609	4941.599609	0.933333
1534	036	2982	0.07	2912	2	65	100	3	7	5	8946	6034	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	5437.599609	5437.599609	0.933333
1534	036A	2982	0.07	2912	2	65	100	3	7	5	8946	6034	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	5437.599609	5437.599609	0.933333
1534	036B	2982	0.07	2912	2	65	100	3	7	5	8946	6034	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	5437.599609	5437.599609	0.933333
1534	036C	2982	0.07	2912	2	65	100	3	7	5	8946	6034	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	5437.599609	5437.599609	0.933333
1534	036D	2982	0.07	4014	2	65	100	3	7	5	8946	4932	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	4335.599609	4335.599609	0.933333
1535	002	3011	0.07	2004	2	85	140	4	10	8	12044	10040	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8430.799805	6426.799805	6426.799805	0.7
1535	004	3011	0.07	3220	2	85	140	4	10	8	12044	8824	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8430.799805	5210.799805	5210.799805	0.7
1535	005	3011	0.07	3340	2	65	100	3	7	5	9033	5693	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	5090.799805	5090.799805	0.933333
1535	010B	3011	0.07	2550	2	65	100	3	7	5	9033	6483	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	5880.799805	5880.799805	0.933333
1535	026	3000	0.07	3634	2	65	100	3	7	5	9000	5366	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4766	4766	0.933333
1535	027	3000	0.07	3100	2	65	100	3	7	5	9000	5900	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5300	5300	0.933333
1535	028	3000	0.07	2232	2	65	100	3	7	5	9000	6768	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6168	6168	0.933333
1535	033	3000	0.07	2656	2	65	100	3	7	5	9000	6344	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5744	5744	0.933333
1535	034	3000	0.07	4306	2	65	100	3	7	5	9000	4694	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4094	4094	0.933333
1535	036	3000	0.07	2880	2	65	100	3	7	5	9000	6120	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5520	5520	0.933333
1535	053	3000	0.07	1690	2	65	100	3	7	5	9000	7310	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6710	6710	0.933333
1536	006	3000	0.07	3040	2	65	100	3	7	5	9000	5960	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5360	5360	0.933333
1536	007	3000	0.07	1750	2	65	100	3	7	5	9000	7250	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6650	6650	0.933333
1536	011	3000	0.07	4983	2	65	100	3	7	5	9000	4017	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	3417	3417	0.933333
1536	012	3000	0.07	3100	2	65	100	3	7	5	9000	5900	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5300	5300	0.933333
1536	016A	2521	0.06	1923	1	65	100	3	6	5	7563	5640	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7058.799805	5135.799805	5135.799805	0.933333
1536	035	2954	0.07	3580	2	85	140	4	10	8	11816	8236	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8271.200195	4691.200195	4691.200195	0.7
1537	002	2958	0.07	2730	2	65	100	3	7	5	8874	6144	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8282.399414	5552.399414	5552.399414	0.933333
1537	005	2970	0.07	2360	2	65	100	3	7	5	8910	6550	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8316	5956	5956	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1537	006	2970	0.07	2660	2	65	100	3	7	5	8910	6250	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8316	5656	5656	0.933333
1537	026	3022	0.07	2860	2	65	100	3	7	5	9066	6206	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8461.599609	5601.599609	5601.599609	0.933333
1537	028	3022	0.07	2500	2	65	100	3	7	5	9066	6566	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8461.599609	5961.599609	5961.599609	0.933333
1537	029	3022	0.07	3020	2	65	100	3	7	5	9066	6046	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8461.599609	5441.599609	5441.599609	0.933333
1537	034	3022	0.07	2840	2	65	100	3	7	5	9066	6226	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8461.599609	5621.599609	5621.599609	0.933333
1537	038	3022	0.07	2360	2	65	100	3	7	5	9066	6706	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8461.599609	6101.599609	6101.599609	0.933333
1537	088	2704	0.06	804	2	65	100	3	6	4	8112	7308	RM-1	40	form-based			true	0.7	6	1	4	4	7571.199707	6767.199707	6767.199707	0.933333
1538	006	3000	0.07	2100	2	65	100	3	7	5	9000	6900	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6300	6300	0.933333
1538	014	2523	0.06	1743	1	65	100	3	6	5	7569	5826	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7064.399902	5321.399902	5321.399902	0.933333
1538	026	3014	0.07	3200	2	65	100	3	7	5	9042	5842	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8439.200195	5239.200195	5239.200195	0.933333
1540	004	3000	0.07	3615	2	65	100	3	7	5	9000	5385	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8400	4785	4785	0.933333
1540	006	3000	0.07	2750	2	65	100	3	7	5	9000	6250	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8400	5650	5650	0.933333
1540	010	3000	0.07	2800	2	65	100	3	7	5	9000	6200	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5600	5600	0.933333
1540	011	3000	0.07	3200	2	65	100	3	7	5	9000	5800	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5200	5200	0.933333
1540	012	3000	0.07	2500	2	65	100	3	7	5	9000	6500	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5900	5900	0.933333
1540	013	3000	0.07	2700	2	65	100	3	7	5	9000	6300	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5700	5700	0.933333
1540	014	3000	0.07	3228	2	65	100	3	7	5	9000	5772	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5172	5172	0.933333
1540	017	3000	0.07	1750	2	65	100	3	7	5	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6650	6650	0.933333
1540	020	2524	0.06	3023	1	65	100	3	6	5	7572	4549	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	4044.199707	4044.199707	0.933333
1540	021	2524	0.06	1430	1	65	100	3	6	5	7572	6142	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	5637.199707	5637.199707	0.933333
1540	027	3033	0.07	3820	2	65	100	3	7	5	9099	5279	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8492.399414	4672.399414	4672.399414	0.933333
1540	028	3033	0.07	3000	2	65	100	3	7	5	9099	6099	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8492.399414	5492.399414	5492.399414	0.933333
1540	029	3033	0.07	3150	2	65	100	3	7	5	9099	5949	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8492.399414	5342.399414	5342.399414	0.933333
1540	038	3033	0.07	2800	2	65	100	3	7	5	9099	6299	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8492.399414	5692.399414	5692.399414	0.933333
1540	052	3033	0.07	2347	2	65	100	3	7	5	9099	6752	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8492.399414	6145.399414	6145.399414	0.933333
1540	054	3033	0.07	999	2	65	100	3	7	5	9099	8100	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8492.399414	7493.399414	7493.399414	0.933333
1541	009	2977	0.07	2000	2	65	100	3	7	5	8931	6931	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8335.599609	6335.599609	6335.599609	0.933333
1541	010	2977	0.07	2400	2	65	100	3	7	5	8931	6531	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8335.599609	5935.599609	5935.599609	0.933333
1541	011	2977	0.07	3154	2	65	100	3	7	5	8931	5777	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8335.599609	5181.599609	5181.599609	0.933333
1541	012	2977	0.07	2500	2	65	100	3	7	5	8931	6431	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8335.599609	5835.599609	5835.599609	0.933333
1541	014	2977	0.07	2200	2	65	100	3	7	5	8931	6731	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8335.599609	6135.599609	6135.599609	0.933333
1541	020	2524	0.06	2104	1	65	100	3	6	5	7572	5468	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	4963.199707	4963.199707	0.933333
1541	021	2524	0.06	2810	1	65	100	3	6	5	7572	4762	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	4257.199707	4257.199707	0.933333
1541	027	3026	0.07	2200	2	65	100	3	7	5	9078	6878	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	6272.799805	6272.799805	0.933333
1541	028	3026	0.07	2200	2	65	100	3	7	5	9078	6878	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	6272.799805	6272.799805	0.933333
1541	029	3026	0.07	1950	2	65	100	3	7	5	9078	7128	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	6522.799805	6522.799805	0.933333
1541	030	3026	0.07	1950	2	65	100	3	7	5	9078	7128	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	6522.799805	6522.799805	0.933333
1541	031	3026	0.07	2300	2	65	100	3	7	5	9078	6778	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	6172.799805	6172.799805	0.933333
1541	032	3026	0.07	2982	2	65	100	3	7	5	9078	6096	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	5490.799805	5490.799805	0.933333
1541	033	3026	0.07	1960	2	65	100	3	7	5	9078	7118	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	6512.799805	6512.799805	0.933333
1541	035	3026	0.07	2261	2	65	100	3	7	5	9078	6817	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	6211.799805	6211.799805	0.933333
1541	052	3026	0.07	2761	2	65	100	3	7	5	9078	6317	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8472.799805	5711.799805	5711.799805	0.933333
1542	002	2961	0.07	3074	2	65	100	3	7	5	8883	5809	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8290.799805	5216.799805	5216.799805	0.933333
1542	004	2963	0.07	2880	2	65	100	3	7	5	8889	6009	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8296.399414	5416.399414	5416.399414	0.933333
1542	008	2966	0.07	3356	2	65	100	3	7	5	8898	5542	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8304.799805	4948.799805	4948.799805	0.933333
1542	012	2970	0.07	2001	2	65	100	3	7	5	8910	6909	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	6315	6315	0.933333
1542	022	2370	0.05	2678	1	65	100	3	5	4	7110	4432	RH-2	40	form-based			true	0.7	5	1	4	4	6636	3958	3958	0.933333
1542	023	2448	0.06	1606	1	65	100	3	6	5	7344	5738	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6854.399902	5248.399902	5248.399902	0.933333
1542	025	2525	0.06	2696	1	65	100	3	6	5	7575	4879	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7070	4374	4374	0.933333
1542	026	2525	0.06	2550	1	65	100	3	6	5	7575	5025	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7070	4520	4520	0.933333
1542	028	3041	0.07	2600	2	65	100	3	7	5	9123	6523	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8514.799805	5914.799805	5914.799805	0.933333
1542	029	3041	0.07	3100	2	65	100	3	7	5	9123	6023	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8514.799805	5414.799805	5414.799805	0.933333
1542	031	3041	0.07	2840	2	65	100	3	7	5	9123	6283	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8514.799805	5674.799805	5674.799805	0.933333
1542	033	3041	0.07	3200	2	65	100	3	7	5	9123	5923	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8514.799805	5314.799805	5314.799805	0.933333
1542	034	3041	0.07	3400	2	65	100	3	7	5	9123	5723	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8514.799805	5114.799805	5114.799805	0.933333
1542	036	3041	0.07	2680	2	65	100	3	7	5	9123	6443	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8514.799805	5834.799805	5834.799805	0.933333
1542	040	3041	0.07	3190	2	85	140	4	10	8	12164	8974	RH-3	40	form-based			true	0.7	6	0.600000024	4	4	8514.799805	5324.799805	5324.799805	0.7
1542	053	3041	0.07	3823	2	65	100	3	7	5	9123	5300	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8514.799805	4691.799805	4691.799805	0.933333
1543	027	3003	0.07	1850	2	65	100	3	7	5	9009	7159	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8408.399414	6558.399414	6558.399414	0.933333
1543	028	3003	0.07	2470	2	65	100	3	7	5	9009	6539	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8408.399414	5938.399414	5938.399414	0.933333
1543	029	3004	0.07	2120	2	65	100	3	7	5	9012	6892	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	6291.200195	6291.200195	0.933333
1543	033	3007	0.07	3376	2	65	100	3	7	5	9021	5645	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8419.599609	5043.599609	5043.599609	0.933333
1543	036	3010	0.07	1870	2	65	100	3	7	5	9030	7160	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8428	6558	6558	0.933333
1543	037	3011	0.07	1800	2	65	100	3	7	5	9033	7233	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	6630.799805	6630.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1544	002	2358	0.05	1305	1	65	100	3	5	4	7074	5769	RM-2	40	form-based			true	0.7	5	1	4	4	6602.399902	5297.399902	5297.399902	0.933333
1544	004	2358	0.05	2050	1	65	100	3	5	4	7074	5024	RM-2	40	form-based			true	0.7	5	1	4	4	6602.399902	4552.399902	4552.399902	0.933333
1544	012	2984	0.07	1870	2	65	100	3	7	5	8952	7082	RM-2	40	form-based			true	0.7	6	0.857142866	4	4	8355.200195	6485.200195	6485.200195	0.933333
1544	015	2984	0.07	2066	2	65	100	3	7	5	8952	6886	RM-2	40	form-based			true	0.7	6	0.857142866	4	4	8355.200195	6289.200195	6289.200195	0.933333
1544	017	2984	0.07	3082	2	65	100	3	7	5	8952	5870	RM-2	40	form-based			true	0.7	6	0.857142866	4	4	8355.200195	5273.200195	5273.200195	0.933333
1544	031	3004	0.07	2685	2	65	100	3	7	5	9012	6327	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	5726.200195	5726.200195	0.933333
1544	034	3007	0.07	2540	2	65	100	3	7	5	9021	6481	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8419.599609	5879.599609	5879.599609	0.933333
1544	038	3010	0.07	2432	2	65	100	3	7	5	9030	6598	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8428	5996	5996	0.933333
1544	040	3012	0.07	2000	2	65	100	3	7	5	9036	7036	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	6433.599609	6433.599609	0.933333
1544	042	3014	0.07	2810	2	65	100	3	7	5	9042	6232	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8439.200195	5629.200195	5629.200195	0.933333
1544	044	3015	0.07	2734	2	65	100	3	7	5	9045	6311	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8442	5708	5708	0.933333
1544	047	2393	0.05	1600	1	65	100	3	5	4	7179	5579	RH-2	40	form-based			true	0.7	5	1	4	4	6700.399902	5100.399902	5100.399902	0.933333
1544	048	2394	0.05	1810	1	65	100	3	5	4	7182	5372	RH-2	40	form-based			true	0.7	5	1	4	4	6703.199707	4893.199707	4893.199707	0.933333
1545	002	2370	0.05	1500	1	65	100	3	5	4	7110	5610	RH-2	40	form-based			true	0.7	5	1	4	4	6636	5136	5136	0.933333
1545	006	2999	0.07	2676	2	65	100	3	7	5	8997	6321	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8397.200195	5721.200195	5721.200195	0.933333
1545	007	3000	0.07	2170	2	65	100	3	7	5	9000	6830	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6230	6230	0.933333
1545	013	3005	0.07	2050	2	65	100	3	7	5	9015	6965	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	6364	6364	0.933333
1545	014	3006	0.07	2700	2	65	100	3	7	5	9018	6318	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	5716.799805	5716.799805	0.933333
1545	016	3007	0.07	2410	2	65	100	3	7	5	9021	6611	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8419.599609	6009.599609	6009.599609	0.933333
1545	020	3011	0.07	2258	2	65	100	3	7	5	9033	6775	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	6172.799805	6172.799805	0.933333
1545	033	3023	0.07	3075	2	65	100	3	7	5	9069	5994	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	5389.399414	5389.399414	0.933333
1545	034	3023	0.07	3000	2	65	100	3	7	5	9069	6069	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	5464.399414	5464.399414	0.933333
1545	035	3023	0.07	2250	2	65	100	3	7	5	9069	6819	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	6214.399414	6214.399414	0.933333
1545	038	3023	0.07	3043	2	65	100	3	7	5	9069	6026	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	5421.399414	5421.399414	0.933333
1545	039	3023	0.07	2326	2	65	100	3	7	5	9069	6743	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	6138.399414	6138.399414	0.933333
1545	043	3023	0.07	2850	2	65	100	3	7	5	9069	6219	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	5614.399414	5614.399414	0.933333
1545	044	3023	0.07	3800	2	65	100	3	7	5	9069	5269	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	4664.399414	4664.399414	0.933333
1545	046	3023	0.07	2966	2	65	100	3	7	5	9069	6103	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	5498.399414	5498.399414	0.933333
1545	052	2415	0.06	1904	1	65	100	3	6	5	7245	5341	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6762	4858	4858	0.933333
1545	065	2998	0.07	2232	2	65	100	3	7	5	8994	6762	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8394.399414	6162.399414	6162.399414	0.933333
1546	002	3049	0.07	2980	2	65	100	3	7	5	9147	6167	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8537.200195	5557.200195	5557.200195	0.933333
1546	003	3095	0.07	2500	2	65	100	3	7	5	9285	6785	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8666	6166	6166	0.933333
1546	009	3034	0.07	2500	2	65	100	3	7	5	9102	6602	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8495.200195	5995.200195	5995.200195	0.933333
1546	030	2651	0.06	1236	2	65	100	3	6	4	7953	6717	RH-2	40	form-based			true	0.7	6	1	4	4	7422.799805	6186.799805	6186.799805	0.933333
1546	034	2900	0.07	2300	2	65	100	3	7	5	8700	6400	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8120	5820	5820	0.933333
1546	036	2275	0.05	1802	1	65	100	3	5	4	6825	5023	RH-2	40	form-based			true	0.7	5	1	4	4	6370	4568	4568	0.933333
1547	002	2372	0.05	2090	1	65	100	3	5	4	7116	5026	RH-2	40	form-based			true	0.7	5	1	4	4	6641.600098	4551.600098	4551.600098	0.933333
1547	005	2997	0.07	2425	2	65	100	3	7	5	8991	6566	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	5966.599609	5966.599609	0.933333
1547	009	2997	0.07	2724	2	65	100	3	7	5	8991	6267	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	5667.599609	5667.599609	0.933333
1547	011	2997	0.07	3395	2	65	100	3	7	5	8991	5596	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	4996.599609	4996.599609	0.933333
1547	017	2997	0.07	2000	2	65	100	3	7	5	8991	6991	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	6391.599609	6391.599609	0.933333
1547	020	2997	0.07	3160	2	65	100	3	7	5	8991	5831	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	5231.599609	5231.599609	0.933333
1547	038	3014	0.07	4250	2	65	100	3	7	5	9042	4792	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8439.200195	4189.200195	4189.200195	0.933333
1547	039	3016	0.07	1570	2	65	100	3	7	5	9048	7478	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8444.799805	6874.799805	6874.799805	0.933333
1547	042	3020	0.07	2120	2	65	100	3	7	5	9060	6940	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8456	6336	6336	0.933333
1547	043	3022	0.07	2120	2	65	100	3	7	5	9066	6946	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8461.599609	6341.599609	6341.599609	0.933333
1547	046	2402	0.06	1250	1	65	100	3	6	5	7206	5956	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	6725.600098	5475.600098	5475.600098	0.933333
1547	050	2420	0.06	2050	1	65	100	3	6	5	7260	5210	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6776	4726	4726	0.933333
1548	005	2975	0.07	2390	2	65	100	3	7	5	8925	6535	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8330	5940	5940	0.933333
1548	007	2978	0.07	3446	2	65	100	3	7	5	8934	5488	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8338.399414	4892.399414	4892.399414	0.933333
1548	009	2981	0.07	3100	2	65	100	3	7	5	8943	5843	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8346.799805	5246.799805	5246.799805	0.933333
1548	011	2984	0.07	2360	2	65	100	3	7	5	8952	6592	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8355.200195	5995.200195	5995.200195	0.933333
1548	014	2989	0.07	2580	2	65	100	3	7	5	8967	6387	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	5789.200195	5789.200195	0.933333
1548	015	2990	0.07	2880	2	65	100	3	7	5	8970	6090	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8372	5492	5492	0.933333
1548	016	2992	0.07	3700	2	65	100	3	7	5	8976	5276	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	4677.599609	4677.599609	0.933333
1548	019	2996	0.07	2060	2	65	100	3	7	5	8988	6928	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	6328.799805	6328.799805	0.933333
1548	020	2998	0.07	1700	2	65	100	3	7	5	8994	7294	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8394.399414	6694.399414	6694.399414	0.933333
1548	031	3009	0.07	2000	2	65	100	3	7	5	9027	7027	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8425.200195	6425.200195	6425.200195	0.933333
1548	033	3009	0.07	2750	2	65	100	3	7	5	9027	6277	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8425.200195	5675.200195	5675.200195	0.933333
1548	034	3009	0.07	4231	2	65	100	3	7	5	9027	4796	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8425.200195	4194.200195	4194.200195	0.933333
1548	038	3009	0.07	3020	2	65	100	3	7	5	9027	6007	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8425.200195	5405.200195	5405.200195	0.933333
1548	040	3009	0.07	2968	2	65	100	3	7	5	9027	6059	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8425.200195	5457.200195	5457.200195	0.933333
1548	043	3611	0.08	4600	4	65	100	3	8	4	10833	6233	RH-3	40	form-based			true	0.7	8	1	4	4	10110.7998	5510.799805	5510.799805	0.933333
1548	047	2384	0.05	2469	1	65	100	3	5	4	7152	4683	RM-1	40	form-based			true	0.7	5	1	4	4	6675.199707	4206.199707	4206.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1548	050	2423	0.06	1589	1	65	100	3	6	5	7269	5680	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	6784.399902	5195.399902	5195.399902	0.933333
1549	003	2985	0.07	3080	2	65	100	3	7	5	8955	5875	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8358	5278	5278	0.933333
1549	006	2985	0.07	2650	2	65	100	3	7	5	8955	6305	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8358	5708	5708	0.933333
1549	007	2985	0.07	3612	2	65	100	3	7	5	8955	5343	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8358	4746	4746	0.933333
1549	008	2985	0.07	2300	2	65	100	3	7	5	8955	6655	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8358	6058	6058	0.933333
1549	009	2985	0.07	2300	2	65	100	3	7	5	8955	6655	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8358	6058	6058	0.933333
1549	014	2985	0.07	2550	2	65	100	3	7	5	8955	6405	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8358	5808	5808	0.933333
1549	026A	1467	0.03	1875	2	65	100	3	3	1	4401	2526	NCD-INNE	65	form-based			true	0.75	6	2	4	4	6601.5	4726.5	4726.5	1.5
1549	032	3030	0.07	1770	2	65	100	3	7	5	9090	7320	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	6714	6714	0.933333
1549	034	3030	0.07	2682	2	65	100	3	7	5	9090	6408	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	5802	5802	0.933333
1549	036	3030	0.07	2535	2	65	100	3	7	5	9090	6555	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	5949	5949	0.933333
1549	041	3030	0.07	3170	2	65	100	3	7	5	9090	5920	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	5314	5314	0.933333
1549	064	3030	0.07	2489	2	65	100	3	7	5	9090	6601	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	5995	5995	0.933333
1550	005	2970	0.07	2125	2	65	100	3	7	5	8910	6785	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	6191	6191	0.933333
1550	006	2970	0.07	5025	2	65	100	3	7	5	8910	3885	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	3291	3291	0.933333
1550	015	2970	0.07	3100	2	65	100	3	7	5	8910	5810	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	5216	5216	0.933333
1550	016	2970	0.07	2900	2	65	100	3	7	5	8910	6010	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	5416	5416	0.933333
1550	017	2970	0.07	2900	2	65	100	3	7	5	8910	6010	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	5416	5416	0.933333
1550	018	2970	0.07	2865	2	65	100	3	7	5	8910	6045	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	5451	5451	0.933333
1550	020	1413	0.03	2010	1	65	100	3	3	2	4239	2229	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6358.5	4348.5	4348.5	1.5
1550	021	1407	0.03	2810	1	65	100	3	3	2	4221	1411	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6331.5	3521.5	3521.5	1.5
1550	029	2512	0.06	3376	5	65	100	3	6	1	7536	4160	RTO-C	65	form-based			true	0.75	9	1.5	4	4	11304	7928	7928	1.5
1550	031	3024	0.07	2950	2	65	100	3	7	5	9072	6122	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	5517.200195	5517.200195	0.933333
1550	032	3024	0.07	4193	2	65	100	3	7	5	9072	4879	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	4274.200195	4274.200195	0.933333
1550	037	3024	0.07	4087	2	65	100	3	7	5	9072	4985	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	4380.200195	4380.200195	0.933333
1550	038	3024	0.07	3514	2	65	100	3	7	5	9072	5558	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	4953.200195	4953.200195	0.933333
1550	039	3024	0.07	4089	2	65	100	3	7	5	9072	4983	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	4378.200195	4378.200195	0.933333
1550	040	3024	0.07	4850	2	65	100	3	7	5	9072	4222	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	3617.200195	3617.200195	0.933333
1550	042	3024	0.07	3769	2	65	100	3	7	5	9072	5303	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	4698.200195	4698.200195	0.933333
1550	052	2428	0.06	2372	1	65	100	3	6	5	7284	4912	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6798.399902	4426.399902	4426.399902	0.933333
1550	053	2427	0.06	1855	1	65	100	3	6	5	7281	5426	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6795.600098	4940.600098	4940.600098	0.933333
1550	054	2970	0.07	2363	2	65	100	3	7	5	8910	6547	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	5953	5953	0.933333
1550	056	2970	0.07	1877	2	65	100	3	7	5	8910	7033	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	6439	6439	0.933333
1550	060	2970	0.07	1100	2	65	100	3	7	5	8910	7810	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8316	7216	7216	0.933333
1550	062	3024	0.07	1691	2	65	100	3	7	5	9072	7381	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8467.200195	6776.200195	6776.200195	0.933333
1551	001	1927	0.04	3626	0	65	100	3	4	4	5781	2155	RH-2	40	form-based	true		true	0.7	4	1	4	4	5395.600098	1769.600098	1769.600098	0.933333
1551	008	3000	0.07	4137	2	65	100	3	7	5	9000	4863	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4263	4263	0.933333
1551	009	3000	0.07	2800	2	65	100	3	7	5	9000	6200	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5600	5600	0.933333
1551	010	3000	0.07	2800	2	65	100	3	7	5	9000	6200	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5600	5600	0.933333
1551	046	2583	0.06	2525	1	65	100	3	6	5	7749	5224	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7232.399902	4707.399902	4707.399902	0.933333
1552	002	2352	0.05	2250	1	65	100	3	5	4	7056	4806	RH-2	40	form-based			true	0.7	5	1	4	4	6585.600098	4335.600098	4335.600098	0.933333
1552	003	2352	0.05	2030	1	65	100	3	5	4	7056	5026	RH-2	40	form-based			true	0.7	5	1	4	4	6585.600098	4555.600098	4555.600098	0.933333
1552	004	2352	0.05	2020	1	65	100	3	5	4	7056	5036	RH-1	40	form-based			true	0.7	5	1	4	4	6585.600098	4565.600098	4565.600098	0.933333
1552	044	2435	0.06	1375	1	65	100	3	6	5	7305	5930	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6818	5443	5443	0.933333
1552	045	2435	0.06	1375	1	65	100	3	6	5	7305	5930	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6818	5443	5443	0.933333
1553	025	3006	0.07	3300	2	65	100	3	7	5	9018	5718	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	5116.799805	5116.799805	0.933333
1553	029	3006	0.07	2185	2	65	100	3	7	5	9018	6833	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	6231.799805	6231.799805	0.933333
1553	041	2357	0.05	1900	1	65	100	3	5	4	7071	5171	RH-2	40	form-based			true	0.7	5	1	4	4	6599.600098	4699.600098	4699.600098	0.933333
1553	042	2357	0.05	1600	1	65	100	3	5	4	7071	5471	RH-2	40	form-based			true	0.7	5	1	4	4	6599.600098	4999.600098	4999.600098	0.933333
1553	043	2357	0.05	1600	1	65	100	3	5	4	7071	5471	RH-2	40	form-based			true	0.7	5	1	4	4	6599.600098	4999.600098	4999.600098	0.933333
1553	045	2410	0.06	2535	1	65	100	3	6	5	7230	4695	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6748	4213	4213	0.933333
1553	046	2410	0.06	1345	1	65	100	3	6	5	7230	5885	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6748	5403	5403	0.933333
1554	001	2266	0.05	3730	1	65	100	3	5	4	6798	3068	RH-2	40	form-based	true		true	0.7	5	1	4	4	6344.799805	2614.799805	2614.799805	0.933333
1554	001A	2521	0.06	2324	1	65	100	3	6	5	7563	5239	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7058.799805	4734.799805	4734.799805	0.933333
1554	001B	2521	0.06	2200	1	65	100	3	6	5	7563	5363	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7058.799805	4858.799805	4858.799805	0.933333
1554	003	3021	0.07	2150	2	65	100	3	7	5	9063	6913	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	6308.799805	6308.799805	0.933333
1554	015H	1440	0.03	2123	1	65	100	3	3	2	4320	2197	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6480	4357	4357	1.5
1554	026	2500	0.06	2386	1	65	100	3	6	5	7500	5114	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4614	4614	0.933333
1554	027	2500	0.06	2248	1	65	100	3	6	5	7500	5252	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4752	4752	0.933333
1554	028	2500	0.06	2200	1	65	100	3	6	5	7500	5300	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4800	4800	0.933333
1555	002	2361	0.05	2220	1	65	100	3	5	4	7083	4863	RH-2	40	form-based			true	0.7	5	1	4	4	6610.799805	4390.799805	4390.799805	0.933333
1555	003	2361	0.05	2220	1	65	100	3	5	4	7083	4863	RH-2	40	form-based			true	0.7	5	1	4	4	6610.799805	4390.799805	4390.799805	0.933333
1555	004	2361	0.05	1825	1	65	100	3	5	4	7083	5258	RH-2	40	form-based			true	0.7	5	1	4	4	6610.799805	4785.799805	4785.799805	0.933333
1555	012	2986	0.07	3262	2	65	100	3	7	5	8958	5696	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8360.799805	5098.799805	5098.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1555	014	2986	0.07	4305	2	65	100	3	7	5	8958	4653	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8360.799805	4055.799805	4055.799805	0.933333
1555	045	3000	0.07	3639	2	65	100	3	7	5	9000	5361	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4761	4761	0.933333
1557	003	3028	0.07	3420	2	65	100	3	7	5	9084	5664	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8478.399414	5058.399414	5058.399414	0.933333
1557	004	3028	0.07	3076	2	65	100	3	7	5	9084	6008	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8478.399414	5402.399414	5402.399414	0.933333
1557	004A	3028	0.07	3076	2	65	100	3	7	5	9084	6008	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8478.399414	5402.399414	5402.399414	0.933333
1557	025	2845	0.07	3336	2	65	100	3	7	5	8535	5199	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7966	4630	4630	0.933333
1557	026	2845	0.07	3316	2	65	100	3	7	5	8535	5219	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7966	4650	4650	0.933333
1557	028A	2845	0.07	3300	2	65	100	3	7	5	8535	5235	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7966	4666	4666	0.933333
1557	030	3090	0.07	3313	2	65	100	3	7	5	9270	5957	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8652	5339	5339	0.933333
1557	032	3090	0.07	2414	2	65	100	3	7	5	9270	6856	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8652	6238	6238	0.933333
1557	034	2363	0.05	2870	1	65	100	3	5	4	7089	4219	RH-2	40	form-based			true	0.7	5	1	4	4	6616.399902	3746.399902	3746.399902	0.933333
1557	037	3001	0.07	3430	2	65	100	3	7	5	9003	5573	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8402.799805	4972.799805	4972.799805	0.933333
1557	070	2845	0.07	1235	2	65	100	3	7	5	8535	7300	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7966	6731	6731	0.933333
1558	003	2254	0.05	2982	1	65	100	3	5	4	6762	3780	RH-2	40	form-based			true	0.7	5	1	4	4	6311.199707	3329.199707	3329.199707	0.933333
1558	004	2254	0.05	2200	1	65	100	3	5	4	6762	4562	RH-2	40	form-based			true	0.7	5	1	4	4	6311.199707	4111.199707	4111.199707	0.933333
1558	013B	3191	0.07	3414	3	65	100	3	7	4	9573	6159	RH-2	40	form-based			true	0.7	7	1	4	4	8934.799805	5520.799805	5520.799805	0.933333
1558	026	3188	0.07	3814	3	65	100	3	7	4	9564	5750	RH-2	40	form-based			true	0.7	7	1	4	4	8926.399414	5112.399414	5112.399414	0.933333
1558	041	2250	0.05	1854	1	65	100	3	5	4	6750	4896	RH-2	40	form-based			true	0.7	5	1	4	4	6300	4446	4446	0.933333
1558	042	2250	0.05	2043	1	65	100	3	5	4	6750	4707	RH-2	40	form-based			true	0.7	5	1	4	4	6300	4257	4257	0.933333
1558	043	2250	0.05	1430	1	65	100	3	5	4	6750	5320	RH-2	40	form-based			true	0.7	5	1	4	4	6300	4870	4870	0.933333
1559	003	2446	0.06	1750	1	65	100	3	6	5	7338	5588	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6848.799805	5098.799805	5098.799805	0.933333
1559	004	2446	0.06	1750	1	65	100	3	6	5	7338	5588	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6848.799805	5098.799805	5098.799805	0.933333
1559	006	2940	0.07	2822	2	65	100	3	7	5	8820	5998	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8232	5410	5410	0.933333
1559	009	3000	0.07	3360	2	65	100	3	7	5	9000	5640	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5040	5040	0.933333
1559	011	3000	0.07	3850	2	65	100	3	7	5	9000	5150	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4550	4550	0.933333
1559	012	3000	0.07	2510	2	65	100	3	7	5	9000	6490	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5890	5890	0.933333
1559	013A	3000	0.07	3270	2	65	100	3	7	5	9000	5730	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5130	5130	0.933333
1559	014	3000	0.07	3450	2	65	100	3	7	5	9000	5550	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4950	4950	0.933333
1559	019C	1926	0.04	2420	3	65	100	3	4	1	5778	3358	RTO-C	65	form-based		true	true	0.75	7	1.75	4	4	8667	6247	6247	1.5
1559	027	3001	0.07	3150	2	65	100	3	7	5	9003	5853	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8402.799805	5252.799805	5252.799805	0.933333
1559	029	3001	0.07	2245	2	65	100	3	7	5	9003	6758	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8402.799805	6157.799805	6157.799805	0.933333
1559	030	3001	0.07	3471	2	65	100	3	7	5	9003	5532	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8402.799805	4931.799805	4931.799805	0.933333
1559	031	3001	0.07	3390	2	65	100	3	7	5	9003	5613	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8402.799805	5012.799805	5012.799805	0.933333
1559	035	2977	0.07	3156	2	65	100	3	7	5	8931	5775	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8335.599609	5179.599609	5179.599609	0.933333
1559	039	2251	0.05	1750	1	65	100	3	5	4	6753	5003	RH-2	40	form-based			true	0.7	5	1	4	4	6302.799805	4552.799805	4552.799805	0.933333
1559	040	2251	0.05	1846	1	65	100	3	5	4	6753	4907	RM-1	40	form-based			true	0.7	5	1	4	4	6302.799805	4456.799805	4456.799805	0.933333
1559	043	2506	0.06	1860	1	65	100	3	6	5	7518	5658	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7016.799805	5156.799805	5156.799805	0.933333
1559	045	3000	0.07	1668	2	65	100	3	7	5	9000	7332	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6732	6732	0.933333
1559	047	3000	0.07	1896	2	65	100	3	7	5	9000	7104	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6504	6504	0.933333
1560	003	2350	0.05	1785	1	65	100	3	5	4	7050	5265	RH-2	40	form-based			true	0.7	5	1	4	4	6580	4795	4795	0.933333
1560	004	2350	0.05	1920	1	65	100	3	5	4	7050	5130	RH-2	40	form-based			true	0.7	5	1	4	4	6580	4660	4660	0.933333
1560	005	2975	0.07	3254	2	65	100	3	7	5	8925	5671	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	5076	5076	0.933333
1560	010	2975	0.07	3240	2	65	100	3	7	5	8925	5685	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	5090	5090	0.933333
1560	011	2975	0.07	3240	2	65	100	3	7	5	8925	5685	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	5090	5090	0.933333
1560	012	2975	0.07	3470	2	65	100	3	7	5	8925	5455	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	4860	4860	0.933333
1560	013	2975	0.07	3470	2	65	100	3	7	5	8925	5455	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	4860	4860	0.933333
1560	014	2975	0.07	2680	2	65	100	3	7	5	8925	6245	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	5650	5650	0.933333
1560	015	2975	0.07	3030	2	65	100	3	7	5	8925	5895	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	5300	5300	0.933333
1560	015A	2975	0.07	3030	2	65	100	3	7	5	8925	5895	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	5300	5300	0.933333
1560	016	2975	0.07	3430	2	65	100	3	7	5	8925	5495	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	4900	4900	0.933333
1560	037	3038	0.07	2410	2	65	100	3	7	5	9114	6704	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8506.399414	6096.399414	6096.399414	0.933333
1560	043	2413	0.06	1750	1	65	100	3	6	5	7239	5489	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6756.399902	5006.399902	5006.399902	0.933333
1560	043A	2413	0.06	1869	1	65	100	3	6	5	7239	5370	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6756.399902	4887.399902	4887.399902	0.933333
1560	044	2413	0.06	1750	1	65	100	3	6	5	7239	5489	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6756.399902	5006.399902	5006.399902	0.933333
1560	046	2508	0.06	1485	1	65	100	3	6	5	7524	6039	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7022.399902	5537.399902	5537.399902	0.933333
1560	046A	2508	0.06	1745	1	65	100	3	6	5	7524	5779	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7022.399902	5277.399902	5277.399902	0.933333
1560	047	2975	0.07	1348	2	65	100	3	7	5	8925	7577	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8330	6982	6982	0.933333
1561	002	2952	0.07	2660	2	65	100	3	7	5	8856	6196	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8265.599609	5605.599609	5605.599609	0.933333
1561	003	2952	0.07	3648	2	65	100	3	7	5	8856	5208	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8265.599609	4617.599609	4617.599609	0.933333
1561	004	2952	0.07	2970	2	65	100	3	7	5	8856	5886	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8265.599609	5295.599609	5295.599609	0.933333
1561	006	2952	0.07	2070	2	65	100	3	7	5	8856	6786	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8265.599609	6195.599609	6195.599609	0.933333
1561	014	2952	0.07	4346	2	65	100	3	7	5	8856	4510	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8265.599609	3919.599609	3919.599609	0.933333
1561	023A	3000	0.07	3517	2	65	100	3	7	5	9000	5483	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4883	4883	0.933333
1561	028	3000	0.07	3740	2	65	100	3	7	5	9000	5260	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4660	4660	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1561	032	3000	0.07	3190	2	65	100	3	7	5	9000	5810	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5210	5210	0.933333
1561	034	3000	0.07	2828	2	65	100	3	7	5	9000	6172	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5572	5572	0.933333
1561	041	2511	0.06	1090	1	65	100	3	6	5	7533	6443	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7030.799805	5940.799805	5940.799805	0.933333
1561	042	2511	0.06	1205	1	65	100	3	6	5	7533	6328	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7030.799805	5825.799805	5825.799805	0.933333
1561	043	2511	0.06	1250	1	65	100	3	6	5	7533	6283	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7030.799805	5780.799805	5780.799805	0.933333
1561	044	2952	0.07	2345	2	65	100	3	7	5	8856	6511	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8265.599609	5920.599609	5920.599609	0.933333
1561	048	3000	0.07	2058	2	65	100	3	7	5	9000	6942	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6342	6342	0.933333
1562	004	3000	0.07	1932	2	65	100	3	7	5	9000	7068	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6468	6468	0.933333
1562	005	3000	0.07	1760	2	65	100	3	7	5	9000	7240	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6640	6640	0.933333
1562	007	3000	0.07	2894	2	65	100	3	7	5	9000	6106	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5506	5506	0.933333
1562	008	3000	0.07	3742	2	65	100	3	7	5	9000	5258	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4658	4658	0.933333
1562	009	3000	0.07	3250	2	65	100	3	7	5	9000	5750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5150	5150	0.933333
1562	025	3037	0.07	3300	2	65	100	3	7	5	9111	5811	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	5203.599609	5203.599609	0.933333
1562	028	3037	0.07	2750	2	65	100	3	7	5	9111	6361	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	5753.599609	5753.599609	0.933333
1562	029	3037	0.07	3624	2	65	100	3	7	5	9111	5487	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	4879.599609	4879.599609	0.933333
1562	031	3037	0.07	2720	2	65	100	3	7	5	9111	6391	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	5783.599609	5783.599609	0.933333
1562	032	3037	0.07	3170	2	65	100	3	7	5	9111	5941	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	5333.599609	5333.599609	0.933333
1562	033	3037	0.07	3553	2	65	100	3	7	5	9111	5558	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	4950.599609	4950.599609	0.933333
1562	033A	3037	0.07	3390	2	65	100	3	7	5	9111	5721	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	5113.599609	5113.599609	0.933333
1562	035	3037	0.07	4013	2	65	100	3	7	5	9111	5098	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	4490.599609	4490.599609	0.933333
1562	036	3037	0.07	3220	2	65	100	3	7	5	9111	5891	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	5283.599609	5283.599609	0.933333
1562	041	2146	0.05	2074	1	65	100	3	5	4	6438	4364	RM-1	40	form-based		true	true	0.7	5	1	4	4	6008.799805	3934.799805	3934.799805	0.933333
1562	048	3037	0.07	1312	2	65	100	3	7	5	9111	7799	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8503.599609	7191.599609	7191.599609	0.933333
1562	050	3000	0.07	1572	2	65	100	3	7	5	9000	7428	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6828	6828	0.933333
1563	002	2971	0.07	2710	2	65	100	3	7	5	8913	6203	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8318.799805	5608.799805	5608.799805	0.933333
1563	009	2971	0.07	3381	2	65	100	3	7	5	8913	5532	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8318.799805	4937.799805	4937.799805	0.933333
1563	010	2971	0.07	3210	2	65	100	3	7	5	8913	5703	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8318.799805	5108.799805	5108.799805	0.933333
1563	023	3025	0.07	2160	2	65	100	3	7	5	9075	6915	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	6310	6310	0.933333
1563	025	3025	0.07	3996	2	65	100	3	7	5	9075	5079	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	4474	4474	0.933333
1563	027	3025	0.07	2780	2	65	100	3	7	5	9075	6295	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	5690	5690	0.933333
1563	029	3025	0.07	3400	2	65	100	3	7	5	9075	5675	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	5070	5070	0.933333
1563	030	3025	0.07	1780	2	65	100	3	7	5	9075	7295	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	6690	6690	0.933333
1563	033	3025	0.07	3390	2	65	100	3	7	5	9075	5685	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	5080	5080	0.933333
1563	034	3025	0.07	3423	2	65	100	3	7	5	9075	5652	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	5047	5047	0.933333
1563	036	3025	0.07	3960	2	65	100	3	7	5	9075	5115	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	4510	4510	0.933333
1563	046	2971	0.07	1409	2	65	100	3	7	5	8913	7504	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8318.799805	6909.799805	6909.799805	0.933333
1563	048	3025	0.07	1875	2	65	100	3	7	5	9075	7200	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8470	6595	6595	0.933333
1564	003	2965	0.07	3510	2	65	100	3	7	5	8895	5385	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8302	4792	4792	0.933333
1564	004	2965	0.07	5509	2	65	100	3	7	5	8895	3386	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8302	2793	2793	0.933333
1564	005	2965	0.07	3695	2	65	100	3	7	5	8895	5200	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8302	4607	4607	0.933333
1564	007	2965	0.07	3290	2	65	100	3	7	5	8895	5605	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8302	5012	5012	0.933333
1564	012	2965	0.07	4495	2	65	100	3	7	5	8895	4400	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8302	3807	3807	0.933333
1564	014	2965	0.07	4323	2	65	100	3	7	5	8895	4572	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8302	3979	3979	0.933333
1564	015	2965	0.07	3815	2	65	100	3	7	5	8895	5080	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8302	4487	4487	0.933333
1564	027	3021	0.07	4002	2	65	100	3	7	5	9063	5061	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	4456.799805	4456.799805	0.933333
1564	038	3021	0.07	3170	2	65	100	3	7	5	9063	5893	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5288.799805	5288.799805	0.933333
1564	039	3021	0.07	3170	2	65	100	3	7	5	9063	5893	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5288.799805	5288.799805	0.933333
1565	002A	3035	0.07	3320	2	65	100	3	7	5	9105	5785	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8498	5178	5178	0.933333
1565	002B	3035	0.07	3320	2	65	100	3	7	5	9105	5785	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8498	5178	5178	0.933333
1565	006	3035	0.07	3780	2	65	100	3	7	5	9105	5325	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8498	4718	4718	0.933333
1565	006A	3035	0.07	4092	2	65	100	3	7	5	9105	5013	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8498	4406	4406	0.933333
1565	008A	3035	0.07	4773	2	65	100	3	7	5	9105	4332	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8498	3725	3725	0.933333
1565	018	2980	0.07	3455	2	65	100	3	7	5	8940	5485	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8344	4889	4889	0.933333
1565	024	2980	0.07	4326	2	65	100	3	7	5	8940	4614	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8344	4018	4018	0.933333
1565	032	2980	0.07	1428	2	65	100	3	7	5	8940	7512	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8344	6916	6916	0.933333
1566	003	2793	0.06	2640	2	65	100	3	6	4	8379	5739	RH-2	40	form-based			true	0.7	6	1	4	4	7820.399902	5180.399902	5180.399902	0.933333
1566	004	2793	0.06	2524	2	65	100	3	6	4	8379	5855	RH-2	40	form-based			true	0.7	6	1	4	4	7820.399902	5296.399902	5296.399902	0.933333
1566	005	3020	0.07	2360	2	65	100	3	7	5	9060	6700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8456	6096	6096	0.933333
1566	006	3020	0.07	2500	2	65	100	3	7	5	9060	6560	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8456	5956	5956	0.933333
1566	008	3020	0.07	2400	2	65	100	3	7	5	9060	6660	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8456	6056	6056	0.933333
1566	009	3020	0.07	3168	2	65	100	3	7	5	9060	5892	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8456	5288	5288	0.933333
1566	010	3020	0.07	2554	2	65	100	3	7	5	9060	6506	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8456	5902	5902	0.933333
1566	011	3020	0.07	3250	2	65	100	3	7	5	9060	5810	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8456	5206	5206	0.933333
1566	012	3020	0.07	4375	2	65	100	3	7	5	9060	4685	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8456	4081	4081	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1566	014	3020	0.07	2964	2	65	100	3	7	5	9060	6096	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8456	5492	5492	0.933333
1566	027A	2996	0.07	3591	2	65	100	3	7	5	8988	5397	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	4797.799805	4797.799805	0.933333
1566	030	2996	0.07	1700	2	65	100	3	7	5	8988	7288	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	6688.799805	6688.799805	0.933333
1566	037	2524	0.06	2791	1	65	100	3	6	5	7572	4781	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	4276.199707	4276.199707	0.933333
1566	038	2523	0.06	1580	1	65	100	3	6	5	7569	5989	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7064.399902	5484.399902	5484.399902	0.933333
1566	040	2523	0.06	1850	1	65	100	3	6	5	7569	5719	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7064.399902	5214.399902	5214.399902	0.933333
1566	041	3020	0.07	2107	2	65	100	3	7	5	9060	6953	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8456	6349	6349	0.933333
1567	002A	3000	0.07	2864	2	65	100	3	7	5	9000	6136	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5536	5536	0.933333
1567	006	3000	0.07	2250	2	65	100	3	7	5	9000	6750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6150	6150	0.933333
1567	007C	3000	0.07	3164	2	65	100	3	7	5	9000	5836	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5236	5236	0.933333
1567	009	3000	0.07	3229	2	65	100	3	7	5	9000	5771	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5171	5171	0.933333
1567	010	3000	0.07	2828	2	65	100	3	7	5	9000	6172	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5572	5572	0.933333
1567	011	3000	0.07	2744	2	65	100	3	7	5	9000	6256	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5656	5656	0.933333
1567	023	2987	0.07	3530	2	65	100	3	7	5	8961	5431	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	4833.599609	4833.599609	0.933333
1567	023A	2987	0.07	3530	2	65	100	3	7	5	8961	5431	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	4833.599609	4833.599609	0.933333
1567	032A	2527	0.06	1250	1	65	100	3	6	5	7581	6331	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7075.600098	5825.600098	5825.600098	0.933333
1568	004	3021	0.07	3865	2	65	100	3	7	5	9063	5198	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	4593.799805	4593.799805	0.933333
1568	007	4229	0.1	4804	5	65	100	3	10	5	12687	7883	RH-2	40	form-based			true	0.7	9	0.899999976	4	4	11841.2002	7037.200195	7037.200195	0.933333
1568	020	2991	0.07	4558	2	65	100	3	7	5	8973	4415	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8374.799805	3816.799805	3816.799805	0.933333
1568	021	2991	0.07	3647	2	65	100	3	7	5	8973	5326	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8374.799805	4727.799805	4727.799805	0.933333
1568	023	2608	0.06	1080	1	65	100	3	6	5	7824	6744	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7302.399902	6222.399902	6222.399902	0.933333
1568	025	2608	0.06	1208	1	65	100	3	6	5	7824	6616	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7302.399902	6094.399902	6094.399902	0.933333
1568	025A	2991	0.07	3550	2	65	100	3	7	5	8973	5423	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8374.799805	4824.799805	4824.799805	0.933333
1568	031	2634	0.06	2708	2	65	100	3	6	4	7902	5194	RH-2	40	form-based			true	0.7	6	1	4	4	7375.199707	4667.199707	4667.199707	0.933333
1568	041	1782	0.04	317	3	65	100	3	4	1	5346	5029	RTO-C	65	form-based		true	true	0.75	7	1.75	4	4	8019	7702	7702	1.5
1569	002	2457	0.06	1220	1	65	100	3	6	5	7371	6151	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6879.600098	5659.600098	5659.600098	0.933333
1569	008	3046	0.07	3850	2	65	100	3	7	5	9138	5288	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8528.799805	4678.799805	4678.799805	0.933333
1569	010	3046	0.07	3868	2	65	100	3	7	5	9138	5270	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8528.799805	4660.799805	4660.799805	0.933333
1569	026	2350	0.05	1450	1	65	100	3	5	4	7050	5600	RH-2	40	form-based			true	0.7	5	1	4	4	6580	5130	5130	0.933333
1569	026A	2350	0.05	1050	1	65	100	3	5	4	7050	6000	RH-2	40	form-based			true	0.7	5	1	4	4	6580	5530	5530	0.933333
1569	026B	2350	0.05	1679	1	65	100	3	5	4	7050	5371	RH-2	40	form-based			true	0.7	5	1	4	4	6580	4901	4901	0.933333
1569	027	3525	0.08	5800	3	65	100	3	8	5	10575	4775	RH-2	40	form-based			true	0.7	7	0.875	4	4	9870	4070	4070	0.933333
1569	031	2937	0.07	4201	2	65	100	3	7	5	8811	4610	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8223.599609	4022.599609	4022.599609	0.933333
1569	032	2500	0.06	1650	1	65	100	3	6	5	7500	5850	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5350	5350	0.933333
1569	034	2490	0.06	1775	1	65	100	3	6	5	7470	5695	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	6972	5197	5197	0.933333
1569	035	2490	0.06	1550	1	65	100	3	6	5	7470	5920	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	6972	5422	5422	0.933333
1570	001A	2250	0.05	2616	1	65	100	3	5	4	6750	4134	RH-2	40	form-based			true	0.7	5	1	4	4	6300	3684	3684	0.933333
1570	001B	2250	0.05	1215	1	65	100	3	5	4	6750	5535	RH-2	40	form-based			true	0.7	5	1	4	4	6300	5085	5085	0.933333
1570	001C	2250	0.05	1215	1	65	100	3	5	4	6750	5535	RH-2	40	form-based			true	0.7	5	1	4	4	6300	5085	5085	0.933333
1570	001D	2250	0.05	1215	1	65	100	3	5	4	6750	5535	RH-2	40	form-based			true	0.7	5	1	4	4	6300	5085	5085	0.933333
1570	012D	2489	0.06	1555	1	65	100	3	6	5	7467	5912	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6969.199707	5414.199707	5414.199707	0.933333
1570	012E	2489	0.06	1420	1	65	100	3	6	5	7467	6047	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6969.199707	5549.199707	5549.199707	0.933333
1570	017	4232	0.1	4390	5	65	100	3	10	5	12696	8306	RH-2	40	form-based			true	0.7	9	0.899999976	4	4	11849.59961	7459.599609	7459.599609	0.933333
1570	018B	1864	0.04	2146	0	65	100	3	4	4	5592	3446	RH-2	40	form-based			true	0.7	4	1	4	4	5219.199707	3073.199707	3073.199707	0.933333
1570	033	2808	0.06	3521	2	65	100	3	6	4	8424	4903	RH-2	40	form-based			true	0.7	6	1	4	4	7862.399902	4341.399902	4341.399902	0.933333
1571	001A	3061	0.07	3050	2	65	100	3	7	5	9183	6133	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8570.799805	5520.799805	5520.799805	0.933333
1571	003A	3000	0.07	3714	2	65	100	3	7	5	9000	5286	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4686	4686	0.933333
1571	005	3000	0.07	2524	2	65	100	3	7	5	9000	6476	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5876	5876	0.933333
1571	005F	3000	0.07	2640	2	65	100	3	7	5	9000	6360	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5760	5760	0.933333
1571	015E	2367	0.05	1747	1	65	100	3	5	4	7101	5354	RH-2	40	form-based			true	0.7	5	1	4	4	6627.600098	4880.600098	4880.600098	0.933333
1571	015F	2367	0.05	1800	1	65	100	3	5	4	7101	5301	RH-2	40	form-based			true	0.7	5	1	4	4	6627.600098	4827.600098	4827.600098	0.933333
1571	015G	2367	0.05	1880	1	65	100	3	5	4	7101	5221	RH-2	40	form-based			true	0.7	5	1	4	4	6627.600098	4747.600098	4747.600098	0.933333
1571	016B	3062	0.07	3050	2	65	100	3	7	5	9186	6136	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8573.599609	5523.599609	5523.599609	0.933333
1571	017	3000	0.07	1245	2	65	100	3	7	5	9000	7755	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7155	7155	0.933333
1572	001	2154	0.05	2695	1	65	100	3	5	4	6462	3767	RM-1	40	form-based	true		true	0.7	5	1	4	4	6031.199707	3336.199707	3336.199707	0.933333
1572	006	3034	0.07	3876	2	65	100	3	7	5	9102	5226	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8495.200195	4619.200195	4619.200195	0.933333
1572	008	2539	0.06	3080	1	65	100	3	6	5	7617	4537	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7109.199707	4029.199707	4029.199707	0.933333
1572	010B	2381	0.05	1918	1	65	100	3	5	4	7143	5225	RH-2	40	form-based			true	0.7	5	1	4	4	6666.799805	4748.799805	4748.799805	0.933333
1572	011	2305	0.05	1616	1	65	100	3	5	4	6915	5299	RH-2	40	form-based			true	0.7	5	1	4	4	6454	4838	4838	0.933333
1572	011A	2228	0.05	1756	1	65	100	3	5	4	6684	4928	RH-2	40	form-based			true	0.7	5	1	4	4	6238.399902	4482.399902	4482.399902	0.933333
1572	017A	2315	0.05	1390	1	65	100	3	5	4	6945	5555	RM-1	40	form-based			true	0.7	5	1	4	4	6482	5092	5092	0.933333
1572	025	2076	0.05	0	0	65	100	3	5	5	6228	6228	RH-2	40	form-based			true	0.7	4	0.800000012	4	4	5812.799805	5812.799805	5812.799805	0.933333
1572	027	2996	0.07	3206	2	65	100	3	7	5	8988	5782	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8388.799805	5182.799805	5182.799805	0.933333
1572	044	1511	0.03	1270	2	65	100	3	3	1	4533	3263	RTO-C	65	form-based			true	0.75	6	2	4	4	6799.5	5529.5	5529.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1572	046	3000	0.07	1603	2	65	100	3	7	5	9000	7397	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6797	6797	0.933333
1575	004A	3000	0.07	2350	2	65	100	3	7	5	9000	6650	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6050	6050	0.933333
1575	006B	3000	0.07	2202	2	65	100	3	7	5	9000	6798	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6198	6198	0.933333
1575	010	3000	0.07	2600	2	65	100	3	7	5	9000	6400	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5800	5800	0.933333
1575	012	3000	0.07	2350	2	65	100	3	7	5	9000	6650	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6050	6050	0.933333
1575	013	1437	0.03	1050	1	65	100	3	3	2	4311	3261	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5416.5	5416.5	1.5
1575	013A	1438	0.03	1050	1	65	100	3	3	2	4314	3264	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5421	5421	1.5
1575	014	1437	0.03	1050	1	65	100	3	3	2	4311	3261	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5416.5	5416.5	1.5
1575	014A	1358	0.03	1230	1	65	100	3	3	2	4074	2844	RTO-C	65	form-based		true	true	0.75	5	1.666666627	4	4	6111	4881	4881	1.5
1575	020	3021	0.07	2450	2	65	100	3	7	5	9063	6613	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	6008.799805	6008.799805	0.933333
1575	021	3021	0.07	2350	2	65	100	3	7	5	9063	6713	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	6108.799805	6108.799805	0.933333
1575	021A	3021	0.07	2350	2	65	100	3	7	5	9063	6713	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	6108.799805	6108.799805	0.933333
1575	022A	3021	0.07	3050	2	65	100	3	7	5	9063	6013	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5408.799805	5408.799805	0.933333
1575	022B	3021	0.07	2550	2	65	100	3	7	5	9063	6513	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5908.799805	5908.799805	0.933333
1575	023	3021	0.07	3350	2	65	100	3	7	5	9063	5713	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5108.799805	5108.799805	0.933333
1575	024	3021	0.07	3350	2	65	100	3	7	5	9063	5713	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5108.799805	5108.799805	0.933333
1575	025	3021	0.07	3550	2	65	100	3	7	5	9063	5513	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	4908.799805	4908.799805	0.933333
1575	025A	3021	0.07	3994	2	65	100	3	7	5	9063	5069	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	4464.799805	4464.799805	0.933333
1575	028	3021	0.07	2606	2	65	100	3	7	5	9063	6457	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5852.799805	5852.799805	0.933333
1575	039	3021	0.07	1341	2	65	100	3	7	5	9063	7722	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	7117.799805	7117.799805	0.933333
1576	002	3000	0.07	2450	2	65	100	3	7	5	9000	6550	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5950	5950	0.933333
1576	003	3000	0.07	3625	2	65	100	3	7	5	9000	5375	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4775	4775	0.933333
1576	005C	2500	0.06	1900	1	65	100	3	6	5	7500	5600	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5100	5100	0.933333
1576	005O	3000	0.07	3020	2	65	100	3	7	5	9000	5980	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5380	5380	0.933333
1576	006A	3000	0.07	4038	2	65	100	3	7	5	9000	4962	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4362	4362	0.933333
1576	006B	3000	0.07	1850	2	65	100	3	7	5	9000	7150	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6550	6550	0.933333
1576	006D	3000	0.07	1850	2	65	100	3	7	5	9000	7150	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6550	6550	0.933333
1576	018A	2520	0.06	1200	1	65	100	3	6	5	7560	6360	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7056	5856	5856	0.933333
1576	018B	2520	0.06	1320	1	65	100	3	6	5	7560	6240	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7056	5736	5736	0.933333
1576	019	2520	0.06	1550	1	65	100	3	6	5	7560	6010	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7056	5506	5506	0.933333
1576	019A	2519	0.06	1720	1	65	100	3	6	5	7557	5837	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7053.199707	5333.199707	5333.199707	0.933333
1576	019B	2519	0.06	1150	1	65	100	3	6	5	7557	6407	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7053.199707	5903.199707	5903.199707	0.933333
1577	003	3000	0.07	2600	2	65	100	3	7	5	9000	6400	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5800	5800	0.933333
1577	004	3000	0.07	2610	2	65	100	3	7	5	9000	6390	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5790	5790	0.933333
1577	004C	3000	0.07	2610	2	65	100	3	7	5	9000	6390	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5790	5790	0.933333
1577	005	3000	0.07	2926	2	65	100	3	7	5	9000	6074	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5474	5474	0.933333
1577	008C	3000	0.07	2844	2	65	100	3	7	5	9000	6156	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5556	5556	0.933333
1577	010	3000	0.07	2566	2	65	100	3	7	5	9000	6434	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5834	5834	0.933333
1577	019	3000	0.07	2235	2	65	100	3	7	5	9000	6765	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6165	6165	0.933333
1577	020	3000	0.07	2600	2	65	100	3	7	5	9000	6400	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5800	5800	0.933333
1577	021	3000	0.07	775	2	65	100	3	7	5	9000	8225	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7625	7625	0.933333
1577	025	3000	0.07	4715	2	65	100	3	7	5	9000	4285	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	3685	3685	0.933333
1577	026	3060	0.07	4286	2	65	100	3	7	5	9180	4894	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8568	4282	4282	0.933333
1577	027	2242	0.05	2898	1	65	100	3	5	4	6726	3828	RH-2	40	form-based			true	0.7	5	1	4	4	6277.600098	3379.600098	3379.600098	0.933333
1577	028	2213	0.05	1325	1	65	100	3	5	4	6639	5314	RH-2	40	form-based			true	0.7	5	1	4	4	6196.399902	4871.399902	4871.399902	0.933333
1577	033	2509	0.06	1423	1	65	100	3	6	5	7527	6104	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7025.199707	5602.199707	5602.199707	0.933333
1578	003	3000	0.07	2250	2	65	100	3	7	5	9000	6750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6150	6150	0.933333
1578	004	3000	0.07	3157	2	65	100	3	7	5	9000	5843	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5243	5243	0.933333
1578	005	3000	0.07	3676	2	65	100	3	7	5	9000	5324	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4724	4724	0.933333
1578	009	3000	0.07	2155	2	65	100	3	7	5	9000	6845	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6245	6245	0.933333
1578	010	3000	0.07	3325	2	65	100	3	7	5	9000	5675	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5075	5075	0.933333
1578	011	3000	0.07	3762	2	65	100	3	7	5	9000	5238	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4638	4638	0.933333
1578	012	3000	0.07	3325	2	65	100	3	7	5	9000	5675	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5075	5075	0.933333
1578	014	5674	0.13	11535	17	55	80	2.5	10	0	14185	2650	NCD-OUTE	65	form-based	true		true	0.75	21	2.099999905	4	3	25533	13998	13998	1.8
1578	014G	3137	0.07	5850	8	55	80	2.5	6	0	7842	1992	NCD-OUTE	65	form-based	true		true	0.75	12	2	4	4	14116.5	8266.5	8266.5	1.800115
1578	015	2982	0.07	3150	2	55	80	2.5	6	4	7455	4305	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	5199.599609	5199.599609	1.12
1578	015A	2982	0.07	3637	2	55	80	2.5	6	4	7455	3818	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	4712.599609	4712.599609	1.12
1578	016	2982	0.07	2296	2	55	80	2.5	6	4	7455	5159	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	6053.599609	6053.599609	1.12
1578	024	2524	0.06	1245	1	65	100	3	6	5	7572	6327	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	5822.199707	5822.199707	0.933333
1578	026	2524	0.06	1425	1	65	100	3	6	5	7572	6147	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	5642.199707	5642.199707	0.933333
1578	027	2524	0.06	1425	1	65	100	3	6	5	7572	6147	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	5642.199707	5642.199707	0.933333
1578	028	2524	0.06	1500	1	65	100	3	6	5	7572	6072	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	5567.199707	5567.199707	0.933333
1579	006	3051	0.07	2341	2	55	80	2.5	6	4	7628	5287	RH-2	40	form-based			true	0.7	6	1	4	4	8542.799805	6201.799805	6201.799805	1.119927
1579	010	3052	0.07	3132	2	55	80	2.5	6	4	7630	4498	RH-2	40	form-based			true	0.7	6	1	4	4	8545.599609	5413.599609	5413.599609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1579	012	3052	0.07	2300	2	55	80	2.5	6	4	7630	5330	RH-2	40	form-based			true	0.7	6	1	4	4	8545.599609	6245.599609	6245.599609	1.12
1579	017A	2995	0.07	1721	2	55	80	2.5	6	4	7488	5767	RH-2	40	form-based			true	0.7	6	1	4	4	8386	6665	6665	1.119925
1580	001C	2549	0.06	1403	1	55	80	2.5	5	4	6372	4969	RH-2	40	form-based			true	0.7	5	1	4	4	7137.199707	5734.199707	5734.199707	1.120088
1580	007	2442	0.06	1450	1	55	80	2.5	5	4	6105	4655	RH-2	40	form-based			true	0.7	5	1	4	4	6837.600098	5387.600098	5387.600098	1.12
1580	008	2446	0.06	1050	1	55	80	2.5	5	4	6115	5065	RH-2	40	form-based			true	0.7	5	1	4	4	6848.799805	5798.799805	5798.799805	1.12
1580	009	2450	0.06	1491	1	55	80	2.5	5	4	6125	4634	RH-2	40	form-based			true	0.7	5	1	4	4	6860	5369	5369	1.12
1580	009A	2332	0.05	2708	1	55	80	2.5	4	3	5830	3122	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6529.600098	3821.600098	3821.600098	1.12
1581	001	2519	0.06	2280	1	55	80	2.5	5	4	6298	4018	RH-2	40	form-based		true	true	0.7	5	1	4	4	7053.199707	4773.199707	4773.199707	1.119911
1581	001A	2400	0.06	2150	1	55	80	2.5	5	4	6000	3850	RH-2	40	form-based			true	0.7	5	1	4	4	6720	4570	4570	1.12
1581	001B	2400	0.06	2150	1	55	80	2.5	5	4	6000	3850	RH-2	40	form-based			true	0.7	5	1	4	4	6720	4570	4570	1.12
1581	001C	2400	0.06	3502	1	55	80	2.5	5	4	6000	2498	RH-2	40	form-based			true	0.7	5	1	4	4	6720	3218	3218	1.12
1581	007C	3000	0.07	2566	2	55	80	2.5	6	4	7500	4934	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5834	5834	1.12
1581	010	1468	0.03	2180	2	55	80	2.5	2	0	3670	1490	NCD-OUTE	65	form-based			true	0.75	6	3	4	2	6606	4426	4426	1.8
1581	029	2801	0.06	2980	2	55	80	2.5	5	3	7002	4022	RH-2	40	form-based		true	true	0.7	6	1.200000048	4	4	7842.799805	4862.799805	4862.799805	1.12008
1581	030	2738	0.06	3652	2	55	80	2.5	5	3	6845	3193	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7666.399902	4014.399902	4014.399902	1.12
1581	033	1468	0.03	2144	2	55	80	2.5	2	0	3670	1526	NCD-OUTE	65	form-based			true	0.75	6	3	4	2	6606	4462	4462	1.8
1581	034	1468	0.03	2144	2	55	80	2.5	2	0	3670	1526	NCD-OUTE	65	form-based			true	0.75	6	3	4	2	6606	4462	4462	1.8
1581	035	2616	0.06	4384	6	55	80	2.5	5	0	6540	2156	NCD-OUTE	65	form-based		true	true	0.75	10	2	4	4	11772	7388	7388	1.8
1582	007	3000	0.07	3100	2	55	80	2.5	6	4	7500	4400	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5300	5300	1.12
1582	012	3000	0.07	3055	2	55	80	2.5	6	4	7500	4445	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5345	5345	1.12
1582	013	3000	0.07	2162	2	55	80	2.5	6	4	7500	5338	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6238	6238	1.12
1582	034	3013	0.07	2728	2	55	80	2.5	6	4	7532	4804	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	5708.399414	5708.399414	1.120074
1582	038	3013	0.07	2150	2	55	80	2.5	6	4	7532	5382	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	6286.399414	6286.399414	1.120074
1582	039	3013	0.07	3118	2	55	80	2.5	6	4	7532	4414	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	5318.399414	5318.399414	1.120074
1582	040A	3013	0.07	1300	2	55	80	2.5	6	4	7532	6232	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	7136.399414	7136.399414	1.120074
1582	040B	2263	0.05	1300	1	55	80	2.5	4	3	5658	4358	RH-2	40	form-based			true	0.7	5	1.25	4	4	6336.399902	5036.399902	5036.399902	1.119901
1582	040C	2534	0.06	1395	1	55	80	2.5	5	4	6335	4940	RH-2	40	form-based			true	0.7	5	1	4	4	7095.199707	5700.199707	5700.199707	1.12
1582	040E	2534	0.06	2000	1	55	80	2.5	5	4	6335	4335	RH-2	40	form-based			true	0.7	5	1	4	4	7095.199707	5095.199707	5095.199707	1.12
1582	040F	2534	0.06	1395	1	55	80	2.5	5	4	6335	4940	RH-2	40	form-based			true	0.7	5	1	4	4	7095.199707	5700.199707	5700.199707	1.12
1582	040G	2263	0.05	1300	1	55	80	2.5	4	3	5658	4358	RH-2	40	form-based			true	0.7	5	1.25	4	4	6336.399902	5036.399902	5036.399902	1.119901
1582	043	3013	0.07	1538	2	55	80	2.5	6	4	7532	5994	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	6898.399414	6898.399414	1.120074
1583	001	2549	0.06	1790	1	55	80	2.5	5	4	6372	4582	RH-2	40	form-based		true	true	0.7	5	1	4	4	7137.199707	5347.199707	5347.199707	1.120088
1583	002	2411	0.06	1850	1	55	80	2.5	5	4	6028	4178	RH-2	40	form-based			true	0.7	5	1	4	4	6750.799805	4900.799805	4900.799805	1.119907
1583	003	2411	0.06	1370	1	55	80	2.5	5	4	6028	4658	RH-2	40	form-based			true	0.7	5	1	4	4	6750.799805	5380.799805	5380.799805	1.119907
1583	004	2411	0.06	1753	1	55	80	2.5	5	4	6028	4275	RH-2	40	form-based			true	0.7	5	1	4	4	6750.799805	4997.799805	4997.799805	1.119907
1583	008	2490	0.06	1760	1	55	80	2.5	5	4	6225	4465	RH-2	40	form-based			true	0.7	5	1	4	4	6972	5212	5212	1.12
1583	020	3036	0.07	3296	2	55	80	2.5	6	4	7590	4294	RH-2	40	form-based			true	0.7	6	1	4	4	8500.799805	5204.799805	5204.799805	1.12
1583	030	2950	0.07	3671	2	55	80	2.5	6	4	7375	3704	RH-2	40	form-based			true	0.7	6	1	4	4	8260	4589	4589	1.12
1583	047	2791	0.06	1440	2	55	80	2.5	5	3	6978	5538	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7814.799805	6374.799805	6374.799805	1.11992
1583	048	2790	0.06	4251	2	55	80	2.5	5	3	6975	2724	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7812	3561	3561	1.12
1583	051	2950	0.07	1384	2	55	80	2.5	6	4	7375	5991	RH-2	40	form-based			true	0.7	6	1	4	4	8260	6876	6876	1.12
1584	001	2162	0.05	2789	1	55	80	2.5	4	3	5405	2616	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6053.600098	3264.600098	3264.600098	1.12
1604	001	2062	0.05	2646	4	55	80	2.5	4	0	5155	2509	RTO-C	65	form-based		true	true	0.75	8	2	4	4	9279	6633	6633	1.8
1605	003	3000	0.07	2300	2	55	80	2.5	6	4	7500	5200	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6100	6100	1.12
1605	010	3000	0.07	2999	2	55	80	2.5	6	4	7500	4501	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5401	5401	1.12
1606	005	2489	0.06	1475	1	55	80	2.5	5	4	6222	4747	RH-2	40	form-based			true	0.7	5	1	4	4	6969.199707	5494.199707	5494.199707	1.12009
1606	006	2489	0.06	1285	1	55	80	2.5	5	4	6222	4937	RH-2	40	form-based			true	0.7	5	1	4	4	6969.199707	5684.199707	5684.199707	1.12009
1606	019	2239	0.05	1300	1	55	80	2.5	4	3	5598	4298	RH-2	40	form-based			true	0.7	5	1.25	4	4	6269.199707	4969.199707	4969.199707	1.1199
1606	022	3000	0.07	2800	2	55	80	2.5	6	4	7500	4700	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5600	5600	1.12
1606	023	3000	0.07	2300	2	55	80	2.5	6	4	7500	5200	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6100	6100	1.12
1606	024	2250	0.05	2885	1	55	80	2.5	4	3	5625	2740	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6300	3415	3415	1.12
1606	025	2250	0.05	1125	1	55	80	2.5	4	3	5625	4500	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	5175	5175	1.12
1606	026	2250	0.05	1645	1	55	80	2.5	4	3	5625	3980	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4655	4655	1.12
1606	027	2250	0.05	1375	1	55	80	2.5	4	3	5625	4250	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4925	4925	1.12
1606	036	2976	0.07	2910	2	55	80	2.5	6	4	7440	4530	RH-2	40	form-based			true	0.7	6	1	4	4	8332.799805	5422.799805	5422.799805	1.12
1607	006	3084	0.07	4089	2	55	80	2.5	6	4	7710	3621	RH-2	40	form-based			true	0.7	6	1	4	4	8635.200195	4546.200195	4546.200195	1.12
1607	011	3084	0.07	3150	2	55	80	2.5	6	4	7710	4560	RH-2	40	form-based			true	0.7	6	1	4	4	8635.200195	5485.200195	5485.200195	1.12
1607	011G	3084	0.07	2450	2	55	80	2.5	6	4	7710	5260	RH-2	40	form-based		true	true	0.7	6	1	4	4	8635.200195	6185.200195	6185.200195	1.12
1607	013	2500	0.06	1575	1	55	80	2.5	5	4	6250	4675	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5425	5425	1.12
1607	019	2869	0.07	3070	2	55	80	2.5	6	4	7172	4102	RH-2	40	form-based			true	0.7	6	1	4	4	8033.199707	4963.199707	4963.199707	1.120078
1608	011	3079	0.07	2288	2	55	80	2.5	6	4	7698	5410	RH-2	40	form-based			true	0.7	6	1	4	4	8621.200195	6333.200195	6333.200195	1.119927
1608	011C	3079	0.07	2256	2	55	80	2.5	6	4	7698	5442	RH-2	40	form-based			true	0.7	6	1	4	4	8621.200195	6365.200195	6365.200195	1.119927
1608	014	2916	0.07	3410	2	55	80	2.5	6	4	7290	3880	RH-2	40	form-based			true	0.7	6	1	4	4	8164.799805	4754.799805	4754.799805	1.12
1608	015	2916	0.07	3100	2	55	80	2.5	6	4	7290	4190	RH-2	40	form-based			true	0.7	6	1	4	4	8164.799805	5064.799805	5064.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1608	026	2916	0.07	3520	2	55	80	2.5	6	4	7290	3770	RH-2	40	form-based			true	0.7	6	1	4	4	8164.799805	4644.799805	4644.799805	1.12
1608	028	2916	0.07	3240	2	55	80	2.5	6	4	7290	4050	RH-2	40	form-based			true	0.7	6	1	4	4	8164.799805	4924.799805	4924.799805	1.12
1608	029	2916	0.07	3240	2	55	80	2.5	6	4	7290	4050	RH-2	40	form-based			true	0.7	6	1	4	4	8164.799805	4924.799805	4924.799805	1.12
1608	030	2916	0.07	3531	2	55	80	2.5	6	4	7290	3759	RH-2	40	form-based			true	0.7	6	1	4	4	8164.799805	4633.799805	4633.799805	1.12
1608	031	2916	0.07	3240	2	55	80	2.5	6	4	7290	4050	RH-2	40	form-based			true	0.7	6	1	4	4	8164.799805	4924.799805	4924.799805	1.12
1608	032	2916	0.07	3240	2	55	80	2.5	6	4	7290	4050	RH-2	40	form-based			true	0.7	6	1	4	4	8164.799805	4924.799805	4924.799805	1.12
1609	013A	2556	0.06	2756	1	55	80	2.5	5	4	6390	3634	RH-2	40	form-based			true	0.7	5	1	4	4	7156.799805	4400.799805	4400.799805	1.12
1609	013B	2556	0.06	3190	1	55	80	2.5	5	4	6390	3200	RH-2	40	form-based			true	0.7	5	1	4	4	7156.799805	3966.799805	3966.799805	1.12
1609	013D	2162	0.05	2370	1	55	80	2.5	4	3	5405	3035	RH-2	40	form-based			true	0.7	5	1.25	4	4	6053.600098	3683.600098	3683.600098	1.12
1609	014A	2339	0.05	1175	1	55	80	2.5	4	3	5848	4673	RH-2	40	form-based			true	0.7	5	1.25	4	4	6549.199707	5374.199707	5374.199707	1.119904
1609	014C	2569	0.06	1125	1	55	80	2.5	5	4	6422	5297	RH-2	40	form-based			true	0.7	5	1	4	4	7193.199707	6068.199707	6068.199707	1.120087
1609	014D	3189	0.07	2757	3	55	80	2.5	6	3	7972	5215	RH-2	40	form-based		true	true	0.7	7	1.166666627	4	4	8929.200195	6172.200195	6172.200195	1.12007
1609	021E	2339	0.05	1425	1	55	80	2.5	4	3	5848	4423	RH-2	40	form-based			true	0.7	5	1.25	4	4	6549.199707	5124.199707	5124.199707	1.119904
1610	003	3000	0.07	3826	2	55	80	2.5	6	4	7500	3674	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4574	4574	1.12
1610	017A	2500	0.06	1488	1	55	80	2.5	5	4	6250	4762	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5512	5512	1.12
1610	017D	2375	0.05	1697	1	55	80	2.5	4	3	5938	4241	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4953	4953	1.119906
1610	017J	2500	0.06	1290	1	55	80	2.5	5	4	6250	4960	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5710	5710	1.12
1610	024	3000	0.07	2250	2	55	80	2.5	6	4	7500	5250	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6150	6150	1.12
1610	025	3000	0.07	3058	2	55	80	2.5	6	4	7500	4442	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5342	5342	1.12
1610	027	3000	0.07	2431	2	55	80	2.5	6	4	7500	5069	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5969	5969	1.12
1611	018C	2500	0.06	2030	1	55	80	2.5	5	4	6250	4220	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4970	4970	1.12
1611	021	2500	0.06	2444	1	55	80	2.5	5	4	6250	3806	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4556	4556	1.12
1611	034	3000	0.07	3100	2	55	80	2.5	6	4	7500	4400	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5300	5300	1.12
1611	038	3000	0.07	3125	2	55	80	2.5	6	4	7500	4375	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5275	5275	1.12
1611	039	3000	0.07	3424	2	55	80	2.5	6	4	7500	4076	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4976	4976	1.12
1611	052	3000	0.07	1293	2	55	80	2.5	6	4	7500	6207	RH-2	40	form-based			true	0.7	6	1	4	4	8400	7107	7107	1.12
1612	001A	1456	0.03	1493	1	55	80	2.5	2	1	3640	2147	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6552	5059	5059	1.8
1612	001B	1456	0.03	1600	1	55	80	2.5	2	1	3640	2040	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6552	4952	4952	1.8
1612	001C	1456	0.03	1125	1	55	80	2.5	2	1	3640	2515	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6552	5427	5427	1.8
1612	007	3021	0.07	2141	2	55	80	2.5	6	4	7552	5411	RH-2	40	form-based			true	0.7	6	1	4	4	8458.799805	6317.799805	6317.799805	1.120074
1612	011	3021	0.07	1199	2	55	80	2.5	6	4	7552	6353	RH-2	40	form-based			true	0.7	6	1	4	4	8458.799805	7259.799805	7259.799805	1.120074
1612	013	2500	0.06	546	1	55	80	2.5	5	4	6250	5704	RH-2	40	form-based			true	0.7	5	1	4	4	7000	6454	6454	1.12
1612	014	2500	0.06	1370	1	55	80	2.5	5	4	6250	4880	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5630	5630	1.12
1612	015	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5750	5750	1.12
1612	016B	2500	0.06	1488	1	55	80	2.5	5	4	6250	4762	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5512	5512	1.12
1612	018	3000	0.07	2970	2	55	80	2.5	6	4	7500	4530	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5430	5430	1.12
1612	019	3000	0.07	2970	2	55	80	2.5	6	4	7500	4530	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5430	5430	1.12
1612	021	3000	0.07	2970	2	55	80	2.5	6	4	7500	4530	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5430	5430	1.12
1612	022	3000	0.07	2824	2	55	80	2.5	6	4	7500	4676	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5576	5576	1.12
1612	041	3000	0.07	1389	2	55	80	2.5	6	4	7500	6111	RH-2	40	form-based			true	0.7	6	1	4	4	8400	7011	7011	1.12
1613	001	1770	0.04	3313	3	55	80	2.5	3	0	4425	1112	RTO-C	65	form-based		true	true	0.75	7	2.333333254	4	3	7965	4652	4652	1.8
1613	001B	1728	0.04	2606	2	55	80	2.5	3	1	4320	1714	RTO-C	65	form-based			true	0.75	6	2	4	4	7776	5170	5170	1.8
1613	001C	1728	0.04	2874	2	55	80	2.5	3	1	4320	1446	RTO-C	65	form-based			true	0.75	6	2	4	4	7776	4902	4902	1.8
1613	003	2224	0.05	1300	1	55	80	2.5	4	3	5560	4260	RH-2	40	form-based			true	0.7	5	1.25	4	4	6227.199707	4927.199707	4927.199707	1.12
1613	005C	3015	0.07	3370	2	55	80	2.5	6	4	7538	4168	RH-2	40	form-based			true	0.7	6	1	4	4	8442	5072	5072	1.119926
1613	007A	2265	0.05	2730	1	55	80	2.5	4	3	5662	2932	RH-2	40	form-based			true	0.7	5	1.25	4	4	6342	3612	3612	1.120099
1613	007B	2265	0.05	2962	1	55	80	2.5	4	3	5662	2700	RH-2	40	form-based			true	0.7	5	1.25	4	4	6342	3380	3380	1.120099
1613	007C	2265	0.05	2550	1	55	80	2.5	4	3	5662	3112	RH-2	40	form-based			true	0.7	5	1.25	4	4	6342	3792	3792	1.120099
1613	007D	2265	0.05	2808	1	55	80	2.5	4	3	5662	2854	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6342	3534	3534	1.120099
1613	007G	2375	0.05	3575	1	55	80	2.5	4	3	5938	2363	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6650	3075	3075	1.119906
1613	007K	3000	0.07	4389	2	55	80	2.5	6	4	7500	3111	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4011	4011	1.12
1613	007L	3000	0.07	3180	2	55	80	2.5	6	4	7500	4320	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5220	5220	1.12
1614	012A	2274	0.05	2981	1	55	80	2.5	4	3	5685	2704	RH-2	40	form-based			true	0.7	5	1.25	4	4	6367.199707	3386.199707	3386.199707	1.12
1614	012D	2274	0.05	1933	1	55	80	2.5	4	3	5685	3752	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6367.199707	4434.199707	4434.199707	1.12
1614	012E	2274	0.05	1625	1	55	80	2.5	4	3	5685	4060	RH-2	40	form-based			true	0.7	5	1.25	4	4	6367.199707	4742.199707	4742.199707	1.12
1614	012I	3024	0.07	2800	2	55	80	2.5	6	4	7560	4760	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	5667.200195	5667.200195	1.12
1615	003	2774	0.06	3311	2	55	80	2.5	5	3	6935	3624	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7767.199707	4456.199707	4456.199707	1.12
1615	006A	3016	0.07	4104	2	55	80	2.5	6	4	7540	3436	RH-2	40	form-based			true	0.7	6	1	4	4	8444.799805	4340.799805	4340.799805	1.12
1615	007	3016	0.07	2868	2	55	80	2.5	6	4	7540	4672	RH-2	40	form-based			true	0.7	6	1	4	4	8444.799805	5576.799805	5576.799805	1.12
1615	010	3016	0.07	3988	2	55	80	2.5	6	4	7540	3552	RH-2	40	form-based			true	0.7	6	1	4	4	8444.799805	4456.799805	4456.799805	1.12
1615	012	2391	0.05	1885	1	55	80	2.5	4	3	5978	4093	RH-2	40	form-based			true	0.7	5	1.25	4	4	6694.799805	4809.799805	4809.799805	1.119906
1615	012A	2391	0.05	1532	1	55	80	2.5	4	3	5978	4446	RH-2	40	form-based			true	0.7	5	1.25	4	4	6694.799805	5162.799805	5162.799805	1.119906
1615	012C	2391	0.05	1425	1	55	80	2.5	4	3	5978	4553	RH-2	40	form-based			true	0.7	5	1.25	4	4	6694.799805	5269.799805	5269.799805	1.119906
1615	012D	2391	0.05	2375	1	55	80	2.5	4	3	5978	3603	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6694.799805	4319.799805	4319.799805	1.119906

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1615	013D	3000	0.07	3060	2	55	80	2.5	6	4	7500	4440	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5340	5340	1.12
1615	013F	3000	0.07	2167	2	55	80	2.5	6	4	7500	5333	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6233	6233	1.12
1615	013I	3000	0.07	3463	2	55	80	2.5	6	4	7500	4037	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4937	4937	1.12
1615	013J	3000	0.07	2956	2	55	80	2.5	6	4	7500	4544	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5444	5444	1.12
1615	013N	3000	0.07	3150	2	55	80	2.5	6	4	7500	4350	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5250	5250	1.12
1615	016	2253	0.05	1421	1	55	80	2.5	4	3	5632	4211	RH-2	40	form-based			true	0.7	5	1.25	4	4	6308.399902	4887.399902	4887.399902	1.120099
1615	016A	2253	0.05	1633	1	55	80	2.5	4	3	5632	3999	RH-2	40	form-based			true	0.7	5	1.25	4	4	6308.399902	4675.399902	4675.399902	1.120099
1616	002	3000	0.07	2600	2	55	80	2.5	6	4	7500	4900	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5800	5800	1.12
1616	017	2375	0.05	2340	1	55	80	2.5	4	3	5938	3598	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4310	4310	1.119906
1616	030	3015	0.07	3891	2	55	80	2.5	6	4	7538	3647	RH-2	40	form-based			true	0.7	6	1	4	4	8442	4551	4551	1.119926
1616	034A	2925	0.07	2756	2	55	80	2.5	6	4	7312	4556	RH-2	40	form-based			true	0.7	6	1	4	4	8190	5434	5434	1.120077
1617	001D	2453	0.06	1970	1	55	80	2.5	5	4	6132	4162	RH-2	40	form-based			true	0.7	5	1	4	4	6868.399902	4898.399902	4898.399902	1.120091
1617	001E	2453	0.06	1970	1	55	80	2.5	5	4	6132	4162	RH-2	40	form-based			true	0.7	5	1	4	4	6868.399902	4898.399902	4898.399902	1.120091
1617	001F	2453	0.06	2110	1	55	80	2.5	5	4	6132	4022	RH-2	40	form-based			true	0.7	5	1	4	4	6868.399902	4758.399902	4758.399902	1.120091
1617	008	3071	0.07	2734	2	55	80	2.5	6	4	7678	4944	RH-2	40	form-based			true	0.7	6	1	4	4	8598.799805	5864.799805	5864.799805	1.119927
1617	022	3120	0.07	2846	3	55	80	2.5	6	3	7800	4954	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8736	5890	5890	1.12
1618	001C	2285	0.05	1287	1	55	80	2.5	4	3	5712	4425	RH-2	40	form-based			true	0.7	5	1.25	4	4	6398	5111	5111	1.120098
1618	001D	2312	0.05	1300	1	55	80	2.5	4	3	5780	4480	RH-2	40	form-based			true	0.7	5	1.25	4	4	6473.600098	5173.600098	5173.600098	1.12
1618	001E	2217	0.05	1300	1	55	80	2.5	4	3	5542	4242	RH-2	40	form-based			true	0.7	5	1.25	4	4	6207.600098	4907.600098	4907.600098	1.120101
1618	003	3092	0.07	3294	2	55	80	2.5	6	4	7730	4436	RH-2	40	form-based			true	0.7	6	1	4	4	8657.599609	5363.599609	5363.599609	1.12
1618	004B	2286	0.05	2070	1	55	80	2.5	4	3	5715	3645	RH-2	40	form-based			true	0.7	5	1.25	4	4	6400.799805	4330.799805	4330.799805	1.12
1618	004D	2286	0.05	2196	1	55	80	2.5	4	3	5715	3519	RH-2	40	form-based			true	0.7	5	1.25	4	4	6400.799805	4204.799805	4204.799805	1.12
1618	004G	2973	0.07	2335	2	55	80	2.5	6	4	7432	5097	RH-2	40	form-based			true	0.7	6	1	4	4	8324.399414	5989.399414	5989.399414	1.120075
1618	005	2643	0.06	3155	2	55	80	2.5	5	3	6608	3453	RH-2	40	form-based	true		true	0.7	6	1.200000048	4	4	7400.399902	4245.399902	4245.399902	1.119915
1618	005B	2175	0.05	1640	1	55	80	2.5	4	3	5438	3798	RH-2	40	form-based			true	0.7	5	1.25	4	4	6090	4450	4450	1.119897
1618	005C	2175	0.05	1543	1	55	80	2.5	4	3	5438	3895	RH-2	40	form-based			true	0.7	5	1.25	4	4	6090	4547	4547	1.119897
1618	010D	3036	0.07	2500	2	55	80	2.5	6	4	7590	5090	RH-2	40	form-based			true	0.7	6	1	4	4	8500.799805	6000.799805	6000.799805	1.12
1618	011	2753	0.06	3050	2	55	80	2.5	5	3	6882	3832	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7708.399902	4658.399902	4658.399902	1.120081
1618	012	2536	0.06	2332	1	55	80	2.5	5	4	6340	4008	RH-2	40	form-based			true	0.7	5	1	4	4	7100.799805	4768.799805	4768.799805	1.12
1618	013	2567	0.06	2150	1	55	80	2.5	5	4	6418	4268	RH-2	40	form-based			true	0.7	5	1	4	4	7187.600098	5037.600098	5037.600098	1.119913
1618	017A	1841	0.04	2699	3	55	80	2.5	3	0	4602	1903	RTO-C	65	form-based			true	0.75	7	2.333333254	4	3	8284.5	5585.5	5585.5	1.800196
1619	015	2356	0.05	1010	1	55	80	2.5	4	3	5890	4880	RH-2	40	form-based			true	0.7	5	1.25	4	4	6596.799805	5586.799805	5586.799805	1.12
1619	018A	3001	0.07	4110	2	55	80	2.5	6	4	7502	3392	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	4292.799805	4292.799805	1.120075
1619	029	3000	0.07	1265	2	55	80	2.5	6	4	7500	6235	RH-2	40	form-based			true	0.7	6	1	4	4	8400	7135	7135	1.12
1619	033	3001	0.07	3400	2	55	80	2.5	6	4	7502	4102	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	5002.799805	5002.799805	1.120075
1620	026	1728	0.04	2511	2	55	80	2.5	3	1	4320	1809	RTO-C	65	form-based			true	0.75	6	2	4	4	7776	5265	5265	1.8
1621	013	2336	0.05	2270	1	55	80	2.5	4	3	5840	3570	RH-2	40	form-based			true	0.7	5	1.25	4	4	6540.799805	4270.799805	4270.799805	1.12
1621	017	2275	0.05	2152	1	55	80	2.5	4	3	5688	3536	RH-2	40	form-based	true	true	true	0.7	5	1.25	4	4	6370	4218	4218	1.119902
1621	038	3000	0.07	2900	2	55	80	2.5	6	4	7500	4600	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5500	5500	1.12
1621	038A	3000	0.07	3150	2	55	80	2.5	6	4	7500	4350	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5250	5250	1.12
1621	040	1729	0.04	2600	2	55	80	2.5	3	1	4322	1722	RTO-C	65	form-based	true	true	true	0.75	6	2	4	4	7780.5	5180.5	5180.5	1.800208
1622	003	3008	0.07	2950	2	55	80	2.5	6	4	7520	4570	RH-2	40	form-based			true	0.7	6	1	4	4	8422.399414	5472.399414	5472.399414	1.12
1622	009	3008	0.07	3600	2	55	80	2.5	6	4	7520	3920	RH-2	40	form-based			true	0.7	6	1	4	4	8422.399414	4822.399414	4822.399414	1.12
1622	013	3008	0.07	3106	2	55	80	2.5	6	4	7520	4414	RH-2	40	form-based			true	0.7	6	1	4	4	8422.399414	5316.399414	5316.399414	1.12
1622	020	2485	0.06	2124	1	55	80	2.5	5	4	6212	4088	RH-2	40	form-based			true	0.7	5	1	4	4	6958	4834	4834	1.12009
1622	022A	2500	0.06	1370	1	55	80	2.5	5	4	6250	4880	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5630	5630	1.12
1622	023A	3000	0.07	1125	2	55	80	2.5	6	4	7500	6375	RH-2	40	form-based			true	0.7	6	1	4	4	8400	7275	7275	1.12
1622	026	3000	0.07	5292	2	55	80	2.5	6	4	7500	2208	RH-2	40	form-based			true	0.7	6	1	4	4	8400	3108	3108	1.12
1622	027	3000	0.07	3701	2	55	80	2.5	6	4	7500	3799	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4699	4699	1.12
1622	029C	3000	0.07	3150	2	55	80	2.5	6	4	7500	4350	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5250	5250	1.12
1622	033	3000	0.07	2514	2	55	80	2.5	6	4	7500	4986	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5886	5886	1.12
1622	038	2102	0.05	4500	4	55	80	2.5	4	0	5255	755	RTO-C	65	form-based	true		true	0.75	8	2	4	4	9459	4959	4959	1.8
1623	014A	2787	0.06	3025	2	55	80	2.5	5	3	6968	3943	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7803.600098	4778.600098	4778.600098	1.11992
1623	015	2500	0.06	1900	1	55	80	2.5	5	4	6250	4350	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5100	5100	1.12
1623	016	2500	0.06	1900	1	55	80	2.5	5	4	6250	4350	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5100	5100	1.12
1623	017	2500	0.06	2316	1	55	80	2.5	5	4	6250	3934	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4684	4684	1.12
1623	018	2481	0.06	2124	1	55	80	2.5	5	4	6202	4078	RH-2	40	form-based			true	0.7	5	1	4	4	6946.799805	4822.799805	4822.799805	1.12009
1623	019	2462	0.06	2711	1	55	80	2.5	5	4	6155	3444	RH-2	40	form-based			true	0.7	5	1	4	4	6893.600098	4182.600098	4182.600098	1.12
1623	027	3048	0.07	4137	2	55	80	2.5	6	4	7620	3483	RH-2	40	form-based			true	0.7	6	1	4	4	8534.399414	4397.399414	4397.399414	1.12
1623	028	3048	0.07	2479	2	55	80	2.5	6	4	7620	5141	RH-2	40	form-based			true	0.7	6	1	4	4	8534.399414	6055.399414	6055.399414	1.12
1623	029	3048	0.07	2555	2	55	80	2.5	6	4	7620	5065	RH-2	40	form-based			true	0.7	6	1	4	4	8534.399414	5979.399414	5979.399414	1.12
1623	035	2541	0.06	1570	1	55	80	2.5	5	4	6352	4782	RH-2	40	form-based			true	0.7	5	1	4	4	7114.799805	5544.799805	5544.799805	1.120088
1623	037	3094	0.07	3350	2	55	80	2.5	6	4	7735	4385	RH-2	40	form-based			true	0.7	6	1	4	4	8663.200195	5313.200195	5313.200195	1.12
1623	038	3094	0.07	3350	2	55	80	2.5	6	4	7735	4385	RH-2	40	form-based			true	0.7	6	1	4	4	8663.200195	5313.200195	5313.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1623	039	2958	0.07	2760	2	55	80	2.5	6	4	7395	4635	RH-2	40	form-based			true	0.7	6	1	4	4	8282.399414	5522.399414	5522.399414	1.12
1624	005E	2989	0.07	2559	2	55	80	2.5	6	4	7472	4913	RH-2	40	form-based			true	0.7	6	1	4	4	8369.200195	5810.200195	5810.200195	1.120075
1624	005H	2989	0.07	2462	2	55	80	2.5	6	4	7472	5010	RH-2	40	form-based			true	0.7	6	1	4	4	8369.200195	5907.200195	5907.200195	1.120075
1624	006D	2000	0.05	1850	0	55	80	2.5	4	4	5000	3150	RH-2	40	form-based		true	true	0.7	4	1	4	4	5600	3750	3750	1.12
1624	006N	2350	0.05	1730	1	55	80	2.5	4	3	5875	4145	RH-2	40	form-based			true	0.7	5	1.25	4	4	6580	4850	4850	1.12
1624	006O	2350	0.05	1780	1	55	80	2.5	4	3	5875	4095	RH-2	40	form-based			true	0.7	5	1.25	4	4	6580	4800	4800	1.12
1625	005A	3044	0.07	1850	2	55	80	2.5	6	4	7610	5760	RH-2	40	form-based			true	0.7	6	1	4	4	8523.200195	6673.200195	6673.200195	1.12
1625	009	2940	0.07	1885	2	55	80	2.5	6	4	7350	5465	RH-2	40	form-based			true	0.7	6	1	4	4	8232	6347	6347	1.12
1625	010B	2336	0.05	2000	1	55	80	2.5	4	3	5840	3840	RH-2	40	form-based			true	0.7	5	1.25	4	4	6540.799805	4540.799805	4540.799805	1.12
1625	010H	3075	0.07	2700	2	55	80	2.5	6	4	7688	4988	RH-2	40	form-based			true	0.7	6	1	4	4	8610	5910	5910	1.119927
1625	011	2398	0.06	2638	1	55	80	2.5	5	4	5995	3357	RH-2	40	form-based			true	0.7	5	1	4	4	6714.399902	4076.399902	4076.399902	1.12
1625	011A	2398	0.06	1250	1	55	80	2.5	5	4	5995	4745	RH-2	40	form-based			true	0.7	5	1	4	4	6714.399902	5464.399902	5464.399902	1.12
1625	014	2382	0.05	2350	1	55	80	2.5	4	3	5955	3605	RH-2	40	form-based			true	0.7	5	1.25	4	4	6669.600098	4319.600098	4319.600098	1.12
1625	016A	2300	0.05	1582	1	55	80	2.5	4	3	5750	4168	RH-2	40	form-based			true	0.7	5	1.25	4	4	6440	4858	4858	1.12
1625	019	3044	0.07	2405	2	55	80	2.5	6	4	7610	5205	RH-2	40	form-based			true	0.7	6	1	4	4	8523.200195	6118.200195	6118.200195	1.12
1625	021	3044	0.07	3450	2	55	80	2.5	6	4	7610	4160	RH-2	40	form-based			true	0.7	6	1	4	4	8523.200195	5073.200195	5073.200195	1.12
1625	022A	3044	0.07	3038	2	55	80	2.5	6	4	7610	4572	RH-2	40	form-based			true	0.7	6	1	4	4	8523.200195	5485.200195	5485.200195	1.12
1626	003	2953	0.07	3745	2	55	80	2.5	6	4	7382	3637	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	4523.399414	4523.399414	1.120076
1626	003D	2953	0.07	3488	2	55	80	2.5	6	4	7382	3894	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	4780.399414	4780.399414	1.120076
1626	003H	3060	0.07	3570	2	55	80	2.5	6	4	7650	4080	RH-2	40	form-based			true	0.7	6	1	4	4	8568	4998	4998	1.12
1626	003I	2953	0.07	3050	2	55	80	2.5	6	4	7382	4332	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	5218.399414	5218.399414	1.120076
1626	003J	2953	0.07	3971	2	55	80	2.5	6	4	7382	3411	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	4297.399414	4297.399414	1.120076
1626	003K	2953	0.07	2950	2	55	80	2.5	6	4	7382	4432	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	5318.399414	5318.399414	1.120076
1626	007A	2953	0.07	4194	2	55	80	2.5	6	4	7382	3188	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	4074.399414	4074.399414	1.120076
1627	005	2975	0.07	3300	2	55	80	2.5	6	4	7438	4138	RH-2	40	form-based			true	0.7	6	1	4	4	8330	5030	5030	1.119925
1627	007	2975	0.07	3192	2	55	80	2.5	6	4	7438	4246	RH-2	40	form-based			true	0.7	6	1	4	4	8330	5138	5138	1.119925
1627	009	2965	0.07	3057	2	55	80	2.5	6	4	7412	4355	RH-2	40	form-based			true	0.7	6	1	4	4	8302	5245	5245	1.120076
1627	010	2589	0.06	1561	1	55	80	2.5	5	4	6472	4911	RH-2	40	form-based			true	0.7	5	1	4	4	7249.199707	5688.199707	5688.199707	1.120086
1628	001	2037	0.05	3710	4	55	80	2.5	4	0	5092	1382	RTO-C	65	form-based		true	true	0.75	8	2	4	4	9166.5	5456.5	5456.5	1.800177
1628	002	3001	0.07	3498	2	55	80	2.5	6	4	7502	4004	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	4904.799805	4904.799805	1.120075
1628	014	2915	0.07	2810	2	55	80	2.5	6	4	7288	4478	RH-2	40	form-based			true	0.7	6	1	4	4	8162	5352	5352	1.119923
1628	015	2915	0.07	2690	2	55	80	2.5	6	4	7288	4598	RH-2	40	form-based			true	0.7	6	1	4	4	8162	5472	5472	1.119923
1628	018	2531	0.06	1275	1	55	80	2.5	5	4	6328	5053	RH-2	40	form-based			true	0.7	5	1	4	4	7086.799805	5811.799805	5811.799805	1.119911
1628	018B	2531	0.06	1745	1	55	80	2.5	5	4	6328	4583	RH-2	40	form-based			true	0.7	5	1	4	4	7086.799805	5341.799805	5341.799805	1.119911
1628	018C	2531	0.06	1290	1	55	80	2.5	5	4	6328	5038	RH-2	40	form-based			true	0.7	5	1	4	4	7086.799805	5796.799805	5796.799805	1.119911
1628	018D	2521	0.06	1290	1	55	80	2.5	5	4	6302	5012	RH-2	40	form-based			true	0.7	5	1	4	4	7058.799805	5768.799805	5768.799805	1.120089
1628	021	3000	0.07	2699	2	55	80	2.5	6	4	7500	4801	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5701	5701	1.12
1628	022	3000	0.07	4037	2	55	80	2.5	6	4	7500	3463	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4363	4363	1.12
1628	023	2400	0.06	1582	1	55	80	2.5	5	4	6000	4418	RH-2	40	form-based			true	0.7	5	1	4	4	6720	5138	5138	1.12
1628	023A	2400	0.06	1060	1	55	80	2.5	5	4	6000	4940	RH-2	40	form-based			true	0.7	5	1	4	4	6720	5660	5660	1.12
1628	040	3001	0.07	1552	2	55	80	2.5	6	4	7502	5950	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	6850.799805	6850.799805	1.120075
1629	010	2753	0.06	2880	2	55	80	2.5	5	3	6882	4002	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7708.399902	4828.399902	4828.399902	1.120081
1629	010A	2747	0.06	3434	2	55	80	2.5	5	3	6868	3434	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7691.600098	4257.600098	4257.600098	1.119918
1629	010B	2741	0.06	2880	2	55	80	2.5	5	3	6852	3972	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7674.799805	4794.799805	4794.799805	1.120082
1629	010C	2735	0.06	2880	2	55	80	2.5	5	3	6838	3958	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7658	4778	4778	1.119918
1629	010D	2728	0.06	3120	2	55	80	2.5	5	3	6820	3700	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7638.399902	4518.399902	4518.399902	1.12
1629	013	2846	0.07	2970	2	55	80	2.5	6	4	7115	4145	RH-2	40	form-based			true	0.7	6	1	4	4	7968.799805	4998.799805	4998.799805	1.12
1629	016	2950	0.07	3017	2	55	80	2.5	6	4	7375	4358	RH-2	40	form-based			true	0.7	6	1	4	4	8260	5243	5243	1.12
1629	045	2950	0.07	1775	2	55	80	2.5	6	4	7375	5600	RH-2	40	form-based			true	0.7	6	1	4	4	8260	6485	6485	1.12
1630	013	2998	0.07	4275	2	55	80	2.5	6	4	7495	3220	RH-2	40	form-based			true	0.7	6	1	4	4	8394.399414	4119.399414	4119.399414	1.12
1630	020	2585	0.06	2850	1	55	80	2.5	5	4	6462	3612	RH-2	40	form-based		true	true	0.7	5	1	4	4	7238	4388	4388	1.120087
1630	023A	2526	0.06	2224	1	55	80	2.5	5	4	6315	4091	RH-2	40	form-based			true	0.7	5	1	4	4	7072.799805	4848.799805	4848.799805	1.12
1632	008G	3024	0.07	2962	2	55	80	2.5	6	4	7560	4598	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	5505.200195	5505.200195	1.12
1632	008H	3024	0.07	3046	2	55	80	2.5	6	4	7560	4514	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	5421.200195	5421.200195	1.12
1632	008I	3024	0.07	2800	2	55	80	2.5	6	4	7560	4760	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	5667.200195	5667.200195	1.12
1632	008J	3024	0.07	2800	2	55	80	2.5	6	4	7560	4760	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	5667.200195	5667.200195	1.12
1632	009B	2498	0.06	2492	1	55	80	2.5	5	4	6245	3753	RH-1	40	form-based			true	0.7	5	1	4	4	6994.399902	4502.399902	4502.399902	1.12
1632	009G	2498	0.06	2576	1	55	80	2.5	5	4	6245	3669	RH-1	40	form-based			true	0.7	5	1	4	4	6994.399902	4418.399902	4418.399902	1.12
1632	009H	2588	0.06	3726	1	55	80	2.5	5	4	6470	2744	RH-1	40	form-based		true	true	0.7	5	1	4	4	7246.399902	3520.399902	3520.399902	1.12
1632	009I	2346	0.05	1728	1	55	80	2.5	4	3	5865	4137	RH-1	40	form-based			true	0.7	5	1.25	4	4	6568.799805	4840.799805	4840.799805	1.12
1632	009J	2476	0.06	1926	1	55	80	2.5	5	4	6190	4264	RH-1	40	form-based			true	0.7	5	1	4	4	6932.799805	5006.799805	5006.799805	1.12
1632	010	3024	0.07	3400	2	55	80	2.5	6	4	7560	4160	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	5067.200195	5067.200195	1.12
1632	012	3024	0.07	3200	2	55	80	2.5	6	4	7560	4360	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	5267.200195	5267.200195	1.12
1632	013	3024	0.07	3200	2	55	80	2.5	6	4	7560	4360	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	5267.200195	5267.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1632	014	3024	0.07	3090	2	55	80	2.5	6	4	7560	4470	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	5377.200195	5377.200195	1.12
1632	020	1389	0.03	1750	1	55	80	2.5	2	1	3472	1722	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6250.5	4500.5	4500.5	1.800259
1632	022	3024	0.07	1279	2	55	80	2.5	6	4	7560	6281	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	7188.200195	7188.200195	1.12
1632	026	3024	0.07	1621	2	55	80	2.5	6	4	7560	5939	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	6846.200195	6846.200195	1.12
1633	023	2369	0.05	1615	1	55	80	2.5	4	3	5922	4307	RH-2	40	form-based			true	0.7	5	1.25	4	4	6633.199707	5018.199707	5018.199707	1.120095
1633	024	2369	0.05	2996	1	55	80	2.5	4	3	5922	2926	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6633.199707	3637.199707	3637.199707	1.120095
1633	025	2500	0.06	2852	1	55	80	2.5	5	4	6250	3398	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4148	4148	1.12
1633	026	2500	0.06	1629	1	55	80	2.5	5	4	6250	4621	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5371	5371	1.12
1633	027	2375	0.05	3570	1	55	80	2.5	4	3	5938	2368	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6650	3080	3080	1.119906
1633	028	2375	0.05	2538	1	55	80	2.5	4	3	5938	3400	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4112	4112	1.119906
1633	029	2375	0.05	2488	1	55	80	2.5	4	3	5938	3450	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4162	4162	1.119906
1633	030	2375	0.05	2244	1	55	80	2.5	4	3	5938	3694	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4406	4406	1.119906
1634	003	3015	0.07	1650	2	55	80	2.5	6	4	7538	5888	RH-2	40	form-based			true	0.7	6	1	4	4	8442	6792	6792	1.119926
1634	006	2961	0.07	3802	2	55	80	2.5	6	4	7402	3600	RH-2	40	form-based			true	0.7	6	1	4	4	8290.799805	4488.799805	4488.799805	1.120076
1634	008	2961	0.07	3570	2	55	80	2.5	6	4	7402	3832	RH-2	40	form-based			true	0.7	6	1	4	4	8290.799805	4720.799805	4720.799805	1.120076
1634	009	2961	0.07	3930	2	55	80	2.5	6	4	7402	3472	RH-2	40	form-based			true	0.7	6	1	4	4	8290.799805	4360.799805	4360.799805	1.120076
1634	013	2248	0.05	1890	1	55	80	2.5	4	3	5620	3730	RH-2	40	form-based			true	0.7	5	1.25	4	4	6294.399902	4404.399902	4404.399902	1.12
1634	014	2248	0.05	1890	1	55	80	2.5	4	3	5620	3730	RH-2	40	form-based			true	0.7	5	1.25	4	4	6294.399902	4404.399902	4404.399902	1.12
1634	016	2607	0.06	1941	1	55	80	2.5	5	4	6518	4577	RH-2	40	form-based			true	0.7	5	1	4	4	7299.600098	5358.600098	5358.600098	1.119914
1634	019	3291	0.08	3766	3	55	80	2.5	6	3	8228	4462	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9214.799805	5448.799805	5448.799805	1.119932
1634	019A	3048	0.07	3600	2	55	80	2.5	6	4	7620	4020	RH-2	40	form-based			true	0.7	6	1	4	4	8534.399414	4934.399414	4934.399414	1.12
1634	020A	3048	0.07	3600	2	55	80	2.5	6	4	7620	4020	RH-2	40	form-based			true	0.7	6	1	4	4	8534.399414	4934.399414	4934.399414	1.12
1634	020B	3048	0.07	3864	2	55	80	2.5	6	4	7620	3756	RH-2	40	form-based			true	0.7	6	1	4	4	8534.399414	4670.399414	4670.399414	1.12
1634	020C	3048	0.07	3600	2	55	80	2.5	6	4	7620	4020	RH-2	40	form-based			true	0.7	6	1	4	4	8534.399414	4934.399414	4934.399414	1.12
1634	020D	3048	0.07	3600	2	55	80	2.5	6	4	7620	4020	RH-2	40	form-based			true	0.7	6	1	4	4	8534.399414	4934.399414	4934.399414	1.12
1634	032	3048	0.07	2039	2	55	80	2.5	6	4	7620	5581	RH-2	40	form-based			true	0.7	6	1	4	4	8534.399414	6495.399414	6495.399414	1.12
1635	002	2988	0.07	3380	2	55	80	2.5	6	4	7470	4090	RH-2	40	form-based			true	0.7	6	1	4	4	8366.399414	4986.399414	4986.399414	1.12
1635	002A	2988	0.07	3250	2	55	80	2.5	6	4	7470	4220	RH-2	40	form-based			true	0.7	6	1	4	4	8366.399414	5116.399414	5116.399414	1.12
1635	003	2988	0.07	2500	2	55	80	2.5	6	4	7470	4970	RH-2	40	form-based			true	0.7	6	1	4	4	8366.399414	5866.399414	5866.399414	1.12
1635	009	2988	0.07	1900	2	55	80	2.5	6	4	7470	5570	RH-2	40	form-based			true	0.7	6	1	4	4	8366.399414	6466.399414	6466.399414	1.12
1635	010	2988	0.07	3110	2	55	80	2.5	6	4	7470	4360	RH-2	40	form-based			true	0.7	6	1	4	4	8366.399414	5256.399414	5256.399414	1.12
1635	011	2988	0.07	4392	2	55	80	2.5	6	4	7470	3078	RH-2	40	form-based			true	0.7	6	1	4	4	8366.399414	3974.399414	3974.399414	1.12
1635	018	2523	0.06	2032	1	55	80	2.5	5	4	6308	4276	RH-2	40	form-based			true	0.7	5	1	4	4	7064.399902	5032.399902	5032.399902	1.119911
1635	022	3033	0.07	2800	2	55	80	2.5	6	4	7582	4782	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	5692.399414	5692.399414	1.120074
1635	025	3033	0.07	3625	2	55	80	2.5	6	4	7582	3957	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	4867.399414	4867.399414	1.120074
1635	027	3033	0.07	3370	2	55	80	2.5	6	4	7582	4212	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	5122.399414	5122.399414	1.120074
1635	028	3033	0.07	3410	2	55	80	2.5	6	4	7582	4172	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	5082.399414	5082.399414	1.120074
1635	028A	3033	0.07	3112	2	55	80	2.5	6	4	7582	4470	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	5380.399414	5380.399414	1.120074
1635	028C	3033	0.07	3510	2	55	80	2.5	6	4	7582	4072	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	4982.399414	4982.399414	1.120074
1635	028D	3033	0.07	3300	2	55	80	2.5	6	4	7582	4282	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	5192.399414	5192.399414	1.120074
1635	028G	3033	0.07	4120	2	55	80	2.5	6	4	7582	3462	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	4372.399414	4372.399414	1.120074
1635	029	2211	0.05	1968	4	55	80	2.5	4	0	5528	3560	RTO-C	65	form-based			true	0.75	8	2	4	4	9949.5	7981.5	7981.5	1.799837
1635	037	2988	0.07	4163	2	55	80	2.5	6	4	7470	3307	RH-2	40	form-based			true	0.7	6	1	4	4	8366.399414	4203.399414	4203.399414	1.12
1635	039	3033	0.07	1509	2	55	80	2.5	6	4	7582	6073	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	6983.399414	6983.399414	1.120074
1635	043	3033	0.07	1438	2	55	80	2.5	6	4	7582	6144	RH-2	40	form-based			true	0.7	6	1	4	4	8492.399414	7054.399414	7054.399414	1.120074
1635	047	2988	0.07	1651	2	55	80	2.5	6	4	7470	5819	RH-2	40	form-based			true	0.7	6	1	4	4	8366.399414	6715.399414	6715.399414	1.12
1636	001C	2934	0.07	3150	2	55	80	2.5	6	4	7335	4185	RH-2	40	form-based			true	0.7	6	1	4	4	8215.200195	5065.200195	5065.200195	1.12
1636	001J	2934	0.07	3150	2	55	80	2.5	6	4	7335	4185	RH-2	40	form-based			true	0.7	6	1	4	4	8215.200195	5065.200195	5065.200195	1.12
1636	001L	2934	0.07	3150	2	55	80	2.5	6	4	7335	4185	RH-2	40	form-based			true	0.7	6	1	4	4	8215.200195	5065.200195	5065.200195	1.12
1636	004A	2934	0.07	3350	2	55	80	2.5	6	4	7335	3985	RH-2	40	form-based			true	0.7	6	1	4	4	8215.200195	4865.200195	4865.200195	1.12
1636	004D	2934	0.07	3350	2	55	80	2.5	6	4	7335	3985	RH-2	40	form-based			true	0.7	6	1	4	4	8215.200195	4865.200195	4865.200195	1.12
1636	004E	2934	0.07	3350	2	55	80	2.5	6	4	7335	3985	RH-2	40	form-based			true	0.7	6	1	4	4	8215.200195	4865.200195	4865.200195	1.12
1636	004F	2934	0.07	3350	2	55	80	2.5	6	4	7335	3985	RH-2	40	form-based			true	0.7	6	1	4	4	8215.200195	4865.200195	4865.200195	1.12
1636	006	2600	0.06	3556	1	55	80	2.5	5	4	6500	2944	RH-2	40	form-based			true	0.7	5	1	4	4	7280	3724	3724	1.12
1636	011	2995	0.07	2500	2	55	80	2.5	6	4	7488	4988	RH-2	40	form-based			true	0.7	6	1	4	4	8386	5886	5886	1.119925
1636	016	3012	0.07	2988	2	55	80	2.5	6	4	7530	4542	RH-2	40	form-based			true	0.7	6	1	4	4	8433.599609	5445.599609	5445.599609	1.12
1636	020	3012	0.07	2790	2	55	80	2.5	6	4	7530	4740	RH-2	40	form-based			true	0.7	6	1	4	4	8433.599609	5643.599609	5643.599609	1.12
1636	027	1450	0.03	1532	1	55	80	2.5	2	1	3625	2093	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6525	4993	4993	1.8
1636	041	2934	0.07	1530	2	55	80	2.5	6	4	7335	5805	RH-2	40	form-based			true	0.7	6	1	4	4	8215.200195	6685.200195	6685.200195	1.12
1637	005	3024	0.07	3622	2	55	80	2.5	6	4	7560	3938	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	4845.200195	4845.200195	1.12
1637	008	3018	0.07	2080	2	55	80	2.5	6	4	7545	5465	RH-2	40	form-based			true	0.7	6	1	4	4	8450.399414	6370.399414	6370.399414	1.12
1637	010	3024	0.07	2480	2	55	80	2.5	6	4	7560	5080	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	5987.200195	5987.200195	1.12
1637	019	3162	0.07	2500	3	55	80	2.5	6	3	7905	5405	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8853.599609	6353.599609	6353.599609	1.12
1637	019E	3000	0.07	2500	2	55	80	2.5	6	4	7500	5000	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5900	5900	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1637	023	3600	0.08	3580	4	55	80	2.5	6	2	9000	5420	RH-2	40	form-based			true	0.7	8	1.333333373	4	4	10080	6500	6500	1.12
1637	025	3000	0.07	5241	2	55	80	2.5	6	4	7500	2259	RH-2	40	form-based			true	0.7	6	1	4	4	8400	3159	3159	1.12
1637	040	3024	0.07	1355	2	55	80	2.5	6	4	7560	6205	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	7112.200195	7112.200195	1.12
1638	005	2360	0.05	1800	1	55	80	2.5	4	3	5900	4100	RH-2	40	form-based			true	0.7	5	1.25	4	4	6608	4808	4808	1.12
1638	011	2985	0.07	2750	2	55	80	2.5	6	4	7462	4712	RH-2	40	form-based			true	0.7	6	1	4	4	8358	5608	5608	1.120075
1638	012	2985	0.07	2750	2	55	80	2.5	6	4	7462	4712	RH-2	40	form-based			true	0.7	6	1	4	4	8358	5608	5608	1.120075
1638	013	2985	0.07	2750	2	55	80	2.5	6	4	7462	4712	RH-2	40	form-based			true	0.7	6	1	4	4	8358	5608	5608	1.120075
1638	014	2985	0.07	2750	2	55	80	2.5	6	4	7462	4712	RH-2	40	form-based			true	0.7	6	1	4	4	8358	5608	5608	1.120075
1638	020F	3000	0.07	2600	2	55	80	2.5	6	4	7500	4900	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5800	5800	1.12
1638	021	3000	0.07	2850	2	55	80	2.5	6	4	7500	4650	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5550	5550	1.12
1638	021A	3000	0.07	2850	2	55	80	2.5	6	4	7500	4650	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5550	5550	1.12
1638	030	2326	0.05	4000	5	55	80	2.5	4	0	5815	1815	NCD-INNE	65	form-based		true	true	0.75	9	2.25	4	3	10467	6467	6467	1.8
1639	004	3009	0.07	2250	2	55	80	2.5	6	4	7522	5272	RH-2	40	form-based			true	0.7	6	1	4	4	8425.200195	6175.200195	6175.200195	1.120075
1639	007	3009	0.07	2800	2	55	80	2.5	6	4	7522	4722	RH-2	40	form-based			true	0.7	6	1	4	4	8425.200195	5625.200195	5625.200195	1.120075
1639	008	3009	0.07	2874	2	55	80	2.5	6	4	7522	4648	RH-2	40	form-based			true	0.7	6	1	4	4	8425.200195	5551.200195	5551.200195	1.120075
1639	011	3009	0.07	2330	2	55	80	2.5	6	4	7522	5192	RH-2	40	form-based			true	0.7	6	1	4	4	8425.200195	6095.200195	6095.200195	1.120075
1639	013	3009	0.07	2330	2	55	80	2.5	6	4	7522	5192	RH-2	40	form-based			true	0.7	6	1	4	4	8425.200195	6095.200195	6095.200195	1.120075
1639	014	3009	0.07	2330	2	55	80	2.5	6	4	7522	5192	RH-2	40	form-based			true	0.7	6	1	4	4	8425.200195	6095.200195	6095.200195	1.120075
1639	025	2508	0.06	2100	1	55	80	2.5	5	4	6270	4170	RH-2	40	form-based			true	0.7	5	1	4	4	7022.399902	4922.399902	4922.399902	1.12
1639	032	3000	0.07	2700	2	55	80	2.5	6	4	7500	4800	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5700	5700	1.12
1639	032A	3000	0.07	2901	2	55	80	2.5	6	4	7500	4599	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5499	5499	1.12
1639	032B	3000	0.07	2700	2	55	80	2.5	6	4	7500	4800	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5700	5700	1.12
1639	035	3000	0.07	3245	2	55	80	2.5	6	4	7500	4255	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5155	5155	1.12
1639	036	3000	0.07	2800	2	55	80	2.5	6	4	7500	4700	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5600	5600	1.12
1639	038	3000	0.07	1500	2	55	80	2.5	6	4	7500	6000	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6900	6900	1.12
1639	040	3000	0.07	3000	2	55	80	2.5	6	4	7500	4500	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5400	5400	1.12
1639	041	3000	0.07	3000	2	55	80	2.5	6	4	7500	4500	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5400	5400	1.12
1639	043	3000	0.07	2550	2	55	80	2.5	6	4	7500	4950	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5850	5850	1.12
1639	051	3009	0.07	1234	2	55	80	2.5	6	4	7522	6288	RH-2	40	form-based			true	0.7	6	1	4	4	8425.200195	7191.200195	7191.200195	1.120075
1639	053	3009	0.07	968	2	55	80	2.5	6	4	7522	6554	RH-2	40	form-based			true	0.7	6	1	4	4	8425.200195	7457.200195	7457.200195	1.120075
1639	055	3000	0.07	1200	2	55	80	2.5	6	4	7500	6300	RH-2	40	form-based			true	0.7	6	1	4	4	8400	7200	7200	1.12
1639	057	3000	0.07	1293	2	55	80	2.5	6	4	7500	6207	RH-2	40	form-based			true	0.7	6	1	4	4	8400	7107	7107	1.12
1639	059	3009	0.07	1003	2	55	80	2.5	6	4	7522	6519	RH-2	40	form-based			true	0.7	6	1	4	4	8425.200195	7422.200195	7422.200195	1.120075
1639	061	3009	0.07	3201	2	55	80	2.5	6	4	7522	4321	RH-2	40	form-based			true	0.7	6	1	4	4	8425.200195	5224.200195	5224.200195	1.120075
1640	003	2372	0.05	3652	5	55	80	2.5	4	0	5930	2278	RTO-C	65	form-based			true	0.75	9	2.25	4	3	10674	7022	7022	1.8
1640	009	2997	0.07	3823	2	55	80	2.5	6	4	7492	3669	RH-2	40	form-based			true	0.7	6	1	4	4	8391.599609	4568.599609	4568.599609	1.120075
1640	010	2997	0.07	2700	2	55	80	2.5	6	4	7492	4792	RH-2	40	form-based			true	0.7	6	1	4	4	8391.599609	5691.599609	5691.599609	1.120075
1640	011	2997	0.07	2900	2	55	80	2.5	6	4	7492	4592	RH-2	40	form-based			true	0.7	6	1	4	4	8391.599609	5491.599609	5491.599609	1.120075
1640	013	2997	0.07	4995	2	55	80	2.5	6	4	7492	2497	RH-2	40	form-based			true	0.7	6	1	4	4	8391.599609	3396.599609	3396.599609	1.120075
1640	015	2997	0.07	1800	2	55	80	2.5	6	4	7492	5692	RH-2	40	form-based			true	0.7	6	1	4	4	8391.599609	6591.599609	6591.599609	1.120075
1640	016	2997	0.07	1800	2	55	80	2.5	6	4	7492	5692	RH-2	40	form-based			true	0.7	6	1	4	4	8391.599609	6591.599609	6591.599609	1.120075
1640	017	2997	0.07	2700	2	55	80	2.5	6	4	7492	4792	RH-2	40	form-based			true	0.7	6	1	4	4	8391.599609	5691.599609	5691.599609	1.120075
1640	020	2997	0.07	2700	2	55	80	2.5	6	4	7492	4792	RH-2	40	form-based			true	0.7	6	1	4	4	8391.599609	5691.599609	5691.599609	1.120075
1640	028	2375	0.05	1900	1	55	80	2.5	4	3	5938	4038	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4750	4750	1.119906
1640	034	3000	0.07	2800	2	55	80	2.5	6	4	7500	4700	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5600	5600	1.12
1640	035	3000	0.07	2800	2	55	80	2.5	6	4	7500	4700	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5600	5600	1.12
1640	036	3000	0.07	2800	2	55	80	2.5	6	4	7500	4700	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5600	5600	1.12
1640	038	3000	0.07	2800	2	55	80	2.5	6	4	7500	4700	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5600	5600	1.12
1640	054	1661	0.04	3848	2	55	80	2.5	3	1	4152	304	NCD-INNE	65	form-based		true	true	0.75	6	2	4	4	7474.5	3626.5	3626.5	1.800217
1640	056	2997	0.07	1314	2	55	80	2.5	6	4	7492	6178	RH-2	40	form-based			true	0.7	6	1	4	4	8391.599609	7077.599609	7077.599609	1.120075
1640	058	3000	0.07	1610	2	55	80	2.5	6	4	7500	5890	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6790	6790	1.12
1640	060	2997	0.07	1405	2	55	80	2.5	6	4	7492	6087	RH-2	40	form-based			true	0.7	6	1	4	4	8391.599609	6986.599609	6986.599609	1.120075
1640	062	2997	0.07	1501	2	55	80	2.5	6	4	7492	5991	RH-2	40	form-based			true	0.7	6	1	4	4	8391.599609	6890.599609	6890.599609	1.120075
1640	064	2997	0.07	1265	2	55	80	2.5	6	4	7492	6227	RH-2	40	form-based			true	0.7	6	1	4	4	8391.599609	7126.599609	7126.599609	1.120075
1640	075	3000	0.07	1783	2	55	80	2.5	6	4	7500	5717	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6617	6617	1.12
1640	077	3000	0.07	4445	2	55	80	2.5	6	4	7500	3055	RH-2	40	form-based			true	0.7	6	1	4	4	8400	3955	3955	1.12
1641	007	3018	0.07	2408	2	55	80	2.5	6	4	7545	5137	RH-2	40	form-based			true	0.7	6	1	4	4	8450.399414	6042.399414	6042.399414	1.12
1641	008	3018	0.07	1548	2	55	80	2.5	6	4	7545	5997	RH-2	40	form-based			true	0.7	6	1	4	4	8450.399414	6902.399414	6902.399414	1.12
1641	009	3018	0.07	2597	2	55	80	2.5	6	4	7545	4948	RH-2	40	form-based			true	0.7	6	1	4	4	8450.399414	5853.399414	5853.399414	1.12
1641	010	3018	0.07	2500	2	55	80	2.5	6	4	7545	5045	RH-2	40	form-based			true	0.7	6	1	4	4	8450.399414	5950.399414	5950.399414	1.12
1641	014	3018	0.07	2324	2	55	80	2.5	6	4	7545	5221	RH-2	40	form-based			true	0.7	6	1	4	4	8450.399414	6126.399414	6126.399414	1.12
1641	016	3018	0.07	3506	2	55	80	2.5	6	4	7545	4039	RH-2	40	form-based			true	0.7	6	1	4	4	8450.399414	4944.399414	4944.399414	1.12
1641	017	3018	0.07	3917	2	55	80	2.5	6	4	7545	3628	RH-2	40	form-based			true	0.7	6	1	4	4	8450.399414	4533.399414	4533.399414	1.12
1641	019	3018	0.07	2576	2	55	80	2.5	6	4	7545	4969	RH-2	40	form-based			true	0.7	6	1	4	4	8450.399414	5874.399414	5874.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1641	020	3018	0.07	2490	2	55	80	2.5	6	4	7545	5055	RH-2	40	form-based			true	0.7	6	1	4	4	8450.399414	5960.399414	5960.399414	1.12
1641	025	2500	0.06	2360	1	55	80	2.5	5	4	6250	3890	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4640	4640	1.12
1641	028	2660	0.06	2920	2	55	80	2.5	5	3	6650	3730	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7448	4528	4528	1.12
1641	032	3000	0.07	1780	2	55	80	2.5	6	4	7500	5720	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6620	6620	1.12
1641	034	3000	0.07	2277	2	55	80	2.5	6	4	7500	5223	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6123	6123	1.12
1641	036	3000	0.07	2532	2	55	80	2.5	6	4	7500	4968	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5868	5868	1.12
1641	039	3000	0.07	2396	2	55	80	2.5	6	4	7500	5104	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6004	6004	1.12
1641	043	3000	0.07	2880	2	55	80	2.5	6	4	7500	4620	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5520	5520	1.12
1641	054	3000	0.07	1128	2	55	80	2.5	6	4	7500	6372	RH-2	40	form-based			true	0.7	6	1	4	4	8400	7272	7272	1.12
1641	056	3018	0.07	2090	2	55	80	2.5	6	4	7545	5455	RH-2	40	form-based			true	0.7	6	1	4	4	8450.399414	6360.399414	6360.399414	1.12
1641	060	3018	0.07	1472	2	55	80	2.5	6	4	7545	6073	RH-2	40	form-based			true	0.7	6	1	4	4	8450.399414	6978.399414	6978.399414	1.12
1642	010	3014	0.07	2448	2	55	80	2.5	6	4	7535	5087	RH-2	40	form-based			true	0.7	6	1	4	4	8439.200195	5991.200195	5991.200195	1.12
1642	017	3014	0.07	2884	2	55	80	2.5	6	4	7535	4651	RH-2	40	form-based			true	0.7	6	1	4	4	8439.200195	5555.200195	5555.200195	1.12
1642	018	3014	0.07	2778	2	55	80	2.5	6	4	7535	4757	RH-2	40	form-based			true	0.7	6	1	4	4	8439.200195	5661.200195	5661.200195	1.12
1642	019	3014	0.07	2694	2	55	80	2.5	6	4	7535	4841	RH-2	40	form-based			true	0.7	6	1	4	4	8439.200195	5745.200195	5745.200195	1.12
1642	020	3014	0.07	2484	2	55	80	2.5	6	4	7535	5051	RH-2	40	form-based			true	0.7	6	1	4	4	8439.200195	5955.200195	5955.200195	1.12
1642	022	2389	0.05	1808	1	55	80	2.5	4	3	5972	4164	RH-2	40	form-based			true	0.7	5	1.25	4	4	6689.199707	4881.199707	4881.199707	1.120094
1642	023	2389	0.05	2336	1	55	80	2.5	4	3	5972	3636	RH-2	40	form-based			true	0.7	5	1.25	4	4	6689.199707	4353.199707	4353.199707	1.120094
1642	027	2380	0.05	3208	1	55	80	2.5	4	3	5950	2742	RH-2	40	form-based	true		true	0.7	5	1.25	4	4	6664	3456	3456	1.12
1642	030	2375	0.05	3404	1	55	80	2.5	4	3	5938	2534	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	3246	3246	1.119906
1642	031	3000	0.07	2311	2	55	80	2.5	6	4	7500	5189	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6089	6089	1.12
1642	040	3000	0.07	3016	2	55	80	2.5	6	4	7500	4484	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5384	5384	1.12
1642	041	3000	0.07	3016	2	55	80	2.5	6	4	7500	4484	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5384	5384	1.12
1642	043	3000	0.07	2912	2	55	80	2.5	6	4	7500	4588	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5488	5488	1.12
1642	045	3000	0.07	2896	2	55	80	2.5	6	4	7500	4604	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5504	5504	1.12
1642	046	3000	0.07	2950	2	55	80	2.5	6	4	7500	4550	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5450	5450	1.12
1642	063	3000	0.07	1200	2	55	80	2.5	6	4	7500	6300	RH-2	40	form-based			true	0.7	6	1	4	4	8400	7200	7200	1.12
1643	010	2986	0.07	2596	2	55	80	2.5	6	4	7465	4869	RM-2	40	form-based			true	0.7	6	1	4	4	8360.799805	5764.799805	5764.799805	1.12
1643	013	2986	0.07	2345	2	55	80	2.5	6	4	7465	5120	RM-2	40	form-based			true	0.7	6	1	4	4	8360.799805	6015.799805	6015.799805	1.12
1643	016	2987	0.07	2523	2	55	80	2.5	6	4	7468	4945	RM-2	40	form-based			true	0.7	6	1	4	4	8363.599609	5840.599609	5840.599609	1.119925
1643	026	2375	0.05	2512	1	55	80	2.5	4	3	5938	3426	RH-2	40	form-based	true		true	0.7	5	1.25	4	4	6650	4138	4138	1.119906
1643	027	2375	0.05	2168	1	55	80	2.5	4	3	5938	3770	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4482	4482	1.119906
1643	029	2375	0.05	3329	1	55	80	2.5	4	3	5938	2609	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	3321	3321	1.119906
1643	030	3000	0.07	2506	2	55	80	2.5	6	4	7500	4994	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5894	5894	1.12
1643	031	3000	0.07	2526	2	55	80	2.5	6	4	7500	4974	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5874	5874	1.12
1643	032	3000	0.07	2364	2	55	80	2.5	6	4	7500	5136	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6036	6036	1.12
1643	041	3000	0.07	2954	2	55	80	2.5	6	4	7500	4546	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5446	5446	1.12
1643	058	2987	0.07	1272	2	55	80	2.5	6	4	7468	6196	RM-2	40	form-based			true	0.7	6	1	4	4	8363.599609	7091.599609	7091.599609	1.119925
1644	005	3085	0.07	2236	2	55	80	2.5	6	4	7712	5476	RM-2	40	form-based			true	0.7	6	1	4	4	8638	6402	6402	1.120073
1644	019	2903	0.07	1932	2	55	80	2.5	6	4	7258	5326	RH-2	40	form-based			true	0.7	6	1	4	4	8128.399902	6196.399902	6196.399902	1.119923
1644	021	2563	0.06	1676	1	55	80	2.5	5	4	6408	4732	RH-2	40	form-based			true	0.7	5	1	4	4	7176.399902	5500.399902	5500.399902	1.119913
1644	049	3086	0.07	1108	2	55	80	2.5	6	4	7715	6607	RM-2	40	form-based			true	0.7	6	1	4	4	8640.799805	7532.799805	7532.799805	1.12
1644	051	3085	0.07	709	2	55	80	2.5	6	4	7712	7003	RM-2	40	form-based			true	0.7	6	1	4	4	8638	7929	7929	1.120073
1645	028	2500	0.06	2000	1	55	80	2.5	5	4	6250	4250	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5000	5000	1.12
1645	029	2500	0.06	2874	1	55	80	2.5	5	4	6250	3376	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4126	4126	1.12
1645	031	2176	0.05	1480	1	55	80	2.5	4	3	5440	3960	RH-1	40	form-based			true	0.7	5	1.25	4	4	6092.799805	4612.799805	4612.799805	1.12
1645	032	2176	0.05	1300	1	55	80	2.5	4	3	5440	4140	RH-1	40	form-based			true	0.7	5	1.25	4	4	6092.799805	4792.799805	4792.799805	1.12
1646	001	2192	0.05	2943	1	55	80	2.5	4	3	5480	2537	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6137.600098	3194.600098	3194.600098	1.12
1646	002	2198	0.05	2697	1	55	80	2.5	4	3	5495	2798	RH-1	40	form-based			true	0.7	5	1.25	4	4	6154.399902	3457.399902	3457.399902	1.12
1646	003	2198	0.05	1650	1	55	80	2.5	4	3	5495	3845	RH-1	40	form-based			true	0.7	5	1.25	4	4	6154.399902	4504.399902	4504.399902	1.12
1646	003A	2198	0.05	1640	1	55	80	2.5	4	3	5495	3855	RH-1	40	form-based			true	0.7	5	1.25	4	4	6154.399902	4514.399902	4514.399902	1.12
1646	011	2544	0.06	1332	1	55	80	2.5	5	4	6360	5028	RH-1	40	form-based			true	0.7	5	1	4	4	7123.199707	5791.199707	5791.199707	1.12
1647	002	2497	0.06	1188	1	55	80	2.5	5	4	6242	5054	RH-1	40	form-based			true	0.7	5	1	4	4	6991.600098	5803.600098	5803.600098	1.12009
1647	002A	2497	0.06	1248	1	55	80	2.5	5	4	6242	4994	RH-1	40	form-based			true	0.7	5	1	4	4	6991.600098	5743.600098	5743.600098	1.12009
1647	003	2497	0.06	1250	1	55	80	2.5	5	4	6242	4992	RH-1	40	form-based			true	0.7	5	1	4	4	6991.600098	5741.600098	5741.600098	1.12009
1647	022	2997	0.07	4008	2	55	80	2.5	6	4	7492	3484	RH-2	40	form-based			true	0.7	6	1	4	4	8391.599609	4383.599609	4383.599609	1.120075
1647	026	2997	0.07	2420	2	55	80	2.5	6	4	7492	5072	RH-2	40	form-based			true	0.7	6	1	4	4	8391.599609	5971.599609	5971.599609	1.120075
1647	034	2250	0.05	2197	1	55	80	2.5	4	3	5625	3428	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4103	4103	1.12
1647	035	2250	0.05	1700	1	55	80	2.5	4	3	5625	3925	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4600	4600	1.12
1647	037	2488	0.06	1490	1	55	80	2.5	5	4	6220	4730	RH-1	40	form-based			true	0.7	5	1	4	4	6966.399902	5476.399902	5476.399902	1.12
1647	038	2568	0.06	1490	1	55	80	2.5	5	4	6420	4930	RH-1	40	form-based			true	0.7	5	1	4	4	7190.399902	5700.399902	5700.399902	1.12
1648	005	3009	0.07	2204	2	55	80	2.5	6	4	7522	5318	RH-3	40	form-based			true	0.7	6	1	4	4	8425.200195	6221.200195	6221.200195	1.120075
1648	008	3009	0.07	2432	2	55	80	2.5	6	4	7522	5090	RH-3	40	form-based			true	0.7	6	1	4	4	8425.200195	5993.200195	5993.200195	1.120075
1648	012	3009	0.07	2380	2	55	80	2.5	6	4	7522	5142	RH-3	40	form-based			true	0.7	6	1	4	4	8425.200195	6045.200195	6045.200195	1.120075

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1648	024B	2807	0.06	3360	2	55	80	2.5	5	3	7018	3658	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7859.600098	4499.600098	4499.600098	1.11992
1648	025	3000	0.07	3360	2	55	80	2.5	6	4	7500	4140	RH-3	40	form-based			true	0.7	6	1	4	4	8400	5040	5040	1.12
1648	030	3000	0.07	2976	2	55	80	2.5	6	4	7500	4524	RH-3	40	form-based			true	0.7	6	1	4	4	8400	5424	5424	1.12
1648	031	3000	0.07	2976	2	55	80	2.5	6	4	7500	4524	RH-3	40	form-based			true	0.7	6	1	4	4	8400	5424	5424	1.12
1649	003	2485	0.06	1667	1	55	80	2.5	5	4	6212	4545	RH-3	40	form-based			true	0.7	5	1	4	4	6958	5291	5291	1.12009
1649	008	2985	0.07	4023	2	55	80	2.5	6	4	7462	3439	RH-3	40	form-based			true	0.7	6	1	4	4	8358	4335	4335	1.120075
1649	009	2985	0.07	4023	2	55	80	2.5	6	4	7462	3439	RH-3	40	form-based			true	0.7	6	1	4	4	8358	4335	4335	1.120075
1649	011	2985	0.07	3920	2	55	80	2.5	6	4	7462	3542	RH-3	40	form-based			true	0.7	6	1	4	4	8358	4438	4438	1.120075
1649	011B	2985	0.07	3342	2	55	80	2.5	6	4	7462	4120	RH-3	40	form-based			true	0.7	6	1	4	4	8358	5016	5016	1.120075
1649	011C	2985	0.07	4038	2	55	80	2.5	6	4	7462	3424	RH-3	40	form-based			true	0.7	6	1	4	4	8358	4320	4320	1.120075
1649	022	3000	0.07	3064	2	55	80	2.5	6	4	7500	4436	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5336	5336	1.12
1649	023	3000	0.07	1900	2	55	80	2.5	6	4	7500	5600	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6500	6500	1.12
1649	026	3000	0.07	3490	2	55	80	2.5	6	4	7500	4010	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4910	4910	1.12
1649	030	2875	0.07	3480	2	55	80	2.5	6	4	7188	3708	RH-2	40	form-based			true	0.7	6	1	4	4	8050	4570	4570	1.119922
1649	030A	2875	0.07	3480	2	55	80	2.5	6	4	7188	3708	RH-2	40	form-based			true	0.7	6	1	4	4	8050	4570	4570	1.119922
1649	031	2125	0.05	1450	0	55	80	2.5	4	4	5312	3862	RH-2	40	form-based			true	0.7	4	1	4	4	5950	4500	4500	1.120105
1649	033	2500	0.06	2374	1	55	80	2.5	5	4	6250	3876	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4626	4626	1.12
1650	004	3024	0.07	2326	2	55	80	2.5	6	4	7560	5234	RH-3	40	form-based			true	0.7	6	1	4	4	8467.200195	6141.200195	6141.200195	1.12
1650	006	3024	0.07	2160	2	55	80	2.5	6	4	7560	5400	RH-3	40	form-based			true	0.7	6	1	4	4	8467.200195	6307.200195	6307.200195	1.12
1650	010	2450	0.06	2780	2	55	80	2.5	5	3	6125	3345	RM-3	40	form-based			true	0.75	6	1.200000048	4	4	7350	4570	4570	1.2
1650	024	3000	0.07	3204	2	55	80	2.5	6	4	7500	4296	RH-3	40	form-based			true	0.7	6	1	4	4	8400	5196	5196	1.12
1650	030	3000	0.07	2920	2	55	80	2.5	6	4	7500	4580	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5480	5480	1.12
1650	032	3000	0.07	4147	2	55	80	2.5	6	4	7500	3353	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4253	4253	1.12
1650	033	3000	0.07	3949	2	55	80	2.5	6	4	7500	3551	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4451	4451	1.12
1650	034	3000	0.07	2472	2	55	80	2.5	6	4	7500	5028	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5928	5928	1.12
1650	038	3000	0.07	4405	2	55	80	2.5	6	4	7500	3095	RH-3	40	form-based			true	0.7	6	1	4	4	8400	3995	3995	1.12
1651	003	3000	0.07	2790	2	55	80	2.5	6	4	7500	4710	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5610	5610	1.12
1651	007A	3000	0.07	3400	2	55	80	2.5	6	4	7500	4100	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5000	5000	1.12
1651	008	3000	0.07	2528	2	55	80	2.5	6	4	7500	4972	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5872	5872	1.12
1651	012	3000	0.07	3924	2	55	80	2.5	6	4	7500	3576	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4476	4476	1.12
1651	014	3000	0.07	2052	2	55	80	2.5	6	4	7500	5448	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6348	6348	1.12
1651	024	2982	0.07	2996	2	55	80	2.5	6	4	7455	4459	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	5353.599609	5353.599609	1.12
1651	025	2982	0.07	2596	2	55	80	2.5	6	4	7455	4859	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	5753.599609	5753.599609	1.12
1651	026	2982	0.07	2760	2	55	80	2.5	6	4	7455	4695	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	5589.599609	5589.599609	1.12
1651	028	2982	0.07	2872	2	55	80	2.5	6	4	7455	4583	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	5477.599609	5477.599609	1.12
1651	030	2982	0.07	3206	2	55	80	2.5	6	4	7455	4249	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	5143.599609	5143.599609	1.12
1651	032	2982	0.07	3580	2	55	80	2.5	6	4	7455	3875	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	4769.599609	4769.599609	1.12
1651	041	2667	0.06	2994	2	55	80	2.5	5	3	6668	3674	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7467.600098	4473.600098	4473.600098	1.119916
1651	074	3000	0.07	1221	2	55	80	2.5	6	4	7500	6279	RH-2	40	form-based			true	0.7	6	1	4	4	8400	7179	7179	1.12
1651	076	2982	0.07	1511	2	55	80	2.5	6	4	7455	5944	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	6838.599609	6838.599609	1.12
1651	078	2982	0.07	1404	2	55	80	2.5	6	4	7455	6051	RH-2	40	form-based			true	0.7	6	1	4	4	8349.599609	6945.599609	6945.599609	1.12
1652	005	2985	0.07	3016	2	55	80	2.5	6	4	7462	4446	RH-2	40	form-based			true	0.7	6	1	4	4	8358	5342	5342	1.120075
1652	006	2985	0.07	3016	2	55	80	2.5	6	4	7462	4446	RH-2	40	form-based			true	0.7	6	1	4	4	8358	5342	5342	1.120075
1652	007	2985	0.07	3072	2	55	80	2.5	6	4	7462	4390	RH-2	40	form-based			true	0.7	6	1	4	4	8358	5286	5286	1.120075
1652	009	2985	0.07	3489	2	55	80	2.5	6	4	7462	3973	RH-2	40	form-based			true	0.7	6	1	4	4	8358	4869	4869	1.120075
1652	010	2985	0.07	2648	2	55	80	2.5	6	4	7462	4814	RH-2	40	form-based			true	0.7	6	1	4	4	8358	5710	5710	1.120075
1652	010A	2985	0.07	3052	2	55	80	2.5	6	4	7462	4410	RH-2	40	form-based			true	0.7	6	1	4	4	8358	5306	5306	1.120075
1652	010B	2985	0.07	3032	2	55	80	2.5	6	4	7462	4430	RH-2	40	form-based			true	0.7	6	1	4	4	8358	5326	5326	1.120075
1652	010D	2985	0.07	3277	2	55	80	2.5	6	4	7462	4185	RH-2	40	form-based			true	0.7	6	1	4	4	8358	5081	5081	1.120075
1652	010E	2985	0.07	3680	2	55	80	2.5	6	4	7462	3782	RH-2	40	form-based			true	0.7	6	1	4	4	8358	4678	4678	1.120075
1652	010F	2985	0.07	2960	2	55	80	2.5	6	4	7462	4502	RH-2	40	form-based			true	0.7	6	1	4	4	8358	5398	5398	1.120075
1652	023	3024	0.07	3678	2	55	80	2.5	6	4	7560	3882	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	4789.200195	4789.200195	1.12
1652	034	2399	0.06	1813	1	55	80	2.5	5	4	5998	4185	RH-2	40	form-based			true	0.7	5	1	4	4	6717.199707	4904.199707	4904.199707	1.119907
1652	036	2625	0.06	3212	2	55	80	2.5	5	3	6562	3350	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	4138	4138	1.120085
1652	042	2985	0.07	1350	2	55	80	2.5	6	4	7462	6112	RH-2	40	form-based			true	0.7	6	1	4	4	8358	7008	7008	1.120075
1652	046	2985	0.07	1751	2	55	80	2.5	6	4	7462	5711	RH-2	40	form-based			true	0.7	6	1	4	4	8358	6607	6607	1.120075
1653	012	2976	0.07	2900	2	55	80	2.5	6	4	7440	4540	RH-2	40	form-based			true	0.7	6	1	4	4	8332.799805	5432.799805	5432.799805	1.12
1653	017	2976	0.07	1888	2	55	80	2.5	6	4	7440	5552	RH-2	40	form-based			true	0.7	6	1	4	4	8332.799805	6444.799805	6444.799805	1.12
1653	030	3007	0.07	3368	2	55	80	2.5	6	4	7518	4150	RH-2	40	form-based			true	0.7	6	1	4	4	8419.599609	5051.599609	5051.599609	1.119925
1653	033	3007	0.07	2238	2	55	80	2.5	6	4	7518	5280	RH-2	40	form-based			true	0.7	6	1	4	4	8419.599609	6181.599609	6181.599609	1.119925
1653	051	2625	0.06	2212	2	55	80	2.5	5	3	6562	4350	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	5138	5138	1.120085
1653	052	2625	0.06	2273	2	55	80	2.5	5	3	6562	4289	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	5077	5077	1.120085
1654	005	2995	0.07	3172	2	55	80	2.5	6	4	7488	4316	RH-2	40	form-based			true	0.7	6	1	4	4	8386	5214	5214	1.119925
1654	007	2995	0.07	2716	2	55	80	2.5	6	4	7488	4772	RH-2	40	form-based			true	0.7	6	1	4	4	8386	5670	5670	1.119925

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1654	009	2995	0.07	3176	2	55	80	2.5	6	4	7488	4312	RH-2	40	form-based			true	0.7	6	1	4	4	8386	5210	5210	1.119925
1654	012	2995	0.07	3142	2	55	80	2.5	6	4	7488	4346	RH-2	40	form-based			true	0.7	6	1	4	4	8386	5244	5244	1.119925
1654	013	2995	0.07	3229	2	55	80	2.5	6	4	7488	4259	RH-2	40	form-based			true	0.7	6	1	4	4	8386	5157	5157	1.119925
1654	014	2995	0.07	4968	2	55	80	2.5	6	4	7488	2520	RH-2	40	form-based			true	0.7	6	1	4	4	8386	3418	3418	1.119925
1654	016	2995	0.07	3017	2	55	80	2.5	6	4	7488	4471	RH-2	40	form-based			true	0.7	6	1	4	4	8386	5369	5369	1.119925
1654	017	2995	0.07	3112	2	55	80	2.5	6	4	7488	4376	RH-2	40	form-based			true	0.7	6	1	4	4	8386	5274	5274	1.119925
1654	028	3000	0.07	3400	2	55	80	2.5	6	4	7500	4100	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5000	5000	1.12
1654	029	3000	0.07	3284	2	55	80	2.5	6	4	7500	4216	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5116	5116	1.12
1654	031	3000	0.07	3048	2	55	80	2.5	6	4	7500	4452	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5352	5352	1.12
1654	032	3000	0.07	3707	2	55	80	2.5	6	4	7500	3793	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4693	4693	1.12
1654	034	3000	0.07	3400	2	55	80	2.5	6	4	7500	4100	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5000	5000	1.12
1654	036	3000	0.07	2980	2	55	80	2.5	6	4	7500	4520	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5420	5420	1.12
1654	039	3000	0.07	3156	2	55	80	2.5	6	4	7500	4344	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5244	5244	1.12
1654	040	3000	0.07	3472	2	55	80	2.5	6	4	7500	4028	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4928	4928	1.12
1654	042	3000	0.07	3506	2	55	80	2.5	6	4	7500	3994	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4894	4894	1.12
1654	047	2500	0.06	1054	1	55	80	2.5	5	4	6250	5196	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5946	5946	1.12
1654	051	3000	0.07	1730	2	55	80	2.5	6	4	7500	5770	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6670	6670	1.12
1654	053	3000	0.07	1690	2	55	80	2.5	6	4	7500	5810	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6710	6710	1.12
1654	057	3000	0.07	1712	2	55	80	2.5	6	4	7500	5788	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6688	6688	1.12
1654	059	2995	0.07	1401	2	55	80	2.5	6	4	7488	6087	RH-2	40	form-based			true	0.7	6	1	4	4	8386	6985	6985	1.119925
1654	061	3000	0.07	1539	2	55	80	2.5	6	4	7500	5961	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6861	6861	1.12
1654	063	2995	0.07	1519	2	55	80	2.5	6	4	7488	5969	RH-2	40	form-based			true	0.7	6	1	4	4	8386	6867	6867	1.119925
1655	001	2298	0.05	2067	1	55	80	2.5	4	3	5745	3678	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6434.399902	4367.399902	4367.399902	1.12
1655	002	2298	0.05	3016	1	55	80	2.5	4	3	5745	2729	RH-1	40	form-based			true	0.7	5	1.25	4	4	6434.399902	3418.399902	3418.399902	1.12
1655	003	2298	0.05	2828	1	55	80	2.5	4	3	5745	2917	RH-1	40	form-based			true	0.7	5	1.25	4	4	6434.399902	3606.399902	3606.399902	1.12
1655	004	2298	0.05	3016	1	55	80	2.5	4	3	5745	2729	RH-1	40	form-based			true	0.7	5	1.25	4	4	6434.399902	3418.399902	3418.399902	1.12
1655	043	2610	0.06	2571	1	55	80	2.5	5	4	6525	3954	RH-1	40	form-based			true	0.7	5	1	4	4	7308	4737	4737	1.12
1655	044	2610	0.06	4074	1	55	80	2.5	5	4	6525	2451	RH-1	40	form-based			true	0.7	5	1	4	4	7308	3234	3234	1.12
1655	045	2610	0.06	3204	1	55	80	2.5	5	4	6525	3321	RH-1	40	form-based			true	0.7	5	1	4	4	7308	4104	4104	1.12
1655	046	3084	0.07	1872	2	55	80	2.5	6	4	7710	5838	RH-1	40	form-based		true	true	0.7	6	1	4	4	8635.200195	6763.200195	6763.200195	1.12
1657	003	3222	0.07	5766	3	55	80	2.5	6	3	8055	2289	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9021.599609	3255.599609	3255.599609	1.12
1657	004	3222	0.07	4100	3	55	80	2.5	6	3	8055	3955	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9021.599609	4921.599609	4921.599609	1.12
1657	009	3222	0.07	5220	3	55	80	2.5	6	3	8055	2835	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9021.599609	3801.599609	3801.599609	1.12
1657	021A	1021	0.02	1170	1	55	80	2.5	2	1	2552	1382	RH-2	85	form-based			true	0.7	5	2.5	4	3	5717.600098	4547.600098	3934	2.240439
1657	032	2464	0.06	3350	1	55	80	2.5	5	4	6160	2810	RH-2	40	form-based			true	0.7	5	1	4	4	6899.199707	3549.199707	3549.199707	1.12
1657	035	2464	0.06	2877	1	55	80	2.5	5	4	6160	3283	RH-2	40	form-based		true	true	0.7	5	1	4	4	6899.199707	4022.199707	4022.199707	1.12
1657	055	2750	0.06	1755	2	55	80	2.5	5	3	6875	5120	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7700	5945	5945	1.12
1658	036	2505	0.06	1875	1	55	80	2.5	5	4	6262	4387	RH-2	40	form-based			true	0.7	5	1	4	4	7014	5139	5139	1.120089
1658	037	2505	0.06	2545	1	55	80	2.5	5	4	6262	3717	RH-2	40	form-based			true	0.7	5	1	4	4	7014	4469	4469	1.120089
1658	038	2505	0.06	1750	1	55	80	2.5	5	4	6262	4512	RH-2	40	form-based			true	0.7	5	1	4	4	7014	5264	5264	1.120089
1659	002	3000	0.07	3400	2	55	80	2.5	6	4	7500	4100	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5000	5000	1.12
1659	007	3000	0.07	3270	2	55	80	2.5	6	4	7500	4230	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5130	5130	1.12
1659	008	3000	0.07	3718	2	55	80	2.5	6	4	7500	3782	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4682	4682	1.12
1659	010	3000	0.07	3540	2	55	80	2.5	6	4	7500	3960	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4860	4860	1.12
1659	011	3000	0.07	3000	2	55	80	2.5	6	4	7500	4500	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5400	5400	1.12
1659	012	3000	0.07	3000	2	55	80	2.5	6	4	7500	4500	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5400	5400	1.12
1659	013	3000	0.07	3000	2	55	80	2.5	6	4	7500	4500	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5400	5400	1.12
1659	014	3000	0.07	3150	2	55	80	2.5	6	4	7500	4350	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5250	5250	1.12
1659	015	3000	0.07	3784	2	55	80	2.5	6	4	7500	3716	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4616	4616	1.12
1659	026	3001	0.07	2870	2	55	80	2.5	6	4	7502	4632	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	5532.799805	5532.799805	1.120075
1659	046	2500	0.06	1030	1	55	80	2.5	5	4	6250	5220	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5970	5970	1.12
1659	047	2500	0.06	1090	1	55	80	2.5	5	4	6250	5160	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5910	5910	1.12
1659	048	2500	0.06	1970	1	55	80	2.5	5	4	6250	4280	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5030	5030	1.12
1659	049	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5850	5850	1.12
1660	004	3000	0.07	3300	2	55	80	2.5	6	4	7500	4200	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5100	5100	1.12
1660	005	3000	0.07	3330	2	55	80	2.5	6	4	7500	4170	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5070	5070	1.12
1660	014	3000	0.07	3150	2	55	80	2.5	6	4	7500	4350	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5250	5250	1.12
1660	015	3000	0.07	2950	2	55	80	2.5	6	4	7500	4550	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5450	5450	1.12
1660	026	3011	0.07	3430	2	55	80	2.5	6	4	7528	4098	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	5000.799805	5000.799805	1.119926
1660	027	3011	0.07	2670	2	55	80	2.5	6	4	7528	4858	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	5760.799805	5760.799805	1.119926
1660	029	3011	0.07	3450	2	55	80	2.5	6	4	7528	4078	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	4980.799805	4980.799805	1.119926
1660	030	3011	0.07	3450	2	55	80	2.5	6	4	7528	4078	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	4980.799805	4980.799805	1.119926
1660	031	3011	0.07	3450	2	55	80	2.5	6	4	7528	4078	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	4980.799805	4980.799805	1.119926
1660	037	3011	0.07	3650	2	55	80	2.5	6	4	7528	3878	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	4780.799805	4780.799805	1.119926

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1660	045	2500	0.06	3151	1	55	80	2.5	5	4	6250	3099	RH-2	40	form-based			true	0.7	5	1	4	4	7000	3849	3849	1.12
1660	047	3011	0.07	1399	2	55	80	2.5	6	4	7528	6129	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	7031.799805	7031.799805	1.119926
1661	004	2964	0.07	3220	2	55	80	2.5	6	4	7410	4190	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	5079.200195	5079.200195	1.12
1661	004A	2964	0.07	3150	2	55	80	2.5	6	4	7410	4260	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	5149.200195	5149.200195	1.12
1661	004B	2964	0.07	3709	2	55	80	2.5	6	4	7410	3701	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	4590.200195	4590.200195	1.12
1661	004C	2964	0.07	3220	2	55	80	2.5	6	4	7410	4190	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	5079.200195	5079.200195	1.12
1661	004H	2964	0.07	3619	2	55	80	2.5	6	4	7410	3791	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	4680.200195	4680.200195	1.12
1661	005	2964	0.07	3310	2	55	80	2.5	6	4	7410	4100	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	4989.200195	4989.200195	1.12
1661	008	2964	0.07	4216	2	55	80	2.5	6	4	7410	3194	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	4083.200195	4083.200195	1.12
1661	009	2964	0.07	2120	2	55	80	2.5	6	4	7410	5290	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	6179.200195	6179.200195	1.12
1661	017	3049	0.07	3640	2	55	80	2.5	6	4	7622	3982	RH-2	40	form-based			true	0.7	6	1	4	4	8537.200195	4897.200195	4897.200195	1.120073
1661	018	3049	0.07	3590	2	55	80	2.5	6	4	7622	4032	RH-2	40	form-based			true	0.7	6	1	4	4	8537.200195	4947.200195	4947.200195	1.120073
1661	024	3049	0.07	2826	2	55	80	2.5	6	4	7622	4796	RH-2	40	form-based			true	0.7	6	1	4	4	8537.200195	5711.200195	5711.200195	1.120073
1661	025	3049	0.07	3896	2	55	80	2.5	6	4	7622	3726	RH-2	40	form-based			true	0.7	6	1	4	4	8537.200195	4641.200195	4641.200195	1.120073
1661	026	3049	0.07	3220	2	55	80	2.5	6	4	7622	4402	RH-2	40	form-based			true	0.7	6	1	4	4	8537.200195	5317.200195	5317.200195	1.120073
1661	030	3049	0.07	2236	2	55	80	2.5	6	4	7622	5386	RH-2	40	form-based			true	0.7	6	1	4	4	8537.200195	6301.200195	6301.200195	1.120073
1661	032	2948	0.07	3412	2	55	80	2.5	6	4	7370	3958	RH-2	40	form-based			true	0.7	6	1	4	4	8254.399414	4842.399414	4842.399414	1.12
1661	035A	2300	0.05	1840	1	55	80	2.5	4	3	5750	3910	RH-2	40	form-based			true	0.7	5	1.25	4	4	6440	4600	4600	1.12
1661	036	2700	0.06	3090	2	55	80	2.5	5	3	6750	3660	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7560	4470	4470	1.12
1661	037	2500	0.06	1348	1	55	80	2.5	5	4	6250	4902	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5652	5652	1.12
1661	048	2964	0.07	1427	2	55	80	2.5	6	4	7410	5983	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	6872.200195	6872.200195	1.12
1661	050	2964	0.07	1512	2	55	80	2.5	6	4	7410	5898	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	6787.200195	6787.200195	1.12
1661	052	2868	0.07	1937	2	55	80	2.5	6	4	7170	5233	RH-2	40	form-based			true	0.7	6	1	4	4	8030.399902	6093.399902	6093.399902	1.12
1662	002	2948	0.07	3300	2	55	80	2.5	6	4	7370	4070	RH-2	40	form-based			true	0.7	6	1	4	4	8254.399414	4954.399414	4954.399414	1.12
1662	003	2948	0.07	2948	2	55	80	2.5	6	4	7370	4422	RH-2	40	form-based			true	0.7	6	1	4	4	8254.399414	5306.399414	5306.399414	1.12
1662	013	2948	0.07	3218	2	55	80	2.5	6	4	7370	4152	RH-2	40	form-based			true	0.7	6	1	4	4	8254.399414	5036.399414	5036.399414	1.12
1662	015	2948	0.07	4475	2	55	80	2.5	6	4	7370	2895	RH-2	40	form-based			true	0.7	6	1	4	4	8254.399414	3779.399414	3779.399414	1.12
1662	016	2948	0.07	3132	2	55	80	2.5	6	4	7370	4238	RH-2	40	form-based			true	0.7	6	1	4	4	8254.399414	5122.399414	5122.399414	1.12
1662	027	3047	0.07	3608	2	55	80	2.5	6	4	7618	4010	RH-2	40	form-based			true	0.7	6	1	4	4	8531.599609	4923.599609	4923.599609	1.119926
1662	028	3047	0.07	3480	2	55	80	2.5	6	4	7618	4138	RH-2	40	form-based			true	0.7	6	1	4	4	8531.599609	5051.599609	5051.599609	1.119926
1662	029	3047	0.07	3480	2	55	80	2.5	6	4	7618	4138	RH-2	40	form-based			true	0.7	6	1	4	4	8531.599609	5051.599609	5051.599609	1.119926
1662	029A	3047	0.07	3480	2	55	80	2.5	6	4	7618	4138	RH-2	40	form-based			true	0.7	6	1	4	4	8531.599609	5051.599609	5051.599609	1.119926
1662	030A	3047	0.07	3352	2	55	80	2.5	6	4	7618	4266	RH-2	40	form-based			true	0.7	6	1	4	4	8531.599609	5179.599609	5179.599609	1.119926
1662	030B	3047	0.07	3352	2	55	80	2.5	6	4	7618	4266	RH-2	40	form-based			true	0.7	6	1	4	4	8531.599609	5179.599609	5179.599609	1.119926
1662	031	3047	0.07	3837	2	55	80	2.5	6	4	7618	3781	RH-2	40	form-based			true	0.7	6	1	4	4	8531.599609	4694.599609	4694.599609	1.119926
1662	032	3047	0.07	3352	2	55	80	2.5	6	4	7618	4266	RH-2	40	form-based			true	0.7	6	1	4	4	8531.599609	5179.599609	5179.599609	1.119926
1662	033	3047	0.07	3080	2	55	80	2.5	6	4	7618	4538	RH-2	40	form-based			true	0.7	6	1	4	4	8531.599609	5451.599609	5451.599609	1.119926
1662	034	3047	0.07	3080	2	55	80	2.5	6	4	7618	4538	RH-2	40	form-based			true	0.7	6	1	4	4	8531.599609	5451.599609	5451.599609	1.119926
1662	035	3047	0.07	3080	2	55	80	2.5	6	4	7618	4538	RH-2	40	form-based			true	0.7	6	1	4	4	8531.599609	5451.599609	5451.599609	1.119926
1662	036	3047	0.07	3540	2	55	80	2.5	6	4	7618	4078	RH-2	40	form-based			true	0.7	6	1	4	4	8531.599609	4991.599609	4991.599609	1.119926
1662	041	2500	0.06	1380	1	55	80	2.5	5	4	6250	4870	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5620	5620	1.12
1662	042	2500	0.06	1260	1	55	80	2.5	5	4	6250	4990	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5740	5740	1.12
1662	044	3047	0.07	3480	2	55	80	2.5	6	4	7618	4138	RH-2	40	form-based			true	0.7	6	1	4	4	8531.599609	5051.599609	5051.599609	1.119926
1663	005	2953	0.07	3240	2	55	80	2.5	6	4	7382	4142	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	5028.399414	5028.399414	1.120076
1663	006	2953	0.07	3350	2	55	80	2.5	6	4	7382	4032	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	4918.399414	4918.399414	1.120076
1663	007	2953	0.07	3350	2	55	80	2.5	6	4	7382	4032	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	4918.399414	4918.399414	1.120076
1663	009	2953	0.07	3610	2	55	80	2.5	6	4	7382	3772	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	4658.399414	4658.399414	1.120076
1663	010	2953	0.07	2950	2	55	80	2.5	6	4	7382	4432	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	5318.399414	5318.399414	1.120076
1663	011	2953	0.07	3980	2	55	80	2.5	6	4	7382	3402	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	4288.399414	4288.399414	1.120076
1663	012	2953	0.07	3060	2	55	80	2.5	6	4	7382	4322	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	5208.399414	5208.399414	1.120076
1663	015	2953	0.07	3184	2	55	80	2.5	6	4	7382	4198	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	5084.399414	5084.399414	1.120076
1663	017	2953	0.07	4144	2	55	80	2.5	6	4	7382	3238	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	4124.399414	4124.399414	1.120076
1663	023C	3388	0.08	3434	3	55	80	2.5	6	3	8470	5036	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9486.399414	6052.399414	6052.399414	1.12
1663	029	3000	0.07	4011	2	55	80	2.5	6	4	7500	3489	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4389	4389	1.12
1663	032	2500	0.06	1450	1	55	80	2.5	5	4	6250	4800	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5550	5550	1.12
1663	033	2500	0.06	1872	1	55	80	2.5	5	4	6250	4378	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5128	5128	1.12
1663	035	3025	0.07	4553	2	55	80	2.5	6	4	7562	3009	RH-2	40	form-based			true	0.7	6	1	4	4	8470	3917	3917	1.120074
1663	041	2953	0.07	1614	2	55	80	2.5	6	4	7382	5768	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	6654.399414	6654.399414	1.120076
1663	043	2953	0.07	1562	2	55	80	2.5	6	4	7382	5820	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	6706.399414	6706.399414	1.120076
1664	001A	2731	0.06	3358	2	55	80	2.5	5	3	6828	3470	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7646.799805	4288.799805	4288.799805	1.119918
1664	004	3000	0.07	4225	2	55	80	2.5	6	4	7500	3275	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4175	4175	1.12
1664	005	3000	0.07	3418	2	55	80	2.5	6	4	7500	4082	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4982	4982	1.12
1664	007	3000	0.07	3654	2	55	80	2.5	6	4	7500	3846	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4746	4746	1.12
1664	008	3600	0.08	4482	4	55	80	2.5	6	2	9000	4518	RH-2	40	form-based			true	0.7	8	1.333333373	4	4	10080	5598	5598	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1664	010	3000	0.07	3210	2	55	80	2.5	6	4	7500	4290	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5190	5190	1.12
1664	011	3000	0.07	3210	2	55	80	2.5	6	4	7500	4290	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5190	5190	1.12
1664	011A	3000	0.07	3210	2	55	80	2.5	6	4	7500	4290	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5190	5190	1.12
1664	015	3000	0.07	3350	2	55	80	2.5	6	4	7500	4150	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5050	5050	1.12
1664	026	2910	0.07	3550	2	55	80	2.5	6	4	7275	3725	RH-2	40	form-based			true	0.7	6	1	4	4	8148	4598	4598	1.12
1664	026A	3024	0.07	3450	2	55	80	2.5	6	4	7560	4110	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	5017.200195	5017.200195	1.12
1664	027	3024	0.07	3450	2	55	80	2.5	6	4	7560	4110	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	5017.200195	5017.200195	1.12
1664	028	3024	0.07	3450	2	55	80	2.5	6	4	7560	4110	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	5017.200195	5017.200195	1.12
1664	029	3024	0.07	3410	2	55	80	2.5	6	4	7560	4150	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	5057.200195	5057.200195	1.12
1664	030	3024	0.07	4164	2	55	80	2.5	6	4	7560	3396	RH-2	40	form-based			true	0.7	6	1	4	4	8467.200195	4303.200195	4303.200195	1.12
1664	041	2399	0.06	1345	1	55	80	2.5	5	4	5998	4653	RH-2	40	form-based			true	0.7	5	1	4	4	6717.199707	5372.199707	5372.199707	1.119907
1664	042	2399	0.06	1345	1	55	80	2.5	5	4	5998	4653	RH-2	40	form-based			true	0.7	5	1	4	4	6717.199707	5372.199707	5372.199707	1.119907
1664	046	2500	0.06	1550	1	55	80	2.5	5	4	6250	4700	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5450	5450	1.12
1664	047	3000	0.07	2509	2	55	80	2.5	6	4	7500	4991	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5891	5891	1.12
1664	051	2731	0.06	1473	2	55	80	2.5	5	3	6828	5355	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7646.799805	6173.799805	6173.799805	1.119918
1665	006	2940	0.07	2198	2	55	80	2.5	6	4	7350	5152	RH-2	40	form-based			true	0.7	6	1	4	4	8232	6034	6034	1.12
1665	034	3056	0.07	3180	2	55	80	2.5	6	4	7640	4460	RH-2	40	form-based			true	0.7	6	1	4	4	8556.799805	5376.799805	5376.799805	1.12
1665	052	2500	0.06	2050	1	55	80	2.5	5	4	6250	4200	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4950	4950	1.12
1665	053	2500	0.06	2050	1	55	80	2.5	5	4	6250	4200	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4950	4950	1.12
1665	054	2500	0.06	2050	1	55	80	2.5	5	4	6250	4200	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4950	4950	1.12
1666	043	2996	0.07	1550	2	55	80	2.5	6	4	7490	5940	RH-2	40	form-based			true	0.7	6	1	4	4	8388.799805	6838.799805	6838.799805	1.12
1667	002	2383	0.05	2240	1	55	80	2.5	4	3	5958	3718	RH-2	40	form-based			true	0.7	5	1.25	4	4	6672.399902	4432.399902	4432.399902	1.119906
1667	003	2383	0.05	2240	1	55	80	2.5	4	3	5958	3718	RH-2	40	form-based			true	0.7	5	1.25	4	4	6672.399902	4432.399902	4432.399902	1.119906
1667	004	2383	0.05	2855	1	55	80	2.5	4	3	5958	3103	RH-2	40	form-based			true	0.7	5	1.25	4	4	6672.399902	3817.399902	3817.399902	1.119906
1667	007	3008	0.07	3240	2	55	80	2.5	6	4	7520	4280	RH-2	40	form-based			true	0.7	6	1	4	4	8422.399414	5182.399414	5182.399414	1.12
1667	008	3008	0.07	3240	2	55	80	2.5	6	4	7520	4280	RH-2	40	form-based			true	0.7	6	1	4	4	8422.399414	5182.399414	5182.399414	1.12
1667	009	3008	0.07	5036	2	55	80	2.5	6	4	7520	2484	RH-2	40	form-based			true	0.7	6	1	4	4	8422.399414	3386.399414	3386.399414	1.12
1667	014	3008	0.07	3707	2	55	80	2.5	6	4	7520	3813	RH-2	40	form-based			true	0.7	6	1	4	4	8422.399414	4715.399414	4715.399414	1.12
1667	019	3008	0.07	2545	2	55	80	2.5	6	4	7520	4975	RH-2	40	form-based			true	0.7	6	1	4	4	8422.399414	5877.399414	5877.399414	1.12
1667	020	3008	0.07	2525	2	55	80	2.5	6	4	7520	4995	RH-2	40	form-based			true	0.7	6	1	4	4	8422.399414	5897.399414	5897.399414	1.12
1667	042	3000	0.07	3405	2	55	80	2.5	6	4	7500	4095	RM-1	40	form-based			true	0.7	6	1	4	4	8400	4995	4995	1.12
1667	043	3000	0.07	3405	2	55	80	2.5	6	4	7500	4095	RM-1	40	form-based			true	0.7	6	1	4	4	8400	4995	4995	1.12
1667	044	3000	0.07	3405	2	55	80	2.5	6	4	7500	4095	RM-1	40	form-based			true	0.7	6	1	4	4	8400	4995	4995	1.12
1667	045	3000	0.07	3405	2	55	80	2.5	6	4	7500	4095	RM-1	40	form-based			true	0.7	6	1	4	4	8400	4995	4995	1.12
1668	010	3410	0.08	4190	3	55	80	2.5	6	3	8525	4335	RM-1	40	form-based			true	0.7	7	1.166666627	4	4	9548	5358	5358	1.12
1668	020	3001	0.07	3400	2	55	80	2.5	6	4	7502	4102	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	5002.799805	5002.799805	1.120075
1668	021	3001	0.07	3602	2	55	80	2.5	6	4	7502	3900	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	4800.799805	4800.799805	1.120075
1668	024	2751	0.06	3370	2	55	80	2.5	5	3	6878	3508	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7702.799805	4332.799805	4332.799805	1.119919
1668	025	3001	0.07	3370	2	55	80	2.5	6	4	7502	4132	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	5032.799805	5032.799805	1.120075
1668	028	3001	0.07	3350	2	55	80	2.5	6	4	7502	4152	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	5052.799805	5052.799805	1.120075
1668	031	3001	0.07	3020	2	55	80	2.5	6	4	7502	4482	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	5382.799805	5382.799805	1.120075
1668	032	3001	0.07	3020	2	55	80	2.5	6	4	7502	4482	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	5382.799805	5382.799805	1.120075
1668	033	3001	0.07	4135	2	55	80	2.5	6	4	7502	3367	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	4267.799805	4267.799805	1.120075
1668	050	3001	0.07	1662	2	55	80	2.5	6	4	7502	5840	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	6740.799805	6740.799805	1.120075
1668	052	3001	0.07	1500	2	55	80	2.5	6	4	7502	6002	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	6902.799805	6902.799805	1.120075
1668	058	3001	0.07	1823	2	55	80	2.5	6	4	7502	5679	RH-2	40	form-based			true	0.7	6	1	4	4	8402.799805	6579.799805	6579.799805	1.120075
1669	016	2473	0.06	2189	1	55	80	2.5	5	4	6182	3993	RH-2	40	form-based			true	0.7	5	1	4	4	6924.399902	4735.399902	4735.399902	1.120091
1669	017	2473	0.06	1449	1	55	80	2.5	5	4	6182	4733	RH-2	40	form-based			true	0.7	5	1	4	4	6924.399902	5475.399902	5475.399902	1.120091
1669	018	2473	0.06	2055	1	55	80	2.5	5	4	6182	4127	RH-2	40	form-based			true	0.7	5	1	4	4	6924.399902	4869.399902	4869.399902	1.120091
1669	020	2473	0.06	1268	1	55	80	2.5	5	4	6182	4914	RH-2	40	form-based			true	0.7	5	1	4	4	6924.399902	5656.399902	5656.399902	1.120091
1670	001C	2250	0.05	1595	1	55	80	2.5	4	3	5625	4030	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4705	4705	1.12
1669	027	3536	0.08	3290	3	55	80	2.5	6	3	8840	5550	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9900.799805	6610.799805	6610.799805	1.12
1669	040	2536	0.06	1645	1	55	80	2.5	5	4	6340	4695	RH-2	40	form-based			true	0.7	5	1	4	4	7100.799805	5455.799805	5455.799805	1.12
1669	041	2536	0.06	1745	1	55	80	2.5	5	4	6340	4595	RH-2	40	form-based			true	0.7	5	1	4	4	7100.799805	5355.799805	5355.799805	1.12
1669	042	2536	0.06	1504	1	55	80	2.5	5	4	6340	4836	RH-2	40	form-based			true	0.7	5	1	4	4	7100.799805	5596.799805	5596.799805	1.12
1669	043	2536	0.06	1925	1	55	80	2.5	5	4	6340	4415	RH-2	40	form-based	true		true	0.7	5	1	4	4	7100.799805	5175.799805	5175.799805	1.12
1670	001A	2143	0.05	1820	1	55	80	2.5	4	3	5358	3538	RH-2	40	form-based			true	0.7	5	1.25	4	4	6000.399902	4180.399902	4180.399902	1.119895
1670	001B	2250	0.05	2240	1	55	80	2.5	4	3	5625	3385	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4060	4060	1.12
1670	006	2953	0.07	3610	2	55	80	2.5	6	4	7382	3772	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	4658.399414	4658.399414	1.120076
1670	007	2953	0.07	3836	2	55	80	2.5	6	4	7382	3546	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	4432.399414	4432.399414	1.120076
1670	008	2953	0.07	4113	2	55	80	2.5	6	4	7382	3269	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	4155.399414	4155.399414	1.120076
1670	010	2953	0.07	3372	2	55	80	2.5	6	4	7382	4010	RH-2	40	form-based			true	0.7	6	1	4	4	8268.399414	4896.399414	4896.399414	1.120076
1670	017	3000	0.07	5993	2	55	80	2.5	6	4	7500	1507	RH-2	40	form-based			true	0.7	6	1	4	4	8400	2407	2407	1.12
1670	021	2375	0.05	1850	1	55	80	2.5	4	3	5938	4088	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4800	4800	1.119906

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1670	022	2375	0.05	2148	1	55	80	2.5	4	3	5938	3790	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4502	4502	1.119906
1670	023	2375	0.05	1840	1	55	80	2.5	4	3	5938	4098	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4810	4810	1.119906
1670	023A	2375	0.05	2215	1	55	80	2.5	4	3	5938	3723	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6650	4435	4435	1.119906
1670	024	2500	0.06	1312	1	55	80	2.5	5	4	6250	4938	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5688	5688	1.12
1671	009	2399	0.06	1665	1	55	80	2.5	5	4	5998	4333	RH-2	40	form-based			true	0.7	5	1	4	4	6717.199707	5052.199707	5052.199707	1.119907
1671	010	2399	0.06	1679	1	55	80	2.5	5	4	5998	4319	RH-2	40	form-based			true	0.7	5	1	4	4	6717.199707	5038.199707	5038.199707	1.119907
1671	011	2399	0.06	1405	1	55	80	2.5	5	4	5998	4593	RH-2	40	form-based			true	0.7	5	1	4	4	6717.199707	5312.199707	5312.199707	1.119907
1671	012	2399	0.06	2007	1	55	80	2.5	5	4	5998	3991	RH-2	40	form-based			true	0.7	5	1	4	4	6717.199707	4710.199707	4710.199707	1.119907
1672	004	3015	0.07	3020	2	55	80	2.5	6	4	7538	4518	RH-2	40	form-based			true	0.7	6	1	4	4	8442	5422	5422	1.119926
1672	004A	3015	0.07	3500	2	55	80	2.5	6	4	7538	4038	RH-2	40	form-based			true	0.7	6	1	4	4	8442	4942	4942	1.119926
1672	004B	3015	0.07	3738	2	55	80	2.5	6	4	7538	3800	RH-2	40	form-based			true	0.7	6	1	4	4	8442	4704	4704	1.119926
1672	008	3015	0.07	3224	2	55	80	2.5	6	4	7538	4314	RH-2	40	form-based			true	0.7	6	1	4	4	8442	5218	5218	1.119926
1672	024	3000	0.07	2125	2	55	80	2.5	6	4	7500	5375	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6275	6275	1.12
1672	030	3000	0.07	3880	2	55	80	2.5	6	4	7500	3620	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4520	4520	1.12
1672	033	2375	0.05	1581	1	55	80	2.5	4	3	5938	4357	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	5069	5069	1.119906
1672	034	2375	0.05	2271	1	55	80	2.5	4	3	5938	3667	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4379	4379	1.119906
1672	035	2375	0.05	1765	1	55	80	2.5	4	3	5938	4173	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4885	4885	1.119906
1672	036	2255	0.05	1811	1	55	80	2.5	4	3	5638	3827	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6314	4503	4503	1.119901
1673	003	2353	0.05	2475	1	55	80	2.5	4	3	5882	3407	RH-2	40	form-based			true	0.7	5	1.25	4	4	6588.399902	4113.399902	4113.399902	1.120095
1673	004	2353	0.05	2302	1	55	80	2.5	4	3	5882	3580	RH-2	40	form-based			true	0.7	5	1.25	4	4	6588.399902	4286.399902	4286.399902	1.120095
1673	005	2978	0.07	2280	2	55	80	2.5	6	4	7445	5165	RH-2	40	form-based			true	0.7	6	1	4	4	8338.399414	6058.399414	6058.399414	1.12
1673	008	2978	0.07	2350	2	55	80	2.5	6	4	7445	5095	RH-2	40	form-based			true	0.7	6	1	4	4	8338.399414	5988.399414	5988.399414	1.12
1673	009	2978	0.07	2498	2	55	80	2.5	6	4	7445	4947	RH-2	40	form-based			true	0.7	6	1	4	4	8338.399414	5840.399414	5840.399414	1.12
1673	010	2978	0.07	2280	2	55	80	2.5	6	4	7445	5165	RH-2	40	form-based			true	0.7	6	1	4	4	8338.399414	6058.399414	6058.399414	1.12
1673	011	2978	0.07	2658	2	55	80	2.5	6	4	7445	4787	RH-2	40	form-based			true	0.7	6	1	4	4	8338.399414	5680.399414	5680.399414	1.12
1673	015	2978	0.07	3170	2	55	80	2.5	6	4	7445	4275	RH-2	40	form-based			true	0.7	6	1	4	4	8338.399414	5168.399414	5168.399414	1.12
1673	017	2978	0.07	3000	2	55	80	2.5	6	4	7445	4445	RH-2	40	form-based			true	0.7	6	1	4	4	8338.399414	5338.399414	5338.399414	1.12
1673	030	3036	0.07	4000	2	55	80	2.5	6	4	7590	3590	RH-2	40	form-based			true	0.7	6	1	4	4	8500.799805	4500.799805	4500.799805	1.12
1673	037	3036	0.07	3896	2	55	80	2.5	6	4	7590	3694	RH-2	40	form-based			true	0.7	6	1	4	4	8500.799805	4604.799805	4604.799805	1.12
1673	039	3036	0.07	3350	2	55	80	2.5	6	4	7590	4240	RH-2	40	form-based			true	0.7	6	1	4	4	8500.799805	5150.799805	5150.799805	1.12
1673	047	2411	0.06	1875	1	55	80	2.5	5	4	6028	4153	RH-2	40	form-based			true	0.7	5	1	4	4	6750.799805	4875.799805	4875.799805	1.119907
1673	048	2411	0.06	1450	1	55	80	2.5	5	4	6028	4578	RH-2	40	form-based			true	0.7	5	1	4	4	6750.799805	5300.799805	5300.799805	1.119907
1673	049	2286	0.05	1800	1	55	80	2.5	4	3	5715	3915	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6400.799805	4600.799805	4600.799805	1.12
1673	050	2468	0.06	1600	1	55	80	2.5	5	4	6170	4570	RH-2	40	form-based			true	0.7	5	1	4	4	6910.399902	5310.399902	5310.399902	1.12
1673	051	2468	0.06	2050	1	55	80	2.5	5	4	6170	4120	RH-2	40	form-based			true	0.7	5	1	4	4	6910.399902	4860.399902	4860.399902	1.12
1673	064	2978	0.07	1048	2	55	80	2.5	6	4	7445	6397	RH-2	40	form-based			true	0.7	6	1	4	4	8338.399414	7290.399414	7290.399414	1.12
1673	066	3036	0.07	1675	2	55	80	2.5	6	4	7590	5915	RH-2	40	form-based			true	0.7	6	1	4	4	8500.799805	6825.799805	6825.799805	1.12
1674	001B	2378	0.05	3451	1	55	80	2.5	4	3	5945	2494	RH-2	40	form-based			true	0.7	5	1.25	4	4	6658.399902	3207.399902	3207.399902	1.12
1674	005	3003	0.07	4250	2	55	80	2.5	6	4	7508	3258	RH-2	40	form-based			true	0.7	6	1	4	4	8408.399414	4158.399414	4158.399414	1.119925
1674	007G	3000	0.07	4085	2	55	80	2.5	6	4	7500	3415	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4315	4315	1.12
1674	007H	3000	0.07	4085	2	55	80	2.5	6	4	7500	3415	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4315	4315	1.12
1674	018	2375	0.05	2300	1	55	80	2.5	4	3	5938	3638	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4350	4350	1.119906
1674	019	2248	0.05	2396	1	55	80	2.5	4	3	5620	3224	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6294.399902	3898.399902	3898.399902	1.12
1674	020	2467	0.06	2264	1	55	80	2.5	5	4	6168	3904	RH-2	40	form-based			true	0.7	5	1	4	4	6907.600098	4643.600098	4643.600098	1.119909
1674	021	2467	0.06	2067	1	55	80	2.5	5	4	6168	4101	RH-2	40	form-based			true	0.7	5	1	4	4	6907.600098	4840.600098	4840.600098	1.119909
1675	001	2265	0.05	1950	1	55	80	2.5	4	3	5662	3712	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6342	4392	4392	1.120099
1675	001A	2396	0.06	1425	1	55	80	2.5	5	4	5990	4565	RH-2	40	form-based			true	0.7	5	1	4	4	6708.799805	5283.799805	5283.799805	1.12
1675	007	3000	0.07	2384	2	55	80	2.5	6	4	7500	5116	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6016	6016	1.12
1675	008	3000	0.07	2384	2	55	80	2.5	6	4	7500	5116	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6016	6016	1.12
1675	009	3000	0.07	2969	2	55	80	2.5	6	4	7500	4531	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5431	5431	1.12
1675	010	3000	0.07	3010	2	55	80	2.5	6	4	7500	4490	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5390	5390	1.12
1675	012	3000	0.07	3010	2	55	80	2.5	6	4	7500	4490	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5390	5390	1.12
1675	017	3000	0.07	3010	2	55	80	2.5	6	4	7500	4490	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5390	5390	1.12
1675	019	3000	0.07	3010	2	55	80	2.5	6	4	7500	4490	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5390	5390	1.12
1675	020	3000	0.07	3010	2	55	80	2.5	6	4	7500	4490	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5390	5390	1.12
1675	021	3000	0.07	3010	2	55	80	2.5	6	4	7500	4490	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5390	5390	1.12
1675	022	3000	0.07	3010	2	55	80	2.5	6	4	7500	4490	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5390	5390	1.12
1675	023	2375	0.05	1898	1	55	80	2.5	4	3	5938	4040	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4752	4752	1.119906
1675	024	2375	0.05	1790	1	55	80	2.5	4	3	5938	4148	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4860	4860	1.119906
1675	027	2466	0.06	1715	1	55	80	2.5	5	4	6165	4450	RH-2	40	form-based			true	0.7	5	1	4	4	6904.799805	5189.799805	5189.799805	1.12
1675	035	3000	0.07	1505	2	55	80	2.5	6	4	7500	5995	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6895	6895	1.12
1675	037	1114	0.03	951	2	55	80	2.5	2	0	2785	1834	RTO-C	85	form-based			true	0.75	6	3	4	2	6684	5733	4619	2.4
1676	001	2484	0.06	2328	1	55	80	2.5	5	4	6210	3882	RH-2	40	form-based		true	true	0.7	5	1	4	4	6955.199707	4627.199707	4627.199707	1.12
1676	022	2375	0.05	1325	1	55	80	2.5	4	3	5938	4613	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	5325	5325	1.119906

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1676	023	2375	0.05	1424	1	55	80	2.5	4	3	5938	4514	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	5226	5226	1.119906
1676	024	2375	0.05	740	1	55	80	2.5	4	3	5938	5198	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	5910	5910	1.119906
1676	025	2240	0.05	2465	1	55	80	2.5	4	3	5600	3135	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6272	3807	3807	1.12
1677	001A	2657	0.06	3116	2	55	80	2.5	5	3	6642	3526	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7439.600098	4323.600098	4323.600098	1.120084
1677	010E	3000	0.07	3418	2	55	80	2.5	6	4	7500	4082	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4982	4982	1.12
1678	001	2234	0.05	1961	1	55	80	2.5	4	3	5585	3624	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6255.199707	4294.199707	4294.199707	1.12
1678	001A	2375	0.05	1320	1	55	80	2.5	4	3	5938	4618	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	5330	5330	1.119906
1678	002	2375	0.05	1300	1	55	80	2.5	4	3	5938	4638	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	5350	5350	1.119906
1678	003	2375	0.05	1744	1	55	80	2.5	4	3	5938	4194	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	4906	4906	1.119906
1678	004	3000	0.07	3189	2	55	80	2.5	6	4	7500	4311	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5211	5211	1.12
1678	011	3000	0.07	4107	2	55	80	2.5	6	4	7500	3393	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4293	4293	1.12
1678	014	3000	0.07	2068	2	55	80	2.5	6	4	7500	5432	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6332	6332	1.12
1678	014B	3000	0.07	2450	2	55	80	2.5	6	4	7500	5050	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5950	5950	1.12
1678	021A	2678	0.06	2154	2	55	80	2.5	5	3	6695	4541	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7498.399902	5344.399902	5344.399902	1.12
1678	023	2989	0.07	3996	2	55	80	2.5	6	4	7472	3476	RH-2	40	form-based			true	0.7	6	1	4	4	8369.200195	4373.200195	4373.200195	1.120075
1678	028	2989	0.07	3605	2	55	80	2.5	6	4	7472	3867	RH-2	40	form-based			true	0.7	6	1	4	4	8369.200195	4764.200195	4764.200195	1.120075
1678	030C	2364	0.05	1388	1	55	80	2.5	4	3	5910	4522	RH-2	40	form-based			true	0.7	5	1.25	4	4	6619.199707	5231.199707	5231.199707	1.12
1678	032	2463	0.06	2478	1	55	80	2.5	5	4	6158	3680	RH-2	40	form-based			true	0.7	5	1	4	4	6896.399902	4418.399902	4418.399902	1.119909
1679	001B	2156	0.05	1175	1	55	80	2.5	4	3	5390	4215	RH-2	40	form-based			true	0.7	5	1.25	4	4	6036.799805	4861.799805	4861.799805	1.12
1679	001C	2156	0.05	1325	1	55	80	2.5	4	3	5390	4065	RH-2	40	form-based			true	0.7	5	1.25	4	4	6036.799805	4711.799805	4711.799805	1.12
1679	001D	2157	0.05	1567	1	55	80	2.5	4	3	5392	3825	RH-2	40	form-based			true	0.7	5	1.25	4	4	6039.600098	4472.600098	4472.600098	1.120104
1679	001E	2462	0.06	1170	1	55	80	2.5	5	4	6155	4985	RH-2	40	form-based			true	0.7	5	1	4	4	6893.600098	5723.600098	5723.600098	1.12
1679	001J	2462	0.06	1790	1	55	80	2.5	5	4	6155	4365	RH-2	40	form-based			true	0.7	5	1	4	4	6893.600098	5103.600098	5103.600098	1.12
1679	001K	2462	0.06	1464	1	55	80	2.5	5	4	6155	4691	RH-2	40	form-based			true	0.7	5	1	4	4	6893.600098	5429.600098	5429.600098	1.12
1679	003	3095	0.07	2300	2	55	80	2.5	6	4	7738	5438	RH-2	40	form-based			true	0.7	6	1	4	4	8666	6366	6366	1.119928
1679	006A	3096	0.07	2990	3	55	80	2.5	6	3	7740	4750	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8668.799805	5678.799805	5678.799805	1.12
1679	026	3094	0.07	3136	2	55	80	2.5	6	4	7735	4599	RH-2	40	form-based			true	0.7	6	1	4	4	8663.200195	5527.200195	5527.200195	1.12
1680	002	2977	0.07	2000	2	55	80	2.5	6	4	7442	5442	RH-2	40	form-based			true	0.7	6	1	4	4	8335.599609	6335.599609	6335.599609	1.120075
1680	004	2976	0.07	2216	2	55	80	2.5	6	4	7440	5224	RH-2	40	form-based			true	0.7	6	1	4	4	8332.799805	6116.799805	6116.799805	1.12
1680	028C	3000	0.07	3000	2	55	80	2.5	6	4	7500	4500	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5400	5400	1.12
1680	031	3000	0.07	2950	2	55	80	2.5	6	4	7500	4550	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5450	5450	1.12
1681	001	2212	0.05	2983	1	55	80	2.5	4	3	5530	2547	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6193.600098	3210.600098	3210.600098	1.12
1681	001B	2364	0.05	2242	1	55	80	2.5	4	3	5910	3668	RH-2	40	form-based			true	0.7	5	1.25	4	4	6619.199707	4377.199707	4377.199707	1.12
1681	001C	2364	0.05	1415	1	55	80	2.5	4	3	5910	4495	RH-2	40	form-based			true	0.7	5	1.25	4	4	6619.199707	5204.199707	5204.199707	1.12
1702	020	2500	0.06	961	1	65	100	3	6	5	7500	6539	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6039	6039	0.933333
1702	021	2500	0.06	961	1	65	100	3	6	5	7500	6539	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6039	6039	0.933333
1702	022	2500	0.06	961	1	65	100	3	6	5	7500	6539	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6039	6039	0.933333
1702	069	3000	0.07	3788	2	65	100	3	7	5	9000	5212	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4612	4612	0.933333
1703	004	2983	0.07	1978	2	65	100	3	7	5	8949	6971	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	6374.399414	6374.399414	0.933333
1703	005	2983	0.07	2533	2	65	100	3	7	5	8949	6416	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	5819.399414	5819.399414	0.933333
1703	007	2983	0.07	1742	2	65	100	3	7	5	8949	7207	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	6610.399414	6610.399414	0.933333
1703	010	2983	0.07	2470	2	65	100	3	7	5	8949	6479	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	5882.399414	5882.399414	0.933333
1703	012	2983	0.07	1236	2	65	100	3	7	5	8949	7713	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	7116.399414	7116.399414	0.933333
1703	014	2983	0.07	3123	2	65	100	3	7	5	8949	5826	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	5229.399414	5229.399414	0.933333
1703	026	3000	0.07	2225	2	65	100	3	7	5	9000	6775	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6175	6175	0.933333
1703	027	3000	0.07	2225	2	65	100	3	7	5	9000	6775	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6175	6175	0.933333
1703	028	3000	0.07	2225	2	65	100	3	7	5	9000	6775	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6175	6175	0.933333
1703	029	3000	0.07	1500	2	65	100	3	7	5	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6900	6900	0.933333
1703	030	3000	0.07	3070	2	65	100	3	7	5	9000	5930	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5330	5330	0.933333
1703	031	3000	0.07	4523	2	65	100	3	7	5	9000	4477	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	3877	3877	0.933333
1703	039	3000	0.07	1794	2	65	100	3	7	5	9000	7206	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6606	6606	0.933333
1703	042	1438	0.03	850	1	65	100	3	3	2	4314	3464	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5621	5621	1.5
1703	042A	1437	0.03	850	1	65	100	3	3	2	4311	3461	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5616.5	5616.5	1.5
1703	043	1438	0.03	850	1	65	100	3	3	2	4314	3464	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5621	5621	1.5
1703	043A	1438	0.03	1250	1	65	100	3	3	2	4314	3064	RTO-C	65	form-based		true	true	0.75	5	1.666666627	4	4	6471	5221	5221	1.5
1704	004	3000	0.07	2400	2	65	100	3	7	5	9000	6600	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6000	6000	0.933333
1704	007	3000	0.07	3050	2	65	100	3	7	5	9000	5950	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5350	5350	0.933333
1704	008	3000	0.07	2000	2	65	100	3	7	5	9000	7000	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6400	6400	0.933333
1704	010	3000	0.07	1672	2	65	100	3	7	5	9000	7328	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6728	6728	0.933333
1704	012	3000	0.07	2970	2	65	100	3	7	5	9000	6030	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5430	5430	0.933333
1704	013	3000	0.07	1540	2	65	100	3	7	5	9000	7460	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6860	6860	0.933333
1704	024A	1437	0.03	1012	1	65	100	3	3	2	4311	3299	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5454.5	5454.5	1.5
1704	024B	1437	0.03	1186	1	65	100	3	3	2	4311	3125	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5280.5	5280.5	1.5
1704	024C	1437	0.03	1192	1	65	100	3	3	2	4311	3119	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5274.5	5274.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1704	026	2986	0.07	2856	2	65	100	3	7	5	8958	6102	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8360.799805	5504.799805	5504.799805	0.933333
1704	027	3003	0.07	3000	2	65	100	3	7	5	9009	6009	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8408.399414	5408.399414	5408.399414	0.933333
1704	042	1437	0.03	1110	1	65	100	3	3	2	4311	3201	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5356.5	5356.5	1.5
1704	042A	1437	0.03	1000	1	65	100	3	3	2	4311	3311	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5466.5	5466.5	1.5
1704	042B	1437	0.03	1000	1	65	100	3	3	2	4311	3311	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5466.5	5466.5	1.5
1704	043	1437	0.03	1252	1	65	100	3	3	2	4311	3059	RTO-C	65	form-based		true	true	0.75	5	1.666666627	4	4	6466.5	5214.5	5214.5	1.5
1704	052	3003	0.07	2111	2	65	100	3	7	5	9009	6898	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8408.399414	6297.399414	6297.399414	0.933333
1704	054	3003	0.07	1315	2	65	100	3	7	5	9009	7694	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8408.399414	7093.399414	7093.399414	0.933333
1705	002	3000	0.07	3470	2	65	100	3	7	5	9000	5530	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4930	4930	0.933333
1705	004	3000	0.07	1460	2	65	100	3	7	5	9000	7540	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6940	6940	0.933333
1705	005	3000	0.07	1672	2	65	100	3	7	5	9000	7328	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6728	6728	0.933333
1705	008	3000	0.07	3428	2	65	100	3	7	5	9000	5572	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4972	4972	0.933333
1705	009	3000	0.07	1265	2	65	100	3	7	5	9000	7735	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7135	7135	0.933333
1705	013	3000	0.07	4466	2	65	100	3	7	5	9000	4534	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	3934	3934	0.933333
1705	014	3000	0.07	2694	2	65	100	3	7	5	9000	6306	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5706	5706	0.933333
1705	015	3000	0.07	3009	2	65	100	3	7	5	9000	5991	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5391	5391	0.933333
1705	018	3250	0.07	5896	8	65	100	3	7	0	9750	3854	RTO-C	65	form-based		true	true	0.75	12	1.714285731	4	4	14625	8729	8729	1.5
1705	025	1442	0.03	1930	1	65	100	3	3	2	4326	2396	RTO-C	65	form-based		true	true	0.75	5	1.666666627	4	4	6489	4559	4559	1.5
1705	025A	1442	0.03	925	1	65	100	3	3	2	4326	3401	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6489	5564	5564	1.5
1705	025B	1442	0.03	925	1	65	100	3	3	2	4326	3401	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6489	5564	5564	1.5
1705	033	3005	0.07	3340	2	65	100	3	7	5	9015	5675	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	5074	5074	0.933333
1705	034	3005	0.07	4350	2	65	100	3	7	5	9015	4665	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	4064	4064	0.933333
1705	035	3005	0.07	3940	2	65	100	3	7	5	9015	5075	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	4474	4474	0.933333
1705	037	3005	0.07	2300	2	65	100	3	7	5	9015	6715	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	6114	6114	0.933333
1705	045	2500	0.06	3860	5	65	100	3	6	1	7500	3640	RTO-C	65	form-based			true	0.75	9	1.5	4	4	11250	7390	7390	1.5
1706	002	3000	0.07	4459	2	65	100	3	7	5	9000	4541	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	3941	3941	0.933333
1706	005	3000	0.07	2070	2	65	100	3	7	5	9000	6930	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6330	6330	0.933333
1706	009	3000	0.07	2035	2	65	100	3	7	5	9000	6965	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6365	6365	0.933333
1706	033	3004	0.07	1796	2	65	100	3	7	5	9012	7216	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	6615.200195	6615.200195	0.933333
1706	055	1438	0.03	800	1	65	100	3	3	2	4314	3514	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5671	5671	1.5
1706	059	1438	0.03	800	1	65	100	3	3	2	4314	3514	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5671	5671	1.5
1706	060	1437	0.03	1100	1	65	100	3	3	2	4311	3211	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5366.5	5366.5	1.5
1706	063	3004	0.07	1305	2	65	100	3	7	5	9012	7707	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	7106.200195	7106.200195	0.933333
1707	001	1437	0.03	850	1	65	100	3	3	2	4311	3461	RTO-C	65	form-based		true	true	0.75	5	1.666666627	4	4	6466.5	5616.5	5616.5	1.5
1707	001A	1438	0.03	850	1	65	100	3	3	2	4314	3464	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5621	5621	1.5
1707	001B	1437	0.03	850	1	65	100	3	3	2	4311	3461	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5616.5	5616.5	1.5
1707	001C	1438	0.03	1452	1	65	100	3	3	2	4314	2862	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5019	5019	1.5
1707	015	3013	0.07	1530	2	65	100	3	7	5	9039	7509	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	6906.399414	6906.399414	0.933333
1707	031	3000	0.07	2070	2	65	100	3	7	5	9000	6930	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6330	6330	0.933333
1707	032	3000	0.07	1944	2	65	100	3	7	5	9000	7056	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6456	6456	0.933333
1707	033	3000	0.07	2130	2	65	100	3	7	5	9000	6870	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6270	6270	0.933333
1707	034	3000	0.07	2130	2	65	100	3	7	5	9000	6870	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6270	6270	0.933333
1707	036	3000	0.07	1048	2	65	100	3	7	5	9000	7952	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7352	7352	0.933333
1707	054	1651	0.04	2634	2	65	100	3	4	2	4953	2319	RTO-C	65	form-based			true	0.75	6	1.5	4	4	7429.5	4795.5	4795.5	1.5
1707	055	1651	0.04	3142	2	65	100	3	4	2	4953	1811	RTO-C	65	form-based		true	true	0.75	6	1.5	4	4	7429.5	4287.5	4287.5	1.5
1708	048	4500	0.1	10260	13	65	100	3	10	0	13500	3240	RTO-C	65	form-based			true	0.75	17	1.700000048	4	4	20250	9990	9990	1.5
1709	002	3012	0.07	4023	2	65	100	3	7	5	9036	5013	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	4410.599609	4410.599609	0.933333
1709	004	3012	0.07	3650	2	65	100	3	7	5	9036	5386	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	4783.599609	4783.599609	0.933333
1709	005	3012	0.07	2068	2	65	100	3	7	5	9036	6968	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	6365.599609	6365.599609	0.933333
1709	007	3012	0.07	2400	2	65	100	3	7	5	9036	6636	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	6033.599609	6033.599609	0.933333
1709	007A	3012	0.07	2400	2	65	100	3	7	5	9036	6636	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	6033.599609	6033.599609	0.933333
1709	007B	3012	0.07	2400	2	65	100	3	7	5	9036	6636	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	6033.599609	6033.599609	0.933333
1709	008	3012	0.07	3118	2	65	100	3	7	5	9036	5918	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	5315.599609	5315.599609	0.933333
1709	010	3012	0.07	2950	2	65	100	3	7	5	9036	6086	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	5483.599609	5483.599609	0.933333
1709	027	3000	0.07	3258	2	65	100	3	7	5	9000	5742	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5142	5142	0.933333
1709	029	3000	0.07	2731	2	65	100	3	7	5	9000	6269	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5669	5669	0.933333
1709	031A	3000	0.07	2750	2	65	100	3	7	5	9000	6250	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5650	5650	0.933333
1709	032	3000	0.07	3014	2	65	100	3	7	5	9000	5986	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5386	5386	0.933333
1709	033	3000	0.07	2216	2	65	100	3	7	5	9000	6784	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6184	6184	0.933333
1709	034	3000	0.07	2275	2	65	100	3	7	5	9000	6725	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6125	6125	0.933333
1709	035	3000	0.07	2000	2	65	100	3	7	5	9000	7000	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6400	6400	0.933333
1709	037	3000	0.07	3182	2	65	100	3	7	5	9000	5818	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5218	5218	0.933333
1709	051	2156	0.05	2954	4	65	100	3	5	1	6468	3514	RTO-C	65	form-based			true	0.75	8	1.600000024	4	4	9702	6748	6748	1.5
1709	052	2191	0.05	3066	4	65	100	3	5	1	6573	3507	RTO-C	65	form-based		true	true	0.75	8	1.600000024	4	4	9859.5	6793.5	6793.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1709	059	3000	0.07	1251	2	65	100	3	7	5	9000	7749	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7149	7149	0.933333
1710	001	1719	0.04	2368	2	65	100	3	4	2	5157	2789	RTO-C	65	form-based		true	true	0.75	6	1.5	4	4	7735.5	5367.5	5367.5	1.5
1710	001A	1527	0.04	2368	2	65	100	3	4	2	4581	2213	RTO-C	65	form-based			true	0.75	6	1.5	4	4	6871.5	4503.5	4503.5	1.5
1710	002	3000	0.07	2000	2	65	100	3	7	5	9000	7000	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6400	6400	0.933333
1710	006	3000	0.07	750	2	65	100	3	7	5	9000	8250	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	7650	7650	0.933333
1710	038	3000	0.07	3643	2	65	100	3	7	5	9000	5357	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4757	4757	0.933333
1710	040	3000	0.07	2543	2	65	100	3	7	5	9000	6457	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5857	5857	0.933333
1710	041	3000	0.07	2310	2	65	100	3	7	5	9000	6690	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6090	6090	0.933333
1710	050	2250	0.05	3220	4	65	100	3	5	1	6750	3530	NC-1	65	form-based			true	0.75	8	1.600000024	4	4	10125	6905	6905	1.5
1711	019	4156	0.1	7664	12	65	100	3	10	0	12468	4804	RTO-C	65	form-based		true	true	0.75	16	1.600000024	4	4	18702	11038	11038	1.5
1711	019E	1500	0.03	2126	2	65	100	3	3	1	4500	2374	RTO-C	65	form-based		true	true	0.75	6	2	4	4	6750	4624	4624	1.5
1711	019F	1500	0.03	2126	2	65	100	3	3	1	4500	2374	RTO-C	65	form-based			true	0.75	6	2	4	4	6750	4624	4624	1.5
1711	019G	1500	0.03	2126	2	65	100	3	3	1	4500	2374	RTO-C	65	form-based			true	0.75	6	2	4	4	6750	4624	4624	1.5
1711	028	1875	0.04	4334	3	65	100	3	4	1	5625	1291	RTO-C	65	form-based			true	0.75	7	1.75	4	4	8437.5	4103.5	4103.5	1.5
1712	006	1438	0.03	1220	1	65	100	3	3	2	4314	3094	RTO-C	65	form-based		true	true	0.75	5	1.666666627	4	4	6471	5251	5251	1.5
1712	006A	1438	0.03	1220	1	65	100	3	3	2	4314	3094	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5251	5251	1.5
1712	006B	1438	0.03	1220	1	65	100	3	3	2	4314	3094	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5251	5251	1.5
1712	006C	1438	0.03	1220	1	65	100	3	3	2	4314	3094	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5251	5251	1.5
1713	043	3000	0.07	2204	2	65	100	3	7	5	9000	6796	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6196	6196	0.933333
1715	018	2390	0.05	1960	1	65	100	3	5	4	7170	5210	RH-2	40	form-based			true	0.7	5	1	4	4	6692	4732	4732	0.933333
1715	020	2390	0.05	1653	1	65	100	3	5	4	7170	5517	RH-2	40	form-based			true	0.7	5	1	4	4	6692	5039	5039	0.933333
1715	021	2390	0.05	1905	1	65	100	3	5	4	7170	5265	RH-2	40	form-based		true	true	0.7	5	1	4	4	6692	4787	4787	0.933333
1715	022	2500	0.06	1475	1	65	100	3	6	5	7500	6025	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5525	5525	0.933333
1715	041A	1440	0.03	980	1	65	100	3	3	2	4320	3340	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6480	5500	5500	1.5
1715	061	3015	0.07	648	2	65	100	3	7	5	9045	8397	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8442	7794	7794	0.933333
1716	005	3006	0.07	2940	2	65	100	3	7	5	9018	6078	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	5476.799805	5476.799805	0.933333
1716	013	3006	0.07	3222	2	65	100	3	7	5	9018	5796	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	5194.799805	5194.799805	0.933333
1716	018	2381	0.05	2225	1	65	100	3	5	4	7143	4918	RH-2	40	form-based			true	0.7	5	1	4	4	6666.799805	4441.799805	4441.799805	0.933333
1716	019	2381	0.05	2015	1	65	100	3	5	4	7143	5128	RH-2	40	form-based			true	0.7	5	1	4	4	6666.799805	4651.799805	4651.799805	0.933333
1716	023	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5850	5850	0.933333
1716	024	2375	0.05	2225	1	65	100	3	5	4	7125	4900	RH-2	40	form-based		true	true	0.7	5	1	4	4	6650	4425	4425	0.933333
1716	025	2375	0.05	2017	1	65	100	3	5	4	7125	5108	RH-2	40	form-based			true	0.7	5	1	4	4	6650	4633	4633	0.933333
1716	026	2375	0.05	2477	1	65	100	3	5	4	7125	4648	RH-2	40	form-based			true	0.7	5	1	4	4	6650	4173	4173	0.933333
1716	027	2375	0.05	1990	1	65	100	3	5	4	7125	5135	RH-2	40	form-based			true	0.7	5	1	4	4	6650	4660	4660	0.933333
1716	032	3000	0.07	1908	2	65	100	3	7	5	9000	7092	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6492	6492	0.933333
1716	035	3000	0.07	4277	2	65	100	3	7	5	9000	4723	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4123	4123	0.933333
1716	041	3000	0.07	1850	2	65	100	3	7	5	9000	7150	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6550	6550	0.933333
1716	042	3000	0.07	1850	2	65	100	3	7	5	9000	7150	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6550	6550	0.933333
1716	043	3000	0.07	1850	2	65	100	3	7	5	9000	7150	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6550	6550	0.933333
1716	050	3006	0.07	2116	2	65	100	3	7	5	9018	6902	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	6300.799805	6300.799805	0.933333
1717	016	3006	0.07	3038	2	65	100	3	7	5	9018	5980	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	5378.799805	5378.799805	0.933333
1717	019	2380	0.05	2945	1	65	100	3	5	4	7140	4195	RH-2	40	form-based			true	0.7	5	1	4	4	6664	3719	3719	0.933333
1717	020	2380	0.05	2062	1	65	100	3	5	4	7140	5078	RH-2	40	form-based			true	0.7	5	1	4	4	6664	4602	4602	0.933333
1717	021	2380	0.05	2000	1	65	100	3	5	4	7140	5140	RH-2	40	form-based			true	0.7	5	1	4	4	6664	4664	4664	0.933333
1717	023	2500	0.06	1645	1	65	100	3	6	5	7500	5855	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5355	5355	0.933333
1717	027	2375	0.05	2043	1	65	100	3	5	4	7125	5082	RH-2	40	form-based			true	0.7	5	1	4	4	6650	4607	4607	0.933333
1717	028	2375	0.05	1150	1	65	100	3	5	4	7125	5975	RH-2	40	form-based			true	0.7	5	1	4	4	6650	5500	5500	0.933333
1717	031	3000	0.07	2460	2	65	100	3	7	5	9000	6540	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5940	5940	0.933333
1717	032	3000	0.07	3491	2	65	100	3	7	5	9000	5509	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4909	4909	0.933333
1717	034	3000	0.07	3100	2	65	100	3	7	5	9000	5900	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5300	5300	0.933333
1717	035	3000	0.07	2279	2	65	100	3	7	5	9000	6721	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6121	6121	0.933333
1717	036	3000	0.07	2600	2	65	100	3	7	5	9000	6400	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5800	5800	0.933333
1717	037	3000	0.07	2600	2	65	100	3	7	5	9000	6400	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5800	5800	0.933333
1717	042	3000	0.07	4094	2	65	100	3	7	5	9000	4906	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4306	4306	0.933333
1717	043	3000	0.07	2000	2	65	100	3	7	5	9000	7000	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6400	6400	0.933333
1717	049	3000	0.07	877	2	65	100	3	7	5	9000	8123	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7523	7523	0.933333
1718	021	3000	0.07	2203	2	65	100	3	7	5	9000	6797	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6197	6197	0.933333
1718	023	2250	0.05	2352	1	65	100	3	5	4	6750	4398	RH-2	40	form-based			true	0.7	5	1	4	4	6300	3948	3948	0.933333
1718	024	2250	0.05	1800	1	65	100	3	5	4	6750	4950	RH-2	40	form-based			true	0.7	5	1	4	4	6300	4500	4500	0.933333
1718	025	2250	0.05	1760	1	65	100	3	5	4	6750	4990	RH-2	40	form-based			true	0.7	5	1	4	4	6300	4540	4540	0.933333
1718	032	3000	0.07	1670	2	65	100	3	7	5	9000	7330	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6730	6730	0.933333
1719	002S	2700	0.06	2376	2	65	100	3	6	4	8100	5724	RH-1(D)	40	form-based		true	true	0.7	6	1	4	4	7560	5184	5184	0.933333
1721	018	2525	0.06	1321	1	65	100	3	6	5	7575	6254	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7070	5749	5749	0.933333
1722	014	2357	0.05	1920	1	65	100	3	5	4	7071	5151	RH-1	40	form-based			true	0.7	5	1	4	4	6599.600098	4679.600098	4679.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1722	019	2550	0.06	2100	1	65	100	3	6	5	7650	5550	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7140	5040	5040	0.933333
1722	020	2525	0.06	1862	1	65	100	3	6	5	7575	5713	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7070	5208	5208	0.933333
1722	022	2529	0.06	1752	1	65	100	3	6	5	7587	5835	RH-1(D)	40	form-based		true	true	0.7	5	0.833333313	4	4	7081.199707	5329.199707	5329.199707	0.933333
1722	023	2310	0.05	1352	1	65	100	3	5	4	6930	5578	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6468	5116	5116	0.933333
1723	028	2250	0.05	1750	1	65	100	3	5	4	6750	5000	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4550	4550	0.933333
1723	029	2250	0.05	2180	1	65	100	3	5	4	6750	4570	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4120	4120	0.933333
1723	030	2486	0.06	1750	1	65	100	3	6	5	7458	5708	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6960.799805	5210.799805	5210.799805	0.933333
1724	018G	2475	0.06	2262	1	65	100	3	6	5	7425	5163	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6930	4668	4668	0.933333
1725	003	3017	0.07	3300	2	65	100	3	7	5	9051	5751	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	5147.599609	5147.599609	0.933333
1725	004	3017	0.07	3027	2	65	100	3	7	5	9051	6024	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	5420.599609	5420.599609	0.933333
1725	006	3017	0.07	3100	2	65	100	3	7	5	9051	5951	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	5347.599609	5347.599609	0.933333
1725	007	3017	0.07	2990	2	65	100	3	7	5	9051	6061	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	5457.599609	5457.599609	0.933333
1725	009	3017	0.07	3100	2	65	100	3	7	5	9051	5951	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	5347.599609	5347.599609	0.933333
1725	010	3017	0.07	3100	2	65	100	3	7	5	9051	5951	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	5347.599609	5347.599609	0.933333
1725	026	2392	0.05	1900	1	65	100	3	5	4	7176	5276	RH-2	40	form-based			true	0.7	5	1	4	4	6697.600098	4797.600098	4797.600098	0.933333
1725	027	2392	0.05	1750	1	65	100	3	5	4	7176	5426	RH-2	40	form-based			true	0.7	5	1	4	4	6697.600098	4947.600098	4947.600098	0.933333
1725	028	3000	0.07	2555	2	65	100	3	7	5	9000	6445	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5845	5845	0.933333
1725	041	3000	0.07	3250	2	65	100	3	7	5	9000	5750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5150	5150	0.933333
1725	050	2250	0.05	2150	4	65	100	3	5	1	6750	4600	RTO-C	65	form-based			true	0.75	8	1.600000024	4	4	10125	7975	7975	1.5
1726	001A	1706	0.04	1635	2	65	100	3	4	2	5118	3483	RTO-C	65	form-based			true	0.75	6	1.5	4	4	7677	6042	6042	1.5
1726	005	3002	0.07	3299	2	65	100	3	7	5	9006	5707	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	5106.599609	5106.599609	0.933333
1726	007	3002	0.07	3009	2	65	100	3	7	5	9006	5997	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	5396.599609	5396.599609	0.933333
1726	008	3002	0.07	3120	2	65	100	3	7	5	9006	5886	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	5285.599609	5285.599609	0.933333
1726	009	3002	0.07	3564	2	65	100	3	7	5	9006	5442	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	4841.599609	4841.599609	0.933333
1726	012	3002	0.07	3180	2	65	100	3	7	5	9006	5826	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	5225.599609	5225.599609	0.933333
1726	013	3002	0.07	1800	2	65	100	3	7	5	9006	7206	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	6605.599609	6605.599609	0.933333
1726	014	3002	0.07	1800	2	65	100	3	7	5	9006	7206	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	6605.599609	6605.599609	0.933333
1726	016	3002	0.07	3510	2	65	100	3	7	5	9006	5496	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	4895.599609	4895.599609	0.933333
1726	030	3000	0.07	3174	2	65	100	3	7	5	9000	5826	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5226	5226	0.933333
1726	031	3000	0.07	3908	2	65	100	3	7	5	9000	5092	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4492	4492	0.933333
1726	035	3000	0.07	2500	2	65	100	3	7	5	9000	6500	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5900	5900	0.933333
1726	039	3000	0.07	3421	2	65	100	3	7	5	9000	5579	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4979	4979	0.933333
1727	036	3000	0.07	2640	2	65	100	3	7	5	9000	6360	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5760	5760	0.933333
1726	051	3000	0.07	3838	2	65	100	3	7	5	9000	5162	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4562	4562	0.933333
1727	001	1651	0.04	2400	2	65	100	3	4	2	4953	2553	RTO-C	65	form-based		true	true	0.75	6	1.5	4	4	7429.5	5029.5	5029.5	1.5
1727	007	3021	0.07	2750	2	65	100	3	7	5	9063	6313	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5708.799805	5708.799805	0.933333
1727	015	3021	0.07	2850	2	65	100	3	7	5	9063	6213	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5608.799805	5608.799805	0.933333
1727	034	3000	0.07	3250	2	65	100	3	7	5	9000	5750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5150	5150	0.933333
1727	035	3000	0.07	3408	2	65	100	3	7	5	9000	5592	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4992	4992	0.933333
1727	037	3000	0.07	3290	2	65	100	3	7	5	9000	5710	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5110	5110	0.933333
1727	041	3000	0.07	3702	2	65	100	3	7	5	9000	5298	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4698	4698	0.933333
1727	042	2997	0.07	2600	2	65	100	3	7	5	8991	6391	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	5791.599609	5791.599609	0.933333
1727	061	1673	0.04	994	2	65	100	3	4	2	5019	4025	RTO-C	65	form-based			true	0.75	6	1.5	4	4	7528.5	6534.5	6534.5	1.5
1727	063	3021	0.07	1272	2	65	100	3	7	5	9063	7791	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	7186.799805	7186.799805	0.933333
1727	074	3021	0.07	1474	2	65	100	3	7	5	9063	7589	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	6984.799805	6984.799805	0.933333
1728	004	3008	0.07	3507	2	65	100	3	7	5	9024	5517	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	4915.399414	4915.399414	0.933333
1728	024	2380	0.05	5512	8	65	100	3	5	0	7140	1628	NCD-IRVIN	85	form-based		true	true	0.75	12	2.400000095	4	2	14280	8768	8768	2
1729	002	2997	0.07	2930	2	65	100	3	7	5	8991	6061	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	5461.599609	5461.599609	0.933333
1729	003	2997	0.07	3600	2	65	100	3	7	5	8991	5391	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	4791.599609	4791.599609	0.933333
1729	004	2997	0.07	2646	2	65	100	3	7	5	8991	6345	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	5745.599609	5745.599609	0.933333
1729	006	2997	0.07	1622	2	65	100	3	7	5	8991	7369	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	6769.599609	6769.599609	0.933333
1729	008	2997	0.07	3220	2	65	100	3	7	5	8991	5771	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	5171.599609	5171.599609	0.933333
1729	010	2997	0.07	2750	2	65	100	3	7	5	8991	6241	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	5641.599609	5641.599609	0.933333
1729	015	2997	0.07	3170	2	65	100	3	7	5	8991	5821	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	5221.599609	5221.599609	0.933333
1729	016	2997	0.07	2683	2	65	100	3	7	5	8991	6308	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	5708.599609	5708.599609	0.933333
1729	017	3018	0.07	2250	2	65	100	3	7	5	9054	6804	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8450.399414	6200.399414	6200.399414	0.933333
1729	023L	3000	0.07	1375	2	65	100	3	7	5	9000	7625	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7025	7025	0.933333
1733	001	8250	0.19	19758	27	65	100	3	19	0	24750	4992	RTO-C	65	form-based		true	true	0.75	31	1.631578922	4	4	37125	17367	17367	1.5
1733	022A	2025	0.05	4671	7	65	100	3	5	0	6075	1404	NCD-INNE	85	form-based			true	0.75	11	2.200000048	4	3	12150	7479	7479	2
1733	040A	2403	0.06	6258	9	65	100	3	6	0	7209	951	RTO-C	85	form-based		true	true	0.75	13	2.166666746	4	3	14418	8160	8160	2
1734	003	3010	0.07	2718	2	65	100	3	7	5	9030	6312	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8428	5710	5710	0.933333
1734	003A	3010	0.07	2718	2	65	100	3	7	5	9030	6312	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8428	5710	5710	0.933333
1734	004	3010	0.07	3096	2	65	100	3	7	5	9030	5934	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8428	5332	5332	0.933333
1734	007	3010	0.07	2900	2	65	100	3	7	5	9030	6130	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8428	5528	5528	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1734	013	3010	0.07	3564	2	65	100	3	7	5	9030	5466	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8428	4864	4864	0.933333
1734	016B	1876	0.04	5082	6	65	100	3	4	0	5628	546	NCD-INNE	85	form-based		true	true	0.75	10	2.5	4	2	11256	6174	6174	2
1734	030	3000	0.07	2832	2	65	100	3	7	5	9000	6168	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5568	5568	0.933333
1734	036	3000	0.07	3000	2	65	100	3	7	5	9000	6000	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5400	5400	0.933333
1734	049	3010	0.07	1259	2	65	100	3	7	5	9030	7771	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8428	7169	7169	0.933333
1734	061	3000	0.07	1500	2	65	100	3	7	5	9000	7500	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6900	6900	0.933333
1735	017	3078	0.07	1990	2	65	100	3	7	5	9234	7244	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8618.399414	6628.399414	6628.399414	0.933333
1735	029	2503	0.06	2410	1	65	100	3	6	5	7509	5099	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	4598.399902	4598.399902	0.933333
1735	030	2503	0.06	1340	1	65	100	3	6	5	7509	6169	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	5668.399902	5668.399902	0.933333
1735	031	2503	0.06	1444	1	65	100	3	6	5	7509	6065	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	5564.399902	5564.399902	0.933333
1735	040	2503	0.06	1621	1	65	100	3	6	5	7509	5888	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	5387.399902	5387.399902	0.933333
1735	042	2503	0.06	1723	1	65	100	3	6	5	7509	5786	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	5285.399902	5285.399902	0.933333
1735	052	2503	0.06	2919	1	65	100	3	6	5	7509	4590	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	4089.399902	4089.399902	0.933333
1735	054	1315	0.03	950	1	65	100	3	3	2	3945	2995	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	5917.5	4967.5	4967.5	1.5
1736	023	3190	0.07	3100	3	65	100	3	7	4	9570	6470	RH-2	40	form-based			true	0.7	7	1	4	4	8932	5832	5832	0.933333
1736	036	2259	0.05	2964	4	65	100	3	5	1	6777	3813	RTO-C	65	form-based			true	0.75	8	1.600000024	4	4	10165.5	7201.5	7201.5	1.5
1736	061	3180	0.07	1362	3	65	100	3	7	4	9540	8178	RH-2	40	form-based			true	0.7	7	1	4	4	8904	7542	7542	0.933333
1738	020A	710	0.02	726	0	65	100	3	2	2	2130	1404	NCD-INNE	85	form-based			true	0.75	4	2	4	4	4260	3534	3534	2
1738	032	3000	0.07	2652	2	65	100	3	7	5	9000	6348	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5748	5748	0.933333
1738	033	3000	0.07	2652	2	65	100	3	7	5	9000	6348	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5748	5748	0.933333
1738	037	3000	0.07	2747	2	65	100	3	7	5	9000	6253	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5653	5653	0.933333
1738	038	3000	0.07	1860	2	65	100	3	7	5	9000	7140	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6540	6540	0.933333
1739	004	3000	0.07	2650	2	65	100	3	7	5	9000	6350	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5750	5750	0.933333
1739	006	3000	0.07	2132	2	65	100	3	7	5	9000	6868	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6268	6268	0.933333
1739	007	3000	0.07	2102	2	65	100	3	7	5	9000	6898	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6298	6298	0.933333
1739	017	3000	0.07	3276	2	65	100	3	7	5	9000	5724	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5124	5124	0.933333
1739	025	2502	0.06	4918	9	65	100	3	6	0	7506	2588	NCD-INNE	85	form-based			true	0.75	13	2.166666746	4	3	15012	10094	10094	2
1739	027	3000	0.07	2115	2	65	100	3	7	5	9000	6885	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6285	6285	0.933333
1739	035	3000	0.07	3368	2	65	100	3	7	5	9000	5632	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5032	5032	0.933333
1739	041	3000	0.07	2772	2	65	100	3	7	5	9000	6228	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5628	5628	0.933333
1739	053	3000	0.07	1046	2	65	100	3	7	5	9000	7954	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7354	7354	0.933333
1739	055	3000	0.07	849	2	65	100	3	7	5	9000	8151	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7551	7551	0.933333
1739	057	2025	0.05	667	4	65	100	3	5	1	6075	5408	RTO-C	65	form-based			true	0.75	8	1.600000024	4	4	9112.5	8445.5	8445.5	1.5
1740	006	2979	0.07	2420	2	65	100	3	7	5	8937	6517	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	5921.200195	5921.200195	0.933333
1740	031	3000	0.07	2166	2	65	100	3	7	5	9000	6834	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6234	6234	0.933333
1740	032	3000	0.07	2221	2	65	100	3	7	5	9000	6779	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6179	6179	0.933333
1740	033	3000	0.07	1580	2	65	100	3	7	5	9000	7420	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6820	6820	0.933333
1740	035	3000	0.07	1862	2	65	100	3	7	5	9000	7138	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6538	6538	0.933333
1740	038	3000	0.07	1970	2	65	100	3	7	5	9000	7030	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6430	6430	0.933333
1741	029	3000	0.07	1929	2	65	100	3	7	5	9000	7071	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6471	6471	0.933333
1741	030	3000	0.07	3088	2	65	100	3	7	5	9000	5912	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5312	5312	0.933333
1741	032	3000	0.07	3350	2	65	100	3	7	5	9000	5650	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5050	5050	0.933333
1741	036	3000	0.07	2622	2	65	100	3	7	5	9000	6378	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5778	5778	0.933333
1742	001	3103	0.07	6825	8	65	100	3	7	0	9309	2484	RTO-C	65	form-based		true	true	0.75	12	1.714285731	4	4	13963.5	7138.5	7138.5	1.5
1742	007	2963	0.07	3180	2	65	100	3	7	5	8889	5709	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8296.399414	5116.399414	5116.399414	0.933333
1742	015B	3508	0.08	5980	14	85	140	4	11	0	14032	8052	NCD-INNE	85	form-based			true	0.75	18	1.636363626	4	4	21048	15068	15068	1.5
1742	042	2500	0.06	3906	5	65	100	3	6	1	7500	3594	RTO-C	65	form-based			true	0.75	9	1.5	4	4	11250	7344	7344	1.5
1742	077	2963	0.07	1352	2	65	100	3	7	5	8889	7537	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8296.399414	6944.399414	6944.399414	0.933333
1743	028	3000	0.07	3090	2	85	140	4	10	8	12000	8910	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	5310	5310	0.7
1743	029	3000	0.07	4035	2	65	100	3	7	5	9000	4965	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4365	4365	0.933333
1743	040	3000	0.07	1745	2	65	100	3	7	5	9000	7255	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6655	6655	0.933333
1743	041	3000	0.07	3610	2	65	100	3	7	5	9000	5390	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4790	4790	0.933333
1743	047	2500	0.06	3282	5	65	100	3	6	1	7500	4218	RTO-C	65	form-based			true	0.75	9	1.5	4	4	11250	7968	7968	1.5
1743	061	3000	0.07	1668	2	65	100	3	7	5	9000	7332	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6732	6732	0.933333
1744	002	2994	0.07	2268	2	65	100	3	7	5	8982	6714	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	6115.200195	6115.200195	0.933333
1744	033	2994	0.07	1595	2	65	100	3	7	5	8982	7387	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	6788.200195	6788.200195	0.933333
1745	003	3005	0.07	3976	2	65	100	3	7	5	9015	5039	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	4438	4438	0.933333
1745	004	3005	0.07	2904	2	65	100	3	7	5	9015	6111	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	5510	5510	0.933333
1745	005	2380	0.05	3678	1	65	100	3	5	4	7140	3462	RH-2	40	form-based			true	0.7	5	1	4	4	6664	2986	2986	0.933333
1745	006	2380	0.05	2673	1	65	100	3	5	4	7140	4467	RH-2	40	form-based			true	0.7	5	1	4	4	6664	3991	3991	0.933333
1745	016	3000	0.07	3156	2	65	100	3	7	5	9000	5844	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5244	5244	0.933333
1746	002	3015	0.07	3050	2	65	100	3	7	5	9045	5995	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8442	5392	5392	0.933333
1746	003	3015	0.07	2732	2	65	100	3	7	5	9045	6313	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8442	5710	5710	0.933333
1746	004	3015	0.07	2824	2	65	100	3	7	5	9045	6221	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8442	5618	5618	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1746	009	2563	0.06	1728	1	65	100	3	6	5	7689	5961	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7176.399902	5448.399902	5448.399902	0.933333
1746	011A	2511	0.06	3152	1	65	100	3	6	5	7533	4381	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	7030.799805	3878.799805	3878.799805	0.933333
1746	013	2375	0.05	1984	1	65	100	3	5	4	7125	5141	RH-2	40	form-based			true	0.7	5	1	4	4	6650	4666	4666	0.933333
1747	002	2365	0.05	4125	5	65	100	3	5	0	7095	2970	RTO-C	65	form-based			true	0.75	9	1.799999952	4	4	10642.5	6517.5	6517.5	1.5
1747	004	2995	0.07	2996	2	65	100	3	7	5	8985	5989	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	5390	5390	0.933333
1747	005	2995	0.07	3088	2	65	100	3	7	5	8985	5897	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	5298	5298	0.933333
1747	007	2370	0.05	1968	1	65	100	3	5	4	7110	5142	RH-2	40	form-based			true	0.7	5	1	4	4	6636	4668	4668	0.933333
1747	008	2370	0.05	3934	1	65	100	3	5	4	7110	3176	RH-2	40	form-based			true	0.7	5	1	4	4	6636	2702	2702	0.933333
1747	017	3000	0.07	3028	2	65	100	3	7	5	9000	5972	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5372	5372	0.933333
1747	021	2401	0.06	3940	5	65	100	3	6	1	7203	3263	RTO-C	65	form-based			true	0.75	9	1.5	4	4	10804.5	6864.5	6864.5	1.5
1748	006	3012	0.07	2800	2	65	100	3	7	5	9036	6236	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	5633.599609	5633.599609	0.933333
1748	006A	3012	0.07	3732	2	65	100	3	7	5	9036	5304	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	4701.599609	4701.599609	0.933333
1748	007	2715	0.06	3020	2	65	100	3	6	4	8145	5125	RH-2	40	form-based			true	0.7	6	1	4	4	7602	4582	4582	0.933333
1748	008	2715	0.06	3020	2	65	100	3	6	4	8145	5125	RH-2	40	form-based			true	0.7	6	1	4	4	7602	4582	4582	0.933333
1748	013	2700	0.06	2948	2	65	100	3	6	4	8100	5152	RH-2	40	form-based			true	0.7	6	1	4	4	7560	4612	4612	0.933333
1748	016	3000	0.07	2688	2	65	100	3	7	5	9000	6312	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5712	5712	0.933333
1748	017	3000	0.07	3184	2	65	100	3	7	5	9000	5816	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5216	5216	0.933333
1748	018A	2566	0.06	6072	6	65	100	3	6	0	7698	1626	RTO-C	65	form-based		true	true	0.75	10	1.666666627	4	4	11547	5475	5475	1.5
1748	018B	1459	0.03	2035	1	65	100	3	3	2	4377	2342	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6565.5	4530.5	4530.5	1.5
1748	022	2850	0.07	1474	2	65	100	3	7	5	8550	7076	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6506	6506	0.933333
1749	005	3013	0.07	3100	2	65	100	3	7	5	9039	5939	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	5336.399414	5336.399414	0.933333
1749	015	2375	0.05	2412	1	65	100	3	5	4	7125	4713	RH-2	40	form-based			true	0.7	5	1	4	4	6650	4238	4238	0.933333
1749	016	2375	0.05	2488	1	65	100	3	5	4	7125	4637	RH-2	40	form-based			true	0.7	5	1	4	4	6650	4162	4162	0.933333
1749	026	3000	0.07	1600	2	65	100	3	7	5	9000	7400	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6800	6800	0.933333
1750	002	2388	0.05	2550	1	65	100	3	5	4	7164	4614	RH-2	40	form-based			true	0.7	5	1	4	4	6686.399902	4136.399902	4136.399902	0.933333
1751	002	2381	0.05	1200	1	65	100	3	5	4	7143	5943	RH-2	40	form-based			true	0.7	5	1	4	4	6666.799805	5466.799805	5466.799805	0.933333
1751	005	3006	0.07	3150	2	85	140	4	10	8	12024	8874	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8416.799805	5266.799805	5266.799805	0.7
1751	007	2381	0.05	3050	1	85	140	4	7	6	9524	6474	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	6666.799805	3616.799805	3616.799805	0.7
1751	019	2381	0.05	2187	1	65	100	3	5	4	7143	4956	RH-2	40	form-based			true	0.7	5	1	4	4	6666.799805	4479.799805	4479.799805	0.933333
1751	031	2750	0.06	1319	2	65	100	3	6	4	8250	6931	RH-2	40	form-based			true	0.7	6	1	4	4	7700	6381	6381	0.933333
1752	005	2998	0.07	2757	2	65	100	3	7	5	8994	6237	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8394.399414	5637.399414	5637.399414	0.933333
1752	023	2750	0.06	3100	2	65	100	3	6	4	8250	5150	RH-2	40	form-based			true	0.7	6	1	4	4	7700	4600	4600	0.933333
1753	002	2390	0.05	1800	1	65	100	3	5	4	7170	5370	RH-2	40	form-based			true	0.7	5	1	4	4	6692	4892	4892	0.933333
1753	003	2390	0.05	1800	1	65	100	3	5	4	7170	5370	RH-2	40	form-based			true	0.7	5	1	4	4	6692	4892	4892	0.933333
1753	004	2390	0.05	2880	1	65	100	3	5	4	7170	4290	RH-2	40	form-based			true	0.7	5	1	4	4	6692	3812	3812	0.933333
1753	005	3015	0.07	3450	2	65	100	3	7	5	9045	5595	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8442	4992	4992	0.933333
1754	002	2377	0.05	2785	1	65	100	3	5	4	7131	4346	RH-1	40	form-based			true	0.7	5	1	4	4	6655.600098	3870.600098	3870.600098	0.933333
1754	004	2377	0.05	2100	1	65	100	3	5	4	7131	5031	RH-1	40	form-based			true	0.7	5	1	4	4	6655.600098	4555.600098	4555.600098	0.933333
1754	006	3002	0.07	3628	2	85	140	4	10	8	12008	8380	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8405.599609	4777.599609	4777.599609	0.7
1754	019	2377	0.05	2662	1	85	140	4	7	6	9508	6846	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6655.600098	3993.600098	3993.600098	0.7
1754	020	2377	0.05	1772	1	65	100	3	5	4	7131	5359	RH-1	40	form-based			true	0.7	5	1	4	4	6655.600098	4883.600098	4883.600098	0.933333
1754	024	2750	0.06	1750	2	65	100	3	6	4	8250	6500	RH-2	40	form-based			true	0.7	6	1	4	4	7700	5950	5950	0.933333
1755	007	2372	0.05	2250	1	85	140	4	7	6	9488	7238	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	6641.600098	4391.600098	4391.600098	0.7
1755	008	2372	0.05	2250	1	85	140	4	7	6	9488	7238	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	6641.600098	4391.600098	4391.600098	0.7
1758	001	2375	0.05	3600	8	65	100	3	5	0	7125	3525	RTO-C	85	form-based		true	true	0.75	12	2.400000095	4	2	14250	10650	10650	2
1758	004	2375	0.05	2300	1	65	100	3	5	4	7125	4825	RH-2	40	form-based			true	0.7	5	1	4	4	6650	4350	4350	0.933333
1758	007	2995	0.07	2650	2	65	100	3	7	5	8985	6335	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	5736	5736	0.933333
1758	009	2995	0.07	3214	2	65	100	3	7	5	8985	5771	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	5172	5172	0.933333
1758	011	2995	0.07	2900	2	65	100	3	7	5	8985	6085	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	5486	5486	0.933333
1758	042	2995	0.07	3400	2	65	100	3	7	5	8985	5585	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	4986	4986	0.933333
1758	048	2995	0.07	1553	2	65	100	3	7	5	8985	7432	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	6833	6833	0.933333
1759	005	3015	0.07	3050	2	65	100	3	7	5	9045	5995	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8442	5392	5392	0.933333
1759	018	3015	0.07	2874	2	65	100	3	7	5	9045	6171	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8442	5568	5568	0.933333
1759	038	3000	0.07	2800	2	65	100	3	7	5	9000	6200	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5600	5600	0.933333
1759	039	3000	0.07	2900	2	65	100	3	7	5	9000	6100	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5500	5500	0.933333
1759	040	3000	0.07	2900	2	85	140	4	10	8	12000	9100	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	5500	5500	0.7
1759	042	3000	0.07	2827	2	85	140	4	10	8	12000	9173	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	5573	5573	0.7
1759	050	3006	0.07	7300	7	65	100	3	7	0	9018	1718	RTO-C	65	form-based			true	0.75	11	1.571428537	4	4	13527	6227	6227	1.5
1760	007	3005	0.07	3050	2	85	140	4	10	8	12020	8970	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8414	5364	5364	0.7
1760	008	3005	0.07	3320	2	85	140	4	10	8	12020	8700	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8414	5094	5094	0.7
1760	009	3005	0.07	2724	2	65	100	3	7	5	9015	6291	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	5690	5690	0.933333
1760	012	3005	0.07	2900	2	65	100	3	7	5	9015	6115	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	5514	5514	0.933333
1760	013	3005	0.07	3400	2	65	100	3	7	5	9015	5615	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	5014	5014	0.933333
1760	014	3005	0.07	3000	2	65	100	3	7	5	9015	6015	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	5414	5414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1760	017	3005	0.07	4280	2	65	100	3	7	5	9015	4735	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	4134	4134	0.933333
1760	039	3000	0.07	2760	2	65	100	3	7	5	9000	6240	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5640	5640	0.933333
1760	040	3000	0.07	1750	2	65	100	3	7	5	9000	7250	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6650	6650	0.933333
1760	041	3000	0.07	2640	2	65	100	3	7	5	9000	6360	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5760	5760	0.933333
1760	046	3000	0.07	3440	2	85	140	4	10	8	12000	8560	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	4960	4960	0.7
1760	055	3000	0.07	1132	2	65	100	3	7	5	9000	7868	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7268	7268	0.933333
1760	061	3000	0.07	1248	2	85	140	4	10	8	12000	10752	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	7152	7152	0.7
1761	005	2994	0.07	3292	2	85	140	4	10	8	11976	8684	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8383.200195	5091.200195	5091.200195	0.7
1761	006	2994	0.07	3200	2	85	140	4	10	8	11976	8776	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8383.200195	5183.200195	5183.200195	0.7
1761	008	2994	0.07	3300	2	65	100	3	7	5	8982	5682	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	5083.200195	5083.200195	0.933333
1761	009	2994	0.07	3300	2	65	100	3	7	5	8982	5682	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	5083.200195	5083.200195	0.933333
1762	033	3012	0.07	2200	2	65	100	3	7	5	9036	6836	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	6233.599609	6233.599609	0.933333
1762	042	2563	0.06	1267	1	85	140	4	8	7	10252	8985	RH-2	40	form-based			true	0.7	5	0.625	4	4	7176.399902	5909.399902	5909.399902	0.7
1762	050	3000	0.07	1200	2	65	100	3	7	5	9000	7800	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7200	7200	0.933333
1762	065	3000	0.07	1212	2	85	140	4	10	8	12000	10788	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	7188	7188	0.7
1763	005	2963	0.07	1160	2	85	140	4	10	8	11852	10692	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8296.399414	7136.399414	7136.399414	0.7
1763	011	2963	0.07	2800	2	85	140	4	10	8	11852	9052	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8296.399414	5496.399414	5496.399414	0.7
1763	019	2338	0.05	1800	1	65	100	3	5	4	7014	5214	RH-2	40	form-based			true	0.7	5	1	4	4	6546.399902	4746.399902	4746.399902	0.933333
1763	060	2963	0.07	1890	2	85	140	4	10	8	11852	9962	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8296.399414	6406.399414	6406.399414	0.7
1764	023	3000	0.07	2700	2	85	140	4	10	8	12000	9300	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	5700	5700	0.7
1764	026	3000	0.07	2500	2	85	140	4	10	8	12000	9500	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	5900	5900	0.7
1764	031	3600	0.08	6250	0	85	140	4	11	11	14400	8150	RH-2	40	density-lin	1500			0.7	4	0.363636374	4	4	10080	3830	3830	0.7
1764	036	3000	0.07	2800	2	85	140	4	10	8	12000	9200	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	5600	5600	0.7
1764	038	3000	0.07	2224	2	85	140	4	10	8	12000	9776	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	6176	6176	0.7
1764	039	2375	0.05	2176	1	85	140	4	7	6	9500	7324	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	6650	4474	4474	0.7
1764	055	3000	0.07	1503	2	65	100	3	7	5	9000	7497	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6897	6897	0.933333
1765	008	2979	0.07	2200	2	65	100	3	7	5	8937	6737	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	6141.200195	6141.200195	0.933333
1765	009	2979	0.07	4079	2	65	100	3	7	5	8937	4858	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	4262.200195	4262.200195	0.933333
1765	022	3000	0.07	2596	2	65	100	3	7	5	9000	6404	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5804	5804	0.933333
1765	023	3000	0.07	2007	2	65	100	3	7	5	9000	6993	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6393	6393	0.933333
1765	025	3000	0.07	4100	2	65	100	3	7	5	9000	4900	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4300	4300	0.933333
1765	030	3000	0.07	3842	2	65	100	3	7	5	9000	5158	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4558	4558	0.933333
1765	035	3000	0.07	4322	2	65	100	3	7	5	9000	4678	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4078	4078	0.933333
1765	064	2979	0.07	1847	2	65	100	3	7	5	8937	7090	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	6494.200195	6494.200195	0.933333
1765	066	2979	0.07	2179	2	65	100	3	7	5	8937	6758	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	6162.200195	6162.200195	0.933333
1765	068	3000	0.07	1388	2	65	100	3	7	5	9000	7612	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7012	7012	0.933333
1765	070	3000	0.07	1161	2	65	100	3	7	5	9000	7839	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7239	7239	0.933333
1765	078	3000	0.07	1350	2	65	100	3	7	5	9000	7650	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7050	7050	0.933333
1766	001	2439	0.06	5326	9	65	100	3	6	0	7317	1991	NCD-INNE	85	form-based		true	true	0.75	13	2.166666746	4	3	14634	9308	9308	2
1766	005	3000	0.07	2018	2	65	100	3	7	5	9000	6982	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6382	6382	0.933333
1766	010	3000	0.07	3131	2	65	100	3	7	5	9000	5869	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5269	5269	0.933333
1766	011	3000	0.07	2552	2	65	100	3	7	5	9000	6448	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5848	5848	0.933333
1766	013	3000	0.07	2456	2	65	100	3	7	5	9000	6544	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5944	5944	0.933333
1766	016	3000	0.07	1663	2	65	100	3	7	5	9000	7337	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6737	6737	0.933333
1766	030	3000	0.07	3816	2	65	100	3	7	5	9000	5184	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4584	4584	0.933333
1766	034	3000	0.07	3752	2	65	100	3	7	5	9000	5248	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4648	4648	0.933333
1766	041	3000	0.07	3642	2	65	100	3	7	5	9000	5358	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4758	4758	0.933333
1766	053	3000	0.07	1425	2	85	140	4	10	8	12000	10575	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	6975	6975	0.7
1766	055	3000	0.07	1498	2	65	100	3	7	5	9000	7502	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6902	6902	0.933333
1766	057	3000	0.07	1519	2	85	140	4	10	8	12000	10481	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	6881	6881	0.7
1767	005	3017	0.07	4177	2	65	100	3	7	5	9051	4874	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	4270.599609	4270.599609	0.933333
1767	007	3017	0.07	2148	2	65	100	3	7	5	9051	6903	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	6299.599609	6299.599609	0.933333
1767	009	3017	0.07	2456	2	65	100	3	7	5	9051	6595	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	5991.599609	5991.599609	0.933333
1767	015	3017	0.07	3500	2	65	100	3	7	5	9051	5551	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	4947.599609	4947.599609	0.933333
1767	030	3000	0.07	2232	2	65	100	3	7	5	9000	6768	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6168	6168	0.933333
1767	032	3000	0.07	3356	2	65	100	3	7	5	9000	5644	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5044	5044	0.933333
1767	033	3000	0.07	2500	2	65	100	3	7	5	9000	6500	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5900	5900	0.933333
1767	036	3000	0.07	2920	2	65	100	3	7	5	9000	6080	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5480	5480	0.933333
1767	038	3000	0.07	3250	2	65	100	3	7	5	9000	5750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5150	5150	0.933333
1767	045	3000	0.07	1500	2	85	140	4	10	8	12000	10500	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	6900	6900	0.7
1769	003	2495	0.06	1030	1	65	100	3	6	5	7485	6455	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6986	5956	5956	0.933333
1771	009	3000	0.07	2710	2	65	100	3	7	5	9000	6290	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5690	5690	0.933333
1771	010	3000	0.07	2768	2	65	100	3	7	5	9000	6232	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5632	5632	0.933333
1771	011	3000	0.07	3120	2	65	100	3	7	5	9000	5880	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5280	5280	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1771	014	3000	0.07	2876	2	85	140	4	10	8	12000	9124	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	5524	5524	0.7
1771	015	3000	0.07	2959	2	85	140	4	10	8	12000	9041	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	5441	5441	0.7
1771	016	3000	0.07	2800	2	85	140	4	10	8	12000	9200	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	5600	5600	0.7
1771	031	3010	0.07	2000	2	65	100	3	7	5	9030	7030	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8428	6428	6428	0.933333
1771	032	3010	0.07	2550	2	65	100	3	7	5	9030	6480	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8428	5878	5878	0.933333
1771	033	3010	0.07	2000	2	65	100	3	7	5	9030	7030	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8428	6428	6428	0.933333
1771	034	3010	0.07	2000	2	65	100	3	7	5	9030	7030	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8428	6428	6428	0.933333
1771	035	3010	0.07	2500	2	65	100	3	7	5	9030	6530	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8428	5928	5928	0.933333
1771	036	3010	0.07	2500	2	65	100	3	7	5	9030	6530	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8428	5928	5928	0.933333
1771	038	3010	0.07	2818	2	65	100	3	7	5	9030	6212	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8428	5610	5610	0.933333
1771	064	2851	0.07	2076	2	65	100	3	7	5	8553	6477	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	7982.799805	5906.799805	5906.799805	0.933333
1774	023	1180	0.03	2264	2	85	140	4	4	2	4720	2456	RTO-C	85	form-based			true	0.75	6	1.5	4	4	7080	4816	4816	1.5
1774	023A	1180	0.03	2264	2	85	140	4	4	2	4720	2456	RTO-C	85	form-based		true	true	0.75	6	1.5	4	4	7080	4816	4816	1.5
1776	009H	3000	0.07	2275	2	65	100	3	7	5	9000	6725	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6125	6125	0.933333
1776	009I	3000	0.07	2950	2	85	140	4	10	8	12000	9050	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	5450	5450	0.7
1776	009O	2997	0.07	2209	2	85	140	4	10	8	11988	9779	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8391.599609	6182.599609	6182.599609	0.7
1777	014	2375	0.05	1380	1	85	140	4	7	6	9500	8120	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	6650	5270	5270	0.7
1777	020	2383	0.05	1050	1	85	140	4	7	6	9532	8482	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	6672.399902	5622.399902	5622.399902	0.7
1777	035	3008	0.07	1816	2	65	100	3	7	5	9024	7208	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	6606.399414	6606.399414	0.933333
1778	002	2961	0.07	3150	2	65	100	3	7	5	8883	5733	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8290.799805	5140.799805	5140.799805	0.933333
1778	026	3000	0.07	4032	2	65	100	3	7	5	9000	4968	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4368	4368	0.933333
1778	027	3000	0.07	960	2	65	100	3	7	5	9000	8040	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7440	7440	0.933333
1778	028	3000	0.07	3183	2	65	100	3	7	5	9000	5817	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5217	5217	0.933333
1778	029	2976	0.07	2368	2	65	100	3	7	5	8928	6560	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8332.799805	5964.799805	5964.799805	0.933333
1778	035	3000	0.07	2450	2	65	100	3	7	5	9000	6550	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5950	5950	0.933333
1778	039A	2936	0.07	3200	2	65	100	3	7	5	8808	5608	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8220.799805	5020.799805	5020.799805	0.933333
1779	006	3002	0.07	4082	2	65	100	3	7	5	9006	4924	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	4323.599609	4323.599609	0.933333
1779	026	3000	0.07	3036	2	65	100	3	7	5	9000	5964	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5364	5364	0.933333
1779	029	3000	0.07	2930	2	65	100	3	7	5	9000	6070	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5470	5470	0.933333
1780	003	3017	0.07	2370	2	65	100	3	7	5	9051	6681	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	6077.599609	6077.599609	0.933333
1780	006	3017	0.07	3588	2	65	100	3	7	5	9051	5463	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	4859.599609	4859.599609	0.933333
1780	007	3017	0.07	3520	2	65	100	3	7	5	9051	5531	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	4927.599609	4927.599609	0.933333
1780	011	3017	0.07	2400	2	65	100	3	7	5	9051	6651	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	6047.599609	6047.599609	0.933333
1780	012	3017	0.07	5674	2	65	100	3	7	5	9051	3377	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	2773.599609	2773.599609	0.933333
1780	013	3017	0.07	2500	2	65	100	3	7	5	9051	6551	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	5947.599609	5947.599609	0.933333
1780	017	3017	0.07	3754	2	85	140	4	10	8	12068	8314	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8447.599609	4693.599609	4693.599609	0.7
1780	032	3000	0.07	3584	2	65	100	3	7	5	9000	5416	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4816	4816	0.933333
1780	039	3000	0.07	2350	2	65	100	3	7	5	9000	6650	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6050	6050	0.933333
1780	040	3000	0.07	2852	2	65	100	3	7	5	9000	6148	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5548	5548	0.933333
1781	002	3011	0.07	3216	2	65	100	3	7	5	9033	5817	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	5214.799805	5214.799805	0.933333
1781	003	3011	0.07	2650	2	65	100	3	7	5	9033	6383	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	5780.799805	5780.799805	0.933333
1781	004	3011	0.07	3200	2	65	100	3	7	5	9033	5833	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	5230.799805	5230.799805	0.933333
1781	005	3011	0.07	2650	2	65	100	3	7	5	9033	6383	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	5780.799805	5780.799805	0.933333
1781	007	3011	0.07	4412	2	65	100	3	7	5	9033	4621	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	4018.799805	4018.799805	0.933333
1781	008	3011	0.07	3680	2	65	100	3	7	5	9033	5353	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	4750.799805	4750.799805	0.933333
1781	009	3011	0.07	4095	2	65	100	3	7	5	9033	4938	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	4335.799805	4335.799805	0.933333
1781	013	3011	0.07	2956	2	65	100	3	7	5	9033	6077	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	5474.799805	5474.799805	0.933333
1781	014	3011	0.07	3240	2	65	100	3	7	5	9033	5793	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	5190.799805	5190.799805	0.933333
1781	015	3011	0.07	2500	2	65	100	3	7	5	9033	6533	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	5930.799805	5930.799805	0.933333
1781	017	3017	0.07	3900	2	65	100	3	7	5	9051	5151	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	4547.599609	4547.599609	0.933333
1781	033	3000	0.07	1894	2	65	100	3	7	5	9000	7106	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6506	6506	0.933333
1781	039	3000	0.07	4320	2	65	100	3	7	5	9000	4680	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4080	4080	0.933333
1781	040	3000	0.07	4566	2	65	100	3	7	5	9000	4434	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	3834	3834	0.933333
1781	042	3000	0.07	3130	2	65	100	3	7	5	9000	5870	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5270	5270	0.933333
1781	053	3011	0.07	1375	2	65	100	3	7	5	9033	7658	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	7055.799805	7055.799805	0.933333
1781	055	3011	0.07	2037	2	65	100	3	7	5	9033	6996	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	6393.799805	6393.799805	0.933333
1781	057	3000	0.07	1493	2	65	100	3	7	5	9000	7507	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6907	6907	0.933333
1781	071	3011	0.07	3261	2	65	100	3	7	5	9033	5772	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	5169.799805	5169.799805	0.933333
1782	003A	3006	0.07	2500	2	65	100	3	7	5	9018	6518	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	5916.799805	5916.799805	0.933333
1782	006	3006	0.07	2500	2	65	100	3	7	5	9018	6518	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	5916.799805	5916.799805	0.933333
1782	008A	3006	0.07	2944	2	65	100	3	7	5	9018	6074	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	5472.799805	5472.799805	0.933333
1782	013	3006	0.07	2850	2	85	140	4	10	8	12024	9174	RH-3	40	form-based			true	0.7	6	0.600000024	4	4	8416.799805	5566.799805	5566.799805	0.7
1782	023B	2500	0.06	1435	1	65	100	3	6	5	7500	6065	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5565	5565	0.933333
1782	025	2500	0.06	1020	1	65	100	3	6	5	7500	6480	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5980	5980	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1782	026	2500	0.06	1255	1	65	100	3	6	5	7500	6245	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5745	5745	0.933333
1782	027	2500	0.06	1255	1	65	100	3	6	5	7500	6245	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5745	5745	0.933333
1783	001B	2500	0.06	2375	1	65	100	3	6	5	7500	5125	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4625	4625	0.933333
1783	012A	2982	0.07	4571	2	85	140	4	10	8	11928	7357	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8349.599609	3778.599609	3778.599609	0.7
1783	018	1376	0.03	3425	3	85	140	4	4	1	5504	2079	NC-1	85	form-based		true	true	0.75	7	1.75	4	4	8256	4831	4831	1.5
1783	036A	2500	0.06	1490	1	65	100	3	6	5	7500	6010	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5510	5510	0.933333
1783	036B	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5550	5550	0.933333
1783	037	2500	0.06	1900	1	65	100	3	6	5	7500	5600	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5100	5100	0.933333
1783	038	2500	0.06	1979	1	65	100	3	6	5	7500	5521	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5021	5021	0.933333
1784	001R	2450	0.06	1475	1	65	100	3	6	5	7350	5875	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6860	5385	5385	0.933333
1784	010	3000	0.07	4471	2	65	100	3	7	5	9000	4529	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	3929	3929	0.933333
1785	001A	2500	0.06	3100	1	65	100	3	6	5	7500	4400	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	3900	3900	0.933333
1785	011A	3025	0.07	2618	2	85	140	4	10	8	12100	9482	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8470	5852	5852	0.7
1785	019A	3000	0.07	2004	2	85	140	4	10	8	12000	9996	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	6396	6396	0.7
1785	029	2500	0.06	2080	1	65	100	3	6	5	7500	5420	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4920	4920	0.933333
1786	010	3000	0.07	2000	2	85	140	4	10	8	12000	10000	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	6400	6400	0.7
1786	011	3000	0.07	2120	2	85	140	4	10	8	12000	9880	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	6280	6280	0.7
1786	017	2992	0.07	2000	2	65	100	3	7	5	8976	6976	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	6377.599609	6377.599609	0.933333
1786	019	2992	0.07	3176	2	65	100	3	7	5	8976	5800	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	5201.599609	5201.599609	0.933333
1786	019B	2992	0.07	2000	2	65	100	3	7	5	8976	6976	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	6377.599609	6377.599609	0.933333
1787	010	3027	0.07	2250	2	65	100	3	7	5	9081	6831	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8475.599609	6225.599609	6225.599609	0.933333
1787	016	1395	0.03	2662	3	65	100	3	3	0	4185	1523	RTO-C	85	form-based		true	true	0.75	7	2.333333254	4	3	8370	5708	5708	2
1787	029	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
1787	030A	2500	0.06	1361	1	65	100	3	6	5	7500	6139	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5639	5639	0.933333
1787	031	2500	0.06	1850	1	65	100	3	6	5	7500	5650	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5150	5150	0.933333
1787	032	2500	0.06	1550	1	65	100	3	6	5	7500	5950	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5450	5450	0.933333
1787	033	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5875	5875	0.933333
1787	034	2500	0.06	1361	1	65	100	3	6	5	7500	6139	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5639	5639	0.933333
1788	002	3003	0.07	2400	2	65	100	3	7	5	9009	6609	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8408.399414	6008.399414	6008.399414	0.933333
1788	003	3003	0.07	2300	2	65	100	3	7	5	9009	6709	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8408.399414	6108.399414	6108.399414	0.933333
1788	004	3003	0.07	3114	2	65	100	3	7	5	9009	5895	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8408.399414	5294.399414	5294.399414	0.933333
1788	024	3000	0.07	3860	2	65	100	3	7	5	9000	5140	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4540	4540	0.933333
1788	025	3000	0.07	3477	2	65	100	3	7	5	9000	5523	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4923	4923	0.933333
1788	027	3000	0.07	2250	2	65	100	3	7	5	9000	6750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6150	6150	0.933333
1788	027A	3000	0.07	2250	2	65	100	3	7	5	9000	6750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6150	6150	0.933333
1788	034	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5950	5950	0.933333
1788	035	2500	0.06	1411	1	65	100	3	6	5	7500	6089	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5589	5589	0.933333
1788	035A	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5950	5950	0.933333
1789	040	2188	0.05	975	1	65	100	3	5	4	6564	5589	RH-2	40	form-based			true	0.7	5	1	4	4	6126.399902	5151.399902	5151.399902	0.933333
1789	041	2187	0.05	1972	1	65	100	3	5	4	6561	4589	RH-2	40	form-based			true	0.7	5	1	4	4	6123.600098	4151.600098	4151.600098	0.933333
1789	042	2188	0.05	975	1	65	100	3	5	4	6564	5589	RH-2	40	form-based			true	0.7	5	1	4	4	6126.399902	5151.399902	5151.399902	0.933333
1790	001	3322	0.08	3970	3	65	100	3	8	5	9966	5996	RH-2	40	form-based		true	true	0.7	7	0.875	4	4	9301.599609	5331.599609	5331.599609	0.933333
1790	002	3020	0.07	2000	2	65	100	3	7	5	9060	7060	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8456	6456	6456	0.933333
1790	002A	3020	0.07	2000	2	65	100	3	7	5	9060	7060	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8456	6456	6456	0.933333
1790	003	3020	0.07	1414	2	65	100	3	7	5	9060	7646	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8456	7042	7042	0.933333
1790	004	3020	0.07	2625	2	65	100	3	7	5	9060	6435	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8456	5831	5831	0.933333
1790	019A	2500	0.06	1420	1	65	100	3	6	5	7500	6080	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5580	5580	0.933333
1792	001	1530	0.04	2142	2	65	100	3	4	2	4590	2448	RTO-C	65	form-based		true	true	0.75	6	1.5	4	4	6885	4743	4743	1.5
1793	003	2379	0.05	1075	1	65	100	3	5	4	7137	6062	RH-2	40	form-based			true	0.7	5	1	4	4	6661.199707	5586.199707	5586.199707	0.933333
1793	005	3004	0.07	2922	2	65	100	3	7	5	9012	6090	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	5489.200195	5489.200195	0.933333
1793	006	3004	0.07	2500	2	65	100	3	7	5	9012	6512	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	5911.200195	5911.200195	0.933333
1793	009	3004	0.07	1990	2	65	100	3	7	5	9012	7022	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	6421.200195	6421.200195	0.933333
1793	025	1607	0.04	2750	4	65	100	3	4	0	4821	2071	NC-1	85	form-based		true	true	0.75	8	2	4	4	9642	6892	6892	2
1794	036	3010	0.07	2875	2	65	100	3	7	5	9030	6155	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8428	5553	5553	0.933333
1795	001	3249	0.07	5630	8	65	100	3	7	0	9747	4117	NC-1	65	form-based		true	true	0.75	12	1.714285731	4	4	14620.5	8990.5	8990.5	1.5
1795	018A	2375	0.05	750	1	65	100	3	5	4	7125	6375	RH-2	40	form-based			true	0.7	5	1	4	4	6650	5900	5900	0.933333
1795	028	3000	0.07	2400	2	65	100	3	7	5	9000	6600	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6000	6000	0.933333
1795	037	3000	0.07	2662	2	65	100	3	7	5	9000	6338	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5738	5738	0.933333
1795	038	3000	0.07	2662	2	65	100	3	7	5	9000	6338	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5738	5738	0.933333
1795	041	3000	0.07	1019	2	65	100	3	7	5	9000	7981	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7381	7381	0.933333
1796	027	3000	0.07	2400	2	65	100	3	7	5	9000	6600	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6000	6000	0.933333
1796	001	1313	0.03	1957	1	65	100	3	3	2	3939	1982	NC-1	65	form-based		true	true	0.75	5	1.666666627	4	4	5908.5	3951.5	3951.5	1.5
1796	001A	1312	0.03	1024	1	65	100	3	3	2	3936	2912	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	5904	4880	4880	1.5
1796	001B	1313	0.03	1024	1	65	100	3	3	2	3939	2915	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	5908.5	4884.5	4884.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1796	001C	1312	0.03	1024	1	65	100	3	3	2	3936	2912	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	5904	4880	4880	1.5
1796	003	3012	0.07	3596	2	65	100	3	7	5	9036	5440	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	4837.599609	4837.599609	0.933333
1796	026	3000	0.07	2400	2	65	100	3	7	5	9000	6600	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6000	6000	0.933333
1796	027A	3000	0.07	3489	2	65	100	3	7	5	9000	5511	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4911	4911	0.933333
1796	031	3000	0.07	3300	2	65	100	3	7	5	9000	5700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5100	5100	0.933333
1796	043	2835	0.07	2632	2	65	100	3	7	5	8505	5873	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7938	5306	5306	0.933333
1796	044	3000	0.07	2632	2	65	100	3	7	5	9000	6368	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5768	5768	0.933333
1796	060	3000	0.07	1870	2	65	100	3	7	5	9000	7130	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6530	6530	0.933333
1796	061	3000	0.07	1452	2	65	100	3	7	5	9000	7548	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6948	6948	0.933333
1797	004	3019	0.07	2400	2	65	100	3	7	5	9057	6657	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8453.200195	6053.200195	6053.200195	0.933333
1797	005	3019	0.07	2592	2	65	100	3	7	5	9057	6465	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8453.200195	5861.200195	5861.200195	0.933333
1797	013A	931	0.02	878	1	65	100	3	2	1	2793	1915	RTO-C	85	form-based			true	0.75	5	2.5	4	3	5586	4708	4708	2
1797	039	1941	0.04	2935	3	65	100	3	4	1	5823	2888	RTO-C	65	form-based		true	true	0.75	7	1.75	4	4	8734.5	5799.5	5799.5	1.5
1797	040	3019	0.07	3644	2	65	100	3	7	5	9057	5413	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8453.200195	4809.200195	4809.200195	0.933333
1797	041	3019	0.07	3768	2	65	100	3	7	5	9057	5289	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8453.200195	4685.200195	4685.200195	0.933333
1798	011	3000	0.07	3274	2	65	100	3	7	5	9000	5726	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5126	5126	0.933333
1798	017	3000	0.07	2155	2	65	100	3	7	5	9000	6845	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6245	6245	0.933333
1798	019	3000	0.07	1951	2	85	140	4	10	8	12000	10049	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	6449	6449	0.7
1798	030	2375	0.05	1400	1	85	140	4	7	6	9500	8100	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	6650	5250	5250	0.7
1798	031	2227	0.05	1400	1	65	100	3	5	4	6681	5281	RH-2	40	form-based			true	0.7	5	1	4	4	6235.600098	4835.600098	4835.600098	0.933333
1798	044	3013	0.07	2106	2	65	100	3	7	5	9039	6933	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	6330.399414	6330.399414	0.933333
1799	009	3004	0.07	2835	2	65	100	3	7	5	9012	6177	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8411.200195	5576.200195	5576.200195	0.933333
1799	013	2810	0.06	3628	2	65	100	3	6	4	8430	4802	RH-2	40	form-based			true	0.7	6	1	4	4	7868	4240	4240	0.933333
1800	001	3240	0.07	5896	8	65	100	3	7	0	9720	3824	RTO-C	65	form-based		true	true	0.75	12	1.714285731	4	4	14580	8684	8684	1.5
1800	005	3005	0.07	1511	2	65	100	3	7	5	9015	7504	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	6903	6903	0.933333
1800	013	3000	0.07	1243	2	65	100	3	7	5	9000	7757	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7157	7157	0.933333
1800	018	3000	0.07	2345	2	65	100	3	7	5	9000	6655	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6055	6055	0.933333
1800	020	2932	0.07	2350	2	65	100	3	7	5	8796	6446	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8209.599609	5859.599609	5859.599609	0.933333
1800	035	3005	0.07	1964	2	65	100	3	7	5	9015	7051	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	6450	6450	0.933333
1800	041	3000	0.07	1018	2	65	100	3	7	5	9000	7982	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7382	7382	0.933333
1801	008	3003	0.07	1444	2	65	100	3	7	5	9009	7565	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8408.399414	6964.399414	6964.399414	0.933333
1801	013	3003	0.07	3230	2	85	140	4	10	8	12012	8782	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8408.399414	5178.399414	5178.399414	0.7
1801	027	3000	0.07	1935	2	65	100	3	7	5	9000	7065	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6465	6465	0.933333
1801	030	3000	0.07	4114	2	65	100	3	7	5	9000	4886	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4286	4286	0.933333
1801	041	1625	0.04	1543	2	65	100	3	4	2	4875	3332	RTO-C	65	form-based			true	0.75	6	1.5	4	4	7312.5	5769.5	5769.5	1.5
1801	062	3000	0.07	1109	2	65	100	3	7	5	9000	7891	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7291	7291	0.933333
1802	001A	1438	0.03	900	1	65	100	3	3	2	4314	3414	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5571	5571	1.5
1802	001B	1437	0.03	900	1	65	100	3	3	2	4311	3411	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5566.5	5566.5	1.5
1802	001C	1437	0.03	900	1	65	100	3	3	2	4311	3411	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5566.5	5566.5	1.5
1802	002	2983	0.07	4024	2	65	100	3	7	5	8949	4925	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	4328.399414	4328.399414	0.933333
1802	007	2983	0.07	3708	2	65	100	3	7	5	8949	5241	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	4644.399414	4644.399414	0.933333
1802	035	2477	0.06	3601	5	65	100	3	6	1	7431	3830	RTO-C	65	form-based			true	0.75	9	1.5	4	4	11146.5	7545.5	7545.5	1.5
1802	038	2983	0.07	2040	2	65	100	3	7	5	8949	6909	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	6312.399414	6312.399414	0.933333
1802	042	3000	0.07	1352	2	65	100	3	7	5	9000	7648	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7048	7048	0.933333
1802	043	3000	0.07	1615	2	65	100	3	7	5	9000	7385	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6785	6785	0.933333
1802	046	5932	0.14	5760	8	85	140	4	20	12	23728	17968	RH-2	40	form-based			true	0.7	12	0.600000024	4	4	16609.59961	10849.59961	10849.59961	0.7
1802	061	3000	0.07	1510	2	65	100	3	7	5	9000	7490	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6890	6890	0.933333
1803	001C	2477	0.06	1962	1	65	100	3	6	5	7431	5469	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6935.600098	4973.600098	4973.600098	0.933333
1803	001D	2561	0.06	1541	1	65	100	3	6	5	7683	6142	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7170.799805	5629.799805	5629.799805	0.933333
1803	002	2932	0.07	2736	2	65	100	3	7	5	8796	6060	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8209.599609	5473.599609	5473.599609	0.933333
1803	004	3000	0.07	3850	2	65	100	3	7	5	9000	5150	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4550	4550	0.933333
1803	008	3000	0.07	2389	2	65	100	3	7	5	9000	6611	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6011	6011	0.933333
1803	024	3021	0.07	2760	2	85	140	4	10	8	12084	9324	RH-3	40	form-based			true	0.7	6	0.600000024	4	4	8458.799805	5698.799805	5698.799805	0.7
1803	025	3021	0.07	1574	2	85	140	4	10	8	12084	10510	RH-3	40	form-based			true	0.7	6	0.600000024	4	4	8458.799805	6884.799805	6884.799805	0.7
1803	026	3021	0.07	1575	2	65	100	3	7	5	9063	7488	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	6883.799805	6883.799805	0.933333
1805	003	3000	0.07	2930	2	85	140	4	10	8	12000	9070	RM-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	5470	5470	0.7
1805	006	3000	0.07	2280	2	65	100	3	7	5	9000	6720	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6120	6120	0.933333
1805	024	3021	0.07	2648	2	65	100	3	7	5	9063	6415	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5810.799805	5810.799805	0.933333
1805	052	8535	0.2	8478	14	85	140	4	28	14	34140	25662	RM-1	40	form-based			true	0.7	18	0.642857134	4	4	23898	15420	15420	0.7
1806	005	2983	0.07	1682	2	65	100	3	7	5	8949	7267	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	6670.399414	6670.399414	0.933333
1806	014	2500	0.06	990	1	65	100	3	6	5	7500	6510	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6010	6010	0.933333
1806	015	2500	0.06	1260	1	65	100	3	6	5	7500	6240	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5740	5740	0.933333
1806	027	3000	0.07	2384	2	65	100	3	7	5	9000	6616	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6016	6016	0.933333
1806	046	2983	0.07	2800	2	65	100	3	7	5	8949	6149	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	5552.399414	5552.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1806	047	2983	0.07	2800	2	65	100	3	7	5	8949	6149	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	5552.399414	5552.399414	0.933333
1806	048	2983	0.07	3540	2	65	100	3	7	5	8949	5409	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	4812.399414	4812.399414	0.933333
1806	049	2983	0.07	4158	2	65	100	3	7	5	8949	4791	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	4194.399414	4194.399414	0.933333
1806	050	2983	0.07	3540	2	65	100	3	7	5	8949	5409	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	4812.399414	4812.399414	0.933333
1806	051	2983	0.07	3540	2	65	100	3	7	5	8949	5409	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	4812.399414	4812.399414	0.933333
1807	015	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
1807	015A	2500	0.06	1094	1	65	100	3	6	5	7500	6406	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5906	5906	0.933333
1807	020	2951	0.07	1910	2	65	100	3	7	5	8853	6943	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8262.799805	6352.799805	6352.799805	0.933333
1807	023	3000	0.07	2780	2	65	100	3	7	5	9000	6220	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5620	5620	0.933333
1807	041	3000	0.07	2780	2	65	100	3	7	5	9000	6220	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5620	5620	0.933333
1807	042	3000	0.07	2780	2	65	100	3	7	5	9000	6220	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5620	5620	0.933333
1808	015	3000	0.07	1570	2	65	100	3	7	5	9000	7430	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6830	6830	0.933333
1808	023	2520	0.06	1355	1	65	100	3	6	5	7560	6205	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7056	5701	5701	0.933333
1808	024	2520	0.06	1154	1	65	100	3	6	5	7560	6406	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7056	5902	5902	0.933333
1808	025	2520	0.06	1642	1	65	100	3	6	5	7560	5918	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7056	5414	5414	0.933333
1809	001C	2377	0.05	1150	1	65	100	3	5	4	7131	5981	RH-1	40	form-based			true	0.7	5	1	4	4	6655.600098	5505.600098	5505.600098	0.933333
1809	011	2377	0.05	1296	1	65	100	3	5	4	7131	5835	RH-1	40	form-based			true	0.7	5	1	4	4	6655.600098	5359.600098	5359.600098	0.933333
1809	012	2377	0.05	1830	1	65	100	3	5	4	7131	5301	RH-1	40	form-based			true	0.7	5	1	4	4	6655.600098	4825.600098	4825.600098	0.933333
1809	013	2377	0.05	1250	1	65	100	3	5	4	7131	5881	RH-1	40	form-based			true	0.7	5	1	4	4	6655.600098	5405.600098	5405.600098	0.933333
1809	013A	2496	0.06	1250	1	65	100	3	6	5	7488	6238	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	6988.799805	5738.799805	5738.799805	0.933333
1809	014	2531	0.06	1400	1	65	100	3	6	5	7593	6193	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5686.799805	5686.799805	0.933333
1809	015	2531	0.06	1250	1	65	100	3	6	5	7593	6343	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5836.799805	5836.799805	0.933333
1809	016D	2377	0.05	1250	1	65	100	3	5	4	7131	5881	RH-1	40	form-based			true	0.7	5	1	4	4	6655.600098	5405.600098	5405.600098	0.933333
1809	021	3002	0.07	2155	2	65	100	3	7	5	9006	6851	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	6250.599609	6250.599609	0.933333
1809	027	2377	0.05	590	1	65	100	3	5	4	7131	6541	RH-1	40	form-based			true	0.7	5	1	4	4	6655.600098	6065.600098	6065.600098	0.933333
1810	019	2168	0.05	1100	1	65	100	3	5	4	6504	5404	RH-1	40	form-based	true		true	0.7	5	1	4	4	6070.399902	4970.399902	4970.399902	0.933333
1810	020	2532	0.06	938	1	65	100	3	6	5	7596	6658	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	6151.600098	6151.600098	0.933333
1810	021	2532	0.06	920	1	65	100	3	6	5	7596	6676	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	6169.600098	6169.600098	0.933333
1810	022	2532	0.06	1876	1	65	100	3	6	5	7596	5720	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	5213.600098	5213.600098	0.933333
1810	023	2532	0.06	938	1	65	100	3	6	5	7596	6658	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	6151.600098	6151.600098	0.933333
1811	018	2531	0.06	1417	1	65	100	3	6	5	7593	6176	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5669.799805	5669.799805	0.933333
1811	019	2531	0.06	975	1	65	100	3	6	5	7593	6618	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	6111.799805	6111.799805	0.933333
1811	020	2531	0.06	1092	1	65	100	3	6	5	7593	6501	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5994.799805	5994.799805	0.933333
1811	021	2531	0.06	1707	1	65	100	3	6	5	7593	5886	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5379.799805	5379.799805	0.933333
1811	022	2531	0.06	2053	1	65	100	3	6	5	7593	5540	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5033.799805	5033.799805	0.933333
1811	023	2166	0.05	1300	1	65	100	3	5	4	6498	5198	RH-1	40	form-based	true		true	0.7	5	1	4	4	6064.799805	4764.799805	4764.799805	0.933333
1811	040	3000	0.07	2000	2	85	140	4	10	8	12000	10000	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	6400	6400	0.7
1812	019	2540	0.06	1075	1	65	100	3	6	5	7620	6545	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7112	6037	6037	0.933333
1812	020	2540	0.06	1075	1	65	100	3	6	5	7620	6545	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7112	6037	6037	0.933333
1812	021	2540	0.06	1610	1	65	100	3	6	5	7620	6010	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7112	5502	5502	0.933333
1812	022	2540	0.06	1150	1	65	100	3	6	5	7620	6470	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7112	5962	5962	0.933333
1812	023	2540	0.06	1170	1	65	100	3	6	5	7620	6450	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7112	5942	5942	0.933333
1812	023A	2540	0.06	1157	1	65	100	3	6	5	7620	6463	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7112	5955	5955	0.933333
1812	033	3000	0.07	3087	2	65	100	3	7	5	9000	5913	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5313	5313	0.933333
1813	020	2539	0.06	1765	1	65	100	3	6	5	7617	5852	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7109.199707	5344.199707	5344.199707	0.933333
1813	021	2539	0.06	2150	1	65	100	3	6	5	7617	5467	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7109.199707	4959.199707	4959.199707	0.933333
1813	022	2539	0.06	1550	1	65	100	3	6	5	7617	6067	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7109.199707	5559.199707	5559.199707	0.933333
1813	023	2539	0.06	1525	1	65	100	3	6	5	7617	6092	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7109.199707	5584.199707	5584.199707	0.933333
1813	024	2539	0.06	1450	1	65	100	3	6	5	7617	6167	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7109.199707	5659.199707	5659.199707	0.933333
1813	025	2539	0.06	1973	1	65	100	3	6	5	7617	5644	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7109.199707	5136.199707	5136.199707	0.933333
1814	001C	2260	0.05	1375	1	85	140	4	7	6	9040	7665	NC-1	40	form-based			true	0.75	5	0.714285731	4	4	6780	5405	5405	0.75
1814	018	2385	0.05	1095	1	65	100	3	5	4	7155	6060	RH-1	40	form-based			true	0.7	5	1	4	4	6678	5583	5583	0.933333
1814	019	2385	0.05	1245	1	65	100	3	5	4	7155	5910	RH-1	40	form-based			true	0.7	5	1	4	4	6678	5433	5433	0.933333
1814	020	2385	0.05	1302	1	65	100	3	5	4	7155	5853	RH-1	40	form-based			true	0.7	5	1	4	4	6678	5376	5376	0.933333
1814	021	2508	0.06	1812	1	65	100	3	6	5	7524	5712	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	7022.399902	5210.399902	5210.399902	0.933333
1814	022	2532	0.06	1700	1	65	100	3	6	5	7596	5896	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	5389.600098	5389.600098	0.933333
1814	023	2532	0.06	1400	1	65	100	3	6	5	7596	6196	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	5689.600098	5689.600098	0.933333
1814	024	2498	0.06	1400	1	65	100	3	6	5	7494	6094	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	6994.399902	5594.399902	5594.399902	0.933333
1814	025	2375	0.05	1330	1	65	100	3	5	4	7125	5795	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5320	5320	0.933333
1814	026	2375	0.05	1400	1	65	100	3	5	4	7125	5725	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5250	5250	0.933333
1814	027	2375	0.05	1350	1	65	100	3	5	4	7125	5775	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5300	5300	0.933333
1814	044	2250	0.05	1490	1	85	140	4	7	6	9000	7510	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	6300	4810	4810	0.7
1815	007H	2379	0.05	1825	1	65	100	3	5	4	7137	5312	RH-1	40	form-based			true	0.7	5	1	4	4	6661.199707	4836.199707	4836.199707	0.933333
1815	007I	2379	0.05	1350	1	65	100	3	5	4	7137	5787	RH-1	40	form-based			true	0.7	5	1	4	4	6661.199707	5311.199707	5311.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1815	007J	2379	0.05	1666	1	65	100	3	5	4	7137	5471	RH-1	40	form-based			true	0.7	5	1	4	4	6661.199707	4995.199707	4995.199707	0.933333
1815	007K	2499	0.06	1313	1	65	100	3	6	5	7497	6184	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6997.199707	5684.199707	5684.199707	0.933333
1815	007L	2531	0.06	1275	1	65	100	3	6	5	7593	6318	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5811.799805	5811.799805	0.933333
1815	008	2531	0.06	1797	1	65	100	3	6	5	7593	5796	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5289.799805	5289.799805	0.933333
1815	008A	2495	0.06	1075	1	65	100	3	6	5	7485	6410	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6986	5911	5911	0.933333
1815	008B	2375	0.05	1450	1	65	100	3	5	4	7125	5675	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5200	5200	0.933333
1815	008C	2375	0.05	1375	1	65	100	3	5	4	7125	5750	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5275	5275	0.933333
1815	008D	2375	0.05	1500	1	65	100	3	5	4	7125	5625	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5150	5150	0.933333
1815	009E	3000	0.07	1450	2	65	100	3	7	5	9000	7550	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6950	6950	0.933333
1815	014	1504	0.03	2580	4	65	100	3	3	0	4512	1932	NC-1	85	form-based		true	true	0.75	8	2.666666746	4	2	9024	6444	6444	2
1816	018	2366	0.05	1500	1	65	100	3	5	4	7098	5598	RH-1	40	form-based			true	0.7	5	1	4	4	6624.799805	5124.799805	5124.799805	0.933333
1816	019	2366	0.05	1375	1	65	100	3	5	4	7098	5723	RH-1	40	form-based			true	0.7	5	1	4	4	6624.799805	5249.799805	5249.799805	0.933333
1816	020	2366	0.05	1500	1	65	100	3	5	4	7098	5598	RH-1	40	form-based			true	0.7	5	1	4	4	6624.799805	5124.799805	5124.799805	0.933333
1816	021	2487	0.06	3000	1	65	100	3	6	5	7461	4461	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6963.600098	3963.600098	3963.600098	0.933333
1816	022	2532	0.06	1400	1	65	100	3	6	5	7596	6196	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	5689.600098	5689.600098	0.933333
1816	023	2532	0.06	1400	1	65	100	3	6	5	7596	6196	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	5689.600098	5689.600098	0.933333
1816	025	2375	0.05	1911	1	65	100	3	5	4	7125	5214	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4739	4739	0.933333
1816	026	2375	0.05	1375	1	65	100	3	5	4	7125	5750	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5275	5275	0.933333
1816	027	2375	0.05	1375	1	65	100	3	5	4	7125	5750	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5275	5275	0.933333
1818	019A	2196	0.05	2700	1	65	100	3	5	4	6588	3888	RH-1	40	form-based		true	true	0.7	5	1	4	4	6148.799805	3448.799805	3448.799805	0.933333
1818	024	2765	0.06	2922	2	65	100	3	6	4	8295	5373	RH-1	40	form-based			true	0.7	6	1	4	4	7742	4820	4820	0.933333
1818	034	2765	0.06	2750	2	65	100	3	6	4	8295	5545	RH-1	40	form-based			true	0.7	6	1	4	4	7742	4992	4992	0.933333
1819	017A	2228	0.05	1615	1	65	100	3	5	4	6684	5069	RH-1	40	form-based		true	true	0.7	5	1	4	4	6238.399902	4623.399902	4623.399902	0.933333
1819	019	2548	0.06	1947	1	65	100	3	6	5	7644	5697	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7134.399902	5187.399902	5187.399902	0.933333
1819	020	2548	0.06	1588	1	65	100	3	6	5	7644	6056	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7134.399902	5546.399902	5546.399902	0.933333
1819	021	2245	0.05	2080	1	65	100	3	5	4	6735	4655	RH-1	40	form-based		true	true	0.7	5	1	4	4	6286	4206	4206	0.933333
1820	019	2531	0.06	1770	1	65	100	3	6	5	7593	5823	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5316.799805	5316.799805	0.933333
1820	020	2531	0.06	2225	1	65	100	3	6	5	7593	5368	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	4861.799805	4861.799805	0.933333
1820	021	2531	0.06	1710	1	65	100	3	6	5	7593	5883	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5376.799805	5376.799805	0.933333
1820	022	2531	0.06	1450	1	65	100	3	6	5	7593	6143	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5636.799805	5636.799805	0.933333
1820	023	2531	0.06	1545	1	65	100	3	6	5	7593	6048	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5541.799805	5541.799805	0.933333
1820	024	2531	0.06	1678	1	65	100	3	6	5	7593	5915	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5408.799805	5408.799805	0.933333
1821	017	2524	0.06	1315	1	65	100	3	6	5	7572	6257	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	5752.199707	5752.199707	0.933333
1821	018	2524	0.06	2235	1	65	100	3	6	5	7572	5337	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	4832.199707	4832.199707	0.933333
1821	018A	2524	0.06	1200	1	65	100	3	6	5	7572	6372	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	5867.199707	5867.199707	0.933333
1821	019	2524	0.06	2300	1	65	100	3	6	5	7572	5272	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	4767.199707	4767.199707	0.933333
1821	020	2524	0.06	2133	1	65	100	3	6	5	7572	5439	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	4934.199707	4934.199707	0.933333
1822	014	2492	0.06	1580	1	65	100	3	6	5	7476	5896	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6977.600098	5397.600098	5397.600098	0.933333
1822	014A	2492	0.06	2447	1	65	100	3	6	5	7476	5029	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6977.600098	4530.600098	4530.600098	0.933333
1822	015	2492	0.06	1784	1	65	100	3	6	5	7476	5692	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6977.600098	5193.600098	5193.600098	0.933333
1822	015A	2617	0.06	2376	1	65	100	3	6	5	7851	5475	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7327.600098	4951.600098	4951.600098	0.933333
1822	016A	2531	0.06	1802	1	65	100	3	6	5	7593	5791	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5284.799805	5284.799805	0.933333
1822	017	2185	0.05	1550	1	65	100	3	5	4	6555	5005	RH-1	40	form-based		true	true	0.7	5	1	4	4	6118	4568	4568	0.933333
1822	019C	3017	0.07	2265	2	65	100	3	7	5	9051	6786	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	6182.599609	6182.599609	0.933333
1823	020	2270	0.05	1500	1	65	100	3	5	4	6810	5310	RH-1	40	form-based		true	true	0.7	5	1	4	4	6356	4856	4856	0.933333
1823	021A	2532	0.06	1515	1	65	100	3	6	5	7596	6081	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	5574.600098	5574.600098	0.933333
1823	022	2532	0.06	1770	1	65	100	3	6	5	7596	5826	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	5319.600098	5319.600098	0.933333
1823	024	2614	0.06	1380	1	65	100	3	6	5	7842	6462	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7319.199707	5939.199707	5939.199707	0.933333
1823	025	2614	0.06	1380	1	65	100	3	6	5	7842	6462	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7319.199707	5939.199707	5939.199707	0.933333
1823	026	2614	0.06	2164	1	65	100	3	6	5	7842	5678	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7319.199707	5155.199707	5155.199707	0.933333
1824	022	2524	0.06	1325	1	65	100	3	6	5	7572	6247	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	5742.199707	5742.199707	0.933333
1824	023	2524	0.06	1439	1	65	100	3	6	5	7572	6133	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	5628.199707	5628.199707	0.933333
1824	024	2524	0.06	1600	1	65	100	3	6	5	7572	5972	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	5467.199707	5467.199707	0.933333
1825	002A	2969	0.07	2203	2	85	140	4	10	8	11876	9673	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8313.200195	6110.200195	6110.200195	0.7
1825	014	2344	0.05	1550	1	65	100	3	5	4	7032	5482	RH-1	40	form-based			true	0.7	5	1	4	4	6563.199707	5013.199707	5013.199707	0.933333
1825	014A	2434	0.06	2120	1	65	100	3	6	5	7302	5182	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6815.199707	4695.199707	4695.199707	0.933333
1825	014B	2344	0.05	1490	1	65	100	3	5	4	7032	5542	RH-1	40	form-based			true	0.7	5	1	4	4	6563.199707	5073.199707	5073.199707	0.933333
1825	014C	2344	0.05	2011	1	65	100	3	5	4	7032	5021	RH-1	40	form-based			true	0.7	5	1	4	4	6563.199707	4552.199707	4552.199707	0.933333
1825	014D	2524	0.06	2120	1	65	100	3	6	5	7572	5452	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	4947.199707	4947.199707	0.933333
1825	015	2524	0.06	1625	1	65	100	3	6	5	7572	5947	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	5442.199707	5442.199707	0.933333
1825	016	2482	0.06	2647	1	65	100	3	6	5	7446	4799	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6949.600098	4302.600098	4302.600098	0.933333
1825	017	2390	0.05	1625	1	65	100	3	5	4	7170	5545	RH-1	40	form-based			true	0.7	5	1	4	4	6692	5067	5067	0.933333
1825	018	2390	0.05	1825	1	65	100	3	5	4	7170	5345	RH-1	40	form-based			true	0.7	5	1	4	4	6692	4867	4867	0.933333
1825	019	2390	0.05	2540	1	65	100	3	5	4	7170	4630	RH-1	40	form-based			true	0.7	5	1	4	4	6692	4152	4152	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1826	019A	2165	0.05	1852	1	65	100	3	5	4	6495	4643	RH-2	40	form-based		true	true	0.7	5	1	4	4	6062	4210	4210	0.933333
1826	020	2529	0.06	1765	1	65	100	3	6	5	7587	5822	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7081.199707	5316.199707	5316.199707	0.933333
1826	021	2529	0.06	1395	1	65	100	3	6	5	7587	6192	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7081.199707	5686.199707	5686.199707	0.933333
1826	022	2529	0.06	1637	1	65	100	3	6	5	7587	5950	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7081.199707	5444.199707	5444.199707	0.933333
1826	023	2529	0.06	1305	1	65	100	3	6	5	7587	6282	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7081.199707	5776.199707	5776.199707	0.933333
1827	002	2962	0.07	2548	2	65	100	3	7	5	8886	6338	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8293.599609	5745.599609	5745.599609	0.933333
1827	002A	3011	0.07	4205	2	65	100	3	7	5	9033	4828	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	4225.799805	4225.799805	0.933333
1827	013A	3011	0.07	2450	2	65	100	3	7	5	9033	6583	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	5980.799805	5980.799805	0.933333
1827	016	2165	0.05	1620	1	65	100	3	5	4	6495	4875	RH-2	40	form-based			true	0.7	5	1	4	4	6062	4442	4442	0.933333
1827	017	2530	0.06	1923	1	65	100	3	6	5	7590	5667	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7084	5161	5161	0.933333
1827	018	2530	0.06	1525	1	65	100	3	6	5	7590	6065	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7084	5559	5559	0.933333
1827	018A	2530	0.06	1625	1	65	100	3	6	5	7590	5965	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7084	5459	5459	0.933333
1827	019	2530	0.06	2150	1	65	100	3	6	5	7590	5440	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7084	4934	4934	0.933333
1827	020	2530	0.06	1465	1	65	100	3	6	5	7590	6125	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7084	5619	5619	0.933333
1828	002	3017	0.07	2619	2	65	100	3	7	5	9051	6432	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	5828.599609	5828.599609	0.933333
1828	005D	2500	0.06	2275	1	65	100	3	6	5	7500	5225	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4725	4725	0.933333
1828	006	2500	0.06	1620	1	65	100	3	6	5	7500	5880	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5380	5380	0.933333
1828	008D	3000	0.07	1637	2	65	100	3	7	5	9000	7363	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6763	6763	0.933333
1829	003	3002	0.07	3630	2	65	100	3	7	5	9006	5376	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	4775.599609	4775.599609	0.933333
1829	010	3002	0.07	1850	2	65	100	3	7	5	9006	7156	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	6555.599609	6555.599609	0.933333
1829	018	2500	0.06	1740	1	65	100	3	6	5	7500	5760	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5260	5260	0.933333
1829	019	2500	0.06	1375	1	65	100	3	6	5	7500	6125	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5625	5625	0.933333
1829	020	2500	0.06	2641	1	65	100	3	6	5	7500	4859	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4359	4359	0.933333
1829	021	2500	0.06	1550	1	65	100	3	6	5	7500	5950	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5450	5450	0.933333
1829	022	2500	0.06	1655	1	65	100	3	6	5	7500	5845	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5345	5345	0.933333
1829	023	2175	0.05	1537	1	65	100	3	5	4	6525	4988	RH-2	40	form-based			true	0.7	5	1	4	4	6090	4553	4553	0.933333
1829	035	3000	0.07	2800	2	65	100	3	7	5	9000	6200	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5600	5600	0.933333
1829	040	3000	0.07	2970	2	85	140	4	10	8	12000	9030	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	5430	5430	0.7
1829	041	3000	0.07	3500	2	85	140	4	10	8	12000	8500	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	4900	4900	0.7
1830	008	2900	0.07	2736	2	65	100	3	7	5	8700	5964	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8120	5384	5384	0.933333
1830	009	3021	0.07	2736	2	65	100	3	7	5	9063	6327	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5722.799805	5722.799805	0.933333
1830	021	2516	0.06	1180	1	65	100	3	6	5	7548	6368	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	5864.799805	5864.799805	0.933333
1830	022	2516	0.06	1669	1	65	100	3	6	5	7548	5879	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	5375.799805	5375.799805	0.933333
1830	024C	2500	0.06	1890	1	65	100	3	6	5	7500	5610	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5110	5110	0.933333
1830	024D	2500	0.06	2085	1	65	100	3	6	5	7500	5415	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4915	4915	0.933333
1831	019	2500	0.06	1985	1	65	100	3	6	5	7500	5515	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5015	5015	0.933333
1831	020	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5850	5850	0.933333
1831	021	2500	0.06	2203	1	65	100	3	6	5	7500	5297	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4797	4797	0.933333
1831	022	2500	0.06	1880	1	65	100	3	6	5	7500	5620	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5120	5120	0.933333
1831	036	2066	0.05	0	0	65	100	3	5	5	6198	6198	RH-1	40	form-based			true	0.7	4	0.800000012	4	4	5784.799805	5784.799805	5784.799805	0.933333
1831	040	2504	0.06	2025	1	65	100	3	6	5	7512	5487	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	4986.199707	4986.199707	0.933333
1831	041	2546	0.06	2114	1	85	140	4	8	7	10184	8070	RH-1	40	form-based			true	0.7	5	0.625	4	4	7128.799805	5014.799805	5014.799805	0.7
1831	057	2463	0.06	4487	1	65	100	3	6	5	7389	2902	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6896.399902	2409.399902	2409.399902	0.933333
1831	058	2421	0.06	3711	1	65	100	3	6	5	7263	3552	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6778.799805	3067.799805	3067.799805	0.933333
1832	017	2370	0.05	1490	1	65	100	3	5	4	7110	5620	RH-2	40	form-based			true	0.7	5	1	4	4	6636	5146	5146	0.933333
1832	018	2370	0.05	2306	1	65	100	3	5	4	7110	4804	RH-2	40	form-based			true	0.7	5	1	4	4	6636	4330	4330	0.933333
1832	019	2370	0.05	2396	1	65	100	3	5	4	7110	4714	RH-2	40	form-based			true	0.7	5	1	4	4	6636	4240	4240	0.933333
1832	020	2426	0.06	2225	1	65	100	3	6	5	7278	5053	RH-2	40	form-based	true	true	true	0.7	5	0.833333313	4	4	6792.799805	4567.799805	4567.799805	0.933333
1832	021	2500	0.06	2130	1	65	100	3	6	5	7500	5370	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4870	4870	0.933333
1832	022	2500	0.06	1525	1	65	100	3	6	5	7500	5975	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5475	5475	0.933333
1833	014C	1625	0.04	1750	2	65	100	3	4	2	4875	3125	RTO-C	65	form-based			true	0.75	6	1.5	4	4	7312.5	5562.5	5562.5	1.5
1833	014D	1625	0.04	1750	2	65	100	3	4	2	4875	3125	RTO-C	65	form-based			true	0.75	6	1.5	4	4	7312.5	5562.5	5562.5	1.5
1833	014E	1607	0.04	2103	2	65	100	3	4	2	4821	2718	RTO-C	65	form-based			true	0.75	6	1.5	4	4	7231.5	5128.5	5128.5	1.5
1837	001A	1129	0.03	1263	2	85	140	4	4	2	4516	3253	RTO-C	85	form-based			true	0.75	6	1.5	4	4	6774	5511	5511	1.5
1837	001B	1129	0.03	1265	2	85	140	4	4	2	4516	3251	RTO-C	85	form-based			true	0.75	6	1.5	4	4	6774	5509	5509	1.5
1837	009	3010	0.07	2584	2	65	100	3	7	5	9030	6446	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8428	5844	5844	0.933333
1837	027	2951	0.07	3250	2	65	100	3	7	5	8853	5603	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8262.799805	5012.799805	5012.799805	0.933333
1837	028	3000	0.07	3000	2	65	100	3	7	5	9000	6000	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5400	5400	0.933333
1837	030	3000	0.07	3000	2	65	100	3	7	5	9000	6000	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5400	5400	0.933333
1837	031	3000	0.07	3000	2	65	100	3	7	5	9000	6000	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5400	5400	0.933333
1837	040	3000	0.07	3100	2	65	100	3	7	5	9000	5900	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5300	5300	0.933333
1837	059	3000	0.07	1902	2	65	100	3	7	5	9000	7098	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6498	6498	0.933333
1837	063	3000	0.07	1500	2	65	100	3	7	5	9000	7500	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6900	6900	0.933333
1837	065	3000	0.07	1298	2	65	100	3	7	5	9000	7702	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7102	7102	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1838	001C	2566	0.06	1400	1	65	100	3	6	5	7698	6298	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7184.799805	5784.799805	5784.799805	0.933333
1838	001D	2566	0.06	2079	1	65	100	3	6	5	7698	5619	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7184.799805	5105.799805	5105.799805	0.933333
1839	001D	3000	0.07	3050	2	65	100	3	7	5	9000	5950	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5350	5350	0.933333
1839	001H	3000	0.07	2750	2	65	100	3	7	5	9000	6250	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5650	5650	0.933333
1839	003A	2884	0.07	3159	2	65	100	3	7	5	8652	5493	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8075.199707	4916.199707	4916.199707	0.933333
1839	005	2456	0.06	1140	1	65	100	3	6	5	7368	6228	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6876.799805	5736.799805	5736.799805	0.933333
1839	005C	2763	0.06	2580	2	65	100	3	6	4	8289	5709	RH-2	40	form-based			true	0.7	6	1	4	4	7736.399902	5156.399902	5156.399902	0.933333
1839	022B	2257	0.05	2720	1	65	100	3	5	4	6771	4051	RH-2	40	form-based			true	0.7	5	1	4	4	6319.600098	3599.600098	3599.600098	0.933333
1839	022C	2197	0.05	1100	1	85	140	4	7	6	8788	7688	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	6151.600098	5051.600098	5051.600098	0.7
1839	027	3000	0.07	1525	2	65	100	3	7	5	9000	7475	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6875	6875	0.933333
1839	031	3000	0.07	3110	2	65	100	3	7	5	9000	5890	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5290	5290	0.933333
1840	007	3014	0.07	2520	2	65	100	3	7	5	9042	6522	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8439.200195	5919.200195	5919.200195	0.933333
1840	012	3014	0.07	2204	2	65	100	3	7	5	9042	6838	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8439.200195	6235.200195	6235.200195	0.933333
1840	018	2490	0.06	1900	1	65	100	3	6	5	7470	5570	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6972	5072	5072	0.933333
1840	019	2490	0.06	2088	1	65	100	3	6	5	7470	5382	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6972	4884	4884	0.933333
1840	031	3000	0.07	2124	2	65	100	3	7	5	9000	6876	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6276	6276	0.933333
1840	033	3000	0.07	3247	2	65	100	3	7	5	9000	5753	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5153	5153	0.933333
1840	034	3000	0.07	2880	2	65	100	3	7	5	9000	6120	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5520	5520	0.933333
1840	047	3000	0.07	1183	2	85	140	4	10	8	12000	10817	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	7217	7217	0.7
1840	049	3000	0.07	880	2	65	100	3	7	5	9000	8120	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7520	7520	0.933333
1840	061	3000	0.07	866	2	65	100	3	7	5	9000	8134	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7534	7534	0.933333
1841	001D	2994	0.07	3210	2	85	140	4	10	8	11976	8766	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8383.200195	5173.200195	5173.200195	0.7
1841	006	2994	0.07	2190	2	65	100	3	7	5	8982	6792	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	6193.200195	6193.200195	0.933333
1841	011	2994	0.07	2500	2	65	100	3	7	5	8982	6482	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	5883.200195	5883.200195	0.933333
1841	011B	2994	0.07	2850	2	65	100	3	7	5	8982	6132	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	5533.200195	5533.200195	0.933333
1841	012	2994	0.07	2550	2	65	100	3	7	5	8982	6432	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	5833.200195	5833.200195	0.933333
1841	015	3018	0.07	3754	2	65	100	3	7	5	9054	5300	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8450.399414	4696.399414	4696.399414	0.933333
1841	025	3000	0.07	2874	2	65	100	3	7	5	9000	6126	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5526	5526	0.933333
1841	025A	3000	0.07	2500	2	65	100	3	7	5	9000	6500	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5900	5900	0.933333
1841	025B	3000	0.07	2500	2	65	100	3	7	5	9000	6500	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5900	5900	0.933333
1841	025C	3000	0.07	2853	2	65	100	3	7	5	9000	6147	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5547	5547	0.933333
1841	025D	3000	0.07	3058	2	65	100	3	7	5	9000	5942	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5342	5342	0.933333
1841	026	3000	0.07	2750	2	65	100	3	7	5	9000	6250	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5650	5650	0.933333
1841	027	3000	0.07	2950	2	65	100	3	7	5	9000	6050	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5450	5450	0.933333
1841	028	3000	0.07	3311	2	65	100	3	7	5	9000	5689	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5089	5089	0.933333
1841	029	3000	0.07	3160	2	85	140	4	10	8	12000	8840	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	5240	5240	0.7
1841	030	3000	0.07	2600	2	85	140	4	10	8	12000	9400	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	5800	5800	0.7
1841	031	3000	0.07	2600	2	85	140	4	10	8	12000	9400	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	5800	5800	0.7
1841	038	2994	0.07	1167	2	65	100	3	7	5	8982	7815	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	7216.200195	7216.200195	0.933333
1842	004	3000	0.07	1440	2	65	100	3	7	5	9000	7560	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6960	6960	0.933333
1842	012	3000	0.07	3040	2	65	100	3	7	5	9000	5960	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5360	5360	0.933333
1842	014	3000	0.07	2300	2	65	100	3	7	5	9000	6700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6100	6100	0.933333
1842	015	3000	0.07	3350	2	65	100	3	7	5	9000	5650	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5050	5050	0.933333
1842	019	2500	0.06	1245	1	65	100	3	6	5	7500	6255	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5755	5755	0.933333
1842	021	2500	0.06	1065	1	65	100	3	6	5	7500	6435	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5935	5935	0.933333
1842	022	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5650	5650	0.933333
1842	023	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5700	5700	0.933333
1842	024	2500	0.06	2316	1	65	100	3	6	5	7500	5184	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4684	4684	0.933333
1842	030	3023	0.07	2660	2	65	100	3	7	5	9069	6409	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	5804.399414	5804.399414	0.933333
1842	030A	3023	0.07	2750	2	65	100	3	7	5	9069	6319	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	5714.399414	5714.399414	0.933333
1842	031	3023	0.07	3950	2	65	100	3	7	5	9069	5119	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	4514.399414	4514.399414	0.933333
1842	032	3023	0.07	3506	2	65	100	3	7	5	9069	5563	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	4958.399414	4958.399414	0.933333
1842	034	3023	0.07	2150	2	65	100	3	7	5	9069	6919	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	6314.399414	6314.399414	0.933333
1842	044	3000	0.07	2155	2	65	100	3	7	5	9000	6845	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6245	6245	0.933333
1842	046	3023	0.07	2275	2	65	100	3	7	5	9069	6794	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8464.399414	6189.399414	6189.399414	0.933333
1843	003	2997	0.07	4134	2	65	100	3	7	5	8991	4857	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	4257.599609	4257.599609	0.933333
1843	018	2500	0.06	1910	1	65	100	3	6	5	7500	5590	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5090	5090	0.933333
1843	019	2500	0.06	1704	1	65	100	3	6	5	7500	5796	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5296	5296	0.933333
1843	020	2500	0.06	1254	1	65	100	3	6	5	7500	6246	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5746	5746	0.933333
1843	021	2500	0.06	825	1	65	100	3	6	5	7500	6675	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6175	6175	0.933333
1843	029	3000	0.07	3150	2	65	100	3	7	5	9000	5850	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5250	5250	0.933333
1843	035	3000	0.07	3250	2	65	100	3	7	5	9000	5750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5150	5150	0.933333
1843	036	3000	0.07	3300	2	65	100	3	7	5	9000	5700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5100	5100	0.933333
1843	037	3000	0.07	1985	2	65	100	3	7	5	9000	7015	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6415	6415	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1843	040	2283	0.05	1554	1	65	100	3	5	4	6849	5295	RH-2	40	form-based			true	0.7	5	1	4	4	6392.399902	4838.399902	4838.399902	0.933333
1843	056	2997	0.07	1490	2	65	100	3	7	5	8991	7501	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8391.599609	6901.599609	6901.599609	0.933333
1843	058	3000	0.07	1883	2	65	100	3	7	5	9000	7117	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6517	6517	0.933333
1844	003	3013	0.07	1685	2	85	140	4	10	8	12052	10367	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8436.399414	6751.399414	6751.399414	0.7
1844	004	3013	0.07	6600	2	85	140	4	10	8	12052	5452	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8436.399414	1836.399414	1836.399414	0.7
1844	006	3013	0.07	1950	2	65	100	3	7	5	9039	7089	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	6486.399414	6486.399414	0.933333
1844	011	3013	0.07	3894	2	65	100	3	7	5	9039	5145	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	4542.399414	4542.399414	0.933333
1844	012	3013	0.07	2190	2	65	100	3	7	5	9039	6849	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	6246.399414	6246.399414	0.933333
1844	015	3013	0.07	2250	2	65	100	3	7	5	9039	6789	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	6186.399414	6186.399414	0.933333
1844	017	3013	0.07	3588	2	65	100	3	7	5	9039	5451	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	4848.399414	4848.399414	0.933333
1844	019	2513	0.06	1250	1	65	100	3	6	5	7539	6289	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7036.399902	5786.399902	5786.399902	0.933333
1844	025	2500	0.06	1700	1	65	100	3	6	5	7500	5800	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5300	5300	0.933333
1844	030	2982	0.07	2319	2	65	100	3	7	5	8946	6627	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	6030.599609	6030.599609	0.933333
1844	033	2982	0.07	2550	2	65	100	3	7	5	8946	6396	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	5799.599609	5799.599609	0.933333
1844	034	2982	0.07	2500	2	65	100	3	7	5	8946	6446	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	5849.599609	5849.599609	0.933333
1844	035	2982	0.07	3101	2	65	100	3	7	5	8946	5845	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	5248.599609	5248.599609	0.933333
1844	055	2982	0.07	1045	2	65	100	3	7	5	8946	7901	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	7304.599609	7304.599609	0.933333
1844	057	2982	0.07	1120	2	65	100	3	7	5	8946	7826	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	7229.599609	7229.599609	0.933333
1845	003	2995	0.07	3425	2	65	100	3	7	5	8985	5560	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	4961	4961	0.933333
1845	005	2995	0.07	1935	2	65	100	3	7	5	8985	7050	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	6451	6451	0.933333
1845	007	2995	0.07	3948	2	65	100	3	7	5	8985	5037	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	4438	4438	0.933333
1845	011	2995	0.07	3000	2	65	100	3	7	5	8985	5985	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	5386	5386	0.933333
1845	013	2995	0.07	2000	2	65	100	3	7	5	8985	6985	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	6386	6386	0.933333
1845	015	2995	0.07	3595	2	65	100	3	7	5	8985	5390	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	4791	4791	0.933333
1845	019	2500	0.06	625	1	65	100	3	6	5	7500	6875	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6375	6375	0.933333
1845	020	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5700	5700	0.933333
1845	020A	2500	0.06	1800	1	65	100	3	6	5	7500	5700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5200	5200	0.933333
1845	023	2500	0.06	1805	1	65	100	3	6	5	7500	5695	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5195	5195	0.933333
1845	026	3000	0.07	4416	2	65	100	3	7	5	9000	4584	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	3984	3984	0.933333
1845	029	3000	0.07	2300	2	65	100	3	7	5	9000	6700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6100	6100	0.933333
1845	033	3000	0.07	3000	2	65	100	3	7	5	9000	6000	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5400	5400	0.933333
1845	034	3000	0.07	2960	2	65	100	3	7	5	9000	6040	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5440	5440	0.933333
1845	035	3000	0.07	1950	2	65	100	3	7	5	9000	7050	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6450	6450	0.933333
1845	036	3000	0.07	2250	2	65	100	3	7	5	9000	6750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6150	6150	0.933333
1845	039	3000	0.07	1950	2	85	140	4	10	8	12000	10050	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8400	6450	6450	0.7
1845	053	2995	0.07	2085	2	65	100	3	7	5	8985	6900	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8386	6301	6301	0.933333
1846	021	2500	0.06	1451	1	65	100	3	6	5	7500	6049	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5549	5549	0.933333
1846	022	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5750	5750	0.933333
1846	023	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6050	6050	0.933333
1846	024	2500	0.06	929	1	65	100	3	6	5	7500	6571	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6071	6071	0.933333
1846	034	2968	0.07	3000	2	65	100	3	7	5	8904	5904	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8310.399414	5310.399414	5310.399414	0.933333
1846	036A	2968	0.07	1900	2	65	100	3	7	5	8904	7004	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8310.399414	6410.399414	6410.399414	0.933333
1846	044	2500	0.06	1998	1	65	100	3	6	5	7500	5502	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5002	5002	0.933333
1846	045	2500	0.06	2080	1	65	100	3	6	5	7500	5420	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4920	4920	0.933333
1846	047	2968	0.07	1410	2	65	100	3	7	5	8904	7494	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8310.399414	6900.399414	6900.399414	0.933333
1847	010	2994	0.07	2815	2	65	100	3	7	5	8982	6167	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	5568.200195	5568.200195	0.933333
1847	011	2994	0.07	2945	2	65	100	3	7	5	8982	6037	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	5438.200195	5438.200195	0.933333
1847	021	2375	0.05	3075	1	65	100	3	5	4	7125	4050	RH-1	40	form-based			true	0.7	5	1	4	4	6650	3575	3575	0.933333
1847	022	2375	0.05	1725	1	65	100	3	5	4	7125	5400	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4925	4925	0.933333
1847	025	2457	0.06	1035	1	65	100	3	6	5	7371	6336	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6879.600098	5844.600098	5844.600098	0.933333
1847	026	2501	0.06	1000	1	65	100	3	6	5	7503	6503	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7002.799805	6002.799805	6002.799805	0.933333
1848	004	2422	0.06	3516	5	65	100	3	6	1	7266	3750	RTO-C	65	form-based			true	0.75	9	1.5	4	4	10899	7383	7383	1.5
1848	019	3002	0.07	2746	2	65	100	3	7	5	9006	6260	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8405.599609	5659.599609	5659.599609	0.933333
1848	021	2383	0.05	2138	1	65	100	3	5	4	7149	5011	RH-2	40	form-based			true	0.7	5	1	4	4	6672.399902	4534.399902	4534.399902	0.933333
1848	023	2383	0.05	2490	1	65	100	3	5	4	7149	4659	RH-2	40	form-based			true	0.7	5	1	4	4	6672.399902	4182.399902	4182.399902	0.933333
1848	024	2381	0.05	3264	1	65	100	3	5	4	7143	3879	RH-2	40	form-based	true		true	0.7	5	1	4	4	6666.799805	3402.799805	3402.799805	0.933333
1848	025	2477	0.06	1940	1	65	100	3	6	5	7431	5491	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6935.600098	4995.600098	4995.600098	0.933333
1848	026	2522	0.06	1990	1	65	100	3	6	5	7566	5576	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7061.600098	5071.600098	5071.600098	0.933333
1848	030	2390	0.05	1875	1	65	100	3	5	4	7170	5295	RH-1	40	form-based			true	0.7	5	1	4	4	6692	4817	4817	0.933333
1848	037	3020	0.07	3040	2	65	100	3	7	5	9060	6020	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8456	5416	5416	0.933333
1848	039	3020	0.07	2780	2	65	100	3	7	5	9060	6280	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8456	5676	5676	0.933333
1848	045	3020	0.07	3100	2	65	100	3	7	5	9060	5960	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8456	5356	5356	0.933333
1848	053	3020	0.07	1381	2	65	100	3	7	5	9060	7679	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8456	7075	7075	0.933333
1851	001	2340	0.05	1300	1	55	80	2.5	4	3	5850	4550	RH-2	40	form-based	true		true	0.7	5	1.25	4	4	6552	5252	5252	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1851	002	2340	0.05	1900	1	55	80	2.5	4	3	5850	3950	RH-2	40	form-based			true	0.7	5	1.25	4	4	6552	4652	4652	1.12
1851	003	2340	0.05	1300	1	55	80	2.5	4	3	5850	4550	RH-2	40	form-based			true	0.7	5	1.25	4	4	6552	5252	5252	1.12
1851	009	2415	0.06	1130	1	65	100	3	6	5	7245	6115	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6762	5632	5632	0.933333
1851	010	2415	0.06	1060	1	65	100	3	6	5	7245	6185	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6762	5702	5702	0.933333
1851	011	2415	0.06	2340	1	65	100	3	6	5	7245	4905	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6762	4422	4422	0.933333
1851	012	2415	0.06	2340	1	65	100	3	6	5	7245	4905	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6762	4422	4422	0.933333
1851	013	2415	0.06	1955	1	65	100	3	6	5	7245	5290	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6762	4807	4807	0.933333
1852	001	2449	0.06	2228	1	65	100	3	6	5	7347	5119	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6857.199707	4629.199707	4629.199707	0.933333
1852	003	2369	0.05	2260	1	65	100	3	5	4	7107	4847	RH-1	40	form-based			true	0.7	5	1	4	4	6633.199707	4373.199707	4373.199707	0.933333
1852	021	2454	0.06	3000	5	65	100	3	6	1	7362	4362	RTO-C	65	form-based		true	true	0.75	9	1.5	4	4	11043	8043	8043	1.5
1852	022	2521	0.06	2450	1	65	100	3	6	5	7563	5113	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7058.799805	4608.799805	4608.799805	0.933333
1852	023	2521	0.06	1574	1	65	100	3	6	5	7563	5989	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7058.799805	5484.799805	5484.799805	0.933333
1853	007A	2708	0.06	2600	2	65	100	3	6	4	8124	5524	RH-2	40	form-based			true	0.7	6	1	4	4	7582.399902	4982.399902	4982.399902	0.933333
1853	009	2354	0.05	1380	1	65	100	3	5	4	7062	5682	RH-2	40	form-based			true	0.7	5	1	4	4	6591.199707	5211.199707	5211.199707	0.933333
1853	017	2979	0.07	3289	2	65	100	3	7	5	8937	5648	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	5052.200195	5052.200195	0.933333
1853	020	2500	0.06	1198	1	65	100	3	6	5	7500	6302	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5802	5802	0.933333
1853	021	2500	0.06	2881	1	65	100	3	6	5	7500	4619	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4119	4119	0.933333
1853	022	2500	0.06	1245	1	65	100	3	6	5	7500	6255	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5755	5755	0.933333
1853	023	2500	0.06	1432	1	65	100	3	6	5	7500	6068	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5568	5568	0.933333
1853	024	2500	0.06	4054	1	65	100	3	6	5	7500	3446	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	2946	2946	0.933333
1853	027	2861	0.07	2600	2	65	100	3	7	5	8583	5983	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8010.799805	5410.799805	5410.799805	0.933333
1853	029	2989	0.07	2040	2	65	100	3	7	5	8967	6927	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	6329.200195	6329.200195	0.933333
1854	006	2984	0.07	4356	2	65	100	3	7	5	8952	4596	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8355.200195	3999.200195	3999.200195	0.933333
1854	007	2984	0.07	5258	2	65	100	3	7	5	8952	3694	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8355.200195	3097.200195	3097.200195	0.933333
1854	008	2984	0.07	3998	2	65	100	3	7	5	8952	4954	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8355.200195	4357.200195	4357.200195	0.933333
1854	010	3084	0.07	3016	2	65	100	3	7	5	9252	6236	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8635.200195	5619.200195	5619.200195	0.933333
1854	011	3084	0.07	2720	2	65	100	3	7	5	9252	6532	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8635.200195	5915.200195	5915.200195	0.933333
1854	012A	3000	0.07	3642	2	65	100	3	7	5	9000	5358	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4758	4758	0.933333
1854	014	2984	0.07	3248	2	65	100	3	7	5	8952	5704	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8355.200195	5107.200195	5107.200195	0.933333
1854	014A	2984	0.07	3248	2	65	100	3	7	5	8952	5704	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8355.200195	5107.200195	5107.200195	0.933333
1854	014B	2984	0.07	3248	2	65	100	3	7	5	8952	5704	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8355.200195	5107.200195	5107.200195	0.933333
1854	018	2880	0.07	2620	2	65	100	3	7	5	8640	6020	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8064	5444	5444	0.933333
1854	020	2877	0.07	2400	2	65	100	3	7	5	8631	6231	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8055.600098	5655.600098	5655.600098	0.933333
1854	020A	2883	0.07	3276	2	65	100	3	7	5	8649	5373	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8072.399902	4796.399902	4796.399902	0.933333
1854	021	3030	0.07	3956	2	65	100	3	7	5	9090	5134	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	4528	4528	0.933333
1854	025	3000	0.07	1730	2	65	100	3	7	5	9000	7270	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6670	6670	0.933333
1854	026	3000	0.07	2044	2	65	100	3	7	5	9000	6956	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6356	6356	0.933333
1854	032	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
1854	033	2500	0.06	1385	1	65	100	3	6	5	7500	6115	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5615	5615	0.933333
1854	034	2500	0.06	1115	1	65	100	3	6	5	7500	6385	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5885	5885	0.933333
1854	035	2500	0.06	2286	1	65	100	3	6	5	7500	5214	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4714	4714	0.933333
1854	037	2375	0.05	1679	1	65	100	3	5	4	7125	5446	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4971	4971	0.933333
1855	002	2989	0.07	3450	2	65	100	3	7	5	8967	5517	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4919.200195	4919.200195	0.933333
1855	007	3000	0.07	4730	2	65	100	3	7	5	9000	4270	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	3670	3670	0.933333
1855	012	3000	0.07	2500	2	65	100	3	7	5	9000	6500	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5900	5900	0.933333
1855	015	3000	0.07	2100	2	65	100	3	7	5	9000	6900	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6300	6300	0.933333
1855	016	3000	0.07	2700	2	65	100	3	7	5	9000	6300	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5700	5700	0.933333
1855	019	2527	0.06	2000	1	65	100	3	6	5	7581	5581	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7075.600098	5075.600098	5075.600098	0.933333
1855	020	2527	0.06	2080	1	65	100	3	6	5	7581	5501	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7075.600098	4995.600098	4995.600098	0.933333
1855	022	2527	0.06	2269	1	65	100	3	6	5	7581	5312	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7075.600098	4806.600098	4806.600098	0.933333
1855	024	2527	0.06	1085	1	65	100	3	6	5	7581	6496	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7075.600098	5990.600098	5990.600098	0.933333
1855	028A	3013	0.07	2760	2	65	100	3	7	5	9039	6279	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	5676.399414	5676.399414	0.933333
1855	028B	3013	0.07	2506	2	65	100	3	7	5	9039	6533	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	5930.399414	5930.399414	0.933333
1855	029	3013	0.07	1833	2	65	100	3	7	5	9039	7206	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	6603.399414	6603.399414	0.933333
1855	033	3013	0.07	3250	2	65	100	3	7	5	9039	5789	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	5186.399414	5186.399414	0.933333
1855	037	3005	0.07	2890	2	65	100	3	7	5	9015	6125	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8414	5524	5524	0.933333
1855	041	2500	0.06	1338	1	65	100	3	6	5	7500	6162	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5662	5662	0.933333
1855	042	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
1855	050	3013	0.07	1908	2	65	100	3	7	5	9039	7131	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	6528.399414	6528.399414	0.933333
1855	054	3000	0.07	1104	2	65	100	3	7	5	9000	7896	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7296	7296	0.933333
1856	002	3000	0.07	2250	2	65	100	3	7	5	9000	6750	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6150	6150	0.933333
1856	003	3000	0.07	3300	2	65	100	3	7	5	9000	5700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5100	5100	0.933333
1856	004	3000	0.07	3300	2	65	100	3	7	5	9000	5700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5100	5100	0.933333
1856	005	3000	0.07	3300	2	65	100	3	7	5	9000	5700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5100	5100	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1856	006	3000	0.07	1850	2	65	100	3	7	5	9000	7150	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6550	6550	0.933333
1856	008	3000	0.07	3310	2	65	100	3	7	5	9000	5690	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5090	5090	0.933333
1856	021	2526	0.06	1700	1	65	100	3	6	5	7578	5878	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	5372.799805	5372.799805	0.933333
1856	023	2526	0.06	1969	1	65	100	3	6	5	7578	5609	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	5103.799805	5103.799805	0.933333
1856	024	2526	0.06	1540	1	65	100	3	6	5	7578	6038	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	5532.799805	5532.799805	0.933333
1856	034	2979	0.07	3850	2	65	100	3	7	5	8937	5087	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	4491.200195	4491.200195	0.933333
1856	045	2500	0.06	2230	1	65	100	3	6	5	7500	5270	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4770	4770	0.933333
1856	046	2500	0.06	1205	1	65	100	3	6	5	7500	6295	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5795	5795	0.933333
1856	047	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5750	5750	0.933333
1856	049	2500	0.06	1510	1	65	100	3	6	5	7500	5990	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5490	5490	0.933333
1856	050	3000	0.07	3100	2	65	100	3	7	5	9000	5900	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5300	5300	0.933333
1857	005	3000	0.07	3718	2	65	100	3	7	5	9000	5282	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4682	4682	0.933333
1857	007	3000	0.07	3192	2	65	100	3	7	5	9000	5808	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5208	5208	0.933333
1857	008	3000	0.07	3192	2	65	100	3	7	5	9000	5808	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5208	5208	0.933333
1857	010	3000	0.07	3712	2	65	100	3	7	5	9000	5288	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4688	4688	0.933333
1857	011	3000	0.07	2400	2	65	100	3	7	5	9000	6600	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6000	6000	0.933333
1857	015	3000	0.07	2153	2	65	100	3	7	5	9000	6847	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6247	6247	0.933333
1857	016C	2146	0.05	1706	1	65	100	3	5	4	6438	4732	RH-2	40	form-based		true	true	0.7	5	1	4	4	6008.799805	4302.799805	4302.799805	0.933333
1857	016D	2526	0.06	2240	1	65	100	3	6	5	7578	5338	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	4832.799805	4832.799805	0.933333
1857	016E	2372	0.05	1832	1	65	100	3	5	4	7116	5284	RH-2	40	form-based			true	0.7	5	1	4	4	6641.600098	4809.600098	4809.600098	0.933333
1857	016F	2216	0.05	1324	1	65	100	3	5	4	6648	5324	RH-2	40	form-based			true	0.7	5	1	4	4	6204.799805	4880.799805	4880.799805	0.933333
1857	018	3000	0.07	3074	2	65	100	3	7	5	9000	5926	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	5326	5326	0.933333
1857	022	3000	0.07	4175	2	65	100	3	7	5	9000	4825	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4225	4225	0.933333
1857	033	2500	0.06	1410	1	65	100	3	6	5	7500	6090	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5590	5590	0.933333
1857	034	2500	0.06	1192	1	65	100	3	6	5	7500	6308	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5808	5808	0.933333
1857	065	3000	0.07	1368	2	65	100	3	7	5	9000	7632	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7032	7032	0.933333
1858	003	3017	0.07	3600	2	65	100	3	7	5	9051	5451	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	4847.599609	4847.599609	0.933333
1858	005	3017	0.07	2400	2	65	100	3	7	5	9051	6651	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	6047.599609	6047.599609	0.933333
1858	005A	3017	0.07	2400	2	65	100	3	7	5	9051	6651	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	6047.599609	6047.599609	0.933333
1858	005B	3017	0.07	2400	2	65	100	3	7	5	9051	6651	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	6047.599609	6047.599609	0.933333
1858	005C	3017	0.07	2400	2	65	100	3	7	5	9051	6651	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	6047.599609	6047.599609	0.933333
1858	005D	3017	0.07	6550	2	65	100	3	7	5	9051	2501	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	1897.599609	1897.599609	0.933333
1858	019	3000	0.07	3987	2	65	100	3	7	5	9000	5013	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4413	4413	0.933333
1858	034	3000	0.07	1727	2	65	100	3	7	5	9000	7273	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6673	6673	0.933333
1858	038	3017	0.07	4853	2	65	100	3	7	5	9051	4198	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	3594.599609	3594.599609	0.933333
1859A	001	2477	0.06	1860	1	65	100	3	6	5	7431	5571	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	6935.600098	5075.600098	5075.600098	0.933333
1859A	002	2250	0.05	1964	1	65	100	3	5	4	6750	4786	RH-2	40	form-based			true	0.7	5	1	4	4	6300	4336	4336	0.933333
1859A	003	2250	0.05	1450	1	65	100	3	5	4	6750	5300	RH-2	40	form-based			true	0.7	5	1	4	4	6300	4850	4850	0.933333
1859A	005	3000	0.07	3600	2	65	100	3	7	5	9000	5400	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4800	4800	0.933333
1859A	011B	2432	0.06	1690	1	65	100	3	6	5	7296	5606	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6809.600098	5119.600098	5119.600098	0.933333
1859A	011C	2144	0.05	1024	1	65	100	3	5	4	6432	5408	RH-1	40	form-based			true	0.7	5	1	4	4	6003.199707	4979.199707	4979.199707	0.933333
1859A	011D	2377	0.05	1032	1	65	100	3	5	4	7131	6099	RH-1	40	form-based			true	0.7	5	1	4	4	6655.600098	5623.600098	5623.600098	0.933333
1859A	014	2326	0.05	2093	1	65	100	3	5	4	6978	4885	RH-2	40	form-based			true	0.7	5	1	4	4	6512.799805	4419.799805	4419.799805	0.933333
1860A	006	2926	0.07	2500	2	65	100	3	7	5	8778	6278	RH-1	40	form-based		true	true	0.7	6	0.857142866	4	4	8192.799805	5692.799805	5692.799805	0.933333
1860A	013	2399	0.06	1300	1	65	100	3	6	5	7197	5897	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6717.199707	5417.199707	5417.199707	0.933333
1860A	013C	2401	0.06	3490	1	65	100	3	6	5	7203	3713	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6722.799805	3232.799805	3232.799805	0.933333
1860A	022	2988	0.07	3540	2	65	100	3	7	5	8964	5424	RH-2	40	form-based		true	true	0.7	6	0.857142866	4	4	8366.399414	4826.399414	4826.399414	0.933333
1860B	004	2574	0.06	2542	1	65	100	3	6	5	7722	5180	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7207.199707	4665.199707	4665.199707	0.933333
1861A	012A	2786	0.06	1900	2	65	100	3	6	4	8358	6458	RH-2	40	form-based			true	0.7	6	1	4	4	7800.799805	5900.799805	5900.799805	0.933333
1861B	002C	2608	0.06	1775	1	65	100	3	6	5	7824	6049	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7302.399902	5527.399902	5527.399902	0.933333
1861B	002E	2592	0.06	1794	1	65	100	3	6	5	7776	5982	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7257.600098	5463.600098	5463.600098	0.933333
1861B	004I	2583	0.06	1860	1	55	80	2.5	5	4	6458	4598	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7232.399902	5372.399902	5372.399902	1.119913
1861B	005A	2573	0.06	1269	1	55	80	2.5	5	4	6432	5163	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7204.399902	5935.399902	5935.399902	1.120087
1862A	003D	2439	0.06	2645	1	65	100	3	6	5	7317	4672	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6829.199707	4184.199707	4184.199707	0.933333
1862A	003E	2494	0.06	1575	1	65	100	3	6	5	7482	5907	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6983.199707	5408.199707	5408.199707	0.933333
1862A	003F	2577	0.06	1575	1	65	100	3	6	5	7731	6156	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7215.600098	5640.600098	5640.600098	0.933333
1862A	003G	2365	0.05	1775	1	65	100	3	5	4	7095	5320	RH-1	40	form-based			true	0.7	5	1	4	4	6622	4847	4847	0.933333
1862A	004	2337	0.05	1633	1	65	100	3	5	4	7011	5378	RH-1	40	form-based			true	0.7	5	1	4	4	6543.600098	4910.600098	4910.600098	0.933333
1862A	004A	2393	0.05	1602	1	65	100	3	5	4	7179	5577	RH-1	40	form-based			true	0.7	5	1	4	4	6700.399902	5098.399902	5098.399902	0.933333
1862A	005	2506	0.06	1693	1	65	100	3	6	5	7518	5825	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7016.799805	5323.799805	5323.799805	0.933333
1862A	005A	2452	0.06	1646	1	65	100	3	6	5	7356	5710	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6865.600098	5219.600098	5219.600098	0.933333
1862A	005B	2454	0.06	1525	1	65	100	3	6	5	7362	5837	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6871.199707	5346.199707	5346.199707	0.933333
1862A	005C	2216	0.05	1450	1	55	80	2.5	4	3	5540	4090	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6204.799805	4754.799805	4754.799805	1.12
1862A	006E	2427	0.06	1250	1	65	100	3	6	5	7281	6031	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6795.600098	5545.600098	5545.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1862A	007	2465	0.06	1250	1	65	100	3	6	5	7395	6145	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6902	5652	5652	0.933333
1862A	007B	2581	0.06	1250	1	65	100	3	6	5	7743	6493	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7226.799805	5976.799805	5976.799805	0.933333
1862A	007C	2584	0.06	1250	1	65	100	3	6	5	7752	6502	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7235.199707	5985.199707	5985.199707	0.933333
1862A	007D	2559	0.06	2045	1	65	100	3	6	5	7677	5632	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7165.199707	5120.199707	5120.199707	0.933333
1862A	007E	2564	0.06	1100	1	65	100	3	6	5	7692	6592	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7179.199707	6079.199707	6079.199707	0.933333
1862A	016	2365	0.05	1591	1	65	100	3	5	4	7095	5504	RH-2	40	form-based			true	0.7	5	1	4	4	6622	5031	5031	0.933333
1862A	017	2547	0.06	1500	1	65	100	3	6	5	7641	6141	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7131.600098	5631.600098	5631.600098	0.933333
1862A	020	2638	0.06	3279	2	65	100	3	6	4	7914	4635	RH-2	40	form-based			true	0.7	6	1	4	4	7386.399902	4107.399902	4107.399902	0.933333
1862A	026	2671	0.06	1969	2	65	100	3	6	4	8013	6044	RH-2	40	form-based			true	0.7	6	1	4	4	7478.799805	5509.799805	5509.799805	0.933333
1862A	028	2679	0.06	2104	2	65	100	3	6	4	8037	5933	RH-2	40	form-based	true	true	true	0.7	6	1	4	4	7501.199707	5397.199707	5397.199707	0.933333
1863	001	2392	0.05	1975	1	65	100	3	5	4	7176	5201	RH-2	40	form-based	true	true	true	0.7	5	1	4	4	6697.600098	4722.600098	4722.600098	0.933333
1863	025	3022	0.07	1891	2	65	100	3	7	5	9066	7175	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8461.599609	6570.599609	6570.599609	0.933333
1863	041	2405	0.06	1470	1	65	100	3	6	5	7215	5745	RH-2	40	form-based	true	true	true	0.7	5	0.833333313	4	4	6734	5264	5264	0.933333
1863	044	2600	0.06	1150	1	65	100	3	6	5	7800	6650	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7280	6130	6130	0.933333
1864	001	2353	0.05	1908	1	65	100	3	5	4	7059	5151	RH-2	40	form-based	true	true	true	0.7	5	1	4	4	6588.399902	4680.399902	4680.399902	0.933333
1864	001C	2353	0.05	1390	1	65	100	3	5	4	7059	5669	RH-1	40	form-based			true	0.7	5	1	4	4	6588.399902	5198.399902	5198.399902	0.933333
1864	001D	2353	0.05	1390	1	65	100	3	5	4	7059	5669	RH-1	40	form-based			true	0.7	5	1	4	4	6588.399902	5198.399902	5198.399902	0.933333
1864	001K	2500	0.06	1390	1	65	100	3	6	5	7500	6110	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5610	5610	0.933333
1864	002	2478	0.06	1680	1	65	100	3	6	5	7434	5754	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6938.399902	5258.399902	5258.399902	0.933333
1864	002A	2478	0.06	1705	1	65	100	3	6	5	7434	5729	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6938.399902	5233.399902	5233.399902	0.933333
1864	002B	2478	0.06	1495	1	65	100	3	6	5	7434	5939	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6938.399902	5443.399902	5443.399902	0.933333
1864	002C	2478	0.06	2060	1	65	100	3	6	5	7434	5374	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6938.399902	4878.399902	4878.399902	0.933333
1864	002D	2478	0.06	1375	1	65	100	3	6	5	7434	6059	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6938.399902	5563.399902	5563.399902	0.933333
1864	002E	2478	0.06	1607	1	65	100	3	6	5	7434	5827	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6938.399902	5331.399902	5331.399902	0.933333
1864	003B	2353	0.05	2025	1	65	100	3	5	4	7059	5034	RH-1	40	form-based			true	0.7	5	1	4	4	6588.399902	4563.399902	4563.399902	0.933333
1864	003G	2353	0.05	1915	1	65	100	3	5	4	7059	5144	RH-1	40	form-based			true	0.7	5	1	4	4	6588.399902	4673.399902	4673.399902	0.933333
1864	003H	2353	0.05	2965	1	65	100	3	5	4	7059	4094	RH-1	40	form-based			true	0.7	5	1	4	4	6588.399902	3623.399902	3623.399902	0.933333
1864	003I	2526	0.06	1540	1	65	100	3	6	5	7578	6038	RH-1	40	form-based	true	true	true	0.7	5	0.833333313	4	4	7072.799805	5532.799805	5532.799805	0.933333
1864	003J	2546	0.06	1390	1	65	100	3	6	5	7638	6248	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7128.799805	5738.799805	5738.799805	0.933333
1865	008B	3040	0.07	2218	2	65	100	3	7	5	9120	6902	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8512	6294	6294	0.933333
1865	015A	2540	0.06	950	1	65	100	3	6	5	7620	6670	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7112	6162	6162	0.933333
1865	017	2540	0.06	2048	1	65	100	3	6	5	7620	5572	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7112	5064	5064	0.933333
1865	018	2540	0.06	1000	1	65	100	3	6	5	7620	6620	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7112	6112	6112	0.933333
1865	019	2540	0.06	1730	1	65	100	3	6	5	7620	5890	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7112	5382	5382	0.933333
1865	020	3040	0.07	2200	2	65	100	3	7	5	9120	6920	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8512	6312	6312	0.933333
1865	023	3040	0.07	1462	2	65	100	3	7	5	9120	7658	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8512	7050	7050	0.933333
1866	018A	2284	0.05	1680	1	65	100	3	5	4	6852	5172	RH-1	40	form-based	true	true	true	0.7	5	1	4	4	6395.199707	4715.199707	4715.199707	0.933333
1866	018F	1937	0.04	0	0	65	100	3	4	4	5811	5811	RH-1	40	form-based			true	0.7	4	1	4	4	5423.600098	5423.600098	5423.600098	0.933333
1867	013	2375	0.05	1575	1	65	100	3	5	4	7125	5550	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5075	5075	0.933333
1867	014	2375	0.05	1375	1	65	100	3	5	4	7125	5750	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5275	5275	0.933333
1867	015	2375	0.05	1340	1	65	100	3	5	4	7125	5785	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5310	5310	0.933333
1867	016	2398	0.06	2169	1	65	100	3	6	5	7194	5025	RH-1	40	form-based	true	true	true	0.7	5	0.833333313	4	4	6714.399902	4545.399902	4545.399902	0.933333
1867	018	2506	0.06	1440	1	65	100	3	6	5	7518	6078	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7016.799805	5576.799805	5576.799805	0.933333
1867	019	2269	0.05	1655	1	65	100	3	5	4	6807	5152	RH-1	40	form-based	true	true	true	0.7	5	1	4	4	6353.199707	4698.199707	4698.199707	0.933333
1867	020	2249	0.05	1600	1	65	100	3	5	4	6747	5147	RH-1	40	form-based			true	0.7	5	1	4	4	6297.199707	4697.199707	4697.199707	0.933333
1867	021	2249	0.05	1590	1	65	100	3	5	4	6747	5157	RH-1	40	form-based			true	0.7	5	1	4	4	6297.199707	4707.199707	4707.199707	0.933333
1867	022	2249	0.05	1590	1	65	100	3	5	4	6747	5157	RH-1	40	form-based			true	0.7	5	1	4	4	6297.199707	4707.199707	4707.199707	0.933333
1867	036	3000	0.07	2444	2	65	100	3	7	5	9000	6556	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5956	5956	0.933333
1867	043	2500	0.06	1750	1	65	100	3	6	5	7500	5750	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5250	5250	0.933333
1867	044	2500	0.06	3529	1	65	100	3	6	5	7500	3971	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	3471	3471	0.933333
1867	045	2500	0.06	1588	1	65	100	3	6	5	7500	5912	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5412	5412	0.933333
1868	011	3008	0.07	2700	2	65	100	3	7	5	9024	6324	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	5722.399414	5722.399414	0.933333
1868	021	2505	0.06	1534	1	65	100	3	6	5	7515	5981	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7014	5480	5480	0.933333
1868	022	2505	0.06	1534	1	65	100	3	6	5	7515	5981	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7014	5480	5480	0.933333
1868	039	2500	0.06	2163	1	65	100	3	6	5	7500	5337	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4837	4837	0.933333
1868	040	2500	0.06	1966	1	65	100	3	6	5	7500	5534	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5034	5034	0.933333
1868	041	2500	0.06	2100	1	65	100	3	6	5	7500	5400	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4900	4900	0.933333
1868	042	2500	0.06	1425	1	65	100	3	6	5	7500	6075	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5575	5575	0.933333
1868	043	2500	0.06	1829	1	65	100	3	6	5	7500	5671	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5171	5171	0.933333
1868	044	2500	0.06	1770	1	65	100	3	6	5	7500	5730	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5230	5230	0.933333
1868	044A	2500	0.06	1260	1	65	100	3	6	5	7500	6240	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5740	5740	0.933333
1869	011	3000	0.07	2157	2	65	100	3	7	5	9000	6843	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6243	6243	0.933333
1869	021	2504	0.06	1265	1	65	100	3	6	5	7512	6247	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	5746.199707	5746.199707	0.933333
1869	022	2504	0.06	1630	1	65	100	3	6	5	7512	5882	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	5381.199707	5381.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1869	023	2504	0.06	1342	1	65	100	3	6	5	7512	6170	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	5669.199707	5669.199707	0.933333
1869	047	2500	0.06	3093	1	65	100	3	6	5	7500	4407	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	3907	3907	0.933333
1869	048	2500	0.06	1175	1	65	100	3	6	5	7500	6325	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5825	5825	0.933333
1870	024B	2500	0.06	1452	1	65	100	3	6	5	7500	6048	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5548	5548	0.933333
1871	016A	3000	0.07	2605	2	65	100	3	7	5	9000	6395	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5795	5795	0.933333
1871	018A	3000	0.07	2100	2	65	100	3	7	5	9000	6900	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6300	6300	0.933333
1871	020A	2500	0.06	3252	1	65	100	3	6	5	7500	4248	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	3748	3748	0.933333
1871	020B	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5800	5800	0.933333
1871	021	2500	0.06	1320	1	65	100	3	6	5	7500	6180	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5680	5680	0.933333
1872	001	2447	0.06	1600	1	65	100	3	6	5	7341	5741	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	6851.600098	5251.600098	5251.600098	0.933333
1872	001A	2386	0.05	1847	1	65	100	3	5	4	7158	5311	RH-2	40	form-based			true	0.7	5	1	4	4	6680.799805	4833.799805	4833.799805	0.933333
1872	001B	2386	0.05	1680	1	65	100	3	5	4	7158	5478	RH-2	40	form-based			true	0.7	5	1	4	4	6680.799805	5000.799805	5000.799805	0.933333
1872	001C	2386	0.05	1861	1	65	100	3	5	4	7158	5297	RH-2	40	form-based			true	0.7	5	1	4	4	6680.799805	4819.799805	4819.799805	0.933333
1872	001K	2516	0.06	1500	1	65	100	3	6	5	7548	6048	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	5544.799805	5544.799805	0.933333
1872	007A	3011	0.07	3200	2	65	100	3	7	5	9033	5833	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8430.799805	5230.799805	5230.799805	0.933333
1872	017	3000	0.07	1975	2	65	100	3	7	5	9000	7025	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6425	6425	0.933333
1872	021	2375	0.05	1540	1	65	100	3	5	4	7125	5585	RH-2	40	form-based			true	0.7	5	1	4	4	6650	5110	5110	0.933333
1872	022	2375	0.05	1540	1	65	100	3	5	4	7125	5585	RH-2	40	form-based			true	0.7	5	1	4	4	6650	5110	5110	0.933333
1872	023	2375	0.05	1540	1	65	100	3	5	4	7125	5585	RH-2	40	form-based			true	0.7	5	1	4	4	6650	5110	5110	0.933333
1872	024	2438	0.06	1628	1	65	100	3	6	5	7314	5686	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	6826.399902	5198.399902	5198.399902	0.933333
1872	025	2516	0.06	1489	1	65	100	3	6	5	7548	6059	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	5555.799805	5555.799805	0.933333
1873	016A	1443	0.03	1509	1	65	100	3	3	2	4329	2820	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6493.5	4984.5	4984.5	1.5
1873	016B	1443	0.03	1515	1	65	100	3	3	2	4329	2814	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6493.5	4978.5	4978.5	1.5
1873	016C	1446	0.03	1370	1	65	100	3	3	2	4338	2968	RTO-C	65	form-based		true	true	0.75	5	1.666666627	4	4	6507	5137	5137	1.5
1873	034	2471	0.06	1433	1	65	100	3	6	5	7413	5980	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	5485.799805	5485.799805	0.933333
1873	035	2471	0.06	2225	1	65	100	3	6	5	7413	5188	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	4693.799805	4693.799805	0.933333
1874	001	2240	0.05	2169	1	65	100	3	5	4	6720	4551	RH-1	40	form-based		true	true	0.7	5	1	4	4	6272	4103	4103	0.933333
1874	002	2330	0.05	1250	1	65	100	3	5	4	6990	5740	RH-1	40	form-based			true	0.7	5	1	4	4	6524	5274	5274	0.933333
1874	003	2330	0.05	1570	1	65	100	3	5	4	6990	5420	RH-1	40	form-based			true	0.7	5	1	4	4	6524	4954	4954	0.933333
1874	004	2330	0.05	1949	1	65	100	3	5	4	6990	5041	RH-1	40	form-based			true	0.7	5	1	4	4	6524	4575	4575	0.933333
1874	022	2148	0.05	2321	1	65	100	3	5	4	6444	4123	RH-1	40	form-based			true	0.7	5	1	4	4	6014.399902	3693.399902	3693.399902	0.933333
1874	023	2330	0.05	2082	1	65	100	3	5	4	6990	4908	RH-1	40	form-based			true	0.7	5	1	4	4	6524	4442	4442	0.933333
1874	024	2330	0.05	2176	1	65	100	3	5	4	6990	4814	RH-1	40	form-based			true	0.7	5	1	4	4	6524	4348	4348	0.933333
1874	025	2513	0.06	1550	1	65	100	3	6	5	7539	5989	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7036.399902	5486.399902	5486.399902	0.933333
1874	026	2572	0.06	1640	1	65	100	3	6	5	7716	6076	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7201.600098	5561.600098	5561.600098	0.933333
1874	027	2429	0.06	1235	1	65	100	3	6	5	7287	6052	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6801.199707	5566.199707	5566.199707	0.933333
1874	028	2584	0.06	1763	1	65	100	3	6	5	7752	5989	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7235.199707	5472.199707	5472.199707	0.933333
1874	029	2395	0.05	1231	1	65	100	3	5	4	7185	5954	RH-1	40	form-based			true	0.7	5	1	4	4	6706	5475	5475	0.933333
1874	030	2395	0.05	1384	1	65	100	3	5	4	7185	5801	RH-1	40	form-based			true	0.7	5	1	4	4	6706	5322	5322	0.933333
1874	031	2207	0.05	1195	1	65	100	3	5	4	6621	5426	RH-1	40	form-based			true	0.7	5	1	4	4	6179.600098	4984.600098	4984.600098	0.933333
1874	048	2395	0.05	2282	1	65	100	3	5	4	7185	4903	RH-1	40	form-based			true	0.7	5	1	4	4	6706	4424	4424	0.933333
1874	049	2395	0.05	1185	1	65	100	3	5	4	7185	6000	RH-1	40	form-based			true	0.7	5	1	4	4	6706	5521	5521	0.933333
1874	050	2395	0.05	1405	1	65	100	3	5	4	7185	5780	RH-1	40	form-based			true	0.7	5	1	4	4	6706	5301	5301	0.933333
1874	051	2303	0.05	1465	1	65	100	3	5	4	6909	5444	RH-1	40	form-based		true	true	0.7	5	1	4	4	6448.399902	4983.399902	4983.399902	0.933333
1874	052	2405	0.06	1250	1	65	100	3	6	5	7215	5965	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6734	5484	5484	0.933333
1874	053	2547	0.06	1812	1	65	100	3	6	5	7641	5829	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7131.600098	5319.600098	5319.600098	0.933333
1875	004	2982	0.07	1588	2	65	100	3	7	5	8946	7358	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	6761.599609	6761.599609	0.933333
1875	019A	2206	0.05	1500	1	65	100	3	5	4	6618	5118	RH-1	40	form-based		true	true	0.7	5	1	4	4	6176.799805	4676.799805	4676.799805	0.933333
1875	020	2500	0.06	1375	1	65	100	3	6	5	7500	6125	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5625	5625	0.933333
1875	020A	2499	0.06	1375	1	65	100	3	6	5	7497	6122	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6997.199707	5622.199707	5622.199707	0.933333
1875	021	2499	0.06	1450	1	65	100	3	6	5	7497	6047	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6997.199707	5547.199707	5547.199707	0.933333
1875	022	2225	0.05	1813	1	65	100	3	5	4	6675	4862	RH-1	40	form-based		true	true	0.7	5	1	4	4	6230	4417	4417	0.933333
1875	036D	2586	0.06	1705	1	65	100	3	6	5	7758	6053	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7240.799805	5535.799805	5535.799805	0.933333
1875	037	2476	0.06	1375	1	65	100	3	6	5	7428	6053	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6932.799805	5557.799805	5557.799805	0.933333
1875	038	2476	0.06	1379	1	65	100	3	6	5	7428	6049	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6932.799805	5553.799805	5553.799805	0.933333
1875	039	2476	0.06	1617	1	65	100	3	6	5	7428	5811	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6932.799805	5315.799805	5315.799805	0.933333
1875	040	2396	0.06	1615	1	65	100	3	6	5	7188	5573	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6708.799805	5093.799805	5093.799805	0.933333
1876	001B	3000	0.07	1990	2	65	100	3	7	5	9000	7010	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6410	6410	0.933333
1876	012	2553	0.06	1475	1	65	100	3	6	5	7659	6184	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7148.399902	5673.399902	5673.399902	0.933333
1876	013	2468	0.06	1405	1	65	100	3	6	5	7404	5999	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6910.399902	5505.399902	5505.399902	0.933333
1876	014	2468	0.06	1440	1	65	100	3	6	5	7404	5964	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6910.399902	5470.399902	5470.399902	0.933333
1877	001	2315	0.05	2860	1	65	100	3	5	4	6945	4085	RH-1	40	form-based		true	true	0.7	5	1	4	4	6482	3622	3622	0.933333
1877	002	2242	0.05	2564	1	65	100	3	5	4	6726	4162	RH-1	40	form-based			true	0.7	5	1	4	4	6277.600098	3713.600098	3713.600098	0.933333
1877	003	2242	0.05	2176	1	65	100	3	5	4	6726	4550	RH-1	40	form-based			true	0.7	5	1	4	4	6277.600098	4101.600098	4101.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1877	021	2242	0.05	1330	1	65	100	3	5	4	6726	5396	RH-1	40	form-based			true	0.7	5	1	4	4	6277.600098	4947.600098	4947.600098	0.933333
1877	022	2242	0.05	1963	1	65	100	3	5	4	6726	4763	RH-1	40	form-based			true	0.7	5	1	4	4	6277.600098	4314.600098	4314.600098	0.933333
1877	023	2242	0.05	2280	1	65	100	3	5	4	6726	4446	RH-1	40	form-based			true	0.7	5	1	4	4	6277.600098	3997.600098	3997.600098	0.933333
1877	024	2235	0.05	1695	1	65	100	3	5	4	6705	5010	RH-1	40	form-based		true	true	0.7	5	1	4	4	6258	4563	4563	0.933333
1877	027	2263	0.05	1705	1	65	100	3	5	4	6789	5084	RH-1	40	form-based		true	true	0.7	5	1	4	4	6336.399902	4631.399902	4631.399902	0.933333
1877	028	2271	0.05	1170	1	65	100	3	5	4	6813	5643	RH-1	40	form-based			true	0.7	5	1	4	4	6358.799805	5188.799805	5188.799805	0.933333
1877	029	2272	0.05	1410	1	65	100	3	5	4	6816	5406	RH-1	40	form-based			true	0.7	5	1	4	4	6361.600098	4951.600098	4951.600098	0.933333
1877	030	2271	0.05	1730	1	65	100	3	5	4	6813	5083	RH-1	40	form-based			true	0.7	5	1	4	4	6358.799805	4628.799805	4628.799805	0.933333
1877	048	2272	0.05	1800	1	65	100	3	5	4	6816	5016	RH-1	40	form-based			true	0.7	5	1	4	4	6361.600098	4561.600098	4561.600098	0.933333
1877	049	2271	0.05	1075	1	65	100	3	5	4	6813	5738	RH-1	40	form-based			true	0.7	5	1	4	4	6358.799805	5283.799805	5283.799805	0.933333
1877	050	2348	0.05	1908	1	65	100	3	5	4	7044	5136	RH-1	40	form-based		true	true	0.7	5	1	4	4	6574.399902	4666.399902	4666.399902	0.933333
1878	001	2262	0.05	1640	1	65	100	3	5	4	6786	5146	RH-1	40	form-based		true	true	0.7	5	1	4	4	6333.600098	4693.600098	4693.600098	0.933333
1878	001A	2353	0.05	1490	1	65	100	3	5	4	7059	5569	RH-1	40	form-based			true	0.7	5	1	4	4	6588.399902	5098.399902	5098.399902	0.933333
1878	001B	2353	0.05	1760	1	65	100	3	5	4	7059	5299	RH-1	40	form-based			true	0.7	5	1	4	4	6588.399902	4828.399902	4828.399902	0.933333
1878	001C	2353	0.05	1680	1	65	100	3	5	4	7059	5379	RH-1	40	form-based			true	0.7	5	1	4	4	6588.399902	4908.399902	4908.399902	0.933333
1878	001L	2476	0.06	1839	1	65	100	3	6	5	7428	5589	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6932.799805	5093.799805	5093.799805	0.933333
1878	002C	2978	0.07	2221	2	65	100	3	7	5	8934	6713	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8338.399414	6117.399414	6117.399414	0.933333
1878	002I	2266	0.05	2066	1	65	100	3	5	4	6798	4732	RH-1	40	form-based			true	0.7	5	1	4	4	6344.799805	4278.799805	4278.799805	0.933333
1878	002J	2266	0.05	1724	1	55	80	2.5	4	3	5665	3941	RH-1	40	form-based			true	0.7	5	1.25	4	4	6344.799805	4620.799805	4620.799805	1.12
1878	002K	2449	0.06	1960	1	55	80	2.5	5	4	6122	4162	RH-1	40	form-based		true	true	0.7	5	1	4	4	6857.199707	4897.199707	4897.199707	1.120091
1878	002N	2432	0.06	2350	1	55	80	2.5	5	4	6080	3730	RH-1	40	form-based		true	true	0.7	5	1	4	4	6809.600098	4459.600098	4459.600098	1.12
1878	002O	2250	0.05	1800	1	65	100	3	5	4	6750	4950	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4500	4500	0.933333
1878	002P	2250	0.05	1680	1	65	100	3	5	4	6750	5070	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4620	4620	0.933333
1878	011	2250	0.05	1720	1	65	100	3	5	4	6750	5030	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4580	4580	0.933333
1878	012	2250	0.05	2145	1	65	100	3	5	4	6750	4605	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4155	4155	0.933333
1878	013	2250	0.05	1640	1	65	100	3	5	4	6750	5110	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4660	4660	0.933333
1878	014	2162	0.05	2350	1	65	100	3	5	4	6486	4136	RH-1	40	form-based		true	true	0.7	5	1	4	4	6053.600098	3703.600098	3703.600098	0.933333
1879	001	2462	0.06	2929	1	65	100	3	6	5	7386	4457	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6893.600098	3964.600098	3964.600098	0.933333
1879	001A	2375	0.05	2253	1	65	100	3	5	4	7125	4872	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4397	4397	0.933333
1879	001B	2375	0.05	2566	1	65	100	3	5	4	7125	4559	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4084	4084	0.933333
1879	001C	2169	0.05	2360	1	65	100	3	5	4	6507	4147	RH-1	40	form-based			true	0.7	5	1	4	4	6073.199707	3713.199707	3713.199707	0.933333
1879	001T	2365	0.05	2080	1	65	100	3	5	4	7095	5015	RH-1	40	form-based			true	0.7	5	1	4	4	6622	4542	4542	0.933333
1879	001U	2365	0.05	1740	1	65	100	3	5	4	7095	5355	RH-1	40	form-based			true	0.7	5	1	4	4	6622	4882	4882	0.933333
1879	001V	2365	0.05	1880	1	65	100	3	5	4	7095	5215	RH-1	40	form-based			true	0.7	5	1	4	4	6622	4742	4742	0.933333
1879	001W	2351	0.05	1617	1	65	100	3	5	4	7053	5436	RH-1	40	form-based		true	true	0.7	5	1	4	4	6582.799805	4965.799805	4965.799805	0.933333
1879	001X	2496	0.06	1000	1	65	100	3	6	5	7488	6488	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	5988.799805	5988.799805	0.933333
1879	002	2375	0.05	1375	1	65	100	3	5	4	7125	5750	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5275	5275	0.933333
1879	002D	2375	0.05	1375	1	65	100	3	5	4	7125	5750	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5275	5275	0.933333
1879	002F	2375	0.05	1375	1	65	100	3	5	4	7125	5750	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5275	5275	0.933333
1879	002G	2496	0.06	2320	1	65	100	3	6	5	7488	5168	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	4668.799805	4668.799805	0.933333
1879	002H	2360	0.05	2400	1	65	100	3	5	4	7080	4680	RH-1	40	form-based		true	true	0.7	5	1	4	4	6608	4208	4208	0.933333
1879	008C	2269	0.05	1820	1	65	100	3	5	4	6807	4987	RH-1	40	form-based			true	0.7	5	1	4	4	6353.199707	4533.199707	4533.199707	0.933333
1879	008D	2269	0.05	1690	1	65	100	3	5	4	6807	5117	RH-1	40	form-based			true	0.7	5	1	4	4	6353.199707	4663.199707	4663.199707	0.933333
1879	008E	2354	0.05	1958	1	65	100	3	5	4	7062	5104	RH-1	40	form-based		true	true	0.7	5	1	4	4	6591.199707	4633.199707	4633.199707	0.933333
1879	008F	2469	0.06	2470	1	65	100	3	6	5	7407	4937	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	4443.199707	4443.199707	0.933333
1880	001	2426	0.06	2860	1	65	100	3	6	5	7278	4418	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6792.799805	3932.799805	3932.799805	0.933333
1880	002	2601	0.06	2837	1	65	100	3	6	5	7803	4966	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7282.799805	4445.799805	4445.799805	0.933333
1880	003	2600	0.06	2000	1	65	100	3	6	5	7800	5800	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7280	5280	5280	0.933333
1880	020	2581	0.06	2000	1	65	100	3	6	5	7743	5743	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7226.799805	5226.799805	5226.799805	0.933333
1880	021	2600	0.06	2300	1	65	100	3	6	5	7800	5500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7280	4980	4980	0.933333
1880	022	2612	0.06	2860	1	65	100	3	6	5	7836	4976	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7313.600098	4453.600098	4453.600098	0.933333
1880	024	2604	0.06	2392	1	65	100	3	6	5	7812	5420	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7291.199707	4899.199707	4899.199707	0.933333
1880	025	2594	0.06	1792	1	65	100	3	6	5	7782	5990	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7263.199707	5471.199707	5471.199707	0.933333
1880	026	2574	0.06	1792	1	65	100	3	6	5	7722	5930	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7207.199707	5415.199707	5415.199707	0.933333
1880	044	2594	0.06	2226	1	65	100	3	6	5	7782	5556	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7263.199707	5037.199707	5037.199707	0.933333
1880	045	2537	0.06	2452	1	65	100	3	6	5	7611	5159	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7103.600098	4651.600098	4651.600098	0.933333
1881	001	2561	0.06	2694	1	65	100	3	6	5	7683	4989	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7170.799805	4476.799805	4476.799805	0.933333
1881	002	2594	0.06	1851	1	65	100	3	6	5	7782	5931	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7263.199707	5412.199707	5412.199707	0.933333
1881	003	2593	0.06	1851	1	65	100	3	6	5	7779	5928	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7260.399902	5409.399902	5409.399902	0.933333
1881	021	2616	0.06	2201	1	65	100	3	6	5	7848	5647	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7324.799805	5123.799805	5123.799805	0.933333
1881	026	2375	0.05	2062	1	65	100	3	5	4	7125	5063	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4588	4588	0.933333
1881	027	2375	0.05	2425	1	65	100	3	5	4	7125	4700	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4225	4225	0.933333
1881	045	2338	0.05	1825	1	65	100	3	5	4	7014	5189	RH-1	40	form-based			true	0.7	5	1	4	4	6546.399902	4721.399902	4721.399902	0.933333
1881	046	2395	0.05	1825	1	65	100	3	5	4	7185	5360	RH-1	40	form-based			true	0.7	5	1	4	4	6706	4881	4881	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1883	001	2467	0.06	2454	1	65	100	3	6	5	7401	4947	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6907.600098	4453.600098	4453.600098	0.933333
1883	002	2366	0.05	1666	1	65	100	3	5	4	7098	5432	RH-1	40	form-based			true	0.7	5	1	4	4	6624.799805	4958.799805	4958.799805	0.933333
1883	003	2366	0.05	1650	1	65	100	3	5	4	7098	5448	RH-1	40	form-based			true	0.7	5	1	4	4	6624.799805	4974.799805	4974.799805	0.933333
1883	004	2143	0.05	1980	1	65	100	3	5	4	6429	4449	RH-1	40	form-based			true	0.7	5	1	4	4	6000.399902	4020.399902	4020.399902	0.933333
1883	021	2366	0.05	2013	1	65	100	3	5	4	7098	5085	RH-1	40	form-based			true	0.7	5	1	4	4	6624.799805	4611.799805	4611.799805	0.933333
1883	022	2366	0.05	2042	1	65	100	3	5	4	7098	5056	RH-1	40	form-based			true	0.7	5	1	4	4	6624.799805	4582.799805	4582.799805	0.933333
1883	023	2366	0.05	1835	1	65	100	3	5	4	7098	5263	RH-1	40	form-based			true	0.7	5	1	4	4	6624.799805	4789.799805	4789.799805	0.933333
1883	024	2340	0.05	1600	1	65	100	3	5	4	7020	5420	RH-1	40	form-based		true	true	0.7	5	1	4	4	6552	4952	4952	0.933333
1883	025	2531	0.06	1718	1	65	100	3	6	5	7593	5875	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5368.799805	5368.799805	0.933333
1883	026	2455	0.06	1365	1	65	100	3	6	5	7365	6000	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6874	5509	5509	0.933333
1883	027	2348	0.05	2108	1	55	80	2.5	4	3	5870	3762	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6574.399902	4466.399902	4466.399902	1.12
1883	028	2375	0.05	1375	1	65	100	3	5	4	7125	5750	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5275	5275	0.933333
1883	029	2375	0.05	1375	1	65	100	3	5	4	7125	5750	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5275	5275	0.933333
1883	030	2375	0.05	1312	1	65	100	3	5	4	7125	5813	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5338	5338	0.933333
1883	047	2150	0.05	1525	1	65	100	3	5	4	6450	4925	RH-1	40	form-based			true	0.7	5	1	4	4	6020	4495	4495	0.933333
1883	048	2375	0.05	1967	1	65	100	3	5	4	7125	5158	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4683	4683	0.933333
1883	049	2375	0.05	1375	1	65	100	3	5	4	7125	5750	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5275	5275	0.933333
1883	050	2478	0.06	1375	1	65	100	3	6	5	7434	6059	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6938.399902	5563.399902	5563.399902	0.933333
1883	051	2431	0.06	2229	1	65	100	3	6	5	7293	5064	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6806.799805	4577.799805	4577.799805	0.933333
1883	052	2505	0.06	1375	1	65	100	3	6	5	7515	6140	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7014	5639	5639	0.933333
1884	001	1959	0.04	1300	0	65	100	3	4	4	5877	4577	RH-1	40	form-based		true	true	0.7	4	1	4	4	5485.199707	4185.199707	4185.199707	0.933333
1884	024	2235	0.05	1150	1	55	80	2.5	4	3	5588	4438	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6258	5108	5108	1.1199
1884	025	2492	0.06	900	1	65	100	3	6	5	7476	6576	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6977.600098	6077.600098	6077.600098	0.933333
1884	026	2492	0.06	1374	1	65	100	3	6	5	7476	6102	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6977.600098	5603.600098	5603.600098	0.933333
1884	052	2469	0.06	1608	1	65	100	3	6	5	7407	5799	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	5305.199707	5305.199707	0.933333
1884	053	2469	0.06	1541	1	65	100	3	6	5	7407	5866	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	5372.199707	5372.199707	0.933333
1884	054	2469	0.06	1150	1	65	100	3	6	5	7407	6257	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	5763.199707	5763.199707	0.933333
1885	044	2468	0.06	1474	1	65	100	3	6	5	7404	5930	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6910.399902	5436.399902	5436.399902	0.933333
1885	045	2468	0.06	1296	1	65	100	3	6	5	7404	6108	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6910.399902	5614.399902	5614.399902	0.933333
1885	046	2468	0.06	1056	1	65	100	3	6	5	7404	6348	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6910.399902	5854.399902	5854.399902	0.933333
1885	047	2468	0.06	1599	1	65	100	3	6	5	7404	5805	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6910.399902	5311.399902	5311.399902	0.933333
1885	048	2468	0.06	1125	1	65	100	3	6	5	7404	6279	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6910.399902	5785.399902	5785.399902	0.933333
1885	049	2468	0.06	1697	1	65	100	3	6	5	7404	5707	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6910.399902	5213.399902	5213.399902	0.933333
1886	001	2333	0.05	1140	1	65	100	3	5	4	6999	5859	RH-1	40	form-based		true	true	0.7	5	1	4	4	6532.399902	5392.399902	5392.399902	0.933333
1886	001A	2250	0.05	1875	1	65	100	3	5	4	6750	4875	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4425	4425	0.933333
1886	001C	2250	0.05	1350	1	65	100	3	5	4	6750	5400	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4950	4950	0.933333
1886	016	2491	0.06	1355	1	65	100	3	6	5	7473	6118	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6974.799805	5619.799805	5619.799805	0.933333
1886	016A	2491	0.06	1175	1	65	100	3	6	5	7473	6298	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6974.799805	5799.799805	5799.799805	0.933333
1886	017	2491	0.06	1175	1	65	100	3	6	5	7473	6298	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6974.799805	5799.799805	5799.799805	0.933333
1886	018	2215	0.05	1886	1	65	100	3	5	4	6645	4759	RH-1	40	form-based		true	true	0.7	5	1	4	4	6202	4316	4316	0.933333
1886	019	2250	0.05	1150	1	65	100	3	5	4	6750	5600	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5150	5150	0.933333
1886	020	2250	0.05	2026	1	65	100	3	5	4	6750	4724	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4274	4274	0.933333
1886	020A	2250	0.05	1350	1	65	100	3	5	4	6750	5400	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4950	4950	0.933333
1886	037	2461	0.06	1506	1	65	100	3	6	5	7383	5877	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6890.799805	5384.799805	5384.799805	0.933333
1886	038	2461	0.06	1000	1	65	100	3	6	5	7383	6383	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6890.799805	5890.799805	5890.799805	0.933333
1886	039	2461	0.06	1509	1	65	100	3	6	5	7383	5874	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6890.799805	5381.799805	5381.799805	0.933333
1887	001	2414	0.06	1755	1	65	100	3	6	5	7242	5487	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6759.199707	5004.199707	5004.199707	0.933333
1887	001C	2375	0.05	1942	1	65	100	3	5	4	7125	5183	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4708	4708	0.933333
1887	001D	2375	0.05	2170	1	65	100	3	5	4	7125	4955	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4480	4480	0.933333
1887	001E	2375	0.05	1050	1	65	100	3	5	4	7125	6075	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5600	5600	0.933333
1887	001X	2510	0.06	2210	1	65	100	3	6	5	7530	5320	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7028	4818	4818	0.933333
1887	001Y	2510	0.06	1200	1	65	100	3	6	5	7530	6330	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7028	5828	5828	0.933333
1887	001Z	2510	0.06	1424	1	65	100	3	6	5	7530	6106	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7028	5604	5604	0.933333
1887	011	2365	0.05	1656	1	65	100	3	5	4	7095	5439	RH-1	40	form-based			true	0.7	5	1	4	4	6622	4966	4966	0.933333
1887	012	2365	0.05	2010	1	55	80	2.5	4	3	5912	3902	RH-1	40	form-based			true	0.7	5	1.25	4	4	6622	4612	4612	1.120095
1887	013	2567	0.06	1390	1	55	80	2.5	5	4	6418	5028	RH-1	40	form-based		true	true	0.7	5	1	4	4	7187.600098	5797.600098	5797.600098	1.119913
1887	014	2529	0.06	1545	1	65	100	3	6	5	7587	6042	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7081.199707	5536.199707	5536.199707	0.933333
1887	015	2451	0.06	2049	1	65	100	3	6	5	7353	5304	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6862.799805	4813.799805	4813.799805	0.933333
1887	018	2375	0.05	1180	1	65	100	3	5	4	7125	5945	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5470	5470	0.933333
1889	001	2147	0.05	1524	1	65	100	3	5	4	6441	4917	RH-1	40	form-based		true	true	0.7	5	1	4	4	6011.600098	4487.600098	4487.600098	0.933333
1889	001A	2263	0.05	1886	1	65	100	3	5	4	6789	4903	RH-1	40	form-based			true	0.7	5	1	4	4	6336.399902	4450.399902	4450.399902	0.933333
1889	001B	2263	0.05	1660	1	65	100	3	5	4	6789	5129	RH-1	40	form-based			true	0.7	5	1	4	4	6336.399902	4676.399902	4676.399902	0.933333
1889	001C	2263	0.05	1710	1	65	100	3	5	4	6789	5079	RH-1	40	form-based			true	0.7	5	1	4	4	6336.399902	4626.399902	4626.399902	0.933333
1889	018C	2388	0.05	1925	1	65	100	3	5	4	7164	5239	RH-1	40	form-based			true	0.7	5	1	4	4	6686.399902	4761.399902	4761.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1889	018D	2593	0.06	1525	1	65	100	3	6	5	7779	6254	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7260.399902	5735.399902	5735.399902	0.933333
1889	018E	2437	0.06	2251	1	65	100	3	6	5	7311	5060	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6823.600098	4572.600098	4572.600098	0.933333
1889	018F	2539	0.06	1580	1	65	100	3	6	5	7617	6037	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7109.199707	5529.199707	5529.199707	0.933333
1889	018G	2580	0.06	1780	1	65	100	3	6	5	7740	5960	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7224	5444	5444	0.933333
1889	018H	2375	0.05	1356	1	65	100	3	5	4	7125	5769	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5294	5294	0.933333
1889	018I	2375	0.05	1950	1	65	100	3	5	4	7125	5175	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4700	4700	0.933333
1889	019	2250	0.05	1275	1	65	100	3	5	4	6750	5475	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5025	5025	0.933333
1889	020	2250	0.05	2150	1	65	100	3	5	4	6750	4600	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4150	4150	0.933333
1889	021	2250	0.05	1275	1	65	100	3	5	4	6750	5475	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5025	5025	0.933333
1890	005	3000	0.07	1900	2	65	100	3	7	5	9000	7100	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6500	6500	0.933333
1890	015	2466	0.06	2354	1	65	100	3	6	5	7398	5044	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6904.799805	4550.799805	4550.799805	0.933333
1890	016	2466	0.06	950	1	65	100	3	6	5	7398	6448	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6904.799805	5954.799805	5954.799805	0.933333
1890	016A	2466	0.06	950	1	65	100	3	6	5	7398	6448	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6904.799805	5954.799805	5954.799805	0.933333
1890	017	2466	0.06	1452	1	65	100	3	6	5	7398	5946	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6904.799805	5452.799805	5452.799805	0.933333
1890	017A	2466	0.06	950	1	65	100	3	6	5	7398	6448	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6904.799805	5954.799805	5954.799805	0.933333
1890	018	2466	0.06	969	1	65	100	3	6	5	7398	6429	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6904.799805	5935.799805	5935.799805	0.933333
1890	038	2469	0.06	1175	1	65	100	3	6	5	7407	6232	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	5738.199707	5738.199707	0.933333
1890	039	2469	0.06	1300	1	65	100	3	6	5	7407	6107	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	5613.199707	5613.199707	0.933333
1890	039A	2469	0.06	825	1	65	100	3	6	5	7407	6582	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	6088.199707	6088.199707	0.933333
1890	040	2469	0.06	1890	1	65	100	3	6	5	7407	5517	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	5023.199707	5023.199707	0.933333
1891	010	3000	0.07	1350	2	65	100	3	7	5	9000	7650	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	7050	7050	0.933333
1891	017	2380	0.05	1826	1	65	100	3	5	4	7140	5314	RH-1	40	form-based			true	0.7	5	1	4	4	6664	4838	4838	0.933333
1891	018	2380	0.05	1125	1	65	100	3	5	4	7140	6015	RH-1	40	form-based			true	0.7	5	1	4	4	6664	5539	5539	0.933333
1891	019	2380	0.05	1482	1	65	100	3	5	4	7140	5658	RH-1	40	form-based			true	0.7	5	1	4	4	6664	5182	5182	0.933333
1891	020	2255	0.05	1000	1	65	100	3	5	4	6765	5765	RH-1	40	form-based		true	true	0.7	5	1	4	4	6314	5314	5314	0.933333
1891	021	2448	0.06	925	1	65	100	3	6	5	7344	6419	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6854.399902	5929.399902	5929.399902	0.933333
1892	001A	2500	0.06	1145	1	65	100	3	6	5	7500	6355	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5855	5855	0.933333
1891	023	2251	0.05	1288	1	65	100	3	5	4	6753	5465	RH-1	40	form-based		true	true	0.7	5	1	4	4	6302.799805	5014.799805	5014.799805	0.933333
1891	024	2375	0.05	1368	1	65	100	3	5	4	7125	5757	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5282	5282	0.933333
1891	025	2375	0.05	1278	1	65	100	3	5	4	7125	5847	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5372	5372	0.933333
1891	029	3005	0.07	1710	2	65	100	3	7	5	9015	7305	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8414	6704	6704	0.933333
1891	045	2480	0.06	863	1	65	100	3	6	5	7440	6577	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6944	6081	6081	0.933333
1891	045A	2480	0.06	1309	1	65	100	3	6	5	7440	6131	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6944	5635	5635	0.933333
1891	047	2480	0.06	1528	1	65	100	3	6	5	7440	5912	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6944	5416	5416	0.933333
1891	048	2480	0.06	1055	1	65	100	3	6	5	7440	6385	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6944	5889	5889	0.933333
1892	001B	2500	0.06	1505	1	65	100	3	6	5	7500	5995	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5495	5495	0.933333
1892	001C	2500	0.06	1574	1	65	100	3	6	5	7500	5926	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5426	5426	0.933333
1892	008B	3000	0.07	800	2	65	100	3	7	5	9000	8200	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	7600	7600	0.933333
1892	010	2454	0.06	1595	1	65	100	3	6	5	7362	5767	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6871.199707	5276.199707	5276.199707	0.933333
1892	011	2454	0.06	1368	1	65	100	3	6	5	7362	5994	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6871.199707	5503.199707	5503.199707	0.933333
1892	012	2454	0.06	1240	1	65	100	3	6	5	7362	6122	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6871.199707	5631.199707	5631.199707	0.933333
1892	025A	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
1892	026	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
1892	027	2454	0.06	1320	1	65	100	3	6	5	7362	6042	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6871.199707	5551.199707	5551.199707	0.933333
1892	032	2500	0.06	1459	1	65	100	3	6	5	7500	6041	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5541	5541	0.933333
1892	033	2500	0.06	1569	1	65	100	3	6	5	7500	5931	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5431	5431	0.933333
1893	005	3000	0.07	1405	2	65	100	3	7	5	9000	7595	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6995	6995	0.933333
1893	019	2465	0.06	1000	1	65	100	3	6	5	7395	6395	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6902	5902	5902	0.933333
1893	020	2465	0.06	2144	1	65	100	3	6	5	7395	5251	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6902	4758	4758	0.933333
1893	021	2465	0.06	1925	1	65	100	3	6	5	7395	5470	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6902	4977	4977	0.933333
1893	027	2983	0.07	2620	2	65	100	3	7	5	8949	6329	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	5732.399414	5732.399414	0.933333
1893	037	2983	0.07	2255	2	65	100	3	7	5	8949	6694	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	6097.399414	6097.399414	0.933333
1893	038	2983	0.07	1010	2	65	100	3	7	5	8949	7939	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	7342.399414	7342.399414	0.933333
1893	040	2983	0.07	2025	2	65	100	3	7	5	8949	6924	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8352.399414	6327.399414	6327.399414	0.933333
1893	041	2697	0.06	1680	2	65	100	3	6	4	8091	6411	RH-2	40	form-based			true	0.7	6	1	4	4	7551.600098	5871.600098	5871.600098	0.933333
1893	042	2206	0.05	1656	1	65	100	3	5	4	6618	4962	RH-2	40	form-based			true	0.7	5	1	4	4	6176.799805	4520.799805	4520.799805	0.933333
1893	052	2668	0.06	1196	2	65	100	3	6	4	8004	6808	RH-2	40	form-based			true	0.7	6	1	4	4	7470.399902	6274.399902	6274.399902	0.933333
1893	054	2668	0.06	732	2	65	100	3	6	4	8004	7272	RH-2	40	form-based			true	0.7	6	1	4	4	7470.399902	6738.399902	6738.399902	0.933333
1894	002	3000	0.07	1500	2	65	100	3	7	5	9000	7500	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6900	6900	0.933333
1894	003	3000	0.07	1820	2	65	100	3	7	5	9000	7180	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6580	6580	0.933333
1894	004	3000	0.07	3159	2	65	100	3	7	5	9000	5841	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5241	5241	0.933333
1894	009	3000	0.07	1714	2	65	100	3	7	5	9000	7286	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6686	6686	0.933333
1894	021	2215	0.05	1590	1	65	100	3	5	4	6645	5055	RH-2	40	form-based			true	0.7	5	1	4	4	6202	4612	4612	0.933333
1894	022	2504	0.06	3124	1	65	100	3	6	5	7512	4388	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	7011.199707	3887.199707	3887.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1894	038	3021	0.07	3102	2	65	100	3	7	5	9063	5961	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8458.799805	5356.799805	5356.799805	0.933333
1894	039A	3112	0.07	3505	3	65	100	3	7	4	9336	5831	RM-1	40	form-based			true	0.7	7	1	4	4	8713.599609	5208.599609	5208.599609	0.933333
1895	004	3000	0.07	4260	2	55	80	2.5	6	4	7500	3240	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4140	4140	1.12
1895	005	3000	0.07	1989	2	55	80	2.5	6	4	7500	5511	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6411	6411	1.12
1895	006	3000	0.07	4157	2	55	80	2.5	6	4	7500	3343	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4243	4243	1.12
1895	019	2850	0.07	3355	2	55	80	2.5	6	4	7125	3770	RH-2	40	form-based			true	0.7	6	1	4	4	7980	4625	4625	1.12
1895	020	2850	0.07	1360	2	55	80	2.5	6	4	7125	5765	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6620	6620	1.12
1895	021	2850	0.07	1956	2	55	80	2.5	6	4	7125	5169	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6024	6024	1.12
1895	037	3021	0.07	2410	2	55	80	2.5	6	4	7552	5142	RH-2	40	form-based			true	0.7	6	1	4	4	8458.799805	6048.799805	6048.799805	1.120074
1895	041	3021	0.07	1740	2	55	80	2.5	6	4	7552	5812	RH-2	40	form-based			true	0.7	6	1	4	4	8458.799805	6718.799805	6718.799805	1.120074
1895	044	2233	0.05	1000	1	55	80	2.5	4	3	5582	4582	RH-2	40	form-based			true	0.7	5	1.25	4	4	6252.399902	5252.399902	5252.399902	1.1201
1895	045	2233	0.05	1160	1	55	80	2.5	4	3	5582	4422	RH-2	40	form-based			true	0.7	5	1.25	4	4	6252.399902	5092.399902	5092.399902	1.1201
1895	046	2367	0.05	1188	1	55	80	2.5	4	3	5918	4730	RH-2	40	form-based			true	0.7	5	1.25	4	4	6627.600098	5439.600098	5439.600098	1.119905
1895	048	2375	0.05	1504	1	55	80	2.5	4	3	5938	4434	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	5146	5146	1.119906
1895	053	3021	0.07	3134	2	55	80	2.5	6	4	7552	4418	RH-2	40	form-based			true	0.7	6	1	4	4	8458.799805	5324.799805	5324.799805	1.120074
1895	054	3021	0.07	2200	2	55	80	2.5	6	4	7552	5352	RH-2	40	form-based			true	0.7	6	1	4	4	8458.799805	6258.799805	6258.799805	1.120074
1895	067	1750	0.04	2950	0	55	80	2.5	3	3	4375	1425	RH-2	40	form-based			true	0.7	4	1.333333373	4	4	4900	1950	1950	1.12
1895	068	1750	0.04	2950	0	55	80	2.5	3	3	4375	1425	RH-2	40	form-based			true	0.7	4	1.333333373	4	4	4900	1950	1950	1.12
1895	070	3000	0.07	1607	2	55	80	2.5	6	4	7500	5893	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6793	6793	1.12
1896	002	2983	0.07	1740	2	55	80	2.5	6	4	7458	5718	RH-1	40	form-based			true	0.7	6	1	4	4	8352.399414	6612.399414	6612.399414	1.119925
1896	005	2579	0.06	1454	1	55	80	2.5	5	4	6448	4994	RH-1	40	form-based			true	0.7	5	1	4	4	7221.199707	5767.199707	5767.199707	1.119913
1896	011	2483	0.06	1170	1	55	80	2.5	5	4	6208	5038	RH-1	40	form-based			true	0.7	5	1	4	4	6952.399902	5782.399902	5782.399902	1.11991
1896	017	2983	0.07	1853	2	55	80	2.5	6	4	7458	5605	RH-1	40	form-based			true	0.7	6	1	4	4	8352.399414	6499.399414	6499.399414	1.119925
1896	022	2500	0.06	670	1	55	80	2.5	5	4	6250	5580	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6330	6330	1.12
1896	025	3000	0.07	3426	2	55	80	2.5	6	4	7500	4074	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4974	4974	1.12
1896	028	3000	0.07	2750	2	55	80	2.5	6	4	7500	4750	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5650	5650	1.12
1896	031	3000	0.07	2625	2	55	80	2.5	6	4	7500	4875	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5775	5775	1.12
1896	033	3000	0.07	3464	2	55	80	2.5	6	4	7500	4036	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4936	4936	1.12
1896	038	3000	0.07	3500	2	55	80	2.5	6	4	7500	4000	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4900	4900	1.12
1896	039	3000	0.07	1869	2	55	80	2.5	6	4	7500	5631	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6531	6531	1.12
1896	040	3000	0.07	1509	2	55	80	2.5	6	4	7500	5991	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6891	6891	1.12
1897	025	2500	0.06	2257	1	55	80	2.5	5	4	6250	3993	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4743	4743	1.12
1897	026	2500	0.06	850	1	55	80	2.5	5	4	6250	5400	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6150	6150	1.12
1897	027	2500	0.06	850	1	55	80	2.5	5	4	6250	5400	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6150	6150	1.12
1897	028	2500	0.06	1483	1	55	80	2.5	5	4	6250	4767	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5517	5517	1.12
1897	053	2546	0.06	1367	1	55	80	2.5	5	4	6365	4998	RH-1	40	form-based			true	0.7	5	1	4	4	7128.799805	5761.799805	5761.799805	1.12
1897	054	2546	0.06	1927	1	55	80	2.5	5	4	6365	4438	RH-1	40	form-based			true	0.7	5	1	4	4	7128.799805	5201.799805	5201.799805	1.12
1897	055	2546	0.06	1346	1	55	80	2.5	5	4	6365	5019	RH-1	40	form-based			true	0.7	5	1	4	4	7128.799805	5782.799805	5782.799805	1.12
1897	056	2546	0.06	850	1	55	80	2.5	5	4	6365	5515	RH-1	40	form-based			true	0.7	5	1	4	4	7128.799805	6278.799805	6278.799805	1.12
1898	015	3005	0.07	2684	2	55	80	2.5	6	4	7512	4828	RH-1	40	form-based			true	0.7	6	1	4	4	8414	5730	5730	1.120075
1898	019	2500	0.06	2269	1	55	80	2.5	5	4	6250	3981	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4731	4731	1.12
1898	020	2500	0.06	1419	1	55	80	2.5	5	4	6250	4831	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5581	5581	1.12
1898	021	2500	0.06	974	1	55	80	2.5	5	4	6250	5276	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6026	6026	1.12
1898	022	2500	0.06	975	1	55	80	2.5	5	4	6250	5275	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6025	6025	1.12
1898	023C	2278	0.05	925	1	55	80	2.5	4	3	5695	4770	RH-1	40	form-based			true	0.7	5	1.25	4	4	6378.399902	5453.399902	5453.399902	1.12
1898	043	2533	0.06	800	1	55	80	2.5	5	4	6332	5532	RH-1	40	form-based			true	0.7	5	1	4	4	7092.399902	6292.399902	6292.399902	1.120088
1898	044	2533	0.06	1878	1	55	80	2.5	5	4	6332	4454	RH-1	40	form-based			true	0.7	5	1	4	4	7092.399902	5214.399902	5214.399902	1.120088
1898	045	2533	0.06	1125	1	55	80	2.5	5	4	6332	5207	RH-1	40	form-based			true	0.7	5	1	4	4	7092.399902	5967.399902	5967.399902	1.120088
1898	046	2533	0.06	1385	1	55	80	2.5	5	4	6332	4947	RH-1	40	form-based			true	0.7	5	1	4	4	7092.399902	5707.399902	5707.399902	1.120088
1899	001	2178	0.05	1125	1	55	80	2.5	4	3	5445	4320	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6098.399902	4973.399902	4973.399902	1.12
1899	020	2500	0.06	1677	1	55	80	2.5	5	4	6250	4573	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5323	5323	1.12
1899	021	2500	0.06	1677	1	55	80	2.5	5	4	6250	4573	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5323	5323	1.12
1899	022	2500	0.06	950	1	55	80	2.5	5	4	6250	5300	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6050	6050	1.12
1899	023	2500	0.06	950	1	55	80	2.5	5	4	6250	5300	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6050	6050	1.12
1899	024	2500	0.06	950	1	55	80	2.5	5	4	6250	5300	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6050	6050	1.12
1899	046	2534	0.06	1018	1	55	80	2.5	5	4	6335	5317	RH-1	40	form-based			true	0.7	5	1	4	4	7095.199707	6077.199707	6077.199707	1.12
1899	047	2534	0.06	1347	1	55	80	2.5	5	4	6335	4988	RH-1	40	form-based			true	0.7	5	1	4	4	7095.199707	5748.199707	5748.199707	1.12
1899	048	2534	0.06	1210	1	55	80	2.5	5	4	6335	5125	RH-1	40	form-based			true	0.7	5	1	4	4	7095.199707	5885.199707	5885.199707	1.12
1900	018	2375	0.05	1460	1	55	80	2.5	4	3	5938	4478	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5190	5190	1.119906
1900	021	2518	0.06	1069	1	55	80	2.5	5	4	6295	5226	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5981.399902	5981.399902	1.12
1900	022	2518	0.06	837	1	55	80	2.5	5	4	6295	5458	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	6213.399902	6213.399902	1.12
1900	026	2388	0.05	1531	1	55	80	2.5	4	3	5970	4439	RH-1	40	form-based			true	0.7	5	1.25	4	4	6686.399902	5155.399902	5155.399902	1.12
1900	039B	2448	0.06	1655	1	55	80	2.5	5	4	6120	4465	RH-1	40	form-based			true	0.7	5	1	4	4	6854.399902	5199.399902	5199.399902	1.12
1900	040	2448	0.06	1661	1	55	80	2.5	5	4	6120	4459	RH-1	40	form-based			true	0.7	5	1	4	4	6854.399902	5193.399902	5193.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1900	040A	2448	0.06	1486	1	55	80	2.5	5	4	6120	4634	RH-1	40	form-based			true	0.7	5	1	4	4	6854.399902	5368.399902	5368.399902	1.12
1900	040B	2448	0.06	1463	1	55	80	2.5	5	4	6120	4657	RH-1	40	form-based			true	0.7	5	1	4	4	6854.399902	5391.399902	5391.399902	1.12
1900	041	2448	0.06	1200	1	55	80	2.5	5	4	6120	4920	RH-1	40	form-based			true	0.7	5	1	4	4	6854.399902	5654.399902	5654.399902	1.12
1901	012	2948	0.07	2395	2	55	80	2.5	6	4	7370	4975	RH-1	40	form-based			true	0.7	6	1	4	4	8254.399414	5859.399414	5859.399414	1.12
1902	007	2417	0.06	1446	1	55	80	2.5	5	4	6042	4596	RH-1	40	form-based			true	0.7	5	1	4	4	6767.600098	5321.600098	5321.600098	1.120093
1903	021	2375	0.05	1025	1	55	80	2.5	4	3	5938	4913	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5625	5625	1.119906
1903	026	2518	0.06	2025	1	55	80	2.5	5	4	6295	4270	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5025.399902	5025.399902	1.12
1903	048	2375	0.05	1318	1	55	80	2.5	4	3	5938	4620	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5332	5332	1.119906
1903	053	2446	0.06	1423	1	55	80	2.5	5	4	6115	4692	RH-1	40	form-based			true	0.7	5	1	4	4	6848.799805	5425.799805	5425.799805	1.12
1904	025	2518	0.06	1065	1	55	80	2.5	5	4	6295	5230	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5985.399902	5985.399902	1.12
1904	026	2518	0.06	1245	1	55	80	2.5	5	4	6295	5050	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5805.399902	5805.399902	1.12
1904	027	2518	0.06	925	1	55	80	2.5	5	4	6295	5370	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	6125.399902	6125.399902	1.12
1904	028	2518	0.06	925	1	55	80	2.5	5	4	6295	5370	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	6125.399902	6125.399902	1.12
1904	053	2445	0.06	850	1	55	80	2.5	5	4	6112	5262	RH-1	40	form-based			true	0.7	5	1	4	4	6846	5996	5996	1.120092
1904	054	2445	0.06	1018	1	55	80	2.5	5	4	6112	5094	RH-1	40	form-based			true	0.7	5	1	4	4	6846	5828	5828	1.120092
1904	055	2445	0.06	850	1	55	80	2.5	5	4	6112	5262	RH-1	40	form-based			true	0.7	5	1	4	4	6846	5996	5996	1.120092
1904	056	2445	0.06	850	1	55	80	2.5	5	4	6112	5262	RH-1	40	form-based			true	0.7	5	1	4	4	6846	5996	5996	1.120092
1905	002	2063	0.05	1881	0	55	80	2.5	4	4	5158	3277	RH-1	40	form-based			true	0.7	4	1	4	4	5776.399902	3895.399902	3895.399902	1.119891
1906	014	2500	0.06	1760	1	55	80	2.5	5	4	6250	4490	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5240	5240	1.12
1906	016A	2518	0.06	2326	1	55	80	2.5	5	4	6295	3969	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	4724.399902	4724.399902	1.12
1906	016B	2518	0.06	1252	1	55	80	2.5	5	4	6295	5043	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5798.399902	5798.399902	1.12
1906	017	3022	0.07	1449	2	55	80	2.5	6	4	7555	6106	RH-1	40	form-based			true	0.7	6	1	4	4	8461.599609	7012.599609	7012.599609	1.12
1906	035	2444	0.06	1350	1	55	80	2.5	5	4	6110	4760	RH-1	40	form-based			true	0.7	5	1	4	4	6843.199707	5493.199707	5493.199707	1.12
1906	036	2443	0.06	1513	1	55	80	2.5	5	4	6108	4595	RH-1	40	form-based			true	0.7	5	1	4	4	6840.399902	5327.399902	5327.399902	1.119908
1906	037	2443	0.06	1375	1	55	80	2.5	5	4	6108	4733	RH-1	40	form-based			true	0.7	5	1	4	4	6840.399902	5465.399902	5465.399902	1.119908
1908	025	2518	0.06	1475	1	55	80	2.5	5	4	6295	4820	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5575.399902	5575.399902	1.12
1908	026	2518	0.06	1595	1	55	80	2.5	5	4	6295	4700	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5455.399902	5455.399902	1.12
1908	026A	2518	0.06	2392	1	55	80	2.5	5	4	6295	3903	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	4658.399902	4658.399902	1.12
1908	027	2144	0.05	1506	1	55	80	2.5	4	3	5360	3854	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6003.199707	4497.199707	4497.199707	1.12
1908	035	3020	0.07	2040	2	55	80	2.5	6	4	7550	5510	RH-1	40	form-based			true	0.7	6	1	4	4	8456	6416	6416	1.12
1908	051	2442	0.06	1475	1	55	80	2.5	5	4	6105	4630	RH-1	40	form-based			true	0.7	5	1	4	4	6837.600098	5362.600098	5362.600098	1.12
1908	052	2442	0.06	1475	1	55	80	2.5	5	4	6105	4630	RH-1	40	form-based			true	0.7	5	1	4	4	6837.600098	5362.600098	5362.600098	1.12
1908	053	2442	0.06	1475	1	55	80	2.5	5	4	6105	4630	RH-1	40	form-based			true	0.7	5	1	4	4	6837.600098	5362.600098	5362.600098	1.12
1909	015I	2518	0.06	2075	1	55	80	2.5	5	4	6295	4220	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	4975.399902	4975.399902	1.12
1909	015J	2518	0.06	850	1	55	80	2.5	5	4	6295	5445	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	6200.399902	6200.399902	1.12
1909	016	2158	0.05	2064	1	55	80	2.5	4	3	5395	3331	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6042.399902	3978.399902	3978.399902	1.12
1909	033	2409	0.06	1575	1	55	80	2.5	5	4	6022	4447	RH-1	40	form-based			true	0.7	5	1	4	4	6745.199707	5170.199707	5170.199707	1.120093
1909	034	2409	0.06	1425	1	55	80	2.5	5	4	6022	4597	RH-1	40	form-based			true	0.7	5	1	4	4	6745.199707	5320.199707	5320.199707	1.120093
1909	035	2409	0.06	1725	1	55	80	2.5	5	4	6022	4297	RH-1	40	form-based			true	0.7	5	1	4	4	6745.199707	5020.199707	5020.199707	1.120093
1909	036	2183	0.05	2715	1	55	80	2.5	4	3	5458	2743	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6112.399902	3397.399902	3397.399902	1.119897
1909	037	2441	0.06	2139	1	55	80	2.5	5	4	6102	3963	RH-1	40	form-based			true	0.7	5	1	4	4	6834.799805	4695.799805	4695.799805	1.120092
1911	006A	2518	0.06	1169	1	55	80	2.5	5	4	6295	5126	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5881.399902	5881.399902	1.12
1911	006B	2518	0.06	1025	1	55	80	2.5	5	4	6295	5270	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	6025.399902	6025.399902	1.12
1911	007	2518	0.06	1025	1	55	80	2.5	5	4	6295	5270	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	6025.399902	6025.399902	1.12
1911	008	2151	0.05	1441	1	55	80	2.5	4	3	5378	3937	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6022.799805	4581.799805	4581.799805	1.119896
1911	021	2439	0.06	1628	1	55	80	2.5	5	4	6098	4470	RH-1	40	form-based			true	0.7	5	1	4	4	6829.199707	5201.199707	5201.199707	1.119908
1911	022	2439	0.06	1488	1	55	80	2.5	5	4	6098	4610	RH-1	40	form-based			true	0.7	5	1	4	4	6829.199707	5341.199707	5341.199707	1.119908
1911	023	2439	0.06	2180	1	55	80	2.5	5	4	6098	3918	RH-1	40	form-based			true	0.7	5	1	4	4	6829.199707	4649.199707	4649.199707	1.119908
1912	001	2495	0.06	2355	1	55	80	2.5	5	4	6238	3883	RH-1	40	form-based	true		true	0.7	5	1	4	4	6986	4631	4631	1.11991
1912	002F	2337	0.05	2775	1	55	80	2.5	4	3	5842	3067	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6543.600098	3768.600098	3768.600098	1.120096
1912	002G	2271	0.05	1765	1	55	80	2.5	4	3	5678	3913	RH-1	40	form-based			true	0.7	5	1.25	4	4	6358.799805	4593.799805	4593.799805	1.119901
1912	002H	2271	0.05	1500	1	55	80	2.5	4	3	5678	4178	RH-1	40	form-based			true	0.7	5	1.25	4	4	6358.799805	4858.799805	4858.799805	1.119901
1912	002N	2271	0.05	2516	1	55	80	2.5	4	3	5678	3162	RH-1	40	form-based			true	0.7	5	1.25	4	4	6358.799805	3842.799805	3842.799805	1.119901
1912	004	2271	0.05	2604	1	55	80	2.5	4	3	5678	3074	RH-1	40	form-based			true	0.7	5	1.25	4	4	6358.799805	3754.799805	3754.799805	1.119901
1912	004A	2271	0.05	1425	1	55	80	2.5	4	3	5678	4253	RH-1	40	form-based			true	0.7	5	1.25	4	4	6358.799805	4933.799805	4933.799805	1.119901
1912	004B	2271	0.05	1425	1	55	80	2.5	4	3	5678	4253	RH-1	40	form-based			true	0.7	5	1.25	4	4	6358.799805	4933.799805	4933.799805	1.119901
1913	017	2518	0.06	2423	1	55	80	2.5	5	4	6295	3872	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	4627.399902	4627.399902	1.12
1913	018	2518	0.06	2060	1	55	80	2.5	5	4	6295	4235	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	4990.399902	4990.399902	1.12
1913	020	2518	0.06	1325	1	55	80	2.5	5	4	6295	4970	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5725.399902	5725.399902	1.12
1913	021	2518	0.06	2432	1	55	80	2.5	5	4	6295	3863	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	4618.399902	4618.399902	1.12
1913	042	2438	0.06	1375	1	55	80	2.5	5	4	6095	4720	RH-1	40	form-based			true	0.7	5	1	4	4	6826.399902	5451.399902	5451.399902	1.12
1913	043	2438	0.06	2221	1	55	80	2.5	5	4	6095	3874	RH-1	40	form-based			true	0.7	5	1	4	4	6826.399902	4605.399902	4605.399902	1.12
1913	044	2438	0.06	1870	1	55	80	2.5	5	4	6095	4225	RH-1	40	form-based			true	0.7	5	1	4	4	6826.399902	4956.399902	4956.399902	1.12
1913	045	2438	0.06	1897	1	55	80	2.5	5	4	6095	4198	RH-1	40	form-based			true	0.7	5	1	4	4	6826.399902	4929.399902	4929.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1913	046	2438	0.06	2730	1	55	80	2.5	5	4	6095	3365	RH-1	40	form-based			true	0.7	5	1	4	4	6826.399902	4096.399902	4096.399902	1.12
1914	012D	2518	0.06	1150	1	55	80	2.5	5	4	6295	5145	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5900.399902	5900.399902	1.12
1914	012E	2518	0.06	1150	1	55	80	2.5	5	4	6295	5145	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5900.399902	5900.399902	1.12
1914	012F	2518	0.06	2450	1	55	80	2.5	5	4	6295	3845	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	4600.399902	4600.399902	1.12
1914	022	2437	0.06	1878	1	55	80	2.5	5	4	6092	4214	RH-1	40	form-based			true	0.7	5	1	4	4	6823.600098	4945.600098	4945.600098	1.120092
1916	001A	1625	0.04	2572	2	55	80	2.5	3	1	4062	1490	RTO-C	65	form-based			true	0.75	6	2	4	4	7312.5	4740.5	4740.5	1.800222
1916	001B	1625	0.04	2572	2	55	80	2.5	3	1	4062	1490	RTO-C	65	form-based			true	0.75	6	2	4	4	7312.5	4740.5	4740.5	1.800222
1916	001C	1625	0.04	2572	2	55	80	2.5	3	1	4062	1490	RTO-C	65	form-based			true	0.75	6	2	4	4	7312.5	4740.5	4740.5	1.800222
1916	002C	3000	0.07	2239	2	55	80	2.5	6	4	7500	5261	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6161	6161	1.12
1916	006	2062	0.05	2266	0	55	80	2.5	4	4	5155	2889	RH-1	40	form-based			true	0.7	4	1	4	4	5773.600098	3507.600098	3507.600098	1.12
1916	006D	2518	0.06	1590	1	55	80	2.5	5	4	6295	4705	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5460.399902	5460.399902	1.12
1916	006E	2518	0.06	1230	1	55	80	2.5	5	4	6295	5065	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5820.399902	5820.399902	1.12
1916	006F	2518	0.06	1230	1	55	80	2.5	5	4	6295	5065	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5820.399902	5820.399902	1.12
1917	011	2375	0.05	2055	1	55	80	2.5	4	3	5938	3883	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4595	4595	1.119906
1917	011A	2375	0.05	2099	1	55	80	2.5	4	3	5938	3839	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4551	4551	1.119906
1917	011B	2375	0.05	1892	1	55	80	2.5	4	3	5938	4046	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4758	4758	1.119906
1917	012	2444	0.06	1525	1	55	80	2.5	5	4	6110	4585	RH-1	40	form-based	true		true	0.7	5	1	4	4	6843.199707	5318.199707	5318.199707	1.12
1917	013	2518	0.06	2089	1	55	80	2.5	5	4	6295	4206	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	4961.399902	4961.399902	1.12
1917	014	2518	0.06	1764	1	55	80	2.5	5	4	6295	4531	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5286.399902	5286.399902	1.12
1917	015A	2386	0.05	1245	1	55	80	2.5	4	3	5965	4720	RH-1	40	form-based			true	0.7	5	1.25	4	4	6680.799805	5435.799805	5435.799805	1.12
1917	016	2386	0.05	1250	1	55	80	2.5	4	3	5965	4715	RH-1	40	form-based			true	0.7	5	1.25	4	4	6680.799805	5430.799805	5430.799805	1.12
1917	016A	2386	0.05	1667	1	55	80	2.5	4	3	5965	4298	RH-1	40	form-based			true	0.7	5	1.25	4	4	6680.799805	5013.799805	5013.799805	1.12
1917	019	3011	0.07	1550	2	55	80	2.5	6	4	7528	5978	RH-1	40	form-based			true	0.7	6	1	4	4	8430.799805	6880.799805	6880.799805	1.119926
1917	028	1554	0.04	2438	2	55	80	2.5	3	1	3885	1447	RTO-C	65	form-based			true	0.75	6	2	4	4	6993	4555	4555	1.8
1917	029	1575	0.04	2478	2	55	80	2.5	3	1	3938	1460	RTO-C	65	form-based			true	0.75	6	2	4	4	7087.5	4609.5	4609.5	1.799771
1918	018	2351	0.05	2067	1	55	80	2.5	4	3	5878	3811	RH-1	40	form-based			true	0.7	5	1.25	4	4	6582.799805	4515.799805	4515.799805	1.119905
1918	019	2351	0.05	1485	1	55	80	2.5	4	3	5878	4393	RH-1	40	form-based			true	0.7	5	1.25	4	4	6582.799805	5097.799805	5097.799805	1.119905
1918	020	2351	0.05	1823	1	55	80	2.5	4	3	5878	4055	RH-1	40	form-based			true	0.7	5	1.25	4	4	6582.799805	4759.799805	4759.799805	1.119905
1918	021	2420	0.06	2241	1	55	80	2.5	5	4	6050	3809	RH-1	40	form-based	true		true	0.7	5	1	4	4	6776	4535	4535	1.12
1918	022	2518	0.06	1374	1	55	80	2.5	5	4	6295	4921	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5676.399902	5676.399902	1.12
1918	023	2518	0.06	1793	1	55	80	2.5	5	4	6295	4502	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5257.399902	5257.399902	1.12
1918	024	2462	0.06	2259	1	55	80	2.5	5	4	6155	3896	RH-1	40	form-based	true		true	0.7	5	1	4	4	6893.600098	4634.600098	4634.600098	1.12
1918	025	2392	0.05	1966	1	55	80	2.5	4	3	5980	4014	RH-1	40	form-based			true	0.7	5	1.25	4	4	6697.600098	4731.600098	4731.600098	1.12
1918	026	2392	0.05	2134	1	55	80	2.5	4	3	5980	3846	RH-1	40	form-based			true	0.7	5	1.25	4	4	6697.600098	4563.600098	4563.600098	1.12
1919	004	3000	0.07	1948	2	55	80	2.5	6	4	7500	5552	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6452	6452	1.12
1919	018	2375	0.05	1330	1	55	80	2.5	4	3	5938	4608	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5320	5320	1.119906
1919	019	2375	0.05	1390	1	55	80	2.5	4	3	5938	4548	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5260	5260	1.119906
1919	020	2375	0.05	1300	1	55	80	2.5	4	3	5938	4638	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5350	5350	1.119906
1919	021	2444	0.06	1938	1	55	80	2.5	5	4	6110	4172	RH-1	40	form-based	true		true	0.7	5	1	4	4	6843.199707	4905.199707	4905.199707	1.12
1919	022	2518	0.06	3482	1	55	80	2.5	5	4	6295	2813	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	3568.399902	3568.399902	1.12
1919	023	2518	0.06	1492	1	55	80	2.5	5	4	6295	4803	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5558.399902	5558.399902	1.12
1919	024	2471	0.06	2085	1	55	80	2.5	5	4	6178	4093	RH-1	40	form-based	true		true	0.7	5	1	4	4	6918.799805	4833.799805	4833.799805	1.119909
1919	025	2401	0.06	1440	1	55	80	2.5	5	4	6002	4562	RH-1	40	form-based			true	0.7	5	1	4	4	6722.799805	5282.799805	5282.799805	1.120093
1919	026	2401	0.06	1483	1	55	80	2.5	5	4	6002	4519	RH-1	40	form-based			true	0.7	5	1	4	4	6722.799805	5239.799805	5239.799805	1.120093
1919	027	2401	0.06	1539	1	55	80	2.5	5	4	6002	4463	RH-1	40	form-based			true	0.7	5	1	4	4	6722.799805	5183.799805	5183.799805	1.120093
1920	002	2354	0.05	1265	1	55	80	2.5	4	3	5885	4620	RH-1	40	form-based			true	0.7	5	1.25	4	4	6591.199707	5326.199707	5326.199707	1.12
1920	003	2354	0.05	2065	1	55	80	2.5	4	3	5885	3820	RH-1	40	form-based			true	0.7	5	1.25	4	4	6591.199707	4526.199707	4526.199707	1.12
1920	004	2354	0.05	1415	1	55	80	2.5	4	3	5885	4470	RH-1	40	form-based			true	0.7	5	1.25	4	4	6591.199707	5176.199707	5176.199707	1.12
1920	021	2354	0.05	2429	1	55	80	2.5	4	3	5885	3456	RH-1	40	form-based			true	0.7	5	1.25	4	4	6591.199707	4162.199707	4162.199707	1.12
1920	022	2354	0.05	2331	1	55	80	2.5	4	3	5885	3554	RH-1	40	form-based			true	0.7	5	1.25	4	4	6591.199707	4260.199707	4260.199707	1.12
1920	023	2354	0.05	3727	1	55	80	2.5	4	3	5885	2158	RH-1	40	form-based			true	0.7	5	1.25	4	4	6591.199707	2864.199707	2864.199707	1.12
1920	025	2518	0.06	1420	1	55	80	2.5	5	4	6295	4875	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5630.399902	5630.399902	1.12
1920	026	2518	0.06	2228	1	55	80	2.5	5	4	6295	4067	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	4822.399902	4822.399902	1.12
1920	027	2466	0.06	2873	1	55	80	2.5	5	4	6165	3292	RH-1	40	form-based	true		true	0.7	5	1	4	4	6904.799805	4031.799805	4031.799805	1.12
1920	028	2396	0.06	1150	1	55	80	2.5	5	4	5990	4840	RH-1	40	form-based			true	0.7	5	1	4	4	6708.799805	5558.799805	5558.799805	1.12
1920	029	2396	0.06	2068	1	55	80	2.5	5	4	5990	3922	RH-1	40	form-based			true	0.7	5	1	4	4	6708.799805	4640.799805	4640.799805	1.12
1920	030	2396	0.06	1150	1	55	80	2.5	5	4	5990	4840	RH-1	40	form-based			true	0.7	5	1	4	4	6708.799805	5558.799805	5558.799805	1.12
1920	047	2396	0.06	1440	1	55	80	2.5	5	4	5990	4550	RH-1	40	form-based			true	0.7	5	1	4	4	6708.799805	5268.799805	5268.799805	1.12
1920	048	2396	0.06	2155	1	55	80	2.5	5	4	5990	3835	RH-1	40	form-based			true	0.7	5	1	4	4	6708.799805	4553.799805	4553.799805	1.12
1920	049	2396	0.06	1440	1	55	80	2.5	5	4	5990	4550	RH-1	40	form-based			true	0.7	5	1	4	4	6708.799805	5268.799805	5268.799805	1.12
1920	052	2432	0.06	1500	1	55	80	2.5	5	4	6080	4580	RH-1	40	form-based			true	0.7	5	1	4	4	6809.600098	5309.600098	5309.600098	1.12
1921	015	2983	0.07	2800	2	55	80	2.5	6	4	7458	4658	RH-1	40	form-based			true	0.7	6	1	4	4	8352.399414	5552.399414	5552.399414	1.119925
1921	025	2518	0.06	1762	1	55	80	2.5	5	4	6295	4533	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5288.399902	5288.399902	1.12
1921	026	2518	0.06	1200	1	55	80	2.5	5	4	6295	5095	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5850.399902	5850.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1921	027	2518	0.06	1590	1	55	80	2.5	5	4	6295	4705	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5460.399902	5460.399902	1.12
1921	028	2153	0.05	1640	1	55	80	2.5	4	3	5382	3742	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6028.399902	4388.399902	4388.399902	1.120104
1922	001A	2375	0.05	1652	1	55	80	2.5	4	3	5938	4286	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4998	4998	1.119906
1922	001B	2375	0.05	1510	1	55	80	2.5	4	3	5938	4428	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5140	5140	1.119906
1922	001C	2375	0.05	2015	1	55	80	2.5	4	3	5938	3923	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4635	4635	1.119906
1922	018	2375	0.05	1291	1	55	80	2.5	4	3	5938	4647	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5359	5359	1.119906
1922	022	2518	0.06	1250	1	55	80	2.5	5	4	6295	5045	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5800.399902	5800.399902	1.12
1922	023	2518	0.06	1857	1	55	80	2.5	5	4	6295	4438	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5193.399902	5193.399902	1.12
1922	024	2461	0.06	1975	1	55	80	2.5	5	4	6152	4177	RH-1	40	form-based		true	true	0.7	5	1	4	4	6890.799805	4915.799805	4915.799805	1.120091
1922	025	2391	0.05	1275	1	55	80	2.5	4	3	5978	4703	RH-1	40	form-based			true	0.7	5	1.25	4	4	6694.799805	5419.799805	5419.799805	1.119906
1922	026	2391	0.05	2618	1	55	80	2.5	4	3	5978	3360	RH-1	40	form-based			true	0.7	5	1.25	4	4	6694.799805	4076.799805	4076.799805	1.119906
1922	027	2391	0.05	1475	1	55	80	2.5	4	3	5978	4503	RH-1	40	form-based			true	0.7	5	1.25	4	4	6694.799805	5219.799805	5219.799805	1.119906
1922	044	2391	0.05	1400	1	55	80	2.5	4	3	5978	4578	RH-1	40	form-based			true	0.7	5	1.25	4	4	6694.799805	5294.799805	5294.799805	1.119906
1922	044A	2391	0.05	1623	1	55	80	2.5	4	3	5978	4355	RH-1	40	form-based			true	0.7	5	1.25	4	4	6694.799805	5071.799805	5071.799805	1.119906
1922	045	2391	0.05	2316	1	55	80	2.5	4	3	5978	3662	RH-1	40	form-based			true	0.7	5	1.25	4	4	6694.799805	4378.799805	4378.799805	1.119906
1922	048	2431	0.06	1290	1	55	80	2.5	5	4	6078	4788	RH-1	40	form-based			true	0.7	5	1	4	4	6806.799805	5516.799805	5516.799805	1.119908
1922	049	2431	0.06	1290	1	55	80	2.5	5	4	6078	4788	RH-1	40	form-based			true	0.7	5	1	4	4	6806.799805	5516.799805	5516.799805	1.119908
1923	003	2966	0.07	2250	2	55	80	2.5	6	4	7415	5165	RH-2	40	form-based			true	0.7	6	1	4	4	8304.799805	6054.799805	6054.799805	1.12
1923	004	2965	0.07	2250	2	55	80	2.5	6	4	7412	5162	RH-2	40	form-based			true	0.7	6	1	4	4	8302	6052	6052	1.120076
1923	006	2965	0.07	3150	2	55	80	2.5	6	4	7412	4262	RH-2	40	form-based			true	0.7	6	1	4	4	8302	5152	5152	1.120076
1923	008	2964	0.07	1610	2	55	80	2.5	6	4	7410	5800	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	6689.200195	6689.200195	1.12
1923	011	2963	0.07	2250	2	55	80	2.5	6	4	7408	5158	RH-2	40	form-based			true	0.7	6	1	4	4	8296.399414	6046.399414	6046.399414	1.119924
1923	012	2963	0.07	3702	2	55	80	2.5	6	4	7408	3706	RH-2	40	form-based			true	0.7	6	1	4	4	8296.399414	4594.399414	4594.399414	1.119924
1923	013	2963	0.07	2600	2	55	80	2.5	6	4	7408	4808	RH-2	40	form-based			true	0.7	6	1	4	4	8296.399414	5696.399414	5696.399414	1.119924
1923	014	2962	0.07	2250	2	55	80	2.5	6	4	7405	5155	RH-2	40	form-based			true	0.7	6	1	4	4	8293.599609	6043.599609	6043.599609	1.12
1923	018	2518	0.06	1825	1	55	80	2.5	5	4	6295	4470	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5225.399902	5225.399902	1.12
1923	018A	2518	0.06	1273	1	55	80	2.5	5	4	6295	5022	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5777.399902	5777.399902	1.12
1923	018B	2518	0.06	1153	1	55	80	2.5	5	4	6295	5142	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5897.399902	5897.399902	1.12
1923	018C	2518	0.06	1153	1	55	80	2.5	5	4	6295	5142	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5897.399902	5897.399902	1.12
1923	018D	2518	0.06	1832	1	55	80	2.5	5	4	6295	4463	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5218.399902	5218.399902	1.12
1923	029	2430	0.06	1470	1	55	80	2.5	5	4	6075	4605	RH-1	40	form-based			true	0.7	5	1	4	4	6804	5334	5334	1.12
1923	031	2430	0.06	975	1	55	80	2.5	5	4	6075	5100	RH-1	40	form-based			true	0.7	5	1	4	4	6804	5829	5829	1.12
1923	032	2430	0.06	2124	1	55	80	2.5	5	4	6075	3951	RH-2	40	form-based			true	0.7	5	1	4	4	6804	4680	4680	1.12
1925	010	2552	0.06	2395	1	55	80	2.5	5	4	6380	3985	RH-1	40	form-based			true	0.7	5	1	4	4	7145.600098	4750.600098	4750.600098	1.12
1925	010A	2552	0.06	1800	1	55	80	2.5	5	4	6380	4580	RH-1	40	form-based			true	0.7	5	1	4	4	7145.600098	5345.600098	5345.600098	1.12
1925	010B	2537	0.06	2426	1	55	80	2.5	5	4	6342	3916	RH-1	40	form-based		true	true	0.7	5	1	4	4	7103.600098	4677.600098	4677.600098	1.120088
1925	020	2209	0.05	2079	1	55	80	2.5	4	3	5522	3443	RH-1	40	form-based			true	0.7	5	1.25	4	4	6185.199707	4106.199707	4106.199707	1.120101
1926	001A	2375	0.05	1951	1	55	80	2.5	4	3	5938	3987	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4699	4699	1.119906
1926	001B	2375	0.05	1600	1	55	80	2.5	4	3	5938	4338	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5050	5050	1.119906
1926	001C	2375	0.05	1375	1	55	80	2.5	4	3	5938	4563	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5275	5275	1.119906
1926	015	2375	0.05	1825	1	55	80	2.5	4	3	5938	4113	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4825	4825	1.119906
1926	015A	2375	0.05	1987	1	55	80	2.5	4	3	5938	3951	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4663	4663	1.119906
1926	017	2218	0.05	1715	1	55	80	2.5	4	3	5545	3830	RH-1	40	form-based			true	0.7	5	1.25	4	4	6210.399902	4495.399902	4495.399902	1.12
1926	019	2440	0.06	1671	1	55	80	2.5	5	4	6100	4429	RH-1	40	form-based			true	0.7	5	1	4	4	6832	5161	5161	1.12
1926	020	2440	0.06	1671	1	55	80	2.5	5	4	6100	4429	RH-1	40	form-based			true	0.7	5	1	4	4	6832	5161	5161	1.12
1926	033	2392	0.05	1594	1	55	80	2.5	4	3	5980	4386	RH-1	40	form-based			true	0.7	5	1.25	4	4	6697.600098	5103.600098	5103.600098	1.12
1926	034	2392	0.05	1855	1	55	80	2.5	4	3	5980	4125	RH-1	40	form-based			true	0.7	5	1.25	4	4	6697.600098	4842.600098	4842.600098	1.12
1926	035	2392	0.05	1770	1	55	80	2.5	4	3	5980	4210	RH-1	40	form-based			true	0.7	5	1.25	4	4	6697.600098	4927.600098	4927.600098	1.12
1926	037	2427	0.06	1658	1	55	80	2.5	5	4	6068	4410	RH-1	40	form-based			true	0.7	5	1	4	4	6795.600098	5137.600098	5137.600098	1.119908
1926	038	2427	0.06	2070	1	55	80	2.5	5	4	6068	3998	RH-1	40	form-based			true	0.7	5	1	4	4	6795.600098	4725.600098	4725.600098	1.119908
1927A	002	2455	0.06	2575	1	55	80	2.5	5	4	6138	3563	RH-1	40	form-based		true	true	0.7	5	1	4	4	6874	4299	4299	1.119909
1927A	003	2375	0.05	1528	1	55	80	2.5	4	3	5938	4410	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5122	5122	1.119906
1927A	004	2375	0.05	1542	1	55	80	2.5	4	3	5938	4396	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5108	5108	1.119906
1927A	005	2375	0.05	1255	1	55	80	2.5	4	3	5938	4683	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5395	5395	1.119906
1927A	006	2500	0.06	1255	1	55	80	2.5	5	4	6250	4995	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5745	5745	1.12
1927A	007	2500	0.06	1255	1	55	80	2.5	5	4	6250	4995	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5745	5745	1.12
1927A	008	2500	0.06	1395	1	55	80	2.5	5	4	6250	4855	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5605	5605	1.12
1927A	009	2500	0.06	2565	1	55	80	2.5	5	4	6250	3685	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4435	4435	1.12
1927A	010	2500	0.06	1322	1	55	80	2.5	5	4	6250	4928	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5678	5678	1.12
1927A	011	2500	0.06	2139	1	55	80	2.5	5	4	6250	4111	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4861	4861	1.12
1927A	012	2500	0.06	1435	1	55	80	2.5	5	4	6250	4815	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5565	5565	1.12
1927A	013	2500	0.06	1255	1	55	80	2.5	5	4	6250	4995	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5745	5745	1.12
1927A	014	2500	0.06	1255	1	55	80	2.5	5	4	6250	4995	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5745	5745	1.12
1927A	015	2500	0.06	1255	1	55	80	2.5	5	4	6250	4995	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5745	5745	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1927A	016	2500	0.06	1255	1	55	80	2.5	5	4	6250	4995	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5745	5745	1.12
1927A	017	2500	0.06	1495	1	55	80	2.5	5	4	6250	4755	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5505	5505	1.12
1927A	018	2500	0.06	1255	1	55	80	2.5	5	4	6250	4995	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5745	5745	1.12
1927A	019	2500	0.06	1905	1	55	80	2.5	5	4	6250	4345	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5095	5095	1.12
1927A	020	2500	0.06	1322	1	55	80	2.5	5	4	6250	4928	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5678	5678	1.12
1927A	021	2500	0.06	1255	1	55	80	2.5	5	4	6250	4995	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5745	5745	1.12
1927A	022	2500	0.06	1525	1	55	80	2.5	5	4	6250	4725	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5475	5475	1.12
1927A	023	2500	0.06	1180	1	55	80	2.5	5	4	6250	5070	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5820	5820	1.12
1927A	024	2500	0.06	1717	1	55	80	2.5	5	4	6250	4533	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5283	5283	1.12
1927A	025	2203	0.05	1500	1	55	80	2.5	4	3	5508	4008	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6168.399902	4668.399902	4668.399902	1.119898
1931	024	3017	0.07	2500	2	55	80	2.5	6	4	7542	5042	RH-2	40	form-based			true	0.7	6	1	4	4	8447.599609	5947.599609	5947.599609	1.120074
1929A	044	2546	0.06	1962	1	55	80	2.5	5	4	6365	4403	RH-1	40	form-based			true	0.7	5	1	4	4	7128.799805	5166.799805	5166.799805	1.12
1929A	047	2533	0.06	1962	1	55	80	2.5	5	4	6332	4370	RH-1	40	form-based			true	0.7	5	1	4	4	7092.399902	5130.399902	5130.399902	1.120088
1929A	048	2517	0.06	1962	1	55	80	2.5	5	4	6292	4330	RH-1	40	form-based			true	0.7	5	1	4	4	7047.600098	5085.600098	5085.600098	1.120089
1929A	049	2502	0.06	1962	1	55	80	2.5	5	4	6255	4293	RH-1	40	form-based			true	0.7	5	1	4	4	7005.600098	5043.600098	5043.600098	1.12
1929A	052	2424	0.06	2667	1	55	80	2.5	5	4	6060	3393	RH-1	40	form-based			true	0.7	5	1	4	4	6787.199707	4120.199707	4120.199707	1.12
1930A	010	2462	0.06	1275	1	55	80	2.5	5	4	6155	4880	RH-1	40	form-based			true	0.7	5	1	4	4	6893.600098	5618.600098	5618.600098	1.12
1931	024A	3017	0.07	2500	2	55	80	2.5	6	4	7542	5042	RH-2	40	form-based			true	0.7	6	1	4	4	8447.599609	5947.599609	5947.599609	1.120074
1930A	001	2330	0.05	1827	1	65	100	3	5	4	6990	5163	RH-1	40	form-based		true	true	0.7	5	1	4	4	6524	4697	4697	0.933333
1930A	001B	2584	0.06	990	1	65	100	3	6	5	7752	6762	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7235.199707	6245.199707	6245.199707	0.933333
1930A	003	2559	0.06	1534	1	55	80	2.5	5	4	6398	4864	RH-1	40	form-based			true	0.7	5	1	4	4	7165.199707	5631.199707	5631.199707	1.119912
1931	018	2533	0.06	1375	1	55	80	2.5	5	4	6332	4957	RH-2	40	form-based			true	0.7	5	1	4	4	7092.399902	5717.399902	5717.399902	1.120088
1930A	006	2205	0.05	1223	1	55	80	2.5	4	3	5512	4289	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6174	4951	4951	1.120102
1931	010	2986	0.07	2706	2	55	80	2.5	6	4	7465	4759	RH-2	40	form-based			true	0.7	6	1	4	4	8360.799805	5654.799805	5654.799805	1.12
1931	013	2986	0.07	2800	2	55	80	2.5	6	4	7465	4665	RH-2	40	form-based			true	0.7	6	1	4	4	8360.799805	5560.799805	5560.799805	1.12
1931	013A	2986	0.07	3151	2	55	80	2.5	6	4	7465	4314	RH-2	40	form-based			true	0.7	6	1	4	4	8360.799805	5209.799805	5209.799805	1.12
1931	019	2533	0.06	1993	1	55	80	2.5	5	4	6332	4339	RH-2	40	form-based			true	0.7	5	1	4	4	7092.399902	5099.399902	5099.399902	1.120088
1931	031	3017	0.07	2450	2	55	80	2.5	6	4	7542	5092	RH-2	40	form-based			true	0.7	6	1	4	4	8447.599609	5997.599609	5997.599609	1.120074
1931	035A	2441	0.06	1300	1	55	80	2.5	5	4	6102	4802	RH-2	40	form-based			true	0.7	5	1	4	4	6834.799805	5534.799805	5534.799805	1.120092
1931	035B	2441	0.06	1300	1	55	80	2.5	5	4	6102	4802	RH-2	40	form-based			true	0.7	5	1	4	4	6834.799805	5534.799805	5534.799805	1.120092
1931	035C	2441	0.06	1300	1	55	80	2.5	5	4	6102	4802	RH-2	40	form-based			true	0.7	5	1	4	4	6834.799805	5534.799805	5534.799805	1.120092
1931	039	3236	0.07	4948	3	55	80	2.5	6	3	8090	3142	RH-2	40	form-based		true	true	0.7	7	1.166666627	4	4	9060.799805	4112.799805	4112.799805	1.12
1931	040	2533	0.06	3230	1	55	80	2.5	5	4	6332	3102	RH-2	40	form-based			true	0.7	5	1	4	4	7092.399902	3862.399902	3862.399902	1.120088
1931	043	3017	0.07	1033	2	55	80	2.5	6	4	7542	6509	RH-2	40	form-based			true	0.7	6	1	4	4	8447.599609	7414.599609	7414.599609	1.120074
1932	001	2924	0.07	2792	2	55	80	2.5	6	4	7310	4518	RH-2	40	form-based		true	true	0.7	6	1	4	4	8187.199707	5395.199707	5395.199707	1.12
1932	004	2989	0.07	2574	2	55	80	2.5	6	4	7472	4898	RH-2	40	form-based			true	0.7	6	1	4	4	8369.200195	5795.200195	5795.200195	1.120075
1932	012	2989	0.07	4200	2	55	80	2.5	6	4	7472	3272	RH-2	40	form-based			true	0.7	6	1	4	4	8369.200195	4169.200195	4169.200195	1.120075
1932	014	2989	0.07	3123	2	55	80	2.5	6	4	7472	4349	RH-2	40	form-based			true	0.7	6	1	4	4	8369.200195	5246.200195	5246.200195	1.120075
1932	015	2364	0.05	1930	1	55	80	2.5	4	3	5910	3980	RH-2	40	form-based			true	0.7	5	1.25	4	4	6619.199707	4689.199707	4689.199707	1.12
1932	016	2364	0.05	1297	1	55	80	2.5	4	3	5910	4613	RH-2	40	form-based			true	0.7	5	1.25	4	4	6619.199707	5322.199707	5322.199707	1.12
1932	017	2364	0.05	944	1	55	80	2.5	4	3	5910	4966	RH-2	40	form-based			true	0.7	5	1.25	4	4	6619.199707	5675.199707	5675.199707	1.12
1932	021	2213	0.05	2453	1	55	80	2.5	4	3	5532	3079	RH-2	40	form-based			true	0.7	5	1.25	4	4	6196.399902	3743.399902	3743.399902	1.120101
1932	023	2258	0.05	1496	1	55	80	2.5	4	3	5645	4149	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6322.399902	4826.399902	4826.399902	1.12
1932	024	2390	0.05	1211	1	55	80	2.5	4	3	5975	4764	RH-2	40	form-based			true	0.7	5	1.25	4	4	6692	5481	5481	1.12
1932	037	2265	0.05	1320	1	55	80	2.5	4	3	5662	4342	RH-2	40	form-based			true	0.7	5	1.25	4	4	6342	5022	5022	1.120099
1932	037A	2265	0.05	2235	1	55	80	2.5	4	3	5662	3427	RH-2	40	form-based			true	0.7	5	1.25	4	4	6342	4107	4107	1.120099
1932	038	2928	0.07	2720	2	55	80	2.5	6	4	7320	4600	RH-2	40	form-based			true	0.7	6	1	4	4	8198.399414	5478.399414	5478.399414	1.12
1932	039	2434	0.06	1608	1	55	80	2.5	5	4	6085	4477	RH-2	40	form-based			true	0.7	5	1	4	4	6815.199707	5207.199707	5207.199707	1.12
1932	039A	2440	0.06	2395	1	55	80	2.5	5	4	6100	3705	RH-2	40	form-based			true	0.7	5	1	4	4	6832	4437	4437	1.12
1932	040	2454	0.06	2300	1	55	80	2.5	5	4	6135	3835	RH-2	40	form-based			true	0.7	5	1	4	4	6871.199707	4571.199707	4571.199707	1.12
1932	041	3015	0.07	2075	2	55	80	2.5	6	4	7538	5463	RH-2	40	form-based			true	0.7	6	1	4	4	8442	6367	6367	1.119926
1932	043	3015	0.07	2014	2	55	80	2.5	6	4	7538	5524	RH-2	40	form-based			true	0.7	6	1	4	4	8442	6428	6428	1.119926
1932	051	2989	0.07	2450	2	55	80	2.5	6	4	7472	5022	RH-2	40	form-based			true	0.7	6	1	4	4	8369.200195	5919.200195	5919.200195	1.120075
1933	002	3000	0.07	3850	2	55	80	2.5	6	4	7500	3650	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4550	4550	1.12
1933	007	3000	0.07	4398	2	55	80	2.5	6	4	7500	3102	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4002	4002	1.12
1933	008	3000	0.07	2845	2	55	80	2.5	6	4	7500	4655	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5555	5555	1.12
1933	009	3000	0.07	3546	2	55	80	2.5	6	4	7500	3954	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4854	4854	1.12
1933	011	3000	0.07	4430	2	55	80	2.5	6	4	7500	3070	RH-2	40	form-based			true	0.7	6	1	4	4	8400	3970	3970	1.12
1933	012	3000	0.07	3611	2	55	80	2.5	6	4	7500	3889	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4789	4789	1.12
1933	016	3000	0.07	2400	2	55	80	2.5	6	4	7500	5100	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6000	6000	1.12
1933	020	2533	0.06	1754	1	55	80	2.5	5	4	6332	4578	RH-2	40	form-based			true	0.7	5	1	4	4	7092.399902	5338.399902	5338.399902	1.120088
1933	021	2533	0.06	1946	1	55	80	2.5	5	4	6332	4386	RH-2	40	form-based			true	0.7	5	1	4	4	7092.399902	5146.399902	5146.399902	1.120088
1933	022	2533	0.06	1348	1	55	80	2.5	5	4	6332	4984	RH-2	40	form-based			true	0.7	5	1	4	4	7092.399902	5744.399902	5744.399902	1.120088
1933	023	2533	0.06	3527	1	55	80	2.5	5	4	6332	2805	RH-2	40	form-based			true	0.7	5	1	4	4	7092.399902	3565.399902	3565.399902	1.120088

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1933	032	2990	0.07	3890	2	55	80	2.5	6	4	7475	3585	RH-2	40	form-based			true	0.7	6	1	4	4	8372	4482	4482	1.12
1933	045	3660	0.08	3240	4	55	80	2.5	6	2	9150	5910	RH-2	40	form-based			true	0.7	8	1.333333373	4	4	10248	7008	7008	1.12
1933	047	2928	0.07	2024	2	55	80	2.5	6	4	7320	5296	RH-2	40	form-based			true	0.7	6	1	4	4	8198.399414	6174.399414	6174.399414	1.12
1933	050	2440	0.06	1714	1	55	80	2.5	5	4	6100	4386	RH-2	40	form-based			true	0.7	5	1	4	4	6832	5118	5118	1.12
1934	001C	2375	0.05	1516	1	55	80	2.5	4	3	5938	4422	RH-2	40	form-based			true	0.7	5	1.25	4	4	6650	5134	5134	1.119906
1934	003	3047	0.07	2500	2	55	80	2.5	6	4	7618	5118	RH-2	40	form-based			true	0.7	6	1	4	4	8531.599609	6031.599609	6031.599609	1.119926
1934	006	3000	0.07	1476	2	55	80	2.5	6	4	7500	6024	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6924	6924	1.12
1934	008	3000	0.07	3020	2	55	80	2.5	6	4	7500	4480	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5380	5380	1.12
1934	009A	3000	0.07	1929	2	55	80	2.5	6	4	7500	5571	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6471	6471	1.12
1934	010	3000	0.07	2000	2	55	80	2.5	6	4	7500	5500	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6400	6400	1.12
1934	012	3000	0.07	4161	2	55	80	2.5	6	4	7500	3339	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4239	4239	1.12
1934	013	3000	0.07	3242	2	55	80	2.5	6	4	7500	4258	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5158	5158	1.12
1934	014	3000	0.07	2900	2	55	80	2.5	6	4	7500	4600	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5500	5500	1.12
1934	017	2786	0.06	6045	2	55	80	2.5	5	3	6965	920	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7800.799805	1755.799805	1755.799805	1.12
1934	021	2533	0.06	1802	1	55	80	2.5	5	4	6332	4530	RH-2	40	form-based			true	0.7	5	1	4	4	7092.399902	5290.399902	5290.399902	1.120088
1934	022	2533	0.06	1898	1	55	80	2.5	5	4	6332	4434	RH-2	40	form-based			true	0.7	5	1	4	4	7092.399902	5194.399902	5194.399902	1.120088
1934	024	3013	0.07	3517	2	55	80	2.5	6	4	7532	4015	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	4919.399414	4919.399414	1.120074
1934	026	3013	0.07	4074	2	55	80	2.5	6	4	7532	3458	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	4362.399414	4362.399414	1.120074
1934	027	3013	0.07	3752	2	55	80	2.5	6	4	7532	3780	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	4684.399414	4684.399414	1.120074
1934	028	3013	0.07	4074	2	55	80	2.5	6	4	7532	3458	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	4362.399414	4362.399414	1.120074
1934	030	3013	0.07	4427	2	55	80	2.5	6	4	7532	3105	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	4009.399414	4009.399414	1.120074
1934	031	3013	0.07	4289	2	55	80	2.5	6	4	7532	3243	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	4147.399414	4147.399414	1.120074
1934	033	3013	0.07	2248	2	55	80	2.5	6	4	7532	5284	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	6188.399414	6188.399414	1.120074
1934	035	3013	0.07	3576	2	55	80	2.5	6	4	7532	3956	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	4860.399414	4860.399414	1.120074
1934	036	3013	0.07	3074	2	55	80	2.5	6	4	7532	4458	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	5362.399414	5362.399414	1.120074
1934	038	3013	0.07	2766	2	55	80	2.5	6	4	7532	4766	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	5670.399414	5670.399414	1.120074
1934	040	2388	0.05	1779	1	55	80	2.5	4	3	5970	4191	RH-2	40	form-based			true	0.7	5	1.25	4	4	6686.399902	4907.399902	4907.399902	1.12
1934	042	2439	0.06	1740	1	55	80	2.5	5	4	6098	4358	RH-2	40	form-based			true	0.7	5	1	4	4	6829.199707	5089.199707	5089.199707	1.119908
1934	051	3000	0.07	1491	2	55	80	2.5	6	4	7500	6009	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6909	6909	1.12
1935	044	2338	0.05	2240	1	55	80	2.5	4	3	5845	3605	RH-1	40	form-based			true	0.7	5	1.25	4	4	6546.399902	4306.399902	4306.399902	1.12
1936	012	2616	0.06	1759	1	55	80	2.5	5	4	6540	4781	RH-1	40	form-based			true	0.7	5	1	4	4	7324.799805	5565.799805	5565.799805	1.12
1936	038	2204	0.05	1440	1	55	80	2.5	4	3	5510	4070	RH-1	40	form-based			true	0.7	5	1.25	4	4	6171.199707	4731.199707	4731.199707	1.12
1936	039	2200	0.05	1817	1	55	80	2.5	4	3	5500	3683	RH-1	40	form-based			true	0.7	5	1.25	4	4	6160	4343	4343	1.12
2001	013	2500	0.06	1120	1	55	80	2.5	5	4	6250	5130	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5880	5880	1.12
2001	014	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5875	5875	1.12
2001	005	2600	0.06	1203	1	55	80	2.5	5	4	6500	5297	RH-1	40	form-based			true	0.7	5	1	4	4	7280	6077	6077	1.12
2001	006	2600	0.06	1168	1	55	80	2.5	5	4	6500	5332	RH-1	40	form-based			true	0.7	5	1	4	4	7280	6112	6112	1.12
2001	008	2600	0.06	1365	1	55	80	2.5	5	4	6500	5135	RH-1	40	form-based			true	0.7	5	1	4	4	7280	5915	5915	1.12
2001	009	2600	0.06	1505	1	55	80	2.5	5	4	6500	4995	RH-1	40	form-based			true	0.7	5	1	4	4	7280	5775	5775	1.12
2001	010	2600	0.06	1120	1	55	80	2.5	5	4	6500	5380	RH-1	40	form-based			true	0.7	5	1	4	4	7280	6160	6160	1.12
2001	011	2600	0.06	1440	1	55	80	2.5	5	4	6500	5060	RH-1	40	form-based			true	0.7	5	1	4	4	7280	5840	5840	1.12
2001	012	2600	0.06	1475	1	55	80	2.5	5	4	6500	5025	RH-1	40	form-based			true	0.7	5	1	4	4	7280	5805	5805	1.12
2001	015	2500	0.06	1534	1	55	80	2.5	5	4	6250	4716	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5466	5466	1.12
2001	016	2500	0.06	975	1	55	80	2.5	5	4	6250	5275	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6025	6025	1.12
2001	017	2574	0.06	1452	1	55	80	2.5	5	4	6435	4983	RH-1	40	form-based			true	0.7	5	1	4	4	7207.199707	5755.199707	5755.199707	1.12
2001	023	2511	0.06	1284	1	55	80	2.5	5	4	6278	4994	RH-2	40	form-based			true	0.7	5	1	4	4	7030.799805	5746.799805	5746.799805	1.119911
2001	025	2149	0.05	1199	1	55	80	2.5	4	3	5372	4173	RH-2	40	form-based			true	0.7	5	1.25	4	4	6017.199707	4818.199707	4818.199707	1.120104
2001	026	2440	0.06	1245	1	55	80	2.5	5	4	6100	4855	RH-2	40	form-based			true	0.7	5	1	4	4	6832	5587	5587	1.12
2001	027	2401	0.06	1280	1	55	80	2.5	5	4	6002	4722	RH-2	40	form-based			true	0.7	5	1	4	4	6722.799805	5442.799805	5442.799805	1.120093
2001	028	2431	0.06	1024	1	55	80	2.5	5	4	6078	5054	RH-2	40	form-based			true	0.7	5	1	4	4	6806.799805	5782.799805	5782.799805	1.119908
2001	031	2421	0.06	1125	1	55	80	2.5	5	4	6052	4927	RH-2	40	form-based			true	0.7	5	1	4	4	6778.799805	5653.799805	5653.799805	1.120093
2001	032	2451	0.06	1540	1	55	80	2.5	5	4	6128	4588	RH-2	40	form-based			true	0.7	5	1	4	4	6862.799805	5322.799805	5322.799805	1.119909
2001	035	2542	0.06	1194	1	55	80	2.5	5	4	6355	5161	RH-2	40	form-based			true	0.7	5	1	4	4	7117.600098	5923.600098	5923.600098	1.12
2001	036	2472	0.06	1510	1	55	80	2.5	5	4	6180	4670	RH-2	40	form-based			true	0.7	5	1	4	4	6921.600098	5411.600098	5411.600098	1.12
2001	039	2562	0.06	2381	1	55	80	2.5	5	4	6405	4024	RH-2	40	form-based			true	0.7	5	1	4	4	7173.600098	4792.600098	4792.600098	1.12
2001	042	2552	0.06	1120	1	55	80	2.5	5	4	6380	5260	RH-2	40	form-based			true	0.7	5	1	4	4	7145.600098	6025.600098	6025.600098	1.12
2001	045	1875	0.04	1693	0	55	80	2.5	3	3	4688	2995	RH-2	40	form-based			true	0.7	4	1.333333373	4	4	5250	3557	3557	1.119881
2002	004	2493	0.06	1112	1	55	80	2.5	5	4	6232	5120	RH-1	40	form-based			true	0.7	5	1	4	4	6980.399902	5868.399902	5868.399902	1.12009
2002	005	2992	0.07	1738	2	55	80	2.5	6	4	7480	5742	RH-1	40	form-based			true	0.7	6	1	4	4	8377.599609	6639.599609	6639.599609	1.12
2002	034	3000	0.07	2167	2	55	80	2.5	6	4	7500	5333	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6233	6233	1.12
2002	039	3000	0.07	2520	2	55	80	2.5	6	4	7500	4980	RH-1	40	form-based			true	0.7	6	1	4	4	8400	5880	5880	1.12
2002	042	2250	0.05	825	1	55	80	2.5	4	3	5625	4800	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	5475	5475	1.12
2002	043	2250	0.05	1290	1	55	80	2.5	4	3	5625	4335	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6300	5010	5010	1.12
2002	049	2500	0.06	2058	1	55	80	2.5	5	4	6250	4192	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4942	4942	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2002	050	2500	0.06	2058	1	55	80	2.5	5	4	6250	4192	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4942	4942	1.12
2003	053	2453	0.06	850	1	55	80	2.5	5	4	6132	5282	RH-1	40	form-based			true	0.7	5	1	4	4	6868.399902	6018.399902	6018.399902	1.120091
2003	054	2452	0.06	850	1	55	80	2.5	5	4	6130	5280	RH-1	40	form-based			true	0.7	5	1	4	4	6865.600098	6015.600098	6015.600098	1.12
2003	055	2453	0.06	850	1	55	80	2.5	5	4	6132	5282	RH-1	40	form-based			true	0.7	5	1	4	4	6868.399902	6018.399902	6018.399902	1.120091
2003	056	2452	0.06	850	1	55	80	2.5	5	4	6130	5280	RH-1	40	form-based			true	0.7	5	1	4	4	6865.600098	6015.600098	6015.600098	1.12
2004	001	2500	0.06	2650	1	55	80	2.5	5	4	6250	3600	RH-1	40	form-based		true	true	0.7	5	1	4	4	7000	4350	4350	1.12
2004	002	2500	0.06	1550	1	55	80	2.5	5	4	6250	4700	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5450	5450	1.12
2004	003	2500	0.06	1535	1	55	80	2.5	5	4	6250	4715	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5465	5465	1.12
2004	004	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5825	5825	1.12
2004	046	2506	0.06	955	1	55	80	2.5	5	4	6265	5310	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	6061.799805	6061.799805	1.12
2004	051	2250	0.05	963	1	55	80	2.5	4	3	5625	4662	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	5337	5337	1.12
2004	052	2500	0.06	1550	1	55	80	2.5	5	4	6250	4700	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5450	5450	1.12
2005	042	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5875	5875	1.12
2005	043	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5875	5875	1.12
2005	044	2500	0.06	2055	1	55	80	2.5	5	4	6250	4195	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4945	4945	1.12
2005	045	2500	0.06	944	1	55	80	2.5	5	4	6250	5306	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6056	6056	1.12
2006	001G	2482	0.06	1128	1	55	80	2.5	5	4	6205	5077	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5821.600098	5821.600098	1.12
2006	001H	2482	0.06	1244	1	55	80	2.5	5	4	6205	4961	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5705.600098	5705.600098	1.12
2006	001I	2482	0.06	800	1	55	80	2.5	5	4	6205	5405	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	6149.600098	6149.600098	1.12
2007	017	2482	0.06	1512	1	55	80	2.5	5	4	6205	4693	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5437.600098	5437.600098	1.12
2007	018	2482	0.06	1138	1	55	80	2.5	5	4	6205	5067	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5811.600098	5811.600098	1.12
2007	019	2482	0.06	1490	1	55	80	2.5	5	4	6205	4715	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5459.600098	5459.600098	1.12
2007	020	2482	0.06	1529	1	55	80	2.5	5	4	6205	4676	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5420.600098	5420.600098	1.12
2009	010	2482	0.06	1150	1	55	80	2.5	5	4	6205	5055	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5799.600098	5799.600098	1.12
2009	011	2482	0.06	1605	1	55	80	2.5	5	4	6205	4600	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5344.600098	5344.600098	1.12
2009	012	2482	0.06	1508	1	55	80	2.5	5	4	6205	4697	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5441.600098	5441.600098	1.12
2009	013	2482	0.06	1150	1	55	80	2.5	5	4	6205	5055	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5799.600098	5799.600098	1.12
2010	022	1376	0.03	800	1	55	80	2.5	2	1	3440	2640	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6192	5392	5392	1.8
2010	023	1419	0.03	800	1	55	80	2.5	2	1	3548	2748	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6385.5	5585.5	5585.5	1.799746
2010	024	1462	0.03	800	1	55	80	2.5	2	1	3655	2855	RTO-C	65	form-based		true	true	0.75	5	2.5	4	3	6579	5779	5779	1.8
2010	030	1464	0.03	800	1	55	80	2.5	2	1	3660	2860	RTO-C	65	form-based		true	true	0.75	5	2.5	4	3	6588	5788	5788	1.8
2010	031	1421	0.03	1043	1	55	80	2.5	2	1	3552	2509	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6394.5	5351.5	5351.5	1.800253
2010	032	1378	0.03	800	1	55	80	2.5	2	1	3445	2645	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6201	5401	5401	1.8
2012	043	2375	0.05	1680	1	55	80	2.5	4	3	5938	4258	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4970	4970	1.119906
2012	044	2375	0.05	1559	1	55	80	2.5	4	3	5938	4379	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5091	5091	1.119906
2012	045	2375	0.05	1000	1	55	80	2.5	4	3	5938	4938	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5650	5650	1.119906
2012	046	2306	0.05	1346	1	55	80	2.5	4	3	5765	4419	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6456.799805	5110.799805	5110.799805	1.12
2012	047	2482	0.06	1192	1	55	80	2.5	5	4	6205	5013	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5757.600098	5757.600098	1.12
2012	048	2482	0.06	800	1	55	80	2.5	5	4	6205	5405	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	6149.600098	6149.600098	1.12
2014	004F	3000	0.07	2360	2	55	80	2.5	6	4	7500	5140	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6040	6040	1.12
2014	005C	3000	0.07	1947	2	55	80	2.5	6	4	7500	5553	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6453	6453	1.12
2014	014	2482	0.06	1350	1	55	80	2.5	5	4	6205	4855	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5599.600098	5599.600098	1.12
2014	015	2482	0.06	1380	1	55	80	2.5	5	4	6205	4825	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5569.600098	5569.600098	1.12
2015	032	2482	0.06	1137	1	55	80	2.5	5	4	6205	5068	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5812.600098	5812.600098	1.12
2015	033	2482	0.06	1025	1	55	80	2.5	5	4	6205	5180	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5924.600098	5924.600098	1.12
2015	033A	2482	0.06	1025	1	55	80	2.5	5	4	6205	5180	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5924.600098	5924.600098	1.12
2015	034	2482	0.06	1025	1	55	80	2.5	5	4	6205	5180	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5924.600098	5924.600098	1.12
2016	016	2991	0.07	2085	2	55	80	2.5	6	4	7478	5393	RH-1	40	form-based			true	0.7	6	1	4	4	8374.799805	6289.799805	6289.799805	1.119925
2018	001B	3045	0.07	2292	2	55	80	2.5	6	4	7612	5320	RH-1	40	form-based			true	0.7	6	1	4	4	8526	6234	6234	1.120074
2018	015	2482	0.06	1360	1	55	80	2.5	5	4	6205	4845	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5589.600098	5589.600098	1.12
2018	016	2482	0.06	1907	1	55	80	2.5	5	4	6205	4298	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5042.600098	5042.600098	1.12
2018	017	2482	0.06	1904	1	55	80	2.5	5	4	6205	4301	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5045.600098	5045.600098	1.12
2019	013	2482	0.06	2050	1	55	80	2.5	5	4	6205	4155	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	4899.600098	4899.600098	1.12
2019	014	2482	0.06	1125	1	55	80	2.5	5	4	6205	5080	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5824.600098	5824.600098	1.12
2019	015	2482	0.06	1664	1	55	80	2.5	5	4	6205	4541	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5285.600098	5285.600098	1.12
2020	019	2187	0.05	1525	1	55	80	2.5	4	3	5468	3943	RH-1	40	form-based			true	0.7	5	1.25	4	4	6123.600098	4598.600098	4598.600098	1.119898
2020	019A	2188	0.05	1625	1	55	80	2.5	4	3	5470	3845	RH-1	40	form-based			true	0.7	5	1.25	4	4	6126.399902	4501.399902	4501.399902	1.12
2020	019B	2187	0.05	2108	1	55	80	2.5	4	3	5468	3360	RH-1	40	form-based			true	0.7	5	1.25	4	4	6123.600098	4015.600098	4015.600098	1.119898
2020	020	2482	0.06	1554	1	55	80	2.5	5	4	6205	4651	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5395.600098	5395.600098	1.12
2020	021	2482	0.06	1125	1	55	80	2.5	5	4	6205	5080	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5824.600098	5824.600098	1.12
2020	022	2482	0.06	1125	1	55	80	2.5	5	4	6205	5080	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5824.600098	5824.600098	1.12
2021	030A	2482	0.06	1699	1	55	80	2.5	5	4	6205	4506	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5250.600098	5250.600098	1.12
2021	031	2482	0.06	1325	1	55	80	2.5	5	4	6205	4880	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5624.600098	5624.600098	1.12
2021	031A	2482	0.06	1864	1	55	80	2.5	5	4	6205	4341	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5085.600098	5085.600098	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2021	032	2482	0.06	1705	1	55	80	2.5	5	4	6205	4500	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5244.600098	5244.600098	1.12
2021	032A	2482	0.06	1200	1	55	80	2.5	5	4	6205	5005	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5749.600098	5749.600098	1.12
2021	032B	2482	0.06	1290	1	55	80	2.5	5	4	6205	4915	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5659.600098	5659.600098	1.12
2021	033	2482	0.06	2096	1	55	80	2.5	5	4	6205	4109	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	4853.600098	4853.600098	1.12
2022	001C	2390	0.05	1150	1	55	80	2.5	4	3	5975	4825	RH-1	40	form-based			true	0.7	5	1.25	4	4	6692	5542	5542	1.12
2022	040	2472	0.06	1150	1	55	80	2.5	5	4	6180	5030	RH-1	40	form-based			true	0.7	5	1	4	4	6921.600098	5771.600098	5771.600098	1.12
2023	046	3000	0.07	1736	2	55	80	2.5	6	4	7500	5764	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6664	6664	1.12
2023	052	2482	0.06	1215	1	55	80	2.5	5	4	6205	4990	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5734.600098	5734.600098	1.12
2023	053	2482	0.06	1250	1	55	80	2.5	5	4	6205	4955	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5699.600098	5699.600098	1.12
2023	054	2482	0.06	1536	1	55	80	2.5	5	4	6205	4669	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5413.600098	5413.600098	1.12
2024	050	2461	0.06	1100	1	55	80	2.5	5	4	6152	5052	RH-1	40	form-based			true	0.7	5	1	4	4	6890.799805	5790.799805	5790.799805	1.120091
2024	050A	2461	0.06	1100	1	55	80	2.5	5	4	6152	5052	RH-1	40	form-based			true	0.7	5	1	4	4	6890.799805	5790.799805	5790.799805	1.120091
2024	051	2461	0.06	1282	1	55	80	2.5	5	4	6152	4870	RH-1	40	form-based			true	0.7	5	1	4	4	6890.799805	5608.799805	5608.799805	1.120091
2025	001	2417	0.06	1425	1	55	80	2.5	5	4	6042	4617	RH-1	40	form-based	true		true	0.7	5	1	4	4	6767.600098	5342.600098	5342.600098	1.120093
2025	001A	2383	0.05	1300	1	55	80	2.5	4	3	5958	4658	RH-1	40	form-based			true	0.7	5	1.25	4	4	6672.399902	5372.399902	5372.399902	1.119906
2025	001B	2383	0.05	1720	1	55	80	2.5	4	3	5958	4238	RH-1	40	form-based			true	0.7	5	1.25	4	4	6672.399902	4952.399902	4952.399902	1.119906
2025	001C	2383	0.05	2240	1	55	80	2.5	4	3	5958	3718	RH-1	40	form-based			true	0.7	5	1.25	4	4	6672.399902	4432.399902	4432.399902	1.119906
2025	001E	3008	0.07	2454	2	55	80	2.5	6	4	7520	5066	RH-1	40	form-based			true	0.7	6	1	4	4	8422.399414	5968.399414	5968.399414	1.12
2025	009	2344	0.05	1400	1	55	80	2.5	4	3	5860	4460	RH-1	40	form-based			true	0.7	5	1.25	4	4	6563.199707	5163.199707	5163.199707	1.12
2025	010	2344	0.05	1400	1	55	80	2.5	4	3	5860	4460	RH-1	40	form-based			true	0.7	5	1.25	4	4	6563.199707	5163.199707	5163.199707	1.12
2025	011	2344	0.05	1400	1	55	80	2.5	4	3	5860	4460	RH-1	40	form-based			true	0.7	5	1.25	4	4	6563.199707	5163.199707	5163.199707	1.12
2025	012	2378	0.05	1670	1	55	80	2.5	4	3	5945	4275	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6658.399902	4988.399902	4988.399902	1.12
2025	013	2509	0.06	2151	1	55	80	2.5	5	4	6272	4121	RH-1	40	form-based			true	0.7	5	1	4	4	7025.199707	4874.199707	4874.199707	1.120089
2025	014	2509	0.06	1400	1	55	80	2.5	5	4	6272	4872	RH-1	40	form-based			true	0.7	5	1	4	4	7025.199707	5625.199707	5625.199707	1.120089
2026	001	2263	0.05	2047	1	55	80	2.5	4	3	5658	3611	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6336.399902	4289.399902	4289.399902	1.119901
2026	002	2420	0.06	1829	1	55	80	2.5	5	4	6050	4221	RH-1	40	form-based			true	0.7	5	1	4	4	6776	4947	4947	1.12
2026	003	2420	0.06	1390	1	55	80	2.5	5	4	6050	4660	RH-1	40	form-based			true	0.7	5	1	4	4	6776	5386	5386	1.12
2026	004	2420	0.06	1726	1	55	80	2.5	5	4	6050	4324	RH-1	40	form-based			true	0.7	5	1	4	4	6776	5050	5050	1.12
2026	009	3045	0.07	2841	2	55	80	2.5	6	4	7612	4771	RH-1	40	form-based			true	0.7	6	1	4	4	8526	5685	5685	1.120074
2026	046	2349	0.05	2304	1	55	80	2.5	4	3	5872	3568	RH-1	40	form-based			true	0.7	5	1.25	4	4	6577.199707	4273.199707	4273.199707	1.120095
2026	047	2349	0.05	1731	1	55	80	2.5	4	3	5872	4141	RH-1	40	form-based			true	0.7	5	1.25	4	4	6577.199707	4846.199707	4846.199707	1.120095
2026	048	2349	0.05	1800	1	55	80	2.5	4	3	5872	4072	RH-1	40	form-based			true	0.7	5	1.25	4	4	6577.199707	4777.199707	4777.199707	1.120095
2026	049	2197	0.05	1960	1	55	80	2.5	4	3	5492	3532	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6151.600098	4191.600098	4191.600098	1.120102
2026	050	2460	0.06	1550	1	55	80	2.5	5	4	6150	4600	RH-1	40	form-based			true	0.7	5	1	4	4	6888	5338	5338	1.12
2026	051	2460	0.06	1370	1	55	80	2.5	5	4	6150	4780	RH-1	40	form-based			true	0.7	5	1	4	4	6888	5518	5518	1.12
2027	030	2482	0.06	2192	1	55	80	2.5	5	4	6205	4013	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	4757.600098	4757.600098	1.12
2027	031	2482	0.06	1754	1	55	80	2.5	5	4	6205	4451	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5195.600098	5195.600098	1.12
2027	031A	2482	0.06	1700	1	55	80	2.5	5	4	6205	4505	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5249.600098	5249.600098	1.12
2027	032	2482	0.06	1255	1	55	80	2.5	5	4	6205	4950	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5694.600098	5694.600098	1.12
2027	033	2482	0.06	2102	1	55	80	2.5	5	4	6205	4103	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	4847.600098	4847.600098	1.12
2028	025D	2482	0.06	2045	1	55	80	2.5	5	4	6205	4160	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	4904.600098	4904.600098	1.12
2028	026	2482	0.06	2440	1	55	80	2.5	5	4	6205	3765	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	4509.600098	4509.600098	1.12
2028	027	2482	0.06	1250	1	55	80	2.5	5	4	6205	4955	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5699.600098	5699.600098	1.12
2028	028	2482	0.06	1620	1	55	80	2.5	5	4	6205	4585	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5329.600098	5329.600098	1.12
2028	029	2482	0.06	1125	1	55	80	2.5	5	4	6205	5080	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5824.600098	5824.600098	1.12
2029	001	2293	0.05	2433	1	55	80	2.5	4	3	5732	3299	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6420.399902	3987.399902	3987.399902	1.120098
2029	002	2362	0.05	1450	1	55	80	2.5	4	3	5905	4455	RH-1	40	form-based			true	0.7	5	1.25	4	4	6613.600098	5163.600098	5163.600098	1.12
2029	003	2362	0.05	1450	1	55	80	2.5	4	3	5905	4455	RH-1	40	form-based			true	0.7	5	1.25	4	4	6613.600098	5163.600098	5163.600098	1.12
2029	003A	2362	0.05	1450	1	55	80	2.5	4	3	5905	4455	RH-1	40	form-based			true	0.7	5	1.25	4	4	6613.600098	5163.600098	5163.600098	1.12
2029	044	2250	0.05	2234	1	55	80	2.5	4	3	5625	3391	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	4066	4066	1.12
2029	045	2250	0.05	1525	1	55	80	2.5	4	3	5625	4100	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	4775	4775	1.12
2029	046	2250	0.05	1705	1	55	80	2.5	4	3	5625	3920	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	4595	4595	1.12
2029	047	2184	0.05	1985	1	55	80	2.5	4	3	5460	3475	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6115.199707	4130.199707	4130.199707	1.12
2029	048	2482	0.06	2016	1	55	80	2.5	5	4	6205	4189	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	4933.600098	4933.600098	1.12
2031	001A	2400	0.06	900	1	55	80	2.5	5	4	6000	5100	RH-1	40	form-based			true	0.7	5	1	4	4	6720	5820	5820	1.12
2031	001B	2400	0.06	900	1	55	80	2.5	5	4	6000	5100	RH-1	40	form-based			true	0.7	5	1	4	4	6720	5820	5820	1.12
2031	004	2500	0.06	1650	1	55	80	2.5	5	4	6250	4600	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5350	5350	1.12
2031	004A	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5750	5750	1.12
2031	004B	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5750	5750	1.12
2031	004C	2500	0.06	1418	1	55	80	2.5	5	4	6250	4832	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5582	5582	1.12
2031	004D	2500	0.06	1466	1	55	80	2.5	5	4	6250	4784	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5534	5534	1.12
2031	004E	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5750	5750	1.12
2032	002	3094	0.07	1863	2	55	80	2.5	6	4	7735	5872	RH-1	40	form-based			true	0.7	6	1	4	4	8663.200195	6800.200195	6800.200195	1.12
2032	027	2482	0.06	1300	1	55	80	2.5	5	4	6205	4905	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5649.600098	5649.600098	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2032	028	2482	0.06	1475	1	55	80	2.5	5	4	6205	4730	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5474.600098	5474.600098	1.12
2032	029	2482	0.06	1300	1	55	80	2.5	5	4	6205	4905	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5649.600098	5649.600098	1.12
2032	029A	2482	0.06	1300	1	55	80	2.5	5	4	6205	4905	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5649.600098	5649.600098	1.12
2032	030	2482	0.06	2079	1	55	80	2.5	5	4	6205	4126	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	4870.600098	4870.600098	1.12
2032	031	2482	0.06	1600	1	55	80	2.5	5	4	6205	4605	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5349.600098	5349.600098	1.12
2032	032	2482	0.06	2456	1	55	80	2.5	5	4	6205	3749	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	4493.600098	4493.600098	1.12
2033A	024	2500	0.06	1450	1	55	80	2.5	5	4	6250	4800	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5550	5550	1.12
2033A	025	2500	0.06	1450	1	55	80	2.5	5	4	6250	4800	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5550	5550	1.12
2033A	026	2500	0.06	1450	1	55	80	2.5	5	4	6250	4800	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5550	5550	1.12
2033A	027	2500	0.06	1800	1	55	80	2.5	5	4	6250	4450	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5200	5200	1.12
2033A	028	2500	0.06	2355	1	55	80	2.5	5	4	6250	3895	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4645	4645	1.12
2033A	029	2500	0.06	1860	1	55	80	2.5	5	4	6250	4390	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5140	5140	1.12
2033A	030	2500	0.06	1450	1	55	80	2.5	5	4	6250	4800	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5550	5550	1.12
2033A	031	2500	0.06	1450	1	55	80	2.5	5	4	6250	4800	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5550	5550	1.12
2033A	032	2500	0.06	1711	1	55	80	2.5	5	4	6250	4539	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5289	5289	1.12
2033A	033	2500	0.06	1450	1	55	80	2.5	5	4	6250	4800	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5550	5550	1.12
2033A	034	2500	0.06	2229	1	55	80	2.5	5	4	6250	4021	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4771	4771	1.12
2033A	035	2500	0.06	1630	1	55	80	2.5	5	4	6250	4620	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5370	5370	1.12
2033A	036	2500	0.06	1630	1	55	80	2.5	5	4	6250	4620	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5370	5370	1.12
2033A	037	2500	0.06	2050	1	55	80	2.5	5	4	6250	4200	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4950	4950	1.12
2033A	038	2500	0.06	1975	1	55	80	2.5	5	4	6250	4275	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5025	5025	1.12
2033A	039	2500	0.06	1450	1	55	80	2.5	5	4	6250	4800	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5550	5550	1.12
2033A	040	2375	0.05	1635	1	55	80	2.5	4	3	5938	4303	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5015	5015	1.119906
2033A	041	2375	0.05	1967	1	55	80	2.5	4	3	5938	3971	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4683	4683	1.119906
2033A	042	2375	0.05	2239	1	55	80	2.5	4	3	5938	3699	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4411	4411	1.119906
2033A	043	2306	0.05	1450	1	55	80	2.5	4	3	5765	4315	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6456.799805	5006.799805	5006.799805	1.12
2034A	040	2543	0.06	2578	1	55	80	2.5	5	4	6358	3780	RH-1	40	form-based			true	0.7	5	1	4	4	7120.399902	4542.399902	4542.399902	1.119912
2036A	013	2580	0.06	2098	1	55	80	2.5	5	4	6450	4352	RH-1	40	form-based			true	0.7	5	1	4	4	7224	5126	5126	1.12
2036A	007	2726	0.06	3024	2	55	80	2.5	5	3	6815	3791	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7632.799805	4608.799805	4608.799805	1.12
2036A	021	2351	0.05	1791	1	55	80	2.5	4	3	5878	4087	RH-1	40	form-based			true	0.7	5	1.25	4	4	6582.799805	4791.799805	4791.799805	1.119905
2036A	022	2314	0.05	1761	1	55	80	2.5	4	3	5785	4024	RH-1	40	form-based			true	0.7	5	1.25	4	4	6479.199707	4718.199707	4718.199707	1.12
2036A	023	2159	0.05	2038	1	55	80	2.5	4	3	5398	3360	RH-1	40	form-based			true	0.7	5	1.25	4	4	6045.199707	4007.199707	4007.199707	1.119896
2037A	005	3020	0.07	1215	2	55	80	2.5	6	4	7550	6335	RH-1	40	form-based			true	0.7	6	1	4	4	8456	7241	7241	1.12
2037A	012	2554	0.06	3140	1	55	80	2.5	5	4	6385	3245	RH-1	40	form-based			true	0.7	5	1	4	4	7151.199707	4011.199707	4011.199707	1.12
2037A	013	2573	0.06	1404	1	55	80	2.5	5	4	6432	5028	RH-1	40	form-based			true	0.7	5	1	4	4	7204.399902	5800.399902	5800.399902	1.120087
2037A	017	3000	0.07	3191	2	55	80	2.5	6	4	7500	4309	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5209	5209	1.12
2037A	022	2467	0.06	1904	1	55	80	2.5	5	4	6168	4264	RH-2	40	form-based			true	0.7	5	1	4	4	6907.600098	5003.600098	5003.600098	1.119909
2037A	023	2467	0.06	1125	1	55	80	2.5	5	4	6168	5043	RH-2	40	form-based			true	0.7	5	1	4	4	6907.600098	5782.600098	5782.600098	1.119909
2037A	024	2467	0.06	1998	1	55	80	2.5	5	4	6168	4170	RH-2	40	form-based			true	0.7	5	1	4	4	6907.600098	4909.600098	4909.600098	1.119909
2037A	027	2407	0.06	2085	1	55	80	2.5	5	4	6018	3933	RH-2	40	form-based			true	0.7	5	1	4	4	6739.600098	4654.600098	4654.600098	1.119907
2037A	031	3000	0.07	1580	2	55	80	2.5	6	4	7500	5920	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6820	6820	1.12
2037A	033	3000	0.07	1320	2	55	80	2.5	6	4	7500	6180	RH-2	40	form-based			true	0.7	6	1	4	4	8400	7080	7080	1.12
2038A	004	3007	0.07	3124	2	55	80	2.5	6	4	7518	4394	RH-1	40	form-based			true	0.7	6	1	4	4	8419.599609	5295.599609	5295.599609	1.119925
2038A	007	3007	0.07	3306	2	55	80	2.5	6	4	7518	4212	RH-1	40	form-based			true	0.7	6	1	4	4	8419.599609	5113.599609	5113.599609	1.119925
2038A	026	3000	0.07	1425	2	55	80	2.5	6	4	7500	6075	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6975	6975	1.12
2038A	035	2467	0.06	1300	1	55	80	2.5	5	4	6168	4868	RH-2	40	form-based			true	0.7	5	1	4	4	6907.600098	5607.600098	5607.600098	1.119909
2038A	037	3006	0.07	3232	2	55	80	2.5	6	4	7515	4283	RH-1	40	form-based			true	0.7	6	1	4	4	8416.799805	5184.799805	5184.799805	1.12
2038A	038	2480	0.06	1924	1	55	80	2.5	5	4	6200	4276	RH-1	40	form-based			true	0.7	5	1	4	4	6944	5020	5020	1.12
2039	018	2488	0.06	1990	1	55	80	2.5	5	4	6220	4230	RH-1	40	form-based			true	0.7	5	1	4	4	6966.399902	4976.399902	4976.399902	1.12
2038A	039	2164	0.05	1638	1	55	80	2.5	4	3	5410	3772	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6059.199707	4421.199707	4421.199707	1.12
2039	004	3011	0.07	2080	2	55	80	2.5	6	4	7528	5448	RH-1	40	form-based			true	0.7	6	1	4	4	8430.799805	6350.799805	6350.799805	1.119926
2039	022	2500	0.06	1900	1	55	80	2.5	5	4	6250	4350	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5100	5100	1.12
2039	023	2500	0.06	2454	1	55	80	2.5	5	4	6250	3796	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4546	4546	1.12
2039	041	2467	0.06	1450	1	55	80	2.5	5	4	6168	4718	RH-2	40	form-based			true	0.7	5	1	4	4	6907.600098	5457.600098	5457.600098	1.119909
2039	042	2467	0.06	1290	1	55	80	2.5	5	4	6168	4878	RH-2	40	form-based			true	0.7	5	1	4	4	6907.600098	5617.600098	5617.600098	1.119909
2039	043	2467	0.06	550	1	55	80	2.5	5	4	6168	5618	RH-2	40	form-based			true	0.7	5	1	4	4	6907.600098	6357.600098	6357.600098	1.119909
2039	044	2467	0.06	1425	1	55	80	2.5	5	4	6168	4743	RH-2	40	form-based			true	0.7	5	1	4	4	6907.600098	5482.600098	5482.600098	1.119909
2039	048	3000	0.07	1192	2	55	80	2.5	6	4	7500	6308	RH-1	40	form-based			true	0.7	6	1	4	4	8400	7208	7208	1.12
2040	002	2977	0.07	4042	2	55	80	2.5	6	4	7442	3400	RH-2	40	form-based			true	0.7	6	1	4	4	8335.599609	4293.599609	4293.599609	1.120075
2040	006	2977	0.07	3850	2	55	80	2.5	6	4	7442	3592	RH-2	40	form-based			true	0.7	6	1	4	4	8335.599609	4485.599609	4485.599609	1.120075
2040	016A	2352	0.05	1720	1	55	80	2.5	4	3	5880	4160	RH-1	40	form-based			true	0.7	5	1.25	4	4	6585.600098	4865.600098	4865.600098	1.12
2040	016B	2352	0.05	2428	1	55	80	2.5	4	3	5880	3452	RH-1	40	form-based			true	0.7	5	1.25	4	4	6585.600098	4157.600098	4157.600098	1.12
2040	016C	2352	0.05	1425	1	55	80	2.5	4	3	5880	4455	RH-1	40	form-based			true	0.7	5	1.25	4	4	6585.600098	5160.600098	5160.600098	1.12
2040	029	2878	0.07	2963	2	55	80	2.5	6	4	7195	4232	RH-2	40	form-based			true	0.7	6	1	4	4	8058.399902	5095.399902	5095.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2040	030	2878	0.07	2450	2	55	80	2.5	6	4	7195	4745	RH-2	40	form-based			true	0.7	6	1	4	4	8058.399902	5608.399902	5608.399902	1.12
2041	001A	2316	0.05	990	1	55	80	2.5	4	3	5790	4800	RH-2	40	form-based			true	0.7	5	1.25	4	4	6484.799805	5494.799805	5494.799805	1.12
2041	001B	2386	0.05	1329	1	55	80	2.5	4	3	5965	4636	RH-2	40	form-based			true	0.7	5	1.25	4	4	6680.799805	5351.799805	5351.799805	1.12
2041	017	2517	0.06	1520	1	55	80	2.5	5	4	6292	4772	RH-2	40	form-based			true	0.7	5	1	4	4	7047.600098	5527.600098	5527.600098	1.120089
2041	018	2517	0.06	2200	1	55	80	2.5	5	4	6292	4092	RH-2	40	form-based			true	0.7	5	1	4	4	7047.600098	4847.600098	4847.600098	1.120089
2041	019	2517	0.06	1484	1	55	80	2.5	5	4	6292	4808	RH-2	40	form-based			true	0.7	5	1	4	4	7047.600098	5563.600098	5563.600098	1.120089
2041	021	2422	0.06	2460	1	55	80	2.5	5	4	6055	3595	RH-2	40	form-based			true	0.7	5	1	4	4	6781.600098	4321.600098	4321.600098	1.12
2041	024	2250	0.05	3136	1	55	80	2.5	4	3	5625	2489	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	3164	3164	1.12
2041	025	3000	0.07	2693	2	55	80	2.5	6	4	7500	4807	RH-2	40	form-based			true	0.7	6	1	4	4	8400	5707	5707	1.12
2041	028	4512	0.1	4924	5	55	80	2.5	8	3	11280	6356	RH-2	40	form-based			true	0.7	9	1.125	4	4	12633.59961	7709.599609	7709.599609	1.12
2041	034	2880	0.07	2904	2	55	80	2.5	6	4	7200	4296	RH-2	40	form-based			true	0.7	6	1	4	4	8064	5160	5160	1.12
2041	037	3000	0.07	3850	2	55	80	2.5	6	4	7500	3650	RH-2	40	form-based			true	0.7	6	1	4	4	8400	4550	4550	1.12
2041	041	2467	0.06	1335	1	55	80	2.5	5	4	6168	4833	RH-2	40	form-based			true	0.7	5	1	4	4	6907.600098	5572.600098	5572.600098	1.119909
2041	043	3000	0.07	2284	2	55	80	2.5	6	4	7500	5216	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6116	6116	1.12
2041	051	3000	0.07	2018	2	55	80	2.5	6	4	7500	5482	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6382	6382	1.12
2041	053	3000	0.07	2118	2	55	80	2.5	6	4	7500	5382	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6282	6282	1.12
2041	055	3000	0.07	1181	2	55	80	2.5	6	4	7500	6319	RH-2	40	form-based			true	0.7	6	1	4	4	8400	7219	7219	1.12
2041	061	3000	0.07	2260	2	55	80	2.5	6	4	7500	5240	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6140	6140	1.12
2042	002A	2500	0.06	2891	1	55	80	2.5	5	4	6250	3359	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4109	4109	1.12
2042	002B	2500	0.06	1265	1	55	80	2.5	5	4	6250	4985	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5735	5735	1.12
2042	002C	2500	0.06	1934	1	55	80	2.5	5	4	6250	4316	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5066	5066	1.12
2042	002D	2500	0.06	1265	1	55	80	2.5	5	4	6250	4985	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5735	5735	1.12
2042	002E	2500	0.06	1878	1	55	80	2.5	5	4	6250	4372	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5122	5122	1.12
2042	002F	2500	0.06	1890	1	55	80	2.5	5	4	6250	4360	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5110	5110	1.12
2042	002G	2500	0.06	2025	1	55	80	2.5	5	4	6250	4225	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4975	4975	1.12
2042	002I	2500	0.06	2087	1	55	80	2.5	5	4	6250	4163	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4913	4913	1.12
2042	004	2500	0.06	2000	1	55	80	2.5	5	4	6250	4250	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5000	5000	1.12
2042	005	2500	0.06	2000	1	55	80	2.5	5	4	6250	4250	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5000	5000	1.12
2042	006	2500	0.06	2389	1	55	80	2.5	5	4	6250	3861	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4611	4611	1.12
2042	008	2500	0.06	2439	1	55	80	2.5	5	4	6250	3811	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4561	4561	1.12
2042	009	2500	0.06	2832	1	55	80	2.5	5	4	6250	3418	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4168	4168	1.12
2042	010	2500	0.06	2000	1	55	80	2.5	5	4	6250	4250	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5000	5000	1.12
2042	011	2500	0.06	2127	1	55	80	2.5	5	4	6250	4123	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4873	4873	1.12
2042	012	2500	0.06	2100	1	55	80	2.5	5	4	6250	4150	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4900	4900	1.12
2042	013	2500	0.06	2100	1	55	80	2.5	5	4	6250	4150	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4900	4900	1.12
2042	014	2576	0.06	2492	1	55	80	2.5	5	4	6440	3948	RH-2	40	form-based	true		true	0.7	5	1	4	4	7212.799805	4720.799805	4720.799805	1.12
2042	017	3500	0.08	2376	3	55	80	2.5	6	3	8750	6374	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9800	7424	7424	1.12
2044	005	2522	0.06	1875	1	55	80	2.5	5	4	6305	4430	RH-2	40	form-based			true	0.7	5	1	4	4	7061.600098	5186.600098	5186.600098	1.12
2044	015	2922	0.07	3134	2	55	80	2.5	6	4	7305	4171	RH-2	40	form-based			true	0.7	6	1	4	4	8181.600098	5047.600098	5047.600098	1.12
2045	011	3004	0.07	2784	2	55	80	2.5	6	4	7510	4726	RH-2	40	form-based			true	0.7	6	1	4	4	8411.200195	5627.200195	5627.200195	1.12
2045	013	3004	0.07	2940	2	55	80	2.5	6	4	7510	4570	RH-2	40	form-based			true	0.7	6	1	4	4	8411.200195	5471.200195	5471.200195	1.12
2045	014	3004	0.07	3639	2	55	80	2.5	6	4	7510	3871	RH-2	40	form-based			true	0.7	6	1	4	4	8411.200195	4772.200195	4772.200195	1.12
2045	015	3004	0.07	2314	2	55	80	2.5	6	4	7510	5196	RH-2	40	form-based			true	0.7	6	1	4	4	8411.200195	6097.200195	6097.200195	1.12
2045	023	2500	0.06	1265	1	55	80	2.5	5	4	6250	4985	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5735	5735	1.12
2045	026	2942	0.07	2314	2	55	80	2.5	6	4	7355	5041	RH-2	40	form-based			true	0.7	6	1	4	4	8237.599609	5923.599609	5923.599609	1.12
2045	051	2782	0.06	3893	2	55	80	2.5	5	3	6955	3062	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7789.600098	3896.600098	3896.600098	1.12
2045	053	2782	0.06	3420	2	55	80	2.5	5	3	6955	3535	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7789.600098	4369.600098	4369.600098	1.12
2045	056	2784	0.06	3980	2	55	80	2.5	5	3	6960	2980	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7795.199707	3815.199707	3815.199707	1.12
2046	047	2817	0.06	1129	2	55	80	2.5	5	3	7042	5913	RH-2	40	form-based	true		true	0.7	6	1.200000048	4	4	7887.600098	6758.600098	6758.600098	1.12008
2052A	029	2397	0.06	1300	1	55	80	2.5	5	4	5992	4692	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6711.600098	5411.600098	5411.600098	1.120093
2052A	030	2397	0.06	1300	1	55	80	2.5	5	4	5992	4692	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6711.600098	5411.600098	5411.600098	1.120093
2052A	031	2397	0.06	2811	1	55	80	2.5	5	4	5992	3181	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6711.600098	3900.600098	3900.600098	1.120093
2052A	032	2397	0.06	1300	1	55	80	2.5	5	4	5992	4692	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6711.600098	5411.600098	5411.600098	1.120093
2052A	033	2397	0.06	2125	1	55	80	2.5	5	4	5992	3867	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6711.600098	4586.600098	4586.600098	1.120093
2124A	014F	2285	0.05	1603	1	55	80	2.5	4	3	5712	4109	RH-1	40	form-based			true	0.7	5	1.25	4	4	6398	4795	4795	1.120098
2124A	013	2234	0.05	1633	1	55	80	2.5	4	3	5585	3952	RH-1	40	form-based			true	0.7	5	1.25	4	4	6255.199707	4622.199707	4622.199707	1.12
2124A	014D	2508	0.06	1567	1	55	80	2.5	5	4	6270	4703	RH-1	40	form-based			true	0.7	5	1	4	4	7022.399902	5455.399902	5455.399902	1.12
2124A	014E	2419	0.06	1700	1	55	80	2.5	5	4	6048	4348	RH-1	40	form-based			true	0.7	5	1	4	4	6773.199707	5073.199707	5073.199707	1.119907
2124A	014I	2434	0.06	940	1	55	80	2.5	5	4	6085	5145	RH-1	40	form-based			true	0.7	5	1	4	4	6815.199707	5875.199707	5875.199707	1.12
2124A	014J	2374	0.05	1660	1	55	80	2.5	4	3	5935	4275	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6647.199707	4987.199707	4987.199707	1.12
2125	001A	2349	0.05	1425	1	55	80	2.5	4	3	5872	4447	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6577.199707	5152.199707	5152.199707	1.120095
2125	001D	2349	0.05	1420	1	55	80	2.5	4	3	5872	4452	RH-1	40	form-based			true	0.7	5	1.25	4	4	6577.199707	5157.199707	5157.199707	1.120095
2125	001E	2348	0.05	1425	1	55	80	2.5	4	3	5870	4445	RH-1	40	form-based			true	0.7	5	1.25	4	4	6574.399902	5149.399902	5149.399902	1.12
2125	001F	2470	0.06	1120	1	55	80	2.5	5	4	6175	5055	RH-1	40	form-based			true	0.7	5	1	4	4	6916	5796	5796	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2125	004E	2513	0.06	1430	1	55	80	2.5	5	4	6282	4852	RH-1	40	form-based			true	0.7	5	1	4	4	7036.399902	5606.399902	5606.399902	1.120089
2125	004F	2513	0.06	1450	1	55	80	2.5	5	4	6282	4832	RH-1	40	form-based			true	0.7	5	1	4	4	7036.399902	5586.399902	5586.399902	1.120089
2125	004G	2513	0.06	1776	1	55	80	2.5	5	4	6282	4506	RH-1	40	form-based			true	0.7	5	1	4	4	7036.399902	5260.399902	5260.399902	1.120089
2125	004H	2214	0.05	1668	1	55	80	2.5	4	3	5535	3867	RH-1	40	form-based			true	0.7	5	1.25	4	4	6199.199707	4531.199707	4531.199707	1.12
2125	004N	2214	0.05	1859	1	55	80	2.5	4	3	5535	3676	RH-1	40	form-based			true	0.7	5	1.25	4	4	6199.199707	4340.199707	4340.199707	1.12
2125	004O	2214	0.05	1485	1	55	80	2.5	4	3	5535	4050	RH-1	40	form-based			true	0.7	5	1.25	4	4	6199.199707	4714.199707	4714.199707	1.12
2125	006B	3000	0.07	1558	2	55	80	2.5	6	4	7500	5942	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6842	6842	1.12
2125	006G	3000	0.07	1815	2	55	80	2.5	6	4	7500	5685	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6585	6585	1.12
2125	007	3000	0.07	1300	2	55	80	2.5	6	4	7500	6200	RH-1	40	form-based			true	0.7	6	1	4	4	8400	7100	7100	1.12
2126	016	2327	0.05	1936	1	55	80	2.5	4	3	5818	3882	RH-1	40	form-based			true	0.7	5	1.25	4	4	6515.600098	4579.600098	4579.600098	1.119904
2126	017	2311	0.05	2094	1	55	80	2.5	4	3	5778	3684	RH-1	40	form-based			true	0.7	5	1.25	4	4	6470.799805	4376.799805	4376.799805	1.119903
2126	018	2246	0.05	2380	1	55	80	2.5	4	3	5615	3235	RH-1	40	form-based			true	0.7	5	1.25	4	4	6288.799805	3908.799805	3908.799805	1.12
2126	019	2221	0.05	1050	1	55	80	2.5	4	3	5552	4502	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6218.799805	5168.799805	5168.799805	1.120101
2126	021	2200	0.05	1340	1	55	80	2.5	4	3	5500	4160	RH-1	40	form-based			true	0.7	5	1.25	4	4	6160	4820	4820	1.12
2126	015B	3033	0.07	2110	2	55	80	2.5	6	4	7582	5472	RH-1	40	form-based			true	0.7	6	1	4	4	8492.399414	6382.399414	6382.399414	1.120074
2127	001	79	0	0	0	55	80	2.5	0	0	198	198	RH-1(D)	40	density-lin	3000			0.7	4		4	4	221.1999969	221.1999969	221.1999969	1.117172
2127	002	2271	0.05	1452	1	55	80	2.5	4	3	5678	4226	RH-1(D)	40	form-based		true	true	0.7	5	1.25	4	4	6358.799805	4906.799805	4906.799805	1.119901
2129	001	2200	0.05	1420	1	55	80	2.5	4	3	5500	4080	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6160	4740	4740	1.12
2129	001E	2534	0.06	1440	1	55	80	2.5	5	4	6335	4895	RH-1	40	form-based			true	0.7	5	1	4	4	7095.199707	5655.199707	5655.199707	1.12
2129	001F	2527	0.06	1350	1	55	80	2.5	5	4	6318	4968	RH-1	40	form-based			true	0.7	5	1	4	4	7075.600098	5725.600098	5725.600098	1.119911
2129	001H	2520	0.06	1350	1	55	80	2.5	5	4	6300	4950	RH-1	40	form-based			true	0.7	5	1	4	4	7056	5706	5706	1.12
2129	002F	2061	0.05	0	0	55	80	2.5	4	4	5152	5152	RH-1(D)	40	form-based			true	0.7	4	1	4	4	5770.799805	5770.799805	5770.799805	1.120109
2129	003A	2159	0.05	2053	1	55	80	2.5	4	3	5398	3345	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6045.199707	3992.199707	3992.199707	1.119896
2129	003B	2171	0.05	1737	1	55	80	2.5	4	3	5428	3691	RH-1	40	form-based			true	0.7	5	1.25	4	4	6078.799805	4341.799805	4341.799805	1.119897
2129	003C	2169	0.05	1655	1	55	80	2.5	4	3	5422	3767	RH-1	40	form-based			true	0.7	5	1.25	4	4	6073.199707	4418.199707	4418.199707	1.120103
2129	003D	2167	0.05	1350	1	55	80	2.5	4	3	5418	4068	RH-1	40	form-based			true	0.7	5	1.25	4	4	6067.600098	4717.600098	4717.600098	1.119897
2129	012	3000	0.07	961	2	55	80	2.5	6	4	7500	6539	RH-1	40	form-based			true	0.7	6	1	4	4	8400	7439	7439	1.12
2130A	001R	2592	0.06	2116	1	55	80	2.5	5	4	6480	4364	RH-1	40	form-based		true	true	0.7	5	1	4	4	7257.600098	5141.600098	5141.600098	1.12
2130A	005B	2400	0.06	2400	1	55	80	2.5	5	4	6000	3600	RH-1	40	form-based			true	0.7	5	1	4	4	6720	4320	4320	1.12
2130A	005C	2441	0.06	1940	1	55	80	2.5	5	4	6102	4162	RH-1	40	form-based		true	true	0.7	5	1	4	4	6834.799805	4894.799805	4894.799805	1.120092
2130A	005G	3000	0.07	2400	2	55	80	2.5	6	4	7500	5100	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6000	6000	1.12
2130A	005H	3000	0.07	2400	2	55	80	2.5	6	4	7500	5100	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6000	6000	1.12
2130A	005I	3000	0.07	2400	2	55	80	2.5	6	4	7500	5100	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6000	6000	1.12
2130A	005K	3000	0.07	2600	2	55	80	2.5	6	4	7500	4900	RH-1	40	form-based			true	0.7	6	1	4	4	8400	5800	5800	1.12
2130A	026	3000	0.07	1390	2	55	80	2.5	6	4	7500	6110	RH-1	40	form-based			true	0.7	6	1	4	4	8400	7010	7010	1.12
2131A	001	2506	0.06	915	1	55	80	2.5	5	4	6265	5350	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	6101.799805	6101.799805	1.12
2131A	016	2145	0.05	1415	1	55	80	2.5	4	3	5362	3947	RH-1	40	form-based			true	0.7	5	1.25	4	4	6006	4591	4591	1.120104
2131A	025	2544	0.06	1505	1	55	80	2.5	5	4	6360	4855	RH-1	40	form-based			true	0.7	5	1	4	4	7123.199707	5618.199707	5618.199707	1.12
2131A	026	2598	0.06	1505	1	55	80	2.5	5	4	6495	4990	RH-1	40	form-based			true	0.7	5	1	4	4	7274.399902	5769.399902	5769.399902	1.12
2131A	048	2590	0.06	3207	1	55	80	2.5	5	4	6475	3268	RH-1	40	form-based			true	0.7	5	1	4	4	7252	4045	4045	1.12
2133A	002C	2510	0.06	1743	1	55	80	2.5	5	4	6275	4532	RH-1	40	form-based			true	0.7	5	1	4	4	7028	5285	5285	1.12
2133A	002D	2407	0.06	1500	1	55	80	2.5	5	4	6018	4518	RH-1	40	form-based			true	0.7	5	1	4	4	6739.600098	5239.600098	5239.600098	1.119907
2133A	002G	2449	0.06	1739	1	55	80	2.5	5	4	6122	4383	RH-1	40	form-based			true	0.7	5	1	4	4	6857.199707	5118.199707	5118.199707	1.120091
2133A	003	2390	0.05	1374	1	55	80	2.5	4	3	5975	4601	RH-1	40	form-based			true	0.7	5	1.25	4	4	6692	5318	5318	1.12
2133A	011	2166	0.05	1283	1	55	80	2.5	4	3	5415	4132	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6064.799805	4781.799805	4781.799805	1.12
2133A	027	2590	0.06	1632	1	55	80	2.5	5	4	6475	4843	RH-1	40	form-based			true	0.7	5	1	4	4	7252	5620	5620	1.12
2134B	003	2354	0.05	1075	1	55	80	2.5	4	3	5885	4810	RH-1	40	form-based			true	0.7	5	1.25	4	4	6591.199707	5516.199707	5516.199707	1.12
2134B	004	2541	0.06	1075	1	55	80	2.5	5	4	6352	5277	RH-1	40	form-based			true	0.7	5	1	4	4	7114.799805	6039.799805	6039.799805	1.120088
2136	005B	2267	0.05	1626	1	55	80	2.5	4	3	5668	4042	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6347.600098	4721.600098	4721.600098	1.119901
2136	012A	2535	0.06	1800	1	55	80	2.5	5	4	6338	4538	RH-1	40	form-based			true	0.7	5	1	4	4	7098	5298	5298	1.119912
2137	004A	2309	0.05	1375	1	55	80	2.5	4	3	5772	4397	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6465.199707	5090.199707	5090.199707	1.120097
2137	004B	2305	0.05	1650	1	55	80	2.5	4	3	5762	4112	RH-1	40	form-based			true	0.7	5	1.25	4	4	6454	4804	4804	1.120097
2137	004C	2305	0.05	1425	1	55	80	2.5	4	3	5762	4337	RH-1	40	form-based			true	0.7	5	1.25	4	4	6454	5029	5029	1.120097
2138	004	2544	0.06	1640	1	55	80	2.5	5	4	6360	4720	RH-1	40	form-based			true	0.7	5	1	4	4	7123.199707	5483.199707	5483.199707	1.12
2138	004A	2544	0.06	1950	1	55	80	2.5	5	4	6360	4410	RH-1	40	form-based			true	0.7	5	1	4	4	7123.199707	5173.199707	5173.199707	1.12
2138	006B	2404	0.06	1370	1	55	80	2.5	5	4	6010	4640	RH-1	40	form-based			true	0.7	5	1	4	4	6731.199707	5361.199707	5361.199707	1.12
2138	006G	2160	0.05	1275	1	55	80	2.5	4	3	5400	4125	RH-1	40	form-based			true	0.7	5	1.25	4	4	6048	4773	4773	1.12
2138	006H	2198	0.05	1275	1	55	80	2.5	4	3	5495	4220	RH-1	40	form-based			true	0.7	5	1.25	4	4	6154.399902	4879.399902	4879.399902	1.12
2138	006I	2236	0.05	1275	1	55	80	2.5	4	3	5590	4315	RH-1	40	form-based			true	0.7	5	1.25	4	4	6260.799805	4985.799805	4985.799805	1.12
2138	006J	2273	0.05	1735	1	55	80	2.5	4	3	5682	3947	RH-1	40	form-based			true	0.7	5	1.25	4	4	6364.399902	4629.399902	4629.399902	1.120099
2138	006K	2445	0.06	1684	1	55	80	2.5	5	4	6112	4428	RH-1	40	form-based			true	0.7	5	1	4	4	6846	5162	5162	1.120092
2138	007	2340	0.05	1475	1	55	80	2.5	4	3	5850	4375	RH-1	40	form-based			true	0.7	5	1.25	4	4	6552	5077	5077	1.12
2138	007B	2340	0.05	1846	1	55	80	2.5	4	3	5850	4004	RH-1	40	form-based			true	0.7	5	1.25	4	4	6552	4706	4706	1.12
2138	007C	2475	0.06	1458	1	55	80	2.5	5	4	6188	4730	RH-1	40	form-based		true	true	0.7	5	1	4	4	6930	5472	5472	1.11991

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2138	032	2500	0.06	1425	1	55	80	2.5	5	4	6250	4825	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5575	5575	1.12
2138	033	2500	0.06	1200	1	55	80	2.5	5	4	6250	5050	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5800	5800	1.12
2138	034	2500	0.06	1251	1	55	80	2.5	5	4	6250	4999	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5749	5749	1.12
2139	021D	2364	0.05	2855	1	55	80	2.5	4	3	5910	3055	RH-1	40	form-based			true	0.7	5	1.25	4	4	6619.199707	3764.199707	3764.199707	1.12
2139	021E	2364	0.05	1325	1	55	80	2.5	4	3	5910	4585	RH-1	40	form-based			true	0.7	5	1.25	4	4	6619.199707	5294.199707	5294.199707	1.12
2139	021F	2500	0.06	1600	1	55	80	2.5	5	4	6250	4650	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5400	5400	1.12
2139	022	2364	0.05	1325	1	55	80	2.5	4	3	5910	4585	RH-1	40	form-based			true	0.7	5	1.25	4	4	6619.199707	5294.199707	5294.199707	1.12
2139	023	2364	0.05	1325	1	55	80	2.5	4	3	5910	4585	RH-1	40	form-based			true	0.7	5	1.25	4	4	6619.199707	5294.199707	5294.199707	1.12
2140	002	2418	0.06	2250	1	55	80	2.5	5	4	6045	3795	RH-1	40	form-based			true	0.7	5	1	4	4	6770.399902	4520.399902	4520.399902	1.12
2140	005	3000	0.07	3635	2	55	80	2.5	6	4	7500	3865	RH-1	40	form-based			true	0.7	6	1	4	4	8400	4765	4765	1.12
2140	023	2168	0.05	1930	1	55	80	2.5	4	3	5420	3490	RH-1	40	form-based			true	0.7	5	1.25	4	4	6070.399902	4140.399902	4140.399902	1.12
2140	024	2167	0.05	1590	1	55	80	2.5	4	3	5418	3828	RH-1	40	form-based			true	0.7	5	1.25	4	4	6067.600098	4477.600098	4477.600098	1.119897
2141	001B	2375	0.05	1120	1	55	80	2.5	4	3	5938	4818	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5530	5530	1.119906
2141	001C	2375	0.05	1576	1	55	80	2.5	4	3	5938	4362	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5074	5074	1.119906
2141	001H	2501	0.06	1025	1	55	80	2.5	5	4	6252	5227	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	5977.799805	5977.799805	1.12009
2141	007B	2500	0.06	1170	1	55	80	2.5	5	4	6250	5080	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5830	5830	1.12
2141	014	2386	0.05	1390	1	55	80	2.5	4	3	5965	4575	RH-1	40	form-based			true	0.7	5	1.25	4	4	6680.799805	5290.799805	5290.799805	1.12
2141	014A	2386	0.05	1740	1	55	80	2.5	4	3	5965	4225	RH-1	40	form-based			true	0.7	5	1.25	4	4	6680.799805	4940.799805	4940.799805	1.12
2141	014D	2543	0.06	1225	1	55	80	2.5	5	4	6358	5133	RH-1	40	form-based			true	0.7	5	1	4	4	7120.399902	5895.399902	5895.399902	1.119912
2142	013A	2500	0.06	1330	1	55	80	2.5	5	4	6250	4920	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5670	5670	1.12
2142	014	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5825	5825	1.12
2142	015	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5825	5825	1.12
2142	025C	2501	0.06	1700	1	55	80	2.5	5	4	6252	4552	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	5302.799805	5302.799805	1.12009
2142	026	2601	0.06	1566	1	55	80	2.5	5	4	6502	4936	RH-1	40	form-based			true	0.7	5	1	4	4	7282.799805	5716.799805	5716.799805	1.120086
2142	027	2601	0.06	1350	1	55	80	2.5	5	4	6502	5152	RH-1	40	form-based			true	0.7	5	1	4	4	7282.799805	5932.799805	5932.799805	1.120086
2143	026	2500	0.06	1883	1	55	80	2.5	5	4	6250	4367	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5117	5117	1.12
2143	027	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6200	6200	1.12
2143	028	2500	0.06	920	1	55	80	2.5	5	4	6250	5330	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6080	6080	1.12
2143	029	2500	0.06	920	1	55	80	2.5	5	4	6250	5330	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6080	6080	1.12
2143	054	2501	0.06	800	1	55	80	2.5	5	4	6252	5452	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	6202.799805	6202.799805	1.12009
2143	055	2501	0.06	956	1	55	80	2.5	5	4	6252	5296	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	6046.799805	6046.799805	1.12009
2143	056	2501	0.06	800	1	55	80	2.5	5	4	6252	5452	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	6202.799805	6202.799805	1.12009
2143	057	2501	0.06	1420	1	55	80	2.5	5	4	6252	4832	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	5582.799805	5582.799805	1.12009
2143	058	2501	0.06	800	1	55	80	2.5	5	4	6252	5452	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	6202.799805	6202.799805	1.12009
2148	027	2500	0.06	1033	1	55	80	2.5	5	4	6250	5217	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5967	5967	1.12
2148	028	2500	0.06	1288	1	55	80	2.5	5	4	6250	4962	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5712	5712	1.12
2149	003	2393	0.05	1315	1	55	80	2.5	4	3	5982	4667	RH-1	40	form-based			true	0.7	5	1.25	4	4	6700.399902	5385.399902	5385.399902	1.120094
2149	003A	2393	0.05	1396	1	55	80	2.5	4	3	5982	4586	RH-1	40	form-based			true	0.7	5	1.25	4	4	6700.399902	5304.399902	5304.399902	1.120094
2149	003B	2393	0.05	1563	1	55	80	2.5	4	3	5982	4419	RH-1	40	form-based			true	0.7	5	1.25	4	4	6700.399902	5137.399902	5137.399902	1.120094
2149	003C	2393	0.05	1075	1	55	80	2.5	4	3	5982	4907	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6700.399902	5625.399902	5625.399902	1.120094
2149	003D	2500	0.06	1429	1	55	80	2.5	5	4	6250	4821	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5571	5571	1.12
2149	016	2201	0.05	1000	1	55	80	2.5	4	3	5502	4502	RH-1	40	form-based			true	0.7	5	1.25	4	4	6162.799805	5162.799805	5162.799805	1.120102
2149	017	2501	0.06	1175	1	55	80	2.5	5	4	6252	5077	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	5827.799805	5827.799805	1.12009
2149	018	2501	0.06	1175	1	55	80	2.5	5	4	6252	5077	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	5827.799805	5827.799805	1.12009
2149	019	2201	0.05	2000	1	55	80	2.5	4	3	5502	3502	RH-1	40	form-based			true	0.7	5	1.25	4	4	6162.799805	4162.799805	4162.799805	1.120102
2150	008	2500	0.06	1245	1	55	80	2.5	5	4	6250	5005	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5755	5755	1.12
2150	009	2500	0.06	1288	1	55	80	2.5	5	4	6250	4962	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5712	5712	1.12
2150	009A	2500	0.06	1548	1	55	80	2.5	5	4	6250	4702	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5452	5452	1.12
2150	020	2501	0.06	1229	1	55	80	2.5	5	4	6252	5023	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	5773.799805	5773.799805	1.12009
2150	021	2501	0.06	950	1	55	80	2.5	5	4	6252	5302	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	6052.799805	6052.799805	1.12009
2152	021	2394	0.05	1783	1	55	80	2.5	4	3	5985	4202	RH-1	40	form-based			true	0.7	5	1.25	4	4	6703.199707	4920.199707	4920.199707	1.12
2152	021E	2500	0.06	1542	1	55	80	2.5	5	4	6250	4708	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5458	5458	1.12
2152	021F	2500	0.06	1492	1	55	80	2.5	5	4	6250	4758	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5508	5508	1.12
2152	021L	2375	0.05	1312	1	55	80	2.5	4	3	5938	4626	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5338	5338	1.119906
2153	025	2500	0.06	1191	1	55	80	2.5	5	4	6250	5059	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5809	5809	1.12
2153	027	2500	0.06	2230	1	55	80	2.5	5	4	6250	4020	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4770	4770	1.12
2153	030	2375	0.05	1500	1	55	80	2.5	4	3	5938	4438	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5150	5150	1.119906
2153	031	2375	0.05	3255	1	55	80	2.5	4	3	5938	2683	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	3395	3395	1.119906
2153	053	2501	0.06	1212	1	55	80	2.5	5	4	6252	5040	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	5790.799805	5790.799805	1.12009
2153	054	2501	0.06	1212	1	55	80	2.5	5	4	6252	5040	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	5790.799805	5790.799805	1.12009
2153	055	2501	0.06	1356	1	55	80	2.5	5	4	6252	4896	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	5646.799805	5646.799805	1.12009
2153	056	2375	0.05	1474	1	55	80	2.5	4	3	5938	4464	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6650	5176	5176	1.119906
2153	057	2375	0.05	1450	1	55	80	2.5	4	3	5938	4488	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5200	5200	1.119906
2155	025	2500	0.06	1450	1	55	80	2.5	5	4	6250	4800	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5550	5550	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2155	026	2500	0.06	1168	1	55	80	2.5	5	4	6250	5082	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5832	5832	1.12
2155	027	2500	0.06	1168	1	55	80	2.5	5	4	6250	5082	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5832	5832	1.12
2155	052	2535	0.06	1366	1	55	80	2.5	5	4	6338	4972	RH-1	40	form-based			true	0.7	5	1	4	4	7098	5732	5732	1.119912
2155	053	2535	0.06	1681	1	55	80	2.5	5	4	6338	4657	RH-1	40	form-based			true	0.7	5	1	4	4	7098	5417	5417	1.119912
2155	054	2535	0.06	1450	1	55	80	2.5	5	4	6338	4888	RH-1	40	form-based			true	0.7	5	1	4	4	7098	5648	5648	1.119912
2161	015	2500	0.06	1396	1	55	80	2.5	5	4	6250	4854	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5604	5604	1.12
2161	015A	2500	0.06	1301	1	55	80	2.5	5	4	6250	4949	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5699	5699	1.12
2161	016	2500	0.06	1300	1	55	80	2.5	5	4	6250	4950	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5700	5700	1.12
2161	018A	2375	0.05	1987	1	55	80	2.5	4	3	5938	3951	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4663	4663	1.119906
2161	031	2528	0.06	1085	1	55	80	2.5	5	4	6320	5235	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5993.399902	5993.399902	1.12
2161	032	2528	0.06	893	1	55	80	2.5	5	4	6320	5427	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	6185.399902	6185.399902	1.12
2161	033	2528	0.06	893	1	55	80	2.5	5	4	6320	5427	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	6185.399902	6185.399902	1.12
2161	034	2528	0.06	893	1	55	80	2.5	5	4	6320	5427	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	6185.399902	6185.399902	1.12
2162	008	3010	0.07	1300	2	55	80	2.5	6	4	7525	6225	RH-1	40	form-based			true	0.7	6	1	4	4	8428	7128	7128	1.12
2162	015	2385	0.05	1738	1	55	80	2.5	4	3	5962	4224	RH-1	40	form-based			true	0.7	5	1.25	4	4	6678	4940	4940	1.120094
2162	019	2500	0.06	1427	1	55	80	2.5	5	4	6250	4823	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5573	5573	1.12
2162	019A	2500	0.06	1214	1	55	80	2.5	5	4	6250	5036	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5786	5786	1.12
2162	019B	2500	0.06	1302	1	55	80	2.5	5	4	6250	4948	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5698	5698	1.12
2162	043	2528	0.06	1214	1	55	80	2.5	5	4	6320	5106	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5864.399902	5864.399902	1.12
2162	044	2528	0.06	1524	1	55	80	2.5	5	4	6320	4796	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5554.399902	5554.399902	1.12
2162	045	2528	0.06	1400	1	55	80	2.5	5	4	6320	4920	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5678.399902	5678.399902	1.12
2163	010	3013	0.07	1574	2	55	80	2.5	6	4	7532	5958	RH-1	40	form-based			true	0.7	6	1	4	4	8436.399414	6862.399414	6862.399414	1.120074
2163	022A	2500	0.06	1258	1	55	80	2.5	5	4	6250	4992	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5742	5742	1.12
2163	023	2500	0.06	1214	1	55	80	2.5	5	4	6250	5036	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5786	5786	1.12
2163	023A	2500	0.06	1214	1	55	80	2.5	5	4	6250	5036	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5786	5786	1.12
2163	024	2500	0.06	1214	1	55	80	2.5	5	4	6250	5036	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5786	5786	1.12
2163	037	3000	0.07	1307	2	55	80	2.5	6	4	7500	6193	RH-1	40	form-based			true	0.7	6	1	4	4	8400	7093	7093	1.12
2163	049	2528	0.06	1470	1	55	80	2.5	5	4	6320	4850	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5608.399902	5608.399902	1.12
2163	050	2528	0.06	1990	1	55	80	2.5	5	4	6320	4330	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5088.399902	5088.399902	1.12
2163	051	2528	0.06	1214	1	55	80	2.5	5	4	6320	5106	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5864.399902	5864.399902	1.12
2163	052	2528	0.06	1439	1	55	80	2.5	5	4	6320	4881	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5639.399902	5639.399902	1.12
2164	015	2500	0.06	1394	1	55	80	2.5	5	4	6250	4856	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5606	5606	1.12
2164	016	2500	0.06	1119	1	55	80	2.5	5	4	6250	5131	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5881	5881	1.12
2164	016A	2500	0.06	870	1	55	80	2.5	5	4	6250	5380	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6130	6130	1.12
2164	016B	2500	0.06	1214	1	55	80	2.5	5	4	6250	5036	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5786	5786	1.12
2164	027A	2250	0.05	1214	1	55	80	2.5	4	3	5625	4411	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	5086	5086	1.12
2164	028	2250	0.05	1214	1	55	80	2.5	4	3	5625	4411	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	5086	5086	1.12
2164	028A	2250	0.05	1287	1	55	80	2.5	4	3	5625	4338	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	5013	5013	1.12
2164	028B	2528	0.06	1214	1	55	80	2.5	5	4	6320	5106	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5864.399902	5864.399902	1.12
2164	029A	2528	0.06	1214	1	55	80	2.5	5	4	6320	5106	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5864.399902	5864.399902	1.12
2165	016	2476	0.06	1350	1	55	80	2.5	5	4	6190	4840	RH-1	40	form-based	true		true	0.7	5	1	4	4	6932.799805	5582.799805	5582.799805	1.12
2165	018A	2500	0.06	870	1	55	80	2.5	5	4	6250	5380	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6130	6130	1.12
2165	019	2500	0.06	870	1	55	80	2.5	5	4	6250	5380	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6130	6130	1.12
2165	020	2500	0.06	870	1	55	80	2.5	5	4	6250	5380	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6130	6130	1.12
2165	041	2528	0.06	1214	1	55	80	2.5	5	4	6320	5106	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5864.399902	5864.399902	1.12
2165	042	2528	0.06	1214	1	55	80	2.5	5	4	6320	5106	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5864.399902	5864.399902	1.12
2165	043	2528	0.06	1400	1	55	80	2.5	5	4	6320	4920	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5678.399902	5678.399902	1.12
2165	044	2528	0.06	1397	1	55	80	2.5	5	4	6320	4923	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5681.399902	5681.399902	1.12
2165	045	2528	0.06	1024	1	55	80	2.5	5	4	6320	5296	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	6054.399902	6054.399902	1.12
2166	025	2500	0.06	1124	1	55	80	2.5	5	4	6250	5126	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5876	5876	1.12
2166	026	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6000	6000	1.12
2166	027	2500	0.06	1568	1	55	80	2.5	5	4	6250	4682	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5432	5432	1.12
2166	028	2500	0.06	1560	1	55	80	2.5	5	4	6250	4690	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5440	5440	1.12
2166	053	2528	0.06	1000	1	55	80	2.5	5	4	6320	5320	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	6078.399902	6078.399902	1.12
2166	054	2528	0.06	1198	1	55	80	2.5	5	4	6320	5122	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5880.399902	5880.399902	1.12
2166	055	2528	0.06	1000	1	55	80	2.5	5	4	6320	5320	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	6078.399902	6078.399902	1.12
2166	056	2528	0.06	1000	1	55	80	2.5	5	4	6320	5320	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	6078.399902	6078.399902	1.12
2167	019B	2500	0.06	1012	1	55	80	2.5	5	4	6250	5238	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5988	5988	1.12
2167	020	2500	0.06	1231	1	55	80	2.5	5	4	6250	5019	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5769	5769	1.12
2167	020A	2500	0.06	1162	1	55	80	2.5	5	4	6250	5088	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5838	5838	1.12
2167	042	2527	0.06	1759	1	55	80	2.5	5	4	6318	4559	RH-1	40	form-based			true	0.7	5	1	4	4	7075.600098	5316.600098	5316.600098	1.119911
2167	043	2527	0.06	1031	1	55	80	2.5	5	4	6318	5287	RH-1	40	form-based			true	0.7	5	1	4	4	7075.600098	6044.600098	6044.600098	1.119911
2168	005A	2789	0.06	2750	2	55	80	2.5	5	3	6972	4222	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7809.199707	5059.199707	5059.199707	1.12008
2168	012	2526	0.06	1263	1	55	80	2.5	5	4	6315	5052	RH-2	40	form-based			true	0.7	5	1	4	4	7072.799805	5809.799805	5809.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2168	013	2493	0.06	850	1	55	80	2.5	5	4	6232	5382	RH-2	40	form-based			true	0.7	5	1	4	4	6980.399902	6130.399902	6130.399902	1.12009
2168	014	2461	0.06	2834	1	55	80	2.5	5	4	6152	3318	RH-2	40	form-based			true	0.7	5	1	4	4	6890.799805	4056.799805	4056.799805	1.120091
2168	015	2428	0.06	1011	1	55	80	2.5	5	4	6070	5059	RH-2	40	form-based			true	0.7	5	1	4	4	6798.399902	5787.399902	5787.399902	1.12
2168	015A	2395	0.05	1011	1	55	80	2.5	4	3	5988	4977	RH-2	40	form-based			true	0.7	5	1.25	4	4	6706	5695	5695	1.119906
2168	040	2625	0.06	1720	2	55	80	2.5	5	3	6562	4842	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	5630	5630	1.120085
2169	013	2677	0.06	3224	2	55	80	2.5	5	3	6692	3468	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7495.600098	4271.600098	4271.600098	1.120084
2169	017	2624	0.06	3396	2	55	80	2.5	5	3	6560	3164	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7347.199707	3951.199707	3951.199707	1.12
2170	025	2508	0.06	1138	1	55	80	2.5	5	4	6270	5132	RH-1	40	form-based			true	0.7	5	1	4	4	7022.399902	5884.399902	5884.399902	1.12
2170	026	2508	0.06	1000	1	55	80	2.5	5	4	6270	5270	RH-1	40	form-based			true	0.7	5	1	4	4	7022.399902	6022.399902	6022.399902	1.12
2171	025	2506	0.06	1196	1	55	80	2.5	5	4	6265	5069	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	5820.799805	5820.799805	1.12
2171	026	2506	0.06	1000	1	55	80	2.5	5	4	6265	5265	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	6016.799805	6016.799805	1.12
2171	027	2506	0.06	1117	1	55	80	2.5	5	4	6265	5148	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	5899.799805	5899.799805	1.12
2171	052	2485	0.06	1733	1	55	80	2.5	5	4	6212	4479	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5225	5225	1.12009
2171	053	2485	0.06	1433	1	55	80	2.5	5	4	6212	4779	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5525	5525	1.12009
2171	054	2485	0.06	1400	1	55	80	2.5	5	4	6212	4812	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5558	5558	1.12009
2172	001	2497	0.06	1300	1	55	80	2.5	5	4	6242	4942	RH-1	40	form-based	true		true	0.7	5	1	4	4	6991.600098	5691.600098	5691.600098	1.12009
2172	001A	2515	0.06	1300	1	55	80	2.5	5	4	6288	4988	RH-1	40	form-based			true	0.7	5	1	4	4	7042	5742	5742	1.119911
2172	001B	2515	0.06	1300	1	55	80	2.5	5	4	6288	4988	RH-1	40	form-based			true	0.7	5	1	4	4	7042	5742	5742	1.119911
2172	001C	2515	0.06	950	1	55	80	2.5	5	4	6288	5338	RH-1	40	form-based			true	0.7	5	1	4	4	7042	6092	6092	1.119911
2172	020	2506	0.06	1000	1	55	80	2.5	5	4	6265	5265	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	6016.799805	6016.799805	1.12
2172	021	2506	0.06	1932	1	55	80	2.5	5	4	6265	4333	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	5084.799805	5084.799805	1.12
2172	046	2010	0.05	980	0	55	80	2.5	4	4	5025	4045	RH-1	40	form-based			true	0.7	4	1	4	4	5628	4648	4648	1.12
2173	025	2506	0.06	1300	1	55	80	2.5	5	4	6265	4965	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	5716.799805	5716.799805	1.12
2173	026	2506	0.06	1300	1	55	80	2.5	5	4	6265	4965	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	5716.799805	5716.799805	1.12
2173	027	2506	0.06	1516	1	55	80	2.5	5	4	6265	4749	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	5500.799805	5500.799805	1.12
2173	052	2485	0.06	1300	1	55	80	2.5	5	4	6212	4912	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5658	5658	1.12009
2173	053	2485	0.06	1210	1	55	80	2.5	5	4	6212	5002	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5748	5748	1.12009
2173	054	2485	0.06	1300	1	55	80	2.5	5	4	6212	4912	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5658	5658	1.12009
2174	021	2388	0.05	1435	1	55	80	2.5	4	3	5970	4535	RH-1	40	form-based			true	0.7	5	1.25	4	4	6686.399902	5251.399902	5251.399902	1.12
2174	022	2388	0.05	995	1	55	80	2.5	4	3	5970	4975	RH-1	40	form-based			true	0.7	5	1.25	4	4	6686.399902	5691.399902	5691.399902	1.12
2174	025	2506	0.06	1172	1	55	80	2.5	5	4	6265	5093	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	5844.799805	5844.799805	1.12
2174	026	2506	0.06	995	1	55	80	2.5	5	4	6265	5270	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	6021.799805	6021.799805	1.12
2174	027	2399	0.06	1120	1	55	80	2.5	5	4	5998	4878	RH-1	40	form-based	true		true	0.7	5	1	4	4	6717.199707	5597.199707	5597.199707	1.119907
2174	028	2375	0.05	870	1	55	80	2.5	4	3	5938	5068	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5780	5780	1.119906
2174	029	2375	0.05	1120	1	55	80	2.5	4	3	5938	4818	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5530	5530	1.119906
2174	030	2375	0.05	870	1	55	80	2.5	4	3	5938	5068	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5780	5780	1.119906
2174	047	2375	0.05	870	1	55	80	2.5	4	3	5938	5068	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5780	5780	1.119906
2174	048	2375	0.05	1120	1	55	80	2.5	4	3	5938	4818	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5530	5530	1.119906
2174	049	2375	0.05	1120	1	55	80	2.5	4	3	5938	4818	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5530	5530	1.119906
2174	050	2319	0.05	870	1	55	80	2.5	4	3	5798	4928	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6493.199707	5623.199707	5623.199707	1.119903
2174	051	2485	0.06	1214	1	55	80	2.5	5	4	6212	4998	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5744	5744	1.12009
2174	052	2485	0.06	1214	1	55	80	2.5	5	4	6212	4998	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5744	5744	1.12009
2174	053	2485	0.06	1274	1	55	80	2.5	5	4	6212	4938	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5684	5684	1.12009
2175	007I	2506	0.06	1214	1	55	80	2.5	5	4	6265	5051	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	5802.799805	5802.799805	1.12
2175	007J	2506	0.06	1214	1	55	80	2.5	5	4	6265	5051	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	5802.799805	5802.799805	1.12
2175	007K	2506	0.06	1374	1	55	80	2.5	5	4	6265	4891	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	5642.799805	5642.799805	1.12
2175	007L	2506	0.06	1214	1	55	80	2.5	5	4	6265	5051	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	5802.799805	5802.799805	1.12
2175	009	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6000	6000	1.12
2175	009B	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6000	6000	1.12
2176	004	2386	0.05	1137	1	55	80	2.5	4	3	5965	4828	RH-1	40	form-based			true	0.7	5	1.25	4	4	6680.799805	5543.799805	5543.799805	1.12
2176	021	2386	0.05	1137	1	55	80	2.5	4	3	5965	4828	RH-1	40	form-based			true	0.7	5	1.25	4	4	6680.799805	5543.799805	5543.799805	1.12
2176	026	2531	0.06	1137	1	55	80	2.5	5	4	6328	5191	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5949.799805	5949.799805	1.119911
2176	027	2531	0.06	1610	1	55	80	2.5	5	4	6328	4718	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5476.799805	5476.799805	1.119911
2176	032	2375	0.05	1137	1	55	80	2.5	4	3	5938	4801	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5513	5513	1.119906
2176	034	3000	0.07	1137	2	55	80	2.5	6	4	7500	6363	RH-1	40	form-based			true	0.7	6	1	4	4	8400	7263	7263	1.12
2176	049	2375	0.05	1459	1	55	80	2.5	4	3	5938	4479	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5191	5191	1.119906
2176	054	2485	0.06	1797	1	55	80	2.5	5	4	6212	4415	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5161	5161	1.12009
2176	055	2485	0.06	1137	1	55	80	2.5	5	4	6212	5075	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5821	5821	1.12009
2177	025	2531	0.06	1214	1	55	80	2.5	5	4	6328	5114	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5872.799805	5872.799805	1.119911
2177	026	2531	0.06	1214	1	55	80	2.5	5	4	6328	5114	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5872.799805	5872.799805	1.119911
2177	027	2531	0.06	1707	1	55	80	2.5	5	4	6328	4621	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5379.799805	5379.799805	1.119911
2177	028	2531	0.06	1214	1	55	80	2.5	5	4	6328	5114	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5872.799805	5872.799805	1.119911
2177	053	2498	0.06	1214	1	55	80	2.5	5	4	6245	5031	RH-1	40	form-based			true	0.7	5	1	4	4	6994.399902	5780.399902	5780.399902	1.12
2177	054	2498	0.06	2200	1	55	80	2.5	5	4	6245	4045	RH-1	40	form-based			true	0.7	5	1	4	4	6994.399902	4794.399902	4794.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2177	055	2498	0.06	1214	1	55	80	2.5	5	4	6245	5031	RH-1	40	form-based			true	0.7	5	1	4	4	6994.399902	5780.399902	5780.399902	1.12
2177	056	2498	0.06	1214	1	55	80	2.5	5	4	6245	5031	RH-1	40	form-based			true	0.7	5	1	4	4	6994.399902	5780.399902	5780.399902	1.12
2178	004	2375	0.05	1024	1	55	80	2.5	4	3	5938	4914	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5626	5626	1.119906
2178	025	2531	0.06	1348	1	55	80	2.5	5	4	6328	4980	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5738.799805	5738.799805	1.119911
2178	026	2531	0.06	1012	1	55	80	2.5	5	4	6328	5316	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	6074.799805	6074.799805	1.119911
2178	027	2531	0.06	1962	1	55	80	2.5	5	4	6328	4366	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5124.799805	5124.799805	1.119911
2178	028	2531	0.06	1012	1	55	80	2.5	5	4	6328	5316	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	6074.799805	6074.799805	1.119911
2178	049	2375	0.05	911	1	55	80	2.5	4	3	5938	5027	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5739	5739	1.119906
2178	054	2498	0.06	1234	1	55	80	2.5	5	4	6245	5011	RH-1	40	form-based			true	0.7	5	1	4	4	6994.399902	5760.399902	5760.399902	1.12
2178	055	2498	0.06	1529	1	55	80	2.5	5	4	6245	4716	RH-1	40	form-based			true	0.7	5	1	4	4	6994.399902	5465.399902	5465.399902	1.12
2182	013E	2349	0.05	1450	1	55	80	2.5	4	3	5872	4422	RH-1	40	form-based			true	0.7	5	1.25	4	4	6577.199707	5127.199707	5127.199707	1.120095
2182	012	2389	0.05	1425	1	55	80	2.5	4	3	5972	4547	RH-1	40	form-based			true	0.7	5	1.25	4	4	6689.199707	5264.199707	5264.199707	1.120094
2182	012A	2389	0.05	2065	1	55	80	2.5	4	3	5972	3907	RH-1	40	form-based			true	0.7	5	1.25	4	4	6689.199707	4624.199707	4624.199707	1.120094
2182	012B	2389	0.05	1250	1	55	80	2.5	4	3	5972	4722	RH-1	40	form-based			true	0.7	5	1.25	4	4	6689.199707	5439.199707	5439.199707	1.120094
2182	012C	2508	0.06	1554	1	55	80	2.5	5	4	6270	4716	RH-1	40	form-based		true	true	0.7	5	1	4	4	7022.399902	5468.399902	5468.399902	1.12
2182	013	2531	0.06	1900	1	55	80	2.5	5	4	6328	4428	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5186.799805	5186.799805	1.119911
2182	013A	2531	0.06	1100	1	55	80	2.5	5	4	6328	5228	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5986.799805	5986.799805	1.119911
2182	013B	2466	0.06	2358	1	55	80	2.5	5	4	6165	3807	RH-1	40	form-based		true	true	0.7	5	1	4	4	6904.799805	4546.799805	4546.799805	1.12
2182	013C	2349	0.05	1450	1	55	80	2.5	4	3	5872	4422	RH-1	40	form-based			true	0.7	5	1.25	4	4	6577.199707	5127.199707	5127.199707	1.120095
2182	013D	2349	0.05	2445	1	55	80	2.5	4	3	5872	3427	RH-1	40	form-based			true	0.7	5	1.25	4	4	6577.199707	4132.199707	4132.199707	1.120095
2182	017D	2478	0.06	1380	1	55	80	2.5	5	4	6195	4815	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5558.399902	5558.399902	1.12
2182	018	2478	0.06	1250	1	55	80	2.5	5	4	6195	4945	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5688.399902	5688.399902	1.12
2182	019	2478	0.06	1250	1	55	80	2.5	5	4	6195	4945	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5688.399902	5688.399902	1.12
2183	010	2531	0.06	1650	1	55	80	2.5	5	4	6328	4678	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5436.799805	5436.799805	1.119911
2183	011	2531	0.06	1225	1	55	80	2.5	5	4	6328	5103	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5861.799805	5861.799805	1.119911
2183	012	2531	0.06	1225	1	55	80	2.5	5	4	6328	5103	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5861.799805	5861.799805	1.119911
2183	012A	2168	0.05	1200	1	55	80	2.5	4	3	5420	4220	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6070.399902	4870.399902	4870.399902	1.12
2183	026	2478	0.06	1212	1	55	80	2.5	5	4	6195	4983	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5726.399902	5726.399902	1.12
2183	027	2478	0.06	1212	1	55	80	2.5	5	4	6195	4983	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5726.399902	5726.399902	1.12
2183	028	2478	0.06	1212	1	55	80	2.5	5	4	6195	4983	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5726.399902	5726.399902	1.12
2184	019A	2177	0.05	1495	1	55	80	2.5	4	3	5442	3947	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6095.600098	4600.600098	4600.600098	1.120103
2184	020	2531	0.06	1037	1	55	80	2.5	5	4	6328	5291	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	6049.799805	6049.799805	1.119911
2184	021	2531	0.06	2275	1	55	80	2.5	5	4	6328	4053	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	4811.799805	4811.799805	1.119911
2184	022	2531	0.06	1505	1	55	80	2.5	5	4	6328	4823	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5581.799805	5581.799805	1.119911
2184	023	2188	0.05	2124	1	55	80	2.5	4	3	5470	3346	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6126.399902	4002.399902	4002.399902	1.12
2184	041	2478	0.06	1565	1	55	80	2.5	5	4	6195	4630	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5373.399902	5373.399902	1.12
2184	042	2478	0.06	1036	1	55	80	2.5	5	4	6195	5159	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5902.399902	5902.399902	1.12
2184	043	2478	0.06	1484	1	55	80	2.5	5	4	6195	4711	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5454.399902	5454.399902	1.12
2184	044	2478	0.06	1036	1	55	80	2.5	5	4	6195	5159	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5902.399902	5902.399902	1.12
2185	001A	2394	0.05	1980	1	55	80	2.5	4	3	5985	4005	RH-1	40	form-based			true	0.7	5	1.25	4	4	6703.199707	4723.199707	4723.199707	1.12
2185	001B	2394	0.05	1342	1	55	80	2.5	4	3	5985	4643	RH-1	40	form-based			true	0.7	5	1.25	4	4	6703.199707	5361.199707	5361.199707	1.12
2185	001C	2394	0.05	1460	1	55	80	2.5	4	3	5985	4525	RH-1	40	form-based			true	0.7	5	1.25	4	4	6703.199707	5243.199707	5243.199707	1.12
2185	018	2394	0.05	1774	1	55	80	2.5	4	3	5985	4211	RH-1	40	form-based			true	0.7	5	1.25	4	4	6703.199707	4929.199707	4929.199707	1.12
2185	019	2394	0.05	1620	1	55	80	2.5	4	3	5985	4365	RH-1	40	form-based			true	0.7	5	1.25	4	4	6703.199707	5083.199707	5083.199707	1.12
2185	020	2394	0.05	1588	1	55	80	2.5	4	3	5985	4397	RH-1	40	form-based			true	0.7	5	1.25	4	4	6703.199707	5115.199707	5115.199707	1.12
2185	021	2513	0.06	2750	1	55	80	2.5	5	4	6282	3532	RH-1	40	form-based		true	true	0.7	5	1	4	4	7036.399902	4286.399902	4286.399902	1.120089
2185	022	2531	0.06	2030	1	55	80	2.5	5	4	6328	4298	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5056.799805	5056.799805	1.119911
2185	023	2531	0.06	1705	1	55	80	2.5	5	4	6328	4623	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5381.799805	5381.799805	1.119911
2185	024	2493	0.06	1199	1	55	80	2.5	5	4	6232	5033	RH-1	40	form-based		true	true	0.7	5	1	4	4	6980.399902	5781.399902	5781.399902	1.12009
2185	025	2375	0.05	1580	1	55	80	2.5	4	3	5938	4358	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5070	5070	1.119906
2185	026	2375	0.05	1925	1	55	80	2.5	4	3	5938	4013	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4725	4725	1.119906
2185	026A	2375	0.05	1350	1	55	80	2.5	4	3	5938	4588	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5300	5300	1.119906
2185	043	2375	0.05	1375	1	55	80	2.5	4	3	5938	4563	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5275	5275	1.119906
2185	044	2375	0.05	1405	1	55	80	2.5	4	3	5938	4533	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5245	5245	1.119906
2185	045	2375	0.05	1375	1	55	80	2.5	4	3	5938	4563	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5275	5275	1.119906
2185	046	2292	0.05	1162	1	55	80	2.5	4	3	5730	4568	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6417.600098	5255.600098	5255.600098	1.12
2185	047	2478	0.06	1162	1	55	80	2.5	5	4	6195	5033	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5776.399902	5776.399902	1.12
2185	048	2478	0.06	1534	1	55	80	2.5	5	4	6195	4661	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5404.399902	5404.399902	1.12
2186	001	2305	0.05	1633	1	55	80	2.5	4	3	5762	4129	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6454	4821	4821	1.120097
2186	002	2388	0.05	1858	1	55	80	2.5	4	3	5970	4112	RH-1	40	form-based			true	0.7	5	1.25	4	4	6686.399902	4828.399902	4828.399902	1.12
2186	003	2388	0.05	1345	1	55	80	2.5	4	3	5970	4625	RH-1	40	form-based			true	0.7	5	1.25	4	4	6686.399902	5341.399902	5341.399902	1.12
2186	004	2388	0.05	1953	1	55	80	2.5	4	3	5970	4017	RH-1	40	form-based			true	0.7	5	1.25	4	4	6686.399902	4733.399902	4733.399902	1.12
2186	021	2388	0.05	1380	1	55	80	2.5	4	3	5970	4590	RH-1	40	form-based			true	0.7	5	1.25	4	4	6686.399902	5306.399902	5306.399902	1.12
2186	022	2388	0.05	1608	1	55	80	2.5	4	3	5970	4362	RH-1	40	form-based			true	0.7	5	1.25	4	4	6686.399902	5078.399902	5078.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2186	023	2388	0.05	1380	1	55	80	2.5	4	3	5970	4590	RH-1	40	form-based			true	0.7	5	1.25	4	4	6686.399902	5306.399902	5306.399902	1.12
2186	024	2507	0.06	1992	1	55	80	2.5	5	4	6268	4276	RH-1	40	form-based		true	true	0.7	5	1	4	4	7019.600098	5027.600098	5027.600098	1.119911
2186	025	2531	0.06	1300	1	55	80	2.5	5	4	6328	5028	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5786.799805	5786.799805	1.119911
2186	026	2531	0.06	1300	1	55	80	2.5	5	4	6328	5028	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5786.799805	5786.799805	1.119911
2186	027	2493	0.06	1450	1	55	80	2.5	5	4	6232	4782	RH-1	40	form-based		true	true	0.7	5	1	4	4	6980.399902	5530.399902	5530.399902	1.12009
2186	028	2375	0.05	1568	1	55	80	2.5	4	3	5938	4370	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5082	5082	1.119906
2186	029	2375	0.05	1421	1	55	80	2.5	4	3	5938	4517	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5229	5229	1.119906
2186	030	2375	0.05	1200	1	55	80	2.5	4	3	5938	4738	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5450	5450	1.119906
2186	047	2375	0.05	2073	1	55	80	2.5	4	3	5938	3865	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4577	4577	1.119906
2186	048	2375	0.05	1350	1	55	80	2.5	4	3	5938	4588	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5300	5300	1.119906
2186	049	2375	0.05	1945	1	55	80	2.5	4	3	5938	3993	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4705	4705	1.119906
2186	050	2292	0.05	1200	1	55	80	2.5	4	3	5730	4530	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6417.600098	5217.600098	5217.600098	1.12
2186	051	2478	0.06	1050	1	55	80	2.5	5	4	6195	5145	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5888.399902	5888.399902	1.12
2186	052	2478	0.06	1863	1	55	80	2.5	5	4	6195	4332	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5075.399902	5075.399902	1.12
2187	001	2290	0.05	1036	1	55	80	2.5	4	3	5725	4689	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6412	5376	5376	1.12
2187	001B	2373	0.05	1350	1	55	80	2.5	4	3	5932	4582	RH-1	40	form-based			true	0.7	5	1.25	4	4	6644.399902	5294.399902	5294.399902	1.120094
2187	001C	2373	0.05	1350	1	55	80	2.5	4	3	5932	4582	RH-1	40	form-based			true	0.7	5	1.25	4	4	6644.399902	5294.399902	5294.399902	1.120094
2187	001E	2998	0.07	2030	2	55	80	2.5	6	4	7495	5465	RH-1	40	form-based			true	0.7	6	1	4	4	8394.399414	6364.399414	6364.399414	1.12
2187	008	2373	0.05	1364	1	55	80	2.5	4	3	5932	4568	RH-1	40	form-based			true	0.7	5	1.25	4	4	6644.399902	5280.399902	5280.399902	1.120094
2187	009	2373	0.05	1364	1	55	80	2.5	4	3	5932	4568	RH-1	40	form-based			true	0.7	5	1.25	4	4	6644.399902	5280.399902	5280.399902	1.120094
2187	010	2373	0.05	1588	1	55	80	2.5	4	3	5932	4344	RH-1	40	form-based			true	0.7	5	1.25	4	4	6644.399902	5056.399902	5056.399902	1.120094
2187	011	2492	0.06	1872	1	55	80	2.5	5	4	6230	4358	RH-1	40	form-based		true	true	0.7	5	1	4	4	6977.600098	5105.600098	5105.600098	1.12
2187	012	2531	0.06	1224	1	55	80	2.5	5	4	6328	5104	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5862.799805	5862.799805	1.119911
2187	013	2531	0.06	1628	1	55	80	2.5	5	4	6328	4700	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5458.799805	5458.799805	1.119911
2187	013A	2493	0.06	1965	1	55	80	2.5	5	4	6232	4267	RH-1	40	form-based		true	true	0.7	5	1	4	4	6980.399902	5015.399902	5015.399902	1.12009
2187	013B	2375	0.05	2255	1	55	80	2.5	4	3	5938	3683	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4395	4395	1.119906
2187	013C	2375	0.05	1570	1	55	80	2.5	4	3	5938	4368	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5080	5080	1.119906
2187	013D	2375	0.05	1214	1	55	80	2.5	4	3	5938	4724	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5436	5436	1.119906
2187	017	3000	0.07	1757	2	55	80	2.5	6	4	7500	5743	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6643	6643	1.12
2187	025	2375	0.05	1350	1	55	80	2.5	4	3	5938	4588	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5300	5300	1.119906
2187	026	2375	0.05	1350	1	55	80	2.5	4	3	5938	4588	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5300	5300	1.119906
2187	027	2375	0.05	1350	1	55	80	2.5	4	3	5938	4588	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5300	5300	1.119906
2187	028	2292	0.05	1036	1	55	80	2.5	4	3	5730	4694	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6417.600098	5381.600098	5381.600098	1.12
2187	029	2478	0.06	1036	1	55	80	2.5	5	4	6195	5159	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5902.399902	5902.399902	1.12
2187	030	2478	0.06	1036	1	55	80	2.5	5	4	6195	5159	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5902.399902	5902.399902	1.12
2188	003	2488	0.06	1662	1	55	80	2.5	5	4	6220	4558	RH-1	40	form-based			true	0.7	5	1	4	4	6966.399902	5304.399902	5304.399902	1.12
2188	004	2488	0.06	2009	1	55	80	2.5	5	4	6220	4211	RH-1	40	form-based			true	0.7	5	1	4	4	6966.399902	4957.399902	4957.399902	1.12
2188	021	2393	0.05	1569	1	55	80	2.5	4	3	5982	4413	RH-1	40	form-based			true	0.7	5	1.25	4	4	6700.399902	5131.399902	5131.399902	1.120094
2188	022	2393	0.05	1605	1	55	80	2.5	4	3	5982	4377	RH-1	40	form-based			true	0.7	5	1.25	4	4	6700.399902	5095.399902	5095.399902	1.120094
2188	025	2531	0.06	2115	1	55	80	2.5	5	4	6328	4213	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	4971.799805	4971.799805	1.119911
2188	026	2531	0.06	2289	1	55	80	2.5	5	4	6328	4039	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	4797.799805	4797.799805	1.119911
2188	027	2493	0.06	1500	1	55	80	2.5	5	4	6232	4732	RH-1	40	form-based		true	true	0.7	5	1	4	4	6980.399902	5480.399902	5480.399902	1.12009
2188	028	2375	0.05	1400	1	55	80	2.5	4	3	5938	4538	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5250	5250	1.119906
2188	029	2375	0.05	1530	1	55	80	2.5	4	3	5938	4408	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5120	5120	1.119906
2188	030	2375	0.05	2349	1	55	80	2.5	4	3	5938	3589	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4301	4301	1.119906
2188	047	2375	0.05	1630	1	55	80	2.5	4	3	5938	4308	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5020	5020	1.119906
2188	048	2375	0.05	1265	1	55	80	2.5	4	3	5938	4673	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5385	5385	1.119906
2188	049	2375	0.05	1500	1	55	80	2.5	4	3	5938	4438	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5150	5150	1.119906
2188	050	2292	0.05	1785	1	55	80	2.5	4	3	5730	3945	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6417.600098	4632.600098	4632.600098	1.12
2188	051	2478	0.06	900	1	55	80	2.5	5	4	6195	5295	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	6038.399902	6038.399902	1.12
2188	052	2478	0.06	993	1	55	80	2.5	5	4	6195	5202	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5945.399902	5945.399902	1.12
2189	003C	2342	0.05	1525	1	55	80	2.5	4	3	5855	4330	RH-1	40	form-based			true	0.7	5	1.25	4	4	6557.600098	5032.600098	5032.600098	1.12
2189	003D	2342	0.05	2991	1	55	80	2.5	4	3	5855	2864	RH-1	40	form-based			true	0.7	5	1.25	4	4	6557.600098	3566.600098	3566.600098	1.12
2189	003E	2531	0.06	1300	1	55	80	2.5	5	4	6328	5028	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5786.799805	5786.799805	1.119911
2189	003J	2342	0.05	2229	1	55	80	2.5	4	3	5855	3626	RH-1	40	form-based			true	0.7	5	1.25	4	4	6557.600098	4328.600098	4328.600098	1.12
2189	004	2458	0.06	2260	1	55	80	2.5	5	4	6145	3885	RH-1	40	form-based		true	true	0.7	5	1	4	4	6882.399902	4622.399902	4622.399902	1.12
2189	006	2531	0.06	1162	1	55	80	2.5	5	4	6328	5166	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5924.799805	5924.799805	1.119911
2189	009	2375	0.05	1162	1	55	80	2.5	4	3	5938	4776	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5488	5488	1.119906
2190	002A	3022	0.07	1500	2	55	80	2.5	6	4	7555	6055	RH-1	40	form-based			true	0.7	6	1	4	4	8461.599609	6961.599609	6961.599609	1.12
2190	003I	2375	0.05	1475	1	55	80	2.5	4	3	5938	4463	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5175	5175	1.119906
2190	003J	2375	0.05	1664	1	55	80	2.5	4	3	5938	4274	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4986	4986	1.119906
2190	003R	2531	0.06	2010	1	55	80	2.5	5	4	6328	4318	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5076.799805	5076.799805	1.119911
2190	003S	2531	0.06	1597	1	55	80	2.5	5	4	6328	4731	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5489.799805	5489.799805	1.119911
2190	004A	2493	0.06	2434	1	55	80	2.5	5	4	6232	3798	RH-1	40	form-based		true	true	0.7	5	1	4	4	6980.399902	4546.399902	4546.399902	1.12009

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2190	010	2478	0.06	1036	1	55	80	2.5	5	4	6195	5159	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5902.399902	5902.399902	1.12
2190	011	2478	0.06	1036	1	55	80	2.5	5	4	6195	5159	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5902.399902	5902.399902	1.12
2190	012	2478	0.06	1231	1	55	80	2.5	5	4	6195	4964	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5707.399902	5707.399902	1.12
2191	008I	2175	0.05	1250	1	55	80	2.5	4	3	5438	4188	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6090	4840	4840	1.119897
2191	008J	2531	0.06	1678	1	55	80	2.5	5	4	6328	4650	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5408.799805	5408.799805	1.119911
2191	008K	2531	0.06	1150	1	55	80	2.5	5	4	6328	5178	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5936.799805	5936.799805	1.119911
2191	008L	2531	0.06	1150	1	55	80	2.5	5	4	6328	5178	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5936.799805	5936.799805	1.119911
2191	009	2165	0.05	1465	1	55	80	2.5	4	3	5412	3947	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6062	4597	4597	1.120103
2191	014C	2478	0.06	1484	1	55	80	2.5	5	4	6195	4711	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5454.399902	5454.399902	1.12
2191	014K	2478	0.06	1036	1	55	80	2.5	5	4	6195	5159	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5902.399902	5902.399902	1.12
2191	015	2478	0.06	1036	1	55	80	2.5	5	4	6195	5159	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5902.399902	5902.399902	1.12
2191	016	2478	0.06	1036	1	55	80	2.5	5	4	6195	5159	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5902.399902	5902.399902	1.12
2192	001	2271	0.05	1372	1	55	80	2.5	4	3	5678	4306	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6358.799805	4986.799805	4986.799805	1.119901
2192	002	2353	0.05	1400	1	55	80	2.5	4	3	5882	4482	RH-1	40	form-based			true	0.7	5	1.25	4	4	6588.399902	5188.399902	5188.399902	1.120095
2192	002A	2353	0.05	1900	1	55	80	2.5	4	3	5882	3982	RH-1	40	form-based			true	0.7	5	1.25	4	4	6588.399902	4688.399902	4688.399902	1.120095
2192	002B	2353	0.05	1978	1	55	80	2.5	4	3	5882	3904	RH-1	40	form-based			true	0.7	5	1.25	4	4	6588.399902	4610.399902	4610.399902	1.120095
2192	004	2353	0.05	1400	1	55	80	2.5	4	3	5882	4482	RH-1	40	form-based			true	0.7	5	1.25	4	4	6588.399902	5188.399902	5188.399902	1.120095
2192	004A	2353	0.05	2233	1	55	80	2.5	4	3	5882	3649	RH-1	40	form-based			true	0.7	5	1.25	4	4	6588.399902	4355.399902	4355.399902	1.120095
2192	004B	2353	0.05	1654	1	55	80	2.5	4	3	5882	4228	RH-1	40	form-based			true	0.7	5	1.25	4	4	6588.399902	4934.399902	4934.399902	1.120095
2192	004C	2471	0.06	1400	1	55	80	2.5	5	4	6178	4778	RH-1	40	form-based		true	true	0.7	5	1	4	4	6918.799805	5518.799805	5518.799805	1.119909
2192	005	2531	0.06	1404	1	55	80	2.5	5	4	6328	4924	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5682.799805	5682.799805	1.119911
2192	006	2531	0.06	1695	1	55	80	2.5	5	4	6328	4633	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5391.799805	5391.799805	1.119911
2192	007	2493	0.06	1483	1	55	80	2.5	5	4	6232	4749	RH-1	40	form-based		true	true	0.7	5	1	4	4	6980.399902	5497.399902	5497.399902	1.12009
2192	008	2375	0.05	2005	1	55	80	2.5	4	3	5938	3933	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4645	4645	1.119906
2192	009	2375	0.05	1478	1	55	80	2.5	4	3	5938	4460	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5172	5172	1.119906
2192	010	2375	0.05	1902	1	55	80	2.5	4	3	5938	4036	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4748	4748	1.119906
2192	027	2375	0.05	1400	1	55	80	2.5	4	3	5938	4538	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5250	5250	1.119906
2192	028	2375	0.05	1400	1	55	80	2.5	4	3	5938	4538	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5250	5250	1.119906
2192	029	2375	0.05	1400	1	55	80	2.5	4	3	5938	4538	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5250	5250	1.119906
2192	030	2292	0.05	1162	1	55	80	2.5	4	3	5730	4568	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6417.600098	5255.600098	5255.600098	1.12
2192	031	2478	0.06	1162	1	55	80	2.5	5	4	6195	5033	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5776.399902	5776.399902	1.12
2192	032	2478	0.06	2089	1	55	80	2.5	5	4	6195	4106	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	4849.399902	4849.399902	1.12
2193	012	2531	0.06	911	1	55	80	2.5	5	4	6328	5417	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	6175.799805	6175.799805	1.119911
2193	013	2531	0.06	911	1	55	80	2.5	5	4	6328	5417	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	6175.799805	6175.799805	1.119911
2193	014	2531	0.06	958	1	55	80	2.5	5	4	6328	5370	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	6128.799805	6128.799805	1.119911
2193	015	2531	0.06	911	1	55	80	2.5	5	4	6328	5417	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	6175.799805	6175.799805	1.119911
2193	016	2165	0.05	1676	1	55	80	2.5	4	3	5412	3736	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6062	4386	4386	1.120103
2196	001A	2349	0.05	1300	1	55	80	2.5	4	3	5872	4572	RH-1	40	form-based			true	0.7	5	1.25	4	4	6577.199707	5277.199707	5277.199707	1.120095
2196	001B	2349	0.05	1800	1	55	80	2.5	4	3	5872	4072	RH-1	40	form-based			true	0.7	5	1.25	4	4	6577.199707	4777.199707	4777.199707	1.120095
2196	019	2384	0.05	1610	1	55	80	2.5	4	3	5960	4350	RH-1	40	form-based			true	0.7	5	1.25	4	4	6675.199707	5065.199707	5065.199707	1.12
2196	021	2309	0.05	1365	1	55	80	2.5	4	3	5772	4407	RH-1	40	form-based			true	0.7	5	1.25	4	4	6465.199707	5100.199707	5100.199707	1.120097
2196	022	2424	0.06	2020	1	55	80	2.5	5	4	6060	4040	RH-1	40	form-based		true	true	0.7	5	1	4	4	6787.199707	4767.199707	4767.199707	1.12
2196	025	2415	0.06	2129	1	55	80	2.5	5	4	6038	3909	RH-1	40	form-based		true	true	0.7	5	1	4	4	6762	4633	4633	1.119907
2196	026	2300	0.05	1901	1	55	80	2.5	4	3	5750	3849	RH-1	40	form-based			true	0.7	5	1.25	4	4	6440	4539	4539	1.12
2196	027	2375	0.05	2328	1	55	80	2.5	4	3	5938	3610	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4322	4322	1.119906
2196	028	2375	0.05	2515	1	55	80	2.5	4	3	5938	3423	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4135	4135	1.119906
2196	043	2340	0.05	2290	1	55	80	2.5	4	3	5850	3560	RH-1	40	form-based			true	0.7	5	1.25	4	4	6552	4262	4262	1.12
2196	044	2340	0.05	2471	1	55	80	2.5	4	3	5850	3379	RH-1	40	form-based			true	0.7	5	1.25	4	4	6552	4081	4081	1.12
2196	045	2258	0.05	1450	1	55	80	2.5	4	3	5645	4195	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6322.399902	4872.399902	4872.399902	1.12
2197	001A	2500	0.06	1624	1	55	80	2.5	5	4	6250	4626	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5376	5376	1.12
2197	001B	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5600	5600	1.12
2197	001C	2553	0.06	1400	1	55	80	2.5	5	4	6382	4982	RH-1	40	form-based			true	0.7	5	1	4	4	7148.399902	5748.399902	5748.399902	1.120088
2197	002N	2231	0.05	1390	1	55	80	2.5	4	3	5578	4188	RH-1	40	form-based			true	0.7	5	1.25	4	4	6246.799805	4856.799805	4856.799805	1.1199
2197	002U	2316	0.05	1436	1	55	80	2.5	4	3	5790	4354	RH-1	40	form-based			true	0.7	5	1.25	4	4	6484.799805	5048.799805	5048.799805	1.12
2197	003B	2528	0.06	2250	1	55	80	2.5	5	4	6320	4070	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	4828.399902	4828.399902	1.12
2197	003F	2332	0.05	1162	1	55	80	2.5	4	3	5830	4668	RH-1	40	form-based			true	0.7	5	1.25	4	4	6529.600098	5367.600098	5367.600098	1.12
2198	013A	2531	0.06	1160	1	55	80	2.5	5	4	6328	5168	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5926.799805	5926.799805	1.119911
2198	014	2531	0.06	2422	1	55	80	2.5	5	4	6328	3906	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	4664.799805	4664.799805	1.119911
2198	015	2531	0.06	1150	1	55	80	2.5	5	4	6328	5178	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5936.799805	5936.799805	1.119911
2198	016	2531	0.06	1330	1	55	80	2.5	5	4	6328	4998	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5756.799805	5756.799805	1.119911
2198	017	2531	0.06	1225	1	55	80	2.5	5	4	6328	5103	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5861.799805	5861.799805	1.119911
2198	019	3004	0.07	2201	2	55	80	2.5	6	4	7510	5309	RH-1	40	form-based			true	0.7	6	1	4	4	8411.200195	6210.200195	6210.200195	1.12
2198	030	2312	0.05	1337	1	55	80	2.5	4	3	5780	4443	RH-1	40	form-based			true	0.7	5	1.25	4	4	6473.600098	5136.600098	5136.600098	1.12
2198	030A	2313	0.05	1337	1	55	80	2.5	4	3	5782	4445	RH-1	40	form-based			true	0.7	5	1.25	4	4	6476.399902	5139.399902	5139.399902	1.120097

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2199	003A	2479	0.06	1250	1	55	80	2.5	5	4	6198	4948	RH-1	40	form-based			true	0.7	5	1	4	4	6941.199707	5691.199707	5691.199707	1.11991
2199	003B	2479	0.06	1250	1	55	80	2.5	5	4	6198	4948	RH-1	40	form-based			true	0.7	5	1	4	4	6941.199707	5691.199707	5691.199707	1.11991
2199	003C	2479	0.06	1502	1	55	80	2.5	5	4	6198	4696	RH-1	40	form-based			true	0.7	5	1	4	4	6941.199707	5439.199707	5439.199707	1.11991
2199	003D	2479	0.06	1250	1	55	80	2.5	5	4	6198	4948	RH-1	40	form-based			true	0.7	5	1	4	4	6941.199707	5691.199707	5691.199707	1.11991
2199	014A	815	0.02	0	0	55	80	2.5	2	2	2038	2038	RTO-C	85	form-based		true	true	0.75	4	2	4	4	4890	4890	4076	2.399411
2200	002G	3005	0.07	2300	2	55	80	2.5	6	4	7512	5212	RH-1	40	form-based			true	0.7	6	1	4	4	8414	6114	6114	1.120075
2200	004	2294	0.05	1811	1	55	80	2.5	4	3	5735	3924	RH-1	40	form-based			true	0.7	5	1.25	4	4	6423.199707	4612.199707	4612.199707	1.12
2200	020	3000	0.07	2190	2	55	80	2.5	6	4	7500	5310	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6210	6210	1.12
2201	002	2340	0.05	2005	1	55	80	2.5	4	3	5850	3845	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6552	4547	4547	1.12
2201	002A	2396	0.06	1600	1	55	80	2.5	5	4	5990	4390	RH-1	40	form-based			true	0.7	5	1	4	4	6708.799805	5108.799805	5108.799805	1.12
2201	002D	2456	0.06	1530	1	55	80	2.5	5	4	6140	4610	RH-1	40	form-based			true	0.7	5	1	4	4	6876.799805	5346.799805	5346.799805	1.12
2201	003	2164	0.05	2218	1	55	80	2.5	4	3	5410	3192	RH-1	40	form-based			true	0.7	5	1.25	4	4	6059.199707	3841.199707	3841.199707	1.12
2201	004B	2252	0.05	1064	1	55	80	2.5	4	3	5630	4566	RH-1	40	form-based			true	0.7	5	1.25	4	4	6305.600098	5241.600098	5241.600098	1.12
2203	007	2527	0.06	2093	1	55	80	2.5	5	4	6318	4225	RH-1	40	form-based			true	0.7	5	1	4	4	7075.600098	4982.600098	4982.600098	1.119911
2203	060	2302	0.05	3071	1	55	80	2.5	4	3	5755	2684	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6445.600098	3374.600098	3374.600098	1.12
2204	008	2461	0.06	2560	1	55	80	2.5	5	4	6152	3592	RH-1	40	form-based			true	0.7	5	1	4	4	6890.799805	4330.799805	4330.799805	1.120091
2204	009	2375	0.05	3300	1	55	80	2.5	4	3	5938	2638	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	3350	3350	1.119906
2204	050	2461	0.06	4202	1	55	80	2.5	5	4	6152	1950	RH-1	40	form-based			true	0.7	5	1	4	4	6890.799805	2688.799805	2688.799805	1.120091
2204	051	2461	0.06	3300	1	55	80	2.5	5	4	6152	2852	RH-1	40	form-based		true	true	0.7	5	1	4	4	6890.799805	3590.799805	3590.799805	1.120091
2204	060	2511	0.06	3892	1	55	80	2.5	5	4	6278	2386	RH-1	40	form-based		true	true	0.7	5	1	4	4	7030.799805	3138.799805	3138.799805	1.119911
2205	028	2500	0.06	1950	1	55	80	2.5	5	4	6250	4300	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5050	5050	1.12
2205	029	2500	0.06	1950	1	55	80	2.5	5	4	6250	4300	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5050	5050	1.12
2205	030	2500	0.06	2669	1	55	80	2.5	5	4	6250	3581	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4331	4331	1.12
2205	031	2500	0.06	1420	1	55	80	2.5	5	4	6250	4830	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5580	5580	1.12
2205	032	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5900	5900	1.12
2206	020	2195	0.05	887	1	55	80	2.5	4	3	5488	4601	RH-1	40	form-based			true	0.7	5	1.25	4	4	6146	5259	5259	1.119898
2206	020A	2356	0.05	887	1	55	80	2.5	4	3	5890	5003	RH-1	40	form-based			true	0.7	5	1.25	4	4	6596.799805	5709.799805	5709.799805	1.12
2206	021	2557	0.06	1067	1	55	80	2.5	5	4	6392	5325	RH-1	40	form-based			true	0.7	5	1	4	4	7159.600098	6092.600098	6092.600098	1.120088
2206	022	2573	0.06	887	1	55	80	2.5	5	4	6432	5545	RH-1	40	form-based			true	0.7	5	1	4	4	7204.399902	6317.399902	6317.399902	1.120087
2206	030	2598	0.06	887	1	55	80	2.5	5	4	6495	5608	RH-1	40	form-based			true	0.7	5	1	4	4	7274.399902	6387.399902	6387.399902	1.12
2206	032A	2502	0.06	850	1	55	80	2.5	5	4	6255	5405	RH-1	40	form-based			true	0.7	5	1	4	4	7005.600098	6155.600098	6155.600098	1.12
2206	033	2501	0.06	850	1	55	80	2.5	5	4	6252	5402	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	6152.799805	6152.799805	1.12009
2206	034	2501	0.06	1566	1	55	80	2.5	5	4	6252	4686	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	5436.799805	5436.799805	1.12009
2206	035	2501	0.06	1150	1	55	80	2.5	5	4	6252	5102	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	5852.799805	5852.799805	1.12009
2206	036	2501	0.06	850	1	55	80	2.5	5	4	6252	5402	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	6152.799805	6152.799805	1.12009
2206	037	2501	0.06	1371	1	55	80	2.5	5	4	6252	4881	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	5631.799805	5631.799805	1.12009
2206	038	2502	0.06	850	1	55	80	2.5	5	4	6255	5405	RH-1	40	form-based			true	0.7	5	1	4	4	7005.600098	6155.600098	6155.600098	1.12
2206	039	2502	0.06	850	1	55	80	2.5	5	4	6255	5405	RH-1	40	form-based			true	0.7	5	1	4	4	7005.600098	6155.600098	6155.600098	1.12
2206	040	2502	0.06	850	1	55	80	2.5	5	4	6255	5405	RH-1	40	form-based			true	0.7	5	1	4	4	7005.600098	6155.600098	6155.600098	1.12
2206	042	2537	0.06	850	1	55	80	2.5	5	4	6342	5492	RH-1	40	form-based			true	0.7	5	1	4	4	7103.600098	6253.600098	6253.600098	1.120088
2206	043	2553	0.06	850	1	55	80	2.5	5	4	6382	5532	RH-1	40	form-based			true	0.7	5	1	4	4	7148.399902	6298.399902	6298.399902	1.120088
2206	044	2500	0.06	850	1	55	80	2.5	5	4	6250	5400	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6150	6150	1.12
2206	045	2500	0.06	850	1	55	80	2.5	5	4	6250	5400	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6150	6150	1.12
2206	045A	2500	0.06	1036	1	55	80	2.5	5	4	6250	5214	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5964	5964	1.12
2206	046	2500	0.06	1036	1	55	80	2.5	5	4	6250	5214	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5964	5964	1.12
2206	047	2500	0.06	1036	1	55	80	2.5	5	4	6250	5214	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5964	5964	1.12
2206	048	2500	0.06	1036	1	55	80	2.5	5	4	6250	5214	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5964	5964	1.12
2206	049	2500	0.06	1451	1	55	80	2.5	5	4	6250	4799	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5549	5549	1.12
2206	053	2500	0.06	1011	1	55	80	2.5	5	4	6250	5239	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5989	5989	1.12
2206	054	2500	0.06	1011	1	55	80	2.5	5	4	6250	5239	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5989	5989	1.12
2206	055	2500	0.06	1155	1	55	80	2.5	5	4	6250	5095	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5845	5845	1.12
2207	029	2555	0.06	1400	1	55	80	2.5	5	4	6388	4988	RH-1	40	form-based			true	0.7	5	1	4	4	7154	5754	5754	1.119912
2207	029A	2610	0.06	2028	1	55	80	2.5	5	4	6525	4497	RH-1	40	form-based			true	0.7	5	1	4	4	7308	5280	5280	1.12
2207	029B	2500	0.06	1139	1	55	80	2.5	5	4	6250	5111	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5861	5861	1.12
2207	029C	2417	0.06	2064	1	55	80	2.5	5	4	6042	3978	RH-1	40	form-based			true	0.7	5	1	4	4	6767.600098	4703.600098	4703.600098	1.120093
2207	031	2499	0.06	1520	1	55	80	2.5	5	4	6248	4728	RH-1	40	form-based			true	0.7	5	1	4	4	6997.199707	5477.199707	5477.199707	1.11991
2302	023	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
2302	024	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
2302	025	2500	0.06	1408	1	65	100	3	6	5	7500	6092	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5592	5592	0.933333
2208	008	2500	0.06	1292	1	55	80	2.5	5	4	6250	4958	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5708	5708	1.12
2208	012	2208	0.05	2530	1	55	80	2.5	4	3	5520	2990	RH-1	40	form-based			true	0.7	5	1.25	4	4	6182.399902	3652.399902	3652.399902	1.12
2208	013	2270	0.05	1736	1	55	80	2.5	4	3	5675	3939	RH-1	40	form-based			true	0.7	5	1.25	4	4	6356	4620	4620	1.12
2302	004	2375	0.05	1195	1	65	100	3	5	4	7125	5930	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5455	5455	0.933333
2302	049	2375	0.05	1195	1	55	80	2.5	4	3	5938	4743	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5455	5455	1.119906

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2302	054	2465	0.06	1195	1	65	100	3	6	5	7395	6200	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6902	5707	5707	0.933333
2302	055	2465	0.06	1195	1	65	100	3	6	5	7395	6200	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6902	5707	5707	0.933333
2303	001	2259	0.05	2090	1	65	100	3	5	4	6777	4687	RH-1	40	form-based		true	true	0.7	5	1	4	4	6325.199707	4235.199707	4235.199707	0.933333
2303	001A	2384	0.05	1532	1	65	100	3	5	4	7152	5620	RH-1	40	form-based			true	0.7	5	1	4	4	6675.199707	5143.199707	5143.199707	0.933333
2303	001B	2384	0.05	1284	1	65	100	3	5	4	7152	5868	RH-1	40	form-based			true	0.7	5	1	4	4	6675.199707	5391.199707	5391.199707	0.933333
2303	001C	2384	0.05	1265	1	65	100	3	5	4	7152	5887	RH-1	40	form-based			true	0.7	5	1	4	4	6675.199707	5410.199707	5410.199707	0.933333
2303	018	2178	0.05	1800	1	65	100	3	5	4	6534	4734	RH-1	40	form-based			true	0.7	5	1	4	4	6098.399902	4298.399902	4298.399902	0.933333
2303	019	2423	0.06	1725	1	65	100	3	6	5	7269	5544	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6784.399902	5059.399902	5059.399902	0.933333
2303	019A	2423	0.06	1132	1	65	100	3	6	5	7269	6137	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6784.399902	5652.399902	5652.399902	0.933333
2303	020	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
2303	021	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
2303	022	2500	0.06	840	1	65	100	3	6	5	7500	6660	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6160	6160	0.933333
2303	023	2375	0.05	1250	1	65	100	3	5	4	7125	5875	RH-1	40	form-based		true	true	0.7	5	1	4	4	6650	5400	5400	0.933333
2303	024	2375	0.05	1412	1	65	100	3	5	4	7125	5713	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5238	5238	0.933333
2303	025	2375	0.05	1150	1	65	100	3	5	4	7125	5975	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5500	5500	0.933333
2303	026	2375	0.05	995	1	65	100	3	5	4	7125	6130	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5655	5655	0.933333
2303	043	2375	0.05	1100	1	65	100	3	5	4	7125	6025	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5550	5550	0.933333
2303	044	2375	0.05	1112	1	65	100	3	5	4	7125	6013	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5538	5538	0.933333
2303	045	2375	0.05	1150	1	65	100	3	5	4	7125	5975	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5500	5500	0.933333
2303	046	2248	0.05	1525	1	65	100	3	5	4	6744	5219	RH-1	40	form-based		true	true	0.7	5	1	4	4	6294.399902	4769.399902	4769.399902	0.933333
2303	047	2467	0.06	1090	1	65	100	3	6	5	7401	6311	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6907.600098	5817.600098	5817.600098	0.933333
2303	048	2467	0.06	1090	1	65	100	3	6	5	7401	6311	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6907.600098	5817.600098	5817.600098	0.933333
2304	002H	2261	0.05	1375	1	65	100	3	5	4	6783	5408	RH-1	40	form-based			true	0.7	5	1	4	4	6330.799805	4955.799805	4955.799805	0.933333
2304	002I	2261	0.05	1450	1	65	100	3	5	4	6783	5333	RH-1	40	form-based			true	0.7	5	1	4	4	6330.799805	4880.799805	4880.799805	0.933333
2304	002J	2261	0.05	2238	1	65	100	3	5	4	6783	4545	RH-1	40	form-based			true	0.7	5	1	4	4	6330.799805	4092.799805	4092.799805	0.933333
2304	002K	2244	0.05	1835	1	65	100	3	5	4	6732	4897	RH-1	40	form-based		true	true	0.7	5	1	4	4	6283.199707	4448.199707	4448.199707	0.933333
2304	004	2233	0.05	1302	1	65	100	3	5	4	6699	5397	RH-1	40	form-based		true	true	0.7	5	1	4	4	6252.399902	4950.399902	4950.399902	0.933333
2304	004A	2250	0.05	1150	1	65	100	3	5	4	6750	5600	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5150	5150	0.933333
2304	005	2375	0.05	1795	1	65	100	3	5	4	7125	5330	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4855	4855	0.933333
2304	006	2375	0.05	1150	1	65	100	3	5	4	7125	5975	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5500	5500	0.933333
2304	022	2468	0.06	1145	1	65	100	3	6	5	7404	6259	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6910.399902	5765.399902	5765.399902	0.933333
2304	023	2469	0.06	2615	1	65	100	3	6	5	7407	4792	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	4298.199707	4298.199707	0.933333
2304	024	2469	0.06	1190	1	65	100	3	6	5	7407	6217	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	5723.199707	5723.199707	0.933333
2305	001	2172	0.05	1881	1	65	100	3	5	4	6516	4635	RH-1	40	form-based		true	true	0.7	5	1	4	4	6081.600098	4200.600098	4200.600098	0.933333
2305	018	2511	0.06	1411	1	65	100	3	6	5	7533	6122	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7030.799805	5619.799805	5619.799805	0.933333
2305	023	2491	0.06	1360	1	65	100	3	6	5	7473	6113	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6974.799805	5614.799805	5614.799805	0.933333
2305	024	2491	0.06	1360	1	65	100	3	6	5	7473	6113	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6974.799805	5614.799805	5614.799805	0.933333
2305	026	2518	0.06	1260	1	65	100	3	6	5	7554	6294	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7050.399902	5790.399902	5790.399902	0.933333
2305	043	2250	0.05	962	1	65	100	3	5	4	6750	5788	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5338	5338	0.933333
2305	044	2250	0.05	962	1	65	100	3	5	4	6750	5788	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5338	5338	0.933333
2305	045	2250	0.05	962	1	65	100	3	5	4	6750	5788	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5338	5338	0.933333
2305	046	2591	0.06	962	1	65	100	3	6	5	7773	6811	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7254.799805	6292.799805	6292.799805	0.933333
2305	048	2470	0.06	962	1	65	100	3	6	5	7410	6448	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6916	5954	5954	0.933333
2305	051	2595	0.06	962	1	65	100	3	6	5	7785	6823	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7266	6304	6304	0.933333
2305	052	2495	0.06	962	1	65	100	3	6	5	7485	6523	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6986	6024	6024	0.933333
2306	002	2266	0.05	1000	1	65	100	3	5	4	6798	5798	RH-1	40	form-based			true	0.7	5	1	4	4	6344.799805	5344.799805	5344.799805	0.933333
2306	009M	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
2306	009N	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
2306	009O	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
2306	024	2472	0.06	1166	1	65	100	3	6	5	7416	6250	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6921.600098	5755.600098	5755.600098	0.933333
2306	025	2472	0.06	995	1	65	100	3	6	5	7416	6421	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6921.600098	5926.600098	5926.600098	0.933333
2307	016	2500	0.06	905	1	65	100	3	6	5	7500	6595	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6095	6095	0.933333
2307	017	2500	0.06	1102	1	65	100	3	6	5	7500	6398	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5898	5898	0.933333
2307	018	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
2307	019	2500	0.06	2105	1	65	100	3	6	5	7500	5395	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4895	4895	0.933333
2307	044	2473	0.06	1350	1	65	100	3	6	5	7419	6069	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6924.399902	5574.399902	5574.399902	0.933333
2307	045	2473	0.06	962	1	65	100	3	6	5	7419	6457	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6924.399902	5962.399902	5962.399902	0.933333
2307	046	2474	0.06	962	1	65	100	3	6	5	7422	6460	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6927.199707	5965.199707	5965.199707	0.933333
2307	047	2474	0.06	962	1	65	100	3	6	5	7422	6460	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6927.199707	5965.199707	5965.199707	0.933333
2308	001C	2375	0.05	1871	1	65	100	3	5	4	7125	5254	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4779	4779	0.933333
2308	010	3005	0.07	1472	2	65	100	3	7	5	9015	7543	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8414	6942	6942	0.933333
2308	018	2500	0.06	1581	1	65	100	3	6	5	7500	5919	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5419	5419	0.933333
2308	018A	2500	0.06	1054	1	65	100	3	6	5	7500	6446	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5946	5946	0.933333
2308	019	2500	0.06	1162	1	65	100	3	6	5	7500	6338	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5838	5838	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2308	022	2979	0.07	1072	2	65	100	3	7	5	8937	7865	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8341.200195	7269.200195	7269.200195	0.933333
2308	028D	2450	0.06	1124	1	65	100	3	6	5	7350	6226	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6860	5736	5736	0.933333
2308	028E	2423	0.06	2131	1	65	100	3	6	5	7269	5138	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6784.399902	4653.399902	4653.399902	0.933333
2308	029	2478	0.06	1537	1	65	100	3	6	5	7434	5897	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6938.399902	5401.399902	5401.399902	0.933333
2309	011	2500	0.06	1440	1	65	100	3	6	5	7500	6060	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5560	5560	0.933333
2309	012	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
2309	013	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
2309	014	2500	0.06	1160	1	65	100	3	6	5	7500	6340	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5840	5840	0.933333
2310	007	2382	0.05	1137	1	65	100	3	5	4	7146	6009	RH-1	40	form-based			true	0.7	5	1	4	4	6669.600098	5532.600098	5532.600098	0.933333
2310	007E	2496	0.06	1682	1	65	100	3	6	5	7488	5806	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	5306.799805	5306.799805	0.933333
2310	007F	2496	0.06	1527	1	65	100	3	6	5	7488	5961	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	5461.799805	5461.799805	0.933333
2310	007G	2496	0.06	1377	1	65	100	3	6	5	7488	6111	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	5611.799805	5611.799805	0.933333
2310	019	2454	0.06	905	1	65	100	3	6	5	7362	6457	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6871.199707	5966.199707	5966.199707	0.933333
2310	020	2454	0.06	1097	1	65	100	3	6	5	7362	6265	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6871.199707	5774.199707	5774.199707	0.933333
2311	009	2367	0.05	1437	1	65	100	3	5	4	7101	5664	RH-1	40	form-based			true	0.7	5	1	4	4	6627.600098	5190.600098	5190.600098	0.933333
2311	009E	2496	0.06	2131	1	65	100	3	6	5	7488	5357	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	4857.799805	4857.799805	0.933333
2311	009F	2496	0.06	1381	1	65	100	3	6	5	7488	6107	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	5607.799805	5607.799805	0.933333
2311	009K	2375	0.05	1291	1	65	100	3	5	4	7125	5834	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5359	5359	0.933333
2311	021	2455	0.06	905	1	65	100	3	6	5	7365	6460	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6874	5969	5969	0.933333
2311	022	2455	0.06	1110	1	65	100	3	6	5	7365	6255	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6874	5764	5764	0.933333
2311	023	2455	0.06	905	1	65	100	3	6	5	7365	6460	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6874	5969	5969	0.933333
2311	024	2456	0.06	2553	1	65	100	3	6	5	7368	4815	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6876.799805	4323.799805	4323.799805	0.933333
2312	012	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5650	5650	0.933333
2312	013	2500	0.06	1761	1	65	100	3	6	5	7500	5739	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5239	5239	0.933333
2312	013A	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5650	5650	0.933333
2312	030A	2457	0.06	1475	1	65	100	3	6	5	7371	5896	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6879.600098	5404.600098	5404.600098	0.933333
2312	031	2457	0.06	2058	1	65	100	3	6	5	7371	5313	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6879.600098	4821.600098	4821.600098	0.933333
2312	032	2457	0.06	1523	1	65	100	3	6	5	7371	5848	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6879.600098	5356.600098	5356.600098	0.933333
2314	018	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5650	5650	0.933333
2314	019	2500	0.06	1615	1	65	100	3	6	5	7500	5885	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5385	5385	0.933333
2314	020	2500	0.06	1232	1	65	100	3	6	5	7500	6268	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5768	5768	0.933333
2314	020A	2500	0.06	1646	1	65	100	3	6	5	7500	5854	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5354	5354	0.933333
2314	020B	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6100	6100	0.933333
2314	034	2460	0.06	2624	1	65	100	3	6	5	7380	4756	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6888	4264	4264	0.933333
2314	035	2460	0.06	1325	1	65	100	3	6	5	7380	6055	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6888	5563	5563	0.933333
2314	036	2461	0.06	1325	1	65	100	3	6	5	7383	6058	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6890.799805	5565.799805	5565.799805	0.933333
2315	001A	2211	0.05	2086	1	55	80	2.5	4	3	5528	3442	RH-1	40	form-based			true	0.7	5	1.25	4	4	6190.799805	4104.799805	4104.799805	1.119899
2315	001B	2211	0.05	1475	1	55	80	2.5	4	3	5528	4053	RH-1	40	form-based			true	0.7	5	1.25	4	4	6190.799805	4715.799805	4715.799805	1.119899
2315	001C	2212	0.05	1475	1	55	80	2.5	4	3	5530	4055	RH-1	40	form-based			true	0.7	5	1.25	4	4	6193.600098	4718.600098	4718.600098	1.12
2315	012D	2496	0.06	1175	1	65	100	3	6	5	7488	6313	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	5813.799805	5813.799805	0.933333
2315	012E	2496	0.06	1458	1	65	100	3	6	5	7488	6030	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	5530.799805	5530.799805	0.933333
2315	012F	2496	0.06	1522	1	65	100	3	6	5	7488	5966	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	5466.799805	5466.799805	0.933333
2315	012G	2496	0.06	1175	1	65	100	3	6	5	7488	6313	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	5813.799805	5813.799805	0.933333
2315	020	2250	0.05	1200	1	65	100	3	5	4	6750	5550	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5100	5100	0.933333
2315	021	2250	0.05	1200	1	65	100	3	5	4	6750	5550	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5100	5100	0.933333
2315	022	2250	0.05	2100	1	55	80	2.5	4	3	5625	3525	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	4200	4200	1.12
2316	001	2565	0.06	1305	1	55	80	2.5	5	4	6412	5107	RH-1	40	form-based	true		true	0.7	5	1	4	4	7182	5877	5877	1.120087
2316	001B	2325	0.05	1325	1	65	100	3	5	4	6975	5650	RH-1	40	form-based			true	0.7	5	1	4	4	6510	5185	5185	0.933333
2316	001J	2520	0.06	2575	1	65	100	3	6	5	7560	4985	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7056	4481	4481	0.933333
2316	001K	2250	0.05	1384	1	55	80	2.5	4	3	5625	4241	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	4916	4916	1.12
2316	001L	2250	0.05	1926	1	55	80	2.5	4	3	5625	3699	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	4374	4374	1.12
2316	001O	2567	0.06	1400	1	65	100	3	6	5	7701	6301	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	5787.600098	5787.600098	0.933333
2316	006	2500	0.06	1954	1	65	100	3	6	5	7500	5546	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5046	5046	0.933333
2316	007	2500	0.06	1550	1	65	100	3	6	5	7500	5950	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5450	5450	0.933333
2316	008	2500	0.06	2137	1	65	100	3	6	5	7500	5363	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4863	4863	0.933333
2316	009	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5800	5800	0.933333
2316	012	2619	0.06	1714	1	65	100	3	6	5	7857	6143	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	7333.199707	5619.199707	5619.199707	0.933333
2317	002	2385	0.05	1566	1	65	100	3	5	4	7155	5589	RH-1	40	form-based			true	0.7	5	1	4	4	6678	5112	5112	0.933333
2317	003	2385	0.05	1822	1	65	100	3	5	4	7155	5333	RH-1	40	form-based			true	0.7	5	1	4	4	6678	4856	4856	0.933333
2317	004	2385	0.05	1560	1	65	100	3	5	4	7155	5595	RH-1	40	form-based			true	0.7	5	1	4	4	6678	5118	5118	0.933333
2317	031	2375	0.05	1325	1	65	100	3	5	4	7125	5800	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5325	5325	0.933333
2317	032	2375	0.05	1325	1	65	100	3	5	4	7125	5800	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5325	5325	0.933333
2317	033	2375	0.05	1390	1	65	100	3	5	4	7125	5735	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5260	5260	0.933333
2317	034	2242	0.05	1475	1	65	100	3	5	4	6726	5251	RH-1	40	form-based	true		true	0.7	5	1	4	4	6277.600098	4802.600098	4802.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2317	035	2465	0.06	1200	1	65	100	3	6	5	7395	6195	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6902	5702	5702	0.933333
2317	036	2465	0.06	1650	1	65	100	3	6	5	7395	5745	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6902	5252	5252	0.933333
2318	001	2251	0.05	1550	1	65	100	3	5	4	6753	5203	RH-1	40	form-based		true	true	0.7	5	1	4	4	6302.799805	4752.799805	4752.799805	0.933333
2318	002	2389	0.05	2226	1	65	100	3	5	4	7167	4941	RH-1	40	form-based			true	0.7	5	1	4	4	6689.199707	4463.199707	4463.199707	0.933333
2318	003	2389	0.05	1499	1	65	100	3	5	4	7167	5668	RH-1	40	form-based			true	0.7	5	1	4	4	6689.199707	5190.199707	5190.199707	0.933333
2318	004	2389	0.05	1420	1	65	100	3	5	4	7167	5747	RH-1	40	form-based			true	0.7	5	1	4	4	6689.199707	5269.199707	5269.199707	0.933333
2318	005	3014	0.07	1829	2	65	100	3	7	5	9042	7213	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8439.200195	6610.200195	6610.200195	0.933333
2318	021	2375	0.05	1890	1	65	100	3	5	4	7125	5235	RH-1	40	form-based		true	true	0.7	5	1	4	4	6650	4760	4760	0.933333
2318	021A	2375	0.05	1300	1	65	100	3	5	4	7125	5825	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5350	5350	0.933333
2318	021B	2375	0.05	1190	1	65	100	3	5	4	7125	5935	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5460	5460	0.933333
2318	021C	2375	0.05	1310	1	65	100	3	5	4	7125	5815	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5340	5340	0.933333
2318	024	2175	0.05	1075	1	65	100	3	5	4	6525	5450	RH-1	40	form-based			true	0.7	5	1	4	4	6090	5015	5015	0.933333
2318	025	2175	0.05	1325	1	65	100	3	5	4	6525	5200	RH-1	40	form-based			true	0.7	5	1	4	4	6090	4765	4765	0.933333
2318	026	2222	0.05	1325	1	65	100	3	5	4	6666	5341	RH-1	40	form-based		true	true	0.7	5	1	4	4	6221.600098	4896.600098	4896.600098	0.933333
2318	027	2190	0.05	1060	1	65	100	3	5	4	6570	5510	RH-1	40	form-based			true	0.7	5	1	4	4	6132	5072	5072	0.933333
2318	031	2375	0.05	1375	1	65	100	3	5	4	7125	5750	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5275	5275	0.933333
2318	032	2375	0.05	1695	1	65	100	3	5	4	7125	5430	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4955	4955	0.933333
2318	033	2375	0.05	1300	1	65	100	3	5	4	7125	5825	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5350	5350	0.933333
2318	034	2235	0.05	2170	1	65	100	3	5	4	6705	4535	RH-1	40	form-based		true	true	0.7	5	1	4	4	6258	4088	4088	0.933333
2318	035	2464	0.06	2390	1	65	100	3	6	5	7392	5002	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6899.199707	4509.199707	4509.199707	0.933333
2318	036	2464	0.06	1350	1	65	100	3	6	5	7392	6042	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6899.199707	5549.199707	5549.199707	0.933333
2319	001	2258	0.05	1175	1	65	100	3	5	4	6774	5599	RH-1	40	form-based		true	true	0.7	5	1	4	4	6322.399902	5147.399902	5147.399902	0.933333
2319	002	2375	0.05	800	1	65	100	3	5	4	7125	6325	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5850	5850	0.933333
2319	002A	2375	0.05	800	1	65	100	3	5	4	7125	6325	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5850	5850	0.933333
2319	003	2375	0.05	1362	1	65	100	3	5	4	7125	5763	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5288	5288	0.933333
2319	012A	2452	0.06	1820	1	65	100	3	6	5	7356	5536	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6865.600098	5045.600098	5045.600098	0.933333
2319	013	2231	0.05	1330	1	65	100	3	5	4	6693	5363	RH-1	40	form-based		true	true	0.7	5	1	4	4	6246.799805	4916.799805	4916.799805	0.933333
2319	013D	2273	0.05	2067	1	65	100	3	5	4	6819	4752	RH-1	40	form-based			true	0.7	5	1	4	4	6364.399902	4297.399902	4297.399902	0.933333
2319	013E	2329	0.05	1766	1	65	100	3	5	4	6987	5221	RH-1	40	form-based			true	0.7	5	1	4	4	6521.199707	4755.199707	4755.199707	0.933333
2319	013F	2385	0.05	1325	1	65	100	3	5	4	7155	5830	RH-1	40	form-based			true	0.7	5	1	4	4	6678	5353	5353	0.933333
2319	013G	2600	0.06	2502	1	65	100	3	6	5	7800	5298	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7280	4778	4778	0.933333
2319	019	2443	0.06	1528	1	65	100	3	6	5	7329	5801	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6840.399902	5312.399902	5312.399902	0.933333
2319	020	2495	0.06	1330	1	65	100	3	6	5	7485	6155	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6986	5656	5656	0.933333
2320	009	2470	0.06	1377	1	65	100	3	6	5	7410	6033	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6916	5539	5539	0.933333
2320	010	2470	0.06	1162	1	65	100	3	6	5	7410	6248	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6916	5754	5754	0.933333
2320	011	2470	0.06	1162	1	65	100	3	6	5	7410	6248	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6916	5754	5754	0.933333
2320	012	2470	0.06	1176	1	65	100	3	6	5	7410	6234	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6916	5740	5740	0.933333
2320	013	2471	0.06	1579	1	65	100	3	6	5	7413	5834	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	5339.799805	5339.799805	0.933333
2320	014	2471	0.06	2156	1	65	100	3	6	5	7413	5257	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	4762.799805	4762.799805	0.933333
2320	015	2471	0.06	1350	1	65	100	3	6	5	7413	6063	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	5568.799805	5568.799805	0.933333
2321	002	2357	0.05	2385	1	65	100	3	5	4	7071	4686	RH-1	40	form-based			true	0.7	5	1	4	4	6599.600098	4214.600098	4214.600098	0.933333
2321	013	2368	0.05	1390	1	65	100	3	5	4	7104	5714	RH-1	40	form-based			true	0.7	5	1	4	4	6630.399902	5240.399902	5240.399902	0.933333
2321	013B	2369	0.05	1670	1	65	100	3	5	4	7107	5437	RH-1	40	form-based			true	0.7	5	1	4	4	6633.199707	4963.199707	4963.199707	0.933333
2321	013C	2500	0.06	1525	1	65	100	3	6	5	7500	5975	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5475	5475	0.933333
2321	013D	2500	0.06	1525	1	65	100	3	6	5	7500	5975	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5475	5475	0.933333
2321	013E	2375	0.05	1550	1	65	100	3	5	4	7125	5575	RH-1	40	form-based		true	true	0.7	5	1	4	4	6650	5100	5100	0.933333
2321	013F	2375	0.05	1250	1	65	100	3	5	4	7125	5875	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5400	5400	0.933333
2321	013G	2375	0.05	1300	1	65	100	3	5	4	7125	5825	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5350	5350	0.933333
2321	013H	2375	0.05	2300	1	65	100	3	5	4	7125	4825	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4350	4350	0.933333
2321	025	2375	0.05	1400	1	65	100	3	5	4	7125	5725	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5250	5250	0.933333
2321	026	2375	0.05	1240	1	65	100	3	5	4	7125	5885	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5410	5410	0.933333
2321	027	2375	0.05	1450	1	65	100	3	5	4	7125	5675	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5200	5200	0.933333
2321	027A	2255	0.05	1733	1	65	100	3	5	4	6765	5032	RH-1	40	form-based		true	true	0.7	5	1	4	4	6314	4581	4581	0.933333
2321	028	2469	0.06	1655	1	65	100	3	6	5	7407	5752	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	5258.199707	5258.199707	0.933333
2321	029	2242	0.05	1366	1	65	100	3	5	4	6726	5360	RH-1	40	form-based			true	0.7	5	1	4	4	6277.600098	4911.600098	4911.600098	0.933333
2322	012	2381	0.05	1900	1	65	100	3	5	4	7143	5243	RH-1	40	form-based			true	0.7	5	1	4	4	6666.799805	4766.799805	4766.799805	0.933333
2322	012A	2381	0.05	1662	1	65	100	3	5	4	7143	5481	RH-1	40	form-based			true	0.7	5	1	4	4	6666.799805	5004.799805	5004.799805	0.933333
2322	013	2381	0.05	1693	1	65	100	3	5	4	7143	5450	RH-1	40	form-based			true	0.7	5	1	4	4	6666.799805	4973.799805	4973.799805	0.933333
2322	013A	2370	0.05	2255	1	65	100	3	5	4	7110	4855	RH-1	40	form-based		true	true	0.7	5	1	4	4	6636	4381	4381	0.933333
2322	014	2497	0.06	2226	1	65	100	3	6	5	7491	5265	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6991.600098	4765.600098	4765.600098	0.933333
2322	015	2494	0.06	2172	1	65	100	3	6	5	7482	5310	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6983.199707	4811.199707	4811.199707	0.933333
2322	030	2474	0.06	1300	1	65	100	3	6	5	7422	6122	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6927.199707	5627.199707	5627.199707	0.933333
2322	030A	2474	0.06	1648	1	65	100	3	6	5	7422	5774	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6927.199707	5279.199707	5279.199707	0.933333
2322	031	2474	0.06	2260	1	65	100	3	6	5	7422	5162	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6927.199707	4667.199707	4667.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2323	014A	2500	0.06	1789	1	65	100	3	6	5	7500	5711	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5211	5211	0.933333
2323	015	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5750	5750	0.933333
2323	016	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5750	5750	0.933333
2323	016A	2500	0.06	1750	1	65	100	3	6	5	7500	5750	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5250	5250	0.933333
2323	029	2475	0.06	1643	1	65	100	3	6	5	7425	5782	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6930	5287	5287	0.933333
2323	029A	2475	0.06	1150	1	65	100	3	6	5	7425	6275	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6930	5780	5780	0.933333
2323	029B	2476	0.06	1762	1	65	100	3	6	5	7428	5666	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6932.799805	5170.799805	5170.799805	0.933333
2324	003	3012	0.07	1845	2	65	100	3	7	5	9036	7191	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	6588.599609	6588.599609	0.933333
2324	005	2500	0.06	1402	1	65	100	3	6	5	7500	6098	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5598	5598	0.933333
2324	005A	2500	0.06	1216	1	65	100	3	6	5	7500	6284	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5784	5784	0.933333
2324	005B	2500	0.06	2247	1	65	100	3	6	5	7500	5253	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4753	4753	0.933333
2324	005C	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5500	5500	0.933333
2324	008L	2477	0.06	1250	1	65	100	3	6	5	7431	6181	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6935.600098	5685.600098	5685.600098	0.933333
2324	008M	2477	0.06	1250	1	65	100	3	6	5	7431	6181	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6935.600098	5685.600098	5685.600098	0.933333
2324	009	2477	0.06	1620	1	65	100	3	6	5	7431	5811	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6935.600098	5315.600098	5315.600098	0.933333
2325	021	2368	0.05	2311	1	65	100	3	5	4	7104	4793	RH-1	40	form-based			true	0.7	5	1	4	4	6630.399902	4319.399902	4319.399902	0.933333
2325	022	2369	0.05	1760	1	65	100	3	5	4	7107	5347	RH-1	40	form-based			true	0.7	5	1	4	4	6633.199707	4873.199707	4873.199707	0.933333
2325	023	2369	0.05	1725	1	65	100	3	5	4	7107	5382	RH-1	40	form-based			true	0.7	5	1	4	4	6633.199707	4908.199707	4908.199707	0.933333
2325	024	2359	0.05	2280	1	65	100	3	5	4	7077	4797	RH-1	40	form-based		true	true	0.7	5	1	4	4	6605.199707	4325.199707	4325.199707	0.933333
2325	025	2497	0.06	1455	1	65	100	3	6	5	7491	6036	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6991.600098	5536.600098	5536.600098	0.933333
2325	026	2497	0.06	1455	1	65	100	3	6	5	7491	6036	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6991.600098	5536.600098	5536.600098	0.933333
2325	027	2365	0.05	2225	1	65	100	3	5	4	7095	4870	RH-1	40	form-based		true	true	0.7	5	1	4	4	6622	4397	4397	0.933333
2325	028	2375	0.05	2570	1	65	100	3	5	4	7125	4555	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4080	4080	0.933333
2325	029	2375	0.05	1625	1	65	100	3	5	4	7125	5500	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5025	5025	0.933333
2325	030	2375	0.05	1863	1	65	100	3	5	4	7125	5262	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4787	4787	0.933333
2325	051	2479	0.06	2983	1	65	100	3	6	5	7437	4454	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6941.199707	3958.199707	3958.199707	0.933333
2325	052	2479	0.06	800	1	65	100	3	6	5	7437	6637	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6941.199707	6141.199707	6141.199707	0.933333
2325	053	2479	0.06	1795	1	65	100	3	6	5	7437	5642	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6941.199707	5146.199707	5146.199707	0.933333
2325	054	2479	0.06	800	1	65	100	3	6	5	7437	6637	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6941.199707	6141.199707	6141.199707	0.933333
2328	009B	2500	0.06	1048	1	65	100	3	6	5	7500	6452	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5952	5952	0.933333
2328	009E	2500	0.06	1723	1	65	100	3	6	5	7500	5777	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5277	5277	0.933333
2328	009F	2500	0.06	1826	1	65	100	3	6	5	7500	5674	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5174	5174	0.933333
2328	009G	2500	0.06	1542	1	65	100	3	6	5	7500	5958	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5458	5458	0.933333
2328	009H	2245	0.05	1635	1	65	100	3	5	4	6735	5100	RH-2	40	form-based		true	true	0.7	5	1	4	4	6286	4651	4651	0.933333
2328	009J	2500	0.06	1767	1	65	100	3	6	5	7500	5733	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5233	5233	0.933333
2328	009L	2981	0.07	3180	2	65	100	3	7	5	8943	5763	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8346.799805	5166.799805	5166.799805	0.933333
2328	009M	2500	0.06	1115	1	65	100	3	6	5	7500	6385	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5885	5885	0.933333
2328	017B	2972	0.07	1375	2	65	100	3	7	5	8916	7541	RH-1	40	form-based		true	true	0.7	6	0.857142866	4	4	8321.599609	6946.599609	6946.599609	0.933333
2329	001	2514	0.06	1150	1	65	100	3	6	5	7542	6392	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7039.199707	5889.199707	5889.199707	0.933333
2329	001C	2304	0.05	1155	1	55	80	2.5	4	3	5760	4605	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6451.199707	5296.199707	5296.199707	1.12
2329	001D	2250	0.05	990	1	55	80	2.5	4	3	5625	4635	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	5310	5310	1.12
2329	001F	2250	0.05	990	1	65	100	3	5	4	6750	5760	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5310	5310	0.933333
2329	001G	2515	0.06	1875	1	65	100	3	6	5	7545	5670	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7042	5167	5167	0.933333
2329	007	2500	0.06	1370	1	65	100	3	6	5	7500	6130	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5630	5630	0.933333
2329	009	2360	0.05	1026	1	65	100	3	5	4	7080	6054	RH-2	40	form-based		true	true	0.7	5	1	4	4	6608	5582	5582	0.933333
2330	007	2500	0.06	2644	1	65	100	3	6	5	7500	4856	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4356	4356	0.933333
2330	008	2500	0.06	1550	1	65	100	3	6	5	7500	5950	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5450	5450	0.933333
2330	009	2500	0.06	2742	1	65	100	3	6	5	7500	4758	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4258	4258	0.933333
2330	010	2156	0.05	1150	1	65	100	3	5	4	6468	5318	RH-1	40	form-based			true	0.7	5	1	4	4	6036.799805	4886.799805	4886.799805	0.933333
2330	011	2156	0.05	1930	1	65	100	3	5	4	6468	4538	RH-1	40	form-based		true	true	0.7	5	1	4	4	6036.799805	4106.799805	4106.799805	0.933333
2330	014	2478	0.06	1570	1	65	100	3	6	5	7434	5864	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6938.399902	5368.399902	5368.399902	0.933333
2330	014A	2478	0.06	1945	1	65	100	3	6	5	7434	5489	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6938.399902	4993.399902	4993.399902	0.933333
2330	014B	2401	0.06	1738	1	65	100	3	6	5	7203	5465	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6722.799805	4984.799805	4984.799805	0.933333
2330	014C	2227	0.05	1450	1	65	100	3	5	4	6681	5231	RH-1	40	form-based			true	0.7	5	1	4	4	6235.600098	4785.600098	4785.600098	0.933333
2331	001B	2430	0.06	1469	1	65	100	3	6	5	7290	5821	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6804	5335	5335	0.933333
2331	001C	2430	0.06	1769	1	65	100	3	6	5	7290	5521	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6804	5035	5035	0.933333
2331	001D	2430	0.06	2154	1	65	100	3	6	5	7290	5136	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6804	4650	4650	0.933333
2331	002	2600	0.06	1207	1	65	100	3	6	5	7800	6593	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7280	6073	6073	0.933333
2331	004B	2250	0.05	2175	1	65	100	3	5	4	6750	4575	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4125	4125	0.933333
2331	004C	2250	0.05	1814	1	65	100	3	5	4	6750	4936	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4486	4486	0.933333
2331	004D	2250	0.05	1999	1	65	100	3	5	4	6750	4751	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4301	4301	0.933333
2331	004F	2469	0.06	1557	1	65	100	3	6	5	7407	5850	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	5356.199707	5356.199707	0.933333
2331	004G	2469	0.06	1575	1	65	100	3	6	5	7407	5832	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	5338.199707	5338.199707	0.933333
2331	010	2600	0.06	1800	1	65	100	3	6	5	7800	6000	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7280	5480	5480	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2332	001	2318	0.05	2100	1	65	100	3	5	4	6954	4854	RH-1	40	form-based		true	true	0.7	5	1	4	4	6490.399902	4390.399902	4390.399902	0.933333
2332	001A	2542	0.06	2742	1	65	100	3	6	5	7626	4884	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7117.600098	4375.600098	4375.600098	0.933333
2332	001B	2543	0.06	1735	1	65	100	3	6	5	7629	5894	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7120.399902	5385.399902	5385.399902	0.933333
2332	001D	2330	0.05	1175	1	65	100	3	5	4	6990	5815	RH-1	40	form-based			true	0.7	5	1	4	4	6524	5349	5349	0.933333
2332	016	2500	0.06	1488	1	65	100	3	6	5	7500	6012	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5512	5512	0.933333
2332	017	2500	0.06	1440	1	65	100	3	6	5	7500	6060	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5560	5560	0.933333
2332	018	2500	0.06	1960	1	65	100	3	6	5	7500	5540	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5040	5040	0.933333
2332	040	2500	0.06	1877	1	65	100	3	6	5	7500	5623	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5123	5123	0.933333
2332	041	2500	0.06	1587	1	65	100	3	6	5	7500	5913	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5413	5413	0.933333
2333A	001	2552	0.06	1050	1	65	100	3	6	5	7656	6606	RH-1(D)	40	form-based		true	true	0.7	5	0.833333313	4	4	7145.600098	6095.600098	6095.600098	0.933333
2333A	016	2504	0.06	2030	1	65	100	3	6	5	7512	5482	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	4981.199707	4981.199707	0.933333
2333A	020	2224	0.05	1565	1	65	100	3	5	4	6672	5107	RH-1(D)	40	form-based		true	true	0.7	5	1	4	4	6227.199707	4662.199707	4662.199707	0.933333
2335A	002	2359	0.05	1815	1	65	100	3	5	4	7077	5262	RH-1	40	form-based			true	0.7	5	1	4	4	6605.199707	4790.199707	4790.199707	0.933333
2335A	003	2388	0.05	1570	1	65	100	3	5	4	7164	5594	RH-1	40	form-based			true	0.7	5	1	4	4	6686.399902	5116.399902	5116.399902	0.933333
2333A	021	2339	0.05	1813	1	65	100	3	5	4	7017	5204	RH-1	40	form-based		true	true	0.7	5	1	4	4	6549.199707	4736.199707	4736.199707	0.933333
2333A	023	2300	0.05	1381	1	65	100	3	5	4	6900	5519	RH-1	40	form-based			true	0.7	5	1	4	4	6440	5059	5059	0.933333
2333A	037	2500	0.06	2130	1	65	100	3	6	5	7500	5370	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4870	4870	0.933333
2333A	038	2500	0.06	1949	1	65	100	3	6	5	7500	5551	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5051	5051	0.933333
2335A	004	2418	0.06	1440	1	65	100	3	6	5	7254	5814	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6770.399902	5330.399902	5330.399902	0.933333
2335A	005	2448	0.06	1834	1	65	100	3	6	5	7344	5510	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6854.399902	5020.399902	5020.399902	0.933333
2335A	006	2477	0.06	1350	1	65	100	3	6	5	7431	6081	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6935.600098	5585.600098	5585.600098	0.933333
2334A	002	2430	0.06	2111	1	65	100	3	6	5	7290	5179	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6804	4693	4693	0.933333
2334A	003	2538	0.06	1565	1	65	100	3	6	5	7614	6049	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7106.399902	5541.399902	5541.399902	0.933333
2334A	004	2508	0.06	1740	1	65	100	3	6	5	7524	5784	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7022.399902	5282.399902	5282.399902	0.933333
2334A	012	2611	0.06	1425	1	65	100	3	6	5	7833	6408	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7310.799805	5885.799805	5885.799805	0.933333
2334A	013	2525	0.06	2150	1	65	100	3	6	5	7575	5425	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7070	4920	4920	0.933333
2334A	014	2567	0.06	1800	1	65	100	3	6	5	7701	5901	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	5387.600098	5387.600098	0.933333
2334A	015	2451	0.06	2405	1	65	100	3	6	5	7353	4948	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6862.799805	4457.799805	4457.799805	0.933333
2334A	016	2507	0.06	1255	1	65	100	3	6	5	7521	6266	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7019.600098	5764.600098	5764.600098	0.933333
2334A	017	2399	0.06	1921	1	65	100	3	6	5	7197	5276	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6717.199707	4796.199707	4796.199707	0.933333
2334A	018	2421	0.06	1475	1	65	100	3	6	5	7263	5788	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6778.799805	5303.799805	5303.799805	0.933333
2334A	019	2513	0.06	1520	1	65	100	3	6	5	7539	6019	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7036.399902	5516.399902	5516.399902	0.933333
2334A	020	2467	0.06	1275	1	65	100	3	6	5	7401	6126	RH-1(D)	40	form-based		true	true	0.7	5	0.833333313	4	4	6907.600098	5632.600098	5632.600098	0.933333
2335A	006A	2507	0.06	1400	1	65	100	3	6	5	7521	6121	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7019.600098	5619.600098	5619.600098	0.933333
2335A	007	2537	0.06	1650	1	65	100	3	6	5	7611	5961	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7103.600098	5453.600098	5453.600098	0.933333
2334A	025	2553	0.06	914	1	65	100	3	6	5	7659	6745	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7148.399902	6234.399902	6234.399902	0.933333
2334A	026	2470	0.06	1470	1	65	100	3	6	5	7410	5940	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6916	5446	5446	0.933333
2334A	027	2542	0.06	1225	1	65	100	3	6	5	7626	6401	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7117.600098	5892.600098	5892.600098	0.933333
2334A	028	2614	0.06	1725	1	65	100	3	6	5	7842	6117	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7319.199707	5594.199707	5594.199707	0.933333
2334A	037	2615	0.06	1566	1	65	100	3	6	5	7845	6279	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7322	5756	5756	0.933333
2334A	039	2549	0.06	1200	1	65	100	3	6	5	7647	6447	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7137.199707	5937.199707	5937.199707	0.933333
2335A	007A	2566	0.06	1879	1	65	100	3	6	5	7698	5819	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7184.799805	5305.799805	5305.799805	0.933333
2335A	008	2596	0.06	1450	1	65	100	3	6	5	7788	6338	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7268.799805	5818.799805	5818.799805	0.933333
2334B	001	2276	0.05	2998	1	55	80	2.5	4	3	5690	2692	RH-1(D)	40	form-based		true	true	0.7	5	1.25	4	4	6372.799805	3374.799805	3374.799805	1.12
2334B	002	2609	0.06	1000	1	65	100	3	6	5	7827	6827	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7305.199707	6305.199707	6305.199707	0.933333
2334B	003	2599	0.06	1880	1	65	100	3	6	5	7797	5917	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7277.199707	5397.199707	5397.199707	0.933333
2334B	004	2589	0.06	1713	1	65	100	3	6	5	7767	6054	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7249.199707	5536.199707	5536.199707	0.933333
2334B	005	2579	0.06	1605	1	65	100	3	6	5	7737	6132	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7221.199707	5616.199707	5616.199707	0.933333
2334B	006	2569	0.06	2070	1	65	100	3	6	5	7707	5637	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7193.199707	5123.199707	5123.199707	0.933333
2334B	007	2549	0.06	1835	1	65	100	3	6	5	7647	5812	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7137.199707	5302.199707	5302.199707	0.933333
2334B	008	2560	0.06	2158	1	65	100	3	6	5	7680	5522	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7168	5010	5010	0.933333
2334B	009	2584	0.06	1335	1	65	100	3	6	5	7752	6417	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7235.199707	5900.199707	5900.199707	0.933333
2334B	010	2589	0.06	1677	1	65	100	3	6	5	7767	6090	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7249.199707	5572.199707	5572.199707	0.933333
2334B	011	2577	0.06	2246	1	65	100	3	6	5	7731	5485	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7215.600098	4969.600098	4969.600098	0.933333
2334B	012	2584	0.06	2286	1	65	100	3	6	5	7752	5466	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7235.199707	4949.199707	4949.199707	0.933333
2334B	013	2585	0.06	1360	1	65	100	3	6	5	7755	6395	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7238	5878	5878	0.933333
2334B	014	2567	0.06	2303	1	65	100	3	6	5	7701	5398	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	4884.600098	4884.600098	0.933333
2334B	016	2553	0.06	1345	1	65	100	3	6	5	7659	6314	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7148.399902	5803.399902	5803.399902	0.933333
2334B	017	2530	0.06	2209	1	65	100	3	6	5	7590	5381	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7084	4875	4875	0.933333
2334B	018	2503	0.06	1345	1	65	100	3	6	5	7509	6164	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	5663.399902	5663.399902	0.933333
2334B	019	2505	0.06	1248	1	65	100	3	6	5	7515	6267	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7014	5766	5766	0.933333
2334B	026	2617	0.06	2066	1	65	100	3	6	5	7851	5785	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7327.600098	5261.600098	5261.600098	0.933333
2334B	027	2592	0.06	2486	1	65	100	3	6	5	7776	5290	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7257.600098	4771.600098	4771.600098	0.933333
2334B	028	2577	0.06	2101	1	65	100	3	6	5	7731	5630	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7215.600098	5114.600098	5114.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2334B	029	2579	0.06	2190	1	65	100	3	6	5	7737	5547	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7221.199707	5031.199707	5031.199707	0.933333
2334B	030	2560	0.06	1615	1	65	100	3	6	5	7680	6065	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7168	5553	5553	0.933333
2334B	031	2545	0.06	1400	1	65	100	3	6	5	7635	6235	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7126	5726	5726	0.933333
2334B	032	2547	0.06	1472	1	65	100	3	6	5	7641	6169	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7131.600098	5659.600098	5659.600098	0.933333
2334B	033	2564	0.06	2454	1	65	100	3	6	5	7692	5238	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7179.199707	4725.199707	4725.199707	0.933333
2334B	034	2545	0.06	1614	1	65	100	3	6	5	7635	6021	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7126	5512	5512	0.933333
2334B	035	2511	0.06	1685	1	65	100	3	6	5	7533	5848	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7030.799805	5345.799805	5345.799805	0.933333
2334B	036	2493	0.06	1400	1	65	100	3	6	5	7479	6079	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	5580.399902	5580.399902	0.933333
2334B	037	2495	0.06	2075	1	65	100	3	6	5	7485	5410	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6986	4911	4911	0.933333
2334B	038	2502	0.06	2527	1	65	100	3	6	5	7506	4979	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7005.600098	4478.600098	4478.600098	0.933333
2334B	039	2509	0.06	2744	1	65	100	3	6	5	7527	4783	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7025.199707	4281.199707	4281.199707	0.933333
2334B	040	2185	0.05	1590	1	55	80	2.5	4	3	5462	3872	RH-1(D)	40	form-based		true	true	0.7	5	1.25	4	4	6118	4528	4528	1.120103
2335A	015	2250	0.05	1450	1	65	100	3	5	4	6750	5300	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4850	4850	0.933333
2335A	015A	2250	0.05	2246	1	65	100	3	5	4	6750	4504	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4054	4054	0.933333
2335A	015B	2250	0.05	1450	1	65	100	3	5	4	6750	5300	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4850	4850	0.933333
2335A	015D	2449	0.06	1460	1	65	100	3	6	5	7347	5887	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6857.199707	5397.199707	5397.199707	0.933333
2335A	017	2354	0.05	2000	1	65	100	3	5	4	7062	5062	RH-1(D)	40	form-based		true	true	0.7	5	1	4	4	6591.199707	4591.199707	4591.199707	0.933333
2335A	019	2583	0.06	1150	1	65	100	3	6	5	7749	6599	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7232.399902	6082.399902	6082.399902	0.933333
2335A	028	2596	0.06	1448	1	65	100	3	6	5	7788	6340	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7268.799805	5820.799805	5820.799805	0.933333
2335A	029	2587	0.06	2623	1	65	100	3	6	5	7761	5138	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7243.600098	4620.600098	4620.600098	0.933333
2335A	030	2597	0.06	2093	1	65	100	3	6	5	7791	5698	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7271.600098	5178.600098	5178.600098	0.933333
2335A	034	2362	0.05	1326	1	65	100	3	5	4	7086	5760	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6613.600098	5287.600098	5287.600098	0.933333
2335A	035	2385	0.05	2302	1	65	100	3	5	4	7155	4853	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6678	4376	4376	0.933333
2336	026A	2500	0.06	1665	1	55	80	2.5	5	4	6250	4585	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5335	5335	1.12
2337	001	2347	0.05	1535	1	55	80	2.5	4	3	5868	4333	RH-1	40	form-based			true	0.7	5	1.25	4	4	6571.600098	5036.600098	5036.600098	1.119905
2338	014	2502	0.06	1315	1	55	80	2.5	5	4	6255	4940	RH-1	40	form-based		true	true	0.7	5	1	4	4	7005.600098	5690.600098	5690.600098	1.12
2338	016	2502	0.06	1202	1	55	80	2.5	5	4	6255	5053	RH-1	40	form-based			true	0.7	5	1	4	4	7005.600098	5803.600098	5803.600098	1.12
2338	017	2552	0.06	1900	1	55	80	2.5	5	4	6380	4480	RH-1	40	form-based			true	0.7	5	1	4	4	7145.600098	5245.600098	5245.600098	1.12
2340	002A	2333	0.05	1050	1	65	100	3	5	4	6999	5949	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6532.399902	5482.399902	5482.399902	0.933333
2340	003A	2333	0.05	1332	1	65	100	3	5	4	6999	5667	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6532.399902	5200.399902	5200.399902	0.933333
2340	006	2231	0.05	1489	1	65	100	3	5	4	6693	5204	RH-1(D)	40	form-based		true	true	0.7	5	1	4	4	6246.799805	4757.799805	4757.799805	0.933333
2343	017	1781	0.04	3195	3	85	140	4	6	3	7124	3929	NCD-INNE	65	form-based			true	0.75	7	1.166666627	4	4	8014.5	4819.5	4819.5	1.125
2344A	003	2439	0.06	1777	1	65	100	3	6	5	7317	5540	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6829.199707	5052.199707	5052.199707	0.933333
2344A	004	2454	0.06	1566	1	65	100	3	6	5	7362	5796	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6871.199707	5305.199707	5305.199707	0.933333
2344A	005	2470	0.06	1250	1	65	100	3	6	5	7410	6160	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6916	5666	5666	0.933333
2344A	006	2486	0.06	1400	1	65	100	3	6	5	7458	6058	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6960.799805	5560.799805	5560.799805	0.933333
2344A	007	2502	0.06	2365	1	65	100	3	6	5	7506	5141	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7005.600098	4640.600098	4640.600098	0.933333
2344A	008	2517	0.06	1536	1	65	100	3	6	5	7551	6015	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7047.600098	5511.600098	5511.600098	0.933333
2344A	009	2533	0.06	2818	1	65	100	3	6	5	7599	4781	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7092.399902	4274.399902	4274.399902	0.933333
2344A	010	2594	0.06	1629	1	65	100	3	6	5	7782	6153	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7263.199707	5634.199707	5634.199707	0.933333
2344A	014	2465	0.06	1825	1	65	100	3	6	5	7395	5570	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6902	5077	5077	0.933333
2344A	015	2535	0.06	2706	1	65	100	3	6	5	7605	4899	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7098	4392	4392	0.933333
2344A	020	2625	0.06	2250	2	65	100	3	6	4	7875	5625	RH-1(D)	40	form-based			true	0.7	6	1	4	4	7350	5100	5100	0.933333
2344B	018	2460	0.06	1850	1	65	100	3	6	5	7380	5530	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6888	5038	5038	0.933333
2344A	026	2609	0.06	2109	1	65	100	3	6	5	7827	5718	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7305.199707	5196.199707	5196.199707	0.933333
2344A	027	2382	0.05	1325	1	65	100	3	5	4	7146	5821	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6669.600098	5344.600098	5344.600098	0.933333
2344A	028	2324	0.05	1275	1	65	100	3	5	4	6972	5697	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6507.199707	5232.199707	5232.199707	0.933333
2344A	029	2478	0.06	1325	1	65	100	3	6	5	7434	6109	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6938.399902	5613.399902	5613.399902	0.933333
2344A	033	2593	0.06	1375	1	65	100	3	6	5	7779	6404	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7260.399902	5885.399902	5885.399902	0.933333
2344A	034	2527	0.06	1200	1	65	100	3	6	5	7581	6381	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7075.600098	5875.600098	5875.600098	0.933333
2344A	035	2432	0.06	2066	1	65	100	3	6	5	7296	5230	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6809.600098	4743.600098	4743.600098	0.933333
2344A	036	2310	0.05	1450	1	65	100	3	5	4	6930	5480	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6468	5018	5018	0.933333
2344B	016	2239	0.05	2700	1	65	100	3	5	4	6717	4017	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6269.199707	3569.199707	3569.199707	0.933333
2344B	017	2361	0.05	1275	1	65	100	3	5	4	7083	5808	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6610.799805	5335.799805	5335.799805	0.933333
2344B	001	2254	0.05	1250	1	65	100	3	5	4	6762	5512	RH-1(D)	40	form-based		true	true	0.7	5	1	4	4	6311.199707	5061.199707	5061.199707	0.933333
2344B	002	2437	0.06	2194	1	65	100	3	6	5	7311	5117	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6823.600098	4629.600098	4629.600098	0.933333
2344B	003	2316	0.05	1287	1	65	100	3	5	4	6948	5661	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6484.799805	5197.799805	5197.799805	0.933333
2344B	004	2223	0.05	1550	1	65	100	3	5	4	6669	5119	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6224.399902	4674.399902	4674.399902	0.933333
2344B	005	2155	0.05	1807	1	65	100	3	5	4	6465	4658	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6034	4227	4227	0.933333
2344B	009	2147	0.05	1200	1	65	100	3	5	4	6441	5241	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6011.600098	4811.600098	4811.600098	0.933333
2344B	015	2155	0.05	1475	1	65	100	3	5	4	6465	4990	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6034	4559	4559	0.933333
2344B	019	2535	0.06	1224	1	65	100	3	6	5	7605	6381	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7098	5874	5874	0.933333
2344B	020	2585	0.06	1744	1	65	100	3	6	5	7755	6011	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7238	5494	5494	0.933333
2344B	021	2271	0.05	2451	1	65	100	3	5	4	6813	4362	RH-1(D)	40	form-based		true	true	0.7	5	1	4	4	6358.799805	3907.799805	3907.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2345A	002	2339	0.05	1425	1	65	100	3	5	4	7017	5592	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6549.199707	5124.199707	5124.199707	0.933333
2345A	003	2381	0.05	1270	1	65	100	3	5	4	7143	5873	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6666.799805	5396.799805	5396.799805	0.933333
2345A	004	2447	0.06	1605	1	65	100	3	6	5	7341	5736	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6851.600098	5246.600098	5246.600098	0.933333
2345A	005	2443	0.06	1575	1	65	100	3	6	5	7329	5754	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6840.399902	5265.399902	5265.399902	0.933333
2345A	007	2259	0.05	1882	1	65	100	3	5	4	6777	4895	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6325.199707	4443.199707	4443.199707	0.933333
2345A	008	2332	0.05	1730	1	65	100	3	5	4	6996	5266	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6529.600098	4799.600098	4799.600098	0.933333
2345A	009	2388	0.05	2087	1	65	100	3	5	4	7164	5077	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6686.399902	4599.399902	4599.399902	0.933333
2345A	010	2491	0.06	1250	1	65	100	3	6	5	7473	6223	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6974.799805	5724.799805	5724.799805	0.933333
2345A	031	2282	0.05	1771	1	65	100	3	5	4	6846	5075	RH-1	40	form-based			true	0.7	5	1	4	4	6389.600098	4618.600098	4618.600098	0.933333
2345A	032A	2431	0.06	3776	1	65	100	3	6	5	7293	3517	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6806.799805	3030.799805	3030.799805	0.933333
2345A	034	2474	0.06	2045	1	65	100	3	6	5	7422	5377	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6927.199707	4882.199707	4882.199707	0.933333
2348	039	1537	0.04	2330	2	65	100	3	4	2	4611	2281	RTO-C	65	form-based	true	true	0.75	6	1.5	4	4	6916.5	4586.5	4586.5	1.5
2348	039A	1537	0.04	2294	2	65	100	3	4	2	4611	2317	RTO-C	65	form-based		true	0.75	6	1.5	4	4	6916.5	4622.5	4622.5	1.5
2350	002	3379	0.08	3388	3	65	100	3	8	5	10137	6749	RH-2	40	form-based			true	0.7	7	0.875	4	4	9461.200195	6073.200195	6073.200195	0.933333
2350	002A	2989	0.07	3500	2	65	100	3	7	5	8967	5467	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4869.200195	4869.200195	0.933333
2350	003	2989	0.07	3481	2	65	100	3	7	5	8967	5486	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	4888.200195	4888.200195	0.933333
2350	007	2988	0.07	2233	2	65	100	3	7	5	8964	6731	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8366.399414	6133.399414	6133.399414	0.933333
2350	010	2988	0.07	2850	2	65	100	3	7	5	8964	6114	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8366.399414	5516.399414	5516.399414	0.933333
2350	011	2988	0.07	2880	2	65	100	3	7	5	8964	6084	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8366.399414	5486.399414	5486.399414	0.933333
2350	012	2987	0.07	3150	2	65	100	3	7	5	8961	5811	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8363.599609	5213.599609	5213.599609	0.933333
2350	015	2987	0.07	3996	2	85	140	4	10	8	11948	7952	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8363.599609	4367.599609	4367.599609	0.7
2350	028	3180	0.07	3272	3	65	100	3	7	4	9540	6268	RM-1	40	form-based			true	0.7	7	1	4	4	8904	5632	5632	0.933333
2350	031A	3000	0.07	2750	2	65	100	3	7	5	9000	6250	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5650	5650	0.933333
2350	032	3000	0.07	3100	2	65	100	3	7	5	9000	5900	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5300	5300	0.933333
2350	037	2684	0.06	2904	2	65	100	3	6	4	8052	5148	RM-1	40	form-based			true	0.7	6	1	4	4	7515.199707	4611.199707	4611.199707	0.933333
2350	038	2989	0.07	1223	2	65	100	3	7	5	8967	7744	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	7146.200195	7146.200195	0.933333
2353	001B	2636	0.06	3150	2	65	100	3	6	4	7908	4758	RH-2	40	form-based			true	0.7	6	1	4	4	7380.799805	4230.799805	4230.799805	0.933333
2353	005	3006	0.07	3550	2	65	100	3	7	5	9018	5468	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	4866.799805	4866.799805	0.933333
2353	015	3000	0.07	3600	2	65	100	3	7	5	9000	5400	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	4800	4800	0.933333
2353	016	3000	0.07	3600	2	65	100	3	7	5	9000	5400	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	4800	4800	0.933333
2353	025	2350	0.05	2079	1	65	100	3	5	4	7050	4971	RH-1	40	form-based			true	0.7	5	1	4	4	6580	4501	4501	0.933333
2353	026	2350	0.05	1520	1	65	100	3	5	4	7050	5530	RH-1	40	form-based			true	0.7	5	1	4	4	6580	5060	5060	0.933333
2353	027	2350	0.05	1520	1	65	100	3	5	4	7050	5530	RH-1	40	form-based			true	0.7	5	1	4	4	6580	5060	5060	0.933333
2353	028	2350	0.05	1568	1	65	100	3	5	4	7050	5482	RH-1	40	form-based	true	true	0.7	5	1	4	4	6580	5012	5012	0.933333
2353	029	2600	0.06	1470	1	65	100	3	6	5	7800	6330	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7280	5810	5810	0.933333
2353	031	3005	0.07	885	2	65	100	3	7	5	9015	8130	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8414	7529	7529	0.933333
2353	033	2637	0.06	1155	2	65	100	3	6	4	7911	6756	RH-2	40	form-based			true	0.7	6	1	4	4	7383.600098	6228.600098	6228.600098	0.933333
2354	001	2397	0.06	2021	1	65	100	3	6	5	7191	5170	RH-1	40	form-based	true	true	0.7	5	0.833333313	4	4	4	6711.600098	4690.600098	4690.600098	0.933333
2354	001A	2397	0.06	1385	1	65	100	3	6	5	7191	5806	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6711.600098	5326.600098	5326.600098	0.933333
2354	001B	2397	0.06	1450	1	65	100	3	6	5	7191	5741	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6711.600098	5261.600098	5261.600098	0.933333
2354	001C	2397	0.06	1425	1	65	100	3	6	5	7191	5766	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6711.600098	5286.600098	5286.600098	0.933333
2354	003	3095	0.07	2253	2	65	100	3	7	5	9285	7032	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8666	6413	6413	0.933333
2354	006	3000	0.07	1940	2	85	140	4	10	8	12000	10060	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	6460	6460	0.7
2354	031	2357	0.05	1795	1	65	100	3	5	4	7071	5276	RH-1	40	form-based			true	0.7	5	1	4	4	6599.600098	4804.600098	4804.600098	0.933333
2354	032	2358	0.05	2055	1	65	100	3	5	4	7074	5019	RH-1	40	form-based			true	0.7	5	1	4	4	6602.399902	4547.399902	4547.399902	0.933333
2354	033	2358	0.05	1250	1	65	100	3	5	4	7074	5824	RH-1	40	form-based			true	0.7	5	1	4	4	6602.399902	5352.399902	5352.399902	0.933333
2354	034	2433	0.06	1970	1	65	100	3	6	5	7299	5329	RH-1	40	form-based	true	true	0.7	5	0.833333313	4	4	4	6812.399902	4842.399902	4842.399902	0.933333
2355	001	2500	0.06	1936	1	65	100	3	6	5	7500	5564	RH-1	40	form-based	true	true	0.7	5	0.833333313	4	4	4	7000	5064	5064	0.933333
2355	001A	2444	0.06	1375	1	65	100	3	6	5	7332	5957	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6843.199707	5468.199707	5468.199707	0.933333
2355	001B	2444	0.06	1518	1	65	100	3	6	5	7332	5814	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6843.199707	5325.199707	5325.199707	0.933333
2355	001C	2444	0.06	1375	1	65	100	3	6	5	7332	5957	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6843.199707	5468.199707	5468.199707	0.933333
2355	001K	3084	0.07	1890	2	65	100	3	7	5	9252	7362	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8635.200195	6745.200195	6745.200195	0.933333
2355	007	3000	0.07	4081	2	85	140	4	10	8	12000	7919	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	4319	4319	0.7
2355	014	3007	0.07	1856	2	85	140	4	10	8	12028	10172	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8419.599609	6563.599609	6563.599609	0.7
2355	029	2363	0.05	1135	1	65	100	3	5	4	7089	5954	RH-1	40	form-based			true	0.7	5	1	4	4	6616.399902	5481.399902	5481.399902	0.933333
2355	030	2363	0.05	1135	1	65	100	3	5	4	7089	5954	RH-1	40	form-based			true	0.7	5	1	4	4	6616.399902	5481.399902	5481.399902	0.933333
2355	031	2364	0.05	1180	1	65	100	3	5	4	7092	5912	RH-1	40	form-based			true	0.7	5	1	4	4	6619.199707	5439.199707	5439.199707	0.933333
2355	032	2428	0.06	1200	1	65	100	3	6	5	7284	6084	RH-1	40	form-based	true	true	0.7	5	0.833333313	4	4	4	6798.399902	5598.399902	5598.399902	0.933333
2356	033	2547	0.06	1360	1	65	100	3	6	5	7641	6281	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7131.600098	5771.600098	5771.600098	0.933333
2357	020A	3008	0.07	2360	2	65	100	3	7	5	9024	6664	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8422.399414	6062.399414	6062.399414	0.933333
2357	033B	2580	0.06	2100	1	65	100	3	6	5	7740	5640	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7224	5124	5124	0.933333
2358	001	2543	0.06	1530	1	65	100	3	6	5	7629	6099	RH-1	40	form-based	true	true	0.7	5	0.833333313	4	4	4	7120.399902	5590.399902	5590.399902	0.933333
2358	001H	2180	0.05	1136	1	65	100	3	5	4	6540	5404	RH-1	40	form-based			true	0.7	5	1	4	4	6104	4968	4968	0.933333
2358	033A	2546	0.06	1125	1	65	100	3	6	5	7638	6513	RH-1	40	form-based	true	true	0.7	5	0.833333313	4	4	4	7128.799805	6003.799805	6003.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2358	033B	2160	0.05	1468	1	65	100	3	5	4	6480	5012	RH-1	40	form-based			true	0.7	5	1	4	4	6048	4580	4580	0.933333
2359	001	2550	0.06	2017	1	65	100	3	6	5	7650	5633	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7140	5123	5123	0.933333
2359	001M	2325	0.05	1370	1	65	100	3	5	4	6975	5605	RH-1	40	form-based			true	0.7	5	1	4	4	6510	5140	5140	0.933333
2359	001N	2150	0.05	1370	1	65	100	3	5	4	6450	5080	RH-1	40	form-based			true	0.7	5	1	4	4	6020	4650	4650	0.933333
2359	002J	3000	0.07	1839	2	65	100	3	7	5	9000	7161	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6561	6561	0.933333
2360	001	2487	0.06	1200	1	65	100	3	6	5	7461	6261	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6963.600098	5763.600098	5763.600098	0.933333
2360	001M	2406	0.06	1228	1	65	100	3	6	5	7218	5990	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6736.799805	5508.799805	5508.799805	0.933333
2360	001N	2150	0.05	1898	1	65	100	3	5	4	6450	4552	RH-1	40	form-based			true	0.7	5	1	4	4	6020	4122	4122	0.933333
2360	006	3017	0.07	2138	2	65	100	3	7	5	9051	6913	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8447.599609	6309.599609	6309.599609	0.933333
2360	011	3018	0.07	1871	2	85	140	4	10	8	12072	10201	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8450.399414	6579.399414	6579.399414	0.7
2361	001B	2862	0.07	2050	2	65	100	3	7	5	8586	6536	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8013.600098	5963.600098	5963.600098	0.933333
2361	001K	2470	0.06	1102	1	65	100	3	6	5	7410	6308	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6916	5814	5814	0.933333
2361	001L	2150	0.05	1229	1	65	100	3	5	4	6450	5221	RH-1	40	form-based			true	0.7	5	1	4	4	6020	4791	4791	0.933333
2361	001M	2250	0.05	2146	1	65	100	3	5	4	6750	4604	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4154	4154	0.933333
2362	042	2500	0.06	1024	1	65	100	3	6	5	7500	6476	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5976	5976	0.933333
2362	043	2500	0.06	1425	1	65	100	3	6	5	7500	6075	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5575	5575	0.933333
2363	001	2482	0.06	2285	1	65	100	3	6	5	7446	5161	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6949.600098	4664.600098	4664.600098	0.933333
2363	001A	2482	0.06	1500	1	65	100	3	6	5	7446	5946	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6949.600098	5449.600098	5449.600098	0.933333
2363	001B	2482	0.06	1720	1	65	100	3	6	5	7446	5726	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6949.600098	5229.600098	5229.600098	0.933333
2363	001C	2463	0.06	1722	1	65	100	3	6	5	7389	5667	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6896.399902	5174.399902	5174.399902	0.933333
2363	037	2350	0.05	1600	1	65	100	3	5	4	7050	5450	RH-1	40	form-based			true	0.7	5	1	4	4	6580	4980	4980	0.933333
2363	037A	2350	0.05	2610	1	65	100	3	5	4	7050	4440	RH-1	40	form-based			true	0.7	5	1	4	4	6580	3970	3970	0.933333
2363	037B	2350	0.05	1450	1	65	100	3	5	4	7050	5600	RH-1	40	form-based			true	0.7	5	1	4	4	6580	5130	5130	0.933333
2363	037C	2350	0.05	1570	1	65	100	3	5	4	7050	5480	RH-1	40	form-based		true	true	0.7	5	1	4	4	6580	5010	5010	0.933333
2363	038	2600	0.06	1350	1	65	100	3	6	5	7800	6450	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7280	5930	5930	0.933333
2364	043	2376	0.05	2114	1	65	100	3	5	4	7128	5014	RH-1	40	form-based			true	0.7	5	1	4	4	6652.799805	4538.799805	4538.799805	0.933333
2364	044	2376	0.05	1815	1	65	100	3	5	4	7128	5313	RH-1	40	form-based			true	0.7	5	1	4	4	6652.799805	4837.799805	4837.799805	0.933333
2364	045	2377	0.05	1150	1	65	100	3	5	4	7131	5981	RH-1	40	form-based			true	0.7	5	1	4	4	6655.600098	5505.600098	5505.600098	0.933333
2364	046	2377	0.05	1250	1	65	100	3	5	4	7131	5881	RH-1	40	form-based		true	true	0.7	5	1	4	4	6655.600098	5405.600098	5405.600098	0.933333
2366	004	2299	0.05	1350	1	65	100	3	5	4	6897	5547	RH-1	40	form-based			true	0.7	5	1	4	4	6437.199707	5087.199707	5087.199707	0.933333
2366	045	2500	0.06	1310	1	65	100	3	6	5	7500	6190	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5690	5690	0.933333
2367	031	2500	0.06	1580	1	65	100	3	6	5	7500	5920	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5420	5420	0.933333
2367	032	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5750	5750	0.933333
2367	033	2500	0.06	1900	1	65	100	3	6	5	7500	5600	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5100	5100	0.933333
2368	033	2500	0.06	1449	1	65	100	3	6	5	7500	6051	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5551	5551	0.933333
2368	034	2511	0.06	1449	1	65	100	3	6	5	7533	6084	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7030.799805	5581.799805	5581.799805	0.933333
2368	035	2489	0.06	1449	1	65	100	3	6	5	7467	6018	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6969.199707	5520.199707	5520.199707	0.933333
2368	036	2500	0.06	2318	1	65	100	3	6	5	7500	5182	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4682	4682	0.933333
2369	031	2500	0.06	1012	1	65	100	3	6	5	7500	6488	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5988	5988	0.933333
2369	032	2500	0.06	1416	1	65	100	3	6	5	7500	6084	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5584	5584	0.933333
2369	033	2500	0.06	1512	1	65	100	3	6	5	7500	5988	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5488	5488	0.933333
2369	034	2500	0.06	1759	1	65	100	3	6	5	7500	5741	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5241	5241	0.933333
2370	068	3000	0.07	2635	2	65	100	3	7	5	9000	6365	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5765	5765	0.933333
2371	027	2500	0.06	962	1	65	100	3	6	5	7500	6538	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6038	6038	0.933333
2371	027A	2500	0.06	962	1	65	100	3	6	5	7500	6538	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6038	6038	0.933333
2371	027B	2500	0.06	962	1	65	100	3	6	5	7500	6538	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6038	6038	0.933333
2371	028	2500	0.06	2016	1	65	100	3	6	5	7500	5484	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4984	4984	0.933333
2372	044	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
2372	045	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
2372	046	2500	0.06	1418	1	65	100	3	6	5	7500	6082	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5582	5582	0.933333
2373	045	2500	0.06	1764	1	65	100	3	6	5	7500	5736	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5236	5236	0.933333
2373	046	2500	0.06	1569	1	65	100	3	6	5	7500	5931	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5431	5431	0.933333
2373	047	2500	0.06	1291	1	65	100	3	6	5	7500	6209	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5709	5709	0.933333
2373	048	2500	0.06	1816	1	65	100	3	6	5	7500	5684	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5184	5184	0.933333
2373	049	2500	0.06	1645	1	65	100	3	6	5	7500	5855	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5355	5355	0.933333
2374	038	2500	0.06	1306	1	65	100	3	6	5	7500	6194	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5694	5694	0.933333
2374	039	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6050	6050	0.933333
2374	040	2500	0.06	1038	1	65	100	3	6	5	7500	6462	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5962	5962	0.933333
2375	035	3003	0.07	1929	2	65	100	3	7	5	9009	7080	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8408.399414	6479.399414	6479.399414	0.933333
2375	043	2500	0.06	1162	1	65	100	3	6	5	7500	6338	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5838	5838	0.933333
2375	044	2500	0.06	2521	1	65	100	3	6	5	7500	4979	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4479	4479	0.933333
2375	045	2500	0.06	1162	1	65	100	3	6	5	7500	6338	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5838	5838	0.933333
2375	051	2500	0.06	1607	1	65	100	3	6	5	7500	5893	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5393	5393	0.933333
2375	052	2500	0.06	1607	1	65	100	3	6	5	7500	5893	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5393	5393	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2375	053	2500	0.06	1607	1	65	100	3	6	5	7500	5893	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5393	5393	0.933333
2376	007	2525	0.06	1918	1	65	100	3	6	5	7575	5657	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7070	5152	5152	0.933333
2376	008	2525	0.06	1806	1	65	100	3	6	5	7575	5769	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7070	5264	5264	0.933333
2376	046	2520	0.06	1403	1	65	100	3	6	5	7560	6157	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7056	5653	5653	0.933333
2376	047	2605	0.06	1609	1	65	100	3	6	5	7815	6206	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7294	5685	5685	0.933333
2377	001	2483	0.06	1367	1	65	100	3	6	5	7449	6082	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6952.399902	5585.399902	5585.399902	0.933333
2378	006	2250	0.05	883	1	65	100	3	5	4	6750	5867	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5417	5417	0.933333
2378	007	2375	0.05	1000	1	65	100	3	5	4	7125	6125	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5650	5650	0.933333
2378	009B	2500	0.06	1220	1	65	100	3	6	5	7500	6280	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5780	5780	0.933333
2378	016	2375	0.05	1547	1	65	100	3	5	4	7125	5578	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5103	5103	0.933333
2378	017	2375	0.05	1075	1	65	100	3	5	4	7125	6050	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5575	5575	0.933333
2378	018	2375	0.05	1075	1	65	100	3	5	4	7125	6050	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5575	5575	0.933333
2378	019	2375	0.05	1075	1	65	100	3	5	4	7125	6050	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5575	5575	0.933333
2378	020	2375	0.05	2575	1	65	100	3	5	4	7125	4550	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4075	4075	0.933333
2378	021	2375	0.05	1991	1	65	100	3	5	4	7125	5134	RH-1	40	form-based		true	true	0.7	5	1	4	4	6650	4659	4659	0.933333
2378	022	2500	0.06	1301	1	65	100	3	6	5	7500	6199	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5699	5699	0.933333
2378	026	2433	0.06	1050	1	65	100	3	6	5	7299	6249	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	6812.399902	5762.399902	5762.399902	0.933333
2378	027	3058	0.07	2150	2	65	100	3	7	5	9174	7024	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8562.399414	6412.399414	6412.399414	0.933333
2378	028	3682	0.08	3819	4	65	100	3	8	4	11046	7227	RM-1	40	form-based			true	0.7	8	1	4	4	10309.59961	6490.599609	6490.599609	0.933333
2378	032	3000	0.07	2150	2	65	100	3	7	5	9000	6850	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6250	6250	0.933333
2378	044A	2593	0.06	1330	1	65	100	3	6	5	7779	6449	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7260.399902	5930.399902	5930.399902	0.933333
2378	046	2592	0.06	1976	1	65	100	3	6	5	7776	5800	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	7257.600098	5281.600098	5281.600098	0.933333
2378	061	3000	0.07	1075	2	65	100	3	7	5	9000	7925	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	7325	7325	0.933333
2378	063	3000	0.07	1034	2	65	100	3	7	5	9000	7966	RM-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	7366	7366	0.933333
2379	019	2430	0.06	1037	1	85	140	4	8	7	9720	8683	RH-1	40	form-based		true	true	0.7	5	0.625	4	4	6804	5767	5767	0.7
2379	020A	2500	0.06	1274	1	85	140	4	8	7	10000	8726	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	5726	5726	0.7
2379	021	2500	0.06	1214	1	85	140	4	8	7	10000	8786	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	5786	5786	0.7
2379	022	2500	0.06	1214	1	85	140	4	8	7	10000	8786	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	5786	5786	0.7
2379	022A	2500	0.06	1001	1	85	140	4	8	7	10000	8999	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	5999	5999	0.7
2380	020	2500	0.06	875	1	85	140	4	8	7	10000	9125	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	6125	6125	0.7
2380	021	2500	0.06	875	1	85	140	4	8	7	10000	9125	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	6125	6125	0.7
2380	022	2500	0.06	875	1	85	140	4	8	7	10000	9125	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	6125	6125	0.7
2380	023	2500	0.06	875	1	85	140	4	8	7	10000	9125	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	6125	6125	0.7
2381	020	2500	0.06	1095	1	65	100	3	6	5	7500	6405	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5905	5905	0.933333
2381	021	2500	0.06	995	1	65	100	3	6	5	7500	6505	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6005	6005	0.933333
2381	022	2500	0.06	995	1	65	100	3	6	5	7500	6505	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6005	6005	0.933333
2381	023	2500	0.06	1199	1	65	100	3	6	5	7500	6301	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5801	5801	0.933333
2381	024	2500	0.06	1325	1	65	100	3	6	5	7500	6175	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5675	5675	0.933333
2381	027A	3000	0.07	1463	2	65	100	3	7	5	9000	7537	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6937	6937	0.933333
2382	004J	2500	0.06	1014	1	65	100	3	6	5	7500	6486	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5986	5986	0.933333
2382	004K	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5725	5725	0.933333
2382	004L	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5725	5725	0.933333
2383	018	2500	0.06	1353	1	65	100	3	6	5	7500	6147	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5647	5647	0.933333
2383	019	2500	0.06	1186	1	65	100	3	6	5	7500	6314	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5814	5814	0.933333
2383	020	2500	0.06	995	1	65	100	3	6	5	7500	6505	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6005	6005	0.933333
2383	021	2500	0.06	1048	1	65	100	3	6	5	7500	6452	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5952	5952	0.933333
2383	021A	2500	0.06	1870	1	65	100	3	6	5	7500	5630	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5130	5130	0.933333
2383	021B	2500	0.06	1315	1	65	100	3	6	5	7500	6185	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5685	5685	0.933333
2384	014	2500	0.06	1329	1	65	100	3	6	5	7500	6171	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5671	5671	0.933333
2384	015	2500	0.06	995	1	65	100	3	6	5	7500	6505	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6005	6005	0.933333
2384	016	2500	0.06	995	1	65	100	3	6	5	7500	6505	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6005	6005	0.933333
2384	024	3000	0.07	2078	2	65	100	3	7	5	9000	6922	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6322	6322	0.933333
2385	019	2500	0.06	1205	1	65	100	3	6	5	7500	6295	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5795	5795	0.933333
2385	020	2500	0.06	937	1	65	100	3	6	5	7500	6563	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6063	6063	0.933333
2385	021	2500	0.06	937	1	65	100	3	6	5	7500	6563	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6063	6063	0.933333
2386	019	2600	0.06	1910	1	65	100	3	6	5	7800	5890	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7280	5370	5370	0.933333
2386	020	2600	0.06	1200	1	65	100	3	6	5	7800	6600	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7280	6080	6080	0.933333
2386	021	2600	0.06	1300	1	65	100	3	6	5	7800	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7280	5980	5980	0.933333
2386	022	2600	0.06	1300	1	65	100	3	6	5	7800	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7280	5980	5980	0.933333
2387	001	1438	0.03	2524	4	65	100	3	3	0	4314	1790	RTO-C	85	form-based	true	true	true	0.75	8	2.666666746	4	2	8628	6104	6104	2
2387	057	2600	0.06	2690	1	65	100	3	6	5	7800	5110	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7280	4590	4590	0.933333
2387	061	2179	0.05	2020	1	65	100	3	5	4	6537	4517	RH-1	40	form-based		true	true	0.7	5	1	4	4	6101.199707	4081.199707	4081.199707	0.933333
2388	015	2178	0.05	1949	1	65	100	3	5	4	6534	4585	RH-1	40	form-based		true	true	0.7	5	1	4	4	6098.399902	4149.399902	4149.399902	0.933333
2388	015A	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5550	5550	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2388	016	2500	0.06	1214	1	65	100	3	6	5	7500	6286	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5786	5786	0.933333
2388	017	2500	0.06	1725	1	65	100	3	6	5	7500	5775	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5275	5275	0.933333
2390	017A	2181	0.05	1300	1	65	100	3	5	4	6543	5243	RH-1	40	form-based		true	true	0.7	5	1	4	4	6106.799805	4806.799805	4806.799805	0.933333
2390	018	2500	0.06	1325	1	65	100	3	6	5	7500	6175	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5675	5675	0.933333
2390	019	2500	0.06	1325	1	65	100	3	6	5	7500	6175	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5675	5675	0.933333
2390	020	2500	0.06	1928	1	65	100	3	6	5	7500	5572	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5072	5072	0.933333
2390	021	2500	0.06	1896	1	65	100	3	6	5	7500	5604	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5104	5104	0.933333
2390	022	2500	0.06	2401	1	65	100	3	6	5	7500	5099	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4599	4599	0.933333
2391	019	2500	0.06	1090	1	65	100	3	6	5	7500	6410	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5910	5910	0.933333
2391	020	2500	0.06	1215	1	65	100	3	6	5	7500	6285	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5785	5785	0.933333
2391	021	2500	0.06	1075	1	65	100	3	6	5	7500	6425	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5925	5925	0.933333
2391	022	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5975	5975	0.933333
2392	018	2500	0.06	1680	1	65	100	3	6	5	7500	5820	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5320	5320	0.933333
2392	018A	2500	0.06	1850	1	65	100	3	6	5	7500	5650	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5150	5150	0.933333
2392	018B	2500	0.06	1375	1	65	100	3	6	5	7500	6125	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5625	5625	0.933333
2392	018C	2500	0.06	2124	1	65	100	3	6	5	7500	5376	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4876	4876	0.933333
2392	019	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5550	5550	0.933333
2393	022	2533	0.06	2291	1	65	100	3	6	5	7599	5308	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7092.399902	4801.399902	4801.399902	0.933333
2393	023	2500	0.06	2870	1	65	100	3	6	5	7500	4630	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4130	4130	0.933333
2395	018	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5650	5650	0.933333
2395	019	2500	0.06	1382	1	65	100	3	6	5	7500	6118	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5618	5618	0.933333
2395	020	2500	0.06	1225	1	65	100	3	6	5	7500	6275	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5775	5775	0.933333
2395	021	2500	0.06	1235	1	65	100	3	6	5	7500	6265	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5765	5765	0.933333
2395	022	2500	0.06	1318	1	65	100	3	6	5	7500	6182	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5682	5682	0.933333
2395	023	2500	0.06	2205	1	65	100	3	6	5	7500	5295	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4795	4795	0.933333
2395	041	2500	0.06	2769	1	65	100	3	6	5	7500	4731	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4231	4231	0.933333
2396	014	2500	0.06	2005	1	65	100	3	6	5	7500	5495	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4995	4995	0.933333
2396	015	2500	0.06	1537	1	65	100	3	6	5	7500	5963	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5463	5463	0.933333
2396	016	2500	0.06	1786	1	65	100	3	6	5	7500	5714	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5214	5214	0.933333
2396	017	2500	0.06	1433	1	65	100	3	6	5	7500	6067	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5567	5567	0.933333
2396	018	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5550	5550	0.933333
2396	019	2500	0.06	1325	1	65	100	3	6	5	7500	6175	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5675	5675	0.933333
2396	020	2500	0.06	2193	1	65	100	3	6	5	7500	5307	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4807	4807	0.933333
2396	037	1459	0.03	2947	4	85	140	4	4	0	5836	2889	NCD-TARA	85	form-based		true	true	0.75	8	2	4	4	8754	5807	5807	1.5
2397	017	2500	0.06	1930	1	65	100	3	6	5	7500	5570	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5070	5070	0.933333
2397	018	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5850	5850	0.933333
2398	017	2440	0.06	1178	1	65	100	3	6	5	7320	6142	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6832	5654	5654	0.933333
2398	018	2440	0.06	1828	1	65	100	3	6	5	7320	5492	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6832	5004	5004	0.933333
2398	019	2440	0.06	1900	1	65	100	3	6	5	7320	5420	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6832	4932	4932	0.933333
2398	022	2500	0.06	1874	1	65	100	3	6	5	7500	5626	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5126	5126	0.933333
2398	023	2500	0.06	2200	1	65	100	3	6	5	7500	5300	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4800	4800	0.933333
2399	001	1438	0.03	2618	4	85	140	4	4	0	5752	3134	NCD-TARA	85	form-based		true	true	0.75	8	2	4	4	8628	6010	6010	1.5
2399	020	2500	0.06	1618	1	65	100	3	6	5	7500	5882	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5382	5382	0.933333
2399	020A	2500	0.06	1199	1	65	100	3	6	5	7500	6301	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5801	5801	0.933333
2399	021	2500	0.06	1390	1	65	100	3	6	5	7500	6110	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5610	5610	0.933333
2400	021	2500	0.06	1325	1	65	100	3	6	5	7500	6175	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5675	5675	0.933333
2400	022	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5850	5850	0.933333
2400	022A	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5900	5900	0.933333
2401	016	2500	0.06	1120	1	65	100	3	6	5	7500	6380	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5880	5880	0.933333
2401	017	2500	0.06	2870	1	65	100	3	6	5	7500	4630	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4130	4130	0.933333
2401	018	2500	0.06	2137	1	65	100	3	6	5	7500	5363	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4863	4863	0.933333
2401	019	2500	0.06	1520	1	65	100	3	6	5	7500	5980	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5480	5480	0.933333
2401	020	2500	0.06	1340	1	65	100	3	6	5	7500	6160	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5660	5660	0.933333
2402	002A	3007	0.07	2150	2	85	140	4	10	8	12028	9878	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8419.599609	6269.599609	6269.599609	0.7
2402	002C	3006	0.07	1880	2	65	100	3	7	5	9018	7138	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8416.799805	6536.799805	6536.799805	0.933333
2402	013A	2500	0.06	2295	1	65	100	3	6	5	7500	5205	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4705	4705	0.933333
2402	014	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5850	5850	0.933333
2402	014A	2500	0.06	1119	1	65	100	3	6	5	7500	6381	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5881	5881	0.933333
2402	015	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5850	5850	0.933333
2403	018	2500	0.06	1795	1	65	100	3	6	5	7500	5705	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5205	5205	0.933333
2403	019	2500	0.06	1435	1	65	100	3	6	5	7500	6065	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5565	5565	0.933333
2403	020	2500	0.06	1846	1	65	100	3	6	5	7500	5654	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5154	5154	0.933333
2403	021	2500	0.06	1682	1	65	100	3	6	5	7500	5818	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5318	5318	0.933333
2403	031	3000	0.07	3200	2	65	100	3	7	5	9000	5800	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	5200	5200	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2409	016	2500	0.06	2145	1	65	100	3	6	5	7500	5355	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4855	4855	0.933333
2409	016C	2500	0.06	2451	1	65	100	3	6	5	7500	5049	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4549	4549	0.933333
2409	016D	2500	0.06	1810	1	65	100	3	6	5	7500	5690	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5190	5190	0.933333
2409	019A	2158	0.05	1623	1	65	100	3	5	4	6474	4851	RH-1	40	form-based			true	0.7	5	1	4	4	6042.399902	4419.399902	4419.399902	0.933333
2409	020	2158	0.05	1563	1	65	100	3	5	4	6474	4911	RH-1	40	form-based			true	0.7	5	1	4	4	6042.399902	4479.399902	4479.399902	0.933333
2409	020A	2157	0.05	1650	1	65	100	3	5	4	6471	4821	RH-1	40	form-based			true	0.7	5	1	4	4	6039.600098	4389.600098	4389.600098	0.933333
2409	021	2157	0.05	1152	1	65	100	3	5	4	6471	5319	RH-1	40	form-based			true	0.7	5	1	4	4	6039.600098	4887.600098	4887.600098	0.933333
2409	021A	2157	0.05	1152	1	65	100	3	5	4	6471	5319	RH-1	40	form-based			true	0.7	5	1	4	4	6039.600098	4887.600098	4887.600098	0.933333
2410	014	2470	0.06	1500	1	65	100	3	6	5	7410	5910	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6916	5416	5416	0.933333
2410	014B	2187	0.05	1425	1	65	100	3	5	4	6561	5136	RH-1	40	form-based			true	0.7	5	1	4	4	6123.600098	4698.600098	4698.600098	0.933333
2413	009	2565	0.06	1650	1	65	100	3	6	5	7695	6045	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7182	5532	5532	0.933333
2413	010	2384	0.05	1650	1	65	100	3	5	4	7152	5502	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6675.199707	5025.199707	5025.199707	0.933333
2413	039	2172	0.05	1378	1	65	100	3	5	4	6516	5138	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6081.600098	4703.600098	4703.600098	0.933333
2414	030	2536	0.06	1740	1	65	100	3	6	5	7608	5868	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7100.799805	5360.799805	5360.799805	0.933333
2414	033	2169	0.05	2638	1	85	140	4	7	6	8676	6038	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6073.199707	3435.199707	3435.199707	0.7
2415	015A	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5500	5500	0.933333
2415	015B	2500	0.06	2160	1	65	100	3	6	5	7500	5340	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4840	4840	0.933333
2415	015C	2265	0.05	2420	1	65	100	3	5	4	6795	4375	RH-1	40	form-based	true		true	0.7	5	1	4	4	6342	3922	3922	0.933333
2415	017	2265	0.05	1950	1	65	100	3	5	4	6795	4845	RH-1	40	form-based	true		true	0.7	5	1	4	4	6342	4392	4392	0.933333
2415	018	2500	0.06	2252	1	65	100	3	6	5	7500	5248	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4748	4748	0.933333
2415	018A	2500	0.06	2511	1	65	100	3	6	5	7500	4989	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4489	4489	0.933333
2416	002D	2500	0.06	2262	1	65	100	3	6	5	7500	5238	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4738	4738	0.933333
2416	002G	2500	0.06	1529	1	65	100	3	6	5	7500	5971	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5471	5471	0.933333
2416	003	2500	0.06	1615	1	65	100	3	6	5	7500	5885	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5385	5385	0.933333
2416	003A	2500	0.06	1524	1	65	100	3	6	5	7500	5976	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5476	5476	0.933333
2416	003C	2500	0.06	2312	1	65	100	3	6	5	7500	5188	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4688	4688	0.933333
2416	016	2513	0.06	1250	1	65	100	3	6	5	7539	6289	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7036.399902	5786.399902	5786.399902	0.933333
2416	017	2513	0.06	1250	1	65	100	3	6	5	7539	6289	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7036.399902	5786.399902	5786.399902	0.933333
2416	023	2273	0.05	2016	1	65	100	3	5	4	6819	4803	RH-1	40	form-based	true		true	0.7	5	1	4	4	6364.399902	4348.399902	4348.399902	0.933333
2417	010B	2500	0.06	2118	1	65	100	3	6	5	7500	5382	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4882	4882	0.933333
2417	010C	2500	0.06	1375	1	65	100	3	6	5	7500	6125	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5625	5625	0.933333
2417	012	2425	0.06	1955	1	65	100	3	6	5	7275	5320	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	6790	4835	4835	0.933333
2417	012A	2425	0.06	1575	1	65	100	3	6	5	7275	5700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6790	5215	5215	0.933333
2417	012B	2425	0.06	1575	1	65	100	3	6	5	7275	5700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6790	5215	5215	0.933333
2417	012C	2425	0.06	1775	1	65	100	3	6	5	7275	5500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6790	5015	5015	0.933333
2417	023	2536	0.06	1555	1	65	100	3	6	5	7608	6053	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7100.799805	5545.799805	5545.799805	0.933333
2417	024	2536	0.06	1620	1	65	100	3	6	5	7608	5988	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7100.799805	5480.799805	5480.799805	0.933333
2417	024A	2536	0.06	2663	1	65	100	3	6	5	7608	4945	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7100.799805	4437.799805	4437.799805	0.933333
2418	008	2526	0.06	2415	1	65	100	3	6	5	7578	5163	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	4657.799805	4657.799805	0.933333
2418	008A	2526	0.06	1708	1	65	100	3	6	5	7578	5870	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	5364.799805	5364.799805	0.933333
2418	009	2526	0.06	1578	1	65	100	3	6	5	7578	6000	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	5494.799805	5494.799805	0.933333
2418	009A	2526	0.06	1705	1	65	100	3	6	5	7578	5873	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	5367.799805	5367.799805	0.933333
2418	010	2526	0.06	1352	1	65	100	3	6	5	7578	6226	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	5720.799805	5720.799805	0.933333
2418	010A	2526	0.06	1785	1	65	100	3	6	5	7578	5793	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	5287.799805	5287.799805	0.933333
2418	011	2526	0.06	2180	1	65	100	3	6	5	7578	5398	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	4892.799805	4892.799805	0.933333
2419	005E	2375	0.05	1650	1	65	100	3	5	4	7125	5475	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5000	5000	0.933333
2419	005F	2375	0.05	1365	1	65	100	3	5	4	7125	5760	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5285	5285	0.933333
2419	005G	2375	0.05	2254	1	65	100	3	5	4	7125	4871	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4396	4396	0.933333
2419	005H	2375	0.05	2538	1	65	100	3	5	4	7125	4587	RH-1	40	form-based	true		true	0.7	5	1	4	4	6650	4112	4112	0.933333
2419	005I	2500	0.06	2440	1	65	100	3	6	5	7500	5060	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4560	4560	0.933333
2419	010	2501	0.06	3216	1	65	100	3	6	5	7503	4287	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7002.799805	3786.799805	3786.799805	0.933333
2419	011	2472	0.06	1925	1	65	100	3	6	5	7416	5491	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6921.600098	4996.600098	4996.600098	0.933333
2419	012	2472	0.06	1575	1	65	100	3	6	5	7416	5841	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6921.600098	5346.600098	5346.600098	0.933333
2421	004	2277	0.05	2335	1	65	100	3	5	4	6831	4496	RH-1	40	form-based			true	0.7	5	1	4	4	6375.600098	4040.600098	4040.600098	0.933333
2421	025	2500	0.06	1285	1	65	100	3	6	5	7500	6215	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5715	5715	0.933333
2421	026	2500	0.06	2130	1	65	100	3	6	5	7500	5370	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4870	4870	0.933333
2421	027	2500	0.06	2290	1	65	100	3	6	5	7500	5210	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4710	4710	0.933333
2421	037	3000	0.07	1992	2	65	100	3	7	5	9000	7008	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8400	6408	6408	0.933333
2421	048	2259	0.05	1065	1	65	100	3	5	4	6777	5712	RH-1	40	form-based			true	0.7	5	1	4	4	6325.199707	5260.199707	5260.199707	0.933333
2421	052	2534	0.06	1325	1	65	100	3	6	5	7602	6277	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7095.199707	5770.199707	5770.199707	0.933333
2421	053	2534	0.06	2317	1	65	100	3	6	5	7602	5285	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7095.199707	4778.199707	4778.199707	0.933333
2421	054	2534	0.06	1095	1	65	100	3	6	5	7602	6507	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7095.199707	6000.199707	6000.199707	0.933333
2422	020	3318	0.08	3189	3	65	100	3	8	5	9954	6765	RH-2	40	form-based	true		true	0.7	7	0.875	4	4	9290.399414	6101.399414	6101.399414	0.933333
2422	039	2489	0.06	1742	1	65	100	3	6	5	7467	5725	RH-2	40	form-based	true		true	0.7	5	0.833333313	4	4	6969.199707	5227.199707	5227.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2424	043	2220	0.05	2238	1	65	100	3	5	4	6660	4422	RH-1(D)	40	form-based		true	true	0.7	5	1	4	4	6216	3978	3978	0.933333
2424	047	1725	0.04	2850	2	65	100	3	4	2	5175	2325	RTO-C	65	form-based		true	true	0.75	6	1.5	4	4	7762.5	4912.5	4912.5	1.5
2425	028	2240	0.05	1504	1	65	100	3	5	4	6720	5216	RH-1(D)	40	form-based		true	true	0.7	5	1	4	4	6272	4768	4768	0.933333
2426	001	2169	0.05	1355	1	65	100	3	5	4	6507	5152	RH-1	40	form-based		true	true	0.7	5	1	4	4	6073.199707	4718.199707	4718.199707	0.933333
2426	001A	2422	0.06	1610	1	65	100	3	6	5	7266	5656	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6781.600098	5171.600098	5171.600098	0.933333
2426	002	2394	0.05	1530	1	65	100	3	5	4	7182	5652	RH-1	40	form-based			true	0.7	5	1	4	4	6703.199707	5173.199707	5173.199707	0.933333
2426	002A	2395	0.05	1400	1	65	100	3	5	4	7185	5785	RH-1	40	form-based			true	0.7	5	1	4	4	6706	5306	5306	0.933333
2426	004O	2250	0.05	1250	1	65	100	3	5	4	6750	5500	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5050	5050	0.933333
2426	004P	2560	0.06	3305	1	65	100	3	6	5	7680	4375	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7168	3863	3863	0.933333
2426	007	2598	0.06	2500	1	65	100	3	6	5	7794	5294	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7274.399902	4774.399902	4774.399902	0.933333
2426	008	2375	0.05	1475	1	65	100	3	5	4	7125	5650	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5175	5175	0.933333
2426	008A	2375	0.05	1475	1	65	100	3	5	4	7125	5650	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5175	5175	0.933333
2426	008B	2152	0.05	1929	1	65	100	3	5	4	6456	4527	RH-1	40	form-based		true	true	0.7	5	1	4	4	6025.600098	4096.600098	4096.600098	0.933333
2426	008C	2578	0.06	1150	1	65	100	3	6	5	7734	6584	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7218.399902	6068.399902	6068.399902	0.933333
2427	014	2497	0.06	1868	1	65	100	3	6	5	7491	5623	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6991.600098	5123.600098	5123.600098	0.933333
2427	014A	2496	0.06	2130	1	65	100	3	6	5	7488	5358	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	4858.799805	4858.799805	0.933333
2427	014B	2496	0.06	2300	1	65	100	3	6	5	7488	5188	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	4688.799805	4688.799805	0.933333
2427	014C	2496	0.06	1900	1	65	100	3	6	5	7488	5588	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6988.799805	5088.799805	5088.799805	0.933333
2427	014D	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5500	5500	0.933333
2427	014E	2500	0.06	1468	1	65	100	3	6	5	7500	6032	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5532	5532	0.933333
2427	014F	2250	0.05	1796	1	65	100	3	5	4	6750	4954	RH-1	40	form-based		true	true	0.7	5	1	4	4	6300	4504	4504	0.933333
2427	014G	2250	0.05	1385	1	65	100	3	5	4	6750	5365	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4915	4915	0.933333
2427	014H	2250	0.05	1600	1	65	100	3	5	4	6750	5150	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4700	4700	0.933333
2427	014I	2250	0.05	2136	1	65	100	3	5	4	6750	4614	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4164	4164	0.933333
2428	001A	2250	0.05	1260	1	65	100	3	5	4	6750	5490	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5040	5040	0.933333
2428	001B	2250	0.05	1225	1	65	100	3	5	4	6750	5525	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5075	5075	0.933333
2428	008C	2384	0.05	1285	1	65	100	3	5	4	7152	5867	RH-1	40	form-based			true	0.7	5	1	4	4	6675.199707	5390.199707	5390.199707	0.933333
2428	008T	2384	0.05	1360	1	65	100	3	5	4	7152	5792	RH-1	40	form-based			true	0.7	5	1	4	4	6675.199707	5315.199707	5315.199707	0.933333
2428	008U	2384	0.05	2156	1	65	100	3	5	4	7152	4996	RH-1	40	form-based			true	0.7	5	1	4	4	6675.199707	4519.199707	4519.199707	0.933333
2428	008V	2384	0.05	2373	1	65	100	3	5	4	7152	4779	RH-1	40	form-based		true	true	0.7	5	1	4	4	6675.199707	4302.199707	4302.199707	0.933333
2428	008W	2465	0.06	2113	1	65	100	3	6	5	7395	5282	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6902	4789	4789	0.933333
2428	008X	2535	0.06	1972	1	65	100	3	6	5	7605	5633	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7098	5126	5126	0.933333
2428	008Y	2375	0.05	2200	1	55	80	2.5	4	3	5938	3738	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6650	4450	4450	1.119906
2428	008Z	2375	0.05	1370	1	55	80	2.5	4	3	5938	4568	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	5280	5280	1.119906
2428	009A	2375	0.05	1926	1	65	100	3	5	4	7125	5199	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4724	4724	0.933333
2428	009B	2375	0.05	1933	1	65	100	3	5	4	7125	5192	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4717	4717	0.933333
2428	021	2180	0.05	1765	1	65	100	3	5	4	6540	4775	RH-1	40	form-based			true	0.7	5	1	4	4	6104	4339	4339	0.933333
2429	001	2250	0.05	1240	1	65	100	3	5	4	6750	5510	RH-1	40	form-based		true	true	0.7	5	1	4	4	6300	5060	5060	0.933333
2429	002	2250	0.05	1726	1	65	100	3	5	4	6750	5024	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4574	4574	0.933333
2429	002A	2250	0.05	1375	1	65	100	3	5	4	6750	5375	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4925	4925	0.933333
2429	014E	2250	0.05	1200	1	65	100	3	5	4	6750	5550	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5100	5100	0.933333
2429	014F	2250	0.05	2154	1	55	80	2.5	4	3	5625	3471	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	4146	4146	1.12
2429	014G	2250	0.05	1200	1	55	80	2.5	4	3	5625	4425	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	5100	5100	1.12
2429	014H	2250	0.05	1250	1	55	80	2.5	4	3	5625	4375	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6300	5050	5050	1.12
2429	014K	2250	0.05	1250	1	55	80	2.5	4	3	5625	4375	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6300	5050	5050	1.12
2429	014L	2250	0.05	1400	1	55	80	2.5	4	3	5625	4225	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	4900	4900	1.12
2429	014M	2250	0.05	2144	1	65	100	3	5	4	6750	4606	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4156	4156	0.933333
2429	014N	2250	0.05	1400	1	65	100	3	5	4	6750	5350	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4900	4900	0.933333
2429	030	2250	0.05	2026	1	65	100	3	5	4	6750	4724	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4274	4274	0.933333
2429	035	2194	0.05	2088	1	65	100	3	5	4	6582	4494	RH-1	40	form-based			true	0.7	5	1	4	4	6143.199707	4055.199707	4055.199707	0.933333
2430	001	2375	0.05	1862	1	65	100	3	5	4	7125	5263	RH-1	40	form-based		true	true	0.7	5	1	4	4	6650	4788	4788	0.933333
2430	002	2375	0.05	1491	1	65	100	3	5	4	7125	5634	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5159	5159	0.933333
2430	003	2375	0.05	1859	1	65	100	3	5	4	7125	5266	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4791	4791	0.933333
2430	003A	2375	0.05	1225	1	65	100	3	5	4	7125	5900	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5425	5425	0.933333
2430	019E	3041	0.07	2120	2	65	100	3	7	5	9123	7003	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8514.799805	6394.799805	6394.799805	0.933333
2430	033	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5725	5725	0.933333
2431	002	2375	0.05	2027	1	65	100	3	5	4	7125	5098	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4623	4623	0.933333
2431	003	2375	0.05	1314	1	65	100	3	5	4	7125	5811	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5336	5336	0.933333
2432	011	2371	0.05	925	1	65	100	3	5	4	7113	6188	RH-1	40	form-based			true	0.7	5	1	4	4	6638.799805	5713.799805	5713.799805	0.933333
2432	011A	2148	0.05	925	1	65	100	3	5	4	6444	5519	RH-1	40	form-based			true	0.7	5	1	4	4	6014.399902	5089.399902	5089.399902	0.933333
2432	011B	2371	0.05	1300	1	65	100	3	5	4	7113	5813	RH-1	40	form-based		true	true	0.7	5	1	4	4	6638.799805	5338.799805	5338.799805	0.933333
2432	023A	2369	0.05	1465	1	65	100	3	5	4	7107	5642	RH-1	40	form-based			true	0.7	5	1	4	4	6633.199707	5168.199707	5168.199707	0.933333
2432	023B	2369	0.05	1150	1	65	100	3	5	4	7107	5957	RH-1	40	form-based			true	0.7	5	1	4	4	6633.199707	5483.199707	5483.199707	0.933333
2432	023C	2369	0.05	1150	1	65	100	3	5	4	7107	5957	RH-1	40	form-based			true	0.7	5	1	4	4	6633.199707	5483.199707	5483.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2432	023D	2369	0.05	1946	1	65	100	3	5	4	7107	5161	RH-1	40	form-based		true	true	0.7	5	1	4	4	6633.199707	4687.199707	4687.199707	0.933333
2432	023E	2500	0.06	1520	1	65	100	3	6	5	7500	5980	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5480	5480	0.933333
2433	001	2250	0.05	1535	1	65	100	3	5	4	6750	5215	RH-1	40	form-based		true	true	0.7	5	1	4	4	6300	4765	4765	0.933333
2433	002	2250	0.05	1140	1	65	100	3	5	4	6750	5610	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5160	5160	0.933333
2433	024I	2250	0.05	2093	1	65	100	3	5	4	6750	4657	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4207	4207	0.933333
2433	024J	2250	0.05	1150	1	65	100	3	5	4	6750	5600	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5150	5150	0.933333
2433	024K	2250	0.05	2712	1	65	100	3	5	4	6750	4038	RH-1	40	form-based			true	0.7	5	1	4	4	6300	3588	3588	0.933333
2433	024L	2250	0.05	1280	1	65	100	3	5	4	6750	5470	RH-1	40	form-based		true	true	0.7	5	1	4	4	6300	5020	5020	0.933333
2433	026	2250	0.05	1402	1	65	100	3	5	4	6750	5348	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4898	4898	0.933333
2434	022	2500	0.06	4536	5	65	100	3	6	1	7500	2964	NC-1	65	form-based			true	0.75	9	1.5	4	4	11250	6714	6714	1.5
2434	040	2256	0.05	1287	1	65	100	3	5	4	6768	5481	RH-1	40	form-based			true	0.7	5	1	4	4	6316.799805	5029.799805	5029.799805	0.933333
2434	043	2500	0.06	1337	1	65	100	3	6	5	7500	6163	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5663	5663	0.933333
2434	044	2500	0.06	1844	1	65	100	3	6	5	7500	5656	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5156	5156	0.933333
2435	001	2158	0.05	1239	1	65	100	3	5	4	6474	5235	RH-1	40	form-based		true	true	0.7	5	1	4	4	6042.399902	4803.399902	4803.399902	0.933333
2435	001A	2382	0.05	1770	1	65	100	3	5	4	7146	5376	RH-1	40	form-based			true	0.7	5	1	4	4	6669.600098	4899.600098	4899.600098	0.933333
2435	001B	2382	0.05	1400	1	65	100	3	5	4	7146	5746	RH-1	40	form-based			true	0.7	5	1	4	4	6669.600098	5269.600098	5269.600098	0.933333
2435	001C	2607	0.06	2163	1	65	100	3	6	5	7821	5658	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7299.600098	5136.600098	5136.600098	0.933333
2435	001D	2471	0.06	1394	1	65	100	3	6	5	7413	6019	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	5524.799805	5524.799805	0.933333
2435	001E	2529	0.06	1522	1	65	100	3	6	5	7587	6065	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7081.199707	5559.199707	5559.199707	0.933333
2435	001F	2598	0.06	1250	1	65	100	3	6	5	7794	6544	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7274.399902	6024.399902	6024.399902	0.933333
2435	001G	2375	0.05	1530	1	65	100	3	5	4	7125	5595	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5120	5120	0.933333
2435	001H	2375	0.05	1250	1	65	100	3	5	4	7125	5875	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5400	5400	0.933333
2435	001I	2152	0.05	2178	1	65	100	3	5	4	6456	4278	RH-1	40	form-based		true	true	0.7	5	1	4	4	6025.600098	3847.600098	3847.600098	0.933333
2435	013	2080	0.05	2790	4	55	80	2.5	4	0	5200	2410	NC-1	65	form-based			true	0.75	8	2	4	4	9360	6570	6570	1.8
2435	016	2500	0.06	3755	5	55	80	2.5	5	0	6250	2495	RTO-C	65	form-based			true	0.75	9	1.799999952	4	4	11250	7495	7495	1.8
2435	036	2156	0.05	3158	4	55	80	2.5	4	0	5390	2232	NC-1	65	form-based		true	true	0.75	8	2	4	4	9702	6544	6544	1.8
2436	023	2589	0.06	1400	1	65	100	3	6	5	7767	6367	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7249.199707	5849.199707	5849.199707	0.933333
2436	024	2367	0.05	1616	1	65	100	3	5	4	7101	5485	RH-1	40	form-based			true	0.7	5	1	4	4	6627.600098	5011.600098	5011.600098	0.933333
2436	025	2367	0.05	2741	1	65	100	3	5	4	7101	4360	RH-1	40	form-based			true	0.7	5	1	4	4	6627.600098	3886.600098	3886.600098	0.933333
2436	026	2145	0.05	1400	1	65	100	3	5	4	6435	5035	RH-1	40	form-based		true	true	0.7	5	1	4	4	6006	4606	4606	0.933333
2436	027	2532	0.06	1620	1	65	100	3	6	5	7596	5976	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	5469.600098	5469.600098	0.933333
2436	028	2468	0.06	1350	1	65	100	3	6	5	7404	6054	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6910.399902	5560.399902	5560.399902	0.933333
2436	029	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5650	5650	0.933333
2438	022B	1511	0.03	2222	2	65	100	3	3	1	4533	2311	RTO-C	65	form-based			true	0.75	6	2	4	4	6799.5	4577.5	4577.5	1.5
2438	036D	2500	0.06	1210	1	65	100	3	6	5	7500	6290	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5790	5790	0.933333
2438	037	2500	0.06	2295	1	65	100	3	6	5	7500	5205	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4705	4705	0.933333
2438	038	2500	0.06	1414	1	65	100	3	6	5	7500	6086	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5586	5586	0.933333
2439	015A	1437	0.03	800	1	55	80	2.5	2	1	3592	2792	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6466.5	5666.5	5666.5	1.800251
2439	016	1437	0.03	800	1	55	80	2.5	2	1	3592	2792	RTO-C	65	form-based			true	0.75	5	2.5	4	3	6466.5	5666.5	5666.5	1.800251
2439	018B	1307	0.03	968	1	55	80	2.5	2	1	3268	2300	RTO-C	65	form-based		true	true	0.75	5	2.5	4	3	5881.5	4913.5	4913.5	1.799725
2439	019	1403	0.03	800	1	65	100	3	3	2	4209	3409	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6313.5	5513.5	5513.5	1.5
2439	019A	1403	0.03	800	1	65	100	3	3	2	4209	3409	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6313.5	5513.5	5513.5	1.5
2439	038	2500	0.06	1162	1	65	100	3	6	5	7500	6338	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5838	5838	0.933333
2439	039	2500	0.06	995	1	65	100	3	6	5	7500	6505	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6005	6005	0.933333
2439	040	2500	0.06	1475	1	65	100	3	6	5	7500	6025	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5525	5525	0.933333
2440	003	2213	0.05	1162	1	65	100	3	5	4	6639	5477	RH-1	40	form-based			true	0.7	5	1	4	4	6196.399902	5034.399902	5034.399902	0.933333
2440	052	2236	0.05	1512	1	65	100	3	5	4	6708	5196	RH-1	40	form-based			true	0.7	5	1	4	4	6260.799805	4748.799805	4748.799805	0.933333
2441	018	1458	0.03	800	1	65	100	3	3	2	4374	3574	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6561	5761	5761	1.5
2441	019	1458	0.03	1265	1	65	100	3	3	2	4374	3109	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6561	5296	5296	1.5
2441	020	1458	0.03	800	1	65	100	3	3	2	4374	3574	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6561	5761	5761	1.5
2441	020A	1254	0.03	800	1	65	100	3	3	2	3762	2962	RTO-C	65	form-based		true	true	0.75	5	1.666666627	4	4	5643	4843	4843	1.5
2441	024	1230	0.03	800	1	65	100	3	3	2	3690	2890	RTO-C	65	form-based		true	true	0.75	5	1.666666627	4	4	5535	4735	4735	1.5
2441	025	1438	0.03	800	1	65	100	3	3	2	4314	3514	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5671	5671	1.5
2441	026	1437	0.03	992	1	65	100	3	3	2	4311	3319	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5474.5	5474.5	1.5
2441	026A	1438	0.03	923	1	65	100	3	3	2	4314	3391	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5548	5548	1.5
2442	031	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5875	5875	0.933333
2442	032	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5875	5875	0.933333
2442	033	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5875	5875	0.933333
2443	019	3250	0.07	4723	8	65	100	3	7	0	9750	5027	NC-1	65	form-based		true	true	0.75	12	1.714285731	4	4	14625	9902	9902	1.5
2443	030A	2170	0.05	1750	1	65	100	3	5	4	6510	4760	RH-1	40	form-based		true	true	0.7	5	1	4	4	6076	4326	4326	0.933333
2443	031	2156	0.05	1975	1	65	100	3	5	4	6468	4493	RH-1	40	form-based			true	0.7	5	1	4	4	6036.799805	4061.799805	4061.799805	0.933333
2443	032	2500	0.06	1214	1	65	100	3	6	5	7500	6286	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5786	5786	0.933333
2443	032A	2500	0.06	1214	1	65	100	3	6	5	7500	6286	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5786	5786	0.933333
2443	033	2500	0.06	1910	1	65	100	3	6	5	7500	5590	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5090	5090	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2443	033A	2500	0.06	1759	1	65	100	3	6	5	7500	5741	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5241	5241	0.933333
2444	008	3260	0.07	4723	8	65	100	3	7	0	9780	5057	RTO-C	65	form-based		true	true	0.75	12	1.714285731	4	4	14670	9947	9947	1.5
2444	024	2445	0.06	1252	1	65	100	3	6	5	7335	6083	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6846	5594	5594	0.933333
2444	025	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
2444	026	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5850	5850	0.933333
2444	027	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
2444	028	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
2444	029	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
2444	030	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
2445	001	2393	0.05	1100	1	65	100	3	5	4	7179	6079	RH-1	40	form-based		true	true	0.7	5	1	4	4	6700.399902	5600.399902	5600.399902	0.933333
2445	029	2303	0.05	2023	1	65	100	3	5	4	6909	4886	RH-1	40	form-based			true	0.7	5	1	4	4	6448.399902	4425.399902	4425.399902	0.933333
2445	029A	2342	0.05	1130	1	65	100	3	5	4	7026	5896	RH-1	40	form-based		true	true	0.7	5	1	4	4	6557.600098	5427.600098	5427.600098	0.933333
2445	032	2500	0.06	995	1	65	100	3	6	5	7500	6505	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6005	6005	0.933333
2445	033	2500	0.06	2075	1	65	100	3	6	5	7500	5425	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4925	4925	0.933333
2445	034	2500	0.06	1692	1	65	100	3	6	5	7500	5808	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5308	5308	0.933333
2445	035	2500	0.06	1137	1	65	100	3	6	5	7500	6363	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5863	5863	0.933333
2446	049	2375	0.05	950	1	85	140	4	7	6	9500	8550	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6650	5700	5700	0.7
2446	054	2500	0.06	800	1	85	140	4	8	7	10000	9200	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	6200	6200	0.7
2447	020	2613	0.06	800	1	85	140	4	8	7	10452	9652	RH-1	40	form-based			true	0.7	5	0.625	4	4	7316.399902	6516.399902	6516.399902	0.7
2447	022	1431	0.03	1000	1	85	140	4	4	3	5724	4724	RTO-C	65	form-based			true	0.75	5	1.25	4	4	6439.5	5439.5	5439.5	1.125
2447	023	1431	0.03	800	1	85	140	4	4	3	5724	4924	RTO-C	65	form-based			true	0.75	5	1.25	4	4	6439.5	5639.5	5639.5	1.125
2447	024	1247	0.03	1309	1	85	140	4	4	3	4988	3679	RTO-C	65	form-based		true	true	0.75	5	1.25	4	4	5611.5	4302.5	4302.5	1.125
2447	030	1246	0.03	903	1	85	140	4	4	3	4984	4081	RTO-C	65	form-based		true	true	0.75	5	1.25	4	4	5607	4704	4704	1.125
2447	031	1438	0.03	903	1	65	100	3	3	2	4314	3411	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5568	5568	1.5
2447	032	1438	0.03	1336	1	65	100	3	3	2	4314	2978	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5135	5135	1.5
2447	034	2598	0.06	1213	1	85	140	4	8	7	10392	9179	RH-1	40	form-based			true	0.7	5	0.625	4	4	7274.399902	6061.399902	6061.399902	0.7
2447	054	2500	0.06	1000	1	85	140	4	8	7	10000	9000	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	6000	6000	0.7
2447	055	2500	0.06	1000	1	85	140	4	8	7	10000	9000	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	6000	6000	0.7
2447	056	2500	0.06	1180	1	85	140	4	8	7	10000	8820	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	5820	5820	0.7
2447	057	2500	0.06	1000	1	85	140	4	8	7	10000	9000	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	6000	6000	0.7
2447	058	2500	0.06	1140	1	85	140	4	8	7	10000	8860	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	5860	5860	0.7
2448	001D	2588	0.06	878	1	65	100	3	6	5	7764	6886	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7246.399902	6368.399902	6368.399902	0.933333
2448	007	2432	0.06	1445	1	65	100	3	6	5	7296	5851	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6809.600098	5364.600098	5364.600098	0.933333
2448	012	2500	0.06	1014	1	65	100	3	6	5	7500	6486	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5986	5986	0.933333
2448	013	2500	0.06	1014	1	65	100	3	6	5	7500	6486	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5986	5986	0.933333
2448	014	2500	0.06	1172	1	65	100	3	6	5	7500	6328	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5828	5828	0.933333
2449	017	2496	0.06	1011	1	85	140	4	8	7	9984	8973	RH-1	40	form-based			true	0.7	5	0.625	4	4	6988.799805	5977.799805	5977.799805	0.7
2449	018	2497	0.06	1011	1	85	140	4	8	7	9988	8977	RH-1	40	form-based			true	0.7	5	0.625	4	4	6991.600098	5980.600098	5980.600098	0.7
2449	019	2497	0.06	1011	1	85	140	4	8	7	9988	8977	RH-1	40	form-based			true	0.7	5	0.625	4	4	6991.600098	5980.600098	5980.600098	0.7
2449	020	2498	0.06	1011	1	85	140	4	8	7	9992	8981	RH-1	40	form-based			true	0.7	5	0.625	4	4	6994.399902	5983.399902	5983.399902	0.7
2449	021	2498	0.06	1011	1	85	140	4	8	7	9992	8981	RH-1	40	form-based			true	0.7	5	0.625	4	4	6994.399902	5983.399902	5983.399902	0.7
2449	025	1750	0.04	1699	0	65	100	3	4	4	5250	3551	RH-1	40	form-based			true	0.7	4	1	4	4	4900	3201	3201	0.933333
2449	029	2549	0.06	1630	1	85	140	4	8	7	10196	8566	RH-1	40	form-based			true	0.7	5	0.625	4	4	7137.199707	5507.199707	5507.199707	0.7
2449	030	2578	0.06	1567	1	85	140	4	8	7	10312	8745	RH-1	40	form-based			true	0.7	5	0.625	4	4	7218.399902	5651.399902	5651.399902	0.7
2449	036	2500	0.06	1576	1	85	140	4	8	7	10000	8424	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	5424	5424	0.7
2449	039	2730	0.06	2550	2	85	140	4	8	6	10920	8370	RH-2	40	form-based			true	0.7	6	0.75	4	4	7644	5094	5094	0.7
2449	040	2747	0.06	2550	2	65	100	3	6	4	8241	5691	RH-2	40	form-based			true	0.7	6	1	4	4	7691.600098	5141.600098	5141.600098	0.933333
2449	041	2763	0.06	2550	2	65	100	3	6	4	8289	5739	RH-2	40	form-based			true	0.7	6	1	4	4	7736.399902	5186.399902	5186.399902	0.933333
2449	042	2780	0.06	2550	2	65	100	3	6	4	8340	5790	RH-2	40	form-based			true	0.7	6	1	4	4	7784	5234	5234	0.933333
2449	043	2797	0.06	2550	2	65	100	3	6	4	8391	5841	RH-2	40	form-based			true	0.7	6	1	4	4	7831.600098	5281.600098	5281.600098	0.933333
2450	018D	2500	0.06	1180	1	85	140	4	8	7	10000	8820	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	5820	5820	0.7
2450	018E	2500	0.06	1192	1	85	140	4	8	7	10000	8808	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	5808	5808	0.7
2450	019	2500	0.06	1094	1	85	140	4	8	7	10000	8906	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	5906	5906	0.7
2450	019A	2500	0.06	800	1	85	140	4	8	7	10000	9200	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	6200	6200	0.7
2451	002	3003	0.07	1310	2	85	140	4	10	8	12012	10702	RH-1	40	form-based			true	0.7	6	0.600000024	4	4	8408.399414	7098.399414	7098.399414	0.7
2451	002A	2375	0.05	1450	1	65	100	3	5	4	7125	5675	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5200	5200	0.933333
2451	002B	2375	0.05	1700	1	65	100	3	5	4	7125	5425	RH-1	40	form-based			true	0.7	5	1	4	4	6650	4950	4950	0.933333
2451	002C	2375	0.05	1400	1	65	100	3	5	4	7125	5725	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5250	5250	0.933333
2451	002E	2504	0.06	1810	1	85	140	4	8	7	10016	8206	RH-1	40	form-based			true	0.7	5	0.625	4	4	7011.199707	5201.199707	5201.199707	0.7
2451	004B	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
2451	006K	1440	0.03	944	1	85	140	4	4	3	5760	4816	RTO-C	65	form-based			true	0.75	5	1.25	4	4	6480	5536	5536	1.125
2451	006L	1440	0.03	800	1	85	140	4	4	3	5760	4960	RTO-C	65	form-based			true	0.75	5	1.25	4	4	6480	5680	5680	1.125
2451	006M	1440	0.03	968	1	85	140	4	4	3	5760	4792	RTO-C	65	form-based	true		true	0.75	5	1.25	4	4	6480	5512	5512	1.125
2452	001	1438	0.03	900	1	65	100	3	3	2	4314	3414	RTO-C	65	form-based	true		true	0.75	5	1.666666627	4	4	6471	5571	5571	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2452	001A	1437	0.03	900	1	65	100	3	3	2	4311	3411	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5566.5	5566.5	1.5
2452	001B	1438	0.03	900	1	65	100	3	3	2	4314	3414	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6471	5571	5571	1.5
2452	001C	1437	0.03	900	1	65	100	3	3	2	4311	3411	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6466.5	5566.5	5566.5	1.5
2452	008A	2185	0.05	893	1	65	100	3	5	4	6555	5662	RH-1	40	form-based		true	true	0.7	5	1	4	4	6118	5225	5225	0.933333
2452	009	2500	0.06	1686	1	65	100	3	6	5	7500	5814	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5314	5314	0.933333
2452	010	2500	0.06	1545	1	65	100	3	6	5	7500	5955	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5455	5455	0.933333
2452	011	2500	0.06	1053	1	65	100	3	6	5	7500	6447	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5947	5947	0.933333
2452	012	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5500	5500	0.933333
2453	001P	2550	0.06	1232	1	65	100	3	6	5	7650	6418	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7140	5908	5908	0.933333
2453	002	2551	0.06	1739	1	65	100	3	6	5	7653	5914	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7142.799805	5403.799805	5403.799805	0.933333
2453	002A	2552	0.06	1286	1	65	100	3	6	5	7656	6370	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7145.600098	5859.600098	5859.600098	0.933333
2454	025	2500	0.06	1412	1	65	100	3	6	5	7500	6088	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5588	5588	0.933333
2454	026	2500	0.06	1012	1	65	100	3	6	5	7500	6488	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5988	5988	0.933333
2454	027	2500	0.06	1012	1	65	100	3	6	5	7500	6488	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5988	5988	0.933333
2454	028	2500	0.06	1012	1	65	100	3	6	5	7500	6488	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5988	5988	0.933333
2457	016	2500	0.06	1011	1	55	80	2.5	5	4	6250	5239	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5989	5989	1.12
2457	016A	2602	0.06	1610	1	55	80	2.5	5	4	6505	4895	RH-1	40	form-based			true	0.7	5	1	4	4	7285.600098	5675.600098	5675.600098	1.12
2457	017	2398	0.06	2124	1	55	80	2.5	5	4	5995	3871	RH-1	40	form-based			true	0.7	5	1	4	4	6714.399902	4590.399902	4590.399902	1.12
2457	018	2500	0.06	1386	1	55	80	2.5	5	4	6250	4864	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5614	5614	1.12
2458	001W	2500	0.06	1012	1	55	80	2.5	5	4	6250	5238	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5988	5988	1.12
2458	001X	2500	0.06	1012	1	55	80	2.5	5	4	6250	5238	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5988	5988	1.12
2458	002	2500	0.06	1012	1	55	80	2.5	5	4	6250	5238	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5988	5988	1.12
2458	002A	2500	0.06	1542	1	55	80	2.5	5	4	6250	4708	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5458	5458	1.12
2459	025	2500	0.06	1350	1	55	80	2.5	5	4	6250	4900	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5650	5650	1.12
2459	026	2500	0.06	1621	1	55	80	2.5	5	4	6250	4629	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5379	5379	1.12
2459	027	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5950	5950	1.12
2461A	006	2225	0.05	2336	1	55	80	2.5	4	3	5562	3226	RH-1	40	form-based			true	0.7	5	1.25	4	4	6230	3894	3894	1.120101
2461A	007	2500	0.06	1550	1	55	80	2.5	5	4	6250	4700	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5450	5450	1.12
2461A	008	2500	0.06	1721	1	55	80	2.5	5	4	6250	4529	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5279	5279	1.12
2461A	009	2500	0.06	1792	1	55	80	2.5	5	4	6250	4458	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5208	5208	1.12
2461A	010	2500	0.06	1604	1	55	80	2.5	5	4	6250	4646	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5396	5396	1.12
2461A	011	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5600	5600	1.12
2461A	012	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5600	5600	1.12
2461A	013	2500	0.06	1615	1	55	80	2.5	5	4	6250	4635	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5385	5385	1.12
2461A	014	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5600	5600	1.12
2461A	015	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5600	5600	1.12
2461A	016	2500	0.06	1680	1	55	80	2.5	5	4	6250	4570	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5320	5320	1.12
2461A	017	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5600	5600	1.12
2461A	018	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5600	5600	1.12
2461A	019	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5600	5600	1.12
2464A	033	2500	0.06	1255	1	55	80	2.5	5	4	6250	4995	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5745	5745	1.12
2464A	003	2552	0.06	2100	1	55	80	2.5	5	4	6380	4280	RH-1	40	form-based			true	0.7	5	1	4	4	7145.600098	5045.600098	5045.600098	1.12
2464A	006	2452	0.06	1524	1	55	80	2.5	5	4	6130	4606	RH-1	40	form-based			true	0.7	5	1	4	4	6865.600098	5341.600098	5341.600098	1.12
2464A	007	2201	0.05	1300	1	55	80	2.5	4	3	5502	4202	RH-1	40	form-based			true	0.7	5	1.25	4	4	6162.799805	4862.799805	4862.799805	1.120102
2464A	041	2500	0.06	1569	1	55	80	2.5	5	4	6250	4681	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5431	5431	1.12
2464A	015	2610	0.06	1900	1	55	80	2.5	5	4	6525	4625	RH-1	40	form-based			true	0.7	5	1	4	4	7308	5408	5408	1.12
2464A	017	2505	0.06	2262	1	55	80	2.5	5	4	6262	4000	RH-1	40	form-based			true	0.7	5	1	4	4	7014	4752	4752	1.120089
2464A	018	2506	0.06	1260	1	55	80	2.5	5	4	6265	5005	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	5756.799805	5756.799805	1.12
2464A	019	2507	0.06	1857	1	55	80	2.5	5	4	6268	4411	RH-1	40	form-based			true	0.7	5	1	4	4	7019.600098	5162.600098	5162.600098	1.119911
2464A	020	2508	0.06	1991	1	55	80	2.5	5	4	6270	4279	RH-1	40	form-based			true	0.7	5	1	4	4	7022.399902	5031.399902	5031.399902	1.12
2464A	021	2509	0.06	1220	1	55	80	2.5	5	4	6272	5052	RH-1	40	form-based			true	0.7	5	1	4	4	7025.199707	5805.199707	5805.199707	1.120089
2464A	022	2510	0.06	2170	1	55	80	2.5	5	4	6275	4105	RH-1	40	form-based			true	0.7	5	1	4	4	7028	4858	4858	1.12
2464A	023	2511	0.06	1220	1	55	80	2.5	5	4	6278	5058	RH-1	40	form-based			true	0.7	5	1	4	4	7030.799805	5810.799805	5810.799805	1.119911
2464A	024	2512	0.06	1850	1	55	80	2.5	5	4	6280	4430	RH-1	40	form-based			true	0.7	5	1	4	4	7033.600098	5183.600098	5183.600098	1.12
2464A	025	2201	0.05	2846	1	55	80	2.5	4	3	5502	2656	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6162.799805	3316.799805	3316.799805	1.120102
2464A	026	2200	0.05	1505	1	55	80	2.5	4	3	5500	3995	RH-1	40	form-based			true	0.7	5	1.25	4	4	6160	4655	4655	1.12
2464A	027	2200	0.05	1505	1	55	80	2.5	4	3	5500	3995	RH-1	40	form-based			true	0.7	5	1.25	4	4	6160	4655	4655	1.12
2464A	028	2200	0.05	1805	1	55	80	2.5	4	3	5500	3695	RH-1	40	form-based			true	0.7	5	1.25	4	4	6160	4355	4355	1.12
2464A	029	2200	0.05	1450	1	55	80	2.5	4	3	5500	4050	RH-1	40	form-based			true	0.7	5	1.25	4	4	6160	4710	4710	1.12
2464A	030	2200	0.05	1691	1	55	80	2.5	4	3	5500	3809	RH-1	40	form-based			true	0.7	5	1.25	4	4	6160	4469	4469	1.12
2464A	031	2200	0.05	1583	1	55	80	2.5	4	3	5500	3917	RH-1	40	form-based			true	0.7	5	1.25	4	4	6160	4577	4577	1.12
2464A	032	2500	0.06	2165	1	55	80	2.5	5	4	6250	4085	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4835	4835	1.12
2464A	034	2500	0.06	1600	1	55	80	2.5	5	4	6250	4650	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5400	5400	1.12
2464A	035	2500	0.06	1468	1	55	80	2.5	5	4	6250	4782	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5532	5532	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2464A	036	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5750	5750	1.12
2464A	037	2500	0.06	1690	1	55	80	2.5	5	4	6250	4560	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5310	5310	1.12
2464A	038	2500	0.06	1200	1	55	80	2.5	5	4	6250	5050	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5800	5800	1.12
2464A	039	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5750	5750	1.12
2464A	040	2500	0.06	1480	1	55	80	2.5	5	4	6250	4770	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5520	5520	1.12
2464A	042	2500	0.06	1725	1	55	80	2.5	5	4	6250	4525	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5275	5275	1.12
2464A	043	2500	0.06	1425	1	55	80	2.5	5	4	6250	4825	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5575	5575	1.12
2464A	044	2500	0.06	1425	1	55	80	2.5	5	4	6250	4825	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5575	5575	1.12
2464A	045	2500	0.06	1425	1	55	80	2.5	5	4	6250	4825	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5575	5575	1.12
2464A	046	2500	0.06	1914	1	55	80	2.5	5	4	6250	4336	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5086	5086	1.12
2465A	001	2550	0.06	1426	1	55	80	2.5	5	4	6375	4949	RH-1	40	form-based		true	true	0.7	5	1	4	4	7140	5714	5714	1.12
2465A	002	2367	0.05	1300	1	55	80	2.5	4	3	5918	4618	RH-1	40	form-based			true	0.7	5	1.25	4	4	6627.600098	5327.600098	5327.600098	1.119905
2465A	003	2250	0.05	1460	1	55	80	2.5	4	3	5625	4165	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	4840	4840	1.12
2465A	004	2498	0.06	1878	1	55	80	2.5	5	4	6245	4367	RH-1	40	form-based			true	0.7	5	1	4	4	6994.399902	5116.399902	5116.399902	1.12
2465A	006A	2600	0.06	1640	1	55	80	2.5	5	4	6500	4860	RH-1	40	form-based			true	0.7	5	1	4	4	7280	5640	5640	1.12
2465A	008	2486	0.06	2045	1	55	80	2.5	5	4	6215	4170	RH-1	40	form-based			true	0.7	5	1	4	4	6960.799805	4915.799805	4915.799805	1.12
2465A	009A	2594	0.06	1325	1	55	80	2.5	5	4	6485	5160	RH-1	40	form-based			true	0.7	5	1	4	4	7263.199707	5938.199707	5938.199707	1.12
2465A	012	2452	0.06	1225	1	55	80	2.5	5	4	6130	4905	RH-1	40	form-based		true	true	0.7	5	1	4	4	6865.600098	5640.600098	5640.600098	1.12
2465A	015	2197	0.05	1212	1	55	80	2.5	4	3	5492	4280	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6151.600098	4939.600098	4939.600098	1.120102
2465A	018	2575	0.06	1500	1	55	80	2.5	5	4	6438	4938	RH-1	40	form-based			true	0.7	5	1	4	4	7210	5710	5710	1.119913
2465A	019	2593	0.06	1999	1	55	80	2.5	5	4	6482	4483	RH-1	40	form-based			true	0.7	5	1	4	4	7260.399902	5261.399902	5261.399902	1.120086
2465A	020	2509	0.06	1500	1	55	80	2.5	5	4	6272	4772	RH-1	40	form-based			true	0.7	5	1	4	4	7025.199707	5525.199707	5525.199707	1.120089
2465A	022	2528	0.06	2072	1	55	80	2.5	5	4	6320	4248	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5006.399902	5006.399902	1.12
2465A	028	2511	0.06	1726	1	55	80	2.5	5	4	6278	4552	RH-1	40	form-based		true	true	0.7	5	1	4	4	7030.799805	5304.799805	5304.799805	1.119911
2466A	002	2603	0.06	1525	1	55	80	2.5	5	4	6508	4983	RH-1	40	form-based			true	0.7	5	1	4	4	7288.399902	5763.399902	5763.399902	1.119914
2466A	005	2456	0.06	1900	1	55	80	2.5	5	4	6140	4240	RH-1	40	form-based			true	0.7	5	1	4	4	6876.799805	4976.799805	4976.799805	1.12
2466A	006	2422	0.06	1352	1	55	80	2.5	5	4	6055	4703	RH-1	40	form-based			true	0.7	5	1	4	4	6781.600098	5429.600098	5429.600098	1.12
2466A	007	2333	0.05	1352	1	55	80	2.5	4	3	5832	4480	RH-1	40	form-based			true	0.7	5	1.25	4	4	6532.399902	5180.399902	5180.399902	1.120096
2466A	011	2423	0.06	2135	1	55	80	2.5	5	4	6058	3923	RH-1	40	form-based			true	0.7	5	1	4	4	6784.399902	4649.399902	4649.399902	1.119907
2466A	012	2432	0.06	1667	1	55	80	2.5	5	4	6080	4413	RH-1	40	form-based			true	0.7	5	1	4	4	6809.600098	5142.600098	5142.600098	1.12
2466A	013	2210	0.05	1592	1	55	80	2.5	4	3	5525	3933	RH-1	40	form-based			true	0.7	5	1.25	4	4	6188	4596	4596	1.12
2466A	014	2421	0.06	1734	1	55	80	2.5	5	4	6052	4318	RH-1	40	form-based			true	0.7	5	1	4	4	6778.799805	5044.799805	5044.799805	1.120093
2471	038	2378	0.05	1500	1	55	80	2.5	4	3	5945	4445	RH-1	40	form-based			true	0.7	5	1.25	4	4	6658.399902	5158.399902	5158.399902	1.12
2471	039	2378	0.05	1725	1	55	80	2.5	4	3	5945	4220	RH-1	40	form-based			true	0.7	5	1.25	4	4	6658.399902	4933.399902	4933.399902	1.12
2471	040	2378	0.05	1500	1	55	80	2.5	4	3	5945	4445	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6658.399902	5158.399902	5158.399902	1.12
2471	041	2500	0.06	1500	1	55	80	2.5	5	4	6250	4750	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5500	5500	1.12
2471	003	2401	0.06	2060	1	55	80	2.5	5	4	6002	3942	RH-1	40	form-based			true	0.7	5	1	4	4	6722.799805	4662.799805	4662.799805	1.120093
2471	004	2402	0.06	1399	1	55	80	2.5	5	4	6005	4606	RH-1	40	form-based			true	0.7	5	1	4	4	6725.600098	5326.600098	5326.600098	1.12
2471	037	2378	0.05	2026	1	55	80	2.5	4	3	5945	3919	RH-1	40	form-based			true	0.7	5	1.25	4	4	6658.399902	4632.399902	4632.399902	1.12
2471	042	2500	0.06	1469	1	55	80	2.5	5	4	6250	4781	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5531	5531	1.12
2471	047	2615	0.06	2835	1	55	80	2.5	5	4	6538	3703	RH-1	40	form-based			true	0.7	5	1	4	4	7322	4487	4487	1.119914
2472	001	2387	0.05	1335	1	55	80	2.5	4	3	5968	4633	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6683.600098	5348.600098	5348.600098	1.119906
2472	001A	2387	0.05	1325	1	55	80	2.5	4	3	5968	4643	RH-1	40	form-based			true	0.7	5	1.25	4	4	6683.600098	5358.600098	5358.600098	1.119906
2472	001B	2387	0.05	1110	1	55	80	2.5	4	3	5968	4858	RH-1	40	form-based			true	0.7	5	1.25	4	4	6683.600098	5573.600098	5573.600098	1.119906
2472	001C	2387	0.05	1400	1	55	80	2.5	4	3	5968	4568	RH-1	40	form-based			true	0.7	5	1.25	4	4	6683.600098	5283.600098	5283.600098	1.119906
2472	002	3012	0.07	2515	2	55	80	2.5	6	4	7530	5015	RH-1	40	form-based			true	0.7	6	1	4	4	8433.599609	5918.599609	5918.599609	1.12
2472	003J	2264	0.05	1300	1	55	80	2.5	4	3	5660	4360	RH-1	40	form-based			true	0.7	5	1.25	4	4	6339.199707	5039.199707	5039.199707	1.12
2472	003K	2264	0.05	1875	1	55	80	2.5	4	3	5660	3785	RH-1	40	form-based			true	0.7	5	1.25	4	4	6339.199707	4464.199707	4464.199707	1.12
2472	003M	2264	0.05	1425	1	55	80	2.5	4	3	5660	4235	RH-1	40	form-based			true	0.7	5	1.25	4	4	6339.199707	4914.199707	4914.199707	1.12
2472	003N	2429	0.06	1275	1	55	80	2.5	5	4	6072	4797	RH-1	40	form-based		true	true	0.7	5	1	4	4	6801.199707	5526.199707	5526.199707	1.120092
2472	006	2500	0.06	1367	1	55	80	2.5	5	4	6250	4883	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5633	5633	1.12
2472	049	2375	0.05	2068	1	55	80	2.5	4	3	5938	3870	RH-1	40	form-based			true	0.7	5	1.25	4	4	6650	4582	4582	1.119906
2472	054	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5825	5825	1.12
2473	022	2614	0.06	1255	1	55	80	2.5	5	4	6535	5280	RH-1	40	form-based			true	0.7	5	1	4	4	7319.199707	6064.199707	6064.199707	1.12
2473	023	2315	0.05	2116	1	55	80	2.5	4	3	5788	3672	RH-1	40	form-based			true	0.7	5	1.25	4	4	6482	4366	4366	1.119903
2473	024	2315	0.05	1395	1	55	80	2.5	4	3	5788	4393	RH-1	40	form-based			true	0.7	5	1.25	4	4	6482	5087	5087	1.119903
2473	025	2315	0.05	1395	1	55	80	2.5	4	3	5788	4393	RH-1	40	form-based			true	0.7	5	1.25	4	4	6482	5087	5087	1.119903
2473	042	2250	0.05	2560	4	55	80	2.5	4	0	5625	3065	NC-1	65	form-based			true	0.75	8	2	4	4	10125	7565	7565	1.8
2473	044	2250	0.05	3200	4	55	80	2.5	4	0	5625	2425	NC-1	65	form-based			true	0.75	8	2	4	4	10125	6925	6925	1.8
2474	017	2526	0.06	1704	1	55	80	2.5	5	4	6315	4611	RH-1	40	form-based			true	0.7	5	1	4	4	7072.799805	5368.799805	5368.799805	1.12
2474	018	2526	0.06	1766	1	55	80	2.5	5	4	6315	4549	RH-1	40	form-based			true	0.7	5	1	4	4	7072.799805	5306.799805	5306.799805	1.12
2474	019	2339	0.05	2198	1	55	80	2.5	4	3	5848	3650	RH-1	40	form-based			true	0.7	5	1.25	4	4	6549.199707	4351.199707	4351.199707	1.119904
2474	023	2608	0.06	2104	1	55	80	2.5	5	4	6520	4416	RH-1	40	form-based			true	0.7	5	1	4	4	7302.399902	5198.399902	5198.399902	1.12
2474	024	2550	0.06	1185	1	55	80	2.5	5	4	6375	5190	RH-1	40	form-based			true	0.7	5	1	4	4	7140	5955	5955	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2474	025	2550	0.06	1185	1	55	80	2.5	5	4	6375	5190	RH-1	40	form-based			true	0.7	5	1	4	4	7140	5955	5955	1.12
2474	026	2550	0.06	1585	1	55	80	2.5	5	4	6375	4790	RH-1	40	form-based			true	0.7	5	1	4	4	7140	5555	5555	1.12
2475	001	2213	0.05	1980	1	55	80	2.5	4	3	5532	3552	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6196.399902	4216.399902	4216.399902	1.120101
2475	025	2500	0.06	2176	1	55	80	2.5	5	4	6250	4074	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4824	4824	1.12
2475	026	2500	0.06	1115	1	55	80	2.5	5	4	6250	5135	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5885	5885	1.12
2475	027	2500	0.06	2027	1	55	80	2.5	5	4	6250	4223	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4973	4973	1.12
2475	051	2213	0.05	2135	1	55	80	2.5	4	3	5532	3397	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6196.399902	4061.399902	4061.399902	1.120101
2475	052	2546	0.06	1125	1	55	80	2.5	5	4	6365	5240	RH-1	40	form-based			true	0.7	5	1	4	4	7128.799805	6003.799805	6003.799805	1.12
2475	053	2546	0.06	1155	1	55	80	2.5	5	4	6365	5210	RH-1	40	form-based			true	0.7	5	1	4	4	7128.799805	5973.799805	5973.799805	1.12
2475	054	2546	0.06	1155	1	55	80	2.5	5	4	6365	5210	RH-1	40	form-based			true	0.7	5	1	4	4	7128.799805	5973.799805	5973.799805	1.12
2476	013	3034	0.07	1690	2	55	80	2.5	6	4	7585	5895	RH-1	40	form-based			true	0.7	6	1	4	4	8495.200195	6805.200195	6805.200195	1.12
2476	024	2250	0.05	1540	1	55	80	2.5	4	3	5625	4085	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6300	4760	4760	1.12
2476	025	2546	0.06	2580	1	55	80	2.5	5	4	6365	3785	RH-1	40	form-based			true	0.7	5	1	4	4	7128.799805	4548.799805	4548.799805	1.12
2476	026	2546	0.06	2345	1	55	80	2.5	5	4	6365	4020	RH-1	40	form-based			true	0.7	5	1	4	4	7128.799805	4783.799805	4783.799805	1.12
2476	027	2546	0.06	2791	1	55	80	2.5	5	4	6365	3574	RH-1	40	form-based			true	0.7	5	1	4	4	7128.799805	4337.799805	4337.799805	1.12
2476	028	2216	0.05	1600	1	55	80	2.5	4	3	5540	3940	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6204.799805	4604.799805	4604.799805	1.12
2476	034	3000	0.07	2050	2	55	80	2.5	6	4	7500	5450	RH-1	40	form-based			true	0.7	6	1	4	4	8400	6350	6350	1.12
2476	052	2500	0.06	1440	1	55	80	2.5	5	4	6250	4810	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5560	5560	1.12
2476	053	2500	0.06	1140	1	55	80	2.5	5	4	6250	5110	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5860	5860	1.12
2476	054	2500	0.06	1885	1	55	80	2.5	5	4	6250	4365	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5115	5115	1.12
2478	001	2419	0.06	1500	1	55	80	2.5	5	4	6048	4548	RH-1	40	form-based		true	true	0.7	5	1	4	4	6773.199707	5273.199707	5273.199707	1.119907
2478	002	2424	0.06	2528	1	55	80	2.5	5	4	6060	3532	RH-1	40	form-based			true	0.7	5	1	4	4	6787.199707	4259.199707	4259.199707	1.12
2478	003	2430	0.06	1608	1	55	80	2.5	5	4	6075	4467	RH-1	40	form-based			true	0.7	5	1	4	4	6804	5196	5196	1.12
2478	004	2436	0.06	1400	1	55	80	2.5	5	4	6090	4690	RH-1	40	form-based			true	0.7	5	1	4	4	6820.799805	5420.799805	5420.799805	1.12
2478	040	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5600	5600	1.12
2479	001	2380	0.05	2035	1	65	100	3	5	4	7140	5105	RH-1	40	form-based		true	true	0.7	5	1	4	4	6664	4629	4629	0.933333
2479	002	2375	0.05	1500	1	65	100	3	5	4	7125	5625	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5150	5150	0.933333
2479	003	2375	0.05	1500	1	65	100	3	5	4	7125	5625	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5150	5150	0.933333
2479	004	2375	0.05	1500	1	65	100	3	5	4	7125	5625	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5150	5150	0.933333
2479	021	2505	0.06	1450	1	65	100	3	6	5	7515	6065	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7014	5564	5564	0.933333
2479	022	2497	0.06	1450	1	65	100	3	6	5	7491	6041	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6991.600098	5541.600098	5541.600098	0.933333
2479	023	2406	0.06	2090	1	65	100	3	6	5	7218	5128	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6736.799805	4646.799805	4646.799805	0.933333
2479	029	2250	0.05	1535	1	65	100	3	5	4	6750	5215	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4765	4765	0.933333
2479	030	2250	0.05	3200	1	65	100	3	5	4	6750	3550	RH-1	40	form-based			true	0.7	5	1	4	4	6300	3100	3100	0.933333
2479	031	2250	0.05	1190	1	65	100	3	5	4	6750	5560	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5110	5110	0.933333
2479	049	2225	0.05	1696	1	55	80	2.5	4	3	5562	3866	RH-1	40	form-based			true	0.7	5	1.25	4	4	6230	4534	4534	1.120101
2479	050	2225	0.05	1550	1	55	80	2.5	4	3	5562	4012	RH-1	40	form-based			true	0.7	5	1.25	4	4	6230	4680	4680	1.120101
2479	051	2225	0.05	1665	1	55	80	2.5	4	3	5562	3897	RH-1	40	form-based			true	0.7	5	1.25	4	4	6230	4565	4565	1.120101
2479	052	2243	0.05	1200	1	65	100	3	5	4	6729	5529	RH-1	40	form-based		true	true	0.7	5	1	4	4	6280.399902	5080.399902	5080.399902	0.933333
2480	008	2500	0.06	2730	1	65	100	3	6	5	7500	4770	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4270	4270	0.933333
2480	008A	2500	0.06	1875	1	65	100	3	6	5	7500	5625	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5125	5125	0.933333
2480	009	2500	0.06	1772	1	65	100	3	6	5	7500	5728	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5228	5228	0.933333
2480	010B	2145	0.05	1490	1	65	100	3	5	4	6435	4945	RH-1	40	form-based			true	0.7	5	1	4	4	6006	4516	4516	0.933333
2480	011	2257	0.05	2765	1	65	100	3	5	4	6771	4006	RH-1	40	form-based		true	true	0.7	5	1	4	4	6319.600098	3554.600098	3554.600098	0.933333
2480	017A	2529	0.06	1430	1	65	100	3	6	5	7587	6157	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7081.199707	5651.199707	5651.199707	0.933333
2480	017B	2528	0.06	2212	1	65	100	3	6	5	7584	5372	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7078.399902	4866.399902	4866.399902	0.933333
2480	017C	2527	0.06	1325	1	65	100	3	6	5	7581	6256	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7075.600098	5750.600098	5750.600098	0.933333
2480	018	2527	0.06	1866	1	65	100	3	6	5	7581	5715	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7075.600098	5209.600098	5209.600098	0.933333
2480	018A	2526	0.06	2300	1	65	100	3	6	5	7578	5278	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	4772.799805	4772.799805	0.933333
2480	019	2525	0.06	3600	1	65	100	3	6	5	7575	3975	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7070	3470	3470	0.933333
2481	010	2279	0.05	1876	1	65	100	3	5	4	6837	4961	RH-1	40	form-based			true	0.7	5	1	4	4	6381.199707	4505.199707	4505.199707	0.933333
2481	010A	2279	0.05	2087	1	65	100	3	5	4	6837	4750	RH-1	40	form-based			true	0.7	5	1	4	4	6381.199707	4294.199707	4294.199707	0.933333
2481	011	2279	0.05	2199	1	65	100	3	5	4	6837	4638	RH-1	40	form-based			true	0.7	5	1	4	4	6381.199707	4182.199707	4182.199707	0.933333
2481	011A	2341	0.05	2264	1	65	100	3	5	4	7023	4759	RH-1	40	form-based		true	true	0.7	5	1	4	4	6554.799805	4290.799805	4290.799805	0.933333
2481	012	2519	0.06	1450	1	65	100	3	6	5	7557	6107	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7053.199707	5603.199707	5603.199707	0.933333
2481	012A	2519	0.06	1450	1	65	100	3	6	5	7557	6107	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7053.199707	5603.199707	5603.199707	0.933333
2481	013	2520	0.06	1440	1	65	100	3	6	5	7560	6120	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7056	5616	5616	0.933333
2481	014	2327	0.05	1675	1	65	100	3	5	4	6981	5306	RH-1	40	form-based		true	true	0.7	5	1	4	4	6515.600098	4840.600098	4840.600098	0.933333
2481	014A	2250	0.05	1840	1	65	100	3	5	4	6750	4910	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4460	4460	0.933333
2481	015	2250	0.05	2109	1	65	100	3	5	4	6750	4641	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4191	4191	0.933333
2481	015A	2250	0.05	1350	1	65	100	3	5	4	6750	5400	RH-1	40	form-based			true	0.7	5	1	4	4	6300	4950	4950	0.933333
2481	019	2500	0.06	1425	1	65	100	3	6	5	7500	6075	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5575	5575	0.933333
2481	019A	2500	0.06	2125	1	65	100	3	6	5	7500	5375	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4875	4875	0.933333
2481	019B	2500	0.06	1725	1	65	100	3	6	5	7500	5775	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5275	5275	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2481	019C	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7000	5550	5550	0.933333
2481	021	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5550	5550	0.933333
2481	022	2500	0.06	1648	1	65	100	3	6	5	7500	5852	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5352	5352	0.933333
2481	023	2500	0.06	2188	1	65	100	3	6	5	7500	5312	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4812	4812	0.933333
2481	024	2500	0.06	1910	1	65	100	3	6	5	7500	5590	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5090	5090	0.933333
2482	001A	2517	0.06	2655	1	65	100	3	6	5	7551	4896	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7047.600098	4392.600098	4392.600098	0.933333
2482	013	2360	0.05	2247	1	65	100	3	5	4	7080	4833	RH-1	40	form-based			true	0.7	5	1	4	4	6608	4361	4361	0.933333
2482	014	2331	0.05	1525	1	65	100	3	5	4	6993	5468	RH-1	40	form-based			true	0.7	5	1	4	4	6526.799805	5001.799805	5001.799805	0.933333
2482	015	2331	0.05	1525	1	65	100	3	5	4	6993	5468	RH-1	40	form-based			true	0.7	5	1	4	4	6526.799805	5001.799805	5001.799805	0.933333
2482	015A	2372	0.05	2420	1	65	100	3	5	4	7116	4696	RH-1	40	form-based			true	0.7	5	1	4	4	6641.600098	4221.600098	4221.600098	0.933333
2482	018	2457	0.06	1500	1	65	100	3	6	5	7371	5871	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6879.600098	5379.600098	5379.600098	0.933333
2482	019	2347	0.05	2340	1	65	100	3	5	4	7041	4701	RH-1	40	form-based			true	0.7	5	1	4	4	6571.600098	4231.600098	4231.600098	0.933333
2482	020	2431	0.06	2695	1	65	100	3	6	5	7293	4598	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6806.799805	4111.799805	4111.799805	0.933333
2482	021	2432	0.06	2206	1	65	100	3	6	5	7296	5090	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6809.600098	4603.600098	4603.600098	0.933333
2482	022	2485	0.06	1425	1	65	100	3	6	5	7455	6030	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6958	5533	5533	0.933333
2482	022A	2435	0.06	2319	1	65	100	3	6	5	7305	4986	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6818	4499	4499	0.933333
2482	023	2403	0.06	2364	1	65	100	3	6	5	7209	4845	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6728.399902	4364.399902	4364.399902	0.933333
2482	024B	2500	0.06	2050	1	65	100	3	6	5	7500	5450	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4950	4950	0.933333
2483	019	2375	0.05	1175	1	65	100	3	5	4	7125	5950	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6650	5475	5475	0.933333
2483	020	2545	0.06	1315	1	65	100	3	6	5	7635	6320	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7126	5811	5811	0.933333
2483	023	2528	0.06	1397	1	65	100	3	6	5	7584	6187	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7078.399902	5681.399902	5681.399902	0.933333
2483	030	2203	0.05	2239	1	85	140	4	7	6	8812	6573	RH-1(D)	40	form-based			true	0.7	5	0.714285731	4	4	6168.399902	3929.399902	3929.399902	0.7
2494A	002	2400	0.06	1102	1	55	80	2.5	5	4	6000	4898	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6720	5618	5618	1.12
2503A	017A	2479	0.06	1150	1	55	80	2.5	5	4	6198	5048	RH-1	40	form-based			true	0.7	5	1	4	4	6941.199707	5791.199707	5791.199707	1.11991
2503A	018	2478	0.06	1824	1	55	80	2.5	5	4	6195	4371	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5114.399902	5114.399902	1.12
2503A	019	2478	0.06	1150	1	55	80	2.5	5	4	6195	5045	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5788.399902	5788.399902	1.12
2503A	020	2477	0.06	1755	1	55	80	2.5	5	4	6192	4437	RH-1	40	form-based			true	0.7	5	1	4	4	6935.600098	5180.600098	5180.600098	1.12009
2503A	021	2477	0.06	1150	1	55	80	2.5	5	4	6192	5042	RH-1	40	form-based			true	0.7	5	1	4	4	6935.600098	5785.600098	5785.600098	1.12009
2503A	022	2476	0.06	1318	1	55	80	2.5	5	4	6190	4872	RH-1	40	form-based			true	0.7	5	1	4	4	6932.799805	5614.799805	5614.799805	1.12
2503A	023	2476	0.06	1850	1	55	80	2.5	5	4	6190	4340	RH-1	40	form-based			true	0.7	5	1	4	4	6932.799805	5082.799805	5082.799805	1.12
2503A	024	2475	0.06	1500	1	55	80	2.5	5	4	6188	4688	RH-1	40	form-based			true	0.7	5	1	4	4	6930	5430	5430	1.11991
2503A	025	2474	0.06	1437	1	55	80	2.5	5	4	6185	4748	RH-1	40	form-based			true	0.7	5	1	4	4	6927.199707	5490.199707	5490.199707	1.12
2503A	026	2474	0.06	1150	1	55	80	2.5	5	4	6185	5035	RH-1	40	form-based			true	0.7	5	1	4	4	6927.199707	5777.199707	5777.199707	1.12
2503A	027	2473	0.06	1570	1	55	80	2.5	5	4	6182	4612	RH-1	40	form-based			true	0.7	5	1	4	4	6924.399902	5354.399902	5354.399902	1.120091
2503A	028	2473	0.06	1150	1	55	80	2.5	5	4	6182	5032	RH-1	40	form-based			true	0.7	5	1	4	4	6924.399902	5774.399902	5774.399902	1.120091
2503A	029	2472	0.06	1500	1	55	80	2.5	5	4	6180	4680	RH-1	40	form-based			true	0.7	5	1	4	4	6921.600098	5421.600098	5421.600098	1.12
2503A	030	2479	0.06	1867	1	55	80	2.5	5	4	6198	4331	RH-1	40	form-based			true	0.7	5	1	4	4	6941.199707	5074.199707	5074.199707	1.11991
2504A	001A	2373	0.05	1692	1	55	80	2.5	4	3	5932	4240	RH-1	40	form-based			true	0.7	5	1.25	4	4	6644.399902	4952.399902	4952.399902	1.120094
2504A	001B	2372	0.05	1250	1	55	80	2.5	4	3	5930	4680	RH-1	40	form-based			true	0.7	5	1.25	4	4	6641.600098	5391.600098	5391.600098	1.12
2504A	001C	2371	0.05	1510	1	55	80	2.5	4	3	5928	4418	RH-1	40	form-based			true	0.7	5	1.25	4	4	6638.799805	5128.799805	5128.799805	1.119905
2504A	001W	2339	0.05	1625	1	55	80	2.5	4	3	5848	4223	RH-1	40	form-based			true	0.7	5	1.25	4	4	6549.199707	4924.199707	4924.199707	1.119904
2504A	001X	2340	0.05	1700	1	55	80	2.5	4	3	5850	4150	RH-1	40	form-based			true	0.7	5	1.25	4	4	6552	4852	4852	1.12
2504A	003	2321	0.05	2000	1	55	80	2.5	4	3	5802	3802	RH-1	40	form-based			true	0.7	5	1.25	4	4	6498.799805	4498.799805	4498.799805	1.120096
2504A	005	2418	0.06	2000	1	55	80	2.5	5	4	6045	4045	RH-1	40	form-based			true	0.7	5	1	4	4	6770.399902	4770.399902	4770.399902	1.12
2504A	006	2342	0.05	1642	1	55	80	2.5	4	3	5855	4213	RH-1	40	form-based			true	0.7	5	1.25	4	4	6557.600098	4915.600098	4915.600098	1.12
2504A	007	2344	0.05	2140	1	55	80	2.5	4	3	5860	3720	RH-1	40	form-based			true	0.7	5	1.25	4	4	6563.199707	4423.199707	4423.199707	1.12
2504A	027	2410	0.06	1805	1	55	80	2.5	5	4	6025	4220	RH-1	40	form-based			true	0.7	5	1	4	4	6748	4943	4943	1.12
2504A	028	2412	0.06	1350	1	55	80	2.5	5	4	6030	4680	RH-1	40	form-based			true	0.7	5	1	4	4	6753.600098	5403.600098	5403.600098	1.12
2506	001C	2392	0.05	1422	1	55	80	2.5	4	3	5980	4558	RH-1	40	form-based			true	0.7	5	1.25	4	4	6697.600098	5275.600098	5275.600098	1.12
2506	018	2478	0.06	2383	1	55	80	2.5	5	4	6195	3812	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	4555.399902	4555.399902	1.12
2506	019	2478	0.06	1175	1	55	80	2.5	5	4	6195	5020	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5763.399902	5763.399902	1.12
2506	020	2478	0.06	1681	1	55	80	2.5	5	4	6195	4514	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5257.399902	5257.399902	1.12
2506	040	2537	0.06	1525	1	55	80	2.5	5	4	6342	4817	RH-1	40	form-based			true	0.7	5	1	4	4	7103.600098	5578.600098	5578.600098	1.120088
2506	041	2541	0.06	1012	1	55	80	2.5	5	4	6352	5340	RH-1	40	form-based			true	0.7	5	1	4	4	7114.799805	6102.799805	6102.799805	1.120088
2506	042	2544	0.06	2286	1	55	80	2.5	5	4	6360	4074	RH-1	40	form-based			true	0.7	5	1	4	4	7123.199707	4837.199707	4837.199707	1.12
2507	019	2478	0.06	1155	1	55	80	2.5	5	4	6195	5040	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5783.399902	5783.399902	1.12
2507	019A	2478	0.06	1155	1	55	80	2.5	5	4	6195	5040	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5783.399902	5783.399902	1.12
2507	020	2478	0.06	1715	1	55	80	2.5	5	4	6195	4480	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5223.399902	5223.399902	1.12
2507	020A	2478	0.06	1011	1	55	80	2.5	5	4	6195	5184	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5927.399902	5927.399902	1.12
2507	044	2497	0.06	1754	1	55	80	2.5	5	4	6242	4488	RH-1	40	form-based			true	0.7	5	1	4	4	6991.600098	5237.600098	5237.600098	1.12009
2507	045	2500	0.06	1774	1	55	80	2.5	5	4	6250	4476	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5226	5226	1.12
2507	046	2503	0.06	1997	1	55	80	2.5	5	4	6258	4261	RH-1	40	form-based			true	0.7	5	1	4	4	7008.399902	5011.399902	5011.399902	1.11991
2507	047	2507	0.06	1502	1	55	80	2.5	5	4	6268	4766	RH-1	40	form-based			true	0.7	5	1	4	4	7019.600098	5517.600098	5517.600098	1.119911
2508	016	2475	0.06	1949	1	55	80	2.5	5	4	6188	4239	RH-1	40	form-based			true	0.7	5	1	4	4	6930	4981	4981	1.11991

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2508	016A	2478	0.06	1214	1	55	80	2.5	5	4	6195	4981	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5724.399902	5724.399902	1.12
2508	017	2481	0.06	1214	1	55	80	2.5	5	4	6202	4988	RH-1	40	form-based			true	0.7	5	1	4	4	6946.799805	5732.799805	5732.799805	1.12009
2508	017A	2484	0.06	1214	1	55	80	2.5	5	4	6210	4996	RH-1	40	form-based			true	0.7	5	1	4	4	6955.199707	5741.199707	5741.199707	1.12
2508	031	2496	0.06	1012	1	55	80	2.5	5	4	6240	5228	RH-1	40	form-based			true	0.7	5	1	4	4	6988.799805	5976.799805	5976.799805	1.12
2508	032	2499	0.06	1914	1	55	80	2.5	5	4	6248	4334	RH-1	40	form-based			true	0.7	5	1	4	4	6997.199707	5083.199707	5083.199707	1.11991
2508	033	2502	0.06	1210	1	55	80	2.5	5	4	6255	5045	RH-1	40	form-based			true	0.7	5	1	4	4	7005.600098	5795.600098	5795.600098	1.12
2508	034	2506	0.06	1210	1	55	80	2.5	5	4	6265	5055	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	5806.799805	5806.799805	1.12
2509	015A	2535	0.06	2590	1	55	80	2.5	5	4	6338	3748	RH-1	40	form-based			true	0.7	5	1	4	4	7098	4508	4508	1.119912
2509	029	2575	0.06	1440	1	55	80	2.5	5	4	6438	4998	RH-1	40	form-based			true	0.7	5	1	4	4	7210	5770	5770	1.119913
2509	030	2451	0.06	1424	1	55	80	2.5	5	4	6128	4704	RH-1	40	form-based			true	0.7	5	1	4	4	6862.799805	5438.799805	5438.799805	1.119909
2509	031	2396	0.06	2042	1	55	80	2.5	5	4	5990	3948	RH-1	40	form-based			true	0.7	5	1	4	4	6708.799805	4666.799805	4666.799805	1.12
2509	032	2366	0.05	1419	1	55	80	2.5	4	3	5915	4496	RH-1	40	form-based			true	0.7	5	1.25	4	4	6624.799805	5205.799805	5205.799805	1.12
2509	033	2514	0.06	1566	1	55	80	2.5	5	4	6285	4719	RH-1	40	form-based			true	0.7	5	1	4	4	7039.199707	5473.199707	5473.199707	1.12
2509	034	2267	0.05	1358	1	55	80	2.5	4	3	5668	4310	RH-1	40	form-based			true	0.7	5	1.25	4	4	6347.600098	4989.600098	4989.600098	1.119901
2509	037	2516	0.06	1983	1	55	80	2.5	5	4	6290	4307	RH-1	40	form-based			true	0.7	5	1	4	4	7044.799805	5061.799805	5061.799805	1.12
2509	048	2466	0.06	1199	1	55	80	2.5	5	4	6165	4966	RH-1	40	form-based			true	0.7	5	1	4	4	6904.799805	5705.799805	5705.799805	1.12
2509	049	2470	0.06	1977	1	55	80	2.5	5	4	6175	4198	RH-1	40	form-based			true	0.7	5	1	4	4	6916	4939	4939	1.12
2509	050	2473	0.06	2193	1	55	80	2.5	5	4	6182	3989	RH-1	40	form-based			true	0.7	5	1	4	4	6924.399902	4731.399902	4731.399902	1.120091
2509	051	2477	0.06	2404	1	55	80	2.5	5	4	6192	3788	RH-1	40	form-based			true	0.7	5	1	4	4	6935.600098	4531.600098	4531.600098	1.12009
2509	054	2509	0.06	2250	1	55	80	2.5	5	4	6272	4022	RH-1	40	form-based			true	0.7	5	1	4	4	7025.199707	4775.199707	4775.199707	1.120089
2509	055	2512	0.06	1500	1	55	80	2.5	5	4	6280	4780	RH-1	40	form-based			true	0.7	5	1	4	4	7033.600098	5533.600098	5533.600098	1.12
2509	056	2515	0.06	2590	1	55	80	2.5	5	4	6288	3698	RH-1	40	form-based			true	0.7	5	1	4	4	7042	4452	4452	1.119911
2509	057	2518	0.06	2590	1	55	80	2.5	5	4	6295	3705	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	4460.399902	4460.399902	1.12
2510	016	2571	0.06	1254	1	55	80	2.5	5	4	6428	5174	RH-1	40	form-based			true	0.7	5	1	4	4	7198.799805	5944.799805	5944.799805	1.119913
2510	017	2302	0.05	1012	1	55	80	2.5	4	3	5755	4743	RH-1	40	form-based			true	0.7	5	1.25	4	4	6445.600098	5433.600098	5433.600098	1.12
2510	018	2181	0.05	1012	1	55	80	2.5	4	3	5452	4440	RH-1	40	form-based			true	0.7	5	1.25	4	4	6106.799805	5094.799805	5094.799805	1.120103
2510	046	2500	0.06	1769	1	55	80	2.5	5	4	6250	4481	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5231	5231	1.12
2510	047	2500	0.06	1412	1	55	80	2.5	5	4	6250	4838	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5588	5588	1.12
2510	048	2500	0.06	1012	1	55	80	2.5	5	4	6250	5238	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5988	5988	1.12
2510	049	2500	0.06	1582	1	55	80	2.5	5	4	6250	4668	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5418	5418	1.12
2511	009	2504	0.06	1586	1	65	100	3	6	5	7512	5926	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	5425.199707	5425.199707	0.933333
2511	031	2500	0.06	1463	1	65	100	3	6	5	7500	6037	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5537	5537	0.933333
2511	032	2500	0.06	1463	1	65	100	3	6	5	7500	6037	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5537	5537	0.933333
2511	033	2500	0.06	1463	1	65	100	3	6	5	7500	6037	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5537	5537	0.933333
2511	034	2500	0.06	1813	1	65	100	3	6	5	7500	5687	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5187	5187	0.933333
2512	020	2500	0.06	1199	1	65	100	3	6	5	7500	6301	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5801	5801	0.933333
2512	021	2500	0.06	903	1	65	100	3	6	5	7500	6597	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6097	6097	0.933333
2512	022	2500	0.06	2214	1	65	100	3	6	5	7500	5286	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4786	4786	0.933333
2512	023	2500	0.06	903	1	65	100	3	6	5	7500	6597	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6097	6097	0.933333
2518	031	2510	0.06	1012	1	55	80	2.5	5	4	6275	5263	RH-1	40	form-based			true	0.7	5	1	4	4	7028	6016	6016	1.12
2518	032	2513	0.06	1180	1	55	80	2.5	5	4	6282	5102	RH-1	40	form-based			true	0.7	5	1	4	4	7036.399902	5856.399902	5856.399902	1.120089
2518	033	2516	0.06	1350	1	55	80	2.5	5	4	6290	4940	RH-1	40	form-based			true	0.7	5	1	4	4	7044.799805	5694.799805	5694.799805	1.12
2518	034	2519	0.06	1012	1	55	80	2.5	5	4	6298	5286	RH-1	40	form-based			true	0.7	5	1	4	4	7053.199707	6041.199707	6041.199707	1.119911
2518	035	2522	0.06	1012	1	55	80	2.5	5	4	6305	5293	RH-1	40	form-based			true	0.7	5	1	4	4	7061.600098	6049.600098	6049.600098	1.12
2518	036	2525	0.06	1012	1	55	80	2.5	5	4	6312	5300	RH-1	40	form-based			true	0.7	5	1	4	4	7070	6058	6058	1.120089
2519	031	2156	0.05	1323	1	55	80	2.5	4	3	5390	4067	RH-1	40	form-based	true	true	0.7	5	1.25	4	4	6036.799805	4713.799805	4713.799805	1.12
2607	028	3125	0.07	2758	3	55	80	2.5	6	3	7812	5054	RH-2	40	form-based		true	0.7	7	1.166666627	4	4	8750	5992	5992	1.120072
2607	031	2500	0.06	1183	1	55	80	2.5	5	4	6250	5067	RH-2	40	form-based		true	0.7	5	1	4	4	7000	5817	5817	1.12
2603	002	2519	0.06	2840	1	55	80	2.5	5	4	6298	3458	RH-3	40	form-based		true	0.7	5	1	4	4	7053.199707	4213.199707	4213.199707	1.119911
2603	006	2493	0.06	1980	1	55	80	2.5	5	4	6232	4252	RH-2	40	form-based		true	0.7	5	1	4	4	6980.399902	5000.399902	5000.399902	1.12009
2607	062	3096	0.07	2391	3	55	80	2.5	6	3	7740	5349	RH-3	40	form-based		true	0.7	7	1.166666627	4	4	8668.799805	6277.799805	6277.799805	1.12
2608	007	2957	0.07	2100	2	55	80	2.5	6	4	7392	5292	RH-2	40	form-based		true	0.7	6	1	4	4	8279.599609	6179.599609	6179.599609	1.120076
2608	013	2958	0.07	2194	2	55	80	2.5	6	4	7395	5201	RH-2	40	form-based		true	0.7	6	1	4	4	8282.399414	6088.399414	6088.399414	1.12
2608	027	2344	0.05	975	1	55	80	2.5	4	3	5860	4885	RH-2	40	form-based		true	0.7	5	1.25	4	4	6563.199707	5588.199707	5588.199707	1.12
2608	047	2861	0.07	2375	2	55	80	2.5	6	4	7152	4777	RH-2	40	form-based		true	0.7	6	1	4	4	8010.799805	5635.799805	5635.799805	1.120078
2608	049	2169	0.05	1983	1	55	80	2.5	4	3	5422	3439	RH-2	40	form-based	true	true	0.7	5	1.25	4	4	6073.199707	4090.199707	4090.199707	1.120103
2608	056	2947	0.07	2496	2	55	80	2.5	6	4	7368	4872	RH-2	40	form-based	true	true	0.7	6	1	4	4	8251.599609	5755.599609	5755.599609	1.119924
2608	058	3067	0.07	1600	2	55	80	2.5	6	4	7668	6068	RH-2	40	form-based		true	0.7	6	1	4	4	8587.599609	6987.599609	6987.599609	1.119927
2608	066	2958	0.07	1202	2	55	80	2.5	6	4	7395	6193	RH-2	40	form-based		true	0.7	6	1	4	4	8282.399414	7080.399414	7080.399414	1.12
2608	071	2622	0.06	1473	2	55	80	2.5	5	3	6555	5082	RH-2	40	form-based		true	0.7	6	1.200000048	4	4	7341.600098	5868.600098	5868.600098	1.12
2608	073	2958	0.07	1100	2	55	80	2.5	6	4	7395	6295	RH-2	40	form-based		true	0.7	6	1	4	4	8282.399414	7182.399414	7182.399414	1.12
2609	002	2351	0.05	2200	1	65	100	3	5	4	7053	4853	RH-2	40	form-based		true	0.7	5	1	4	4	6582.799805	4382.799805	4382.799805	0.933333
2609	003	2430	0.06	1470	1	65	100	3	6	5	7290	5820	RH-2	40	form-based		true	0.7	5	0.833333313	4	4	6804	5334	5334	0.933333
2609	004	2509	0.06	1552	1	65	100	3	6	5	7527	5975	RH-2	40	form-based		true	0.7	5	0.833333313	4	4	7025.199707	5473.199707	5473.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2609	007	2746	0.06	2562	2	65	100	3	6	4	8238	5676	RH-2	40	form-based			true	0.7	6	1	4	4	7688.799805	5126.799805	5126.799805	0.933333
2609	012	2250	0.05	1700	1	65	100	3	5	4	6750	5050	RH-2	40	form-based			true	0.7	5	1	4	4	6300	4600	4600	0.933333
2609	015	2250	0.05	2100	1	65	100	3	5	4	6750	4650	RH-2	40	form-based			true	0.7	5	1	4	4	6300	4200	4200	0.933333
2609	019	2250	0.05	1938	1	65	100	3	5	4	6750	4812	RH-2	40	form-based			true	0.7	5	1	4	4	6300	4362	4362	0.933333
2609	023	2911	0.07	2000	2	55	80	2.5	6	4	7278	5278	RH-2	40	form-based			true	0.7	6	1	4	4	8150.799805	6150.799805	6150.799805	1.119923
2609	028	2808	0.06	3903	2	55	80	2.5	5	3	7020	3117	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7862.399902	3959.399902	3959.399902	1.12
2609	031	2808	0.06	3404	2	55	80	2.5	5	3	7020	3616	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7862.399902	4458.399902	4458.399902	1.12
2609	033	2808	0.06	5741	2	55	80	2.5	5	3	7020	1279	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7862.399902	2121.399902	2121.399902	1.12
2609	037	2808	0.06	3933	2	65	100	3	6	4	8424	4491	RH-2	40	form-based			true	0.7	6	1	4	4	7862.399902	3929.399902	3929.399902	0.933333
2609	040	2700	0.06	2570	2	65	100	3	6	4	8100	5530	RH-2	40	form-based			true	0.7	6	1	4	4	7560	4990	4990	0.933333
2609	041	2700	0.06	4461	2	65	100	3	6	4	8100	3639	RH-2	40	form-based			true	0.7	6	1	4	4	7560	3099	3099	0.933333
2609	042	3000	0.07	4191	2	65	100	3	7	5	9000	4809	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	4209	4209	0.933333
2609	048	3000	0.07	1317	2	65	100	3	7	5	9000	7683	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7083	7083	0.933333
2609	050	3000	0.07	1375	2	65	100	3	7	5	9000	7625	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	7025	7025	0.933333
2609	052	3000	0.07	1463	2	65	100	3	7	5	9000	7537	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8400	6937	6937	0.933333
2609	060	2808	0.06	2271	2	55	80	2.5	5	3	7020	4749	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7862.399902	5591.399902	5591.399902	1.12
2609	066	2637	0.06	0	2	65	100	3	6	4	7911	7911	RH-2	40	form-based		true	true	0.7	6	1	4	4	7383.600098	7383.600098	7383.600098	0.933333
2610	004	2973	0.07	2488	2	65	100	3	7	5	8919	6431	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8324.399414	5836.399414	5836.399414	0.933333
2610	012	2397	0.06	1726	1	65	100	3	6	5	7191	5465	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	6711.600098	4985.600098	4985.600098	0.933333
2610	025	1846	0.04	2372	0	65	100	3	4	4	5538	3166	RH-2	40	form-based			true	0.7	4	1	4	4	5168.799805	2796.799805	2796.799805	0.933333
2611	002	2714	0.06	2374	2	65	100	3	6	4	8142	5768	RM-1	40	form-based			true	0.7	6	1	4	4	7599.199707	5225.199707	5225.199707	0.933333
2611	007	2411	0.06	1900	1	65	100	3	6	5	7233	5333	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	6750.799805	4850.799805	4850.799805	0.933333
2611	008	2411	0.06	1830	1	65	100	3	6	5	7233	5403	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	6750.799805	4920.799805	4920.799805	0.933333
2611	009	2231	0.05	1419	1	65	100	3	5	4	6693	5274	RM-1	40	form-based			true	0.7	5	1	4	4	6246.799805	4827.799805	4827.799805	0.933333
2611	010	2231	0.05	1830	1	65	100	3	5	4	6693	4863	RM-1	40	form-based			true	0.7	5	1	4	4	6246.799805	4416.799805	4416.799805	0.933333
2611	011	2230	0.05	1361	1	65	100	3	5	4	6690	5329	RM-1	40	form-based			true	0.7	5	1	4	4	6244	4883	4883	0.933333
2611	012	2230	0.05	1712	1	65	100	3	5	4	6690	4978	RM-1	40	form-based			true	0.7	5	1	4	4	6244	4532	4532	0.933333
2611	014	2228	0.05	1202	1	65	100	3	5	4	6684	5482	RM-1	40	form-based			true	0.7	5	1	4	4	6238.399902	5036.399902	5036.399902	0.933333
2611	017	2250	0.05	2100	1	65	100	3	5	4	6750	4650	RM-1	40	form-based			true	0.7	5	1	4	4	6300	4200	4200	0.933333
2611	018	2250	0.05	2600	1	65	100	3	5	4	6750	4150	RM-1	40	form-based			true	0.7	5	1	4	4	6300	3700	3700	0.933333
2611	023	2440	0.06	1900	1	65	100	3	6	5	7320	5420	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	6832	4932	4932	0.933333
2611	024	2434	0.06	2088	1	65	100	3	6	5	7302	5214	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	6815.199707	4727.199707	4727.199707	0.933333
2611	030	2181	0.05	2970	1	65	100	3	5	4	6543	3573	RH-3	40	form-based			true	0.7	5	1	4	4	6106.799805	3136.799805	3136.799805	0.933333
2611	037	2500	0.06	3514	1	65	100	3	6	5	7500	3986	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	3486	3486	0.933333
2611	038	2500	0.06	2457	1	65	100	3	6	5	7500	5043	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	4543	4543	0.933333
2611	039	2438	0.06	2940	1	65	100	3	6	5	7314	4374	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	6826.399902	3886.399902	3886.399902	0.933333
2611	043	2740	0.06	1764	2	65	100	3	6	4	8220	6456	RH-3	40	form-based			true	0.7	6	1	4	4	7672	5908	5908	0.933333
2611	055	2869	0.07	3190	2	65	100	3	7	5	8607	5417	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8033.199707	4843.199707	4843.199707	0.933333
2612	004	2994	0.07	2838	2	65	100	3	7	5	8982	6144	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8383.200195	5545.200195	5545.200195	0.933333
2612	006	2992	0.07	2434	2	65	100	3	7	5	8976	6542	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	5943.599609	5943.599609	0.933333
2612	009	3456	0.08	2348	3	65	100	3	8	5	10368	8020	RH-2	40	form-based			true	0.7	7	0.875	4	4	9676.799805	7328.799805	7328.799805	0.933333
2612	016A	2312	0.05	1196	1	65	100	3	5	4	6936	5740	RH-2	40	form-based			true	0.7	5	1	4	4	6473.600098	5277.600098	5277.600098	0.933333
2612	038	2839	0.07	2528	2	55	80	2.5	6	4	7098	4570	RH-2	40	form-based			true	0.7	6	1	4	4	7949.199707	5421.199707	5421.199707	1.119921
2612	086	2875	0.07	1095	2	65	100	3	7	5	8625	7530	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8050	6955	6955	0.933333
2612	088	4428	0.1	1084	5	55	80	2.5	8	3	11070	9986	RM-1	40	form-based			true	0.7	9	1.125	4	4	12398.39941	11314.39941	11314.39941	1.12
2612	095	2875	0.07	1060	2	65	100	3	7	5	8625	7565	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8050	6990	6990	0.933333
2612	103	2993	0.07	1499	2	65	100	3	7	5	8979	7480	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8380.399414	6881.399414	6881.399414	0.933333
2607	259	3000	0.07	1507	2	55	80	2.5	6	4	7500	5993	RH-2	40	form-based			true	0.7	6	1	4	4	8400	6893	6893	1.12
2612	055	2532	0.06	948	1	65	100	3	6	5	7596	6648	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	6141.600098	6141.600098	0.933333
2612	058	2875	0.07	2813	2	65	100	3	7	5	8625	5812	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8050	5237	5237	0.933333
2612	059	2875	0.07	1986	2	65	100	3	7	5	8625	6639	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8050	6064	6064	0.933333
2612	063	2875	0.07	1490	2	65	100	3	7	5	8625	7135	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8050	6560	6560	0.933333
2613	020	2584	0.06	1354	1	65	100	3	6	5	7752	6398	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7235.199707	5881.199707	5881.199707	0.933333
2613	048	2655	0.06	1568	2	65	100	3	6	4	7965	6397	RH-2	40	form-based			true	0.7	6	1	4	4	7434	5866	5866	0.933333
2614	042	2520	0.06	1856	1	55	80	2.5	5	4	6300	4444	RH-2	40	form-based	true		true	0.7	5	1	4	4	7056	5200	5200	1.12
2614	047	2893	0.07	2526	2	55	80	2.5	6	4	7232	4706	RH-2	40	form-based			true	0.7	6	1	4	4	8100.399902	5574.399902	5574.399902	1.120077
2614	048	2889	0.07	3344	2	55	80	2.5	6	4	7222	3878	RH-2	40	form-based			true	0.7	6	1	4	4	8089.199707	4745.199707	4745.199707	1.120077
2614	060	2847	0.07	3259	2	55	80	2.5	6	4	7118	3859	RH-2	40	form-based			true	0.7	6	1	4	4	7971.600098	4712.600098	4712.600098	1.119921
2614	063	2418	0.06	1462	1	55	80	2.5	5	4	6045	4583	RH-2	40	form-based			true	0.7	5	1	4	4	6770.399902	5308.399902	5308.399902	1.12
2614	064	2594	0.06	605	1	55	80	2.5	5	4	6485	5880	RH-2	40	form-based			true	0.7	5	1	4	4	7263.199707	6658.199707	6658.199707	1.12
2614	065	2545	0.06	1250	1	55	80	2.5	5	4	6362	5112	RH-2	40	form-based			true	0.7	5	1	4	4	7126	5876	5876	1.120088
2614	068	2534	0.06	1650	1	55	80	2.5	5	4	6335	4685	RH-2	40	form-based			true	0.7	5	1	4	4	7095.199707	5445.199707	5445.199707	1.12
2614	069	2531	0.06	735	1	55	80	2.5	5	4	6328	5593	RH-2	40	form-based			true	0.7	5	1	4	4	7086.799805	6351.799805	6351.799805	1.119911
2614	072	2369	0.05	2509	1	55	80	2.5	4	3	5922	3413	RH-2	40	form-based			true	0.7	5	1.25	4	4	6633.199707	4124.199707	4124.199707	1.120095

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2614	073	2366	0.05	1772	1	55	80	2.5	4	3	5915	4143	RH-2	40	form-based			true	0.7	5	1.25	4	4	6624.799805	4852.799805	4852.799805	1.12
2614	080	2498	0.06	1280	1	65	100	3	6	5	7494	6214	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6994.399902	5714.399902	5714.399902	0.933333
2614	080A	2504	0.06	1748	1	65	100	3	6	5	7512	5764	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	5263.199707	5263.199707	0.933333
2614	090	2165	0.05	1070	1	65	100	3	5	4	6495	5425	RH-2	40	form-based			true	0.7	5	1	4	4	6062	4992	4992	0.933333
2614	097A	2329	0.05	2347	1	65	100	3	5	4	6987	4640	RH-2	40	form-based			true	0.7	5	1	4	4	6521.199707	4174.199707	4174.199707	0.933333
2614	098	2257	0.05	1401	1	65	100	3	5	4	6771	5370	RH-2	40	form-based			true	0.7	5	1	4	4	6319.600098	4918.600098	4918.600098	0.933333
2614	123	2986	0.07	1322	2	65	100	3	7	5	8958	7636	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8360.799805	7038.799805	7038.799805	0.933333
2614	125	2868	0.07	785	2	55	80	2.5	6	4	7170	6385	RH-2	40	form-based			true	0.7	6	1	4	4	8030.399902	7245.399902	7245.399902	1.12
2614	133	2833	0.07	1573	2	65	100	3	7	5	8499	6926	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7932.399902	6359.399902	6359.399902	0.933333
2614	135	2882	0.07	1826	2	55	80	2.5	6	4	7205	5379	RH-2	40	form-based			true	0.7	6	1	4	4	8069.600098	6243.600098	6243.600098	1.12
2616	034	2500	0.06	3880	1	55	80	2.5	5	4	6250	2370	RH-2	40	form-based			true	0.7	5	1	4	4	7000	3120	3120	1.12
2616	035	2500	0.06	2745	1	55	80	2.5	5	4	6250	3505	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4255	4255	1.12
2616	005	3103	0.07	3145	3	55	80	2.5	6	3	7758	4613	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	8688.399414	5543.399414	5543.399414	1.119928
2616	043	3056	0.07	3090	2	55	80	2.5	6	4	7640	4550	RH-3	40	form-based			true	0.7	6	1	4	4	8556.799805	5466.799805	5466.799805	1.12
2616	051	3084	0.07	2628	2	55	80	2.5	6	4	7710	5082	RH-2	40	form-based			true	0.7	6	1	4	4	8635.200195	6007.200195	6007.200195	1.12
2616	053	2698	0.06	1314	2	55	80	2.5	5	3	6745	5431	RH-2	40	form-based	true		true	0.7	6	1.200000048	4	4	7554.399902	6240.399902	6240.399902	1.12
2616	063	2508	0.06	3985	1	55	80	2.5	5	4	6270	2285	RH-3	40	form-based			true	0.7	5	1	4	4	7022.399902	3037.399902	3037.399902	1.12
2617	003	2613	0.06	2294	1	55	80	2.5	5	4	6532	4238	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7316.399902	5022.399902	5022.399902	1.120086
2617	004	2400	0.06	2468	1	55	80	2.5	5	4	6000	3532	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6720	4252	4252	1.12
2617	005	2396	0.06	2200	1	55	80	2.5	5	4	5990	3790	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6708.799805	4508.799805	4508.799805	1.12
2617	007	2551	0.06	2041	1	55	80	2.5	5	4	6378	4337	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7142.799805	5101.799805	5101.799805	1.119912
2617	023	2485	0.06	1625	1	55	80	2.5	5	4	6212	4587	RH-2	40	form-based			true	0.7	5	1	4	4	6958	5333	5333	1.12009
2617	036	2500	0.06	3716	1	65	100	3	6	5	7500	3784	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7000	3284	3284	0.933333
2617	038	2520	0.06	1770	1	65	100	3	6	5	7560	5790	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7056	5286	5286	0.933333
2617	039	2520	0.06	2196	1	65	100	3	6	5	7560	5364	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7056	4860	4860	0.933333
2617	055	2587	0.06	2856	1	65	100	3	6	5	7761	4905	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7243.600098	4387.600098	4387.600098	0.933333
2617A	005	2500	0.06	1700	1	55	80	2.5	5	4	6250	4550	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7000	5300	5300	1.12
2617A	017	2464	0.06	3255	1	55	80	2.5	5	4	6160	2905	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6899.199707	3644.199707	3644.199707	1.12
2617A	021	2430	0.06	3612	1	55	80	2.5	5	4	6075	2463	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6804	3192	3192	1.12
2618	004	2302	0.05	725	1	55	80	2.5	4	3	5755	5030	RH-2	40	form-based			true	0.7	5	1.25	4	4	6445.600098	5720.600098	5720.600098	1.12
2618	040A	2221	0.05	2840	1	55	80	2.5	4	3	5552	2712	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6218.799805	3378.799805	3378.799805	1.120101
2618	042A	2074	0.05	0	0	55	80	2.5	4	4	5185	5185	RH-1	40	form-based			true	0.7	4	1	4	4	5807.199707	5807.199707	5807.199707	1.12
2618	048	2675	0.06	2600	2	55	80	2.5	5	3	6688	4088	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7490	4890	4890	1.119916
2618	052	3034	0.07	2555	2	55	80	2.5	6	4	7585	5030	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	5940.200195	5940.200195	1.12
2618	054	2981	0.07	2019	2	55	80	2.5	6	4	7452	5433	RH-2	40	form-based			true	0.7	6	1	4	4	8346.799805	6327.799805	6327.799805	1.120075
2618A	002	2586	0.06	2657	1	55	80	2.5	5	4	6465	3808	RH-1	40	form-based			true	0.7	5	1	4	4	7240.799805	4583.799805	4583.799805	1.12
2618A	003	2324	0.05	1398	1	55	80	2.5	4	3	5810	4412	RH-1	40	form-based			true	0.7	5	1.25	4	4	6507.199707	5109.199707	5109.199707	1.12
2618A	004	2416	0.06	1348	1	55	80	2.5	5	4	6040	4692	RH-1	40	form-based			true	0.7	5	1	4	4	6764.799805	5416.799805	5416.799805	1.12
2618A	005	2531	0.06	1506	1	55	80	2.5	5	4	6328	4822	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5580.799805	5580.799805	1.119911
2618A	006	2584	0.06	2313	1	55	80	2.5	5	4	6460	4147	RH-1	40	form-based			true	0.7	5	1	4	4	7235.199707	4922.199707	4922.199707	1.12
2618A	007	2404	0.06	1800	1	55	80	2.5	5	4	6010	4210	RH-1	40	form-based			true	0.7	5	1	4	4	6731.199707	4931.199707	4931.199707	1.12
2618A	010	2453	0.06	1600	1	55	80	2.5	5	4	6132	4532	RH-1	40	form-based			true	0.7	5	1	4	4	6868.399902	5268.399902	5268.399902	1.120091
2618A	016	2292	0.05	2406	1	55	80	2.5	4	3	5730	3324	RH-2	40	form-based			true	0.7	5	1.25	4	4	6417.600098	4011.600098	4011.600098	1.12
2618A	020	2136	0.05	1933	0	55	80	2.5	4	4	5340	3407	RH-2	40	form-based			true	0.7	4	1	4	4	5980.799805	4047.799805	4047.799805	1.12
2618A	021	2266	0.05	2304	1	55	80	2.5	4	3	5665	3361	RH-2	40	form-based			true	0.7	5	1.25	4	4	6344.799805	4040.799805	4040.799805	1.12
2618A	022	2243	0.05	2670	1	55	80	2.5	4	3	5608	2938	RH-2	40	form-based			true	0.7	5	1.25	4	4	6280.399902	3610.399902	3610.399902	1.1199
2618A	023	2441	0.06	2020	1	55	80	2.5	5	4	6102	4082	RH-2	40	form-based			true	0.7	5	1	4	4	6834.799805	4814.799805	4814.799805	1.120092
2618A	025	2550	0.06	1850	1	55	80	2.5	5	4	6375	4525	RH-2	40	form-based			true	0.7	5	1	4	4	7140	5290	5290	1.12
2618A	041	2467	0.06	1920	1	55	80	2.5	5	4	6168	4248	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6907.600098	4987.600098	4987.600098	1.119909
2619	006	2582	0.06	1250	1	55	80	2.5	5	4	6455	5205	RH-1	40	form-based			true	0.7	5	1	4	4	7229.600098	5979.600098	5979.600098	1.12
2619	009	2331	0.05	2445	1	55	80	2.5	4	3	5828	3383	RH-1	40	form-based			true	0.7	5	1.25	4	4	6526.799805	4081.799805	4081.799805	1.119904
2619	012	2698	0.06	2339	2	55	80	2.5	5	3	6745	4406	RH-1	40	form-based			true	0.7	6	1.200000048	4	4	7554.399902	5215.399902	5215.399902	1.12
2619	017	3249	0.07	2164	3	55	80	2.5	6	3	8122	5958	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9097.200195	6933.200195	6933.200195	1.120069
2619	022	2514	0.06	1150	1	55	80	2.5	5	4	6285	5135	RH-2	40	form-based			true	0.7	5	1	4	4	7039.199707	5889.199707	5889.199707	1.12
2619	023	2279	0.05	794	1	55	80	2.5	4	3	5698	4904	RH-2	40	form-based			true	0.7	5	1.25	4	4	6381.199707	5587.199707	5587.199707	1.119902
2619	071	2504	0.06	1120	1	55	80	2.5	5	4	6260	5140	RH-2	40	form-based			true	0.7	5	1	4	4	7011.199707	5891.199707	5891.199707	1.12
2619	072	2510	0.06	1000	1	55	80	2.5	5	4	6275	5275	RH-2	40	form-based			true	0.7	5	1	4	4	7028	6028	6028	1.12
2619	073	2446	0.06	864	1	55	80	2.5	5	4	6115	5251	RH-2	40	form-based			true	0.7	5	1	4	4	6848.799805	5984.799805	5984.799805	1.12
2619	075	2195	0.05	875	1	55	80	2.5	4	3	5488	4613	RH-2	40	form-based			true	0.7	5	1.25	4	4	6146	5271	5271	1.119898
2619	088	5841	0.13	6042	8	55	80	2.5	10	2	14602	8560	RH-2	40	form-based			true	0.7	12	1.200000048	4	4	16354.7998	10312.7998	10312.7998	1.120038
2619	093	2923	0.07	1400	2	55	80	2.5	6	4	7308	5908	RH-2	40	form-based			true	0.7	6	1	4	4	8184.399902	6784.399902	6784.399902	1.119923
2619	099	2926	0.07	2000	2	55	80	2.5	6	4	7315	5315	RH-2	40	form-based			true	0.7	6	1	4	4	8192.799805	6192.799805	6192.799805	1.12
2619	121	2740	0.06	1446	2	55	80	2.5	5	3	6850	5404	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7672	6226	6226	1.12
2619	127	3489	0.08	1878	3	55	80	2.5	6	3	8722	6844	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9769.200195	7891.200195	7891.200195	1.120064

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2620	065	3416	0.08	7044	3	55	80	2.5	6	3	8540	1496	RH-2	40	form-based		true	true	0.7	7	1.166666627	4	4	9564.799805	2520.799805	2520.799805	1.12
2620	067	2500	0.06	2413	1	55	80	2.5	5	4	6250	3837	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4587	4587	1.12
2620	107	2647	0.06	1424	2	55	80	2.5	5	3	6618	5194	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7411.600098	5987.600098	5987.600098	1.119915
2620	135	2991	0.07	4815	2	65	100	3	7	5	8973	4158	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8374.799805	3559.799805	3559.799805	0.933333
2621	051	2891	0.07	1403	2	65	100	3	7	5	8673	7270	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8094.799805	6691.799805	6691.799805	0.933333
2622	038	2500	0.06	2500	3	65	100	3	6	3	7500	5000	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	8750	6250	6250	1.166667
2622	044	2565	0.06	950	1	65	100	3	6	5	7695	6745	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7182	6232	6232	0.933333
2622	085	2846	0.07	1475	2	65	100	3	7	5	8538	7063	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7968.799805	6493.799805	6493.799805	0.933333
2623	021	2025	0.05	2042	2	65	100	3	5	3	6075	4033	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7087.5	5045.5	5045.5	1.166667
2623	024	3700	0.08	4020	6	65	100	3	8	2	11100	7080	RH-3	50	form-based			true	0.7	10	1.25	4	4	12950	8930	8930	1.166667
2623	026	4938	0.11	4600	6	65	100	3	11	5	14814	10214	RH-3	40	form-based			true	0.7	10	0.909090936	4	4	13826.39941	9226.399414	9226.399414	0.933333
2623	045	2572	0.06	973	1	65	100	3	6	5	7716	6743	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7201.600098	6228.600098	6228.600098	0.933333
2623	046	2572	0.06	1070	1	65	100	3	6	5	7716	6646	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7201.600098	6131.600098	6131.600098	0.933333
2623	047	2572	0.06	885	1	65	100	3	6	5	7716	6831	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7201.600098	6316.600098	6316.600098	0.933333
2623	052	2439	0.06	1962	1	65	100	3	6	5	7317	5355	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6829.199707	4867.199707	4867.199707	0.933333
2623	053	2257	0.05	1411	1	65	100	3	5	4	6771	5360	RH-2	40	form-based			true	0.7	5	1	4	4	6319.600098	4908.600098	4908.600098	0.933333
2623	056	2346	0.05	1484	1	65	100	3	5	4	7038	5554	RH-2	40	form-based			true	0.7	5	1	4	4	6568.799805	5084.799805	5084.799805	0.933333
2623	084	2802	0.06	1740	2	65	100	3	6	4	8406	6666	RH-2	40	form-based			true	0.7	6	1	4	4	7845.600098	6105.600098	6105.600098	0.933333
2623	203	2984	0.07	1822	2	65	100	3	7	5	8952	7130	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8355.200195	6533.200195	6533.200195	0.933333
2623	207	2621	0.06	1177	2	65	100	3	6	4	7863	6686	RH-2	40	form-based			true	0.7	6	1	4	4	7338.799805	6161.799805	6161.799805	0.933333
2623	223	3700	0.08	1020	4	65	100	3	8	4	11100	10080	RH-2	40	form-based			true	0.7	8	1	4	4	10360	9340	9340	0.933333
2625	004	2430	0.06	1668	1	65	100	3	6	5	7290	5622	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6804	5136	5136	0.933333
2625	014	2415	0.06	2850	1	55	80	2.5	5	4	6038	3188	RH-2	40	form-based		true	true	0.7	5	1	4	4	6762	3912	3912	1.119907
2625	018	2459	0.06	1642	1	55	80	2.5	5	4	6148	4506	RH-2	40	form-based			true	0.7	5	1	4	4	6885.199707	5243.199707	5243.199707	1.119909
2625	037	3610	0.08	706	4	65	100	3	8	4	10830	10124	RH-2	40	form-based			true	0.7	8	1	4	4	10108	9402	9402	0.933333
2626	013	2781	0.06	3860	2	55	80	2.5	5	3	6952	3092	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7786.799805	3926.799805	3926.799805	1.12008
2626	014	2187	0.05	1540	1	55	80	2.5	4	3	5468	3928	RH-2	40	form-based			true	0.7	5	1.25	4	4	6123.600098	4583.600098	4583.600098	1.119898
2626	016	2536	0.06	2066	1	55	80	2.5	5	4	6340	4274	RH-2	40	form-based			true	0.7	5	1	4	4	7100.799805	5034.799805	5034.799805	1.12
2626	020	2500	0.06	1729	1	55	80	2.5	5	4	6250	4521	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5271	5271	1.12
2626	021	2500	0.06	2435	1	55	80	2.5	5	4	6250	3815	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4565	4565	1.12
2626	028	2469	0.06	939	1	55	80	2.5	5	4	6172	5233	RH-1	40	form-based			true	0.7	5	1	4	4	6913.199707	5974.199707	5974.199707	1.120091
2626	029	2393	0.05	774	1	55	80	2.5	4	3	5982	5208	RH-1	40	form-based			true	0.7	5	1.25	4	4	6700.399902	5926.399902	5926.399902	1.120094
2626	039	2711	0.06	1360	2	55	80	2.5	5	3	6778	5418	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7590.799805	6230.799805	6230.799805	1.119917
2626	045	3009	0.07	772	2	55	80	2.5	6	4	7522	6750	RH-1	40	form-based			true	0.7	6	1	4	4	8425.200195	7653.200195	7653.200195	1.120075
2626	064	2532	0.06	1306	1	55	80	2.5	5	4	6330	5024	RH-2	40	form-based		true	true	0.7	5	1	4	4	7089.600098	5783.600098	5783.600098	1.12
2627	011	2394	0.05	1031	1	55	80	2.5	4	3	5985	4954	RH-2	40	form-based			true	0.7	5	1.25	4	4	6703.199707	5672.199707	5672.199707	1.12
2627	012	2538	0.06	875	1	55	80	2.5	5	4	6345	5470	RH-2	40	form-based			true	0.7	5	1	4	4	7106.399902	6231.399902	6231.399902	1.12
2627	015	3077	0.07	2880	2	55	80	2.5	6	4	7692	4812	RH-2	40	form-based			true	0.7	6	1	4	4	8615.599609	5735.599609	5735.599609	1.120073
2627	021	2569	0.06	1675	1	55	80	2.5	5	4	6422	4747	RH-2	40	form-based			true	0.7	5	1	4	4	7193.199707	5518.199707	5518.199707	1.120087
2627	023	2359	0.05	3165	1	55	80	2.5	4	3	5898	2733	RH-2	40	form-based			true	0.7	5	1.25	4	4	6605.199707	3440.199707	3440.199707	1.119905
2627	034	2198	0.05	1189	1	55	80	2.5	4	3	5495	4306	RH-2	40	form-based			true	0.7	5	1.25	4	4	6154.399902	4965.399902	4965.399902	1.12
2627	037	2187	0.05	1805	1	55	80	2.5	4	3	5468	3663	RH-2	40	form-based			true	0.7	5	1.25	4	4	6123.600098	4318.600098	4318.600098	1.119898
2627	038	2184	0.05	1500	1	55	80	2.5	4	3	5460	3960	RH-2	40	form-based			true	0.7	5	1.25	4	4	6115.199707	4615.199707	4615.199707	1.12
2627	041	2174	0.05	2240	1	55	80	2.5	4	3	5435	3195	RH-2	40	form-based			true	0.7	5	1.25	4	4	6087.199707	3847.199707	3847.199707	1.12
2627	042	2192	0.05	1711	1	55	80	2.5	4	3	5480	3769	RH-2	40	form-based			true	0.7	5	1.25	4	4	6137.600098	4426.600098	4426.600098	1.12
2627	045	2160	0.05	1864	1	55	80	2.5	4	3	5400	3536	RH-2	40	form-based			true	0.7	5	1.25	4	4	6048	4184	4184	1.12
2627	046	2157	0.05	1701	1	55	80	2.5	4	3	5392	3691	RH-2	40	form-based			true	0.7	5	1.25	4	4	6039.600098	4338.600098	4338.600098	1.120104
2627	053	2907	0.07	2114	2	55	80	2.5	6	4	7268	5154	RH-2	40	form-based			true	0.7	6	1	4	4	8139.600098	6025.600098	6025.600098	1.119923
2627	059	2628	0.06	845	2	55	80	2.5	5	3	6570	5725	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7358.399902	6513.399902	6513.399902	1.12
2628	013	2584	0.06	2733	1	55	80	2.5	5	4	6460	3727	RH-2	40	form-based			true	0.7	5	1	4	4	7235.199707	4502.199707	4502.199707	1.12
2628	014	2416	0.06	1712	1	55	80	2.5	5	4	6040	4328	RH-2	40	form-based			true	0.7	5	1	4	4	6764.799805	5052.799805	5052.799805	1.12
2628	014A	1935	0.04	561	0	55	80	2.5	3	3	4838	4277	RH-2	40	form-based			true	0.7	4	1.333333373	4	4	5418	4857	4857	1.119884
2628	027A	2811	0.06	1654	2	55	80	2.5	5	3	7028	5374	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7870.799805	6216.799805	6216.799805	1.11992
2628	034	1956	0.04	0	0	55	80	2.5	3	3	4890	4890	RH-2	40	form-based		true	true	0.7	4	1.333333373	4	4	5476.799805	5476.799805	5476.799805	1.12
2628	057	2144	0.05	1700	1	55	80	2.5	4	3	5360	3660	RH-2	40	form-based			true	0.7	5	1.25	4	4	6003.199707	4303.199707	4303.199707	1.12
2628	061	2481	0.06	2340	1	55	80	2.5	5	4	6202	3862	RH-2	40	form-based			true	0.7	5	1	4	4	6946.799805	4606.799805	4606.799805	1.12009
2628	062	2505	0.06	2520	1	55	80	2.5	5	4	6262	3742	RH-2	40	form-based			true	0.7	5	1	4	4	7014	4494	4494	1.120089
2628	064	2399	0.06	1826	1	55	80	2.5	5	4	5998	4172	RH-2	40	form-based			true	0.7	5	1	4	4	6717.199707	4891.199707	4891.199707	1.119907
2628	066	2263	0.05	2660	1	55	80	2.5	4	3	5658	2998	RH-2	40	form-based			true	0.7	5	1.25	4	4	6336.399902	3676.399902	3676.399902	1.119901
2628	067	2392	0.05	2333	1	55	80	2.5	4	3	5980	3647	RH-2	40	form-based			true	0.7	5	1.25	4	4	6697.600098	4364.600098	4364.600098	1.12
2628	068	2186	0.05	2205	1	55	80	2.5	4	3	5465	3260	RH-2	40	form-based			true	0.7	5	1.25	4	4	6120.799805	3915.799805	3915.799805	1.12
2628	069	2433	0.06	2250	1	55	80	2.5	5	4	6082	3832	RH-2	40	form-based			true	0.7	5	1	4	4	6812.399902	4562.399902	4562.399902	1.120092
2628	082	2668	0.06	2399	2	55	80	2.5	5	3	6670	4271	RH-2	40	form-based		true	true	0.7	6	1.200000048	4	4	7470.399902	5071.399902	5071.399902	1.12
2628	097	3023	0.07	3736	2	55	80	2.5	6	4	7558	3822	RH-2	40	form-based			true	0.7	6	1	4	4	8464.399414	4728.399414	4728.399414	1.119926

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2628	099	3028	0.07	2745	2	55	80	2.5	6	4	7570	4825	RH-2	40	form-based			true	0.7	6	1	4	4	8478.399414	5733.399414	5733.399414	1.12
2628	101	3616	0.08	1005	4	55	80	2.5	6	2	9040	8035	RH-2	40	form-based			true	0.7	8	1.333333373	4	4	10124.7998	9119.799805	9119.799805	1.12
2629	003	2505	0.06	2337	1	55	80	2.5	5	4	6262	3925	RH-2	40	form-based			true	0.7	5	1	4	4	7014	4677	4677	1.120089
2629	004	2597	0.06	3080	1	55	80	2.5	5	4	6492	3412	RH-2	40	form-based			true	0.7	5	1	4	4	7271.600098	4191.600098	4191.600098	1.120086
2629	005	2543	0.06	3446	1	55	80	2.5	5	4	6358	2912	RH-2	40	form-based			true	0.7	5	1	4	4	7120.399902	3674.399902	3674.399902	1.119912
2629	014	2495	0.06	1950	1	55	80	2.5	5	4	6238	4288	RH-2	40	form-based			true	0.7	5	1	4	4	6986	5036	5036	1.11991
2629	015	2446	0.06	2150	1	55	80	2.5	5	4	6115	3965	RH-2	40	form-based			true	0.7	5	1	4	4	6848.799805	4698.799805	4698.799805	1.12
2629	016	2589	0.06	3266	1	55	80	2.5	5	4	6472	3206	RH-2	40	form-based			true	0.7	5	1	4	4	7249.199707	3983.199707	3983.199707	1.120086
2629	017	3091	0.07	2926	2	55	80	2.5	6	4	7728	4802	RH-2	40	form-based			true	0.7	6	1	4	4	8654.799805	5728.799805	5728.799805	1.119928
2629	019	2717	0.06	2584	2	55	80	2.5	5	3	6792	4208	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7607.600098	5023.600098	5023.600098	1.120082
2629	020	2753	0.06	2540	2	55	80	2.5	5	3	6882	4342	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7708.399902	5168.399902	5168.399902	1.120081
2629	021	2479	0.06	4582	1	55	80	2.5	5	4	6198	1616	RH-2	40	form-based			true	0.7	5	1	4	4	6941.199707	2359.199707	2359.199707	1.11991
2629	022	2452	0.06	1774	1	55	80	2.5	5	4	6130	4356	RH-2	40	form-based			true	0.7	5	1	4	4	6865.600098	5091.600098	5091.600098	1.12
2629	024	2452	0.06	1900	1	55	80	2.5	5	4	6130	4230	RH-2	40	form-based			true	0.7	5	1	4	4	6865.600098	4965.600098	4965.600098	1.12
2629	025	2525	0.06	1900	1	65	100	3	6	5	7575	5675	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7070	5170	5170	0.933333
2629	026	2923	0.07	2248	2	65	100	3	7	5	8769	6521	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8184.399902	5936.399902	5936.399902	0.933333
2629	034	2445	0.06	2144	1	65	100	3	6	5	7335	5191	RM-1	40	form-based			true	0.7	5	0.833333313	4	4	6846	4702	4702	0.933333
2629	037	4932	0.11	3864	6	65	100	3	11	5	14796	10932	RM-1	40	form-based		true	true	0.7	10	0.909090936	4	4	13809.59961	9945.599609	9945.599609	0.933333
2629	051	2527	0.06	2225	1	55	80	2.5	5	4	6318	4093	RH-2	40	form-based			true	0.7	5	1	4	4	7075.600098	4850.600098	4850.600098	1.119911
2629	052	2528	0.06	1880	1	55	80	2.5	5	4	6320	4440	RH-2	40	form-based			true	0.7	5	1	4	4	7078.399902	5198.399902	5198.399902	1.12
2629	055	4791	0.11	7230	6	65	100	3	11	5	14373	7143	RM-1	40	form-based			true	0.7	10	0.909090936	4	4	13414.7998	6184.799805	6184.799805	0.933333
2629	066	2662	0.06	1095	2	55	80	2.5	5	3	6655	5560	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7453.600098	6358.600098	6358.600098	1.12
2629	077	2635	0.06	1106	2	55	80	2.5	5	3	6588	5482	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7378	6272	6272	1.119915
2629A	002A	2281	0.05	2790	1	55	80	2.5	4	3	5702	2912	RH-2	40	form-based			true	0.7	5	1.25	4	4	6386.799805	3596.799805	3596.799805	1.120098
2629A	002I	2206	0.05	1365	1	55	80	2.5	4	3	5515	4150	RH-2	40	form-based			true	0.7	5	1.25	4	4	6176.799805	4811.799805	4811.799805	1.12
2629A	002J	2255	0.05	2025	1	55	80	2.5	4	3	5638	3613	RH-2	40	form-based			true	0.7	5	1.25	4	4	6314	4289	4289	1.119901
2629A	002K	2172	0.05	1622	1	55	80	2.5	4	3	5430	3808	RH-2	40	form-based			true	0.7	5	1.25	4	4	6081.600098	4459.600098	4459.600098	1.12
2629A	002L	2177	0.05	1476	1	55	80	2.5	4	3	5442	3966	RH-2	40	form-based			true	0.7	5	1.25	4	4	6095.600098	4619.600098	4619.600098	1.120103
2629A	002P	2389	0.05	1166	1	55	80	2.5	4	3	5972	4806	RH-2	40	form-based			true	0.7	5	1.25	4	4	6689.199707	5523.199707	5523.199707	1.120094
2629A	035	2593	0.06	2502	1	55	80	2.5	5	4	6482	3980	RH-3	40	form-based			true	0.7	5	1	4	4	7260.399902	4758.399902	4758.399902	1.120086
2629A	036	2594	0.06	3603	1	55	80	2.5	5	4	6485	2882	RH-3	40	form-based			true	0.7	5	1	4	4	7263.199707	3660.199707	3660.199707	1.12
2630	002	2025	0.05	2950	4	65	100	3	5	1	6075	3125	RTO-C	65	form-based			true	0.75	8	1.600000024	4	4	9112.5	6162.5	6162.5	1.5
2630	012	2787	0.06	2550	2	65	100	3	6	4	8361	5811	RH-2	40	form-based			true	0.7	6	1	4	4	7803.600098	5253.600098	5253.600098	0.933333
2630	021	2577	0.06	2790	1	65	100	3	6	5	7731	4941	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7215.600098	4425.600098	4425.600098	0.933333
2630	022	2571	0.06	2180	1	65	100	3	6	5	7713	5533	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7198.799805	5018.799805	5018.799805	0.933333
2630	023	3094	0.07	2760	2	65	100	3	7	5	9282	6522	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8663.200195	5903.200195	5903.200195	0.933333
2630	024	1841	0.04	1960	0	65	100	3	4	4	5523	3563	RH-2	40	form-based			true	0.7	4	1	4	4	5154.799805	3194.799805	3194.799805	0.933333
2630	027	3600	0.08	2231	4	65	100	3	8	4	10800	8569	RH-2	40	form-based			true	0.7	8	1	4	4	10080	7849	7849	0.933333
2630	029	2565	0.06	2865	1	65	100	3	6	5	7695	4830	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7182	4317	4317	0.933333
2630	030	2562	0.06	1980	1	65	100	3	6	5	7686	5706	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7173.600098	5193.600098	5193.600098	0.933333
2630	032	2557	0.06	1995	1	65	100	3	6	5	7671	5676	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7159.600098	5164.600098	5164.600098	0.933333
2630	036	2547	0.06	3162	3	65	100	3	6	3	7641	4479	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8914.5	5752.5	5752.5	1.166667
2630	037	2544	0.06	2726	3	65	100	3	6	3	7632	4906	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8904	6178	6178	1.166667
2630	039	2539	0.06	4200	3	65	100	3	6	3	7617	3417	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8886.5	4686.5	4686.5	1.166667
2630	051	2787	0.06	3060	4	65	100	3	6	2	8361	5301	RH-3	50	form-based			true	0.7	8	1.333333373	4	4	9754.5	6694.5	6694.5	1.166667
2630	052	2788	0.06	3060	4	65	100	3	6	2	8364	5304	RH-3	50	form-based			true	0.7	8	1.333333373	4	4	9758	6698	6698	1.166667
2630	066	2542	0.06	2900	3	65	100	3	6	3	7626	4726	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8897	5997	5997	1.166667
2631	002	2000	0.05	2750	2	65	100	3	5	3	6000	3250	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7000	4250	4250	1.166667
2631	003	2000	0.05	2640	2	65	100	3	5	3	6000	3360	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7000	4360	4360	1.166667
2631	004	2000	0.05	3804	2	65	100	3	5	3	6000	2196	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7000	3196	3196	1.166667
2631	008	2000	0.05	2500	2	65	100	3	5	3	6000	3500	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7000	4500	4500	1.166667
2631	030	2188	0.05	3515	1	65	100	3	5	4	6564	3049	RH-2	40	form-based			true	0.7	5	1	4	4	6126.399902	2611.399902	2611.399902	0.933333
2631	031	2254	0.05	3269	1	65	100	3	5	4	6762	3493	RH-2	40	form-based			true	0.7	5	1	4	4	6311.199707	3042.199707	3042.199707	0.933333
2631	038	2381	0.05	2136	1	65	100	3	5	4	7143	5007	RH-2	40	form-based			true	0.7	5	1	4	4	6666.799805	4530.799805	4530.799805	0.933333
2631	039	3509	0.08	2656	3	65	100	3	8	5	10527	7871	RH-2	40	form-based			true	0.7	7	0.875	4	4	9825.200195	7169.200195	7169.200195	0.933333
2631	042	2217	0.05	3090	1	65	100	3	5	4	6651	3561	RH-2	40	form-based			true	0.7	5	1	4	4	6207.600098	3117.600098	3117.600098	0.933333
2631	043	2184	0.05	1900	1	65	100	3	5	4	6552	4652	RH-2	40	form-based			true	0.7	5	1	4	4	6115.199707	4215.199707	4215.199707	0.933333
2631	062	2000	0.05	1082	2	65	100	3	5	3	6000	4918	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7000	5918	5918	1.166667
2631	073	2703	0.06	3689	2	65	100	3	6	4	8109	4420	RH-2	40	form-based			true	0.7	6	1	4	4	7568.399902	3879.399902	3879.399902	0.933333
2632	001	2582	0.06	3400	3	65	100	3	6	3	7746	4346	RH-3	50	form-based		true	true	0.7	7	1.166666627	4	4	9037	5637	5637	1.166667
2632	002	2191	0.05	2896	2	65	100	3	5	3	6573	3677	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7668.5	4772.5	4772.5	1.166667
2632	005	2534	0.06	3923	3	65	100	3	6	3	7602	3679	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8869	4946	4946	1.166667
2632	007	2209	0.05	2163	1	65	100	3	5	4	6627	4464	RH-2	40	form-based			true	0.7	5	1	4	4	6185.199707	4022.199707	4022.199707	0.933333
2632	008	2335	0.05	1890	1	65	100	3	5	4	7005	5115	RH-2	40	form-based			true	0.7	5	1	4	4	6538	4648	4648	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2632	009	2390	0.05	2081	1	65	100	3	5	4	7170	5089	RH-2	40	form-based			true	0.7	5	1	4	4	6692	4611	4611	0.933333
2632	010	2296	0.05	1400	1	65	100	3	5	4	6888	5488	RH-1	40	form-based			true	0.7	5	1	4	4	6428.799805	5028.799805	5028.799805	0.933333
2634	059	6315	0.14	7137	9	55	80	2.5	11	2	15788	8651	RM-2	40	form-based			true	0.7	13	1.181818128	4	4	17682	10545	10545	1.119964
2634	104	4697	0.11	4912	6	55	80	2.5	9	3	11742	6830	RM-2	40	form-based			true	0.7	10	1.111111164	4	4	13151.59961	8239.599609	8239.599609	1.120048
2634	072	2534	0.06	2077	1	55	80	2.5	5	4	6335	4258	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7095.199707	5018.199707	5018.199707	1.12
2634	105	4531	0.1	4912	6	55	80	2.5	8	2	11328	6416	RM-2	40	form-based			true	0.7	10	1.25	4	4	12686.7998	7774.799805	7774.799805	1.119951
2636	034	2899	0.07	3412	2	55	80	2.5	6	4	7248	3836	RM-1	40	form-based			true	0.7	6	1	4	4	8117.199707	4705.199707	4705.199707	1.119923
2636	006	3027	0.07	3859	2	55	80	2.5	6	4	7568	3709	RM-1	40	form-based			true	0.7	6	1	4	4	8475.599609	4616.599609	4616.599609	1.119926
2636	COMA	2081	0.05	0	0	55	80	2.5	4	4	5202	5202	RM-1	40	form-based			true	0.7	4	1	4	4	5826.799805	5826.799805	5826.799805	1.120108
2636	COMD	2119	0.05	0	0	55	80	2.5	4	4	5298	5298	RM-1	40	form-based			true	0.7	4	1	4	4	5933.199707	5933.199707	5933.199707	1.119894
2638	003	3081	0.07	4465	2	55	80	2.5	6	4	7702	3237	RM-1	40	form-based			true	0.7	6	1	4	4	8626.799805	4161.799805	4161.799805	1.120073
2638	004	3068	0.07	4465	2	55	80	2.5	6	4	7670	3205	RM-1	40	form-based			true	0.7	6	1	4	4	8590.399414	4125.399414	4125.399414	1.12
2638	011	2367	0.05	2659	1	55	80	2.5	4	3	5918	3259	RM-1	40	form-based			true	0.7	5	1.25	4	4	6627.600098	3968.600098	3968.600098	1.119905
2638	012	2198	0.05	2659	1	55	80	2.5	4	3	5495	2836	RM-1	40	form-based			true	0.7	5	1.25	4	4	6154.399902	3495.399902	3495.399902	1.12
2638	013	2400	0.06	2659	1	55	80	2.5	5	4	6000	3341	RM-1	40	form-based			true	0.7	5	1	4	4	6720	4061	4061	1.12
2638	014	2338	0.05	2752	1	55	80	2.5	4	3	5845	3093	RM-1	40	form-based			true	0.7	5	1.25	4	4	6546.399902	3794.399902	3794.399902	1.12
2641	031	2577	0.06	1700	1	55	80	2.5	5	4	6442	4742	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7215.600098	5515.600098	5515.600098	1.120087
2642	030	2504	0.06	3095	1	65	100	3	6	5	7512	4417	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	3916.199707	3916.199707	0.933333
2642	034	2155	0.05	1606	1	65	100	3	5	4	6465	4859	RH-1	40	form-based			true	0.7	5	1	4	4	6034	4428	4428	0.933333
2645	005	2690	0.06	3272	2	55	80	2.5	5	3	6725	3453	RH-2	40	form-based		true	true	0.7	6	1.200000048	4	4	7532	4260	4260	1.12
2645	009	2234	0.05	1722	1	55	80	2.5	4	3	5585	3863	RH-2	40	form-based			true	0.7	5	1.25	4	4	6255.199707	4533.199707	4533.199707	1.12
2644	012	2487	0.06	3040	1	65	100	3	6	5	7461	4421	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6963.600098	3923.600098	3923.600098	0.933333
2644	013	2502	0.06	3040	1	65	100	3	6	5	7506	4466	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7005.600098	3965.600098	3965.600098	0.933333
2644	014	2602	0.06	3724	1	65	100	3	6	5	7806	4082	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7285.600098	3561.600098	3561.600098	0.933333
2644	017	2602	0.06	3182	1	65	100	3	6	5	7806	4624	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7285.600098	4103.600098	4103.600098	0.933333
2644	018	2602	0.06	1200	1	65	100	3	6	5	7806	6606	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7285.600098	6085.600098	6085.600098	0.933333
2645	010	2152	0.05	1639	1	55	80	2.5	4	3	5380	3741	RH-2	40	form-based			true	0.7	5	1.25	4	4	6025.600098	4386.600098	4386.600098	1.12
2645	012	2388	0.05	1590	1	55	80	2.5	4	3	5970	4380	RH-2	40	form-based			true	0.7	5	1.25	4	4	6686.399902	5096.399902	5096.399902	1.12
2644	015	2602	0.06	3255	1	65	100	3	6	5	7806	4551	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7285.600098	4030.600098	4030.600098	0.933333
2644	016	2602	0.06	1625	1	65	100	3	6	5	7806	6181	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7285.600098	5660.600098	5660.600098	0.933333
2644	019	2602	0.06	1125	1	65	100	3	6	5	7806	6681	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7285.600098	6160.600098	6160.600098	0.933333
2644	020	2602	0.06	1420	1	65	100	3	6	5	7806	6386	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7285.600098	5865.600098	5865.600098	0.933333
2644	021	2602	0.06	2588	1	65	100	3	6	5	7806	5218	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7285.600098	4697.600098	4697.600098	0.933333
2644	025	2332	0.05	1468	1	65	100	3	5	4	6996	5528	RH-1	40	form-based			true	0.7	5	1	4	4	6529.600098	5061.600098	5061.600098	0.933333
2645	003	2148	0.05	1275	1	55	80	2.5	4	3	5370	4095	RH-2	40	form-based			true	0.7	5	1.25	4	4	6014.399902	4739.399902	4739.399902	1.12
2645	013	2189	0.05	1642	1	55	80	2.5	4	3	5472	3830	RH-2	40	form-based			true	0.7	5	1.25	4	4	6129.199707	4487.199707	4487.199707	1.120102
2645	015	2215	0.05	1125	1	55	80	2.5	4	3	5538	4413	RH-2	40	form-based			true	0.7	5	1.25	4	4	6202	5077	5077	1.119899
2645	016	2181	0.05	1557	1	55	80	2.5	4	3	5452	3895	RH-2	40	form-based			true	0.7	5	1.25	4	4	6106.799805	4549.799805	4549.799805	1.120103
2645	018	2298	0.05	1689	1	55	80	2.5	4	3	5745	4056	RH-2	40	form-based			true	0.7	5	1.25	4	4	6434.399902	4745.399902	4745.399902	1.12
2645	032	2460	0.06	1530	1	55	80	2.5	5	4	6150	4620	RH-2	40	form-based			true	0.7	5	1	4	4	6888	5358	5358	1.12
2645	034	2571	0.06	1740	1	55	80	2.5	5	4	6428	4688	RH-2	40	form-based			true	0.7	5	1	4	4	7198.799805	5458.799805	5458.799805	1.119913
2645	037	2745	0.06	3108	2	55	80	2.5	5	3	6862	3754	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7686	4578	4578	1.120082
2645	044	2646	0.06	1740	2	55	80	2.5	5	3	6615	4875	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7408.799805	5668.799805	5668.799805	1.12
2646	013	2188	0.05	1900	1	55	80	2.5	4	3	5470	3570	RH-2	40	form-based			true	0.7	5	1.25	4	4	6126.399902	4226.399902	4226.399902	1.12
2646	019	2187	0.05	1190	1	55	80	2.5	4	3	5468	4278	RH-2	40	form-based			true	0.7	5	1.25	4	4	6123.600098	4933.600098	4933.600098	1.119898
2646	020	2187	0.05	2146	1	55	80	2.5	4	3	5468	3322	RH-2	40	form-based			true	0.7	5	1.25	4	4	6123.600098	3977.600098	3977.600098	1.119898
2646	021	2187	0.05	2250	1	55	80	2.5	4	3	5468	3218	RH-2	40	form-based			true	0.7	5	1.25	4	4	6123.600098	3873.600098	3873.600098	1.119898
2646	022	2187	0.05	884	1	55	80	2.5	4	3	5468	4584	RH-2	40	form-based			true	0.7	5	1.25	4	4	6123.600098	5239.600098	5239.600098	1.119898
2646	023	2188	0.05	2880	1	55	80	2.5	4	3	5470	2590	RH-2	40	form-based			true	0.7	5	1.25	4	4	6126.399902	3246.399902	3246.399902	1.12
2646	026	2188	0.05	2285	1	55	80	2.5	4	3	5470	3185	RH-2	40	form-based			true	0.7	5	1.25	4	4	6126.399902	3841.399902	3841.399902	1.12
2646	027	2188	0.05	1200	1	55	80	2.5	4	3	5470	4270	RH-2	40	form-based			true	0.7	5	1.25	4	4	6126.399902	4926.399902	4926.399902	1.12
2646	039	2180	0.05	1930	1	55	80	2.5	4	3	5450	3520	RH-2	40	form-based			true	0.7	5	1.25	4	4	6104	4174	4174	1.12
2646	040	2179	0.05	1954	1	55	80	2.5	4	3	5448	3494	RH-2	40	form-based			true	0.7	5	1.25	4	4	6101.199707	4147.199707	4147.199707	1.119897
2646	041	2178	0.05	960	1	55	80	2.5	4	3	5445	4485	RH-2	40	form-based			true	0.7	5	1.25	4	4	6098.399902	5138.399902	5138.399902	1.12
2646	042	2177	0.05	936	1	55	80	2.5	4	3	5442	4506	RH-2	40	form-based			true	0.7	5	1.25	4	4	6095.600098	5159.600098	5159.600098	1.120103
2646	043	2176	0.05	1068	1	55	80	2.5	4	3	5440	4372	RH-2	40	form-based			true	0.7	5	1.25	4	4	6092.799805	5024.799805	5024.799805	1.12
2646	044	2175	0.05	936	1	55	80	2.5	4	3	5438	4502	RH-2	40	form-based			true	0.7	5	1.25	4	4	6090	5154	5154	1.119897
2646	045	2174	0.05	1100	1	55	80	2.5	4	3	5435	4335	RH-2	40	form-based			true	0.7	5	1.25	4	4	6087.199707	4987.199707	4987.199707	1.12
2646	048	2171	0.05	1627	1	55	80	2.5	4	3	5428	3801	RH-2	40	form-based			true	0.7	5	1.25	4	4	6078.799805	4451.799805	4451.799805	1.119897
2646	050	2170	0.05	788	1	55	80	2.5	4	3	5425	4637	RH-2	40	form-based			true	0.7	5	1.25	4	4	6076	5288	5288	1.12
2646	052	2168	0.05	750	1	55	80	2.5	4	3	5420	4670	RH-2	40	form-based			true	0.7	5	1.25	4	4	6070.399902	5320.399902	5320.399902	1.12
2646	053	2167	0.05	1104	1	55	80	2.5	4	3	5418	4314	RH-2	40	form-based			true	0.7	5	1.25	4	4	6067.600098	4963.600098	4963.600098	1.119897
2646	074	2187	0.05	1503	1	55	80	2.5	4	3	5468	3965	RH-2	40	form-based			true	0.7	5	1.25	4	4	6123.600098	4620.600098	4620.600098	1.119898
2647	014	1875	0.04	3064	2	65	100	3	4	2	5625	2561	NCD-CAST	50	form-based			true	0.75	6	1.5	4	4	7031.25	3967.25	3967.25	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2647	021	3233	0.07	5460	5	65	100	3	7	2	9699	4239	RH-3	50	form-based			true	0.7	9	1.285714269	4	4	11315.5	5855.5	5855.5	1.166667
2648	025	3055	0.07	2552	2	65	100	3	7	5	9165	6613	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8554	6002	6002	0.933333
2648	064	3083	0.07	1209	2	65	100	3	7	5	9249	8040	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8632.399414	7423.399414	7423.399414	0.933333
2648	084	2982	0.07	5345	2	65	100	3	7	5	8946	3601	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8349.599609	3004.599609	3004.599609	0.933333
2648	091	3083	0.07	1292	2	65	100	3	7	5	9249	7957	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8632.399414	7340.399414	7340.399414	0.933333
2648	093	2986	0.07	1104	2	65	100	3	7	5	8958	7854	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8360.799805	7256.799805	7256.799805	0.933333
2649	010	3125	0.07	3752	3	65	100	3	7	4	9375	5623	RH-3	40	form-based			true	0.7	7	1	4	4	8750	4998	4998	0.933333
2649	013	3062	0.07	1920	2	65	100	3	7	5	9186	7266	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8573.599609	6653.599609	6653.599609	0.933333
2649	041	3125	0.07	1752	3	65	100	3	7	4	9375	7623	RH-3	40	form-based			true	0.7	7	1	4	4	8750	6998	6998	0.933333
2649	049	3054	0.07	1375	2	65	100	3	7	5	9162	7787	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8551.200195	7176.200195	7176.200195	0.933333
2649	068	3055	0.07	1309	2	65	100	3	7	5	9165	7856	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8554	7245	7245	0.933333
2650	002	1900	0.04	1775	0	65	100	3	4	4	5700	3925	RM-1	40	form-based			true	0.7	4	1	4	4	5320	3545	3545	0.933333
2650	009	2969	0.07	2501	2	65	100	3	7	5	8907	6406	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8313.200195	5812.200195	5812.200195	0.933333
2650	012	3083	0.07	2260	2	65	100	3	7	5	9249	6989	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8632.399414	6372.399414	6372.399414	0.933333
2650	019	2687	0.06	2880	2	65	100	3	6	4	8061	5181	RH-3	40	form-based			true	0.7	6	1	4	4	7523.600098	4643.600098	4643.600098	0.933333
2650	023	2392	0.05	1120	1	65	100	3	5	4	7176	6056	RH-3	40	form-based			true	0.7	5	1	4	4	6697.600098	5577.600098	5577.600098	0.933333
2651	013	2429	0.06	1063	1	55	80	2.5	5	4	6072	5009	RH-2	40	form-based			true	0.7	5	1	4	4	6801.199707	5738.199707	5738.199707	1.120092
2651	020	2750	0.06	2830	2	55	80	2.5	5	3	6875	4045	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7700	4870	4870	1.12
2652	012	2847	0.07	1958	2	55	80	2.5	6	4	7118	5160	RH-2	40	form-based			true	0.7	6	1	4	4	7971.600098	6013.600098	6013.600098	1.119921
2652	018	2227	0.05	1300	1	55	80	2.5	4	3	5568	4268	RH-2	40	form-based			true	0.7	5	1.25	4	4	6235.600098	4935.600098	4935.600098	1.119899
2652	027	2702	0.06	937	2	55	80	2.5	5	3	6755	5818	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7565.600098	6628.600098	6628.600098	1.12
2652	038	2952	0.07	1043	2	55	80	2.5	6	4	7380	6337	RH-2	40	form-based			true	0.7	6	1	4	4	8265.599609	7222.599609	7222.599609	1.12
2653	011	2385	0.05	1554	1	55	80	2.5	4	3	5962	4408	RH-2	40	form-based			true	0.7	5	1.25	4	4	6678	5124	5124	1.120094
2653	012	2470	0.06	1300	1	55	80	2.5	5	4	6175	4875	RH-2	40	form-based			true	0.7	5	1	4	4	6916	5616	5616	1.12
2653	014	2262	0.05	1110	1	55	80	2.5	4	3	5655	4545	RH-2	40	form-based			true	0.7	5	1.25	4	4	6333.600098	5223.600098	5223.600098	1.12
2653	017	2146	0.05	1745	1	55	80	2.5	4	3	5365	3620	RH-2	40	form-based			true	0.7	5	1.25	4	4	6008.799805	4263.799805	4263.799805	1.12
2653	018	2377	0.05	1593	1	55	80	2.5	4	3	5942	4349	RH-2	40	form-based			true	0.7	5	1.25	4	4	6655.600098	5062.600098	5062.600098	1.120094
2653	022	2262	0.05	2475	1	55	80	2.5	4	3	5655	3180	RH-2	40	form-based			true	0.7	5	1.25	4	4	6333.600098	3858.600098	3858.600098	1.12
2653	035	2144	0.05	1350	1	55	80	2.5	4	3	5360	4010	RH-2	40	form-based			true	0.7	5	1.25	4	4	6003.199707	4653.199707	4653.199707	1.12
2653	041	2882	0.07	2039	2	55	80	2.5	6	4	7205	5166	RH-2	40	form-based			true	0.7	6	1	4	4	8069.600098	6030.600098	6030.600098	1.12
2653	046	2795	0.06	1776	2	55	80	2.5	5	3	6988	5212	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7826	6050	6050	1.11992
2654	002	2438	0.06	1167	1	55	80	2.5	5	4	6095	4928	RH-2	40	form-based			true	0.7	5	1	4	4	6826.399902	5659.399902	5659.399902	1.12
2654	005	2617	0.06	1300	1	55	80	2.5	5	4	6542	5242	RH-2	40	form-based			true	0.7	5	1	4	4	7327.600098	6027.600098	6027.600098	1.120086
2654	010	2390	0.05	1206	1	55	80	2.5	4	3	5975	4769	RH-2	40	form-based			true	0.7	5	1.25	4	4	6692	5486	5486	1.12
2654	012	2295	0.05	1250	1	55	80	2.5	4	3	5738	4488	RH-2	40	form-based			true	0.7	5	1.25	4	4	6426	5176	5176	1.119902
2654	020	2570	0.06	1832	1	55	80	2.5	5	4	6425	4593	RH-2	40	form-based			true	0.7	5	1	4	4	7196	5364	5364	1.12
2654	023	2707	0.06	1700	2	55	80	2.5	5	3	6768	5068	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7579.600098	5879.600098	5879.600098	1.119917
2654	035	2526	0.06	1633	1	55	80	2.5	5	4	6315	4682	RH-2	40	form-based			true	0.7	5	1	4	4	7072.799805	5439.799805	5439.799805	1.12
2654	037	2523	0.06	1175	1	55	80	2.5	5	4	6308	5133	RH-2	40	form-based			true	0.7	5	1	4	4	7064.399902	5889.399902	5889.399902	1.119911
2654	039	2520	0.06	1412	1	55	80	2.5	5	4	6300	4888	RH-2	40	form-based			true	0.7	5	1	4	4	7056	5644	5644	1.12
2654	048	2403	0.06	697	1	55	80	2.5	5	4	6008	5311	RH-2	40	form-based			true	0.7	5	1	4	4	6728.399902	6031.399902	6031.399902	1.119907
2655	004	2458	0.06	2443	1	55	80	2.5	5	4	6145	3702	RH-2	40	form-based			true	0.7	5	1	4	4	6882.399902	4439.399902	4439.399902	1.12
2655	005	2163	0.05	2296	1	55	80	2.5	4	3	5408	3112	RH-2	40	form-based			true	0.7	5	1.25	4	4	6056.399902	3760.399902	3760.399902	1.119896
2655	007	2381	0.05	2111	1	55	80	2.5	4	3	5952	3841	RH-2	40	form-based			true	0.7	5	1.25	4	4	6666.799805	4555.799805	4555.799805	1.120094
2655	020	2333	0.05	2450	1	55	80	2.5	4	3	5832	3382	RH-2	40	form-based			true	0.7	5	1.25	4	4	6532.399902	4082.399902	4082.399902	1.120096
2655	021	2322	0.05	1950	1	55	80	2.5	4	3	5805	3855	RH-2	40	form-based			true	0.7	5	1.25	4	4	6501.600098	4551.600098	4551.600098	1.12
2655	022	2311	0.05	1220	1	55	80	2.5	4	3	5778	4558	RH-2	40	form-based			true	0.7	5	1.25	4	4	6470.799805	5250.799805	5250.799805	1.119903
2655	024	2290	0.05	1514	1	55	80	2.5	4	3	5725	4211	RH-2	40	form-based			true	0.7	5	1.25	4	4	6412	4898	4898	1.12
2655	025	2279	0.05	1600	1	55	80	2.5	4	3	5698	4098	RH-2	40	form-based			true	0.7	5	1.25	4	4	6381.199707	4781.199707	4781.199707	1.119902
2656	014	2077	0.05	2184	0	55	80	2.5	4	4	5192	3008	RH-2	40	form-based			true	0.7	4	1	4	4	5815.600098	3631.600098	3631.600098	1.120108
2655	062	2753	0.06	1087	2	55	80	2.5	5	3	6882	5795	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7708.399902	6621.399902	6621.399902	1.120081
2656	020	2282	0.05	2338	1	55	80	2.5	4	3	5705	3367	RH-2	40	form-based			true	0.7	5	1.25	4	4	6389.600098	4051.600098	4051.600098	1.12
2656	021	2218	0.05	900	1	55	80	2.5	4	3	5545	4645	RH-2	40	form-based			true	0.7	5	1.25	4	4	6210.399902	5310.399902	5310.399902	1.12
2656	038	2184	0.05	1305	1	55	80	2.5	4	3	5460	4155	RH-2	40	form-based			true	0.7	5	1.25	4	4	6115.199707	4810.199707	4810.199707	1.12
2656	039	2300	0.05	2041	1	55	80	2.5	4	3	5750	3709	RH-2	40	form-based			true	0.7	5	1.25	4	4	6440	4399	4399	1.12
2656	040	2179	0.05	1425	1	55	80	2.5	4	3	5448	4023	RH-2	40	form-based			true	0.7	5	1.25	4	4	6101.199707	4676.199707	4676.199707	1.119897
2656	044	2814	0.06	2224	2	55	80	2.5	5	3	7035	4811	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7879.199707	5655.199707	5655.199707	1.12
2656	046	2578	0.06	1722	1	55	80	2.5	5	4	6445	4723	RH-2	40	form-based			true	0.7	5	1	4	4	7218.399902	5496.399902	5496.399902	1.12
2657	007	3808	0.09	3522	4	55	80	2.5	7	3	9520	5998	RH-2	40	form-based			true	0.7	8	1.142857194	4	4	10662.39941	7140.399414	7140.399414	1.12
2657	027	2196	0.05	2182	1	55	80	2.5	4	3	5490	3308	RH-2	40	form-based			true	0.7	5	1.25	4	4	6148.799805	3966.799805	3966.799805	1.12
2657	045	1934	0.04	4837	0	55	80	2.5	3	3	4835	0	RH-2	40	form-based			true	0.7	4	1.333333373	4	4	5415.199707	578.199707	578.199707	1.12
2658	007	2038	0.05	2542	0	55	80	2.5	4	4	5095	2553	RH-2	40	form-based			true	0.7	4	1	4	4	5706.399902	3164.399902	3164.399902	1.12
2659	003	2466	0.06	1414	1	55	80	2.5	5	4	6165	4751	RH-2	40	form-based			true	0.7	5	1	4	4	6904.799805	5490.799805	5490.799805	1.12
2659	074	3089	0.07	1588	2	55	80	2.5	6	4	7722	6134	RH-2	40	form-based			true	0.7	6	1	4	4	8649.200195	7061.200195	7061.200195	1.120073

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2660	004A	2464	0.06	1040	1	55	80	2.5	5	4	6160	5120	RH-2	40	form-based			true	0.7	5	1	4	4	6899.199707	5859.199707	5859.199707	1.12
2660	007	2422	0.06	1164	1	55	80	2.5	5	4	6055	4891	RH-2	40	form-based			true	0.7	5	1	4	4	6781.600098	5617.600098	5617.600098	1.12
2660	008	2370	0.05	960	1	55	80	2.5	4	3	5925	4965	RH-2	40	form-based			true	0.7	5	1.25	4	4	6636	5676	5676	1.12
2660	010	2410	0.06	1858	1	55	80	2.5	5	4	6025	4167	RH-2	40	form-based			true	0.7	5	1	4	4	6748	4890	4890	1.12
2660	015	2601	0.06	1600	1	55	80	2.5	5	4	6502	4902	RH-2	40	form-based			true	0.7	5	1	4	4	7282.799805	5682.799805	5682.799805	1.120086
2660	016	2576	0.06	1695	1	55	80	2.5	5	4	6440	4745	RH-2	40	form-based			true	0.7	5	1	4	4	7212.799805	5517.799805	5517.799805	1.12
2660	023	2421	0.06	1410	1	55	80	2.5	5	4	6052	4642	RH-2	40	form-based			true	0.7	5	1	4	4	6778.799805	5368.799805	5368.799805	1.120093
2660	028	2579	0.06	1100	1	55	80	2.5	5	4	6448	5348	RH-2	40	form-based			true	0.7	5	1	4	4	7221.199707	6121.199707	6121.199707	1.119913
2660	029	2571	0.06	1685	1	55	80	2.5	5	4	6428	4743	RH-2	40	form-based			true	0.7	5	1	4	4	7198.799805	5513.799805	5513.799805	1.119913
2661	001B	2433	0.06	1309	1	55	80	2.5	5	4	6082	4773	RH-1	40	form-based			true	0.7	5	1	4	4	6812.399902	5503.399902	5503.399902	1.120092
2661	002	2559	0.06	3217	1	55	80	2.5	5	4	6398	3181	RH-1	40	form-based			true	0.7	5	1	4	4	7165.199707	3948.199707	3948.199707	1.119912
2661	003	2613	0.06	5892	1	55	80	2.5	5	4	6532	640	RH-1	40	form-based			true	0.7	5	1	4	4	7316.399902	1424.399902	1424.399902	1.120086
2661	004	2616	0.06	3380	1	55	80	2.5	5	4	6540	3160	RH-1	40	form-based			true	0.7	5	1	4	4	7324.799805	3944.799805	3944.799805	1.12
2662	021	2444	0.06	2350	1	55	80	2.5	5	4	6110	3760	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6843.199707	4493.199707	4493.199707	1.12
2664	007	3000	0.07	3000	2	55	80	2.5	6	4	7500	4500	RH-1	40	form-based			true	0.7	6	1	4	4	8400	5400	5400	1.12
2665	003	2354	0.05	1033	1	55	80	2.5	4	3	5885	4852	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6591.199707	5558.199707	5558.199707	1.12
2675	033	3074	0.07	2083	2	55	80	2.5	6	4	7685	5602	RH-1(D)	40	form-based			true	0.7	6	1	4	4	8607.200195	6524.200195	6524.200195	1.12
2675	034	2512	0.06	1402	1	55	80	2.5	5	4	6280	4878	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7033.600098	5631.600098	5631.600098	1.12
2688	011	2193	0.05	3858	1	55	80	2.5	4	3	5482	1624	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6140.399902	2282.399902	2282.399902	1.120102
2688	012	2229	0.05	1761	1	55	80	2.5	4	3	5572	3811	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6241.199707	4480.199707	4480.199707	1.1201
2689	002	2387	0.05	1420	1	55	80	2.5	4	3	5968	4548	RH-1	40	form-based			true	0.7	5	1.25	4	4	6683.600098	5263.600098	5263.600098	1.119906
2689	003A	2178	0.05	1783	1	55	80	2.5	4	3	5445	3662	RH-1	40	form-based			true	0.7	5	1.25	4	4	6098.399902	4315.399902	4315.399902	1.12
2689	003B	2298	0.05	1440	1	55	80	2.5	4	3	5745	4305	RH-1	40	form-based			true	0.7	5	1.25	4	4	6434.399902	4994.399902	4994.399902	1.12
2689	003C	2359	0.05	1280	1	55	80	2.5	4	3	5898	4618	RH-1	40	form-based			true	0.7	5	1.25	4	4	6605.199707	5325.199707	5325.199707	1.119905
2689	005A	2346	0.05	2052	1	55	80	2.5	4	3	5865	3813	RH-1	40	form-based			true	0.7	5	1.25	4	4	6568.799805	4516.799805	4516.799805	1.12
2689	023	2406	0.06	1325	1	55	80	2.5	5	4	6015	4690	RH-2	40	form-based			true	0.7	5	1	4	4	6736.799805	5411.799805	5411.799805	1.12
2690	022	3017	0.07	2490	2	55	80	2.5	6	4	7542	5052	RH-2	40	form-based			true	0.7	6	1	4	4	8447.599609	5957.599609	5957.599609	1.120074
2689	037	2901	0.07	1755	2	55	80	2.5	6	4	7252	5497	RH-2	40	form-based			true	0.7	6	1	4	4	8122.799805	6367.799805	6367.799805	1.120077
2689	064	2726	0.06	1839	2	55	80	2.5	5	3	6815	4976	RH-1	40	form-based	true		true	0.7	6	1.200000048	4	4	7632.799805	5793.799805	5793.799805	1.12
2690	001	3040	0.07	3220	2	55	80	2.5	6	4	7600	4380	RH-2	40	form-based	true		true	0.7	6	1	4	4	8512	5292	5292	1.12
2690	004	3004	0.07	2600	2	55	80	2.5	6	4	7510	4910	RH-2	40	form-based			true	0.7	6	1	4	4	8411.200195	5811.200195	5811.200195	1.12
2690	005	2481	0.06	1470	1	55	80	2.5	5	4	6202	4732	RH-2	40	form-based			true	0.7	5	1	4	4	6946.799805	5476.799805	5476.799805	1.12009
2690	006	3006	0.07	3700	2	55	80	2.5	6	4	7515	3815	RH-2	40	form-based			true	0.7	6	1	4	4	8416.799805	4716.799805	4716.799805	1.12
2690	009	3009	0.07	2374	2	55	80	2.5	6	4	7522	5148	RH-2	40	form-based			true	0.7	6	1	4	4	8425.200195	6051.200195	6051.200195	1.120075
2690	012	3027	0.07	2107	2	55	80	2.5	6	4	7568	5461	RH-2	40	form-based			true	0.7	6	1	4	4	8475.599609	6368.599609	6368.599609	1.119926
2690	015C	2283	0.05	1831	1	55	80	2.5	4	3	5708	3877	RH-2	40	form-based			true	0.7	5	1.25	4	4	6392.399902	4561.399902	4561.399902	1.119902
2690	019	3011	0.07	1670	2	55	80	2.5	6	4	7528	5858	RH-2	40	form-based			true	0.7	6	1	4	4	8430.799805	6760.799805	6760.799805	1.119926
2690	026	3025	0.07	2950	2	55	80	2.5	6	4	7562	4612	RH-2	40	form-based			true	0.7	6	1	4	4	8470	5520	5520	1.120074
2690	028	3029	0.07	2500	2	55	80	2.5	6	4	7572	5072	RH-2	40	form-based			true	0.7	6	1	4	4	8481.200195	5981.200195	5981.200195	1.120074
2690	031	3034	0.07	4800	2	55	80	2.5	6	4	7585	2785	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	3695.200195	3695.200195	1.12
2690	033	2431	0.06	1200	1	55	80	2.5	5	4	6078	4878	RH-2	40	form-based			true	0.7	5	1	4	4	6806.799805	5606.799805	5606.799805	1.119908
2690	038	3027	0.07	1867	2	55	80	2.5	6	4	7568	5701	RH-2	40	form-based			true	0.7	6	1	4	4	8475.599609	6608.599609	6608.599609	1.119926
2690	040	3013	0.07	1142	2	55	80	2.5	6	4	7532	6390	RH-2	40	form-based			true	0.7	6	1	4	4	8436.399414	7294.399414	7294.399414	1.120074
2690	042	3558	0.08	1495	3	55	80	2.5	6	3	8895	7400	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9962.399414	8467.399414	8467.399414	1.12
2690	045	3023	0.07	891	2	55	80	2.5	6	4	7558	6667	RH-2	40	form-based			true	0.7	6	1	4	4	8464.399414	7573.399414	7573.399414	1.119926
2690	049	3026	0.07	1080	2	55	80	2.5	6	4	7565	6485	RH-2	40	form-based			true	0.7	6	1	4	4	8472.799805	7392.799805	7392.799805	1.12
2690	051	3038	0.07	1251	2	55	80	2.5	6	4	7595	6344	RH-2	40	form-based			true	0.7	6	1	4	4	8506.399414	7255.399414	7255.399414	1.12
2690	053	3015	0.07	1577	2	55	80	2.5	6	4	7538	5961	RH-2	40	form-based			true	0.7	6	1	4	4	8442	6865	6865	1.119926
2691	002A	2400	0.06	1549	1	55	80	2.5	5	4	6000	4451	RH-2	40	form-based			true	0.7	5	1	4	4	6720	5171	5171	1.12
2691	021	2300	0.05	2355	1	55	80	2.5	4	3	5750	3395	RH-2	40	form-based			true	0.7	5	1.25	4	4	6440	4085	4085	1.12
2691	026	2520	0.06	1568	1	55	80	2.5	5	4	6300	4732	RH-2	40	form-based			true	0.7	5	1	4	4	7056	5488	5488	1.12
2691	027	2516	0.06	2287	1	55	80	2.5	5	4	6290	4003	RH-2	40	form-based			true	0.7	5	1	4	4	7044.799805	4757.799805	4757.799805	1.12
2691	029B	2496	0.06	1310	1	55	80	2.5	5	4	6240	4930	RH-2	40	form-based			true	0.7	5	1	4	4	6988.799805	5678.799805	5678.799805	1.12
2691	030	3025	0.07	2284	2	55	80	2.5	6	4	7562	5278	RH-2	40	form-based			true	0.7	6	1	4	4	8470	6186	6186	1.120074
2691	031	3026	0.07	2420	2	55	80	2.5	6	4	7565	5145	RH-2	40	form-based			true	0.7	6	1	4	4	8472.799805	6052.799805	6052.799805	1.12
2691	032	3027	0.07	3674	2	55	80	2.5	6	4	7568	3894	RH-2	40	form-based			true	0.7	6	1	4	4	8475.599609	4801.599609	4801.599609	1.119926
2691	045	2227	0.05	843	1	55	80	2.5	4	3	5568	4725	RH-2	40	form-based			true	0.7	5	1.25	4	4	6235.600098	5392.600098	5392.600098	1.119899
2691	049	3034	0.07	845	2	55	80	2.5	6	4	7585	6740	RH-2	40	form-based			true	0.7	6	1	4	4	8495.200195	7650.200195	7650.200195	1.12
2691	051	2692	0.06	1296	2	55	80	2.5	5	3	6730	5434	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7537.600098	6241.600098	6241.600098	1.12
2691	058	3028	0.07	1950	2	55	80	2.5	6	4	7570	5620	RH-2	40	form-based			true	0.7	6	1	4	4	8478.399414	6528.399414	6528.399414	1.12
2691	060	3025	0.07	2328	2	55	80	2.5	6	4	7562	5234	RH-2	40	form-based			true	0.7	6	1	4	4	8470	6142	6142	1.120074
2691	062	2692	0.06	700	2	55	80	2.5	5	3	6730	6030	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7537.600098	6837.600098	6837.600098	1.12
2691	075	3025	0.07	2164	2	55	80	2.5	6	4	7562	5398	RH-2	40	form-based			true	0.7	6	1	4	4	8470	6306	6306	1.120074
2692	002	3125	0.07	3150	3	65	100	3	7	4	9375	6225	RH-2	40	form-based			true	0.7	7	1	4	4	8750	5600	5600	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2692	012	2626	0.06	2792	2	55	80	2.5	5	3	6565	3773	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7352.799805	4560.799805	4560.799805	1.12
2692	019	2261	0.05	3165	1	55	80	2.5	4	3	5652	2487	RH-2	40	form-based			true	0.7	5	1.25	4	4	6330.799805	3165.799805	3165.799805	1.120099
2692	054	1719	0.04	2162	0	55	80	2.5	3	3	4298	2136	RH-2	40	form-based			true	0.7	4	1.333333373	4	4	4813.199707	2651.199707	2651.199707	1.11987
2693	018	1875	0.04	1845	0	55	80	2.5	3	3	4688	2843	RH-2	40	form-based			true	0.7	4	1.333333373	4	4	5250	3405	3405	1.119881
2693	019	1875	0.04	2456	0	55	80	2.5	3	3	4688	2232	RH-2	40	form-based			true	0.7	4	1.333333373	4	4	5250	2794	2794	1.119881
2693	027	3081	0.07	2560	2	65	100	3	7	5	9243	6683	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8626.799805	6066.799805	6066.799805	0.933333
2693	027A	3082	0.07	2370	2	65	100	3	7	5	9246	6876	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8629.599609	6259.599609	6259.599609	0.933333
2693	033A	1879	0.04	0	0	65	100	3	4	4	5637	5637	RH-3	40	form-based			true	0.7	4	1	4	4	5261.199707	5261.199707	5261.199707	0.933333
2693	035	6610	0.15	8376	10	65	100	3	15	5	19830	11454	RH-2	40	form-based			true	0.7	14	0.933333337	4	4	18508	10132	10132	0.933333
2695	010	4719	0.11	8131	10	65	100	3	11	1	14157	6026	NCD-CAST	50	form-based			true	0.75	14	1.272727251	4	4	17696.25	9565.25	9565.25	1.25
2695	014	1859	0.04	2484	2	65	100	3	4	2	5577	3093	NCD-CAST	50	form-based			true	0.75	6	1.5	4	4	6971.25	4487.25	4487.25	1.25
2695	015	1858	0.04	1920	2	65	100	3	4	2	5574	3654	NCD-CAST	50	form-based			true	0.75	6	1.5	4	4	6967.5	5047.5	5047.5	1.25
2695	035	1920	0.04	2750	2	65	100	3	4	2	5760	3010	NCD-CAST	50	form-based			true	0.75	6	1.5	4	4	7200	4450	4450	1.25
2696	003	3168	0.07	4200	3	65	100	3	7	4	9504	5304	RH-3	40	form-based			true	0.7	7	1	4	4	8870.399414	4670.399414	4670.399414	0.933333
2696	004	3045	0.07	2562	2	55	80	2.5	6	4	7612	5050	RH-3	40	form-based			true	0.7	6	1	4	4	8526	5964	5964	1.120074
2696	011	4125	0.09	7216	5	55	80	2.5	7	2	10312	3096	RH-3	40	form-based			true	0.7	9	1.285714269	4	4	11550	4334	4334	1.120054
2696	015	2750	0.06	3190	2	55	80	2.5	5	3	6875	3685	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7700	4510	4510	1.12
2696	017	2750	0.06	3350	2	55	80	2.5	5	3	6875	3525	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7700	4350	4350	1.12
2696	034	4069	0.09	3555	5	65	100	3	9	4	12207	8652	RH-3	40	form-based			true	0.7	9	1	4	4	11393.2002	7838.200195	7838.200195	0.933333
2696	040	3485	0.08	4635	3	55	80	2.5	6	3	8712	4077	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9758	5123	5123	1.120064
2696	041	3515	0.08	4635	3	55	80	2.5	6	3	8788	4153	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9842	5207	5207	1.119936
2696	042	2988	0.07	1075	2	55	80	2.5	6	4	7470	6395	RH-3	40	form-based			true	0.7	6	1	4	4	8366.399414	7291.399414	7291.399414	1.12
2696	050	3018	0.07	1557	2	65	100	3	7	5	9054	7497	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8450.399414	6893.399414	6893.399414	0.933333
2696	070	3437	0.08	1500	3	55	80	2.5	6	3	8592	7092	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9623.599609	8123.599609	8123.599609	1.120065
2697	002	3449	0.08	1996	3	55	80	2.5	6	3	8622	6626	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9657.200195	7661.200195	7661.200195	1.120065
2697	011	2750	0.06	2774	2	55	80	2.5	5	3	6875	4101	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7700	4926	4926	1.12
2697	025	3131	0.07	1800	3	55	80	2.5	6	3	7828	6028	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	8766.799805	6966.799805	6966.799805	1.119928
2697	042	3449	0.08	835	3	55	80	2.5	6	3	8622	7787	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9657.200195	8822.200195	8822.200195	1.120065
2697	045	3486	0.08	1700	3	55	80	2.5	6	3	8715	7015	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9760.799805	8060.799805	8060.799805	1.12
2698	017	2750	0.06	2479	2	55	80	2.5	5	3	6875	4396	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7700	5221	5221	1.12
2698	018	2750	0.06	2015	2	55	80	2.5	5	3	6875	4860	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7700	5685	5685	1.12
2698	025	3035	0.07	2632	2	55	80	2.5	6	4	7588	4956	RH-2	40	form-based			true	0.7	6	1	4	4	8498	5866	5866	1.119926
2698	031	2162	0.05	1120	1	55	80	2.5	4	3	5405	4285	RH-2	40	form-based			true	0.7	5	1.25	4	4	6053.600098	4933.600098	4933.600098	1.12
2698	035	2745	0.06	2734	2	55	80	2.5	5	3	6862	4128	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7686	4952	4952	1.120082
2698	037	2744	0.06	4059	2	55	80	2.5	5	3	6860	2801	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7683.199707	3624.199707	3624.199707	1.12
2698	040	3409	0.08	1028	3	55	80	2.5	6	3	8522	7494	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9545.200195	8517.200195	8517.200195	1.120066
2698	048	3177	0.07	1298	3	55	80	2.5	6	3	7942	6644	RH-3	40	form-based	true		true	0.7	7	1.166666627	4	4	8895.599609	7597.599609	7597.599609	1.12007
2698	062	2744	0.06	1150	2	55	80	2.5	5	3	6860	5710	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7683.199707	6533.199707	6533.199707	1.12
2698	064	2750	0.06	955	2	55	80	2.5	5	3	6875	5920	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7700	6745	6745	1.12
2698	066	3125	0.07	1029	3	55	80	2.5	6	3	7812	6783	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	8750	7721	7721	1.120072
2699	011	3041	0.07	1745	2	55	80	2.5	6	4	7602	5857	RH-2	40	form-based			true	0.7	6	1	4	4	8514.799805	6769.799805	6769.799805	1.120074
2699	015	3063	0.07	2024	2	55	80	2.5	6	4	7658	5634	RH-2	40	form-based			true	0.7	6	1	4	4	8576.399414	6552.399414	6552.399414	1.119927
2700	005	2283	0.05	1900	1	55	80	2.5	4	3	5708	3808	RH-2	40	form-based			true	0.7	5	1.25	4	4	6392.399902	4492.399902	4492.399902	1.119902
2700	009	3420	0.08	3525	3	55	80	2.5	6	3	8550	5025	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9576	6051	6051	1.12
2700	015	2538	0.06	3795	1	55	80	2.5	5	4	6345	2550	RH-2	40	form-based			true	0.7	5	1	4	4	7106.399902	3311.399902	3311.399902	1.12
2700	016	2421	0.06	2812	1	55	80	2.5	5	4	6052	3240	RH-2	40	form-based			true	0.7	5	1	4	4	6778.799805	3966.799805	3966.799805	1.120093
2700	017	2310	0.05	1840	1	55	80	2.5	4	3	5775	3935	RH-2	40	form-based			true	0.7	5	1.25	4	4	6468	4628	4628	1.12
2700	018	2284	0.05	2270	1	55	80	2.5	4	3	5710	3440	RH-2	40	form-based			true	0.7	5	1.25	4	4	6395.199707	4125.199707	4125.199707	1.12
2700	021	2285	0.05	1976	1	55	80	2.5	4	3	5712	3736	RH-2	40	form-based			true	0.7	5	1.25	4	4	6398	4422	4422	1.120098
2700	022	2427	0.06	2141	1	55	80	2.5	5	4	6068	3927	RH-2	40	form-based	true		true	0.7	5	1	4	4	6795.600098	4654.600098	4654.600098	1.119908
2700	024	2298	0.05	3355	1	55	80	2.5	4	3	5745	2390	RH-2	40	form-based			true	0.7	5	1.25	4	4	6434.399902	3079.399902	3079.399902	1.12
2700	026	2288	0.05	1800	1	55	80	2.5	4	3	5720	3920	RH-2	40	form-based			true	0.7	5	1.25	4	4	6406.399902	4606.399902	4606.399902	1.12
2700	027	2288	0.05	1909	1	55	80	2.5	4	3	5720	3811	RH-2	40	form-based			true	0.7	5	1.25	4	4	6406.399902	4497.399902	4497.399902	1.12
2700	028	2288	0.05	1800	1	55	80	2.5	4	3	5720	3920	RH-2	40	form-based			true	0.7	5	1.25	4	4	6406.399902	4606.399902	4606.399902	1.12
2700	029	2289	0.05	1800	1	55	80	2.5	4	3	5722	3922	RH-2	40	form-based			true	0.7	5	1.25	4	4	6409.199707	4609.199707	4609.199707	1.120098
2700	031	2513	0.06	1800	1	55	80	2.5	5	4	6282	4482	RH-2	40	form-based			true	0.7	5	1	4	4	7036.399902	5236.399902	5236.399902	1.120089
2700	036	2427	0.06	2297	1	55	80	2.5	5	4	6068	3771	RH-2	40	form-based			true	0.7	5	1	4	4	6795.600098	4498.600098	4498.600098	1.119908
2700	037	2538	0.06	2352	1	55	80	2.5	5	4	6345	3993	RH-2	40	form-based			true	0.7	5	1	4	4	7106.399902	4754.399902	4754.399902	1.12
2700	038	2237	0.05	968	1	55	80	2.5	4	3	5592	4624	RH-2	40	form-based			true	0.7	5	1.25	4	4	6263.600098	5295.600098	5295.600098	1.1201
2700	041	2328	0.05	2170	1	55	80	2.5	4	3	5820	3650	RH-2	40	form-based			true	0.7	5	1.25	4	4	6518.399902	4348.399902	4348.399902	1.12
2700	042	2400	0.06	1720	1	55	80	2.5	5	4	6000	4280	RH-2	40	form-based			true	0.7	5	1	4	4	6720	5000	5000	1.12
2700	043	2400	0.06	1720	1	55	80	2.5	5	4	6000	4280	RH-2	40	form-based			true	0.7	5	1	4	4	6720	5000	5000	1.12
2700	044	2400	0.06	1720	1	55	80	2.5	5	4	6000	4280	RH-2	40	form-based			true	0.7	5	1	4	4	6720	5000	5000	1.12
2700	045	2400	0.06	1720	1	55	80	2.5	5	4	6000	4280	RH-2	40	form-based			true	0.7	5	1	4	4	6720	5000	5000	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2700	048	2795	0.06	1750	2	55	80	2.5	5	3	6988	5238	RH-2	40	form-based		true	true	0.7	6	1.200000048	4	4	7826	6076	6076	1.11992
2700	052	2400	0.06	1850	1	55	80	2.5	5	4	6000	4150	RH-2	40	form-based			true	0.7	5	1	4	4	6720	4870	4870	1.12
2700	056	2400	0.06	1750	1	55	80	2.5	5	4	6000	4250	RH-2	40	form-based			true	0.7	5	1	4	4	6720	4970	4970	1.12
2700	058	2456	0.06	1590	1	55	80	2.5	5	4	6140	4550	RH-2	40	form-based		true	true	0.7	5	1	4	4	6876.799805	5286.799805	5286.799805	1.12
2701	005	2339	0.05	2176	1	55	80	2.5	4	3	5848	3672	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6549.199707	4373.199707	4373.199707	1.119904
2701	013	2232	0.05	740	1	55	80	2.5	4	3	5580	4840	RH-2	40	form-based			true	0.7	5	1.25	4	4	6249.600098	5509.600098	5509.600098	1.12
2701	032	2535	0.06	1142	1	55	80	2.5	5	4	6338	5196	RH-2	40	form-based			true	0.7	5	1	4	4	7098	5956	5956	1.119912
2701	042	2246	0.05	2723	1	55	80	2.5	4	3	5615	2892	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6288.799805	3565.799805	3565.799805	1.12
2701	045	2737	0.06	1214	2	55	80	2.5	5	3	6842	5628	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7663.600098	6449.600098	6449.600098	1.120082
2701A	003	2601	0.06	3010	1	55	80	2.5	5	4	6502	3492	RH-2	40	form-based			true	0.7	5	1	4	4	7282.799805	4272.799805	4272.799805	1.120086
2701A	004	2625	0.06	2207	2	55	80	2.5	5	3	6562	4355	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	5143	5143	1.120085
2701A	019	2750	0.06	2650	2	55	80	2.5	5	3	6875	4225	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7700	5050	5050	1.12
2702	001	2953	0.07	2041	2	55	80	2.5	6	4	7382	5341	RH-2	40	form-based		true	true	0.7	6	1	4	4	8268.399414	6227.399414	6227.399414	1.120076
2702	006	2709	0.06	2216	2	55	80	2.5	5	3	6772	4556	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7585.199707	5369.199707	5369.199707	1.120083
2702	010	2415	0.06	1350	1	55	80	2.5	5	4	6038	4688	RH-2	40	form-based			true	0.7	5	1	4	4	6762	5412	5412	1.119907
2702	012	2232	0.05	750	1	55	80	2.5	4	3	5580	4830	RH-2	40	form-based			true	0.7	5	1.25	4	4	6249.600098	5499.600098	5499.600098	1.12
2702	017	2278	0.05	1317	1	55	80	2.5	4	3	5695	4378	RH-2	40	form-based			true	0.7	5	1.25	4	4	6378.399902	5061.399902	5061.399902	1.12
2702	019	2461	0.06	3300	1	55	80	2.5	5	4	6152	2852	RH-2	40	form-based		true	true	0.7	5	1	4	4	6890.799805	3590.799805	3590.799805	1.120091
2702	021	2558	0.06	1500	1	55	80	2.5	5	4	6395	4895	RH-2	40	form-based			true	0.7	5	1	4	4	7162.399902	5662.399902	5662.399902	1.12
2702	032	2859	0.07	1328	2	55	80	2.5	6	4	7148	5820	RH-2	40	form-based			true	0.7	6	1	4	4	8005.199707	6677.199707	6677.199707	1.119922
2704	023	3317	0.08	1950	3	55	80	2.5	6	3	8292	6342	RH-2	40	form-based		true	true	0.7	7	1.166666627	4	4	9287.599609	7337.599609	7337.599609	1.120067
2705	027	2501	0.06	2648	1	55	80	2.5	5	4	6252	3604	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	4354.799805	4354.799805	1.12009
2705	033	2221	0.05	2900	1	55	80	2.5	4	3	5552	2652	RH-1	40	form-based			true	0.7	5	1.25	4	4	6218.799805	3318.799805	3318.799805	1.120101
2705	034	2278	0.05	2482	1	55	80	2.5	4	3	5695	3213	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6378.399902	3896.399902	3896.399902	1.12
2706	043	2220	0.05	2048	1	55	80	2.5	4	3	5550	3502	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6216	4168	4168	1.12
2706	045	2299	0.05	3329	1	55	80	2.5	4	3	5748	2419	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6437.199707	3108.199707	3108.199707	1.119902
2706	048	2468	0.06	2883	1	55	80	2.5	5	4	6170	3287	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6910.399902	4027.399902	4027.399902	1.12
2706	063	2368	0.05	2819	1	55	80	2.5	4	3	5920	3101	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6630.399902	3811.399902	3811.399902	1.12
2706	064	2295	0.05	2960	1	55	80	2.5	4	3	5738	2778	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6426	3466	3466	1.119902
2706	065	2550	0.06	1930	1	55	80	2.5	5	4	6375	4445	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7140	5210	5210	1.12
2711	001	2206	0.05	2634	1	55	80	2.5	4	3	5515	2881	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6176.799805	3542.799805	3542.799805	1.12
2711	002	2413	0.06	2545	1	55	80	2.5	5	4	6032	3487	RH-2	40	form-based			true	0.7	5	1	4	4	6756.399902	4211.399902	4211.399902	1.120093
2711	007	3059	0.07	1983	2	55	80	2.5	6	4	7648	5665	RH-2	40	form-based		true	true	0.7	6	1	4	4	8565.200195	6582.200195	6582.200195	1.119927
2711	008	2602	0.06	1690	1	55	80	2.5	5	4	6505	4815	RH-2	40	form-based			true	0.7	5	1	4	4	7285.600098	5595.600098	5595.600098	1.12
2711	037	2455	0.06	2540	1	55	80	2.5	5	4	6138	3598	RH-2	40	form-based			true	0.7	5	1	4	4	6874	4334	4334	1.119909
2711	038	2374	0.05	978	1	55	80	2.5	4	3	5935	4957	RH-2	40	form-based			true	0.7	5	1.25	4	4	6647.199707	5669.199707	5669.199707	1.12
2714	044	3042	0.07	1717	2	55	80	2.5	6	4	7605	5888	RH-2	40	form-based			true	0.7	6	1	4	4	8517.599609	6800.599609	6800.599609	1.12
2714	046	3003	0.07	1513	2	55	80	2.5	6	4	7508	5995	RH-2	40	form-based			true	0.7	6	1	4	4	8408.399414	6895.399414	6895.399414	1.119925
2714	048	3014	0.07	1716	2	55	80	2.5	6	4	7535	5819	RH-2	40	form-based			true	0.7	6	1	4	4	8439.200195	6723.200195	6723.200195	1.12
2715	002	2200	0.05	2315	1	55	80	2.5	4	3	5500	3185	RH-2	40	form-based			true	0.7	5	1.25	4	4	6160	3845	3845	1.12
2715	033	2428	0.06	1886	1	55	80	2.5	5	4	6070	4184	RH-2	40	form-based			true	0.7	5	1	4	4	6798.399902	4912.399902	4912.399902	1.12
2715	034	2483	0.06	2456	1	55	80	2.5	5	4	6208	3752	RH-2	40	form-based			true	0.7	5	1	4	4	6952.399902	4496.399902	4496.399902	1.11991
2715	035	2925	0.07	1994	2	55	80	2.5	6	4	7312	5318	RH-2	40	form-based			true	0.7	6	1	4	4	8190	6196	6196	1.120077
2749	019	2639	0.06	2785	2	55	80	2.5	5	3	6598	3813	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7389.199707	4604.199707	4604.199707	1.119915
2748	003	2434	0.06	2067	1	55	80	2.5	5	4	6085	4018	RH-2	40	form-based			true	0.7	5	1	4	4	6815.199707	4748.199707	4748.199707	1.12
2748	004	2444	0.06	1173	1	55	80	2.5	5	4	6110	4937	RH-2	40	form-based			true	0.7	5	1	4	4	6843.199707	5670.199707	5670.199707	1.12
2748	008	2496	0.06	2275	1	55	80	2.5	5	4	6240	3965	RH-2	40	form-based			true	0.7	5	1	4	4	6988.799805	4713.799805	4713.799805	1.12
2748	009	2490	0.06	1133	1	55	80	2.5	5	4	6225	5092	RH-2	40	form-based			true	0.7	5	1	4	4	6972	5839	5839	1.12
2748	013	2530	0.06	1330	1	55	80	2.5	5	4	6325	4995	RM-1	40	form-based			true	0.7	5	1	4	4	7084	5754	5754	1.12
2749	032	3260	0.07	2146	3	55	80	2.5	6	3	8150	6004	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9128	6982	6982	1.12
2749	045A	2508	0.06	1700	1	55	80	2.5	5	4	6270	4570	RH-2	40	form-based			true	0.7	5	1	4	4	7022.399902	5322.399902	5322.399902	1.12
2749	056	3538	0.08	2706	3	55	80	2.5	6	3	8845	6139	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9906.399414	7200.399414	7200.399414	1.12
2749	069	2746	0.06	2070	2	55	80	2.5	5	3	6865	4795	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7688.799805	5618.799805	5618.799805	1.12
2750	018	2432	0.06	855	1	55	80	2.5	5	4	6080	5225	RH-2	40	form-based			true	0.7	5	1	4	4	6809.600098	5954.600098	5954.600098	1.12
2750	019	2433	0.06	1805	1	55	80	2.5	5	4	6082	4277	RH-2	40	form-based			true	0.7	5	1	4	4	6812.399902	5007.399902	5007.399902	1.120092
2750	020	2434	0.06	2362	1	55	80	2.5	5	4	6085	3723	RH-2	40	form-based			true	0.7	5	1	4	4	6815.199707	4453.199707	4453.199707	1.12
2750	021	2436	0.06	2682	1	55	80	2.5	5	4	6090	3408	RH-2	40	form-based			true	0.7	5	1	4	4	6820.799805	4138.799805	4138.799805	1.12
2750	038	2438	0.06	1160	1	55	80	2.5	5	4	6095	4935	RH-2	40	form-based			true	0.7	5	1	4	4	6826.399902	5666.399902	5666.399902	1.12
2750	040	2438	0.06	1550	1	55	80	2.5	5	4	6095	4545	RH-2	40	form-based			true	0.7	5	1	4	4	6826.399902	5276.399902	5276.399902	1.12
2750	041	2438	0.06	2051	1	55	80	2.5	5	4	6095	4044	RH-2	40	form-based			true	0.7	5	1	4	4	6826.399902	4775.399902	4775.399902	1.12
2750	042	2437	0.06	2658	1	55	80	2.5	5	4	6092	3434	RH-2	40	form-based			true	0.7	5	1	4	4	6823.600098	4165.600098	4165.600098	1.120092
2750	043	2438	0.06	2234	1	55	80	2.5	5	4	6095	3861	RH-2	40	form-based			true	0.7	5	1	4	4	6826.399902	4592.399902	4592.399902	1.12
2751	007B	2230	0.05	1375	1	55	80	2.5	4	3	5575	4200	RH-2	40	form-based			true	0.7	5	1.25	4	4	6244	4869	4869	1.12
2751	007C	2231	0.05	1824	1	55	80	2.5	4	3	5578	3754	RH-2	40	form-based			true	0.7	5	1.25	4	4	6246.799805	4422.799805	4422.799805	1.1199

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2751	007D	2233	0.05	2125	1	55	80	2.5	4	3	5582	3457	RH-2	40	form-based			true	0.7	5	1.25	4	4	6252.399902	4127.399902	4127.399902	1.1201
2751	007F	2234	0.05	1800	1	55	80	2.5	4	3	5585	3785	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6255.199707	4455.199707	4455.199707	1.12
2751	008	2500	0.06	2188	1	55	80	2.5	5	4	6250	4062	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4812	4812	1.12
2751	009	2500	0.06	1700	1	55	80	2.5	5	4	6250	4550	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5300	5300	1.12
2751	010	2500	0.06	2350	1	55	80	2.5	5	4	6250	3900	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4650	4650	1.12
2751	011	2500	0.06	1550	1	55	80	2.5	5	4	6250	4700	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5450	5450	1.12
2751	012	2500	0.06	1675	1	55	80	2.5	5	4	6250	4575	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5325	5325	1.12
2751	013	2500	0.06	1650	1	55	80	2.5	5	4	6250	4600	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5350	5350	1.12
2751	027	2437	0.06	1627	1	55	80	2.5	5	4	6092	4465	RH-3	40	form-based			true	0.7	5	1	4	4	6823.600098	5196.600098	5196.600098	1.120092
2752	004	3211	0.07	3060	3	55	80	2.5	6	3	8028	4968	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8990.799805	5930.799805	5930.799805	1.11993
2752	012	3208	0.07	2550	3	55	80	2.5	6	3	8020	5470	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8982.399414	6432.399414	6432.399414	1.12
2752	018	3205	0.07	2510	3	55	80	2.5	6	3	8012	5502	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8974	6464	6464	1.12007
2752	021	2505	0.06	3400	1	55	80	2.5	5	4	6262	2862	RH-2	40	form-based			true	0.7	5	1	4	4	7014	3614	3614	1.120089
2752	022	2507	0.06	2712	1	55	80	2.5	5	4	6268	3556	RH-2	40	form-based			true	0.7	5	1	4	4	7019.600098	4307.600098	4307.600098	1.119911
2752	022B	2509	0.06	2885	1	55	80	2.5	5	4	6272	3387	RH-2	40	form-based			true	0.7	5	1	4	4	7025.199707	4140.199707	4140.199707	1.120089
2752	026	3096	0.07	3151	3	55	80	2.5	6	3	7740	4589	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8668.799805	5517.799805	5517.799805	1.12
2752	029	2750	0.06	2745	2	55	80	2.5	5	3	6875	4130	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7700	4955	4955	1.12
2752	030	2750	0.06	3220	2	55	80	2.5	5	3	6875	3655	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7700	4480	4480	1.12
2753	002	2592	0.06	1223	1	55	80	2.5	5	4	6480	5257	RH-2	40	form-based			true	0.7	5	1	4	4	7257.600098	6034.600098	6034.600098	1.12
2753	002A	2438	0.06	1190	1	55	80	2.5	5	4	6095	4905	RH-2	40	form-based			true	0.7	5	1	4	4	6826.399902	5636.399902	5636.399902	1.12
2753	025	2521	0.06	1955	1	55	80	2.5	5	4	6302	4347	RH-2	40	form-based			true	0.7	5	1	4	4	7058.799805	5103.799805	5103.799805	1.120089
2768	035	2899	0.07	2364	2	55	80	2.5	6	4	7248	4884	RH-2	40	form-based			true	0.7	6	1	4	4	8117.199707	5753.199707	5753.199707	1.119923
2768	037	2153	0.05	1456	1	55	80	2.5	4	3	5382	3926	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6028.399902	4572.399902	4572.399902	1.120104
2768	042	2900	0.07	1557	2	55	80	2.5	6	4	7250	5693	RH-2	40	form-based			true	0.7	6	1	4	4	8120	6563	6563	1.12
2769	007	3090	0.07	1525	2	55	80	2.5	6	4	7725	6200	RH-2	40	form-based			true	0.7	6	1	4	4	8652	7127	7127	1.12
2769	010	3090	0.07	2120	2	55	80	2.5	6	4	7725	5605	RH-2	40	form-based			true	0.7	6	1	4	4	8652	6532	6532	1.12
2769	018	2350	0.05	1000	1	55	80	2.5	4	3	5875	4875	RH-3	40	form-based			true	0.7	5	1.25	4	4	6580	5580	5580	1.12
2769	020	2500	0.06	1625	1	55	80	2.5	5	4	6250	4625	RH-3	40	form-based			true	0.7	5	1	4	4	7000	5375	5375	1.12
2769	030	2500	0.06	1077	1	55	80	2.5	5	4	6250	5173	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5923	5923	1.12
2769	031	2500	0.06	904	1	55	80	2.5	5	4	6250	5346	RH-2	40	form-based			true	0.7	5	1	4	4	7000	6096	6096	1.12
2769	032	2530	0.06	3535	1	55	80	2.5	5	4	6325	2790	RH-2	40	form-based		true	true	0.7	5	1	4	4	7084	3549	3549	1.12
2769	034	2601	0.06	1995	1	55	80	2.5	5	4	6502	4507	RH-2	40	form-based			true	0.7	5	1	4	4	7282.799805	5287.799805	5287.799805	1.120086
2769	039	6180	0.14	10296	9	55	80	2.5	11	2	15450	5154	RH-3	40	form-based			true	0.7	13	1.181818128	4	4	17304	7008	7008	1.12
2769	050	3090	0.07	1215	2	55	80	2.5	6	4	7725	6510	RH-2	40	form-based			true	0.7	6	1	4	4	8652	7437	7437	1.12
2769	052	3090	0.07	1004	2	55	80	2.5	6	4	7725	6721	RH-2	40	form-based			true	0.7	6	1	4	4	8652	7648	7648	1.12
2769	054	3090	0.07	913	2	55	80	2.5	6	4	7725	6812	RH-2	40	form-based			true	0.7	6	1	4	4	8652	7739	7739	1.12
2769	056	3090	0.07	2020	2	55	80	2.5	6	4	7725	5705	RH-2	40	form-based			true	0.7	6	1	4	4	8652	6632	6632	1.12
2769	060	3090	0.07	2383	2	55	80	2.5	6	4	7725	5342	RH-2	40	form-based			true	0.7	6	1	4	4	8652	6269	6269	1.12
2770	016	2492	0.06	1029	1	55	80	2.5	5	4	6230	5201	RH-2	40	form-based			true	0.7	5	1	4	4	6977.600098	5948.600098	5948.600098	1.12
2770	020E	2467	0.06	1280	1	55	80	2.5	5	4	6168	4888	RH-3	40	form-based			true	0.7	5	1	4	4	6907.600098	5627.600098	5627.600098	1.119909
2770	034	2733	0.06	2844	2	55	80	2.5	5	3	6832	3988	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7652.399902	4808.399902	4808.399902	1.120082
2770	046	3017	0.07	1608	2	55	80	2.5	6	4	7542	5934	RH-2	40	form-based			true	0.7	6	1	4	4	8447.599609	6839.599609	6839.599609	1.120074
2771	006	2791	0.06	2088	2	55	80	2.5	5	3	6978	4890	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7814.799805	5726.799805	5726.799805	1.11992
2771	007	2632	0.06	2536	2	55	80	2.5	5	3	6580	4044	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7369.600098	4833.600098	4833.600098	1.12
2771	024	2625	0.06	2878	2	55	80	2.5	5	3	6562	3684	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	4472	4472	1.120085
2771	044	18145	0.42	23790	34	55	80	2.5	34	0	45362	21572	RM-2	40	form-based			true	0.7	38	1.117647052	4	4	50806	27016	27016	1.120012
2772	003	2894	0.07	1840	2	55	80	2.5	6	4	7235	5395	RH-2	40	form-based			true	0.7	6	1	4	4	8103.199707	6263.199707	6263.199707	1.12
2772	004	2315	0.05	940	1	55	80	2.5	4	3	5788	4848	RH-2	40	form-based			true	0.7	5	1.25	4	4	6482	5542	5542	1.119903
2772	005	2315	0.05	1880	1	55	80	2.5	4	3	5788	3908	RH-2	40	form-based			true	0.7	5	1.25	4	4	6482	4602	4602	1.119903
2772	013	2894	0.07	1700	2	55	80	2.5	6	4	7235	5535	RH-2	40	form-based			true	0.7	6	1	4	4	8103.199707	6403.199707	6403.199707	1.12
2772	056	2894	0.07	1833	2	55	80	2.5	6	4	7235	5402	RH-2	40	form-based			true	0.7	6	1	4	4	8103.199707	6270.199707	6270.199707	1.12
2772	071	2315	0.05	781	1	55	80	2.5	4	3	5788	5007	RH-2	40	form-based			true	0.7	5	1.25	4	4	6482	5701	5701	1.119903
2772	073	2894	0.07	2447	2	55	80	2.5	6	4	7235	4788	RH-2	40	form-based			true	0.7	6	1	4	4	8103.199707	5656.199707	5656.199707	1.12
2788	031	2488	0.06	1850	1	55	80	2.5	5	4	6220	4370	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6966.399902	5116.399902	5116.399902	1.12
2790	029	2541	0.06	1237	1	55	80	2.5	5	4	6352	5115	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7114.799805	5877.799805	5877.799805	1.120088
2803	002	2828	0.06	1640	2	55	80	2.5	5	3	7070	5430	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7918.399902	6278.399902	6278.399902	1.12
2803	006	2828	0.06	2524	2	55	80	2.5	5	3	7070	4546	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7918.399902	5394.399902	5394.399902	1.12
2803	016	2677	0.06	2740	2	55	80	2.5	5	3	6692	3952	RH-2	40	form-based		true	true	0.7	6	1.200000048	4	4	7495.600098	4755.600098	4755.600098	1.120084
2803	019	2619	0.06	1433	1	55	80	2.5	5	4	6548	5115	RH-2	40	form-based			true	0.7	5	1	4	4	7333.199707	5900.199707	5900.199707	1.119914
2803	020	2618	0.06	1330	1	55	80	2.5	5	4	6545	5215	RH-2	40	form-based			true	0.7	5	1	4	4	7330.399902	6000.399902	6000.399902	1.12
2803	021	2618	0.06	2692	1	55	80	2.5	5	4	6545	3853	RH-2	40	form-based			true	0.7	5	1	4	4	7330.399902	4638.399902	4638.399902	1.12
2803	028	2863	0.07	1854	2	55	80	2.5	6	4	7158	5304	RH-2	40	form-based			true	0.7	6	1	4	4	8016.399902	6162.399902	6162.399902	1.119922
2803	033	2861	0.07	2660	2	55	80	2.5	6	4	7152	4492	RH-2	40	form-based			true	0.7	6	1	4	4	8010.799805	5350.799805	5350.799805	1.120078
2803	034	2860	0.07	3455	2	55	80	2.5	6	4	7150	3695	RH-2	40	form-based			true	0.7	6	1	4	4	8008	4553	4553	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2803	044	2864	0.07	1260	2	55	80	2.5	6	4	7160	5900	RH-2	40	form-based			true	0.7	6	1	4	4	8019.199707	6759.199707	6759.199707	1.12
2804	003	2490	0.06	1478	1	55	80	2.5	5	4	6225	4747	RH-2	40	form-based			true	0.7	5	1	4	4	6972	5494	5494	1.12
2804	004	2489	0.06	2278	1	55	80	2.5	5	4	6222	3944	RH-2	40	form-based			true	0.7	5	1	4	4	6969.199707	4691.199707	4691.199707	1.12009
2804	006	1689	0.04	2822	0	55	80	2.5	3	3	4222	1400	RH-2	40	form-based			true	0.7	4	1.333333373	4	4	4729.199707	1907.199707	1907.199707	1.120133
2804	010	2964	0.07	2740	2	55	80	2.5	6	4	7410	4670	RH-2	40	form-based			true	0.7	6	1	4	4	8299.200195	5559.200195	5559.200195	1.12
2804	012	2945	0.07	2588	2	55	80	2.5	6	4	7362	4774	RH-2	40	form-based			true	0.7	6	1	4	4	8246	5658	5658	1.120076
2804	014	2945	0.07	2418	2	55	80	2.5	6	4	7362	4944	RH-2	40	form-based			true	0.7	6	1	4	4	8246	5828	5828	1.120076
2804	020	2500	0.06	1681	1	55	80	2.5	5	4	6250	4569	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5319	5319	1.12
2804	028	2500	0.06	3037	1	55	80	2.5	5	4	6250	3213	RH-2	40	form-based			true	0.7	5	1	4	4	7000	3963	3963	1.12
2804	029	2500	0.06	2025	1	55	80	2.5	5	4	6250	4225	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4975	4975	1.12
2804	031	2788	0.06	2620	2	55	80	2.5	5	3	6970	4350	RH-2	40	form-based	true		true	0.7	6	1.200000048	4	4	7806.399902	5186.399902	5186.399902	1.12
2804	035	2847	0.07	2260	2	55	80	2.5	6	4	7118	4858	RH-2	40	form-based			true	0.7	6	1	4	4	7971.600098	5711.600098	5711.600098	1.119921
2804	038	2970	0.07	2311	2	55	80	2.5	6	4	7425	5114	RH-2	40	form-based			true	0.7	6	1	4	4	8316	6005	6005	1.12
2804	041	2942	0.07	2934	2	55	80	2.5	6	4	7355	4421	RH-2	40	form-based			true	0.7	6	1	4	4	8237.599609	5303.599609	5303.599609	1.12
2804	053	2850	0.07	957	2	55	80	2.5	6	4	7125	6168	RH-2	40	form-based			true	0.7	6	1	4	4	7980	7023	7023	1.12
2804	057	2847	0.07	1932	2	55	80	2.5	6	4	7118	5186	RH-2	40	form-based			true	0.7	6	1	4	4	7971.600098	6039.600098	6039.600098	1.119921
2805	003A	2406	0.06	2240	1	55	80	2.5	5	4	6015	3775	RH-2	40	form-based			true	0.7	5	1	4	4	6736.799805	4496.799805	4496.799805	1.12
2821	024	2447	0.06	2063	1	55	80	2.5	5	4	6118	4055	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6851.600098	4788.600098	4788.600098	1.119908
2822B	021	2552	0.06	1026	1	55	80	2.5	5	4	6380	5354	RH-1(D)	40	form-based	true		true	0.7	5	1	4	4	7145.600098	6119.600098	6119.600098	1.12
2830	002	2500	0.06	875	1	55	80	2.5	5	4	6250	5375	RH-2	40	form-based			true	0.7	5	1	4	4	7000	6125	6125	1.12
2830	003	2500	0.06	950	1	55	80	2.5	5	4	6250	5300	RH-2	40	form-based			true	0.7	5	1	4	4	7000	6050	6050	1.12
2831	003	2311	0.05	1620	2	55	80	2.5	4	2	5778	4158	RH-2	50	form-based			true	0.7	6	1.5	4	4	8088.5	6468.5	6468.5	1.399879
2831	021	3402	0.08	7050	9	55	80	2.5	6	0	8505	1455	NCD-24TH	65	form-based	true		true	0.75	13	2.166666746	4	3	15309	8259	8259	1.8
2831	040	2018	0.05	835	2	55	80	2.5	4	2	5045	4210	RH-2	50	form-based			true	0.7	6	1.5	4	4	7063	6228	6228	1.4
2831	042	2304	0.05	1238	2	55	80	2.5	4	2	5760	4522	RH-2	50	form-based			true	0.7	6	1.5	4	4	8064	6826	6826	1.4
2856	013	2588	0.06	1752	1	65	100	3	6	5	7764	6012	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7246.399902	5494.399902	5494.399902	0.933333
2857	020	1760	0.04	0	0	65	100	3	4	4	5280	5280	RH-1(D)	40	form-based			true	0.7	4	1	4	4	4928	4928	4928	0.933333
2876	017	2575	0.06	3423	1	55	80	2.5	5	4	6438	3015	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7210	3787	3787	1.119913
2885	012E	1826	0.04	0	0	55	80	2.5	3	3	4565	4565	RH-1(D)	40	form-based			true	0.7	4	1.333333373	4	4	5112.799805	5112.799805	5112.799805	1.12
2888A	006	2402	0.06	1663	1	65	100	3	6	5	7206	5543	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6725.600098	5062.600098	5062.600098	0.933333
2892	006	2354	0.05	1580	1	55	80	2.5	4	3	5885	4305	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6591.199707	5011.199707	5011.199707	1.12
2892	009	2592	0.06	1150	1	55	80	2.5	5	4	6480	5330	RH-1(D)	40	form-based	true		true	0.7	5	1	4	4	7257.600098	6107.600098	6107.600098	1.12
2901B	004	2500	0.06	1990	1	55	80	2.5	5	4	6250	4260	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5010	5010	1.12
2901B	005	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5850	5850	1.12
2901B	006	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5875	5875	1.12
2901B	007	2500	0.06	1075	1	55	80	2.5	5	4	6250	5175	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5925	5925	1.12
2901B	008	2500	0.06	1347	1	55	80	2.5	5	4	6250	4903	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5653	5653	1.12
2901B	009	2500	0.06	1900	1	55	80	2.5	5	4	6250	4350	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5100	5100	1.12
2901B	010	2500	0.06	2458	1	55	80	2.5	5	4	6250	3792	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4542	4542	1.12
2901B	011	2500	0.06	2131	1	55	80	2.5	5	4	6250	4119	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4869	4869	1.12
2901B	013	2500	0.06	1762	1	55	80	2.5	5	4	6250	4488	RH-1	40	form-based	true		true	0.7	5	1	4	4	7000	5238	5238	1.12
2901C	003	2324	0.05	1444	1	55	80	2.5	4	3	5810	4366	RH-1	40	form-based			true	0.7	5	1.25	4	4	6507.199707	5063.199707	5063.199707	1.12
2901C	004	2196	0.05	1375	1	55	80	2.5	4	3	5490	4115	RH-1	40	form-based			true	0.7	5	1.25	4	4	6148.799805	4773.799805	4773.799805	1.12
2901C	005	2177	0.05	1350	1	55	80	2.5	4	3	5442	4092	RH-1	40	form-based			true	0.7	5	1.25	4	4	6095.600098	4745.600098	4745.600098	1.120103
2901C	006	2173	0.05	1275	1	55	80	2.5	4	3	5432	4157	RH-1	40	form-based			true	0.7	5	1.25	4	4	6084.399902	4809.399902	4809.399902	1.120103
2901C	007	2533	0.06	1800	1	55	80	2.5	5	4	6332	4532	RH-1	40	form-based			true	0.7	5	1	4	4	7092.399902	5292.399902	5292.399902	1.120088
2901C	008	2431	0.06	1320	1	55	80	2.5	5	4	6078	4758	RH-1	40	form-based			true	0.7	5	1	4	4	6806.799805	5486.799805	5486.799805	1.119908
2901D	003	2382	0.05	1470	1	55	80	2.5	4	3	5955	4485	RH-1	40	form-based			true	0.7	5	1.25	4	4	6669.600098	5199.600098	5199.600098	1.12
2901D	004	2479	0.06	1375	1	55	80	2.5	5	4	6198	4823	RH-1	40	form-based			true	0.7	5	1	4	4	6941.199707	5566.199707	5566.199707	1.11991
2901D	005	2470	0.06	1145	1	55	80	2.5	5	4	6175	5030	RH-1	40	form-based			true	0.7	5	1	4	4	6916	5771	5771	1.12
2901D	006	2355	0.05	1950	1	55	80	2.5	4	3	5888	3938	RH-1	40	form-based			true	0.7	5	1.25	4	4	6594	4644	4644	1.119905
2901D	009	2500	0.06	1600	1	55	80	2.5	5	4	6250	4650	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5400	5400	1.12
2901D	010	2500	0.06	1645	1	55	80	2.5	5	4	6250	4605	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5355	5355	1.12
2901D	011	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5750	5750	1.12
2901D	012	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5750	5750	1.12
2901D	013	2500	0.06	1200	1	55	80	2.5	5	4	6250	5050	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5800	5800	1.12
2901D	014	2500	0.06	1479	1	55	80	2.5	5	4	6250	4771	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5521	5521	1.12
2901D	015	2500	0.06	1432	1	55	80	2.5	5	4	6250	4818	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5568	5568	1.12
2901D	016	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5875	5875	1.12
2901D	017	2500	0.06	1867	1	55	80	2.5	5	4	6250	4383	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5133	5133	1.12
2901D	018	2485	0.06	1300	1	55	80	2.5	5	4	6212	4912	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5658	5658	1.12009
2901E	026	2469	0.06	1500	1	55	80	2.5	5	4	6172	4672	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6913.199707	5413.199707	5413.199707	1.120091
2901E	027	2511	0.06	1525	1	55	80	2.5	5	4	6278	4753	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7030.799805	5505.799805	5505.799805	1.119911
2901E	028	2514	0.06	1225	1	55	80	2.5	5	4	6285	5060	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7039.199707	5814.199707	5814.199707	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2901E	029	2596	0.06	1500	1	55	80	2.5	5	4	6490	4990	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7268.799805	5768.799805	5768.799805	1.12
2902	004	2160	0.05	1862	1	55	80	2.5	4	3	5400	3538	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6048	4186	4186	1.12
2902	013	1780	0.04	1676	0	55	80	2.5	3	3	4450	2774	RH-1(D)	40	form-based			true	0.7	4	1.333333373	4	4	4984	3308	3308	1.12
2914	003	2971	0.07	1913	2	55	80	2.5	6	4	7428	5515	RH-1(D)	40	form-based			true	0.7	6	1	4	4	8318.799805	6405.799805	6405.799805	1.119925
2914	041	2546	0.06	1568	1	55	80	2.5	5	4	6365	4797	RH-1(D)	40	form-based		true	true	0.7	5	1	4	4	7128.799805	5560.799805	5560.799805	1.12
2916	001	2593	0.06	1740	1	55	80	2.5	5	4	6482	4742	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7260.399902	5520.399902	5520.399902	1.120086
2916	005	2590	0.06	1485	1	55	80	2.5	5	4	6475	4990	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7252	5767	5767	1.12
2916	006	2511	0.06	2563	1	55	80	2.5	5	4	6278	3715	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7030.799805	4467.799805	4467.799805	1.119911
2916	007	2333	0.05	1325	1	55	80	2.5	4	3	5832	4507	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6532.399902	5207.399902	5207.399902	1.120096
2916	008	2496	0.06	1695	1	55	80	2.5	5	4	6240	4545	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6988.799805	5293.799805	5293.799805	1.12
2916	008A	2555	0.06	1410	1	55	80	2.5	5	4	6388	4978	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7154	5744	5744	1.119912
2916	009	2606	0.06	1375	1	55	80	2.5	5	4	6515	5140	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7296.799805	5921.799805	5921.799805	1.12
2916	014	2499	0.06	1800	1	55	80	2.5	5	4	6248	4448	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6997.199707	5197.199707	5197.199707	1.11991
2916	021	2276	0.05	1190	1	55	80	2.5	4	3	5690	4500	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6372.799805	5182.799805	5182.799805	1.12
2916	022	2384	0.05	1200	1	55	80	2.5	4	3	5960	4760	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6675.199707	5475.199707	5475.199707	1.12
2916	024	2265	0.05	1024	1	55	80	2.5	4	3	5662	4638	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6342	5318	5318	1.120099
2916	026	2520	0.06	1343	1	55	80	2.5	5	4	6300	4957	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7056	5713	5713	1.12
2916	027	2488	0.06	1965	1	55	80	2.5	5	4	6220	4255	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6966.399902	5001.399902	5001.399902	1.12
2916	031	2374	0.05	1586	1	55	80	2.5	4	3	5935	4349	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6647.199707	5061.199707	5061.199707	1.12
2920	039	2449	0.06	1886	1	65	100	3	6	5	7347	5461	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6857.199707	4971.199707	4971.199707	0.933333
2923	028	2605	0.06	1850	1	55	80	2.5	5	4	6512	4662	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7294	5444	5444	1.120086
2930	008	2557	0.06	1527	1	65	100	3	6	5	7671	6144	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7159.600098	5632.600098	5632.600098	0.933333
2930	010	2378	0.05	2268	1	65	100	3	5	4	7134	4866	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6658.399902	4390.399902	4390.399902	0.933333
2932	023	2596	0.06	1683	1	65	100	3	6	5	7788	6105	RH-1(D)	40	form-based		true	true	0.7	5	0.833333313	4	4	7268.799805	5585.799805	5585.799805	0.933333
2932	002	2384	0.05	1087	1	65	100	3	5	4	7152	6065	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6675.199707	5588.199707	5588.199707	0.933333
2932	005	2382	0.05	1415	1	65	100	3	5	4	7146	5731	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6669.600098	5254.600098	5254.600098	0.933333
2932	006	2584	0.06	1196	1	65	100	3	6	5	7752	6556	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7235.199707	6039.199707	6039.199707	0.933333
2932	007	2590	0.06	996	1	65	100	3	6	5	7770	6774	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7252	6256	6256	0.933333
2932	022	2605	0.06	1520	1	65	100	3	6	5	7815	6295	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7294	5774	5774	0.933333
2932	033	2487	0.06	1620	1	65	100	3	6	5	7461	5841	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6963.600098	5343.600098	5343.600098	0.933333
2932	034	2380	0.05	1805	1	65	100	3	5	4	7140	5335	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6664	4859	4859	0.933333
2932	035	2463	0.06	1700	1	65	100	3	6	5	7389	5689	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6896.399902	5196.399902	5196.399902	0.933333
2935	003	1668	0.04	0	0	55	80	2.5	3	3	4170	4170	RH-1(D)	40	form-based			true	0.7	4	1.333333373	4	4	4670.399902	4670.399902	4670.399902	1.12
2936A	001	2354	0.05	2352	1	55	80	2.5	4	3	5885	3533	RH-1(D)	40	form-based		true	true	0.7	5	1.25	4	4	6591.199707	4239.199707	4239.199707	1.12
2936A	001A	2534	0.06	1914	1	55	80	2.5	5	4	6335	4421	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7095.199707	5181.199707	5181.199707	1.12
2936A	016	2321	0.05	2714	1	55	80	2.5	4	3	5802	3088	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6498.799805	3784.799805	3784.799805	1.120096
2936A	018	2374	0.05	1100	1	55	80	2.5	4	3	5935	4835	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6647.199707	5547.199707	5547.199707	1.12
2936A	019	2323	0.05	1150	1	55	80	2.5	4	3	5808	4658	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6504.399902	5354.399902	5354.399902	1.119904
2936A	022	2365	0.05	1200	1	55	80	2.5	4	3	5912	4712	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6622	5422	5422	1.120095
2936A	059	2582	0.06	1593	1	55	80	2.5	5	4	6455	4862	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7229.600098	5636.600098	5636.600098	1.12
2936A	024	2867	0.07	2075	2	55	80	2.5	6	4	7168	5093	RH-1(D)	40	form-based			true	0.7	6	1	4	4	8027.600098	5952.600098	5952.600098	1.119922
2936A	025	2378	0.05	2764	1	55	80	2.5	4	3	5945	3181	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6658.399902	3894.399902	3894.399902	1.12
2936A	027	2230	0.05	1125	1	55	80	2.5	4	3	5575	4450	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6244	5119	5119	1.12
2936A	029	2589	0.06	2707	1	55	80	2.5	5	4	6472	3765	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7249.199707	4542.199707	4542.199707	1.120086
2936A	055	2573	0.06	2567	1	55	80	2.5	5	4	6432	3865	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7204.399902	4637.399902	4637.399902	1.120087
2975	003	2445	0.06	1005	1	55	80	2.5	5	4	6112	5107	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6846	5841	5841	1.120092
2979A	010	2520	0.06	2398	1	65	100	3	6	5	7560	5162	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7056	4658	4658	0.933333
2980	001	2616	0.06	1400	1	55	80	2.5	5	4	6540	5140	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7324.799805	5924.799805	5924.799805	1.12
2980	008	2516	0.06	1205	1	55	80	2.5	5	4	6290	5085	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7044.799805	5839.799805	5839.799805	1.12
2986	014	2610	0.06	2497	1	65	100	3	6	5	7830	5333	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7308	4811	4811	0.933333
2988A	017A	2577	0.06	1501	1	85	140	4	8	7	10308	8807	RH-1(D)	40	form-based			true	0.7	5	0.625	4	4	7215.600098	5714.600098	5714.600098	0.7
2988	001	2602	0.06	1472	1	55	80	2.5	5	4	6505	5033	RH-1(D)	40	form-based			true	0.7	5	1	4	4	7285.600098	5813.600098	5813.600098	1.12
2988A	030A	2409	0.06	1032	1	65	100	3	6	5	7227	6195	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6745.199707	5713.199707	5713.199707	0.933333
3000C	003	2159	0.05	925	1	55	80	2.5	4	3	5398	4473	RH-1	40	form-based			true	0.7	5	1.25	4	4	6045.199707	5120.199707	5120.199707	1.119896
3000C	004	2381	0.05	1106	1	55	80	2.5	4	3	5952	4846	RH-1	40	form-based			true	0.7	5	1.25	4	4	6666.799805	5560.799805	5560.799805	1.120094
3000C	005	2318	0.05	1413	1	55	80	2.5	4	3	5795	4382	RH-1	40	form-based			true	0.7	5	1.25	4	4	6490.399902	5077.399902	5077.399902	1.12
3000C	006	2443	0.06	1490	1	55	80	2.5	5	4	6108	4618	RH-1	40	form-based			true	0.7	5	1	4	4	6840.399902	5350.399902	5350.399902	1.119908
3000C	007	2429	0.06	1225	1	55	80	2.5	5	4	6072	4847	RH-1	40	form-based			true	0.7	5	1	4	4	6801.199707	5576.199707	5576.199707	1.120092
3000C	008	2344	0.05	1622	1	55	80	2.5	4	3	5860	4238	RH-1	40	form-based			true	0.7	5	1.25	4	4	6563.199707	4941.199707	4941.199707	1.12
3000C	009	2470	0.06	1708	1	55	80	2.5	5	4	6175	4467	RH-1	40	form-based			true	0.7	5	1	4	4	6916	5208	5208	1.12
3000C	011	2420	0.06	1216	1	55	80	2.5	5	4	6050	4834	RH-1	40	form-based			true	0.7	5	1	4	4	6776	5560	5560	1.12
3000C	012	2341	0.05	2010	1	55	80	2.5	4	3	5852	3842	RH-1	40	form-based			true	0.7	5	1.25	4	4	6554.799805	4544.799805	4544.799805	1.120096
3028B	035	2392	0.05	1684	1	55	80	2.5	4	3	5980	4296	RH-1	40	form-based			true	0.7	5	1.25	4	4	6697.600098	5013.600098	5013.600098	1.12
3028B	039	2587	0.06	1893	1	55	80	2.5	5	4	6468	4575	RH-1	40	form-based			true	0.7	5	1	4	4	7243.600098	5350.600098	5350.600098	1.119913

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3028B	041	2601	0.06	1200	1	55	80	2.5	5	4	6502	5302	RH-1	40	form-based			true	0.7	5	1	4	4	7282.799805	6082.799805	6082.799805	1.120086
3028B	043	2616	0.06	1200	1	55	80	2.5	5	4	6540	5340	RH-1	40	form-based			true	0.7	5	1	4	4	7324.799805	6124.799805	6124.799805	1.12
3028B	044	2508	0.06	1570	1	55	80	2.5	5	4	6270	4700	RH-1	40	form-based			true	0.7	5	1	4	4	7022.399902	5452.399902	5452.399902	1.12
3029C	003	2252	0.05	1000	1	55	80	2.5	4	3	5630	4630	RH-1	40	form-based			true	0.7	5	1.25	4	4	6305.600098	5305.600098	5305.600098	1.12
3029C	004	2268	0.05	1475	1	55	80	2.5	4	3	5670	4195	RH-1	40	form-based			true	0.7	5	1.25	4	4	6350.399902	4875.399902	4875.399902	1.12
3029C	005	2274	0.05	1000	1	55	80	2.5	4	3	5685	4685	RH-1	40	form-based			true	0.7	5	1.25	4	4	6367.199707	5367.199707	5367.199707	1.12
3029C	006	2281	0.05	1000	1	55	80	2.5	4	3	5702	4702	RH-1	40	form-based			true	0.7	5	1.25	4	4	6386.799805	5386.799805	5386.799805	1.120098
3029C	007	2287	0.05	1218	1	55	80	2.5	4	3	5718	4500	RH-1	40	form-based			true	0.7	5	1.25	4	4	6403.600098	5185.600098	5185.600098	1.119902
3029C	008	2293	0.05	1000	1	55	80	2.5	4	3	5732	4732	RH-1	40	form-based			true	0.7	5	1.25	4	4	6420.399902	5420.399902	5420.399902	1.120098
3029C	009	2300	0.05	1000	1	55	80	2.5	4	3	5750	4750	RH-1	40	form-based			true	0.7	5	1.25	4	4	6440	5440	5440	1.12
3029C	010	2306	0.05	1000	1	55	80	2.5	4	3	5765	4765	RH-1	40	form-based			true	0.7	5	1.25	4	4	6456.799805	5456.799805	5456.799805	1.12
3029C	011	2312	0.05	1380	1	55	80	2.5	4	3	5780	4400	RH-1	40	form-based			true	0.7	5	1.25	4	4	6473.600098	5093.600098	5093.600098	1.12
3031A	001	2474	0.06	1100	1	55	80	2.5	5	4	6185	5085	RH-1	40	form-based		true	true	0.7	5	1	4	4	6927.199707	5827.199707	5827.199707	1.12
3031A	001A	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-1	40	form-based		true	true	0.7	5	1	4	4	7000	5900	5900	1.12
3031A	001B	2500	0.06	1560	1	55	80	2.5	5	4	6250	4690	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5440	5440	1.12
3031A	001C	2500	0.06	1405	1	55	80	2.5	5	4	6250	4845	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5595	5595	1.12
3031A	001D	2500	0.06	1316	1	55	80	2.5	5	4	6250	4934	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5684	5684	1.12
3031A	001E	2500	0.06	1670	1	55	80	2.5	5	4	6250	4580	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5330	5330	1.12
3031A	001F	2500	0.06	1463	1	55	80	2.5	5	4	6250	4787	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5537	5537	1.12
3031A	001G	2154	0.05	1078	1	55	80	2.5	4	3	5385	4307	RH-1	40	form-based			true	0.7	5	1.25	4	4	6031.199707	4953.199707	4953.199707	1.12
3031A	001H	2356	0.05	1568	1	55	80	2.5	4	3	5890	4322	RH-1	40	form-based			true	0.7	5	1.25	4	4	6596.799805	5028.799805	5028.799805	1.12
3031A	003	2476	0.06	1300	1	55	80	2.5	5	4	6190	4890	RH-1	40	form-based			true	0.7	5	1	4	4	6932.799805	5632.799805	5632.799805	1.12
3031A	004	2344	0.05	1528	1	55	80	2.5	4	3	5860	4332	RH-1	40	form-based			true	0.7	5	1.25	4	4	6563.199707	5035.199707	5035.199707	1.12
3031A	005	2386	0.05	1469	1	55	80	2.5	4	3	5965	4496	RH-1	40	form-based			true	0.7	5	1.25	4	4	6680.799805	5211.799805	5211.799805	1.12
3031A	006	2309	0.05	1469	1	55	80	2.5	4	3	5772	4303	RH-1	40	form-based			true	0.7	5	1.25	4	4	6465.199707	4996.199707	4996.199707	1.120097
3031A	010	2485	0.06	1150	1	55	80	2.5	5	4	6212	5062	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5808	5808	1.12009
3031A	011	2483	0.06	1150	1	55	80	2.5	5	4	6208	5058	RH-1	40	form-based			true	0.7	5	1	4	4	6952.399902	5802.399902	5802.399902	1.11991
3031A	012	2481	0.06	1150	1	55	80	2.5	5	4	6202	5052	RH-1	40	form-based			true	0.7	5	1	4	4	6946.799805	5796.799805	5796.799805	1.12009
3031A	013	2478	0.06	1150	1	55	80	2.5	5	4	6195	5045	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5788.399902	5788.399902	1.12
3031A	014	2476	0.06	1450	1	55	80	2.5	5	4	6190	4740	RH-1	40	form-based			true	0.7	5	1	4	4	6932.799805	5482.799805	5482.799805	1.12
3033	018	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6000	6000	1.12
3033	019	2500	0.06	1199	1	55	80	2.5	5	4	6250	5051	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5801	5801	1.12
3033	020	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6000	6000	1.12
3033	021	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
3037	001	2459	0.06	1800	1	55	80	2.5	5	4	6148	4348	RH-1	40	form-based			true	0.7	5	1	4	4	6885.199707	5085.199707	5085.199707	1.119909
3037	011	2443	0.06	2686	1	55	80	2.5	5	4	6108	3422	RH-1	40	form-based			true	0.7	5	1	4	4	6840.399902	4154.399902	4154.399902	1.119908
3037	012	2463	0.06	2290	1	55	80	2.5	5	4	6158	3868	RH-1	40	form-based			true	0.7	5	1	4	4	6896.399902	4606.399902	4606.399902	1.119909
3037	013	2390	0.05	2686	1	55	80	2.5	4	3	5975	3289	RH-1	40	form-based			true	0.7	5	1.25	4	4	6692	4006	4006	1.12
3037	014	2522	0.06	2686	1	55	80	2.5	5	4	6305	3619	RH-1	40	form-based			true	0.7	5	1	4	4	7061.600098	4375.600098	4375.600098	1.12
3060	006	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6200	6200	1.12
3059	001	2325	0.05	1639	1	65	100	3	5	4	6975	5336	RH-1	40	form-based			true	0.7	5	1	4	4	6510	4871	4871	0.933333
3059	001A	2325	0.05	1019	1	65	100	3	5	4	6975	5956	RH-1	40	form-based			true	0.7	5	1	4	4	6510	5491	5491	0.933333
3059	002	2325	0.05	1019	1	65	100	3	5	4	6975	5956	RH-1	40	form-based			true	0.7	5	1	4	4	6510	5491	5491	0.933333
3059	005	2325	0.05	1591	1	65	100	3	5	4	6975	5384	RH-1	40	form-based			true	0.7	5	1	4	4	6510	4919	4919	0.933333
3059	006	2325	0.05	1210	1	65	100	3	5	4	6975	5765	RH-1	40	form-based			true	0.7	5	1	4	4	6510	5300	5300	0.933333
3059	007	2325	0.05	1050	1	65	100	3	5	4	6975	5925	RH-1	40	form-based			true	0.7	5	1	4	4	6510	5460	5460	0.933333
3059	008	2325	0.05	704	1	65	100	3	5	4	6975	6271	RH-1	40	form-based			true	0.7	5	1	4	4	6510	5806	5806	0.933333
3059	010	2618	0.06	1067	1	65	100	3	6	5	7854	6787	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	7330.399902	6263.399902	6263.399902	0.933333
3060	001	2542	0.06	1039	1	55	80	2.5	5	4	6355	5316	RH-1	40	form-based			true	0.7	5	1	4	4	7117.600098	6078.600098	6078.600098	1.12
3060	001A	2545	0.06	1313	1	55	80	2.5	5	4	6362	5049	RH-1	40	form-based			true	0.7	5	1	4	4	7126	5813	5813	1.120088
3060	001B	2537	0.06	1462	1	55	80	2.5	5	4	6342	4880	RH-1	40	form-based			true	0.7	5	1	4	4	7103.600098	5641.600098	5641.600098	1.120088
3060	001C	2435	0.06	834	1	55	80	2.5	5	4	6088	5254	RH-1	40	form-based			true	0.7	5	1	4	4	6818	5984	5984	1.119908
3060	001D	2218	0.05	834	1	65	100	3	5	4	6654	5820	RH-1	40	form-based			true	0.7	5	1	4	4	6210.399902	5376.399902	5376.399902	0.933333
3060	002	2600	0.06	1402	1	65	100	3	6	5	7800	6398	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7280	5878	5878	0.933333
3060	002A	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
3060	003	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
3060	004	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6200	6200	1.12
3060	005	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6200	6200	1.12
3060	007	2500	0.06	926	1	55	80	2.5	5	4	6250	5324	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6074	6074	1.12
3060	008	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5600	5600	1.12
3060	008A	2500	0.06	1225	1	55	80	2.5	5	4	6250	5025	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5775	5775	1.12
3060	009	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6200	6200	1.12
3060	010	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6200	6200	1.12
3060	011	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6200	6200	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3060	012	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6200	6200	1.12
3060	013	2500	0.06	1099	1	55	80	2.5	5	4	6250	5151	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5901	5901	1.12
3060	014	2500	0.06	1075	1	55	80	2.5	5	4	6250	5175	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5925	5925	1.12
3060	015	2500	0.06	1075	1	55	80	2.5	5	4	6250	5175	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5925	5925	1.12
3060	016	2500	0.06	1335	1	55	80	2.5	5	4	6250	4915	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5665	5665	1.12
3060	017	2500	0.06	2383	1	55	80	2.5	5	4	6250	3867	RH-1	40	form-based		true	true	0.7	5	1	4	4	7000	4617	4617	1.12
3060	018	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5900	5900	1.12
3060	019	2500	0.06	1878	1	55	80	2.5	5	4	6250	4372	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5122	5122	1.12
3060	020	2500	0.06	1500	1	55	80	2.5	5	4	6250	4750	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5500	5500	1.12
3060	021	2500	0.06	1900	1	55	80	2.5	5	4	6250	4350	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5100	5100	1.12
3060	022	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5900	5900	1.12
3060	023	2500	0.06	1947	1	55	80	2.5	5	4	6250	4303	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5053	5053	1.12
3060	024	2546	0.06	1372	1	55	80	2.5	5	4	6365	4993	RH-1	40	form-based		true	true	0.7	5	1	4	4	7128.799805	5756.799805	5756.799805	1.12
3060	025	2517	0.06	1108	1	55	80	2.5	5	4	6292	5184	RH-1	40	form-based			true	0.7	5	1	4	4	7047.600098	5939.600098	5939.600098	1.120089
3060	026	2519	0.06	1108	1	55	80	2.5	5	4	6298	5190	RH-1	40	form-based			true	0.7	5	1	4	4	7053.199707	5945.199707	5945.199707	1.119911
3060	027	2522	0.06	1108	1	55	80	2.5	5	4	6305	5197	RH-1	40	form-based			true	0.7	5	1	4	4	7061.600098	5953.600098	5953.600098	1.12
3060	028	2524	0.06	1412	1	55	80	2.5	5	4	6310	4898	RH-1	40	form-based			true	0.7	5	1	4	4	7067.199707	5655.199707	5655.199707	1.12
3060	029	2526	0.06	1108	1	55	80	2.5	5	4	6315	5207	RH-1	40	form-based			true	0.7	5	1	4	4	7072.799805	5964.799805	5964.799805	1.12
3060	030	2528	0.06	1108	1	55	80	2.5	5	4	6320	5212	RH-1	40	form-based			true	0.7	5	1	4	4	7078.399902	5970.399902	5970.399902	1.12
3060	031	2530	0.06	1642	1	55	80	2.5	5	4	6325	4683	RH-1	40	form-based			true	0.7	5	1	4	4	7084	5442	5442	1.12
3060	032	2533	0.06	1108	1	55	80	2.5	5	4	6332	5224	RH-1	40	form-based			true	0.7	5	1	4	4	7092.399902	5984.399902	5984.399902	1.120088
3060	033	2535	0.06	1108	1	55	80	2.5	5	4	6338	5230	RH-1	40	form-based			true	0.7	5	1	4	4	7098	5990	5990	1.119912
3060	034	2537	0.06	1442	1	55	80	2.5	5	4	6342	4900	RH-1	40	form-based			true	0.7	5	1	4	4	7103.600098	5661.600098	5661.600098	1.120088
3060	035	2539	0.06	1108	1	55	80	2.5	5	4	6348	5240	RH-1	40	form-based			true	0.7	5	1	4	4	7109.199707	6001.199707	6001.199707	1.119912
3062	001	2464	0.06	1092	1	65	100	3	6	5	7392	6300	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6899.199707	5807.199707	5807.199707	0.933333
3062	019	2188	0.05	1487	1	55	80	2.5	4	3	5470	3983	RH-1	40	form-based			true	0.7	5	1.25	4	4	6126.399902	4639.399902	4639.399902	1.12
3062	019A	2188	0.05	1068	1	55	80	2.5	4	3	5470	4402	RH-1	40	form-based			true	0.7	5	1.25	4	4	6126.399902	5058.399902	5058.399902	1.12
3062	020	2187	0.05	900	1	55	80	2.5	4	3	5468	4568	RH-1	40	form-based			true	0.7	5	1.25	4	4	6123.600098	5223.600098	5223.600098	1.119898
3062	021	2188	0.05	900	1	55	80	2.5	4	3	5470	4570	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6126.399902	5226.399902	5226.399902	1.12
3062	022	2500	0.06	2152	1	55	80	2.5	5	4	6250	4098	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4848	4848	1.12
3062	023	2497	0.06	1300	1	55	80	2.5	5	4	6242	4942	RH-1	40	form-based		true	true	0.7	5	1	4	4	6991.600098	5691.600098	5691.600098	1.12009
3062	024	2496	0.06	960	1	55	80	2.5	5	4	6240	5280	RH-1	40	form-based			true	0.7	5	1	4	4	6988.799805	6028.799805	6028.799805	1.12
3062	025	2494	0.06	2115	1	55	80	2.5	5	4	6235	4120	RH-1	40	form-based			true	0.7	5	1	4	4	6983.199707	4868.199707	4868.199707	1.12
3062	026	2492	0.06	1992	1	55	80	2.5	5	4	6230	4238	RH-1	40	form-based			true	0.7	5	1	4	4	6977.600098	4985.600098	4985.600098	1.12
3062	027	2491	0.06	806	1	55	80	2.5	5	4	6228	5422	RH-1	40	form-based			true	0.7	5	1	4	4	6974.799805	6168.799805	6168.799805	1.11991
3062	028	2489	0.06	926	1	55	80	2.5	5	4	6222	5296	RH-1	40	form-based			true	0.7	5	1	4	4	6969.199707	6043.199707	6043.199707	1.12009
3062	029	2487	0.06	986	1	55	80	2.5	5	4	6218	5232	RH-1	40	form-based			true	0.7	5	1	4	4	6963.600098	5977.600098	5977.600098	1.11991
3062	030	2486	0.06	1590	1	55	80	2.5	5	4	6215	4625	RH-1	40	form-based			true	0.7	5	1	4	4	6960.799805	5370.799805	5370.799805	1.12
3062	031	2484	0.06	1454	1	55	80	2.5	5	4	6210	4756	RH-1	40	form-based			true	0.7	5	1	4	4	6955.199707	5501.199707	5501.199707	1.12
3062	032	2482	0.06	1090	1	55	80	2.5	5	4	6205	5115	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5859.600098	5859.600098	1.12
3062	033	2481	0.06	1032	1	55	80	2.5	5	4	6202	5170	RH-1	40	form-based			true	0.7	5	1	4	4	6946.799805	5914.799805	5914.799805	1.12009
3062	034	2479	0.06	1041	1	55	80	2.5	5	4	6198	5157	RH-1	40	form-based			true	0.7	5	1	4	4	6941.199707	5900.199707	5900.199707	1.11991
3062	035	2477	0.06	1240	1	55	80	2.5	5	4	6192	4952	RH-1	40	form-based			true	0.7	5	1	4	4	6935.600098	5695.600098	5695.600098	1.12009
3062	036	2476	0.06	810	1	55	80	2.5	5	4	6190	5380	RH-1	40	form-based			true	0.7	5	1	4	4	6932.799805	6122.799805	6122.799805	1.12
3062	037	2474	0.06	1103	1	55	80	2.5	5	4	6185	5082	RH-1	40	form-based			true	0.7	5	1	4	4	6927.199707	5824.199707	5824.199707	1.12
3062	038	2472	0.06	1137	1	55	80	2.5	5	4	6180	5043	RH-1	40	form-based			true	0.7	5	1	4	4	6921.600098	5784.600098	5784.600098	1.12
3062	039	2471	0.06	1045	1	55	80	2.5	5	4	6178	5133	RH-1	40	form-based			true	0.7	5	1	4	4	6918.799805	5873.799805	5873.799805	1.119909
3062	040	2469	0.06	852	1	55	80	2.5	5	4	6172	5320	RH-1	40	form-based			true	0.7	5	1	4	4	6913.199707	6061.199707	6061.199707	1.120091
3062	041	2467	0.06	1077	1	65	100	3	6	5	7401	6324	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6907.600098	5830.600098	5830.600098	0.933333
3062	042	2465	0.06	852	1	65	100	3	6	5	7395	6543	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6902	6050	6050	0.933333
3063	001	2551	0.06	810	1	55	80	2.5	5	4	6378	5568	RH-1	40	form-based		true	true	0.7	5	1	4	4	7142.799805	6332.799805	6332.799805	1.119912
3063	002	2548	0.06	810	1	55	80	2.5	5	4	6370	5560	RH-1	40	form-based			true	0.7	5	1	4	4	7134.399902	6324.399902	6324.399902	1.12
3063	003	2544	0.06	950	1	55	80	2.5	5	4	6360	5410	RH-1	40	form-based			true	0.7	5	1	4	4	7123.199707	6173.199707	6173.199707	1.12
3063	004	2541	0.06	1178	1	55	80	2.5	5	4	6352	5174	RH-1	40	form-based			true	0.7	5	1	4	4	7114.799805	5936.799805	5936.799805	1.120088
3063	005	2500	0.06	2152	1	55	80	2.5	5	4	6250	4098	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4848	4848	1.12
3063	006	2500	0.06	2152	1	55	80	2.5	5	4	6250	4098	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4848	4848	1.12
3063	007	2500	0.06	2152	1	55	80	2.5	5	4	6250	4098	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4848	4848	1.12
3063	008	2500	0.06	1142	1	55	80	2.5	5	4	6250	5108	RH-1	40	form-based		true	true	0.7	5	1	4	4	7000	5858	5858	1.12
3063	009	2500	0.06	1500	1	55	80	2.5	5	4	6250	4750	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5500	5500	1.12
3063	010	2500	0.06	1275	1	55	80	2.5	5	4	6250	4975	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5725	5725	1.12
3063	011	2500	0.06	1065	1	55	80	2.5	5	4	6250	5185	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5935	5935	1.12
3063	012	2500	0.06	1065	1	55	80	2.5	5	4	6250	5185	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5935	5935	1.12
3063	013	2500	0.06	1441	1	55	80	2.5	5	4	6250	4809	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5559	5559	1.12
3063	014	2500	0.06	1230	1	55	80	2.5	5	4	6250	5020	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5770	5770	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3063	015	2500	0.06	1230	1	55	80	2.5	5	4	6250	5020	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5770	5770	1.12
3063	016	2500	0.06	918	1	55	80	2.5	5	4	6250	5332	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6082	6082	1.12
3063	017	2500	0.06	1315	1	55	80	2.5	5	4	6250	4935	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5685	5685	1.12
3063	018	2500	0.06	918	1	55	80	2.5	5	4	6250	5332	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6082	6082	1.12
3063	019	2500	0.06	1855	1	55	80	2.5	5	4	6250	4395	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5145	5145	1.12
3063	020	2500	0.06	1178	1	55	80	2.5	5	4	6250	5072	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5822	5822	1.12
3063	021	2500	0.06	1178	1	55	80	2.5	5	4	6250	5072	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5822	5822	1.12
3063	022	2500	0.06	1776	1	55	80	2.5	5	4	6250	4474	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5224	5224	1.12
3063	023	2500	0.06	1665	1	55	80	2.5	5	4	6250	4585	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5335	5335	1.12
3063	024	2500	0.06	1071	1	55	80	2.5	5	4	6250	5179	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5929	5929	1.12
3063	025	2500	0.06	1071	1	55	80	2.5	5	4	6250	5179	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5929	5929	1.12
3063	026	2500	0.06	1660	1	55	80	2.5	5	4	6250	4590	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5340	5340	1.12
3063	027	2500	0.06	1773	1	55	80	2.5	5	4	6250	4477	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5227	5227	1.12
3063	028	2511	0.06	1131	1	55	80	2.5	5	4	6278	5147	RH-1	40	form-based		true	true	0.7	5	1	4	4	7030.799805	5899.799805	5899.799805	1.119911
3063	029	2505	0.06	1625	1	55	80	2.5	5	4	6262	4637	RH-1	40	form-based		true	true	0.7	5	1	4	4	7014	5389	5389	1.120089
3063	030	2473	0.06	1225	1	55	80	2.5	5	4	6182	4957	RH-1	40	form-based			true	0.7	5	1	4	4	6924.399902	5699.399902	5699.399902	1.120091
3063	031	2477	0.06	1225	1	55	80	2.5	5	4	6192	4967	RH-1	40	form-based			true	0.7	5	1	4	4	6935.600098	5710.600098	5710.600098	1.12009
3063	032	2481	0.06	1225	1	55	80	2.5	5	4	6202	4977	RH-1	40	form-based			true	0.7	5	1	4	4	6946.799805	5721.799805	5721.799805	1.12009
3063	033	2484	0.06	1196	1	55	80	2.5	5	4	6210	5014	RH-1	40	form-based			true	0.7	5	1	4	4	6955.199707	5759.199707	5759.199707	1.12
3063	034	2488	0.06	1387	1	55	80	2.5	5	4	6220	4833	RH-1	40	form-based			true	0.7	5	1	4	4	6966.399902	5579.399902	5579.399902	1.12
3063	035	2491	0.06	1160	1	55	80	2.5	5	4	6228	5068	RH-1	40	form-based			true	0.7	5	1	4	4	6974.799805	5814.799805	5814.799805	1.11991
3063	036	2495	0.06	2060	1	55	80	2.5	5	4	6238	4178	RH-1	40	form-based			true	0.7	5	1	4	4	6986	4926	4926	1.11991
3063	037	2498	0.06	1160	1	55	80	2.5	5	4	6245	5085	RH-1	40	form-based			true	0.7	5	1	4	4	6994.399902	5834.399902	5834.399902	1.12
3063	038	2502	0.06	1160	1	55	80	2.5	5	4	6255	5095	RH-1	40	form-based			true	0.7	5	1	4	4	7005.600098	5845.600098	5845.600098	1.12
3063	039	2505	0.06	1160	1	55	80	2.5	5	4	6262	5102	RH-1	40	form-based			true	0.7	5	1	4	4	7014	5854	5854	1.120089
3063	040	2509	0.06	1160	1	55	80	2.5	5	4	6272	5112	RH-1	40	form-based			true	0.7	5	1	4	4	7025.199707	5865.199707	5865.199707	1.120089
3063	041	2512	0.06	1160	1	55	80	2.5	5	4	6280	5120	RH-1	40	form-based			true	0.7	5	1	4	4	7033.600098	5873.600098	5873.600098	1.12
3063	042	2516	0.06	1160	1	55	80	2.5	5	4	6290	5130	RH-1	40	form-based			true	0.7	5	1	4	4	7044.799805	5884.799805	5884.799805	1.12
3063	043	2519	0.06	1160	1	55	80	2.5	5	4	6298	5138	RH-1	40	form-based			true	0.7	5	1	4	4	7053.199707	5893.199707	5893.199707	1.119911
3063	044	2523	0.06	1974	1	55	80	2.5	5	4	6308	4334	RH-1	40	form-based			true	0.7	5	1	4	4	7064.399902	5090.399902	5090.399902	1.119911
3063	045	2527	0.06	1332	1	55	80	2.5	5	4	6318	4986	RH-1	40	form-based			true	0.7	5	1	4	4	7075.600098	5743.600098	5743.600098	1.119911
3063	046	2530	0.06	1174	1	55	80	2.5	5	4	6325	5151	RH-1	40	form-based			true	0.7	5	1	4	4	7084	5910	5910	1.12
3063	047	2534	0.06	1158	1	55	80	2.5	5	4	6335	5177	RH-1	40	form-based			true	0.7	5	1	4	4	7095.199707	5937.199707	5937.199707	1.12
3063	048	2537	0.06	1218	1	55	80	2.5	5	4	6342	5124	RH-1	40	form-based			true	0.7	5	1	4	4	7103.600098	5885.600098	5885.600098	1.120088
3064	002	2223	0.05	1570	1	55	80	2.5	4	3	5558	3988	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6224.399902	4654.399902	4654.399902	1.119899
3064	003	2500	0.06	1275	1	55	80	2.5	5	4	6250	4975	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5725	5725	1.12
3064	004	2500	0.06	1275	1	55	80	2.5	5	4	6250	4975	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5725	5725	1.12
3064	005	2500	0.06	1589	1	55	80	2.5	5	4	6250	4661	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5411	5411	1.12
3064	006	2500	0.06	1755	1	55	80	2.5	5	4	6250	4495	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5245	5245	1.12
3064	007	2500	0.06	1380	1	55	80	2.5	5	4	6250	4870	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5620	5620	1.12
3064	008	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5600	5600	1.12
3064	009	2500	0.06	1200	1	55	80	2.5	5	4	6250	5050	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5800	5800	1.12
3072A	033	1825	0.04	0	0	65	100	3	4	4	5475	5475	RH-1(D)	40	form-based			true	0.7	4	1	4	4	5110	5110	5110	0.933333
3088	001	2492	0.06	1427	1	55	80	2.5	5	4	6230	4803	RH-1	40	form-based			true	0.7	5	1	4	4	6977.600098	5550.600098	5550.600098	1.12
3088	002	2500	0.06	1630	1	55	80	2.5	5	4	6250	4620	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5370	5370	1.12
3088	003	2500	0.06	1429	1	55	80	2.5	5	4	6250	4821	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5571	5571	1.12
3088	004	2500	0.06	1320	1	55	80	2.5	5	4	6250	4930	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5680	5680	1.12
3088	005	2500	0.06	1181	1	55	80	2.5	5	4	6250	5069	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5819	5819	1.12
3088	006	2500	0.06	1476	1	55	80	2.5	5	4	6250	4774	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5524	5524	1.12
3088	007	2500	0.06	2282	1	55	80	2.5	5	4	6250	3968	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4718	4718	1.12
3088	008	2500	0.06	915	1	55	80	2.5	5	4	6250	5335	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6085	6085	1.12
3088	009	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6000	6000	1.12
3088	010	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5875	5875	1.12
3088	011	2500	0.06	1053	1	55	80	2.5	5	4	6250	5197	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5947	5947	1.12
3088	012	2500	0.06	1021	1	55	80	2.5	5	4	6250	5229	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5979	5979	1.12
3088	013	2500	0.06	1300	1	55	80	2.5	5	4	6250	4950	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5700	5700	1.12
3088	014	2500	0.06	2030	1	55	80	2.5	5	4	6250	4220	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4970	4970	1.12
3088	015	2500	0.06	2027	1	55	80	2.5	5	4	6250	4223	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4973	4973	1.12
3088	016	2500	0.06	968	1	55	80	2.5	5	4	6250	5282	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6032	6032	1.12
3088	017	2500	0.06	1616	1	55	80	2.5	5	4	6250	4634	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5384	5384	1.12
3088	036	2501	0.06	2075	1	55	80	2.5	5	4	6252	4177	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	4927.799805	4927.799805	1.12009
3088	037	2500	0.06	1675	1	55	80	2.5	5	4	6250	4575	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5325	5325	1.12
3088	038	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5825	5825	1.12
3088	039	2499	0.06	2009	1	55	80	2.5	5	4	6248	4239	RH-1	40	form-based			true	0.7	5	1	4	4	6997.199707	4988.199707	4988.199707	1.11991

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3088	041	2497	0.06	2184	1	55	80	2.5	5	4	6242	4058	RH-1	40	form-based			true	0.7	5	1	4	4	6991.600098	4807.600098	4807.600098	1.12009
3088	042	2497	0.06	1467	1	55	80	2.5	5	4	6242	4775	RH-1	40	form-based			true	0.7	5	1	4	4	6991.600098	5524.600098	5524.600098	1.12009
3088	043	2496	0.06	1457	1	55	80	2.5	5	4	6240	4783	RH-1	40	form-based			true	0.7	5	1	4	4	6988.799805	5531.799805	5531.799805	1.12
3088	044	2495	0.06	872	1	55	80	2.5	5	4	6238	5366	RH-1	40	form-based			true	0.7	5	1	4	4	6986	6114	6114	1.11991
3088	045	2494	0.06	1427	1	55	80	2.5	5	4	6235	4808	RH-1	40	form-based			true	0.7	5	1	4	4	6983.199707	5556.199707	5556.199707	1.12
3088	046	2494	0.06	1427	1	55	80	2.5	5	4	6235	4808	RH-1	40	form-based			true	0.7	5	1	4	4	6983.199707	5556.199707	5556.199707	1.12
3088	047	2493	0.06	1427	1	55	80	2.5	5	4	6232	4805	RH-1	40	form-based			true	0.7	5	1	4	4	6980.399902	5553.399902	5553.399902	1.12009
3088	048	2492	0.06	2104	1	55	80	2.5	5	4	6230	4126	RH-1	40	form-based			true	0.7	5	1	4	4	6977.600098	4873.600098	4873.600098	1.12
3088	049	2491	0.06	1427	1	55	80	2.5	5	4	6228	4801	RH-1	40	form-based	true		true	0.7	5	1	4	4	6974.799805	5547.799805	5547.799805	1.11991
3088	050	2500	0.06	1058	1	55	80	2.5	5	4	6250	5192	RH-1	40	form-based	true		true	0.7	5	1	4	4	7000	5942	5942	1.12
3089	004	2446	0.06	2001	1	55	80	2.5	5	4	6115	4114	RH-1	40	form-based			true	0.7	5	1	4	4	6848.799805	4847.799805	4847.799805	1.12
3089	005	2450	0.06	2001	1	55	80	2.5	5	4	6125	4124	RH-1	40	form-based			true	0.7	5	1	4	4	6860	4859	4859	1.12
3089	006	2453	0.06	1759	1	55	80	2.5	5	4	6132	4373	RH-1	40	form-based			true	0.7	5	1	4	4	6868.399902	5109.399902	5109.399902	1.120091
3089	007	2417	0.06	1014	1	55	80	2.5	5	4	6042	5028	RH-1	40	form-based	true		true	0.7	5	1	4	4	6767.600098	5753.600098	5753.600098	1.120093
3089	008	2500	0.06	1745	1	55	80	2.5	5	4	6250	4505	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5255	5255	1.12
3089	009	2500	0.06	1070	1	55	80	2.5	5	4	6250	5180	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5930	5930	1.12
3089	010	2500	0.06	1468	1	55	80	2.5	5	4	6250	4782	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5532	5532	1.12
3089	011	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5950	5950	1.12
3089	012	2500	0.06	760	1	55	80	2.5	5	4	6250	5490	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6240	6240	1.12
3089	017	2500	0.06	1020	1	55	80	2.5	5	4	6250	5230	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5980	5980	1.12
3089	018	2500	0.06	2600	1	55	80	2.5	5	4	6250	3650	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4400	4400	1.12
3089	019	2500	0.06	885	1	55	80	2.5	5	4	6250	5365	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6115	6115	1.12
3089	020	2500	0.06	2600	1	55	80	2.5	5	4	6250	3650	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4400	4400	1.12
3089	021	2500	0.06	1152	1	55	80	2.5	5	4	6250	5098	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5848	5848	1.12
3089	022	2500	0.06	1568	1	55	80	2.5	5	4	6250	4682	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5432	5432	1.12
3089	023	2500	0.06	1804	1	55	80	2.5	5	4	6250	4446	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5196	5196	1.12
3089	024	2500	0.06	1374	1	55	80	2.5	5	4	6250	4876	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5626	5626	1.12
3089	025	2500	0.06	1058	1	55	80	2.5	5	4	6250	5192	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5942	5942	1.12
3089	026	2500	0.06	1058	1	55	80	2.5	5	4	6250	5192	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5942	5942	1.12
3089	027	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5750	5750	1.12
3089	028	2500	0.06	1058	1	55	80	2.5	5	4	6250	5192	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5942	5942	1.12
3089	049	2500	0.06	1710	1	55	80	2.5	5	4	6250	4540	RH-1	40	form-based	true		true	0.7	5	1	4	4	7000	5290	5290	1.12
3089	074	2162	0.05	1221	1	55	80	2.5	4	3	5405	4184	RH-1	40	form-based			true	0.7	5	1.25	4	4	6053.600098	4832.600098	4832.600098	1.12
3089	075	2161	0.05	1646	1	55	80	2.5	4	3	5402	3756	RH-1	40	form-based			true	0.7	5	1.25	4	4	6050.799805	4404.799805	4404.799805	1.120104
3089	076	2160	0.05	1221	1	55	80	2.5	4	3	5400	4179	RH-1	40	form-based			true	0.7	5	1.25	4	4	6048	4827	4827	1.12
3090	002	2500	0.06	1134	1	65	100	3	6	5	7500	6366	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5866	5866	0.933333
3090	003	2500	0.06	1473	1	65	100	3	6	5	7500	6027	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5527	5527	0.933333
3090	004	2500	0.06	1130	1	65	100	3	6	5	7500	6370	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5870	5870	0.933333
3090	005	2500	0.06	1031	1	65	100	3	6	5	7500	6469	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5969	5969	0.933333
3090	006	2500	0.06	910	1	65	100	3	6	5	7500	6590	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6090	6090	0.933333
3090	007	2500	0.06	1089	1	65	100	3	6	5	7500	6411	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5911	5911	0.933333
3090	008	2500	0.06	1544	1	65	100	3	6	5	7500	5956	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	7000	5456	5456	0.933333
3090	009	2500	0.06	1788	1	65	100	3	6	5	7500	5712	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5212	5212	0.933333
3090	010	2500	0.06	1772	1	65	100	3	6	5	7500	5728	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5228	5228	0.933333
3090	011	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5750	5750	1.12
3090	012	2500	0.06	1235	1	55	80	2.5	5	4	6250	5015	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5765	5765	1.12
3090	013	2500	0.06	2040	1	55	80	2.5	5	4	6250	4210	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4960	4960	1.12
3090	016	2500	0.06	1876	1	55	80	2.5	5	4	6250	4374	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5124	5124	1.12
3090	017	2500	0.06	1375	1	55	80	2.5	5	4	6250	4875	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5625	5625	1.12
3090	018	2500	0.06	1587	1	55	80	2.5	5	4	6250	4663	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5413	5413	1.12
3090	019	2500	0.06	1597	1	55	80	2.5	5	4	6250	4653	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5403	5403	1.12
3090	020	2500	0.06	1874	1	55	80	2.5	5	4	6250	4376	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5126	5126	1.12
3090	021	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5600	5600	1.12
3090	022	2500	0.06	936	1	55	80	2.5	5	4	6250	5314	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6064	6064	1.12
3090	023	2500	0.06	1110	1	55	80	2.5	5	4	6250	5140	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5890	5890	1.12
3090	027	2549	0.06	1000	1	55	80	2.5	5	4	6372	5372	RH-1	40	form-based			true	0.7	5	1	4	4	7137.199707	6137.199707	6137.199707	1.120088
3090	051	2215	0.05	1172	1	55	80	2.5	4	3	5538	4366	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6202	5030	5030	1.119899
3090	056	2806	0.06	2035	2	55	80	2.5	5	3	7015	4980	RH-1	40	form-based			true	0.7	6	1.200000048	4	4	7856.799805	5821.799805	5821.799805	1.12
3091	001	2540	0.06	1025	1	65	100	3	6	5	7620	6595	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	7112	6087	6087	0.933333
3091	003	2450	0.06	1075	1	65	100	3	6	5	7350	6275	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6860	5785	5785	0.933333
3091	004	2451	0.06	1559	1	65	100	3	6	5	7353	5794	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6862.799805	5303.799805	5303.799805	0.933333
3091	033	2504	0.06	2606	1	55	80	2.5	5	4	6260	3654	RH-1	40	form-based			true	0.7	5	1	4	4	7011.199707	4405.199707	4405.199707	1.12
3091	034	2505	0.06	2300	1	55	80	2.5	5	4	6262	3962	RH-1	40	form-based			true	0.7	5	1	4	4	7014	4714	4714	1.120089
3091	035	2506	0.06	2300	1	55	80	2.5	5	4	6265	3965	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	4716.799805	4716.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3091	036	2507	0.06	2300	1	55	80	2.5	5	4	6268	3968	RH-1	40	form-based			true	0.7	5	1	4	4	7019.600098	4719.600098	4719.600098	1.119911
3091	037	2508	0.06	2052	1	55	80	2.5	5	4	6270	4218	RH-1	40	form-based			true	0.7	5	1	4	4	7022.399902	4970.399902	4970.399902	1.12
3091	038	2509	0.06	695	1	55	80	2.5	5	4	6272	5577	RH-1	40	form-based			true	0.7	5	1	4	4	7025.199707	6330.199707	6330.199707	1.120089
3091	039	2510	0.06	695	1	55	80	2.5	5	4	6275	5580	RH-1	40	form-based			true	0.7	5	1	4	4	7028	6333	6333	1.12
3091	040	2511	0.06	695	1	55	80	2.5	5	4	6278	5583	RH-1	40	form-based			true	0.7	5	1	4	4	7030.799805	6335.799805	6335.799805	1.119911
3091	041	2512	0.06	1495	1	55	80	2.5	5	4	6280	4785	RH-1	40	form-based			true	0.7	5	1	4	4	7033.600098	5538.600098	5538.600098	1.12
3091	042	2513	0.06	1495	1	55	80	2.5	5	4	6282	4787	RH-1	40	form-based			true	0.7	5	1	4	4	7036.399902	5541.399902	5541.399902	1.120089
3091	043	2515	0.06	1495	1	55	80	2.5	5	4	6288	4793	RH-1	40	form-based			true	0.7	5	1	4	4	7042	5547	5547	1.119911
3091	044	2516	0.06	2342	1	55	80	2.5	5	4	6290	3948	RH-1	40	form-based			true	0.7	5	1	4	4	7044.799805	4702.799805	4702.799805	1.12
3091	045	2517	0.06	2052	1	55	80	2.5	5	4	6292	4240	RH-1	40	form-based			true	0.7	5	1	4	4	7047.600098	4995.600098	4995.600098	1.120089
3091	046	2518	0.06	1704	1	55	80	2.5	5	4	6295	4591	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5346.399902	5346.399902	1.12
3092	008	2500	0.06	1881	1	55	80	2.5	5	4	6250	4369	RM-1	40	form-based			true	0.7	5	1	4	4	7000	5119	5119	1.12
3092	009	2500	0.06	750	1	55	80	2.5	5	4	6250	5500	RM-1	40	form-based			true	0.7	5	1	4	4	7000	6250	6250	1.12
3092	010	2500	0.06	1370	1	55	80	2.5	5	4	6250	4880	RM-1	40	form-based			true	0.7	5	1	4	4	7000	5630	5630	1.12
3092	011	2500	0.06	1025	1	55	80	2.5	5	4	6250	5225	RM-1	40	form-based			true	0.7	5	1	4	4	7000	5975	5975	1.12
3092	013	2500	0.06	1143	1	55	80	2.5	5	4	6250	5107	RM-1	40	form-based			true	0.7	5	1	4	4	7000	5857	5857	1.12
3092	014	2500	0.06	1060	1	55	80	2.5	5	4	6250	5190	RM-1	40	form-based			true	0.7	5	1	4	4	7000	5940	5940	1.12
3092	022	2500	0.06	1106	1	55	80	2.5	5	4	6250	5144	RM-1	40	form-based			true	0.7	5	1	4	4	7000	5894	5894	1.12
3092	025	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RM-1	40	form-based			true	0.7	5	1	4	4	7000	6000	6000	1.12
3092	030	2500	0.06	1320	1	55	80	2.5	5	4	6250	4930	RM-1	40	form-based			true	0.7	5	1	4	4	7000	5680	5680	1.12
3092	031	2500	0.06	1765	1	55	80	2.5	5	4	6250	4485	RM-1	40	form-based			true	0.7	5	1	4	4	7000	5235	5235	1.12
3092	032	2500	0.06	1085	1	55	80	2.5	5	4	6250	5165	RM-1	40	form-based			true	0.7	5	1	4	4	7000	5915	5915	1.12
3092	034	2431	0.06	1035	1	55	80	2.5	5	4	6078	5043	RH-1	40	form-based			true	0.7	5	1	4	4	6806.799805	5771.799805	5771.799805	1.119908
3092	035	2500	0.06	1888	1	55	80	2.5	5	4	6250	4362	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5112	5112	1.12
3092	036	2500	0.06	1068	1	55	80	2.5	5	4	6250	5182	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5932	5932	1.12
3092	037	2500	0.06	1068	1	55	80	2.5	5	4	6250	5182	RH-1	40	form-based	true		true	0.7	5	1	4	4	7000	5932	5932	1.12
3092	038	2483	0.06	1150	1	55	80	2.5	5	4	6208	5058	RH-1	40	form-based			true	0.7	5	1	4	4	6952.399902	5802.399902	5802.399902	1.11991
3092	039	2483	0.06	991	1	55	80	2.5	5	4	6208	5217	RH-1	40	form-based			true	0.7	5	1	4	4	6952.399902	5961.399902	5961.399902	1.11991
3092	042	2484	0.06	854	1	55	80	2.5	5	4	6210	5356	RH-1	40	form-based			true	0.7	5	1	4	4	6955.199707	6101.199707	6101.199707	1.12
3092	043	2485	0.06	854	1	55	80	2.5	5	4	6212	5358	RH-1	40	form-based			true	0.7	5	1	4	4	6958	6104	6104	1.12009
3092	044	2485	0.06	1250	1	55	80	2.5	5	4	6212	4962	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5708	5708	1.12009
3092	045	2485	0.06	1250	1	55	80	2.5	5	4	6212	4962	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5708	5708	1.12009
3092	046	2486	0.06	1240	1	55	80	2.5	5	4	6215	4975	RH-1	40	form-based			true	0.7	5	1	4	4	6960.799805	5720.799805	5720.799805	1.12
3092	047	2486	0.06	1240	1	55	80	2.5	5	4	6215	4975	RH-1	40	form-based			true	0.7	5	1	4	4	6960.799805	5720.799805	5720.799805	1.12
3092	048	2487	0.06	1725	1	55	80	2.5	5	4	6218	4493	RH-1	40	form-based			true	0.7	5	1	4	4	6963.600098	5238.600098	5238.600098	1.11991
3092	049	2487	0.06	976	1	55	80	2.5	5	4	6218	5242	RH-1	40	form-based			true	0.7	5	1	4	4	6963.600098	5987.600098	5987.600098	1.11991
3092	050	2488	0.06	921	1	55	80	2.5	5	4	6220	5299	RH-1	40	form-based			true	0.7	5	1	4	4	6966.399902	6045.399902	6045.399902	1.12
3092	051	2488	0.06	1120	1	55	80	2.5	5	4	6220	5100	RH-1	40	form-based			true	0.7	5	1	4	4	6966.399902	5846.399902	5846.399902	1.12
3092	052	2489	0.06	1120	1	55	80	2.5	5	4	6222	5102	RH-1	40	form-based			true	0.7	5	1	4	4	6969.199707	5849.199707	5849.199707	1.12009
3092	053	2489	0.06	660	1	55	80	2.5	5	4	6222	5562	RH-1	40	form-based			true	0.7	5	1	4	4	6969.199707	6309.199707	6309.199707	1.12009
3092	054	2490	0.06	825	1	55	80	2.5	5	4	6225	5400	RH-1	40	form-based			true	0.7	5	1	4	4	6972	6147	6147	1.12
3092	055	2490	0.06	1033	1	55	80	2.5	5	4	6225	5192	RH-1	40	form-based			true	0.7	5	1	4	4	6972	5939	5939	1.12
3092	056	2491	0.06	921	1	55	80	2.5	5	4	6228	5307	RH-1	40	form-based			true	0.7	5	1	4	4	6974.799805	6053.799805	6053.799805	1.11991
3092	057	2491	0.06	1189	1	55	80	2.5	5	4	6228	5039	RH-1	40	form-based			true	0.7	5	1	4	4	6974.799805	5785.799805	5785.799805	1.11991
3092	058	2492	0.06	1062	1	55	80	2.5	5	4	6230	5168	RH-1	40	form-based			true	0.7	5	1	4	4	6977.600098	5915.600098	5915.600098	1.12
3092	060	2493	0.06	798	1	55	80	2.5	5	4	6232	5434	RH-1	40	form-based			true	0.7	5	1	4	4	6980.399902	6182.399902	6182.399902	1.12009
3092	061	2494	0.06	798	1	55	80	2.5	5	4	6235	5437	RH-1	40	form-based			true	0.7	5	1	4	4	6983.199707	6185.199707	6185.199707	1.12
3092	062	2495	0.06	1038	1	55	80	2.5	5	4	6238	5200	RH-1	40	form-based			true	0.7	5	1	4	4	6986	5948	5948	1.11991
3092	063	2496	0.06	1038	1	55	80	2.5	5	4	6240	5202	RH-1	40	form-based			true	0.7	5	1	4	4	6988.799805	5950.799805	5950.799805	1.12
3092	064	2496	0.06	1350	1	55	80	2.5	5	4	6240	4890	RH-1	40	form-based			true	0.7	5	1	4	4	6988.799805	5638.799805	5638.799805	1.12
3092	068	2497	0.06	1315	1	55	80	2.5	5	4	6242	4927	RH-1	40	form-based			true	0.7	5	1	4	4	6991.600098	5676.600098	5676.600098	1.12009
3093	001	2487	0.06	2295	1	55	80	2.5	5	4	6218	3923	RH-1	40	form-based	true		true	0.7	5	1	4	4	6963.600098	4668.600098	4668.600098	1.11991
3093	002	2486	0.06	1059	1	55	80	2.5	5	4	6215	5156	RH-1	40	form-based			true	0.7	5	1	4	4	6960.799805	5901.799805	5901.799805	1.12
3093	003	2485	0.06	2126	1	55	80	2.5	5	4	6212	4086	RH-1	40	form-based			true	0.7	5	1	4	4	6958	4832	4832	1.12009
3093	004	2485	0.06	1700	1	55	80	2.5	5	4	6212	4512	RH-1	40	form-based			true	0.7	5	1	4	4	6958	5258	5258	1.12009
3093	006	2482	0.06	2639	2	55	80	2.5	5	3	6205	3566	NC-1	40	form-based			true	0.75	6	1.200000048	4	4	7446	4807	4807	1.2
3093	026	2500	0.06	1589	1	55	80	2.5	5	4	6250	4661	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5411	5411	1.12
3093	027	2500	0.06	1249	1	55	80	2.5	5	4	6250	5001	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5751	5751	1.12
3093	028	2500	0.06	979	1	55	80	2.5	5	4	6250	5271	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6021	6021	1.12
3093	029	2500	0.06	1367	1	55	80	2.5	5	4	6250	4883	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5633	5633	1.12
3093	030	2500	0.06	979	1	55	80	2.5	5	4	6250	5271	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6021	6021	1.12
3093	031	2500	0.06	1332	1	55	80	2.5	5	4	6250	4918	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5668	5668	1.12
3093	032	2500	0.06	1456	1	55	80	2.5	5	4	6250	4794	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5544	5544	1.12
3110	003	3429	0.08	2235	3	55	80	2.5	6	3	8572	6337	RH-1(D)	40	form-based			true	0.7	7	1.166666627	4	4	9601.200195	7366.200195	7366.200195	1.120065

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3116	002	2544	0.06	1240	1	55	80	2.5	5	4	6360	5120	RH-1	40	form-based			true	0.7	5	1	4	4	7123.199707	5883.199707	5883.199707	1.12
3116	003	2543	0.06	1670	1	55	80	2.5	5	4	6358	4688	RH-1	40	form-based			true	0.7	5	1	4	4	7120.399902	5450.399902	5450.399902	1.119912
3116	004	2542	0.06	1490	1	55	80	2.5	5	4	6355	4865	RH-1	40	form-based			true	0.7	5	1	4	4	7117.600098	5627.600098	5627.600098	1.12
3116	023	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-1	40	form-based		true	true	0.7	5	1	4	4	7000	5850	5850	1.12
3116	024	2500	0.06	1891	1	55	80	2.5	5	4	6250	4359	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5109	5109	1.12
3116	025	2500	0.06	2153	1	55	80	2.5	5	4	6250	4097	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4847	4847	1.12
3116	026	2500	0.06	1514	1	55	80	2.5	5	4	6250	4736	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5486	5486	1.12
3116	027	2500	0.06	890	1	55	80	2.5	5	4	6250	5360	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6110	6110	1.12
3116	029	2537	0.06	3500	2	55	80	2.5	5	3	6342	2842	NC-1	40	form-based			true	0.75	6	1.200000048	4	4	7611	4111	4111	1.200095
3116	040	2855	0.07	3952	2	55	80	2.5	6	4	7138	3186	RH-2	40	form-based			true	0.7	6	1	4	4	7994	4042	4042	1.119922
3116	041	2856	0.07	2000	2	55	80	2.5	6	4	7140	5140	RH-2	40	form-based			true	0.7	6	1	4	4	7996.799805	5996.799805	5996.799805	1.12
3116	042	2856	0.07	2000	2	55	80	2.5	6	4	7140	5140	RH-2	40	form-based			true	0.7	6	1	4	4	7996.799805	5996.799805	5996.799805	1.12
3116	043	2857	0.07	2000	2	55	80	2.5	6	4	7142	5142	RH-2	40	form-based			true	0.7	6	1	4	4	7999.600098	5999.600098	5999.600098	1.120078
3116	045	2857	0.07	2000	2	55	80	2.5	6	4	7142	5142	RH-2	40	form-based			true	0.7	6	1	4	4	7999.600098	5999.600098	5999.600098	1.120078
3116	047	2858	0.07	1610	2	55	80	2.5	6	4	7145	5535	RH-2	40	form-based			true	0.7	6	1	4	4	8002.399902	6392.399902	6392.399902	1.12
3116	056	2692	0.06	2057	2	55	80	2.5	5	3	6730	4673	RH-2	40	form-based		true	true	0.7	6	1.200000048	4	4	7537.600098	5480.600098	5480.600098	1.12
3117	002	2500	0.06	978	1	55	80	2.5	5	4	6250	5272	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6022	6022	1.12
3117	003	2500	0.06	978	1	55	80	2.5	5	4	6250	5272	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6022	6022	1.12
3117	004	2500	0.06	1037	1	55	80	2.5	5	4	6250	5213	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5963	5963	1.12
3117	005	2500	0.06	1037	1	55	80	2.5	5	4	6250	5213	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5963	5963	1.12
3117	006	2500	0.06	1750	1	55	80	2.5	5	4	6250	4500	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5250	5250	1.12
3117	007	2500	0.06	1847	1	55	80	2.5	5	4	6250	4403	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5153	5153	1.12
3117	008	2500	0.06	1275	1	55	80	2.5	5	4	6250	4975	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5725	5725	1.12
3117	009	2500	0.06	871	1	55	80	2.5	5	4	6250	5379	RH-1	40	form-based		true	true	0.7	5	1	4	4	7000	6129	6129	1.12
3117	028	2455	0.06	2212	1	55	80	2.5	5	4	6138	3926	RH-1	40	form-based			true	0.7	5	1	4	4	6874	4662	4662	1.119909
3117	029	2454	0.06	1198	1	55	80	2.5	5	4	6135	4937	RH-1	40	form-based			true	0.7	5	1	4	4	6871.199707	5673.199707	5673.199707	1.12
3117	030	2453	0.06	1440	1	55	80	2.5	5	4	6132	4692	RH-1	40	form-based			true	0.7	5	1	4	4	6868.399902	5428.399902	5428.399902	1.120091
3117	047	2859	0.07	1666	2	55	80	2.5	6	4	7148	5482	RH-2	40	form-based			true	0.7	6	1	4	4	8005.199707	6339.199707	6339.199707	1.119922
3117	051	2500	0.06	2148	1	55	80	2.5	5	4	6250	4102	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4852	4852	1.12
3117	053	2635	0.06	3020	2	55	80	2.5	5	3	6588	3568	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7378	4358	4358	1.119915
3117	054	2859	0.07	3020	2	55	80	2.5	6	4	7148	4128	RH-2	40	form-based			true	0.7	6	1	4	4	8005.199707	4985.199707	4985.199707	1.119922
3117	055	2859	0.07	3316	2	55	80	2.5	6	4	7148	3832	RH-2	40	form-based			true	0.7	6	1	4	4	8005.199707	4689.199707	4689.199707	1.119922
3117	056	2859	0.07	3316	2	55	80	2.5	6	4	7148	3832	RH-2	40	form-based			true	0.7	6	1	4	4	8005.199707	4689.199707	4689.199707	1.119922
3118	002	2500	0.06	987	1	65	100	3	6	5	7500	6513	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6013	6013	0.933333
3118	003	2500	0.06	1103	1	65	100	3	6	5	7500	6397	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5897	5897	0.933333
3118	004	2500	0.06	876	1	65	100	3	6	5	7500	6624	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6124	6124	0.933333
3118	005	2375	0.05	1537	1	65	100	3	5	4	7125	5588	RH-1	40	form-based			true	0.7	5	1	4	4	6650	5113	5113	0.933333
3118	006	2375	0.05	970	1	65	100	3	5	4	7125	6155	RH-1	40	form-based		true	true	0.7	5	1	4	4	6650	5680	5680	0.933333
3118	025	2521	0.06	925	1	55	80	2.5	5	4	6302	5377	RH-1	40	form-based			true	0.7	5	1	4	4	7058.799805	6133.799805	6133.799805	1.120089
3118	032	2851	0.07	2056	2	55	80	2.5	6	4	7128	5072	RH-2	40	form-based			true	0.7	6	1	4	4	7982.799805	5926.799805	5926.799805	1.119921
3118	044	2843	0.07	3517	2	65	100	3	7	5	8529	5012	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7960.399902	4443.399902	4443.399902	0.933333
3118	047	2841	0.07	2475	2	65	100	3	7	5	8523	6048	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7954.799805	5479.799805	5479.799805	0.933333
3118	049	2529	0.06	1588	1	65	100	3	6	5	7587	5999	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7081.199707	5493.199707	5493.199707	0.933333
3118	050	2528	0.06	1380	1	65	100	3	6	5	7584	6204	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7078.399902	5698.399902	5698.399902	0.933333
3119	002	2500	0.06	1296	1	65	100	3	6	5	7500	6204	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5704	5704	0.933333
3119	003	2500	0.06	1123	1	65	100	3	6	5	7500	6377	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5877	5877	0.933333
3119	004	2500	0.06	1190	1	65	100	3	6	5	7500	6310	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5810	5810	0.933333
3119	005	2500	0.06	1190	1	65	100	3	6	5	7500	6310	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5810	5810	0.933333
3119	006	2500	0.06	835	1	65	100	3	6	5	7500	6665	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6165	6165	0.933333
3119	008	2500	0.06	1225	1	65	100	3	6	5	7500	6275	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5775	5775	0.933333
3119	009	2500	0.06	1192	1	65	100	3	6	5	7500	6308	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7000	5808	5808	0.933333
3119	029	2521	0.06	1250	1	65	100	3	6	5	7563	6313	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7058.799805	5808.799805	5808.799805	0.933333
3119	030	2521	0.06	1600	1	65	100	3	6	5	7563	5963	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7058.799805	5458.799805	5458.799805	0.933333
3119	031	2608	0.06	1250	1	65	100	3	6	5	7824	6574	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7302.399902	6052.399902	6052.399902	0.933333
3119	032	2520	0.06	1525	1	65	100	3	6	5	7560	6035	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7056	5531	5531	0.933333
3119	033	2518	0.06	875	1	65	100	3	6	5	7554	6679	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7050.399902	6175.399902	6175.399902	0.933333
3119	034	2515	0.06	865	1	65	100	3	6	5	7545	6680	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7042	6177	6177	0.933333
3120	003	2500	0.06	670	1	55	80	2.5	5	4	6250	5580	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6330	6330	1.12
3120	004	2500	0.06	2078	1	55	80	2.5	5	4	6250	4172	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4922	4922	1.12
3120	005	2500	0.06	1901	1	55	80	2.5	5	4	6250	4349	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5099	5099	1.12
3120	009A	2500	0.06	2492	1	55	80	2.5	5	4	6250	3758	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4508	4508	1.12
3120	029	2373	0.05	2372	1	55	80	2.5	4	3	5932	3560	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6644.399902	4272.399902	4272.399902	1.120094
3120	030	2466	0.06	1945	1	55	80	2.5	5	4	6165	4220	RH-1	40	form-based			true	0.7	5	1	4	4	6904.799805	4959.799805	4959.799805	1.12
3120	031	2465	0.06	990	1	55	80	2.5	5	4	6162	5172	RH-1	40	form-based			true	0.7	5	1	4	4	6902	5912	5912	1.120091

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3120	032	2464	0.06	1290	1	55	80	2.5	5	4	6160	4870	RH-1	40	form-based			true	0.7	5	1	4	4	6899.199707	5609.199707	5609.199707	1.12
3120	036	2818	0.06	1750	2	55	80	2.5	5	3	7045	5295	RH-1	40	form-based			true	0.7	6	1.200000048	4	4	7890.399902	6140.399902	6140.399902	1.12
3120	040	2818	0.06	2100	2	55	80	2.5	5	3	7045	4945	RH-1	40	form-based			true	0.7	6	1.200000048	4	4	7890.399902	5790.399902	5790.399902	1.12
3120	052	2511	0.06	1075	1	55	80	2.5	5	4	6278	5203	RH-1	40	form-based			true	0.7	5	1	4	4	7030.799805	5955.799805	5955.799805	1.119911
3120	053	2511	0.06	1617	1	55	80	2.5	5	4	6278	4661	RH-1	40	form-based	true		true	0.7	5	1	4	4	7030.799805	5413.799805	5413.799805	1.119911
3121	006	2500	0.06	1178	1	55	80	2.5	5	4	6250	5072	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5822	5822	1.12
3122	001	2522	0.06	1362	1	55	80	2.5	5	4	6305	4943	RH-1	40	form-based	true		true	0.7	5	1	4	4	7061.600098	5699.600098	5699.600098	1.12
3122	002	2500	0.06	2188	1	55	80	2.5	5	4	6250	4062	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4812	4812	1.12
3122	003	2500	0.06	989	1	55	80	2.5	5	4	6250	5261	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6011	6011	1.12
3122	004	2500	0.06	989	1	55	80	2.5	5	4	6250	5261	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6011	6011	1.12
3122	005	2500	0.06	989	1	55	80	2.5	5	4	6250	5261	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6011	6011	1.12
3122	006	2500	0.06	989	1	55	80	2.5	5	4	6250	5261	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6011	6011	1.12
3122	007	2500	0.06	989	1	55	80	2.5	5	4	6250	5261	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6011	6011	1.12
3122	008	2500	0.06	989	1	55	80	2.5	5	4	6250	5261	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6011	6011	1.12
3122	009	2500	0.06	1302	1	55	80	2.5	5	4	6250	4948	RH-1	40	form-based	true		true	0.7	5	1	4	4	7000	5698	5698	1.12
3122	028	2499	0.06	1500	1	55	80	2.5	5	4	6248	4748	RH-1	40	form-based			true	0.7	5	1	4	4	6997.199707	5497.199707	5497.199707	1.11991
3122	029	2499	0.06	1690	1	55	80	2.5	5	4	6248	4558	RH-1	40	form-based			true	0.7	5	1	4	4	6997.199707	5307.199707	5307.199707	1.11991
3122	030	2499	0.06	965	1	55	80	2.5	5	4	6248	5283	RH-1	40	form-based			true	0.7	5	1	4	4	6997.199707	6032.199707	6032.199707	1.11991
3123	003	2500	0.06	1034	1	55	80	2.5	5	4	6250	5216	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5966	5966	1.12
3123	005	2500	0.06	1034	1	55	80	2.5	5	4	6250	5216	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5966	5966	1.12
3123	006	2500	0.06	900	1	55	80	2.5	5	4	6250	5350	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6100	6100	1.12
3123	007	2500	0.06	1462	1	55	80	2.5	5	4	6250	4788	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5538	5538	1.12
3123	008	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5900	5900	1.12
3123	009	2500	0.06	1200	1	55	80	2.5	5	4	6250	5050	RH-1	40	form-based	true		true	0.7	5	1	4	4	7000	5800	5800	1.12
3123	026	2509	0.06	1260	1	55	80	2.5	5	4	6272	5012	RH-1	40	form-based	true		true	0.7	5	1	4	4	7025.199707	5765.199707	5765.199707	1.120089
3123	027	2509	0.06	1713	1	55	80	2.5	5	4	6272	4559	RH-1	40	form-based			true	0.7	5	1	4	4	7025.199707	5312.199707	5312.199707	1.120089
3123	028	2508	0.06	970	1	55	80	2.5	5	4	6270	5300	RH-1	40	form-based			true	0.7	5	1	4	4	7022.399902	6052.399902	6052.399902	1.12
3123	029	2508	0.06	1408	1	55	80	2.5	5	4	6270	4862	RH-1	40	form-based			true	0.7	5	1	4	4	7022.399902	5614.399902	5614.399902	1.12
3123	030	2507	0.06	980	1	55	80	2.5	5	4	6268	5288	RH-1	40	form-based			true	0.7	5	1	4	4	7019.600098	6039.600098	6039.600098	1.119911
3123	031	2507	0.06	780	1	55	80	2.5	5	4	6268	5488	RH-1	40	form-based			true	0.7	5	1	4	4	7019.600098	6239.600098	6239.600098	1.119911
3123	032	2506	0.06	870	1	55	80	2.5	5	4	6265	5395	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	6146.799805	6146.799805	1.12
3123	033	2506	0.06	1350	1	55	80	2.5	5	4	6265	4915	RH-1	40	form-based			true	0.7	5	1	4	4	7016.799805	5666.799805	5666.799805	1.12
3123	034	2527	0.06	1340	1	55	80	2.5	5	4	6318	4978	RH-1	40	form-based	true		true	0.7	5	1	4	4	7075.600098	5735.600098	5735.600098	1.119911
3138	014	2293	0.05	1084	1	55	80	2.5	4	3	5732	4648	RH-1(D)	40	form-based			true	0.7	5	1.25	4	4	6420.399902	5336.399902	5336.399902	1.120098
3139	002	2500	0.06	1526	1	55	80	2.5	5	4	6250	4724	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5474	5474	1.12
3139	003	2500	0.06	1058	1	55	80	2.5	5	4	6250	5192	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5942	5942	1.12
3139	004	2500	0.06	1520	1	55	80	2.5	5	4	6250	4730	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5480	5480	1.12
3139	005	2500	0.06	980	1	55	80	2.5	5	4	6250	5270	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6020	6020	1.12
3139	006	2500	0.06	1123	1	55	80	2.5	5	4	6250	5127	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5877	5877	1.12
3139	007	2500	0.06	1590	1	55	80	2.5	5	4	6250	4660	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5410	5410	1.12
3139	008	2500	0.06	1095	1	55	80	2.5	5	4	6250	5155	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5905	5905	1.12
3139	009	2500	0.06	1650	1	55	80	2.5	5	4	6250	4600	RH-1	40	form-based	true		true	0.7	5	1	4	4	7000	5350	5350	1.12
3140	002	2550	0.06	1128	1	55	80	2.5	5	4	6375	5247	RH-1	40	form-based			true	0.7	5	1	4	4	7140	6012	6012	1.12
3140	003	2550	0.06	1152	1	55	80	2.5	5	4	6375	5223	RH-1	40	form-based			true	0.7	5	1	4	4	7140	5988	5988	1.12
3140	004	2562	0.06	1152	1	55	80	2.5	5	4	6405	5253	RH-1	40	form-based			true	0.7	5	1	4	4	7173.600098	6021.600098	6021.600098	1.12
3140	008	2250	0.05	1453	1	55	80	2.5	4	3	5625	4172	RH-1	40	form-based			true	0.7	5	1.25	4	4	6300	4847	4847	1.12
3140	009	2250	0.05	1126	1	55	80	2.5	4	3	5625	4499	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6300	5174	5174	1.12
3140	026	2400	0.06	1079	1	55	80	2.5	5	4	6000	4921	RH-1	40	form-based			true	0.7	5	1	4	4	6720	5641	5641	1.12
3140	027	2400	0.06	1883	1	55	80	2.5	5	4	6000	4117	RH-1	40	form-based			true	0.7	5	1	4	4	6720	4837	4837	1.12
3140	028	2398	0.06	1650	1	55	80	2.5	5	4	5995	4345	RH-1	40	form-based	true		true	0.7	5	1	4	4	6714.399902	5064.399902	5064.399902	1.12
3140	034	2416	0.06	1526	1	55	80	2.5	5	4	6040	4514	RH-1	40	form-based	true		true	0.7	5	1	4	4	6764.799805	5238.799805	5238.799805	1.12
3141	003	2500	0.06	875	1	55	80	2.5	5	4	6250	5375	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6125	6125	1.12
3141	004	2499	0.06	1149	1	55	80	2.5	5	4	6248	5099	RH-1	40	form-based			true	0.7	5	1	4	4	6997.199707	5848.199707	5848.199707	1.11991
3141	005	2498	0.06	1034	1	55	80	2.5	5	4	6245	5211	RH-1	40	form-based			true	0.7	5	1	4	4	6994.399902	5960.399902	5960.399902	1.12
3141	006	2497	0.06	955	1	55	80	2.5	5	4	6242	5287	RH-1	40	form-based			true	0.7	5	1	4	4	6991.600098	6036.600098	6036.600098	1.12009
3141	007	2496	0.06	1045	1	55	80	2.5	5	4	6240	5195	RH-1	40	form-based			true	0.7	5	1	4	4	6988.799805	5943.799805	5943.799805	1.12
3141	008	2495	0.06	945	1	55	80	2.5	5	4	6238	5293	RH-1	40	form-based			true	0.7	5	1	4	4	6986	6041	6041	1.11991
3141	009	2506	0.06	868	1	55	80	2.5	5	4	6265	5397	RH-1	40	form-based	true		true	0.7	5	1	4	4	7016.799805	6148.799805	6148.799805	1.12
3141	026	2394	0.05	2179	1	55	80	2.5	4	3	5985	3806	RH-1	40	form-based	true		true	0.7	5	1.25	4	4	6703.199707	4524.199707	4524.199707	1.12
3141	027	2522	0.06	1783	1	55	80	2.5	5	4	6305	4522	RH-1	40	form-based			true	0.7	5	1	4	4	7061.600098	5278.600098	5278.600098	1.12
3141	028	2522	0.06	1052	1	55	80	2.5	5	4	6305	5253	RH-1	40	form-based			true	0.7	5	1	4	4	7061.600098	6009.600098	6009.600098	1.12
3141	029	2522	0.06	1320	1	55	80	2.5	5	4	6305	4985	RH-1	40	form-based			true	0.7	5	1	4	4	7061.600098	5741.600098	5741.600098	1.12
3141	030	2522	0.06	1052	1	55	80	2.5	5	4	6305	5253	RH-1	40	form-based			true	0.7	5	1	4	4	7061.600098	6009.600098	6009.600098	1.12
3141	031	2522	0.06	1813	1	55	80	2.5	5	4	6305	4492	RH-1	40	form-based			true	0.7	5	1	4	4	7061.600098	5248.600098	5248.600098	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3141	032	2522	0.06	1052	1	55	80	2.5	5	4	6305	5253	RH-1	40	form-based			true	0.7	5	1	4	4	7061.600098	6009.600098	6009.600098	1.12
3141	033	2522	0.06	1052	1	55	80	2.5	5	4	6305	5253	RH-1	40	form-based			true	0.7	5	1	4	4	7061.600098	6009.600098	6009.600098	1.12
3141	034	2411	0.06	2490	1	55	80	2.5	5	4	6028	3538	RH-1	40	form-based		true	true	0.7	5	1	4	4	6750.799805	4260.799805	4260.799805	1.119907
3142	001	2340	0.05	1475	1	65	100	3	5	4	7020	5545	RH-1	40	form-based		true	true	0.7	5	1	4	4	6552	5077	5077	0.933333
3142	002	2436	0.06	1403	1	65	100	3	6	5	7308	5905	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6820.799805	5417.799805	5417.799805	0.933333
3142	003	2436	0.06	1066	1	55	80	2.5	5	4	6090	5024	RH-1	40	form-based			true	0.7	5	1	4	4	6820.799805	5754.799805	5754.799805	1.12
3142	004	2436	0.06	1066	1	55	80	2.5	5	4	6090	5024	RH-1	40	form-based			true	0.7	5	1	4	4	6820.799805	5754.799805	5754.799805	1.12
3142	007	2481	0.06	1647	1	65	100	3	6	5	7443	5796	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6946.799805	5299.799805	5299.799805	0.933333
3142	008	2482	0.06	1621	1	65	100	3	6	5	7446	5825	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6949.600098	5328.600098	5328.600098	0.933333
3142	025	2500	0.06	950	1	55	80	2.5	5	4	6250	5300	RH-1	40	form-based		true	true	0.7	5	1	4	4	7000	6050	6050	1.12
3142	026	2500	0.06	950	1	55	80	2.5	5	4	6250	5300	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6050	6050	1.12
3142	026A	2500	0.06	1016	1	55	80	2.5	5	4	6250	5234	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5984	5984	1.12
3142	027	2500	0.06	950	1	55	80	2.5	5	4	6250	5300	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6050	6050	1.12
3142	028	2500	0.06	1795	1	55	80	2.5	5	4	6250	4455	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5205	5205	1.12
3142	029	2500	0.06	2580	1	55	80	2.5	5	4	6250	3670	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4420	4420	1.12
3142	030	2500	0.06	980	1	55	80	2.5	5	4	6250	5270	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6020	6020	1.12
3142	031	2500	0.06	1392	1	55	80	2.5	5	4	6250	4858	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5608	5608	1.12
3142	032	2264	0.05	995	1	55	80	2.5	4	3	5660	4665	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6339.199707	5344.199707	5344.199707	1.12
3143	003	2521	0.06	910	1	65	100	3	6	5	7563	6653	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7058.799805	6148.799805	6148.799805	0.933333
3143	004	2521	0.06	1000	1	65	100	3	6	5	7563	6563	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7058.799805	6058.799805	6058.799805	0.933333
3143	005	2521	0.06	872	1	65	100	3	6	5	7563	6691	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7058.799805	6186.799805	6186.799805	0.933333
3143	006	2521	0.06	827	1	65	100	3	6	5	7563	6736	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7058.799805	6231.799805	6231.799805	0.933333
3143	019	2591	0.06	875	1	65	100	3	6	5	7773	6898	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7254.799805	6379.799805	6379.799805	0.933333
3143	025	2431	0.06	1753	1	65	100	3	6	5	7293	5540	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6806.799805	5053.799805	5053.799805	0.933333
3143	026	2429	0.06	1653	1	65	100	3	6	5	7287	5634	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6801.199707	5148.199707	5148.199707	0.933333
3143	027	2426	0.06	1677	1	65	100	3	6	5	7278	5601	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6792.799805	5115.799805	5115.799805	0.933333
3143	028	2424	0.06	1674	1	65	100	3	6	5	7272	5598	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6787.199707	5113.199707	5113.199707	0.933333
3143	029	2500	0.06	1092	1	65	100	3	6	5	7500	6408	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5908	5908	0.933333
3143	030	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6100	6100	0.933333
3143	031	2500	0.06	1034	1	65	100	3	6	5	7500	6466	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5966	5966	0.933333
3143	032	2500	0.06	1154	1	65	100	3	6	5	7500	6346	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5846	5846	0.933333
3143	033	2500	0.06	1340	1	65	100	3	6	5	7500	6160	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7000	5660	5660	0.933333
3143	053	1973	0.05	0	0	65	100	3	5	5	5919	5919	RH-1	40	form-based			true	0.7	4	0.800000012	4	4	5524.399902	5524.399902	5524.399902	0.933333
3144B	027A	1822	0.04	0	0	65	100	3	4	4	5466	5466	RH-1	40	density-lim	3000			0.7	4	1	4	4	5101.600098	5101.600098	5101.600098	0.933333
3144B	036A	163	0	0	0	65	100	3	0	0	489	489	RH-1	40	density-lim	3000			0.7	4		4	4	456.3999939	456.3999939	456.3999939	0.933333
3144C	004	2014	0.05	0	0	65	100	3	5	5	6042	6042	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	5639.199707	5639.199707	5639.199707	0.933333
3144C	042	2376	0.05	2880	2	65	100	3	5	3	7128	4248	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	4	4	6652.799805	3772.799805	3772.799805	0.933333
3145	042	3529	0.08	2387	2	65	100	3	8	6	10587	8200	RH-1	40	density-lim	3000	true		0.7	6	0.75	4	4	9881.200195	7494.200195	7494.200195	0.933333
3147	002	2500	0.06	4000	0	55	80	2.5	5	5	6250	2250	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	4	4	7500	3500	3500	1.2
3147	002A	2500	0.06	1800	0	55	80	2.5	5	5	6250	4450	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	4	4	7500	5700	5700	1.2
3147	028	2485	0.06	0	0	55	80	2.5	5	5	6212	6212	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	6958	6958	6958	1.12009
3148	003	2500	0.06	2353	0	55	80	2.5	5	5	6250	3897	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	4	4	7500	5147	5147	1.2
3148	005	2500	0.06	3250	0	55	80	2.5	5	5	6250	3000	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	4	4	7500	4250	4250	1.2
3148	007	2500	0.06	0	0	55	80	2.5	5	5	6250	6250	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	4	4	7500	7500	7500	1.2
3148	008	2500	0.06	0	0	55	80	2.5	5	5	6250	6250	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	4	4	7500	7500	7500	1.2
3148	009	2500	0.06	1746	0	55	80	2.5	5	5	6250	4504	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	7000	5254	5254	1.12
3148	034	2498	0.06	0	0	55	80	2.5	5	5	6245	6245	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	4	4	7494	7494	7494	1.2
3148	035	2497	0.06	0	0	55	80	2.5	5	5	6242	6242	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	4	4	7491	7491	7491	1.200096
3155	019	2250	0.05	880	1	65	100	3	5	4	6750	5870	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5420	5420	0.933333
3155	020	2250	0.05	880	1	65	100	3	5	4	6750	5870	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5420	5420	0.933333
3155	021	2250	0.05	2275	1	65	100	3	5	4	6750	4475	RH-1	40	form-based		true	true	0.7	5	1	4	4	6300	4025	4025	0.933333
3154	076	2030	0.05	2633	0	65	100	3	5	5	6090	3457	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	5684	3051	3051	0.933333
3155	016	2250	0.05	880	1	65	100	3	5	4	6750	5870	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5420	5420	0.933333
3155	017	2250	0.05	835	1	65	100	3	5	4	6750	5915	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5465	5465	0.933333
3155	018	2250	0.05	880	1	65	100	3	5	4	6750	5870	RH-1	40	form-based			true	0.7	5	1	4	4	6300	5420	5420	0.933333
3156	028	2500	0.06	850	1	65	100	3	6	5	7500	6650	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6150	6150	0.933333
3156	029	2500	0.06	785	1	65	100	3	6	5	7500	6715	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6215	6215	0.933333
3154	064	4872	0.11	0	0	65	100	3	11	11	14616	14616	RH-1	40	density-lim	3000			0.7	4	0.363636374	4	4	13641.59961	13641.59961	13641.59961	0.933333
3154	074	9108	0.21	6600	0	65	100	3	21	21	27324	20724	RH-1	40	density-lim	3000			0.7	4	0.190476194	4	4	25502.40039	18902.40039	18902.40039	0.933333
3155	022	2500	0.06	1353	1	65	100	3	6	5	7500	6147	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5647	5647	0.933333
3155	023	2500	0.06	880	1	65	100	3	6	5	7500	6620	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6120	6120	0.933333
3155	024	2500	0.06	880	1	65	100	3	6	5	7500	6620	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6120	6120	0.933333
3155	025	2499	0.06	1253	1	65	100	3	6	5	7497	6244	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6997.199707	5744.199707	5744.199707	0.933333
3155	032	2215	0.05	1374	1	65	100	3	5	4	6645	5271	RH-1	40	form-based			true	0.7	5	1	4	4	6202	4828	4828	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3155	035	2269	0.05	880	1	65	100	3	5	4	6807	5927	RH-1	40	form-based			true	0.7	5	1	4	4	6353.199707	5473.199707	5473.199707	0.933333
3156	026	2500	0.06	1160	1	65	100	3	6	5	7500	6340	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5840	5840	0.933333
3156	027	2500	0.06	1160	1	65	100	3	6	5	7500	6340	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5840	5840	0.933333
3156	004	2391	0.05	1831	1	65	100	3	5	4	7173	5342	RH-1	40	form-based			true	0.7	5	1	4	4	6694.799805	4863.799805	4863.799805	0.933333
3156	005	2370	0.05	1464	1	65	100	3	5	4	7110	5646	RH-1	40	form-based			true	0.7	5	1	4	4	6636	5172	5172	0.933333
3156	023	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7000	5875	5875	0.933333
3156	024	2500	0.06	1160	1	65	100	3	6	5	7500	6340	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5840	5840	0.933333
3156	025	2500	0.06	1303	1	65	100	3	6	5	7500	6197	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5697	5697	0.933333
3156	030	2500	0.06	616	1	65	100	3	6	5	7500	6884	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6384	6384	0.933333
3156	031	2488	0.06	1336	1	65	100	3	6	5	7464	6128	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6966.399902	5630.399902	5630.399902	0.933333
3157	002	2500	0.06	1108	1	65	100	3	6	5	7500	6392	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5892	5892	0.933333
3157	003	2500	0.06	915	1	65	100	3	6	5	7500	6585	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6085	6085	0.933333
3157	004	2500	0.06	1792	1	65	100	3	6	5	7500	5708	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5208	5208	0.933333
3157	005	2500	0.06	1652	1	65	100	3	6	5	7500	5848	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5348	5348	0.933333
3157	006	2500	0.06	1003	1	65	100	3	6	5	7500	6497	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5997	5997	0.933333
3157	007	2500	0.06	1089	1	65	100	3	6	5	7500	6411	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5911	5911	0.933333
3157	008	2500	0.06	1009	1	65	100	3	6	5	7500	6491	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5991	5991	0.933333
3157	009	2513	0.06	1055	1	65	100	3	6	5	7539	6484	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7036.399902	5981.399902	5981.399902	0.933333
3157	015	2508	0.06	794	1	65	100	3	6	5	7524	6730	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7022.399902	6228.399902	6228.399902	0.933333
3157	016	2498	0.06	1010	1	65	100	3	6	5	7494	6484	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6994.399902	5984.399902	5984.399902	0.933333
3157	018	2452	0.06	968	1	65	100	3	6	5	7356	6388	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6865.600098	5897.600098	5897.600098	0.933333
3157	027	2506	0.06	937	1	65	100	3	6	5	7518	6581	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7016.799805	6079.799805	6079.799805	0.933333
3157	028	2507	0.06	972	1	65	100	3	6	5	7521	6549	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7019.600098	6047.600098	6047.600098	0.933333
3157	030	2500	0.06	1385	1	65	100	3	6	5	7500	6115	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5615	5615	0.933333
3157	031	2500	0.06	960	1	65	100	3	6	5	7500	6540	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6040	6040	0.933333
3157	032	2500	0.06	960	1	65	100	3	6	5	7500	6540	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6040	6040	0.933333
3157	050	2286	0.05	960	1	65	100	3	5	4	6858	5898	RH-1	40	form-based		true	true	0.7	5	1	4	4	6400.799805	5440.799805	5440.799805	0.933333
3158	001	2500	0.06	915	1	55	80	2.5	5	4	6250	5335	RH-1	40	form-based		true	true	0.7	5	1	4	4	7000	6085	6085	1.12
3158	002	2500	0.06	902	1	65	100	3	6	5	7500	6598	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6098	6098	0.933333
3158	003	2500	0.06	1430	1	65	100	3	6	5	7500	6070	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5570	5570	0.933333
3158	004	2500	0.06	1340	1	65	100	3	6	5	7500	6160	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5660	5660	0.933333
3158	005	2500	0.06	2085	1	65	100	3	6	5	7500	5415	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4915	4915	0.933333
3158	006	2326	0.05	1762	1	65	100	3	5	4	6978	5216	RH-1	40	form-based		true	true	0.7	5	1	4	4	6512.799805	4750.799805	4750.799805	0.933333
3158	025	2499	0.06	1127	1	55	80	2.5	5	4	6248	5121	RH-1	40	form-based			true	0.7	5	1	4	4	6997.199707	5870.199707	5870.199707	1.11991
3158	026	2499	0.06	1056	1	55	80	2.5	5	4	6248	5192	RH-1	40	form-based			true	0.7	5	1	4	4	6997.199707	5941.199707	5941.199707	1.11991
3158	027	2499	0.06	924	1	55	80	2.5	5	4	6248	5324	RH-1	40	form-based			true	0.7	5	1	4	4	6997.199707	6073.199707	6073.199707	1.11991
3158	031	2500	0.06	1646	1	55	80	2.5	5	4	6250	4604	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5354	5354	1.12
3158	032	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5900	5900	1.12
3158	034	2500	0.06	1482	1	55	80	2.5	5	4	6250	4768	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5518	5518	1.12
3158	035	2500	0.06	880	1	55	80	2.5	5	4	6250	5370	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6120	6120	1.12
3158	036	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6000	6000	1.12
3158	037	2500	0.06	880	1	55	80	2.5	5	4	6250	5370	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6120	6120	1.12
3158	038	2500	0.06	1600	1	65	100	3	6	5	7500	5900	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5400	5400	0.933333
3158	039	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5975	5975	0.933333
3158	042	2500	0.06	1784	1	65	100	3	6	5	7500	5716	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5216	5216	0.933333
3158	042A	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5900	5900	0.933333
3158	043	2500	0.06	1296	1	65	100	3	6	5	7500	6204	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5704	5704	0.933333
3158	044	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5850	5850	0.933333
3158	045	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5750	5750	0.933333
3158	048	2500	0.06	1835	1	65	100	3	6	5	7500	5665	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5165	5165	0.933333
3158	049	2500	0.06	1835	1	65	100	3	6	5	7500	5665	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5165	5165	0.933333
3159	001	2426	0.06	1284	1	55	80	2.5	5	4	6065	4781	RH-1	40	form-based		true	true	0.7	5	1	4	4	6792.799805	5508.799805	5508.799805	1.12
3159	002	2500	0.06	1188	1	55	80	2.5	5	4	6250	5062	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5812	5812	1.12
3159	003	2500	0.06	748	1	55	80	2.5	5	4	6250	5502	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6252	6252	1.12
3159	004	2500	0.06	946	1	55	80	2.5	5	4	6250	5304	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6054	6054	1.12
3159	005	2500	0.06	1188	1	55	80	2.5	5	4	6250	5062	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5812	5812	1.12
3159	018	2470	0.06	1680	1	55	80	2.5	5	4	6175	4495	RH-1	40	form-based		true	true	0.7	5	1	4	4	6916	5236	5236	1.12
3159	019	2489	0.06	1170	1	55	80	2.5	5	4	6222	5052	RH-1	40	form-based			true	0.7	5	1	4	4	6969.199707	5799.199707	5799.199707	1.12009
3159	020	2488	0.06	1225	1	55	80	2.5	5	4	6220	4995	RH-1	40	form-based			true	0.7	5	1	4	4	6966.399902	5741.399902	5741.399902	1.12
3159	021	2488	0.06	1012	1	55	80	2.5	5	4	6220	5208	RH-1	40	form-based			true	0.7	5	1	4	4	6966.399902	5954.399902	5954.399902	1.12
3159	022	2487	0.06	690	1	55	80	2.5	5	4	6218	5528	RH-1	40	form-based			true	0.7	5	1	4	4	6963.600098	6273.600098	6273.600098	1.11991
3159	023	2486	0.06	800	1	55	80	2.5	5	4	6215	5415	RH-1	40	form-based			true	0.7	5	1	4	4	6960.799805	6160.799805	6160.799805	1.12
3159	024	2485	0.06	782	1	55	80	2.5	5	4	6212	5430	RH-1	40	form-based			true	0.7	5	1	4	4	6958	6176	6176	1.12009
3159	025	2484	0.06	1005	1	55	80	2.5	5	4	6210	5205	RH-1	40	form-based			true	0.7	5	1	4	4	6955.199707	5950.199707	5950.199707	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3159	026	2483	0.06	690	1	55	80	2.5	5	4	6208	5518	RH-1	40	form-based			true	0.7	5	1	4	4	6952.399902	6262.399902	6262.399902	1.11991
3159	027	2552	0.06	2074	1	55	80	2.5	5	4	6380	4306	RH-1	40	form-based			true	0.7	5	1	4	4	7145.600098	5071.600098	5071.600098	1.12
3168	002	2610	0.06	1678	1	65	100	3	6	5	7830	6152	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7308	5630	5630	0.933333
3177	019	2511	0.06	2320	1	65	100	3	6	5	7533	5213	RH-1(D)	40	form-based		true	true	0.7	5	0.833333313	4	4	7030.799805	4710.799805	4710.799805	0.933333
3177	027	2568	0.06	1500	1	65	100	3	6	5	7704	6204	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7190.399902	5690.399902	5690.399902	0.933333
3178	018	720	0.02	0	0	65	100	3	2	2	2160	2160	RH-1(D)	28	density-lin	3000			0.7	4	2	4	4	1008	1008	1008	0.466667
3181	001	2533	0.06	800	1	65	100	3	6	5	7599	6799	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7092.399902	6292.399902	6292.399902	0.933333
3181	002	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5875	5875	0.933333
3181	003	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
3181	006	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5875	5875	0.933333
3181	007	2500	0.06	1187	1	65	100	3	6	5	7500	6313	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5813	5813	0.933333
3182	021	2500	0.06	2405	1	65	100	3	6	5	7500	5095	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7000	4595	4595	0.933333
3182	022	2500	0.06	1715	1	65	100	3	6	5	7500	5785	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5285	5285	0.933333
3182	023	2500	0.06	1452	1	65	100	3	6	5	7500	6048	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5548	5548	0.933333
3182	024	2500	0.06	720	1	65	100	3	6	5	7500	6780	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6280	6280	0.933333
3182	025	2500	0.06	720	1	65	100	3	6	5	7500	6780	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6280	6280	0.933333
3182	026	2515	0.06	1240	1	65	100	3	6	5	7545	6305	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7042	5802	5802	0.933333
3182	027	2516	0.06	965	1	65	100	3	6	5	7548	6583	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	6079.799805	6079.799805	0.933333
3182	028	2518	0.06	920	1	65	100	3	6	5	7554	6634	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7050.399902	6130.399902	6130.399902	0.933333
3182	029	2520	0.06	1160	1	65	100	3	6	5	7560	6400	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7056	5896	5896	0.933333
3182	048	2310	0.05	750	1	65	100	3	5	4	6930	6180	RH-1	40	form-based			true	0.7	5	1	4	4	6468	5718	5718	0.933333
3185	001	2390	0.05	900	1	65	100	3	5	4	7170	6270	RH-1	40	form-based		true	true	0.7	5	1	4	4	6692	5792	5792	0.933333
3182	058	2270	0.05	1861	1	65	100	3	5	4	6810	4949	RH-1	40	form-based			true	0.7	5	1	4	4	6356	4495	4495	0.933333
3184	012	2500	0.06	1145	1	65	100	3	6	5	7500	6355	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5855	5855	0.933333
3184	013	2500	0.06	825	1	65	100	3	6	5	7500	6675	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6175	6175	0.933333
3184	014	2500	0.06	836	1	65	100	3	6	5	7500	6664	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6164	6164	0.933333
3184	015	2500	0.06	1400	1	65	100	3	6	5	7500	6100	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5600	5600	0.933333
3184	016	2500	0.06	1311	1	65	100	3	6	5	7500	6189	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5689	5689	0.933333
3185	002	2500	0.06	2476	1	65	100	3	6	5	7500	5024	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4524	4524	0.933333
3185	003	2500	0.06	1524	1	65	100	3	6	5	7500	5976	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5476	5476	0.933333
3185	004	2500	0.06	1005	1	65	100	3	6	5	7500	6495	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5995	5995	0.933333
3185	005	2500	0.06	1438	1	65	100	3	6	5	7500	6062	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5562	5562	0.933333
3185	006	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
3185	007	2500	0.06	1021	1	65	100	3	6	5	7500	6479	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5979	5979	0.933333
3185	008	2500	0.06	1043	1	65	100	3	6	5	7500	6457	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5957	5957	0.933333
3185	009	2500	0.06	1385	1	65	100	3	6	5	7500	6115	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7000	5615	5615	0.933333
3189	008	3058	0.07	2016	2	65	100	3	7	5	9174	7158	RH-1(D)	40	form-based			true	0.7	6	0.857142866	4	4	8562.399414	6546.399414	6546.399414	0.933333
3198	001	2419	0.06	1350	1	65	100	3	6	5	7257	5907	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6773.199707	5423.199707	5423.199707	0.933333
3203	026	4703	0.11	3000	2	65	100	3	11	9	14109	11109	RH-1	40	density-lin	3000	true		0.7	6	0.545454562	4	4	13168.39941	10168.39941	10168.39941	0.933333
3206	029	2489	0.06	0	0	55	80	2.5	5	5	6222	6222	RH-1	65	density-lin	3000			0.7	4	0.800000012	4	4	10453.7998	10453.7998	10453.7998	1.680135
3206	030	5009	0.11	0	0	55	80	2.5	9	9	12522	12522	RH-1	65	density-lin	3000			0.7	4	0.444444448	4	4	21037.79883	21037.79883	21037.79883	1.680067
3206	032	5000	0.11	0	0	55	80	2.5	9	9	12500	12500	RH-1	40	density-lin	3000			0.7	4	0.444444448	4	4	14000	14000	14000	1.12
3207	017	2593	0.06	2622	2	55	80	2.5	5	3	6482	3860	RH-1	40	density-lin	3000	true		0.7	6	1.200000048	4	4	7260.399902	4638.399902	4638.399902	1.120086
3209	020C	1225	0.03	0	0	65	100	3	3	3	3675	3675	RH-1	40	density-lin	3000			0.7	4	1.333333373	4	4	3430	3430	3430	0.933333
3210	003	530	0.01	0	0	65	100	3	1	1	1590	1590	RH-1	40	density-lin	3000			0.7	4	4	4	2	1484	1484	1484	0.933333
3211	002	4672	0.11	0	0	65	100	3	11	11	14016	14016	RH-1	40	density-lin	3000			0.7	4	0.363636374	4	4	13081.59961	13081.59961	13081.59961	0.933333
3212	009A	2180	0.05	2071	0	65	100	3	5	5	6540	4469	RH-1	40	density-lin	3000			0.7	4	0.800000012	4	4	6104	4033	4033	0.933333
3212	023D	4008	0.09	2432	0	75	120	3.5	11	11	14028	11596	RH-1	40	density-lin	3000			0.7	4	0.363636374	4	4	11222.39941	8790.399414	8790.399414	0.8
3283	045	2173	0.05	1394	1	65	100	3	5	4	6519	5125	RH-2	40	form-based			true	0.7	5	1	4	4	6084.399902	4690.399902	4690.399902	0.933333
3270	007	3012	0.07	1768	2	65	100	3	7	5	9036	7268	RH-1(D)	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	6665.599609	6665.599609	0.933333
3269	003	3327	0.08	2265	3	65	100	3	8	5	9981	7716	RH-1(D)	40	form-based			true	0.7	7	0.875	4	4	9315.599609	7050.599609	7050.599609	0.933333
3272	010	2355	0.05	1753	1	65	100	3	5	4	7065	5312	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6594	4841	4841	0.933333
3277	016	2535	0.06	1807	1	65	100	3	6	5	7605	5798	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7098	5291	5291	0.933333
3277	012	2842	0.07	1096	2	65	100	3	7	5	8526	7430	RH-1(D)	40	form-based			true	0.7	6	0.857142866	4	4	7957.600098	6861.600098	6861.600098	0.933333
3278	020	2301	0.05	1865	1	65	100	3	5	4	6903	5038	RH-1(D)	40	form-based			true	0.7	5	1	4	4	6442.799805	4577.799805	4577.799805	0.933333
3278	024	2584	0.06	1552	1	65	100	3	6	5	7752	6200	RH-1(D)	40	form-based		true	true	0.7	5	0.833333313	4	4	7235.199707	5683.199707	5683.199707	0.933333
3281	013	2545	0.06	2213	1	65	100	3	6	5	7635	5422	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7126	4913	4913	0.933333
3280	002	2542	0.06	2456	1	65	100	3	6	5	7626	5170	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7117.600098	4661.600098	4661.600098	0.933333
3280	003	2547	0.06	2106	1	65	100	3	6	5	7641	5535	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7131.600098	5025.600098	5025.600098	0.933333
3280	003A	2564	0.06	1350	1	65	100	3	6	5	7692	6342	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	7179.199707	5829.199707	5829.199707	0.933333
3283	101	2826	0.06	1403	2	65	100	3	6	4	8478	7075	RH-2	40	form-based			true	0.7	6	1	4	4	7912.799805	6509.799805	6509.799805	0.933333
3283	042	2288	0.05	1995	1	65	100	3	5	4	6864	4869	RH-2	40	form-based			true	0.7	5	1	4	4	6406.399902	4411.399902	4411.399902	0.933333
3283	089	2704	0.06	1403	2	65	100	3	6	4	8112	6709	RH-2	40	form-based			true	0.7	6	1	4	4	7571.199707	6168.199707	6168.199707	0.933333
3283	099	2878	0.07	1403	2	65	100	3	7	5	8634	7231	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8058.399902	6655.399902	6655.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3283	111	2702	0.06	1403	2	65	100	3	6	4	8106	6703	RH-2	40	form-based			true	0.7	6	1	4	4	7565.600098	6162.600098	6162.600098	0.933333
3502	025	4125	0.09	6858	8	65	100	3	9	1	12375	5517	RTO-1	50	form-based		true	true	0.7	12	1.333333373	4	4	14437.5	7579.5	7579.5	1.166667
3502	036	1972	0.05	4599	6	85	140	4	7	1	7888	3289	RTO-1	85	form-based			true	0.7	10	1.428571463	4	4	11043.2002	6444.200195	6444.200195	1.4
3502	054	2000	0.05	1280	2	65	100	3	5	3	6000	4720	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7000	5720	5720	1.166667
3502	064	2000	0.05	2600	2	65	100	3	5	3	6000	3400	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7000	4400	4400	1.166667
3502	065	2000	0.05	2700	2	65	100	3	5	3	6000	3300	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7000	4300	4300	1.166667
3502	075	1666	0.04	2000	1	65	100	3	4	3	4998	2998	RTO-1	50	form-based			true	0.7	5	1.25	4	4	5831	3831	3831	1.166667
3502	081	1667	0.04	1158	1	65	100	3	4	3	5001	3843	RTO-1	50	form-based			true	0.7	5	1.25	4	4	5834.5	4676.5	4676.5	1.166667
3502	130	2000	0.05	1157	2	65	100	3	5	3	6000	4843	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7000	5843	5843	1.166667
3502	145	2040	0.05	1538	2	65	100	3	5	3	6120	4582	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7140	5602	5602	1.166667
3502	147	2000	0.05	925	2	65	100	3	5	3	6000	5075	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7000	6075	6075	1.166667
3504	022	1855	0.04	2304	2	65	100	3	4	2	5565	3261	NCT-3	50	form-based				0.75	6	1.5	4	4	6956.25	4652.25	4652.25	1.25
3504	061	9088	0.21	1326	16	65	100	3	21	5	27264	25938	NCT-3	40	form-based				0.75	20	0.952380955	4	4	27264	25938	25938	1
3505	026	1722	0.04	2784	0	65	100	3	4	4	5166	2382	NCT-3	40	form-based				0.75	4	1	4	4	5166	2382	2382	1
3509	021	2766	0.06	4987	2	85	140	4	8	6	11064	6077	RED-MX	45	form-based				0.75	6	0.75	4	4	8298	3311	3311	0.75
3509	022	2766	0.06	2012	2	75	120	3.5	7	5	9681	7669	RED-MX	45	form-based				0.75	6	0.857142866	4	4	8298	6286	6286	0.857143
3510	023	1877	0.04	2625	0	65	100	3	4	4	5631	3006	RED-MX	45	form-based				0.75	4	1	4	4	5631	3006	3006	1
3510	026	1877	0.04	3250	0	65	100	3	4	4	5631	2381	RED-MX	45	form-based				0.75	4	1	4	4	5631	2381	2381	1
3510	029	1877	0.04	0	0	65	100	3	4	4	5631	5631	RED-MX	45	form-based				0.75	4	1	4	4	5631	5631	5631	1
3510	030	1877	0.04	2500	0	65	100	3	4	4	5631	3131	RED-MX	45	form-based				0.75	4	1	4	4	5631	3131	3131	1
3510	031	1881	0.04	3750	0	65	100	3	4	4	5643	1893	RED-MX	45	form-based				0.75	4	1	4	4	5643	1893	1893	1
3511	037	1707	0.04	0	0	65	100	3	4	4	5121	5121	RED	40	form-based				0.75	4	1	4	4	5121	5121	5121	1
3511	038	1818	0.04	0	0	65	100	3	4	4	5454	5454	RED	40	form-based				0.75	4	1	4	4	5454	5454	5454	1
3511	043	2023	0.05	1550	1	65	100	3	5	4	6069	4519	RED	40	form-based		true		0.75	5	1	4	4	6069	4519	4519	1
3511	061	2003	0.05	1780	1	65	100	3	5	4	6009	4229	RED	40	form-based				0.75	5	1	4	4	6009	4229	4229	1
3511	161	1934	0.04	1026	0	65	100	3	4	4	5802	4776	RED	40	form-based				0.75	4	1	4	4	5802	4776	4776	1
3517	028	1575	0.04	2015	0	65	100	3	4	4	4725	2710	RED	40	form-based				0.75	4	1	4	4	4725	2710	2710	1
3517	032	2033	0.05	1648	2	65	100	3	5	3	6099	4451	WMUG	55	form-based				0.75	6	1.200000048	4	4	7623.75	5975.75	5975.75	1.25
3519	024	2500	0.06	2656	2	65	100	3	6	4	7500	4844	RED	40	form-based				0.75	6	1	4	4	7500	4844	4844	1
3519	031	2521	0.06	2632	2	65	100	3	6	4	7563	4931	RED	40	form-based				0.75	6	1	4	4	7563	4931	4931	1
3519	036	2521	0.06	1125	2	65	100	3	6	4	7563	6438	RED	40	form-based				0.75	6	1	4	4	7563	6438	6438	1
3519	039	2000	0.05	1892	2	65	100	3	5	3	6000	4108	RCD	55	form-based				0.75	6	1.200000048	4	4	7500	5608	5608	1.25
3519	045	2479	0.06	4576	3	65	100	3	6	3	7437	2861	RCD	55	form-based				0.75	7	1.166666627	4	4	9296.25	4720.25	4720.25	1.25
3519	066	3133	0.07	8395	3	65	100	3	7	4	9399	1004	RED	40	form-based				0.75	7	1	4	4	9399	1004	1004	1
3520	028B	1286	0.03	0	0	65	100	3	3	3	3858	3858	WMUG	55	form-based				0.75	4	1.333333373	4	4	4822.5	4822.5	4822.5	1.25
3520	037	2041	0.05	1230	2	55	80	2.5	4	2	5102	3872	WMUG	55	form-based				0.75	6	1.5	4	4	7653.75	6423.75	6423.75	1.500147
3521	065	1944	0.04	957	6	55	80	2.5	3	0	4860	3903	WMUG	85	form-based			true	0.75	10	3.333333254	4	0	11664	10707	8763	2.4
3521	083	1117	0.03	1441	2	55	80	2.5	2	0	2792	1351	WMUG	85	form-based			true	0.75	6	3	4	2	6702	5261	4143	2.40043
3522	053	1958	0.04	1690	0	65	100	3	4	4	5874	4184	RED	40	form-based				0.75	4	1	4	4	5874	4184	4184	1
3522	062	1999	0.05	1920	0	65	100	3	5	5	5997	4077	RED	40	form-based				0.75	4	0.800000012	4	4	5997	4077	4077	1
3525	070	2500	0.06	2940	2	55	80	2.5	5	3	6250	3310	RED-MX	45	form-based				0.75	6	1.200000048	4	4	7500	4560	4560	1.2
3525	077	1750	0.04	1188	0	55	80	2.5	3	3	4375	3187	RED-MX	45	form-based				0.75	4	1.333333373	4	4	5250	4062	4062	1.2
3532	004	2500	0.06	4962	5	65	100	3	6	1	7500	2538	UMU	68	form-based				0.75	9	1.5	4	4	11250	6288	6288	1.5
3532	007	2500	0.06	5190	5	65	100	3	6	1	7500	2310	UMU	68	form-based				0.75	9	1.5	4	4	11250	6060	6060	1.5
3533	056	1900	0.04	4020	1	65	100	3	4	3	5700	1680	RTO-1	50	form-based			true	0.7	5	1.25	4	4	6650	2630	2630	1.166667
3533	126	4582	0.11	697	10	65	100	3	11	1	13746	13049	NCT-3	50	form-based				0.75	14	1.272727251	4	4	17182.5	16485.5	16485.5	1.25
3534	007	2475	0.06	5223	3	65	100	3	6	3	7425	2202	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	8662.5	3439.5	3439.5	1.166667
3534	014	3404	0.08	4674	4	65	100	3	8	4	10212	5538	NC-1	40	form-based	true		true	0.75	8	1	4	4	10212	5538	5538	1
3534	016	2700	0.06	3076	2	65	100	3	6	4	8100	5024	RTO-1	40	form-based			true	0.7	6	1	4	4	7560	4484	4484	0.933333
3534	025	1875	0.04	855	1	65	100	3	4	3	5625	4770	RTO-1	50	form-based			true	0.7	5	1.25	4	4	6562.5	5707.5	5707.5	1.166667
3534	025D	2250	0.05	3002	2	65	100	3	5	3	6750	3748	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7875	4873	4873	1.166667
3534	040	1690	0.04	1035	1	65	100	3	4	3	5070	4035	RTO-1	50	form-based			true	0.7	5	1.25	4	4	5915	4880	4880	1.166667
3534	048	1875	0.04	1784	1	65	100	3	4	3	5625	3841	RTO-1	50	form-based			true	0.7	5	1.25	4	4	6562.5	4778.5	4778.5	1.166667
3534	049	1650	0.04	1596	1	65	100	3	4	3	4950	3354	RTO-1	50	form-based			true	0.7	5	1.25	4	4	5775	4179	4179	1.166667
3534	103	2475	0.06	1651	3	65	100	3	6	3	7425	5774	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	8662.5	7011.5	7011.5	1.166667
3534	119	2250	0.05	3423	2	65	100	3	5	3	6750	3327	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7875	4452	4452	1.166667
3534	125	2250	0.05	1477	2	65	100	3	5	3	6750	5273	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7875	6398	6398	1.166667
3537	030	2500	0.06	3260	3	65	100	3	6	3	7500	4240	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	8750	5490	5490	1.166667
3537	043	3125	0.07	4012	3	65	100	3	7	4	9375	5363	RTO-1	40	form-based			true	0.7	7	1	4	4	8750	4738	4738	0.933333
3537	069	3103	0.07	5320	5	65	100	3	7	2	9309	3989	RTO-1	50	form-based			true	0.7	9	1.285714269	4	4	10860.5	5540.5	5540.5	1.166667
3537	108	3000	0.07	1440	2	85	140	4	10	8	12000	10560	RTO-1	40	form-based			true	0.7	6	0.600000024	4	4	8400	6960	6960	0.7
3537	112	2500	0.06	1745	3	65	100	3	6	3	7500	5755	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	8750	7005	7005	1.166667
3537	184	3125	0.07	1211	3	65	100	3	7	4	9375	8164	RTO-1	40	form-based			true	0.7	7	1	4	4	8750	7539	7539	0.933333
3538	005	4809	0.11	8040	6	65	100	3	11	5	14427	6387	RTO-1	40	form-based			true	0.7	10	0.909090936	4	4	13465.2002	5425.200195	5425.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3538	009	3249	0.07	3092	3	65	100	3	7	4	9747	6655	RTO-1	40	form-based			true	0.7	7	1	4	4	9097.200195	6005.200195	6005.200195	0.933333
3538	036	2958	0.07	3546	2	65	100	3	7	5	8874	5328	RTO-1	40	form-based			true	0.7	6	0.857142866	4	4	8282.399414	4736.399414	4736.399414	0.933333
3538	037	3229	0.07	2376	3	65	100	3	7	4	9687	7311	RTO-1	40	form-based			true	0.7	7	1	4	4	9041.200195	6665.200195	6665.200195	0.933333
3538	041	4039	0.09	3011	4	65	100	3	9	5	12117	9106	RTO-1	40	form-based			true	0.7	8	0.888888896	4	4	11309.2002	8298.200195	8298.200195	0.933333
3538	044	3742	0.09	4180	4	65	100	3	9	5	11226	7046	RTO-1	40	form-based			true	0.7	8	0.888888896	4	4	10477.59961	6297.599609	6297.599609	0.933333
3538	065	2500	0.06	1756	1	65	100	3	6	5	7500	5744	RTO-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5244	5244	0.933333
3538	068	2200	0.05	2754	1	65	100	3	5	4	6600	3846	RTO-1	40	form-based			true	0.7	5	1	4	4	6160	3406	3406	0.933333
3538	077	3125	0.07	3300	3	65	100	3	7	4	9375	6075	RTO-1	40	form-based			true	0.7	7	1	4	4	8750	5450	5450	0.933333
3538	080	3125	0.07	4170	3	65	100	3	7	4	9375	5205	RTO-1	40	form-based			true	0.7	7	1	4	4	8750	4580	4580	0.933333
3538	085	2400	0.06	1283	1	65	100	3	6	5	7200	5917	RTO-1	40	form-based			true	0.7	5	0.833333313	4	4	6720	5437	5437	0.933333
3538	086	2400	0.06	1080	1	65	100	3	6	5	7200	6120	RTO-1	40	form-based			true	0.7	5	0.833333313	4	4	6720	5640	5640	0.933333
3538	088	2200	0.05	1256	1	65	100	3	5	4	6600	5344	RTO-1	40	form-based			true	0.7	5	1	4	4	6160	4904	4904	0.933333
3538	129	3125	0.07	5331	3	65	100	3	7	4	9375	4044	RTO-1	40	form-based			true	0.7	7	1	4	4	8750	3419	3419	0.933333
3538	134	3125	0.07	1380	3	65	100	3	7	4	9375	7995	RTO-1	40	form-based			true	0.7	7	1	4	4	8750	7370	7370	0.933333
3538	141	3125	0.07	1127	3	65	100	3	7	4	9375	8248	RTO-1	40	form-based			true	0.7	7	1	4	4	8750	7623	7623	0.933333
3538	144	3125	0.07	1250	3	65	100	3	7	4	9375	8125	RTO-1	40	form-based			true	0.7	7	1	4	4	8750	7500	7500	0.933333
3538	156	3125	0.07	3870	3	65	100	3	7	4	9375	5505	RTO-1	40	form-based			true	0.7	7	1	4	4	8750	4880	4880	0.933333
3538	183	2633	0.06	1379	2	65	100	3	6	4	7899	6520	RTO-1	40	form-based			true	0.7	6	1	4	4	7372.399902	5993.399902	5993.399902	0.933333
3540	026	2875	0.07	2632	2	65	100	3	7	5	8625	5993	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8050	5418	5418	0.933333
3540	039	2882	0.07	2570	2	65	100	3	7	5	8646	6076	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8069.600098	5499.600098	5499.600098	0.933333
3540	053	2990	0.07	3437	2	65	100	3	7	5	8970	5533	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8372	4935	4935	0.933333
3540	055	2990	0.07	2084	2	65	100	3	7	5	8970	6886	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8372	6288	6288	0.933333
3540	056	2990	0.07	1856	2	65	100	3	7	5	8970	7114	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8372	6516	6516	0.933333
3540	059	2990	0.07	2984	2	65	100	3	7	5	8970	5986	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8372	5388	5388	0.933333
3540	062	2990	0.07	3096	2	65	100	3	7	5	8970	5874	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8372	5276	5276	0.933333
3540	063	2990	0.07	2122	2	65	100	3	7	5	8970	6848	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8372	6250	6250	0.933333
3540	066	5000	0.11	4409	6	65	100	3	11	5	15000	10591	RH-3	40	form-based		true	true	0.7	10	0.909090936	4	4	14000	9591	9591	0.933333
3540	070	2600	0.06	1312	1	65	100	3	6	5	7800	6488	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7280	5968	5968	0.933333
3540	071	2600	0.06	1148	1	65	100	3	6	5	7800	6652	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7280	6132	6132	0.933333
3540	074	2993	0.07	2944	2	65	100	3	7	5	8979	6035	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8380.399414	5436.399414	5436.399414	0.933333
3540	075	2993	0.07	2000	2	65	100	3	7	5	8979	6979	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8380.399414	6380.399414	6380.399414	0.933333
3540	101	2992	0.07	1151	2	65	100	3	7	5	8976	7825	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8377.599609	7226.599609	7226.599609	0.933333
3540	105	3228	0.07	1217	3	65	100	3	7	4	9684	8467	RH-3	40	form-based			true	0.7	7	1	4	4	9038.399414	7821.399414	7821.399414	0.933333
3540	126	2882	0.07	1199	2	65	100	3	7	5	8646	7447	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8069.600098	6870.600098	6870.600098	0.933333
3540	128	2875	0.07	1547	2	65	100	3	7	5	8625	7078	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8050	6503	6503	0.933333
3540	132	2991	0.07	1113	2	65	100	3	7	5	8973	7860	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8374.799805	7261.799805	7261.799805	0.933333
3540	159	2882	0.07	2060	2	65	100	3	7	5	8646	6586	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8069.600098	6009.600098	6009.600098	0.933333
3540	161	2990	0.07	1288	2	65	100	3	7	5	8970	7682	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8372	7084	7084	0.933333
3541	012	2875	0.07	2728	4	85	140	4	10	6	11500	8772	RH-2	50	form-based			true	0.7	8	0.800000012	4	4	10062.5	7334.5	7334.5	0.875
3541	029	2625	0.06	4782	3	65	100	3	6	3	7875	3093	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	9187.5	4405.5	4405.5	1.166667
3541	054	2875	0.07	2752	2	65	100	3	7	5	8625	5873	RTO-1	40	form-based			true	0.7	6	0.857142866	4	4	8050	5298	5298	0.933333
3541	058	2875	0.07	2830	2	65	100	3	7	5	8625	5795	RTO-1	40	form-based			true	0.7	6	0.857142866	4	4	8050	5220	5220	0.933333
3541	061	2650	0.06	4088	2	65	100	3	6	4	7950	3862	RTO-1	40	form-based			true	0.7	6	1	4	4	7420	3332	3332	0.933333
3541	062	2625	0.06	2388	2	65	100	3	6	4	7875	5487	RTO-1	40	form-based			true	0.7	6	1	4	4	7350	4962	4962	0.933333
3541	067	5506	0.13	9687	8	65	100	3	13	5	16518	6831	RTO-1	40	form-based		true	true	0.7	12	0.923076928	4	4	15416.7998	5729.799805	5729.799805	0.933333
3541	069	2873	0.07	2780	2	65	100	3	7	5	8619	5839	RTO-1	40	form-based			true	0.7	6	0.857142866	4	4	8044.399902	5264.399902	5264.399902	0.933333
3541	071	2873	0.07	2225	2	65	100	3	7	5	8619	6394	RTO-1	40	form-based			true	0.7	6	0.857142866	4	4	8044.399902	5819.399902	5819.399902	0.933333
3541	072	2872	0.07	2225	2	65	100	3	7	5	8616	6391	RTO-1	40	form-based			true	0.7	6	0.857142866	4	4	8041.600098	5816.600098	5816.600098	0.933333
3541	078	2871	0.07	3052	2	65	100	3	7	5	8613	5561	RTO-1	40	form-based			true	0.7	6	0.857142866	4	4	8038.799805	4986.799805	4986.799805	0.933333
3541	079	2871	0.07	3092	4	65	100	3	7	3	8613	5521	RTO-1	50	form-based			true	0.7	8	1.142857194	4	4	10048.5	6956.5	6956.5	1.166667
3541	097	2625	0.06	1375	3	65	100	3	6	3	7875	6500	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	9187.5	7812.5	7812.5	1.166667
3541	116	2625	0.06	1399	3	65	100	3	6	3	7875	6476	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	9187.5	7788.5	7788.5	1.166667
3541	135	2625	0.06	4320	2	65	100	3	6	4	7875	3555	RTO-1	40	form-based			true	0.7	6	1	4	4	7350	3030	3030	0.933333
3541	146	2625	0.06	1574	3	65	100	3	6	3	7875	6301	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	9187.5	7613.5	7613.5	1.166667
3541	149	2625	0.06	1304	3	65	100	3	6	3	7875	6571	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	9187.5	7883.5	7883.5	1.166667
3541	155	2635	0.06	1483	3	65	100	3	6	3	7905	6422	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	9222.5	7739.5	7739.5	1.166667
3542	035	2005	0.05	3000	2	65	100	3	5	3	6015	3015	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7017.5	4017.5	4017.5	1.166667
3542	038A	1457	0.03	1366	0	85	140	4	4	4	5828	4462	NCT-UPPEI	50	form-based			true	0.75	4	1	4	4	5463.75	4097.75	4097.75	0.9375
3544	004	2515	0.06	5173	3	65	100	3	6	3	7545	2372	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	8802.5	3629.5	3629.5	1.166667
3544	005	2515	0.06	5375	3	65	100	3	6	3	7545	2170	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	8802.5	3427.5	3427.5	1.166667
3544	008	2500	0.06	4125	3	65	100	3	6	3	7500	3375	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	8750	4625	4625	1.166667
3544	016	2243	0.05	3150	2	65	100	3	5	3	6729	3579	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7850.5	4700.5	4700.5	1.166667
3544	024	3125	0.07	5280	5	65	100	3	7	2	9375	4095	RTO-1	50	form-based			true	0.7	9	1.285714269	4	4	10937.5	5657.5	5657.5	1.166667
3544	032	2500	0.06	4350	3	85	140	4	8	5	10000	5650	RTO-1	50	form-based			true	0.7	7	0.875	4	4	8750	4400	4400	0.875

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3544	073A	2125	0.05	2250	2	65	100	3	5	3	6375	4125	RTO-1	50	form-based			true	0.7	6	1.200000048	4	4	7437.5	5187.5	5187.5	1.166667
3544	133	3125	0.07	1187	5	65	100	3	7	2	9375	8188	RTO-1	50	form-based			true	0.7	9	1.285714269	4	4	10937.5	9750.5	9750.5	1.166667
3545	050	3189	0.07	3580	3	65	100	3	7	4	9567	5987	RTO-1	40	form-based			true	0.7	7	1	4	4	8929.200195	5349.200195	5349.200195	0.933333
3545	055	2596	0.06	3210	3	65	100	3	6	3	7788	4578	RTO-1	50	form-based		true	true	0.7	7	1.166666627	4	4	9086	5876	5876	1.166667
3546	021	3732	0.09	3504	4	65	100	3	9	5	11196	7692	RTO-M	45	form-based				0.7	8	0.888888896	4	4	10449.59961	6945.599609	6945.599609	0.933333
3546	022	3120	0.07	3762	3	65	100	3	7	4	9360	5598	RTO-M	45	form-based				0.7	7	1	4	4	8736	4974	4974	0.933333
3546	027	3120	0.07	4896	3	65	100	3	7	4	9360	4464	RTO-M	45	form-based				0.7	7	1	4	4	8736	3840	3840	0.933333
3546	027A	3120	0.07	4536	3	75	120	3.5	8	5	10920	6384	RTO-M	45	form-based				0.7	7	0.875	4	4	8736	4200	4200	0.8
3546	028	3250	0.07	5100	3	75	120	3.5	8	5	11375	6275	RTO-M	45	form-based				0.7	7	0.875	4	4	9100	4000	4000	0.8
3546	037	2907	0.07	1850	3	65	100	3	7	4	8721	6871	NC-1	45	form-based		true	true	0.75	7	1	4	4	8721	6871	6871	1
3548	083	1919	0.04	675	0	75	120	3.5	5	5	6716	6041	RTO-M	40	form-based				0.7	4	0.800000012	4	4	5373.199707	4698.199707	4698.199707	0.800059
3548	008	2125	0.05	3008	2	75	120	3.5	6	4	7438	4430	UMU	58	form-based				0.75	6	1	4	4	7968.75	4960.75	4960.75	1.071357
3548	010	2116	0.05	2424	2	75	120	3.5	6	4	7406	4982	UMU	58	form-based				0.75	6	1	4	4	7935	5511	5511	1.071429
3548	011	2125	0.05	1610	2	75	120	3.5	6	4	7438	5828	UMU	58	form-based				0.75	6	1	4	4	7968.75	6358.75	6358.75	1.071357
3548	012	2125	0.05	2416	2	75	120	3.5	6	4	7438	5022	UMU	58	form-based				0.75	6	1	4	4	7968.75	5552.75	5552.75	1.071357
3548	024	1890	0.04	3310	2	75	120	3.5	5	3	6615	3305	UMU	58	form-based				0.75	6	1.200000048	4	4	7087.5	3777.5	3777.5	1.071429
3548	025	1890	0.04	3780	2	75	120	3.5	5	3	6615	2835	UMU	58	form-based				0.75	6	1.200000048	4	4	7087.5	3307.5	3307.5	1.071429
3548	048	1973	0.05	3050	0	75	120	3.5	6	6	6906	3856	UMU	48	form-based				0.75	4	0.666666687	4	4	5919	2869	2869	0.857081
3548	052	1973	0.05	2600	0	75	120	3.5	6	6	6906	4306	UMU	48	form-based				0.75	4	0.666666687	4	4	5919	3319	3319	0.857081
3548	075	1794	0.04	2000	0	75	120	3.5	5	5	6279	4279	RTO-M	40	form-based				0.7	4	0.800000012	4	4	5023.199707	3023.199707	3023.199707	0.8
3548	085	1769	0.04	2200	0	75	120	3.5	5	5	6192	3992	UMU	48	form-based				0.75	4	0.800000012	4	4	5307	3107	3107	0.857074
3548	105	2070	0.05	1358	2	75	120	3.5	6	4	7245	5887	RTO-M	55	form-based				0.7	6	1	4	4	7245	5887	5887	1
3549	045	2509	0.06	3562	4	75	120	3.5	7	3	8782	5220	UMU	58	form-based				0.75	8	1.142857194	4	4	9408.75	5846.75	5846.75	1.071368
3552	043	5021	0.12	8200	1	75	120	3.5	14	13	17574	9374	RH-3	50	density-lin	1000			0.7	5	0.357142866	4	4	17573.5	9373.5	9373.5	0.999972
3552	045	3297	0.08	7145	6	75	120	3.5	10	4	11540	4395	UMU	58	form-based				0.75	10	1	4	4	12363.75	5218.75	5218.75	1.071382
3553	046	3840	0.09	3900	4	75	120	3.5	11	7	13440	9540	RTO-M	40	form-based				0.7	8	0.727272749	4	4	10752	6852	6852	0.8
3553	047A	3600	0.08	2946	4	75	120	3.5	10	6	12600	9654	RTO-M	40	form-based				0.7	8	0.800000012	4	4	10080	7134	7134	0.8
3553	056	3360	0.08	3400	3	75	120	3.5	10	7	11760	8360	RTO-M	40	form-based				0.7	7	0.699999988	4	4	9408	6008	6008	0.8
3555	025	2403	0.06	3552	3	75	120	3.5	7	4	8410	4858	NCT-VALEI	55	form-based				0.75	7	1	4	4	9011.25	5459.25	5459.25	1.071492
3555	030A	3664	0.08	4100	4	75	120	3.5	10	6	12824	8724	RTO-M	45	form-based				0.7	8	0.800000012	4	4	10259.2002	6159.200195	6159.200195	0.8
3555	031D	2910	0.07	3137	2	75	120	3.5	8	6	10185	7048	RTO-M	45	form-based				0.7	6	0.75	4	4	8148	5011	5011	0.8
3555	031F	2800	0.06	1008	2	75	120	3.5	7	5	9800	8792	RTO-M	45	form-based				0.7	6	0.857142866	4	4	7840	6832	6832	0.8
3555	031H	3007	0.07	3414	2	75	120	3.5	8	6	10524	7110	RTO-M	45	form-based				0.7	6	0.75	4	4	8419.599609	5005.599609	5005.599609	0.800038
3555	031J	3083	0.07	3414	2	75	120	3.5	8	6	10790	7376	RTO-M	45	form-based				0.7	6	0.75	4	4	8632.399414	5218.399414	5218.399414	0.800037
3555	031L	2623	0.06	2800	2	75	120	3.5	7	5	9180	6380	RTO-M	45	form-based				0.7	6	0.857142866	4	4	7344.399902	4544.399902	4544.399902	0.800044
3555	031M	2795	0.06	2824	2	75	120	3.5	7	5	9782	6958	RTO-M	45	form-based				0.7	6	0.857142866	4	4	7826	5002	5002	0.800041
3555	031N	2817	0.06	2800	2	75	120	3.5	7	5	9860	7060	RTO-M	45	form-based				0.7	6	0.857142866	4	4	7887.600098	5087.600098	5087.600098	0.799959
3555	032	2863	0.07	2800	2	75	120	3.5	8	6	10020	7220	RTO-M	45	form-based				0.7	6	0.75	4	4	8016.399902	5216.399902	5216.399902	0.80004
3555	037	2332	0.05	3387	3	75	120	3.5	6	3	8162	4775	RTO-M	55	form-based				0.7	7	1.166666627	4	4	8162	4775	4775	1
3555	042	2402	0.06	1458	1	75	120	3.5	7	6	8407	6949	RTO-M	45	form-based				0.7	5	0.714285731	4	4	6725.600098	5267.600098	5267.600098	0.8
3555	044	2970	0.07	1416	2	75	120	3.5	8	6	10395	8979	RTO-M	45	form-based				0.7	6	0.75	4	4	8316	6900	6900	0.8
3555	050	2182	0.05	1594	1	75	120	3.5	6	5	7637	6043	RTO-M	45	form-based				0.7	5	0.833333313	4	4	6109.600098	4515.600098	4515.600098	0.8
3555	055A	2542	0.06	2016	1	75	120	3.5	7	6	8897	6881	RTO-M	45	form-based				0.7	5	0.714285731	4	4	7117.600098	5101.600098	5101.600098	0.8
3555	055B	2484	0.06	1344	1	75	120	3.5	7	6	8694	7350	RTO-M	45	form-based				0.7	5	0.714285731	4	4	6955.199707	5611.199707	5611.199707	0.8
3555	059	2718	0.06	1439	2	75	120	3.5	7	5	9513	8074	RTO-M	45	form-based				0.7	6	0.857142866	4	4	7610.399902	6171.399902	6171.399902	0.8
3555	067	2973	0.07	1583	2	75	120	3.5	8	6	10406	8823	RTO-M	45	form-based				0.7	6	0.75	4	4	8324.399414	6741.399414	6741.399414	0.799962
3555	069	2505	0.06	1622	3	75	120	3.5	7	4	8768	7146	RTO-M	55	form-based		true		0.7	7	1	4	4	8767.5	7145.5	7145.5	0.999943
3555	072	2976	0.07	1397	2	75	120	3.5	8	6	10416	9019	RTO-M	45	form-based				0.7	6	0.75	4	4	8332.799805	6935.799805	6935.799805	0.8
3556	021	5962	0.14	6632	6	65	100	3	14	8	17886	11254	RTO-1	40	density-lin	600			0.7	10	0.714285731	4	4	16693.59961	10061.59961	10061.59961	0.933333
3556	037	2707	0.06	2616	2	65	100	3	6	4	8121	5505	RTO-1	40	form-based			true	0.7	6	1	4	4	7579.600098	4963.600098	4963.600098	0.933333
3556	238	2428	0.06	2045	1	65	100	3	6	5	7284	5239	RTO-1	40	form-based			true	0.7	5	0.833333313	4	4	6798.399902	4753.399902	4753.399902	0.933333
3557	033	1737	0.04	3000	1	85	140	4	6	5	6948	3948	RTO-1	50	form-based			true	0.7	5	0.833333313	4	4	6079.5	3079.5	3079.5	0.875
3557	047	1875	0.04	3966	3	65	100	3	4	1	5625	1659	RTO-1	65	form-based			true	0.7	7	1.75	4	4	7875	3909	3909	1.4
3557	048	1875	0.04	4005	3	65	100	3	4	1	5625	1620	RTO-1	65	form-based			true	0.7	7	1.75	4	4	7875	3870	3870	1.4
3557	049	1875	0.04	3257	3	65	100	3	4	1	5625	2368	RTO-1	65	form-based			true	0.7	7	1.75	4	4	7875	4618	4618	1.4
3558	012	2386	0.05	4275	3	85	140	4	7	4	9544	5269	RTO-1	50	form-based			true	0.7	7	1	4	4	8351	4076	4076	0.875
3558	018	2740	0.06	2750	4	65	100	3	6	2	8220	5470	RTO-1	50	form-based			true	0.7	8	1.333333373	4	4	9590	6840	6840	1.166667
3558	029	3150	0.07	3414	5	65	100	3	7	2	9450	6036	RTO-1	50	form-based			true	0.7	9	1.285714269	4	4	11025	7611	7611	1.166667
3558	042	2521	0.06	3156	3	85	140	4	8	5	10084	6928	RTO-1	50	form-based			true	0.7	7	0.875	4	4	8823.5	5667.5	5667.5	0.875
3558	066	3125	0.07	5910	5	65	100	3	7	2	9375	3465	RTO-1	50	form-based			true	0.7	9	1.285714269	4	4	10937.5	5027.5	5027.5	1.166667
3558	130	2386	0.05	1820	3	65	100	3	5	2	7158	5338	RTO-1	50	form-based			true	0.7	7	1.399999976	4	4	8351	6531	6531	1.166667
3558	165	2386	0.05	1416	3	85	140	4	7	4	9544	8128	RTO-1	50	form-based			true	0.7	7	1	4	4	8351	6935	6935	0.875
3559	023	2492	0.06	1542	3	65	100	3	6	3	7476	5934	RTO-1	50	form-based			true	0.7	7	1.166666627	4	4	8722	7180	7180	1.166667
3561	020	2899	0.07	2958	4	65	100	3	7	3	8697	5739	RH-3	50	form-based			true	0.7	8	1.142857194	4	4	10146.5	7188.5	7188.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3561	024	1933	0.04	1540	1	65	100	3	4	3	5799	4259	RH-3	50	form-based			true	0.7	5	1.25	4	4	6765.5	5225.5	5225.5	1.166667
3561	024A	1933	0.04	1448	1	65	100	3	4	3	5799	4351	RH-3	50	form-based			true	0.7	5	1.25	4	4	6765.5	5317.5	5317.5	1.166667
3561	024B	1933	0.04	2182	1	65	100	3	4	3	5799	3617	RH-3	50	form-based			true	0.7	5	1.25	4	4	6765.5	4583.5	4583.5	1.166667
3561	029	2899	0.07	4185	4	65	100	3	7	3	8697	4512	RH-3	50	form-based			true	0.7	8	1.142857194	4	4	10146.5	5961.5	5961.5	1.166667
3561	065	2875	0.07	3500	2	65	100	3	7	5	8625	5125	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8050	4550	4550	0.933333
3561	065A	2875	0.07	3250	2	65	100	3	7	5	8625	5375	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8050	4800	4800	0.933333
3561	065B	2875	0.07	3250	2	65	100	3	7	5	8625	5375	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8050	4800	4800	0.933333
3561	065C	2887	0.07	3544	2	65	100	3	7	5	8661	5117	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8083.600098	4539.600098	4539.600098	0.933333
3561	065G	2887	0.07	3427	2	65	100	3	7	5	8661	5234	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8083.600098	4656.600098	4656.600098	0.933333
3561	066	2512	0.06	1627	1	65	100	3	6	5	7536	5909	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7033.600098	5406.600098	5406.600098	0.933333
3561	067	2887	0.07	2414	2	65	100	3	7	5	8661	6247	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8083.600098	5669.600098	5669.600098	0.933333
3561	070	2507	0.06	2160	1	65	100	3	6	5	7521	5361	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7019.600098	4859.600098	4859.600098	0.933333
3561	074	2262	0.05	1310	1	65	100	3	5	4	6786	5476	RH-2	40	form-based			true	0.7	5	1	4	4	6333.600098	5023.600098	5023.600098	0.933333
3561	080	2887	0.07	2164	2	65	100	3	7	5	8661	6497	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8083.600098	5919.600098	5919.600098	0.933333
3561	085	2939	0.07	5212	4	65	100	3	7	3	8817	3605	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10286.5	5074.5	5074.5	1.166667
3561	098	2887	0.07	1361	2	65	100	3	7	5	8661	7300	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8083.600098	6722.600098	6722.600098	0.933333
3561	112	2887	0.07	2017	2	65	100	3	7	5	8661	6644	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8083.600098	6066.600098	6066.600098	0.933333
3561	120	2887	0.07	2142	4	65	100	3	7	3	8661	6519	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10104.5	7962.5	7962.5	1.166667
3562	017	1777	0.04	3300	5	65	100	3	4	0	5331	2031	NCT-UPPE	85	form-based			true	0.75	9	2.25	4	3	10662	7362	7362	2
3564	017	2500	0.06	3526	1	65	100	3	6	5	7500	3974	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	3474	3474	0.933333
3564	033	2008	0.05	2544	2	65	100	3	5	3	6024	3480	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7028	4484	4484	1.166667
3564	036	2008	0.05	1217	2	65	100	3	5	3	6024	4807	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7028	5811	5811	1.166667
3564	038	1715	0.04	1845	1	65	100	3	4	3	5145	3300	RH-2	50	form-based			true	0.7	5	1.25	4	4	6002.5	4157.5	4157.5	1.166667
3564	039	1692	0.04	1053	1	65	100	3	4	3	5076	4023	RH-2	50	form-based			true	0.7	5	1.25	4	4	5922	4869	4869	1.166667
3564	040	1698	0.04	915	1	65	100	3	4	3	5094	4179	RH-2	50	form-based			true	0.7	5	1.25	4	4	5943	5028	5028	1.166667
3564	042	1698	0.04	1375	1	65	100	3	4	3	5094	3719	RH-2	50	form-based			true	0.7	5	1.25	4	4	5943	4568	4568	1.166667
3564	047	1698	0.04	1389	1	65	100	3	4	3	5094	3705	RH-2	50	form-based			true	0.7	5	1.25	4	4	5943	4554	4554	1.166667
3564	053	1719	0.04	1080	1	65	100	3	4	3	5157	4077	RH-2	50	form-based			true	0.7	5	1.25	4	4	6016.5	4936.5	4936.5	1.166667
3564	069	2000	0.05	2519	2	65	100	3	5	3	6000	3481	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7000	4481	4481	1.166667
3564	077	2287	0.05	3152	2	85	140	4	7	5	9148	5996	RH-3	50	form-based			true	0.7	6	0.857142866	4	4	8004.5	4852.5	4852.5	0.875
3564	082	2357	0.05	3600	3	85	140	4	7	4	9428	5828	RH-3	50	form-based			true	0.7	7	1	4	4	8249.5	4649.5	4649.5	0.875
3564	109	2000	0.05	1899	2	65	100	3	5	3	6000	4101	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7000	5101	5101	1.166667
3564	121	2000	0.05	1350	2	85	140	4	7	5	8000	6650	RH-2	50	form-based			true	0.7	6	0.857142866	4	4	7000	5650	5650	0.875
3564	135	2000	0.05	978	2	65	100	3	5	3	6000	5022	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7000	6022	6022	1.166667
3564	183	2008	0.05	938	2	65	100	3	5	3	6024	5086	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7028	6090	6090	1.166667
3565	074	2250	0.05	6042	3	65	100	3	5	2	6750	708	NCT-UPPE	50	form-based			true	0.75	7	1.399999976	4	4	8437.5	2395.5	2395.5	1.25
3565	084	2550	0.06	3830	3	65	100	3	6	3	7650	3820	RM-1	50	form-based		true	true	0.7	7	1.166666627	4	4	8925	5095	5095	1.166667
3565	088	2125	0.05	904	2	65	100	3	5	3	6375	5471	RM-1	50	form-based			true	0.7	6	1.200000048	4	4	7437.5	6533.5	6533.5	1.166667
3566	004	2567	0.06	4380	3	65	100	3	6	3	7701	3321	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8984.5	4604.5	4604.5	1.166667
3566	012	2473	0.06	4980	3	65	100	3	6	3	7419	2439	RM-1	50	form-based			true	0.7	7	1.166666627	4	4	8655.5	3675.5	3675.5	1.166667
3566	016	2975	0.07	3174	4	65	100	3	7	3	8925	5751	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10412.5	7238.5	7238.5	1.166667
3566	022	2245	0.05	2857	2	65	100	3	5	3	6735	3878	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7857.5	5000.5	5000.5	1.166667
3566	030	2221	0.05	2357	2	65	100	3	5	3	6663	4306	RM-1	50	form-based		true	true	0.7	6	1.200000048	4	4	7773.5	5416.5	5416.5	1.166667
3566	049	2216	0.05	2155	2	65	100	3	5	3	6648	4493	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7756	5601	5601	1.166667
3566	065	2201	0.05	1085	2	65	100	3	5	3	6603	5518	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7703.5	6618.5	6618.5	1.166667
3566	067	2052	0.05	716	2	65	100	3	5	3	6156	5440	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7182	6466	6466	1.166667
3566	069	2186	0.05	1133	2	65	100	3	5	3	6558	5425	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7651	6518	6518	1.166667
3566	075	2074	0.05	630	2	65	100	3	5	3	6222	5592	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7259	6629	6629	1.166667
3566	096	3027	0.07	908	4	65	100	3	7	3	9081	8173	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10594.5	9686.5	9686.5	1.166667
3567	032	1907	0.04	0	0	85	140	4	6	6	7628	7628	RM-1	40	form-based			true	0.7	4	0.666666687	4	4	5339.600098	5339.600098	5339.600098	0.7
3567	044	2767	0.06	3520	2	65	100	3	6	4	8301	4781	NCT-VALE	40	form-based				0.75	6	1	4	4	8301	4781	4781	1
3568	037	3450	0.08	7020	6	75	120	3.5	10	4	12075	5055	RTO-M	55	form-based				0.7	10	1	4	4	12075	5055	5055	1
3568	047	3177	0.07	6480	3	75	120	3.5	8	5	11120	4640	RTO-M	45	form-based		true		0.7	7	0.875	4	4	8895.599609	2415.599609	2415.599609	0.799964
3568	053	2847	0.07	2210	2	75	120	3.5	8	6	9964	7754	RTO-M	45	form-based				0.7	6	0.75	4	4	7971.600098	5761.600098	5761.600098	0.80004
3568	054	2980	0.07	3310	2	75	120	3.5	8	6	10430	7120	RTO-M	45	form-based				0.7	6	0.75	4	4	8344	5034	5034	0.8
3568	062	2400	0.06	5580	3	75	120	3.5	7	4	8400	2820	NCT-VALE	55	form-based				0.75	7	1	4	4	9000	3420	3420	1.071429
3568	066	1846	0.04	2856	2	85	140	4	6	4	7384	4528	NCT-VALE	55	form-based				0.75	6	1	4	4	6922.5	4066.5	4066.5	0.9375
3574	018	2236	0.05	7250	0	65	100	3	5	5	6708	0	RH-3	55	density-lim	1000			0.7	4	0.800000012	4	4	7826	576	576	1.166667
3574	023	1826	0.04	2500	2	65	100	3	4	2	5478	2978	RH-3	55	density-lim	1000	true		0.7	6	1.5	4	4	6391	3891	3891	1.166667
3574	064	2940	0.07	2318	0	65	100	3	7	7	8820	6502	RH-3	50	density-lim	1000			0.7	4	0.571428597	4	4	10290	7972	7972	1.166667
3577	002	2600	0.06	4584	4	75	120	3.5	7	3	9100	4516	NCT-VALE	55	form-based				0.75	8	1.142857194	4	4	9750	5166	5166	1.071429
3577	051	2625	0.06	2990	2	75	120	3.5	7	5	9188	6198	RTO-M	45	form-based				0.7	6	0.857142866	4	4	7350	4360	4360	0.799956
3577	018	2500	0.06	4350	3	65	100	3	6	3	7500	3150	RTO-M	55	form-based				0.7	7	1.166666627	4	4	8750	4400	4400	1.166667
3577	024	3500	0.08	4875	3	65	100	3	8	5	10500	5625	RTO-M	45	form-based				0.7	7	0.875	4	4	9800	4925	4925	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3577	028	3870	0.09	5200	4	65	100	3	9	5	11610	6410	RTO-M	45	form-based				0.7	8	0.888888896	4	4	10836	5636	5636	0.933333
3577	087	2492	0.06	1415	3	65	100	3	6	3	7476	6061	RTO-M	55	form-based				0.7	7	1.166666627	4	4	8722	7307	7307	1.166667
3578	081	2809	0.06	1819	1	65	100	3	6	5	8427	6608	RM-2	40	density-lin	600			0.7	5	0.833333313	4	4	7865.199707	6046.199707	6046.199707	0.933333
3579	024	2864	0.07	3612	4	85	140	4	10	6	11456	7844	RM-1	50	form-based			true	0.7	8	0.800000012	4	4	10024	6412	6412	0.875
3579	030	2462	0.06	4725	3	65	100	3	6	3	7386	2661	RM-1	50	form-based			true	0.7	7	1.166666627	4	4	8617	3892	3892	1.166667
3579	034	2414	0.06	4800	3	65	100	3	6	3	7242	2442	RM-1	50	form-based			true	0.7	7	1.166666627	4	4	8449	3649	3649	1.166667
3579	043	2458	0.06	1404	3	65	100	3	6	3	7374	5970	RM-1	50	form-based			true	0.7	7	1.166666627	4	4	8603	7199	7199	1.166667
3580	013	2433	0.06	4815	3	85	140	4	8	5	9732	4917	RM-1	50	form-based			true	0.7	7	0.875	4	4	8515.5	3700.5	3700.5	0.875
3580	023	1874	0.04	1920	1	65	100	3	4	3	5622	3702	RM-1	50	form-based			true	0.7	5	1.25	4	4	6559	4639	4639	1.166667
3580	033	2893	0.07	3280	4	65	100	3	7	3	8679	5399	RM-1	50	form-based		true	true	0.7	8	1.142857194	4	4	10125.5	6845.5	6845.5	1.166667
3580	060	2500	0.06	2100	3	65	100	3	6	3	7500	5400	RM-1	50	form-based			true	0.7	7	1.166666627	4	4	8750	6650	6650	1.166667
3580	066	2475	0.06	2690	3	65	100	3	6	3	7425	4735	RM-1	50	form-based			true	0.7	7	1.166666627	4	4	8662.5	5972.5	5972.5	1.166667
3580	070	2500	0.06	4065	3	85	140	4	8	5	10000	5935	RM-1	50	form-based			true	0.7	7	0.875	4	4	8750	4685	4685	0.875
3580	163	2227	0.05	1114	2	65	100	3	5	3	6681	5567	RM-1	50	form-based			true	0.7	6	1.200000048	4	4	7794.5	6680.5	6680.5	1.166667
3580	171	2272	0.05	1103	2	65	100	3	5	3	6816	5713	RM-1	50	form-based			true	0.7	6	1.200000048	4	4	7952	6849	6849	1.166667
3580	173	1943	0.04	1572	3	85	140	4	6	3	7772	6200	RTO-C	65	form-based			true	0.75	7	1.166666627	4	4	8743.5	7171.5	7171.5	1.125
3580	187	2364	0.05	1318	3	65	100	3	5	2	7092	5774	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8274	6956	6956	1.166667
3580	190	2500	0.06	1358	3	85	140	4	8	5	10000	8642	RM-1	50	form-based			true	0.7	7	0.875	4	4	8750	7392	7392	0.875
3580	193	2338	0.05	1037	3	65	100	3	5	2	7014	5977	RM-1	50	form-based			true	0.7	7	1.399999976	4	4	8183	7146	7146	1.166667
3581	002	2510	0.06	1115	1	65	100	3	6	5	7530	6415	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7028	5913	5913	0.933333
3581	004	2510	0.06	1499	1	65	100	3	6	5	7530	6031	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7028	5529	5529	0.933333
3581	008	2510	0.06	1600	1	65	100	3	6	5	7530	5930	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7028	5428	5428	0.933333
3581	011	2500	0.06	2790	1	65	100	3	6	5	7500	4710	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	4210	4210	0.933333
3581	018	2850	0.07	2518	2	65	100	3	7	5	8550	6032	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7980	5462	5462	0.933333
3581	020C	2850	0.07	2288	2	65	100	3	7	5	8550	6262	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7980	5692	5692	0.933333
3581	023	2850	0.07	3628	2	65	100	3	7	5	8550	4922	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7980	4352	4352	0.933333
3581	026	2850	0.07	3050	2	65	100	3	7	5	8550	5500	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7980	4930	4930	0.933333
3581	028	3051	0.07	2020	2	65	100	3	7	5	9153	7133	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8542.799805	6522.799805	6522.799805	0.933333
3581	032	2760	0.06	2300	2	65	100	3	6	4	8280	5980	RH-3	40	form-based			true	0.7	6	1	4	4	7728	5428	5428	0.933333
3581	041	2845	0.07	2330	2	65	100	3	7	5	8535	6205	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7966	5636	5636	0.933333
3581	052	2850	0.07	2420	2	65	100	3	7	5	8550	6130	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5560	5560	0.933333
3581	056	2850	0.07	2250	2	65	100	3	7	5	8550	6300	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5730	5730	0.933333
3581	058	2850	0.07	2760	2	65	100	3	7	5	8550	5790	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5220	5220	0.933333
3581	064	2750	0.06	2940	2	65	100	3	6	4	8250	5310	RH-3	40	form-based			true	0.7	6	1	4	4	7700	4760	4760	0.933333
3581	068	5563	0.13	7935	8	85	140	4	18	10	22252	14317	RH-3	40	form-based		true	true	0.7	12	0.666666687	4	4	15576.39941	7641.399414	7641.399414	0.7
3581	070	2583	0.06	1850	1	85	140	4	8	7	10332	8482	RH-3	40	form-based			true	0.7	5	0.625	4	4	7232.399902	5382.399902	5382.399902	0.7
3581	074	2835	0.07	2640	2	65	100	3	7	5	8505	5865	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7938	5298	5298	0.933333
3581	079	2836	0.07	2880	2	65	100	3	7	5	8508	5628	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7940.799805	5060.799805	5060.799805	0.933333
3581	080	2836	0.07	2050	2	65	100	3	7	5	8508	6458	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7940.799805	5890.799805	5890.799805	0.933333
3581	092	2750	0.06	1396	2	85	140	4	8	6	11000	9604	RH-3	40	form-based			true	0.7	6	0.75	4	4	7700	6304	6304	0.7
3581	094	2835	0.07	1101	2	65	100	3	7	5	8505	7404	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7938	6837	6837	0.933333
3581	096	2850	0.07	1239	2	65	100	3	7	5	8550	7311	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6741	6741	0.933333
3581	098	2850	0.07	1090	2	65	100	3	7	5	8550	7460	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7980	6890	6890	0.933333
3581	104	2845	0.07	1515	2	65	100	3	7	5	8535	7020	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7966	6451	6451	0.933333
3581	108	2834	0.07	1354	2	85	140	4	10	8	11336	9982	RH-3	40	form-based			true	0.7	6	0.600000024	4	4	7935.199707	6581.199707	6581.199707	0.7
3581	110	2834	0.07	1272	2	85	140	4	10	8	11336	10064	RH-3	40	form-based			true	0.7	6	0.600000024	4	4	7935.199707	6663.199707	6663.199707	0.7
3581	114	2844	0.07	1831	2	65	100	3	7	5	8532	6701	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7963.199707	6132.199707	6132.199707	0.933333
3581	119	2846	0.07	1273	2	65	100	3	7	5	8538	7265	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7968.799805	6695.799805	6695.799805	0.933333
3582	010	3117	0.07	3373	3	65	100	3	7	4	9351	5978	RH-3	40	form-based			true	0.7	7	1	4	4	8727.599609	5354.599609	5354.599609	0.933333
3582	013	3117	0.07	3252	3	65	100	3	7	4	9351	6099	RH-3	40	form-based			true	0.7	7	1	4	4	8727.599609	5475.599609	5475.599609	0.933333
3582	017	2500	0.06	2303	1	65	100	3	6	5	7500	5197	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	4697	4697	0.933333
3582	018	2500	0.06	2184	1	65	100	3	6	5	7500	5316	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	4816	4816	0.933333
3582	019	2500	0.06	2560	1	65	100	3	6	5	7500	4940	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	4440	4440	0.933333
3582	021	2500	0.06	1513	1	65	100	3	6	5	7500	5987	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	5487	5487	0.933333
3582	022	2500	0.06	1757	1	65	100	3	6	5	7500	5743	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	5243	5243	0.933333
3582	029	3125	0.07	3975	3	65	100	3	7	4	9375	5400	RH-3	40	form-based			true	0.7	7	1	4	4	8750	4775	4775	0.933333
3582	071	2137	0.05	4964	0	85	140	4	7	7	8548	3584	NCD-CAST	65	density-lin	600	true		0.75	4	0.571428597	4	4	9616.5	4652.5	4652.5	1.125
3583	005	3125	0.07	2563	3	65	100	3	7	4	9375	6812	RH-3	40	form-based			true	0.7	7	1	4	4	8750	6187	6187	0.933333
3583	006	3125	0.07	1766	3	65	100	3	7	4	9375	7609	RH-3	40	form-based			true	0.7	7	1	4	4	8750	6984	6984	0.933333
3583	008	3125	0.07	3295	3	65	100	3	7	4	9375	6080	RH-3	40	form-based			true	0.7	7	1	4	4	8750	5455	5455	0.933333
3583	021	2660	0.06	3120	2	65	100	3	6	4	7980	4860	RH-3	40	form-based			true	0.7	6	1	4	4	7448	4328	4328	0.933333
3583	027	3117	0.07	3087	3	65	100	3	7	4	9351	6264	RH-3	40	form-based			true	0.7	7	1	4	4	8727.599609	5640.599609	5640.599609	0.933333
3583	028A	3117	0.07	2400	3	65	100	3	7	4	9351	6951	RH-3	40	form-based			true	0.7	7	1	4	4	8727.599609	6327.599609	6327.599609	0.933333
3583	030	3117	0.07	2490	3	65	100	3	7	4	9351	6861	RH-3	40	form-based			true	0.7	7	1	4	4	8727.599609	6237.599609	6237.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3583	036	1826	0.04	1205	1	65	100	3	4	3	5478	4273	RH-3	50	form-based			true	0.7	5	1.25	4	4	6391	5186	5186	1.166667
3583	043	2963	0.07	2810	4	65	100	3	7	3	8889	6079	RH-3	50	form-based			true	0.7	8	1.142857194	4	4	10370.5	7560.5	7560.5	1.166667
3583	051	3672	0.08	6686	6	65	100	3	8	2	11016	4330	RH-3	50	form-based		true	true	0.7	10	1.25	4	4	12852	6166	6166	1.166667
3583	053	1875	0.04	880	1	65	100	3	4	3	5625	4745	RH-3	50	form-based			true	0.7	5	1.25	4	4	6562.5	5682.5	5682.5	1.166667
3583	059	6250	0.14	14985	15	65	100	3	14	0	18750	3765	NCD-CAST	50	form-based			true	0.75	19	1.357142806	4	4	23437.5	8452.5	8452.5	1.25
3583	077	1842	0.04	1932	2	65	100	3	4	2	5526	3594	NCD-CAST	50	form-based			true	0.75	6	1.5	4	4	6907.5	4975.5	4975.5	1.25
3583	094	3073	0.07	1368	2	65	100	3	7	5	9219	7851	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8604.399414	7236.399414	7236.399414	0.933333
3583	099	3125	0.07	1337	3	65	100	3	7	4	9375	8038	RH-3	40	form-based			true	0.7	7	1	4	4	8750	7413	7413	0.933333
3584	005	2625	0.06	1575	2	65	100	3	6	4	7875	6300	RH-3	40	form-based			true	0.7	6	1	4	4	7350	5775	5775	0.933333
3584	006	2625	0.06	3230	2	65	100	3	6	4	7875	4645	RH-3	40	form-based			true	0.7	6	1	4	4	7350	4120	4120	0.933333
3584	008	2581	0.06	1556	1	65	100	3	6	5	7743	6187	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7226.799805	5670.799805	5670.799805	0.933333
3584	018	2625	0.06	2485	2	65	100	3	6	4	7875	5390	RH-3	40	form-based			true	0.7	6	1	4	4	7350	4865	4865	0.933333
3584	022	2854	0.07	2860	2	65	100	3	7	5	8562	5702	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7991.199707	5131.199707	5131.199707	0.933333
3584	023	2854	0.07	3050	2	65	100	3	7	5	8562	5512	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7991.199707	4941.199707	4941.199707	0.933333
3584	026	2854	0.07	2721	2	65	100	3	7	5	8562	5841	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7991.199707	5270.199707	5270.199707	0.933333
3584	028	2855	0.07	2441	2	65	100	3	7	5	8565	6124	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7994	5553	5553	0.933333
3584	035	2625	0.06	2468	2	65	100	3	6	4	7875	5407	RH-3	40	form-based			true	0.7	6	1	4	4	7350	4882	4882	0.933333
3584	042	2783	0.06	1675	2	65	100	3	6	4	8349	6674	RH-3	40	form-based		true	true	0.7	6	1	4	4	7792.399902	6117.399902	6117.399902	0.933333
3584	052	2565	0.06	1075	1	65	100	3	6	5	7695	6620	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7182	6107	6107	0.933333
3584	054	2850	0.07	1462	2	65	100	3	7	5	8550	7088	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7980	6518	6518	0.933333
3584	059	2850	0.07	2161	2	65	100	3	7	5	8550	6389	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7980	5819	5819	0.933333
3584	066	2850	0.07	3168	2	65	100	3	7	5	8550	5382	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7980	4812	4812	0.933333
3584	073	2635	0.06	2212	2	65	100	3	6	4	7905	5693	RH-3	40	form-based			true	0.7	6	1	4	4	7378	5166	5166	0.933333
3584	083	2835	0.07	1972	2	65	100	3	7	5	8505	6533	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7938	5966	5966	0.933333
3584	084	2835	0.07	3178	2	65	100	3	7	5	8505	5327	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7938	4760	4760	0.933333
3584	088	2836	0.07	1775	2	65	100	3	7	5	8508	6733	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7940.799805	6165.799805	6165.799805	0.933333
3584	091	2836	0.07	1680	2	65	100	3	7	5	8508	6828	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7940.799805	6260.799805	6260.799805	0.933333
3584	093	4560	0.1	1593	6	65	100	3	10	4	13680	12087	RH-3	40	form-based			true	0.7	10	1	4	4	12768	11175	11175	0.933333
3584	107	2855	0.07	2264	2	65	100	3	7	5	8565	6301	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7994	5730	5730	0.933333
3584	109	2854	0.07	1047	2	65	100	3	7	5	8562	7515	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7991.199707	6944.199707	6944.199707	0.933333
3584	122	2854	0.07	1500	2	65	100	3	7	5	8562	7062	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7991.199707	6491.199707	6491.199707	0.933333
3584	124	2835	0.07	1140	2	65	100	3	7	5	8505	7365	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7938	6798	6798	0.933333
3584	126	2855	0.07	1316	2	65	100	3	7	5	8565	7249	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7994	6678	6678	0.933333
3584	128	2850	0.07	740	2	65	100	3	7	5	8550	7810	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7980	7240	7240	0.933333
3584	130	3420	0.08	1320	3	65	100	3	8	5	10260	8940	RH-3	40	form-based			true	0.7	7	0.875	4	4	9576	8256	8256	0.933333
3584	133	2850	0.07	1029	2	65	100	3	7	5	8550	7521	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7980	6951	6951	0.933333
3585	001A	1250	0.03	864	1	85	140	4	4	3	5000	4136	RTO-C	65	form-based			true	0.75	5	1.25	4	4	5625	4761	4761	1.125
3585	059	2850	0.07	4074	4	65	100	3	7	3	8550	4476	RH-3	50	form-based			true	0.7	8	1.142857194	4	4	9975	5901	5901	1.166667
3585	062	2250	0.05	1941	2	65	100	3	5	3	6750	4809	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7875	5934	5934	1.166667
3585	066	3483	0.08	7124	6	65	100	3	8	2	10449	3325	RH-3	50	form-based		true	true	0.7	10	1.25	4	4	12190.5	5066.5	5066.5	1.166667
3585	074	2839	0.07	3496	4	65	100	3	7	3	8517	5021	RH-3	50	form-based			true	0.7	8	1.142857194	4	4	9936.5	6440.5	6440.5	1.166667
3585	082	2841	0.07	3100	4	85	140	4	10	6	11364	8264	RH-3	50	form-based			true	0.7	8	0.800000012	4	4	9943.5	6843.5	6843.5	0.875
3585	083	2841	0.07	3372	4	85	140	4	10	6	11364	7992	RH-3	50	form-based			true	0.7	8	0.800000012	4	4	9943.5	6571.5	6571.5	0.875
3585	086	1867	0.04	3517	3	85	140	4	6	3	7468	3951	RTO-C	65	form-based			true	0.75	7	1.166666627	4	4	8401.5	4884.5	4884.5	1.125
3585	094	5700	0.13	12120	12	65	100	3	13	1	17100	4980	RH-2	50	form-based			true	0.7	16	1.230769277	4	4	19950	7830	7830	1.166667
3585	129	2849	0.07	1211	4	65	100	3	7	3	8547	7336	RH-3	50	form-based			true	0.7	8	1.142857194	4	4	9971.5	8760.5	8760.5	1.166667
3585	136	2800	0.06	926	4	65	100	3	6	2	8400	7474	RH-2	50	form-based		true	true	0.7	8	1.333333373	4	4	9800	8874	8874	1.166667
3585	159	2756	0.06	373	4	65	100	3	6	2	8268	7895	RH-3	50	form-based		true	true	0.7	8	1.333333373	4	4	9646	9273	9273	1.166667
3587	011	4045	0.09	4050	0	65	100	3	9	9	12135	8085	RH-3	40	density-lim	1000			0.7	4	0.444444448	4	4	11326	7276	7276	0.933333
3587	012	2706	0.06	2353	0	65	100	3	6	6	8118	5765	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	7576.799805	5223.799805	5223.799805	0.933333
3587	019	3000	0.07	3783	0	65	100	3	7	7	9000	5217	RH-3	40	density-lim	1000			0.7	4	0.571428597	4	4	8400	4617	4617	0.933333
3587	087	2750	0.06	4150	0	65	100	3	6	6	8250	4100	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7700	3550	3550	0.933333
3587	102	4012	0.09	1426	3	65	100	3	9	6	12036	10610	RM-2	40	density-lim	600			0.7	7	0.777777791	4	4	11233.59961	9807.599609	9807.599609	0.933333
3588	043	2500	0.06	1171	1	65	100	3	6	5	7500	6329	RTO-M	45	form-based				0.7	5	0.833333313	4	4	7000	5829	5829	0.933333
3588	049	2311	0.05	2690	2	65	100	3	5	3	6933	4243	RTO-M	55	form-based				0.7	6	1.200000048	4	4	8088.5	5398.5	5398.5	1.166667
3588	049H	2313	0.05	1943	1	65	100	3	5	4	6939	4996	RTO-M	45	form-based				0.7	5	1	4	4	6476.399902	4533.399902	4533.399902	0.933333
3588	055	2297	0.05	1875	1	65	100	3	5	4	6891	5016	RTO-M	45	form-based				0.7	5	1	4	4	6431.600098	4556.600098	4556.600098	0.933333
3588	058	2638	0.06	3600	2	65	100	3	6	4	7914	4314	RTO-M	45	form-based				0.7	6	1	4	4	7386.399902	3786.399902	3786.399902	0.933333
3588	059	2640	0.06	2676	2	65	100	3	6	4	7920	5244	RTO-M	45	form-based				0.7	6	1	4	4	7392	4716	4716	0.933333
3588	061	2645	0.06	3250	2	65	100	3	6	4	7935	4685	RTO-M	45	form-based				0.7	6	1	4	4	7406	4156	4156	0.933333
3588	088	2635	0.06	2856	2	65	100	3	6	4	7905	5049	RTO-M	45	form-based				0.7	6	1	4	4	7378	4522	4522	0.933333
3591	012	7395	0.17	3680	8	65	100	3	17	9	22185	18505	RM-2	50	density-lim	600			0.7	12	0.70588237	4	4	25882.5	22202.5	22202.5	1.166667
3591	030	4482	0.1	2455	3	65	100	3	10	7	13446	10991	RM-2	50	density-lim	600			0.7	7	0.699999988	4	4	15687	13232	13232	1.166667
3594	036	3675	0.08	1942	1	65	100	3	8	7	11025	9083	RM-1	50	density-lim	800			0.7	5	0.625	4	4	12862.5	10920.5	10920.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3594	039A	4165	0.1	1225	1	65	100	3	10	9	12495	11270	RM-1	50	density-lim	800			0.7	5	0.5	4	4	14577.5	13352.5	13352.5	1.166667
3594	122	3081	0.07	3761	0	65	100	3	7	7	9243	5482	RH-3	50	density-lim	1000			0.7	4	0.571428597	4	4	10783.5	7022.5	7022.5	1.166667
3597	011	2508	0.06	8519	4	65	100	3	6	2	7524	0	NCT-VALEI	55	form-based				0.75	8	1.333333373	4	4	9405	886	886	1.25
3597	021	3459	0.08	8550	6	65	100	3	8	2	10377	1827	RTO-M	55	form-based				0.7	10	1.25	4	4	12106.5	3556.5	3556.5	1.166667
3597	027	2882	0.07	2844	4	65	100	3	7	3	8646	5802	RTO-M	55	form-based				0.7	8	1.142857194	4	4	10087	7243	7243	1.166667
3597	035	2359	0.05	1575	1	65	100	3	5	4	7077	5502	RTO-M	45	form-based				0.7	5	1	4	4	6605.199707	5030.199707	5030.199707	0.933333
3597	045	2268	0.05	1300	1	65	100	3	5	4	6804	5504	RTO-M	45	form-based				0.7	5	1	4	4	6350.399902	5050.399902	5050.399902	0.933333
3597	073	2800	0.06	5040	4	65	100	3	6	2	8400	3360	NCT-VALEI	55	form-based				0.75	8	1.333333373	4	4	10500	5460	5460	1.25
3597	074	2939	0.07	1497	4	65	100	3	7	3	8817	7320	RTO-M	55	form-based				0.7	8	1.142857194	4	4	10286.5	8789.5	8789.5	1.166667
3597	081	2559	0.06	1270	3	65	100	3	6	3	7677	6407	RTO-M	55	form-based				0.7	7	1.166666627	4	4	8956.5	7686.5	7686.5	1.166667
3598	024	2120	0.05	2716	2	65	100	3	5	3	6360	3644	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	4	4	5936	3220	3220	0.933333
3600	006	2062	0.05	3240	4	85	140	4	7	3	8248	5008	RTO-C	65	form-based			true	0.75	8	1.142857194	4	4	9279	6039	6039	1.125
3600	027	1920	0.04	1809	1	65	100	3	4	3	5760	3951	RH-1	50	form-based			true	0.7	5	1.25	4	4	6720	4911	4911	1.166667
3600	036	2835	0.07	3244	4	65	100	3	7	3	8505	5261	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	9922.5	6678.5	6678.5	1.166667
3600	053	1885	0.04	2400	1	65	100	3	4	3	5655	3255	RH-1	50	form-based			true	0.7	5	1.25	4	4	6597.5	4197.5	4197.5	1.166667
3600	054	1885	0.04	1402	1	65	100	3	4	3	5655	4253	RH-1	50	form-based			true	0.7	5	1.25	4	4	6597.5	5195.5	5195.5	1.166667
3600	099	3420	0.08	3515	6	65	100	3	8	2	10260	6745	RH-2	50	form-based			true	0.7	10	1.25	4	4	11970	8455	8455	1.166667
3601	007A	2243	0.05	1410	1	65	100	3	5	4	6729	5319	RH-1	40	form-based			true	0.7	5	1	4	4	6280.399902	4870.399902	4870.399902	0.933333
3601	010	2252	0.05	1651	1	65	100	3	5	4	6756	5105	RH-1	40	form-based			true	0.7	5	1	4	4	6305.600098	4654.600098	4654.600098	0.933333
3601	011	2252	0.05	1110	1	65	100	3	5	4	6756	5646	RH-1	40	form-based			true	0.7	5	1	4	4	6305.600098	5195.600098	5195.600098	0.933333
3601	013	2412	0.06	1395	1	65	100	3	6	5	7236	5841	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6753.600098	5358.600098	5358.600098	0.933333
3601	017A	2850	0.07	3336	2	65	100	3	7	5	8550	5214	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	7980	4644	4644	0.933333
3601	025	2850	0.07	1350	2	65	100	3	7	5	8550	7200	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	7980	6630	6630	0.933333
3601	030	2400	0.06	1754	1	65	100	3	6	5	7200	5446	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6720	4966	4966	0.933333
3601	077	3176	0.07	4265	3	65	100	3	7	4	9528	5263	RH-2	40	form-based			true	0.7	7	1	4	4	8892.799805	4627.799805	4627.799805	0.933333
3601	078	3176	0.07	4721	3	65	100	3	7	4	9528	4807	RH-2	40	form-based			true	0.7	7	1	4	4	8892.799805	4171.799805	4171.799805	0.933333
3601	081	2852	0.07	2196	2	65	100	3	7	5	8556	6360	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7985.600098	5789.600098	5789.600098	0.933333
3601	083	2635	0.06	3150	2	65	100	3	6	4	7905	4755	RH-2	40	form-based			true	0.7	6	1	4	4	7378	4228	4228	0.933333
3601	084	2635	0.06	3420	2	65	100	3	6	4	7905	4485	RH-2	40	form-based			true	0.7	6	1	4	4	7378	3958	3958	0.933333
3601	092	2850	0.07	1757	2	65	100	3	7	5	8550	6793	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	7980	6223	6223	0.933333
3601	094	2852	0.07	1759	2	65	100	3	7	5	8556	6797	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7985.600098	6226.600098	6226.600098	0.933333
3601	096	2852	0.07	4956	2	65	100	3	7	5	8556	3600	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7985.600098	3029.600098	3029.600098	0.933333
3601	106	3202	0.07	1000	3	65	100	3	7	4	9606	8606	RH-3	40	form-based			true	0.7	7	1	4	4	8965.599609	7965.599609	7965.599609	0.933333
3601	112	2851	0.07	1235	2	65	100	3	7	5	8553	7318	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7982.799805	6747.799805	6747.799805	0.933333
3602	015	2418	0.06	2678	1	55	80	2.5	5	4	6045	3367	RH-1	40	form-based		true	true	0.7	5	1	4	4	6770.399902	4092.399902	4092.399902	1.12
3602	016	2450	0.06	1050	1	55	80	2.5	5	4	6125	5075	RH-1	40	form-based			true	0.7	5	1	4	4	6860	5810	5810	1.12
3602	017	2450	0.06	1472	1	55	80	2.5	5	4	6125	4653	RH-1	40	form-based			true	0.7	5	1	4	4	6860	5388	5388	1.12
3602	018	2450	0.06	1400	1	55	80	2.5	5	4	6125	4725	RH-1	40	form-based			true	0.7	5	1	4	4	6860	5460	5460	1.12
3602	019	2450	0.06	2287	1	55	80	2.5	5	4	6125	3838	RH-1	40	form-based			true	0.7	5	1	4	4	6860	4573	4573	1.12
3602	020	2450	0.06	1872	1	55	80	2.5	5	4	6125	4253	RH-1	40	form-based			true	0.7	5	1	4	4	6860	4988	4988	1.12
3602	021	2450	0.06	1420	1	55	80	2.5	5	4	6125	4705	RH-1	40	form-based			true	0.7	5	1	4	4	6860	5440	5440	1.12
3602	022	2450	0.06	2490	1	55	80	2.5	5	4	6125	3635	RH-1	40	form-based			true	0.7	5	1	4	4	6860	4370	4370	1.12
3602	023	2450	0.06	3445	1	55	80	2.5	5	4	6125	2680	RH-1	40	form-based			true	0.7	5	1	4	4	6860	3415	3415	1.12
3602	035	3500	0.08	3000	3	55	80	2.5	6	3	8750	5750	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9800	6800	6800	1.12
3602	046	3450	0.08	2856	3	55	80	2.5	6	3	8625	5769	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	9660	6804	6804	1.12
3602	050	2750	0.06	3721	2	55	80	2.5	5	3	6875	3154	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7700	3979	3979	1.12
3602	051	2750	0.06	3346	2	55	80	2.5	5	3	6875	3529	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7700	4354	4354	1.12
3602	068	3158	0.07	4704	3	55	80	2.5	6	3	7895	3191	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	8842.399414	4138.399414	4138.399414	1.12
3602	071	3157	0.07	4644	3	55	80	2.5	6	3	7892	3248	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	8839.599609	4195.599609	4195.599609	1.120071
3602	090	2157	0.05	2446	1	65	100	3	5	4	6471	4025	RH-3	40	form-based			true	0.7	5	1	4	4	6039.600098	3593.600098	3593.600098	0.933333
3602	092	3791	0.09	688	4	55	80	2.5	7	3	9478	8790	RH-3	40	form-based			true	0.7	8	1.142857194	4	4	10614.7998	9926.799805	9926.799805	1.119941
3602	111	3483	0.08	1116	3	65	100	3	8	5	10449	9333	RH-3	40	form-based			true	0.7	7	0.875	4	4	9752.399414	8636.399414	8636.399414	0.933333
3602	125	3158	0.07	1579	3	55	80	2.5	6	3	7895	6316	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	8842.399414	7263.399414	7263.399414	1.12
3602	142	2750	0.06	1128	2	55	80	2.5	5	3	6875	5747	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7700	6572	6572	1.12
3602	144	3157	0.07	1650	3	55	80	2.5	6	3	7892	6242	RH-3	40	form-based			true	0.7	7	1.166666627	4	4	8839.599609	7189.599609	7189.599609	1.120071
3603	005	2861	0.07	2714	2	55	80	2.5	6	4	7152	4438	RH-2	40	form-based			true	0.7	6	1	4	4	8010.799805	5296.799805	5296.799805	1.120078
3603	006A	2527	0.06	1530	1	55	80	2.5	5	4	6318	4788	RH-2	40	form-based		true	true	0.7	5	1	4	4	7075.600098	5545.600098	5545.600098	1.119911
3603	008	2538	0.06	2175	1	55	80	2.5	5	4	6345	4170	RH-2	40	form-based			true	0.7	5	1	4	4	7106.399902	4931.399902	4931.399902	1.12
3603	009	2537	0.06	1450	1	55	80	2.5	5	4	6342	4892	RH-2	40	form-based			true	0.7	5	1	4	4	7103.600098	5653.600098	5653.600098	1.120088
3603	013	2850	0.07	1770	2	55	80	2.5	6	4	7125	5355	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6210	6210	1.12
3603	025	2500	0.06	2728	1	55	80	2.5	5	4	6250	3522	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4272	4272	1.12
3603	027	2500	0.06	2998	1	55	80	2.5	5	4	6250	3252	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4002	4002	1.12
3603	030	2500	0.06	3097	1	55	80	2.5	5	4	6250	3153	RH-2	40	form-based			true	0.7	5	1	4	4	7000	3903	3903	1.12
3603	033	2798	0.06	2350	2	55	80	2.5	5	3	6995	4645	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7834.399902	5484.399902	5484.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3603	047	2448	0.06	1608	1	55	80	2.5	5	4	6120	4512	RH-2	40	form-based			true	0.7	5	1	4	4	6854.399902	5246.399902	5246.399902	1.12
3603	049	2448	0.06	1640	1	55	80	2.5	5	4	6120	4480	RH-2	40	form-based			true	0.7	5	1	4	4	6854.399902	5214.399902	5214.399902	1.12
3603	070	2625	0.06	1890	2	55	80	2.5	5	3	6562	4672	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	5460	5460	1.120085
3603	077	2851	0.07	3000	2	55	80	2.5	6	4	7128	4128	RH-2	40	form-based			true	0.7	6	1	4	4	7982.799805	4982.799805	4982.799805	1.119921
3603	078	2851	0.07	2564	2	55	80	2.5	6	4	7128	4564	RH-2	40	form-based			true	0.7	6	1	4	4	7982.799805	5418.799805	5418.799805	1.119921
3603	087	2853	0.07	2376	2	55	80	2.5	6	4	7132	4756	RH-2	40	form-based			true	0.7	6	1	4	4	7988.399902	5612.399902	5612.399902	1.120079
3603	088	2853	0.07	2100	2	55	80	2.5	6	4	7132	5032	RH-2	40	form-based			true	0.7	6	1	4	4	7988.399902	5888.399902	5888.399902	1.120079
3603	092	2403	0.06	2320	1	55	80	2.5	5	4	6008	3688	RH-2	40	form-based			true	0.7	5	1	4	4	6728.399902	4408.399902	4408.399902	1.119907
3603	095	2852	0.07	1187	2	55	80	2.5	6	4	7130	5943	RH-2	40	form-based			true	0.7	6	1	4	4	7985.600098	6798.600098	6798.600098	1.12
3603	101	2798	0.06	1222	2	55	80	2.5	5	3	6995	5773	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7834.399902	6612.399902	6612.399902	1.12
3603	108	2850	0.07	1797	2	55	80	2.5	6	4	7125	5328	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6183	6183	1.12
3603	112	2850	0.07	1338	2	55	80	2.5	6	4	7125	5787	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6642	6642	1.12
3603	131	2857	0.07	2294	2	55	80	2.5	6	4	7142	4848	RH-2	40	form-based			true	0.7	6	1	4	4	7999.600098	5705.600098	5705.600098	1.120078
3603	133	2852	0.07	1277	2	55	80	2.5	6	4	7130	5853	RH-2	40	form-based			true	0.7	6	1	4	4	7985.600098	6708.600098	6708.600098	1.12
3604	010	1902	0.04	0	0	65	100	3	4	4	5706	5706	RH-1	40	form-based			true	0.7	4	1	4	4	5325.600098	5325.600098	5325.600098	0.933333
3604	016	2850	0.07	3225	2	65	100	3	7	5	8550	5325	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	7980	4755	4755	0.933333
3604	030	2883	0.07	2442	2	65	100	3	7	5	8649	6207	RH-2	40	form-based		true	true	0.7	6	0.857142866	4	4	8072.399902	5630.399902	5630.399902	0.933333
3604	104	3013	0.07	2710	2	65	100	3	7	5	9039	6329	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8436.399414	5726.399414	5726.399414	0.933333
3604	107	2940	0.07	915	2	65	100	3	7	5	8820	7905	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8232	7317	7317	0.933333
3604	111	2993	0.07	2281	2	65	100	3	7	5	8979	6698	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8380.399414	6099.399414	6099.399414	0.933333
3605	031	2850	0.07	4822	2	65	100	3	7	5	8550	3728	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	7980	3158	3158	0.933333
3605	035	2850	0.07	4759	2	65	100	3	7	5	8550	3791	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	7980	3221	3221	0.933333
3605	036	2850	0.07	2866	2	65	100	3	7	5	8550	5684	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	7980	5114	5114	0.933333
3605	050A	2838	0.07	1842	2	65	100	3	7	5	8514	6672	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	7946.399902	6104.399902	6104.399902	0.933333
3605	061	2850	0.07	1675	2	65	100	3	7	5	8550	6875	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6305	6305	0.933333
3605	062	2850	0.07	1650	2	65	100	3	7	5	8550	6900	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6330	6330	0.933333
3605	088	2850	0.07	1197	2	65	100	3	7	5	8550	7353	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6783	6783	0.933333
3605	093	2850	0.07	1975	2	65	100	3	7	5	8550	6575	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	7980	6005	6005	0.933333
3606	011	2625	0.06	3095	3	65	100	3	6	3	7875	4780	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	9187.5	6092.5	6092.5	1.166667
3606	046	2850	0.07	3624	4	85	140	4	10	6	11400	7776	RH-3	50	form-based			true	0.7	8	0.800000012	4	4	9975	6351	6351	0.875
3606	052	4490	0.1	0	0	85	140	4	14	14	17960	17960	RH-3	40	density-lim	1000			0.7	4	0.285714298	4	4	12572	12572	12572	0.7
3606	055	1917	0.04	1785	1	85	140	4	6	5	7668	5883	RM-1	50	form-based			true	0.7	5	0.833333313	4	4	6709.5	4924.5	4924.5	0.875
3606	068	2828	0.06	4855	4	85	140	4	8	4	11312	6457	RH-3	50	form-based			true	0.7	8	1	4	4	9898	5043	5043	0.875
3606	094	2153	0.05	1264	2	85	140	4	7	5	8612	7348	RM-1	50	form-based			true	0.7	6	0.857142866	4	4	7535.5	6271.5	6271.5	0.875
3606	096	2162	0.05	719	2	85	140	4	7	5	8648	7929	RH-2	50	form-based			true	0.7	6	0.857142866	4	4	7567	6848	6848	0.875
3607	019A	7980	0.18	7368	1	65	100	3	18	17	23940	16572	RH-2	40	density-lim	1500			0.7	5	0.277777791	4	4	22344	14976	14976	0.933333
3607	031	2550	0.06	3106	2	65	100	3	6	4	7650	4544	RH-3	40	density-lim	1000	true		0.7	6	1	4	4	7140	4034	4034	0.933333
3607	038	2841	0.07	2704	0	65	100	3	7	7	8523	5819	RH-3	40	density-lim	1000			0.7	4	0.571428597	4	4	7954.799805	5250.799805	5250.799805	0.933333
3607	089	1949	0.04	1267	2	65	100	3	4	2	5847	4580	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5457.199707	4190.199707	4190.199707	0.933333
3608	076	6825	0.16	6220	1	65	100	3	16	15	20475	14255	RH-2	40	density-lim	1500			0.7	5	0.3125	4	4	19110	12890	12890	0.933333
3611	029	3893	0.09	3850	0	65	100	3	9	9	11679	7829	RH-3	50	density-lim	1000			0.7	4	0.444444448	4	4	13625.5	9775.5	9775.5	1.166667
3611	037	7148	0.16	2664	3	65	100	3	16	13	21444	18780	RH-3	40	density-lim	1000			0.7	7	0.4375	4	4	20014.40039	17350.40039	17350.40039	0.933333
3612	008	3045	0.07	3700	3	65	100	3	7	4	9135	5435	UMU	40	form-based				0.75	7	1	4	4	9135	5435	5435	1
3612	010	2493	0.06	2250	2	65	100	3	6	4	7479	5229	UMU	40	form-based				0.75	6	1	4	4	7479	5229	5229	1
3612	011	2493	0.06	2750	2	65	100	3	6	4	7479	4729	UMU	40	form-based				0.75	6	1	4	4	7479	4729	4729	1
3612	012	2506	0.06	2502	2	65	100	3	6	4	7518	5016	UMU	40	form-based				0.75	6	1	4	4	7518	5016	5016	1
3612	025	2380	0.05	2532	0	65	100	3	5	5	7140	4608	RH-3	40	density-lim	1000			0.7	4	0.800000012	4	4	6664	4132	4132	0.933333
3612	073	1350	0.03	2520	2	55	80	2.5	2	0	3375	855	RH-3	45	density-lim	1000	true		0.7	6	3	4	2	3780	1260	1260	1.12
3613	011	2375	0.05	1366	1	65	100	3	5	4	7125	5759	UMU	48	form-based				0.75	5	1	4	4	7125	5759	5759	1
3613	018C	3333	0.08	3652	2	65	100	3	8	6	9999	6347	NC-3	55	density-lim	600	true		0.75	6	0.75	4	4	12498.75	8846.75	8846.75	1.25
3613	026	5439	0.12	2418	1	65	100	3	12	11	16317	13899	RH-3	40	density-lim	1000			0.7	5	0.416666657	4	4	15229.2002	12811.2002	12811.2002	0.933333
3613	027	5438	0.12	1645	1	65	100	3	12	11	16314	14669	RH-3	40	density-lim	1000			0.7	5	0.416666657	4	4	15226.39941	13581.39941	13581.39941	0.933333
3613	035	1831	0.04	3026	2	65	100	3	4	2	5493	2467	RH-3	40	density-lim	1000	true		0.7	6	1.5	4	4	5126.799805	2100.799805	2100.799805	0.933333
3613	082	1393	0.03	1103	2	65	100	3	3	1	4179	3076	RH-3	40	density-lim	1000	true		0.7	6	2	4	4	3900.399902	2797.399902	2797.399902	0.933333
3614	004	4900	0.11	3175	1	65	100	3	11	10	14700	11525	RH-3	40	density-lim	1000			0.7	5	0.454545468	4	4	13720	10545	10545	0.933333
3614	007	6125	0.14	2024	2	65	100	3	14	12	18375	16351	RH-3	40	density-lim	1000			0.7	6	0.428571433	4	4	17150	15126	15126	0.933333
3614	013	1788	0.04	2638	0	65	100	3	4	4	5364	2726	RH-3	40	density-lim	1000			0.7	4	1	4	4	5006.399902	2368.399902	2368.399902	0.933333
3614	029	3543	0.08	2442	2	65	100	3	8	6	10629	8187	RM-2	50	density-lim	600			0.7	6	0.75	4	4	12400.5	9958.5	9958.5	1.166667
3614	032	2366	0.05	3225	0	65	100	3	5	5	7098	3873	RH-3	40	density-lim	1000			0.7	4	0.800000012	4	4	6624.799805	3399.799805	3399.799805	0.933333
3614	048	62	0	0	0	65	100	3	0	0	186	186	RH-3	40	density-lim	1000			0.7	4		4	4	173.5999908	173.5999908	173.5999908	0.933333
3614	054D	1463	0.03	2220	2	65	100	3	3	1	4389	2169	RH-3	40	density-lim	1000	true		0.7	6	2	4	4	4096.399902	1876.399902	1876.399902	0.933333
3614	069	2520	0.06	4284	0	65	100	3	6	6	7560	3276	NC-3	55	density-lim	600	true		0.75	4	0.666666687	4	4	9450	5166	5166	1.25
3617	005	2430	0.06	6016	3	65	100	3	6	3	7290	1274	NCT-VALE	55	form-based				0.75	7	1.166666627	4	4	9112.5	3096.5	3096.5	1.25
3617	014	2508	0.06	1436	0	65	100	3	6	6	7524	6088	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	7022.399902	5586.399902	5586.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3617	022	2850	0.07	3983	0	65	100	3	7	7	8550	4567	NC-1	40	density-lim	800			0.75	4	0.571428597	4	4	8550	4567	4567	1
3617	056	2850	0.07	2088	0	65	100	3	7	7	8550	6462	RH-3	40	density-lim	1000			0.7	4	0.571428597	4	4	7980	5892	5892	0.933333
3618	018A	1517	0.03	2260	2	65	100	3	3	1	4551	2291	RH-3	40	density-lim	1000	true		0.7	6	2	4	4	4247.600098	1987.600098	1987.600098	0.933333
3618	040	5586	0.13	2850	2	65	100	3	13	11	16758	13908	RH-3	40	density-lim	1000			0.7	6	0.461538464	4	4	15640.7998	12790.7998	12790.7998	0.933333
3618	055A	4521	0.1	3578	1	65	100	3	10	9	13563	9985	RH-3	40	density-lim	1000			0.7	5	0.5	4	4	12658.7998	9080.799805	9080.799805	0.933333
3618	065	7141	0.16	5226	2	65	100	3	16	14	21423	16197	RH-2	40	density-lim	1500	true		0.7	6	0.375	4	4	19994.79883	14768.79883	14768.79883	0.933333
3618	097	3043	0.07	969	2	65	100	3	7	5	9129	8160	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	4	4	8520.399414	7551.399414	7551.399414	0.933333
3619	001	2647	0.06	4653	3	85	140	4	8	5	10588	5935	RH-3	50	form-based		true	true	0.7	7	0.875	4	4	9264.5	4611.5	4611.5	0.875
3619	028	2028	0.05	1984	2	65	100	3	5	3	6084	4100	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7098	5114	5114	1.166667
3619	042	2543	0.06	3782	6	65	100	3	6	0	7629	3847	RTO-C	65	form-based			true	0.75	10	1.666666627	4	4	11443.5	7661.5	7661.5	1.5
3619	052	1950	0.04	1559	1	85	140	4	6	5	7800	6241	RM-1	50	form-based			true	0.7	5	0.833333313	4	4	6825	5266	5266	0.875
3619	083	2597	0.06	4650	3	85	140	4	8	5	10388	5738	RH-2	50	form-based			true	0.7	7	0.875	4	4	9089.5	4439.5	4439.5	0.875
3619	109	2336	0.05	1217	3	85	140	4	7	4	9344	8127	RH-2	50	form-based			true	0.7	7	1	4	4	8176	6959	6959	0.875
3619	141	2462	0.06	3786	3	65	100	3	6	3	7386	3600	RH-3	50	form-based		true	true	0.7	7	1.166666627	4	4	8617	4831	4831	1.166667
3620	005	2855	0.07	5778	7	65	100	3	7	0	8565	2787	RTO-C	65	form-based		true	true	0.75	11	1.571428537	4	4	12847.5	7069.5	7069.5	1.5
3620	019	2955	0.07	2616	2	65	100	3	7	5	8865	6249	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8274	5658	5658	0.933333
3620	021	2312	0.05	1565	1	65	100	3	5	4	6936	5371	RH-1	40	form-based			true	0.7	5	1	4	4	6473.600098	4908.600098	4908.600098	0.933333
3620	022	2312	0.05	1225	1	65	100	3	5	4	6936	5711	RH-1	40	form-based			true	0.7	5	1	4	4	6473.600098	5248.600098	5248.600098	0.933333
3620	023	2312	0.05	1225	1	65	100	3	5	4	6936	5711	RH-1	40	form-based			true	0.7	5	1	4	4	6473.600098	5248.600098	5248.600098	0.933333
3620	024	2313	0.05	1225	1	65	100	3	5	4	6939	5714	RH-1	40	form-based			true	0.7	5	1	4	4	6476.399902	5251.399902	5251.399902	0.933333
3620	025	2291	0.05	1522	1	65	100	3	5	4	6873	5351	RH-1	40	form-based		true	true	0.7	5	1	4	4	6414.799805	4892.799805	4892.799805	0.933333
3620	032	2859	0.07	3286	2	65	100	3	7	5	8577	5291	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8005.199707	4719.199707	4719.199707	0.933333
3620	049	2318	0.05	2781	1	65	100	3	5	4	6954	4173	RH-1	40	form-based		true	true	0.7	5	1	4	4	6490.399902	3709.399902	3709.399902	0.933333
3620	049A	2161	0.05	1050	1	65	100	3	5	4	6483	5433	RH-1	40	form-based			true	0.7	5	1	4	4	6050.799805	5000.799805	5000.799805	0.933333
3620	080	2910	0.07	2196	2	65	100	3	7	5	8730	6534	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8148	5952	5952	0.933333
3620	082	2807	0.06	1910	2	65	100	3	6	4	8421	6511	RH-2	40	form-based			true	0.7	6	1	4	4	7859.600098	5949.600098	5949.600098	0.933333
3620	087	2257	0.05	2700	1	65	100	3	5	4	6771	4071	RH-1	40	form-based			true	0.7	5	1	4	4	6319.600098	3619.600098	3619.600098	0.933333
3620	088	2206	0.05	870	1	65	100	3	5	4	6618	5748	RH-1	40	form-based			true	0.7	5	1	4	4	6176.799805	5306.799805	5306.799805	0.933333
3621	008	2514	0.06	1796	1	65	100	3	6	5	7542	5746	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7039.199707	5243.199707	5243.199707	0.933333
3621	009	2514	0.06	1650	1	65	100	3	6	5	7542	5892	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7039.199707	5389.199707	5389.199707	0.933333
3621	012	2495	0.06	3802	1	65	100	3	6	5	7485	3683	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6986	3184	3184	0.933333
3621	013	2495	0.06	2120	1	65	100	3	6	5	7485	5365	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6986	4866	4866	0.933333
3621	018	2850	0.07	2500	2	65	100	3	7	5	8550	6050	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5480	5480	0.933333
3621	023	2842	0.07	1680	2	65	100	3	7	5	8526	6846	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7957.600098	6277.600098	6277.600098	0.933333
3621	026	2850	0.07	2724	2	65	100	3	7	5	8550	5826	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5256	5256	0.933333
3621	027	2850	0.07	2886	2	65	100	3	7	5	8550	5664	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5094	5094	0.933333
3621	032	2750	0.06	4160	2	65	100	3	6	4	8250	4090	RH-2	40	form-based			true	0.7	6	1	4	4	7700	3540	3540	0.933333
3621	038	2807	0.06	2480	2	65	100	3	6	4	8421	5941	RH-2	40	form-based			true	0.7	6	1	4	4	7859.600098	5379.600098	5379.600098	0.933333
3621	039	2807	0.06	1760	2	65	100	3	6	4	8421	6661	RH-2	40	form-based			true	0.7	6	1	4	4	7859.600098	6099.600098	6099.600098	0.933333
3621	045	2807	0.06	1450	2	65	100	3	6	4	8421	6971	RH-1	40	form-based			true	0.7	6	1	4	4	7859.600098	6409.600098	6409.600098	0.933333
3621	100	2850	0.07	1314	2	65	100	3	7	5	8550	7236	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6666	6666	0.933333
3621	109	2850	0.07	1521	2	65	100	3	7	5	8550	7029	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6459	6459	0.933333
3621	113	2807	0.06	1217	2	65	100	3	6	4	8421	7204	RH-2	40	form-based			true	0.7	6	1	4	4	7859.600098	6642.600098	6642.600098	0.933333
3622	006	2340	0.05	2945	1	55	80	2.5	4	3	5850	2905	RH-2	40	form-based		true	true	0.7	5	1.25	4	4	6552	3607	3607	1.12
3622	013	2538	0.06	1938	1	55	80	2.5	5	4	6345	4407	RH-2	40	form-based			true	0.7	5	1	4	4	7106.399902	5168.399902	5168.399902	1.12
3622	015	2537	0.06	2504	1	55	80	2.5	5	4	6342	3838	RH-2	40	form-based			true	0.7	5	1	4	4	7103.600098	4599.600098	4599.600098	1.120088
3622	025	2807	0.06	2552	2	55	80	2.5	5	3	7018	4466	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7859.600098	5307.600098	5307.600098	1.11992
3622	027	2807	0.06	1840	2	55	80	2.5	5	3	7018	5178	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7859.600098	6019.600098	6019.600098	1.11992
3622	031	2231	0.05	1860	1	55	80	2.5	4	3	5578	3718	RH-2	40	form-based			true	0.7	5	1.25	4	4	6246.799805	4386.799805	4386.799805	1.1199
3622	032	2389	0.05	2548	1	55	80	2.5	4	3	5972	3424	RH-2	40	form-based			true	0.7	5	1.25	4	4	6689.199707	4141.199707	4141.199707	1.120094
3622	038	2538	0.06	802	1	55	80	2.5	5	4	6345	5543	RH-2	40	form-based			true	0.7	5	1	4	4	7106.399902	6304.399902	6304.399902	1.12
3622	039	2850	0.07	2780	2	55	80	2.5	6	4	7125	4345	RH-2	40	form-based			true	0.7	6	1	4	4	7980	5200	5200	1.12
3622	045	2850	0.07	2706	2	55	80	2.5	6	4	7125	4419	RH-2	40	form-based			true	0.7	6	1	4	4	7980	5274	5274	1.12
3622	048	2831	0.06	2418	2	55	80	2.5	5	3	7078	4660	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7926.799805	5508.799805	5508.799805	1.119921
3622	050	2828	0.06	1876	2	55	80	2.5	5	3	7070	5194	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7918.399902	6042.399902	6042.399902	1.12
3622	052	2495	0.06	2675	1	55	80	2.5	5	4	6238	3563	RH-2	40	form-based			true	0.7	5	1	4	4	6986	4311	4311	1.11991
3622	057	2850	0.07	2700	2	55	80	2.5	6	4	7125	4425	RH-2	40	form-based			true	0.7	6	1	4	4	7980	5280	5280	1.12
3622	065	2850	0.07	3550	2	55	80	2.5	6	4	7125	3575	RH-2	40	form-based			true	0.7	6	1	4	4	7980	4430	4430	1.12
3622	067	2850	0.07	2660	2	55	80	2.5	6	4	7125	4465	RH-2	40	form-based			true	0.7	6	1	4	4	7980	5320	5320	1.12
3622	070	2280	0.05	3265	1	55	80	2.5	4	3	5700	2435	RH-2	40	form-based			true	0.7	5	1.25	4	4	6384	3119	3119	1.12
3622	077	2580	0.06	1800	1	55	80	2.5	5	4	6450	4650	RH-2	40	form-based			true	0.7	5	1	4	4	7224	5424	5424	1.12
3622	089	2889	0.07	2296	2	55	80	2.5	6	4	7222	4926	RH-2	40	form-based			true	0.7	6	1	4	4	8089.199707	5793.199707	5793.199707	1.120077
3622	090	2889	0.07	2208	2	55	80	2.5	6	4	7222	5014	RH-2	40	form-based			true	0.7	6	1	4	4	8089.199707	5881.199707	5881.199707	1.120077
3622	094	2539	0.06	3104	1	55	80	2.5	5	4	6348	3244	RH-2	40	form-based			true	0.7	5	1	4	4	7109.199707	4005.199707	4005.199707	1.119912

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3622	095	2846	0.07	1446	2	55	80	2.5	6	4	7115	5669	RH-2	40	form-based		true	true	0.7	6	1	4	4	7968.799805	6522.799805	6522.799805	1.12
3622	097	2807	0.06	1227	2	55	80	2.5	5	3	7018	5791	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7859.600098	6632.600098	6632.600098	1.11992
3622	099	2807	0.06	1313	2	55	80	2.5	5	3	7018	5705	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7859.600098	6546.600098	6546.600098	1.11992
3622	101	2624	0.06	868	2	55	80	2.5	5	3	6560	5692	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7347.199707	6479.199707	6479.199707	1.12
3622	103	2850	0.07	1371	2	55	80	2.5	6	4	7125	5754	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6609	6609	1.12
3622	105	2807	0.06	1100	2	55	80	2.5	5	3	7018	5918	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7859.600098	6759.600098	6759.600098	1.11992
3622	107	2889	0.07	1173	2	55	80	2.5	6	4	7222	6049	RH-2	40	form-based			true	0.7	6	1	4	4	8089.199707	6916.199707	6916.199707	1.120077
3623	003	2500	0.06	1592	1	55	80	2.5	5	4	6250	4658	RH-2	40	form-based			true	0.7	5	1	4	4	7000	5408	5408	1.12
3623	004	2500	0.06	2830	1	55	80	2.5	5	4	6250	3420	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4170	4170	1.12
3623	005	2500	0.06	2920	1	55	80	2.5	5	4	6250	3330	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4080	4080	1.12
3623	006	2500	0.06	2750	1	55	80	2.5	5	4	6250	3500	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4250	4250	1.12
3623	007	2500	0.06	2522	1	55	80	2.5	5	4	6250	3728	RH-2	40	form-based			true	0.7	5	1	4	4	7000	4478	4478	1.12
3623	008	2500	0.06	3450	1	55	80	2.5	5	4	6250	2800	RH-2	40	form-based			true	0.7	5	1	4	4	7000	3550	3550	1.12
3623	024	2534	0.06	1654	1	55	80	2.5	5	4	6335	4681	RH-2	40	form-based			true	0.7	5	1	4	4	7095.199707	5441.199707	5441.199707	1.12
3623	024G	2490	0.06	1115	1	55	80	2.5	5	4	6225	5110	RH-2	40	form-based			true	0.7	5	1	4	4	6972	5857	5857	1.12
3623	024H	2489	0.06	1115	1	55	80	2.5	5	4	6222	5107	RH-2	40	form-based			true	0.7	5	1	4	4	6969.199707	5854.199707	5854.199707	1.12009
3623	024I	2489	0.06	1115	1	55	80	2.5	5	4	6222	5107	RH-2	40	form-based			true	0.7	5	1	4	4	6969.199707	5854.199707	5854.199707	1.12009
3623	031	2893	0.07	2694	2	55	80	2.5	6	4	7232	4538	RH-2	40	form-based			true	0.7	6	1	4	4	8100.399902	5406.399902	5406.399902	1.120077
3623	041	2850	0.07	1208	2	55	80	2.5	6	4	7125	5917	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6772	6772	1.12
3624	005	2625	0.06	2060	2	55	80	2.5	5	3	6562	4502	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	5290	5290	1.120085
3624	006	2625	0.06	2662	2	55	80	2.5	5	3	6562	3900	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7350	4688	4688	1.120085
3624	007	2625	0.06	2039	2	55	80	2.5	5	3	6562	4523	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7350	5311	5311	1.120085
3624	008	2791	0.06	2142	2	55	80	2.5	5	3	6978	4836	RH-3	40	form-based			true	0.7	6	1.200000048	4	4	7814.799805	5672.799805	5672.799805	1.11992
3624	008A	2616	0.06	2071	1	55	80	2.5	5	4	6540	4469	RH-3	40	form-based		true	true	0.7	5	1	4	4	7324.799805	5253.799805	5253.799805	1.12
3624	010	2850	0.07	2512	2	55	80	2.5	6	4	7125	4613	RH-2	40	form-based			true	0.7	6	1	4	4	7980	5468	5468	1.12
3624	011	2850	0.07	4730	2	55	80	2.5	6	4	7125	2395	RH-2	40	form-based			true	0.7	6	1	4	4	7980	3250	3250	1.12
3624	018	2850	0.07	3153	2	55	80	2.5	6	4	7125	3972	RH-2	40	form-based			true	0.7	6	1	4	4	7980	4827	4827	1.12
3624	021	2850	0.07	1882	2	55	80	2.5	6	4	7125	5243	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6098	6098	1.12
3624	024	2603	0.06	1375	1	55	80	2.5	5	4	6508	5133	RH-2	40	form-based			true	0.7	5	1	4	4	7288.399902	5913.399902	5913.399902	1.119914
3624	026	2602	0.06	2631	1	55	80	2.5	5	4	6505	3874	RH-2	40	form-based			true	0.7	5	1	4	4	7285.600098	4654.600098	4654.600098	1.12
3624	027	2601	0.06	1670	1	55	80	2.5	5	4	6502	4832	RH-2	40	form-based			true	0.7	5	1	4	4	7282.799805	5612.799805	5612.799805	1.120086
3624	037	2839	0.07	3720	2	55	80	2.5	6	4	7098	3378	RH-2	40	form-based			true	0.7	6	1	4	4	7949.199707	4229.199707	4229.199707	1.119921
3624	038	2839	0.07	4328	2	55	80	2.5	6	4	7098	2770	RH-2	40	form-based			true	0.7	6	1	4	4	7949.199707	3621.199707	3621.199707	1.119921
3624	047	2274	0.05	1513	1	55	80	2.5	4	3	5685	4172	RH-2	40	form-based			true	0.7	5	1.25	4	4	6367.199707	4854.199707	4854.199707	1.12
3625	004	2530	0.06	2679	1	65	100	3	6	5	7590	4911	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7084	4405	4405	0.933333
3625	005	2530	0.06	1325	1	65	100	3	6	5	7590	6265	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7084	5759	5759	0.933333
3625	009	2896	0.07	1232	2	65	100	3	7	5	8688	7456	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8108.799805	6876.799805	6876.799805	0.933333
3625	010	2896	0.07	1832	2	65	100	3	7	5	8688	6856	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8108.799805	6276.799805	6276.799805	0.933333
3625	014	2907	0.07	1440	2	65	100	3	7	5	8721	7281	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8139.600098	6699.600098	6699.600098	0.933333
3625	016	2877	0.07	4007	2	65	100	3	7	5	8631	4624	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8055.600098	4048.600098	4048.600098	0.933333
3625	023	2705	0.06	1457	2	65	100	3	6	4	8115	6658	RH-2	40	form-based			true	0.7	6	1	4	4	7574	6117	6117	0.933333
3625	026	3745	0.09	4692	4	65	100	3	9	5	11235	6543	RH-2	40	form-based		true	true	0.7	8	0.888888896	4	4	10486	5794	5794	0.933333
3625	029	2907	0.07	2000	2	65	100	3	7	5	8721	6721	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8139.600098	6139.600098	6139.600098	0.933333
3625	030	2806	0.06	1966	2	65	100	3	6	4	8418	6452	RH-2	40	form-based			true	0.7	6	1	4	4	7856.799805	5890.799805	5890.799805	0.933333
3625	039	2907	0.07	3160	2	65	100	3	7	5	8721	5561	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8139.600098	4979.600098	4979.600098	0.933333
3626	008	2850	0.07	2428	2	65	100	3	7	5	8550	6122	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5552	5552	0.933333
3626	012	2850	0.07	2325	2	65	100	3	7	5	8550	6225	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5655	5655	0.933333
3626	017C	2850	0.07	2402	2	65	100	3	7	5	8550	6148	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5578	5578	0.933333
3626	019	3738	0.09	3000	4	65	100	3	9	5	11214	8214	RH-2	40	form-based			true	0.7	8	0.888888896	4	4	10466.39941	7466.399414	7466.399414	0.933333
3626	039	1953	0.04	3559	0	65	100	3	4	4	5859	2300	RH-2	40	form-based			true	0.7	4	1	4	4	5468.399902	1909.399902	1909.399902	0.933333
3626	042	2850	0.07	1149	2	65	100	3	7	5	8550	7401	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6831	6831	0.933333
3626	048	2850	0.07	1322	2	65	100	3	7	5	8550	7228	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6658	6658	0.933333
3627	030	2960	0.07	3200	4	65	100	3	7	3	8880	5680	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10360	7160	7160	1.166667
3627	035	2250	0.05	2844	2	65	100	3	5	3	6750	3906	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7875	5031	5031	1.166667
3627	038	2250	0.05	2288	2	65	100	3	5	3	6750	4462	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7875	5587	5587	1.166667
3627	040	2250	0.05	2516	2	65	100	3	5	3	6750	4234	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7875	5359	5359	1.166667
3627	054	1620	0.04	4128	1	65	100	3	4	3	4860	732	RH-3	50	form-based		true	true	0.7	5	1.25	4	4	5670	1542	1542	1.166667
3627	059	2250	0.05	953	2	65	100	3	5	3	6750	5797	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7875	6922	6922	1.166667
3627	061	2269	0.05	1257	2	65	100	3	5	3	6807	5550	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7941.5	6684.5	6684.5	1.166667
3627	065	2250	0.05	1277	2	65	100	3	5	3	6750	5473	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7875	6598	6598	1.166667
3628	015	1678	0.04	1062	1	65	100	3	4	3	5034	3972	RH-3	50	form-based		true	true	0.7	5	1.25	4	4	5873	4811	4811	1.166667
3628	029	2538	0.06	2660	3	85	140	4	8	5	10152	7492	RH-2	50	form-based			true	0.7	7	0.875	4	4	8883	6223	6223	0.875
3628	030	2539	0.06	3494	3	85	140	4	8	5	10156	6662	RH-2	50	form-based			true	0.7	7	0.875	4	4	8886.5	5392.5	5392.5	0.875
3628	036	1413	0.03	1604	1	85	140	4	4	3	5652	4048	RTO-C	65	form-based			true	0.75	5	1.25	4	4	6358.5	4754.5	4754.5	1.125

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3629	016	1788	0.04	2273	1	65	100	3	4	3	5364	3091	RH-2	50	form-based		true	true	0.7	5	1.25	4	4	6258	3985	3985	1.166667
3629	020	1896	0.04	1853	1	65	100	3	4	3	5688	3835	RH-2	50	form-based		true	true	0.7	5	1.25	4	4	6636	4783	4783	1.166667
3629	039	1338	0.03	1496	1	85	140	4	4	3	5352	3856	RTO-C	65	form-based			true	0.75	5	1.25	4	4	6021	4525	4525	1.125
3630	009	4110	0.09	6338	8	65	100	3	9	1	12330	5992	RM-1	50	form-based			true	0.7	12	1.333333373	4	4	14385	8047	8047	1.166667
3630	012	2935	0.07	2928	4	65	100	3	7	3	8805	5877	RM-1	50	form-based			true	0.7	8	1.142857194	4	4	10272.5	7344.5	7344.5	1.166667
3630	024	3691	0.08	7140	6	65	100	3	8	2	11073	3933	RH-2	50	form-based			true	0.7	10	1.25	4	4	12918.5	5778.5	5778.5	1.166667
3631	011	3555	0.08	0	0	65	100	3	8	8	10665	10665	RH-3	40	density-lim	1000			0.7	4	0.5	4	4	9954	9954	9954	0.933333
3631	012	3613	0.08	0	0	65	100	3	8	8	10839	10839	RH-3	40	density-lim	1000			0.7	4	0.5	4	4	10116.39941	10116.39941	10116.39941	0.933333
3631	013	3497	0.08	0	0	65	100	3	8	8	10491	10491	RH-3	40	density-lim	1000			0.7	4	0.5	4	4	9791.599609	9791.599609	9791.599609	0.933333
3632	074	1702	0.04	1126	2	65	100	3	4	2	5106	3980	RH-3	40	density-lim	1000	true		0.7	6	1.5	4	4	4765.600098	3639.600098	3639.600098	0.933333
3633	001	2452	0.06	1925	2	75	120	3.5	7	5	8582	6657	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	4	4	6865.600098	4940.600098	4940.600098	0.8
3634	002	5531	0.13	3532	3	75	120	3.5	16	13	19358	15826	RM-1	40	density-lim	800	true		0.7	7	0.4375	4	4	15486.7998	11954.7998	11954.7998	0.800021
3636	016	2000	0.05	1880	2	75	120	3.5	6	4	7000	5120	RTO-M	55	form-based				0.7	6	1	4	4	7000	5120	5120	1
3636	017	2554	0.06	3266	3	75	120	3.5	7	4	8939	5673	RTO-M	55	form-based		true		0.7	7	1	4	4	8939	5673	5673	1
3636	024	2250	0.05	6780	3	75	120	3.5	6	3	7875	1095	NCT-VALEI	55	form-based		true		0.75	7	1.166666627	4	4	8437.5	1657.5	1657.5	1.071429
3636	026	1875	0.04	2639	2	75	120	3.5	5	3	6562	3923	NCT-VALEI	55	form-based				0.75	6	1.200000048	4	4	7031.25	4392.25	4392.25	1.07151
3636	029	3125	0.07	4308	5	75	120	3.5	8	3	10938	6630	NCT-VALEI	55	form-based				0.75	9	1.125	4	4	11718.75	7410.75	7410.75	1.07138
3636	038	2493	0.06	870	1	75	120	3.5	7	6	8726	7856	RTO-M	45	form-based				0.7	5	0.714285731	4	4	6980.399902	6110.399902	6110.399902	0.799954
3636	038A	2493	0.06	1078	1	75	120	3.5	7	6	8726	7648	RTO-M	45	form-based				0.7	5	0.714285731	4	4	6980.399902	5902.399902	5902.399902	0.799954
3637	051	3059	0.07	3250	2	75	120	3.5	8	6	10706	7456	RTO-M	40	form-based				0.7	6	0.75	4	4	8565.200195	5315.200195	5315.200195	0.800037
3637	054	3059	0.07	3480	2	75	120	3.5	8	6	10706	7226	RTO-M	40	form-based				0.7	6	0.75	4	4	8565.200195	5085.200195	5085.200195	0.800037
3637	055	3059	0.07	5192	2	75	120	3.5	8	6	10706	5514	RTO-M	40	form-based				0.7	6	0.75	4	4	8565.200195	3373.200195	3373.200195	0.800037
3637	056	3059	0.07	3464	2	75	120	3.5	8	6	10706	7242	RTO-M	40	form-based				0.7	6	0.75	4	4	8565.200195	5101.200195	5101.200195	0.800037
3637	057	3059	0.07	2632	2	75	120	3.5	8	6	10706	8074	RTO-M	40	form-based				0.7	6	0.75	4	4	8565.200195	5933.200195	5933.200195	0.800037
3637	058	3059	0.07	2715	2	75	120	3.5	8	6	10706	7991	RTO-M	40	form-based				0.7	6	0.75	4	4	8565.200195	5850.200195	5850.200195	0.800037
3637	062	3263	0.07	3544	3	75	120	3.5	8	5	11420	7876	RTO-M	40	form-based				0.7	7	0.875	4	4	9136.399414	5592.399414	5592.399414	0.800035
3637	080	3059	0.07	1489	2	75	120	3.5	8	6	10706	9217	RTO-M	40	form-based				0.7	6	0.75	4	4	8565.200195	7076.200195	7076.200195	0.800037
3637	082	3059	0.07	1530	2	75	120	3.5	8	6	10706	9176	RTO-M	40	form-based				0.7	6	0.75	4	4	8565.200195	7035.200195	7035.200195	0.800037
3637	084	3059	0.07	1700	2	75	120	3.5	8	6	10706	9006	RTO-M	40	form-based				0.7	6	0.75	4	4	8565.200195	6865.200195	6865.200195	0.800037
3638	073	2841	0.07	1800	2	65	100	3	7	5	8523	6723	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	4	4	7954.799805	6154.799805	6154.799805	0.933333
3639	017	2136	0.05	3050	2	65	100	3	5	3	6408	3358	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	5980.799805	2930.799805	2930.799805	0.933333
3639	024	3035	0.07	0	0	65	100	3	7	7	9105	9105	RH-2	40	density-lim	1500			0.7	4	0.571428597	4	4	8498	8498	8498	0.933333
3642	012C	2014	0.05	1788	2	75	120	3.5	6	4	7049	5261	RTO-M	55	form-based				0.7	6	1	4	4	7049	5261	5261	1
3642	013	2991	0.07	5100	5	75	120	3.5	8	3	10468	5368	NCT-24TH-	55	form-based		true		0.75	9	1.125	4	4	11216.25	6116.25	6116.25	1.07148
3642	019	2500	0.06	5246	4	95	160	4.5	10	6	11250	6004	NCT-MISSI	55	form-based				0.75	8	0.800000012	4	4	9375	4129	4129	0.833333
3642	050A	3096	0.07	3453	3	75	120	3.5	8	5	10836	7383	RTO-M	40	form-based				0.7	7	0.875	4	4	8668.799805	5215.799805	5215.799805	0.8
3642	052	3075	0.07	3848	2	75	120	3.5	8	6	10762	6914	RTO-M	40	form-based				0.7	6	0.75	4	4	8610	4762	4762	0.800037
3642	060	3664	0.08	5100	4	75	120	3.5	10	6	12824	7724	RTO-M	40	form-based				0.7	8	0.800000012	4	4	10259.2002	5159.200195	5159.200195	0.8
3642	071	3075	0.07	3150	2	75	120	3.5	8	6	10762	7612	RTO-M	40	form-based				0.7	6	0.75	4	4	8610	5460	5460	0.800037
3642	101	6370	0.15	1675	9	75	120	3.5	18	9	22295	20620	RTO-M	40	form-based				0.7	13	0.722222209	4	4	17836	16161	16161	0.8
3643	013	1414	0.03	1232	0	75	120	3.5	4	4	4949	3717	NCT-MISSI	55	form-based				0.75	4	1	4	4	5302.5	4070.5	4070.5	1.071429
3643	016	4360	0.1	8060	9	75	120	3.5	12	3	15260	7200	NCT-VALEI	55	form-based		true		0.75	13	1.083333373	4	4	16350	8290	8290	1.071429
3643	045	2812	0.06	1708	2	75	120	3.5	7	5	9842	8134	RTO-M	45	form-based				0.7	6	0.857142866	4	4	7873.600098	6165.600098	6165.600098	0.8
3643	065	3974	0.09	896	4	75	120	3.5	11	7	13909	13013	RTO-M	45	form-based				0.7	8	0.727272749	4	4	11127.2002	10231.2002	10231.2002	0.8
3643	074	3125	0.07	1756	3	75	120	3.5	8	5	10938	9182	RTO-M	45	form-based				0.7	7	0.875	4	4	8750	6994	6994	0.799963
3644	006	2025	0.05	1150	2	75	120	3.5	6	4	7088	5938	NCT-VALEI	55	form-based				0.75	6	1	4	4	7593.75	6443.75	6443.75	1.071353
3644	006A	2060	0.05	2635	0	75	120	3.5	6	6	7210	4575	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	5768	3133	3133	0.8
3644	022	2332	0.05	4125	3	75	120	3.5	6	3	8162	4037	NCT-VALEI	55	form-based				0.75	7	1.166666627	4	4	8745	4620	4620	1.071429
3645	016	2700	0.06	2585	0	75	120	3.5	7	7	9450	6865	RH-3	40	density-lim	1000			0.7	4	0.571428597	4	4	7560	4975	4975	0.8
3645	019	1599	0.04	2342	0	75	120	3.5	5	5	5596	3254	RH-3	40	density-lim	1000			0.7	4	0.800000012	4	4	4477.199707	2135.199707	2135.199707	0.800071
3645	021	2058	0.05	3140	2	75	120	3.5	6	4	7203	4063	RH-3	40	density-lim	1000	true		0.7	6	1	4	4	5762.399902	2622.399902	2622.399902	0.8
3645	037	1856	0.04	2972	0	75	120	3.5	5	5	6496	3524	RH-3	40	density-lim	1000			0.7	4	0.800000012	4	4	5196.799805	2224.799805	2224.799805	0.8
3646	001	2557	0.06	3280	2	75	120	3.5	7	5	8950	5670	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	4	4	7159.600098	3879.600098	3879.600098	0.799955
3647	021	2668	0.06	3741	0	65	100	3	6	6	8004	4263	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	7470.399902	3729.399902	3729.399902	0.933333
3647	030	3667	0.08	2573	0	65	100	3	8	8	11001	8428	RH-3	40	density-lim	1000			0.7	4	0.5	4	4	10267.59961	7694.599609	7694.599609	0.933333
3648	010A	4628	0.11	2962	1	65	100	3	11	10	13884	10922	RH-3	40	density-lim	1000			0.7	5	0.454545468	4	4	12958.39941	9996.399414	9996.399414	0.933333
3648	017	2138	0.05	3534	2	65	100	3	5	3	6414	2880	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	4	4	5986.399902	2452.399902	2452.399902	0.933333
3648	031A	1668	0.04	5264	2	65	100	3	4	2	5004	0	RH-3	40	density-lim	1000	true		0.7	6	1.5	4	4	4670.399902	0	0	0.933333
3649	020	3558	0.08	7080	6	65	100	3	8	2	10674	3594	RH-2	50	form-based			true	0.7	10	1.25	4	4	12453	5373	5373	1.166667
3649	052	1534	0.04	2417	0	65	100	3	4	4	4602	2185	RH-2	50	form-based			true	0.7	4	1	4	4	5369	2952	2952	1.166667
3650	017	1875	0.04	1610	1	65	100	3	4	3	5625	4015	RH-2	50	form-based			true	0.7	5	1.25	4	4	6562.5	4952.5	4952.5	1.166667
3650	030	1725	0.04	2262	2	65	100	3	4	2	5175	2913	RTO-C	65	form-based			true	0.75	6	1.5	4	4	7762.5	5500.5	5500.5	1.5
3650	037A	1429	0.03	1896	1	65	100	3	3	2	4287	2391	RTO-C	65	form-based			true	0.75	5	1.666666627	4	4	6430.5	4534.5	4534.5	1.5
3650	055	1875	0.04	1212	3	65	100	3	4	1	5625	4413	RTO-C	65	form-based			true	0.75	7	1.75	4	4	8437.5	7225.5	7225.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3651	010	2058	0.05	3470	4	85	140	4	7	3	8232	4762	RTO-C	65	form-based		true	true	0.75	8	1.142857194	4	4	9261	5791	5791	1.125
3651	021	1875	0.04	4284	3	65	100	3	4	1	5625	1341	NCD-24TH	65	form-based			true	0.75	7	1.75	4	4	8437.5	4153.5	4153.5	1.5
3651	026	2886	0.07	3524	4	65	100	3	7	3	8658	5134	RH-3	50	form-based		true	true	0.7	8	1.142857194	4	4	10101	6577	6577	1.166667
3652	008	1840	0.04	1866	1	65	100	3	4	3	5520	3654	RH-3	50	form-based			true	0.7	5	1.25	4	4	6440	4574	4574	1.166667
3652	013	2125	0.05	3380	4	65	100	3	5	1	6375	2995	NCD-24TH	65	form-based			true	0.75	8	1.600000024	4	4	9562.5	6182.5	6182.5	1.5
3652	024	2834	0.07	1400	4	65	100	3	7	3	8502	7102	RH-3	50	form-based			true	0.7	8	1.142857194	4	4	9919	8519	8519	1.166667
3652	029	1815	0.04	2374	1	65	100	3	4	3	5445	3071	RH-3	50	form-based			true	0.7	5	1.25	4	4	6352.5	3978.5	3978.5	1.166667
3652	030	1816	0.04	833	1	65	100	3	4	3	5448	4615	RH-3	50	form-based			true	0.7	5	1.25	4	4	6356	5523	5523	1.166667
3652	032	3787	0.09	6150	7	65	100	3	9	2	11361	5211	RH-3	50	form-based			true	0.7	11	1.222222209	4	4	13254.5	7104.5	7104.5	1.166667
3652	035	1719	0.04	1380	1	65	100	3	4	3	5157	3777	RH-3	50	form-based			true	0.7	5	1.25	4	4	6016.5	4636.5	4636.5	1.166667
3652	036	1784	0.04	2300	1	65	100	3	4	3	5352	3052	RH-3	50	form-based			true	0.7	5	1.25	4	4	6244	3944	3944	1.166667
3652	038	1820	0.04	1187	1	65	100	3	4	3	5460	4273	RH-3	50	form-based		true	true	0.7	5	1.25	4	4	6370	5183	5183	1.166667
3652	043	1757	0.04	1005	1	65	100	3	4	3	5271	4266	RH-3	50	form-based			true	0.7	5	1.25	4	4	6149.5	5144.5	5144.5	1.166667
3653	002	2500	0.06	1852	1	65	100	3	6	5	7500	5648	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	5148	5148	0.933333
3653	007	2500	0.06	1080	1	65	100	3	6	5	7500	6420	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	5920	5920	0.933333
3653	008	2500	0.06	1080	1	65	100	3	6	5	7500	6420	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7000	5920	5920	0.933333
3653	017	3078	0.07	2542	2	65	100	3	7	5	9234	6692	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8618.399414	6076.399414	6076.399414	0.933333
3653	020	2964	0.07	2100	2	65	100	3	7	5	8892	6792	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8299.200195	6199.200195	6199.200195	0.933333
3653	030	2461	0.06	1554	1	65	100	3	6	5	7383	5829	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	6890.799805	5336.799805	5336.799805	0.933333
3653	031	2846	0.07	3600	2	65	100	3	7	5	8538	4938	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7968.799805	4368.799805	4368.799805	0.933333
3653	032	2960	0.07	3024	2	65	100	3	7	5	8880	5856	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	8288	5264	5264	0.933333
3653	042	2846	0.07	2190	2	65	100	3	7	5	8538	6348	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7968.799805	5778.799805	5778.799805	0.933333
3653	044	2846	0.07	2496	2	65	100	3	7	5	8538	6042	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7968.799805	5472.799805	5472.799805	0.933333
3653	057	3327	0.08	1735	3	65	100	3	8	5	9981	8246	RH-3	40	form-based			true	0.7	7	0.875	4	4	9315.599609	7580.599609	7580.599609	0.933333
3653	060	2850	0.07	1318	2	65	100	3	7	5	8550	7232	RH-3	40	form-based			true	0.7	6	0.857142866	4	4	7980	6662	6662	0.933333
3654	021	1720	0.04	1060	1	65	100	3	4	3	5160	4100	RH-3	50	form-based			true	0.7	5	1.25	4	4	6020	4960	4960	1.166667
3654	023	2064	0.05	2820	2	65	100	3	5	3	6192	3372	RH-3	50	form-based		true	true	0.7	6	1.200000048	4	4	7224	4404	4404	1.166667
3655	014	2850	0.07	1772	2	55	80	2.5	6	4	7125	5353	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6208	6208	1.12
3655	019	2850	0.07	2494	2	55	80	2.5	6	4	7125	4631	RH-2	40	form-based			true	0.7	6	1	4	4	7980	5486	5486	1.12
3655	021	2850	0.07	3377	2	55	80	2.5	6	4	7125	3748	RH-2	40	form-based			true	0.7	6	1	4	4	7980	4603	4603	1.12
3655	023	2850	0.07	2910	2	55	80	2.5	6	4	7125	4215	RH-2	40	form-based			true	0.7	6	1	4	4	7980	5070	5070	1.12
3655	024	2783	0.06	2446	2	55	80	2.5	5	3	6958	4512	RH-2	40	form-based		true	true	0.7	6	1.200000048	4	4	7792.399902	5346.399902	5346.399902	1.11992
3655	025	2625	0.06	2568	2	55	80	2.5	5	3	6562	3994	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	4782	4782	1.120085
3655	026	2625	0.06	2368	2	55	80	2.5	5	3	6562	4194	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	4982	4982	1.120085
3655	027	2625	0.06	2666	2	55	80	2.5	5	3	6562	3896	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	4684	4684	1.120085
3655	029	2625	0.06	2848	2	55	80	2.5	5	3	6562	3714	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	4502	4502	1.120085
3655	034	2846	0.07	2404	2	55	80	2.5	6	4	7115	4711	RH-2	40	form-based			true	0.7	6	1	4	4	7968.799805	5564.799805	5564.799805	1.12
3655	035	2846	0.07	3369	2	55	80	2.5	6	4	7115	3746	RH-2	40	form-based			true	0.7	6	1	4	4	7968.799805	4599.799805	4599.799805	1.12
3655	036	2846	0.07	2520	2	55	80	2.5	6	4	7115	4595	RH-2	40	form-based			true	0.7	6	1	4	4	7968.799805	5448.799805	5448.799805	1.12
3655	045	2846	0.07	2888	2	55	80	2.5	6	4	7115	4227	RH-2	40	form-based			true	0.7	6	1	4	4	7968.799805	5080.799805	5080.799805	1.12
3655	046	2850	0.07	1249	2	55	80	2.5	6	4	7125	5876	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6731	6731	1.12
3655	066	2846	0.07	1769	2	55	80	2.5	6	4	7115	5346	RH-2	40	form-based			true	0.7	6	1	4	4	7968.799805	6199.799805	6199.799805	1.12
3655	068	2625	0.06	1856	2	55	80	2.5	5	3	6562	4706	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	5494	5494	1.120085
3655	070	2846	0.07	1199	2	55	80	2.5	6	4	7115	5916	RH-2	40	form-based			true	0.7	6	1	4	4	7968.799805	6769.799805	6769.799805	1.12
3656	007	2591	0.06	4074	3	65	100	3	6	3	7773	3699	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	9068.5	4994.5	4994.5	1.166667
3656	010	2850	0.07	6844	7	55	80	2.5	6	0	7125	281	NCD-24TH	65	form-based			true	0.75	11	1.833333373	4	4	12825	5981	5981	1.8
3721	123	488	0.01	0	0	75	120	3.5	1	1	1708	1708	C-3-O(SD)	500	form-based				0.8	4	4	4	2	4392	4392	3416	2.571429
3725	031	1745	0.04	1750	0	65	100	3	4	4	5235	3485	MUR	45	form-based				0.75	4	1	4	4	5235	3485	3485	1
3725	035	2400	0.06	2400	1	75	120	3.5	7	6	8400	6000	MUR	45	form-based				0.75	5	0.714285731	4	4	7200	4800	4800	0.857143
3726	013	6752	0.16	51000	31	65	100	3	16	0	20256	0	MUG	85	form-based				0.75	35	2.1875	4	1	40512	0	0	2
3726	041	2043	0.05	852	1	65	100	3	5	4	6129	5277	RED	45	form-based				0.75	5	1	4	4	6129	5277	5277	1
3726	068	1785	0.04	3750	0	65	100	3	4	4	5355	1605	RED	45	form-based		true		0.75	4	1	4	4	5355	1605	1605	1
3726	072	1738	0.04	0	0	65	100	3	4	4	5214	5214	RED	45	form-based				0.75	4	1	4	4	5214	5214	5214	1
3726	076	1817	0.04	3255	0	65	100	3	4	4	5451	2196	RED	45	form-based				0.75	4	1	4	4	5451	2196	2196	1
3726	077	1817	0.04	0	0	65	100	3	4	4	5451	5451	RED	45	form-based				0.75	4	1	4	4	5451	5451	5451	1
3726	078	1817	0.04	0	0	65	100	3	4	4	5451	5451	RED	45	form-based				0.75	4	1	4	4	5451	5451	5451	1
3726	079	1817	0.04	0	0	65	100	3	4	4	5451	5451	RED	45	form-based				0.75	4	1	4	4	5451	5451	5451	1
3726	080	1817	0.04	0	0	65	100	3	4	4	5451	5451	RED	45	form-based				0.75	4	1	4	4	5451	5451	5451	1
3726	092	1876	0.04	1555	0	65	100	3	4	4	5628	4073	RED	45	form-based				0.75	4	1	4	4	5628	4073	4073	1
3726	168	2618	0.06	2262	2	65	100	3	6	4	7854	5592	RED	45	form-based				0.75	6	1	4	4	7854	5592	5592	1
3726	191	1817	0.04	9511	0	65	100	3	4	4	5451	0	RED	45	form-based				0.75	4	1	4	4	5451	0	0	1
3727	028	1901	0.04	4000	0	75	120	3.5	5	5	6654	2654	RED	40	form-based				0.75	4	0.800000012	4	4	5703	1703	1703	0.857078
3727	043	1950	0.04	1790	0	75	120	3.5	5	5	6825	5035	RED	40	form-based				0.75	4	0.800000012	4	4	5850	4060	4060	0.857143
3727	052	1950	0.04	5175	0	75	120	3.5	5	5	6825	1650	RED	40	form-based				0.75	4	0.800000012	4	4	5850	675	675	0.857143

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3727	057	1950	0.04	3750	0	75	120	3.5	5	5	6825	3075	RED	40	form-based				0.75	4	0.800000012	4	4	5850	2100	2100	0.857143
3727	060	1873	0.04	2729	0	75	120	3.5	5	5	6556	3827	RED	40	form-based				0.75	4	0.800000012	4	4	5619	2890	2890	0.857077
3727	072	1883	0.04	1983	0	75	120	3.5	5	5	6590	4607	RED	40	form-based		true		0.75	4	0.800000012	4	4	5649	3666	3666	0.857208
3727	083	1949	0.04	2750	0	75	120	3.5	5	5	6822	4072	RED	40	form-based				0.75	4	0.800000012	4	4	5847	3097	3097	0.85708
3727	114	1169	0.03	3960	0	85	140	4	4	4	4676	716	WMUG	65	form-based				0.75	4	1	4	4	5260.5	1300.5	1300.5	1.125
3728	005	1974	0.05	3924	0	75	120	3.5	6	6	6909	2985	RED-MX	45	form-based				0.75	4	0.666666687	4	4	5922	1998	1998	0.857143
3728	035	1875	0.04	5302	0	75	120	3.5	5	5	6562	1260	RED-MX	45	form-based				0.75	4	0.800000012	4	4	5625	323	323	0.857208
3728	036	1875	0.04	862	0	75	120	3.5	5	5	6562	5700	RED-MX	45	form-based				0.75	4	0.800000012	4	4	5625	4763	4763	0.857208
3728	037	1875	0.04	1877	0	75	120	3.5	5	5	6562	4685	RED-MX	45	form-based				0.75	4	0.800000012	4	4	5625	3748	3748	0.857208
3728	042	1875	0.04	2250	0	75	120	3.5	5	5	6562	4312	RED-MX	45	form-based				0.75	4	0.800000012	4	4	5625	3375	3375	0.857208
3728	043	1875	0.04	1875	0	75	120	3.5	5	5	6562	4687	RED-MX	45	form-based				0.75	4	0.800000012	4	4	5625	3750	3750	0.857208
3728	047	1875	0.04	2025	0	75	120	3.5	5	5	6562	4537	RED-MX	45	form-based				0.75	4	0.800000012	4	4	5625	3600	3600	0.857208
3728	052	1927	0.04	2950	0	75	120	3.5	5	5	6744	3794	RED-MX	45	form-based				0.75	4	0.800000012	4	4	5781	2831	2831	0.857206
3728	058	1934	0.04	1530	0	75	120	3.5	5	5	6769	5239	RED-MX	45	form-based				0.75	4	0.800000012	4	4	5802	4272	4272	0.857143
3729	016	2250	0.05	3210	4	65	100	3	5	1	6750	3540	NCT-FOLS(	65	form-based				0.75	8	1.600000024	4	4	10125	6915	6915	1.5
3729	028	1908	0.04	2275	0	65	100	3	4	4	5724	3449	RED-MX	45	form-based				0.75	4	1	4	4	5724	3449	3449	1
3729	030	1907	0.04	2275	0	65	100	3	4	4	5721	3446	RED-MX	45	form-based				0.75	4	1	4	4	5721	3446	3446	1
3729	031	1906	0.04	2705	0	65	100	3	4	4	5718	3013	RED-MX	45	form-based				0.75	4	1	4	4	5718	3013	3013	1
3729	032	1906	0.04	2014	0	65	100	3	4	4	5718	3704	RED-MX	45	form-based				0.75	4	1	4	4	5718	3704	3704	1
3729	034	1905	0.04	1721	0	65	100	3	4	4	5715	3994	RED-MX	45	form-based				0.75	4	1	4	4	5715	3994	3994	1
3729	037	1904	0.04	3750	0	65	100	3	4	4	5712	1962	RED-MX	45	form-based				0.75	4	1	4	4	5712	1962	1962	1
3729	039	1903	0.04	3750	0	65	100	3	4	4	5709	1959	RED-MX	45	form-based				0.75	4	1	4	4	5709	1959	1959	1
3729	046	1875	0.04	1886	0	65	100	3	4	4	5625	3739	RED-MX	45	form-based				0.75	4	1	4	4	5625	3739	3739	1
3729	047	1875	0.04	1875	0	65	100	3	4	4	5625	3750	RED-MX	45	form-based				0.75	4	1	4	4	5625	3750	3750	1
3729	052	1875	0.04	1875	0	65	100	3	4	4	5625	3750	RED-MX	45	form-based				0.75	4	1	4	4	5625	3750	3750	1
3729	054	1875	0.04	1858	0	65	100	3	4	4	5625	3767	RED-MX	45	form-based				0.75	4	1	4	4	5625	3767	3767	1
3729	060	1861	0.04	0	0	65	100	3	4	4	5583	5583	RED-MX	45	form-based				0.75	4	1	4	4	5583	5583	5583	1
3729	069	1632	0.04	1680	0	65	100	3	4	4	4896	3216	RED-MX	45	form-based				0.75	4	1	4	4	4896	3216	3216	1
3729	075	1838	0.04	3920	0	65	100	3	4	4	5514	1594	RED-MX	45	form-based				0.75	4	1	4	4	5514	1594	1594	1
3729	091	2250	0.05	1119	4	65	100	3	5	1	6750	5631	NCT-FOLS(	65	form-based				0.75	8	1.600000024	4	4	10125	9006	9006	1.5
3730	030	1900	0.04	0	0	65	100	3	4	4	5700	5700	RED	40	form-based				0.75	4	1	4	4	5700	5700	5700	1
3730	068	2855	0.07	1690	2	65	100	3	7	5	8565	6875	RED	40	form-based				0.75	6	0.857142866	4	4	8565	6875	6875	1
3730	095	1990	0.05	1875	0	65	100	3	5	5	5970	4095	RED	40	form-based				0.75	4	0.800000012	4	4	5970	4095	4095	1
3730	104	1910	0.04	3750	0	65	100	3	4	4	5730	1980	RED	40	form-based				0.75	4	1	4	4	5730	1980	1980	1
3730	109	2000	0.05	2178	1	65	100	3	5	4	6000	3822	RED	40	form-based				0.75	5	1	4	4	6000	3822	3822	1
3731	068	1875	0.04	2275	0	65	100	3	4	4	5625	3350	RED	45	form-based				0.75	4	1	4	4	5625	3350	3350	1
3732	035	1730	0.04	1720	0	65	100	3	4	4	5190	3470	MUR	45	form-based				0.75	4	1	4	4	5190	3470	3470	1
3732	066	1875	0.04	6275	0	65	100	3	4	4	5625	0	MUR	45	form-based				0.75	4	1	4	4	5625	0	0	1
3732	117	1875	0.04	3030	0	65	100	3	4	4	5625	2595	MUR	45	form-based				0.75	4	1	4	4	5625	2595	2595	1
3732	764	1875	0.04	1875	0	65	100	3	4	4	5625	3750	MUR	45	form-based				0.75	4	1	4	4	5625	3750	3750	1
3749	182	1757	0.04	2393	3	75	120	3.5	5	2	6150	3757	RH DTR	65	form-based				0.8	7	1.399999976	4	4	8433.600586	6040.600586	6040.600586	1.371317
3749	511	1757	0.04	1609	3	75	120	3.5	5	2	6150	4541	RH DTR	65	form-based				0.8	7	1.399999976	4	4	8433.600586	6824.600586	6824.600586	1.371317
3751	053	1600	0.04	440	0	65	100	3	4	4	4800	4360	CMUO	45	form-based				0.8	4	1	4	4	5120	4680	4680	1.066667
3752	026	1704	0.04	2175	0	65	100	3	4	4	5112	2937	MUR	45	form-based				0.75	4	1	4	4	5112	2937	2937	1
3752	028	1706	0.04	1891	0	65	100	3	4	4	5118	3227	MUR	45	form-based				0.75	4	1	4	4	5118	3227	3227	1
3752	032	1867	0.04	0	0	65	100	3	4	4	5601	5601	MUR	45	form-based				0.75	4	1	4	4	5601	5601	5601	1
3752	033	1868	0.04	0	0	65	100	3	4	4	5604	5604	MUR	45	form-based				0.75	4	1	4	4	5604	5604	5604	1
3752	053	1833	0.04	0	0	65	100	3	4	4	5499	5499	MUR	45	form-based				0.75	4	1	4	4	5499	5499	5499	1
3752	078	1875	0.04	2375	0	65	100	3	4	4	5625	3250	MUR	45	form-based				0.75	4	1	4	4	5625	3250	3250	1
3753	028	1953	0.04	4089	3	65	100	3	4	1	5859	1770	MUR	65	form-based				0.75	7	1.75	4	4	8788.5	4699.5	4699.5	1.5
3753	034	1651	0.04	0	0	65	100	3	4	4	4953	4953	MUR	45	form-based				0.75	4	1	4	4	4953	4953	4953	1
3753	057	1982	0.05	4000	0	65	100	3	5	5	5946	1946	MUR	45	form-based				0.75	4	0.800000012	4	4	5946	1946	1946	1
3753	058	1982	0.05	3320	0	65	100	3	5	5	5946	2626	MUR	45	form-based				0.75	4	0.800000012	4	4	5946	2626	2626	1
3753	061	1744	0.04	3867	0	65	100	3	4	4	5232	1365	MUR	45	form-based				0.75	4	1	4	4	5232	1365	1365	1
3753	071	1982	0.05	0	0	65	100	3	5	5	5946	5946	MUR	45	form-based				0.75	4	0.800000012	4	4	5946	5946	5946	1
3753	072	1982	0.05	2000	0	65	100	3	5	5	5946	3946	MUR	45	form-based				0.75	4	0.800000012	4	4	5946	3946	3946	1
3753	075	1784	0.04	2700	0	65	100	3	4	4	5352	2652	MUR	45	form-based				0.75	4	1	4	4	5352	2652	2652	1
3753	076	1784	0.04	2700	0	65	100	3	4	4	5352	2652	MUR	45	form-based				0.75	4	1	4	4	5352	2652	2652	1
3753	078	1784	0.04	1462	0	65	100	3	4	4	5352	3890	MUR	45	form-based				0.75	4	1	4	4	5352	3890	3890	1
3753	100	1860	0.04	0	0	65	100	3	4	4	5580	5580	MUR	45	form-based				0.75	4	1	4	4	5580	5580	5580	1
3753	118	1875	0.04	3103	0	65	100	3	4	4	5625	2522	MUR	45	form-based				0.75	4	1	4	4	5625	2522	2522	1
3753	315	2000	0.05	1511	4	65	100	3	5	1	6000	4489	MUR	65	form-based				0.75	8	1.600000024	4	4	9000	7489	7489	1.5
3754	026	1943	0.04	2363	0	65	100	3	4	4	5829	3466	MUG	45	form-based				0.75	4	1	4	4	5829	3466	3466	1
3754	027	1875	0.04	5712	0	65	100	3	4	4	5625	0	MUG	45	form-based				0.75	4	1	4	4	5625	0	0	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3754	029	1875	0.04	1875	0	65	100	3	4	4	5625	3750	MUG	45	form-based				0.75	4	1	4	4	5625	3750	3750	1
3754	045	3446	0.08	4998	4	65	100	3	8	4	10338	5340	MUG	45	form-based				0.75	8	1	4	4	10338	5340	5340	1
3755	067	1710	0.04	1541	0	65	100	3	4	4	5130	3589	RED	40	form-based				0.75	4	1	4	4	5130	3589	3589	1
3755	081	1618	0.04	0	0	65	100	3	4	4	4854	4854	RED	40	form-based				0.75	4	1	4	4	4854	4854	4854	1
3755	083	1750	0.04	0	0	65	100	3	4	4	5250	5250	RED	40	form-based				0.75	4	1	4	4	5250	5250	5250	1
3755	085	1761	0.04	2600	0	65	100	3	4	4	5283	2683	RED	40	form-based				0.75	4	1	4	4	5283	2683	2683	1
3755	086	1755	0.04	2600	0	65	100	3	4	4	5265	2665	RED	40	form-based				0.75	4	1	4	4	5265	2665	2665	1
3755	187	6557	0.15	1469	11	65	100	3	15	4	19671	18202	RED	40	form-based				0.75	15	1	4	4	19671	18202	18202	1
3755	251	2000	0.05	1201	2	65	100	3	5	3	6000	4799	WMUG	55	form-based				0.75	6	1.200000048	4	4	7500	6299	6299	1.25
3756	022	1875	0.04	0	0	65	100	3	4	4	5625	5625	RED-MX	45	form-based				0.75	4	1	4	4	5625	5625	5625	1
3756	023	1875	0.04	2780	0	65	100	3	4	4	5625	2845	RED-MX	45	form-based				0.75	4	1	4	4	5625	2845	2845	1
3756	026	1875	0.04	0	0	65	100	3	4	4	5625	5625	RED-MX	45	form-based				0.75	4	1	4	4	5625	5625	5625	1
3756	028	1875	0.04	1896	0	65	100	3	4	4	5625	3729	RED-MX	45	form-based				0.75	4	1	4	4	5625	3729	3729	1
3756	031	1875	0.04	1875	0	65	100	3	4	4	5625	3750	RED-MX	45	form-based				0.75	4	1	4	4	5625	3750	3750	1
3756	044	2235	0.05	4926	4	65	100	3	5	1	6705	1779	NCT-FOLSO	65	form-based				0.75	8	1.600000024	4	4	10057.5	5131.5	5131.5	1.5
3775	032	1966	0.05	840	0	65	100	3	5	5	5898	5058	SPD	40	form-based				0.75	4	0.800000012	4	4	5898	5058	5058	1
3775	036	1894	0.04	2089	0	65	100	3	4	4	5682	3593	SPD	40	form-based				0.75	4	1	4	4	5682	3593	3593	1
3775	039	4833	0.11	11010	7	65	100	3	11	4	14499	3489	SPD	40	form-based			true	0.75	11	1	4	4	14499	3489	3489	1
3775	040	2549	0.06	4259	2	65	100	3	6	4	7647	3388	SPD	40	form-based				0.75	6	1	4	4	7647	3388	3388	1
3775	053	2375	0.05	19432	1	65	100	3	5	4	7125	0	SPD	40	form-based				0.75	5	1	4	4	7125	0	0	1
3775	055	2275	0.05	4462	1	65	100	3	5	4	6825	2363	SPD	40	form-based				0.75	5	1	4	4	6825	2363	2363	1
3775	057	2518	0.06	10350	2	65	100	3	6	4	7554	0	SPD	40	form-based			true	0.75	6	1	4	4	7554	0	0	1
3775	067	2346	0.05	5317	1	65	100	3	5	4	7038	1721	SPD	40	form-based				0.75	5	1	4	4	7038	1721	1721	1
3775	068	1574	0.04	1581	0	65	100	3	4	4	4722	3141	SPD	40	form-based				0.75	4	1	4	4	4722	3141	3141	1
3775	078	1760	0.04	0	0	65	100	3	4	4	5280	5280	CMUO	45	form-based				0.8	4	1	4	4	5632	5632	5632	1.066667
3775	080	1600	0.04	7094	0	65	100	3	4	4	4800	0	CMUO	45	form-based				0.8	4	1	4	4	5120	0	0	1.066667
3775	095	2000	0.05	4361	1	65	100	3	5	4	6000	1639	CMUO	45	form-based				0.8	5	1	4	4	6400	2039	2039	1.066667
3775	219	3168	0.07	8000	3	65	100	3	7	4	9504	1504	SPD	40	form-based				0.75	7	1	4	4	9504	1504	1504	1
3775	222	2226	0.05	2052	1	65	100	3	5	4	6678	4626	SPD	40	form-based				0.75	5	1	4	4	6678	4626	4626	1
3776	093	1500	0.03	4200	1	65	100	3	3	2	4500	300	CMUO	55	form-based				0.8	5	1.666666627	4	4	6000	1800	1800	1.333333
3776	105	1966	0.05	2100	2	65	100	3	5	3	5898	3798	CMUO	55	form-based				0.8	6	1.200000048	4	4	7864	5764	5764	1.333333
3776	106	1966	0.05	2100	2	75	120	3.5	6	4	6881	4781	CMUO	55	form-based				0.8	6	1	4	4	7864	5764	5764	1.142857
3779	088	3028	0.07	2125	3	65	100	3	7	4	9084	6959	RED-MX	45	form-based				0.75	7	1	4	4	9084	6959	6959	1
3784	109	8820	0.2	1440	16	65	100	3	20	4	26460	25020	RED-MX	45	form-based				0.75	20	1	4	4	26460	25020	25020	1
3784	125	9580	0.22	1261	18	65	100	3	22	4	28740	27479	RED-MX	45	form-based				0.75	22	1	4	4	28740	27479	27479	1
3775	106	6325	0.15	1196	10	65	100	3	15	5	18975	17779	SPD	40	form-based				0.75	14	0.933333337	4	4	18975	17779	17779	1
3977	001	2376	0.05	3000	2	65	100	3	5	3	7128	4128	RH-2	45	density-lim	1500	true		0.7	6	1.200000048	4	4	6652.799805	3652.799805	3652.799805	0.933333
3977	021	1483	0.03	250	0	65	100	3	3	3	4449	4199	RH-3	40	density-lim	1000			0.7	4	1.333333373	4	4	4152.399902	3902.399902	3902.399902	0.933333
3977	022	1856	0.04	3162	2	65	100	3	4	2	5568	2406	RH-3	40	density-lim	1000	true		0.7	6	1.5	4	4	5196.799805	2034.799805	2034.799805	0.933333
3977	030	2504	0.06	1945	0	65	100	3	6	6	7512	5567	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7011.199707	5066.199707	5066.199707	0.933333
3983	028	5000	0.11	2183	2	65	100	3	11	9	15000	12817	RH-3	40	density-lim	1000	true		0.7	6	0.545454562	4	4	14000	11817	11817	0.933333
3984	001A	3257	0.07	4965	0	65	100	3	7	7	9771	4806	RH-3	40	density-lim	1000			0.7	4	0.571428597	4	4	9119.599609	4154.599609	4154.599609	0.933333
3985	019A	100	0	0	0	65	100	3	0	0	300	300	RH-2	40	density-lim	1500			0.7	4		4	4	280	280	280	0.933333
3985	020	2400	0.06	308	0	65	100	3	6	6	7200	6892	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	6720	6412	6412	0.933333
3985	031	5000	0.11	5137	0	65	100	3	11	11	15000	9863	RH-2	40	density-lim	1500			0.7	4	0.363636374	4	4	14000	8863	8863	0.933333
3985	034	5000	0.11	5820	0	65	100	3	11	11	15000	9180	RH-2	40	density-lim	1500			0.7	4	0.363636374	4	4	14000	8180	8180	0.933333
3986	016	2550	0.06	1387	2	65	100	3	6	4	7650	6263	UMU	40	form-based				0.75	6	1	4	4	7650	6263	6263	1
3987	013	1702	0.04	1875	0	65	100	3	4	4	5106	3231	UMU	40	form-based				0.75	4	1	4	4	5106	3231	3231	1
3994	015	4993	0.11	805	15	85	140	4	15	0	19972	19167	UMU	68	form-based				0.75	19	1.266666651	4	4	22468.5	21663.5	21663.5	1.125
3995	030	2500	0.06	1561	4	85	140	4	8	4	10000	8439	UMU	58	form-based				0.75	8	1	4	4	9375	7814	7814	0.9375
3996	006	2497	0.06	1875	0	65	100	3	6	6	7491	5616	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	6991.600098	5116.600098	5116.600098	0.933333
3998	013	1400	0.03	0	0	65	100	3	3	3	4200	4200	UMU	58	form-based				0.75	4	1.333333373	4	4	5250	5250	5250	1.25
4001	002	2500	0.06	3030	0	65	100	3	6	6	7500	4470	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7000	3970	3970	0.933333
4001	013A	3500	0.08	3286	0	65	100	3	8	8	10500	7214	RH-3	40	density-lim	1000			0.7	4	0.5	4	4	9800	6514	6514	0.933333
4002	001	1634	0.04	2350	2	65	100	3	4	2	4902	2552	RH-3	40	density-lim	1000	true		0.7	6	1.5	4	4	4575.199707	2225.199707	2225.199707	0.933333
4002	024	2500	0.06	562	0	65	100	3	6	6	7500	6938	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7000	6438	6438	0.933333
4004	019	1813	0.04	1880	2	65	100	3	4	2	5439	3559	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5076.399902	3196.399902	3196.399902	0.933333
4006	014	1875	0.04	2611	0	65	100	3	4	4	5625	3014	UMU	40	form-based				0.75	4	1	4	4	5625	3014	3014	1
4006	015	1875	0.04	2611	0	65	100	3	4	4	5625	3014	UMU	40	form-based				0.75	4	1	4	4	5625	3014	3014	1
4006	016	1875	0.04	2611	0	65	100	3	4	4	5625	3014	UMU	40	form-based				0.75	4	1	4	4	5625	3014	3014	1
4006	017	1875	0.04	2611	0	65	100	3	4	4	5625	3014	UMU	40	form-based		true		0.75	4	1	4	4	5625	3014	3014	1
4008	021	1875	0.04	1380	0	65	100	3	4	4	5625	4245	RH-2	40	density-lim	1500			0.7	4	1	4	4	5250	3870	3870	0.933333
4008	023	1875	0.04	3695	0	65	100	3	4	4	5625	1930	RH-2	40	density-lim	1500			0.7	4	1	4	4	5250	1555	1555	0.933333
4008	024	2500	0.06	3608	0	65	100	3	6	6	7500	3892	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7000	3392	3392	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4009	008	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RH-3	40	density-lim	1000	true		0.7	6	1	4	4	7000	5000	5000	0.933333
4010	018	1226	0.03	0	0	65	100	3	3	3	3678	3678	RH-3	40	density-lim	1000			0.7	4	1.333333373	4	4	3432.800049	3432.800049	3432.800049	0.933333
4022	013	1950	0.04	2340	2	65	100	3	4	2	5850	3510	RH-2	65	density-lim	1500	true		0.7	6	1.5	4	4	8190	5850	5850	1.4
4024	011	1483	0.03	2750	2	65	100	3	3	1	4449	1699	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	4152.399902	1402.399902	1402.399902	0.933333
4027	022	2500	0.06	2008	2	65	100	3	6	4	7500	5492	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	7000	4992	4992	0.933333
4029	017	3000	0.07	0	0	65	100	3	7	7	9000	9000	RH-2	40	density-lim	1500			0.7	4	0.571428597	4	4	8400	8400	8400	0.933333
4029	025	2050	0.05	1702	2	65	100	3	5	3	6150	4448	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	5740	4038	4038	0.933333
4030	014	2500	0.06	439	0	65	100	3	6	6	7500	7061	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7000	6561	6561	0.933333
4030	039	1784	0.04	1320	0	55	80	2.5	3	3	4460	3140	RH-2	40	density-lim	1500			0.7	4	1.333333373	4	4	4995.199707	3675.199707	3675.199707	1.12
4030	045	2500	0.06	1489	2	55	80	2.5	5	3	6250	4761	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	7000	5511	5511	1.12
4031	001	1921	0.04	1725	2	55	80	2.5	3	1	4802	3077	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	5378.799805	3653.799805	3653.799805	1.120117
4031	025	4100	0.09	2930	2	55	80	2.5	7	5	10250	7320	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	4	4	11480	8550	8550	1.12
4031	031	2168	0.05	0	0	55	80	2.5	4	4	5420	5420	RH-2	40	density-lim	1500			0.7	4	1	4	4	6070.399902	6070.399902	6070.399902	1.12
4031	041	2489	0.06	1757	2	55	80	2.5	5	3	6222	4465	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	6969.199707	5212.199707	5212.199707	1.12009
4035	003	3370	0.08	9940	0	65	100	3	8	8	10110	170	NC-2	40	density-lim	800			0.75	4	0.5	4	4	10110	170	170	1
4035	016A	1753	0.04	1350	2	65	100	3	4	2	5259	3909	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	4908.399902	3558.399902	3558.399902	0.933333
4036	010	2500	0.06	4413	0	65	100	3	6	6	7500	3087	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7000	2587	2587	0.933333
4036	013	2508	0.06	1365	0	65	100	3	6	6	7524	6159	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7022.399902	5657.399902	5657.399902	0.933333
4037	013C	1824	0.04	2420	2	65	100	3	4	2	5472	3052	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5107.199707	2687.199707	2687.199707	0.933333
4038	009	2542	0.06	4404	2	65	100	3	6	4	7626	3222	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	7117.600098	2713.600098	2713.600098	0.933333
4038	014A	1875	0.04	2090	2	65	100	3	4	2	5625	3535	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5250	3160	3160	0.933333
4039	013	2482	0.06	1750	0	65	100	3	6	6	7446	5696	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	6949.600098	5199.600098	5199.600098	0.933333
4039	014	2483	0.06	2130	0	65	100	3	6	6	7449	5319	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	6952.399902	4822.399902	4822.399902	0.933333
4039	022	1228	0.03	0	0	65	100	3	3	3	3684	3684	RH-3	40	density-lim	1000			0.7	4	1.333333373	4	4	3438.399902	3438.399902	3438.399902	0.933333
4039	023	2108	0.05	2515	2	65	100	3	5	3	6324	3809	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	4	4	5902.399902	3387.399902	3387.399902	0.933333
4064	015	2500	0.06	2416	2	75	120	3.5	7	5	8750	6334	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	4	4	7000	4584	4584	0.8
4064	031	1782	0.04	2186	2	75	120	3.5	5	3	6237	4051	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	4989.600098	2803.600098	2803.600098	0.8
4065	008	2675	0.06	2839	0	65	100	3	6	6	8025	5186	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7490	4651	4651	0.933333
4066	020	2500	0.06	3250	2	65	100	3	6	4	7500	4250	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	7000	3750	3750	0.933333
4067	040	2500	0.06	1454	2	65	100	3	6	4	7500	6046	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	7000	5546	5546	0.933333
4068	034	1875	0.04	1117	2	65	100	3	4	2	5625	4508	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5250	4133	4133	0.933333
4069	016	2500	0.06	2894	0	65	100	3	6	6	7500	4606	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7000	4106	4106	0.933333
4069	025C	237	0.01	0	0	65	100	3	1	1	711	711	RH-2	40	density-lim	1500			0.7	4	4	4	2	663.5999756	663.5999756	663.5999756	0.933333
4069	045	2670	0.06	1976	2	65	100	3	6	4	8010	6034	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	7476	5500	5500	0.933333
4071	010	2467	0.06	200	0	65	100	3	6	6	7401	7201	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	6907.600098	6707.600098	6707.600098	0.933333
4073	051	2519	0.06	2531	2	55	80	2.5	5	3	6298	3767	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	7053.199707	4522.199707	4522.199707	1.119911
4074	001	2413	0.06	2292	2	65	100	3	6	4	7239	4947	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	6756.399902	4464.399902	4464.399902	0.933333
4075	031	2500	0.06	1718	0	65	100	3	6	6	7500	5782	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7000	5282	5282	0.933333
4076	001	2473	0.06	2374	2	65	100	3	6	4	7419	5045	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	6924.399902	4550.399902	4550.399902	0.933333
4079	028	2548	0.06	3332	2	65	100	3	6	4	7644	4312	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	7134.399902	3802.399902	3802.399902	0.933333
4081	006	4977	0.11	5000	0	65	100	3	11	11	14931	9931	RH-2	65	density-lim	1500			0.7	4	0.363636374	4	4	20903.40039	15903.40039	15903.40039	1.4
4081	019	2908	0.07	600	7	65	100	3	7	0	8724	8124	UMU	68	form-based				0.75	11	1.571428537	4	4	13086	12486	12486	1.5
4085	003	2581	0.06	3115	0	65	100	3	6	6	7743	4628	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7226.799805	4111.799805	4111.799805	0.933333
4085	031	2600	0.06	0	0	65	100	3	6	6	7800	7800	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7280	7280	7280	0.933333
4085	032	2600	0.06	0	0	65	100	3	6	6	7800	7800	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7280	7280	7280	0.933333
4085	032A	2600	0.06	0	0	65	100	3	6	6	7800	7800	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7280	7280	7280	0.933333
4086	014	2344	0.05	3224	0	65	100	3	5	5	7032	3808	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	6563.199707	3339.199707	3339.199707	0.933333
4086	018	4993	0.11	10000	0	65	100	3	11	11	14979	4979	RH-2	40	density-lim	1500			0.7	4	0.363636374	4	4	13980.39941	3980.399414	3980.399414	0.933333
4087	017	2356	0.05	2900	2	65	100	3	5	3	7068	4168	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	6596.799805	3696.799805	3696.799805	0.933333
4088	037	1872	0.04	3000	2	65	100	3	4	2	5616	2616	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5241.600098	2241.600098	2241.600098	0.933333
4088	047	2325	0.05	2580	2	65	100	3	5	3	6975	4395	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	6510	3930	3930	0.933333
4093	114	48	0	0	0	65	100	3	0	0	144	144	RH-2	40	density-lim	1500			0.7	4		4	4	134.3999939	134.3999939	134.3999939	0.933333
4094	015	2500	0.06	2369	0	55	80	2.5	5	5	6250	3881	RH-3	40	density-lim	1000			0.7	4	0.800000012	4	4	7000	4631	4631	1.12
4094	031	2494	0.06	1355	2	55	80	2.5	5	3	6235	4880	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	4	4	6983.199707	5628.199707	5628.199707	1.12
4094	034	2493	0.06	0	0	55	80	2.5	5	5	6232	6232	RH-3	40	density-lim	1000			0.7	4	0.800000012	4	4	6980.399902	6980.399902	6980.399902	1.12009
4094	112	2504	0.06	0	0	65	100	3	6	6	7512	7512	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7011.199707	7011.199707	7011.199707	0.933333
4095	005	2521	0.06	185	0	55	80	2.5	5	5	6302	6117	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	7058.799805	6873.799805	6873.799805	1.120089
4095	029	2514	0.06	1621	0	65	100	3	6	6	7542	5921	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7039.199707	5418.199707	5418.199707	0.933333
4095	036	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
4095	051	2500	0.06	2260	2	55	80	2.5	5	3	6250	3990	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	4	4	7000	4740	4740	1.12
4095	069	4137	0.09	3012	1	55	80	2.5	7	6	10342	7330	RM-1	40	density-lim	800	true		0.7	5	0.714285731	4	4	11583.59961	8571.599609	8571.599609	1.120054
4095	072	4511	0.1	2394	1	65	100	3	10	9	13533	11139	RH-3	40	density-lim	1000			0.7	5	0.5	4	4	12630.7998	10236.7998	10236.7998	0.933333
4095	073	3996	0.09	3298	2	55	80	2.5	7	5	9990	6692	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	4	4	11188.7998	7890.799805	7890.799805	1.12
4095	093	3566	0.08	3222	2	65	100	3	8	6	10698	7476	RH-2	40	density-lim	1500	true		0.7	6	0.75	4	4	9984.799805	6762.799805	6762.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4096	009	2466	0.06	0	0	65	100	3	6	6	7398	7398	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	6904.799805	6904.799805	6904.799805	0.933333
4096	032	2473	0.06	4630	2	65	100	3	6	4	7419	2789	RH-3	40	density-lim	1000	true		0.7	6	1	4	4	6924.399902	2294.399902	2294.399902	0.933333
4096	037	2500	0.06	2539	0	65	100	3	6	6	7500	4961	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7000	4461	4461	0.933333
4096	086	1650	0.04	2395	2	65	100	3	4	2	4950	2555	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	4620	2225	2225	0.933333
4096	111	1505	0.03	2400	2	65	100	3	3	1	4515	2115	RH-3	40	density-lim	1000	true		0.7	6	2	4	4	4214	1814	1814	0.933333
4096	113	2465	0.06	0	0	65	100	3	6	6	7395	7395	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	6902	6902	6902	0.933333
4097	001C	2530	0.06	442	0	65	100	3	6	6	7590	7148	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7084	6642	6642	0.933333
4097	026	2392	0.05	1750	2	65	100	3	5	3	7176	5426	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	6697.600098	4947.600098	4947.600098	0.933333
4097	034	5000	0.11	7295	0	65	100	3	11	11	15000	7705	RH-2	40	density-lim	1500			0.7	4	0.363636374	4	4	14000	6705	6705	0.933333
4098	015	2509	0.06	0	0	65	100	3	6	6	7527	7527	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7025.199707	7025.199707	7025.199707	0.933333
4098	045	1982	0.05	1807	0	65	100	3	5	5	5946	4139	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	5549.600098	3742.600098	3742.600098	0.933333
4100	008	2503	0.06	1746	0	75	120	3.5	7	7	8760	7014	RH-2	40	density-lim	1500			0.7	4	0.571428597	4	4	7008.399902	5262.399902	5262.399902	0.800046
4100	019	2500	0.06	2721	0	65	100	3	6	6	7500	4779	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7000	4279	4279	0.933333
4100	069	1822	0.04	3000	2	75	120	3.5	5	3	6377	3377	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	5101.600098	2101.600098	2101.600098	0.8
4101	007	2513	0.06	0	0	75	120	3.5	7	7	8796	8796	RH-2	40	density-lim	1500			0.7	4	0.571428597	4	4	7036.399902	7036.399902	7036.399902	0.799955
4102	001A	763	0.02	1125	0	75	120	3.5	2	2	2670	1545	RH-2	40	density-lim	1500			0.7	4	2	4	4	2136.399902	1011.399902	1011.399902	0.80015
4102	055	2488	0.06	0	0	75	120	3.5	7	7	8708	8708	RH-2	40	density-lim	1500			0.7	4	0.571428597	4	4	6966.399902	6966.399902	6966.399902	0.8
4102	164	2250	0.05	1141	2	75	120	3.5	6	4	7875	6734	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	6300	5159	5159	0.8
4103	103	2484	0.06	1640	2	75	120	3.5	7	5	8694	7054	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	4	4	6955.199707	5315.199707	5315.199707	0.8
4104	055	1813	0.04	2900	2	75	120	3.5	5	3	6346	3446	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	5076.399902	2176.399902	2176.399902	0.799937
4104	069	2535	0.06	2087	0	75	120	3.5	7	7	8872	6785	RH-2	40	density-lim	1500			0.7	4	0.571428597	4	4	7098	5011	5011	0.800045
4104	071	2532	0.06	2087	0	75	120	3.5	7	7	8862	6775	RH-2	40	density-lim	1500			0.7	4	0.571428597	4	4	7089.600098	5002.600098	5002.600098	0.8
4104	073	2533	0.06	2087	0	75	120	3.5	7	7	8866	6779	RH-2	40	density-lim	1500			0.7	4	0.571428597	4	4	7092.399902	5005.399902	5005.399902	0.799955
4104	075	2534	0.06	1605	0	75	120	3.5	7	7	8869	7264	RH-2	40	density-lim	1500			0.7	4	0.571428597	4	4	7095.199707	5490.199707	5490.199707	0.8
4104	077	2531	0.06	2087	0	75	120	3.5	7	7	8858	6771	RH-2	40	density-lim	1500			0.7	4	0.571428597	4	4	7086.799805	4999.799805	4999.799805	0.800045
4108	003B	2555	0.06	4500	2	65	100	3	6	4	7665	3165	UMU	45	form-based				0.75	6	1	4	4	7665	3165	3165	1
4108	009	2500	0.06	6331	0	75	120	3.5	7	7	8750	2419	RH-3	40	density-lim	1000			0.7	4	0.571428597	4	4	7000	669	669	0.8
4145	001	3500	0.08	3100	0	65	100	3	8	8	10500	7400	RM-1	40	density-lim	800	true		0.7	4	0.5	4	4	9800	6700	6700	0.933333
4145	016D	1000	0.02	1940	2	65	100	3	2	0	3000	1060	RH-3	40	density-lim	1000	true		0.7	6	3	4	2	2800	860	860	0.933333
4147	011	5250	0.12	5550	0	65	100	3	12	12	15750	10200	RH-2	40	density-lim	1500			0.7	4	0.333333343	4	4	14700	9150	9150	0.933333
4148	001	2388	0.05	1160	2	65	100	3	5	3	7164	6004	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	4	4	6686.399902	5526.399902	5526.399902	0.933333
4148	006	2555	0.06	2266	0	65	100	3	6	6	7665	5399	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7154	4888	4888	0.933333
4148	026	175	0	0	0	65	100	3	0	0	525	525	RH-3	40	density-lim	1000			0.7	4		4	4	490	490	490	0.933333
4148	043	2363	0.05	1175	0	65	100	3	5	5	7089	5914	RH-3	40	density-lim	1000			0.7	4	0.800000012	4	4	6616.399902	5441.399902	5441.399902	0.933333
4148	044	2304	0.05	0	0	65	100	3	5	5	6912	6912	RH-3	40	density-lim	1000			0.7	4	0.800000012	4	4	6451.199707	6451.199707	6451.199707	0.933333
4149	011	2613	0.06	2240	0	65	100	3	6	6	7839	5599	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7316.399902	5076.399902	5076.399902	0.933333
4149	033	2000	0.05	1845	2	65	100	3	5	3	6000	4155	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	4	4	5600	3755	3755	0.933333
4150	038	2520	0.06	2500	0	65	100	3	6	6	7560	5060	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	7056	4556	4556	0.933333
4151	001B	3274	0.08	3873	0	65	100	3	8	8	9822	5949	RM-1	40	density-lim	800			0.7	4	0.5	4	4	9167.200195	5294.200195	5294.200195	0.933333
4151	007	4260	0.1	0	0	65	100	3	10	10	12780	12780	RH-2	40	density-lim	1500			0.7	4	0.400000006	4	4	11928	11928	11928	0.933333
4151	008	2574	0.06	0	0	65	100	3	6	6	7722	7722	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7207.199707	7207.199707	7207.199707	0.933333
4158	069	1911	0.04	937	2	55	80	2.5	3	1	4778	3841	RH-3	40	density-lim	1000	true		0.7	6	2	4	4	5350.799805	4413.799805	4413.799805	1.119883
4159	050A	2500	0.06	2374	0	65	100	3	6	6	7500	5126	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7000	4626	4626	0.933333
4160	004	2475	0.06	263	0	65	100	3	6	6	7425	7162	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	6930	6667	6667	0.933333
4160	032	2475	0.06	2856	2	65	100	3	6	4	7425	4569	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	6930	4074	4074	0.933333
4162	001	2522	0.06	1668	2	65	100	3	6	4	7566	5898	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	7061.600098	5393.600098	5393.600098	0.933333
4162	018	2500	0.06	3672	0	65	100	3	6	6	7500	3828	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7000	3328	3328	0.933333
4162	051	2621	0.06	3110	2	65	100	3	6	4	7863	4753	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	7338.799805	4228.799805	4228.799805	0.933333
4162	057	5057	0.12	1434	0	65	100	3	12	12	15171	13737	RH-2	40	density-lim	1500			0.7	4	0.333333343	4	4	14159.59961	12725.59961	12725.59961	0.933333
4162	072	2564	0.06	2758	2	65	100	3	6	4	7692	4934	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	7179.199707	4421.199707	4421.199707	0.933333
4162	105	2000	0.05	2346	0	65	100	3	5	5	6000	3654	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	5600	3254	3254	0.933333
4172	029	2500	0.06	3479	2	75	120	3.5	7	5	8750	5271	NCT-2	40	form-based				0.75	6	0.857142866	4	4	7500	4021	4021	0.857143
4172	006	2212	0.05	2636	1	75	120	3.5	6	5	7742	5106	NCT-2	45	form-based				0.75	5	0.833333313	4	4	6636	4000	4000	0.857143
4172	019	2505	0.06	3240	2	75	120	3.5	7	5	8768	5528	NCT-2	45	form-based				0.75	6	0.857142866	4	4	7515	4275	4275	0.857094
4172	027	2040	0.05	1052	1	75	120	3.5	6	5	7140	6088	NCT-2	40	form-based				0.75	5	0.833333313	4	4	6120	5068	5068	0.857143
4172	028	2500	0.06	2430	2	75	120	3.5	7	5	8750	6320	NCT-2	40	form-based				0.75	6	0.857142866	4	4	7500	5070	5070	0.857143
4172	034B	1737	0.04	1850	0	75	120	3.5	5	5	6080	4230	NCT-2	45	form-based		true		0.75	4	0.800000012	4	4	5211	3361	3361	0.857072
4172	036	2500	0.06	2074	2	75	120	3.5	7	5	8750	6676	NCT-2	40	form-based				0.75	6	0.857142866	4	4	7500	5426	5426	0.857143
4172	080	5767	0.13	1542	9	75	120	3.5	16	7	20184	18642	NCT-2	40	form-based				0.75	13	0.8125	4	4	17301	15759	15759	0.857164
4206	001	2010	0.05	2250	2	65	100	3	5	3	6030	3780	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	5628	3378	3378	0.933333
4206	018	2600	0.06	2060	2	65	100	3	6	4	7800	5740	NCT-24TH-	45	form-based				0.75	6	1	4	4	7800	5740	5740	1
4206	060	2037	0.05	820	0	65	100	3	5	5	6111	5291	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	5703.600098	4883.600098	4883.600098	0.933333
4206	061	1906	0.04	820	0	65	100	3	4	4	5718	4898	RH-2	40	density-lim	1500			0.7	4	1	4	4	5336.799805	4516.799805	4516.799805	0.933333
4207	009	2596	0.06	2069	0	65	100	3	6	6	7788	5719	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7268.799805	5199.799805	5199.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4207	014B	3017	0.07	3710	3	65	100	3	7	4	9051	5341	NCT-24TH-	45	form-based		true		0.75	7	1	4	4	9051	5341	5341	1
4207	016	2600	0.06	3030	2	65	100	3	6	4	7800	4770	NCT-24TH-	45	form-based				0.75	6	1	4	4	7800	4770	4770	1
4208	021	2600	0.06	2552	2	65	100	3	6	4	7800	5248	NCT-24TH-	45	form-based				0.75	6	1	4	4	7800	5248	5248	1
4209	017	2600	0.06	2662	2	65	100	3	6	4	7800	5138	NCT-24TH-	45	form-based				0.75	6	1	4	4	7800	5138	5138	1
4210	019	2600	0.06	4725	4	65	100	3	6	2	7800	3075	NCT-24TH-	55	form-based				0.75	8	1.333333373	4	4	9750	5025	5025	1.25
4214	023	2894	0.07	1940	0	65	100	3	7	7	8682	6742	RH-2	40	density-lim	1500			0.7	4	0.571428597	4	4	8103.199707	6163.199707	6163.199707	0.933333
4217	016	1875	0.04	3310	2	55	80	2.5	3	1	4688	1378	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	5250	1940	1940	1.119881
4217	034	2441	0.06	2037	2	55	80	2.5	5	3	6102	4065	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	6834.799805	4797.799805	4797.799805	1.120092
4219	060	2500	0.06	1330	2	65	100	3	6	4	7500	6170	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	7000	5670	5670	0.933333
4221A	EASM	10701	0.25	0	0	65	100	3	25	25	32103	32103	RH-1	40	density-lim	3000			0.7	4	0.159999996	4	4	29962.79883	29962.79883	29962.79883	0.933333
4224	035	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
4224	037	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
4224	038	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
4224	040	3300	0.08	0	0	75	120	3.5	10	10	11550	11550	RH-3	40	density-lim	1000			0.7	4	0.400000006	4	4	9240	9240	9240	0.8
4224	154	2650	0.06	1330	2	65	100	3	6	4	7950	6620	UMU	40	form-based				0.75	6	1	4	4	7950	6620	6620	1
4260	010	1875	0.04	2576	2	55	80	2.5	3	1	4688	2112	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	5250	2674	2674	1.119881
4260	023	2517	0.06	2074	0	65	100	3	6	6	7551	5477	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7047.600098	4973.600098	4973.600098	0.933333
4262	002	4861	0.11	7530	0	65	100	3	11	11	14583	7053	RH-2	40	density-lim	1500			0.7	4	0.363636374	4	4	13610.7998	6080.799805	6080.799805	0.933333
4262	015	1875	0.04	2600	2	65	100	3	4	2	5625	3025	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5250	2650	2650	0.933333
4263	018	2467	0.06	3750	2	65	100	3	6	4	7401	3651	NCT-24TH-	40	form-based		true		0.75	6	1	4	4	7401	3651	3651	1
4263	022	1859	0.04	1125	0	65	100	3	4	4	5577	4452	NCT-24TH-	40	form-based				0.75	4	1	4	4	5577	4452	4452	1
4263	028	2492	0.06	2160	2	65	100	3	6	4	7476	5316	NCT-24TH-	40	form-based				0.75	6	1	4	4	7476	5316	5316	1
4263	041	1689	0.04	1128	2	65	100	3	4	2	5067	3939	RH-3	40	density-lim	1000	true		0.7	6	1.5	4	4	4729.199707	3601.199707	3601.199707	0.933333
4264	019	2500	0.06	2460	2	65	100	3	6	4	7500	5040	NCT-24TH-	40	form-based				0.75	6	1	4	4	7500	5040	5040	1
4265	003A	2486	0.06	3100	2	85	140	4	8	6	9944	6844	RM-3	55	density-lim	400			0.75	6	0.75	4	4	9322.5	6222.5	6222.5	0.9375
4266	015	2480	0.06	3100	2	65	100	3	6	4	7440	4340	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	6944	3844	3844	0.933333
4267	014	2569	0.06	4125	2	65	100	3	6	4	7707	3582	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	7193.199707	3068.199707	3068.199707	0.933333
4268	010	1796	0.04	3650	2	65	100	3	4	2	5388	1738	RH-3	40	density-lim	1000	true		0.7	6	1.5	4	4	5028.799805	1378.799805	1378.799805	0.933333
4268	033	1713	0.04	3768	2	65	100	3	4	2	5139	1371	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	4796.399902	1028.399902	1028.399902	0.933333
4269	024	1850	0.04	1700	0	65	100	3	4	4	5550	3850	NCT-24TH-	40	form-based				0.75	4	1	4	4	5550	3850	3850	1
4270	015	2600	0.06	1158	0	65	100	3	6	6	7800	6642	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7280	6122	6122	0.933333
4271	009	2497	0.06	3094	0	65	100	3	6	6	7491	4397	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	6991.600098	3897.600098	3897.600098	0.933333
4271	017	1554	0.04	2632	2	65	100	3	4	2	4662	2030	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	4351.199707	1719.199707	1719.199707	0.933333
4271	043	1949	0.04	0	0	65	100	3	4	4	5847	5847	RH-2	40	density-lim	1500			0.7	4	1	4	4	5457.199707	5457.199707	5457.199707	0.933333
4271	066	1594	0.04	973	2	65	100	3	4	2	4782	3809	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	4463.199707	3490.199707	3490.199707	0.933333
4273	029	1625	0.04	2560	2	55	80	2.5	3	1	4062	1502	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	4550	1990	1990	1.120138
4274	008	2685	0.06	5333	0	65	100	3	6	6	8055	2722	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	7518	2185	2185	0.933333
4274	009	2685	0.06	5333	0	65	100	3	6	6	8055	2722	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	7518	2185	2185	0.933333
4274	029A	1253	0.03	2500	2	65	100	3	3	1	3759	1259	RH-3	40	density-lim	1000	true		0.7	6	2	4	4	3508.399902	1008.399902	1008.399902	0.933333
4274	046	2333	0.05	1814	2	65	100	3	5	3	6999	5185	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	6532.399902	4718.399902	4718.399902	0.933333
4276	003	679	0.02	0	0	65	100	3	2	2	2037	2037	RH-2	55	density-lim	1500			0.7	4	2	4	4	2376.5	2376.5	2376.5	1.166667
4276	003E	1077	0.02	0	0	65	100	3	2	2	3231	3231	RH-2	55	density-lim	1500			0.7	4	2	4	4	3769.5	3769.5	3769.5	1.166667
4276	018	4700	0.11	4019	2	65	100	3	11	9	14100	10081	NC-2	40	density-lim	800			0.75	6	0.545454562	4	4	14100	10081	10081	1
4276	031	184	0	0	0	65	100	3	0	0	552	552	RH-2	40	density-lim	1500			0.7	4		4	4	515.2000122	515.2000122	515.2000122	0.933333
4277	006A	1767	0.04	0	0	65	100	3	4	4	5301	5301	MUR	40	form-based				0.75	4	1	4	4	5301	5301	5301	1
4279	026	1875	0.04	2230	2	65	100	3	4	2	5625	3395	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5250	3020	3020	0.933333
4280	001	1875	0.04	2170	2	65	100	3	4	2	5625	3455	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5250	3080	3080	0.933333
4280	006D	6	0	0	0	65	100	3	0	0	18	18	RH-2	40	density-lim	1500			0.7	4		4	4	16.79999924	16.79999924	16.79999924	0.933333
4282A	001C	2634	0.06	0	0	55	80	2.5	5	5	6585	6585	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	7375.199707	7375.199707	7375.199707	1.12
4282A	014	2500	0.06	0	0	55	80	2.5	5	5	6250	6250	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	7000	7000	7000	1.12
4282A	016	2500	0.06	0	0	55	80	2.5	5	5	6250	6250	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	7000	7000	7000	1.12
4282A	EASP	4358	0.1	0	0	55	80	2.5	8	8	10895	10895	RH-1	40	density-lim	3000			0.7	4	0.5	4	4	12202.39941	12202.39941	12202.39941	1.12
4283B	COME	2616	0.06	0	0	65	100	3	6	6	7848	7848	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7324.799805	7324.799805	7324.799805	0.933333
4283B	COMF	539	0.01	0	0	55	80	2.5	1	1	1348	1348	RH-1	40	density-lim	3000			0.7	4	4	4	2	1509.199951	1509.199951	1509.199951	1.119585
4283B	COMG	770	0.02	0	0	55	80	2.5	2	2	1925	1925	RH-1	40	density-lim	3000			0.7	4	2	4	4	2156	2156	2156	1.12
4283B	COMI	1633	0.04	1090	0	55	80	2.5	3	3	4082	2992	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	4572.399902	3482.399902	3482.399902	1.120137
4334	007	1966	0.05	2531	2	55	80	2.5	4	2	4915	2384	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5504.799805	2973.799805	2973.799805	1.12
4336	023	1782	0.04	1168	2	55	80	2.5	3	1	4455	3287	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	4989.600098	3821.600098	3821.600098	1.12
4336	025	2237	0.05	1660	0	55	80	2.5	4	4	5592	3932	RH-2	40	density-lim	1500			0.7	4	1	4	4	6263.600098	4603.600098	4603.600098	1.1201
4337	001H	2250	0.05	1820	0	65	100	3	5	5	6750	4930	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	6300	4480	4480	0.933333
4337	009	1546	0.04	1950	2	55	80	2.5	3	1	3865	1915	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	4328.799805	2378.799805	2378.799805	1.12
5512	007A	750	0.02	0	0	55	80	2.5	2	2	1875	1875	RH-2	40	density-lim	1500			0.7	4	2	4	4	2100	2100	2100	1.12
5513	011	6713	0.15	0	0	55	80	2.5	12	12	16782	16782	RH-2	40	density-lim	1500			0.7	4	0.333333343	4	4	18796.40039	18796.40039	18796.40039	1.120033
5513	020	2500	0.06	0	0	55	80	2.5	5	5	6250	6250	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	7000	7000	7000	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5513	022	1925	0.04	1454	0	55	80	2.5	3	3	4812	3358	RH-2	40	density-lim	1500			0.7	4	1.333333373	4	4	5390	3936	3936	1.120116
5514	013	4500	0.1	2490	0	55	80	2.5	8	8	11250	8760	RH-2	40	density-lim	1500			0.7	4	0.5	4	4	12600	10110	10110	1.12
5515	011	1875	0.04	2000	2	55	80	2.5	3	1	4688	2688	RH-1	40	density-lim	3000	true		0.7	6	2	4	4	5250	3250	3250	1.119881
5515	026	6996	0.16	3415	1	55	80	2.5	13	12	17490	14075	RH-2	40	density-lim	1500			0.7	5	0.384615391	4	4	19588.79883	16173.79883	16173.79883	1.12
5515	031	10726	0.25	3000	3	55	80	2.5	20	17	26815	23815	RH-2	40	density-lim	1500			0.7	7	0.349999994	4	4	30032.79883	27032.79883	27032.79883	1.12
5515	035	1984	0.05	1853	0	55	80	2.5	4	4	4960	3107	RH-2	40	density-lim	1500			0.7	4	1	4	4	5555.199707	3702.199707	3702.199707	1.12
5518	004	1287	0.03	1885	2	65	100	3	3	1	3861	1976	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	3603.599854	1718.599854	1718.599854	0.933333
5518	004A	1983	0.05	3868	2	65	100	3	5	3	5949	2081	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	5552.399902	1684.399902	1684.399902	0.933333
5518	024	1650	0.04	875	0	85	140	4	6	6	6600	5725	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	4620	3745	3745	0.7
5527	025	2026	0.05	1900	0	55	80	2.5	4	4	5065	3165	RH-2	40	density-lim	1500			0.7	4	1	4	4	5672.799805	3772.799805	3772.799805	1.12
5527	021	1350	0.03	0	0	55	80	2.5	2	2	3375	3375	RH-1	40	density-lim	3000			0.7	4	2	4	4	3780	3780	3780	1.12
5527	027	1991	0.05	1876	2	55	80	2.5	4	2	4978	3102	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5574.799805	3698.799805	3698.799805	1.119887
5528	001	1750	0.04	2000	2	55	80	2.5	3	1	4375	2375	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	4900	2900	2900	1.12
5528	007	943	0.02	400	0	55	80	2.5	2	2	2358	1958	RH-1	40	density-lim	3000			0.7	4	2	4	4	2640.399902	2240.399902	2240.399902	1.119762
5529	001	1605	0.04	2512	2	55	80	2.5	3	1	4012	1500	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	4494	1982	1982	1.12014
5529	028	1750	0.04	1650	0	55	80	2.5	3	3	4375	2725	RH-2	40	density-lim	1500			0.7	4	1.333333373	4	4	4900	3250	3250	1.12
5529	033	1750	0.04	1100	2	55	80	2.5	3	1	4375	3275	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	4900	3800	3800	1.12
5529	052	1749	0.04	0	0	55	80	2.5	3	3	4372	4372	RH-2	40	density-lim	1500			0.7	4	1.333333373	4	4	4897.199707	4897.199707	4897.199707	1.120128
5530	001	2513	0.06	2098	2	55	80	2.5	5	3	6282	4184	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	7036.399902	4938.399902	4938.399902	1.120089
5531	010	1866	0.04	1150	2	55	80	2.5	3	1	4665	3515	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	5224.799805	4074.799805	4074.799805	1.12
5531	013	1779	0.04	2337	2	55	80	2.5	3	1	4448	2111	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	4981.199707	2644.199707	2644.199707	1.119874
5532	010	2764	0.06	1865	2	55	80	2.5	5	3	6910	5045	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	4	4	7739.199707	5874.199707	5874.199707	1.12
5532	013	3750	0.09	2200	2	55	80	2.5	7	5	9375	7175	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	4	4	10500	8300	8300	1.12
5534	037	1913	0.04	0	0	55	80	2.5	3	3	4782	4782	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	5356.399902	5356.399902	5356.399902	1.120117
5534	041	2337	0.05	0	0	55	80	2.5	4	4	5842	5842	RH-1	40	density-lim	3000			0.7	4	1	4	4	6543.600098	6543.600098	6543.600098	1.120096
5534	043	1760	0.04	0	0	55	80	2.5	3	3	4400	4400	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	4928	4928	4928	1.12
5535	005	1773	0.04	0	0	55	80	2.5	3	3	4432	4432	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	4964.399902	4964.399902	4964.399902	1.120126
5535	007	1775	0.04	0	0	55	80	2.5	3	3	4438	4438	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	4970	4970	4970	1.119874
5537	005	1750	0.04	0	0	55	80	2.5	3	3	4375	4375	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	4900	4900	4900	1.12
5537	029	2010	0.05	0	0	55	80	2.5	4	4	5025	5025	RH-1	40	density-lim	3000			0.7	4	1	4	4	5628	5628	5628	1.12
5538	011	1750	0.04	0	0	55	80	2.5	3	3	4375	4375	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	4900	4900	4900	1.12
5538	012	1675	0.04	880	0	55	80	2.5	3	3	4188	3308	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	4690	3810	3810	1.119866
5538	013	592	0.01	1612	2	55	80	2.5	1	0	1480	0	RH-1	40	density-lim	3000	true		0.7	6	6	4	0	1657.599976	45.59997559	45.59997559	1.12
5538	015	1716	0.04	0	0	55	80	2.5	3	3	4290	4290	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	4804.799805	4804.799805	4804.799805	1.12
5538	023	1761	0.04	0	0	55	80	2.5	3	3	4402	4402	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	4930.799805	4930.799805	4930.799805	1.120127
5538	030	1544	0.04	0	0	55	80	2.5	3	3	3860	3860	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	4323.199707	4323.199707	4323.199707	1.12
5538	031	1910	0.04	1980	0	55	80	2.5	3	3	4775	2795	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	5348	3368	3368	1.12
5539	023	1763	0.04	240	0	55	80	2.5	3	3	4408	4168	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	4936.399902	4696.399902	4696.399902	1.119873
5540	015	2000	0.05	1500	2	55	80	2.5	4	2	5000	3500	RH-1	40	density-lim	3000	true		0.7	6	1.5	4	4	5600	4100	4100	1.12
5540	022	2028	0.05	2600	2	55	80	2.5	4	2	5070	2470	RH-1	40	density-lim	3000	true		0.7	6	1.5	4	4	5678.399902	3078.399902	3078.399902	1.12
5610	001	762	0.02	1400	2	65	100	3	2	0	2286	886	RH-2	40	density-lim	1500	true		0.7	6	3	4	2	2133.599854	733.5998535	733.5998535	0.933333
5610	001A	980	0.02	1750	2	65	100	3	2	0	2940	1190	RH-2	40	density-lim	1500	true		0.7	6	3	4	2	2744	994	994	0.933333
5610	015	3063	0.07	2442	2	65	100	3	7	5	9189	6747	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	4	4	8576.399414	6134.399414	6134.399414	0.933333
5610	027	2115	0.05	2125	2	65	100	3	5	3	6345	4220	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	5922	3797	3797	0.933333
5610	027A	212	0	0	0	65	100	3	0	0	636	636	RH-2	40	density-lim	1500			0.7	4		4	4	593.5999756	593.5999756	593.5999756	0.933333
5610A	015	1786	0.04	1875	2	65	100	3	4	2	5358	3483	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5000.799805	3125.799805	3125.799805	0.933333
5610A	016	1913	0.04	2000	2	65	100	3	4	2	5739	3739	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5356.399902	3356.399902	3356.399902	0.933333
5610A	017	1884	0.04	2100	2	65	100	3	4	2	5652	3552	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5275.199707	3175.199707	3175.199707	0.933333
5610A	028	2730	0.06	1654	0	65	100	3	6	6	8190	6536	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7644	5990	5990	0.933333
5611	015	1750	0.04	1572	0	65	100	3	4	4	5250	3678	RH-2	40	density-lim	1500			0.7	4	1	4	4	4900	3328	3328	0.933333
5611	059	3478	0.08	5050	0	65	100	3	8	8	10434	5384	RH-2	40	density-lim	1500			0.7	4	0.5	4	4	9738.399414	4688.399414	4688.399414	0.933333
5611	060	1750	0.04	1009	2	65	100	3	4	2	5250	4241	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	4900	3891	3891	0.933333
5612	003	1750	0.04	387	0	65	100	3	4	4	5250	4863	RH-1	40	density-lim	3000			0.7	4	1	4	4	4900	4513	4513	0.933333
5612	018	1750	0.04	1175	0	65	100	3	4	4	5250	4075	RH-1	40	density-lim	3000			0.7	4	1	4	4	4900	3725	3725	0.933333
5615	009	4511	0.1	0	0	65	100	3	10	10	13533	13533	RH-2	40	density-lim	1500			0.7	4	0.400000006	4	4	12630.7998	12630.7998	12630.7998	0.933333
5615	017	1373	0.03	0	0	65	100	3	3	3	4119	4119	RH-2	40	density-lim	1500			0.7	4	1.333333373	4	4	3844.399902	3844.399902	3844.399902	0.933333
5615	039	3995	0.09	6480	3	65	100	3	9	6	11985	5505	NCD-MISSI	40	density-lim	600			0.75	7	0.777777791	4	4	11985	5505	5505	1
5615	040	3995	0.09	3077	3	85	140	4	13	10	15980	12903	NCD-MISSI	40	density-lim	600			0.75	7	0.538461566	4	4	11985	8908	8908	0.75
5615	041	3994	0.09	4500	3	85	140	4	13	10	15976	11476	NCD-MISSI	40	density-lim	600			0.75	7	0.538461566	4	4	11982	7482	7482	0.75
5615	063	1637	0.04	2500	2	65	100	3	4	2	4911	2411	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	4583.600098	2083.600098	2083.600098	0.933333
5615	077	4509	0.1	0	0	65	100	3	10	10	13527	13527	RH-2	40	density-lim	1500			0.7	4	0.400000006	4	4	12625.2002	12625.2002	12625.2002	0.933333
5615	081	9011	0.21	2400	2	65	100	3	21	19	27033	24633	RH-2	40	density-lim	1500			0.7	6	0.285714298	4	4	25230.79883	22830.79883	22830.79883	0.933333
5616	057	2366	0.05	2728	2	65	100	3	5	3	7098	4370	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	6624.799805	3896.799805	3896.799805	0.933333
5616	061	1793	0.04	1055	2	65	100	3	4	2	5379	4324	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5020.399902	3965.399902	3965.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5617	032	1750	0.04	0	0	65	100	3	4	4	5250	5250	RH-2	40	density-lim	1500			0.7	4	1	4	4	4900	4900	4900	0.933333
5618	014	1750	0.04	0	0	65	100	3	4	4	5250	5250	RH-1	40	density-lim	3000			0.7	4	1	4	4	4900	4900	4900	0.933333
5618	032	1708	0.04	1580	0	65	100	3	4	4	5124	3544	RH-1	40	density-lim	3000			0.7	4	1	4	4	4782.399902	3202.399902	3202.399902	0.933333
5642	028	2600	0.06	2340	0	85	140	4	8	8	10400	8060	NCD-MISSI	40	density-lim	600	true		0.75	4	0.5	4	4	7800	5460	5460	0.75
5642	005	1440	0.03	2250	2	65	100	3	3	1	4320	2070	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	4032	1782	1782	0.933333
5642	012	1875	0.04	3125	2	65	100	3	4	2	5625	2500	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5250	2125	2125	0.933333
5643	037	1750	0.04	1062	2	65	100	3	4	2	5250	4188	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	4900	3838	3838	0.933333
5643	049	1750	0.04	1435	2	65	100	3	4	2	5250	3815	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	4900	3465	3465	0.933333
5644	001	2033	0.05	2250	2	65	100	3	5	3	6099	3849	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	5692.399902	3442.399902	3442.399902	0.933333
5644	013	1750	0.04	1738	2	65	100	3	4	2	5250	3512	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	4900	3162	3162	0.933333
5668	005	1797	0.04	202	0	65	100	3	4	4	5391	5189	RH-1	40	density-lim	3000			0.7	4	1	4	4	5031.600098	4829.600098	4829.600098	0.933333
5670	016	2502	0.06	2800	2	65	100	3	6	4	7506	4706	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	7005.600098	4205.600098	4205.600098	0.933333
5669	034	1080	0.02	0	0	65	100	3	2	2	3240	3240	RH-1	40	density-lim	3000			0.7	4	2	4	4	3024	3024	3024	0.933333
5670	011	1797	0.04	1064	0	65	100	3	4	4	5391	4327	RH-2	40	density-lim	1500			0.7	4	1	4	4	5031.600098	3967.600098	3967.600098	0.933333
5670	027	176	0	0	0	65	100	3	0	0	528	528	RH-2	40	density-lim	1500			0.7	4		4	4	492.7999878	492.7999878	492.7999878	0.933333
5670	036	4454	0.1	1488	2	65	100	3	10	8	13362	11874	RH-2	40	density-lim	1500	true		0.7	6	0.600000024	4	4	12471.2002	10983.2002	10983.2002	0.933333
5671	021	1791	0.04	2560	2	65	100	3	4	2	5373	2813	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5014.799805	2454.799805	2454.799805	0.933333
5671	024	1790	0.04	1586	0	65	100	3	4	4	5370	3784	RH-2	40	density-lim	1500			0.7	4	1	4	4	5012	3426	3426	0.933333
5672	017	1027	0.02	1100	0	65	100	3	2	2	3081	1981	RH-2	40	density-lim	1500			0.7	4	2	4	4	2875.599854	1775.599854	1775.599854	0.933333
5672	028A	2193	0.05	0	0	65	100	3	5	5	6579	6579	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	6140.399902	6140.399902	6140.399902	0.933333
5672	051	2393	0.05	991	2	65	100	3	5	3	7179	6188	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	6700.399902	5709.399902	5709.399902	0.933333
5673	004A	1335	0.03	1890	2	65	100	3	3	1	4005	2115	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	3738	1848	1848	0.933333
5673	022	4613	0.11	2726	4	65	100	3	11	7	13839	11113	NCD-MISSI	40	density-lim	600			0.75	8	0.727272749	4	4	13839	11113	11113	1
5673	047	2501	0.06	1490	2	65	100	3	6	4	7503	6013	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	7002.799805	5512.799805	5512.799805	0.933333
5674	021	2537	0.06	1234	0	65	100	3	6	6	7611	6377	NCD-MISSI	40	density-lim	600			0.75	4	0.666666687	4	4	7611	6377	6377	1
5674	027	993	0.02	1100	0	65	100	3	2	2	2979	1879	RH-2	40	density-lim	1500			0.7	4	2	4	4	2780.399902	1680.399902	1680.399902	0.933333
5675	001	1637	0.04	2357	2	65	100	3	4	2	4911	2554	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	4583.600098	2226.600098	2226.600098	0.933333
5676	037	2250	0.05	1439	0	65	100	3	5	5	6750	5311	RH-3	40	density-lim	1000			0.7	4	0.800000012	4	4	6300	4861	4861	0.933333
5707	008	1750	0.04	1450	0	55	80	2.5	3	3	4375	2925	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	4900	3450	3450	1.12
5708	001	1325	0.03	2334	2	55	80	2.5	2	0	3312	978	RH-2	40	density-lim	1500	true		0.7	6	3	4	2	3710	1376	1376	1.120169
5708	009	2188	0.05	1645	0	55	80	2.5	4	4	5470	3825	RH-2	40	density-lim	1500			0.7	4	1	4	4	6126.399902	4481.399902	4481.399902	1.12
5708	032	1143	0.03	1166	0	55	80	2.5	2	2	2858	1692	RH-2	40	density-lim	1500			0.7	4	2	4	4	3200.399902	2034.399902	2034.399902	1.119804
5709	011	1695	0.04	2145	2	55	80	2.5	3	1	4238	2093	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	4746	2601	2601	1.119868
5709	022	2590	0.06	840	2	55	80	2.5	5	3	6475	5635	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	7252	6412	6412	1.12
5710	041	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
5710	054	1574	0.04	1131	2	65	100	3	4	2	4722	3591	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	4407.199707	3276.199707	3276.199707	0.933333
5712	027	2539	0.06	4437	0	85	140	4	8	8	10156	5719	RH-2	40	density-lim	1500			0.7	4	0.5	4	4	7109.199707	2672.199707	2672.199707	0.7
5712	042	2690	0.06	2750	0	65	100	3	6	6	8070	5320	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7532	4782	4782	0.933333
5716	014	2501	0.06	2909	2	55	80	2.5	5	3	6252	3343	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	7002.799805	4093.799805	4093.799805	1.12009
5717	001A	1980	0.05	2455	2	55	80	2.5	4	2	4950	2495	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5544	3089	3089	1.12
5718	026	2540	0.06	2000	0	65	100	3	6	6	7620	5620	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7112	5112	5112	0.933333
5720	061	1998	0.05	1854	0	55	80	2.5	4	4	4995	3141	RH-2	40	density-lim	1500			0.7	4	1	4	4	5594.399902	3740.399902	3740.399902	1.12
5721	040	1957	0.04	1725	2	55	80	2.5	3	1	4892	3167	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	5479.600098	3754.600098	3754.600098	1.120114
5721	055	2500	0.06	0	0	55	80	2.5	5	5	6250	6250	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	7000	7000	7000	1.12
5721	060	2500	0.06	1600	0	55	80	2.5	5	5	6250	4650	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	7000	5400	5400	1.12
5721	072	3456	0.08	1250	2	55	80	2.5	6	4	8640	7390	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	9676.799805	8426.799805	8426.799805	1.12
5722	030	1717	0.04	1629	2	55	80	2.5	3	1	4292	2663	RH-1	40	density-lim	3000	true		0.7	6	2	4	4	4807.600098	3178.600098	3178.600098	1.120131
5745	032	2548	0.06	2950	0	55	80	2.5	5	5	6370	3420	RH-2	40	density-lim	1500			0.7	4	0.800000012	4	4	7134.399902	4184.399902	4184.399902	1.12
6189	025	2500	0.06	0	0	55	80	2.5	5	5	6250	6250	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	7000	7000	7000	1.12
6189	034	2500	0.06	0	0	55	80	2.5	5	5	6250	6250	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	7000	7000	7000	1.12
6469	018	3194	0.07	1334	1	55	80	2.5	6	5	7985	6651	NCD-EXCE	40	density-lim	600			0.75	5	0.833333313	4	4	9582	8248	8248	1.2
6472	014	5621	0.13	0	0	55	80	2.5	10	10	14052	14052	RH-1	40	density-lim	3000			0.7	4	0.400000006	4	4	15738.7998	15738.7998	15738.7998	1.12004
6472	015	5299	0.12	1929	0	55	80	2.5	10	10	13248	11319	RH-1	40	density-lim	3000			0.7	4	0.400000006	4	4	14837.2002	12908.2002	12908.2002	1.119958
6472	021A	2250	0.05	1870	0	55	80	2.5	4	4	5625	3755	NCD-EXCE	40	density-lim	600			0.75	4	1	4	4	6750	4880	4880	1.2
6472	021B	2250	0.05	0	0	55	80	2.5	4	4	5625	5625	NCD-EXCE	40	density-lim	600			0.75	4	1	4	4	6750	6750	6750	1.2
6472	021C	2250	0.05	161	0	55	80	2.5	4	4	5625	5464	NCD-EXCE	40	density-lim	600			0.75	4	1	4	4	6750	6589	6589	1.2
6472	021D	2250	0.05	0	0	55	80	2.5	4	4	5625	5625	NCD-EXCE	40	density-lim	600			0.75	4	1	4	4	6750	6750	6750	1.2
6472	071	2663	0.06	2600	0	55	80	2.5	5	5	6658	4058	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	7456.399902	4856.399902	4856.399902	1.119916
6472	072	2663	0.06	2292	0	55	80	2.5	5	5	6658	4366	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	7456.399902	5164.399902	5164.399902	1.119916
6472	074	3160	0.07	1929	0	55	80	2.5	6	6	7900	5971	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	8848	6919	6919	1.12
6472	093	2307	0.05	1475	0	55	80	2.5	4	4	5768	4293	NCD-EXCE	40	density-lim	600			0.75	4	1	4	4	6921	5446	5446	1.199896
6473	001	3037	0.07	2739	1	55	80	2.5	6	5	7592	4853	NCD-EXCE	40	density-lim	600	true		0.75	5	0.833333313	4	4	9111	6372	6372	1.200079
6473	002B	2145	0.05	2235	0	55	80	2.5	4	4	5362	3127	RH-1	40	density-lim	3000			0.7	4	1	4	4	6006	3771	3771	1.120104
6473	002G	1950	0.04	0	0	55	80	2.5	3	3	4875	4875	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	5460	5460	5460	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6473	002H	195	0	0	0	55	80	2.5	0	0	488	488	RH-1	40	density-lim	3000			0.7	4		4	4	546	546	546	1.118852
6473	003B	2028	0.05	1113	0	55	80	2.5	4	4	5070	3957	RH-1	40	density-lim	3000			0.7	4	1	4	4	5678.399902	4565.399902	4565.399902	1.12
6473	046	2711	0.06	1232	1	55	80	2.5	5	4	6778	5546	NCD-EXCE	40	density-lim	600			0.75	5	1	4	4	8133	6901	6901	1.199911
6473	049	2257	0.05	3711	0	55	80	2.5	4	4	5642	1931	NCD-EXCE	40	density-lim	600			0.75	4	1	4	4	6771	3060	3060	1.200106
6474	031	5050	0.12	5708	0	55	80	2.5	10	10	12625	6917	RH-1	40	density-lim	3000			0.7	4	0.400000006	4	4	14140	8432	8432	1.12
6475	010	5295	0.12	0	0	55	80	2.5	10	10	13238	13238	RH-1	40	density-lim	3000			0.7	4	0.400000006	4	4	14826	14826	14826	1.119958
6475	042	2128	0.05	2542	2	55	80	2.5	4	2	5320	2778	RH-1	40	density-lim	3000	true		0.7	6	1.5	4	4	5958.399902	3416.399902	3416.399902	1.12
6490	001	2800	0.06	4060	2	55	80	2.5	5	3	7000	2940	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	4	4	7840	3780	3780	1.12
6490	002A	368	0.01	0	0	55	80	2.5	1	1	920	920	RH-1	40	density-lim	3000			0.7	4	4	4	2	1030.400024	1030.400024	1030.400024	1.12
6505	007	1760	0.04	2080	0	55	80	2.5	3	3	4400	2320	RH-2	40	form-based			true	0.7	4	1.333333373	4	4	4928	2848	2848	1.12
6506	025	2000	0.05	1750	2	55	80	2.5	4	2	5000	3250	RH-2	50	form-based			true	0.7	6	1.5	4	4	7000	5250	5250	1.4
6506	047	2000	0.05	908	2	55	80	2.5	4	2	5000	4092	RH-2	50	form-based			true	0.7	6	1.5	4	4	7000	6092	6092	1.4
6506	068	2000	0.05	2909	2	55	80	2.5	4	2	5000	2091	RH-2	50	form-based			true	0.7	6	1.5	4	4	7000	4091	4091	1.4
6507	014	1576	0.04	2075	2	55	80	2.5	3	1	3940	1865	NCD-24TH	65	form-based			true	0.75	6	2	4	4	7092	5017	5017	1.8
6507	021	2850	0.07	5325	7	55	80	2.5	6	0	7125	1800	NCD-24TH	65	form-based			true	0.75	11	1.833333373	4	4	12825	7500	7500	1.8
6507	033	1960	0.05	1843	1	55	80	2.5	4	3	4900	3057	RH-2	50	form-based			true	0.7	5	1.25	4	4	6860	5017	5017	1.4
6507	034	1921	0.04	1780	1	55	80	2.5	3	2	4802	3022	RH-2	50	form-based			true	0.7	5	1.666666627	4	4	6723.5	4943.5	4943.5	1.400146
6507	036	2276	0.05	1321	2	55	80	2.5	4	2	5690	4369	RH-2	50	form-based			true	0.7	6	1.5	4	4	7966	6645	6645	1.4
6507	041	1746	0.04	2966	1	55	80	2.5	3	2	4365	1399	RH-2	50	form-based		true	true	0.7	5	1.666666627	4	4	6111	3145	3145	1.4
6508	001	2079	0.05	3600	4	65	100	3	5	1	6237	2637	NCD-24TH	65	form-based		true	true	0.75	8	1.600000024	4	4	9355.5	5755.5	5755.5	1.5
6508	002	1748	0.04	1270	1	65	100	3	4	3	5244	3974	RH-2	50	form-based			true	0.7	5	1.25	4	4	6118	4848	4848	1.166667
6508	003	2865	0.07	4805	4	65	100	3	7	3	8595	3790	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10027.5	5222.5	5222.5	1.166667
6508	021	2095	0.05	2682	2	65	100	3	5	3	6285	3603	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7332.5	4650.5	4650.5	1.166667
6508	022	2095	0.05	2864	2	65	100	3	5	3	6285	3421	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7332.5	4468.5	4468.5	1.166667
6508	051	3462	0.08	1000	6	65	100	3	8	2	10386	9386	RH-2	50	form-based			true	0.7	10	1.25	4	4	12117	11117	11117	1.166667
6509	004	1890	0.04	2875	3	85	140	4	6	3	7560	4685	RTO-C	65	form-based			true	0.75	7	1.166666627	4	4	8505	5630	5630	1.125
6509	009	2845	0.07	3036	4	65	100	3	7	3	8535	5499	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	9957.5	6921.5	6921.5	1.166667
6509	011	2120	0.05	3250	2	65	100	3	5	3	6360	3110	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7420	4170	4170	1.166667
6509	012A	2111	0.05	2700	2	65	100	3	5	3	6333	3633	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7388.5	4688.5	4688.5	1.166667
6509	014	3690	0.08	4344	6	65	100	3	8	2	11070	6726	RH-2	50	form-based			true	0.7	10	1.25	4	4	12915	8571	8571	1.166667
6509	016	2100	0.05	2305	2	65	100	3	5	3	6300	3995	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7350	5045	5045	1.166667
6509	017	1875	0.04	1075	1	65	100	3	4	3	5625	4550	RH-2	50	form-based			true	0.7	5	1.25	4	4	6562.5	5487.5	5487.5	1.166667
6510	007	2800	0.06	4190	4	65	100	3	6	2	8400	4210	RH-2	50	form-based		true	true	0.7	8	1.333333373	4	4	9800	5610	5610	1.166667
6510	023	1914	0.04	2980	2	85	140	4	6	4	7656	4676	NCD-24TH	50	form-based			true	0.75	6	1	4	4	7177.5	4197.5	4197.5	0.9375
6510	034	2159	0.05	1454	2	65	100	3	5	3	6477	5023	RH-3	50	form-based		true	true	0.7	6	1.200000048	4	4	7556.5	6102.5	6102.5	1.166667
6510	046	2284	0.05	1300	2	65	100	3	5	3	6852	5552	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7994	6694	6694	1.166667
6510	048	2284	0.05	2600	2	65	100	3	5	3	6852	4252	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	7994	5394	5394	1.166667
6511	056	1046	0.02	1856	2	65	100	3	2	0	3138	1282	RH-3	40	density-lim	1000	true		0.7	6	3	4	2	2928.800049	1072.800049	1072.800049	0.933333
6513	004	4641	0.11	3321	1	75	120	3.5	13	12	16244	12923	RH-3	40	density-lim	1000			0.7	5	0.384615391	4	4	12994.7998	9673.799805	9673.799805	0.799975
6513	011B	1943	0.04	3245	2	75	120	3.5	5	3	6800	3555	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	4	4	5440.399902	2195.399902	2195.399902	0.800059
6515	002	4693	0.11	7240	6	75	120	3.5	13	7	16426	9186	RTO-M	45	form-based				0.7	10	0.769230783	4	4	13140.39941	5900.399414	5900.399414	0.799976
6515	005	2933	0.07	1997	2	75	120	3.5	8	6	10266	8269	RTO-M	45	form-based				0.7	6	0.75	4	4	8212.399414	6215.399414	6215.399414	0.799961
6515	014	2952	0.07	4190	4	75	120	3.5	8	4	10332	6142	RTO-M	55	form-based				0.7	8	1	4	4	10332	6142	6142	1
6515	014A	3454	0.08	3928	6	75	120	3.5	10	4	12089	8161	RTO-M	55	form-based		true		0.7	10	1	4	4	12089	8161	8161	1
6515	020	2933	0.07	7306	5	75	120	3.5	8	3	10266	2960	NCT-VALEI	55	form-based				0.75	9	1.125	4	4	10998.75	3692.75	3692.75	1.071376
6515	026	2933	0.07	2208	2	75	120	3.5	8	6	10266	8058	RTO-M	45	form-based				0.7	6	0.75	4	4	8212.399414	6004.399414	6004.399414	0.799961
6515	031	3378	0.08	700	3	75	120	3.5	10	7	11823	11123	RTO-M	45	form-based				0.7	7	0.699999988	4	4	9458.399414	8758.399414	8758.399414	0.8
6515	038	3520	0.08	1650	3	75	120	3.5	10	7	12320	10670	RTO-M	45	form-based				0.7	7	0.699999988	4	4	9856	8206	8206	0.8
6515	041	2933	0.07	829	5	75	120	3.5	8	3	10266	9437	NCT-VALEI	55	form-based				0.75	9	1.125	4	4	10998.75	10169.75	10169.75	1.071376
6516	011	2975	0.07	3250	2	75	120	3.5	8	6	10412	7162	RTO-M	45	form-based				0.7	6	0.75	4	4	8330	5080	5080	0.800038
6516	016A	2906	0.07	3250	2	75	120	3.5	8	6	10171	6921	RTO-M	45	form-based				0.7	6	0.75	4	4	8136.799805	4886.799805	4886.799805	0.8
6516	018	2975	0.07	3536	2	75	120	3.5	8	6	10412	6876	RTO-M	45	form-based				0.7	6	0.75	4	4	8330	4794	4794	0.800038
6516	019	2618	0.06	1236	1	85	140	4	8	7	10472	9236	RTO-M	45	form-based				0.7	5	0.625	4	4	7330.399902	6094.399902	6094.399902	0.7
6516	021	2618	0.06	1194	1	85	140	4	8	7	10472	9278	RTO-M	45	form-based				0.7	5	0.625	4	4	7330.399902	6136.399902	6136.399902	0.7
6517	007	3739	0.09	3368	4	75	120	3.5	11	7	13086	9718	RTO-M	40	form-based				0.7	8	0.727272749	4	4	10469.2002	7101.200195	7101.200195	0.800031
6517	009	3739	0.09	2360	4	75	120	3.5	11	7	13086	10726	RTO-M	40	form-based				0.7	8	0.727272749	4	4	10469.2002	8109.200195	8109.200195	0.800031
6517	013	4026	0.09	3912	4	75	120	3.5	11	7	14091	10179	RTO-M	40	form-based				0.7	8	0.727272749	4	4	11272.7998	7360.799805	7360.799805	0.8
6518	012	2983	0.07	2332	4	75	120	3.5	8	4	10440	8108	RTO-M	50	form-based				0.7	8	1	4	4	10440.5	8108.5	8108.5	1.000048
6518	016A	3729	0.09	3952	4	75	120	3.5	11	7	13052	9100	RTO-M	40	form-based				0.7	8	0.727272749	4	4	10441.2002	6489.200195	6489.200195	0.799969
6527	003	2926	0.07	4500	4	75	120	3.5	8	4	10241	5741	RTO-M	50	form-based				0.7	8	1	4	4	10241	5741	5741	1
6527	004	2869	0.07	5250	4	75	120	3.5	8	4	10042	4792	RTO-M	50	form-based				0.7	8	1	4	4	10041.5	4791.5	4791.5	0.99995
6527	006	3442	0.08	6600	6	75	120	3.5	10	4	12047	5447	RTO-M	50	form-based				0.7	10	1	4	4	12047	5447	5447	1
6527	016	1755	0.04	1008	1	75	120	3.5	5	4	6142	5134	RTO-M	55	form-based				0.7	5	1	4	4	6142.5	5134.5	5134.5	1.000081
6527	020	3729	0.09	3240	4	75	120	3.5	11	7	13052	9812	RTO-M	40	form-based				0.7	8	0.727272749	4	4	10441.2002	7201.200195	7201.200195	0.799969

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6527	033	2267	0.05	3120	2	75	120	3.5	6	4	7934	4814	RTO-M	50	form-based				0.7	6	1	4	4	7934.5	4814.5	4814.5	1.000063
6527	038	2869	0.07	3196	4	75	120	3.5	8	4	10042	6846	RTO-M	50	form-based				0.7	8	1	4	4	10041.5	6845.5	6845.5	0.99995
6527	055	2069	0.05	1212	2	75	120	3.5	6	4	7242	6030	RTO-M	50	form-based				0.7	6	1	4	4	7241.5	6029.5	6029.5	0.999931
6528	004	2876	0.07	7171	2	75	120	3.5	8	6	10066	2895	RTO-M	40	form-based				0.7	6	0.75	4	4	8052.799805	881.7998047	881.7998047	0.8
6528	017	1842	0.04	1312	1	75	120	3.5	5	4	6447	5135	RTO-M	55	form-based				0.7	5	1	4	4	6447	5135	5135	1
6528	032A	2924	0.07	5850	7	75	120	3.5	8	1	10234	4384	NCT-MISSI	65	form-based		true		0.75	11	1.375	4	4	13158	7308	7308	1.285714
6528	033	2123	0.05	2720	2	75	120	3.5	6	4	7430	4710	RTO-M	55	form-based		true		0.7	6	1	4	4	7430.5	4710.5	4710.5	1.000067
6528	054	2665	0.06	2650	2	75	120	3.5	7	5	9328	6678	RTO-M	40	form-based				0.7	6	0.857142866	4	4	7462	4812	4812	0.799957
6529	015A	2953	0.07	3350	2	75	120	3.5	8	6	10336	6986	RTO-M	45	form-based				0.7	6	0.75	4	4	8268.399414	4918.399414	4918.399414	0.799961
6529	022	1889	0.04	1640	1	75	120	3.5	5	4	6612	4972	RTO-M	55	form-based				0.7	5	1	4	4	6611.5	4971.5	4971.5	0.999924
6529	023	2254	0.05	1688	2	75	120	3.5	6	4	7889	6201	RTO-M	55	form-based				0.7	6	1	4	4	7889	6201	6201	1
6530	016	4113	0.09	5240	8	75	120	3.5	11	3	14396	9156	NCT-VALEI	55	form-based				0.75	12	1.090909123	4	4	15423.75	10183.75	10183.75	1.071391
6531	021A	2977	0.07	1935	1	75	120	3.5	8	7	10420	8485	RM-2	40	density-lim	600			0.7	5	0.625	4	4	8335.599609	6400.599609	6400.599609	0.799962
6531	026B	261	0.01	0	0	75	120	3.5	1	1	914	914	RH-3	40	density-lim	1000			0.7	4	4	4	2	730.7999878	730.7999878	730.7999878	0.799562
6531	028B	1274	0.03	2340	2	75	120	3.5	4	2	4459	2119	RH-3	40	density-lim	1000	true		0.7	6	1.5	4	4	3567.199951	1227.199951	1227.199951	0.8
6531	028D	1573	0.04	2400	2	75	120	3.5	5	3	5506	3106	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	4	4	4404.399902	2004.399902	2004.399902	0.799927
6531	028E	48	0	0	0	75	120	3.5	0	0	168	168	RH-3	40	density-lim	1000			0.7	4		4	4	134.3999939	134.3999939	134.3999939	0.8
6532	007	769	0.02	2820	2	75	120	3.5	2	0	2692	0	RH-3	40	density-lim	1000	true		0.7	6	3	4	2	2153.199951	0	0	0.799851
6532	013	2700	0.06	2000	1	65	100	3	6	5	8100	6100	RM-2	40	density-lim	600			0.7	5	0.833333313	4	4	7560	5560	5560	0.933333
6532	021B	2036	0.05	3260	0	65	100	3	5	5	6108	2848	RH-3	40	density-lim	1000			0.7	4	0.800000012	4	4	5700.799805	2440.799805	2440.799805	0.933333
6533	014	5236	0.12	1798	1	65	100	3	12	11	15708	13910	RH-3	40	density-lim	1000			0.7	5	0.416666657	4	4	14660.7998	12862.7998	12862.7998	0.933333
6534	014C	4	0	0	0	65	100	3	0	0	12	12	RH-3	40	density-lim	1000			0.7	4		4	4	11.19999981	11.19999981	11.19999981	0.933333
6534	015	3503	0.08	2575	2	65	100	3	8	6	10509	7934	RH-3	40	density-lim	1000	true		0.7	6	0.75	4	4	9808.399414	7233.399414	7233.399414	0.933333
6534	033	2709	0.06	464	0	65	100	3	6	6	8127	7663	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	7585.199707	7121.199707	7121.199707	0.933333
6534	034	2758	0.06	5104	0	65	100	3	6	6	8274	3170	RH-3	40	density-lim	1000			0.7	4	0.666666687	4	4	7722.399902	2618.399902	2618.399902	0.933333
6535	023	1808	0.04	1260	1	65	100	3	4	3	5424	4164	RH-2	50	form-based			true	0.7	5	1.25	4	4	6328	5068	5068	1.166667
6535	024	1808	0.04	1641	1	65	100	3	4	3	5424	3783	RH-2	50	form-based			true	0.7	5	1.25	4	4	6328	4687	4687	1.166667
6536	016	2117	0.05	2522	2	65	100	3	5	3	6351	3829	RH-2	50	form-based		true	true	0.7	6	1.200000048	4	4	7409.5	4887.5	4887.5	1.166667
6536	025A	1645	0.04	940	1	65	100	3	4	3	4935	3995	RH-2	50	form-based			true	0.7	5	1.25	4	4	5757.5	4817.5	4817.5	1.166667
6536	032	1896	0.04	1439	1	65	100	3	4	3	5688	4249	RH-2	50	form-based			true	0.7	5	1.25	4	4	6636	5197	5197	1.166667
6536	034	1744	0.04	1447	1	65	100	3	4	3	5232	3785	RH-2	50	form-based			true	0.7	5	1.25	4	4	6104	4657	4657	1.166667
6536	035	1744	0.04	1717	1	65	100	3	4	3	5232	3515	RH-2	50	form-based			true	0.7	5	1.25	4	4	6104	4387	4387	1.166667
6536	036	1744	0.04	1448	1	65	100	3	4	3	5232	3784	RH-2	50	form-based			true	0.7	5	1.25	4	4	6104	4656	4656	1.166667
6536	037	1744	0.04	1062	1	65	100	3	4	3	5232	4170	RH-2	50	form-based			true	0.7	5	1.25	4	4	6104	5042	5042	1.166667
6536	038	2850	0.07	4047	4	65	100	3	7	3	8550	4503	RH-2	50	form-based		true	true	0.7	8	1.142857194	4	4	9975	5928	5928	1.166667
6536	042	2850	0.07	4000	4	65	100	3	7	3	8550	4550	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	9975	5975	5975	1.166667
6536	058	1859	0.04	1374	3	65	100	3	4	1	5577	4203	NC-1	65	form-based		true	true	0.75	7	1.75	4	4	8365.5	6991.5	6991.5	1.5
6537	003	2259	0.05	1830	1	65	100	3	5	4	6777	4947	RH-2	40	form-based			true	0.7	5	1	4	4	6325.199707	4495.199707	4495.199707	0.933333
6537	003A	2259	0.05	1880	1	65	100	3	5	4	6777	4897	RH-2	40	form-based			true	0.7	5	1	4	4	6325.199707	4445.199707	4445.199707	0.933333
6537	021	2845	0.07	2410	2	65	100	3	7	5	8535	6125	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7966	5556	5556	0.933333
6537	023	2246	0.05	1286	1	65	100	3	5	4	6738	5452	RH-2	40	form-based			true	0.7	5	1	4	4	6288.799805	5002.799805	5002.799805	0.933333
6537	024	2246	0.05	2664	1	65	100	3	5	4	6738	4074	RH-2	40	form-based			true	0.7	5	1	4	4	6288.799805	3624.799805	3624.799805	0.933333
6537	025	2246	0.05	923	1	65	100	3	5	4	6738	5815	RH-2	40	form-based			true	0.7	5	1	4	4	6288.799805	5365.799805	5365.799805	0.933333
6537	027	2520	0.06	1176	1	65	100	3	6	5	7560	6384	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7056	5880	5880	0.933333
6537	028	2625	0.06	1435	2	65	100	3	6	4	7875	6440	RH-2	40	form-based			true	0.7	6	1	4	4	7350	5915	5915	0.933333
6537	030	2370	0.05	1895	1	65	100	3	5	4	7110	5215	RH-2	40	form-based			true	0.7	5	1	4	4	6636	4741	4741	0.933333
6537	033	2850	0.07	2781	2	65	100	3	7	5	8550	5769	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5199	5199	0.933333
6537	039	2850	0.07	3275	2	65	100	3	7	5	8550	5275	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	4705	4705	0.933333
6537	039A	2850	0.07	2540	2	65	100	3	7	5	8550	6010	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5440	5440	0.933333
6537	044	2850	0.07	4231	2	65	100	3	7	5	8550	4319	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	3749	3749	0.933333
6537	046	2850	0.07	1224	2	65	100	3	7	5	8550	7326	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6756	6756	0.933333
6537	066	2844	0.07	1028	2	65	100	3	7	5	8532	7504	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7963.199707	6935.199707	6935.199707	0.933333
6538	001	3109	0.07	3256	3	55	80	2.5	6	3	7772	4516	RH-2	40	form-based		true	true	0.7	7	1.166666627	4	4	8705.200195	5449.200195	5449.200195	1.120072
6538	011	2842	0.07	2800	2	55	80	2.5	6	4	7105	4305	RH-2	40	form-based			true	0.7	6	1	4	4	7957.600098	5157.600098	5157.600098	1.12
6538	013	3638	0.08	4092	4	55	80	2.5	6	2	9095	5003	RH-2	40	form-based			true	0.7	8	1.333333373	4	4	10186.39941	6094.399414	6094.399414	1.12
6538	015	2842	0.07	3540	2	55	80	2.5	6	4	7105	3565	RH-2	40	form-based			true	0.7	6	1	4	4	7957.600098	4417.600098	4417.600098	1.12
6538	017	2842	0.07	1850	2	55	80	2.5	6	4	7105	5255	RH-2	40	form-based			true	0.7	6	1	4	4	7957.600098	6107.600098	6107.600098	1.12
6538	021	2661	0.06	3967	2	55	80	2.5	5	3	6652	2685	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7450.799805	3483.799805	3483.799805	1.120084
6538	032	3420	0.08	2200	3	55	80	2.5	6	3	8550	6350	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9576	7376	7376	1.12
6538	033	2850	0.07	2160	2	55	80	2.5	6	4	7125	4965	RH-2	40	form-based			true	0.7	6	1	4	4	7980	5820	5820	1.12
6538	036	2850	0.07	3375	2	55	80	2.5	6	4	7125	3750	RH-2	40	form-based			true	0.7	6	1	4	4	7980	4605	4605	1.12
6538	037	2850	0.07	2636	2	55	80	2.5	6	4	7125	4489	RH-2	40	form-based			true	0.7	6	1	4	4	7980	5344	5344	1.12
6538	039	2508	0.06	1070	1	55	80	2.5	5	4	6270	5200	RH-2	40	form-based			true	0.7	5	1	4	4	7022.399902	5952.399902	5952.399902	1.12
6538	040	2482	0.06	1380	1	55	80	2.5	5	4	6205	4825	RH-2	40	form-based			true	0.7	5	1	4	4	6949.600098	5569.600098	5569.600098	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6538	041	2534	0.06	2825	1	55	80	2.5	5	4	6335	3510	RH-2	40	form-based			true	0.7	5	1	4	4	7095.199707	4270.199707	4270.199707	1.12
6538	042	2482	0.06	1840	1	55	80	2.5	5	4	6205	4365	RH-2	40	form-based			true	0.7	5	1	4	4	6949.600098	5109.600098	5109.600098	1.12
6538	050	2842	0.07	804	2	55	80	2.5	6	4	7105	6301	RH-2	40	form-based			true	0.7	6	1	4	4	7957.600098	7153.600098	7153.600098	1.12
6539	001	3990	0.09	9000	11	55	80	2.5	7	0	9975	975	NCD-24TH	65	form-based		true	true	0.75	15	2.142857075	4	3	17955	8955	8955	1.8
6539	007	2849	0.07	2750	2	55	80	2.5	6	4	7122	4372	RH-2	40	form-based			true	0.7	6	1	4	4	7977.199707	5227.199707	5227.199707	1.120079
6539	015	3055	0.07	1660	2	55	80	2.5	6	4	7638	5978	RH-2	40	form-based			true	0.7	6	1	4	4	8554	6894	6894	1.119927
6539	018	2425	0.06	1093	1	55	80	2.5	5	4	6062	4969	RH-2	40	form-based			true	0.7	5	1	4	4	6790	5697	5697	1.120092
6539	021	2627	0.06	3551	2	55	80	2.5	5	3	6568	3017	RH-2	40	form-based		true	true	0.7	6	1.200000048	4	4	7355.600098	3804.600098	3804.600098	1.119915
6539	027	2250	0.05	2247	1	55	80	2.5	4	3	5625	3378	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4053	4053	1.12
6539	028	2250	0.05	1434	1	55	80	2.5	4	3	5625	4191	RH-2	40	form-based			true	0.7	5	1.25	4	4	6300	4866	4866	1.12
6539	031	3055	0.07	2200	2	55	80	2.5	6	4	7638	5438	RH-2	40	form-based			true	0.7	6	1	4	4	8554	6354	6354	1.119927
6539	036	2850	0.07	2480	2	55	80	2.5	6	4	7125	4645	RH-2	40	form-based			true	0.7	6	1	4	4	7980	5500	5500	1.12
6539	037	2280	0.05	1300	1	55	80	2.5	4	3	5700	4400	RH-2	40	form-based			true	0.7	5	1.25	4	4	6384	5084	5084	1.12
6539	038	2280	0.05	1408	1	55	80	2.5	4	3	5700	4292	RH-2	40	form-based			true	0.7	5	1.25	4	4	6384	4976	4976	1.12
6539	039	2280	0.05	2115	1	55	80	2.5	4	3	5700	3585	RH-2	40	form-based			true	0.7	5	1.25	4	4	6384	4269	4269	1.12
6539	039A	2280	0.05	1520	1	55	80	2.5	4	3	5700	4180	RH-2	40	form-based			true	0.7	5	1.25	4	4	6384	4864	4864	1.12
6539	041	3420	0.08	1115	3	55	80	2.5	6	3	8550	7435	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	9576	8461	8461	1.12
6545	002	2227	0.05	950	1	55	80	2.5	4	3	5568	4618	RH-2	40	form-based			true	0.7	5	1.25	4	4	6235.600098	5285.600098	5285.600098	1.119899
6545	004	2228	0.05	920	1	55	80	2.5	4	3	5570	4650	RH-2	40	form-based			true	0.7	5	1.25	4	4	6238.399902	5318.399902	5318.399902	1.12
6546	003	1985	0.05	0	0	55	80	2.5	4	4	4962	4962	RH-2	40	form-based			true	0.7	4	1	4	4	5558	5558	5558	1.120113
6546	009	2845	0.07	2250	2	55	80	2.5	6	4	7112	4862	RH-2	40	form-based			true	0.7	6	1	4	4	7966	5716	5716	1.120079
6546	012	2845	0.07	1660	2	55	80	2.5	6	4	7112	5452	RH-2	40	form-based			true	0.7	6	1	4	4	7966	6306	6306	1.120079
6546	013	2959	0.07	1935	2	55	80	2.5	6	4	7398	5463	RH-2	40	form-based			true	0.7	6	1	4	4	8285.200195	6350.200195	6350.200195	1.119924
6546	022	3141	0.07	2761	3	55	80	2.5	6	3	7852	5091	RH-2	40	form-based			true	0.7	7	1.166666627	4	4	8794.799805	6033.799805	6033.799805	1.120071
6546	024	2845	0.07	2312	2	55	80	2.5	6	4	7112	4800	RH-2	40	form-based			true	0.7	6	1	4	4	7966	5654	5654	1.120079
6546	030	1921	0.04	2000	0	55	80	2.5	3	3	4802	2802	RH-2	40	form-based		true	true	0.7	4	1.333333373	4	4	5378.799805	3378.799805	3378.799805	1.120117
6546	031	2280	0.05	1050	1	55	80	2.5	4	3	5700	4650	RH-2	40	form-based			true	0.7	5	1.25	4	4	6384	5334	5334	1.12
6546	039	3061	0.07	2250	2	55	80	2.5	6	4	7652	5402	RH-2	40	form-based			true	0.7	6	1	4	4	8570.799805	6320.799805	6320.799805	1.120073
6546	045	2845	0.07	2129	2	55	80	2.5	6	4	7112	4983	RH-2	40	form-based			true	0.7	6	1	4	4	7966	5837	5837	1.120079
6546	049	3083	0.07	1715	2	55	80	2.5	6	4	7708	5993	RH-2	40	form-based			true	0.7	6	1	4	4	8632.399414	6917.399414	6917.399414	1.119927
6548	005	2558	0.06	1333	1	65	100	3	6	5	7674	6341	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7162.399902	5829.399902	5829.399902	0.933333
6548	008	3014	0.07	2790	2	65	100	3	7	5	9042	6252	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8439.200195	5649.200195	5649.200195	0.933333
6548	013	2889	0.07	2614	2	65	100	3	7	5	8667	6053	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8089.199707	5475.199707	5475.199707	0.933333
6548	015	2942	0.07	2144	2	65	100	3	7	5	8826	6682	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8237.599609	6093.599609	6093.599609	0.933333
6548	023	2546	0.06	2184	1	65	100	3	6	5	7638	5454	RH-3	40	form-based			true	0.7	5	0.833333313	4	4	7128.799805	4944.799805	4944.799805	0.933333
6548	035	2964	0.07	3500	2	65	100	3	7	5	8892	5392	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8299.200195	4799.200195	4799.200195	0.933333
6548	037A	3030	0.07	3000	2	65	100	3	7	5	9090	6090	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8484	5484	5484	0.933333
6548	038	2736	0.06	2100	2	65	100	3	6	4	8208	6108	RH-2	40	form-based			true	0.7	6	1	4	4	7660.799805	5560.799805	5560.799805	0.933333
6548	039	2765	0.06	1652	2	65	100	3	6	4	8295	6643	RH-2	40	form-based			true	0.7	6	1	4	4	7742	6090	6090	0.933333
6548	055	2850	0.07	1760	2	65	100	3	7	5	8550	6790	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6220	6220	0.933333
6549	009	2983	0.07	3087	4	65	100	3	7	3	8949	5862	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10440.5	7353.5	7353.5	1.166667
6549	024	2066	0.05	2700	2	65	100	3	5	3	6198	3498	RH-2	50	form-based		true	true	0.7	6	1.200000048	4	4	7231	4531	4531	1.166667
6549	053	2294	0.05	1687	2	65	100	3	5	3	6882	5195	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	8029	6342	6342	1.166667
6550	046	2850	0.07	367	4	65	100	3	7	3	8550	8183	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	9975	9608	9608	1.166667
6550	053	1686	0.04	1870	2	65	100	3	4	2	5058	3188	RTO-C	65	form-based			true	0.75	6	1.5	4	4	7587	5717	5717	1.5
6551	006	2564	0.06	2480	3	65	100	3	6	3	7692	5212	RH-3	50	form-based			true	0.7	7	1.166666627	4	4	8974	6494	6494	1.166667
6551	011	2852	0.07	2682	4	65	100	3	7	3	8556	5874	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	9982	7300	7300	1.166667
6551	022	1276	0.03	2120	1	85	140	4	4	3	5104	2984	RTO-C	65	form-based			true	0.75	5	1.25	4	4	5742	3622	3622	1.125
6551	045	1974	0.05	1900	2	65	100	3	5	3	5922	4022	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	6909	5009	5009	1.166667
6552	003	2121	0.05	1979	4	85	140	4	7	3	8484	6505	NC-1	65	form-based			true	0.75	8	1.142857194	4	4	9544.5	7565.5	7565.5	1.125
6552	021	1952	0.04	1800	1	65	100	3	4	3	5856	4056	RH-2	50	form-based			true	0.7	5	1.25	4	4	6832	5032	5032	1.166667
6552	043	1365	0.03	1092	1	85	140	4	4	3	5460	4368	RTO-C	65	form-based			true	0.75	5	1.25	4	4	6142.5	5050.5	5050.5	1.125
6552	055	2188	0.05	832	4	85	140	4	7	3	8752	7920	RTO-C	65	form-based		true	true	0.75	8	1.142857194	4	4	9846	9014	9014	1.125
6553	006	2830	0.06	2653	2	65	100	3	6	4	8490	5837	RH-2	40	form-based			true	0.7	6	1	4	4	7924	5271	5271	0.933333
6553	007	2263	0.05	2060	1	65	100	3	5	4	6789	4729	RH-2	40	form-based			true	0.7	5	1	4	4	6336.399902	4276.399902	4276.399902	0.933333
6553	008	2263	0.05	965	1	65	100	3	5	4	6789	5824	RH-2	40	form-based			true	0.7	5	1	4	4	6336.399902	5371.399902	5371.399902	0.933333
6553	009	2262	0.05	2021	1	65	100	3	5	4	6786	4765	RH-2	40	form-based			true	0.7	5	1	4	4	6333.600098	4312.600098	4312.600098	0.933333
6553	010	2261	0.05	1994	1	65	100	3	5	4	6783	4789	RH-2	40	form-based			true	0.7	5	1	4	4	6330.799805	4336.799805	4336.799805	0.933333
6553	020A	2165	0.05	2181	1	65	100	3	5	4	6495	4314	RH-2	40	form-based			true	0.7	5	1	4	4	6062	3881	3881	0.933333
6553	028	3040	0.07	2540	2	65	100	3	7	5	9120	6580	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8512	5972	5972	0.933333
6553	031	2850	0.07	2250	2	65	100	3	7	5	8550	6300	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5730	5730	0.933333
6553	036	2793	0.06	1613	2	65	100	3	6	4	8379	6766	RH-2	40	form-based			true	0.7	6	1	4	4	7820.399902	6207.399902	6207.399902	0.933333
6553	045	2820	0.06	3085	2	65	100	3	6	4	8460	5375	RH-2	40	form-based			true	0.7	6	1	4	4	7896	4811	4811	0.933333
6554	003	2374	0.05	2195	1	65	100	3	5	4	7122	4927	RH-3	40	form-based			true	0.7	5	1	4	4	6647.199707	4452.199707	4452.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6554	017	2871	0.07	3886	2	55	80	2.5	6	4	7178	3292	RH-2	40	form-based			true	0.7	6	1	4	4	8038.799805	4152.799805	4152.799805	1.119922
6554	019B	2400	0.06	1552	1	55	80	2.5	5	4	6000	4448	RH-2	40	form-based			true	0.7	5	1	4	4	6720	5168	5168	1.12
6554	028	2576	0.06	2216	1	55	80	2.5	5	4	6440	4224	RH-2	40	form-based			true	0.7	5	1	4	4	7212.799805	4996.799805	4996.799805	1.12
6554	029	2576	0.06	1755	1	55	80	2.5	5	4	6440	4685	RH-2	40	form-based			true	0.7	5	1	4	4	7212.799805	5457.799805	5457.799805	1.12
6554	034	2850	0.07	1878	2	55	80	2.5	6	4	7125	5247	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6102	6102	1.12
6554	042	2850	0.07	1162	2	55	80	2.5	6	4	7125	5963	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6818	6818	1.12
6554	046	2930	0.07	2207	2	55	80	2.5	6	4	7325	5118	RH-2	40	form-based			true	0.7	6	1	4	4	8204	5997	5997	1.12
6555	011	2521	0.06	1721	1	55	80	2.5	5	4	6302	4581	RH-1	40	form-based			true	0.7	5	1	4	4	7058.799805	5337.799805	5337.799805	1.120089
6555	013	2519	0.06	1120	1	55	80	2.5	5	4	6298	5178	RH-1	40	form-based			true	0.7	5	1	4	4	7053.199707	5933.199707	5933.199707	1.119911
6555	014	2518	0.06	1033	1	55	80	2.5	5	4	6295	5262	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	6017.399902	6017.399902	1.12
6555	015	2518	0.06	1542	1	55	80	2.5	5	4	6295	4753	RH-1	40	form-based			true	0.7	5	1	4	4	7050.399902	5508.399902	5508.399902	1.12
6555	016	2517	0.06	2908	1	55	80	2.5	5	4	6292	3384	RH-1	40	form-based			true	0.7	5	1	4	4	7047.600098	4139.600098	4139.600098	1.120089
6555	017	2231	0.05	2067	1	55	80	2.5	4	3	5578	3511	RH-1	40	form-based			true	0.7	5	1.25	4	4	6246.799805	4179.799805	4179.799805	1.1199
6555	018	2276	0.05	764	1	55	80	2.5	4	3	5690	4926	RH-1	40	form-based			true	0.7	5	1.25	4	4	6372.799805	5608.799805	5608.799805	1.12
6555	023	2317	0.05	1110	1	55	80	2.5	4	3	5792	4682	RH-1	40	form-based			true	0.7	5	1.25	4	4	6487.600098	5377.600098	5377.600098	1.120097
6555	024	2271	0.05	2395	1	55	80	2.5	4	3	5678	3283	RH-1	40	form-based			true	0.7	5	1.25	4	4	6358.799805	3963.799805	3963.799805	1.119901
6555	025	2270	0.05	1147	1	55	80	2.5	4	3	5675	4528	RH-1	40	form-based			true	0.7	5	1.25	4	4	6356	5209	5209	1.12
6555	026	2270	0.05	2215	1	55	80	2.5	4	3	5675	3460	RH-1	40	form-based			true	0.7	5	1.25	4	4	6356	4141	4141	1.12
6555	027	2972	0.07	2916	2	55	80	2.5	6	4	7430	4514	RH-1	40	form-based		true	true	0.7	6	1	4	4	8321.599609	5405.599609	5405.599609	1.12
6555	027A	2240	0.05	1762	1	55	80	2.5	4	3	5600	3838	RH-1	40	form-based			true	0.7	5	1.25	4	4	6272	4510	4510	1.12
6555	035	3062	0.07	2753	2	55	80	2.5	6	4	7655	4902	RH-2	40	form-based			true	0.7	6	1	4	4	8573.599609	5820.599609	5820.599609	1.12
6555	045	3062	0.07	1855	2	55	80	2.5	6	4	7655	5800	RH-2	40	form-based			true	0.7	6	1	4	4	8573.599609	6718.599609	6718.599609	1.12
6562	004	2189	0.05	933	1	55	80	2.5	4	3	5472	4539	RH-2	40	form-based			true	0.7	5	1.25	4	4	6129.199707	5196.199707	5196.199707	1.120102
6555	048	3016	0.07	2988	2	55	80	2.5	6	4	7540	4552	RH-2	40	form-based			true	0.7	6	1	4	4	8444.799805	5456.799805	5456.799805	1.12
6556	006A	2439	0.06	3619	1	55	80	2.5	5	4	6098	2479	RH-1	40	form-based			true	0.7	5	1	4	4	6829.199707	3210.199707	3210.199707	1.119908
6556	007	2203	0.05	1900	1	55	80	2.5	4	3	5508	3608	RH-1	40	form-based			true	0.7	5	1.25	4	4	6168.399902	4268.399902	4268.399902	1.119898
6561	002	2226	0.05	2166	1	55	80	2.5	4	3	5565	3399	RH-1	40	form-based			true	0.7	5	1.25	4	4	6232.799805	4066.799805	4066.799805	1.12
6561	004	2227	0.05	2696	1	55	80	2.5	4	3	5568	2872	RH-1	40	form-based			true	0.7	5	1.25	4	4	6235.600098	3539.600098	3539.600098	1.119899
6562	002	2190	0.05	520	1	55	80	2.5	4	3	5475	4955	RH-2	40	form-based			true	0.7	5	1.25	4	4	6132	5612	5612	1.12
6562	003	2190	0.05	2325	1	55	80	2.5	4	3	5475	3150	RH-2	40	form-based			true	0.7	5	1.25	4	4	6132	3807	3807	1.12
6562	021	2225	0.05	1213	1	55	80	2.5	4	3	5562	4349	RH-1	40	form-based			true	0.7	5	1.25	4	4	6230	5017	5017	1.120101
6562	022	2225	0.05	1250	1	55	80	2.5	4	3	5562	4312	RH-1	40	form-based			true	0.7	5	1.25	4	4	6230	4980	4980	1.120101
6562	026	2850	0.07	1825	2	55	80	2.5	6	4	7125	5300	RH-1	40	form-based			true	0.7	6	1	4	4	7980	6155	6155	1.12
6562	037	2902	0.07	1725	2	55	80	2.5	6	4	7255	5530	RH-1	40	form-based			true	0.7	6	1	4	4	8125.600098	6400.600098	6400.600098	1.12
6562	051	2540	0.06	2639	1	55	80	2.5	5	4	6350	3711	RH-1	40	form-based			true	0.7	5	1	4	4	7112	4473	4473	1.12
6562	052	2540	0.06	2670	1	55	80	2.5	5	4	6350	3680	RH-1	40	form-based			true	0.7	5	1	4	4	7112	4442	4442	1.12
6562	053	2540	0.06	2218	1	55	80	2.5	5	4	6350	4132	RH-1	40	form-based			true	0.7	5	1	4	4	7112	4894	4894	1.12
6562	054	2540	0.06	3829	1	55	80	2.5	5	4	6350	2521	RH-1	40	form-based			true	0.7	5	1	4	4	7112	3283	3283	1.12
6563	003	2153	0.05	1745	1	65	100	3	5	4	6459	4714	RH-2	40	form-based			true	0.7	5	1	4	4	6028.399902	4283.399902	4283.399902	0.933333
6563	005	2152	0.05	1755	1	55	80	2.5	4	3	5380	3625	RH-2	40	form-based			true	0.7	5	1.25	4	4	6025.600098	4270.600098	4270.600098	1.12
6563	010	2890	0.07	2920	2	55	80	2.5	6	4	7225	4305	RH-2	40	form-based			true	0.7	6	1	4	4	8092	5172	5172	1.12
6563	015	2890	0.07	2140	2	55	80	2.5	6	4	7225	5085	RH-2	40	form-based			true	0.7	6	1	4	4	8092	5952	5952	1.12
6563	021	2983	0.07	2030	2	55	80	2.5	6	4	7458	5428	RH-2	40	form-based			true	0.7	6	1	4	4	8352.399414	6322.399414	6322.399414	1.119925
6563	026A	2844	0.07	2800	2	55	80	2.5	6	4	7110	4310	RH-2	40	form-based			true	0.7	6	1	4	4	7963.199707	5163.199707	5163.199707	1.12
6563	044	3136	0.07	3282	3	65	100	3	7	4	9408	6126	RH-2	40	form-based		true	true	0.7	7	1	4	4	8780.799805	5498.799805	5498.799805	0.933333
6563	049	2779	0.06	1988	2	55	80	2.5	5	3	6948	4960	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7781.199707	5793.199707	5793.199707	1.119919
6563	050	2779	0.06	1988	2	55	80	2.5	5	3	6948	4960	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7781.199707	5793.199707	5793.199707	1.119919
6563	051	2850	0.07	5135	2	55	80	2.5	6	4	7125	1990	RH-2	40	form-based			true	0.7	6	1	4	4	7980	2845	2845	1.12
6563	053	2890	0.07	2068	2	55	80	2.5	6	4	7225	5157	RH-2	40	form-based			true	0.7	6	1	4	4	8092	6024	6024	1.12
6563	055	2831	0.06	942	2	55	80	2.5	5	3	7078	6136	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7926.799805	6984.799805	6984.799805	1.119921
6563	059	2856	0.07	1101	2	55	80	2.5	6	4	7140	6039	RH-2	40	form-based			true	0.7	6	1	4	4	7996.799805	6895.799805	6895.799805	1.12
6563	061	2890	0.07	996	2	55	80	2.5	6	4	7225	6229	RH-2	40	form-based			true	0.7	6	1	4	4	8092	7096	7096	1.12
6564	007	2793	0.06	1720	2	65	100	3	6	4	8379	6659	RH-2	40	form-based			true	0.7	6	1	4	4	7820.399902	6100.399902	6100.399902	0.933333
6564	015	3014	0.07	2750	2	65	100	3	7	5	9042	6292	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8439.200195	5689.200195	5689.200195	0.933333
6564	027	2850	0.07	2005	2	65	100	3	7	5	8550	6545	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5975	5975	0.933333
6564	039	2793	0.06	900	2	65	100	3	6	4	8379	7479	RH-2	40	form-based			true	0.7	6	1	4	4	7820.399902	6920.399902	6920.399902	0.933333
6564	041	3040	0.07	2041	2	65	100	3	7	5	9120	7079	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8512	6471	6471	0.933333
6564	043	2793	0.06	1607	2	65	100	3	6	4	8379	6772	RH-2	40	form-based			true	0.7	6	1	4	4	7820.399902	6213.399902	6213.399902	0.933333
6564	045	3029	0.07	1117	2	65	100	3	7	5	9087	7970	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8481.200195	7364.200195	7364.200195	0.933333
6564	047	3027	0.07	3895	2	65	100	3	7	5	9081	5186	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8475.599609	4580.599609	4580.599609	0.933333
6565	007A	2915	0.07	3900	7	65	100	3	7	0	8745	4845	NC-1	65	form-based		true	true	0.75	11	1.571428537	4	4	13117.5	9217.5	9217.5	1.5
6566	019	2879	0.07	3250	4	65	100	3	7	3	8637	5387	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10076.5	6826.5	6826.5	1.166667
6566	029	1908	0.04	6357	3	85	140	4	6	3	7632	1275	NC-1	65	form-based		true	true	0.75	7	1.166666627	4	4	8586	2229	2229	1.125
6566	036	2850	0.07	4499	4	65	100	3	7	3	8550	4051	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	9975	5476	5476	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6566	046	1990	0.05	2666	2	65	100	3	5	3	5970	3304	RH-3	50	form-based			true	0.7	6	1.200000048	4	4	6965	4299	4299	1.166667
6566	058	2850	0.07	1422	4	65	100	3	7	3	8550	7128	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	9975	8553	8553	1.166667
6566	060	1751	0.04	2047	1	65	100	3	4	3	5253	3206	RH-3	50	form-based			true	0.7	5	1.25	4	4	6128.5	4081.5	4081.5	1.166667
6567	011	4400	0.1	5915	0	65	100	3	10	10	13200	7285	RH-2	40	density-lim	1500			0.7	4	0.400000006	4	4	12320	6405	6405	0.933333
6567	017	1749	0.04	2000	0	65	100	3	4	4	5247	3247	RH-2	40	density-lim	1500			0.7	4	1	4	4	4897.199707	2897.199707	2897.199707	0.933333
6567	037	1036	0.02	0	0	65	100	3	2	2	3108	3108	RH-2	40	density-lim	1500			0.7	4	2	4	4	2900.800049	2900.800049	2900.800049	0.933333
6568	033	3445	0.08	4004	4	65	100	3	8	4	10335	6331	NCT-VALEI	40	form-based				0.75	8	1	4	4	10335	6331	6331	1
6569	002	1620	0.04	1560	1	85	140	4	6	5	6480	4920	NCT-MISSI	55	form-based				0.75	5	0.833333313	4	4	6075	4515	4515	0.9375
6569	018	2704	0.06	4640	4	75	120	3.5	7	3	9464	4824	RTO-M	55	form-based		true		0.7	8	1.142857194	4	4	9464	4824	4824	1
6569	034	1861	0.04	580	0	65	100	3	4	4	5583	5003	RTO-M	45	form-based				0.7	4	1	4	4	5210.799805	4630.799805	4630.799805	0.933333
6577	020	2841	0.07	3450	0	65	100	3	7	7	8523	5073	RH-2	40	density-lim	1500			0.7	4	0.571428597	4	4	7954.799805	4504.799805	4504.799805	0.933333
6577	027	1664	0.04	1980	2	65	100	3	4	2	4992	3012	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	4659.199707	2679.199707	2679.199707	0.933333
6578	005B	1812	0.04	1067	1	65	100	3	4	3	5436	4369	RH-2	50	form-based		true	true	0.7	5	1.25	4	4	6342	5275	5275	1.166667
6579	001	2168	0.05	3368	4	65	100	3	5	1	6504	3136	RTO-C	65	form-based		true	true	0.75	8	1.600000024	4	4	9756	6388	6388	1.5
6570	003A	2494	0.06	5620	3	75	120	3.5	7	4	8729	3109	NCT-MISSI	55	form-based				0.75	7	1	4	4	9352.5	3732.5	3732.5	1.071429
6579	007A	1939	0.04	2756	3	65	100	3	4	1	5817	3061	NC-1	65	form-based		true	true	0.75	7	1.75	4	4	8725.5	5969.5	5969.5	1.5
6571	016	2812	0.06	3450	4	65	100	3	6	2	8436	4986	NCT-MISSI	55	form-based				0.75	8	1.333333373	4	4	10545	7095	7095	1.25
6571	017	1542	0.04	1920	1	65	100	3	4	3	4626	2706	NCT-MISSI	55	form-based				0.75	5	1.25	4	4	5782.5	3862.5	3862.5	1.25
6571	017B	1749	0.04	1650	1	65	100	3	4	3	5247	3597	NCT-MISSI	55	form-based				0.75	5	1.25	4	4	6558.75	4908.75	4908.75	1.25
6571	031	2791	0.06	4570	4	65	100	3	6	2	8373	3803	NCT-MISSI	55	form-based		true		0.75	8	1.333333373	4	4	10466.25	5896.25	5896.25	1.25
6574	013	4062	0.09	5917	3	85	140	4	13	10	16248	10331	NCD-MISSI	50	density-lim	600	true		0.75	7	0.538461566	4	4	15232.5	9315.5	9315.5	0.9375
6574	019	2683	0.06	10755	0	65	100	3	6	6	8049	0	NCD-MISSI	50	density-lim	600			0.75	4	0.666666687	4	4	10061.25	0	0	1.25
6579	031	1860	0.04	1280	1	65	100	3	4	3	5580	4300	RH-2	50	form-based			true	0.7	5	1.25	4	4	6510	5230	5230	1.166667
6579	068	2095	0.05	517	4	65	100	3	5	1	6285	5768	RTO-C	65	form-based			true	0.75	8	1.600000024	4	4	9427.5	8910.5	8910.5	1.5
6580	012	3071	0.07	2890	2	65	100	3	7	5	9213	6323	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8598.799805	5708.799805	5708.799805	0.933333
6580	018	3080	0.07	4248	2	65	100	3	7	5	9240	4992	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8624	4376	4376	0.933333
6580	021	2923	0.07	940	2	65	100	3	7	5	8769	7829	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8184.399902	7244.399902	7244.399902	0.933333
6580	029	2850	0.07	1640	2	65	100	3	7	5	8550	6910	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6340	6340	0.933333
6580	030	3420	0.08	2674	3	65	100	3	8	5	10260	7586	RH-2	40	form-based			true	0.7	7	0.875	4	4	9576	6902	6902	0.933333
6580	033	2280	0.05	2060	1	65	100	3	5	4	6840	4780	RH-2	40	form-based			true	0.7	5	1	4	4	6384	4324	4324	0.933333
6580	037	2850	0.07	2904	2	65	100	3	7	5	8550	5646	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5076	5076	0.933333
6580	039	2850	0.07	3770	2	65	100	3	7	5	8550	4780	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	4210	4210	0.933333
6580	041	2850	0.07	3279	2	65	100	3	7	5	8550	5271	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	4701	4701	0.933333
6580	044	3055	0.07	2302	2	65	100	3	7	5	9165	6863	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8554	6252	6252	0.933333
6580	046	2850	0.07	1803	2	65	100	3	7	5	8550	6747	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6177	6177	0.933333
6580	048	2850	0.07	5057	2	65	100	3	7	5	8550	3493	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	2923	2923	0.933333
6581	006	2913	0.07	1850	2	55	80	2.5	6	4	7282	5432	RH-2	40	form-based			true	0.7	6	1	4	4	8156.399902	6306.399902	6306.399902	1.120077
6581	035	2850	0.07	2050	2	55	80	2.5	6	4	7125	5075	RH-2	40	form-based			true	0.7	6	1	4	4	7980	5930	5930	1.12
6581	054	5550	0.13	7200	8	55	80	2.5	10	2	13875	6675	RM-1	40	form-based			true	0.7	12	1.200000048	4	4	15540	8340	8340	1.12
6581	063	2850	0.07	1168	2	55	80	2.5	6	4	7125	5957	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6812	6812	1.12
6582	003	2798	0.06	1292	2	55	80	2.5	5	3	6995	5703	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7834.399902	6542.399902	6542.399902	1.12
6582	009A	2466	0.06	1150	1	55	80	2.5	5	4	6165	5015	RH-1	40	form-based		true	true	0.7	5	1	4	4	6904.799805	5754.799805	5754.799805	1.12
6582	010	2316	0.05	2012	1	55	80	2.5	4	3	5790	3778	RH-1	40	form-based			true	0.7	5	1.25	4	4	6484.799805	4472.799805	4472.799805	1.12
6582	010A	2316	0.05	1675	1	55	80	2.5	4	3	5790	4115	RH-1	40	form-based			true	0.7	5	1.25	4	4	6484.799805	4809.799805	4809.799805	1.12
6582	011	2221	0.05	1811	1	55	80	2.5	4	3	5552	3741	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6218.799805	4407.799805	4407.799805	1.120101
6582	012A	2437	0.06	2201	1	55	80	2.5	5	4	6092	3891	RH-1	40	form-based			true	0.7	5	1	4	4	6823.600098	4622.600098	4622.600098	1.120092
6582	013	2431	0.06	1822	1	55	80	2.5	5	4	6078	4256	RH-1	40	form-based			true	0.7	5	1	4	4	6806.799805	4984.799805	4984.799805	1.119908
6582	015B	2519	0.06	1925	1	55	80	2.5	5	4	6298	4373	RH-1	40	form-based			true	0.7	5	1	4	4	7053.199707	5128.199707	5128.199707	1.119911
6582	015C	2491	0.06	1125	1	55	80	2.5	5	4	6228	5103	RH-1	40	form-based			true	0.7	5	1	4	4	6974.799805	5849.799805	5849.799805	1.11991
6582	016	2177	0.05	1055	1	55	80	2.5	4	3	5442	4387	RH-1	40	form-based			true	0.7	5	1.25	4	4	6095.600098	5040.600098	5040.600098	1.120103
6582	016A	2177	0.05	1550	1	55	80	2.5	4	3	5442	3892	RH-1	40	form-based			true	0.7	5	1.25	4	4	6095.600098	4545.600098	4545.600098	1.120103
6582	020	2319	0.05	2111	1	55	80	2.5	4	3	5798	3687	RH-1	40	form-based			true	0.7	5	1.25	4	4	6493.199707	4382.199707	4382.199707	1.119903
6582	021	2497	0.06	3880	1	55	80	2.5	5	4	6242	2362	RH-1	40	form-based			true	0.7	5	1	4	4	6991.600098	3111.600098	3111.600098	1.12009
6582	030	2806	0.06	2800	2	55	80	2.5	5	3	7015	4215	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7856.799805	5056.799805	5056.799805	1.12
6582	032	2806	0.06	2887	2	55	80	2.5	5	3	7015	4128	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7856.799805	4969.799805	4969.799805	1.12
6582	038	2177	0.05	1055	1	55	80	2.5	4	3	5442	4387	RH-1	40	form-based			true	0.7	5	1.25	4	4	6095.600098	5040.600098	5040.600098	1.120103
6582	039	2806	0.06	830	2	55	80	2.5	5	3	7015	6185	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7856.799805	7026.799805	7026.799805	1.12
6583	001	2349	0.05	2307	1	55	80	2.5	4	3	5872	3565	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6577.199707	4270.199707	4270.199707	1.120095
6588	003	2454	0.06	1545	1	55	80	2.5	5	4	6135	4590	RH-1	40	form-based			true	0.7	5	1	4	4	6871.199707	5326.199707	5326.199707	1.12
6588	004	2579	0.06	1170	1	55	80	2.5	5	4	6448	5278	RH-1	40	form-based			true	0.7	5	1	4	4	7221.199707	6051.199707	6051.199707	1.119913
6588	004C	2579	0.06	3005	1	55	80	2.5	5	4	6448	3443	RH-1	40	form-based			true	0.7	5	1	4	4	7221.199707	4216.199707	4216.199707	1.119913
6589	001A	2246	0.05	2653	1	55	80	2.5	4	3	5615	2962	RH-1	40	form-based			true	0.7	5	1.25	4	4	6288.799805	3635.799805	3635.799805	1.12
6589	002C	2513	0.06	3086	1	55	80	2.5	5	4	6282	3196	RH-1	40	form-based			true	0.7	5	1	4	4	7036.399902	3950.399902	3950.399902	1.120089
6589	002D	2531	0.06	1210	1	55	80	2.5	5	4	6328	5118	RH-1	40	form-based			true	0.7	5	1	4	4	7086.799805	5876.799805	5876.799805	1.119911

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6589	002E	2548	0.06	3421	1	55	80	2.5	5	4	6370	2949	RH-1	40	form-based			true	0.7	5	1	4	4	7134.399902	3713.399902	3713.399902	1.12
6589	002J	2309	0.05	2550	1	55	80	2.5	4	3	5772	3222	RH-1	40	form-based			true	0.7	5	1.25	4	4	6465.199707	3915.199707	3915.199707	1.120097
6589	002K	2311	0.05	1302	1	55	80	2.5	4	3	5778	4476	RH-1	40	form-based			true	0.7	5	1.25	4	4	6470.799805	5168.799805	5168.799805	1.119903
6589	002L	2312	0.05	1363	1	55	80	2.5	4	3	5780	4417	RH-1	40	form-based			true	0.7	5	1.25	4	4	6473.600098	5110.600098	5110.600098	1.12
6589	002M	2314	0.05	1302	1	55	80	2.5	4	3	5785	4483	RH-1	40	form-based			true	0.7	5	1.25	4	4	6479.199707	5177.199707	5177.199707	1.12
6589	002N	2315	0.05	1850	1	55	80	2.5	4	3	5788	3938	RH-1	40	form-based			true	0.7	5	1.25	4	4	6482	4632	4632	1.119903
6589	002O	2317	0.05	1692	1	55	80	2.5	4	3	5792	4100	RH-1	40	form-based			true	0.7	5	1.25	4	4	6487.600098	4795.600098	4795.600098	1.120097
6589	002Q	1896	0.04	1980	0	55	80	2.5	3	3	4740	2760	RH-1	40	form-based		true	true	0.7	4	1.333333373	4	4	5308.799805	3328.799805	3328.799805	1.12
6589	002R	2155	0.05	1605	1	55	80	2.5	4	3	5388	3783	RH-1	40	form-based			true	0.7	5	1.25	4	4	6034	4429	4429	1.119896
6589	002S	2200	0.05	1650	1	55	80	2.5	4	3	5500	3850	RH-1	40	form-based			true	0.7	5	1.25	4	4	6160	4510	4510	1.12
6589	002T	2201	0.05	1495	1	55	80	2.5	4	3	5502	4007	RH-1	40	form-based			true	0.7	5	1.25	4	4	6162.799805	4667.799805	4667.799805	1.120102
6589	002U	2202	0.05	1175	1	55	80	2.5	4	3	5505	4330	RH-1	40	form-based			true	0.7	5	1.25	4	4	6165.600098	4990.600098	4990.600098	1.12
6589	002V	2203	0.05	2607	1	55	80	2.5	4	3	5508	2901	RH-1	40	form-based			true	0.7	5	1.25	4	4	6168.399902	3561.399902	3561.399902	1.119898
6589	002W	2204	0.05	1791	1	55	80	2.5	4	3	5510	3719	RH-1	40	form-based			true	0.7	5	1.25	4	4	6171.199707	4380.199707	4380.199707	1.12
6589	002X	2205	0.05	1624	1	55	80	2.5	4	3	5512	3888	RH-1	40	form-based			true	0.7	5	1.25	4	4	6174	4550	4550	1.120102
6589	002Y	2206	0.05	1175	1	55	80	2.5	4	3	5515	4340	RH-1	40	form-based			true	0.7	5	1.25	4	4	6176.799805	5001.799805	5001.799805	1.12
6589	003	2198	0.05	1591	1	55	80	2.5	4	3	5495	3904	RH-1	40	form-based			true	0.7	5	1.25	4	4	6154.399902	4563.399902	4563.399902	1.12
6589	003A	2268	0.05	1082	1	55	80	2.5	4	3	5670	4588	RH-1	40	form-based			true	0.7	5	1.25	4	4	6350.399902	5268.399902	5268.399902	1.12
6589	003D	2577	0.06	2012	1	55	80	2.5	5	4	6442	4430	RH-1	40	form-based		true	true	0.7	5	1	4	4	7215.600098	5203.600098	5203.600098	1.120087
6589	010	2546	0.06	2100	1	55	80	2.5	5	4	6365	4265	RH-2	40	form-based		true	true	0.7	5	1	4	4	7128.799805	5028.799805	5028.799805	1.12
6589	012	2265	0.05	2200	1	55	80	2.5	4	3	5662	3462	RH-2	40	form-based			true	0.7	5	1.25	4	4	6342	4142	4142	1.120099
6590	022A	2829	0.06	2934	2	55	80	2.5	5	3	7072	4138	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7921.199707	4987.199707	4987.199707	1.120079
6590	023	2516	0.06	1650	1	55	80	2.5	5	4	6290	4640	RH-2	40	form-based			true	0.7	5	1	4	4	7044.799805	5394.799805	5394.799805	1.12
6590	030	2325	0.05	1275	1	55	80	2.5	4	3	5812	4537	RH-2	40	form-based			true	0.7	5	1.25	4	4	6510	5235	5235	1.120096
6590	031	2325	0.05	1275	1	55	80	2.5	4	3	5812	4537	RH-2	40	form-based			true	0.7	5	1.25	4	4	6510	5235	5235	1.120096
6590	032	2465	0.06	1879	1	55	80	2.5	5	4	6162	4283	RH-2	40	form-based		true	true	0.7	5	1	4	4	6902	5023	5023	1.120091
6590	033	2538	0.06	912	1	55	80	2.5	5	4	6345	5433	RH-3	40	form-based			true	0.7	5	1	4	4	7106.399902	6194.399902	6194.399902	1.12
6590	047	5657	0.13	5670	8	55	80	2.5	10	2	14142	8472	RH-2	40	form-based			true	0.7	12	1.200000048	4	4	15839.59961	10169.59961	10169.59961	1.12004
6590	053	2875	0.07	1800	2	55	80	2.5	6	4	7188	5388	RH-2	40	form-based			true	0.7	6	1	4	4	8050	6250	6250	1.119922
6590	057	2850	0.07	3000	2	55	80	2.5	6	4	7125	4125	RH-3	40	form-based			true	0.7	6	1	4	4	7980	4980	4980	1.12
6590	068	2829	0.06	1482	2	55	80	2.5	5	3	7072	5590	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7921.199707	6439.199707	6439.199707	1.120079
6590	073	2829	0.06	1681	2	55	80	2.5	5	3	7072	5391	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7921.199707	6240.199707	6240.199707	1.120079
6590	075	2829	0.06	1645	2	55	80	2.5	5	3	7072	5427	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7921.199707	6276.199707	6276.199707	1.120079
6591	027	2314	0.05	875	1	65	100	3	5	4	6942	6067	RH-2	40	form-based			true	0.7	5	1	4	4	6479.199707	5604.199707	5604.199707	0.933333
6591	006	2376	0.05	3227	1	65	100	3	5	4	7128	3901	RH-2	40	form-based			true	0.7	5	1	4	4	6652.799805	3425.799805	3425.799805	0.933333
6591	008	2231	0.05	3001	1	65	100	3	5	4	6693	3692	RH-2	40	form-based			true	0.7	5	1	4	4	6246.799805	3245.799805	3245.799805	0.933333
6591	020	3066	0.07	1950	2	65	100	3	7	5	9198	7248	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8584.799805	6634.799805	6634.799805	0.933333
6591	024	2376	0.05	2265	1	65	100	3	5	4	7128	4863	RH-2	40	form-based			true	0.7	5	1	4	4	6652.799805	4387.799805	4387.799805	0.933333
6591	026	2314	0.05	2126	1	65	100	3	5	4	6942	4816	RH-2	40	form-based			true	0.7	5	1	4	4	6479.199707	4353.199707	4353.199707	0.933333
6591	035	2819	0.06	1785	2	65	100	3	6	4	8457	6672	RH-2	40	form-based			true	0.7	6	1	4	4	7893.199707	6108.199707	6108.199707	0.933333
6591	037	2255	0.05	1955	1	65	100	3	5	4	6765	4810	RH-2	40	form-based			true	0.7	5	1	4	4	6314	4359	4359	0.933333
6591	038	2255	0.05	2060	1	65	100	3	5	4	6765	4705	RH-2	40	form-based			true	0.7	5	1	4	4	6314	4254	4254	0.933333
6591	040	2255	0.05	2057	1	65	100	3	5	4	6765	4708	RH-2	40	form-based			true	0.7	5	1	4	4	6314	4257	4257	0.933333
6591	044	2860	0.07	880	2	65	100	3	7	5	8580	7700	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8008	7128	7128	0.933333
6592	009	2512	0.06	4076	3	65	100	3	6	3	7536	3460	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	8792	4716	4716	1.166667
6592	023	2451	0.06	3200	3	65	100	3	6	3	7353	4153	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	8578.5	5378.5	5378.5	1.166667
6592	030	2000	0.05	2910	2	65	100	3	5	3	6000	3090	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7000	4090	4090	1.166667
6592	032	2000	0.05	1934	2	65	100	3	5	3	6000	4066	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7000	5066	5066	1.166667
6592	044	2253	0.05	1776	2	65	100	3	5	3	6759	4983	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7885.5	6109.5	6109.5	1.166667
6592	047	2415	0.06	3025	3	65	100	3	6	3	7245	4220	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	8452.5	5427.5	5427.5	1.166667
6592	058	2456	0.06	1625	3	65	100	3	6	3	7368	5743	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	8596	6971	6971	1.166667
6592	074	2000	0.05	4240	2	65	100	3	5	3	6000	1760	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7000	2760	2760	1.166667
6592	076	2455	0.06	3622	3	65	100	3	6	3	7365	3743	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	8592.5	4970.5	4970.5	1.166667
6592	080	2118	0.05	1092	2	65	100	3	5	3	6354	5262	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7413	6321	6321	1.166667
6593	002	2177	0.05	1788	2	65	100	3	5	3	6531	4743	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7619.5	5831.5	5831.5	1.166667
6593	006	2742	0.06	5445	4	65	100	3	6	2	8226	2781	RH-2	50	form-based			true	0.7	8	1.333333373	4	4	9597	4152	4152	1.166667
6593	007	2741	0.06	2778	4	65	100	3	6	2	8223	5445	RH-2	50	form-based			true	0.7	8	1.333333373	4	4	9593.5	6815.5	6815.5	1.166667
6593	018	1889	0.04	2000	3	65	100	3	4	1	5667	3667	NC-1	65	form-based		true	true	0.75	7	1.75	4	4	8500.5	6500.5	6500.5	1.5
6593	047	2080	0.05	700	4	65	100	3	5	1	6240	5540	NC-1	65	form-based		true	true	0.75	8	1.600000024	4	4	9360	8660	8660	1.5
6595	008	1364	0.03	2959	2	65	100	3	3	1	4092	1133	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	3819.199951	860.1999512	860.1999512	0.933333
6595	014A	28	0	0	0	65	100	3	0	0	84	84	RH-2	40	density-lim	1500			0.7	4		4	4	78.40000153	78.40000153	78.40000153	0.933333
6596	001B	2417	0.06	2063	0	65	100	3	6	6	7251	5188	NCD-MISS	40	density-lim	600			0.75	4	0.666666687	4	4	7251	5188	5188	1
6596	002	2410	0.06	2079	0	85	140	4	8	8	9640	7561	NCD-MISS	40	density-lim	600			0.75	4	0.5	4	4	7230	5151	5151	0.75
6597	047	2385	0.05	4588	0	65	100	3	5	5	7155	2567	NCD-MISS	40	density-lim	600			0.75	4	0.800000012	4	4	7155	2567	2567	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6598	002	2469	0.06	3211	2	65	100	3	6	4	7407	4196	RH-3	40	density-lim	1000	true		0.7	6	1	4	4	6913.199707	3702.199707	3702.199707	0.933333
6599	016B	2228	0.05	2734	2	65	100	3	5	3	6684	3950	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	6238.399902	3504.399902	3504.399902	0.933333
6599	026A	200	0	0	0	65	100	3	0	0	600	600	RH-2	40	density-lim	1500			0.7	4		4	4	560	560	560	0.933333
6600	002	2000	0.05	2422	2	65	100	3	5	3	6000	3578	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7000	4578	4578	1.166667
6600	008	2695	0.06	3750	4	65	100	3	6	2	8085	4335	RH-2	50	form-based		true	true	0.7	8	1.333333373	4	4	9432.5	5682.5	5682.5	1.166667
6600	012	2850	0.07	3100	4	65	100	3	7	3	8550	5450	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	9975	6875	6875	1.166667
6600	014	1750	0.04	1186	1	65	100	3	4	3	5250	4064	RH-2	50	form-based			true	0.7	5	1.25	4	4	6125	4939	4939	1.166667
6600	018	2850	0.07	2600	4	85	140	4	10	6	11400	8800	RH-2	50	form-based			true	0.7	8	0.800000012	4	4	9975	7375	7375	0.875
6600	028A	1677	0.04	1750	2	65	100	3	4	2	5031	3281	RTO-C	65	form-based			true	0.75	6	1.5	4	4	7546.5	5796.5	5796.5	1.5
6600	037D	2725	0.06	3238	4	65	100	3	6	2	8175	4937	RH-2	50	form-based			true	0.7	8	1.333333373	4	4	9537.5	6299.5	6299.5	1.166667
6600	054	2850	0.07	609	4	65	100	3	7	3	8550	7941	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	9975	9366	9366	1.166667
6601	012	1797	0.04	585	1	65	100	3	4	3	5391	4806	RH-2	50	form-based			true	0.7	5	1.25	4	4	6289.5	5704.5	5704.5	1.166667
6601	019	2964	0.07	4088	4	65	100	3	7	3	8892	4804	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10374	6286	6286	1.166667
6601	027	2650	0.06	2280	3	65	100	3	6	3	7950	5670	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	9275	6995	6995	1.166667
6601	031	2989	0.07	3932	4	65	100	3	7	3	8967	5035	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10461.5	6529.5	6529.5	1.166667
6601	037	2763	0.06	3240	4	65	100	3	6	2	8289	5049	RH-2	50	form-based			true	0.7	8	1.333333373	4	4	9670.5	6430.5	6430.5	1.166667
6601	067	2726	0.06	1050	4	85	140	4	8	4	10904	9854	RH-2	50	form-based			true	0.7	8	1	4	4	9541	8491	8491	0.875
6602	002	3674	0.08	4384	4	65	100	3	8	4	11022	6638	RH-2	40	form-based			true	0.7	8	1	4	4	10287.2002	5903.200195	5903.200195	0.933333
6602	003	2514	0.06	2709	1	65	100	3	6	5	7542	4833	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7039.199707	4330.199707	4330.199707	0.933333
6602	005	2513	0.06	1030	1	65	100	3	6	5	7539	6509	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7036.399902	6006.399902	6006.399902	0.933333
6602	007	3014	0.07	2640	2	65	100	3	7	5	9042	6402	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8439.200195	5799.200195	5799.200195	0.933333
6602	019	3019	0.07	2187	2	65	100	3	7	5	9057	6870	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8453.200195	6266.200195	6266.200195	0.933333
6602	021	3090	0.07	2490	2	65	100	3	7	5	9270	6780	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8652	6162	6162	0.933333
6602	022	2940	0.07	3692	2	65	100	3	7	5	8820	5128	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8232	4540	4540	0.933333
6602	026	2288	0.05	1272	1	65	100	3	5	4	6864	5592	RH-2	40	form-based			true	0.7	5	1	4	4	6406.399902	5134.399902	5134.399902	0.933333
6602	027	2288	0.05	1751	1	65	100	3	5	4	6864	5113	RH-2	40	form-based			true	0.7	5	1	4	4	6406.399902	4655.399902	4655.399902	0.933333
6602	027A	2288	0.05	1993	1	65	100	3	5	4	6864	4871	RH-2	40	form-based			true	0.7	5	1	4	4	6406.399902	4413.399902	4413.399902	0.933333
6602	030	3012	0.07	1247	2	65	100	3	7	5	9036	7789	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8433.599609	7186.599609	7186.599609	0.933333
6602	039	3359	0.08	4064	3	65	100	3	8	5	10077	6013	RH-2	40	form-based			true	0.7	7	0.875	4	4	9405.200195	5341.200195	5341.200195	0.933333
6602	042	2729	0.06	1496	2	65	100	3	6	4	8187	6691	RH-2	40	form-based		true	true	0.7	6	1	4	4	7641.199707	6145.199707	6145.199707	0.933333
6603	016	2895	0.07	1337	2	55	80	2.5	6	4	7238	5901	RH-2	40	form-based			true	0.7	6	1	4	4	8106	6769	6769	1.119923
6603	031	2873	0.07	1050	2	55	80	2.5	6	4	7182	6132	RH-2	40	form-based			true	0.7	6	1	4	4	8044.399902	6994.399902	6994.399902	1.120078
6603	050	2673	0.06	3293	2	55	80	2.5	5	3	6682	3389	RM-1	40	form-based			true	0.7	6	1.200000048	4	4	7484.399902	4191.399902	4191.399902	1.120084
6604	013	2850	0.07	2286	2	55	80	2.5	6	4	7125	4839	RH-1	40	form-based			true	0.7	6	1	4	4	7980	5694	5694	1.12
6604	020A	2295	0.05	2386	1	55	80	2.5	4	3	5738	3352	RH-1	40	form-based			true	0.7	5	1.25	4	4	6426	4040	4040	1.119902
6604	062	2820	0.06	2209	2	55	80	2.5	5	3	7050	4841	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7896	5687	5687	1.12
6605	033	2548	0.06	1702	1	55	80	2.5	5	4	6370	4668	RH-1	40	form-based			true	0.7	5	1	4	4	7134.399902	5432.399902	5432.399902	1.12
6605	034	2548	0.06	1675	1	55	80	2.5	5	4	6370	4695	RH-1	40	form-based			true	0.7	5	1	4	4	7134.399902	5459.399902	5459.399902	1.12
6605	035	2548	0.06	1661	1	55	80	2.5	5	4	6370	4709	RH-1	40	form-based			true	0.7	5	1	4	4	7134.399902	5473.399902	5473.399902	1.12
6605	036	2548	0.06	1677	1	55	80	2.5	5	4	6370	4693	RH-1	40	form-based			true	0.7	5	1	4	4	7134.399902	5457.399902	5457.399902	1.12
6605	037	2548	0.06	1050	1	55	80	2.5	5	4	6370	5320	RH-1	40	form-based			true	0.7	5	1	4	4	7134.399902	6084.399902	6084.399902	1.12
6605	038	2548	0.06	1050	1	55	80	2.5	5	4	6370	5320	RH-1	40	form-based			true	0.7	5	1	4	4	7134.399902	6084.399902	6084.399902	1.12
6611	038	2814	0.06	1750	2	55	80	2.5	5	3	7035	5285	RH-1	40	form-based			true	0.7	6	1.200000048	4	4	7879.199707	6129.199707	6129.199707	1.12
6612	007	2625	0.06	1500	2	65	100	3	6	4	7875	6375	RH-2	40	form-based			true	0.7	6	1	4	4	7350	5850	5850	0.933333
6612	027	2625	0.06	4078	2	55	80	2.5	5	3	6562	2484	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	3272	3272	1.120085
6612	031	2724	0.06	2428	2	55	80	2.5	5	3	6810	4382	RH-2	40	form-based		true	true	0.7	6	1.200000048	4	4	7627.199707	5199.199707	5199.199707	1.12
6612	032	2850	0.07	5673	2	55	80	2.5	6	4	7125	1452	RH-2	40	form-based			true	0.7	6	1	4	4	7980	2307	2307	1.12
6612	035	2850	0.07	4199	2	55	80	2.5	6	4	7125	2926	RH-2	40	form-based			true	0.7	6	1	4	4	7980	3781	3781	1.12
6612	036	2850	0.07	4199	2	55	80	2.5	6	4	7125	2926	RH-2	40	form-based			true	0.7	6	1	4	4	7980	3781	3781	1.12
6612	046	2841	0.07	1244	2	55	80	2.5	6	4	7102	5858	RH-2	40	form-based			true	0.7	6	1	4	4	7954.799805	6710.799805	6710.799805	1.120079
6612	048	2625	0.06	1048	2	55	80	2.5	5	3	6562	5514	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	6302	6302	1.120085
6612	050	2843	0.07	1992	2	55	80	2.5	6	4	7108	5116	RH-2	40	form-based			true	0.7	6	1	4	4	7960.399902	5968.399902	5968.399902	1.119921
6613	007	2625	0.06	2016	2	65	100	3	6	4	7875	5859	RH-2	40	form-based			true	0.7	6	1	4	4	7350	5334	5334	0.933333
6613	014	2848	0.07	1710	2	65	100	3	7	5	8544	6834	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7974.399902	6264.399902	6264.399902	0.933333
6613	025	2625	0.06	1400	2	65	100	3	6	4	7875	6475	RH-2	40	form-based			true	0.7	6	1	4	4	7350	5950	5950	0.933333
6613	032	2579	0.06	1440	1	65	100	3	6	5	7737	6297	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7221.199707	5781.199707	5781.199707	0.933333
6613	038	2891	0.07	4001	2	65	100	3	7	5	8673	4672	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8094.799805	4093.799805	4093.799805	0.933333
6613	045	2889	0.07	1728	2	65	100	3	7	5	8667	6939	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8089.199707	6361.199707	6361.199707	0.933333
6613	047	2889	0.07	2608	2	65	100	3	7	5	8667	6059	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8089.199707	5481.199707	5481.199707	0.933333
6613	076	2625	0.06	1025	2	65	100	3	6	4	7875	6850	RH-2	40	form-based			true	0.7	6	1	4	4	7350	6325	6325	0.933333
6613	078	2848	0.07	2146	2	65	100	3	7	5	8544	6398	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7974.399902	5828.399902	5828.399902	0.933333
6614	003	2500	0.06	2960	5	85	140	4	8	3	10000	7040	RTO-C	65	form-based			true	0.75	9	1.125	4	4	11250	8290	8290	1.125
6614	010	2969	0.07	3146	4	65	100	3	7	3	8907	5761	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10391.5	7245.5	7245.5	1.166667
6614	014A	2067	0.05	2795	2	65	100	3	5	3	6201	3406	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7234.5	4439.5	4439.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6614	019	2969	0.07	2288	4	65	100	3	7	3	8907	6619	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10391.5	8103.5	8103.5	1.166667
6614	049	2250	0.05	987	2	65	100	3	5	3	6750	5763	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7875	6888	6888	1.166667
6615	004	2500	0.06	1890	3	65	100	3	6	3	7500	5610	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	8750	6860	6860	1.166667
6615	015B	1962	0.05	1074	1	65	100	3	5	4	5886	4812	RH-2	50	form-based			true	0.7	5	1	4	4	6867	5793	5793	1.166667
6615	016	4949	0.11	6946	10	65	100	3	11	1	14847	7901	RH-2	50	form-based			true	0.7	14	1.272727251	4	4	17321.5	10375.5	10375.5	1.166667
6615	028	1289	0.03	985	1	85	140	4	4	3	5156	4171	RTO-C	65	form-based			true	0.75	5	1.25	4	4	5800.5	4815.5	4815.5	1.125
6615	031	2851	0.07	3630	4	85	140	4	10	6	11404	7774	RH-2	50	form-based			true	0.7	8	0.800000012	4	4	9978.5	6348.5	6348.5	0.875
6615	034A	2850	0.07	3100	4	65	100	3	7	3	8550	5450	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	9975	6875	6875	1.166667
6615	034B	2849	0.07	3100	4	65	100	3	7	3	8547	5447	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	9971.5	6871.5	6871.5	1.166667
6615	035	1551	0.04	912	0	65	100	3	4	4	4653	3741	RH-2	50	form-based			true	0.7	4	1	4	4	5428.5	4516.5	4516.5	1.166667
6615	054	2550	0.06	1077	3	65	100	3	6	3	7650	6573	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	8925	7848	7848	1.166667
6616	009	1395	0.03	1586	2	65	100	3	3	1	4185	2599	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	3906	2320	2320	0.933333
6617	002	3343	0.08	3701	2	65	100	3	8	6	10029	6328	RH-2	40	density-lim	1500	true		0.7	6	0.75	4	4	9360.399414	5659.399414	5659.399414	0.933333
6618	003	2500	0.06	4794	3	65	100	3	6	3	7500	2706	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	8750	3956	3956	1.166667
6618	004	2500	0.06	1898	3	65	100	3	6	3	7500	5602	RH-2	50	form-based			true	0.7	7	1.166666627	4	4	8750	6852	6852	1.166667
6619	027	2929	0.07	4060	4	65	100	3	7	3	8787	4727	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10251.5	6191.5	6191.5	1.166667
6619	033	1961	0.05	3250	2	65	100	3	5	3	5883	2633	NC-1	50	form-based		true	true	0.75	6	1.200000048	4	4	7353.75	4103.75	4103.75	1.25
6619	034	1850	0.04	2446	2	65	100	3	4	2	5550	3104	NC-1	50	form-based			true	0.75	6	1.5	4	4	6937.5	4491.5	4491.5	1.25
6620	001	2801	0.06	2900	2	65	100	3	6	4	8403	5503	RH-2	40	form-based		true	true	0.7	6	1	4	4	7842.799805	4942.799805	4942.799805	0.933333
6620	014	2850	0.07	5416	2	65	100	3	7	5	8550	3134	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	2564	2564	0.933333
6620	016	2850	0.07	1689	2	65	100	3	7	5	8550	6861	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6291	6291	0.933333
6620	023	2540	0.06	1335	1	65	100	3	6	5	7620	6285	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7112	5777	5777	0.933333
6620	024	2540	0.06	1894	1	65	100	3	6	5	7620	5726	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7112	5218	5218	0.933333
6620	034A	2840	0.07	2685	2	65	100	3	7	5	8520	5835	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7952	5267	5267	0.933333
6620	047	2625	0.06	2811	2	65	100	3	6	4	7875	5064	RH-2	40	form-based			true	0.7	6	1	4	4	7350	4539	4539	0.933333
6620	049	2840	0.07	1597	2	65	100	3	7	5	8520	6923	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7952	6355	6355	0.933333
6621	001	3851	0.09	4976	4	55	80	2.5	7	3	9628	4652	RH-2	40	form-based		true	true	0.7	8	1.142857194	4	4	10782.7998	5806.799805	5806.799805	1.119942
6621	001A	4043	0.09	4976	4	55	80	2.5	7	3	10108	5132	RH-2	40	form-based			true	0.7	8	1.142857194	4	4	11320.39941	6344.399414	6344.399414	1.119945
6621	010	2850	0.07	2100	2	55	80	2.5	6	4	7125	5025	RH-2	40	form-based			true	0.7	6	1	4	4	7980	5880	5880	1.12
6621	013	2850	0.07	1800	2	55	80	2.5	6	4	7125	5325	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6180	6180	1.12
6621	015	2850	0.07	2050	2	55	80	2.5	6	4	7125	5075	RH-2	40	form-based			true	0.7	6	1	4	4	7980	5930	5930	1.12
6621	023	2538	0.06	1910	1	55	80	2.5	5	4	6345	4435	RH-2	40	form-based			true	0.7	5	1	4	4	7106.399902	5196.399902	5196.399902	1.12
6621	044	2796	0.06	1958	2	55	80	2.5	5	3	6990	5032	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7828.799805	5870.799805	5870.799805	1.12
6621	050	2876	0.07	1838	2	55	80	2.5	6	4	7190	5352	RH-2	40	form-based			true	0.7	6	1	4	4	8052.799805	6214.799805	6214.799805	1.12
6621	056	2850	0.07	1084	2	55	80	2.5	6	4	7125	6041	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6896	6896	1.12
6621	058	2782	0.06	841	2	55	80	2.5	5	3	6955	6114	RH-2	40	form-based		true	true	0.7	6	1.200000048	4	4	7789.600098	6948.600098	6948.600098	1.12
6630	033	2850	0.07	1052	2	55	80	2.5	6	4	7125	6073	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6928	6928	1.12
6630	036	2850	0.07	1899	2	55	80	2.5	6	4	7125	5226	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6081	6081	1.12
6630	043	2850	0.07	4230	2	55	80	2.5	6	4	7125	2895	RH-2	40	form-based			true	0.7	6	1	4	4	7980	3750	3750	1.12
6630	046	2850	0.07	4930	2	55	80	2.5	6	4	7125	2195	RH-2	40	form-based			true	0.7	6	1	4	4	7980	3050	3050	1.12
6630	047	2850	0.07	1649	2	55	80	2.5	6	4	7125	5476	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6331	6331	1.12
6630	049	2850	0.07	1177	2	55	80	2.5	6	4	7125	5948	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6803	6803	1.12
6630	051	2850	0.07	1831	2	55	80	2.5	6	4	7125	5294	RH-2	40	form-based			true	0.7	6	1	4	4	7980	6149	6149	1.12
6631	005	2850	0.07	2750	2	65	100	3	7	5	8550	5800	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5230	5230	0.933333
6631	006	2850	0.07	2190	2	65	100	3	7	5	8550	6360	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5790	5790	0.933333
6631	012	2850	0.07	2290	2	65	100	3	7	5	8550	6260	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5690	5690	0.933333
6631	015	2850	0.07	2640	2	65	100	3	7	5	8550	5910	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5340	5340	0.933333
6631	021	2850	0.07	1620	2	65	100	3	7	5	8550	6930	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6360	6360	0.933333
6631	025	2252	0.05	1261	1	65	100	3	5	4	6756	5495	RH-2	40	form-based			true	0.7	5	1	4	4	6305.600098	5044.600098	5044.600098	0.933333
6631	032	2855	0.07	2484	2	65	100	3	7	5	8565	6081	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7994	5510	5510	0.933333
6631	039	2854	0.07	1223	2	65	100	3	7	5	8562	7339	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7991.199707	6768.199707	6768.199707	0.933333
6631	041	2854	0.07	3400	2	65	100	3	7	5	8562	5162	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7991.199707	4591.199707	4591.199707	0.933333
6631	052	2850	0.07	1318	2	65	100	3	7	5	8550	7232	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6662	6662	0.933333
6632	028	2208	0.05	1771	2	65	100	3	5	3	6624	4853	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7728	5957	5957	1.166667
6632	029	2288	0.05	2808	2	65	100	3	5	3	6864	4056	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	8008	5200	5200	1.166667
6632	052	2080	0.05	2826	2	65	100	3	5	3	6240	3414	RH-2	50	form-based			true	0.7	6	1.200000048	4	4	7280	4454	4454	1.166667
6632	055	1875	0.04	2080	1	85	140	4	6	5	7500	5420	RH-2	50	form-based			true	0.7	5	0.833333313	4	4	6562.5	4482.5	4482.5	0.875
6632	056	1875	0.04	2146	1	65	100	3	4	3	5625	3479	RH-2	50	form-based			true	0.7	5	1.25	4	4	6562.5	4416.5	4416.5	1.166667
6632	112	2870	0.07	779	4	65	100	3	7	3	8610	7831	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	10045	9266	9266	1.166667
6633	026D	2857	0.07	3400	4	65	100	3	7	3	8571	5171	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	9999.5	6599.5	6599.5	1.166667
6633	037	2150	0.05	1363	2	65	100	3	5	3	6450	5087	RH-2	50	form-based		true	true	0.7	6	1.200000048	4	4	7525	6162	6162	1.166667
6635	004	2407	0.06	2308	0	65	100	3	6	6	7221	4913	NCD-MISS	40	density-lim	600			0.75	4	0.666666687	4	4	7221	4913	4913	1
6635	025	1973	0.05	2815	2	65	100	3	5	3	5919	3104	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	4	4	5524.399902	2709.399902	2709.399902	0.933333
6635	031	2887	0.07	0	0	85	140	4	10	10	11548	11548	RH-3	40	density-lim	1000			0.7	4	0.400000006	4	4	8083.600098	8083.600098	8083.600098	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6635	046	3533	0.08	2483	2	65	100	3	8	6	10599	8116	NCD-MISS	40	density-lim	600			0.75	6	0.75	4	4	10599	8116	8116	1
6637	004	2250	0.05	3100	2	85	140	4	7	5	9000	5900	RM-1	50	form-based			true	0.7	6	0.857142866	4	4	7875	4775	4775	0.875
6637	010B	2855	0.07	3100	4	65	100	3	7	3	8565	5465	RH-2	50	form-based			true	0.7	8	1.142857194	4	4	9992.5	6892.5	6892.5	1.166667
6637	034	1705	0.04	3285	2	85	140	4	6	4	6820	3535	NC-1	65	form-based			true	0.75	6	1	4	4	7672.5	4387.5	4387.5	1.125
6637	040	3254	0.07	958	5	65	100	3	7	2	9762	8804	RM-1	50	form-based			true	0.7	9	1.285714269	4	4	11389	10431	10431	1.166667
6639	005	2625	0.06	1963	2	65	100	3	6	4	7875	5912	RH-2	40	form-based			true	0.7	6	1	4	4	7350	5387	5387	0.933333
6639	008	2625	0.06	1800	2	65	100	3	6	4	7875	6075	RH-2	40	form-based			true	0.7	6	1	4	4	7350	5550	5550	0.933333
6639	010	2850	0.07	2830	2	65	100	3	7	5	8550	5720	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5150	5150	0.933333
6639	011	2850	0.07	2087	2	65	100	3	7	5	8550	6463	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5893	5893	0.933333
6639	012	2850	0.07	2108	2	65	100	3	7	5	8550	6442	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	5872	5872	0.933333
6639	015	2280	0.05	2648	1	65	100	3	5	4	6840	4192	RH-2	40	form-based			true	0.7	5	1	4	4	6384	3736	3736	0.933333
6639	018	2850	0.07	1296	2	65	100	3	7	5	8550	7254	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	6684	6684	0.933333
6639	023	2850	0.07	3100	2	65	100	3	7	5	8550	5450	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7980	4880	4880	0.933333
6639	028	2408	0.06	2209	1	65	100	3	6	5	7224	5015	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	6742.399902	4533.399902	4533.399902	0.933333
6639	032	2858	0.07	2180	2	65	100	3	7	5	8574	6394	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8002.399902	5822.399902	5822.399902	0.933333
6639	034	2859	0.07	3100	2	65	100	3	7	5	8577	5477	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8005.199707	4905.199707	4905.199707	0.933333
6639	046	2627	0.06	2500	2	65	100	3	6	4	7881	5381	RH-2	40	form-based			true	0.7	6	1	4	4	7355.600098	4855.600098	4855.600098	0.933333
6639	047	2628	0.06	2024	2	65	100	3	6	4	7884	5860	RH-2	40	form-based			true	0.7	6	1	4	4	7358.399902	5334.399902	5334.399902	0.933333
6639	050	2865	0.07	975	2	65	100	3	7	5	8595	7620	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8022	7047	7047	0.933333
6639	056	2628	0.06	1515	2	65	100	3	6	4	7884	6369	RH-2	40	form-based			true	0.7	6	1	4	4	7358.399902	5843.399902	5843.399902	0.933333
6640	014	2485	0.06	1961	1	55	80	2.5	5	4	6212	4251	RH-1(S)	40	form-based			true	0.7	5	1	4	4	6958	4997	4997	1.12009
6651	023	2474	0.06	961	1	55	80	2.5	5	4	6185	5224	RH-2	40	form-based			true	0.7	5	1	4	4	6927.199707	5966.199707	5966.199707	1.12
6651	027	3320	0.08	1200	3	55	80	2.5	6	3	8300	7100	RH-1	40	form-based			true	0.7	7	1.166666627	4	4	9296	8096	8096	1.12
6651	034	2200	0.05	1297	1	65	100	3	5	4	6600	5303	RH-2	40	form-based			true	0.7	5	1	4	4	6160	4863	4863	0.933333
6652	011	2976	0.07	2123	2	65	100	3	7	5	8928	6805	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8332.799805	6209.799805	6209.799805	0.933333
6652	012	2438	0.06	736	1	65	100	3	6	5	7314	6578	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6826.399902	6090.399902	6090.399902	0.933333
6652	015	2427	0.06	2264	1	65	100	3	6	5	7281	5017	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6795.600098	4531.600098	4531.600098	0.933333
6652	030	2400	0.06	1200	1	65	100	3	6	5	7200	6000	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6720	5520	5520	0.933333
6652	030A	2225	0.05	1132	1	65	100	3	5	4	6675	5543	RH-2	40	form-based			true	0.7	5	1	4	4	6230	5098	5098	0.933333
6653	016	2450	0.06	1270	1	65	100	3	6	5	7350	6080	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6860	5590	5590	0.933333
6653	023	2500	0.06	1060	1	65	100	3	6	5	7500	6440	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5940	5940	0.933333
6653	024	2500	0.06	1060	1	65	100	3	6	5	7500	6440	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5940	5940	0.933333
6654	014	3117	0.07	4125	3	65	100	3	7	4	9351	5226	RH-2	40	form-based			true	0.7	7	1	4	4	8727.599609	4602.599609	4602.599609	0.933333
6654	021	2520	0.06	1403	1	65	100	3	6	5	7560	6157	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7056	5653	5653	0.933333
6654	031	2314	0.05	1000	1	65	100	3	5	4	6942	5942	RH-2	40	form-based			true	0.7	5	1	4	4	6479.199707	5479.199707	5479.199707	0.933333
6654	053A	2512	0.06	2010	1	65	100	3	6	5	7536	5526	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7033.600098	5023.600098	5023.600098	0.933333
6654	053C	2513	0.06	1050	1	65	100	3	6	5	7539	6489	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7036.399902	5986.399902	5986.399902	0.933333
6654	057	2287	0.05	1325	1	65	100	3	5	4	6861	5536	RH-2	40	form-based			true	0.7	5	1	4	4	6403.600098	5078.600098	5078.600098	0.933333
6654	057A	2287	0.05	1350	1	65	100	3	5	4	6861	5511	RH-2	40	form-based			true	0.7	5	1	4	4	6403.600098	5053.600098	5053.600098	0.933333
6654	058	2287	0.05	1492	1	65	100	3	5	4	6861	5369	RH-2	40	form-based			true	0.7	5	1	4	4	6403.600098	4911.600098	4911.600098	0.933333
6654	061	3125	0.07	3610	3	65	100	3	7	4	9375	5765	RH-2	40	form-based			true	0.7	7	1	4	4	8750	5140	5140	0.933333
6655	006	3125	0.07	3843	3	65	100	3	7	4	9375	5532	RH-2	40	form-based			true	0.7	7	1	4	4	8750	4907	4907	0.933333
6655	024A	2210	0.05	2757	1	65	100	3	5	4	6630	3873	RH-2	40	form-based		true	true	0.7	5	1	4	4	6188	3431	3431	0.933333
6655	059	2287	0.05	2463	1	65	100	3	5	4	6861	4398	RH-2	40	form-based			true	0.7	5	1	4	4	6403.600098	3940.600098	3940.600098	0.933333
6655	060	2287	0.05	2631	1	65	100	3	5	4	6861	4230	RH-2	40	form-based			true	0.7	5	1	4	4	6403.600098	3772.600098	3772.600098	0.933333
6655	066	2412	0.06	1834	1	85	140	4	8	7	9648	7814	RH-2	40	form-based			true	0.7	5	0.625	4	4	6753.600098	4919.600098	4919.600098	0.7
6656	022	2500	0.06	837	1	65	100	3	6	5	7500	6663	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6163	6163	0.933333
6656	039	3125	0.07	2194	3	65	100	3	7	4	9375	7181	RH-2	40	form-based			true	0.7	7	1	4	4	8750	6556	6556	0.933333
6656	041	3125	0.07	3317	3	65	100	3	7	4	9375	6058	RH-2	40	form-based			true	0.7	7	1	4	4	8750	5433	5433	0.933333
6656	047	2738	0.06	2212	2	85	140	4	8	6	10952	8740	RH-2	40	form-based			true	0.7	6	0.75	4	4	7666.399902	5454.399902	5454.399902	0.7
6656	056	2210	0.05	1120	1	85	140	4	7	6	8840	7720	RH-2	40	form-based		true	true	0.7	5	0.714285731	4	4	6188	5068	5068	0.7
6657	035	2560	0.06	2016	1	65	100	3	6	5	7680	5664	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7168	5152	5152	0.933333
6657	036	2519	0.06	2339	1	65	100	3	6	5	7557	5218	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7053.199707	4714.199707	4714.199707	0.933333
6657	037	2540	0.06	1094	1	65	100	3	6	5	7620	6526	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7112	6018	6018	0.933333
6657	038	2595	0.06	2044	1	65	100	3	6	5	7785	5741	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7266	5222	5222	0.933333
6657	055	2755	0.06	2776	2	65	100	3	6	4	8265	5489	RH-2	40	form-based			true	0.7	6	1	4	4	7714	4938	4938	0.933333
6657	058	2917	0.07	2462	2	85	140	4	10	8	11668	9206	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	8167.600098	5705.600098	5705.600098	0.7
6657	071	2612	0.06	1120	1	65	100	3	6	5	7836	6716	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7313.600098	6193.600098	6193.600098	0.933333
6657	077	2678	0.06	663	2	65	100	3	6	4	8034	7371	RH-2	40	form-based			true	0.7	6	1	4	4	7498.399902	6835.399902	6835.399902	0.933333
6660	015	2345	0.05	1735	0	65	100	3	5	5	7035	5300	NCD-MISS	40	density-lim	600			0.75	4	0.800000012	4	4	7035	5300	5300	1
6660	028B	2327	0.05	1620	0	65	100	3	5	5	6981	5361	NCD-MISS	40	density-lim	600			0.75	4	0.800000012	4	4	6981	5361	5361	1
6660	040	2293	0.05	3482	2	65	100	3	5	3	6879	3397	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	4	4	6420.399902	2938.399902	2938.399902	0.933333
6660	043	1740	0.04	600	0	65	100	3	4	4	5220	4620	RH-2	40	density-lim	1500			0.7	4	1	4	4	4872	4272	4272	0.933333
6662	016	2944	0.07	2007	2	65	100	3	7	5	8832	6825	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8243.200195	6236.200195	6236.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6662	028	3652	0.08	5112	4	85	140	4	11	7	14608	9496	RH-2	40	form-based			true	0.7	8	0.727272749	4	4	10225.59961	5113.599609	5113.599609	0.7
6662	032	2694	0.06	1682	2	65	100	3	6	4	8082	6400	RH-2	40	form-based		true	true	0.7	6	1	4	4	7543.199707	5861.199707	5861.199707	0.933333
6663	003	2880	0.07	3164	2	65	100	3	7	5	8640	5476	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8064	4900	4900	0.933333
6663	004	2668	0.06	2465	2	65	100	3	6	4	8004	5539	RH-2	40	form-based			true	0.7	6	1	4	4	7470.399902	5005.399902	5005.399902	0.933333
6663	005	2456	0.06	1576	1	65	100	3	6	5	7368	5792	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6876.799805	5300.799805	5300.799805	0.933333
6663	006	2245	0.05	2144	1	65	100	3	5	4	6735	4591	RH-2	40	form-based			true	0.7	5	1	4	4	6286	4142	4142	0.933333
6663	013	3147	0.07	3500	3	65	100	3	7	4	9441	5941	RH-2	40	form-based			true	0.7	7	1	4	4	8811.599609	5311.599609	5311.599609	0.933333
6663	026	2500	0.06	1600	1	65	100	3	6	5	7500	5900	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5400	5400	0.933333
6663	027	2475	0.06	555	1	65	100	3	6	5	7425	6870	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6930	6375	6375	0.933333
6664	001	2474	0.06	1464	1	65	100	3	6	5	7422	5958	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	6927.199707	5463.199707	5463.199707	0.933333
6664	002	2376	0.05	988	1	65	100	3	5	4	7128	6140	RH-2	40	form-based			true	0.7	5	1	4	4	6652.799805	5664.799805	5664.799805	0.933333
6664	010	2500	0.06	1485	1	65	100	3	6	5	7500	6015	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5515	5515	0.933333
6664	015	2493	0.06	646	1	65	100	3	6	5	7479	6833	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	6334.399902	6334.399902	0.933333
6664	016	2493	0.06	704	1	65	100	3	6	5	7479	6775	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	6276.399902	6276.399902	0.933333
6664	017	2493	0.06	1702	1	65	100	3	6	5	7479	5777	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	5278.399902	5278.399902	0.933333
6664	020	2493	0.06	1312	1	65	100	3	6	5	7479	6167	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	5668.399902	5668.399902	0.933333
6664	021	2493	0.06	1111	1	65	100	3	6	5	7479	6368	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	5869.399902	5869.399902	0.933333
6664	021A	2493	0.06	2432	1	65	100	3	6	5	7479	5047	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	4548.399902	4548.399902	0.933333
6664	022	2493	0.06	1270	1	65	100	3	6	5	7479	6209	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	5710.399902	5710.399902	0.933333
6664	023	2493	0.06	1362	1	65	100	3	6	5	7479	6117	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	5618.399902	5618.399902	0.933333
6664	024	2493	0.06	2350	1	65	100	3	6	5	7479	5129	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	4630.399902	4630.399902	0.933333
6664	025	2493	0.06	3256	1	65	100	3	6	5	7479	4223	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	3724.399902	3724.399902	0.933333
6664	027	2493	0.06	1830	1	65	100	3	6	5	7479	5649	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	5150.399902	5150.399902	0.933333
6664	028	2493	0.06	850	1	65	100	3	6	5	7479	6629	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	6130.399902	6130.399902	0.933333
6664	029	2243	0.05	2548	1	65	100	3	5	4	6729	4181	RH-1	40	form-based			true	0.7	5	1	4	4	6280.399902	3732.399902	3732.399902	0.933333
6664	030	2493	0.06	1320	1	65	100	3	6	5	7479	6159	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	5660.399902	5660.399902	0.933333
6664	034	2493	0.06	1259	1	65	100	3	6	5	7479	6220	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	5721.399902	5721.399902	0.933333
6664	035	2493	0.06	512	1	65	100	3	6	5	7479	6967	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	6468.399902	6468.399902	0.933333
6664	036	2493	0.06	2162	1	65	100	3	6	5	7479	5317	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	4818.399902	4818.399902	0.933333
6664	036A	2494	0.06	3000	1	65	100	3	6	5	7482	4482	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6983.199707	3983.199707	3983.199707	0.933333
6664	042	2500	0.06	1524	1	65	100	3	6	5	7500	5976	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5476	5476	0.933333
6664	044	2500	0.06	1542	1	65	100	3	6	5	7500	5958	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5458	5458	0.933333
6664	046	2500	0.06	1475	1	65	100	3	6	5	7500	6025	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5525	5525	0.933333
6664	048	2500	0.06	1543	1	65	100	3	6	5	7500	5957	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5457	5457	0.933333
6664	052	2500	0.06	1012	1	65	100	3	6	5	7500	6488	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5988	5988	0.933333
6664	052A	2500	0.06	1642	1	65	100	3	6	5	7500	5858	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5358	5358	0.933333
6664	053	2500	0.06	1225	1	65	100	3	6	5	7500	6275	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5775	5775	0.933333
6664	054	2500	0.06	1052	1	65	100	3	6	5	7500	6448	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5948	5948	0.933333
6664	056	2500	0.06	1225	1	65	100	3	6	5	7500	6275	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5775	5775	0.933333
6664	056A	2500	0.06	2100	1	65	100	3	6	5	7500	5400	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4900	4900	0.933333
6664	058	2500	0.06	2542	1	65	100	3	6	5	7500	4958	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4458	4458	0.933333
6664	065	2493	0.06	1362	1	65	100	3	6	5	7479	6117	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	5618.399902	5618.399902	0.933333
6664	066	2493	0.06	953	1	65	100	3	6	5	7479	6526	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	6027.399902	6027.399902	0.933333
6665	026	2021	0.05	1560	0	65	100	3	5	5	6063	4503	RH-1	40	form-based		true	true	0.7	4	0.800000012	4	4	5658.799805	4098.799805	4098.799805	0.933333
6665	027	2262	0.05	1467	1	65	100	3	5	4	6786	5319	RH-2	40	form-based			true	0.7	5	1	4	4	6333.600098	4866.600098	4866.600098	0.933333
6665	028B	2680	0.06	5017	2	65	100	3	6	4	8040	3023	RH-2	40	form-based			true	0.7	6	1	4	4	7504	2487	2487	0.933333
6665	049	3292	0.08	3360	3	65	100	3	8	5	9876	6516	RH-2	40	form-based			true	0.7	7	0.875	4	4	9217.599609	5857.599609	5857.599609	0.933333
6665	055	3960	0.09	3836	4	65	100	3	9	5	11880	8044	RH-2	40	form-based			true	0.7	8	0.888888896	4	4	11088	7252	7252	0.933333
6665	062	1776	0.04	0	0	65	100	3	4	4	5328	5328	RH-1	40	form-based		true	true	0.7	4	1	4	4	4972.799805	4972.799805	4972.799805	0.933333
6665	072	1905	0.04	4000	0	65	100	3	4	4	5715	1715	RH-2	40	form-based			true	0.7	4	1	4	4	5334	1334	1334	0.933333
6683	011	1717	0.04	221	0	65	100	3	4	4	5151	4930	RH-1	40	form-based			true	0.7	4	1	4	4	4807.600098	4586.600098	4586.600098	0.933333
6683	016	2488	0.06	1483	1	65	100	3	6	5	7464	5981	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6966.399902	5483.399902	5483.399902	0.933333
6684	005	2579	0.06	2400	1	65	100	3	6	5	7737	5337	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7221.199707	4821.199707	4821.199707	0.933333
6684	006	2611	0.06	2064	1	65	100	3	6	5	7833	5769	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7310.799805	5246.799805	5246.799805	0.933333
6684	009	2329	0.05	1016	1	65	100	3	5	4	6987	5971	RH-2	40	form-based			true	0.7	5	1	4	4	6521.199707	5505.199707	5505.199707	0.933333
6684	010	2610	0.06	1500	1	65	100	3	6	5	7830	6330	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7308	5808	5808	0.933333
6684	011	2332	0.05	1002	1	65	100	3	5	4	6996	5994	RH-2	40	form-based			true	0.7	5	1	4	4	6529.600098	5527.600098	5527.600098	0.933333
6684	013	2154	0.05	1149	1	65	100	3	5	4	6462	5313	RH-2	40	form-based			true	0.7	5	1	4	4	6031.199707	4882.199707	4882.199707	0.933333
6684	014	2363	0.05	1000	1	65	100	3	5	4	7089	6089	RH-2	40	form-based			true	0.7	5	1	4	4	6616.399902	5616.399902	5616.399902	0.933333
6684	018	2480	0.06	2466	1	65	100	3	6	5	7440	4974	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6944	4478	4478	0.933333
6684	018A	2469	0.06	2400	1	65	100	3	6	5	7407	5007	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	4513.199707	4513.199707	0.933333
6684	019A	2229	0.05	1711	1	65	100	3	5	4	6687	4976	RH-1	40	form-based			true	0.7	5	1	4	4	6241.199707	4530.199707	4530.199707	0.933333
6684	020	2175	0.05	1893	1	65	100	3	5	4	6525	4632	RH-1	40	form-based			true	0.7	5	1	4	4	6090	4197	4197	0.933333
6684	021	2461	0.06	2362	1	65	100	3	6	5	7383	5021	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6890.799805	4528.799805	4528.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6684	024	2259	0.05	1474	1	65	100	3	5	4	6777	5303	RH-1	40	form-based		true	true	0.7	5	1	4	4	6325.199707	4851.199707	4851.199707	0.933333
6684	026	2501	0.06	2755	1	65	100	3	6	5	7503	4748	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7002.799805	4247.799805	4247.799805	0.933333
6685	005A	2272	0.05	1350	1	65	100	3	5	4	6816	5466	RH-2	40	form-based			true	0.7	5	1	4	4	6361.600098	5011.600098	5011.600098	0.933333
6685	007A	2444	0.06	2277	1	65	100	3	6	5	7332	5055	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6843.199707	4566.199707	4566.199707	0.933333
6685	008	2616	0.06	1574	1	65	100	3	6	5	7848	6274	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7324.799805	5750.799805	5750.799805	0.933333
6685	012	2928	0.07	2685	2	65	100	3	7	5	8784	6099	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8198.399414	5513.399414	5513.399414	0.933333
6685	013	2173	0.05	1819	1	65	100	3	5	4	6519	4700	RH-2	40	form-based			true	0.7	5	1	4	4	6084.399902	4265.399902	4265.399902	0.933333
6685	022	2489	0.06	1055	1	65	100	3	6	5	7467	6412	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6969.199707	5914.199707	5914.199707	0.933333
6685	023	2326	0.05	958	1	65	100	3	5	4	6978	6020	RH-2	40	form-based			true	0.7	5	1	4	4	6512.799805	5554.799805	5554.799805	0.933333
6685	028	2294	0.05	1292	1	65	100	3	5	4	6882	5590	RH-2	40	form-based		true	true	0.7	5	1	4	4	6423.199707	5131.199707	5131.199707	0.933333
6685	030	2375	0.05	1090	1	65	100	3	5	4	7125	6035	RH-2	40	form-based			true	0.7	5	1	4	4	6650	5560	5560	0.933333
6685	038	2488	0.06	1315	1	65	100	3	6	5	7464	6149	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6966.399902	5651.399902	5651.399902	0.933333
6685	039	2926	0.07	1597	2	65	100	3	7	5	8778	7181	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8192.799805	6595.799805	6595.799805	0.933333
6685	047	2833	0.07	1155	2	65	100	3	7	5	8499	7344	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7932.399902	6777.399902	6777.399902	0.933333
6686	010	2239	0.05	1287	1	65	100	3	5	4	6717	5430	RH-2	40	form-based			true	0.7	5	1	4	4	6269.199707	4982.199707	4982.199707	0.933333
6686	011	2238	0.05	1517	1	65	100	3	5	4	6714	5197	RH-2	40	form-based			true	0.7	5	1	4	4	6266.399902	4749.399902	4749.399902	0.933333
6686	012	2237	0.05	1398	1	65	100	3	5	4	6711	5313	RH-2	40	form-based			true	0.7	5	1	4	4	6263.600098	4865.600098	4865.600098	0.933333
6686	013	2144	0.05	1342	1	65	100	3	5	4	6432	5090	RH-2	40	form-based		true	true	0.7	5	1	4	4	6003.199707	4661.199707	4661.199707	0.933333
6686	015	2234	0.05	2031	1	65	100	3	5	4	6702	4671	RH-2	40	form-based			true	0.7	5	1	4	4	6255.199707	4224.199707	4224.199707	0.933333
6686	016	2241	0.05	1620	1	65	100	3	5	4	6723	5103	RH-2	40	form-based			true	0.7	5	1	4	4	6274.799805	4654.799805	4654.799805	0.933333
6686	017	2250	0.05	1704	1	65	100	3	5	4	6750	5046	RH-2	40	form-based			true	0.7	5	1	4	4	6300	4596	4596	0.933333
6686	019	2272	0.05	1504	1	65	100	3	5	4	6816	5312	RH-2	40	form-based			true	0.7	5	1	4	4	6361.600098	4857.600098	4857.600098	0.933333
6686	022	2154	0.05	1054	1	65	100	3	5	4	6462	5408	RH-2	40	form-based			true	0.7	5	1	4	4	6031.199707	4977.199707	4977.199707	0.933333
6686	023	2309	0.05	1052	1	65	100	3	5	4	6927	5875	RH-2	40	form-based			true	0.7	5	1	4	4	6465.199707	5413.199707	5413.199707	0.933333
6686	027	2395	0.05	1620	1	65	100	3	5	4	7185	5565	RH-2	40	form-based			true	0.7	5	1	4	4	6706	5086	5086	0.933333
6687	010	2319	0.05	2823	0	65	100	3	5	5	6957	4134	RH-2	40	density-lin	1500			0.7	4	0.800000012	4	4	6493.199707	3670.199707	3670.199707	0.933333
6690	006	2281	0.05	1197	1	65	100	3	5	4	6843	5646	RH-2	40	form-based			true	0.7	5	1	4	4	6386.799805	5189.799805	5189.799805	0.933333
6690	010	2506	0.06	1550	1	65	100	3	6	5	7518	5968	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7016.799805	5466.799805	5466.799805	0.933333
6690	011	2505	0.06	920	1	65	100	3	6	5	7515	6595	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7014	6094	6094	0.933333
6690	017	2896	0.07	2404	2	65	100	3	7	5	8688	6284	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8108.799805	5704.799805	5704.799805	0.933333
6690	019	2893	0.07	2744	2	65	100	3	7	5	8679	5935	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8100.399902	5356.399902	5356.399902	0.933333
6690	022	2490	0.06	1724	1	65	100	3	6	5	7470	5746	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6972	5248	5248	0.933333
6690	023	2489	0.06	1435	1	65	100	3	6	5	7467	6032	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6969.199707	5534.199707	5534.199707	0.933333
6690	027	2500	0.06	1436	1	65	100	3	6	5	7500	6064	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5564	5564	0.933333
6690	029	2500	0.06	1280	1	65	100	3	6	5	7500	6220	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5720	5720	0.933333
6690	032	2500	0.06	1188	1	65	100	3	6	5	7500	6312	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5812	5812	0.933333
6690	033	2500	0.06	1498	1	65	100	3	6	5	7500	6002	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5502	5502	0.933333
6690	034	2500	0.06	1564	1	65	100	3	6	5	7500	5936	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5436	5436	0.933333
6690	035	2800	0.06	2230	2	65	100	3	6	4	8400	6170	RH-2	40	form-based			true	0.7	6	1	4	4	7840	5610	5610	0.933333
6690	039	3050	0.07	1750	2	65	100	3	7	5	9150	7400	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8540	6790	6790	0.933333
6690	041	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5650	5650	0.933333
6690	043	2179	0.05	1375	1	65	100	3	5	4	6537	5162	RH-2	40	form-based			true	0.7	5	1	4	4	6101.199707	4726.199707	4726.199707	0.933333
6690	048	2534	0.06	1340	1	65	100	3	6	5	7602	6262	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7095.199707	5755.199707	5755.199707	0.933333
6690	050	2900	0.07	2106	2	65	100	3	7	5	8700	6594	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8120	6014	6014	0.933333
6691	015	2535	0.06	1568	0	65	100	3	6	6	7605	6037	RH-2	40	density-lin	1500			0.7	4	0.666666687	4	4	7098	5530	5530	0.933333
6691	041	2044	0.05	0	0	65	100	3	5	5	6132	6132	RH-2	40	density-lin	1500			0.7	4	0.800000012	4	4	5723.199707	5723.199707	5723.199707	0.933333
6694	003	2500	0.06	2100	1	65	100	3	6	5	7500	5400	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4900	4900	0.933333
6694	004	2500	0.06	1310	1	65	100	3	6	5	7500	6190	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5690	5690	0.933333
6694	006	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5750	5750	0.933333
6694	007	2500	0.06	1490	1	65	100	3	6	5	7500	6010	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5510	5510	0.933333
6694	008	2500	0.06	1620	1	65	100	3	6	5	7500	5880	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5380	5380	0.933333
6694	010	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5950	5950	0.933333
6694	011	2500	0.06	1743	1	65	100	3	6	5	7500	5757	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5257	5257	0.933333
6694	012	2500	0.06	2490	1	65	100	3	6	5	7500	5010	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4510	4510	0.933333
6694	013	2500	0.06	2146	1	65	100	3	6	5	7500	5354	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4854	4854	0.933333
6694	014	2500	0.06	1222	1	65	100	3	6	5	7500	6278	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5778	5778	0.933333
6694	015	2500	0.06	1222	1	65	100	3	6	5	7500	6278	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5778	5778	0.933333
6694	016	2500	0.06	1259	1	65	100	3	6	5	7500	6241	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5741	5741	0.933333
6694	017	2500	0.06	1135	1	65	100	3	6	5	7500	6365	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5865	5865	0.933333
6694	020	2471	0.06	1625	1	65	100	3	6	5	7413	5788	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	5293.799805	5293.799805	0.933333
6694	021	2471	0.06	2388	1	65	100	3	6	5	7413	5025	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	4530.799805	4530.799805	0.933333
6694	022	2471	0.06	948	1	65	100	3	6	5	7413	6465	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	5970.799805	5970.799805	0.933333
6694	023	2471	0.06	1480	1	65	100	3	6	5	7413	5933	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	5438.799805	5438.799805	0.933333
6694	024	2471	0.06	1521	1	65	100	3	6	5	7413	5892	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	5397.799805	5397.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6694	025	2471	0.06	1800	1	65	100	3	6	5	7413	5613	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	5118.799805	5118.799805	0.933333
6694	027	2471	0.06	1680	1	65	100	3	6	5	7413	5733	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	5238.799805	5238.799805	0.933333
6694	028	2471	0.06	1636	1	65	100	3	6	5	7413	5777	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	5282.799805	5282.799805	0.933333
6694	029	2471	0.06	3000	1	65	100	3	6	5	7413	4413	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	3918.799805	3918.799805	0.933333
6694	030	2471	0.06	2031	1	65	100	3	6	5	7413	5382	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	4887.799805	4887.799805	0.933333
6694	034	2471	0.06	1479	1	65	100	3	6	5	7413	5934	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	5439.799805	5439.799805	0.933333
6695	003	2550	0.06	1880	1	65	100	3	6	5	7650	5770	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7140	5260	5260	0.933333
6695	004	2550	0.06	2005	1	65	100	3	6	5	7650	5645	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7140	5135	5135	0.933333
6695	008	2500	0.06	1162	1	65	100	3	6	5	7500	6338	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5838	5838	0.933333
6695	009	2500	0.06	1166	1	65	100	3	6	5	7500	6334	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5834	5834	0.933333
6695	019	2193	0.05	1596	1	65	100	3	5	4	6579	4983	RH-1	40	form-based			true	0.7	5	1	4	4	6140.399902	4544.399902	4544.399902	0.933333
6695	020	2194	0.05	1596	1	65	100	3	5	4	6582	4986	RH-1	40	form-based			true	0.7	5	1	4	4	6143.199707	4547.199707	4547.199707	0.933333
6695	021	2195	0.05	1320	1	65	100	3	5	4	6585	5265	RH-1	40	form-based			true	0.7	5	1	4	4	6146	4826	4826	0.933333
6695	024	2526	0.06	1468	1	65	100	3	6	5	7578	6110	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	5604.799805	5604.799805	0.933333
6695	027	2534	0.06	1946	1	65	100	3	6	5	7602	5656	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7095.199707	5149.199707	5149.199707	0.933333
6696	008	2494	0.06	1640	1	65	100	3	6	5	7482	5842	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6983.199707	5343.199707	5343.199707	0.933333
6696	011	2495	0.06	1744	1	65	100	3	6	5	7485	5741	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6986	5242	5242	0.933333
6696	012	2495	0.06	1900	1	65	100	3	6	5	7485	5585	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6986	5086	5086	0.933333
6696	017	2200	0.05	1322	1	65	100	3	5	4	6600	5278	RH-1	40	form-based			true	0.7	5	1	4	4	6160	4838	4838	0.933333
6696	019	2500	0.06	798	1	65	100	3	6	5	7500	6702	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6202	6202	0.933333
6696	020	2500	0.06	1853	1	65	100	3	6	5	7500	5647	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5147	5147	0.933333
6696	022	2500	0.06	990	1	65	100	3	6	5	7500	6510	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6010	6010	0.933333
6696	022A	2500	0.06	1568	1	65	100	3	6	5	7500	5932	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5432	5432	0.933333
6696	024	2500	0.06	1028	1	65	100	3	6	5	7500	6472	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5972	5972	0.933333
6696	025	2467	0.06	1402	1	65	100	3	6	5	7401	5999	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6907.600098	5505.600098	5505.600098	0.933333
6700	002	2578	0.06	1012	1	65	100	3	6	5	7734	6722	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7218.399902	6206.399902	6206.399902	0.933333
6700	017A	2466	0.06	1898	1	65	100	3	6	5	7398	5500	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	6904.799805	5006.799805	5006.799805	0.933333
6700	018	2284	0.05	1050	1	65	100	3	5	4	6852	5802	RH-1	40	form-based			true	0.7	5	1	4	4	6395.199707	5345.199707	5345.199707	0.933333
6700	019	2278	0.05	926	1	65	100	3	5	4	6834	5908	RH-1	40	form-based			true	0.7	5	1	4	4	6378.399902	5452.399902	5452.399902	0.933333
6700	020	2272	0.05	1541	1	65	100	3	5	4	6816	5275	RH-1	40	form-based			true	0.7	5	1	4	4	6361.600098	4820.600098	4820.600098	0.933333
6700	021	2266	0.05	1270	1	65	100	3	5	4	6798	5528	RH-1	40	form-based			true	0.7	5	1	4	4	6344.799805	5074.799805	5074.799805	0.933333
6700	023	2254	0.05	1567	1	65	100	3	5	4	6762	5195	RH-1	40	form-based			true	0.7	5	1	4	4	6311.199707	4744.199707	4744.199707	0.933333
6700	035	2386	0.05	2447	1	65	100	3	5	4	7158	4711	RH-1	40	form-based	true		true	0.7	5	1	4	4	6680.799805	4233.799805	4233.799805	0.933333
6706	029A	3043	0.07	1250	2	65	100	3	7	5	9129	7879	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8520.399414	7270.399414	7270.399414	0.933333
6706	035A	2562	0.06	1940	1	65	100	3	6	5	7686	5746	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7173.600098	5233.600098	5233.600098	0.933333
6706	036	2290	0.05	825	1	65	100	3	5	4	6870	6045	RH-1	40	form-based			true	0.7	5	1	4	4	6412	5587	5587	0.933333
6706	061	2033	0.05	0	0	65	100	3	5	5	6099	6099	RH-1	40	form-based			true	0.7	4	0.800000012	4	4	5692.399902	5692.399902	5692.399902	0.933333
6709	002	2493	0.06	1554	1	65	100	3	6	5	7479	5925	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	5426.399902	5426.399902	0.933333
6709	003	2494	0.06	2222	1	65	100	3	6	5	7482	5260	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6983.199707	4761.199707	4761.199707	0.933333
6709	004	2495	0.06	1680	1	65	100	3	6	5	7485	5805	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6986	5306	5306	0.933333
6709	005	2495	0.06	1750	1	65	100	3	6	5	7485	5735	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6986	5236	5236	0.933333
6709	006	2496	0.06	1665	1	65	100	3	6	5	7488	5823	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	5323.799805	5323.799805	0.933333
6709	007	2497	0.06	1260	1	65	100	3	6	5	7491	6231	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6991.600098	5731.600098	5731.600098	0.933333
6709	008	2497	0.06	1940	1	65	100	3	6	5	7491	5551	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6991.600098	5051.600098	5051.600098	0.933333
6709	009	2498	0.06	1050	1	65	100	3	6	5	7494	6444	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6994.399902	5944.399902	5944.399902	0.933333
6709	010	2499	0.06	1190	1	65	100	3	6	5	7497	6307	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6997.199707	5807.199707	5807.199707	0.933333
6709	011	2499	0.06	1132	1	65	100	3	6	5	7497	6365	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6997.199707	5865.199707	5865.199707	0.933333
6709	012	2500	0.06	920	1	65	100	3	6	5	7500	6580	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6080	6080	0.933333
6709	013	2501	0.06	1000	1	65	100	3	6	5	7503	6503	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7002.799805	6002.799805	6002.799805	0.933333
6709	014	2501	0.06	3050	1	65	100	3	6	5	7503	4453	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7002.799805	3952.799805	3952.799805	0.933333
6709	018	2490	0.06	1220	1	65	100	3	6	5	7470	6250	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6972	5752	5752	0.933333
6709	022	2462	0.06	1665	1	65	100	3	6	5	7386	5721	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	6893.600098	5228.600098	5228.600098	0.933333
6709	023	2500	0.06	588	1	65	100	3	6	5	7500	6912	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6412	6412	0.933333
6709	026	2500	0.06	1088	1	65	100	3	6	5	7500	6412	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5912	5912	0.933333
6709	027	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5500	5500	0.933333
6709	028	2500	0.06	1380	1	65	100	3	6	5	7500	6120	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5620	5620	0.933333
6709	029	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6050	6050	0.933333
6709	030	2500	0.06	1351	1	65	100	3	6	5	7500	6149	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5649	5649	0.933333
6709	031	2500	0.06	1030	1	65	100	3	6	5	7500	6470	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5970	5970	0.933333
6709	032	2500	0.06	1480	1	65	100	3	6	5	7500	6020	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5520	5520	0.933333
6709	033	2500	0.06	923	1	65	100	3	6	5	7500	6577	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6077	6077	0.933333
6710	009	2486	0.06	1575	1	65	100	3	6	5	7458	5883	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	6960.799805	5385.799805	5385.799805	0.933333
6710	021	2988	0.07	2670	2	65	100	3	7	5	8964	6294	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8366.399414	5696.399414	5696.399414	0.933333
6710	022	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6710	023	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6050	6050	0.933333
6710	024	2500	0.06	1134	1	65	100	3	6	5	7500	6366	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5866	5866	0.933333
6710	025	2500	0.06	1851	1	65	100	3	6	5	7500	5649	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5149	5149	0.933333
6710	026	2500	0.06	1020	1	65	100	3	6	5	7500	6480	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5980	5980	0.933333
6710	027	2500	0.06	1700	1	65	100	3	6	5	7500	5800	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5300	5300	0.933333
6710	028	2500	0.06	2037	1	65	100	3	6	5	7500	5463	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4963	4963	0.933333
6710	030	2500	0.06	1165	1	65	100	3	6	5	7500	6335	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5835	5835	0.933333
6710	031A	2150	0.05	1184	1	65	100	3	5	4	6450	5266	RH-1	40	form-based			true	0.7	5	1	4	4	6020	4836	4836	0.933333
6712	017	2476	0.06	1705	1	65	100	3	6	5	7428	5723	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6932.799805	5227.799805	5227.799805	0.933333
6712	018	2480	0.06	986	1	65	100	3	6	5	7440	6454	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6944	5958	5958	0.933333
6712	019	2483	0.06	925	1	65	100	3	6	5	7449	6524	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6952.399902	6027.399902	6027.399902	0.933333
6712	020	2487	0.06	1550	1	65	100	3	6	5	7461	5911	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6963.600098	5413.600098	5413.600098	0.933333
6710	035	2989	0.07	1032	2	65	100	3	7	5	8967	7935	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	8369.200195	7337.200195	7337.200195	0.933333
6712	003	2396	0.06	875	1	65	100	3	6	5	7188	6313	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6708.799805	5833.799805	5833.799805	0.933333
6712	004	2501	0.06	630	1	65	100	3	6	5	7503	6873	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7002.799805	6372.799805	6372.799805	0.933333
6712	005	2501	0.06	878	1	65	100	3	6	5	7503	6625	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7002.799805	6124.799805	6124.799805	0.933333
6712	008	2266	0.05	899	1	65	100	3	5	4	6798	5899	RH-1	40	form-based			true	0.7	5	1	4	4	6344.799805	5445.799805	5445.799805	0.933333
6712	013	2263	0.05	1000	1	65	100	3	5	4	6789	5789	RH-1	40	form-based			true	0.7	5	1	4	4	6336.399902	5336.399902	5336.399902	0.933333
6712	014	2245	0.05	875	1	65	100	3	5	4	6735	5860	RH-1	40	form-based			true	0.7	5	1	4	4	6286	5411	5411	0.933333
6712	015	2407	0.06	1413	1	65	100	3	6	5	7221	5808	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6739.600098	5326.600098	5326.600098	0.933333
6712	021	2490	0.06	695	1	65	100	3	6	5	7470	6775	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6972	6277	6277	0.933333
6712	038	2454	0.06	1838	1	65	100	3	6	5	7362	5524	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6871.199707	5033.199707	5033.199707	0.933333
6712	045	2497	0.06	1143	1	65	100	3	6	5	7491	6348	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6991.600098	5848.600098	5848.600098	0.933333
6712	046	2497	0.06	2225	1	65	100	3	6	5	7491	5266	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	6991.600098	4766.600098	4766.600098	0.933333
6713	001	2468	0.06	2398	1	65	100	3	6	5	7404	5006	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	6910.399902	4512.399902	4512.399902	0.933333
6713	024	2604	0.06	1150	1	75	120	3.5	7	6	9114	7964	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7291.199707	6141.199707	6141.199707	0.8
6713	038	2500	0.06	1420	1	65	100	3	6	5	7500	6080	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	7000	5580	5580	0.933333
6713	039	2500	0.06	1029	1	65	100	3	6	5	7500	6471	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5971	5971	0.933333
6713	040	2500	0.06	717	1	65	100	3	6	5	7500	6783	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6283	6283	0.933333
6713	041	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5975	5975	0.933333
6713	042	2500	0.06	1875	1	65	100	3	6	5	7500	5625	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5125	5125	0.933333
6713	043	2500	0.06	2080	1	65	100	3	6	5	7500	5420	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4920	4920	0.933333
6713	045	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5975	5975	0.933333
6713	046	2500	0.06	1600	1	65	100	3	6	5	7500	5900	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5400	5400	0.933333
6713	049	2505	0.06	1581	1	65	100	3	6	5	7515	5934	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7014	5433	5433	0.933333
6713	050	2505	0.06	925	1	65	100	3	6	5	7515	6590	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7014	6089	6089	0.933333
6713	053	2554	0.06	1598	1	65	100	3	6	5	7662	6064	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7151.199707	5553.199707	5553.199707	0.933333
6713	054	2525	0.06	1598	1	65	100	3	6	5	7575	5977	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7070	5472	5472	0.933333
6717	009	2500	0.06	1678	1	65	100	3	6	5	7500	5822	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5322	5322	0.933333
6717	010	2500	0.06	1930	1	65	100	3	6	5	7500	5570	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5070	5070	0.933333
6717	011	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6100	6100	0.933333
6717	012	2500	0.06	2085	1	65	100	3	6	5	7500	5415	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4915	4915	0.933333
6717	013	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5900	5900	0.933333
6717	013A	2500	0.06	1486	1	65	100	3	6	5	7500	6014	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5514	5514	0.933333
6717	014	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5900	5900	0.933333
6717	014A	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5900	5900	0.933333
6717	023	2489	0.06	1365	1	65	100	3	6	5	7467	6102	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6969.199707	5604.199707	5604.199707	0.933333
6717	024	2490	0.06	2086	1	65	100	3	6	5	7470	5384	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6972	4886	4886	0.933333
6717	026	2492	0.06	1234	1	65	100	3	6	5	7476	6242	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6977.600098	5743.600098	5743.600098	0.933333
6717	026A	2493	0.06	1562	1	65	100	3	6	5	7479	5917	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	5418.399902	5418.399902	0.933333
6717	027	2494	0.06	805	1	65	100	3	6	5	7482	6677	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6983.199707	6178.199707	6178.199707	0.933333
6717	028	2494	0.06	805	1	65	100	3	6	5	7482	6677	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6983.199707	6178.199707	6178.199707	0.933333
6717	029	2491	0.06	2328	1	65	100	3	6	5	7473	5145	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6974.799805	4646.799805	4646.799805	0.933333
6717	030	2491	0.06	1375	1	65	100	3	6	5	7473	6098	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6974.799805	5599.799805	5599.799805	0.933333
6717	033	2700	0.06	1750	2	75	120	3.5	7	5	9450	7700	RH-2	40	form-based	true		true	0.7	6	0.857142866	4	4	7560	5810	5810	0.8
6718	001	2500	0.06	1453	1	65	100	3	6	5	7500	6047	RH-2	40	form-based	true		true	0.7	5	0.833333313	4	4	7000	5547	5547	0.933333
6718	003	2244	0.05	1344	1	65	100	3	5	4	6732	5388	RH-2	40	form-based			true	0.7	5	1	4	4	6283.199707	4939.199707	4939.199707	0.933333
6718	006	2345	0.05	1422	1	65	100	3	5	4	7035	5613	RH-2	40	form-based			true	0.7	5	1	4	4	6566	5144	5144	0.933333
6718	007	2346	0.05	1387	1	65	100	3	5	4	7038	5651	RH-2	40	form-based			true	0.7	5	1	4	4	6568.799805	5181.799805	5181.799805	0.933333
6718	008	2346	0.05	1180	1	65	100	3	5	4	7038	5858	RH-2	40	form-based			true	0.7	5	1	4	4	6568.799805	5388.799805	5388.799805	0.933333
6718	009	2347	0.05	1165	1	65	100	3	5	4	7041	5876	RH-2	40	form-based			true	0.7	5	1	4	4	6571.600098	5406.600098	5406.600098	0.933333
6718	010	2357	0.05	1857	1	65	100	3	5	4	7071	5214	RH-2	40	form-based			true	0.7	5	1	4	4	6599.600098	4742.600098	4742.600098	0.933333
6718	012	2499	0.06	966	1	65	100	3	6	5	7497	6531	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6997.199707	6031.199707	6031.199707	0.933333
6718	014	2500	0.06	862	1	65	100	3	6	5	7500	6638	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6138	6138	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6718	015	2205	0.05	1664	1	75	120	3.5	6	5	7718	6054	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6174	4510	4510	0.799948
6718	022	2500	0.06	3393	1	65	100	3	6	5	7500	4107	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	3607	3607	0.933333
6718	023	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6050	6050	0.933333
6718	024	2360	0.05	3300	1	65	100	3	5	4	7080	3780	RH-2	40	form-based			true	0.7	5	1	4	4	6608	3308	3308	0.933333
6718	025	2350	0.05	1646	1	65	100	3	5	4	7050	5404	RH-2	40	form-based			true	0.7	5	1	4	4	6580	4934	4934	0.933333
6718	028	2350	0.05	2556	1	65	100	3	5	4	7050	4494	RH-2	40	form-based			true	0.7	5	1	4	4	6580	4024	4024	0.933333
6718	029	2350	0.05	1900	1	65	100	3	5	4	7050	5150	RH-2	40	form-based			true	0.7	5	1	4	4	6580	4680	4680	0.933333
6718	030	2350	0.05	2339	1	65	100	3	5	4	7050	4711	RH-2	40	form-based			true	0.7	5	1	4	4	6580	4241	4241	0.933333
6719	011	2175	0.05	1160	1	65	100	3	5	4	6525	5365	RH-2	40	form-based			true	0.7	5	1	4	4	6090	4930	4930	0.933333
6719	014	2500	0.06	1460	1	65	100	3	6	5	7500	6040	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5540	5540	0.933333
6719	015	2500	0.06	1475	1	65	100	3	6	5	7500	6025	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5525	5525	0.933333
6719	016	2500	0.06	969	1	65	100	3	6	5	7500	6531	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6031	6031	0.933333
6719	020	2625	0.06	2753	2	65	100	3	6	4	7875	5122	RH-2	40	form-based			true	0.7	6	1	4	4	7350	4597	4597	0.933333
6721	013	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
6721	027	6050	0.14	0	0	65	100	3	14	14	18150	18150	RH-2	40	density-lim	1500			0.7	4	0.285714298	4	4	16940	16940	16940	0.933333
6721	029	6450	0.15	8045	0	65	100	3	15	15	19350	11305	RH-2	40	density-lim	1500			0.7	4	0.266666681	4	4	18060	10015	10015	0.933333
6723	013	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
6726	005	2500	0.06	1688	1	75	120	3.5	7	6	8750	7062	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	5312	5312	0.8
6726	006	2500	0.06	1400	1	75	120	3.5	7	6	8750	7350	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	5600	5600	0.8
6726	007	2500	0.06	1010	1	75	120	3.5	7	6	8750	7740	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	5990	5990	0.8
6726	008	2500	0.06	1920	1	75	120	3.5	7	6	8750	6830	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	5080	5080	0.8
6726	009	2500	0.06	1943	1	75	120	3.5	7	6	8750	6807	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	5057	5057	0.8
6726	010	2500	0.06	1175	1	75	120	3.5	7	6	8750	7575	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	5825	5825	0.8
6726	011	2500	0.06	1940	1	75	120	3.5	7	6	8750	6810	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	5060	5060	0.8
6726	015	2250	0.05	990	1	75	120	3.5	6	5	7875	6885	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6300	5310	5310	0.8
6726	020	2250	0.05	1670	2	75	120	3.5	6	4	7875	6205	RH-2	50	form-based			true	0.7	6	1	4	4	7875	6205	6205	1
6726	021	2250	0.05	1244	2	75	120	3.5	6	4	7875	6631	RH-2	50	form-based			true	0.7	6	1	4	4	7875	6631	6631	1
6726	024	2250	0.05	2112	2	75	120	3.5	6	4	7875	5763	RH-2	50	form-based			true	0.7	6	1	4	4	7875	5763	5763	1
6726	029	1899	0.04	820	1	75	120	3.5	5	4	6646	5826	RH-2	50	form-based			true	0.7	5	1	4	4	6646.5	5826.5	5826.5	1.000075
6726	042	2509	0.06	1230	1	75	120	3.5	7	6	8782	7552	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7025.199707	5795.199707	5795.199707	0.799954
6726	044	2508	0.06	2256	1	75	120	3.5	7	6	8778	6522	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7022.399902	4766.399902	4766.399902	0.8
6726	045	2507	0.06	1080	1	75	120	3.5	7	6	8774	7694	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7019.600098	5939.600098	5939.600098	0.800046
6726	050	2825	0.06	695	2	75	120	3.5	7	5	9888	9193	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7910	7215	7215	0.79996
6727	005	2500	0.06	950	1	75	120	3.5	7	6	8750	7800	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	6050	6050	0.8
6727	005A	2500	0.06	958	1	75	120	3.5	7	6	8750	7792	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	6042	6042	0.8
6727	006	2500	0.06	958	1	75	120	3.5	7	6	8750	7792	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	6042	6042	0.8
6727	006A	2500	0.06	995	1	75	120	3.5	7	6	8750	7755	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	6005	6005	0.8
6727	007	2500	0.06	850	1	75	120	3.5	7	6	8750	7900	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	6150	6150	0.8
6727	007A	2500	0.06	1258	1	75	120	3.5	7	6	8750	7492	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	5742	5742	0.8
6727	008	2500	0.06	1112	1	75	120	3.5	7	6	8750	7638	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	5888	5888	0.8
6727	009	2500	0.06	918	1	75	120	3.5	7	6	8750	7832	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	6082	6082	0.8
6727	011	2500	0.06	1612	1	75	120	3.5	7	6	8750	7138	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	5388	5388	0.8
6727	012	2500	0.06	1900	1	75	120	3.5	7	6	8750	6850	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7000	5100	5100	0.8
6727	033	2474	0.06	1179	1	75	120	3.5	7	6	8659	7480	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6927.199707	5748.199707	5748.199707	0.8
6727	034	2475	0.06	847	1	75	120	3.5	7	6	8662	7815	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6930	6083	6083	0.800046
6727	035	2476	0.06	1992	1	75	120	3.5	7	6	8666	6674	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6932.799805	4940.799805	4940.799805	0.8
6727	036	2476	0.06	3270	1	75	120	3.5	7	6	8666	5396	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6932.799805	3662.799805	3662.799805	0.8
6727	037	2477	0.06	1633	1	75	120	3.5	7	6	8670	7037	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6935.600098	5302.600098	5302.600098	0.799954
6727	038	2478	0.06	3310	1	75	120	3.5	7	6	8673	5363	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6938.399902	3628.399902	3628.399902	0.8
6727	039	2479	0.06	1200	1	75	120	3.5	7	6	8676	7476	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6941.199707	5741.199707	5741.199707	0.800046
6727	040	2479	0.06	2250	1	75	120	3.5	7	6	8676	6426	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6941.199707	4691.199707	4691.199707	0.800046
6727	041	2480	0.06	1413	1	75	120	3.5	7	6	8680	7267	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6944	5531	5531	0.8
6728	006	2825	0.06	2086	2	75	120	3.5	7	5	9888	7802	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	7910	5824	5824	0.79996
6728	012	2548	0.06	3335	1	75	120	3.5	7	6	8918	5583	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7134.399902	3799.399902	3799.399902	0.8
6728	013	2548	0.06	2757	1	75	120	3.5	7	6	8918	6161	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7134.399902	4377.399902	4377.399902	0.8
6728	014	2548	0.06	3106	1	75	120	3.5	7	6	8918	5812	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7134.399902	4028.399902	4028.399902	0.8
6728	015	2548	0.06	1280	1	75	120	3.5	7	6	8918	7638	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7134.399902	5854.399902	5854.399902	0.8
6728	016	2548	0.06	1325	1	75	120	3.5	7	6	8918	7593	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7134.399902	5809.399902	5809.399902	0.8
6728	017	2548	0.06	1598	1	75	120	3.5	7	6	8918	7320	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7134.399902	5536.399902	5536.399902	0.8
6728	018	2425	0.06	650	1	75	120	3.5	7	6	8488	7838	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6790	6140	6140	0.799953
6728	025	2468	0.06	1890	1	75	120	3.5	7	6	8638	6748	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6910.399902	5020.399902	5020.399902	0.8
6728	025A	2469	0.06	950	1	75	120	3.5	7	6	8642	7692	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6913.199707	5963.199707	5963.199707	0.799954
6728	026	2469	0.06	1081	1	75	120	3.5	7	6	8642	7561	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6913.199707	5832.199707	5832.199707	0.799954
6728	026A	2470	0.06	756	1	75	120	3.5	7	6	8645	7889	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6916	6160	6160	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6728	027	2470	0.06	2075	1	75	120	3.5	7	6	8645	6570	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6916	4841	4841	0.8
6728	027A	2470	0.06	1875	1	75	120	3.5	7	6	8645	6770	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6916	5041	5041	0.8
6729	002	2497	0.06	802	1	65	100	3	6	5	7491	6689	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6991.600098	6189.600098	6189.600098	0.933333
6729	005	2255	0.05	1880	1	75	120	3.5	6	5	7892	6012	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6314	4434	4434	0.800051
6729	010	2188	0.05	1592	1	75	120	3.5	6	5	7658	6066	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6126.399902	4534.399902	4534.399902	0.8
6729	011	2189	0.05	1817	1	75	120	3.5	6	5	7662	5845	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6129.199707	4312.199707	4312.199707	0.799948
6729	019	2264	0.05	960	1	75	120	3.5	6	5	7924	6964	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6339.199707	5379.199707	5379.199707	0.8
6729	020	2213	0.05	1521	1	75	120	3.5	6	5	7746	6225	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6196.399902	4675.399902	4675.399902	0.799948
6729	021	2163	0.05	960	1	75	120	3.5	6	5	7570	6610	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6056.399902	5096.399902	5096.399902	0.800053
6729	026	2162	0.05	1813	1	75	120	3.5	6	5	7567	5754	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	6053.600098	4240.600098	4240.600098	0.8
6729	044	2139	0.05	3509	2	75	120	3.5	6	4	7486	3977	RH-1	50	form-based			true	0.7	6	1	4	4	7486.5	3977.5	3977.5	1.000067
6729	049	2183	0.05	1843	1	75	120	3.5	6	5	7640	5797	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6112.399902	4269.399902	4269.399902	0.800052
6729	050	2192	0.05	1249	1	75	120	3.5	6	5	7672	6423	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6137.600098	4888.600098	4888.600098	0.8
6729	051	2200	0.05	1655	1	75	120	3.5	6	5	7700	6045	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6160	4505	4505	0.8
6729	052	2209	0.05	837	1	75	120	3.5	6	5	7732	6895	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6185.199707	5348.199707	5348.199707	0.799948
6729	053	2218	0.05	810	1	75	120	3.5	6	5	7763	6953	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6210.399902	5400.399902	5400.399902	0.8
6729	054	2226	0.05	2416	1	75	120	3.5	6	5	7791	5375	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6232.799805	3816.799805	3816.799805	0.8
6729	059	2537	0.06	1072	1	75	120	3.5	7	6	8880	7808	RH-1	40	form-based	true		true	0.7	5	0.714285731	4	4	7103.600098	6031.600098	6031.600098	0.799955
6729	067	2137	0.05	267	0	75	120	3.5	6	6	7480	7213	RH-1	40	form-based			true	0.7	4	0.666666687	4	4	5983.600098	5716.600098	5716.600098	0.799947
6729	068	2098	0.05	1112	0	75	120	3.5	6	6	7343	6231	RH-1	40	form-based			true	0.7	4	0.666666687	4	4	5874.399902	4762.399902	4762.399902	0.8
6730	002	2500	0.06	937	1	65	100	3	6	5	7500	6563	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6063	6063	0.933333
6730	003	2500	0.06	1276	1	65	100	3	6	5	7500	6224	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5724	5724	0.933333
6730	004	2500	0.06	2560	1	65	100	3	6	5	7500	4940	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4440	4440	0.933333
6730	005	2500	0.06	1190	1	65	100	3	6	5	7500	6310	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5810	5810	0.933333
6730	006	2500	0.06	1072	1	75	120	3.5	7	6	8750	7678	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5928	5928	0.8
6730	007	2500	0.06	1208	1	75	120	3.5	7	6	8750	7542	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5792	5792	0.8
6730	008	2500	0.06	1400	1	75	120	3.5	7	6	8750	7350	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5600	5600	0.8
6730	017	2392	0.05	660	1	75	120	3.5	6	5	8372	7712	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6697.600098	6037.600098	6037.600098	0.8
6730	018	2372	0.05	2026	1	75	120	3.5	6	5	8302	6276	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6641.600098	4615.600098	4615.600098	0.8
6730	020	2500	0.06	1620	1	75	120	3.5	7	6	8750	7130	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5380	5380	0.8
6730	021	2500	0.06	2677	1	75	120	3.5	7	6	8750	6073	RH-1	40	form-based	true		true	0.7	5	0.714285731	4	4	7000	4323	4323	0.8
6730	022	2500	0.06	2160	1	75	120	3.5	7	6	8750	6590	RH-1	40	form-based	true		true	0.7	5	0.714285731	4	4	7000	4840	4840	0.8
6730	023	2500	0.06	1885	1	75	120	3.5	7	6	8750	6865	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5115	5115	0.8
6730	024	2500	0.06	1125	1	75	120	3.5	7	6	8750	7625	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5875	5875	0.8
6730	025	2442	0.06	1813	1	75	120	3.5	7	6	8547	6734	RH-1	40	form-based	true		true	0.7	5	0.714285731	4	4	6837.600098	5024.600098	5024.600098	0.8
6730	029	2351	0.05	2124	1	75	120	3.5	6	5	8228	6104	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6582.799805	4458.799805	4458.799805	0.800049
6730	032	2391	0.05	805	1	75	120	3.5	6	5	8368	7563	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6694.799805	5889.799805	5889.799805	0.800048
6730	033	2453	0.06	1426	1	75	120	3.5	7	6	8586	7160	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6868.399902	5442.399902	5442.399902	0.799953
6730	036	2500	0.06	1120	1	75	120	3.5	7	6	8750	7630	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5880	5880	0.8
6730	038	2500	0.06	1225	1	75	120	3.5	7	6	8750	7525	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5775	5775	0.8
6730	039	2593	0.06	1056	1	75	120	3.5	7	6	9076	8020	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7260.399902	6204.399902	6204.399902	0.799956
6730	045	2799	0.06	1002	2	75	120	3.5	7	5	9796	8794	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	7837.199707	6835.199707	6835.199707	0.800041
6731	001	2521	0.06	2740	1	65	100	3	6	5	7563	4823	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	7058.799805	4318.799805	4318.799805	0.933333
6731	003	2473	0.06	848	1	75	120	3.5	7	6	8656	7808	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6924.399902	6076.399902	6076.399902	0.799954
6731	004	2307	0.05	1225	1	75	120	3.5	6	5	8074	6849	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6459.600098	5234.600098	5234.600098	0.80005
6731	005	2349	0.05	850	1	75	120	3.5	6	5	8222	7372	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6577.199707	5727.199707	5727.199707	0.799951
6731	006	2177	0.05	1000	1	75	120	3.5	6	5	7620	6620	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6095.600098	5095.600098	5095.600098	0.799948
6731	007	2348	0.05	2236	1	75	120	3.5	6	5	8218	5982	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6574.399902	4338.399902	4338.399902	0.8
6731	008	2348	0.05	1375	1	75	120	3.5	6	5	8218	6843	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6574.399902	5199.399902	5199.399902	0.8
6731	009	2348	0.05	2700	1	75	120	3.5	6	5	8218	5518	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6574.399902	3874.399902	3874.399902	0.8
6731	010	2452	0.06	1200	1	75	120	3.5	7	6	8582	7382	RH-1	40	form-based	true		true	0.7	5	0.714285731	4	4	6865.600098	5665.600098	5665.600098	0.8
6731	011	2309	0.05	654	1	75	120	3.5	6	5	8082	7428	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	6465.199707	5811.199707	5811.199707	0.79995
6731	012	2483	0.06	937	1	75	120	3.5	7	6	8690	7753	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6952.399902	6015.399902	6015.399902	0.800046
6731	013	2483	0.06	937	1	75	120	3.5	7	6	8690	7753	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6952.399902	6015.399902	6015.399902	0.800046
6731	014	2483	0.06	2739	1	75	120	3.5	7	6	8690	5951	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6952.399902	4213.399902	4213.399902	0.800046
6731	015	2483	0.06	1200	1	75	120	3.5	7	6	8690	7490	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6952.399902	5752.399902	5752.399902	0.800046
6731	016	2278	0.05	1029	1	75	120	3.5	6	5	7973	6944	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6378.399902	5349.399902	5349.399902	0.8
6731	017	2267	0.05	1909	1	75	120	3.5	6	5	7934	6025	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6347.600098	4438.600098	4438.600098	0.80005
6731	027	2243	0.05	760	1	65	100	3	5	4	6729	5969	RH-1	40	form-based			true	0.7	5	1	4	4	6280.399902	5520.399902	5520.399902	0.933333
6731	028	2359	0.05	894	1	65	100	3	5	4	7077	6183	RH-1	40	form-based			true	0.7	5	1	4	4	6605.199707	5711.199707	5711.199707	0.933333
6731	030	2591	0.06	1125	1	65	100	3	6	5	7773	6648	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7254.799805	6129.799805	6129.799805	0.933333
6731	031	2459	0.06	1006	1	65	100	3	6	5	7377	6371	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	6885.199707	5879.199707	5879.199707	0.933333
6731	032A	2482	0.06	905	1	65	100	3	6	5	7446	6541	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6949.600098	6044.600098	6044.600098	0.933333
6731	034	2614	0.06	1344	1	65	100	3	6	5	7842	6498	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7319.199707	5975.199707	5975.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6731	036	2686	0.06	3304	2	65	100	3	6	4	8058	4754	RH-1	40	form-based			true	0.7	6	1	4	4	7520.799805	4216.799805	4216.799805	0.933333
6731	053	2388	0.05	2328	1	75	120	3.5	6	5	8358	6030	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6686.399902	4358.399902	4358.399902	0.8
6731	054	2160	0.05	2328	1	75	120	3.5	6	5	7560	5232	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6048	3720	3720	0.8
6731	055	2478	0.06	575	1	75	120	3.5	7	6	8673	8098	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6938.399902	6363.399902	6363.399902	0.8
6731	059	2510	0.06	991	1	65	100	3	6	5	7530	6539	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7028	6037	6037	0.933333
6731	060	2356	0.05	1081	1	65	100	3	5	4	7068	5987	RH-1	40	form-based			true	0.7	5	1	4	4	6596.799805	5515.799805	5515.799805	0.933333
6731	061	2277	0.05	991	1	65	100	3	5	4	6831	5840	RH-1	40	form-based			true	0.7	5	1	4	4	6375.600098	5384.600098	5384.600098	0.933333
6731	062	2178	0.05	1674	1	65	100	3	5	4	6534	4860	RH-1	40	form-based			true	0.7	5	1	4	4	6098.399902	4424.399902	4424.399902	0.933333
6732	034	2747	0.06	1800	2	65	100	3	6	4	8241	6441	RH-1	40	form-based			true	0.7	6	1	4	4	7691.600098	5891.600098	5891.600098	0.933333
6731	063	2300	0.05	1875	1	65	100	3	5	4	6900	5025	RH-1	40	form-based		true	true	0.7	5	1	4	4	6440	4565	4565	0.933333
6731	065	2548	0.06	1920	1	75	120	3.5	7	6	8918	6998	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7134.399902	5214.399902	5214.399902	0.8
6732	026	2482	0.06	1088	1	65	100	3	6	5	7446	6358	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6949.600098	5861.600098	5861.600098	0.933333
6732	037	2409	0.06	1194	1	65	100	3	6	5	7227	6033	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6745.199707	5551.199707	5551.199707	0.933333
6732	039	2292	0.05	2278	1	65	100	3	5	4	6876	4598	RH-1	40	form-based			true	0.7	5	1	4	4	6417.600098	4139.600098	4139.600098	0.933333
6732	040	2482	0.06	1136	1	65	100	3	6	5	7446	6310	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6949.600098	5813.600098	5813.600098	0.933333
6732	055	2500	0.06	1904	1	75	120	3.5	7	6	8750	6846	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5096	5096	0.8
6732	056	2500	0.06	2710	1	75	120	3.5	7	6	8750	6040	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	4290	4290	0.8
6732	057	2539	0.06	1357	1	75	120	3.5	7	6	8886	7529	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7109.199707	5752.199707	5752.199707	0.800045
6732	059	2500	0.06	866	1	75	120	3.5	7	6	8750	7884	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	6134	6134	0.8
6732	060	2500	0.06	1590	1	75	120	3.5	7	6	8750	7160	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5410	5410	0.8
6732	061	2500	0.06	1498	1	75	120	3.5	7	6	8750	7252	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5502	5502	0.8
6733A	002	2277	0.05	1720	1	65	100	3	5	4	6831	5111	RH-1	40	form-based			true	0.7	5	1	4	4	6375.600098	4655.600098	4655.600098	0.933333
6733A	005B	2473	0.06	1393	1	65	100	3	6	5	7419	6026	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6924.399902	5531.399902	5531.399902	0.933333
6733A	005C	2493	0.06	2147	1	65	100	3	6	5	7479	5332	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	4833.399902	4833.399902	0.933333
6733A	005D	2550	0.06	1125	1	65	100	3	6	5	7650	6525	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7140	6015	6015	0.933333
6733A	005E	2568	0.06	936	1	65	100	3	6	5	7704	6768	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7190.399902	6254.399902	6254.399902	0.933333
6733A	005G	2263	0.05	1125	1	65	100	3	5	4	6789	5664	RH-1	40	form-based			true	0.7	5	1	4	4	6336.399902	5211.399902	5211.399902	0.933333
6733A	005I	2226	0.05	1125	1	65	100	3	5	4	6678	5553	RH-1	40	form-based			true	0.7	5	1	4	4	6232.799805	5107.799805	5107.799805	0.933333
6733A	032	2149	0.05	1572	1	65	100	3	5	4	6447	4875	RH-1	40	form-based			true	0.7	5	1	4	4	6017.199707	4445.199707	4445.199707	0.933333
6733A	034	2265	0.05	1733	1	65	100	3	5	4	6795	5062	RH-1	40	form-based			true	0.7	5	1	4	4	6342	4609	4609	0.933333
6733A	035	2488	0.06	1425	1	65	100	3	6	5	7464	6039	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6966.399902	5541.399902	5541.399902	0.933333
6733A	039	2497	0.06	1525	1	65	100	3	6	5	7491	5966	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6991.600098	5466.600098	5466.600098	0.933333
6734	003	2589	0.06	830	1	65	100	3	6	5	7767	6937	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7249.199707	6419.199707	6419.199707	0.933333
6734	010	2222	0.05	1288	1	65	100	3	5	4	6666	5378	RH-1	40	form-based			true	0.7	5	1	4	4	6221.600098	4933.600098	4933.600098	0.933333
6734	012	2244	0.05	1520	1	65	100	3	5	4	6732	5212	RH-1	40	form-based			true	0.7	5	1	4	4	6283.199707	4763.199707	4763.199707	0.933333
6734	025	2482	0.06	1480	1	65	100	3	6	5	7446	5966	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6949.600098	5469.600098	5469.600098	0.933333
6734	027	2283	0.05	1170	1	65	100	3	5	4	6849	5679	RH-1	40	form-based			true	0.7	5	1	4	4	6392.399902	5222.399902	5222.399902	0.933333
6734	028	2484	0.06	1170	1	65	100	3	6	5	7452	6282	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6955.199707	5785.199707	5785.199707	0.933333
6734	031	2491	0.06	1431	1	65	100	3	6	5	7473	6042	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6974.799805	5543.799805	5543.799805	0.933333
6734	032	2373	0.05	1687	1	65	100	3	5	4	7119	5432	RH-1	40	form-based			true	0.7	5	1	4	4	6644.399902	4957.399902	4957.399902	0.933333
6735	015	2507	0.06	1738	1	65	100	3	6	5	7521	5783	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7019.600098	5281.600098	5281.600098	0.933333
6735	016	2489	0.06	1155	1	65	100	3	6	5	7467	6312	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6969.199707	5814.199707	5814.199707	0.933333
6735	017	2471	0.06	1155	1	65	100	3	6	5	7413	6258	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6918.799805	5763.799805	5763.799805	0.933333
6735	018	2223	0.05	1480	1	65	100	3	5	4	6669	5189	RH-1	40	form-based			true	0.7	5	1	4	4	6224.399902	4744.399902	4744.399902	0.933333
6735	019	2205	0.05	1546	1	65	100	3	5	4	6615	5069	RH-1	40	form-based			true	0.7	5	1	4	4	6174	4628	4628	0.933333
6735	060	2595	0.06	1672	1	65	100	3	6	5	7785	6113	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7266	5594	5594	0.933333
6735	061	2518	0.06	1672	1	65	100	3	6	5	7554	5882	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7050.399902	5378.399902	5378.399902	0.933333
6735	028	2292	0.05	1175	1	65	100	3	5	4	6876	5701	RH-1	40	form-based			true	0.7	5	1	4	4	6417.600098	5242.600098	5242.600098	0.933333
6735	030	2506	0.06	1624	1	65	100	3	6	5	7518	5894	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7016.799805	5392.799805	5392.799805	0.933333
6735	031	2566	0.06	880	1	65	100	3	6	5	7698	6818	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7184.799805	6304.799805	6304.799805	0.933333
6735	048	2248	0.05	993	1	65	100	3	5	4	6744	5751	RH-1	40	form-based			true	0.7	5	1	4	4	6294.399902	5301.399902	5301.399902	0.933333
6735	052	2426	0.06	2421	1	65	100	3	6	5	7278	4857	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6792.799805	4371.799805	4371.799805	0.933333
6735	053	2411	0.06	1672	1	65	100	3	6	5	7233	5561	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6750.799805	5078.799805	5078.799805	0.933333
6735	056	2461	0.06	1672	1	65	100	3	6	5	7383	5711	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6890.799805	5218.799805	5218.799805	0.933333
6735	064	2741	0.06	1060	2	65	100	3	6	4	8223	7163	RH-1	40	form-based			true	0.7	6	1	4	4	7674.799805	6614.799805	6614.799805	0.933333
6736	029	11931	0.27	0	0	75	120	3.5	32	32	41758	41758	RH-1	40	density-lin	3000			0.7	4	0.125	4	4	33406.80078	33406.80078	33406.80078	0.80001
6736	030	6570	0.15	0	0	75	120	3.5	18	18	22995	22995	RH-1	40	density-lin	3000			0.7	4	0.222222224	4	4	18396	18396	18396	0.8
6736	038	2045	0.05	3139	0	75	120	3.5	6	6	7158	4019	RH-1	40	form-based		true	true	0.7	4	0.666666687	4	4	5726	2587	2587	0.799944
6738	001	1812	0.04	975	1	75	120	3.5	5	4	6342	5367	RH-1	50	form-based		true	true	0.7	5	1	4	4	6342	5367	5367	1
6738	001A	1783	0.04	1083	1	75	120	3.5	5	4	6240	5157	RH-1	50	form-based			true	0.7	5	1	4	4	6240.5	5157.5	5157.5	1.00008
6738	001B	1782	0.04	975	1	75	120	3.5	5	4	6237	5262	RH-1	50	form-based			true	0.7	5	1	4	4	6237	5262	5262	1
6738	002	1951	0.04	970	1	75	120	3.5	5	4	6828	5858	RH-1	50	form-based			true	0.7	5	1	4	4	6828.5	5858.5	5858.5	1.000073
6738	004	1947	0.04	1149	1	75	120	3.5	5	4	6814	5665	RH-1	50	form-based			true	0.7	5	1	4	4	6814.5	5665.5	5665.5	1.000073
6738	023	2363	0.05	3120	3	75	120	3.5	6	3	8270	5150	RH-1	50	form-based			true	0.7	7	1.166666627	4	4	8270.5	5150.5	5150.5	1.00006

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6738	027	1750	0.04	2100	1	75	120	3.5	5	4	6125	4025	RH-1	50	form-based			true	0.7	5	1	4	4	6125	4025	4025	1
6739	016	1875	0.04	1460	1	75	120	3.5	5	4	6562	5102	RH-1	50	form-based			true	0.7	5	1	4	4	6562.5	5102.5	5102.5	1.000076
6739	017	1875	0.04	1430	1	75	120	3.5	5	4	6562	5132	RH-1	50	form-based			true	0.7	5	1	4	4	6562.5	5132.5	5132.5	1.000076
6739	018	1875	0.04	1460	1	75	120	3.5	5	4	6562	5102	RH-1	50	form-based		true	true	0.7	5	1	4	4	6562.5	5102.5	5102.5	1.000076
6740	003	1702	0.04	1564	1	75	120	3.5	5	4	5957	4393	RH-2	50	form-based			true	0.7	5	1	4	4	5957	4393	4393	1
6740	007A	1753	0.04	1304	1	75	120	3.5	5	4	6136	4832	RH-2	50	form-based		true	true	0.7	5	1	4	4	6135.5	4831.5	4831.5	0.999919
6740	014A	1778	0.04	2207	1	75	120	3.5	5	4	6223	4016	RH-2	50	form-based			true	0.7	5	1	4	4	6223	4016	4016	1
6740	015	1875	0.04	1860	1	75	120	3.5	5	4	6562	4702	RH-2	50	form-based			true	0.7	5	1	4	4	6562.5	4702.5	4702.5	1.000076
6741	003	2297	0.05	1712	2	75	120	3.5	6	4	8040	6328	RH-2	50	form-based			true	0.7	6	1	4	4	8039.5	6327.5	6327.5	0.999938
6741	004	2231	0.05	1420	2	75	120	3.5	6	4	7808	6388	RH-2	50	form-based			true	0.7	6	1	4	4	7808.5	6388.5	6388.5	1.000064
6741	006	2141	0.05	3635	2	75	120	3.5	6	4	7494	3859	RH-2	50	form-based			true	0.7	6	1	4	4	7493.5	3858.5	3858.5	0.999933
6741	012A	1662	0.04	1157	1	75	120	3.5	5	4	5817	4660	RH-2	50	form-based		true	true	0.7	5	1	4	4	5817	4660	4660	1
6741	020	1722	0.04	670	1	75	120	3.5	5	4	6027	5357	RH-2	50	form-based			true	0.7	5	1	4	4	6027	5357	5357	1
6741	024	1503	0.03	1460	0	75	120	3.5	4	4	5260	3800	RH-2	50	form-based			true	0.7	4	1	4	4	5260.5	3800.5	3800.5	1.000095
6741	030	1308	0.03	988	0	75	120	3.5	4	4	4578	3590	RH-2	50	form-based			true	0.7	4	1	4	4	4578	3590	3590	1
6742	014A	1720	0.04	2784	2	75	120	3.5	5	3	6020	3236	NCT-GLEN	65	form-based			true	0.75	6	1.200000048	4	4	7740	4956	4956	1.285714
6746	007	1290	0.03	800	1	75	120	3.5	4	3	4515	3715	RTO-C	65	form-based			true	0.75	5	1.25	4	4	5805	5005	5005	1.285714
6746	008	1345	0.03	1150	1	75	120	3.5	4	3	4708	3558	RTO-C	65	form-based			true	0.75	5	1.25	4	4	6052.5	4902.5	4902.5	1.285578
6747	041	3360	0.08	8487	2	75	120	3.5	10	8	11760	3273	RH-2	40	density-lim	1500	true		0.7	6	0.600000024	4	4	9408	921	921	0.8
6748	048	925	0.02	0	0	65	100	3	2	2	2775	2775	RH-2	40	density-lim	1500			0.7	4	2	4	4	2590	2590	2590	0.933333
6748	050	2550	0.06	1450	2	65	100	3	6	4	7650	6200	RH-2	40	density-lim	1500	true		0.7	6	1	4	4	7140	5690	5690	0.933333
6748	062	3125	0.07	0	0	65	100	3	7	7	9375	9375	RH-2	40	density-lim	1500			0.7	4	0.571428597	4	4	8750	8750	8750	0.933333
6750	005	2563	0.06	0	0	65	100	3	6	6	7689	7689	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7176.399902	7176.399902	7176.399902	0.933333
6750	007	2637	0.06	2100	0	65	100	3	6	6	7911	5811	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7383.600098	5283.600098	5283.600098	0.933333
6750	056	2610	0.06	0	0	75	120	3.5	7	7	9135	9135	RH-1	40	density-lim	3000			0.7	4	0.571428597	4	4	7308	7308	7308	0.8
6750	057	3356	0.08	2335	0	75	120	3.5	10	10	11746	9411	RH-1	40	density-lim	3000			0.7	4	0.400000006	4	4	9396.799805	7061.799805	7061.799805	0.8
6752	021	2500	0.06	2055	2	75	120	3.5	7	5	8750	6695	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	4	4	7000	4945	4945	0.8
6753	050	2500	0.06	1208	0	75	120	3.5	7	7	8750	7542	RH-1	40	density-lim	3000			0.7	4	0.571428597	4	4	7000	5792	5792	0.8
6753	063	1095	0.03	0	0	75	120	3.5	4	4	3832	3832	RH-2	40	density-lim	1500			0.7	4	1	4	4	3066	3066	3066	0.800104
6753	068	2500	0.06	2293	0	75	120	3.5	7	7	8750	6457	RH-1	40	density-lim	3000			0.7	4	0.571428597	4	4	7000	4707	4707	0.8
6754	023	2500	0.06	1389	0	75	120	3.5	7	7	8750	7361	RH-1	40	density-lim	3000			0.7	4	0.571428597	4	4	7000	5611	5611	0.8
6758	026	1831	0.04	1892	1	75	120	3.5	5	4	6408	4516	RH-1	50	form-based			true	0.7	5	1	4	4	6408.5	4516.5	4516.5	1.000078
6758	027	1831	0.04	1187	1	75	120	3.5	5	4	6408	5221	RH-1	50	form-based			true	0.7	5	1	4	4	6408.5	5221.5	5221.5	1.000078
6758	028	1831	0.04	1535	1	75	120	3.5	5	4	6408	4873	RH-1	50	form-based			true	0.7	5	1	4	4	6408.5	4873.5	4873.5	1.000078
6758	032	2500	0.06	1809	3	75	120	3.5	7	4	8750	6941	RH-2	50	form-based			true	0.7	7	1	4	4	8750	6941	6941	1
6759	014	2501	0.06	1807	1	75	120	3.5	7	6	8754	6947	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7002.799805	5195.799805	5195.799805	0.799954
6759	015	2501	0.06	847	1	75	120	3.5	7	6	8754	7907	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7002.799805	6155.799805	6155.799805	0.799954
6759	016	2501	0.06	1113	1	75	120	3.5	7	6	8754	7641	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7002.799805	5889.799805	5889.799805	0.799954
6759	017	2501	0.06	1141	1	75	120	3.5	7	6	8754	7613	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7002.799805	5861.799805	5861.799805	0.799954
6759	018	2501	0.06	1350	1	75	120	3.5	7	6	8754	7404	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7002.799805	5652.799805	5652.799805	0.799954
6759	019	2501	0.06	3996	1	75	120	3.5	7	6	8754	4758	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7002.799805	3006.799805	3006.799805	0.799954
6759	020	2501	0.06	3112	1	75	120	3.5	7	6	8754	5642	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7002.799805	3890.799805	3890.799805	0.799954
6759	021	2501	0.06	1039	1	75	120	3.5	7	6	8754	7715	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7002.799805	5963.799805	5963.799805	0.799954
6759	022	2501	0.06	2046	1	75	120	3.5	7	6	8754	6708	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7002.799805	4956.799805	4956.799805	0.799954
6759	023	2501	0.06	1039	1	75	120	3.5	7	6	8754	7715	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7002.799805	5963.799805	5963.799805	0.799954
6759	025	2501	0.06	1039	1	75	120	3.5	7	6	8754	7715	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7002.799805	5963.799805	5963.799805	0.799954
6760	002	2344	0.05	1063	1	75	120	3.5	6	5	8204	7141	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6563.199707	5500.199707	5500.199707	0.8
6760	004	2523	0.06	1700	1	75	120	3.5	7	6	8830	7130	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7064.399902	5364.399902	5364.399902	0.800045
6760	005	2521	0.06	1850	1	75	120	3.5	7	6	8824	6974	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7058.799805	5208.799805	5208.799805	0.799955
6760	006	2519	0.06	1710	1	75	120	3.5	7	6	8816	7106	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7053.199707	5343.199707	5343.199707	0.800045
6760	007	2518	0.06	2363	1	75	120	3.5	7	6	8813	6450	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7050.399902	4687.399902	4687.399902	0.8
6760	008	2516	0.06	1890	1	75	120	3.5	7	6	8806	6916	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7044.799805	5154.799805	5154.799805	0.8
6760	009	2514	0.06	1890	1	75	120	3.5	7	6	8799	6909	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7039.199707	5149.199707	5149.199707	0.8
6760	010	2512	0.06	1890	1	75	120	3.5	7	6	8792	6902	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7033.600098	5143.600098	5143.600098	0.8
6760	017	2500	0.06	1458	1	65	100	3	6	5	7500	6042	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5542	5542	0.933333
6760	018	2500	0.06	1658	1	65	100	3	6	5	7500	5842	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5342	5342	0.933333
6760	019	2500	0.06	1058	1	65	100	3	6	5	7500	6442	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5942	5942	0.933333
6760	020	2500	0.06	1058	1	65	100	3	6	5	7500	6442	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5942	5942	0.933333
6760	021	2500	0.06	1392	1	65	100	3	6	5	7500	6108	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5608	5608	0.933333
6760	022	2500	0.06	983	1	65	100	3	6	5	7500	6517	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6017	6017	0.933333
6760	023	2500	0.06	1650	1	65	100	3	6	5	7500	5850	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5350	5350	0.933333
6760	025	2319	0.05	915	1	65	100	3	5	4	6957	6042	RH-1	40	form-based			true	0.7	5	1	4	4	6493.199707	5578.199707	5578.199707	0.933333
6760	032	2500	0.06	1239	1	75	120	3.5	7	6	8750	7511	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5761	5761	0.8
6760	034	2181	0.05	842	1	65	100	3	5	4	6543	5701	RH-1	40	form-based			true	0.7	5	1	4	4	6106.799805	5264.799805	5264.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6761	005	2482	0.06	907	1	65	100	3	6	5	7446	6539	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6949.600098	6042.600098	6042.600098	0.933333
6761	006	2338	0.05	907	1	65	100	3	5	4	7014	6107	RH-1	40	form-based			true	0.7	5	1	4	4	6546.399902	5639.399902	5639.399902	0.933333
6761	007	2452	0.06	907	1	65	100	3	6	5	7356	6449	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6865.600098	5958.600098	5958.600098	0.933333
6761	008	2567	0.06	1152	1	65	100	3	6	5	7701	6549	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	6035.600098	6035.600098	0.933333
6761	027	2149	0.05	1746	1	65	100	3	5	4	6447	4701	RH-1	40	form-based			true	0.7	5	1	4	4	6017.199707	4271.199707	4271.199707	0.933333
6761	028	2233	0.05	1055	1	65	100	3	5	4	6699	5644	RH-1	40	form-based			true	0.7	5	1	4	4	6252.399902	5197.399902	5197.399902	0.933333
6762	002	2600	0.06	950	1	65	100	3	6	5	7800	6850	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7280	6330	6330	0.933333
6762	011	2577	0.06	1506	1	65	100	3	6	5	7731	6225	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7215.600098	5709.600098	5709.600098	0.933333
6762	027	2612	0.06	1800	1	65	100	3	6	5	7836	6036	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7313.600098	5513.600098	5513.600098	0.933333
6762	029	2399	0.06	1146	1	65	100	3	6	5	7197	6051	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6717.199707	5571.199707	5571.199707	0.933333
6762	031	2431	0.06	1605	1	65	100	3	6	5	7293	5688	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6806.799805	5201.799805	5201.799805	0.933333
6762	033	2458	0.06	814	1	65	100	3	6	5	7374	6560	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6882.399902	6068.399902	6068.399902	0.933333
6762	035	2472	0.06	2814	1	65	100	3	6	5	7416	4602	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6921.600098	4107.600098	4107.600098	0.933333
6762	038	2562	0.06	1787	1	65	100	3	6	5	7686	5899	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7173.600098	5386.600098	5386.600098	0.933333
6763	035	2145	0.05	1110	1	65	100	3	5	4	6435	5325	RH-1	40	form-based	true		true	0.7	5	1	4	4	6006	4896	4896	0.933333
6763	042	2567	0.06	1010	1	65	100	3	6	5	7701	6691	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	6177.600098	6177.600098	0.933333
6763	051	1868	0.04	380	0	65	100	3	4	4	5604	5224	RH-1	40	form-based	true		true	0.7	4	1	4	4	5230.399902	4850.399902	4850.399902	0.933333
6763	052	1904	0.04	0	0	65	100	3	4	4	5712	5712	RH-1	40	form-based			true	0.7	4	1	4	4	5331.199707	5331.199707	5331.199707	0.933333
6764	002	2380	0.05	1702	1	65	100	3	5	4	7140	5438	RH-1	40	form-based			true	0.7	5	1	4	4	6664	4962	4962	0.933333
6764	003	2376	0.05	1860	1	65	100	3	5	4	7128	5268	RH-1	40	form-based			true	0.7	5	1	4	4	6652.799805	4792.799805	4792.799805	0.933333
6764	004	2373	0.05	810	1	65	100	3	5	4	7119	6309	RH-1	40	form-based			true	0.7	5	1	4	4	6644.399902	5834.399902	5834.399902	0.933333
6764	005	2369	0.05	810	1	65	100	3	5	4	7107	6297	RH-1	40	form-based			true	0.7	5	1	4	4	6633.199707	5823.199707	5823.199707	0.933333
6764	006	2366	0.05	1165	1	65	100	3	5	4	7098	5933	RH-1	40	form-based			true	0.7	5	1	4	4	6624.799805	5459.799805	5459.799805	0.933333
6764	007	2223	0.05	822	1	65	100	3	5	4	6669	5847	RH-1	40	form-based	true		true	0.7	5	1	4	4	6224.399902	5402.399902	5402.399902	0.933333
6764	011	2412	0.06	1102	1	65	100	3	6	5	7236	6134	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6753.600098	5651.600098	5651.600098	0.933333
6764	012	2413	0.06	848	1	65	100	3	6	5	7239	6391	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6756.399902	5908.399902	5908.399902	0.933333
6764	013	2413	0.06	852	1	65	100	3	6	5	7239	6387	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6756.399902	5904.399902	5904.399902	0.933333
6764	014	2414	0.06	974	1	65	100	3	6	5	7242	6268	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6759.199707	5785.199707	5785.199707	0.933333
6765	001	2488	0.06	737	1	65	100	3	6	5	7464	6727	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	6966.399902	6229.399902	6229.399902	0.933333
6765	002	2478	0.06	1310	1	65	100	3	6	5	7434	6124	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6938.399902	5628.399902	5628.399902	0.933333
6765	003	2469	0.06	2093	1	65	100	3	6	5	7407	5314	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6913.199707	4820.199707	4820.199707	0.933333
6765	004	2459	0.06	1204	1	65	100	3	6	5	7377	6173	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6885.199707	5681.199707	5681.199707	0.933333
6765	005	2449	0.06	1894	1	65	100	3	6	5	7347	5453	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6857.199707	4963.199707	4963.199707	0.933333
6765	006	2294	0.05	1770	1	65	100	3	5	4	6882	5112	RH-1	40	form-based	true		true	0.7	5	1	4	4	6423.199707	4653.199707	4653.199707	0.933333
6765	008	2521	0.06	918	1	65	100	3	6	5	7563	6645	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7058.799805	6140.799805	6140.799805	0.933333
6765	009	2519	0.06	1168	1	65	100	3	6	5	7557	6389	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7053.199707	5885.199707	5885.199707	0.933333
6765	010	2509	0.06	738	1	65	100	3	6	5	7527	6789	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7025.199707	6287.199707	6287.199707	0.933333
6765	011	2508	0.06	1332	1	65	100	3	6	5	7524	6192	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7022.399902	5690.399902	5690.399902	0.933333
6765	012	2506	0.06	934	1	65	100	3	6	5	7518	6584	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7016.799805	6082.799805	6082.799805	0.933333
6765	013	2505	0.06	2544	1	65	100	3	6	5	7515	4971	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7014	4470	4470	0.933333
6765	014	2504	0.06	1612	1	65	100	3	6	5	7512	5900	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	5399.199707	5399.199707	0.933333
6765	015	2503	0.06	996	1	65	100	3	6	5	7509	6513	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	6012.399902	6012.399902	0.933333
6765	016	2502	0.06	825	1	65	100	3	6	5	7506	6681	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7005.600098	6180.600098	6180.600098	0.933333
6765	018	2499	0.06	982	1	65	100	3	6	5	7497	6515	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6997.199707	6015.199707	6015.199707	0.933333
6765	019	2498	0.06	710	1	65	100	3	6	5	7494	6784	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6994.399902	6284.399902	6284.399902	0.933333
6765	020	2497	0.06	746	1	65	100	3	6	5	7491	6745	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6991.600098	6245.600098	6245.600098	0.933333
6765	021	2496	0.06	1029	1	65	100	3	6	5	7488	6459	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6988.799805	5959.799805	5959.799805	0.933333
6765	022	2494	0.06	2346	1	65	100	3	6	5	7482	5136	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6983.199707	4637.199707	4637.199707	0.933333
6765	023	2493	0.06	1460	1	65	100	3	6	5	7479	6019	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	5520.399902	5520.399902	0.933333
6765	024	2492	0.06	1150	1	65	100	3	6	5	7476	6326	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6977.600098	5827.600098	5827.600098	0.933333
6765	025	2491	0.06	1633	1	65	100	3	6	5	7473	5840	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6974.799805	5341.799805	5341.799805	0.933333
6765	026	2515	0.06	2185	1	65	100	3	6	5	7545	5360	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	7042	4857	4857	0.933333
6765	027	2558	0.06	1516	1	65	100	3	6	5	7674	6158	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7162.399902	5646.399902	5646.399902	0.933333
6765	028	2549	0.06	1527	1	65	100	3	6	5	7647	6120	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7137.199707	5610.199707	5610.199707	0.933333
6765	029	2540	0.06	1135	1	65	100	3	6	5	7620	6485	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7112	5977	5977	0.933333
6765	033A	2500	0.06	1140	1	65	100	3	6	5	7500	6360	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5860	5860	0.933333
6765	034	2500	0.06	1205	1	65	100	3	6	5	7500	6295	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5795	5795	0.933333
6765	035	2500	0.06	2624	1	65	100	3	6	5	7500	4876	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4376	4376	0.933333
6765	036	2500	0.06	1092	1	65	100	3	6	5	7500	6408	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5908	5908	0.933333
6765	037	2500	0.06	1479	1	65	100	3	6	5	7500	6021	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5521	5521	0.933333
6765	038	2500	0.06	600	1	65	100	3	6	5	7500	6900	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6400	6400	0.933333
6765	039	2500	0.06	1075	1	65	100	3	6	5	7500	6425	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5925	5925	0.933333
6765	040	2500	0.06	750	1	65	100	3	6	5	7500	6750	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6250	6250	0.933333
6765	041	2500	0.06	1239	1	65	100	3	6	5	7500	6261	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5761	5761	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6765	044	2500	0.06	1159	1	65	100	3	6	5	7500	6341	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5841	5841	0.933333
6765	045	2500	0.06	1298	1	65	100	3	6	5	7500	6202	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5702	5702	0.933333
6765	046	2500	0.06	2000	1	65	100	3	6	5	7500	5500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5000	5000	0.933333
6765	047	2500	0.06	787	1	65	100	3	6	5	7500	6713	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6213	6213	0.933333
6765	048	2500	0.06	786	1	65	100	3	6	5	7500	6714	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6214	6214	0.933333
6765	049	2500	0.06	937	1	65	100	3	6	5	7500	6563	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6063	6063	0.933333
6766	003	2500	0.06	1711	1	75	120	3.5	7	6	8750	7039	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5289	5289	0.8
6766	004	2500	0.06	1498	1	75	120	3.5	7	6	8750	7252	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5502	5502	0.8
6766	007	2500	0.06	1516	1	75	120	3.5	7	6	8750	7234	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5484	5484	0.8
6766	008	2500	0.06	1090	1	75	120	3.5	7	6	8750	7660	RH-1	40	form-based	true		true	0.7	5	0.714285731	4	4	7000	5910	5910	0.8
6766	009	2500	0.06	812	1	75	120	3.5	7	6	8750	7938	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	6188	6188	0.8
6766	010	2500	0.06	1175	1	75	120	3.5	7	6	8750	7575	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5825	5825	0.8
6766	011	2500	0.06	1177	1	65	100	3	6	5	7500	6323	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5823	5823	0.933333
6766	012	2500	0.06	680	1	65	100	3	6	5	7500	6820	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6320	6320	0.933333
6766	013	2500	0.06	1133	1	65	100	3	6	5	7500	6367	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5867	5867	0.933333
6766	016	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5975	5975	0.933333
6766	017	2500	0.06	1541	1	65	100	3	6	5	7500	5959	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5459	5459	0.933333
6766	018	2500	0.06	1252	1	65	100	3	6	5	7500	6248	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5748	5748	0.933333
6766	019	2500	0.06	1055	1	65	100	3	6	5	7500	6445	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5945	5945	0.933333
6766	020	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5900	5900	0.933333
6766	021	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5900	5900	0.933333
6766	022	2500	0.06	1737	1	65	100	3	6	5	7500	5763	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5263	5263	0.933333
6766	023	2500	0.06	740	1	65	100	3	6	5	7500	6760	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6260	6260	0.933333
6766	025	2526	0.06	1131	1	65	100	3	6	5	7578	6447	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	7072.799805	5941.799805	5941.799805	0.933333
6766	026	2526	0.06	1162	1	65	100	3	6	5	7578	6416	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	5910.799805	5910.799805	0.933333
6766	027	2527	0.06	1075	1	65	100	3	6	5	7581	6506	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7075.600098	6000.600098	6000.600098	0.933333
6766	028	2527	0.06	1075	1	65	100	3	6	5	7581	6506	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7075.600098	6000.600098	6000.600098	0.933333
6766	029	2152	0.05	1743	1	65	100	3	5	4	6456	4713	RH-1	40	form-based			true	0.7	5	1	4	4	6025.600098	4282.600098	4282.600098	0.933333
6766	030	2152	0.05	1075	1	65	100	3	5	4	6456	5381	RH-1	40	form-based			true	0.7	5	1	4	4	6025.600098	4950.600098	4950.600098	0.933333
6766	031	2278	0.05	1075	1	65	100	3	5	4	6834	5759	RH-1	40	form-based			true	0.7	5	1	4	4	6378.399902	5303.399902	5303.399902	0.933333
6766	034	2493	0.06	1025	1	65	100	3	6	5	7479	6454	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6980.399902	5955.399902	5955.399902	0.933333
6766	035	2495	0.06	1631	1	65	100	3	6	5	7485	5854	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6986	5355	5355	0.933333
6766	036	2497	0.06	1025	1	65	100	3	6	5	7491	6466	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6991.600098	5966.600098	5966.600098	0.933333
6766	037	2499	0.06	1025	1	65	100	3	6	5	7497	6472	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6997.199707	5972.199707	5972.199707	0.933333
6766	038	2501	0.06	1025	1	65	100	3	6	5	7503	6478	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7002.799805	5977.799805	5977.799805	0.933333
6766	039	2503	0.06	1025	1	65	100	3	6	5	7509	6484	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	5983.399902	5983.399902	0.933333
6766	040	2505	0.06	1025	1	65	100	3	6	5	7515	6490	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7014	5989	5989	0.933333
6766	041	2507	0.06	1025	1	65	100	3	6	5	7521	6496	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7019.600098	5994.600098	5994.600098	0.933333
6766	042	2509	0.06	1025	1	65	100	3	6	5	7527	6502	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7025.199707	6000.199707	6000.199707	0.933333
6766	043	2511	0.06	1025	1	65	100	3	6	5	7533	6508	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7030.799805	6005.799805	6005.799805	0.933333
6766	044	2513	0.06	1563	1	65	100	3	6	5	7539	5976	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7036.399902	5473.399902	5473.399902	0.933333
6766	045	2515	0.06	1025	1	65	100	3	6	5	7545	6520	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7042	6017	6017	0.933333
6766	046	2517	0.06	1311	1	65	100	3	6	5	7551	6240	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7047.600098	5736.600098	5736.600098	0.933333
6766	047	2519	0.06	1075	1	75	120	3.5	7	6	8816	7741	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7053.199707	5978.199707	5978.199707	0.800045
6766	048	2521	0.06	1632	1	75	120	3.5	7	6	8824	7192	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7058.799805	5426.799805	5426.799805	0.799955
6766	049	2224	0.05	1676	1	65	100	3	5	4	6672	4996	RH-1	40	form-based	true		true	0.7	5	1	4	4	6227.199707	4551.199707	4551.199707	0.933333
6766	053	2500	0.06	3399	1	65	100	3	6	5	7500	4101	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	3601	3601	0.933333
6768	010	2059	0.05	1492	2	75	120	3.5	6	4	7206	5714	RH-2	50	form-based			true	0.7	6	1	4	4	7206.5	5714.5	5714.5	1.000069
6768	019	2618	0.06	1794	1	75	120	3.5	7	6	9163	7369	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7330.399902	5536.399902	5536.399902	0.8
6768	033	2125	0.05	2002	2	75	120	3.5	6	4	7438	5436	RH-2	50	form-based			true	0.7	6	1	4	4	7437.5	5435.5	5435.5	0.999933
6768	040	5000	0.11	7060	10	75	120	3.5	13	3	17500	10440	RH-2	50	form-based			true	0.7	14	1.076923132	4	4	17500	10440	10440	1
6769	003	2500	0.06	1117	1	75	120	3.5	7	6	8750	7633	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5883	5883	0.8
6769	004	2500	0.06	850	1	75	120	3.5	7	6	8750	7900	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	6150	6150	0.8
6769	007	2579	0.06	855	1	75	120	3.5	7	6	9026	8171	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	7221.199707	6366.199707	6366.199707	0.800044
6769	009	2568	0.06	1450	1	65	100	3	6	5	7704	6254	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7190.399902	5740.399902	5740.399902	0.933333
6769	010	2563	0.06	1450	1	65	100	3	6	5	7689	6239	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7176.399902	5726.399902	5726.399902	0.933333
6769	011	2558	0.06	1450	1	65	100	3	6	5	7674	6224	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7162.399902	5712.399902	5712.399902	0.933333
6769	012	2552	0.06	1570	1	65	100	3	6	5	7656	6086	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7145.600098	5575.600098	5575.600098	0.933333
6769	013	2547	0.06	1450	1	65	100	3	6	5	7641	6191	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7131.600098	5681.600098	5681.600098	0.933333
6769	014	2542	0.06	815	1	65	100	3	6	5	7626	6811	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7117.600098	6302.600098	6302.600098	0.933333
6769	015	2536	0.06	815	1	65	100	3	6	5	7608	6793	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7100.799805	6285.799805	6285.799805	0.933333
6769	016	2531	0.06	1249	1	65	100	3	6	5	7593	6344	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	5837.799805	5837.799805	0.933333
6769	029	2524	0.06	1530	1	65	100	3	6	5	7572	6042	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	5537.199707	5537.199707	0.933333
6769	030	2524	0.06	1305	1	65	100	3	6	5	7572	6267	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	5762.199707	5762.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6769	031	2524	0.06	1665	1	65	100	3	6	5	7572	5907	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7067.199707	5402.199707	5402.199707	0.933333
6769	033	2500	0.06	875	1	65	100	3	6	5	7500	6625	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6125	6125	0.933333
6769	034	2500	0.06	850	1	65	100	3	6	5	7500	6650	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6150	6150	0.933333
6769	035	2500	0.06	850	1	65	100	3	6	5	7500	6650	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6150	6150	0.933333
6769	036	2500	0.06	1487	1	65	100	3	6	5	7500	6013	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5513	5513	0.933333
6769	037	2500	0.06	1799	1	65	100	3	6	5	7500	5701	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5201	5201	0.933333
6769	038	2500	0.06	825	1	65	100	3	6	5	7500	6675	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6175	6175	0.933333
6769	041	2500	0.06	2575	1	65	100	3	6	5	7500	4925	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4425	4425	0.933333
6769	042	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5700	5700	0.933333
6769	044	2500	0.06	1217	1	65	100	3	6	5	7500	6283	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5783	5783	0.933333
6769	045	2500	0.06	1700	1	65	100	3	6	5	7500	5800	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5300	5300	0.933333
6769	046	2500	0.06	945	1	65	100	3	6	5	7500	6555	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6055	6055	0.933333
6769	047	2500	0.06	1740	1	65	100	3	6	5	7500	5760	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5260	5260	0.933333
6769	048	2500	0.06	1280	1	75	120	3.5	7	6	8750	7470	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5720	5720	0.8
6770	003	2500	0.06	963	1	65	100	3	6	5	7500	6537	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6037	6037	0.933333
6770	004	2500	0.06	980	1	65	100	3	6	5	7500	6520	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6020	6020	0.933333
6770	007	2447	0.06	799	1	65	100	3	6	5	7341	6542	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6851.600098	6052.600098	6052.600098	0.933333
6770	010	2454	0.06	1156	1	65	100	3	6	5	7362	6206	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6871.199707	5715.199707	5715.199707	0.933333
6770	011	2457	0.06	1510	1	65	100	3	6	5	7371	5861	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6879.600098	5369.600098	5369.600098	0.933333
6770	012	2459	0.06	942	1	65	100	3	6	5	7377	6435	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6885.199707	5943.199707	5943.199707	0.933333
6770	022	2483	0.06	1176	1	65	100	3	6	5	7449	6273	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6952.399902	5776.399902	5776.399902	0.933333
6770	024	2488	0.06	531	1	65	100	3	6	5	7464	6933	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6966.399902	6435.399902	6435.399902	0.933333
6770	025	2491	0.06	2866	1	65	100	3	6	5	7473	4607	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6974.799805	4108.799805	4108.799805	0.933333
6770	029	2480	0.06	1475	1	65	100	3	6	5	7440	5965	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6944	5469	5469	0.933333
6770	033	2535	0.06	1673	1	65	100	3	6	5	7605	5932	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7098	5425	5425	0.933333
6770	034	2537	0.06	798	1	65	100	3	6	5	7611	6813	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7103.600098	6305.600098	6305.600098	0.933333
6770	035	2539	0.06	1000	1	65	100	3	6	5	7617	6617	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7109.199707	6109.199707	6109.199707	0.933333
6770	036	2541	0.06	1300	1	65	100	3	6	5	7623	6323	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7114.799805	5814.799805	5814.799805	0.933333
6770	037	2544	0.06	1171	1	65	100	3	6	5	7632	6461	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7123.199707	5952.199707	5952.199707	0.933333
6770	039	2548	0.06	1429	1	65	100	3	6	5	7644	6215	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7134.399902	5705.399902	5705.399902	0.933333
6770	041	2552	0.06	1337	1	65	100	3	6	5	7656	6319	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7145.600098	5808.600098	5808.600098	0.933333
6770	042	2554	0.06	850	1	65	100	3	6	5	7662	6812	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7151.199707	6301.199707	6301.199707	0.933333
6770	043	2557	0.06	1475	1	65	100	3	6	5	7671	6196	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7159.600098	5684.600098	5684.600098	0.933333
6770	045	2561	0.06	2500	1	65	100	3	6	5	7683	5183	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7170.799805	4670.799805	4670.799805	0.933333
6770	046	2563	0.06	1266	1	65	100	3	6	5	7689	6423	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7176.399902	5910.399902	5910.399902	0.933333
6770	047	2565	0.06	987	1	65	100	3	6	5	7695	6708	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7182	6195	6195	0.933333
6770	048	2567	0.06	1245	1	65	100	3	6	5	7701	6456	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	5942.600098	5942.600098	0.933333
6771	002	2479	0.06	2742	1	65	100	3	6	5	7437	4695	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6941.199707	4199.199707	4199.199707	0.933333
6771	003	2479	0.06	1260	1	65	100	3	6	5	7437	6177	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6941.199707	5681.199707	5681.199707	0.933333
6771	004	2479	0.06	1935	1	65	100	3	6	5	7437	5502	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6941.199707	5006.199707	5006.199707	0.933333
6771	005	2346	0.05	1344	1	65	100	3	5	4	7038	5694	RH-1	40	form-based	true		true	0.7	5	1	4	4	6568.799805	5224.799805	5224.799805	0.933333
6771	006A	2393	0.05	926	1	65	100	3	5	4	7179	6253	RH-1	40	form-based			true	0.7	5	1	4	4	6700.399902	5774.399902	5774.399902	0.933333
6771	014	2774	0.06	1920	2	65	100	3	6	4	8322	6402	RH-1	40	form-based			true	0.7	6	1	4	4	7767.199707	5847.199707	5847.199707	0.933333
6771	023	2422	0.06	1475	1	65	100	3	6	5	7266	5791	RH-1	40	form-based	true		true	0.7	5	0.833333313	4	4	6781.600098	5306.600098	5306.600098	0.933333
6771	026	2500	0.06	1260	1	65	100	3	6	5	7500	6240	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5740	5740	0.933333
6771	027	2500	0.06	1569	1	65	100	3	6	5	7500	5931	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5431	5431	0.933333
6771	029	2504	0.06	2959	1	65	100	3	6	5	7512	4553	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	4052.199707	4052.199707	0.933333
6771	030	2507	0.06	2179	1	65	100	3	6	5	7521	5342	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7019.600098	4840.600098	4840.600098	0.933333
6771	031	2509	0.06	1642	1	65	100	3	6	5	7527	5885	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7025.199707	5383.199707	5383.199707	0.933333
6771	048	2551	0.06	2035	1	65	100	3	6	5	7653	5618	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7142.799805	5107.799805	5107.799805	0.933333
6771	050	2500	0.06	2021	1	65	100	3	6	5	7500	5479	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4979	4979	0.933333
6771	051	2500	0.06	1400	1	65	100	3	6	5	7500	6100	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5600	5600	0.933333
6771	052	2844	0.07	1103	2	65	100	3	7	5	8532	7429	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	7963.199707	6860.199707	6860.199707	0.933333
6772	002	2198	0.05	1355	1	65	100	3	5	4	6594	5239	RH-2	40	form-based			true	0.7	5	1	4	4	6154.399902	4799.399902	4799.399902	0.933333
6772	006	2258	0.05	1064	1	65	100	3	5	4	6774	5710	RH-1	40	form-based			true	0.7	5	1	4	4	6322.399902	5258.399902	5258.399902	0.933333
6772	007	2449	0.06	1185	1	65	100	3	6	5	7347	6162	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6857.199707	5672.199707	5672.199707	0.933333
6772	008	2516	0.06	1184	1	65	100	3	6	5	7548	6364	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	5860.799805	5860.799805	0.933333
6772	021	2500	0.06	1532	1	65	100	3	6	5	7500	5968	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5468	5468	0.933333
6772	022	2500	0.06	1075	1	65	100	3	6	5	7500	6425	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5925	5925	0.933333
6772	023	2500	0.06	1075	1	65	100	3	6	5	7500	6425	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5925	5925	0.933333
6772	035	2571	0.06	1640	1	65	100	3	6	5	7713	6073	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7198.799805	5558.799805	5558.799805	0.933333
6772	036	2567	0.06	1000	1	65	100	3	6	5	7701	6701	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	6187.600098	6187.600098	0.933333
6772	037	2313	0.05	1440	1	65	100	3	5	4	6939	5499	RH-2	40	form-based			true	0.7	5	1	4	4	6476.399902	5036.399902	5036.399902	0.933333
6772	038	2184	0.05	1450	1	65	100	3	5	4	6552	5102	RH-2	40	form-based			true	0.7	5	1	4	4	6115.199707	4665.199707	4665.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6774	001	2478	0.06	984	1	65	100	3	6	5	7434	6450	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6938.399902	5954.399902	5954.399902	0.933333
6774	002	2478	0.06	1100	1	65	100	3	6	5	7434	6334	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6938.399902	5838.399902	5838.399902	0.933333
6774	005	2485	0.06	1150	1	65	100	3	6	5	7455	6305	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6958	5808	5808	0.933333
6774	009	2149	0.05	1132	1	65	100	3	5	4	6447	5315	RH-1	40	form-based			true	0.7	5	1	4	4	6017.199707	4885.199707	4885.199707	0.933333
6774	010	2470	0.06	1424	1	65	100	3	6	5	7410	5986	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6916	5492	5492	0.933333
6774	023	2507	0.06	920	1	65	100	3	6	5	7521	6601	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7019.600098	6099.600098	6099.600098	0.933333
6774	024	2500	0.06	846	1	65	100	3	6	5	7500	6654	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6154	6154	0.933333
6774	025	2500	0.06	998	1	65	100	3	6	5	7500	6502	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6002	6002	0.933333
6774	026	2500	0.06	2050	1	65	100	3	6	5	7500	5450	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4950	4950	0.933333
6774	027	2500	0.06	1604	1	65	100	3	6	5	7500	5896	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5396	5396	0.933333
6774	028	2500	0.06	759	1	65	100	3	6	5	7500	6741	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6241	6241	0.933333
6774	029	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5950	5950	0.933333
6774	030	2500	0.06	935	1	65	100	3	6	5	7500	6565	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6065	6065	0.933333
6774	031	2500	0.06	939	1	65	100	3	6	5	7500	6561	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7000	6061	6061	0.933333
6774	035	2807	0.06	1500	2	65	100	3	6	4	8421	6921	RH-1	40	form-based			true	0.7	6	1	4	4	7859.600098	6359.600098	6359.600098	0.933333
6779	078	3606	0.08	2692	0	65	100	3	8	8	10818	8126	RH-1	40	density-lim	3000			0.7	4	0.5	4	4	10096.7998	7404.799805	7404.799805	0.933333
6780	010	2467	0.06	970	0	65	100	3	6	6	7401	6431	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	6907.600098	5937.600098	5937.600098	0.933333
6782	020	47	0	0	0	75	120	3.5	0	0	164	164	RH-1	40	density-lim	3000			0.7	4		4	4	131.5999908	131.5999908	131.5999908	0.802439
6784	007	2500	0.06	0	0	75	120	3.5	7	7	8750	8750	RH-1	40	density-lim	3000			0.7	4	0.571428597	4	4	7000	7000	7000	0.8
6784	011	2500	0.06	0	0	75	120	3.5	7	7	8750	8750	RH-1	40	density-lim	3000			0.7	4	0.571428597	4	4	7000	7000	7000	0.8
6786	008	45	0	0	0	65	100	3	0	0	135	135	RH-1	40	density-lim	3000			0.7	4		4	4	126	126	126	0.933333
6786	029	876	0.02	1500	2	75	120	3.5	2	0	3066	1566	RH-1	40	density-lim	3000	true		0.7	6	3	4	2	2452.800049	952.8000488	952.8000488	0.8
6786	092	702	0.02	0	0	75	120	3.5	2	2	2457	2457	RH-1	40	density-lim	3000			0.7	4	2	4	4	1965.599976	1965.599976	1965.599976	0.8
6786	095	5352	0.12	0	0	75	120	3.5	14	14	18732	18732	RH-1	40	density-lim	3000			0.7	4	0.285714298	4	4	14985.59961	14985.59961	14985.59961	0.8
6793	011	3349	0.08	2076	0	85	140	4	11	11	13396	11320	NC-1	40	density-lim	800			0.75	4	0.363636374	4	4	10047	7971	7971	0.75
6795C	002B	72	0	0	0	65	100	3	0	0	216	216	RH-1	40	density-lim	3000			0.7	4		4	4	201.5999908	201.5999908	201.5999908	0.933333
6795C	016	2615	0.06	1853	0	65	100	3	6	6	7845	5992	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7322	5469	5469	0.933333
6795C	034	2692	0.06	1945	0	65	100	3	6	6	8076	6131	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7537.600098	5592.600098	5592.600098	0.933333
6796	006	2500	0.06	3000	0	65	100	3	6	6	7500	4500	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	4	4	7500	4500	4500	1
6796	007	2500	0.06	2453	0	65	100	3	6	6	7500	5047	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	4	4	7500	5047	5047	1
6796	011	2586	0.06	2643	0	65	100	3	6	6	7758	5115	NCD-EXCE	40	density-lim	600	true		0.75	4	0.666666687	4	4	7758	5115	5115	1
6796	050	8250	0.19	5653	0	65	100	3	19	19	24750	19097	RH-1	40	density-lim	3000			0.7	4	0.210526317	4	4	23100	17447	17447	0.933333
6797	003	2500	0.06	2528	0	65	100	3	6	6	7500	4972	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	4	4	7500	4972	4972	1
6798	004	2766	0.06	1358	1	65	100	3	6	5	8298	6940	NCD-EXCE	40	density-lim	600			0.75	5	0.833333313	4	4	8298	6940	6940	1
6798	005	2652	0.06	2375	0	65	100	3	6	6	7956	5581	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	4	4	7956	5581	5581	1
6798	007	2536	0.06	1212	0	65	100	3	6	6	7608	6396	NCD-EXCE	40	density-lim	600	true		0.75	4	0.666666687	4	4	7608	6396	6396	1
6799	003	2892	0.07	0	1	65	100	3	7	6	8676	8676	NCD-EXCE	40	density-lim	600			0.75	5	0.714285731	4	4	8676	8676	8676	1
6799	005	2624	0.06	3126	0	65	100	3	6	6	7872	4746	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	4	4	7872	4746	4746	1
6799	038	2502	0.06	0	0	65	100	3	6	6	7506	7506	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7005.600098	7005.600098	7005.600098	0.933333
6799	041	1253	0.03	685	0	65	100	3	3	3	3759	3074	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	3508.399902	2823.399902	2823.399902	0.933333
6800	046	2364	0.05	0	0	65	100	3	5	5	7092	7092	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	4	4	7092	7092	7092	1
6800	049	3915	0.09	0	0	65	100	3	9	9	11745	11745	RH-1	40	density-lim	3000			0.7	4	0.444444448	4	4	10962	10962	10962	0.933333
6804	001	2268	0.05	4055	0	65	100	3	5	5	6804	2749	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	4	4	6804	2749	2749	1
6934	018	2815	0.06	1300	2	65	100	3	6	4	8445	7145	RH-1	40	form-based			true	0.7	6	1	4	4	7882	6582	6582	0.933333
6913	041	2107	0.05	1515	0	65	100	3	5	5	6321	4806	RH-1(D)	40	form-based		true	true	0.7	4	0.800000012	4	4	5899.600098	4384.600098	4384.600098	0.933333
6933	007	2815	0.06	1250	2	65	100	3	6	4	8445	7195	RH-1	40	form-based			true	0.7	6	1	4	4	7882	6632	6632	0.933333
6933	011	2498	0.06	1520	1	65	100	3	6	5	7494	5974	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6994.399902	5474.399902	5474.399902	0.933333
6933	029	2609	0.06	1530	1	85	140	4	8	7	10436	8906	RH-1	40	form-based			true	0.7	5	0.625	4	4	7305.199707	5775.199707	5775.199707	0.7
6933	030	2608	0.06	1500	1	85	140	4	8	7	10432	8932	RH-1	40	form-based			true	0.7	5	0.625	4	4	7302.399902	5802.399902	5802.399902	0.7
6934	002	2824	0.06	2200	2	65	100	3	6	4	8472	6272	RH-2	40	form-based			true	0.7	6	1	4	4	7907.199707	5707.199707	5707.199707	0.933333
6934	007	2517	0.06	1554	1	65	100	3	6	5	7551	5997	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7047.600098	5493.600098	5493.600098	0.933333
6934	012	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5500	5500	0.933333
6934	013	2500	0.06	1533	1	65	100	3	6	5	7500	5967	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5467	5467	0.933333
6934	014	2500	0.06	1370	1	65	100	3	6	5	7500	6130	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5630	5630	0.933333
6934	028	1750	0.04	9900	0	65	100	3	4	4	5250	0	RH-2	40	form-based			true	0.7	4	1	4	4	4900	0	0	0.933333
6935	003	2808	0.06	3325	2	65	100	3	6	4	8424	5099	RH-2	40	form-based			true	0.7	6	1	4	4	7862.399902	4537.399902	4537.399902	0.933333
6935	005	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5500	5500	0.933333
6935	006	2500	0.06	1561	1	65	100	3	6	5	7500	5939	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5439	5439	0.933333
6935	007	2500	0.06	1189	1	65	100	3	6	5	7500	6311	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5811	5811	0.933333
6935	008	2500	0.06	2110	1	65	100	3	6	5	7500	5390	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4890	4890	0.933333
6935	009	2500	0.06	1602	1	65	100	3	6	5	7500	5898	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5398	5398	0.933333
6935	016	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5500	5500	0.933333
6936	002	2520	0.06	1977	1	85	140	4	8	7	10080	8103	RH-2	40	form-based			true	0.7	5	0.625	4	4	7056	5079	5079	0.7
6936	006	2500	0.06	1281	1	85	140	4	8	7	10000	8719	RH-2	40	form-based			true	0.7	5	0.625	4	4	7000	5719	5719	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6936	007	2500	0.06	1870	1	85	140	4	8	7	10000	8130	RH-2	40	form-based			true	0.7	5	0.625	4	4	7000	5130	5130	0.7
6936	008	2500	0.06	2657	1	65	100	3	6	5	7500	4843	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4343	4343	0.933333
6936	009	2500	0.06	1365	1	65	100	3	6	5	7500	6135	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	7000	5635	5635	0.933333
6937	001	2517	0.06	1250	1	65	100	3	6	5	7551	6301	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	7047.600098	5797.600098	5797.600098	0.933333
6937	017	2505	0.06	1955	1	65	100	3	6	5	7515	5560	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7014	5059	5059	0.933333
6937	021	2500	0.06	1317	1	65	100	3	6	5	7500	6183	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5683	5683	0.933333
6937	024	2300	0.05	696	1	65	100	3	5	4	6900	6204	RH-2	40	form-based			true	0.7	5	1	4	4	6440	5744	5744	0.933333
6937	026	2813	0.06	1815	2	65	100	3	6	4	8439	6624	RH-2	40	form-based			true	0.7	6	1	4	4	7876.399902	6061.399902	6061.399902	0.933333
6937	044	2543	0.06	1175	1	65	100	3	6	5	7629	6454	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7120.399902	5945.399902	5945.399902	0.933333
6937	045	2543	0.06	1244	1	65	100	3	6	5	7629	6385	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7120.399902	5876.399902	5876.399902	0.933333
6937	046	2542	0.06	2184	1	65	100	3	6	5	7626	5442	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7117.600098	4933.600098	4933.600098	0.933333
6937	047	2542	0.06	1190	1	65	100	3	6	5	7626	6436	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7117.600098	5927.600098	5927.600098	0.933333
6937	048	2541	0.06	1825	1	65	100	3	6	5	7623	5798	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7114.799805	5289.799805	5289.799805	0.933333
6937	049	2597	0.06	1979	1	65	100	3	6	5	7791	5812	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7271.600098	5292.600098	5292.600098	0.933333
6938	018	2582	0.06	1125	1	65	100	3	6	5	7746	6621	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	7229.600098	6104.600098	6104.600098	0.933333
6938	019	2500	0.06	1040	1	65	100	3	6	5	7500	6460	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5960	5960	0.933333
6938	021	2500	0.06	875	1	65	100	3	6	5	7500	6625	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6125	6125	0.933333
6938	022	2500	0.06	850	1	65	100	3	6	5	7500	6650	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6150	6150	0.933333
6938	023	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6050	6050	0.933333
6938	044	2508	0.06	1320	1	65	100	3	6	5	7524	6204	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7022.399902	5702.399902	5702.399902	0.933333
6938	045	2505	0.06	518	1	65	100	3	6	5	7515	6997	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7014	6496	6496	0.933333
6938	046	2503	0.06	1685	1	65	100	3	6	5	7509	5824	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	5323.399902	5323.399902	0.933333
6938	047	2500	0.06	1710	1	65	100	3	6	5	7500	5790	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5290	5290	0.933333
6938	048	2498	0.06	2071	1	65	100	3	6	5	7494	5423	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6994.399902	4923.399902	4923.399902	0.933333
6938	049	2495	0.06	1145	1	65	100	3	6	5	7485	6340	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6986	5841	5841	0.933333
6939	016	2817	0.06	1290	2	65	100	3	6	4	8451	7161	RH-1	40	form-based			true	0.7	6	1	4	4	7887.600098	6597.600098	6597.600098	0.933333
6939	018	2521	0.06	1100	1	65	100	3	6	5	7563	6463	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	7058.799805	5958.799805	5958.799805	0.933333
6939	019	2500	0.06	905	1	65	100	3	6	5	7500	6595	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6095	6095	0.933333
6939	020	2500	0.06	1030	1	65	100	3	6	5	7500	6470	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5970	5970	0.933333
6939	021	2500	0.06	1464	1	65	100	3	6	5	7500	6036	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5536	5536	0.933333
6939	022	2500	0.06	1960	1	65	100	3	6	5	7500	5540	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5040	5040	0.933333
6939	023	2500	0.06	2125	1	65	100	3	6	5	7500	5375	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4875	4875	0.933333
6939	024	2500	0.06	1425	1	65	100	3	6	5	7500	6075	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5575	5575	0.933333
6939	025	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5500	5500	0.933333
6939	044	2491	0.06	875	1	65	100	3	6	5	7473	6598	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6974.799805	6099.799805	6099.799805	0.933333
6939	045	2495	0.06	1600	1	65	100	3	6	5	7485	5885	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6986	5386	5386	0.933333
6939	046	2499	0.06	2824	1	65	100	3	6	5	7497	4673	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6997.199707	4173.199707	4173.199707	0.933333
6939	047	2504	0.06	1276	1	65	100	3	6	5	7512	6236	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	5735.199707	5735.199707	0.933333
6939	048	2508	0.06	1758	1	65	100	3	6	5	7524	5766	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7022.399902	5264.399902	5264.399902	0.933333
6939	049	2513	0.06	1634	1	65	100	3	6	5	7539	5905	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7036.399902	5402.399902	5402.399902	0.933333
6940	012	2798	0.06	1922	2	65	100	3	6	4	8394	6472	RH-1	40	form-based			true	0.7	6	1	4	4	7834.399902	5912.399902	5912.399902	0.933333
6940	014	2798	0.06	1500	2	65	100	3	6	4	8394	6894	RH-1	40	form-based			true	0.7	6	1	4	4	7834.399902	6334.399902	6334.399902	0.933333
6941	021	2806	0.06	3889	2	65	100	3	6	4	8418	4529	RH-2	40	form-based			true	0.7	6	1	4	4	7856.799805	3967.799805	3967.799805	0.933333
6940	020	3000	0.07	2700	3	65	100	3	7	4	9000	6300	NC-1	40	form-based			true	0.75	7	1	4	4	9000	6300	6300	1
6940	023	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5900	5900	0.933333
6940	024	2500	0.06	1652	1	65	100	3	6	5	7500	5848	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5348	5348	0.933333
6941	020	2807	0.06	1408	2	65	100	3	6	4	8421	7013	RH-2	40	form-based			true	0.7	6	1	4	4	7859.600098	6451.600098	6451.600098	0.933333
6941	024	2613	0.06	1224	1	65	100	3	6	5	7839	6615	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7316.399902	6092.399902	6092.399902	0.933333
6941	028	2500	0.06	672	1	65	100	3	6	5	7500	6828	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6328	6328	0.933333
6941	029	2500	0.06	1343	1	65	100	3	6	5	7500	6157	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5657	5657	0.933333
6941	030	2500	0.06	1770	1	65	100	3	6	5	7500	5730	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5230	5230	0.933333
6941	034	2756	0.06	2922	2	65	100	3	6	4	8268	5346	RH-2	40	form-based			true	0.7	6	1	4	4	7716.799805	4794.799805	4794.799805	0.933333
6941	040	2812	0.06	2300	2	65	100	3	6	4	8436	6136	RH-2	40	form-based			true	0.7	6	1	4	4	7873.600098	5573.600098	5573.600098	0.933333
6941	055	2812	0.06	1936	2	65	100	3	6	4	8436	6500	RH-2	40	form-based			true	0.7	6	1	4	4	7873.600098	5937.600098	5937.600098	0.933333
6941	056	2500	0.06	1350	1	85	140	4	8	7	10000	8650	RH-2	40	form-based			true	0.7	5	0.625	4	4	7000	5650	5650	0.7
6941	057	2500	0.06	1932	1	85	140	4	8	7	10000	8068	RH-2	40	form-based			true	0.7	5	0.625	4	4	7000	5068	5068	0.7
6942	019	2923	0.07	2100	2	65	100	3	7	5	8769	6669	RH-2	40	form-based			true	0.7	6	0.857142866	4	4	8184.399902	6084.399902	6084.399902	0.933333
6942	025	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
6942	026	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5900	5900	0.933333
6942	027	2500	0.06	2222	1	65	100	3	6	5	7500	5278	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4778	4778	0.933333
6942	028	2500	0.06	1090	1	65	100	3	6	5	7500	6410	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5910	5910	0.933333
6942	029	2500	0.06	1169	1	65	100	3	6	5	7500	6331	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	7000	5831	5831	0.933333
6942	040	2815	0.06	2060	2	65	100	3	6	4	8445	6385	RH-2	40	form-based			true	0.7	6	1	4	4	7882	5822	5822	0.933333
6943	003	2776	0.06	2108	2	65	100	3	6	4	8328	6220	RH-2	40	form-based			true	0.7	6	1	4	4	7772.799805	5664.799805	5664.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6943	004	2777	0.06	3489	2	65	100	3	6	4	8331	4842	RH-2	40	form-based			true	0.7	6	1	4	4	7775.600098	4286.600098	4286.600098	0.933333
6943	008	2783	0.06	2202	2	65	100	3	6	4	8349	6147	RH-2	40	form-based			true	0.7	6	1	4	4	7792.399902	5590.399902	5590.399902	0.933333
6943	020	2500	0.06	1320	1	65	100	3	6	5	7500	6180	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5680	5680	0.933333
6943	022	2500	0.06	1965	1	65	100	3	6	5	7500	5535	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5035	5035	0.933333
6943	023	2500	0.06	1558	1	65	100	3	6	5	7500	5942	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5442	5442	0.933333
6943	033	2461	0.06	1865	1	65	100	3	6	5	7383	5518	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6890.799805	5025.799805	5025.799805	0.933333
6943	035	2812	0.06	2807	2	65	100	3	6	4	8436	5629	RH-2	40	form-based			true	0.7	6	1	4	4	7873.600098	5066.600098	5066.600098	0.933333
6943	041	2812	0.06	1842	2	65	100	3	6	4	8436	6594	RH-2	40	form-based			true	0.7	6	1	4	4	7873.600098	6031.600098	6031.600098	0.933333
6943	051	2793	0.06	2344	2	65	100	3	6	4	8379	6035	RH-2	40	form-based			true	0.7	6	1	4	4	7820.399902	5476.399902	5476.399902	0.933333
6944	002	2855	0.07	2022	2	85	140	4	10	8	11420	9398	RH-2	40	form-based			true	0.7	6	0.600000024	4	4	7994	5972	5972	0.7
6944	006	2798	0.06	3000	2	65	100	3	6	4	8394	5394	RH-2	40	form-based			true	0.7	6	1	4	4	7834.399902	4834.399902	4834.399902	0.933333
6944	009	2796	0.06	3000	2	65	100	3	6	4	8388	5388	RH-2	40	form-based			true	0.7	6	1	4	4	7828.799805	4828.799805	4828.799805	0.933333
6944	016	2500	0.06	1363	1	65	100	3	6	5	7500	6137	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5637	5637	0.933333
6944	031	2813	0.06	3047	2	65	100	3	6	4	8439	5392	RH-2	40	form-based			true	0.7	6	1	4	4	7876.399902	4829.399902	4829.399902	0.933333
6944	032	2813	0.06	2418	2	85	140	4	8	6	11252	8834	RH-2	40	form-based			true	0.7	6	0.75	4	4	7876.399902	5458.399902	5458.399902	0.7
6945	005	2499	0.06	1016	1	65	100	3	6	5	7497	6481	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6997.199707	5981.199707	5981.199707	0.933333
6945	012	2587	0.06	1925	1	65	100	3	6	5	7761	5836	RH-2	40	form-based		true	true	0.7	5	0.833333313	4	4	7243.600098	5318.600098	5318.600098	0.933333
6945	013	2500	0.06	930	1	65	100	3	6	5	7500	6570	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	6070	6070	0.933333
6945	015	2500	0.06	1745	1	65	100	3	6	5	7500	5755	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5255	5255	0.933333
6945	016	2500	0.06	2040	1	65	100	3	6	5	7500	5460	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	4960	4960	0.933333
6945	017	2500	0.06	1935	1	65	100	3	6	5	7500	5565	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5065	5065	0.933333
6945	018	2425	0.06	1012	1	65	100	3	6	5	7275	6263	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6790	5778	5778	0.933333
6945	023	2813	0.06	2500	2	65	100	3	6	4	8439	5939	RH-2	40	form-based			true	0.7	6	1	4	4	7876.399902	5376.399902	5376.399902	0.933333
6945	024	2813	0.06	3000	2	65	100	3	6	4	8439	5439	RH-2	40	form-based			true	0.7	6	1	4	4	7876.399902	4876.399902	4876.399902	0.933333
6945	025	2812	0.06	2058	2	65	100	3	6	4	8436	6378	RH-2	40	form-based			true	0.7	6	1	4	4	7873.600098	5815.600098	5815.600098	0.933333
6945	027	2475	0.06	2143	1	65	100	3	6	5	7425	5282	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6930	4787	4787	0.933333
6945	028	2475	0.06	1514	1	65	100	3	6	5	7425	5911	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6930	5416	5416	0.933333
6946	021	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
6946	022	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7000	6200	6200	0.933333
6946	023	2500	0.06	1563	1	65	100	3	6	5	7500	5937	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5437	5437	0.933333
6946	024	2500	0.06	1613	1	65	100	3	6	5	7500	5887	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5387	5387	0.933333
6946	026	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5875	5875	0.933333
6946	027	2500	0.06	850	1	65	100	3	6	5	7500	6650	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6150	6150	0.933333
6946	028	2500	0.06	1689	1	65	100	3	6	5	7500	5811	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5311	5311	0.933333
6946	029	2499	0.06	1695	1	65	100	3	6	5	7497	5802	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6997.199707	5302.199707	5302.199707	0.933333
6946	055	2445	0.06	1095	1	85	140	4	8	7	9780	8685	RH-1	40	form-based			true	0.7	5	0.625	4	4	6846	5751	5751	0.7
6947	003B	2143	0.05	1920	1	75	120	3.5	6	5	7500	5580	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	6000.399902	4080.399902	4080.399902	0.800053
6947	009	2159	0.05	1659	1	75	120	3.5	6	5	7556	5897	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6045.199707	4386.199707	4386.199707	0.800053
6947	016	2310	0.05	1712	1	85	140	4	7	6	9240	7528	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6468	4756	4756	0.7
6951	021	2929	0.07	1080	0	65	100	3	7	7	8787	7707	NC-1	40	density-lim	800			0.75	4	0.571428597	4	4	8787	7707	7707	1
6951	EASE	5832	0.13	0	0	65	100	3	13	13	17496	17496	RH-1	40	density-lim	3000			0.7	4	0.307692319	4	4	16329.59961	16329.59961	16329.59961	0.933333
6953	007	2518	0.06	0	0	65	100	3	6	6	7554	7554	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7050.399902	7050.399902	7050.399902	0.933333
6953	022	2700	0.06	2320	2	65	100	3	6	4	8100	5780	RH-1	40	density-lim	3000	true		0.7	6	1	4	4	7560	5240	5240	0.933333
6953	032	2272	0.05	3720	2	65	100	3	5	3	6816	3096	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	4	4	6361.600098	2641.600098	2641.600098	0.933333
6953	038	2433	0.06	2529	0	65	100	3	6	6	7299	4770	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	6812.399902	4283.399902	4283.399902	0.933333
6953	064	625	0.01	0	0	65	100	3	1	1	1875	1875	RH-1	40	density-lim	3000			0.7	4	4	4	2	1750	1750	1750	0.933333
6954	037	2634	0.06	956	0	65	100	3	6	6	7902	6946	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7375.199707	6419.199707	6419.199707	0.933333
6954	038	2592	0.06	1660	0	65	100	3	6	6	7776	6116	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7257.600098	5597.600098	5597.600098	0.933333
6955	012	2509	0.06	2112	0	55	80	2.5	5	5	6272	4160	NCD-EXCE	65	density-lim	600			0.75	4	0.800000012	4	4	11290.5	9178.5	9178.5	1.800143
6955	014	2509	0.06	440	0	55	80	2.5	5	5	6272	5832	NCD-EXCE	65	density-lim	600			0.75	4	0.800000012	4	4	11290.5	10850.5	10850.5	1.800143
6955	045	2079	0.05	2686	2	55	80	2.5	4	2	5198	2512	RH-2	40	density-lim	1500	true		0.7	6	1.5	4	4	5821.199707	3135.199707	3135.199707	1.119892
6955	049	2952	0.07	3870	0	55	80	2.5	6	6	7380	3510	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	8265.599609	4395.599609	4395.599609	1.12
6956	016	2941	0.07	0	0	55	80	2.5	6	6	7352	7352	RH-2	40	density-lim	1500			0.7	4	0.666666687	4	4	8234.799805	8234.799805	8234.799805	1.120076
6956	032	1879	0.04	1350	2	55	80	2.5	3	1	4698	3348	RH-2	40	density-lim	1500	true		0.7	6	2	4	4	5261.199707	3911.199707	3911.199707	1.119881
6968	009	2301	0.05	1675	0	65	100	3	5	5	6903	5228	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	4	4	6903	5228	5228	1
6968	010	2382	0.05	3325	0	65	100	3	5	5	7146	3821	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	4	4	7146	3821	3821	1
6968	011	2462	0.06	4325	0	65	100	3	6	6	7386	3061	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	4	4	7386	3061	3061	1
6968	012	2543	0.06	4325	0	65	100	3	6	6	7629	3304	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	4	4	7629	3304	3304	1
6968	016	2616	0.06	4125	0	65	100	3	6	6	7848	3723	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	4	4	7848	3723	3723	1
6968	062	2624	0.06	1644	0	65	100	3	6	6	7872	6228	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	4	4	7872	6228	6228	1
6969	003A	2381	0.05	3875	0	65	100	3	5	5	7143	3268	NCD-EXCE	65	density-lim	600			0.75	4	0.800000012	4	4	10714.5	6839.5	6839.5	1.5
6969	003B	2492	0.06	2431	0	65	100	3	6	6	7476	5045	NCD-EXCE	65	density-lim	600			0.75	4	0.666666687	4	4	11214	8783	8783	1.5
6969	003D	2580	0.06	2400	0	65	100	3	6	6	7740	5340	NCD-EXCE	65	density-lim	600			0.75	4	0.666666687	4	4	11610	9210	9210	1.5
6969	005B	2250	0.05	1776	0	65	100	3	5	5	6750	4974	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	6300	4524	4524	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6969	005G	2700	0.06	1250	1	65	100	3	6	5	8100	6850	NCD-EXCE	40	density-lim	600	true		0.75	5	0.833333313	4	4	8100	6850	6850	1
6969	007L	696	0.02	0	0	65	100	3	2	2	2088	2088	RH-1	40	density-lim	3000			0.7	4	2	4	4	1948.799927	1948.799927	1948.799927	0.933333
6969	007M	696	0.02	0	0	65	100	3	2	2	2088	2088	RH-1	40	density-lim	3000			0.7	4	2	4	4	1948.799927	1948.799927	1948.799927	0.933333
6970	024A	5993	0.14	0	0	65	100	3	14	14	17979	17979	RH-1	40	density-lim	3000			0.7	4	0.285714298	4	4	16780.40039	16780.40039	16780.40039	0.933333
6970	028	2404	0.06	1452	2	65	100	3	6	4	7212	5760	RH-1	40	density-lim	3000	true		0.7	6	1	4	4	6731.199707	5279.199707	5279.199707	0.933333
6970	041A	105	0	0	0	65	100	3	0	0	315	315	RH-1	40	density-lim	3000			0.7	4		4	4	294	294	294	0.933333
6971A	040	2420	0.06	2046	2	75	120	3.5	7	5	8470	6424	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	4	4	6776	4730	4730	0.8
6976	004	2408	0.06	995	1	75	120	3.5	7	6	8428	7433	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6742.399902	5747.399902	5747.399902	0.8
6976	004B	2408	0.06	995	1	75	120	3.5	7	6	8428	7433	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6742.399902	5747.399902	5747.399902	0.8
6976	004C	2408	0.06	995	1	75	120	3.5	7	6	8428	7433	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6742.399902	5747.399902	5747.399902	0.8
6976	004D	2408	0.06	995	1	75	120	3.5	7	6	8428	7433	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6742.399902	5747.399902	5747.399902	0.8
6976	004E	2408	0.06	995	1	75	120	3.5	7	6	8428	7433	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6742.399902	5747.399902	5747.399902	0.8
6976	004F	2408	0.06	995	1	75	120	3.5	7	6	8428	7433	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6742.399902	5747.399902	5747.399902	0.8
6976	005	2352	0.05	995	1	75	120	3.5	6	5	8232	7237	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6585.600098	5590.600098	5590.600098	0.8
6976	005A	2333	0.05	995	1	75	120	3.5	6	5	8166	7171	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6532.399902	5537.399902	5537.399902	0.799951
6976	005B	2340	0.05	995	1	75	120	3.5	6	5	8190	7195	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6552	5557	5557	0.8
6976	006	2340	0.05	1225	1	75	120	3.5	6	5	8190	6965	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6552	5327	5327	0.8
6976	006A	2340	0.05	995	1	75	120	3.5	6	5	8190	7195	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6552	5557	5557	0.8
6976	006C	2172	0.05	950	1	75	120	3.5	6	5	7602	6652	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6081.600098	5131.600098	5131.600098	0.8
6976	006D	2171	0.05	950	1	75	120	3.5	6	5	7598	6648	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6078.799805	5128.799805	5128.799805	0.800053
6976	006E	2169	0.05	1163	1	75	120	3.5	6	5	7592	6429	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6073.199707	4910.199707	4910.199707	0.799947
6976	006F	2168	0.05	796	1	75	120	3.5	6	5	7588	6792	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6070.399902	5274.399902	5274.399902	0.8
6976	006G	2167	0.05	1529	1	75	120	3.5	6	5	7584	6055	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6067.600098	4538.600098	4538.600098	0.800053
6976	006H	2166	0.05	950	1	75	120	3.5	6	5	7581	6631	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6064.799805	5114.799805	5114.799805	0.8
6976	006J	2164	0.05	796	1	75	120	3.5	6	5	7574	6778	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6059.199707	5263.199707	5263.199707	0.8
6976	009	2357	0.05	1140	1	75	120	3.5	6	5	8250	7110	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6599.600098	5459.600098	5459.600098	0.799952
6976	017	2250	0.05	3179	1	75	120	3.5	6	5	7875	4696	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6300	3121	3121	0.8
6976	018	2250	0.05	3179	1	75	120	3.5	6	5	7875	4696	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6300	3121	3121	0.8
6977	002	2500	0.06	1677	1	75	120	3.5	7	6	8750	7073	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5323	5323	0.8
6977	005	2564	0.06	796	1	75	120	3.5	7	6	8974	8178	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7179.199707	6383.199707	6383.199707	0.8
6977	006	2215	0.05	1640	1	75	120	3.5	6	5	7752	6112	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6202	4562	4562	0.800052
6977	011	2500	0.06	1312	1	75	120	3.5	7	6	8750	7438	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	5688	5688	0.8
6977	012	2500	0.06	992	1	75	120	3.5	7	6	8750	7758	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7000	6008	6008	0.8
6978	001	2507	0.06	936	1	65	100	3	6	5	7521	6585	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7019.600098	6083.600098	6083.600098	0.933333
6978	029	2530	0.06	950	1	65	100	3	6	5	7590	6640	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7084	6134	6134	0.933333
6978	040	2815	0.06	2028	2	65	100	3	6	4	8445	6417	RH-1	40	form-based			true	0.7	6	1	4	4	7882	5854	5854	0.933333
6978	044	2815	0.06	1641	2	65	100	3	6	4	8445	6804	RH-1	40	form-based			true	0.7	6	1	4	4	7882	6241	6241	0.933333
6978	053	2461	0.06	1375	1	65	100	3	6	5	7383	6008	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6890.799805	5515.799805	5515.799805	0.933333
6978	054	2505	0.06	948	1	65	100	3	6	5	7515	6567	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7014	6066	6066	0.933333
6978	055	2505	0.06	1500	1	65	100	3	6	5	7515	6015	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7014	5514	5514	0.933333
6978	056	2506	0.06	995	1	65	100	3	6	5	7518	6523	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7016.799805	6021.799805	6021.799805	0.933333
6978	057	2506	0.06	1372	1	65	100	3	6	5	7518	6146	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7016.799805	5644.799805	5644.799805	0.933333
6978	058	2506	0.06	900	1	65	100	3	6	5	7518	6618	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7016.799805	6116.799805	6116.799805	0.933333
6978	059	2506	0.06	928	1	65	100	3	6	5	7518	6590	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7016.799805	6088.799805	6088.799805	0.933333
6978	060	2507	0.06	1572	1	65	100	3	6	5	7521	5949	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7019.600098	5447.600098	5447.600098	0.933333
6979	022	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6050	6050	0.933333
6979	041	2505	0.06	1250	1	65	100	3	6	5	7515	6265	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7014	5764	5764	0.933333
6979	042	2504	0.06	1181	1	65	100	3	6	5	7512	6331	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	5830.199707	5830.199707	0.933333
6979	043	2504	0.06	711	1	65	100	3	6	5	7512	6801	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	6300.199707	6300.199707	0.933333
6980	019	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5875	5875	0.933333
6980	020	2500	0.06	750	1	65	100	3	6	5	7500	6750	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6250	6250	0.933333
6980	021	2500	0.06	2076	1	65	100	3	6	5	7500	5424	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4924	4924	0.933333
6980	022	2250	0.05	1197	1	65	100	3	5	4	6750	5553	RH-1	40	form-based		true	true	0.7	5	1	4	4	6300	5103	5103	0.933333
6980	041	2511	0.06	935	1	65	100	3	6	5	7533	6598	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7030.799805	6095.799805	6095.799805	0.933333
6980	042	2511	0.06	874	1	65	100	3	6	5	7533	6659	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7030.799805	6156.799805	6156.799805	0.933333
6980	043	2511	0.06	875	1	65	100	3	6	5	7533	6658	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7030.799805	6155.799805	6155.799805	0.933333
6980	048	2329	0.05	2476	1	65	100	3	5	4	6987	4511	RH-1	40	form-based			true	0.7	5	1	4	4	6521.199707	4045.199707	4045.199707	0.933333
6981	018	2984	0.07	1242	2	65	100	3	7	5	8952	7710	RH-1	40	form-based		true	true	0.7	6	0.857142866	4	4	8355.200195	7113.200195	7113.200195	0.933333
6981	020	2500	0.06	1166	1	65	100	3	6	5	7500	6334	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5834	5834	0.933333
6981	021	2500	0.06	1044	1	65	100	3	6	5	7500	6456	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5956	5956	0.933333
6981	024	2500	0.06	1062	1	65	100	3	6	5	7500	6438	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5938	5938	0.933333
6981	025	2500	0.06	1747	1	65	100	3	6	5	7500	5753	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7000	5253	5253	0.933333
6981	027	2815	0.06	2535	2	65	100	3	6	4	8445	5910	RH-1	40	form-based			true	0.7	6	1	4	4	7882	5347	5347	0.933333
6981	042	2503	0.06	1497	1	65	100	3	6	5	7509	6012	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	5511.399902	5511.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6981	043	2503	0.06	1100	1	65	100	3	6	5	7509	6409	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	5908.399902	5908.399902	0.933333
6981	044	2503	0.06	1343	1	65	100	3	6	5	7509	6166	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	5665.399902	5665.399902	0.933333
6981	049	2502	0.06	1352	1	65	100	3	6	5	7506	6154	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7005.600098	5653.600098	5653.600098	0.933333
6982	020	2500	0.06	836	1	65	100	3	6	5	7500	6664	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6164	6164	0.933333
6982	022	2500	0.06	710	1	65	100	3	6	5	7500	6790	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6290	6290	0.933333
6982	023	2500	0.06	2226	1	65	100	3	6	5	7500	5274	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4774	4774	0.933333
6982	024	2500	0.06	1064	1	65	100	3	6	5	7500	6436	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5936	5936	0.933333
6982	025	2500	0.06	1126	1	65	100	3	6	5	7500	6374	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5874	5874	0.933333
6982	027	2846	0.07	2358	2	65	100	3	7	5	8538	6180	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	7968.799805	5610.799805	5610.799805	0.933333
6982	040	2844	0.07	1100	2	65	100	3	7	5	8532	7432	RH-1	40	form-based			true	0.7	6	0.857142866	4	4	7963.199707	6863.199707	6863.199707	0.933333
6982	044	2501	0.06	920	1	65	100	3	6	5	7503	6583	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7002.799805	6082.799805	6082.799805	0.933333
6982	046	2501	0.06	640	1	65	100	3	6	5	7503	6863	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7002.799805	6362.799805	6362.799805	0.933333
6982	047	2501	0.06	1250	1	65	100	3	6	5	7503	6253	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7002.799805	5752.799805	5752.799805	0.933333
6983	009	2787	0.06	1090	2	65	100	3	6	4	8361	7271	RH-1	40	form-based			true	0.7	6	1	4	4	7803.600098	6713.600098	6713.600098	0.933333
6983	017	2466	0.06	1460	1	55	80	2.5	5	4	6165	4705	RH-1	40	form-based		true	true	0.7	5	1	4	4	6904.799805	5444.799805	5444.799805	1.12
6983	018	2500	0.06	1769	1	55	80	2.5	5	4	6250	4481	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5231	5231	1.12
6983	019	2500	0.06	660	1	55	80	2.5	5	4	6250	5590	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6340	6340	1.12
6983	020	2500	0.06	768	1	55	80	2.5	5	4	6250	5482	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6232	6232	1.12
6983	021	2500	0.06	1382	1	55	80	2.5	5	4	6250	4868	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5618	5618	1.12
6983	022	2500	0.06	1412	1	55	80	2.5	5	4	6250	4838	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5588	5588	1.12
6983	023	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6000	6000	1.12
6983	043	2502	0.06	1244	1	65	100	3	6	5	7506	6262	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7005.600098	5761.600098	5761.600098	0.933333
6983	045	2503	0.06	855	1	65	100	3	6	5	7509	6654	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	6153.399902	6153.399902	0.933333
6983	046	2503	0.06	1185	1	65	100	3	6	5	7509	6324	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	5823.399902	5823.399902	0.933333
6983	048	2503	0.06	1584	1	65	100	3	6	5	7509	5925	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	5424.399902	5424.399902	0.933333
6983	049	2504	0.06	921	1	65	100	3	6	5	7512	6591	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7011.199707	6090.199707	6090.199707	0.933333
6984	011	2821	0.06	1025	2	65	100	3	6	4	8463	7438	RH-1	40	form-based			true	0.7	6	1	4	4	7898.799805	6873.799805	6873.799805	0.933333
6984	018	2500	0.06	2149	1	55	80	2.5	5	4	6250	4101	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4851	4851	1.12
6984	019	2500	0.06	1393	1	55	80	2.5	5	4	6250	4857	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5607	5607	1.12
6984	020	2500	0.06	720	1	55	80	2.5	5	4	6250	5530	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6280	6280	1.12
6984	022	2500	0.06	1485	1	55	80	2.5	5	4	6250	4765	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5515	5515	1.12
6984	023	2500	0.06	1485	1	55	80	2.5	5	4	6250	4765	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5515	5515	1.12
6984	024	2500	0.06	1485	1	55	80	2.5	5	4	6250	4765	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5515	5515	1.12
6984	043	2500	0.06	1138	1	65	100	3	6	5	7500	6362	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5862	5862	0.933333
6984	044	2500	0.06	1138	1	65	100	3	6	5	7500	6362	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7000	5862	5862	0.933333
6984	045	2501	0.06	2296	1	65	100	3	6	5	7503	5207	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7002.799805	4706.799805	4706.799805	0.933333
6984	046	2502	0.06	937	1	65	100	3	6	5	7506	6569	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7005.600098	6068.600098	6068.600098	0.933333
6984	047	2503	0.06	2746	1	65	100	3	6	5	7509	4763	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7008.399902	4262.399902	4262.399902	0.933333
6984	050	2588	0.06	1469	1	65	100	3	6	5	7764	6295	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7246.399902	5777.399902	5777.399902	0.933333
6985	005	2826	0.06	1175	2	65	100	3	6	4	8478	7303	RH-1	40	form-based			true	0.7	6	1	4	4	7912.799805	6737.799805	6737.799805	0.933333
6985	011	2504	0.06	1674	1	55	80	2.5	5	4	6260	4586	RH-1	40	form-based			true	0.7	5	1	4	4	7011.199707	5337.199707	5337.199707	1.12
6985	012	2503	0.06	1220	1	55	80	2.5	5	4	6258	5038	RH-1	40	form-based			true	0.7	5	1	4	4	7008.399902	5788.399902	5788.399902	1.11991
6985	013	2501	0.06	1272	1	55	80	2.5	5	4	6252	4980	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	5730.799805	5730.799805	1.12009
6985	014	2500	0.06	1490	1	55	80	2.5	5	4	6250	4760	RH-1	40	form-based		true	true	0.7	5	1	4	4	7000	5510	5510	1.12
6985	015	2500	0.06	1143	1	55	80	2.5	5	4	6250	5107	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5857	5857	1.12
6985	016	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	form-based		true	true	0.7	5	1	4	4	7000	5950	5950	1.12
6985	017	2500	0.06	875	1	55	80	2.5	5	4	6250	5375	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6125	6125	1.12
6985	018	2500	0.06	1419	1	55	80	2.5	5	4	6250	4831	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5581	5581	1.12
6985	019	2500	0.06	750	1	55	80	2.5	5	4	6250	5500	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6250	6250	1.12
6986	018	2500	0.06	1902	1	55	80	2.5	5	4	6250	4348	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5098	5098	1.12
6986	019	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5875	5875	1.12
6986	020	2500	0.06	1225	1	55	80	2.5	5	4	6250	5025	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5775	5775	1.12
6986	024	2501	0.06	344	1	55	80	2.5	5	4	6252	5908	RH-1	40	form-based			true	0.7	5	1	4	4	7002.799805	6658.799805	6658.799805	1.12009
6986	039	2530	0.06	500	1	65	100	3	6	5	7590	7090	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7084	6584	6584	0.933333
6986	040	2531	0.06	625	1	65	100	3	6	5	7593	6968	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	6461.799805	6461.799805	0.933333
6986	041	2531	0.06	792	1	65	100	3	6	5	7593	6801	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7086.799805	6294.799805	6294.799805	0.933333
6987	019	2500	0.06	2287	1	55	80	2.5	5	4	6250	3963	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4713	4713	1.12
6987	020	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5850	5850	1.12
6987	021	2500	0.06	1975	1	55	80	2.5	5	4	6250	4275	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5025	5025	1.12
6987	021A	2500	0.06	2208	1	55	80	2.5	5	4	6250	4042	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4792	4792	1.12
6987	023	2282	0.05	1075	1	55	80	2.5	4	3	5705	4630	RH-1	40	form-based			true	0.7	5	1.25	4	4	6389.600098	5314.600098	5314.600098	1.12
6987	023A	2282	0.05	1321	1	55	80	2.5	4	3	5705	4384	RH-1	40	form-based			true	0.7	5	1.25	4	4	6389.600098	5068.600098	5068.600098	1.12
6987	039	2188	0.05	1091	1	65	100	3	5	4	6564	5473	RH-1	40	form-based			true	0.7	5	1	4	4	6126.399902	5035.399902	5035.399902	0.933333
6987	040	2188	0.05	1339	1	65	100	3	5	4	6564	5225	RH-1	40	form-based			true	0.7	5	1	4	4	6126.399902	4787.399902	4787.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6987	045	2509	0.06	1165	1	65	100	3	6	5	7527	6362	RH-2	40	form-based			true	0.7	5	0.833333313	4	4	7025.199707	5860.199707	5860.199707	0.933333
6987	047	2175	0.05	2288	1	55	80	2.5	4	3	5438	3150	RH-1	40	form-based			true	0.7	5	1.25	4	4	6090	3802	3802	1.119897
6992	026	1875	0.04	1250	0	55	80	2.5	3	3	4688	3438	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	5250	4000	4000	1.119881
6994	020	1875	0.04	800	0	55	80	2.5	3	3	4688	3888	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	5250	4450	4450	1.119881
6995	056	2500	0.06	2397	0	55	80	2.5	5	5	6250	3853	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	7000	4603	4603	1.12
6998	054	1776	0.04	2595	0	65	100	3	4	4	5328	2733	RH-1	40	density-lim	3000			0.7	4	1	4	4	4972.799805	2377.799805	2377.799805	0.933333
6999	004	2273	0.05	1235	1	65	100	3	5	4	6819	5584	RH-1	40	form-based			true	0.7	5	1	4	4	6364.399902	5129.399902	5129.399902	0.933333
6999	005	2305	0.05	1100	1	65	100	3	5	4	6915	5815	RH-1	40	form-based			true	0.7	5	1	4	4	6454	5354	5354	0.933333
6999	006	2337	0.05	1415	1	65	100	3	5	4	7011	5596	RH-1	40	form-based			true	0.7	5	1	4	4	6543.600098	5128.600098	5128.600098	0.933333
6999	007	2370	0.05	1100	1	65	100	3	5	4	7110	6010	RH-1	40	form-based			true	0.7	5	1	4	4	6636	5536	5536	0.933333
6999	008	2402	0.06	2055	1	65	100	3	6	5	7206	5151	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6725.600098	4670.600098	4670.600098	0.933333
6999	009	2435	0.06	1979	1	65	100	3	6	5	7305	5326	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6818	4839	4839	0.933333
6999	010	2467	0.06	1162	1	65	100	3	6	5	7401	6239	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6907.600098	5745.600098	5745.600098	0.933333
6999	011	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5900	5900	0.933333
6999	012	2532	0.06	1386	1	65	100	3	6	5	7596	6210	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7089.600098	5703.600098	5703.600098	0.933333
6999	013	2565	0.06	1175	1	65	100	3	6	5	7695	6520	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7182	6007	6007	0.933333
6999	014	2597	0.06	1394	1	65	100	3	6	5	7791	6397	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7271.600098	5877.600098	5877.600098	0.933333
7007	018	1752	0.04	2426	2	55	80	2.5	3	1	4380	1954	RH-1	40	density-lim	3000	true		0.7	6	2	4	4	4905.600098	2479.600098	2479.600098	1.12
7010	018	1912	0.04	0	0	55	80	2.5	3	3	4780	4780	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	5353.600098	5353.600098	5353.600098	1.12
7011	002	1990	0.05	0	0	55	80	2.5	4	4	4975	4975	RH-1	40	density-lim	3000			0.7	4	1	4	4	5572	5572	5572	1.12
7011	009	2033	0.05	0	0	55	80	2.5	4	4	5082	5082	RH-1	40	density-lim	3000			0.7	4	1	4	4	5692.399902	5692.399902	5692.399902	1.12011
7012	001	2565	0.06	1250	1	55	80	2.5	5	4	6412	5162	RH-1	40	form-based		true	true	0.7	5	1	4	4	7182	5932	5932	1.120087
7012	018	2172	0.05	1932	1	55	80	2.5	4	3	5430	3498	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6081.600098	4149.600098	4149.600098	1.12
7012	019	2500	0.06	1425	1	55	80	2.5	5	4	6250	4825	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5575	5575	1.12
7012	020	2500	0.06	2293	1	55	80	2.5	5	4	6250	3957	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4707	4707	1.12
7012	021	2500	0.06	1300	1	55	80	2.5	5	4	6250	4950	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5700	5700	1.12
7012	022	2500	0.06	1585	1	55	80	2.5	5	4	6250	4665	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5415	5415	1.12
7012	023	2500	0.06	1110	1	55	80	2.5	5	4	6250	5140	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5890	5890	1.12
7012	046	2482	0.06	1908	1	55	80	2.5	5	4	6205	4297	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5041.600098	5041.600098	1.12
7012	047	2481	0.06	1025	1	55	80	2.5	5	4	6202	5177	RH-1	40	form-based			true	0.7	5	1	4	4	6946.799805	5921.799805	5921.799805	1.12009
7012	048	2480	0.06	875	1	55	80	2.5	5	4	6200	5325	RH-1	40	form-based			true	0.7	5	1	4	4	6944	6069	6069	1.12
7012	049	2479	0.06	1600	1	55	80	2.5	5	4	6198	4598	RH-1	40	form-based			true	0.7	5	1	4	4	6941.199707	5341.199707	5341.199707	1.11991
7012	050	2478	0.06	1250	1	55	80	2.5	5	4	6195	4945	RH-1	40	form-based			true	0.7	5	1	4	4	6938.399902	5688.399902	5688.399902	1.12
7013	018	2508	0.06	1150	1	55	80	2.5	5	4	6270	5120	RH-1	40	form-based			true	0.7	5	1	4	4	7022.399902	5872.399902	5872.399902	1.12
7013	019	2510	0.06	825	1	55	80	2.5	5	4	6275	5450	RH-1	40	form-based			true	0.7	5	1	4	4	7028	6203	6203	1.12
7013	020	2512	0.06	1003	1	55	80	2.5	5	4	6280	5277	RH-1	40	form-based			true	0.7	5	1	4	4	7033.600098	6030.600098	6030.600098	1.12
7013	021	2513	0.06	1202	1	55	80	2.5	5	4	6282	5080	RH-1	40	form-based		true	true	0.7	5	1	4	4	7036.399902	5834.399902	5834.399902	1.120089
7013	022	2500	0.06	875	1	55	80	2.5	5	4	6250	5375	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6125	6125	1.12
7013	026A	2500	0.06	1025	1	55	80	2.5	5	4	6250	5225	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5975	5975	1.12
7013	043	2472	0.06	1000	1	55	80	2.5	5	4	6180	5180	RH-1	40	form-based		true	true	0.7	5	1	4	4	6921.600098	5921.600098	5921.600098	1.12
7013	044	2473	0.06	1000	1	55	80	2.5	5	4	6182	5182	RH-1	40	form-based			true	0.7	5	1	4	4	6924.399902	5924.399902	5924.399902	1.120091
7014	001	2470	0.06	1155	1	55	80	2.5	5	4	6175	5020	RH-1	40	form-based		true	true	0.7	5	1	4	4	6916	5761	5761	1.12
7014	001A	2522	0.06	1050	1	55	80	2.5	5	4	6305	5255	RH-1	40	form-based			true	0.7	5	1	4	4	7061.600098	6011.600098	6011.600098	1.12
7014	001B	2522	0.06	1050	1	55	80	2.5	5	4	6305	5255	RH-1	40	form-based			true	0.7	5	1	4	4	7061.600098	6011.600098	6011.600098	1.12
7014	021	2500	0.06	1025	1	55	80	2.5	5	4	6250	5225	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5975	5975	1.12
7014	022	2500	0.06	925	1	55	80	2.5	5	4	6250	5325	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6075	6075	1.12
7014	023	2500	0.06	900	1	55	80	2.5	5	4	6250	5350	RH-1	40	form-based			true	0.7	5	1	4	4	7000	6100	6100	1.12
7014	043B	2188	0.05	1175	1	55	80	2.5	4	3	5470	4295	RH-1	40	form-based		true	true	0.7	5	1.25	4	4	6126.399902	4951.399902	4951.399902	1.12
7014	046	2481	0.06	1899	1	55	80	2.5	5	4	6202	4303	RH-1	40	form-based			true	0.7	5	1	4	4	6946.799805	5047.799805	5047.799805	1.12009
7014	047	2481	0.06	1375	1	55	80	2.5	5	4	6202	4827	RH-1	40	form-based			true	0.7	5	1	4	4	6946.799805	5571.799805	5571.799805	1.12009
7014	048	2482	0.06	1375	1	55	80	2.5	5	4	6205	4830	RH-1	40	form-based			true	0.7	5	1	4	4	6949.600098	5574.600098	5574.600098	1.12
7022	001	2152	0.05	1500	1	75	120	3.5	6	5	7532	6032	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6025.600098	4525.600098	4525.600098	0.8
7022	002	2175	0.05	1850	1	75	120	3.5	6	5	7612	5762	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6090	4240	4240	0.800053
7022	003	2180	0.05	2069	1	75	120	3.5	6	5	7630	5561	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6104	4035	4035	0.8
7022	004	2185	0.05	1000	1	75	120	3.5	6	5	7648	6648	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6118	5118	5118	0.799948
7022	006	2195	0.05	925	1	75	120	3.5	6	5	7682	6757	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6146	5221	5221	0.800052
7022	007	2200	0.05	925	1	75	120	3.5	6	5	7700	6775	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6160	5235	5235	0.8
7022	008	2205	0.05	925	1	75	120	3.5	6	5	7718	6793	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6174	5249	5249	0.799948
7022	009	2210	0.05	2130	1	75	120	3.5	6	5	7735	5605	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6188	4058	4058	0.8
7022	010	2215	0.05	2130	1	75	120	3.5	6	5	7752	5622	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6202	4072	4072	0.800052
7022	011	2221	0.05	1115	1	75	120	3.5	6	5	7774	6659	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6218.799805	5103.799805	5103.799805	0.799949
7022	012	2226	0.05	955	1	75	120	3.5	6	5	7791	6836	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6232.799805	5277.799805	5277.799805	0.8
7022	013	2231	0.05	1055	1	65	100	3	5	4	6693	5638	RH-1	40	form-based			true	0.7	5	1	4	4	6246.799805	5191.799805	5191.799805	0.933333
7022	014	2236	0.05	1675	1	65	100	3	5	4	6708	5033	RH-1	40	form-based			true	0.7	5	1	4	4	6260.799805	4585.799805	4585.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7022	015	2241	0.05	1280	1	65	100	3	5	4	6723	5443	RH-1	40	form-based			true	0.7	5	1	4	4	6274.799805	4994.799805	4994.799805	0.933333
7022	016	2246	0.05	1713	1	65	100	3	5	4	6738	5025	RH-1	40	form-based		true	true	0.7	5	1	4	4	6288.799805	4575.799805	4575.799805	0.933333
7029	006F	897	0.02	0	0	65	100	3	2	2	2691	2691	RH-1	40	density-lim	3000			0.7	4	2	4	4	2511.599854	2511.599854	2511.599854	0.933333
7029A	001	3511	0.08	2072	2	65	100	3	8	6	10533	8461	RH-1	40	density-lim	3000	true		0.7	6	0.75	4	4	9830.799805	7758.799805	7758.799805	0.933333
7030	004A	2650	0.06	5157	0	65	100	3	6	6	7950	2793	NCD-EXCE	65	density-lim	600	true		0.75	4	0.666666687	4	4	11925	6768	6768	1.5
7030	004B	2614	0.06	3220	0	65	100	3	6	6	7842	4622	NCD-EXCE	65	density-lim	600			0.75	4	0.666666687	4	4	11763	8543	8543	1.5
7030	007A	2548	0.06	1912	0	65	100	3	6	6	7644	5732	NCD-EXCE	65	density-lim	600			0.75	4	0.666666687	4	4	11466	9554	9554	1.5
7030	008	2662	0.06	4850	0	65	100	3	6	6	7986	3136	NCD-EXCE	65	density-lim	600	true		0.75	4	0.666666687	4	4	11979	7129	7129	1.5
7030	014	2007	0.05	1887	0	65	100	3	5	5	6021	4134	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	5619.600098	3732.600098	3732.600098	0.933333
7030	036	2921	0.07	2254	1	65	100	3	7	6	8763	6509	NCD-EXCE	40	density-lim	600			0.75	5	0.714285731	4	4	8763	6509	6509	1
7030	040	3684	0.08	2885	2	65	100	3	8	6	11052	8167	NCD-EXCE	65	density-lim	600			0.75	6	0.75	4	4	16578	13693	13693	1.5
7030	075	3193	0.07	1522	1	65	100	3	7	6	9579	8057	NCD-EXCE	65	density-lim	600			0.75	5	0.714285731	4	4	14368.5	12846.5	12846.5	1.5
7031	002C	2200	0.05	4472	0	55	80	2.5	4	4	5500	1028	NCD-EXCE	40	density-lim	600			0.75	4	1	4	4	6600	2128	2128	1.2
7032A	036	2347	0.05	0	0	65	100	3	5	5	7041	7041	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	6571.600098	6571.600098	6571.600098	0.933333
7043	003D	2250	0.05	2392	0	55	80	2.5	4	4	5625	3233	RH-1	40	density-lim	3000			0.7	4	1	4	4	6300	3908	3908	1.12
7044A	001B	2661	0.06	2450	0	55	80	2.5	5	5	6652	4202	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	4	4	7983	5533	5533	1.20009
7044A	006	5156	0.12	4975	5	55	80	2.5	10	5	12890	7915	NCD-EXCE	40	density-lim	600	true		0.75	9	0.899999976	4	4	15468	10493	10493	1.2
7044C	002	2201	0.05	1577	0	55	80	2.5	4	4	5502	3925	RH-1	40	density-lim	3000			0.7	4	1	4	4	6162.799805	4585.799805	4585.799805	1.120102
7044C	027	2187	0.05	1050	0	55	80	2.5	4	4	5468	4418	RH-1	40	density-lim	3000			0.7	4	1	4	4	6123.600098	5073.600098	5073.600098	1.119898
7045B	033	2390	0.05	1680	0	65	100	3	5	5	7170	5490	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	6692	5012	5012	0.933333
7046A	023	1911	0.04	0	0	65	100	3	4	4	5733	5733	RH-1	40	density-lim	3000			0.7	4	1	4	4	5350.799805	5350.799805	5350.799805	0.933333
7046B	024	56	0	0	0	65	100	3	0	0	168	168	RH-1	40	density-lim	3000			0.7	4		4	4	156.8000031	156.8000031	156.8000031	0.933333
7052	015	2478	0.06	0	0	55	80	2.5	5	5	6195	6195	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	6938.399902	6938.399902	6938.399902	1.12
7053	018	2500	0.06	977	0	55	80	2.5	5	5	6250	5273	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	7000	6023	6023	1.12
7053	034	2500	0.06	1369	0	55	80	2.5	5	5	6250	4881	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	7000	5631	5631	1.12
7054	038	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
7054	039	2500	0.06	0	0	55	80	2.5	5	5	6250	6250	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	7000	7000	7000	1.12
7055A	010B	1750	0.04	2430	0	55	80	2.5	3	3	4375	1945	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	4900	2470	2470	1.12
7056	014A	2500	0.06	108	0	55	80	2.5	5	5	6250	6142	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	7000	6892	6892	1.12
7057	009C	3073	0.07	850	0	65	100	3	7	7	9219	8369	RH-1	40	density-lim	3000			0.7	4	0.571428597	4	4	8604.399414	7754.399414	7754.399414	0.933333
7057	015	3073	0.07	850	0	65	100	3	7	7	9219	8369	RH-1	40	density-lim	3000			0.7	4	0.571428597	4	4	8604.399414	7754.399414	7754.399414	0.933333
7058	010	2446	0.06	0	0	65	100	3	6	6	7338	7338	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	6848.799805	6848.799805	6848.799805	0.933333
7059	026	2500	0.06	1694	0	65	100	3	6	6	7500	5806	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7000	5306	5306	0.933333
7059	037	2656	0.06	2155	0	65	100	3	6	6	7968	5813	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7436.799805	5281.799805	5281.799805	0.933333
7060	012	2495	0.06	1607	0	65	100	3	6	6	7485	5878	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	6986	5379	5379	0.933333
7060	019	2495	0.06	0	0	65	100	3	6	6	7485	7485	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	6986	6986	6986	0.933333
7061	001	2531	0.06	2815	2	65	100	3	6	4	7593	4778	RH-1	40	density-lim	3000	true		0.7	6	1	4	4	7086.799805	4271.799805	4271.799805	0.933333
7062	004	2472	0.06	2250	0	85	140	4	8	8	9888	7638	RH-1	40	density-lim	3000			0.7	4	0.5	4	4	6921.600098	4671.600098	4671.600098	0.7
7063A	011	2043	0.05	1462	2	65	100	3	5	3	6129	4667	RH-1	40	density-lim	3000	true		0.7	6	1.200000048	4	4	5720.399902	4258.399902	4258.399902	0.933333
7063A	019	376	0.01	0	0	65	100	3	1	1	1128	1128	RH-1	40	density-lim	3000			0.7	4	4	4	2	1052.799927	1052.799927	1052.799927	0.933333
7063B	002	2685	0.06	0	0	65	100	3	6	6	8055	8055	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7518	7518	7518	0.933333
7063B	003	2685	0.06	0	0	65	100	3	6	6	8055	8055	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7518	7518	7518	0.933333
7063B	019	3683	0.08	0	0	65	100	3	8	8	11049	11049	RH-1	40	density-lim	3000			0.7	4	0.5	4	4	10312.39941	10312.39941	10312.39941	0.933333
7063B	020	273	0.01	0	0	65	100	3	1	1	819	819	RH-1	40	density-lim	3000			0.7	4	4	4	2	764.3999634	764.3999634	764.3999634	0.933333
7063B	021	3852	0.09	0	0	65	100	3	9	9	11556	11556	RH-1	40	density-lim	3000			0.7	4	0.444444448	4	4	10785.59961	10785.59961	10785.59961	0.933333
7065	030	2769	0.06	0	0	55	80	2.5	5	5	6922	6922	RH-1	40	density-lim	3000			0.7	4	0.800000012	4	4	7753.199707	7753.199707	7753.199707	1.120081
7065	036	2339	0.05	2717	2	55	80	2.5	4	2	5848	3131	RH-1	40	density-lim	3000	true		0.7	6	1.5	4	4	6549.199707	3832.199707	3832.199707	1.119904
7065	055	10990	0.25	0	0	55	80	2.5	20	20	27475	27475	RH-1	40	density-lim	3000			0.7	4	0.200000003	4	4	30772	30772	30772	1.12
7066	013A	2225	0.05	1510	2	55	80	2.5	4	2	5562	4052	RH-1	40	density-lim	3000	true		0.7	6	1.5	4	4	6230	4720	4720	1.120101
7067	061	2500	0.06	3140	0	65	100	3	6	6	7500	4360	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7000	3860	3860	0.933333
7067	063	1875	0.04	3788	0	65	100	3	4	4	5625	1837	RH-1	40	density-lim	3000			0.7	4	1	4	4	5250	1462	1462	0.933333
7067	064	1875	0.04	3787	0	65	100	3	4	4	5625	1838	RH-1	40	density-lim	3000			0.7	4	1	4	4	5250	1463	1463	0.933333
7067	065	1875	0.04	3165	0	65	100	3	4	4	5625	2460	RH-1	40	density-lim	3000			0.7	4	1	4	4	5250	2085	2085	0.933333
7067	066	2611	0.06	3823	0	65	100	3	6	6	7833	4010	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7310.799805	3487.799805	3487.799805	0.933333
7069	003	2610	0.06	2640	0	65	100	3	6	6	7830	5190	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7308	4668	4668	0.933333
7069	027	3937	0.09	986	0	65	100	3	9	9	11811	10825	RH-1	40	density-lim	3000			0.7	4	0.444444448	4	4	11023.59961	10037.59961	10037.59961	0.933333
7069	048	625	0.01	0	0	65	100	3	1	1	1875	1875	RH-1	40	density-lim	3000			0.7	4	4	4	2	1750	1750	1750	0.933333
7075	032	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
7075	033	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
7075	034	2499	0.06	0	0	65	100	3	6	6	7497	7497	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	6997.199707	6997.199707	6997.199707	0.933333
7075	035	2499	0.06	0	0	65	100	3	6	6	7497	7497	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	6997.199707	6997.199707	6997.199707	0.933333
7079	027	2500	0.06	1429	1	85	140	4	8	7	10000	8571	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	5571	5571	0.7
7079	028	2500	0.06	812	1	85	140	4	8	7	10000	9188	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	6188	6188	0.7
7079	029	2500	0.06	2283	1	85	140	4	8	7	10000	7717	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	4717	4717	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7079	030	2500	0.06	812	1	85	140	4	8	7	10000	9188	RH-1	40	form-based			true	0.7	5	0.625	4	4	7000	6188	6188	0.7
7079	031	2500	0.06	1437	1	65	100	3	6	5	7500	6063	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5563	5563	0.933333
7079	032	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6188	6188	0.933333
7079	033	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	6000	6000	0.933333
7079	034	2500	0.06	1915	1	65	100	3	6	5	7500	5585	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5085	5085	0.933333
7079	035	2500	0.06	1325	1	65	100	3	6	5	7500	6175	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5675	5675	0.933333
7079	036	2500	0.06	1237	1	65	100	3	6	5	7500	6263	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	5763	5763	0.933333
7081A	012A	241	0.01	0	0	85	140	4	1	1	964	964	RH-1	40	density-lin	3000			0.7	4	4	4	2	674.7999878	674.7999878	674.7999878	0.7
7081A	015	2174	0.05	1175	1	65	100	3	5	4	6522	5347	RH-1	40	form-based			true	0.7	5	1	4	4	6087.199707	4912.199707	4912.199707	0.933333
7081A	016	2345	0.05	1175	1	65	100	3	5	4	7035	5860	RH-1	40	form-based			true	0.7	5	1	4	4	6566	5391	5391	0.933333
7081A	017	2517	0.06	1175	1	65	100	3	6	5	7551	6376	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7047.600098	5872.600098	5872.600098	0.933333
7081A	020	2583	0.06	1375	1	65	100	3	6	5	7749	6374	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7232.399902	5857.399902	5857.399902	0.933333
7081A	021	2381	0.05	1200	1	65	100	3	5	4	7143	5943	RH-1	40	form-based			true	0.7	5	1	4	4	6666.799805	5466.799805	5466.799805	0.933333
7081A	022	2274	0.05	1575	1	65	100	3	5	4	6822	5247	RH-1	40	form-based			true	0.7	5	1	4	4	6367.199707	4792.199707	4792.199707	0.933333
7081A	023	2166	0.05	1200	1	65	100	3	5	4	6498	5298	RH-1	40	form-based			true	0.7	5	1	4	4	6064.799805	4864.799805	4864.799805	0.933333
7081A	031	2546	0.06	1325	1	85	140	4	8	7	10184	8859	RH-2	40	form-based			true	0.7	5	0.625	4	4	7128.799805	5803.799805	5803.799805	0.7
7081A	032	2312	0.05	1625	1	85	140	4	7	6	9248	7623	RH-2	40	form-based			true	0.7	5	0.714285731	4	4	6473.600098	4848.600098	4848.600098	0.7
7084	001	1876	0.04	1579	2	65	100	3	4	2	5628	4049	RH-1	40	density-lin	3000	true		0.7	6	1.5	4	4	5252.799805	3673.799805	3673.799805	0.933333
7085	002	2524	0.06	0	0	65	100	3	6	6	7572	7572	RH-1	40	density-lin	3000			0.7	4	0.666666687	4	4	7067.199707	7067.199707	7067.199707	0.933333
7085	018	2649	0.06	3597	2	65	100	3	6	4	7947	4350	RH-2	40	density-lin	1500	true		0.7	6	1	4	4	7417.199707	3820.199707	3820.199707	0.933333
7085	047	1875	0.04	2400	2	65	100	3	4	2	5625	3225	RH-2	40	density-lin	1500	true		0.7	6	1.5	4	4	5250	2850	2850	0.933333
7086	046	2471	0.06	1000	0	65	100	3	6	6	7413	6413	RH-1	40	density-lin	3000			0.7	4	0.666666687	4	4	6918.799805	5918.799805	5918.799805	0.933333
7086	064	1875	0.04	1760	2	85	140	4	6	4	7500	5740	RH-2	40	density-lin	1500	true		0.7	6	1	4	4	5250	3490	3490	0.7
7089	023	2500	0.06	1157	0	65	100	3	6	6	7500	6343	RH-2	40	density-lin	1500			0.7	4	0.666666687	4	4	7000	5843	5843	0.933333
7090	019	1875	0.04	0	0	85	140	4	6	6	7500	7500	RH-2	40	density-lin	1500			0.7	4	0.666666687	4	4	5250	5250	5250	0.7
7090	021	1875	0.04	0	0	85	140	4	6	6	7500	7500	RH-2	40	density-lin	1500			0.7	4	0.666666687	4	4	5250	5250	5250	0.7
7090	040	2500	0.06	1743	0	65	100	3	6	6	7500	5757	RH-1	40	density-lin	3000			0.7	4	0.666666687	4	4	7000	5257	5257	0.933333
7091	020	1868	0.04	1950	2	85	140	4	6	4	7472	5522	RH-2	40	density-lin	1500	true		0.7	6	1	4	4	5230.399902	3280.399902	3280.399902	0.7
7092	027	1741	0.04	0	0	65	100	3	4	4	5223	5223	RH-1	40	density-lin	3000			0.7	4	1	4	4	4874.799805	4874.799805	4874.799805	0.933333
7092	050	3125	0.07	0	0	65	100	3	7	7	9375	9375	RH-1	40	density-lin	3000			0.7	4	0.571428597	4	4	8750	8750	8750	0.933333
7092	092	2113	0.05	0	0	65	100	3	5	5	6339	6339	RH-1	40	density-lin	3000			0.7	4	0.800000012	4	4	5916.399902	5916.399902	5916.399902	0.933333
7092	111	3250	0.07	1575	0	65	100	3	7	7	9750	8175	RH-1	40	density-lin	3000			0.7	4	0.571428597	4	4	9100	7525	7525	0.933333
7092	112	3063	0.07	2882	0	65	100	3	7	7	9189	6307	RH-1	40	density-lin	3000			0.7	4	0.571428597	4	4	8576.399414	5694.399414	5694.399414	0.933333
7094	021B	625	0.01	0	0	65	100	3	1	1	1875	1875	RH-1	40	density-lin	3000			0.7	4	4	4	2	1750	1750	1750	0.933333
7096B	004	1650	0.04	1579	0	65	100	3	4	4	4950	3371	RH-1	40	density-lin	3000			0.7	4	1	4	4	4620	3041	3041	0.933333
7098	001	2241	0.05	2360	2	55	80	2.5	4	2	5602	3242	RH-1	40	density-lin	3000	true		0.7	6	1.5	4	4	6274.799805	3914.799805	3914.799805	1.1201
7098	002	3547	0.08	2700	2	55	80	2.5	6	4	8868	6168	NCD-EXCE	40	density-lin	600			0.75	6	1	4	4	10641	7941	7941	1.199932
7098	003	3485	0.08	3482	2	55	80	2.5	6	4	8712	5230	NCD-EXCE	40	density-lin	600			0.75	6	1	4	4	10455	6973	6973	1.200069
7099	003	2338	0.05	2200	0	55	80	2.5	4	4	5845	3645	NCD-EXCE	40	density-lin	600			0.75	4	1	4	4	7014	4814	4814	1.2
7100	017	2080	0.05	2600	2	55	80	2.5	4	2	5200	2600	RH-1	40	density-lin	3000	true		0.7	6	1.5	4	4	5824	3224	3224	1.12
7100	025A	27	0	0	0	65	100	3	0	0	81	81	RH-1	40	density-lin	3000			0.7	4		4	4	75.59999847	75.59999847	75.59999847	0.933333
7100	055	3253	0.07	4286	0	55	80	2.5	6	6	8132	3846	RH-1	40	density-lin	3000			0.7	4	0.666666687	4	4	9108.399414	4822.399414	4822.399414	1.120069
7100	057	3302	0.08	5390	0	55	80	2.5	6	6	8255	2865	RH-1	40	density-lin	3000			0.7	4	0.666666687	4	4	9245.599609	3855.599609	3855.599609	1.12
7101A	005	2550	0.06	1125	0	65	100	3	6	6	7650	6525	RH-1	40	density-lin	3000			0.7	4	0.666666687	4	4	7140	6015	6015	0.933333
7103	018D	1875	0.04	2274	2	65	100	3	4	2	5625	3351	RH-2	40	density-lin	1500	true		0.7	6	1.5	4	4	5250	2976	2976	0.933333
7103	055	2054	0.05	2400	2	65	100	3	5	3	6162	3762	RH-2	40	density-lin	1500	true		0.7	6	1.200000048	4	4	5751.199707	3351.199707	3351.199707	0.933333
7104	055	3125	0.07	3510	0	65	100	3	7	7	9375	5865	RH-1	40	density-lin	3000			0.7	4	0.571428597	4	4	8750	5240	5240	0.933333
7105	036	3139	0.07	0	0	65	100	3	7	7	9417	9417	RH-1	40	density-lin	3000			0.7	4	0.571428597	4	4	8789.200195	8789.200195	8789.200195	0.933333
7115	004A	152	0	0	0	85	140	4	0	0	608	608	RH-1	40	density-lin	3000			0.7	4		4	4	425.6000061	425.6000061	425.6000061	0.7
7115	042	1999	0.05	3250	2	85	140	4	7	5	7996	4746	RH-2	40	density-lin	1500	true		0.7	6	0.857142866	4	4	5597.199707	2347.199707	2347.199707	0.7
7116	001	2195	0.05	2806	2	85	140	4	7	5	8780	5974	RH-2	40	density-lin	1500	true		0.7	6	0.857142866	4	4	6146	3340	3340	0.7
7116	003	2519	0.06	1090	0	85	140	4	8	8	10076	8986	RH-1	40	density-lin	3000			0.7	4	0.5	4	4	7053.199707	5963.199707	5963.199707	0.7
7116	007	2521	0.06	1468	0	65	100	3	6	6	7563	6095	RH-1	40	density-lin	3000			0.7	4	0.666666687	4	4	7058.799805	5590.799805	5590.799805	0.933333
7116	024	1312	0.03	0	0	65	100	3	3	3	3936	3936	RH-1	40	density-lin	3000			0.7	4	1.333333373	4	4	3673.599854	3673.599854	3673.599854	0.933333
7116	038	2500	0.06	1614	0	85	140	4	8	8	10000	8386	RH-1	40	density-lin	3000			0.7	4	0.5	4	4	7000	5386	5386	0.7
7117	002	2500	0.06	1538	0	65	100	3	6	6	7500	5962	RH-1	40	density-lin	3000			0.7	4	0.666666687	4	4	7000	5462	5462	0.933333
7117	005	2500	0.06	1496	0	65	100	3	6	6	7500	6004	RH-1	40	density-lin	3000			0.7	4	0.666666687	4	4	7000	5504	5504	0.933333
7117	014	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-1	40	density-lin	3000			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
7119	027	2037	0.05	0	0	65	100	3	5	5	6111	6111	RH-1	40	density-lin	3000			0.7	4	0.800000012	4	4	5703.600098	5703.600098	5703.600098	0.933333
7121	019	2375	0.05	1105	0	65	100	3	5	5	7125	6020	RH-1	40	density-lin	3000			0.7	4	0.800000012	4	4	6650	5545	5545	0.933333
7124	012E	3826	0.09	0	0	65	100	3	9	9	11478	11478	RH-1	40	density-lin	3000			0.7	4	0.444444448	4	4	10712.7998	10712.7998	10712.7998	0.933333
7125	009B	4221	0.1	0	0	65	100	3	10	10	12663	12663	RH-1	40	density-lin	3000			0.7	4	0.400000006	4	4	11818.7998	11818.7998	11818.7998	0.933333
7125	015	4596	0.11	0	0	65	100	3	11	11	13788	13788	RH-1	40	density-lin	3000			0.7	4	0.363636374	4	4	12868.7998	12868.7998	12868.7998	0.933333
7129	028	3459	0.08	1050	0	65	100	3	8	8	10377	9327	RH-1	40	density-lin	3000			0.7	4	0.5	4	4	9685.200195	8635.200195	8635.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7129	049	13379	0.31	3335	0	65	100	3	31	31	40137	36802	RH-1	40	density-lim	3000			0.7	4	0.129032254	4	4	37461.19922	34126.19922	34126.19922	0.933333
7135	016	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
7135	017	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
7135	018	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
7135	019	2500	0.06	0	0	65	100	3	6	6	7500	7500	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7000	7000	7000	0.933333
7135	023	2500	0.06	491	0	65	100	3	6	6	7500	7009	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7000	6509	6509	0.933333
7150	034	3357	0.08	0	0	75	120	3.5	10	10	11750	11750	RH-1	40	density-lim	3000			0.7	4	0.400000006	4	4	9399.599609	9399.599609	9399.599609	0.799966
7150	036A	83	0	0	0	75	120	3.5	0	0	290	290	RH-1	40	density-lim	3000			0.7	4		4	4	232.3999939	232.3999939	232.3999939	0.801379
7151	029	509	0.01	0	0	75	120	3.5	1	1	1782	1782	RH-1	40	density-lim	3000			0.7	4	4	4	2	1425.199951	1425.199951	1425.199951	0.799775
7126B	034	3922	0.09	792	0	65	100	3	9	9	11766	10974	RH-1	40	density-lim	3000			0.7	4	0.444444448	4	4	10981.59961	10189.59961	10189.59961	0.933333
7127	010A	100	0	0	0	65	100	3	0	0	300	300	RH-1	40	density-lim	3000			0.7	4		4	4	280	280	280	0.933333
7130	025	2997	0.07	1762	0	65	100	3	7	7	8991	7229	RH-1	40	density-lim	3000			0.7	4	0.571428597	4	4	8391.599609	6629.599609	6629.599609	0.933333
7133	026	2497	0.06	0	0	65	100	3	6	6	7491	7491	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	6991.600098	6991.600098	6991.600098	0.933333
7135	040	1750	0.04	11687	0	65	100	3	4	4	5250	0	RH-1	40	density-lim	3000			0.7	4	1	4	4	4900	0	0	0.933333
7135	042	1491	0.03	0	0	65	100	3	3	3	4473	4473	RH-1	40	density-lim	3000			0.7	4	1.333333373	4	4	4174.799805	4174.799805	4174.799805	0.933333
7135	043	1593	0.04	8800	0	65	100	3	4	4	4779	0	RH-1	40	density-lim	3000			0.7	4	1	4	4	4460.399902	0	0	0.933333
7149	004	2515	0.06	0	0	65	100	3	6	6	7545	7545	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	7042	7042	7042	0.933333
7150	044A	655	0.02	0	0	65	100	3	2	2	1965	1965	RH-1	40	density-lim	3000			0.7	4	2	4	4	1834	1834	1834	0.933333
7150	049	422	0.01	0	0	65	100	3	1	1	1266	1266	RH-1	40	density-lim	3000			0.7	4	4	4	2	1181.599976	1181.599976	1181.599976	0.933333
7178	012	2203	0.05	4133	0	75	120	3.5	6	6	7710	3577	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	6168.399902	2035.399902	2035.399902	0.800052
7178	013	2116	0.05	2930	0	75	120	3.5	6	6	7406	4476	RH-1	40	density-lim	3000			0.7	4	0.666666687	4	4	5924.799805	2994.799805	2994.799805	0.8
7178	016	2408	0.06	2250	0	75	120	3.5	7	7	8428	6178	RH-1	40	density-lim	3000			0.7	4	0.571428597	4	4	6742.399902	4492.399902	4492.399902	0.8
7178	018	2548	0.06	2135	0	75	120	3.5	7	7	8918	6783	RH-1	40	density-lim	3000			0.7	4	0.571428597	4	4	7134.399902	4999.399902	4999.399902	0.8
7178	019	119	0	0	0	75	120	3.5	0	0	416	416	RH-1	40	density-lim	3000			0.7	4		4	4	333.1999817	333.1999817	333.1999817	0.800961
7179	024	442	0.01	0	0	75	120	3.5	1	1	1547	1547	RH-1	40	density-lim	3000			0.7	4	4	4	2	1237.599976	1237.599976	1237.599976	0.8
7179	025	4751	0.11	0	0	75	120	3.5	13	13	16628	16628	RH-1	40	density-lim	3000			0.7	4	0.307692319	4	4	13302.7998	13302.7998	13302.7998	0.800024
7229A	001	4028	0.09	5324	4	85	140	4	13	9	16112	10788	RM-1	40	form-based			true	0.7	8	0.615384638	4	4	11278.39941	5954.399414	5954.399414	0.7
7229A	001A	2673	0.06	2520	2	85	140	4	8	6	10692	8172	RM-1	40	form-based			true	0.7	6	0.75	4	4	7484.399902	4964.399902	4964.399902	0.7
7241	027	2408	0.06	1256	1	65	100	3	6	5	7224	5968	RH-1(D)	40	form-based			true	0.7	5	0.833333313	4	4	6742.399902	5486.399902	5486.399902	0.933333
7244	036	2606	0.06	1312	1	65	100	3	6	5	7818	6506	RH-1(D)	40	form-based	true		true	0.7	5	0.833333313	4	4	7296.799805	5984.799805	5984.799805	0.933333
7245	002	2521	0.06	1275	1	55	80	2.5	5	4	6302	5027	RH-1	40	form-based			true	0.7	5	1	4	4	7058.799805	5783.799805	5783.799805	1.120089
7245	003	2521	0.06	2356	1	55	80	2.5	5	4	6302	3946	RH-1	40	form-based			true	0.7	5	1	4	4	7058.799805	4702.799805	4702.799805	1.120089
7245	004	2521	0.06	2072	1	55	80	2.5	5	4	6302	4230	RH-1	40	form-based			true	0.7	5	1	4	4	7058.799805	4986.799805	4986.799805	1.120089
7245	005	2521	0.06	2020	1	55	80	2.5	5	4	6302	4282	RH-1	40	form-based			true	0.7	5	1	4	4	7058.799805	5038.799805	5038.799805	1.120089
7245	006	2521	0.06	1387	1	55	80	2.5	5	4	6302	4915	RH-1	40	form-based			true	0.7	5	1	4	4	7058.799805	5671.799805	5671.799805	1.120089
7245	007	2521	0.06	1764	1	55	80	2.5	5	4	6302	4538	RH-1	40	form-based			true	0.7	5	1	4	4	7058.799805	5294.799805	5294.799805	1.120089
7245	008	2521	0.06	1444	1	55	80	2.5	5	4	6302	4858	RH-1	40	form-based			true	0.7	5	1	4	4	7058.799805	5614.799805	5614.799805	1.120089
7245	009	2521	0.06	2435	1	55	80	2.5	5	4	6302	3867	RH-1	40	form-based			true	0.7	5	1	4	4	7058.799805	4623.799805	4623.799805	1.120089
7245	010	2521	0.06	2831	1	55	80	2.5	5	4	6302	3471	RH-1	40	form-based			true	0.7	5	1	4	4	7058.799805	4227.799805	4227.799805	1.120089
7245	011	2521	0.06	1395	1	55	80	2.5	5	4	6302	4907	RH-1	40	form-based			true	0.7	5	1	4	4	7058.799805	5663.799805	5663.799805	1.120089
7245	012	2521	0.06	1515	1	55	80	2.5	5	4	6302	4787	RH-1	40	form-based			true	0.7	5	1	4	4	7058.799805	5543.799805	5543.799805	1.120089
7245	019	2500	0.06	1981	1	55	80	2.5	5	4	6250	4269	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5019	5019	1.12
7245	020	2500	0.06	1743	1	55	80	2.5	5	4	6250	4507	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5257	5257	1.12
7245	021	2500	0.06	1508	1	55	80	2.5	5	4	6250	4742	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5492	5492	1.12
7245	022	2500	0.06	1325	1	55	80	2.5	5	4	6250	4925	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5675	5675	1.12
7245	023	2500	0.06	1745	1	55	80	2.5	5	4	6250	4505	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5255	5255	1.12
7245	024	2500	0.06	1525	1	55	80	2.5	5	4	6250	4725	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5475	5475	1.12
7245	025	2500	0.06	2195	1	55	80	2.5	5	4	6250	4055	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4805	4805	1.12
7245	026	2500	0.06	1525	1	55	80	2.5	5	4	6250	4725	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5475	5475	1.12
7245	027	2500	0.06	1741	1	55	80	2.5	5	4	6250	4509	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5259	5259	1.12
7245	028	2500	0.06	1525	1	55	80	2.5	5	4	6250	4725	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5475	5475	1.12
7245	029	2500	0.06	1525	1	55	80	2.5	5	4	6250	4725	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5475	5475	1.12
7246	009	2525	0.06	1580	1	55	80	2.5	5	4	6312	4732	RH-1	40	form-based			true	0.7	5	1	4	4	7070	5490	5490	1.120089
7246	010	2525	0.06	1400	1	55	80	2.5	5	4	6312	4912	RH-1	40	form-based			true	0.7	5	1	4	4	7070	5670	5670	1.120089
7246	011	2525	0.06	1580	1	55	80	2.5	5	4	6312	4732	RH-1	40	form-based			true	0.7	5	1	4	4	7070	5490	5490	1.120089
7246	012	2525	0.06	2178	1	55	80	2.5	5	4	6312	4134	RH-1	40	form-based			true	0.7	5	1	4	4	7070	4892	4892	1.120089
7246	013	2525	0.06	1700	1	55	80	2.5	5	4	6312	4612	RH-1	40	form-based			true	0.7	5	1	4	4	7070	5370	5370	1.120089
7246	014	2525	0.06	1520	1	55	80	2.5	5	4	6312	4792	RH-1	40	form-based			true	0.7	5	1	4	4	7070	5550	5550	1.120089
7246	015	2525	0.06	2034	1	55	80	2.5	5	4	6312	4278	RH-1	40	form-based			true	0.7	5	1	4	4	7070	5036	5036	1.120089
7246	016	2525	0.06	2184	1	55	80	2.5	5	4	6312	4128	RH-1	40	form-based			true	0.7	5	1	4	4	7070	4886	4886	1.120089
7246	017	2525	0.06	1665	1	55	80	2.5	5	4	6312	4647	RH-1	40	form-based			true	0.7	5	1	4	4	7070	5405	5405	1.120089
7246	018	2525	0.06	1848	1	55	80	2.5	5	4	6312	4464	RH-1	40	form-based			true	0.7	5	1	4	4	7070	5222	5222	1.120089
7246	019	2525	0.06	2270	1	55	80	2.5	5	4	6312	4042	RH-1	40	form-based			true	0.7	5	1	4	4	7070	4800	4800	1.120089
7246	020	2525	0.06	2037	1	55	80	2.5	5	4	6312	4275	RH-1	40	form-based			true	0.7	5	1	4	4	7070	5033	5033	1.120089

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7246	021	2525	0.06	1906	1	55	80	2.5	5	4	6312	4406	RH-1	40	form-based			true	0.7	5	1	4	4	7070	5164	5164	1.120089
7246	022	2525	0.06	1400	1	55	80	2.5	5	4	6312	4912	RH-1	40	form-based			true	0.7	5	1	4	4	7070	5670	5670	1.120089
7246	023	2525	0.06	1400	1	55	80	2.5	5	4	6312	4912	RH-1	40	form-based			true	0.7	5	1	4	4	7070	5670	5670	1.120089
7246	026	2500	0.06	2188	1	55	80	2.5	5	4	6250	4062	RH-1	40	form-based			true	0.7	5	1	4	4	7000	4812	4812	1.12
7246	027	2500	0.06	1634	1	55	80	2.5	5	4	6250	4616	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5366	5366	1.12
7246	028	2500	0.06	1736	1	55	80	2.5	5	4	6250	4514	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5264	5264	1.12
7246	029	2500	0.06	1975	1	55	80	2.5	5	4	6250	4275	RH-1	40	form-based			true	0.7	5	1	4	4	7000	5025	5025	1.12
7295	030	3477	0.08	1835	0	65	100	3	8	8	10431	8596	RH-1(D)	40	density-lim	3000			0.7	4	0.5	4	4	9735.599609	7900.599609	7900.599609	0.933333
7354	001	3402	0.08	0	0	55	80	2.5	6	6	8505	8505	RM-1	40	density-lim	800			0.7	4	0.666666687	4	4	9525.599609	9525.599609	9525.599609	1.12
7520	002	2170	0.05	560	1	55	80	2.5	4	3	5425	4865	RH-1	40	form-based			true	0.7	5	1.25	4	4	6076	5516	5516	1.12
7527	002	2581	0.06	2284	1	65	100	3	6	5	7743	5459	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7226.799805	4942.799805	4942.799805	0.933333
7527	004	2588	0.06	1950	1	65	100	3	6	5	7764	5814	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7246.399902	5296.399902	5296.399902	0.933333
7527	005	2554	0.06	1940	1	65	100	3	6	5	7662	5722	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7151.199707	5211.199707	5211.199707	0.933333
7527	006	2596	0.06	1950	1	65	100	3	6	5	7788	5838	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7268.799805	5318.799805	5318.799805	0.933333
7527	008	2512	0.06	2275	1	65	100	3	6	5	7536	5261	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7033.600098	4758.600098	4758.600098	0.933333
7527	009	2421	0.06	2285	1	65	100	3	6	5	7263	4978	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6778.799805	4493.799805	4493.799805	0.933333
7527	015	2500	0.06	2785	1	65	100	3	6	5	7500	4715	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7000	4215	4215	0.933333
7527	016	2566	0.06	1997	1	65	100	3	6	5	7698	5701	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7184.799805	5187.799805	5187.799805	0.933333
7527	018	2446	0.06	1550	1	65	100	3	6	5	7338	5788	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6848.799805	5298.799805	5298.799805	0.933333
7527	019	2522	0.06	2275	1	65	100	3	6	5	7566	5291	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7061.600098	4786.600098	4786.600098	0.933333
7527	020	2572	0.06	2682	1	65	100	3	6	5	7716	5034	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7201.600098	4519.600098	4519.600098	0.933333
7527	031	2587	0.06	2250	1	65	100	3	6	5	7761	5511	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7243.600098	4993.600098	4993.600098	0.933333
7527	034	2567	0.06	2026	1	65	100	3	6	5	7701	5675	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	5161.600098	5161.600098	0.933333
7527	035	2548	0.06	1966	1	65	100	3	6	5	7644	5678	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7134.399902	5168.399902	5168.399902	0.933333
7536	039	2625	0.06	1400	2	55	80	2.5	5	3	6562	5162	RH-2	40	form-based			true	0.7	6	1.200000048	4	4	7350	5950	5950	1.120085
7536	041	1795	0.04	3170	0	55	80	2.5	3	3	4488	1318	RH-2	40	form-based			true	0.7	4	1.333333373	4	4	5026	1856	1856	1.119875
7536	043	1794	0.04	2585	0	55	80	2.5	3	3	4485	1900	RH-2	40	form-based		true	true	0.7	4	1.333333373	4	4	5023.199707	2438.199707	2438.199707	1.12
7535	101	1752	0.04	2500	0	55	80	2.5	3	3	4380	1880	RM-1	40	form-based			true	0.7	4	1.333333373	4	4	4905.600098	2405.600098	2405.600098	1.12
7535	103	1999	0.05	3898	0	55	80	2.5	4	4	4998	1100	RM-1	40	form-based			true	0.7	4	1	4	4	5597.199707	1699.199707	1699.199707	1.119888
7535	106	2493	0.06	1199	1	55	80	2.5	5	4	6232	5033	RM-1	40	form-based			true	0.7	5	1	4	4	6980.399902	5781.399902	5781.399902	1.12009
7536	004	2575	0.06	2081	1	55	80	2.5	5	4	6438	4357	RH-1	40	form-based			true	0.7	5	1	4	4	7210	5129	5129	1.119913
7536	006	2882	0.07	1314	2	55	80	2.5	6	4	7205	5891	RH-1	40	form-based			true	0.7	6	1	4	4	8069.600098	6755.600098	6755.600098	1.12
7536	015	2884	0.07	2800	2	55	80	2.5	6	4	7210	4410	RH-1	40	form-based			true	0.7	6	1	4	4	8075.199707	5275.199707	5275.199707	1.12
7536	016	2884	0.07	2090	2	55	80	2.5	6	4	7210	5120	RH-1	40	form-based			true	0.7	6	1	4	4	8075.199707	5985.199707	5985.199707	1.12
7537	004	2625	0.06	1221	2	55	80	2.5	5	3	6562	5341	RH-1	40	form-based			true	0.7	6	1.200000048	4	4	7350	6129	6129	1.120085
7537	005	2625	0.06	1380	2	55	80	2.5	5	3	6562	5182	RH-1	40	form-based			true	0.7	6	1.200000048	4	4	7350	5970	5970	1.120085
7538	005	2561	0.06	2025	1	55	80	2.5	5	4	6402	4377	RH-1	40	form-based			true	0.7	5	1	4	4	7170.799805	5145.799805	5145.799805	1.120087
7538	021	2388	0.05	2700	1	55	80	2.5	4	3	5970	3270	RH-1	40	form-based			true	0.7	5	1.25	4	4	6686.399902	3986.399902	3986.399902	1.12
7538	022	2282	0.05	1600	1	65	100	3	5	4	6846	5246	RH-1	40	form-based		true	true	0.7	5	1	4	4	6389.600098	4789.600098	4789.600098	0.933333
7545	018	2556	0.06	1365	1	65	100	3	6	5	7668	6303	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7156.799805	5791.799805	5791.799805	0.933333
7545	019	2557	0.06	1387	1	65	100	3	6	5	7671	6284	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7159.600098	5772.600098	5772.600098	0.933333
7545	020	2558	0.06	923	1	65	100	3	6	5	7674	6751	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7162.399902	6239.399902	6239.399902	0.933333
7545	021	2559	0.06	1267	1	65	100	3	6	5	7677	6410	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7165.199707	5898.199707	5898.199707	0.933333
7545	022	2560	0.06	923	1	65	100	3	6	5	7680	6757	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7168	6245	6245	0.933333
7545	023	2577	0.06	923	1	65	100	3	6	5	7731	6808	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7215.600098	6292.600098	6292.600098	0.933333
7545	025	2543	0.06	1067	1	65	100	3	6	5	7629	6562	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7120.399902	6053.399902	6053.399902	0.933333
7545	002	2599	0.06	1179	1	65	100	3	6	5	7797	6618	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7277.199707	6098.199707	6098.199707	0.933333
7545	003	2602	0.06	923	1	65	100	3	6	5	7806	6883	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7285.600098	6362.600098	6362.600098	0.933333
7545	004	2598	0.06	1323	1	65	100	3	6	5	7794	6471	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7274.399902	5951.399902	5951.399902	0.933333
7545	005	2607	0.06	1594	1	65	100	3	6	5	7821	6227	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7299.600098	5705.600098	5705.600098	0.933333
7545	009	2527	0.06	923	1	65	100	3	6	5	7581	6658	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7075.600098	6152.600098	6152.600098	0.933333
7545	016	2595	0.06	923	1	65	100	3	6	5	7785	6862	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7266	6343	6343	0.933333
7545	026	2553	0.06	923	1	65	100	3	6	5	7659	6736	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7148.399902	6225.399902	6225.399902	0.933333
7545	027	2557	0.06	923	1	65	100	3	6	5	7671	6748	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	7159.600098	6236.600098	6236.600098	0.933333
7545	029	2516	0.06	987	1	65	100	3	6	5	7548	6561	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	6057.799805	6057.799805	0.933333
7545	030	2516	0.06	987	1	65	100	3	6	5	7548	6561	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	6057.799805	6057.799805	0.933333
7545	031	2516	0.06	843	1	65	100	3	6	5	7548	6705	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	6201.799805	6201.799805	0.933333
7545	032	2516	0.06	1100	1	65	100	3	6	5	7548	6448	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	5944.799805	5944.799805	0.933333
7545	033	2516	0.06	1080	1	65	100	3	6	5	7548	6468	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	5964.799805	5964.799805	0.933333
7545	034	2516	0.06	897	1	65	100	3	6	5	7548	6651	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	6147.799805	6147.799805	0.933333
7545	035	2516	0.06	843	1	65	100	3	6	5	7548	6705	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	6201.799805	6201.799805	0.933333
7545	036	2516	0.06	987	1	65	100	3	6	5	7548	6561	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	6057.799805	6057.799805	0.933333
7545	037	2516	0.06	2227	1	65	100	3	6	5	7548	5321	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7044.799805	4817.799805	4817.799805	0.933333
7545	038	2521	0.06	1078	1	65	100	3	6	5	7563	6485	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7058.799805	5980.799805	5980.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7545	041	2230	0.05	2764	1	65	100	3	5	4	6690	3926	RH-1	40	form-based		true	true	0.7	5	1	4	4	6244	3480	3480	0.933333
7547	014	2526	0.06	1010	1	65	100	3	6	5	7578	6568	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	6062.799805	6062.799805	0.933333
7547	015	2525	0.06	1174	1	65	100	3	6	5	7575	6401	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7070	5896	5896	0.933333
7546	029	2610	0.06	1870	1	65	100	3	6	5	7830	5960	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7308	5438	5438	0.933333
7547	016	2525	0.06	1410	1	65	100	3	6	5	7575	6165	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7070	5660	5660	0.933333
7547	021	2200	0.05	1080	1	65	100	3	5	4	6600	5520	RH-1	40	form-based			true	0.7	5	1	4	4	6160	5080	5080	0.933333
7547	022	2200	0.05	1273	1	65	100	3	5	4	6600	5327	RH-1	40	form-based			true	0.7	5	1	4	4	6160	4887	4887	0.933333
7547	023	2185	0.05	1194	1	65	100	3	5	4	6555	5361	RH-1	40	form-based			true	0.7	5	1	4	4	6118	4924	4924	0.933333
7547	024	2215	0.05	1760	1	65	100	3	5	4	6645	4885	RH-1	40	form-based		true	true	0.7	5	1	4	4	6202	4442	4442	0.933333
7547	013	2526	0.06	1260	1	65	100	3	6	5	7578	6318	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7072.799805	5812.799805	5812.799805	0.933333
7548	015	2489	0.06	1680	1	75	120	3.5	7	6	8712	7032	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6969.199707	5289.199707	5289.199707	0.799954
7548	017	2468	0.06	1680	1	75	120	3.5	7	6	8638	6958	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6910.399902	5230.399902	5230.399902	0.8
7548	018	2483	0.06	1806	1	75	120	3.5	7	6	8690	6884	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6952.399902	5146.399902	5146.399902	0.800046
7548	019	2499	0.06	1677	1	75	120	3.5	7	6	8746	7069	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	6997.199707	5320.199707	5320.199707	0.800046
7548	020	2514	0.06	1854	1	75	120	3.5	7	6	8799	6945	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7039.199707	5185.199707	5185.199707	0.8
7548	021	2530	0.06	1785	1	75	120	3.5	7	6	8855	7070	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7084	5299	5299	0.8
7548	022	2545	0.06	600	1	75	120	3.5	7	6	8908	8308	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7126	6526	6526	0.799955
7548	023	2561	0.06	1500	1	75	120	3.5	7	6	8964	7464	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7170.799805	5670.799805	5670.799805	0.799955
7548	024	2576	0.06	510	1	75	120	3.5	7	6	9016	8506	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7212.799805	6702.799805	6702.799805	0.8
7548	025	2592	0.06	1196	1	75	120	3.5	7	6	9072	7876	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7257.600098	6061.600098	6061.600098	0.8
7548	026	2607	0.06	1196	1	75	120	3.5	7	6	9124	7928	RH-1	40	form-based			true	0.7	5	0.714285731	4	4	7299.600098	6103.600098	6103.600098	0.800044
7549	003	2451	0.06	968	1	65	100	3	6	5	7353	6385	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6862.799805	5894.799805	5894.799805	0.933333
7549	008	2507	0.06	2575	1	65	100	3	6	5	7521	4946	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7019.600098	4444.600098	4444.600098	0.933333
7549	017	2295	0.05	1187	1	65	100	3	5	4	6885	5698	RH-1	40	form-based			true	0.7	5	1	4	4	6426	5239	5239	0.933333
7549	018	2482	0.06	3470	1	65	100	3	6	5	7446	3976	RH-1	40	form-based		true	true	0.7	5	0.833333313	4	4	6949.600098	3479.600098	3479.600098	0.933333
7549	023	2571	0.06	1236	1	65	100	3	6	5	7713	6477	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7198.799805	5962.799805	5962.799805	0.933333
7551	008	2567	0.06	975	1	65	100	3	6	5	7701	6726	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7187.600098	6212.600098	6212.600098	0.933333
7551	009	2310	0.05	975	1	65	100	3	5	4	6930	5955	RH-1	40	form-based			true	0.7	5	1	4	4	6468	5493	5493	0.933333
7552	005	2584	0.06	1379	1	65	100	3	6	5	7752	6373	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7235.199707	5856.199707	5856.199707	0.933333
7551	105	2344	0.05	2907	1	65	100	3	5	4	7032	4125	RH-1	40	form-based			true	0.7	5	1	4	4	6563.199707	3656.199707	3656.199707	0.933333
7552	002	2304	0.05	2268	1	65	100	3	5	4	6912	4644	RH-1	40	form-based			true	0.7	5	1	4	4	6451.199707	4183.199707	4183.199707	0.933333
7552	003	2566	0.06	3018	1	65	100	3	6	5	7698	4680	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7184.799805	4166.799805	4166.799805	0.933333
7552	004	2575	0.06	1468	1	65	100	3	6	5	7725	6257	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7210	5742	5742	0.933333
7552	006	2593	0.06	4078	1	65	100	3	6	5	7779	3701	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7260.399902	3182.399902	3182.399902	0.933333
7552	007	2602	0.06	1670	1	65	100	3	6	5	7806	6136	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7285.600098	5615.600098	5615.600098	0.933333
7552	008	2611	0.06	1396	1	65	100	3	6	5	7833	6437	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7310.799805	5914.799805	5914.799805	0.933333
7552	013	2477	0.06	1585	1	65	100	3	6	5	7431	5846	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6935.600098	5350.600098	5350.600098	0.933333
7552	014	2477	0.06	1110	1	65	100	3	6	5	7431	6321	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6935.600098	5825.600098	5825.600098	0.933333
7552	015	2477	0.06	1110	1	65	100	3	6	5	7431	6321	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6935.600098	5825.600098	5825.600098	0.933333
7552	016	2477	0.06	866	1	65	100	3	6	5	7431	6565	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6935.600098	6069.600098	6069.600098	0.933333
7552	017	2477	0.06	756	1	65	100	3	6	5	7431	6675	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6935.600098	6179.600098	6179.600098	0.933333
7553	031	2424	0.06	1550	1	65	100	3	6	5	7272	5722	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6787.199707	5237.199707	5237.199707	0.933333
7552	040	2505	0.06	3430	1	65	100	3	6	5	7515	4085	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7014	3584	3584	0.933333
7553	001	2282	0.05	2030	1	65	100	3	5	4	6846	4816	RH-1	40	form-based		true	true	0.7	5	1	4	4	6389.600098	4359.600098	4359.600098	0.933333
7553	005	2326	0.05	1895	1	65	100	3	5	4	6978	5083	RH-1	40	form-based			true	0.7	5	1	4	4	6512.799805	4617.799805	4617.799805	0.933333
7553	007	2391	0.05	1766	1	65	100	3	5	4	7173	5407	RH-1	40	form-based			true	0.7	5	1	4	4	6694.799805	4928.799805	4928.799805	0.933333
7553	008	2385	0.05	875	1	65	100	3	5	4	7155	6280	RH-1	40	form-based			true	0.7	5	1	4	4	6678	5803	5803	0.933333
7553	009	2379	0.05	875	1	65	100	3	5	4	7137	6262	RH-1	40	form-based			true	0.7	5	1	4	4	6661.199707	5786.199707	5786.199707	0.933333
7553	010	2373	0.05	1355	1	65	100	3	5	4	7119	5764	RH-1	40	form-based			true	0.7	5	1	4	4	6644.399902	5289.399902	5289.399902	0.933333
7553	011	2366	0.05	1205	1	65	100	3	5	4	7098	5893	RH-1	40	form-based			true	0.7	5	1	4	4	6624.799805	5419.799805	5419.799805	0.933333
7553	012	2360	0.05	875	1	65	100	3	5	4	7080	6205	RH-1	40	form-based			true	0.7	5	1	4	4	6608	5733	5733	0.933333
7553	013	2354	0.05	1193	1	65	100	3	5	4	7062	5869	RH-1	40	form-based			true	0.7	5	1	4	4	6591.199707	5398.199707	5398.199707	0.933333
7553	014	2348	0.05	875	1	65	100	3	5	4	7044	6169	RH-1	40	form-based			true	0.7	5	1	4	4	6574.399902	5699.399902	5699.399902	0.933333
7553	015	2342	0.05	875	1	65	100	3	5	4	7026	6151	RH-1	40	form-based			true	0.7	5	1	4	4	6557.600098	5682.600098	5682.600098	0.933333
7553	016	2336	0.05	1398	1	65	100	3	5	4	7008	5610	RH-1	40	form-based			true	0.7	5	1	4	4	6540.799805	5142.799805	5142.799805	0.933333
7553	019	2506	0.06	875	1	65	100	3	6	5	7518	6643	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	7016.799805	6141.799805	6141.799805	0.933333
7553	029	2439	0.06	1220	1	65	100	3	6	5	7317	6097	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6829.199707	5609.199707	5609.199707	0.933333
7553	030	2431	0.06	1550	1	65	100	3	6	5	7293	5743	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6806.799805	5256.799805	5256.799805	0.933333
7553	032	2417	0.06	1632	1	65	100	3	6	5	7251	5619	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6767.600098	5135.600098	5135.600098	0.933333
7553	033	2409	0.06	1550	1	65	100	3	6	5	7227	5677	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6745.199707	5195.199707	5195.199707	0.933333
7553	034	2402	0.06	1800	1	65	100	3	6	5	7206	5406	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6725.600098	4925.600098	4925.600098	0.933333
7553	035	2395	0.05	1800	1	65	100	3	5	4	7185	5385	RH-1	40	form-based			true	0.7	5	1	4	4	6706	4906	4906	0.933333
7553	036	2387	0.05	2558	1	65	100	3	5	4	7161	4603	RH-1	40	form-based			true	0.7	5	1	4	4	6683.600098	4125.600098	4125.600098	0.933333
7553	037	2380	0.05	2558	1	65	100	3	5	4	7140	4582	RH-1	40	form-based			true	0.7	5	1	4	4	6664	4106	4106	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7553	038	2385	0.05	2558	1	65	100	3	5	4	7155	4597	RH-1	40	form-based			true	0.7	5	1	4	4	6678	4120	4120	0.933333
7553	040	2301	0.05	978	1	65	100	3	5	4	6903	5925	RH-1	40	form-based			true	0.7	5	1	4	4	6442.799805	5464.799805	5464.799805	0.933333
7553	041	2269	0.05	1866	1	65	100	3	5	4	6807	4941	RH-1	40	form-based			true	0.7	5	1	4	4	6353.199707	4487.199707	4487.199707	0.933333
7553	047	2280	0.05	3148	1	65	100	3	5	4	6840	3692	RH-1	40	form-based		true	true	0.7	5	1	4	4	6384	3236	3236	0.933333
7555	005	2362	0.05	1112	1	65	100	3	5	4	7086	5974	RH-1	40	form-based			true	0.7	5	1	4	4	6613.600098	5501.600098	5501.600098	0.933333
7555	006	2451	0.06	1570	1	65	100	3	6	5	7353	5783	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6862.799805	5292.799805	5292.799805	0.933333
7555	007	2445	0.06	1270	1	65	100	3	6	5	7335	6065	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6846	5576	5576	0.933333
7555	008	2439	0.06	1360	1	65	100	3	6	5	7317	5957	RH-1	40	form-based			true	0.7	5	0.833333313	4	4	6829.199707	5469.199707	5469.199707	0.933333
7555	010	2261	0.05	1840	1	65	100	3	5	4	6783	4943	RH-1	40	form-based			true	0.7	5	1	4	4	6330.799805	4490.799805	4490.799805	0.933333
7555	011	2249	0.05	1884	1	65	100	3	5	4	6747	4863	RH-1	40	form-based			true	0.7	5	1	4	4	6297.199707	4413.199707	4413.199707	0.933333
0025	004B	1530	0.04	1500	0	65	100	3	4	4	4590	3090	NC-1	40	form-based			true	0.75	3	0.75	3	3	4590	3090	3090	1
0025	004E	2275	0.05	1960	2	65	100	3	5	3	6825	4865	RTO-C	40	form-based			true	0.75	5	1	3	3	6825	4865	4865	1
0025	004F	2275	0.05	5198	2	65	100	3	5	3	6825	1627	RTO-C	40	form-based			true	0.75	5	1	3	3	6825	1627	1627	1
0026	013	3891	0.09	5460	5	65	100	3	9	4	11673	6213	RH-3	40	form-based			true	0.7	8	0.888888896	3	3	10894.7998	5434.799805	5434.799805	0.933333
0026	019D	2188	0.05	2850	2	65	100	3	5	3	6564	3714	RH-3	40	form-based			true	0.7	5	1	3	3	6126.399902	3276.399902	3276.399902	0.933333
0026	019E	2188	0.05	3430	2	65	100	3	5	3	6564	3134	RH-3	40	form-based			true	0.7	5	1	3	3	6126.399902	2696.399902	2696.399902	0.933333
0026	034	2362	0.05	1450	2	65	100	3	5	3	7086	5636	RH-3	40	form-based			true	0.7	5	1	3	3	6613.600098	5163.600098	5163.600098	0.933333
0026	046	1581	0.04	973	0	65	100	3	4	4	4743	3770	RH-3	40	form-based		true	true	0.7	3	0.75	3	3	4426.799805	3453.799805	3453.799805	0.933333
0027	001	2901	0.07	4871	3	65	100	3	7	4	8703	3832	RH-3	40	form-based		true	true	0.7	6	0.857142866	3	3	8122.799805	3251.799805	3251.799805	0.933333
0027	001C	2229	0.05	3230	2	65	100	3	5	3	6687	3457	RH-3	40	form-based			true	0.7	5	1	3	3	6241.199707	3011.199707	3011.199707	0.933333
0027	002B	3084	0.07	3900	3	65	100	3	7	4	9252	5352	RH-3	40	form-based		true	true	0.7	6	0.857142866	3	3	8635.200195	4735.200195	4735.200195	0.933333
0027	004	4134	0.09	6102	6	65	100	3	9	3	12402	6300	RH-3	40	form-based			true	0.7	9	1	3	3	11575.2002	5473.200195	5473.200195	0.933333
0027	011B	2572	0.06	3016	2	65	100	3	6	4	7716	4700	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7201.600098	4185.600098	4185.600098	0.933333
0027	011C	3547	0.08	3625	4	65	100	3	8	4	10641	7016	RH-3	40	form-based		true	true	0.7	7	0.875	3	3	9931.599609	6306.599609	6306.599609	0.933333
0027	022	2188	0.05	1443	2	65	100	3	5	3	6564	5121	RH-3	40	form-based			true	0.7	5	1	3	3	6126.399902	4683.399902	4683.399902	0.933333
0027	034	2238	0.05	2435	2	65	100	3	5	3	6714	4279	RH-3	40	form-based			true	0.7	5	1	3	3	6266.399902	3831.399902	3831.399902	0.933333
0027	036	2827	0.06	1211	3	65	100	3	6	3	8481	7270	RH-3	40	form-based			true	0.7	6	1	3	3	7915.600098	6704.600098	6704.600098	0.933333
0027	048	3321	0.08	2076	4	65	100	3	8	4	9963	7887	RH-3	40	form-based			true	0.7	7	0.875	3	3	9298.799805	7222.799805	7222.799805	0.933333
0028	006D	943	0.02	1133	1	65	100	3	2	1	2829	1696	RTO-C	65	form-based			true	0.75	4	2	3	3	4243.5	3110.5	3110.5	1.5
0028	006I	1024	0.02	2184	1	65	100	3	2	1	3072	888	RTO-C	65	form-based		true	true	0.75	4	2	3	3	4608	2424	2424	1.5
0039	012	1907	0.04	3076	3	65	100	3	4	1	5721	2645	RH-3	40	density-lim	1000	true		0.7	6	1.5	3	3	5339.600098	2263.600098	2263.600098	0.933333
0039	015	1574	0.04	1840	1	65	100	3	4	3	4722	2882	RH-3	40	density-lim	1000			0.7	4	1	3	3	4407.199707	2567.199707	2567.199707	0.933333
0039	017	2063	0.05	2064	1	65	100	3	5	4	6189	4125	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5776.399902	3712.399902	3712.399902	0.933333
0040	004	1313	0.03	3540	3	65	100	3	3	0	3939	399	RH-3	40	density-lim	1000	true		0.7	6	2	3	3	3676.399902	136.3999023	136.3999023	0.933333
0044	002B	2312	0.05	3043	3	65	100	3	5	2	6936	3893	RH-2	50	form-based			true	0.7	6	1.200000048	3	3	8092	5049	5049	1.166667
0048	021	3000	0.07	1700	3	55	80	2.5	6	3	7500	5800	RH-1(D)	40	form-based			true	0.7	6	1	3	3	8400	6700	6700	1.12
0049	010C	1890	0.04	2472	2	65	100	3	4	2	5670	3198	RH-3	50	form-based			true	0.7	5	1.25	3	3	6615	4143	4143	1.166667
0049	031	2297	0.05	1238	2	55	80	2.5	4	2	5742	4504	RH-3	40	form-based			true	0.7	5	1.25	3	3	6431.600098	5193.600098	5193.600098	1.120098
0050	015	1140	0.03	0	0	65	100	3	3	3	3420	3420	RM-1	50	form-based			true	0.7	3	1	3	3	3990	3990	3990	1.166667
0050	030	1814	0.04	1888	2	65	100	3	4	2	5442	3554	RM-1	50	form-based			true	0.7	5	1.25	3	3	6349	4461	4461	1.166667
0051	001	2535	0.06	5310	5	65	100	3	6	1	7605	2295	NCD-NORT	50	form-based		true	true	0.75	8	1.333333373	3	3	9506.25	4196.25	4196.25	1.25
0051	007	3846	0.09	7169	9	65	100	3	9	0	11538	4369	NCD-NORT	50	form-based			true	0.75	12	1.333333373	3	3	14422.5	7253.5	7253.5	1.25
0051	008	3099	0.07	7950	6	65	100	3	7	1	9297	1347	NCD-NORT	50	form-based		true	true	0.75	9	1.285714269	3	3	11621.25	3671.25	3671.25	1.25
0052	117	9246	0.21	22523	20	65	100	3	21	1	27738	5215	NCD-NORT	40	density-lim	400			0.75	23	1.09523809	3	3	27738	5215	5215	1
0054	002	1902	0.04	3162	3	65	100	3	4	1	5706	2544	RH-3	40	density-lim	1000	true		0.7	6	1.5	3	3	5325.600098	2163.600098	2163.600098	0.933333
0054	012	1400	0.03	1150	1	65	100	3	3	2	4200	3050	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3920	2770	2770	0.933333
0054	029	1798	0.04	3413	3	65	100	3	4	1	5394	1981	RH-3	40	density-lim	1000	true		0.7	6	1.5	3	3	5034.399902	1621.399902	1621.399902	0.933333
0054	038	1420	0.03	1210	1	65	100	3	3	2	4260	3050	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3976	2766	2766	0.933333
0054	053	1059	0.02	970	3	65	100	3	2	0	3177	2207	RH-3	40	density-lim	1000	true		0.7	6	3	3	1	2965.199951	1995.199951	1995.199951	0.933333
0055	006	1412	0.03	905	1	65	100	3	3	2	4236	3331	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3953.599854	3048.599854	3048.599854	0.933333
0055	033	2520	0.06	4220	1	65	100	3	6	5	7560	3340	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7056	2836	2836	0.933333
0055	034	3418	0.08	4380	1	65	100	3	8	7	10254	5874	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	9570.399414	5190.399414	5190.399414	0.933333
0060	009C	2406	0.06	3738	2	65	100	3	6	4	7218	3480	RM-2	40	form-based			true	0.7	5	0.833333313	3	3	6736.799805	2998.799805	2998.799805	0.933333
0061	002B	2110	0.05	3035	1	65	100	3	5	4	6330	3295	RH-3	40	form-based			true	0.7	4	0.800000012	3	3	5908	2873	2873	0.933333
0061	002C	2049	0.05	2574	1	65	100	3	5	4	6147	3573	RH-3	40	form-based			true	0.7	4	0.800000012	3	3	5737.199707	3163.199707	3163.199707	0.933333
0061	003A	1820	0.04	1934	1	65	100	3	4	3	5460	3526	RH-3	40	form-based			true	0.7	4	1	3	3	5096	3162	3162	0.933333
0061	003B	1750	0.04	1575	1	65	100	3	4	3	5250	3675	RH-3	40	form-based			true	0.7	4	1	3	3	4900	3325	3325	0.933333
0061	020	1833	0.04	1785	1	65	100	3	4	3	5499	3714	RH-3	40	form-based			true	0.7	4	1	3	3	5132.399902	3347.399902	3347.399902	0.933333
0061	027	2195	0.05	1924	2	65	100	3	5	3	6585	4661	RH-3	40	form-based			true	0.7	5	1	3	3	6146	4222	4222	0.933333
0062	003	3449	0.08	5248	4	65	100	3	8	4	10347	5099	RH-3	40	form-based			true	0.7	7	0.875	3	3	9657.200195	4409.200195	4409.200195	0.933333
0062	012	2625	0.06	5040	3	65	100	3	6	3	7875	2835	RH-3	40	form-based			true	0.7	6	1	3	3	7350	2310	2310	0.933333
0062	017C	2171	0.05	2666	2	55	80	2.5	4	2	5428	2762	RM-1	40	form-based			true	0.7	5	1.25	3	3	6078.799805	3412.799805	3412.799805	1.119897
0062	017D	2446	0.06	2666	2	55	80	2.5	5	3	6115	3449	RM-1	40	form-based			true	0.7	5	1	3	3	6848.799805	4182.799805	4182.799805	1.12
0062	024	2556	0.06	2510	2	65	100	3	6	4	7668	5158	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7156.799805	4646.799805	4646.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0062	024B	2556	0.06	2616	2	65	100	3	6	4	7668	5052	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7156.799805	4540.799805	4540.799805	0.933333
0062	027	2204	0.05	2650	2	65	100	3	5	3	6612	3962	RH-3	40	form-based			true	0.7	5	1	3	3	6171.199707	3521.199707	3521.199707	0.933333
0062	050	2188	0.05	1530	2	65	100	3	5	3	6564	5034	RH-3	40	form-based			true	0.7	5	1	3	3	6126.399902	4596.399902	4596.399902	0.933333
0063	006	2151	0.05	2500	2	55	80	2.5	4	2	5378	2878	RM-1	40	form-based			true	0.7	5	1.25	3	3	6022.799805	3522.799805	3522.799805	1.119896
0063	018A	2179	0.05	3584	2	55	80	2.5	4	2	5448	1864	RM-2	40	form-based			true	0.7	5	1.25	3	3	6101.199707	2517.199707	2517.199707	1.119897
0063	018B	2179	0.05	2244	2	55	80	2.5	4	2	5448	3204	RM-2	40	form-based			true	0.7	5	1.25	3	3	6101.199707	3857.199707	3857.199707	1.119897
0063	018C	2183	0.05	2244	2	55	80	2.5	4	2	5458	3214	RM-2	40	form-based			true	0.7	5	1.25	3	3	6112.399902	3868.399902	3868.399902	1.119897
0063	027	3077	0.07	4542	3	55	80	2.5	6	3	7692	3150	RM-2	40	form-based			true	0.7	6	1	3	3	8615.599609	4073.599609	4073.599609	1.120073
0063	037	2578	0.06	1168	2	55	80	2.5	5	3	6445	5277	RM-2	40	form-based			true	0.7	5	1	3	3	7218.399902	6050.399902	6050.399902	1.12
0065	012	1083	0.02	1510	0	55	80	2.5	2	2	2708	1198	NCD-NORT	50	form-based			true	0.75	3	1.5	3	3	4061.25	2551.25	2551.25	1.499723
0065	025	2475	0.06	5590	6	55	80	2.5	5	0	6188	598	NCD-NORT	65	form-based		true	true	0.75	9	1.799999952	3	3	11137.5	5547.5	5547.5	1.799855
0066	009	2739	0.06	6158	5	55	80	2.5	5	0	6848	690	RM-1	50	form-based			true	0.7	8	1.600000024	3	3	9586.5	3428.5	3428.5	1.399898
0066	018	1625	0.04	2436	2	55	80	2.5	3	1	4062	1626	RM-1	50	form-based			true	0.7	5	1.666666627	3	3	5687.5	3251.5	3251.5	1.400172
0066	020	1781	0.04	2737	2	55	80	2.5	3	1	4452	1715	RM-1	50	form-based			true	0.7	5	1.666666627	3	3	6233.5	3496.5	3496.5	1.400157
0066	021	1781	0.04	2485	2	55	80	2.5	3	1	4452	1967	RM-1	50	form-based			true	0.7	5	1.666666627	3	3	6233.5	3748.5	3748.5	1.400157
0066	029	4749	0.11	9096	10	55	80	2.5	9	0	11872	2776	RM-1	50	form-based			true	0.7	13	1.444444418	3	3	16621.5	7525.5	7525.5	1.400059
0067	013C	1684	0.04	1710	1	55	80	2.5	3	2	4210	2500	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4715.199707	3005.199707	3005.199707	1.12
0067	013D	1719	0.04	1780	1	55	80	2.5	3	2	4298	2518	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4813.199707	3033.199707	3033.199707	1.11987
0067	013E	1727	0.04	1716	1	55	80	2.5	3	2	4318	2602	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4835.600098	3119.600098	3119.600098	1.11987
0067	022	3386	0.08	1255	4	55	80	2.5	6	2	8465	7210	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9480.799805	8225.799805	8225.799805	1.12
0069	081	3019	0.07	5204	5	65	100	3	7	2	9057	3853	RH-3	50	form-based			true	0.7	8	1.142857194	3	3	10566.5	5362.5	5362.5	1.166667
0071	101	1288	0.03	3969	1	55	80	2.5	2	1	3220	0	RH-3	50	form-based			true	0.7	4	2	3	3	4508	539	539	1.4
0072	012	2089	0.05	2470	1	55	80	2.5	4	3	5222	2752	RM-1	40	form-based			true	0.7	4	1	3	3	5849.199707	3379.199707	3379.199707	1.120107
0072	013	2079	0.05	3792	1	55	80	2.5	4	3	5198	1406	RM-1	40	form-based		true	true	0.7	4	1	3	3	5821.199707	2029.199707	2029.199707	1.119892
0072	016	2313	0.05	2506	2	55	80	2.5	4	2	5782	3276	RM-1	40	form-based			true	0.7	5	1.25	3	3	6476.399902	3970.399902	3970.399902	1.120097
0073	007	2888	0.07	2728	3	55	80	2.5	6	3	7220	4492	RM-1	40	form-based			true	0.7	6	1	3	3	8086.399902	5358.399902	5358.399902	1.12
0073	015	2800	0.06	5428	3	55	80	2.5	5	2	7000	1572	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7840	2412	2412	1.12
0073	017C	2188	0.05	3360	2	55	80	2.5	4	2	5470	2110	RM-1	40	form-based			true	0.7	5	1.25	3	3	6126.399902	2766.399902	2766.399902	1.12
0073	017D	2250	0.05	3636	2	55	80	2.5	4	2	5625	1989	RM-1	40	form-based		true	true	0.7	5	1.25	3	3	6300	2664	2664	1.12
0073	017E	2187	0.05	2850	2	55	80	2.5	4	2	5468	2618	RM-1	40	form-based			true	0.7	5	1.25	3	3	6123.600098	3273.600098	3273.600098	1.119898
0073	017F	2188	0.05	3240	2	55	80	2.5	4	2	5470	2230	RM-1	40	form-based			true	0.7	5	1.25	3	3	6126.399902	2886.399902	2886.399902	1.12
0073	024	1906	0.04	6096	2	55	80	2.5	3	1	4765	0	RM-1	50	form-based			true	0.7	5	1.666666627	3	3	6671	575	575	1.4
0074	003C	1893	0.04	4084	4	55	80	2.5	3	0	4732	648	NCD-NORT	65	form-based			true	0.75	7	2.333333254	3	2	8518.5	4434.5	4434.5	1.80019
0074	003D	1550	0.04	3840	3	55	80	2.5	3	0	3875	35	NCD-NORT	65	form-based			true	0.75	6	2	3	3	6975	3135	3135	1.8
0074	012	1237	0.03	2429	2	55	80	2.5	2	0	3092	663	NCD-NORT	65	form-based			true	0.75	5	2.5	3	2	5566.5	3137.5	3137.5	1.800291
0074	044	3130	0.07	4676	6	55	80	2.5	6	0	7825	3149	RM-2	50	form-based			true	0.7	9	1.5	3	3	10955	6279	6279	1.4
0074	045	3130	0.07	4676	6	55	80	2.5	6	0	7825	3149	RM-2	50	form-based			true	0.7	9	1.5	3	3	10955	6279	6279	1.4
0074	046	3130	0.07	4676	6	55	80	2.5	6	0	7825	3149	RM-2	50	form-based			true	0.7	9	1.5	3	3	10955	6279	6279	1.4
0076	004	2305	0.05	3300	2	55	80	2.5	4	2	5762	2462	RM-1	40	form-based			true	0.7	5	1.25	3	3	6454	3154	3154	1.120097
0076	025A	4129	0.09	6567	6	55	80	2.5	7	1	10322	3755	RM-2	40	form-based			true	0.7	9	1.285714269	3	3	11561.2002	4994.200195	4994.200195	1.120054
0076	027A	7691	0.18	12732	13	55	80	2.5	14	1	19228	6496	RM-2	40	form-based			true	0.7	16	1.142857194	3	3	21534.79883	8802.798828	8802.798828	1.119971
0076	033	2143	0.05	2900	2	55	80	2.5	4	2	5358	2458	RM-2	40	form-based		true	true	0.7	5	1.25	3	3	6000.399902	3100.399902	3100.399902	1.119895
0077	036	2250	0.05	3345	2	55	80	2.5	4	2	5625	2280	RH-3	40	form-based			true	0.7	5	1.25	3	3	6300	2955	2955	1.12
0078	001B	2187	0.05	4766	2	65	100	3	5	3	6561	1795	RH-3	40	form-based			true	0.7	5	1	3	3	6123.600098	1357.600098	1357.600098	0.933333
0078	042	2261	0.05	1400	2	65	100	3	5	3	6783	5383	RH-3	40	form-based			true	0.7	5	1	3	3	6330.799805	4930.799805	4930.799805	0.933333
0078	098	2258	0.05	1531	2	65	100	3	5	3	6774	5243	RH-3	40	form-based			true	0.7	5	1	3	3	6322.399902	4791.399902	4791.399902	0.933333
0078	100	2315	0.05	2500	2	65	100	3	5	3	6945	4445	RH-3	40	form-based			true	0.7	5	1	3	3	6482	3982	3982	0.933333
0079	004	1215	0.03	0	0	65	100	3	3	3	3645	3645	RH-3	40	form-based			true	0.7	3	1	3	3	3402	3402	3402	0.933333
0085	007	983	0.02	1458	3	65	100	3	2	0	2949	1491	RH-3	40	density-lim	1000	true		0.7	6	3	3	1	2752.399902	1294.399902	1294.399902	0.933333
0085	007A	802	0.02	908	1	65	100	3	2	1	2406	1498	RH-3	40	density-lim	1000			0.7	4	2	3	3	2245.599854	1337.599854	1337.599854	0.933333
0085	009	1495	0.03	1890	1	65	100	3	3	2	4485	2595	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	4186	2296	2296	0.933333
0085	012	1587	0.04	880	1	65	100	3	4	3	4761	3881	RH-3	40	density-lim	1000			0.7	4	1	3	3	4443.600098	3563.600098	3563.600098	0.933333
0085	014	1587	0.04	1477	1	65	100	3	4	3	4761	3284	RH-3	40	density-lim	1000			0.7	4	1	3	3	4443.600098	2966.600098	2966.600098	0.933333
0085	026B	1533	0.04	1815	3	65	100	3	4	1	4599	2784	RH-3	40	density-lim	1000	true		0.7	6	1.5	3	3	4292.399902	2477.399902	2477.399902	0.933333
0085	028	1620	0.04	355	1	65	100	3	4	3	4860	4505	RH-3	40	density-lim	1000			0.7	4	1	3	3	4536	4181	4181	0.933333
0085	030	2517	0.06	594	1	65	100	3	6	5	7551	6957	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7047.600098	6453.600098	6453.600098	0.933333
0085	037	3516	0.08	10249	4	65	100	3	8	4	10548	299	RH-3	40	form-based			true	0.7	7	0.875	3	3	9844.799805	0	0	0.933333
0085	047	1800	0.04	1115	1	65	100	3	4	3	5400	4285	RH-3	40	density-lim	1000			0.7	4	1	3	3	5040	3925	3925	0.933333
0085	059	2165	0.05	936	1	65	100	3	5	4	6495	5559	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6062	5126	5126	0.933333
0086	006	1842	0.04	2063	1	65	100	3	4	3	5526	3463	RH-3	40	form-based		true	true	0.7	4	1	3	3	5157.600098	3094.600098	3094.600098	0.933333
0087	007	2188	0.05	3200	2	55	80	2.5	4	2	5470	2270	RH-3	40	form-based			true	0.7	5	1.25	3	3	6126.399902	2926.399902	2926.399902	1.12
0087	007A	2188	0.05	3200	2	55	80	2.5	4	2	5470	2270	RH-3	40	form-based			true	0.7	5	1.25	3	3	6126.399902	2926.399902	2926.399902	1.12
0087	007D	2500	0.06	3650	2	55	80	2.5	5	3	6250	2600	RH-3	40	form-based			true	0.7	5	1	3	3	7000	3350	3350	1.12
0088	035	2418	0.06	4007	2	55	80	2.5	5	3	6045	2038	RM-2	40	form-based			true	0.7	5	1	3	3	6770.399902	2763.399902	2763.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0088	036	1825	0.04	2220	1	55	80	2.5	3	2	4562	2342	RM-2	40	form-based			true	0.7	4	1.333333373	3	3	5110	2890	2890	1.120123
0088	014	1521	0.03	6888	0	55	80	2.5	2	2	3802	0	RM-2	40	form-based			true	0.7	3	1.5	3	3	4258.799805	0	0	1.120147
0088	027	2200	0.05	1880	2	55	80	2.5	4	2	5500	3620	RM-2	40	form-based			true	0.7	5	1.25	3	3	6160	4280	4280	1.12
0089	014	3414	0.08	5850	4	55	80	2.5	6	2	8535	2685	RM-1	40	form-based			true	0.7	7	1.166666627	3	3	9559.200195	3709.200195	3709.200195	1.12
0089	025	2630	0.06	3188	3	55	80	2.5	5	2	6575	3387	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7364	4176	4176	1.12
0089	038	2244	0.05	3200	2	55	80	2.5	4	2	5610	2410	RM-1	40	form-based			true	0.7	5	1.25	3	3	6283.199707	3083.199707	3083.199707	1.12
0089	042	2188	0.05	1803	2	55	80	2.5	4	2	5470	3667	RM-1	40	form-based			true	0.7	5	1.25	3	3	6126.399902	4323.399902	4323.399902	1.12
0090	024	1380	0.03	1396	0	55	80	2.5	2	2	3450	2054	NCD-NORT	40	density-lim	400			0.75	3	1.5	3	3	4140	2744	2744	1.2
0091	054	2715	0.06	3786	4	55	80	2.5	5	1	6788	3002	NCD-NORT	40	density-lim	400			0.75	7	1.399999976	3	3	8145	4359	4359	1.199912
0091	060	4028	0.09	1039	7	55	80	2.5	7	0	10070	9031	NCD-NORT	40	density-lim	400	true		0.75	10	1.428571463	3	3	12084	11045	11045	1.2
0093	011	2802	0.06	4631	3	55	80	2.5	5	2	7005	2374	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7845.600098	3214.600098	3214.600098	1.12
0093	014	2750	0.06	2865	3	55	80	2.5	5	2	6875	4010	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7700	4835	4835	1.12
0093	021	2813	0.06	3436	3	55	80	2.5	5	2	7032	3596	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7876.399902	4440.399902	4440.399902	1.12008
0093	074	2188	0.05	2688	2	55	80	2.5	4	2	5470	2782	RM-1	40	form-based			true	0.7	5	1.25	3	3	6126.399902	3438.399902	3438.399902	1.12
0094	014	6054	0.14	17450	14	55	80	2.5	11	0	15135	0	RM-2	50	form-based			true	0.7	17	1.545454502	3	3	21189	3739	3739	1.4
0094	020	6795	0.16	1950	16	55	80	2.5	13	0	16988	15038	RM-2	50	form-based		true	true	0.7	19	1.461538434	3	3	23782.5	21832.5	21832.5	1.399959
0096	008	1200	0.03	810	1	55	80	2.5	2	1	3000	2190	RH-3	65	form-based			true	0.7	4	2	3	3	5040	4230	4230	1.68
0096	016	1272	0.03	2400	2	55	80	2.5	2	0	3180	780	NC-1	65	form-based		true	true	0.75	5	2.5	3	2	5724	3324	3324	1.8
0096	018	1200	0.03	2140	2	55	80	2.5	2	0	3000	860	NC-1	65	form-based			true	0.75	5	2.5	3	2	5400	3260	3260	1.8
0096	024	1500	0.03	3000	2	65	100	3	3	1	4500	1500	RH-3	65	form-based			true	0.7	5	1.666666627	3	3	6300	3300	3300	1.4
0096	028	1200	0.03	2042	1	65	100	3	3	2	3600	1558	RH-3	65	form-based			true	0.7	4	1.333333373	3	3	5040	2998	2998	1.4
0096	029	1200	0.03	1176	1	65	100	3	3	2	3600	2424	RH-3	65	form-based			true	0.7	4	1.333333373	3	3	5040	3864	3864	1.4
0096	030	1200	0.03	2345	1	65	100	3	3	2	3600	1255	RH-3	65	form-based			true	0.7	4	1.333333373	3	3	5040	2695	2695	1.4
0096	032	1150	0.03	2200	1	65	100	3	3	2	3450	1250	RH-3	65	form-based			true	0.7	4	1.333333373	3	3	4830	2630	2630	1.4
0096	033	1200	0.03	1984	1	65	100	3	3	2	3600	1616	RH-3	65	form-based			true	0.7	4	1.333333373	3	3	5040	3056	3056	1.4
0096	035	1320	0.03	2440	2	65	100	3	3	1	3960	1520	RH-3	65	form-based			true	0.7	5	1.666666627	3	3	5544	3104	3104	1.4
0097	002	2135	0.05	3924	4	55	80	2.5	4	0	5338	1414	RH-3	65	form-based			true	0.7	7	1.75	3	3	8967	5043	5043	1.679843
0097	006	1200	0.03	1588	1	55	80	2.5	2	1	3000	1412	RH-3	65	form-based			true	0.7	4	2	3	3	5040	3452	3452	1.68
0097	026	1808	0.04	4089	3	55	80	2.5	3	0	4520	431	RH-3	65	form-based			true	0.7	6	2	3	3	7593.600098	3504.600098	3504.600098	1.68
0097	027	1421	0.03	2586	2	55	80	2.5	2	0	3552	966	RH-3	65	form-based			true	0.7	5	2.5	3	2	5968.199707	3382.199707	3382.199707	1.680236
0097	029	1513	0.03	2965	2	55	80	2.5	2	0	3782	817	RH-3	65	form-based			true	0.7	5	2.5	3	2	6354.600098	3389.600098	3389.600098	1.680222
0098	015	3394	0.08	5325	4	55	80	2.5	6	2	8485	3160	RM-1	40	form-based			true	0.7	7	1.166666627	3	3	9503.200195	4178.200195	4178.200195	1.12
0099	004B	3434	0.08	4995	4	55	80	2.5	6	2	8585	3590	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9615.200195	4620.200195	4620.200195	1.12
0099	004E	3432	0.08	5248	4	55	80	2.5	6	2	8580	3332	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9609.599609	4361.599609	4361.599609	1.12
0099	005B	3432	0.08	6050	4	55	80	2.5	6	2	8580	2530	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9609.599609	3559.599609	3559.599609	1.12
0099	011	3600	0.08	7178	5	55	80	2.5	6	1	9000	1822	RM-2	40	form-based			true	0.7	8	1.333333373	3	3	10080	2902	2902	1.12
0100	018	3315	0.08	4731	4	55	80	2.5	6	2	8288	3557	RM-1	40	form-based			true	0.7	7	1.166666627	3	3	9282	4551	4551	1.119932
0100	091	2164	0.05	3674	2	55	80	2.5	4	2	5410	1736	RM-1	40	form-based			true	0.7	5	1.25	3	3	6059.199707	2385.199707	2385.199707	1.12
0100	092	3315	0.08	5468	4	55	80	2.5	6	2	8288	2820	RM-1	40	form-based			true	0.7	7	1.166666627	3	3	9282	3814	3814	1.119932
0101	007	3612	0.08	4836	3	55	80	2.5	6	3	9030	4194	RM-2	40	density-lim	600			0.7	6	1	3	3	10113.59961	5277.599609	5277.599609	1.12
0104	003	1300	0.03	2396	1	55	80	2.5	2	1	3250	854	RH-3	40	density-lim	1000			0.7	4	2	3	3	3640	1244	1244	1.12
0104	020	1719	0.04	1717	1	55	80	2.5	3	2	4298	2581	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	4813.199707	3096.199707	3096.199707	1.11987
0104	061	1500	0.03	650	1	55	80	2.5	2	1	3750	3100	RH-3	40	density-lim	1000			0.7	4	2	3	3	4200	3550	3550	1.12
0104	065	698	0.02	1350	1	55	80	2.5	2	1	1745	395	RH-3	40	density-lim	1000			0.7	4	2	3	3	1954.400024	604.4000244	604.4000244	1.12
0105	011	1551	0.04	1820	3	65	100	3	4	1	4653	2833	RH-3	40	density-lim	1000	true		0.7	6	1.5	3	3	4342.799805	2522.799805	2522.799805	0.933333
0105	033	2338	0.05	1010	2	55	80	2.5	4	2	5845	4835	RH-3	40	form-based		true	true	0.7	5	1.25	3	3	6546.399902	5536.399902	5536.399902	1.12
0105	041	2001	0.05	2225	1	55	80	2.5	4	3	5002	2777	RH-3	40	form-based			true	0.7	4	1	3	3	5602.799805	3377.799805	3377.799805	1.120112
0105	048	3255	0.07	1547	1	65	100	3	7	6	9765	8218	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	9114	7567	7567	0.933333
0106	015	1750	0.04	3217	1	65	100	3	4	3	5250	2033	RH-3	40	density-lim	1000			0.7	4	1	3	3	4900	1683	1683	0.933333
0106	017	1169	0.03	1290	1	65	100	3	3	2	3507	2217	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3273.199951	1983.199951	1983.199951	0.933333
0106	017D	836	0.02	1188	1	65	100	3	2	1	2508	1320	RH-3	40	density-lim	1000			0.7	4	2	3	3	2340.800049	1152.800049	1152.800049	0.933333
0106	019	1050	0.02	1050	1	65	100	3	2	1	3150	2100	RH-3	40	density-lim	1000			0.7	4	2	3	3	2940	1890	1890	0.933333
0106	022	1331	0.03	1825	1	65	100	3	3	2	3993	2168	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3726.800049	1901.800049	1901.800049	0.933333
0106	024	1331	0.03	2041	1	65	100	3	3	2	3993	1952	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3726.800049	1685.800049	1685.800049	0.933333
0106	040	1331	0.03	1357	1	65	100	3	3	2	3993	2636	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3726.800049	2369.800049	2369.800049	0.933333
0106	059	1970	0.05	1082	1	65	100	3	5	4	5910	4828	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5516	4434	4434	0.933333
0113	009	1574	0.04	480	0	65	100	3	4	4	4722	4242	RH-3	40	form-based			true	0.7	3	0.75	3	3	4407.199707	3927.199707	3927.199707	0.933333
0113	010	1574	0.04	0	0	65	100	3	4	4	4722	4722	RH-3	40	form-based			true	0.7	3	0.75	3	3	4407.199707	4407.199707	4407.199707	0.933333
0113	021	1611	0.04	840	1	65	100	3	4	3	4833	3993	RH-3	40	density-lim	1000			0.7	4	1	3	3	4510.799805	3670.799805	3670.799805	0.933333
0113	026	4216	0.1	2161	1	65	100	3	10	9	12648	10487	RH-3	40	density-lim	1000			0.7	4	0.400000006	3	3	11804.7998	9643.799805	9643.799805	0.933333
0114	072	1231	0.03	2305	0	55	80	2.5	2	2	3078	773	RH-3	40	form-based			true	0.7	3	1.5	3	3	3446.800049	1141.800049	1141.800049	1.119818
0115	019	18902	0.43	36740	44	55	80	2.5	34	0	47255	10515	NCD-NORT	40	density-lim	400	true		0.75	47	1.382352948	3	3	56706	19966	19966	1.2
0117	004	2886	0.07	14595	4	55	80	2.5	6	2	7215	0	NCD-NORT	40	density-lim	400	true		0.75	7	1.166666627	3	3	8658	0	0	1.2
0118	009	2116	0.05	4000	2	55	80	2.5	4	2	5290	1290	NCD-NORT	40	density-lim	400	true		0.75	5	1.25	3	3	6348	2348	2348	1.2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0118	040B	2372	0.05	1168	1	55	80	2.5	4	3	5930	4762	RM-2	40	density-lim	600			0.7	4	1	3	3	6641.600098	5473.600098	5473.600098	1.12
0119	025	2325	0.05	2706	2	55	80	2.5	4	2	5812	3106	RM-2	40	form-based			true	0.7	5	1.25	3	3	6510	3804	3804	1.120096
0119	029	2750	0.06	4275	3	55	80	2.5	5	2	6875	2600	RM-2	40	form-based			true	0.7	6	1.200000048	3	3	7700	3425	3425	1.12
0119	033	2750	0.06	5775	3	55	80	2.5	5	2	6875	1100	RM-2	40	form-based			true	0.7	6	1.200000048	3	3	7700	1925	1925	1.12
0119	048	2531	0.06	2321	2	55	80	2.5	5	3	6328	4007	RM-2	40	form-based			true	0.7	5	1	3	3	7086.799805	4765.799805	4765.799805	1.119911
0121	010	2102	0.05	3357	1	55	80	2.5	4	3	5255	1898	RM-2	40	density-lim	600			0.7	4	1	3	3	5885.600098	2528.600098	2528.600098	1.12
0121	017	3030	0.07	5400	3	55	80	2.5	6	3	7575	2175	RM-2	40	form-based			true	0.7	6	1	3	3	8484	3084	3084	1.12
0122	008	1650	0.04	2836	3	55	80	2.5	3	0	4125	1289	RH-3	65	form-based		true	true	0.7	6	2	3	3	6930	4094	4094	1.68
0122	019	1563	0.04	3496	3	55	80	2.5	3	0	3908	412	NC-1	65	form-based			true	0.75	6	2	3	3	7033.5	3537.5	3537.5	1.79977
0122	024	1478	0.03	2680	2	55	80	2.5	2	0	3695	1015	RH-3	65	form-based			true	0.7	5	2.5	3	2	6207.600098	3527.600098	3527.600098	1.68
0122	085	1476	0.03	1136	2	55	80	2.5	2	0	3690	2554	RH-3	65	form-based			true	0.7	5	2.5	3	2	6199.199707	5063.199707	5063.199707	1.68
0123	009	1200	0.03	745	1	65	100	3	3	2	3600	2855	RH-2	65	form-based			true	0.7	4	1.333333373	3	3	5040	4295	4295	1.4
0123	010	1180	0.03	1350	1	65	100	3	3	2	3540	2190	RH-2	65	form-based			true	0.7	4	1.333333373	3	3	4956	3606	3606	1.4
0123	012	1200	0.03	740	1	65	100	3	3	2	3600	2860	RH-2	65	form-based			true	0.7	4	1.333333373	3	3	5040	4300	4300	1.4
0123	016	1200	0.03	800	1	65	100	3	3	2	3600	2800	RH-2	65	form-based			true	0.7	4	1.333333373	3	3	5040	4240	4240	1.4
0123	018	1200	0.03	1166	1	65	100	3	3	2	3600	2434	RH-2	65	form-based			true	0.7	4	1.333333373	3	3	5040	3874	3874	1.4
0123	019	1200	0.03	740	1	65	100	3	3	2	3600	2860	RH-2	65	form-based			true	0.7	4	1.333333373	3	3	5040	4300	4300	1.4
0123	022	2405	0.06	5568	6	55	80	2.5	5	0	6012	444	NC-1	65	form-based			true	0.75	9	1.799999952	3	3	10822.5	5254.5	5254.5	1.80015
0123	025	1202	0.03	2240	2	55	80	2.5	2	0	3005	765	NC-1	65	form-based			true	0.75	5	2.5	3	2	5409	3169	3169	1.8
0123	026	1202	0.03	2400	2	55	80	2.5	2	0	3005	605	NC-1	65	form-based		true	true	0.75	5	2.5	3	2	5409	3009	3009	1.8
0123	031	1200	0.03	2016	1	65	100	3	3	2	3600	1584	RH-3	65	form-based			true	0.7	4	1.333333373	3	3	5040	3024	3024	1.4
0123	040	1581	0.04	3640	3	65	100	3	4	1	4743	1103	RH-3	65	form-based			true	0.7	6	1.5	3	3	6640.199707	3000.199707	3000.199707	1.4
0123	045	2378	0.05	3712	5	65	100	3	5	0	7134	3422	RH-3	65	form-based			true	0.7	8	1.600000024	3	3	9987.599609	6275.599609	6275.599609	1.4
0123	058	1392	0.03	2212	2	65	100	3	3	1	4176	1964	RH-3	65	form-based			true	0.7	5	1.666666627	3	3	5846.399902	3634.399902	3634.399902	1.4
0123	059	1391	0.03	2338	2	65	100	3	3	1	4173	1835	RH-3	65	form-based			true	0.7	5	1.666666627	3	3	5842.199707	3504.199707	3504.199707	1.4
0123	072	1364	0.03	1669	2	65	100	3	3	1	4092	2423	RH-3	65	form-based			true	0.7	5	1.666666627	3	3	5728.799805	4059.799805	4059.799805	1.4
0123	075	1563	0.04	1162	2	65	100	3	4	2	4689	3527	RH-3	65	form-based		true	true	0.7	5	1.25	3	3	6564.600098	5402.600098	5402.600098	1.4
0124	003	1750	0.04	3042	3	55	80	2.5	3	0	4375	1333	RM-1	65	form-based			true	0.7	6	2	3	3	7350	4308	4308	1.68
0124	016	1125	0.03	949	1	65	100	3	3	2	3375	2426	RH-2	65	form-based			true	0.7	4	1.333333373	3	3	4725	3776	3776	1.4
0124	017	1125	0.03	1412	1	65	100	3	3	2	3375	1963	RH-2	65	form-based			true	0.7	4	1.333333373	3	3	4725	3313	3313	1.4
0124	018	1125	0.03	2075	1	65	100	3	3	2	3375	1300	RH-2	65	form-based			true	0.7	4	1.333333373	3	3	4725	2650	2650	1.4
0124	019	1057	0.02	1180	1	65	100	3	2	1	3171	1991	RH-2	65	form-based			true	0.7	4	2	3	3	4439.399902	3259.399902	3259.399902	1.4
0124	020	1057	0.02	1587	1	65	100	3	2	1	3171	1584	RH-2	65	form-based			true	0.7	4	2	3	3	4439.399902	2852.399902	2852.399902	1.4
0124	023	1315	0.03	2014	2	65	100	3	3	1	3945	1931	RH-2	65	form-based			true	0.7	5	1.666666627	3	3	5523	3509	3509	1.4
0124	041	1556	0.04	2250	2	65	100	3	4	2	4668	2418	RH-3	65	form-based			true	0.7	5	1.25	3	3	6535.199707	4285.199707	4285.199707	1.4
0124	042	1557	0.04	2050	2	65	100	3	4	2	4671	2621	RH-3	65	form-based			true	0.7	5	1.25	3	3	6539.399902	4489.399902	4489.399902	1.4
0124	046	2296	0.05	4857	5	65	100	3	5	0	6888	2031	RM-1	65	form-based			true	0.7	8	1.600000024	3	3	9643.200195	4786.200195	4786.200195	1.4
0125	005D	2500	0.06	5250	6	55	80	2.5	5	0	6250	1000	RH-3	65	form-based			true	0.7	9	1.799999952	3	3	10500	5250	5250	1.68
0125	013A	1592	0.04	2896	3	55	80	2.5	3	0	3980	1084	RM-1	65	form-based			true	0.7	6	2	3	3	6686.399902	3790.399902	3790.399902	1.68
0126	002	6356	0.15	1580	1	55	80	2.5	12	11	15890	14310	RH-2	40	density-lim	1500			0.7	4	0.333333343	3	3	17796.79883	16216.79883	16216.79883	1.12
0126	004	2750	0.06	2467	1	55	80	2.5	5	4	6875	4408	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7700	5233	5233	1.12
0126	025	3015	0.07	2050	1	55	80	2.5	6	5	7538	5488	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8442	6392	6392	1.119926
0126	026	3888	0.09	5250	1	55	80	2.5	7	6	9720	4470	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	10886.39941	5636.399414	5636.399414	1.12
0126	027	3449	0.08	3062	1	55	80	2.5	6	5	8622	5560	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9657.200195	6595.200195	6595.200195	1.120065
0126	028	3338	0.08	3560	1	55	80	2.5	6	5	8345	4785	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9346.399414	5786.399414	5786.399414	1.12
0126	030	2705	0.06	3182	1	55	80	2.5	5	4	6762	3580	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7574	4392	4392	1.120083
0126	031	9911	0.23	20943	14	55	80	2.5	18	4	24778	3835	RM-2	40	density-lim	600	true		0.7	17	0.944444418	3	3	27750.79883	6807.798828	6807.798828	1.119977
0127	007	4148	0.1	2675	1	55	80	2.5	8	7	10370	7695	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	11614.39941	8939.399414	8939.399414	1.12
0127	008	2909	0.07	2156	1	55	80	2.5	6	5	7272	5116	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8145.199707	5989.199707	5989.199707	1.120077
0127	008B	1558	0.04	3360	1	55	80	2.5	3	2	3895	535	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4362.399902	1002.399902	1002.399902	1.12
0127	008C	2136	0.05	3540	1	55	80	2.5	4	3	5340	1800	RH-2	40	density-lim	1500			0.7	4	1	3	3	5980.799805	2440.799805	2440.799805	1.12
0127	008D	1558	0.04	3360	1	55	80	2.5	3	2	3895	535	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4362.399902	1002.399902	1002.399902	1.12
0127	008E	2903	0.07	2991	1	55	80	2.5	6	5	7258	4267	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8128.399902	5137.399902	5137.399902	1.119923
0128	004	6087	0.14	4192	1	55	80	2.5	11	10	15218	11026	RH-2	40	density-lim	1500			0.7	4	0.363636374	3	3	17043.59961	12851.59961	12851.59961	1.119963
0128	005	2455	0.06	2619	1	55	80	2.5	5	4	6138	3519	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6874	4255	4255	1.119909
0128	022	1737	0.04	4500	3	55	80	2.5	3	0	4342	0	RH-2	40	density-lim	1500	true		0.7	6	2	3	3	4863.600098	363.6000977	363.6000977	1.120129
0129	002B	2660	0.06	3680	4	55	80	2.5	5	1	6650	2970	NCD-NORT	40	density-lim	400			0.75	7	1.399999976	3	3	7980	4300	4300	1.2
0129	013A	3151	0.07	5833	2	55	80	2.5	6	4	7878	2045	RM-2	40	density-lim	600			0.7	5	0.833333313	3	3	8822.799805	2989.799805	2989.799805	1.119929
0130	023	2655	0.06	6704	4	55	80	2.5	5	1	6638	0	NCD-NORT	40	density-lim	400			0.75	7	1.399999976	3	3	7965	1261	1261	1.19991
0130	029	1103	0.03	1140	0	55	80	2.5	2	2	2758	1618	NCD-NORT	40	density-lim	400	true		0.75	3	1.5	3	3	3309	2169	2169	1.199782
0131	007	2320	0.05	4007	3	55	80	2.5	4	1	5800	1793	NCD-NORT	40	density-lim	400			0.75	6	1.5	3	3	6960	2953	2953	1.2
0131	012	1150	0.03	1150	0	55	80	2.5	2	2	2875	1725	NCD-NORT	40	density-lim	400			0.75	3	1.5	3	3	3450	2300	2300	1.2
0131	018	1278	0.03	10944	0	55	80	2.5	2	2	3195	0	NCD-NORT	40	density-lim	400	true		0.75	3	1.5	3	3	3834	0	0	1.2
0133	025A	1910	0.04	3363	1	55	80	2.5	3	2	4775	1412	RM-2	40	form-based			true	0.7	4	1.333333373	3	3	5348	1985	1985	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0133	038	7124	0.16	9732	12	55	80	2.5	13	1	17810	8078	RM-1	40	form-based			true	0.7	15	1.153846145	3	3	19947.19922	10215.19922	10215.19922	1.12
0133	045	3034	0.07	800	3	55	80	2.5	6	3	7585	6785	RM-2	40	form-based			true	0.7	6	1	3	3	8495.200195	7695.200195	7695.200195	1.12
0134	006	3190	0.07	4112	4	65	100	3	7	3	9570	5458	RM-1	40	form-based			true	0.7	7	1	3	3	8932	4820	4820	0.933333
0142	008	2000	0.05	3500	0	65	100	3	5	5	6000	2500	C-2	84	density-lim	800			0.8	3	0.600000024	3	3	12800	9300	8500	2.133333
0143	019	2813	0.06	3750	3	55	80	2.5	5	2	7032	3282	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	3	3	7876.399902	4126.399902	4126.399902	1.12008
0143	030	1300	0.03	1370	1	65	100	3	3	2	3900	2530	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3640	2270	2270	0.933333
0144	001	1395	0.03	3675	3	55	80	2.5	2	0	3488	0	RH-3	40	density-lim	1000	true		0.7	6	3	3	1	3906	231	231	1.119839
0144	012	1380	0.03	3415	0	55	80	2.5	2	2	3450	35	NCD-BROA	65	density-lim	400			0.75	3	1.5	3	3	6210	2795	2795	1.8
0144	030	844	0.02	1240	1	55	80	2.5	2	1	2110	870	RH-3	40	density-lim	1000			0.7	4	2	3	3	2363.199951	1123.199951	1123.199951	1.12
0144	032	1057	0.02	1188	1	55	80	2.5	2	1	2642	1454	RH-3	40	density-lim	1000			0.7	4	2	3	3	2959.599854	1771.599854	1771.599854	1.120212
0145	015	2463	0.06	9100	3	55	80	2.5	5	2	6158	0	NCD-NORT	40	density-lim	400	true		0.75	6	1.200000048	3	3	7389	0	0	1.199903
0151	035	1380	0.03	3225	1	55	80	2.5	2	1	3450	225	RH-2	40	density-lim	1500			0.7	4	2	3	3	3864	639	639	1.12
0146	017	1135	0.03	5942	0	65	100	3	3	3	3405	0	NCD-NORT	40	density-lim	400			0.75	3	1	3	3	3405	0	0	1
0146	018	1136	0.03	5942	0	65	100	3	3	3	3408	0	NCD-NORT	40	density-lim	400			0.75	3	1	3	3	3408	0	0	1
0146	019	1136	0.03	5942	0	65	100	3	3	3	3408	0	NCD-NORT	40	density-lim	400			0.75	3	1	3	3	3408	0	0	1
0146	020	1199	0.03	5942	0	65	100	3	3	3	3597	0	NCD-NORT	40	density-lim	400	true		0.75	3	1	3	3	3597	0	0	1
0146	021	1337	0.03	5942	0	65	100	3	3	3	4011	0	NCD-NORT	40	density-lim	400			0.75	3	1	3	3	4011	0	0	1
0147	008	1178	0.03	2298	3	65	100	3	3	0	3534	1236	CCB	65	density-lim	200			0.75	6	2	3	3	5301	3003	3003	1.5
0147	020	1352	0.03	0	0	65	100	3	3	3	4056	4056	NCD-NORT	40	density-lim	400			0.75	3	1	3	3	4056	4056	4056	1
0149	012	3783	0.09	4929	3	55	80	2.5	7	4	9458	4529	RM-2	40	density-lim	600			0.7	6	0.857142866	3	3	10592.39941	5663.399414	5663.399414	1.119941
0149	013	3782	0.09	4758	3	55	80	2.5	7	4	9455	4697	RM-2	40	density-lim	600			0.7	6	0.857142866	3	3	10589.59961	5831.599609	5831.599609	1.12
0149	130	3782	0.09	2730	3	55	80	2.5	7	4	9455	6725	RM-2	40	density-lim	600			0.7	6	0.857142866	3	3	10589.59961	7859.599609	7859.599609	1.12
0150	011B	2214	0.05	3526	1	55	80	2.5	4	3	5535	2009	RH-2	40	density-lim	1500			0.7	4	1	3	3	6199.199707	2673.199707	2673.199707	1.12
0150	011C	1611	0.04	4035	1	55	80	2.5	3	2	4028	0	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4510.799805	475.7998047	475.7998047	1.119861
0150	012	2540	0.06	2997	1	55	80	2.5	5	4	6350	3353	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7112	4115	4115	1.12
0150	018	1334	0.03	1650	1	55	80	2.5	2	1	3335	1685	RH-2	40	density-lim	1500			0.7	4	2	3	3	3735.199951	2085.199951	2085.199951	1.12
0150	019	2691	0.06	2210	1	55	80	2.5	5	4	6728	4518	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7534.799805	5324.799805	5324.799805	1.119917
0150	025	2463	0.06	7403	1	55	80	2.5	5	4	6158	0	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6896.399902	0	0	1.119909
0150	041	4200	0.1	3679	1	55	80	2.5	8	7	10500	6821	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	11760	8081	8081	1.12
0150	047	5255	0.12	1824	6	55	80	2.5	10	4	13138	11314	RM-2	40	density-lim	600	true		0.7	9	0.899999976	3	3	14714	12890	12890	1.119957
0150	053	6746	0.15	3648	1	55	80	2.5	12	11	16865	13217	RH-2	40	density-lim	1500			0.7	4	0.333333343	3	3	18888.79883	15240.79883	15240.79883	1.12
0151	001	1388	0.03	1160	3	55	80	2.5	2	0	3470	2310	RH-3	40	density-lim	1000	true		0.7	6	3	3	1	3886.399902	2726.399902	2726.399902	1.12
0151	006	1380	0.03	3260	3	55	80	2.5	2	0	3450	190	RH-3	40	density-lim	1000	true		0.7	6	3	3	1	3864	604	604	1.12
0151	009	1700	0.04	684	1	55	80	2.5	3	2	4250	3566	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	4760	4076	4076	1.12
0151	010	958	0.02	2079	1	55	80	2.5	2	1	2395	316	RH-3	40	density-lim	1000			0.7	4	2	3	3	2682.399902	603.3999023	603.3999023	1.12
0151	018	1361	0.03	1636	1	55	80	2.5	2	1	3402	1766	RH-3	65	density-lim	1000			0.7	4	2	3	3	5716.199707	4080.199707	4080.199707	1.680247
0151	019	1360	0.03	1094	1	55	80	2.5	2	1	3400	2306	RH-3	65	density-lim	1000			0.7	4	2	3	3	5712	4618	4618	1.68
0151	028	1370	0.03	2720	3	55	80	2.5	2	0	3425	705	RH-3	40	density-lim	1000	true		0.7	6	3	3	1	3836	1116	1116	1.12
0151	029	1380	0.03	1675	1	55	80	2.5	2	1	3450	1775	RH-2	40	density-lim	1500			0.7	4	2	3	3	3864	2189	2189	1.12
0151	037	1380	0.03	1812	1	55	80	2.5	2	1	3450	1638	RH-2	40	density-lim	1500			0.7	4	2	3	3	3864	2052	2052	1.12
0151	042	1380	0.03	1120	1	55	80	2.5	2	1	3450	2330	RH-2	40	density-lim	1500			0.7	4	2	3	3	3864	2744	2744	1.12
0151	048	1350	0.03	1915	1	55	80	2.5	2	1	3375	1460	RH-2	40	density-lim	1500			0.7	4	2	3	3	3780	1865	1865	1.12
0151	049	1410	0.03	2260	1	55	80	2.5	2	1	3525	1265	RH-2	40	density-lim	1500			0.7	4	2	3	3	3948	1688	1688	1.12
0151	062	1590	0.04	2760	1	55	80	2.5	3	2	3975	1215	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	4452	1692	1692	1.12
0151	063	1170	0.03	1140	1	55	80	2.5	2	1	2925	1785	RH-3	40	density-lim	1000			0.7	4	2	3	3	3276	2136	2136	1.12
0151	072	1150	0.03	2616	1	55	80	2.5	2	1	2875	259	RH-3	40	density-lim	1000			0.7	4	2	3	3	3220	604	604	1.12
0151	116	1328	0.03	1999	1	55	80	2.5	2	1	3320	1321	RH-2	40	density-lim	1500			0.7	4	2	3	3	3718.399902	1719.399902	1719.399902	1.12
0151	118	1414	0.03	2288	1	55	80	2.5	2	1	3535	1247	RH-3	65	density-lim	1000			0.7	4	2	3	3	5938.799805	3650.799805	3650.799805	1.68
0152	002B	1570	0.04	1468	1	55	80	2.5	3	2	3925	2457	RH-3	50	form-based			true	0.7	4	1.333333373	3	3	5495	4027	4027	1.4
0152	004	1750	0.04	2160	2	55	80	2.5	3	1	4375	2215	RH-3	50	form-based			true	0.7	5	1.666666627	3	3	6125	3965	3965	1.4
0152	005	1842	0.04	2720	2	55	80	2.5	3	1	4605	1885	RH-3	50	form-based		true	true	0.7	5	1.666666627	3	3	6447	3727	3727	1.4
0152	010	2323	0.05	3168	4	55	80	2.5	4	0	5808	2640	RH-3	50	form-based			true	0.7	7	1.75	3	3	8130.5	4962.5	4962.5	1.399879
0152	010A	2479	0.06	3980	6	55	80	2.5	5	0	6198	2218	RH-3	65	form-based			true	0.7	9	1.799999952	3	3	10411.7998	6431.799805	6431.799805	1.679864
0152	018	1207	0.03	2388	1	55	80	2.5	2	1	3018	630	RM-1	65	form-based			true	0.7	4	2	3	3	5069.399902	2681.399902	2681.399902	1.679722
0152	019	1068	0.02	2380	1	55	80	2.5	2	1	2670	290	RM-1	65	form-based			true	0.7	4	2	3	3	4485.600098	2105.600098	2105.600098	1.68
0152	019A	1073	0.02	2380	1	55	80	2.5	2	1	2682	302	RM-1	65	form-based			true	0.7	4	2	3	3	4506.600098	2126.600098	2126.600098	1.680313
0152	024	2609	0.06	3818	4	55	80	2.5	5	1	6522	2704	RM-1	50	form-based			true	0.7	7	1.399999976	3	3	9131.5	5313.5	5313.5	1.400107
0152	025	1778	0.04	2090	2	55	80	2.5	3	1	4445	2355	RM-1	50	form-based			true	0.7	5	1.666666627	3	3	6223	4133	4133	1.4
0152	037	2420	0.06	4568	4	55	80	2.5	5	1	6050	1482	RH-3	50	form-based			true	0.7	7	1.399999976	3	3	8470	3902	3902	1.4
0152	038	1933	0.04	4300	2	55	80	2.5	3	1	4832	532	RH-3	50	form-based			true	0.7	5	1.666666627	3	3	6765.5	2465.5	2465.5	1.400145
0153	028	1925	0.04	2746	2	65	100	3	4	2	5775	3029	RH-3	50	form-based			true	0.7	5	1.25	3	3	6737.5	3991.5	3991.5	1.166667
0153	029	1802	0.04	2832	2	65	100	3	4	2	5406	2574	RH-3	50	form-based			true	0.7	5	1.25	3	3	6307	3475	3475	1.166667
0153	031	1872	0.04	3626	2	65	100	3	4	2	5616	1990	RH-3	50	form-based			true	0.7	5	1.25	3	3	6552	2926	2926	1.166667
0153	032	2148	0.05	4323	3	65	100	3	5	2	6444	2121	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7518	3195	3195	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0154	010	1944	0.04	4096	4	65	100	3	4	0	5832	1736	NCD-PACIF	65	form-based			true	0.75	7	1.75	3	3	8748	4652	4652	1.5
0154	015	1218	0.03	2270	2	65	100	3	3	1	3654	1384	NCD-PACIF	65	form-based		true	true	0.75	5	1.666666627	3	3	5481	3211	3211	1.5
0154	020	1260	0.03	3349	2	65	100	3	3	1	3780	431	NCD-PACIF	65	form-based			true	0.75	5	1.666666627	3	3	5670	2321	2321	1.5
0154	027	1796	0.04	4635	3	65	100	3	4	1	5388	753	RH-3	65	form-based			true	0.7	6	1.5	3	3	7543.199707	2908.199707	2908.199707	1.4
0154	028	994	0.02	0	0	65	100	3	2	2	2982	2982	RH-3	65	form-based		true	true	0.7	3	1.5	3	3	4174.799805	4174.799805	4174.799805	1.4
0154	032	1175	0.03	819	1	65	100	3	3	2	3525	2706	RH-3	65	form-based			true	0.7	4	1.333333373	3	3	4935	4116	4116	1.4
0154	033	1340	0.03	1880	2	65	100	3	3	1	4020	2140	RH-3	65	form-based			true	0.7	5	1.666666627	3	3	5628	3748	3748	1.4
0154	037	1467	0.03	1560	2	65	100	3	3	1	4401	2841	RH-3	65	form-based			true	0.7	5	1.666666627	3	3	6161.399902	4601.399902	4601.399902	1.4
0155	019	1680	0.04	3240	3	55	80	2.5	3	0	4200	960	NCD-PACIF	65	form-based			true	0.75	6	2	3	3	7560	4320	4320	1.8
0155	022	1350	0.03	3554	2	55	80	2.5	2	0	3375	0	NCD-PACIF	65	form-based			true	0.75	5	2.5	3	2	6075	2521	2521	1.8
0155	025	1200	0.03	2340	2	55	80	2.5	2	0	3000	660	NCD-PACIF	65	form-based			true	0.75	5	2.5	3	2	5400	3060	3060	1.8
0155	029	1218	0.03	880	1	55	80	2.5	2	1	3045	2165	RH-2	65	form-based			true	0.7	4	2	3	3	5115.600098	4235.600098	4235.600098	1.68
0155	029A	1218	0.03	1637	1	55	80	2.5	2	1	3045	1408	RH-2	65	form-based			true	0.7	4	2	3	3	5115.600098	3478.600098	3478.600098	1.68
0155	030	1200	0.03	980	1	55	80	2.5	2	1	3000	2020	RH-2	65	form-based			true	0.7	4	2	3	3	5040	4060	4060	1.68
0155	031	1428	0.03	2132	2	55	80	2.5	2	0	3570	1438	RH-2	65	form-based			true	0.7	5	2.5	3	2	5997.600098	3865.600098	3865.600098	1.68
0155	046	1202	0.03	1250	1	55	80	2.5	2	1	3005	1755	RH-3	65	form-based			true	0.7	4	2	3	3	5048.399902	3798.399902	3798.399902	1.68
0155	051	1200	0.03	844	1	55	80	2.5	2	1	3000	2156	RH-3	65	form-based			true	0.7	4	2	3	3	5040	4196	4196	1.68
0155	055	1548	0.04	940	2	55	80	2.5	3	1	3870	2930	RH-2	65	form-based			true	0.7	5	1.666666627	3	3	6501.600098	5561.600098	5561.600098	1.68
0155	057	1200	0.03	1130	2	55	80	2.5	2	0	3000	1870	NCD-PACIF	65	form-based		true	true	0.75	5	2.5	3	2	5400	4270	4270	1.8
0156	015A	1173	0.03	2131	1	55	80	2.5	2	1	2932	801	RH-3	65	density-lim	1000			0.7	4	2	3	3	4926.600098	2795.600098	2795.600098	1.680287
0156	018	2760	0.06	2584	0	55	80	2.5	5	5	6900	4316	NCD-PACIF	65	density-lim	1000			0.75	3	0.600000024	3	3	12420	9836	9836	1.8
0156	020	2760	0.06	2254	0	55	80	2.5	5	5	6900	4646	NCD-PACIF	65	density-lim	1000			0.75	3	0.600000024	3	3	12420	10166	10166	1.8
0156	030	1380	0.03	2100	1	55	80	2.5	2	1	3450	1350	RH-3	65	density-lim	1000			0.7	4	2	3	3	5796	3696	3696	1.68
0156	031	1322	0.03	852	1	55	80	2.5	2	1	3305	2453	RH-3	65	density-lim	1000			0.7	4	2	3	3	5552.399902	4700.399902	4700.399902	1.68
0156	033	1380	0.03	2609	1	55	80	2.5	2	1	3450	841	RH-3	65	density-lim	1000			0.7	4	2	3	3	5796	3187	3187	1.68
0156	050A	1380	0.03	1200	1	55	80	2.5	2	1	3450	2250	RH-3	65	density-lim	1000			0.7	4	2	3	3	5796	4596	4596	1.68
0157	024	1500	0.03	962	1	55	80	2.5	2	1	3750	2788	RH-3	65	density-lim	1000			0.7	4	2	3	3	6300	5338	5338	1.68
0157	025	1494	0.03	1225	1	55	80	2.5	2	1	3735	2510	RH-3	65	density-lim	1000			0.7	4	2	3	3	6274.799805	5049.799805	5049.799805	1.68
0157	029	1380	0.03	3348	1	55	80	2.5	2	1	3450	102	RH-3	65	density-lim	1000			0.7	4	2	3	3	5796	2448	2448	1.68
0157	040	1264	0.03	1000	1	55	80	2.5	2	1	3160	2160	RH-3	40	density-lim	1000			0.7	4	2	3	3	3539.199951	2539.199951	2539.199951	1.12
0157	042	1425	0.03	2052	1	55	80	2.5	2	1	3562	1510	RH-3	40	density-lim	1000			0.7	4	2	3	3	3990	1938	1938	1.120157
0157	050	1410	0.03	2589	1	55	80	2.5	2	1	3525	936	RH-3	40	density-lim	1000			0.7	4	2	3	3	3948	1359	1359	1.12
0157	057	1128	0.03	2050	1	55	80	2.5	2	1	2820	770	RH-3	40	density-lim	1000			0.7	4	2	3	3	3158.399902	1108.399902	1108.399902	1.12
0158	005	2717	0.06	1330	2	65	100	3	6	4	8151	6821	RM-2	40	density-lim	600			0.7	5	0.833333313	3	3	7607.600098	6277.600098	6277.600098	0.933333
0158	006	2718	0.06	2400	2	65	100	3	6	4	8154	5754	RM-2	40	density-lim	600			0.7	5	0.833333313	3	3	7610.399902	5210.399902	5210.399902	0.933333
0158	025	3312	0.08	3000	3	55	80	2.5	6	3	8280	5280	RM-2	40	density-lim	600			0.7	6	1	3	3	9273.599609	6273.599609	6273.599609	1.12
0159	006	1193	0.03	3498	3	65	100	3	3	0	3579	81	CRNC	65	density-lim	200			0.75	6	2	3	3	5368.5	1870.5	1870.5	1.5
0159	047	1400	0.03	1050	1	65	100	3	3	2	4200	3150	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3920	2870	2870	0.933333
0159	048	1400	0.03	1093	1	65	100	3	3	2	4200	3107	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3920	2827	2827	0.933333
0161	003	1744	0.04	4864	6	65	100	3	4	0	5232	368	CRNC	50	density-lim	200			0.75	9	2.25	3	2	6540	1676	1676	1.25
0161	020	1251	0.03	3330	3	65	100	3	3	0	3753	423	CRNC	85	density-lim	200			0.75	6	2	3	3	7506	4176	4176	2
0162	019	1099	0.03	2163	0	65	100	3	3	3	3297	1134	NCD-BROA	65	density-lim	400	true		0.75	3	1	3	3	4945.5	2782.5	2782.5	1.5
0162	022	1156	0.03	2094	0	65	100	3	3	3	3468	1374	NCD-BROA	65	density-lim	400	true		0.75	3	1	3	3	5202	3108	3108	1.5
0163	008	2764	0.06	6123	0	65	100	3	6	6	8292	2169	C-2	65	density-lim	800			0.8	3	0.5	3	3	13267.2002	7144.200195	7144.200195	1.6
0163	011	2653	0.06	4253	0	65	100	3	6	6	7959	3706	C-2	65	density-lim	800			0.8	3	0.5	3	3	12734.40039	8481.400391	8481.400391	1.6
0163	015	1005	0.02	2040	0	55	80	2.5	2	2	2512	472	NCD-BROA	65	density-lim	400			0.75	3	1.5	3	3	4522.5	2482.5	2482.5	1.800358
0163	016	1241	0.03	3423	0	55	80	2.5	2	2	3102	0	NCD-BROA	65	density-lim	400			0.75	3	1.5	3	3	5584.5	2161.5	2161.5	1.80029
0163	030	2493	0.06	2385	3	55	80	2.5	5	2	6232	3847	NCD-BROA	65	density-lim	400			0.75	6	1.200000048	3	3	11218.5	8833.5	8833.5	1.800144
0164	001A	2453	0.06	6636	0	65	100	3	6	6	7359	723	C-2	65	density-lim	800			0.8	3	0.5	3	3	11774.40039	5138.400391	5138.400391	1.6
0164	004	2322	0.05	4632	0	65	100	3	5	5	6966	2334	C-2	65	density-lim	800			0.8	3	0.600000024	3	3	11145.60059	6513.600586	6513.600586	1.6
0164	005	2320	0.05	6551	0	65	100	3	5	5	6960	409	C-2	65	density-lim	800	true		0.8	3	0.600000024	3	3	11136	4585	4585	1.6
0164	012	2616	0.06	24000	0	65	100	3	6	6	7848	0	C-2	65	density-lim	800			0.8	3	0.5	3	3	12556.7998	0	0	1.6
0175	007	3022	0.07	8253	1	65	100	3	7	6	9066	813	C-2	65	density-lim	800	true		0.8	4	0.571428597	3	3	14505.60059	6252.600586	6252.600586	1.6
0175	008	2640	0.06	3040	0	65	100	3	6	6	7920	4880	C-2	65	density-lim	800			0.8	3	0.5	3	3	12672	9632	9632	1.6
0175	014	2640	0.06	5280	0	65	100	3	6	6	7920	2640	C-2	65	density-lim	800			0.8	3	0.5	3	3	12672	7392	7392	1.6
0175	017	2042	0.05	4406	0	65	100	3	5	5	6126	1720	C-2	65	density-lim	800			0.8	3	0.600000024	3	3	9801.600586	5395.600586	5395.600586	1.6
0176	001	2649	0.06	2579	0	65	100	3	6	6	7947	5368	C-2	65	density-lim	800	true		0.8	3	0.5	3	3	12715.2002	10136.2002	10136.2002	1.6
0177	010	1647	0.04	4033	5	65	100	3	4	0	4941	908	CVR	50	density-lim	200			0.75	8	2	3	3	6176.25	2143.25	2143.25	1.25
0177	016	1100	0.03	3300	3	65	100	3	3	0	3300	0	CRNC	50	density-lim	200			0.75	6	2	3	3	4125	825	825	1.25
0177	017	1100	0.03	4040	3	65	100	3	3	0	3300	0	CRNC	50	density-lim	200			0.75	6	2	3	3	4125	85	85	1.25
0179	031	1425	0.03	2640	4	65	100	3	3	0	4275	1635	CRNC	65	density-lim	200			0.75	7	2.333333254	3	2	6412.5	3772.5	3772.5	1.5
0178	008	4730	0.11	16776	21	65	100	3	11	0	14190	0	CRNC	50	density-lim	200			0.75	24	2.181818247	3	1	17737.5	961.5	961.5	1.25
0179	036	1540	0.04	3579	5	65	100	3	4	0	4620	1041	CRNC	65	density-lim	200			0.75	8	2	3	3	6930	3351	3351	1.5
0180	019	1093	0.03	1104	1	65	100	3	3	2	3279	2175	RH-3	65	density-lim	1000			0.7	4	1.333333373	3	3	4590.600098	3486.600098	3486.600098	1.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0180	020	1107	0.03	441	1	65	100	3	3	2	3321	2880	RH-3	65	density-lim	1000			0.7	4	1.333333373	3	3	4649.399902	4208.399902	4208.399902	1.4
0180	047	1188	0.03	2160	0	65	100	3	3	3	3564	1404	RC-3	65	density-lim	400			0.75	3	1	3	3	5346	3186	3186	1.5
0181	013A	375	0.01	710	1	65	100	3	1	0	1125	415	RH-3	65	density-lim	1000			0.7	4	4	3	1	1575	865	865	1.4
0181	014	1593	0.04	3960	3	65	100	3	4	1	4779	819	RH-3	65	density-lim	1000	true		0.7	6	1.5	3	3	6690.600098	2730.600098	2730.600098	1.4
0181	036	1325	0.03	1380	1	65	100	3	3	2	3975	2595	RH-3	65	density-lim	1000			0.7	4	1.333333373	3	3	5565	4185	4185	1.4
0181	040	1150	0.03	1610	1	65	100	3	3	2	3450	1840	RH-3	65	density-lim	1000			0.7	4	1.333333373	3	3	4830	3220	3220	1.4
0181	059	1340	0.03	1290	3	65	100	3	3	0	4020	2730	RH-3	65	density-lim	1000	true		0.7	6	2	3	3	5628	4338	4338	1.4
0182	016	1856	0.04	2515	2	55	80	2.5	3	1	4640	2125	RM-3	65	density-lim	400			0.75	5	1.666666627	3	3	8352	5837	5837	1.8
0182	023	2910	0.07	2236	1	55	80	2.5	6	5	7275	5039	RM-1	40	density-lim	800			0.7	4	0.666666687	3	3	8148	5912	5912	1.12
0182	028	1643	0.04	1604	1	55	80	2.5	3	2	4108	2504	RM-3	65	density-lim	400			0.75	4	1.333333373	3	3	7393.5	5789.5	5789.5	1.799781
0182	029	1444	0.03	1650	1	55	80	2.5	2	1	3610	1960	RM-3	65	density-lim	400			0.75	4	2	3	3	6498	4848	4848	1.8
0182	030	1444	0.03	1701	1	55	80	2.5	2	1	3610	1909	RM-3	65	density-lim	400			0.75	4	2	3	3	6498	4797	4797	1.8
0183	007	4611	0.11	12693	9	55	80	2.5	9	0	11528	0	RM-3	65	density-lim	400	true		0.75	12	1.333333373	3	3	20749.5	8056.5	8056.5	1.799922
0183	021	2595	0.06	4611	3	55	80	2.5	5	2	6488	1877	RM-3	65	density-lim	400			0.75	6	1.200000048	3	3	11677.5	7066.5	7066.5	1.799861
0184	002	1200	0.03	3002	2	55	80	2.5	2	0	3000	0	RM-3	65	form-based			true	0.75	5	2.5	3	2	5400	2398	2398	1.8
0184	016	1380	0.03	2334	2	55	80	2.5	2	0	3450	1116	RM-3	65	form-based			true	0.75	5	2.5	3	2	6210	3876	3876	1.8
0184	018	1370	0.03	1720	2	55	80	2.5	2	0	3425	1705	RM-3	65	form-based			true	0.75	5	2.5	3	2	6165	4445	4445	1.8
0184	030	1471	0.03	3445	3	55	80	2.5	2	0	3678	233	NCD-PACIF	65	form-based			true	0.75	6	3	3	1	6619.5	3174.5	3174.5	1.799755
0185	030	1466	0.03	2720	2	65	100	3	3	1	4398	1678	NCD-PACIF	65	form-based			true	0.75	5	1.666666627	3	3	6597	3877	3877	1.5
0185	036	1252	0.03	900	1	65	100	3	3	2	3756	2856	RH-1	65	form-based			true	0.7	4	1.333333373	3	3	5258.399902	4358.399902	4358.399902	1.4
0185	037	1252	0.03	996	1	65	100	3	3	2	3756	2760	RH-1	65	form-based			true	0.7	4	1.333333373	3	3	5258.399902	4262.399902	4262.399902	1.4
0185	049	1365	0.03	1554	2	65	100	3	3	1	4095	2541	RH-1	65	form-based			true	0.7	5	1.666666627	3	3	5733	4179	4179	1.4
0186	010	1821	0.04	3330	3	65	100	3	4	1	5463	2133	RM-2	65	form-based		true	true	0.7	6	1.5	3	3	7648.199707	4318.199707	4318.199707	1.4
0186	019	2681	0.06	5625	6	65	100	3	6	0	8043	2418	RM-2	65	form-based		true	true	0.7	9	1.5	3	3	11260.2002	5635.200195	5635.200195	1.4
0187	027	4816	0.11	10890	15	55	80	2.5	9	0	12040	1150	RM-3	65	form-based			true	0.75	18	2	3	3	21672	10782	10782	1.8
0188	009	4297	0.1	7220	8	55	80	2.5	8	0	10742	3522	RM-3	65	density-lim	400			0.75	11	1.375	3	3	19336.5	12116.5	12116.5	1.800084
0188	017	2250	0.05	4650	3	55	80	2.5	4	1	5625	975	RM-3	65	density-lim	400			0.75	6	1.5	3	3	10125	5475	5475	1.8
0188	019	3750	0.09	8712	6	55	80	2.5	7	1	9375	663	RM-3	65	density-lim	400			0.75	9	1.285714269	3	3	16875	8163	8163	1.8
0188	043	6924	0.16	487	14	55	80	2.5	13	0	17310	16823	RM-3	65	density-lim	400			0.75	17	1.307692289	3	3	31158	30671	30671	1.8
0188	061	2250	0.05	1527	3	55	80	2.5	4	1	5625	4098	RM-3	65	density-lim	400			0.75	6	1.5	3	3	10125	8598	8598	1.8
0189	016	3575	0.08	4770	6	55	80	2.5	6	0	8938	4168	RM-3	65	density-lim	400			0.75	9	1.5	3	3	16087.5	11317.5	11317.5	1.799899
0190	009	2283	0.05	6000	3	65	100	3	5	2	6849	849	RM-3	65	density-lim	400			0.75	6	1.200000048	3	3	10273.5	4273.5	4273.5	1.5
0190	044	2778	0.06	1552	4	65	100	3	6	2	8334	6782	RM-3	65	density-lim	400			0.75	7	1.166666627	3	3	12501	10949	10949	1.5
0190	047	2777	0.06	1884	4	65	100	3	6	2	8331	6447	RM-3	65	density-lim	400			0.75	7	1.166666627	3	3	12496.5	10612.5	10612.5	1.5
0191	018	2379	0.05	6330	3	65	100	3	5	2	7137	807	RC-3	65	density-lim	400			0.75	6	1.200000048	3	3	10705.5	4375.5	4375.5	1.5
0191	032	3185	0.07	3464	5	65	100	3	7	2	9555	6091	RM-3	65	density-lim	400			0.75	8	1.142857194	3	3	14332.5	10868.5	10868.5	1.5
0192	009	1169	0.03	2104	3	65	100	3	3	0	3507	1403	CRNC	65	density-lim	200			0.75	6	2	3	3	5260.5	3156.5	3156.5	1.5
0192	012	1173	0.03	2715	3	65	100	3	3	0	3519	804	CRNC	65	density-lim	200			0.75	6	2	3	3	5278.5	2563.5	2563.5	1.5
0192	024	1470	0.03	3300	4	65	100	3	3	0	4410	1110	CRNC	65	density-lim	200			0.75	7	2.333333254	3	2	6615	3315	3315	1.5
0192	027	1170	0.03	3189	3	65	100	3	3	0	3510	321	CRNC	65	density-lim	200			0.75	6	2	3	3	5265	2076	2076	1.5
0192	039	1575	0.04	4204	5	65	100	3	4	0	4725	521	CRNC	85	density-lim	200	true		0.75	8	2	3	3	9450	5246	5246	2
0193	002	560	0.01	546	0	65	100	3	1	1	1680	1134	CVR	50	density-lim	200			0.75	3	3	3	2	2100	1554	1554	1.25
0193	028	1264	0.03	3656	3	65	100	3	3	0	3792	136	CRNC	50	density-lim	200			0.75	6	2	3	3	4740	1084	1084	1.25
0194	022	1015	0.02	1860	2	65	100	3	2	0	3045	1185	CVR	50	density-lim	200			0.75	5	2.5	3	2	3806.25	1946.25	1946.25	1.25
0195	015	1398	0.03	4266	4	65	100	3	3	0	4194	0	CRNC	40	density-lim	200	true		0.75	7	2.333333254	3	2	4194	0	0	1
0196	017	2495	0.06	11222	0	65	100	3	6	6	7485	0	C-2	65	density-lim	800	true		0.8	3	0.5	3	3	11976	754	754	1.6
0196	044	4077	0.09	4643	2	65	100	3	9	7	12231	7588	C-2	65	density-lim	800			0.8	5	0.555555582	3	3	19569.59961	14926.59961	14926.59961	1.6
0209	013	1334	0.03	3042	4	65	100	3	3	0	4002	960	CVR	50	density-lim	200			0.75	7	2.333333254	3	2	5002.5	1960.5	1960.5	1.25
0210	018	1231	0.03	3105	3	85	140	4	4	1	4924	1819	CRNC	50	density-lim	200			0.75	6	1.5	3	3	4616.25	1511.25	1511.25	0.9375
0210	031	1513	0.03	6500	5	65	100	3	3	0	4539	0	CRNC	50	density-lim	200			0.75	8	2.666666746	3	1	5673.75	0	0	1.25
0211	017	1200	0.03	3600	3	65	100	3	3	0	3600	0	RC-4	65	density-lim	200			0.75	6	2	3	3	5400	1800	1800	1.5
0212	004	1200	0.03	3000	3	65	100	3	3	0	3600	600	RC-4	65	density-lim	200			0.75	6	2	3	3	5400	2400	2400	1.5
0212	005	1550	0.04	4200	5	65	100	3	4	0	4650	450	RC-4	65	density-lim	200			0.75	8	2	3	3	6975	2775	2775	1.5
0212	011	1928	0.04	2080	2	65	100	3	4	2	5784	3704	RM-3	65	density-lim	400			0.75	5	1.25	3	3	8676	6596	6596	1.5
0212	032	2739	0.06	4600	4	65	100	3	6	2	8217	3617	RM-3	65	density-lim	400			0.75	7	1.166666627	3	3	12325.5	7725.5	7725.5	1.5
0212	036	1328	0.03	1915	0	65	100	3	3	3	3984	2069	RM-3	65	density-lim	400			0.75	3	1	3	3	5976	4061	4061	1.5
0212	045	2173	0.05	3510	2	65	100	3	5	3	6519	3009	RM-3	65	density-lim	400			0.75	5	1	3	3	9778.5	6268.5	6268.5	1.5
0212	046	1609	0.04	1075	1	65	100	3	4	3	4827	3752	RM-3	65	density-lim	400			0.75	4	1	3	3	7240.5	6165.5	6165.5	1.5
0213	003	1273	0.03	1896	2	65	100	3	3	1	3819	1923	RM-3	65	form-based			true	0.75	5	1.666666627	3	3	5728.5	3832.5	3832.5	1.5
0213	004	1212	0.03	2272	2	65	100	3	3	1	3636	1364	RM-3	65	form-based			true	0.75	5	1.666666627	3	3	5454	3182	3182	1.5
0213	019	3000	0.07	7050	8	65	100	3	7	0	9000	1950	RM-3	65	form-based			true	0.75	11	1.571428537	3	3	13500	6450	6450	1.5
0213	032	1315	0.03	2344	2	65	100	3	3	1	3945	1601	RM-3	65	form-based			true	0.75	5	1.666666627	3	3	5917.5	3573.5	3573.5	1.5
0215	029	2050	0.05	2410	3	55	80	2.5	4	1	5125	2715	RH-2	50	form-based			true	0.7	6	1.5	3	3	7175	4765	4765	1.4
0216	008	4095	0.09	10254	12	55	80	2.5	7	0	10238	0	RM-3	65	form-based			true	0.75	15	2.142857075	3	2	18427.5	8173.5	8173.5	1.799912

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0216	021	1646	0.04	3810	3	55	80	2.5	3	0	4115	305	RM-3	65	form-based			true	0.75	6	2	3	3	7407	3597	3597	1.8
0216	022	1646	0.04	3810	3	55	80	2.5	3	0	4115	305	RM-3	65	form-based			true	0.75	6	2	3	3	7407	3597	3597	1.8
0217	005	2386	0.05	6900	6	55	80	2.5	4	0	5965	0	RM-3	65	form-based		true	true	0.75	9	2.25	3	2	10737	3837	3837	1.8
0217	005A	2332	0.05	6900	6	65	100	3	5	0	6996	96	RM-3	65	form-based			true	0.75	9	1.799999952	3	3	10494	3594	3594	1.5
0217	019	6875	0.16	25000	23	65	100	3	16	0	20625	0	RM-3	65	form-based		true	true	0.75	26	1.625	3	3	30937.5	5937.5	5937.5	1.5
0217	022A	1125	0.03	660	1	65	100	3	3	2	3375	2715	RM-3	65	form-based			true	0.75	4	1.333333373	3	3	5062.5	4402.5	4402.5	1.5
0217	027	850	0.02	0	0	65	100	3	2	2	2550	2550	RM-3	65	form-based			true	0.75	3	1.5	3	3	3825	3825	3825	1.5
0218	005	2870	0.07	9319	8	65	100	3	7	0	8610	0	RM-3	65	form-based		true	true	0.75	11	1.571428537	3	3	12915	3596	3596	1.5
0218	009	2300	0.05	4758	6	65	100	3	5	0	6900	2142	RM-3	65	form-based			true	0.75	9	1.799999952	3	3	10350	5592	5592	1.5
0218	023	4424	0.1	9105	14	65	100	3	10	0	13272	4167	RM-3	65	form-based			true	0.75	17	1.700000048	3	3	19908	10803	10803	1.5
0219	017	3881	0.09	8625	12	55	80	2.5	7	0	9702	1077	RM-3	65	form-based		true	true	0.75	15	2.142857075	3	2	17464.5	8839.5	8839.5	1.800093
0220	018	1350	0.03	2276	2	55	80	2.5	2	0	3375	1099	RM-3	65	form-based			true	0.75	5	2.5	3	2	6075	3799	3799	1.8
0220	043	1350	0.03	1667	2	55	80	2.5	2	0	3375	1708	RM-3	65	form-based			true	0.75	5	2.5	3	2	6075	4408	4408	1.8
0220	052	1409	0.03	1050	2	55	80	2.5	2	0	3522	2472	RM-3	65	form-based			true	0.75	5	2.5	3	2	6340.5	5290.5	5290.5	1.800256
0221	001	1832	0.04	6308	4	55	80	2.5	3	0	4580	0	RM-3	65	form-based		true	true	0.75	7	2.333333254	3	2	8244	1936	1936	1.8
0221	004B	3300	0.08	7044	9	55	80	2.5	6	0	8250	1206	RM-3	65	form-based			true	0.75	12	2	3	3	14850	7806	7806	1.8
0221	019	1543	0.04	5342	3	55	80	2.5	3	0	3858	0	RM-3	65	form-based			true	0.75	6	2	3	3	6943.5	1601.5	1601.5	1.799767
0221	035	2500	0.06	2800	6	55	80	2.5	5	0	6250	3450	RM-3	65	form-based			true	0.75	9	1.799999952	3	3	11250	8450	8450	1.8
0221	037	3369	0.08	8418	10	55	80	2.5	6	0	8422	4	RM-3	65	form-based			true	0.75	13	2.166666746	3	2	15160.5	6742.5	6742.5	1.800107
0221	127	1355	0.03	728	2	55	80	2.5	2	0	3388	2660	RM-3	65	form-based			true	0.75	5	2.5	3	2	6097.5	5369.5	5369.5	1.799734
0221	145	2296	0.05	567	6	55	80	2.5	4	0	5740	5173	RM-3	65	form-based			true	0.75	9	2.25	3	2	10332	9765	9765	1.8
0221	161	1600	0.04	1297	3	55	80	2.5	3	0	4000	2703	RM-3	65	form-based			true	0.75	6	2	3	3	7200	5903	5903	1.8
0221	164	1427	0.03	2613	2	55	80	2.5	2	0	3568	955	RM-3	65	form-based			true	0.75	5	2.5	3	2	6421.5	3808.5	3808.5	1.799748
0222	027	2358	0.05	5466	6	55	80	2.5	4	0	5895	429	RM-3	65	form-based			true	0.75	9	2.25	3	2	10611	5145	5145	1.8
0222	028	2358	0.05	5238	6	65	100	3	5	0	7074	1836	RM-3	65	form-based			true	0.75	9	1.799999952	3	3	10611	5373	5373	1.5
0222	041	1347	0.03	2316	2	65	100	3	3	1	4041	1725	RM-3	65	form-based			true	0.75	5	1.666666627	3	3	6061.5	3745.5	3745.5	1.5
0222	046	1290	0.03	1049	2	55	80	2.5	2	0	3225	2176	RM-3	65	form-based			true	0.75	5	2.5	3	2	5805	4756	4756	1.8
0222	080	1984	0.05	1750	4	65	100	3	5	1	5952	4202	RM-4	65	form-based			true	0.75	7	1.399999976	3	3	8928	7178	7178	1.5
0223	024	1235	0.03	0	0	65	100	3	3	3	3705	3705	RM-3	85	density-lim	400			0.75	3	1	3	3	7410	7410	7410	2
0223	002	3000	0.07	8650	12	65	100	3	7	0	9000	350	RC-4	105	density-lim	200			0.75	15	2.142857075	3	2	27000	18350	9350	3
0223	021	1288	0.03	0	0	65	100	3	3	3	3864	3864	RM-3	65	density-lim	400			0.75	3	1	3	3	5796	5796	5796	1.5
0223	027A	1928	0.04	3146	2	65	100	3	4	2	5784	2638	RM-3	65	density-lim	400	true		0.75	5	1.25	3	3	8676	5530	5530	1.5
0223	064	2004	0.05	1616	2	65	100	3	5	3	6012	4396	RM-3	65	density-lim	400	true		0.75	5	1	3	3	9018	7402	7402	1.5
0225	013	5180	0.12	25908	23	65	100	3	12	0	15540	0	CRNC	65	density-lim	200	true		0.75	26	2.166666746	3	1	23310	0	0	1.5
0226	005	535	0.01	2312	0	65	100	3	1	1	1605	0	CCB	50	density-lim	200			0.75	3	3	3	2	2006.25	0	0	1.25
0226	007	681	0.02	688	0	65	100	3	2	2	2043	1355	CCB	50	density-lim	200			0.75	3	1.5	3	3	2553.75	1865.75	1865.75	1.25
0226	022	916	0.02	2268	2	65	100	3	2	0	2748	480	CCB	50	density-lim	200			0.75	5	2.5	3	2	3435	1167	1167	1.25
0226	023	1634	0.04	3640	5	65	100	3	4	0	4902	1262	CCB	50	density-lim	200			0.75	8	2	3	3	6127.5	2487.5	2487.5	1.25
0226	024	952	0.02	2280	2	65	100	3	2	0	2856	576	CCB	50	density-lim	200			0.75	5	2.5	3	2	3570	1290	1290	1.25
0226	026	1260	0.03	2589	3	65	100	3	3	0	3780	1191	CCB	50	density-lim	200			0.75	6	2	3	3	4725	2136	2136	1.25
0226	031	1208	0.03	3790	3	65	100	3	3	0	3624	0	CCB	50	density-lim	200			0.75	6	2	3	3	4530	740	740	1.25
0226	034	2660	0.06	7155	10	65	100	3	6	0	7980	825	CCB	50	density-lim	200			0.75	13	2.166666746	3	2	9975	2820	2820	1.25
0226	035	1208	0.03	3600	3	65	100	3	3	0	3624	24	CCB	50	density-lim	200			0.75	6	2	3	3	4530	930	930	1.25
0227	018	980	0.02	1960	2	65	100	3	2	0	2940	980	CCB	50	density-lim	200			0.75	5	2.5	3	2	3675	1715	1715	1.25
0227	025	893	0.02	1680	1	65	100	3	2	1	2679	999	CCB	50	density-lim	200			0.75	4	2	3	3	3348.75	1668.75	1668.75	1.25
0227	026	1914	0.04	4292	7	65	100	3	4	0	5742	1450	CCB	50	density-lim	200			0.75	10	2.5	3	1	7177.5	2885.5	2885.5	1.25
0227	034	652	0.01	2548	0	65	100	3	1	1	1956	0	CCB	50	density-lim	200	true		0.75	3	3	3	2	2445	0	0	1.25
0227	038	980	0.02	1480	2	65	100	3	2	0	2940	1460	CCB	50	density-lim	200			0.75	5	2.5	3	2	3675	2195	2195	1.25
0241	016	2425	0.06	10068	9	65	100	3	6	0	7275	0	CCB	50	density-lim	200			0.75	12	2	3	3	9093.75	0	0	1.25
0242	025	1150	0.03	4400	3	65	100	3	3	0	3450	0	CRNC	65	density-lim	200	true		0.75	6	2	3	3	5175	775	775	1.5
0242	057	3094	0.07	831	12	65	100	3	7	0	9282	8451	RM-4	65	density-lim	200			0.75	15	2.142857075	3	2	13923	13092	13092	1.5
0247	023	1125	0.03	690	1	55	80	2.5	2	1	2812	2122	RM-3	65	form-based			true	0.75	4	2	3	3	5062.5	4372.5	4372.5	1.80032
0247	024	1125	0.03	1700	1	55	80	2.5	2	1	2812	1112	RM-3	65	form-based			true	0.75	4	2	3	3	5062.5	3362.5	3362.5	1.80032
0247	030	1234	0.03	2100	2	55	80	2.5	2	0	3085	985	RM-3	65	form-based			true	0.75	5	2.5	3	2	5553	3453	3453	1.8
0247	043	1280	0.03	870	2	55	80	2.5	2	0	3200	2330	RM-3	65	form-based			true	0.75	5	2.5	3	2	5760	4890	4890	1.8
0248	007	1875	0.04	3746	4	55	80	2.5	3	0	4688	942	RM-3	65	form-based		true	true	0.75	7	2.333333254	3	2	8437.5	4691.5	4691.5	1.799808
0248	019	2406	0.06	4668	6	55	80	2.5	5	0	6015	1347	RM-3	65	form-based			true	0.75	9	1.799999952	3	3	10827	6159	6159	1.8
0248	020	2406	0.06	4668	6	55	80	2.5	5	0	6015	1347	RM-3	65	form-based			true	0.75	9	1.799999952	3	3	10827	6159	6159	1.8
0248	022	2750	0.06	5283	7	55	80	2.5	5	0	6875	1592	RM-3	65	form-based			true	0.75	10	2	3	3	12375	7092	7092	1.8
0248	023	2705	0.06	5283	7	55	80	2.5	5	0	6762	1479	RM-3	65	form-based			true	0.75	10	2	3	3	12172.5	6889.5	6889.5	1.800133
0248	028	1500	0.03	2550	3	55	80	2.5	2	0	3750	1200	RM-3	65	form-based			true	0.75	6	3	3	1	6750	4200	4200	1.8
0249	002	2288	0.05	5160	6	55	80	2.5	4	0	5720	560	RM-3	65	form-based			true	0.75	9	2.25	3	2	10296	5136	5136	1.8
0249	017	3050	0.07	10500	24	65	100	3	7	0	9150	0	NCD-POLK	120	form-based			true	0.75	27	3.857142925	3	0	27450	16950	7800	3
0252	019	3207	0.07	7050	13	55	80	2.5	6	0	8018	968	RM-4	65	density-lim	200			0.75	16	2.666666746	3	0	14431.5	7381.5	7381.5	1.799888

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0254	004	1406	0.03	4519	1	65	100	3	3	2	4218	0	RM-3	65	density-lim	400			0.75	4	1.333333373	3	3	6327	1808	1808	1.5
0258	019	1000	0.02	2950	2	65	100	3	2	0	3000	50	CCB	50	density-lim	200			0.75	5	2.5	3	2	3750	800	800	1.25
0271	018	2744	0.06	7320	11	65	100	3	6	0	8232	912	RM-4	65	density-lim	200			0.75	14	2.333333254	3	1	12348	5028	5028	1.5
0272	016	1380	0.03	5185	4	65	100	3	3	0	4140	0	RM-4	65	density-lim	200			0.75	7	2.333333254	3	2	6210	1025	1025	1.5
0272	017	1380	0.03	4605	4	65	100	3	3	0	4140	0	RM-4	65	density-lim	200			0.75	7	2.333333254	3	2	6210	1605	1605	1.5
0272	018	1376	0.03	4605	4	65	100	3	3	0	4128	0	RM-4	65	density-lim	200			0.75	7	2.333333254	3	2	6192	1587	1587	1.5
0272	043	5000	0.11	536	22	65	100	3	11	0	15000	14464	RM-4	65	density-lim	200			0.75	25	2.272727251	3	0	22500	21964	21964	1.5
0274	003	6850	0.16	35110	31	65	100	3	16	0	20550	0	RC-4	65	density-lim	200	true		0.75	34	2.125	3	1	30825	0	0	1.5
0274	019	3575	0.08	9042	15	65	100	3	8	0	10725	1683	RM-4	65	density-lim	200			0.75	18	2.25	3	1	16087.5	7045.5	7045.5	1.5
0274	021	4727	0.11	12896	21	65	100	3	11	0	14181	1285	RM-4	65	density-lim	200			0.75	24	2.181818247	3	1	21271.5	8375.5	8375.5	1.5
0276	002	1765	0.04	5466	6	65	100	3	4	0	5295	0	RM-4	65	density-lim	200			0.75	9	2.25	3	2	7942.5	2476.5	2476.5	1.5
0276	016	2345	0.05	6728	9	65	100	3	5	0	7035	307	RC-4	65	density-lim	200			0.75	12	2.400000095	3	1	10552.5	3824.5	3824.5	1.5
0276	117	5170	0.12	390	23	65	100	3	12	0	15510	15120	RM-4	65	density-lim	200			0.75	26	2.166666746	3	1	23265	22875	22875	1.5
0281	020	4555	0.1	696	20	65	100	3	10	0	13665	12969	RC-4	80	density-lim	200			0.75	23	2.299999952	3	0	27330	26634	26634	2
0283	010	2005	0.05	5960	7	65	100	3	5	0	6015	55	RC-4	80	density-lim	200			0.75	10	2	3	3	12030	6070	6070	2
0283	021	2188	0.05	6464	8	65	100	3	5	0	6564	100	RC-4	65	density-lim	200			0.75	11	2.200000048	3	2	9846	3382	3382	1.5
0284	019	6265	0.14	16588	28	65	100	3	14	0	18795	2207	RC-4	65	density-lim	200			0.75	31	2.214285612	3	0	28192.5	11604.5	11604.5	1.5
0299	013	2812	0.06	8200	11	65	100	3	6	0	8436	236	RC-4	80	density-lim	200			0.75	14	2.333333254	3	1	16872	8672	8672	2
0300	003D	3799	0.09	8348	16	65	100	3	9	0	11397	3049	RC-4	80	density-lim	200			0.75	19	2.111111164	3	2	22794	14446	14446	2
0303	009	3281	0.08	10997	13	65	100	3	8	0	9843	0	RC-4	80	density-lim	200			0.75	16	2	3	3	19686	8689	8689	2
0303	013A	1719	0.04	3548	6	65	100	3	4	0	5157	1609	RC-4	80	density-lim	200			0.75	9	2.25	3	2	10314	6766	6766	2
0305	033	1686	0.04	5404	5	65	100	3	4	0	5058	0	RC-4	130	density-lim	200			0.75	8	2	3	3	15174	9770	4712	3
0321	028	2048	0.05	5710	7	85	140	4	7	0	8192	2482	RC-4	80	density-lim	200			0.75	10	1.428571463	3	3	12288	6578	6578	1.5
0321	037	5134	0.12	13519	23	65	100	3	12	0	15402	1883	RC-4	80	density-lim	200			0.75	26	2.166666746	3	1	30804	17285	17285	2
0334	010	3795	0.09	8850	16	65	100	3	9	0	11385	2535	RC-4	80	density-lim	200			0.75	19	2.111111164	3	2	22770	13920	13920	2
0335	015	2625	0.06	7895	10	65	100	3	6	0	7875	0	RC-4	80	density-lim	200	true		0.75	13	2.166666746	3	2	15750	7855	7855	2
0351	037	559	0.01	1005	0	85	140	4	1	1	2236	1231	C-3-G	80	form-based				0.8	3	3	3	2	3577.600098	2572.600098	2572.600098	1.6
0445A	034	5690	0.13	1110	10	55	80	2.5	10	0	14225	13115	NC-2	40	form-based		true	true	0.75	13	1.299999952	3	3	17070	15960	15960	1.2
0453	003E	1957	0.04	3400	1	65	100	3	4	3	5871	2471	RM-3	40	form-based			true	0.75	4	1	3	3	5871	2471	2471	1
0453	004	9178	0.21	12900	18	65	100	3	21	3	27534	14634	RM-3	40	form-based			true	0.75	21	1	3	3	27534	14634	14634	1
0453	004A	9178	0.21	12900	18	65	100	3	21	3	27534	14634	RM-3	40	form-based			true	0.75	21	1	3	3	27534	14634	14634	1
0453	007	2188	0.05	2428	2	65	100	3	5	3	6564	4136	RM-3	40	form-based			true	0.75	5	1	3	3	6564	4136	4136	1
0453	008	2538	0.06	3000	3	65	100	3	6	3	7614	4614	RM-3	40	form-based			true	0.75	6	1	3	3	7614	4614	4614	1
0453	014	2103	0.05	2970	2	65	100	3	5	3	6309	3339	NC-1	40	form-based			true	0.75	5	1	3	3	6309	3339	3339	1
0460A	001B	1706	0.04	2760	1	55	80	2.5	3	2	4265	1505	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4776.799805	2016.799805	2016.799805	1.12
0460A	047	2500	0.06	417	3	55	80	2.5	5	2	6250	5833	NC-2	40	form-based			true	0.75	6	1.200000048	3	3	7500	7083	7083	1.2
0471	001C	2500	0.06	3500	2	55	80	2.5	5	3	6250	2750	RM-1	40	form-based			true	0.7	5	1	3	3	7000	3500	3500	1.12
0471	001D	1875	0.04	1950	1	55	80	2.5	3	2	4688	2738	RM-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3300	3300	1.119881
0471	001F	1875	0.04	1950	1	55	80	2.5	3	2	4688	2738	RM-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3300	3300	1.119881
0471	001G	2500	0.06	2886	2	55	80	2.5	5	3	6250	3364	RM-1	40	form-based			true	0.7	5	1	3	3	7000	4114	4114	1.12
0471	002A	2500	0.06	3985	2	55	80	2.5	5	3	6250	2265	RH-3	40	form-based			true	0.7	5	1	3	3	7000	3015	3015	1.12
0471	002E	2500	0.06	3690	2	55	80	2.5	5	3	6250	2560	RH-3	40	form-based			true	0.7	5	1	3	3	7000	3310	3310	1.12
0472	007	2813	0.06	3841	3	65	100	3	6	3	8439	4598	RH-3	40	form-based			true	0.7	6	1	3	3	7876.399902	4035.399902	4035.399902	0.933333
0472	008	2187	0.05	4237	2	65	100	3	5	3	6561	2324	RH-3	40	form-based			true	0.7	5	1	3	3	6123.600098	1886.600098	1886.600098	0.933333
0472	011	2187	0.05	4000	2	65	100	3	5	3	6561	2561	RH-3	40	form-based			true	0.7	5	1	3	3	6123.600098	2123.600098	2123.600098	0.933333
0472	016	3443	0.08	3874	4	65	100	3	8	4	10329	6455	RH-3	40	form-based			true	0.7	7	0.875	3	3	9640.399414	5766.399414	5766.399414	0.933333
0472	017	3443	0.08	3874	4	65	100	3	8	4	10329	6455	RH-3	40	form-based			true	0.7	7	0.875	3	3	9640.399414	5766.399414	5766.399414	0.933333
0472	018	3443	0.08	3866	4	65	100	3	8	4	10329	6463	RH-3	40	form-based			true	0.7	7	0.875	3	3	9640.399414	5774.399414	5774.399414	0.933333
0472	051	3443	0.08	984	4	65	100	3	8	4	10329	9345	RH-3	40	form-based			true	0.7	7	0.875	3	3	9640.399414	8656.399414	8656.399414	0.933333
0473	007	2750	0.06	2967	3	65	100	3	6	3	8250	5283	RH-3	40	form-based		true	true	0.7	6	1	3	3	7700	4733	4733	0.933333
0473	013B	2505	0.06	3286	2	65	100	3	6	4	7515	4229	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7014	3728	3728	0.933333
0473	014	1994	0.05	1529	1	65	100	3	5	4	5982	4453	RH-3	40	form-based			true	0.7	4	0.800000012	3	3	5583.199707	4054.199707	4054.199707	0.933333
0473	014A	1719	0.04	1650	1	65	100	3	4	3	5157	3507	RH-3	40	form-based			true	0.7	4	1	3	3	4813.199707	3163.199707	3163.199707	0.933333
0473	026	2750	0.06	1874	3	65	100	3	6	3	8250	6376	RH-3	40	form-based			true	0.7	6	1	3	3	7700	5826	5826	0.933333
0473	035	3438	0.08	4332	4	65	100	3	8	4	10314	5982	RH-3	40	form-based			true	0.7	7	0.875	3	3	9626.399414	5294.399414	5294.399414	0.933333
0474	007	3437	0.08	4520	4	65	100	3	8	4	10311	5791	RM-1	40	form-based			true	0.7	7	0.875	3	3	9623.599609	5103.599609	5103.599609	0.933333
0474	059	2250	0.05	1450	2	65	100	3	5	3	6750	5300	RM-1	40	form-based			true	0.7	5	1	3	3	6300	4850	4850	0.933333
0474	067	3100	0.07	763	4	65	100	3	7	3	9300	8537	RM-1	40	form-based			true	0.7	7	1	3	3	8680	7917	7917	0.933333
0476	001F	2053	0.05	2389	1	65	100	3	5	4	6159	3770	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5748.399902	3359.399902	3359.399902	0.933333
0476	001G	2053	0.05	1364	1	65	100	3	5	4	6159	4795	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5748.399902	4384.399902	4384.399902	0.933333
0476	006C	2188	0.05	3400	2	65	100	3	5	3	6564	3164	RM-1	40	form-based			true	0.7	5	1	3	3	6126.399902	2726.399902	2726.399902	0.933333
0476	011	2504	0.06	1342	2	65	100	3	6	4	7512	6170	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7011.199707	5669.199707	5669.199707	0.933333
0476	031	2188	0.05	1450	2	65	100	3	5	3	6564	5114	RM-1	40	form-based			true	0.7	5	1	3	3	6126.399902	4676.399902	4676.399902	0.933333
0477	012	1925	0.04	1988	1	65	100	3	4	3	5775	3787	RH-2	40	form-based			true	0.7	4	1	3	3	5390	3402	3402	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0477	014	1925	0.04	2576	1	65	100	3	4	3	5775	3199	RH-2	40	form-based			true	0.7	4	1	3	3	5390	2814	2814	0.933333
0477	015	1856	0.04	3854	1	65	100	3	4	3	5568	1714	RH-2	40	form-based			true	0.7	4	1	3	3	5196.799805	1342.799805	1342.799805	0.933333
0477	016	2000	0.05	2603	1	65	100	3	5	4	6000	3397	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	2997	2997	0.933333
0477	016C	2187	0.05	2560	2	65	100	3	5	3	6561	4001	RH-2	40	form-based			true	0.7	5	1	3	3	6123.600098	3563.600098	3563.600098	0.933333
0477	016D	2000	0.05	1994	1	65	100	3	5	4	6000	4006	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3606	3606	0.933333
0477	016E	2180	0.05	2650	2	65	100	3	5	3	6540	3890	RH-2	40	form-based			true	0.7	5	1	3	3	6104	3454	3454	0.933333
0477	050	2195	0.05	1186	2	65	100	3	5	3	6585	5399	RH-2	40	form-based			true	0.7	5	1	3	3	6146	4960	4960	0.933333
0477	060	2187	0.05	1325	2	65	100	3	5	3	6561	5236	RH-2	40	form-based			true	0.7	5	1	3	3	6123.600098	4798.600098	4798.600098	0.933333
0477	062	2188	0.05	1298	2	65	100	3	5	3	6564	5266	RH-2	40	form-based			true	0.7	5	1	3	3	6126.399902	4828.399902	4828.399902	0.933333
0477	064	2187	0.05	1303	2	65	100	3	5	3	6561	5258	RH-2	40	form-based			true	0.7	5	1	3	3	6123.600098	4820.600098	4820.600098	0.933333
0478	011	1690	0.04	2331	3	85	140	4	6	3	6760	4429	RC-3	65	form-based		true	true	0.75	6	1	3	3	7605	5274	5274	1.125
0478	011E	1145	0.03	2168	1	85	140	4	4	3	4580	2412	RTO-C	65	form-based			true	0.75	4	1	3	3	5152.5	2984.5	2984.5	1.125
0478	040	2406	0.06	866	2	65	100	3	6	4	7218	6352	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6736.799805	5870.799805	5870.799805	0.933333
0480	002	2497	0.06	3324	2	65	100	3	6	4	7491	4167	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6991.600098	3667.600098	3667.600098	0.933333
0480	002A	2498	0.06	3324	2	65	100	3	6	4	7494	4170	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6994.399902	3670.399902	3670.399902	0.933333
0480	005E	3438	0.08	3658	4	65	100	3	8	4	10314	6656	RH-3	40	form-based			true	0.7	7	0.875	3	3	9626.399414	5968.399414	5968.399414	0.933333
0480	007	2497	0.06	1625	2	65	100	3	6	4	7491	5866	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6991.600098	5366.600098	5366.600098	0.933333
0480	019	2498	0.06	2227	2	65	100	3	6	4	7494	5267	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6994.399902	4767.399902	4767.399902	0.933333
0481	020A	1875	0.04	3030	4	65	100	3	4	0	5625	2595	RTO-C	65	form-based		true	true	0.75	7	1.75	3	3	8437.5	5407.5	5407.5	1.5
0481	023	2500	0.06	2500	2	65	100	3	6	4	7500	5000	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	4500	4500	0.933333
0481	025	2500	0.06	2500	2	65	100	3	6	4	7500	5000	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	4500	4500	0.933333
0481	026	2500	0.06	2500	2	65	100	3	6	4	7500	5000	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	4500	4500	0.933333
0481	028	2500	0.06	2836	2	65	100	3	6	4	7500	4664	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	4164	4164	0.933333
0481	045	2500	0.06	1501	2	65	100	3	6	4	7500	5999	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	5499	5499	0.933333
0481	051	2188	0.05	1191	2	65	100	3	5	3	6564	5373	RH-3	40	form-based			true	0.7	5	1	3	3	6126.399902	4935.399902	4935.399902	0.933333
0481	053	2400	0.06	1122	2	65	100	3	6	4	7200	6078	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6720	5598	5598	0.933333
0481	055	2187	0.05	1315	2	65	100	3	5	3	6561	5246	RH-3	40	form-based			true	0.7	5	1	3	3	6123.600098	4808.600098	4808.600098	0.933333
0481	069	2500	0.06	1579	2	65	100	3	6	4	7500	5921	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	5421	5421	0.933333
0482	001	2730	0.06	3280	3	55	80	2.5	5	2	6825	3545	RH-3	40	form-based	true		true	0.7	6	1.200000048	3	3	7644	4364	4364	1.12
0482	004	2735	0.06	3500	3	55	80	2.5	5	2	6838	3338	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7658	4158	4158	1.119918
0482	004B	2738	0.06	3500	3	55	80	2.5	5	2	6845	3345	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7666.399902	4166.399902	4166.399902	1.12
0482	005	2739	0.06	3250	3	55	80	2.5	5	2	6848	3598	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7669.199707	4419.199707	4419.199707	1.119918
0482	025	2460	0.06	3378	2	55	80	2.5	5	3	6150	2772	RM-2	40	form-based	true		true	0.7	5	1	3	3	6888	3510	3510	1.12
0482	030	3435	0.08	5942	4	55	80	2.5	6	2	8588	2646	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9618	3676	3676	1.119935
0493	019A	3257	0.07	8094	9	55	80	2.5	6	0	8142	48	RTO-C	65	form-based			true	0.75	12	2	3	3	14656.5	6562.5	6562.5	1.800111
0494	028	1500	0.03	1185	3	55	80	2.5	2	0	3750	2565	RTO-C	65	form-based			true	0.75	6	3	3	1	6750	5565	5565	1.8
0495	001B	4749	0.11	9084	15	55	80	2.5	9	0	11872	2788	RTO-C	65	form-based			true	0.75	18	2	3	3	21370.5	12286.5	12286.5	1.800076
0495	003	3188	0.07	7934	9	55	80	2.5	6	0	7970	36	NC-3	65	form-based			true	0.75	12	2	3	3	14346	6412	6412	1.8
0497	001F	1679	0.04	2775	3	65	100	3	4	1	5037	2262	RTO-C	65	form-based			true	0.75	6	1.5	3	3	7555.5	4780.5	4780.5	1.5
0499	001F	3334	0.08	7491	6	65	100	3	8	2	10002	2511	RM-1	50	form-based			true	0.7	9	1.125	3	3	11669	4178	4178	1.166667
0499	002A	3998	0.09	10500	12	65	100	3	9	0	11994	1494	RM-3	65	form-based	true		true	0.75	15	1.666666627	3	3	17991	7491	7491	1.5
0499	013	3336	0.08	1248	6	65	100	3	8	2	10008	8760	RM-1	50	form-based			true	0.7	9	1.125	3	3	11676	10428	10428	1.166667
0499	021	3332	0.08	1248	6	65	100	3	8	2	9996	8748	RM-1	50	form-based			true	0.7	9	1.125	3	3	11662	10414	10414	1.166667
0499	036	3330	0.08	1070	6	85	140	4	11	5	13320	12250	RM-1	50	form-based			true	0.7	9	0.818181813	3	3	11655	10585	10585	0.875
0500	017	4143	0.1	10545	12	65	100	3	10	0	12429	1884	RM-2	65	form-based	true		true	0.7	15	1.5	3	3	17400.59961	6855.599609	6855.599609	1.4
0500	029	2081	0.05	2390	3	65	100	3	5	2	6243	3853	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7283.5	4893.5	4893.5	1.166667
0500	030	1995	0.05	2199	3	65	100	3	5	2	5985	3786	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	6982.5	4783.5	4783.5	1.166667
0500	037	12085	0.28	44156	33	65	100	3	28	0	36255	0	RM-3	50	form-based	true		true	0.75	36	1.285714269	3	3	45318.75	1162.75	1162.75	1.25
0500	065	1913	0.04	2015	2	65	100	3	4	2	5739	3724	RH-3	50	form-based			true	0.7	5	1.25	3	3	6695.5	4680.5	4680.5	1.166667
0502	004	4118	0.09	9240	12	65	100	3	9	0	12354	3114	RM-3	65	form-based	true		true	0.75	15	1.666666627	3	3	18531	9291	9291	1.5
0503	098	2744	0.06	1452	3	65	100	3	6	3	8232	6780	RH-3	40	form-based			true	0.7	6	1	3	3	7683.199707	6231.199707	6231.199707	0.933333
0503	101	2744	0.06	1572	3	65	100	3	6	3	8232	6660	RH-3	40	form-based			true	0.7	6	1	3	3	7683.199707	6111.199707	6111.199707	0.933333
0504	002A	2500	0.06	3913	2	65	100	3	6	4	7500	3587	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	3087	3087	0.933333
0504	002B	2500	0.06	3354	2	65	100	3	6	4	7500	4146	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	3646	3646	0.933333
0504	002D	2500	0.06	2358	2	65	100	3	6	4	7500	5142	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	4642	4642	0.933333
0504	002E	2500	0.06	2919	2	65	100	3	6	4	7500	4581	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	4081	4081	0.933333
0504	002F	2500	0.06	2675	2	65	100	3	6	4	7500	4825	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	4325	4325	0.933333
0504	002J	2183	0.05	2800	2	65	100	3	5	3	6549	3749	RH-3	40	form-based			true	0.7	5	1	3	3	6112.399902	3312.399902	3312.399902	0.933333
0504	002K	2500	0.06	3130	2	65	100	3	6	4	7500	4370	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	3870	3870	0.933333
0504	002L	2500	0.06	3310	2	65	100	3	6	4	7500	4190	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	3690	3690	0.933333
0504	003D	2500	0.06	4330	2	65	100	3	6	4	7500	3170	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	2670	2670	0.933333
0504	015	2500	0.06	2850	2	65	100	3	6	4	7500	4650	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	4150	4150	0.933333
0505	001D	5156	0.12	7524	8	65	100	3	12	4	15468	7944	RM-2	40	form-based			true	0.7	11	0.916666687	3	3	14436.7998	6912.799805	6912.799805	0.933333
0505	002A	2754	0.06	3062	3	65	100	3	6	3	8262	5200	RH-3	40	form-based			true	0.7	6	1	3	3	7711.199707	4649.199707	4649.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0505	002B	7011	0.16	7776	12	65	100	3	16	4	21033	13257	RH-3	40	form-based			true	0.7	15	0.9375	3	3	19630.79883	11854.79883	11854.79883	0.933333
0505	003	2688	0.06	3316	3	65	100	3	6	3	8064	4748	RH-3	40	form-based			true	0.7	6	1	3	3	7526.399902	4210.399902	4210.399902	0.933333
0505	004A	1681	0.04	1868	1	55	80	2.5	3	2	4202	2334	RH-3	40	form-based			true	0.7	4	1.333333373	3	3	4706.799805	2838.799805	2838.799805	1.120133
0505	025	2492	0.06	1137	2	55	80	2.5	5	3	6230	5093	RH-3	40	form-based			true	0.7	5	1	3	3	6977.600098	5840.600098	5840.600098	1.12
0506	040	2500	0.06	2499	2	55	80	2.5	5	3	6250	3751	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4501	4501	1.12
0506	043	3437	0.08	4094	4	55	80	2.5	6	2	8592	4498	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9623.599609	5529.599609	5529.599609	1.120065
0507	003	2656	0.06	3150	3	55	80	2.5	5	2	6640	3490	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7436.799805	4286.799805	4286.799805	1.12
0507	041	2500	0.06	1905	2	55	80	2.5	5	3	6250	4345	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5095	5095	1.12
0517	005	2190	0.05	2600	2	55	80	2.5	4	2	5475	2875	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6132	3532	3532	1.12
0517	040	4380	0.1	1088	6	55	80	2.5	8	2	10950	9862	RH-2	40	form-based			true	0.7	9	1.125	3	3	12264	11176	11176	1.12
0518	004	2175	0.05	3774	2	55	80	2.5	4	2	5438	1664	RH-2	40	form-based			true	0.7	5	1.25	3	3	6090	2316	2316	1.119897
0518	005	2175	0.05	3257	2	55	80	2.5	4	2	5438	2181	RH-2	40	form-based			true	0.7	5	1.25	3	3	6090	2833	2833	1.119897
0518	022	2007	0.05	1361	1	55	80	2.5	4	3	5018	3657	RH-2	40	form-based			true	0.7	4	1	3	3	5619.600098	4258.600098	4258.600098	1.119888
0518	023	1717	0.04	1066	1	55	80	2.5	3	2	4292	3226	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4807.600098	3741.600098	3741.600098	1.120131
0518	024	1780	0.04	850	1	55	80	2.5	3	2	4450	3600	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4984	4134	4134	1.12
0518	025	2260	0.05	3960	2	55	80	2.5	4	2	5650	1690	RH-2	40	form-based			true	0.7	5	1.25	3	3	6328	2368	2368	1.12
0518	030	2317	0.05	2580	2	55	80	2.5	4	2	5792	3212	RH-2	40	form-based			true	0.7	5	1.25	3	3	6487.600098	3907.600098	3907.600098	1.120097
0519	003	2450	0.06	3100	2	55	80	2.5	5	3	6125	3025	RH-2	40	form-based			true	0.7	5	1	3	3	6860	3760	3760	1.12
0519	004	2450	0.06	3500	2	55	80	2.5	5	3	6125	2625	RH-2	40	form-based			true	0.7	5	1	3	3	6860	3360	3360	1.12
0519	011	2500	0.06	3997	2	55	80	2.5	5	3	6250	2253	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3003	3003	1.12
0519	013A	2351	0.05	3238	2	55	80	2.5	4	2	5878	2640	RH-2	40	form-based			true	0.7	5	1.25	3	3	6582.799805	3344.799805	3344.799805	1.119905
0519	023	2219	0.05	1680	2	55	80	2.5	4	2	5548	3868	RH-2	40	form-based			true	0.7	5	1.25	3	3	6213.199707	4533.199707	4533.199707	1.119899
0519	029	1661	0.04	4166	0	55	80	2.5	3	3	4152	0	RH-2	40	form-based			true	0.7	3	1	3	3	4650.799805	484.7998047	484.7998047	1.120135
0519	036	1990	0.05	3523	1	55	80	2.5	4	3	4975	1452	RH-2	40	form-based			true	0.7	4	1	3	3	5572	2049	2049	1.12
0519	037	2197	0.05	3492	2	55	80	2.5	4	2	5492	2000	RH-2	40	form-based			true	0.7	5	1.25	3	3	6151.600098	2659.600098	2659.600098	1.120102
0519	038	2198	0.05	3122	2	55	80	2.5	4	2	5495	2373	RH-2	40	form-based			true	0.7	5	1.25	3	3	6154.399902	3032.399902	3032.399902	1.12
0519	043	2352	0.05	3300	2	55	80	2.5	4	2	5880	2580	RH-2	40	form-based			true	0.7	5	1.25	3	3	6585.600098	3285.600098	3285.600098	1.12
0519	047	1880	0.04	2444	1	55	80	2.5	3	2	4700	2256	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5264	2820	2820	1.12
0519	048	1990	0.05	2444	1	55	80	2.5	4	3	4975	2531	RH-2	40	form-based			true	0.7	4	1	3	3	5572	3128	3128	1.12
0519	049	2219	0.05	913	2	55	80	2.5	4	2	5548	4635	RH-2	40	form-based			true	0.7	5	1.25	3	3	6213.199707	5300.199707	5300.199707	1.119899
0519	055	2219	0.05	730	2	55	80	2.5	4	2	5548	4818	RH-2	40	form-based			true	0.7	5	1.25	3	3	6213.199707	5483.199707	5483.199707	1.119899
0519	057	2331	0.05	1129	2	55	80	2.5	4	2	5828	4699	RH-2	40	form-based			true	0.7	5	1.25	3	3	6526.799805	5397.799805	5397.799805	1.119904
0520	006	9095	0.21	11850	16	65	100	3	21	5	27285	15435	RM-2	40	form-based			true	0.7	19	0.90476191	3	3	25466	13616	13616	0.933333
0520	019	3347	0.08	4420	4	55	80	2.5	6	2	8368	3948	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9371.599609	4951.599609	4951.599609	1.119933
0520	024	3202	0.07	3916	4	55	80	2.5	6	2	8005	4089	RH-3	40	form-based		true	true	0.7	7	1.166666627	3	3	8965.599609	5049.599609	5049.599609	1.12
0523	002	2550	0.06	6000	6	65	100	3	6	0	7650	1650	RM-2	65	form-based			true	0.7	9	1.5	3	3	10710	4710	4710	1.4
0523	003	2550	0.06	6000	6	65	100	3	6	0	7650	1650	RM-2	65	form-based			true	0.7	9	1.5	3	3	10710	4710	4710	1.4
0523	017	2312	0.05	5604	5	65	100	3	5	0	6936	1332	RM-2	65	form-based			true	0.7	8	1.600000024	3	3	9710.399414	4106.399414	4106.399414	1.4
0524	003	2191	0.05	3854	3	65	100	3	5	2	6573	2719	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7668.5	3814.5	3814.5	1.166667
0524	005	2712	0.06	5436	5	65	100	3	6	1	8136	2700	RH-3	50	form-based			true	0.7	8	1.333333373	3	3	9492	4056	4056	1.166667
0524	006	2744	0.06	6186	5	65	100	3	6	1	8232	2046	RH-3	50	form-based			true	0.7	8	1.333333373	3	3	9604	3418	3418	1.166667
0524	015A	2498	0.06	5460	9	65	100	3	6	0	7494	2034	RH-2	85	form-based			true	0.7	12	2	3	3	13988.7998	8528.799805	8528.799805	1.866667
0524	017	1925	0.04	4050	6	65	100	3	4	0	5775	1725	RM-2	85	form-based			true	0.7	9	2.25	3	2	10780	6730	6730	1.866667
0529	001B	2501	0.06	3068	2	65	100	3	6	4	7503	4435	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7002.799805	3934.799805	3934.799805	0.933333
0529	094	1987	0.05	1596	1	65	100	3	5	4	5961	4365	RH-3	40	form-based			true	0.7	4	0.800000012	3	3	5563.600098	3967.600098	3967.600098	0.933333
0530	005	2753	0.06	2846	3	55	80	2.5	5	2	6882	4036	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7708.399902	4862.399902	4862.399902	1.120081
0530	006	2612	0.06	3302	2	55	80	2.5	5	3	6530	3228	RH-2	40	form-based			true	0.7	5	1	3	3	7313.600098	4011.600098	4011.600098	1.12
0530	006A	2612	0.06	3638	2	55	80	2.5	5	3	6530	2892	RH-2	40	form-based			true	0.7	5	1	3	3	7313.600098	3675.600098	3675.600098	1.12
0530	037	3437	0.08	2411	4	55	80	2.5	6	2	8592	6181	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9623.599609	7212.599609	7212.599609	1.120065
0531	003	2395	0.05	3078	2	55	80	2.5	4	2	5988	2910	RH-2	40	form-based			true	0.7	5	1.25	3	3	6706	3628	3628	1.119906
0531	004	2421	0.06	4370	2	55	80	2.5	5	3	6052	1682	RH-2	40	form-based			true	0.7	5	1	3	3	6778.799805	2408.799805	2408.799805	1.120093
0531	018	2185	0.05	2500	2	55	80	2.5	4	2	5462	2962	RH-2	40	form-based			true	0.7	5	1.25	3	3	6118	3618	3618	1.120103
0531	024	3444	0.08	2750	4	55	80	2.5	6	2	8610	5860	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9643.200195	6893.200195	6893.200195	1.12
0531	029	2622	0.06	1443	3	55	80	2.5	5	2	6555	5112	RH-2	40	form-based		true	true	0.7	6	1.200000048	3	3	7341.600098	5898.600098	5898.600098	1.12
0531	032	2395	0.05	1265	2	55	80	2.5	4	2	5988	4723	RH-2	40	form-based			true	0.7	5	1.25	3	3	6706	5441	5441	1.119906
0531	036	2412	0.06	1616	2	55	80	2.5	5	3	6030	4414	RH-2	40	form-based			true	0.7	5	1	3	3	6753.600098	5137.600098	5137.600098	1.12
0531	038	2462	0.06	1513	2	55	80	2.5	5	3	6155	4642	RH-2	40	form-based		true	true	0.7	5	1	3	3	6893.600098	5380.600098	5380.600098	1.12
0532	003A	1650	0.04	0	0	55	80	2.5	3	3	4125	4125	RH-2	40	form-based			true	0.7	3	1	3	3	4620	4620	4620	1.12
0532	007	2758	0.06	3770	3	55	80	2.5	5	2	6895	3125	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7722.399902	3952.399902	3952.399902	1.12
0541	010	3435	0.08	3788	4	55	80	2.5	6	2	8588	4800	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9618	5830	5830	1.119935
0541	038	3436	0.08	2134	4	55	80	2.5	6	2	8590	6456	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9620.799805	7486.799805	7486.799805	1.12
0542	006	2368	0.05	1948	2	55	80	2.5	4	2	5920	3972	RH-2	40	form-based			true	0.7	5	1.25	3	3	6630.399902	4682.399902	4682.399902	1.12
0542	008	2505	0.06	3113	2	55	80	2.5	5	3	6262	3149	RH-2	40	form-based			true	0.7	5	1	3	3	7014	3901	3901	1.120089
0542	031	1880	0.04	1370	1	55	80	2.5	3	2	4700	3330	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5264	3894	3894	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0542	032	1880	0.04	925	1	55	80	2.5	3	2	4700	3775	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5264	4339	4339	1.12
0543	003	2350	0.05	3776	2	55	80	2.5	4	2	5875	2099	RH-2	40	form-based			true	0.7	5	1.25	3	3	6580	2804	2804	1.12
0543	005	2512	0.06	3640	2	55	80	2.5	5	3	6280	2640	RH-2	40	form-based		true	true	0.7	5	1	3	3	7033.600098	3393.600098	3393.600098	1.12
0543	008	2500	0.06	3225	2	55	80	2.5	5	3	6250	3025	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3775	3775	1.12
0543	011	4056	0.09	6366	6	55	80	2.5	7	1	10140	3774	RH-2	40	form-based			true	0.7	9	1.285714269	3	3	11356.7998	4990.799805	4990.799805	1.12
0543	021	2112	0.05	2786	1	55	80	2.5	4	3	5280	2494	RH-2	40	form-based			true	0.7	4	1	3	3	5913.600098	3127.600098	3127.600098	1.12
0543	022	1810	0.04	1670	1	55	80	2.5	3	2	4525	2855	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5068	3398	3398	1.12
0543	022A	1810	0.04	2687	1	55	80	2.5	3	2	4525	1838	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5068	2381	2381	1.12
0543	022B	1810	0.04	2130	1	55	80	2.5	3	2	4525	2395	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5068	2938	2938	1.12
0543	022C	2088	0.05	2606	1	55	80	2.5	4	3	5220	2614	RH-2	40	form-based			true	0.7	4	1	3	3	5846.399902	3240.399902	3240.399902	1.12
0543	042	2500	0.06	1386	2	55	80	2.5	5	3	6250	4864	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5614	5614	1.12
0544	025	3272	0.08	904	4	55	80	2.5	6	2	8180	7276	RH-2	40	form-based		true	true	0.7	7	1.166666627	3	3	9161.599609	8257.599609	8257.599609	1.12
0547	015	1939	0.04	3200	4	65	100	3	4	0	5817	2617	NCD-POLK	65	form-based			true	0.75	7	1.75	3	3	8725.5	5525.5	5525.5	1.5
0547	015A	1939	0.04	3200	4	65	100	3	4	0	5817	2617	NCD-POLK	65	form-based			true	0.75	7	1.75	3	3	8725.5	5525.5	5525.5	1.5
0552	015	3002	0.07	5890	3	65	100	3	7	4	9006	3116	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8405.599609	2515.599609	2515.599609	0.933333
0552	016	2276	0.05	2960	2	65	100	3	5	3	6828	3868	RH-2	40	form-based			true	0.7	5	1	3	3	6372.799805	3412.799805	3412.799805	0.933333
0552	044	4087	0.09	5526	6	65	100	3	9	3	12261	6735	RM-2	40	form-based			true	0.7	9	1	3	3	11443.59961	5917.599609	5917.599609	0.933333
0553	003	2503	0.06	3020	2	65	100	3	6	4	7509	4489	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7008.399902	3988.399902	3988.399902	0.933333
0553	064	2503	0.06	784	2	65	100	3	6	4	7509	6725	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7008.399902	6224.399902	6224.399902	0.933333
0553	066	2993	0.07	1647	3	55	80	2.5	6	3	7482	5835	RH-2	40	form-based		true	true	0.7	6	1	3	3	8380.399414	6733.399414	6733.399414	1.120075
0554	020	2325	0.05	2645	2	55	80	2.5	4	2	5812	3167	RH-2	40	form-based			true	0.7	5	1.25	3	3	6510	3865	3865	1.120096
0554	021	2325	0.05	3586	2	55	80	2.5	4	2	5812	2226	RH-2	40	form-based			true	0.7	5	1.25	3	3	6510	2924	2924	1.120096
0554	024	3437	0.08	2125	4	55	80	2.5	6	2	8592	6467	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9623.599609	7498.599609	7498.599609	1.120065
0554	029	4114	0.09	4527	6	55	80	2.5	7	1	10285	5758	RM-2	40	form-based			true	0.7	9	1.285714269	3	3	11519.2002	6992.200195	6992.200195	1.12
0554	055	2500	0.06	1093	2	55	80	2.5	5	3	6250	5157	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5907	5907	1.12
0555	002	2504	0.06	2471	2	55	80	2.5	5	3	6260	3789	RH-2	40	form-based			true	0.7	5	1	3	3	7011.199707	4540.199707	4540.199707	1.12
0555	016B	4813	0.11	11105	7	55	80	2.5	9	2	12032	927	RH-2	40	form-based			true	0.7	10	1.111111164	3	3	13476.39941	2371.399414	2371.399414	1.120046
0555	017	2016	0.05	3948	1	55	80	2.5	4	3	5040	1092	RH-2	40	form-based			true	0.7	4	1	3	3	5644.799805	1696.799805	1696.799805	1.12
0555	022	3679	0.08	3350	5	55	80	2.5	6	1	9198	5848	RH-2	40	form-based			true	0.7	8	1.333333373	3	3	10301.2002	6951.200195	6951.200195	1.119939
0555	028	2500	0.06	2420	2	55	80	2.5	5	3	6250	3830	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4580	4580	1.12
0555	038	2504	0.06	1719	2	55	80	2.5	5	3	6260	4541	RH-2	40	form-based			true	0.7	5	1	3	3	7011.199707	5292.199707	5292.199707	1.12
0557	002	3182	0.07	6700	4	55	80	2.5	6	2	7955	1255	RM-1	40	form-based			true	0.7	7	1.166666627	3	3	8909.599609	2209.599609	2209.599609	1.12
0557	017	4916	0.11	4375	7	55	80	2.5	9	2	12290	7915	RH-2	40	form-based			true	0.7	10	1.111111164	3	3	13764.7998	9389.799805	9389.799805	1.12
0557	035	6016	0.14	1256	10	55	80	2.5	11	1	15040	13784	RH-3	40	form-based		true	true	0.7	13	1.181818128	3	3	16844.79883	15588.79883	15588.79883	1.12
0558	018	3518	0.08	5340	4	55	80	2.5	6	2	8795	3455	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9850.399414	4510.399414	4510.399414	1.12
0558	024	2195	0.05	2850	2	55	80	2.5	4	2	5488	2638	RH-2	40	form-based			true	0.7	5	1.25	3	3	6146	3296	3296	1.119898
0558	031	2013	0.05	2490	1	55	80	2.5	4	3	5032	2542	RH-2	40	form-based			true	0.7	4	1	3	3	5636.399902	3146.399902	3146.399902	1.120111
0558	032	1886	0.04	2050	1	55	80	2.5	3	2	4715	2665	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5280.799805	3230.799805	3230.799805	1.12
0558	034	2590	0.06	2990	2	55	80	2.5	5	3	6475	3485	RH-2	40	form-based			true	0.7	5	1	3	3	7252	4262	4262	1.12
0558	041	2194	0.05	2990	2	55	80	2.5	4	2	5485	2495	RH-2	40	form-based			true	0.7	5	1.25	3	3	6143.199707	3153.199707	3153.199707	1.12
0558	044	2099	0.05	5302	1	55	80	2.5	4	3	5248	0	RH-2	40	form-based		true	true	0.7	4	1	3	3	5877.199707	575.199707	575.199707	1.119893
0559	002	2200	0.05	3048	2	55	80	2.5	4	2	5500	2452	RH-2	40	form-based			true	0.7	5	1.25	3	3	6160	3112	3112	1.12
0559	004	3031	0.07	5353	3	55	80	2.5	6	3	7578	2225	RH-2	40	form-based			true	0.7	6	1	3	3	8486.799805	3133.799805	3133.799805	1.119926
0559	060	3025	0.07	817	3	55	80	2.5	6	3	7562	6745	RH-2	40	form-based			true	0.7	6	1	3	3	8470	7653	7653	1.120074
0559	065	3019	0.07	3122	3	55	80	2.5	6	3	7548	4426	RH-2	40	form-based			true	0.7	6	1	3	3	8453.200195	5331.200195	5331.200195	1.119926
0560	001	1760	0.04	2930	1	55	80	2.5	3	2	4400	1470	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4928	1998	1998	1.12
0560	002	1783	0.04	2839	1	55	80	2.5	3	2	4458	1619	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4992.399902	2153.399902	2153.399902	1.119874
0562	001D	1688	0.04	2434	1	55	80	2.5	3	2	4220	1786	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4726.399902	2292.399902	2292.399902	1.12
0562	031	4194	0.1	1325	6	55	80	2.5	8	2	10485	9160	RH-1	40	form-based			true	0.7	9	1.125	3	3	11743.2002	10418.2002	10418.2002	1.12
0563	031	2063	0.05	3910	1	55	80	2.5	4	3	5158	1248	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	1866.399902	1866.399902	1.119891
0564	025	6391	0.15	4000	21	55	80	2.5	12	0	15978	11978	RTO-C	65	form-based			true	0.75	24	2	3	3	28759.5	24759.5	24759.5	1.799944
0565	005	2425	0.06	2977	2	55	80	2.5	5	3	6062	3085	RH-2	40	form-based			true	0.7	5	1	3	3	6790	3813	3813	1.120092
0565	017	2624	0.06	3224	3	55	80	2.5	5	2	6560	3336	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7347.199707	4123.199707	4123.199707	1.12
0565	055	2620	0.06	750	3	55	80	2.5	5	2	6550	5800	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7336	6586	6586	1.12
0566	015	2463	0.06	3490	2	55	80	2.5	5	3	6158	2668	RH-2	40	form-based			true	0.7	5	1	3	3	6896.399902	3406.399902	3406.399902	1.119909
0566	018	3780	0.09	3977	5	55	80	2.5	7	2	9450	5473	RH-2	40	form-based			true	0.7	8	1.142857194	3	3	10584	6607	6607	1.12
0566	048	2600	0.06	1442	2	55	80	2.5	5	3	6500	5058	RH-2	40	form-based			true	0.7	5	1	3	3	7280	5838	5838	1.12
0567	002	2816	0.06	3700	3	55	80	2.5	5	2	7040	3340	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7884.799805	4184.799805	4184.799805	1.12
0572	023B	550	0.01	0	0	65	100	3	1	1	1650	1650	RM-2	85	form-based			true	0.7	3	3	3	2	3080	3080	3080	1.866667
0580	013	5950	0.14	9762	1	55	80	2.5	11	10	14875	5113	RH-2	40	density-lin	1500			0.7	4	0.363636374	3	3	16660	6898	6898	1.12
0580	106	4555	0.1	3013	14	55	80	2.5	8	0	11388	8375	RTO-C	65	form-based			true	0.75	17	2.125	3	2	20497.5	17484.5	17484.5	1.799921
0582	015A	1724	0.04	2658	1	55	80	2.5	3	2	4310	1652	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4827.199707	2169.199707	2169.199707	1.12
0583	021	1860	0.04	1100	1	55	80	2.5	3	2	4650	3550	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5208	4108	4108	1.12
0586	002B	2064	0.05	4058	1	65	100	3	5	4	6192	2134	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5779.199707	1721.199707	1721.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0587	002	2524	0.06	2552	2	55	80	2.5	5	3	6310	3758	RH-2	40	form-based			true	0.7	5	1	3	3	7067.199707	4515.199707	4515.199707	1.12
0587	014	7367	0.17	2645	12	65	100	3	17	5	22101	19456	RM-1	40	form-based		true	true	0.7	15	0.882352948	3	3	20627.59961	17982.59961	17982.59961	0.933333
0587	018	5945	0.14	2760	1	55	80	2.5	11	10	14862	12102	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	16646	13886	13886	1.120038
0587	032	3192	0.07	2319	4	65	100	3	7	3	9576	7257	RH-2	40	form-based			true	0.7	7	1	3	3	8937.599609	6618.599609	6618.599609	0.933333
0588	013	2757	0.06	3600	3	55	80	2.5	5	2	6892	3292	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7719.600098	4119.600098	4119.600098	1.120081
0589	013	5602	0.13	6690	9	55	80	2.5	10	1	14005	7315	RM-1	40	form-based			true	0.7	12	1.200000048	3	3	15685.59961	8995.599609	8995.599609	1.12
0589	017	1805	0.04	2955	1	55	80	2.5	3	2	4512	1557	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5054	2099	2099	1.120124
0589	017A	1796	0.04	2466	1	55	80	2.5	3	2	4490	2024	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5028.799805	2562.799805	2562.799805	1.12
0589	017B	1784	0.04	2570	1	55	80	2.5	3	2	4460	1890	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4995.199707	2425.199707	2425.199707	1.12
0589	027	3502	0.08	1944	4	55	80	2.5	6	2	8755	6811	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9805.599609	7861.599609	7861.599609	1.12
0592	009	1950	0.04	2945	1	55	80	2.5	3	2	4875	1930	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5460	2515	2515	1.12
0592	009A	1950	0.04	2457	1	55	80	2.5	3	2	4875	2418	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5460	3003	3003	1.12
0597	012	2146	0.05	5146	8	65	100	3	5	0	6438	1292	RM-2	85	form-based			true	0.7	11	2.200000048	3	2	12017.59961	6871.599609	6871.599609	1.866667
0597	067	2606	0.06	9014	6	65	100	3	6	0	7818	0	RM-2	65	form-based		true	true	0.7	9	1.5	3	3	10945.2002	1931.200195	1931.200195	1.4
0600	015	2197	0.05	3532	2	65	100	3	5	3	6591	3059	RH-2	40	form-based			true	0.7	5	1	3	3	6151.600098	2619.600098	2619.600098	0.933333
0600	016	2197	0.05	3532	2	65	100	3	5	3	6591	3059	RH-2	40	form-based			true	0.7	5	1	3	3	6151.600098	2619.600098	2619.600098	0.933333
0600	019	2312	0.05	1426	2	65	100	3	5	3	6936	5510	RH-2	40	form-based			true	0.7	5	1	3	3	6473.600098	5047.600098	5047.600098	0.933333
0601	006D	2538	0.06	2981	2	65	100	3	6	4	7614	4633	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7106.399902	4125.399902	4125.399902	0.933333
0601	009	3077	0.07	1906	3	65	100	3	7	4	9231	7325	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8615.599609	6709.599609	6709.599609	0.933333
0601	018	3078	0.07	1898	3	65	100	3	7	4	9234	7336	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8618.399414	6720.399414	6720.399414	0.933333
0601	023	2538	0.06	1398	2	65	100	3	6	4	7614	6216	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7106.399902	5708.399902	5708.399902	0.933333
0603	001B	2688	0.06	3325	3	55	80	2.5	5	2	6720	3395	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7526.399902	4201.399902	4201.399902	1.12
0603	002A	2688	0.06	3215	3	55	80	2.5	5	2	6720	3505	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7526.399902	4311.399902	4311.399902	1.12
0603	003C	2518	0.06	3018	2	55	80	2.5	5	3	6295	3277	RH-2	40	form-based			true	0.7	5	1	3	3	7050.399902	4032.399902	4032.399902	1.12
0603	004A	3210	0.07	3249	4	55	80	2.5	6	2	8025	4776	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	8988	5739	5739	1.12
0603	033	2519	0.06	2120	2	55	80	2.5	5	3	6298	4178	RH-2	40	form-based			true	0.7	5	1	3	3	7053.199707	4933.199707	4933.199707	1.119911
0603	035	2385	0.05	1626	2	55	80	2.5	4	2	5962	4336	RH-2	40	form-based			true	0.7	5	1.25	3	3	6678	5052	5052	1.120094
0604	004	2122	0.05	3356	1	55	80	2.5	4	3	5305	1949	RH-2	40	form-based			true	0.7	4	1	3	3	5941.600098	2585.600098	2585.600098	1.12
0604	044	2264	0.05	1907	2	55	80	2.5	4	2	5660	3753	RM-1	40	form-based		true	true	0.7	5	1.25	3	3	6339.199707	4432.199707	4432.199707	1.12
0605	002	1898	0.04	1567	1	55	80	2.5	3	2	4745	3178	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5314.399902	3747.399902	3747.399902	1.12
0605	003	1898	0.04	1881	1	55	80	2.5	3	2	4745	2864	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5314.399902	3433.399902	3433.399902	1.12
0605	004	2157	0.05	2127	1	55	80	2.5	4	3	5392	3265	RH-2	40	density-lim	1500			0.7	4	1	3	3	6039.600098	3912.600098	3912.600098	1.120104
0605	005	2119	0.05	2450	1	55	80	2.5	4	3	5298	2848	RH-2	40	density-lim	1500			0.7	4	1	3	3	5933.199707	3483.199707	3483.199707	1.119894
0605	007	2408	0.06	1668	1	55	80	2.5	5	4	6020	4352	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6742.399902	5074.399902	5074.399902	1.12
0605	010	2246	0.05	2986	2	65	100	3	5	3	6738	3752	RH-2	40	form-based			true	0.7	5	1	3	3	6288.799805	3302.799805	3302.799805	0.933333
0605	025A	2819	0.06	3304	3	55	80	2.5	5	2	7048	3744	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7893.199707	4589.199707	4589.199707	1.11992
0606	021	1697	0.04	3959	1	65	100	3	4	3	5091	1132	RM-1	40	form-based			true	0.7	4	1	3	3	4751.600098	792.6000977	792.6000977	0.933333
0606	047	3381	0.08	2514	4	65	100	3	8	4	10143	7629	RM-1	40	form-based		true	true	0.7	7	0.875	3	3	9466.799805	6952.799805	6952.799805	0.933333
0611	016	2591	0.06	3120	2	65	100	3	6	4	7773	4653	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7254.799805	4134.799805	4134.799805	0.933333
0612	001A	1103	0.03	1563	1	65	100	3	3	2	3309	1746	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3088.399902	1525.399902	1525.399902	0.933333
0612	001B	1060	0.02	1920	1	65	100	3	2	1	3180	1260	RH-2	40	density-lim	1500			0.7	4	2	3	3	2968	1048	1048	0.933333
0612	001C	1073	0.02	1586	1	65	100	3	2	1	3219	1633	RH-2	40	density-lim	1500			0.7	4	2	3	3	3004.399902	1418.399902	1418.399902	0.933333
0612	001D	1087	0.02	2037	1	65	100	3	2	1	3261	1224	RH-2	40	density-lim	1500			0.7	4	2	3	3	3043.599854	1006.599854	1006.599854	0.933333
0612	004	2428	0.06	2080	1	65	100	3	6	5	7284	5204	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6798.399902	4718.399902	4718.399902	0.933333
0612	005	2205	0.05	2176	1	65	100	3	5	4	6615	4439	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6174	3998	3998	0.933333
0612	026	3343	0.08	3217	4	65	100	3	8	4	10029	6812	RH-2	40	form-based			true	0.7	7	0.875	3	3	9360.399414	6143.399414	6143.399414	0.933333
0612	027	3343	0.08	4999	4	65	100	3	8	4	10029	5030	RH-2	40	form-based			true	0.7	7	0.875	3	3	9360.399414	4361.399414	4361.399414	0.933333
0612	032	3247	0.07	3238	1	65	100	3	7	6	9741	6503	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	9091.599609	5853.599609	5853.599609	0.933333
0612	045	3180	0.07	437	4	65	100	3	7	3	9540	9103	RH-2	40	form-based			true	0.7	7	1	3	3	8904	8467	8467	0.933333
0613	016	2157	0.05	1696	1	65	100	3	5	4	6471	4775	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6039.600098	4343.600098	4343.600098	0.933333
0613	017	2157	0.05	1760	1	55	80	2.5	4	3	5392	3632	RH-2	40	density-lim	1500			0.7	4	1	3	3	6039.600098	4279.600098	4279.600098	1.120104
0613	019	2873	0.07	2509	1	55	80	2.5	6	5	7182	4673	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8044.399902	5535.399902	5535.399902	1.120078
0613	024	1942	0.04	2400	1	55	80	2.5	3	2	4855	2455	RM-1	40	form-based			true	0.7	4	1.333333373	3	3	5437.600098	3037.600098	3037.600098	1.12
0613	025	1942	0.04	2348	1	55	80	2.5	3	2	4855	2507	RM-1	40	form-based			true	0.7	4	1.333333373	3	3	5437.600098	3089.600098	3089.600098	1.12
0614	021	2593	0.06	1995	2	55	80	2.5	5	3	6482	4487	RH-2	40	form-based			true	0.7	5	1	3	3	7260.399902	5265.399902	5265.399902	1.120086
0617	017	1430	0.03	3412	0	65	100	3	3	3	4290	878	RH-2	40	form-based			true	0.7	3	1	3	3	4004	592	592	0.933333
0621	003A	2549	0.06	5400	7	65	100	3	6	0	7647	2247	RM-3	65	form-based			true	0.75	10	1.666666627	3	3	11470.5	6070.5	6070.5	1.5
0624	007A	4468	0.1	8310	6	65	100	3	10	4	13404	5094	RH-2	40	form-based			true	0.7	9	0.899999976	3	3	12510.39941	4200.399414	4200.399414	0.933333
0624	104	4468	0.1	1444	6	65	100	3	10	4	13404	11960	RH-2	40	form-based			true	0.7	9	0.899999976	3	3	12510.39941	11066.39941	11066.39941	0.933333
0627	008	8779	0.2	9633	15	55	80	2.5	16	1	21948	12315	RM-1	40	form-based		true	true	0.7	18	1.125	3	3	24581.19922	14948.19922	14948.19922	1.119974
0627	009C	2527	0.06	3132	2	55	80	2.5	5	3	6318	3186	RH-2	40	form-based			true	0.7	5	1	3	3	7075.600098	3943.600098	3943.600098	1.119911
0627	052	2553	0.06	1394	2	55	80	2.5	5	3	6382	4988	RH-2	40	form-based			true	0.7	5	1	3	3	7148.399902	5754.399902	5754.399902	1.120088
0629	019	1707	0.04	2900	3	65	100	3	4	1	5121	2221	NCD-UPPE	65	form-based		true	true	0.75	6	1.5	3	3	7681.5	4781.5	4781.5	1.5
0629	044	333	0.01	0	0	65	100	3	1	1	999	999	RM-1	160	form-based			true	0.7	3	3	3	2	2997	2997	1998	3

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0631	003	2354	0.05	2400	2	65	100	3	5	3	7062	4662	RH-2	40	form-based			true	0.7	5	1	3	3	6591.199707	4191.199707	4191.199707	0.933333
0631	005	2977	0.07	2486	3	65	100	3	7	4	8931	6445	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8335.599609	5849.599609	5849.599609	0.933333
0631	017	3200	0.07	3005	6	65	100	3	7	1	9600	6595	RH-3	50	form-based			true	0.7	9	1.285714269	3	3	11200	8195	8195	1.166667
0631	024	2344	0.05	2250	2	65	100	3	5	3	7032	4782	RH-3	40	form-based			true	0.7	5	1	3	3	6563.199707	4313.199707	4313.199707	0.933333
0631	043	2345	0.05	1790	2	65	100	3	5	3	7035	5245	RH-2	40	form-based		true	true	0.7	5	1	3	3	6566	4776	4776	0.933333
0632	002B	2154	0.05	3837	3	65	100	3	5	2	6462	2625	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7539	3702	3702	1.166667
0632	002D	2154	0.05	3230	3	65	100	3	5	2	6462	3232	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7539	4309	4309	1.166667
0632	013	2413	0.06	2950	2	65	100	3	6	4	7239	4289	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6756.399902	3806.399902	3806.399902	0.933333
0633	001I	3395	0.08	3360	7	85	140	4	11	4	13580	10220	RH-2	50	form-based			true	0.7	10	0.909090936	3	3	11882.5	8522.5	8522.5	0.875
0633	008	5215	0.12	11493	12	65	100	3	12	0	15645	4152	RM-2	50	form-based			true	0.7	15	1.25	3	3	18252.5	6759.5	6759.5	1.166667
0633	010	1919	0.04	1760	2	65	100	3	4	2	5757	3997	RM-2	50	form-based			true	0.7	5	1.25	3	3	6716.5	4956.5	4956.5	1.166667
0634	001	1276	0.03	970	1	85	140	4	4	3	5104	4134	RH-3	50	form-based		true	true	0.7	4	1	3	3	4466	3496	3496	0.875
0634	016	1728	0.04	2956	2	65	100	3	4	2	5184	2228	RH-3	50	form-based		true	true	0.7	5	1.25	3	3	6048	3092	3092	1.166667
0634	016B	1776	0.04	2956	2	65	100	3	4	2	5328	2372	RH-3	50	form-based			true	0.7	5	1.25	3	3	6216	3260	3260	1.166667
0634	016C	1778	0.04	3029	2	65	100	3	4	2	5334	2305	RH-3	50	form-based			true	0.7	5	1.25	3	3	6223	3194	3194	1.166667
0634	018A	1387	0.03	2400	1	65	100	3	3	2	4161	1761	RH-3	50	form-based			true	0.7	4	1.333333373	3	3	4854.5	2454.5	2454.5	1.166667
0634	020	2177	0.05	4845	3	65	100	3	5	2	6531	1686	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7619.5	2774.5	2774.5	1.166667
0634	025	2094	0.05	2930	3	85	140	4	7	4	8376	5446	RH-3	50	form-based			true	0.7	6	0.857142866	3	3	7329	4399	4399	0.875
0634	027	1286	0.03	1150	1	85	140	4	4	3	5144	3994	RH-3	50	form-based			true	0.7	4	1	3	3	4501	3351	3351	0.875
0634	028	1264	0.03	910	1	85	140	4	4	3	5056	4146	RH-3	50	form-based			true	0.7	4	1	3	3	4424	3514	3514	0.875
0634	031	1305	0.03	2030	1	85	140	4	4	3	5220	3190	RH-3	50	form-based			true	0.7	4	1	3	3	4567.5	2537.5	2537.5	0.875
0634	037	1686	0.04	1185	2	65	100	3	4	2	5058	3873	RH-3	50	form-based			true	0.7	5	1.25	3	3	5901	4716	4716	1.166667
0634	043	2177	0.05	1445	3	65	100	3	5	2	6531	5086	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7619.5	6174.5	6174.5	1.166667
0635	011	1422	0.03	2510	1	85	140	4	4	3	5688	3178	RH-2	50	form-based			true	0.7	4	1	3	3	4977	2467	2467	0.875
0635	045	2138	0.05	1750	3	65	100	3	5	2	6414	4664	RH-2	50	form-based		true	true	0.7	6	1.200000048	3	3	7483	5733	5733	1.166667
0636	002	1804	0.04	3100	1	65	100	3	4	3	5412	2312	RM-1	40	form-based			true	0.7	4	1	3	3	5051.199707	1951.199707	1951.199707	0.933333
0636	003	2016	0.05	2316	1	65	100	3	5	4	6048	3732	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5644.799805	3328.799805	3328.799805	0.933333
0637	043	3334	0.08	1295	4	65	100	3	8	4	10002	8707	RM-1	40	form-based			true	0.7	7	0.875	3	3	9335.200195	8040.200195	8040.200195	0.933333
0638	001A	1904	0.04	3056	1	55	80	2.5	3	2	4760	1704	RM-2	40	form-based			true	0.7	4	1.333333373	3	3	5331.199707	2275.199707	2275.199707	1.12
0640	019	5510	0.13	1804	9	65	100	3	13	4	16530	14726	RM-3	40	form-based		true	true	0.75	12	0.923076928	3	3	16530	14726	14726	1
0641	004	8256	0.19	5638	3	65	100	3	19	16	24768	19130	RH-2	40	density-lim	1500			0.7	6	0.315789461	3	3	23116.79883	17478.79883	17478.79883	0.933333
0649	003	2750	0.06	3000	1	65	100	3	6	5	8250	5250	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7700	4700	4700	0.933333
0649	004	2750	0.06	1995	1	65	100	3	6	5	8250	6255	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7700	5705	5705	0.933333
0649	007A	4263	0.1	4415	1	65	100	3	10	9	12789	8374	RH-2	40	density-lim	1500			0.7	4	0.400000006	3	3	11936.39941	7521.399414	7521.399414	0.933333
0649	008	7563	0.17	6120	2	65	100	3	17	15	22689	16569	RH-2	40	density-lim	1500			0.7	5	0.294117659	3	3	21176.40039	15056.40039	15056.40039	0.933333
0650	009	3151	0.07	2040	1	55	80	2.5	6	5	7878	5838	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8822.799805	6782.799805	6782.799805	1.119929
0650	010	3151	0.07	2429	1	55	80	2.5	6	5	7878	5449	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8822.799805	6393.799805	6393.799805	1.119929
0650	011	2101	0.05	2375	1	55	80	2.5	4	3	5252	2877	RH-2	40	density-lim	1500			0.7	4	1	3	3	5882.799805	3507.799805	3507.799805	1.120107
0650	012	2101	0.05	2450	1	55	80	2.5	4	3	5252	2802	RH-2	40	density-lim	1500			0.7	4	1	3	3	5882.799805	3432.799805	3432.799805	1.120107
0650	013	2101	0.05	3092	1	55	80	2.5	4	3	5252	2160	RH-2	40	density-lim	1500			0.7	4	1	3	3	5882.799805	2790.799805	2790.799805	1.120107
0651	006	3151	0.07	2440	1	55	80	2.5	6	5	7878	5438	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8822.799805	6382.799805	6382.799805	1.119929
0651	008	5156	0.12	4584	1	55	80	2.5	10	9	12890	8306	RH-2	40	density-lim	1500			0.7	4	0.400000006	3	3	14436.7998	9852.799805	9852.799805	1.12
0651	016	3320	0.08	4200	1	55	80	2.5	6	5	8300	4100	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9296	5096	5096	1.12
0651	017	3332	0.08	4230	1	55	80	2.5	6	5	8330	4100	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9329.599609	5099.599609	5099.599609	1.12
0651	019	3805	0.09	4613	1	55	80	2.5	7	6	9512	4899	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	10654	6041	6041	1.120059
0651	024	3806	0.09	3117	1	55	80	2.5	7	6	9515	6398	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	10656.7998	7539.799805	7539.799805	1.12
0651	026	2981	0.07	3992	1	55	80	2.5	6	5	7452	3460	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8346.799805	4354.799805	4354.799805	1.120075
0651	027	2149	0.05	2600	1	55	80	2.5	4	3	5372	2772	RH-2	40	density-lim	1500			0.7	4	1	3	3	6017.199707	3417.199707	3417.199707	1.120104
0651	053	2898	0.07	2600	1	55	80	2.5	6	5	7245	4645	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8114.399902	5514.399902	5514.399902	1.12
0651	057	2333	0.05	1548	3	55	80	2.5	4	1	5832	4284	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	6532.399902	4984.399902	4984.399902	1.120096
0652	004	2945	0.07	4802	1	55	80	2.5	6	5	7362	2560	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8246	3444	3444	1.120076
0652	016	2812	0.06	3990	1	65	100	3	6	5	8436	4446	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7873.600098	3883.600098	3883.600098	0.933333
0652	019	2234	0.05	3158	1	65	100	3	5	4	6702	3544	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6255.199707	3097.199707	3097.199707	0.933333
0652	027	3457	0.08	3414	1	65	100	3	8	7	10371	6957	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9679.599609	6265.599609	6265.599609	0.933333
0652	031	3457	0.08	2960	1	65	100	3	8	7	10371	7411	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9679.599609	6719.599609	6719.599609	0.933333
0652	032	3478	0.08	4004	1	65	100	3	8	7	10434	6430	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9738.399414	5734.399414	5734.399414	0.933333
0653	002	2479	0.06	3135	1	65	100	3	6	5	7437	4302	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6941.199707	3806.199707	3806.199707	0.933333
0653	003	2500	0.06	2300	1	65	100	3	6	5	7500	5200	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4700	4700	0.933333
0653	005	2500	0.06	2153	1	65	100	3	6	5	7500	5347	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4847	4847	0.933333
0653	008	2713	0.06	2107	1	65	100	3	6	5	8139	6032	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7596.399902	5489.399902	5489.399902	0.933333
0653	010	2188	0.05	1950	1	65	100	3	5	4	6564	4614	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6126.399902	4176.399902	4176.399902	0.933333
0653	012A	716	0.02	1080	1	65	100	3	2	1	2148	1068	RH-2	40	density-lim	1500			0.7	4	2	3	3	2004.799927	924.7999268	924.7999268	0.933333
0653	016	2362	0.05	3103	1	65	100	3	5	4	7086	3983	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6613.600098	3510.600098	3510.600098	0.933333
0653	027	3174	0.07	9002	14	65	100	3	7	0	9522	520	RTO-C	85	form-based			true	0.75	17	2.428571463	3	0	19044	10042	10042	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0653	029	2225	0.05	1251	1	65	100	3	5	4	6675	5424	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6230	4979	4979	0.933333
0653	030	2225	0.05	4050	1	65	100	3	5	4	6675	2625	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6230	2180	2180	0.933333
0653	031	2225	0.05	3000	1	65	100	3	5	4	6675	3675	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6230	3230	3230	0.933333
0653	033	2225	0.05	1440	1	65	100	3	5	4	6675	5235	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6230	4790	4790	0.933333
0654	013	4727	0.11	6620	5	65	100	3	11	6	14181	7561	NCD-UPPE	40	density-lim	600			0.75	8	0.727272749	3	3	14181	7561	7561	1
0654	026	2848	0.07	1593	2	65	100	3	7	5	8544	6951	NCD-UPPE	40	density-lim	600			0.75	5	0.714285731	3	3	8544	6951	6951	1
0655	015	1969	0.05	2010	1	65	100	3	5	4	5907	3897	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5513.199707	3503.199707	3503.199707	0.933333
0655	016	1969	0.05	1844	1	65	100	3	5	4	5907	4063	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5513.199707	3669.199707	3669.199707	0.933333
0655	017	1969	0.05	1270	1	65	100	3	5	4	5907	4637	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5513.199707	4243.199707	4243.199707	0.933333
0655	023	2199	0.05	6500	9	85	140	4	7	0	8796	2296	RTO-C	85	form-based		true	true	0.75	12	1.714285731	3	3	13194	6694	6694	1.5
0655	036	3575	0.08	6195	5	65	100	3	8	3	10725	4530	RH-2	40	form-based			true	0.7	8	1	3	3	10010	3815	3815	0.933333
0656	002	2013	0.05	1970	1	85	140	4	7	6	8052	6082	RH-2	40	form-based			true	0.7	4	0.571428597	3	3	5636.399902	3666.399902	3666.399902	0.7
0656	004	2012	0.05	2586	1	65	100	3	5	4	6036	3450	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5633.600098	3047.600098	3047.600098	0.933333
0656	005	2012	0.05	2100	1	65	100	3	5	4	6036	3936	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5633.600098	3533.600098	3533.600098	0.933333
0656	017	2506	0.06	3711	2	65	100	3	6	4	7518	3807	RH-2	40	form-based		true	true	0.7	5	0.833333313	3	3	7016.799805	3305.799805	3305.799805	0.933333
0656	056	2597	0.06	1968	2	65	100	3	6	4	7791	5823	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7271.600098	5303.600098	5303.600098	0.933333
0659	004	2031	0.05	6148	5	65	100	3	5	0	6093	0	NCD-UPPE	65	form-based		true	true	0.75	8	1.600000024	3	3	9139.5	2991.5	2991.5	1.5
0659	006	3166	0.07	6936	2	65	100	3	7	5	9498	2562	NCD-UPPE	40	density-lim	600			0.75	5	0.714285731	3	3	9498	2562	2562	1
0659	008	3167	0.07	6374	2	65	100	3	7	5	9501	3127	NCD-UPPE	40	density-lim	600			0.75	5	0.714285731	3	3	9501	3127	3127	1
0659	013	3169	0.07	4118	1	65	100	3	7	6	9507	5389	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8873.200195	4755.200195	4755.200195	0.933333
0659	019	746	0.02	1370	1	65	100	3	2	1	2238	868	RH-3	40	density-lim	1000			0.7	4	2	3	3	2088.800049	718.8000488	718.8000488	0.933333
0659	036	1858	0.04	2890	1	65	100	3	4	3	5574	2684	RH-3	40	density-lim	1000			0.7	4	1	3	3	5202.399902	2312.399902	2312.399902	0.933333
0660	070	1211	0.03	1650	1	65	100	3	3	2	3633	1983	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3390.800049	1740.800049	1740.800049	0.933333
0659	050	2102	0.05	1278	3	65	100	3	5	2	6306	5028	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	3	3	5885.600098	4607.600098	4607.600098	0.933333
0660	025	1910	0.04	3014	1	65	100	3	4	3	5730	2716	RH-2	40	density-lim	1500			0.7	4	1	3	3	5348	2334	2334	0.933333
0660	025A	1250	0.03	612	1	65	100	3	3	2	3750	3138	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3500	2888	2888	0.933333
0660	054	1661	0.04	1636	1	65	100	3	4	3	4983	3347	RH-2	40	density-lim	1500			0.7	4	1	3	3	4650.799805	3014.799805	3014.799805	0.933333
0660	055	1500	0.03	2875	1	65	100	3	3	2	4500	1625	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4200	1325	1325	0.933333
0660	066	1141	0.03	2689	1	65	100	3	3	2	3423	734	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3194.800049	505.8000488	505.8000488	0.933333
0660	069	1946	0.04	1646	1	65	100	3	4	3	5838	4192	RH-2	40	density-lim	1500			0.7	4	1	3	3	5448.799805	3802.799805	3802.799805	0.933333
0660	071	2000	0.05	4908	1	65	100	3	5	4	6000	1092	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5600	692	692	0.933333
0660	072	4495	0.1	3590	1	65	100	3	10	9	13485	9895	RH-2	40	density-lim	1500			0.7	4	0.400000006	3	3	12586	8996	8996	0.933333
0660	074	2237	0.05	3243	1	65	100	3	5	4	6711	3468	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6263.600098	3020.600098	3020.600098	0.933333
0660	075	2149	0.05	1522	3	65	100	3	5	2	6447	4925	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	3	3	6017.199707	4495.199707	4495.199707	0.933333
0661	011	2062	0.05	2470	1	65	100	3	5	4	6186	3716	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5773.600098	3303.600098	3303.600098	0.933333
0661	014	2177	0.05	1440	1	65	100	3	5	4	6531	5091	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6095.600098	4655.600098	4655.600098	0.933333
0661	028	2296	0.05	3495	1	65	100	3	5	4	6888	3393	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6428.799805	2933.799805	2933.799805	0.933333
0661	029	2296	0.05	1852	1	65	100	3	5	4	6888	5036	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6428.799805	4576.799805	4576.799805	0.933333
0661	031	3464	0.08	1398	1	65	100	3	8	7	10392	8994	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9699.200195	8301.200195	8301.200195	0.933333
0661	033	4170	0.1	2934	1	65	100	3	10	9	12510	9576	RH-2	40	density-lim	1500			0.7	4	0.400000006	3	3	11676	8742	8742	0.933333
0661	035	2959	0.07	2680	1	65	100	3	7	6	8877	6197	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8285.200195	5605.200195	5605.200195	0.933333
0661	036	2496	0.06	2680	1	65	100	3	6	5	7488	4808	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6988.799805	4308.799805	4308.799805	0.933333
0661	037	4727	0.11	4660	1	65	100	3	11	10	14181	9521	RH-2	40	density-lim	1500			0.7	4	0.363636374	3	3	13235.59961	8575.599609	8575.599609	0.933333
0662	001	2010	0.05	5148	3	65	100	3	5	2	6030	882	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	3	3	5628	480	480	0.933333
0662	002	2188	0.05	2758	1	65	100	3	5	4	6564	3806	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6126.399902	3368.399902	3368.399902	0.933333
0662	006	3437	0.08	2718	1	65	100	3	8	7	10311	7593	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9623.599609	6905.599609	6905.599609	0.933333
0662	008	2187	0.05	2628	1	65	100	3	5	4	6561	3933	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6123.600098	3495.600098	3495.600098	0.933333
0662	009	2187	0.05	3412	1	65	100	3	5	4	6561	3149	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6123.600098	2711.600098	2711.600098	0.933333
0662	011	2187	0.05	4874	3	65	100	3	5	2	6561	1687	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	3	3	6123.600098	1249.600098	1249.600098	0.933333
0662	013	2500	0.06	2780	1	65	100	3	6	5	7500	4720	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4220	4220	0.933333
0662	022	2100	0.05	3215	1	65	100	3	5	4	6300	3085	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5880	2665	2665	0.933333
0662	023	2691	0.06	3909	3	65	100	3	6	3	8073	4164	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	7534.799805	3625.799805	3625.799805	0.933333
0662	023A	1994	0.05	1434	1	65	100	3	5	4	5982	4548	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5583.199707	4149.199707	4149.199707	0.933333
0662	024	1994	0.05	1393	1	65	100	3	5	4	5982	4589	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5583.199707	4190.199707	4190.199707	0.933333
0663	004	2600	0.06	3350	1	65	100	3	6	5	7800	4450	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	3930	3930	0.933333
0663	014	1903	0.04	2000	1	65	100	3	4	3	5709	3709	RH-2	40	density-lim	1500			0.7	4	1	3	3	5328.399902	3328.399902	3328.399902	0.933333
0663	016	1902	0.04	2020	1	65	100	3	4	3	5706	3686	RH-2	40	density-lim	1500			0.7	4	1	3	3	5325.600098	3305.600098	3305.600098	0.933333
0663	018	1902	0.04	2040	1	65	100	3	4	3	5706	3666	RH-2	40	density-lim	1500			0.7	4	1	3	3	5325.600098	3285.600098	3285.600098	0.933333
0663	019	1800	0.04	1650	1	65	100	3	4	3	5400	3750	RH-2	40	density-lim	1500			0.7	4	1	3	3	5040	3390	3390	0.933333
0663	020	1800	0.04	2219	1	65	100	3	4	3	5400	3181	RH-2	40	density-lim	1500			0.7	4	1	3	3	5040	2821	2821	0.933333
0663	022	1800	0.04	2160	1	65	100	3	4	3	5400	3240	RH-2	40	density-lim	1500			0.7	4	1	3	3	5040	2880	2880	0.933333
0663	055	1903	0.04	1439	3	65	100	3	4	1	5709	4270	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	5328.399902	3889.399902	3889.399902	0.933333
0664	009	3600	0.08	3285	1	65	100	3	8	7	10800	7515	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	10080	6795	6795	0.933333
0664	019A	1031	0.02	1390	1	65	100	3	2	1	3093	1703	RH-2	40	density-lim	1500			0.7	4	2	3	3	2886.800049	1496.800049	1496.800049	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0664	020	1022	0.02	1390	1	65	100	3	2	1	3066	1676	RH-2	40	density-lim	1500			0.7	4	2	3	3	2861.599854	1471.599854	1471.599854	0.933333
0664	020B	1025	0.02	1621	1	65	100	3	2	1	3075	1454	RH-2	40	density-lim	1500			0.7	4	2	3	3	2870	1249	1249	0.933333
0664	020C	1044	0.02	1856	1	65	100	3	2	1	3132	1276	RH-2	40	density-lim	1500			0.7	4	2	3	3	2923.199951	1067.199951	1067.199951	0.933333
0664	025	1757	0.04	4690	1	65	100	3	4	3	5271	581	RH-2	40	density-lim	1500			0.7	4	1	3	3	4919.600098	229.6000977	229.6000977	0.933333
0664	025A	1175	0.03	1271	1	65	100	3	3	2	3525	2254	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3290	2019	2019	0.933333
0664	027	1120	0.03	1115	1	65	100	3	3	2	3360	2245	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3136	2021	2021	0.933333
0675	023	1942	0.04	2550	2	65	100	3	4	2	5826	3276	RM-3	40	density-lim	400			0.75	5	1.25	3	3	5826	3276	3276	1
0675	036	10813	0.25	21825	24	65	100	3	25	1	32439	10614	RM-3	40	density-lim	400			0.75	27	1.080000043	3	3	32439	10614	10614	1
0676	026	1763	0.04	2846	1	65	100	3	4	3	5289	2443	RM-3	40	density-lim	400			0.75	4	1	3	3	5289	2443	2443	1
0677	028	4301	0.1	2665	2	65	100	3	10	8	12903	10238	RM-1	40	density-lim	800			0.7	5	0.5	3	3	12042.7998	9377.799805	9377.799805	0.933333
0677	029	3792	0.09	2566	2	65	100	3	9	7	11376	8810	RM-1	40	density-lim	800			0.7	5	0.555555582	3	3	10617.59961	8051.599609	8051.599609	0.933333
0677	046	2703	0.06	0	0	65	100	3	6	6	8109	8109	RM-1	40	density-lim	800			0.7	3	0.5	3	3	7568.399902	7568.399902	7568.399902	0.933333
0678	120	3806	0.09	780	6	65	100	3	9	3	11418	10638	NCT-FILLM	40	form-based				0.75	9	1	3	3	11418	10638	10638	1
0679	001	1937	0.04	7888	7	65	100	3	4	0	5811	0	RTO-C	85	form-based		true	true	0.75	10	2.5	3	1	11622	3734	3734	2
0681	035	2713	0.06	5800	11	65	100	3	6	0	8139	2339	RTO-C	85	form-based			true	0.75	14	2.333333254	3	1	16278	10478	10478	2
0684	027	1534	0.04	3250	2	65	100	3	4	2	4602	1352	NCT-FILLM	50	form-based		true		0.75	5	1.25	3	3	5752.5	2502.5	2502.5	1.25
0684	039	1760	0.04	4006	2	65	100	3	4	2	5280	1274	NCT-FILLM	50	form-based				0.75	5	1.25	3	3	6600	2594	2594	1.25
0684	040	1904	0.04	2740	3	65	100	3	4	1	5712	2972	NCT-FILLM	50	form-based				0.75	6	1.5	3	3	7140	4400	4400	1.25
0685	041	1950	0.04	3650	2	65	100	3	4	2	5850	2200	NCD-JAPAI	50	density-lim	400			0.75	5	1.25	3	3	7312.5	3662.5	3662.5	1.25
0685	102	2571	0.06	2201	3	65	100	3	6	3	7713	5512	RM-3	50	density-lim	400			0.75	6	1	3	3	9641.25	7440.25	7440.25	1.25
0686	037	1269	0.03	2274	0	65	100	3	3	3	3807	1533	NCD-JAPAI	50	density-lim	400			0.75	3	1	3	3	4758.75	2484.75	2484.75	1.25
0686	054	1255	0.03	0	0	65	100	3	3	3	3765	3765	NCD-JAPAI	50	density-lim	400			0.75	3	1	3	3	4706.25	4706.25	4706.25	1.25
0687	019A	828	0.02	1170	1	65	100	3	2	1	2484	1314	RM-4	50	density-lim	200			0.75	4	2	3	3	3105	1935	1935	1.25
0693	001	3034	0.07	7254	12	65	100	3	7	0	9102	1848	RC-4	80	density-lim	200	true		0.75	15	2.142857075	3	2	18204	10950	10950	2
0728	002	2187	0.05	2500	2	65	100	3	5	3	6561	4061	RM-3	65	density-lim	400			0.75	5	1	3	3	9841.5	7341.5	7341.5	1.5
0728	003	2188	0.05	3894	2	65	100	3	5	3	6564	2670	RM-3	65	density-lim	400			0.75	5	1	3	3	9846	5952	5952	1.5
0740	022	3300	0.08	9320	14	65	100	3	8	0	9900	580	RC-4	80	density-lim	200			0.75	17	2.125	3	2	19800	10480	10480	2
0742	011	3880	0.09	10000	16	65	100	3	9	0	11640	1640	RC-4	80	density-lim	200			0.75	19	2.111111164	3	2	23280	13280	13280	2
0742	013	566	0.01	0	0	65	100	3	1	1	1698	1698	RC-4	80	density-lim	200			0.75	3	3	3	2	3396	3396	3396	2
0749	001A	2375	0.05	3200	3	65	100	3	5	2	7125	3925	RM-3	50	density-lim	400			0.75	6	1.200000048	3	3	8906.25	5706.25	5706.25	1.25
0753	007A	1354	0.03	1347	1	55	80	2.5	2	1	3385	2038	RH-3	40	density-lim	1000			0.7	4	2	3	3	3791.199951	2444.199951	2444.199951	1.12
0753	012	2639	0.06	5200	3	55	80	2.5	5	2	6598	1398	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	3	3	7389.199707	2189.199707	2189.199707	1.119915
0774	014	2947	0.07	6711	12	55	80	2.5	6	0	7368	657	RM-4	40	density-lim	200			0.75	15	2.5	3	0	8841	2130	2130	1.199919
0775	020	3187	0.07	1850	1	55	80	2.5	6	5	7968	6118	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	8923.599609	7073.599609	7073.599609	1.11993
0776	016	2809	0.06	2210	3	55	80	2.5	5	2	7022	4812	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	3	3	7865.199707	5655.199707	5655.199707	1.12008
0776	024	3781	0.09	2086	1	55	80	2.5	7	6	9452	7366	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	10586.7998	8500.799805	8500.799805	1.120059
0776	025	3437	0.08	2180	1	55	80	2.5	6	5	8592	6412	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	9623.599609	7443.599609	7443.599609	1.120065
0777	013	2500	0.06	3050	1	55	80	2.5	5	4	6250	3200	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7000	3950	3950	1.12
0777	015	3839	0.09	8040	3	55	80	2.5	7	4	9598	1558	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	3	3	10749.2002	2709.200195	2709.200195	1.119942
0777	076	4060	0.09	3581	2	55	80	2.5	7	5	10150	6569	RM-1	40	density-lim	800			0.7	5	0.714285731	3	3	11368	7787	7787	1.12
0778	010	3781	0.09	3830	1	55	80	2.5	7	6	9452	5622	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	10586.7998	6756.799805	6756.799805	1.120059
0793	010	1895	0.04	1405	1	65	100	3	4	3	5685	4280	NCT-HAYE	40	form-based				0.75	4	1	3	3	5685	4280	4280	1
0793	063	4375	0.1	894	7	65	100	3	10	3	13125	12231	NCT-3	40	form-based				0.75	10	1	3	3	13125	12231	12231	1
0803	017	1976	0.05	3683	1	55	80	2.5	4	3	4940	1257	RH-2	40	density-lim	1500			0.7	4	1	3	3	5532.799805	1849.799805	1849.799805	1.12
0803	012	2500	0.06	3300	2	55	80	2.5	5	3	6250	2950	RM-2	40	form-based			true	0.7	5	1	3	3	7000	3700	3700	1.12
0803	018	1836	0.04	2690	1	55	80	2.5	3	2	4590	1900	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5140.799805	2450.799805	2450.799805	1.12
0803	019	1744	0.04	2588	1	55	80	2.5	3	2	4360	1772	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4883.199707	2295.199707	2295.199707	1.12
0803	020	1744	0.04	2480	1	55	80	2.5	3	2	4360	1880	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4883.199707	2403.199707	2403.199707	1.12
0803	021	1744	0.04	2600	1	55	80	2.5	3	2	4360	1760	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4883.199707	2283.199707	2283.199707	1.12
0797	001	2063	0.05	4350	3	55	80	2.5	4	1	5158	808	RH-3	50	density-lim	1000	true		0.7	6	1.5	3	3	7220.5	2870.5	2870.5	1.399864
0797	003	1897	0.04	2250	1	55	80	2.5	3	2	4742	2492	RH-3	50	density-lim	1000			0.7	4	1.333333373	3	3	6639.5	4389.5	4389.5	1.400148
0797	012	3781	0.09	3160	1	55	80	2.5	7	6	9452	6292	RH-3	50	density-lim	1000			0.7	4	0.571428597	3	3	13233.5	10073.5	10073.5	1.400074
0797	015	3919	0.09	3650	1	55	80	2.5	7	6	9798	6148	RH-3	50	density-lim	1000			0.7	4	0.571428597	3	3	13716.5	10066.5	10066.5	1.399929
0797	027	3781	0.09	2230	1	55	80	2.5	7	6	9452	7222	RH-3	50	density-lim	1000			0.7	4	0.571428597	3	3	13233.5	11003.5	11003.5	1.400074
0797	031	3781	0.09	2168	1	55	80	2.5	7	6	9452	7284	RH-3	50	density-lim	1000			0.7	4	0.571428597	3	3	13233.5	11065.5	11065.5	1.400074
0798	012	3781	0.09	6011	1	55	80	2.5	7	6	9452	3441	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	10586.7998	4575.799805	4575.799805	1.120059
0798	013	3025	0.07	4125	1	55	80	2.5	6	5	7562	3437	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	8470	4345	4345	1.120074
0798	028	3025	0.07	8075	3	55	80	2.5	6	3	7562	0	RH-3	40	density-lim	1000	true		0.7	6	1	3	3	8470	395	395	1.120074
0803	002	7037	0.16	13140	17	55	80	2.5	13	0	17592	4452	RM-2	50	form-based			true	0.7	20	1.538461566	3	3	24629.5	11489.5	11489.5	1.40004
0803	022	1744	0.04	2875	1	55	80	2.5	3	2	4360	1485	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4883.199707	2008.199707	2008.199707	1.12
0803	024	3451	0.08	3410	1	55	80	2.5	6	5	8628	5218	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9662.799805	6252.799805	6252.799805	1.119935
0804	001A	920	0.02	1311	0	55	80	2.5	2	2	2300	989	RH-3	50	form-based			true	0.7	3	1.5	3	3	3220	1909	1909	1.4
0804	002A	1834	0.04	2560	2	55	80	2.5	3	1	4585	2025	RH-3	50	form-based			true	0.7	5	1.666666627	3	3	6419	3859	3859	1.4
0804	022	3447	0.08	2500	1	55	80	2.5	6	5	8618	6118	RH-3	50	density-lim	1000			0.7	4	0.666666687	3	3	12064.5	9564.5	9564.5	1.399919

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0804	024A	2642	0.06	2030	1	55	80	2.5	5	4	6605	4575	RH-3	50	density-lim	1000			0.7	4	0.800000012	3	3	9247	7217	7217	1.4
0804	025	4014	0.09	2936	1	55	80	2.5	7	6	10035	7099	RH-3	50	density-lim	1000			0.7	4	0.571428597	3	3	14049	11113	11113	1.4
0804	028	2778	0.06	1794	1	55	80	2.5	5	4	6945	5151	RH-3	50	density-lim	1000			0.7	4	0.800000012	3	3	9723	7929	7929	1.4
0804	046	1445	0.03	990	3	55	80	2.5	2	0	3612	2622	RH-3	50	density-lim	1000	true		0.7	6	3	3	1	5057.5	4067.5	4067.5	1.400194
0805	006	2300	0.05	3484	3	55	80	2.5	4	1	5750	2266	RH-3	50	form-based		true	true	0.7	6	1.5	3	3	8050	4566	4566	1.4
0805	028	2017	0.05	2880	3	55	80	2.5	4	1	5042	2162	RH-3	50	form-based			true	0.7	6	1.5	3	3	7059.5	4179.5	4179.5	1.400139
0805	029	1938	0.04	2770	2	55	80	2.5	3	1	4845	2075	RH-3	50	form-based			true	0.7	5	1.666666627	3	3	6783	4013	4013	1.4
0805	032	2037	0.05	2744	3	55	80	2.5	4	1	5092	2348	RH-3	50	form-based			true	0.7	6	1.5	3	3	7129.5	4385.5	4385.5	1.400137
0806	009	3000	0.07	2744	3	55	80	2.5	6	3	7500	4756	RTO-1	40	form-based			true	0.7	6	1	3	3	8400	5656	5656	1.12
0807	059	1846	0.04	2116	1	55	80	2.5	3	2	4615	2499	RTO-1	40	form-based			true	0.7	4	1.333333373	3	3	5168.799805	3052.799805	3052.799805	1.12
0807	062	1304	0.03	785	0	55	80	2.5	2	2	3260	2475	RTO-1	40	form-based			true	0.7	3	1.5	3	3	3651.199951	2866.199951	2866.199951	1.12
0808	016	3060	0.07	7270	6	55	80	2.5	6	0	7650	380	NCT-HAYE	50	form-based				0.75	9	1.5	3	3	11475	4205	4205	1.5
0808	035	2682	0.06	3859	3	65	100	3	6	3	8046	4187	NCT-HAYE	40	form-based				0.75	6	1	3	3	8046	4187	4187	1
0809	065	3580	0.08	534	8	65	100	3	8	0	10740	10206	NCT-HAYE	50	form-based				0.75	11	1.375	3	3	13425	12891	12891	1.25
0817	035	1507	0.03	4500	0	65	100	3	3	3	4521	21	NCT-HAYE	40	form-based				0.75	3	1	3	3	4521	21	21	1
0818	022B	1540	0.04	1485	0	55	80	2.5	3	3	3850	2365	RTO-1	40	form-based			true	0.7	3	1	3	3	4312	2827	2827	1.12
0820	003	2111	0.05	5574	3	55	80	2.5	4	1	5278	0	RH-3	50	form-based			true	0.7	6	1.5	3	3	7388.5	1814.5	1814.5	1.399867
0821	002	1500	0.03	1484	1	55	80	2.5	2	1	3750	2266	RM-1	50	form-based			true	0.7	4	2	3	3	5250	3766	3766	1.4
0821	002A	1500	0.03	2027	1	55	80	2.5	2	1	3750	1723	RM-1	50	form-based			true	0.7	4	2	3	3	5250	3223	3223	1.4
0821	002B	1500	0.03	1530	1	55	80	2.5	2	1	3750	2220	RM-1	50	form-based			true	0.7	4	2	3	3	5250	3720	3720	1.4
0821	005	1924	0.04	2600	2	55	80	2.5	3	1	4810	2210	RM-1	50	form-based			true	0.7	5	1.666666627	3	3	6734	4134	4134	1.4
0821	017	1806	0.04	2000	2	55	80	2.5	3	1	4515	2515	RM-1	50	form-based			true	0.7	5	1.666666627	3	3	6321	4321	4321	1.4
0821	020	1875	0.04	3390	2	55	80	2.5	3	1	4688	1298	RM-1	50	form-based			true	0.7	5	1.666666627	3	3	6562.5	3172.5	3172.5	1.399851
0822	008	3150	0.07	8415	6	55	80	2.5	6	0	7875	0	RM-1	50	form-based		true	true	0.7	9	1.5	3	3	11025	2610	2610	1.4
0822	047	3441	0.08	1460	4	55	80	2.5	6	2	8602	7142	RM-1	40	form-based			true	0.7	7	1.166666627	3	3	9634.799805	8174.799805	8174.799805	1.120065
0823	003	3025	0.07	3970	1	55	80	2.5	6	5	7562	3592	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	8470	4500	4500	1.120074
0823	012	3766	0.09	2246	1	55	80	2.5	7	6	9415	7169	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	10544.7998	8298.799805	8298.799805	1.12
0823	015	2080	0.05	3290	1	55	80	2.5	4	3	5200	1910	RH-3	40	density-lim	1000			0.7	4	1	3	3	5824	2534	2534	1.12
0824	001B	2925	0.07	4339	3	55	80	2.5	6	3	7312	2973	RH-3	40	form-based			true	0.7	6	1	3	3	8190	3851	3851	1.120077
0824	002A	3000	0.07	3653	3	55	80	2.5	6	3	7500	3847	RH-3	40	form-based			true	0.7	6	1	3	3	8400	4747	4747	1.12
0824	002D	4777	0.11	3834	5	55	80	2.5	9	4	11942	8108	RM-2	40	density-lim	600			0.7	8	0.888888896	3	3	13375.59961	9541.599609	9541.599609	1.120047
0825	004	2556	0.06	2388	2	55	80	2.5	5	3	6390	4002	RH-3	40	form-based			true	0.7	5	1	3	3	7156.799805	4768.799805	4768.799805	1.12
0825	006	2614	0.06	2280	2	55	80	2.5	5	3	6535	4255	RH-3	40	form-based			true	0.7	5	1	3	3	7319.199707	5039.199707	5039.199707	1.12
0825	013	2500	0.06	2668	2	55	80	2.5	5	3	6250	3582	RH-3	40	form-based			true	0.7	5	1	3	3	7000	4332	4332	1.12
0825	018	2406	0.06	3676	2	55	80	2.5	5	3	6015	2339	RH-3	40	form-based			true	0.7	5	1	3	3	6736.799805	3060.799805	3060.799805	1.12
0825	033	4450	0.1	7041	6	55	80	2.5	8	2	11125	4084	RM-1	40	form-based			true	0.7	9	1.125	3	3	12460	5419	5419	1.12
0825	047	2406	0.06	1443	2	55	80	2.5	5	3	6015	4572	RH-3	40	form-based			true	0.7	5	1	3	3	6736.799805	5293.799805	5293.799805	1.12
0825	051	3438	0.08	453	4	55	80	2.5	6	2	8595	8142	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9626.399414	9173.399414	9173.399414	1.12
0826	004A	2107	0.05	1740	1	55	80	2.5	4	3	5268	3528	RM-1	40	form-based			true	0.7	4	1	3	3	5899.600098	4159.600098	4159.600098	1.119894
0826	025	5664	0.13	7200	9	55	80	2.5	10	1	14160	6960	RM-1	40	form-based			true	0.7	12	1.200000048	3	3	15859.2002	8659.200195	8659.200195	1.12
0826	031	3025	0.07	2024	3	55	80	2.5	6	3	7562	5538	RM-1	40	form-based			true	0.7	6	1	3	3	8470	6446	6446	1.120074
0827	019	2750	0.06	6573	3	55	80	2.5	5	2	6875	302	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7700	1127	1127	1.12
0827	028	3399	0.08	4830	4	55	80	2.5	6	2	8498	3668	RM-1	40	form-based			true	0.7	7	1.166666627	3	3	9517.200195	4687.200195	4687.200195	1.119934
0827	048	2533	0.06	3816	2	55	80	2.5	5	3	6332	2516	RM-1	40	form-based			true	0.7	5	1	3	3	7092.399902	3276.399902	3276.399902	1.120088
0828	002	2507	0.06	4266	3	55	80	2.5	5	2	6268	2002	RM-3	40	form-based			true	0.75	6	1.200000048	3	3	7521	3255	3255	1.199904
0828	025	2547	0.06	1370	2	55	80	2.5	5	3	6368	4998	RM-1	40	form-based			true	0.7	5	1	3	3	7131.600098	5761.600098	5761.600098	1.119912
0828	048	3485	0.08	5882	4	55	80	2.5	6	2	8712	2830	RM-1	40	form-based			true	0.7	7	1.166666627	3	3	9758	3876	3876	1.120064
0829	013	1994	0.05	1105	1	55	80	2.5	4	3	4985	3880	RH-3	40	form-based			true	0.7	4	1	3	3	5583.199707	4478.199707	4478.199707	1.12
0829	014	1925	0.04	1187	1	55	80	2.5	3	2	4812	3625	RH-3	40	form-based			true	0.7	4	1.333333373	3	3	5390	4203	4203	1.120116
0829	022	3263	0.07	4050	4	55	80	2.5	6	2	8158	4108	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9136.399414	5086.399414	5086.399414	1.119931
0829	030	1718	0.04	1876	1	55	80	2.5	3	2	4295	2419	RH-3	40	form-based			true	0.7	4	1.333333373	3	3	4810.399902	2934.399902	2934.399902	1.12
0829	039	1854	0.04	1740	1	55	80	2.5	3	2	4635	2895	RH-3	40	form-based			true	0.7	4	1.333333373	3	3	5191.199707	3451.199707	3451.199707	1.12
0829	041	1717	0.04	1760	1	55	80	2.5	3	2	4292	2532	RH-3	40	form-based			true	0.7	4	1.333333373	3	3	4807.600098	3047.600098	3047.600098	1.120131
0830	001	3105	0.07	5238	4	55	80	2.5	6	2	7762	2524	RTO-1	40	form-based		true	true	0.7	7	1.166666627	3	3	8694	3456	3456	1.120072
0830	006	2723	0.06	6998	3	65	100	3	6	3	8169	1171	RTO-1	40	form-based			true	0.7	6	1	3	3	7624.399902	626.3999023	626.3999023	0.933333
0830	023	2554	0.06	2600	2	55	80	2.5	5	3	6385	3785	RTO-1	40	form-based			true	0.7	5	1	3	3	7151.199707	4551.199707	4551.199707	1.12
0830	023A	2227	0.05	2444	2	55	80	2.5	4	2	5568	3124	RTO-1	40	form-based			true	0.7	5	1.25	3	3	6235.600098	3791.600098	3791.600098	1.119899
0830	041	2173	0.05	1336	2	55	80	2.5	4	2	5432	4096	RTO-1	40	form-based			true	0.7	5	1.25	3	3	6084.399902	4748.399902	4748.399902	1.120103
0830	043	2369	0.05	1190	2	65	100	3	5	3	7107	5917	RTO-1	40	form-based		true	true	0.7	5	1	3	3	6633.199707	5443.199707	5443.199707	0.933333
0832	007	1375	0.03	773	0	65	100	3	3	3	4125	3352	NCT-HAYE	40	form-based				0.75	3	1	3	3	4125	3352	3352	1
0832	074	3300	0.08	1521	4	65	100	3	8	4	9900	8379	NCT-HAYE	40	form-based				0.75	7	0.875	3	3	9900	8379	8379	1
0838	013	1505	0.03	1720	2	65	100	3	3	1	4515	2795	NCT-3	50	form-based				0.75	5	1.666666627	3	3	5643.75	3923.75	3923.75	1.25
0838	013A	1075	0.02	1800	0	65	100	3	2	2	3225	1425	NCT-3	50	form-based				0.75	3	1.5	3	3	4031.25	2231.25	2231.25	1.25
0838	091	1637	0.04	2500	1	65	100	3	4	3	4911	2411	NCT-HAYE	40	form-based				0.75	4	1	3	3	4911	2411	2411	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0839	042	1590	0.04	3052	2	65	100	3	4	2	4770	1718	NCT-HAYES	50	form-based		true		0.75	5	1.25	3	3	5962.5	2910.5	2910.5	1.25
0839	043	1589	0.04	3052	2	65	100	3	4	2	4767	1715	NCT-HAYES	50	form-based				0.75	5	1.25	3	3	5958.75	2906.75	2906.75	1.25
0839	044	1620	0.04	3052	2	65	100	3	4	2	4860	1808	RTO-1	50	form-based			true	0.7	5	1.25	3	3	5670	2618	2618	1.166667
0839	058	3000	0.07	1880	3	65	100	3	7	4	9000	7120	RTO-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6520	6520	0.933333
0839	063	2520	0.06	4158	2	65	100	3	6	4	7560	3402	RTO-1	40	form-based			true	0.7	5	0.833333313	3	3	7056	2898	2898	0.933333
0839	069	1807	0.04	985	2	65	100	3	4	2	5421	4436	NCT-HAYES	50	form-based		true		0.75	5	1.25	3	3	6776.25	5791.25	5791.25	1.25
0840	022	2285	0.05	2960	2	65	100	3	5	3	6855	3895	RTO-1	40	form-based			true	0.7	5	1	3	3	6398	3438	3438	0.933333
0840	025	2030	0.05	1125	1	65	100	3	5	4	6090	4965	RTO-1	40	form-based			true	0.7	4	0.800000012	3	3	5684	4559	4559	0.933333
0840	030	2232	0.05	3988	2	65	100	3	5	3	6696	2708	RTO-1	40	form-based			true	0.7	5	1	3	3	6249.600098	2261.600098	2261.600098	0.933333
0840	035	1426	0.03	3471	0	55	80	2.5	2	2	3565	94	RTO-1	40	form-based			true	0.7	3	1.5	3	3	3992.800049	521.8000488	521.8000488	1.12
0840	038	1581	0.04	1574	0	65	100	3	4	4	4743	3169	RTO-1	40	form-based			true	0.7	3	0.75	3	3	4426.799805	2852.799805	2852.799805	0.933333
0840	040	1394	0.03	2417	0	65	100	3	3	3	4182	1765	RTO-1	40	form-based			true	0.7	3	1	3	3	3903.199951	1486.199951	1486.199951	0.933333
0840	056	2301	0.05	2261	2	65	100	3	5	3	6903	4642	RTO-1	40	form-based			true	0.7	5	1	3	3	6442.799805	4181.799805	4181.799805	0.933333
0841	004	2025	0.05	2100	1	65	100	3	5	4	6075	3975	RTO-1	40	form-based			true	0.7	4	0.800000012	3	3	5670	3570	3570	0.933333
0841	008	3000	0.07	4905	3	55	80	2.5	6	3	7500	2595	RTO-1	40	form-based			true	0.7	6	1	3	3	8400	3495	3495	1.12
0841	009	3000	0.07	4530	3	55	80	2.5	6	3	7500	2970	RTO-1	40	form-based			true	0.7	6	1	3	3	8400	3870	3870	1.12
0842	004	3074	0.07	4896	3	55	80	2.5	6	3	7685	2789	RM-1	40	form-based			true	0.7	6	1	3	3	8607.200195	3711.200195	3711.200195	1.12
0842	007	2750	0.06	4608	3	55	80	2.5	5	2	6875	2267	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7700	3092	3092	1.12
0842	009	3781	0.09	5445	5	55	80	2.5	7	2	9452	4007	RM-1	40	form-based			true	0.7	8	1.142857194	3	3	10586.7998	5141.799805	5141.799805	1.120059
0843	006	4148	0.1	8868	6	55	80	2.5	8	2	10370	1502	RM-1	40	form-based			true	0.7	9	1.125	3	3	11614.39941	2746.399414	2746.399414	1.12
0843	017	3000	0.07	2775	3	55	80	2.5	6	3	7500	4725	RM-1	40	form-based			true	0.7	6	1	3	3	8400	5625	5625	1.12
0843	018	4143	0.1	7255	6	55	80	2.5	8	2	10358	3103	RM-1	40	form-based			true	0.7	9	1.125	3	3	11600.39941	4345.399414	4345.399414	1.119946
0843	034	2885	0.07	2016	3	55	80	2.5	6	3	7212	5196	RM-1	40	form-based			true	0.7	6	1	3	3	8078	6062	6062	1.120078
0844	002	4484	0.1	5542	6	55	80	2.5	8	2	11210	5668	RM-1	40	form-based			true	0.7	9	1.125	3	3	12555.2002	7013.200195	7013.200195	1.12
0844	003	2633	0.06	4275	3	55	80	2.5	5	2	6582	2307	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7372.399902	3097.399902	3097.399902	1.120085
0844	012	3438	0.08	3860	4	65	100	3	8	4	10314	6454	RH-3	40	form-based			true	0.7	7	0.875	3	3	9626.399414	5766.399414	5766.399414	0.933333
0844	027	2823	0.06	4680	3	55	80	2.5	5	2	7058	2378	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7904.399902	3224.399902	3224.399902	1.119921
0844	029A	1809	0.04	2966	1	55	80	2.5	3	2	4522	1556	RM-1	40	form-based			true	0.7	4	1.333333373	3	3	5065.199707	2099.199707	2099.199707	1.120124
0844	064	2656	0.06	1197	3	55	80	2.5	5	2	6640	5443	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7436.799805	6239.799805	6239.799805	1.12
0844	076	2823	0.06	1659	3	55	80	2.5	5	2	7058	5399	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7904.399902	6245.399902	6245.399902	1.119921
0845	008	2500	0.06	1225	2	65	100	3	6	4	7500	6275	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	5775	5775	0.933333
0845	021	2656	0.06	3000	3	55	80	2.5	5	2	6640	3640	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7436.799805	4436.799805	4436.799805	1.12
0845	023	2656	0.06	3930	3	55	80	2.5	5	2	6640	2710	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7436.799805	3506.799805	3506.799805	1.12
0845	030	3457	0.08	2840	4	55	80	2.5	6	2	8642	5802	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9679.599609	6839.599609	6839.599609	1.120065
0845	044	3437	0.08	1179	4	65	100	3	8	4	10311	9132	RH-3	40	form-based			true	0.7	7	0.875	3	3	9623.599609	8444.599609	8444.599609	0.933333
0846	020	1675	0.04	3816	3	65	100	3	4	1	5025	1209	NC-1	65	form-based			true	0.75	6	1.5	3	3	7537.5	3721.5	3721.5	1.5
0846	025	2656	0.06	3736	4	65	100	3	6	2	7968	4232	RH-3	50	form-based			true	0.7	7	1.166666627	3	3	9296	5560	5560	1.166667
0847	026	2248	0.05	3825	3	65	100	3	5	2	6744	2919	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7868	4043	4043	1.166667
0847	035	2096	0.05	2550	3	65	100	3	5	2	6288	3738	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7336	4786	4786	1.166667
0847	046	2248	0.05	1299	3	65	100	3	5	2	6744	5445	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7868	6569	6569	1.166667
0847	051	2248	0.05	989	3	65	100	3	5	2	6744	5755	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7868	6879	6879	1.166667
0848	002	3154	0.07	4484	6	65	100	3	7	1	9462	4978	RM-1	50	form-based			true	0.7	9	1.285714269	3	3	11039	6555	6555	1.166667
0848	002I	3180	0.07	4526	6	65	100	3	7	1	9540	5014	RM-1	50	form-based			true	0.7	9	1.285714269	3	3	11130	6604	6604	1.166667
0848	019	1567	0.04	1393	1	65	100	3	4	3	4701	3308	RM-1	50	form-based			true	0.7	4	1	3	3	5484.5	4091.5	4091.5	1.166667
0848	020	1567	0.04	1462	1	65	100	3	4	3	4701	3239	RM-1	50	form-based	true	true		0.7	4	1	3	3	5484.5	4022.5	4022.5	1.166667
0848	042	2508	0.06	1732	4	65	100	3	6	2	7524	5792	RM-1	50	form-based			true	0.7	7	1.166666627	3	3	8778	7046	7046	1.166667
0849	005	2514	0.06	6600	4	65	100	3	6	2	7542	942	RH-3	50	form-based			true	0.7	7	1.166666627	3	3	8799	2199	2199	1.166667
0849	027	3361	0.08	7136	6	65	100	3	8	2	10083	2947	RM-1	50	form-based			true	0.7	9	1.125	3	3	11763.5	4627.5	4627.5	1.166667
0849	034	2250	0.05	3240	3	65	100	3	5	2	6750	3510	RM-1	50	form-based			true	0.7	6	1.200000048	3	3	7875	4635	4635	1.166667
0849	036	2250	0.05	3240	3	65	100	3	5	2	6750	3510	RM-1	50	form-based			true	0.7	6	1.200000048	3	3	7875	4635	4635	1.166667
0849	054	2250	0.05	1227	3	65	100	3	5	2	6750	5523	RM-1	50	form-based			true	0.7	6	1.200000048	3	3	7875	6648	6648	1.166667
0851	019	3440	0.08	3570	4	65	100	3	8	4	10320	6750	RTO-1	40	form-based			true	0.7	7	0.875	3	3	9632	6062	6062	0.933333
0852	012	1682	0.04	2144	1	65	100	3	4	3	5046	2902	RTO-1	40	form-based	true	true		0.7	4	1	3	3	4709.600098	2565.600098	2565.600098	0.933333
0852	026	5219	0.12	7381	13	65	100	3	12	0	15657	8276	NCT-HAYES	50	form-based	true			0.75	16	1.333333373	3	3	19571.25	12190.25	12190.25	1.25
0852	049	1373	0.03	1090	0	65	100	3	3	3	4119	3029	RTO-1	40	form-based			true	0.7	3	1	3	3	3844.399902	2754.399902	2754.399902	0.933333
0852	065	3230	0.07	1670	4	65	100	3	7	3	9690	8020	RTO-1	40	form-based			true	0.7	7	1	3	3	9044	7374	7374	0.933333
0856	014	2202	0.05	2850	3	65	100	3	5	2	6606	3756	RTO-1	50	form-based			true	0.7	6	1.200000048	3	3	7707	4857	4857	1.166667
0858	013	1794	0.04	1325	1	65	100	3	4	3	5382	4057	RTO-1	40	form-based			true	0.7	4	1	3	3	5023.199707	3698.199707	3698.199707	0.933333
0858	021	2375	0.05	2800	2	65	100	3	5	3	7125	4325	RTO-1	40	form-based			true	0.7	5	1	3	3	6650	3850	3850	0.933333
0858	045	2312	0.05	1550	2	65	100	3	5	3	6936	5386	RTO-1	40	form-based			true	0.7	5	1	3	3	6473.600098	4923.600098	4923.600098	0.933333
0858	049	2214	0.05	1444	2	65	100	3	5	3	6642	5198	RTO-1	40	form-based	true	true		0.7	5	1	3	3	6199.199707	4755.199707	4755.199707	0.933333
0858	051	2250	0.05	1113	2	65	100	3	5	3	6750	5637	RTO-1	40	form-based			true	0.7	5	1	3	3	6300	5187	5187	0.933333
0858	053	3000	0.07	1734	3	65	100	3	7	4	9000	7266	RTO-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6666	6666	0.933333
0858	056	2703	0.06	1999	3	65	100	3	6	3	8109	6110	RTO-1	40	form-based			true	0.7	6	1	3	3	7568.399902	5569.399902	5569.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0859	007	2600	0.06	3660	4	65	100	3	6	2	7800	4140	RH-3	50	form-based			true	0.7	7	1.166666627	3	3	9100	5440	5440	1.166667
0859	019	2188	0.05	4875	3	65	100	3	5	2	6564	1689	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7658	2783	2783	1.166667
0860	005	2241	0.05	4500	4	65	100	3	5	1	6723	2223	NC-1	50	form-based		true	true	0.75	7	1.399999976	3	3	8403.75	3903.75	3903.75	1.25
0860	007	1800	0.04	2150	2	65	100	3	4	2	5400	3250	RH-3	50	form-based			true	0.7	5	1.25	3	3	6300	4150	4150	1.166667
0860	009A	1350	0.03	985	1	65	100	3	3	2	4050	3065	RH-3	50	form-based			true	0.7	4	1.333333373	3	3	4725	3740	3740	1.166667
0860	010	1875	0.04	2350	2	65	100	3	4	2	5625	3275	RH-3	50	form-based			true	0.7	5	1.25	3	3	6562.5	4212.5	4212.5	1.166667
0860	011A	1931	0.04	2530	2	65	100	3	4	2	5793	3263	RH-3	50	form-based			true	0.7	5	1.25	3	3	6758.5	4228.5	4228.5	1.166667
0860	018	1750	0.04	3250	2	65	100	3	4	2	5250	2000	RH-3	50	form-based			true	0.7	5	1.25	3	3	6125	2875	2875	1.166667
0860	019	1800	0.04	1904	2	65	100	3	4	2	5400	3496	RH-3	50	form-based			true	0.7	5	1.25	3	3	6300	4396	4396	1.166667
0860	024	2031	0.05	2360	3	65	100	3	5	2	6093	3733	NCD-LOWI	50	form-based		true	true	0.75	6	1.200000048	3	3	7616.25	5256.25	5256.25	1.25
0860	071	1650	0.04	1100	2	65	100	3	4	2	4950	3850	RH-3	50	form-based			true	0.7	5	1.25	3	3	5775	4675	4675	1.166667
0860	073	1800	0.04	3138	2	65	100	3	4	2	5400	2262	RH-3	50	form-based			true	0.7	5	1.25	3	3	6300	3162	3162	1.166667
0860	078	1438	0.03	722	1	65	100	3	3	2	4314	3592	NC-1	50	form-based		true	true	0.75	4	1.333333373	3	3	5392.5	4670.5	4670.5	1.25
0860	083	1800	0.04	1000	2	65	100	3	4	2	5400	4400	RH-3	50	form-based			true	0.7	5	1.25	3	3	6300	5300	5300	1.166667
0861	002	3966	0.09	4824	8	65	100	3	9	1	11898	7074	RH-3	50	form-based			true	0.7	11	1.222222209	3	3	13881	9057	9057	1.166667
0862	012	3437	0.08	6050	7	65	100	3	8	1	10311	4261	RH-3	50	form-based			true	0.7	10	1.25	3	3	12029.5	5979.5	5979.5	1.166667
0862	029	2414	0.06	4425	6	65	100	3	6	0	7242	2817	RTO-C	65	form-based			true	0.75	9	1.5	3	3	10863	6438	6438	1.5
0862	032	1812	0.04	2332	2	65	100	3	4	2	5436	3104	RH-3	50	form-based			true	0.7	5	1.25	3	3	6342	4010	4010	1.166667
0862	063	1813	0.04	997	2	65	100	3	4	2	5439	4442	RH-3	50	form-based			true	0.7	5	1.25	3	3	6345.5	5348.5	5348.5	1.166667
0863	003	3002	0.07	2460	1	65	100	3	7	6	9006	6546	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8405.599609	5945.599609	5945.599609	0.933333
0863	004	3089	0.07	3040	1	65	100	3	7	6	9267	6227	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8649.200195	5609.200195	5609.200195	0.933333
0863	007	3350	0.08	1900	1	65	100	3	8	7	10050	8150	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9380	7480	7480	0.933333
0863	008	3438	0.08	2190	1	65	100	3	8	7	10314	8124	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9626.399414	7436.399414	7436.399414	0.933333
0864	002	2375	0.05	2537	1	65	100	3	5	4	7125	4588	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6650	4113	4113	0.933333
0864	006	2375	0.05	2750	1	65	100	3	5	4	7125	4375	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6650	3900	3900	0.933333
0864	007	2375	0.05	2495	1	65	100	3	5	4	7125	4630	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6650	4155	4155	0.933333
0864	008	2375	0.05	2332	1	65	100	3	5	4	7125	4793	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6650	4318	4318	0.933333
0864	010	1652	0.04	2220	1	85	140	4	6	5	6608	4388	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	4625.600098	2405.600098	2405.600098	0.7
0864	011	1917	0.04	3571	1	85	140	4	6	5	7668	4097	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	5367.600098	1796.600098	1796.600098	0.7
0864	015	2360	0.05	2570	1	65	100	3	5	4	7080	4510	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6608	4038	4038	0.933333
0864	016	2360	0.05	2439	1	65	100	3	5	4	7080	4641	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6608	4169	4169	0.933333
0864	017	2360	0.05	2381	1	65	100	3	5	4	7080	4699	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6608	4227	4227	0.933333
0864	018	2360	0.05	3228	1	65	100	3	5	4	7080	3852	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6608	3380	3380	0.933333
0864	020	2160	0.05	2600	1	65	100	3	5	4	6480	3880	RTO-1	40	density-lim	600			0.7	4	0.800000012	3	3	6048	3448	3448	0.933333
0865	004	2250	0.05	1675	1	65	100	3	5	4	6750	5075	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6300	4625	4625	0.933333
0865	005	2250	0.05	1850	1	65	100	3	5	4	6750	4900	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6300	4450	4450	0.933333
0865	006	2250	0.05	2394	1	65	100	3	5	4	6750	4356	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6300	3906	3906	0.933333
0865	008	2250	0.05	3191	1	65	100	3	5	4	6750	3559	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6300	3109	3109	0.933333
0865	012	2342	0.05	3718	1	65	100	3	5	4	7026	3308	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6557.600098	2839.600098	2839.600098	0.933333
0865	014	2341	0.05	2200	1	65	100	3	5	4	7023	4823	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6554.799805	4354.799805	4354.799805	0.933333
0865	015	2341	0.05	3207	1	65	100	3	5	4	7023	3816	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6554.799805	3347.799805	3347.799805	0.933333
0865	016	2340	0.05	3725	1	65	100	3	5	4	7020	3295	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6552	2827	2827	0.933333
0865	017	2340	0.05	2748	1	65	100	3	5	4	7020	4272	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6552	3804	3804	0.933333
0865	018	2340	0.05	3603	1	65	100	3	5	4	7020	3417	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6552	2949	2949	0.933333
0865	021	2250	0.05	2831	1	65	100	3	5	4	6750	3919	RTO-1	40	density-lim	600			0.7	4	0.800000012	3	3	6300	3469	3469	0.933333
0865	022	2250	0.05	2885	1	65	100	3	5	4	6750	3865	RTO-1	40	density-lim	600			0.7	4	0.800000012	3	3	6300	3415	3415	0.933333
0866	001	4170	0.1	5416	4	65	100	3	10	6	12510	7094	RTO-1	40	density-lim	600	true		0.7	7	0.699999988	3	3	11676	6260	6260	0.933333
0866	012	2255	0.05	1745	1	65	100	3	5	4	6765	5020	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6314	4569	4569	0.933333
0866	013	2255	0.05	1760	1	65	100	3	5	4	6765	5005	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6314	4554	4554	0.933333
0866	014	2255	0.05	1750	1	65	100	3	5	4	6765	5015	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6314	4564	4564	0.933333
0866	015	2132	0.05	2595	1	65	100	3	5	4	6396	3801	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5969.600098	3374.600098	3374.600098	0.933333
0866	016	2156	0.05	3175	1	65	100	3	5	4	6468	3293	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6036.799805	2861.799805	2861.799805	0.933333
0866	017	2255	0.05	2135	1	65	100	3	5	4	6765	4630	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6314	4179	4179	0.933333
0867	002	1945	0.04	2544	1	65	100	3	4	3	5835	3291	NC-1	40	form-based			true	0.75	4	1	3	3	5835	3291	3291	1
0867	022	1920	0.04	1714	1	65	100	3	4	3	5760	4046	RTO-1	40	form-based			true	0.7	4	1	3	3	5376	3662	3662	0.933333
0868	019	1951	0.04	1200	1	65	100	3	4	3	5853	4653	RTO-1	40	form-based			true	0.7	4	1	3	3	5462.799805	4262.799805	4262.799805	0.933333
0869	006	3306	0.08	3924	4	65	100	3	8	4	9918	5994	RTO-1	40	form-based			true	0.7	7	0.875	3	3	9256.799805	5332.799805	5332.799805	0.933333
0869	017	4810	0.11	7930	7	65	100	3	11	4	14430	6500	RTO-1	40	form-based			true	0.7	10	0.909090936	3	3	13468	5538	5538	0.933333
0869	022	2187	0.05	3028	2	65	100	3	5	3	6561	3533	RTO-1	40	form-based			true	0.7	5	1	3	3	6123.600098	3095.600098	3095.600098	0.933333
0869	024	2187	0.05	3550	2	65	100	3	5	3	6561	3011	RTO-1	40	form-based			true	0.7	5	1	3	3	6123.600098	2573.600098	2573.600098	0.933333
0869	026	2437	0.06	3420	2	65	100	3	6	4	7311	3891	RTO-1	40	form-based			true	0.7	5	0.833333313	3	3	6823.600098	3403.600098	3403.600098	0.933333
0869	028	2438	0.06	2600	2	65	100	3	6	4	7314	4714	RTO-1	40	form-based			true	0.7	5	0.833333313	3	3	6826.399902	4226.399902	4226.399902	0.933333
0869	040	3437	0.08	1550	4	65	100	3	8	4	10311	8761	RTO-1	40	form-based			true	0.7	7	0.875	3	3	9623.599609	8073.599609	8073.599609	0.933333
0874	015	4150	0.1	880	6	65	100	3	10	4	12450	11570	RTO-1	40	form-based		true	true	0.7	9	0.899999976	3	3	11620	10740	10740	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0875	034	2448	0.06	1882	2	65	100	3	6	4	7344	5462	RTO-1	40	form-based			true	0.7	5	0.833333313	3	3	6854.399902	4972.399902	4972.399902	0.933333
0875	039	2357	0.05	1082	2	65	100	3	5	3	7071	5989	RTO-1	40	form-based			true	0.7	5	1	3	3	6599.600098	5517.600098	5517.600098	0.933333
0956	024	2527	0.06	2376	2	55	80	2.5	5	3	6318	3942	RH-1	40	form-based			true	0.7	5	1	3	3	7075.600098	4699.600098	4699.600098	1.119911
0956	026	1786	0.04	1875	1	55	80	2.5	3	2	4465	2590	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5000.799805	3125.799805	3125.799805	1.12
0956	028	2527	0.06	1481	2	55	80	2.5	5	3	6318	4837	RH-1	40	form-based			true	0.7	5	1	3	3	7075.600098	5594.600098	5594.600098	1.119911
0956A	004	3489	0.08	5321	4	55	80	2.5	6	2	8722	3401	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9769.200195	4448.200195	4448.200195	1.120064
0959	029	2887	0.07	1673	3	55	80	2.5	6	3	7218	5545	RH-1(D)	40	form-based			true	0.7	6	1	3	3	8083.600098	6410.600098	6410.600098	1.119922
0965	002	2120	0.05	2920	1	55	80	2.5	4	3	5300	2380	RH-1	40	form-based			true	0.7	4	1	3	3	5936	3016	3016	1.12
0970	007	2000	0.05	2750	1	55	80	2.5	4	3	5000	2250	RH-1	40	form-based			true	0.7	4	1	3	3	5600	2850	2850	1.12
0970	007A	2000	0.05	2750	1	55	80	2.5	4	3	5000	2250	RH-1	40	form-based			true	0.7	4	1	3	3	5600	2850	2850	1.12
0972	003	1931	0.04	3999	1	55	80	2.5	3	2	4828	829	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5406.799805	1407.799805	1407.799805	1.119884
0972	003A	1931	0.04	3402	1	55	80	2.5	3	2	4828	1426	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5406.799805	2004.799805	2004.799805	1.119884
0972	003B	1931	0.04	3402	1	55	80	2.5	3	2	4828	1426	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5406.799805	2004.799805	2004.799805	1.119884
0973	018	1755	0.04	4350	1	55	80	2.5	3	2	4388	38	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4914	564	564	1.119872
0973	029	1976	0.05	3170	1	55	80	2.5	4	3	4940	1770	RH-1	40	form-based		true	true	0.7	4	1	3	3	5532.799805	2362.799805	2362.799805	1.12
0973	030	1881	0.04	3000	1	55	80	2.5	3	2	4702	1702	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5266.799805	2266.799805	2266.799805	1.120119
0973	031	1881	0.04	2644	1	55	80	2.5	3	2	4702	2058	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5266.799805	2622.799805	2622.799805	1.120119
0974	014	2017	0.05	2560	1	55	80	2.5	4	3	5042	2482	RH-1	40	form-based		true	true	0.7	4	1	3	3	5647.600098	3087.600098	3087.600098	1.120111
0974	022	2458	0.06	2557	2	55	80	2.5	5	3	6145	3588	RH-1	40	form-based			true	0.7	5	1	3	3	6882.399902	4325.399902	4325.399902	1.12
0975	006	3671	0.08	8763	5	55	80	2.5	6	1	9178	415	RH-3	40	form-based			true	0.7	8	1.333333373	3	3	10278.7998	1515.799805	1515.799805	1.119939
0975	008A	3819	0.09	6487	5	55	80	2.5	7	2	9548	3061	RH-3	40	form-based			true	0.7	8	1.142857194	3	3	10693.2002	4206.200195	4206.200195	1.119941
0975	010	5093	0.12	7636	8	55	80	2.5	10	2	12732	5096	RH-3	40	form-based			true	0.7	11	1.100000024	3	3	14260.39941	6624.399414	6624.399414	1.120044
0976	014	3511	0.08	3704	4	55	80	2.5	6	2	8778	5074	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9830.799805	6126.799805	6126.799805	1.119936
0976	035	7042	0.16	1217	12	55	80	2.5	13	1	17605	16388	RM-2	40	form-based			true	0.7	15	1.153846145	3	3	19717.59961	18500.59961	18500.59961	1.12
0976	072	3521	0.08	2159	4	55	80	2.5	6	2	8802	6643	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9858.799805	7699.799805	7699.799805	1.120064
0976	090	3521	0.08	2725	4	55	80	2.5	6	2	8802	6077	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9858.799805	7133.799805	7133.799805	1.120064
0978	019	4447	0.1	1210	6	55	80	2.5	8	2	11118	9908	RH-2	40	form-based			true	0.7	9	1.125	3	3	12451.59961	11241.59961	11241.59961	1.11995
0979	032	3435	0.08	2969	4	65	100	3	8	4	10305	7336	RH-2	40	form-based			true	0.7	7	0.875	3	3	9618	6649	6649	0.933333
0979	062	2761	0.06	1527	3	65	100	3	6	3	8283	6756	RH-2	40	form-based			true	0.7	6	1	3	3	7730.799805	6203.799805	6203.799805	0.933333
0979	071	3435	0.08	687	4	65	100	3	8	4	10305	9618	RH-2	40	form-based			true	0.7	7	0.875	3	3	9618	8931	8931	0.933333
0980	001A	2130	0.05	2674	1	65	100	3	5	4	6390	3716	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5964	3290	3290	0.933333
0980	014	2101	0.05	3698	2	65	100	3	5	3	6303	2605	NC-1	40	form-based			true	0.75	5	1	3	3	6303	2605	2605	1
0980	018	2062	0.05	4312	1	65	100	3	5	4	6186	1874	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	1461.600098	1461.600098	0.933333
0980	020	2115	0.05	2295	1	65	100	3	5	4	6345	4050	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5922	3627	3627	0.933333
0980	029	4184	0.1	5219	6	65	100	3	10	4	12552	7333	RM-1	40	form-based			true	0.7	9	0.899999976	3	3	11715.2002	6496.200195	6496.200195	0.933333
0981	009	2483	0.06	2800	2	65	100	3	6	4	7449	4649	RH-2	40	form-based		true	true	0.7	5	0.833333313	3	3	6952.399902	4152.399902	4152.399902	0.933333
0981	017	2567	0.06	3222	2	65	100	3	6	4	7701	4479	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7187.600098	3965.600098	3965.600098	0.933333
0981	018	2567	0.06	2344	2	65	100	3	6	4	7701	5357	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7187.600098	4843.600098	4843.600098	0.933333
0981	023	2500	0.06	2808	2	65	100	3	6	4	7500	4692	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4192	4192	0.933333
0981	039	3005	0.07	2036	3	65	100	3	7	4	9015	6979	RM-1	40	form-based		true	true	0.7	6	0.857142866	3	3	8414	6378	6378	0.933333
0981	042	2845	0.07	1832	3	65	100	3	7	4	8535	6703	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	7966	6134	6134	0.933333
0981	049	2845	0.07	2036	3	65	100	3	7	4	8535	6499	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	7966	5930	5930	0.933333
0981	061	3214	0.07	750	4	65	100	3	7	3	9642	8892	RH-3	40	form-based			true	0.7	7	1	3	3	8999.200195	8249.200195	8249.200195	0.933333
0982	006	2567	0.06	3000	2	65	100	3	6	4	7701	4701	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7187.600098	4187.600098	4187.600098	0.933333
0982	014	2574	0.06	2368	2	65	100	3	6	4	7722	5354	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7207.199707	4839.199707	4839.199707	0.933333
0982	088	3192	0.07	1557	4	65	100	3	7	3	9576	8019	RH-3	40	form-based			true	0.7	7	1	3	3	8937.599609	7380.599609	7380.599609	0.933333
0982	092	2832	0.07	1000	3	65	100	3	7	4	8496	7496	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7929.600098	6929.600098	6929.600098	0.933333
0983	006	2567	0.06	4010	2	65	100	3	6	4	7701	3691	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7187.600098	3177.600098	3177.600098	0.933333
0983	015	3078	0.07	3480	3	65	100	3	7	4	9234	5754	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8618.399414	5138.399414	5138.399414	0.933333
0983	041	3548	0.08	5647	4	65	100	3	8	4	10644	4997	RH-2	40	form-based			true	0.7	7	0.875	3	3	9934.399414	4287.399414	4287.399414	0.933333
0983	044	2567	0.06	1601	2	65	100	3	6	4	7701	6100	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7187.600098	5586.600098	5586.600098	0.933333
0983	046	3863	0.09	1137	5	65	100	3	9	4	11589	10452	RH-2	40	form-based			true	0.7	8	0.888888896	3	3	10816.39941	9679.399414	9679.399414	0.933333
0984	001A	1843	0.04	3500	1	65	100	3	4	3	5529	2029	RH-1	40	form-based			true	0.7	4	1	3	3	5160.399902	1660.399902	1660.399902	0.933333
0984	002	1843	0.04	2900	1	65	100	3	4	3	5529	2629	RH-1	40	form-based			true	0.7	4	1	3	3	5160.399902	2260.399902	2260.399902	0.933333
0984	002A	1843	0.04	3020	1	65	100	3	4	3	5529	2509	RH-1	40	form-based			true	0.7	4	1	3	3	5160.399902	2140.399902	2140.399902	0.933333
0987	019	6107	0.14	9850	10	55	80	2.5	11	1	15268	5418	RH-1	40	form-based			true	0.7	13	1.181818128	3	3	17099.59961	7249.599609	7249.599609	1.119963
0991	005A	2100	0.05	3605	1	55	80	2.5	4	3	5250	1645	RH-1	40	form-based			true	0.7	4	1	3	3	5880	2275	2275	1.12
0991	022	2969	0.07	2770	3	55	80	2.5	6	3	7422	4652	RH-2	40	form-based			true	0.7	6	1	3	3	8313.200195	5543.200195	5543.200195	1.120075
0996	017	2955	0.07	7164	3	65	100	3	7	4	8865	1701	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8274	1110	1110	0.933333
0996	031	5684	0.13	3630	9	65	100	3	13	4	17052	13422	RH-1	40	form-based		true	true	0.7	12	0.923076928	3	3	15915.2002	12285.2002	12285.2002	0.933333
0996	040	4389	0.1	824	6	65	100	3	10	4	13167	12343	RH-1	40	form-based			true	0.7	9	0.899999976	3	3	12289.2002	11465.2002	11465.2002	0.933333
0997	001	2073	0.05	2514	1	65	100	3	5	4	6219	3705	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5804.399902	3290.399902	3290.399902	0.933333
0997	016	1858	0.04	2532	1	65	100	3	4	3	5574	3042	RH-1	40	form-based		true	true	0.7	4	1	3	3	5202.399902	2670.399902	2670.399902	0.933333
0997	016A	1849	0.04	2229	1	65	100	3	4	3	5547	3318	RH-1	40	form-based			true	0.7	4	1	3	3	5177.199707	2948.199707	2948.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0998	009	2500	0.06	2750	2	65	100	3	6	4	7500	4750	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4250	4250	0.933333
0998	014C	1999	0.05	2370	1	65	100	3	5	4	5997	3627	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5597.199707	3227.199707	3227.199707	0.933333
0998	015	2963	0.07	4522	3	65	100	3	7	4	8889	4367	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8296.399414	3774.399414	3774.399414	0.933333
0998	019	2291	0.05	2325	2	65	100	3	5	3	6873	4548	RM-1	40	form-based			true	0.7	5	1	3	3	6414.799805	4089.799805	4089.799805	0.933333
0998	040	2291	0.05	1375	2	65	100	3	5	3	6873	5498	RM-1	40	form-based			true	0.7	5	1	3	3	6414.799805	5039.799805	5039.799805	0.933333
0999	002	2656	0.06	3240	3	65	100	3	6	3	7968	4728	RH-2	40	form-based			true	0.7	6	1	3	3	7436.799805	4196.799805	4196.799805	0.933333
0999	021	1951	0.04	3226	1	65	100	3	4	3	5853	2627	RH-3	40	form-based			true	0.7	4	1	3	3	5462.799805	2236.799805	2236.799805	0.933333
0999	022	1951	0.04	3952	1	65	100	3	4	3	5853	1901	RH-3	40	form-based			true	0.7	4	1	3	3	5462.799805	1510.799805	1510.799805	0.933333
0999	023	1951	0.04	3172	1	65	100	3	4	3	5853	2681	RH-3	40	form-based			true	0.7	4	1	3	3	5462.799805	2290.799805	2290.799805	0.933333
1000	006	2656	0.06	4250	3	65	100	3	6	3	7968	3718	RH-2	40	form-based			true	0.7	6	1	3	3	7436.799805	3186.799805	3186.799805	0.933333
1000	042	2861	0.07	1134	3	65	100	3	7	4	8583	7449	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8010.799805	6876.799805	6876.799805	0.933333
1001	013	3511	0.08	3078	4	65	100	3	8	4	10533	7455	RH-2	40	form-based			true	0.7	7	0.875	3	3	9830.799805	6752.799805	6752.799805	0.933333
1001	024	2321	0.05	3840	2	65	100	3	5	3	6963	3123	NC-1	40	form-based		true	true	0.75	5	1	3	3	6963	3123	3123	1
1001	027	3282	0.08	2740	4	65	100	3	8	4	9846	7106	RH-2	40	form-based			true	0.7	7	0.875	3	3	9189.599609	6449.599609	6449.599609	0.933333
1001	044	7087	0.16	1300	12	65	100	3	16	4	21261	19961	RH-2	40	form-based			true	0.7	15	0.9375	3	3	19843.59961	18543.59961	18543.59961	0.933333
1002	012	3192	0.07	3510	4	65	100	3	7	3	9576	6066	RH-2	40	form-based			true	0.7	7	1	3	3	8937.599609	5427.599609	5427.599609	0.933333
1002	014	3192	0.07	3300	4	65	100	3	7	3	9576	6276	RH-2	40	form-based			true	0.7	7	1	3	3	8937.599609	5637.599609	5637.599609	0.933333
1002	032	3670	0.08	6832	5	65	100	3	8	3	11010	4178	RH-2	40	form-based			true	0.7	8	1	3	3	10276	3444	3444	0.933333
1002	038	2062	0.05	2545	1	65	100	3	5	4	6186	3641	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3228.600098	3228.600098	0.933333
1002	039	2063	0.05	2545	1	65	100	3	5	4	6189	3644	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	3231.399902	3231.399902	0.933333
1003	002	2031	0.05	2686	1	65	100	3	5	4	6093	3407	RH-3	40	form-based			true	0.7	4	0.800000012	3	3	5686.799805	3000.799805	3000.799805	0.933333
1003	057	3289	0.08	781	6	65	100	3	8	2	9867	9086	RH-3	50	form-based			true	0.7	9	1.125	3	3	11511.5	10730.5	10730.5	1.166667
1004	008A	1360	0.03	0	0	65	100	3	3	3	4080	4080	RH-2	40	form-based			true	0.7	3	1	3	3	3808	3808	3808	0.933333
1004	022	2703	0.06	4110	3	65	100	3	6	3	8109	3999	RH-2	40	form-based			true	0.7	6	1	3	3	7568.399902	3458.399902	3458.399902	0.933333
1004	044	2701	0.06	2678	3	65	100	3	6	3	8103	5425	RH-2	40	form-based			true	0.7	6	1	3	3	7562.799805	4884.799805	4884.799805	0.933333
1005	022	2376	0.05	3740	2	65	100	3	5	3	7128	3388	RH-3	40	form-based			true	0.7	5	1	3	3	6652.799805	2912.799805	2912.799805	0.933333
1005	072	2618	0.06	825	4	65	100	3	6	2	7854	7029	RH-2	50	form-based			true	0.7	7	1.166666627	3	3	9163	8338	8338	1.166667
1006	004	2562	0.06	2993	2	65	100	3	6	4	7686	4693	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7173.600098	4180.600098	4180.600098	0.933333
1006	017	2032	0.05	1840	1	65	100	3	5	4	6096	4256	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5689.600098	3849.600098	3849.600098	0.933333
1006	022	2782	0.06	2332	3	65	100	3	6	3	8346	6014	RH-2	40	form-based			true	0.7	6	1	3	3	7789.600098	5457.600098	5457.600098	0.933333
1007	026	3226	0.07	4520	4	65	100	3	7	3	9678	5158	RM-1	40	form-based			true	0.7	7	1	3	3	9032.799805	4512.799805	4512.799805	0.933333
1008	015	2195	0.05	4180	3	65	100	3	5	2	6585	2405	RH-2	50	form-based			true	0.7	6	1.200000048	3	3	7682.5	3502.5	3502.5	1.166667
1008	020	4025	0.09	6010	5	65	100	3	9	4	12075	6065	RH-2	40	form-based		true	true	0.7	8	0.888888896	3	3	11270	5260	5260	0.933333
1008	027	4388	0.1	8142	6	65	100	3	10	4	13164	5022	RH-2	40	form-based			true	0.7	9	0.899999976	3	3	12286.39941	4144.399414	4144.399414	0.933333
1009	010	4037	0.09	8370	12	65	100	3	9	0	12111	3741	NCD-SACR	65	form-based			true	0.75	15	1.666666627	3	3	18166.5	9796.5	9796.5	1.5
1010	019	3042	0.07	6106	3	55	80	2.5	6	3	7605	1499	RH-1	40	form-based			true	0.7	6	1	3	3	8517.599609	2411.599609	2411.599609	1.12
1010	029	4057	0.09	1512	6	55	80	2.5	7	1	10142	8630	RH-1	40	form-based		true	true	0.7	9	1.285714269	3	3	11359.59961	9847.599609	9847.599609	1.120055
1011	066	3551	0.08	988	4	55	80	2.5	6	2	8878	7890	RH-1	40	form-based			true	0.7	7	1.166666627	3	3	9942.799805	8954.799805	8954.799805	1.119937
1011	073	2225	0.05	1925	2	55	80	2.5	4	2	5562	3637	RH-1	40	form-based			true	0.7	5	1.25	3	3	6230	4305	4305	1.120101
1012	046	3143	0.07	1350	4	55	80	2.5	6	2	7858	6508	RH-1	40	form-based		true	true	0.7	7	1.166666627	3	3	8800.399414	7450.399414	7450.399414	1.119929
1012	061	2657	0.06	1776	4	55	80	2.5	5	1	6642	4866	RH-3	50	form-based			true	0.7	7	1.399999976	3	3	9299.5	7523.5	7523.5	1.400105
1013	049	2188	0.05	1360	3	55	80	2.5	4	1	5470	4110	RM-1	50	form-based			true	0.7	6	1.5	3	3	7658	6298	6298	1.4
1014	007	2567	0.06	3350	4	55	80	2.5	5	1	6418	3068	RM-1	50	form-based			true	0.7	7	1.399999976	3	3	8984.5	5634.5	5634.5	1.399891
1014	007A	2567	0.06	3350	4	55	80	2.5	5	1	6418	3068	RM-1	50	form-based			true	0.7	7	1.399999976	3	3	8984.5	5634.5	5634.5	1.399891
1014	044	1879	0.04	3492	1	55	80	2.5	3	2	4698	1206	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5261.199707	1769.199707	1769.199707	1.119881
1014	057	2527	0.06	2372	2	55	80	2.5	5	3	6318	3946	RH-1	40	form-based			true	0.7	5	1	3	3	7075.600098	4703.600098	4703.600098	1.119911
1017	025	2127	0.05	3780	3	55	80	2.5	4	1	5318	1538	RH-3	50	form-based			true	0.7	6	1.5	3	3	7444.5	3664.5	3664.5	1.399868
1017	031	2097	0.05	1600	3	55	80	2.5	4	1	5242	3642	RM-1	50	form-based			true	0.7	6	1.5	3	3	7339.5	5739.5	5739.5	1.400133
1020	018	1500	0.03	4260	3	65	100	3	3	0	4500	240	RTO-C	65	form-based			true	0.75	6	2	3	3	6750	2490	2490	1.5
1022	027	2600	0.06	623	4	65	100	3	6	2	7800	7177	RH-2	50	form-based			true	0.7	7	1.166666627	3	3	9100	8477	8477	1.166667
1023	001	2722	0.06	3625	5	65	100	3	6	1	8166	4541	NC-1	50	form-based		true	true	0.75	8	1.333333373	3	3	10207.5	6582.5	6582.5	1.25
1024	020	2122	0.05	3676	3	65	100	3	5	2	6366	2690	NC-1	50	form-based		true	true	0.75	6	1.200000048	3	3	7957.5	4281.5	4281.5	1.25
1024	027	4664	0.11	8190	10	65	100	3	11	1	13992	5802	RH-2	50	form-based			true	0.7	13	1.181818128	3	3	16324	8134	8134	1.166667
1025	025	2355	0.05	3780	4	65	100	3	5	1	7065	3285	RH-2	50	form-based		true	true	0.7	7	1.399999976	3	3	8242.5	4462.5	4462.5	1.166667
1026	021	3297	0.08	5300	6	65	100	3	8	2	9891	4591	RH-3	50	form-based			true	0.7	9	1.125	3	3	11539.5	6239.5	6239.5	1.166667
1026	028	1885	0.04	1441	2	65	100	3	4	2	5655	4214	RH-2	50	form-based			true	0.7	5	1.25	3	3	6597.5	5156.5	5156.5	1.166667
1028	016	6050	0.14	8400	10	65	100	3	14	4	18150	9750	RM-1	40	form-based			true	0.7	13	0.928571403	3	3	16940	8540	8540	0.933333
1029	012	3438	0.08	4050	4	85	140	4	11	7	13752	9702	RH-2	40	form-based			true	0.7	7	0.636363626	3	3	9626.399414	5576.399414	5576.399414	0.7
1029	017	2058	0.05	2099	1	65	100	3	5	4	6174	4075	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5762.399902	3663.399902	3663.399902	0.933333
1029	020	2059	0.05	2299	1	85	140	4	7	6	8236	5937	RH-2	40	form-based			true	0.7	4	0.571428597	3	3	5765.199707	3466.199707	3466.199707	0.7
1029	087	2266	0.05	864	2	85	140	4	7	5	9064	8200	RH-2	40	form-based			true	0.7	5	0.714285731	3	3	6344.799805	5480.799805	5480.799805	0.7
1029	091	3101	0.07	1052	4	65	100	3	7	3	9303	8251	RH-2	40	form-based		true	true	0.7	7	1	3	3	8682.799805	7630.799805	7630.799805	0.933333
1030	019	2400	0.06	2824	2	65	100	3	6	4	7200	4376	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6720	3896	3896	0.933333
1030	066	2500	0.06	1500	2	65	100	3	6	4	7500	6000	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5500	5500	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1031	009	2500	0.06	3620	2	65	100	3	6	4	7500	3880	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3380	3380	0.933333
1031	013	2834	0.07	4088	3	65	100	3	7	4	8502	4414	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7935.199707	3847.199707	3847.199707	0.933333
1031	051	2500	0.06	1051	2	65	100	3	6	4	7500	6449	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	5949	5949	0.933333
1031	061	2500	0.06	1610	2	65	100	3	6	4	7500	5890	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5390	5390	0.933333
1036	018	2586	0.06	3708	2	65	100	3	6	4	7758	4050	RM-2	40	form-based			true	0.7	5	0.833333313	3	3	7240.799805	3532.799805	3532.799805	0.933333
1036	064	2586	0.06	2914	2	65	100	3	6	4	7758	4844	RM-2	40	form-based			true	0.7	5	0.833333313	3	3	7240.799805	4326.799805	4326.799805	0.933333
1039	032	4016	0.09	6236	5	65	100	3	9	4	12048	5812	RM-1	40	form-based			true	0.7	8	0.888888896	3	3	11244.7998	5008.799805	5008.799805	0.933333
1039	053	3414	0.08	4100	4	65	100	3	8	4	10242	6142	RM-1	40	form-based			true	0.7	7	0.875	3	3	9559.200195	5459.200195	5459.200195	0.933333
1040	017	3339	0.08	3900	4	65	100	3	8	4	10017	6117	RM-1	40	form-based	true		true	0.7	7	0.875	3	3	9349.200195	5449.200195	5449.200195	0.933333
1040	025	2967	0.07	4443	3	65	100	3	7	4	8901	4458	RM-2	40	form-based			true	0.7	6	0.857142866	3	3	8307.599609	3864.599609	3864.599609	0.933333
1042	001	3555	0.08	4104	4	55	80	2.5	6	2	8888	4784	RH-2	40	form-based	true		true	0.7	7	1.166666627	3	3	9954	5850	5850	1.119937
1042	031	3568	0.08	877	4	65	100	3	8	4	10704	9827	RH-2	40	form-based			true	0.7	7	0.875	3	3	9990.399414	9113.399414	9113.399414	0.933333
1042	051	3563	0.08	1057	4	65	100	3	8	4	10689	9632	RH-2	40	form-based			true	0.7	7	0.875	3	3	9976.399414	8919.399414	8919.399414	0.933333
1046	011	1875	0.04	2492	1	65	100	3	4	3	5625	3133	RH-3	40	form-based			true	0.7	4	1	3	3	5250	2758	2758	0.933333
1046	012	1875	0.04	1910	1	65	100	3	4	3	5625	3715	RH-3	40	form-based			true	0.7	4	1	3	3	5250	3340	3340	0.933333
1047	003	2578	0.06	1842	2	65	100	3	6	4	7734	5892	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7218.399902	5376.399902	5376.399902	0.933333
1047	005	2578	0.06	1350	2	65	100	3	6	4	7734	6384	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7218.399902	5868.399902	5868.399902	0.933333
1047	008	3062	0.07	6504	3	65	100	3	7	4	9186	2682	RH-2	40	form-based	true		true	0.7	6	0.857142866	3	3	8573.599609	2069.599609	2069.599609	0.933333
1047	020	2500	0.06	2508	2	65	100	3	6	4	7500	4992	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4492	4492	0.933333
1047	024	2614	0.06	1932	2	65	100	3	6	4	7842	5910	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7319.199707	5387.199707	5387.199707	0.933333
1047	028	2619	0.06	3464	2	65	100	3	6	4	7857	4393	RH-2	40	form-based	true		true	0.7	5	0.833333313	3	3	7333.199707	3869.199707	3869.199707	0.933333
1047	038	1767	0.04	3280	1	65	100	3	4	3	5301	2021	RH-2	40	form-based	true		true	0.7	4	1	3	3	4947.600098	1667.600098	1667.600098	0.933333
1047	050	2629	0.06	1712	3	65	100	3	6	3	7887	6175	RH-2	40	form-based	true		true	0.7	6	1	3	3	7361.199707	5649.199707	5649.199707	0.933333
1047	054	2382	0.05	1555	2	65	100	3	5	3	7146	5591	RH-2	40	form-based			true	0.7	5	1	3	3	6669.600098	5114.600098	5114.600098	0.933333
1047	056	2578	0.06	902	2	65	100	3	6	4	7734	6832	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7218.399902	6316.399902	6316.399902	0.933333
1047	058	2188	0.05	946	2	65	100	3	5	3	6564	5618	RH-2	40	form-based			true	0.7	5	1	3	3	6126.399902	5180.399902	5180.399902	0.933333
1048	010	2400	0.06	4640	2	65	100	3	6	4	7200	2560	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6720	2080	2080	0.933333
1048	012	2500	0.06	2156	2	65	100	3	6	4	7500	5344	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4844	4844	0.933333
1048	022	2175	0.05	2688	2	65	100	3	5	3	6525	3837	RH-2	40	form-based			true	0.7	5	1	3	3	6090	3402	3402	0.933333
1048	041	2188	0.05	3280	2	65	100	3	5	3	6564	3284	RH-2	40	form-based			true	0.7	5	1	3	3	6126.399902	2846.399902	2846.399902	0.933333
1050	030	2333	0.05	2750	2	65	100	3	5	3	6999	4249	RH-2	40	form-based			true	0.7	5	1	3	3	6532.399902	3782.399902	3782.399902	0.933333
1048	045	3438	0.08	1946	4	65	100	3	8	4	10314	8368	RH-2	40	form-based			true	0.7	7	0.875	3	3	9626.399414	7680.399414	7680.399414	0.933333
1049	008	5156	0.12	4440	8	65	100	3	12	4	15468	11028	RH-2	40	form-based			true	0.7	11	0.916666687	3	3	14436.7998	9996.799805	9996.799805	0.933333
1049	023	1983	0.05	2387	1	65	100	3	5	4	5949	3562	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5552.399902	3165.399902	3165.399902	0.933333
1049	024	1983	0.05	2244	1	65	100	3	5	4	5949	3705	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5552.399902	3308.399902	3308.399902	0.933333
1049	026	2313	0.05	2420	2	65	100	3	5	3	6939	4519	RH-2	40	form-based			true	0.7	5	1	3	3	6476.399902	4056.399902	4056.399902	0.933333
1049	056	2500	0.06	3500	2	65	100	3	6	4	7500	4000	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3500	3500	0.933333
1050	006	1698	0.04	1603	1	65	100	3	4	3	5094	3491	RH-2	40	form-based			true	0.7	4	1	3	3	4754.399902	3151.399902	3151.399902	0.933333
1050	006A	1698	0.04	2361	1	65	100	3	4	3	5094	2733	RH-2	40	form-based			true	0.7	4	1	3	3	4754.399902	2393.399902	2393.399902	0.933333
1050	023	1877	0.04	1950	1	65	100	3	4	3	5631	3681	RH-2	40	form-based			true	0.7	4	1	3	3	5255.600098	3305.600098	3305.600098	0.933333
1050	024	1877	0.04	1496	1	65	100	3	4	3	5631	4135	RH-2	40	form-based			true	0.7	4	1	3	3	5255.600098	3759.600098	3759.600098	0.933333
1050	025	4859	0.11	6819	7	65	100	3	11	4	14577	7758	RH-2	40	form-based			true	0.7	10	0.909090936	3	3	13605.2002	6786.200195	6786.200195	0.933333
1052	015	2493	0.06	2482	2	65	100	3	6	4	7479	4997	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6980.399902	4498.399902	4498.399902	0.933333
1052	031	2050	0.05	3756	1	65	100	3	5	4	6150	2394	RH-3	40	form-based	true		true	0.7	4	0.800000012	3	3	5740	1984	1984	0.933333
1053	005	3260	0.07	5828	4	65	100	3	7	3	9780	3952	RH-3	40	form-based	true		true	0.7	7	1	3	3	9128	3300	3300	0.933333
1053	010A	2316	0.05	1920	2	65	100	3	5	3	6948	5028	RH-3	40	form-based			true	0.7	5	1	3	3	6484.799805	4564.799805	4564.799805	0.933333
1053	011	3438	0.08	5370	4	65	100	3	8	4	10314	4944	RH-3	40	form-based			true	0.7	7	0.875	3	3	9626.399414	4256.399414	4256.399414	0.933333
1053	018	2019	0.05	1112	1	65	100	3	5	4	6057	4945	RH-3	40	form-based			true	0.7	4	0.800000012	3	3	5653.199707	4541.199707	4541.199707	0.933333
1053	023	2185	0.05	2920	2	65	100	3	5	3	6555	3635	RH-3	40	form-based			true	0.7	5	1	3	3	6118	3198	3198	0.933333
1053	024	2185	0.05	3228	2	65	100	3	5	3	6555	3327	RH-3	40	form-based			true	0.7	5	1	3	3	6118	2890	2890	0.933333
1053	034	2898	0.07	4731	3	65	100	3	7	4	8694	3963	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8114.399902	3383.399902	3383.399902	0.933333
1054	012	3094	0.07	2435	3	65	100	3	7	4	9282	6847	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8663.200195	6228.200195	6228.200195	0.933333
1054	018	2544	0.06	1816	2	65	100	3	6	4	7632	5816	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7123.199707	5307.199707	5307.199707	0.933333
1054	020	2354	0.05	1990	2	65	100	3	5	3	7062	5072	RH-3	40	form-based			true	0.7	5	1	3	3	6591.199707	4601.199707	4601.199707	0.933333
1054	039	2190	0.05	1058	2	65	100	3	5	3	6570	5512	RH-3	40	form-based			true	0.7	5	1	3	3	6132	5074	5074	0.933333
1054	061	2425	0.06	651	2	65	100	3	6	4	7275	6624	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6790	6139	6139	0.933333
1055	004	2500	0.06	3500	2	65	100	3	6	4	7500	4000	RH-3	40	form-based	true		true	0.7	5	0.833333313	3	3	7000	3500	3500	0.933333
1055	010	4219	0.1	9591	12	65	100	3	10	0	12657	3066	RM-2	65	form-based			true	0.7	15	1.5	3	3	17719.79883	8128.798828	8128.798828	1.4
1055	020	2141	0.05	1234	1	65	100	3	5	4	6423	5189	RH-3	40	form-based			true	0.7	4	0.800000012	3	3	5994.799805	4760.799805	4760.799805	0.933333
1061	071	2405	0.06	1792	2	65	100	3	6	4	7215	5423	RM-2	40	form-based			true	0.7	5	0.833333313	3	3	6734	4942	4942	0.933333
1063	047	4336	0.1	10137	6	65	100	3	10	4	13008	2871	RH-1(D)	40	form-based	true		true	0.7	9	0.899999976	3	3	12140.7998	2003.799805	2003.799805	0.933333
1064	010	3119	0.07	3380	4	65	100	3	7	3	9357	5977	RH-2	40	form-based			true	0.7	7	1	3	3	8733.200195	5353.200195	5353.200195	0.933333
1065	006	2957	0.07	3879	3	65	100	3	7	4	8871	4992	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8279.599609	4400.599609	4400.599609	0.933333
1065	044	2633	0.06	3336	3	65	100	3	6	3	7899	4563	RH-2	40	form-based			true	0.7	6	1	3	3	7372.399902	4036.399902	4036.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1066	010	3001	0.07	2690	3	65	100	3	7	4	9003	6313	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8402.799805	5712.799805	5712.799805	0.933333
1066	029	3025	0.07	3136	3	85	140	4	10	7	12100	8964	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8470	5334	5334	0.7
1067	016	3211	0.07	3455	4	65	100	3	7	3	9633	6178	RH-2	40	form-based			true	0.7	7	1	3	3	8990.799805	5535.799805	5535.799805	0.933333
1067	026	3050	0.07	3000	3	65	100	3	7	4	9150	6150	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8540	5540	5540	0.933333
1067	028	3045	0.07	1905	3	65	100	3	7	4	9135	7230	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8526	6621	6621	0.933333
1067	054	2500	0.06	2109	2	65	100	3	6	4	7500	5391	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4891	4891	0.933333
1068	004	2969	0.07	4325	3	65	100	3	7	4	8907	4582	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8313.200195	3988.200195	3988.200195	0.933333
1068	019	1996	0.05	760	1	65	100	3	5	4	5988	5228	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5588.799805	4828.799805	4828.799805	0.933333
1069	011	2180	0.05	1800	2	65	100	3	5	3	6540	4740	RH-2	40	form-based			true	0.7	5	1	3	3	6104	4304	4304	0.933333
1070	001G	2500	0.06	1430	2	65	100	3	6	4	7500	6070	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5570	5570	0.933333
1070	008	2323	0.05	3528	2	65	100	3	5	3	6969	3441	RH-2	40	form-based			true	0.7	5	1	3	3	6504.399902	2976.399902	2976.399902	0.933333
1073	009	3438	0.08	4460	4	65	100	3	8	4	10314	5854	RH-3	40	form-based			true	0.7	7	0.875	3	3	9626.399414	5166.399414	5166.399414	0.933333
1073	016	2375	0.05	2200	2	65	100	3	5	3	7125	4925	RH-3	40	form-based			true	0.7	5	1	3	3	6650	4450	4450	0.933333
1073	024	2330	0.05	1140	2	65	100	3	5	3	6990	5850	RH-3	40	form-based			true	0.7	5	1	3	3	6524	5384	5384	0.933333
1073	030	2356	0.05	1432	2	65	100	3	5	3	7068	5636	RH-3	40	form-based			true	0.7	5	1	3	3	6596.799805	5164.799805	5164.799805	0.933333
1073	034	2470	0.06	1163	2	65	100	3	6	4	7410	6247	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6916	5753	5753	0.933333
1073	041	2158	0.05	1051	2	65	100	3	5	3	6474	5423	RH-3	40	form-based			true	0.7	5	1	3	3	6042.399902	4991.399902	4991.399902	0.933333
1074	002	2500	0.06	1828	2	65	100	3	6	4	7500	5672	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	5172	5172	0.933333
1074	006	2500	0.06	1145	2	65	100	3	6	4	7500	6355	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	5855	5855	0.933333
1074	019	3060	0.07	1872	3	65	100	3	7	4	9180	7308	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8568	6696	6696	0.933333
1074	021	3060	0.07	3600	3	65	100	3	7	4	9180	5580	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8568	4968	4968	0.933333
1074	038	3420	0.08	407	4	65	100	3	8	4	10260	9853	RH-3	40	form-based			true	0.7	7	0.875	3	3	9576	9169	9169	0.933333
1074	045	2500	0.06	1180	2	65	100	3	6	4	7500	6320	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	5820	5820	0.933333
1074	052	2500	0.06	1738	2	65	100	3	6	4	7500	5762	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	5262	5262	0.933333
1074	054	2461	0.06	1210	2	65	100	3	6	4	7383	6173	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6890.799805	5680.799805	5680.799805	0.933333
1076	018	2922	0.07	5460	3	65	100	3	7	4	8766	3306	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8181.600098	2721.600098	2721.600098	0.933333
1076	038	2188	0.05	904	2	65	100	3	5	3	6564	5660	RM-1	40	form-based			true	0.7	5	1	3	3	6126.399902	5222.399902	5222.399902	0.933333
1080	020D	2062	0.05	2220	1	85	140	4	7	6	8248	6028	RH-3	40	form-based			true	0.7	4	0.571428597	3	3	5773.600098	3553.600098	3553.600098	0.7
1080	026	2533	0.06	3140	2	65	100	3	6	4	7599	4459	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7092.399902	3952.399902	3952.399902	0.933333
1080	051	2500	0.06	1510	2	65	100	3	6	4	7500	5990	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	5490	5490	0.933333
1081	024	3981	0.09	4694	5	65	100	3	9	4	11943	7249	RH-3	40	form-based	true		true	0.7	8	0.888888896	3	3	11146.7998	6452.799805	6452.799805	0.933333
1081	032	3781	0.09	4742	5	65	100	3	9	4	11343	6601	RH-3	40	form-based			true	0.7	8	0.888888896	3	3	10586.7998	5844.799805	5844.799805	0.933333
1081	033	3781	0.09	4742	5	65	100	3	9	4	11343	6601	RH-3	40	form-based			true	0.7	8	0.888888896	3	3	10586.7998	5844.799805	5844.799805	0.933333
1081	036	3025	0.07	4666	3	85	140	4	10	7	12100	7434	RH-3	40	form-based			true	0.7	6	0.600000024	3	3	8470	3804	3804	0.7
1081	049	3025	0.07	1510	3	65	100	3	7	4	9075	7565	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8470	6960	6960	0.933333
1081	052	3025	0.07	6306	3	65	100	3	7	4	9075	2769	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8470	2164	2164	0.933333
1082	018	1705	0.04	1022	1	65	100	3	4	3	5115	4093	RH-3	40	form-based			true	0.7	4	1	3	3	4774	3752	3752	0.933333
1082	019	1753	0.04	1260	1	65	100	3	4	3	5259	3999	RH-3	40	form-based			true	0.7	4	1	3	3	4908.399902	3648.399902	3648.399902	0.933333
1087	013B	938	0.02	1847	2	65	100	3	2	0	2814	967	RTO-C	85	form-based			true	0.75	5	2.5	3	2	5628	3781	3781	2
1100	131	1156	0.03	1370	1	65	100	3	3	2	3468	2098	NCT-DIVIS	65	form-based			true	0.75	4	1.333333373	3	3	5202	3832	3832	1.5
1100	014	2297	0.05	6750	6	65	100	3	5	0	6891	141	RTO-C	65	form-based	true		true	0.75	9	1.799999952	3	3	10336.5	3586.5	3586.5	1.5
1100	126	689	0.02	1140	1	65	100	3	2	1	2067	927	NCT-DIVIS	85	form-based			true	0.75	4	2	3	3	4134	2994	2994	2
1100	127	790	0.02	1140	1	65	100	3	2	1	2370	1230	NCT-DIVIS	85	form-based			true	0.75	4	2	3	3	4740	3600	3600	2
1100	128	791	0.02	1140	1	65	100	3	2	1	2373	1233	NCT-DIVIS	85	form-based			true	0.75	4	2	3	3	4746	3606	3606	2
1100	129	791	0.02	1140	1	65	100	3	2	1	2373	1233	NCT-DIVIS	85	form-based			true	0.75	4	2	3	3	4746	3606	3606	2
1102	018	2528	0.06	1927	2	65	100	3	6	4	7584	5657	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7078.399902	5151.399902	5151.399902	0.933333
1125	003	2522	0.06	3290	2	65	100	3	6	4	7566	4276	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7061.600098	3771.600098	3771.600098	0.933333
1125	004	2521	0.06	2285	2	65	100	3	6	4	7563	5278	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7058.799805	4773.799805	4773.799805	0.933333
1125	005	2521	0.06	3250	2	65	100	3	6	4	7563	4313	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7058.799805	3808.799805	3808.799805	0.933333
1125	006	2520	0.06	4110	2	65	100	3	6	4	7560	3450	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7056	2946	2946	0.933333
1125	010	2520	0.06	1149	2	65	100	3	6	4	7560	6411	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7056	5907	5907	0.933333
1125	016	2232	0.05	1206	2	65	100	3	5	3	6696	5490	RM-1	40	form-based	true		true	0.7	5	1	3	3	6249.600098	5043.600098	5043.600098	0.933333
1125	018	2250	0.05	1300	2	65	100	3	5	3	6750	5450	RM-1	40	form-based			true	0.7	5	1	3	3	6300	5000	5000	0.933333
1125	023	2523	0.06	900	2	65	100	3	6	4	7569	6669	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7064.399902	6164.399902	6164.399902	0.933333
1108	005A	1890	0.04	1650	1	65	100	3	4	3	5670	4020	RH-1	40	form-based			true	0.7	4	1	3	3	5292	3642	3642	0.933333
1108	007A	2036	0.05	1928	1	65	100	3	5	4	6108	4180	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5700.799805	3772.799805	3772.799805	0.933333
1109	007A	2017	0.05	1803	1	65	100	3	5	4	6051	4248	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5647.600098	3844.600098	3844.600098	0.933333
1109	007B	2125	0.05	1937	1	65	100	3	5	4	6375	4438	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5950	4013	4013	0.933333
1109	010D	2090	0.05	1550	1	65	100	3	5	4	6270	4720	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5852	4302	4302	0.933333
1109	011A	2119	0.05	1250	1	65	100	3	5	4	6357	5107	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5933.199707	4683.199707	4683.199707	0.933333
1109	011B	2119	0.05	1250	1	65	100	3	5	4	6357	5107	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5933.199707	4683.199707	4683.199707	0.933333
1109	011C	2119	0.05	1250	1	65	100	3	5	4	6357	5107	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5933.199707	4683.199707	4683.199707	0.933333
1109	011D	2119	0.05	1550	1	65	100	3	5	4	6357	4807	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5933.199707	4383.199707	4383.199707	0.933333
1109	011E	2119	0.05	1250	1	65	100	3	5	4	6357	5107	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5933.199707	4683.199707	4683.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1109	012A	2119	0.05	1250	1	65	100	3	5	4	6357	5107	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5933.199707	4683.199707	4683.199707	0.933333
1109	012B	2119	0.05	1450	1	65	100	3	5	4	6357	4907	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5933.199707	4483.199707	4483.199707	0.933333
1109	012C	2119	0.05	1952	1	65	100	3	5	4	6357	4405	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5933.199707	3981.199707	3981.199707	0.933333
1109	012D	2119	0.05	2018	1	65	100	3	5	4	6357	4339	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5933.199707	3915.199707	3915.199707	0.933333
1109	013A	2047	0.05	2040	1	65	100	3	5	4	6141	4101	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5731.600098	3691.600098	3691.600098	0.933333
1109	013B	1831	0.04	1928	1	65	100	3	4	3	5493	3565	RH-1	40	form-based			true	0.7	4	1	3	3	5126.799805	3198.799805	3198.799805	0.933333
1110	006A	2075	0.05	1500	1	65	100	3	5	4	6225	4725	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5810	4310	4310	0.933333
1110	006B	2075	0.05	2125	1	65	100	3	5	4	6225	4100	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5810	3685	3685	0.933333
1108	004B	2102	0.05	1350	1	65	100	3	5	4	6306	4956	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5885.600098	4535.600098	4535.600098	0.933333
1108	004C	2102	0.05	1712	1	65	100	3	5	4	6306	4594	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5885.600098	4173.600098	4173.600098	0.933333
1108	004D	2098	0.05	1512	1	65	100	3	5	4	6294	4782	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5874.399902	4362.399902	4362.399902	0.933333
1110	001B	2065	0.05	2025	1	65	100	3	5	4	6195	4170	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	3757	3757	0.933333
1110	001C	2065	0.05	1500	1	65	100	3	5	4	6195	4695	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4282	4282	0.933333
1110	002A	2065	0.05	1500	1	65	100	3	5	4	6195	4695	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4282	4282	0.933333
1110	002B	2065	0.05	1895	1	65	100	3	5	4	6195	4300	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	3887	3887	0.933333
1110	002C	2065	0.05	1537	1	65	100	3	5	4	6195	4658	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4245	4245	0.933333
1110	002D	2065	0.05	1717	1	65	100	3	5	4	6195	4478	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4065	4065	0.933333
1110	003A	2065	0.05	1537	1	65	100	3	5	4	6195	4658	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4245	4245	0.933333
1110	003B	2065	0.05	1537	1	65	100	3	5	4	6195	4658	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4245	4245	0.933333
1110	004B	2075	0.05	1550	1	65	100	3	5	4	6225	4675	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5810	4260	4260	0.933333
1110	004C	2075	0.05	1434	1	65	100	3	5	4	6225	4791	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5810	4376	4376	0.933333
1110	005A	2075	0.05	1525	1	65	100	3	5	4	6225	4700	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5810	4285	4285	0.933333
1110	005B	2075	0.05	1525	1	65	100	3	5	4	6225	4700	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5810	4285	4285	0.933333
1110	005C	2075	0.05	1362	1	65	100	3	5	4	6225	4863	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5810	4448	4448	0.933333
1110	005D	2075	0.05	1500	1	65	100	3	5	4	6225	4725	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5810	4310	4310	0.933333
1113	001	4979	0.11	4876	7	65	100	3	11	4	14937	10061	RM-1	40	form-based		true	true	0.7	10	0.909090936	3	3	13941.2002	9065.200195	9065.200195	0.933333
1130	001A	2082	0.05	1500	1	65	100	3	5	4	6246	4746	RM-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5829.600098	4329.600098	4329.600098	0.933333
1130	005	2764	0.06	4556	3	65	100	3	6	3	8292	3736	RM-1	40	form-based			true	0.7	6	1	3	3	7739.199707	3183.199707	3183.199707	0.933333
1131	002	1731	0.04	1240	1	65	100	3	4	3	5193	3953	RH-1	40	form-based			true	0.7	4	1	3	3	4846.799805	3606.799805	3606.799805	0.933333
1131	016	2391	0.05	1049	2	65	100	3	5	3	7173	6124	RH-2	40	form-based			true	0.7	5	1	3	3	6694.799805	5645.799805	5645.799805	0.933333
1131	003A	2041	0.05	2112	1	65	100	3	5	4	6123	4011	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5714.799805	3602.799805	3602.799805	0.933333
1131	011	2573	0.06	3532	2	65	100	3	6	4	7719	4187	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7204.399902	3672.399902	3672.399902	0.933333
1131	012	2572	0.06	3240	2	65	100	3	6	4	7716	4476	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7201.600098	3961.600098	3961.600098	0.933333
1132	009	5393	0.12	7560	8	65	100	3	12	4	16179	8619	RH-1	40	form-based	true	true	true	0.7	11	0.916666687	3	3	15100.39941	7540.399414	7540.399414	0.933333
1132	017	2028	0.05	1325	1	65	100	3	5	4	6084	4759	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5678.399902	4353.399902	4353.399902	0.933333
1133	001	2600	0.06	2624	2	65	100	3	6	4	7800	5176	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7280	4656	4656	0.933333
1133	006	2601	0.06	2559	2	65	100	3	6	4	7803	5244	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7282.799805	4723.799805	4723.799805	0.933333
1134	002	2056	0.05	2247	1	65	100	3	5	4	6168	3921	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5756.799805	3509.799805	3509.799805	0.933333
1134	020	2633	0.06	4361	3	65	100	3	6	3	7899	3538	RH-2	40	form-based	true	true	true	0.7	6	1	3	3	7372.399902	3011.399902	3011.399902	0.933333
1135	003	2464	0.06	2725	2	65	100	3	6	4	7392	4667	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6899.199707	4174.199707	4174.199707	0.933333
1135	004	2465	0.06	2905	2	65	100	3	6	4	7395	4490	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6902	3997	3997	0.933333
1135	005	2464	0.06	2725	2	65	100	3	6	4	7392	4667	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6899.199707	4174.199707	4174.199707	0.933333
1135	005A	2464	0.06	2725	2	65	100	3	6	4	7392	4667	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6899.199707	4174.199707	4174.199707	0.933333
1135	006	3069	0.07	3808	3	65	100	3	7	4	9207	5399	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8593.200195	4785.200195	4785.200195	0.933333
1135	012	3470	0.08	5250	4	65	100	3	8	4	10410	5160	RH-2	40	form-based	true	true	true	0.7	7	0.875	3	3	9716	4466	4466	0.933333
1135	028	2301	0.05	1376	2	65	100	3	5	3	6903	5527	RH-2	40	form-based			true	0.7	5	1	3	3	6442.799805	5066.799805	5066.799805	0.933333
1136	014	2500	0.06	2550	2	65	100	3	6	4	7500	4950	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4450	4450	0.933333
1136	015	2500	0.06	2550	2	65	100	3	6	4	7500	4950	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4450	4450	0.933333
1136	015A	2500	0.06	2550	2	65	100	3	6	4	7500	4950	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4450	4450	0.933333
1136	022	2600	0.06	2682	2	65	100	3	6	4	7800	5118	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7280	4598	4598	0.933333
1137	025	2244	0.05	1851	2	65	100	3	5	3	6732	4881	RH-2	40	form-based			true	0.7	5	1	3	3	6283.199707	4432.199707	4432.199707	0.933333
1138	011A	2441	0.06	2895	2	55	80	2.5	5	3	6102	3207	RH-2	40	form-based	true	true	true	0.7	5	1	3	3	6834.799805	3939.799805	3939.799805	1.120092
1138	012	6085	0.14	7588	10	65	100	3	14	4	18255	10667	RH-2	40	form-based	true	true	true	0.7	13	0.928571403	3	3	17038	9450	9450	0.933333
1139	001	3072	0.07	3239	3	65	100	3	7	4	9216	5977	RH-2	40	form-based	true	true	true	0.7	6	0.857142866	3	3	8601.599609	5362.599609	5362.599609	0.933333
1139	011	2346	0.05	2474	2	65	100	3	5	3	7038	4564	RH-2	40	form-based			true	0.7	5	1	3	3	6568.799805	4094.799805	4094.799805	0.933333
1140	013	2554	0.06	2000	2	65	100	3	6	4	7662	5662	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7151.199707	5151.199707	5151.199707	0.933333
1140	015	2554	0.06	2248	2	65	100	3	6	4	7662	5414	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7151.199707	4903.199707	4903.199707	0.933333
1141	040	2510	0.06	902	2	65	100	3	6	4	7530	6628	RM-2	40	form-based			true	0.7	5	0.833333313	3	3	7028	6126	6126	0.933333
1141	042	2762	0.06	2374	3	65	100	3	6	3	8286	5912	RH-2	40	form-based			true	0.7	6	1	3	3	7733.600098	5359.600098	5359.600098	0.933333
1142	002	2500	0.06	2250	2	55	80	2.5	5	3	6250	4000	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4750	4750	1.12
1142	007	2500	0.06	3000	2	55	80	2.5	5	3	6250	3250	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4000	4000	1.12
1142	016	3376	0.08	3950	4	55	80	2.5	6	2	8440	4490	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9452.799805	5502.799805	5502.799805	1.12
1142	024	2527	0.06	2830	2	55	80	2.5	5	3	6318	3488	RH-2	40	form-based			true	0.7	5	1	3	3	7075.600098	4245.600098	4245.600098	1.119911
1142	026	2475	0.06	2700	2	55	80	2.5	5	3	6188	3488	RH-2	40	form-based			true	0.7	5	1	3	3	6930	4230	4230	1.11991

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1142	030	2549	0.06	2650	2	55	80	2.5	5	3	6372	3722	RH-2	40	form-based			true	0.7	5	1	3	3	7137.199707	4487.199707	4487.199707	1.120088
1142	080	2500	0.06	1979	2	55	80	2.5	5	3	6250	4271	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5021	5021	1.12
1142	082	2545	0.06	1225	2	55	80	2.5	5	3	6362	5137	RH-2	40	form-based			true	0.7	5	1	3	3	7126	5901	5901	1.120088
1143	001B	1985	0.05	1000	1	55	80	2.5	4	3	4962	3962	RH-2	40	form-based			true	0.7	4	1	3	3	5558	4558	4558	1.120113
1143	001C	1934	0.04	1200	1	55	80	2.5	3	2	4835	3635	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5415.199707	4215.199707	4215.199707	1.12
1143	001D	1962	0.05	1350	1	55	80	2.5	4	3	4905	3555	RH-2	40	form-based		true	true	0.7	4	1	3	3	5493.600098	4143.600098	4143.600098	1.12
1143	002	2080	0.05	976	1	55	80	2.5	4	3	5200	4224	RH-2	40	form-based			true	0.7	4	1	3	3	5824	4848	4848	1.12
1143	002A	2072	0.05	1937	1	55	80	2.5	4	3	5180	3243	RH-2	40	form-based			true	0.7	4	1	3	3	5801.600098	3864.600098	3864.600098	1.12
1145A	001	2211	0.05	3563	2	55	80	2.5	4	2	5528	1965	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6190.799805	2627.799805	2627.799805	1.119899
1145A	003	2118	0.05	2697	1	55	80	2.5	4	3	5295	2598	RH-2	40	form-based			true	0.7	4	1	3	3	5930.399902	3233.399902	3233.399902	1.12
1145A	011	2500	0.06	2468	2	55	80	2.5	5	3	6250	3782	RM-1	40	form-based			true	0.7	5	1	3	3	7000	4532	4532	1.12
1145A	012	2500	0.06	3382	2	55	80	2.5	5	3	6250	2868	RM-1	40	form-based			true	0.7	5	1	3	3	7000	3618	3618	1.12
1145A	018	2250	0.05	2573	2	55	80	2.5	4	2	5625	3052	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3727	3727	1.12
1145A	021	2250	0.05	2393	2	55	80	2.5	4	2	5625	3232	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3907	3907	1.12
1145A	022	2250	0.05	2563	2	55	80	2.5	4	2	5625	3062	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3737	3737	1.12
1145A	024	4500	0.1	6567	6	55	80	2.5	8	2	11250	4683	RM-1	40	form-based		true	true	0.7	9	1.125	3	3	12600	6033	6033	1.12
1145A	025	2500	0.06	2468	2	55	80	2.5	5	3	6250	3782	RM-1	40	form-based			true	0.7	5	1	3	3	7000	4532	4532	1.12
1146	002	2515	0.06	2496	2	55	80	2.5	5	3	6288	3792	RH-2	40	form-based			true	0.7	5	1	3	3	7042	4546	4546	1.119911
1146	016	2250	0.05	2975	2	55	80	2.5	4	2	5625	2650	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6300	3325	3325	1.12
1146	017	2250	0.05	2433	2	55	80	2.5	4	2	5625	3192	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3867	3867	1.12
1146	018	2250	0.05	2783	2	55	80	2.5	4	2	5625	2842	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3517	3517	1.12
1146	019	2250	0.05	2433	2	55	80	2.5	4	2	5625	3192	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3867	3867	1.12
1146	031	2515	0.06	909	2	55	80	2.5	5	3	6288	5379	RH-2	40	form-based			true	0.7	5	1	3	3	7042	6133	6133	1.119911
1147	016	2250	0.05	2975	2	55	80	2.5	4	2	5625	2650	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6300	3325	3325	1.12
1147	017	2250	0.05	2468	2	55	80	2.5	4	2	5625	3157	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3832	3832	1.12
1147	018	2250	0.05	2468	2	55	80	2.5	4	2	5625	3157	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3832	3832	1.12
1147	033	2250	0.05	1931	2	55	80	2.5	4	2	5625	3694	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	4369	4369	1.12
1148	001	2299	0.05	3661	2	55	80	2.5	4	2	5748	2087	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6437.199707	2776.199707	2776.199707	1.119902
1148	021	2250	0.05	2300	2	55	80	2.5	4	2	5625	3325	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	4000	4000	1.12
1148	022	2250	0.05	2300	2	55	80	2.5	4	2	5625	3325	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	4000	4000	1.12
1149	019	2813	0.06	3749	3	55	80	2.5	5	2	7032	3283	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7876.399902	4127.399902	4127.399902	1.12008
1149	038	2965	0.07	515	3	55	80	2.5	6	3	7412	6897	RH-3	40	form-based			true	0.7	6	1	3	3	8302	7787	7787	1.120076
1150	001	2813	0.06	4630	3	55	80	2.5	5	2	7032	2402	RH-3	40	form-based		true	true	0.7	6	1.200000048	3	3	7876.399902	3246.399902	3246.399902	1.12008
1150	002	2813	0.06	2300	3	55	80	2.5	5	2	7032	4732	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7876.399902	5576.399902	5576.399902	1.12008
1150	010	2433	0.06	3515	2	55	80	2.5	5	3	6082	2567	RH-3	40	form-based			true	0.7	5	1	3	3	6812.399902	3297.399902	3297.399902	1.120092
1150	021	2500	0.06	2880	2	55	80	2.5	5	3	6250	3370	RH-3	40	form-based			true	0.7	5	1	3	3	7000	4120	4120	1.12
1150	031	5178	0.12	7420	8	55	80	2.5	10	2	12945	5525	RH-3	40	form-based			true	0.7	11	1.100000024	3	3	14498.39941	7078.399414	7078.399414	1.12
1150	049	2500	0.06	1314	2	55	80	2.5	5	3	6250	4936	RH-3	40	form-based			true	0.7	5	1	3	3	7000	5686	5686	1.12
1150	053	2812	0.06	1789	3	55	80	2.5	5	2	7030	5241	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7873.600098	6084.600098	6084.600098	1.12
1151	002	3025	0.07	2420	3	55	80	2.5	6	3	7562	5142	RH-3	40	form-based			true	0.7	6	1	3	3	8470	6050	6050	1.120074
1151	008	2444	0.06	2600	2	55	80	2.5	5	3	6110	3510	RH-3	40	form-based			true	0.7	5	1	3	3	6843.199707	4243.199707	4243.199707	1.12
1151	009	2443	0.06	1662	2	55	80	2.5	5	3	6108	4446	RH-3	40	form-based			true	0.7	5	1	3	3	6840.399902	5178.399902	5178.399902	1.119908
1151	012	3378	0.08	3465	4	55	80	2.5	6	2	8445	4980	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9458.399414	5993.399414	5993.399414	1.12
1151	025A	2177	0.05	2760	2	55	80	2.5	4	2	5442	2682	RH-3	40	form-based			true	0.7	5	1.25	3	3	6095.600098	3335.600098	3335.600098	1.120103
1151	028	3346	0.08	3255	4	55	80	2.5	6	2	8365	5110	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9368.799805	6113.799805	6113.799805	1.12
1151	029	3346	0.08	1676	4	55	80	2.5	6	2	8365	6689	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9368.799805	7692.799805	7692.799805	1.12
1151	037	2443	0.06	1240	2	55	80	2.5	5	3	6108	4868	RH-3	40	form-based			true	0.7	5	1	3	3	6840.399902	5600.399902	5600.399902	1.119908
1152	001A	1875	0.04	1750	1	55	80	2.5	3	2	4688	2938	RM-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3500	3500	1.119881
1152	002	2345	0.05	3160	2	55	80	2.5	4	2	5862	2702	RH-3	40	form-based			true	0.7	5	1.25	3	3	6566	3406	3406	1.120095
1152	008	2231	0.05	2300	2	55	80	2.5	4	2	5578	3278	RH-3	40	form-based			true	0.7	5	1.25	3	3	6246.799805	3946.799805	3946.799805	1.1199
1152	012	3594	0.08	7205	5	55	80	2.5	6	1	8985	1780	RM-1	40	form-based			true	0.7	8	1.333333373	3	3	10063.2002	2858.200195	2858.200195	1.12
1152	025	2500	0.06	2300	2	55	80	2.5	5	3	6250	3950	RH-3	40	form-based			true	0.7	5	1	3	3	7000	4700	4700	1.12
1152	040	3094	0.07	1725	3	55	80	2.5	6	3	7735	6010	RH-3	40	form-based			true	0.7	6	1	3	3	8663.200195	6938.200195	6938.200195	1.12
1152	043	2500	0.06	1204	2	55	80	2.5	5	3	6250	5046	RH-3	40	form-based			true	0.7	5	1	3	3	7000	5796	5796	1.12
1152	050	2500	0.06	1381	2	55	80	2.5	5	3	6250	4869	RH-3	40	form-based			true	0.7	5	1	3	3	7000	5619	5619	1.12
1152	054	2232	0.05	1150	2	55	80	2.5	4	2	5580	4430	RH-3	40	form-based			true	0.7	5	1.25	3	3	6249.600098	5099.600098	5099.600098	1.12
1153	029	2056	0.05	1010	3	55	80	2.5	4	1	5140	4130	RM-1	50	form-based		true	true	0.7	6	1.5	3	3	7196	6186	6186	1.4
1153	032	2266	0.05	1010	3	55	80	2.5	4	1	5665	4655	RM-1	50	form-based			true	0.7	6	1.5	3	3	7931	6921	6921	1.4
1154	020	2250	0.05	4890	3	55	80	2.5	4	1	5625	735	RH-3	50	form-based			true	0.7	6	1.5	3	3	7875	2985	2985	1.4
1154	026	1504	0.03	945	1	55	80	2.5	2	1	3760	2815	RH-3	50	form-based			true	0.7	4	2	3	3	5264	4319	4319	1.4
1154	027	2254	0.05	3340	3	55	80	2.5	4	1	5635	2295	RH-3	50	form-based			true	0.7	6	1.5	3	3	7889	4549	4549	1.4
1154	032	2256	0.05	5103	3	55	80	2.5	4	1	5640	537	RH-3	50	form-based		true	true	0.7	6	1.5	3	3	7896	2793	2793	1.4
1154	046	2235	0.05	1775	3	55	80	2.5	4	1	5588	3813	RM-1	50	form-based		true	true	0.7	6	1.5	3	3	7822.5	6047.5	6047.5	1.399875
1155	004	2221	0.05	4125	3	55	80	2.5	4	1	5552	1427	RM-1	50	form-based			true	0.7	6	1.5	3	3	7773.5	3648.5	3648.5	1.400126

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1155	026	2500	0.06	3250	4	55	80	2.5	5	1	6250	3000	RM-1	50	form-based			true	0.7	7	1.399999976	3	3	8750	5500	5500	1.4
1155	044	2179	0.05	1456	3	55	80	2.5	4	1	5448	3992	RM-1	50	form-based			true	0.7	6	1.5	3	3	7626.5	6170.5	6170.5	1.399871
1156	032	2094	0.05	3507	3	55	80	2.5	4	1	5235	1728	RM-1	50	form-based			true	0.7	6	1.5	3	3	7329	3822	3822	1.4
1156	033	2078	0.05	3507	3	55	80	2.5	4	1	5195	1688	RM-1	50	form-based			true	0.7	6	1.5	3	3	7273	3766	3766	1.4
1157	015	2813	0.06	4575	3	55	80	2.5	5	2	7032	2457	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7876.399902	3301.399902	3301.399902	1.12008
1158	004	3031	0.07	2800	3	55	80	2.5	6	3	7578	4778	RH-3	40	form-based			true	0.7	6	1	3	3	8486.799805	5686.799805	5686.799805	1.119926
1158	010	3583	0.08	8225	7	55	80	2.5	6	0	8958	733	RM-1	50	form-based	true		true	0.7	10	1.666666627	3	3	12540.5	4315.5	4315.5	1.399922
1158	022	2492	0.06	5025	4	55	80	2.5	5	1	6230	1205	RM-1	50	form-based	true		true	0.7	7	1.399999976	3	3	8722	3697	3697	1.4
1158	028	2500	0.06	2800	2	55	80	2.5	5	3	6250	3450	RM-1	40	form-based			true	0.7	5	1	3	3	7000	4200	4200	1.12
1158	031	2687	0.06	2740	3	55	80	2.5	5	2	6718	3978	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7523.600098	4783.600098	4783.600098	1.119917
1158	038	2179	0.05	1125	3	55	80	2.5	4	1	5448	4323	RH-3	50	form-based			true	0.7	6	1.5	3	3	7626.5	6501.5	6501.5	1.399871
1158	051	2500	0.06	1727	2	55	80	2.5	5	3	6250	4523	RM-1	40	form-based			true	0.7	5	1	3	3	7000	5273	5273	1.12
1159	002	2596	0.06	1990	2	55	80	2.5	5	3	6490	4500	RM-1	40	form-based			true	0.7	5	1	3	3	7268.799805	5278.799805	5278.799805	1.12
1159	016	1333	0.03	2080	1	55	80	2.5	2	1	3332	1252	RM-1	50	form-based	true		true	0.7	4	2	3	3	4665.5	2585.5	2585.5	1.40021
1159	017	1657	0.04	2250	2	55	80	2.5	3	1	4142	1892	RH-3	50	form-based			true	0.7	5	1.666666627	3	3	5799.5	3549.5	3549.5	1.400169
1159	017A	1636	0.04	2226	2	55	80	2.5	3	1	4090	1864	RH-3	50	form-based			true	0.7	5	1.666666627	3	3	5726	3500	3500	1.4
1159	020	2500	0.06	3000	2	55	80	2.5	5	3	6250	3250	RH-3	40	form-based			true	0.7	5	1	3	3	7000	4000	4000	1.12
1159	022	2500	0.06	3150	2	55	80	2.5	5	3	6250	3100	RH-3	40	form-based			true	0.7	5	1	3	3	7000	3850	3850	1.12
1159	024	3781	0.09	3867	5	55	80	2.5	7	2	9452	5585	RH-3	40	form-based			true	0.7	8	1.142857194	3	3	10586.7998	6719.799805	6719.799805	1.120059
1159	029	2500	0.06	2000	2	55	80	2.5	5	3	6250	4250	RH-3	40	form-based			true	0.7	5	1	3	3	7000	5000	5000	1.12
1159	031	2500	0.06	3965	2	55	80	2.5	5	3	6250	2285	RH-3	40	form-based			true	0.7	5	1	3	3	7000	3035	3035	1.12
1159	043	2500	0.06	1215	2	55	80	2.5	5	3	6250	5035	RH-3	40	form-based			true	0.7	5	1	3	3	7000	5785	5785	1.12
1160	003	2576	0.06	1360	2	55	80	2.5	5	3	6440	5080	RH-3	40	form-based			true	0.7	5	1	3	3	7212.799805	5852.799805	5852.799805	1.12
1160	036	2484	0.06	3100	2	55	80	2.5	5	3	6210	3110	RH-3	40	form-based			true	0.7	5	1	3	3	6955.199707	3855.199707	3855.199707	1.12
1161	001	2303	0.05	2525	2	55	80	2.5	4	2	5758	3233	RH-2	40	form-based	true		true	0.7	5	1.25	3	3	6448.399902	3923.399902	3923.399902	1.119903
1161	016	2250	0.05	2950	2	55	80	2.5	4	2	5625	2675	RH-2	40	form-based	true		true	0.7	5	1.25	3	3	6300	3350	3350	1.12
1162	016	2250	0.05	2775	2	55	80	2.5	4	2	5625	2850	RH-2	40	form-based	true		true	0.7	5	1.25	3	3	6300	3525	3525	1.12
1162	018	2250	0.05	2450	2	55	80	2.5	4	2	5625	3175	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3850	3850	1.12
1162	020	2250	0.05	2900	2	55	80	2.5	4	2	5625	2725	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3400	3400	1.12
1162	021	2250	0.05	2450	2	55	80	2.5	4	2	5625	3175	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3850	3850	1.12
1162	022	2250	0.05	2837	2	55	80	2.5	4	2	5625	2788	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3463	3463	1.12
1162	023	2468	0.06	2021	2	55	80	2.5	5	3	6170	4149	RH-2	40	form-based			true	0.7	5	1	3	3	6910.399902	4889.399902	4889.399902	1.12
1163	003	2526	0.06	2450	2	55	80	2.5	5	3	6315	3865	RH-2	40	form-based			true	0.7	5	1	3	3	7072.799805	4622.799805	4622.799805	1.12
1163	004	2526	0.06	2900	2	55	80	2.5	5	3	6315	3415	RH-2	40	form-based			true	0.7	5	1	3	3	7072.799805	4172.799805	4172.799805	1.12
1163	005	2526	0.06	2450	2	55	80	2.5	5	3	6315	3865	RH-2	40	form-based			true	0.7	5	1	3	3	7072.799805	4622.799805	4622.799805	1.12
1163	011	2500	0.06	3150	2	55	80	2.5	5	3	6250	3100	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3850	3850	1.12
1163	013	2500	0.06	2358	2	55	80	2.5	5	3	6250	3892	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4642	4642	1.12
1163	014	2500	0.06	2945	2	55	80	2.5	5	3	6250	3305	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4055	4055	1.12
1163	015	2500	0.06	3200	2	55	80	2.5	5	3	6250	3050	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3800	3800	1.12
1163	017	2250	0.05	2730	2	55	80	2.5	4	2	5625	2895	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3570	3570	1.12
1163	018	2250	0.05	2550	2	55	80	2.5	4	2	5625	3075	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3750	3750	1.12
1163	019	2250	0.05	3000	2	55	80	2.5	4	2	5625	2625	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3300	3300	1.12
1163	028	2250	0.05	2248	2	55	80	2.5	4	2	5625	3377	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	4052	4052	1.12
1163	030	2250	0.05	2266	2	55	80	2.5	4	2	5625	3359	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	4034	4034	1.12
1163	032	2250	0.05	2266	2	55	80	2.5	4	2	5625	3359	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	4034	4034	1.12
1163	034	2343	0.05	4129	2	55	80	2.5	4	2	5858	1729	RH-2	40	form-based	true		true	0.7	5	1.25	3	3	6560.399902	2431.399902	2431.399902	1.119904
1163	036	2526	0.06	1612	2	55	80	2.5	5	3	6315	4703	RH-2	40	form-based			true	0.7	5	1	3	3	7072.799805	5460.799805	5460.799805	1.12
1163	038	2526	0.06	1850	2	55	80	2.5	5	3	6315	4465	RH-2	40	form-based			true	0.7	5	1	3	3	7072.799805	5222.799805	5222.799805	1.12
1163	044	2500	0.06	1591	2	55	80	2.5	5	3	6250	4659	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5409	5409	1.12
1166	001G	1697	0.04	1670	1	55	80	2.5	3	2	4242	2572	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4751.600098	3081.600098	3081.600098	1.120132
1166	002	2113	0.05	1975	1	55	80	2.5	4	3	5282	3307	RH-1	40	form-based	true		true	0.7	4	1	3	3	5916.399902	3941.399902	3941.399902	1.120106
1166	002A	1950	0.04	1150	1	55	80	2.5	3	2	4875	3725	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5460	4310	4310	1.12
1166	002B	1962	0.05	1550	1	55	80	2.5	4	3	4905	3355	RH-1	40	form-based			true	0.7	4	1	3	3	5493.600098	3943.600098	3943.600098	1.12
1166	002H	2069	0.05	1612	1	55	80	2.5	4	3	5172	3560	RH-1	40	form-based			true	0.7	4	1	3	3	5793.199707	4181.199707	4181.199707	1.120108
1166	006	2524	0.06	2226	2	55	80	2.5	5	3	6310	4084	RH-2	40	form-based			true	0.7	5	1	3	3	7067.199707	4841.199707	4841.199707	1.12
1166	010	2515	0.06	2944	2	55	80	2.5	5	3	6288	3344	RH-2	40	form-based			true	0.7	5	1	3	3	7042	4098	4098	1.119911
1166	011	2114	0.05	1000	1	55	80	2.5	4	3	5285	4285	RH-2	40	form-based			true	0.7	4	1	3	3	5919.199707	4919.199707	4919.199707	1.12
1166	013	3410	0.08	3086	4	55	80	2.5	6	2	8525	5439	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9548	6462	6462	1.12
1166	020	1956	0.04	1000	1	55	80	2.5	3	2	4890	3890	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5476.799805	4476.799805	4476.799805	1.12
1166	021	1964	0.05	1506	1	55	80	2.5	4	3	4910	3404	RH-1	40	form-based			true	0.7	4	1	3	3	5499.199707	3993.199707	3993.199707	1.12
1166	021A	2000	0.05	1235	1	55	80	2.5	4	3	5000	3765	RH-2	40	form-based			true	0.7	4	1	3	3	5600	4365	4365	1.12
1166	021B	2000	0.05	1150	1	55	80	2.5	4	3	5000	3850	RH-2	40	form-based			true	0.7	4	1	3	3	5600	4450	4450	1.12
1166	029	2607	0.06	2160	2	55	80	2.5	5	3	6518	4358	RH-2	40	form-based			true	0.7	5	1	3	3	7299.600098	5139.600098	5139.600098	1.119914
1166	030	2607	0.06	2160	2	55	80	2.5	5	3	6518	4358	RH-2	40	form-based			true	0.7	5	1	3	3	7299.600098	5139.600098	5139.600098	1.119914

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1166	032	2555	0.06	2160	2	55	80	2.5	5	3	6388	4228	RH-2	40	form-based			true	0.7	5	1	3	3	7154	4994	4994	1.119912
1166	040	1693	0.04	1600	1	55	80	2.5	3	2	4232	2632	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4740.399902	3140.399902	3140.399902	1.120132
1166	041	1788	0.04	1200	1	55	80	2.5	3	2	4470	3270	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5006.399902	3806.399902	3806.399902	1.12
1166	042	1727	0.04	1200	1	55	80	2.5	3	2	4318	3118	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4835.600098	3635.600098	3635.600098	1.11987
1166	048	2295	0.05	1648	2	55	80	2.5	4	2	5738	4090	RH-2	40	form-based			true	0.7	5	1.25	3	3	6426	4778	4778	1.119902
1167	001	2163	0.05	5437	2	55	80	2.5	4	2	5408	0	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6056.399902	619.3999023	619.3999023	1.119896
1167	002	2251	0.05	3400	2	55	80	2.5	4	2	5628	2228	RH-2	40	form-based			true	0.7	5	1.25	3	3	6302.799805	2902.799805	2902.799805	1.1199
1167	014	3423	0.08	3216	4	55	80	2.5	6	2	8558	5342	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9584.399414	6368.399414	6368.399414	1.119934
1167	014A	3570	0.08	3216	4	55	80	2.5	6	2	8925	5709	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9996	6780	6780	1.12
1167	015	3574	0.08	3614	5	55	80	2.5	6	1	8935	5321	RH-3	40	form-based			true	0.7	8	1.333333373	3	3	10007.2002	6393.200195	6393.200195	1.12
1167	017	3400	0.08	3200	4	55	80	2.5	6	2	8500	5300	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9520	6320	6320	1.12
1167	019	2426	0.06	3050	2	55	80	2.5	5	3	6065	3015	NC-1	40	form-based			true	0.75	5	1	3	3	7278	4228	4228	1.2
1167	020	2620	0.06	3050	3	55	80	2.5	5	2	6550	3500	NC-1	40	form-based			true	0.75	6	1.200000048	3	3	7860	4810	4810	1.2
1167	024	2455	0.06	2800	2	55	80	2.5	5	3	6138	3338	RM-2	40	form-based			true	0.7	5	1	3	3	6874	4074	4074	1.119909
1167	025	2524	0.06	2700	2	55	80	2.5	5	3	6310	3610	RM-2	40	form-based			true	0.7	5	1	3	3	7067.199707	4367.199707	4367.199707	1.12
1167	025A	2561	0.06	2950	2	55	80	2.5	5	3	6402	3452	RM-2	40	form-based			true	0.7	5	1	3	3	7170.799805	4220.799805	4220.799805	1.120087
1167	038	2111	0.05	1400	1	55	80	2.5	4	3	5278	3878	RH-2	40	form-based			true	0.7	4	1	3	3	5910.799805	4510.799805	4510.799805	1.119894
1167	047	2424	0.06	1346	2	55	80	2.5	5	3	6060	4714	RH-2	40	form-based			true	0.7	5	1	3	3	6787.199707	5441.199707	5441.199707	1.12
1168	004	2029	0.05	2670	1	55	80	2.5	4	3	5072	2402	RM-1	40	form-based			true	0.7	4	1	3	3	5681.199707	3011.199707	3011.199707	1.12011
1168	030	2490	0.06	3630	2	55	80	2.5	5	3	6225	2595	RM-2	40	form-based			true	0.7	5	1	3	3	6972	3342	3342	1.12
1168	031	2425	0.06	2520	2	55	80	2.5	5	3	6062	3542	RM-2	40	form-based			true	0.7	5	1	3	3	6790	4270	4270	1.120092
1168	033	2296	0.05	3200	2	55	80	2.5	4	2	5740	2540	RM-2	40	form-based			true	0.7	5	1.25	3	3	6428.799805	3228.799805	3228.799805	1.12
1168	038	3438	0.08	5005	4	55	80	2.5	6	2	8595	3590	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9626.399414	4621.399414	4621.399414	1.12
1169	014	1980	0.05	2500	1	55	80	2.5	4	3	4950	2450	RH-2	40	form-based			true	0.7	4	1	3	3	5544	3044	3044	1.12
1169	015	3000	0.07	6000	3	55	80	2.5	6	3	7500	1500	RH-2	40	form-based			true	0.7	6	1	3	3	8400	2400	2400	1.12
1169	019	2375	0.05	2660	2	55	80	2.5	4	2	5938	3278	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	3990	3990	1.119906
1169	020	2375	0.05	2660	2	55	80	2.5	4	2	5938	3278	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	3990	3990	1.119906
1169	025	2386	0.05	3010	2	55	80	2.5	4	2	5965	2955	RH-2	40	form-based			true	0.7	5	1.25	3	3	6680.799805	3670.799805	3670.799805	1.12
1169	026	2364	0.05	2950	2	55	80	2.5	4	2	5910	2960	RH-2	40	form-based			true	0.7	5	1.25	3	3	6619.199707	3669.199707	3669.199707	1.12
1169	027	2375	0.05	2950	2	55	80	2.5	4	2	5938	2988	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	3700	3700	1.119906
1169	031	2523	0.06	2800	2	55	80	2.5	5	3	6308	3508	RH-2	40	form-based			true	0.7	5	1	3	3	7064.399902	4264.399902	4264.399902	1.119911
1169	032	2594	0.06	2700	2	55	80	2.5	5	3	6485	3785	RH-2	40	form-based			true	0.7	5	1	3	3	7263.199707	4563.199707	4563.199707	1.12
1169	033	2665	0.06	2800	3	55	80	2.5	5	2	6662	3862	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7462	4662	4662	1.120084
1169	036	2375	0.05	2750	2	55	80	2.5	4	2	5938	3188	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	3900	3900	1.119906
1169	053	2375	0.05	1266	2	55	80	2.5	4	2	5938	4672	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	5384	5384	1.119906
1173	001L	2669	0.06	3432	3	55	80	2.5	5	2	6672	3240	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7473.199707	4041.199707	4041.199707	1.120084
1173	007	2596	0.06	2924	2	55	80	2.5	5	3	6490	3566	RH-2	40	form-based			true	0.7	5	1	3	3	7268.799805	4344.799805	4344.799805	1.12
1173	008	2596	0.06	2654	2	55	80	2.5	5	3	6490	3836	RH-2	40	form-based			true	0.7	5	1	3	3	7268.799805	4614.799805	4614.799805	1.12
1173	019	2604	0.06	1335	2	55	80	2.5	5	3	6510	5175	RH-2	40	form-based			true	0.7	5	1	3	3	7291.199707	5956.199707	5956.199707	1.12
1174	017	2291	0.05	3200	2	55	80	2.5	4	2	5728	2528	RH-2	40	form-based			true	0.7	5	1.25	3	3	6414.799805	3214.799805	3214.799805	1.119902
1174	020	2291	0.05	3070	2	55	80	2.5	4	2	5728	2658	RH-2	40	form-based			true	0.7	5	1.25	3	3	6414.799805	3344.799805	3344.799805	1.119902
1174	021	2229	0.05	1632	2	55	80	2.5	4	2	5572	3940	RH-2	40	form-based			true	0.7	5	1.25	3	3	6241.199707	4609.199707	4609.199707	1.1201
1174	031	2352	0.05	1600	2	55	80	2.5	4	2	5880	4280	RH-2	40	form-based			true	0.7	5	1.25	3	3	6585.600098	4985.600098	4985.600098	1.12
1176	003	2656	0.06	5070	3	55	80	2.5	5	2	6640	1570	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7436.799805	2366.799805	2366.799805	1.12
1176	014	3494	0.08	6000	4	55	80	2.5	6	2	8735	2735	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9783.200195	3783.200195	3783.200195	1.12
1176	017	2654	0.06	2800	3	55	80	2.5	5	2	6635	3835	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7431.199707	4631.199707	4631.199707	1.12
1176	021	2680	0.06	3010	3	55	80	2.5	5	2	6700	3690	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7504	4494	4494	1.12
1176	023	1688	0.04	1556	2	55	80	2.5	3	1	4220	2664	RH-3	50	form-based			true	0.7	5	1.666666627	3	3	5908	4352	4352	1.4
1176	056	2557	0.06	1474	2	55	80	2.5	5	3	6392	4918	RH-3	40	form-based			true	0.7	5	1	3	3	7159.600098	5685.600098	5685.600098	1.120088
1176	075	2656	0.06	1391	3	55	80	2.5	5	2	6640	5249	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7436.799805	6045.799805	6045.799805	1.12
1177	055	2557	0.06	1455	2	55	80	2.5	5	3	6392	4937	RH-3	40	form-based			true	0.7	5	1	3	3	7159.600098	5704.600098	5704.600098	1.120088
1177	068	2546	0.06	5334	2	55	80	2.5	5	3	6365	1031	RH-3	40	form-based			true	0.7	5	1	3	3	7128.799805	1794.799805	1794.799805	1.12
1178	005	1969	0.05	2836	1	55	80	2.5	4	3	4922	2086	RH-3	40	form-based			true	0.7	4	1	3	3	5513.199707	2677.199707	2677.199707	1.120114
1178	006	1969	0.05	2733	1	55	80	2.5	4	3	4922	2189	RH-3	40	form-based			true	0.7	4	1	3	3	5513.199707	2780.199707	2780.199707	1.120114
1178	009	3494	0.08	3250	4	55	80	2.5	6	2	8735	5485	RM-1	40	form-based			true	0.7	7	1.166666627	3	3	9783.200195	6533.200195	6533.200195	1.12
1178	019A	1650	0.04	1680	2	55	80	2.5	3	1	4125	2445	RM-1	50	form-based			true	0.7	5	1.666666627	3	3	5775	4095	4095	1.4
1178	021	2500	0.06	3750	4	55	80	2.5	5	1	6250	2500	RM-1	50	form-based			true	0.7	7	1.399999976	3	3	8750	5000	5000	1.4
1178	024	3609	0.08	7348	7	55	80	2.5	6	0	9022	1674	RM-1	50	form-based			true	0.7	10	1.666666627	3	3	12631.5	5283.5	5283.5	1.400078
1178	028	2852	0.07	1672	3	55	80	2.5	6	3	7130	5458	RM-1	40	form-based			true	0.7	6	1	3	3	7985.600098	6313.600098	6313.600098	1.12
1179	017	2200	0.05	5397	3	55	80	2.5	4	1	5500	103	RH-3	50	form-based			true	0.7	6	1.5	3	3	7700	2303	2303	1.4
1179	024	5500	0.13	9579	12	55	80	2.5	10	0	13750	4171	RM-1	50	form-based			true	0.7	15	1.5	3	3	19250	9671	9671	1.4
1179	071	1969	0.05	533	3	55	80	2.5	4	1	4922	4389	RH-3	50	form-based			true	0.7	6	1.5	3	3	6891.5	6358.5	6358.5	1.400142
1180	004	4032	0.09	4274	2	55	80	2.5	7	5	10080	5806	RM-1	40	density-lim	800			0.7	5	0.714285731	3	3	11289.59961	7015.599609	7015.599609	1.12
1181	003	2773	0.06	2750	1	55	80	2.5	5	4	6932	4182	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7764.399902	5014.399902	5014.399902	1.120081

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1181	004	2774	0.06	2750	1	55	80	2.5	5	4	6935	4185	RH-3	40	density-lin	1000			0.7	4	0.800000012	3	3	7767.199707	5017.199707	5017.199707	1.12
1181	007	2776	0.06	2500	1	55	80	2.5	5	4	6940	4440	RH-3	40	density-lin	1000			0.7	4	0.800000012	3	3	7772.799805	5272.799805	5272.799805	1.12
1181	008	3055	0.07	3310	1	55	80	2.5	6	5	7638	4328	RH-3	40	density-lin	1000			0.7	4	0.666666687	3	3	8554	5244	5244	1.119927
1181	020	2642	0.06	1779	1	55	80	2.5	5	4	6605	4826	RH-3	40	density-lin	1000			0.7	4	0.800000012	3	3	7397.600098	5618.600098	5618.600098	1.12
1181	022	6684	0.15	4723	4	55	80	2.5	12	8	16710	11987	RH-3	40	density-lin	1000			0.7	7	0.583333313	3	3	18715.19922	13992.19922	13992.19922	1.12
1182	071	1717	0.04	775	2	55	80	2.5	3	1	4292	3517	RM-1	50	form-based			true	0.7	5	1.666666627	3	3	6009.5	5234.5	5234.5	1.400163
1183	004	2500	0.06	2760	2	55	80	2.5	5	3	6250	3490	RH-3	40	form-based			true	0.7	5	1	3	3	7000	4240	4240	1.12
1183	005	2500	0.06	3360	2	55	80	2.5	5	3	6250	2890	RH-3	40	form-based			true	0.7	5	1	3	3	7000	3640	3640	1.12
1183	021	3063	0.07	3500	3	55	80	2.5	6	3	7658	4158	RH-3	40	form-based			true	0.7	6	1	3	3	8576.399414	5076.399414	5076.399414	1.119927
1183	046	3421	0.08	829	4	55	80	2.5	6	2	8552	7723	RM-1	40	form-based			true	0.7	7	1.166666627	3	3	9578.799805	8749.799805	8749.799805	1.120065
1183	053	3063	0.07	1628	3	55	80	2.5	6	3	7658	6030	RH-3	40	form-based			true	0.7	6	1	3	3	8576.399414	6948.399414	6948.399414	1.119927
1183	063	2500	0.06	1329	2	55	80	2.5	5	3	6250	4921	RM-1	40	form-based			true	0.7	5	1	3	3	7000	5671	5671	1.12
1183	065	2500	0.06	1335	2	55	80	2.5	5	3	6250	4915	RH-3	40	form-based			true	0.7	5	1	3	3	7000	5665	5665	1.12
1183	075	2500	0.06	1490	2	55	80	2.5	5	3	6250	4760	RH-3	40	form-based			true	0.7	5	1	3	3	7000	5510	5510	1.12
1183	089	3064	0.07	2106	3	55	80	2.5	6	3	7660	5554	RH-3	40	form-based			true	0.7	6	1	3	3	8579.200195	6473.200195	6473.200195	1.12
1184	018	2484	0.06	3500	2	55	80	2.5	5	3	6210	2710	RH-3	40	form-based			true	0.7	5	1	3	3	6955.199707	3455.199707	3455.199707	1.12
1184	024	2422	0.06	3650	2	55	80	2.5	5	3	6055	2405	RH-3	40	form-based			true	0.7	5	1	3	3	6781.600098	3131.600098	3131.600098	1.12
1184	025	2422	0.06	4785	2	55	80	2.5	5	3	6055	1270	RH-3	40	form-based			true	0.7	5	1	3	3	6781.600098	1996.600098	1996.600098	1.12
1184	034	2500	0.06	3760	2	55	80	2.5	5	3	6250	2490	RH-3	40	form-based			true	0.7	5	1	3	3	7000	3240	3240	1.12
1185	003	2656	0.06	4650	3	55	80	2.5	5	2	6640	1990	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7436.799805	2786.799805	2786.799805	1.12
1185	008	2500	0.06	3700	2	55	80	2.5	5	3	6250	2550	RH-3	40	form-based			true	0.7	5	1	3	3	7000	3300	3300	1.12
1185	014	3421	0.08	4845	4	55	80	2.5	6	2	8552	3707	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9578.799805	4733.799805	4733.799805	1.120065
1185	031	3437	0.08	3707	4	55	80	2.5	6	2	8592	4885	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9623.599609	5916.599609	5916.599609	1.120065
1185	037	2500	0.06	2830	2	55	80	2.5	5	3	6250	3420	RH-3	40	form-based			true	0.7	5	1	3	3	7000	4170	4170	1.12
1185	038	2500	0.06	2206	2	55	80	2.5	5	3	6250	4044	RH-3	40	form-based			true	0.7	5	1	3	3	7000	4794	4794	1.12
1189	006	2484	0.06	2720	2	55	80	2.5	5	3	6210	3490	RH-2	40	form-based			true	0.7	5	1	3	3	6955.199707	4235.199707	4235.199707	1.12
1186	032	2295	0.05	1739	2	55	80	2.5	4	2	5738	3999	RH-2	40	form-based			true	0.7	5	1.25	3	3	6426	4687	4687	1.119902
1186	036	2206	0.05	1502	2	55	80	2.5	4	2	5515	4013	RH-2	40	form-based			true	0.7	5	1.25	3	3	6176.799805	4674.799805	4674.799805	1.12
1187	003D	2500	0.06	2700	2	55	80	2.5	5	3	6250	3550	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4300	4300	1.12
1187	003E	2500	0.06	2700	2	55	80	2.5	5	3	6250	3550	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4300	4300	1.12
1187	003F	2500	0.06	2838	2	55	80	2.5	5	3	6250	3412	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4162	4162	1.12
1187	003G	2500	0.06	2700	2	55	80	2.5	5	3	6250	3550	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4300	4300	1.12
1187	004	3421	0.08	3452	4	55	80	2.5	6	2	8552	5100	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9578.799805	6126.799805	6126.799805	1.120065
1187	006E	2267	0.05	2880	2	55	80	2.5	4	2	5668	2788	RH-2	40	form-based			true	0.7	5	1.25	3	3	6347.600098	3467.600098	3467.600098	1.119901
1187	007	2500	0.06	3770	2	55	80	2.5	5	3	6250	2480	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3230	3230	1.12
1187	009	2500	0.06	3400	2	55	80	2.5	5	3	6250	2850	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3600	3600	1.12
1187	009A	2500	0.06	3330	2	55	80	2.5	5	3	6250	2920	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3670	3670	1.12
1187	014	2484	0.06	1518	2	55	80	2.5	5	3	6210	4692	RH-2	40	form-based			true	0.7	5	1	3	3	6955.199707	5437.199707	5437.199707	1.12
1187	018	2500	0.06	1585	2	55	80	2.5	5	3	6250	4665	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5415	5415	1.12
1187	033	2267	0.05	1711	2	55	80	2.5	4	2	5668	3957	RH-2	40	form-based			true	0.7	5	1.25	3	3	6347.600098	4636.600098	4636.600098	1.119901
1188	011	2656	0.06	3400	3	55	80	2.5	5	2	6640	3240	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7436.799805	4036.799805	4036.799805	1.12
1188	020	2656	0.06	3570	3	55	80	2.5	5	2	6640	3070	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7436.799805	3866.799805	3866.799805	1.12
1190	001B	3000	0.07	3162	3	55	80	2.5	6	3	7500	4338	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5238	5238	1.12
1190	001F	2250	0.05	1920	2	55	80	2.5	4	2	5625	3705	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	4380	4380	1.12
1190	006	3000	0.07	1594	3	55	80	2.5	6	3	7500	5906	RH-2	40	form-based			true	0.7	6	1	3	3	8400	6806	6806	1.12
1201	037	3030	0.07	5856	5	55	80	2.5	6	1	7575	1719	RM-1	50	form-based			true	0.7	8	1.333333373	3	3	10605	4749	4749	1.4
1201	082	1754	0.04	1128	2	55	80	2.5	3	1	4385	3257	RM-1	50	form-based			true	0.7	5	1.666666627	3	3	6139	5011	5011	1.4
1202	003	6447	0.15	12180	15	55	80	2.5	12	0	16118	3938	RM-2	50	form-based			true	0.7	18	1.5	3	3	22564.5	10384.5	10384.5	1.399957
1202	004	3154	0.07	2654	2	55	80	2.5	6	4	7885	5231	RM-2	40	density-lin	600	true		0.7	5	0.833333313	3	3	8831.200195	6177.200195	6177.200195	1.12
1203	048	2500	0.06	422	4	55	80	2.5	5	1	6250	5828	RH-3	50	form-based			true	0.7	7	1.399999976	3	3	8750	8328	8328	1.4
1205	003	2422	0.06	3767	2	55	80	2.5	5	3	6055	2288	RH-3	40	form-based			true	0.7	5	1	3	3	6781.600098	3014.600098	3014.600098	1.12
1205	005	2422	0.06	2750	2	55	80	2.5	5	3	6055	3305	RH-3	40	form-based			true	0.7	5	1	3	3	6781.600098	4031.600098	4031.600098	1.12
1205	009	2422	0.06	3105	2	55	80	2.5	5	3	6055	2950	RH-3	40	form-based			true	0.7	5	1	3	3	6781.600098	3676.600098	3676.600098	1.12
1205	050	2422	0.06	1218	2	55	80	2.5	5	3	6055	4837	RH-3	40	form-based			true	0.7	5	1	3	3	6781.600098	5563.600098	5563.600098	1.12
1210	020	2476	0.06	3322	2	55	80	2.5	5	3	6190	2868	RH-3	40	form-based			true	0.7	5	1	3	3	6932.799805	3610.799805	3610.799805	1.12
1210	023	3095	0.07	7275	3	55	80	2.5	6	3	7738	463	RH-3	40	form-based		true	true	0.7	6	1	3	3	8666	1391	1391	1.119928
1211	004	2665	0.06	5115	3	55	80	2.5	5	2	6662	1547	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7462	2347	2347	1.120084
1211	009	2498	0.06	3250	2	55	80	2.5	5	3	6245	2995	RH-3	40	form-based			true	0.7	5	1	3	3	6994.399902	3744.399902	3744.399902	1.12
1211	011	2498	0.06	3900	2	55	80	2.5	5	3	6245	2345	RH-3	40	form-based			true	0.7	5	1	3	3	6994.399902	3094.399902	3094.399902	1.12
1211	013	6874	0.16	4800	11	55	80	2.5	13	2	17185	12385	RH-3	40	form-based			true	0.7	14	1.076923132	3	3	19247.19922	14447.19922	14447.19922	1.12
1211	021	2502	0.06	2934	2	55	80	2.5	5	3	6255	3321	RH-3	40	form-based			true	0.7	5	1	3	3	7005.600098	4071.600098	4071.600098	1.12
1211	042	2656	0.06	1370	3	55	80	2.5	5	2	6640	5270	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7436.799805	6066.799805	6066.799805	1.12
1211	045	2498	0.06	3900	2	55	80	2.5	5	3	6245	2345	RH-3	40	form-based			true	0.7	5	1	3	3	6994.399902	3094.399902	3094.399902	1.12
1211	051	3412	0.08	691	4	55	80	2.5	6	2	8530	7839	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9553.599609	8862.599609	8862.599609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1211	068	2656	0.06	950	3	55	80	2.5	5	2	6640	5690	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7436.799805	6486.799805	6486.799805	1.12
1212	002A	2579	0.06	3480	2	55	80	2.5	5	3	6448	2968	RH-3	40	form-based			true	0.7	5	1	3	3	7221.199707	3741.199707	3741.199707	1.119913
1212	004	2580	0.06	2980	2	55	80	2.5	5	3	6450	3470	RH-3	40	form-based			true	0.7	5	1	3	3	7224	4244	4244	1.12
1212	014	7322	0.17	12036	12	55	80	2.5	14	2	18305	6269	RM-1	40	form-based			true	0.7	15	1.071428537	3	3	20501.59961	8465.599609	8465.599609	1.12
1212	019	2500	0.06	3520	2	55	80	2.5	5	3	6250	2730	RH-3	40	form-based			true	0.7	5	1	3	3	7000	3480	3480	1.12
1212	062	2581	0.06	1181	2	55	80	2.5	5	3	6452	5271	RH-3	40	form-based			true	0.7	5	1	3	3	7226.799805	6045.799805	6045.799805	1.120087
1212	069	2579	0.06	1003	2	55	80	2.5	5	3	6448	5445	RH-3	40	form-based			true	0.7	5	1	3	3	7221.199707	6218.199707	6218.199707	1.119913
1214	009	1357	0.03	0	0	55	80	2.5	2	2	3392	3392	RM-2	40	form-based		true	true	0.7	3	1.5	3	3	3799.599854	3799.599854	3799.599854	1.120165
1216	004	1943	0.04	1380	2	55	80	2.5	3	1	4858	3478	RH-3	50	form-based			true	0.7	5	1.666666627	3	3	6800.5	5420.5	5420.5	1.399856
1216	027	2138	0.05	3168	3	55	80	2.5	4	1	5345	2177	RH-3	50	form-based			true	0.7	6	1.5	3	3	7483	4315	4315	1.4
1216	058	2138	0.05	1405	3	55	80	2.5	4	1	5345	3940	RH-3	50	form-based			true	0.7	6	1.5	3	3	7483	6078	6078	1.4
1217	003	2628	0.06	2880	4	55	80	2.5	5	1	6570	3690	RH-3	50	form-based			true	0.7	7	1.399999976	3	3	9198	6318	6318	1.4
1217	004	2628	0.06	2100	4	55	80	2.5	5	1	6570	4470	RH-3	50	form-based			true	0.7	7	1.399999976	3	3	9198	7098	7098	1.4
1217	008	2628	0.06	4080	4	55	80	2.5	5	1	6570	2490	RH-3	50	form-based			true	0.7	7	1.399999976	3	3	9198	5118	5118	1.4
1218	023	2112	0.05	3980	3	55	80	2.5	4	1	5280	1300	RM-2	50	form-based		true	true	0.7	6	1.5	3	3	7392	3412	3412	1.4
1218	025	1823	0.04	1912	2	55	80	2.5	3	1	4558	2646	RM-2	50	form-based			true	0.7	5	1.666666627	3	3	6380.5	4468.5	4468.5	1.399846
1218	025A	1851	0.04	1912	2	55	80	2.5	3	1	4628	2716	RM-2	50	form-based			true	0.7	5	1.666666627	3	3	6478.5	4566.5	4566.5	1.399849
1218	025B	1851	0.04	2052	2	55	80	2.5	3	1	4628	2576	RM-2	50	form-based			true	0.7	5	1.666666627	3	3	6478.5	4426.5	4426.5	1.399849
1219	007	2500	0.06	3125	2	55	80	2.5	5	3	6250	3125	RM-2	40	form-based			true	0.7	5	1	3	3	7000	3875	3875	1.12
1219	021	2422	0.06	3300	2	55	80	2.5	5	3	6055	2755	RH-3	40	form-based			true	0.7	5	1	3	3	6781.600098	3481.600098	3481.600098	1.12
1219	022	2422	0.06	3400	2	55	80	2.5	5	3	6055	2655	RH-3	40	form-based			true	0.7	5	1	3	3	6781.600098	3381.600098	3381.600098	1.12
1219	023	2422	0.06	3400	2	55	80	2.5	5	3	6055	2655	RH-3	40	form-based			true	0.7	5	1	3	3	6781.600098	3381.600098	3381.600098	1.12
1219	031	3450	0.08	3930	4	55	80	2.5	6	2	8625	4695	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9660	5730	5730	1.12
1219	034	3450	0.08	3930	4	55	80	2.5	6	2	8625	4695	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9660	5730	5730	1.12
1219	035	3450	0.08	3930	4	55	80	2.5	6	2	8625	4695	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9660	5730	5730	1.12
1219	054	3450	0.08	757	4	55	80	2.5	6	2	8625	7868	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9660	8903	8903	1.12
1219	058	2500	0.06	2012	2	55	80	2.5	5	3	6250	4238	RH-3	40	form-based			true	0.7	5	1	3	3	7000	4988	4988	1.12
1219	071	3449	0.08	754	4	55	80	2.5	6	2	8622	7868	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9657.200195	8903.200195	8903.200195	1.120065
1219	075	3437	0.08	1609	4	55	80	2.5	6	2	8592	6983	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9623.599609	8014.599609	8014.599609	1.120065
1219	082	3450	0.08	753	4	55	80	2.5	6	2	8625	7872	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9660	8907	8907	1.12
1220	013	3437	0.08	4635	4	55	80	2.5	6	2	8592	3957	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9623.599609	4988.599609	4988.599609	1.120065
1220	014	2700	0.06	3432	3	55	80	2.5	5	2	6750	3318	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7560	4128	4128	1.12
1220	016	2500	0.06	3700	2	55	80	2.5	5	3	6250	2550	RH-3	40	form-based			true	0.7	5	1	3	3	7000	3300	3300	1.12
1220	018	2550	0.06	2350	2	55	80	2.5	5	3	6375	4025	RH-3	40	form-based			true	0.7	5	1	3	3	7140	4790	4790	1.12
1220	020	2279	0.05	3100	2	55	80	2.5	4	2	5698	2598	RH-3	40	form-based			true	0.7	5	1.25	3	3	6381.199707	3281.199707	3281.199707	1.119902
1220	032	3358	0.08	4500	4	55	80	2.5	6	2	8395	3895	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9402.399414	4902.399414	4902.399414	1.12
1220	033	3781	0.09	824	5	55	80	2.5	7	2	9452	8628	RH-3	40	form-based			true	0.7	8	1.142857194	3	3	10586.7998	9762.799805	9762.799805	1.120059
1222	005	2098	0.05	1939	1	55	80	2.5	4	3	5245	3306	RH-3	40	form-based			true	0.7	4	1	3	3	5874.399902	3935.399902	3935.399902	1.12
1222	006	2099	0.05	1900	1	55	80	2.5	4	3	5248	3348	RH-3	40	form-based			true	0.7	4	1	3	3	5877.199707	3977.199707	3977.199707	1.119893
1222	007	2099	0.05	1740	1	55	80	2.5	4	3	5248	3508	RH-3	40	form-based			true	0.7	4	1	3	3	5877.199707	4137.199707	4137.199707	1.119893
1222	015	2500	0.06	3322	2	55	80	2.5	5	3	6250	2928	RH-3	40	form-based			true	0.7	5	1	3	3	7000	3678	3678	1.12
1222	047	3440	0.08	764	4	55	80	2.5	6	2	8600	7836	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9632	8868	8868	1.12
1222	061	3440	0.08	4100	4	55	80	2.5	6	2	8600	4500	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9632	5532	5532	1.12
1223	010	2062	0.05	2500	1	55	80	2.5	4	3	5155	2655	RH-3	40	form-based			true	0.7	4	1	3	3	5773.600098	3273.600098	3273.600098	1.12
1223	016	2214	0.05	4260	2	55	80	2.5	4	2	5535	1275	RH-3	40	form-based			true	0.7	5	1.25	3	3	6199.199707	1939.199707	1939.199707	1.12
1224	004	5332	0.12	7860	8	55	80	2.5	10	2	13330	5470	RH-3	40	form-based			true	0.7	11	1.100000024	3	3	14929.59961	7069.599609	7069.599609	1.12
1224	018	2456	0.06	2170	2	55	80	2.5	5	3	6140	3970	RH-3	40	form-based			true	0.7	5	1	3	3	6876.799805	4706.799805	4706.799805	1.12
1224	022	2656	0.06	3660	3	55	80	2.5	5	2	6640	2980	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7436.799805	3776.799805	3776.799805	1.12
1224	032	3391	0.08	3172	4	55	80	2.5	6	2	8478	5306	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9494.799805	6322.799805	6322.799805	1.119934
1224	063	2500	0.06	1616	2	55	80	2.5	5	3	6250	4634	RH-3	40	form-based			true	0.7	5	1	3	3	7000	5384	5384	1.12
1225	001	1297	0.03	4004	0	55	80	2.5	2	2	3242	0	RM-2	40	form-based		true	true	0.7	3	1.5	3	3	3631.599854	0	0	1.120173
1225	007	2634	0.06	1465	3	55	80	2.5	5	2	6585	5120	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7375.199707	5910.199707	5910.199707	1.12
1225	021	2500	0.06	2780	2	55	80	2.5	5	3	6250	3470	RH-3	40	form-based			true	0.7	5	1	3	3	7000	4220	4220	1.12
1225	042	2500	0.06	3527	2	55	80	2.5	5	3	6250	2723	RH-3	40	form-based			true	0.7	5	1	3	3	7000	3473	3473	1.12
1226	019	3984	0.09	2610	5	55	80	2.5	7	2	9960	7350	RM-2	40	form-based			true	0.7	8	1.142857194	3	3	11155.2002	8545.200195	8545.200195	1.12
1226	054	2500	0.06	2486	2	55	80	2.5	5	3	6250	3764	RM-2	40	form-based			true	0.7	5	1	3	3	7000	4514	4514	1.12
1226	056	3404	0.08	1660	4	55	80	2.5	6	2	8510	6850	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9531.200195	7871.200195	7871.200195	1.12
1227	030	3410	0.08	4000	4	55	80	2.5	6	2	8525	4525	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9548	5548	5548	1.12
1227	032	3409	0.08	4000	4	55	80	2.5	6	2	8522	4522	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9545.200195	5545.200195	5545.200195	1.120066
1227	033	3409	0.08	4000	4	55	80	2.5	6	2	8522	4522	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9545.200195	5545.200195	5545.200195	1.120066
1227	060	3409	0.08	744	4	55	80	2.5	6	2	8522	7778	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9545.200195	8801.200195	8801.200195	1.120066
1228	013A	3438	0.08	5637	7	55	80	2.5	6	0	8595	2958	RM-2	50	form-based			true	0.7	10	1.666666627	3	3	12033	6396	6396	1.4
1229	020	5313	0.12	20310	12	55	80	2.5	10	0	13282	0	RM-2	50	form-based		true	true	0.7	15	1.5	3	3	18595.5	0	0	1.400053
1230	003	2656	0.06	3984	4	55	80	2.5	5	1	6640	2656	RH-3	50	form-based			true	0.7	7	1.399999976	3	3	9296	5312	5312	1.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1230	017	3145	0.07	8730	9	55	80	2.5	6	0	7862	0	NCD-HAIG	65	form-based		true	true	0.75	12	2	3	3	14152.5	5422.5	5422.5	1.800115
1231	001	2621	0.06	7220	4	55	80	2.5	5	1	6552	0	RH-3	50	form-based		true	true	0.7	7	1.399999976	3	3	9173.5	1953.5	1953.5	1.400107
1231	009	3254	0.07	4800	2	55	80	2.5	6	4	8135	3335	NCD-HAIG	40	density-lim	600	true		0.75	5	0.833333313	3	3	9762	4962	4962	1.2
1231	043	3271	0.08	1418	6	55	80	2.5	6	0	8178	6760	RH-3	50	form-based		true	true	0.7	9	1.5	3	3	11448.5	10030.5	10030.5	1.399914
1232	012	2500	0.06	6680	6	55	80	2.5	5	0	6250	0	NCD-HAIG	65	form-based			true	0.75	9	1.799999952	3	3	11250	4570	4570	1.8
1232	023	2507	0.06	4350	4	55	80	2.5	5	1	6268	1918	RM-1	50	form-based			true	0.7	7	1.399999976	3	3	8774.5	4424.5	4424.5	1.399888
1232	029	2250	0.05	1680	3	55	80	2.5	4	1	5625	3945	RH-3	50	form-based			true	0.7	6	1.5	3	3	7875	6195	6195	1.4
1232	043	2251	0.05	2380	3	55	80	2.5	4	1	5628	3248	RM-1	50	form-based			true	0.7	6	1.5	3	3	7878.5	5498.5	5498.5	1.399876
1233	021	2463	0.06	6615	6	55	80	2.5	5	0	6158	0	NCD-HAIG	65	form-based			true	0.75	9	1.799999952	3	3	11083.5	4468.5	4468.5	1.799854
1233	022	2225	0.05	6620	5	55	80	2.5	4	0	5562	0	NCD-HAIG	65	form-based		true	true	0.75	8	2	3	3	10012.5	3392.5	3392.5	1.800162
1233	038	3128	0.07	5700	6	55	80	2.5	6	0	7820	2120	RH-3	50	form-based			true	0.7	9	1.5	3	3	10948	5248	5248	1.4
1233	041	3441	0.08	690	7	55	80	2.5	6	0	8602	7912	RH-3	50	form-based			true	0.7	10	1.666666627	3	3	12043.5	11353.5	11353.5	1.400081
1234	021	2761	0.06	4402	5	55	80	2.5	5	0	6902	2500	RM-1	50	form-based			true	0.7	8	1.600000024	3	3	9663.5	5261.5	5261.5	1.400101
1234	023	3897	0.09	4000	8	55	80	2.5	7	0	9742	5742	RM-1	50	form-based			true	0.7	11	1.571428537	3	3	13639.5	9639.5	9639.5	1.400072
1235	059	965	0.02	793	0	55	80	2.5	2	2	2412	1619	RH-3	50	form-based			true	0.7	3	1.5	3	3	3377.5	2584.5	2584.5	1.40029
1236	002	2526	0.06	3140	4	55	80	2.5	5	1	6315	3175	RM-2	50	form-based			true	0.7	7	1.399999976	3	3	8841	5701	5701	1.4
1236	019	3352	0.08	5970	6	55	80	2.5	6	0	8380	2410	RH-3	50	form-based			true	0.7	9	1.5	3	3	11732	5762	5762	1.4
1237	023	2064	0.05	4050	3	55	80	2.5	4	1	5160	1110	RM-2	50	form-based			true	0.7	6	1.5	3	3	7224	3174	3174	1.4
1237	024	2508	0.06	2760	4	55	80	2.5	5	1	6270	3510	RM-2	50	form-based			true	0.7	7	1.399999976	3	3	8778	6018	6018	1.4
1237	033	1547	0.04	2050	1	55	80	2.5	3	2	3868	1818	RM-1	50	form-based			true	0.7	4	1.333333373	3	3	5414.5	3364.5	3364.5	1.399819
1238	002	2486	0.06	4060	4	65	100	3	6	2	7458	3398	RH-3	50	form-based			true	0.7	7	1.166666627	3	3	8701	4641	4641	1.166667
1238	018A	2245	0.05	5175	5	65	100	3	5	0	6735	1560	RTO-C	65	form-based			true	0.75	8	1.600000024	3	3	10102.5	4927.5	4927.5	1.5
1239	005	2348	0.05	2000	4	65	100	3	5	1	7044	5044	RH-3	50	form-based			true	0.7	7	1.399999976	3	3	8218	6218	6218	1.166667
1239	019	2745	0.06	3808	5	65	100	3	6	1	8235	4427	RH-3	50	form-based			true	0.7	8	1.333333373	3	3	9607.5	5799.5	5799.5	1.166667
1243	019	2500	0.06	4700	4	55	80	2.5	5	1	6250	1550	RH-3	50	form-based		true	true	0.7	7	1.399999976	3	3	8750	4050	4050	1.4
1244	002	3988	0.09	9375	12	55	80	2.5	7	0	9970	595	RTO-C	65	form-based			true	0.75	15	2.142857075	3	2	17946	8571	8571	1.8
1245	008	3125	0.07	6270	6	55	80	2.5	6	0	7812	1542	RH-3	50	form-based			true	0.7	9	1.5	3	3	10937.5	4667.5	4667.5	1.40009
1245	009	3125	0.07	4865	6	55	80	2.5	6	0	7812	2947	RH-3	50	form-based			true	0.7	9	1.5	3	3	10937.5	6072.5	6072.5	1.40009
1245	040	2250	0.05	1354	3	65	100	3	5	2	6750	5396	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7875	6521	6521	1.166667
1246	004	2422	0.06	5575	6	65	100	3	6	0	7266	1691	RTO-C	65	form-based			true	0.75	9	1.5	3	3	10899	5324	5324	1.5
1246	007	3054	0.07	4601	6	65	100	3	7	1	9162	4561	RH-3	50	form-based			true	0.7	9	1.285714269	3	3	10689	6088	6088	1.166667
1246	022	1887	0.04	4650	4	65	100	3	4	0	5661	1011	RTO-C	65	form-based			true	0.75	7	1.75	3	3	8491.5	3841.5	3841.5	1.5
1246	027	3086	0.07	3100	6	65	100	3	7	1	9258	6158	RH-3	50	form-based			true	0.7	9	1.285714269	3	3	10801	7701	7701	1.166667
1247	005	3087	0.07	4860	6	65	100	3	7	1	9261	4401	RH-3	50	form-based			true	0.7	9	1.285714269	3	3	10804.5	5944.5	5944.5	1.166667
1247	006	2500	0.06	4900	4	65	100	3	6	2	7500	2600	RH-3	50	form-based		true	true	0.7	7	1.166666627	3	3	8750	3850	3850	1.166667
1247	008	2500	0.06	3600	4	65	100	3	6	2	7500	3900	RH-3	50	form-based			true	0.7	7	1.166666627	3	3	8750	5150	5150	1.166667
1248	003	3368	0.08	4770	6	65	100	3	8	2	10104	5334	RH-3	50	form-based			true	0.7	9	1.125	3	3	11788	7018	7018	1.166667
1248	040	2116	0.05	1551	3	65	100	3	5	2	6348	4797	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7406	5855	5855	1.166667
1249	007	2511	0.06	4350	4	65	100	3	6	2	7533	3183	RH-3	50	form-based			true	0.7	7	1.166666627	3	3	8788.5	4438.5	4438.5	1.166667
1249	021	1582	0.04	1803	1	65	100	3	4	3	4746	2943	RH-3	50	form-based			true	0.7	4	1	3	3	5537	3734	3734	1.166667
1250	001	3226	0.07	10500	6	65	100	3	7	1	9678	0	RH-3	50	form-based		true	true	0.7	9	1.285714269	3	3	11291	791	791	1.166667
1251	026	1835	0.04	2750	2	65	100	3	4	2	5505	2755	RH-3	50	form-based			true	0.7	5	1.25	3	3	6422.5	3672.5	3672.5	1.166667
1252	025	2750	0.06	5075	5	65	100	3	6	1	8250	3175	RH-3	50	form-based			true	0.7	8	1.333333373	3	3	9625	4550	4550	1.166667
1252	028A	2000	0.05	3586	3	65	100	3	5	2	6000	2414	RH-3	50	form-based		true	true	0.7	6	1.200000048	3	3	7000	3414	3414	1.166667
1252	028B	1500	0.03	1290	1	65	100	3	3	2	4500	3210	RH-3	50	form-based			true	0.7	4	1.333333373	3	3	5250	3960	3960	1.166667
1252	078	3125	0.07	406	6	65	100	3	7	1	9375	8969	RH-3	50	form-based			true	0.7	9	1.285714269	3	3	10937.5	10531.5	10531.5	1.166667
1253	022	2408	0.06	3550	4	65	100	3	6	2	7224	3674	RH-3	50	form-based			true	0.7	7	1.166666627	3	3	8428	4878	4878	1.166667
1254	021	3142	0.07	3750	4	65	100	3	7	3	9426	5676	RH-3	40	form-based		true	true	0.7	7	1	3	3	8797.599609	5047.599609	5047.599609	0.933333
1254	023	2575	0.06	3400	2	65	100	3	6	4	7725	4325	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7210	3810	3810	0.933333
1254	028	1554	0.04	2400	0	65	100	3	4	4	4662	2262	RH-3	40	form-based		true	true	0.7	3	0.75	3	3	4351.199707	1951.199707	1951.199707	0.933333
1254	044	2650	0.06	4200	3	65	100	3	6	3	7950	3750	RH-3	40	form-based			true	0.7	6	1	3	3	7420	3220	3220	0.933333
1254	045	4240	0.1	8250	6	65	100	3	10	4	12720	4470	RH-3	40	form-based			true	0.7	9	0.899999976	3	3	11872	3622	3622	0.933333
1254	047	2747	0.06	4599	3	65	100	3	6	3	8241	3642	RH-3	40	form-based			true	0.7	6	1	3	3	7691.600098	3092.600098	3092.600098	0.933333
1254	050	2006	0.05	2574	1	65	100	3	5	4	6018	3444	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5616.799805	3042.799805	3042.799805	0.933333
1254	058	2006	0.05	1410	1	65	100	3	5	4	6018	4608	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5616.799805	4206.799805	4206.799805	0.933333
1254	059	2006	0.05	1575	1	65	100	3	5	4	6018	4443	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5616.799805	4041.799805	4041.799805	0.933333
1254	061	2006	0.05	1800	1	65	100	3	5	4	6018	4218	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5616.799805	3816.799805	3816.799805	0.933333
1254	063	2006	0.05	1575	1	65	100	3	5	4	6018	4443	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5616.799805	4041.799805	4041.799805	0.933333
1254	068	2018	0.05	1330	1	65	100	3	5	4	6054	4724	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5650.399902	4320.399902	4320.399902	0.933333
1254	099	2650	0.06	1524	3	65	100	3	6	3	7950	6426	RH-3	40	form-based			true	0.7	6	1	3	3	7420	5896	5896	0.933333
1254	107	2778	0.06	1656	3	65	100	3	6	3	8334	6678	RH-3	40	form-based			true	0.7	6	1	3	3	7778.399902	6122.399902	6122.399902	0.933333
1254	135	2299	0.05	1558	2	65	100	3	5	3	6897	5339	RH-2	40	form-based			true	0.7	5	1	3	3	6437.199707	4879.199707	4879.199707	0.933333
1255	012	2601	0.06	3300	2	55	80	2.5	5	3	6502	3202	RH-3	40	form-based			true	0.7	5	1	3	3	7282.799805	3982.799805	3982.799805	1.120086
1255	047	2000	0.05	2463	1	55	80	2.5	4	3	5000	2537	RH-2	40	form-based			true	0.7	4	1	3	3	5600	3137	3137	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1255	050	2156	0.05	3300	2	55	80	2.5	4	2	5390	2090	RH-2	40	form-based			true	0.7	5	1.25	3	3	6036.799805	2736.799805	2736.799805	1.12
1255	052A	2178	0.05	2260	2	55	80	2.5	4	2	5445	3185	RH-2	40	form-based			true	0.7	5	1.25	3	3	6098.399902	3838.399902	3838.399902	1.12
1255	057	2013	0.05	1741	1	65	100	3	5	4	6039	4298	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5636.399902	3895.399902	3895.399902	0.933333
1255	062	2000	0.05	1920	1	55	80	2.5	4	3	5000	3080	RH-2	40	form-based			true	0.7	4	1	3	3	5600	3680	3680	1.12
1255	065	2000	0.05	1900	1	55	80	2.5	4	3	5000	3100	RH-2	40	form-based			true	0.7	4	1	3	3	5600	3700	3700	1.12
1255	067	2000	0.05	2220	1	55	80	2.5	4	3	5000	2780	RH-2	40	form-based			true	0.7	4	1	3	3	5600	3380	3380	1.12
1255	068	2000	0.05	2620	1	55	80	2.5	4	3	5000	2380	RH-2	40	form-based			true	0.7	4	1	3	3	5600	2980	2980	1.12
1255	072	2000	0.05	1260	1	55	80	2.5	4	3	5000	3740	RH-2	40	form-based			true	0.7	4	1	3	3	5600	4340	4340	1.12
1255	073	2000	0.05	1260	1	55	80	2.5	4	3	5000	3740	RH-2	40	form-based			true	0.7	4	1	3	3	5600	4340	4340	1.12
1255	074	2000	0.05	1390	1	55	80	2.5	4	3	5000	3610	RH-2	40	form-based			true	0.7	4	1	3	3	5600	4210	4210	1.12
1255	075	2000	0.05	1230	1	55	80	2.5	4	3	5000	3770	RH-2	40	form-based			true	0.7	4	1	3	3	5600	4370	4370	1.12
1255	079	2500	0.06	2520	2	55	80	2.5	5	3	6250	3730	RH-3	40	form-based			true	0.7	5	1	3	3	7000	4480	4480	1.12
1255	081	2291	0.05	3400	2	55	80	2.5	4	2	5728	2328	RH-3	40	form-based			true	0.7	5	1.25	3	3	6414.799805	3014.799805	3014.799805	1.119902
1255	101	2329	0.05	874	2	55	80	2.5	4	2	5822	4948	RH-2	40	form-based			true	0.7	5	1.25	3	3	6521.199707	5647.199707	5647.199707	1.120096
1255	124	2602	0.06	2390	2	55	80	2.5	5	3	6505	4115	RH-3	40	form-based			true	0.7	5	1	3	3	7285.600098	4895.600098	4895.600098	1.12
1255	133	2669	0.06	3447	3	65	100	3	6	3	8007	4560	RH-3	40	form-based			true	0.7	6	1	3	3	7473.199707	4026.199707	4026.199707	0.933333
1256	015	3127	0.07	3500	4	55	80	2.5	6	2	7818	4318	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	8755.599609	5255.599609	5255.599609	1.119928
1256	033	2202	0.05	3190	2	55	80	2.5	4	2	5505	2315	RH-3	40	form-based			true	0.7	5	1.25	3	3	6165.600098	2975.600098	2975.600098	1.12
1256	054	2500	0.06	2750	2	55	80	2.5	5	3	6250	3500	RH-3	40	form-based			true	0.7	5	1	3	3	7000	4250	4250	1.12
1256	056	3619	0.08	3400	5	55	80	2.5	6	1	9048	5648	RH-3	40	form-based			true	0.7	8	1.333333373	3	3	10133.2002	6733.200195	6733.200195	1.119938
1256	061	2500	0.06	1617	2	55	80	2.5	5	3	6250	4633	RH-3	40	form-based			true	0.7	5	1	3	3	7000	5383	5383	1.12
1256	066	2358	0.05	4313	2	55	80	2.5	4	2	5895	1582	RH-3	40	form-based			true	0.7	5	1.25	3	3	6602.399902	2289.399902	2289.399902	1.12
1256	070	4344	0.1	724	6	55	80	2.5	8	2	10860	10136	RH-3	40	form-based			true	0.7	9	1.125	3	3	12163.2002	11439.2002	11439.2002	1.12
1258	008	2266	0.05	2556	2	65	100	3	5	3	6798	4242	RH-3	40	form-based			true	0.7	5	1	3	3	6344.799805	3788.799805	3788.799805	0.933333
1258	048	2278	0.05	1205	2	65	100	3	5	3	6834	5629	RH-3	40	form-based			true	0.7	5	1	3	3	6378.399902	5173.399902	5173.399902	0.933333
1258	050	2519	0.06	3480	2	65	100	3	6	4	7557	4077	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7053.199707	3573.199707	3573.199707	0.933333
1259	001	3238	0.07	3950	4	65	100	3	7	3	9714	5764	RH-3	40	form-based	true		true	0.7	7	1	3	3	9066.399414	5116.399414	5116.399414	0.933333
1259	004	2801	0.06	2808	3	65	100	3	6	3	8403	5595	RH-3	40	form-based			true	0.7	6	1	3	3	7842.799805	5034.799805	5034.799805	0.933333
1259	006	2912	0.07	4779	3	65	100	3	7	4	8736	3957	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8153.600098	3374.600098	3374.600098	0.933333
1259	017	2156	0.05	2250	2	65	100	3	5	3	6468	4218	RH-3	40	form-based			true	0.7	5	1	3	3	6036.799805	3786.799805	3786.799805	0.933333
1259	018	2156	0.05	2400	2	65	100	3	5	3	6468	4068	RH-3	40	form-based			true	0.7	5	1	3	3	6036.799805	3636.799805	3636.799805	0.933333
1259	019	2156	0.05	2400	2	65	100	3	5	3	6468	4068	RH-3	40	form-based			true	0.7	5	1	3	3	6036.799805	3636.799805	3636.799805	0.933333
1259	020	2156	0.05	3550	2	65	100	3	5	3	6468	2918	RH-3	40	form-based			true	0.7	5	1	3	3	6036.799805	2486.799805	2486.799805	0.933333
1259	021	2156	0.05	3751	2	65	100	3	5	3	6468	2717	RH-3	40	form-based			true	0.7	5	1	3	3	6036.799805	2285.799805	2285.799805	0.933333
1259	047	2815	0.06	1774	3	65	100	3	6	3	8445	6671	RH-3	40	form-based			true	0.7	6	1	3	3	7882	6108	6108	0.933333
1259	055	2156	0.05	1250	2	65	100	3	5	3	6468	5218	RH-3	40	form-based			true	0.7	5	1	3	3	6036.799805	4786.799805	4786.799805	0.933333
1259	057	2156	0.05	5267	2	65	100	3	5	3	6468	1201	RH-3	40	form-based			true	0.7	5	1	3	3	6036.799805	769.7998047	769.7998047	0.933333
1260	006	2665	0.06	5100	3	65	100	3	6	3	7995	2895	RH-3	40	form-based	true		true	0.7	6	1	3	3	7462	2362	2362	0.933333
1260	012	2969	0.07	2560	3	65	100	3	7	4	8907	6347	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8313.200195	5753.200195	5753.200195	0.933333
1260	032	1987	0.05	100	1	65	100	3	5	4	5961	5861	RH-3	40	form-based	true		true	0.7	4	0.800000012	3	3	5563.600098	5463.600098	5463.600098	0.933333
1260	040	2400	0.06	3434	2	65	100	3	6	4	7200	3766	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6720	3286	3286	0.933333
1260	060	2973	0.07	1936	3	65	100	3	7	4	8919	6983	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8324.399414	6388.399414	6388.399414	0.933333
1260	075	2205	0.05	818	2	65	100	3	5	3	6615	5797	RH-3	40	form-based			true	0.7	5	1	3	3	6174	5356	5356	0.933333
1260	077	3551	0.08	880	4	65	100	3	8	4	10653	9773	RH-3	40	form-based	true		true	0.7	7	0.875	3	3	9942.799805	9062.799805	9062.799805	0.933333
1260	097	2441	0.06	1260	2	65	100	3	6	4	7323	6063	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6834.799805	5574.799805	5574.799805	0.933333
1261	007	3367	0.08	3160	6	65	100	3	8	2	10101	6941	RH-3	50	form-based			true	0.7	9	1.125	3	3	11784.5	8624.5	8624.5	1.166667
1261	028	1488	0.03	1856	1	65	100	3	3	2	4464	2608	RH-3	50	form-based			true	0.7	4	1.333333373	3	3	5208	3352	3352	1.166667
1261	029	1954	0.04	1647	2	65	100	3	4	2	5862	4215	RH-3	50	form-based	true		true	0.7	5	1.25	3	3	6839	5192	5192	1.166667
1262	005	3281	0.08	5776	6	65	100	3	8	2	9843	4067	RH-3	50	form-based			true	0.7	9	1.125	3	3	11483.5	5707.5	5707.5	1.166667
1262	040	2486	0.06	4368	4	65	100	3	6	2	7458	3090	RH-3	50	form-based			true	0.7	7	1.166666627	3	3	8701	4333	4333	1.166667
1266	017	2500	0.06	5475	6	65	100	3	6	0	7500	2025	RTO-C	65	form-based			true	0.75	9	1.5	3	3	11250	5775	5775	1.5
1266	024	3076	0.07	6600	9	65	100	3	7	0	9228	2628	RTO-C	65	form-based	true		true	0.75	12	1.714285731	3	3	13842	7242	7242	1.5
1267	004	1766	0.04	1610	2	65	100	3	4	2	5298	3688	RH-3	50	form-based			true	0.7	5	1.25	3	3	6181	4571	4571	1.166667
1267	065	1532	0.04	700	1	65	100	3	4	3	4596	3896	RH-3	50	form-based			true	0.7	4	1	3	3	5362	4662	4662	1.166667
1267	088	2516	0.06	1634	4	85	140	4	8	4	10064	8430	RH-3	50	form-based			true	0.7	7	0.875	3	3	8806	7172	7172	0.875
1268	010	2500	0.06	2600	4	65	100	3	6	2	7500	4900	RH-3	50	form-based			true	0.7	7	1.166666627	3	3	8750	6150	6150	1.166667
1268	017	2428	0.06	3350	4	65	100	3	6	2	7284	3934	RH-3	50	form-based			true	0.7	7	1.166666627	3	3	8498	5148	5148	1.166667
1268	029	1948	0.04	4950	4	85	140	4	6	2	7792	2842	NCD-COLE	65	form-based			true	0.75	7	1.166666627	3	3	8766	3816	3816	1.125
1269	013	2656	0.06	3380	3	65	100	3	6	3	7968	4588	RH-3	40	form-based			true	0.7	6	1	3	3	7436.799805	4056.799805	4056.799805	0.933333
1269	031	3719	0.09	2600	5	65	100	3	9	4	11157	8557	RH-2	40	form-based			true	0.7	8	0.888888896	3	3	10413.2002	7813.200195	7813.200195	0.933333
1269	035	2066	0.05	3423	1	65	100	3	5	4	6198	2775	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5784.799805	2361.799805	2361.799805	0.933333
1269	038	1855	0.04	1944	1	65	100	3	4	3	5565	3621	RH-2	40	form-based			true	0.7	4	1	3	3	5194	3250	3250	0.933333
1269	039	2025	0.05	1780	1	65	100	3	5	4	6075	4295	RH-2	40	form-based	true		true	0.7	4	0.800000012	3	3	5670	3890	3890	0.933333
1269	045	1792	0.04	2137	1	65	100	3	4	3	5376	3239	RH-2	40	form-based	true		true	0.7	4	1	3	3	5017.600098	2880.600098	2880.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1269	046A	1792	0.04	2972	1	65	100	3	4	3	5376	2404	RH-2	40	form-based			true	0.7	4	1	3	3	5017.600098	2045.600098	2045.600098	0.933333
1269	051	1792	0.04	2012	1	65	100	3	4	3	5376	3364	RH-2	40	form-based			true	0.7	4	1	3	3	5017.600098	3005.600098	3005.600098	0.933333
1269	054	1993	0.05	1850	1	65	100	3	5	4	5979	4129	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5580.399902	3730.399902	3730.399902	0.933333
1269	055	2128	0.05	1625	1	65	100	3	5	4	6384	4759	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5958.399902	4333.399902	4333.399902	0.933333
1269	078	2549	0.06	2850	2	65	100	3	6	4	7647	4797	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7137.199707	4287.199707	4287.199707	0.933333
1269	090	2093	0.05	1463	1	65	100	3	5	4	6279	4816	RH-3	40	form-based			true	0.7	4	0.800000012	3	3	5860.399902	4397.399902	4397.399902	0.933333
1269	091	3520	0.08	6012	4	65	100	3	8	4	10560	4548	RH-2	40	form-based			true	0.7	7	0.875	3	3	9856	3844	3844	0.933333
1269	094	2000	0.05	2439	1	65	100	3	5	4	6000	3561	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3161	3161	0.933333
1269	095	2000	0.05	1566	1	65	100	3	5	4	6000	4434	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	4034	4034	0.933333
1269	097	2000	0.05	1615	1	65	100	3	5	4	6000	4385	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3985	3985	0.933333
1269	099	2000	0.05	2540	1	65	100	3	5	4	6000	3460	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3060	3060	0.933333
1269	100	2000	0.05	1745	1	65	100	3	5	4	6000	4255	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3855	3855	0.933333
1269	101	2000	0.05	3145	1	65	100	3	5	4	6000	2855	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	2455	2455	0.933333
1269	104	2000	0.05	2755	1	65	100	3	5	4	6000	3245	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	2845	2845	0.933333
1269	105	2000	0.05	3442	1	65	100	3	5	4	6000	2558	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	2158	2158	0.933333
1269	111	2000	0.05	1190	1	65	100	3	5	4	6000	4810	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	4410	4410	0.933333
1269	114	2000	0.05	2504	1	65	100	3	5	4	6000	3496	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3096	3096	0.933333
1269	118	2000	0.05	1025	1	65	100	3	5	4	6000	4975	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	4575	4575	0.933333
1269	120	2000	0.05	2049	1	65	100	3	5	4	6000	3951	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3551	3551	0.933333
1269	125	1683	0.04	1600	1	65	100	3	4	3	5049	3449	RH-2	40	form-based			true	0.7	4	1	3	3	4712.399902	3112.399902	3112.399902	0.933333
1269	126	1682	0.04	1100	1	65	100	3	4	3	5046	3946	RH-2	40	form-based			true	0.7	4	1	3	3	4709.600098	3609.600098	3609.600098	0.933333
1269	130	1982	0.05	1881	1	65	100	3	5	4	5946	4065	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5549.600098	3668.600098	3668.600098	0.933333
1269	133	2339	0.05	4413	2	65	100	3	5	3	7017	2604	RH-2	40	form-based			true	0.7	5	1	3	3	6549.199707	2136.199707	2136.199707	0.933333
1269	135	1983	0.05	1644	1	65	100	3	5	4	5949	4305	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5552.399902	3908.399902	3908.399902	0.933333
1269	136	1983	0.05	1836	1	65	100	3	5	4	5949	4113	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5552.399902	3716.399902	3716.399902	0.933333
1269	138	1983	0.05	1240	1	65	100	3	5	4	5949	4709	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5552.399902	4312.399902	4312.399902	0.933333
1269	138A	1983	0.05	1240	1	65	100	3	5	4	5949	4709	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5552.399902	4312.399902	4312.399902	0.933333
1269	143	1984	0.05	1254	1	65	100	3	5	4	5952	4698	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5555.199707	4301.199707	4301.199707	0.933333
1269	145	1984	0.05	2394	1	65	100	3	5	4	5952	3558	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5555.199707	3161.199707	3161.199707	0.933333
1269	146	1984	0.05	1910	1	65	100	3	5	4	5952	4042	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5555.199707	3645.199707	3645.199707	0.933333
1269	149	1984	0.05	3187	1	65	100	3	5	4	5952	2765	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5555.199707	2368.199707	2368.199707	0.933333
1269	156	2141	0.05	1056	1	65	100	3	5	4	6423	5367	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5994.799805	4938.799805	4938.799805	0.933333
1269	163	1792	0.04	1600	1	65	100	3	4	3	5376	3776	RH-2	40	form-based			true	0.7	4	1	3	3	5017.600098	3417.600098	3417.600098	0.933333
1269	170	2656	0.06	1739	3	65	100	3	6	3	7968	6229	RH-3	40	form-based			true	0.7	6	1	3	3	7436.799805	5697.799805	5697.799805	0.933333
1269	179	2219	0.05	1365	2	65	100	3	5	3	6657	5292	RH-2	40	form-based			true	0.7	5	1	3	3	6213.199707	4848.199707	4848.199707	0.933333
1269	187	2650	0.06	5550	3	65	100	3	6	3	7950	2400	RH-3	40	form-based			true	0.7	6	1	3	3	7420	1870	1870	0.933333
1269	203	2650	0.06	2350	3	65	100	3	6	3	7950	5600	RH-3	40	form-based			true	0.7	6	1	3	3	7420	5070	5070	0.933333
1269	216	2506	0.06	853	2	65	100	3	6	4	7518	6665	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7016.799805	6163.799805	6163.799805	0.933333
1269	218	2650	0.06	1590	3	65	100	3	6	3	7950	6360	RH-3	40	form-based			true	0.7	6	1	3	3	7420	5830	5830	0.933333
1269	220	2339	0.05	1244	2	65	100	3	5	3	7017	5773	RH-2	40	form-based			true	0.7	5	1	3	3	6549.199707	5305.199707	5305.199707	0.933333
1269	235	2531	0.06	1090	2	65	100	3	6	4	7593	6503	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7086.799805	5996.799805	5996.799805	0.933333
1270	015	1751	0.04	2029	1	55	80	2.5	3	2	4378	2349	RH-2	40	form-based	true	true	true	0.7	4	1.333333373	3	3	4902.799805	2873.799805	2873.799805	1.119872
1270	016	1863	0.04	1820	1	65	100	3	4	3	5589	3769	RH-2	40	form-based	true	true	true	0.7	4	1	3	3	5216.399902	3396.399902	3396.399902	0.933333
1270	017	2119	0.05	1810	1	65	100	3	5	4	6357	4547	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5933.199707	4123.199707	4123.199707	0.933333
1270	018	1739	0.04	1800	1	65	100	3	4	3	5217	3417	RH-2	40	form-based			true	0.7	4	1	3	3	4869.199707	3069.199707	3069.199707	0.933333
1270	021	2867	0.07	4908	3	65	100	3	7	4	8601	3693	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8027.600098	3119.600098	3119.600098	0.933333
1270	046A	2100	0.05	1600	1	65	100	3	5	4	6300	4700	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5880	4280	4280	0.933333
1270	050	2013	0.05	1600	1	65	100	3	5	4	6039	4439	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5636.399902	4036.399902	4036.399902	0.933333
1270	051	2013	0.05	1359	1	65	100	3	5	4	6039	4680	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5636.399902	4277.399902	4277.399902	0.933333
1270	052	2013	0.05	1688	1	65	100	3	5	4	6039	4351	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5636.399902	3948.399902	3948.399902	0.933333
1270	055	2064	0.05	1975	1	65	100	3	5	4	6192	4217	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5779.199707	3804.199707	3804.199707	0.933333
1270	056	1934	0.04	1440	1	65	100	3	4	3	5802	4362	RH-2	40	form-based			true	0.7	4	1	3	3	5415.199707	3975.199707	3975.199707	0.933333
1270	062	1753	0.04	2975	1	55	80	2.5	3	2	4382	1407	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4908.399902	1933.399902	1933.399902	1.120128
1270	063	1754	0.04	2820	1	55	80	2.5	3	2	4385	1565	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4911.199707	2091.199707	2091.199707	1.12
1270	067A	2206	0.05	720	2	65	100	3	5	3	6618	5898	RH-2	40	form-based			true	0.7	5	1	3	3	6176.799805	5456.799805	5456.799805	0.933333
1270	074	2216	0.05	1614	2	55	80	2.5	4	2	5540	3926	RH-2	40	form-based			true	0.7	5	1.25	3	3	6204.799805	4590.799805	4590.799805	1.12
1273	008	2500	0.06	4040	6	65	100	3	6	0	7500	3460	RTO-C	65	form-based	true		true	0.75	9	1.5	3	3	11250	7210	7210	1.5
1275	014	6510	0.15	13620	21	65	100	3	15	0	19530	5910	RTO-C	65	form-based			true	0.75	24	1.600000024	3	3	29295	15675	15675	1.5
1275	074	1270	0.03	1297	2	85	140	4	4	2	5080	3783	RTO-C	65	form-based			true	0.75	5	1.25	3	3	5715	4418	4418	1.125
1276	005	3125	0.07	4900	6	65	100	3	7	1	9375	4475	RH-3	50	form-based			true	0.7	9	1.285714269	3	3	10937.5	6037.5	6037.5	1.166667
1276	008	2697	0.06	3076	5	65	100	3	6	1	8091	5015	RH-3	50	form-based			true	0.7	8	1.333333373	3	3	9439.5	6363.5	6363.5	1.166667
1276	017	3009	0.07	4739	8	65	100	3	7	0	9027	4288	RTO-C	65	form-based			true	0.75	11	1.571428537	3	3	13540.5	8801.5	8801.5	1.5
1276	044	2500	0.06	910	4	65	100	3	6	2	7500	6590	RH-3	50	form-based	true		true	0.7	7	1.166666627	3	3	8750	7840	7840	1.166667
1277	019	2427	0.06	4998	4	65	100	3	6	2	7281	2283	RH-3	50	form-based	true		true	0.7	7	1.166666627	3	3	8494.5	3496.5	3496.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1277	030	2516	0.06	949	4	65	100	3	6	2	7548	6599	RH-3	50	form-based			true	0.7	7	1.166666627	3	3	8806	7857	7857	1.166667
1279	005	1646	0.04	3395	2	65	100	3	4	2	4938	1543	RH-2	50	form-based			true	0.7	5	1.25	3	3	5761	2366	2366	1.166667
1279	012	2289	0.05	2397	2	65	100	3	5	3	6867	4470	RH-2	40	form-based			true	0.7	5	1	3	3	6409.199707	4012.199707	4012.199707	0.933333
1279	015	2295	0.05	3050	2	65	100	3	5	3	6885	3835	RH-2	40	form-based			true	0.7	5	1	3	3	6426	3376	3376	0.933333
1279	026	2316	0.05	1975	2	65	100	3	5	3	6948	4973	RH-2	40	form-based			true	0.7	5	1	3	3	6484.799805	4509.799805	4509.799805	0.933333
1279	028	2319	0.05	1435	2	65	100	3	5	3	6957	5522	RH-2	40	form-based			true	0.7	5	1	3	3	6493.199707	5058.199707	5058.199707	0.933333
1279	030	2323	0.05	2236	2	65	100	3	5	3	6969	4733	RH-2	40	form-based			true	0.7	5	1	3	3	6504.399902	4268.399902	4268.399902	0.933333
1279	039	2297	0.05	3850	2	55	80	2.5	4	2	5742	1892	RH-2	40	form-based			true	0.7	5	1.25	3	3	6431.600098	2581.600098	2581.600098	1.120098
1279	102	1777	0.04	1480	2	65	100	3	4	2	5331	3851	RH-2	50	form-based			true	0.7	5	1.25	3	3	6219.5	4739.5	4739.5	1.166667
1279	106	2300	0.05	1254	2	65	100	3	5	3	6900	5646	RH-2	40	form-based			true	0.7	5	1	3	3	6440	5186	5186	0.933333
1279	112	2299	0.05	1029	2	65	100	3	5	3	6897	5868	RH-2	40	form-based			true	0.7	5	1	3	3	6437.199707	5408.199707	5408.199707	0.933333
1279	114	2297	0.05	1030	2	65	100	3	5	3	6891	5861	RH-2	40	form-based			true	0.7	5	1	3	3	6431.600098	5401.600098	5401.600098	0.933333
1279	118	2705	0.06	1332	3	55	80	2.5	5	2	6762	5430	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7574	6242	6242	1.120083
1280	001	2511	0.06	3100	2	65	100	3	6	4	7533	4433	RH-2	40	form-based	true		true	0.7	5	0.833333313	3	3	7030.799805	3930.799805	3930.799805	0.933333
1280	010	2501	0.06	3600	2	65	100	3	6	4	7503	3903	RH-2	40	form-based	true		true	0.7	5	0.833333313	3	3	7002.799805	3402.799805	3402.799805	0.933333
1280	017	2442	0.06	2620	2	65	100	3	6	4	7326	4706	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6837.600098	4217.600098	4217.600098	0.933333
1280	018	2443	0.06	1950	2	65	100	3	6	4	7329	5379	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6840.399902	4890.399902	4890.399902	0.933333
1280	026	2164	0.05	2660	2	65	100	3	5	3	6492	3832	RH-2	40	form-based			true	0.7	5	1	3	3	6059.199707	3399.199707	3399.199707	0.933333
1281	004	2550	0.06	2884	2	65	100	3	6	4	7650	4766	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7140	4256	4256	0.933333
1281	007	2591	0.06	2440	2	65	100	3	6	4	7773	5333	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7254.799805	4814.799805	4814.799805	0.933333
1281	021	2591	0.06	1400	2	65	100	3	6	4	7773	6373	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7254.799805	5854.799805	5854.799805	0.933333
1282	002	2451	0.06	2300	2	65	100	3	6	4	7353	5053	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6862.799805	4562.799805	4562.799805	0.933333
1282	003	2451	0.06	2300	2	65	100	3	6	4	7353	5053	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6862.799805	4562.799805	4562.799805	0.933333
1282	032	2579	0.06	1375	2	65	100	3	6	4	7737	6362	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7221.199707	5846.199707	5846.199707	0.933333
1282	038	2579	0.06	1123	2	65	100	3	6	4	7737	6614	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7221.199707	6098.199707	6098.199707	0.933333
1282	048	2865	0.07	1707	3	65	100	3	7	4	8595	6888	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8022	6315	6315	0.933333
1284	007	2500	0.06	2700	2	65	100	3	6	4	7500	4800	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4300	4300	0.933333
1284	017	2499	0.06	3400	2	65	100	3	6	4	7497	4097	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6997.199707	3597.199707	3597.199707	0.933333
1284	029	2502	0.06	1400	2	65	100	3	6	4	7506	6106	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7005.600098	5605.600098	5605.600098	0.933333
1284	031	2499	0.06	1386	2	65	100	3	6	4	7497	6111	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6997.199707	5611.199707	5611.199707	0.933333
1284	033	2617	0.06	1120	2	65	100	3	6	4	7851	6731	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7327.600098	6207.600098	6207.600098	0.933333
1284	039	2500	0.06	1273	2	65	100	3	6	4	7500	6227	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5727	5727	0.933333
1284	041	2615	0.06	1548	2	65	100	3	6	4	7845	6297	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7322	5774	5774	0.933333
1284	043	2500	0.06	1010	2	65	100	3	6	4	7500	6490	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5990	5990	0.933333
1284	045	2500	0.06	725	2	65	100	3	6	4	7500	6775	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	6275	6275	0.933333
1284	051	2617	0.06	1157	2	65	100	3	6	4	7851	6694	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7327.600098	6170.600098	6170.600098	0.933333
1285	003	2441	0.06	2875	2	65	100	3	6	4	7323	4448	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6834.799805	3959.799805	3959.799805	0.933333
1285	016	2760	0.06	4440	3	65	100	3	6	3	8280	3840	RH-2	40	form-based			true	0.7	6	1	3	3	7728	3288	3288	0.933333
1285	017	2760	0.06	3750	3	65	100	3	6	3	8280	4530	RH-2	40	form-based			true	0.7	6	1	3	3	7728	3978	3978	0.933333
1285	028	2537	0.06	1436	2	65	100	3	6	4	7611	6175	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7103.600098	5667.600098	5667.600098	0.933333
1286	008	2490	0.06	2900	2	55	80	2.5	5	3	6225	3325	RH-2	40	form-based			true	0.7	5	1	3	3	6972	4072	4072	1.12
1286	024	2727	0.06	3194	3	65	100	3	6	3	8181	4987	RH-2	40	form-based			true	0.7	6	1	3	3	7635.600098	4441.600098	4441.600098	0.933333
1286	026	2519	0.06	3000	2	65	100	3	6	4	7557	4557	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7053.199707	4053.199707	4053.199707	0.933333
1286	033	3384	0.08	1650	4	65	100	3	8	4	10152	8502	RH-2	40	form-based			true	0.7	7	0.875	3	3	9475.200195	7825.200195	7825.200195	0.933333
1286	037	2446	0.06	1222	2	65	100	3	6	4	7338	6116	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6848.799805	5626.799805	5626.799805	0.933333
1286	039	2447	0.06	968	2	55	80	2.5	5	3	6118	5150	RH-2	40	form-based			true	0.7	5	1	3	3	6851.600098	5883.600098	5883.600098	1.119908
1286	068	2491	0.06	1261	2	55	80	2.5	5	3	6228	4967	RH-2	40	form-based			true	0.7	5	1	3	3	6974.799805	5713.799805	5713.799805	1.11991
1287	016A	1762	0.04	1169	1	55	80	2.5	3	2	4405	3236	RH-2	40	form-based	true		true	0.7	4	1.333333373	3	3	4933.600098	3764.600098	3764.600098	1.12
1287	018	2491	0.06	2900	2	55	80	2.5	5	3	6228	3328	RH-2	40	form-based			true	0.7	5	1	3	3	6974.799805	4074.799805	4074.799805	1.11991
1287	019	2492	0.06	2900	2	55	80	2.5	5	3	6230	3330	RH-2	40	form-based			true	0.7	5	1	3	3	6977.600098	4077.600098	4077.600098	1.12
1287	037	2495	0.06	1493	2	65	100	3	6	4	7485	5992	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6986	5493	5493	0.933333
1287	039	2494	0.06	1515	2	65	100	3	6	4	7482	5967	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6983.199707	5468.199707	5468.199707	0.933333
1288	001	2383	0.05	3153	2	65	100	3	5	3	7149	3996	RH-2	40	form-based	true		true	0.7	5	1	3	3	6672.399902	3519.399902	3519.399902	0.933333
1288	006	2500	0.06	3150	2	55	80	2.5	5	3	6250	3100	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3850	3850	1.12
1288	007	2500	0.06	3150	2	55	80	2.5	5	3	6250	3100	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3850	3850	1.12
1288	008	2500	0.06	3150	2	55	80	2.5	5	3	6250	3100	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3850	3850	1.12
1288	016	2500	0.06	2000	2	55	80	2.5	5	3	6250	4250	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5000	5000	1.12
1288	018	2500	0.06	1948	2	65	100	3	6	4	7500	5552	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5052	5052	0.933333
1288	019	2500	0.06	2750	2	65	100	3	6	4	7500	4750	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4250	4250	0.933333
1288	025	3420	0.08	3926	4	65	100	3	8	4	10260	6334	RH-2	40	form-based			true	0.7	7	0.875	3	3	9576	5650	5650	0.933333
1288	027	2344	0.05	1013	2	55	80	2.5	4	2	5860	4847	RH-2	40	form-based			true	0.7	5	1.25	3	3	6563.199707	5550.199707	5550.199707	1.12
1288	029	2500	0.06	997	2	65	100	3	6	4	7500	6503	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	6003	6003	0.933333
1288	033	2500	0.06	1745	2	55	80	2.5	5	3	6250	4505	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5255	5255	1.12
1289	025	2607	0.06	2607	2	55	80	2.5	5	3	6518	3911	RH-1(D)	40	form-based			true	0.7	5	1	3	3	7299.600098	4692.600098	4692.600098	1.119914

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1289	059	1913	0.04	2663	1	55	80	2.5	3	2	4782	2119	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5356.399902	2693.399902	2693.399902	1.120117
1290	002	2472	0.06	3000	2	55	80	2.5	5	3	6180	3180	RH-2	40	form-based			true	0.7	5	1	3	3	6921.600098	3921.600098	3921.600098	1.12
1290	003	2471	0.06	2700	2	55	80	2.5	5	3	6178	3478	RH-2	40	form-based			true	0.7	5	1	3	3	6918.799805	4218.799805	4218.799805	1.119909
1290	017	2518	0.06	2175	2	55	80	2.5	5	3	6295	4120	RH-2	40	form-based			true	0.7	5	1	3	3	7050.399902	4875.399902	4875.399902	1.12
1290	021	2518	0.06	2100	2	55	80	2.5	5	3	6295	4195	RH-2	40	form-based			true	0.7	5	1	3	3	7050.399902	4950.399902	4950.399902	1.12
1290	022	2518	0.06	3245	2	55	80	2.5	5	3	6295	3050	RH-2	40	form-based			true	0.7	5	1	3	3	7050.399902	3805.399902	3805.399902	1.12
1291	008	2443	0.06	3329	2	55	80	2.5	5	3	6108	2779	RH-2	40	form-based			true	0.7	5	1	3	3	6840.399902	3511.399902	3511.399902	1.119908
1291	009	2314	0.05	3550	2	55	80	2.5	4	2	5785	2235	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6479.199707	2929.199707	2929.199707	1.12
1291	029	2517	0.06	1111	2	55	80	2.5	5	3	6292	5181	RH-2	40	form-based			true	0.7	5	1	3	3	7047.600098	5936.600098	5936.600098	1.120089
1291	033	2436	0.06	1667	2	55	80	2.5	5	3	6090	4423	RH-2	40	form-based			true	0.7	5	1	3	3	6820.799805	5153.799805	5153.799805	1.12
1291	035	2760	0.06	1384	3	55	80	2.5	5	2	6900	5516	RH-2	40	form-based		true	true	0.7	6	1.200000048	3	3	7728	6344	6344	1.12
1291	047	2437	0.06	1500	2	55	80	2.5	5	3	6092	4592	RH-2	40	form-based			true	0.7	5	1	3	3	6823.600098	5323.600098	5323.600098	1.120092
1292	013	2517	0.06	2696	2	55	80	2.5	5	3	6292	3596	RH-2	40	form-based			true	0.7	5	1	3	3	7047.600098	4351.600098	4351.600098	1.120089
1292	014	2517	0.06	2850	2	55	80	2.5	5	3	6292	3442	RH-2	40	form-based			true	0.7	5	1	3	3	7047.600098	4197.600098	4197.600098	1.120089
1292	015	2517	0.06	3000	2	55	80	2.5	5	3	6292	3292	RH-2	40	form-based			true	0.7	5	1	3	3	7047.600098	4047.600098	4047.600098	1.120089
1292	028	2517	0.06	1209	2	55	80	2.5	5	3	6292	5083	RH-2	40	form-based			true	0.7	5	1	3	3	7047.600098	5838.600098	5838.600098	1.120089
1294	009	2246	0.05	2951	2	55	80	2.5	4	2	5615	2664	RH-2	40	form-based			true	0.7	5	1.25	3	3	6288.799805	3337.799805	3337.799805	1.12
1294	022	2555	0.06	2200	2	55	80	2.5	5	3	6388	4188	RH-2	40	form-based			true	0.7	5	1	3	3	7154	4954	4954	1.119912
1294	048	2446	0.06	1414	2	55	80	2.5	5	3	6115	4701	RH-2	40	form-based			true	0.7	5	1	3	3	6848.799805	5434.799805	5434.799805	1.12
1332	001A	1771	0.04	3105	1	55	80	2.5	3	2	4428	1323	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4958.799805	1853.799805	1853.799805	1.119874
1332	022A	2500	0.06	3340	2	55	80	2.5	5	3	6250	2910	RM-1	40	form-based			true	0.7	5	1	3	3	7000	3660	3660	1.12
1332	023	2500	0.06	3788	2	55	80	2.5	5	3	6250	2462	RM-1	40	form-based			true	0.7	5	1	3	3	7000	3212	3212	1.12
1332	041	1725	0.04	2110	1	55	80	2.5	3	2	4312	2202	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4830	2720	2720	1.12013
1332	042	2077	0.05	2550	1	55	80	2.5	4	3	5192	2642	RH-1	40	form-based			true	0.7	4	1	3	3	5815.600098	3265.600098	3265.600098	1.120108
1332	047	2500	0.06	1550	2	55	80	2.5	5	3	6250	4700	RM-1	40	form-based			true	0.7	5	1	3	3	7000	5450	5450	1.12
1332	049	2932	0.07	491	1	55	80	2.5	6	5	7330	6839	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8209.599609	7718.599609	7718.599609	1.12
1332	051	2500	0.06	1643	2	55	80	2.5	5	3	6250	4607	RM-1	40	form-based			true	0.7	5	1	3	3	7000	5357	5357	1.12
1332	053	2500	0.06	1751	2	55	80	2.5	5	3	6250	4499	RM-1	40	form-based			true	0.7	5	1	3	3	7000	5249	5249	1.12
1333	030	3094	0.07	3458	3	55	80	2.5	6	3	7735	4277	RH-1	40	form-based			true	0.7	6	1	3	3	8663.200195	5205.200195	5205.200195	1.12
1333	064	2503	0.06	1687	2	55	80	2.5	5	3	6258	4571	RH-1	40	form-based			true	0.7	5	1	3	3	7008.399902	5321.399902	5321.399902	1.11991
1334	015	1977	0.05	3247	1	55	80	2.5	4	3	4942	1695	RH-1	40	form-based		true	true	0.7	4	1	3	3	5535.600098	2288.600098	2288.600098	1.120113
1334	015A	1977	0.05	2250	1	55	80	2.5	4	3	4942	2692	RH-1	40	form-based			true	0.7	4	1	3	3	5535.600098	3285.600098	3285.600098	1.120113
1334	015B	1977	0.05	2250	1	55	80	2.5	4	3	4942	2692	RH-1	40	form-based			true	0.7	4	1	3	3	5535.600098	3285.600098	3285.600098	1.120113
1334	038	1527	0.04	0	0	55	80	2.5	3	3	3818	3818	RH-1(D)	40	form-based			true	0.7	3	1	3	3	4275.600098	4275.600098	4275.600098	1.119853
1337	013	2516	0.06	3272	2	55	80	2.5	5	3	6290	3018	RH-1	40	form-based			true	0.7	5	1	3	3	7044.799805	3772.799805	3772.799805	1.12
1338	006	1847	0.04	3081	1	55	80	2.5	3	2	4618	1537	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5171.600098	2090.600098	2090.600098	1.119879
1342	006	2500	0.06	3436	2	55	80	2.5	5	3	6250	2814	RH-1	40	form-based			true	0.7	5	1	3	3	7000	3564	3564	1.12
1342	011	1980	0.05	2784	1	55	80	2.5	4	3	4950	2166	RH-1	40	form-based			true	0.7	4	1	3	3	5544	2760	2760	1.12
1342	012	2160	0.05	2852	2	55	80	2.5	4	2	5400	2548	RH-1	40	form-based		true	true	0.7	5	1.25	3	3	6048	3196	3196	1.12
1344	008	2563	0.06	3100	2	55	80	2.5	5	3	6408	3308	RH-2	40	form-based			true	0.7	5	1	3	3	7176.399902	4076.399902	4076.399902	1.119913
1344	010	2320	0.05	3296	2	55	80	2.5	4	2	5800	2504	RH-2	40	form-based			true	0.7	5	1.25	3	3	6496	3200	3200	1.12
1344	015	2500	0.06	3100	2	55	80	2.5	5	3	6250	3150	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3900	3900	1.12
1344	019	2201	0.05	3100	2	55	80	2.5	4	2	5502	2402	RH-2	40	form-based			true	0.7	5	1.25	3	3	6162.799805	3062.799805	3062.799805	1.120102
1344	020	2603	0.06	3100	2	55	80	2.5	5	3	6508	3408	RH-2	40	form-based			true	0.7	5	1	3	3	7288.399902	4188.399902	4188.399902	1.119914
1344	030	2500	0.06	1241	2	55	80	2.5	5	3	6250	5009	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5759	5759	1.12
1344	032	2320	0.05	1245	2	55	80	2.5	4	2	5800	4555	RH-2	40	form-based			true	0.7	5	1.25	3	3	6496	5251	5251	1.12
1344	034	2500	0.06	1550	2	55	80	2.5	5	3	6250	4700	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5450	5450	1.12
1344	061	2201	0.05	1233	2	55	80	2.5	4	2	5502	4269	RH-2	40	form-based			true	0.7	5	1.25	3	3	6162.799805	4929.799805	4929.799805	1.120102
1346	003	2123	0.05	2534	1	55	80	2.5	4	3	5308	2774	RH-2	40	form-based			true	0.7	4	1	3	3	5944.399902	3410.399902	3410.399902	1.119895
1347	002	2121	0.05	2587	1	55	80	2.5	4	3	5302	2715	RH-2	40	form-based			true	0.7	4	1	3	3	5938.799805	3351.799805	3351.799805	1.120106
1347	004	2121	0.05	3230	1	55	80	2.5	4	3	5302	2072	RH-2	40	form-based			true	0.7	4	1	3	3	5938.799805	2708.799805	2708.799805	1.120106
1348	001	1722	0.04	2250	1	55	80	2.5	3	2	4305	2055	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	4821.600098	2571.600098	2571.600098	1.12
1348	003	1908	0.04	2605	1	55	80	2.5	3	2	4770	2165	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5342.399902	2737.399902	2737.399902	1.12
1348	005	1908	0.04	2733	1	55	80	2.5	3	2	4770	2037	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5342.399902	2609.399902	2609.399902	1.12
1348	006	2615	0.06	3216	2	55	80	2.5	5	3	6538	3322	RH-2	40	form-based			true	0.7	5	1	3	3	7322	4106	4106	1.119914
1348	009	2689	0.06	1817	3	55	80	2.5	5	2	6722	4905	RH-2	40	form-based		true	true	0.7	6	1.200000048	3	3	7529.199707	5712.199707	5712.199707	1.120083
1349	003	2118	0.05	3200	1	55	80	2.5	4	3	5295	2095	RM-1	40	form-based			true	0.7	4	1	3	3	5930.399902	2730.399902	2730.399902	1.12
1349	007	3796	0.09	1091	5	55	80	2.5	7	2	9490	8399	RM-1	40	form-based			true	0.7	8	1.142857194	3	3	10628.7998	9537.799805	9537.799805	1.12
1350	002	2046	0.05	2631	1	55	80	2.5	4	3	5115	2484	RM-1	40	form-based			true	0.7	4	1	3	3	5728.799805	3097.799805	3097.799805	1.12
1351	020	1800	0.04	2608	1	55	80	2.5	3	2	4500	1892	RM-2	40	form-based			true	0.7	4	1.333333373	3	3	5040	2432	2432	1.12
1352	020	3000	0.07	5640	3	55	80	2.5	6	3	7500	1860	RM-2	40	form-based			true	0.7	6	1	3	3	8400	2760	2760	1.12
1352	028	3000	0.07	2075	3	55	80	2.5	6	3	7500	5425	RH-2	40	form-based			true	0.7	6	1	3	3	8400	6325	6325	1.12
1352	030	4415	0.1	1740	6	55	80	2.5	8	2	11038	9298	RM-2	40	form-based		true	true	0.7	9	1.125	3	3	12362	10622	10622	1.119949
1352	052	2207	0.05	1958	2	55	80	2.5	4	2	5518	3560	RH-1	40	form-based			true	0.7	5	1.25	3	3	6179.600098	4221.600098	4221.600098	1.119899

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1352	071	2207	0.05	1578	2	55	80	2.5	4	2	5518	3940	RH-1	40	form-based			true	0.7	5	1.25	3	3	6179.600098	4601.600098	4601.600098	1.119899
1353	019	3416	0.08	4776	4	55	80	2.5	6	2	8540	3764	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9564.799805	4788.799805	4788.799805	1.12
1354	025	3258	0.07	988	4	55	80	2.5	6	2	8145	7157	RH-2	40	form-based		true	true	0.7	7	1.166666627	3	3	9122.399414	8134.399414	8134.399414	1.12
1355	013	2599	0.06	3310	2	55	80	2.5	5	3	6498	3188	RM-1	40	form-based			true	0.7	5	1	3	3	7277.199707	3967.199707	3967.199707	1.119914
1355	021	2963	0.07	2475	3	55	80	2.5	6	3	7408	4933	RM-1	40	form-based			true	0.7	6	1	3	3	8296.399414	5821.399414	5821.399414	1.119924
1361	107	3014	0.07	1927	3	55	80	2.5	6	3	7535	5608	RM-1	40	form-based			true	0.7	6	1	3	3	8439.200195	6512.200195	6512.200195	1.12
1361	042	2514	0.06	2552	2	55	80	2.5	5	3	6285	3733	RM-1	40	form-based			true	0.7	5	1	3	3	7039.199707	4487.199707	4487.199707	1.12
1361	072	2553	0.06	1020	2	55	80	2.5	5	3	6382	5362	RM-1	40	form-based			true	0.7	5	1	3	3	7148.399902	6128.399902	6128.399902	1.120088
1361	078	2379	0.05	1908	2	55	80	2.5	4	2	5948	4040	RM-1	40	form-based			true	0.7	5	1.25	3	3	6661.199707	4753.199707	4753.199707	1.119906
1361	098	3000	0.07	1877	3	55	80	2.5	6	3	7500	5623	RH-2	40	form-based			true	0.7	6	1	3	3	8400	6523	6523	1.12
1362	034	3004	0.07	2660	3	55	80	2.5	6	3	7510	4850	RH-2	40	form-based			true	0.7	6	1	3	3	8411.200195	5751.200195	5751.200195	1.12
1362	037	2099	0.05	1130	1	55	80	2.5	4	3	5248	4118	RH-2	40	form-based			true	0.7	4	1	3	3	5877.199707	4747.199707	4747.199707	1.119893
1362	038	2099	0.05	1612	1	55	80	2.5	4	3	5248	3636	RH-2	40	form-based			true	0.7	4	1	3	3	5877.199707	4265.199707	4265.199707	1.119893
1362	039	2099	0.05	2676	1	55	80	2.5	4	3	5248	2572	RH-2	40	form-based			true	0.7	4	1	3	3	5877.199707	3201.199707	3201.199707	1.119893
1362	055	3000	0.07	1061	3	55	80	2.5	6	3	7500	6439	RH-2	40	form-based			true	0.7	6	1	3	3	8400	7339	7339	1.12
1363	017	2152	0.05	3720	8	55	80	2.5	4	0	5380	1660	RTO-C	85	form-based			true	0.75	11	2.75	3	0	12912	9192	7040	2.4
1363	029	3033	0.07	3267	3	55	80	2.5	6	3	7582	4315	RH-2	40	form-based			true	0.7	6	1	3	3	8492.399414	5225.399414	5225.399414	1.120074
1363	030	3033	0.07	3594	3	55	80	2.5	6	3	7582	3988	RH-2	40	form-based			true	0.7	6	1	3	3	8492.399414	4898.399414	4898.399414	1.120074
1364	002	3028	0.07	3066	3	55	80	2.5	6	3	7570	4504	RH-2	40	form-based			true	0.7	6	1	3	3	8478.399414	5412.399414	5412.399414	1.12
1364	008	3028	0.07	2117	3	55	80	2.5	6	3	7570	5453	RH-2	40	form-based			true	0.7	6	1	3	3	8478.399414	6361.399414	6361.399414	1.12
1364	024	2969	0.07	4007	3	55	80	2.5	6	3	7422	3415	RH-2	40	form-based			true	0.7	6	1	3	3	8313.200195	4306.200195	4306.200195	1.120075
1364	037	2500	0.06	3020	2	55	80	2.5	5	3	6250	3230	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3980	3980	1.12
1364	038	2500	0.06	2960	2	55	80	2.5	5	3	6250	3290	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4040	4040	1.12
1364	040	2500	0.06	3200	2	55	80	2.5	5	3	6250	3050	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3800	3800	1.12
1364	046	2500	0.06	1570	2	55	80	2.5	5	3	6250	4680	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5430	5430	1.12
1364	088	4122	0.09	1361	6	55	80	2.5	7	1	10305	8944	RH-2	40	form-based		true	true	0.7	9	1.285714269	3	3	11541.59961	10180.59961	10180.59961	1.12
1366	042	2500	0.06	2620	2	55	80	2.5	5	3	6250	3630	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4380	4380	1.12
1366	045	2500	0.06	2921	2	55	80	2.5	5	3	6250	3329	RH-2	40	form-based		true	true	0.7	5	1	3	3	7000	4079	4079	1.12
1366	049	2500	0.06	1638	2	55	80	2.5	5	3	6250	4612	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5362	5362	1.12
1367	004	2321	0.05	3500	2	55	80	2.5	4	2	5802	2302	RH-2	40	form-based			true	0.7	5	1.25	3	3	6498.799805	2998.799805	2998.799805	1.120096
1367	011	2946	0.07	3192	3	55	80	2.5	6	3	7365	4173	RH-2	40	form-based			true	0.7	6	1	3	3	8248.799805	5056.799805	5056.799805	1.12
1367	016	2946	0.07	3300	3	55	80	2.5	6	3	7365	4065	RH-2	40	form-based			true	0.7	6	1	3	3	8248.799805	4948.799805	4948.799805	1.12
1367	019	2946	0.07	3855	3	55	80	2.5	6	3	7365	3510	RH-2	40	form-based			true	0.7	6	1	3	3	8248.799805	4393.799805	4393.799805	1.12
1367	047	2250	0.05	2637	2	55	80	2.5	4	2	5625	2988	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3663	3663	1.12
1367	048	2250	0.05	2915	2	55	80	2.5	4	2	5625	2710	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3385	3385	1.12
1367	050	2500	0.06	3390	2	55	80	2.5	5	3	6250	2860	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3610	3610	1.12
1367	073	2500	0.06	1786	2	55	80	2.5	5	3	6250	4464	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5214	5214	1.12
1368	027	3027	0.07	2692	3	55	80	2.5	6	3	7568	4876	RH-2	40	form-based			true	0.7	6	1	3	3	8475.599609	5783.599609	5783.599609	1.119926
1368	044	2527	0.06	2743	2	55	80	2.5	5	3	6318	3575	RH-2	40	form-based			true	0.7	5	1	3	3	7075.600098	4332.600098	4332.600098	1.119911
1368	048	2536	0.06	2785	2	55	80	2.5	5	3	6340	3555	RH-2	40	form-based			true	0.7	5	1	3	3	7100.799805	4315.799805	4315.799805	1.12
1369	001B	2409	0.06	3076	2	55	80	2.5	5	3	6022	2946	RH-2	40	form-based			true	0.7	5	1	3	3	6745.199707	3669.199707	3669.199707	1.120093
1369	001C	2409	0.06	3100	2	55	80	2.5	5	3	6022	2922	RH-2	40	form-based			true	0.7	5	1	3	3	6745.199707	3645.199707	3645.199707	1.120093
1369	008	3034	0.07	3414	3	55	80	2.5	6	3	7585	4171	RH-2	40	form-based			true	0.7	6	1	3	3	8495.200195	5081.200195	5081.200195	1.12
1369	032	3000	0.07	2710	3	55	80	2.5	6	3	7500	4790	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5690	5690	1.12
1369	035	1800	0.04	2181	1	55	80	2.5	3	2	4500	2319	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5040	2859	2859	1.12
1369	040	2535	0.06	5009	2	55	80	2.5	5	3	6338	1329	RH-2	40	form-based			true	0.7	5	1	3	3	7098	2089	2089	1.119912
1369	044	3000	0.07	3879	3	55	80	2.5	6	3	7500	3621	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4521	4521	1.12
1369	063	3034	0.07	428	3	55	80	2.5	6	3	7585	7157	RH-2	40	form-based			true	0.7	6	1	3	3	8495.200195	8067.200195	8067.200195	1.12
1370	017	2965	0.07	3440	3	55	80	2.5	6	3	7412	3972	RH-2	40	form-based			true	0.7	6	1	3	3	8302	4862	4862	1.120076
1371	016	2982	0.07	3557	3	55	80	2.5	6	3	7455	3898	RH-2	40	form-based			true	0.7	6	1	3	3	8349.599609	4792.599609	4792.599609	1.12
1371	039	3037	0.07	2329	3	55	80	2.5	6	3	7592	5263	RH-2	40	form-based			true	0.7	6	1	3	3	8503.599609	6174.599609	6174.599609	1.120074
1372	036A	3000	0.07	3260	3	55	80	2.5	6	3	7500	4240	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5140	5140	1.12
1372	045	2536	0.06	3818	2	55	80	2.5	5	3	6340	2522	RH-2	40	form-based			true	0.7	5	1	3	3	7100.799805	3282.799805	3282.799805	1.12
1372	046	2536	0.06	3450	2	55	80	2.5	5	3	6340	2890	RH-2	40	form-based			true	0.7	5	1	3	3	7100.799805	3650.799805	3650.799805	1.12
1372	047	2536	0.06	3450	2	55	80	2.5	5	3	6340	2890	RH-2	40	form-based			true	0.7	5	1	3	3	7100.799805	3650.799805	3650.799805	1.12
1372	061	2536	0.06	2191	2	55	80	2.5	5	3	6340	4149	RH-2	40	form-based			true	0.7	5	1	3	3	7100.799805	4909.799805	4909.799805	1.12
1372	073	2536	0.06	2110	2	55	80	2.5	5	3	6340	4230	RH-2	40	form-based			true	0.7	5	1	3	3	7100.799805	4990.799805	4990.799805	1.12
1374	035	2250	0.05	2600	2	55	80	2.5	4	2	5625	3025	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3700	3700	1.12
1375	001	2146	0.05	4264	2	55	80	2.5	4	2	5365	1101	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6008.799805	1744.799805	1744.799805	1.12
1376	011	3000	0.07	3400	3	55	80	2.5	6	3	7500	4100	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5000	5000	1.12
1376	014	3000	0.07	3318	3	55	80	2.5	6	3	7500	4182	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5082	5082	1.12
1376	021	2478	0.06	4495	6	55	80	2.5	5	0	6195	1700	RTO-C	65	form-based			true	0.75	9	1.799999952	3	3	11151	6656	6656	1.8
1376	043	3122	0.07	5538	4	55	80	2.5	6	2	7805	2267	RH-2	40	form-based		true	true	0.7	7	1.166666627	3	3	8741.599609	3203.599609	3203.599609	1.12
1376	048	2500	0.06	2924	2	55	80	2.5	5	3	6250	3326	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4076	4076	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1376	049	2500	0.06	3460	2	55	80	2.5	5	3	6250	2790	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3540	3540	1.12
1376	050	2500	0.06	2800	2	55	80	2.5	5	3	6250	3450	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4200	4200	1.12
1376	054	2500	0.06	1366	2	55	80	2.5	5	3	6250	4884	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5634	5634	1.12
1376	064	2500	0.06	984	2	55	80	2.5	5	3	6250	5266	RH-2	40	form-based			true	0.7	5	1	3	3	7000	6016	6016	1.12
1377	001	2570	0.06	2677	2	55	80	2.5	5	3	6425	3748	RH-2	40	form-based		true	true	0.7	5	1	3	3	7196	4519	4519	1.12
1377	003	2072	0.05	2364	1	55	80	2.5	4	3	5180	2816	RH-2	40	form-based			true	0.7	4	1	3	3	5801.600098	3437.600098	3437.600098	1.12
1377	019	1823	0.04	3000	4	55	80	2.5	3	0	4558	1558	RTO-C	65	form-based		true	true	0.75	7	2.333333254	3	2	8203.5	5203.5	5203.5	1.799803
1377	027	1680	0.04	1093	1	55	80	2.5	3	2	4200	3107	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4704	3611	3611	1.12
1377	033	2975	0.07	3925	3	55	80	2.5	6	3	7438	3513	RH-2	40	form-based			true	0.7	6	1	3	3	8330	4405	4405	1.119925
1377	034	2975	0.07	3148	3	55	80	2.5	6	3	7438	4290	RH-2	40	form-based			true	0.7	6	1	3	3	8330	5182	5182	1.119925
1377	042	2903	0.07	1820	3	55	80	2.5	6	3	7258	5438	RH-2	40	form-based			true	0.7	6	1	3	3	8128.399902	6308.399902	6308.399902	1.119923
1377	044	2223	0.05	2718	2	55	80	2.5	4	2	5558	2840	RH-2	40	form-based			true	0.7	5	1.25	3	3	6224.399902	3506.399902	3506.399902	1.119899
1377	047	2058	0.05	1921	1	55	80	2.5	4	3	5145	3224	RH-2	40	form-based			true	0.7	4	1	3	3	5762.399902	3841.399902	3841.399902	1.12
1378	002	3000	0.07	3633	3	55	80	2.5	6	3	7500	3867	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4767	4767	1.12
1378	006	3000	0.07	2344	3	55	80	2.5	6	3	7500	5156	RH-2	40	form-based			true	0.7	6	1	3	3	8400	6056	6056	1.12
1378	042	1375	0.03	1013	2	55	80	2.5	2	0	3438	2425	RTO-C	65	form-based			true	0.75	5	2.5	3	2	6187.5	5174.5	5174.5	1.799738
1379	029	3126	0.07	4475	4	55	80	2.5	6	2	7815	3340	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	8752.799805	4277.799805	4277.799805	1.12
1379	038	2500	0.06	2454	2	55	80	2.5	5	3	6250	3796	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4546	4546	1.12
1379	043	2500	0.06	1545	2	55	80	2.5	5	3	6250	4705	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5455	5455	1.12
1379	053	3274	0.08	974	4	55	80	2.5	6	2	8185	7211	RH-2	40	form-based		true	true	0.7	7	1.166666627	3	3	9167.200195	8193.200195	8193.200195	1.12
1380	032	2063	0.05	1962	1	55	80	2.5	4	3	5158	3196	RH-2	40	form-based			true	0.7	4	1	3	3	5776.399902	3814.399902	3814.399902	1.119891
1380	034	2062	0.05	1427	1	55	80	2.5	4	3	5155	3728	RH-2	40	form-based			true	0.7	4	1	3	3	5773.600098	4346.600098	4346.600098	1.12
1380	036	2600	0.06	3450	2	55	80	2.5	5	3	6500	3050	RH-2	40	form-based			true	0.7	5	1	3	3	7280	3830	3830	1.12
1380	036A	2600	0.06	3450	2	55	80	2.5	5	3	6500	3050	RH-2	40	form-based			true	0.7	5	1	3	3	7280	3830	3830	1.12
1380	038	4056	0.09	4055	6	55	80	2.5	7	1	10140	6085	RH-2	40	form-based			true	0.7	9	1.285714269	3	3	11356.7998	7301.799805	7301.799805	1.12
1381	014A	1392	0.03	1850	2	55	80	2.5	2	0	3480	1630	RTO-C	65	form-based			true	0.75	5	2.5	3	2	6264	4414	4414	1.8
1381	035	2187	0.05	3250	2	55	80	2.5	4	2	5468	2218	RH-2	40	form-based			true	0.7	5	1.25	3	3	6123.600098	2873.600098	2873.600098	1.119898
1381	035A	2188	0.05	3250	2	55	80	2.5	4	2	5470	2220	RH-2	40	form-based			true	0.7	5	1.25	3	3	6126.399902	2876.399902	2876.399902	1.12
1381	036	2187	0.05	3250	2	55	80	2.5	4	2	5468	2218	RH-2	40	form-based			true	0.7	5	1.25	3	3	6123.600098	2873.600098	2873.600098	1.119898
1382	001	3125	0.07	4876	4	55	80	2.5	6	2	7812	2936	RH-2	40	form-based		true	true	0.7	7	1.166666627	3	3	8750	3874	3874	1.120072
1382	006	3000	0.07	3495	3	55	80	2.5	6	3	7500	4005	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4905	4905	1.12
1382	007	3000	0.07	3442	3	55	80	2.5	6	3	7500	4058	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4958	4958	1.12
1382	030	3056	0.07	5360	3	55	80	2.5	6	3	7640	2280	RH-2	40	form-based			true	0.7	6	1	3	3	8556.799805	3196.799805	3196.799805	1.12
1383	012	3000	0.07	1813	3	55	80	2.5	6	3	7500	5687	RH-2	40	form-based			true	0.7	6	1	3	3	8400	6587	6587	1.12
1383	014	3000	0.07	2888	3	55	80	2.5	6	3	7500	4612	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5512	5512	1.12
1383	025	1948	0.04	3110	4	55	80	2.5	3	0	4870	1760	RTO-C	65	form-based		true	true	0.75	7	2.333333254	3	2	8766	5656	5656	1.8
1383	026	2996	0.07	5610	3	55	80	2.5	6	3	7490	1880	RH-2	40	form-based			true	0.7	6	1	3	3	8388.799805	2778.799805	2778.799805	1.12
1383	038	2996	0.07	4376	3	55	80	2.5	6	3	7490	3114	RH-2	40	form-based			true	0.7	6	1	3	3	8388.799805	4012.799805	4012.799805	1.12
1383	049	1300	0.03	1200	2	55	80	2.5	2	0	3250	2050	RTO-C	65	form-based			true	0.75	5	2.5	3	2	5850	4650	4650	1.8
1384	009O	3008	0.07	3100	3	55	80	2.5	6	3	7520	4420	RH-2	40	form-based			true	0.7	6	1	3	3	8422.399414	5322.399414	5322.399414	1.12
1385	016A	2487	0.06	5745	6	55	80	2.5	5	0	6218	473	RTO-C	65	form-based			true	0.75	9	1.799999952	3	3	11191.5	5446.5	5446.5	1.799855
1385	040	3159	0.07	3420	4	55	80	2.5	6	2	7898	4478	RM-1	40	form-based			true	0.7	7	1.166666627	3	3	8845.200195	5425.200195	5425.200195	1.119929
1385	041	3159	0.07	3420	4	55	80	2.5	6	2	7898	4478	RM-1	40	form-based			true	0.7	7	1.166666627	3	3	8845.200195	5425.200195	5425.200195	1.119929
1385	067	2250	0.05	1924	2	55	80	2.5	4	2	5625	3701	RM-1	40	form-based			true	0.7	5	1.25	3	3	6300	4376	4376	1.12
1386	010	2937	0.07	3951	3	55	80	2.5	6	3	7342	3391	RM-1	40	form-based			true	0.7	6	1	3	3	8223.599609	4272.599609	4272.599609	1.120076
1386	027	3000	0.07	3240	3	55	80	2.5	6	3	7500	4260	RM-1	40	form-based			true	0.7	6	1	3	3	8400	5160	5160	1.12
1386	036	3000	0.07	3466	3	55	80	2.5	6	3	7500	4034	RM-1	40	form-based			true	0.7	6	1	3	3	8400	4934	4934	1.12
1386	044	2500	0.06	3540	2	55	80	2.5	5	3	6250	2710	RM-1	40	form-based			true	0.7	5	1	3	3	7000	3460	3460	1.12
1386	053	2937	0.07	1912	3	55	80	2.5	6	3	7342	5430	RM-1	40	form-based			true	0.7	6	1	3	3	8223.599609	6311.599609	6311.599609	1.120076
1386	058	2937	0.07	1837	3	55	80	2.5	6	3	7342	5505	RM-1	40	form-based			true	0.7	6	1	3	3	8223.599609	6386.599609	6386.599609	1.120076
1386	061	2937	0.07	2049	3	55	80	2.5	6	3	7342	5293	RM-1	40	form-based			true	0.7	6	1	3	3	8223.599609	6174.599609	6174.599609	1.120076
1386	064	2937	0.07	2050	3	55	80	2.5	6	3	7342	5292	RM-1	40	form-based			true	0.7	6	1	3	3	8223.599609	6173.599609	6173.599609	1.120076
1386	067	2937	0.07	2031	3	55	80	2.5	6	3	7342	5311	RM-1	40	form-based			true	0.7	6	1	3	3	8223.599609	6192.599609	6192.599609	1.120076
1386	073	2998	0.07	1193	3	55	80	2.5	6	3	7495	6302	RM-1	40	form-based		true	true	0.7	6	1	3	3	8394.399414	7201.399414	7201.399414	1.12
1386	078	2937	0.07	2245	3	55	80	2.5	6	3	7342	5097	RM-1	40	form-based			true	0.7	6	1	3	3	8223.599609	5978.599609	5978.599609	1.120076
1386	081	3000	0.07	1320	3	55	80	2.5	6	3	7500	6180	RM-1	40	form-based			true	0.7	6	1	3	3	8400	7080	7080	1.12
1387	002	3000	0.07	3047	3	55	80	2.5	6	3	7500	4453	RM-1	40	form-based			true	0.7	6	1	3	3	8400	5353	5353	1.12
1387	010	3756	0.09	5208	5	55	80	2.5	7	2	9390	4182	RM-1	40	form-based			true	0.7	8	1.142857194	3	3	10516.7998	5308.799805	5308.799805	1.12
1387	017	3287	0.08	4120	4	55	80	2.5	6	2	8218	4098	RM-1	40	form-based		true	true	0.7	7	1.166666627	3	3	9203.599609	5083.599609	5083.599609	1.119932
1387	020	2530	0.06	2720	2	55	80	2.5	5	3	6325	3605	RH-2	40	form-based			true	0.7	5	1	3	3	7084	4364	4364	1.12
1387	032	2527	0.06	1650	2	55	80	2.5	5	3	6318	4668	RH-2	40	form-based			true	0.7	5	1	3	3	7075.600098	5425.600098	5425.600098	1.119911
1392	031	2142	0.05	3041	1	55	80	2.5	4	3	5355	2314	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5997.600098	2956.600098	2956.600098	1.12
1402	026	3000	0.07	2640	3	65	100	3	7	4	9000	6360	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5760	5760	0.933333
1401	020	7238	0.17	11910	12	65	100	3	17	5	21714	9804	RM-1	40	form-based			true	0.7	15	0.882352948	3	3	20266.40039	8356.400391	8356.400391	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1402	005	3318	0.08	3512	4	65	100	3	8	4	9954	6442	RH-2	40	form-based			true	0.7	7	0.875	3	3	9290.399414	5778.399414	5778.399414	0.933333
1402	041	3174	0.07	5210	4	65	100	3	7	3	9522	4312	RH-2	40	form-based		true	true	0.7	7	1	3	3	8887.200195	3677.200195	3677.200195	0.933333
1402	043	2441	0.06	2300	2	65	100	3	6	4	7323	5023	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6834.799805	4534.799805	4534.799805	0.933333
1402	044	2441	0.06	2596	2	65	100	3	6	4	7323	4727	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6834.799805	4238.799805	4238.799805	0.933333
1402	045	2440	0.06	2300	2	65	100	3	6	4	7320	5020	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6832	4532	4532	0.933333
1402	046	2440	0.06	2600	2	65	100	3	6	4	7320	4720	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6832	4232	4232	0.933333
1402	048	2440	0.06	2300	2	65	100	3	6	4	7320	5020	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6832	4532	4532	0.933333
1402	053	2441	0.06	1218	2	65	100	3	6	4	7323	6105	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6834.799805	5616.799805	5616.799805	0.933333
1402	057	2440	0.06	989	2	65	100	3	6	4	7320	6331	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6832	5843	5843	0.933333
1403	010	1940	0.04	2169	1	65	100	3	4	3	5820	3651	RH-2	40	form-based			true	0.7	4	1	3	3	5432	3263	3263	0.933333
1403	010A	1903	0.04	2262	1	65	100	3	4	3	5709	3447	RH-2	40	form-based			true	0.7	4	1	3	3	5328.399902	3066.399902	3066.399902	0.933333
1403	020	2676	0.06	4359	3	65	100	3	6	3	8028	3669	RM-1	40	form-based			true	0.7	6	1	3	3	7492.799805	3133.799805	3133.799805	0.933333
1403	031	3170	0.07	4250	4	65	100	3	7	3	9510	5260	RH-2	40	form-based		true	true	0.7	7	1	3	3	8876	4626	4626	0.933333
1403	033	2438	0.06	2800	2	65	100	3	6	4	7314	4514	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6826.399902	4026.399902	4026.399902	0.933333
1403	034	2438	0.06	3440	2	65	100	3	6	4	7314	3874	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6826.399902	3386.399902	3386.399902	0.933333
1403	035	2437	0.06	3850	2	65	100	3	6	4	7311	3461	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6823.600098	2973.600098	2973.600098	0.933333
1403	037	2437	0.06	3141	2	65	100	3	6	4	7311	4170	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6823.600098	3682.600098	3682.600098	0.933333
1403	038	2437	0.06	3052	2	65	100	3	6	4	7311	4259	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6823.600098	3771.600098	3771.600098	0.933333
1404	004	2414	0.06	3308	2	65	100	3	6	4	7242	3934	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6759.199707	3451.199707	3451.199707	0.933333
1404	043	2375	0.05	2456	2	65	100	3	5	3	7125	4669	RH-2	40	form-based			true	0.7	5	1	3	3	6650	4194	4194	0.933333
1404	046	2435	0.06	3255	2	65	100	3	6	4	7305	4050	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6818	3563	3563	0.933333
1404	047	2434	0.06	3323	2	65	100	3	6	4	7302	3979	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6815.199707	3492.199707	3492.199707	0.933333
1405	002	2367	0.05	1996	2	65	100	3	5	3	7101	5105	RH-2	40	form-based			true	0.7	5	1	3	3	6627.600098	4631.600098	4631.600098	0.933333
1405	004	2367	0.05	3840	2	65	100	3	5	3	7101	3261	RH-2	40	form-based			true	0.7	5	1	3	3	6627.600098	2787.600098	2787.600098	0.933333
1405	013	2992	0.07	3660	3	65	100	3	7	4	8976	5316	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8377.599609	4717.599609	4717.599609	0.933333
1405	021	1849	0.04	1830	1	65	100	3	4	3	5547	3717	RH-2	40	form-based			true	0.7	4	1	3	3	5177.199707	3347.199707	3347.199707	0.933333
1405	041	3000	0.07	4000	3	65	100	3	7	4	9000	5000	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4400	4400	0.933333
1405	047	2375	0.05	3112	2	65	100	3	5	3	7125	4013	RH-2	40	form-based			true	0.7	5	1	3	3	6650	3538	3538	0.933333
1405	049	2375	0.05	3827	2	65	100	3	5	3	7125	3298	RH-2	40	form-based			true	0.7	5	1	3	3	6650	2823	2823	0.933333
1405	051	2448	0.06	2908	2	65	100	3	6	4	7344	4436	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6854.399902	3946.399902	3946.399902	0.933333
1406	003	2989	0.07	3352	3	65	100	3	7	4	8967	5615	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8369.200195	5017.200195	5017.200195	0.933333
1406	032	3000	0.07	4142	3	65	100	3	7	4	9000	4858	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4258	4258	0.933333
1406	047	2599	0.06	4100	2	65	100	3	6	4	7797	3697	RH-1(S)	40	form-based			true	0.7	5	0.833333313	3	3	7277.199707	3177.199707	3177.199707	0.933333
1407	006	2997	0.07	3430	3	65	100	3	7	4	8991	5561	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8391.599609	4961.599609	4961.599609	0.933333
1407	011	2997	0.07	3150	3	65	100	3	7	4	8991	5841	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8391.599609	5241.599609	5241.599609	0.933333
1407	023	1952	0.04	3404	4	65	100	3	4	0	5856	2452	NCD-OUTE	65	form-based		true	true	0.75	7	1.75	3	3	8784	5380	5380	1.5
1407	023C	1716	0.04	2688	1	65	100	3	4	3	5148	2460	RH-2	40	form-based			true	0.7	4	1	3	3	4804.799805	2116.799805	2116.799805	0.933333
1407	052	2997	0.07	1680	3	65	100	3	7	4	8991	7311	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8391.599609	6711.599609	6711.599609	0.933333
1408	004	3037	0.07	4284	3	65	100	3	7	4	9111	4827	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8503.599609	4219.599609	4219.599609	0.933333
1408	005	3037	0.07	3256	3	65	100	3	7	4	9111	5855	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8503.599609	5247.599609	5247.599609	0.933333
1408	013	3399	0.08	6824	10	65	100	3	8	0	10197	3373	NCD-OUTE	65	form-based		true	true	0.75	13	1.625	3	3	15295.5	8471.5	8471.5	1.5
1408	024	2940	0.07	4375	3	65	100	3	7	4	8820	4445	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8232	3857	3857	0.933333
1408	026	2940	0.07	4474	3	65	100	3	7	4	8820	4346	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8232	3758	3758	0.933333
1408	028	2940	0.07	3628	3	65	100	3	7	4	8820	5192	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8232	4604	4604	0.933333
1408	030	2940	0.07	3370	3	65	100	3	7	4	8820	5450	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8232	4862	4862	0.933333
1408	057	2940	0.07	1551	3	65	100	3	7	4	8820	7269	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8232	6681	6681	0.933333
1408	060	3037	0.07	1225	3	65	100	3	7	4	9111	7886	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8503.599609	7278.599609	7278.599609	0.933333
1408	063	3037	0.07	1231	3	65	100	3	7	4	9111	7880	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8503.599609	7272.599609	7272.599609	0.933333
1408	066	3037	0.07	1430	3	65	100	3	7	4	9111	7681	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8503.599609	7073.599609	7073.599609	0.933333
1409	003	3038	0.07	3568	3	65	100	3	7	4	9114	5546	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8506.399414	4938.399414	4938.399414	0.933333
1409	004	3038	0.07	4674	3	65	100	3	7	4	9114	4440	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8506.399414	3832.399414	3832.399414	0.933333
1409	006	3038	0.07	3700	3	65	100	3	7	4	9114	5414	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8506.399414	4806.399414	4806.399414	0.933333
1409	008	3038	0.07	4490	3	65	100	3	7	4	9114	4624	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8506.399414	4016.399414	4016.399414	0.933333
1409	014	3038	0.07	3467	3	65	100	3	7	4	9114	5647	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8506.399414	5039.399414	5039.399414	0.933333
1409	031	3000	0.07	4500	3	65	100	3	7	4	9000	4500	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	3900	3900	0.933333
1409	032	3000	0.07	4873	3	65	100	3	7	4	9000	4127	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	3527	3527	0.933333
1409	037	3000	0.07	4110	3	65	100	3	7	4	9000	4890	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4290	4290	0.933333
1409	056	3038	0.07	767	3	65	100	3	7	4	9114	8347	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8506.399414	7739.399414	7739.399414	0.933333
1409	059	3000	0.07	4394	3	65	100	3	7	4	9000	4606	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4006	4006	0.933333
1410	027	2970	0.07	4130	3	65	100	3	7	4	8910	4780	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8316	4186	4186	0.933333
1410	032	2970	0.07	3190	3	65	100	3	7	4	8910	5720	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8316	5126	5126	0.933333
1410	037	2970	0.07	3820	3	65	100	3	7	4	8910	5090	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8316	4496	4496	0.933333
1410	048	2970	0.07	930	3	65	100	3	7	4	8910	7980	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8316	7386	7386	0.933333
1410	051	2970	0.07	1960	3	65	100	3	7	4	8910	6950	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8316	6356	6356	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1410	054	2970	0.07	2051	3	65	100	3	7	4	8910	6859	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8316	6265	6265	0.933333
1411	010	5105	0.12	12567	16	65	100	3	12	0	15315	2748	NCD-OUTE	65	form-based			true	0.75	19	1.583333373	3	3	22972.5	10405.5	10405.5	1.5
1412	002A	2965	0.07	3866	3	65	100	3	7	4	8895	5029	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8302	4436	4436	0.933333
1412	007	2965	0.07	3384	3	65	100	3	7	4	8895	5511	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8302	4918	4918	0.933333
1413	028	3000	0.07	3200	3	65	100	3	7	4	9000	5800	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5200	5200	0.933333
1413	029	3000	0.07	3692	3	65	100	3	7	4	9000	5308	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4708	4708	0.933333
1413	033	3000	0.07	3104	3	65	100	3	7	4	9000	5896	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5296	5296	0.933333
1413	037	3000	0.07	3825	3	65	100	3	7	4	9000	5175	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4575	4575	0.933333
1413	046	1539	0.04	2014	3	65	100	3	4	1	4617	2603	NCD-OUTE	65	form-based		true	true	0.75	6	1.5	3	3	6925.5	4911.5	4911.5	1.5
1413	048	3000	0.07	818	3	65	100	3	7	4	9000	8182	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	7582	7582	0.933333
1413	056	1438	0.03	1478	2	65	100	3	3	1	4314	2836	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6471	4993	4993	1.5
1414	002	3004	0.07	3050	3	65	100	3	7	4	9012	5962	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8411.200195	5361.200195	5361.200195	0.933333
1414	003	3004	0.07	3230	3	65	100	3	7	4	9012	5782	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8411.200195	5181.200195	5181.200195	0.933333
1414	021	2500	0.06	5250	6	65	100	3	6	0	7500	2250	NCD-OUTE	65	form-based			true	0.75	9	1.5	3	3	11250	6000	6000	1.5
1414	022	2500	0.06	5250	6	65	100	3	6	0	7500	2250	NCD-OUTE	65	form-based			true	0.75	9	1.5	3	3	11250	6000	6000	1.5
1415	003	2989	0.07	3018	3	65	100	3	7	4	8967	5949	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8369.200195	5351.200195	5351.200195	0.933333
1415	018	3000	0.07	2200	3	65	100	3	7	4	9000	6800	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6200	6200	0.933333
1415	019	3000	0.07	3784	3	65	100	3	7	4	9000	5216	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4616	4616	0.933333
1416	003	2975	0.07	5222	3	65	100	3	7	4	8925	3703	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8330	3108	3108	0.933333
1416	005	2975	0.07	3930	3	65	100	3	7	4	8925	4995	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8330	4400	4400	0.933333
1416	017	2975	0.07	3936	3	65	100	3	7	4	8925	4989	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8330	4394	4394	0.933333
1416	032	3000	0.07	3440	3	65	100	3	7	4	9000	5560	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4960	4960	0.933333
1417	001	4801	0.11	12795	15	65	100	3	11	0	14403	1608	RTO-C	65	form-based		true	true	0.75	18	1.636363626	3	3	21604.5	8809.5	8809.5	1.5
1417	023	3000	0.07	4652	3	65	100	3	7	4	9000	4348	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	3748	3748	0.933333
1418	039	2485	0.06	2100	2	65	100	3	6	4	7455	5355	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6958	4858	4858	0.933333
1418	043	4046	0.09	8115	5	65	100	3	9	4	12138	4023	RH-2	40	form-based			true	0.7	8	0.888888896	3	3	11328.7998	3213.799805	3213.799805	0.933333
1419	019	2630	0.06	4262	3	65	100	3	6	3	7890	3628	RH-2	40	form-based			true	0.7	6	1	3	3	7364	3102	3102	0.933333
1421	010	2989	0.07	2240	3	65	100	3	7	4	8967	6727	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8369.200195	6129.200195	6129.200195	0.933333
1421	011	2989	0.07	2980	3	65	100	3	7	4	8967	5987	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8369.200195	5389.200195	5389.200195	0.933333
1421	036	1600	0.04	3900	3	65	100	3	4	1	4800	900	NCD-INNE	65	form-based			true	0.75	6	1.5	3	3	7200	3300	3300	1.5
1421	045	3000	0.07	930	3	65	100	3	7	4	9000	8070	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	7470	7470	0.933333
1422	008	3046	0.07	2450	3	65	100	3	7	4	9138	6688	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8528.799805	6078.799805	6078.799805	0.933333
1422	010	3046	0.07	3414	3	65	100	3	7	4	9138	5724	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8528.799805	5114.799805	5114.799805	0.933333
1422	011A	3472	0.08	3861	4	65	100	3	8	4	10416	6555	RM-1	40	form-based			true	0.7	7	0.875	3	3	9721.599609	5860.599609	5860.599609	0.933333
1422	030	2991	0.07	1600	3	65	100	3	7	4	8973	7373	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8374.799805	6774.799805	6774.799805	0.933333
1422	031	2991	0.07	3370	3	65	100	3	7	4	8973	5603	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8374.799805	5004.799805	5004.799805	0.933333
1422	036	2990	0.07	3410	3	65	100	3	7	4	8970	5560	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8372	4962	4962	0.933333
1422	037	2990	0.07	3007	3	65	100	3	7	4	8970	5963	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8372	5365	5365	0.933333
1423	005	2965	0.07	4468	3	65	100	3	7	4	8895	4427	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8302	3834	3834	0.933333
1423	019	2965	0.07	3750	3	65	100	3	7	4	8895	5145	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8302	4552	4552	0.933333
1423	024	3000	0.07	3372	3	65	100	3	7	4	9000	5628	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5028	5028	0.933333
1423	028	3000	0.07	2512	3	65	100	3	7	4	9000	6488	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5888	5888	0.933333
1424	004	3036	0.07	540	3	65	100	3	7	4	9108	8568	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8500.799805	7960.799805	7960.799805	0.933333
1424	009	3643	0.08	4898	5	65	100	3	8	3	10929	6031	RM-1	40	form-based			true	0.7	8	1	3	3	10200.39941	5302.399414	5302.399414	0.933333
1424	042	844	0.02	1415	1	65	100	3	2	1	2532	1117	RTO-C	85	form-based		true	true	0.75	4	2	3	3	5064	3649	3649	2
1424	043	847	0.02	1154	1	65	100	3	2	1	2541	1387	RTO-C	85	form-based			true	0.75	4	2	3	3	5082	3928	3928	2
1424	047	3000	0.07	4000	3	65	100	3	7	4	9000	5000	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4400	4400	0.933333
1424	048	832	0.02	1112	1	65	100	3	2	1	2496	1384	RTO-C	85	form-based			true	0.75	4	2	3	3	4992	3880	3880	2
1424	052	3000	0.07	1052	3	65	100	3	7	4	9000	7948	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	7348	7348	0.933333
1425	005	2961	0.07	3200	3	65	100	3	7	4	8883	5683	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8290.799805	5090.799805	5090.799805	0.933333
1425	011	2961	0.07	4650	3	65	100	3	7	4	8883	4233	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8290.799805	3640.799805	3640.799805	0.933333
1425	012	2369	0.05	2320	2	65	100	3	5	3	7107	4787	RM-1	40	form-based			true	0.7	5	1	3	3	6633.199707	4313.199707	4313.199707	0.933333
1425	013	2153	0.05	2320	2	65	100	3	5	3	6459	4139	RM-1	40	form-based			true	0.7	5	1	3	3	6028.399902	3708.399902	3708.399902	0.933333
1425	028A	2128	0.05	1230	1	65	100	3	5	4	6384	5154	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5958.399902	4728.399902	4728.399902	0.933333
1426	017	2999	0.07	4733	3	65	100	3	7	4	8997	4264	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8397.200195	3664.200195	3664.200195	0.933333
1426	040	3067	0.07	4170	3	65	100	3	7	4	9201	5031	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8587.599609	4417.599609	4417.599609	0.933333
1426	041	975	0.02	1800	2	65	100	3	2	0	2925	1125	RTO-C	85	form-based			true	0.75	5	2.5	3	2	5850	4050	4050	2
1427	004	2406	0.06	3240	2	65	100	3	6	4	7218	3978	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6736.799805	3496.799805	3496.799805	0.933333
1427	007	2404	0.06	2271	2	65	100	3	6	4	7212	4941	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6731.199707	4460.199707	4460.199707	0.933333
1427	008	2403	0.06	2271	2	65	100	3	6	4	7209	4938	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6728.399902	4457.399902	4457.399902	0.933333
1427	019	2886	0.07	5666	8	65	100	3	7	0	8658	2992	NCD-INNE	65	form-based			true	0.75	11	1.571428537	3	3	12987	7321	7321	1.5
1428	011	3006	0.07	3312	3	65	100	3	7	4	9018	5706	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8416.799805	5104.799805	5104.799805	0.933333
1428	013	3004	0.07	3950	3	65	100	3	7	4	9012	5062	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8411.200195	4461.200195	4461.200195	0.933333
1428	014	3004	0.07	3550	3	65	100	3	7	4	9012	5462	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8411.200195	4861.200195	4861.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1428	015	3003	0.07	3550	3	65	100	3	7	4	9009	5459	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8408.399414	4858.399414	4858.399414	0.933333
1428	016	3003	0.07	3550	3	65	100	3	7	4	9009	5459	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8408.399414	4858.399414	4858.399414	0.933333
1428	035	3002	0.07	3866	3	65	100	3	7	4	9006	5140	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8405.599609	4539.599609	4539.599609	0.933333
1428	052	3009	0.07	1731	3	65	100	3	7	4	9027	7296	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8425.200195	6694.200195	6694.200195	0.933333
1429	011	3014	0.07	3145	3	65	100	3	7	4	9042	5897	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8439.200195	5294.200195	5294.200195	0.933333
1429	017	3308	0.08	3590	4	65	100	3	8	4	9924	6334	RM-1	40	form-based			true	0.7	7	0.875	3	3	9262.399414	5672.399414	5672.399414	0.933333
1429	019	3748	0.09	9660	11	65	100	3	9	0	11244	1584	NCD-INNE	65	form-based	true		true	0.75	14	1.555555582	3	3	16866	7206	7206	1.5
1429	027	2497	0.06	3100	2	65	100	3	6	4	7491	4391	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6991.600098	3891.600098	3891.600098	0.933333
1429	028	3497	0.08	5341	4	65	100	3	8	4	10491	5150	RM-1	40	form-based			true	0.7	7	0.875	3	3	9791.599609	4450.599609	4450.599609	0.933333
1429	031	2995	0.07	2930	3	65	100	3	7	4	8985	6055	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8386	5456	5456	0.933333
1429	045	2500	0.06	1980	2	65	100	3	6	4	7500	5520	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	5020	5020	0.933333
1429	046	2500	0.06	2560	2	65	100	3	6	4	7500	4940	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4440	4440	0.933333
1429	048	2995	0.07	1205	3	65	100	3	7	4	8985	7780	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8386	7181	7181	0.933333
1429	051	2996	0.07	2810	3	65	100	3	7	4	8988	6178	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8388.799805	5578.799805	5578.799805	0.933333
1430	002	2350	0.05	2144	2	65	100	3	5	3	7050	4906	RM-1	40	form-based			true	0.7	5	1	3	3	6580	4436	4436	0.933333
1430	015	3019	0.07	1902	3	65	100	3	7	4	9057	7155	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8453.200195	6551.200195	6551.200195	0.933333
1430	018	3019	0.07	3500	3	65	100	3	7	4	9057	5557	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8453.200195	4953.200195	4953.200195	0.933333
1430	032	2992	0.07	3822	3	65	100	3	7	4	8976	5154	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8377.599609	4555.599609	4555.599609	0.933333
1430	033	2990	0.07	3255	3	65	100	3	7	4	8970	5715	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8372	5117	5117	0.933333
1430	034	2989	0.07	4050	3	65	100	3	7	4	8967	4917	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8369.200195	4319.200195	4319.200195	0.933333
1430	035	2988	0.07	3066	3	65	100	3	7	4	8964	5898	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8366.399414	5300.399414	5300.399414	0.933333
1430	041	2980	0.07	4646	3	65	100	3	7	4	8940	4294	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8344	3698	3698	0.933333
1431	004	3000	0.07	3042	3	65	100	3	7	4	9000	5958	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5358	5358	0.933333
1431	006	3000	0.07	3495	3	65	100	3	7	4	9000	5505	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4905	4905	0.933333
1431	008	3000	0.07	2337	3	65	100	3	7	4	9000	6663	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6063	6063	0.933333
1431	009	3000	0.07	2990	3	65	100	3	7	4	9000	6010	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5410	5410	0.933333
1431	011	3000	0.07	3050	3	65	100	3	7	4	9000	5950	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5350	5350	0.933333
1431	013	3000	0.07	2026	3	65	100	3	7	4	9000	6974	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6374	6374	0.933333
1431	017B	1456	0.03	2230	2	65	100	3	3	1	4368	2138	NCD-INNE	65	form-based			true	0.75	5	1.666666627	3	3	6552	4322	4322	1.5
1431	017C	1456	0.03	2230	2	65	100	3	3	1	4368	2138	NCD-INNE	65	form-based			true	0.75	5	1.666666627	3	3	6552	4322	4322	1.5
1431	035	3019	0.07	4090	3	65	100	3	7	4	9057	4967	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8453.200195	4363.200195	4363.200195	0.933333
1431	041	2081	0.05	1184	1	65	100	3	5	4	6243	5059	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	4642.799805	4642.799805	0.933333
1431	042	2081	0.05	2315	1	65	100	3	5	4	6243	3928	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	3511.799805	3511.799805	0.933333
1431	045	2500	0.06	2064	2	65	100	3	6	4	7500	5436	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4936	4936	0.933333
1431	046	2500	0.06	1868	2	65	100	3	6	4	7500	5632	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	5132	5132	0.933333
1431	047	2500	0.06	2880	2	65	100	3	6	4	7500	4620	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4120	4120	0.933333
1431	057	3019	0.07	944	3	65	100	3	7	4	9057	8113	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8453.200195	7509.200195	7509.200195	0.933333
1431	062	3019	0.07	1258	3	65	100	3	7	4	9057	7799	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8453.200195	7195.200195	7195.200195	0.933333
1432	029	3000	0.07	2870	3	65	100	3	7	4	9000	6130	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5530	5530	0.933333
1432	030	3000	0.07	3220	3	65	100	3	7	4	9000	5780	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5180	5180	0.933333
1432	034	3000	0.07	4240	3	65	100	3	7	4	9000	4760	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4160	4160	0.933333
1432	036	3000	0.07	3360	3	65	100	3	7	4	9000	5640	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5040	5040	0.933333
1432	041	2500	0.06	2890	2	65	100	3	6	4	7500	4610	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4110	4110	0.933333
1432	043	2500	0.06	3650	2	65	100	3	6	4	7500	3850	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	3350	3350	0.933333
1432	045	2500	0.06	2644	2	65	100	3	6	4	7500	4856	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4356	4356	0.933333
1432	066	2500	0.06	2181	2	65	100	3	6	4	7500	5319	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4819	4819	0.933333
1432	068	3010	0.07	2435	3	65	100	3	7	4	9030	6595	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8428	5993	5993	0.933333
1433	017	2977	0.07	2700	3	65	100	3	7	4	8931	6231	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8335.599609	5635.599609	5635.599609	0.933333
1433	020	2977	0.07	2872	3	65	100	3	7	4	8931	6059	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8335.599609	5463.599609	5463.599609	0.933333
1433	021	2977	0.07	3368	3	65	100	3	7	4	8931	5563	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8335.599609	4967.599609	4967.599609	0.933333
1433	022	2977	0.07	4140	3	65	100	3	7	4	8931	4791	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8335.599609	4195.599609	4195.599609	0.933333
1433	028	2977	0.07	5221	3	65	100	3	7	4	8931	3710	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8335.599609	3114.599609	3114.599609	0.933333
1433	030	3221	0.07	3320	4	65	100	3	7	3	9663	6343	RM-1	40	form-based			true	0.7	7	1	3	3	9018.799805	5698.799805	5698.799805	0.933333
1433	045	2977	0.07	2214	3	65	100	3	7	4	8931	6717	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8335.599609	6121.599609	6121.599609	0.933333
1433	048	6088	0.14	877	10	65	100	3	14	4	18264	17387	RM-2	40	form-based			true	0.7	13	0.928571403	3	3	17046.40039	16169.40039	16169.40039	0.933333
1433	058	2977	0.07	1564	3	65	100	3	7	4	8931	7367	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8335.599609	6771.599609	6771.599609	0.933333
1433	062	2977	0.07	1500	3	65	100	3	7	4	8931	7431	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8335.599609	6835.599609	6835.599609	0.933333
1434	011	3000	0.07	4090	3	65	100	3	7	4	9000	4910	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4310	4310	0.933333
1434	027	3019	0.07	4090	3	65	100	3	7	4	9057	4967	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8453.200195	4363.200195	4363.200195	0.933333
1434	030	3019	0.07	2932	3	65	100	3	7	4	9057	6125	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8453.200195	5521.200195	5521.200195	0.933333
1434	032	3019	0.07	1170	3	65	100	3	7	4	9057	7887	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8453.200195	7283.200195	7283.200195	0.933333
1434	045	2500	0.06	4470	6	65	100	3	6	0	7500	3030	NCD-INNE	65	form-based			true	0.75	9	1.5	3	3	11250	6780	6780	1.5
1434	053	3000	0.07	1843	3	65	100	3	7	4	9000	7157	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6557	6557	0.933333
1435	001	3109	0.07	6520	9	65	100	3	7	0	9327	2807	NCD-INNE	65	form-based	true		true	0.75	12	1.714285731	3	3	13990.5	7470.5	7470.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1435	004	3027	0.07	2900	3	65	100	3	7	4	9081	6181	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8475.599609	5575.599609	5575.599609	0.933333
1435	010	3027	0.07	3350	3	65	100	3	7	4	9081	5731	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8475.599609	5125.599609	5125.599609	0.933333
1436	007	3217	0.07	4054	4	65	100	3	7	3	9651	5597	RM-1	40	form-based			true	0.7	7	1	3	3	9007.599609	4953.599609	4953.599609	0.933333
1435	024	3000	0.07	4110	3	65	100	3	7	4	9000	4890	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4290	4290	0.933333
1435	045	3330	0.08	4275	4	65	100	3	8	4	9990	5715	RM-1	40	form-based			true	0.7	7	0.875	3	3	9324	5049	5049	0.933333
1435	046	3330	0.08	4275	4	65	100	3	8	4	9990	5715	RM-1	40	form-based			true	0.7	7	0.875	3	3	9324	5049	5049	0.933333
1435	061	3027	0.07	1340	3	65	100	3	7	4	9081	7741	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8475.599609	7135.599609	7135.599609	0.933333
1436	004	3000	0.07	3204	3	65	100	3	7	4	9000	5796	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5196	5196	0.933333
1436	010	3000	0.07	4014	3	65	100	3	7	4	9000	4986	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4386	4386	0.933333
1436	030	3006	0.07	3710	3	65	100	3	7	4	9018	5308	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8416.799805	4706.799805	4706.799805	0.933333
1436	035	3006	0.07	3750	3	65	100	3	7	4	9018	5268	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8416.799805	4666.799805	4666.799805	0.933333
1436	036	3006	0.07	3394	3	65	100	3	7	4	9018	5624	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8416.799805	5022.799805	5022.799805	0.933333
1436	037	3006	0.07	3451	3	65	100	3	7	4	9018	5567	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8416.799805	4965.799805	4965.799805	0.933333
1436	055	3006	0.07	1653	3	65	100	3	7	4	9018	7365	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8416.799805	6763.799805	6763.799805	0.933333
1437	002	3110	0.07	4456	4	65	100	3	7	3	9330	4874	RM-1	40	form-based			true	0.7	7	1	3	3	8708	4252	4252	0.933333
1437	004A	3000	0.07	4150	3	65	100	3	7	4	9000	4850	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4250	4250	0.933333
1437	006	3000	0.07	3700	3	65	100	3	7	4	9000	5300	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4700	4700	0.933333
1437	010	3000	0.07	2870	3	65	100	3	7	4	9000	6130	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5530	5530	0.933333
1437	011	3000	0.07	3082	3	65	100	3	7	4	9000	5918	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5318	5318	0.933333
1437	014	3000	0.07	2110	3	65	100	3	7	4	9000	6890	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6290	6290	0.933333
1437	025A	3014	0.07	3500	3	65	100	3	7	4	9042	5542	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8439.200195	4939.200195	4939.200195	0.933333
1437	030	3014	0.07	3745	3	65	100	3	7	4	9042	5297	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8439.200195	4694.200195	4694.200195	0.933333
1438	024	2988	0.07	5621	4	65	100	3	7	3	8964	3343	NCD-GEAR	40	form-based			true	0.75	7	1	3	3	8964	3343	3343	1
1439	007	3000	0.07	3886	3	65	100	3	7	4	9000	5114	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4514	4514	0.933333
1439	008	3000	0.07	3000	3	65	100	3	7	4	9000	6000	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5400	5400	0.933333
1439	010	3000	0.07	4377	3	65	100	3	7	4	9000	4623	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4023	4023	0.933333
1439	011	3000	0.07	3540	3	65	100	3	7	4	9000	5460	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4860	4860	0.933333
1439	032	3024	0.07	4284	3	65	100	3	7	4	9072	4788	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8467.200195	4183.200195	4183.200195	0.933333
1439	067	3000	0.07	1858	3	65	100	3	7	4	9000	7142	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6542	6542	0.933333
1441	022	3000	0.07	2392	3	65	100	3	7	4	9000	6608	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6008	6008	0.933333
1441	032	2750	0.06	4826	7	65	100	3	6	0	8250	3424	NCD-INNE	65	form-based			true	0.75	10	1.666666627	3	3	12375	7549	7549	1.5
1442	006	2960	0.07	3968	3	65	100	3	7	4	8880	4912	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8288	4320	4320	0.933333
1442	013	2960	0.07	3254	3	65	100	3	7	4	8880	5626	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8288	5034	5034	0.933333
1442	016	2960	0.07	2850	3	65	100	3	7	4	8880	6030	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8288	5438	5438	0.933333
1442	017	2960	0.07	3299	3	65	100	3	7	4	8880	5581	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8288	4989	4989	0.933333
1442	027	3007	0.07	4250	3	65	100	3	7	4	9021	4771	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8419.599609	4169.599609	4169.599609	0.933333
1442	033	3016	0.07	1950	3	65	100	3	7	4	9048	7098	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8444.799805	6494.799805	6494.799805	0.933333
1442	036	3021	0.07	4052	3	65	100	3	7	4	9063	5011	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8458.799805	4406.799805	4406.799805	0.933333
1442	037	3022	0.07	3452	3	65	100	3	7	4	9066	5614	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8461.599609	5009.599609	5009.599609	0.933333
1442	043A	1243	0.03	2000	2	65	100	3	3	1	3729	1729	NCD-INNE	65	form-based			true	0.75	5	1.666666627	3	3	5593.5	3593.5	3593.5	1.5
1443	006	2987	0.07	3644	3	65	100	3	7	4	8961	5317	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8363.599609	4719.599609	4719.599609	0.933333
1443	014	2987	0.07	3855	3	65	100	3	7	4	8961	5106	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8363.599609	4508.599609	4508.599609	0.933333
1443	014A	2988	0.07	3345	3	65	100	3	7	4	8964	5619	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8366.399414	5021.399414	5021.399414	0.933333
1443	015	2990	0.07	3672	3	65	100	3	7	4	8970	5298	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8372	4700	4700	0.933333
1443	028	3036	0.07	3167	3	65	100	3	7	4	9108	5941	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8500.799805	5333.799805	5333.799805	0.933333
1443	030	3036	0.07	3884	3	65	100	3	7	4	9108	5224	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8500.799805	4616.799805	4616.799805	0.933333
1443	036	3036	0.07	3460	3	65	100	3	7	4	9108	5648	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8500.799805	5040.799805	5040.799805	0.933333
1443	039B	2886	0.07	2778	3	65	100	3	7	4	8658	5880	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8080.799805	5302.799805	5302.799805	0.933333
1444	016	3000	0.07	3278	3	65	100	3	7	4	9000	5722	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5122	5122	0.933333
1444	029	2987	0.07	4675	3	65	100	3	7	4	8961	4286	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8363.599609	3688.599609	3688.599609	0.933333
1447	030	2076	0.05	1970	1	65	100	3	5	4	6228	4258	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5812.799805	3842.799805	3842.799805	0.933333
1447	031	1986	0.05	1930	1	65	100	3	5	4	5958	4028	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5560.799805	3630.799805	3630.799805	0.933333
1447	032	1896	0.04	1750	1	65	100	3	4	3	5688	3938	RH-2	40	form-based			true	0.7	4	1	3	3	5308.799805	3558.799805	3558.799805	0.933333
1447	033	1807	0.04	1920	1	65	100	3	4	3	5421	3501	RH-2	40	form-based			true	0.7	4	1	3	3	5059.600098	3139.600098	3139.600098	0.933333
1447	034	1757	0.04	1826	1	65	100	3	4	3	5271	3445	RH-2	40	form-based			true	0.7	4	1	3	3	4919.600098	3093.600098	3093.600098	0.933333
1447	041	1785	0.04	1350	1	65	100	3	4	3	5355	4005	RH-2	40	form-based			true	0.7	4	1	3	3	4998	3648	3648	0.933333
1447	043B	2145	0.05	1200	2	65	100	3	5	3	6435	5235	RH-2	40	form-based			true	0.7	5	1	3	3	6006	4806	4806	0.933333
1447	043D	2175	0.05	1750	2	65	100	3	5	3	6525	4775	RH-2	40	form-based			true	0.7	5	1	3	3	6090	4340	4340	0.933333
1447	046	2534	0.06	1625	2	65	100	3	6	4	7602	5977	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7095.199707	5470.199707	5470.199707	0.933333
1448	002	2062	0.05	1950	1	65	100	3	5	4	6186	4236	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3823.600098	3823.600098	0.933333
1448	036	2062	0.05	1890	1	65	100	3	5	4	6186	4296	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3883.600098	3883.600098	0.933333
1449	001	1875	0.04	3576	4	65	100	3	4	0	5625	2049	NC-1	65	form-based		true	true	0.75	7	1.75	3	3	8437.5	4861.5	4861.5	1.5
1449	011	3000	0.07	3428	3	65	100	3	7	4	9000	5572	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4972	4972	0.933333
1449	018	2100	0.05	3089	1	85	140	4	7	6	8400	5311	RH-2	40	form-based			true	0.7	4	0.571428597	3	3	5880	2791	2791	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1449	040	1712	0.04	1997	3	65	100	3	4	1	5136	3139	NC-1	65	form-based			true	0.75	6	1.5	3	3	7704	5707	5707	1.5
1449	043	1875	0.04	2800	4	65	100	3	4	0	5625	2825	NC-1	65	form-based			true	0.75	7	1.75	3	3	8437.5	5637.5	5637.5	1.5
1450	019C	1940	0.04	2050	1	65	100	3	4	3	5820	3770	RM-1	40	form-based			true	0.7	4	1	3	3	5432	3382	3382	0.933333
1450	020	3000	0.07	4620	3	65	100	3	7	4	9000	4380	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	3780	3780	0.933333
1450	031	2244	0.05	1750	2	65	100	3	5	3	6732	4982	RM-1	40	form-based			true	0.7	5	1	3	3	6283.199707	4533.199707	4533.199707	0.933333
1450	033	3000	0.07	3042	3	65	100	3	7	4	9000	5958	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5358	5358	0.933333
1450	042	4512	0.1	4030	6	65	100	3	10	4	13536	9506	RM-1	40	form-based			true	0.7	9	0.899999976	3	3	12633.59961	8603.599609	8603.599609	0.933333
1451	002	3000	0.07	4350	3	65	100	3	7	4	9000	4650	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4050	4050	0.933333
1451	016	2438	0.06	1377	2	65	100	3	6	4	7314	5937	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6826.399902	5449.399902	5449.399902	0.933333
1451	029	3008	0.07	3600	3	65	100	3	7	4	9024	5424	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8422.399414	4822.399414	4822.399414	0.933333
1452	005	3000	0.07	2844	3	65	100	3	7	4	9000	6156	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5556	5556	0.933333
1452	006	3000	0.07	2600	3	65	100	3	7	4	9000	6400	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5800	5800	0.933333
1452	007	3000	0.07	3000	3	65	100	3	7	4	9000	6000	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5400	5400	0.933333
1452	016	3000	0.07	4110	3	85	140	4	10	7	12000	7890	RM-1	40	form-based			true	0.7	6	0.600000024	3	3	8400	4290	4290	0.7
1452	033	3022	0.07	4067	3	65	100	3	7	4	9066	4999	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8461.599609	4394.599609	4394.599609	0.933333
1452	038	3022	0.07	2525	3	65	100	3	7	4	9066	6541	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8461.599609	5936.599609	5936.599609	0.933333
1452	048	3000	0.07	1341	3	65	100	3	7	4	9000	7659	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	7059	7059	0.933333
1453	002	3000	0.07	3250	3	65	100	3	7	4	9000	5750	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5150	5150	0.933333
1453	005	3000	0.07	3948	3	65	100	3	7	4	9000	5052	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4452	4452	0.933333
1453	030	2991	0.07	4500	3	65	100	3	7	4	8973	4473	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8374.799805	3874.799805	3874.799805	0.933333
1453	033	2991	0.07	4295	3	65	100	3	7	4	8973	4678	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8374.799805	4079.799805	4079.799805	0.933333
1453	045	2991	0.07	891	3	85	140	4	10	7	11964	11073	RM-1	40	form-based			true	0.7	6	0.600000024	3	3	8374.799805	7483.799805	7483.799805	0.7
1453	061	2991	0.07	1830	3	65	100	3	7	4	8973	7143	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8374.799805	6544.799805	6544.799805	0.933333
1454	002	1410	0.03	1795	2	65	100	3	3	1	4230	2435	NCD-OUTE	65	form-based			true	0.75	5	1.666666627	3	3	6345	4550	4550	1.5
1454	005	3921	0.09	5350	5	65	100	3	9	4	11763	6413	RM-1	40	form-based			true	0.7	8	0.888888896	3	3	10978.7998	5628.799805	5628.799805	0.933333
1454	010	2970	0.07	3418	3	65	100	3	7	4	8910	5492	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8316	4898	4898	0.933333
1454	025	3054	0.07	3040	3	65	100	3	7	4	9162	6122	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8551.200195	5511.200195	5511.200195	0.933333
1455	029	2994	0.07	3790	3	65	100	3	7	4	8982	5192	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8383.200195	4593.200195	4593.200195	0.933333
1455	031	2494	0.06	2250	2	65	100	3	6	4	7482	5232	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6983.199707	4733.199707	4733.199707	0.933333
1456	001	3250	0.07	7086	9	65	100	3	7	0	9750	2664	NCD-OUTE	65	form-based		true	true	0.75	12	1.714285731	3	3	14625	7539	7539	1.5
1456	008	3000	0.07	4027	3	65	100	3	7	4	9000	4973	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4373	4373	0.933333
1456	015	3000	0.07	2857	3	85	140	4	10	7	12000	9143	RM-1	40	form-based			true	0.7	6	0.600000024	3	3	8400	5543	5543	0.7
1456	026	3008	0.07	3412	3	85	140	4	10	7	12032	8620	RM-1	40	form-based			true	0.7	6	0.600000024	3	3	8422.399414	5010.399414	5010.399414	0.7
1456	028	3008	0.07	3010	3	85	140	4	10	7	12032	9022	RM-1	40	form-based			true	0.7	6	0.600000024	3	3	8422.399414	5412.399414	5412.399414	0.7
1456	033	3008	0.07	3928	3	65	100	3	7	4	9024	5096	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8422.399414	4494.399414	4494.399414	0.933333
1456	034	3008	0.07	3690	3	65	100	3	7	4	9024	5334	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8422.399414	4732.399414	4732.399414	0.933333
1456	035	3008	0.07	5220	3	65	100	3	7	4	9024	3804	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8422.399414	3202.399414	3202.399414	0.933333
1456	039	3008	0.07	370	3	65	100	3	7	4	9024	8654	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8422.399414	8052.399414	8052.399414	0.933333
1456	049	3008	0.07	1485	3	65	100	3	7	4	9024	7539	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8422.399414	6937.399414	6937.399414	0.933333
1456	063	3000	0.07	825	3	65	100	3	7	4	9000	8175	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	7575	7575	0.933333
1457	005	3250	0.07	4060	4	65	100	3	7	3	9750	5690	RM-1	40	form-based			true	0.7	7	1	3	3	9100	5040	5040	0.933333
1457	008	3250	0.07	3276	4	65	100	3	7	3	9750	6474	RM-1	40	form-based			true	0.7	7	1	3	3	9100	5824	5824	0.933333
1457	025	2977	0.07	3060	3	65	100	3	7	4	8931	5871	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8335.599609	5275.599609	5275.599609	0.933333
1457	026	2895	0.07	3250	3	65	100	3	7	4	8685	5435	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8106	4856	4856	0.933333
1457	030B	2727	0.06	2650	3	65	100	3	6	3	8181	5531	RM-1	40	form-based			true	0.7	6	1	3	3	7635.600098	4985.600098	4985.600098	0.933333
1457	030C	2727	0.06	4557	3	65	100	3	6	3	8181	3624	RM-1	40	form-based			true	0.7	6	1	3	3	7635.600098	3078.600098	3078.600098	0.933333
1457	033	1940	0.04	1826	1	65	100	3	4	3	5820	3994	RM-1	40	form-based			true	0.7	4	1	3	3	5432	3606	3606	0.933333
1457	043	3250	0.07	987	4	65	100	3	7	3	9750	8763	RM-1	40	form-based			true	0.7	7	1	3	3	9100	8113	8113	0.933333
1457	062	2727	0.06	1331	3	65	100	3	6	3	8181	6850	RM-1	40	form-based			true	0.7	6	1	3	3	7635.600098	6304.600098	6304.600098	0.933333
1457	065	3250	0.07	953	4	65	100	3	7	3	9750	8797	RM-1	40	form-based			true	0.7	7	1	3	3	9100	8147	8147	0.933333
1457	070	3250	0.07	724	4	65	100	3	7	3	9750	9026	RM-1	40	form-based			true	0.7	7	1	3	3	9100	8376	8376	0.933333
1458	006	3311	0.08	4250	4	65	100	3	8	4	9933	5683	RM-1	40	form-based			true	0.7	7	0.875	3	3	9270.799805	5020.799805	5020.799805	0.933333
1458	010	3068	0.07	5644	3	65	100	3	7	4	9204	3560	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8590.399414	2946.399414	2946.399414	0.933333
1458	027	3148	0.07	3500	4	65	100	3	7	3	9444	5944	RH-2	40	form-based			true	0.7	7	1	3	3	8814.399414	5314.399414	5314.399414	0.933333
1458	031	2575	0.06	3874	2	65	100	3	6	4	7725	3851	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7210	3336	3336	0.933333
1458	032	2512	0.06	2500	2	65	100	3	6	4	7536	5036	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7033.600098	4533.600098	4533.600098	0.933333
1458	033	2448	0.06	2400	2	65	100	3	6	4	7344	4944	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6854.399902	4454.399902	4454.399902	0.933333
1458	074	3494	0.08	1000	4	65	100	3	8	4	10482	9482	RM-1	40	form-based			true	0.7	7	0.875	3	3	9783.200195	8783.200195	8783.200195	0.933333
1459	001	3220	0.07	7150	9	65	100	3	7	0	9660	2510	NCD-OUTE	65	form-based		true	true	0.75	12	1.714285731	3	3	14490	7340	7340	1.5
1459	022	2989	0.07	2400	3	65	100	3	7	4	8967	6567	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8369.200195	5969.200195	5969.200195	0.933333
1460	001F	2977	0.07	3175	3	65	100	3	7	4	8931	5756	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8335.599609	5160.599609	5160.599609	0.933333
1460	001M	2570	0.06	2600	2	65	100	3	6	4	7710	5110	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7196	4596	4596	0.933333
1460	001N	2512	0.06	2600	2	65	100	3	6	4	7536	4936	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7033.600098	4433.600098	4433.600098	0.933333
1460	001O	2454	0.06	2600	2	85	140	4	8	6	9816	7216	RH-2	40	form-based			true	0.7	5	0.625	3	3	6871.199707	4271.199707	4271.199707	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1460	001Q	2338	0.05	3090	2	85	140	4	7	5	9352	6262	RH-2	40	form-based			true	0.7	5	0.714285731	3	3	6546.399902	3456.399902	3456.399902	0.7
1460	006	1897	0.04	3445	1	65	100	3	4	3	5691	2246	RH-2	40	form-based			true	0.7	4	1	3	3	5311.600098	1866.600098	1866.600098	0.933333
1460	014	3047	0.07	3064	3	65	100	3	7	4	9141	6077	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8531.599609	5467.599609	5467.599609	0.933333
1462	018	2459	0.06	5955	10	85	140	4	8	0	9836	3881	RTO-C	85	form-based		true	true	0.75	13	1.625	3	3	14754	8799	8799	1.5
1462	033	3039	0.07	2950	3	65	100	3	7	4	9117	6167	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8509.200195	5559.200195	5559.200195	0.933333
1462	035	3039	0.07	2600	3	65	100	3	7	4	9117	6517	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8509.200195	5909.200195	5909.200195	0.933333
1463	027	1800	0.04	1500	1	85	140	4	6	5	7200	5700	RH-2	40	form-based			true	0.7	4	0.666666687	3	3	5040	3540	3540	0.7
1463	039	3000	0.07	2900	3	65	100	3	7	4	9000	6100	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5500	5500	0.933333
1463	050	6078	0.14	7950	10	65	100	3	14	4	18234	10284	RH-2	40	form-based			true	0.7	13	0.928571403	3	3	17018.40039	9068.400391	9068.400391	0.933333
1464	010	3000	0.07	6108	3	85	140	4	10	7	12000	5892	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8400	2292	2292	0.7
1464	013B	3021	0.07	2032	3	65	100	3	7	4	9063	7031	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8458.799805	6426.799805	6426.799805	0.933333
1464	014	3021	0.07	2497	3	65	100	3	7	4	9063	6566	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8458.799805	5961.799805	5961.799805	0.933333
1464	029	4909	0.11	4800	15	65	100	3	11	0	14727	9927	NC-1	65	form-based			true	0.75	18	1.636363626	3	3	22090.5	17290.5	17290.5	1.5
1465	005	3000	0.07	3983	3	65	100	3	7	4	9000	5017	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4417	4417	0.933333
1465	013	3000	0.07	4160	3	65	100	3	7	4	9000	4840	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4240	4240	0.933333
1465	016	3000	0.07	3700	3	65	100	3	7	4	9000	5300	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4700	4700	0.933333
1465	016A	3000	0.07	3804	3	65	100	3	7	4	9000	5196	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4596	4596	0.933333
1465	017A	3000	0.07	4208	3	65	100	3	7	4	9000	4792	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4192	4192	0.933333
1465	019A	3000	0.07	3732	3	65	100	3	7	4	9000	5268	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4668	4668	0.933333
1465	020	1437	0.03	2250	2	65	100	3	3	1	4311	2061	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6466.5	4216.5	4216.5	1.5
1465	020A	1437	0.03	2250	2	65	100	3	3	1	4311	2061	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6466.5	4216.5	4216.5	1.5
1465	020B	1437	0.03	2250	2	65	100	3	3	1	4311	2061	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6466.5	4216.5	4216.5	1.5
1466	001A	1440	0.03	2350	2	65	100	3	3	1	4320	1970	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6480	4130	4130	1.5
1466	001B	1440	0.03	2350	2	65	100	3	3	1	4320	1970	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6480	4130	4130	1.5
1466	001C	1440	0.03	2998	2	65	100	3	3	1	4320	1322	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6480	3482	3482	1.5
1466	002	3000	0.07	3625	3	65	100	3	7	4	9000	5375	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4775	4775	0.933333
1466	009	3000	0.07	4632	3	65	100	3	7	4	9000	4368	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	3768	3768	0.933333
1466	011A	3000	0.07	3400	3	65	100	3	7	4	9000	5600	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5000	5000	0.933333
1466	025	3000	0.07	2350	3	65	100	3	7	4	9000	6650	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6050	6050	0.933333
1466	027	3000	0.07	4520	3	65	100	3	7	4	9000	4480	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	3880	3880	0.933333
1466	035	3000	0.07	3065	3	65	100	3	7	4	9000	5935	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5335	5335	0.933333
1466	048	6000	0.14	8850	10	65	100	3	14	4	18000	9150	RH-2	40	form-based			true	0.7	13	0.928571403	3	3	16800	7950	7950	0.933333
1466	051	3000	0.07	3937	3	65	100	3	7	4	9000	5063	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4463	4463	0.933333
1467	013	3000	0.07	1974	3	65	100	3	7	4	9000	7026	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6426	6426	0.933333
1467	014	3000	0.07	1974	3	65	100	3	7	4	9000	7026	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6426	6426	0.933333
1467	063	3000	0.07	1732	3	65	100	3	7	4	9000	7268	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6668	6668	0.933333
1470	021	2012	0.05	1502	1	55	80	2.5	4	3	5030	3528	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5633.600098	4131.600098	4131.600098	1.12
1470	021A	2012	0.05	1506	1	55	80	2.5	4	3	5030	3524	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5633.600098	4127.600098	4127.600098	1.12
1470	039	1073	0.02	1026	1	55	80	2.5	2	1	2682	1656	RTO-C	65	form-based			true	0.75	4	2	3	3	4828.5	3802.5	3802.5	1.800336
1471	003	3600	0.08	4932	5	55	80	2.5	6	1	9000	4068	RH-1(D)	40	form-based			true	0.7	8	1.333333373	3	3	10080	5148	5148	1.12
1472	002A	1728	0.04	1800	1	55	80	2.5	3	2	4320	2520	RM-1	40	form-based			true	0.7	4	1.333333373	3	3	4838.399902	3038.399902	3038.399902	1.12
1472	002B	1825	0.04	2290	1	55	80	2.5	3	2	4562	2272	RM-1	40	form-based			true	0.7	4	1.333333373	3	3	5110	2820	2820	1.120123
1472	002H	1996	0.05	1420	1	55	80	2.5	4	3	4990	3570	RH-1	40	form-based			true	0.7	4	1	3	3	5588.799805	4168.799805	4168.799805	1.12
1472	005	1898	0.04	1864	1	55	80	2.5	3	2	4745	2881	RM-1	40	form-based			true	0.7	4	1.333333373	3	3	5314.399902	3450.399902	3450.399902	1.12
1472	006	1991	0.05	1766	1	55	80	2.5	4	3	4978	3212	RH-1	40	form-based			true	0.7	4	1	3	3	5574.799805	3808.799805	3808.799805	1.119887
1472	007	2085	0.05	1440	1	55	80	2.5	4	3	5212	3772	RH-1	40	form-based			true	0.7	4	1	3	3	5838	4398	4398	1.120107
1503	004	3000	0.07	3550	3	55	80	2.5	6	3	7500	3950	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4850	4850	1.12
1503	013	3000	0.07	4435	3	55	80	2.5	6	3	7500	3065	RH-2	40	form-based			true	0.7	6	1	3	3	8400	3965	3965	1.12
1503	015	3000	0.07	3600	3	55	80	2.5	6	3	7500	3900	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4800	4800	1.12
1504	008	2075	0.05	935	1	55	80	2.5	4	3	5188	4253	RH-2	40	form-based		true	true	0.7	4	1	3	3	5810	4875	4875	1.119892
1504	009	2455	0.06	2200	2	55	80	2.5	5	3	6138	3938	RH-2	40	form-based			true	0.7	5	1	3	3	6874	4674	4674	1.119909
1504	009A	2455	0.06	4354	2	55	80	2.5	5	3	6138	1784	RH-2	40	form-based			true	0.7	5	1	3	3	6874	2520	2520	1.119909
1504	011	2455	0.06	5103	2	55	80	2.5	5	3	6138	1035	RH-2	40	form-based			true	0.7	5	1	3	3	6874	1771	1771	1.119909
1505	015	2111	0.05	1200	1	55	80	2.5	4	3	5278	4078	RH-2	40	form-based			true	0.7	4	1	3	3	5910.799805	4710.799805	4710.799805	1.119894
1505	015A	2111	0.05	2573	1	55	80	2.5	4	3	5278	2705	RH-2	40	form-based			true	0.7	4	1	3	3	5910.799805	3337.799805	3337.799805	1.119894
1505	015B	2111	0.05	1300	1	55	80	2.5	4	3	5278	3978	RH-2	40	form-based			true	0.7	4	1	3	3	5910.799805	4610.799805	4610.799805	1.119894
1505	015C	1960	0.04	1275	1	55	80	2.5	3	2	4900	3625	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5488	4213	4213	1.12
1505	017	1881	0.04	1400	1	55	80	2.5	3	2	4702	3302	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5266.799805	3866.799805	3866.799805	1.120119
1505	017A	2027	0.05	1525	1	55	80	2.5	4	3	5068	3543	RH-2	40	form-based			true	0.7	4	1	3	3	5675.600098	4150.600098	4150.600098	1.119889
1505	017B	2027	0.05	1225	1	55	80	2.5	4	3	5068	3843	RH-2	40	form-based			true	0.7	4	1	3	3	5675.600098	4450.600098	4450.600098	1.119889
1505	017C	2026	0.05	1225	1	55	80	2.5	4	3	5065	3840	RH-2	40	form-based			true	0.7	4	1	3	3	5672.799805	4447.799805	4447.799805	1.12
1505	040	2964	0.07	3952	3	55	80	2.5	6	3	7410	3458	RH-2	40	form-based			true	0.7	6	1	3	3	8299.200195	4347.200195	4347.200195	1.12
1506	018	2049	0.05	2116	1	55	80	2.5	4	3	5122	3006	RH-2	40	form-based			true	0.7	4	1	3	3	5737.199707	3621.199707	3621.199707	1.120109
1506	019	2049	0.05	1725	1	55	80	2.5	4	3	5122	3397	RH-2	40	form-based			true	0.7	4	1	3	3	5737.199707	4012.199707	4012.199707	1.120109

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1506	020	2049	0.05	1325	1	55	80	2.5	4	3	5122	3797	RH-2	40	form-based			true	0.7	4	1	3	3	5737.199707	4412.199707	4412.199707	1.120109
1506	021	1853	0.04	1275	1	55	80	2.5	3	2	4632	3357	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5188.399902	3913.399902	3913.399902	1.120121
1506	025	1868	0.04	1593	1	55	80	2.5	3	2	4670	3077	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5230.399902	3637.399902	3637.399902	1.12
1506	027	2065	0.05	1275	1	55	80	2.5	4	3	5162	3887	RH-2	40	form-based			true	0.7	4	1	3	3	5782	4507	4507	1.120108
1506	028	2065	0.05	1325	1	55	80	2.5	4	3	5162	3837	RH-2	40	form-based			true	0.7	4	1	3	3	5782	4457	4457	1.120108
1507	013	3005	0.07	3150	3	55	80	2.5	6	3	7512	4362	RH-2	40	form-based			true	0.7	6	1	3	3	8414	5264	5264	1.120075
1507	017D	1912	0.04	1584	1	55	80	2.5	3	2	4780	3196	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5353.600098	3769.600098	3769.600098	1.12
1507	017E	1912	0.04	1793	1	55	80	2.5	3	2	4780	2987	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5353.600098	3560.600098	3560.600098	1.12
1507	046	2532	0.06	3030	2	55	80	2.5	5	3	6330	3300	RH-2	40	form-based			true	0.7	5	1	3	3	7089.600098	4059.600098	4059.600098	1.12
1508	007E	3035	0.07	2200	3	65	100	3	7	4	9105	6905	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8498	6298	6298	0.933333
1508	011D	1822	0.04	1462	1	65	100	3	4	3	5466	4004	RH-2	40	form-based			true	0.7	4	1	3	3	5101.600098	3639.600098	3639.600098	0.933333
1508	011E	1824	0.04	2161	1	65	100	3	4	3	5472	3311	RH-2	40	form-based			true	0.7	4	1	3	3	5107.199707	2946.199707	2946.199707	0.933333
1508	011F	1825	0.04	1700	1	65	100	3	4	3	5475	3775	RH-2	40	form-based			true	0.7	4	1	3	3	5110	3410	3410	0.933333
1509	020	2500	0.06	2500	2	65	100	3	6	4	7500	5000	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4500	4500	0.933333
1509	023	2533	0.06	5567	2	65	100	3	6	4	7599	2032	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7092.399902	1525.399902	1525.399902	0.933333
1509	025	2236	0.05	2982	2	65	100	3	5	3	6708	3726	RH-2	40	form-based			true	0.7	5	1	3	3	6260.799805	3278.799805	3278.799805	0.933333
1509	026	2237	0.05	2179	2	65	100	3	5	3	6711	4532	RH-2	40	form-based			true	0.7	5	1	3	3	6263.600098	4084.600098	4084.600098	0.933333
1509	028	2990	0.07	3676	3	65	100	3	7	4	8970	5294	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8372	4696	4696	0.933333
1510	013	3000	0.07	5489	3	65	100	3	7	4	9000	3511	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	2911	2911	0.933333
1510	022	2533	0.06	3565	2	65	100	3	6	4	7599	4034	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7092.399902	3527.399902	3527.399902	0.933333
1510	027	2375	0.05	2282	2	65	100	3	5	3	7125	4843	RH-2	40	form-based			true	0.7	5	1	3	3	6650	4368	4368	0.933333
1511	040	3000	0.07	2920	3	85	140	4	10	7	12000	9080	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8400	5480	5480	0.7
1512	018	2065	0.05	1225	1	65	100	3	5	4	6195	4970	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4557	4557	0.933333
1512	019	2065	0.05	1225	1	65	100	3	5	4	6195	4970	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4557	4557	0.933333
1512	020	2065	0.05	1598	1	65	100	3	5	4	6195	4597	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4184	4184	0.933333
1512	026	2081	0.05	1150	1	65	100	3	5	4	6243	5093	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	4676.799805	4676.799805	0.933333
1512	027	2081	0.05	1150	1	65	100	3	5	4	6243	5093	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	4676.799805	4676.799805	0.933333
1512	028	2081	0.05	2173	1	65	100	3	5	4	6243	4070	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	3653.799805	3653.799805	0.933333
1515	015	1875	0.04	1800	1	65	100	3	4	3	5625	3825	RH-2	40	form-based			true	0.7	4	1	3	3	5250	3450	3450	0.933333
1515	016	1875	0.04	2223	1	65	100	3	4	3	5625	3402	RH-2	40	form-based			true	0.7	4	1	3	3	5250	3027	3027	0.933333
1515	017	1900	0.04	1746	1	65	100	3	4	3	5700	3954	RM-1	40	form-based		true	true	0.7	4	1	3	3	5320	3574	3574	0.933333
1515	020	2319	0.05	2164	2	65	100	3	5	3	6957	4793	RM-1	40	form-based		true	true	0.7	5	1	3	3	6493.199707	4329.199707	4329.199707	0.933333
1515	020A	2289	0.05	2286	2	65	100	3	5	3	6867	4581	RH-2	40	form-based			true	0.7	5	1	3	3	6409.199707	4123.199707	4123.199707	0.933333
1515	023	2500	0.06	2062	2	65	100	3	6	4	7500	5438	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4938	4938	0.933333
1515	025	2106	0.05	1306	1	65	100	3	5	4	6318	5012	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5896.799805	4590.799805	4590.799805	0.933333
1515	030	1733	0.04	1360	1	65	100	3	4	3	5199	3839	RM-2	40	form-based			true	0.7	4	1	3	3	4852.399902	3492.399902	3492.399902	0.933333
1516	013C	2033	0.05	2608	1	65	100	3	5	4	6099	3491	RM-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5692.399902	3084.399902	3084.399902	0.933333
1516	014	2509	0.06	2600	2	65	100	3	6	4	7527	4927	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7025.199707	4425.199707	4425.199707	0.933333
1516	015	2509	0.06	2600	2	65	100	3	6	4	7527	4927	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7025.199707	4425.199707	4425.199707	0.933333
1516	016	2509	0.06	2600	2	65	100	3	6	4	7527	4927	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7025.199707	4425.199707	4425.199707	0.933333
1516	018	2884	0.07	4746	3	65	100	3	7	4	8652	3906	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8075.199707	3329.199707	3329.199707	0.933333
1516	020	2465	0.06	2670	2	65	100	3	6	4	7395	4725	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6902	4232	4232	0.933333
1517	005	2400	0.06	3430	2	65	100	3	6	4	7200	3770	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6720	3290	3290	0.933333
1517	008	3000	0.07	4427	3	65	100	3	7	4	9000	4573	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	3973	3973	0.933333
1517	009	3000	0.07	5081	3	65	100	3	7	4	9000	3919	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	3319	3319	0.933333
1517	011	3250	0.07	3904	4	65	100	3	7	3	9750	5846	RH-2	40	form-based			true	0.7	7	1	3	3	9100	5196	5196	0.933333
1517	012	1760	0.04	900	1	65	100	3	4	3	5280	4380	RH-2	40	form-based			true	0.7	4	1	3	3	4928	4028	4028	0.933333
1517	012A	1760	0.04	900	1	65	100	3	4	3	5280	4380	RH-2	40	form-based			true	0.7	4	1	3	3	4928	4028	4028	0.933333
1517	014	2385	0.05	2200	2	65	100	3	5	3	7155	4955	RM-1	40	form-based			true	0.7	5	1	3	3	6678	4478	4478	0.933333
1517	018	2485	0.06	4239	2	65	100	3	6	4	7455	3216	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6958	2719	2719	0.933333
1517	024A	1800	0.04	1825	1	65	100	3	4	3	5400	3575	RM-1	40	form-based			true	0.7	4	1	3	3	5040	3215	3215	0.933333
1517	025	2989	0.07	1600	3	65	100	3	7	4	8967	7367	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8369.200195	6769.200195	6769.200195	0.933333
1517	061	2989	0.07	1481	3	85	140	4	10	7	11956	10475	RM-1	40	form-based			true	0.7	6	0.600000024	3	3	8369.200195	6888.200195	6888.200195	0.7
1518	012	3046	0.07	3750	3	65	100	3	7	4	9138	5388	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8528.799805	4778.799805	4778.799805	0.933333
1518	015	2109	0.05	1590	1	65	100	3	5	4	6327	4737	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5905.199707	4315.199707	4315.199707	0.933333
1518	015A	2109	0.05	1953	1	65	100	3	5	4	6327	4374	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5905.199707	3952.199707	3952.199707	0.933333
1518	015B	2109	0.05	1750	1	65	100	3	5	4	6327	4577	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5905.199707	4155.199707	4155.199707	0.933333
1518	015F	3449	0.08	3834	4	65	100	3	8	4	10347	6513	RM-1	40	form-based			true	0.7	7	0.875	3	3	9657.200195	5823.200195	5823.200195	0.933333
1518	016A	1812	0.04	1568	1	65	100	3	4	3	5436	3868	RH-2	40	form-based			true	0.7	4	1	3	3	5073.600098	3505.600098	3505.600098	0.933333
1518	016B	1812	0.04	1590	1	65	100	3	4	3	5436	3846	RH-2	40	form-based			true	0.7	4	1	3	3	5073.600098	3483.600098	3483.600098	0.933333
1518	016C	1812	0.04	1310	1	65	100	3	4	3	5436	4126	RH-2	40	form-based			true	0.7	4	1	3	3	5073.600098	3763.600098	3763.600098	0.933333
1518	016D	1812	0.04	1100	1	65	100	3	4	3	5436	4336	RH-2	40	form-based			true	0.7	4	1	3	3	5073.600098	3973.600098	3973.600098	0.933333
1518	022	3994	0.09	5210	5	65	100	3	9	4	11982	6772	RH-2	40	form-based			true	0.7	8	0.888888896	3	3	11183.2002	5973.200195	5973.200195	0.933333
1518	034	3046	0.07	3580	3	65	100	3	7	4	9138	5558	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8528.799805	4948.799805	4948.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1519	004	2089	0.05	1143	1	65	100	3	5	4	6267	5124	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5849.199707	4706.199707	4706.199707	0.933333
1519	010	2550	0.06	2160	2	65	100	3	6	4	7650	5490	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7140	4980	4980	0.933333
1519	011	2550	0.06	2112	2	65	100	3	6	4	7650	5538	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7140	5028	5028	0.933333
1519	014	2550	0.06	2120	2	65	100	3	6	4	7650	5530	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7140	5020	5020	0.933333
1519	016	2550	0.06	3794	2	65	100	3	6	4	7650	3856	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7140	3346	3346	0.933333
1519	022B	2668	0.06	3555	3	65	100	3	6	3	8004	4449	RM-1	40	form-based			true	0.7	6	1	3	3	7470.399902	3915.399902	3915.399902	0.933333
1519	026A	3462	0.08	3936	4	65	100	3	8	4	10386	6450	RM-1	40	form-based			true	0.7	7	0.875	3	3	9693.599609	5757.599609	5757.599609	0.933333
1519	027	6924	0.16	13113	12	65	100	3	16	4	20772	7659	RM-1	40	form-based			true	0.7	15	0.9375	3	3	19387.19922	6274.199219	6274.199219	0.933333
1519	029	3462	0.08	4884	4	65	100	3	8	4	10386	5502	RM-1	40	form-based			true	0.7	7	0.875	3	3	9693.599609	4809.599609	4809.599609	0.933333
1519	029A	3462	0.08	4680	4	65	100	3	8	4	10386	5706	RM-1	40	form-based			true	0.7	7	0.875	3	3	9693.599609	5013.599609	5013.599609	0.933333
1519	030	3462	0.08	5481	4	65	100	3	8	4	10386	4905	RM-1	40	form-based			true	0.7	7	0.875	3	3	9693.599609	4212.599609	4212.599609	0.933333
1519	031B	2491	0.06	2920	2	65	100	3	6	4	7473	4553	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6974.799805	4054.799805	4054.799805	0.933333
1519	038	1825	0.04	640	1	65	100	3	4	3	5475	4835	RM-1	40	form-based			true	0.7	4	1	3	3	5110	4470	4470	0.933333
1519	054	2990	0.07	6278	3	65	100	3	7	4	8970	2692	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8372	2094	2094	0.933333
1519	057	2550	0.06	1419	2	65	100	3	6	4	7650	6231	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7140	5721	5721	0.933333
1519	059	3462	0.08	760	4	65	100	3	8	4	10386	9626	RM-1	40	form-based			true	0.7	7	0.875	3	3	9693.599609	8933.599609	8933.599609	0.933333
1520	013	2062	0.05	2065	1	65	100	3	5	4	6186	4121	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3708.600098	3708.600098	0.933333
1520	013A	2063	0.05	2163	1	65	100	3	5	4	6189	4026	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	3613.399902	3613.399902	0.933333
1520	014	2062	0.05	2312	1	65	100	3	5	4	6186	3874	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3461.600098	3461.600098	0.933333
1520	015	2100	0.05	2120	1	65	100	3	5	4	6300	4180	RM-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5880	3760	3760	0.933333
1520	019	2675	0.06	4578	3	65	100	3	6	3	8025	3447	RM-1	40	form-based			true	0.7	6	1	3	3	7490	2912	2912	0.933333
1521	001B	2083	0.05	1596	1	85	140	4	7	6	8332	6736	RM-1	40	form-based			true	0.7	4	0.571428597	3	3	5832.399902	4236.399902	4236.399902	0.7
1521	010	3020	0.07	3350	3	65	100	3	7	4	9060	5710	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8456	5106	5106	0.933333
1521	016	2020	0.05	1600	1	65	100	3	5	4	6060	4460	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5656	4056	4056	0.933333
1521	023	2038	0.05	1688	1	65	100	3	5	4	6114	4426	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5706.399902	4018.399902	4018.399902	0.933333
1521	023A	2038	0.05	1688	1	65	100	3	5	4	6114	4426	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5706.399902	4018.399902	4018.399902	0.933333
1522	011	2979	0.07	3420	3	65	100	3	7	4	8937	5517	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8341.200195	4921.200195	4921.200195	0.933333
1522	015	5921	0.14	8664	9	65	100	3	14	5	17763	9099	RM-1	40	form-based		true	true	0.7	12	0.857142866	3	3	16578.79883	7914.798828	7914.798828	0.933333
1522	016	2513	0.06	2260	2	65	100	3	6	4	7539	5279	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7036.399902	4776.399902	4776.399902	0.933333
1522	016A	2513	0.06	2576	2	65	100	3	6	4	7539	4963	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7036.399902	4460.399902	4460.399902	0.933333
1522	019	2721	0.06	2591	3	65	100	3	6	3	8163	5572	RM-1	40	form-based			true	0.7	6	1	3	3	7618.799805	5027.799805	5027.799805	0.933333
1522	021	3036	0.07	3496	3	65	100	3	7	4	9108	5612	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8500.799805	5004.799805	5004.799805	0.933333
1522	026	3036	0.07	3695	3	65	100	3	7	4	9108	5413	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8500.799805	4805.799805	4805.799805	0.933333
1523	012	3000	0.07	4767	3	65	100	3	7	4	9000	4233	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	3633	3633	0.933333
1523	013	3000	0.07	4921	3	65	100	3	7	4	9000	4079	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	3479	3479	0.933333
1523	018	3267	0.08	3816	4	65	100	3	8	4	9801	5985	RM-1	40	form-based		true	true	0.7	7	0.875	3	3	9147.599609	5331.599609	5331.599609	0.933333
1523	024	2388	0.05	1840	2	65	100	3	5	3	7164	5324	RM-1	40	form-based			true	0.7	5	1	3	3	6686.399902	4846.399902	4846.399902	0.933333
1523	025	2388	0.05	2890	2	65	100	3	5	3	7164	4274	RM-1	40	form-based			true	0.7	5	1	3	3	6686.399902	3796.399902	3796.399902	0.933333
1523	028	2985	0.07	3464	3	65	100	3	7	4	8955	5491	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8358	4894	4894	0.933333
1523	030	2985	0.07	3506	3	65	100	3	7	4	8955	5449	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8358	4852	4852	0.933333
1523	041	2985	0.07	3390	3	65	100	3	7	4	8955	5565	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8358	4968	4968	0.933333
1523	042	2985	0.07	4451	3	85	140	4	10	7	11940	7489	RM-1	40	form-based			true	0.7	6	0.600000024	3	3	8358	3907	3907	0.7
1524	003	2971	0.07	3450	3	85	140	4	10	7	11884	8434	RM-1	40	form-based			true	0.7	6	0.600000024	3	3	8318.799805	4868.799805	4868.799805	0.7
1524	013	2971	0.07	2560	3	65	100	3	7	4	8913	6353	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8318.799805	5758.799805	5758.799805	0.933333
1524	042	1915	0.04	3431	1	65	100	3	4	3	5745	2314	RM-1	40	form-based		true	true	0.7	4	1	3	3	5362	1931	1931	0.933333
1525	005	3000	0.07	1729	3	65	100	3	7	4	9000	7271	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6671	6671	0.933333
1525	014	3000	0.07	4000	3	65	100	3	7	4	9000	5000	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4400	4400	0.933333
1525	018	2062	0.05	2660	1	65	100	3	5	4	6186	3526	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3113.600098	3113.600098	0.933333
1525	018A	2063	0.05	2596	1	65	100	3	5	4	6189	3593	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	3180.399902	3180.399902	0.933333
1525	019	2063	0.05	2653	1	65	100	3	5	4	6189	3536	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	3123.399902	3123.399902	0.933333
1525	022	2507	0.06	4066	2	65	100	3	6	4	7521	3455	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7019.600098	2953.600098	2953.600098	0.933333
1525	023	2506	0.06	2040	2	65	100	3	6	4	7518	5478	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7016.799805	4976.799805	4976.799805	0.933333
1525	025	3037	0.07	3740	3	65	100	3	7	4	9111	5371	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8503.599609	4763.599609	4763.599609	0.933333
1525	028	3037	0.07	3742	3	65	100	3	7	4	9111	5369	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8503.599609	4761.599609	4761.599609	0.933333
1525	032	3037	0.07	4090	3	65	100	3	7	4	9111	5021	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8503.599609	4413.599609	4413.599609	0.933333
1525	036	3037	0.07	1916	3	65	100	3	7	4	9111	7195	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8503.599609	6587.599609	6587.599609	0.933333
1525	044	3000	0.07	821	3	65	100	3	7	4	9000	8179	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	7579	7579	0.933333
1525	047	3037	0.07	1468	3	65	100	3	7	4	9111	7643	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8503.599609	7035.599609	7035.599609	0.933333
1526	010	2962	0.07	3040	3	65	100	3	7	4	8886	5846	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8293.599609	5253.599609	5253.599609	0.933333
1526	019	2052	0.05	1966	1	65	100	3	5	4	6156	4190	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5745.600098	3779.600098	3779.600098	0.933333
1526	020	2052	0.05	1966	1	65	100	3	5	4	6156	4190	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5745.600098	3779.600098	3779.600098	0.933333
1526	020A	2052	0.05	1966	1	65	100	3	5	4	6156	4190	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5745.600098	3779.600098	3779.600098	0.933333
1526	036	2515	0.06	1522	2	65	100	3	6	4	7545	6023	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7042	5520	5520	0.933333
1527	004	2062	0.05	2240	1	85	140	4	7	6	8248	6008	RH-2	40	form-based			true	0.7	4	0.571428597	3	3	5773.600098	3533.600098	3533.600098	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1527	022	2516	0.06	2880	2	65	100	3	6	4	7548	4668	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7044.799805	4164.799805	4164.799805	0.933333
1527	023	2516	0.06	2660	2	65	100	3	6	4	7548	4888	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7044.799805	4384.799805	4384.799805	0.933333
1527	024A	2516	0.06	2400	2	65	100	3	6	4	7548	5148	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7044.799805	4644.799805	4644.799805	0.933333
1527	024B	2516	0.06	3125	2	65	100	3	6	4	7548	4423	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7044.799805	3919.799805	3919.799805	0.933333
1527	032J	3013	0.07	2775	3	65	100	3	7	4	9039	6264	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8436.399414	5661.399414	5661.399414	0.933333
1527	033	2075	0.05	1888	1	65	100	3	5	4	6225	4337	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5810	3922	3922	0.933333
1528	013	3000	0.07	1942	3	65	100	3	7	4	9000	7058	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6458	6458	0.933333
1528	025	2309	0.05	2952	2	65	100	3	5	3	6927	3975	RM-1	40	form-based		true	true	0.7	5	1	3	3	6465.199707	3513.199707	3513.199707	0.933333
1528	027	2251	0.05	2918	2	65	100	3	5	3	6753	3835	RH-2	40	form-based			true	0.7	5	1	3	3	6302.799805	3384.799805	3384.799805	0.933333
1529	003	4117	0.09	3195	6	65	100	3	9	3	12351	9156	RM-1	40	form-based			true	0.7	9	1	3	3	11527.59961	8332.599609	8332.599609	0.933333
1529	015	2287	0.05	3040	2	65	100	3	5	3	6861	3821	RH-2	40	form-based			true	0.7	5	1	3	3	6403.600098	3363.600098	3363.600098	0.933333
1529	017	2287	0.05	2600	2	65	100	3	5	3	6861	4261	RH-2	40	form-based			true	0.7	5	1	3	3	6403.600098	3803.600098	3803.600098	0.933333
1529	018	2349	0.05	3120	2	65	100	3	5	3	7047	3927	RM-1	40	form-based		true	true	0.7	5	1	3	3	6577.199707	3457.199707	3457.199707	0.933333
1530	004	2589	0.06	3067	2	85	140	4	8	6	10356	7289	RH-2	40	form-based			true	0.7	5	0.625	3	3	7249.199707	4182.199707	4182.199707	0.7
1530	006	2589	0.06	3350	2	65	100	3	6	4	7767	4417	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7249.199707	3899.199707	3899.199707	0.933333
1530	033	13041	0.3	21816	24	65	100	3	30	6	39123	17307	RH-2	40	form-based			true	0.7	27	0.899999976	3	3	36514.80078	14698.80078	14698.80078	0.933333
1532	015	1894	0.04	1740	1	65	100	3	4	3	5682	3942	RH-2	40	form-based			true	0.7	4	1	3	3	5303.199707	3563.199707	3563.199707	0.933333
1532	016	1894	0.04	1760	1	65	100	3	4	3	5682	3922	RH-2	40	form-based			true	0.7	4	1	3	3	5303.199707	3543.199707	3543.199707	0.933333
1532	026D	2937	0.07	3234	3	65	100	3	7	4	8811	5577	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8223.599609	4989.599609	4989.599609	0.933333
1532	032C	2086	0.05	3920	8	85	140	4	7	0	8344	4424	NCD-GEAR	85	form-based		true	true	0.75	11	1.571428537	3	3	12516	8596	8596	1.5
1533	006	2979	0.07	3501	3	65	100	3	7	4	8937	5436	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8341.200195	4840.200195	4840.200195	0.933333
1533	018	2042	0.05	2210	1	65	100	3	5	4	6126	3916	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5717.600098	3507.600098	3507.600098	0.933333
1533	018A	2042	0.05	2040	1	65	100	3	5	4	6126	4086	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5717.600098	3677.600098	3677.600098	0.933333
1533	018C	2106	0.05	3188	1	65	100	3	5	4	6318	3130	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5896.799805	2708.799805	2708.799805	0.933333
1533	020	2519	0.06	2888	2	65	100	3	6	4	7557	4669	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7053.199707	4165.199707	4165.199707	0.933333
1533	020A	2519	0.06	2888	2	65	100	3	6	4	7557	4669	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7053.199707	4165.199707	4165.199707	0.933333
1533	025	3039	0.07	4050	3	65	100	3	7	4	9117	5067	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8509.200195	4459.200195	4459.200195	0.933333
1533	029	3039	0.07	3756	3	65	100	3	7	4	9117	5361	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8509.200195	4753.200195	4753.200195	0.933333
1533	031	3039	0.07	5399	3	65	100	3	7	4	9117	3718	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8509.200195	3110.200195	3110.200195	0.933333
1534	008	3000	0.07	2650	3	65	100	3	7	4	9000	6350	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5750	5750	0.933333
1534	009A	3000	0.07	2880	3	65	100	3	7	4	9000	6120	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5520	5520	0.933333
1534	016	3276	0.08	4950	4	65	100	3	8	4	9828	4878	RH-2	40	form-based		true	true	0.7	7	0.875	3	3	9172.799805	4222.799805	4222.799805	0.933333
1534	017	2520	0.06	1949	2	65	100	3	6	4	7560	5611	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7056	5107	5107	0.933333
1535	003	3011	0.07	3154	3	85	140	4	10	7	12044	8890	RM-1	40	form-based			true	0.7	6	0.600000024	3	3	8430.799805	5276.799805	5276.799805	0.7
1535	007	3011	0.07	2600	3	65	100	3	7	4	9033	6433	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8430.799805	5830.799805	5830.799805	0.933333
1535	008	3011	0.07	2645	3	65	100	3	7	4	9033	6388	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8430.799805	5785.799805	5785.799805	0.933333
1535	021	2521	0.06	2652	2	65	100	3	6	4	7563	4911	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7058.799805	4406.799805	4406.799805	0.933333
1535	035	3000	0.07	3918	3	65	100	3	7	4	9000	5082	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4482	4482	0.933333
1535	038	3000	0.07	3195	3	65	100	3	7	4	9000	5805	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5205	5205	0.933333
1536	002	3000	0.07	3700	3	85	140	4	10	7	12000	8300	RM-1	40	form-based			true	0.7	6	0.600000024	3	3	8400	4700	4700	0.7
1536	019	2521	0.06	2764	2	65	100	3	6	4	7563	4799	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7058.799805	4294.799805	4294.799805	0.933333
1536	020	2521	0.06	2900	2	65	100	3	6	4	7563	4663	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7058.799805	4158.799805	4158.799805	0.933333
1536	027	3447	0.08	3976	4	65	100	3	8	4	10341	6365	RM-1	40	form-based			true	0.7	7	0.875	3	3	9651.599609	5675.599609	5675.599609	0.933333
1536	049	3000	0.07	1232	3	65	100	3	7	4	9000	7768	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	7168	7168	0.933333
1536	052	3000	0.07	1566	3	65	100	3	7	4	9000	7434	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6834	6834	0.933333
1537	007	2970	0.07	4480	3	65	100	3	7	4	8910	4430	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8316	3836	3836	0.933333
1537	014	2970	0.07	3718	3	65	100	3	7	4	8910	5192	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8316	4598	4598	0.933333
1537	020	2703	0.06	3380	3	65	100	3	6	3	8109	4729	RM-1	40	form-based			true	0.7	6	1	3	3	7568.399902	4188.399902	4188.399902	0.933333
1537	020A	2703	0.06	2900	3	65	100	3	6	3	8109	5209	RM-1	40	form-based			true	0.7	6	1	3	3	7568.399902	4668.399902	4668.399902	0.933333
1537	022	2000	0.05	1577	1	65	100	3	5	4	6000	4423	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5600	4023	4023	0.933333
1537	023	2000	0.05	2468	1	65	100	3	5	4	6000	3532	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5600	3132	3132	0.933333
1537	024	2000	0.05	1668	1	65	100	3	5	4	6000	4332	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5600	3932	3932	0.933333
1537	027	3022	0.07	2250	3	65	100	3	7	4	9066	6816	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8461.599609	6211.599609	6211.599609	0.933333
1537	031	3022	0.07	3075	3	65	100	3	7	4	9066	5991	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8461.599609	5386.599609	5386.599609	0.933333
1537	032	3022	0.07	3040	3	65	100	3	7	4	9066	6026	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8461.599609	5421.599609	5421.599609	0.933333
1537	039	3010	0.07	3208	3	65	100	3	7	4	9030	5822	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8428	5220	5220	0.933333
1537	046	2970	0.07	970	3	65	100	3	7	4	8910	7940	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8316	7346	7346	0.933333
1537	073	3022	0.07	1336	3	65	100	3	7	4	9066	7730	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8461.599609	7125.599609	7125.599609	0.933333
1537	076	2970	0.07	4900	3	65	100	3	7	4	8910	4010	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8316	3416	3416	0.933333
1537	079	3022	0.07	1277	3	65	100	3	7	4	9066	7789	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8461.599609	7184.599609	7184.599609	0.933333
1537	082	2970	0.07	1147	3	65	100	3	7	4	8910	7763	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8316	7169	7169	0.933333
1537	085	2970	0.07	1692	3	65	100	3	7	4	8910	7218	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8316	6624	6624	0.933333
1538	005	3000	0.07	5130	3	65	100	3	7	4	9000	3870	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	3270	3270	0.933333
1538	016	2523	0.06	1950	2	65	100	3	6	4	7569	5619	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7064.399902	5114.399902	5114.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1538	019	2522	0.06	2277	2	65	100	3	6	4	7566	5289	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7061.600098	4784.600098	4784.600098	0.933333
1538	020	2522	0.06	1475	2	65	100	3	6	4	7566	6091	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7061.600098	5586.600098	5586.600098	0.933333
1538	021	3336	0.08	3720	4	65	100	3	8	4	10008	6288	RM-1	40	form-based		true	true	0.7	7	0.875	3	3	9340.799805	5620.799805	5620.799805	0.933333
1538	046	3000	0.07	1890	3	65	100	3	7	4	9000	7110	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6510	6510	0.933333
1540	005	3000	0.07	3390	3	65	100	3	7	4	9000	5610	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8400	5010	5010	0.933333
1540	009	3000	0.07	3300	3	65	100	3	7	4	9000	5700	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8400	5100	5100	0.933333
1540	019	1899	0.04	1450	1	65	100	3	4	3	5697	4247	RH-2	40	form-based			true	0.7	4	1	3	3	5317.199707	3867.199707	3867.199707	0.933333
1540	022	2524	0.06	3872	2	65	100	3	6	4	7572	3700	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7067.199707	3195.199707	3195.199707	0.933333
1540	024	2524	0.06	4237	2	65	100	3	6	4	7572	3335	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7067.199707	2830.199707	2830.199707	0.933333
1540	036	3033	0.07	3704	3	65	100	3	7	4	9099	5395	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8492.399414	4788.399414	4788.399414	0.933333
1540	037	3033	0.07	2752	3	65	100	3	7	4	9099	6347	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8492.399414	5740.399414	5740.399414	0.933333
1540	040	3033	0.07	4500	3	65	100	3	7	4	9099	4599	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8492.399414	3992.399414	3992.399414	0.933333
1540	056	2524	0.06	4483	2	65	100	3	6	4	7572	3089	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7067.199707	2584.199707	2584.199707	0.933333
1541	013	2977	0.07	2350	3	65	100	3	7	4	8931	6581	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8335.599609	5985.599609	5985.599609	0.933333
1541	018	2525	0.06	4112	2	65	100	3	6	4	7575	3463	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7070	2958	2958	0.933333
1541	019	2524	0.06	3590	2	65	100	3	6	4	7572	3982	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7067.199707	3477.199707	3477.199707	0.933333
1541	022	2524	0.06	2700	2	65	100	3	6	4	7572	4872	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7067.199707	4367.199707	4367.199707	0.933333
1541	023	2166	0.05	2890	2	65	100	3	5	3	6498	3608	RH-2	40	form-based		true	true	0.7	5	1	3	3	6064.799805	3174.799805	3174.799805	0.933333
1541	026	2086	0.05	1760	1	65	100	3	5	4	6258	4498	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5840.799805	4080.799805	4080.799805	0.933333
1542	006	3735	0.09	4934	5	65	100	3	9	4	11205	6271	RH-3	40	form-based			true	0.7	8	0.888888896	3	3	10458	5524	5524	0.933333
1542	018	2040	0.05	2915	1	65	100	3	5	4	6120	3205	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5712	2797	2797	0.933333
1542	019	1787	0.04	1524	1	65	100	3	4	3	5361	3837	RH-2	40	form-based			true	0.7	4	1	3	3	5003.600098	3479.600098	3479.600098	0.933333
1542	020	1788	0.04	1672	1	65	100	3	4	3	5364	3692	RH-2	40	form-based			true	0.7	4	1	3	3	5006.399902	3334.399902	3334.399902	0.933333
1542	024	2525	0.06	1772	2	65	100	3	6	4	7575	5803	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7070	5298	5298	0.933333
1542	035	3041	0.07	4000	3	65	100	3	7	4	9123	5123	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8514.799805	4514.799805	4514.799805	0.933333
1542	039	3041	0.07	4830	3	65	100	3	7	4	9123	4293	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8514.799805	3684.799805	3684.799805	0.933333
1542	049	2964	0.07	1710	3	65	100	3	7	4	8892	7182	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8299.200195	6589.200195	6589.200195	0.933333
1543	004	3007	0.07	4243	3	65	100	3	7	4	9021	4778	RM-2	40	form-based			true	0.7	6	0.857142866	3	3	8419.599609	4176.599609	4176.599609	0.933333
1543	009	3007	0.07	2304	3	65	100	3	7	4	9021	6717	RM-2	40	form-based			true	0.7	6	0.857142866	3	3	8419.599609	6115.599609	6115.599609	0.933333
1543	022	2526	0.06	2845	2	65	100	3	6	4	7578	4733	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7072.799805	4227.799805	4227.799805	0.933333
1543	025A	2888	0.07	3224	3	65	100	3	7	4	8664	5440	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8086.399902	4862.399902	4862.399902	0.933333
1543	026	3002	0.07	3160	3	65	100	3	7	4	9006	5846	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8405.599609	5245.599609	5245.599609	0.933333
1543	030	3005	0.07	3385	3	65	100	3	7	4	9015	5630	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8414	5029	5029	0.933333
1543	039	3013	0.07	3375	3	65	100	3	7	4	9039	5664	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8436.399414	5061.399414	5061.399414	0.933333
1543	041	3014	0.07	4431	3	65	100	3	7	4	9042	4611	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8439.200195	4008.200195	4008.200195	0.933333
1543	067	2526	0.06	1136	2	65	100	3	6	4	7578	6442	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7072.799805	5936.799805	5936.799805	0.933333
1544	051	2417	0.06	1938	2	65	100	3	6	4	7251	5313	RM-2	40	form-based			true	0.7	5	0.833333313	3	3	6767.600098	4829.600098	4829.600098	0.933333
1544	065	5969	0.14	1032	10	65	100	3	14	4	17907	16875	RM-2	40	form-based			true	0.7	13	0.928571403	3	3	16713.19922	15681.19922	15681.19922	0.933333
1545	003	2371	0.05	1945	2	65	100	3	5	3	7113	5168	RH-2	40	form-based			true	0.7	5	1	3	3	6638.799805	4693.799805	4693.799805	0.933333
1545	008	3000	0.07	2065	3	65	100	3	7	4	9000	6935	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6335	6335	0.933333
1545	017	3008	0.07	2300	3	65	100	3	7	4	9024	6724	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8422.399414	6122.399414	6122.399414	0.933333
1545	036	3023	0.07	2637	3	65	100	3	7	4	9069	6432	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8464.399414	5827.399414	5827.399414	0.933333
1545	049	2398	0.06	2712	2	65	100	3	6	4	7194	4482	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6714.399902	4002.399902	4002.399902	0.933333
1545	051	2416	0.06	1200	2	65	100	3	6	4	7248	6048	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6764.799805	5564.799805	5564.799805	0.933333
1546	008	3034	0.07	3100	3	65	100	3	7	4	9102	6002	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8495.200195	5395.200195	5395.200195	0.933333
1546	013	3913	0.09	3905	5	65	100	3	9	4	11739	7834	RH-2	40	form-based			true	0.7	8	0.888888896	3	3	10956.39941	7051.399414	7051.399414	0.933333
1546	016	4308	0.1	3310	6	65	100	3	10	4	12924	9614	RH-2	40	form-based			true	0.7	9	0.899999976	3	3	12062.39941	8752.399414	8752.399414	0.933333
1546	036A	1956	0.04	1132	1	65	100	3	4	3	5868	4736	RH-2	40	form-based			true	0.7	4	1	3	3	5476.799805	4344.799805	4344.799805	0.933333
1546	036B	1956	0.04	1132	1	65	100	3	4	3	5868	4736	RH-2	40	form-based			true	0.7	4	1	3	3	5476.799805	4344.799805	4344.799805	0.933333
1547	003	2372	0.05	3230	2	65	100	3	5	3	7116	3886	RH-2	40	form-based			true	0.7	5	1	3	3	6641.600098	3411.600098	3411.600098	0.933333
1547	004	2372	0.05	3175	2	65	100	3	5	3	7116	3941	RH-2	40	form-based			true	0.7	5	1	3	3	6641.600098	3466.600098	3466.600098	0.933333
1547	008	2997	0.07	2730	3	65	100	3	7	4	8991	6261	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8391.599609	5661.599609	5661.599609	0.933333
1547	016	2997	0.07	2613	3	65	100	3	7	4	8991	6378	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8391.599609	5778.599609	5778.599609	0.933333
1547	024	2409	0.06	4084	6	65	100	3	6	0	7227	3143	NCD-INNE	65	form-based		true	true	0.75	9	1.5	3	3	10840.5	6756.5	6756.5	1.5
1547	027	2409	0.06	2006	6	55	80	2.5	5	0	6022	4016	NCD-INNE	65	form-based		true	true	0.75	9	1.799999952	3	3	10840.5	8834.5	8834.5	1.800149
1547	032	3605	0.08	5186	5	65	100	3	8	3	10815	5629	RH-3	40	form-based			true	0.7	8	1	3	3	10094	4908	4908	0.933333
1547	041	3019	0.07	2649	3	65	100	3	7	4	9057	6408	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8453.200195	5804.200195	5804.200195	0.933333
1547	048	2405	0.06	3450	2	65	100	3	6	4	7215	3765	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6734	3284	3284	0.933333
1547	051	2420	0.06	3947	2	65	100	3	6	4	7260	3313	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6776	2829	2829	0.933333
1548	003	2347	0.05	3344	2	65	100	3	5	3	7041	3697	RH-3	40	form-based			true	0.7	5	1	3	3	6571.600098	3227.600098	3227.600098	0.933333
1548	004	2348	0.05	2150	2	65	100	3	5	3	7044	4894	RH-3	40	form-based			true	0.7	5	1	3	3	6574.399902	4424.399902	4424.399902	0.933333
1548	010	2982	0.07	3550	3	65	100	3	7	4	8946	5396	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8349.599609	4799.599609	4799.599609	0.933333
1548	012	2986	0.07	2996	3	65	100	3	7	4	8958	5962	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8360.799805	5364.799805	5364.799805	0.933333
1548	037	3009	0.07	4025	3	65	100	3	7	4	9027	5002	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8425.200195	4400.200195	4400.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1548	044	4212	0.1	6075	6	65	100	3	10	4	12636	6561	RH-3	40	form-based			true	0.7	9	0.899999976	3	3	11793.59961	5718.599609	5718.599609	0.933333
1548	046	2384	0.05	3250	2	65	100	3	5	3	7152	3902	RH-3	40	form-based			true	0.7	5	1	3	3	6675.199707	3425.199707	3425.199707	0.933333
1548	049	2423	0.06	2410	2	65	100	3	6	4	7269	4859	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6784.399902	4374.399902	4374.399902	0.933333
1549	001A	1916	0.04	1049	1	65	100	3	4	3	5748	4699	RH-3	40	form-based			true	0.7	4	1	3	3	5364.799805	4315.799805	4315.799805	0.933333
1549	001B	1916	0.04	860	1	65	100	3	4	3	5748	4888	RH-3	40	form-based			true	0.7	4	1	3	3	5364.799805	4504.799805	4504.799805	0.933333
1549	002	2985	0.07	3088	3	65	100	3	7	4	8955	5867	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8358	5270	5270	0.933333
1549	005	2985	0.07	2650	3	65	100	3	7	4	8955	6305	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8358	5708	5708	0.933333
1549	010	2985	0.07	4152	3	65	100	3	7	4	8955	4803	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8358	4206	4206	0.933333
1549	015	2985	0.07	2950	3	65	100	3	7	4	8955	6005	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8358	5408	5408	0.933333
1549	040	3030	0.07	3380	3	65	100	3	7	4	9090	5710	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8484	5104	5104	0.933333
1549	046	2428	0.06	4805	2	65	100	3	6	4	7284	2479	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6798.399902	1993.399902	1993.399902	0.933333
1549	048	2427	0.06	2630	2	65	100	3	6	4	7281	4651	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6795.600098	4165.600098	4165.600098	0.933333
1549	058	2985	0.07	1673	3	65	100	3	7	4	8955	7282	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8358	6685	6685	0.933333
1549	066	2427	0.06	1165	2	65	100	3	6	4	7281	6116	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6795.600098	5630.600098	5630.600098	0.933333
1550	004	2970	0.07	2936	3	65	100	3	7	4	8910	5974	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8316	5380	5380	0.933333
1550	013	2970	0.07	3306	3	65	100	3	7	4	8910	5604	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8316	5010	5010	0.933333
1550	022	1410	0.03	2010	2	55	80	2.5	2	0	3525	1515	RTO-C	65	form-based			true	0.75	5	2.5	3	2	6345	4335	4335	1.8
1550	033	3024	0.07	3175	3	65	100	3	7	4	9072	5897	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8467.200195	5292.200195	5292.200195	0.933333
1550	036	3024	0.07	3540	3	65	100	3	7	4	9072	5532	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8467.200195	4927.200195	4927.200195	0.933333
1550	045	3024	0.07	3346	3	65	100	3	7	4	9072	5726	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8467.200195	5121.200195	5121.200195	0.933333
1550	047	2089	0.05	2350	1	65	100	3	5	4	6267	3917	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5849.199707	3499.199707	3499.199707	0.933333
1550	051	2428	0.06	2800	2	65	100	3	6	4	7284	4484	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6798.399902	3998.399902	3998.399902	0.933333
1551	048	1928	0.04	1205	1	65	100	3	4	3	5784	4579	RH-2	40	form-based			true	0.7	4	1	3	3	5398.399902	4193.399902	4193.399902	0.933333
1551	050	1807	0.04	1750	1	65	100	3	4	3	5421	3671	RH-2	40	form-based			true	0.7	4	1	3	3	5059.600098	3309.600098	3309.600098	0.933333
1551	052	1807	0.04	1755	1	65	100	3	4	3	5421	3666	RH-2	40	form-based			true	0.7	4	1	3	3	5059.600098	3304.600098	3304.600098	0.933333
1551	053	1927	0.04	1085	1	65	100	3	4	3	5781	4696	RH-2	40	form-based			true	0.7	4	1	3	3	5395.600098	4310.600098	4310.600098	0.933333
1551	054	1927	0.04	1190	1	65	100	3	4	3	5781	4591	RH-2	40	form-based			true	0.7	4	1	3	3	5395.600098	4205.600098	4205.600098	0.933333
1552	001	2104	0.05	2870	1	65	100	3	5	4	6312	3442	RH-2	40	form-based	true		true	0.7	4	0.800000012	3	3	5891.199707	3021.199707	3021.199707	0.933333
1554	002	2521	0.06	2094	2	65	100	3	6	4	7563	5469	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7058.799805	4964.799805	4964.799805	0.933333
1554	030	1950	0.04	1740	1	65	100	3	4	3	5850	4110	RH-2	40	form-based			true	0.7	4	1	3	3	5460	3720	3720	0.933333
1554	030A	1950	0.04	2312	1	65	100	3	4	3	5850	3538	RH-2	40	form-based			true	0.7	4	1	3	3	5460	3148	3148	0.933333
1555	017	2986	0.07	4975	3	65	100	3	7	4	8958	3983	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8360.799805	3385.799805	3385.799805	0.933333
1555	046	2125	0.05	2820	1	65	100	3	5	4	6375	3555	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5950	3130	3130	0.933333
1555	047	2125	0.05	2556	1	65	100	3	5	4	6375	3819	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5950	3394	3394	0.933333
1557	001A	2504	0.06	3514	2	65	100	3	6	4	7512	3998	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7011.199707	3497.199707	3497.199707	0.933333
1557	001B	2504	0.06	3370	2	65	100	3	6	4	7512	4142	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7011.199707	3641.199707	3641.199707	0.933333
1557	001C	2504	0.06	3550	2	65	100	3	6	4	7512	3962	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7011.199707	3461.199707	3461.199707	0.933333
1557	011	4501	0.1	8000	6	65	100	3	10	4	13503	5503	RM-1	40	form-based			true	0.7	9	0.899999976	3	3	12602.7998	4602.799805	4602.799805	0.933333
1557	034A	2363	0.05	3528	2	65	100	3	5	3	7089	3561	RH-2	40	form-based			true	0.7	5	1	3	3	6616.399902	3088.399902	3088.399902	0.933333
1557	036	2251	0.05	3430	2	65	100	3	5	3	6753	3323	RM-1	40	form-based			true	0.7	5	1	3	3	6302.799805	2872.799805	2872.799805	0.933333
1558	002	2254	0.05	3380	2	65	100	3	5	3	6762	3382	RH-2	40	form-based			true	0.7	5	1	3	3	6311.199707	2931.199707	2931.199707	0.933333
1558	028	3187	0.07	2907	4	65	100	3	7	3	9561	6654	RH-2	40	form-based			true	0.7	7	1	3	3	8923.599609	6016.599609	6016.599609	0.933333
1558	045	2504	0.06	2900	2	65	100	3	6	4	7512	4612	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7011.199707	4111.199707	4111.199707	0.933333
1558	046	2504	0.06	3100	2	65	100	3	6	4	7512	4412	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7011.199707	3911.199707	3911.199707	0.933333
1558	047	2504	0.06	2000	2	65	100	3	6	4	7512	5512	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7011.199707	5011.199707	5011.199707	0.933333
1559	023	1928	0.04	3480	4	65	100	3	4	0	5784	2304	RTO-C	65	form-based	true		true	0.75	7	1.75	3	3	8676	5196	5196	1.5
1560	002	2350	0.05	2345	2	65	100	3	5	3	7050	4705	RH-2	40	form-based			true	0.7	5	1	3	3	6580	4235	4235	0.933333
1561	001A	2025	0.05	2080	1	65	100	3	5	4	6075	3995	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5670	3590	3590	0.933333
1561	001C	2025	0.05	2090	1	65	100	3	5	4	6075	3985	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5670	3580	3580	0.933333
1561	046	2511	0.06	1490	2	65	100	3	6	4	7533	6043	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7030.799805	5540.799805	5540.799805	0.933333
1562	001	2104	0.05	1775	1	65	100	3	5	4	6312	4537	RM-1	40	form-based	true		true	0.7	4	0.800000012	3	3	5891.199707	4116.199707	4116.199707	0.933333
1562	002	2062	0.05	1760	1	65	100	3	5	4	6186	4426	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4013.600098	4013.600098	0.933333
1562	002A	2062	0.05	1710	1	65	100	3	5	4	6186	4476	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4063.600098	4063.600098	0.933333
1562	003	2063	0.05	2190	1	65	100	3	5	4	6189	3999	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	3586.399902	3586.399902	0.933333
1562	039	2100	0.05	1740	1	65	100	3	5	4	6300	4560	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5880	4140	4140	0.933333
1562	040	2100	0.05	1998	1	65	100	3	5	4	6300	4302	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5880	3882	3882	0.933333
1562	040A	2100	0.05	1950	1	65	100	3	5	4	6300	4350	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5880	3930	3930	0.933333
1562	043	2513	0.06	3450	2	65	100	3	6	4	7539	4089	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7036.399902	3586.399902	3586.399902	0.933333
1562	044	2513	0.06	3500	2	65	100	3	6	4	7539	4039	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7036.399902	3536.399902	3536.399902	0.933333
1563	008	2971	0.07	2285	3	65	100	3	7	4	8913	6628	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8318.799805	6033.799805	6033.799805	0.933333
1563	009A	2971	0.07	3376	3	65	100	3	7	4	8913	5537	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8318.799805	4942.799805	4942.799805	0.933333
1563	039	2065	0.05	1860	1	65	100	3	5	4	6195	4335	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	3922	3922	0.933333
1563	040	2065	0.05	1860	1	65	100	3	5	4	6195	4335	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	3922	3922	0.933333
1563	041	2065	0.05	1896	1	65	100	3	5	4	6195	4299	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	3886	3886	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1563	043	2516	0.06	2870	2	65	100	3	6	4	7548	4678	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7044.799805	4174.799805	4174.799805	0.933333
1563	044	2516	0.06	2840	2	65	100	3	6	4	7548	4708	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7044.799805	4204.799805	4204.799805	0.933333
1563	044A	2515	0.06	2600	2	65	100	3	6	4	7545	4945	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7042	4442	4442	0.933333
1564	013	2965	0.07	2245	3	65	100	3	7	4	8895	6650	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8302	6057	6057	0.933333
1564	028	3021	0.07	4480	3	65	100	3	7	4	9063	4583	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8458.799805	3978.799805	3978.799805	0.933333
1564	045	2518	0.06	2320	2	65	100	3	6	4	7554	5234	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7050.399902	4730.399902	4730.399902	0.933333
1565	026	2045	0.05	1265	1	65	100	3	5	4	6135	4870	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5726	4461	4461	0.933333
1565	026A	2045	0.05	1265	1	65	100	3	5	4	6135	4870	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5726	4461	4461	0.933333
1565	028	2521	0.06	2810	2	65	100	3	6	4	7563	4753	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7058.799805	4248.799805	4248.799805	0.933333
1565	030	2520	0.06	1607	2	65	100	3	6	4	7560	5953	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7056	5449	5449	0.933333
1566	002	2793	0.06	3867	3	65	100	3	6	3	8379	4512	RH-2	40	form-based			true	0.7	6	1	3	3	7820.399902	3953.399902	3953.399902	0.933333
1566	039	2523	0.06	1790	2	65	100	3	6	4	7569	5779	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7064.399902	5274.399902	5274.399902	0.933333
1567	007A	3000	0.07	2747	3	65	100	3	7	4	9000	6253	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5653	5653	0.933333
1567	008	3000	0.07	2618	3	65	100	3	7	4	9000	6382	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5782	5782	0.933333
1567	021	2987	0.07	2150	3	65	100	3	7	4	8961	6811	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8363.599609	6213.599609	6213.599609	0.933333
1567	026	2987	0.07	4151	3	65	100	3	7	4	8961	4810	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8363.599609	4212.599609	4212.599609	0.933333
1567	031A	2528	0.06	3143	2	65	100	3	6	4	7584	4441	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7078.399902	3935.399902	3935.399902	0.933333
1567	035	2303	0.05	3684	2	65	100	3	5	3	6909	3225	RM-1	40	form-based			true	0.7	5	1	3	3	6448.399902	2764.399902	2764.399902	0.933333
1568	008A	2779	0.06	2529	3	65	100	3	6	3	8337	5808	RH-2	40	form-based			true	0.7	6	1	3	3	7781.199707	5252.199707	5252.199707	0.933333
1568	008B	2779	0.06	2843	3	65	100	3	6	3	8337	5494	RH-2	40	form-based			true	0.7	6	1	3	3	7781.199707	4938.199707	4938.199707	0.933333
1569	004	1787	0.04	1144	1	65	100	3	4	3	5361	4217	RH-2	40	form-based			true	0.7	4	1	3	3	5003.600098	3859.600098	3859.600098	0.933333
1569	014	2546	0.06	2571	2	65	100	3	6	4	7638	5067	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7128.799805	4557.799805	4557.799805	0.933333
1569	019A	1437	0.03	1675	2	65	100	3	3	1	4311	2636	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6466.5	4791.5	4791.5	1.5
1569	023	2937	0.07	3021	3	65	100	3	7	4	8811	5790	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8223.599609	5202.599609	5202.599609	0.933333
1569	036	2490	0.06	2281	2	65	100	3	6	4	7470	5189	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6972	4691	4691	0.933333
1569	037	2061	0.05	1380	1	65	100	3	5	4	6183	4803	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5770.799805	4390.799805	4390.799805	0.933333
1570	003A	2808	0.06	2595	3	65	100	3	6	3	8424	5829	RH-2	40	form-based			true	0.7	6	1	3	3	7862.399902	5267.399902	5267.399902	0.933333
1570	010	1875	0.04	2000	1	65	100	3	4	3	5625	3625	RH-2	40	form-based			true	0.7	4	1	3	3	5250	3250	3250	0.933333
1570	010A	1875	0.04	1768	1	65	100	3	4	3	5625	3857	RH-2	40	form-based			true	0.7	4	1	3	3	5250	3482	3482	0.933333
1570	018	1864	0.04	2050	1	65	100	3	4	3	5592	3542	RH-2	40	form-based			true	0.7	4	1	3	3	5219.199707	3169.199707	3169.199707	0.933333
1570	018C	1864	0.04	2050	1	65	100	3	4	3	5592	3542	RH-2	40	form-based			true	0.7	4	1	3	3	5219.199707	3169.199707	3169.199707	0.933333
1572	012	1924	0.04	1400	1	65	100	3	4	3	5772	4372	RH-2	40	form-based			true	0.7	4	1	3	3	5387.199707	3987.199707	3987.199707	0.933333
1572	012C	1643	0.04	2950	3	65	100	3	4	1	4929	1979	RTO-C	65	form-based	true		true	0.75	6	1.5	3	3	7393.5	4443.5	4443.5	1.5
1572	016L	2260	0.05	2960	2	65	100	3	5	3	6780	3820	RH-2	40	form-based			true	0.7	5	1	3	3	6328	3368	3368	0.933333
1572	041	1526	0.04	1297	3	65	100	3	4	1	4578	3281	RTO-C	65	form-based	true		true	0.75	6	1.5	3	3	6867	5570	5570	1.5
1575	004	3000	0.07	5098	3	65	100	3	7	4	9000	3902	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	3302	3302	0.933333
1575	030	2392	0.05	3324	2	65	100	3	5	3	7176	3852	RH-2	40	form-based			true	0.7	5	1	3	3	6697.600098	3373.600098	3373.600098	0.933333
1575	032	2517	0.06	3200	2	65	100	3	6	4	7551	4351	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7047.600098	3847.600098	3847.600098	0.933333
1575	034	2517	0.06	3200	2	65	100	3	6	4	7551	4351	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7047.600098	3847.600098	3847.600098	0.933333
1575	035	2516	0.06	2250	2	65	100	3	6	4	7548	5298	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7044.799805	4794.799805	4794.799805	0.933333
1576	001A	1894	0.04	1357	1	65	100	3	4	3	5682	4325	RH-2	40	form-based			true	0.7	4	1	3	3	5303.199707	3946.199707	3946.199707	0.933333
1576	001D	2065	0.05	1717	1	65	100	3	5	4	6195	4478	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4065	4065	0.933333
1576	005	2500	0.06	3800	2	65	100	3	6	4	7500	3700	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3200	3200	0.933333
1576	005K	2500	0.06	2900	2	65	100	3	6	4	7500	4600	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4100	4100	0.933333
1576	005L	2500	0.06	2900	2	65	100	3	6	4	7500	4600	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4100	4100	0.933333
1577	001	1901	0.04	1708	1	65	100	3	4	3	5703	3995	RH-2	40	form-based	true		true	0.7	4	1	3	3	5322.799805	3614.799805	3614.799805	0.933333
1577	001B	1875	0.04	1075	1	65	100	3	4	3	5625	4550	RH-2	40	form-based			true	0.7	4	1	3	3	5250	4175	4175	0.933333
1577	001C	1875	0.04	1075	1	65	100	3	4	3	5625	4550	RH-2	40	form-based			true	0.7	4	1	3	3	5250	4175	4175	0.933333
1577	016	3000	0.07	2047	3	65	100	3	7	4	9000	6953	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6353	6353	0.933333
1577	029	2250	0.05	3473	2	65	100	3	5	3	6750	3277	RH-2	40	form-based			true	0.7	5	1	3	3	6300	2827	2827	0.933333
1577	030	2332	0.05	1975	2	65	100	3	5	3	6996	5021	RH-2	40	form-based	true		true	0.7	5	1	3	3	6529.600098	4554.600098	4554.600098	0.933333
1577	031	2509	0.06	3669	2	65	100	3	6	4	7527	3858	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7025.199707	3356.199707	3356.199707	0.933333
1577	032	2509	0.06	2924	2	65	100	3	6	4	7527	4603	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7025.199707	4101.199707	4101.199707	0.933333
1578	001A	2143	0.05	2356	2	65	100	3	5	3	6429	4073	RH-2	40	form-based			true	0.7	5	1	3	3	6000.399902	3644.399902	3644.399902	0.933333
1578	006	3000	0.07	3955	3	65	100	3	7	4	9000	5045	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4445	4445	0.933333
1578	023	2525	0.06	3058	2	65	100	3	6	4	7575	4517	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7070	4012	4012	0.933333
1580	001F	2469	0.06	6530	2	55	80	2.5	5	3	6172	0	RH-2	40	form-based			true	0.7	5	1	3	3	6913.199707	383.199707	383.199707	1.120091
1580	010	2469	0.06	3807	2	55	80	2.5	5	3	6172	2365	RH-2	40	form-based			true	0.7	5	1	3	3	6913.199707	3106.199707	3106.199707	1.120091
1581	007I	1949	0.04	2814	4	55	80	2.5	3	0	4872	2058	NCD-OUTE	65	form-based			true	0.75	7	2.333333254	3	2	8770.5	5956.5	5956.5	1.800185
1581	031	2430	0.06	2378	2	55	80	2.5	5	3	6075	3697	RH-2	40	form-based			true	0.7	5	1	3	3	6804	4426	4426	1.12
1581	032	2000	0.05	1336	1	55	80	2.5	4	3	5000	3664	RH-2	40	form-based			true	0.7	4	1	3	3	5600	4264	4264	1.12
1582	001	1975	0.05	1400	1	55	80	2.5	4	3	4938	3538	RH-2	40	form-based	true		true	0.7	4	1	3	3	5530	4130	4130	1.119887
1582	001A	1875	0.04	1669	1	55	80	2.5	3	2	4688	3019	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3581	3581	1.119881
1582	001C	1875	0.04	1375	1	55	80	2.5	3	2	4688	3313	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3875	3875	1.119881

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1582	018	2062	0.05	1238	1	55	80	2.5	4	3	5155	3917	RH-2	40	form-based			true	0.7	4	1	3	3	5773.600098	4535.600098	4535.600098	1.12
1582	018A	1438	0.03	1750	2	55	80	2.5	2	0	3595	1845	RTO-C	65	form-based			true	0.75	5	2.5	3	2	6471	4721	4721	1.8
1582	018B	1438	0.03	1750	2	55	80	2.5	2	0	3595	1845	RTO-C	65	form-based			true	0.75	5	2.5	3	2	6471	4721	4721	1.8
1582	019	1365	0.03	1750	2	55	80	2.5	2	0	3412	1662	RTO-C	65	form-based		true	true	0.75	5	2.5	3	2	6142.5	4392.5	4392.5	1.800264
1582	026A	2075	0.05	1870	1	55	80	2.5	4	3	5188	3318	RH-2	40	form-based			true	0.7	4	1	3	3	5810	3940	3940	1.119892
1582	040H	1702	0.04	1270	1	55	80	2.5	3	2	4255	2985	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	4765.600098	3495.600098	3495.600098	1.12
1584	001F	2038	0.05	1455	1	55	80	2.5	4	3	5095	3640	RH-1	40	form-based			true	0.7	4	1	3	3	5706.399902	4251.399902	4251.399902	1.12
1584	001G	2037	0.05	1750	1	55	80	2.5	4	3	5092	3342	RH-1	40	form-based			true	0.7	4	1	3	3	5703.600098	3953.600098	3953.600098	1.12011
1584	001H	2037	0.05	1643	1	55	80	2.5	4	3	5092	3449	RH-1	40	form-based			true	0.7	4	1	3	3	5703.600098	4060.600098	4060.600098	1.12011
1606	020	2239	0.05	1966	2	55	80	2.5	4	2	5598	3632	RH-2	40	form-based			true	0.7	5	1.25	3	3	6269.199707	4303.199707	4303.199707	1.1199
1607	012	2500	0.06	2300	2	55	80	2.5	5	3	6250	3950	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4700	4700	1.12
1607	014A	1988	0.05	1000	1	55	80	2.5	4	3	4970	3970	RH-2	40	form-based			true	0.7	4	1	3	3	5566.399902	4566.399902	4566.399902	1.12
1607	014B	1988	0.05	1740	1	55	80	2.5	4	3	4970	3230	RH-2	40	form-based			true	0.7	4	1	3	3	5566.399902	3826.399902	3826.399902	1.12
1608	008	3078	0.07	3426	3	55	80	2.5	6	3	7695	4269	RH-3	40	form-based			true	0.7	6	1	3	3	8618.399414	5192.399414	5192.399414	1.12
1608	011E	2536	0.06	2384	2	55	80	2.5	5	3	6340	3956	RH-2	40	form-based			true	0.7	5	1	3	3	7100.799805	4716.799805	4716.799805	1.12
1608	020	1911	0.04	1800	1	55	80	2.5	3	2	4778	2978	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5350.799805	3550.799805	3550.799805	1.119883
1608	025	1911	0.04	2325	1	55	80	2.5	3	2	4778	2453	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5350.799805	3025.799805	3025.799805	1.119883
1608	033	1911	0.04	1800	1	55	80	2.5	3	2	4778	2978	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5350.799805	3550.799805	3550.799805	1.119883
1608	035	2603	0.06	3175	2	55	80	2.5	5	3	6508	3333	RH-2	40	form-based			true	0.7	5	1	3	3	7288.399902	4113.399902	4113.399902	1.119914
1609	001	2420	0.06	3784	6	55	80	2.5	5	0	6050	2266	NCD-OUTE	65	form-based		true	true	0.75	9	1.799999952	3	3	10890	7106	7106	1.8
1609	004A	2099	0.05	1690	1	55	80	2.5	4	3	5248	3558	RH-2	40	form-based			true	0.7	4	1	3	3	5877.199707	4187.199707	4187.199707	1.119893
1609	012	3279	0.08	4482	4	55	80	2.5	6	2	8198	3716	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9181.200195	4699.200195	4699.200195	1.119932
1610	017	2063	0.05	1440	1	55	80	2.5	4	3	5158	3718	RH-2	40	form-based			true	0.7	4	1	3	3	5776.399902	4336.399902	4336.399902	1.119891
1610	017B	2063	0.05	1800	1	55	80	2.5	4	3	5158	3358	RH-2	40	form-based			true	0.7	4	1	3	3	5776.399902	3976.399902	3976.399902	1.119891
1610	017C	2063	0.05	1800	1	55	80	2.5	4	3	5158	3358	RH-2	40	form-based			true	0.7	4	1	3	3	5776.399902	3976.399902	3976.399902	1.119891
1610	017F	2063	0.05	2416	1	55	80	2.5	4	3	5158	2742	RH-2	40	form-based			true	0.7	4	1	3	3	5776.399902	3360.399902	3360.399902	1.119891
1610	017G	2062	0.05	1580	1	55	80	2.5	4	3	5155	3575	RH-2	40	form-based			true	0.7	4	1	3	3	5773.600098	4193.600098	4193.600098	1.12
1610	017H	2062	0.05	1505	1	55	80	2.5	4	3	5155	3650	RH-2	40	form-based			true	0.7	4	1	3	3	5773.600098	4268.600098	4268.600098	1.12
1610	017I	2063	0.05	2195	1	55	80	2.5	4	3	5158	2963	RH-2	40	form-based		true	true	0.7	4	1	3	3	5776.399902	3581.399902	3581.399902	1.119891
1611	017	3000	0.07	4231	3	55	80	2.5	6	3	7500	3269	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4169	4169	1.12
1611	018	2062	0.05	1335	1	55	80	2.5	4	3	5155	3820	RH-2	40	form-based			true	0.7	4	1	3	3	5773.600098	4438.600098	4438.600098	1.12
1611	018A	2063	0.05	1972	1	55	80	2.5	4	3	5158	3186	RH-2	40	form-based			true	0.7	4	1	3	3	5776.399902	3804.399902	3804.399902	1.119891
1611	018B	2062	0.05	1425	1	55	80	2.5	4	3	5155	3730	RH-2	40	form-based			true	0.7	4	1	3	3	5773.600098	4348.600098	4348.600098	1.12
1611	018D	2062	0.05	2237	1	55	80	2.5	4	3	5155	2918	RH-2	40	form-based		true	true	0.7	4	1	3	3	5773.600098	3536.600098	3536.600098	1.12
1611	020	2500	0.06	2570	2	55	80	2.5	5	3	6250	3680	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4430	4430	1.12
1611	050	2500	0.06	858	2	55	80	2.5	5	3	6250	5392	RH-2	40	form-based			true	0.7	5	1	3	3	7000	6142	6142	1.12
1612	003	3021	0.07	3414	3	55	80	2.5	6	3	7552	4138	RH-2	40	form-based			true	0.7	6	1	3	3	8458.799805	5044.799805	5044.799805	1.120074
1612	016	2500	0.06	2818	2	55	80	2.5	5	3	6250	3432	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4182	4182	1.12
1612	016A	2500	0.06	3080	2	55	80	2.5	5	3	6250	3170	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3920	3920	1.12
1613	007I	2375	0.05	4016	2	55	80	2.5	4	2	5938	1922	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	2634	2634	1.119906
1613	007J	2375	0.05	3300	2	55	80	2.5	4	2	5938	2638	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	3350	3350	1.119906
1614	011	1728	0.04	1700	1	55	80	2.5	3	2	4320	2620	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4838.399902	3138.399902	3138.399902	1.12
1614	011A	1728	0.04	1920	1	55	80	2.5	3	2	4320	2400	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4838.399902	2918.399902	2918.399902	1.12
1614	011B	1728	0.04	1819	1	55	80	2.5	3	2	4320	2501	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	4838.399902	3019.399902	3019.399902	1.12
1614	011C	1875	0.04	1450	1	55	80	2.5	3	2	4688	3238	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3800	3800	1.119881
1614	011D	1875	0.04	1250	1	55	80	2.5	3	2	4688	3438	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	4000	4000	1.119881
1614	012B	2274	0.05	2800	2	55	80	2.5	4	2	5685	2885	RH-2	40	form-based			true	0.7	5	1.25	3	3	6367.199707	3567.199707	3567.199707	1.12
1614	019	2844	0.07	7050	8	55	80	2.5	6	0	7110	60	RTO-C	65	form-based		true	true	0.75	11	1.833333373	3	3	12798	5748	5748	1.8
1615	012B	2500	0.06	3878	2	55	80	2.5	5	3	6250	2372	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3122	3122	1.12
1615	013	2557	0.06	3010	2	55	80	2.5	5	3	6392	3382	RH-2	40	form-based			true	0.7	5	1	3	3	7159.600098	4149.600098	4149.600098	1.120088
1615	013A	2593	0.06	3375	2	55	80	2.5	5	3	6482	3107	RH-2	40	form-based		true	true	0.7	5	1	3	3	7260.399902	3885.399902	3885.399902	1.120086
1615	013B	2375	0.05	3400	2	55	80	2.5	4	2	5938	2538	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	3250	3250	1.119906
1615	013C	2375	0.05	3270	2	55	80	2.5	4	2	5938	2668	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	3380	3380	1.119906
1615	013Q	2375	0.05	3600	2	55	80	2.5	4	2	5938	2338	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	3050	3050	1.119906
1615	015A	1347	0.03	0	0	55	80	2.5	2	2	3368	3368	RH-2	40	form-based			true	0.7	3	1.5	3	3	3771.599854	3771.599854	3771.599854	1.119834
1616	018	2375	0.05	3608	2	55	80	2.5	4	2	5938	2330	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	3042	3042	1.119906
1616	020	2250	0.05	3766	2	55	80	2.5	4	2	5625	1859	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	2534	2534	1.12
1617	019	1925	0.04	1730	1	55	80	2.5	3	2	4812	3082	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5390	3660	3660	1.120116
1617	020	1925	0.04	1800	1	55	80	2.5	3	2	4812	3012	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5390	3590	3590	1.120116
1617	020A	1925	0.04	2336	1	55	80	2.5	3	2	4812	2476	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5390	3054	3054	1.120116
1617	031	1849	0.04	2382	1	55	80	2.5	3	2	4622	2240	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5177.199707	2795.199707	2795.199707	1.120121
1617	031A	1780	0.04	2418	1	55	80	2.5	3	2	4450	2032	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4984	2566	2566	1.12
1618	004C	2286	0.05	2693	2	55	80	2.5	4	2	5715	3022	RH-2	40	form-based			true	0.7	5	1.25	3	3	6400.799805	3707.799805	3707.799805	1.12
1618	005D	1786	0.04	1913	1	55	80	2.5	3	2	4465	2552	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5000.799805	3087.799805	3087.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1618	005E	1786	0.04	1605	1	55	80	2.5	3	2	4465	2860	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5000.799805	3395.799805	3395.799805	1.12
1618	007	3036	0.07	3815	3	55	80	2.5	6	3	7590	3775	RH-2	40	form-based			true	0.7	6	1	3	3	8500.799805	4685.799805	4685.799805	1.12
1618	017	1894	0.04	3390	4	55	80	2.5	3	0	4735	1345	RTO-C	65	form-based		true	true	0.75	7	2.333333254	3	2	8523	5133	5133	1.8
1619	008	2065	0.05	2071	1	55	80	2.5	4	3	5162	3091	RH-2	40	form-based			true	0.7	4	1	3	3	5782	3711	3711	1.120108
1619	009	2065	0.05	2140	1	55	80	2.5	4	3	5162	3022	RH-2	40	form-based			true	0.7	4	1	3	3	5782	3642	3642	1.120108
1619	010	2065	0.05	2290	1	55	80	2.5	4	3	5162	2872	RM-1	40	form-based			true	0.7	4	1	3	3	5782	3492	3492	1.120108
1619	011	2500	0.06	2400	2	55	80	2.5	5	3	6250	3850	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4600	4600	1.12
1619	013	2500	0.06	2700	2	55	80	2.5	5	3	6250	3550	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4300	4300	1.12
1619	014	2500	0.06	3826	2	55	80	2.5	5	3	6250	2424	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3174	3174	1.12
1619	023	4574	0.11	5812	7	55	80	2.5	9	2	11435	5623	RH-2	40	form-based			true	0.7	10	1.111111164	3	3	12807.2002	6995.200195	6995.200195	1.12
1620	009	2308	0.05	3300	2	55	80	2.5	4	2	5770	2470	RH-2	40	form-based			true	0.7	5	1.25	3	3	6462.399902	3162.399902	3162.399902	1.12
1620	010	2308	0.05	3320	2	55	80	2.5	4	2	5770	2450	RH-2	40	form-based			true	0.7	5	1.25	3	3	6462.399902	3142.399902	3142.399902	1.12
1620	011A	2268	0.05	3282	2	55	80	2.5	4	2	5670	2388	RH-2	40	form-based			true	0.7	5	1.25	3	3	6350.399902	3068.399902	3068.399902	1.12
1620	013	2250	0.05	2950	2	55	80	2.5	4	2	5625	2675	RM-1	40	form-based			true	0.7	5	1.25	3	3	6300	3350	3350	1.12
1620	015	3240	0.07	3488	4	55	80	2.5	6	2	8100	4612	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9072	5584	5584	1.12
1620	023A	1650	0.04	2625	3	55	80	2.5	3	0	4125	1500	RTO-C	65	form-based			true	0.75	6	2	3	3	7425	4800	4800	1.8
1621	014	1996	0.05	2417	1	55	80	2.5	4	3	4990	2573	RH-2	40	form-based			true	0.7	4	1	3	3	5588.799805	3171.799805	3171.799805	1.12
1621	015	1996	0.05	1950	1	55	80	2.5	4	3	4990	3040	RH-2	40	form-based			true	0.7	4	1	3	3	5588.799805	3638.799805	3638.799805	1.12
1621	016	1996	0.05	1950	1	55	80	2.5	4	3	4990	3040	RH-2	40	form-based			true	0.7	4	1	3	3	5588.799805	3638.799805	3638.799805	1.12
1621	019	1884	0.04	1720	1	55	80	2.5	3	2	4710	2990	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5275.199707	3555.199707	3555.199707	1.12
1621	020	1884	0.04	1993	1	55	80	2.5	3	2	4710	2717	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5275.199707	3282.199707	3282.199707	1.12
1621	021	1884	0.04	2138	1	55	80	2.5	3	2	4710	2572	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5275.199707	3137.199707	3137.199707	1.12
1621	022	1884	0.04	1975	1	55	80	2.5	3	2	4710	2735	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5275.199707	3300.199707	3300.199707	1.12
1621	023	1884	0.04	3506	1	55	80	2.5	3	2	4710	1204	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5275.199707	1769.199707	1769.199707	1.12
1622	022E	1750	0.04	1250	1	55	80	2.5	3	2	4375	3125	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4900	3650	3650	1.12
1622	006	3078	0.07	4142	3	55	80	2.5	6	3	7695	3553	RH-2	40	form-based			true	0.7	6	1	3	3	8618.399414	4476.399414	4476.399414	1.12
1622	018	1717	0.04	1285	1	55	80	2.5	3	2	4292	3007	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4807.600098	3522.600098	3522.600098	1.120131
1622	018A	1758	0.04	1200	1	55	80	2.5	3	2	4395	3195	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4922.399902	3722.399902	3722.399902	1.12
1622	019	1758	0.04	1368	1	55	80	2.5	3	2	4395	3027	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4922.399902	3554.399902	3554.399902	1.12
1622	019A	1758	0.04	1344	1	55	80	2.5	3	2	4395	3051	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	4922.399902	3578.399902	3578.399902	1.12
1622	022B	1750	0.04	2065	1	55	80	2.5	3	2	4375	2310	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	4900	2835	2835	1.12
1622	022C	1750	0.04	2290	1	55	80	2.5	3	2	4375	2085	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4900	2610	2610	1.12
1622	022D	1750	0.04	2025	1	55	80	2.5	3	2	4375	2350	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4900	2875	2875	1.12
1622	044	3008	0.07	3094	3	55	80	2.5	6	3	7520	4426	RH-2	40	form-based			true	0.7	6	1	3	3	8422.399414	5328.399414	5328.399414	1.12
1623	014D	3108	0.07	4800	4	55	80	2.5	6	2	7770	2970	RH-2	40	form-based		true	true	0.7	7	1.166666627	3	3	8702.399414	3902.399414	3902.399414	1.12
1623	020	2079	0.05	1720	1	55	80	2.5	4	3	5198	3478	RH-2	40	form-based		true	true	0.7	4	1	3	3	5821.199707	4101.199707	4101.199707	1.119892
1623	021	2079	0.05	1505	1	55	80	2.5	4	3	5198	3693	RH-2	40	form-based			true	0.7	4	1	3	3	5821.199707	4316.199707	4316.199707	1.119892
1623	022	2079	0.05	1505	1	55	80	2.5	4	3	5198	3693	RH-2	40	form-based			true	0.7	4	1	3	3	5821.199707	4316.199707	4316.199707	1.119892
1623	023	2079	0.05	1765	1	55	80	2.5	4	3	5198	3433	RH-2	40	form-based			true	0.7	4	1	3	3	5821.199707	4056.199707	4056.199707	1.119892
1624	005A	2989	0.07	3250	3	55	80	2.5	6	3	7472	4222	RH-2	40	form-based			true	0.7	6	1	3	3	8369.200195	5119.200195	5119.200195	1.120075
1624	006P	1760	0.04	2020	1	55	80	2.5	3	2	4400	2380	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4928	2908	2908	1.12
1624	006T	2340	0.05	3639	2	55	80	2.5	4	2	5850	2211	RH-2	40	form-based			true	0.7	5	1.25	3	3	6552	2913	2913	1.12
1624	015	2239	0.05	2243	2	55	80	2.5	4	2	5598	3355	RH-2	40	form-based			true	0.7	5	1.25	3	3	6269.199707	4026.199707	4026.199707	1.1199
1624	017	2239	0.05	3484	2	55	80	2.5	4	2	5598	2114	RH-2	40	form-based			true	0.7	5	1.25	3	3	6269.199707	2785.199707	2785.199707	1.1199
1625	010A	2500	0.06	2700	2	55	80	2.5	5	3	6250	3550	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4300	4300	1.12
1625	015	1723	0.04	2040	1	55	80	2.5	3	2	4308	2268	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4824.399902	2784.399902	2784.399902	1.11987
1625	015A	1723	0.04	1753	1	55	80	2.5	3	2	4308	2555	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4824.399902	3071.399902	3071.399902	1.11987
1625	027	2398	0.06	1541	2	55	80	2.5	5	3	5995	4454	RH-2	40	form-based			true	0.7	5	1	3	3	6714.399902	5173.399902	5173.399902	1.12
1626	008	3213	0.07	5240	4	55	80	2.5	6	2	8032	2792	RH-2	40	form-based		true	true	0.7	7	1.166666627	3	3	8996.399414	3756.399414	3756.399414	1.12007
1626	009	2500	0.06	3450	2	55	80	2.5	5	3	6250	2800	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3550	3550	1.12
1626	010	2500	0.06	3930	2	55	80	2.5	5	3	6250	2320	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3070	3070	1.12
1626	011	2500	0.06	2000	2	55	80	2.5	5	3	6250	4250	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5000	5000	1.12
1626	013	2085	0.05	2847	1	55	80	2.5	4	3	5212	2365	RH-2	40	form-based		true	true	0.7	4	1	3	3	5838	2991	2991	1.120107
1626	013A	2085	0.05	1650	1	55	80	2.5	4	3	5212	3562	RH-2	40	form-based			true	0.7	4	1	3	3	5838	4188	4188	1.120107
1626	013B	2085	0.05	1650	1	55	80	2.5	4	3	5212	3562	RH-2	40	form-based			true	0.7	4	1	3	3	5838	4188	4188	1.120107
1626	013C	2085	0.05	1650	1	55	80	2.5	4	3	5212	3562	RH-2	40	form-based			true	0.7	4	1	3	3	5838	4188	4188	1.120107
1626	018	1839	0.04	1325	1	55	80	2.5	3	2	4598	3273	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5149.199707	3824.199707	3824.199707	1.119878
1628	011	2362	0.05	3329	2	55	80	2.5	4	2	5905	2576	RH-2	40	form-based			true	0.7	5	1.25	3	3	6613.600098	3284.600098	3284.600098	1.12
1628	012	2313	0.05	3329	2	55	80	2.5	4	2	5782	2453	RH-2	40	form-based			true	0.7	5	1.25	3	3	6476.399902	3147.399902	3147.399902	1.120097
1628	013	2313	0.05	3329	2	55	80	2.5	4	2	5782	2453	RH-2	40	form-based			true	0.7	5	1.25	3	3	6476.399902	3147.399902	3147.399902	1.120097
1628	017	2240	0.05	3446	2	55	80	2.5	4	2	5600	2154	RH-2	40	form-based			true	0.7	5	1.25	3	3	6272	2826	2826	1.12
1628	028	3000	0.07	4935	3	55	80	2.5	6	3	7500	2565	RH-2	40	form-based			true	0.7	6	1	3	3	8400	3465	3465	1.12
1629	019A	2044	0.05	2292	1	55	80	2.5	4	3	5110	2818	RH-2	40	form-based			true	0.7	4	1	3	3	5723.199707	3431.199707	3431.199707	1.12
1629	020	2044	0.05	1794	1	55	80	2.5	4	3	5110	3316	RH-2	40	form-based			true	0.7	4	1	3	3	5723.199707	3929.199707	3929.199707	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1629	021	2044	0.05	1650	1	55	80	2.5	4	3	5110	3460	RH-2	40	form-based			true	0.7	4	1	3	3	5723.199707	4073.199707	4073.199707	1.12
1629	026	3517	0.08	4450	4	55	80	2.5	6	2	8792	4342	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9847.599609	5397.599609	5397.599609	1.120064
1630	016	2585	0.06	3115	2	55	80	2.5	5	3	6462	3347	RH-2	40	form-based			true	0.7	5	1	3	3	7238	4123	4123	1.120087
1630	017	2533	0.06	3274	2	55	80	2.5	5	3	6332	3058	RH-2	40	form-based			true	0.7	5	1	3	3	7092.399902	3818.399902	3818.399902	1.120088
1630	018	2533	0.06	3184	2	55	80	2.5	5	3	6332	3148	RH-2	40	form-based			true	0.7	5	1	3	3	7092.399902	3908.399902	3908.399902	1.120088
1630	019	2585	0.06	2550	2	55	80	2.5	5	3	6462	3912	RH-2	40	form-based			true	0.7	5	1	3	3	7238	4688	4688	1.120087
1630	023C	2526	0.06	3350	2	55	80	2.5	5	3	6315	2965	RH-2	40	form-based			true	0.7	5	1	3	3	7072.799805	3722.799805	3722.799805	1.12
1630	023D	2425	0.06	2530	2	55	80	2.5	5	3	6062	3532	RH-2	40	form-based			true	0.7	5	1	3	3	6790	4260	4260	1.120092
1630	043	2526	0.06	1522	2	55	80	2.5	5	3	6315	4793	RH-2	40	form-based			true	0.7	5	1	3	3	7072.799805	5550.799805	5550.799805	1.12
1632	011	3024	0.07	3688	3	55	80	2.5	6	3	7560	3872	RH-2	40	form-based			true	0.7	6	1	3	3	8467.200195	4779.200195	4779.200195	1.12
1634	002	3015	0.07	2420	3	55	80	2.5	6	3	7538	5118	RH-2	40	form-based			true	0.7	6	1	3	3	8442	6022	6022	1.119926
1634	007	2961	0.07	3020	3	55	80	2.5	6	3	7402	4382	RH-2	40	form-based			true	0.7	6	1	3	3	8290.799805	5270.799805	5270.799805	1.120076
1634	015	2081	0.05	1050	1	55	80	2.5	4	3	5202	4152	RH-2	40	form-based			true	0.7	4	1	3	3	5826.799805	4776.799805	4776.799805	1.120108
1634	023	3048	0.07	3100	3	55	80	2.5	6	3	7620	4520	RH-2	40	form-based			true	0.7	6	1	3	3	8534.399414	5434.399414	5434.399414	1.12
1635	014	2500	0.06	2880	2	55	80	2.5	5	3	6250	3370	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4120	4120	1.12
1635	015	2500	0.06	2760	2	55	80	2.5	5	3	6250	3490	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4240	4240	1.12
1635	016	2500	0.06	3566	2	55	80	2.5	5	3	6250	2684	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3434	3434	1.12
1635	017	2477	0.06	2923	2	55	80	2.5	5	3	6192	3269	RH-2	40	form-based			true	0.7	5	1	3	3	6935.600098	4012.600098	4012.600098	1.12009
1635	028F	3033	0.07	4120	3	55	80	2.5	6	3	7582	3462	RH-2	40	form-based			true	0.7	6	1	3	3	8492.399414	4372.399414	4372.399414	1.120074
1635	045	2500	0.06	1372	2	55	80	2.5	5	3	6250	4878	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5628	5628	1.12
1636	001	1996	0.05	3600	4	55	80	2.5	4	0	4990	1390	RTO-C	65	form-based		true	true	0.75	7	1.75	3	3	8982	5382	5382	1.8
1636	001A	2500	0.06	5010	6	55	80	2.5	5	0	6250	1240	RTO-C	65	form-based			true	0.75	9	1.799999952	3	3	11250	6240	6240	1.8
1636	001O	2500	0.06	5010	6	55	80	2.5	5	0	6250	1240	RTO-C	65	form-based			true	0.75	9	1.799999952	3	3	11250	6240	6240	1.8
1636	007	1872	0.04	1910	1	55	80	2.5	3	2	4680	2770	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5241.600098	3331.600098	3331.600098	1.12
1636	008	1872	0.04	2210	1	55	80	2.5	3	2	4680	2470	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5241.600098	3031.600098	3031.600098	1.12
1636	018	2512	0.06	3978	2	55	80	2.5	5	3	6280	2302	RH-2	40	form-based			true	0.7	5	1	3	3	7033.600098	3055.600098	3055.600098	1.12
1636	022	3012	0.07	4350	3	55	80	2.5	6	3	7530	3180	RH-2	40	form-based			true	0.7	6	1	3	3	8433.599609	4083.599609	4083.599609	1.12
1636	025	3303	0.08	6003	4	55	80	2.5	6	2	8258	2255	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9248.399414	3245.399414	3245.399414	1.119932
1636	028	2474	0.06	5520	6	55	80	2.5	5	0	6185	665	RTO-C	65	form-based		true	true	0.75	9	1.799999952	3	3	11133	5613	5613	1.8
1636	030	2512	0.06	1992	2	55	80	2.5	5	3	6280	4288	RH-2	40	form-based			true	0.7	5	1	3	3	7033.600098	5041.600098	5041.600098	1.12
1636	032	2500	0.06	1012	2	55	80	2.5	5	3	6250	5238	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5988	5988	1.12
1636	043	3012	0.07	965	3	55	80	2.5	6	3	7530	6565	RH-2	40	form-based			true	0.7	6	1	3	3	8433.599609	7468.599609	7468.599609	1.12
1637	009	3514	0.08	2892	4	55	80	2.5	6	2	8785	5893	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9839.200195	6947.200195	6947.200195	1.12
1637	013	3024	0.07	2760	3	55	80	2.5	6	3	7560	4800	RH-2	40	form-based			true	0.7	6	1	3	3	8467.200195	5707.200195	5707.200195	1.12
1637	014	3024	0.07	4050	3	55	80	2.5	6	3	7560	3510	RH-2	40	form-based			true	0.7	6	1	3	3	8467.200195	4417.200195	4417.200195	1.12
1637	018A	2380	0.05	3646	2	55	80	2.5	4	2	5950	2304	RH-2	40	form-based			true	0.7	5	1.25	3	3	6664	3018	3018	1.12
1637	019C	2250	0.05	3845	2	55	80	2.5	4	2	5625	1780	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	2455	2455	1.12
1637	019D	2250	0.05	2500	2	55	80	2.5	4	2	5625	3125	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3800	3800	1.12
1637	022	3148	0.07	2132	4	55	80	2.5	6	2	7870	5738	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	8814.399414	6682.399414	6682.399414	1.12
1637	024	4200	0.1	6990	6	55	80	2.5	8	2	10500	3510	RH-2	40	form-based			true	0.7	9	1.125	3	3	11760	4770	4770	1.12
1637	028	3000	0.07	2689	3	55	80	2.5	6	3	7500	4811	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5711	5711	1.12
1637	034	2250	0.05	1633	2	55	80	2.5	4	2	5625	3992	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	4667	4667	1.12
1637	036	2380	0.05	1766	2	55	80	2.5	4	2	5950	4184	RH-2	40	form-based			true	0.7	5	1.25	3	3	6664	4898	4898	1.12
1637	038	2380	0.05	1430	2	55	80	2.5	4	2	5950	4520	RH-2	40	form-based			true	0.7	5	1.25	3	3	6664	5234	5234	1.12
1637	042	2903	0.07	931	3	55	80	2.5	6	3	7258	6327	RH-2	40	form-based			true	0.7	6	1	3	3	8128.399902	7197.399902	7197.399902	1.119923
1638	008	2985	0.07	6500	3	55	80	2.5	6	3	7462	962	RH-2	40	form-based			true	0.7	6	1	3	3	8358	1858	1858	1.120075
1638	016	2360	0.05	2750	2	55	80	2.5	4	2	5900	3150	RH-2	40	form-based			true	0.7	5	1.25	3	3	6608	3858	3858	1.12
1638	017	2360	0.05	2750	2	55	80	2.5	4	2	5900	3150	RH-2	40	form-based			true	0.7	5	1.25	3	3	6608	3858	3858	1.12
1638	020	2500	0.06	2600	2	55	80	2.5	5	3	6250	3650	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4400	4400	1.12
1638	020E	2375	0.05	2600	2	55	80	2.5	4	2	5938	3338	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	4050	4050	1.119906
1638	022	3000	0.07	3140	3	55	80	2.5	6	3	7500	4360	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5260	5260	1.12
1638	023	3000	0.07	4110	3	55	80	2.5	6	3	7500	3390	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4290	4290	1.12
1639	020	2384	0.05	2650	2	55	80	2.5	4	2	5960	3310	RH-2	40	form-based			true	0.7	5	1.25	3	3	6675.199707	4025.199707	4025.199707	1.12
1639	022	2384	0.05	1540	2	55	80	2.5	4	2	5960	4420	RH-2	40	form-based			true	0.7	5	1.25	3	3	6675.199707	5135.199707	5135.199707	1.12
1639	024	2508	0.06	2340	2	55	80	2.5	5	3	6270	3930	RH-2	40	form-based			true	0.7	5	1	3	3	7022.399902	4682.399902	4682.399902	1.12
1639	028	2375	0.05	2500	2	55	80	2.5	4	2	5938	3438	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	4150	4150	1.119906
1639	033	3000	0.07	3400	3	55	80	2.5	6	3	7500	4100	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5000	5000	1.12
1639	037	3000	0.07	3125	3	55	80	2.5	6	3	7500	4375	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5275	5275	1.12
1639	063	2375	0.05	1455	2	55	80	2.5	4	2	5938	4483	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	5195	5195	1.119906
1640	021	2372	0.05	2300	2	55	80	2.5	4	2	5930	3630	RH-2	40	form-based			true	0.7	5	1.25	3	3	6641.600098	4341.600098	4341.600098	1.12
1640	025	2500	0.06	3246	2	55	80	2.5	5	3	6250	3004	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3754	3754	1.12
1640	026	2500	0.06	2700	2	55	80	2.5	5	3	6250	3550	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4300	4300	1.12
1640	027	2375	0.05	3100	2	55	80	2.5	4	2	5938	2838	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6650	3550	3550	1.119906
1640	029	2375	0.05	3200	2	55	80	2.5	4	2	5938	2738	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	3450	3450	1.119906

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1640	030	2375	0.05	1900	2	55	80	2.5	4	2	5938	4038	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	4750	4750	1.119906
1640	031	3000	0.07	2470	3	55	80	2.5	6	3	7500	5030	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5930	5930	1.12
1640	041	3000	0.07	4201	3	55	80	2.5	6	3	7500	3299	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4199	4199	1.12
1640	042	3000	0.07	3340	3	55	80	2.5	6	3	7500	4160	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5060	5060	1.12
1641	013	3018	0.07	4224	3	55	80	2.5	6	3	7545	3321	RH-2	40	form-based			true	0.7	6	1	3	3	8450.399414	4226.399414	4226.399414	1.12
1641	021	2393	0.05	3118	2	55	80	2.5	4	2	5982	2864	RH-2	40	form-based			true	0.7	5	1.25	3	3	6700.399902	3582.399902	3582.399902	1.120094
1641	026	2750	0.06	2783	3	55	80	2.5	5	2	6875	4092	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7700	4917	4917	1.12
1641	035	3000	0.07	2635	3	55	80	2.5	6	3	7500	4865	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5765	5765	1.12
1641	052	2375	0.05	1428	2	55	80	2.5	4	2	5938	4510	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	5222	5222	1.119906
1642	015	3014	0.07	2842	3	55	80	2.5	6	3	7535	4693	RH-2	40	form-based			true	0.7	6	1	3	3	8439.200195	5597.200195	5597.200195	1.12
1642	021	2389	0.05	2484	2	55	80	2.5	4	2	5972	3488	RH-2	40	form-based			true	0.7	5	1.25	3	3	6689.199707	4205.199707	4205.199707	1.120094
1642	024	2394	0.05	2795	2	55	80	2.5	4	2	5985	3190	RH-2	40	form-based	true		true	0.7	5	1.25	3	3	6703.199707	3908.199707	3908.199707	1.12
1642	026	2501	0.06	2870	2	55	80	2.5	5	3	6252	3382	RH-2	40	form-based			true	0.7	5	1	3	3	7002.799805	4132.799805	4132.799805	1.12009
1642	057	2375	0.05	1235	2	55	80	2.5	4	2	5938	4703	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	5415	5415	1.119906
1642	059	2375	0.05	1347	2	55	80	2.5	4	2	5938	4591	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	5303	5303	1.119906
1643	014	2987	0.07	4910	3	55	80	2.5	6	3	7468	2558	RM-2	40	form-based			true	0.7	6	1	3	3	8363.599609	3453.599609	3453.599609	1.119925
1643	020	2362	0.05	2836	2	55	80	2.5	4	2	5905	3069	RM-2	40	form-based			true	0.7	5	1.25	3	3	6613.600098	3777.600098	3777.600098	1.12
1643	022	2362	0.05	2332	2	55	80	2.5	4	2	5905	3573	RM-2	40	form-based			true	0.7	5	1.25	3	3	6613.600098	4281.600098	4281.600098	1.12
1643	023	2363	0.05	3341	2	55	80	2.5	4	2	5908	2567	RM-2	40	form-based	true		true	0.7	5	1.25	3	3	6616.399902	3275.399902	3275.399902	1.119905
1643	024	2500	0.06	3011	2	55	80	2.5	5	3	6250	3239	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3989	3989	1.12
1643	025	2500	0.06	3124	2	55	80	2.5	5	3	6250	3126	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3876	3876	1.12
1643	028	2375	0.05	2262	2	55	80	2.5	4	2	5938	3676	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	4388	4388	1.119906
1643	049	1390	0.03	2076	2	55	80	2.5	2	0	3475	1399	RTO-C	65	form-based	true		true	0.75	5	2.5	3	2	6255	4179	4179	1.8
1643	056	2362	0.05	1278	2	55	80	2.5	4	2	5905	4627	RM-2	40	form-based			true	0.7	5	1.25	3	3	6613.600098	5335.600098	5335.600098	1.12
1644	003	2588	0.06	2556	2	55	80	2.5	5	3	6470	3914	RM-2	40	form-based			true	0.7	5	1	3	3	7246.399902	4690.399902	4690.399902	1.12
1644	009	3086	0.07	3058	3	55	80	2.5	6	3	7715	4657	RM-2	40	form-based			true	0.7	6	1	3	3	8640.799805	5582.799805	5582.799805	1.12
1644	018	2250	0.05	2956	2	55	80	2.5	4	2	5625	2669	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3344	3344	1.12
1644	028	3500	0.08	4436	4	55	80	2.5	6	2	8750	4314	RH-3	40	form-based	true		true	0.7	7	1.166666627	3	3	9800	5364	5364	1.12
1647	033	2250	0.05	2796	2	55	80	2.5	4	2	5625	2829	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3504	3504	1.12
1647	036	2250	0.05	3113	2	55	80	2.5	4	2	5625	2512	RH-2	40	form-based	true		true	0.7	5	1.25	3	3	6300	3187	3187	1.12
1648	006	3009	0.07	3948	3	55	80	2.5	6	3	7522	3574	RH-3	40	form-based			true	0.7	6	1	3	3	8425.200195	4477.200195	4477.200195	1.120075
1648	009	3009	0.07	4924	3	55	80	2.5	6	3	7522	2598	RH-3	40	form-based			true	0.7	6	1	3	3	8425.200195	3501.200195	3501.200195	1.120075
1648	016	2062	0.05	2796	2	55	80	2.5	4	2	5155	2359	RM-3	40	form-based			true	0.75	5	1.25	3	3	6186	3390	3390	1.2
1648	024A	2063	0.05	3360	2	55	80	2.5	4	2	5158	1798	RM-3	40	form-based			true	0.75	5	1.25	3	3	6189	2829	2829	1.199884
1648	024C	2063	0.05	2600	2	55	80	2.5	4	2	5158	2558	RM-3	40	form-based			true	0.75	5	1.25	3	3	6189	3589	3589	1.199884
1648	035	3000	0.07	4934	3	55	80	2.5	6	3	7500	2566	RH-3	40	form-based			true	0.7	6	1	3	3	8400	3466	3466	1.12
1648	036	2375	0.05	2920	2	55	80	2.5	4	2	5938	3018	RH-3	40	form-based			true	0.7	5	1.25	3	3	6650	3730	3730	1.119906
1648	038	2438	0.06	2630	2	55	80	2.5	5	3	6095	3465	RH-2	40	form-based			true	0.7	5	1	3	3	6826.399902	4196.399902	4196.399902	1.12
1648	039	2438	0.06	4329	2	55	80	2.5	5	3	6095	1766	RH-2	40	form-based			true	0.7	5	1	3	3	6826.399902	2497.399902	2497.399902	1.12
1648	040	2500	0.06	2668	2	55	80	2.5	5	3	6250	3582	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4332	4332	1.12
1648	041	2734	0.06	3699	3	55	80	2.5	5	2	6835	3136	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7655.199707	3956.199707	3956.199707	1.12
1648	046	3009	0.07	4752	3	55	80	2.5	6	3	7522	2770	RH-3	40	form-based			true	0.7	6	1	3	3	8425.200195	3673.200195	3673.200195	1.120075
1649	001A	2485	0.06	3180	2	55	80	2.5	5	3	6212	3032	RH-3	40	form-based			true	0.7	5	1	3	3	6958	3778	3778	1.12009
1649	002	2485	0.06	3629	2	55	80	2.5	5	3	6212	2583	RH-3	40	form-based			true	0.7	5	1	3	3	6958	3329	3329	1.12009
1649	016	3000	0.07	3900	3	55	80	2.5	6	3	7500	3600	RH-3	40	form-based			true	0.7	6	1	3	3	8400	4500	4500	1.12
1649	017	3000	0.07	4614	3	55	80	2.5	6	3	7500	2886	RH-3	40	form-based			true	0.7	6	1	3	3	8400	3786	3786	1.12
1649	018	3000	0.07	4614	3	55	80	2.5	6	3	7500	2886	RH-3	40	form-based			true	0.7	6	1	3	3	8400	3786	3786	1.12
1649	019	3000	0.07	4614	3	55	80	2.5	6	3	7500	2886	RH-3	40	form-based			true	0.7	6	1	3	3	8400	3786	3786	1.12
1650	005	3024	0.07	4290	3	55	80	2.5	6	3	7560	3270	RH-3	40	form-based			true	0.7	6	1	3	3	8467.200195	4177.200195	4177.200195	1.12
1650	022	3000	0.07	3800	3	55	80	2.5	6	3	7500	3700	RH-3	40	form-based			true	0.7	6	1	3	3	8400	4600	4600	1.12
1650	023	3000	0.07	4848	3	55	80	2.5	6	3	7500	2652	RH-3	40	form-based			true	0.7	6	1	3	3	8400	3552	3552	1.12
1650	039	3000	0.07	1068	3	55	80	2.5	6	3	7500	6432	RH-3	40	form-based			true	0.7	6	1	3	3	8400	7332	7332	1.12
1651	027	2982	0.07	4926	3	55	80	2.5	6	3	7455	2529	RH-2	40	form-based			true	0.7	6	1	3	3	8349.599609	3423.599609	3423.599609	1.12
1651	035	2482	0.06	3060	2	55	80	2.5	5	3	6205	3145	RH-2	40	form-based			true	0.7	5	1	3	3	6949.600098	3889.600098	3889.600098	1.12
1651	036	2482	0.06	2912	2	55	80	2.5	5	3	6205	3293	RH-2	40	form-based			true	0.7	5	1	3	3	6949.600098	4037.600098	4037.600098	1.12
1651	037	2482	0.06	2912	2	55	80	2.5	5	3	6205	3293	RH-2	40	form-based			true	0.7	5	1	3	3	6949.600098	4037.600098	4037.600098	1.12
1652	002	2360	0.05	2588	2	55	80	2.5	4	2	5900	3312	RH-2	40	form-based			true	0.7	5	1.25	3	3	6608	4020	4020	1.12
1652	003	2360	0.05	2588	2	55	80	2.5	4	2	5900	3312	RH-2	40	form-based			true	0.7	5	1.25	3	3	6608	4020	4020	1.12
1652	004	2360	0.05	2588	2	55	80	2.5	4	2	5900	3312	RH-2	40	form-based			true	0.7	5	1.25	3	3	6608	4020	4020	1.12
1652	008	2985	0.07	3624	3	55	80	2.5	6	3	7462	3838	RH-2	40	form-based			true	0.7	6	1	3	3	8358	4734	4734	1.120075
1652	015	1774	0.04	2180	1	55	80	2.5	3	2	4435	2255	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4967.199707	2787.199707	2787.199707	1.12
1652	022	3024	0.07	2706	3	55	80	2.5	6	3	7560	4854	RH-2	40	form-based			true	0.7	6	1	3	3	8467.200195	5761.200195	5761.200195	1.12
1652	025	3024	0.07	2780	3	55	80	2.5	6	3	7560	4780	RH-2	40	form-based			true	0.7	6	1	3	3	8467.200195	5687.200195	5687.200195	1.12
1652	032	2399	0.06	2612	2	55	80	2.5	5	3	5998	3386	RH-2	40	form-based			true	0.7	5	1	3	3	6717.199707	4105.199707	4105.199707	1.119907

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1652	033	2399	0.06	3375	2	55	80	2.5	5	3	5998	2623	RH-2	40	form-based			true	0.7	5	1	3	3	6717.199707	3342.199707	3342.199707	1.119907
1652	037	2500	0.06	2720	2	55	80	2.5	5	3	6250	3530	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4280	4280	1.12
1652	044	2360	0.05	1307	2	55	80	2.5	4	2	5900	4593	RH-2	40	form-based			true	0.7	5	1.25	3	3	6608	5301	5301	1.12
1653	001	2399	0.06	3840	2	55	80	2.5	5	3	5998	2158	NC-1	40	form-based		true	true	0.75	5	1	3	3	7197	3357	3357	1.1999
1653	002	1999	0.05	2460	1	55	80	2.5	4	3	4998	2538	RH-2	40	form-based			true	0.7	4	1	3	3	5597.199707	3137.199707	3137.199707	1.119888
1653	003	1999	0.05	1880	1	55	80	2.5	4	3	4998	3118	RH-2	40	form-based			true	0.7	4	1	3	3	5597.199707	3717.199707	3717.199707	1.119888
1653	048	2109	0.05	2345	1	55	80	2.5	4	3	5272	2927	RH-2	40	form-based			true	0.7	4	1	3	3	5905.199707	3560.199707	3560.199707	1.120106
1653	049	2531	0.06	4000	2	55	80	2.5	5	3	6328	2328	RH-2	40	form-based		true	true	0.7	5	1	3	3	7086.799805	3086.799805	3086.799805	1.119911
1654	037	3000	0.07	3604	3	55	80	2.5	6	3	7500	3896	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4796	4796	1.12
1654	055	2500	0.06	1258	2	55	80	2.5	5	3	6250	4992	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5742	5742	1.12
1654	065	2500	0.06	1219	2	55	80	2.5	5	3	6250	5031	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5781	5781	1.12
1657	001B	2535	0.06	3700	2	55	80	2.5	5	3	6338	2638	RH-2	40	form-based			true	0.7	5	1	3	3	7098	3398	3398	1.119912
1657	001C	2535	0.06	3400	2	55	80	2.5	5	3	6338	2938	RH-2	40	form-based			true	0.7	5	1	3	3	7098	3698	3698	1.119912
1657	001D	2535	0.06	3400	2	55	80	2.5	5	3	6338	2938	RH-2	40	form-based			true	0.7	5	1	3	3	7098	3698	3698	1.119912
1657	010A	4511	0.1	10575	6	55	80	2.5	8	2	11278	703	RH-2	40	form-based			true	0.7	9	1.125	3	3	12630.7998	2055.799805	2055.799805	1.11995
1657	033	2464	0.06	3500	2	55	80	2.5	5	3	6160	2660	RH-2	40	form-based			true	0.7	5	1	3	3	6899.199707	3399.199707	3399.199707	1.12
1657	034	2464	0.06	3350	2	55	80	2.5	5	3	6160	2810	RH-2	40	form-based			true	0.7	5	1	3	3	6899.199707	3549.199707	3549.199707	1.12
1658	005	3189	0.07	3650	4	55	80	2.5	6	2	7972	4322	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	8929.200195	5279.200195	5279.200195	1.12007
1658	032	1924	0.04	1650	1	55	80	2.5	3	2	4810	3160	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5387.199707	3737.199707	3737.199707	1.12
1658	033	2505	0.06	2550	2	55	80	2.5	5	3	6262	3712	RH-2	40	form-based			true	0.7	5	1	3	3	7014	4464	4464	1.120089
1658	034	2505	0.06	2550	2	55	80	2.5	5	3	6262	3712	RH-2	40	form-based			true	0.7	5	1	3	3	7014	4464	4464	1.120089
1658	035	2505	0.06	2634	2	55	80	2.5	5	3	6262	3628	RH-2	40	form-based			true	0.7	5	1	3	3	7014	4380	4380	1.120089
1659	009	3000	0.07	3950	3	55	80	2.5	6	3	7500	3550	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4450	4450	1.12
1659	029	3001	0.07	2680	3	55	80	2.5	6	3	7502	4822	RH-2	40	form-based			true	0.7	6	1	3	3	8402.799805	5722.799805	5722.799805	1.120075
1659	030	3001	0.07	3076	3	55	80	2.5	6	3	7502	4426	RH-2	40	form-based			true	0.7	6	1	3	3	8402.799805	5326.799805	5326.799805	1.120075
1659	042	2065	0.05	1075	1	55	80	2.5	4	3	5162	4087	RH-2	40	form-based			true	0.7	4	1	3	3	5782	4707	4707	1.120108
1659	042A	2065	0.05	1380	1	55	80	2.5	4	3	5162	3782	RH-2	40	form-based			true	0.7	4	1	3	3	5782	4402	4402	1.120108
1659	043	2065	0.05	1125	1	55	80	2.5	4	3	5162	4037	RH-2	40	form-based			true	0.7	4	1	3	3	5782	4657	4657	1.120108
1659	045	2500	0.06	3062	2	55	80	2.5	5	3	6250	3188	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3938	3938	1.12
1660	001A	2035	0.05	1330	1	55	80	2.5	4	3	5088	3758	RH-2	40	form-based			true	0.7	4	1	3	3	5698	4368	4368	1.11989
1660	001B	2035	0.05	1325	1	55	80	2.5	4	3	5088	3763	RH-2	40	form-based			true	0.7	4	1	3	3	5698	4373	4373	1.11989
1660	001C	2035	0.05	1325	1	55	80	2.5	4	3	5088	3763	RH-2	40	form-based			true	0.7	4	1	3	3	5698	4373	4373	1.11989
1660	006	3000	0.07	3380	3	55	80	2.5	6	3	7500	4120	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5020	5020	1.12
1660	028	3011	0.07	5273	3	55	80	2.5	6	3	7528	2255	RH-2	40	form-based			true	0.7	6	1	3	3	8430.799805	3157.799805	3157.799805	1.119926
1660	041	2101	0.05	1625	1	55	80	2.5	4	3	5252	3627	RH-2	40	form-based			true	0.7	4	1	3	3	5882.799805	4257.799805	4257.799805	1.120107
1660	042	2101	0.05	1125	1	55	80	2.5	4	3	5252	4127	RH-2	40	form-based			true	0.7	4	1	3	3	5882.799805	4757.799805	4757.799805	1.120107
1660	043	2101	0.05	2003	1	55	80	2.5	4	3	5252	3249	RH-2	40	form-based			true	0.7	4	1	3	3	5882.799805	3879.799805	3879.799805	1.120107
1660	046	2500	0.06	2530	2	55	80	2.5	5	3	6250	3720	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4470	4470	1.12
1661	004G	2964	0.07	3600	3	55	80	2.5	6	3	7410	3810	RH-2	40	form-based			true	0.7	6	1	3	3	8299.200195	4699.200195	4699.200195	1.12
1661	006	2964	0.07	3690	3	55	80	2.5	6	3	7410	3720	RH-2	40	form-based			true	0.7	6	1	3	3	8299.200195	4609.200195	4609.200195	1.12
1661	023	3049	0.07	2970	3	55	80	2.5	6	3	7622	4652	RH-2	40	form-based			true	0.7	6	1	3	3	8537.200195	5567.200195	5567.200195	1.120073
1661	033	3250	0.07	4390	4	55	80	2.5	6	2	8125	3735	RH-2	40	form-based		true	true	0.7	7	1.166666627	3	3	9100	4710	4710	1.12
1661	038	2500	0.06	3530	2	55	80	2.5	5	3	6250	2720	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3470	3470	1.12
1662	001A	2002	0.05	1279	1	55	80	2.5	4	3	5005	3726	RH-2	40	form-based			true	0.7	4	1	3	3	5605.600098	4326.600098	4326.600098	1.12
1662	001B	2002	0.05	1244	1	55	80	2.5	4	3	5005	3761	RH-2	40	form-based			true	0.7	4	1	3	3	5605.600098	4361.600098	4361.600098	1.12
1662	001C	2002	0.05	1244	1	55	80	2.5	4	3	5005	3761	RH-2	40	form-based			true	0.7	4	1	3	3	5605.600098	4361.600098	4361.600098	1.12
1662	009	2948	0.07	4721	3	55	80	2.5	6	3	7370	2649	RH-2	40	form-based			true	0.7	6	1	3	3	8254.399414	3533.399414	3533.399414	1.12
1662	010	2948	0.07	5986	3	55	80	2.5	6	3	7370	1384	RH-2	40	form-based			true	0.7	6	1	3	3	8254.399414	2268.399414	2268.399414	1.12
1662	040	2500	0.06	2510	2	55	80	2.5	5	3	6250	3740	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4490	4490	1.12
1662	043	2500	0.06	4491	2	55	80	2.5	5	3	6250	1759	RH-2	40	form-based			true	0.7	5	1	3	3	7000	2509	2509	1.12
1662	061	2948	0.07	713	3	55	80	2.5	6	3	7370	6657	RH-2	40	form-based			true	0.7	6	1	3	3	8254.399414	7541.399414	7541.399414	1.12
1663	001	1703	0.04	2016	1	55	80	2.5	3	2	4258	2242	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	4768.399902	2752.399902	2752.399902	1.119869
1663	001B	1703	0.04	2369	1	55	80	2.5	3	2	4258	1889	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4768.399902	2399.399902	2399.399902	1.119869
1663	001C	1703	0.04	1840	1	55	80	2.5	3	2	4258	2418	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4768.399902	2928.399902	2928.399902	1.119869
1663	045	3099	0.07	845	4	55	80	2.5	6	2	7748	6903	RH-2	40	form-based		true	true	0.7	7	1.166666627	3	3	8677.200195	7832.200195	7832.200195	1.119928
1664	009	3600	0.08	4422	5	55	80	2.5	6	1	9000	4578	RH-2	40	form-based			true	0.7	8	1.333333373	3	3	10080	5658	5658	1.12
1664	045	2500	0.06	3266	2	55	80	2.5	5	3	6250	2984	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3734	3734	1.12
1665	001	2003	0.05	2134	1	55	80	2.5	4	3	5008	2874	RH-2	40	form-based		true	true	0.7	4	1	3	3	5608.399902	3474.399902	3474.399902	1.119888
1665	002	2003	0.05	1900	1	55	80	2.5	4	3	5008	3108	RH-2	40	form-based			true	0.7	4	1	3	3	5608.399902	3708.399902	3708.399902	1.119888
1665	003	2003	0.05	1804	1	55	80	2.5	4	3	5008	3204	RH-2	40	form-based			true	0.7	4	1	3	3	5608.399902	3804.399902	3804.399902	1.119888
1665	004	2003	0.05	2089	1	55	80	2.5	4	3	5008	2919	RH-2	40	form-based			true	0.7	4	1	3	3	5608.399902	3519.399902	3519.399902	1.119888
1665	048	2118	0.05	2050	1	55	80	2.5	4	3	5295	3245	RH-2	40	form-based			true	0.7	4	1	3	3	5930.399902	3880.399902	3880.399902	1.12
1665	049	2118	0.05	2434	1	55	80	2.5	4	3	5295	2861	RH-2	40	form-based			true	0.7	4	1	3	3	5930.399902	3496.399902	3496.399902	1.12
1665	050	2118	0.05	2450	1	55	80	2.5	4	3	5295	2845	RH-2	40	form-based			true	0.7	4	1	3	3	5930.399902	3480.399902	3480.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1665	051	2118	0.05	2350	1	55	80	2.5	4	3	5295	2945	RH-2	40	form-based		true	true	0.7	4	1	3	3	5930.399902	3580.399902	3580.399902	1.12
1666	045	2063	0.05	1125	1	55	80	2.5	4	3	5158	4033	RH-2	40	form-based			true	0.7	4	1	3	3	5776.399902	4651.399902	4651.399902	1.119891
1666	046	2062	0.05	1711	1	55	80	2.5	4	3	5155	3444	RH-2	40	form-based			true	0.7	4	1	3	3	5773.600098	4062.600098	4062.600098	1.12
1667	046	2375	0.05	3100	2	55	80	2.5	4	2	5938	2838	RM-1	40	form-based			true	0.7	5	1.25	3	3	6650	3550	3550	1.119906
1667	047	2375	0.05	3310	2	55	80	2.5	4	2	5938	2628	RM-1	40	form-based			true	0.7	5	1.25	3	3	6650	3340	3340	1.119906
1667	048	2375	0.05	3310	2	55	80	2.5	4	2	5938	2628	RM-1	40	form-based			true	0.7	5	1.25	3	3	6650	3340	3340	1.119906
1667	050	2500	0.06	2810	2	55	80	2.5	5	3	6250	3440	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4190	4190	1.12
1667	051	2500	0.06	2860	2	55	80	2.5	5	3	6250	3390	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4140	4140	1.12
1668	026	3001	0.07	3853	3	55	80	2.5	6	3	7502	3649	RH-2	40	form-based			true	0.7	6	1	3	3	8402.799805	4549.799805	4549.799805	1.120075
1668	036	2500	0.06	2990	2	55	80	2.5	5	3	6250	3260	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4010	4010	1.12
1668	037	2500	0.06	2990	2	55	80	2.5	5	3	6250	3260	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4010	4010	1.12
1668	038	2500	0.06	2990	2	55	80	2.5	5	3	6250	3260	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4010	4010	1.12
1668	039	2500	0.06	2990	2	55	80	2.5	5	3	6250	3260	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4010	4010	1.12
1668	040	2500	0.06	2990	2	55	80	2.5	5	3	6250	3260	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4010	4010	1.12
1668	041	2500	0.06	3300	2	55	80	2.5	5	3	6250	2950	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3700	3700	1.12
1669	005	2609	0.06	4637	2	55	80	2.5	5	3	6522	1885	RH-2	40	form-based			true	0.7	5	1	3	3	7305.199707	2668.199707	2668.199707	1.120086
1669	047	2473	0.06	837	2	55	80	2.5	5	3	6182	5345	RH-2	40	form-based			true	0.7	5	1	3	3	6924.399902	6087.399902	6087.399902	1.120091
1671	013	2282	0.05	2475	2	55	80	2.5	4	2	5705	3230	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6389.600098	3914.600098	3914.600098	1.12
1672	001	1678	0.04	1678	1	55	80	2.5	3	2	4195	2517	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	4698.399902	3020.399902	3020.399902	1.12
1672	001A	1765	0.04	1630	1	55	80	2.5	3	2	4412	2782	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4942	3312	3312	1.120127
1672	001B	1765	0.04	1630	1	55	80	2.5	3	2	4412	2782	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4942	3312	3312	1.120127
1672	001C	1765	0.04	1630	1	55	80	2.5	3	2	4412	2782	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4942	3312	3312	1.120127
1672	037	2469	0.06	3545	2	55	80	2.5	5	3	6172	2627	RH-2	40	form-based			true	0.7	5	1	3	3	6913.199707	3368.199707	3368.199707	1.120091
1672	038	2469	0.06	3610	2	55	80	2.5	5	3	6172	2562	RH-2	40	form-based			true	0.7	5	1	3	3	6913.199707	3303.199707	3303.199707	1.120091
1672	038A	2469	0.06	3935	2	55	80	2.5	5	3	6172	2237	RH-2	40	form-based			true	0.7	5	1	3	3	6913.199707	2978.199707	2978.199707	1.120091
1673	002	2353	0.05	3008	2	55	80	2.5	4	2	5882	2874	RH-2	40	form-based			true	0.7	5	1.25	3	3	6588.399902	3580.399902	3580.399902	1.120095
1673	046	2411	0.06	4882	2	55	80	2.5	5	3	6028	1146	RH-2	40	form-based			true	0.7	5	1	3	3	6750.799805	1868.799805	1868.799805	1.119907
1674	001	2252	0.05	2772	2	55	80	2.5	4	2	5630	2858	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6305.600098	3533.600098	3533.600098	1.12
1674	001A	2378	0.05	4195	2	55	80	2.5	4	2	5945	1750	RH-2	40	form-based			true	0.7	5	1.25	3	3	6658.399902	2463.399902	2463.399902	1.12
1674	001K	2378	0.05	3008	2	55	80	2.5	4	2	5945	2937	RH-2	40	form-based			true	0.7	5	1.25	3	3	6658.399902	3650.399902	3650.399902	1.12
1674	004	3003	0.07	4790	3	55	80	2.5	6	3	7508	2718	RH-2	40	form-based			true	0.7	6	1	3	3	8408.399414	3618.399414	3618.399414	1.119925
1674	016	2375	0.05	3715	2	55	80	2.5	4	2	5938	2223	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	2935	2935	1.119906
1674	017	2375	0.05	3681	2	55	80	2.5	4	2	5938	2257	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	2969	2969	1.119906
1675	011	3000	0.07	3714	3	55	80	2.5	6	3	7500	3786	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4686	4686	1.12
1675	013	3000	0.07	3381	3	55	80	2.5	6	3	7500	4119	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5019	5019	1.12
1675	014	3000	0.07	3760	3	55	80	2.5	6	3	7500	3740	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4640	4640	1.12
1675	015	3000	0.07	3800	3	55	80	2.5	6	3	7500	3700	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4600	4600	1.12
1675	016	3000	0.07	2545	3	55	80	2.5	6	3	7500	4955	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5855	5855	1.12
1675	025	2375	0.05	1840	2	55	80	2.5	4	2	5938	4098	RH-2	40	form-based			true	0.7	5	1.25	3	3	6650	4810	4810	1.119906
1676	026	2465	0.06	2495	2	55	80	2.5	5	3	6162	3667	RH-2	40	form-based			true	0.7	5	1	3	3	6902	4407	4407	1.120091
1677	006	3000	0.07	2415	3	55	80	2.5	6	3	7500	5085	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5985	5985	1.12
1677	010	3000	0.07	3392	3	55	80	2.5	6	3	7500	4108	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5008	5008	1.12
1677	021	2569	0.06	4320	2	55	80	2.5	5	3	6422	2102	RH-2	40	form-based		true	true	0.7	5	1	3	3	7193.199707	2873.199707	2873.199707	1.120087
1677	022	2656	0.06	2333	3	55	80	2.5	5	2	6640	4307	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7436.799805	5103.799805	5103.799805	1.12
1678	030B	2364	0.05	3224	2	55	80	2.5	4	2	5910	2686	RH-2	40	form-based			true	0.7	5	1.25	3	3	6619.199707	3395.199707	3395.199707	1.12
1678	030D	1738	0.04	1225	1	55	80	2.5	3	2	4345	3120	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4866.399902	3641.399902	3641.399902	1.12
1678	030E	1738	0.04	1225	1	55	80	2.5	3	2	4345	3120	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4866.399902	3641.399902	3641.399902	1.12
1678	030G	1838	0.04	1388	1	55	80	2.5	3	2	4595	3207	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5146.399902	3758.399902	3758.399902	1.12
1679	001F	1990	0.05	1230	1	55	80	2.5	4	3	4975	3745	RH-2	40	form-based			true	0.7	4	1	3	3	5572	4342	4342	1.12
1679	001G	1990	0.05	1310	1	55	80	2.5	4	3	4975	3665	RH-2	40	form-based			true	0.7	4	1	3	3	5572	4262	4262	1.12
1679	001H	1990	0.05	1375	1	55	80	2.5	4	3	4975	3600	RH-2	40	form-based			true	0.7	4	1	3	3	5572	4197	4197	1.12
1679	018	2928	0.07	2994	3	55	80	2.5	6	3	7320	4326	RH-2	40	form-based			true	0.7	6	1	3	3	8198.399414	5204.399414	5204.399414	1.12
1680	001	1913	0.04	2365	1	55	80	2.5	3	2	4782	2417	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5356.399902	2991.399902	2991.399902	1.120117
1680	001A	2040	0.05	1800	1	55	80	2.5	4	3	5100	3300	RH-2	40	form-based			true	0.7	4	1	3	3	5712	3912	3912	1.12
1680	001B	2039	0.05	2120	1	55	80	2.5	4	3	5098	2978	RH-2	40	form-based			true	0.7	4	1	3	3	5709.199707	3589.199707	3589.199707	1.11989
1680	001C	2039	0.05	1670	1	55	80	2.5	4	3	5098	3428	RH-2	40	form-based			true	0.7	4	1	3	3	5709.199707	4039.199707	4039.199707	1.11989
1680	033	2063	0.05	1882	1	55	80	2.5	4	3	5158	3276	RH-2	40	form-based			true	0.7	4	1	3	3	5776.399902	3894.399902	3894.399902	1.119891
1680	033A	2062	0.05	1882	1	55	80	2.5	4	3	5155	3273	RH-2	40	form-based			true	0.7	4	1	3	3	5773.600098	3891.600098	3891.600098	1.12
1680	033B	2063	0.05	1575	1	55	80	2.5	4	3	5158	3583	RH-2	40	form-based			true	0.7	4	1	3	3	5776.399902	4201.399902	4201.399902	1.119891
1702	001K	2063	0.05	961	1	65	100	3	5	4	6189	5228	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4815.399902	4815.399902	0.933333
1702	010F	2500	0.06	2276	2	65	100	3	6	4	7500	5224	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4724	4724	0.933333
1702	010G	2500	0.06	2276	2	65	100	3	6	4	7500	5224	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4724	4724	0.933333
1702	013	2998	0.07	3415	3	65	100	3	7	4	8994	5579	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8394.399414	4979.399414	4979.399414	0.933333
1702	023	1875	0.04	961	1	65	100	3	4	3	5625	4664	RH-2	40	form-based			true	0.7	4	1	3	3	5250	4289	4289	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1702	025	2500	0.06	2823	2	65	100	3	6	4	7500	4677	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4177	4177	0.933333
1702	068	3000	0.07	2930	3	65	100	3	7	4	9000	6070	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5470	5470	0.933333
1703	008	2983	0.07	3194	3	65	100	3	7	4	8949	5755	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8352.399414	5158.399414	5158.399414	0.933333
1704	005	3000	0.07	2425	3	65	100	3	7	4	9000	6575	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5975	5975	0.933333
1704	009	3000	0.07	1760	3	65	100	3	7	4	9000	7240	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6640	6640	0.933333
1704	016	3000	0.07	3400	3	65	100	3	7	4	9000	5600	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5000	5000	0.933333
1704	024	1437	0.03	1462	2	65	100	3	3	1	4311	2849	RTO-C	65	form-based		true	true	0.75	5	1.666666627	3	3	6466.5	5004.5	5004.5	1.5
1704	028	3003	0.07	2856	3	65	100	3	7	4	9009	6153	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8408.399414	5552.399414	5552.399414	0.933333
1704	034A	1453	0.03	0	0	65	100	3	3	3	4359	4359	RH-2	40	form-based			true	0.7	3	1	3	3	4068.399902	4068.399902	4068.399902	0.933333
1705	006	3000	0.07	2487	3	65	100	3	7	4	9000	6513	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5913	5913	0.933333
1705	051	3452	0.08	2794	4	65	100	3	8	4	10356	7562	RH-2	40	form-based			true	0.7	7	0.875	3	3	9665.599609	6871.599609	6871.599609	0.933333
1706	007	3000	0.07	3125	3	65	100	3	7	4	9000	5875	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5275	5275	0.933333
1706	008	3000	0.07	3125	3	65	100	3	7	4	9000	5875	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5275	5275	0.933333
1706	012	3000	0.07	2837	3	65	100	3	7	4	9000	6163	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5563	5563	0.933333
1706	017	3053	0.07	2381	3	65	100	3	7	4	9159	6778	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8548.399414	6167.399414	6167.399414	0.933333
1706	052	1438	0.03	1576	2	65	100	3	3	1	4314	2738	RTO-C	65	form-based		true	true	0.75	5	1.666666627	3	3	6471	4895	4895	1.5
1706	069	3004	0.07	3068	3	65	100	3	7	4	9012	5944	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8411.200195	5343.200195	5343.200195	0.933333
1709	013	3012	0.07	3631	3	65	100	3	7	4	9036	5405	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8433.599609	4802.599609	4802.599609	0.933333
1709	031	3000	0.07	2580	3	65	100	3	7	4	9000	6420	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5820	5820	0.933333
1709	053	2983	0.07	3820	3	65	100	3	7	4	8949	5129	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8352.399414	4532.399414	4532.399414	0.933333
1709	055	2951	0.07	3820	3	65	100	3	7	4	8853	5033	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8262.799805	4442.799805	4442.799805	0.933333
1710	031	3000	0.07	1792	3	65	100	3	7	4	9000	7208	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6608	6608	0.933333
1711	019D	1875	0.04	2761	4	65	100	3	4	0	5625	2864	RTO-C	65	form-based			true	0.75	7	1.75	3	3	8437.5	5676.5	5676.5	1.5
1712	002	1441	0.03	2000	2	65	100	3	3	1	4323	2323	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6484.5	4484.5	4484.5	1.5
1712	002A	1441	0.03	2000	2	65	100	3	3	1	4323	2323	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6484.5	4484.5	4484.5	1.5
1712	003	1441	0.03	2000	2	65	100	3	3	1	4323	2323	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6484.5	4484.5	4484.5	1.5
1712	003A	1441	0.03	2000	2	65	100	3	3	1	4323	2323	RTO-C	65	form-based		true	true	0.75	5	1.666666627	3	3	6484.5	4484.5	4484.5	1.5
1713	003	2991	0.07	2266	3	65	100	3	7	4	8973	6707	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8374.799805	6108.799805	6108.799805	0.933333
1713	021	2366	0.05	3050	6	65	100	3	5	0	7098	4048	RTO-C	65	form-based		true	true	0.75	9	1.799999952	3	3	10647	7597	7597	1.5
1713	028	3602	0.08	4452	5	65	100	3	8	3	10806	6354	RH-2	40	form-based			true	0.7	8	1	3	3	10085.59961	5633.599609	5633.599609	0.933333
1715	019	2390	0.05	1943	2	65	100	3	5	3	7170	5227	RH-2	40	form-based			true	0.7	5	1	3	3	6692	4749	4749	0.933333
1716	022	2500	0.06	4001	2	65	100	3	6	4	7500	3499	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	2999	2999	0.933333
1717	024	2500	0.06	1645	2	65	100	3	6	4	7500	5855	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5355	5355	0.933333
1717	026	2375	0.05	3364	2	65	100	3	5	3	7125	3761	RH-2	40	form-based			true	0.7	5	1	3	3	6650	3286	3286	0.933333
1718	022	2250	0.05	2275	2	65	100	3	5	3	6750	4475	RH-2	40	form-based		true	true	0.7	5	1	3	3	6300	4025	4025	0.933333
1721	022	2700	0.06	1849	3	65	100	3	6	3	8100	6251	RH-1(D)	40	form-based			true	0.7	6	1	3	3	7560	5711	5711	0.933333
1722	015	1732	0.04	1920	1	65	100	3	4	3	5196	3276	RH-1	40	form-based			true	0.7	4	1	3	3	4849.600098	2929.600098	2929.600098	0.933333
1722	016	1732	0.04	1750	1	65	100	3	4	3	5196	3446	RH-1	40	form-based			true	0.7	4	1	3	3	4849.600098	3099.600098	3099.600098	0.933333
1722	017	1871	0.04	2236	1	65	100	3	4	3	5613	3377	RH-1	40	form-based		true	true	0.7	4	1	3	3	5238.799805	3002.799805	3002.799805	0.933333
1722	018	1925	0.04	1182	1	65	100	3	4	3	5775	4593	RH-1	40	form-based			true	0.7	4	1	3	3	5390	4208	4208	0.933333
1722	021	2029	0.05	2410	1	65	100	3	5	4	6087	3677	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5681.199707	3271.199707	3271.199707	0.933333
1723	021	1756	0.04	2000	1	65	100	3	4	3	5268	3268	RH-1	40	form-based			true	0.7	4	1	3	3	4916.799805	2916.799805	2916.799805	0.933333
1723	022	1756	0.04	2270	1	65	100	3	4	3	5268	2998	RH-1	40	form-based		true	true	0.7	4	1	3	3	4916.799805	2646.799805	2646.799805	0.933333
1723	023	1875	0.04	2167	1	65	100	3	4	3	5625	3458	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3083	3083	0.933333
1723	024	1875	0.04	1750	1	65	100	3	4	3	5625	3875	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3500	3500	0.933333
1725	017	3017	0.07	3250	3	65	100	3	7	4	9051	5801	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8447.599609	5197.599609	5197.599609	0.933333
1726	004	3002	0.07	822	1	65	100	3	7	6	9006	8184	RH-2	40	density-lin	1500			0.7	4	0.571428597	3	3	8405.599609	7583.599609	7583.599609	0.933333
1726	011	3002	0.07	3288	3	65	100	3	7	4	9006	5718	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8405.599609	5117.599609	5117.599609	0.933333
1727	008	3021	0.07	3407	3	65	100	3	7	4	9063	5656	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8458.799805	5051.799805	5051.799805	0.933333
1728	039	3000	0.07	2244	3	65	100	3	7	4	9000	6756	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6156	6156	0.933333
1729	012	2997	0.07	3892	3	65	100	3	7	4	8991	5099	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8391.599609	4499.599609	4499.599609	0.933333
1729	018	2372	0.05	2050	2	65	100	3	5	3	7116	5066	RH-2	40	form-based			true	0.7	5	1	3	3	6641.600098	4591.600098	4591.600098	0.933333
1733	022	1725	0.04	4416	6	65	100	3	4	0	5175	759	NCD-INNE	85	form-based		true	true	0.75	9	2.25	3	2	10350	5934	5934	2
1734	022	3065	0.07	4000	3	65	100	3	7	4	9195	5195	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8582	4582	4582	0.933333
1734	025	3000	0.07	2506	3	65	100	3	7	4	9000	6494	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5894	5894	0.933333
1734	045	3000	0.07	3200	3	65	100	3	7	4	9000	5800	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5200	5200	0.933333
1735	022	1375	0.03	0	0	65	100	3	3	3	4125	4125	RH-2	40	form-based			true	0.7	3	1	3	3	3850	3850	3850	0.933333
1736	008	2113	0.05	2228	1	65	100	3	5	4	6339	4111	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5916.399902	3688.399902	3688.399902	0.933333
1736	010	3180	0.07	2700	4	65	100	3	7	3	9540	6840	RH-2	40	form-based			true	0.7	7	1	3	3	8904	6204	6204	0.933333
1736	013	3180	0.07	2062	4	65	100	3	7	3	9540	7478	RH-2	40	form-based			true	0.7	7	1	3	3	8904	6842	6842	0.933333
1738	030	3000	0.07	4613	3	65	100	3	7	4	9000	4387	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	3787	3787	0.933333
1738	031	3000	0.07	3863	3	65	100	3	7	4	9000	5137	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4537	4537	0.933333
1739	030	3000	0.07	2676	3	65	100	3	7	4	9000	6324	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5724	5724	0.933333
1739	039	3000	0.07	4002	3	65	100	3	7	4	9000	4998	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4398	4398	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1739	049	3000	0.07	4526	8	65	100	3	7	0	9000	4474	RTO-C	65	form-based			true	0.75	11	1.571428537	3	3	13500	8974	8974	1.5
1742	009	2963	0.07	3395	3	65	100	3	7	4	8889	5494	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8296.399414	4901.399414	4901.399414	0.933333
1743	027	2375	0.05	3052	2	85	140	4	7	5	9500	6448	RH-2	40	form-based			true	0.7	5	0.714285731	3	3	6650	3598	3598	0.7
1743	030	3000	0.07	3090	3	65	100	3	7	4	9000	5910	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5310	5310	0.933333
1743	034	3003	0.07	2400	3	65	100	3	7	4	9009	6609	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8408.399414	6008.399414	6008.399414	0.933333
1743	036	2997	0.07	2400	3	65	100	3	7	4	8991	6591	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8391.599609	5991.599609	5991.599609	0.933333
1743	044	1438	0.03	2432	2	65	100	3	3	1	4314	1882	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6471	4039	4039	1.5
1744	001	3087	0.07	7200	9	65	100	3	7	0	9261	2061	RTO-C	65	form-based	true		true	0.75	12	1.714285731	3	3	13891.5	6691.5	6691.5	1.5
1744	005	2369	0.05	2524	2	65	100	3	5	3	7107	4583	RH-2	40	form-based			true	0.7	5	1	3	3	6633.199707	4109.199707	4109.199707	0.933333
1744	007	2418	0.06	3528	2	65	100	3	6	4	7254	3726	RH-2	40	form-based	true		true	0.7	5	0.833333313	3	3	6770.399902	3242.399902	3242.399902	0.933333
1744	010	2524	0.06	4204	2	65	100	3	6	4	7572	3368	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7067.199707	2863.199707	2863.199707	0.933333
1744	011	4842	0.11	11625	15	65	100	3	11	0	14526	2901	RTO-C	65	form-based	true		true	0.75	18	1.636363626	3	3	21789	10164	10164	1.5
1745	009	2521	0.06	3253	2	65	100	3	6	4	7563	4310	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7058.799805	3805.799805	3805.799805	0.933333
1745	010	2521	0.06	3347	2	65	100	3	6	4	7563	4216	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7058.799805	3711.799805	3711.799805	0.933333
1745	026	2380	0.05	1746	2	65	100	3	5	3	7140	5394	RH-2	40	form-based			true	0.7	5	1	3	3	6664	4918	4918	0.933333
1746	005	2390	0.05	3200	2	65	100	3	5	3	7170	3970	RH-2	40	form-based			true	0.7	5	1	3	3	6692	3492	3492	0.933333
1746	007	2390	0.05	2940	2	65	100	3	5	3	7170	4230	RH-2	40	form-based			true	0.7	5	1	3	3	6692	3752	3752	0.933333
1746	010	2563	0.06	2256	2	65	100	3	6	4	7689	5433	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7176.399902	4920.399902	4920.399902	0.933333
1746	023	2330	0.05	4656	6	65	100	3	5	0	6990	2334	RTO-C	65	form-based			true	0.75	9	1.799999952	3	3	10485	5829	5829	1.5
1747	006	2995	0.07	1968	3	65	100	3	7	4	8985	7017	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8386	6418	6418	0.933333
1747	016	2375	0.05	3020	2	65	100	3	5	3	7125	4105	RH-2	40	form-based			true	0.7	5	1	3	3	6650	3630	3630	0.933333
1747	019	3000	0.07	3318	3	65	100	3	7	4	9000	5682	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5082	5082	0.933333
1747	028	3000	0.07	1423	3	65	100	3	7	4	9000	7577	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6977	6977	0.933333
1748	011	2850	0.07	3056	3	65	100	3	7	4	8550	5494	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	7980	4924	4924	0.933333
1748	015	3000	0.07	3850	3	65	100	3	7	4	9000	5150	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4550	4550	0.933333
1748	018	1960	0.05	2484	4	65	100	3	5	1	5880	3396	RTO-C	65	form-based			true	0.75	7	1.399999976	3	3	8820	6336	6336	1.5
1749	025	4553	0.1	12225	14	65	100	3	10	0	13659	1434	RTO-C	65	form-based	true		true	0.75	17	1.700000048	3	3	20488.5	8263.5	8263.5	1.5
1750	015	2375	0.05	3260	2	85	140	4	7	5	9500	6240	RH-2	40	form-based			true	0.7	5	0.714285731	3	3	6650	3390	3390	0.7
1750	017	3000	0.07	2140	3	85	140	4	10	7	12000	9860	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8400	6260	6260	0.7
1750	020	2375	0.05	3100	2	65	100	3	5	3	7125	4025	RH-2	40	form-based			true	0.7	5	1	3	3	6650	3550	3550	0.933333
1750	025	3343	0.08	1248	4	65	100	3	8	4	10029	8781	RH-2	40	form-based	true		true	0.7	7	0.875	3	3	9360.399414	8112.399414	8112.399414	0.933333
1750	029	2375	0.05	1500	2	65	100	3	5	3	7125	5625	RH-2	40	form-based			true	0.7	5	1	3	3	6650	5150	5150	0.933333
1750	044	2375	0.05	1580	2	85	140	4	7	5	9500	7920	RH-2	40	form-based			true	0.7	5	0.714285731	3	3	6650	5070	5070	0.7
1751	001	2112	0.05	4480	1	65	100	3	5	4	6336	1856	RH-2	40	form-based	true		true	0.7	4	0.800000012	3	3	5913.600098	1433.600098	1433.600098	0.933333
1751	003	2381	0.05	3100	2	65	100	3	5	3	7143	4043	RH-2	40	form-based			true	0.7	5	1	3	3	6666.799805	3566.799805	3566.799805	0.933333
1751	015	2381	0.05	3300	2	65	100	3	5	3	7143	3843	RH-2	40	form-based			true	0.7	5	1	3	3	6666.799805	3366.799805	3366.799805	0.933333
1751	016	2381	0.05	3580	2	65	100	3	5	3	7143	3563	RH-2	40	form-based			true	0.7	5	1	3	3	6666.799805	3086.799805	3086.799805	0.933333
1751	018	3006	0.07	5250	3	65	100	3	7	4	9018	3768	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8416.799805	3166.799805	3166.799805	0.933333
1751	021	2381	0.05	2374	2	65	100	3	5	3	7143	4769	RH-2	40	form-based			true	0.7	5	1	3	3	6666.799805	4292.799805	4292.799805	0.933333
1751	029	2381	0.05	2169	2	65	100	3	5	3	7143	4974	RH-2	40	form-based			true	0.7	5	1	3	3	6666.799805	4497.799805	4497.799805	0.933333
1752	003	2373	0.05	2900	2	65	100	3	5	3	7119	4219	RH-2	40	form-based			true	0.7	5	1	3	3	6644.399902	3744.399902	3744.399902	0.933333
1752	004	2373	0.05	2900	2	65	100	3	5	3	7119	4219	RH-2	40	form-based			true	0.7	5	1	3	3	6644.399902	3744.399902	3744.399902	0.933333
1752	008	2373	0.05	3460	2	65	100	3	5	3	7119	3659	RH-2	40	form-based			true	0.7	5	1	3	3	6644.399902	3184.399902	3184.399902	0.933333
1752	015	2373	0.05	3000	2	65	100	3	5	3	7119	4119	RH-2	40	form-based			true	0.7	5	1	3	3	6644.399902	3644.399902	3644.399902	0.933333
1752	017	2998	0.07	5747	3	65	100	3	7	4	8994	3247	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8394.399414	2647.399414	2647.399414	0.933333
1752	018	2998	0.07	4800	3	65	100	3	7	4	8994	4194	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8394.399414	3594.399414	3594.399414	0.933333
1752	020	2373	0.05	2385	2	65	100	3	5	3	7119	4734	RH-2	40	form-based			true	0.7	5	1	3	3	6644.399902	4259.399902	4259.399902	0.933333
1753	007	2390	0.05	3100	2	65	100	3	5	3	7170	4070	RH-2	40	form-based			true	0.7	5	1	3	3	6692	3592	3592	0.933333
1753	019	2375	0.05	3100	2	65	100	3	5	3	7125	4025	RH-2	40	form-based			true	0.7	5	1	3	3	6650	3550	3550	0.933333
1753	020	2375	0.05	3030	2	65	100	3	5	3	7125	4095	RH-2	40	form-based			true	0.7	5	1	3	3	6650	3620	3620	0.933333
1753	021	2375	0.05	2600	2	65	100	3	5	3	7125	4525	RH-2	40	form-based			true	0.7	5	1	3	3	6650	4050	4050	0.933333
1753	025	2750	0.06	4267	3	65	100	3	6	3	8250	3983	RH-2	40	form-based			true	0.7	6	1	3	3	7700	3433	3433	0.933333
1753	026	2390	0.05	1459	2	65	100	3	5	3	7170	5711	RH-2	40	form-based			true	0.7	5	1	3	3	6692	5233	5233	0.933333
1753	028	2750	0.06	2353	3	65	100	3	6	3	8250	5897	RH-2	40	form-based			true	0.7	6	1	3	3	7700	5347	5347	0.933333
1754	003	2377	0.05	2408	2	65	100	3	5	3	7131	4723	RH-1	40	form-based			true	0.7	5	1	3	3	6655.600098	4247.600098	4247.600098	0.933333
1754	005	3002	0.07	4564	3	85	140	4	10	7	12008	7444	RH-1	40	form-based			true	0.7	6	0.600000024	3	3	8405.599609	3841.599609	3841.599609	0.7
1754	025	2377	0.05	1517	2	85	140	4	7	5	9508	7991	RH-1	40	form-based			true	0.7	5	0.714285731	3	3	6655.600098	5138.600098	5138.600098	0.7
1755	002	2372	0.05	3000	2	65	100	3	5	3	7116	4116	RH-2	40	form-based			true	0.7	5	1	3	3	6641.600098	3641.600098	3641.600098	0.933333
1755	005	2997	0.07	3150	3	85	140	4	10	7	11988	8838	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8391.599609	5241.599609	5241.599609	0.7
1755	023	2750	0.06	3337	3	65	100	3	6	3	8250	4913	RH-2	40	form-based			true	0.7	6	1	3	3	7700	4363	4363	0.933333
1755	024	2750	0.06	3157	3	65	100	3	6	3	8250	5093	RH-2	40	form-based			true	0.7	6	1	3	3	7700	4543	4543	0.933333
1758	006	2995	0.07	3980	3	65	100	3	7	4	8985	5005	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8386	4406	4406	0.933333
1758	024	2058	0.05	2000	1	65	100	3	5	4	6174	4174	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5762.399902	3762.399902	3762.399902	0.933333
1758	027	3000	0.07	3433	3	65	100	3	7	4	9000	5567	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4967	4967	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1758	036	2375	0.05	3100	2	65	100	3	5	3	7125	4025	RH-2	40	form-based			true	0.7	5	1	3	3	6650	3550	3550	0.933333
1759	019	7329	0.17	16305	24	65	100	3	17	0	21987	5682	RTO-C	65	form-based		true	true	0.75	27	1.588235259	3	3	32980.5	16675.5	16675.5	1.5
1759	024	4911	0.11	10698	15	65	100	3	11	0	14733	4035	RTO-C	65	form-based			true	0.75	18	1.636363626	3	3	22099.5	11401.5	11401.5	1.5
1759	043	2375	0.05	3100	2	85	140	4	7	5	9500	6400	RH-2	40	form-based			true	0.7	5	0.714285731	3	3	6650	3550	3550	0.7
1760	005	3005	0.07	4536	3	85	140	4	10	7	12020	7484	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8414	3878	3878	0.7
1760	015	3005	0.07	3876	3	65	100	3	7	4	9015	5139	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8414	4538	4538	0.933333
1760	019	3005	0.07	2900	3	65	100	3	7	4	9015	6115	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8414	5514	5514	0.933333
1760	020	3005	0.07	2800	3	65	100	3	7	4	9015	6215	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8414	5614	5614	0.933333
1760	043	3000	0.07	2658	3	65	100	3	7	4	9000	6342	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5742	5742	0.933333
1760	044	3000	0.07	4200	3	65	100	3	7	4	9000	4800	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4200	4200	0.933333
1760	053	2375	0.05	1246	2	85	140	4	7	5	9500	8254	RH-2	40	form-based			true	0.7	5	0.714285731	3	3	6650	5404	5404	0.7
1761	007	2994	0.07	2850	3	65	100	3	7	4	8982	6132	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8383.200195	5533.200195	5533.200195	0.933333
1762	024	2150	0.05	2500	2	65	100	3	5	3	6450	3950	RH-2	40	form-based			true	0.7	5	1	3	3	6020	3520	3520	0.933333
1762	025	2150	0.05	2500	2	65	100	3	5	3	6450	3950	RH-2	40	form-based			true	0.7	5	1	3	3	6020	3520	3520	0.933333
1762	030	3000	0.07	2900	3	65	100	3	7	4	9000	6100	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5500	5500	0.933333
1763	008	2963	0.07	1800	3	85	140	4	10	7	11852	10052	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8296.399414	6496.399414	6496.399414	0.7
1763	009	2963	0.07	2300	3	85	140	4	10	7	11852	9552	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8296.399414	5996.399414	5996.399414	0.7
1763	019A	1913	0.04	2790	1	65	100	3	4	3	5739	2949	RH-2	40	form-based			true	0.7	4	1	3	3	5356.399902	2566.399902	2566.399902	0.933333
1763	020	2500	0.06	9328	0	85	140	4	8	8	10000	672	NCD-INNE	40	density-lin	800			0.75	3	0.375	3	3	7500	0	0	0.75
1763	058	2963	0.07	3774	3	65	100	3	7	4	8889	5115	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8296.399414	4522.399414	4522.399414	0.933333
1764	025	3000	0.07	3750	3	85	140	4	10	7	12000	8250	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8400	4650	4650	0.7
1764	037	3000	0.07	4362	3	85	140	4	10	7	12000	7638	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8400	4038	4038	0.7
1765	031	3000	0.07	4650	3	65	100	3	7	4	9000	4350	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	3750	3750	0.933333
1765	076	3000	0.07	1666	3	65	100	3	7	4	9000	7334	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6734	6734	0.933333
1766	014	3000	0.07	4163	3	65	100	3	7	4	9000	4837	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4237	4237	0.933333
1766	015	3000	0.07	4040	3	65	100	3	7	4	9000	4960	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4360	4360	0.933333
1766	036	3000	0.07	2988	3	65	100	3	7	4	9000	6012	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5412	5412	0.933333
1766	040	3000	0.07	2873	3	65	100	3	7	4	9000	6127	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5527	5527	0.933333
1766	042	3166	0.07	4016	4	65	100	3	7	3	9498	5482	RH-2	40	form-based			true	0.7	7	1	3	3	8864.799805	4848.799805	4848.799805	0.933333
1767	006	3017	0.07	2800	3	65	100	3	7	4	9051	6251	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8447.599609	5647.599609	5647.599609	0.933333
1767	008	3017	0.07	1808	3	65	100	3	7	4	9051	7243	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8447.599609	6639.599609	6639.599609	0.933333
1767	011	3017	0.07	3336	3	65	100	3	7	4	9051	5715	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8447.599609	5111.599609	5111.599609	0.933333
1767	012	3017	0.07	2782	3	65	100	3	7	4	9051	6269	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8447.599609	5665.599609	5665.599609	0.933333
1769	004	2495	0.06	3626	2	65	100	3	6	4	7485	3859	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6986	3360	3360	0.933333
1770	005	3193	0.07	3400	4	65	100	3	7	3	9579	6179	RH-2	40	form-based			true	0.7	7	1	3	3	8940.399414	5540.399414	5540.399414	0.933333
1770	030	3187	0.07	4094	4	85	140	4	10	6	12748	8654	RH-2	40	form-based			true	0.7	7	0.699999988	3	3	8923.599609	4829.599609	4829.599609	0.7
1770	032H	3506	0.08	3674	4	65	100	3	8	4	10518	6844	RM-1	40	form-based			true	0.7	7	0.875	3	3	9816.799805	6142.799805	6142.799805	0.933333
1770	032I	3506	0.08	4475	4	65	100	3	8	4	10518	6043	RM-1	40	form-based			true	0.7	7	0.875	3	3	9816.799805	5341.799805	5341.799805	0.933333
1770	032J	3506	0.08	3674	4	65	100	3	8	4	10518	6844	RM-1	40	form-based			true	0.7	7	0.875	3	3	9816.799805	6142.799805	6142.799805	0.933333
1771	003	3750	0.09	4959	5	65	100	3	9	4	11250	6291	RM-1	40	form-based			true	0.7	8	0.888888896	3	3	10500	5541	5541	0.933333
1771	004	3750	0.09	4959	5	65	100	3	9	4	11250	6291	RM-1	40	form-based			true	0.7	8	0.888888896	3	3	10500	5541	5541	0.933333
1771	005	3750	0.09	4959	5	65	100	3	9	4	11250	6291	RM-1	40	form-based			true	0.7	8	0.888888896	3	3	10500	5541	5541	0.933333
1771	007	6000	0.14	8116	10	65	100	3	14	4	18000	9884	RM-1	40	form-based			true	0.7	13	0.928571403	3	3	16800	8684	8684	0.933333
1771	027	3441	0.08	1008	4	65	100	3	8	4	10323	9315	RM-1	40	form-based			true	0.7	7	0.875	3	3	9634.799805	8626.799805	8626.799805	0.933333
1771	030	3441	0.08	1008	4	65	100	3	8	4	10323	9315	RM-1	40	form-based			true	0.7	7	0.875	3	3	9634.799805	8626.799805	8626.799805	0.933333
1771	053	3441	0.08	870	4	65	100	3	8	4	10323	9453	RM-1	40	form-based			true	0.7	7	0.875	3	3	9634.799805	8764.799805	8764.799805	0.933333
1771	057	3441	0.08	850	4	65	100	3	8	4	10323	9473	RM-1	40	form-based			true	0.7	7	0.875	3	3	9634.799805	8784.799805	8784.799805	0.933333
1776	009W	939	0.02	1890	2	85	140	4	3	1	3756	1866	RTO-C	85	form-based			true	0.75	5	1.666666627	3	3	5634	3744	3744	1.5
1776	014	939	0.02	1890	2	85	140	4	3	1	3756	1866	RTO-C	85	form-based			true	0.75	5	1.666666627	3	3	5634	3744	3744	1.5
1778	007	3021	0.07	1925	3	65	100	3	7	4	9063	7138	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8458.799805	6533.799805	6533.799805	0.933333
1778	016	3021	0.07	3292	3	85	140	4	10	7	12084	8792	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8458.799805	5166.799805	5166.799805	0.7
1778	031	3000	0.07	4295	3	65	100	3	7	4	9000	4705	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4105	4105	0.933333
1778	032	3000	0.07	4367	3	65	100	3	7	4	9000	4633	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4033	4033	0.933333
1778	050	2520	0.06	2037	2	65	100	3	6	4	7560	5523	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7056	5019	5019	0.933333
1779	012	2911	0.07	2768	3	85	140	4	10	7	11644	8876	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8150.799805	5382.799805	5382.799805	0.7
1779	028	3000	0.07	3800	3	65	100	3	7	4	9000	5200	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4600	4600	0.933333
1780	008	3017	0.07	3243	3	65	100	3	7	4	9051	5808	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8447.599609	5204.599609	5204.599609	0.933333
1781	035	3000	0.07	2466	3	65	100	3	7	4	9000	6534	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5934	5934	0.933333
1782	001	3272	0.08	3900	4	65	100	3	8	4	9816	5916	RH-2	40	form-based		true	true	0.7	7	0.875	3	3	9161.599609	5261.599609	5261.599609	0.933333
1782	014A	1374	0.03	2741	4	85	140	4	4	0	5496	2755	NC-1	85	form-based		true	true	0.75	7	1.75	3	3	8244	5503	5503	1.5
1782	016C	1372	0.03	3320	4	85	140	4	4	0	5488	2168	NC-1	85	form-based		true	true	0.75	7	1.75	3	3	8232	4912	4912	1.5
1782	024	2500	0.06	2360	2	65	100	3	6	4	7500	5140	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4640	4640	0.933333
1782	024A	2500	0.06	2360	2	65	100	3	6	4	7500	5140	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4640	4640	0.933333
1783	034	2065	0.05	1513	1	65	100	3	5	4	6195	4682	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4269	4269	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1783	034A	2065	0.05	1515	1	65	100	3	5	4	6195	4680	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4267	4267	0.933333
1783	035	2065	0.05	1575	1	65	100	3	5	4	6195	4620	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4207	4207	0.933333
1783	036	2065	0.05	1575	1	65	100	3	5	4	6195	4620	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5782	4207	4207	0.933333
1784	017	2063	0.05	1750	1	65	100	3	5	4	6189	4439	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4026.399902	4026.399902	0.933333
1784	017A	2062	0.05	1275	1	65	100	3	5	4	6186	4911	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4498.600098	4498.600098	0.933333
1784	017B	2062	0.05	2100	1	65	100	3	5	4	6186	4086	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3673.600098	3673.600098	0.933333
1784	017C	2062	0.05	2100	1	65	100	3	5	4	6186	4086	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5773.600098	3673.600098	3673.600098	0.933333
1784	018	2500	0.06	2250	2	65	100	3	6	4	7500	5250	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4750	4750	0.933333
1784	018A	2500	0.06	2250	2	65	100	3	6	4	7500	5250	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4750	4750	0.933333
1785	001B	2500	0.06	2574	2	65	100	3	6	4	7500	4926	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4426	4426	0.933333
1785	001C	2500	0.06	2936	2	65	100	3	6	4	7500	4564	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4064	4064	0.933333
1785	024	3000	0.07	3515	3	65	100	3	7	4	9000	5485	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4885	4885	0.933333
1785	030	2500	0.06	2250	2	65	100	3	6	4	7500	5250	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4750	4750	0.933333
1785	031	2500	0.06	2250	2	65	100	3	6	4	7500	5250	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4750	4750	0.933333
1786	001	3217	0.07	5134	4	65	100	3	7	3	9651	4517	RH-2	40	form-based		true	true	0.7	7	1	3	3	9007.599609	3873.599609	3873.599609	0.933333
1786	016A	2074	0.05	2520	2	65	100	3	5	3	6222	3702	NCD-JUDA	40	form-based			true	0.75	5	1	3	3	6222	3702	3702	1
1786	030	2500	0.06	2524	2	65	100	3	6	4	7500	4976	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4476	4476	0.933333
1786	030A	2500	0.06	2524	2	65	100	3	6	4	7500	4976	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4476	4476	0.933333
1786	031	2500	0.06	2500	2	65	100	3	6	4	7500	5000	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4500	4500	0.933333
1786	032	2500	0.06	2500	2	65	100	3	6	4	7500	5000	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4500	4500	0.933333
1786	033	2500	0.06	2300	2	65	100	3	6	4	7500	5200	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4700	4700	0.933333
1786	034	2500	0.06	3350	2	65	100	3	6	4	7500	4150	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3650	3650	0.933333
1787	001	1872	0.04	1232	1	65	100	3	4	3	5616	4384	RH-2	40	form-based		true	true	0.7	4	1	3	3	5241.600098	4009.600098	4009.600098	0.933333
1787	030	2500	0.06	2500	2	65	100	3	6	4	7500	5000	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4500	4500	0.933333
1788	032	2065	0.05	1300	1	65	100	3	5	4	6195	4895	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4482	4482	0.933333
1788	032A	2065	0.05	1200	1	65	100	3	5	4	6195	4995	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4582	4582	0.933333
1788	033	2065	0.05	1200	1	65	100	3	5	4	6195	4995	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4582	4582	0.933333
1788	033A	2065	0.05	2325	1	65	100	3	5	4	6195	3870	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5782	3457	3457	0.933333
1789	001	2047	0.05	975	1	65	100	3	5	4	6141	5166	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5731.600098	4756.600098	4756.600098	0.933333
1789	001A	2069	0.05	975	1	65	100	3	5	4	6207	5232	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5793.199707	4818.199707	4818.199707	0.933333
1789	022	3000	0.07	2380	3	65	100	3	7	4	9000	6620	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6020	6020	0.933333
1789	036	2063	0.05	1596	1	65	100	3	5	4	6189	4593	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4180.399902	4180.399902	0.933333
1789	037	2031	0.05	975	1	65	100	3	5	4	6093	5118	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5686.799805	4711.799805	4711.799805	0.933333
1790	020	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5000	5000	0.933333
1790	021	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5000	5000	0.933333
1790	022	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5000	5000	0.933333
1792	002D	2991	0.07	1950	3	65	100	3	7	4	8973	7023	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8374.799805	6424.799805	6424.799805	0.933333
1792	002K	1328	0.03	2220	2	65	100	3	3	1	3984	1764	RTO-C	65	form-based		true	true	0.75	5	1.666666627	3	3	5976	3756	3756	1.5
1792	018	1372	0.03	2220	2	65	100	3	3	1	4116	1896	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6174	3954	3954	1.5
1793	007	4506	0.1	4158	6	65	100	3	10	4	13518	9360	RH-1	40	form-based			true	0.7	9	0.899999976	3	3	12616.7998	8458.799805	8458.799805	0.933333
1793	045A	1000	0.02	835	1	65	100	3	2	1	3000	2165	RTO-C	65	form-based			true	0.75	4	2	3	3	4500	3665	3665	1.5
1794	024A	2062	0.05	1975	1	85	140	4	7	6	8248	6273	RH-2	40	form-based			true	0.7	4	0.571428597	3	3	5773.600098	3798.600098	3798.600098	0.7
1794	037	3010	0.07	2750	3	65	100	3	7	4	9030	6280	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8428	5678	5678	0.933333
1795	005	3000	0.07	2425	3	65	100	3	7	4	9000	6575	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5975	5975	0.933333
1795	020	3000	0.07	2696	3	65	100	3	7	4	9000	6304	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5704	5704	0.933333
1795	032	2500	0.06	4151	6	65	100	3	6	0	7500	3349	NC-1	65	form-based			true	0.75	9	1.5	3	3	11250	7099	7099	1.5
1795	036	2500	0.06	4238	6	65	100	3	6	0	7500	3262	NC-1	65	form-based			true	0.75	9	1.5	3	3	11250	7012	7012	1.5
1796	016	2074	0.05	1225	1	65	100	3	5	4	6222	4997	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5807.199707	4582.199707	4582.199707	0.933333
1796	025	3000	0.07	3697	3	65	100	3	7	4	9000	5303	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	4703	4703	0.933333
1797	006	3019	0.07	2925	3	65	100	3	7	4	9057	6132	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8453.200195	5528.200195	5528.200195	0.933333
1800	010A	3005	0.07	4002	3	65	100	3	7	4	9015	5013	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8414	4412	4412	0.933333
1800	019	3000	0.07	2749	3	65	100	3	7	4	9000	6251	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5651	5651	0.933333
1801	025	2932	0.07	1800	3	85	140	4	10	7	11728	9928	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8209.599609	6409.599609	6409.599609	0.7
1801	031	3000	0.07	1315	3	65	100	3	7	4	9000	7685	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	7085	7085	0.933333
1801	032	3000	0.07	2166	3	65	100	3	7	4	9000	6834	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6234	6234	0.933333
1802	001	1385	0.03	1290	2	65	100	3	3	1	4155	2865	RTO-C	65	form-based		true	true	0.75	5	1.666666627	3	3	6232.5	4942.5	4942.5	1.5
1802	026	1675	0.04	1165	1	65	100	3	4	3	5025	3860	RH-2	40	form-based			true	0.7	4	1	3	3	4690	3525	3525	0.933333
1803	001	1782	0.04	1306	1	65	100	3	4	3	5346	4040	RH-2	40	form-based		true	true	0.7	4	1	3	3	4989.600098	3683.600098	3683.600098	0.933333
1803	010	3000	0.07	1919	3	65	100	3	7	4	9000	7081	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6481	6481	0.933333
1803	021	1984	0.05	1803	1	85	140	4	7	6	7936	6133	RH-3	40	form-based			true	0.7	4	0.571428597	3	3	5555.199707	3752.199707	3752.199707	0.7
1803	022	1751	0.04	810	1	85	140	4	6	5	7004	6194	RH-3	40	form-based			true	0.7	4	0.666666687	3	3	4902.799805	4092.799805	4092.799805	0.7
1803	028	3021	0.07	2060	3	65	100	3	7	4	9063	7003	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8458.799805	6398.799805	6398.799805	0.933333
1803	029	3021	0.07	3045	3	65	100	3	7	4	9063	6018	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8458.799805	5413.799805	5413.799805	0.933333
1803	030	3021	0.07	3048	3	65	100	3	7	4	9063	6015	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8458.799805	5410.799805	5410.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1805	019	3000	0.07	1910	3	65	100	3	7	4	9000	7090	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6490	6490	0.933333
1805	036	1994	0.05	933	1	65	100	3	5	4	5982	5049	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5583.199707	4650.199707	4650.199707	0.933333
1805	037	1994	0.05	933	1	65	100	3	5	4	5982	5049	RM-1	40	form-based			true	0.7	4	0.800000012	3	3	5583.199707	4650.199707	4650.199707	0.933333
1805	057	3000	0.07	689	3	65	100	3	7	4	9000	8311	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	7711	7711	0.933333
1805	062	3021	0.07	772	3	65	100	3	7	4	9063	8291	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8458.799805	7686.799805	7686.799805	0.933333
1805	065	3021	0.07	3318	3	65	100	3	7	4	9063	5745	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8458.799805	5140.799805	5140.799805	0.933333
1806	015A	2500	0.06	1914	2	65	100	3	6	4	7500	5586	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	5086	5086	0.933333
1806	052	2983	0.07	3632	3	65	100	3	7	4	8949	5317	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8352.399414	4720.399414	4720.399414	0.933333
1806	053	2983	0.07	3632	3	65	100	3	7	4	8949	5317	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8352.399414	4720.399414	4720.399414	0.933333
1807	009	1990	0.05	1072	1	65	100	3	5	4	5970	4898	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5572	4500	4500	0.933333
1807	011	1990	0.05	1096	1	65	100	3	5	4	5970	4874	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5572	4476	4476	0.933333
1807	014	1940	0.04	1904	1	65	100	3	4	3	5820	3916	RH-1	40	form-based			true	0.7	4	1	3	3	5432	3528	3528	0.933333
1807	014A	1940	0.04	3000	1	65	100	3	4	3	5820	2820	RH-1	40	form-based	true		true	0.7	4	1	3	3	5432	2432	2432	0.933333
1807	014B	1940	0.04	1450	1	65	100	3	4	3	5820	4370	RH-1	40	form-based			true	0.7	4	1	3	3	5432	3982	3982	0.933333
1807	014C	1940	0.04	2052	1	65	100	3	4	3	5820	3768	RH-1	40	form-based			true	0.7	4	1	3	3	5432	3380	3380	0.933333
1807	016	1875	0.04	600	1	65	100	3	4	3	5625	5025	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4650	4650	0.933333
1807	017	1875	0.04	1000	1	65	100	3	4	3	5625	4625	RH-1	40	form-based	true		true	0.7	4	1	3	3	5250	4250	4250	0.933333
1807	017A	1875	0.04	1000	1	65	100	3	4	3	5625	4625	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4250	4250	0.933333
1807	032	1700	0.04	1892	1	65	100	3	4	3	5100	3208	RH-2	40	form-based			true	0.7	4	1	3	3	4760	2868	2868	0.933333
1808	002	2099	0.05	3102	1	65	100	3	5	4	6297	3195	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5877.199707	2775.199707	2775.199707	0.933333
1808	019	2065	0.05	1664	1	65	100	3	5	4	6195	4531	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4118	4118	0.933333
1808	020	2065	0.05	1360	1	65	100	3	5	4	6195	4835	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4422	4422	0.933333
1808	021	2065	0.05	1160	1	65	100	3	5	4	6195	5035	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4622	4622	0.933333
1808	026	2131	0.05	1877	1	65	100	3	5	4	6393	4516	RH-1	40	form-based	true		true	0.7	4	0.800000012	3	3	5966.799805	4089.799805	4089.799805	0.933333
1808	027	2065	0.05	1336	1	65	100	3	5	4	6195	4859	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4446	4446	0.933333
1808	028	2065	0.05	1030	1	65	100	3	5	4	6195	5165	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4752	4752	0.933333
1808	029	2065	0.05	1500	1	65	100	3	5	4	6195	4695	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4282	4282	0.933333
1808	046	2099	0.05	1125	1	85	140	4	7	6	8396	7271	RH-1	40	form-based			true	0.7	4	0.571428597	3	3	5877.199707	4752.199707	4752.199707	0.7
1809	016	1906	0.04	1880	1	65	100	3	4	3	5718	3838	RH-1	40	form-based			true	0.7	4	1	3	3	5336.799805	3456.799805	3456.799805	0.933333
1809	016A	1839	0.04	1250	1	65	100	3	4	3	5517	4267	RH-1	40	form-based	true		true	0.7	4	1	3	3	5149.199707	3899.199707	3899.199707	0.933333
1809	016B	1752	0.04	1304	1	65	100	3	4	3	5256	3952	RH-1	40	form-based			true	0.7	4	1	3	3	4905.600098	3601.600098	3601.600098	0.933333
1809	016C	1752	0.04	1250	1	65	100	3	4	3	5256	4006	RH-1	40	form-based			true	0.7	4	1	3	3	4905.600098	3655.600098	3655.600098	0.933333
1810	017	2063	0.05	3205	1	65	100	3	5	4	6189	2984	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	2571.399902	2571.399902	0.933333
1810	017A	2063	0.05	2100	1	65	100	3	5	4	6189	4089	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	3676.399902	3676.399902	0.933333
1810	018	2062	0.05	2199	1	65	100	3	5	4	6186	3987	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3574.600098	3574.600098	0.933333
1811	001A	2103	0.05	1736	1	85	140	4	7	6	8412	6676	RH-2	40	form-based			true	0.7	4	0.571428597	3	3	5888.399902	4152.399902	4152.399902	0.7
1811	024	2062	0.05	1525	1	65	100	3	5	4	6186	4661	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4248.600098	4248.600098	0.933333
1811	025	2063	0.05	2272	1	65	100	3	5	4	6189	3917	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	3504.399902	3504.399902	0.933333
1811	025A	2062	0.05	1578	1	65	100	3	5	4	6186	4608	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4195.600098	4195.600098	0.933333
1811	031	3000	0.07	1975	3	65	100	3	7	4	9000	7025	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6425	6425	0.933333
1812	041	1875	0.04	1225	1	65	100	3	4	3	5625	4400	RH-2	40	form-based			true	0.7	4	1	3	3	5250	4025	4025	0.933333
1813	026	1670	0.04	1072	1	65	100	3	4	3	5010	3938	RH-1	40	form-based	true		true	0.7	4	1	3	3	4676	3604	3604	0.933333
1814	016	3010	0.07	2098	3	65	100	3	7	4	9030	6932	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8428	6330	6330	0.933333
1818	018A	1698	0.04	1424	1	65	100	3	4	3	5094	3670	RH-1	40	form-based	true		true	0.7	4	1	3	3	4754.399902	3330.399902	3330.399902	0.933333
1818	019	1891	0.04	1975	1	65	100	3	4	3	5673	3698	RH-1	40	form-based	true		true	0.7	4	1	3	3	5294.799805	3319.799805	3319.799805	0.933333
1818	019B	2140	0.05	1475	1	65	100	3	5	4	6420	4945	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5992	4517	4517	0.933333
1818	020	2140	0.05	2225	1	65	100	3	5	4	6420	4195	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5992	3767	3767	0.933333
1819	015	2069	0.05	1637	1	65	100	3	5	4	6207	4570	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5793.199707	4156.199707	4156.199707	0.933333
1819	016	2069	0.05	1825	1	65	100	3	5	4	6207	4382	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5793.199707	3968.199707	3968.199707	0.933333
1819	017	2069	0.05	1413	1	65	100	3	5	4	6207	4794	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5793.199707	4380.199707	4380.199707	0.933333
1819	022	2085	0.05	1738	1	65	100	3	5	4	6255	4517	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5838	4100	4100	0.933333
1819	022A	2085	0.05	1175	1	65	100	3	5	4	6255	5080	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5838	4663	4663	0.933333
1819	022B	2085	0.05	1439	1	65	100	3	5	4	6255	4816	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5838	4399	4399	0.933333
1820	025	1847	0.04	1260	1	65	100	3	4	3	5541	4281	RH-1	40	form-based	true		true	0.7	4	1	3	3	5171.600098	3911.600098	3911.600098	0.933333
1820	025A	2004	0.05	1260	1	65	100	3	5	4	6012	4752	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5611.199707	4351.199707	4351.199707	0.933333
1820	026	1981	0.05	1260	1	65	100	3	5	4	5943	4683	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5546.799805	4286.799805	4286.799805	0.933333
1821	015	1925	0.04	1470	1	65	100	3	4	3	5775	4305	RH-1	40	form-based			true	0.7	4	1	3	3	5390	3920	3920	0.933333
1821	015A	1937	0.04	1545	1	65	100	3	4	3	5811	4266	RH-1	40	form-based			true	0.7	4	1	3	3	5423.600098	3878.600098	3878.600098	0.933333
1821	016	1994	0.05	1470	1	65	100	3	5	4	5982	4512	RH-1	40	form-based	true		true	0.7	4	0.800000012	3	3	5583.199707	4113.199707	4113.199707	0.933333
1822	017A	2080	0.05	1550	1	65	100	3	5	4	6240	4690	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5824	4274	4274	0.933333
1822	017B	2080	0.05	1615	1	65	100	3	5	4	6240	4625	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5824	4209	4209	0.933333
1822	017C	2080	0.05	2104	1	65	100	3	5	4	6240	4136	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5824	3720	3720	0.933333
1823	018	2063	0.05	1400	1	65	100	3	5	4	6189	4789	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4376.399902	4376.399902	0.933333
1823	019	2062	0.05	1520	1	65	100	3	5	4	6186	4666	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4253.600098	4253.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1823	019A	2063	0.05	1350	1	65	100	3	5	4	6189	4839	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4426.399902	4426.399902	0.933333
1824	018	2049	0.05	2993	1	65	100	3	5	4	6147	3154	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5737.199707	2744.199707	2744.199707	0.933333
1824	019	2049	0.05	1275	1	65	100	3	5	4	6147	4872	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5737.199707	4462.199707	4462.199707	0.933333
1824	020	2049	0.05	1500	1	65	100	3	5	4	6147	4647	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5737.199707	4237.199707	4237.199707	0.933333
1824	021	2128	0.05	1475	1	65	100	3	5	4	6384	4909	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5958.399902	4483.399902	4483.399902	0.933333
1824	025	2142	0.05	1938	1	65	100	3	5	4	6426	4488	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5997.600098	4059.600098	4059.600098	0.933333
1824	026	2063	0.05	1499	1	65	100	3	5	4	6189	4690	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4277.399902	4277.399902	0.933333
1824	026A	2062	0.05	1375	1	65	100	3	5	4	6186	4811	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4398.600098	4398.600098	0.933333
1824	026B	2062	0.05	1375	1	65	100	3	5	4	6186	4811	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4398.600098	4398.600098	0.933333
1826	017	2068	0.05	1450	1	65	100	3	5	4	6204	4754	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5790.399902	4340.399902	4340.399902	0.933333
1826	018	2068	0.05	1450	1	65	100	3	5	4	6204	4754	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5790.399902	4340.399902	4340.399902	0.933333
1826	019	2068	0.05	1380	1	65	100	3	5	4	6204	4824	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5790.399902	4410.399902	4410.399902	0.933333
1827	014	2065	0.05	1500	1	65	100	3	5	4	6195	4695	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4282	4282	0.933333
1827	015	2065	0.05	1354	1	65	100	3	5	4	6195	4841	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4428	4428	0.933333
1827	016A	2065	0.05	1694	1	65	100	3	5	4	6195	4501	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5782	4088	4088	0.933333
1828	001	1428	0.03	2788	4	85	140	4	4	0	5712	2924	RTO-C	85	form-based		true	true	0.75	7	1.75	3	3	8568	5780	5780	1.5
1828	005	2079	0.05	1230	1	65	100	3	5	4	6237	5007	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5821.199707	4591.199707	4591.199707	0.933333
1828	005A	2079	0.05	1230	1	65	100	3	5	4	6237	5007	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5821.199707	4591.199707	4591.199707	0.933333
1828	005B	2079	0.05	1280	1	65	100	3	5	4	6237	4957	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5821.199707	4541.199707	4541.199707	0.933333
1829	024	2070	0.05	1892	1	65	100	3	5	4	6210	4318	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5796	3904	3904	0.933333
1829	025	1950	0.04	1378	1	65	100	3	4	3	5850	4472	RH-2	40	form-based		true	true	0.7	4	1	3	3	5460	4082	4082	0.933333
1829	025A	2065	0.05	1550	1	65	100	3	5	4	6195	4645	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4232	4232	0.933333
1830	023	1843	0.04	1225	1	65	100	3	4	3	5529	4304	RH-2	40	form-based		true	true	0.7	4	1	3	3	5160.399902	3935.399902	3935.399902	0.933333
1830	023A	1680	0.04	1375	1	65	100	3	4	3	5040	3665	RH-2	40	form-based			true	0.7	4	1	3	3	4704	3329	3329	0.933333
1833	014	1428	0.03	1754	2	65	100	3	3	1	4284	2530	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6426	4672	4672	1.5
1833	014B	1428	0.03	1754	2	65	100	3	3	1	4284	2530	RTO-C	65	form-based		true	true	0.75	5	1.666666627	3	3	6426	4672	4672	1.5
1835	015	2449	0.06	2946	6	65	100	3	6	0	7347	4401	RTO-C	65	form-based			true	0.75	9	1.5	3	3	11020.5	8074.5	8074.5	1.5
1837	001	991	0.02	1263	2	85	140	4	3	1	3964	2701	RTO-C	85	form-based		true	true	0.75	5	1.666666627	3	3	5946	4683	4683	1.5
1837	002	3010	0.07	2766	3	85	140	4	10	7	12040	9274	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8428	5662	5662	0.7
1837	023	2512	0.06	2250	2	65	100	3	6	4	7536	5286	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7033.600098	4783.600098	4783.600098	0.933333
1837	026	2375	0.05	2472	2	65	100	3	5	3	7125	4653	RH-2	40	form-based			true	0.7	5	1	3	3	6650	4178	4178	0.933333
1837	026A	2414	0.06	2888	2	65	100	3	6	4	7242	4354	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6759.199707	3871.199707	3871.199707	0.933333
1838	014A	3202	0.07	3350	4	65	100	3	7	3	9606	6256	RH-2	40	form-based		true	true	0.7	7	1	3	3	8965.599609	5615.599609	5615.599609	0.933333
1838	017A	2633	0.06	2852	3	65	100	3	6	3	7899	5047	RH-2	40	form-based		true	true	0.7	6	1	3	3	7372.399902	4520.399902	4520.399902	0.933333
1839	005A	2363	0.05	3700	2	65	100	3	5	3	7089	3389	RH-2	40	form-based			true	0.7	5	1	3	3	6616.399902	2916.399902	2916.399902	0.933333
1839	006	2600	0.06	3600	2	65	100	3	6	4	7800	4200	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7280	3680	3680	0.933333
1839	009	2250	0.05	2450	2	65	100	3	5	3	6750	4300	RH-2	40	form-based			true	0.7	5	1	3	3	6300	3850	3850	0.933333
1839	010	2250	0.05	2450	2	65	100	3	5	3	6750	4300	RH-2	40	form-based			true	0.7	5	1	3	3	6300	3850	3850	0.933333
1839	022D	2136	0.05	1598	1	85	140	4	7	6	8544	6946	RH-2	40	form-based			true	0.7	4	0.571428597	3	3	5980.799805	4382.799805	4382.799805	0.7
1839	022E	2084	0.05	1030	1	85	140	4	7	6	8336	7306	RH-2	40	form-based			true	0.7	4	0.571428597	3	3	5835.199707	4805.199707	4805.199707	0.7
1839	029	2317	0.05	1282	2	65	100	3	5	3	6951	5669	RH-2	40	form-based			true	0.7	5	1	3	3	6487.600098	5205.600098	5205.600098	0.933333
1840	025	3000	0.07	2778	3	65	100	3	7	4	9000	6222	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5622	5622	0.933333
1840	045	2490	0.06	1150	2	65	100	3	6	4	7470	6320	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6972	5822	5822	0.933333
1842	002	2951	0.07	3050	3	85	140	4	10	7	11804	8754	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8262.799805	5212.799805	5212.799805	0.7
1842	020	2500	0.06	3364	2	65	100	3	6	4	7500	4136	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3636	3636	0.933333
1843	006	2997	0.07	3746	3	65	100	3	7	4	8991	5245	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8391.599609	4645.599609	4645.599609	0.933333
1843	022	2500	0.06	4200	2	65	100	3	6	4	7500	3300	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	2800	2800	0.933333
1843	023	2042	0.05	1680	1	65	100	3	5	4	6126	4446	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5717.600098	4037.600098	4037.600098	0.933333
1843	024	2041	0.05	2434	1	65	100	3	5	4	6123	3689	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5714.799805	3280.799805	3280.799805	0.933333
1843	025	2042	0.05	1610	1	65	100	3	5	4	6126	4516	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5717.600098	4107.600098	4107.600098	0.933333
1843	025A	2042	0.05	2041	1	65	100	3	5	4	6126	4085	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5717.600098	3676.600098	3676.600098	0.933333
1844	024	2500	0.06	2950	2	65	100	3	6	4	7500	4550	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4050	4050	0.933333
1844	002	2964	0.07	1650	3	85	140	4	10	7	11856	10206	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8299.200195	6649.200195	6649.200195	0.7
1844	018	2513	0.06	3190	2	65	100	3	6	4	7539	4349	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7036.399902	3846.399902	3846.399902	0.933333
1844	022	2500	0.06	1350	2	65	100	3	6	4	7500	6150	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5650	5650	0.933333
1844	023	2500	0.06	3568	2	65	100	3	6	4	7500	3932	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3432	3432	0.933333
1844	040	2982	0.07	2408	3	65	100	3	7	4	8946	6538	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8349.599609	5941.599609	5941.599609	0.933333
1845	021	2500	0.06	3170	2	65	100	3	6	4	7500	4330	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	3830	3830	0.933333
1845	024	2500	0.06	2480	2	65	100	3	6	4	7500	5020	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4520	4520	0.933333
1845	032	3000	0.07	2745	3	65	100	3	7	4	9000	6255	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	5655	5655	0.933333
1845	041	2951	0.07	3850	3	85	140	4	10	7	11804	7954	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	8262.799805	4412.799805	4412.799805	0.7
1846	026	2500	0.06	2552	2	65	100	3	6	4	7500	4948	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4448	4448	0.933333
1846	033	2968	0.07	4013	3	65	100	3	7	4	8904	4891	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8310.399414	4297.399414	4297.399414	0.933333
1846	049	2968	0.07	1050	3	65	100	3	7	4	8904	7854	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8310.399414	7260.399414	7260.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1847	009	2994	0.07	3750	3	65	100	3	7	4	8982	5232	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8383.200195	4633.200195	4633.200195	0.933333
1848	029	2390	0.05	2788	2	65	100	3	5	3	7170	4382	RH-1	40	form-based			true	0.7	5	1	3	3	6692	3904	3904	0.933333
1848	050	2353	0.05	3998	6	65	100	3	5	0	7059	3061	RTO-C	65	form-based		true	true	0.75	9	1.799999952	3	3	10588.5	6590.5	6590.5	1.5
1848	055	2383	0.05	1585	2	65	100	3	5	3	7149	5564	RH-2	40	form-based			true	0.7	5	1	3	3	6672.399902	5087.399902	5087.399902	0.933333
1851	021	2141	0.05	1350	1	55	80	2.5	4	3	5352	4002	RH-2	40	form-based			true	0.7	4	1	3	3	5994.799805	4644.799805	4644.799805	1.120105
1852	024	1948	0.04	1920	1	65	100	3	4	3	5844	3924	RH-1	40	form-based			true	0.7	4	1	3	3	5454.399902	3534.399902	3534.399902	0.933333
1852	025	2440	0.06	2500	2	65	100	3	6	4	7320	4820	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	6832	4332	4332	0.933333
1852	026	2369	0.05	1624	2	65	100	3	5	3	7107	5483	RH-1	40	form-based			true	0.7	5	1	3	3	6633.199707	5009.199707	5009.199707	0.933333
1853	008	1822	0.04	2393	1	55	80	2.5	3	2	4555	2162	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5101.600098	2708.600098	2708.600098	1.12
1853	008A	1822	0.04	1179	1	65	100	3	4	3	5466	4287	RH-2	40	form-based			true	0.7	4	1	3	3	5101.600098	3922.600098	3922.600098	0.933333
1853	008B	1785	0.04	1108	1	65	100	3	4	3	5355	4247	RH-2	40	form-based		true	true	0.7	4	1	3	3	4998	3890	3890	0.933333
1853	010	2379	0.05	2830	2	65	100	3	5	3	7137	4307	RH-2	40	form-based			true	0.7	5	1	3	3	6661.199707	3831.199707	3831.199707	0.933333
1853	011	2979	0.07	2778	3	65	100	3	7	4	8937	6159	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8341.200195	5563.200195	5563.200195	0.933333
1853	014	7678	0.18	8342	13	65	100	3	18	5	23034	14692	RH-2	40	form-based			true	0.7	16	0.888888896	3	3	21498.40039	13156.40039	13156.40039	0.933333
1853	019	3166	0.07	4736	4	65	100	3	7	3	9498	4762	RH-1	40	form-based		true	true	0.7	7	1	3	3	8864.799805	4128.799805	4128.799805	0.933333
1853	026	2500	0.06	2600	2	65	100	3	6	4	7500	4900	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4400	4400	0.933333
1854	012	3342	0.08	4344	4	65	100	3	8	4	10026	5682	RH-2	40	form-based			true	0.7	7	0.875	3	3	9357.599609	5013.599609	5013.599609	0.933333
1854	012D	3960	0.09	3006	5	65	100	3	9	4	11880	8874	RH-2	40	form-based			true	0.7	8	0.888888896	3	3	11088	8082	8082	0.933333
1854	016	3258	0.07	3600	4	65	100	3	7	3	9774	6174	RH-2	40	form-based			true	0.7	7	1	3	3	9122.399414	5522.399414	5522.399414	0.933333
1854	016A	2378	0.05	2921	2	65	100	3	5	3	7134	4213	RH-2	40	form-based		true	true	0.7	5	1	3	3	6658.399902	3737.399902	3737.399902	0.933333
1854	036	2375	0.05	2000	2	65	100	3	5	3	7125	5125	RH-1	40	form-based			true	0.7	5	1	3	3	6650	4650	4650	0.933333
1854	040	2769	0.06	3540	3	65	100	3	6	3	8307	4767	RH-2	40	form-based			true	0.7	6	1	3	3	7753.199707	4213.199707	4213.199707	0.933333
1855	021	2527	0.06	1930	2	65	100	3	6	4	7581	5651	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7075.600098	5145.600098	5145.600098	0.933333
1855	023	2527	0.06	2087	2	65	100	3	6	4	7581	5494	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7075.600098	4988.600098	4988.600098	0.933333
1855	038	3303	0.08	4810	4	65	100	3	8	4	9909	5099	RH-2	40	form-based		true	true	0.7	7	0.875	3	3	9248.399414	4438.399414	4438.399414	0.933333
1855	039	2500	0.06	3100	2	65	100	3	6	4	7500	4400	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3900	3900	0.933333
1855	040	2500	0.06	2750	2	65	100	3	6	4	7500	4750	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4250	4250	0.933333
1855	044	2500	0.06	3125	2	65	100	3	6	4	7500	4375	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3875	3875	0.933333
1855	052	2500	0.06	2630	2	65	100	3	6	4	7500	4870	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4370	4370	0.933333
1856	018A	1927	0.04	2429	1	65	100	3	4	3	5781	3352	RH-2	40	form-based		true	true	0.7	4	1	3	3	5395.600098	2966.600098	2966.600098	0.933333
1856	022	2526	0.06	4000	2	65	100	3	6	4	7578	3578	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7072.799805	3072.799805	3072.799805	0.933333
1856	025	2526	0.06	3184	2	65	100	3	6	4	7578	4394	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7072.799805	3888.799805	3888.799805	0.933333
1856	033	2979	0.07	2400	3	65	100	3	7	4	8937	6537	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8341.200195	5941.200195	5941.200195	0.933333
1856	044	2500	0.06	3080	2	65	100	3	6	4	7500	4420	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3920	3920	0.933333
1856	048	2500	0.06	2850	2	65	100	3	6	4	7500	4650	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4150	4150	0.933333
1856	061	2526	0.06	1167	2	65	100	3	6	4	7578	6411	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7072.799805	5905.799805	5905.799805	0.933333
1857	016	2060	0.05	2085	1	65	100	3	5	4	6180	4095	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5768	3683	3683	0.933333
1857	016A	2060	0.05	1535	1	65	100	3	5	4	6180	4645	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5768	4233	4233	0.933333
1857	016B	2060	0.05	1635	1	65	100	3	5	4	6180	4545	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5768	4133	4133	0.933333
1857	016H	2065	0.05	1479	1	65	100	3	5	4	6195	4716	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4303	4303	0.933333
1857	016I	2065	0.05	1294	1	65	100	3	5	4	6195	4901	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4488	4488	0.933333
1857	035A	2500	0.06	2902	2	65	100	3	6	4	7500	4598	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4098	4098	0.933333
1857	038	1875	0.04	1350	1	65	100	3	4	3	5625	4275	RH-2	40	form-based			true	0.7	4	1	3	3	5250	3900	3900	0.933333
1857	039	2500	0.06	1850	2	65	100	3	6	4	7500	5650	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5150	5150	0.933333
1857	052	2500	0.06	1733	2	65	100	3	6	4	7500	5767	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5267	5267	0.933333
1857	054	2500	0.06	1499	2	65	100	3	6	4	7500	6001	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5501	5501	0.933333
1858	010	2462	0.06	2600	2	65	100	3	6	4	7386	4786	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6893.600098	4293.600098	4293.600098	0.933333
1858	011	2493	0.06	2600	2	65	100	3	6	4	7479	4879	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6980.399902	4380.399902	4380.399902	0.933333
1858	022	2500	0.06	2880	2	65	100	3	6	4	7500	4620	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4120	4120	0.933333
1858	023	2500	0.06	2600	2	65	100	3	6	4	7500	4900	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4400	4400	0.933333
1858	028	2250	0.05	4210	2	65	100	3	5	3	6750	2540	RH-2	40	form-based			true	0.7	5	1	3	3	6300	2090	2090	0.933333
1858	030	2500	0.06	1012	2	65	100	3	6	4	7500	6488	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5988	5988	0.933333
1858	036	2250	0.05	1764	2	65	100	3	5	3	6750	4986	RH-2	40	form-based		true	true	0.7	5	1	3	3	6300	4536	4536	0.933333
1859A	011	1972	0.05	1645	1	65	100	3	5	4	5916	4271	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5521.600098	3876.600098	3876.600098	0.933333
1859A	011A	1856	0.04	1172	1	65	100	3	4	3	5568	4396	RH-1	40	form-based			true	0.7	4	1	3	3	5196.799805	4024.799805	4024.799805	0.933333
1860A	028	2039	0.05	2300	1	65	100	3	5	4	6117	3817	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5709.199707	3409.199707	3409.199707	0.933333
1861A	012	4071	0.09	4560	6	65	100	3	9	3	12213	7653	RH-2	40	form-based		true	true	0.7	9	1	3	3	11398.7998	6838.799805	6838.799805	0.933333
1862A	006A	1818	0.04	1242	1	55	80	2.5	3	2	4545	3303	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5090.399902	3848.399902	3848.399902	1.12
1862A	006B	1971	0.05	1860	1	55	80	2.5	4	3	4928	3068	RH-1	40	form-based			true	0.7	4	1	3	3	5518.799805	3658.799805	3658.799805	1.119886
1862A	006C	2056	0.05	1242	1	65	100	3	5	4	6168	4926	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5756.799805	4514.799805	4514.799805	0.933333
1862A	006D	2010	0.05	1242	1	65	100	3	5	4	6030	4788	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5628	4386	4386	0.933333
1862A	012	2060	0.05	1780	1	65	100	3	5	4	6180	4400	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5768	3988	3988	0.933333
1862A	013	1998	0.05	1721	1	65	100	3	5	4	5994	4273	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5594.399902	3873.399902	3873.399902	0.933333
1862A	014	1970	0.05	1600	1	65	100	3	5	4	5910	4310	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5516	3916	3916	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1862A	015	1966	0.05	1200	1	65	100	3	5	4	5898	4698	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5504.799805	4304.799805	4304.799805	0.933333
1862A	024	2580	0.06	3456	2	65	100	3	6	4	7740	4284	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7224	3768	3768	0.933333
1862A	030	2615	0.06	3456	2	65	100	3	6	4	7845	4389	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7322	3866	3866	0.933333
1863	002	2062	0.05	1800	1	65	100	3	5	4	6186	4386	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3973.600098	3973.600098	0.933333
1863	003	2062	0.05	1520	1	65	100	3	5	4	6186	4666	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4253.600098	4253.600098	0.933333
1863	004	2062	0.05	1380	1	65	100	3	5	4	6186	4806	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4393.600098	4393.600098	0.933333
1863	039	2073	0.05	2770	1	65	100	3	5	4	6219	3449	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5804.399902	3034.399902	3034.399902	0.933333
1863	040	2073	0.05	1460	1	65	100	3	5	4	6219	4759	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5804.399902	4344.399902	4344.399902	0.933333
1863	043	2600	0.06	3803	2	65	100	3	6	4	7800	3997	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7280	3477	3477	0.933333
1865	015	2540	0.06	2200	2	65	100	3	6	4	7620	5420	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7112	4912	4912	0.933333
1866	018	2046	0.05	1364	1	65	100	3	5	4	6138	4774	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5728.799805	4364.799805	4364.799805	0.933333
1866	018B	2125	0.05	2015	1	65	100	3	5	4	6375	4360	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5950	3935	3935	0.933333
1866	018C	2125	0.05	1380	1	65	100	3	5	4	6375	4995	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5950	4570	4570	0.933333
1866	018D	2125	0.05	1380	1	65	100	3	5	4	6375	4995	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5950	4570	4570	0.933333
1866	018E	2547	0.06	2900	2	65	100	3	6	4	7641	4741	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7131.600098	4231.600098	4231.600098	0.933333
1867	001	2059	0.05	2260	1	65	100	3	5	4	6177	3917	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5765.199707	3505.199707	3505.199707	0.933333
1867	001A	2059	0.05	1708	1	65	100	3	5	4	6177	4469	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5765.199707	4057.199707	4057.199707	0.933333
1867	001B	2059	0.05	1608	1	65	100	3	5	4	6177	4569	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5765.199707	4157.199707	4157.199707	0.933333
1867	001C	2059	0.05	1000	1	65	100	3	5	4	6177	5177	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5765.199707	4765.199707	4765.199707	0.933333
1867	039	2065	0.05	1055	1	65	100	3	5	4	6195	5140	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4727	4727	0.933333
1867	040	2065	0.05	1055	1	65	100	3	5	4	6195	5140	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4727	4727	0.933333
1867	041	2065	0.05	1055	1	65	100	3	5	4	6195	5140	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4727	4727	0.933333
1867	042	2065	0.05	1616	1	65	100	3	5	4	6195	4579	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5782	4166	4166	0.933333
1868	001A	1800	0.04	800	1	65	100	3	4	3	5400	4600	RH-2	40	form-based			true	0.7	4	1	3	3	5040	4240	4240	0.933333
1868	017	2065	0.05	1903	1	65	100	3	5	4	6195	4292	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	3879	3879	0.933333
1868	017A	2065	0.05	2185	1	65	100	3	5	4	6195	4010	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	3597	3597	0.933333
1868	018	2065	0.05	1627	1	65	100	3	5	4	6195	4568	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4155	4155	0.933333
1869	001	2065	0.05	1545	1	65	100	3	5	4	6195	4650	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5782	4237	4237	0.933333
1869	001A	2065	0.05	1350	1	65	100	3	5	4	6195	4845	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4432	4432	0.933333
1869	001B	2065	0.05	1620	1	65	100	3	5	4	6195	4575	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4162	4162	0.933333
1869	001C	2065	0.05	1913	1	65	100	3	5	4	6195	4282	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	3869	3869	0.933333
1869	018	2065	0.05	1590	1	65	100	3	5	4	6195	4605	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4192	4192	0.933333
1869	019	2065	0.05	1590	1	65	100	3	5	4	6195	4605	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4192	4192	0.933333
1869	020	2065	0.05	1590	1	65	100	3	5	4	6195	4605	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4192	4192	0.933333
1869	020A	2080	0.05	1680	1	65	100	3	5	4	6240	4560	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5824	4144	4144	0.933333
1869	024	2095	0.05	2089	1	55	80	2.5	4	3	5238	3149	RH-1	40	form-based		true	true	0.7	4	1	3	3	5866	3777	3777	1.119893
1869	025	2081	0.05	1632	1	65	100	3	5	4	6243	4611	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	4194.799805	4194.799805	0.933333
1869	026	2081	0.05	1605	1	65	100	3	5	4	6243	4638	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	4221.799805	4221.799805	0.933333
1869	026A	2081	0.05	1540	1	65	100	3	5	4	6243	4703	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	4286.799805	4286.799805	0.933333
1869	045	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5000	5000	0.933333
1869	046	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5000	5000	0.933333
1870	001A	2062	0.05	1920	1	65	100	3	5	4	6186	4266	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3853.600098	3853.600098	0.933333
1870	001B	2062	0.05	2650	1	65	100	3	5	4	6186	3536	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3123.600098	3123.600098	0.933333
1870	001C	2062	0.05	1974	1	65	100	3	5	4	6186	4212	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3799.600098	3799.600098	0.933333
1870	023	2064	0.05	2134	1	65	100	3	5	4	6192	4058	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5779.199707	3645.199707	3645.199707	0.933333
1870	024A	1875	0.04	1300	1	65	100	3	4	3	5625	4325	RH-2	40	form-based			true	0.7	4	1	3	3	5250	3950	3950	0.933333
1870	025	2500	0.06	4120	2	65	100	3	6	4	7500	3380	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	2880	2880	0.933333
1870	026	2500	0.06	4037	2	65	100	3	6	4	7500	3463	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	2963	2963	0.933333
1872	012	1452	0.03	2380	2	55	80	2.5	2	0	3630	1250	RTO-C	65	form-based		true	true	0.75	5	2.5	3	2	6534	4154	4154	1.8
1872	013	1448	0.03	2380	2	65	100	3	3	1	4344	1964	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6516	4136	4136	1.5
1873	001	1966	0.05	2466	1	65	100	3	5	4	5898	3432	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5504.799805	3038.799805	3038.799805	0.933333
1873	001A	2062	0.05	1525	1	65	100	3	5	4	6186	4661	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4248.600098	4248.600098	0.933333
1873	001B	2062	0.05	1375	1	65	100	3	5	4	6186	4811	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4398.600098	4398.600098	0.933333
1873	001C	2062	0.05	1725	1	65	100	3	5	4	6186	4461	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4048.600098	4048.600098	0.933333
1873	037	1467	0.03	2374	3	65	100	3	3	0	4401	2027	RTO-C	65	form-based		true	true	0.75	6	2	3	3	6601.5	4227.5	4227.5	1.5
1873	038	1465	0.03	2374	2	65	100	3	3	1	4395	2021	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6592.5	4218.5	4218.5	1.5
1873	039	1465	0.03	2374	2	65	100	3	3	1	4395	2021	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6592.5	4218.5	4218.5	1.5
1873	040	1465	0.03	2374	2	65	100	3	3	1	4395	2021	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6592.5	4218.5	4218.5	1.5
1875	017	1882	0.04	1925	1	65	100	3	4	3	5646	3721	RH-1	40	form-based			true	0.7	4	1	3	3	5269.600098	3344.600098	3344.600098	0.933333
1875	018	2045	0.05	1155	1	65	100	3	5	4	6135	4980	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5726	4571	4571	0.933333
1875	019	2045	0.05	1340	1	65	100	3	5	4	6135	4795	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5726	4386	4386	0.933333
1875	023	2062	0.05	1375	1	65	100	3	5	4	6186	4811	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4398.600098	4398.600098	0.933333
1875	024	2062	0.05	1400	1	65	100	3	5	4	6186	4786	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4373.600098	4373.600098	0.933333
1875	024A	1896	0.04	1375	1	65	100	3	4	3	5688	4313	RH-1	40	form-based			true	0.7	4	1	3	3	5308.799805	3933.799805	3933.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1876	001	1979	0.05	1450	1	65	100	3	5	4	5937	4487	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5541.199707	4091.199707	4091.199707	0.933333
1876	001F	2085	0.05	1500	1	65	100	3	5	4	6255	4755	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5838	4338	4338	0.933333
1876	001G	2085	0.05	2076	1	65	100	3	5	4	6255	4179	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5838	3762	3762	0.933333
1876	001H	2085	0.05	1813	1	65	100	3	5	4	6255	4442	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5838	4025	4025	0.933333
1877	004	2055	0.05	1791	1	65	100	3	5	4	6165	4374	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5754	3963	3963	0.933333
1877	047	2081	0.05	1425	1	65	100	3	5	4	6243	4818	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	4401.799805	4401.799805	0.933333
1878	002H	2073	0.05	2167	1	65	100	3	5	4	6219	4052	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5804.399902	3637.399902	3637.399902	0.933333
1878	002Q	2057	0.05	1880	1	65	100	3	5	4	6171	4291	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5759.600098	3879.600098	3879.600098	0.933333
1879	008B	2070	0.05	1690	1	65	100	3	5	4	6210	4520	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5796	4106	4106	0.933333
1884	002	2062	0.05	1150	1	65	100	3	5	4	6186	5036	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4623.600098	4623.600098	0.933333
1884	003	2062	0.05	1290	1	65	100	3	5	4	6186	4896	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4483.600098	4483.600098	0.933333
1884	004	2063	0.05	1150	1	65	100	3	5	4	6189	5039	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4626.399902	4626.399902	0.933333
1884	021	1865	0.04	1640	1	65	100	3	4	3	5595	3955	RH-1	40	form-based			true	0.7	4	1	3	3	5222	3582	3582	0.933333
1884	022	2063	0.05	1150	1	65	100	3	5	4	6189	5039	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4626.399902	4626.399902	0.933333
1884	023	2062	0.05	1150	1	65	100	3	5	4	6186	5036	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4623.600098	4623.600098	0.933333
1884	031	1867	0.04	1360	1	65	100	3	4	3	5601	4241	RH-1	40	form-based			true	0.7	4	1	3	3	5227.600098	3867.600098	3867.600098	0.933333
1884	048	2066	0.05	1150	1	65	100	3	5	4	6198	5048	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5784.799805	4634.799805	4634.799805	0.933333
1884	049	2066	0.05	1150	1	65	100	3	5	4	6198	5048	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5784.799805	4634.799805	4634.799805	0.933333
1884	050	2066	0.05	1450	1	65	100	3	5	4	6198	4748	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5784.799805	4334.799805	4334.799805	0.933333
1884	051	1962	0.05	1150	1	65	100	3	5	4	5886	4736	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5493.600098	4343.600098	4343.600098	0.933333
1886	001B	2027	0.05	1455	1	65	100	3	5	4	6081	4626	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5675.600098	4220.600098	4220.600098	0.933333
1886	014	1875	0.04	1000	1	65	100	3	4	3	5625	4625	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4250	4250	0.933333
1886	014A	1875	0.04	1607	1	65	100	3	4	3	5625	4018	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3643	3643	0.933333
1886	015	1875	0.04	1640	1	65	100	3	4	3	5625	3985	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3610	3610	0.933333
1886	015A	1847	0.04	1652	1	65	100	3	4	3	5541	3889	RH-1	40	form-based		true	true	0.7	4	1	3	3	5171.600098	3519.600098	3519.600098	0.933333
1886	034	1687	0.04	1150	1	65	100	3	4	3	5061	3911	RH-1	40	form-based			true	0.7	4	1	3	3	4723.600098	3573.600098	3573.600098	0.933333
1886	035	1875	0.04	1398	1	65	100	3	4	3	5625	4227	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3852	3852	0.933333
1886	036	1875	0.04	1464	1	65	100	3	4	3	5625	4161	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3786	3786	0.933333
1886	036A	1945	0.04	1730	1	65	100	3	4	3	5835	4105	RH-1	40	form-based		true	true	0.7	4	1	3	3	5446	3716	3716	0.933333
1887	001T	1740	0.04	1156	1	65	100	3	4	3	5220	4064	RH-1	40	form-based			true	0.7	4	1	3	3	4872	3716	3716	0.933333
1887	001U	1740	0.04	1000	1	65	100	3	4	3	5220	4220	RH-1	40	form-based			true	0.7	4	1	3	3	4872	3872	3872	0.933333
1887	001V	1740	0.04	1000	1	65	100	3	4	3	5220	4220	RH-1	40	form-based			true	0.7	4	1	3	3	4872	3872	3872	0.933333
1887	001W	1769	0.04	1100	1	65	100	3	4	3	5307	4207	RH-1	40	form-based		true	true	0.7	4	1	3	3	4953.199707	3853.199707	3853.199707	0.933333
1887	010	2126	0.05	1150	1	65	100	3	5	4	6378	5228	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5952.799805	4802.799805	4802.799805	0.933333
1887	016	1899	0.04	2093	1	55	80	2.5	3	2	4748	2655	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5317.199707	3224.199707	3224.199707	1.119882
1887	017	1750	0.04	1004	1	65	100	3	4	3	5250	4246	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3896	3896	0.933333
1887	019	2133	0.05	1771	1	65	100	3	5	4	6399	4628	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5972.399902	4201.399902	4201.399902	0.933333
1888	017	2028	0.05	3780	5	65	100	3	5	0	6084	2304	NC-1	65	form-based		true	true	0.75	8	1.600000024	3	3	9126	5346	5346	1.5
1889	018	2138	0.05	1595	1	65	100	3	5	4	6414	4819	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5986.399902	4391.399902	4391.399902	0.933333
1889	018B	2388	0.05	2165	2	65	100	3	5	3	7164	4999	RH-1	40	form-based			true	0.7	5	1	3	3	6686.399902	4521.399902	4521.399902	0.933333
1889	018J	2124	0.05	1200	1	65	100	3	5	4	6372	5172	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5947.199707	4747.199707	4747.199707	0.933333
1889	022	2135	0.05	1625	1	65	100	3	5	4	6405	4780	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5978	4353	4353	0.933333
1890	036	1844	0.04	1100	1	65	100	3	4	3	5532	4432	RH-1	40	form-based			true	0.7	4	1	3	3	5163.199707	4063.199707	4063.199707	0.933333
1890	037A	1911	0.04	1125	1	65	100	3	4	3	5733	4608	RH-1	40	form-based			true	0.7	4	1	3	3	5350.799805	4225.799805	4225.799805	0.933333
1891	001	1696	0.04	1485	1	65	100	3	4	3	5088	3603	RH-1	40	form-based		true	true	0.7	4	1	3	3	4748.799805	3263.799805	3263.799805	0.933333
1891	022	2486	0.06	1175	2	65	100	3	6	4	7458	6283	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	6960.799805	5785.799805	5785.799805	0.933333
1891	026	2375	0.05	1517	2	65	100	3	5	3	7125	5608	RH-1	40	form-based			true	0.7	5	1	3	3	6650	5133	5133	0.933333
1892	009A	2062	0.05	1065	1	65	100	3	5	4	6186	5121	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4708.600098	4708.600098	0.933333
1892	009B	2063	0.05	1065	1	65	100	3	5	4	6189	5124	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4711.399902	4711.399902	0.933333
1892	028	2062	0.05	1055	1	65	100	3	5	4	6186	5131	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4718.600098	4718.600098	0.933333
1892	029	1911	0.04	1021	1	65	100	3	4	3	5733	4712	RH-1	40	form-based		true	true	0.7	4	1	3	3	5350.799805	4329.799805	4329.799805	0.933333
1892	035	1750	0.04	2364	1	65	100	3	4	3	5250	2886	RH-1	40	form-based			true	0.7	4	1	3	3	4900	2536	2536	0.933333
1893	023	1875	0.04	1325	1	65	100	3	4	3	5625	4300	RH-2	40	form-based			true	0.7	4	1	3	3	5250	3925	3925	0.933333
1893	050	1845	0.04	1491	1	65	100	3	4	3	5535	4044	RH-1	40	form-based		true	true	0.7	4	1	3	3	5166	3675	3675	0.933333
1893	058	2983	0.07	1335	3	65	100	3	7	4	8949	7614	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8352.399414	7017.399414	7017.399414	0.933333
1894	022A	1750	0.04	1365	1	65	100	3	4	3	5250	3885	RH-2	40	form-based			true	0.7	4	1	3	3	4900	3535	3535	0.933333
1894	040	2037	0.05	1638	1	65	100	3	5	4	6111	4473	RM-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5703.600098	4065.600098	4065.600098	0.933333
1894	040A	1798	0.04	1100	1	65	100	3	4	3	5394	4294	RM-1	40	form-based			true	0.7	4	1	3	3	5034.399902	3934.399902	3934.399902	0.933333
1894	040B	1798	0.04	1615	1	65	100	3	4	3	5394	3779	RM-1	40	form-based			true	0.7	4	1	3	3	5034.399902	3419.399902	3419.399902	0.933333
1894	042	1890	0.04	1848	1	65	100	3	4	3	5670	3822	RM-1	40	form-based			true	0.7	4	1	3	3	5292	3444	3444	0.933333
1894	043	1890	0.04	836	1	65	100	3	4	3	5670	4834	RM-1	40	form-based			true	0.7	4	1	3	3	5292	4456	4456	0.933333
1894	052	7957	0.18	10174	14	65	100	3	18	4	23871	13697	RM-1	40	form-based			true	0.7	17	0.944444418	3	3	22279.59961	12105.59961	12105.59961	0.933333
1894	067	3038	0.07	837	3	65	100	3	7	4	9114	8277	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8506.399414	7669.399414	7669.399414	0.933333
1894	070	3037	0.07	861	3	65	100	3	7	4	9111	8250	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8503.599609	7642.599609	7642.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1894	073	3037	0.07	840	3	65	100	3	7	4	9111	8271	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8503.599609	7663.599609	7663.599609	0.933333
1894	076	3038	0.07	837	3	65	100	3	7	4	9114	8277	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8506.399414	7669.399414	7669.399414	0.933333
1894	079	3038	0.07	750	3	65	100	3	7	4	9114	8364	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8506.399414	7756.399414	7756.399414	0.933333
1895	002	1750	0.04	1616	1	55	80	2.5	3	2	4375	2759	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4900	3284	3284	1.12
1895	003	1750	0.04	1000	1	55	80	2.5	3	2	4375	3375	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4900	3900	3900	1.12
1895	038	3021	0.07	3691	3	55	80	2.5	6	3	7552	3861	RH-2	40	form-based			true	0.7	6	1	3	3	8458.799805	4767.799805	4767.799805	1.120074
1895	042	1875	0.04	1495	1	55	80	2.5	3	2	4688	3193	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3755	3755	1.119881
1896	001	1789	0.04	1158	1	55	80	2.5	3	2	4472	3314	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5009.199707	3851.199707	3851.199707	1.120125
1896	001C	1875	0.04	1268	1	55	80	2.5	3	2	4688	3420	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3982	3982	1.119881
1896	023	1875	0.04	1110	1	55	80	2.5	3	2	4688	3578	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	4140	4140	1.119881
1896	023A	1875	0.04	1334	1	55	80	2.5	3	2	4688	3354	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3916	3916	1.119881
1896	023B	1875	0.04	1110	1	55	80	2.5	3	2	4688	3578	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	4140	4140	1.119881
1896	030	3000	0.07	4107	3	55	80	2.5	6	3	7500	3393	RH-2	40	form-based			true	0.7	6	1	3	3	8400	4293	4293	1.12
1897	001	1700	0.04	1038	1	55	80	2.5	3	2	4250	3212	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4760	3722	3722	1.12
1897	002	1750	0.04	850	1	55	80	2.5	3	2	4375	3525	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4050	4050	1.12
1897	003	1750	0.04	850	1	55	80	2.5	3	2	4375	3525	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4050	4050	1.12
1897	004	1928	0.04	850	1	55	80	2.5	3	2	4820	3970	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5398.399902	4548.399902	4548.399902	1.12
1897	021	1750	0.04	850	1	55	80	2.5	3	2	4375	3525	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4050	4050	1.12
1897	022	1750	0.04	1000	1	55	80	2.5	3	2	4375	3375	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3900	3900	1.12
1897	023	1750	0.04	850	1	55	80	2.5	3	2	4375	3525	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4050	4050	1.12
1897	024	1750	0.04	1440	1	55	80	2.5	3	2	4375	2935	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4900	3460	3460	1.12
1897	029	1753	0.04	1278	1	55	80	2.5	3	2	4382	3104	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4908.399902	3630.399902	3630.399902	1.120128
1897	030	1753	0.04	850	1	55	80	2.5	3	2	4382	3532	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4908.399902	4058.399902	4058.399902	1.120128
1897	032	1753	0.04	1403	1	55	80	2.5	3	2	4382	2979	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4908.399902	3505.399902	3505.399902	1.120128
1897	049	1931	0.04	850	1	55	80	2.5	3	2	4828	3978	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5406.799805	4556.799805	4556.799805	1.119884
1897	050	1753	0.04	850	1	55	80	2.5	3	2	4382	3532	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4908.399902	4058.399902	4058.399902	1.120128
1897	051	1753	0.04	850	1	55	80	2.5	3	2	4382	3532	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4908.399902	4058.399902	4058.399902	1.120128
1897	052	1703	0.04	850	1	55	80	2.5	3	2	4258	3408	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4768.399902	3918.399902	3918.399902	1.119869
1898	001	1678	0.04	838	1	55	80	2.5	3	2	4195	3357	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4698.399902	3860.399902	3860.399902	1.12
1898	023	1857	0.04	1050	1	55	80	2.5	3	2	4642	3592	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5199.600098	4149.600098	4149.600098	1.120121
1898	023A	2067	0.05	925	1	55	80	2.5	4	3	5168	4243	RH-1	40	form-based			true	0.7	4	1	3	3	5787.600098	4862.600098	4862.600098	1.119892
1898	023B	2067	0.05	925	1	55	80	2.5	4	3	5168	4243	RH-1	40	form-based			true	0.7	4	1	3	3	5787.600098	4862.600098	4862.600098	1.119892
1899	001A	2065	0.05	1125	1	55	80	2.5	4	3	5162	4037	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4657	4657	1.120108
1899	001B	2065	0.05	1125	1	55	80	2.5	4	3	5162	4037	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4657	4657	1.120108
1899	001C	2065	0.05	1125	1	55	80	2.5	4	3	5162	4037	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4657	4657	1.120108
1900	001	1891	0.04	2896	1	55	80	2.5	3	2	4728	1832	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5294.799805	2398.799805	2398.799805	1.119882
1900	001A	2063	0.05	2181	1	55	80	2.5	4	3	5158	2977	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	3595.399902	3595.399902	1.119891
1900	001B	2062	0.05	1200	1	55	80	2.5	4	3	5155	3955	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4573.600098	4573.600098	1.12
1900	001C	2062	0.05	1662	1	55	80	2.5	4	3	5155	3493	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4111.600098	4111.600098	1.12
1900	019	1750	0.04	837	1	55	80	2.5	3	2	4375	3538	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4063	4063	1.12
1900	019A	1750	0.04	837	1	55	80	2.5	3	2	4375	3538	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4063	4063	1.12
1900	020	1801	0.04	975	1	55	80	2.5	3	2	4502	3527	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5042.799805	4067.799805	4067.799805	1.120124
1900	020A	1893	0.04	837	1	55	80	2.5	3	2	4732	3895	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4463.399902	4463.399902	1.120118
1900	023	1893	0.04	837	1	55	80	2.5	3	2	4732	3895	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4463.399902	4463.399902	1.120118
1900	024	1814	0.04	1749	1	55	80	2.5	3	2	4535	2786	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5079.199707	3330.199707	3330.199707	1.12
1900	025	1763	0.04	837	1	55	80	2.5	3	2	4408	3571	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	4099.399902	4099.399902	1.119873
1900	025A	1763	0.04	1155	1	55	80	2.5	3	2	4408	3253	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3781.399902	3781.399902	1.119873
1901	019	1698	0.04	1225	1	55	80	2.5	3	2	4245	3020	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4754.399902	3529.399902	3529.399902	1.12
1901	020	1698	0.04	1075	1	55	80	2.5	3	2	4245	3170	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4754.399902	3679.399902	3679.399902	1.12
1901	021	1748	0.04	1475	1	55	80	2.5	3	2	4370	2895	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4894.399902	3419.399902	3419.399902	1.12
1901	021A	1893	0.04	1190	1	55	80	2.5	3	2	4732	3542	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4110.399902	4110.399902	1.120118
1901	022	1893	0.04	831	1	55	80	2.5	3	2	4732	3901	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4469.399902	4469.399902	1.120118
1901	023	1893	0.04	1338	1	55	80	2.5	3	2	4732	3394	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	3962.399902	3962.399902	1.120118
1901	023A	1893	0.04	831	1	55	80	2.5	3	2	4732	3901	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4469.399902	4469.399902	1.120118
1901	024	1843	0.04	1315	1	55	80	2.5	3	2	4608	3293	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5160.399902	3845.399902	3845.399902	1.119878
1901	025	1790	0.04	1377	1	55	80	2.5	3	2	4475	3098	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5012	3635	3635	1.12
1901	026	1790	0.04	1075	1	55	80	2.5	3	2	4475	3400	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5012	3937	3937	1.12
1902	001I	1750	0.04	1050	1	55	80	2.5	3	2	4375	3325	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3850	3850	1.12
1902	001J	1750	0.04	1050	1	55	80	2.5	3	2	4375	3325	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3850	3850	1.12
1902	003B	1750	0.04	875	1	55	80	2.5	3	2	4375	3500	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4025	4025	1.12
1902	003C	1750	0.04	875	1	55	80	2.5	3	2	4375	3500	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4025	4025	1.12
1902	003D	1801	0.04	1336	1	55	80	2.5	3	2	4502	3166	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5042.799805	3706.799805	3706.799805	1.120124
1902	003F	1893	0.04	1540	1	55	80	2.5	3	2	4732	3192	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	3760.399902	3760.399902	1.120118
1902	023	1792	0.04	875	1	55	80	2.5	3	2	4480	3605	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5017.600098	4142.600098	4142.600098	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1902	024	1792	0.04	1235	1	55	80	2.5	3	2	4480	3245	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5017.600098	3782.600098	3782.600098	1.12
1902	026	1822	0.04	1698	1	55	80	2.5	3	2	4555	2857	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5101.600098	3403.600098	3403.600098	1.12
1902	027	1822	0.04	1336	1	55	80	2.5	3	2	4555	3219	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5101.600098	3765.600098	3765.600098	1.12
1902	028	1822	0.04	1465	1	55	80	2.5	3	2	4555	3090	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5101.600098	3636.600098	3636.600098	1.12
1902	029	1822	0.04	1642	1	55	80	2.5	3	2	4555	2913	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5101.600098	3459.600098	3459.600098	1.12
1903	002	1750	0.04	1000	1	55	80	2.5	3	2	4375	3375	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3900	3900	1.12
1903	003	1750	0.04	1000	1	55	80	2.5	3	2	4375	3375	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3900	3900	1.12
1903	022	1750	0.04	1025	1	55	80	2.5	3	2	4375	3350	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3875	3875	1.12
1903	023	1750	0.04	1025	1	55	80	2.5	3	2	4375	3350	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3875	3875	1.12
1903	024	1801	0.04	1550	1	55	80	2.5	3	2	4502	2952	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5042.799805	3492.799805	3492.799805	1.120124
1903	025	1893	0.04	1025	1	55	80	2.5	3	2	4732	3707	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4275.399902	4275.399902	1.120118
1903	027	1893	0.04	1025	1	55	80	2.5	3	2	4732	3707	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4275.399902	4275.399902	1.120118
1903	027A	1893	0.04	1025	1	55	80	2.5	3	2	4732	3707	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4275.399902	4275.399902	1.120118
1903	028	1801	0.04	1728	1	55	80	2.5	3	2	4502	2774	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5042.799805	3314.799805	3314.799805	1.120124
1903	029	1750	0.04	1025	1	55	80	2.5	3	2	4375	3350	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3875	3875	1.12
1903	030	1750	0.04	1475	1	55	80	2.5	3	2	4375	2900	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3425	3425	1.12
1903	049	1750	0.04	1366	1	55	80	2.5	3	2	4375	3009	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3534	3534	1.12
1903	050	1750	0.04	1342	1	55	80	2.5	3	2	4375	3033	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3558	3558	1.12
1903	052	1821	0.04	1150	1	55	80	2.5	3	2	4552	3402	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5098.799805	3948.799805	3948.799805	1.120123
1903	054	1821	0.04	1555	1	55	80	2.5	3	2	4552	2997	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5098.799805	3543.799805	3543.799805	1.120123
1903	055	1821	0.04	2014	1	55	80	2.5	3	2	4552	2538	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5098.799805	3084.799805	3084.799805	1.120123
1904	002	1750	0.04	1176	1	55	80	2.5	3	2	4375	3199	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3724	3724	1.12
1904	003	1750	0.04	850	1	55	80	2.5	3	2	4375	3525	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4050	4050	1.12
1904	004	1750	0.04	1110	1	55	80	2.5	3	2	4375	3265	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3790	3790	1.12
1904	021	1750	0.04	1148	1	55	80	2.5	3	2	4375	3227	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3752	3752	1.12
1904	022	1750	0.04	875	1	55	80	2.5	3	2	4375	3500	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4025	4025	1.12
1904	023	1750	0.04	1010	1	55	80	2.5	3	2	4375	3365	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3890	3890	1.12
1904	024	1801	0.04	875	1	55	80	2.5	3	2	4502	3627	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5042.799805	4167.799805	4167.799805	1.120124
1904	029	1812	0.04	1350	1	55	80	2.5	3	2	4530	3180	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5073.600098	3723.600098	3723.600098	1.12
1904	030	1760	0.04	800	1	55	80	2.5	3	2	4400	3600	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	4128	4128	1.12
1904	031	1760	0.04	800	1	55	80	2.5	3	2	4400	3600	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	4128	4128	1.12
1904	032	1760	0.04	800	1	55	80	2.5	3	2	4400	3600	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	4128	4128	1.12
1904	049	1760	0.04	800	1	55	80	2.5	3	2	4400	3600	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	4128	4128	1.12
1904	050	1760	0.04	1252	1	55	80	2.5	3	2	4400	3148	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	3676	3676	1.12
1904	051	1760	0.04	1425	1	55	80	2.5	3	2	4400	2975	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	3503	3503	1.12
1905	001	1878	0.04	1550	1	55	80	2.5	3	2	4695	3145	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5258.399902	3708.399902	3708.399902	1.12
1905	003	2062	0.05	1663	1	55	80	2.5	4	3	5155	3492	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4110.600098	4110.600098	1.12
1905	022	1750	0.04	1050	1	55	80	2.5	3	2	4375	3325	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3850	3850	1.12
1905	023	1750	0.04	1050	1	55	80	2.5	3	2	4375	3325	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3850	3850	1.12
1905	024	1801	0.04	1075	1	55	80	2.5	3	2	4502	3427	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5042.799805	3967.799805	3967.799805	1.120124
1905	025	1893	0.04	1150	1	55	80	2.5	3	2	4732	3582	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4150.399902	4150.399902	1.120118
1905	026	1893	0.04	1150	1	55	80	2.5	3	2	4732	3582	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4150.399902	4150.399902	1.120118
1905	027	1893	0.04	1150	1	55	80	2.5	3	2	4732	3582	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4150.399902	4150.399902	1.120118
1905	028	1893	0.04	1150	1	55	80	2.5	3	2	4732	3582	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4150.399902	4150.399902	1.120118
1905	029	1805	0.04	1075	1	55	80	2.5	3	2	4512	3437	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5054	3979	3979	1.120124
1905	030	1754	0.04	1050	1	55	80	2.5	3	2	4385	3335	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4911.199707	3861.199707	3861.199707	1.12
1905	031	1754	0.04	1499	1	55	80	2.5	3	2	4385	2886	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4911.199707	3412.199707	3412.199707	1.12
1905	050	2066	0.05	1150	1	55	80	2.5	4	3	5165	4015	RH-1	40	form-based			true	0.7	4	1	3	3	5784.799805	4634.799805	4634.799805	1.12
1905	051	2066	0.05	1627	1	55	80	2.5	4	3	5165	3538	RH-1	40	form-based			true	0.7	4	1	3	3	5784.799805	4157.799805	4157.799805	1.12
1905	052	1883	0.04	1450	1	55	80	2.5	3	2	4708	3258	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5272.399902	3822.399902	3822.399902	1.119881
1905	053	1819	0.04	1686	1	55	80	2.5	3	2	4548	2862	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5093.199707	3407.199707	3407.199707	1.119877
1905	054	1819	0.04	1150	1	55	80	2.5	3	2	4548	3398	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5093.199707	3943.199707	3943.199707	1.119877
1905	055	1819	0.04	1150	1	55	80	2.5	3	2	4548	3398	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5093.199707	3943.199707	3943.199707	1.119877
1906	001	1875	0.04	2458	1	55	80	2.5	3	2	4688	2230	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5250	2792	2792	1.119881
1906	001A	2062	0.05	1450	1	55	80	2.5	4	3	5155	3705	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4323.600098	4323.600098	1.12
1906	001B	2063	0.05	1450	1	55	80	2.5	4	3	5158	3708	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4326.399902	4326.399902	1.119891
1906	001C	2062	0.05	1690	1	55	80	2.5	4	3	5155	3465	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4083.600098	4083.600098	1.12
1906	014A	1875	0.04	1585	1	55	80	2.5	3	2	4688	3103	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3665	3665	1.119881
1906	015	1875	0.04	1325	1	55	80	2.5	3	2	4688	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3925	3925	1.119881
1906	015A	1930	0.04	2200	1	55	80	2.5	3	2	4825	2625	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5404	3204	3204	1.12
1906	016	1893	0.04	863	1	55	80	2.5	3	2	4732	3869	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4437.399902	4437.399902	1.120118
1906	033	2005	0.05	1450	1	55	80	2.5	4	3	5012	3562	RH-1	40	form-based			true	0.7	4	1	3	3	5614	4164	4164	1.120112
1906	033A	2005	0.05	1690	1	55	80	2.5	4	3	5012	3322	RH-1	40	form-based			true	0.7	4	1	3	3	5614	3924	3924	1.120112
1906	033B	2005	0.05	1450	1	55	80	2.5	4	3	5012	3562	RH-1	40	form-based			true	0.7	4	1	3	3	5614	4164	4164	1.120112

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1906	034	1825	0.04	1965	1	55	80	2.5	3	2	4562	2597	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5110	3145	3145	1.120123
1908	001	1845	0.04	1200	1	55	80	2.5	3	2	4612	3412	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5166	3966	3966	1.120121
1908	002	2035	0.05	1575	1	55	80	2.5	4	3	5088	3513	RH-1	40	form-based			true	0.7	4	1	3	3	5698	4123	4123	1.11989
1908	003	2035	0.05	1537	1	55	80	2.5	4	3	5088	3551	RH-1	40	form-based			true	0.7	4	1	3	3	5698	4161	4161	1.11989
1908	004	2035	0.05	1375	1	55	80	2.5	4	3	5088	3713	RH-1	40	form-based			true	0.7	4	1	3	3	5698	4323	4323	1.11989
1908	021	2035	0.05	1846	1	55	80	2.5	4	3	5088	3242	RH-1	40	form-based			true	0.7	4	1	3	3	5698	3852	3852	1.11989
1908	022	2035	0.05	1200	1	55	80	2.5	4	3	5088	3888	RH-1	40	form-based			true	0.7	4	1	3	3	5698	4498	4498	1.11989
1908	023	2035	0.05	1200	1	55	80	2.5	4	3	5088	3888	RH-1	40	form-based			true	0.7	4	1	3	3	5698	4498	4498	1.11989
1908	024	2094	0.05	1175	1	55	80	2.5	4	3	5235	4060	RH-1	40	form-based		true	true	0.7	4	1	3	3	5863.199707	4688.199707	4688.199707	1.12
1908	028	2083	0.05	1369	1	55	80	2.5	4	3	5208	3839	RH-1	40	form-based			true	0.7	4	1	3	3	5832.399902	4463.399902	4463.399902	1.119892
1908	029	2083	0.05	1219	1	55	80	2.5	4	3	5208	3989	RH-1	40	form-based			true	0.7	4	1	3	3	5832.399902	4613.399902	4613.399902	1.119892
1908	030	2083	0.05	1174	1	55	80	2.5	4	3	5208	4034	RH-1	40	form-based			true	0.7	4	1	3	3	5832.399902	4658.399902	4658.399902	1.119892
1908	047	2083	0.05	1175	1	55	80	2.5	4	3	5208	4033	RH-1	40	form-based			true	0.7	4	1	3	3	5832.399902	4657.399902	4657.399902	1.119892
1908	048	2083	0.05	1975	1	55	80	2.5	4	3	5208	3233	RH-1	40	form-based			true	0.7	4	1	3	3	5832.399902	3857.399902	3857.399902	1.119892
1908	049	2083	0.05	1175	1	55	80	2.5	4	3	5208	4033	RH-1	40	form-based			true	0.7	4	1	3	3	5832.399902	4657.399902	4657.399902	1.119892
1908	050	1890	0.04	1719	1	55	80	2.5	3	2	4725	3006	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5292	3573	3573	1.12
1909	001A	1750	0.04	1213	1	55	80	2.5	3	2	4375	3162	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3687	3687	1.12
1909	002	1750	0.04	1680	1	55	80	2.5	3	2	4375	2695	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3220	3220	1.12
1909	015E	2062	0.05	1620	1	55	80	2.5	4	3	5155	3535	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4153.600098	4153.600098	1.12
1909	015F	2062	0.05	2064	1	55	80	2.5	4	3	5155	3091	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	3709.600098	3709.600098	1.12
1909	015G	2123	0.05	1718	1	55	80	2.5	4	3	5308	3590	RH-1	40	form-based		true	true	0.7	4	1	3	3	5944.399902	4226.399902	4226.399902	1.119895
1909	015H	1893	0.04	1025	1	55	80	2.5	3	2	4732	3707	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4275.399902	4275.399902	1.120118
1909	017	2097	0.05	1816	1	55	80	2.5	4	3	5242	3426	RH-1	40	form-based			true	0.7	4	1	3	3	5871.600098	4055.600098	4055.600098	1.120107
1909	018	2097	0.05	1312	1	55	80	2.5	4	3	5242	3930	RH-1	40	form-based			true	0.7	4	1	3	3	5871.600098	4559.600098	4559.600098	1.120107
1909	019	2097	0.05	1856	1	55	80	2.5	4	3	5242	3386	RH-1	40	form-based			true	0.7	4	1	3	3	5871.600098	4015.600098	4015.600098	1.120107
1909	038	1816	0.04	1969	1	55	80	2.5	3	2	4540	2571	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5084.799805	3115.799805	3115.799805	1.12
1909	039	1816	0.04	1425	1	55	80	2.5	3	2	4540	3115	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5084.799805	3659.799805	3659.799805	1.12
1910	001	1878	0.04	1451	1	55	80	2.5	3	2	4695	3244	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5258.399902	3807.399902	3807.399902	1.12
1910	002	2078	0.05	1250	1	55	80	2.5	4	3	5195	3945	RH-1	40	form-based			true	0.7	4	1	3	3	5818.399902	4568.399902	4568.399902	1.12
1910	003	2078	0.05	1250	1	55	80	2.5	4	3	5195	3945	RH-1	40	form-based			true	0.7	4	1	3	3	5818.399902	4568.399902	4568.399902	1.12
1910	022	2078	0.05	1250	1	55	80	2.5	4	3	5195	3945	RH-1	40	form-based			true	0.7	4	1	3	3	5818.399902	4568.399902	4568.399902	1.12
1910	023	2078	0.05	1583	1	55	80	2.5	4	3	5195	3612	RH-1	40	form-based			true	0.7	4	1	3	3	5818.399902	4235.399902	4235.399902	1.12
1910	024	2138	0.05	1250	1	55	80	2.5	4	3	5345	4095	RH-1	40	form-based		true	true	0.7	4	1	3	3	5986.399902	4736.399902	4736.399902	1.12
1910	025	1893	0.04	1150	1	55	80	2.5	3	2	4732	3582	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4150.399902	4150.399902	1.120118
1910	026	1893	0.04	1550	1	55	80	2.5	3	2	4732	3182	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	3750.399902	3750.399902	1.120118
1910	027	1893	0.04	1150	1	55	80	2.5	3	2	4732	3582	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	4150.399902	4150.399902	1.120118
1910	028	2107	0.05	1250	1	55	80	2.5	4	3	5268	4018	RH-1	40	form-based		true	true	0.7	4	1	3	3	5899.600098	4649.600098	4649.600098	1.119894
1910	029	2047	0.05	1250	1	55	80	2.5	4	3	5118	3868	RH-1	40	form-based			true	0.7	4	1	3	3	5731.600098	4481.600098	4481.600098	1.119891
1910	030	2047	0.05	2176	1	55	80	2.5	4	3	5118	2942	RH-1	40	form-based			true	0.7	4	1	3	3	5731.600098	3555.600098	3555.600098	1.119891
1910	049	2051	0.05	1642	1	55	80	2.5	4	3	5128	3486	RH-1	40	form-based			true	0.7	4	1	3	3	5742.799805	4100.799805	4100.799805	1.119891
1910	050	2051	0.05	1466	1	55	80	2.5	4	3	5128	3662	RH-1	40	form-based			true	0.7	4	1	3	3	5742.799805	4276.799805	4276.799805	1.119891
1910	051	1856	0.04	1250	1	55	80	2.5	3	2	4640	3390	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5196.799805	3946.799805	3946.799805	1.12
1910	052	1815	0.04	1150	1	55	80	2.5	3	2	4538	3388	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5082	3932	3932	1.119877
1910	053	1815	0.04	1499	1	55	80	2.5	3	2	4538	3039	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5082	3583	3583	1.119877
1910	054	1815	0.04	1627	1	55	80	2.5	3	2	4538	2911	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5082	3455	3455	1.119877
1911	001	1836	0.04	2372	1	55	80	2.5	3	2	4590	2218	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5140.799805	2768.799805	2768.799805	1.12
1911	001A	2034	0.05	2510	1	55	80	2.5	4	3	5085	2575	RH-1	40	form-based			true	0.7	4	1	3	3	5695.199707	3185.199707	3185.199707	1.12
1911	001B	2034	0.05	1488	1	55	80	2.5	4	3	5085	3597	RH-1	40	form-based			true	0.7	4	1	3	3	5695.199707	4207.199707	4207.199707	1.12
1911	001C	2034	0.05	1983	1	55	80	2.5	4	3	5085	3102	RH-1	40	form-based			true	0.7	4	1	3	3	5695.199707	3712.199707	3712.199707	1.12
1911	004	2034	0.05	1523	1	55	80	2.5	4	3	5085	3562	RH-1	40	form-based			true	0.7	4	1	3	3	5695.199707	4172.199707	4172.199707	1.12
1911	004A	2034	0.05	1150	1	55	80	2.5	4	3	5085	3935	RH-1	40	form-based			true	0.7	4	1	3	3	5695.199707	4545.199707	4545.199707	1.12
1911	005	2034	0.05	1575	1	55	80	2.5	4	3	5085	3510	RH-1	40	form-based			true	0.7	4	1	3	3	5695.199707	4120.199707	4120.199707	1.12
1911	006	2093	0.05	1150	1	55	80	2.5	4	3	5232	4082	RH-1	40	form-based		true	true	0.7	4	1	3	3	5860.399902	4710.399902	4710.399902	1.120107
1911	008A	2090	0.05	1375	1	55	80	2.5	4	3	5225	3850	RH-1	40	form-based			true	0.7	4	1	3	3	5852	4477	4477	1.12
1911	008B	2090	0.05	1295	1	55	80	2.5	4	3	5225	3930	RH-1	40	form-based			true	0.7	4	1	3	3	5852	4557	4557	1.12
1911	008C	2089	0.05	1699	1	55	80	2.5	4	3	5222	3523	RH-1	40	form-based			true	0.7	4	1	3	3	5849.199707	4150.199707	4150.199707	1.120107
1911	017	2086	0.05	1796	1	55	80	2.5	4	3	5215	3419	RH-1	40	form-based			true	0.7	4	1	3	3	5840.799805	4044.799805	4044.799805	1.12
1911	018	2086	0.05	1859	1	55	80	2.5	4	3	5215	3356	RH-1	40	form-based			true	0.7	4	1	3	3	5840.799805	3981.799805	3981.799805	1.12
1911	019	2086	0.05	2365	1	55	80	2.5	4	3	5215	2850	RH-1	40	form-based			true	0.7	4	1	3	3	5840.799805	3475.799805	3475.799805	1.12
1911	020	1884	0.04	2213	1	55	80	2.5	3	2	4710	2497	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5275.199707	3062.199707	3062.199707	1.12
1912	004C	2048	0.05	2125	1	55	80	2.5	4	3	5120	2995	RH-1	40	form-based		true	true	0.7	4	1	3	3	5734.399902	3609.399902	3609.399902	1.12
1913	001	2041	0.05	1700	1	55	80	2.5	4	3	5102	3402	RH-1	40	form-based		true	true	0.7	4	1	3	3	5714.799805	4014.799805	4014.799805	1.12011
1913	001A	1783	0.04	1278	1	55	80	2.5	3	2	4458	3180	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4992.399902	3714.399902	3714.399902	1.119874
1913	001B	1783	0.04	1278	1	55	80	2.5	3	2	4458	3180	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4992.399902	3714.399902	3714.399902	1.119874

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1913	022	2133	0.05	2112	1	55	80	2.5	4	3	5332	3220	RH-1	40	form-based		true	true	0.7	4	1	3	3	5972.399902	3860.399902	3860.399902	1.120105
1913	023	2072	0.05	1622	1	55	80	2.5	4	3	5180	3558	RH-1	40	form-based			true	0.7	4	1	3	3	5801.600098	4179.600098	4179.600098	1.12
1913	024	2072	0.05	1350	1	55	80	2.5	4	3	5180	3830	RH-1	40	form-based			true	0.7	4	1	3	3	5801.600098	4451.600098	4451.600098	1.12
1913	024A	2072	0.05	1490	1	55	80	2.5	4	3	5180	3690	RH-1	40	form-based			true	0.7	4	1	3	3	5801.600098	4311.600098	4311.600098	1.12
1914	012	2062	0.05	1886	1	55	80	2.5	4	3	5155	3269	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	3887.600098	3887.600098	1.12
1914	012A	2063	0.05	2006	1	55	80	2.5	4	3	5158	3152	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	3770.399902	3770.399902	1.119891
1914	012B	2062	0.05	1979	1	55	80	2.5	4	3	5155	3176	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	3794.600098	3794.600098	1.12
1914	012C	2123	0.05	1150	1	55	80	2.5	4	3	5308	4158	RH-1	40	form-based		true	true	0.7	4	1	3	3	5944.399902	4794.399902	4794.399902	1.119895
1914	012G	2118	0.05	1855	1	55	80	2.5	4	3	5295	3440	RH-1	40	form-based		true	true	0.7	4	1	3	3	5930.399902	4075.399902	4075.399902	1.12
1914	012H	2058	0.05	1400	1	55	80	2.5	4	3	5145	3745	RH-1	40	form-based			true	0.7	4	1	3	3	5762.399902	4362.399902	4362.399902	1.12
1914	012I	2059	0.05	1400	1	55	80	2.5	4	3	5148	3748	RH-1	40	form-based			true	0.7	4	1	3	3	5765.199707	4365.199707	4365.199707	1.119891
1914	012J	2059	0.05	1400	1	55	80	2.5	4	3	5148	3748	RH-1	40	form-based			true	0.7	4	1	3	3	5765.199707	4365.199707	4365.199707	1.119891
1914	020	1784	0.04	1271	1	55	80	2.5	3	2	4460	3189	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4995.199707	3724.199707	3724.199707	1.12
1914	020A	1785	0.04	1271	1	55	80	2.5	3	2	4462	3191	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4998	3727	3727	1.120126
1914	021	2044	0.05	2612	1	55	80	2.5	4	3	5110	2498	RH-1	40	form-based		true	true	0.7	4	1	3	3	5723.199707	3111.199707	3111.199707	1.12
1916	006H	2068	0.05	1440	1	55	80	2.5	4	3	5170	3730	RH-1	40	form-based			true	0.7	4	1	3	3	5790.399902	4350.399902	4350.399902	1.12
1916	001	1456	0.03	2660	2	55	80	2.5	2	0	3640	980	RTO-C	65	form-based		true	true	0.75	5	2.5	3	2	6552	3892	3892	1.8
1916	006A	2062	0.05	1444	1	55	80	2.5	4	3	5155	3711	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4329.600098	4329.600098	1.12
1916	006B	2063	0.05	1790	1	55	80	2.5	4	3	5158	3368	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	3986.399902	3986.399902	1.119891
1916	006C	2123	0.05	1625	1	55	80	2.5	4	3	5308	3683	RH-1	40	form-based		true	true	0.7	4	1	3	3	5944.399902	4319.399902	4319.399902	1.119895
1916	006G	2129	0.05	1730	1	55	80	2.5	4	3	5322	3592	RH-1	40	form-based		true	true	0.7	4	1	3	3	5961.199707	4231.199707	4231.199707	1.120105
1916	006I	2068	0.05	1440	1	55	80	2.5	4	3	5170	3730	RH-1	40	form-based			true	0.7	4	1	3	3	5790.399902	4350.399902	4350.399902	1.12
1916	006J	2068	0.05	1740	1	55	80	2.5	4	3	5170	3430	RH-1	40	form-based			true	0.7	4	1	3	3	5790.399902	4050.399902	4050.399902	1.12
1917	015	2455	0.06	2566	2	55	80	2.5	5	3	6138	3572	RH-1	40	form-based		true	true	0.7	5	1	3	3	6874	4308	4308	1.119909
1918	027	2392	0.05	1380	2	55	80	2.5	4	2	5980	4600	RH-1	40	form-based			true	0.7	5	1.25	3	3	6697.600098	5317.600098	5317.600098	1.12
1919	047	2144	0.05	4875	5	55	80	2.5	4	0	5360	485	RTO-C	65	form-based		true	true	0.75	8	2	3	3	9648	4773	4773	1.8
1920	001	2098	0.05	1936	1	55	80	2.5	4	3	5245	3309	RH-1	40	form-based		true	true	0.7	4	1	3	3	5874.399902	3938.399902	3938.399902	1.12
1920	024	2423	0.06	3250	2	55	80	2.5	5	3	6058	2808	RH-1	40	form-based		true	true	0.7	5	1	3	3	6784.399902	3534.399902	3534.399902	1.119907
1920	051	2432	0.06	2105	2	55	80	2.5	5	3	6080	3975	RH-1	40	form-based			true	0.7	5	1	3	3	6809.600098	4704.600098	4704.600098	1.12
1921	021	2046	0.05	1500	1	55	80	2.5	4	3	5115	3615	RH-1	40	form-based			true	0.7	4	1	3	3	5728.799805	4228.799805	4228.799805	1.12
1921	022	2046	0.05	2265	1	55	80	2.5	4	3	5115	2850	RH-1	40	form-based			true	0.7	4	1	3	3	5728.799805	3463.799805	3463.799805	1.12
1921	023	2046	0.05	1440	1	55	80	2.5	4	3	5115	3675	RH-1	40	form-based			true	0.7	4	1	3	3	5728.799805	4288.799805	4288.799805	1.12
1921	024	2106	0.05	2317	1	55	80	2.5	4	3	5265	2948	RH-1	40	form-based		true	true	0.7	4	1	3	3	5896.799805	3579.799805	3579.799805	1.12
1921	029	2092	0.05	2060	1	55	80	2.5	4	3	5230	3170	RH-1	40	form-based			true	0.7	4	1	3	3	5857.600098	3797.600098	3797.600098	1.12
1921	030	2092	0.05	1350	1	55	80	2.5	4	3	5230	3880	RH-1	40	form-based			true	0.7	4	1	3	3	5857.600098	4507.600098	4507.600098	1.12
1921	031	2092	0.05	1985	1	55	80	2.5	4	3	5230	3245	RH-1	40	form-based			true	0.7	4	1	3	3	5857.600098	3872.600098	3872.600098	1.12
1921	048	2092	0.05	1250	1	55	80	2.5	4	3	5230	3980	RH-1	40	form-based			true	0.7	4	1	3	3	5857.600098	4607.600098	4607.600098	1.12
1921	049	2092	0.05	1670	1	55	80	2.5	4	3	5230	3560	RH-1	40	form-based			true	0.7	4	1	3	3	5857.600098	4187.600098	4187.600098	1.12
1921	050	2092	0.05	2216	1	55	80	2.5	4	3	5230	3014	RH-1	40	form-based			true	0.7	4	1	3	3	5857.600098	3641.600098	3641.600098	1.12
1922	001	2110	0.05	1745	1	55	80	2.5	4	3	5275	3530	RH-1	40	form-based		true	true	0.7	4	1	3	3	5908	4163	4163	1.12
1922	019	1750	0.04	1291	1	55	80	2.5	3	2	4375	3084	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3609	3609	1.12
1922	019A	1893	0.04	1325	1	55	80	2.5	3	2	4732	3407	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5300.399902	3975.399902	3975.399902	1.120118
1922	020	1750	0.04	1591	1	55	80	2.5	3	2	4375	2784	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3309	3309	1.12
1922	021	1801	0.04	1573	1	55	80	2.5	3	2	4502	2929	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5042.799805	3469.799805	3469.799805	1.120124
1922	045A	2126	0.05	1928	1	55	80	2.5	4	3	5315	3387	RH-1	40	form-based		true	true	0.7	4	1	3	3	5952.799805	4024.799805	4024.799805	1.12
1923	001	1801	0.04	2176	1	55	80	2.5	3	2	4502	2326	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5042.799805	2866.799805	2866.799805	1.120124
1923	001A	2029	0.05	1500	1	55	80	2.5	4	3	5072	3572	RH-2	40	form-based			true	0.7	4	1	3	3	5681.199707	4181.199707	4181.199707	1.12011
1923	001B	2029	0.05	2102	1	55	80	2.5	4	3	5072	2970	RH-2	40	form-based			true	0.7	4	1	3	3	5681.199707	3579.199707	3579.199707	1.12011
1923	001C	2029	0.05	1574	1	55	80	2.5	4	3	5072	3498	RH-2	40	form-based			true	0.7	4	1	3	3	5681.199707	4107.199707	4107.199707	1.12011
1924	095	2575	0.06	1980	2	55	80	2.5	5	3	6438	4458	RH-2	40	form-based			true	0.7	5	1	3	3	7210	5230	5230	1.119913
1924	097	2575	0.06	2225	2	55	80	2.5	5	3	6438	4213	RH-2	40	form-based			true	0.7	5	1	3	3	7210	4985	4985	1.119913
1924	101	2575	0.06	1980	2	55	80	2.5	5	3	6438	4458	RH-2	40	form-based			true	0.7	5	1	3	3	7210	5230	5230	1.119913
1924	109	2575	0.06	1980	2	55	80	2.5	5	3	6438	4458	RH-2	40	form-based			true	0.7	5	1	3	3	7210	5230	5230	1.119913
1924	113	2575	0.06	2155	2	55	80	2.5	5	3	6438	4283	RH-2	40	form-based			true	0.7	5	1	3	3	7210	5055	5055	1.119913
1924	115	2575	0.06	1980	2	55	80	2.5	5	3	6438	4458	RH-2	40	form-based			true	0.7	5	1	3	3	7210	5230	5230	1.119913
1924	121	2575	0.06	1980	2	55	80	2.5	5	3	6438	4458	RH-2	40	form-based			true	0.7	5	1	3	3	7210	5230	5230	1.119913
1924	123	2575	0.06	1980	2	55	80	2.5	5	3	6438	4458	RH-2	40	form-based			true	0.7	5	1	3	3	7210	5230	5230	1.119913
1924	127	2879	0.07	1980	3	55	80	2.5	6	3	7198	5218	RH-2	40	form-based			true	0.7	6	1	3	3	8061.199707	6081.199707	6081.199707	1.119922
1925	001	1900	0.04	1608	1	55	80	2.5	3	2	4750	3142	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5320	3712	3712	1.12
1925	002	2132	0.05	1410	1	55	80	2.5	4	3	5330	3920	RH-1	40	form-based			true	0.7	4	1	3	3	5969.600098	4559.600098	4559.600098	1.12
1926	001	2098	0.05	1486	1	55	80	2.5	4	3	5245	3759	RH-1	40	form-based		true	true	0.7	4	1	3	3	5874.399902	4388.399902	4388.399902	1.12
1926	036	2115	0.05	1450	1	55	80	2.5	4	3	5288	3838	RH-1	40	form-based		true	true	0.7	4	1	3	3	5922	4472	4472	1.119894
1929A	009A	3150	0.07	2696	4	55	80	2.5	6	2	7875	5179	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	8820	6124	6124	1.12
1929A	053	2388	0.05	3033	2	55	80	2.5	4	2	5970	2937	RH-1	40	form-based		true	true	0.7	5	1.25	3	3	6686.399902	3653.399902	3653.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1930A	006B	1798	0.04	1144	1	55	80	2.5	3	2	4495	3351	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5034.399902	3890.399902	3890.399902	1.12
1930A	006C	1842	0.04	1144	1	55	80	2.5	3	2	4605	3461	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5157.600098	4013.600098	4013.600098	1.12
1931	020	2533	0.06	2575	2	55	80	2.5	5	3	6332	3757	RH-2	40	form-based			true	0.7	5	1	3	3	7092.399902	4517.399902	4517.399902	1.120088
1931	021	2533	0.06	2534	2	55	80	2.5	5	3	6332	3798	RH-2	40	form-based			true	0.7	5	1	3	3	7092.399902	4558.399902	4558.399902	1.120088
1931	034	2079	0.05	1375	1	55	80	2.5	4	3	5198	3823	RH-2	40	form-based			true	0.7	4	1	3	3	5821.199707	4446.199707	4446.199707	1.119892
1931	034A	2079	0.05	1522	1	55	80	2.5	4	3	5198	3676	RH-2	40	form-based			true	0.7	4	1	3	3	5821.199707	4299.199707	4299.199707	1.119892
1931	034B	2079	0.05	1470	1	55	80	2.5	4	3	5198	3728	RH-2	40	form-based			true	0.7	4	1	3	3	5821.199707	4351.199707	4351.199707	1.119892
1931	035	1883	0.04	1375	1	55	80	2.5	3	2	4708	3333	RH-2	40	form-based	true		true	0.7	4	1.333333373	3	3	5272.399902	3897.399902	3897.399902	1.119881
1932	018	2489	0.06	3470	2	55	80	2.5	5	3	6222	2752	RH-2	40	form-based	true		true	0.7	5	1	3	3	6969.199707	3499.199707	3499.199707	1.12009
1932	037B	2265	0.05	3952	2	55	80	2.5	4	2	5662	1710	RH-2	40	form-based			true	0.7	5	1.25	3	3	6342	2390	2390	1.120099
1932	037C	2049	0.05	2017	1	55	80	2.5	4	3	5122	3105	RH-2	40	form-based	true		true	0.7	4	1	3	3	5737.199707	3720.199707	3720.199707	1.120109
1933	019	2533	0.06	2165	2	55	80	2.5	5	3	6332	4167	RH-2	40	form-based			true	0.7	5	1	3	3	7092.399902	4927.399902	4927.399902	1.120088
1933	025	2533	0.06	3250	2	55	80	2.5	5	3	6332	3082	RH-2	40	form-based			true	0.7	5	1	3	3	7092.399902	3842.399902	3842.399902	1.120088
1933	041	2990	0.07	4772	3	55	80	2.5	6	3	7475	2703	RH-2	40	form-based			true	0.7	6	1	3	3	8372	3600	3600	1.12
1933	048	2440	0.06	3641	2	55	80	2.5	5	3	6100	2459	RH-2	40	form-based			true	0.7	5	1	3	3	6832	3191	3191	1.12
1933	049	2440	0.06	2230	2	55	80	2.5	5	3	6100	3870	RH-2	40	form-based			true	0.7	5	1	3	3	6832	4602	4602	1.12
1933	061	2533	0.06	1923	2	55	80	2.5	5	3	6332	4409	RH-2	40	form-based			true	0.7	5	1	3	3	7092.399902	5169.399902	5169.399902	1.120088
1934	001B	1750	0.04	1580	1	55	80	2.5	3	2	4375	2795	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4900	3320	3320	1.12
1934	001D	1814	0.04	1130	1	55	80	2.5	3	2	4535	3405	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5079.199707	3949.199707	3949.199707	1.12
1934	001E	2439	0.06	1150	2	55	80	2.5	5	3	6098	4948	RH-2	40	form-based			true	0.7	5	1	3	3	6829.199707	5679.199707	5679.199707	1.119908
1934	019	2786	0.06	3182	3	55	80	2.5	5	2	6965	3783	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7800.799805	4618.799805	4618.799805	1.12
1934	029	3013	0.07	4503	3	55	80	2.5	6	3	7532	3029	RH-2	40	form-based			true	0.7	6	1	3	3	8436.399414	3933.399414	3933.399414	1.120074
1934	041	1763	0.04	1800	1	55	80	2.5	3	2	4408	2608	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3136.399902	3136.399902	1.119873
1934	041A	1763	0.04	1660	1	55	80	2.5	3	2	4408	2748	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3276.399902	3276.399902	1.119873
1934	041C	1814	0.04	1740	1	55	80	2.5	3	2	4535	2795	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5079.199707	3339.199707	3339.199707	1.12
1935	022	1673	0.04	1926	1	55	80	2.5	3	2	4182	2256	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4684.399902	2758.399902	2758.399902	1.120134
1935	032A	1540	0.04	0	0	55	80	2.5	3	3	3850	3850	RH-1	40	form-based			true	0.7	3	1	3	3	4312	4312	4312	1.12
1936	001	1733	0.04	2603	1	55	80	2.5	3	2	4332	1729	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4852.399902	2249.399902	2249.399902	1.120129
1936	003	1937	0.04	1863	1	55	80	2.5	3	2	4842	2979	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5423.600098	3560.600098	3560.600098	1.120116
2001	001	1850	0.04	1759	1	55	80	2.5	3	2	4625	2866	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	5180	3421	3421	1.12
2001	001A	1850	0.04	2225	1	55	80	2.5	3	2	4625	2400	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5180	2955	2955	1.12
2001	018	2063	0.05	1933	1	55	80	2.5	4	3	5158	3225	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	3843.399902	3843.399902	1.119891
2001	022	1875	0.04	1524	1	55	80	2.5	3	2	4688	3164	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3726	3726	1.119881
2001	029	2461	0.06	2248	2	55	80	2.5	5	3	6152	3904	RH-2	40	form-based			true	0.7	5	1	3	3	6890.799805	4642.799805	4642.799805	1.120091
2001	030	2491	0.06	3230	2	55	80	2.5	5	3	6228	2998	RH-2	40	form-based			true	0.7	5	1	3	3	6974.799805	3744.799805	3744.799805	1.11991
2001	040	2492	0.06	2263	2	55	80	2.5	5	3	6230	3967	RH-2	40	form-based			true	0.7	5	1	3	3	6977.600098	4714.600098	4714.600098	1.12
2001	041	2522	0.06	2350	2	55	80	2.5	5	3	6305	3955	RH-2	40	form-based			true	0.7	5	1	3	3	7061.600098	4711.600098	4711.600098	1.12
2001	045A	1875	0.04	2030	1	55	80	2.5	3	2	4688	2658	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3220	3220	1.119881
2002	001	1870	0.04	1776	1	55	80	2.5	3	2	4675	2899	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	5236	3460	3460	1.12
2002	002	1869	0.04	1006	1	55	80	2.5	3	2	4672	3666	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5233.199707	4227.199707	4227.199707	1.12012
2002	003	1869	0.04	1082	1	55	80	2.5	3	2	4672	3590	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5233.199707	4151.199707	4151.199707	1.12012
2002	041A	2700	0.06	3110	3	55	80	2.5	5	2	6750	3640	RH-1	40	form-based			true	0.7	6	1.200000048	3	3	7560	4450	4450	1.12
2002	046	1875	0.04	862	1	55	80	2.5	3	2	4688	3826	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4388	4388	1.119881
2003	001	1736	0.04	1038	1	55	80	2.5	3	2	4340	3302	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4860.799805	3822.799805	3822.799805	1.12
2003	002	1736	0.04	850	1	55	80	2.5	3	2	4340	3490	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4860.799805	4010.799805	4010.799805	1.12
2003	003	1736	0.04	850	1	55	80	2.5	3	2	4340	3490	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4860.799805	4010.799805	4010.799805	1.12
2003	050	1736	0.04	850	1	55	80	2.5	3	2	4340	3490	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4860.799805	4010.799805	4010.799805	1.12
2003	051	1736	0.04	1010	1	55	80	2.5	3	2	4340	3330	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4860.799805	3850.799805	3850.799805	1.12
2003	052	1736	0.04	1038	1	55	80	2.5	3	2	4340	3302	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4860.799805	3822.799805	3822.799805	1.12
2004	023	1700	0.04	1332	3	55	80	2.5	3	0	4250	2918	NC-1	65	form-based			true	0.75	6	2	3	3	7650	6318	6318	1.8
2004	050	1875	0.04	1291	1	55	80	2.5	3	2	4688	3397	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3959	3959	1.119881
2005	039	2061	0.05	1125	1	55	80	2.5	4	3	5152	4027	RH-1	40	form-based			true	0.7	4	1	3	3	5770.799805	4645.799805	4645.799805	1.120109
2005	041A	1875	0.04	1125	1	55	80	2.5	3	2	4688	3563	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4125	4125	1.119881
2006	001	1965	0.05	2349	1	55	80	2.5	4	3	4912	2563	RH-1	40	form-based	true		true	0.7	4	1	3	3	5502	3153	3153	1.120114
2006	001A	2026	0.05	800	1	55	80	2.5	4	3	5065	4265	RH-1	40	form-based			true	0.7	4	1	3	3	5672.799805	4872.799805	4872.799805	1.12
2006	001B	2027	0.05	1112	1	55	80	2.5	4	3	5068	3956	RH-1	40	form-based			true	0.7	4	1	3	3	5675.600098	4563.600098	4563.600098	1.119889
2006	001C	2029	0.05	1275	1	55	80	2.5	4	3	5072	3797	RH-1	40	form-based			true	0.7	4	1	3	3	5681.199707	4406.199707	4406.199707	1.12011
2006	001D	2103	0.05	1000	1	55	80	2.5	4	3	5258	4258	RH-1	40	form-based			true	0.7	4	1	3	3	5888.399902	4888.399902	4888.399902	1.119893
2006	001E	2103	0.05	1483	1	55	80	2.5	4	3	5258	3775	RH-1	40	form-based			true	0.7	4	1	3	3	5888.399902	4405.399902	4405.399902	1.119893
2006	001F	2042	0.05	1514	1	55	80	2.5	4	3	5105	3591	RH-1	40	form-based	true		true	0.7	4	1	3	3	5717.600098	4203.600098	4203.600098	1.12
2006	027	2103	0.05	1252	1	55	80	2.5	4	3	5258	4006	RH-1	40	form-based			true	0.7	4	1	3	3	5888.399902	4636.399902	4636.399902	1.119893
2007	013	2099	0.05	1605	1	55	80	2.5	4	3	5248	3643	RH-1	40	form-based			true	0.7	4	1	3	3	5877.199707	4272.199707	4272.199707	1.119893
2007	014	2100	0.05	1148	1	55	80	2.5	4	3	5250	4102	RH-1	40	form-based			true	0.7	4	1	3	3	5880	4732	4732	1.12
2007	015	2102	0.05	975	1	55	80	2.5	4	3	5255	4280	RH-1	40	form-based			true	0.7	4	1	3	3	5885.600098	4910.600098	4910.600098	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2007	016	2042	0.05	1350	1	55	80	2.5	4	3	5105	3755	RH-1	40	form-based		true	true	0.7	4	1	3	3	5717.600098	4367.600098	4367.600098	1.12
2008	001	1716	0.04	1038	1	55	80	2.5	3	2	4290	3252	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4804.799805	3766.799805	3766.799805	1.12
2008	001A	1768	0.04	1233	1	55	80	2.5	3	2	4420	3187	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4950.399902	3717.399902	3717.399902	1.12
2008	001B	1768	0.04	1025	1	55	80	2.5	3	2	4420	3395	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4950.399902	3925.399902	3925.399902	1.12
2008	017	1750	0.04	1050	1	55	80	2.5	3	2	4375	3325	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3850	3850	1.12
2008	018	1750	0.04	1050	1	55	80	2.5	3	2	4375	3325	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3850	3850	1.12
2008	019	1699	0.04	1050	1	55	80	2.5	3	2	4248	3198	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4757.199707	3707.199707	3707.199707	1.119868
2008	020	1857	0.04	1150	1	55	80	2.5	3	2	4642	3492	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5199.600098	4049.600098	4049.600098	1.120121
2008	021	1857	0.04	1642	1	55	80	2.5	3	2	4642	3000	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5199.600098	3557.600098	3557.600098	1.120121
2008	022	1857	0.04	1366	1	55	80	2.5	3	2	4642	3276	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5199.600098	3833.600098	3833.600098	1.120121
2008	023	1857	0.04	1150	1	55	80	2.5	3	2	4642	3492	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5199.600098	4049.600098	4049.600098	1.120121
2009	001	1712	0.04	1377	1	55	80	2.5	3	2	4280	2903	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4793.600098	3416.600098	3416.600098	1.12
2009	001A	1764	0.04	1259	1	55	80	2.5	3	2	4410	3151	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4939.199707	3680.199707	3680.199707	1.12
2009	001B	1764	0.04	1025	1	55	80	2.5	3	2	4410	3385	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4939.199707	3914.199707	3914.199707	1.12
2009	001C	1764	0.04	1025	1	55	80	2.5	3	2	4410	3385	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4939.199707	3914.199707	3914.199707	1.12
2009	006	1750	0.04	1150	1	55	80	2.5	3	2	4375	3225	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3750	3750	1.12
2009	007	1750	0.04	1358	1	55	80	2.5	3	2	4375	3017	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3542	3542	1.12
2009	008	1750	0.04	1025	1	55	80	2.5	3	2	4375	3350	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3875	3875	1.12
2009	009	1699	0.04	2137	1	55	80	2.5	3	2	4248	2111	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4757.199707	2620.199707	2620.199707	1.119868
2010	054	1835	0.04	800	1	55	80	2.5	3	2	4588	3788	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5138	4338	4338	1.119878
2010	055	1835	0.04	1018	1	55	80	2.5	3	2	4588	3570	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5138	4120	4120	1.119878
2010	056	1835	0.04	800	1	55	80	2.5	3	2	4588	3788	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5138	4338	4338	1.119878
2010	057	1835	0.04	944	1	55	80	2.5	3	2	4588	3644	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5138	4194	4194	1.119878
2010	058	1835	0.04	800	1	55	80	2.5	3	2	4588	3788	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5138	4338	4338	1.119878
2011	001A	1712	0.04	1530	1	55	80	2.5	3	2	4280	2750	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4793.600098	3263.600098	3263.600098	1.12
2011	001B	1713	0.04	1418	1	55	80	2.5	3	2	4282	2864	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4796.399902	3378.399902	3378.399902	1.120131
2011	012A	1749	0.04	1088	1	55	80	2.5	3	2	4372	3284	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4897.199707	3809.199707	3809.199707	1.120128
2011	013	1741	0.04	1088	1	55	80	2.5	3	2	4352	3264	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4874.799805	3786.799805	3786.799805	1.120129
2011	013A	1690	0.04	1025	1	55	80	2.5	3	2	4225	3200	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4732	3707	3707	1.12
2011	013B	1860	0.04	1088	1	55	80	2.5	3	2	4650	3562	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5208	4120	4120	1.12
2011	013C	1860	0.04	1125	1	55	80	2.5	3	2	4650	3525	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5208	4083	4083	1.12
2011	014	1835	0.04	1150	1	55	80	2.5	3	2	4588	3438	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5138	3988	3988	1.119878
2011	015	1835	0.04	1150	1	55	80	2.5	3	2	4588	3438	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5138	3988	3988	1.119878
2014	001	2016	0.05	1595	1	55	80	2.5	4	3	5040	3445	RH-1	40	form-based		true	true	0.7	4	1	3	3	5644.799805	4049.799805	4049.799805	1.12
2014	001A	2077	0.05	1813	1	55	80	2.5	4	3	5192	3379	RH-1	40	form-based			true	0.7	4	1	3	3	5815.600098	4002.600098	4002.600098	1.120108
2014	001B	2077	0.05	1300	1	55	80	2.5	4	3	5192	3892	RH-1	40	form-based			true	0.7	4	1	3	3	5815.600098	4515.600098	4515.600098	1.120108
2014	001C	2077	0.05	1360	1	55	80	2.5	4	3	5192	3832	RH-1	40	form-based			true	0.7	4	1	3	3	5815.600098	4455.600098	4455.600098	1.120108
2014	010	2062	0.05	1200	1	55	80	2.5	4	3	5155	3955	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4573.600098	4573.600098	1.12
2014	011	2062	0.05	1350	1	55	80	2.5	4	3	5155	3805	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4423.600098	4423.600098	1.12
2014	012	2002	0.05	1768	1	55	80	2.5	4	3	5005	3237	RH-1	40	form-based		true	true	0.7	4	1	3	3	5605.600098	3837.600098	3837.600098	1.12
2014	013	1857	0.04	1200	1	55	80	2.5	3	2	4642	3442	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5199.600098	3999.600098	3999.600098	1.120121
2015	001	1957	0.04	1008	1	55	80	2.5	3	2	4892	3884	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5479.600098	4471.600098	4471.600098	1.120114
2015	001A	1999	0.05	2022	1	55	80	2.5	4	3	4998	2976	RH-1	40	form-based			true	0.7	4	1	3	3	5597.199707	3575.199707	3575.199707	1.119888
2015	001B	1754	0.04	1422	1	55	80	2.5	3	2	4385	2963	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4911.199707	3489.199707	3489.199707	1.12
2015	029	2062	0.05	1225	1	55	80	2.5	4	3	5155	3930	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4548.600098	4548.600098	1.12
2015	029A	2062	0.05	1600	1	55	80	2.5	4	3	5155	3555	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4173.600098	4173.600098	1.12
2015	030	2062	0.05	1809	1	55	80	2.5	4	3	5155	3346	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	3964.600098	3964.600098	1.12
2016	001	1998	0.05	1843	1	55	80	2.5	4	3	4995	3152	RH-1	40	form-based		true	true	0.7	4	1	3	3	5594.399902	3751.399902	3751.399902	1.12
2016	002	2058	0.05	1850	1	55	80	2.5	4	3	5145	3295	RH-1	40	form-based			true	0.7	4	1	3	3	5762.399902	3912.399902	3912.399902	1.12
2016	003	2067	0.05	1250	1	55	80	2.5	4	3	5168	3918	RH-1	40	form-based			true	0.7	4	1	3	3	5787.600098	4537.600098	4537.600098	1.119892
2016	049	2057	0.05	1913	1	55	80	2.5	4	3	5142	3229	RH-1	40	form-based			true	0.7	4	1	3	3	5759.600098	3846.600098	3846.600098	1.120109
2016	050	2048	0.05	1150	1	55	80	2.5	4	3	5120	3970	RH-1	40	form-based			true	0.7	4	1	3	3	5734.399902	4584.399902	4584.399902	1.12
2016	051	1988	0.05	1150	1	55	80	2.5	4	3	4970	3820	RH-1	40	form-based		true	true	0.7	4	1	3	3	5566.399902	4416.399902	4416.399902	1.12
2016	052	1844	0.04	1692	1	55	80	2.5	3	2	4610	2918	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5163.199707	3471.199707	3471.199707	1.12
2016	053	1844	0.04	1150	1	55	80	2.5	3	2	4610	3460	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5163.199707	4013.199707	4013.199707	1.12
2016	054	1844	0.04	1150	1	55	80	2.5	3	2	4610	3460	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5163.199707	4013.199707	4013.199707	1.12
2017	001	1726	0.04	1764	1	55	80	2.5	3	2	4315	2551	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4832.799805	3068.799805	3068.799805	1.12
2017	002	1778	0.04	1063	1	55	80	2.5	3	2	4445	3382	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4978.399902	3915.399902	3915.399902	1.12
2017	003	1778	0.04	1650	1	55	80	2.5	3	2	4445	2795	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4978.399902	3328.399902	3328.399902	1.12
2017	039	1750	0.04	1025	1	55	80	2.5	3	2	4375	3350	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3875	3875	1.12
2017	040	1750	0.04	1295	1	55	80	2.5	3	2	4375	3080	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3605	3605	1.12
2017	041	1699	0.04	1025	1	55	80	2.5	3	2	4248	3223	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4757.199707	3732.199707	3732.199707	1.119868
2017	041A	1857	0.04	1165	1	55	80	2.5	3	2	4642	3477	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5199.600098	4034.600098	4034.600098	1.120121
2017	042	1857	0.04	1025	1	55	80	2.5	3	2	4642	3617	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5199.600098	4174.600098	4174.600098	1.120121

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2017	043	1857	0.04	1150	1	55	80	2.5	3	2	4642	3492	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5199.600098	4049.600098	4049.600098	1.120121
2017	044	1857	0.04	1478	1	55	80	2.5	3	2	4642	3164	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5199.600098	3721.600098	3721.600098	1.120121
2018	001	2044	0.05	1250	1	55	80	2.5	4	3	5110	3860	RH-1	40	form-based		true	true	0.7	4	1	3	3	5723.199707	4473.199707	4473.199707	1.12
2018	001I	2105	0.05	1250	1	55	80	2.5	4	3	5262	4012	RH-1	40	form-based			true	0.7	4	1	3	3	5894	4644	4644	1.120106
2018	001J	2105	0.05	1906	1	55	80	2.5	4	3	5262	3356	RH-1	40	form-based			true	0.7	4	1	3	3	5894	3988	3988	1.120106
2018	001K	2105	0.05	1425	1	55	80	2.5	4	3	5262	3837	RH-1	40	form-based			true	0.7	4	1	3	3	5894	4469	4469	1.120106
2018	014B	2065	0.05	1625	1	55	80	2.5	4	3	5162	3537	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4157	4157	1.120108
2018	014C	2065	0.05	2100	1	55	80	2.5	4	3	5162	3062	RH-1	40	form-based			true	0.7	4	1	3	3	5782	3682	3682	1.120108
2018	014D	2065	0.05	1400	1	55	80	2.5	4	3	5162	3762	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4382	4382	1.120108
2018	014E	2005	0.05	1425	1	55	80	2.5	4	3	5012	3587	RH-1	40	form-based		true	true	0.7	4	1	3	3	5614	4189	4189	1.120112
2019	001	1983	0.05	2833	1	55	80	2.5	4	3	4958	2125	RH-1	40	form-based		true	true	0.7	4	1	3	3	5552.399902	2719.399902	2719.399902	1.119887
2019	001A	2043	0.05	1125	1	55	80	2.5	4	3	5108	3983	RH-1	40	form-based			true	0.7	4	1	3	3	5720.399902	4595.399902	4595.399902	1.11989
2019	001B	2043	0.05	1125	1	55	80	2.5	4	3	5108	3983	RH-1	40	form-based			true	0.7	4	1	3	3	5720.399902	4595.399902	4595.399902	1.11989
2019	001C	2043	0.05	1435	1	55	80	2.5	4	3	5108	3673	RH-1	40	form-based			true	0.7	4	1	3	3	5720.399902	4285.399902	4285.399902	1.11989
2019	009	2065	0.05	1654	1	55	80	2.5	4	3	5162	3508	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4128	4128	1.120108
2019	010	2065	0.05	1745	1	55	80	2.5	4	3	5162	3417	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4037	4037	1.120108
2019	011	2065	0.05	1200	1	55	80	2.5	4	3	5162	3962	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4582	4582	1.120108
2019	012	2005	0.05	1350	1	55	80	2.5	4	3	5012	3662	RH-1	40	form-based		true	true	0.7	4	1	3	3	5614	4264	4264	1.120112
2020	001	1894	0.04	1238	1	55	80	2.5	3	2	4735	3497	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5303.199707	4065.199707	4065.199707	1.12
2020	002	1951	0.04	1663	1	55	80	2.5	3	2	4878	3215	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5462.799805	3799.799805	3799.799805	1.119885
2020	003	1951	0.04	1188	1	55	80	2.5	3	2	4878	3690	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5462.799805	4274.799805	4274.799805	1.119885
2020	003A	1951	0.04	1687	1	55	80	2.5	3	2	4878	3191	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5462.799805	3775.799805	3775.799805	1.119885
2020	019C	2124	0.05	1750	1	55	80	2.5	4	3	5310	3560	RH-1	40	form-based		true	true	0.7	4	1	3	3	5947.199707	4197.199707	4197.199707	1.12
2021	030B	2089	0.05	3022	1	55	80	2.5	4	3	5222	2200	RH-1	40	form-based		true	true	0.7	4	1	3	3	5849.199707	2827.199707	2827.199707	1.120107
2022	001	2019	0.05	1294	1	55	80	2.5	4	3	5048	3754	RH-1	40	form-based		true	true	0.7	4	1	3	3	5653.199707	4359.199707	4359.199707	1.119889
2022	001A	2080	0.05	1368	1	55	80	2.5	4	3	5200	3832	RH-1	40	form-based			true	0.7	4	1	3	3	5824	4456	4456	1.12
2022	001B	2080	0.05	1150	1	55	80	2.5	4	3	5200	4050	RH-1	40	form-based			true	0.7	4	1	3	3	5824	4674	4674	1.12
2022	036	2048	0.05	1332	1	55	80	2.5	4	3	5120	3788	RH-1	40	form-based			true	0.7	4	1	3	3	5734.399902	4402.399902	4402.399902	1.12
2022	037	2048	0.05	1150	1	55	80	2.5	4	3	5120	3970	RH-1	40	form-based			true	0.7	4	1	3	3	5734.399902	4584.399902	4584.399902	1.12
2022	038	1988	0.05	1150	1	55	80	2.5	4	3	4970	3820	RH-1	40	form-based		true	true	0.7	4	1	3	3	5566.399902	4416.399902	4416.399902	1.12
2022	039	1842	0.04	1293	1	55	80	2.5	3	2	4605	3312	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5157.600098	3864.600098	3864.600098	1.12
2022	041	1857	0.04	2354	1	55	80	2.5	3	2	4642	2288	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5199.600098	2845.600098	2845.600098	1.120121
2023	001	2003	0.05	1350	1	55	80	2.5	4	3	5008	3658	RH-1	40	form-based		true	true	0.7	4	1	3	3	5608.399902	4258.399902	4258.399902	1.119888
2023	002	2063	0.05	1409	1	55	80	2.5	4	3	5158	3749	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4367.399902	4367.399902	1.119891
2023	003	2063	0.05	1465	1	55	80	2.5	4	3	5158	3693	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4311.399902	4311.399902	1.119891
2023	004	2063	0.05	1265	1	55	80	2.5	4	3	5158	3893	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4511.399902	4511.399902	1.119891
2023	048	2062	0.05	2052	1	55	80	2.5	4	3	5155	3103	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	3721.600098	3721.600098	1.12
2023	049	2062	0.05	1175	1	55	80	2.5	4	3	5155	3980	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4598.600098	4598.600098	1.12
2023	050	2063	0.05	1175	1	55	80	2.5	4	3	5158	3983	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4601.399902	4601.399902	1.119891
2023	051	2002	0.05	1725	1	55	80	2.5	4	3	5005	3280	RH-1	40	form-based		true	true	0.7	4	1	3	3	5605.600098	3880.600098	3880.600098	1.12
2024	001	1960	0.04	1230	1	55	80	2.5	3	2	4900	3670	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5488	4258	4258	1.12
2024	002	2090	0.05	1080	1	55	80	2.5	4	3	5225	4145	RH-1	40	form-based			true	0.7	4	1	3	3	5852	4772	4772	1.12
2024	003	2090	0.05	1080	1	55	80	2.5	4	3	5225	4145	RH-1	40	form-based			true	0.7	4	1	3	3	5852	4772	4772	1.12
2024	004	2090	0.05	1080	1	55	80	2.5	4	3	5225	4145	RH-1	40	form-based			true	0.7	4	1	3	3	5852	4772	4772	1.12
2024	046	2064	0.05	1375	1	55	80	2.5	4	3	5160	3785	RH-1	40	form-based			true	0.7	4	1	3	3	5779.199707	4404.199707	4404.199707	1.12
2024	047	2064	0.05	1518	1	55	80	2.5	4	3	5160	3642	RH-1	40	form-based			true	0.7	4	1	3	3	5779.199707	4261.199707	4261.199707	1.12
2024	048	2064	0.05	2194	1	55	80	2.5	4	3	5160	2966	RH-1	40	form-based			true	0.7	4	1	3	3	5779.199707	3585.199707	3585.199707	1.12
2024	049	1936	0.04	2345	1	55	80	2.5	3	2	4840	2495	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5420.799805	3075.799805	3075.799805	1.12
2027	001	2005	0.05	2550	1	55	80	2.5	4	3	5012	2462	RH-1	40	form-based		true	true	0.7	4	1	3	3	5614	3064	3064	1.120112
2027	001A	2065	0.05	1680	1	55	80	2.5	4	3	5162	3482	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4102	4102	1.120108
2027	001B	2065	0.05	1430	1	55	80	2.5	4	3	5162	3732	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4352	4352	1.120108
2027	001C	2065	0.05	1320	1	55	80	2.5	4	3	5162	3842	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4462	4462	1.120108
2028	025	2063	0.05	2318	1	55	80	2.5	4	3	5158	2840	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	3458.399902	3458.399902	1.119891
2028	025A	2062	0.05	1375	1	55	80	2.5	4	3	5155	3780	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4398.600098	4398.600098	1.12
2028	025B	2062	0.05	1375	1	55	80	2.5	4	3	5155	3780	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4398.600098	4398.600098	1.12
2028	025C	2002	0.05	1963	1	55	80	2.5	4	3	5005	3042	RH-1	40	form-based		true	true	0.7	4	1	3	3	5605.600098	3642.600098	3642.600098	1.12
2031	001	1800	0.04	1949	1	55	80	2.5	3	2	4500	2551	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5040	3091	3091	1.12
2031	001C	1800	0.04	1841	1	55	80	2.5	3	2	4500	2659	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5040	3199	3199	1.12
2031	001D	1800	0.04	1249	1	55	80	2.5	3	2	4500	3251	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5040	3791	3791	1.12
2031	001E	1800	0.04	1361	1	55	80	2.5	3	2	4500	3139	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5040	3679	3679	1.12
2036A	016	1972	0.05	1899	1	55	80	2.5	4	3	4930	3031	RH-1	40	form-based			true	0.7	4	1	3	3	5521.600098	3622.600098	3622.600098	1.12
2036A	017	1844	0.04	1938	1	55	80	2.5	3	2	4610	2672	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5163.199707	3225.199707	3225.199707	1.12
2036A	018	1831	0.04	1938	1	55	80	2.5	3	2	4578	2640	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5126.799805	3188.799805	3188.799805	1.119878
2036A	019	1922	0.04	1938	1	55	80	2.5	3	2	4805	2867	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5381.600098	3443.600098	3443.600098	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2036A	020	1943	0.04	1899	1	55	80	2.5	3	2	4858	2959	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5440.399902	3541.399902	3541.399902	1.119885
2036A	024	2105	0.05	1761	1	55	80	2.5	4	3	5262	3501	RH-1	40	form-based			true	0.7	4	1	3	3	5894	4133	4133	1.120106
2036A	025	1977	0.05	1756	1	55	80	2.5	4	3	4942	3186	RH-1	40	form-based		true	true	0.7	4	1	3	3	5535.600098	3779.600098	3779.600098	1.120113
2037A	019	3000	0.07	1617	3	55	80	2.5	6	3	7500	5883	RH-2	40	form-based			true	0.7	6	1	3	3	8400	6783	6783	1.12
2037A	021A	2176	0.05	2506	2	55	80	2.5	4	2	5440	2934	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6092.799805	3586.799805	3586.799805	1.12
2038A	001	1959	0.04	2100	1	55	80	2.5	3	2	4898	2798	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5485.199707	3385.199707	3385.199707	1.119886
2038A	001A	2069	0.05	1471	1	55	80	2.5	4	3	5172	3701	RH-1	40	form-based			true	0.7	4	1	3	3	5793.199707	4322.199707	4322.199707	1.120108
2038A	001B	2069	0.05	1200	1	55	80	2.5	4	3	5172	3972	RH-1	40	form-based			true	0.7	4	1	3	3	5793.199707	4593.199707	4593.199707	1.120108
2038A	001C	2069	0.05	1200	1	55	80	2.5	4	3	5172	3972	RH-1	40	form-based			true	0.7	4	1	3	3	5793.199707	4593.199707	4593.199707	1.120108
2038A	014	3006	0.07	3257	3	55	80	2.5	6	3	7515	4258	RH-1	40	form-based			true	0.7	6	1	3	3	8416.799805	5159.799805	5159.799805	1.12
2038A	030	2021	0.05	1875	1	55	80	2.5	4	3	5052	3177	RH-1	40	form-based			true	0.7	4	1	3	3	5658.799805	3783.799805	3783.799805	1.120111
2038A	031	2021	0.05	1819	1	55	80	2.5	4	3	5052	3233	RH-1	40	form-based			true	0.7	4	1	3	3	5658.799805	3839.799805	3839.799805	1.120111
2038A	032	2021	0.05	2739	1	55	80	2.5	4	3	5052	2313	RH-1	40	form-based			true	0.7	4	1	3	3	5658.799805	2919.799805	2919.799805	1.120111
2038A	033	2467	0.06	2300	2	55	80	2.5	5	3	6168	3868	RH-2	40	form-based			true	0.7	5	1	3	3	6907.600098	4607.600098	4607.600098	1.119909
2038A	034	2467	0.06	3600	2	55	80	2.5	5	3	6168	2568	RH-2	40	form-based			true	0.7	5	1	3	3	6907.600098	3307.600098	3307.600098	1.119909
2039	017	2073	0.05	1300	1	55	80	2.5	4	3	5182	3882	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4504.399902	4504.399902	1.120108
2039	001	1963	0.05	1036	1	55	80	2.5	4	3	4908	3872	RH-2	40	form-based		true	true	0.7	4	1	3	3	5496.399902	4460.399902	4460.399902	1.119886
2039	001A	2073	0.05	1036	1	55	80	2.5	4	3	5182	4146	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4768.399902	4768.399902	1.120108
2039	001B	2073	0.05	1036	1	55	80	2.5	4	3	5182	4146	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4768.399902	4768.399902	1.120108
2039	001C	2073	0.05	1036	1	55	80	2.5	4	3	5182	4146	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4768.399902	4768.399902	1.120108
2039	021	2500	0.06	2910	2	55	80	2.5	5	3	6250	3340	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4090	4090	1.12
2039	040	3207	0.07	4290	4	55	80	2.5	6	2	8018	3728	RH-2	40	form-based		true	true	0.7	7	1.166666627	3	3	8979.599609	4689.599609	4689.599609	1.11993
2039	045	2467	0.06	4474	2	55	80	2.5	5	3	6168	1694	RH-2	40	form-based			true	0.7	5	1	3	3	6907.600098	2433.600098	2433.600098	1.119909
2039	052	2500	0.06	1576	2	55	80	2.5	5	3	6250	4674	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5424	5424	1.12
2040	004	2977	0.07	2387	3	55	80	2.5	6	3	7442	5055	RH-2	40	form-based			true	0.7	6	1	3	3	8335.599609	5948.599609	5948.599609	1.120075
2040	008	3870	0.09	2695	5	55	80	2.5	7	2	9675	6980	RH-2	40	form-based			true	0.7	8	1.142857194	3	3	10836	8141	8141	1.12
2040	013	2977	0.07	3033	3	55	80	2.5	6	3	7442	4409	RH-2	40	form-based			true	0.7	6	1	3	3	8335.599609	5302.599609	5302.599609	1.120075
2040	015	2748	0.06	1905	3	55	80	2.5	5	2	6870	4965	RH-2	40	form-based		true	true	0.7	6	1.200000048	3	3	7694.399902	5789.399902	5789.399902	1.12
2041	008	3004	0.07	3300	3	55	80	2.5	6	3	7510	4210	RH-2	40	form-based			true	0.7	6	1	3	3	8411.200195	5111.200195	5111.200195	1.12
2041	020	2517	0.06	1266	2	55	80	2.5	5	3	6292	5026	RH-2	40	form-based			true	0.7	5	1	3	3	7047.600098	5781.600098	5781.600098	1.120089
2041	039	3000	0.07	3121	3	55	80	2.5	6	3	7500	4379	RH-2	40	form-based			true	0.7	6	1	3	3	8400	5279	5279	1.12
2041	042	2467	0.06	2030	2	55	80	2.5	5	3	6168	4138	RH-2	40	form-based			true	0.7	5	1	3	3	6907.600098	4877.600098	4877.600098	1.119909
2042	001A	2250	0.05	2748	2	55	80	2.5	4	2	5625	2877	RH-2	40	form-based			true	0.7	5	1.25	3	3	6300	3552	3552	1.12
2042	002H	2500	0.06	1866	2	55	80	2.5	5	3	6250	4384	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5134	5134	1.12
2042	002J	2500	0.06	3274	2	55	80	2.5	5	3	6250	2976	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3726	3726	1.12
2042	003	2500	0.06	2893	2	55	80	2.5	5	3	6250	3357	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4107	4107	1.12
2042	007	2500	0.06	2795	2	55	80	2.5	5	3	6250	3455	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4205	4205	1.12
2044	002	2033	0.05	3594	1	55	80	2.5	4	3	5082	1488	RH-2	40	form-based		true	true	0.7	4	1	3	3	5692.399902	2098.399902	2098.399902	1.12011
2044	002A	1732	0.04	3321	1	55	80	2.5	3	2	4330	1009	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4849.600098	1528.600098	1528.600098	1.12
2044	013	1812	0.04	1400	1	55	80	2.5	3	2	4530	3130	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5073.600098	3673.600098	3673.600098	1.12
2045	024	2500	0.06	2023	2	55	80	2.5	5	3	6250	4227	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4977	4977	1.12
2125	004B	2047	0.05	1535	1	55	80	2.5	4	3	5118	3583	RH-1	40	form-based			true	0.7	4	1	3	3	5731.600098	4196.600098	4196.600098	1.119891
2125	004C	2047	0.05	1205	1	55	80	2.5	4	3	5118	3913	RH-1	40	form-based			true	0.7	4	1	3	3	5731.600098	4526.600098	4526.600098	1.119891
2125	004D	2088	0.05	1360	1	55	80	2.5	4	3	5220	3860	RH-1	40	form-based		true	true	0.7	4	1	3	3	5846.399902	4486.399902	4486.399902	1.12
2125	004K	2047	0.05	1935	1	55	80	2.5	4	3	5118	3183	RH-1	40	form-based			true	0.7	4	1	3	3	5731.600098	3796.600098	3796.600098	1.119891
2125	012	2238	0.05	1294	2	55	80	2.5	4	2	5595	4301	RH-1	40	form-based		true	true	0.7	5	1.25	3	3	6266.399902	4972.399902	4972.399902	1.12
2126	022	1877	0.04	1615	1	55	80	2.5	3	2	4692	3077	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	5255.600098	3640.600098	3640.600098	1.120119
2129	001D	2063	0.05	2765	1	55	80	2.5	4	3	5158	2393	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	3011.399902	3011.399902	1.119891
2129	001M	2063	0.05	1265	1	55	80	2.5	4	3	5158	3893	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4511.399902	4511.399902	1.119891
2129	001P	2038	0.05	2990	1	55	80	2.5	4	3	5095	2105	RH-1	40	form-based			true	0.7	4	1	3	3	5706.399902	2716.399902	2716.399902	1.12
2129	001Q	2036	0.05	3167	1	55	80	2.5	4	3	5090	1923	RH-1	40	form-based			true	0.7	4	1	3	3	5700.799805	2533.799805	2533.799805	1.12
2129	001R	2041	0.05	1746	1	55	80	2.5	4	3	5102	3356	RH-1	40	form-based			true	0.7	4	1	3	3	5714.799805	3968.799805	3968.799805	1.12011
2129	001S	2080	0.05	1376	1	55	80	2.5	4	3	5200	3824	RH-1	40	form-based		true	true	0.7	4	1	3	3	5824	4448	4448	1.12
2130A	005A	2240	0.05	2400	2	55	80	2.5	4	2	5600	3200	RH-1	40	form-based			true	0.7	5	1.25	3	3	6272	3872	3872	1.12
2131A	014	2120	0.05	962	1	55	80	2.5	4	3	5300	4338	RH-1	40	form-based			true	0.7	4	1	3	3	5936	4974	4974	1.12
2131A	015	2089	0.05	962	1	55	80	2.5	4	3	5222	4260	RH-1	40	form-based			true	0.7	4	1	3	3	5849.199707	4887.199707	4887.199707	1.120107
2131A	017	2130	0.05	962	1	55	80	2.5	4	3	5325	4363	RH-1	40	form-based		true	true	0.7	4	1	3	3	5964	5002	5002	1.12
2133A	002E	2115	0.05	1500	1	55	80	2.5	4	3	5288	3788	RH-1	40	form-based			true	0.7	4	1	3	3	5922	4422	4422	1.119894
2133A	002F	2117	0.05	1875	1	55	80	2.5	4	3	5292	3417	RH-1	40	form-based			true	0.7	4	1	3	3	5927.600098	4052.600098	4052.600098	1.120106
2133A	011A	1917	0.04	1056	1	55	80	2.5	3	2	4792	3736	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5367.600098	4311.600098	4311.600098	1.120117
2133A	030	1686	0.04	1525	1	55	80	2.5	3	2	4215	2690	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4720.799805	3195.799805	3195.799805	1.12
2134A	005	2049	0.05	1075	1	55	80	2.5	4	3	5122	4047	RH-1	40	form-based			true	0.7	4	1	3	3	5737.199707	4662.199707	4662.199707	1.120109
2134A	006	2102	0.05	2125	1	55	80	2.5	4	3	5255	3130	RH-1	40	form-based			true	0.7	4	1	3	3	5885.600098	3760.600098	3760.600098	1.12
2134A	007	2030	0.05	1075	1	55	80	2.5	4	3	5075	4000	RH-1	40	form-based			true	0.7	4	1	3	3	5684	4609	4609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2134A	008	1959	0.04	1417	1	55	80	2.5	3	2	4898	3481	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5485.199707	4068.199707	4068.199707	1.119886
2134A	009	1891	0.04	1335	1	55	80	2.5	3	2	4728	3393	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5294.799805	3959.799805	3959.799805	1.119882
2134A	010	1783	0.04	1075	1	55	80	2.5	3	2	4458	3383	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4992.399902	3917.399902	3917.399902	1.119874
2134A	011	1992	0.05	1255	1	55	80	2.5	4	3	4980	3725	RH-1	40	form-based			true	0.7	4	1	3	3	5577.600098	4322.600098	4322.600098	1.12
2134A	012	1807	0.04	1075	1	55	80	2.5	3	2	4518	3443	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5059.600098	3984.600098	3984.600098	1.119876
2134A	013	1825	0.04	1075	1	55	80	2.5	3	2	4562	3487	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5110	4035	4035	1.120123
2137	001B	2815	0.06	2020	3	55	80	2.5	5	2	7038	5018	RH-1	40	form-based			true	0.7	6	1.200000048	3	3	7882	5862	5862	1.11992
2138	006	1940	0.04	1100	1	55	80	2.5	3	2	4850	3750	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5432	4332	4332	1.12
2138	006A	1972	0.05	1350	1	55	80	2.5	4	3	4930	3580	RH-1	40	form-based			true	0.7	4	1	3	3	5521.600098	4171.600098	4171.600098	1.12
2138	006C	2009	0.05	1859	1	55	80	2.5	4	3	5022	3163	RH-1	40	form-based			true	0.7	4	1	3	3	5625.199707	3766.199707	3766.199707	1.120111
2138	006D	2047	0.05	1275	1	55	80	2.5	4	3	5118	3843	RH-1	40	form-based			true	0.7	4	1	3	3	5731.600098	4456.600098	4456.600098	1.119891
2138	006E	2085	0.05	1250	1	55	80	2.5	4	3	5212	3962	RH-1	40	form-based			true	0.7	4	1	3	3	5838	4588	4588	1.120107
2138	006F	2123	0.05	1982	1	55	80	2.5	4	3	5308	3326	RH-1	40	form-based			true	0.7	4	1	3	3	5944.399902	3962.399902	3962.399902	1.119895
2138	006L	2491	0.06	2168	2	55	80	2.5	5	3	6228	4060	RH-1	40	form-based			true	0.7	5	1	3	3	6974.799805	4806.799805	4806.799805	1.11991
2138	007A	1987	0.05	1794	1	55	80	2.5	4	3	4968	3174	RH-1	40	form-based			true	0.7	4	1	3	3	5563.600098	3769.600098	3769.600098	1.119887
2139	001F	500	0.01	540	0	55	80	2.5	1	1	1250	710	RTO-C	85	form-based			true	0.75	3	3	3	2	3000	2460	1960	2.4
2140	013A	1750	0.04	1852	1	55	80	2.5	3	2	4375	2523	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3048	3048	1.12
2140	013B	1750	0.04	1550	1	55	80	2.5	3	2	4375	2825	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3350	3350	1.12
2140	013C	1753	0.04	1823	1	55	80	2.5	3	2	4382	2559	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4908.399902	3085.399902	3085.399902	1.120128
2140	014	1876	0.04	1050	1	55	80	2.5	3	2	4690	3640	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	4202.799805	4202.799805	1.12
2140	014A	1876	0.04	1250	1	55	80	2.5	3	2	4690	3440	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	4002.799805	4002.799805	1.12
2140	022	2078	0.05	1676	1	55	80	2.5	4	3	5195	3519	RH-1	40	form-based	true		true	0.7	4	1	3	3	5818.399902	4142.399902	4142.399902	1.12
2141	007	2071	0.05	1760	1	55	80	2.5	4	3	5178	3418	RH-1	40	form-based			true	0.7	4	1	3	3	5798.799805	4038.799805	4038.799805	1.119892
2141	007A	2071	0.05	1350	1	55	80	2.5	4	3	5178	3828	RH-1	40	form-based			true	0.7	4	1	3	3	5798.799805	4448.799805	4448.799805	1.119892
2141	007D	2071	0.05	1350	1	55	80	2.5	4	3	5178	3828	RH-1	40	form-based			true	0.7	4	1	3	3	5798.799805	4448.799805	4448.799805	1.119892
2141	007E	2071	0.05	1772	1	55	80	2.5	4	3	5178	3406	RH-1	40	form-based	true		true	0.7	4	1	3	3	5798.799805	4026.799805	4026.799805	1.119892
2142	001B	2024	0.05	1350	1	55	80	2.5	4	3	5060	3710	RH-1	40	form-based			true	0.7	4	1	3	3	5667.199707	4317.199707	4317.199707	1.12
2142	001C	2024	0.05	1350	1	55	80	2.5	4	3	5060	3710	RH-1	40	form-based			true	0.7	4	1	3	3	5667.199707	4317.199707	4317.199707	1.12
2142	011	2062	0.05	1764	1	55	80	2.5	4	3	5155	3391	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4009.600098	4009.600098	1.12
2142	011A	2063	0.05	1750	1	55	80	2.5	4	3	5158	3408	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4026.399902	4026.399902	1.119891
2142	012	2063	0.05	2237	1	55	80	2.5	4	3	5158	2921	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	3539.399902	3539.399902	1.119891
2142	013	2062	0.05	1200	1	55	80	2.5	4	3	5155	3955	RH-1	40	form-based	true		true	0.7	4	1	3	3	5773.600098	4573.600098	4573.600098	1.12
2142	016	2077	0.05	2124	1	55	80	2.5	4	3	5192	3068	RH-1	40	form-based	true		true	0.7	4	1	3	3	5815.600098	3691.600098	3691.600098	1.120108
2142	016A	2077	0.05	1400	1	55	80	2.5	4	3	5192	3792	RH-1	40	form-based			true	0.7	4	1	3	3	5815.600098	4415.600098	4415.600098	1.120108
2142	016B	2077	0.05	1400	1	55	80	2.5	4	3	5192	3792	RH-1	40	form-based			true	0.7	4	1	3	3	5815.600098	4415.600098	4415.600098	1.120108
2142	016C	2077	0.05	1400	1	55	80	2.5	4	3	5192	3792	RH-1	40	form-based			true	0.7	4	1	3	3	5815.600098	4415.600098	4415.600098	1.120108
2142	025	2065	0.05	1350	1	55	80	2.5	4	3	5162	3812	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4432	4432	1.120108
2142	025A	2067	0.05	1951	1	55	80	2.5	4	3	5168	3217	RH-1	40	form-based	true		true	0.7	4	1	3	3	5787.600098	3836.600098	3836.600098	1.119892
2142	025B	2117	0.05	1404	1	55	80	2.5	4	3	5292	3888	RH-1	40	form-based			true	0.7	4	1	3	3	5927.600098	4523.600098	4523.600098	1.120106
2142	025D	2014	0.05	2792	1	55	80	2.5	4	3	5035	2243	RH-1	40	form-based			true	0.7	4	1	3	3	5639.199707	2847.199707	2847.199707	1.12
2143	021	2072	0.05	800	1	55	80	2.5	4	3	5180	4380	RH-1	40	form-based			true	0.7	4	1	3	3	5801.600098	5001.600098	5001.600098	1.12
2143	025	1875	0.04	956	1	55	80	2.5	3	2	4688	3732	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4294	4294	1.119881
2148	003	1717	0.04	1150	1	55	80	2.5	3	2	4292	3142	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4807.600098	3657.600098	3657.600098	1.120131
2148	022	1717	0.04	2356	1	55	80	2.5	3	2	4292	1936	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4807.600098	2451.600098	2451.600098	1.120131
2148	023	1717	0.04	1690	1	55	80	2.5	3	2	4292	2602	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4807.600098	3117.600098	3117.600098	1.120131
2148	024	1717	0.04	1032	1	55	80	2.5	3	2	4292	3260	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4807.600098	3775.600098	3775.600098	1.120131
2148	025	1875	0.04	1261	1	55	80	2.5	3	2	4688	3427	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3989	3989	1.119881
2148	026	1875	0.04	1506	1	55	80	2.5	3	2	4688	3182	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3744	3744	1.119881
2148	029	1750	0.04	2201	1	55	80	2.5	3	2	4375	2174	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4900	2699	2699	1.12
2148	030	1750	0.04	1075	1	55	80	2.5	3	2	4375	3300	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3825	3825	1.12
2148	031	1750	0.04	1075	1	55	80	2.5	3	2	4375	3300	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3825	3825	1.12
2148	032	1750	0.04	1300	1	55	80	2.5	3	2	4375	3075	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3600	3600	1.12
2148	050	1750	0.04	800	1	55	80	2.5	3	2	4375	3575	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4100	4100	1.12
2148	051	1750	0.04	944	1	55	80	2.5	3	2	4375	3431	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3956	3956	1.12
2148	053	1876	0.04	1050	1	55	80	2.5	3	2	4690	3640	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	4202.799805	4202.799805	1.12
2148	054	1876	0.04	1050	1	55	80	2.5	3	2	4690	3640	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	4202.799805	4202.799805	1.12
2148	055	1876	0.04	1050	1	55	80	2.5	3	2	4690	3640	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	4202.799805	4202.799805	1.12
2148	056	1876	0.04	1302	1	55	80	2.5	3	2	4690	3388	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	3950.799805	3950.799805	1.12
2149	001A	1768	0.04	1498	1	55	80	2.5	3	2	4420	2922	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4950.399902	3452.399902	3452.399902	1.12
2149	001B	1768	0.04	1243	1	55	80	2.5	3	2	4420	3177	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4950.399902	3707.399902	3707.399902	1.12
2149	001C	2068	0.05	1267	1	55	80	2.5	4	3	5170	3903	RH-1	40	form-based			true	0.7	4	1	3	3	5790.399902	4523.399902	4523.399902	1.12
2149	003E	1875	0.04	800	1	55	80	2.5	3	2	4688	3888	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4450	4450	1.119881
2149	003F	1875	0.04	800	1	55	80	2.5	3	2	4688	3888	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4450	4450	1.119881
2149	003G	1750	0.04	1265	1	55	80	2.5	3	2	4375	3110	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4900	3635	3635	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2149	003H	1750	0.04	1000	1	55	80	2.5	3	2	4375	3375	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3900	3900	1.12
2149	003I	1750	0.04	1645	1	55	80	2.5	3	2	4375	2730	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3255	3255	1.12
2149	012	2050	0.05	1100	1	55	80	2.5	4	3	5125	4025	RH-1	40	form-based			true	0.7	4	1	3	3	5740	4640	4640	1.12
2149	013	1750	0.04	1110	1	55	80	2.5	3	2	4375	3265	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3790	3790	1.12
2149	014	1750	0.04	900	1	55	80	2.5	3	2	4375	3475	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4000	4000	1.12
2150	001A	2061	0.05	1850	1	55	80	2.5	4	3	5152	3302	RH-1	40	form-based			true	0.7	4	1	3	3	5770.799805	3920.799805	3920.799805	1.120109
2150	001B	2061	0.05	1905	1	55	80	2.5	4	3	5152	3247	RH-1	40	form-based			true	0.7	4	1	3	3	5770.799805	3865.799805	3865.799805	1.120109
2150	006	2061	0.05	1800	1	55	80	2.5	4	3	5152	3352	RH-1	40	form-based			true	0.7	4	1	3	3	5770.799805	3970.799805	3970.799805	1.120109
2150	006A	2061	0.05	1760	1	55	80	2.5	4	3	5152	3392	RH-1	40	form-based			true	0.7	4	1	3	3	5770.799805	4010.799805	4010.799805	1.120109
2150	006B	2061	0.05	1900	1	55	80	2.5	4	3	5152	3252	RH-1	40	form-based			true	0.7	4	1	3	3	5770.799805	3870.799805	3870.799805	1.120109
2150	007	2061	0.05	2070	1	55	80	2.5	4	3	5152	3082	RH-1	40	form-based	true		true	0.7	4	1	3	3	5770.799805	3700.799805	3700.799805	1.120109
2150	010	2062	0.05	1192	1	55	80	2.5	4	3	5155	3963	RH-1	40	form-based	true		true	0.7	4	1	3	3	5773.600098	4581.600098	4581.600098	1.12
2150	010A	2062	0.05	1036	1	55	80	2.5	4	3	5155	4119	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4737.600098	4737.600098	1.12
2150	010B	2063	0.05	1036	1	55	80	2.5	4	3	5158	4122	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4740.399902	4740.399902	1.119891
2150	010C	2063	0.05	1473	1	55	80	2.5	4	3	5158	3685	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4303.399902	4303.399902	1.119891
2150	018	2062	0.05	1317	1	55	80	2.5	4	3	5155	3838	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4456.600098	4456.600098	1.12
2150	018A	2062	0.05	1162	1	55	80	2.5	4	3	5155	3993	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4611.600098	4611.600098	1.12
2150	018B	2063	0.05	1162	1	55	80	2.5	4	3	5158	3996	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4614.399902	4614.399902	1.119891
2150	022	1876	0.04	1291	1	55	80	2.5	3	2	4690	3399	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	3961.799805	3961.799805	1.12
2151	002	1763	0.04	1637	1	55	80	2.5	3	2	4408	2771	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3299.399902	3299.399902	1.119873
2151	003	1763	0.04	1162	1	55	80	2.5	3	2	4408	3246	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3774.399902	3774.399902	1.119873
2151	022	1763	0.04	1162	1	55	80	2.5	3	2	4408	3246	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3774.399902	3774.399902	1.119873
2151	023	1763	0.04	1450	1	55	80	2.5	3	2	4408	2958	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3486.399902	3486.399902	1.119873
2151	024	1763	0.04	2466	1	55	80	2.5	3	2	4408	1942	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4936.399902	2470.399902	2470.399902	1.119873
2151	026	1875	0.04	1817	1	55	80	2.5	3	2	4688	2871	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3433	3433	1.119881
2151	027	1875	0.04	1275	1	55	80	2.5	3	2	4688	3413	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3975	3975	1.119881
2151	028	1875	0.04	1778	1	55	80	2.5	3	2	4688	2910	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3472	3472	1.119881
2151	029	1875	0.04	1279	1	55	80	2.5	3	2	4688	3409	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3971	3971	1.119881
2151	030	1750	0.04	1564	1	55	80	2.5	3	2	4375	2811	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4900	3336	3336	1.12
2151	031	1750	0.04	1075	1	55	80	2.5	3	2	4375	3300	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3825	3825	1.12
2151	032	1750	0.04	800	1	55	80	2.5	3	2	4375	3575	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4100	4100	1.12
2151	051	1750	0.04	1037	1	55	80	2.5	3	2	4375	3338	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3863	3863	1.12
2151	052	1750	0.04	1095	1	55	80	2.5	3	2	4375	3280	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3805	3805	1.12
2151	054	1876	0.04	800	1	55	80	2.5	3	2	4690	3890	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	4452.799805	4452.799805	1.12
2151	055	1876	0.04	800	1	55	80	2.5	3	2	4690	3890	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	4452.799805	4452.799805	1.12
2151	056	1876	0.04	950	1	55	80	2.5	3	2	4690	3740	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	4302.799805	4302.799805	1.12
2151	057	1876	0.04	1084	1	55	80	2.5	3	2	4690	3606	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	4168.799805	4168.799805	1.12
2152	021A	1769	0.04	1162	1	55	80	2.5	3	2	4422	3260	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4953.199707	3791.199707	3791.199707	1.120127
2152	021B	1769	0.04	1424	1	55	80	2.5	3	2	4422	2998	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4953.199707	3529.199707	3529.199707	1.120127
2152	021C	1769	0.04	1896	1	55	80	2.5	3	2	4422	2526	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4953.199707	3057.199707	3057.199707	1.120127
2152	021D	1875	0.04	2164	1	55	80	2.5	3	2	4688	2524	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3086	3086	1.119881
2152	021G	1875	0.04	1312	1	55	80	2.5	3	2	4688	3376	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3938	3938	1.119881
2152	021H	1750	0.04	1490	1	55	80	2.5	3	2	4375	2885	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4900	3410	3410	1.12
2152	021J	1750	0.04	1162	1	55	80	2.5	3	2	4375	3213	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3738	3738	1.12
2152	021K	1750	0.04	1330	1	55	80	2.5	3	2	4375	3045	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3570	3570	1.12
2152	042	1876	0.04	800	1	55	80	2.5	3	2	4690	3890	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	4452.799805	4452.799805	1.12
2152	043	1876	0.04	1030	1	55	80	2.5	3	2	4690	3660	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	4222.799805	4222.799805	1.12
2152	044	1876	0.04	800	1	55	80	2.5	3	2	4690	3890	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	4452.799805	4452.799805	1.12
2152	045	1876	0.04	2060	1	55	80	2.5	3	2	4690	2630	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	3192.799805	3192.799805	1.12
2152	046	1876	0.04	1388	1	55	80	2.5	3	2	4690	3302	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	3864.799805	3864.799805	1.12
2153	003	1761	0.04	1555	1	55	80	2.5	3	2	4402	2847	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4930.799805	3375.799805	3375.799805	1.120127
2153	004	1761	0.04	1555	1	55	80	2.5	3	2	4402	2847	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4930.799805	3375.799805	3375.799805	1.120127
2153	021	1761	0.04	1161	1	55	80	2.5	3	2	4402	3241	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4930.799805	3769.799805	3769.799805	1.120127
2153	022	1761	0.04	1733	1	55	80	2.5	3	2	4402	2669	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4930.799805	3197.799805	3197.799805	1.120127
2153	023	1761	0.04	1521	1	55	80	2.5	3	2	4402	2881	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4930.799805	3409.799805	3409.799805	1.120127
2153	024	1761	0.04	1461	1	55	80	2.5	3	2	4402	2941	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4930.799805	3469.799805	3469.799805	1.120127
2153	048	1747	0.04	1150	1	55	80	2.5	3	2	4368	3218	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4891.600098	3741.600098	3741.600098	1.119872
2155	002	2077	0.05	1168	1	55	80	2.5	4	3	5192	4024	RH-1	40	form-based			true	0.7	4	1	3	3	5815.600098	4647.600098	4647.600098	1.120108
2155	003	2077	0.05	1168	1	55	80	2.5	4	3	5192	4024	RH-1	40	form-based			true	0.7	4	1	3	3	5815.600098	4647.600098	4647.600098	1.120108
2155	004	2077	0.05	2000	1	55	80	2.5	4	3	5192	3192	RH-1	40	form-based			true	0.7	4	1	3	3	5815.600098	3815.600098	3815.600098	1.120108
2155	021	2077	0.05	1892	1	55	80	2.5	4	3	5192	3300	RH-1	40	form-based			true	0.7	4	1	3	3	5815.600098	3923.600098	3923.600098	1.120108
2155	022	2077	0.05	1450	1	55	80	2.5	4	3	5192	3742	RH-1	40	form-based			true	0.7	4	1	3	3	5815.600098	4365.600098	4365.600098	1.120108
2155	023	2077	0.05	1349	1	55	80	2.5	4	3	5192	3843	RH-1	40	form-based			true	0.7	4	1	3	3	5815.600098	4466.600098	4466.600098	1.120108
2155	024	2077	0.05	1733	1	55	80	2.5	4	3	5192	3459	RH-1	40	form-based	true		true	0.7	4	1	3	3	5815.600098	4082.600098	4082.600098	1.120108

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2155	028	2036	0.05	1500	1	55	80	2.5	4	3	5090	3590	RH-1	40	form-based		true	true	0.7	4	1	3	3	5700.799805	4200.799805	4200.799805	1.12
2155	029	2036	0.05	1350	1	55	80	2.5	4	3	5090	3740	RH-1	40	form-based			true	0.7	4	1	3	3	5700.799805	4350.799805	4350.799805	1.12
2155	030	2036	0.05	1734	1	55	80	2.5	4	3	5090	3356	RH-1	40	form-based			true	0.7	4	1	3	3	5700.799805	3966.799805	3966.799805	1.12
2155	031	2036	0.05	1350	1	55	80	2.5	4	3	5090	3740	RH-1	40	form-based			true	0.7	4	1	3	3	5700.799805	4350.799805	4350.799805	1.12
2155	048	2036	0.05	1498	1	55	80	2.5	4	3	5090	3592	RH-1	40	form-based			true	0.7	4	1	3	3	5700.799805	4202.799805	4202.799805	1.12
2155	049	2036	0.05	1493	1	55	80	2.5	4	3	5090	3597	RH-1	40	form-based			true	0.7	4	1	3	3	5700.799805	4207.799805	4207.799805	1.12
2155	050	2036	0.05	1450	1	55	80	2.5	4	3	5090	3640	RH-1	40	form-based			true	0.7	4	1	3	3	5700.799805	4250.799805	4250.799805	1.12
2161	017A	1750	0.04	1175	1	55	80	2.5	3	2	4375	3200	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3725	3725	1.12
2161	001A	1752	0.04	1328	1	55	80	2.5	3	2	4380	3052	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4905.600098	3577.600098	3577.600098	1.12
2161	001B	1752	0.04	893	1	55	80	2.5	3	2	4380	3487	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4905.600098	4012.600098	4012.600098	1.12
2161	001C	1753	0.04	893	1	55	80	2.5	3	2	4382	3489	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4908.399902	4015.399902	4015.399902	1.120128
2161	012	1760	0.04	905	1	55	80	2.5	3	2	4400	3495	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	4023	4023	1.12
2161	012A	1760	0.04	905	1	55	80	2.5	3	2	4400	3495	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	4023	4023	1.12
2161	013	1761	0.04	2761	1	55	80	2.5	3	2	4402	1641	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4930.799805	2169.799805	2169.799805	1.120127
2161	014	1761	0.04	905	1	55	80	2.5	3	2	4402	3497	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4930.799805	4025.799805	4025.799805	1.120127
2161	016A	1875	0.04	1300	1	55	80	2.5	3	2	4688	3388	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3950	3950	1.119881
2161	017	1750	0.04	1175	1	55	80	2.5	3	2	4375	3200	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4900	3725	3725	1.12
2161	018	1750	0.04	1175	1	55	80	2.5	3	2	4375	3200	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3725	3725	1.12
2161	027	1750	0.04	905	1	55	80	2.5	3	2	4375	3470	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3995	3995	1.12
2161	028	1750	0.04	905	1	55	80	2.5	3	2	4375	3470	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3995	3995	1.12
2161	029	1750	0.04	905	1	55	80	2.5	3	2	4375	3470	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3995	3995	1.12
2162	001A	2072	0.05	1214	1	55	80	2.5	4	3	5180	3966	RH-1	40	form-based			true	0.7	4	1	3	3	5801.600098	4587.600098	4587.600098	1.12
2162	001B	2072	0.05	1214	1	55	80	2.5	4	3	5180	3966	RH-1	40	form-based			true	0.7	4	1	3	3	5801.600098	4587.600098	4587.600098	1.12
2162	001C	2072	0.05	1214	1	55	80	2.5	4	3	5180	3966	RH-1	40	form-based			true	0.7	4	1	3	3	5801.600098	4587.600098	4587.600098	1.12
2162	015A	1760	0.04	1682	1	55	80	2.5	3	2	4400	2718	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	3246	3246	1.12
2162	016	1760	0.04	1889	1	55	80	2.5	3	2	4400	2511	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	3039	3039	1.12
2162	017	1760	0.04	1175	1	55	80	2.5	3	2	4400	3225	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4928	3753	3753	1.12
2162	018	1875	0.04	1175	1	55	80	2.5	3	2	4688	3513	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4075	4075	1.119881
2162	020	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2162	021	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2162	022	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2162	023	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2162	031	3000	0.07	2149	3	55	80	2.5	6	3	7500	5351	RH-1	40	form-based			true	0.7	6	1	3	3	8400	6251	6251	1.12
2162	040	2062	0.05	1387	1	55	80	2.5	4	3	5155	3768	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4386.600098	4386.600098	1.12
2162	041	2063	0.05	1214	1	55	80	2.5	4	3	5158	3944	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4562.399902	4562.399902	1.119891
2162	041A	2062	0.05	1214	1	55	80	2.5	4	3	5155	3941	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4559.600098	4559.600098	1.12
2163	002	1763	0.04	1214	1	55	80	2.5	3	2	4408	3194	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3722.399902	3722.399902	1.119873
2163	003	1763	0.04	1214	1	55	80	2.5	3	2	4408	3194	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3722.399902	3722.399902	1.119873
2163	004	1763	0.04	1214	1	55	80	2.5	3	2	4408	3194	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3722.399902	3722.399902	1.119873
2163	020A	1763	0.04	1214	1	55	80	2.5	3	2	4408	3194	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3722.399902	3722.399902	1.119873
2163	021	1763	0.04	1214	1	55	80	2.5	3	2	4408	3194	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3722.399902	3722.399902	1.119873
2163	021A	1763	0.04	1214	1	55	80	2.5	3	2	4408	3194	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3722.399902	3722.399902	1.119873
2163	022	1763	0.04	1214	1	55	80	2.5	3	2	4408	3194	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4936.399902	3722.399902	3722.399902	1.119873
2163	025	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2163	026	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2163	027	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2163	028	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2163	045	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2163	046	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2163	047	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2164	001A	1881	0.04	1214	1	55	80	2.5	3	2	4702	3488	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5266.799805	4052.799805	4052.799805	1.120119
2164	001B	1881	0.04	1378	1	55	80	2.5	3	2	4702	3324	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5266.799805	3888.799805	3888.799805	1.120119
2164	001C	1881	0.04	1214	1	55	80	2.5	3	2	4702	3488	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5266.799805	4052.799805	4052.799805	1.120119
2164	014	1756	0.04	1443	1	55	80	2.5	3	2	4390	2947	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4916.799805	3473.799805	3473.799805	1.12
2164	014A	1756	0.04	1487	1	55	80	2.5	3	2	4390	2903	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4916.799805	3429.799805	3429.799805	1.12
2164	014B	1756	0.04	1214	1	55	80	2.5	3	2	4390	3176	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4916.799805	3702.799805	3702.799805	1.12
2164	014C	1756	0.04	1214	1	55	80	2.5	3	2	4390	3176	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4916.799805	3702.799805	3702.799805	1.12
2164	016C	1750	0.04	1406	1	55	80	2.5	3	2	4375	2969	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4900	3494	3494	1.12
2164	016D	1750	0.04	2928	1	55	80	2.5	3	2	4375	1447	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	1972	1972	1.12
2164	016E	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2164	016F	1750	0.04	1322	1	55	80	2.5	3	2	4375	3053	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3578	3578	1.12
2164	030	2528	0.06	1753	2	55	80	2.5	5	3	6320	4567	RH-1	40	form-based			true	0.7	5	1	3	3	7078.399902	5325.399902	5325.399902	1.12
2165	001	1693	0.04	1824	1	55	80	2.5	3	2	4232	2408	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4740.399902	2916.399902	2916.399902	1.120132
2165	015	2075	0.05	1264	1	55	80	2.5	4	3	5188	3924	RH-1	40	form-based			true	0.7	4	1	3	3	5810	4546	4546	1.119892

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2165	017	1875	0.04	800	1	55	80	2.5	3	2	4688	3888	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4450	4450	1.119881
2165	018	1875	0.04	920	1	55	80	2.5	3	2	4688	3768	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4330	4330	1.119881
2165	021	2065	0.05	1185	1	55	80	2.5	4	3	5162	3977	RH-1	40	form-based		true	true	0.7	4	1	3	3	5782	4597	4597	1.120108
2165	022	2065	0.05	1185	1	55	80	2.5	4	3	5162	3977	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4597	4597	1.120108
2165	023	2065	0.05	1770	1	55	80	2.5	4	3	5162	3392	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4012	4012	1.120108
2165	023A	2065	0.05	1185	1	55	80	2.5	4	3	5162	3977	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4597	4597	1.120108
2165	038	2063	0.05	1214	1	55	80	2.5	4	3	5158	3944	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4562.399902	4562.399902	1.119891
2165	039	2063	0.05	1214	1	55	80	2.5	4	3	5158	3944	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4562.399902	4562.399902	1.119891
2165	039A	2063	0.05	1214	1	55	80	2.5	4	3	5158	3944	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4562.399902	4562.399902	1.119891
2166	002	1763	0.04	1610	1	55	80	2.5	3	2	4408	2798	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3326.399902	3326.399902	1.119873
2166	003	1763	0.04	1310	1	55	80	2.5	3	2	4408	3098	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3626.399902	3626.399902	1.119873
2166	004	1763	0.04	1291	1	55	80	2.5	3	2	4408	3117	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3645.399902	3645.399902	1.119873
2166	021	1763	0.04	1576	1	55	80	2.5	3	2	4408	2832	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3360.399902	3360.399902	1.119873
2166	022	1763	0.04	1634	1	55	80	2.5	3	2	4408	2774	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3302.399902	3302.399902	1.119873
2166	023	1763	0.04	1323	1	55	80	2.5	3	2	4408	3085	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3613.399902	3613.399902	1.119873
2166	024	1763	0.04	1681	1	55	80	2.5	3	2	4408	2727	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4936.399902	3255.399902	3255.399902	1.119873
2166	029	1750	0.04	1374	1	55	80	2.5	3	2	4375	3001	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4900	3526	3526	1.12
2166	030	1750	0.04	1377	1	55	80	2.5	3	2	4375	2998	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3523	3523	1.12
2166	031	1750	0.04	1000	1	55	80	2.5	3	2	4375	3375	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3900	3900	1.12
2166	032	1750	0.04	1000	1	55	80	2.5	3	2	4375	3375	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3900	3900	1.12
2166	049	1750	0.04	1649	1	55	80	2.5	3	2	4375	2726	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3251	3251	1.12
2166	050	1750	0.04	1000	1	55	80	2.5	3	2	4375	3375	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3900	3900	1.12
2166	051	1750	0.04	1909	1	55	80	2.5	3	2	4375	2466	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	2991	2991	1.12
2167	001B	2063	0.05	1300	1	55	80	2.5	4	3	5158	3858	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4476.399902	4476.399902	1.119891
2167	001C	2062	0.05	1300	1	55	80	2.5	4	3	5155	3855	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4473.600098	4473.600098	1.12
2167	018	2076	0.05	1800	1	55	80	2.5	4	3	5190	3390	RH-1	40	form-based			true	0.7	4	1	3	3	5812.799805	4012.799805	4012.799805	1.12
2167	018A	2076	0.05	1000	1	55	80	2.5	4	3	5190	4190	RH-1	40	form-based			true	0.7	4	1	3	3	5812.799805	4812.799805	4812.799805	1.12
2167	019	2076	0.05	1000	1	55	80	2.5	4	3	5190	4190	RH-1	40	form-based			true	0.7	4	1	3	3	5812.799805	4812.799805	4812.799805	1.12
2167	019A	2076	0.05	1000	1	55	80	2.5	4	3	5190	4190	RH-1	40	form-based		true	true	0.7	4	1	3	3	5812.799805	4812.799805	4812.799805	1.12
2167	021	2062	0.05	1305	1	55	80	2.5	4	3	5155	3850	RH-1	40	form-based		true	true	0.7	4	1	3	3	5773.600098	4468.600098	4468.600098	1.12
2167	022	2062	0.05	1305	1	55	80	2.5	4	3	5155	3850	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4468.600098	4468.600098	1.12
2167	023	2063	0.05	951	1	55	80	2.5	4	3	5158	4207	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4825.399902	4825.399902	1.119891
2167	023A	2063	0.05	951	1	55	80	2.5	4	3	5158	4207	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4825.399902	4825.399902	1.119891
2168	011	2559	0.06	2662	2	55	80	2.5	5	3	6398	3736	RH-2	40	form-based			true	0.7	5	1	3	3	7165.199707	4503.199707	4503.199707	1.119912
2169	003	2065	0.05	1895	1	55	80	2.5	4	3	5162	3267	RH-2	40	form-based			true	0.7	4	1	3	3	5782	3887	3887	1.120108
2169	006	1960	0.05	1289	1	55	80	2.5	4	3	4900	3611	RH-2	40	form-based			true	0.7	4	1	3	3	5488	4199	4199	1.12
2169	007	1928	0.04	1289	1	55	80	2.5	3	2	4820	3531	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5398.399902	4109.399902	4109.399902	1.12
2169	008	1895	0.04	1289	1	55	80	2.5	3	2	4738	3449	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5306	4017	4017	1.119882
2169	009	1862	0.04	1289	1	55	80	2.5	3	2	4655	3366	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5213.600098	3924.600098	3924.600098	1.12
2169	010	1829	0.04	1881	1	55	80	2.5	3	2	4572	2691	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5121.199707	3240.199707	3240.199707	1.120122
2169	014	2599	0.06	3224	2	55	80	2.5	5	3	6498	3274	RH-2	40	form-based			true	0.7	5	1	3	3	7277.199707	4053.199707	4053.199707	1.119914
2169	015	2560	0.06	3182	2	55	80	2.5	5	3	6400	3218	RH-2	40	form-based			true	0.7	5	1	3	3	7168	3986	3986	1.12
2169	016	2598	0.06	3996	2	55	80	2.5	5	3	6495	2499	RH-2	40	form-based			true	0.7	5	1	3	3	7274.399902	3278.399902	3278.399902	1.12
2170	004	2076	0.05	1415	1	55	80	2.5	4	3	5190	3775	RH-1	40	form-based			true	0.7	4	1	3	3	5812.799805	4397.799805	4397.799805	1.12
2170	021	2073	0.05	1141	1	55	80	2.5	4	3	5182	4041	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4663.399902	4663.399902	1.120108
2170	024A	1883	0.04	875	1	55	80	2.5	3	2	4708	3833	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5272.399902	4397.399902	4397.399902	1.119881
2170	027	2508	0.06	865	2	55	80	2.5	5	3	6270	5405	RH-1	40	form-based			true	0.7	5	1	3	3	7022.399902	6157.399902	6157.399902	1.12
2170	028	2092	0.05	1175	1	55	80	2.5	4	3	5230	4055	RH-1	40	form-based		true	true	0.7	4	1	3	3	5857.600098	4682.600098	4682.600098	1.12
2170	029	2065	0.05	1726	1	55	80	2.5	4	3	5162	3436	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4056	4056	1.120108
2170	030	2065	0.05	1425	1	55	80	2.5	4	3	5162	3737	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4357	4357	1.120108
2170	031	2065	0.05	1825	1	55	80	2.5	4	3	5162	3337	RH-1	40	form-based			true	0.7	4	1	3	3	5782	3957	3957	1.120108
2170	048	2063	0.05	1162	1	55	80	2.5	4	3	5158	3996	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4614.399902	4614.399902	1.119891
2170	049	2062	0.05	1162	1	55	80	2.5	4	3	5155	3993	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4611.600098	4611.600098	1.12
2170	050	2062	0.05	1162	1	55	80	2.5	4	3	5155	3993	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4611.600098	4611.600098	1.12
2170	051	2014	0.05	1772	1	55	80	2.5	4	3	5035	3263	RH-1	40	form-based		true	true	0.7	4	1	3	3	5639.199707	3867.199707	3867.199707	1.12
2170	054	1860	0.04	1152	1	55	80	2.5	3	2	4650	3498	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5208	4056	4056	1.12
2171	001	2025	0.05	1100	1	55	80	2.5	4	3	5062	3962	RH-1	40	form-based		true	true	0.7	4	1	3	3	5670	4570	4570	1.120111
2171	002	2073	0.05	1292	1	55	80	2.5	4	3	5182	3890	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4512.399902	4512.399902	1.120108
2171	003	2073	0.05	1513	1	55	80	2.5	4	3	5182	3669	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4291.399902	4291.399902	1.120108
2171	004	2073	0.05	1292	1	55	80	2.5	4	3	5182	3890	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4512.399902	4512.399902	1.120108
2171	021	2073	0.05	1499	1	55	80	2.5	4	3	5182	3683	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4305.399902	4305.399902	1.120108
2171	022	2073	0.05	1075	1	55	80	2.5	4	3	5182	4107	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4729.399902	4729.399902	1.120108
2171	023	2073	0.05	1425	1	55	80	2.5	4	3	5182	3757	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4379.399902	4379.399902	1.120108
2171	024	2095	0.05	1350	1	55	80	2.5	4	3	5238	3888	RH-1	40	form-based		true	true	0.7	4	1	3	3	5866	4516	4516	1.119893

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2171	028	2086	0.05	1396	1	55	80	2.5	4	3	5215	3819	RH-1	40	form-based		true	true	0.7	4	1	3	3	5840.799805	4444.799805	4444.799805	1.12
2171	029	2065	0.05	1325	1	55	80	2.5	4	3	5162	3837	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4457	4457	1.120108
2171	030	2065	0.05	1622	1	55	80	2.5	4	3	5162	3540	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4160	4160	1.120108
2171	031	2065	0.05	1545	1	55	80	2.5	4	3	5162	3617	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4237	4237	1.120108
2171	048	2065	0.05	1405	1	55	80	2.5	4	3	5162	3757	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4377	4377	1.120108
2171	049	2065	0.05	1378	1	55	80	2.5	4	3	5162	3784	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4404	4404	1.120108
2171	050	2065	0.05	900	1	55	80	2.5	4	3	5162	4262	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4882	4882	1.120108
2171	051	2016	0.05	1833	1	55	80	2.5	4	3	5040	3207	RH-1	40	form-based		true	true	0.7	4	1	3	3	5644.799805	3811.799805	3811.799805	1.12
2172	017A	1890	0.04	2295	1	55	80	2.5	3	2	4725	2430	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5292	2997	2997	1.12
2172	018	1890	0.04	1240	1	55	80	2.5	3	2	4725	3485	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5292	4052	4052	1.12
2172	018A	1890	0.04	1650	1	55	80	2.5	3	2	4725	3075	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5292	3642	3642	1.12
2172	019	1910	0.04	1800	1	55	80	2.5	3	2	4775	2975	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5348	3548	3548	1.12
2172	041	1870	0.04	1214	1	55	80	2.5	3	2	4675	3461	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5236	4022	4022	1.12
2173	001	2018	0.05	1200	1	55	80	2.5	4	3	5045	3845	RH-1	40	form-based		true	true	0.7	4	1	3	3	5650.399902	4450.399902	4450.399902	1.12
2173	002	2066	0.05	1680	1	55	80	2.5	4	3	5165	3485	RH-1	40	form-based			true	0.7	4	1	3	3	5784.799805	4104.799805	4104.799805	1.12
2173	003	2066	0.05	1240	1	55	80	2.5	4	3	5165	3925	RH-1	40	form-based			true	0.7	4	1	3	3	5784.799805	4544.799805	4544.799805	1.12
2173	004	2066	0.05	1000	1	55	80	2.5	4	3	5165	4165	RH-1	40	form-based			true	0.7	4	1	3	3	5784.799805	4784.799805	4784.799805	1.12
2173	021	2066	0.05	1150	1	55	80	2.5	4	3	5165	4015	RH-1	40	form-based			true	0.7	4	1	3	3	5784.799805	4634.799805	4634.799805	1.12
2173	022	2066	0.05	1000	1	55	80	2.5	4	3	5165	4165	RH-1	40	form-based			true	0.7	4	1	3	3	5784.799805	4784.799805	4784.799805	1.12
2173	023	2066	0.05	1665	1	55	80	2.5	4	3	5165	3500	RH-1	40	form-based			true	0.7	4	1	3	3	5784.799805	4119.799805	4119.799805	1.12
2173	024	2087	0.05	1613	1	55	80	2.5	4	3	5218	3605	RH-1	40	form-based		true	true	0.7	4	1	3	3	5843.600098	4230.600098	4230.600098	1.119893
2173	028	2086	0.05	938	1	55	80	2.5	4	3	5215	4277	RH-1	40	form-based		true	true	0.7	4	1	3	3	5840.799805	4902.799805	4902.799805	1.12
2173	029	2065	0.05	1300	1	55	80	2.5	4	3	5162	3862	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4482	4482	1.120108
2173	030	2065	0.05	1300	1	55	80	2.5	4	3	5162	3862	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4482	4482	1.120108
2173	031	2065	0.05	1672	1	55	80	2.5	4	3	5162	3490	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4110	4110	1.120108
2173	048	2065	0.05	1445	1	55	80	2.5	4	3	5162	3717	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4337	4337	1.120108
2173	049	2065	0.05	1612	1	55	80	2.5	4	3	5162	3550	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4170	4170	1.120108
2173	050	2065	0.05	956	1	55	80	2.5	4	3	5162	4206	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4826	4826	1.120108
2173	051	2016	0.05	1056	1	55	80	2.5	4	3	5040	3984	RH-1	40	form-based		true	true	0.7	4	1	3	3	5644.799805	4588.799805	4588.799805	1.12
2174	001	1722	0.04	1214	1	55	80	2.5	3	2	4305	3091	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4821.600098	3607.600098	3607.600098	1.12
2174	002	1763	0.04	1214	1	55	80	2.5	3	2	4408	3194	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3722.399902	3722.399902	1.119873
2174	003	1763	0.04	1214	1	55	80	2.5	3	2	4408	3194	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3722.399902	3722.399902	1.119873
2174	004	1763	0.04	1214	1	55	80	2.5	3	2	4408	3194	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3722.399902	3722.399902	1.119873
2174	023	1763	0.04	800	1	55	80	2.5	3	2	4408	3608	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	4136.399902	4136.399902	1.119873
2174	024	1781	0.04	1118	1	55	80	2.5	3	2	4452	3334	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4986.799805	3868.799805	3868.799805	1.120126
2175	007E	1760	0.04	1569	1	55	80	2.5	3	2	4400	2831	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	3359	3359	1.12
2175	007F	1760	0.04	1214	1	55	80	2.5	3	2	4400	3186	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	3714	3714	1.12
2175	007G	1760	0.04	1414	1	55	80	2.5	3	2	4400	2986	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	3514	3514	1.12
2175	007H	1778	0.04	1622	1	55	80	2.5	3	2	4445	2823	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4978.399902	3356.399902	3356.399902	1.12
2175	007M	1768	0.04	1400	1	55	80	2.5	3	2	4420	3020	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4950.399902	3550.399902	3550.399902	1.12
2175	007N	1750	0.04	1335	1	55	80	2.5	3	2	4375	3040	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3565	3565	1.12
2175	007O	1750	0.04	995	1	55	80	2.5	3	2	4375	3380	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3905	3905	1.12
2175	007P	1750	0.04	995	1	55	80	2.5	3	2	4375	3380	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3905	3905	1.12
2175	011	1750	0.04	1192	1	55	80	2.5	3	2	4375	3183	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3708	3708	1.12
2175	012	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3888	3888	1.12
2175	013	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3888	3888	1.12
2175	014	1709	0.04	1362	1	55	80	2.5	3	2	4272	2910	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4785.199707	3423.199707	3423.199707	1.120131
2176	001	1720	0.04	1387	1	55	80	2.5	3	2	4300	2913	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4816	3429	3429	1.12
2176	002	1761	0.04	1137	1	55	80	2.5	3	2	4402	3265	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4930.799805	3793.799805	3793.799805	1.120127
2176	003	1761	0.04	1137	1	55	80	2.5	3	2	4402	3265	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4930.799805	3793.799805	3793.799805	1.120127
2176	022	1761	0.04	1137	1	55	80	2.5	3	2	4402	3265	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4930.799805	3793.799805	3793.799805	1.120127
2176	023	1761	0.04	1137	1	55	80	2.5	3	2	4402	3265	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4930.799805	3793.799805	3793.799805	1.120127
2176	024	1849	0.04	1824	1	55	80	2.5	3	2	4622	2798	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5177.199707	3353.199707	3353.199707	1.120121
2176	025	1906	0.04	1137	1	55	80	2.5	3	2	4765	3628	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5336.799805	4199.799805	4199.799805	1.12
2176	028	1906	0.04	1137	1	55	80	2.5	3	2	4765	3628	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5336.799805	4199.799805	4199.799805	1.12
2176	029	1837	0.04	1137	1	55	80	2.5	3	2	4592	3455	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5143.600098	4006.600098	4006.600098	1.120122
2176	030	1750	0.04	1267	1	55	80	2.5	3	2	4375	3108	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3633	3633	1.12
2176	031	1750	0.04	1137	1	55	80	2.5	3	2	4375	3238	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3763	3763	1.12
2176	050	1750	0.04	1137	1	55	80	2.5	3	2	4375	3238	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3763	3763	1.12
2176	051	1750	0.04	1137	1	55	80	2.5	3	2	4375	3238	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3763	3763	1.12
2176	052	1709	0.04	1692	1	55	80	2.5	3	2	4272	2580	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4785.199707	3093.199707	3093.199707	1.120131
2176	053	1860	0.04	1459	1	55	80	2.5	3	2	4650	3191	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5208	3749	3749	1.12
2176	056	1860	0.04	1349	1	55	80	2.5	3	2	4650	3301	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5208	3859	3859	1.12
2177	001	1749	0.04	1214	1	55	80	2.5	3	2	4372	3158	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4897.199707	3683.199707	3683.199707	1.120128

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2177	002	1755	0.04	1553	1	55	80	2.5	3	2	4388	2835	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4914	3361	3361	1.119872
2177	003	1755	0.04	1214	1	55	80	2.5	3	2	4388	3174	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4914	3700	3700	1.119872
2177	004	1756	0.04	1214	1	55	80	2.5	3	2	4390	3176	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4916.799805	3702.799805	3702.799805	1.12
2177	016	3011	0.07	1818	3	55	80	2.5	6	3	7528	5710	RH-1	40	form-based			true	0.7	6	1	3	3	8430.799805	6612.799805	6612.799805	1.119926
2177	021	1763	0.04	1214	1	55	80	2.5	3	2	4408	3194	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3722.399902	3722.399902	1.119873
2177	022	1763	0.04	1214	1	55	80	2.5	3	2	4408	3194	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4936.399902	3722.399902	3722.399902	1.119873
2177	023	1764	0.04	1268	1	55	80	2.5	3	2	4410	3142	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4939.199707	3671.199707	3671.199707	1.12
2177	024	1852	0.04	1214	1	55	80	2.5	3	2	4630	3416	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	5185.600098	3971.600098	3971.600098	1.12
2177	029	1837	0.04	1214	1	55	80	2.5	3	2	4592	3378	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	5143.600098	3929.600098	3929.600098	1.120122
2177	030	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2177	031	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2177	032	1750	0.04	1214	1	55	80	2.5	3	2	4375	3161	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3686	3686	1.12
2177	049	1750	0.04	862	1	55	80	2.5	3	2	4375	3513	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4038	4038	1.12
2177	050	1750	0.04	1096	1	55	80	2.5	3	2	4375	3279	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3804	3804	1.12
2177	051	1750	0.04	1455	1	55	80	2.5	3	2	4375	2920	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3445	3445	1.12
2177	052	1745	0.04	862	1	55	80	2.5	3	2	4362	3500	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4886	4024	4024	1.120128
2178	001	1745	0.04	1156	1	55	80	2.5	3	2	4362	3206	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4886	3730	3730	1.120128
2178	002	1750	0.04	1024	1	55	80	2.5	3	2	4375	3351	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3876	3876	1.12
2178	003	1750	0.04	1360	1	55	80	2.5	3	2	4375	3015	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3540	3540	1.12
2178	021	1750	0.04	1260	1	55	80	2.5	3	2	4375	3115	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3640	3640	1.12
2178	022	1750	0.04	1329	1	55	80	2.5	3	2	4375	3046	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3571	3571	1.12
2178	023	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3888	3888	1.12
2178	024	1838	0.04	1012	1	55	80	2.5	3	2	4595	3583	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	5146.399902	4134.399902	4134.399902	1.12
2178	029	1837	0.04	1012	1	55	80	2.5	3	2	4592	3580	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	5143.600098	4131.600098	4131.600098	1.120122
2178	030	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3888	3888	1.12
2178	031	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3888	3888	1.12
2178	032	1750	0.04	1638	1	55	80	2.5	3	2	4375	2737	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3262	3262	1.12
2178	050	1750	0.04	911	1	55	80	2.5	3	2	4375	3464	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3989	3989	1.12
2178	051	1750	0.04	1031	1	55	80	2.5	3	2	4375	3344	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3869	3869	1.12
2178	052	1745	0.04	911	1	55	80	2.5	3	2	4362	3451	RH-1	40	form-based	true		true	0.7	4	1.333333373	3	3	4886	3975	3975	1.120128
2178	053	1873	0.04	1148	1	55	80	2.5	3	2	4682	3534	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5244.399902	4096.399902	4096.399902	1.12012
2178	056	1873	0.04	900	1	55	80	2.5	3	2	4682	3782	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5244.399902	4344.399902	4344.399902	1.12012
2182	001	2002	0.05	1550	1	55	80	2.5	4	3	5005	3455	RH-1	40	form-based	true		true	0.7	4	1	3	3	5605.600098	4055.600098	4055.600098	1.12
2182	001A	2074	0.05	1690	1	55	80	2.5	4	3	5185	3495	RH-1	40	form-based			true	0.7	4	1	3	3	5807.199707	4117.199707	4117.199707	1.12
2182	001B	2074	0.05	1200	1	55	80	2.5	4	3	5185	3985	RH-1	40	form-based			true	0.7	4	1	3	3	5807.199707	4607.199707	4607.199707	1.12
2182	001C	2074	0.05	1645	1	55	80	2.5	4	3	5185	3540	RH-1	40	form-based			true	0.7	4	1	3	3	5807.199707	4162.199707	4162.199707	1.12
2182	017	2039	0.05	1695	1	55	80	2.5	4	3	5098	3403	RH-1	40	form-based			true	0.7	4	1	3	3	5709.199707	4014.199707	4014.199707	1.11989
2182	017A	2039	0.05	2020	1	55	80	2.5	4	3	5098	3078	RH-1	40	form-based			true	0.7	4	1	3	3	5709.199707	3689.199707	3689.199707	1.11989
2182	017B	2039	0.05	1350	1	55	80	2.5	4	3	5098	3748	RH-1	40	form-based			true	0.7	4	1	3	3	5709.199707	4359.199707	4359.199707	1.11989
2182	017C	1968	0.05	1787	1	55	80	2.5	4	3	4920	3133	RH-1	40	form-based	true		true	0.7	4	1	3	3	5510.399902	3723.399902	3723.399902	1.12
2183	001	1996	0.05	1212	1	55	80	2.5	4	3	4990	3778	RH-1	40	form-based	true		true	0.7	4	1	3	3	5588.799805	4376.799805	4376.799805	1.12
2183	001A	2068	0.05	1050	1	55	80	2.5	4	3	5170	4120	RH-1	40	form-based			true	0.7	4	1	3	3	5790.399902	4740.399902	4740.399902	1.12
2183	001B	2068	0.05	1050	1	55	80	2.5	4	3	5170	4120	RH-1	40	form-based			true	0.7	4	1	3	3	5790.399902	4740.399902	4740.399902	1.12
2183	001C	2068	0.05	1451	1	55	80	2.5	4	3	5170	3719	RH-1	40	form-based			true	0.7	4	1	3	3	5790.399902	4339.399902	4339.399902	1.12
2183	009	2066	0.05	1496	1	55	80	2.5	4	3	5165	3669	RH-1	40	form-based			true	0.7	4	1	3	3	5784.799805	4288.799805	4288.799805	1.12
2183	009D	1906	0.04	1834	1	55	80	2.5	3	2	4765	2931	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5336.799805	3502.799805	3502.799805	1.12
2183	013	2065	0.05	1650	1	55	80	2.5	4	3	5162	3512	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4132	4132	1.120108
2183	014	2065	0.05	1200	1	55	80	2.5	4	3	5162	3962	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4582	4582	1.120108
2183	015	2065	0.05	1200	1	55	80	2.5	4	3	5162	3962	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4582	4582	1.120108
2183	024	2062	0.05	1425	1	55	80	2.5	4	3	5155	3730	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4348.600098	4348.600098	1.12
2183	024A	2063	0.05	1466	1	55	80	2.5	4	3	5158	3692	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4310.399902	4310.399902	1.119891
2183	025	2063	0.05	1686	1	55	80	2.5	4	3	5158	3472	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4090.399902	4090.399902	1.119891
2183	025A	1991	0.05	1922	1	55	80	2.5	4	3	4978	3056	RH-1	40	form-based	true		true	0.7	4	1	3	3	5574.799805	3652.799805	3652.799805	1.119887
2184	001	2001	0.05	1400	1	55	80	2.5	4	3	5002	3602	RH-1	40	form-based	true		true	0.7	4	1	3	3	5602.799805	4202.799805	4202.799805	1.120112
2184	001A	2073	0.05	1162	1	55	80	2.5	4	3	5182	4020	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4642.399902	4642.399902	1.120108
2184	001B	2073	0.05	1162	1	55	80	2.5	4	3	5182	4020	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4642.399902	4642.399902	1.120108
2184	001C	2073	0.05	1673	1	55	80	2.5	4	3	5182	3509	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4131.399902	4131.399902	1.120108
2184	017	2073	0.05	1100	1	55	80	2.5	4	3	5182	4082	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4704.399902	4704.399902	1.120108
2184	018	2073	0.05	1100	1	55	80	2.5	4	3	5182	4082	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4704.399902	4704.399902	1.120108
2184	019	2073	0.05	1500	1	55	80	2.5	4	3	5182	3682	RH-1	40	form-based			true	0.7	4	1	3	3	5804.399902	4304.399902	4304.399902	1.120108
2184	024	2084	0.05	1300	1	55	80	2.5	4	3	5210	3910	RH-1	40	form-based			true	0.7	4	1	3	3	5835.199707	4535.199707	4535.199707	1.12
2184	025	2084	0.05	1587	1	55	80	2.5	4	3	5210	3623	RH-1	40	form-based			true	0.7	4	1	3	3	5835.199707	4248.199707	4248.199707	1.12
2184	025A	2084	0.05	1630	1	55	80	2.5	4	3	5210	3580	RH-1	40	form-based			true	0.7	4	1	3	3	5835.199707	4205.199707	4205.199707	1.12
2185	001	2127	0.05	1799	1	55	80	2.5	4	3	5318	3519	RH-1	40	form-based	true		true	0.7	4	1	3	3	5955.600098	4156.600098	4156.600098	1.119895

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2189	006A	1906	0.04	1162	1	55	80	2.5	3	2	4765	3603	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5336.799805	4174.799805	4174.799805	1.12
2189	007	1837	0.04	1699	1	55	80	2.5	3	2	4592	2893	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5143.600098	3444.600098	3444.600098	1.120122
2189	007A	1750	0.04	1162	1	55	80	2.5	3	2	4375	3213	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3738	3738	1.12
2189	008	1750	0.04	1932	1	55	80	2.5	3	2	4375	2443	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	2968	2968	1.12
2190	001	2009	0.05	1042	1	55	80	2.5	4	3	5022	3980	RH-1	40	form-based		true	true	0.7	4	1	3	3	5625.199707	4583.199707	4583.199707	1.120111
2190	001H	2082	0.05	1200	1	55	80	2.5	4	3	5205	4005	RH-1	40	form-based			true	0.7	4	1	3	3	5829.600098	4629.600098	4629.600098	1.12
2190	001I	2082	0.05	1658	1	55	80	2.5	4	3	5205	3547	RH-1	40	form-based			true	0.7	4	1	3	3	5829.600098	4171.600098	4171.600098	1.12
2190	001J	2082	0.05	1528	1	55	80	2.5	4	3	5205	3677	RH-1	40	form-based			true	0.7	4	1	3	3	5829.600098	4301.600098	4301.600098	1.12
2190	003A	1772	0.04	1572	1	55	80	2.5	3	2	4430	2858	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4961.600098	3389.600098	3389.600098	1.12
2190	003B	1860	0.04	1225	1	55	80	2.5	3	2	4650	3425	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5208	3983	3983	1.12
2190	003G	1772	0.04	1200	1	55	80	2.5	3	2	4430	3230	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4961.600098	3761.600098	3761.600098	1.12
2190	003H	1772	0.04	2840	1	55	80	2.5	3	2	4430	1590	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4961.600098	2121.600098	2121.600098	1.12
2190	004	1906	0.04	1650	1	55	80	2.5	3	2	4765	3115	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5336.799805	3686.799805	3686.799805	1.12
2190	007	2065	0.05	2463	1	55	80	2.5	4	3	5162	2699	RH-1	40	form-based			true	0.7	4	1	3	3	5782	3319	3319	1.120108
2190	008A	2065	0.05	2060	1	55	80	2.5	4	3	5162	3102	RH-1	40	form-based			true	0.7	4	1	3	3	5782	3722	3722	1.120108
2190	009	1993	0.05	1681	1	55	80	2.5	4	3	4982	3301	RH-1	40	form-based		true	true	0.7	4	1	3	3	5580.399902	3899.399902	3899.399902	1.120112
2191	001	1698	0.04	1536	1	55	80	2.5	3	2	4245	2709	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4754.399902	3218.399902	3218.399902	1.12
2191	001A	1760	0.04	1011	1	55	80	2.5	3	2	4400	3389	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	3917	3917	1.12
2191	001B	1760	0.04	1011	1	55	80	2.5	3	2	4400	3389	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	3917	3917	1.12
2191	001C	1760	0.04	1342	1	55	80	2.5	3	2	4400	3058	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4928	3586	3586	1.12
2191	008F	2072	0.05	1250	1	55	80	2.5	4	3	5180	3930	RH-1	40	form-based			true	0.7	4	1	3	3	5801.600098	4551.600098	4551.600098	1.12
2191	008G	2072	0.05	2345	1	55	80	2.5	4	3	5180	2835	RH-1	40	form-based			true	0.7	4	1	3	3	5801.600098	3456.600098	3456.600098	1.12
2191	008H	2072	0.05	1250	1	55	80	2.5	4	3	5180	3930	RH-1	40	form-based			true	0.7	4	1	3	3	5801.600098	4551.600098	4551.600098	1.12
2191	009A	2063	0.05	1590	1	55	80	2.5	4	3	5158	3568	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4186.399902	4186.399902	1.119891
2191	009B	2062	0.05	1150	1	55	80	2.5	4	3	5155	4005	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4623.600098	4623.600098	1.12
2191	009C	2063	0.05	1150	1	55	80	2.5	4	3	5158	4008	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4626.399902	4626.399902	1.119891
2191	014E	1689	0.04	1036	1	55	80	2.5	3	2	4222	3186	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4729.199707	3693.199707	3693.199707	1.120133
2191	014G	1750	0.04	807	1	55	80	2.5	3	2	4375	3568	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4093	4093	1.12
2191	014H	1750	0.04	807	1	55	80	2.5	3	2	4375	3568	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4093	4093	1.12
2193	017	2062	0.05	1327	1	55	80	2.5	4	3	5155	3828	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4446.600098	4446.600098	1.12
2193	018	2062	0.05	1578	1	55	80	2.5	4	3	5155	3577	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4195.600098	4195.600098	1.12
2193	018A	2062	0.05	1627	1	55	80	2.5	4	3	5155	3528	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4146.600098	4146.600098	1.12
2196	020	2384	0.05	2560	2	55	80	2.5	4	2	5960	3400	RH-1	40	form-based			true	0.7	5	1.25	3	3	6675.199707	4115.199707	4115.199707	1.12
2196	034	3000	0.07	2808	3	55	80	2.5	6	3	7500	4692	RH-1	40	form-based			true	0.7	6	1	3	3	8400	5592	5592	1.12
2196	046	1957	0.04	1450	1	55	80	2.5	3	2	4892	3442	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5479.600098	4029.600098	4029.600098	1.120114
2196	047	1957	0.04	2307	1	55	80	2.5	3	2	4892	2585	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5479.600098	3172.600098	3172.600098	1.120114
2197	003C	1903	0.04	1308	1	55	80	2.5	3	2	4758	3450	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5328.399902	4020.399902	4020.399902	1.119882
2197	003E	1674	0.04	1162	1	55	80	2.5	3	2	4185	3023	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4687.199707	3525.199707	3525.199707	1.12
2197	006C	1848	0.04	1250	1	55	80	2.5	3	2	4620	3370	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5174.399902	3924.399902	3924.399902	1.12
2198	027	1750	0.04	1810	1	55	80	2.5	3	2	4375	2565	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3090	3090	1.12
2198	028	1750	0.04	1538	1	55	80	2.5	3	2	4375	2837	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3362	3362	1.12
2201	004I	2000	0.05	1380	1	55	80	2.5	4	3	5000	3620	RH-1	40	form-based		true	true	0.7	4	1	3	3	5600	4220	4220	1.12
2203	009A	1900	0.04	1522	1	55	80	2.5	3	2	4750	3228	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5320	3798	3798	1.12
2203	009B	1985	0.05	1500	1	55	80	2.5	4	3	4962	3462	RH-1(D)	40	form-based		true	true	0.7	4	1	3	3	5558	4058	4058	1.120113
2204	014	2139	0.05	2634	1	55	80	2.5	4	3	5348	2714	RH-1	40	form-based		true	true	0.7	4	1	3	3	5989.199707	3355.199707	3355.199707	1.119895
2204	014B	2139	0.05	2414	1	55	80	2.5	4	3	5348	2934	RH-1	40	form-based			true	0.7	4	1	3	3	5989.199707	3575.199707	3575.199707	1.119895
2205	001	2062	0.05	1011	1	55	80	2.5	4	3	5155	4144	RH-1	40	form-based		true	true	0.7	4	1	3	3	5773.600098	4762.600098	4762.600098	1.12
2205	001A	2063	0.05	1167	1	55	80	2.5	4	3	5158	3991	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4609.399902	4609.399902	1.119891
2205	002	2063	0.05	1011	1	55	80	2.5	4	3	5158	4147	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4765.399902	4765.399902	1.119891
2205	003	2063	0.05	1245	1	55	80	2.5	4	3	5158	3913	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4531.399902	4531.399902	1.119891
2206	030A	1902	0.04	1145	1	55	80	2.5	3	2	4755	3610	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5325.600098	4180.600098	4180.600098	1.12
2206	031	1907	0.04	1225	1	55	80	2.5	3	2	4768	3543	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5339.600098	4114.600098	4114.600098	1.119883
2206	031A	1825	0.04	1032	1	55	80	2.5	3	2	4562	3530	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5110	4078	4078	1.120123
2206	032	1825	0.04	1602	1	55	80	2.5	3	2	4562	2960	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5110	3508	3508	1.120123
2302	026	1875	0.04	1380	1	65	100	3	4	3	5625	4245	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3870	3870	0.933333
2301	005	2581	0.06	2024	2	65	100	3	6	4	7743	5719	RH-2	40	form-based		true	true	0.7	5	0.833333313	3	3	7226.799805	5202.799805	5202.799805	0.933333
2302	002	1749	0.04	1195	1	65	100	3	4	3	5247	4052	RH-1	40	form-based			true	0.7	4	1	3	3	4897.199707	3702.199707	3702.199707	0.933333
2302	003	1750	0.04	1195	1	65	100	3	4	3	5250	4055	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3705	3705	0.933333
2302	050	1750	0.04	1195	1	55	80	2.5	3	2	4375	3180	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3705	3705	1.12
2302	051	1750	0.04	2020	1	55	80	2.5	3	2	4375	2355	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	2880	2880	1.12
2302	053	1840	0.04	1195	1	55	80	2.5	3	2	4600	3405	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5152	3957	3957	1.12
2302	056	1840	0.04	955	1	65	100	3	4	3	5520	4565	RH-1	40	form-based			true	0.7	4	1	3	3	5152	4197	4197	0.933333
2304	001	1972	0.05	1145	1	65	100	3	5	4	5916	4771	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5521.600098	4376.600098	4376.600098	0.933333
2304	001A	2075	0.05	1145	1	65	100	3	5	4	6225	5080	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5810	4665	4665	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2304	001B	2075	0.05	1304	1	65	100	3	5	4	6225	4921	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5810	4506	4506	0.933333
2304	001C	2075	0.05	1856	1	65	100	3	5	4	6225	4369	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5810	3954	3954	0.933333
2304	018	2062	0.05	1566	1	65	100	3	5	4	6186	4620	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4207.600098	4207.600098	0.933333
2304	019	2062	0.05	1145	1	65	100	3	5	4	6186	5041	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4628.600098	4628.600098	0.933333
2304	020	2062	0.05	1310	1	65	100	3	5	4	6186	4876	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4463.600098	4463.600098	0.933333
2304	021	1957	0.04	1568	1	65	100	3	4	3	5871	4303	RH-1	40	form-based		true	true	0.7	4	1	3	3	5479.600098	3911.600098	3911.600098	0.933333
2305	019	1886	0.04	1140	1	65	100	3	4	3	5658	4518	RH-1	40	form-based			true	0.7	4	1	3	3	5280.799805	4140.799805	4140.799805	0.933333
2305	020	1886	0.04	800	1	65	100	3	4	3	5658	4858	RH-1	40	form-based			true	0.7	4	1	3	3	5280.799805	4480.799805	4480.799805	0.933333
2305	021	1886	0.04	1750	1	65	100	3	4	3	5658	3908	RH-1	40	form-based		true	true	0.7	4	1	3	3	5280.799805	3530.799805	3530.799805	0.933333
2305	021A	1875	0.04	1279	1	65	100	3	4	3	5625	4346	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3971	3971	0.933333
2305	025	2500	0.06	2440	2	65	100	3	6	4	7500	5060	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4560	4560	0.933333
2306	009I	2080	0.05	1000	1	65	100	3	5	4	6240	5240	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5824	4824	4824	0.933333
2306	009J	2080	0.05	1000	1	65	100	3	5	4	6240	5240	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5824	4824	4824	0.933333
2306	009K	2080	0.05	1325	1	65	100	3	5	4	6240	4915	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5824	4499	4499	0.933333
2306	009L	2080	0.05	1000	1	65	100	3	5	4	6240	5240	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5824	4824	4824	0.933333
2306	010	2062	0.05	1000	1	65	100	3	5	4	6186	5186	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5773.600098	4773.600098	4773.600098	0.933333
2306	010A	2062	0.05	1220	1	65	100	3	5	4	6186	4966	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4553.600098	4553.600098	0.933333
2306	010B	2063	0.05	1000	1	65	100	3	5	4	6189	5189	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4776.399902	4776.399902	0.933333
2306	010C	2062	0.05	1284	1	65	100	3	5	4	6186	4902	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4489.600098	4489.600098	0.933333
2306	022	1750	0.04	1214	1	65	100	3	4	3	5250	4036	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3686	3686	0.933333
2306	022A	1750	0.04	1214	1	65	100	3	4	3	5250	4036	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3686	3686	0.933333
2306	023	1750	0.04	1214	1	65	100	3	4	3	5250	4036	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3686	3686	0.933333
2306	023A	1670	0.04	1214	1	65	100	3	4	3	5010	3796	RH-1	40	form-based		true	true	0.7	4	1	3	3	4676	3462	3462	0.933333
2307	001	1673	0.04	962	1	65	100	3	4	3	5019	4057	RH-1	40	form-based		true	true	0.7	4	1	3	3	4684.399902	3722.399902	3722.399902	0.933333
2307	001A	1758	0.04	1083	1	65	100	3	4	3	5274	4191	RH-1	40	form-based			true	0.7	4	1	3	3	4922.399902	3839.399902	3839.399902	0.933333
2307	001B	1758	0.04	962	1	65	100	3	4	3	5274	4312	RH-1	40	form-based			true	0.7	4	1	3	3	4922.399902	3960.399902	3960.399902	0.933333
2307	001C	1771	0.04	1302	1	65	100	3	4	3	5313	4011	RH-1	40	form-based			true	0.7	4	1	3	3	4958.799805	3656.799805	3656.799805	0.933333
2307	013	2063	0.05	905	1	65	100	3	5	4	6189	5284	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4871.399902	4871.399902	0.933333
2307	014	2062	0.05	1052	1	65	100	3	5	4	6186	5134	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4721.600098	4721.600098	0.933333
2307	015	2063	0.05	2442	1	65	100	3	5	4	6189	3747	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	3334.399902	3334.399902	0.933333
2307	015A	2063	0.05	1413	1	65	100	3	5	4	6189	4776	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5776.399902	4363.399902	4363.399902	0.933333
2307	040	1762	0.04	1402	1	65	100	3	4	3	5286	3884	RH-1	40	form-based			true	0.7	4	1	3	3	4933.600098	3531.600098	3531.600098	0.933333
2307	041	1750	0.04	1617	1	65	100	3	4	3	5250	3633	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3283	3283	0.933333
2307	042	1750	0.04	962	1	65	100	3	4	3	5250	4288	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3938	3938	0.933333
2308	001A	1750	0.04	1376	1	65	100	3	4	3	5250	3874	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3524	3524	0.933333
2308	001B	1750	0.04	1587	1	65	100	3	4	3	5250	3663	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3313	3313	0.933333
2308	015	2077	0.05	893	1	65	100	3	5	4	6231	5338	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5815.600098	4922.600098	4922.600098	0.933333
2308	016	2062	0.05	1268	1	65	100	3	5	4	6186	4918	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4505.600098	4505.600098	0.933333
2308	016A	2062	0.05	893	1	65	100	3	5	4	6186	5293	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4880.600098	4880.600098	0.933333
2308	017	2048	0.05	893	1	65	100	3	5	4	6144	5251	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5734.399902	4841.399902	4841.399902	0.933333
2308	020	2052	0.05	1498	1	65	100	3	5	4	6156	4658	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5745.600098	4247.600098	4247.600098	0.933333
2308	020A	2067	0.05	1668	1	65	100	3	5	4	6201	4533	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5787.600098	4119.600098	4119.600098	0.933333
2308	021	2067	0.05	1442	1	65	100	3	5	4	6201	4759	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5787.600098	4345.600098	4345.600098	0.933333
2308	021A	2081	0.05	1162	1	65	100	3	5	4	6243	5081	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	4664.799805	4664.799805	0.933333
2308	028	1757	0.04	905	1	65	100	3	4	3	5271	4366	RH-1	40	form-based			true	0.7	4	1	3	3	4919.600098	4014.600098	4014.600098	0.933333
2308	028A	1757	0.04	1056	1	65	100	3	4	3	5271	4215	RH-1	40	form-based			true	0.7	4	1	3	3	4919.600098	3863.600098	3863.600098	0.933333
2308	028B	1757	0.04	905	1	65	100	3	4	3	5271	4366	RH-1	40	form-based			true	0.7	4	1	3	3	4919.600098	4014.600098	4014.600098	0.933333
2308	030	1826	0.04	1137	1	65	100	3	4	3	5478	4341	RH-1	40	form-based			true	0.7	4	1	3	3	5112.799805	3975.799805	3975.799805	0.933333
2309	001A	1767	0.04	1011	1	65	100	3	4	3	5301	4290	RH-1	40	form-based			true	0.7	4	1	3	3	4947.600098	3936.600098	3936.600098	0.933333
2309	001B	1779	0.04	1011	1	65	100	3	4	3	5337	4326	RH-1	40	form-based			true	0.7	4	1	3	3	4981.199707	3970.199707	3970.199707	0.933333
2309	015	2079	0.05	1106	1	65	100	3	5	4	6237	5131	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5821.199707	4715.199707	4715.199707	0.933333
2309	016	2079	0.05	1219	1	65	100	3	5	4	6237	5018	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5821.199707	4602.199707	4602.199707	0.933333
2309	017	2079	0.05	1112	1	65	100	3	5	4	6237	5125	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5821.199707	4709.199707	4709.199707	0.933333
2309	017A	2079	0.05	1461	1	65	100	3	5	4	6237	4776	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5821.199707	4360.199707	4360.199707	0.933333
2309	023	1762	0.04	1030	1	65	100	3	4	3	5286	4256	RH-1	40	form-based			true	0.7	4	1	3	3	4933.600098	3903.600098	3903.600098	0.933333
2309	024	1750	0.04	900	1	65	100	3	4	3	5250	4350	RH-1	40	form-based			true	0.7	4	1	3	3	4900	4000	4000	0.933333
2309	026	1827	0.04	1132	1	65	100	3	4	3	5481	4349	RH-1	40	form-based			true	0.7	4	1	3	3	5115.600098	3983.600098	3983.600098	0.933333
2309	027	1827	0.04	1012	1	65	100	3	4	3	5481	4469	RH-1	40	form-based			true	0.7	4	1	3	3	5115.600098	4103.600098	4103.600098	0.933333
2309	028	1827	0.04	1357	1	65	100	3	4	3	5481	4124	RH-1	40	form-based			true	0.7	4	1	3	3	5115.600098	3758.600098	3758.600098	0.933333
2309	029	1827	0.04	1012	1	65	100	3	4	3	5481	4469	RH-1	40	form-based			true	0.7	4	1	3	3	5115.600098	4103.600098	4103.600098	0.933333
2309	031	1875	0.04	1264	1	65	100	3	4	3	5625	4361	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3986	3986	0.933333
2310	001A	1756	0.04	1217	1	65	100	3	4	3	5268	4051	RH-1	40	form-based			true	0.7	4	1	3	3	4916.799805	3699.799805	3699.799805	0.933333
2310	001B	1757	0.04	1169	1	65	100	3	4	3	5271	4102	RH-1	40	form-based			true	0.7	4	1	3	3	4919.600098	3750.600098	3750.600098	0.933333
2310	007A	1757	0.04	1547	1	65	100	3	4	3	5271	3724	RH-1	40	form-based			true	0.7	4	1	3	3	4919.600098	3372.600098	3372.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2310	007B	1757	0.04	1281	1	65	100	3	4	3	5271	3990	RH-1	40	form-based			true	0.7	4	1	3	3	4919.600098	3638.600098	3638.600098	0.933333
2310	007C	1746	0.04	1537	1	65	100	3	4	3	5238	3701	RH-1	40	form-based		true	true	0.7	4	1	3	3	4888.799805	3351.799805	3351.799805	0.933333
2310	007D	1871	0.04	1137	1	65	100	3	4	3	5613	4476	RH-1	40	form-based			true	0.7	4	1	3	3	5238.799805	4101.799805	4101.799805	0.933333
2310	008	1738	0.04	1011	1	65	100	3	4	3	5214	4203	RH-1	40	form-based		true	true	0.7	4	1	3	3	4866.399902	3855.399902	3855.399902	0.933333
2310	008A	1750	0.04	1011	1	65	100	3	4	3	5250	4239	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3889	3889	0.933333
2310	008B	1750	0.04	1011	1	65	100	3	4	3	5250	4239	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3889	3889	0.933333
2310	008C	1750	0.04	1011	1	65	100	3	4	3	5250	4239	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3889	3889	0.933333
2310	017	1750	0.04	905	1	65	100	3	4	3	5250	4345	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3995	3995	0.933333
2310	017A	1750	0.04	905	1	65	100	3	4	3	5250	4345	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3995	3995	0.933333
2310	018	1750	0.04	905	1	65	100	3	4	3	5250	4345	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3995	3995	0.933333
2310	021	1829	0.04	1169	1	65	100	3	4	3	5487	4318	RH-1	40	form-based			true	0.7	4	1	3	3	5121.199707	3952.199707	3952.199707	0.933333
2310	022	1829	0.04	1169	1	65	100	3	4	3	5487	4318	RH-1	40	form-based			true	0.7	4	1	3	3	5121.199707	3952.199707	3952.199707	0.933333
2311	001A	1744	0.04	1400	1	55	80	2.5	3	2	4360	2960	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4883.199707	3483.199707	3483.199707	1.12
2311	001B	1744	0.04	905	1	65	100	3	4	3	5232	4327	RH-1	40	form-based			true	0.7	4	1	3	3	4883.199707	3978.199707	3978.199707	0.933333
2311	001C	1744	0.04	905	1	65	100	3	4	3	5232	4327	RH-1	40	form-based			true	0.7	4	1	3	3	4883.199707	3978.199707	3978.199707	0.933333
2311	009A	1742	0.04	1137	1	65	100	3	4	3	5226	4089	RH-1	40	form-based			true	0.7	4	1	3	3	4877.600098	3740.600098	3740.600098	0.933333
2311	009B	1742	0.04	1137	1	65	100	3	4	3	5226	4089	RH-1	40	form-based			true	0.7	4	1	3	3	4877.600098	3740.600098	3740.600098	0.933333
2311	009C	1730	0.04	1137	1	65	100	3	4	3	5190	4053	RH-1	40	form-based		true	true	0.7	4	1	3	3	4844	3707	3707	0.933333
2311	009D	1871	0.04	1137	1	65	100	3	4	3	5613	4476	RH-1	40	form-based			true	0.7	4	1	3	3	5238.799805	4101.799805	4101.799805	0.933333
2311	009G	1871	0.04	1137	1	65	100	3	4	3	5613	4476	RH-1	40	form-based			true	0.7	4	1	3	3	5238.799805	4101.799805	4101.799805	0.933333
2311	009H	1739	0.04	1901	1	65	100	3	4	3	5217	3316	RH-1	40	form-based		true	true	0.7	4	1	3	3	4869.199707	2968.199707	2968.199707	0.933333
2311	009I	1750	0.04	1552	1	65	100	3	4	3	5250	3698	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3348	3348	0.933333
2311	009J	1750	0.04	1137	1	65	100	3	4	3	5250	4113	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3763	3763	0.933333
2311	017	1750	0.04	1593	1	65	100	3	4	3	5250	3657	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3307	3307	0.933333
2311	018	1750	0.04	1061	1	65	100	3	4	3	5250	4189	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3839	3839	0.933333
2311	019	1750	0.04	905	1	65	100	3	4	3	5250	4345	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3995	3995	0.933333
2312	001	1913	0.04	1378	1	65	100	3	4	3	5739	4361	RH-1	40	form-based		true	true	0.7	4	1	3	3	5356.399902	3978.399902	3978.399902	0.933333
2312	001A	2066	0.05	1378	1	65	100	3	5	4	6198	4820	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5784.799805	4406.799805	4406.799805	0.933333
2312	001B	2066	0.05	2613	1	65	100	3	5	4	6198	3585	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5784.799805	3171.799805	3171.799805	0.933333
2312	001C	2079	0.05	1378	1	65	100	3	5	4	6237	4859	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5821.199707	4443.199707	4443.199707	0.933333
2312	010A	2063	0.05	2115	1	65	100	3	5	4	6189	4074	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	3661.399902	3661.399902	0.933333
2312	010B	2063	0.05	1250	1	65	100	3	5	4	6189	4939	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4526.399902	4526.399902	0.933333
2312	010C	2063	0.05	1625	1	65	100	3	5	4	6189	4564	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5776.399902	4151.399902	4151.399902	0.933333
2312	011	1875	0.04	1550	1	65	100	3	4	3	5625	4075	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3700	3700	0.933333
2312	028	2076	0.05	1804	1	65	100	3	5	4	6228	4424	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5812.799805	4008.799805	4008.799805	0.933333
2312	028A	2062	0.05	1300	1	65	100	3	5	4	6186	4886	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4473.600098	4473.600098	0.933333
2312	029	2063	0.05	1900	1	65	100	3	5	4	6189	4289	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	3876.399902	3876.399902	0.933333
2312	030	1906	0.04	1300	1	55	80	2.5	3	2	4765	3465	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5336.799805	4036.799805	4036.799805	1.12
2314	001	1927	0.04	1479	1	65	100	3	4	3	5781	4302	RH-1	40	form-based		true	true	0.7	4	1	3	3	5395.600098	3916.600098	3916.600098	0.933333
2314	002	2069	0.05	1252	1	65	100	3	5	4	6207	4955	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5793.199707	4541.199707	4541.199707	0.933333
2314	003	2069	0.05	1700	1	65	100	3	5	4	6207	4507	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5793.199707	4093.199707	4093.199707	0.933333
2314	003A	2081	0.05	1650	1	65	100	3	5	4	6243	4593	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	4176.799805	4176.799805	0.933333
2314	021	2062	0.05	1476	1	65	100	3	5	4	6186	4710	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5773.600098	4297.600098	4297.600098	0.933333
2314	021A	2062	0.05	1813	1	65	100	3	5	4	6186	4373	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3960.600098	3960.600098	0.933333
2314	021B	2063	0.05	1450	1	65	100	3	5	4	6189	4739	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4326.399902	4326.399902	0.933333
2314	021C	2062	0.05	1669	1	65	100	3	5	4	6186	4517	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4104.600098	4104.600098	0.933333
2314	031	2062	0.05	1738	1	65	100	3	5	4	6186	4448	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4035.600098	4035.600098	0.933333
2314	032	2063	0.05	1763	1	65	100	3	5	4	6189	4426	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4013.399902	4013.399902	0.933333
2314	033	1918	0.04	2300	1	65	100	3	4	3	5754	3454	RH-1	40	form-based		true	true	0.7	4	1	3	3	5370.399902	3070.399902	3070.399902	0.933333
2315	001	2077	0.05	1242	1	55	80	2.5	4	3	5192	3950	RH-1	40	form-based		true	true	0.7	4	1	3	3	5815.600098	4573.600098	4573.600098	1.120108
2315	012	1721	0.04	1750	1	65	100	3	4	3	5163	3413	RH-1	40	form-based			true	0.7	4	1	3	3	4818.799805	3068.799805	3068.799805	0.933333
2315	012A	1722	0.04	1175	1	65	100	3	4	3	5166	3991	RH-1	40	form-based			true	0.7	4	1	3	3	4821.600098	3646.600098	3646.600098	0.933333
2315	012B	1723	0.04	1295	1	65	100	3	4	3	5169	3874	RH-1	40	form-based			true	0.7	4	1	3	3	4824.399902	3529.399902	3529.399902	0.933333
2315	012C	1713	0.04	1175	1	65	100	3	4	3	5139	3964	RH-1	40	form-based		true	true	0.7	4	1	3	3	4796.399902	3621.399902	3621.399902	0.933333
2315	012H	1740	0.04	1175	1	65	100	3	4	3	5220	4045	RH-1	40	form-based		true	true	0.7	4	1	3	3	4872	3697	3697	0.933333
2315	012I	1750	0.04	1175	1	65	100	3	4	3	5250	4075	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3725	3725	0.933333
2315	012J	1750	0.04	1175	1	65	100	3	4	3	5250	4075	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3725	3725	0.933333
2315	012K	1750	0.04	1445	1	65	100	3	4	3	5250	3805	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3455	3455	0.933333
2315	023	2112	0.05	1722	1	55	80	2.5	4	3	5280	3558	RH-1	40	form-based		true	true	0.7	4	1	3	3	5913.600098	4191.600098	4191.600098	1.12
2316	001F	3072	0.07	2322	3	65	100	3	7	4	9216	6894	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8601.599609	6279.599609	6279.599609	0.933333
2316	001M	2118	0.05	2145	1	55	80	2.5	4	3	5295	3150	RH-1	40	form-based		true	true	0.7	4	1	3	3	5930.399902	3785.399902	3785.399902	1.12
2316	010	1875	0.04	1200	1	65	100	3	4	3	5625	4425	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4050	4050	0.933333
2316	011	1875	0.04	1758	1	65	100	3	4	3	5625	3867	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3492	3492	0.933333
2316	012A	2125	0.05	1200	1	65	100	3	5	4	6375	5175	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5950	4750	4750	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2317	001	2254	0.05	2358	2	65	100	3	5	3	6762	4404	RH-1	40	form-based		true	true	0.7	5	1	3	3	6311.199707	3953.199707	3953.199707	0.933333
2317	016A	1990	0.05	1305	1	65	100	3	5	4	5970	4665	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5572	4267	4267	0.933333
2317	016B	1949	0.04	1723	1	65	100	3	4	3	5847	4124	RH-1	40	form-based		true	true	0.7	4	1	3	3	5457.199707	3734.199707	3734.199707	0.933333
2317	016C	2010	0.05	1320	1	65	100	3	5	4	6030	4710	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5628	4308	4308	0.933333
2317	016D	2010	0.05	2009	1	65	100	3	5	4	6030	4021	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5628	3619	3619	0.933333
2317	016H	2010	0.05	1737	1	65	100	3	5	4	6030	4293	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5628	3891	3891	0.933333
2317	016I	2010	0.05	1316	1	65	100	3	5	4	6030	4714	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5628	4312	4312	0.933333
2317	016J	2010	0.05	2549	1	65	100	3	5	4	6030	3481	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5628	3079	3079	0.933333
2317	016K	2010	0.05	1964	1	65	100	3	5	4	6030	4066	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5628	3664	3664	0.933333
2319	018C	1936	0.04	1040	1	65	100	3	4	3	5808	4768	RH-1	40	form-based		true	true	0.7	4	1	3	3	5420.799805	4380.799805	4380.799805	0.933333
2319	018D	1754	0.04	1865	1	65	100	3	4	3	5262	3397	RH-1	40	form-based			true	0.7	4	1	3	3	4911.199707	3046.199707	3046.199707	0.933333
2320	004	2010	0.05	1240	1	65	100	3	5	4	6030	4790	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5628	4388	4388	0.933333
2320	004A	2010	0.05	1225	1	65	100	3	5	4	6030	4805	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5628	4403	4403	0.933333
2320	004B	2010	0.05	1927	1	65	100	3	5	4	6030	4103	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5628	3701	3701	0.933333
2320	004F	2010	0.05	1592	1	65	100	3	5	4	6030	4438	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5628	4036	4036	0.933333
2320	004G	2010	0.05	1225	1	65	100	3	5	4	6030	4805	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5628	4403	4403	0.933333
2320	004H	1920	0.04	1240	1	65	100	3	4	3	5760	4520	RH-1	40	form-based		true	true	0.7	4	1	3	3	5376	4136	4136	0.933333
2320	004I	2010	0.05	2585	1	65	100	3	5	4	6030	3445	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5628	3043	3043	0.933333
2320	004J	1981	0.05	975	1	65	100	3	5	4	5943	4968	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5546.799805	4571.799805	4571.799805	0.933333
2321	001A	1731	0.04	1366	1	55	80	2.5	3	2	4328	2962	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4846.799805	3480.799805	3480.799805	1.119871
2322	001	1977	0.05	1492	1	55	80	2.5	4	3	4942	3450	RH-1	40	form-based		true	true	0.7	4	1	3	3	5535.600098	4043.600098	4043.600098	1.120113
2322	001A	2063	0.05	1511	1	65	100	3	5	4	6189	4678	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4265.399902	4265.399902	0.933333
2322	001B	2063	0.05	1550	1	65	100	3	5	4	6189	4639	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4226.399902	4226.399902	0.933333
2322	001C	2063	0.05	1250	1	65	100	3	5	4	6189	4939	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4526.399902	4526.399902	0.933333
2322	015B	1741	0.04	1317	1	65	100	3	4	3	5223	3906	RH-1	40	form-based		true	true	0.7	4	1	3	3	4874.799805	3557.799805	3557.799805	0.933333
2322	015C	1750	0.04	1317	1	65	100	3	4	3	5250	3933	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3583	3583	0.933333
2322	028	2065	0.05	1650	1	65	100	3	5	4	6195	4545	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4132	4132	0.933333
2322	028A	2065	0.05	1538	1	55	80	2.5	4	3	5162	3624	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4244	4244	1.120108
2322	029	2065	0.05	1300	1	55	80	2.5	4	3	5162	3862	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4482	4482	1.120108
2322	029A	1977	0.05	1225	1	55	80	2.5	4	3	4942	3717	RH-1	40	form-based		true	true	0.7	4	1	3	3	5535.600098	4310.600098	4310.600098	1.120113
2323	001A	2065	0.05	1578	1	65	100	3	5	4	6195	4617	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4204	4204	0.933333
2323	001B	2065	0.05	1300	1	65	100	3	5	4	6195	4895	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4482	4482	0.933333
2323	001C	2065	0.05	1300	1	65	100	3	5	4	6195	4895	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4482	4482	0.933333
2323	013	2075	0.05	1764	1	65	100	3	5	4	6225	4461	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5810	4046	4046	0.933333
2323	013A	2065	0.05	1365	1	65	100	3	5	4	6195	4830	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4417	4417	0.933333
2323	013B	2065	0.05	1645	1	65	100	3	5	4	6195	4550	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4137	4137	0.933333
2323	014	2055	0.05	1625	1	65	100	3	5	4	6165	4540	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5754	4129	4129	0.933333
2323	027A	2082	0.05	1350	1	65	100	3	5	4	6246	4896	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5829.600098	4479.600098	4479.600098	0.933333
2323	028	2082	0.05	1150	1	65	100	3	5	4	6246	5096	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5829.600098	4679.600098	4679.600098	0.933333
2323	028A	2083	0.05	1550	1	65	100	3	5	4	6249	4699	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5832.399902	4282.399902	4282.399902	0.933333
2323	028B	2000	0.05	1566	1	65	100	3	5	4	6000	4434	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5600	4034	4034	0.933333
2324	001	2000	0.05	1475	1	65	100	3	5	4	6000	4525	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5600	4125	4125	0.933333
2324	001A	2074	0.05	1794	1	65	100	3	5	4	6222	4428	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5807.199707	4013.199707	4013.199707	0.933333
2324	001B	2074	0.05	1945	1	65	100	3	5	4	6222	4277	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5807.199707	3862.199707	3862.199707	0.933333
2324	001C	2074	0.05	1417	1	65	100	3	5	4	6222	4805	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5807.199707	4390.199707	4390.199707	0.933333
2324	004C	1934	0.04	1300	1	65	100	3	4	3	5802	4502	RH-1	40	form-based			true	0.7	4	1	3	3	5415.199707	4115.199707	4115.199707	0.933333
2324	004D	1933	0.04	1300	1	65	100	3	4	3	5799	4499	RH-1	40	form-based			true	0.7	4	1	3	3	5412.399902	4112.399902	4112.399902	0.933333
2324	004E	1921	0.04	2511	1	65	100	3	4	3	5763	3252	RH-1	40	form-based		true	true	0.7	4	1	3	3	5378.799805	2867.799805	2867.799805	0.933333
2324	005D	2053	0.05	1225	1	65	100	3	5	4	6159	4934	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5748.399902	4523.399902	4523.399902	0.933333
2324	005E	2062	0.05	1665	1	65	100	3	5	4	6186	4521	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4108.600098	4108.600098	0.933333
2324	005F	2063	0.05	1325	1	65	100	3	5	4	6189	4864	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4451.399902	4451.399902	0.933333
2324	005G	2072	0.05	1175	1	65	100	3	5	4	6216	5041	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5801.600098	4626.600098	4626.600098	0.933333
2324	008H	2065	0.05	1400	1	65	100	3	5	4	6195	4795	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4382	4382	0.933333
2324	008I	2065	0.05	1325	1	65	100	3	5	4	6195	4870	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4457	4457	0.933333
2324	008J	2065	0.05	1451	1	65	100	3	5	4	6195	4744	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4331	4331	0.933333
2324	008K	1988	0.05	1805	1	65	100	3	5	4	5964	4159	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5566.399902	3761.399902	3761.399902	0.933333
2325	001	1681	0.04	991	1	65	100	3	4	3	5043	4052	RH-1	40	form-based		true	true	0.7	4	1	3	3	4706.799805	3715.799805	3715.799805	0.933333
2325	002	1739	0.04	1016	1	65	100	3	4	3	5217	4201	RH-1	40	form-based			true	0.7	4	1	3	3	4869.199707	3853.199707	3853.199707	0.933333
2325	003	1739	0.04	800	1	65	100	3	4	3	5217	4417	RH-1	40	form-based			true	0.7	4	1	3	3	4869.199707	4069.199707	4069.199707	0.933333
2325	004	1739	0.04	800	1	65	100	3	4	3	5217	4417	RH-1	40	form-based			true	0.7	4	1	3	3	4869.199707	4069.199707	4069.199707	0.933333
2325	047	1750	0.04	800	1	65	100	3	4	3	5250	4450	RH-1	40	form-based			true	0.7	4	1	3	3	4900	4100	4100	0.933333
2325	048	1750	0.04	800	1	65	100	3	4	3	5250	4450	RH-1	40	form-based			true	0.7	4	1	3	3	4900	4100	4100	0.933333
2325	049	1750	0.04	800	1	65	100	3	4	3	5250	4450	RH-1	40	form-based			true	0.7	4	1	3	3	4900	4100	4100	0.933333
2325	050	1689	0.04	800	1	65	100	3	4	3	5067	4267	RH-1	40	form-based		true	true	0.7	4	1	3	3	4729.199707	3929.199707	3929.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2328	009A	3163	0.07	4280	4	65	100	3	7	3	9489	5209	RH-2	40	form-based		true	true	0.7	7	1	3	3	8856.399414	4576.399414	4576.399414	0.933333
2328	009P	1927	0.04	1614	1	65	100	3	4	3	5781	4167	RH-2	40	form-based			true	0.7	4	1	3	3	5395.600098	3781.600098	3781.600098	0.933333
2329	001E	2250	0.05	1753	2	65	100	3	5	3	6750	4997	RH-1	40	form-based			true	0.7	5	1	3	3	6300	4547	4547	0.933333
2329	006	2500	0.06	1750	2	65	100	3	6	4	7500	5750	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5250	5250	0.933333
2329	006A	2500	0.06	1750	2	65	100	3	6	4	7500	5750	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5250	5250	0.933333
2329	008	2500	0.06	2800	2	65	100	3	6	4	7500	4700	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4200	4200	0.933333
2329	009C	2887	0.07	2393	3	65	100	3	7	4	8661	6268	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8083.600098	5690.600098	5690.600098	0.933333
2329	017	2126	0.05	1587	1	65	100	3	5	4	6378	4791	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5952.799805	4365.799805	4365.799805	0.933333
2329	017A	1907	0.04	1240	1	65	100	3	4	3	5721	4481	RH-1	40	form-based		true	true	0.7	4	1	3	3	5339.600098	4099.600098	4099.600098	0.933333
2330	001A	1907	0.04	1426	1	65	100	3	4	3	5721	4295	RH-2	40	form-based			true	0.7	4	1	3	3	5339.600098	3913.600098	3913.600098	0.933333
2331	004E	2137	0.05	2025	1	65	100	3	5	4	6411	4386	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5983.600098	3958.600098	3958.600098	0.933333
2332	019	2063	0.05	1784	1	65	100	3	5	4	6189	4405	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5776.399902	3992.399902	3992.399902	0.933333
2332	020	2063	0.05	1360	1	65	100	3	5	4	6189	4829	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4416.399902	4416.399902	0.933333
2332	021	2063	0.05	1600	1	65	100	3	5	4	6189	4589	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4176.399902	4176.399902	0.933333
2332	021A	2063	0.05	1360	1	65	100	3	5	4	6189	4829	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4416.399902	4416.399902	0.933333
2332	037A	1734	0.04	976	1	65	100	3	4	3	5202	4226	RH-1	40	form-based		true	true	0.7	4	1	3	3	4855.199707	3879.199707	3879.199707	0.933333
2334A	001	1944	0.04	1802	1	55	80	2.5	3	2	4860	3058	RH-1(D)	40	form-based		true	true	0.7	4	1.333333373	3	3	5443.199707	3641.199707	3641.199707	1.12
2334A	040	2061	0.05	1937	1	55	80	2.5	4	3	5152	3215	RH-1(D)	40	form-based		true	true	0.7	4	1	3	3	5770.799805	3833.799805	3833.799805	1.120109
2334B	020	2015	0.05	1275	1	65	100	3	5	4	6045	4770	RH-1(D)	40	form-based		true	true	0.7	4	0.800000012	3	3	5642	4367	4367	0.933333
2334B	021	1940	0.04	1975	1	65	100	3	4	3	5820	3845	RH-1(D)	40	form-based		true	true	0.7	4	1	3	3	5432	3457	3457	0.933333
2334B	022	2583	0.06	1899	2	65	100	3	6	4	7749	5850	RH-1(D)	40	form-based			true	0.7	5	0.833333313	3	3	7232.399902	5333.399902	5333.399902	0.933333
2335A	015C	2043	0.05	2048	1	65	100	3	5	4	6129	4081	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5720.399902	3672.399902	3672.399902	0.933333
2335A	033	2339	0.05	1336	2	65	100	3	5	3	7017	5681	RH-1(D)	40	form-based			true	0.7	5	1	3	3	6549.199707	5213.199707	5213.199707	0.933333
2335A	036	2061	0.05	1844	1	55	80	2.5	4	3	5152	3308	RH-1(D)	40	form-based		true	true	0.7	4	1	3	3	5770.799805	3926.799805	3926.799805	1.120109
2342	021	3000	0.07	1055	8	65	100	3	7	0	9000	7945	NCD-INNE	65	form-based			true	0.75	11	1.571428537	3	3	13500	12445	12445	1.5
2342	022	3058	0.07	4900	8	65	100	3	7	0	9174	4274	NCD-INNE	65	form-based		true	true	0.75	11	1.571428537	3	3	13761	8861	8861	1.5
2344A	001	2018	0.05	1456	1	65	100	3	5	4	6054	4598	RH-1(D)	40	form-based		true	true	0.7	4	0.800000012	3	3	5650.399902	4194.399902	4194.399902	0.933333
2344A	002	2423	0.06	2365	2	65	100	3	6	4	7269	4904	RH-1(D)	40	form-based			true	0.7	5	0.833333313	3	3	6784.399902	4419.399902	4419.399902	0.933333
2344A	037	1767	0.04	1600	1	65	100	3	4	3	5301	3701	RH-1(D)	40	form-based		true	true	0.7	4	1	3	3	4947.600098	3347.600098	3347.600098	0.933333
2344B	006	2114	0.05	1125	1	65	100	3	5	4	6342	5217	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5919.199707	4794.199707	4794.199707	0.933333
2344B	007	2098	0.05	2075	1	65	100	3	5	4	6294	4219	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5874.399902	3799.399902	3799.399902	0.933333
2344B	008	2109	0.05	1287	1	65	100	3	5	4	6327	5040	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5905.199707	4618.199707	4618.199707	0.933333
2344B	010	2121	0.05	1987	1	65	100	3	5	4	6363	4376	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5938.799805	3951.799805	3951.799805	0.933333
2344B	012	2033	0.05	1125	1	65	100	3	5	4	6099	4974	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5692.399902	4567.399902	4567.399902	0.933333
2344B	013	2081	0.05	1804	1	65	100	3	5	4	6243	4439	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	4022.799805	4022.799805	0.933333
2344B	014	2109	0.05	2491	1	65	100	3	5	4	6327	3836	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5905.199707	3414.199707	3414.199707	0.933333
2345A	001	1981	0.05	1406	1	65	100	3	5	4	5943	4537	RH-1(D)	40	form-based		true	true	0.7	4	0.800000012	3	3	5546.799805	4140.799805	4140.799805	0.933333
2345A	028	2366	0.05	2250	2	85	140	4	7	5	9464	7214	RH-1	40	form-based			true	0.7	5	0.714285731	3	3	6624.799805	4374.799805	4374.799805	0.7
2345A	032	2141	0.05	1268	1	65	100	3	5	4	6423	5155	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5994.799805	4726.799805	4726.799805	0.933333
2345A	033	2288	0.05	2385	2	65	100	3	5	3	6864	4479	RH-1	40	form-based			true	0.7	5	1	3	3	6406.399902	4021.399902	4021.399902	0.933333
2345A	033A	2317	0.05	2800	2	65	100	3	5	3	6951	4151	RH-1	40	form-based			true	0.7	5	1	3	3	6487.600098	3687.600098	3687.600098	0.933333
2345A	036	1839	0.04	1790	1	65	100	3	4	3	5517	3727	RH-1	40	form-based			true	0.7	4	1	3	3	5149.199707	3359.199707	3359.199707	0.933333
2345A	037	1833	0.04	1307	1	65	100	3	4	3	5499	4192	RH-1	40	form-based			true	0.7	4	1	3	3	5132.399902	3825.399902	3825.399902	0.933333
2345A	038	1822	0.04	1557	1	65	100	3	4	3	5466	3909	RH-1	40	form-based			true	0.7	4	1	3	3	5101.600098	3544.600098	3544.600098	0.933333
2345A	039	1878	0.04	950	1	65	100	3	4	3	5634	4684	RH-1	40	form-based			true	0.7	4	1	3	3	5258.399902	4308.399902	4308.399902	0.933333
2345A	040	1822	0.04	950	1	65	100	3	4	3	5466	4516	RH-1	40	form-based			true	0.7	4	1	3	3	5101.600098	4151.600098	4151.600098	0.933333
2347	009	902	0.02	1570	2	85	140	4	3	1	3608	2038	NCD-INNE	85	form-based			true	0.75	5	1.666666627	3	3	5412	3842	3842	1.5
2350	001A	1732	0.04	1150	1	65	100	3	4	3	5196	4046	RH-2	40	form-based			true	0.7	4	1	3	3	4849.600098	3699.600098	3699.600098	0.933333
2350	001B	1698	0.04	1931	1	65	100	3	4	3	5094	3163	RH-2	40	form-based			true	0.7	4	1	3	3	4754.399902	2823.399902	2823.399902	0.933333
2350	027	3180	0.07	3676	4	65	100	3	7	3	9540	5864	RM-1	40	form-based			true	0.7	7	1	3	3	8904	5228	5228	0.933333
2350	033	3000	0.07	4050	3	65	100	3	7	4	9000	4950	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	4350	4350	0.933333
2353	001	2634	0.06	3470	3	65	100	3	6	3	7902	4432	RH-2	40	form-based		true	true	0.7	6	1	3	3	7375.199707	3905.199707	3905.199707	0.933333
2353	001A	2635	0.06	3360	3	65	100	3	6	3	7905	4545	RH-2	40	form-based			true	0.7	6	1	3	3	7378	4018	4018	0.933333
2353	007	3007	0.07	4962	3	65	100	3	7	4	9021	4059	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8419.599609	3457.599609	3457.599609	0.933333
2356	002	4103	0.09	5490	6	65	100	3	9	3	12309	6819	RH-1	40	form-based			true	0.7	9	1	3	3	11488.39941	5998.399414	5998.399414	0.933333
2357	003A	3000	0.07	2025	3	65	100	3	7	4	9000	6975	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	6375	6375	0.933333
2358	036	2100	0.05	2673	1	65	100	3	5	4	6300	3627	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5880	3207	3207	0.933333
2362	001	2119	0.05	1012	1	65	100	3	5	4	6357	5345	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5933.199707	4921.199707	4921.199707	0.933333
2362	001A	2119	0.05	1327	1	65	100	3	5	4	6357	5030	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5933.199707	4606.199707	4606.199707	0.933333
2362	001B	2118	0.05	1567	1	65	100	3	5	4	6354	4787	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5930.399902	4363.399902	4363.399902	0.933333
2362	001C	2117	0.05	1645	1	65	100	3	5	4	6351	4706	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5927.600098	4282.600098	4282.600098	0.933333
2366	001	1806	0.04	1625	1	65	100	3	4	3	5418	3793	RH-1	40	form-based		true	true	0.7	4	1	3	3	5056.799805	3431.799805	3431.799805	0.933333
2366	002	1750	0.04	1100	1	65	100	3	4	3	5250	4150	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3800	3800	0.933333
2366	003	1750	0.04	1100	1	65	100	3	4	3	5250	4150	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3800	3800	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2366	040	1999	0.05	1130	1	65	100	3	5	4	5997	4867	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5597.199707	4467.199707	4467.199707	0.933333
2366	041	2065	0.05	1135	1	65	100	3	5	4	6195	5060	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4647	4647	0.933333
2366	042	2065	0.05	1077	1	65	100	3	5	4	6195	5118	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4705	4705	0.933333
2366	043	2131	0.05	1975	1	65	100	3	5	4	6393	4418	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5966.799805	3991.799805	3991.799805	0.933333
2366	046	1895	0.04	1268	1	65	100	3	4	3	5685	4417	RH-1	40	form-based			true	0.7	4	1	3	3	5306	4038	4038	0.933333
2367	001	2124	0.05	1600	1	65	100	3	5	4	6372	4772	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5947.199707	4347.199707	4347.199707	0.933333
2367	001A	2058	0.05	1890	1	65	100	3	5	4	6174	4284	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5762.399902	3872.399902	3872.399902	0.933333
2367	001B	2058	0.05	1400	1	65	100	3	5	4	6174	4774	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5762.399902	4362.399902	4362.399902	0.933333
2367	001C	1993	0.05	1250	1	65	100	3	5	4	5979	4729	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5580.399902	4330.399902	4330.399902	0.933333
2367	030	1997	0.05	1220	1	65	100	3	5	4	5991	4771	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5591.600098	4371.600098	4371.600098	0.933333
2367	030A	2063	0.05	1220	1	65	100	3	5	4	6189	4969	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4556.399902	4556.399902	0.933333
2367	030B	2062	0.05	1220	1	65	100	3	5	4	6186	4966	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4553.600098	4553.600098	0.933333
2367	030C	2128	0.05	2265	1	65	100	3	5	4	6384	4119	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5958.399902	3693.399902	3693.399902	0.933333
2368	001	1753	0.04	1350	1	65	100	3	4	3	5259	3909	RH-1	40	form-based		true	true	0.7	4	1	3	3	4908.399902	3558.399902	3558.399902	0.933333
2368	001A	1753	0.04	1362	1	65	100	3	4	3	5259	3897	RH-1	40	form-based			true	0.7	4	1	3	3	4908.399902	3546.399902	3546.399902	0.933333
2368	001B	1753	0.04	1602	1	65	100	3	4	3	5259	3657	RH-1	40	form-based			true	0.7	4	1	3	3	4908.399902	3306.399902	3306.399902	0.933333
2368	001C	1753	0.04	2022	1	65	100	3	4	3	5259	3237	RH-1	40	form-based			true	0.7	4	1	3	3	4908.399902	2886.399902	2886.399902	0.933333
2368	029	1750	0.04	1790	1	65	100	3	4	3	5250	3460	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3110	3110	0.933333
2368	030	1750	0.04	1165	1	65	100	3	4	3	5250	4085	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3735	3735	0.933333
2368	031	1750	0.04	1165	1	65	100	3	4	3	5250	4085	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3735	3735	0.933333
2368	032	1750	0.04	1452	1	65	100	3	4	3	5250	3798	RH-1	40	form-based		true	true	0.7	4	1	3	3	4900	3448	3448	0.933333
2369	001	1823	0.04	1533	1	65	100	3	4	3	5469	3936	RH-1	40	form-based		true	true	0.7	4	1	3	3	5104.399902	3571.399902	3571.399902	0.933333
2369	001A	1766	0.04	1530	1	65	100	3	4	3	5298	3768	RH-1	40	form-based			true	0.7	4	1	3	3	4944.799805	3414.799805	3414.799805	0.933333
2369	002	1766	0.04	1710	1	65	100	3	4	3	5298	3588	RH-1	40	form-based			true	0.7	4	1	3	3	4944.799805	3234.799805	3234.799805	0.933333
2369	002A	1710	0.04	1460	1	65	100	3	4	3	5130	3670	RH-1	40	form-based			true	0.7	4	1	3	3	4788	3328	3328	0.933333
2369	027	1694	0.04	1030	1	65	100	3	4	3	5082	4052	RH-1	40	form-based			true	0.7	4	1	3	3	4743.199707	3713.199707	3713.199707	0.933333
2369	028	1750	0.04	1030	1	65	100	3	4	3	5250	4220	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3870	3870	0.933333
2369	029	1750	0.04	1745	1	65	100	3	4	3	5250	3505	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3155	3155	0.933333
2369	030	1806	0.04	1030	1	65	100	3	4	3	5418	4388	RH-1	40	form-based		true	true	0.7	4	1	3	3	5056.799805	4026.799805	4026.799805	0.933333
2370	054	3002	0.07	2584	3	65	100	3	7	4	9006	6422	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8405.599609	5821.599609	5821.599609	0.933333
2371	001	2070	0.05	1011	1	65	100	3	5	4	6210	5199	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5796	4785	4785	0.933333
2371	001A	2070	0.05	1011	1	65	100	3	5	4	6210	5199	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5796	4785	4785	0.933333
2371	001B	2070	0.05	1011	1	65	100	3	5	4	6210	5199	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5796	4785	4785	0.933333
2371	001C	2070	0.05	1011	1	65	100	3	5	4	6210	5199	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5796	4785	4785	0.933333
2371	011	2069	0.05	1199	1	85	140	4	7	6	8276	7077	RH-1	40	form-based			true	0.7	4	0.571428597	3	3	5793.199707	4594.199707	4594.199707	0.7
2372	001C	2014	0.05	800	1	65	100	3	5	4	6042	5242	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5639.199707	4839.199707	4839.199707	0.933333
2372	041	1997	0.05	1325	1	65	100	3	5	4	5991	4666	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5591.600098	4266.600098	4266.600098	0.933333
2372	041A	2062	0.05	1325	1	65	100	3	5	4	6186	4861	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4448.600098	4448.600098	0.933333
2372	042	2062	0.05	2182	1	65	100	3	5	4	6186	4004	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3591.600098	3591.600098	0.933333
2372	043	2128	0.05	1375	1	65	100	3	5	4	6384	5009	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5958.399902	4583.399902	4583.399902	0.933333
2372	047	1895	0.04	1240	1	65	100	3	4	3	5685	4445	RH-1	40	form-based			true	0.7	4	1	3	3	5306	4066	4066	0.933333
2373	001	1978	0.05	1555	1	65	100	3	5	4	5934	4379	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5538.399902	3983.399902	3983.399902	0.933333
2373	001A	1917	0.04	1033	1	65	100	3	4	3	5751	4718	RH-1	40	form-based			true	0.7	4	1	3	3	5367.600098	4334.600098	4334.600098	0.933333
2373	025C	2075	0.05	1200	1	65	100	3	5	4	6225	5025	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5810	4610	4610	0.933333
2373	042	1852	0.04	1000	1	65	100	3	4	3	5556	4556	RH-1	40	form-based			true	0.7	4	1	3	3	5185.600098	4185.600098	4185.600098	0.933333
2373	044B	1895	0.04	1000	1	65	100	3	4	3	5685	4685	RH-1	40	form-based			true	0.7	4	1	3	3	5306	4306	4306	0.933333
2374	001C	1997	0.05	875	1	65	100	3	5	4	5991	5116	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5591.600098	4716.600098	4716.600098	0.933333
2374	035	2007	0.05	1250	1	65	100	3	5	4	6021	4771	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5619.600098	4369.600098	4369.600098	0.933333
2374	036	2073	0.05	2130	1	65	100	3	5	4	6219	4089	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5804.399902	3674.399902	3674.399902	0.933333
2374	037	2073	0.05	1250	1	65	100	3	5	4	6219	4969	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5804.399902	4554.399902	4554.399902	0.933333
2374	037A	2139	0.05	1250	1	65	100	3	5	4	6417	5167	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5989.199707	4739.199707	4739.199707	0.933333
2374	041	1895	0.04	1115	1	65	100	3	4	3	5685	4570	RH-1	40	form-based			true	0.7	4	1	3	3	5306	4191	4191	0.933333
2375	026A	2065	0.05	1364	1	65	100	3	5	4	6195	4831	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4418	4418	0.933333
2375	042	1904	0.04	1040	1	65	100	3	4	3	5712	4672	RH-1	40	form-based			true	0.7	4	1	3	3	5331.199707	4291.199707	4291.199707	0.933333
2375	042A	1966	0.05	1040	1	65	100	3	5	4	5898	4858	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5504.799805	4464.799805	4464.799805	0.933333
2376	001	1826	0.04	1012	1	65	100	3	4	3	5478	4466	RH-1	40	form-based		true	true	0.7	4	1	3	3	5112.799805	4100.799805	4100.799805	0.933333
2376	002	1771	0.04	995	1	65	100	3	4	3	5313	4318	RH-1	40	form-based			true	0.7	4	1	3	3	4958.799805	3963.799805	3963.799805	0.933333
2376	003	1771	0.04	995	1	65	100	3	4	3	5313	4318	RH-1	40	form-based			true	0.7	4	1	3	3	4958.799805	3963.799805	3963.799805	0.933333
2376	021	2500	0.06	2550	2	65	100	3	6	4	7500	4950	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4450	4450	0.933333
2376	022	2500	0.06	2550	2	65	100	3	6	4	7500	4950	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4450	4450	0.933333
2376	023	2188	0.05	2550	2	65	100	3	5	3	6564	4014	RM-1	40	form-based			true	0.7	5	1	3	3	6126.399902	3576.399902	3576.399902	0.933333
2376	042	1750	0.04	995	1	65	100	3	4	3	5250	4255	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3905	3905	0.933333
2376	043	1750	0.04	995	1	65	100	3	4	3	5250	4255	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3905	3905	0.933333
2376	044	1750	0.04	995	1	65	100	3	4	3	5250	4255	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3905	3905	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2376	045	1806	0.04	1012	1	65	100	3	4	3	5418	4406	RH-1	40	form-based		true	true	0.7	4	1	3	3	5056.799805	4044.799805	4044.799805	0.933333
2376	048	1832	0.04	995	1	65	100	3	4	3	5496	4501	RH-1	40	form-based			true	0.7	4	1	3	3	5129.600098	4134.600098	4134.600098	0.933333
2376	049	1895	0.04	995	1	65	100	3	4	3	5685	4690	RH-1	40	form-based			true	0.7	4	1	3	3	5306	4311	4311	0.933333
2378	023	1875	0.04	1301	1	65	100	3	4	3	5625	4324	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3949	3949	0.933333
2378	024	2435	0.06	2550	2	65	100	3	6	4	7305	4755	RM-1	40	form-based		true	true	0.7	5	0.833333313	3	3	6818	4268	4268	0.933333
2378	025	2434	0.06	2815	2	65	100	3	6	4	7302	4487	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6815.199707	4000.199707	4000.199707	0.933333
2379	019A	1875	0.04	1037	1	85	140	4	6	5	7500	6463	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5250	4213	4213	0.7
2379	037	2062	0.05	914	1	65	100	3	5	4	6186	5272	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4859.600098	4859.600098	0.933333
2379	046	1875	0.04	1214	1	85	140	4	6	5	7500	6286	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5250	4036	4036	0.7
2380	017	1756	0.04	875	1	65	100	3	4	3	5268	4393	RH-1	40	form-based			true	0.7	4	1	3	3	4916.799805	4041.799805	4041.799805	0.933333
2380	017A	1756	0.04	1115	1	65	100	3	4	3	5268	4153	RH-1	40	form-based			true	0.7	4	1	3	3	4916.799805	3801.799805	3801.799805	0.933333
2380	018	1756	0.04	1433	1	65	100	3	4	3	5268	3835	RH-1	40	form-based			true	0.7	4	1	3	3	4916.799805	3483.799805	3483.799805	0.933333
2380	019	1756	0.04	875	1	85	140	4	6	5	7024	6149	RH-1	40	form-based		true	true	0.7	4	0.666666687	3	3	4916.799805	4041.799805	4041.799805	0.7
2380	024	1750	0.04	1425	1	85	140	4	6	5	7000	5575	RH-1	40	form-based		true	true	0.7	4	0.666666687	3	3	4900	3475	3475	0.7
2380	024A	1750	0.04	875	1	85	140	4	6	5	7000	6125	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4900	4025	4025	0.7
2380	025	1750	0.04	1572	1	85	140	4	6	5	7000	5428	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4900	3328	3328	0.7
2380	025A	1750	0.04	1415	1	85	140	4	6	5	7000	5585	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4900	3485	3485	0.7
2381	018	1741	0.04	1321	1	65	100	3	4	3	5223	3902	RH-1	40	form-based			true	0.7	4	1	3	3	4874.799805	3553.799805	3553.799805	0.933333
2381	019	1962	0.05	1321	1	65	100	3	5	4	5886	4565	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5493.600098	4172.600098	4172.600098	0.933333
2381	019A	2100	0.05	1321	1	65	100	3	5	4	6300	4979	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5880	4559	4559	0.933333
2381	025	1875	0.04	1625	1	65	100	3	4	3	5625	4000	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3625	3625	0.933333
2382	004F	2084	0.05	1275	1	65	100	3	5	4	6252	4977	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5835.199707	4560.199707	4560.199707	0.933333
2382	004G	2084	0.05	1275	1	65	100	3	5	4	6252	4977	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5835.199707	4560.199707	4560.199707	0.933333
2382	004H	2084	0.05	1275	1	65	100	3	5	4	6252	4977	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5835.199707	4560.199707	4560.199707	0.933333
2382	004I	2084	0.05	1275	1	65	100	3	5	4	6252	4977	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5835.199707	4560.199707	4560.199707	0.933333
2382	005	2063	0.05	1275	1	65	100	3	5	4	6189	4914	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5776.399902	4501.399902	4501.399902	0.933333
2382	005A	2062	0.05	990	1	65	100	3	5	4	6186	5196	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4783.600098	4783.600098	0.933333
2382	005B	2063	0.05	956	1	65	100	3	5	4	6189	5233	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4820.399902	4820.399902	0.933333
2382	005C	2063	0.05	1275	1	65	100	3	5	4	6189	4914	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4501.399902	4501.399902	0.933333
2384	012	2059	0.05	1494	1	65	100	3	5	4	6177	4683	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5765.199707	4271.199707	4271.199707	0.933333
2384	012A	2059	0.05	1613	1	65	100	3	5	4	6177	4564	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5765.199707	4152.199707	4152.199707	0.933333
2384	013	2059	0.05	1214	1	65	100	3	5	4	6177	4963	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5765.199707	4551.199707	4551.199707	0.933333
2384	013A	2059	0.05	1162	1	65	100	3	5	4	6177	5015	RH-1	40	form-based	true	true	true	0.7	4	0.800000012	3	3	5765.199707	4603.199707	4603.199707	0.933333
2384	017	2062	0.05	962	1	65	100	3	5	4	6186	5224	RH-1	40	form-based	true	true	true	0.7	4	0.800000012	3	3	5773.600098	4811.600098	4811.600098	0.933333
2384	017A	2063	0.05	995	1	65	100	3	5	4	6189	5194	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4781.399902	4781.399902	0.933333
2384	017B	2062	0.05	1379	1	65	100	3	5	4	6186	4807	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4394.600098	4394.600098	0.933333
2384	017C	2062	0.05	995	1	65	100	3	5	4	6186	5191	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4778.600098	4778.600098	0.933333
2384	026	2062	0.05	1025	1	85	140	4	7	6	8248	7223	RH-1	40	form-based			true	0.7	4	0.571428597	3	3	5773.600098	4748.600098	4748.600098	0.7
2385	016	2077	0.05	937	1	65	100	3	5	4	6231	5294	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5815.600098	4878.600098	4878.600098	0.933333
2385	017	2077	0.05	937	1	65	100	3	5	4	6231	5294	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5815.600098	4878.600098	4878.600098	0.933333
2385	017A	2077	0.05	1462	1	65	100	3	5	4	6231	4769	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5815.600098	4353.600098	4353.600098	0.933333
2385	018	2077	0.05	937	1	65	100	3	5	4	6231	5294	RH-1	40	form-based	true	true	true	0.7	4	0.800000012	3	3	5815.600098	4878.600098	4878.600098	0.933333
2385	022	2062	0.05	1494	1	65	100	3	5	4	6186	4692	RH-1	40	form-based	true	true	true	0.7	4	0.800000012	3	3	5773.600098	4279.600098	4279.600098	0.933333
2385	023	2062	0.05	1323	1	65	100	3	5	4	6186	4863	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4450.600098	4450.600098	0.933333
2385	024	2062	0.05	937	1	65	100	3	5	4	6186	5249	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4836.600098	4836.600098	0.933333
2385	024A	2063	0.05	1273	1	65	100	3	5	4	6189	4916	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4503.399902	4503.399902	0.933333
2386	016	1989	0.05	1300	1	65	100	3	5	4	5967	4667	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5569.199707	4269.199707	4269.199707	0.933333
2386	016A	2067	0.05	1700	1	65	100	3	5	4	6201	4501	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5787.600098	4087.600098	4087.600098	0.933333
2386	017	1950	0.04	1300	1	65	100	3	4	3	5850	4550	RH-1	40	form-based			true	0.7	4	1	3	3	5460	4160	4160	0.933333
2386	018	1950	0.04	1050	1	65	100	3	4	3	5850	4800	RH-1	40	form-based			true	0.7	4	1	3	3	5460	4410	4410	0.933333
2387	053	2080	0.05	2522	1	65	100	3	5	4	6240	3718	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5824	3302	3302	0.933333
2387	054	1950	0.04	2348	1	65	100	3	4	3	5850	3502	RH-1	40	form-based			true	0.7	4	1	3	3	5460	3112	3112	0.933333
2387	055	1950	0.04	2348	1	65	100	3	4	3	5850	3502	RH-1	40	form-based			true	0.7	4	1	3	3	5460	3112	3112	0.933333
2387	056	1950	0.04	2690	1	65	100	3	4	3	5850	3160	RH-1	40	form-based			true	0.7	4	1	3	3	5460	2770	2770	0.933333
2387	058	1950	0.04	2690	1	65	100	3	4	3	5850	3160	RH-1	40	form-based			true	0.7	4	1	3	3	5460	2770	2770	0.933333
2387	059	1947	0.04	2348	1	65	100	3	4	3	5841	3493	RH-1	40	form-based			true	0.7	4	1	3	3	5451.600098	3103.600098	3103.600098	0.933333
2387	060	1949	0.04	2348	1	65	100	3	4	3	5847	3499	RH-1	40	form-based			true	0.7	4	1	3	3	5457.199707	3109.199707	3109.199707	0.933333
2388	013	1931	0.04	1793	1	65	100	3	4	3	5793	4000	RH-1	40	form-based			true	0.7	4	1	3	3	5406.799805	3613.799805	3613.799805	0.933333
2388	013A	2054	0.05	1933	1	65	100	3	5	4	6162	4229	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5751.199707	3818.199707	3818.199707	0.933333
2388	014	2054	0.05	1963	1	65	100	3	5	4	6162	4199	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5751.199707	3788.199707	3788.199707	0.933333
2388	017A	2104	0.05	1370	1	65	100	3	5	4	6312	4942	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5891.199707	4521.199707	4521.199707	0.933333
2388	017B	2104	0.05	1664	1	65	100	3	5	4	6312	4648	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5891.199707	4227.199707	4227.199707	0.933333
2388	017C	2104	0.05	1370	1	65	100	3	5	4	6312	4942	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5891.199707	4521.199707	4521.199707	0.933333
2390	015	1944	0.04	1375	1	65	100	3	4	3	5832	4457	RH-1	40	form-based			true	0.7	4	1	3	3	5443.199707	4068.199707	4068.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2390	016	2063	0.05	1375	1	65	100	3	5	4	6189	4814	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4401.399902	4401.399902	0.933333
2390	017	2062	0.05	1839	1	65	100	3	5	4	6186	4347	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3934.600098	3934.600098	0.933333
2392	017	2065	0.05	1400	1	65	100	3	5	4	6195	4795	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4382	4382	0.933333
2392	017A	2065	0.05	1845	1	65	100	3	5	4	6195	4350	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	3937	3937	0.933333
2392	017B	2065	0.05	1850	1	65	100	3	5	4	6195	4345	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	3932	3932	0.933333
2392	017C	2065	0.05	1920	1	65	100	3	5	4	6195	4275	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5782	3862	3862	0.933333
2393	024	2063	0.05	1150	1	65	100	3	5	4	6189	5039	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5776.399902	4626.399902	4626.399902	0.933333
2393	024A	2062	0.05	1150	1	65	100	3	5	4	6186	5036	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4623.600098	4623.600098	0.933333
2393	024B	2063	0.05	1146	1	65	100	3	5	4	6189	5043	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4630.399902	4630.399902	0.933333
2393	024C	2062	0.05	1250	1	65	100	3	5	4	6186	4936	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4523.600098	4523.600098	0.933333
2394	025	1715	0.04	1100	1	65	100	3	4	3	5145	4045	RH-1	40	form-based		true	true	0.7	4	1	3	3	4802	3702	3702	0.933333
2396	013A	2021	0.05	2265	1	65	100	3	5	4	6063	3798	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5658.799805	3393.799805	3393.799805	0.933333
2397	022	2131	0.05	1247	1	65	100	3	5	4	6393	5146	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5966.799805	4719.799805	4719.799805	0.933333
2397	023	1958	0.04	2019	1	65	100	3	4	3	5874	3855	RH-1	40	form-based			true	0.7	4	1	3	3	5482.399902	3463.399902	3463.399902	0.933333
2397	023A	1670	0.04	1247	1	65	100	3	4	3	5010	3763	RH-1	40	form-based			true	0.7	4	1	3	3	4676	3429	3429	0.933333
2398	016	2440	0.06	1010	2	65	100	3	6	4	7320	6310	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	6832	5822	5822	0.933333
2401	015	2068	0.05	1150	1	65	100	3	5	4	6204	5054	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5790.399902	4640.399902	4640.399902	0.933333
2401	015A	2068	0.05	1250	1	65	100	3	5	4	6204	4954	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5790.399902	4540.399902	4540.399902	0.933333
2401	015B	2068	0.05	1250	1	65	100	3	5	4	6204	4954	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5790.399902	4540.399902	4540.399902	0.933333
2401	015C	2068	0.05	1530	1	65	100	3	5	4	6204	4674	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5790.399902	4260.399902	4260.399902	0.933333
2402	012	2063	0.05	1475	1	65	100	3	5	4	6189	4714	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4301.399902	4301.399902	0.933333
2402	012A	2062	0.05	1455	1	65	100	3	5	4	6186	4731	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4318.600098	4318.600098	0.933333
2402	012B	2062	0.05	1450	1	65	100	3	5	4	6186	4736	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4323.600098	4323.600098	0.933333
2402	013	2061	0.05	2275	1	65	100	3	5	4	6183	3908	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5770.799805	3495.799805	3495.799805	0.933333
2402	017A	2063	0.05	2052	1	65	100	3	5	4	6189	4137	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	3724.399902	3724.399902	0.933333
2403	015	2063	0.05	1865	1	65	100	3	5	4	6189	4324	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	3911.399902	3911.399902	0.933333
2403	016	2063	0.05	2074	1	65	100	3	5	4	6189	4115	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	3702.399902	3702.399902	0.933333
2403	017	2062	0.05	1375	1	65	100	3	5	4	6186	4811	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4398.600098	4398.600098	0.933333
2403	017A	2063	0.05	1200	1	65	100	3	5	4	6189	4989	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5776.399902	4576.399902	4576.399902	0.933333
2410	013A	1894	0.04	2075	1	65	100	3	4	3	5682	3607	RH-1	40	form-based		true	true	0.7	4	1	3	3	5303.199707	3228.199707	3228.199707	0.933333
2410	014A	2025	0.05	1725	1	65	100	3	5	4	6075	4350	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5670	3945	3945	0.933333
2413	011	2024	0.05	2340	1	65	100	3	5	4	6072	3732	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5667.199707	3327.199707	3327.199707	0.933333
2413	012	1890	0.04	1520	1	65	100	3	4	3	5670	4150	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5292	3772	3772	0.933333
2414	002	1356	0.03	0	0	65	100	3	3	3	4068	4068	RH-1	40	form-based			true	0.7	3	1	3	3	3796.800049	3796.800049	3796.800049	0.933333
2414	005B	2027	0.05	1756	1	65	100	3	5	4	6081	4325	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5675.600098	3919.600098	3919.600098	0.933333
2414	005C	1887	0.04	1515	1	65	100	3	4	3	5661	4146	RH-1(D)	40	form-based		true	true	0.7	4	1	3	3	5283.600098	3768.600098	3768.600098	0.933333
2416	022	1852	0.04	1047	1	65	100	3	4	3	5556	4509	RH-1	40	form-based			true	0.7	4	1	3	3	5185.600098	4138.600098	4138.600098	0.933333
2416	024	1743	0.04	2171	1	65	100	3	4	3	5229	3058	RH-1	40	form-based			true	0.7	4	1	3	3	4880.399902	2709.399902	2709.399902	0.933333
2417	022C	1763	0.04	1105	1	65	100	3	4	3	5289	4184	RH-1	40	form-based		true	true	0.7	4	1	3	3	4936.399902	3831.399902	3831.399902	0.933333
2417	024B	2536	0.06	2144	2	65	100	3	6	4	7608	5464	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7100.799805	4956.799805	4956.799805	0.933333
2421	001	1997	0.05	1585	1	65	100	3	5	4	5991	4406	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5591.600098	4006.600098	4006.600098	0.933333
2421	002	2081	0.05	1305	1	65	100	3	5	4	6243	4938	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	4521.799805	4521.799805	0.933333
2421	003	2081	0.05	805	1	65	100	3	5	4	6243	5438	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	5021.799805	5021.799805	0.933333
2421	021	2087	0.05	2000	1	65	100	3	5	4	6261	4261	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5843.600098	3843.600098	3843.600098	0.933333
2421	022	2088	0.05	1405	1	65	100	3	5	4	6264	4859	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5846.399902	4441.399902	4441.399902	0.933333
2421	023	2088	0.05	2133	1	65	100	3	5	4	6264	4131	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5846.399902	3713.399902	3713.399902	0.933333
2421	024	2088	0.05	1600	1	65	100	3	5	4	6264	4664	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5846.399902	4246.399902	4246.399902	0.933333
2421	028	2065	0.05	1225	1	65	100	3	5	4	6195	4970	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5782	4557	4557	0.933333
2421	029	2065	0.05	900	1	65	100	3	5	4	6195	5295	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4882	4882	0.933333
2421	030	2065	0.05	900	1	65	100	3	5	4	6195	5295	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4882	4882	0.933333
2421	031	2065	0.05	900	1	65	100	3	5	4	6195	5295	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4882	4882	0.933333
2421	049	2065	0.05	1725	1	65	100	3	5	4	6195	4470	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4057	4057	0.933333
2421	050	2065	0.05	1665	1	65	100	3	5	4	6195	4530	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4117	4117	0.933333
2421	051	1982	0.05	1405	1	65	100	3	5	4	5946	4541	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5549.600098	4144.600098	4144.600098	0.933333
2424	044	1668	0.04	1237	1	65	100	3	4	3	5004	3767	RH-1(D)	40	form-based			true	0.7	4	1	3	3	4670.399902	3433.399902	3433.399902	0.933333
2424	044A	1668	0.04	1182	1	65	100	3	4	3	5004	3822	RH-1(D)	40	form-based			true	0.7	4	1	3	3	4670.399902	3488.399902	3488.399902	0.933333
2424	044B	2114	0.05	1237	1	65	100	3	5	4	6342	5105	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5919.199707	4682.199707	4682.199707	0.933333
2425	029	1960	0.04	1609	1	65	100	3	4	3	5880	4271	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5488	3879	3879	0.933333
2428	001	2039	0.05	1728	1	65	100	3	5	4	6117	4389	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5709.199707	3981.199707	3981.199707	0.933333
2429	036	2089	0.05	1303	1	65	100	3	5	4	6267	4964	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5849.199707	4546.199707	4546.199707	0.933333
2430	017	1750	0.04	1330	1	65	100	3	4	3	5250	3920	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3570	3570	0.933333
2430	017A	1750	0.04	1150	1	65	100	3	4	3	5250	4100	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3750	3750	0.933333
2430	018	1831	0.04	1250	1	65	100	3	4	3	5493	4243	RH-1	40	form-based			true	0.7	4	1	3	3	5126.799805	3876.799805	3876.799805	0.933333
2430	018A	1831	0.04	1250	1	65	100	3	4	3	5493	4243	RH-1	40	form-based			true	0.7	4	1	3	3	5126.799805	3876.799805	3876.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2430	019D	1960	0.05	1674	1	65	100	3	5	4	5880	4206	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5488	3814	3814	0.933333
2431	014B	1950	0.04	1959	1	65	100	3	4	3	5850	3891	RH-1	40	form-based		true	true	0.7	4	1	3	3	5460	3501	3501	0.933333
2431	015C	1950	0.04	1674	1	65	100	3	4	3	5850	4176	RH-1	40	form-based		true	true	0.7	4	1	3	3	5460	3786	3786	0.933333
2432	006	3000	0.07	2510	3	65	100	3	7	4	9000	6490	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8400	5890	5890	0.933333
2432	012B	1750	0.04	1024	1	65	100	3	4	3	5250	4226	RH-1	40	form-based		true	true	0.7	4	1	3	3	4900	3876	3876	0.933333
2433	019	1923	0.04	1102	1	65	100	3	4	3	5769	4667	RH-1	40	form-based			true	0.7	4	1	3	3	5384.399902	4282.399902	4282.399902	0.933333
2433	019A	1816	0.04	1102	1	65	100	3	4	3	5448	4346	RH-1	40	form-based			true	0.7	4	1	3	3	5084.799805	3982.799805	3982.799805	0.933333
2433	019C	1750	0.04	1102	1	65	100	3	4	3	5250	4148	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3798	3798	0.933333
2433	019D	1750	0.04	1102	1	65	100	3	4	3	5250	4148	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3798	3798	0.933333
2433	025	2250	0.05	2438	2	65	100	3	5	3	6750	4312	RH-1	40	form-based			true	0.7	5	1	3	3	6300	3862	3862	0.933333
2434	041	2063	0.05	1287	1	65	100	3	5	4	6189	4902	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4489.399902	4489.399902	0.933333
2434	042	2062	0.05	1467	1	65	100	3	5	4	6186	4719	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4306.600098	4306.600098	0.933333
2434	042A	1869	0.04	1645	1	65	100	3	4	3	5607	3962	RH-1	40	form-based		true	true	0.7	4	1	3	3	5233.199707	3588.199707	3588.199707	0.933333
2435	033	1437	0.03	2511	2	55	80	2.5	2	0	3592	1081	RTO-C	65	form-based			true	0.75	5	2.5	3	2	6466.5	3955.5	3955.5	1.800251
2435	034	1437	0.03	2174	2	55	80	2.5	2	0	3592	1418	RTO-C	65	form-based			true	0.75	5	2.5	3	2	6466.5	4292.5	4292.5	1.800251
2435	035	1437	0.03	2174	2	65	100	3	3	1	4311	2137	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6466.5	4292.5	4292.5	1.5
2436	001A	1750	0.04	1622	1	65	100	3	4	3	5250	3628	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3278	3278	0.933333
2436	001B	1750	0.04	1250	1	65	100	3	4	3	5250	4000	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3650	3650	0.933333
2436	001C	1914	0.04	1000	1	65	100	3	4	3	5742	4742	RH-1	40	form-based			true	0.7	4	1	3	3	5359.199707	4359.199707	4359.199707	0.933333
2438	001	2062	0.05	1960	1	65	100	3	5	4	6186	4226	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5773.600098	3813.600098	3813.600098	0.933333
2438	001A	2063	0.05	1945	1	65	100	3	5	4	6189	4244	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	3831.399902	3831.399902	0.933333
2438	001B	2063	0.05	1200	1	65	100	3	5	4	6189	4989	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4576.399902	4576.399902	0.933333
2438	001C	2062	0.05	1642	1	65	100	3	5	4	6186	4544	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4131.600098	4131.600098	0.933333
2438	022	1425	0.03	2222	2	65	100	3	3	1	4275	2053	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6412.5	4190.5	4190.5	1.5
2438	022A	1425	0.03	2222	2	65	100	3	3	1	4275	2053	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	6412.5	4190.5	4190.5	1.5
2438	036	2053	0.05	1210	1	65	100	3	5	4	6159	4949	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5748.399902	4538.399902	4538.399902	0.933333
2438	036A	2053	0.05	1225	1	65	100	3	5	4	6159	4934	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5748.399902	4523.399902	4523.399902	0.933333
2438	036B	2053	0.05	1798	1	65	100	3	5	4	6159	4361	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5748.399902	3950.399902	3950.399902	0.933333
2438	036C	2053	0.05	1756	1	65	100	3	5	4	6159	4403	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5748.399902	3992.399902	3992.399902	0.933333
2439	001	2030	0.05	1255	1	65	100	3	5	4	6090	4835	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5684	4429	4429	0.933333
2439	001A	2030	0.05	1765	1	65	100	3	5	4	6090	4325	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5684	3919	3919	0.933333
2439	001B	2030	0.05	1665	1	65	100	3	5	4	6090	4425	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5684	4019	4019	0.933333
2439	001C	2030	0.05	995	1	65	100	3	5	4	6090	5095	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5684	4689	4689	0.933333
2439	035	2062	0.05	1162	1	65	100	3	5	4	6186	5024	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4611.600098	4611.600098	0.933333
2439	036	2063	0.05	1162	1	65	100	3	5	4	6189	5027	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4614.399902	4614.399902	0.933333
2439	037	2062	0.05	1412	1	65	100	3	5	4	6186	4774	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4361.600098	4361.600098	0.933333
2439	037A	2063	0.05	1512	1	65	100	3	5	4	6189	4677	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5776.399902	4264.399902	4264.399902	0.933333
2440	001	1917	0.04	1537	1	65	100	3	4	3	5751	4214	RH-1	40	form-based		true	true	0.7	4	1	3	3	5367.600098	3830.600098	3830.600098	0.933333
2440	002	2065	0.05	1408	1	65	100	3	5	4	6195	4787	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5782	4374	4374	0.933333
2440	053	2078	0.05	1162	1	65	100	3	5	4	6234	5072	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5818.399902	4656.399902	4656.399902	0.933333
2440	054	1920	0.04	1162	1	65	100	3	4	3	5760	4598	RH-1	40	form-based		true	true	0.7	4	1	3	3	5376	4214	4214	0.933333
2440	056	1875	0.04	1162	1	65	100	3	4	3	5625	4463	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4088	4088	0.933333
2440	057	1875	0.04	1162	1	65	100	3	4	3	5625	4463	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4088	4088	0.933333
2440	058	1875	0.04	1666	1	65	100	3	4	3	5625	3959	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3584	3584	0.933333
2442	001	2058	0.05	1704	1	65	100	3	5	4	6174	4470	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5762.399902	4058.399902	4058.399902	0.933333
2442	001A	2058	0.05	962	1	65	100	3	5	4	6174	5212	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5762.399902	4800.399902	4800.399902	0.933333
2442	001B	2058	0.05	962	1	65	100	3	5	4	6174	5212	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5762.399902	4800.399902	4800.399902	0.933333
2442	001C	2058	0.05	1500	1	65	100	3	5	4	6174	4674	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5762.399902	4262.399902	4262.399902	0.933333
2442	028	2063	0.05	1187	1	65	100	3	5	4	6189	5002	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4589.399902	4589.399902	0.933333
2442	028A	2062	0.05	1789	1	65	100	3	5	4	6186	4397	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	3984.600098	3984.600098	0.933333
2442	029	2063	0.05	1118	1	65	100	3	5	4	6189	5071	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4658.399902	4658.399902	0.933333
2442	030	2063	0.05	2139	1	65	100	3	5	4	6189	4050	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5776.399902	3637.399902	3637.399902	0.933333
2443	001	2062	0.05	1000	1	65	100	3	5	4	6186	5186	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5773.600098	4773.600098	4773.600098	0.933333
2443	001A	2062	0.05	1612	1	65	100	3	5	4	6186	4574	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4161.600098	4161.600098	0.933333
2443	001B	2062	0.05	1500	1	65	100	3	5	4	6186	4686	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5773.600098	4273.600098	4273.600098	0.933333
2443	001C	2063	0.05	1000	1	65	100	3	5	4	6189	5189	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5776.399902	4776.399902	4776.399902	0.933333
2444	001	1698	0.04	1145	1	65	100	3	4	3	5094	3949	RH-1	40	form-based		true	true	0.7	4	1	3	3	4754.399902	3609.399902	3609.399902	0.933333
2444	010	2500	0.06	3092	6	65	100	3	6	0	7500	4408	RTO-C	65	form-based			true	0.75	9	1.5	3	3	11250	8158	8158	1.5
2444	024A	1875	0.04	1252	1	65	100	3	4	3	5625	4373	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3998	3998	0.933333
2445	030	1802	0.04	995	1	65	100	3	4	3	5406	4411	RH-1	40	form-based			true	0.7	4	1	3	3	5045.600098	4050.600098	4050.600098	0.933333
2445	031	1803	0.04	1498	1	65	100	3	4	3	5409	3911	RH-1	40	form-based			true	0.7	4	1	3	3	5048.399902	3550.399902	3550.399902	0.933333
2445	036	1805	0.04	1175	1	65	100	3	4	3	5415	4240	RH-1	40	form-based			true	0.7	4	1	3	3	5054	3879	3879	0.933333
2446	001	1755	0.04	1841	1	85	140	4	6	5	7020	5179	RH-1	40	form-based		true	true	0.7	4	0.666666687	3	3	4914	3073	3073	0.7
2446	002	1755	0.04	1811	1	85	140	4	6	5	7020	5209	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4914	3103	3103	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2446	003	1755	0.04	1539	1	85	140	4	6	5	7020	5481	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4914	3375	3375	0.7
2446	050	1750	0.04	1200	1	85	140	4	6	5	7000	5800	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4900	3700	3700	0.7
2446	051	1750	0.04	800	1	85	140	4	6	5	7000	6200	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4900	4100	4100	0.7
2446	052	1750	0.04	800	1	85	140	4	6	5	7000	6200	RH-1	40	form-based		true	true	0.7	4	0.666666687	3	3	4900	4100	4100	0.7
2446	053	1875	0.04	800	1	85	140	4	6	5	7500	6700	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5250	4450	4450	0.7
2446	055	1875	0.04	1175	1	85	140	4	6	5	7500	6325	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5250	4075	4075	0.7
2446	056	1875	0.04	1175	1	85	140	4	6	5	7500	6325	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5250	4075	4075	0.7
2448	001	1750	0.04	1168	1	65	100	3	4	3	5250	4082	RH-1	40	form-based		true	true	0.7	4	1	3	3	4900	3732	3732	0.933333
2448	001A	1750	0.04	878	1	65	100	3	4	3	5250	4372	RH-1	40	form-based			true	0.7	4	1	3	3	4900	4022	4022	0.933333
2448	001B	1750	0.04	1414	1	65	100	3	4	3	5250	3836	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3486	3486	0.933333
2448	001C	1750	0.04	1234	1	65	100	3	4	3	5250	4016	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3666	3666	0.933333
2448	001U	1875	0.04	878	1	65	100	3	4	3	5625	4747	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4372	4372	0.933333
2448	001V	1875	0.04	878	1	65	100	3	4	3	5625	4747	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4372	4372	0.933333
2448	001W	1875	0.04	878	1	65	100	3	4	3	5625	4747	RH-1	40	form-based		true	true	0.7	4	1	3	3	5250	4372	4372	0.933333
2448	002	1875	0.04	1125	1	65	100	3	4	3	5625	4500	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4125	4125	0.933333
2448	002A	1875	0.04	1125	1	65	100	3	4	3	5625	4500	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4125	4125	0.933333
2448	002B	1875	0.04	2610	1	65	100	3	4	3	5625	3015	RH-1	40	form-based			true	0.7	4	1	3	3	5250	2640	2640	0.933333
2448	002C	1952	0.04	1137	1	65	100	3	4	3	5856	4719	RH-1	40	form-based		true	true	0.7	4	1	3	3	5465.600098	4328.600098	4328.600098	0.933333
2448	002D	1984	0.05	1490	1	65	100	3	5	4	5952	4462	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5555.199707	4065.199707	4065.199707	0.933333
2448	002E	2015	0.05	2432	1	65	100	3	5	4	6045	3613	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5642	3210	3210	0.933333
2448	008	1806	0.04	1650	1	65	100	3	4	3	5418	3768	RH-1	40	form-based			true	0.7	4	1	3	3	5056.799805	3406.799805	3406.799805	0.933333
2448	009	1805	0.04	2071	1	65	100	3	4	3	5415	3344	RH-1	40	form-based			true	0.7	4	1	3	3	5054	2983	2983	0.933333
2448	010	1801	0.04	890	1	65	100	3	4	3	5403	4513	RH-1	40	form-based		true	true	0.7	4	1	3	3	5042.799805	4152.799805	4152.799805	0.933333
2448	011	1875	0.04	878	1	65	100	3	4	3	5625	4747	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4372	4372	0.933333
2449	008	1928	0.04	800	1	85	140	4	6	5	7712	6912	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5398.399902	4598.399902	4598.399902	0.7
2449	009	1875	0.04	920	1	85	140	4	6	5	7500	6580	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5250	4330	4330	0.7
2449	013	1737	0.04	1469	1	85	140	4	6	5	6948	5479	RH-1	40	form-based		true	true	0.7	4	0.666666687	3	3	4863.600098	3394.600098	3394.600098	0.7
2449	014	1750	0.04	1011	1	85	140	4	6	5	7000	5989	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4900	3889	3889	0.7
2449	015	1750	0.04	1011	1	85	140	4	6	5	7000	5989	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4900	3889	3889	0.7
2449	016	1750	0.04	1011	1	85	140	4	6	5	7000	5989	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4900	3889	3889	0.7
2449	022	2089	0.05	1011	1	85	140	4	7	6	8356	7345	RH-1	40	form-based			true	0.7	4	0.571428597	3	3	5849.199707	4838.199707	4838.199707	0.7
2449	023	1999	0.05	1011	1	65	100	3	5	4	5997	4986	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5597.199707	4586.199707	4586.199707	0.933333
2449	024	1977	0.05	2082	1	65	100	3	5	4	5931	3849	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5535.600098	3453.600098	3453.600098	0.933333
2449	031	1982	0.05	999	1	85	140	4	7	6	7928	6929	RH-1	40	form-based			true	0.7	4	0.571428597	3	3	5549.600098	4550.600098	4550.600098	0.7
2449	035	1875	0.04	1447	1	85	140	4	6	5	7500	6053	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5250	3803	3803	0.7
2450	018	1740	0.04	1180	1	85	140	4	6	5	6960	5780	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4872	3692	3692	0.7
2450	018A	1740	0.04	1000	1	85	140	4	6	5	6960	5960	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4872	3872	3872	0.7
2450	018B	1739	0.04	1000	1	85	140	4	6	5	6956	5956	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4869.199707	3869.199707	3869.199707	0.7
2450	018C	1739	0.04	1400	1	85	140	4	6	5	6956	5556	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4869.199707	3469.199707	3469.199707	0.7
2450	019B	1750	0.04	1100	1	85	140	4	6	5	7000	5900	RH-1	40	form-based		true	true	0.7	4	0.666666687	3	3	4900	3800	3800	0.7
2450	019C	1750	0.04	1372	1	85	140	4	6	5	7000	5628	RH-1	40	form-based		true	true	0.7	4	0.666666687	3	3	4900	3528	3528	0.7
2450	019D	1750	0.04	1140	1	65	100	3	4	3	5250	4110	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3760	3760	0.933333
2450	019E	1750	0.04	944	1	85	140	4	6	5	7000	6056	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	4900	3956	3956	0.7
2451	002D	2375	0.05	1250	2	65	100	3	5	3	7125	5875	RH-1	40	form-based		true	true	0.7	5	1	3	3	6650	5400	5400	0.933333
2452	006	1980	0.05	2363	1	65	100	3	5	4	5940	3577	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5544	3181	3181	0.933333
2452	007	2083	0.05	1546	1	65	100	3	5	4	6249	4703	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5832.399902	4286.399902	4286.399902	0.933333
2452	008	2083	0.05	893	1	65	100	3	5	4	6249	5356	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5832.399902	4939.399902	4939.399902	0.933333
2453	001L	1776	0.04	1292	1	65	100	3	4	3	5328	4036	RH-1	40	form-based			true	0.7	4	1	3	3	4972.799805	3680.799805	3680.799805	0.933333
2453	001M	1776	0.04	1530	1	65	100	3	4	3	5328	3798	RH-1	40	form-based			true	0.7	4	1	3	3	4972.799805	3442.799805	3442.799805	0.933333
2453	001N	1776	0.04	1255	1	65	100	3	4	3	5328	4073	RH-1	40	form-based			true	0.7	4	1	3	3	4972.799805	3717.799805	3717.799805	0.933333
2453	001O	1917	0.04	1232	1	65	100	3	4	3	5751	4519	RH-1	40	form-based		true	true	0.7	4	1	3	3	5367.600098	4135.600098	4135.600098	0.933333
2453	002B	1897	0.04	1536	1	65	100	3	4	3	5691	4155	RH-1	40	form-based		true	true	0.7	4	1	3	3	5311.600098	3775.600098	3775.600098	0.933333
2453	002C	1750	0.04	1652	1	65	100	3	4	3	5250	3598	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3248	3248	0.933333
2453	003	1750	0.04	1036	1	65	100	3	4	3	5250	4214	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3864	3864	0.933333
2453	003A	1750	0.04	1036	1	65	100	3	4	3	5250	4214	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3864	3864	0.933333
2454	021	1753	0.04	1012	1	65	100	3	4	3	5259	4247	RH-1	40	form-based			true	0.7	4	1	3	3	4908.399902	3896.399902	3896.399902	0.933333
2454	022	1753	0.04	1012	1	65	100	3	4	3	5259	4247	RH-1	40	form-based			true	0.7	4	1	3	3	4908.399902	3896.399902	3896.399902	0.933333
2454	023	1753	0.04	1012	1	65	100	3	4	3	5259	4247	RH-1	40	form-based			true	0.7	4	1	3	3	4908.399902	3896.399902	3896.399902	0.933333
2454	024	1753	0.04	1632	1	65	100	3	4	3	5259	3627	RH-1	40	form-based		true	true	0.7	4	1	3	3	4908.399902	3276.399902	3276.399902	0.933333
2454	029	1750	0.04	1012	1	65	100	3	4	3	5250	4238	RH-1	40	form-based		true	true	0.7	4	1	3	3	4900	3888	3888	0.933333
2454	030	1750	0.04	1012	1	65	100	3	4	3	5250	4238	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3888	3888	0.933333
2454	031	1750	0.04	1194	1	65	100	3	4	3	5250	4056	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3706	3706	0.933333
2454	032	1750	0.04	1132	1	65	100	3	4	3	5250	4118	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3768	3768	0.933333
2457	013	1750	0.04	1501	1	55	80	2.5	3	2	4375	2874	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3399	3399	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2457	014	1750	0.04	1609	1	55	80	2.5	3	2	4375	2766	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3291	3291	1.12
2457	014A	1750	0.04	1011	1	55	80	2.5	3	2	4375	3364	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3889	3889	1.12
2457	015	1750	0.04	1651	1	55	80	2.5	3	2	4375	2724	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4900	3249	3249	1.12
2457	019	1776	0.04	1636	1	55	80	2.5	3	2	4440	2804	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4972.799805	3336.799805	3336.799805	1.12
2457	020	1776	0.04	1011	1	55	80	2.5	3	2	4440	3429	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4972.799805	3961.799805	3961.799805	1.12
2457	021	1775	0.04	1591	1	55	80	2.5	3	2	4438	2847	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4970	3379	3379	1.119874
2457	021A	1775	0.04	1011	1	55	80	2.5	3	2	4438	3427	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4970	3959	3959	1.119874
2458	001B	1713	0.04	1030	1	55	80	2.5	3	2	4282	3252	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4796.399902	3766.399902	3766.399902	1.120131
2458	001T	1713	0.04	850	1	55	80	2.5	3	2	4282	3432	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4796.399902	3946.399902	3946.399902	1.120131
2458	001U	1712	0.04	850	1	55	80	2.5	3	2	4280	3430	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4793.600098	3943.600098	3943.600098	1.12
2458	001V	1712	0.04	1362	1	55	80	2.5	3	2	4280	2918	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4793.600098	3431.600098	3431.600098	1.12
2458	002B	1750	0.04	1187	1	55	80	2.5	3	2	4375	3188	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4900	3713	3713	1.12
2458	002C	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3888	3888	1.12
2458	002D	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3888	3888	1.12
2458	002E	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3888	3888	1.12
2459	021	2043	0.05	1250	1	55	80	2.5	4	3	5108	3858	RH-1	40	form-based			true	0.7	4	1	3	3	5720.399902	4470.399902	4470.399902	1.11989
2459	022	2043	0.05	1250	1	55	80	2.5	4	3	5108	3858	RH-1	40	form-based			true	0.7	4	1	3	3	5720.399902	4470.399902	4470.399902	1.11989
2459	023	2043	0.05	1310	1	55	80	2.5	4	3	5108	3798	RH-1	40	form-based			true	0.7	4	1	3	3	5720.399902	4410.399902	4410.399902	1.11989
2459	024	2043	0.05	1250	1	55	80	2.5	4	3	5108	3858	RH-1	40	form-based		true	true	0.7	4	1	3	3	5720.399902	4470.399902	4470.399902	1.11989
2459	028	2065	0.05	2125	1	55	80	2.5	4	3	5162	3037	RH-1	40	form-based		true	true	0.7	4	1	3	3	5782	3657	3657	1.120108
2459	029	2065	0.05	1100	1	55	80	2.5	4	3	5162	4062	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4682	4682	1.120108
2459	030	2065	0.05	1362	1	55	80	2.5	4	3	5162	3800	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4420	4420	1.120108
2459	031	2065	0.05	1100	1	55	80	2.5	4	3	5162	4062	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4682	4682	1.120108
2461A	003	1875	0.04	2211	1	55	80	2.5	3	2	4688	2477	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3039	3039	1.119881
2461A	004	1875	0.04	1599	1	55	80	2.5	3	2	4688	3089	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3651	3651	1.119881
2461A	005	1875	0.04	1400	1	55	80	2.5	3	2	4688	3288	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3850	3850	1.119881
2464A	008	2103	0.05	1700	1	55	80	2.5	4	3	5258	3558	RH-1	40	form-based			true	0.7	4	1	3	3	5888.399902	4188.399902	4188.399902	1.119893
2464A	008A	2137	0.05	1390	1	55	80	2.5	4	3	5342	3952	RH-1	40	form-based			true	0.7	4	1	3	3	5983.600098	4593.600098	4593.600098	1.120105
2464A	009	2014	0.05	2110	1	55	80	2.5	4	3	5035	2925	RH-1	40	form-based			true	0.7	4	1	3	3	5639.199707	3529.199707	3529.199707	1.12
2464A	031A	2138	0.05	1237	1	55	80	2.5	4	3	5345	4108	RH-1	40	form-based		true	true	0.7	4	1	3	3	5986.399902	4749.399902	4749.399902	1.12
2465A	010	1945	0.04	1325	1	55	80	2.5	3	2	4862	3537	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5446	4121	4121	1.120115
2465A	011	1929	0.04	1325	1	55	80	2.5	3	2	4822	3497	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5401.199707	4076.199707	4076.199707	1.120116
2465A	013	1992	0.05	1091	1	55	80	2.5	4	3	4980	3889	RH-1	40	form-based			true	0.7	4	1	3	3	5577.600098	4486.600098	4486.600098	1.12
2465A	014	2064	0.05	1000	1	55	80	2.5	4	3	5160	4160	RH-1	40	form-based			true	0.7	4	1	3	3	5779.199707	4779.199707	4779.199707	1.12
2465A	016	1944	0.04	2031	1	55	80	2.5	3	2	4860	2829	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5443.199707	3412.199707	3412.199707	1.12
2465A	017	1938	0.04	1635	1	55	80	2.5	3	2	4845	3210	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5426.399902	3791.399902	3791.399902	1.12
2465A	025	1917	0.04	2067	1	55	80	2.5	3	2	4792	2725	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5367.600098	3300.600098	3300.600098	1.120117
2465A	026	2112	0.05	1425	1	55	80	2.5	4	3	5280	3855	RH-1	40	form-based			true	0.7	4	1	3	3	5913.600098	4488.600098	4488.600098	1.12
2465A	027	2049	0.05	1250	1	55	80	2.5	4	3	5122	3872	RH-1	40	form-based			true	0.7	4	1	3	3	5737.199707	4487.199707	4487.199707	1.120109
2466A	008B	2094	0.05	1275	1	55	80	2.5	4	3	5235	3960	RH-1	40	form-based			true	0.7	4	1	3	3	5863.199707	4588.199707	4588.199707	1.12
2466A	008C	1871	0.04	1545	1	55	80	2.5	3	2	4678	3133	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5238.799805	3693.799805	3693.799805	1.11988
2466A	008	2048	0.05	1670	1	55	80	2.5	4	3	5120	3450	RH-1	40	form-based			true	0.7	4	1	3	3	5734.399902	4064.399902	4064.399902	1.12
2466A	008A	1974	0.05	1275	1	55	80	2.5	4	3	4935	3660	RH-1	40	form-based			true	0.7	4	1	3	3	5527.199707	4252.199707	4252.199707	1.12
2466A	008D	1811	0.04	1275	1	55	80	2.5	3	2	4528	3253	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5070.799805	3795.799805	3795.799805	1.119876
2466A	008E	2048	0.05	1281	1	55	80	2.5	4	3	5120	3839	RH-1	40	form-based			true	0.7	4	1	3	3	5734.399902	4453.399902	4453.399902	1.12
2466A	008F	1806	0.04	1220	1	55	80	2.5	3	2	4515	3295	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5056.799805	3836.799805	3836.799805	1.12
2471	054	2053	0.05	1911	1	55	80	2.5	4	3	5132	3221	RH-1	40	form-based			true	0.7	4	1	3	3	5748.399902	3837.399902	3837.399902	1.120109
2471	055	1917	0.04	1792	1	55	80	2.5	3	2	4792	3000	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5367.600098	3575.600098	3575.600098	1.120117
2471	058	1974	0.05	2078	1	55	80	2.5	4	3	4935	2857	RH-1	40	form-based		true	true	0.7	4	1	3	3	5527.199707	3449.199707	3449.199707	1.12
2471	059	2141	0.05	2098	1	55	80	2.5	4	3	5352	3254	RH-1	40	form-based			true	0.7	4	1	3	3	5994.799805	3896.799805	3896.799805	1.120105
2472	050	1750	0.04	1175	1	55	80	2.5	3	2	4375	3200	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3725	3725	1.12
2472	051	1750	0.04	1175	1	55	80	2.5	3	2	4375	3200	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3725	3725	1.12
2472	052	1750	0.04	1180	1	55	80	2.5	3	2	4375	3195	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4900	3720	3720	1.12
2472	053	1875	0.04	1667	1	55	80	2.5	3	2	4688	3021	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3583	3583	1.119881
2472	056	2052	0.05	1566	1	55	80	2.5	4	3	5130	3564	RH-1	40	form-based			true	0.7	4	1	3	3	5745.600098	4179.600098	4179.600098	1.12
2472	057	2052	0.05	2455	1	55	80	2.5	4	3	5130	2675	RH-1	40	form-based			true	0.7	4	1	3	3	5745.600098	3290.600098	3290.600098	1.12
2472	058	2052	0.05	1542	1	55	80	2.5	4	3	5130	3588	RH-1	40	form-based		true	true	0.7	4	1	3	3	5745.600098	4203.600098	4203.600098	1.12
2475	002	2062	0.05	1065	1	55	80	2.5	4	3	5155	4090	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4708.600098	4708.600098	1.12
2475	003	2062	0.05	1770	1	55	80	2.5	4	3	5155	3385	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4003.600098	4003.600098	1.12
2475	004	2062	0.05	1329	1	55	80	2.5	4	3	5155	3826	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4444.600098	4444.600098	1.12
2475	010	2998	0.07	1513	3	55	80	2.5	6	3	7495	5982	RH-1	40	form-based			true	0.7	6	1	3	3	8394.399414	6881.399414	6881.399414	1.12
2475	021	2059	0.05	1460	1	55	80	2.5	4	3	5148	3688	RH-1	40	form-based			true	0.7	4	1	3	3	5765.199707	4305.199707	4305.199707	1.119891
2475	022	2059	0.05	1392	1	55	80	2.5	4	3	5148	3756	RH-1	40	form-based			true	0.7	4	1	3	3	5765.199707	4373.199707	4373.199707	1.119891
2475	023	2058	0.05	1200	1	55	80	2.5	4	3	5145	3945	RH-1	40	form-based			true	0.7	4	1	3	3	5762.399902	4562.399902	4562.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2475	024	2058	0.05	1958	1	55	80	2.5	4	3	5145	3187	RH-1	40	form-based		true	true	0.7	4	1	3	3	5762.399902	3804.399902	3804.399902	1.12
2475	028	2063	0.05	1410	1	55	80	2.5	4	3	5158	3748	RH-1	40	form-based		true	true	0.7	4	1	3	3	5776.399902	4366.399902	4366.399902	1.119891
2475	029	2062	0.05	1225	1	55	80	2.5	4	3	5155	3930	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4548.600098	4548.600098	1.12
2475	030	2062	0.05	1725	1	55	80	2.5	4	3	5155	3430	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4048.600098	4048.600098	1.12
2475	031	2063	0.05	1225	1	55	80	2.5	4	3	5158	3933	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4551.399902	4551.399902	1.119891
2475	048	2063	0.05	1410	1	55	80	2.5	4	3	5158	3748	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4366.399902	4366.399902	1.119891
2475	049	2062	0.05	1125	1	55	80	2.5	4	3	5155	4030	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4648.600098	4648.600098	1.12
2475	050	2062	0.05	1265	1	55	80	2.5	4	3	5155	3890	RH-1	40	form-based			true	0.7	4	1	3	3	5773.600098	4508.600098	4508.600098	1.12
2476	001	2090	0.05	1380	1	55	80	2.5	4	3	5225	3845	RH-1	40	form-based		true	true	0.7	4	1	3	3	5852	4472	4472	1.12
2476	002	2090	0.05	1321	1	55	80	2.5	4	3	5225	3904	RH-1	40	form-based			true	0.7	4	1	3	3	5852	4531	4531	1.12
2476	003	2090	0.05	825	1	55	80	2.5	4	3	5225	4400	RH-1	40	form-based			true	0.7	4	1	3	3	5852	5027	5027	1.12
2476	004	2091	0.05	1110	1	55	80	2.5	4	3	5228	4118	RH-1	40	form-based			true	0.7	4	1	3	3	5854.799805	4744.799805	4744.799805	1.119893
2476	021	2096	0.05	910	1	55	80	2.5	4	3	5240	4330	RH-1	40	form-based			true	0.7	4	1	3	3	5868.799805	4958.799805	4958.799805	1.12
2476	022	2096	0.05	775	1	55	80	2.5	4	3	5240	4465	RH-1	40	form-based			true	0.7	4	1	3	3	5868.799805	5093.799805	5093.799805	1.12
2476	023	2097	0.05	1988	1	55	80	2.5	4	3	5242	3254	RH-1	40	form-based			true	0.7	4	1	3	3	5871.600098	3883.600098	3883.600098	1.120107
2476	029	2065	0.05	1160	1	55	80	2.5	4	3	5162	4002	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4622	4622	1.120108
2476	030	2065	0.05	1160	1	55	80	2.5	4	3	5162	4002	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4622	4622	1.120108
2476	031	2065	0.05	1300	1	55	80	2.5	4	3	5162	3862	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4482	4482	1.120108
2476	048	2065	0.05	1140	1	55	80	2.5	4	3	5162	4022	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4642	4642	1.120108
2476	049	2065	0.05	1150	1	55	80	2.5	4	3	5162	4012	RH-1	40	form-based			true	0.7	4	1	3	3	5782	4632	4632	1.120108
2476	050	2065	0.05	2134	1	55	80	2.5	4	3	5162	3028	RH-1	40	form-based			true	0.7	4	1	3	3	5782	3648	3648	1.120108
2476	051	2065	0.05	1395	1	55	80	2.5	4	3	5162	3767	RH-1	40	form-based		true	true	0.7	4	1	3	3	5782	4387	4387	1.120108
2480	006	2077	0.05	1399	1	65	100	3	5	4	6231	4832	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5815.600098	4416.600098	4416.600098	0.933333
2480	007	2077	0.05	1399	1	65	100	3	5	4	6231	4832	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5815.600098	4416.600098	4416.600098	0.933333
2480	007A	2077	0.05	1399	1	65	100	3	5	4	6231	4832	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5815.600098	4416.600098	4416.600098	0.933333
2480	007B	2078	0.05	1399	1	65	100	3	5	4	6234	4835	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5818.399902	4419.399902	4419.399902	0.933333
2480	010	1924	0.04	1315	1	65	100	3	4	3	5772	4457	RH-1	40	form-based			true	0.7	4	1	3	3	5387.199707	4072.199707	4072.199707	0.933333
2480	010A	1924	0.04	1090	1	65	100	3	4	3	5772	4682	RH-1	40	form-based			true	0.7	4	1	3	3	5387.199707	4297.199707	4297.199707	0.933333
2482	015B	1892	0.04	1656	1	65	100	3	4	3	5676	4020	RH-1	40	form-based			true	0.7	4	1	3	3	5297.600098	3641.600098	3641.600098	0.933333
2482	015C	1730	0.04	1806	1	65	100	3	4	3	5190	3384	RH-1	40	form-based		true	true	0.7	4	1	3	3	4844	3038	3038	0.933333
2482	016	1940	0.04	1454	1	65	100	3	4	3	5820	4366	RH-1	40	form-based			true	0.7	4	1	3	3	5432	3978	3978	0.933333
2483	015	1961	0.05	1587	1	65	100	3	5	4	5883	4296	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5490.799805	3903.799805	3903.799805	0.933333
2483	015A	1976	0.05	2461	1	65	100	3	5	4	5928	3467	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5532.799805	3071.799805	3071.799805	0.933333
2483	032	1912	0.04	1764	1	85	140	4	6	5	7648	5884	RH-1(D)	40	form-based			true	0.7	4	0.666666687	3	3	5353.600098	3589.600098	3589.600098	0.7
2503A	038	1812	0.04	1578	1	55	80	2.5	3	2	4530	2952	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5073.600098	3495.600098	3495.600098	1.12
2503A	039	1842	0.04	1600	1	55	80	2.5	3	2	4605	3005	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5157.600098	3557.600098	3557.600098	1.12
2504A	001D	2371	0.05	1725	2	55	80	2.5	4	2	5928	4203	RH-1	40	form-based			true	0.7	5	1.25	3	3	6638.799805	4913.799805	4913.799805	1.119905
2506	001	1918	0.04	1380	1	55	80	2.5	3	2	4795	3415	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5370.399902	3990.399902	3990.399902	1.12
2506	001A	1767	0.04	1150	1	55	80	2.5	3	2	4418	3268	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4947.600098	3797.600098	3797.600098	1.119873
2506	001B	1767	0.04	1150	1	55	80	2.5	3	2	4418	3268	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4947.600098	3797.600098	3797.600098	1.119873
2506	015	2080	0.05	1175	1	55	80	2.5	4	3	5200	4025	RH-1	40	form-based			true	0.7	4	1	3	3	5824	4649	4649	1.12
2506	015A	2080	0.05	1175	1	55	80	2.5	4	3	5200	4025	RH-1	40	form-based			true	0.7	4	1	3	3	5824	4649	4649	1.12
2506	016	2080	0.05	1175	1	55	80	2.5	4	3	5200	4025	RH-1	40	form-based			true	0.7	4	1	3	3	5824	4649	4649	1.12
2506	021	1989	0.05	1823	1	55	80	2.5	4	3	4972	3149	RH-1	40	form-based		true	true	0.7	4	1	3	3	5569.199707	3746.199707	3746.199707	1.120113
2506	021A	2063	0.05	1752	1	55	80	2.5	4	3	5158	3406	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4024.399902	4024.399902	1.119891
2506	022	2063	0.05	1679	1	55	80	2.5	4	3	5158	3479	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4097.399902	4097.399902	1.119891
2506	023	2063	0.05	1175	1	55	80	2.5	4	3	5158	3983	RH-1	40	form-based			true	0.7	4	1	3	3	5776.399902	4601.399902	4601.399902	1.119891
2506	036	1750	0.04	1219	1	55	80	2.5	3	2	4375	3156	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3681	3681	1.12
2506	037	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3888	3888	1.12
2506	038	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3888	3888	1.12
2506	039	1837	0.04	1012	1	55	80	2.5	3	2	4592	3580	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5143.600098	4131.600098	4131.600098	1.120122
2506	043	1922	0.04	1600	1	55	80	2.5	3	2	4805	3205	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5381.600098	3781.600098	3781.600098	1.12
2507	001	1786	0.04	1160	1	55	80	2.5	3	2	4465	3305	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5000.799805	3840.799805	3840.799805	1.12
2507	001A	1750	0.04	1160	1	55	80	2.5	3	2	4375	3215	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3740	3740	1.12
2507	001B	1750	0.04	1250	1	55	80	2.5	3	2	4375	3125	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3650	3650	1.12
2507	001C	1750	0.04	1384	1	55	80	2.5	3	2	4375	2991	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3516	3516	1.12
2507	016	1750	0.04	1011	1	55	80	2.5	3	2	4375	3364	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3889	3889	1.12
2507	016A	1750	0.04	1038	1	55	80	2.5	3	2	4375	3337	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3862	3862	1.12
2507	017	1750	0.04	1317	1	55	80	2.5	3	2	4375	3058	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3583	3583	1.12
2507	018	1688	0.04	1179	1	55	80	2.5	3	2	4220	3041	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4726.399902	3547.399902	3547.399902	1.12
2507	022	1701	0.04	1311	1	55	80	2.5	3	2	4252	2941	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4762.799805	3451.799805	3451.799805	1.120132
2507	023	1702	0.04	1549	1	55	80	2.5	3	2	4255	2706	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4765.600098	3216.600098	3216.600098	1.12
2507	024	1703	0.04	1011	1	55	80	2.5	3	2	4258	3247	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4768.399902	3757.399902	3757.399902	1.119869
2507	041	1712	0.04	1415	1	55	80	2.5	3	2	4280	2865	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4793.600098	3378.600098	3378.600098	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2507	041A	1712	0.04	1011	1	55	80	2.5	3	2	4280	3269	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4793.600098	3782.600098	3782.600098	1.12
2507	042	1713	0.04	1206	1	55	80	2.5	3	2	4282	3076	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4796.399902	3590.399902	3590.399902	1.120131
2507	043	1687	0.04	1011	1	55	80	2.5	3	2	4218	3207	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4723.600098	3712.600098	3712.600098	1.119867
2508	001	1777	0.04	1210	1	55	80	2.5	3	2	4442	3232	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4975.600098	3765.600098	3765.600098	1.120126
2508	001A	1745	0.04	1350	1	55	80	2.5	3	2	4362	3012	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4886	3536	3536	1.120128
2508	001B	1746	0.04	1240	1	55	80	2.5	3	2	4365	3125	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4888.799805	3648.799805	3648.799805	1.12
2508	001C	1747	0.04	1475	1	55	80	2.5	3	2	4368	2893	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4891.600098	3416.600098	3416.600098	1.119872
2508	014	1766	0.04	1012	1	55	80	2.5	3	2	4415	3403	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4944.799805	3932.799805	3932.799805	1.12
2508	014A	1767	0.04	1011	1	55	80	2.5	3	2	4418	3407	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4947.600098	3936.600098	3936.600098	1.119873
2508	014B	1768	0.04	1011	1	55	80	2.5	3	2	4420	3409	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4950.399902	3939.399902	3939.399902	1.12
2508	015	1681	0.04	1219	1	55	80	2.5	3	2	4202	2983	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4706.799805	3487.799805	3487.799805	1.120133
2508	018	1722	0.04	1011	1	55	80	2.5	3	2	4305	3294	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4821.600098	3810.600098	3810.600098	1.12
2508	018A	1750	0.04	1011	1	55	80	2.5	3	2	4375	3364	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3889	3889	1.12
2508	018B	1750	0.04	1011	1	55	80	2.5	3	2	4375	3364	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3889	3889	1.12
2508	019	1750	0.04	1011	1	55	80	2.5	3	2	4375	3364	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3889	3889	1.12
2508	028	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3888	3888	1.12
2508	029	1750	0.04	1216	1	55	80	2.5	3	2	4375	3159	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3684	3684	1.12
2508	029A	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3888	3888	1.12
2508	030	1721	0.04	1012	1	55	80	2.5	3	2	4302	3290	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4818.799805	3806.799805	3806.799805	1.12013
2509	001	1704	0.04	1350	1	55	80	2.5	3	2	4260	2910	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4771.199707	3421.199707	3421.199707	1.12
2509	001A	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3888	3888	1.12
2509	001B	1750	0.04	1212	1	55	80	2.5	3	2	4375	3163	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3688	3688	1.12
2509	001C	1750	0.04	1012	1	55	80	2.5	3	2	4375	3363	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3888	3888	1.12
2509	045	1756	0.04	903	1	55	80	2.5	3	2	4390	3487	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4916.799805	4013.799805	4013.799805	1.12
2509	046	1756	0.04	903	1	55	80	2.5	3	2	4390	3487	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4916.799805	4013.799805	4013.799805	1.12
2509	046A	1757	0.04	903	1	55	80	2.5	3	2	4392	3489	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4919.600098	4016.600098	4016.600098	1.120128
2510	001	1759	0.04	2434	1	55	80	2.5	3	2	4398	1964	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4925.199707	2491.199707	2491.199707	1.119873
2510	001A	1759	0.04	1712	1	55	80	2.5	3	2	4398	2686	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4925.199707	3213.199707	3213.199707	1.119873
2510	001B	1759	0.04	1012	1	55	80	2.5	3	2	4398	3386	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4925.199707	3913.199707	3913.199707	1.119873
2510	001C	1759	0.04	1473	1	55	80	2.5	3	2	4398	2925	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4925.199707	3452.199707	3452.199707	1.119873
2510	042	1750	0.04	1012	1	65	100	3	4	3	5250	4238	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3888	3888	0.933333
2510	043	1750	0.04	1349	1	65	100	3	4	3	5250	3901	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3551	3551	0.933333
2510	044	1750	0.04	1012	1	65	100	3	4	3	5250	4238	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3888	3888	0.933333
2510	045	1750	0.04	1520	1	65	100	3	4	3	5250	3730	RH-1	40	form-based		true	true	0.7	4	1	3	3	4900	3380	3380	0.933333
2511	001	1749	0.04	1090	1	65	100	3	4	3	5247	4157	RH-1	40	form-based		true	true	0.7	4	1	3	3	4897.199707	3807.199707	3807.199707	0.933333
2511	001A	1749	0.04	1090	1	65	100	3	4	3	5247	4157	RH-1	40	form-based			true	0.7	4	1	3	3	4897.199707	3807.199707	3807.199707	0.933333
2511	001B	1749	0.04	1090	1	65	100	3	4	3	5247	4157	RH-1	40	form-based			true	0.7	4	1	3	3	4897.199707	3807.199707	3807.199707	0.933333
2511	001C	1749	0.04	1450	1	65	100	3	4	3	5247	3797	RH-1	40	form-based			true	0.7	4	1	3	3	4897.199707	3447.199707	3447.199707	0.933333
2511	010	2073	0.05	1012	1	65	100	3	5	4	6219	5207	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5804.399902	4792.399902	4792.399902	0.933333
2511	011	1830	0.04	1012	1	65	100	3	4	3	5490	4478	RH-1	40	form-based			true	0.7	4	1	3	3	5124	4112	4112	0.933333
2511	027	1750	0.04	1650	1	65	100	3	4	3	5250	3600	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3250	3250	0.933333
2511	028	1750	0.04	1119	1	65	100	3	4	3	5250	4131	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3781	3781	0.933333
2511	029	1750	0.04	1149	1	65	100	3	4	3	5250	4101	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3751	3751	0.933333
2511	030	1750	0.04	1350	1	65	100	3	4	3	5250	3900	RH-1	40	form-based		true	true	0.7	4	1	3	3	4900	3550	3550	0.933333
2512	001	1773	0.04	1142	1	65	100	3	4	3	5319	4177	RH-1	40	form-based		true	true	0.7	4	1	3	3	4964.399902	3822.399902	3822.399902	0.933333
2512	001B	1773	0.04	903	1	65	100	3	4	3	5319	4416	RH-1	40	form-based			true	0.7	4	1	3	3	4964.399902	4061.399902	4061.399902	0.933333
2512	001C	1773	0.04	903	1	65	100	3	4	3	5319	4416	RH-1	40	form-based			true	0.7	4	1	3	3	4964.399902	4061.399902	4061.399902	0.933333
2512	016	1750	0.04	1536	1	65	100	3	4	3	5250	3714	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3364	3364	0.933333
2512	017	1750	0.04	1012	1	65	100	3	4	3	5250	4238	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3888	3888	0.933333
2512	018	1750	0.04	1010	1	65	100	3	4	3	5250	4240	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3890	3890	0.933333
2512	019	1750	0.04	1133	1	65	100	3	4	3	5250	4117	RH-1	40	form-based		true	true	0.7	4	1	3	3	4900	3767	3767	0.933333
2518	001	1925	0.04	1012	1	55	80	2.5	3	2	4812	3800	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5390	4378	4378	1.120116
2518	001A	1834	0.04	1212	1	55	80	2.5	3	2	4585	3373	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5135.199707	3923.199707	3923.199707	1.12
2518	002	1834	0.04	1410	1	55	80	2.5	3	2	4585	3175	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5135.199707	3725.199707	3725.199707	1.12
2518	002A	1834	0.04	1012	1	55	80	2.5	3	2	4585	3573	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5135.199707	4123.199707	4123.199707	1.12
2518	023	1860	0.04	1011	1	55	80	2.5	3	2	4650	3639	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5208	4197	4197	1.12
2518	024	1863	0.04	1541	1	55	80	2.5	3	2	4658	3117	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5216.399902	3675.399902	3675.399902	1.11988
2518	025	1866	0.04	2440	1	55	80	2.5	3	2	4665	2225	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5224.799805	2784.799805	2784.799805	1.12
2518	026	1869	0.04	1011	1	55	80	2.5	3	2	4672	3661	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5233.199707	4222.199707	4222.199707	1.12012
2518	027	1872	0.04	1244	1	55	80	2.5	3	2	4680	3436	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5241.600098	3997.600098	3997.600098	1.12
2518	028	1875	0.04	1012	1	55	80	2.5	3	2	4688	3676	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4238	4238	1.119881
2518	029	1878	0.04	1360	1	55	80	2.5	3	2	4695	3335	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5258.399902	3898.399902	3898.399902	1.12
2518	030	1881	0.04	1012	1	55	80	2.5	3	2	4702	3690	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5266.799805	4254.799805	4254.799805	1.120119
2519	030A	1916	0.04	1323	1	55	80	2.5	3	2	4790	3467	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5364.799805	4041.799805	4041.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2519	030B	1916	0.04	1323	1	55	80	2.5	3	2	4790	3467	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5364.799805	4041.799805	4041.799805	1.12
2519	031A	2022	0.05	1323	1	55	80	2.5	4	3	5055	3732	RH-1	40	form-based			true	0.7	4	1	3	3	5661.600098	4338.600098	4338.600098	1.12
2519	031B	2022	0.05	1323	1	55	80	2.5	4	3	5055	3732	RH-1	40	form-based			true	0.7	4	1	3	3	5661.600098	4338.600098	4338.600098	1.12
2607	030	2500	0.06	2814	2	55	80	2.5	5	3	6250	3436	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4186	4186	1.12
2603	004	1910	0.04	2899	1	55	80	2.5	3	2	4775	1876	RH-3	40	form-based			true	0.7	4	1.333333373	3	3	5348	2449	2449	1.12
2603	005	2240	0.05	2819	2	55	80	2.5	4	2	5600	2781	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6272	3453	3453	1.12
2607	045	1797	0.04	2645	1	55	80	2.5	3	2	4492	1847	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5031.600098	2386.600098	2386.600098	1.120125
2607	046	1797	0.04	1325	1	55	80	2.5	3	2	4492	3167	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5031.600098	3706.600098	3706.600098	1.120125
2607	050A	1724	0.04	2615	1	55	80	2.5	3	2	4310	1695	RH-3	40	form-based			true	0.7	4	1.333333373	3	3	4827.199707	2212.199707	2212.199707	1.12
2607	061	3095	0.07	3925	3	55	80	2.5	6	3	7738	3813	RH-3	40	form-based			true	0.7	6	1	3	3	8666	4741	4741	1.119928
2607	103	1948	0.04	1825	1	55	80	2.5	3	2	4870	3045	RH-3	40	form-based			true	0.7	4	1.333333373	3	3	5454.399902	3629.399902	3629.399902	1.12
2607	104	1797	0.04	1301	1	55	80	2.5	3	2	4492	3191	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5031.600098	3730.600098	3730.600098	1.120125
2607	271	2072	0.05	2940	1	55	80	2.5	4	3	5180	2240	RH-2	40	form-based			true	0.7	4	1	3	3	5801.600098	2861.600098	2861.600098	1.12
2607	277	2891	0.07	637	3	55	80	2.5	6	3	7228	6591	RH-2	40	form-based			true	0.7	6	1	3	3	8094.799805	7457.799805	7457.799805	1.119923
2607	290	2332	0.05	939	2	55	80	2.5	4	2	5830	4891	RH-2	40	form-based			true	0.7	5	1.25	3	3	6529.600098	5590.600098	5590.600098	1.12
2608	028	2500	0.06	2700	2	55	80	2.5	5	3	6250	3550	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4300	4300	1.12
2608	029	2500	0.06	2700	2	55	80	2.5	5	3	6250	3550	RH-2	40	form-based		true	true	0.7	5	1	3	3	7000	4300	4300	1.12
2608	030	2459	0.06	3875	2	55	80	2.5	5	3	6148	2273	RH-2	40	form-based			true	0.7	5	1	3	3	6885.199707	3010.199707	3010.199707	1.119909
2608	031	2259	0.05	3898	2	55	80	2.5	4	2	5648	1750	RH-2	40	form-based			true	0.7	5	1.25	3	3	6325.199707	2427.199707	2427.199707	1.119901
2612	119	2688	0.06	1371	3	55	80	2.5	5	2	6720	5349	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7526.399902	6155.399902	6155.399902	1.12
2613	001C	2584	0.06	2176	2	65	100	3	6	4	7752	5576	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7235.199707	5059.199707	5059.199707	0.933333
2608	042	3891	0.09	4536	5	55	80	2.5	7	2	9728	5192	RH-2	40	form-based			true	0.7	8	1.142857194	3	3	10894.7998	6358.799805	6358.799805	1.119942
2613	002	2221	0.05	3030	2	65	100	3	5	3	6663	3633	RH-3	40	form-based			true	0.7	5	1	3	3	6218.799805	3188.799805	3188.799805	0.933333
2608	068	2957	0.07	1819	3	55	80	2.5	6	3	7392	5573	RH-2	40	form-based			true	0.7	6	1	3	3	8279.599609	6460.599609	6460.599609	1.120076
2609	005	2588	0.06	2040	2	65	100	3	6	4	7764	5724	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7246.399902	5206.399902	5206.399902	0.933333
2609	011	2250	0.05	3264	2	65	100	3	5	3	6750	3486	RH-2	40	form-based			true	0.7	5	1	3	3	6300	3036	3036	0.933333
2609	020	2250	0.05	2184	2	65	100	3	5	3	6750	4566	RH-2	40	form-based			true	0.7	5	1	3	3	6300	4116	4116	0.933333
2609	024	2193	0.05	2250	2	55	80	2.5	4	2	5482	3232	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6140.399902	3890.399902	3890.399902	1.120102
2609	025	2089	0.05	1995	1	55	80	2.5	4	3	5222	3227	RH-2	40	form-based			true	0.7	4	1	3	3	5849.199707	3854.199707	3854.199707	1.120107
2609	026	2089	0.05	1825	1	55	80	2.5	4	3	5222	3397	RH-2	40	form-based			true	0.7	4	1	3	3	5849.199707	4024.199707	4024.199707	1.120107
2609	027	2089	0.05	2615	1	55	80	2.5	4	3	5222	2607	RH-2	40	form-based			true	0.7	4	1	3	3	5849.199707	3234.199707	3234.199707	1.120107
2609	038	2808	0.06	4390	3	65	100	3	6	3	8424	4034	RH-2	40	form-based			true	0.7	6	1	3	3	7862.399902	3472.399902	3472.399902	0.933333
2609	054	2250	0.05	1040	2	65	100	3	5	3	6750	5710	RH-2	40	form-based			true	0.7	5	1	3	3	6300	5260	5260	0.933333
2610	015	2204	0.05	2076	2	65	100	3	5	3	6612	4536	RH-3	40	form-based			true	0.7	5	1	3	3	6171.199707	4095.199707	4095.199707	0.933333
2610	019	1972	0.05	1600	1	65	100	3	5	4	5916	4316	RH-3	40	form-based			true	0.7	4	0.800000012	3	3	5521.600098	3921.600098	3921.600098	0.933333
2610	026	2601	0.06	2540	2	65	100	3	6	4	7803	5263	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7282.799805	4742.799805	4742.799805	0.933333
2610	027	2548	0.06	2650	2	65	100	3	6	4	7644	4994	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7134.399902	4484.399902	4484.399902	0.933333
2610	028	2495	0.06	3610	2	65	100	3	6	4	7485	3875	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6986	3376	3376	0.933333
2610	031	2334	0.05	3590	2	65	100	3	5	3	7002	3412	RH-2	40	form-based			true	0.7	5	1	3	3	6535.199707	2945.199707	2945.199707	0.933333
2610	032	2281	0.05	3853	2	65	100	3	5	3	6843	2990	RH-2	40	form-based			true	0.7	5	1	3	3	6386.799805	2533.799805	2533.799805	0.933333
2610	038	2060	0.05	1742	1	65	100	3	5	4	6180	4438	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5768	4026	4026	0.933333
2610	039	2069	0.05	2358	1	65	100	3	5	4	6207	3849	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5793.199707	3435.199707	3435.199707	0.933333
2610	040	2079	0.05	2000	1	65	100	3	5	4	6237	4237	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5821.199707	3821.199707	3821.199707	0.933333
2610	041	2089	0.05	4085	1	65	100	3	5	4	6267	2182	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5849.199707	1764.199707	1764.199707	0.933333
2610	042	2098	0.05	2702	1	65	100	3	5	4	6294	3592	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5874.399902	3172.399902	3172.399902	0.933333
2610	043	2001	0.05	2176	1	65	100	3	5	4	6003	3827	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5602.799805	3426.799805	3426.799805	0.933333
2610	044	1742	0.04	2607	1	65	100	3	4	3	5226	2619	RH-2	40	form-based			true	0.7	4	1	3	3	4877.600098	2270.600098	2270.600098	0.933333
2610	045	1906	0.04	2320	1	65	100	3	4	3	5718	3398	RH-2	40	form-based			true	0.7	4	1	3	3	5336.799805	3016.799805	3016.799805	0.933333
2610	048	2262	0.05	1190	2	65	100	3	5	3	6786	5596	RH-3	40	form-based			true	0.7	5	1	3	3	6333.600098	5143.600098	5143.600098	0.933333
2610	052	3325	0.08	1858	4	65	100	3	8	4	9975	8117	RH-2	40	form-based			true	0.7	7	0.875	3	3	9310	7452	7452	0.933333
2610	058	2146	0.05	1100	2	65	100	3	5	3	6438	5338	RH-3	40	form-based			true	0.7	5	1	3	3	6008.799805	4908.799805	4908.799805	0.933333
2611	022	2307	0.05	2880	2	65	100	3	5	3	6921	4041	RH-3	40	form-based			true	0.7	5	1	3	3	6459.600098	3579.600098	3579.600098	0.933333
2607	218	13515	0.31	725	35	55	80	2.5	25	0	33788	33063	RH-3	50	form-based			true	0.7	38	1.519999981	3	3	47302.5	46577.5	46577.5	1.399979
2611	034	2611	0.06	2820	2	65	100	3	6	4	7833	5013	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7310.799805	4490.799805	4490.799805	0.933333
2611	045	2228	0.05	1382	2	65	100	3	5	3	6684	5302	RM-1	40	form-based			true	0.7	5	1	3	3	6238.399902	4856.399902	4856.399902	0.933333
2611	047	2318	0.05	1938	2	65	100	3	5	3	6954	5016	RH-3	40	form-based			true	0.7	5	1	3	3	6490.399902	4552.399902	4552.399902	0.933333
2611	049	2519	0.06	2462	2	65	100	3	6	4	7557	5095	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7053.199707	4591.199707	4591.199707	0.933333
2611	053	2452	0.06	1855	2	65	100	3	6	4	7356	5501	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6865.600098	5010.600098	5010.600098	0.933333
2612	007	2991	0.07	4065	3	65	100	3	7	4	8973	4908	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8374.799805	4309.799805	4309.799805	0.933333
2612	017	5994	0.14	7646	10	65	100	3	14	4	17982	10336	RH-2	40	form-based			true	0.7	13	0.928571403	3	3	16783.19922	9137.199219	9137.199219	0.933333
2612	099	2842	0.07	599	3	55	80	2.5	6	3	7105	6506	RH-2	40	form-based			true	0.7	6	1	3	3	7957.600098	7358.600098	7358.600098	1.12
2612	109	3294	0.08	1227	4	65	100	3	8	4	9882	8655	RH-2	40	form-based			true	0.7	7	0.875	3	3	9223.200195	7996.200195	7996.200195	0.933333
2612	115	3436	0.08	871	4	55	80	2.5	6	2	8590	7719	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9620.799805	8749.799805	8749.799805	1.12
2612	046	3433	0.08	3953	4	65	100	3	8	4	10299	6346	RM-1	40	form-based			true	0.7	7	0.875	3	3	9612.399414	5659.399414	5659.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2612	060	2875	0.07	2475	3	65	100	3	7	4	8625	6150	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8050	5575	5575	0.933333
2613	013	2598	0.06	2599	2	65	100	3	6	4	7794	5195	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7274.399902	4675.399902	4675.399902	0.933333
2613	031	2376	0.05	1801	2	65	100	3	5	3	7128	5327	RH-3	40	form-based			true	0.7	5	1	3	3	6652.799805	4851.799805	4851.799805	0.933333
2613	038	2376	0.05	1355	2	65	100	3	5	3	7128	5773	RH-3	40	form-based			true	0.7	5	1	3	3	6652.799805	5297.799805	5297.799805	0.933333
2613	050	2584	0.06	1211	2	65	100	3	6	4	7752	6541	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7235.199707	6024.199707	6024.199707	0.933333
2614	007	3598	0.08	4646	5	65	100	3	8	3	10794	6148	RH-3	40	form-based			true	0.7	8	1	3	3	10074.39941	5428.399414	5428.399414	0.933333
2614	014	2894	0.07	1825	3	65	100	3	7	4	8682	6857	RH-2	40	form-based		true	true	0.7	6	0.857142866	3	3	8103.199707	6278.199707	6278.199707	0.933333
2614	042A	2141	0.05	1125	1	55	80	2.5	4	3	5352	4227	RH-2	40	form-based			true	0.7	4	1	3	3	5994.799805	4869.799805	4869.799805	1.120105
2614	055	3077	0.07	2800	3	55	80	2.5	6	3	7692	4892	RH-2	40	form-based			true	0.7	6	1	3	3	8615.599609	5815.599609	5815.599609	1.120073
2614	057	2640	0.06	2650	3	55	80	2.5	5	2	6600	3950	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7392	4742	4742	1.12
2614	066	2825	0.06	2108	3	55	80	2.5	5	2	7062	4954	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7910	5802	5802	1.120079
2614	089A	2169	0.05	2099	2	65	100	3	5	3	6507	4408	RH-2	40	form-based			true	0.7	5	1	3	3	6073.199707	3974.199707	3974.199707	0.933333
2614	097	2301	0.05	2326	2	65	100	3	5	3	6903	4577	RH-2	40	form-based			true	0.7	5	1	3	3	6442.799805	4116.799805	4116.799805	0.933333
2614	109	2293	0.05	1856	2	65	100	3	5	3	6879	5023	RH-2	40	form-based			true	0.7	5	1	3	3	6420.399902	4564.399902	4564.399902	0.933333
2614	116	2619	0.06	3431	2	65	100	3	6	4	7857	4426	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7333.199707	3902.199707	3902.199707	0.933333
2614	129	2513	0.06	1301	2	65	100	3	6	4	7539	6238	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7036.399902	5735.399902	5735.399902	0.933333
2614	131	2194	0.05	926	2	65	100	3	5	3	6582	5656	RH-2	40	form-based			true	0.7	5	1	3	3	6143.199707	5217.199707	5217.199707	0.933333
2614	143	2419	0.06	1016	2	65	100	3	6	4	7257	6241	RH-2	40	form-based		true	true	0.7	5	0.833333313	3	3	6773.199707	5757.199707	5757.199707	0.933333
2614	148	2437	0.06	1024	2	65	100	3	6	4	7311	6287	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6823.600098	5799.600098	5799.600098	0.933333
2616	004	2327	0.05	2800	2	55	80	2.5	4	2	5818	3018	RH-3	40	form-based			true	0.7	5	1.25	3	3	6515.600098	3715.600098	3715.600098	1.119904
2616	038	2576	0.06	1812	2	55	80	2.5	5	3	6440	4628	RH-2	40	form-based			true	0.7	5	1	3	3	7212.799805	5400.799805	5400.799805	1.12
2616	046	2346	0.05	1864	2	55	80	2.5	4	2	5865	4001	RH-3	40	form-based			true	0.7	5	1.25	3	3	6568.799805	4704.799805	4704.799805	1.12
2616	048	2477	0.06	1360	2	55	80	2.5	5	3	6192	4832	RH-3	40	form-based			true	0.7	5	1	3	3	6935.600098	5575.600098	5575.600098	1.12009
2616	057	2567	0.06	838	2	55	80	2.5	5	3	6418	5580	RH-3	40	form-based		true	true	0.7	5	1	3	3	7187.600098	6349.600098	6349.600098	1.119913
2617	015	2937	0.07	3600	3	55	80	2.5	6	3	7342	3742	RH-2	40	form-based		true	true	0.7	6	1	3	3	8223.599609	4623.599609	4623.599609	1.120076
2617	016	2193	0.05	1950	2	55	80	2.5	4	2	5482	3532	RH-2	40	form-based			true	0.7	5	1.25	3	3	6140.399902	4190.399902	4190.399902	1.120102
2617	020	2360	0.05	2480	2	55	80	2.5	4	2	5900	3420	RH-2	40	form-based			true	0.7	5	1.25	3	3	6608	4128	4128	1.12
2617	024	2526	0.06	2672	2	55	80	2.5	5	3	6315	3643	RH-2	40	form-based			true	0.7	5	1	3	3	7072.799805	4400.799805	4400.799805	1.12
2617	025	2568	0.06	1584	2	55	80	2.5	5	3	6420	4836	RH-2	40	form-based			true	0.7	5	1	3	3	7190.399902	5606.399902	5606.399902	1.12
2617	037A	2000	0.05	2020	1	65	100	3	5	4	6000	3980	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5600	3580	3580	0.933333
2617	045	2277	0.05	1150	2	55	80	2.5	4	2	5692	4542	RH-2	40	form-based			true	0.7	5	1.25	3	3	6375.600098	5225.600098	5225.600098	1.120098
2617	047	2235	0.05	1617	2	55	80	2.5	4	2	5588	3971	RH-2	40	form-based			true	0.7	5	1.25	3	3	6258	4641	4641	1.1199
2617	049	2402	0.06	1342	2	55	80	2.5	5	3	6005	4663	RH-2	40	form-based			true	0.7	5	1	3	3	6725.600098	5383.600098	5383.600098	1.12
2617	053	2610	0.06	1173	2	55	80	2.5	5	3	6525	5352	RH-2	40	form-based			true	0.7	5	1	3	3	7308	6135	6135	1.12
2617	057	2318	0.05	1019	2	55	80	2.5	4	2	5795	4776	RH-2	40	form-based			true	0.7	5	1.25	3	3	6490.399902	5471.399902	5471.399902	1.12
2617	059	2443	0.06	1515	2	55	80	2.5	5	3	6108	4593	RH-2	40	form-based			true	0.7	5	1	3	3	6840.399902	5325.399902	5325.399902	1.119908
2617	063	2396	0.06	1342	2	65	100	3	6	4	7188	5846	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6708.799805	5366.799805	5366.799805	0.933333
2617A	003	2500	0.06	2160	2	55	80	2.5	5	3	6250	4090	RH-2	40	form-based			true	0.7	5	1	3	3	7000	4840	4840	1.12
2617A	017A	2005	0.05	2642	1	55	80	2.5	4	3	5012	2370	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5614	2972	2972	1.120112
2617A	020	1895	0.04	2815	1	55	80	2.5	3	2	4738	1923	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	5306	2491	2491	1.119882
2618	068	2501	0.06	1584	2	55	80	2.5	5	3	6252	4668	RH-2	40	form-based			true	0.7	5	1	3	3	7002.799805	5418.799805	5418.799805	1.12009
2618	001B	1852	0.04	1565	1	55	80	2.5	3	2	4630	3065	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5185.600098	3620.600098	3620.600098	1.12
2618	018	2500	0.06	3832	2	55	80	2.5	5	3	6250	2418	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3168	3168	1.12
2618	023	2500	0.06	3647	2	55	80	2.5	5	3	6250	2603	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3353	3353	1.12
2618	044A	1710	0.04	2301	1	55	80	2.5	3	2	4275	1974	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4788	2487	2487	1.12
2618	044B	1858	0.04	2150	1	55	80	2.5	3	2	4645	2495	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5202.399902	3052.399902	3052.399902	1.12
2618	056	2588	0.06	1720	2	55	80	2.5	5	3	6470	4750	RH-2	40	form-based			true	0.7	5	1	3	3	7246.399902	5526.399902	5526.399902	1.12
2618	066	2501	0.06	1558	2	55	80	2.5	5	3	6252	4694	RH-2	40	form-based			true	0.7	5	1	3	3	7002.799805	5444.799805	5444.799805	1.12009
2618	070	2424	0.06	1602	2	55	80	2.5	5	3	6060	4458	RH-2	40	form-based			true	0.7	5	1	3	3	6787.199707	5185.199707	5185.199707	1.12
2618	072	2500	0.06	1548	2	55	80	2.5	5	3	6250	4702	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5452	5452	1.12
2618	074	2761	0.06	1387	3	55	80	2.5	5	2	6902	5515	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7730.799805	6343.799805	6343.799805	1.120081
2618	091	2500	0.06	1922	2	55	80	2.5	5	3	6250	4328	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5078	5078	1.12
2618	093	2573	0.06	964	2	55	80	2.5	5	3	6432	5468	RH-2	40	form-based			true	0.7	5	1	3	3	7204.399902	6240.399902	6240.399902	1.120087
2618A	001	2022	0.05	2345	1	55	80	2.5	4	3	5055	2710	RH-1	40	form-based		true	true	0.7	4	1	3	3	5661.600098	3316.600098	3316.600098	1.12
2618A	017	1959	0.04	1944	1	55	80	2.5	3	2	4898	2954	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5485.199707	3541.199707	3541.199707	1.119886
2618A	018	2039	0.05	1640	1	55	80	2.5	4	3	5098	3458	RH-2	40	form-based			true	0.7	4	1	3	3	5709.199707	4069.199707	4069.199707	1.11989
2618A	019	2094	0.05	4043	1	55	80	2.5	4	3	5235	1192	RH-2	40	form-based			true	0.7	4	1	3	3	5863.199707	1820.199707	1820.199707	1.12
2618A	024	2408	0.06	3398	2	55	80	2.5	5	3	6020	2622	RH-2	40	form-based		true	true	0.7	5	1	3	3	6742.399902	3344.399902	3344.399902	1.12
2619	001	1685	0.04	1075	1	65	100	3	4	3	5055	3980	RH-2	40	form-based			true	0.7	4	1	3	3	4718	3643	3643	0.933333
2619	005	2133	0.05	1029	1	55	80	2.5	4	3	5332	4303	RH-1	40	form-based			true	0.7	4	1	3	3	5972.399902	4943.399902	4943.399902	1.120105
2619	015	3442	0.08	2842	4	55	80	2.5	6	2	8605	5763	RH-1	40	form-based		true	true	0.7	7	1.166666627	3	3	9637.599609	6795.599609	6795.599609	1.12
2619	024	2045	0.05	560	1	55	80	2.5	4	3	5112	4552	RH-2	40	form-based			true	0.7	4	1	3	3	5726	5166	5166	1.12011
2619	025	1810	0.04	820	1	55	80	2.5	3	2	4525	3705	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5068	4248	4248	1.12
2619	048	2607	0.06	2900	2	55	80	2.5	5	3	6518	3618	RH-2	40	form-based			true	0.7	5	1	3	3	7299.600098	4399.600098	4399.600098	1.119914

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2619	052	2382	0.05	1150	2	55	80	2.5	4	2	5955	4805	RH-2	40	form-based			true	0.7	5	1.25	3	3	6669.600098	5519.600098	5519.600098	1.12
2619	077	1857	0.04	744	1	65	100	3	4	3	5571	4827	RH-2	40	form-based			true	0.7	4	1	3	3	5199.600098	4455.600098	4455.600098	0.933333
2619	085	2466	0.06	1706	2	55	80	2.5	5	3	6165	4459	RH-2	40	form-based			true	0.7	5	1	3	3	6904.799805	5198.799805	5198.799805	1.12
2619	089	2570	0.06	3058	2	55	80	2.5	5	3	6425	3367	RH-2	40	form-based			true	0.7	5	1	3	3	7196	4138	4138	1.12
2619	109	2500	0.06	1645	2	55	80	2.5	5	3	6250	4605	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5355	5355	1.12
2619	123	2214	0.05	1690	2	55	80	2.5	4	2	5535	3845	RH-2	40	form-based			true	0.7	5	1.25	3	3	6199.199707	4509.199707	4509.199707	1.12
2620	068	1819	0.04	1305	1	55	80	2.5	3	2	4548	3243	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5093.199707	3788.199707	3788.199707	1.119877
2620	072	2735	0.06	1860	3	55	80	2.5	5	2	6838	4978	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7658	5798	5798	1.119918
2620	074	2491	0.06	3339	2	55	80	2.5	5	3	6228	2889	RH-2	40	form-based			true	0.7	5	1	3	3	6974.799805	3635.799805	3635.799805	1.11991
2620	075	2498	0.06	3339	2	55	80	2.5	5	3	6245	2906	RH-2	40	form-based			true	0.7	5	1	3	3	6994.399902	3655.399902	3655.399902	1.12
2620	079	2509	0.06	2795	2	55	80	2.5	5	3	6272	3477	RH-2	40	form-based			true	0.7	5	1	3	3	7025.199707	4230.199707	4230.199707	1.120089
2620	121	2498	0.06	1845	2	55	80	2.5	5	3	6245	4400	RH-2	40	form-based			true	0.7	5	1	3	3	6994.399902	5149.399902	5149.399902	1.12
2620	109	2277	0.05	2032	2	55	80	2.5	4	2	5692	3660	RH-2	40	form-based			true	0.7	5	1.25	3	3	6375.600098	4343.600098	4343.600098	1.120098
2620	111	2493	0.06	1632	2	55	80	2.5	5	3	6232	4600	RH-2	40	form-based			true	0.7	5	1	3	3	6980.399902	5348.399902	5348.399902	1.12009
2620	113	2500	0.06	1751	2	55	80	2.5	5	3	6250	4499	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5249	5249	1.12
2620	117	2482	0.06	1407	2	55	80	2.5	5	3	6205	4798	RH-2	40	form-based			true	0.7	5	1	3	3	6949.600098	5542.600098	5542.600098	1.12
2620	125	2500	0.06	1307	2	55	80	2.5	5	3	6250	4943	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5693	5693	1.12
2621	013	2439	0.06	3022	2	65	100	3	6	4	7317	4295	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6829.199707	3807.199707	3807.199707	0.933333
2621	053	2579	0.06	2023	2	65	100	3	6	4	7737	5714	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7221.199707	5198.199707	5198.199707	0.933333
2622	058	2517	0.06	3817	2	65	100	3	6	4	7551	3734	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7047.600098	3230.600098	3230.600098	0.933333
2623	012	3789	0.09	3100	1	65	100	3	9	8	11367	8267	RH-3	40	density-lin	1000			0.7	4	0.444444448	3	3	10609.2002	7509.200195	7509.200195	0.933333
2623	026A	2462	0.06	2250	2	65	100	3	6	4	7386	5136	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6893.600098	4643.600098	4643.600098	0.933333
2623	037	3700	0.08	4250	5	65	100	3	8	3	11100	6850	RH-2	40	form-based			true	0.7	8	1	3	3	10360	6110	6110	0.933333
2623	043	2572	0.06	3080	2	65	100	3	6	4	7716	4636	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7201.600098	4121.600098	4121.600098	0.933333
2623	044	2572	0.06	2260	2	65	100	3	6	4	7716	5456	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7201.600098	4941.600098	4941.600098	0.933333
2623	048	2089	0.05	1030	1	65	100	3	5	4	6267	5237	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5849.199707	4819.199707	4819.199707	0.933333
2623	055	1894	0.04	826	1	65	100	3	4	3	5682	4856	RH-2	40	form-based			true	0.7	4	1	3	3	5303.199707	4477.199707	4477.199707	0.933333
2623	062	2602	0.06	1440	2	65	100	3	6	4	7806	6366	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7285.600098	5845.600098	5845.600098	0.933333
2623	066	1698	0.04	1750	1	65	100	3	4	3	5094	3344	RH-2	40	form-based			true	0.7	4	1	3	3	4754.399902	3004.399902	3004.399902	0.933333
2623	088	4070	0.09	6186	8	65	100	3	9	1	12210	6024	RH-3	50	form-based			true	0.7	11	1.222222209	3	3	14245	8059	8059	1.166667
2625	016	1700	0.04	2718	1	55	80	2.5	3	2	4250	1532	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4760	2042	2042	1.12
2623	211	2389	0.05	851	2	65	100	3	5	3	7167	6316	RH-3	40	form-based			true	0.7	5	1	3	3	6689.199707	5838.199707	5838.199707	0.933333
2623	217	2503	0.06	867	2	65	100	3	6	4	7509	6642	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7008.399902	6141.399902	6141.399902	0.933333
2623	234	2224	0.05	1361	2	65	100	3	5	3	6672	5311	RH-3	40	form-based		true	true	0.7	5	1	3	3	6227.199707	4866.199707	4866.199707	0.933333
2625	002	1789	0.04	1386	1	65	100	3	4	3	5367	3981	RH-2	40	form-based			true	0.7	4	1	3	3	5009.199707	3623.199707	3623.199707	0.933333
2625	006	2099	0.05	3117	1	65	100	3	5	4	6297	3180	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5877.199707	2760.199707	2760.199707	0.933333
2625	009	1639	0.04	810	0	65	100	3	4	4	4917	4107	RH-2	40	form-based			true	0.7	3	0.75	3	3	4589.199707	3779.199707	3779.199707	0.933333
2625	014D	1700	0.04	754	1	55	80	2.5	3	2	4250	3496	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4760	4006	4006	1.12
2625	015	1836	0.04	1620	1	55	80	2.5	3	2	4590	2970	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5140.799805	3520.799805	3520.799805	1.12
2625	015A	2194	0.05	3181	2	55	80	2.5	4	2	5485	2304	RH-2	40	form-based			true	0.7	5	1.25	3	3	6143.199707	2962.199707	2962.199707	1.12
2625	017	1768	0.04	2044	1	55	80	2.5	3	2	4420	2376	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4950.399902	2906.399902	2906.399902	1.12
2625	020	1944	0.04	4294	1	55	80	2.5	3	2	4860	566	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5443.199707	1149.199707	1149.199707	1.12
2625	032	1313	0.03	1683	0	65	100	3	3	3	3939	2256	RH-2	40	form-based			true	0.7	3	1	3	3	3676.399902	1993.399902	1993.399902	0.933333
2626	023	2273	0.05	3978	2	55	80	2.5	4	2	5682	1704	RH-2	40	form-based			true	0.7	5	1.25	3	3	6364.399902	2386.399902	2386.399902	1.120099
2626	033	2500	0.06	1190	2	55	80	2.5	5	3	6250	5060	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5810	5810	1.12
2626	037	2444	0.06	1793	2	55	80	2.5	5	3	6110	4317	RH-2	40	form-based			true	0.7	5	1	3	3	6843.199707	5050.199707	5050.199707	1.12
2626	041	2163	0.05	1185	2	55	80	2.5	4	2	5408	4223	RH-2	40	form-based			true	0.7	5	1.25	3	3	6056.399902	4871.399902	4871.399902	1.119896
2626	053	2364	0.05	1274	2	55	80	2.5	4	2	5910	4636	RH-1	40	form-based			true	0.7	5	1.25	3	3	6619.199707	5345.199707	5345.199707	1.12
2627	009	2052	0.05	1370	1	55	80	2.5	4	3	5130	3760	RH-2	40	form-based			true	0.7	4	1	3	3	5745.600098	4375.600098	4375.600098	1.12
2627	030	2084	0.05	1041	1	55	80	2.5	4	3	5210	4169	RH-2	40	form-based			true	0.7	4	1	3	3	5835.199707	4794.199707	4794.199707	1.12
2627	031	2102	0.05	1575	1	55	80	2.5	4	3	5255	3680	RH-2	40	form-based			true	0.7	4	1	3	3	5885.600098	4310.600098	4310.600098	1.12
2627	036	2191	0.05	2261	2	55	80	2.5	4	2	5478	3217	RH-2	40	form-based			true	0.7	5	1.25	3	3	6134.799805	3873.799805	3873.799805	1.119898
2627	040	2177	0.05	2222	2	55	80	2.5	4	2	5442	3220	RH-2	40	form-based			true	0.7	5	1.25	3	3	6095.600098	3873.600098	3873.600098	1.120103
2627	044	2163	0.05	1602	2	55	80	2.5	4	2	5408	3806	RH-2	40	form-based			true	0.7	5	1.25	3	3	6056.399902	4454.399902	4454.399902	1.119896
2627	047	2153	0.05	1812	2	55	80	2.5	4	2	5382	3570	RH-2	40	form-based			true	0.7	5	1.25	3	3	6028.399902	4216.399902	4216.399902	1.120104
2627	049	1850	0.04	1440	1	55	80	2.5	3	2	4625	3185	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5180	3740	3740	1.12
2627	050	1850	0.04	824	1	55	80	2.5	3	2	4625	3801	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5180	4356	4356	1.12
2627	057	2145	0.05	635	2	55	80	2.5	4	2	5362	4727	RH-2	40	form-based			true	0.7	5	1.25	3	3	6006	5371	5371	1.120104
2627	063	2201	0.05	1942	2	55	80	2.5	4	2	5502	3560	RH-2	40	form-based			true	0.7	5	1.25	3	3	6162.799805	4220.799805	4220.799805	1.120102
2627	065	2464	0.06	917	2	55	80	2.5	5	3	6160	5243	RH-2	40	form-based			true	0.7	5	1	3	3	6899.199707	5982.199707	5982.199707	1.12
2627	067	2194	0.05	1509	2	55	80	2.5	4	2	5485	3976	RH-2	40	form-based			true	0.7	5	1.25	3	3	6143.199707	4634.199707	4634.199707	1.12
2627	069	2205	0.05	1831	2	55	80	2.5	4	2	5512	3681	RH-2	40	form-based			true	0.7	5	1.25	3	3	6174	4343	4343	1.120102
2628	006	1316	0.03	0	0	55	80	2.5	2	2	3290	3290	RH-2	40	form-based			true	0.7	3	1.5	3	3	3684.800049	3684.800049	3684.800049	1.12
2628	012	2730	0.06	2915	3	55	80	2.5	5	2	6825	3910	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7644	4729	4729	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2628	015	1742	0.04	1560	1	55	80	2.5	3	2	4355	2795	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4877.600098	3317.600098	3317.600098	1.12
2628	016	1740	0.04	2301	1	55	80	2.5	3	2	4350	2049	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4872	2571	2571	1.12
2628	041	1762	0.04	2800	1	55	80	2.5	3	2	4405	1605	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4933.600098	2133.600098	2133.600098	1.12
2628	045	1561	0.04	811	0	55	80	2.5	3	3	3902	3091	RH-2	40	form-based			true	0.7	3	1	3	3	4370.799805	3559.799805	3559.799805	1.120143
2628	051	1817	0.04	1906	1	55	80	2.5	3	2	4542	2636	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5087.600098	3181.600098	3181.600098	1.120123
2628	055	1842	0.04	2541	1	55	80	2.5	3	2	4605	2064	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5157.600098	2616.600098	2616.600098	1.12
2628	056	1930	0.04	1524	1	55	80	2.5	3	2	4825	3301	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5404	3880	3880	1.12
2628	065	2841	0.07	3550	3	55	80	2.5	6	3	7102	3552	RH-2	40	form-based			true	0.7	6	1	3	3	7954.799805	4404.799805	4404.799805	1.120079
2628	070	2242	0.05	2820	2	55	80	2.5	4	2	5605	2785	RH-2	40	form-based			true	0.7	5	1.25	3	3	6277.600098	3457.600098	3457.600098	1.12
2628	071	3592	0.08	4455	5	55	80	2.5	6	1	8980	4525	RH-2	40	form-based			true	0.7	8	1.333333373	3	3	10057.59961	5602.599609	5602.599609	1.12
2628	079	2428	0.06	3888	2	55	80	2.5	5	3	6070	2182	RH-2	40	form-based			true	0.7	5	1	3	3	6798.399902	2910.399902	2910.399902	1.12
2628	085	2457	0.06	1918	2	55	80	2.5	5	3	6142	4224	RH-2	40	form-based			true	0.7	5	1	3	3	6879.600098	4961.600098	4961.600098	1.120091
2628	107	2377	0.05	1030	2	55	80	2.5	4	2	5942	4912	RH-2	40	form-based			true	0.7	5	1.25	3	3	6655.600098	5625.600098	5625.600098	1.120094
2628	109	2489	0.06	1068	2	55	80	2.5	5	3	6222	5154	RH-2	40	form-based			true	0.7	5	1	3	3	6969.199707	5901.199707	5901.199707	1.12009
2628	124	2290	0.05	1915	2	55	80	2.5	4	2	5725	3810	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6412	4497	4497	1.12
2629	010	2129	0.05	945	1	55	80	2.5	4	3	5322	4377	RH-2	40	form-based			true	0.7	4	1	3	3	5961.199707	5016.199707	5016.199707	1.120105
2629	011	2720	0.06	2418	3	55	80	2.5	5	2	6800	4382	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7616	5198	5198	1.12
2629	033	2502	0.06	1500	2	65	100	3	6	4	7506	6006	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7005.600098	5505.600098	5505.600098	0.933333
2629	062	2334	0.05	1124	2	65	100	3	5	3	7002	5878	RH-2	40	form-based			true	0.7	5	1	3	3	6535.199707	5411.199707	5411.199707	0.933333
2629	064	2528	0.06	1305	2	55	80	2.5	5	3	6320	5015	RH-2	40	form-based			true	0.7	5	1	3	3	7078.399902	5773.399902	5773.399902	1.12
2629	072	2246	0.05	1808	2	55	80	2.5	4	2	5615	3807	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6288.799805	4480.799805	4480.799805	1.12
2629A	001B	2186	0.05	3100	2	55	80	2.5	4	2	5465	2365	RH-3	40	form-based			true	0.7	5	1.25	3	3	6120.799805	3020.799805	3020.799805	1.12
2629A	001C	1792	0.04	2310	1	55	80	2.5	3	2	4480	2170	RH-3	40	form-based			true	0.7	4	1.333333373	3	3	5017.600098	2707.600098	2707.600098	1.12
2629A	002B	1734	0.04	2388	1	55	80	2.5	3	2	4335	1947	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4855.199707	2467.199707	2467.199707	1.12
2629A	002C	2163	0.05	1468	2	55	80	2.5	4	2	5408	3940	RH-2	40	form-based			true	0.7	5	1.25	3	3	6056.399902	4588.399902	4588.399902	1.119896
2629A	002G	3083	0.07	3028	3	55	80	2.5	6	3	7708	4680	RH-2	40	form-based			true	0.7	6	1	3	3	8632.399414	5604.399414	5604.399414	1.119927
2629A	002M	1933	0.04	1796	1	55	80	2.5	3	2	4832	3036	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5412.399902	3616.399902	3616.399902	1.120116
2629A	002N	1850	0.04	1397	1	55	80	2.5	3	2	4625	3228	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5180	3783	3783	1.12
2629A	002O	1962	0.05	1605	1	55	80	2.5	4	3	4905	3300	RH-2	40	form-based			true	0.7	4	1	3	3	5493.600098	3888.600098	3888.600098	1.12
2629A	034	3665	0.08	3962	5	55	80	2.5	6	1	9162	5200	RH-3	40	form-based			true	0.7	8	1.333333373	3	3	10262	6300	6300	1.120061
2630	013	2788	0.06	3850	3	65	100	3	6	3	8364	4514	RH-2	40	form-based			true	0.7	6	1	3	3	7806.399902	3956.399902	3956.399902	0.933333
2630	043	1084	0.02	1611	1	65	100	3	2	1	3252	1641	RTO-C	65	form-based			true	0.75	4	2	3	3	4878	3267	3267	1.5
2630	044	1500	0.03	3600	3	65	100	3	3	0	4500	900	RTO-C	65	form-based			true	0.75	6	2	3	3	6750	3150	3150	1.5
2630	050	5575	0.13	3330	9	65	100	3	13	4	16725	13395	RH-2	40	form-based			true	0.7	12	0.923076928	3	3	15610	12280	12280	0.933333
2630	060	3073	0.07	1189	3	65	100	3	7	4	9219	8030	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8604.399414	7415.399414	7415.399414	0.933333
2631	010	2000	0.05	850	1	65	100	3	5	4	6000	5150	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	4750	4750	0.933333
2631	011	2000	0.05	1700	1	65	100	3	5	4	6000	4300	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3900	3900	0.933333
2631	012	2000	0.05	950	1	65	100	3	5	4	6000	5050	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	4650	4650	0.933333
2631	013	2000	0.05	1916	1	65	100	3	5	4	6000	4084	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3684	3684	0.933333
2631	014	2002	0.05	1676	1	65	100	3	5	4	6006	4330	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5605.600098	3929.600098	3929.600098	0.933333
2631	015	1998	0.05	1900	1	65	100	3	5	4	5994	4094	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5594.399902	3694.399902	3694.399902	0.933333
2631	016	2000	0.05	1820	1	65	100	3	5	4	6000	4180	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3780	3780	0.933333
2631	017	2000	0.05	1950	1	65	100	3	5	4	6000	4050	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3650	3650	0.933333
2631	019	2000	0.05	1800	1	65	100	3	5	4	6000	4200	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3800	3800	0.933333
2631	020	2000	0.05	979	1	65	100	3	5	4	6000	5021	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	4621	4621	0.933333
2631	021	2000	0.05	1337	1	65	100	3	5	4	6000	4663	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	4263	4263	0.933333
2631	022	2000	0.05	2050	1	65	100	3	5	4	6000	3950	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3550	3550	0.933333
2631	023	2000	0.05	2050	1	65	100	3	5	4	6000	3950	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3550	3550	0.933333
2631	024	2000	0.05	1750	1	65	100	3	5	4	6000	4250	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3850	3850	0.933333
2631	026	2058	0.05	1305	1	65	100	3	5	4	6174	4869	RH-2	40	form-based	true	true		0.7	4	0.800000012	3	3	5762.399902	4457.399902	4457.399902	0.933333
2631	027	1999	0.05	2004	1	65	100	3	5	4	5997	3993	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5597.199707	3593.199707	3593.199707	0.933333
2631	028	2066	0.05	2472	1	65	100	3	5	4	6198	3726	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5784.799805	3312.799805	3312.799805	0.933333
2631	029	2133	0.05	2830	1	65	100	3	5	4	6399	3569	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5972.399902	3142.399902	3142.399902	0.933333
2631	032	2069	0.05	4680	1	65	100	3	5	4	6207	1527	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5793.199707	1113.199707	1113.199707	0.933333
2631	033	2386	0.05	2960	2	65	100	3	5	3	7158	4198	RH-2	40	form-based			true	0.7	5	1	3	3	6680.799805	3720.799805	3720.799805	0.933333
2631	050	1938	0.04	1325	2	65	100	3	4	2	5814	4489	RH-3	50	form-based			true	0.7	5	1.25	3	3	6783	5458	5458	1.166667
2631	064	2102	0.05	2173	3	65	100	3	5	2	6306	4133	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7357	5184	5184	1.166667
2631	067	1905	0.04	1400	2	65	100	3	4	2	5715	4315	RH-3	50	form-based			true	0.7	5	1.25	3	3	6667.5	5267.5	5267.5	1.166667
2634	060	7041	0.16	10594	12	55	80	2.5	13	1	17602	7008	RM-2	40	form-based			true	0.7	15	1.153846145	3	3	19714.79883	9120.798828	9120.798828	1.120032
2634	088	3106	0.07	2580	4	55	80	2.5	6	2	7765	5185	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	8696.799805	6116.799805	6116.799805	1.12
2634	097	3276	0.08	3534	4	55	80	2.5	6	2	8190	4656	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	9172.799805	5638.799805	5638.799805	1.12
2634	098	3146	0.07	3534	4	55	80	2.5	6	2	7865	4331	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	8808.799805	5274.799805	5274.799805	1.12
2634	099	3128	0.07	3534	4	55	80	2.5	6	2	7820	4286	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	8758.399414	5224.399414	5224.399414	1.12
2634	100	3130	0.07	3534	4	55	80	2.5	6	2	7825	4291	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	8764	5230	5230	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2634	101	3166	0.07	2580	4	55	80	2.5	6	2	7915	5335	RM-2	40	form-based			true	0.7	7	1.166666627	3	3	8864.799805	6284.799805	6284.799805	1.12
2634	103	4519	0.1	4912	6	55	80	2.5	8	2	11298	6386	RM-2	40	form-based			true	0.7	9	1.125	3	3	12653.2002	7741.200195	7741.200195	1.11995
2636	COMC	1256	0.03	0	0	55	80	2.5	2	2	3140	3140	RM-1	40	form-based			true	0.7	3	1.5	3	3	3516.800049	3516.800049	3516.800049	1.12
2638	010	2094	0.05	3277	1	55	80	2.5	4	3	5235	1958	RM-1	40	form-based			true	0.7	4	1	3	3	5863.199707	2586.199707	2586.199707	1.12
2638	015	2614	0.06	1088	2	55	80	2.5	5	3	6535	5447	RM-1	40	form-based			true	0.7	5	1	3	3	7319.199707	6231.199707	6231.199707	1.12
2641	020	2977	0.07	2330	3	65	100	3	7	4	8931	6601	RH-1(D)	40	form-based			true	0.7	6	0.857142866	3	3	8335.599609	6005.599609	6005.599609	0.933333
2642	016	2106	0.05	1056	1	55	80	2.5	4	3	5265	4209	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5896.799805	4840.799805	4840.799805	1.12
2642	016A	2108	0.05	2796	1	55	80	2.5	4	3	5270	2474	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5902.399902	3106.399902	3106.399902	1.12
2642	033	1845	0.04	2340	1	65	100	3	4	3	5535	3195	RH-1	40	form-based			true	0.7	4	1	3	3	5166	2826	2826	0.933333
2642	048	1843	0.04	1335	1	65	100	3	4	3	5529	4194	RH-1	40	form-based			true	0.7	4	1	3	3	5160.399902	3825.399902	3825.399902	0.933333
2645	006	2153	0.05	2278	2	55	80	2.5	4	2	5382	3104	RH-2	40	form-based			true	0.7	5	1.25	3	3	6028.399902	3750.399902	3750.399902	1.120104
2645	008	2037	0.05	2158	1	55	80	2.5	4	3	5092	2934	RH-2	40	form-based			true	0.7	4	1	3	3	5703.600098	3545.600098	3545.600098	1.12011
2645	001	1904	0.04	1560	1	55	80	2.5	3	2	4760	3200	RH-2	40	form-based	true		true	0.7	4	1.333333373	3	3	5331.199707	3771.199707	3771.199707	1.12
2645	014	2133	0.05	1125	1	55	80	2.5	4	3	5332	4207	RH-2	40	form-based			true	0.7	4	1	3	3	5972.399902	4847.399902	4847.399902	1.120105
2645	017	2033	0.05	2225	1	55	80	2.5	4	3	5082	2857	RH-2	40	form-based			true	0.7	4	1	3	3	5692.399902	3467.399902	3467.399902	1.12011
2645	021	2110	0.05	1240	1	55	80	2.5	4	3	5275	4035	RH-2	40	form-based			true	0.7	4	1	3	3	5908	4668	4668	1.12
2645	022	1837	0.04	1952	1	55	80	2.5	3	2	4592	2640	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5143.600098	3191.600098	3191.600098	1.120122
2645	031	2193	0.05	1444	2	55	80	2.5	4	2	5482	4038	RH-2	40	form-based			true	0.7	5	1.25	3	3	6140.399902	4696.399902	4696.399902	1.120102
2645	033	2117	0.05	2022	1	55	80	2.5	4	3	5292	3270	RH-2	40	form-based			true	0.7	4	1	3	3	5927.600098	3905.600098	3905.600098	1.120106
2645	039	1770	0.04	984	1	55	80	2.5	3	2	4425	3441	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4956	3972	3972	1.12
2645	040	1609	0.04	0	0	55	80	2.5	3	3	4022	4022	RH-2	40	form-based			true	0.7	3	1	3	3	4505.199707	4505.199707	4505.199707	1.120139
2645	046	2158	0.05	995	2	55	80	2.5	4	2	5395	4400	RH-2	40	form-based			true	0.7	5	1.25	3	3	6042.399902	5047.399902	5047.399902	1.12
2646	008	2187	0.05	3382	2	55	80	2.5	4	2	5468	2086	RH-2	40	form-based			true	0.7	5	1.25	3	3	6123.600098	2741.600098	2741.600098	1.119898
2646	016	2187	0.05	2171	2	55	80	2.5	4	2	5468	3297	RH-2	40	form-based			true	0.7	5	1.25	3	3	6123.600098	3952.600098	3952.600098	1.119898
2646	017	2187	0.05	2161	2	55	80	2.5	4	2	5468	3307	RH-2	40	form-based			true	0.7	5	1.25	3	3	6123.600098	3962.600098	3962.600098	1.119898
2646	018	2188	0.05	2161	2	55	80	2.5	4	2	5470	3309	RH-2	40	form-based			true	0.7	5	1.25	3	3	6126.399902	3965.399902	3965.399902	1.12
2646	025	2187	0.05	2450	2	55	80	2.5	4	2	5468	3018	RH-2	40	form-based			true	0.7	5	1.25	3	3	6123.600098	3673.600098	3673.600098	1.119898
2646	028	2187	0.05	2740	2	55	80	2.5	4	2	5468	2728	RH-2	40	form-based			true	0.7	5	1.25	3	3	6123.600098	3383.600098	3383.600098	1.119898
2646	029	2113	0.05	3238	1	55	80	2.5	4	3	5282	2044	RH-2	40	form-based			true	0.7	4	1	3	3	5916.399902	2678.399902	2678.399902	1.120106
2646	080	2181	0.05	2327	2	55	80	2.5	4	2	5452	3125	RH-2	40	form-based			true	0.7	5	1.25	3	3	6106.799805	3779.799805	3779.799805	1.120103
2646	033A	1719	0.04	1449	1	55	80	2.5	3	2	4298	2849	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4813.199707	3364.199707	3364.199707	1.11987
2646	034	1821	0.04	1401	1	55	80	2.5	3	2	4552	3151	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5098.799805	3697.799805	3697.799805	1.120123
2646	035	1923	0.04	960	1	55	80	2.5	3	2	4808	3848	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5384.399902	4424.399902	4424.399902	1.119884
2646	036	2024	0.05	1596	1	55	80	2.5	4	3	5060	3464	RH-2	40	form-based			true	0.7	4	1	3	3	5667.199707	4071.199707	4071.199707	1.12
2646	047	2172	0.05	1170	2	55	80	2.5	4	2	5430	4260	RH-2	40	form-based			true	0.7	5	1.25	3	3	6081.600098	4911.600098	4911.600098	1.12
2646	049	2170	0.05	1674	2	55	80	2.5	4	2	5425	3751	RH-2	40	form-based			true	0.7	5	1.25	3	3	6076	4402	4402	1.12
2646	055	2166	0.05	1135	2	55	80	2.5	4	2	5415	4280	RH-2	40	form-based			true	0.7	5	1.25	3	3	6064.799805	4929.799805	4929.799805	1.12
2646	057	2188	0.05	1720	2	55	80	2.5	4	2	5470	3750	RH-2	40	form-based			true	0.7	5	1.25	3	3	6126.399902	4406.399902	4406.399902	1.12
2646	059	2187	0.05	1589	2	55	80	2.5	4	2	5468	3879	RH-2	40	form-based			true	0.7	5	1.25	3	3	6123.600098	4534.600098	4534.600098	1.119898
2646	070	2173	0.05	1203	2	55	80	2.5	4	2	5432	4229	RH-2	40	form-based			true	0.7	5	1.25	3	3	6084.399902	4881.399902	4881.399902	1.120103
2646	078	2188	0.05	995	2	55	80	2.5	4	2	5470	4475	RH-2	40	form-based			true	0.7	5	1.25	3	3	6126.399902	5131.399902	5131.399902	1.12
2646	086	2187	0.05	881	2	55	80	2.5	4	2	5468	4587	RH-2	40	form-based			true	0.7	5	1.25	3	3	6123.600098	5242.600098	5242.600098	1.119898
2647	003	2593	0.06	7000	11	65	100	3	6	0	7779	779	NCD-CAST	85	form-based			true	0.75	14	2.333333254	3	1	15558	8558	8558	2
2647	004	2590	0.06	3500	11	65	100	3	6	0	7770	4270	NCD-CAST	85	form-based			true	0.75	14	2.333333254	3	1	15540	12040	12040	2
2647	015	1875	0.04	4050	3	65	100	3	4	1	5625	1575	NCD-CAST	50	form-based			true	0.75	6	1.5	3	3	7031.25	2981.25	2981.25	1.25
2648	048	2253	0.05	3656	2	65	100	3	5	3	6759	3103	RH-3	40	form-based	true		true	0.7	5	1	3	3	6308.399902	2652.399902	2652.399902	0.933333
2648	051	1884	0.04	2550	2	65	100	3	4	2	5652	3102	RH-3	50	form-based			true	0.7	5	1.25	3	3	6594	4044	4044	1.166667
2648	061	3083	0.07	540	3	65	100	3	7	4	9249	8709	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8632.399414	8092.399414	8092.399414	0.933333
2648	066	3083	0.07	791	3	65	100	3	7	4	9249	8458	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8632.399414	7841.399414	7841.399414	0.933333
2649	019	1875	0.04	1300	1	65	100	3	4	3	5625	4325	RH-3	40	form-based			true	0.7	4	1	3	3	5250	3950	3950	0.933333
2649	021	1848	0.04	1644	1	65	100	3	4	3	5544	3900	RH-3	40	form-based	true		true	0.7	4	1	3	3	5174.399902	3530.399902	3530.399902	0.933333
2649	046	3083	0.07	865	3	65	100	3	7	4	9249	8384	RM-1	40	form-based			true	0.7	6	0.857142866	3	3	8632.399414	7767.399414	7767.399414	0.933333
2649	055	3035	0.07	2484	3	65	100	3	7	4	9105	6621	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8498	6014	6014	0.933333
2650	015	1937	0.04	1500	1	65	100	3	4	3	5811	4311	RH-3	40	form-based			true	0.7	4	1	3	3	5423.600098	3923.600098	3923.600098	0.933333
2650	035	2300	0.05	1200	2	65	100	3	5	3	6900	5700	RH-3	40	form-based	true		true	0.7	5	1	3	3	6440	5240	5240	0.933333
2650	040	2450	0.06	2448	2	65	100	3	6	4	7350	4902	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	6860	4412	4412	0.933333
2650	058	2250	0.05	984	2	65	100	3	5	3	6750	5766	RH-3	40	form-based			true	0.7	5	1	3	3	6300	5316	5316	0.933333
2650	071	2250	0.05	1710	2	65	100	3	5	3	6750	5040	RH-3	40	form-based			true	0.7	5	1	3	3	6300	4590	4590	0.933333
2650	077	3142	0.07	806	4	65	100	3	7	3	9426	8620	RH-3	40	form-based			true	0.7	7	1	3	3	8797.599609	7991.599609	7991.599609	0.933333
2651	017	1870	0.04	1656	1	55	80	2.5	3	2	4675	3019	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5236	3580	3580	1.12
2651	018	1870	0.04	1656	1	55	80	2.5	3	2	4675	3019	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5236	3580	3580	1.12
2651	019	1870	0.04	1656	1	55	80	2.5	3	2	4675	3019	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5236	3580	3580	1.12
2652	002	2387	0.05	1915	2	55	80	2.5	4	2	5968	4053	RH-2	40	form-based	true		true	0.7	5	1.25	3	3	6683.600098	4768.600098	4768.600098	1.119906
2652	017	2323	0.05	1988	2	55	80	2.5	4	2	5808	3820	RH-2	40	form-based			true	0.7	5	1.25	3	3	6504.399902	4516.399902	4516.399902	1.119904

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2652	022	1805	0.04	1712	1	55	80	2.5	3	2	4512	2800	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5054	3342	3342	1.120124
2652	034	2183	0.05	1666	2	55	80	2.5	4	2	5458	3792	RH-2	40	form-based			true	0.7	5	1.25	3	3	6112.399902	4446.399902	4446.399902	1.119897
2652	036	2427	0.06	784	2	55	80	2.5	5	3	6068	5284	RH-2	40	form-based			true	0.7	5	1	3	3	6795.600098	6011.600098	6011.600098	1.119908
2653	009	2018	0.05	1500	1	55	80	2.5	4	3	5045	3545	RH-2	40	form-based			true	0.7	4	1	3	3	5650.399902	4150.399902	4150.399902	1.12
2653	026	1909	0.04	1387	1	55	80	2.5	3	2	4772	3385	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5345.199707	3958.199707	3958.199707	1.120117
2653	027	2004	0.05	1840	1	55	80	2.5	4	3	5010	3170	RH-2	40	form-based			true	0.7	4	1	3	3	5611.199707	3771.199707	3771.199707	1.12
2653	028	2136	0.05	985	1	55	80	2.5	4	3	5340	4355	RH-2	40	form-based			true	0.7	4	1	3	3	5980.799805	4995.799805	4995.799805	1.12
2653	029	1887	0.04	900	1	55	80	2.5	3	2	4718	3818	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5283.600098	4383.600098	4383.600098	1.119881
2653	036	2098	0.05	1725	1	55	80	2.5	4	3	5245	3520	RH-2	40	form-based	true		true	0.7	4	1	3	3	5874.399902	4149.399902	4149.399902	1.12
2653	037	2596	0.06	754	2	55	80	2.5	5	3	6490	5736	RH-2	40	form-based	true		true	0.7	5	1	3	3	7268.799805	6514.799805	6514.799805	1.12
2654	009	2247	0.05	1850	2	55	80	2.5	4	2	5618	3768	RH-2	40	form-based			true	0.7	5	1.25	3	3	6291.600098	4441.600098	4441.600098	1.1199
2654	011	2532	0.06	2405	2	55	80	2.5	5	3	6330	3925	RH-2	40	form-based			true	0.7	5	1	3	3	7089.600098	4684.600098	4684.600098	1.12
2654	013	2417	0.06	1764	2	55	80	2.5	5	3	6042	4278	RH-2	40	form-based			true	0.7	5	1	3	3	6767.600098	5003.600098	5003.600098	1.120093
2654	019A	2135	0.05	1769	1	55	80	2.5	4	3	5338	3569	RH-2	40	form-based	true		true	0.7	4	1	3	3	5978	4209	4209	1.119895
2654	021	2585	0.06	1846	2	55	80	2.5	5	3	6462	4616	RH-2	40	form-based			true	0.7	5	1	3	3	7238	5392	5392	1.120087
2654	032	2361	0.05	1950	2	55	80	2.5	4	2	5902	3952	RH-2	40	form-based			true	0.7	5	1.25	3	3	6610.799805	4660.799805	4660.799805	1.120095
2654	033	1930	0.04	2311	1	55	80	2.5	3	2	4825	2514	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5404	3093	3093	1.12
2654	040	2586	0.06	1209	2	55	80	2.5	5	3	6465	5256	RH-2	40	form-based			true	0.7	5	1	3	3	7240.799805	6031.799805	6031.799805	1.12
2654	044	2549	0.06	1606	2	55	80	2.5	5	3	6372	4766	RH-2	40	form-based			true	0.7	5	1	3	3	7137.199707	5531.199707	5531.199707	1.120088
2654	046	2570	0.06	2412	2	55	80	2.5	5	3	6425	4013	RH-2	40	form-based			true	0.7	5	1	3	3	7196	4784	4784	1.12
2655	006	2140	0.05	2155	1	55	80	2.5	4	3	5350	3195	RH-2	40	form-based			true	0.7	4	1	3	3	5992	3837	3837	1.12
2655	014	2300	0.05	3571	2	55	80	2.5	4	2	5750	2179	RH-2	40	form-based			true	0.7	5	1.25	3	3	6440	2869	2869	1.12
2655	016	2500	0.06	1807	2	55	80	2.5	5	3	6250	4443	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5193	5193	1.12
2655	023	2301	0.05	1814	2	55	80	2.5	4	2	5752	3938	RH-2	40	form-based			true	0.7	5	1.25	3	3	6442.799805	4628.799805	4628.799805	1.120097
2656	013	2045	0.05	1000	1	55	80	2.5	4	3	5112	4112	RH-2	40	form-based			true	0.7	4	1	3	3	5726	4726	4726	1.12011
2656	015	2110	0.05	1115	1	55	80	2.5	4	3	5275	4160	RH-2	40	form-based			true	0.7	4	1	3	3	5908	4793	4793	1.12
2656	016	2143	0.05	2100	2	55	80	2.5	4	2	5358	3258	RH-2	40	form-based			true	0.7	5	1.25	3	3	6000.399902	3900.399902	3900.399902	1.119895
2655	058	2300	0.05	1452	2	55	80	2.5	4	2	5750	4298	RH-2	40	form-based	true		true	0.7	5	1.25	3	3	6440	4988	4988	1.12
2656	003	1902	0.04	1000	1	55	80	2.5	3	2	4755	3755	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5325.600098	4325.600098	4325.600098	1.12
2656	004	1911	0.04	950	1	55	80	2.5	3	2	4778	3828	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5350.799805	4400.799805	4400.799805	1.119883
2656	005	1919	0.04	830	1	55	80	2.5	3	2	4798	3968	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5373.199707	4543.199707	4543.199707	1.119883
2656	006	1928	0.04	720	1	55	80	2.5	3	2	4820	4100	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5398.399902	4678.399902	4678.399902	1.12
2656	007	1936	0.04	799	1	55	80	2.5	3	2	4840	4041	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5420.799805	4621.799805	4621.799805	1.12
2656	009	1953	0.04	1310	1	55	80	2.5	3	2	4882	3572	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5468.399902	4158.399902	4158.399902	1.120115
2656	010	1964	0.05	1079	1	55	80	2.5	4	3	4910	3831	RH-2	40	form-based			true	0.7	4	1	3	3	5499.199707	4420.199707	4420.199707	1.12
2656	012	2012	0.05	2166	1	55	80	2.5	4	3	5030	2864	RH-2	40	form-based			true	0.7	4	1	3	3	5633.600098	3467.600098	3467.600098	1.12
2656	017	2177	0.05	2900	2	55	80	2.5	4	2	5442	2542	RH-2	40	form-based			true	0.7	5	1.25	3	3	6095.600098	3195.600098	3195.600098	1.120103
2656	018	2077	0.05	1500	1	55	80	2.5	4	3	5192	3692	RH-2	40	form-based			true	0.7	4	1	3	3	5815.600098	4315.600098	4315.600098	1.120108
2656	019	2350	0.05	1375	2	55	80	2.5	4	2	5875	4500	RH-2	40	form-based			true	0.7	5	1.25	3	3	6580	5205	5205	1.12
2656	022	2112	0.05	2107	1	55	80	2.5	4	3	5280	3173	RH-2	40	form-based			true	0.7	4	1	3	3	5913.600098	3806.600098	3806.600098	1.12
2656	023	2069	0.05	1000	1	55	80	2.5	4	3	5172	4172	RH-2	40	form-based			true	0.7	4	1	3	3	5793.199707	4793.199707	4793.199707	1.120108
2656	025	2309	0.05	2200	2	55	80	2.5	4	2	5772	3572	RH-2	40	form-based			true	0.7	5	1.25	3	3	6465.199707	4265.199707	4265.199707	1.120097
2656	026	1898	0.04	1275	1	55	80	2.5	3	2	4745	3470	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5314.399902	4039.399902	4039.399902	1.12
2656	027	1912	0.04	1798	1	55	80	2.5	3	2	4780	2982	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5353.600098	3555.600098	3555.600098	1.12
2656	029	1804	0.04	2012	1	55	80	2.5	3	2	4510	2498	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5051.199707	3039.199707	3039.199707	1.12
2656	030	1688	0.04	1677	1	55	80	2.5	3	2	4220	2543	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4726.399902	3049.399902	3049.399902	1.12
2656	049	2142	0.05	1700	1	55	80	2.5	4	3	5355	3655	RH-2	40	form-based			true	0.7	4	1	3	3	5997.600098	4297.600098	4297.600098	1.12
2656	056	1869	0.04	1395	1	55	80	2.5	3	2	4672	3277	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5233.199707	3838.199707	3838.199707	1.12012
2656	057	1818	0.04	1350	1	55	80	2.5	3	2	4545	3195	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5090.399902	3740.399902	3740.399902	1.12
2656	058	1768	0.04	1940	1	55	80	2.5	3	2	4420	2480	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4950.399902	3010.399902	3010.399902	1.12
2656	059	1717	0.04	1500	1	55	80	2.5	3	2	4292	2792	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4807.600098	3307.600098	3307.600098	1.120131
2657	024	1865	0.04	2234	1	55	80	2.5	3	2	4662	2428	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5222	2988	2988	1.12012
2658	003	1942	0.04	990	1	55	80	2.5	3	2	4855	3865	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5437.600098	4447.600098	4447.600098	1.12
2658	013	2183	0.05	2128	2	55	80	2.5	4	2	5458	3330	RH-2	40	form-based			true	0.7	5	1.25	3	3	6112.399902	3984.399902	3984.399902	1.119897
2658	062	2164	0.05	1138	2	55	80	2.5	4	2	5410	4272	RH-2	40	form-based			true	0.7	5	1.25	3	3	6059.199707	4921.199707	4921.199707	1.12
2658	064	2159	0.05	1531	2	55	80	2.5	4	2	5398	3867	RH-2	40	form-based			true	0.7	5	1.25	3	3	6045.199707	4514.199707	4514.199707	1.119896
2658	076	2303	0.05	1569	2	55	80	2.5	4	2	5758	4189	RH-2	40	form-based			true	0.7	5	1.25	3	3	6448.399902	4879.399902	4879.399902	1.119903
2658	085	2286	0.05	2006	2	55	80	2.5	4	2	5715	3709	RH-2	40	form-based			true	0.7	5	1.25	3	3	6400.799805	4394.799805	4394.799805	1.12
2658	087	2234	0.05	1150	2	55	80	2.5	4	2	5585	4435	RH-2	40	form-based			true	0.7	5	1.25	3	3	6255.199707	5105.199707	5105.199707	1.12
2659	001A	1796	0.04	950	1	55	80	2.5	3	2	4490	3540	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5028.799805	4078.799805	4078.799805	1.12
2659	002	2175	0.05	2654	2	55	80	2.5	4	2	5438	2784	RH-2	40	form-based			true	0.7	5	1.25	3	3	6090	3436	3436	1.119897
2660	003	2478	0.06	1691	2	55	80	2.5	5	3	6195	4504	RH-2	40	form-based			true	0.7	5	1	3	3	6938.399902	5247.399902	5247.399902	1.12
2660	004B	2074	0.05	1040	1	55	80	2.5	4	3	5185	4145	RH-2	40	form-based			true	0.7	4	1	3	3	5807.199707	4767.199707	4767.199707	1.12
2660	009	2403	0.06	1690	2	55	80	2.5	5	3	6008	4318	RH-2	40	form-based			true	0.7	5	1	3	3	6728.399902	5038.399902	5038.399902	1.119907

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2660	014	1810	0.04	940	1	55	80	2.5	3	2	4525	3585	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5068	4128	4128	1.12
2660	024	2356	0.05	1410	2	55	80	2.5	4	2	5890	4480	RH-2	40	form-based			true	0.7	5	1.25	3	3	6596.799805	5186.799805	5186.799805	1.12
2660	025	2359	0.05	1660	2	55	80	2.5	4	2	5898	4238	RH-2	40	form-based			true	0.7	5	1.25	3	3	6605.199707	4945.199707	4945.199707	1.119905
2660	026	2362	0.05	2286	2	55	80	2.5	4	2	5905	3619	RH-2	40	form-based			true	0.7	5	1.25	3	3	6613.600098	4327.600098	4327.600098	1.12
2660	030	2386	0.05	1380	2	55	80	2.5	4	2	5965	4585	RH-2	40	form-based			true	0.7	5	1.25	3	3	6680.799805	5300.799805	5300.799805	1.12
2660	031	1803	0.04	1200	1	55	80	2.5	3	2	4508	3308	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5048.399902	3848.399902	3848.399902	1.119876
2660	034	2605	0.06	2708	2	55	80	2.5	5	3	6512	3804	RH-2	40	form-based			true	0.7	5	1	3	3	7294	4586	4586	1.120086
2660	046	2422	0.06	2021	2	55	80	2.5	5	3	6055	4034	RH-2	40	form-based			true	0.7	5	1	3	3	6781.600098	4760.600098	4760.600098	1.12
2660	054	2544	0.06	1100	2	55	80	2.5	5	3	6360	5260	RH-2	40	form-based			true	0.7	5	1	3	3	7123.199707	6023.199707	6023.199707	1.12
2661	006	7414	0.17	9084	13	55	80	2.5	14	1	18535	9451	RH-1	40	form-based			true	0.7	16	1.142857194	3	3	20759.19922	11675.19922	11675.19922	1.12
2662	006	2000	0.05	2325	1	55	80	2.5	4	3	5000	2675	RH-1(D)	40	form-based	true		true	0.7	4	1	3	3	5600	3275	3275	1.12
2665	004	1840	0.04	1055	1	55	80	2.5	3	2	4600	3545	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	5152	4097	4097	1.12
2665	005	1940	0.04	2129	1	55	80	2.5	3	2	4850	2721	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	5432	3303	3303	1.12
2665	006	2041	0.05	1730	1	55	80	2.5	4	3	5102	3372	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5714.799805	3984.799805	3984.799805	1.12011
2689	053	2301	0.05	1560	2	55	80	2.5	4	2	5752	4192	RH-2	40	form-based			true	0.7	5	1.25	3	3	6442.799805	4882.799805	4882.799805	1.120097
2690	002	2050	0.05	1189	1	55	80	2.5	4	3	5125	3936	RH-2	40	form-based			true	0.7	4	1	3	3	5740	4551	4551	1.12
2690	013	2038	0.05	1584	1	55	80	2.5	4	3	5095	3511	RH-2	40	form-based			true	0.7	4	1	3	3	5706.399902	4122.399902	4122.399902	1.12
2690	014A	1926	0.04	1800	1	55	80	2.5	3	2	4815	3015	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5392.799805	3592.799805	3592.799805	1.12
2690	015	2142	0.05	1240	1	55	80	2.5	4	3	5355	4115	RH-2	40	form-based			true	0.7	4	1	3	3	5997.600098	4757.600098	4757.600098	1.12
2690	023	3014	0.07	5460	3	55	80	2.5	6	3	7535	2075	RH-2	40	form-based			true	0.7	6	1	3	3	8439.200195	2979.200195	2979.200195	1.12
2691	006	2250	0.05	2111	2	55	80	2.5	4	2	5625	3514	RH-2	40	form-based	true		true	0.7	5	1.25	3	3	6300	4189	4189	1.12
2691	017	3025	0.07	3765	3	55	80	2.5	6	3	7562	3797	RH-2	40	form-based			true	0.7	6	1	3	3	8470	4705	4705	1.120074
2691	022	2300	0.05	2280	2	55	80	2.5	4	2	5750	3470	RH-2	40	form-based			true	0.7	5	1.25	3	3	6440	4160	4160	1.12
2691	029	2498	0.06	2640	2	55	80	2.5	5	3	6245	3605	RH-2	40	form-based			true	0.7	5	1	3	3	6994.399902	4354.399902	4354.399902	1.12
2691	029A	2499	0.06	2820	2	55	80	2.5	5	3	6248	3428	RH-2	40	form-based			true	0.7	5	1	3	3	6997.199707	4177.199707	4177.199707	1.11991
2691	037	3035	0.07	3744	3	55	80	2.5	6	3	7588	3844	RH-2	40	form-based			true	0.7	6	1	3	3	8498	4754	4754	1.119926
2691	039	2703	0.06	3560	3	55	80	2.5	5	2	6758	3198	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7568.399902	4008.399902	4008.399902	1.119917
2691	043	2225	0.05	2450	2	55	80	2.5	4	2	5562	3112	RH-2	40	form-based			true	0.7	5	1.25	3	3	6230	3780	3780	1.120101
2691	064	2226	0.05	988	2	55	80	2.5	4	2	5565	4577	RH-2	40	form-based			true	0.7	5	1.25	3	3	6232.799805	5244.799805	5244.799805	1.12
2691	070	2682	0.06	1044	3	55	80	2.5	5	2	6705	5661	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7509.600098	6465.600098	6465.600098	1.12
2692	004A	2175	0.05	2335	2	65	100	3	5	3	6525	4190	RH-2	40	form-based			true	0.7	5	1	3	3	6090	3755	3755	0.933333
2692	006	3125	0.07	3000	4	65	100	3	7	3	9375	6375	RH-2	40	form-based			true	0.7	7	1	3	3	8750	5750	5750	0.933333
2692	014	2026	0.05	1660	1	55	80	2.5	4	3	5065	3405	RH-2	40	form-based			true	0.7	4	1	3	3	5672.799805	4012.799805	4012.799805	1.12
2692	015	2026	0.05	1000	1	55	80	2.5	4	3	5065	4065	RH-2	40	form-based			true	0.7	4	1	3	3	5672.799805	4672.799805	4672.799805	1.12
2692	016	2026	0.05	1250	1	55	80	2.5	4	3	5065	3815	RH-2	40	form-based			true	0.7	4	1	3	3	5672.799805	4422.799805	4422.799805	1.12
2692	021	2075	0.05	2361	1	55	80	2.5	4	3	5188	2827	RH-2	40	form-based			true	0.7	4	1	3	3	5810	3449	3449	1.119892
2692	021A	1992	0.05	1700	1	55	80	2.5	4	3	4980	3280	RH-2	40	form-based			true	0.7	4	1	3	3	5577.600098	3877.600098	3877.600098	1.12
2692	021B	1992	0.05	2275	1	55	80	2.5	4	3	4980	2705	RH-2	40	form-based			true	0.7	4	1	3	3	5577.600098	3302.600098	3302.600098	1.12
2692	022	1992	0.05	2416	1	55	80	2.5	4	3	4980	2564	RH-2	40	form-based			true	0.7	4	1	3	3	5577.600098	3161.600098	3161.600098	1.12
2692	023	1992	0.05	1258	1	55	80	2.5	4	3	4980	3722	RH-2	40	form-based			true	0.7	4	1	3	3	5577.600098	4319.600098	4319.600098	1.12
2692	024	1992	0.05	1693	1	55	80	2.5	4	3	4980	3287	RH-2	40	form-based			true	0.7	4	1	3	3	5577.600098	3884.600098	3884.600098	1.12
2692	037A	2102	0.05	1525	1	65	100	3	5	4	6306	4781	RH-3	40	form-based			true	0.7	4	0.800000012	3	3	5885.600098	4360.600098	4360.600098	0.933333
2692	038	1880	0.04	1035	1	65	100	3	4	3	5640	4605	RH-3	40	form-based			true	0.7	4	1	3	3	5264	4229	4229	0.933333
2692	039	1882	0.04	830	1	65	100	3	4	3	5646	4816	RH-3	40	form-based			true	0.7	4	1	3	3	5269.600098	4439.600098	4439.600098	0.933333
2692	040	1884	0.04	1750	1	65	100	3	4	3	5652	3902	RH-3	40	form-based			true	0.7	4	1	3	3	5275.199707	3525.199707	3525.199707	0.933333
2692	048	2425	0.06	1149	2	55	80	2.5	5	3	6062	4913	RH-2	40	form-based			true	0.7	5	1	3	3	6790	5641	5641	1.120092
2692	055	1441	0.03	1772	0	55	80	2.5	2	2	3602	1830	RH-2	40	form-based			true	0.7	3	1.5	3	3	4034.800049	2262.800049	2262.800049	1.120155
2693	020	1875	0.04	2219	1	55	80	2.5	3	2	4688	2469	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3031	3031	1.119881
2693	031	1873	0.04	2051	1	65	100	3	4	3	5619	3568	RH-3	40	form-based			true	0.7	4	1	3	3	5244.399902	3193.399902	3193.399902	0.933333
2693	034	1881	0.04	936	1	65	100	3	4	3	5643	4707	RH-3	40	form-based			true	0.7	4	1	3	3	5266.799805	4330.799805	4330.799805	0.933333
2693	036	2500	0.06	2220	2	65	100	3	6	4	7500	5280	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4780	4780	0.933333
2693	061	3081	0.07	759	3	65	100	3	7	4	9243	8484	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8626.799805	7867.799805	7867.799805	0.933333
2694	039	2500	0.06	2130	3	65	100	3	6	3	7500	5370	NCD-CAST	40	form-based			true	0.75	6	1	3	3	7500	5370	5370	1
2695	017	1642	0.04	2435	2	65	100	3	4	2	4926	2491	RH-3	50	form-based			true	0.7	5	1.25	3	3	5747	3312	3312	1.166667
2695	018	1642	0.04	1892	2	65	100	3	4	2	4926	3034	RH-3	50	form-based			true	0.7	5	1.25	3	3	5747	3855	3855	1.166667
2696	004A	1701	0.04	2147	1	55	80	2.5	3	2	4252	2105	RH-3	40	form-based			true	0.7	4	1.333333373	3	3	4762.799805	2615.799805	2615.799805	1.120132
2696	010A	3100	0.07	4014	4	55	80	2.5	6	2	7750	3736	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	8680	4666	4666	1.12
2696	031	2259	0.05	4834	2	65	100	3	5	3	6777	1943	NC-1	40	form-based	true		true	0.75	5	1	3	3	6777	1943	1943	1
2696	044	2988	0.07	722	3	55	80	2.5	6	3	7470	6748	RH-3	40	form-based			true	0.7	6	1	3	3	8366.399414	7644.399414	7644.399414	1.12
2696	047	2750	0.06	2024	3	55	80	2.5	5	2	6875	4851	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7700	5676	5676	1.12
2696	056	2461	0.06	1322	2	55	80	2.5	5	3	6152	4830	RH-3	40	form-based			true	0.7	5	1	3	3	6890.799805	5568.799805	5568.799805	1.120091
2697	003	3449	0.08	5034	4	55	80	2.5	6	2	8622	3588	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9657.200195	4623.200195	4623.200195	1.120065
2697	007	3449	0.08	3216	4	55	80	2.5	6	2	8622	5406	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9657.200195	6441.200195	6441.200195	1.120065
2697	021	2756	0.06	3776	3	55	80	2.5	5	2	6890	3114	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7716.799805	3940.799805	3940.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2697	030	2345	0.05	2952	2	55	80	2.5	4	2	5862	2910	RH-3	40	form-based			true	0.7	5	1.25	3	3	6566	3614	3614	1.120095
2697	033	2750	0.06	1910	3	55	80	2.5	5	2	6875	4965	RH-3	40	form-based		true	true	0.7	6	1.200000048	3	3	7700	5790	5790	1.12
2698	014	2750	0.06	2770	3	55	80	2.5	5	2	6875	4105	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7700	4930	4930	1.12
2698	015	2750	0.06	3650	3	55	80	2.5	5	2	6875	3225	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7700	4050	4050	1.12
2698	028	3718	0.09	4130	5	55	80	2.5	7	2	9295	5165	RH-2	40	form-based			true	0.7	8	1.142857194	3	3	10410.39941	6280.399414	6280.399414	1.12
2698	033	2120	0.05	2000	1	55	80	2.5	4	3	5300	3300	RH-2	40	form-based			true	0.7	4	1	3	3	5936	3936	3936	1.12
2698	034	2148	0.05	2428	2	55	80	2.5	4	2	5370	2942	RH-2	40	form-based			true	0.7	5	1.25	3	3	6014.399902	3586.399902	3586.399902	1.12
2698	039	2118	0.05	1880	1	55	80	2.5	4	3	5295	3415	RH-3	40	form-based			true	0.7	4	1	3	3	5930.399902	4050.399902	4050.399902	1.12
2698	071	2187	0.05	1199	2	55	80	2.5	4	2	5468	4269	RH-3	40	form-based			true	0.7	5	1.25	3	3	6123.600098	4924.600098	4924.600098	1.119898
2699	018	1875	0.04	2346	1	55	80	2.5	3	2	4688	2342	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	2904	2904	1.119881
2699	019	1875	0.04	1450	1	55	80	2.5	3	2	4688	3238	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3800	3800	1.119881
2699	020	1875	0.04	1675	1	55	80	2.5	3	2	4688	3013	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5250	3575	3575	1.119881
2699	021	1875	0.04	2940	1	55	80	2.5	3	2	4688	1748	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	2310	2310	1.119881
2699	022	1875	0.04	1650	1	55	80	2.5	3	2	4688	3038	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3600	3600	1.119881
2699	023	1875	0.04	1610	1	55	80	2.5	3	2	4688	3078	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3640	3640	1.119881
2699	024	1875	0.04	1910	1	55	80	2.5	3	2	4688	2778	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3340	3340	1.119881
2699	026	1875	0.04	1665	1	55	80	2.5	3	2	4688	3023	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3585	3585	1.119881
2699	027	1905	0.04	1712	1	55	80	2.5	3	2	4762	3050	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5334	3622	3622	1.120118
2699	029	2884	0.07	2955	3	55	80	2.5	6	3	7210	4255	RH-2	40	form-based			true	0.7	6	1	3	3	8075.199707	5120.199707	5120.199707	1.12
2699	045A	1875	0.04	1820	1	55	80	2.5	3	2	4688	2868	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3430	3430	1.119881
2699	047	1874	0.04	1000	1	55	80	2.5	3	2	4685	3685	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5247.199707	4247.199707	4247.199707	1.12
2699	053	3072	0.07	1346	3	55	80	2.5	6	3	7680	6334	RH-2	40	form-based			true	0.7	6	1	3	3	8601.599609	7255.599609	7255.599609	1.12
2700	019	2284	0.05	1840	2	55	80	2.5	4	2	5710	3870	RH-2	40	form-based			true	0.7	5	1.25	3	3	6395.199707	4555.199707	4555.199707	1.12
2700	025	2287	0.05	1800	2	55	80	2.5	4	2	5718	3918	RH-2	40	form-based			true	0.7	5	1.25	3	3	6403.600098	4603.600098	4603.600098	1.119902
2700	030	2289	0.05	2434	2	55	80	2.5	4	2	5722	3288	RH-2	40	form-based			true	0.7	5	1.25	3	3	6409.199707	3975.199707	3975.199707	1.120098
2700	035	1732	0.04	1780	1	55	80	2.5	3	2	4330	2550	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	4849.600098	3069.600098	3069.600098	1.12
2700	040	2324	0.05	2721	2	55	80	2.5	4	2	5810	3089	RH-2	40	form-based			true	0.7	5	1.25	3	3	6507.199707	3786.199707	3786.199707	1.12
2700	047	2600	0.06	2795	2	55	80	2.5	5	3	6500	3705	RH-2	40	form-based		true	true	0.7	5	1	3	3	7280	4485	4485	1.12
2700	051	2400	0.06	1800	2	55	80	2.5	5	3	6000	4200	RH-2	40	form-based			true	0.7	5	1	3	3	6720	4920	4920	1.12
2700	053	2400	0.06	2350	2	55	80	2.5	5	3	6000	3650	RH-2	40	form-based			true	0.7	5	1	3	3	6720	4370	4370	1.12
2700	054	2400	0.06	2388	2	55	80	2.5	5	3	6000	3612	RH-2	40	form-based			true	0.7	5	1	3	3	6720	4332	4332	1.12
2700	055	2400	0.06	1850	2	55	80	2.5	5	3	6000	4150	RH-2	40	form-based			true	0.7	5	1	3	3	6720	4870	4870	1.12
2700	061	2827	0.06	2550	3	55	80	2.5	5	2	7068	4518	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7915.600098	5365.600098	5365.600098	1.119921
2700	063	2285	0.05	1466	2	55	80	2.5	4	2	5712	4246	RH-2	40	form-based			true	0.7	5	1.25	3	3	6398	4932	4932	1.120098
2700	065	2600	0.06	1318	2	55	80	2.5	5	3	6500	5182	RH-2	40	form-based			true	0.7	5	1	3	3	7280	5962	5962	1.12
2700	067	2434	0.06	978	2	55	80	2.5	5	3	6085	5107	RH-2	40	form-based			true	0.7	5	1	3	3	6815.199707	5837.199707	5837.199707	1.12
2700	069	2283	0.05	1056	2	55	80	2.5	4	2	5708	4652	RH-2	40	form-based			true	0.7	5	1.25	3	3	6392.399902	5336.399902	5336.399902	1.119902
2700	071	2400	0.06	784	2	55	80	2.5	5	3	6000	5216	RH-2	40	form-based			true	0.7	5	1	3	3	6720	5936	5936	1.12
2701	003	2123	0.05	2279	1	55	80	2.5	4	3	5308	3029	RH-2	40	form-based			true	0.7	4	1	3	3	5944.399902	3665.399902	3665.399902	1.119895
2701	004	2123	0.05	1758	1	55	80	2.5	4	3	5308	3550	RH-2	40	form-based		true	true	0.7	4	1	3	3	5944.399902	4186.399902	4186.399902	1.119895
2701	007	2099	0.05	1755	1	55	80	2.5	4	3	5248	3493	RH-2	40	form-based			true	0.7	4	1	3	3	5877.199707	4122.199707	4122.199707	1.119893
2701	012	1968	0.05	610	1	55	80	2.5	4	3	4920	4310	RH-2	40	form-based			true	0.7	4	1	3	3	5510.399902	4900.399902	4900.399902	1.12
2701	014	2021	0.05	725	1	55	80	2.5	4	3	5052	4327	RH-2	40	form-based			true	0.7	4	1	3	3	5658.799805	4933.799805	4933.799805	1.120111
2701	015	2010	0.05	955	1	55	80	2.5	4	3	5025	4070	RH-2	40	form-based			true	0.7	4	1	3	3	5628	4673	4673	1.12
2701	016	1798	0.04	1400	1	55	80	2.5	3	2	4495	3095	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5034.399902	3634.399902	3634.399902	1.12
2701	019	1950	0.04	780	1	55	80	2.5	3	2	4875	4095	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5460	4680	4680	1.12
2701	020	1950	0.04	1910	1	55	80	2.5	3	2	4875	2965	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5460	3550	3550	1.12
2701	022	1950	0.04	1075	1	55	80	2.5	3	2	4875	3800	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5460	4385	4385	1.12
2701	023	1990	0.05	1670	1	55	80	2.5	4	3	4975	3305	RH-2	40	form-based			true	0.7	4	1	3	3	5572	3902	3902	1.12
2701	024	1972	0.05	3648	1	55	80	2.5	4	3	4930	1282	RH-2	40	form-based			true	0.7	4	1	3	3	5521.600098	1873.600098	1873.600098	1.12
2701	034	2007	0.05	755	1	55	80	2.5	4	3	5018	4263	RH-2	40	form-based			true	0.7	4	1	3	3	5619.600098	4864.600098	4864.600098	1.119888
2701	035	1994	0.05	1760	1	55	80	2.5	4	3	4985	3225	RH-2	40	form-based			true	0.7	4	1	3	3	5583.199707	3823.199707	3823.199707	1.12
2701	039	1995	0.05	1000	1	55	80	2.5	4	3	4988	3988	RH-2	40	form-based			true	0.7	4	1	3	3	5586	4586	4586	1.119888
2701	040	2049	0.05	1250	1	55	80	2.5	4	3	5122	3872	RH-2	40	form-based			true	0.7	4	1	3	3	5737.199707	4487.199707	4487.199707	1.120109
2701	041	1887	0.04	2010	1	55	80	2.5	3	2	4718	2708	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5283.600098	3273.600098	3273.600098	1.119881
2701A	015	1700	0.04	1208	1	55	80	2.5	3	2	4250	3042	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4760	3552	3552	1.12
2701A	016	1700	0.04	1836	1	55	80	2.5	3	2	4250	2414	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4760	2924	2924	1.12
2701A	017	1700	0.04	1528	1	55	80	2.5	3	2	4250	2722	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4760	3232	3232	1.12
2701A	018	1700	0.04	1575	1	55	80	2.5	3	2	4250	2675	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4760	3185	3185	1.12
2701A	027	2272	0.05	1259	2	55	80	2.5	4	2	5680	4421	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6361.600098	5102.600098	5102.600098	1.12
2702	018	2064	0.05	1830	1	55	80	2.5	4	3	5160	3330	RH-2	40	form-based			true	0.7	4	1	3	3	5779.199707	3949.199707	3949.199707	1.12
2702	022	2354	0.05	1862	2	55	80	2.5	4	2	5885	4023	RH-2	40	form-based			true	0.7	5	1.25	3	3	6591.199707	4729.199707	4729.199707	1.12
2702	023	2476	0.06	3300	2	55	80	2.5	5	3	6190	2890	RH-2	40	form-based			true	0.7	5	1	3	3	6932.799805	3632.799805	3632.799805	1.12
2702	025	2427	0.06	2300	2	55	80	2.5	5	3	6068	3768	RH-2	40	form-based			true	0.7	5	1	3	3	6795.600098	4495.600098	4495.600098	1.119908

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2704	056	3085	0.07	987	3	55	80	2.5	6	3	7712	6725	RH-2	40	form-based			true	0.7	6	1	3	3	8638	7651	7651	1.120073
2705	028	2013	0.05	829	1	55	80	2.5	4	3	5032	4203	RH-1	40	form-based		true	true	0.7	4	1	3	3	5636.399902	4807.399902	4807.399902	1.120111
2705	032	2037	0.05	2022	1	55	80	2.5	4	3	5092	3070	RH-1	40	form-based		true	true	0.7	4	1	3	3	5703.600098	3681.600098	3681.600098	1.12011
2706	003	1915	0.04	1484	1	55	80	2.5	3	2	4788	3304	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	5362	3878	3878	1.119883
2706	040	2027	0.05	1900	1	55	80	2.5	4	3	5068	3168	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5675.600098	3775.600098	3775.600098	1.119889
2706	041	1897	0.04	2075	1	55	80	2.5	3	2	4742	2667	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	5311.600098	3236.600098	3236.600098	1.120118
2706	042	1958	0.04	2048	1	55	80	2.5	3	2	4895	2847	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	5482.399902	3434.399902	3434.399902	1.12
2706	044	2070	0.05	3054	1	55	80	2.5	4	3	5175	2121	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5796	2742	2742	1.12
2707	006	2105	0.05	2646	1	55	80	2.5	4	3	5262	2616	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5894	3248	3248	1.120106
2707	007	1773	0.04	2528	1	55	80	2.5	3	2	4432	1904	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	4964.399902	2436.399902	2436.399902	1.120126
2711	003	2093	0.05	700	1	55	80	2.5	4	3	5232	4532	RH-2	40	form-based			true	0.7	4	1	3	3	5860.399902	5160.399902	5160.399902	1.120107
2711	004	2172	0.05	1668	2	55	80	2.5	4	2	5430	3762	RH-2	40	form-based			true	0.7	5	1.25	3	3	6081.600098	4413.600098	4413.600098	1.12
2711	005	2050	0.05	940	1	55	80	2.5	4	3	5125	4185	RH-2	40	form-based			true	0.7	4	1	3	3	5740	4800	4800	1.12
2711	006	2051	0.05	700	1	55	80	2.5	4	3	5128	4428	RH-2	40	form-based			true	0.7	4	1	3	3	5742.799805	5042.799805	5042.799805	1.119891
2711	009	1959	0.04	1342	1	55	80	2.5	3	2	4898	3556	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5485.199707	4143.199707	4143.199707	1.119886
2711	035	1878	0.04	709	1	55	80	2.5	3	2	4695	3986	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5258.399902	4549.399902	4549.399902	1.12
2714	012E	2722	0.06	2982	3	55	80	2.5	5	2	6805	3823	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7621.600098	4639.600098	4639.600098	1.12
2714	016	2449	0.06	4674	2	55	80	2.5	5	3	6122	1448	RH-2	40	form-based			true	0.7	5	1	3	3	6857.199707	2183.199707	2183.199707	1.120091
2714	038	2370	0.05	1715	2	55	80	2.5	4	2	5925	4210	RH-2	40	form-based			true	0.7	5	1.25	3	3	6636	4921	4921	1.12
2714	040	2420	0.06	1185	2	55	80	2.5	5	3	6050	4865	RH-2	40	form-based			true	0.7	5	1	3	3	6776	5591	5591	1.12
2714	050	2887	0.07	1384	3	55	80	2.5	6	3	7218	5834	RH-2	40	form-based			true	0.7	6	1	3	3	8083.600098	6699.600098	6699.600098	1.119922
2715	003	2051	0.05	2315	1	55	80	2.5	4	3	5128	2813	RH-2	40	form-based			true	0.7	4	1	3	3	5742.799805	3427.799805	3427.799805	1.119891
2715	004	1902	0.04	1936	1	55	80	2.5	3	2	4755	2819	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5325.600098	3389.600098	3389.600098	1.12
2715	005	1812	0.04	1588	1	55	80	2.5	3	2	4530	2942	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5073.600098	3485.600098	3485.600098	1.12
2715	006	1822	0.04	2084	1	55	80	2.5	3	2	4555	2471	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5101.600098	3017.600098	3017.600098	1.12
2715	007	2125	0.05	2315	1	55	80	2.5	4	3	5312	2997	RH-2	40	form-based		true	true	0.7	4	1	3	3	5950	3635	3635	1.120105
2715	039	2621	0.06	2383	3	55	80	2.5	5	2	6552	4169	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7338.799805	4955.799805	4955.799805	1.120085
2715	059	2213	0.05	2830	2	55	80	2.5	4	2	5532	2702	RH-2	40	form-based			true	0.7	5	1.25	3	3	6196.399902	3366.399902	3366.399902	1.120101
2748	006	1703	0.04	2055	1	55	80	2.5	3	2	4258	2203	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4768.399902	2713.399902	2713.399902	1.119869
2748	011	1999	0.05	954	1	55	80	2.5	4	3	4998	4044	RH-2	40	form-based			true	0.7	4	1	3	3	5597.199707	4643.199707	4643.199707	1.119888
2748	016B	2709	0.06	3300	3	55	80	2.5	5	2	6772	3472	RH-2	40	form-based		true	true	0.7	6	1.200000048	3	3	7585.199707	4285.199707	4285.199707	1.120083
2748	016C	2668	0.06	3302	3	55	80	2.5	5	2	6670	3368	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7470.399902	4168.399902	4168.399902	1.12
2748	020	2684	0.06	2072	3	55	80	2.5	5	2	6710	4638	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7515.199707	5443.199707	5443.199707	1.12
2749	018	3264	0.07	2426	4	55	80	2.5	6	2	8160	5734	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9139.200195	6713.200195	6713.200195	1.12
2748	044	2518	0.06	1494	2	55	80	2.5	5	3	6295	4801	RH-2	40	form-based			true	0.7	5	1	3	3	7050.399902	5556.399902	5556.399902	1.12
2749	001	2010	0.05	1148	1	55	80	2.5	4	3	5025	3877	RH-2	40	form-based		true	true	0.7	4	1	3	3	5628	4480	4480	1.12
2749	045	2492	0.06	3382	2	55	80	2.5	5	3	6230	2848	RH-2	40	form-based			true	0.7	5	1	3	3	6977.600098	3595.600098	3595.600098	1.12
2749	049	1955	0.04	2154	1	55	80	2.5	3	2	4888	2734	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5474	3320	3320	1.119885
2749	050	2500	0.06	1500	2	55	80	2.5	5	3	6250	4750	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5500	5500	1.12
2749	052	2500	0.06	1606	2	55	80	2.5	5	3	6250	4644	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5394	5394	1.12
2749	061	2502	0.06	781	2	55	80	2.5	5	3	6255	5474	RH-2	40	form-based			true	0.7	5	1	3	3	7005.600098	6224.600098	6224.600098	1.12
2750	016	1791	0.04	865	1	55	80	2.5	3	2	4478	3613	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5014.799805	4149.799805	4149.799805	1.119875
2750	017	2430	0.06	4436	2	55	80	2.5	5	3	6075	1639	RH-2	40	form-based			true	0.7	5	1	3	3	6804	2368	2368	1.12
2750	022	1675	0.04	1825	1	55	80	2.5	3	2	4188	2363	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	4690	2865	2865	1.119866
2750	037	2437	0.06	2600	2	55	80	2.5	5	3	6092	3492	RH-2	40	form-based			true	0.7	5	1	3	3	6823.600098	4223.600098	4223.600098	1.120092
2751	001	2437	0.06	2500	2	55	80	2.5	5	3	6092	3592	RH-3	40	form-based		true	true	0.7	5	1	3	3	6823.600098	4323.600098	4323.600098	1.120092
2751	006H	2118	0.05	1536	1	55	80	2.5	4	3	5295	3759	RH-2	40	form-based		true	true	0.7	4	1	3	3	5930.399902	4394.399902	4394.399902	1.12
2751	020A	2437	0.06	2807	2	55	80	2.5	5	3	6092	3285	RH-3	40	form-based			true	0.7	5	1	3	3	6823.600098	4016.600098	4016.600098	1.120092
2751	022	2438	0.06	2688	2	55	80	2.5	5	3	6095	3407	RH-3	40	form-based			true	0.7	5	1	3	3	6826.399902	4138.399902	4138.399902	1.12
2751	023	2437	0.06	2398	2	55	80	2.5	5	3	6092	3694	RH-3	40	form-based			true	0.7	5	1	3	3	6823.600098	4425.600098	4425.600098	1.120092
2751	026	2438	0.06	2934	2	55	80	2.5	5	3	6095	3161	RH-3	40	form-based			true	0.7	5	1	3	3	6826.399902	3892.399902	3892.399902	1.12
2752	002	2589	0.06	2024	2	55	80	2.5	5	3	6472	4448	RH-3	40	form-based			true	0.7	5	1	3	3	7249.199707	5225.199707	5225.199707	1.120086
2752	015	3207	0.07	2700	4	55	80	2.5	6	2	8018	5318	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	8979.599609	6279.599609	6279.599609	1.11993
2752	038	2589	0.06	1254	2	55	80	2.5	5	3	6472	5218	RH-3	40	form-based			true	0.7	5	1	3	3	7249.199707	5995.199707	5995.199707	1.120086
2753	001A	1723	0.04	1400	1	55	80	2.5	3	2	4308	2908	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4824.399902	3424.399902	3424.399902	1.11987
2753	024B	1951	0.04	1487	1	55	80	2.5	3	2	4878	3391	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5462.799805	3975.799805	3975.799805	1.119885
2768	046	2173	0.05	1834	2	55	80	2.5	4	2	5432	3598	RH-2	40	form-based			true	0.7	5	1.25	3	3	6084.399902	4250.399902	4250.399902	1.120103
2769	015	1875	0.04	732	1	55	80	2.5	3	2	4688	3956	RH-3	40	form-based			true	0.7	4	1.333333373	3	3	5250	4518	4518	1.119881
2769	016	1875	0.04	920	1	55	80	2.5	3	2	4688	3768	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	4330	4330	1.119881
2769	017	1875	0.04	866	1	55	80	2.5	3	2	4688	3822	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	4384	4384	1.119881
2769	062	3090	0.07	1303	3	55	80	2.5	6	3	7725	6422	RH-2	40	form-based			true	0.7	6	1	3	3	8652	7349	7349	1.12
2770	001	2043	0.05	1882	1	55	80	2.5	4	3	5108	3226	RH-2	40	form-based		true	true	0.7	4	1	3	3	5720.399902	3838.399902	3838.399902	1.11989
2770	002	1953	0.04	2513	1	55	80	2.5	3	2	4882	2369	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5468.399902	2955.399902	2955.399902	1.120115
2770	006	3201	0.07	2400	4	55	80	2.5	6	2	8002	5602	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	8962.799805	6562.799805	6562.799805	1.12007

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2770	012	1875	0.04	930	1	55	80	2.5	3	2	4688	3758	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	4320	4320	1.119881
2770	013	1875	0.04	2000	1	55	80	2.5	3	2	4688	2688	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3250	3250	1.119881
2770	014	1875	0.04	1064	1	55	80	2.5	3	2	4688	3624	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	4186	4186	1.119881
2770	015	1875	0.04	1783	1	55	80	2.5	3	2	4688	2905	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	3467	3467	1.119881
2770	017	1875	0.04	1029	1	55	80	2.5	3	2	4688	3659	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	4221	4221	1.119881
2770	018	1875	0.04	1029	1	55	80	2.5	3	2	4688	3659	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	4221	4221	1.119881
2770	019	1875	0.04	1081	1	55	80	2.5	3	2	4688	3607	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	4169	4169	1.119881
2770	020A	2467	0.06	1556	2	55	80	2.5	5	3	6168	4612	RH-3	40	form-based			true	0.7	5	1	3	3	6907.600098	5351.600098	5351.600098	1.119909
2770	020B	2467	0.06	2487	2	55	80	2.5	5	3	6168	3681	RH-3	40	form-based			true	0.7	5	1	3	3	6907.600098	4420.600098	4420.600098	1.119909
2770	020D	2467	0.06	1796	2	55	80	2.5	5	3	6168	4372	RH-3	40	form-based			true	0.7	5	1	3	3	6907.600098	5111.600098	5111.600098	1.119909
2770	028	1897	0.04	1600	1	55	80	2.5	3	2	4742	3142	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5311.600098	3711.600098	3711.600098	1.120118
2770	029	1898	0.04	1902	1	55	80	2.5	3	2	4745	2843	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5314.399902	3412.399902	3412.399902	1.12
2770	030	1899	0.04	1549	1	55	80	2.5	3	2	4748	3199	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5317.199707	3768.199707	3768.199707	1.119882
2770	031	1900	0.04	1050	1	55	80	2.5	3	2	4750	3700	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5320	4270	4270	1.12
2770	048	2467	0.06	1231	2	55	80	2.5	5	3	6168	4937	RH-3	40	form-based			true	0.7	5	1	3	3	6907.600098	5676.600098	5676.600098	1.119909
2772	008	2373	0.05	2100	2	55	80	2.5	4	2	5932	3832	RH-2	40	form-based			true	0.7	5	1.25	3	3	6644.399902	4544.399902	4544.399902	1.120094
2772	017	2004	0.05	1634	1	55	80	2.5	4	3	5010	3376	RH-2	40	form-based		true	true	0.7	4	1	3	3	5611.199707	3977.199707	3977.199707	1.12
2772	058	2315	0.05	830	2	55	80	2.5	4	2	5788	4958	RH-2	40	form-based			true	0.7	5	1.25	3	3	6482	5652	5652	1.119903
2803	001	1878	0.04	1835	1	55	80	2.5	3	2	4695	2860	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5258.399902	3423.399902	3423.399902	1.12
2803	022	1992	0.05	1675	1	55	80	2.5	4	3	4980	3305	RH-2	40	form-based			true	0.7	4	1	3	3	5577.600098	3902.600098	3902.600098	1.12
2803	023	1991	0.05	2550	1	55	80	2.5	4	3	4978	2428	RH-2	40	form-based			true	0.7	4	1	3	3	5574.799805	3024.799805	3024.799805	1.119887
2803	025	1930	0.04	1043	1	55	80	2.5	3	2	4825	3782	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5404	4361	4361	1.12
2803	036	1871	0.04	1497	1	55	80	2.5	3	2	4678	3181	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5238.799805	3741.799805	3741.799805	1.11988
2803	037	1919	0.04	1152	1	55	80	2.5	3	2	4798	3646	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5373.199707	4221.199707	4221.199707	1.119883
2803	038	1918	0.04	1152	1	55	80	2.5	3	2	4795	3643	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5370.399902	4218.399902	4218.399902	1.12
2803	039	1917	0.04	1152	1	55	80	2.5	3	2	4792	3640	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5367.600098	4215.600098	4215.600098	1.120117
2803	040	1916	0.04	1956	1	55	80	2.5	3	2	4790	2834	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5364.799805	3408.799805	3408.799805	1.12
2803	041	1915	0.04	1212	1	55	80	2.5	3	2	4788	3576	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5362	4150	4150	1.119883
2803	042	1914	0.04	1958	1	55	80	2.5	3	2	4785	2827	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5359.199707	3401.199707	3401.199707	1.12
2803	043	1913	0.04	1756	1	55	80	2.5	3	2	4782	3026	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5356.399902	3600.399902	3600.399902	1.120117
2804	001	1574	0.04	1525	0	55	80	2.5	3	3	3935	2410	RH-2	40	form-based		true	true	0.7	3	1	3	3	4407.199707	2882.199707	2882.199707	1.12
2804	017	3230	0.07	3472	4	55	80	2.5	6	2	8075	4603	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9044	5572	5572	1.12
2804	022	2500	0.06	2625	2	55	80	2.5	5	3	6250	3625	RH-2	40	form-based		true	true	0.7	5	1	3	3	7000	4375	4375	1.12
2804	023	2000	0.05	1160	1	55	80	2.5	4	3	5000	3840	RH-2	40	form-based			true	0.7	4	1	3	3	5600	4440	4440	1.12
2804	024	2000	0.05	1160	1	55	80	2.5	4	3	5000	3840	RH-2	40	form-based			true	0.7	4	1	3	3	5600	4440	4440	1.12
2804	025	2000	0.05	1100	1	55	80	2.5	4	3	5000	3900	RH-2	40	form-based			true	0.7	4	1	3	3	5600	4500	4500	1.12
2804	026	2000	0.05	1824	1	55	80	2.5	4	3	5000	3176	RH-2	40	form-based			true	0.7	4	1	3	3	5600	3776	3776	1.12
2804	027	2000	0.05	1100	1	55	80	2.5	4	3	5000	3900	RH-2	40	form-based			true	0.7	4	1	3	3	5600	4500	4500	1.12
2804	039	2942	0.07	2350	3	55	80	2.5	6	3	7355	5005	RH-2	40	form-based			true	0.7	6	1	3	3	8237.599609	5887.599609	5887.599609	1.12
2804	040	2942	0.07	1320	1	55	80	2.5	6	5	7355	6035	RH-2	40	density-lin	1500			0.7	4	0.666666687	3	3	8237.599609	6917.599609	6917.599609	1.12
2804	070	3226	0.07	758	4	55	80	2.5	6	2	8065	7307	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9032.799805	8274.799805	8274.799805	1.12
2805	005	2130	0.05	1990	1	55	80	2.5	4	3	5325	3335	RH-2	40	form-based			true	0.7	4	1	3	3	5964	3974	3974	1.12
2805	006	1902	0.04	2400	1	55	80	2.5	3	2	4755	2355	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5325.600098	2925.600098	2925.600098	1.12
2805	059	3530	0.08	900	4	55	80	2.5	6	2	8825	7925	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9884	8984	8984	1.12
2805	063	2555	0.06	1445	2	55	80	2.5	5	3	6388	4943	RH-2	40	form-based			true	0.7	5	1	3	3	7154	5709	5709	1.119912
2821	023	2449	0.06	2978	2	55	80	2.5	5	3	6122	3144	RH-1(D)	40	form-based			true	0.7	5	1	3	3	6857.199707	3879.199707	3879.199707	1.120091
2830	061	1725	0.04	1806	3	55	80	2.5	3	0	4312	2506	NCD-24TH	65	form-based		true	true	0.75	6	2	3	3	7762.5	5956.5	5956.5	1.800209
2831	033	1582	0.04	1927	1	55	80	2.5	3	2	3955	2028	RH-2	50	form-based			true	0.7	4	1.333333373	3	3	5537	3610	3610	1.4
2831	034	1582	0.04	2093	1	55	80	2.5	3	2	3955	1862	RH-2	50	form-based			true	0.7	4	1.333333373	3	3	5537	3444	3444	1.4
2831	035	1582	0.04	2310	1	55	80	2.5	3	2	3955	1645	RH-2	50	form-based			true	0.7	4	1.333333373	3	3	5537	3227	3227	1.4
2882	035	6970	0.16	3303	1	55	80	2.5	13	12	17425	14122	RH-1(D)	40	density-lin	3000			0.7	4	0.307692319	3	3	19516	16213	16213	1.12
2902	016	1943	0.04	1738	1	55	80	2.5	3	2	4858	3120	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	5440.399902	3702.399902	3702.399902	1.119885
2902	019	2100	0.05	1501	1	55	80	2.5	4	3	5250	3749	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5880	4379	4379	1.12
2902	015	1756	0.04	1652	1	55	80	2.5	3	2	4390	2738	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	4916.799805	3264.799805	3264.799805	1.12
2902	005	2138	0.05	1862	1	55	80	2.5	4	3	5345	3483	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5986.399902	4124.399902	4124.399902	1.12
2902	006	1922	0.04	1862	1	55	80	2.5	3	2	4805	2943	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	5381.600098	3519.600098	3519.600098	1.12
2902	007	1871	0.04	1091	1	55	80	2.5	3	2	4678	3587	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	5238.799805	4147.799805	4147.799805	1.11988
2902	008	1815	0.04	1281	1	55	80	2.5	3	2	4538	3257	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	5082	3801	3801	1.119877
2902	010	1669	0.04	1758	1	55	80	2.5	3	2	4172	2414	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	4673.199707	2915.199707	2915.199707	1.120134
2902	014	1714	0.04	1444	1	55	80	2.5	3	2	4285	2841	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	4799.199707	3355.199707	3355.199707	1.12
2902	020	2008	0.05	1914	1	55	80	2.5	4	3	5020	3106	RH-1(D)	40	form-based		true	true	0.7	4	1	3	3	5622.399902	3708.399902	3708.399902	1.12
2915	011	1800	0.04	2118	1	55	80	2.5	3	2	4500	2382	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	5040	2922	2922	1.12
2915	012	1959	0.04	2118	1	55	80	2.5	3	2	4898	2780	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	5485.199707	3367.199707	3367.199707	1.119886
2915	013	1844	0.04	1360	1	55	80	2.5	3	2	4610	3250	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	5163.199707	3803.199707	3803.199707	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2915	014	1725	0.04	1005	1	55	80	2.5	3	2	4312	3307	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	4830	3825	3825	1.12013
2915	015	1785	0.04	1340	1	55	80	2.5	3	2	4462	3122	RH-1(D)	40	form-based			true	0.7	4	1.333333373	3	3	4998	3658	3658	1.120126
2916	032	2103	0.05	1980	1	55	80	2.5	4	3	5258	3278	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5888.399902	3908.399902	3908.399902	1.119893
2916	028	2075	0.05	1343	1	55	80	2.5	4	3	5188	3845	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5810	4467	4467	1.119892
2916	028A	2043	0.05	1237	1	55	80	2.5	4	3	5108	3871	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5720.399902	4483.399902	4483.399902	1.11989
2916	029	2049	0.05	1846	1	55	80	2.5	4	3	5122	3276	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5737.199707	3891.199707	3891.199707	1.120109
2916	030	2050	0.05	962	1	55	80	2.5	4	3	5125	4163	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5740	4778	4778	1.12
2920	038	2115	0.05	1150	1	65	100	3	5	4	6345	5195	RH-1(D)	40	form-based		true	true	0.7	4	0.800000012	3	3	5922	4772	4772	0.933333
2920	038A	2034	0.05	1074	1	65	100	3	5	4	6102	5028	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5695.199707	4621.199707	4621.199707	0.933333
2931	007A	664	0.02	0	0	65	100	3	2	2	1992	1992	NCD-WEST	85	form-based			true	0.75	3	1.5	3	3	3984	3984	3984	2
2931	008A	646	0.01	0	0	65	100	3	1	1	1938	1938	NCD-WEST	85	form-based			true	0.75	3	3	3	2	3876	3876	3876	2
2936A	014	1961	0.05	962	1	55	80	2.5	4	3	4902	3940	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5490.799805	4528.799805	4528.799805	1.120114
2936A	015	2112	0.05	1587	1	55	80	2.5	4	3	5280	3693	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5913.600098	4326.600098	4326.600098	1.12
2936A	028	2309	0.05	1571	2	55	80	2.5	4	2	5772	4201	RH-1(D)	40	form-based			true	0.7	5	1.25	3	3	6465.199707	4894.199707	4894.199707	1.120097
2936A	030	2094	0.05	2570	1	55	80	2.5	4	3	5235	2665	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5863.199707	3293.199707	3293.199707	1.12
2936B	006	1578	0.04	0	0	55	80	2.5	3	3	3945	3945	RH-1(D)	40	form-based			true	0.7	3	1	3	3	4418.399902	4418.399902	4418.399902	1.12
2975	002	2104	0.05	1175	1	55	80	2.5	4	3	5260	4085	RH-1(D)	40	form-based			true	0.7	4	1	3	3	5891.199707	4716.199707	4716.199707	1.12
2989B	001A	2493	0.06	3042	2	65	100	3	6	4	7479	4437	RH-1(D)	40	form-based			true	0.7	5	0.833333313	3	3	6980.399902	3938.399902	3938.399902	0.933333
3000C	002	2027	0.05	1248	1	55	80	2.5	4	3	5068	3820	RH-1	40	form-based		true	true	0.7	4	1	3	3	5675.600098	4427.600098	4427.600098	1.119889
3013	001	1531	0.04	0	0	65	100	3	4	4	4593	4593	RH-1(D)	40	form-based		true	true	0.7	3	0.75	3	3	4286.799805	4286.799805	4286.799805	0.933333
3029C	002	1945	0.04	1307	1	55	80	2.5	3	2	4862	3555	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5446	4139	4139	1.120115
3029C	015	1827	0.04	2402	1	55	80	2.5	3	2	4568	2166	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5115.600098	2713.600098	2713.600098	1.119877
3031A	002	2101	0.05	1867	1	55	80	2.5	4	3	5252	3385	RH-1	40	form-based		true	true	0.7	4	1	3	3	5882.799805	4015.799805	4015.799805	1.120107
3031A	007	2087	0.05	1654	1	55	80	2.5	4	3	5218	3564	RH-1	40	form-based			true	0.7	4	1	3	3	5843.600098	4189.600098	4189.600098	1.119893
3031A	008	1982	0.05	1300	1	55	80	2.5	4	3	4955	3655	RH-1	40	form-based			true	0.7	4	1	3	3	5549.600098	4249.600098	4249.600098	1.12
3031A	009	1924	0.04	1150	1	55	80	2.5	3	2	4810	3660	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5387.199707	4237.199707	4237.199707	1.12
3060	001E	1957	0.04	1034	1	65	100	3	4	3	5871	4837	RH-1	40	form-based			true	0.7	4	1	3	3	5479.600098	4445.600098	4445.600098	0.933333
3062	044	1863	0.04	1026	1	65	100	3	4	3	5589	4563	RH-1	40	form-based			true	0.7	4	1	3	3	5216.399902	4190.399902	4190.399902	0.933333
3062	046	1778	0.04	1020	1	65	100	3	4	3	5334	4314	RH-1	40	form-based			true	0.7	4	1	3	3	4978.399902	3958.399902	3958.399902	0.933333
3062	047	1778	0.04	1095	1	65	100	3	4	3	5334	4239	RH-1	40	form-based			true	0.7	4	1	3	3	4978.399902	3883.399902	3883.399902	0.933333
3062	048	1778	0.04	1257	1	65	100	3	4	3	5334	4077	RH-1	40	form-based		true	true	0.7	4	1	3	3	4978.399902	3721.399902	3721.399902	0.933333
3077	001	1569	0.04	0	0	55	80	2.5	3	3	3922	3922	RH-1(D)	40	form-based			true	0.7	3	1	3	3	4393.199707	4393.199707	4393.199707	1.120143
3089	065	2793	0.06	1421	3	55	80	2.5	5	2	6982	5561	RH-1	40	form-based			true	0.7	6	1.200000048	3	3	7820.399902	6399.399902	6399.399902	1.12008
3089	077	1945	0.04	1221	1	55	80	2.5	3	2	4862	3641	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5446	4225	4225	1.120115
3090	024	1875	0.04	922	1	55	80	2.5	3	2	4688	3766	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4328	4328	1.119881
3090	024A	1875	0.04	1453	1	55	80	2.5	3	2	4688	3235	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3797	3797	1.119881
3090	025	1875	0.04	1397	1	55	80	2.5	3	2	4688	3291	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3853	3853	1.119881
3090	026	2022	0.05	1354	1	55	80	2.5	4	3	5055	3701	RH-1	40	form-based		true	true	0.7	4	1	3	3	5661.600098	4307.600098	4307.600098	1.12
3090	048	1859	0.04	916	1	65	100	3	4	3	5577	4661	RH-1	40	form-based			true	0.7	4	1	3	3	5205.199707	4289.199707	4289.199707	0.933333
3090	049	1859	0.04	916	1	65	100	3	4	3	5577	4661	RH-1	40	form-based		true	true	0.7	4	1	3	3	5205.199707	4289.199707	4289.199707	0.933333
3090	052	2056	0.05	1412	1	55	80	2.5	4	3	5140	3728	RH-1	40	form-based			true	0.7	4	1	3	3	5756.799805	4344.799805	4344.799805	1.12
3090	053	2056	0.05	1409	1	55	80	2.5	4	3	5140	3731	RH-1	40	form-based			true	0.7	4	1	3	3	5756.799805	4347.799805	4347.799805	1.12
3090	054	2056	0.05	1424	1	55	80	2.5	4	3	5140	3716	RH-1	40	form-based			true	0.7	4	1	3	3	5756.799805	4332.799805	4332.799805	1.12
3091	011	2500	0.06	2120	2	65	100	3	6	4	7500	5380	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4880	4880	0.933333
3091	030	1875	0.04	1746	1	55	80	2.5	3	2	4688	2942	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3504	3504	1.119881
3091	031	1876	0.04	1178	1	55	80	2.5	3	2	4690	3512	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5252.799805	4074.799805	4074.799805	1.12
3091	032	1877	0.04	1736	1	55	80	2.5	3	2	4692	2956	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5255.600098	3519.600098	3519.600098	1.120119
3091	032A	1878	0.04	2634	1	55	80	2.5	3	2	4695	2061	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5258.399902	2624.399902	2624.399902	1.12
3091	050	1875	0.04	2170	1	55	80	2.5	3	2	4688	2518	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5250	3080	3080	1.119881
3092	004	2500	0.06	2000	2	55	80	2.5	5	3	6250	4250	RM-1	40	form-based			true	0.7	5	1	3	3	7000	5000	5000	1.12
3092	005	2500	0.06	3139	2	55	80	2.5	5	3	6250	3111	RM-1	40	form-based			true	0.7	5	1	3	3	7000	3861	3861	1.12
3092	023	2500	0.06	2100	2	55	80	2.5	5	3	6250	4150	RM-1	40	form-based			true	0.7	5	1	3	3	7000	4900	4900	1.12
3092	024	2500	0.06	2100	2	55	80	2.5	5	3	6250	4150	RM-1	40	form-based			true	0.7	5	1	3	3	7000	4900	4900	1.12
3092	071	2500	0.06	2570	2	55	80	2.5	5	3	6250	3680	RM-1	40	form-based			true	0.7	5	1	3	3	7000	4430	4430	1.12
3092	073	2500	0.06	2570	2	55	80	2.5	5	3	6250	3680	RM-1	40	form-based			true	0.7	5	1	3	3	7000	4430	4430	1.12
3093	005	2470	0.06	3961	3	55	80	2.5	5	2	6175	2214	NC-1	40	form-based		true	true	0.75	6	1.200000048	3	3	7410	3449	3449	1.2
3093	007	2482	0.06	4550	3	55	80	2.5	5	2	6205	1655	NC-1	40	form-based			true	0.75	6	1.200000048	3	3	7446	2896	2896	1.2
3093	014	2503	0.06	2372	3	55	80	2.5	5	2	6258	3886	NC-1	40	form-based			true	0.75	6	1.200000048	3	3	7509	5137	5137	1.199904
3116	005	1916	0.04	1264	1	55	80	2.5	3	2	4790	3526	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5364.799805	4100.799805	4100.799805	1.12
3116	006	1915	0.04	1325	1	55	80	2.5	3	2	4788	3463	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5362	4037	4037	1.119883
3116	028	2536	0.06	2500	3	55	80	2.5	5	2	6340	3840	NC-1	40	form-based		true	true	0.75	6	1.200000048	3	3	7608	5108	5108	1.2
3116	048	2546	0.06	1940	2	55	80	2.5	5	3	6365	4425	RH-2	40	form-based			true	0.7	5	1	3	3	7128.799805	5188.799805	5188.799805	1.12
3116	049	2546	0.06	1940	2	55	80	2.5	5	3	6365	4425	RH-2	40	form-based			true	0.7	5	1	3	3	7128.799805	5188.799805	5188.799805	1.12
3116	054	2592	0.06	1912	2	55	80	2.5	5	3	6480	4568	RH-2	40	form-based			true	0.7	5	1	3	3	7257.600098	5345.600098	5345.600098	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3117	032	2257	0.05	2320	2	55	80	2.5	4	2	5642	3322	RH-2	40	form-based			true	0.7	5	1.25	3	3	6319.600098	3999.600098	3999.600098	1.120099
3118	023	1900	0.04	1685	1	65	100	3	4	3	5700	4015	RH-1	40	form-based			true	0.7	4	1	3	3	5320	3635	3635	0.933333
3118	027A	1896	0.04	969	1	55	80	2.5	3	2	4740	3771	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5308.799805	4339.799805	4339.799805	1.12
3118	042	2845	0.07	2602	3	65	100	3	7	4	8535	5933	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	7966	5364	5364	0.933333
3118	048	2530	0.06	2500	2	65	100	3	6	4	7590	5090	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7084	4584	4584	0.933333
3119	051	1875	0.04	1383	1	65	100	3	4	3	5625	4242	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3867	3867	0.933333
3119	052	1896	0.04	1230	1	65	100	3	4	3	5688	4458	RH-1	40	form-based		true	true	0.7	4	1	3	3	5308.799805	4078.799805	4078.799805	0.933333
3119	053	1896	0.04	1912	1	65	100	3	4	3	5688	3776	RH-1	40	form-based			true	0.7	4	1	3	3	5308.799805	3396.799805	3396.799805	0.933333
3119	054	1896	0.04	1225	1	65	100	3	4	3	5688	4463	RH-1	40	form-based			true	0.7	4	1	3	3	5308.799805	4083.799805	4083.799805	0.933333
3120	006	1875	0.04	1834	1	55	80	2.5	3	2	4688	2854	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3416	3416	1.119881
3120	007	1875	0.04	1791	1	55	80	2.5	3	2	4688	2897	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3459	3459	1.119881
3120	008	1875	0.04	1100	1	55	80	2.5	3	2	4688	3588	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4150	4150	1.119881
3121	007	1875	0.04	1368	1	55	80	2.5	3	2	4688	3320	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5250	3882	3882	1.119881
3121	008	1875	0.04	1558	1	55	80	2.5	3	2	4688	3130	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3692	3692	1.119881
3121	009	1875	0.04	1475	1	55	80	2.5	3	2	4688	3213	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3775	3775	1.119881
3121	009A	1875	0.04	972	1	55	80	2.5	3	2	4688	3716	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4278	4278	1.119881
3122	027A	1699	0.04	986	1	55	80	2.5	3	2	4248	3262	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4757.199707	3771.199707	3771.199707	1.119868
3139	001	2317	0.05	2500	2	55	80	2.5	4	2	5792	3292	RH-1	40	form-based		true	true	0.7	5	1.25	3	3	6487.600098	3987.600098	3987.600098	1.120097
3139	013	2812	0.06	1699	3	55	80	2.5	5	2	7030	5331	RH-1	40	form-based			true	0.7	6	1.200000048	3	3	7873.600098	6174.600098	6174.600098	1.12
3139	020	1770	0.04	1016	1	55	80	2.5	3	2	4425	3409	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4956	3940	3940	1.12
3139	021	2017	0.05	1170	1	55	80	2.5	4	3	5042	3872	RH-1	40	form-based			true	0.7	4	1	3	3	5647.600098	4477.600098	4477.600098	1.120111
3139	022	2017	0.05	1935	1	55	80	2.5	4	3	5042	3107	RH-1	40	form-based			true	0.7	4	1	3	3	5647.600098	3712.600098	3712.600098	1.120111
3139	023	2017	0.05	1043	1	55	80	2.5	4	3	5042	3999	RH-1	40	form-based			true	0.7	4	1	3	3	5647.600098	4604.600098	4604.600098	1.120111
3140	001	1934	0.04	1098	1	55	80	2.5	3	2	4835	3737	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5415.199707	4317.199707	4317.199707	1.12
3141	051	1914	0.04	1995	1	55	80	2.5	3	2	4785	2790	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5359.199707	3364.199707	3364.199707	1.12
3146	007	2988	0.07	966	1	65	100	3	7	6	8964	7998	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8366.399414	7400.399414	7400.399414	0.933333
3144C	012	2443	0.06	1264	1	65	100	3	6	5	7329	6065	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6840.399902	5576.399902	5576.399902	0.933333
3144C	013	2445	0.06	1364	1	65	100	3	6	5	7335	5971	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6846	5482	5482	0.933333
3144C	014	2447	0.06	767	1	65	100	3	6	5	7341	6574	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6851.600098	6084.600098	6084.600098	0.933333
3144C	015	2448	0.06	1190	1	65	100	3	6	5	7344	6154	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6854.399902	5664.399902	5664.399902	0.933333
3144C	019	2285	0.05	1150	1	65	100	3	5	4	6855	5705	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6398	5248	5248	0.933333
3144C	020	2278	0.05	1294	1	65	100	3	5	4	6834	5540	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6378.399902	5084.399902	5084.399902	0.933333
3144B	007	2430	0.06	1048	1	65	100	3	6	5	7290	6242	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6804	5756	5756	0.933333
3144B	008	2254	0.05	1050	1	65	100	3	5	4	6762	5712	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6311.199707	5261.199707	5261.199707	0.933333
3144B	009	2294	0.05	1078	1	65	100	3	5	4	6882	5804	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6423.199707	5345.199707	5345.199707	0.933333
3144B	010	2416	0.06	1414	1	65	100	3	6	5	7248	5834	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6764.799805	5350.799805	5350.799805	0.933333
3144B	011	2329	0.05	1264	1	65	100	3	5	4	6987	5723	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6521.199707	5257.199707	5257.199707	0.933333
3144B	012	2311	0.05	1224	1	65	100	3	5	4	6933	5709	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6470.799805	5246.799805	5246.799805	0.933333
3145	020	2757	0.06	1865	1	65	100	3	6	5	8271	6406	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7719.600098	5854.600098	5854.600098	0.933333
3146	004	3927	0.09	1156	1	65	100	3	9	8	11781	10625	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10995.59961	9839.599609	9839.599609	0.933333
3146	005	4132	0.09	1255	1	65	100	3	9	8	12396	11141	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11569.59961	10314.59961	10314.59961	0.933333
3146	006	3091	0.07	1250	1	65	100	3	7	6	9273	8023	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8654.799805	7404.799805	7404.799805	0.933333
3144B	016	2282	0.05	1723	0	65	100	3	5	5	6846	5123	NC-1	40	density-lim	800			0.75	3	0.600000024	3	3	6846	5123	5123	1
3144B	019	2452	0.06	908	1	65	100	3	6	5	7356	6448	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6865.600098	5957.600098	5957.600098	0.933333
3144B	020	2399	0.06	910	1	65	100	3	6	5	7197	6287	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6717.199707	5807.199707	5807.199707	0.933333
3144B	021	2485	0.06	1164	1	65	100	3	6	5	7455	6291	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6958	5794	5794	0.933333
3144B	022	2369	0.05	1164	1	65	100	3	5	4	7107	5943	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6633.199707	5469.199707	5469.199707	0.933333
3144B	023	2449	0.06	1164	1	65	100	3	6	5	7347	6183	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6857.199707	5693.199707	5693.199707	0.933333
3144B	024	2381	0.05	1218	1	65	100	3	5	4	7143	5925	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6666.799805	5448.799805	5448.799805	0.933333
3144B	026	2367	0.05	1800	1	65	100	3	5	4	7101	5301	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6627.600098	4827.600098	4827.600098	0.933333
3144C	005	2432	0.06	950	1	65	100	3	6	5	7296	6346	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6809.600098	5859.600098	5859.600098	0.933333
3144C	006	2434	0.06	1430	1	65	100	3	6	5	7302	5872	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6815.199707	5385.199707	5385.199707	0.933333
3144C	007	2436	0.06	1465	1	65	100	3	6	5	7308	5843	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6820.799805	5355.799805	5355.799805	0.933333
3144C	008	2437	0.06	1156	1	65	100	3	6	5	7311	6155	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6823.600098	5667.600098	5667.600098	0.933333
3144C	009	2439	0.06	1156	1	65	100	3	6	5	7317	6161	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6829.199707	5673.199707	5673.199707	0.933333
3144C	010	2440	0.06	1156	1	65	100	3	6	5	7320	6164	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6832	5676	5676	0.933333
3144C	011	2442	0.06	1231	1	65	100	3	6	5	7326	6095	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6837.600098	5606.600098	5606.600098	0.933333
3144C	022	2367	0.05	960	1	65	100	3	5	4	7101	6141	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6627.600098	5667.600098	5667.600098	0.933333
3144C	023	2367	0.05	1414	1	65	100	3	5	4	7101	5687	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6627.600098	5213.600098	5213.600098	0.933333
3144C	024	2368	0.05	1264	1	65	100	3	5	4	7104	5840	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6630.399902	5366.399902	5366.399902	0.933333
3144C	025	2368	0.05	1357	1	65	100	3	5	4	7104	5747	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6630.399902	5273.399902	5273.399902	0.933333
3144C	026	2368	0.05	1054	1	65	100	3	5	4	7104	6050	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6630.399902	5576.399902	5576.399902	0.933333
3144C	027	2369	0.05	1054	1	65	100	3	5	4	7107	6053	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6633.199707	5579.199707	5579.199707	0.933333
3144C	028	2369	0.05	1598	1	65	100	3	5	4	7107	5509	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6633.199707	5035.199707	5035.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3144C	029	2370	0.05	1804	1	65	100	3	5	4	7110	5306	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6636	4832	4832	0.933333
3144C	030	2370	0.05	1114	1	65	100	3	5	4	7110	5996	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6636	5522	5522	0.933333
3144C	031	2370	0.05	1114	1	65	100	3	5	4	7110	5996	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6636	5522	5522	0.933333
3144C	032	2371	0.05	734	1	65	100	3	5	4	7113	6379	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6638.799805	5904.799805	5904.799805	0.933333
3144C	033	2073	0.05	1314	1	65	100	3	5	4	6219	4905	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5804.399902	4490.399902	4490.399902	0.933333
3144C	047	2197	0.05	980	1	65	100	3	5	4	6591	5611	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6151.600098	5171.600098	5171.600098	0.933333
3145	002	4371	0.1	2479	1	85	140	4	14	13	17484	15005	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	12238.7998	9759.799805	9759.799805	0.7
3145	003	4103	0.09	1625	1	85	140	4	13	12	16412	14787	RH-1	40	density-lim	3000			0.7	4	0.307692319	3	3	11488.39941	9863.399414	9863.399414	0.7
3145	004	4104	0.09	1075	1	65	100	3	9	8	12312	11237	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11491.2002	10416.2002	10416.2002	0.933333
3145	006	4104	0.09	1125	1	65	100	3	9	8	12312	11187	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11491.2002	10366.2002	10366.2002	0.933333
3145	007	4105	0.09	1220	1	65	100	3	9	8	12315	11095	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11494	10274	10274	0.933333
3145	008	4105	0.09	1803	1	65	100	3	9	8	12315	10512	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11494	9691	9691	0.933333
3145	010	4106	0.09	1754	1	65	100	3	9	8	12318	10564	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11496.7998	9742.799805	9742.799805	0.933333
3145	011	4106	0.09	1000	1	65	100	3	9	8	12318	11318	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11496.7998	10496.7998	10496.7998	0.933333
3145	012	4107	0.09	968	1	65	100	3	9	8	12321	11353	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11499.59961	10531.59961	10531.59961	0.933333
3145	014	4107	0.09	960	1	65	100	3	9	8	12321	11361	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11499.59961	10539.59961	10539.59961	0.933333
3145	015	4108	0.09	1767	1	65	100	3	9	8	12324	10557	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11502.39941	9735.399414	9735.399414	0.933333
3145	016	4110	0.09	1333	1	65	100	3	9	8	12330	10997	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11508	10175	10175	0.933333
3145	018	4109	0.09	1288	1	65	100	3	9	8	12327	11039	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11505.2002	10217.2002	10217.2002	0.933333
3145	023	3177	0.07	1369	1	65	100	3	7	6	9531	8162	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8895.599609	7526.599609	7526.599609	0.933333
3145	024	3177	0.07	1762	1	65	100	3	7	6	9531	7769	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8895.599609	7133.599609	7133.599609	0.933333
3145	025	3176	0.07	1100	1	65	100	3	7	6	9528	8428	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8892.799805	7792.799805	7792.799805	0.933333
3145	026	3176	0.07	1132	1	65	100	3	7	6	9528	8396	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8892.799805	7760.799805	7760.799805	0.933333
3145	027	3176	0.07	1231	1	65	100	3	7	6	9528	8297	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8892.799805	7661.799805	7661.799805	0.933333
3145	028	3176	0.07	1250	1	65	100	3	7	6	9528	8278	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8892.799805	7642.799805	7642.799805	0.933333
3145	029	3175	0.07	1100	1	65	100	3	7	6	9525	8425	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8890	7790	7790	0.933333
3145	030	3175	0.07	1070	1	65	100	3	7	6	9525	8455	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8890	7820	7820	0.933333
3145	031	3175	0.07	1257	1	65	100	3	7	6	9525	8268	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8890	7633	7633	0.933333
3145	032	3173	0.07	880	1	65	100	3	7	6	9519	8639	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8884.399414	8004.399414	8004.399414	0.933333
3145	033	3174	0.07	880	1	65	100	3	7	6	9522	8642	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8887.200195	8007.200195	8007.200195	0.933333
3145	034	3174	0.07	1603	1	65	100	3	7	6	9522	7919	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8887.200195	7284.200195	7284.200195	0.933333
3145	035	3174	0.07	880	1	65	100	3	7	6	9522	8642	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8887.200195	8007.200195	8007.200195	0.933333
3145	036	3172	0.07	1348	1	65	100	3	7	6	9516	8168	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8881.599609	7533.599609	7533.599609	0.933333
3145	037	3173	0.07	748	1	65	100	3	7	6	9519	8771	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8884.399414	8136.399414	8136.399414	0.933333
3145	038	3173	0.07	1348	1	65	100	3	7	6	9519	8171	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8884.399414	7536.399414	7536.399414	0.933333
3145	039	3173	0.07	2222	1	65	100	3	7	6	9519	7297	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8884.399414	6662.399414	6662.399414	0.933333
3145	040	3171	0.07	2129	1	65	100	3	7	6	9513	7384	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8878.799805	6749.799805	6749.799805	0.933333
3145	041	4343	0.1	1834	1	65	100	3	10	9	13029	11195	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12160.39941	10326.39941	10326.39941	0.933333
3145	043	3041	0.07	828	1	65	100	3	7	6	9123	8295	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8514.799805	7686.799805	7686.799805	0.933333
3145	044	3053	0.07	1012	1	65	100	3	7	6	9159	8147	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8548.399414	7536.399414	7536.399414	0.933333
3146	008	2744	0.06	966	1	65	100	3	6	5	8232	7266	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7683.199707	6717.199707	6717.199707	0.933333
3146	009	3338	0.08	1409	1	65	100	3	8	7	10014	8605	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9346.399414	7937.399414	7937.399414	0.933333
3146	010	3608	0.08	2079	1	65	100	3	8	7	10824	8745	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10102.39941	8023.399414	8023.399414	0.933333
3146	011	3644	0.08	1190	1	65	100	3	8	7	10932	9742	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10203.2002	9013.200195	9013.200195	0.933333
3146	012	4173	0.1	1127	1	65	100	3	10	9	12519	11392	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	11684.39941	10557.39941	10557.39941	0.933333
3146	013	4282	0.1	1505	1	65	100	3	10	9	12846	11341	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	11989.59961	10484.59961	10484.59961	0.933333
3146	014	4206	0.1	1078	1	65	100	3	10	9	12618	11540	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	11776.7998	10698.7998	10698.7998	0.933333
3146	015	3866	0.09	1490	1	65	100	3	9	8	11598	10108	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10824.7998	9334.799805	9334.799805	0.933333
3146	016	3691	0.08	1458	1	65	100	3	8	7	11073	9615	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10334.7998	8876.799805	8876.799805	0.933333
3146	017	3362	0.08	1078	1	65	100	3	8	7	10086	9008	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9413.599609	8335.599609	8335.599609	0.933333
3146	018	3326	0.08	1078	1	65	100	3	8	7	9978	8900	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9312.799805	8234.799805	8234.799805	0.933333
3146	019	3506	0.08	1078	1	65	100	3	8	7	10518	9440	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9816.799805	8738.799805	8738.799805	0.933333
3146	020	2815	0.06	1649	1	65	100	3	6	5	8445	6796	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7882	6233	6233	0.933333
3146	022	2875	0.07	1078	1	65	100	3	7	6	8625	7547	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8050	6972	6972	0.933333
3146	023	2902	0.07	1078	1	65	100	3	7	6	8706	7628	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8125.600098	7047.600098	7047.600098	0.933333
3146	024	2578	0.06	1078	1	65	100	3	6	5	7734	6656	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7218.399902	6140.399902	6140.399902	0.933333
3146	025	3234	0.07	1397	1	65	100	3	7	6	9702	8305	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9055.200195	7658.200195	7658.200195	0.933333
3146	026	2953	0.07	1078	1	65	100	3	7	6	8859	7781	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8268.399414	7190.399414	7190.399414	0.933333
3146	027	2903	0.07	1250	1	65	100	3	7	6	8709	7459	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8128.399902	6878.399902	6878.399902	0.933333
3146	028	2868	0.07	1152	1	65	100	3	7	6	8604	7452	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8030.399902	6878.399902	6878.399902	0.933333
3146	029	2895	0.07	1573	1	65	100	3	7	6	8685	7112	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8106	6533	6533	0.933333
3146	030	3013	0.07	1012	1	65	100	3	7	6	9039	8027	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8436.399414	7424.399414	7424.399414	0.933333
3146	031	2954	0.07	1330	1	65	100	3	7	6	8862	7532	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8271.200195	6941.200195	6941.200195	0.933333
3146	033	2727	0.06	2456	1	65	100	3	6	5	8181	5725	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7635.600098	5179.600098	5179.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3146	034	7206	0.17	1418	1	65	100	3	17	16	21618	20200	RH-1	40	density-lim	3000			0.7	4	0.235294119	3	3	20176.79883	18758.79883	18758.79883	0.933333
3146	034B	2711	0.06	1895	1	65	100	3	6	5	8133	6238	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7590.799805	5695.799805	5695.799805	0.933333
3146	034C	2435	0.06	1225	1	65	100	3	6	5	7305	6080	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6818	5593	5593	0.933333
3146	034D	2649	0.06	1279	1	65	100	3	6	5	7947	6668	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7417.199707	6138.199707	6138.199707	0.933333
3146	034E	2492	0.06	1279	1	65	100	3	6	5	7476	6197	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6977.600098	5698.600098	5698.600098	0.933333
3146	034F	2776	0.06	1919	1	65	100	3	6	5	8328	6409	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7772.799805	5853.799805	5853.799805	0.933333
3146	034G	2653	0.06	1279	1	65	100	3	6	5	7959	6680	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7428.399902	6149.399902	6149.399902	0.933333
3146	034H	3461	0.08	1729	1	65	100	3	8	7	10383	8654	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9690.799805	7961.799805	7961.799805	0.933333
3146	034I	2287	0.05	1180	1	65	100	3	5	4	6861	5681	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6403.600098	5223.600098	5223.600098	0.933333
3146	034J	4108	0.09	1279	1	65	100	3	9	8	12324	11045	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11502.39941	10223.39941	10223.39941	0.933333
3146	034O	2460	0.06	1056	1	65	100	3	6	5	7380	6324	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6888	5832	5832	0.933333
3146	034P	3484	0.08	1200	1	65	100	3	8	7	10452	9252	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9755.200195	8555.200195	8555.200195	0.933333
3146	034Q	2759	0.06	2223	1	65	100	3	6	5	8277	6054	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7725.199707	5502.199707	5502.199707	0.933333
3146	034R	2629	0.06	1390	1	65	100	3	6	5	7887	6497	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7361.199707	5971.199707	5971.199707	0.933333
3146	034S	2757	0.06	1765	1	65	100	3	6	5	8271	6506	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7719.600098	5954.600098	5954.600098	0.933333
3146	034T	2508	0.06	1350	1	65	100	3	6	5	7524	6174	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5672.399902	5672.399902	0.933333
3146	034U	2785	0.06	1223	1	65	100	3	6	5	8355	7132	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7798	6575	6575	0.933333
3146	034V	2547	0.06	1356	1	65	100	3	6	5	7641	6285	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7131.600098	5775.600098	5775.600098	0.933333
3146	034W	2593	0.06	1056	1	65	100	3	6	5	7779	6723	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7260.399902	6204.399902	6204.399902	0.933333
3146	034X	2512	0.06	1150	1	65	100	3	6	5	7536	6386	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5883.600098	5883.600098	0.933333
3146	035	2563	0.06	2342	1	65	100	3	6	5	7689	5347	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7176.399902	4834.399902	4834.399902	0.933333
3146	036	2664	0.06	2523	1	65	100	3	6	5	7992	5469	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7459.199707	4936.199707	4936.199707	0.933333
3146	037	2568	0.06	850	1	65	100	3	6	5	7704	6854	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7190.399902	6340.399902	6340.399902	0.933333
3146	038	2477	0.06	1152	1	65	100	3	6	5	7431	6279	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5783.600098	5783.600098	0.933333
3146	039	2754	0.06	1850	1	65	100	3	6	5	8262	6412	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7711.199707	5861.199707	5861.199707	0.933333
3146	040	2324	0.05	1152	1	65	100	3	5	4	6972	5820	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6507.199707	5355.199707	5355.199707	0.933333
3146	041	2963	0.07	1152	1	65	100	3	7	6	8889	7737	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8296.399414	7144.399414	7144.399414	0.933333
3146	042	2510	0.06	1152	1	65	100	3	6	5	7530	6378	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7028	5876	5876	0.933333
3146	043	2662	0.06	1188	1	65	100	3	6	5	7986	6798	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7453.600098	6265.600098	6265.600098	0.933333
3146	044	2623	0.06	1152	1	65	100	3	6	5	7869	6717	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7344.399902	6192.399902	6192.399902	0.933333
3146	045	2447	0.06	1933	1	65	100	3	6	5	7341	5408	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6851.600098	4918.600098	4918.600098	0.933333
3146	046	2094	0.05	1487	1	65	100	3	5	4	6282	4795	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5863.199707	4376.199707	4376.199707	0.933333
3146	048	1980	0.05	1560	1	65	100	3	5	4	5940	4380	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5544	3984	3984	0.933333
3146	049	1740	0.04	900	1	65	100	3	4	3	5220	4320	RH-1	40	density-lim	3000			0.7	4	1	3	3	4872	3972	3972	0.933333
3146	050	2143	0.05	1261	1	65	100	3	5	4	6429	5168	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6000.399902	4739.399902	4739.399902	0.933333
3147	006	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5750	5750	1.12
3147	007	2500	0.06	1330	1	55	80	2.5	5	4	6250	4920	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5670	5670	1.12
3147	008	2500	0.06	1348	1	55	80	2.5	5	4	6250	4902	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5652	5652	1.12
3147	008A	2500	0.06	1200	1	55	80	2.5	5	4	6250	5050	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5800	5800	1.12
3147	009	2500	0.06	1528	1	55	80	2.5	5	4	6250	4722	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5472	5472	1.12
3147	009A	2411	0.06	1144	1	55	80	2.5	5	4	6028	4884	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6750.799805	5606.799805	5606.799805	1.119907
3147	009B	2500	0.06	2562	1	55	80	2.5	5	4	6250	3688	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4438	4438	1.12
3147	010	2500	0.06	1070	1	55	80	2.5	5	4	6250	5180	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5930	5930	1.12
3147	011	2500	0.06	1225	1	55	80	2.5	5	4	6250	5025	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5775	5775	1.12
3147	011A	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5600	5600	1.12
3147	012	2500	0.06	1160	1	55	80	2.5	5	4	6250	5090	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5840	5840	1.12
3147	013	2500	0.06	1610	1	55	80	2.5	5	4	6250	4640	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5390	5390	1.12
3147	014	2500	0.06	945	1	55	80	2.5	5	4	6250	5305	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6055	6055	1.12
3147	015	2500	0.06	528	1	55	80	2.5	5	4	6250	5722	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6472	6472	1.12
3147	016	2500	0.06	1389	1	55	80	2.5	5	4	6250	4861	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5611	5611	1.12
3147	017	2500	0.06	2450	1	65	100	3	6	5	7500	5050	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4550	4550	0.933333
3147	018	2500	0.06	660	1	65	100	3	6	5	7500	6840	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6340	6340	0.933333
3147	019	3905	0.09	2815	3	65	100	3	9	6	11715	8900	RH-1	40	density-lim	3000	true		0.7	6	0.666666687	3	3	10934	8119	8119	0.933333
3147	021A	2499	0.06	2220	1	65	100	3	6	5	7497	5277	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	4777.199707	4777.199707	0.933333
3147	022	2498	0.06	2110	1	65	100	3	6	5	7494	5384	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6994.399902	4884.399902	4884.399902	0.933333
3147	022A	2497	0.06	1184	1	65	100	3	6	5	7491	6307	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6991.600098	5807.600098	5807.600098	0.933333
3147	023	2496	0.06	1505	1	65	100	3	6	5	7488	5983	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6988.799805	5483.799805	5483.799805	0.933333
3147	023A	2495	0.06	1144	1	65	100	3	6	5	7485	6341	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5842	5842	0.933333
3147	024	2494	0.06	1928	1	65	100	3	6	5	7482	5554	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6983.199707	5055.199707	5055.199707	0.933333
3147	024A	2493	0.06	2006	1	65	100	3	6	5	7479	5473	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	4974.399902	4974.399902	0.933333
3147	026	2490	0.06	915	1	65	100	3	6	5	7470	6555	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6972	6057	6057	0.933333
3147	027	4888	0.11	1952	1	65	100	3	11	10	14664	12712	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13686.39941	11734.39941	11734.39941	0.933333
3147	027A	2487	0.06	1665	1	65	100	3	6	5	7461	5796	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6963.600098	5298.600098	5298.600098	0.933333
3147	028A	4968	0.11	2409	1	55	80	2.5	9	8	12420	10011	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13910.39941	11501.39941	11501.39941	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3147	029	2482	0.06	1345	1	55	80	2.5	5	4	6205	4860	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6949.600098	5604.600098	5604.600098	1.12
3147	031	2492	0.06	1995	1	65	100	3	6	5	7476	5481	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6977.600098	4982.600098	4982.600098	0.933333
3147	032	2491	0.06	1500	1	65	100	3	6	5	7473	5973	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6974.799805	5474.799805	5474.799805	0.933333
3148	010	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5850	5850	1.12
3148	014	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
3148	015	2500	0.06	1320	1	55	80	2.5	5	4	6250	4930	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5680	5680	1.12
3148	015A	2500	0.06	1200	1	55	80	2.5	5	4	6250	5050	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5800	5800	1.12
3148	016	2500	0.06	1362	1	55	80	2.5	5	4	6250	4888	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5638	5638	1.12
3148	017	1875	0.04	1180	1	55	80	2.5	3	2	4688	3508	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4070	4070	1.119881
3148	017A	1875	0.04	1180	1	55	80	2.5	3	2	4688	3508	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4070	4070	1.119881
3149	013	2447	0.06	1537	1	65	100	3	6	5	7341	5804	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6851.600098	5314.600098	5314.600098	0.933333
3148	018	2112	0.05	1296	1	55	80	2.5	4	3	5280	3984	RH-1	40	density-lim	3000			0.7	4	1	3	3	5913.600098	4617.600098	4617.600098	1.12
3148	020	2510	0.06	1232	1	55	80	2.5	5	4	6275	5043	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7028	5796	5796	1.12
3148	021	2509	0.06	1555	1	55	80	2.5	5	4	6272	4717	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7025.199707	5470.199707	5470.199707	1.120089
3148	022	2408	0.06	920	1	55	80	2.5	5	4	6020	5100	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6742.399902	5822.399902	5822.399902	1.12
3148	023	2508	0.06	2700	1	55	80	2.5	5	4	6270	3570	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7022.399902	4322.399902	4322.399902	1.12
3148	024	2507	0.06	1280	1	55	80	2.5	5	4	6268	4988	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7019.600098	5739.600098	5739.600098	1.119911
3148	025	2506	0.06	1835	1	55	80	2.5	5	4	6265	4430	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7016.799805	5181.799805	5181.799805	1.12
3148	025A	2505	0.06	1842	1	55	80	2.5	5	4	6262	4420	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7014	5172	5172	1.120089
3148	026	2504	0.06	1150	1	55	80	2.5	5	4	6260	5110	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7011.199707	5861.199707	5861.199707	1.12
3148	028	2503	0.06	800	1	55	80	2.5	5	4	6258	5458	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7008.399902	6208.399902	6208.399902	1.11991
3148	030	2501	0.06	2289	1	55	80	2.5	5	4	6252	3963	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7002.799805	4713.799805	4713.799805	1.12009
3148	031	2500	0.06	1277	1	55	80	2.5	5	4	6250	4973	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5723	5723	1.12
3148	032	2500	0.06	1475	1	55	80	2.5	5	4	6250	4775	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5525	5525	1.12
3148	033	2499	0.06	1690	1	55	80	2.5	5	4	6248	4558	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6997.199707	5307.199707	5307.199707	1.11991
3148	036	2500	0.06	1741	1	55	80	2.5	5	4	6250	4509	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5259	5259	1.12
3148	037	2500	0.06	1193	1	55	80	2.5	5	4	6250	5057	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5807	5807	1.12
3149	002	2206	0.05	1050	1	65	100	3	5	4	6618	5568	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6176.799805	5126.799805	5126.799805	0.933333
3149	003	2078	0.05	1065	1	65	100	3	5	4	6234	5169	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5818.399902	4753.399902	4753.399902	0.933333
3149	004	1949	0.04	1035	1	65	100	3	4	3	5847	4812	RH-1	40	density-lim	3000			0.7	4	1	3	3	5457.199707	4422.199707	4422.199707	0.933333
3149	005	2324	0.05	1070	1	65	100	3	5	4	6972	5902	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6507.199707	5437.199707	5437.199707	0.933333
3149	006	2200	0.05	1125	1	65	100	3	5	4	6600	5475	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	5035	5035	0.933333
3149	007	2077	0.05	1737	1	65	100	3	5	4	6231	4494	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5815.600098	4078.600098	4078.600098	0.933333
3149	010	2345	0.05	2028	1	65	100	3	5	4	7035	5007	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6566	4538	4538	0.933333
3149	011	2552	0.06	1448	1	65	100	3	6	5	7656	6208	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7145.600098	5697.600098	5697.600098	0.933333
3149	012	2454	0.06	1357	1	65	100	3	6	5	7362	6005	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6871.199707	5514.199707	5514.199707	0.933333
3149	014	2481	0.06	1357	1	65	100	3	6	5	7443	6086	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6946.799805	5589.799805	5589.799805	0.933333
3149	015	2484	0.06	2607	1	55	80	2.5	5	4	6210	3603	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	4348.199707	4348.199707	1.12
3149	016	2487	0.06	1987	1	55	80	2.5	5	4	6218	4231	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6963.600098	4976.600098	4976.600098	1.11991
3149	017	2489	0.06	1357	1	55	80	2.5	5	4	6222	4865	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6969.199707	5612.199707	5612.199707	1.12009
3149	018	2492	0.06	1846	1	55	80	2.5	5	4	6230	4384	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6977.600098	5131.600098	5131.600098	1.12
3149	019	2495	0.06	1948	1	55	80	2.5	5	4	6238	4290	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6986	5038	5038	1.11991
3149	020	2497	0.06	1357	1	55	80	2.5	5	4	6242	4885	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6991.600098	5634.600098	5634.600098	1.12009
3149	021	2500	0.06	1200	1	55	80	2.5	5	4	6250	5050	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5800	5800	1.12
3149	022	2503	0.06	1200	1	55	80	2.5	5	4	6258	5058	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7008.399902	5808.399902	5808.399902	1.11991
3149	023	2506	0.06	1200	1	55	80	2.5	5	4	6265	5065	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7016.799805	5816.799805	5816.799805	1.12
3149	024	2508	0.06	1200	1	55	80	2.5	5	4	6270	5070	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7022.399902	5822.399902	5822.399902	1.12
3149	025	2511	0.06	1200	1	55	80	2.5	5	4	6278	5078	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7030.799805	5830.799805	5830.799805	1.119911
3149	026	2514	0.06	1200	1	55	80	2.5	5	4	6285	5085	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7039.199707	5839.199707	5839.199707	1.12
3149	027	2516	0.06	1475	1	55	80	2.5	5	4	6290	4815	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7044.799805	5569.799805	5569.799805	1.12
3149	028	2519	0.06	1250	1	55	80	2.5	5	4	6298	5048	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	5803.199707	5803.199707	1.119911
3149	029	2522	0.06	1250	1	55	80	2.5	5	4	6305	5055	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7061.600098	5811.600098	5811.600098	1.12
3149	030	2524	0.06	1850	1	55	80	2.5	5	4	6310	4460	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7067.199707	5217.199707	5217.199707	1.12
3149	031	2527	0.06	1430	1	55	80	2.5	5	4	6318	4888	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7075.600098	5645.600098	5645.600098	1.119911
3149	032A	1890	0.04	1353	1	55	80	2.5	3	2	4725	3372	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5292	3939	3939	1.12
3149	032B	1963	0.05	1290	1	55	80	2.5	4	3	4908	3618	RH-1	40	density-lim	3000			0.7	4	1	3	3	5496.399902	4206.399902	4206.399902	1.119886
3149	032C	1928	0.04	920	1	55	80	2.5	3	2	4820	3900	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5398.399902	4478.399902	4478.399902	1.12
3149	032D	1938	0.04	960	1	55	80	2.5	3	2	4845	3885	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5426.399902	4466.399902	4466.399902	1.12
3149	032E	1878	0.04	935	1	55	80	2.5	3	2	4695	3760	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5258.399902	4323.399902	4323.399902	1.12
3149	032F	1992	0.05	912	1	55	80	2.5	4	3	4980	4068	RH-1	40	density-lim	3000			0.7	4	1	3	3	5577.600098	4665.600098	4665.600098	1.12
3149	033	2495	0.06	818	1	55	80	2.5	5	4	6238	5420	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6986	6168	6168	1.11991
3149	034	2497	0.06	818	1	55	80	2.5	5	4	6242	5424	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6991.600098	6173.600098	6173.600098	1.12009
3149	035	2499	0.06	1845	1	55	80	2.5	5	4	6248	4403	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6997.199707	5152.199707	5152.199707	1.11991
3149	036	2501	0.06	1500	1	55	80	2.5	5	4	6252	4752	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7002.799805	5502.799805	5502.799805	1.12009

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3149	037	2502	0.06	795	1	55	80	2.5	5	4	6255	5460	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7005.600098	6210.600098	6210.600098	1.12
3149	038	2504	0.06	2583	1	55	80	2.5	5	4	6260	3677	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7011.199707	4428.199707	4428.199707	1.12
3149	039	2506	0.06	1190	1	55	80	2.5	5	4	6265	5075	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7016.799805	5826.799805	5826.799805	1.12
3149	040	2508	0.06	2074	1	55	80	2.5	5	4	6270	4196	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7022.399902	4948.399902	4948.399902	1.12
3149	041	2509	0.06	1334	1	55	80	2.5	5	4	6272	4938	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7025.199707	5691.199707	5691.199707	1.120089
3149	042	2511	0.06	1610	1	55	80	2.5	5	4	6278	4668	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7030.799805	5420.799805	5420.799805	1.119911
3149	043	2513	0.06	813	1	65	100	3	6	5	7539	6726	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7036.399902	6223.399902	6223.399902	0.933333
3149	044	2515	0.06	1935	1	65	100	3	6	5	7545	5610	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7042	5107	5107	0.933333
3149	045	2516	0.06	1322	1	65	100	3	6	5	7548	6226	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7044.799805	5722.799805	5722.799805	0.933333
3149	046	2518	0.06	2128	1	65	100	3	6	5	7554	5426	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	4922.399902	4922.399902	0.933333
3149	047	2520	0.06	822	1	65	100	3	6	5	7560	6738	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	6234	6234	0.933333
3149	048	2522	0.06	1070	1	65	100	3	6	5	7566	6496	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7061.600098	5991.600098	5991.600098	0.933333
3149	049	2523	0.06	1030	1	65	100	3	6	5	7569	6539	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7064.399902	6034.399902	6034.399902	0.933333
3149	050	2525	0.06	1580	1	65	100	3	6	5	7575	5995	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7070	5490	5490	0.933333
3149	051	2527	0.06	860	1	65	100	3	6	5	7581	6721	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7075.600098	6215.600098	6215.600098	0.933333
3149	052	2467	0.06	1027	1	65	100	3	6	5	7401	6374	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6907.600098	5880.600098	5880.600098	0.933333
3149	054	2471	0.06	1298	1	65	100	3	6	5	7413	6115	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6918.799805	5620.799805	5620.799805	0.933333
3149	055	2540	0.06	1190	1	65	100	3	6	5	7620	6430	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7112	5922	5922	0.933333
3150	002	3385	0.08	1850	1	65	100	3	8	7	10155	8305	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9478	7628	7628	0.933333
3150	003	3327	0.08	1412	1	65	100	3	8	7	9981	8569	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9315.599609	7903.599609	7903.599609	0.933333
3150	004	2872	0.07	1903	1	65	100	3	7	6	8616	6713	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8041.600098	6138.600098	6138.600098	0.933333
3150	005	3947	0.09	1423	1	65	100	3	9	8	11841	10418	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11051.59961	9628.599609	9628.599609	0.933333
3150	006	3563	0.08	2286	1	65	100	3	8	7	10689	8403	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9976.399414	7690.399414	7690.399414	0.933333
3150	007	3133	0.07	1590	1	65	100	3	7	6	9399	7809	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8772.399414	7182.399414	7182.399414	0.933333
3150	008	3511	0.08	1350	1	65	100	3	8	7	10533	9183	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9830.799805	8480.799805	8480.799805	0.933333
3150	009	3290	0.08	1230	1	65	100	3	8	7	9870	8640	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9212	7982	7982	0.933333
3150	010	2798	0.06	1175	1	65	100	3	6	5	8394	7219	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7834.399902	6659.399902	6659.399902	0.933333
3150	011	2850	0.07	1902	1	65	100	3	7	6	8550	6648	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7980	6078	6078	0.933333
3150	012	2902	0.07	1150	1	65	100	3	7	6	8706	7556	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8125.600098	6975.600098	6975.600098	0.933333
3150	013	2954	0.07	2314	1	65	100	3	7	6	8862	6548	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8271.200195	5957.200195	5957.200195	0.933333
3150	016	2924	0.07	1165	1	65	100	3	7	6	8772	7607	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8187.199707	7022.199707	7022.199707	0.933333
3150	017	2924	0.07	1262	1	65	100	3	7	6	8772	7510	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8187.199707	6925.199707	6925.199707	0.933333
3150	018	2924	0.07	1250	1	65	100	3	7	6	8772	7522	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8187.199707	6937.199707	6937.199707	0.933333
3150	019	2924	0.07	1317	1	65	100	3	7	6	8772	7455	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8187.199707	6870.199707	6870.199707	0.933333
3150	020	2924	0.07	1159	1	65	100	3	7	6	8772	7613	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8187.199707	7028.199707	7028.199707	0.933333
3150	021	2925	0.07	1246	1	65	100	3	7	6	8775	7529	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8190	6944	6944	0.933333
3150	022	2925	0.07	1200	1	65	100	3	7	6	8775	7575	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8190	6990	6990	0.933333
3150	023	2925	0.07	1180	1	65	100	3	7	6	8775	7595	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8190	7010	7010	0.933333
3150	024	2925	0.07	1180	1	65	100	3	7	6	8775	7595	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8190	7010	7010	0.933333
3150	025	2925	0.07	1090	1	65	100	3	7	6	8775	7685	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8190	7100	7100	0.933333
3150	026	4427	0.1	1319	1	65	100	3	10	9	13281	11962	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12395.59961	11076.59961	11076.59961	0.933333
3150	028	3509	0.08	1512	1	65	100	3	8	7	10527	9015	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9825.200195	8313.200195	8313.200195	0.933333
3150	029	3342	0.08	1830	1	65	100	3	8	7	10026	8196	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9357.599609	7527.599609	7527.599609	0.933333
3150	030	3342	0.08	765	1	65	100	3	8	7	10026	9261	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9357.599609	8592.599609	8592.599609	0.933333
3150	031	2924	0.07	1220	1	65	100	3	7	6	8772	7552	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8187.199707	6967.199707	6967.199707	0.933333
3151	003	3179	0.07	1282	1	65	100	3	7	6	9537	8255	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7619.200195	7619.200195	0.933333
3151	004	3179	0.07	1060	1	65	100	3	7	6	9537	8477	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7841.200195	7841.200195	0.933333
3151	005	3179	0.07	1250	1	65	100	3	7	6	9537	8287	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7651.200195	7651.200195	0.933333
3151	006	3179	0.07	1250	1	65	100	3	7	6	9537	8287	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7651.200195	7651.200195	0.933333
3151	007	3180	0.07	1806	1	65	100	3	7	6	9540	7734	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8904	7098	7098	0.933333
3151	008	3180	0.07	1395	1	65	100	3	7	6	9540	8145	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8904	7509	7509	0.933333
3151	009	3180	0.07	1256	1	65	100	3	7	6	9540	8284	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8904	7648	7648	0.933333
3151	010	3180	0.07	995	1	65	100	3	7	6	9540	8545	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8904	7909	7909	0.933333
3151	011	3180	0.07	1265	1	65	100	3	7	6	9540	8275	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8904	7639	7639	0.933333
3151	012	3180	0.07	1220	1	65	100	3	7	6	9540	8320	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8904	7684	7684	0.933333
3151	013	3180	0.07	1971	1	65	100	3	7	6	9540	7569	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8904	6933	6933	0.933333
3151	014	3180	0.07	1275	1	65	100	3	7	6	9540	8265	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8904	7629	7629	0.933333
3151	015	3179	0.07	1798	1	65	100	3	7	6	9537	7739	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7103.200195	7103.200195	0.933333
3151	016	3179	0.07	1896	1	65	100	3	7	6	9537	7641	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7005.200195	7005.200195	0.933333
3151	017	3179	0.07	1275	1	65	100	3	7	6	9537	8262	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7626.200195	7626.200195	0.933333
3151	018	3179	0.07	1125	1	65	100	3	7	6	9537	8412	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7776.200195	7776.200195	0.933333
3151	021	3139	0.07	840	1	65	100	3	7	6	9417	8577	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8789.200195	7949.200195	7949.200195	0.933333
3151	022	3762	0.09	895	1	65	100	3	9	8	11286	10391	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10533.59961	9638.599609	9638.599609	0.933333
3151	023	3760	0.09	914	1	65	100	3	9	8	11280	10366	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10528	9614	9614	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3151	024	3768	0.09	1104	1	65	100	3	9	8	11304	10200	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10550.39941	9446.399414	9446.399414	0.933333
3151	025	3760	0.09	1052	1	65	100	3	9	8	11280	10228	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10528	9476	9476	0.933333
3151	026	3758	0.09	1137	1	65	100	3	9	8	11274	10137	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10522.39941	9385.399414	9385.399414	0.933333
3151	027	3755	0.09	2332	1	65	100	3	9	8	11265	8933	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10514	8182	8182	0.933333
3151	028	3753	0.09	1660	1	65	100	3	9	8	11259	9599	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10508.39941	8848.399414	8848.399414	0.933333
3151	029	3751	0.09	975	1	65	100	3	9	8	11253	10278	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10502.7998	9527.799805	9527.799805	0.933333
3151	030	3749	0.09	1010	1	65	100	3	9	8	11247	10237	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10497.2002	9487.200195	9487.200195	0.933333
3151	032	3119	0.07	1684	1	65	100	3	7	6	9357	7673	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8733.200195	7049.200195	7049.200195	0.933333
3151	033	3117	0.07	1883	1	65	100	3	7	6	9351	7468	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8727.599609	6844.599609	6844.599609	0.933333
3151	034	3116	0.07	2500	1	65	100	3	7	6	9348	6848	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8724.799805	6224.799805	6224.799805	0.933333
3152	003	3178	0.07	1295	1	65	100	3	7	6	9534	8239	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8898.399414	7603.399414	7603.399414	0.933333
3152	004	3178	0.07	1708	1	65	100	3	7	6	9534	7826	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8898.399414	7190.399414	7190.399414	0.933333
3152	005	3178	0.07	601	1	65	100	3	7	6	9534	8933	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8898.399414	8297.399414	8297.399414	0.933333
3152	006	3178	0.07	1451	1	65	100	3	7	6	9534	8083	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8898.399414	7447.399414	7447.399414	0.933333
3152	007	3179	0.07	1030	1	65	100	3	7	6	9537	8507	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7871.200195	7871.200195	0.933333
3152	008	3179	0.07	1590	1	65	100	3	7	6	9537	7947	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7311.200195	7311.200195	0.933333
3152	009	3179	0.07	2472	1	65	100	3	7	6	9537	7065	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	6429.200195	6429.200195	0.933333
3152	010	3179	0.07	1908	1	65	100	3	7	6	9537	7629	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	6993.200195	6993.200195	0.933333
3152	011	3179	0.07	2538	1	65	100	3	7	6	9537	6999	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	6363.200195	6363.200195	0.933333
3152	012	3179	0.07	1306	1	65	100	3	7	6	9537	8231	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7595.200195	7595.200195	0.933333
3152	013	3179	0.07	1500	1	65	100	3	7	6	9537	8037	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7401.200195	7401.200195	0.933333
3152	014	3179	0.07	1204	1	65	100	3	7	6	9537	8333	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7697.200195	7697.200195	0.933333
3152	015	3178	0.07	840	1	65	100	3	7	6	9534	8694	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8898.399414	8058.399414	8058.399414	0.933333
3152	016	3178	0.07	1971	1	65	100	3	7	6	9534	7563	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8898.399414	6927.399414	6927.399414	0.933333
3152	017	3178	0.07	1137	1	65	100	3	7	6	9534	8397	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8898.399414	7761.399414	7761.399414	0.933333
3152	018	3178	0.07	1418	1	65	100	3	7	6	9534	8116	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8898.399414	7480.399414	7480.399414	0.933333
3152	022	4442	0.1	2275	1	65	100	3	10	9	13326	11051	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12437.59961	10162.59961	10162.59961	0.933333
3152	024	4449	0.1	1500	1	65	100	3	10	9	13347	11847	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12457.2002	10957.2002	10957.2002	0.933333
3152	025	3183	0.07	1340	1	65	100	3	7	6	9549	8209	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8912.399414	7572.399414	7572.399414	0.933333
3152	026	3187	0.07	1399	1	65	100	3	7	6	9561	8162	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8923.599609	7524.599609	7524.599609	0.933333
3152	027	3189	0.07	1754	1	65	100	3	7	6	9567	7813	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8929.200195	7175.200195	7175.200195	0.933333
3152	028	3188	0.07	1225	1	65	100	3	7	6	9564	8339	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8926.399414	7701.399414	7701.399414	0.933333
3152	029	3187	0.07	1340	1	65	100	3	7	6	9561	8221	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8923.599609	7583.599609	7583.599609	0.933333
3152	030	3185	0.07	1330	1	65	100	3	7	6	9555	8225	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8918	7588	7588	0.933333
3152	031	3184	0.07	1550	1	65	100	3	7	6	9552	8002	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8915.200195	7365.200195	7365.200195	0.933333
3152	032	3182	0.07	1225	1	65	100	3	7	6	9546	8321	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8909.599609	7684.599609	7684.599609	0.933333
3152	033	3179	0.07	1176	1	65	100	3	7	6	9537	8361	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7725.200195	7725.200195	0.933333
3152	034	3178	0.07	1176	1	65	100	3	7	6	9534	8358	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8898.399414	7722.399414	7722.399414	0.933333
3152	036	3175	0.07	1377	1	65	100	3	7	6	9525	8148	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8890	7513	7513	0.933333
3153	001A	2066	0.05	1360	1	65	100	3	5	4	6198	4838	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5784.799805	4424.799805	4424.799805	0.933333
3153	001B	2067	0.05	1771	1	65	100	3	5	4	6201	4430	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5787.600098	4016.600098	4016.600098	0.933333
3153	002	2902	0.07	1400	1	65	100	3	7	6	8706	7306	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8125.600098	6725.600098	6725.600098	0.933333
3153	002A	2903	0.07	1469	1	65	100	3	7	6	8709	7240	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8128.399902	6659.399902	6659.399902	0.933333
3153	002B	2438	0.06	1360	1	65	100	3	6	5	7314	5954	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6826.399902	5466.399902	5466.399902	0.933333
3153	003	2607	0.06	1360	1	65	100	3	6	5	7821	6461	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7299.600098	5939.600098	5939.600098	0.933333
3153	006	3318	0.08	1220	1	65	100	3	8	7	9954	8734	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9290.399414	8070.399414	8070.399414	0.933333
3153	007	3661	0.08	1064	1	65	100	3	8	7	10983	9919	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10250.7998	9186.799805	9186.799805	0.933333
3153	008	4004	0.09	1126	1	65	100	3	9	8	12012	10886	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11211.2002	10085.2002	10085.2002	0.933333
3153	009	4347	0.1	785	1	65	100	3	10	9	13041	12256	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12171.59961	11386.59961	11386.59961	0.933333
3153	010	4696	0.11	2165	1	65	100	3	11	10	14088	11923	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13148.7998	10983.7998	10983.7998	0.933333
3153	011	5032	0.12	2013	1	65	100	3	12	11	15096	13083	RH-1	40	density-lim	3000			0.7	4	0.333333343	3	3	14089.59961	12076.59961	12076.59961	0.933333
3153	012	5914	0.14	1472	1	65	100	3	14	13	17742	16270	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	16559.19922	15087.19922	15087.19922	0.933333
3153	013	6192	0.14	1378	1	65	100	3	14	13	18576	17198	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	17337.59961	15959.59961	15959.59961	0.933333
3153	014	6426	0.15	1175	1	65	100	3	15	14	19278	18103	RH-1	40	density-lim	3000			0.7	4	0.266666681	3	3	17992.79883	16817.79883	16817.79883	0.933333
3153	015	5397	0.12	1340	1	65	100	3	12	11	16191	14851	RH-1	40	density-lim	3000			0.7	4	0.333333343	3	3	15111.59961	13771.59961	13771.59961	0.933333
3153	016	4337	0.1	3408	1	65	100	3	10	9	13011	9603	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12143.59961	8735.599609	8735.599609	0.933333
3153	017	2560	0.06	1170	1	65	100	3	6	5	7680	6510	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7168	5998	5998	0.933333
3153	018	2896	0.07	1150	1	65	100	3	7	6	8688	7538	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8108.799805	6958.799805	6958.799805	0.933333
3153	019	3232	0.07	1150	1	65	100	3	7	6	9696	8546	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9049.599609	7899.599609	7899.599609	0.933333
3153	020	3569	0.08	2779	1	65	100	3	8	7	10707	7928	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9993.200195	7214.200195	7214.200195	0.933333
3153	021	2001	0.05	1152	1	65	100	3	5	4	6003	4851	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5602.799805	4450.799805	4450.799805	0.933333
3153	022	1957	0.04	1152	1	65	100	3	4	3	5871	4719	RH-1	40	density-lim	3000			0.7	4	1	3	3	5479.600098	4327.600098	4327.600098	0.933333
3153	023A	1602	0.04	1765	1	65	100	3	4	3	4806	3041	RH-1	40	density-lim	3000			0.7	4	1	3	3	4485.600098	2720.600098	2720.600098	0.933333
3153	024	2570	0.06	1625	1	65	100	3	6	5	7710	6085	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7196	5571	5571	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3153	024A	2765	0.06	1390	1	65	100	3	6	5	8295	6905	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7742	6352	6352	0.933333
3153	024B	2755	0.06	1725	1	65	100	3	6	5	8265	6540	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7714	5989	5989	0.933333
3153	025	2744	0.06	1365	1	65	100	3	6	5	8232	6867	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7683.199707	6318.199707	6318.199707	0.933333
3153	025A	2733	0.06	1395	1	65	100	3	6	5	8199	6804	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7652.399902	6257.399902	6257.399902	0.933333
3153	025B	2708	0.06	1450	1	65	100	3	6	5	8124	6674	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7582.399902	6132.399902	6132.399902	0.933333
3153	026	2893	0.07	1125	1	65	100	3	7	6	8679	7554	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8100.399902	6975.399902	6975.399902	0.933333
3153	027	2896	0.07	870	1	65	100	3	7	6	8688	7818	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8108.799805	7238.799805	7238.799805	0.933333
3153	028	2793	0.06	1899	1	65	100	3	6	5	8379	6480	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7820.399902	5921.399902	5921.399902	0.933333
3153	030	2252	0.05	1479	1	65	100	3	5	4	6756	5277	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6305.600098	4826.600098	4826.600098	0.933333
3153	031	2234	0.05	925	1	65	100	3	5	4	6702	5777	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6255.199707	5330.199707	5330.199707	0.933333
3153	032	2217	0.05	1525	1	65	100	3	5	4	6651	5126	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6207.600098	4682.600098	4682.600098	0.933333
3153	033	2200	0.05	1400	1	65	100	3	5	4	6600	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	4760	4760	0.933333
3153	035	2152	0.05	1140	1	65	100	3	5	4	6456	5316	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6025.600098	4885.600098	4885.600098	0.933333
3153	036	2175	0.05	920	1	65	100	3	5	4	6525	5605	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6090	5170	5170	0.933333
3153	037	2904	0.07	970	1	65	100	3	7	6	8712	7742	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8131.199707	7161.199707	7161.199707	0.933333
3153	038	2908	0.07	1100	1	65	100	3	7	6	8724	7624	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8142.399902	7042.399902	7042.399902	0.933333
3153	039	2647	0.06	1000	1	65	100	3	6	5	7941	6941	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7411.600098	6411.600098	6411.600098	0.933333
3153	041	2404	0.06	911	1	65	100	3	6	5	7212	6301	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6731.199707	5820.199707	5820.199707	0.933333
3153	042	2935	0.07	1370	1	65	100	3	7	6	8805	7435	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8218	6848	6848	0.933333
3153	043	2933	0.07	2015	1	65	100	3	7	6	8799	6784	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8212.399414	6197.399414	6197.399414	0.933333
3153	044	2216	0.05	1527	1	65	100	3	5	4	6648	5121	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6204.799805	4677.799805	4677.799805	0.933333
3153	045	2215	0.05	1286	1	65	100	3	5	4	6645	5359	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6202	4916	4916	0.933333
3153	047	2112	0.05	1510	1	65	100	3	5	4	6336	4826	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5913.600098	4403.600098	4403.600098	0.933333
3153	048	2104	0.05	900	1	65	100	3	5	4	6312	5412	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5891.199707	4991.199707	4991.199707	0.933333
3154	001	2248	0.05	1000	1	65	100	3	5	4	6744	5744	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6294.399902	5294.399902	5294.399902	0.933333
3154	003	2727	0.06	1270	1	65	100	3	6	5	8181	6911	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7635.600098	6365.600098	6365.600098	0.933333
3154	003A	2723	0.06	1225	1	65	100	3	6	5	8169	6944	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7624.399902	6399.399902	6399.399902	0.933333
3154	003B	2718	0.06	1998	1	65	100	3	6	5	8154	6156	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7610.399902	5612.399902	5612.399902	0.933333
3154	003C	2713	0.06	1205	1	65	100	3	6	5	8139	6934	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7596.399902	6391.399902	6391.399902	0.933333
3154	003D	2709	0.06	1280	1	65	100	3	6	5	8127	6847	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7585.199707	6305.199707	6305.199707	0.933333
3154	005	2302	0.05	1373	1	65	100	3	5	4	6906	5533	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6445.600098	5072.600098	5072.600098	0.933333
3154	006	1869	0.04	1200	1	65	100	3	4	3	5607	4407	RH-1	40	density-lim	3000			0.7	4	1	3	3	5233.199707	4033.199707	4033.199707	0.933333
3154	007	1865	0.04	1350	1	65	100	3	4	3	5595	4245	RH-1	40	density-lim	3000			0.7	4	1	3	3	5222	3872	3872	0.933333
3154	008	1834	0.04	1200	1	65	100	3	4	3	5502	4302	RH-1	40	density-lim	3000			0.7	4	1	3	3	5135.199707	3935.199707	3935.199707	0.933333
3154	009	1869	0.04	1200	1	65	100	3	4	3	5607	4407	RH-1	40	density-lim	3000			0.7	4	1	3	3	5233.199707	4033.199707	4033.199707	0.933333
3154	010	1807	0.04	1200	1	65	100	3	4	3	5421	4221	RH-1	40	density-lim	3000			0.7	4	1	3	3	5059.600098	3859.600098	3859.600098	0.933333
3154	011	1886	0.04	1200	1	65	100	3	4	3	5658	4458	RH-1	40	density-lim	3000			0.7	4	1	3	3	5280.799805	4080.799805	4080.799805	0.933333
3154	013	1885	0.04	1635	1	65	100	3	4	3	5655	4020	RH-1	40	density-lim	3000			0.7	4	1	3	3	5278	3643	3643	0.933333
3154	014	2107	0.05	1152	1	65	100	3	5	4	6321	5169	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5899.600098	4747.600098	4747.600098	0.933333
3154	015	2108	0.05	1152	1	65	100	3	5	4	6324	5172	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5902.399902	4750.399902	4750.399902	0.933333
3154	016	2108	0.05	1152	1	65	100	3	5	4	6324	5172	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5902.399902	4750.399902	4750.399902	0.933333
3154	018	2157	0.05	1336	1	65	100	3	5	4	6471	5135	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6039.600098	4703.600098	4703.600098	0.933333
3154	033	1913	0.04	1938	1	65	100	3	4	3	5739	3801	RH-1	40	density-lim	3000			0.7	4	1	3	3	5356.399902	3418.399902	3418.399902	0.933333
3154	034	1907	0.04	1182	1	65	100	3	4	3	5721	4539	RH-1	40	density-lim	3000			0.7	4	1	3	3	5339.600098	4157.600098	4157.600098	0.933333
3154	045	2828	0.06	1696	1	65	100	3	6	5	8484	6788	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7918.399902	6222.399902	6222.399902	0.933333
3154	050	2718	0.06	1375	1	65	100	3	6	5	8154	6779	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7610.399902	6235.399902	6235.399902	0.933333
3154	057	2592	0.06	1174	1	65	100	3	6	5	7776	6602	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7257.600098	6083.600098	6083.600098	0.933333
3154	075	2214	0.05	2860	1	65	100	3	5	4	6642	3782	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6199.199707	3339.199707	3339.199707	0.933333
3154	060	3981	0.09	1375	1	65	100	3	9	8	11943	10568	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11146.7998	9771.799805	9771.799805	0.933333
3154	063	4630	0.11	1728	1	65	100	3	11	10	13890	12162	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	12964	11236	11236	0.933333
3154	065	3275	0.08	1800	1	65	100	3	8	7	9825	8025	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9170	7370	7370	0.933333
3154	066	1647	0.04	1762	1	65	100	3	4	3	4941	3179	RH-1	40	density-lim	3000			0.7	4	1	3	3	4611.600098	2849.600098	2849.600098	0.933333
3154	067	1224	0.03	1379	1	65	100	3	3	2	3672	2293	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3427.199951	2048.199951	2048.199951	0.933333
3154	068	1183	0.03	1392	1	65	100	3	3	2	3549	2157	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3312.399902	1920.399902	1920.399902	0.933333
3154	069	1235	0.03	1446	1	65	100	3	3	2	3705	2259	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3458	2012	2012	0.933333
3154	070	1288	0.03	1471	1	65	100	3	3	2	3864	2393	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3606.399902	2135.399902	2135.399902	0.933333
3155	036	1858	0.04	880	1	65	100	3	4	3	5574	4694	RH-1	40	form-based			true	0.7	4	1	3	3	5202.399902	4322.399902	4322.399902	0.933333
3155	042	1728	0.04	1595	1	65	100	3	4	3	5184	3589	RH-1	40	form-based			true	0.7	4	1	3	3	4838.399902	3243.399902	3243.399902	0.933333
3156	001	1896	0.04	1520	1	65	100	3	4	3	5688	4168	RH-1	40	form-based		true	true	0.7	4	1	3	3	5308.799805	3788.799805	3788.799805	0.933333
3156	001A	1870	0.04	925	1	65	100	3	4	3	5610	4685	RH-1	40	form-based			true	0.7	4	1	3	3	5236	4311	4311	0.933333
3156	002	1852	0.04	1313	1	65	100	3	4	3	5556	4243	RH-1	40	form-based			true	0.7	4	1	3	3	5185.600098	3872.600098	3872.600098	0.933333
3156	003	1787	0.04	1646	1	65	100	3	4	3	5361	3715	RH-1	40	form-based			true	0.7	4	1	3	3	5003.600098	3357.600098	3357.600098	0.933333
3157	019	1874	0.04	1125	1	65	100	3	4	3	5622	4497	RH-1	40	form-based			true	0.7	4	1	3	3	5247.199707	4122.199707	4122.199707	0.933333
3157	020	1686	0.04	1429	1	65	100	3	4	3	5058	3629	RH-1	40	form-based			true	0.7	4	1	3	3	4720.799805	3291.799805	3291.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3157	021	1682	0.04	800	1	65	100	3	4	3	5046	4246	RH-1	40	form-based			true	0.7	4	1	3	3	4709.600098	3909.600098	3909.600098	0.933333
3157	022	1683	0.04	820	1	65	100	3	4	3	5049	4229	RH-1	40	form-based			true	0.7	4	1	3	3	4712.399902	3892.399902	3892.399902	0.933333
3157	023	1685	0.04	840	1	65	100	3	4	3	5055	4215	RH-1	40	form-based			true	0.7	4	1	3	3	4718	3878	3878	0.933333
3157	024	1687	0.04	840	1	65	100	3	4	3	5061	4221	RH-1	40	form-based			true	0.7	4	1	3	3	4723.600098	3883.600098	3883.600098	0.933333
3157	025	1688	0.04	840	1	65	100	3	4	3	5064	4224	RH-1	40	form-based			true	0.7	4	1	3	3	4726.399902	3886.399902	3886.399902	0.933333
3158	008	2006	0.05	1110	1	65	100	3	5	4	6018	4908	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5616.799805	4506.799805	4506.799805	0.933333
3158	009	2005	0.05	2020	1	65	100	3	5	4	6015	3995	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5614	3594	3594	0.933333
3158	010	2004	0.05	1530	1	65	100	3	5	4	6012	4482	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5611.199707	4081.199707	4081.199707	0.933333
3158	011	2003	0.05	1500	1	65	100	3	5	4	6009	4509	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5608.399902	4108.399902	4108.399902	0.933333
3158	012	2002	0.05	1904	1	65	100	3	5	4	6006	4102	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5605.600098	3701.600098	3701.600098	0.933333
3158	013	2001	0.05	1890	1	65	100	3	5	4	6003	4113	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5602.799805	3712.799805	3712.799805	0.933333
3158	014	2000	0.05	2062	1	65	100	3	5	4	6000	3938	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5600	3538	3538	0.933333
3158	015	2000	0.05	2026	1	65	100	3	5	4	6000	3974	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5600	3574	3574	0.933333
3158	016	1999	0.05	1525	1	65	100	3	5	4	5997	4472	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5597.199707	4072.199707	4072.199707	0.933333
3158	019	1996	0.05	2013	1	65	100	3	5	4	5988	3975	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5588.799805	3575.799805	3575.799805	0.933333
3158	020	1995	0.05	1150	1	65	100	3	5	4	5985	4835	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5586	4436	4436	0.933333
3158	021	1994	0.05	680	1	65	100	3	5	4	5982	5302	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5583.199707	4903.199707	4903.199707	0.933333
3158	022	1993	0.05	880	1	65	100	3	5	4	5979	5099	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5580.399902	4700.399902	4700.399902	0.933333
3158	023	1992	0.05	960	1	65	100	3	5	4	5976	5016	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5577.600098	4617.600098	4617.600098	0.933333
3158	024	1951	0.04	2088	1	65	100	3	4	3	5853	3765	RH-1	40	form-based		true	true	0.7	4	1	3	3	5462.799805	3374.799805	3374.799805	0.933333
3158	028	1873	0.04	1546	1	55	80	2.5	3	2	4682	3136	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5244.399902	3698.399902	3698.399902	1.12012
3158	029	1875	0.04	1870	1	55	80	2.5	3	2	4688	2818	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3380	3380	1.119881
3158	030	1875	0.04	720	1	55	80	2.5	3	2	4688	3968	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4530	4530	1.119881
3158	030A	1875	0.04	2658	1	55	80	2.5	3	2	4688	2030	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	2592	2592	1.119881
3158	046	1998	0.05	1197	1	65	100	3	5	4	5994	4797	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5594.399902	4397.399902	4397.399902	0.933333
3158	047	1997	0.05	1405	1	65	100	3	5	4	5991	4586	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5591.600098	4186.600098	4186.600098	0.933333
3159	008	2039	0.05	1800	1	55	80	2.5	4	3	5098	3298	RH-1	40	form-based			true	0.7	4	1	3	3	5709.199707	3909.199707	3909.199707	1.11989
3159	010	2039	0.05	1125	1	55	80	2.5	4	3	5098	3973	RH-1	40	form-based			true	0.7	4	1	3	3	5709.199707	4584.199707	4584.199707	1.11989
3159	010A	2039	0.05	1125	1	55	80	2.5	4	3	5098	3973	RH-1	40	form-based			true	0.7	4	1	3	3	5709.199707	4584.199707	4584.199707	1.11989
3159	011	2039	0.05	1130	1	55	80	2.5	4	3	5098	3968	RH-1	40	form-based		true	true	0.7	4	1	3	3	5709.199707	4579.199707	4579.199707	1.11989
3159	012	2039	0.05	1441	1	55	80	2.5	4	3	5098	3657	RH-1	40	form-based			true	0.7	4	1	3	3	5709.199707	4268.199707	4268.199707	1.11989
3161	012	1233	0.03	0	0	55	80	2.5	2	2	3082	3082	RH-1(D)	40	form-based		true	true	0.7	3	1.5	3	3	3452.399902	3452.399902	3452.399902	1.120182
3174	023A	1259	0.03	0	0	65	100	3	3	3	3777	3777	RH-1(D)	40	form-based			true	0.7	3	1	3	3	3525.199951	3525.199951	3525.199951	0.933333
3182	049	1794	0.04	1092	1	65	100	3	4	3	5382	4290	RH-1	40	form-based			true	0.7	4	1	3	3	5023.199707	3931.199707	3931.199707	0.933333
3182	055	2100	0.05	1633	1	65	100	3	5	4	6300	4667	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5880	4247	4247	0.933333
3182	056	1989	0.05	1483	1	65	100	3	5	4	5967	4484	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5569.199707	4086.199707	4086.199707	0.933333
3184	039	1796	0.04	1524	1	65	100	3	4	3	5388	3864	RH-1	40	form-based			true	0.7	4	1	3	3	5028.799805	3504.799805	3504.799805	0.933333
3184	040	1932	0.04	1470	1	65	100	3	4	3	5796	4326	RH-1	40	form-based			true	0.7	4	1	3	3	5409.600098	3939.600098	3939.600098	0.933333
3184	017	1750	0.04	1025	1	65	100	3	4	3	5250	4225	RH-1	40	form-based			true	0.7	4	1	3	3	4900	3875	3875	0.933333
3184	017A	1679	0.04	950	1	65	100	3	4	3	5037	4087	RH-1	40	form-based		true	true	0.7	4	1	3	3	4701.199707	3751.199707	3751.199707	0.933333
3184	030	1750	0.04	828	1	65	100	3	4	3	5250	4422	RH-1	40	form-based			true	0.7	4	1	3	3	4900	4072	4072	0.933333
3185	020	1331	0.03	0	0	65	100	3	3	3	3993	3993	RH-1	40	form-based			true	0.7	3	1	3	3	3726.800049	3726.800049	3726.800049	0.933333
3185	021	1314	0.03	0	0	65	100	3	3	3	3942	3942	RH-1	40	form-based			true	0.7	3	1	3	3	3679.199951	3679.199951	3679.199951	0.933333
3185	031	1350	0.03	0	0	65	100	3	3	3	4050	4050	RH-1	40	form-based			true	0.7	3	1	3	3	3780	3780	3780	0.933333
3202	021	2679	0.06	1667	1	85	140	4	8	7	10716	9049	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7501.199707	5834.199707	5834.199707	0.7
3202	022	2737	0.06	983	1	85	140	4	8	7	10948	9965	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7663.600098	6680.600098	6680.600098	0.7
3202	013	3074	0.07	1122	1	65	100	3	7	6	9222	8100	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8607.200195	7485.200195	7485.200195	0.933333
3202	014	2992	0.07	1086	1	85	140	4	10	9	11968	10882	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8377.599609	7291.599609	7291.599609	0.7
3202	015	2910	0.07	956	1	85	140	4	10	9	11640	10684	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8148	7192	7192	0.7
3202	016	2827	0.06	1190	1	85	140	4	8	7	11308	10118	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7915.600098	6725.600098	6725.600098	0.7
3202	017	3284	0.08	980	1	85	140	4	11	10	13136	12156	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	9195.200195	8215.200195	8215.200195	0.7
3202	020	3137	0.07	2098	1	85	140	4	10	9	12548	10450	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8783.599609	6685.599609	6685.599609	0.7
3202	002	3194	0.07	3159	1	65	100	3	7	6	9582	6423	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8943.200195	5784.200195	5784.200195	0.933333
3202	003	3234	0.07	1730	1	65	100	3	7	6	9702	7972	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9055.200195	7325.200195	7325.200195	0.933333
3202	004	3275	0.08	1750	1	65	100	3	8	7	9825	8075	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9170	7420	7420	0.933333
3202	005	3315	0.08	1453	1	65	100	3	8	7	9945	8492	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9282	7829	7829	0.933333
3202	006	3349	0.08	1240	1	65	100	3	8	7	10047	8807	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9377.200195	8137.200195	8137.200195	0.933333
3202	007	3345	0.08	1830	1	65	100	3	8	7	10035	8205	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9366	7536	7536	0.933333
3202	008	3316	0.08	1390	1	65	100	3	8	7	9948	8558	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9284.799805	7894.799805	7894.799805	0.933333
3202	009	3292	0.08	1252	1	65	100	3	8	7	9876	8624	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9217.599609	7965.599609	7965.599609	0.933333
3202	010	3273	0.08	1100	1	65	100	3	8	7	9819	8719	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9164.399414	8064.399414	8064.399414	0.933333
3202	011	3230	0.07	1100	1	65	100	3	7	6	9690	8590	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9044	7944	7944	0.933333
3202	012	3156	0.07	1008	1	65	100	3	7	6	9468	8460	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8836.799805	7828.799805	7828.799805	0.933333
3202	023	2796	0.06	1000	1	85	140	4	8	7	11184	10184	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7828.799805	6828.799805	6828.799805	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3202	024	2854	0.07	1230	1	85	140	4	10	9	11416	10186	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	7991.199707	6761.199707	6761.199707	0.7
3202	025	2913	0.07	1326	1	85	140	4	10	9	11652	10326	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8156.399902	6830.399902	6830.399902	0.7
3202	026	2973	0.07	983	1	85	140	4	10	9	11892	10909	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8324.399414	7341.399414	7341.399414	0.7
3202	027	3031	0.07	978	1	65	100	3	7	6	9093	8115	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8486.799805	7508.799805	7508.799805	0.933333
3202	028	3090	0.07	983	1	65	100	3	7	6	9270	8287	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8652	7669	7669	0.933333
3202	029	3119	0.07	1527	1	65	100	3	7	6	9357	7830	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8733.200195	7206.200195	7206.200195	0.933333
3202	030	3118	0.07	1654	1	65	100	3	7	6	9354	7700	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7076.399414	7076.399414	0.933333
3202	031	3118	0.07	1535	1	65	100	3	7	6	9354	7819	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7195.399414	7195.399414	0.933333
3202	033	3118	0.07	1180	1	65	100	3	7	6	9354	8174	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7550.399414	7550.399414	0.933333
3202	034	3118	0.07	1275	1	65	100	3	7	6	9354	8079	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7455.399414	7455.399414	0.933333
3203	003	3330	0.08	1302	1	65	100	3	8	7	9990	8688	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9324	8022	8022	0.933333
3203	004	3346	0.08	1967	1	65	100	3	8	7	10038	8071	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9368.799805	7401.799805	7401.799805	0.933333
3203	005	3362	0.08	1210	1	65	100	3	8	7	10086	8876	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9413.599609	8203.599609	8203.599609	0.933333
3203	006	3378	0.08	1148	1	65	100	3	8	7	10134	8986	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9458.399414	8310.399414	8310.399414	0.933333
3203	007	3407	0.08	1128	1	65	100	3	8	7	10221	9093	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9539.599609	8411.599609	8411.599609	0.933333
3203	008	3454	0.08	1871	1	65	100	3	8	7	10362	8491	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9671.200195	7800.200195	7800.200195	0.933333
3203	009	3519	0.08	2207	1	65	100	3	8	7	10557	8350	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9853.200195	7646.200195	7646.200195	0.933333
3203	010	3601	0.08	1178	1	65	100	3	8	7	10803	9625	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10082.7998	8904.799805	8904.799805	0.933333
3203	011	3699	0.08	1975	1	65	100	3	8	7	11097	9122	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10357.2002	8382.200195	8382.200195	0.933333
3203	012	3885	0.09	1429	1	65	100	3	9	8	11655	10226	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10878	9449	9449	0.933333
3203	013	5537	0.13	2006	1	65	100	3	13	12	16611	14605	RH-1	40	density-lim	3000			0.7	4	0.307692319	3	3	15503.59961	13497.59961	13497.59961	0.933333
3203	015	3234	0.07	1761	1	65	100	3	7	6	9702	7941	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9055.200195	7294.200195	7294.200195	0.933333
3203	016	3234	0.07	1112	1	65	100	3	7	6	9702	8590	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9055.200195	7943.200195	7943.200195	0.933333
3203	017	3234	0.07	1737	1	65	100	3	7	6	9702	7965	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9055.200195	7318.200195	7318.200195	0.933333
3203	018	3234	0.07	1112	1	65	100	3	7	6	9702	8590	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9055.200195	7943.200195	7943.200195	0.933333
3203	019	3234	0.07	1094	1	65	100	3	7	6	9702	8608	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9055.200195	7961.200195	7961.200195	0.933333
3203	020	3234	0.07	1618	1	65	100	3	7	6	9702	8084	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9055.200195	7437.200195	7437.200195	0.933333
3203	021	3234	0.07	1106	1	65	100	3	7	6	9702	8596	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9055.200195	7949.200195	7949.200195	0.933333
3203	022	3234	0.07	1094	1	65	100	3	7	6	9702	8608	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9055.200195	7961.200195	7961.200195	0.933333
3203	023	3234	0.07	1040	1	65	100	3	7	6	9702	8662	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9055.200195	8015.200195	8015.200195	0.933333
3203	024	3234	0.07	643	1	65	100	3	7	6	9702	9059	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9055.200195	8412.200195	8412.200195	0.933333
3203	025	3234	0.07	1228	1	65	100	3	7	6	9702	8474	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9055.200195	7827.200195	7827.200195	0.933333
3203	027	5281	0.12	1198	1	65	100	3	12	11	15843	14645	RH-1	40	density-lim	3000			0.7	4	0.333333343	3	3	14786.7998	13588.7998	13588.7998	0.933333
3203	028	3626	0.08	1210	1	65	100	3	8	7	10878	9668	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10152.7998	8942.799805	8942.799805	0.933333
3203	029	3402	0.08	1040	1	65	100	3	8	7	10206	9166	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9525.599609	8485.599609	8485.599609	0.933333
3203	030	3276	0.08	1109	1	65	100	3	8	7	9828	8719	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9172.799805	8063.799805	8063.799805	0.933333
3203	031	3171	0.07	1116	1	65	100	3	7	6	9513	8397	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8878.799805	7762.799805	7762.799805	0.933333
3203	032	3088	0.07	1520	1	65	100	3	7	6	9264	7744	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8646.399414	7126.399414	7126.399414	0.933333
3203	033	3027	0.07	1080	1	65	100	3	7	6	9081	8001	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8475.599609	7395.599609	7395.599609	0.933333
3203	034	2989	0.07	989	1	65	100	3	7	6	8967	7978	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8369.200195	7380.200195	7380.200195	0.933333
3203	035	2987	0.07	2276	1	65	100	3	7	6	8961	6685	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8363.599609	6087.599609	6087.599609	0.933333
3203	036	2993	0.07	1510	1	65	100	3	7	6	8979	7469	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8380.399414	6870.399414	6870.399414	0.933333
3203	037	3000	0.07	1084	1	65	100	3	7	6	9000	7916	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	7316	7316	0.933333
3204	003	3116	0.07	1125	1	65	100	3	7	6	9348	8223	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8724.799805	7599.799805	7599.799805	0.933333
3204	004	3157	0.07	1125	1	65	100	3	7	6	9471	8346	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8839.599609	7714.599609	7714.599609	0.933333
3204	005	3189	0.07	1200	1	65	100	3	7	6	9567	8367	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8929.200195	7729.200195	7729.200195	0.933333
3204	006	3214	0.07	1344	1	65	100	3	7	6	9642	8298	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8999.200195	7655.200195	7655.200195	0.933333
3204	007	2858	0.07	1200	1	65	100	3	7	6	8574	7374	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8002.399902	6802.399902	6802.399902	0.933333
3204	008	3237	0.07	1200	1	65	100	3	7	6	9711	8511	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9063.599609	7863.599609	7863.599609	0.933333
3204	009	3239	0.07	1200	1	65	100	3	7	6	9717	8517	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9069.200195	7869.200195	7869.200195	0.933333
3204	010	3233	0.07	1200	1	65	100	3	7	6	9699	8499	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9052.399414	7852.399414	7852.399414	0.933333
3204	011	3218	0.07	1270	1	65	100	3	7	6	9654	8384	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9010.399414	7740.399414	7740.399414	0.933333
3204	012	3089	0.07	860	1	65	100	3	7	6	9267	8407	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8649.200195	7789.200195	7789.200195	0.933333
3204	013	4282	0.1	1370	1	65	100	3	10	9	12846	11476	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	11989.59961	10619.59961	10619.59961	0.933333
3204	014	1498	0.03	998	1	65	100	3	3	2	4494	3496	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4194.399902	3196.399902	3196.399902	0.933333
3206	008A	2500	0.06	2441	1	55	80	2.5	5	4	6250	3809	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4559	4559	1.12
3206	009	2500	0.06	1075	1	55	80	2.5	5	4	6250	5175	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5925	5925	1.12
3206	010	2500	0.06	1570	1	55	80	2.5	5	4	6250	4680	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5430	5430	1.12
3204	015	3096	0.07	1068	1	65	100	3	7	6	9288	8220	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8668.799805	7600.799805	7600.799805	0.933333
3204	016	3111	0.07	1068	1	65	100	3	7	6	9333	8265	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8710.799805	7642.799805	7642.799805	0.933333
3204	017	3126	0.07	1470	1	65	100	3	7	6	9378	7908	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8752.799805	7282.799805	7282.799805	0.933333
3204	018	3141	0.07	978	1	65	100	3	7	6	9423	8445	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8794.799805	7816.799805	7816.799805	0.933333
3204	019	3156	0.07	2201	1	65	100	3	7	6	9468	7267	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8836.799805	6635.799805	6635.799805	0.933333
3204	020	3172	0.07	1231	1	65	100	3	7	6	9516	8285	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8881.599609	7650.599609	7650.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3204	023	4715	0.11	1736	1	65	100	3	11	10	14145	12409	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13202	11466	11466	0.933333
3204	024	4465	0.1	2152	1	65	100	3	10	9	13395	11243	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12502	10350	10350	0.933333
3204	026	3807	0.09	1548	1	65	100	3	9	8	11421	9873	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10659.59961	9111.599609	9111.599609	0.933333
3204	027	3808	0.09	1884	1	65	100	3	9	8	11424	9540	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10662.39941	8778.399414	8778.399414	0.933333
3204	028	3263	0.07	1138	1	65	100	3	7	6	9789	8651	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9136.399414	7998.399414	7998.399414	0.933333
3204	029	4530	0.1	1332	1	65	100	3	10	9	13590	12258	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12684	11352	11352	0.933333
3204	031	4641	0.11	1726	1	65	100	3	11	10	13923	12197	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	12994.7998	11268.7998	11268.7998	0.933333
3204	032	3121	0.07	994	1	65	100	3	7	6	9363	8369	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8738.799805	7744.799805	7744.799805	0.933333
3204	033	3666	0.08	996	1	65	100	3	8	7	10998	10002	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10264.7998	9268.799805	9268.799805	0.933333
3204	035	4345	0.1	3399	3	65	100	3	10	7	13035	9636	RH-1	40	density-lim	3000	true		0.7	6	0.600000024	3	3	12166	8767	8767	0.933333
3204	036	2552	0.06	1555	1	65	100	3	6	5	7656	6101	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7145.600098	5590.600098	5590.600098	0.933333
3206	007	2500	0.06	1825	1	55	80	2.5	5	4	6250	4425	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5175	5175	1.12
3206	007A	2500	0.06	1940	1	55	80	2.5	5	4	6250	4310	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5060	5060	1.12
3206	008	2500	0.06	1236	1	55	80	2.5	5	4	6250	5014	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5764	5764	1.12
3206	011A	2500	0.06	900	1	55	80	2.5	5	4	6250	5350	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6100	6100	1.12
3206	014	2357	0.05	3755	1	55	80	2.5	4	3	5892	2137	RH-1	40	density-lim	3000			0.7	4	1	3	3	6599.600098	2844.600098	2844.600098	1.120095
3206	015	2441	0.06	1708	1	55	80	2.5	5	4	6102	4394	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6834.799805	5126.799805	5126.799805	1.120092
3206	016	2525	0.06	513	1	55	80	2.5	5	4	6312	5799	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7070	6557	6557	1.120089
3206	017	1464	0.03	1115	1	55	80	2.5	2	1	3660	2545	RH-1	40	density-lim	3000			0.7	4	2	3	3	4099.199707	2984.199707	2984.199707	1.12
3206	019	2465	0.06	880	1	55	80	2.5	5	4	6162	5282	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6902	6022	6022	1.120091
3206	020	2467	0.06	1463	1	55	80	2.5	5	4	6168	4705	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6907.600098	5444.600098	5444.600098	1.119909
3206	021	2469	0.06	1350	1	55	80	2.5	5	4	6172	4822	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6913.199707	5563.199707	5563.199707	1.120091
3206	022	2471	0.06	1691	1	55	80	2.5	5	4	6178	4487	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6918.799805	5227.799805	5227.799805	1.119909
3206	023	2473	0.06	714	1	55	80	2.5	5	4	6182	5468	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6924.399902	6210.399902	6210.399902	1.120091
3206	024	2476	0.06	1600	1	55	80	2.5	5	4	6190	4590	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6932.799805	5332.799805	5332.799805	1.12
3206	026	2480	0.06	1080	1	55	80	2.5	5	4	6200	5120	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6944	5864	5864	1.12
3206	027A	2484	0.06	768	1	55	80	2.5	5	4	6210	5442	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	6187.199707	6187.199707	1.12
3206	034	2500	0.06	1600	1	55	80	2.5	5	4	6250	4650	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5400	5400	1.12
3207	009	2556	0.06	1830	1	55	80	2.5	5	4	6390	4560	NCD-EXCE	65	density-lim	600			0.75	4	0.800000012	3	3	11502	9672	9672	1.8
3207	013	3087	0.07	3346	2	55	80	2.5	6	4	7718	4372	NCD-EXCE	65	density-lim	600			0.75	5	0.833333313	3	3	13891.5	10545.5	10545.5	1.799883
3207	014	2164	0.05	1042	1	55	80	2.5	4	3	5410	4368	NCD-EXCE	65	density-lim	600			0.75	4	1	3	3	9738	8696	8696	1.8
3207	015	2853	0.07	1370	1	55	80	2.5	6	5	7132	5762	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7988.399902	6618.399902	6618.399902	1.120079
3207	016	2853	0.07	2597	1	55	80	2.5	6	5	7132	4535	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7988.399902	5391.399902	5391.399902	1.120079
3207	018	2537	0.06	1175	1	55	80	2.5	5	4	6342	5167	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7103.600098	5928.600098	5928.600098	1.120088
3207	019	2622	0.06	1200	1	55	80	2.5	5	4	6555	5355	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7341.600098	6141.600098	6141.600098	1.12
3207	020	2597	0.06	925	1	55	80	2.5	5	4	6492	5567	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7271.600098	6346.600098	6346.600098	1.120086
3207	021	2770	0.06	1341	1	55	80	2.5	5	4	6925	5584	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7756	6415	6415	1.12
3207	022	2877	0.07	923	1	55	80	2.5	6	5	7192	6269	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8055.600098	7132.600098	7132.600098	1.120078
3207	023	2790	0.06	2542	1	55	80	2.5	5	4	6975	4433	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7812	5270	5270	1.12
3207	024	2655	0.06	1462	1	55	80	2.5	5	4	6638	5176	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7434	5972	5972	1.119916
3207	025	2869	0.07	2458	1	55	80	2.5	6	5	7172	4714	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8033.199707	5575.199707	5575.199707	1.120078
3207	027	4421	0.1	3940	4	55	80	2.5	8	4	11052	7112	NCD-EXCE	65	density-lim	600			0.75	7	0.875	3	3	19894.5	15954.5	15954.5	1.800081
3208A	004D	2380	0.05	1525	1	55	80	2.5	4	3	5950	4425	RH-1	40	density-lim	3000			0.7	4	1	3	3	6664	5139	5139	1.12
3208A	004E	2710	0.06	2449	1	55	80	2.5	5	4	6775	4326	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7588	5139	5139	1.12
3208A	001H	2587	0.06	2162	1	55	80	2.5	5	4	6468	4306	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7243.600098	5081.600098	5081.600098	1.119913
3208A	001I	3628	0.08	1242	1	55	80	2.5	6	5	9070	7828	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	10158.39941	8916.399414	8916.399414	1.12
3208A	001J	2496	0.06	1710	1	65	100	3	6	5	7488	5778	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6988.799805	5278.799805	5278.799805	0.933333
3208A	001K	2206	0.05	1220	1	65	100	3	5	4	6618	5398	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6176.799805	4956.799805	4956.799805	0.933333
3208A	001A	2168	0.05	1664	1	55	80	2.5	4	3	5420	3756	RH-1	40	density-lim	3000			0.7	4	1	3	3	6070.399902	4406.399902	4406.399902	1.12
3208A	001B	2352	0.05	1640	1	55	80	2.5	4	3	5880	4240	RH-1	40	density-lim	3000			0.7	4	1	3	3	6585.600098	4945.600098	4945.600098	1.12
3208A	001C	2498	0.06	1640	1	55	80	2.5	5	4	6245	4605	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6994.399902	5354.399902	5354.399902	1.12
3208A	001D	2143	0.05	2327	1	55	80	2.5	4	3	5358	3031	RH-1	40	density-lim	3000			0.7	4	1	3	3	6000.399902	3673.399902	3673.399902	1.119895
3208A	001E	2021	0.05	2247	1	55	80	2.5	4	3	5052	2805	RH-1	40	density-lim	3000			0.7	4	1	3	3	5658.799805	3411.799805	3411.799805	1.120111
3208A	001F	2132	0.05	2430	1	55	80	2.5	4	3	5330	2900	RH-1	40	density-lim	3000			0.7	4	1	3	3	5969.600098	3539.600098	3539.600098	1.12
3208A	001L	2287	0.05	2337	1	65	100	3	5	4	6861	4524	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6403.600098	4066.600098	4066.600098	0.933333
3208A	001M	2279	0.05	1220	1	65	100	3	5	4	6837	5617	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6381.199707	5161.199707	5161.199707	0.933333
3208A	001N	2132	0.05	1524	1	65	100	3	5	4	6396	4872	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5969.600098	4445.600098	4445.600098	0.933333
3208A	001O	2236	0.05	1424	1	65	100	3	5	4	6708	5284	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6260.799805	4836.799805	4836.799805	0.933333
3208A	001P	2707	0.06	1220	1	65	100	3	6	5	8121	6901	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7579.600098	6359.600098	6359.600098	0.933333
3208A	001Q	2708	0.06	1220	1	65	100	3	6	5	8124	6904	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7582.399902	6362.399902	6362.399902	0.933333
3208A	001R	2619	0.06	1220	1	65	100	3	6	5	7857	6637	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7333.199707	6113.199707	6113.199707	0.933333
3208A	001S	2535	0.06	1466	1	65	100	3	6	5	7605	6139	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7098	5632	5632	0.933333
3208A	001T	2744	0.06	1220	1	65	100	3	6	5	8232	7012	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7683.199707	6463.199707	6463.199707	0.933333
3208A	001U	2627	0.06	2278	1	65	100	3	6	5	7881	5603	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7355.600098	5077.600098	5077.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3208A	001V	2653	0.06	1390	1	65	100	3	6	5	7959	6569	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7428.399902	6038.399902	6038.399902	0.933333
3208A	001W	2754	0.06	1390	1	65	100	3	6	5	8262	6872	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7711.199707	6321.199707	6321.199707	0.933333
3208A	001X	2611	0.06	2183	1	55	80	2.5	5	4	6528	4345	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7310.799805	5127.799805	5127.799805	1.119914
3208A	004	2531	0.06	1570	1	55	80	2.5	5	4	6328	4758	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7086.799805	5516.799805	5516.799805	1.119911
3208A	004B	2516	0.06	2381	1	55	80	2.5	5	4	6290	3909	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7044.799805	4663.799805	4663.799805	1.12
3208A	004C	2484	0.06	1525	1	55	80	2.5	5	4	6210	4685	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5430.199707	5430.199707	1.12
3208A	004F	2324	0.05	1525	1	55	80	2.5	4	3	5810	4285	RH-1	40	density-lim	3000			0.7	4	1	3	3	6507.199707	4982.199707	4982.199707	1.12
3208A	004G	2568	0.06	1525	1	55	80	2.5	5	4	6420	4895	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7190.399902	5665.399902	5665.399902	1.12
3208A	006A	3155	0.07	1509	1	55	80	2.5	6	5	7888	6379	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8834	7325	7325	1.119929
3209	002	2694	0.06	1270	1	65	100	3	6	5	8082	6812	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7543.199707	6273.199707	6273.199707	0.933333
3209	002A	2110	0.05	2251	1	65	100	3	5	4	6330	4079	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5908	3657	3657	0.933333
3209	002B	2017	0.05	1251	1	65	100	3	5	4	6051	4800	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5647.600098	4396.600098	4396.600098	0.933333
3209	004	3157	0.07	1300	1	65	100	3	7	6	9471	8171	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8839.599609	7539.599609	7539.599609	0.933333
3209	005	4003	0.09	1821	1	65	100	3	9	8	12009	10188	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11208.39941	9387.399414	9387.399414	0.933333
3209	006	4230	0.1	1332	1	65	100	3	10	9	12690	11358	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	11844	10512	10512	0.933333
3209	008	5723	0.13	1308	1	65	100	3	13	12	17169	15861	RH-1	40	density-lim	3000			0.7	4	0.307692319	3	3	16024.39941	14716.39941	14716.39941	0.933333
3209	009	3878	0.09	1500	1	65	100	3	9	8	11634	10134	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10858.39941	9358.399414	9358.399414	0.933333
3209	010	2781	0.06	1354	1	65	100	3	6	5	8343	6989	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7786.799805	6432.799805	6432.799805	0.933333
3209	011	2780	0.06	1592	1	65	100	3	6	5	8340	6748	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7784	6192	6192	0.933333
3209	012	2504	0.06	1092	1	65	100	3	6	5	7512	6420	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7011.199707	5919.199707	5919.199707	0.933333
3209	013	2817	0.06	1734	1	65	100	3	6	5	8451	6717	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7887.600098	6153.600098	6153.600098	0.933333
3209	014	2652	0.06	1092	1	65	100	3	6	5	7956	6864	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7425.600098	6333.600098	6333.600098	0.933333
3209	015	2603	0.06	1580	1	65	100	3	6	5	7809	6229	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7288.399902	5708.399902	5708.399902	0.933333
3209	016	2731	0.06	1819	1	65	100	3	6	5	8193	6374	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7646.799805	5827.799805	5827.799805	0.933333
3209	017	2663	0.06	1092	1	65	100	3	6	5	7989	6897	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7456.399902	6364.399902	6364.399902	0.933333
3209	018	2654	0.06	1092	1	65	100	3	6	5	7962	6870	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7431.199707	6339.199707	6339.199707	0.933333
3209	019	2858	0.07	1792	1	65	100	3	7	6	8574	6782	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8002.399902	6210.399902	6210.399902	0.933333
3209	020	2814	0.06	2159	1	65	100	3	6	5	8442	6283	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7879.199707	5720.199707	5720.199707	0.933333
3209	020A	2798	0.06	1597	1	65	100	3	6	5	8394	6797	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7834.399902	6237.399902	6237.399902	0.933333
3209	020B	2909	0.07	1293	1	65	100	3	7	6	8727	7434	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8145.199707	6852.199707	6852.199707	0.933333
3209	020D	2743	0.06	2060	1	65	100	3	6	5	8229	6169	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7680.399902	5620.399902	5620.399902	0.933333
3209	020E	2898	0.07	1500	1	65	100	3	7	6	8694	7194	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8114.399902	6614.399902	6614.399902	0.933333
3209	020F	2970	0.07	1954	1	65	100	3	7	6	8910	6956	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8316	6362	6362	0.933333
3209	020G	2792	0.06	1325	1	65	100	3	6	5	8376	7051	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7817.600098	6492.600098	6492.600098	0.933333
3209	020H	2639	0.06	2657	1	65	100	3	6	5	7917	5260	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7389.199707	4732.199707	4732.199707	0.933333
3209	020I	2876	0.07	1390	1	65	100	3	7	6	8628	7238	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8052.799805	6662.799805	6662.799805	0.933333
3210	028	3314	0.08	1056	1	65	100	3	8	7	9942	8886	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9279.200195	8223.200195	8223.200195	0.933333
3210	029	3318	0.08	1006	1	65	100	3	8	7	9954	8948	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9290.399414	8284.399414	8284.399414	0.933333
3210	001A	2563	0.06	1410	1	65	100	3	6	5	7689	6279	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7176.399902	5766.399902	5766.399902	0.933333
3210	002	3127	0.07	1132	1	65	100	3	7	6	9381	8249	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8755.599609	7623.599609	7623.599609	0.933333
3210	004	1712	0.04	1160	1	65	100	3	4	3	5136	3976	RH-1	40	density-lim	3000			0.7	4	1	3	3	4793.600098	3633.600098	3633.600098	0.933333
3210	005	2147	0.05	1152	1	65	100	3	5	4	6441	5289	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6011.600098	4859.600098	4859.600098	0.933333
3210	006	2829	0.06	1152	1	65	100	3	6	5	8487	7335	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7921.199707	6769.199707	6769.199707	0.933333
3210	007	2987	0.07	1250	1	65	100	3	7	6	8961	7711	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8363.599609	7113.599609	7113.599609	0.933333
3210	008	3503	0.08	2250	1	65	100	3	8	7	10509	8259	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9808.399414	7558.399414	7558.399414	0.933333
3210	009	4019	0.09	1090	1	65	100	3	9	8	12057	10967	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11253.2002	10163.2002	10163.2002	0.933333
3210	010	4534	0.1	1092	1	65	100	3	10	9	13602	12510	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12695.2002	11603.2002	11603.2002	0.933333
3210	011	5050	0.12	1950	1	65	100	3	12	11	15150	13200	RH-1	40	density-lim	3000			0.7	4	0.333333343	3	3	14140	12190	12190	0.933333
3210	012	2007	0.05	860	1	65	100	3	5	4	6021	5161	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5619.600098	4759.600098	4759.600098	0.933333
3210	013	2396	0.06	1176	1	65	100	3	6	5	7188	6012	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6708.799805	5532.799805	5532.799805	0.933333
3210	015	2577	0.06	1270	1	65	100	3	6	5	7731	6461	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7215.600098	5945.600098	5945.600098	0.933333
3210	016	2567	0.06	1270	1	65	100	3	6	5	7701	6431	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7187.600098	5917.600098	5917.600098	0.933333
3210	017	2557	0.06	1270	1	65	100	3	6	5	7671	6401	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7159.600098	5889.600098	5889.600098	0.933333
3210	018	2548	0.06	1530	1	65	100	3	6	5	7644	6114	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7134.399902	5604.399902	5604.399902	0.933333
3210	019	2538	0.06	1329	1	65	100	3	6	5	7614	6285	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7106.399902	5777.399902	5777.399902	0.933333
3210	020	2390	0.05	1565	1	65	100	3	5	4	7170	5605	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6692	5127	5127	0.933333
3210	021	2593	0.06	1240	1	65	100	3	6	5	7779	6539	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7260.399902	6020.399902	6020.399902	0.933333
3210	022	3903	0.09	778	1	65	100	3	9	8	11709	10931	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10928.39941	10150.39941	10150.39941	0.933333
3210	023	2108	0.05	815	1	65	100	3	5	4	6324	5509	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5902.399902	5087.399902	5087.399902	0.933333
3210	024A	2087	0.05	950	1	65	100	3	5	4	6261	5311	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5843.600098	4893.600098	4893.600098	0.933333
3210	025	3302	0.08	1070	1	65	100	3	8	7	9906	8836	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9245.599609	8175.599609	8175.599609	0.933333
3210	026	3306	0.08	1060	1	65	100	3	8	7	9918	8858	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9256.799805	8196.799805	8196.799805	0.933333
3210	027	3310	0.08	1060	1	65	100	3	8	7	9930	8870	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9268	8208	8208	0.933333
3210	030	3322	0.08	1378	1	65	100	3	8	7	9966	8588	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9301.599609	7923.599609	7923.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3210	031	3326	0.08	1460	1	65	100	3	8	7	9978	8518	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9312.799805	7852.799805	7852.799805	0.933333
3210	032	3330	0.08	1100	1	65	100	3	8	7	9990	8890	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9324	8224	8224	0.933333
3210	033	3335	0.08	1462	1	65	100	3	8	7	10005	8543	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9338	7876	7876	0.933333
3210	034	3339	0.08	1078	1	65	100	3	8	7	10017	8939	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9349.200195	8271.200195	8271.200195	0.933333
3210	035	3343	0.08	1212	1	65	100	3	8	7	10029	8817	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9360.399414	8148.399414	8148.399414	0.933333
3210	036	3347	0.08	1744	1	65	100	3	8	7	10041	8297	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9371.599609	7627.599609	7627.599609	0.933333
3211	003A	2298	0.05	1342	1	65	100	3	5	4	6894	5552	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6434.399902	5092.399902	5092.399902	0.933333
3211	003B	2305	0.05	1342	1	65	100	3	5	4	6915	5573	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6454	5112	5112	0.933333
3211	003C	2311	0.05	1915	1	65	100	3	5	4	6933	5018	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6470.799805	4555.799805	4555.799805	0.933333
3211	003D	2318	0.05	1742	1	65	100	3	5	4	6954	5212	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6490.399902	4748.399902	4748.399902	0.933333
3211	003E	2325	0.05	1342	1	65	100	3	5	4	6975	5633	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6510	5168	5168	0.933333
3211	003F	2332	0.05	1792	1	65	100	3	5	4	6996	5204	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6529.600098	4737.600098	4737.600098	0.933333
3211	003G	2338	0.05	1342	1	65	100	3	5	4	7014	5672	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6546.399902	5204.399902	5204.399902	0.933333
3211	003H	2345	0.05	1995	1	65	100	3	5	4	7035	5040	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6566	4571	4571	0.933333
3211	003I	2352	0.05	2251	1	65	100	3	5	4	7056	4805	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6585.600098	4334.600098	4334.600098	0.933333
3211	003J	2358	0.05	1842	1	65	100	3	5	4	7074	5232	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6602.399902	4760.399902	4760.399902	0.933333
3211	003K	2365	0.05	1656	1	65	100	3	5	4	7095	5439	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6622	4966	4966	0.933333
3211	003L	2372	0.05	1280	1	65	100	3	5	4	7116	5836	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6641.600098	5361.600098	5361.600098	0.933333
3211	003M	2378	0.05	1342	1	65	100	3	5	4	7134	5792	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6658.399902	5316.399902	5316.399902	0.933333
3211	003N	2385	0.05	2189	1	65	100	3	5	4	7155	4966	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6678	4489	4489	0.933333
3211	003O	2345	0.05	1280	1	65	100	3	5	4	7035	5755	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6566	5286	5286	0.933333
3211	003P	1804	0.04	1080	1	65	100	3	4	3	5412	4332	RH-1	40	density-lim	3000			0.7	4	1	3	3	5051.199707	3971.199707	3971.199707	0.933333
3211	003Q	1748	0.04	1451	1	65	100	3	4	3	5244	3793	RH-1	40	density-lim	3000			0.7	4	1	3	3	4894.399902	3443.399902	3443.399902	0.933333
3211	003S	1958	0.04	1243	1	65	100	3	4	3	5874	4631	RH-1	40	density-lim	3000			0.7	4	1	3	3	5482.399902	4239.399902	4239.399902	0.933333
3211	005A	2587	0.06	1245	1	65	100	3	6	5	7761	6516	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7243.600098	5998.600098	5998.600098	0.933333
3211	005B	2389	0.05	1245	1	65	100	3	5	4	7167	5922	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6689.199707	5444.199707	5444.199707	0.933333
3211	005C	2573	0.06	1245	1	65	100	3	6	5	7719	6474	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7204.399902	5959.399902	5959.399902	0.933333
3211	005D	2579	0.06	1245	1	65	100	3	6	5	7737	6492	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7221.199707	5976.199707	5976.199707	0.933333
3211	005E	2530	0.06	1450	1	65	100	3	6	5	7590	6140	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7084	5634	5634	0.933333
3211	005F	2531	0.06	1245	1	65	100	3	6	5	7593	6348	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7086.799805	5841.799805	5841.799805	0.933333
3211	005G	2529	0.06	1557	1	65	100	3	6	5	7587	6030	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7081.199707	5524.199707	5524.199707	0.933333
3211	005H	2479	0.06	1395	1	65	100	3	6	5	7437	6042	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6941.199707	5546.199707	5546.199707	0.933333
3211	005I	2519	0.06	1965	1	65	100	3	6	5	7557	5592	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	5088.199707	5088.199707	0.933333
3211	005J	2516	0.06	1255	1	65	100	3	6	5	7548	6293	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7044.799805	5789.799805	5789.799805	0.933333
3211	005K	2564	0.06	1245	1	65	100	3	6	5	7692	6447	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7179.199707	5934.199707	5934.199707	0.933333
3211	005L	2432	0.06	1648	1	65	100	3	6	5	7296	5648	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6809.600098	5161.600098	5161.600098	0.933333
3211	005M	2674	0.06	1230	1	65	100	3	6	5	8022	6792	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7487.199707	6257.199707	6257.199707	0.933333
3211	005N	2463	0.06	1230	1	65	100	3	6	5	7389	6159	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6896.399902	5666.399902	5666.399902	0.933333
3211	005O	2477	0.06	1230	1	65	100	3	6	5	7431	6201	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5705.600098	5705.600098	0.933333
3211	005P	2372	0.05	1200	1	65	100	3	5	4	7116	5916	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6641.600098	5441.600098	5441.600098	0.933333
3211	005Q	2590	0.06	2128	1	65	100	3	6	5	7770	5642	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7252	5124	5124	0.933333
3211	006A	1726	0.04	1361	1	65	100	3	4	3	5178	3817	RH-1	40	density-lim	3000			0.7	4	1	3	3	4832.799805	3471.799805	3471.799805	0.933333
3211	006B	1637	0.04	1361	1	65	100	3	4	3	4911	3550	RH-1	40	density-lim	3000			0.7	4	1	3	3	4583.600098	3222.600098	3222.600098	0.933333
3211	006C	1824	0.04	1316	1	65	100	3	4	3	5472	4156	RH-1	40	density-lim	3000			0.7	4	1	3	3	5107.199707	3791.199707	3791.199707	0.933333
3211	006D	1759	0.04	1320	1	65	100	3	4	3	5277	3957	RH-1	40	density-lim	3000			0.7	4	1	3	3	4925.199707	3605.199707	3605.199707	0.933333
3211	006E	1747	0.04	1995	1	65	100	3	4	3	5241	3246	RH-1	40	density-lim	3000			0.7	4	1	3	3	4891.600098	2896.600098	2896.600098	0.933333
3211	006F	1750	0.04	1323	1	65	100	3	4	3	5250	3927	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3577	3577	0.933333
3211	006G	1750	0.04	1310	1	65	100	3	4	3	5250	3940	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3590	3590	0.933333
3211	006H	1738	0.04	1349	1	65	100	3	4	3	5214	3865	RH-1	40	density-lim	3000			0.7	4	1	3	3	4866.399902	3517.399902	3517.399902	0.933333
3211	006I	1748	0.04	1205	1	65	100	3	4	3	5244	4039	RH-1	40	density-lim	3000			0.7	4	1	3	3	4894.399902	3689.399902	3689.399902	0.933333
3211	007	1513	0.03	2505	1	65	100	3	3	2	4539	2034	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4236.399902	1731.399902	1731.399902	0.933333
3211	007A	1538	0.04	1172	1	65	100	3	4	3	4614	3442	RH-1	40	density-lim	3000			0.7	4	1	3	3	4306.399902	3134.399902	3134.399902	0.933333
3211	007B	2177	0.05	1278	1	65	100	3	5	4	6531	5253	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6095.600098	4817.600098	4817.600098	0.933333
3211	007C	2179	0.05	875	1	65	100	3	5	4	6537	5662	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6101.199707	5226.199707	5226.199707	0.933333
3211	009A	3431	0.08	1394	1	65	100	3	8	7	10293	8899	NC-1	40	density-lim	800			0.75	4	0.5	3	3	10293	8899	8899	1
3211	010C	2263	0.05	1696	1	65	100	3	5	4	6789	5093	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6336.399902	4640.399902	4640.399902	0.933333
3211	011	4102	0.09	1025	1	65	100	3	9	8	12306	11281	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11485.59961	10460.59961	10460.59961	0.933333
3211	011A	3775	0.09	3315	1	65	100	3	9	8	11325	8010	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10570	7255	7255	0.933333
3211	011C	3574	0.08	1825	1	65	100	3	8	7	10722	8897	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10007.2002	8182.200195	8182.200195	0.933333
3211	012A	1516	0.03	755	1	65	100	3	3	2	4548	3793	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4244.799805	3489.799805	3489.799805	0.933333
3211	012B	1548	0.04	772	1	65	100	3	4	3	4644	3872	RH-1	40	density-lim	3000			0.7	4	1	3	3	4334.399902	3562.399902	3562.399902	0.933333
3211	012C	1806	0.04	1987	1	65	100	3	4	3	5418	3431	RH-1	40	density-lim	3000			0.7	4	1	3	3	5056.799805	3069.799805	3069.799805	0.933333
3211	012D	1817	0.04	1359	1	65	100	3	4	3	5451	4092	RH-1	40	density-lim	3000			0.7	4	1	3	3	5087.600098	3728.600098	3728.600098	0.933333
3211	012E	1828	0.04	1359	1	65	100	3	4	3	5484	4125	RH-1	40	density-lim	3000			0.7	4	1	3	3	5118.399902	3759.399902	3759.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3211	012F	1378	0.03	1176	1	65	100	3	3	2	4134	2958	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3858.399902	2682.399902	2682.399902	0.933333
3211	012G	1385	0.03	1134	1	65	100	3	3	2	4155	3021	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3878	2744	2744	0.933333
3211	012H	1540	0.04	1012	1	65	100	3	4	3	4620	3608	RH-1	40	density-lim	3000			0.7	4	1	3	3	4312	3300	3300	0.933333
3211	013A	1845	0.04	850	1	65	100	3	4	3	5535	4685	RH-1	40	density-lim	3000			0.7	4	1	3	3	5166	4316	4316	0.933333
3211	013B	1671	0.04	2287	1	65	100	3	4	3	5013	2726	RH-1	40	density-lim	3000			0.7	4	1	3	3	4678.799805	2391.799805	2391.799805	0.933333
3211	013C	1707	0.04	1275	1	65	100	3	4	3	5121	3846	RH-1	40	density-lim	3000			0.7	4	1	3	3	4779.600098	3504.600098	3504.600098	0.933333
3211	013D	1720	0.04	936	1	65	100	3	4	3	5160	4224	RH-1	40	density-lim	3000			0.7	4	1	3	3	4816	3880	3880	0.933333
3211	013E	1780	0.04	1210	1	65	100	3	4	3	5340	4130	RH-1	40	density-lim	3000			0.7	4	1	3	3	4984	3774	3774	0.933333
3211	013F	1714	0.04	1125	1	65	100	3	4	3	5142	4017	RH-1	40	density-lim	3000			0.7	4	1	3	3	4799.199707	3674.199707	3674.199707	0.933333
3211	013G	1824	0.04	1302	1	65	100	3	4	3	5472	4170	RH-1	40	density-lim	3000			0.7	4	1	3	3	5107.199707	3805.199707	3805.199707	0.933333
3211	013H	1680	0.04	2037	1	65	100	3	4	3	5040	3003	RH-1	40	density-lim	3000			0.7	4	1	3	3	4704	2667	2667	0.933333
3211	017	2897	0.07	1160	1	65	100	3	7	6	8691	7531	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8111.600098	6951.600098	6951.600098	0.933333
3211	019	3364	0.08	1838	1	65	100	3	8	7	10092	8254	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9419.200195	7581.200195	7581.200195	0.933333
3211	020	3369	0.08	2200	1	65	100	3	8	7	10107	7907	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9433.200195	7233.200195	7233.200195	0.933333
3211	021	3375	0.08	872	1	65	100	3	8	7	10125	9253	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9450	8578	8578	0.933333
3211	022	3381	0.08	1949	1	65	100	3	8	7	10143	8194	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9466.799805	7517.799805	7517.799805	0.933333
3211	023	3387	0.08	1128	1	65	100	3	8	7	10161	9033	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9483.599609	8355.599609	8355.599609	0.933333
3211	024	3393	0.08	1455	1	65	100	3	8	7	10179	8724	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9500.399414	8045.399414	8045.399414	0.933333
3211	025	3399	0.08	2022	1	65	100	3	8	7	10197	8175	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9517.200195	7495.200195	7495.200195	0.933333
3211	026	3405	0.08	1266	1	65	100	3	8	7	10215	8949	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9534	8268	8268	0.933333
3211	027	3411	0.08	1370	1	65	100	3	8	7	10233	8863	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9550.799805	8180.799805	8180.799805	0.933333
3211	028	3417	0.08	2397	1	65	100	3	8	7	10251	7854	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9567.599609	7170.599609	7170.599609	0.933333
3211	029	3423	0.08	950	1	65	100	3	8	7	10269	9319	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9584.399414	8634.399414	8634.399414	0.933333
3211	030	3429	0.08	1201	1	65	100	3	8	7	10287	9086	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9601.200195	8400.200195	8400.200195	0.933333
3211	031	3435	0.08	1561	1	65	100	3	8	7	10305	8744	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9618	8057	8057	0.933333
3211	032	3441	0.08	1195	1	65	100	3	8	7	10323	9128	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9634.799805	8439.799805	8439.799805	0.933333
3211	033	3447	0.08	925	1	65	100	3	8	7	10341	9416	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9651.599609	8726.599609	8726.599609	0.933333
3212	001A	1905	0.04	1664	1	85	140	4	6	5	7620	5956	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5334	3670	3670	0.7
3212	002	2952	0.07	1204	1	85	140	4	10	9	11808	10604	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8265.599609	7061.599609	7061.599609	0.7
3212	003	1897	0.04	1704	1	65	100	3	4	3	5691	3987	RH-1	40	density-lim	3000			0.7	4	1	3	3	5311.600098	3607.600098	3607.600098	0.933333
3212	004	1925	0.04	960	1	65	100	3	4	3	5775	4815	RH-1	40	density-lim	3000			0.7	4	1	3	3	5390	4430	4430	0.933333
3212	005	1894	0.04	1374	1	65	100	3	4	3	5682	4308	RH-1	40	density-lim	3000			0.7	4	1	3	3	5303.199707	3929.199707	3929.199707	0.933333
3212	006	1805	0.04	1490	1	65	100	3	4	3	5415	3925	RH-1	40	density-lim	3000			0.7	4	1	3	3	5054	3564	3564	0.933333
3212	007	1883	0.04	920	1	65	100	3	4	3	5649	4729	RH-1	40	density-lim	3000			0.7	4	1	3	3	5272.399902	4352.399902	4352.399902	0.933333
3212	008	2465	0.06	1375	1	65	100	3	6	5	7395	6020	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6902	5527	5527	0.933333
3212	008A	2261	0.05	1400	1	65	100	3	5	4	6783	5383	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6330.799805	4930.799805	4930.799805	0.933333
3212	023C	2213	0.05	1150	1	85	140	4	7	6	8852	7702	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6196.399902	5046.399902	5046.399902	0.7
3212	009	2354	0.05	1073	1	65	100	3	5	4	7062	5989	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6591.199707	5518.199707	5518.199707	0.933333
3212	010	2561	0.06	1950	1	65	100	3	6	5	7683	5733	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7170.799805	5220.799805	5220.799805	0.933333
3212	010A	2363	0.05	1370	1	65	100	3	5	4	7089	5719	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6616.399902	5246.399902	5246.399902	0.933333
3212	011	2205	0.05	2034	1	65	100	3	5	4	6615	4581	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6174	4140	4140	0.933333
3212	011A	2305	0.05	1536	1	65	100	3	5	4	6915	5379	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6454	4918	4918	0.933333
3212	011B	2490	0.06	1230	1	65	100	3	6	5	7470	6240	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6972	5742	5742	0.933333
3212	011C	2545	0.06	1980	1	65	100	3	6	5	7635	5655	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7126	5146	5146	0.933333
3212	012	2544	0.06	1615	1	65	100	3	6	5	7632	6017	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7123.199707	5508.199707	5508.199707	0.933333
3212	012A	2654	0.06	1784	1	65	100	3	6	5	7962	6178	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7431.199707	5647.199707	5647.199707	0.933333
3212	012B	2383	0.05	1536	1	65	100	3	5	4	7149	5613	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6672.399902	5136.399902	5136.399902	0.933333
3212	012C	3494	0.08	1800	1	65	100	3	8	7	10482	8682	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9783.200195	7983.200195	7983.200195	0.933333
3212	012D	3365	0.08	1200	1	65	100	3	8	7	10095	8895	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9422	8222	8222	0.933333
3212	013	3313	0.08	1500	1	65	100	3	8	7	9939	8439	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9276.399414	7776.399414	7776.399414	0.933333
3212	014	3281	0.08	860	1	65	100	3	8	7	9843	8983	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9186.799805	8326.799805	8326.799805	0.933333
3212	015	2985	0.07	1450	1	65	100	3	7	6	8955	7505	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8358	6908	6908	0.933333
3212	016	3031	0.07	1923	1	65	100	3	7	6	9093	7170	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8486.799805	6563.799805	6563.799805	0.933333
3212	017	2965	0.07	1683	1	65	100	3	7	6	8895	7212	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8302	6619	6619	0.933333
3212	018	3017	0.07	2159	1	65	100	3	7	6	9051	6892	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8447.599609	6288.599609	6288.599609	0.933333
3212	019	2627	0.06	1733	1	65	100	3	6	5	7881	6148	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7355.600098	5622.600098	5622.600098	0.933333
3212	019A	2708	0.06	1330	1	65	100	3	6	5	8124	6794	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7582.399902	6252.399902	6252.399902	0.933333
3212	019B	2709	0.06	1820	1	65	100	3	6	5	8127	6307	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7585.199707	5765.199707	5765.199707	0.933333
3212	020	2580	0.06	754	1	65	100	3	6	5	7740	6986	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7224	6470	6470	0.933333
3212	020A	2621	0.06	754	1	65	100	3	6	5	7863	7109	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7338.799805	6584.799805	6584.799805	0.933333
3212	020B	3214	0.07	1800	1	75	120	3.5	8	7	11249	9449	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	8999.200195	7199.200195	7199.200195	0.8
3212	021	4898	0.11	1300	1	75	120	3.5	13	12	17143	15843	RH-1	40	density-lim	3000			0.7	4	0.307692319	3	3	13714.39941	12414.39941	12414.39941	0.8
3212	021A	4976	0.11	1120	1	75	120	3.5	13	12	17416	16296	RH-1	40	density-lim	3000			0.7	4	0.307692319	3	3	13932.7998	12812.7998	12812.7998	0.8
3212	022A	5073	0.12	1414	1	75	120	3.5	14	13	17756	16342	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	14204.39941	12790.39941	12790.39941	0.799977

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3212	024	4120	0.09	2259	1	75	120	3.5	11	10	14420	12161	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	11536	9277	9277	0.8
3212	025	3153	0.07	1094	1	75	120	3.5	8	7	11036	9942	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	8828.399414	7734.399414	7734.399414	0.799964
3212	026	3073	0.07	1655	1	75	120	3.5	8	7	10756	9101	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	8604.399414	6949.399414	6949.399414	0.799963
3212	028	3082	0.07	1899	1	65	100	3	7	6	9246	7347	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8629.599609	6730.599609	6730.599609	0.933333
3212	028A	2788	0.06	1776	1	65	100	3	6	5	8364	6588	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7806.399902	6030.399902	6030.399902	0.933333
3212	028B	2725	0.06	1558	1	65	100	3	6	5	8175	6617	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7630	6072	6072	0.933333
3212	029	2549	0.06	1624	1	65	100	3	6	5	7647	6023	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7137.199707	5513.199707	5513.199707	0.933333
3212	030	2992	0.07	1356	1	65	100	3	7	6	8976	7620	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8377.599609	7021.599609	7021.599609	0.933333
3212	031	2412	0.06	666	1	65	100	3	6	5	7236	6570	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6753.600098	6087.600098	6087.600098	0.933333
3212	032	2499	0.06	1316	1	65	100	3	6	5	7497	6181	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	5681.199707	5681.199707	0.933333
3212	033	2506	0.06	1316	1	65	100	3	6	5	7518	6202	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7016.799805	5700.799805	5700.799805	0.933333
3212	034	2391	0.05	1316	1	65	100	3	5	4	7173	5857	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6694.799805	5378.799805	5378.799805	0.933333
3212	035	2380	0.05	2055	1	65	100	3	5	4	7140	5085	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6664	4609	4609	0.933333
3212	036	2231	0.05	1820	1	85	140	4	7	6	8924	7104	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6246.799805	4426.799805	4426.799805	0.7
3212	038	2027	0.05	1720	1	85	140	4	7	6	8108	6388	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	5675.600098	3955.600098	3955.600098	0.7
3212	039	2970	0.07	1100	1	85	140	4	10	9	11880	10780	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8316	7216	7216	0.7
3212	040	2821	0.06	1016	1	85	140	4	8	7	11284	10268	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7898.799805	6882.799805	6882.799805	0.7
3212	041	2646	0.06	1879	1	85	140	4	8	7	10584	8705	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7408.799805	5529.799805	5529.799805	0.7
3212	044	3057	0.07	2205	1	85	140	4	10	9	12228	10023	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8559.599609	6354.599609	6354.599609	0.7
3271	012	1905	0.04	1856	1	65	100	3	4	3	5715	3859	RH-1(D)	40	form-based		true	true	0.7	4	1	3	3	5334	3478	3478	0.933333
3276	034	2084	0.05	1340	1	65	100	3	5	4	6252	4912	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5835.199707	4495.199707	4495.199707	0.933333
3283	046	2089	0.05	1394	1	65	100	3	5	4	6267	4873	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5849.199707	4455.199707	4455.199707	0.933333
3276	002	2060	0.05	1140	1	65	100	3	5	4	6180	5040	RH-1(D)	40	form-based			true	0.7	4	0.800000012	3	3	5768	4628	4628	0.933333
3283	047	2088	0.05	1394	1	65	100	3	5	4	6264	4870	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5846.399902	4452.399902	4452.399902	0.933333
3283	048	2087	0.05	1394	1	65	100	3	5	4	6261	4867	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5843.600098	4449.600098	4449.600098	0.933333
3283	049	2086	0.05	1394	1	65	100	3	5	4	6258	4864	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5840.799805	4446.799805	4446.799805	0.933333
3283	103	2330	0.05	1560	2	65	100	3	5	3	6990	5430	RH-2	40	form-based			true	0.7	5	1	3	3	6524	4964	4964	0.933333
3283	038	1962	0.05	1995	1	65	100	3	5	4	5886	3891	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5493.600098	3498.600098	3498.600098	0.933333
3283	039	1916	0.04	1995	1	65	100	3	4	3	5748	3753	RH-2	40	form-based			true	0.7	4	1	3	3	5364.799805	3369.799805	3369.799805	0.933333
3283	040	1999	0.05	2315	1	65	100	3	5	4	5997	3682	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5597.199707	3282.199707	3282.199707	0.933333
3282	018A	2718	0.06	1606	3	65	100	3	6	3	8154	6548	RH-1(D)	40	form-based			true	0.7	6	1	3	3	7610.399902	6004.399902	6004.399902	0.933333
3283	041	1975	0.05	1995	1	65	100	3	5	4	5925	3930	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5530	3535	3535	0.933333
3283	013	2067	0.05	1485	1	65	100	3	5	4	6201	4716	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5787.600098	4302.600098	4302.600098	0.933333
3283	014	2019	0.05	2178	1	65	100	3	5	4	6057	3879	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5653.199707	3475.199707	3475.199707	0.933333
3283	015	2016	0.05	2188	1	65	100	3	5	4	6048	3860	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5644.799805	3456.799805	3456.799805	0.933333
3283	016	2013	0.05	2188	1	65	100	3	5	4	6039	3851	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5636.399902	3448.399902	3448.399902	0.933333
3283	017	2010	0.05	2188	1	65	100	3	5	4	6030	3842	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5628	3440	3440	0.933333
3283	018	2007	0.05	1394	1	65	100	3	5	4	6021	4627	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5619.600098	4225.600098	4225.600098	0.933333
3283	019	2003	0.05	1394	1	65	100	3	5	4	6009	4615	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5608.399902	4214.399902	4214.399902	0.933333
3283	020	2000	0.05	2178	1	65	100	3	5	4	6000	3822	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3422	3422	0.933333
3283	021	1997	0.05	1394	1	65	100	3	5	4	5991	4597	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5591.600098	4197.600098	4197.600098	0.933333
3283	022	1994	0.05	1394	1	65	100	3	5	4	5982	4588	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5583.199707	4189.199707	4189.199707	0.933333
3283	023	1991	0.05	1394	1	65	100	3	5	4	5973	4579	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5574.799805	4180.799805	4180.799805	0.933333
3283	024	1988	0.05	1394	1	65	100	3	5	4	5964	4570	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5566.399902	4172.399902	4172.399902	0.933333
3283	026	1883	0.04	2295	1	65	100	3	4	3	5649	3354	RH-2	40	form-based			true	0.7	4	1	3	3	5272.399902	2977.399902	2977.399902	0.933333
3283	027	1903	0.04	1995	1	65	100	3	4	3	5709	3714	RH-2	40	form-based			true	0.7	4	1	3	3	5328.399902	3333.399902	3333.399902	0.933333
3283	028	1941	0.04	1995	1	65	100	3	4	3	5823	3828	RH-2	40	form-based			true	0.7	4	1	3	3	5434.799805	3439.799805	3439.799805	0.933333
3283	029	1928	0.04	1995	1	65	100	3	4	3	5784	3789	RH-2	40	form-based			true	0.7	4	1	3	3	5398.399902	3403.399902	3403.399902	0.933333
3283	030	1939	0.04	1995	1	65	100	3	4	3	5817	3822	RH-2	40	form-based			true	0.7	4	1	3	3	5429.199707	3434.199707	3434.199707	0.933333
3283	031	2104	0.05	1995	1	65	100	3	5	4	6312	4317	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5891.199707	3896.199707	3896.199707	0.933333
3283	032	2027	0.05	1995	1	65	100	3	5	4	6081	4086	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5675.600098	3680.600098	3680.600098	0.933333
3283	033	2061	0.05	1995	1	65	100	3	5	4	6183	4188	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5770.799805	3775.799805	3775.799805	0.933333
3283	035	1885	0.04	1995	1	65	100	3	4	3	5655	3660	RH-2	40	form-based			true	0.7	4	1	3	3	5278	3283	3283	0.933333
3283	036	2032	0.05	2232	1	65	100	3	5	4	6096	3864	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5689.600098	3457.600098	3457.600098	0.933333
3283	037	1901	0.04	1995	1	65	100	3	4	3	5703	3708	RH-2	40	form-based			true	0.7	4	1	3	3	5322.799805	3327.799805	3327.799805	0.933333
3283	062	2526	0.06	2860	2	65	100	3	6	4	7578	4718	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7072.799805	4212.799805	4212.799805	0.933333
3283	077	2269	0.05	3038	2	65	100	3	5	3	6807	3769	RH-2	40	form-based			true	0.7	5	1	3	3	6353.199707	3315.199707	3315.199707	0.933333
3283	081	2547	0.06	3038	2	65	100	3	6	4	7641	4603	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7131.600098	4093.600098	4093.600098	0.933333
3283	082	1848	0.04	2806	1	65	100	3	4	3	5544	2738	RH-2	40	form-based			true	0.7	4	1	3	3	5174.399902	2368.399902	2368.399902	0.933333
3283	083	2309	0.05	2898	2	65	100	3	5	3	6927	4029	RH-2	40	form-based			true	0.7	5	1	3	3	6465.199707	3567.199707	3567.199707	0.933333
3283	247	2928	0.07	918	3	65	100	3	7	4	8784	7866	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8198.399414	7280.399414	7280.399414	0.933333
3283	250	2710	0.06	886	3	65	100	3	6	3	8130	7244	RH-2	40	form-based			true	0.7	6	1	3	3	7588	6702	6702	0.933333
3283	253	2273	0.05	1527	2	65	100	3	5	3	6819	5292	RH-2	40	form-based			true	0.7	5	1	3	3	6364.399902	4837.399902	4837.399902	0.933333
3283	255	2491	0.06	1784	2	65	100	3	6	4	7473	5689	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6974.799805	5190.799805	5190.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3283	257	2172	0.05	1275	2	65	100	3	5	3	6516	5241	RH-2	40	form-based			true	0.7	5	1	3	3	6081.600098	4806.600098	4806.600098	0.933333
3502	029	1875	0.04	2710	2	65	100	3	4	2	5625	2915	RTO-1	50	form-based			true	0.7	5	1.25	3	3	6562.5	3852.5	3852.5	1.166667
3502	038	1973	0.05	4680	7	85	140	4	7	0	7892	3212	RTO-1	85	form-based			true	0.7	10	1.428571463	3	3	11048.7998	6368.799805	6368.799805	1.4
3502	039	2010	0.05	5231	7	85	140	4	7	0	8040	2809	RTO-1	85	form-based			true	0.7	10	1.428571463	3	3	11256	6025	6025	1.4
3502	049	2000	0.05	2840	3	65	100	3	5	2	6000	3160	RTO-1	50	form-based			true	0.7	6	1.200000048	3	3	7000	4160	4160	1.166667
3502	051	2000	0.05	3130	3	65	100	3	5	2	6000	2870	RTO-1	50	form-based			true	0.7	6	1.200000048	3	3	7000	3870	3870	1.166667
3502	073	1666	0.04	2644	2	65	100	3	4	2	4998	2354	RTO-1	50	form-based			true	0.7	5	1.25	3	3	5831	3187	3187	1.166667
3502	077	1667	0.04	2970	2	65	100	3	4	2	5001	2031	RTO-1	50	form-based			true	0.7	5	1.25	3	3	5834.5	2864.5	2864.5	1.166667
3502	083	1667	0.04	2152	2	65	100	3	4	2	5001	2849	RTO-1	50	form-based			true	0.7	5	1.25	3	3	5834.5	3682.5	3682.5	1.166667
3502	110	4708	0.11	5409	10	65	100	3	11	1	14124	8715	RTO-1	50	form-based			true	0.7	13	1.181818128	3	3	16478	11069	11069	1.166667
3502	118	1667	0.04	1363	2	65	100	3	4	2	5001	3638	RTO-1	50	form-based			true	0.7	5	1.25	3	3	5834.5	4471.5	4471.5	1.166667
3502	120	1840	0.04	1036	2	65	100	3	4	2	5520	4484	RTO-1	50	form-based			true	0.7	5	1.25	3	3	6440	5404	5404	1.166667
3502	126	1875	0.04	12845	2	65	100	3	4	2	5625	0	RTO-1	50	form-based			true	0.7	5	1.25	3	3	6562.5	0	0	1.166667
3502	128	1875	0.04	1200	2	65	100	3	4	2	5625	4425	RTO-1	50	form-based			true	0.7	5	1.25	3	3	6562.5	5362.5	5362.5	1.166667
3502	132	2000	0.05	1430	3	65	100	3	5	2	6000	4570	RTO-1	50	form-based			true	0.7	6	1.200000048	3	3	7000	5570	5570	1.166667
3502	139	1667	0.04	1355	2	65	100	3	4	2	5001	3646	RTO-1	50	form-based			true	0.7	5	1.25	3	3	5834.5	4479.5	4479.5	1.166667
3502	143	1667	0.04	1598	2	65	100	3	4	2	5001	3403	RTO-1	50	form-based			true	0.7	5	1.25	3	3	5834.5	4236.5	4236.5	1.166667
3504	024	1977	0.05	1968	3	65	100	3	5	2	5931	3963	NCT-3	50	form-based				0.75	6	1.200000048	3	3	7413.75	5445.75	5445.75	1.25
3505	023	2072	0.05	2358	2	65	100	3	5	3	6216	3858	NCT-3	40	form-based				0.75	5	1	3	3	6216	3858	3858	1
3510	015	2207	0.05	3344	4	65	100	3	5	1	6621	3277	WMUG	55	form-based				0.75	7	1.399999976	3	3	8276.25	4932.25	4932.25	1.25
3510	024	1877	0.04	745	1	65	100	3	4	3	5631	4886	RED-MX	45	form-based				0.75	4	1	3	3	5631	4886	4886	1
3510	025	1877	0.04	2647	1	65	100	3	4	3	5631	2984	RED-MX	45	form-based				0.75	4	1	3	3	5631	2984	2984	1
3510	027	1877	0.04	4443	1	65	100	3	4	3	5631	1188	RED-MX	45	form-based				0.75	4	1	3	3	5631	1188	1188	1
3511	013	2003	0.05	4575	8	65	100	3	5	0	6009	1434	WMUG	85	form-based			true	0.75	11	2.200000048	3	2	12018	7443	7443	2
3511	040	4118	0.09	7200	6	65	100	3	9	3	12354	5154	RED	40	form-based				0.75	9	1	3	3	12354	5154	5154	1
3511	054	1940	0.04	1370	1	65	100	3	4	3	5820	4450	RED	40	form-based				0.75	4	1	3	3	5820	4450	4450	1
3511	060	2003	0.05	2300	2	65	100	3	5	3	6009	3709	RED	40	form-based				0.75	5	1	3	3	6009	3709	3709	1
3511	126	2197	0.05	1525	2	65	100	3	5	3	6591	5066	RED	40	form-based				0.75	5	1	3	3	6591	5066	5066	1
3511	135	2624	0.06	1633	3	65	100	3	6	3	7872	6239	RED	40	form-based		true		0.75	6	1	3	3	7872	6239	6239	1
3513	046	1705	0.04	1540	1	65	100	3	4	3	5115	3575	NCT-3	40	form-based				0.75	4	1	3	3	5115	3575	3575	1
3513	049	1938	0.04	714	1	65	100	3	4	3	5814	5100	NCT-3	40	form-based				0.75	4	1	3	3	5814	5100	5100	1
3516	018	3280	0.08	9909	14	65	100	3	8	0	9840	0	WMUG	85	form-based		true	true	0.75	17	2.125	3	2	19680	9771	9771	2
3516	043	1695	0.04	1128	1	65	100	3	4	3	5085	3957	RED	40	form-based				0.75	4	1	3	3	5085	3957	3957	1
3517	024	1575	0.04	1080	1	65	100	3	4	3	4725	3645	RED	40	form-based				0.75	4	1	3	3	4725	3645	3645	1
3517	027	1575	0.04	1037	1	65	100	3	4	3	4725	3688	RED	40	form-based				0.75	4	1	3	3	4725	3688	3688	1
3518	012	8097	0.19	19830	27	65	100	3	19	0	24291	4461	NCT-FOLSO	65	form-based		true		0.75	30	1.578947425	3	3	36436.5	16606.5	16606.5	1.5
3519	023	2500	0.06	2478	3	65	100	3	6	3	7500	5022	RED	40	form-based				0.75	6	1	3	3	7500	5022	5022	1
3519	032	2521	0.06	3306	3	65	100	3	6	3	7563	4257	RED	40	form-based				0.75	6	1	3	3	7563	4257	4257	1
3519	056	2125	0.05	2590	2	65	100	3	5	3	6375	3785	RED	40	form-based				0.75	5	1	3	3	6375	3785	3785	1
3519	058	2055	0.05	2120	2	65	100	3	5	3	6165	4045	RED	40	form-based				0.75	5	1	3	3	6165	4045	4045	1
3520	077	2041	0.05	1480	3	65	100	3	5	2	6123	4643	WMUG	55	form-based				0.75	6	1.200000048	3	3	7653.75	6173.75	6173.75	1.25
3522	026	1532	0.04	0	0	65	100	3	4	4	4596	4596	RED	40	form-based				0.75	3	0.75	3	3	4596	4596	4596	1
3522	027	1535	0.04	0	0	65	100	3	4	4	4605	4605	RED	40	form-based				0.75	3	0.75	3	3	4605	4605	4605	1
3522	030	1902	0.04	820	1	65	100	3	4	3	5706	4886	RED	40	form-based				0.75	4	1	3	3	5706	4886	4886	1
3522	032	1911	0.04	2062	1	65	100	3	4	3	5733	3671	RED	40	form-based				0.75	4	1	3	3	5733	3671	3671	1
3522	052	1968	0.05	733	1	65	100	3	5	4	5904	5171	RED	40	form-based				0.75	4	0.800000012	3	3	5904	5171	5171	1
3522	069	2035	0.05	2368	2	65	100	3	5	3	6105	3737	RED	40	form-based				0.75	5	1	3	3	6105	3737	3737	1
3525	031	3202	0.07	3426	4	55	80	2.5	6	2	8005	4579	RED	40	form-based				0.75	7	1.166666627	3	3	9606	6180	6180	1.2
3525	032	2125	0.05	1435	2	55	80	2.5	4	2	5312	3877	RED	40	form-based				0.75	5	1.25	3	3	6375	4940	4940	1.200113
3525	033	2125	0.05	1980	2	55	80	2.5	4	2	5312	3332	RED	40	form-based				0.75	5	1.25	3	3	6375	4395	4395	1.200113
3525	035	2550	0.06	2566	3	55	80	2.5	5	2	6375	3809	RED	40	form-based				0.75	6	1.200000048	3	3	7650	5084	5084	1.2
3525	039	2110	0.05	2092	2	55	80	2.5	4	2	5275	3183	RED	40	form-based				0.75	5	1.25	3	3	6330	4238	4238	1.2
3525	076	2100	0.05	2797	2	55	80	2.5	4	2	5250	2453	RED-MX	45	form-based				0.75	5	1.25	3	3	6300	3503	3503	1.2
3532	011A	5000	0.11	11566	16	75	120	3.5	13	0	17500	5934	UMU	68	form-based				0.75	19	1.461538434	3	3	22500	10934	10934	1.285714
3532	042	2279	0.05	0	0	65	100	3	5	5	6837	6837	RM-1	40	density-lim	800			0.7	3	0.600000024	3	3	6381.199707	6381.199707	6381.199707	0.933333
3533	032	4990	0.11	4060	5	65	100	3	11	6	14970	10910	RTO-1	40	density-lim	600			0.7	8	0.727272749	3	3	13972	9912	9912	0.933333
3533	036	2191	0.05	620	1	65	100	3	5	4	6573	5953	RTO-1	40	density-lim	600			0.7	4	0.800000012	3	3	6134.799805	5514.799805	5514.799805	0.933333
3533	059	2411	0.06	3186	4	65	100	3	6	2	7233	4047	RTO-1	50	form-based			true	0.7	7	1.166666627	3	3	8438.5	5252.5	5252.5	1.166667
3533	060	3179	0.07	6897	6	65	100	3	7	1	9537	2640	RTO-1	50	form-based			true	0.7	9	1.285714269	3	3	11126.5	4229.5	4229.5	1.166667
3534	004	3218	0.07	2966	6	65	100	3	7	1	9654	6688	RTO-1	50	form-based			true	0.7	9	1.285714269	3	3	11263	8297	8297	1.166667
3534	010A	3233	0.07	4080	4	65	100	3	7	3	9699	5619	RTO-1	40	form-based			true	0.7	7	1	3	3	9052.399414	4972.399414	4972.399414	0.933333
3534	050	2100	0.05	2000	3	65	100	3	5	2	6300	4300	RTO-1	50	form-based			true	0.7	6	1.200000048	3	3	7350	5350	5350	1.166667
3534	026	2500	0.06	3100	4	65	100	3	6	2	7500	4400	RTO-1	50	form-based			true	0.7	7	1.166666627	3	3	8750	5650	5650	1.166667
3534	041	1768	0.04	2340	2	65	100	3	4	2	5304	2964	RTO-1	50	form-based			true	0.7	5	1.25	3	3	6188	3848	3848	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3534	042	1629	0.04	2296	2	65	100	3	4	2	4887	2591	RTO-1	50	form-based			true	0.7	5	1.25	3	3	5701.5	3405.5	3405.5	1.166667
3534	043	1811	0.04	2412	2	65	100	3	4	2	5433	3021	RTO-1	50	form-based			true	0.7	5	1.25	3	3	6338.5	3926.5	3926.5	1.166667
3534	045	2469	0.06	2170	4	65	100	3	6	2	7407	5237	RTO-1	50	form-based			true	0.7	7	1.166666627	3	3	8641.5	6471.5	6471.5	1.166667
3534	046	5297	0.12	10170	12	65	100	3	12	0	15891	5721	RTO-1	50	form-based			true	0.7	15	1.25	3	3	18539.5	8369.5	8369.5	1.166667
3534	047	1875	0.04	3012	2	65	100	3	4	2	5625	2613	RTO-1	50	form-based			true	0.7	5	1.25	3	3	6562.5	3550.5	3550.5	1.166667
3534	072	1875	0.04	1310	2	65	100	3	4	2	5625	4315	RTO-1	50	form-based			true	0.7	5	1.25	3	3	6562.5	5252.5	5252.5	1.166667
3534	074	1875	0.04	970	2	65	100	3	4	2	5625	4655	RTO-1	50	form-based			true	0.7	5	1.25	3	3	6562.5	5592.5	5592.5	1.166667
3534	076	1875	0.04	1315	2	65	100	3	4	2	5625	4310	RTO-1	50	form-based			true	0.7	5	1.25	3	3	6562.5	5247.5	5247.5	1.166667
3534	121	1625	0.04	1074	2	65	100	3	4	2	4875	3801	RTO-1	50	form-based			true	0.7	5	1.25	3	3	5687.5	4613.5	4613.5	1.166667
3534	123	1802	0.04	1053	2	65	100	3	4	2	5406	4353	RTO-1	50	form-based			true	0.7	5	1.25	3	3	6307	5254	5254	1.166667
3534	137	1806	0.04	1208	2	65	100	3	4	2	5418	4210	RTO-1	50	form-based			true	0.7	5	1.25	3	3	6321	5113	5113	1.166667
3537	029	2500	0.06	3520	4	65	100	3	6	2	7500	3980	RTO-1	50	form-based			true	0.7	7	1.166666627	3	3	8750	5230	5230	1.166667
3537	032	1875	0.04	4935	2	65	100	3	4	2	5625	690	RTO-1	50	form-based	true	true	true	0.7	5	1.25	3	3	6562.5	1627.5	1627.5	1.166667
3537	041	3125	0.07	2080	4	65	100	3	7	3	9375	7295	RTO-1	40	form-based			true	0.7	7	1	3	3	8750	6670	6670	0.933333
3537	070	3098	0.07	5518	6	65	100	3	7	1	9294	3776	RTO-1	50	form-based			true	0.7	9	1.285714269	3	3	10843	5325	5325	1.166667
3537	125	3136	0.07	3601	4	65	100	3	7	3	9408	5807	RTO-1	40	form-based			true	0.7	7	1	3	3	8780.799805	5179.799805	5179.799805	0.933333
3537	151	3219	0.07	768	4	65	100	3	7	3	9657	8889	RTO-1	40	form-based			true	0.7	7	1	3	3	9013.200195	8245.200195	8245.200195	0.933333
3538	015	3249	0.07	4824	4	65	100	3	7	3	9747	4923	RTO-1	40	form-based			true	0.7	7	1	3	3	9097.200195	4273.200195	4273.200195	0.933333
3538	019	2699	0.06	5016	3	65	100	3	6	3	8097	3081	RTO-1	40	form-based			true	0.7	6	1	3	3	7557.199707	2541.199707	2541.199707	0.933333
3538	058	2554	0.06	6006	10	65	100	3	6	0	7662	1656	RTO-C	85	form-based	true		true	0.75	13	2.166666746	3	2	15324	9318	9318	2
3538	060	2500	0.06	2162	2	65	100	3	6	4	7500	5338	RTO-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4838	4838	0.933333
3538	066	2500	0.06	1582	2	65	100	3	6	4	7500	5918	RTO-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	5418	5418	0.933333
3538	073	2200	0.05	2432	2	65	100	3	5	3	6600	4168	RTO-1	40	form-based			true	0.7	5	1	3	3	6160	3728	3728	0.933333
3538	084	3125	0.07	3218	4	65	100	3	7	3	9375	6157	RTO-1	40	form-based			true	0.7	7	1	3	3	8750	5532	5532	0.933333
3538	092	1743	0.04	4926	6	65	100	3	4	0	5229	303	RTO-C	85	form-based	true	true	true	0.75	9	2.25	3	2	10458	5532	5532	2
3538	104	2499	0.06	1437	2	65	100	3	6	4	7497	6060	RTO-1	40	form-based			true	0.7	5	0.833333313	3	3	6997.199707	5560.199707	5560.199707	0.933333
3538	106	3249	0.07	677	4	65	100	3	7	3	9747	9070	RTO-1	40	form-based			true	0.7	7	1	3	3	9097.200195	8420.200195	8420.200195	0.933333
3538	115	2500	0.06	1105	2	65	100	3	6	4	7500	6395	RTO-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	5895	5895	0.933333
3538	132	2400	0.06	1408	2	65	100	3	6	4	7200	5792	RTO-1	40	form-based			true	0.7	5	0.833333313	3	3	6720	5312	5312	0.933333
3538	137	3249	0.07	1278	4	65	100	3	7	3	9747	8469	RTO-1	40	form-based			true	0.7	7	1	3	3	9097.200195	7819.200195	7819.200195	0.933333
3538	152	3249	0.07	841	4	65	100	3	7	3	9747	8906	RTO-1	40	form-based			true	0.7	7	1	3	3	9097.200195	8256.200195	8256.200195	0.933333
3538	185	2200	0.05	2173	2	65	100	3	5	3	6600	4427	RTO-1	40	form-based			true	0.7	5	1	3	3	6160	3987	3987	0.933333
3540	009	2448	0.06	3352	2	65	100	3	6	4	7344	3992	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6854.399902	3502.399902	3502.399902	0.933333
3540	015	3312	0.08	5684	4	65	100	3	8	4	9936	4252	RM-1	40	form-based	true	true	true	0.7	7	0.875	3	3	9273.599609	3589.599609	3589.599609	0.933333
3540	021	2875	0.07	3762	3	65	100	3	7	4	8625	4863	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8050	4288	4288	0.933333
3540	030	2760	0.06	4054	3	65	100	3	6	3	8280	4226	RH-3	40	form-based			true	0.7	6	1	3	3	7728	3674	3674	0.933333
3540	046	3228	0.07	2458	4	65	100	3	7	3	9684	7226	RH-3	40	form-based			true	0.7	7	1	3	3	9038.399414	6580.399414	6580.399414	0.933333
3540	054	2990	0.07	3970	3	65	100	3	7	4	8970	5000	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8372	4402	4402	0.933333
3540	061	2990	0.07	3600	3	65	100	3	7	4	8970	5370	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8372	4772	4772	0.933333
3540	069	2600	0.06	2276	2	65	100	3	6	4	7800	5524	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7280	5004	5004	0.933333
3540	076	2992	0.07	3107	3	65	100	3	7	4	8976	5869	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8377.599609	5270.599609	5270.599609	0.933333
3540	081	2991	0.07	2300	3	65	100	3	7	4	8973	6673	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8374.799805	6074.799805	6074.799805	0.933333
3540	084	2991	0.07	2440	3	65	100	3	7	4	8973	6533	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8374.799805	5934.799805	5934.799805	0.933333
3540	095	2990	0.07	538	3	65	100	3	7	4	8970	8432	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8372	7834	7834	0.933333
3540	098	2990	0.07	1186	3	65	100	3	7	4	8970	7784	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8372	7186	7186	0.933333
3540	121	2879	0.07	588	3	65	100	3	7	4	8637	8049	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	8061.199707	7473.199707	7473.199707	0.933333
3540	124	2600	0.06	1397	2	65	100	3	6	4	7800	6403	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7280	5883	5883	0.933333
3540	149	2600	0.06	851	2	65	100	3	6	4	7800	6949	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7280	6429	6429	0.933333
3541	001A	5241	0.12	10800	12	65	100	3	12	0	15723	4923	RTO-1	50	form-based			true	0.7	15	1.25	3	3	18343.5	7543.5	7543.5	1.166667
3541	002	2635	0.06	3830	4	65	100	3	6	2	7905	4075	RTO-1	50	form-based			true	0.7	7	1.166666627	3	3	9222.5	5392.5	5392.5	1.166667
3541	022	2875	0.07	4326	5	65	100	3	7	2	8625	4299	RH-2	50	form-based			true	0.7	8	1.142857194	3	3	10062.5	5736.5	5736.5	1.166667
3541	066	2625	0.06	4500	3	65	100	3	6	3	7875	3375	RTO-1	40	form-based			true	0.7	6	1	3	3	7350	2850	2850	0.933333
3541	075	2872	0.07	4314	3	65	100	3	7	4	8616	4302	RTO-1	40	form-based			true	0.7	6	0.857142866	3	3	8041.600098	3727.600098	3727.600098	0.933333
3541	084	2882	0.07	4290	5	65	100	3	7	2	8646	4356	RTO-1	50	form-based			true	0.7	8	1.142857194	3	3	10087	5797	5797	1.166667
3541	088	2850	0.07	1514	3	65	100	3	7	4	8550	7036	RTO-1	40	form-based			true	0.7	6	0.857142866	3	3	7980	6466	6466	0.933333
3541	131	2875	0.07	1338	3	65	100	3	7	4	8625	7287	RTO-1	40	form-based			true	0.7	6	0.857142866	3	3	8050	6712	6712	0.933333
3541	143	2625	0.06	1207	3	65	100	3	6	3	7875	6668	RTO-1	40	form-based			true	0.7	6	1	3	3	7350	6143	6143	0.933333
3541	160	2872	0.07	1691	3	65	100	3	7	4	8616	6925	RTO-1	40	form-based			true	0.7	6	0.857142866	3	3	8041.600098	6350.600098	6350.600098	0.933333
3543	007	2500	0.06	5865	9	65	100	3	6	0	7500	1635	RTO-1	85	form-based			true	0.7	12	2	3	3	14000	8135	8135	1.866667
3544	001	3068	0.07	8418	6	65	100	3	7	1	9204	786	RTO-1	50	form-based	true	true	true	0.7	9	1.285714269	3	3	10738	2320	2320	1.166667
3544	009	3768	0.09	4978	8	65	100	3	9	1	11304	6326	RTO-1	50	form-based			true	0.7	11	1.222222209	3	3	13188	8210	8210	1.166667
3544	015	2243	0.05	4050	3	65	100	3	5	2	6729	2679	RTO-1	50	form-based			true	0.7	6	1.200000048	3	3	7850.5	3800.5	3800.5	1.166667
3544	023	3125	0.07	4818	6	65	100	3	7	1	9375	4557	RTO-1	50	form-based			true	0.7	9	1.285714269	3	3	10937.5	6119.5	6119.5	1.166667
3544	039	3125	0.07	5586	6	65	100	3	7	1	9375	3789	RTO-1	50	form-based			true	0.7	9	1.285714269	3	3	10937.5	5351.5	5351.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3544	047	2125	0.05	3690	3	65	100	3	5	2	6375	2685	RTO-1	50	form-based			true	0.7	6	1.200000048	3	3	7437.5	3747.5	3747.5	1.166667
3544	049	2750	0.06	4350	5	65	100	3	6	1	8250	3900	RTO-1	50	form-based			true	0.7	8	1.333333373	3	3	9625	5275	5275	1.166667
3544	075	3788	0.09	5602	8	65	100	3	9	1	11364	5762	RTO-1	50	form-based			true	0.7	11	1.222222209	3	3	13258	7656	7656	1.166667
3544	076	3789	0.09	5602	8	65	100	3	9	1	11367	5765	RTO-1	50	form-based			true	0.7	11	1.222222209	3	3	13261.5	7659.5	7659.5	1.166667
3544	077	3789	0.09	5602	8	65	100	3	9	1	11367	5765	RTO-1	50	form-based		true	true	0.7	11	1.222222209	3	3	13261.5	7659.5	7659.5	1.166667
3544	089	2125	0.05	1202	3	65	100	3	5	2	6375	5173	RTO-1	50	form-based			true	0.7	6	1.200000048	3	3	7437.5	6235.5	6235.5	1.166667
3544	098	2125	0.05	1477	3	65	100	3	5	2	6375	4898	RTO-1	50	form-based			true	0.7	6	1.200000048	3	3	7437.5	5960.5	5960.5	1.166667
3544	127	2125	0.05	1754	3	65	100	3	5	2	6375	4621	RTO-1	50	form-based		true	true	0.7	6	1.200000048	3	3	7437.5	5683.5	5683.5	1.166667
3544	130	2244	0.05	725	3	65	100	3	5	2	6732	6007	RTO-1	50	form-based			true	0.7	6	1.200000048	3	3	7854	7129	7129	1.166667
3545	004	3296	0.08	2660	2	65	100	3	8	6	9888	7228	RTO-1	40	density-lin	600			0.7	5	0.625	3	3	9228.799805	6568.799805	6568.799805	0.933333
3545	034	1868	0.04	1336	1	65	100	3	4	3	5604	4268	RH-1	40	density-lin	3000			0.7	4	1	3	3	5230.399902	3894.399902	3894.399902	0.933333
3545	035	2502	0.06	2075	1	65	100	3	6	5	7506	5431	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7005.600098	4930.600098	4930.600098	0.933333
3545	036	2502	0.06	1915	1	65	100	3	6	5	7506	5591	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7005.600098	5090.600098	5090.600098	0.933333
3545	038	2435	0.06	1556	1	65	100	3	6	5	7305	5749	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6818	5262	5262	0.933333
3545	039	3144	0.07	2873	1	65	100	3	7	6	9432	6559	RH-1	40	density-lin	3000			0.7	4	0.571428597	3	3	8803.200195	5930.200195	5930.200195	0.933333
3545	040	3125	0.07	1112	1	65	100	3	7	6	9375	8263	RH-1	40	density-lin	3000			0.7	4	0.571428597	3	3	8750	7638	7638	0.933333
3545	041	2492	0.06	2555	1	65	100	3	6	5	7476	4921	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6977.600098	4422.600098	4422.600098	0.933333
3545	042	2492	0.06	1045	1	65	100	3	6	5	7476	6431	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6977.600098	5932.600098	5932.600098	0.933333
3545	043	2491	0.06	1125	1	65	100	3	6	5	7473	6348	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6974.799805	5849.799805	5849.799805	0.933333
3545	044	2544	0.06	3216	1	65	100	3	6	5	7632	4416	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7123.199707	3907.199707	3907.199707	0.933333
3545	045	1784	0.04	970	1	65	100	3	4	3	5352	4382	RH-1	40	density-lin	3000			0.7	4	1	3	3	4995.199707	4025.199707	4025.199707	0.933333
3545	054	2564	0.06	5150	4	65	100	3	6	2	7692	2542	RTO-1	50	form-based			true	0.7	7	1.166666627	3	3	8974	3824	3824	1.166667
3545	114	3330	0.08	977	4	65	100	3	8	4	9990	9013	RTO-1	40	form-based			true	0.7	7	0.875	3	3	9324	8347	8347	0.933333
3545	134	3296	0.08	1742	2	65	100	3	8	6	9888	8146	RTO-1	40	density-lin	600			0.7	5	0.625	3	3	9228.799805	7486.799805	7486.799805	0.933333
3545	136	3420	0.08	993	4	65	100	3	8	4	10260	9267	RTO-1	40	form-based			true	0.7	7	0.875	3	3	9576	8583	8583	0.933333
3545	140	2937	0.07	1150	2	65	100	3	7	5	8811	7661	RTO-1	40	density-lin	600			0.7	5	0.714285731	3	3	8223.599609	7073.599609	7073.599609	0.933333
3548	009	2134	0.05	4831	3	75	120	3.5	6	3	7469	2638	UMU	58	form-based				0.75	6	1	3	3	8002.5	3171.5	3171.5	1.071429
3548	054	1973	0.05	2003	1	75	120	3.5	6	5	6906	4903	RTO-M	40	form-based				0.7	4	0.666666687	3	3	5524.399902	3521.399902	3521.399902	0.799942
3548	059	2331	0.05	4974	4	75	120	3.5	6	2	8158	3184	RTO-M	55	form-based		true		0.7	7	1.166666627	3	3	8158.5	3184.5	3184.5	1.000061
3548	068	2000	0.05	645	1	75	120	3.5	6	5	7000	6355	RTO-M	40	form-based				0.7	4	0.666666687	3	3	5600	4955	4955	0.8
3548	073	1991	0.05	1979	1	75	120	3.5	6	5	6968	4989	RTO-M	40	form-based				0.7	4	0.666666687	3	3	5574.799805	3595.799805	3595.799805	0.800057
3548	087	1924	0.04	3745	3	75	120	3.5	5	2	6734	2989	UMU	58	form-based				0.75	6	1.200000048	3	3	7215	3470	3470	1.071429
3548	103	1875	0.04	1423	2	75	120	3.5	5	3	6562	5139	RTO-M	55	form-based		true		0.7	5	1	3	3	6562.5	5139.5	5139.5	1.000076
3548	119	2009	0.05	1486	3	75	120	3.5	6	3	7032	5546	RTO-M	55	form-based				0.7	6	1	3	3	7031.5	5545.5	5545.5	0.999929
3548	127	11181	0.26	799	39	75	120	3.5	31	0	39134	38335	NCT-MISSI	65	form-based				0.75	42	1.354838729	3	3	50314.5	49515.5	49515.5	1.285698
3548	167	3552	0.08	972	5	75	120	3.5	10	5	12432	11460	UMU	48	form-based				0.75	8	0.800000012	3	3	10656	9684	9684	0.857143
3548	232	2125	0.05	1522	3	75	120	3.5	6	3	7438	5916	UMU	58	form-based				0.75	6	1	3	3	7968.75	6446.75	6446.75	1.071357
3552	008	3065	0.07	1374	1	75	120	3.5	8	7	10728	9354	RH-3	55	density-lin	1000			0.7	4	0.5	3	3	10727.5	9353.5	9353.5	0.999953
3552	014	3004	0.07	5010	6	75	120	3.5	8	2	10514	5504	UMU	58	form-based				0.75	9	1.125	3	3	11265	6255	6255	1.071429
3553	035	1500	0.03	0	0	75	120	3.5	4	4	5250	5250	RTO-M	40	form-based				0.7	3	0.75	3	3	4200	4200	4200	0.8
3553	041	1884	0.04	1125	1	75	120	3.5	5	4	6594	5469	RTO-M	40	form-based		true		0.7	4	0.800000012	3	3	5275.199707	4150.199707	4150.199707	0.8
3553	049	2000	0.05	4875	3	75	120	3.5	6	3	7000	2125	RTO-M	55	form-based				0.7	6	1	3	3	7000	2125	2125	1
3553	146	2400	0.06	977	4	75	120	3.5	7	3	8400	7423	RTO-M	55	form-based		true		0.7	7	1	3	3	8400	7423	7423	1
3554	034	3003	0.07	2708	3	75	120	3.5	8	5	10510	7802	RTO-M	45	form-based				0.7	6	0.75	3	3	8408.399414	5700.399414	5700.399414	0.800038
3554	052	1984	0.05	4200	3	75	120	3.5	6	3	6944	2744	RTO-M	55	form-based		true		0.7	6	1	3	3	6944	2744	2744	1
3554	109	3003	0.07	348	3	75	120	3.5	8	5	10510	10162	RTO-M	45	form-based				0.7	6	0.75	3	3	8408.399414	8060.399414	8060.399414	0.800038
3555	030	3375	0.08	3930	4	75	120	3.5	10	6	11812	7882	RTO-M	45	form-based				0.7	7	0.699999988	3	3	9450	5520	5520	0.800034
3555	045	2654	0.06	1887	3	75	120	3.5	7	4	9289	7402	RTO-M	45	form-based				0.7	6	0.857142866	3	3	7431.199707	5544.199707	5544.199707	0.8
3555	054	1952	0.04	1524	1	75	120	3.5	5	4	6832	5308	RTO-M	45	form-based				0.7	4	0.800000012	3	3	5465.600098	3941.600098	3941.600098	0.8
3556	016	4037	0.09	7688	4	65	100	3	9	5	12111	4423	RTO-1	40	density-lin	600	true		0.7	7	0.777777791	3	3	11303.59961	3615.599609	3615.599609	0.933333
3556	023	3013	0.07	2450	2	65	100	3	7	5	9039	6589	RTO-1	40	density-lin	600			0.7	5	0.714285731	3	3	8436.399414	5986.399414	5986.399414	0.933333
3556	027	3057	0.07	5781	3	85	140	4	10	7	12228	6447	RTO-1	40	form-based			true	0.7	6	0.600000024	3	3	8559.599609	2778.599609	2778.599609	0.7
3556	035	3684	0.08	6484	5	65	100	3	8	3	11052	4568	RTO-1	40	form-based			true	0.7	8	1	3	3	10315.2002	3831.200195	3831.200195	0.933333
3556	039	2178	0.05	2378	2	65	100	3	5	3	6534	4156	RTO-1	40	form-based			true	0.7	5	1	3	3	6098.399902	3720.399902	3720.399902	0.933333
3556	057	3004	0.07	1894	3	65	100	3	7	4	9012	7118	RTO-1	40	form-based			true	0.7	6	0.857142866	3	3	8411.200195	6517.200195	6517.200195	0.933333
3557	022	3094	0.07	4376	6	65	100	3	7	1	9282	4906	RTO-1	50	form-based			true	0.7	9	1.285714269	3	3	10829	6453	6453	1.166667
3557	022A	3095	0.07	4376	6	65	100	3	7	1	9285	4909	RTO-1	50	form-based			true	0.7	9	1.285714269	3	3	10832.5	6456.5	6456.5	1.166667
3557	034	1737	0.04	3691	3	85	140	4	6	3	6948	3257	RTO-1	65	form-based			true	0.7	6	1	3	3	7295.399902	3604.399902	3604.399902	1.05
3557	050	1907	0.04	5325	4	65	100	3	4	0	5721	396	NCT-UPPE	65	form-based		true	true	0.75	7	1.75	3	3	8581.5	3256.5	3256.5	1.5
3557	056B	1851	0.04	1496	2	65	100	3	4	2	5553	4057	RTO-1	50	form-based		true	true	0.7	5	1.25	3	3	6478.5	4982.5	4982.5	1.166667
3557	058	1853	0.04	2580	2	65	100	3	4	2	5559	2979	RTO-1	50	form-based			true	0.7	5	1.25	3	3	6485.5	3905.5	3905.5	1.166667
3557	113	1738	0.04	973	3	85	140	4	6	3	6952	5979	RTO-1	65	form-based			true	0.7	6	1	3	3	7299.600098	6326.600098	6326.600098	1.05
3557	121	2309	0.05	850	3	65	100	3	5	2	6927	6077	RTO-1	50	form-based			true	0.7	6	1.200000048	3	3	8081.5	7231.5	7231.5	1.166667
3557	164	1737	0.04	1306	3	85	140	4	6	3	6948	5642	RTO-1	65	form-based		true	true	0.7	6	1	3	3	7295.399902	5989.399902	5989.399902	1.05

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3558	001	2459	0.06	5025	6	65	100	3	6	0	7377	2352	NCT-UPPE	65	form-based		true	true	0.75	9	1.5	3	3	11065.5	6040.5	6040.5	1.5
3558	030	3150	0.07	4180	6	85	140	4	10	4	12600	8420	RTO-1	50	form-based			true	0.7	9	0.899999976	3	3	11025	6845	6845	0.875
3558	035	3150	0.07	6570	6	85	140	4	10	4	12600	6030	RTO-1	50	form-based			true	0.7	9	0.899999976	3	3	11025	4455	4455	0.875
3558	045	3125	0.07	6558	6	65	100	3	7	1	9375	2817	RTO-1	50	form-based			true	0.7	9	1.285714269	3	3	10937.5	4379.5	4379.5	1.166667
3558	067	2500	0.06	4788	4	65	100	3	6	2	7500	2712	RTO-1	50	form-based			true	0.7	7	1.166666627	3	3	8750	3962	3962	1.166667
3559	005	2500	0.06	5325	4	65	100	3	6	2	7500	2175	RTO-1	50	form-based			true	0.7	7	1.166666627	3	3	8750	3425	3425	1.166667
3559	020	2287	0.05	1450	3	65	100	3	5	2	6861	5411	RTO-1	50	form-based			true	0.7	6	1.200000048	3	3	8004.5	6554.5	6554.5	1.166667
3560	020A	1803	0.04	2750	2	65	100	3	4	2	5409	2659	RH-2	50	form-based			true	0.7	5	1.25	3	3	6310.5	3560.5	3560.5	1.166667
3560	035	1831	0.04	1300	2	65	100	3	4	2	5493	4193	RH-2	50	form-based			true	0.7	5	1.25	3	3	6408.5	5108.5	5108.5	1.166667
3560	051	1932	0.04	1015	2	65	100	3	4	2	5796	4781	RH-2	50	form-based			true	0.7	5	1.25	3	3	6762	5747	5747	1.166667
3560	086	1909	0.04	1714	2	65	100	3	4	2	5727	4013	RH-2	50	form-based		true	true	0.7	5	1.25	3	3	6681.5	4967.5	4967.5	1.166667
3561	039	2596	0.06	4338	4	65	100	3	6	2	7788	3450	RH-3	50	form-based		true	true	0.7	7	1.166666627	3	3	9086	4748	4748	1.166667
3561	018	2899	0.07	5230	5	85	140	4	10	5	11596	6366	RH-3	50	form-based			true	0.7	8	0.800000012	3	3	10146.5	4916.5	4916.5	0.875
3561	028	2899	0.07	4500	5	65	100	3	7	2	8697	4197	RH-3	50	form-based			true	0.7	8	1.142857194	3	3	10146.5	5646.5	5646.5	1.166667
3561	034	2500	0.06	4460	4	65	100	3	6	2	7500	3040	RH-3	50	form-based			true	0.7	7	1.166666627	3	3	8750	4290	4290	1.166667
3561	035	2500	0.06	3985	4	65	100	3	6	2	7500	3515	RH-3	50	form-based			true	0.7	7	1.166666627	3	3	8750	4765	4765	1.166667
3561	071	3283	0.08	3550	4	65	100	3	8	4	9849	6299	RH-3	40	form-based			true	0.7	7	0.875	3	3	9192.399414	5642.399414	5642.399414	0.933333
3561	072	1882	0.04	1230	1	65	100	3	4	3	5646	4416	RH-2	40	form-based			true	0.7	4	1	3	3	5269.600098	4039.600098	4039.600098	0.933333
3561	075	2262	0.05	1350	2	65	100	3	5	3	6786	5436	RH-2	40	form-based			true	0.7	5	1	3	3	6333.600098	4983.600098	4983.600098	0.933333
3561	076	2512	0.06	2936	2	65	100	3	6	4	7536	4600	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7033.600098	4097.600098	4097.600098	0.933333
3564	020	2287	0.05	3000	2	65	100	3	5	3	6861	3861	RH-3	40	form-based			true	0.7	5	1	3	3	6403.600098	3403.600098	3403.600098	0.933333
3564	022	2288	0.05	3116	2	65	100	3	5	3	6864	3748	RH-3	40	form-based			true	0.7	5	1	3	3	6406.399902	3290.399902	3290.399902	0.933333
3564	023	2288	0.05	2900	2	65	100	3	5	3	6864	3964	RH-3	40	form-based			true	0.7	5	1	3	3	6406.399902	3506.399902	3506.399902	0.933333
3564	026	2008	0.05	1415	1	65	100	3	5	4	6024	4609	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5622.399902	4207.399902	4207.399902	0.933333
3564	028	2008	0.05	2279	1	65	100	3	5	4	6024	3745	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5622.399902	3343.399902	3343.399902	0.933333
3564	029	2008	0.05	2874	1	65	100	3	5	4	6024	3150	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5622.399902	2748.399902	2748.399902	0.933333
3564	034	2008	0.05	3564	3	65	100	3	5	2	6024	2460	RH-2	50	form-based			true	0.7	6	1.200000048	3	3	7028	3464	3464	1.166667
3564	043	1698	0.04	1920	2	65	100	3	4	2	5094	3174	RH-2	50	form-based			true	0.7	5	1.25	3	3	5943	4023	4023	1.166667
3564	044	1698	0.04	1750	2	65	100	3	4	2	5094	3344	RH-2	50	form-based			true	0.7	5	1.25	3	3	5943	4193	4193	1.166667
3564	046	1698	0.04	2316	2	65	100	3	4	2	5094	2778	RH-2	50	form-based			true	0.7	5	1.25	3	3	5943	3627	3627	1.166667
3564	056	1719	0.04	1920	2	65	100	3	4	2	5157	3237	RH-2	50	form-based			true	0.7	5	1.25	3	3	6016.5	4096.5	4096.5	1.166667
3564	059	1719	0.04	2412	2	65	100	3	4	2	5157	2745	RH-2	50	form-based			true	0.7	5	1.25	3	3	6016.5	3604.5	3604.5	1.166667
3564	062	1736	0.04	2232	2	65	100	3	4	2	5208	2976	RH-2	50	form-based			true	0.7	5	1.25	3	3	6076	3844	3844	1.166667
3564	063	2000	0.05	3106	3	65	100	3	5	2	6000	2894	RH-2	50	form-based			true	0.7	6	1.200000048	3	3	7000	3894	3894	1.166667
3564	071	2000	0.05	2438	3	65	100	3	5	2	6000	3562	RH-2	50	form-based			true	0.7	6	1.200000048	3	3	7000	4562	4562	1.166667
3564	075	2287	0.05	2375	3	85	140	4	7	4	9148	6773	RH-3	50	form-based			true	0.7	6	0.857142866	3	3	8004.5	5629.5	5629.5	0.875
3564	078	2287	0.05	3149	3	85	140	4	7	4	9148	5999	RH-3	50	form-based			true	0.7	6	0.857142866	3	3	8004.5	4855.5	4855.5	0.875
3564	096	3102	0.07	8118	6	65	100	3	7	1	9306	1188	RM-1	50	form-based		true	true	0.7	9	1.285714269	3	3	10857	2739	2739	1.166667
3564	101	2500	0.06	1541	2	65	100	3	6	4	7500	5959	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	5459	5459	0.933333
3564	117	2500	0.06	1476	2	65	100	3	6	4	7500	6024	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	5524	5524	0.933333
3564	119	1719	0.04	1088	2	65	100	3	4	2	5157	4069	RH-2	50	form-based			true	0.7	5	1.25	3	3	6016.5	4928.5	4928.5	1.166667
3564	123	1875	0.04	1211	2	65	100	3	4	2	5625	4414	RH-3	50	form-based			true	0.7	5	1.25	3	3	6562.5	5351.5	5351.5	1.166667
3564	133	1719	0.04	1135	2	65	100	3	4	2	5157	4022	RH-2	50	form-based			true	0.7	5	1.25	3	3	6016.5	4881.5	4881.5	1.166667
3564	139	1713	0.04	1224	2	65	100	3	4	2	5139	3915	RH-2	50	form-based			true	0.7	5	1.25	3	3	5995.5	4771.5	4771.5	1.166667
3564	181	1719	0.04	1693	2	65	100	3	4	2	5157	3464	RH-2	50	form-based			true	0.7	5	1.25	3	3	6016.5	4323.5	4323.5	1.166667
3564	185	1698	0.04	1156	2	65	100	3	4	2	5094	3938	RH-2	50	form-based			true	0.7	5	1.25	3	3	5943	4787	4787	1.166667
3564	204	2000	0.05	1220	3	65	100	3	5	2	6000	4780	RH-2	50	form-based			true	0.7	6	1.200000048	3	3	7000	5780	5780	1.166667
3564	209	1719	0.04	1143	2	65	100	3	4	2	5157	4014	RH-2	50	form-based			true	0.7	5	1.25	3	3	6016.5	4873.5	4873.5	1.166667
3564	211	1698	0.04	2160	2	65	100	3	4	2	5094	2934	RH-2	50	form-based			true	0.7	5	1.25	3	3	5943	3783	3783	1.166667
3565	085	2250	0.05	1295	3	65	100	3	5	2	6750	5455	RM-1	50	form-based			true	0.7	6	1.200000048	3	3	7875	6580	6580	1.166667
3565	090	2250	0.05	1011	3	65	100	3	5	2	6750	5739	RM-1	50	form-based			true	0.7	6	1.200000048	3	3	7875	6864	6864	1.166667
3566	011	2474	0.06	4794	4	65	100	3	6	2	7422	2628	RM-1	50	form-based			true	0.7	7	1.166666627	3	3	8659	3865	3865	1.166667
3566	011A	2353	0.05	3296	4	65	100	3	5	1	7059	3763	RM-1	50	form-based			true	0.7	7	1.399999976	3	3	8235.5	4939.5	4939.5	1.166667
3566	028	1342	0.03	721	1	65	100	3	3	2	4026	3305	RH-2	50	form-based			true	0.7	4	1.333333373	3	3	4697	3976	3976	1.166667
3566	042	2073	0.05	3772	5	65	100	3	5	0	6219	2447	RTO-C	65	form-based			true	0.75	8	1.600000024	3	3	9328.5	5556.5	5556.5	1.5
3566	059	1967	0.05	1242	3	85	140	4	7	4	7868	6626	RM-2	50	form-based			true	0.7	6	0.857142866	3	3	6884.5	5642.5	5642.5	0.875
3566	081	2093	0.05	1062	3	65	100	3	5	2	6279	5217	RH-2	50	form-based			true	0.7	6	1.200000048	3	3	7325.5	6263.5	6263.5	1.166667
3567	016	3917	0.09	3400	2	65	100	3	9	7	11751	8351	RM-1	40	density-lin	800			0.7	5	0.555555582	3	3	10967.59961	7567.599609	7567.599609	0.933333
3567	030	3385	0.08	2380	1	65	100	3	8	7	10155	7775	RM-1	40	density-lin	800			0.7	4	0.5	3	3	9478	7098	7098	0.933333
3567	035	2881	0.07	6579	3	85	140	4	10	7	11524	4945	RM-1	40	form-based			true	0.7	6	0.600000024	3	3	8066.799805	1487.799805	1487.799805	0.7
3567	043	2943	0.07	2550	4	65	100	3	7	3	8829	6279	NCT-VALEI	40	form-based				0.75	7	1	3	3	8829	6279	6279	1
3568	006	2104	0.05	5229	3	75	120	3.5	6	3	7364	2135	NCT-VALEI	55	form-based				0.75	6	1	3	3	7890	2661	2661	1.071429
3568	007	2138	0.05	5052	3	75	120	3.5	6	3	7483	2431	NCT-VALEI	55	form-based				0.75	6	1	3	3	8017.5	2965.5	2965.5	1.071429
3568	018	4380	0.1	8384	6	75	120	3.5	12	6	15330	6946	RTO-M	45	form-based				0.7	9	0.75	3	3	12264	3880	3880	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3568	020	4320	0.1	4182	6	75	120	3.5	12	6	15120	10938	RTO-M	45	form-based				0.7	9	0.75	3	3	12096	7914	7914	0.8
3568	025	3600	0.08	6795	5	85	140	4	11	6	14400	7605	RTO-M	45	form-based				0.7	8	0.727272749	3	3	10080	3285	3285	0.7
3568	034	2266	0.05	4110	2	75	120	3.5	6	4	7931	3821	RTO-M	45	form-based				0.7	5	0.833333313	3	3	6344.799805	2234.799805	2234.799805	0.8
3568	046	2756	0.06	6045	3	75	120	3.5	7	4	9646	3601	RTO-M	45	form-based				0.7	6	0.857142866	3	3	7716.799805	1671.799805	1671.799805	0.8
3568	055	2583	0.06	3036	2	75	120	3.5	7	5	9040	6004	RTO-M	45	form-based				0.7	5	0.714285731	3	3	7232.399902	4196.399902	4196.399902	0.800044
3568	058	1400	0.03	2652	0	75	120	3.5	4	4	4900	2248	RTO-M	45	form-based				0.7	3	0.75	3	3	3920	1268	1268	0.8
3568	069	2756	0.06	5265	3	75	120	3.5	7	4	9646	4381	RTO-M	45	form-based				0.7	6	0.857142866	3	3	7716.799805	2451.799805	2451.799805	0.8
3568	101	3264	0.07	1957	4	75	120	3.5	8	4	11424	9467	RTO-M	45	form-based				0.7	7	0.875	3	3	9139.200195	7182.200195	7182.200195	0.8
3574	018A	1438	0.03	3210	3	65	100	3	3	0	4314	1104	RH-3	55	density-lin	1000	true		0.7	6	2	3	3	5033	1823	1823	1.166667
3574	047	2500	0.06	4650	5	75	120	3.5	7	2	8750	4100	UMU	58	form-based		true		0.75	8	1.142857194	3	3	9375	4725	4725	1.071429
3574	069	3062	0.07	4362	1	65	100	3	7	6	9186	4824	RH-3	50	density-lin	1000			0.7	4	0.571428597	3	3	10717	6355	6355	1.166667
3574	071	3063	0.07	1388	1	75	120	3.5	8	7	10720	9332	RH-3	50	density-lin	1000			0.7	4	0.5	3	3	10720.5	9332.5	9332.5	1.000047
3574	072	3001	0.07	1250	1	75	120	3.5	8	7	10504	9254	RH-3	50	density-lin	1000			0.7	4	0.5	3	3	10503.5	9253.5	9253.5	0.999952
3574	073	2955	0.07	1150	1	75	120	3.5	8	7	10342	9192	RH-3	50	density-lin	1000			0.7	4	0.5	3	3	10342.5	9192.5	9192.5	1.000048
3574	074	2986	0.07	1486	1	75	120	3.5	8	7	10451	8965	RH-3	50	density-lin	1000			0.7	4	0.5	3	3	10451	8965	8965	1
3577	013	2134	0.05	2630	1	65	100	3	5	4	6402	3772	RTO-M	45	form-based		true		0.7	4	0.800000012	3	3	5975.199707	3345.199707	3345.199707	0.933333
3577	027	2419	0.06	3250	2	65	100	3	6	4	7257	4007	RTO-M	45	form-based				0.7	5	0.833333313	3	3	6773.199707	3523.199707	3523.199707	0.933333
3577	036A	2250	0.05	4875	3	65	100	3	5	2	6750	1875	RTO-M	55	form-based				0.7	6	1.200000048	3	3	7875	3000	3000	1.166667
3577	045	2860	0.07	3990	3	65	100	3	7	4	8580	4590	RTO-M	45	form-based				0.7	6	0.857142866	3	3	8008	4018	4018	0.933333
3577	063	2544	0.06	3126	2	65	100	3	6	4	7632	4506	RTO-M	45	form-based				0.7	5	0.833333313	3	3	7123.199707	3997.199707	3997.199707	0.933333
3577	081	2310	0.05	1264	2	75	120	3.5	6	4	8085	6821	RTO-M	45	form-based				0.7	5	0.833333313	3	3	6468	5204	5204	0.8
3578	024	2800	0.06	3325	2	65	100	3	6	4	8400	5075	RM-2	40	density-lin	600			0.7	5	0.833333313	3	3	7840	4515	4515	0.933333
3578	042	2523	0.06	4385	1	65	100	3	6	5	7569	3184	RH-3	40	density-lin	1000			0.7	4	0.666666687	3	3	7064.399902	2679.399902	2679.399902	0.933333
3578	048	1797	0.04	1635	1	65	100	3	4	3	5391	3756	RH-3	40	density-lin	1000			0.7	4	1	3	3	5031.600098	3396.600098	3396.600098	0.933333
3578	048A	1135	0.03	576	1	65	100	3	3	2	3405	2829	RH-3	40	density-lin	1000			0.7	4	1.333333373	3	3	3178	2602	2602	0.933333
3578	049	1745	0.04	1220	1	65	100	3	4	3	5235	4015	RH-3	40	density-lin	1000			0.7	4	1	3	3	4886	3666	3666	0.933333
3578	049A	1186	0.03	1584	1	65	100	3	3	2	3558	1974	RH-3	40	density-lin	1000			0.7	4	1.333333373	3	3	3320.800049	1736.800049	1736.800049	0.933333
3578	073B	2401	0.06	1205	1	65	100	3	6	5	7203	5998	RH-3	40	density-lin	1000			0.7	4	0.666666687	3	3	6722.799805	5517.799805	5517.799805	0.933333
3578	075	2700	0.06	3000	2	65	100	3	6	4	8100	5100	RM-2	40	density-lin	600			0.7	5	0.833333313	3	3	7560	4560	4560	0.933333
3578	082	2940	0.07	2734	2	65	100	3	7	5	8820	6086	RM-2	40	density-lin	600			0.7	5	0.714285731	3	3	8232	5498	5498	0.933333
3578	129	3142	0.07	1225	2	65	100	3	7	5	9426	8201	RM-2	40	density-lin	600			0.7	5	0.714285731	3	3	8797.599609	7572.599609	7572.599609	0.933333
3578	187	2968	0.07	1942	2	65	100	3	7	5	8904	6962	RM-2	40	density-lin	600			0.7	5	0.714285731	3	3	8310.399414	6368.399414	6368.399414	0.933333
3579	037	1875	0.04	1362	2	65	100	3	4	2	5625	4263	RM-1	50	form-based			true	0.7	5	1.25	3	3	6562.5	5200.5	5200.5	1.166667
3579	039	2495	0.06	691	4	65	100	3	6	2	7485	6794	RM-1	50	form-based			true	0.7	7	1.166666627	3	3	8732.5	8041.5	8041.5	1.166667
3579	046	2314	0.05	1077	3	65	100	3	5	2	6942	5865	RM-1	50	form-based			true	0.7	6	1.200000048	3	3	8099	7022	7022	1.166667
3580	011	2495	0.06	6673	6	85	140	4	8	2	9980	3307	RTO-C	65	form-based		true	true	0.75	9	1.125	3	3	11227.5	4554.5	4554.5	1.125
3580	023A	1563	0.04	1025	1	65	100	3	4	3	4689	3664	RM-1	50	form-based			true	0.7	4	1	3	3	5470.5	4445.5	4445.5	1.166667
3580	048	2611	0.06	2834	4	65	100	3	6	2	7833	4999	RM-1	50	form-based			true	0.7	7	1.166666627	3	3	9138.5	6304.5	6304.5	1.166667
3580	073	2484	0.06	3066	4	65	100	3	6	2	7452	4386	RM-1	50	form-based			true	0.7	7	1.166666627	3	3	8694	5628	5628	1.166667
3581	003	2510	0.06	1125	2	65	100	3	6	4	7530	6405	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7028	5903	5903	0.933333
3581	006	2510	0.06	2950	2	65	100	3	6	4	7530	4580	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7028	4078	4078	0.933333
3581	007	2510	0.06	2797	2	65	100	3	6	4	7530	4733	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7028	4231	4231	0.933333
3581	012	2500	0.06	3004	2	65	100	3	6	4	7500	4496	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	3996	3996	0.933333
3581	016	2500	0.06	3008	2	65	100	3	6	4	7500	4492	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	3992	3992	0.933333
3581	021	2850	0.07	3740	3	65	100	3	7	4	8550	4810	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7980	4240	4240	0.933333
3581	025	2850	0.07	4500	3	65	100	3	7	4	8550	4050	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7980	3480	3480	0.933333
3581	027	2593	0.06	2400	2	65	100	3	6	4	7779	5379	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7260.399902	4860.399902	4860.399902	0.933333
3581	033	2760	0.06	4205	3	65	100	3	6	3	8280	4075	RH-3	40	form-based			true	0.7	6	1	3	3	7728	3523	3523	0.933333
3581	040	2845	0.07	2860	3	65	100	3	7	4	8535	5675	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	7966	5106	5106	0.933333
3581	049	2850	0.07	2150	3	65	100	3	7	4	8550	6400	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	7980	5830	5830	0.933333
3581	054	2850	0.07	2375	3	65	100	3	7	4	8550	6175	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	7980	5605	5605	0.933333
3581	065	2750	0.06	2452	3	85	140	4	8	5	11000	8548	RH-3	40	form-based			true	0.7	6	0.75	3	3	7700	5248	5248	0.7
3581	073	2835	0.07	2225	3	65	100	3	7	4	8505	6280	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7938	5713	5713	0.933333
3581	075	2835	0.07	1430	3	65	100	3	7	4	8505	7075	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7938	6508	6508	0.933333
3581	089	2850	0.07	1117	3	65	100	3	7	4	8550	7433	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7980	6863	6863	0.933333
3581	106	2510	0.06	1063	2	65	100	3	6	4	7530	6467	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7028	5965	5965	0.933333
3581	112	2500	0.06	1355	2	65	100	3	6	4	7500	6145	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	5645	5645	0.933333
3581	116	3092	0.07	1578	3	65	100	3	7	4	9276	7698	RH-3	40	form-based		true	true	0.7	6	0.857142866	3	3	8657.599609	7079.599609	7079.599609	0.933333
3581	121	2593	0.06	1405	2	65	100	3	6	4	7779	6374	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7260.399902	5855.399902	5855.399902	0.933333
3582	006	3117	0.07	3846	4	65	100	3	7	3	9351	5505	RH-3	40	form-based			true	0.7	7	1	3	3	8727.599609	4881.599609	4881.599609	0.933333
3582	006A	3117	0.07	4500	4	65	100	3	7	3	9351	4851	RH-3	40	form-based			true	0.7	7	1	3	3	8727.599609	4227.599609	4227.599609	0.933333
3582	016	2500	0.06	3224	2	65	100	3	6	4	7500	4276	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	3776	3776	0.933333
3582	020	2500	0.06	3188	2	65	100	3	6	4	7500	4312	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	3812	3812	0.933333
3582	111	2259	0.05	1319	4	65	100	3	5	1	6777	5458	NCD-CAST	50	form-based		true	true	0.75	7	1.399999976	3	3	8471.25	7152.25	7152.25	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3583	004	3125	0.07	2800	4	65	100	3	7	3	9375	6575	RH-3	40	form-based			true	0.7	7	1	3	3	8750	5950	5950	0.933333
3583	014	2075	0.05	1125	1	65	100	3	5	4	6225	5100	RH-3	40	form-based			true	0.7	4	0.800000012	3	3	5810	4685	4685	0.933333
3583	020	2375	0.05	2610	2	65	100	3	5	3	7125	4515	RH-3	40	form-based			true	0.7	5	1	3	3	6650	4040	4040	0.933333
3583	024	2075	0.05	2600	1	65	100	3	5	4	6225	3625	RH-3	40	form-based			true	0.7	4	0.800000012	3	3	5810	3210	3210	0.933333
3583	032	3117	0.07	3127	4	65	100	3	7	3	9351	6224	RH-3	40	form-based			true	0.7	7	1	3	3	8727.599609	5600.599609	5600.599609	0.933333
3583	061	3125	0.07	2750	2	65	100	3	7	5	9375	6625	NCD-CAST	40	density-lin	600			0.75	5	0.714285731	3	3	9375	6625	6625	1
3583	074	2467	0.06	3735	4	65	100	3	6	2	7401	3666	NCD-CAST	50	form-based			true	0.75	7	1.166666627	3	3	9251.25	5516.25	5516.25	1.25
3583	078	1842	0.04	3458	3	65	100	3	4	1	5526	2068	NCD-CAST	50	form-based			true	0.75	6	1.5	3	3	6907.5	3449.5	3449.5	1.25
3583	086	2201	0.05	2420	2	65	100	3	5	3	6603	4183	NCD-CAST	40	form-based			true	0.75	5	1	3	3	6603	4183	4183	1
3583	089	3169	0.07	898	4	65	100	3	7	3	9507	8609	RH-3	40	form-based			true	0.7	7	1	3	3	8873.200195	7975.200195	7975.200195	0.933333
3583	106	1875	0.04	795	2	65	100	3	4	2	5625	4830	RH-3	50	form-based			true	0.7	5	1.25	3	3	6562.5	5767.5	5767.5	1.166667
3583	112	1875	0.04	1753	2	65	100	3	4	2	5625	3872	RH-3	50	form-based			true	0.7	5	1.25	3	3	6562.5	4809.5	4809.5	1.166667
3583	114	3117	0.07	1639	4	65	100	3	7	3	9351	7712	RH-3	40	form-based			true	0.7	7	1	3	3	8727.599609	7088.599609	7088.599609	0.933333
3584	001	1240	0.03	1142	0	65	100	3	3	3	3720	2578	RH-3	40	form-based		true	true	0.7	3	1	3	3	3472	2330	2330	0.933333
3584	004	2625	0.06	3763	3	65	100	3	6	3	7875	4112	RH-3	40	form-based			true	0.7	6	1	3	3	7350	3587	3587	0.933333
3584	017	2625	0.06	2610	3	65	100	3	6	3	7875	5265	RH-3	40	form-based			true	0.7	6	1	3	3	7350	4740	4740	0.933333
3584	057	2850	0.07	2967	3	65	100	3	7	4	8550	5583	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7980	5013	5013	0.933333
3584	058	2850	0.07	3375	3	65	100	3	7	4	8550	5175	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7980	4605	4605	0.933333
3584	063	2850	0.07	5105	3	65	100	3	7	4	8550	3445	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7980	2875	2875	0.933333
3584	074	2662	0.06	2945	3	65	100	3	6	3	7986	5041	RH-3	40	form-based			true	0.7	6	1	3	3	7453.600098	4508.600098	4508.600098	0.933333
3584	078	2557	0.06	2790	2	65	100	3	6	4	7671	4881	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7159.600098	4369.600098	4369.600098	0.933333
3584	079	2834	0.07	3566	3	65	100	3	7	4	8502	4936	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7935.199707	4369.199707	4369.199707	0.933333
3584	089	2836	0.07	2908	3	65	100	3	7	4	8508	5600	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7940.799805	5032.799805	5032.799805	0.933333
3584	101	2850	0.07	1423	3	65	100	3	7	4	8550	7127	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7980	6557	6557	0.933333
3584	104	2850	0.07	1221	3	65	100	3	7	4	8550	7329	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7980	6759	6759	0.933333
3584	111	2850	0.07	1472	3	65	100	3	7	4	8550	7078	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7980	6508	6508	0.933333
3585	015	1487	0.03	625	1	65	100	3	3	2	4461	3836	RH-2	50	form-based			true	0.7	4	1.333333373	3	3	5204.5	4579.5	4579.5	1.166667
3585	019	2850	0.07	4740	5	65	100	3	7	2	8550	3810	RH-2	50	form-based			true	0.7	8	1.142857194	3	3	9975	5235	5235	1.166667
3587	032	3347	0.08	3689	3	65	100	3	8	5	10041	6352	RM-2	40	density-lin	600			0.7	6	0.75	3	3	9371.599609	5682.599609	5682.599609	0.933333
3587	036	2781	0.06	3064	2	65	100	3	6	4	8343	5279	RM-2	40	density-lin	600			0.7	5	0.833333313	3	3	7786.799805	4722.799805	4722.799805	0.933333
3587	046	2476	0.06	3830	0	65	100	3	6	6	7428	3598	NC-1	40	density-lin	800	true		0.75	3	0.5	3	3	7428	3598	3598	1
3587	056	3300	0.08	2490	1	65	100	3	8	7	9900	7410	RH-2	40	density-lin	1500			0.7	4	0.5	3	3	9240	6750	6750	0.933333
3587	056B	3300	0.08	2000	1	65	100	3	8	7	9900	7900	RH-2	40	density-lin	1500			0.7	4	0.5	3	3	9240	7240	7240	0.933333
3587	057	2750	0.06	1095	1	65	100	3	6	5	8250	7155	RH-2	40	density-lin	1500			0.7	4	0.666666687	3	3	7700	6605	6605	0.933333
3587	073	2704	0.06	2598	0	65	100	3	6	6	8112	5514	NC-1	40	density-lin	800			0.75	3	0.5	3	3	8112	5514	5514	1
3587	077	627	0.01	520	1	65	100	3	1	0	1881	1361	RH-2	40	density-lin	1500			0.7	4	4	3	1	1755.599976	1235.599976	1235.599976	0.933333
3587	084	2772	0.06	1618	2	65	100	3	6	4	8316	6698	RM-2	40	density-lin	600			0.7	5	0.833333313	3	3	7761.600098	6143.600098	6143.600098	0.933333
3588	016	2500	0.06	2930	4	65	100	3	6	2	7500	4570	RTO-M	55	form-based				0.7	7	1.166666627	3	3	8750	5820	5820	1.166667
3588	023	2256	0.05	1930	2	65	100	3	5	3	6768	4838	RTO-M	45	form-based				0.7	5	1	3	3	6316.799805	4386.799805	4386.799805	0.933333
3588	033	2000	0.05	1083	1	65	100	3	5	4	6000	4917	RTO-M	45	form-based				0.7	4	0.800000012	3	3	5600	4517	4517	0.933333
3588	034	2000	0.05	750	1	65	100	3	5	4	6000	5250	RTO-M	45	form-based				0.7	4	0.800000012	3	3	5600	4850	4850	0.933333
3588	037	2000	0.05	3026	1	65	100	3	5	4	6000	2974	RTO-M	45	form-based				0.7	4	0.800000012	3	3	5600	2574	2574	0.933333
3588	040	2000	0.05	1630	1	65	100	3	5	4	6000	4370	RTO-M	45	form-based				0.7	4	0.800000012	3	3	5600	3970	3970	0.933333
3588	041	2000	0.05	3013	1	65	100	3	5	4	6000	2987	RTO-M	45	form-based				0.7	4	0.800000012	3	3	5600	2587	2587	0.933333
3588	049A	3456	0.08	6202	7	65	100	3	8	1	10368	4166	RTO-M	55	form-based		true		0.7	10	1.25	3	3	12096	5894	5894	1.166667
3588	049B	2112	0.05	1504	1	65	100	3	5	4	6336	4832	RTO-M	45	form-based				0.7	4	0.800000012	3	3	5913.600098	4409.600098	4409.600098	0.933333
3588	049F	1728	0.04	2584	1	65	100	3	4	3	5184	2600	RTO-M	45	form-based				0.7	4	1	3	3	4838.399902	2254.399902	2254.399902	0.933333
3588	049G	1725	0.04	1737	1	65	100	3	4	3	5175	3438	RTO-M	45	form-based				0.7	4	1	3	3	4830	3093	3093	0.933333
3588	049K	1875	0.04	2046	1	65	100	3	4	3	5625	3579	RTO-M	45	form-based				0.7	4	1	3	3	5250	3204	3204	0.933333
3588	049L	1875	0.04	1110	1	65	100	3	4	3	5625	4515	RTO-M	45	form-based				0.7	4	1	3	3	5250	4140	4140	0.933333
3588	049M	1875	0.04	3044	1	65	100	3	4	3	5625	2581	RTO-M	45	form-based				0.7	4	1	3	3	5250	2206	2206	0.933333
3588	053	2290	0.05	2475	2	65	100	3	5	3	6870	4395	RTO-M	45	form-based				0.7	5	1	3	3	6412	3937	3937	0.933333
3588	056	2300	0.05	2566	2	65	100	3	5	3	6900	4334	RTO-M	45	form-based				0.7	5	1	3	3	6440	3874	3874	0.933333
3588	072	2004	0.05	2686	1	65	100	3	5	4	6012	3326	RTO-M	45	form-based				0.7	4	0.800000012	3	3	5611.199707	2925.199707	2925.199707	0.933333
3588	102	2295	0.05	1135	2	65	100	3	5	3	6885	5750	RTO-M	45	form-based				0.7	5	1	3	3	6426	5291	5291	0.933333
3588	154	2292	0.05	1100	2	65	100	3	5	3	6876	5776	RTO-M	45	form-based				0.7	5	1	3	3	6417.600098	5317.600098	5317.600098	0.933333
3593	014	3052	0.07	4210	1	65	100	3	7	6	9156	4946	RH-3	65	density-lin	1000			0.7	4	0.571428597	3	3	12818.39941	8608.399414	8608.399414	1.4
3594	024	3697	0.08	2024	1	65	100	3	8	7	11091	9067	RH-3	50	density-lin	1000			0.7	4	0.5	3	3	12939.5	10915.5	10915.5	1.166667
3594	035	3491	0.08	1801	1	65	100	3	8	7	10473	8672	RM-1	50	density-lin	800			0.7	4	0.5	3	3	12218.5	10417.5	10417.5	1.166667
3597	006	2500	0.06	5250	5	65	100	3	6	1	7500	2250	NCT-VALEI	55	form-based		true		0.75	8	1.333333373	3	3	9375	4125	4125	1.25
3597	022	2901	0.07	3862	5	65	100	3	7	2	8703	4841	RTO-M	55	form-based				0.7	8	1.142857194	3	3	10153.5	6291.5	6291.5	1.166667
3597	024	2882	0.07	4290	5	65	100	3	7	2	8646	4356	RTO-M	55	form-based				0.7	8	1.142857194	3	3	10087	5797	5797	1.166667
3597	025	2882	0.07	2848	5	65	100	3	7	2	8646	5798	RTO-M	55	form-based				0.7	8	1.142857194	3	3	10087	7239	7239	1.166667
3597	028	4275	0.1	10910	9	65	100	3	10	1	12825	1915	RTO-M	55	form-based		true		0.7	12	1.200000048	3	3	14962.5	4052.5	4052.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3597	037	2184	0.05	2616	2	65	100	3	5	3	6552	3936	RTO-M	45	form-based				0.7	5	1	3	3	6115.199707	3499.199707	3499.199707	0.933333
3597	044	3057	0.07	6400	6	65	100	3	7	1	9171	2771	RTO-M	55	form-based		true		0.7	9	1.285714269	3	3	10699.5	4299.5	4299.5	1.166667
3597	047	1875	0.04	1375	1	65	100	3	4	3	5625	4250	RTO-M	45	form-based				0.7	4	1	3	3	5250	3875	3875	0.933333
3597	051	1875	0.04	525	1	65	100	3	4	3	5625	5100	RTO-M	45	form-based				0.7	4	1	3	3	5250	4725	4725	0.933333
3597	068	3002	0.07	2718	3	65	100	3	7	4	9006	6288	RTO-M	45	form-based				0.7	6	0.857142866	3	3	8405.599609	5687.599609	5687.599609	0.933333
3597	084	2175	0.05	1520	2	65	100	3	5	3	6525	5005	RTO-M	45	form-based				0.7	5	1	3	3	6090	4570	4570	0.933333
3597	099	1703	0.04	1144	2	65	100	3	4	2	5109	3965	RTO-M	55	form-based				0.7	5	1.25	3	3	5960.5	4816.5	4816.5	1.166667
3597	101	2184	0.05	1501	2	65	100	3	5	3	6552	5051	RTO-M	45	form-based				0.7	5	1	3	3	6115.199707	4614.199707	4614.199707	0.933333
3598	015	2850	0.07	1200	1	65	100	3	7	6	8550	7350	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7980	6780	6780	0.933333
3598	035	2877	0.07	1405	1	65	100	3	7	6	8631	7226	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8055.600098	6650.600098	6650.600098	0.933333
3598	040	2877	0.07	3863	1	65	100	3	7	6	8631	4768	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8055.600098	4192.600098	4192.600098	0.933333
3598	046	2003	0.05	1474	1	65	100	3	5	4	6009	4535	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5608.399902	4134.399902	4134.399902	0.933333
3598	049B	2850	0.07	2585	1	65	100	3	7	6	8550	5965	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7980	5395	5395	0.933333
3598	050	2850	0.07	2360	1	65	100	3	7	6	8550	6190	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7980	5620	5620	0.933333
3598	051	2850	0.07	1305	1	65	100	3	7	6	8550	7245	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7980	6675	6675	0.933333
3600	026	1500	0.03	1350	1	65	100	3	3	2	4500	3150	RH-1	50	form-based		true	true	0.7	4	1.333333373	3	3	5250	3900	3900	1.166667
3600	088	2505	0.06	820	6	85	140	4	8	2	10020	9200	RTO-C	65	form-based			true	0.75	9	1.125	3	3	11272.5	10452.5	10452.5	1.125
3600	114	2835	0.07	671	5	65	100	3	7	2	8505	7834	RH-2	50	form-based			true	0.7	8	1.142857194	3	3	9922.5	9251.5	9251.5	1.166667
3601	001	2309	0.05	2864	2	65	100	3	5	3	6927	4063	RH-2	40	form-based		true	true	0.7	5	1	3	3	6465.199707	3601.199707	3601.199707	0.933333
3601	001A	1999	0.05	2500	1	65	100	3	5	4	5997	3497	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5597.199707	3097.199707	3097.199707	0.933333
3601	001B	1714	0.04	2801	1	65	100	3	4	3	5142	2341	RH-2	40	form-based			true	0.7	4	1	3	3	4799.199707	1998.199707	1998.199707	0.933333
3601	031	1972	0.05	1692	1	65	100	3	5	4	5916	4224	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5521.600098	3829.600098	3829.600098	0.933333
3601	031A	1749	0.04	1671	1	65	100	3	4	3	5247	3576	RH-1	40	form-based			true	0.7	4	1	3	3	4897.199707	3226.199707	3226.199707	0.933333
3601	051	2850	0.07	2522	3	65	100	3	7	4	8550	6028	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	7980	5458	5458	0.933333
3601	061A	1482	0.03	2285	0	65	100	3	3	3	4446	2161	RH-2	40	form-based			true	0.7	3	1	3	3	4149.600098	1864.600098	1864.600098	0.933333
3601	085	1710	0.04	1100	1	65	100	3	4	3	5130	4030	RH-1	40	form-based		true	true	0.7	4	1	3	3	4788	3688	3688	0.933333
3601	090	2252	0.05	563	2	65	100	3	5	3	6756	6193	RH-1	40	form-based			true	0.7	5	1	3	3	6305.600098	5742.600098	5742.600098	0.933333
3601	104	2372	0.05	1160	2	65	100	3	5	3	7116	5956	RH-2	40	form-based			true	0.7	5	1	3	3	6641.600098	5481.600098	5481.600098	0.933333
3602	038	2080	0.05	1182	1	55	80	2.5	4	3	5200	4018	RH-3	40	form-based			true	0.7	4	1	3	3	5824	4642	4642	1.12
3602	039	2097	0.05	2127	1	55	80	2.5	4	3	5242	3115	RH-3	40	form-based			true	0.7	4	1	3	3	5871.600098	3744.600098	3744.600098	1.120107
3602	041	2750	0.06	3338	3	55	80	2.5	5	2	6875	3537	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7700	4362	4362	1.12
3602	053	2065	0.05	2415	1	55	80	2.5	4	3	5162	2747	RH-2	40	form-based		true	true	0.7	4	1	3	3	5782	3367	3367	1.120108
3602	061	2291	0.05	3350	2	55	80	2.5	4	2	5728	2378	RH-3	40	form-based			true	0.7	5	1.25	3	3	6414.799805	3064.799805	3064.799805	1.119902
3602	081	2147	0.05	2050	2	65	100	3	5	3	6441	4391	RH-3	40	form-based			true	0.7	5	1	3	3	6011.600098	3961.600098	3961.600098	0.933333
3602	086	2071	0.05	2095	1	65	100	3	5	4	6213	4118	RH-3	40	form-based			true	0.7	4	0.800000012	3	3	5798.799805	3703.799805	3703.799805	0.933333
3602	087	2157	0.05	2817	2	65	100	3	5	3	6471	3654	RH-3	40	form-based			true	0.7	5	1	3	3	6039.600098	3222.600098	3222.600098	0.933333
3602	088	2185	0.05	1460	2	65	100	3	5	3	6555	5095	RH-3	40	form-based			true	0.7	5	1	3	3	6118	4658	4658	0.933333
3602	098	2750	0.06	1054	3	55	80	2.5	5	2	6875	5821	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7700	6646	6646	1.12
3602	106	2750	0.06	869	3	55	80	2.5	5	2	6875	6006	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7700	6831	6831	1.12
3602	114	2285	0.05	1068	2	65	100	3	5	3	6855	5787	RH-3	40	form-based			true	0.7	5	1	3	3	6398	5330	5330	0.933333
3602	118	2442	0.06	1152	2	65	100	3	6	4	7326	6174	RH-3	40	form-based		true	true	0.7	5	0.833333313	3	3	6837.600098	5685.600098	5685.600098	0.933333
3602	128	3323	0.08	762	4	55	80	2.5	6	2	8308	7546	RH-3	40	form-based			true	0.7	7	1.166666627	3	3	9304.399414	8542.399414	8542.399414	1.119933
3603	007	1913	0.04	1784	1	55	80	2.5	3	2	4782	2998	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5356.399902	3572.399902	3572.399902	1.120117
3603	024	2650	0.06	3315	3	55	80	2.5	5	2	6625	3310	RH-2	40	form-based		true	true	0.7	6	1.200000048	3	3	7420	4105	4105	1.12
3603	028	2500	0.06	3360	2	55	80	2.5	5	3	6250	2890	RH-2	40	form-based			true	0.7	5	1	3	3	7000	3640	3640	1.12
3603	048	2448	0.06	1645	2	55	80	2.5	5	3	6120	4475	RH-2	40	form-based			true	0.7	5	1	3	3	6854.399902	5209.399902	5209.399902	1.12
3603	050	2409	0.06	2470	2	55	80	2.5	5	3	6022	3552	RH-2	40	form-based			true	0.7	5	1	3	3	6745.199707	4275.199707	4275.199707	1.120093
3603	052	2479	0.06	2548	2	55	80	2.5	5	3	6198	3650	RH-2	40	form-based			true	0.7	5	1	3	3	6941.199707	4393.199707	4393.199707	1.11991
3603	073	2625	0.06	5280	3	55	80	2.5	5	2	6562	1282	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7350	2070	2070	1.120085
3603	074	2625	0.06	3441	3	55	80	2.5	5	2	6562	3121	RH-3	40	form-based			true	0.7	6	1.200000048	3	3	7350	3909	3909	1.120085
3603	079	2851	0.07	2802	3	55	80	2.5	6	3	7128	4326	RH-2	40	form-based			true	0.7	6	1	3	3	7982.799805	5180.799805	5180.799805	1.119921
3603	080	2852	0.07	5250	3	55	80	2.5	6	3	7130	1880	RH-2	40	form-based			true	0.7	6	1	3	3	7985.600098	2735.600098	2735.600098	1.12
3603	083	3080	0.07	3108	3	55	80	2.5	6	3	7700	4592	RH-2	40	form-based			true	0.7	6	1	3	3	8624	5516	5516	1.12
3603	091	2412	0.06	3094	2	55	80	2.5	5	3	6030	2936	RH-2	40	form-based			true	0.7	5	1	3	3	6753.600098	3659.600098	3659.600098	1.12
3603	097	2596	0.06	3389	2	55	80	2.5	5	3	6490	3101	RH-2	40	form-based			true	0.7	5	1	3	3	7268.799805	3879.799805	3879.799805	1.12
3603	099	2500	0.06	1291	2	55	80	2.5	5	3	6250	4959	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5709	5709	1.12
3603	105	2625	0.06	1353	3	55	80	2.5	5	2	6562	5209	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7350	5997	5997	1.120085
3603	110	2500	0.06	1638	2	55	80	2.5	5	3	6250	4612	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5362	5362	1.12
3603	114	2850	0.07	1147	3	55	80	2.5	6	3	7125	5978	RH-2	40	form-based			true	0.7	6	1	3	3	7980	6833	6833	1.12
3603	117	2850	0.07	1142	3	55	80	2.5	6	3	7125	5983	RH-2	40	form-based			true	0.7	6	1	3	3	7980	6838	6838	1.12
3603	129	2441	0.06	2056	2	55	80	2.5	5	3	6102	4046	RH-2	40	form-based		true	true	0.7	5	1	3	3	6834.799805	4778.799805	4778.799805	1.120092
3604	001	1792	0.04	1893	1	65	100	3	4	3	5376	3483	RH-1	40	form-based		true	true	0.7	4	1	3	3	5017.600098	3124.600098	3124.600098	0.933333
3604	003	1768	0.04	1853	1	65	100	3	4	3	5304	3451	RH-1	40	form-based			true	0.7	4	1	3	3	4950.399902	3097.399902	3097.399902	0.933333
3604	004	1979	0.05	2100	1	65	100	3	5	4	5937	3837	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5541.199707	3441.199707	3441.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3604	006	1767	0.04	1484	1	65	100	3	4	3	5301	3817	RH-1	40	form-based			true	0.7	4	1	3	3	4947.600098	3463.600098	3463.600098	0.933333
3604	007	1766	0.04	1512	1	65	100	3	4	3	5298	3786	RH-1	40	form-based			true	0.7	4	1	3	3	4944.799805	3432.799805	3432.799805	0.933333
3604	008	1766	0.04	1938	1	65	100	3	4	3	5298	3360	RH-1	40	form-based			true	0.7	4	1	3	3	4944.799805	3006.799805	3006.799805	0.933333
3604	008A	1765	0.04	1114	1	65	100	3	4	3	5295	4181	RH-1	40	form-based			true	0.7	4	1	3	3	4942	3828	3828	0.933333
3604	022	2850	0.07	2904	3	65	100	3	7	4	8550	5646	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	7980	5076	5076	0.933333
3604	029B	1354	0.03	832	0	65	100	3	3	3	4062	3230	RH-2	40	form-based			true	0.7	3	1	3	3	3791.199951	2959.199951	2959.199951	0.933333
3604	115	3037	0.07	732	3	65	100	3	7	4	9111	8379	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8503.599609	7771.599609	7771.599609	0.933333
3605	036A	2850	0.07	3252	3	65	100	3	7	4	8550	5298	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	7980	4728	4728	0.933333
3605	055A	2126	0.05	1778	1	65	100	3	5	4	6378	4600	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5952.799805	4174.799805	4174.799805	0.933333
3605	055B	2125	0.05	1525	1	65	100	3	5	4	6375	4850	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5950	4425	4425	0.933333
3605	055C	2126	0.05	2372	1	65	100	3	5	4	6378	4006	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5952.799805	3580.799805	3580.799805	0.933333
3605	060	2850	0.07	3827	3	65	100	3	7	4	8550	4723	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	7980	4153	4153	0.933333
3606	014	2060	0.05	3375	3	65	100	3	5	2	6180	2805	RH-3	50	form-based			true	0.7	6	1.200000048	3	3	7210	3835	3835	1.166667
3606	065	2440	0.06	4025	4	85	140	4	8	4	9760	5735	RH-3	50	form-based			true	0.7	7	0.875	3	3	8540	4515	4515	0.875
3606	106	2291	0.05	1372	3	85	140	4	7	4	9164	7792	RM-1	50	form-based			true	0.7	6	0.857142866	3	3	8018.5	6646.5	6646.5	0.875
3606	111	2625	0.06	1382	4	65	100	3	6	2	7875	6493	RM-1	50	form-based			true	0.7	7	1.166666627	3	3	9187.5	7805.5	7805.5	1.166667
3607	005	2982	0.07	2725	1	65	100	3	7	6	8946	6221	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8349.599609	5624.599609	5624.599609	0.933333
3607	012	2022	0.05	2200	1	65	100	3	5	4	6066	3866	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5661.600098	3461.600098	3461.600098	0.933333
3607	012B	2574	0.06	4256	3	65	100	3	6	3	7722	3466	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	7207.199707	2951.199707	2951.199707	0.933333
3607	013	2850	0.07	2360	1	65	100	3	7	6	8550	6190	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	5620	5620	0.933333
3607	014	2850	0.07	1962	1	65	100	3	7	6	8550	6588	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	6018	6018	0.933333
3607	018	2850	0.07	2588	1	65	100	3	7	6	8550	5962	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	5392	5392	0.933333
3607	020	6042	0.14	6862	1	65	100	3	14	13	18126	11264	RH-2	40	density-lim	1500			0.7	4	0.285714298	3	3	16917.59961	10055.59961	10055.59961	0.933333
3607	022	3420	0.08	4071	1	65	100	3	8	7	10260	6189	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9576	5505	5505	0.933333
3607	033	2840	0.07	1675	1	65	100	3	7	6	8520	6845	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7952	6277	6277	0.933333
3607	035	1678	0.04	1680	1	65	100	3	4	3	5034	3354	RH-3	40	density-lim	1000			0.7	4	1	3	3	4698.399902	3018.399902	3018.399902	0.933333
3607	035A	1163	0.03	880	1	65	100	3	3	2	3489	2609	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3256.399902	2376.399902	2376.399902	0.933333
3607	042	2850	0.07	1750	1	65	100	3	7	6	8550	6800	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	6230	6230	0.933333
3607	043	2850	0.07	1800	1	65	100	3	7	6	8550	6750	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	6180	6180	0.933333
3607	049	2850	0.07	2728	1	65	100	3	7	6	8550	5822	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	5252	5252	0.933333
3607	054	2850	0.07	3058	1	65	100	3	7	6	8550	5492	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	4922	4922	0.933333
3607	061	2828	0.06	1600	1	65	100	3	6	5	8484	6884	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7918.399902	6318.399902	6318.399902	0.933333
3607	062	2828	0.06	2322	1	65	100	3	6	5	8484	6162	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7918.399902	5596.399902	5596.399902	0.933333
3607	063	2828	0.06	1100	1	65	100	3	6	5	8484	7384	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7918.399902	6818.399902	6818.399902	0.933333
3607	064	2828	0.06	1520	1	65	100	3	6	5	8484	6964	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7918.399902	6398.399902	6398.399902	0.933333
3607	065	2828	0.06	3928	1	65	100	3	6	5	8484	4556	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7918.399902	3990.399902	3990.399902	0.933333
3607	066	2828	0.06	1820	1	65	100	3	6	5	8484	6664	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7918.399902	6098.399902	6098.399902	0.933333
3607	070A	2828	0.06	2226	1	65	100	3	6	5	8484	6258	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7918.399902	5692.399902	5692.399902	0.933333
3607	071	3393	0.08	1872	1	65	100	3	8	7	10179	8307	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9500.399414	7628.399414	7628.399414	0.933333
3608	006	1797	0.04	2280	1	65	100	3	4	3	5391	3111	RH-3	40	density-lim	1000			0.7	4	1	3	3	5031.600098	2751.600098	2751.600098	0.933333
3608	012	2990	0.07	2636	1	65	100	3	7	6	8970	6334	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8372	5736	5736	0.933333
3608	044A	2875	0.07	4899	1	65	100	3	7	6	8625	3726	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8050	3151	3151	0.933333
3608	046	2875	0.07	2899	1	65	100	3	7	6	8625	5726	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8050	5151	5151	0.933333
3608	049	2875	0.07	2100	1	65	100	3	7	6	8625	6525	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8050	5950	5950	0.933333
3608	055	2500	0.06	1519	1	65	100	3	6	5	7500	5981	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5481	5481	0.933333
3608	066	2803	0.06	1170	1	65	100	3	6	5	8409	7239	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7848.399902	6678.399902	6678.399902	0.933333
3608	067	2803	0.06	1250	1	65	100	3	6	5	8409	7159	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7848.399902	6598.399902	6598.399902	0.933333
3608	070	2803	0.06	2544	1	65	100	3	6	5	8409	5865	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7848.399902	5304.399902	5304.399902	0.933333
3608	078	4513	0.1	3304	2	65	100	3	10	8	13539	10235	RH-3	40	density-lim	1000			0.7	5	0.5	3	3	12636.39941	9332.399414	9332.399414	0.933333
3611	008	3062	0.07	2115	1	65	100	3	7	6	9186	7071	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8573.599609	6458.599609	6458.599609	0.933333
3611	009	4900	0.11	2271	2	65	100	3	11	9	14700	12429	RH-3	40	density-lim	1000			0.7	5	0.454545468	3	3	13720	11449	11449	0.933333
3611	022	4288	0.1	5240	1	65	100	3	10	9	12864	7624	RH-3	50	density-lim	1000			0.7	4	0.400000006	3	3	15008	9768	9768	1.166667
3611	026	3675	0.08	2281	1	65	100	3	8	7	11025	8744	RH-3	50	density-lim	1000			0.7	4	0.5	3	3	12862.5	10581.5	10581.5	1.166667
3611	027	3675	0.08	1380	1	65	100	3	8	7	11025	9645	RH-3	50	density-lim	1000			0.7	4	0.5	3	3	12862.5	11482.5	11482.5	1.166667
3611	055	2000	0.05	1350	1	65	100	3	5	4	6000	4650	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5600	4250	4250	0.933333
3612	033	3062	0.07	4359	1	65	100	3	7	6	9186	4827	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8573.599609	4214.599609	4214.599609	0.933333
3612	037	3062	0.07	1640	1	65	100	3	7	6	9186	7546	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8573.599609	6933.599609	6933.599609	0.933333
3612	045	2750	0.06	4447	1	65	100	3	6	5	8250	3803	RH-3	45	density-lim	1000			0.7	4	0.666666687	3	3	7700	3253	3253	0.933333
3612	047	2750	0.06	1395	1	65	100	3	6	5	8250	6855	RH-3	45	density-lim	1000			0.7	4	0.666666687	3	3	7700	6305	6305	0.933333
3612	050	3062	0.07	825	1	65	100	3	7	6	9186	8361	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8573.599609	7748.599609	7748.599609	0.933333
3612	052	3063	0.07	2665	1	65	100	3	7	6	9189	6524	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8576.399414	5911.399414	5911.399414	0.933333
3612	056	3065	0.07	1584	1	65	100	3	7	6	9195	7611	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8582	6998	6998	0.933333
3612	059	3067	0.07	740	1	65	100	3	7	6	9201	8461	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8587.599609	7847.599609	7847.599609	0.933333
3612	066	3074	0.07	1445	1	65	100	3	7	6	9222	7777	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8607.200195	7162.200195	7162.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3612	067	3051	0.07	3325	1	55	80	2.5	6	5	7628	4303	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	8542.799805	5217.799805	5217.799805	1.119927
3612	069A	2437	0.06	1430	3	55	80	2.5	5	2	6092	4662	RH-3	45	density-lim	1000	true		0.7	6	1.200000048	3	3	6823.600098	5393.600098	5393.600098	1.120092
3612	070	2125	0.05	2244	1	55	80	2.5	4	3	5312	3068	RH-3	45	density-lim	1000			0.7	4	1	3	3	5950	3706	3706	1.120105
3612	138	3064	0.07	1068	1	65	100	3	7	6	9192	8124	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8579.200195	7511.200195	7511.200195	0.933333
3612	146	2741	0.06	2808	1	65	100	3	6	5	8223	5415	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7674.799805	4866.799805	4866.799805	0.933333
3613	012	2375	0.05	2020	2	65	100	3	5	3	7125	5105	UMU	48	form-based				0.75	5	1	3	3	7125	5105	5105	1
3613	013	2850	0.07	980	1	65	100	3	7	6	8550	7570	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7980	7000	7000	0.933333
3613	014	2850	0.07	2425	1	65	100	3	7	6	8550	6125	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7980	5555	5555	0.933333
3613	015	2100	0.05	2360	1	65	100	3	5	4	6300	3940	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5880	3520	3520	0.933333
3613	017B	1672	0.04	886	1	65	100	3	4	3	5016	4130	RH-3	40	density-lim	1000			0.7	4	1	3	3	4681.600098	3795.600098	3795.600098	0.933333
3613	017C	1741	0.04	900	1	65	100	3	4	3	5223	4323	RH-3	40	density-lim	1000			0.7	4	1	3	3	4874.799805	3974.799805	3974.799805	0.933333
3613	017D	2430	0.06	895	1	65	100	3	6	5	7290	6395	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6804	5909	5909	0.933333
3613	017E	1741	0.04	1000	1	65	100	3	4	3	5223	4223	RH-3	40	density-lim	1000			0.7	4	1	3	3	4874.799805	3874.799805	3874.799805	0.933333
3613	018A	1285	0.03	1464	1	65	100	3	3	2	3855	2391	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3598	2134	2134	0.933333
3613	019	3632	0.08	1368	1	65	100	3	8	7	10896	9528	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	10169.59961	8801.599609	8801.599609	0.933333
3613	021	2904	0.07	2353	1	65	100	3	7	6	8712	6359	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8131.199707	5778.199707	5778.199707	0.933333
3613	029	3624	0.08	1755	1	65	100	3	8	7	10872	9117	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	10147.2002	8392.200195	8392.200195	0.933333
3613	032	2375	0.05	1868	1	65	100	3	5	4	7125	5257	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6650	4782	4782	0.933333
3613	033	2375	0.05	1227	1	65	100	3	5	4	7125	5898	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6650	5423	5423	0.933333
3613	033A	2375	0.05	1175	1	65	100	3	5	4	7125	5950	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6650	5475	5475	0.933333
3613	039	3675	0.08	1910	1	65	100	3	8	7	11025	9115	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	10290	8380	8380	0.933333
3613	047	1563	0.04	1250	1	65	100	3	4	3	4689	3439	RH-3	40	density-lim	1000			0.7	4	1	3	3	4376.399902	3126.399902	3126.399902	0.933333
3613	048	3675	0.08	2364	1	65	100	3	8	7	11025	8661	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	10290	7926	7926	0.933333
3613	049	3675	0.08	2241	1	65	100	3	8	7	11025	8784	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	10290	8049	8049	0.933333
3613	050	3675	0.08	1685	1	65	100	3	8	7	11025	9340	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	10290	8605	8605	0.933333
3614	005	4900	0.11	3600	2	65	100	3	11	9	14700	11100	RH-3	40	density-lim	1000			0.7	5	0.454545468	3	3	13720	10120	10120	0.933333
3614	009	1838	0.04	1282	1	65	100	3	4	3	5514	4232	RH-3	40	density-lim	1000			0.7	4	1	3	3	5146.399902	3864.399902	3864.399902	0.933333
3614	009A	1838	0.04	1282	1	65	100	3	4	3	5514	4232	RH-3	40	density-lim	1000			0.7	4	1	3	3	5146.399902	3864.399902	3864.399902	0.933333
3614	019	3451	0.08	6720	3	65	100	3	8	5	10353	3633	RM-2	55	density-lim	600	true		0.7	6	0.75	3	3	12078.5	5358.5	5358.5	1.166667
3614	035A	3675	0.08	1260	1	65	100	3	8	7	11025	9765	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	10290	9030	9030	0.933333
3614	041	1764	0.04	1282	1	65	100	3	4	3	5292	4010	RH-3	40	density-lim	1000			0.7	4	1	3	3	4939.199707	3657.199707	3657.199707	0.933333
3614	042	1347	0.03	1110	1	65	100	3	3	2	4041	2931	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3771.599854	2661.599854	2661.599854	0.933333
3614	043	3866	0.09	1686	1	65	100	3	9	8	11598	9912	RH-3	40	density-lim	1000			0.7	4	0.444444448	3	3	10824.7998	9138.799805	9138.799805	0.933333
3614	045A	3701	0.08	1491	1	65	100	3	8	7	11103	9612	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	10362.7998	8871.799805	8871.799805	0.933333
3614	046	3701	0.08	1000	1	65	100	3	8	7	11103	10103	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	10362.7998	9362.799805	9362.799805	0.933333
3614	047	3702	0.08	2464	1	65	100	3	8	7	11106	8642	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	10365.59961	7901.599609	7901.599609	0.933333
3614	070	1925	0.04	1820	0	65	100	3	4	4	5775	3955	NC-3	40	density-lim	600			0.75	3	0.75	3	3	5775	3955	3955	1
3614	092	4012	0.09	2430	1	65	100	3	9	8	12036	9606	RH-3	40	density-lim	1000			0.7	4	0.444444448	3	3	11233.59961	8803.599609	8803.599609	0.933333
3614	099	3697	0.08	1290	3	65	100	3	8	5	11091	9801	RM-2	50	density-lim	600			0.7	6	0.75	3	3	12939.5	11649.5	11649.5	1.166667
3617	031	2415	0.06	2560	3	65	100	3	6	3	7245	4685	RH-3	40	density-lim	1000	true		0.7	6	1	3	3	6762	4202	4202	0.933333
3617	034	2506	0.06	1962	1	65	100	3	6	5	7518	5556	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7016.799805	5054.799805	5054.799805	0.933333
3617	040	2724	0.06	3000	1	65	100	3	6	5	8172	5172	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7627.199707	4627.199707	4627.199707	0.933333
3617	044	3405	0.08	2600	1	65	100	3	8	7	10215	7615	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	9534	6934	6934	0.933333
3617	050	3420	0.08	1600	1	65	100	3	8	7	10260	8660	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	9576	7976	7976	0.933333
3617	051	3420	0.08	1800	1	65	100	3	8	7	10260	8460	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	9576	7776	7776	0.933333
3617	072	2855	0.07	1992	1	65	100	3	7	6	8565	6573	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7994	6002	6002	0.933333
3617	078	2627	0.06	1296	1	65	100	3	6	5	7881	6585	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7355.600098	6059.600098	6059.600098	0.933333
3618	004	3643	0.08	2795	3	65	100	3	8	5	10929	8134	RM-2	40	density-lim	600			0.7	6	0.75	3	3	10200.39941	7405.399414	7405.399414	0.933333
3618	006	3760	0.09	2240	1	65	100	3	9	8	11280	9040	RH-3	40	density-lim	1000			0.7	4	0.444444448	3	3	10528	8288	8288	0.933333
3618	008	3877	0.09	3915	1	65	100	3	9	8	11631	7716	RH-3	40	density-lim	1000			0.7	4	0.444444448	3	3	10855.59961	6940.599609	6940.599609	0.933333
3618	012	3525	0.08	2080	1	65	100	3	8	7	10575	8495	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	9870	7790	7790	0.933333
3618	017	1416	0.03	3900	3	65	100	3	3	0	4248	348	RH-3	40	density-lim	1000	true		0.7	6	2	3	3	3964.800049	64.80004883	64.80004883	0.933333
3618	026	3055	0.07	2010	1	65	100	3	7	6	9165	7155	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8554	6544	6544	0.933333
3618	027	4112	0.09	2422	1	65	100	3	9	8	12336	9914	RH-3	40	density-lim	1000			0.7	4	0.444444448	3	3	11513.59961	9091.599609	9091.599609	0.933333
3618	033	2938	0.07	2155	1	65	100	3	7	6	8814	6659	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8226.399414	6071.399414	6071.399414	0.933333
3618	041	3627	0.08	3104	1	65	100	3	8	7	10881	7777	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	10155.59961	7051.599609	7051.599609	0.933333
3618	046	2223	0.05	1834	1	65	100	3	5	4	6669	4835	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6224.399902	4390.399902	4390.399902	0.933333
3618	051	3510	0.08	1740	1	65	100	3	8	7	10530	8790	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	9828	8088	8088	0.933333
3618	061	4110	0.09	2150	1	65	100	3	9	8	12330	10180	RH-2	40	density-lim	1500			0.7	4	0.444444448	3	3	11508	9358	9358	0.933333
3618	062	3053	0.07	2158	1	65	100	3	7	6	9159	7001	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8548.399414	6390.399414	6390.399414	0.933333
3618	063	1939	0.04	1699	1	65	100	3	4	3	5817	4118	RH-2	40	density-lim	1500			0.7	4	1	3	3	5429.199707	3730.199707	3730.199707	0.933333
3619	016	3250	0.07	4884	6	65	100	3	7	1	9750	4866	RH-3	50	form-based			true	0.7	9	1.285714269	3	3	11375	6491	6491	1.166667
3619	021	1560	0.04	2669	1	65	100	3	4	3	4680	2011	RH-2	50	form-based			true	0.7	4	1	3	3	5460	2791	2791	1.166667
3619	030	1859	0.04	2290	2	85	140	4	6	4	7436	5146	RH-2	50	form-based			true	0.7	5	0.833333313	3	3	6506.5	4216.5	4216.5	0.875

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3619	032	1352	0.03	1410	1	85	140	4	4	3	5408	3998	RH-2	50	form-based			true	0.7	4	1	3	3	4732	3322	3322	0.875
3620	037	1016	0.02	950	1	65	100	3	2	1	3048	2098	RTO-C	65	form-based			true	0.75	4	2	3	3	4572	3622	3622	1.5
3620	071	1966	0.05	1111	1	65	100	3	5	4	5898	4787	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5504.799805	4393.799805	4393.799805	0.933333
3620	072	1968	0.05	1495	1	65	100	3	5	4	5904	4409	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5510.399902	4015.399902	4015.399902	0.933333
3620	073	1969	0.05	1211	1	65	100	3	5	4	5907	4696	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5513.199707	4302.199707	4302.199707	0.933333
3621	007	1956	0.04	1515	1	65	100	3	4	3	5868	4353	RH-1	40	form-based		true	true	0.7	4	1	3	3	5476.799805	3961.799805	3961.799805	0.933333
3621	010	2552	0.06	2060	2	65	100	3	6	4	7656	5596	RH-2	40	form-based		true	true	0.7	5	0.833333313	3	3	7145.600098	5085.600098	5085.600098	0.933333
3621	011	2495	0.06	3379	2	65	100	3	6	4	7485	4106	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6986	3607	3607	0.933333
3621	028	2915	0.07	3776	3	65	100	3	7	4	8745	4969	RH-2	40	form-based		true	true	0.7	6	0.857142866	3	3	8162	4386	4386	0.933333
3621	030	2750	0.06	2915	3	65	100	3	6	3	8250	5335	RH-2	40	form-based			true	0.7	6	1	3	3	7700	4785	4785	0.933333
3621	035	1875	0.04	1790	1	65	100	3	4	3	5625	3835	RH-2	40	form-based			true	0.7	4	1	3	3	5250	3460	3460	0.933333
3621	052	1913	0.04	1174	1	65	100	3	4	3	5739	4565	RH-1	40	form-based			true	0.7	4	1	3	3	5356.399902	4182.399902	4182.399902	0.933333
3621	053	1913	0.04	1846	1	65	100	3	4	3	5739	3893	RH-1	40	form-based			true	0.7	4	1	3	3	5356.399902	3510.399902	3510.399902	0.933333
3621	054	1912	0.04	2835	1	65	100	3	4	3	5736	2901	RH-1	40	form-based			true	0.7	4	1	3	3	5353.600098	2518.600098	2518.600098	0.933333
3621	087	1835	0.04	1036	1	55	80	2.5	3	2	4588	3552	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5138	4102	4102	1.119878
3621	088	1801	0.04	1036	1	55	80	2.5	3	2	4502	3466	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5042.799805	4006.799805	4006.799805	1.120124
3621	089	1801	0.04	1036	1	65	100	3	4	3	5403	4367	RH-1	40	form-based			true	0.7	4	1	3	3	5042.799805	4006.799805	4006.799805	0.933333
3621	090	1801	0.04	1786	1	65	100	3	4	3	5403	3617	RH-1	40	form-based			true	0.7	4	1	3	3	5042.799805	3256.799805	3256.799805	0.933333
3621	092	2444	0.06	2276	2	65	100	3	6	4	7332	5056	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	6843.199707	4567.199707	4567.199707	0.933333
3622	001	2126	0.05	1250	1	55	80	2.5	4	3	5315	4065	RH-2	40	form-based		true	true	0.7	4	1	3	3	5952.799805	4702.799805	4702.799805	1.12
3622	002	2000	0.05	2209	1	55	80	2.5	4	3	5000	2791	RH-2	40	form-based			true	0.7	4	1	3	3	5600	3391	3391	1.12
3622	003	2000	0.05	1820	1	55	80	2.5	4	3	5000	3180	RH-2	40	form-based			true	0.7	4	1	3	3	5600	3780	3780	1.12
3622	004	2000	0.05	1625	1	55	80	2.5	4	3	5000	3375	RH-2	40	form-based			true	0.7	4	1	3	3	5600	3975	3975	1.12
3622	008	1962	0.05	2422	1	55	80	2.5	4	3	4905	2483	RH-2	40	form-based			true	0.7	4	1	3	3	5493.600098	3071.600098	3071.600098	1.12
3622	009	1962	0.05	2232	1	55	80	2.5	4	3	4905	2673	RH-2	40	form-based			true	0.7	4	1	3	3	5493.600098	3261.600098	3261.600098	1.12
3622	011	2588	0.06	2523	2	55	80	2.5	5	3	6470	3947	RH-2	40	form-based			true	0.7	5	1	3	3	7246.399902	4723.399902	4723.399902	1.12
3622	014	2537	0.06	3283	2	55	80	2.5	5	3	6342	3059	RH-2	40	form-based			true	0.7	5	1	3	3	7103.600098	3820.600098	3820.600098	1.120088
3622	019	2807	0.06	2450	3	55	80	2.5	5	2	7018	4568	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7859.600098	5409.600098	5409.600098	1.11992
3622	024	2807	0.06	2092	3	55	80	2.5	5	2	7018	4926	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7859.600098	5767.600098	5767.600098	1.11992
3622	033	1706	0.04	1905	1	55	80	2.5	3	2	4265	2360	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4776.799805	2871.799805	2871.799805	1.12
3622	034	1679	0.04	1332	1	55	80	2.5	3	2	4198	2866	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4701.199707	3369.199707	3369.199707	1.119866
3622	035	1599	0.04	1728	0	55	80	2.5	3	3	3998	2270	RH-2	40	form-based			true	0.7	3	1	3	3	4477.199707	2749.199707	2749.199707	1.11986
3622	044	2850	0.07	2752	3	55	80	2.5	6	3	7125	4373	RH-2	40	form-based			true	0.7	6	1	3	3	7980	5228	5228	1.12
3622	047	2850	0.07	3000	3	55	80	2.5	6	3	7125	4125	RH-2	40	form-based			true	0.7	6	1	3	3	7980	4980	4980	1.12
3622	053	1950	0.04	1390	1	55	80	2.5	3	2	4875	3485	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5460	4070	4070	1.12
3622	056	2850	0.07	1990	3	55	80	2.5	6	3	7125	5135	RH-2	40	form-based			true	0.7	6	1	3	3	7980	5990	5990	1.12
3622	058	2850	0.07	2740	3	55	80	2.5	6	3	7125	4385	RH-2	40	form-based			true	0.7	6	1	3	3	7980	5240	5240	1.12
3622	068	2850	0.07	2525	3	55	80	2.5	6	3	7125	4600	RH-2	40	form-based			true	0.7	6	1	3	3	7980	5455	5455	1.12
3622	072	1833	0.04	1000	1	55	80	2.5	3	2	4582	3582	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5132.399902	4132.399902	4132.399902	1.120122
3622	073	1832	0.04	1819	1	55	80	2.5	3	2	4580	2761	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5129.600098	3310.600098	3310.600098	1.12
3622	076	2614	0.06	2518	2	55	80	2.5	5	3	6535	4017	RH-2	40	form-based			true	0.7	5	1	3	3	7319.199707	4801.199707	4801.199707	1.12
3622	078	2579	0.06	3104	2	55	80	2.5	5	3	6448	3344	RH-2	40	form-based			true	0.7	5	1	3	3	7221.199707	4117.199707	4117.199707	1.119913
3622	085	2889	0.07	3600	3	55	80	2.5	6	3	7222	3622	RH-2	40	form-based			true	0.7	6	1	3	3	8089.199707	4489.199707	4489.199707	1.120077
3622	113	2616	0.06	1750	2	55	80	2.5	5	3	6540	4790	RH-2	40	form-based			true	0.7	5	1	3	3	7324.799805	5574.799805	5574.799805	1.12
3623	002	2500	0.06	1656	2	55	80	2.5	5	3	6250	4594	RH-2	40	form-based			true	0.7	5	1	3	3	7000	5344	5344	1.12
3623	024A	1901	0.04	2320	1	55	80	2.5	3	2	4752	2432	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5322.799805	3002.799805	3002.799805	1.120118
3623	024B	1862	0.04	1160	1	55	80	2.5	3	2	4655	3495	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5213.600098	4053.600098	4053.600098	1.12
3623	024C	1861	0.04	1160	1	55	80	2.5	3	2	4652	3492	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5210.799805	4050.799805	4050.799805	1.12012
3623	024F	1860	0.04	1150	1	55	80	2.5	3	2	4650	3500	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5208	4058	4058	1.12
3623	039	2591	0.06	1520	2	55	80	2.5	5	3	6478	4958	RH-2	40	form-based			true	0.7	5	1	3	3	7254.799805	5734.799805	5734.799805	1.119914
3623	043	2650	0.06	1339	3	55	80	2.5	5	2	6625	5286	RH-2	40	form-based		true	true	0.7	6	1.200000048	3	3	7420	6081	6081	1.12
3624	002	1500	0.03	1832	0	55	80	2.5	2	2	3750	1918	RH-2	40	form-based			true	0.7	3	1.5	3	3	4200	2368	2368	1.12
3624	004	2063	0.05	3320	1	55	80	2.5	4	3	5158	1838	RH-2	40	form-based			true	0.7	4	1	3	3	5776.399902	2456.399902	2456.399902	1.119891
3624	017	2850	0.07	2837	3	55	80	2.5	6	3	7125	4288	RH-2	40	form-based			true	0.7	6	1	3	3	7980	5143	5143	1.12
3624	025	2602	0.06	2060	2	55	80	2.5	5	3	6505	4445	RH-2	40	form-based			true	0.7	5	1	3	3	7285.600098	5225.600098	5225.600098	1.12
3624	028	2601	0.06	2608	2	55	80	2.5	5	3	6502	3894	RH-2	40	form-based			true	0.7	5	1	3	3	7282.799805	4674.799805	4674.799805	1.120086
3624	029	2600	0.06	2019	2	55	80	2.5	5	3	6500	4481	RH-2	40	form-based			true	0.7	5	1	3	3	7280	5261	5261	1.12
3624	030	1975	0.05	1350	1	55	80	2.5	4	3	4938	3588	RH-2	40	form-based			true	0.7	4	1	3	3	5530	4180	4180	1.119887
3624	034	2839	0.07	3047	3	55	80	2.5	6	3	7098	4051	RH-2	40	form-based			true	0.7	6	1	3	3	7949.199707	4902.199707	4902.199707	1.119921
3624	041	2839	0.07	3580	3	55	80	2.5	6	3	7098	3518	RH-2	40	form-based			true	0.7	6	1	3	3	7949.199707	4369.199707	4369.199707	1.119921
3624	042	2839	0.07	2920	3	55	80	2.5	6	3	7098	4178	RH-2	40	form-based			true	0.7	6	1	3	3	7949.199707	5029.199707	5029.199707	1.119921
3624	043	2839	0.07	3690	3	55	80	2.5	6	3	7098	3408	RH-2	40	form-based			true	0.7	6	1	3	3	7949.199707	4259.199707	4259.199707	1.119921
3624	048	1711	0.04	1962	1	55	80	2.5	3	2	4278	2316	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4790.799805	2828.799805	2828.799805	1.119869
3625	001	2429	0.06	2700	2	65	100	3	6	4	7287	4587	RH-2	40	form-based	true		true	0.7	5	0.833333313	3	3	6801.199707	4101.199707	4101.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3625	003	2024	0.05	1992	1	65	100	3	5	4	6072	4080	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5667.199707	3675.199707	3675.199707	0.933333
3625	020	2851	0.07	2455	3	65	100	3	7	4	8553	6098	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7982.799805	5527.799805	5527.799805	0.933333
3625	027	2907	0.07	2552	3	65	100	3	7	4	8721	6169	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8139.600098	5587.600098	5587.600098	0.933333
3625	038	2907	0.07	3867	3	65	100	3	7	4	8721	4854	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8139.600098	4272.600098	4272.600098	0.933333
3626	018	3990	0.09	4455	5	65	100	3	9	4	11970	7515	RH-2	40	form-based		true	true	0.7	8	0.888888896	3	3	11172	6717	6717	0.933333
3626	026	2893	0.07	2650	3	65	100	3	7	4	8679	6029	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8100.399902	5450.399902	5450.399902	0.933333
3626	046	1953	0.04	1587	1	65	100	3	4	3	5859	4272	RH-2	40	form-based			true	0.7	4	1	3	3	5468.399902	3881.399902	3881.399902	0.933333
3627	021	1527	0.04	1689	1	65	100	3	4	3	4581	2892	RH-3	50	form-based			true	0.7	4	1	3	3	5344.5	3655.5	3655.5	1.166667
3628	001	1413	0.03	2000	2	85	140	4	4	2	5652	3652	RTO-C	65	form-based		true	true	0.75	5	1.25	3	3	6358.5	4358.5	4358.5	1.125
3628	032A	1440	0.03	1036	1	85	140	4	4	3	5760	4724	RH-2	50	form-based			true	0.7	4	1	3	3	5040	4004	4004	0.875
3628	037	1413	0.03	2196	2	85	140	4	4	2	5652	3456	RTO-C	65	form-based			true	0.75	5	1.25	3	3	6358.5	4162.5	4162.5	1.125
3628	052	1413	0.03	1519	2	85	140	4	4	2	5652	4133	RTO-C	65	form-based			true	0.75	5	1.25	3	3	6358.5	4839.5	4839.5	1.125
3629	017	1463	0.03	1512	1	65	100	3	3	2	4389	2877	RH-2	50	form-based			true	0.7	4	1.333333373	3	3	5120.5	3608.5	3608.5	1.166667
3629	018	1462	0.03	1358	1	65	100	3	3	2	4386	3028	RH-2	50	form-based			true	0.7	4	1.333333373	3	3	5117	3759	3759	1.166667
3629	019	1462	0.03	1261	1	65	100	3	3	2	4386	3125	RH-2	50	form-based			true	0.7	4	1.333333373	3	3	5117	3856	3856	1.166667
3630	013	2189	0.05	4533	3	65	100	3	5	2	6567	2034	RM-1	50	form-based			true	0.7	6	1.200000048	3	3	7661.5	3128.5	3128.5	1.166667
3630	021	1089	0.03	0	0	65	100	3	3	3	3267	3267	RH-2	50	form-based			true	0.7	3	1	3	3	3811.5	3811.5	3811.5	1.166667
3630	022	1750	0.04	2072	2	65	100	3	4	2	5250	3178	RH-2	50	form-based			true	0.7	5	1.25	3	3	6125	4053	4053	1.166667
3631	004	2914	0.07	1770	1	65	100	3	7	6	8742	6972	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8159.199707	6389.199707	6389.199707	0.933333
3631	006	4080	0.09	1054	1	65	100	3	9	8	12240	11186	RH-3	40	density-lim	1000			0.7	4	0.444444448	3	3	11424	10370	10370	0.933333
3631	025	3774	0.09	2104	2	65	100	3	9	7	11322	9218	RM-1	40	density-lim	800			0.7	5	0.555555582	3	3	10567.2002	8463.200195	8463.200195	0.933333
3632	011	2813	0.06	2295	1	65	100	3	6	5	8439	6144	RM-1	40	density-lim	800			0.7	4	0.666666687	3	3	7876.399902	5581.399902	5581.399902	0.933333
3632	067	3767	0.09	2490	1	65	100	3	9	8	11301	8811	RH-3	40	density-lim	1000			0.7	4	0.444444448	3	3	10547.59961	8057.599609	8057.599609	0.933333
3633	006	2850	0.07	2777	1	75	120	3.5	8	7	9975	7198	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	7980	5203	5203	0.8
3633	018	3375	0.08	2070	1	65	100	3	8	7	10125	8055	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	9450	7380	7380	0.933333
3633	024	2849	0.07	930	1	65	100	3	7	6	8547	7617	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7977.199707	7047.199707	7047.199707	0.933333
3633	038	1747	0.04	2500	3	75	120	3.5	5	2	6114	3614	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	3	3	4891.600098	2391.600098	2391.600098	0.800065
3633	071	1800	0.04	1245	3	65	100	3	4	1	5400	4155	RH-3	40	density-lim	1000	true		0.7	6	1.5	3	3	5040	3795	3795	0.933333
3634	004	2850	0.07	1800	1	75	120	3.5	8	7	9975	8175	RM-1	40	density-lim	800			0.7	4	0.5	3	3	7980	6180	6180	0.8
3634	005	2850	0.07	2595	1	75	120	3.5	8	7	9975	7380	RM-1	40	density-lim	800			0.7	4	0.5	3	3	7980	5385	5385	0.8
3634	019	2869	0.07	1350	1	65	100	3	7	6	8607	7257	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8033.199707	6683.199707	6683.199707	0.933333
3634	026	3512	0.08	1461	3	75	120	3.5	10	7	12292	10831	RH-3	40	density-lim	1000	true		0.7	6	0.600000024	3	3	9833.599609	8372.599609	8372.599609	0.8
3635	003	1857	0.04	5096	3	75	120	3.5	5	2	6500	1404	NCT-VALEI	55	form-based				0.75	6	1.200000048	3	3	6963.75	1867.75	1867.75	1.071346
3635	013	2751	0.06	5815	5	75	120	3.5	7	2	9628	3813	NCT-VALEI	55	form-based				0.75	8	1.142857194	3	3	10316.25	4501.25	4501.25	1.071484
3636	016A	2000	0.05	2700	3	75	120	3.5	6	3	7000	4300	RTO-M	55	form-based		true		0.7	6	1	3	3	7000	4300	4300	1
3636	034	4950	0.11	13572	12	75	120	3.5	13	1	17325	3753	NCT-VALEI	55	form-based		true		0.75	15	1.153846145	3	3	18562.5	4990.5	4990.5	1.071429
3636	050	5000	0.11	666	8	85	140	4	15	7	20000	19334	NCT-MISSI	45	form-based				0.75	11	0.733333349	3	3	15000	14334	14334	0.75
3637	007	3063	0.07	5230	6	75	120	3.5	8	2	10720	5490	RTO-M	50	form-based				0.7	9	1.125	3	3	10720.5	5490.5	5490.5	1.000047
3637	012A	3369	0.08	5613	6	75	120	3.5	10	4	11792	6179	RTO-M	50	form-based				0.7	9	0.899999976	3	3	11791.5	6178.5	6178.5	0.999958
3637	016	3369	0.08	3520	6	75	120	3.5	10	4	11792	8272	RTO-M	50	form-based				0.7	9	0.899999976	3	3	11791.5	8271.5	8271.5	0.999958
3637	018A	2399	0.06	3500	2	75	120	3.5	7	5	8396	4896	RTO-M	40	form-based				0.7	5	0.714285731	3	3	6717.199707	3217.199707	3217.199707	0.800048
3637	019D	2897	0.07	6970	6	75	120	3.5	8	2	10140	3170	NCT-MISSI	55	form-based				0.75	9	1.125	3	3	10863.75	3893.75	3893.75	1.071376
3637	047	2444	0.06	2201	2	75	120	3.5	7	5	8554	6353	RTO-M	40	form-based				0.7	5	0.714285731	3	3	6843.199707	4642.199707	4642.199707	0.8
3637	047A	2444	0.06	2184	2	75	120	3.5	7	5	8554	6370	RTO-M	40	form-based				0.7	5	0.714285731	3	3	6843.199707	4659.199707	4659.199707	0.8
3637	050	3059	0.07	5500	3	75	120	3.5	8	5	10706	5206	RTO-M	40	form-based				0.7	6	0.75	3	3	8565.200195	3065.200195	3065.200195	0.800037
3637	052	3059	0.07	5043	3	75	120	3.5	8	5	10706	5663	RTO-M	40	form-based				0.7	6	0.75	3	3	8565.200195	3522.200195	3522.200195	0.800037
3638	020	3169	0.07	2191	3	75	120	3.5	8	5	11092	8901	RH-3	40	density-lim	1000	true		0.7	6	0.75	3	3	8873.200195	6682.200195	6682.200195	0.799964
3638	037	2244	0.05	1250	1	75	120	3.5	6	5	7854	6604	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6283.199707	5033.199707	5033.199707	0.8
3638	040A	3610	0.08	1700	1	75	120	3.5	10	9	12635	10935	RH-3	40	density-lim	1000			0.7	4	0.400000006	3	3	10108	8408	8408	0.8
3638	043	6346	0.15	2110	3	75	120	3.5	18	15	22211	20101	RH-3	40	density-lim	1000			0.7	6	0.333333343	3	3	17768.79883	15658.79883	15658.79883	0.8
3638	044	3697	0.08	1900	1	75	120	3.5	10	9	12940	11040	RH-3	40	density-lim	1000			0.7	4	0.400000006	3	3	10351.59961	8451.599609	8451.599609	0.799969
3638	051	2925	0.07	966	1	75	120	3.5	8	7	10238	9272	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	8190	7224	7224	0.799961
3638	100	1496	0.03	916	3	65	100	3	3	0	4488	3572	RH-3	40	density-lim	1000	true		0.7	6	2	3	3	4188.799805	3272.799805	3272.799805	0.933333
3639	012A	2203	0.05	1912	1	65	100	3	5	4	6609	4697	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6168.399902	4256.399902	4256.399902	0.933333
3639	012B	2205	0.05	1748	1	65	100	3	5	4	6615	4867	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6174	4426	4426	0.933333
3639	014	2379	0.05	1485	1	65	100	3	5	4	7137	5652	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6661.199707	5176.199707	5176.199707	0.933333
3639	015	2379	0.05	1345	1	65	100	3	5	4	7137	5792	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6661.199707	5316.199707	5316.199707	0.933333
3639	016	2260	0.05	1460	1	65	100	3	5	4	6780	5320	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6328	4868	4868	0.933333
3639	018	3637	0.08	1405	1	65	100	3	8	7	10911	9506	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	10183.59961	8778.599609	8778.599609	0.933333
3639	020	3310	0.08	1236	1	65	100	3	8	7	9930	8694	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9268	8032	8032	0.933333
3639	023	5461	0.13	1590	1	65	100	3	13	12	16383	14793	RH-2	40	density-lim	1500			0.7	4	0.307692319	3	3	15290.7998	13700.7998	13700.7998	0.933333
3639	033	3675	0.08	1712	1	65	100	3	8	7	11025	9313	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	10290	8578	8578	0.933333
3639	136	3899	0.09	1190	6	65	100	3	9	3	11697	10507	UMU	48	form-based				0.75	9	1	3	3	11697	10507	10507	1
3642	014	1714	0.04	1310	2	75	120	3.5	5	3	5999	4689	NCT-24TH-	55	form-based				0.75	5	1	3	3	6427.5	5117.5	5117.5	1.071429

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3642	039	4900	0.11	5736	7	75	120	3.5	13	6	17150	11414	RTO-M	40	form-based				0.7	10	0.769230783	3	3	13720	7984	7984	0.8
3642	050	2724	0.06	4080	3	75	120	3.5	7	4	9534	5454	RTO-M	40	form-based				0.7	6	0.857142866	3	3	7627.199707	3547.199707	3547.199707	0.8
3642	053	3075	0.07	3080	3	75	120	3.5	8	5	10762	7682	RTO-M	40	form-based				0.7	6	0.75	3	3	8610	5530	5530	0.800037
3643	048	2121	0.05	3753	3	75	120	3.5	6	3	7424	3671	NCT-MISSI	55	form-based		true		0.75	6	1	3	3	7953.75	4200.75	4200.75	1.071356
3643	069	2750	0.06	1421	3	75	120	3.5	7	4	9625	8204	RTO-M	45	form-based				0.7	6	0.857142866	3	3	7700	6279	6279	0.8
3643	072	2562	0.06	1305	2	95	160	4.5	10	8	11529	10224	RTO-M	45	form-based				0.7	5	0.5	3	3	7173.600098	5868.600098	5868.600098	0.622222
3645	008	3837	0.09	1700	1	75	120	3.5	11	10	13430	11730	RH-3	40	density-lim	1000			0.7	4	0.363636374	3	3	10743.59961	9043.599609	9043.599609	0.79997
3645	010	3025	0.07	2574	1	75	120	3.5	8	7	10588	8014	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	8470	5896	5896	0.799962
3645	017	2300	0.05	1940	1	75	120	3.5	6	5	8050	6110	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6440	4500	4500	0.8
3645	032	2472	0.06	1307	1	75	120	3.5	7	6	8652	7345	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	6921.600098	5614.600098	5614.600098	0.8
3645	033	3030	0.07	2562	1	75	120	3.5	8	7	10605	8043	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	8484	5922	5922	0.8
3645	034	2391	0.05	1338	3	75	120	3.5	6	3	8368	7030	RH-3	40	density-lim	1000	true		0.7	6	1	3	3	6694.799805	5356.799805	5356.799805	0.800048
3646	009	2850	0.07	1499	1	75	120	3.5	8	7	9975	8476	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	7980	6481	6481	0.8
3646	025	2801	0.06	1540	1	75	120	3.5	7	6	9804	8264	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7842.799805	6302.799805	6302.799805	0.799959
3646	041	2584	0.06	648	3	75	120	3.5	7	4	9044	8396	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	3	3	7235.199707	6587.199707	6587.199707	0.8
3647	020	2596	0.06	2380	1	65	100	3	6	5	7788	5408	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7268.799805	4888.799805	4888.799805	0.933333
3647	022	2797	0.06	1374	1	65	100	3	6	5	8391	7017	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7831.600098	6457.600098	6457.600098	0.933333
3647	023	3392	0.08	3032	1	65	100	3	8	7	10176	7144	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	9497.599609	6465.599609	6465.599609	0.933333
3647	025	3857	0.09	2275	1	65	100	3	9	8	11571	9296	RH-3	40	density-lim	1000			0.7	4	0.444444448	3	3	10799.59961	8524.599609	8524.599609	0.933333
3647	027	3842	0.09	3114	1	65	100	3	9	8	11526	8412	RH-3	40	density-lim	1000			0.7	4	0.444444448	3	3	10757.59961	7643.599609	7643.599609	0.933333
3647	028	4085	0.09	1183	1	65	100	3	9	8	12255	11072	RH-3	40	density-lim	1000			0.7	4	0.444444448	3	3	11438	10255	10255	0.933333
3647	036	1848	0.04	1750	1	65	100	3	4	3	5544	3794	RH-3	40	density-lim	1000			0.7	4	1	3	3	5174.399902	3424.399902	3424.399902	0.933333
3647	037	1820	0.04	1810	1	65	100	3	4	3	5460	3650	RH-3	40	density-lim	1000			0.7	4	1	3	3	5096	3286	3286	0.933333
3647	038	1899	0.04	1810	1	65	100	3	4	3	5697	3887	RH-3	40	density-lim	1000			0.7	4	1	3	3	5317.199707	3507.199707	3507.199707	0.933333
3647	063	3766	0.09	2819	1	65	100	3	9	8	11298	8479	RH-3	40	density-lim	1000			0.7	4	0.444444448	3	3	10544.7998	7725.799805	7725.799805	0.933333
3648	002	2761	0.06	1644	1	65	100	3	6	5	8283	6639	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7730.799805	6086.799805	6086.799805	0.933333
3648	010	2924	0.07	1268	1	65	100	3	7	6	8772	7504	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8187.199707	6919.199707	6919.199707	0.933333
3648	011	3497	0.08	2380	1	65	100	3	8	7	10491	8111	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	9791.599609	7411.599609	7411.599609	0.933333
3648	030A	4128	0.09	3592	1	65	100	3	9	8	12384	8792	RH-3	40	density-lim	1000			0.7	4	0.444444448	3	3	11558.39941	7966.399414	7966.399414	0.933333
3648	033	1677	0.04	2296	3	65	100	3	4	1	5031	2735	RH-3	40	density-lim	1000	true		0.7	6	1.5	3	3	4695.600098	2399.600098	2399.600098	0.933333
3648	044	1980	0.05	1077	3	65	100	3	5	2	5940	4863	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	3	3	5544	4467	4467	0.933333
3648	050	2672	0.06	1500	3	65	100	3	6	3	8016	6516	RH-3	40	density-lim	1000	true		0.7	6	1	3	3	7481.600098	5981.600098	5981.600098	0.933333
3648	061	2948	0.07	2386	3	65	100	3	7	4	8844	6458	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	3	3	8254.399414	5868.399414	5868.399414	0.933333
3649	030	1856	0.04	3936	2	65	100	3	4	2	5568	1632	RH-2	50	form-based		true	true	0.7	5	1.25	3	3	6496	2560	2560	1.166667
3649	031	1636	0.04	2412	2	65	100	3	4	2	4908	2496	RH-2	50	form-based			true	0.7	5	1.25	3	3	5726	3314	3314	1.166667
3649	050	1620	0.04	1253	2	65	100	3	4	2	4860	3607	RH-2	50	form-based			true	0.7	5	1.25	3	3	5670	4417	4417	1.166667
3649	053	1076	0.02	1848	0	65	100	3	2	2	3228	1380	RH-2	50	form-based			true	0.7	3	1.5	3	3	3766	1918	1918	1.166667
3650	031A	2056	0.05	3500	5	65	100	3	5	0	6168	2668	RTO-C	65	form-based			true	0.75	8	1.600000024	3	3	9252	5752	5752	1.5
3650	037B	2403	0.06	5070	6	65	100	3	6	0	7209	2139	RTO-C	65	form-based		true	true	0.75	9	1.5	3	3	10813.5	5743.5	5743.5	1.5
3651	024	1875	0.04	2044	2	65	100	3	4	2	5625	3581	RH-3	50	form-based			true	0.7	5	1.25	3	3	6562.5	4518.5	4518.5	1.166667
3651	025	1875	0.04	2016	2	65	100	3	4	2	5625	3609	RH-3	50	form-based			true	0.7	5	1.25	3	3	6562.5	4546.5	4546.5	1.166667
3651	025A	1875	0.04	2304	2	65	100	3	4	2	5625	3321	RH-3	50	form-based			true	0.7	5	1.25	3	3	6562.5	4258.5	4258.5	1.166667
3651	037	1551	0.04	2182	1	65	100	3	4	3	4653	2471	RH-3	50	form-based			true	0.7	4	1	3	3	5428.5	3246.5	3246.5	1.166667
3651	038	1551	0.04	1314	1	65	100	3	4	3	4653	3339	RH-3	50	form-based			true	0.7	4	1	3	3	5428.5	4114.5	4114.5	1.166667
3651	039	1550	0.04	1340	1	65	100	3	4	3	4650	3310	RH-3	50	form-based			true	0.7	4	1	3	3	5425	4085	4085	1.166667
3651	040	1570	0.04	1350	1	65	100	3	4	3	4710	3360	RH-3	50	form-based		true	true	0.7	4	1	3	3	5495	4145	4145	1.166667
3651	047	1289	0.03	1122	2	65	100	3	3	1	3867	2745	RTO-C	65	form-based			true	0.75	5	1.666666627	3	3	5800.5	4678.5	4678.5	1.5
3652	026	1822	0.04	2903	2	65	100	3	4	2	5466	2563	RH-3	50	form-based		true	true	0.7	5	1.25	3	3	6377	3474	3474	1.166667
3652	034	1769	0.04	2568	2	65	100	3	4	2	5307	2739	RH-3	50	form-based		true	true	0.7	5	1.25	3	3	6191.5	3623.5	3623.5	1.166667
3652	047	1848	0.04	2252	2	65	100	3	4	2	5544	3292	RH-3	50	form-based			true	0.7	5	1.25	3	3	6468	4216	4216	1.166667
3652	048	1899	0.04	1613	2	65	100	3	4	2	5697	4084	RH-3	50	form-based			true	0.7	5	1.25	3	3	6646.5	5033.5	5033.5	1.166667
3652	049	1638	0.04	800	2	65	100	3	4	2	4914	4114	RH-3	50	form-based			true	0.7	5	1.25	3	3	5733	4933	4933	1.166667
3653	003	2500	0.06	2350	2	65	100	3	6	4	7500	5150	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	4650	4650	0.933333
3653	035	2846	0.07	2912	3	65	100	3	7	4	8538	5626	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7968.799805	5056.799805	5056.799805	0.933333
3653	050	2650	0.06	1796	3	65	100	3	6	3	7950	6154	RH-3	40	form-based		true	true	0.7	6	1	3	3	7420	5624	5624	0.933333
3653	053	2500	0.06	1141	2	65	100	3	6	4	7500	6359	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	5859	5859	0.933333
3653	055	2500	0.06	2600	2	65	100	3	6	4	7500	4900	RH-3	40	form-based			true	0.7	5	0.833333313	3	3	7000	4400	4400	0.933333
3653	062	2850	0.07	635	3	65	100	3	7	4	8550	7915	RH-3	40	form-based			true	0.7	6	0.857142866	3	3	7980	7345	7345	0.933333
3654	019B	1273	0.03	2356	1	65	100	3	3	2	3819	1463	RH-3	50	form-based			true	0.7	4	1.333333373	3	3	4455.5	2099.5	2099.5	1.166667
3654	020	1789	0.04	1852	2	65	100	3	4	2	5367	3515	RH-3	50	form-based			true	0.7	5	1.25	3	3	6261.5	4409.5	4409.5	1.166667
3655	003	2482	0.06	2936	2	55	80	2.5	5	3	6205	3269	RH-3	40	form-based			true	0.7	5	1	3	3	6949.600098	4013.600098	4013.600098	1.12
3655	004	2482	0.06	2930	2	55	80	2.5	5	3	6205	3275	RH-3	40	form-based			true	0.7	5	1	3	3	6949.600098	4019.600098	4019.600098	1.12
3655	007	2484	0.06	2980	2	55	80	2.5	5	3	6210	3230	RH-3	40	form-based			true	0.7	5	1	3	3	6955.199707	3975.199707	3975.199707	1.12
3655	041	2846	0.07	3750	3	55	80	2.5	6	3	7115	3365	RH-2	40	form-based			true	0.7	6	1	3	3	7968.799805	4218.799805	4218.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3655	061	2850	0.07	2582	3	55	80	2.5	6	3	7125	4543	RH-2	40	form-based			true	0.7	6	1	3	3	7980	5398	5398	1.12
3655	072	2846	0.07	748	3	55	80	2.5	6	3	7115	6367	RH-2	40	form-based			true	0.7	6	1	3	3	7968.799805	7220.799805	7220.799805	1.12
3655	075	2846	0.07	1033	3	55	80	2.5	6	3	7115	6082	RH-2	40	form-based			true	0.7	6	1	3	3	7968.799805	6935.799805	6935.799805	1.12
3704	025	6241	0.14	17258	30	85	140	4	20	0	24964	7706	NCT-SOMA	85	form-based		true		0.75	33	1.649999976	3	3	37446	20188	20188	1.5
3726	057A	1527	0.04	2000	0	65	100	3	4	4	4581	2581	RED	45	form-based				0.75	3	0.75	3	3	4581	2581	2581	1
3726	062	1818	0.04	3649	1	65	100	3	4	3	5454	1805	RED	45	form-based				0.75	4	1	3	3	5454	1805	1805	1
3726	064	1818	0.04	2175	1	65	100	3	4	3	5454	3279	RED	45	form-based				0.75	4	1	3	3	5454	3279	3279	1
3726	155	3815	0.09	1346	6	65	100	3	9	3	11445	10099	RED	45	form-based				0.75	9	1	3	3	11445	10099	10099	1
3726	215	8088	0.19	105134	39	85	140	4	27	0	32352	0	MUG	85	form-based		true		0.75	42	1.555555582	3	3	48528	0	0	1.5
3727	065	1337	0.03	1380	0	75	120	3.5	4	4	4680	3300	RED	40	form-based				0.75	3	0.75	3	3	4011	2631	2631	0.857051
3728	046	1875	0.04	1084	1	75	120	3.5	5	4	6562	5478	RED-MX	45	form-based				0.75	4	0.800000012	3	3	5625	4541	4541	0.857208
3728	051	1541	0.04	2520	0	75	120	3.5	5	5	5394	2874	RED-MX	45	form-based				0.75	3	0.600000024	3	3	4623	2103	2103	0.857063
3729	035	1905	0.04	3182	1	65	100	3	4	3	5715	2533	RED-MX	45	form-based				0.75	4	1	3	3	5715	2533	2533	1
3729	036	1904	0.04	2200	1	65	100	3	4	3	5712	3512	RED-MX	45	form-based				0.75	4	1	3	3	5712	3512	3512	1
3729	043	1875	0.04	4250	1	65	100	3	4	3	5625	1375	RED-MX	45	form-based				0.75	4	1	3	3	5625	1375	1375	1
3729	045	1875	0.04	1868	1	65	100	3	4	3	5625	3757	RED-MX	45	form-based				0.75	4	1	3	3	5625	3757	3757	1
3729	072	1500	0.03	2700	0	65	100	3	3	3	4500	1800	RED-MX	45	form-based				0.75	3	1	3	3	4500	1800	1800	1
3729	073	1500	0.03	2888	0	65	100	3	3	3	4500	1612	RED-MX	45	form-based				0.75	3	1	3	3	4500	1612	1612	1
3729	121	3264	0.07	1324	4	65	100	3	7	3	9792	8468	RED-MX	45	form-based				0.75	7	1	3	3	9792	8468	8468	1
3729	164	4017	0.09	18000	9	65	100	3	9	0	12051	0	RCD	55	form-based				0.75	12	1.333333373	3	3	15063.75	0	0	1.25
3729	174	2136	0.05	1482	3	65	100	3	5	2	6408	4926	WMUG	55	form-based				0.75	6	1.200000048	3	3	8010	6528	6528	1.25
3730	053	1432	0.03	1950	0	65	100	3	3	3	4296	2346	RED	40	form-based				0.75	3	1	3	3	4296	2346	2346	1
3730	063	2853	0.07	4315	3	65	100	3	7	4	8559	4244	RED	40	form-based				0.75	6	0.857142866	3	3	8559	4244	4244	1
3730	086	2800	0.06	4800	3	65	100	3	6	3	8400	3600	RED	40	form-based				0.75	6	1	3	3	8400	3600	3600	1
3730	093	2008	0.05	2208	2	65	100	3	5	3	6024	3816	RED	40	form-based				0.75	5	1	3	3	6024	3816	3816	1
3731	055	2041	0.05	3420	2	65	100	3	5	3	6123	2703	RED	45	form-based				0.75	5	1	3	3	6123	2703	2703	1
3731	092	2500	0.06	5405	6	65	100	3	6	0	7500	2095	RED	65	form-based				0.75	9	1.5	3	3	11250	5845	5845	1.5
3731	276	1906	0.04	725	4	65	100	3	4	0	5718	4993	RED	65	form-based				0.75	7	1.75	3	3	8577	7852	7852	1.5
3749	165	5053	0.12	966	17	75	120	3.5	14	0	17686	16720	RH DTR	65	form-based				0.8	20	1.428571463	3	3	24254.40039	23288.40039	23288.40039	1.37139
3752	054	1833	0.04	3080	1	65	100	3	4	3	5499	2419	MUR	45	form-based				0.75	4	1	3	3	5499	2419	2419	1
3753	059	1982	0.05	1700	1	65	100	3	5	4	5946	4246	MUR	45	form-based				0.75	4	0.800000012	3	3	5946	4246	4246	1
3754	028	1875	0.04	1150	1	65	100	3	4	3	5625	4475	MUG	45	form-based				0.75	4	1	3	3	5625	4475	4475	1
3755	018	2000	0.05	2925	3	85	140	4	7	4	8000	5075	WMUG	55	form-based				0.75	6	0.857142866	3	3	7500	4575	4575	0.9375
3755	103	2000	0.05	1536	2	65	100	3	5	3	6000	4464	RED	40	form-based				0.75	5	1	3	3	6000	4464	4464	1
3755	104	2000	0.05	2288	2	65	100	3	5	3	6000	3712	RED	40	form-based				0.75	5	1	3	3	6000	3712	3712	1
3755	249	2000	0.05	1007	2	65	100	3	5	3	6000	4993	RED	40	form-based				0.75	5	1	3	3	6000	4993	4993	1
3769	002	478	0.01	0	0	65	100	3	1	1	1434	1434	RH DTR	84	form-based				0.8	3	3	3	2	3059.199951	3059.199951	2868	2.133333
3775	030	2258	0.05	2350	2	65	100	3	5	3	6774	4424	SPD	40	form-based				0.75	5	1	3	3	6774	4424	4424	1
3775	083	2000	0.05	6751	2	65	100	3	5	3	6000	0	CMUO	45	form-based				0.8	5	1	3	3	6400	0	0	1.066667
3775	137	2626	0.06	1064	3	65	100	3	6	3	7878	6814	SPD	40	form-based				0.75	6	1	3	3	7878	6814	6814	1
3777	025	2000	0.05	1800	2	75	120	3.5	6	4	7000	5200	CMUO	45	form-based				0.8	5	0.833333313	3	3	6400	4600	4600	0.914286
3777	027	1600	0.04	1020	1	75	120	3.5	5	4	5600	4580	CMUO	45	form-based				0.8	4	0.800000012	3	3	5120	4100	4100	0.914286
3777	056	6167	0.14	1165	12	75	120	3.5	17	5	21584	20419	CMUO	45	form-based				0.8	15	0.882352948	3	3	19734.40039	18569.40039	18569.40039	0.914307
3777	139	12086	0.28	79893	45	75	120	3.5	34	0	42301	0	CMUO	65	form-based				0.8	48	1.411764741	3	3	58012.80078	0	0	1.371429
3778	068	10971	0.25	1708	30	65	100	3	25	0	32913	31205	MUG	55	form-based		true		0.75	33	1.320000052	3	3	41141.25	39433.25	39433.25	1.25
3779	101A	2020	0.05	2750	2	65	100	3	5	3	6060	3310	RED-MX	45	form-based				0.75	5	1	3	3	6060	3310	3310	1
3779	102	2000	0.05	2500	2	65	100	3	5	3	6000	3500	RED-MX	45	form-based				0.75	5	1	3	3	6000	3500	3500	1
3779	104	1958	0.04	869	1	65	100	3	4	3	5874	5005	RED-MX	45	form-based				0.75	4	1	3	3	5874	5005	5005	1
3779	169	2013	0.05	1308	2	65	100	3	5	3	6039	4731	RED-MX	45	form-based				0.75	5	1	3	3	6039	4731	4731	1
3780	023	1500	0.03	2570	0	65	100	3	3	3	4500	1930	UMU	48	form-based				0.75	3	1	3	3	4500	1930	1930	1
3780	064	2265	0.05	4125	2	65	100	3	5	3	6795	2670	UMU	48	form-based				0.75	5	1	3	3	6795	2670	2670	1
3780	073	2750	0.06	1850	3	65	100	3	6	3	8250	6400	UMU	48	form-based				0.75	6	1	3	3	8250	6400	6400	1
3784	023A	2000	0.05	2500	2	65	100	3	5	3	6000	3500	RED-MX	45	form-based				0.75	5	1	3	3	6000	3500	3500	1
3784	097	6600	0.15	1066	12	65	100	3	15	3	19800	18734	RED-MX	45	form-based				0.75	15	1	3	3	19800	18734	18734	1
3920	007B	1913	0.04	3016	4	65	100	3	4	0	5739	2723	UMU	68	form-based				0.75	7	1.75	3	3	8608.5	5592.5	5592.5	1.5
3976	030	1232	0.03	850	1	65	100	3	3	2	3696	2846	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3449.599854	2599.599854	2599.599854	0.933333
3976	031	1384	0.03	1904	1	65	100	3	3	2	4152	2248	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3875.199951	1971.199951	1971.199951	0.933333
3976	032	1536	0.04	850	1	65	100	3	4	3	4608	3758	RH-3	40	density-lim	1000			0.7	4	1	3	3	4300.799805	3450.799805	3450.799805	0.933333
3977	001B	2480	0.06	978	1	65	100	3	6	5	7440	6462	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6944	5966	5966	0.933333
3977	001D	2313	0.05	990	1	65	100	3	5	4	6939	5949	RH-2	45	density-lim	1500			0.7	4	0.800000012	3	3	6476.399902	5486.399902	5486.399902	0.933333
3977	001E	2313	0.05	1247	1	65	100	3	5	4	6939	5692	RH-2	45	density-lim	1500			0.7	4	0.800000012	3	3	6476.399902	5229.399902	5229.399902	0.933333
3977	001I	2500	0.06	1535	1	65	100	3	6	5	7500	5965	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5465	5465	0.933333
3977	001J	2312	0.05	1065	1	65	100	3	5	4	6936	5871	RH-2	45	density-lim	1500			0.7	4	0.800000012	3	3	6473.600098	5408.600098	5408.600098	0.933333
3977	002	2476	0.06	1200	1	65	100	3	6	5	7428	6228	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6932.799805	5732.799805	5732.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3977	003	1833	0.04	973	1	65	100	3	4	3	5499	4526	RH-2	40	density-lim	1500			0.7	4	1	3	3	5132.399902	4159.399902	4159.399902	0.933333
3977	003A	1800	0.04	916	1	65	100	3	4	3	5400	4484	RH-2	40	density-lim	1500			0.7	4	1	3	3	5040	4124	4124	0.933333
3977	004	2643	0.06	1662	1	65	100	3	6	5	7929	6267	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7400.399902	5738.399902	5738.399902	0.933333
3977	005B	2500	0.06	1615	1	65	100	3	6	5	7500	5885	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5385	5385	0.933333
3977	005C	2500	0.06	1700	1	65	100	3	6	5	7500	5800	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5300	5300	0.933333
3977	007	2500	0.06	1517	1	65	100	3	6	5	7500	5983	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5483	5483	0.933333
3977	012	2500	0.06	1837	1	65	100	3	6	5	7500	5663	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5163	5163	0.933333
3977	018	2496	0.06	1499	1	65	100	3	6	5	7488	5989	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6988.799805	5489.799805	5489.799805	0.933333
3983	007A	2500	0.06	1790	1	65	100	3	6	5	7500	5710	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5210	5210	0.933333
3983	009	2500	0.06	1886	1	65	100	3	6	5	7500	5614	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5114	5114	0.933333
3983	014	2509	0.06	1346	1	65	100	3	6	5	7527	6181	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7025.199707	5679.199707	5679.199707	0.933333
3983	017	2507	0.06	698	1	65	100	3	6	5	7521	6823	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7019.600098	6321.600098	6321.600098	0.933333
3983	025	2300	0.05	2130	1	65	100	3	5	4	6900	4770	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6440	4310	4310	0.933333
3984	003	2507	0.06	1111	1	65	100	3	6	5	7521	6410	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7019.600098	5908.600098	5908.600098	0.933333
3984	006	2510	0.06	1708	1	65	100	3	6	5	7530	5822	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7028	5320	5320	0.933333
3984	006A	2511	0.06	1759	1	65	100	3	6	5	7533	5774	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7030.799805	5271.799805	5271.799805	0.933333
3984	007	2188	0.05	1100	1	65	100	3	5	4	6564	5464	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6126.399902	5026.399902	5026.399902	0.933333
3984	009	2500	0.06	926	1	65	100	3	6	5	7500	6574	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	6074	6074	0.933333
3984	010	2500	0.06	2999	1	65	100	3	6	5	7500	4501	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	4001	4001	0.933333
3984	011	2500	0.06	2146	1	65	100	3	6	5	7500	5354	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	4854	4854	0.933333
3984	012	2500	0.06	1814	1	65	100	3	6	5	7500	5686	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5186	5186	0.933333
3984	013	2500	0.06	965	1	65	100	3	6	5	7500	6535	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	6035	6035	0.933333
3985	005	2473	0.06	912	1	65	100	3	6	5	7419	6507	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6924.399902	6012.399902	6012.399902	0.933333
3985	009	2473	0.06	1320	1	65	100	3	6	5	7419	6099	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6924.399902	5604.399902	5604.399902	0.933333
3985	010	2393	0.05	2830	3	65	100	3	5	2	7179	4349	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	3	3	6700.399902	3870.399902	3870.399902	0.933333
3985	011	2500	0.06	2317	1	65	100	3	6	5	7500	5183	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4683	4683	0.933333
3985	013	2500	0.06	3227	1	65	100	3	6	5	7500	4273	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	3773	3773	0.933333
3985	021	2500	0.06	1695	1	65	100	3	6	5	7500	5805	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5305	5305	0.933333
3985	022	1250	0.03	600	1	65	100	3	3	2	3750	3150	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3500	2900	2900	0.933333
3985	023	1250	0.03	1093	1	65	100	3	3	2	3750	2657	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3500	2407	2407	0.933333
3985	040	3710	0.09	2353	1	65	100	3	9	8	11130	8777	RH-2	40	density-lim	1500			0.7	4	0.444444448	3	3	10388	8035	8035	0.933333
4000	014	2482	0.06	2575	3	65	100	3	6	3	7446	4871	RH-3	40	density-lim	1000	true		0.7	6	1	3	3	6949.600098	4374.600098	4374.600098	0.933333
4000	015	2482	0.06	1267	1	65	100	3	6	5	7446	6179	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6949.600098	5682.600098	5682.600098	0.933333
4000	017	2482	0.06	1000	1	65	100	3	6	5	7446	6446	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6949.600098	5949.600098	5949.600098	0.933333
4001	022	2461	0.06	3450	3	65	100	3	6	3	7383	3933	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	6890.799805	3440.799805	3440.799805	0.933333
4001	002A	2500	0.06	1345	1	65	100	3	6	5	7500	6155	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5655	5655	0.933333
4001	008	2500	0.06	1123	1	65	100	3	6	5	7500	6377	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5877	5877	0.933333
4001	009	2500	0.06	4000	3	65	100	3	6	3	7500	3500	RH-3	40	density-lim	1000	true		0.7	6	1	3	3	7000	3000	3000	0.933333
4001	010	2500	0.06	1850	1	65	100	3	6	5	7500	5650	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5150	5150	0.933333
4001	013	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5650	5650	0.933333
4001	015	2511	0.06	2594	1	65	100	3	6	5	7533	4939	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	4436.799805	4436.799805	0.933333
4001	017A	2511	0.06	1146	1	65	100	3	6	5	7533	6387	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	5884.799805	5884.799805	0.933333
4001	018	2511	0.06	1285	1	65	100	3	6	5	7533	6248	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	5745.799805	5745.799805	0.933333
4001	019	2511	0.06	2142	1	65	100	3	6	5	7533	5391	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	4888.799805	4888.799805	0.933333
4001	020	2511	0.06	1300	1	65	100	3	6	5	7533	6233	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	5730.799805	5730.799805	0.933333
4001	021	2511	0.06	1200	1	65	100	3	6	5	7533	6333	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	5830.799805	5830.799805	0.933333
4002	003	2487	0.06	1750	1	65	100	3	6	5	7461	5711	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	5213.600098	5213.600098	0.933333
4002	004	2487	0.06	732	1	65	100	3	6	5	7461	6729	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	6231.600098	6231.600098	0.933333
4002	005	2487	0.06	2009	1	65	100	3	6	5	7461	5452	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	4954.600098	4954.600098	0.933333
4002	006	2885	0.07	2100	1	65	100	3	7	6	8655	6555	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8078	5978	5978	0.933333
4002	007	2885	0.07	1740	1	65	100	3	7	6	8655	6915	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8078	6338	6338	0.933333
4002	009	2487	0.06	1638	1	65	100	3	6	5	7461	5823	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	5325.600098	5325.600098	0.933333
4002	014	2500	0.06	3470	0	65	100	3	6	6	7500	4030	NC-2	40	density-lim	800	true		0.75	3	0.5	3	3	7500	4030	4030	1
4002	016A	2500	0.06	1672	1	65	100	3	6	5	7500	5828	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5328	5328	0.933333
4002	016B	2500	0.06	1781	1	65	100	3	6	5	7500	5719	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5219	5219	0.933333
4002	016C	2500	0.06	2088	1	65	100	3	6	5	7500	5412	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4912	4912	0.933333
4002	023	2500	0.06	1717	1	65	100	3	6	5	7500	5783	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5283	5283	0.933333
4002	026	701	0.02	1000	1	65	100	3	2	1	2103	1103	RH-2	40	density-lim	1500			0.7	4	2	3	3	1962.799927	962.7999268	962.7999268	0.933333
4002	028	2487	0.06	1250	1	65	100	3	6	5	7461	6211	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	5713.600098	5713.600098	0.933333
4003	002	2527	0.06	1268	1	65	100	3	6	5	7581	6313	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7075.600098	5807.600098	5807.600098	0.933333
4003	012	2527	0.06	4626	1	65	100	3	6	5	7581	2955	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7075.600098	2449.600098	2449.600098	0.933333
4003	014	2527	0.06	2400	1	65	100	3	6	5	7581	5181	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7075.600098	4675.600098	4675.600098	0.933333
4003	018	2500	0.06	2682	0	65	100	3	6	6	7500	4818	NC-2	40	density-lim	800			0.75	3	0.5	3	3	7500	4818	4818	1
4003	019	2500	0.06	1555	0	65	100	3	6	6	7500	5945	NC-2	40	density-lim	800			0.75	3	0.5	3	3	7500	5945	5945	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4003	020	2500	0.06	1512	1	65	100	3	6	5	7500	5988	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5488	5488	0.933333
4003	021	2500	0.06	1980	1	65	100	3	6	5	7500	5520	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5020	5020	0.933333
4003	024	2500	0.06	2718	1	65	100	3	6	5	7500	4782	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	4282	4282	0.933333
4004	002	2476	0.06	842	1	65	100	3	6	5	7428	6586	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6932.799805	6090.799805	6090.799805	0.933333
4004	003A	1976	0.05	1024	1	65	100	3	5	4	5928	4904	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5532.799805	4508.799805	4508.799805	0.933333
4004	005	2501	0.06	950	1	65	100	3	6	5	7503	6553	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7002.799805	6052.799805	6052.799805	0.933333
4004	010	2730	0.06	1509	1	65	100	3	6	5	8190	6681	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7644	6135	6135	0.933333
4004	012	1801	0.04	1604	1	65	100	3	4	3	5403	3799	RH-3	40	density-lim	1000			0.7	4	1	3	3	5042.799805	3438.799805	3438.799805	0.933333
4004	017	1812	0.04	3185	1	65	100	3	4	3	5436	2251	RH-2	40	density-lim	1500			0.7	4	1	3	3	5073.600098	1888.600098	1888.600098	0.933333
4004	020	2500	0.06	782	1	65	100	3	6	5	7500	6718	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	6218	6218	0.933333
4004	027	2500	0.06	1999	1	65	100	3	6	5	7500	5501	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5001	5001	0.933333
4008	002B	2500	0.06	1425	1	65	100	3	6	5	7500	6075	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5575	5575	0.933333
4008	002D	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5550	5550	0.933333
4008	002F	2500	0.06	1410	1	65	100	3	6	5	7500	6090	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5590	5590	0.933333
4008	002G	2500	0.06	1341	1	65	100	3	6	5	7500	6159	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5659	5659	0.933333
4008	003A	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5550	5550	0.933333
4008	003B	2500	0.06	2381	1	65	100	3	6	5	7500	5119	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4619	4619	0.933333
4008	003C	2500	0.06	2037	1	65	100	3	6	5	7500	5463	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4963	4963	0.933333
4008	003D	2500	0.06	1740	1	65	100	3	6	5	7500	5760	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5260	5260	0.933333
4008	003F	2500	0.06	1315	1	65	100	3	6	5	7500	6185	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5685	5685	0.933333
4008	004	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5725	5725	0.933333
4008	005	2500	0.06	2423	1	65	100	3	6	5	7500	5077	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4577	4577	0.933333
4008	005A	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5725	5725	0.933333
4008	005B	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5725	5725	0.933333
4008	006	2500	0.06	1891	1	65	100	3	6	5	7500	5609	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5109	5109	0.933333
4009	001A	1849	0.04	1150	1	65	100	3	4	3	5547	4397	RH-2	40	density-lim	1500			0.7	4	1	3	3	5177.199707	4027.199707	4027.199707	0.933333
4009	001B	1849	0.04	1150	1	65	100	3	4	3	5547	4397	RH-2	40	density-lim	1500			0.7	4	1	3	3	5177.199707	4027.199707	4027.199707	0.933333
4009	001C	1849	0.04	1135	1	65	100	3	4	3	5547	4412	RH-2	40	density-lim	1500			0.7	4	1	3	3	5177.199707	4042.199707	4042.199707	0.933333
4009	001D	2491	0.06	1200	1	65	100	3	6	5	7473	6273	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6974.799805	5774.799805	5774.799805	0.933333
4009	001E	2491	0.06	1325	1	65	100	3	6	5	7473	6148	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6974.799805	5649.799805	5649.799805	0.933333
4009	001F	2491	0.06	1025	1	65	100	3	6	5	7473	6448	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6974.799805	5949.799805	5949.799805	0.933333
4009	001G	2491	0.06	1438	1	65	100	3	6	5	7473	6035	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6974.799805	5536.799805	5536.799805	0.933333
4009	001H	2491	0.06	3080	1	65	100	3	6	5	7473	4393	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6974.799805	3894.799805	3894.799805	0.933333
4009	002	2491	0.06	1152	1	65	100	3	6	5	7473	6321	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6974.799805	5822.799805	5822.799805	0.933333
4009	003	2491	0.06	2456	1	65	100	3	6	5	7473	5017	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6974.799805	4518.799805	4518.799805	0.933333
4009	004	2491	0.06	2034	1	65	100	3	6	5	7473	5439	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6974.799805	4940.799805	4940.799805	0.933333
4009	005	2491	0.06	1774	1	65	100	3	6	5	7473	5699	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6974.799805	5200.799805	5200.799805	0.933333
4009	006	2491	0.06	1648	1	65	100	3	6	5	7473	5825	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6974.799805	5326.799805	5326.799805	0.933333
4009	008B	2500	0.06	1694	1	65	100	3	6	5	7500	5806	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5306	5306	0.933333
4009	008C	2500	0.06	2252	1	65	100	3	6	5	7500	5248	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	4748	4748	0.933333
4009	008D	2500	0.06	1570	1	65	100	3	6	5	7500	5930	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5430	5430	0.933333
4009	008E	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5550	5550	0.933333
4009	008F	2500	0.06	960	1	65	100	3	6	5	7500	6540	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	6040	6040	0.933333
4009	008G	2500	0.06	1725	1	65	100	3	6	5	7500	5775	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5275	5275	0.933333
4009	008H	2500	0.06	1514	1	65	100	3	6	5	7500	5986	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5486	5486	0.933333
4009	008I	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5700	5700	0.933333
4009	008J	2500	0.06	2350	1	65	100	3	6	5	7500	5150	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	4650	4650	0.933333
4009	008K	2500	0.06	1984	1	65	100	3	6	5	7500	5516	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5016	5016	0.933333
4009	008L	2500	0.06	3344	1	65	100	3	6	5	7500	4156	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	3656	3656	0.933333
4009	008M	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5850	5850	0.933333
4009	008O	2500	0.06	1155	1	65	100	3	6	5	7500	6345	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5845	5845	0.933333
4010	001	2415	0.06	2940	3	65	100	3	6	3	7245	4305	RH-3	40	density-lim	1000	true		0.7	6	1	3	3	6762	3822	3822	0.933333
4010	001B	1916	0.04	2550	3	65	100	3	4	1	5748	3198	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	5364.799805	2814.799805	2814.799805	0.933333
4010	001C	2500	0.06	1615	1	65	100	3	6	5	7500	5885	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5385	5385	0.933333
4010	001D	2500	0.06	2695	1	65	100	3	6	5	7500	4805	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4305	4305	0.933333
4010	001G	2514	0.06	1151	1	65	100	3	6	5	7542	6391	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7039.199707	5888.199707	5888.199707	0.933333
4010	001H	2514	0.06	2962	1	65	100	3	6	5	7542	4580	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7039.199707	4077.199707	4077.199707	0.933333
4010	001P	2514	0.06	1265	1	65	100	3	6	5	7542	6277	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7039.199707	5774.199707	5774.199707	0.933333
4010	001Q	2514	0.06	1970	1	65	100	3	6	5	7542	5572	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7039.199707	5069.199707	5069.199707	0.933333
4010	002	2500	0.06	2081	1	65	100	3	6	5	7500	5419	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4919	4919	0.933333
4010	003	1875	0.04	1252	1	65	100	3	4	3	5625	4373	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3998	3998	0.933333
4010	004	1875	0.04	1895	1	65	100	3	4	3	5625	3730	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3355	3355	0.933333
4010	005	1875	0.04	4540	3	65	100	3	4	1	5625	1085	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	5250	710	710	0.933333
4010	006	1875	0.04	920	1	65	100	3	4	3	5625	4705	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	4330	4330	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4010	007	2500	0.06	2145	1	65	100	3	6	5	7500	5355	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4855	4855	0.933333
4010	007A	2500	0.06	1775	1	65	100	3	6	5	7500	5725	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5225	5225	0.933333
4010	008	2500	0.06	1396	1	65	100	3	6	5	7500	6104	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5604	5604	0.933333
4010	010	2500	0.06	1813	1	65	100	3	6	5	7500	5687	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5187	5187	0.933333
4010	011	2500	0.06	1063	1	65	100	3	6	5	7500	6437	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5937	5937	0.933333
4010	012	2500	0.06	1393	1	65	100	3	6	5	7500	6107	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5607	5607	0.933333
4010	013	2500	0.06	1282	1	65	100	3	6	5	7500	6218	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5718	5718	0.933333
4010	014	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5500	5500	0.933333
4010	021	2500	0.06	3093	1	65	100	3	6	5	7500	4407	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	3907	3907	0.933333
4010	031	2500	0.06	1559	1	65	100	3	6	5	7500	5941	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5441	5441	0.933333
4011	006	2182	0.05	2180	1	65	100	3	5	4	6546	4366	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6109.600098	3929.600098	3929.600098	0.933333
4011	009	1899	0.04	1724	1	65	100	3	4	3	5697	3973	RH-3	40	density-lim	1000			0.7	4	1	3	3	5317.199707	3593.199707	3593.199707	0.933333
4011	013	2466	0.06	1100	1	65	100	3	6	5	7398	6298	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6904.799805	5804.799805	5804.799805	0.933333
4011	016	1565	0.04	1115	1	65	100	3	4	3	4695	3580	RH-3	40	density-lim	1000			0.7	4	1	3	3	4382	3267	3267	0.933333
4011	017A	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5800	5800	0.933333
4011	018	2500	0.06	1956	1	65	100	3	6	5	7500	5544	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5044	5044	0.933333
4011	024	910	0.02	1000	1	65	100	3	2	1	2730	1730	RH-3	40	density-lim	1000			0.7	4	2	3	3	2548	1548	1548	0.933333
4022	016	1988	0.05	4260	3	65	100	3	5	2	5964	1704	RH-2	65	density-lim	1500	true		0.7	6	1.200000048	3	3	8349.599609	4089.599609	4089.599609	1.4
4022	017	2988	0.07	2054	1	65	100	3	7	6	8964	6910	RH-2	65	density-lim	1500			0.7	4	0.571428597	3	3	12549.59961	10495.59961	10495.59961	1.4
4024	002	2521	0.06	2265	1	65	100	3	6	5	7563	5298	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	4793.799805	4793.799805	0.933333
4024	006	2521	0.06	1500	1	65	100	3	6	5	7563	6063	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	5558.799805	5558.799805	0.933333
4024	006A	2521	0.06	1940	1	65	100	3	6	5	7563	5623	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	5118.799805	5118.799805	0.933333
4024	007	2521	0.06	3350	1	65	100	3	6	5	7563	4213	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	3708.799805	3708.799805	0.933333
4024	007A	2521	0.06	1325	1	65	100	3	6	5	7563	6238	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	5733.799805	5733.799805	0.933333
4024	009	2468	0.06	1375	1	65	100	3	6	5	7404	6029	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6910.399902	5535.399902	5535.399902	0.933333
4024	014	2500	0.06	1700	1	65	100	3	6	5	7500	5800	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5300	5300	0.933333
4024	015	2500	0.06	760	1	65	100	3	6	5	7500	6740	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6240	6240	0.933333
4024	016	2500	0.06	760	1	65	100	3	6	5	7500	6740	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6240	6240	0.933333
4024	017	2500	0.06	1014	1	65	100	3	6	5	7500	6486	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5986	5986	0.933333
4024	024	2397	0.06	3286	1	65	100	3	6	5	7191	3905	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6711.600098	3425.600098	3425.600098	0.933333
4024	034	2500	0.06	1074	1	65	100	3	6	5	7500	6426	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5926	5926	0.933333
4027	006	2136	0.05	2465	1	65	100	3	5	4	6408	3943	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5980.799805	3515.799805	3515.799805	0.933333
4027	007	2410	0.06	2262	1	65	100	3	6	5	7230	4968	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6748	4486	4486	0.933333
4027	009	2600	0.06	1257	1	65	100	3	6	5	7800	6543	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	6023	6023	0.933333
4027	010	2504	0.06	2236	1	65	100	3	6	5	7512	5276	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	4775.199707	4775.199707	0.933333
4027	011	2500	0.06	3075	1	65	100	3	6	5	7500	4425	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	3925	3925	0.933333
4027	015	815	0.02	1978	1	65	100	3	2	1	2445	467	RH-2	40	density-lim	1500			0.7	4	2	3	3	2282	304	304	0.933333
4028	001D	1841	0.04	1874	1	65	100	3	4	3	5523	3649	RH-3	40	density-lim	1000			0.7	4	1	3	3	5154.799805	3280.799805	3280.799805	0.933333
4028	001F	2500	0.06	1240	1	65	100	3	6	5	7500	6260	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5760	5760	0.933333
4028	001G	1841	0.04	1125	1	65	100	3	4	3	5523	4398	RH-3	40	density-lim	1000			0.7	4	1	3	3	5154.799805	4029.799805	4029.799805	0.933333
4028	001H	2477	0.06	1350	1	65	100	3	6	5	7431	6081	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6935.600098	5585.600098	5585.600098	0.933333
4028	001J	2466	0.06	3942	1	65	100	3	6	5	7398	3456	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6904.799805	2962.799805	2962.799805	0.933333
4028	002	1875	0.04	882	1	65	100	3	4	3	5625	4743	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	4368	4368	0.933333
4028	003	1875	0.04	1266	1	65	100	3	4	3	5625	4359	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3984	3984	0.933333
4028	004	1875	0.04	1307	1	65	100	3	4	3	5625	4318	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3943	3943	0.933333
4028	006	2500	0.06	952	1	65	100	3	6	5	7500	6548	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6048	6048	0.933333
4028	007	2500	0.06	1495	1	65	100	3	6	5	7500	6005	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5505	5505	0.933333
4028	008	2500	0.06	1014	1	65	100	3	6	5	7500	6486	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5986	5986	0.933333
4028	009	2500	0.06	992	1	65	100	3	6	5	7500	6508	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6008	6008	0.933333
4028	010	2500	0.06	1285	1	65	100	3	6	5	7500	6215	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5715	5715	0.933333
4028	011	2500	0.06	1595	1	65	100	3	6	5	7500	5905	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5405	5405	0.933333
4028	012	2500	0.06	2080	1	65	100	3	6	5	7500	5420	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4920	4920	0.933333
4028	013	2521	0.06	2682	1	65	100	3	6	5	7563	4881	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	4376.799805	4376.799805	0.933333
4028	014	2479	0.06	1365	1	65	100	3	6	5	7437	6072	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6941.199707	5576.199707	5576.199707	0.933333
4028	016	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5725	5725	0.933333
4028	034	1875	0.04	789	3	65	100	3	4	1	5625	4836	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	5250	4461	4461	0.933333
4029	002	2491	0.06	2500	1	65	100	3	6	5	7473	4973	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6974.799805	4474.799805	4474.799805	0.933333
4029	019	2000	0.05	1545	1	65	100	3	5	4	6000	4455	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5600	4055	4055	0.933333
4029	020	2000	0.05	1840	1	65	100	3	5	4	6000	4160	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5600	3760	3760	0.933333
4030	002B	2356	0.05	1020	1	55	80	2.5	4	3	5890	4870	RH-2	40	density-lim	1500			0.7	4	1	3	3	6596.799805	5576.799805	5576.799805	1.12
4030	016	2510	0.06	1320	1	65	100	3	6	5	7530	6210	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7028	5708	5708	0.933333
4030	024	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5650	5650	0.933333
4030	025	3333	0.08	1400	1	65	100	3	8	7	9999	8599	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9332.399414	7932.399414	7932.399414	0.933333
4030	026	2500	0.06	1258	1	65	100	3	6	5	7500	6242	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5742	5742	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4030	036	3755	0.09	2561	1	55	80	2.5	7	6	9388	6827	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	10514	7953	7953	1.11994
4031	001A	2152	0.05	900	1	55	80	2.5	4	3	5380	4480	RH-2	40	density-lim	1500			0.7	4	1	3	3	6025.600098	5125.600098	5125.600098	1.12
4031	001C	1813	0.04	750	1	55	80	2.5	3	2	4532	3782	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5076.399902	4326.399902	4326.399902	1.120124
4031	001G	3324	0.08	1395	1	55	80	2.5	6	5	8310	6915	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9307.200195	7912.200195	7912.200195	1.12
4031	004B	1875	0.04	940	1	55	80	2.5	3	2	4688	3748	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5250	4310	4310	1.119881
4031	011	2802	0.06	1814	1	55	80	2.5	5	4	7005	5191	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7845.600098	6031.600098	6031.600098	1.12
4031	012	3185	0.07	1875	1	55	80	2.5	6	5	7962	6087	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8918	7043	7043	1.12007
4031	013	2772	0.06	391	1	55	80	2.5	5	4	6930	6539	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7761.600098	7370.600098	7370.600098	1.12
4031	015	2334	0.05	2062	3	55	80	2.5	4	1	5835	3773	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	6535.199707	4473.199707	4473.199707	1.12
4031	019	1691	0.04	550	1	55	80	2.5	3	2	4228	3678	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4734.799805	4184.799805	4184.799805	1.119867
4031	019B	1875	0.04	1625	1	55	80	2.5	3	2	4688	3063	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5250	3625	3625	1.119881
4035	008	2500	0.06	1864	1	65	100	3	6	5	7500	5636	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5136	5136	0.933333
4035	009	2500	0.06	1725	1	65	100	3	6	5	7500	5775	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5275	5275	0.933333
4035	011	2500	0.06	1728	1	65	100	3	6	5	7500	5772	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5272	5272	0.933333
4035	012	2500	0.06	1740	1	65	100	3	6	5	7500	5760	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5260	5260	0.933333
4035	013	2500	0.06	2467	1	65	100	3	6	5	7500	5033	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4533	4533	0.933333
4035	017	1753	0.04	1309	1	65	100	3	4	3	5259	3950	RH-2	40	density-lim	1500			0.7	4	1	3	3	4908.399902	3599.399902	3599.399902	0.933333
4035	019	1753	0.04	1809	1	65	100	3	4	3	5259	3450	RH-2	40	density-lim	1500			0.7	4	1	3	3	4908.399902	3099.399902	3099.399902	0.933333
4035	021	2503	0.06	2083	1	65	100	3	6	5	7509	5426	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7008.399902	4925.399902	4925.399902	0.933333
4035	022	2502	0.06	2774	1	65	100	3	6	5	7506	4732	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7005.600098	4231.600098	4231.600098	0.933333
4035	026	2502	0.06	1028	1	65	100	3	6	5	7506	6478	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7005.600098	5977.600098	5977.600098	0.933333
4035	027	2502	0.06	990	1	65	100	3	6	5	7506	6516	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7005.600098	6015.600098	6015.600098	0.933333
4035	028	2502	0.06	841	1	65	100	3	6	5	7506	6665	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7005.600098	6164.600098	6164.600098	0.933333
4035	029	2501	0.06	885	1	65	100	3	6	5	7503	6618	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7002.799805	6117.799805	6117.799805	0.933333
4035	030	2501	0.06	1380	1	65	100	3	6	5	7503	6123	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7002.799805	5622.799805	5622.799805	0.933333
4035	031	1302	0.03	2304	3	65	100	3	3	0	3906	1602	RH-2	40	density-lim	1500	true		0.7	6	2	3	3	3645.599854	1341.599854	1341.599854	0.933333
4035	033	3000	0.07	2230	1	65	100	3	7	6	9000	6770	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8400	6170	6170	0.933333
4035	034	1753	0.04	1188	1	65	100	3	4	3	5259	4071	RH-2	40	density-lim	1500			0.7	4	1	3	3	4908.399902	3720.399902	3720.399902	0.933333
4036	005	2500	0.06	2347	1	65	100	3	6	5	7500	5153	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4653	4653	0.933333
4036	006	2500	0.06	1596	1	65	100	3	6	5	7500	5904	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5404	5404	0.933333
4036	009	2474	0.06	1984	1	65	100	3	6	5	7422	5438	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6927.199707	4943.199707	4943.199707	0.933333
4036	011	2492	0.06	1137	1	65	100	3	6	5	7476	6339	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6977.600098	5840.600098	5840.600098	0.933333
4036	012	2500	0.06	1387	1	65	100	3	6	5	7500	6113	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5613	5613	0.933333
4036	020	2533	0.06	704	1	65	100	3	6	5	7599	6895	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7092.399902	6388.399902	6388.399902	0.933333
4036	021	2506	0.06	2120	1	65	100	3	6	5	7518	5398	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7016.799805	4896.799805	4896.799805	0.933333
4036	024	2530	0.06	1287	1	65	100	3	6	5	7590	6303	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7084	5797	5797	0.933333
4037	003	2487	0.06	3565	1	65	100	3	6	5	7461	3896	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	3398.600098	3398.600098	0.933333
4037	005	2487	0.06	1790	1	65	100	3	6	5	7461	5671	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	5173.600098	5173.600098	0.933333
4037	006	2487	0.06	1300	1	65	100	3	6	5	7461	6161	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	5663.600098	5663.600098	0.933333
4037	007	2487	0.06	755	1	65	100	3	6	5	7461	6706	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	6208.600098	6208.600098	0.933333
4037	008	2487	0.06	1475	1	65	100	3	6	5	7461	5986	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	5488.600098	5488.600098	0.933333
4037	009	2487	0.06	1895	1	65	100	3	6	5	7461	5566	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	5068.600098	5068.600098	0.933333
4037	013	2487	0.06	2639	1	65	100	3	6	5	7461	4822	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	4324.600098	4324.600098	0.933333
4037	013B	2487	0.06	3422	1	65	100	3	6	5	7461	4039	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	3541.600098	3541.600098	0.933333
4037	014	2500	0.06	2550	3	65	100	3	6	3	7500	4950	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	7000	4450	4450	0.933333
4037	017	2500	0.06	2460	1	65	100	3	6	5	7500	5040	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4540	4540	0.933333
4037	018	2500	0.06	1917	1	65	100	3	6	5	7500	5583	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5083	5083	0.933333
4037	020	2500	0.06	1547	1	65	100	3	6	5	7500	5953	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5453	5453	0.933333
4037	021	2500	0.06	2585	1	65	100	3	6	5	7500	4915	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4415	4415	0.933333
4037	033	2487	0.06	1546	1	65	100	3	6	5	7461	5915	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	5417.600098	5417.600098	0.933333
4038	003	2511	0.06	1050	1	65	100	3	6	5	7533	6483	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	5980.799805	5980.799805	0.933333
4038	004	2511	0.06	1125	1	65	100	3	6	5	7533	6408	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	5905.799805	5905.799805	0.933333
4038	006	2511	0.06	1345	1	65	100	3	6	5	7533	6188	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	5685.799805	5685.799805	0.933333
4038	006A	2511	0.06	1563	1	65	100	3	6	5	7533	5970	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	5467.799805	5467.799805	0.933333
4038	008	2511	0.06	1500	1	65	100	3	6	5	7533	6033	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	5530.799805	5530.799805	0.933333
4038	012	2500	0.06	1164	1	65	100	3	6	5	7500	6336	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5836	5836	0.933333
4038	013	2500	0.06	3025	1	65	100	3	6	5	7500	4475	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	3975	3975	0.933333
4038	014	1875	0.04	1250	1	65	100	3	4	3	5625	4375	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	4000	4000	0.933333
4038	014B	1875	0.04	1250	1	65	100	3	4	3	5625	4375	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	4000	4000	0.933333
4038	015	1875	0.04	1553	1	65	100	3	4	3	5625	4072	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3697	3697	0.933333
4038	017	2500	0.06	2018	1	65	100	3	6	5	7500	5482	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4982	4982	0.933333
4038	019	2500	0.06	1890	1	65	100	3	6	5	7500	5610	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5110	5110	0.933333
4038	022	2500	0.06	1337	1	65	100	3	6	5	7500	6163	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5663	5663	0.933333
4038	023	2500	0.06	2760	1	65	100	3	6	5	7500	4740	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4240	4240	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4038	024	2500	0.06	2407	1	65	100	3	6	5	7500	5093	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4593	4593	0.933333
4038	031	1769	0.04	1005	1	65	100	3	4	3	5307	4302	RH-3	40	density-lim	1000			0.7	4	1	3	3	4953.199707	3948.199707	3948.199707	0.933333
4038	033	1525	0.04	1182	1	65	100	3	4	3	4575	3393	RH-3	40	density-lim	1000			0.7	4	1	3	3	4270	3088	3088	0.933333
4039	004	5000	0.11	1330	1	65	100	3	11	10	15000	13670	RH-2	40	density-lim	1500			0.7	4	0.363636374	3	3	14000	12670	12670	0.933333
4039	005	2500	0.06	2440	1	65	100	3	6	5	7500	5060	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4560	4560	0.933333
4039	008	2500	0.06	1975	1	65	100	3	6	5	7500	5525	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5025	5025	0.933333
4039	010	2482	0.06	4298	3	65	100	3	6	3	7446	3148	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	6949.600098	2651.600098	2651.600098	0.933333
4039	017	2482	0.06	1750	1	65	100	3	6	5	7446	5696	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6949.600098	5199.600098	5199.600098	0.933333
4039	021	2482	0.06	1500	1	65	100	3	6	5	7446	5946	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6949.600098	5449.600098	5449.600098	0.933333
4039	021A	2483	0.06	2039	1	65	100	3	6	5	7449	5410	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6952.399902	4913.399902	4913.399902	0.933333
4039	024	2482	0.06	3314	1	65	100	3	6	5	7446	4132	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6949.600098	3635.600098	3635.600098	0.933333
4040	019	2500	0.06	1126	1	65	100	3	6	5	7500	6374	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5874	5874	0.933333
4040	020	2500	0.06	2547	1	65	100	3	6	5	7500	4953	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4453	4453	0.933333
4040	021	2500	0.06	2282	1	65	100	3	6	5	7500	5218	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4718	4718	0.933333
4040	022	2500	0.06	1024	1	65	100	3	6	5	7500	6476	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5976	5976	0.933333
4040	023	2500	0.06	2851	1	65	100	3	6	5	7500	4649	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4149	4149	0.933333
4040	024	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5950	5950	0.933333
4043	001	2511	0.06	2430	3	65	100	3	6	3	7533	5103	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	7030.799805	4600.799805	4600.799805	0.933333
4043	002	2511	0.06	1498	1	65	100	3	6	5	7533	6035	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	5532.799805	5532.799805	0.933333
4063	002A	2500	0.06	1723	1	75	120	3.5	7	6	8750	7027	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5277	5277	0.8
4063	002B	2500	0.06	1766	1	75	120	3.5	7	6	8750	6984	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5234	5234	0.8
4063	002C	2500	0.06	1174	1	75	120	3.5	7	6	8750	7576	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5826	5826	0.8
4063	003	2500	0.06	1506	1	65	100	3	6	5	7500	5994	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5494	5494	0.933333
4063	003A	2500	0.06	1366	1	65	100	3	6	5	7500	6134	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5634	5634	0.933333
4063	003C	2500	0.06	1653	1	65	100	3	6	5	7500	5847	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5347	5347	0.933333
4063	003D	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5800	5800	0.933333
4063	003F	2500	0.06	2136	1	65	100	3	6	5	7500	5364	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4864	4864	0.933333
4063	025	2506	0.06	1454	3	65	100	3	6	3	7518	6064	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	7016.799805	5562.799805	5562.799805	0.933333
4064	003	2527	0.06	1809	1	65	100	3	6	5	7581	5772	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7075.600098	5266.600098	5266.600098	0.933333
4064	004	2527	0.06	1300	1	65	100	3	6	5	7581	6281	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7075.600098	5775.600098	5775.600098	0.933333
4064	005	2528	0.06	1300	1	65	100	3	6	5	7584	6284	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7078.399902	5778.399902	5778.399902	0.933333
4064	006	2528	0.06	1764	1	65	100	3	6	5	7584	5820	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7078.399902	5314.399902	5314.399902	0.933333
4064	006A	2529	0.06	1200	1	65	100	3	6	5	7587	6387	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7081.199707	5881.199707	5881.199707	0.933333
4064	007	2529	0.06	1375	1	65	100	3	6	5	7587	6212	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7081.199707	5706.199707	5706.199707	0.933333
4064	008	2530	0.06	1388	1	65	100	3	6	5	7590	6202	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7084	5696	5696	0.933333
4064	009	2530	0.06	2013	1	65	100	3	6	5	7590	5577	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7084	5071	5071	0.933333
4064	010	2530	0.06	1388	1	65	100	3	6	5	7590	6202	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7084	5696	5696	0.933333
4064	016	2500	0.06	2032	1	75	120	3.5	7	6	8750	6718	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	4968	4968	0.8
4064	023	2500	0.06	1105	1	65	100	3	6	5	7500	6395	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5895	5895	0.933333
4065	001A	1719	0.04	2225	1	65	100	3	4	3	5157	2932	RH-2	40	density-lim	1500			0.7	4	1	3	3	4813.199707	2588.199707	2588.199707	0.933333
4065	001B	1719	0.04	1175	1	65	100	3	4	3	5157	3982	RH-2	40	density-lim	1500			0.7	4	1	3	3	4813.199707	3638.199707	3638.199707	0.933333
4065	001C	1875	0.04	2002	1	65	100	3	4	3	5625	3623	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3248	3248	0.933333
4065	004	2471	0.06	1360	1	65	100	3	6	5	7413	6053	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6918.799805	5558.799805	5558.799805	0.933333
4065	009A	1614	0.04	940	1	65	100	3	4	3	4842	3902	RH-2	40	density-lim	1500			0.7	4	1	3	3	4519.199707	3579.199707	3579.199707	0.933333
4065	010	1614	0.04	940	1	65	100	3	4	3	4842	3902	RH-2	40	density-lim	1500			0.7	4	1	3	3	4519.199707	3579.199707	3579.199707	0.933333
4065	010A	1614	0.04	1180	1	65	100	3	4	3	4842	3662	RH-2	40	density-lim	1500			0.7	4	1	3	3	4519.199707	3339.199707	3339.199707	0.933333
4065	011	1639	0.04	1000	1	65	100	3	4	3	4917	3917	RH-2	40	density-lim	1500			0.7	4	1	3	3	4589.199707	3589.199707	3589.199707	0.933333
4065	012	1664	0.04	1628	1	65	100	3	4	3	4992	3364	RH-2	40	density-lim	1500			0.7	4	1	3	3	4659.199707	3031.199707	3031.199707	0.933333
4065	013	1664	0.04	940	1	65	100	3	4	3	4992	4052	RH-2	40	density-lim	1500			0.7	4	1	3	3	4659.199707	3719.199707	3719.199707	0.933333
4065	016	2498	0.06	1472	1	65	100	3	6	5	7494	6022	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6994.399902	5522.399902	5522.399902	0.933333
4065	017	2181	0.05	1533	1	65	100	3	5	4	6543	5010	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6106.799805	4573.799805	4573.799805	0.933333
4065	018	2500	0.06	1310	1	65	100	3	6	5	7500	6190	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5690	5690	0.933333
4065	019	2103	0.05	1250	1	65	100	3	5	4	6309	5059	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5888.399902	4638.399902	4638.399902	0.933333
4065	019A	2296	0.05	1250	1	65	100	3	5	4	6888	5638	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6428.799805	5178.799805	5178.799805	0.933333
4065	020	2478	0.06	1215	1	65	100	3	6	5	7434	6219	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6938.399902	5723.399902	5723.399902	0.933333
4065	022	2500	0.06	1779	1	65	100	3	6	5	7500	5721	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5221	5221	0.933333
4065	023	2500	0.06	1265	1	65	100	3	6	5	7500	6235	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5735	5735	0.933333
4065	025	2625	0.06	1275	1	65	100	3	6	5	7875	6600	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7350	6075	6075	0.933333
4065	028	3745	0.09	1632	1	65	100	3	9	8	11235	9603	RH-2	40	density-lim	1500			0.7	4	0.444444448	3	3	10486	8854	8854	0.933333
4066	002	2515	0.06	1584	1	65	100	3	6	5	7545	5961	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7042	5458	5458	0.933333
4066	004	2516	0.06	2040	1	65	100	3	6	5	7548	5508	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7044.799805	5004.799805	5004.799805	0.933333
4066	005	2516	0.06	1200	1	65	100	3	6	5	7548	6348	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7044.799805	5844.799805	5844.799805	0.933333
4066	016	2500	0.06	1169	1	65	100	3	6	5	7500	6331	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5831	5831	0.933333
4066	017	2500	0.06	1685	1	65	100	3	6	5	7500	5815	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5315	5315	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4066	019	2500	0.06	2075	1	65	100	3	6	5	7500	5425	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4925	4925	0.933333
4066	025	1117	0.03	775	1	65	100	3	3	2	3351	2576	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3127.599854	2352.599854	2352.599854	0.933333
4067	002	2508	0.06	2449	1	65	100	3	6	5	7524	5075	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7022.399902	4573.399902	4573.399902	0.933333
4067	003	2507	0.06	1506	1	65	100	3	6	5	7521	6015	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7019.600098	5513.600098	5513.600098	0.933333
4067	004	2506	0.06	1740	1	65	100	3	6	5	7518	5778	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7016.799805	5276.799805	5276.799805	0.933333
4067	006	2504	0.06	2260	1	65	100	3	6	5	7512	5252	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	4751.199707	4751.199707	0.933333
4067	009	3501	0.08	1997	1	65	100	3	8	7	10503	8506	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9802.799805	7805.799805	7805.799805	0.933333
4067	009A	3999	0.09	1941	1	65	100	3	9	8	11997	10056	RH-2	40	density-lim	1500			0.7	4	0.444444448	3	3	11197.2002	9256.200195	9256.200195	0.933333
4067	014	2489	0.06	1832	0	65	100	3	6	6	7467	5635	NC-2	40	density-lim	800			0.75	3	0.5	3	3	7467	5635	5635	1
4067	017	2500	0.06	1480	1	65	100	3	6	5	7500	6020	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5520	5520	0.933333
4067	018	2500	0.06	946	1	65	100	3	6	5	7500	6554	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6054	6054	0.933333
4067	019	2500	0.06	1347	1	65	100	3	6	5	7500	6153	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5653	5653	0.933333
4067	020	2500	0.06	2673	1	65	100	3	6	5	7500	4827	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4327	4327	0.933333
4067	022	2500	0.06	1836	1	65	100	3	6	5	7500	5664	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5164	5164	0.933333
4067	025	2500	0.06	2021	1	65	100	3	6	5	7500	5479	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4979	4979	0.933333
4067	026	2500	0.06	1466	1	65	100	3	6	5	7500	6034	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5534	5534	0.933333
4067	027	2500	0.06	3045	1	65	100	3	6	5	7500	4455	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	3955	3955	0.933333
4068	002	2504	0.06	1487	1	65	100	3	6	5	7512	6025	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	5524.199707	5524.199707	0.933333
4068	005	2504	0.06	1780	1	65	100	3	6	5	7512	5732	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	5231.199707	5231.199707	0.933333
4068	007	2500	0.06	1582	1	65	100	3	6	5	7500	5918	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5418	5418	0.933333
4068	010	2490	0.06	2602	1	65	100	3	6	5	7470	4868	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6972	4370	4370	0.933333
4068	011	2490	0.06	2645	1	65	100	3	6	5	7470	4825	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6972	4327	4327	0.933333
4068	013	1482	0.03	1625	1	65	100	3	3	2	4446	2821	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4149.600098	2524.600098	2524.600098	0.933333
4068	020	2500	0.06	962	1	65	100	3	6	5	7500	6538	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6038	6038	0.933333
4069	004	2500	0.06	1406	1	65	100	3	6	5	7500	6094	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5594	5594	0.933333
4069	009	2500	0.06	820	1	65	100	3	6	5	7500	6680	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6180	6180	0.933333
4069	012	1250	0.03	1055	1	65	100	3	3	2	3750	2695	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3500	2445	2445	0.933333
4069	017	2500	0.06	3140	1	65	100	3	6	5	7500	4360	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	3860	3860	0.933333
4069	019	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5725	5725	0.933333
4069	021	2500	0.06	1778	1	65	100	3	6	5	7500	5722	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5222	5222	0.933333
4069	024B	2043	0.05	2232	1	65	100	3	5	4	6129	3897	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5720.399902	3488.399902	3488.399902	0.933333
4069	034	2500	0.06	1460	1	65	100	3	6	5	7500	6040	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5540	5540	0.933333
4071	002	2467	0.06	3274	1	55	80	2.5	5	4	6168	2894	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6907.600098	3633.600098	3633.600098	1.119909
4071	009	2467	0.06	2859	1	65	100	3	6	5	7401	4542	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6907.600098	4048.600098	4048.600098	0.933333
4071	011	2467	0.06	1125	1	65	100	3	6	5	7401	6276	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6907.600098	5782.600098	5782.600098	0.933333
4071	014	2492	0.06	0	0	65	100	3	6	6	7476	7476	RM-1	40	density-lim	800			0.7	3	0.5	3	3	6977.600098	6977.600098	6977.600098	0.933333
4071	018	2492	0.06	0	0	65	100	3	6	6	7476	7476	RM-1	40	density-lim	800			0.7	3	0.5	3	3	6977.600098	6977.600098	6977.600098	0.933333
4071	020	2548	0.06	1311	1	65	100	3	6	5	7644	6333	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7134.399902	5823.399902	5823.399902	0.933333
4071	021	2548	0.06	1890	1	55	80	2.5	5	4	6370	4480	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7134.399902	5244.399902	5244.399902	1.12
4071	022	5096	0.12	625	1	55	80	2.5	10	9	12740	12115	RH-2	40	density-lim	1500			0.7	4	0.400000006	3	3	14268.7998	13643.7998	13643.7998	1.12
4071	023	2548	0.06	1062	1	55	80	2.5	5	4	6370	5308	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7134.399902	6072.399902	6072.399902	1.12
4071	024	2548	0.06	2050	1	55	80	2.5	5	4	6370	4320	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7134.399902	5084.399902	5084.399902	1.12
4071	025	2548	0.06	2705	1	55	80	2.5	5	4	6370	3665	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7134.399902	4429.399902	4429.399902	1.12
4071	026	2548	0.06	2382	1	55	80	2.5	5	4	6370	3988	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7134.399902	4752.399902	4752.399902	1.12
4071	027	2548	0.06	1855	1	55	80	2.5	5	4	6370	4515	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7134.399902	5279.399902	5279.399902	1.12
4071	031	1668	0.04	2500	1	55	80	2.5	3	2	4170	1670	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4670.399902	2170.399902	2170.399902	1.12
4071	032	1668	0.04	797	1	55	80	2.5	3	2	4170	3373	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4670.399902	3873.399902	3873.399902	1.12
4071	035	2502	0.06	824	1	55	80	2.5	5	4	6255	5431	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7005.600098	6181.600098	6181.600098	1.12
4072	001	2250	0.05	1015	1	55	80	2.5	4	3	5625	4610	RH-2	40	density-lim	1500			0.7	4	1	3	3	6300	5285	5285	1.12
4072	001A	2250	0.05	1750	1	55	80	2.5	4	3	5625	3875	RH-2	40	density-lim	1500			0.7	4	1	3	3	6300	4550	4550	1.12
4072	001B	2500	0.06	2826	1	55	80	2.5	5	4	6250	3424	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4174	4174	1.12
4072	001C	2500	0.06	1593	1	55	80	2.5	5	4	6250	4657	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5407	5407	1.12
4072	001D	2500	0.06	1015	1	55	80	2.5	5	4	6250	5235	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5985	5985	1.12
4072	001E	2500	0.06	1015	1	55	80	2.5	5	4	6250	5235	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5985	5985	1.12
4072	001F	2500	0.06	1015	1	55	80	2.5	5	4	6250	5235	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5985	5985	1.12
4072	005	2500	0.06	1600	1	55	80	2.5	5	4	6250	4650	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5400	5400	1.12
4072	007	2500	0.06	1220	1	55	80	2.5	5	4	6250	5030	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5780	5780	1.12
4072	011	2532	0.06	1900	1	55	80	2.5	5	4	6330	4430	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7089.600098	5189.600098	5189.600098	1.12
4072	015	2529	0.06	2247	1	55	80	2.5	5	4	6322	4075	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7081.199707	4834.199707	4834.199707	1.120089
4072	017	2528	0.06	3204	1	55	80	2.5	5	4	6320	3116	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7078.399902	3874.399902	3874.399902	1.12
4072	018	2527	0.06	1772	1	55	80	2.5	5	4	6318	4546	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7075.600098	5303.600098	5303.600098	1.119911
4072	035	4457	0.1	2896	1	55	80	2.5	8	7	11142	8246	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	12479.59961	9583.599609	9583.599609	1.12005
4073	006	3211	0.07	1472	1	65	100	3	7	6	9633	8161	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8990.799805	7518.799805	7518.799805	0.933333
4073	008	2508	0.06	1698	1	55	80	2.5	5	4	6270	4572	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7022.399902	5324.399902	5324.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4073	010	2508	0.06	1815	1	55	80	2.5	5	4	6270	4455	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7022.399902	5207.399902	5207.399902	1.12
4073	013	2500	0.06	1434	1	65	100	3	6	5	7500	6066	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5566	5566	0.933333
4073	014	2500	0.06	1145	1	65	100	3	6	5	7500	6355	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5855	5855	0.933333
4073	015	2500	0.06	1205	1	65	100	3	6	5	7500	6295	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5795	5795	0.933333
4073	016	2500	0.06	2255	1	65	100	3	6	5	7500	5245	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4745	4745	0.933333
4073	017	2500	0.06	1140	1	65	100	3	6	5	7500	6360	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5860	5860	0.933333
4073	018	2500	0.06	2290	1	65	100	3	6	5	7500	5210	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4710	4710	0.933333
4073	021	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5750	5750	0.933333
4073	022	2500	0.06	1420	1	65	100	3	6	5	7500	6080	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5580	5580	0.933333
4073	023	2500	0.06	1362	1	65	100	3	6	5	7500	6138	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5638	5638	0.933333
4074	002	2413	0.06	3137	1	65	100	3	6	5	7239	4102	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6756.399902	3619.399902	3619.399902	0.933333
4074	004	2412	0.06	1011	1	65	100	3	6	5	7236	6225	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6753.600098	5742.600098	5742.600098	0.933333
4074	005	2481	0.06	1091	1	65	100	3	6	5	7443	6352	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6946.799805	5855.799805	5855.799805	0.933333
4074	006	2481	0.06	1760	1	65	100	3	6	5	7443	5683	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6946.799805	5186.799805	5186.799805	0.933333
4074	007	2480	0.06	1450	1	65	100	3	6	5	7440	5990	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6944	5494	5494	0.933333
4074	008	2480	0.06	2226	1	65	100	3	6	5	7440	5214	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6944	4718	4718	0.933333
4074	009	2479	0.06	829	1	65	100	3	6	5	7437	6608	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6941.199707	6112.199707	6112.199707	0.933333
4074	010	3441	0.08	1228	1	65	100	3	8	7	10323	9095	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9634.799805	8406.799805	8406.799805	0.933333
4074	011B	2500	0.06	1846	1	65	100	3	6	5	7500	5654	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5154	5154	0.933333
4074	018	2524	0.06	1065	1	65	100	3	6	5	7572	6507	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7067.199707	6002.199707	6002.199707	0.933333
4074	018A	3218	0.07	1265	1	65	100	3	7	6	9654	8389	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	9010.399414	7745.399414	7745.399414	0.933333
4074	019	2500	0.06	975	1	65	100	3	6	5	7500	6525	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6025	6025	0.933333
4074	020	2500	0.06	1908	1	65	100	3	6	5	7500	5592	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5092	5092	0.933333
4074	021	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333
4074	022	2500	0.06	820	1	65	100	3	6	5	7500	6680	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6180	6180	0.933333
4074	023	2500	0.06	1085	1	65	100	3	6	5	7500	6415	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5915	5915	0.933333
4074	026	2500	0.06	1202	1	65	100	3	6	5	7500	6298	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5798	5798	0.933333
4074	027	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5750	5750	0.933333
4074	030	1096	0.03	1439	1	65	100	3	3	2	3288	1849	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3068.800049	1629.800049	1629.800049	0.933333
4074	043	2684	0.06	1577	3	65	100	3	6	3	8052	6475	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	7515.199707	5938.199707	5938.199707	0.933333
4075	002	2466	0.06	2485	1	65	100	3	6	5	7398	4913	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6904.799805	4419.799805	4419.799805	0.933333
4075	004	2466	0.06	2626	1	65	100	3	6	5	7398	4772	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6904.799805	4278.799805	4278.799805	0.933333
4075	005	2466	0.06	1700	1	65	100	3	6	5	7398	5698	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6904.799805	5204.799805	5204.799805	0.933333
4075	008	2466	0.06	1223	1	65	100	3	6	5	7398	6175	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6904.799805	5681.799805	5681.799805	0.933333
4075	009	2466	0.06	1112	1	65	100	3	6	5	7398	6286	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6904.799805	5792.799805	5792.799805	0.933333
4075	010	2466	0.06	942	1	65	100	3	6	5	7398	6456	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6904.799805	5962.799805	5962.799805	0.933333
4075	011	2466	0.06	2595	1	65	100	3	6	5	7398	4803	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6904.799805	4309.799805	4309.799805	0.933333
4075	014	2466	0.06	930	1	65	100	3	6	5	7398	6468	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6904.799805	5974.799805	5974.799805	0.933333
4075	019	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5725	5725	0.933333
4075	020	2500	0.06	455	1	65	100	3	6	5	7500	7045	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6545	6545	0.933333
4075	021	2500	0.06	1400	1	65	100	3	6	5	7500	6100	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5600	5600	0.933333
4075	024	2500	0.06	2080	1	65	100	3	6	5	7500	5420	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4920	4920	0.933333
4075	025	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6050	6050	0.933333
4075	026	2500	0.06	997	1	65	100	3	6	5	7500	6503	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6003	6003	0.933333
4075	028	2500	0.06	786	1	65	100	3	6	5	7500	6714	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6214	6214	0.933333
4075	029	2500	0.06	1820	1	65	100	3	6	5	7500	5680	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5180	5180	0.933333
4076	003	2473	0.06	1310	1	65	100	3	6	5	7419	6109	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6924.399902	5614.399902	5614.399902	0.933333
4076	004	2473	0.06	1955	1	65	100	3	6	5	7419	5464	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6924.399902	4969.399902	4969.399902	0.933333
4076	005	2473	0.06	1263	1	65	100	3	6	5	7419	6156	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6924.399902	5661.399902	5661.399902	0.933333
4076	007	2473	0.06	960	1	65	100	3	6	5	7419	6459	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6924.399902	5964.399902	5964.399902	0.933333
4076	009	3097	0.07	790	1	65	100	3	7	6	9291	8501	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8671.599609	7881.599609	7881.599609	0.933333
4076	014	2003	0.05	2526	1	65	100	3	5	4	6009	3483	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5608.399902	3082.399902	3082.399902	0.933333
4076	017	2500	0.06	2216	1	65	100	3	6	5	7500	5284	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4784	4784	0.933333
4076	018	2500	0.06	2177	1	65	100	3	6	5	7500	5323	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4823	4823	0.933333
4076	019	4755	0.11	1280	1	65	100	3	11	10	14265	12985	RH-2	40	density-lim	1500			0.7	4	0.363636374	3	3	13314	12034	12034	0.933333
4079	002	2521	0.06	1204	1	65	100	3	6	5	7563	6359	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	5854.799805	5854.799805	0.933333
4079	003	2521	0.06	1090	1	65	100	3	6	5	7563	6473	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	5968.799805	5968.799805	0.933333
4079	004	2521	0.06	1090	1	65	100	3	6	5	7563	6473	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	5968.799805	5968.799805	0.933333
4079	005	2521	0.06	1090	1	65	100	3	6	5	7563	6473	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	5968.799805	5968.799805	0.933333
4079	006	2521	0.06	1185	1	65	100	3	6	5	7563	6378	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	5873.799805	5873.799805	0.933333
4079	007	2521	0.06	1090	1	65	100	3	6	5	7563	6473	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	5968.799805	5968.799805	0.933333
4079	008	2521	0.06	1095	1	65	100	3	6	5	7563	6468	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	5963.799805	5963.799805	0.933333
4079	009	2521	0.06	1394	1	65	100	3	6	5	7563	6169	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	5664.799805	5664.799805	0.933333
4079	013	2216	0.05	1244	1	65	100	3	5	4	6648	5404	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6204.799805	4960.799805	4960.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4079	014	2217	0.05	1060	1	65	100	3	5	4	6651	5591	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6207.600098	5147.600098	5147.600098	0.933333
4079	015	2217	0.05	1790	1	65	100	3	5	4	6651	4861	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6207.600098	4417.600098	4417.600098	0.933333
4079	016	2218	0.05	1790	1	65	100	3	5	4	6654	4864	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6210.399902	4420.399902	4420.399902	0.933333
4079	017	2218	0.05	1060	1	65	100	3	5	4	6654	5594	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6210.399902	5150.399902	5150.399902	0.933333
4079	018	2589	0.06	3168	3	65	100	3	6	3	7767	4599	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	7249.199707	4081.199707	4081.199707	0.933333
4079	019	2500	0.06	2081	1	65	100	3	6	5	7500	5419	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4919	4919	0.933333
4079	021	2500	0.06	1030	1	65	100	3	6	5	7500	6470	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5970	5970	0.933333
4079	022	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6050	6050	0.933333
4079	023	2500	0.06	1030	1	65	100	3	6	5	7500	6470	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5970	5970	0.933333
4079	024	2500	0.06	1030	1	65	100	3	6	5	7500	6470	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5970	5970	0.933333
4079	025	2500	0.06	1030	1	65	100	3	6	5	7500	6470	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5970	5970	0.933333
4079	026	2500	0.06	1866	1	65	100	3	6	5	7500	5634	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5134	5134	0.933333
4079	027	2500	0.06	1030	1	65	100	3	6	5	7500	6470	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5970	5970	0.933333
4079	030	2184	0.05	1343	1	65	100	3	5	4	6552	5209	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6115.199707	4772.199707	4772.199707	0.933333
4079	031	2184	0.05	1280	1	65	100	3	5	4	6552	5272	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6115.199707	4835.199707	4835.199707	0.933333
4079	032	2184	0.05	1964	1	65	100	3	5	4	6552	4588	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6115.199707	4151.199707	4151.199707	0.933333
4079	033	2184	0.05	1310	1	65	100	3	5	4	6552	5242	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6115.199707	4805.199707	4805.199707	0.933333
4079	034	2184	0.05	1102	1	65	100	3	5	4	6552	5450	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6115.199707	5013.199707	5013.199707	0.933333
4081	001B	1563	0.04	645	1	65	100	3	4	3	4689	4044	RH-2	65	density-lim	1500			0.7	4	1	3	3	6564.600098	5919.600098	5919.600098	1.4
4081	005	2488	0.06	1130	1	65	100	3	6	5	7464	6334	RH-2	65	density-lim	1500			0.7	4	0.666666687	3	3	10449.59961	9319.599609	9319.599609	1.4
4081	012	2500	0.06	1040	1	65	100	3	6	5	7500	6460	RH-2	65	density-lim	1500			0.7	4	0.666666687	3	3	10500	9460	9460	1.4
4081	013	2500	0.06	1858	1	65	100	3	6	5	7500	5642	RH-2	65	density-lim	1500			0.7	4	0.666666687	3	3	10500	8642	8642	1.4
4081	016	1250	0.03	1090	1	65	100	3	3	2	3750	2660	RH-2	65	density-lim	1500			0.7	4	1.333333373	3	3	5250	4160	4160	1.4
4081	075	1950	0.04	1050	1	65	100	3	4	3	5850	4800	RH-2	65	density-lim	1500			0.7	4	1	3	3	8190	7140	7140	1.4
4084	002	2607	0.06	1320	1	55	80	2.5	5	4	6518	5198	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7299.600098	5979.600098	5979.600098	1.119914
4084	004	2603	0.06	2116	1	55	80	2.5	5	4	6508	4392	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7288.399902	5172.399902	5172.399902	1.119914
4084	008	2596	0.06	945	1	55	80	2.5	5	4	6490	5545	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7268.799805	6323.799805	6323.799805	1.12
4084	012	2589	0.06	2033	1	55	80	2.5	5	4	6472	4439	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7249.199707	5216.199707	5216.199707	1.120086
4084	013	2588	0.06	870	1	55	80	2.5	5	4	6470	5600	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7246.399902	6376.399902	6376.399902	1.12
4084	014	1237	0.03	2950	1	55	80	2.5	2	1	3092	142	RH-2	40	density-lim	1500			0.7	4	2	3	3	3463.599854	513.5998535	513.5998535	1.120181
4084	014A	2235	0.05	3535	3	55	80	2.5	4	1	5588	2053	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	6258	2723	2723	1.1199
4084	018	2606	0.06	2184	3	65	100	3	6	3	7818	5634	RH-3	40	density-lim	1000	true		0.7	6	1	3	3	7296.799805	5112.799805	5112.799805	0.933333
4084	023	2603	0.06	2041	1	55	80	2.5	5	4	6508	4467	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7288.399902	5247.399902	5247.399902	1.119914
4084	025	2601	0.06	1860	1	55	80	2.5	5	4	6502	4642	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7282.799805	5422.799805	5422.799805	1.120086
4084	042	2605	0.06	1353	1	55	80	2.5	5	4	6512	5159	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7294	5941	5941	1.120086
4084	049	10375	0.24	959	20	55	80	2.5	19	0	25938	24979	UMU	48	form-based				0.75	23	1.210526347	3	3	31125	30166	30166	1.199977
4085	002	2579	0.06	1620	1	65	100	3	6	5	7737	6117	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7221.199707	5601.199707	5601.199707	0.933333
4085	004	2583	0.06	1741	1	65	100	3	6	5	7749	6008	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7232.399902	5491.399902	5491.399902	0.933333
4085	008	2590	0.06	1046	1	65	100	3	6	5	7770	6724	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7252	6206	6206	0.933333
4085	009	2592	0.06	1144	1	65	100	3	6	5	7776	6632	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7257.600098	6113.600098	6113.600098	0.933333
4085	011	2596	0.06	2850	1	65	100	3	6	5	7788	4938	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7268.799805	4418.799805	4418.799805	0.933333
4085	012	2598	0.06	1440	1	65	100	3	6	5	7794	6354	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7274.399902	5834.399902	5834.399902	0.933333
4085	013	2599	0.06	1040	1	65	100	3	6	5	7797	6757	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7277.199707	6237.199707	6237.199707	0.933333
4085	029	2200	0.05	1060	1	65	100	3	5	4	6600	5540	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6160	5100	5100	0.933333
4085	030	3000	0.07	1623	1	65	100	3	7	6	9000	7377	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8400	6777	6777	0.933333
4085	033	2615	0.06	1250	0	55	80	2.5	5	5	6538	5288	RM-1	45	density-lim	800	true		0.7	3	0.600000024	3	3	7322	6072	6072	1.119914
4086	012	2345	0.05	1080	1	65	100	3	5	4	7035	5955	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6566	5486	5486	0.933333
4086	013	2345	0.05	2070	1	65	100	3	5	4	7035	4965	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6566	4496	4496	0.933333
4086	015	2331	0.05	3800	3	65	100	3	5	2	6993	3193	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	3	3	6526.799805	2726.799805	2726.799805	0.933333
4086	016	2497	0.06	4598	1	65	100	3	6	5	7491	2893	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	2393.600098	2393.600098	0.933333
4086	021	2497	0.06	2776	1	65	100	3	6	5	7491	4715	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	4215.600098	4215.600098	0.933333
4086	022	2497	0.06	1000	1	65	100	3	6	5	7491	6491	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5991.600098	5991.600098	0.933333
4086	022A	2497	0.06	1252	1	65	100	3	6	5	7491	6239	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5739.600098	5739.600098	0.933333
4086	023	2497	0.06	1378	1	65	100	3	6	5	7491	6113	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5613.600098	5613.600098	0.933333
4086	023A	2497	0.06	1486	1	65	100	3	6	5	7491	6005	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5505.600098	5505.600098	0.933333
4086	023B	2407	0.06	1482	1	65	100	3	6	5	7221	5739	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6739.600098	5257.600098	5257.600098	0.933333
4086	023C	1662	0.04	1017	1	65	100	3	4	3	4986	3969	RH-2	40	density-lim	1500			0.7	4	1	3	3	4653.600098	3636.600098	3636.600098	0.933333
4086	023D	2497	0.06	1078	1	65	100	3	6	5	7491	6413	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5913.600098	5913.600098	0.933333
4086	023E	2517	0.06	1625	1	65	100	3	6	5	7551	5926	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7047.600098	5422.600098	5422.600098	0.933333
4086	024	2567	0.06	1766	1	65	100	3	6	5	7701	5935	RH-2	45	density-lim	1500			0.7	4	0.666666687	3	3	7187.600098	5421.600098	5421.600098	0.933333
4086	025	1662	0.04	1017	1	65	100	3	4	3	4986	3969	RH-2	40	density-lim	1500			0.7	4	1	3	3	4653.600098	3636.600098	3636.600098	0.933333
4087	013	2347	0.05	2007	1	65	100	3	5	4	7041	5034	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6571.600098	4564.600098	4564.600098	0.933333
4087	020	2387	0.05	1254	1	65	100	3	5	4	7161	5907	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6683.600098	5429.600098	5429.600098	0.933333
4087	031	2500	0.06	1826	0	65	100	3	6	6	7500	5674	RM-1	40	density-lim	800			0.7	3	0.5	3	3	7000	5174	5174	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4088	001	2550	0.06	4382	3	65	100	3	6	3	7650	3268	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	7140	2758	2758	0.933333
4088	006	2500	0.06	1504	1	65	100	3	6	5	7500	5996	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5496	5496	0.933333
4088	008	2500	0.06	1511	1	65	100	3	6	5	7500	5989	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5489	5489	0.933333
4088	010	2500	0.06	1207	1	65	100	3	6	5	7500	6293	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5793	5793	0.933333
4088	010A	2500	0.06	1110	1	65	100	3	6	5	7500	6390	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5890	5890	0.933333
4088	013	2500	0.06	1325	1	65	100	3	6	5	7500	6175	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5675	5675	0.933333
4088	015	2325	0.05	1080	1	65	100	3	5	4	6975	5895	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6510	5430	5430	0.933333
4088	016	2325	0.05	1106	1	65	100	3	5	4	6975	5869	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6510	5404	5404	0.933333
4088	017	2325	0.05	1220	1	65	100	3	5	4	6975	5755	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6510	5290	5290	0.933333
4088	018	2325	0.05	2193	1	65	100	3	5	4	6975	4782	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6510	4317	4317	0.933333
4088	019	2325	0.05	1210	1	65	100	3	5	4	6975	5765	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6510	5300	5300	0.933333
4088	020	2325	0.05	1994	1	65	100	3	5	4	6975	4981	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6510	4516	4516	0.933333
4088	022	2502	0.06	1851	1	65	100	3	6	5	7506	5655	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7005.600098	5154.600098	5154.600098	0.933333
4088	023	2502	0.06	1420	1	65	100	3	6	5	7506	6086	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7005.600098	5585.600098	5585.600098	0.933333
4088	025	2503	0.06	2300	1	65	100	3	6	5	7509	5209	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7008.399902	4708.399902	4708.399902	0.933333
4088	027	2504	0.06	2485	1	65	100	3	6	5	7512	5027	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	4526.199707	4526.199707	0.933333
4088	031	2505	0.06	1032	1	65	100	3	6	5	7515	6483	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7014	5982	5982	0.933333
4088	033	2506	0.06	1035	1	65	100	3	6	5	7518	6483	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7016.799805	5981.799805	5981.799805	0.933333
4088	034	2618	0.06	950	1	65	100	3	6	5	7854	6904	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7330.399902	6380.399902	6380.399902	0.933333
4088	036	2507	0.06	2540	1	65	100	3	6	5	7521	4981	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7019.600098	4479.600098	4479.600098	0.933333
4088	037B	1004	0.02	1330	1	65	100	3	2	1	3012	1682	RH-2	40	density-lim	1500			0.7	4	2	3	3	2811.199951	1481.199951	1481.199951	0.933333
4093	003	2500	0.06	1475	1	65	100	3	6	5	7500	6025	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5525	5525	0.933333
4093	008	2500	0.06	1800	1	65	100	3	6	5	7500	5700	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5200	5200	0.933333
4093	009	2500	0.06	1285	1	65	100	3	6	5	7500	6215	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5715	5715	0.933333
4093	014	2500	0.06	2417	1	65	100	3	6	5	7500	5083	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4583	4583	0.933333
4093	047	3762	0.09	1677	1	65	100	3	9	8	11286	9609	RH-2	40	density-lim	1500			0.7	4	0.444444448	3	3	10533.59961	8856.599609	8856.599609	0.933333
4093	049	3662	0.08	997	1	65	100	3	8	7	10986	9989	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	10253.59961	9256.599609	9256.599609	0.933333
4093	050	3265	0.07	1515	1	65	100	3	7	6	9795	8280	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	9142	7627	7627	0.933333
4093	056	2470	0.06	652	1	65	100	3	6	5	7410	6758	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6916	6264	6264	0.933333
4093	061	2467	0.06	1200	1	65	100	3	6	5	7401	6201	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6907.600098	5707.600098	5707.600098	0.933333
4093	063	2466	0.06	2085	1	65	100	3	6	5	7398	5313	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6904.799805	4819.799805	4819.799805	0.933333
4093	064A	2464	0.06	1996	1	65	100	3	6	5	7392	5396	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6899.199707	4903.199707	4903.199707	0.933333
4093	064C	2465	0.06	650	1	65	100	3	6	5	7395	6745	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6902	6252	6252	0.933333
4093	069	2500	0.06	1462	1	65	100	3	6	5	7500	6038	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5538	5538	0.933333
4093	070	3267	0.07	630	1	65	100	3	7	6	9801	9171	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	9147.599609	8517.599609	8517.599609	0.933333
4093	072	5508	0.13	3200	1	65	100	3	13	12	16524	13324	RH-2	40	density-lim	1500			0.7	4	0.307692319	3	3	15422.39941	12222.39941	12222.39941	0.933333
4093	098	2105	0.05	1608	1	65	100	3	5	4	6315	4707	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5894	4286	4286	0.933333
4094	018	5000	0.11	5381	2	55	80	2.5	9	7	12500	7119	RH-3	40	density-lim	1000			0.7	5	0.555555582	3	3	14000	8619	8619	1.12
4094	003	2500	0.06	2077	1	55	80	2.5	5	4	6250	4173	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7000	4923	4923	1.12
4094	011	2500	0.06	2800	1	55	80	2.5	5	4	6250	3450	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7000	4200	4200	1.12
4094	020	2916	0.07	1105	1	55	80	2.5	6	5	7290	6185	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	8164.799805	7059.799805	7059.799805	1.12
4094	026	2500	0.06	1998	1	65	100	3	6	5	7500	5502	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5002	5002	0.933333
4094	028	2500	0.06	2283	1	65	100	3	6	5	7500	5217	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	4717	4717	0.933333
4094	032	2494	0.06	1723	1	55	80	2.5	5	4	6235	4512	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6983.199707	5260.199707	5260.199707	1.12
4094	039	2503	0.06	1374	1	65	100	3	6	5	7509	6135	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7008.399902	5634.399902	5634.399902	0.933333
4094	040	2503	0.06	755	1	65	100	3	6	5	7509	6754	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7008.399902	6253.399902	6253.399902	0.933333
4094	041	2503	0.06	1929	1	65	100	3	6	5	7509	5580	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7008.399902	5079.399902	5079.399902	0.933333
4094	042	2503	0.06	1001	1	65	100	3	6	5	7509	6508	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7008.399902	6007.399902	6007.399902	0.933333
4094	043	2503	0.06	700	1	65	100	3	6	5	7509	6809	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7008.399902	6308.399902	6308.399902	0.933333
4094	044	2504	0.06	0	1	65	100	3	6	5	7512	7512	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	7011.199707	7011.199707	0.933333
4094	051	2505	0.06	2101	1	65	100	3	6	5	7515	5414	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7014	4913	4913	0.933333
4094	052	2505	0.06	725	1	65	100	3	6	5	7515	6790	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7014	6289	6289	0.933333
4094	053	2505	0.06	1330	1	65	100	3	6	5	7515	6185	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7014	5684	5684	0.933333
4094	055	2505	0.06	2820	1	65	100	3	6	5	7515	4695	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7014	4194	4194	0.933333
4094	056	2506	0.06	2718	1	65	100	3	6	5	7518	4800	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7016.799805	4298.799805	4298.799805	0.933333
4094	058	2506	0.06	750	1	65	100	3	6	5	7518	6768	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7016.799805	6266.799805	6266.799805	0.933333
4094	061	2506	0.06	2434	1	65	100	3	6	5	7518	5084	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7016.799805	4582.799805	4582.799805	0.933333
4094	062	2506	0.06	1974	1	65	100	3	6	5	7518	5544	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7016.799805	5042.799805	5042.799805	0.933333
4094	064	2507	0.06	1131	1	55	80	2.5	5	4	6268	5137	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7019.600098	5888.600098	5888.600098	1.119911
4094	073	2054	0.05	2820	1	65	100	3	5	4	6162	3342	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5751.199707	2931.199707	2931.199707	0.933333
4094	074	2054	0.05	3160	1	65	100	3	5	4	6162	3002	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5751.199707	2591.199707	2591.199707	0.933333
4095	002	2522	0.06	2135	1	55	80	2.5	5	4	6305	4170	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7061.600098	4926.600098	4926.600098	1.12
4095	004	2522	0.06	1514	1	55	80	2.5	5	4	6305	4791	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7061.600098	5547.600098	5547.600098	1.12
4095	007	2521	0.06	2156	1	65	100	3	6	5	7563	5407	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	4902.799805	4902.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4095	008	2520	0.06	1532	1	65	100	3	6	5	7560	6028	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7056	5524	5524	0.933333
4095	011	2519	0.06	2361	1	65	100	3	6	5	7557	5196	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7053.199707	4692.199707	4692.199707	0.933333
4095	014	2518	0.06	1782	1	65	100	3	6	5	7554	5772	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7050.399902	5268.399902	5268.399902	0.933333
4095	016	2518	0.06	1789	1	65	100	3	6	5	7554	5765	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7050.399902	5261.399902	5261.399902	0.933333
4095	017	2920	0.07	2182	1	65	100	3	7	6	8760	6578	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8176	5994	5994	0.933333
4095	021	4431	0.1	3560	3	65	100	3	10	7	13293	9733	RH-2	40	density-lim	1500	true		0.7	6	0.600000024	3	3	12406.7998	8846.799805	8846.799805	0.933333
4095	025	2515	0.06	1052	1	65	100	3	6	5	7545	6493	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7042	5990	5990	0.933333
4095	033	2500	0.06	1551	1	65	100	3	6	5	7500	5949	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5449	5449	0.933333
4095	035	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
4095	040	2500	0.06	1876	1	65	100	3	6	5	7500	5624	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5124	5124	0.933333
4095	042	2500	0.06	894	1	65	100	3	6	5	7500	6606	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	6106	6106	0.933333
4095	043	2500	0.06	2130	1	65	100	3	6	5	7500	5370	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	4870	4870	0.933333
4095	054	2500	0.06	2658	1	55	80	2.5	5	4	6250	3592	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7000	4342	4342	1.12
4095	056	2500	0.06	3754	1	55	80	2.5	5	4	6250	2496	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7000	3246	3246	1.12
4095	062	2500	0.06	2680	1	55	80	2.5	5	4	6250	3570	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7000	4320	4320	1.12
4095	063	2500	0.06	2925	1	55	80	2.5	5	4	6250	3325	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7000	4075	4075	1.12
4095	066	4100	0.09	1880	2	55	80	2.5	7	5	10250	8370	RM-1	40	density-lim	800	true		0.7	5	0.714285731	3	3	11480	9600	9600	1.12
4095	077	5040	0.12	2469	1	65	100	3	12	11	15120	12651	RH-2	40	density-lim	1500			0.7	4	0.333333343	3	3	14112	11643	11643	0.933333
4096	056	2500	0.06	1352	1	65	100	3	6	5	7500	6148	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5648	5648	0.933333
4095	095	2500	0.06	1433	1	55	80	2.5	5	4	6250	4817	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7000	5567	5567	1.12
4096	011	2467	0.06	905	1	65	100	3	6	5	7401	6496	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6907.600098	6002.600098	6002.600098	0.933333
4096	013	2467	0.06	2554	1	65	100	3	6	5	7401	4847	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6907.600098	4353.600098	4353.600098	0.933333
4096	014	2468	0.06	865	1	65	100	3	6	5	7404	6539	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6910.399902	6045.399902	6045.399902	0.933333
4096	015	2468	0.06	1988	1	65	100	3	6	5	7404	5416	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6910.399902	4922.399902	4922.399902	0.933333
4096	016	2468	0.06	689	1	65	100	3	6	5	7404	6715	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6910.399902	6221.399902	6221.399902	0.933333
4096	028	1821	0.04	2573	1	65	100	3	4	3	5463	2890	RH-2	40	density-lim	1500			0.7	4	1	3	3	5098.799805	2525.799805	2525.799805	0.933333
4096	029	2092	0.05	884	1	65	100	3	5	4	6276	5392	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5857.600098	4973.600098	4973.600098	0.933333
4096	036	2500	0.06	804	1	65	100	3	6	5	7500	6696	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6196	6196	0.933333
4096	051	2500	0.06	2288	1	65	100	3	6	5	7500	5212	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4712	4712	0.933333
4096	052	2500	0.06	1757	1	65	100	3	6	5	7500	5743	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5243	5243	0.933333
4096	053	2500	0.06	1330	1	65	100	3	6	5	7500	6170	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5670	5670	0.933333
4096	062	3300	0.08	1725	1	65	100	3	8	7	9900	8175	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9240	7515	7515	0.933333
4096	063	2500	0.06	3555	0	65	100	3	6	6	7500	3945	RM-1	40	density-lim	800	true		0.7	3	0.5	3	3	7000	3445	3445	0.933333
4096	102	2800	0.06	3717	1	65	100	3	6	5	8400	4683	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7840	4123	4123	0.933333
4097	001B	2530	0.06	1401	1	65	100	3	6	5	7590	6189	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7084	5683	5683	0.933333
4097	003	2529	0.06	1700	1	65	100	3	6	5	7587	5887	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7081.199707	5381.199707	5381.199707	0.933333
4097	003A	2529	0.06	1011	1	65	100	3	6	5	7587	6576	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7081.199707	6070.199707	6070.199707	0.933333
4097	004	2529	0.06	1256	1	65	100	3	6	5	7587	6331	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7081.199707	5825.199707	5825.199707	0.933333
4097	005	2528	0.06	2208	1	65	100	3	6	5	7584	5376	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7078.399902	4870.399902	4870.399902	0.933333
4097	006	2528	0.06	1805	1	65	100	3	6	5	7584	5779	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7078.399902	5273.399902	5273.399902	0.933333
4097	006A	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5650	5650	0.933333
4097	008	2527	0.06	2329	1	65	100	3	6	5	7581	5252	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7075.600098	4746.600098	4746.600098	0.933333
4097	009B	2527	0.06	2450	1	65	100	3	6	5	7581	5131	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7075.600098	4625.600098	4625.600098	0.933333
4097	010	2526	0.06	3697	1	65	100	3	6	5	7578	3881	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7072.799805	3375.799805	3375.799805	0.933333
4097	014	2524	0.06	781	1	65	100	3	6	5	7572	6791	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7067.199707	6286.199707	6286.199707	0.933333
4097	015	2524	0.06	1736	1	65	100	3	6	5	7572	5836	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7067.199707	5331.199707	5331.199707	0.933333
4097	016	2524	0.06	1920	1	65	100	3	6	5	7572	5652	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7067.199707	5147.199707	5147.199707	0.933333
4097	017	2523	0.06	1540	1	65	100	3	6	5	7569	6029	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7064.399902	5524.399902	5524.399902	0.933333
4097	019	3784	0.09	2148	1	65	100	3	9	8	11352	9204	RH-2	40	density-lim	1500			0.7	4	0.444444448	3	3	10595.2002	8447.200195	8447.200195	0.933333
4097	020	2522	0.06	3192	1	65	100	3	6	5	7566	4374	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7061.600098	3869.600098	3869.600098	0.933333
4097	021	2522	0.06	1804	1	65	100	3	6	5	7566	5762	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7061.600098	5257.600098	5257.600098	0.933333
4097	022	2521	0.06	1200	1	65	100	3	6	5	7563	6363	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	5858.799805	5858.799805	0.933333
4097	028	2500	0.06	975	1	65	100	3	6	5	7500	6525	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6025	6025	0.933333
4097	029	2500	0.06	1791	1	65	100	3	6	5	7500	5709	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5209	5209	0.933333
4097	030	2500	0.06	1889	1	65	100	3	6	5	7500	5611	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5111	5111	0.933333
4097	031	2500	0.06	640	1	65	100	3	6	5	7500	6860	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6360	6360	0.933333
4097	032	2500	0.06	1610	1	65	100	3	6	5	7500	5890	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5390	5390	0.933333
4097	033	2500	0.06	1342	1	65	100	3	6	5	7500	6158	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5658	5658	0.933333
4097	036	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5650	5650	0.933333
4097	037	2500	0.06	2350	1	65	100	3	6	5	7500	5150	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4650	4650	0.933333
4097	038	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
4097	039	2500	0.06	1570	1	65	100	3	6	5	7500	5930	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5430	5430	0.933333
4097	040	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
4097	041	2500	0.06	2025	1	65	100	3	6	5	7500	5475	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4975	4975	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4097	042B	2500	0.06	1027	1	65	100	3	6	5	7500	6473	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5973	5973	0.933333
4097	042C	2500	0.06	1421	1	65	100	3	6	5	7500	6079	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5579	5579	0.933333
4097	042D	2900	0.07	1322	1	65	100	3	7	6	8700	7378	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8120	6798	6798	0.933333
4097	044	2500	0.06	2381	1	65	100	3	6	5	7500	5119	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4619	4619	0.933333
4097	044A	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5750	5750	0.933333
4097	045	2500	0.06	1225	1	65	100	3	6	5	7500	6275	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5775	5775	0.933333
4097	045A	2500	0.06	1430	1	65	100	3	6	5	7500	6070	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5570	5570	0.933333
4097	046	2500	0.06	1750	1	65	100	3	6	5	7500	5750	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5250	5250	0.933333
4097	048	2500	0.06	2800	1	65	100	3	6	5	7500	4700	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4200	4200	0.933333
4097	049	2500	0.06	1588	1	65	100	3	6	5	7500	5912	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5412	5412	0.933333
4097	049A	2500	0.06	1461	1	65	100	3	6	5	7500	6039	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5539	5539	0.933333
4098	001B	2500	0.06	2511	1	65	100	3	6	5	7500	4989	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4489	4489	0.933333
4098	001C	2505	0.06	1507	1	65	100	3	6	5	7515	6008	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7014	5507	5507	0.933333
4098	001D	2500	0.06	1175	1	65	100	3	6	5	7500	6325	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5825	5825	0.933333
4098	001E	2500	0.06	1090	1	65	100	3	6	5	7500	6410	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5910	5910	0.933333
4098	001F	2253	0.05	1134	1	65	100	3	5	4	6759	5625	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6308.399902	5174.399902	5174.399902	0.933333
4098	001G	2503	0.06	1260	1	65	100	3	6	5	7509	6249	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7008.399902	5748.399902	5748.399902	0.933333
4098	001H	2503	0.06	1260	1	65	100	3	6	5	7509	6249	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7008.399902	5748.399902	5748.399902	0.933333
4098	001I	2504	0.06	1260	1	65	100	3	6	5	7512	6252	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	5751.199707	5751.199707	0.933333
4098	001J	2504	0.06	1826	1	65	100	3	6	5	7512	5686	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	5185.199707	5185.199707	0.933333
4098	001K	2504	0.06	1736	1	65	100	3	6	5	7512	5776	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	5275.199707	5275.199707	0.933333
4098	001L	2504	0.06	1260	1	65	100	3	6	5	7512	6252	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	5751.199707	5751.199707	0.933333
4098	001M	2755	0.06	1260	1	65	100	3	6	5	8265	7005	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7714	6454	6454	0.933333
4098	002	2772	0.06	1200	1	65	100	3	6	5	8316	7116	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7761.600098	6561.600098	6561.600098	0.933333
4098	002A	2773	0.06	1200	1	65	100	3	6	5	8319	7119	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7764.399902	6564.399902	6564.399902	0.933333
4098	002B	2773	0.06	1311	1	65	100	3	6	5	8319	7008	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7764.399902	6453.399902	6453.399902	0.933333
4098	002C	2767	0.06	1807	1	65	100	3	6	5	8301	6494	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7747.600098	5940.600098	5940.600098	0.933333
4098	002D	2767	0.06	1125	1	65	100	3	6	5	8301	7176	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7747.600098	6622.600098	6622.600098	0.933333
4098	002E	2767	0.06	1125	1	65	100	3	6	5	8301	7176	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7747.600098	6622.600098	6622.600098	0.933333
4098	003	2506	0.06	1092	1	65	100	3	6	5	7518	6426	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7016.799805	5924.799805	5924.799805	0.933333
4098	003A	2506	0.06	1207	1	65	100	3	6	5	7518	6311	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7016.799805	5809.799805	5809.799805	0.933333
4098	004	3309	0.08	1684	1	65	100	3	8	7	9927	8243	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9265.200195	7581.200195	7581.200195	0.933333
4098	006	2507	0.06	1100	1	65	100	3	6	5	7521	6421	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7019.600098	5919.600098	5919.600098	0.933333
4098	008	2507	0.06	1810	1	65	100	3	6	5	7521	5711	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7019.600098	5209.600098	5209.600098	0.933333
4098	009	2508	0.06	875	1	65	100	3	6	5	7524	6649	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7022.399902	6147.399902	6147.399902	0.933333
4098	010	2508	0.06	850	1	65	100	3	6	5	7524	6674	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7022.399902	6172.399902	6172.399902	0.933333
4098	011	2508	0.06	2477	1	65	100	3	6	5	7524	5047	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7022.399902	4545.399902	4545.399902	0.933333
4098	012	2508	0.06	1004	1	65	100	3	6	5	7524	6520	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7022.399902	6018.399902	6018.399902	0.933333
4098	014	2509	0.06	1894	1	65	100	3	6	5	7527	5633	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7025.199707	5131.199707	5131.199707	0.933333
4098	019	2403	0.06	3805	3	65	100	3	6	3	7209	3404	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	6728.399902	2923.399902	2923.399902	0.933333
4098	020	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5750	5750	0.933333
4098	021	2500	0.06	2036	1	65	100	3	6	5	7500	5464	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4964	4964	0.933333
4098	022	2500	0.06	2802	1	65	100	3	6	5	7500	4698	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4198	4198	0.933333
4098	024	2500	0.06	1068	1	65	100	3	6	5	7500	6432	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5932	5932	0.933333
4098	025	2500	0.06	875	1	65	100	3	6	5	7500	6625	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6125	6125	0.933333
4098	026	2500	0.06	2627	1	65	100	3	6	5	7500	4873	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4373	4373	0.933333
4098	027	2600	0.06	1490	1	65	100	3	6	5	7800	6310	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5790	5790	0.933333
4098	030	2600	0.06	1860	1	65	100	3	6	5	7800	5940	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5420	5420	0.933333
4098	033	2700	0.06	1082	1	65	100	3	6	5	8100	7018	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7560	6478	6478	0.933333
4098	035	2500	0.06	1223	1	65	100	3	6	5	7500	6277	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5777	5777	0.933333
4098	036	2700	0.06	800	1	65	100	3	6	5	8100	7300	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7560	6760	6760	0.933333
4098	036A	2567	0.06	703	1	65	100	3	6	5	7701	6998	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7187.600098	6484.600098	6484.600098	0.933333
4098	036B	2483	0.06	860	1	65	100	3	6	5	7449	6589	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6952.399902	6092.399902	6092.399902	0.933333
4098	036C	2500	0.06	1005	1	65	100	3	6	5	7500	6495	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5995	5995	0.933333
4098	036D	2517	0.06	1060	1	65	100	3	6	5	7551	6491	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7047.600098	5987.600098	5987.600098	0.933333
4098	036E	2500	0.06	1588	1	65	100	3	6	5	7500	5912	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5412	5412	0.933333
4098	036F	2500	0.06	1585	1	65	100	3	6	5	7500	5915	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5415	5415	0.933333
4098	036G	2517	0.06	1459	1	65	100	3	6	5	7551	6092	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7047.600098	5588.600098	5588.600098	0.933333
4098	036I	2500	0.06	2640	1	65	100	3	6	5	7500	4860	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4360	4360	0.933333
4098	036J	2517	0.06	1261	1	65	100	3	6	5	7551	6290	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7047.600098	5786.600098	5786.600098	0.933333
4098	036L	2425	0.06	1447	1	65	100	3	6	5	7275	5828	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6790	5343	5343	0.933333
4099	003	2808	0.06	1050	1	65	100	3	6	5	8424	7374	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7862.399902	6812.399902	6812.399902	0.933333
4099	004	2507	0.06	2760	1	65	100	3	6	5	7521	4761	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7019.600098	4259.600098	4259.600098	0.933333
4099	005	2507	0.06	1543	1	65	100	3	6	5	7521	5978	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7019.600098	5476.600098	5476.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4099	006	2508	0.06	2635	1	65	100	3	6	5	7524	4889	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7022.399902	4387.399902	4387.399902	0.933333
4099	007	2508	0.06	1572	1	65	100	3	6	5	7524	5952	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7022.399902	5450.399902	5450.399902	0.933333
4099	008	2508	0.06	2480	1	65	100	3	6	5	7524	5044	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7022.399902	4542.399902	4542.399902	0.933333
4099	009	2508	0.06	2715	1	65	100	3	6	5	7524	4809	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7022.399902	4307.399902	4307.399902	0.933333
4099	010	2508	0.06	2682	1	65	100	3	6	5	7524	4842	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7022.399902	4340.399902	4340.399902	0.933333
4099	011A	2509	0.06	940	1	65	100	3	6	5	7527	6587	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7025.199707	6085.199707	6085.199707	0.933333
4099	012	2509	0.06	1541	1	65	100	3	6	5	7527	5986	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7025.199707	5484.199707	5484.199707	0.933333
4099	013	2509	0.06	1075	1	65	100	3	6	5	7527	6452	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7025.199707	5950.199707	5950.199707	0.933333
4099	014	2509	0.06	800	1	65	100	3	6	5	7527	6727	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7025.199707	6225.199707	6225.199707	0.933333
4099	015	2509	0.06	1400	1	65	100	3	6	5	7527	6127	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7025.199707	5625.199707	5625.199707	0.933333
4099	016	2509	0.06	1500	1	65	100	3	6	5	7527	6027	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7025.199707	5525.199707	5525.199707	0.933333
4099	020	2510	0.06	925	1	65	100	3	6	5	7530	6605	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7028	6103	6103	0.933333
4099	021	2510	0.06	1700	1	65	100	3	6	5	7530	5830	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7028	5328	5328	0.933333
4099	022	2510	0.06	785	1	65	100	3	6	5	7530	6745	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7028	6243	6243	0.933333
4099	023	2510	0.06	785	1	65	100	3	6	5	7530	6745	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7028	6243	6243	0.933333
4099	024	2510	0.06	771	1	65	100	3	6	5	7530	6759	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7028	6257	6257	0.933333
4099	025	2511	0.06	1615	1	65	100	3	6	5	7533	5918	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	5415.799805	5415.799805	0.933333
4099	025A	2511	0.06	1150	1	65	100	3	6	5	7533	6383	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	5880.799805	5880.799805	0.933333
4099	025B	1886	0.04	1150	1	65	100	3	4	3	5658	4508	RH-2	40	density-lim	1500			0.7	4	1	3	3	5280.799805	4130.799805	4130.799805	0.933333
4099	025C	1886	0.04	1205	1	65	100	3	4	3	5658	4453	RH-2	40	density-lim	1500			0.7	4	1	3	3	5280.799805	4075.799805	4075.799805	0.933333
4099	025D	1886	0.04	1150	1	65	100	3	4	3	5658	4508	RH-2	40	density-lim	1500			0.7	4	1	3	3	5280.799805	4130.799805	4130.799805	0.933333
4099	025E	1886	0.04	1150	1	65	100	3	4	3	5658	4508	RH-2	40	density-lim	1500			0.7	4	1	3	3	5280.799805	4130.799805	4130.799805	0.933333
4099	027	2500	0.06	1417	1	65	100	3	6	5	7500	6083	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5583	5583	0.933333
4099	028	2500	0.06	2084	1	65	100	3	6	5	7500	5416	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4916	4916	0.933333
4099	029	2500	0.06	2436	1	65	100	3	6	5	7500	5064	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4564	4564	0.933333
4099	030	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333
4099	031	2500	0.06	2034	1	65	100	3	6	5	7500	5466	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4966	4966	0.933333
4099	032	2500	0.06	2124	1	65	100	3	6	5	7500	5376	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4876	4876	0.933333
4099	034	2500	0.06	3000	1	65	100	3	6	5	7500	4500	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4000	4000	0.933333
4099	035	2500	0.06	3000	1	65	100	3	6	5	7500	4500	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4000	4000	0.933333
4099	036	2500	0.06	1261	1	65	100	3	6	5	7500	6239	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5739	5739	0.933333
4099	037	2500	0.06	1429	1	65	100	3	6	5	7500	6071	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5571	5571	0.933333
4099	038	2500	0.06	2624	1	65	100	3	6	5	7500	4876	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4376	4376	0.933333
4099	039	2500	0.06	1325	1	65	100	3	6	5	7500	6175	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5675	5675	0.933333
4099	041	2500	0.06	2904	1	65	100	3	6	5	7500	4596	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4096	4096	0.933333
4099	042	2300	0.05	1995	1	65	100	3	5	4	6900	4905	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6440	4445	4445	0.933333
4099	043	2300	0.05	1825	1	65	100	3	5	4	6900	5075	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6440	4615	4615	0.933333
4099	045	2300	0.05	2345	1	65	100	3	5	4	6900	4555	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6440	4095	4095	0.933333
4099	046	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5700	5700	0.933333
4099	047	2300	0.05	1816	1	65	100	3	5	4	6900	5084	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6440	4624	4624	0.933333
4099	048	2300	0.05	1505	1	65	100	3	5	4	6900	5395	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6440	4935	4935	0.933333
4099	049	2300	0.05	2385	1	65	100	3	5	4	6900	4515	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6440	4055	4055	0.933333
4099	051	2725	0.06	2313	1	65	100	3	6	5	8175	5862	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7630	5317	5317	0.933333
4099	052	3175	0.07	1134	1	65	100	3	7	6	9525	8391	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8890	7756	7756	0.933333
4099	053	2500	0.06	1485	1	65	100	3	6	5	7500	6015	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5515	5515	0.933333
4099	054	2500	0.06	1085	1	65	100	3	6	5	7500	6415	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5915	5915	0.933333
4099	055	2500	0.06	2288	1	65	100	3	6	5	7500	5212	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4712	4712	0.933333
4099	056	1875	0.04	1714	1	65	100	3	4	3	5625	3911	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3536	3536	0.933333
4099	056A	1875	0.04	1974	1	65	100	3	4	3	5625	3651	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3276	3276	0.933333
4099	056B	1875	0.04	2341	1	65	100	3	4	3	5625	3284	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	2909	2909	0.933333
4099	060	2000	0.05	1275	1	65	100	3	5	4	6000	4725	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5600	4325	4325	0.933333
4100	002	2493	0.06	1025	1	65	100	3	6	5	7479	6454	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6980.399902	5955.399902	5955.399902	0.933333
4100	003	2494	0.06	1175	1	65	100	3	6	5	7482	6307	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6983.199707	5808.199707	5808.199707	0.933333
4100	003B	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5500	5500	0.933333
4100	004A	2495	0.06	2324	1	65	100	3	6	5	7485	5161	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6986	4662	4662	0.933333
4100	004C	2496	0.06	1666	1	65	100	3	6	5	7488	5822	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6988.799805	5322.799805	5322.799805	0.933333
4100	012	2505	0.06	655	1	75	120	3.5	7	6	8768	8113	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7014	6359	6359	0.799954
4100	014	2500	0.06	1615	1	75	120	3.5	7	6	8750	7135	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5385	5385	0.8
4100	015	2500	0.06	700	1	75	120	3.5	7	6	8750	8050	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6300	6300	0.8
4100	016	2500	0.06	750	1	75	120	3.5	7	6	8750	8000	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6250	6250	0.8
4100	018	3100	0.07	1654	1	65	100	3	7	6	9300	7646	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8680	7026	7026	0.933333
4100	022	2500	0.06	1243	1	65	100	3	6	5	7500	6257	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5757	5757	0.933333
4100	023	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5700	5700	0.933333
4100	024	2500	0.06	1860	1	65	100	3	6	5	7500	5640	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5140	5140	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4100	025	2500	0.06	1056	1	65	100	3	6	5	7500	6444	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5944	5944	0.933333
4100	026	2500	0.06	2250	1	65	100	3	6	5	7500	5250	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4750	4750	0.933333
4100	028	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5800	5800	0.933333
4100	029	2500	0.06	1475	1	65	100	3	6	5	7500	6025	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5525	5525	0.933333
4100	030A	2688	0.06	1400	1	65	100	3	6	5	8064	6664	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7526.399902	6126.399902	6126.399902	0.933333
4100	034	2500	0.06	2048	0	65	100	3	6	6	7500	5452	NC-2	40	density-lim	800			0.75	3	0.5	3	3	7500	5452	5452	1
4100	046	2316	0.05	1220	1	75	120	3.5	6	5	8106	6886	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6484.799805	5264.799805	5264.799805	0.8
4100	121	2926	0.07	1475	1	75	120	3.5	8	7	10241	8766	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	8192.799805	6717.799805	6717.799805	0.8
4101	002	2518	0.06	1220	1	75	120	3.5	7	6	8813	7593	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7050.399902	5830.399902	5830.399902	0.8
4101	005	2515	0.06	1852	1	75	120	3.5	7	6	8802	6950	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7042	5190	5190	0.800045
4101	006	2514	0.06	975	1	75	120	3.5	7	6	8799	7824	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7039.199707	6064.199707	6064.199707	0.8
4101	008	2512	0.06	750	1	75	120	3.5	7	6	8792	8042	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7033.600098	6283.600098	6283.600098	0.8
4101	009	2511	0.06	800	1	75	120	3.5	7	6	8788	7988	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7030.799805	6230.799805	6230.799805	0.800045
4101	010	2509	0.06	950	1	75	120	3.5	7	6	8782	7832	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7025.199707	6075.199707	6075.199707	0.799954
4101	011	2508	0.06	800	1	75	120	3.5	7	6	8778	7978	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7022.399902	6222.399902	6222.399902	0.8
4101	012	2507	0.06	510	1	75	120	3.5	7	6	8774	8264	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7019.600098	6509.600098	6509.600098	0.800046
4101	013	2456	0.06	1804	1	75	120	3.5	7	6	8596	6792	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6876.799805	5072.799805	5072.799805	0.8
4101	014	2505	0.06	1044	1	75	120	3.5	7	6	8768	7724	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7014	5970	5970	0.799954
4101	015	2504	0.06	1061	1	75	120	3.5	7	6	8764	7703	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7011.199707	5950.199707	5950.199707	0.8
4101	016	2503	0.06	840	1	75	120	3.5	7	6	8760	7920	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7008.399902	6168.399902	6168.399902	0.800046
4101	017	2502	0.06	1411	1	75	120	3.5	7	6	8757	7346	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7005.600098	5594.600098	5594.600098	0.8
4101	018	2500	0.06	975	1	75	120	3.5	7	6	8750	7775	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6025	6025	0.8
4101	019	2499	0.06	1125	1	75	120	3.5	7	6	8746	7621	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6997.199707	5872.199707	5872.199707	0.800046
4101	026	2500	0.06	810	1	75	120	3.5	7	6	8750	7940	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6190	6190	0.8
4101	030	2500	0.06	1311	1	75	120	3.5	7	6	8750	7439	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5689	5689	0.8
4101	031	2500	0.06	1750	1	75	120	3.5	7	6	8750	7000	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5250	5250	0.8
4101	032	2500	0.06	3747	1	75	120	3.5	7	6	8750	5003	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	3253	3253	0.8
4101	033	2500	0.06	2368	1	75	120	3.5	7	6	8750	6382	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	4632	4632	0.8
4101	034	2500	0.06	2458	1	75	120	3.5	7	6	8750	6292	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	4542	4542	0.8
4101	036	2500	0.06	1885	1	65	100	3	6	5	7500	5615	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5115	5115	0.933333
4101	038	2500	0.06	833	1	65	100	3	6	5	7500	6667	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6167	6167	0.933333
4101	039	2500	0.06	1185	1	65	100	3	6	5	7500	6315	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5815	5815	0.933333
4101	040	2500	0.06	1803	1	65	100	3	6	5	7500	5697	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5197	5197	0.933333
4101	041	2500	0.06	1545	1	65	100	3	6	5	7500	5955	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5455	5455	0.933333
4101	045	2500	0.06	1333	1	75	120	3.5	7	6	8750	7417	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5667	5667	0.8
4101	046	2500	0.06	1387	1	75	120	3.5	7	6	8750	7363	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5613	5613	0.8
4101	048	2500	0.06	862	1	75	120	3.5	7	6	8750	7888	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6138	6138	0.8
4101	049	2500	0.06	862	1	75	120	3.5	7	6	8750	7888	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6138	6138	0.8
4101	051	1875	0.04	1968	1	75	120	3.5	5	4	6562	4594	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5250	3282	3282	0.800061
4101	053	1875	0.04	1006	1	75	120	3.5	5	4	6562	5556	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5250	4244	4244	0.800061
4101	055	1877	0.04	1080	1	75	120	3.5	5	4	6570	5490	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5255.600098	4175.600098	4175.600098	0.799939
4101	056	1875	0.04	1590	1	65	100	3	4	3	5625	4035	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3660	3660	0.933333
4101	057	1875	0.04	1225	1	65	100	3	4	3	5625	4400	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	4025	4025	0.933333
4101	059	1895	0.04	1125	1	75	120	3.5	5	4	6632	5507	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5306	4181	4181	0.80006
4102	002	2500	0.06	1634	1	75	120	3.5	7	6	8750	7116	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5366	5366	0.8
4102	003	2500	0.06	1667	1	75	120	3.5	7	6	8750	7083	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5333	5333	0.8
4102	004	2500	0.06	1976	1	75	120	3.5	7	6	8750	6774	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5024	5024	0.8
4102	008	3711	0.09	2079	1	75	120	3.5	11	10	12988	10909	RH-2	40	density-lim	1500			0.7	4	0.363636374	3	3	10390.7998	8311.799805	8311.799805	0.800031
4102	009	2500	0.06	1495	1	75	120	3.5	7	6	8750	7255	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5505	5505	0.8
4102	010	2500	0.06	1930	1	75	120	3.5	7	6	8750	6820	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5070	5070	0.8
4102	011	2500	0.06	505	1	75	120	3.5	7	6	8750	8245	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6495	6495	0.8
4102	013	2500	0.06	2574	1	75	120	3.5	7	6	8750	6176	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	4426	4426	0.8
4102	014	2500	0.06	2579	1	75	120	3.5	7	6	8750	6171	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	4421	4421	0.8
4102	015	2500	0.06	1800	1	75	120	3.5	7	6	8750	6950	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5200	5200	0.8
4102	016	2500	0.06	946	1	75	120	3.5	7	6	8750	7804	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6054	6054	0.8
4102	018	2500	0.06	1103	1	75	120	3.5	7	6	8750	7647	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5897	5897	0.8
4102	021	2500	0.06	1455	1	75	120	3.5	7	6	8750	7295	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5545	5545	0.8
4102	022	2646	0.06	875	1	75	120	3.5	7	6	9261	8386	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7408.799805	6533.799805	6533.799805	0.8
4102	023	2500	0.06	1000	1	75	120	3.5	7	6	8750	7750	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6000	6000	0.8
4102	024	2500	0.06	1100	1	75	120	3.5	7	6	8750	7650	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5900	5900	0.8
4102	025	2500	0.06	1536	1	75	120	3.5	7	6	8750	7214	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5464	5464	0.8
4102	044	2638	0.06	672	1	75	120	3.5	7	6	9233	8561	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7386.399902	6714.399902	6714.399902	0.8
4102	045	2495	0.06	1004	1	75	120	3.5	7	6	8732	7728	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6986	5982	5982	0.800046
4102	046	2494	0.06	950	1	75	120	3.5	7	6	8729	7779	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6983.199707	6033.199707	6033.199707	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4102	047	2493	0.06	900	1	75	120	3.5	7	6	8726	7826	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6980.399902	6080.399902	6080.399902	0.799954
4102	048	2493	0.06	850	1	75	120	3.5	7	6	8726	7876	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6980.399902	6130.399902	6130.399902	0.799954
4102	049	2492	0.06	800	1	75	120	3.5	7	6	8722	7922	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6977.600098	6177.600098	6177.600098	0.8
4102	050	2491	0.06	1062	1	75	120	3.5	7	6	8718	7656	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6974.799805	5912.799805	5912.799805	0.800046
4102	052	2490	0.06	1807	1	75	120	3.5	7	6	8715	6908	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6972	5165	5165	0.8
4102	054	2489	0.06	920	1	75	120	3.5	7	6	8712	7792	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6969.199707	6049.199707	6049.199707	0.799954
4102	056	2487	0.06	1050	1	75	120	3.5	7	6	8704	7654	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6963.600098	5913.600098	5913.600098	0.800046
4102	059	3625	0.08	2730	1	75	120	3.5	10	9	12688	9958	RH-2	40	density-lim	1500			0.7	4	0.400000006	3	3	10150	7420	7420	0.799968
4102	060	3133	0.07	1278	1	75	120	3.5	8	7	10966	9688	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	8772.399414	7494.399414	7494.399414	0.799963
4102	061	2285	0.05	1171	1	75	120	3.5	6	5	7998	6827	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6398	5227	5227	0.79995
4102	063	2482	0.06	1757	1	75	120	3.5	7	6	8687	6930	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6949.600098	5192.600098	5192.600098	0.8
4102	066	2300	0.05	985	1	75	120	3.5	6	5	8050	7065	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6440	5455	5455	0.8
4102	067	2850	0.07	850	1	75	120	3.5	8	7	9975	9125	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7980	7130	7130	0.8
4103	002	2500	0.06	787	1	75	120	3.5	7	6	8750	7963	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6213	6213	0.8
4103	003	2500	0.06	787	1	75	120	3.5	7	6	8750	7963	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6213	6213	0.8
4103	004	2500	0.06	2113	1	75	120	3.5	7	6	8750	6637	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	4887	4887	0.8
4103	005	2500	0.06	787	1	75	120	3.5	7	6	8750	7963	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6213	6213	0.8
4103	006	2500	0.06	787	1	75	120	3.5	7	6	8750	7963	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6213	6213	0.8
4103	007	2500	0.06	787	1	75	120	3.5	7	6	8750	7963	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6213	6213	0.8
4103	008	2500	0.06	1941	1	75	120	3.5	7	6	8750	6809	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5059	5059	0.8
4103	008A	2500	0.06	787	1	75	120	3.5	7	6	8750	7963	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6213	6213	0.8
4103	009	3000	0.07	1000	1	75	120	3.5	8	7	10500	9500	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	8400	7400	7400	0.8
4103	012	2500	0.06	1355	1	75	120	3.5	7	6	8750	7395	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5645	5645	0.8
4103	016	2500	0.06	1224	1	75	120	3.5	7	6	8750	7526	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5776	5776	0.8
4103	017	2500	0.06	1170	1	75	120	3.5	7	6	8750	7580	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5830	5830	0.8
4103	019	2500	0.06	1250	1	75	120	3.5	7	6	8750	7500	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5750	5750	0.8
4103	021	2500	0.06	1225	1	75	120	3.5	7	6	8750	7525	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5775	5775	0.8
4103	023	2500	0.06	1088	1	75	120	3.5	7	6	8750	7662	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5912	5912	0.8
4103	023A	2500	0.06	1088	1	75	120	3.5	7	6	8750	7662	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5912	5912	0.8
4103	023B	2517	0.06	1960	1	75	120	3.5	7	6	8810	6850	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7047.600098	5087.600098	5087.600098	0.799955
4103	024	2500	0.06	852	1	75	120	3.5	7	6	8750	7898	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6148	6148	0.8
4103	025	2500	0.06	1227	1	75	120	3.5	7	6	8750	7523	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5773	5773	0.8
4103	030	2516	0.06	1300	1	75	120	3.5	7	6	8806	7506	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7044.799805	5744.799805	5744.799805	0.8
4103	031	2517	0.06	820	1	75	120	3.5	7	6	8810	7990	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7047.600098	6227.600098	6227.600098	0.799955
4103	032	4332	0.1	1594	1	75	120	3.5	12	11	15162	13568	RH-2	40	density-lim	1500			0.7	4	0.333333343	3	3	12129.59961	10535.59961	10535.59961	0.8
4103	033	2519	0.06	1638	1	75	120	3.5	7	6	8816	7178	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7053.199707	5415.199707	5415.199707	0.800045
4103	033A	2520	0.06	1715	1	75	120	3.5	7	6	8820	7105	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7056	5341	5341	0.8
4103	034	2521	0.06	990	1	75	120	3.5	7	6	8824	7834	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7058.799805	6068.799805	6068.799805	0.799955
4103	036	2522	0.06	1513	1	75	120	3.5	7	6	8827	7314	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7061.600098	5548.600098	5548.600098	0.8
4103	041	2525	0.06	1099	1	75	120	3.5	7	6	8838	7739	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7070	5971	5971	0.799955
4103	042	2526	0.06	1074	1	75	120	3.5	7	6	8841	7767	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7072.799805	5998.799805	5998.799805	0.8
4103	043	3183	0.07	1148	1	75	120	3.5	8	7	11140	9992	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	8912.399414	7764.399414	7764.399414	0.800036
4103	045	4032	0.09	1866	1	75	120	3.5	11	10	14112	12246	RH-2	40	density-lim	1500			0.7	4	0.363636374	3	3	11289.59961	9423.599609	9423.599609	0.8
4103	046	3137	0.07	1895	1	75	120	3.5	8	7	10980	9085	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	8783.599609	6888.599609	6888.599609	0.799964
4103	047	2530	0.06	1537	1	75	120	3.5	7	6	8855	7318	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7084	5547	5547	0.8
4103	048	2531	0.06	1050	1	75	120	3.5	7	6	8858	7808	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7086.799805	6036.799805	6036.799805	0.800045
4103	049	2531	0.06	1405	1	75	120	3.5	7	6	8858	7453	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7086.799805	5681.799805	5681.799805	0.800045
4103	050	2532	0.06	887	1	75	120	3.5	7	6	8862	7975	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7089.600098	6202.600098	6202.600098	0.8
4103	051	2533	0.06	1922	1	75	120	3.5	7	6	8866	6944	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7092.399902	5170.399902	5170.399902	0.799955
4104	012	2537	0.06	1567	1	75	120	3.5	7	6	8880	7313	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7103.600098	5536.600098	5536.600098	0.799955
4104	013	2519	0.06	1500	1	75	120	3.5	7	6	8816	7316	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7053.199707	5553.199707	5553.199707	0.800045
4104	015	2567	0.06	1348	1	75	120	3.5	7	6	8984	7636	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7187.600098	5839.600098	5839.600098	0.800045
4104	053	2525	0.06	1447	1	75	120	3.5	7	6	8838	7391	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7070	5623	5623	0.799955
4106	003	2500	0.06	1760	1	75	120	3.5	7	6	8750	6990	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7000	5240	5240	0.8
4106	007	2500	0.06	1488	1	75	120	3.5	7	6	8750	7262	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7000	5512	5512	0.8
4106	010	2500	0.06	1436	1	75	120	3.5	7	6	8750	7314	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7000	5564	5564	0.8
4106	014	2500	0.06	4700	3	75	120	3.5	7	4	8750	4050	RH-3	45	density-lim	1000	true		0.7	6	0.857142866	3	3	7000	2300	2300	0.8
4107	002A	1984	0.05	960	1	75	120	3.5	6	5	6944	5984	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	5555.199707	4595.199707	4595.199707	0.8
4107	002B	1983	0.05	916	1	75	120	3.5	6	5	6940	6024	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	5552.399902	4636.399902	4636.399902	0.800058
4107	002C	1983	0.05	1593	1	75	120	3.5	6	5	6940	5347	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	5552.399902	3959.399902	3959.399902	0.800058
4107	002E	2000	0.05	875	1	75	120	3.5	6	5	7000	6125	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	5600	4725	4725	0.8
4107	002F	2000	0.05	1698	1	75	120	3.5	6	5	7000	5302	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	5600	3902	3902	0.8
4107	002G	2000	0.05	872	1	75	120	3.5	6	5	7000	6128	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	5600	4728	4728	0.8
4107	002H	2000	0.05	960	1	75	120	3.5	6	5	7000	6040	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	5600	4640	4640	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4107	002I	1983	0.05	916	1	75	120	3.5	6	5	6940	6024	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	5552.399902	4636.399902	4636.399902	0.800058
4107	002J	1984	0.05	1920	1	75	120	3.5	6	5	6944	5024	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	5555.199707	3635.199707	3635.199707	0.8
4107	002K	1584	0.04	874	1	75	120	3.5	5	4	5544	4670	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	4435.199707	3561.199707	3561.199707	0.8
4107	002L	1600	0.04	860	1	75	120	3.5	5	4	5600	4740	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	4480	3620	3620	0.8
4107	002M	1600	0.04	1690	1	75	120	3.5	5	4	5600	3910	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	4480	2790	2790	0.8
4107	002N	1584	0.04	874	1	75	120	3.5	5	4	5544	4670	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	4435.199707	3561.199707	3561.199707	0.8
4107	004	2478	0.06	1162	1	75	120	3.5	7	6	8673	7511	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	6938.399902	5776.399902	5776.399902	0.8
4107	005	2477	0.06	1240	1	75	120	3.5	7	6	8670	7430	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	6935.600098	5695.600098	5695.600098	0.799954
4107	011	2283	0.05	2550	2	75	120	3.5	6	4	7990	5440	NCT-2	45	form-based				0.75	5	0.833333313	3	3	6849	4299	4299	0.857197
4107	013	2283	0.05	2250	2	75	120	3.5	6	4	7990	5740	NCT-2	45	form-based				0.75	5	0.833333313	3	3	6849	4599	4599	0.857197
4107	020	2500	0.06	1942	1	75	120	3.5	7	6	8750	6808	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7000	5058	5058	0.8
4107	023	2000	0.05	932	1	75	120	3.5	6	5	7000	6068	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	5600	4668	4668	0.8
4107	060	2283	0.05	1162	2	75	120	3.5	6	4	7990	6828	NCT-2	45	form-based				0.75	5	0.833333313	3	3	6849	5687	5687	0.857197
4108	003D	2013	0.05	2490	2	75	120	3.5	6	4	7046	4556	NCT-2	45	form-based				0.75	5	0.833333313	3	3	6039	3549	3549	0.857082
4108	005	2526	0.06	3195	3	75	120	3.5	7	4	8841	5646	NCT-2	45	form-based				0.75	6	0.857142866	3	3	7578	4383	4383	0.857143
4108	010	2500	0.06	3066	1	75	120	3.5	7	6	8750	5684	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7000	3934	3934	0.8
4108	022	5675	0.13	1401	10	65	100	3	13	3	17025	15624	UMU	40	form-based				0.75	13	1	3	3	17025	15624	15624	1
4108	038	2500	0.06	1583	3	75	120	3.5	7	4	8750	7167	UMU	40	form-based				0.75	6	0.857142866	3	3	7500	5917	5917	0.857143
4143	002	2500	0.06	1405	1	65	100	3	6	5	7500	6095	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5595	5595	0.933333
4143	005	2500	0.06	1880	1	65	100	3	6	5	7500	5620	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5120	5120	0.933333
4143	007	2500	0.06	2479	1	65	100	3	6	5	7500	5021	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4521	4521	0.933333
4143	013	2500	0.06	1130	1	65	100	3	6	5	7500	6370	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5870	5870	0.933333
4143	014	2372	0.05	1140	1	65	100	3	5	4	7116	5976	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6641.600098	5501.600098	5501.600098	0.933333
4143	025	2494	0.06	1160	1	65	100	3	6	5	7482	6322	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6983.199707	5823.199707	5823.199707	0.933333
4143	031	2497	0.06	1130	1	65	100	3	6	5	7491	6361	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5861.600098	5861.600098	0.933333
4143	032	2497	0.06	1310	1	65	100	3	6	5	7491	6181	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5681.600098	5681.600098	0.933333
4143	033	2497	0.06	1880	1	65	100	3	6	5	7491	5611	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5111.600098	5111.600098	0.933333
4143	034	2498	0.06	1900	1	65	100	3	6	5	7494	5594	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6994.399902	5094.399902	5094.399902	0.933333
4144	001	2468	0.06	4200	3	65	100	3	6	3	7404	3204	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	6910.399902	2710.399902	2710.399902	0.933333
4144	002	2750	0.06	1180	1	65	100	3	6	5	8250	7070	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7700	6520	6520	0.933333
4144	007	2500	0.06	1775	1	65	100	3	6	5	7500	5725	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5225	5225	0.933333
4144	009	2500	0.06	1115	1	65	100	3	6	5	7500	6385	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5885	5885	0.933333
4144	011	2500	0.06	1790	1	65	100	3	6	5	7500	5710	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5210	5210	0.933333
4144	039	2468	0.06	1478	1	65	100	3	6	5	7404	5926	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6910.399902	5432.399902	5432.399902	0.933333
4144	040	2468	0.06	1450	1	65	100	3	6	5	7404	5954	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6910.399902	5460.399902	5460.399902	0.933333
4144	041	2468	0.06	1910	1	65	100	3	6	5	7404	5494	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6910.399902	5000.399902	5000.399902	0.933333
4145	022	2369	0.05	1363	1	65	100	3	5	4	7107	5744	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	5270.199707	5270.199707	0.933333
4145	023	2497	0.06	1500	1	65	100	3	6	5	7491	5991	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5491.600098	5491.600098	0.933333
4145	026	2497	0.06	2080	1	65	100	3	6	5	7491	5411	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	4911.600098	4911.600098	0.933333
4145	028	2497	0.06	2490	1	65	100	3	6	5	7491	5001	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	4501.600098	4501.600098	0.933333
4145	030	2497	0.06	1553	1	65	100	3	6	5	7491	5938	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5438.600098	5438.600098	0.933333
4145	031	2497	0.06	1124	1	65	100	3	6	5	7491	6367	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5867.600098	5867.600098	0.933333
4145	033	2497	0.06	1410	1	65	100	3	6	5	7491	6081	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5581.600098	5581.600098	0.933333
4145	036	2125	0.05	2698	1	65	100	3	5	4	6375	3677	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5950	3252	3252	0.933333
4145	037	2125	0.05	1060	1	65	100	3	5	4	6375	5315	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5950	4890	4890	0.933333
4146	002	2500	0.06	1295	1	65	100	3	6	5	7500	6205	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5705	5705	0.933333
4146	003	2500	0.06	1202	1	65	100	3	6	5	7500	6298	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5798	5798	0.933333
4146	004	2500	0.06	1773	1	65	100	3	6	5	7500	5727	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5227	5227	0.933333
4146	005	2500	0.06	1410	1	65	100	3	6	5	7500	6090	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5590	5590	0.933333
4146	007	2500	0.06	1330	1	65	100	3	6	5	7500	6170	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5670	5670	0.933333
4146	008	2500	0.06	1165	1	65	100	3	6	5	7500	6335	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5835	5835	0.933333
4146	009	2600	0.06	1090	1	65	100	3	6	5	7800	6710	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	6190	6190	0.933333
4146	010	2600	0.06	1520	1	65	100	3	6	5	7800	6280	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5760	5760	0.933333
4146	013	2600	0.06	865	1	65	100	3	6	5	7800	6935	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	6415	6415	0.933333
4146	014	2472	0.06	1146	1	65	100	3	6	5	7416	6270	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6921.600098	5775.600098	5775.600098	0.933333
4146	020	2600	0.06	1450	1	65	100	3	6	5	7800	6350	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7280	5830	5830	0.933333
4146	022	2511	0.06	1805	1	65	100	3	6	5	7533	5728	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	5225.799805	5225.799805	0.933333
4146	025	2635	0.06	3054	1	65	100	3	6	5	7905	4851	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7378	4324	4324	0.933333
4146	027	2632	0.06	959	1	65	100	3	6	5	7896	6937	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7369.600098	6410.600098	6410.600098	0.933333
4146	028	2529	0.06	1030	1	65	100	3	6	5	7587	6557	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7081.199707	6051.199707	6051.199707	0.933333
4146	030	2525	0.06	960	1	65	100	3	6	5	7575	6615	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7070	6110	6110	0.933333
4146	035	2125	0.05	0	0	65	100	3	5	5	6375	6375	RM-1	40	density-lim	800			0.7	3	0.600000024	3	3	5950	5950	5950	0.933333
4147	004	2500	0.06	1325	1	65	100	3	6	5	7500	6175	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5675	5675	0.933333
4147	006	2650	0.06	1152	1	65	100	3	6	5	7950	6798	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7420	6268	6268	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4147	007	2500	0.06	1620	1	65	100	3	6	5	7500	5880	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5380	5380	0.933333
4147	008	2750	0.06	1098	1	65	100	3	6	5	8250	7152	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7700	6602	6602	0.933333
4147	009	2630	0.06	925	1	65	100	3	6	5	7890	6965	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7364	6439	6439	0.933333
4147	010	2630	0.06	1365	1	65	100	3	6	5	7890	6525	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7364	5999	5999	0.933333
4147	015	2465	0.06	2568	1	65	100	3	6	5	7395	4827	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6902	4334	4334	0.933333
4147	019	2465	0.06	1150	1	65	100	3	6	5	7395	6245	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6902	5752	5752	0.933333
4147	022	2452	0.06	1425	1	65	100	3	6	5	7356	5931	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6865.600098	5440.600098	5440.600098	0.933333
4147	024	2583	0.06	1165	1	65	100	3	6	5	7749	6584	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7232.399902	6067.399902	6067.399902	0.933333
4147	025	2585	0.06	1150	1	65	100	3	6	5	7755	6605	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7238	6088	6088	0.933333
4147	026	2705	0.06	1874	1	65	100	3	6	5	8115	6241	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7574	5700	5700	0.933333
4147	027	2461	0.06	2945	1	65	100	3	6	5	7383	4438	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6890.799805	3945.799805	3945.799805	0.933333
4147	028	2462	0.06	1400	1	65	100	3	6	5	7386	5986	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6893.600098	5493.600098	5493.600098	0.933333
4147	029	2464	0.06	1205	1	65	100	3	6	5	7392	6187	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6899.199707	5694.199707	5694.199707	0.933333
4147	030	2465	0.06	1900	1	65	100	3	6	5	7395	5495	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6902	5002	5002	0.933333
4148	002	2957	0.07	616	1	65	100	3	7	6	8871	8255	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8279.599609	7663.599609	7663.599609	0.933333
4148	003A	1173	0.03	528	1	65	100	3	3	2	3519	2991	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3284.399902	2756.399902	2756.399902	0.933333
4148	004	2165	0.05	1210	1	65	100	3	5	4	6495	5285	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6062	4852	4852	0.933333
4148	005	2950	0.07	2160	1	65	100	3	7	6	8850	6690	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8260	6100	6100	0.933333
4148	007	2651	0.06	669	1	65	100	3	6	5	7953	7284	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7422.799805	6753.799805	6753.799805	0.933333
4148	008	1851	0.04	756	1	65	100	3	4	3	5553	4797	RH-2	40	density-lim	1500			0.7	4	1	3	3	5182.799805	4426.799805	4426.799805	0.933333
4148	009	2548	0.06	1472	1	65	100	3	6	5	7644	6172	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7134.399902	5662.399902	5662.399902	0.933333
4148	010	2546	0.06	1190	1	65	100	3	6	5	7638	6448	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7128.799805	5938.799805	5938.799805	0.933333
4148	012	2543	0.06	1400	1	65	100	3	6	5	7629	6229	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7120.399902	5720.399902	5720.399902	0.933333
4148	013	2443	0.06	2017	1	65	100	3	6	5	7329	5312	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6840.399902	4823.399902	4823.399902	0.933333
4148	014	1962	0.05	2409	1	65	100	3	5	4	5886	3477	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5493.600098	3084.600098	3084.600098	0.933333
4148	015	1442	0.03	1627	1	65	100	3	3	2	4326	2699	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4037.599854	2410.599854	2410.599854	0.933333
4148	016	2000	0.05	2160	1	65	100	3	5	4	6000	3840	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5600	3440	3440	0.933333
4148	017	1773	0.04	2020	1	65	100	3	4	3	5319	3299	RH-3	40	density-lim	1000			0.7	4	1	3	3	4964.399902	2944.399902	2944.399902	0.933333
4148	020B	1300	0.03	650	1	65	100	3	3	2	3900	3250	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3640	2990	2990	0.933333
4148	020C	1300	0.03	650	1	65	100	3	3	2	3900	3250	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3640	2990	2990	0.933333
4148	021	2629	0.06	1912	1	65	100	3	6	5	7887	5975	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7361.199707	5449.199707	5449.199707	0.933333
4148	025	2500	0.06	1277	1	65	100	3	6	5	7500	6223	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5723	5723	0.933333
4148	033	2600	0.06	1300	1	65	100	3	6	5	7800	6500	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7280	5980	5980	0.933333
4148	035	2750	0.06	4035	1	65	100	3	6	5	8250	4215	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7700	3665	3665	0.933333
4148	041	2388	0.05	1353	1	65	100	3	5	4	7164	5811	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6686.399902	5333.399902	5333.399902	0.933333
4149	001	1867	0.04	4410	3	65	100	3	4	1	5601	1191	RH-3	40	density-lim	1000	true		0.7	6	1.5	3	3	5227.600098	817.6000977	817.6000977	0.933333
4149	001B	1866	0.04	1710	1	65	100	3	4	3	5598	3888	RH-3	40	density-lim	1000			0.7	4	1	3	3	5224.799805	3514.799805	3514.799805	0.933333
4149	005	2602	0.06	1036	1	65	100	3	6	5	7806	6770	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7285.600098	6249.600098	6249.600098	0.933333
4149	021	2600	0.06	1895	1	65	100	3	6	5	7800	5905	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5385	5385	0.933333
4149	022	2600	0.06	1740	1	65	100	3	6	5	7800	6060	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5540	5540	0.933333
4149	024	2600	0.06	980	1	65	100	3	6	5	7800	6820	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	6300	6300	0.933333
4149	025	2600	0.06	2193	1	65	100	3	6	5	7800	5607	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5087	5087	0.933333
4149	031	2600	0.06	1284	1	65	100	3	6	5	7800	6516	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5996	5996	0.933333
4149	033A	2000	0.05	1144	1	65	100	3	5	4	6000	4856	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5600	4456	4456	0.933333
4149	035	2583	0.06	2017	1	65	100	3	6	5	7749	5732	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7232.399902	5215.399902	5215.399902	0.933333
4149	035A	2616	0.06	2100	1	65	100	3	6	5	7848	5748	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7324.799805	5224.799805	5224.799805	0.933333
4149	036	1775	0.04	1600	1	65	100	3	4	3	5325	3725	RH-2	40	density-lim	1500			0.7	4	1	3	3	4970	3370	3370	0.933333
4149	037	2475	0.06	1080	1	65	100	3	6	5	7425	6345	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6930	5850	5850	0.933333
4150	002	3000	0.07	1610	1	65	100	3	7	6	9000	7390	RM-1	40	density-lim	800			0.7	4	0.571428597	3	3	8400	6790	6790	0.933333
4150	021	2629	0.06	2047	1	65	100	3	6	5	7887	5840	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7361.199707	5314.199707	5314.199707	0.933333
4150	023	2629	0.06	2644	1	65	100	3	6	5	7887	5243	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7361.199707	4717.199707	4717.199707	0.933333
4150	024	2629	0.06	1360	1	65	100	3	6	5	7887	6527	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7361.199707	6001.199707	6001.199707	0.933333
4150	025	2629	0.06	1208	1	65	100	3	6	5	7887	6679	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7361.199707	6153.199707	6153.199707	0.933333
4150	026	2629	0.06	2295	1	65	100	3	6	5	7887	5592	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7361.199707	5066.199707	5066.199707	0.933333
4150	027	2629	0.06	1138	1	65	100	3	6	5	7887	6749	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7361.199707	6223.199707	6223.199707	0.933333
4150	028	2629	0.06	1149	1	65	100	3	6	5	7887	6738	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7361.199707	6212.199707	6212.199707	0.933333
4150	029	2629	0.06	1224	1	65	100	3	6	5	7887	6663	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7361.199707	6137.199707	6137.199707	0.933333
4150	031	1903	0.04	1125	1	65	100	3	4	3	5709	4584	RH-2	40	density-lim	1500			0.7	4	1	3	3	5328.399902	4203.399902	4203.399902	0.933333
4150	031B	1893	0.04	1045	1	65	100	3	4	3	5679	4634	RH-3	40	density-lim	1000			0.7	4	1	3	3	5300.399902	4255.399902	4255.399902	0.933333
4150	033	2519	0.06	1070	1	65	100	3	6	5	7557	6487	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7053.199707	5983.199707	5983.199707	0.933333
4150	034	2520	0.06	1976	1	65	100	3	6	5	7560	5584	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7056	5080	5080	0.933333
4150	035	2520	0.06	1320	1	65	100	3	6	5	7560	6240	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7056	5736	5736	0.933333
4151	002	2566	0.06	1040	1	65	100	3	6	5	7698	6658	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7184.799805	6144.799805	6144.799805	0.933333
4151	003	2269	0.05	836	1	65	100	3	5	4	6807	5971	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6353.199707	5517.199707	5517.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4151	010	1223	0.03	1904	1	65	100	3	3	2	3669	1765	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3424.399902	1520.399902	1520.399902	0.933333
4151	015	2273	0.05	933	1	65	100	3	5	4	6819	5886	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6364.399902	5431.399902	5431.399902	0.933333
4151	017	2273	0.05	2366	0	65	100	3	5	5	6819	4453	RM-1	40	density-lim	800			0.7	3	0.600000024	3	3	6364.399902	3998.399902	3998.399902	0.933333
4151	022	3310	0.08	1375	1	65	100	3	8	7	9930	8555	RM-1	40	density-lim	800			0.7	4	0.5	3	3	9268	7893	7893	0.933333
4152	029	2500	0.06	1662	1	65	100	3	6	5	7500	5838	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5338	5338	0.933333
4152	005	2600	0.06	1961	1	65	100	3	6	5	7800	5839	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5319	5319	0.933333
4152	006	2488	0.06	1250	1	65	100	3	6	5	7464	6214	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6966.399902	5716.399902	5716.399902	0.933333
4152	009	2487	0.06	1950	1	65	100	3	6	5	7461	5511	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6963.600098	5013.600098	5013.600098	0.933333
4152	011	2486	0.06	1706	1	65	100	3	6	5	7458	5752	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6960.799805	5254.799805	5254.799805	0.933333
4152	015	2485	0.06	1192	1	65	100	3	6	5	7455	6263	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6958	5766	5766	0.933333
4152	017	2484	0.06	1190	1	65	100	3	6	5	7452	6262	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6955.199707	5765.199707	5765.199707	0.933333
4152	023	3740	0.09	1750	1	65	100	3	9	8	11220	9470	RH-2	40	density-lim	1500			0.7	4	0.444444448	3	3	10472	8722	8722	0.933333
4152	026	2500	0.06	1474	1	65	100	3	6	5	7500	6026	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5526	5526	0.933333
4152	027	2500	0.06	1689	1	65	100	3	6	5	7500	5811	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5311	5311	0.933333
4152	028	2500	0.06	2108	1	65	100	3	6	5	7500	5392	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4892	4892	0.933333
4152	036	2500	0.06	1110	1	65	100	3	6	5	7500	6390	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5890	5890	0.933333
4152	045	2485	0.06	3071	1	65	100	3	6	5	7455	4384	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6958	3887	3887	0.933333
4158	003	2501	0.06	865	1	55	80	2.5	5	4	6252	5387	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7002.799805	6137.799805	6137.799805	1.12009
4158	004	2501	0.06	1045	1	55	80	2.5	5	4	6252	5207	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7002.799805	5957.799805	5957.799805	1.12009
4158	005	2501	0.06	865	1	55	80	2.5	5	4	6252	5387	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7002.799805	6137.799805	6137.799805	1.12009
4158	006	2501	0.06	1535	1	55	80	2.5	5	4	6252	4717	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7002.799805	5467.799805	5467.799805	1.12009
4158	007	2501	0.06	2048	1	55	80	2.5	5	4	6252	4204	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7002.799805	4954.799805	4954.799805	1.12009
4158	008	2501	0.06	1179	1	55	80	2.5	5	4	6252	5073	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7002.799805	5823.799805	5823.799805	1.12009
4158	009	2500	0.06	1039	1	55	80	2.5	5	4	6250	5211	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5961	5961	1.12
4158	010	2500	0.06	900	1	55	80	2.5	5	4	6250	5350	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6100	6100	1.12
4158	011	2500	0.06	865	1	55	80	2.5	5	4	6250	5385	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6135	6135	1.12
4158	012	2500	0.06	1910	1	55	80	2.5	5	4	6250	4340	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5090	5090	1.12
4158	013	2500	0.06	1075	1	55	80	2.5	5	4	6250	5175	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5925	5925	1.12
4158	014	2500	0.06	1790	1	55	80	2.5	5	4	6250	4460	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5210	5210	1.12
4158	015	3299	0.08	1674	1	55	80	2.5	6	5	8248	6574	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9237.200195	7563.200195	7563.200195	1.119932
4158	017	2499	0.06	1080	1	55	80	2.5	5	4	6248	5168	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6997.199707	5917.199707	5917.199707	1.11991
4158	018	2499	0.06	1906	1	55	80	2.5	5	4	6248	4342	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6997.199707	5091.199707	5091.199707	1.11991
4158	019	2499	0.06	1174	1	65	100	3	6	5	7497	6323	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6997.199707	5823.199707	5823.199707	0.933333
4158	020	2499	0.06	630	1	65	100	3	6	5	7497	6867	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6997.199707	6367.199707	6367.199707	0.933333
4158	021	2499	0.06	1774	1	65	100	3	6	5	7497	5723	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6997.199707	5223.199707	5223.199707	0.933333
4158	022	2498	0.06	2766	1	65	100	3	6	5	7494	4728	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6994.399902	4228.399902	4228.399902	0.933333
4158	023	2498	0.06	1826	1	65	100	3	6	5	7494	5668	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6994.399902	5168.399902	5168.399902	0.933333
4158	024	2498	0.06	900	1	65	100	3	6	5	7494	6594	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6994.399902	6094.399902	6094.399902	0.933333
4158	025	2498	0.06	955	1	65	100	3	6	5	7494	6539	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6994.399902	6039.399902	6039.399902	0.933333
4158	026	2498	0.06	1220	1	55	80	2.5	5	4	6245	5025	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6994.399902	5774.399902	5774.399902	1.12
4158	028	2498	0.06	1370	1	55	80	2.5	5	4	6245	4875	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6994.399902	5624.399902	5624.399902	1.12
4158	037	2500	0.06	2238	1	65	100	3	6	5	7500	5262	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4762	4762	0.933333
4158	038	2500	0.06	1850	1	65	100	3	6	5	7500	5650	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5150	5150	0.933333
4158	040A	2500	0.06	1179	1	65	100	3	6	5	7500	6321	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5821	5821	0.933333
4158	042	2500	0.06	1460	1	65	100	3	6	5	7500	6040	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5540	5540	0.933333
4158	043	2500	0.06	1540	1	65	100	3	6	5	7500	5960	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5460	5460	0.933333
4158	044	2500	0.06	910	1	65	100	3	6	5	7500	6590	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6090	6090	0.933333
4158	046	2500	0.06	1556	1	65	100	3	6	5	7500	5944	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5444	5444	0.933333
4158	048	3300	0.08	2100	1	65	100	3	8	7	9900	7800	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9240	7140	7140	0.933333
4158	054	2500	0.06	1636	1	65	100	3	6	5	7500	5864	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5364	5364	0.933333
4158	056	2500	0.06	980	1	65	100	3	6	5	7500	6520	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6020	6020	0.933333
4158	057	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6050	6050	0.933333
4158	057B	2500	0.06	1080	1	65	100	3	6	5	7500	6420	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5920	5920	0.933333
4158	058	2500	0.06	1542	1	65	100	3	6	5	7500	5958	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5458	5458	0.933333
4158	059	2500	0.06	1245	1	65	100	3	6	5	7500	6255	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5755	5755	0.933333
4158	061	2500	0.06	910	1	65	100	3	6	5	7500	6590	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6090	6090	0.933333
4158	062	2500	0.06	1570	1	65	100	3	6	5	7500	5930	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5430	5430	0.933333
4158	064	1916	0.04	1700	1	55	80	2.5	3	2	4790	3090	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	5364.799805	3664.799805	3664.799805	1.12
4159	005	2509	0.06	1300	1	65	100	3	6	5	7527	6227	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7025.199707	5725.199707	5725.199707	0.933333
4159	007	2509	0.06	940	1	65	100	3	6	5	7527	6587	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7025.199707	6085.199707	6085.199707	0.933333
4159	009	2508	0.06	650	1	65	100	3	6	5	7524	6874	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7022.399902	6372.399902	6372.399902	0.933333
4159	010	2508	0.06	1334	1	65	100	3	6	5	7524	6190	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7022.399902	5688.399902	5688.399902	0.933333
4159	011	2507	0.06	1725	1	65	100	3	6	5	7521	5796	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7019.600098	5294.600098	5294.600098	0.933333
4159	012	2507	0.06	1292	1	65	100	3	6	5	7521	6229	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7019.600098	5727.600098	5727.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4159	013	2507	0.06	1618	1	65	100	3	6	5	7521	5903	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7019.600098	5401.600098	5401.600098	0.933333
4159	014	2506	0.06	1701	1	65	100	3	6	5	7518	5817	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7016.799805	5315.799805	5315.799805	0.933333
4159	016	2506	0.06	2090	1	65	100	3	6	5	7518	5428	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7016.799805	4926.799805	4926.799805	0.933333
4159	018	2505	0.06	838	1	65	100	3	6	5	7515	6677	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7014	6176	6176	0.933333
4159	019	3306	0.08	1139	1	65	100	3	8	7	9918	8779	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9256.799805	8117.799805	8117.799805	0.933333
4159	021	2504	0.06	1082	1	65	100	3	6	5	7512	6430	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	5929.199707	5929.199707	0.933333
4159	023	2504	0.06	950	1	65	100	3	6	5	7512	6562	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	6061.199707	6061.199707	0.933333
4159	025	2503	0.06	3204	1	65	100	3	6	5	7509	4305	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7008.399902	3804.399902	3804.399902	0.933333
4159	026	2503	0.06	2758	1	65	100	3	6	5	7509	4751	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7008.399902	4250.399902	4250.399902	0.933333
4159	027	2502	0.06	2181	1	65	100	3	6	5	7506	5325	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7005.600098	4824.600098	4824.600098	0.933333
4159	028	2502	0.06	1702	1	65	100	3	6	5	7506	5804	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7005.600098	5303.600098	5303.600098	0.933333
4159	029	2502	0.06	2945	1	65	100	3	6	5	7506	4561	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7005.600098	4060.600098	4060.600098	0.933333
4159	030	2501	0.06	1778	1	65	100	3	6	5	7503	5725	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7002.799805	5224.799805	5224.799805	0.933333
4159	031	2501	0.06	1387	1	65	100	3	6	5	7503	6116	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7002.799805	5615.799805	5615.799805	0.933333
4159	033	2500	0.06	775	1	65	100	3	6	5	7500	6725	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6225	6225	0.933333
4159	035	2500	0.06	1307	1	65	100	3	6	5	7500	6193	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5693	5693	0.933333
4159	037	2500	0.06	1950	1	65	100	3	6	5	7500	5550	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5050	5050	0.933333
4159	038	2500	0.06	1780	1	55	80	2.5	5	4	6250	4470	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5220	5220	1.12
4159	040	2500	0.06	794	1	65	100	3	6	5	7500	6706	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6206	6206	0.933333
4159	041	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6100	6100	0.933333
4159	042	2500	0.06	1519	1	65	100	3	6	5	7500	5981	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5481	5481	0.933333
4159	043	2500	0.06	1290	1	65	100	3	6	5	7500	6210	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5710	5710	0.933333
4159	044	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5750	5750	0.933333
4159	046	2500	0.06	2075	1	65	100	3	6	5	7500	5425	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4925	4925	0.933333
4159	047	2500	0.06	2131	1	65	100	3	6	5	7500	5369	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4869	4869	0.933333
4159	048	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5850	5850	0.933333
4159	049	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5800	5800	0.933333
4159	050	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
4159	051	3300	0.08	1240	1	65	100	3	8	7	9900	8660	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9240	8000	8000	0.933333
4159	053	2500	0.06	940	1	65	100	3	6	5	7500	6560	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6060	6060	0.933333
4159	054	2500	0.06	1205	1	65	100	3	6	5	7500	6295	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5795	5795	0.933333
4159	055	2500	0.06	1698	1	65	100	3	6	5	7500	5802	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5302	5302	0.933333
4159	056	2500	0.06	2520	1	65	100	3	6	5	7500	4980	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4480	4480	0.933333
4159	057	2500	0.06	1748	1	65	100	3	6	5	7500	5752	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5252	5252	0.933333
4159	058	2500	0.06	880	1	65	100	3	6	5	7500	6620	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6120	6120	0.933333
4159	059	2500	0.06	1375	1	65	100	3	6	5	7500	6125	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5625	5625	0.933333
4159	060	2500	0.06	2457	1	65	100	3	6	5	7500	5043	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4543	4543	0.933333
4159	061	2500	0.06	2120	1	65	100	3	6	5	7500	5380	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4880	4880	0.933333
4159	062	2500	0.06	1878	1	65	100	3	6	5	7500	5622	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5122	5122	0.933333
4159	063	2500	0.06	987	1	65	100	3	6	5	7500	6513	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6013	6013	0.933333
4159	064	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5700	5700	0.933333
4159	065	2535	0.06	3438	3	65	100	3	6	3	7605	4167	RH-3	40	density-lim	1000	true		0.7	6	1	3	3	7098	3660	3660	0.933333
4160	003	2475	0.06	3960	1	65	100	3	6	5	7425	3465	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6930	2970	2970	0.933333
4160	005	2476	0.06	1200	1	65	100	3	6	5	7428	6228	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6932.799805	5732.799805	5732.799805	0.933333
4160	009	2477	0.06	702	1	65	100	3	6	5	7431	6729	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6935.600098	6233.600098	6233.600098	0.933333
4160	011	2477	0.06	2443	1	65	100	3	6	5	7431	4988	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6935.600098	4492.600098	4492.600098	0.933333
4160	012	2478	0.06	1985	1	65	100	3	6	5	7434	5449	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6938.399902	4953.399902	4953.399902	0.933333
4160	013	2478	0.06	1410	1	65	100	3	6	5	7434	6024	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6938.399902	5528.399902	5528.399902	0.933333
4160	014	2478	0.06	1947	1	65	100	3	6	5	7434	5487	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6938.399902	4991.399902	4991.399902	0.933333
4160	015	2479	0.06	1000	1	65	100	3	6	5	7437	6437	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6941.199707	5941.199707	5941.199707	0.933333
4160	016	2479	0.06	2282	1	65	100	3	6	5	7437	5155	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6941.199707	4659.199707	4659.199707	0.933333
4160	020	2481	0.06	1312	1	65	100	3	6	5	7443	6131	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6946.799805	5634.799805	5634.799805	0.933333
4160	021	2481	0.06	1875	1	65	100	3	6	5	7443	5568	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6946.799805	5071.799805	5071.799805	0.933333
4160	027	2483	0.06	1350	1	65	100	3	6	5	7449	6099	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6952.399902	5602.399902	5602.399902	0.933333
4160	030	2484	0.06	830	1	65	100	3	6	5	7452	6622	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6955.199707	6125.199707	6125.199707	0.933333
4160	031	2500	0.06	3720	3	65	100	3	6	3	7500	3780	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	7000	3280	3280	0.933333
4160	031B	2500	0.06	1060	1	65	100	3	6	5	7500	6440	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5940	5940	0.933333
4160	031C	2438	0.06	1060	1	65	100	3	6	5	7314	6254	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6826.399902	5766.399902	5766.399902	0.933333
4160	033	2525	0.06	1500	1	65	100	3	6	5	7575	6075	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7070	5570	5570	0.933333
4160	034	2500	0.06	500	1	65	100	3	6	5	7500	7000	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6500	6500	0.933333
4160	035	2500	0.06	1695	1	65	100	3	6	5	7500	5805	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5305	5305	0.933333
4160	037	2500	0.06	1811	1	65	100	3	6	5	7500	5689	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5189	5189	0.933333
4160	039	3750	0.09	1110	1	65	100	3	9	8	11250	10140	RH-2	40	density-lim	1500			0.7	4	0.444444448	3	3	10500	9390	9390	0.933333
4160	040	2500	0.06	1969	1	65	100	3	6	5	7500	5531	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5031	5031	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4160	042	2500	0.06	1605	1	65	100	3	6	5	7500	5895	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5395	5395	0.933333
4160	043	2500	0.06	1465	1	65	100	3	6	5	7500	6035	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5535	5535	0.933333
4160	044	2500	0.06	1639	1	65	100	3	6	5	7500	5861	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5361	5361	0.933333
4160	045	2500	0.06	775	1	65	100	3	6	5	7500	6725	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6225	6225	0.933333
4160	047	2300	0.05	3123	1	65	100	3	5	4	6900	3777	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6440	3317	3317	0.933333
4160	051	2500	0.06	1979	1	65	100	3	6	5	7500	5521	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5021	5021	0.933333
4160	054	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5500	5500	0.933333
4160	055	2500	0.06	1354	1	65	100	3	6	5	7500	6146	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5646	5646	0.933333
4160	056	2500	0.06	1360	1	65	100	3	6	5	7500	6140	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5640	5640	0.933333
4160	060	2500	0.06	2370	1	65	100	3	6	5	7500	5130	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4630	4630	0.933333
4160	061	2500	0.06	1752	1	65	100	3	6	5	7500	5748	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5248	5248	0.933333
4160	065	2635	0.06	3000	3	65	100	3	6	3	7905	4905	RH-3	40	density-lim	1000	true		0.7	6	1	3	3	7378	4378	4378	0.933333
4160	086	2500	0.06	1361	1	65	100	3	6	5	7500	6139	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5639	5639	0.933333
4161	007	2515	0.06	1408	1	65	100	3	6	5	7545	6137	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7042	5634	5634	0.933333
4161	009	2515	0.06	1050	1	65	100	3	6	5	7545	6495	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7042	5992	5992	0.933333
4161	010	2514	0.06	1600	1	65	100	3	6	5	7542	5942	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7039.199707	5439.199707	5439.199707	0.933333
4161	011	2514	0.06	1687	1	65	100	3	6	5	7542	5855	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7039.199707	5352.199707	5352.199707	0.933333
4161	012	2514	0.06	1467	1	65	100	3	6	5	7542	6075	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7039.199707	5572.199707	5572.199707	0.933333
4161	022	2510	0.06	1475	1	65	100	3	6	5	7530	6055	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7028	5553	5553	0.933333
4161	026	2500	0.06	700	1	65	100	3	6	5	7500	6800	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6300	6300	0.933333
4161	027	2500	0.06	1560	1	65	100	3	6	5	7500	5940	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5440	5440	0.933333
4161	028	2500	0.06	1158	1	65	100	3	6	5	7500	6342	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5842	5842	0.933333
4161	029	2500	0.06	890	1	65	100	3	6	5	7500	6610	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6110	6110	0.933333
4161	030	2500	0.06	1061	1	65	100	3	6	5	7500	6439	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5939	5939	0.933333
4161	032	2500	0.06	904	1	65	100	3	6	5	7500	6596	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6096	6096	0.933333
4161	037	2500	0.06	710	1	65	100	3	6	5	7500	6790	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6290	6290	0.933333
4161	038	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
4161	042	2500	0.06	1821	1	65	100	3	6	5	7500	5679	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5179	5179	0.933333
4161	047	2500	0.06	1875	1	65	100	3	6	5	7500	5625	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5125	5125	0.933333
4161	050	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5650	5650	0.933333
4161	051	5000	0.11	1403	1	65	100	3	11	10	15000	13597	RH-2	40	density-lim	1500			0.7	4	0.363636374	3	3	14000	12597	12597	0.933333
4161	053	2630	0.06	1372	1	65	100	3	6	5	7890	6518	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7364	5992	5992	0.933333
4161	075	2512	0.06	1366	1	65	100	3	6	5	7536	6170	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7033.600098	5667.600098	5667.600098	0.933333
4162	003	2500	0.06	1222	1	65	100	3	6	5	7500	6278	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5778	5778	0.933333
4162	005	2500	0.06	1148	1	65	100	3	6	5	7500	6352	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5852	5852	0.933333
4162	006	2500	0.06	994	1	65	100	3	6	5	7500	6506	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6006	6006	0.933333
4162	007	2500	0.06	1134	1	65	100	3	6	5	7500	6366	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5866	5866	0.933333
4162	009	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5850	5850	0.933333
4162	010	2500	0.06	1758	1	65	100	3	6	5	7500	5742	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5242	5242	0.933333
4162	011	2500	0.06	2151	1	65	100	3	6	5	7500	5349	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4849	4849	0.933333
4162	012	2500	0.06	1475	1	65	100	3	6	5	7500	6025	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5525	5525	0.933333
4162	013	2500	0.06	1457	1	65	100	3	6	5	7500	6043	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5543	5543	0.933333
4162	014	2500	0.06	2208	1	65	100	3	6	5	7500	5292	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4792	4792	0.933333
4162	016	2500	0.06	2021	1	65	100	3	6	5	7500	5479	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4979	4979	0.933333
4162	017	2500	0.06	603	1	65	100	3	6	5	7500	6897	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6397	6397	0.933333
4162	020	2500	0.06	3400	3	65	100	3	6	3	7500	4100	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	7000	3600	3600	0.933333
4162	025	2500	0.06	1270	1	65	100	3	6	5	7500	6230	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5730	5730	0.933333
4162	026	2500	0.06	962	1	65	100	3	6	5	7500	6538	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6038	6038	0.933333
4162	030	2500	0.06	1536	1	65	100	3	6	5	7500	5964	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5464	5464	0.933333
4162	031	2500	0.06	1435	1	65	100	3	6	5	7500	6065	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5565	5565	0.933333
4162	032	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5725	5725	0.933333
4162	033	2500	0.06	1424	1	65	100	3	6	5	7500	6076	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5576	5576	0.933333
4162	042	2525	0.06	2427	1	65	100	3	6	5	7575	5148	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7070	4643	4643	0.933333
4162	043	2525	0.06	1974	1	65	100	3	6	5	7575	5601	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7070	5096	5096	0.933333
4162	044	2525	0.06	2517	1	65	100	3	6	5	7575	5058	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7070	4553	4553	0.933333
4162	045	2525	0.06	1200	1	65	100	3	6	5	7575	6375	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7070	5870	5870	0.933333
4162	049	2526	0.06	1340	1	65	100	3	6	5	7578	6238	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7072.799805	5732.799805	5732.799805	0.933333
4162	050	2527	0.06	1000	1	65	100	3	6	5	7581	6581	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7075.600098	6075.600098	6075.600098	0.933333
4162	055	2528	0.06	3175	1	65	100	3	6	5	7584	4409	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7078.399902	3903.399902	3903.399902	0.933333
4162	056	2528	0.06	2609	1	65	100	3	6	5	7584	4975	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7078.399902	4469.399902	4469.399902	0.933333
4162	060	2529	0.06	854	1	65	100	3	6	5	7587	6733	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7081.199707	6227.199707	6227.199707	0.933333
4162	062	2530	0.06	2199	1	65	100	3	6	5	7590	5391	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7084	4885	4885	0.933333
4162	063	2530	0.06	1125	1	65	100	3	6	5	7590	6465	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7084	5959	5959	0.933333
4162	065	2531	0.06	3539	1	65	100	3	6	5	7593	4054	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7086.799805	3547.799805	3547.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4162	066	2531	0.06	1125	1	65	100	3	6	5	7593	6468	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7086.799805	5961.799805	5961.799805	0.933333
4162	068	2531	0.06	1152	1	65	100	3	6	5	7593	6441	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7086.799805	5934.799805	5934.799805	0.933333
4162	069	2532	0.06	1952	1	65	100	3	6	5	7596	5644	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7089.600098	5137.600098	5137.600098	0.933333
4162	070	2532	0.06	1004	1	65	100	3	6	5	7596	6592	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7089.600098	6085.600098	6085.600098	0.933333
4172	003	2116	0.05	2390	2	75	120	3.5	6	4	7406	5016	NCT-2	45	form-based				0.75	5	0.833333313	3	3	6348	3958	3958	0.857143
4172	007	2245	0.05	3400	2	75	120	3.5	6	4	7858	4458	NCT-2	45	form-based				0.75	5	0.833333313	3	3	6735	3335	3335	0.857088
4172	014	3357	0.08	5672	5	75	120	3.5	10	5	11750	6078	NCT-2	45	form-based				0.75	8	0.800000012	3	3	10071	4399	4399	0.857106
4172	015	2047	0.05	2840	2	75	120	3.5	6	4	7164	4324	NCT-2	45	form-based				0.75	5	0.833333313	3	3	6141	3301	3301	0.857203
4172	032	2500	0.06	1835	3	75	120	3.5	7	4	8750	6915	NCT-2	40	form-based				0.75	6	0.857142866	3	3	7500	5665	5665	0.857143
4172	034A	1257	0.03	0	0	75	120	3.5	4	4	4400	4400	NCT-2	45	form-based				0.75	3	0.75	3	3	3771	3771	3771	0.857045
4172	055	4159	0.1	1094	6	75	120	3.5	12	6	14556	13462	NCT-2	45	form-based				0.75	9	0.75	3	3	12477	11383	11383	0.857172
4206	002	1311	0.03	821	1	65	100	3	3	2	3933	3112	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3670.800049	2849.800049	2849.800049	0.933333
4206	003	2611	0.06	1295	1	65	100	3	6	5	7833	6538	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7310.799805	6015.799805	6015.799805	0.933333
4206	008	2610	0.06	1142	1	65	100	3	6	5	7830	6688	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7308	6166	6166	0.933333
4206	010B	1014	0.02	909	1	65	100	3	2	1	3042	2133	RH-2	40	density-lim	1500			0.7	4	2	3	3	2839.199951	1930.199951	1930.199951	0.933333
4206	021	2600	0.06	2014	1	65	100	3	6	5	7800	5786	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5266	5266	0.933333
4206	022	2600	0.06	1437	1	65	100	3	6	5	7800	6363	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5843	5843	0.933333
4206	024	2600	0.06	1277	1	65	100	3	6	5	7800	6523	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	6003	6003	0.933333
4206	029	2600	0.06	1966	1	65	100	3	6	5	7800	5834	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5314	5314	0.933333
4206	036	1971	0.05	1236	1	65	100	3	5	4	5913	4677	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5518.799805	4282.799805	4282.799805	0.933333
4206	036A	1971	0.05	2915	1	65	100	3	5	4	5913	2998	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5518.799805	2603.799805	2603.799805	0.933333
4206	041	1330	0.03	2725	3	65	100	3	3	0	3990	1265	RH-2	40	density-lim	1500	true		0.7	6	2	3	3	3724	999	999	0.933333
4207	001	2608	0.06	2728	3	65	100	3	6	3	7824	5096	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	7302.399902	4574.399902	4574.399902	0.933333
4207	007	2497	0.06	2798	1	65	100	3	6	5	7491	4693	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	4193.600098	4193.600098	0.933333
4207	008	2996	0.07	1300	1	65	100	3	7	6	8988	7688	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8388.799805	7088.799805	7088.799805	0.933333
4207	010	2896	0.07	2750	1	65	100	3	7	6	8688	5938	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8108.799805	5358.799805	5358.799805	0.933333
4207	014	1064	0.02	476	1	65	100	3	2	1	3192	2716	RH-2	40	density-lim	1500			0.7	4	2	3	3	2979.199951	2503.199951	2503.199951	0.933333
4207	015	2600	0.06	4890	3	65	100	3	6	3	7800	2910	NCT-24TH-	45	form-based				0.75	6	1	3	3	7800	2910	2910	1
4207	019	2600	0.06	3130	3	65	100	3	6	3	7800	4670	NCT-24TH-	45	form-based				0.75	6	1	3	3	7800	4670	4670	1
4207	020A	533	0.01	625	1	65	100	3	1	0	1599	974	RH-2	40	density-lim	1500			0.7	4	4	3	1	1492.400024	867.4000244	867.4000244	0.933333
4207	021	2600	0.06	1510	1	65	100	3	6	5	7800	6290	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5770	5770	0.933333
4207	021A	2600	0.06	1356	1	65	100	3	6	5	7800	6444	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5924	5924	0.933333
4207	029	2600	0.06	2339	1	65	100	3	6	5	7800	5461	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	4941	4941	0.933333
4207	030	3000	0.07	2010	1	65	100	3	7	6	9000	6990	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8400	6390	6390	0.933333
4207	033	1776	0.04	1700	1	65	100	3	4	3	5328	3628	RH-2	40	density-lim	1500			0.7	4	1	3	3	4972.799805	3272.799805	3272.799805	0.933333
4208	003	2585	0.06	2160	1	65	100	3	6	5	7755	5595	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7238	5078	5078	0.933333
4208	004	2585	0.06	2067	1	65	100	3	6	5	7755	5688	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7238	5171	5171	0.933333
4208	006	2585	0.06	1365	1	65	100	3	6	5	7755	6390	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7238	5873	5873	0.933333
4208	019	2600	0.06	5070	3	65	100	3	6	3	7800	2730	NCT-24TH-	45	form-based				0.75	6	1	3	3	7800	2730	2730	1
4208	020	2642	0.06	4344	3	65	100	3	6	3	7926	3582	NCT-24TH-	45	form-based				0.75	6	1	3	3	7926	3582	3582	1
4208	020A	2558	0.06	5769	3	65	100	3	6	3	7674	1905	NCT-24TH-	45	form-based				0.75	6	1	3	3	7674	1905	1905	1
4208	023	2600	0.06	1368	1	65	100	3	6	5	7800	6432	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5912	5912	0.933333
4208	025	2500	0.06	1348	1	65	100	3	6	5	7500	6152	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5652	5652	0.933333
4208	026	2700	0.06	1222	1	65	100	3	6	5	8100	6878	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7560	6338	6338	0.933333
4208	027	2600	0.06	1186	1	65	100	3	6	5	7800	6614	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	6094	6094	0.933333
4208	032	2575	0.06	1875	1	65	100	3	6	5	7725	5850	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7210	5335	5335	0.933333
4208	034	2600	0.06	1518	1	65	100	3	6	5	7800	6282	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5762	5762	0.933333
4210	032	1000	0.02	718	1	65	100	3	2	1	3000	2282	RH-2	40	density-lim	1500			0.7	4	2	3	3	2800	2082	2082	0.933333
4209	005	2618	0.06	1948	1	65	100	3	6	5	7854	5906	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7330.399902	5382.399902	5382.399902	0.933333
4209	008	2618	0.06	1802	1	65	100	3	6	5	7854	6052	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7330.399902	5528.399902	5528.399902	0.933333
4209	013	1217	0.03	1292	1	65	100	3	3	2	3651	2359	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3407.599854	2115.599854	2115.599854	0.933333
4209	023	2600	0.06	1874	1	65	100	3	6	5	7800	5926	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5406	5406	0.933333
4209	024	2600	0.06	1275	1	65	100	3	6	5	7800	6525	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	6005	6005	0.933333
4209	025	2600	0.06	1282	1	65	100	3	6	5	7800	6518	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5998	5998	0.933333
4209	030	2600	0.06	1338	1	65	100	3	6	5	7800	6462	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5942	5942	0.933333
4209	040	2600	0.06	3321	3	65	100	3	6	3	7800	4479	NCT-24TH-	40	form-based				0.75	6	1	3	3	7800	4479	4479	1
4210	006	2608	0.06	782	1	65	100	3	6	5	7824	7042	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7302.399902	6520.399902	6520.399902	0.933333
4210	007	2508	0.06	1330	1	65	100	3	6	5	7524	6194	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7022.399902	5692.399902	5692.399902	0.933333
4210	009	2608	0.06	1136	1	65	100	3	6	5	7824	6688	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7302.399902	6166.399902	6166.399902	0.933333
4210	010	2608	0.06	1344	1	65	100	3	6	5	7824	6480	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7302.399902	5958.399902	5958.399902	0.933333
4210	011	2608	0.06	2005	1	65	100	3	6	5	7824	5819	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7302.399902	5297.399902	5297.399902	0.933333
4210	012	2608	0.06	1915	1	65	100	3	6	5	7824	5909	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7302.399902	5387.399902	5387.399902	0.933333
4210	025	2600	0.06	1176	1	65	100	3	6	5	7800	6624	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	6104	6104	0.933333
4210	026A	2500	0.06	2200	1	65	100	3	6	5	7500	5300	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4800	4800	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4210	027	2600	0.06	1345	1	65	100	3	6	5	7800	6455	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5935	5935	0.933333
4211	005	2486	0.06	1790	1	65	100	3	6	5	7458	5668	RH-3	55	density-lim	1000			0.7	4	0.666666687	3	3	8701	6911	6911	1.166667
4211	006	2486	0.06	1259	1	65	100	3	6	5	7458	6199	RH-3	55	density-lim	1000			0.7	4	0.666666687	3	3	8701	7442	7442	1.166667
4211	007	2486	0.06	1220	1	65	100	3	6	5	7458	6238	RH-3	55	density-lim	1000			0.7	4	0.666666687	3	3	8701	7481	7481	1.166667
4211	008	2486	0.06	1032	1	65	100	3	6	5	7458	6426	RH-3	55	density-lim	1000			0.7	4	0.666666687	3	3	8701	7669	7669	1.166667
4211	010	2486	0.06	740	1	65	100	3	6	5	7458	6718	RH-3	55	density-lim	1000			0.7	4	0.666666687	3	3	8701	7961	7961	1.166667
4211	018	2500	0.06	1788	1	65	100	3	6	5	7500	5712	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5212	5212	0.933333
4211	018A	2500	0.06	942	1	65	100	3	6	5	7500	6558	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6058	6058	0.933333
4211	019	2500	0.06	985	1	65	100	3	6	5	7500	6515	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6015	6015	0.933333
4211	020	2500	0.06	965	1	65	100	3	6	5	7500	6535	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6035	6035	0.933333
4211	021	2500	0.06	975	1	65	100	3	6	5	7500	6525	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6025	6025	0.933333
4211	022	2500	0.06	1751	1	65	100	3	6	5	7500	5749	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5249	5249	0.933333
4211	023	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5875	5875	0.933333
4211	024	2500	0.06	965	1	65	100	3	6	5	7500	6535	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6035	6035	0.933333
4211	025	2500	0.06	955	1	65	100	3	6	5	7500	6545	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6045	6045	0.933333
4211	027	2500	0.06	895	1	65	100	3	6	5	7500	6605	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6105	6105	0.933333
4211	028	2500	0.06	700	1	65	100	3	6	5	7500	6800	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6300	6300	0.933333
4211	029	2500	0.06	994	1	65	100	3	6	5	7500	6506	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6006	6006	0.933333
4211	030	2381	0.05	4250	3	65	100	3	5	2	7143	2893	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	3	3	6666.799805	2416.799805	2416.799805	0.933333
4211	031	2380	0.05	1627	1	65	100	3	5	4	7140	5513	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6664	5037	5037	0.933333
4211	032	2380	0.05	1025	1	65	100	3	5	4	7140	6115	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6664	5639	5639	0.933333
4211	033	2379	0.05	1185	1	65	100	3	5	4	7137	5952	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6661.199707	5476.199707	5476.199707	0.933333
4212	001	4950	0.11	2951	3	65	100	3	11	8	14850	11899	RH-2	40	density-lim	1500	true		0.7	6	0.545454562	3	3	13860	10909	10909	0.933333
4212	003	2490	0.06	1620	1	65	100	3	6	5	7470	5850	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6972	5352	5352	0.933333
4212	003A	2250	0.05	1640	1	65	100	3	5	4	6750	5110	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6300	4660	4660	0.933333
4212	003B	2250	0.05	1720	1	65	100	3	5	4	6750	5030	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6300	4580	4580	0.933333
4212	003E	2489	0.06	1538	1	65	100	3	6	5	7467	5929	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6969.199707	5431.199707	5431.199707	0.933333
4212	003F	2490	0.06	1929	1	65	100	3	6	5	7470	5541	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6972	5043	5043	0.933333
4212	003G	2250	0.05	2509	1	65	100	3	5	4	6750	4241	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6300	3791	3791	0.933333
4212	008	2500	0.06	1530	1	65	100	3	6	5	7500	5970	RH-3	55	density-lim	1000			0.7	4	0.666666687	3	3	8750	7220	7220	1.166667
4212	009	2500	0.06	750	1	65	100	3	6	5	7500	6750	RH-3	55	density-lim	1000			0.7	4	0.666666687	3	3	8750	8000	8000	1.166667
4212	011	2500	0.06	1742	1	65	100	3	6	5	7500	5758	RH-3	55	density-lim	1000			0.7	4	0.666666687	3	3	8750	7008	7008	1.166667
4214	001	1802	0.04	2250	3	65	100	3	4	1	5406	3156	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	5045.600098	2795.600098	2795.600098	0.933333
4214	001A	1877	0.04	952	1	65	100	3	4	3	5631	4679	RH-2	40	density-lim	1500			0.7	4	1	3	3	5255.600098	4303.600098	4303.600098	0.933333
4214	001B	1879	0.04	1237	1	65	100	3	4	3	5637	4400	RH-2	40	density-lim	1500			0.7	4	1	3	3	5261.199707	4024.199707	4024.199707	0.933333
4214	002	1875	0.04	1226	1	65	100	3	4	3	5625	4399	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	4024	4024	0.933333
4214	002A	2473	0.06	1975	1	65	100	3	6	5	7419	5444	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6924.399902	4949.399902	4949.399902	0.933333
4214	003	2472	0.06	944	1	65	100	3	6	5	7416	6472	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6921.600098	5977.600098	5977.600098	0.933333
4214	004	2471	0.06	1390	1	65	100	3	6	5	7413	6023	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6918.799805	5528.799805	5528.799805	0.933333
4214	006	2075	0.05	2067	1	65	100	3	5	4	6225	4158	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5810	3743	3743	0.933333
4214	007	3095	0.07	1761	1	65	100	3	7	6	9285	7524	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8666	6905	6905	0.933333
4214	008	2469	0.06	2713	1	65	100	3	6	5	7407	4694	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6913.199707	4200.199707	4200.199707	0.933333
4214	019	1872	0.04	930	1	65	100	3	4	3	5616	4686	RH-2	40	density-lim	1500			0.7	4	1	3	3	5241.600098	4311.600098	4311.600098	0.933333
4214	020	1871	0.04	1005	1	65	100	3	4	3	5613	4608	RH-2	40	density-lim	1500			0.7	4	1	3	3	5238.799805	4233.799805	4233.799805	0.933333
4214	021	1871	0.04	1005	1	65	100	3	4	3	5613	4608	RH-2	40	density-lim	1500			0.7	4	1	3	3	5238.799805	4233.799805	4233.799805	0.933333
4214	022	2096	0.05	790	1	65	100	3	5	4	6288	5498	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5868.799805	5078.799805	5078.799805	0.933333
4214	026	2493	0.06	1290	1	65	100	3	6	5	7479	6189	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6980.399902	5690.399902	5690.399902	0.933333
4214	027	2492	0.06	1282	1	65	100	3	6	5	7476	6194	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6977.600098	5695.600098	5695.600098	0.933333
4214	028	2492	0.06	2102	1	65	100	3	6	5	7476	5374	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6977.600098	4875.600098	4875.600098	0.933333
4217	003	2485	0.06	925	1	65	100	3	6	5	7455	6530	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6958	6033	6033	0.933333
4217	004	2485	0.06	1325	1	65	100	3	6	5	7455	6130	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6958	5633	5633	0.933333
4217	006	2485	0.06	1498	1	65	100	3	6	5	7455	5957	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6958	5460	5460	0.933333
4217	007	2485	0.06	625	1	65	100	3	6	5	7455	6830	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6958	6333	6333	0.933333
4217	011	2500	0.06	1455	1	55	80	2.5	5	4	6250	4795	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5545	5545	1.12
4217	019	2500	0.06	1809	1	55	80	2.5	5	4	6250	4441	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5191	5191	1.12
4217	021A	2500	0.06	1008	1	55	80	2.5	5	4	6250	5242	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5992	5992	1.12
4217	027	2500	0.06	970	1	55	80	2.5	5	4	6250	5280	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6030	6030	1.12
4217	028	2551	0.06	3055	3	55	80	2.5	5	2	6378	3323	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	3	3	7142.799805	4087.799805	4087.799805	1.119912
4217	029	2518	0.06	1657	1	65	100	3	6	5	7554	5897	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7050.399902	5393.399902	5393.399902	0.933333
4218	025	3337	0.08	2024	1	55	80	2.5	6	5	8342	6318	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	9343.599609	7319.599609	7319.599609	1.120067
4218	026	1668	0.04	901	1	55	80	2.5	3	2	4170	3269	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	4670.399902	3769.399902	3769.399902	1.12
4218	027	1668	0.04	615	1	55	80	2.5	3	2	4170	3555	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	4670.399902	4055.399902	4055.399902	1.12
4218	028	1668	0.04	1032	1	55	80	2.5	3	2	4170	3138	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	4670.399902	3638.399902	3638.399902	1.12
4218	029	1667	0.04	1347	1	55	80	2.5	3	2	4168	2821	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	4667.600098	3320.600098	3320.600098	1.119866

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4218	032	3333	0.08	2716	1	55	80	2.5	6	5	8332	5616	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	9332.399414	6616.399414	6616.399414	1.120067
4218	032A	3333	0.08	2627	1	65	100	3	8	7	9999	7372	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	9332.399414	6705.399414	6705.399414	0.933333
4218	044	3333	0.08	1735	1	65	100	3	8	7	9999	8264	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9332.399414	7597.399414	7597.399414	0.933333
4218	046	3000	0.07	1944	1	65	100	3	7	6	9000	7056	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8400	6456	6456	0.933333
4218	047	3300	0.08	1607	1	65	100	3	8	7	9900	8293	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9240	7633	7633	0.933333
4218	048	3300	0.08	902	1	65	100	3	8	7	9900	8998	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9240	8338	8338	0.933333
4218	055	1982	0.05	2500	1	65	100	3	5	4	5946	3446	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5549.600098	3049.600098	3049.600098	0.933333
4218	056	2018	0.05	2505	1	65	100	3	5	4	6054	3549	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5650.399902	3145.399902	3145.399902	0.933333
4219	002	2542	0.06	820	1	65	100	3	6	5	7626	6806	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7117.600098	6297.600098	6297.600098	0.933333
4219	004	2534	0.06	851	1	65	100	3	6	5	7602	6751	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7095.199707	6244.199707	6244.199707	0.933333
4219	041	2500	0.06	1071	1	65	100	3	6	5	7500	6429	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5929	5929	0.933333
4219	043	2500	0.06	1296	1	65	100	3	6	5	7500	6204	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5704	5704	0.933333
4219	046	2500	0.06	1648	1	65	100	3	6	5	7500	5852	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5352	5352	0.933333
4219	047	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6100	6100	0.933333
4219	048	2500	0.06	1685	1	65	100	3	6	5	7500	5815	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5315	5315	0.933333
4219	049	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5875	5875	0.933333
4220	029	2500	0.06	1662	1	65	100	3	6	5	7500	5838	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5338	5338	0.933333
4220	030	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333
4220	031	2500	0.06	1874	1	65	100	3	6	5	7500	5626	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5126	5126	0.933333
4220	034	2500	0.06	1057	1	65	100	3	6	5	7500	6443	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5943	5943	0.933333
4220	035	2500	0.06	1298	1	65	100	3	6	5	7500	6202	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5702	5702	0.933333
4220	036	2500	0.06	793	1	65	100	3	6	5	7500	6707	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6207	6207	0.933333
4220	038	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333
4220	039	2500	0.06	1135	1	65	100	3	6	5	7500	6365	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5865	5865	0.933333
4220	040	2500	0.06	1184	1	65	100	3	6	5	7500	6316	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5816	5816	0.933333
4221A	001	2107	0.05	1090	1	65	100	3	5	4	6321	5231	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5899.600098	4809.600098	4809.600098	0.933333
4221A	002	1513	0.03	1090	1	65	100	3	3	2	4539	3449	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4236.399902	3146.399902	3146.399902	0.933333
4221A	003	1420	0.03	1090	1	65	100	3	3	2	4260	3170	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3976	2886	2886	0.933333
4221A	004	1385	0.03	1090	1	65	100	3	3	2	4155	3065	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3878	2788	2788	0.933333
4221A	005	1383	0.03	1090	1	65	100	3	3	2	4149	3059	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3872.399902	2782.399902	2782.399902	0.933333
4221A	006	1418	0.03	1090	1	65	100	3	3	2	4254	3164	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3970.399902	2880.399902	2880.399902	0.933333
4221A	007	1476	0.03	1090	1	65	100	3	3	2	4428	3338	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4132.799805	3042.799805	3042.799805	0.933333
4221A	008	1553	0.04	1090	1	65	100	3	4	3	4659	3569	RH-1	40	density-lim	3000			0.7	4	1	3	3	4348.399902	3258.399902	3258.399902	0.933333
4221A	009	1944	0.04	1090	1	65	100	3	4	3	5832	4742	RH-1	40	density-lim	3000			0.7	4	1	3	3	5443.199707	4353.199707	4353.199707	0.933333
4221A	010	1084	0.02	1109	1	55	80	2.5	2	1	2710	1601	RH-1	40	density-lim	3000			0.7	4	2	3	3	3035.199951	1926.199951	1926.199951	1.12
4221A	011	831	0.02	1109	1	55	80	2.5	2	1	2078	969	RH-1	40	density-lim	3000			0.7	4	2	3	3	2326.800049	1217.800049	1217.800049	1.119731
4221A	012	883	0.02	1109	1	55	80	2.5	2	1	2208	1099	RH-1	40	density-lim	3000			0.7	4	2	3	3	2472.399902	1363.399902	1363.399902	1.119746
4221A	013	883	0.02	1109	1	55	80	2.5	2	1	2208	1099	RH-1	40	density-lim	3000			0.7	4	2	3	3	2472.399902	1363.399902	1363.399902	1.119746
4221A	014	1363	0.03	1109	1	55	80	2.5	2	1	3408	2299	RH-1	40	density-lim	3000			0.7	4	2	3	3	3816.399902	2707.399902	2707.399902	1.119836
4221A	015	2323	0.05	956	1	55	80	2.5	4	3	5808	4852	RH-1	40	density-lim	3000			0.7	4	1	3	3	6504.399902	5548.399902	5548.399902	1.119904
4221A	016	992	0.02	956	1	55	80	2.5	2	1	2480	1524	RH-1	40	density-lim	3000			0.7	4	2	3	3	2777.599854	1821.599854	1821.599854	1.12
4221A	017	992	0.02	956	1	65	100	3	2	1	2976	2020	RH-1	40	density-lim	3000			0.7	4	2	3	3	2777.599854	1821.599854	1821.599854	0.933333
4221A	018	1636	0.04	956	1	65	100	3	4	3	4908	3952	RH-1	40	density-lim	3000			0.7	4	1	3	3	4580.799805	3624.799805	3624.799805	0.933333
4224	034	2500	0.06	1550	1	65	100	3	6	5	7500	5950	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5450	5450	0.933333
4224	036	5000	0.11	1750	2	65	100	3	11	9	15000	13250	RH-3	40	density-lim	1000			0.7	5	0.454545468	3	3	14000	12250	12250	0.933333
4224	004	2500	0.06	1153	1	75	120	3.5	7	6	8750	7597	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5847	5847	0.8
4224	006	2500	0.06	1025	1	75	120	3.5	7	6	8750	7725	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5975	5975	0.8
4224	007	2500	0.06	830	1	75	120	3.5	7	6	8750	7920	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6170	6170	0.8
4224	015	2500	0.06	0	1	75	120	3.5	7	6	8750	8750	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7000	7000	7000	0.8
4224	018	2500	0.06	0	1	65	100	3	6	5	7500	7500	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	7000	7000	0.933333
4224	021	2500	0.06	1105	1	65	100	3	6	5	7500	6395	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5895	5895	0.933333
4224	023	2500	0.06	1903	1	65	100	3	6	5	7500	5597	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5097	5097	0.933333
4224	024	2500	0.06	2470	1	65	100	3	6	5	7500	5030	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	4530	4530	0.933333
4224	026	2576	0.06	1125	1	65	100	3	6	5	7728	6603	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7212.799805	6087.799805	6087.799805	0.933333
4224	158	5153	0.12	1104	2	65	100	3	12	10	15459	14355	RH-3	40	density-lim	1000			0.7	5	0.416666657	3	3	14428.39941	13324.39941	13324.39941	0.933333
4224	160	2576	0.06	1160	3	65	100	3	6	3	7728	6568	RH-3	40	density-lim	1000	true		0.7	6	1	3	3	7212.799805	6052.799805	6052.799805	0.933333
4224	167	2825	0.06	1235	3	65	100	3	6	3	8475	7240	UMU	40	form-based				0.75	6	1	3	3	8475	7240	7240	1
4259	004	2500	0.06	1373	1	55	80	2.5	5	4	6250	4877	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7000	5627	5627	1.12
4259	011	2500	0.06	760	1	55	80	2.5	5	4	6250	5490	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7000	6240	6240	1.12
4259	016	2485	0.06	2005	1	55	80	2.5	5	4	6212	4207	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6958	4953	4953	1.12009
4259	017	2485	0.06	906	1	55	80	2.5	5	4	6212	5306	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6958	6052	6052	1.12009
4259	020	2485	0.06	850	1	55	80	2.5	5	4	6212	5362	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6958	6108	6108	1.12009
4259	022	2485	0.06	1500	1	55	80	2.5	5	4	6212	4712	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6958	5458	5458	1.12009
4259	029	2479	0.06	1372	1	55	80	2.5	5	4	6198	4826	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6941.199707	5569.199707	5569.199707	1.11991

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4259	031	2475	0.06	2476	1	55	80	2.5	5	4	6188	3712	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6930	4454	4454	1.11991
4259	032	2473	0.06	1500	1	55	80	2.5	5	4	6182	4682	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6924.399902	5424.399902	5424.399902	1.120091
4259	034	1750	0.04	1750	1	55	80	2.5	3	2	4375	2625	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	3150	3150	1.12
4259	035	2500	0.06	1220	1	55	80	2.5	5	4	6250	5030	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	7000	5780	5780	1.12
4259	043	2471	0.06	1162	3	55	80	2.5	5	2	6178	5016	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	3	3	6918.799805	5756.799805	5756.799805	1.119909
4260	001	2544	0.06	2750	3	55	80	2.5	5	2	6360	3610	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	3	3	7123.199707	4373.199707	4373.199707	1.12
4260	002	2500	0.06	3458	1	55	80	2.5	5	4	6250	2792	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	3542	3542	1.12
4260	004	2500	0.06	2242	1	55	80	2.5	5	4	6250	4008	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4758	4758	1.12
4260	005	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5825	5825	1.12
4260	007	2500	0.06	1760	1	55	80	2.5	5	4	6250	4490	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5240	5240	1.12
4260	008	1875	0.04	1209	1	55	80	2.5	3	2	4688	3479	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5250	4041	4041	1.119881
4260	008A	1875	0.04	1025	1	55	80	2.5	3	2	4688	3663	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5250	4225	4225	1.119881
4260	011	2500	0.06	1247	1	55	80	2.5	5	4	6250	5003	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5753	5753	1.12
4260	015	1892	0.04	1724	1	65	100	3	4	3	5676	3952	RH-2	40	density-lim	1500			0.7	4	1	3	3	5297.600098	3573.600098	3573.600098	0.933333
4260	016	2517	0.06	1618	1	65	100	3	6	5	7551	5933	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7047.600098	5429.600098	5429.600098	0.933333
4260	020	2517	0.06	3195	1	65	100	3	6	5	7551	4356	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7047.600098	3852.600098	3852.600098	0.933333
4260	022	2517	0.06	902	1	65	100	3	6	5	7551	6649	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7047.600098	6145.600098	6145.600098	0.933333
4260	026	1877	0.04	670	1	65	100	3	4	3	5631	4961	RH-2	40	density-lim	1500			0.7	4	1	3	3	5255.600098	4585.600098	4585.600098	0.933333
4260	027	2500	0.06	963	1	55	80	2.5	5	4	6250	5287	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6037	6037	1.12
4262	004	2466	0.06	2010	1	65	100	3	6	5	7398	5388	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6904.799805	4894.799805	4894.799805	0.933333
4262	008A	1809	0.04	3650	3	65	100	3	4	1	5427	1777	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	5065.199707	1415.199707	1415.199707	0.933333
4262	010	1838	0.04	1338	1	65	100	3	4	3	5514	4176	RH-2	40	density-lim	1500			0.7	4	1	3	3	5146.399902	3808.399902	3808.399902	0.933333
4262	011	1875	0.04	755	1	65	100	3	4	3	5625	4870	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	4495	4495	0.933333
4262	012	2500	0.06	1285	1	65	100	3	6	5	7500	6215	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5715	5715	0.933333
4262	013	1875	0.04	1247	1	65	100	3	4	3	5625	4378	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	4003	4003	0.933333
4262	014	1875	0.04	1592	1	65	100	3	4	3	5625	4033	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3658	3658	0.933333
4262	015A	1875	0.04	1355	1	65	100	3	4	3	5625	4270	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3895	3895	0.933333
4262	016	2500	0.06	640	1	65	100	3	6	5	7500	6860	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6360	6360	0.933333
4262	019A	1800	0.04	868	1	65	100	3	4	3	5400	4532	RH-2	40	density-lim	1500			0.7	4	1	3	3	5040	4172	4172	0.933333
4262	020	2571	0.06	1040	1	65	100	3	6	5	7713	6673	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7198.799805	6158.799805	6158.799805	0.933333
4262	021	2500	0.06	1067	1	65	100	3	6	5	7500	6433	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5933	5933	0.933333
4262	024	2491	0.06	2162	0	65	100	3	6	6	7473	5311	RM-1	40	density-lim	800			0.7	3	0.5	3	3	6974.799805	4812.799805	4812.799805	0.933333
4263	001A	1250	0.03	1292	1	65	100	3	3	2	3750	2458	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3500	2208	2208	0.933333
4263	005	2500	0.06	1075	1	65	100	3	6	5	7500	6425	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5925	5925	0.933333
4263	005A	2500	0.06	1075	1	65	100	3	6	5	7500	6425	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5925	5925	0.933333
4263	006	2500	0.06	1030	1	65	100	3	6	5	7500	6470	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5970	5970	0.933333
4263	009	2500	0.06	1248	1	65	100	3	6	5	7500	6252	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5752	5752	0.933333
4263	014	1692	0.04	540	1	65	100	3	4	3	5076	4536	RH-3	40	density-lim	1000			0.7	4	1	3	3	4737.600098	4197.600098	4197.600098	0.933333
4263	016	2490	0.06	2541	1	65	100	3	6	5	7470	4929	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6972	4431	4431	0.933333
4263	020	2488	0.06	3640	3	65	100	3	6	3	7464	3824	NCT-24TH-	40	form-based				0.75	6	1	3	3	7464	3824	3824	1
4263	025	2875	0.07	1613	1	65	100	3	7	6	8625	7012	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8050	6437	6437	0.933333
4264	007A	2500	0.06	1878	1	65	100	3	6	5	7500	5622	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5122	5122	0.933333
4264	007B	2500	0.06	1545	1	65	100	3	6	5	7500	5955	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5455	5455	0.933333
4264	014	2524	0.06	1680	1	85	140	4	8	7	10096	8416	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	7067.199707	5387.199707	5387.199707	0.7
4264	016	2509	0.06	1349	1	85	140	4	8	7	10036	8687	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	7025.199707	5676.199707	5676.199707	0.7
4264	022	2706	0.06	2332	1	85	140	4	8	7	10824	8492	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	7576.799805	5244.799805	5244.799805	0.7
4264	027	2054	0.05	2396	2	85	140	4	7	5	8216	5820	NCT-24TH-	40	form-based				0.75	5	0.714285731	3	3	6162	3766	3766	0.75
4265	012	2500	0.06	1530	1	65	100	3	6	5	7500	5970	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5470	5470	0.933333
4265	016	2500	0.06	1450	1	85	140	4	8	7	10000	8550	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	7000	5550	5550	0.7
4265	017	2500	0.06	1570	1	85	140	4	8	7	10000	8430	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	7000	5430	5430	0.7
4266	005	2407	0.06	1416	1	65	100	3	6	5	7221	5805	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6739.600098	5323.600098	5323.600098	0.933333
4266	006	2407	0.06	1738	1	65	100	3	6	5	7221	5483	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6739.600098	5001.600098	5001.600098	0.933333
4266	018	2450	0.06	1670	1	65	100	3	6	5	7350	5680	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6860	5190	5190	0.933333
4266	019	2375	0.05	1265	1	65	100	3	5	4	7125	5860	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6650	5385	5385	0.933333
4266	020	1750	0.04	1566	1	65	100	3	4	3	5250	3684	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3334	3334	0.933333
4266	020A	1875	0.04	1270	1	65	100	3	4	3	5625	4355	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3980	3980	0.933333
4266	020B	1750	0.04	1530	1	65	100	3	4	3	5250	3720	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3370	3370	0.933333
4266	021	2300	0.05	1387	1	65	100	3	5	4	6900	5513	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6440	5053	5053	0.933333
4266	023	2300	0.05	1486	1	65	100	3	5	4	6900	5414	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6440	4954	4954	0.933333
4266	025	2600	0.06	1450	1	65	100	3	6	5	7800	6350	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5830	5830	0.933333
4266	029	2300	0.05	2783	1	65	100	3	5	4	6900	4117	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6440	3657	3657	0.933333
4266	030	2300	0.05	1968	1	65	100	3	5	4	6900	4932	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6440	4472	4472	0.933333
4266	031	2300	0.05	2384	1	65	100	3	5	4	6900	4516	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6440	4056	4056	0.933333
4266	035	2292	0.05	2325	4	65	100	3	5	1	6876	4551	NCT-24TH-	55	form-based		true		0.75	7	1.399999976	3	3	8595	6270	6270	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4267	003	2618	0.06	860	1	65	100	3	6	5	7854	6994	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7330.399902	6470.399902	6470.399902	0.933333
4267	004	2618	0.06	1440	1	65	100	3	6	5	7854	6414	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7330.399902	5890.399902	5890.399902	0.933333
4267	005	2618	0.06	720	1	65	100	3	6	5	7854	7134	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7330.399902	6610.399902	6610.399902	0.933333
4267	007	2618	0.06	1317	1	65	100	3	6	5	7854	6537	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7330.399902	6013.399902	6013.399902	0.933333
4267	013	2618	0.06	1404	1	65	100	3	6	5	7854	6450	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7330.399902	5926.399902	5926.399902	0.933333
4267	021	2600	0.06	1050	1	65	100	3	6	5	7800	6750	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7280	6230	6230	0.933333
4267	023	2600	0.06	2311	1	65	100	3	6	5	7800	5489	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7280	4969	4969	0.933333
4267	024	2425	0.06	1500	1	65	100	3	6	5	7275	5775	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6790	5290	5290	0.933333
4267	026	2550	0.06	1256	1	65	100	3	6	5	7650	6394	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7140	5884	5884	0.933333
4268	003	2485	0.06	1275	1	65	100	3	6	5	7455	6180	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6958	5683	5683	0.933333
4268	004	2932	0.07	1695	1	65	100	3	7	6	8796	7101	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8209.599609	6514.599609	6514.599609	0.933333
4268	004A	2237	0.05	1651	1	65	100	3	5	4	6711	5060	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6263.600098	4612.600098	4612.600098	0.933333
4268	008	2585	0.06	1245	1	65	100	3	6	5	7755	6510	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7238	5993	5993	0.933333
4268	009	2585	0.06	1921	1	65	100	3	6	5	7755	5834	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7238	5317	5317	0.933333
4268	015	5200	0.12	1380	1	65	100	3	12	11	15600	14220	RH-2	40	density-lim	1500			0.7	4	0.333333343	3	3	14560	13180	13180	0.933333
4268	018	2600	0.06	1659	1	65	100	3	6	5	7800	6141	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5621	5621	0.933333
4268	020	2500	0.06	1014	1	65	100	3	6	5	7500	6486	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5986	5986	0.933333
4268	022	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5700	5700	0.933333
4268	023	2700	0.06	1960	1	65	100	3	6	5	8100	6140	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7560	5600	5600	0.933333
4268	031	2750	0.06	3600	3	65	100	3	6	3	8250	4650	NCT-24TH-	45	form-based				0.75	6	1	3	3	8250	4650	4650	1
4268	035	3949	0.09	7565	6	65	100	3	9	3	11847	4282	NCT-24TH-	45	form-based		true		0.75	9	1	3	3	11847	4282	4282	1
4268	042	4884	0.11	625	8	65	100	3	11	3	14652	14027	NCT-24TH-	45	form-based				0.75	11	1	3	3	14652	14027	14027	1
4269	009	2600	0.06	1190	1	65	100	3	6	5	7800	6610	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	6090	6090	0.933333
4269	010	1950	0.04	1455	1	65	100	3	4	3	5850	4395	RH-2	40	density-lim	1500			0.7	4	1	3	3	5460	4005	4005	0.933333
4269	011	1657	0.04	2284	1	65	100	3	4	3	4971	2687	RH-2	40	density-lim	1500			0.7	4	1	3	3	4639.600098	2355.600098	2355.600098	0.933333
4269	012	1950	0.04	800	1	65	100	3	4	3	5850	5050	RH-2	40	density-lim	1500			0.7	4	1	3	3	5460	4660	4660	0.933333
4269	016	1348	0.03	1375	0	65	100	3	3	3	4044	2669	NCT-24TH-	45	form-based				0.75	3	1	3	3	4044	2669	2669	1
4269	017	1200	0.03	1250	0	65	100	3	3	3	3600	2350	NCT-24TH-	40	form-based				0.75	3	1	3	3	3600	2350	2350	1
4269	023	3242	0.07	4339	4	65	100	3	7	3	9726	5387	NCT-24TH-	45	form-based		true		0.75	7	1	3	3	9726	5387	5387	1
4270	006	2605	0.06	2111	1	65	100	3	6	5	7815	5704	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7294	5183	5183	0.933333
4270	013	2608	0.06	3870	3	65	100	3	6	3	7824	3954	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	7302.399902	3432.399902	3432.399902	0.933333
4270	016	2600	0.06	1213	1	65	100	3	6	5	7800	6587	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	6067	6067	0.933333
4270	018	2600	0.06	1080	1	65	100	3	6	5	7800	6720	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	6200	6200	0.933333
4270	019	2600	0.06	1200	1	65	100	3	6	5	7800	6600	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	6080	6080	0.933333
4270	022	2600	0.06	2712	1	65	100	3	6	5	7800	5088	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	4568	4568	0.933333
4270	029	2210	0.05	1398	1	65	100	3	5	4	6630	5232	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6188	4790	4790	0.933333
4270	030	2600	0.06	1226	1	65	100	3	6	5	7800	6574	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	6054	6054	0.933333
4270	031	2600	0.06	2050	1	65	100	3	6	5	7800	5750	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7280	5230	5230	0.933333
4270	034	2850	0.07	4644	3	65	100	3	7	4	8550	3906	NCT-24TH-	45	form-based				0.75	6	0.857142866	3	3	8550	3906	3906	1
4270	035	2230	0.05	3168	2	65	100	3	5	3	6690	3522	NCT-24TH-	45	form-based				0.75	5	1	3	3	6690	3522	3522	1
4270	037	5817	0.13	8220	10	65	100	3	13	3	17451	9231	NCT-24TH-	45	form-based				0.75	13	1	3	3	17451	9231	9231	1
4271	005	2182	0.05	810	1	65	100	3	5	4	6546	5736	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6109.600098	5299.600098	5299.600098	0.933333
4271	010	2896	0.07	2240	1	65	100	3	7	6	8688	6448	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8108.799805	5868.799805	5868.799805	0.933333
4271	017A	1040	0.02	1930	1	65	100	3	2	1	3120	1190	RH-2	40	density-lim	1500			0.7	4	2	3	3	2912	982	982	0.933333
4271	019	2500	0.06	1424	1	65	100	3	6	5	7500	6076	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5576	5576	0.933333
4271	023	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5800	5800	0.933333
4271	024	2500	0.06	1075	1	65	100	3	6	5	7500	6425	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5925	5925	0.933333
4271	032	2500	0.06	1596	1	65	100	3	6	5	7500	5904	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5404	5404	0.933333
4271	035	2500	0.06	1258	1	65	100	3	6	5	7500	6242	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5742	5742	0.933333
4271	039	2521	0.06	1797	1	65	100	3	6	5	7563	5766	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7058.799805	5261.799805	5261.799805	0.933333
4271	039A	2520	0.06	1634	1	65	100	3	6	5	7560	5926	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7056	5422	5422	0.933333
4271	042	1849	0.04	1288	1	65	100	3	4	3	5547	4259	RH-2	40	density-lim	1500			0.7	4	1	3	3	5177.199707	3889.199707	3889.199707	0.933333
4272	001A	1872	0.04	2067	1	65	100	3	4	3	5616	3549	RH-2	40	density-lim	1500			0.7	4	1	3	3	5241.600098	3174.600098	3174.600098	0.933333
4272	001C	1872	0.04	1075	1	65	100	3	4	3	5616	4541	RH-2	40	density-lim	1500			0.7	4	1	3	3	5241.600098	4166.600098	4166.600098	0.933333
4272	002	2497	0.06	1325	1	65	100	3	6	5	7491	6166	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5666.600098	5666.600098	0.933333
4272	003	2497	0.06	1752	1	65	100	3	6	5	7491	5739	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5239.600098	5239.600098	0.933333
4272	004	2496	0.06	1200	1	65	100	3	6	5	7488	6288	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6988.799805	5788.799805	5788.799805	0.933333
4272	007	1997	0.05	914	1	65	100	3	5	4	5991	5077	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5591.600098	4677.600098	4677.600098	0.933333
4272	008	1997	0.05	992	1	65	100	3	5	4	5991	4999	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5591.600098	4599.600098	4599.600098	0.933333
4272	009	1997	0.05	1560	1	65	100	3	5	4	5991	4431	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5591.600098	4031.600098	4031.600098	0.933333
4272	010	1997	0.05	1540	1	65	100	3	5	4	5991	4451	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5591.600098	4051.600098	4051.600098	0.933333
4272	012	2481	0.06	730	1	65	100	3	6	5	7443	6713	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6946.799805	6216.799805	6216.799805	0.933333
4272	015	2497	0.06	1726	1	65	100	3	6	5	7491	5765	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5265.600098	5265.600098	0.933333
4272	022	2000	0.05	913	1	65	100	3	5	4	6000	5087	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5600	4687	4687	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4272	022A	2000	0.05	750	1	65	100	3	5	4	6000	5250	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5600	4850	4850	0.933333
4272	024A	2500	0.06	1111	1	65	100	3	6	5	7500	6389	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5889	5889	0.933333
4272	025	2750	0.06	1254	1	65	100	3	6	5	8250	6996	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7700	6446	6446	0.933333
4272	026	2750	0.06	1640	1	65	100	3	6	5	8250	6610	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7700	6060	6060	0.933333
4272	029	2500	0.06	1520	1	65	100	3	6	5	7500	5980	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5480	5480	0.933333
4272	030	3000	0.07	1953	1	65	100	3	7	6	9000	7047	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8400	6447	6447	0.933333
4273	012	2485	0.06	886	1	65	100	3	6	5	7455	6569	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6958	6072	6072	0.933333
4273	017	2000	0.05	855	1	65	100	3	5	4	6000	5145	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5600	4745	4745	0.933333
4273	018	2000	0.05	1664	1	65	100	3	5	4	6000	4336	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5600	3936	3936	0.933333
4273	022	2500	0.06	1205	1	65	100	3	6	5	7500	6295	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5795	5795	0.933333
4273	024	1875	0.04	1024	1	65	100	3	4	3	5625	4601	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	4226	4226	0.933333
4273	026A	2261	0.05	1552	1	65	100	3	5	4	6783	5231	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6330.799805	4778.799805	4778.799805	0.933333
4273	030	2500	0.06	1620	1	65	100	3	6	5	7500	5880	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5380	5380	0.933333
4274	001	2121	0.05	3793	3	65	100	3	5	2	6363	2570	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	3	3	5938.799805	2145.799805	2145.799805	0.933333
4274	001B	2517	0.06	2008	1	65	100	3	6	5	7551	5543	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7047.600098	5039.600098	5039.600098	0.933333
4274	001C	2132	0.05	2771	1	65	100	3	5	4	6396	3625	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5969.600098	3198.600098	3198.600098	0.933333
4274	001D	2121	0.05	2559	1	65	100	3	5	4	6363	3804	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5938.799805	3379.799805	3379.799805	0.933333
4274	002	2618	0.06	1200	1	65	100	3	6	5	7854	6654	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7330.399902	6130.399902	6130.399902	0.933333
4274	003	2618	0.06	964	1	65	100	3	6	5	7854	6890	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7330.399902	6366.399902	6366.399902	0.933333
4274	004	2618	0.06	1446	1	65	100	3	6	5	7854	6408	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7330.399902	5884.399902	5884.399902	0.933333
4274	007	3021	0.07	1236	1	65	100	3	7	6	9063	7827	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8458.799805	7222.799805	7222.799805	0.933333
4274	010	2610	0.06	2185	1	65	100	3	6	5	7830	5645	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7308	5123	5123	0.933333
4274	011	2517	0.06	1502	1	65	100	3	6	5	7551	6049	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7047.600098	5545.600098	5545.600098	0.933333
4274	011A	2517	0.06	1475	1	65	100	3	6	5	7551	6076	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7047.600098	5572.600098	5572.600098	0.933333
4274	011B	1892	0.04	1275	1	65	100	3	4	3	5676	4401	RH-3	40	density-lim	1000			0.7	4	1	3	3	5297.600098	4022.600098	4022.600098	0.933333
4274	011D	1644	0.04	1265	1	65	100	3	4	3	4932	3667	RH-2	40	density-lim	1500			0.7	4	1	3	3	4603.199707	3338.199707	3338.199707	0.933333
4274	011E	1644	0.04	1265	1	65	100	3	4	3	4932	3667	RH-2	40	density-lim	1500			0.7	4	1	3	3	4603.199707	3338.199707	3338.199707	0.933333
4274	011F	2269	0.05	1265	1	65	100	3	5	4	6807	5542	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6353.199707	5088.199707	5088.199707	0.933333
4274	022	2500	0.06	1330	1	65	100	3	6	5	7500	6170	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5670	5670	0.933333
4274	025	2750	0.06	1470	1	65	100	3	6	5	8250	6780	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7700	6230	6230	0.933333
4274	027	2500	0.06	1794	1	65	100	3	6	5	7500	5706	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5206	5206	0.933333
4274	028	2500	0.06	1800	1	65	100	3	6	5	7500	5700	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5200	5200	0.933333
4274	031	2256	0.05	1407	1	65	100	3	5	4	6768	5361	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6316.799805	4909.799805	4909.799805	0.933333
4275	001B	1624	0.04	1770	1	65	100	3	4	3	4872	3102	RH-2	40	density-lim	1500			0.7	4	1	3	3	4547.199707	2777.199707	2777.199707	0.933333
4275	008A	2500	0.06	540	1	65	100	3	6	5	7500	6960	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6460	6460	0.933333
4275	008B	3009	0.07	1700	1	65	100	3	7	6	9027	7327	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8425.200195	6725.200195	6725.200195	0.933333
4275	009	2508	0.06	983	1	65	100	3	6	5	7524	6541	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7022.399902	6039.399902	6039.399902	0.933333
4275	012A	1425	0.03	955	1	65	100	3	3	2	4275	3320	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3990	3035	3035	0.933333
4275	012B	2608	0.06	2563	1	65	100	3	6	5	7824	5261	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7302.399902	4739.399902	4739.399902	0.933333
4275	012D	1507	0.03	2137	1	65	100	3	3	2	4521	2384	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4219.600098	2082.600098	2082.600098	0.933333
4275	013	2500	0.06	1786	1	65	100	3	6	5	7500	5714	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5214	5214	0.933333
4275	013B	2500	0.06	1425	1	65	100	3	6	5	7500	6075	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5575	5575	0.933333
4275	014	2500	0.06	1619	1	65	100	3	6	5	7500	5881	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5381	5381	0.933333
4275	015	2500	0.06	750	1	65	100	3	6	5	7500	6750	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6250	6250	0.933333
4275	018A	3500	0.08	1734	1	65	100	3	8	7	10500	8766	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9800	8066	8066	0.933333
4275	020	3000	0.07	1704	1	65	100	3	7	6	9000	7296	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8400	6696	6696	0.933333
4275	022	2500	0.06	1390	1	65	100	3	6	5	7500	6110	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5610	5610	0.933333
4275	023	2500	0.06	1988	1	65	100	3	6	5	7500	5512	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5012	5012	0.933333
4275	026	2250	0.05	1360	1	65	100	3	5	4	6750	5390	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6300	4940	4940	0.933333
4276	002A	2852	0.07	993	1	65	100	3	7	6	8556	7563	RH-2	55	density-lim	1500			0.7	4	0.571428597	3	3	9982	8989	8989	1.166667
4276	002B	2694	0.06	996	1	65	100	3	6	5	8082	7086	RH-2	55	density-lim	1500			0.7	4	0.666666687	3	3	9429	8433	8433	1.166667
4276	002C	1957	0.04	952	1	65	100	3	4	3	5871	4919	RH-2	55	density-lim	1500			0.7	4	1	3	3	6849.5	5897.5	5897.5	1.166667
4276	006	1840	0.04	890	1	65	100	3	4	3	5520	4630	RH-2	40	density-lim	1500			0.7	4	1	3	3	5152	4262	4262	0.933333
4276	007	1840	0.04	951	1	65	100	3	4	3	5520	4569	RH-2	40	density-lim	1500			0.7	4	1	3	3	5152	4201	4201	0.933333
4276	008	1880	0.04	961	1	65	100	3	4	3	5640	4679	RH-2	40	density-lim	1500			0.7	4	1	3	3	5264	4303	4303	0.933333
4276	010	1725	0.04	874	1	65	100	3	4	3	5175	4301	RH-2	40	density-lim	1500			0.7	4	1	3	3	4830	3956	3956	0.933333
4279	020	2500	0.06	2183	1	65	100	3	6	5	7500	5317	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4817	4817	0.933333
4279	021	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5650	5650	0.933333
4276	021	1440	0.03	833	1	65	100	3	3	2	4320	3487	RH-2	55	density-lim	1500			0.7	4	1.333333373	3	3	5040	4207	4207	1.166667
4276	030	1541	0.04	1354	1	65	100	3	4	3	4623	3269	RH-2	40	density-lim	1500			0.7	4	1	3	3	4314.799805	2960.799805	2960.799805	0.933333
4279	018	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5950	5950	0.933333
4279	019	2500	0.06	1651	1	65	100	3	6	5	7500	5849	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5349	5349	0.933333
4279	024	2006	0.05	2862	1	65	100	3	5	4	6018	3156	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5616.799805	2754.799805	2754.799805	0.933333
4280	006	1740	0.04	1900	1	65	100	3	4	3	5220	3320	RH-2	40	density-lim	1500			0.7	4	1	3	3	4872	2972	2972	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4280	006A	1912	0.04	1532	1	65	100	3	4	3	5736	4204	RH-2	40	density-lim	1500			0.7	4	1	3	3	5353.600098	3821.600098	3821.600098	0.933333
4280	007	2083	0.05	1100	1	65	100	3	5	4	6249	5149	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5832.399902	4732.399902	4732.399902	0.933333
4280	007A	2255	0.05	1433	1	65	100	3	5	4	6765	5332	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6314	4881	4881	0.933333
4280	028	1397	0.03	837	1	65	100	3	3	2	4191	3354	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3911.599854	3074.599854	3074.599854	0.933333
4280	029	1563	0.04	600	1	65	100	3	4	3	4689	4089	RH-2	40	density-lim	1500			0.7	4	1	3	3	4376.399902	3776.399902	3776.399902	0.933333
4281A	001	2920	0.07	3128	3	55	80	2.5	6	3	7300	4172	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	8176	5048	5048	1.12
4281A	005	2517	0.06	1974	1	55	80	2.5	5	4	6292	4318	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5073.600098	5073.600098	1.120089
4281A	005A	2517	0.06	1095	1	55	80	2.5	5	4	6292	5197	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5952.600098	5952.600098	1.120089
4281A	006	2517	0.06	1860	1	55	80	2.5	5	4	6292	4432	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5187.600098	5187.600098	1.120089
4281A	006A	2517	0.06	1285	1	55	80	2.5	5	4	6292	5007	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5762.600098	5762.600098	1.120089
4281A	009	2517	0.06	1708	1	55	80	2.5	5	4	6292	4584	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5339.600098	5339.600098	1.120089
4281A	009A	2517	0.06	900	1	55	80	2.5	5	4	6292	5392	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	6147.600098	6147.600098	1.120089
4281A	009B	2517	0.06	1000	1	55	80	2.5	5	4	6292	5292	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	6047.600098	6047.600098	1.120089
4281A	010	2517	0.06	1391	1	55	80	2.5	5	4	6292	4901	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5656.600098	5656.600098	1.120089
4281A	011	2517	0.06	1387	1	55	80	2.5	5	4	6292	4905	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5660.600098	5660.600098	1.120089
4281A	012	2719	0.06	845	1	55	80	2.5	5	4	6798	5953	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7613.199707	6768.199707	6768.199707	1.119918
4281A	016A	2600	0.06	1577	1	55	80	2.5	5	4	6500	4923	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7280	5703	5703	1.12
4281A	016B	2600	0.06	1671	1	55	80	2.5	5	4	6500	4829	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7280	5609	5609	1.12
4281A	016C	2600	0.06	1100	1	55	80	2.5	5	4	6500	5400	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7280	6180	6180	1.12
4281A	016D	2600	0.06	950	1	55	80	2.5	5	4	6500	5550	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7280	6330	6330	1.12
4281A	016E	2600	0.06	946	1	55	80	2.5	5	4	6500	5554	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7280	6334	6334	1.12
4281A	016F	2600	0.06	946	1	55	80	2.5	5	4	6500	5554	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7280	6334	6334	1.12
4281A	017	2500	0.06	1304	1	55	80	2.5	5	4	6250	4946	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5696	5696	1.12
4281A	018	2500	0.06	880	1	55	80	2.5	5	4	6250	5370	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6120	6120	1.12
4281A	019	2500	0.06	1313	1	55	80	2.5	5	4	6250	4937	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5687	5687	1.12
4281A	020	2500	0.06	910	1	55	80	2.5	5	4	6250	5340	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6090	6090	1.12
4281A	022	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6100	6100	0.933333
4281A	023	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6100	6100	0.933333
4281A	024	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6100	6100	0.933333
4281A	025A	1250	0.03	878	1	65	100	3	3	2	3750	2872	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3500	2622	2622	0.933333
4281A	025B	1250	0.03	965	1	55	80	2.5	2	1	3125	2160	RH-2	40	density-lim	1500			0.7	4	2	3	3	3500	2535	2535	1.12
4281A	025C	1250	0.03	965	1	55	80	2.5	2	1	3125	2160	RH-2	40	density-lim	1500			0.7	4	2	3	3	3500	2535	2535	1.12
4282A	001A	2634	0.06	1043	1	55	80	2.5	5	4	6585	5542	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7375.199707	6332.199707	6332.199707	1.12
4282A	002	2634	0.06	1338	1	55	80	2.5	5	4	6585	5247	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7375.199707	6037.199707	6037.199707	1.12
4282A	005	2505	0.06	1535	1	55	80	2.5	5	4	6262	4727	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7014	5479	5479	1.120089
4282A	009A	2500	0.06	814	1	55	80	2.5	5	4	6250	5436	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6186	6186	1.12
4282A	009B	2500	0.06	1555	1	55	80	2.5	5	4	6250	4695	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5445	5445	1.12
4282A	011	2460	0.06	787	1	55	80	2.5	5	4	6150	5363	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6888	6101	6101	1.12
4282A	012	2500	0.06	787	1	55	80	2.5	5	4	6250	5463	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6213	6213	1.12
4282A	013	2500	0.06	1635	1	55	80	2.5	5	4	6250	4615	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5365	5365	1.12
4282A	015	2500	0.06	846	1	55	80	2.5	5	4	6250	5404	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6154	6154	1.12
4282A	017	2500	0.06	2050	1	55	80	2.5	5	4	6250	4200	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4950	4950	1.12
4282A	018	2500	0.06	988	1	55	80	2.5	5	4	6250	5262	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6012	6012	1.12
4282A	018A	1170	0.03	1202	1	55	80	2.5	2	1	2925	1723	RH-2	40	density-lim	1500			0.7	4	2	3	3	3276	2074	2074	1.12
4282A	020	2500	0.06	540	1	55	80	2.5	5	4	6250	5710	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6460	6460	1.12
4282A	021	2500	0.06	820	1	55	80	2.5	5	4	6250	5430	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6180	6180	1.12
4282A	022	2500	0.06	915	1	55	80	2.5	5	4	6250	5335	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6085	6085	1.12
4282A	023	2500	0.06	2196	1	55	80	2.5	5	4	6250	4054	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4804	4804	1.12
4282A	024	2500	0.06	998	1	55	80	2.5	5	4	6250	5252	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6002	6002	1.12
4282A	025	2500	0.06	1844	1	55	80	2.5	5	4	6250	4406	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5156	5156	1.12
4282A	027	2537	0.06	940	1	55	80	2.5	5	4	6342	5402	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7103.600098	6163.600098	6163.600098	1.120088
4282A	028	1418	0.03	1109	1	55	80	2.5	2	1	3545	2436	RH-1	40	density-lim	3000			0.7	4	2	3	3	3970.399902	2861.399902	2861.399902	1.12
4282A	029	1077	0.02	1109	1	55	80	2.5	2	1	2692	1583	RH-1	40	density-lim	3000			0.7	4	2	3	3	3015.599854	1906.599854	1906.599854	1.120208
4282A	030	1149	0.03	1109	1	55	80	2.5	2	1	2872	1763	RH-1	40	density-lim	3000			0.7	4	2	3	3	3217.199951	2108.199951	2108.199951	1.120195
4282A	031	2130	0.05	1109	1	55	80	2.5	4	3	5325	4216	RH-1	40	density-lim	3000			0.7	4	1	3	3	5964	4855	4855	1.12
4283B	012	2183	0.05	956	1	55	80	2.5	4	3	5458	4502	RH-1	40	density-lim	3000			0.7	4	1	3	3	6112.399902	5156.399902	5156.399902	1.119897
4283B	013	1420	0.03	1109	1	55	80	2.5	2	1	3550	2441	RH-1	40	density-lim	3000			0.7	4	2	3	3	3976	2867	2867	1.12
4283B	014	892	0.02	1109	1	55	80	2.5	2	1	2230	1121	RH-1	40	density-lim	3000			0.7	4	2	3	3	2497.599854	1388.599854	1388.599854	1.12
4283B	015	946	0.02	1109	1	55	80	2.5	2	1	2365	1256	RH-1	40	density-lim	3000			0.7	4	2	3	3	2648.800049	1539.800049	1539.800049	1.12
4283B	016	953	0.02	1109	1	55	80	2.5	2	1	2382	1273	RH-1	40	density-lim	3000			0.7	4	2	3	3	2668.399902	1559.399902	1559.399902	1.120235
4283B	017	881	0.02	1109	1	55	80	2.5	2	1	2202	1093	RH-1	40	density-lim	3000			0.7	4	2	3	3	2466.800049	1357.800049	1357.800049	1.120254
4283B	018	890	0.02	1109	1	55	80	2.5	2	1	2225	1116	RH-1	40	density-lim	3000			0.7	4	2	3	3	2492	1383	1383	1.12
4283B	019	944	0.02	1109	1	55	80	2.5	2	1	2360	1251	RH-1	40	density-lim	3000			0.7	4	2	3	3	2643.199951	1534.199951	1534.199951	1.12
4283B	020	1225	0.03	1109	1	55	80	2.5	2	1	3062	1953	RH-1	40	density-lim	3000			0.7	4	2	3	3	3430	2321	2321	1.120183

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4283B	021	1237	0.03	1109	1	55	80	2.5	2	1	3092	1983	RH-1	40	density-lim	3000			0.7	4	2	3	3	3463.599854	2354.599854	2354.599854	1.120181
4283B	001	1893	0.04	956	1	65	100	3	4	3	5679	4723	RH-1	40	density-lim	3000			0.7	4	1	3	3	5300.399902	4344.399902	4344.399902	0.933333
4283B	002	1770	0.04	956	1	65	100	3	4	3	5310	4354	RH-1	40	density-lim	3000			0.7	4	1	3	3	4956	4000	4000	0.933333
4283B	003	1819	0.04	956	1	65	100	3	4	3	5457	4501	RH-1	40	density-lim	3000			0.7	4	1	3	3	5093.199707	4137.199707	4137.199707	0.933333
4283B	004	1882	0.04	956	1	65	100	3	4	3	5646	4690	RH-1	40	density-lim	3000			0.7	4	1	3	3	5269.600098	4313.600098	4313.600098	0.933333
4283B	005	1595	0.04	956	1	65	100	3	4	3	4785	3829	RH-1	40	density-lim	3000			0.7	4	1	3	3	4466	3510	3510	0.933333
4283B	006	1744	0.04	956	1	65	100	3	4	3	5232	4276	RH-1	40	density-lim	3000			0.7	4	1	3	3	4883.199707	3927.199707	3927.199707	0.933333
4283B	007	1756	0.04	956	1	65	100	3	4	3	5268	4312	RH-1	40	density-lim	3000			0.7	4	1	3	3	4916.799805	3960.799805	3960.799805	0.933333
4283B	008	1764	0.04	956	1	65	100	3	4	3	5292	4336	RH-1	40	density-lim	3000			0.7	4	1	3	3	4939.199707	3983.199707	3983.199707	0.933333
4283B	009	1765	0.04	956	1	65	100	3	4	3	5295	4339	RH-1	40	density-lim	3000			0.7	4	1	3	3	4942	3986	3986	0.933333
4283B	010	2013	0.05	956	1	55	80	2.5	4	3	5032	4076	RH-1	40	density-lim	3000			0.7	4	1	3	3	5636.399902	4680.399902	4680.399902	1.120111
4283B	011	1739	0.04	956	1	55	80	2.5	3	2	4348	3392	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4869.199707	3913.199707	3913.199707	1.119871
4283B	022	907	0.02	1109	1	55	80	2.5	2	1	2268	1159	RH-1	40	density-lim	3000			0.7	4	2	3	3	2539.599854	1430.599854	1430.599854	1.119753
4283B	023	879	0.02	1109	1	55	80	2.5	2	1	2198	1089	RH-1	40	density-lim	3000			0.7	4	2	3	3	2461.199951	1352.199951	1352.199951	1.119745
4283B	024	998	0.02	1109	1	55	80	2.5	2	1	2495	1386	RH-1	40	density-lim	3000			0.7	4	2	3	3	2794.399902	1685.399902	1685.399902	1.12
4283B	025	929	0.02	1109	1	55	80	2.5	2	1	2322	1213	RH-1	40	density-lim	3000			0.7	4	2	3	3	2601.199951	1492.199951	1492.199951	1.120241
4283B	026	979	0.02	1109	1	55	80	2.5	2	1	2448	1339	RH-1	40	density-lim	3000			0.7	4	2	3	3	2741.199951	1632.199951	1632.199951	1.119771
4283B	027	880	0.02	1109	1	55	80	2.5	2	1	2200	1091	RH-1	40	density-lim	3000			0.7	4	2	3	3	2464	1355	1355	1.12
4283B	028	1403	0.03	1090	1	55	80	2.5	2	1	3508	2418	RH-1	40	density-lim	3000			0.7	4	2	3	3	3928.399902	2838.399902	2838.399902	1.11984
4283B	029	1303	0.03	1090	1	55	80	2.5	2	1	3258	2168	RH-1	40	density-lim	3000			0.7	4	2	3	3	3648.399902	2558.399902	2558.399902	1.119828
4283B	030	1355	0.03	1090	1	55	80	2.5	2	1	3388	2298	RH-1	40	density-lim	3000			0.7	4	2	3	3	3794	2704	2704	1.119835
4283B	031	1394	0.03	1090	1	55	80	2.5	2	1	3485	2395	RH-1	40	density-lim	3000			0.7	4	2	3	3	3903.199951	2813.199951	2813.199951	1.12
4283B	032	1416	0.03	1090	1	55	80	2.5	2	1	3540	2450	RH-1	40	density-lim	3000			0.7	4	2	3	3	3964.800049	2874.800049	2874.800049	1.12
4283B	033	1314	0.03	1090	1	55	80	2.5	2	1	3285	2195	RH-1	40	density-lim	3000			0.7	4	2	3	3	3679.199951	2589.199951	2589.199951	1.12
4283B	034	1418	0.03	956	1	55	80	2.5	2	1	3545	2589	RH-1	40	density-lim	3000			0.7	4	2	3	3	3970.399902	3014.399902	3014.399902	1.12
4283B	035	1419	0.03	1090	1	55	80	2.5	2	1	3548	2458	RH-1	40	density-lim	3000			0.7	4	2	3	3	3973.199951	2883.199951	2883.199951	1.119842
4283B	036	1420	0.03	1090	1	55	80	2.5	2	1	3550	2460	RH-1	40	density-lim	3000			0.7	4	2	3	3	3976	2886	2886	1.12
4283B	037	1421	0.03	956	1	55	80	2.5	2	1	3552	2596	RH-1	40	density-lim	3000			0.7	4	2	3	3	3978.800049	3022.800049	3022.800049	1.120158
4283B	038	1422	0.03	956	1	55	80	2.5	2	1	3555	2599	RH-1	40	density-lim	3000			0.7	4	2	3	3	3981.599854	3025.599854	3025.599854	1.12
4283B	039	1423	0.03	1248	1	55	80	2.5	2	1	3558	2310	RH-1	40	density-lim	3000			0.7	4	2	3	3	3984.399902	2736.399902	2736.399902	1.119843
4283B	040	1520	0.03	956	1	55	80	2.5	2	1	3800	2844	RH-1	40	density-lim	3000			0.7	4	2	3	3	4256	3300	3300	1.12
4283B	041	1458	0.03	1236	1	55	80	2.5	2	1	3645	2409	RH-1	40	density-lim	3000			0.7	4	2	3	3	4082.399902	2846.399902	2846.399902	1.12
4283B	042	1530	0.04	956	1	55	80	2.5	3	2	3825	2869	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4284	3328	3328	1.12
4283B	043	1125	0.03	956	1	55	80	2.5	2	1	2812	1856	RH-1	40	density-lim	3000			0.7	4	2	3	3	3150	2194	2194	1.120199
4283B	044	1057	0.02	956	1	55	80	2.5	2	1	2642	1686	RH-1	40	density-lim	3000			0.7	4	2	3	3	2959.599854	2003.599854	2003.599854	1.120212
4283B	045	762	0.02	956	1	55	80	2.5	2	1	1905	949	RH-1	40	density-lim	3000			0.7	4	2	3	3	2133.599854	1177.599854	1177.599854	1.12
4283B	046	762	0.02	956	1	55	80	2.5	2	1	1905	949	RH-1	40	density-lim	3000			0.7	4	2	3	3	2133.599854	1177.599854	1177.599854	1.12
4283B	047	762	0.02	956	1	55	80	2.5	2	1	1905	949	RH-1	40	density-lim	3000			0.7	4	2	3	3	2133.599854	1177.599854	1177.599854	1.12
4283B	048	762	0.02	956	1	55	80	2.5	2	1	1905	949	RH-1	40	density-lim	3000			0.7	4	2	3	3	2133.599854	1177.599854	1177.599854	1.12
4283B	049	762	0.02	956	1	55	80	2.5	2	1	1905	949	RH-1	40	density-lim	3000			0.7	4	2	3	3	2133.599854	1177.599854	1177.599854	1.12
4283B	050	763	0.02	956	1	55	80	2.5	2	1	1908	952	RH-1	40	density-lim	3000			0.7	4	2	3	3	2136.399902	1180.399902	1180.399902	1.119706
4283B	051	763	0.02	956	1	55	80	2.5	2	1	1908	952	RH-1	40	density-lim	3000			0.7	4	2	3	3	2136.399902	1180.399902	1180.399902	1.119706
4283B	052	763	0.02	956	1	55	80	2.5	2	1	1908	952	RH-1	40	density-lim	3000			0.7	4	2	3	3	2136.399902	1180.399902	1180.399902	1.119706
4283B	053	763	0.02	956	1	55	80	2.5	2	1	1908	952	RH-1	40	density-lim	3000			0.7	4	2	3	3	2136.399902	1180.399902	1180.399902	1.119706
4283B	054	1052	0.02	956	1	55	80	2.5	2	1	2630	1674	RH-1	40	density-lim	3000			0.7	4	2	3	3	2945.599854	1989.599854	1989.599854	1.12
4283B	055	764	0.02	956	1	55	80	2.5	2	1	1910	954	RH-1	40	density-lim	3000			0.7	4	2	3	3	2139.199951	1183.199951	1183.199951	1.12
4283B	056	764	0.02	956	1	55	80	2.5	2	1	1910	954	RH-1	40	density-lim	3000			0.7	4	2	3	3	2139.199951	1183.199951	1183.199951	1.12
4283B	057	764	0.02	956	1	55	80	2.5	2	1	1910	954	RH-1	40	density-lim	3000			0.7	4	2	3	3	2139.199951	1183.199951	1183.199951	1.12
4283B	058	764	0.02	956	1	55	80	2.5	2	1	1910	954	RH-1	40	density-lim	3000			0.7	4	2	3	3	2139.199951	1183.199951	1183.199951	1.12
4283B	059	764	0.02	956	1	65	100	3	2	1	2292	1336	RH-1	40	density-lim	3000			0.7	4	2	3	3	2139.199951	1183.199951	1183.199951	0.933333
4283B	060	765	0.02	956	1	65	100	3	2	1	2295	1339	RH-1	40	density-lim	3000			0.7	4	2	3	3	2142	1186	1186	0.933333
4283B	061	1243	0.03	956	1	65	100	3	3	2	3729	2773	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3480.399902	2524.399902	2524.399902	0.933333
4283B	062	2093	0.05	1109	1	65	100	3	5	4	6279	5170	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5860.399902	4751.399902	4751.399902	0.933333
4283B	063	1750	0.04	956	1	55	80	2.5	3	2	4375	3419	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3944	3944	1.12
4283B	064	1159	0.03	956	1	55	80	2.5	2	1	2898	1942	RH-1	40	density-lim	3000			0.7	4	2	3	3	3245.199951	2289.199951	2289.199951	1.119807
4283B	065	1161	0.03	956	1	55	80	2.5	2	1	2902	1946	RH-1	40	density-lim	3000			0.7	4	2	3	3	3250.800049	2294.800049	2294.800049	1.120193
4283B	066	1164	0.03	956	1	55	80	2.5	2	1	2910	1954	RH-1	40	density-lim	3000			0.7	4	2	3	3	3259.199951	2303.199951	2303.199951	1.12
4283B	067	1166	0.03	956	1	55	80	2.5	2	1	2915	1959	RH-1	40	density-lim	3000			0.7	4	2	3	3	3264.800049	2308.800049	2308.800049	1.12
4283B	068	1168	0.03	956	1	55	80	2.5	2	1	2920	1964	RH-1	40	density-lim	3000			0.7	4	2	3	3	3270.399902	2314.399902	2314.399902	1.12
4283B	069	1171	0.03	956	1	55	80	2.5	2	1	2928	1972	RH-1	40	density-lim	3000			0.7	4	2	3	3	3278.800049	2322.800049	2322.800049	1.119809
4283B	070	691	0.02	956	1	55	80	2.5	2	1	1728	772	RH-1	40	density-lim	3000			0.7	4	2	3	3	1934.799927	978.7999268	978.7999268	1.119676
4283B	071	694	0.02	956	1	55	80	2.5	2	1	1735	779	RH-1	40	density-lim	3000			0.7	4	2	3	3	1943.199951	987.1999512	987.1999512	1.12
4283B	072	698	0.02	956	1	55	80	2.5	2	1	1745	789	RH-1	40	density-lim	3000			0.7	4	2	3	3	1954.400024	998.4000244	998.4000244	1.12
4283B	073	702	0.02	956	1	55	80	2.5	2	1	1755	799	RH-1	40	density-lim	3000			0.7	4	2	3	3	1965.599976	1009.599976	1009.599976	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4283B	074	704	0.02	956	1	55	80	2.5	2	1	1760	804	RH-1	40	density-lim	3000			0.7	4	2	3	3	1971.199951	1015.199951	1015.199951	1.12
4283B	075	706	0.02	956	1	55	80	2.5	2	1	1765	809	RH-1	40	density-lim	3000			0.7	4	2	3	3	1976.799927	1020.799927	1020.799927	1.12
4283B	076	708	0.02	956	1	55	80	2.5	2	1	1770	814	RH-1	40	density-lim	3000			0.7	4	2	3	3	1982.400024	1026.400024	1026.400024	1.12
4283B	077	1158	0.03	956	1	55	80	2.5	2	1	2895	1939	RH-1	40	density-lim	3000			0.7	4	2	3	3	3242.399902	2286.399902	2286.399902	1.12
4283B	078	1160	0.03	956	1	55	80	2.5	2	1	2900	1944	RH-1	40	density-lim	3000			0.7	4	2	3	3	3248	2292	2292	1.12
4283B	079	1162	0.03	956	1	55	80	2.5	2	1	2905	1949	RH-1	40	density-lim	3000			0.7	4	2	3	3	3253.599854	2297.599854	2297.599854	1.12
4283B	080	1164	0.03	956	1	55	80	2.5	2	1	2910	1954	RH-1	40	density-lim	3000			0.7	4	2	3	3	3259.199951	2303.199951	2303.199951	1.12
4283B	081	1166	0.03	956	1	55	80	2.5	2	1	2915	1959	RH-1	40	density-lim	3000			0.7	4	2	3	3	3264.800049	2308.800049	2308.800049	1.12
4283B	082	1168	0.03	956	1	55	80	2.5	2	1	2920	1964	RH-1	40	density-lim	3000			0.7	4	2	3	3	3270.399902	2314.399902	2314.399902	1.12
4283B	083	2410	0.06	956	1	55	80	2.5	5	4	6025	5069	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6748	5792	5792	1.12
4283B	084	1979	0.05	1109	1	55	80	2.5	4	3	4948	3839	RH-1	40	density-lim	3000			0.7	4	1	3	3	5541.199707	4432.199707	4432.199707	1.119887
4283B	085	1250	0.03	1109	1	55	80	2.5	2	1	3125	2016	RH-1	40	density-lim	3000			0.7	4	2	3	3	3500	2391	2391	1.12
4283B	086	1294	0.03	1109	1	55	80	2.5	2	1	3235	2126	RH-1	40	density-lim	3000			0.7	4	2	3	3	3623.199951	2514.199951	2514.199951	1.12
4283B	087	1297	0.03	1109	1	55	80	2.5	2	1	3242	2133	RH-1	40	density-lim	3000			0.7	4	2	3	3	3631.599854	2522.599854	2522.599854	1.120173
4283B	088	1266	0.03	1109	1	55	80	2.5	2	1	3165	2056	RH-1	40	density-lim	3000			0.7	4	2	3	3	3544.800049	2435.800049	2435.800049	1.12
4283B	089	1409	0.03	1109	1	55	80	2.5	2	1	3522	2413	RH-1	40	density-lim	3000			0.7	4	2	3	3	3945.199951	2836.199951	2836.199951	1.120159
4283B	090	927	0.02	1109	1	55	80	2.5	2	1	2318	1209	RH-1	40	density-lim	3000			0.7	4	2	3	3	2595.599854	1486.599854	1486.599854	1.119758
4283B	091	957	0.02	956	1	55	80	2.5	2	1	2392	1436	RH-1	40	density-lim	3000			0.7	4	2	3	3	2679.599854	1723.599854	1723.599854	1.120234
4283B	092	862	0.02	1109	1	55	80	2.5	2	1	2155	1046	RH-1	40	density-lim	3000			0.7	4	2	3	3	2413.599854	1304.599854	1304.599854	1.12
4283B	093	919	0.02	1109	1	55	80	2.5	2	1	2298	1189	RH-1	40	density-lim	3000			0.7	4	2	3	3	2573.199951	1464.199951	1464.199951	1.119756
4283B	094	1220	0.03	1169	1	55	80	2.5	2	1	3050	1881	RH-1	40	density-lim	3000			0.7	4	2	3	3	3416	2247	2247	1.12
4283B	095	1226	0.03	1109	1	55	80	2.5	2	1	3065	1956	RH-1	40	density-lim	3000			0.7	4	2	3	3	3432.800049	2323.800049	2323.800049	1.12
4283B	096	1308	0.03	956	1	55	80	2.5	2	1	3270	2314	RH-1	40	density-lim	3000			0.7	4	2	3	3	3662.399902	2706.399902	2706.399902	1.12
4283B	097	1311	0.03	1109	1	55	80	2.5	2	1	3278	2169	RH-1	40	density-lim	3000			0.7	4	2	3	3	3670.800049	2561.800049	2561.800049	1.119829
4283B	098	1273	0.03	1160	1	55	80	2.5	2	1	3182	2022	RH-1	40	density-lim	3000			0.7	4	2	3	3	3564.399902	2404.399902	2404.399902	1.120176
4334	015	2635	0.06	1394	1	65	100	3	6	5	7905	6511	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7378	5984	5984	0.933333
4334	016	2636	0.06	1530	1	65	100	3	6	5	7908	6378	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7380.799805	5850.799805	5850.799805	0.933333
4334	017	2010	0.05	1191	1	65	100	3	5	4	6030	4839	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5628	4437	4437	0.933333
4334	018	2011	0.05	1078	1	65	100	3	5	4	6033	4955	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5630.799805	4552.799805	4552.799805	0.933333
4334	020	1875	0.04	1414	1	65	100	3	4	3	5625	4211	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3836	3836	0.933333
4335	003A	2500	0.06	1279	1	55	80	2.5	5	4	6250	4971	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5721	5721	1.12
4334	010	2635	0.06	1357	1	55	80	2.5	5	4	6588	5231	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7378	6021	6021	1.119915
4334	011	2636	0.06	1244	1	55	80	2.5	5	4	6590	5346	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7380.799805	6136.799805	6136.799805	1.12
4334	012	2635	0.06	1042	1	65	100	3	6	5	7905	6863	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7378	6336	6336	0.933333
4334	013	2636	0.06	1042	1	65	100	3	6	5	7908	6866	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7380.799805	6338.799805	6338.799805	0.933333
4334	014	2635	0.06	1328	1	65	100	3	6	5	7905	6577	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7378	6050	6050	0.933333
4334	002	2622	0.06	1270	1	65	100	3	6	5	7866	6596	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7341.600098	6071.600098	6071.600098	0.933333
4334	002A	2623	0.06	1477	1	65	100	3	6	5	7869	6392	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7344.399902	5867.399902	5867.399902	0.933333
4334	002B	2624	0.06	1270	1	65	100	3	6	5	7872	6602	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7347.199707	6077.199707	6077.199707	0.933333
4334	002C	2625	0.06	1305	1	65	100	3	6	5	7875	6570	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7350	6045	6045	0.933333
4334	002E	1556	0.04	1070	1	65	100	3	4	3	4668	3598	RH-2	40	density-lim	1500			0.7	4	1	3	3	4356.799805	3286.799805	3286.799805	0.933333
4334	002F	1556	0.04	1310	1	65	100	3	4	3	4668	3358	RH-2	40	density-lim	1500			0.7	4	1	3	3	4356.799805	3046.799805	3046.799805	0.933333
4334	002G	1556	0.04	1136	1	55	80	2.5	3	2	3890	2754	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4356.799805	3220.799805	3220.799805	1.12
4334	003A	2066	0.05	1145	1	65	100	3	5	4	6198	5053	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5784.799805	4639.799805	4639.799805	0.933333
4334	003B	1556	0.04	1235	1	55	80	2.5	3	2	3890	2655	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4356.799805	3121.799805	3121.799805	1.12
4334	003C	1556	0.04	1019	1	55	80	2.5	3	2	3890	2871	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4356.799805	3337.799805	3337.799805	1.12
4334	003D	1556	0.04	1050	1	55	80	2.5	3	2	3890	2840	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4356.799805	3306.799805	3306.799805	1.12
4334	003E	1140	0.03	1247	1	55	80	2.5	2	1	2850	1603	RH-2	40	density-lim	1500			0.7	4	2	3	3	3192	1945	1945	1.12
4334	004	1249	0.03	2415	1	55	80	2.5	2	1	3122	707	RH-2	40	density-lim	1500			0.7	4	2	3	3	3497.199951	1082.199951	1082.199951	1.120179
4334	005	1488	0.03	1580	1	55	80	2.5	2	1	3720	2140	RH-2	40	density-lim	1500			0.7	4	2	3	3	4166.399902	2586.399902	2586.399902	1.12
4334	006	1727	0.04	1627	1	55	80	2.5	3	2	4318	2691	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4835.600098	3208.600098	3208.600098	1.11987
4335	001A	1875	0.04	1062	1	65	100	3	4	3	5625	4563	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	4188	4188	0.933333
4335	001B	1875	0.04	1787	1	65	100	3	4	3	5625	3838	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3463	3463	0.933333
4335	001C	2500	0.06	1042	1	65	100	3	6	5	7500	6458	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5958	5958	0.933333
4335	001F	2500	0.06	1042	1	55	80	2.5	5	4	6250	5208	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5958	5958	1.12
4335	001G	2500	0.06	1042	1	55	80	2.5	5	4	6250	5208	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5958	5958	1.12
4335	001H	2500	0.06	1042	1	55	80	2.5	5	4	6250	5208	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5958	5958	1.12
4335	001I	2500	0.06	1042	1	55	80	2.5	5	4	6250	5208	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5958	5958	1.12
4335	001J	2517	0.06	1944	1	55	80	2.5	5	4	6292	4348	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5103.600098	5103.600098	1.120089
4335	001K	2517	0.06	1444	1	55	80	2.5	5	4	6292	4848	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5603.600098	5603.600098	1.120089
4335	001L	2517	0.06	1769	1	55	80	2.5	5	4	6292	4523	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5278.600098	5278.600098	1.120089
4335	001M	2517	0.06	1364	1	55	80	2.5	5	4	6292	4928	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5683.600098	5683.600098	1.120089
4335	001N	2517	0.06	1364	1	55	80	2.5	5	4	6292	4928	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5683.600098	5683.600098	1.120089
4335	001O	2517	0.06	1364	1	55	80	2.5	5	4	6292	4928	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5683.600098	5683.600098	1.120089

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4335	001P	2517	0.06	1480	1	55	80	2.5	5	4	6292	4812	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5567.600098	5567.600098	1.120089
4335	001Q	1875	0.04	1364	1	65	100	3	4	3	5625	4261	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3886	3886	0.933333
4335	003B	2500	0.06	1505	1	55	80	2.5	5	4	6250	4745	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5495	5495	1.12
4335	003D	1299	0.03	1650	1	55	80	2.5	2	1	3248	1598	RH-2	40	density-lim	1500			0.7	4	2	3	3	3637.199951	1987.199951	1987.199951	1.119828
4335	003E	1383	0.03	1520	1	55	80	2.5	2	1	3458	1938	RH-2	40	density-lim	1500			0.7	4	2	3	3	3872.399902	2352.399902	2352.399902	1.119838
4335	003F	1410	0.03	1936	1	55	80	2.5	2	1	3525	1589	RH-2	40	density-lim	1500			0.7	4	2	3	3	3948	2012	2012	1.12
4335	003L	2517	0.06	811	1	55	80	2.5	5	4	6292	5481	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	6236.600098	6236.600098	1.120089
4335	003M	2517	0.06	1370	1	55	80	2.5	5	4	6292	4922	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5677.600098	5677.600098	1.120089
4336	003	2500	0.06	1080	1	55	80	2.5	5	4	6250	5170	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5920	5920	1.12
4336	006	2250	0.05	2826	1	55	80	2.5	4	3	5625	2799	RH-2	40	density-lim	1500			0.7	4	1	3	3	6300	3474	3474	1.12
4336	006A	2250	0.05	1382	1	55	80	2.5	4	3	5625	4243	RH-2	40	density-lim	1500			0.7	4	1	3	3	6300	4918	4918	1.12
4336	007	2400	0.06	920	1	55	80	2.5	5	4	6000	5080	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6720	5800	5800	1.12
4336	007A	1799	0.04	1558	1	55	80	2.5	3	2	4498	2940	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5037.199707	3479.199707	3479.199707	1.119875
4336	007H	1994	0.05	3040	3	55	80	2.5	4	1	4985	1945	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	5583.199707	2543.199707	2543.199707	1.12
4336	010	2485	0.06	484	1	55	80	2.5	5	4	6212	5728	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6958	6474	6474	1.12009
4336	011	2485	0.06	1504	1	55	80	2.5	5	4	6212	4708	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6958	5454	5454	1.12009
4336	013	2485	0.06	2460	1	55	80	2.5	5	4	6212	3752	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6958	4498	4498	1.12009
4336	014	2485	0.06	1170	1	55	80	2.5	5	4	6212	5042	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6958	5788	5788	1.12009
4336	018	2825	0.06	1229	1	55	80	2.5	5	4	7062	5833	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7910	6681	6681	1.120079
4336	022	2825	0.06	2145	1	55	80	2.5	5	4	7062	4917	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7910	5765	5765	1.120079
4337	001A	2500	0.06	1608	1	55	80	2.5	5	4	6250	4642	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5392	5392	1.12
4337	001B	2500	0.06	1608	1	55	80	2.5	5	4	6250	4642	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5392	5392	1.12
4337	001C	2497	0.06	1816	1	65	100	3	6	5	7491	5675	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5175.600098	5175.600098	0.933333
4337	001D	2497	0.06	1608	1	65	100	3	6	5	7491	5883	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5383.600098	5383.600098	0.933333
4337	001E	2319	0.05	2970	3	65	100	3	5	2	6957	3987	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	3	3	6493.199707	3523.199707	3523.199707	0.933333
4337	001F	2169	0.05	1265	1	65	100	3	5	4	6507	5242	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6073.199707	4808.199707	4808.199707	0.933333
4337	001G	2250	0.05	880	1	65	100	3	5	4	6750	5870	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6300	5420	5420	0.933333
4337	001I	2250	0.05	850	1	65	100	3	5	4	6750	5900	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6300	5450	5450	0.933333
4337	001J	2250	0.05	1099	1	55	80	2.5	4	3	5625	4526	RH-2	40	density-lim	1500			0.7	4	1	3	3	6300	5201	5201	1.12
4337	001K	2250	0.05	952	1	55	80	2.5	4	3	5625	4673	RH-2	40	density-lim	1500			0.7	4	1	3	3	6300	5348	5348	1.12
4337	003	2500	0.06	1762	1	55	80	2.5	5	4	6250	4488	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5238	5238	1.12
4337	005	2500	0.06	1605	1	55	80	2.5	5	4	6250	4645	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5395	5395	1.12
4337	006	2500	0.06	1080	1	55	80	2.5	5	4	6250	5170	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5920	5920	1.12
4337	007	3160	0.07	2011	1	55	80	2.5	6	5	7900	5889	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8848	6837	6837	1.12
4337	009B	1485	0.03	2014	1	55	80	2.5	2	1	3712	1698	RH-2	40	density-lim	1500			0.7	4	2	3	3	4158	2144	2144	1.120151
4337	009C	1454	0.03	1135	1	55	80	2.5	2	1	3635	2500	RH-2	40	density-lim	1500			0.7	4	2	3	3	4071.199951	2936.199951	2936.199951	1.12
4337	013	2508	0.06	1318	1	55	80	2.5	5	4	6270	4952	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7022.399902	5704.399902	5704.399902	1.12
4337	014	2497	0.06	1650	1	55	80	2.5	5	4	6242	4592	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6991.600098	5341.600098	5341.600098	1.12009
4337	014B	2497	0.06	1745	1	55	80	2.5	5	4	6242	4497	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6991.600098	5246.600098	5246.600098	1.12009
4338	003	2500	0.06	1870	1	65	100	3	6	5	7500	5630	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5130	5130	0.933333
4338	004	2183	0.05	1067	1	65	100	3	5	4	6549	5482	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6112.399902	5045.399902	5045.399902	0.933333
4338	005	2500	0.06	1625	1	65	100	3	6	5	7500	5875	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5375	5375	0.933333
4338	006	2500	0.06	1465	1	65	100	3	6	5	7500	6035	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5535	5535	0.933333
4338	007	2500	0.06	2817	1	65	100	3	6	5	7500	4683	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4183	4183	0.933333
4338	008	2500	0.06	2380	1	65	100	3	6	5	7500	5120	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4620	4620	0.933333
4338	009	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5700	5700	0.933333
4338	009A	2500	0.06	1480	1	65	100	3	6	5	7500	6020	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5520	5520	0.933333
4338	010	3650	0.08	9600	3	65	100	3	8	5	10950	1350	RH-2	40	density-lim	1500	true		0.7	6	0.75	3	3	10220	620	620	0.933333
4338	013	1698	0.04	1640	1	65	100	3	4	3	5094	3454	RH-2	40	density-lim	1500			0.7	4	1	3	3	4754.399902	3114.399902	3114.399902	0.933333
4338	014	1663	0.04	1298	1	65	100	3	4	3	4989	3691	RH-2	40	density-lim	1500			0.7	4	1	3	3	4656.399902	3358.399902	3358.399902	0.933333
4338	015	1629	0.04	1600	1	65	100	3	4	3	4887	3287	RH-2	40	density-lim	1500			0.7	4	1	3	3	4561.199707	2961.199707	2961.199707	0.933333
4338	016	1526	0.04	2688	3	65	100	3	4	1	4578	1890	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	4272.799805	1584.799805	1584.799805	0.933333
4338	017	2491	0.06	1645	1	65	100	3	6	5	7473	5828	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6974.799805	5329.799805	5329.799805	0.933333
4338	021	2492	0.06	1035	1	65	100	3	6	5	7476	6441	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6977.600098	5942.600098	5942.600098	0.933333
4338	024	2493	0.06	1401	1	65	100	3	6	5	7479	6078	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6980.399902	5579.399902	5579.399902	0.933333
4338	025	2493	0.06	1285	1	65	100	3	6	5	7479	6194	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6980.399902	5695.399902	5695.399902	0.933333
5505	002	2512	0.06	2102	1	55	80	2.5	5	4	6280	4178	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7033.600098	4931.600098	4931.600098	1.12
5505	003	2512	0.06	1620	1	55	80	2.5	5	4	6280	4660	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7033.600098	5413.600098	5413.600098	1.12
5505	004	2512	0.06	1668	1	55	80	2.5	5	4	6280	4612	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7033.600098	5365.600098	5365.600098	1.12
5505	007	2286	0.05	2288	1	55	80	2.5	4	3	5715	3427	RH-2	40	density-lim	1500			0.7	4	1	3	3	6400.799805	4112.799805	4112.799805	1.12
5505	008	2570	0.06	2000	1	55	80	2.5	5	4	6425	4425	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7196	5196	5196	1.12
5505	013	2500	0.06	1800	1	55	80	2.5	5	4	6250	4450	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5200	5200	1.12
5505	014	2500	0.06	1800	1	55	80	2.5	5	4	6250	4450	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5200	5200	1.12
5505	018	2069	0.05	1800	1	55	80	2.5	4	3	5172	3372	RH-2	40	density-lim	1500			0.7	4	1	3	3	5793.199707	3993.199707	3993.199707	1.120108

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5505	020	2007	0.05	2198	1	55	80	2.5	4	3	5018	2820	RH-2	40	density-lim	1500			0.7	4	1	3	3	5619.600098	3421.600098	3421.600098	1.119888
5505	022	2014	0.05	1800	1	55	80	2.5	4	3	5035	3235	RH-2	40	density-lim	1500			0.7	4	1	3	3	5639.199707	3839.199707	3839.199707	1.12
5505	023	1983	0.05	1800	1	55	80	2.5	4	3	4958	3158	RH-2	40	density-lim	1500			0.7	4	1	3	3	5552.399902	3752.399902	3752.399902	1.119887
5506	002	1927	0.04	1575	1	55	80	2.5	3	2	4818	3243	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5395.600098	3820.600098	3820.600098	1.119884
5506	004	2556	0.06	1450	1	55	80	2.5	5	4	6390	4940	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7156.799805	5706.799805	5706.799805	1.12
5506	007	1987	0.05	2125	1	55	80	2.5	4	3	4968	2843	RH-2	40	density-lim	1500			0.7	4	1	3	3	5563.600098	3438.600098	3438.600098	1.119887
5506	008	1988	0.05	1892	1	55	80	2.5	4	3	4970	3078	RH-2	40	density-lim	1500			0.7	4	1	3	3	5566.399902	3674.399902	3674.399902	1.12
5506	010	1990	0.05	1500	1	55	80	2.5	4	3	4975	3475	RH-2	40	density-lim	1500			0.7	4	1	3	3	5572	4072	4072	1.12
5506	011	1991	0.05	1500	1	55	80	2.5	4	3	4978	3478	RH-2	40	density-lim	1500			0.7	4	1	3	3	5574.799805	4074.799805	4074.799805	1.119887
5513	012E	2491	0.06	1400	1	55	80	2.5	5	4	6228	4828	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6974.799805	5574.799805	5574.799805	1.11991
5513	012G	2450	0.06	1400	1	55	80	2.5	5	4	6125	4725	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6860	5460	5460	1.12
5511	004	1650	0.04	1100	1	55	80	2.5	3	2	4125	3025	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4620	3520	3520	1.12
5511	005	1650	0.04	1400	1	55	80	2.5	3	2	4125	2725	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4620	3220	3220	1.12
5511	006	1650	0.04	1100	1	55	80	2.5	3	2	4125	3025	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4620	3520	3520	1.12
5511	007	1650	0.04	1100	1	55	80	2.5	3	2	4125	3025	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4620	3520	3520	1.12
5511	009	1250	0.03	1099	1	55	80	2.5	2	1	3125	2026	RH-2	40	density-lim	1500			0.7	4	2	3	3	3500	2401	2401	1.12
5511	010	1250	0.03	1065	1	55	80	2.5	2	1	3125	2060	RH-2	40	density-lim	1500			0.7	4	2	3	3	3500	2435	2435	1.12
5512	003A	1725	0.04	925	1	55	80	2.5	3	2	4312	3387	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4830	3905	3905	1.12013
5512	003B	1437	0.03	925	1	55	80	2.5	2	1	3592	2667	RH-2	40	density-lim	1500			0.7	4	2	3	3	4023.599854	3098.599854	3098.599854	1.120156
5512	003C	1437	0.03	925	1	55	80	2.5	2	1	3592	2667	RH-2	40	density-lim	1500			0.7	4	2	3	3	4023.599854	3098.599854	3098.599854	1.120156
5512	003D	1463	0.03	1912	1	55	80	2.5	2	1	3658	1746	RH-2	40	density-lim	1500			0.7	4	2	3	3	4096.399902	2184.399902	2184.399902	1.119847
5512	003E	1562	0.04	925	1	55	80	2.5	3	2	3905	2980	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4373.600098	3448.600098	3448.600098	1.12
5512	003F	1563	0.04	1240	1	55	80	2.5	3	2	3908	2668	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4376.399902	3136.399902	3136.399902	1.119857
5512	003G	1563	0.04	925	1	55	80	2.5	3	2	3908	2983	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4376.399902	3451.399902	3451.399902	1.119857
5512	005A	2550	0.06	2172	1	55	80	2.5	5	4	6375	4203	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7140	4968	4968	1.12
5512	013	1750	0.04	1425	1	55	80	2.5	3	2	4375	2950	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	3475	3475	1.12
5512	014	2875	0.07	2000	1	55	80	2.5	6	5	7188	5188	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8050	6050	6050	1.119922
5512	015	1750	0.04	1475	1	55	80	2.5	3	2	4375	2900	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	3425	3425	1.12
5513	012H	2440	0.06	1750	1	55	80	2.5	5	4	6100	4350	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6832	5082	5082	1.12
5512	029	2970	0.07	3338	1	55	80	2.5	6	5	7425	4087	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8316	4978	4978	1.12
5512	031	2220	0.05	2250	1	55	80	2.5	4	3	5550	3300	RH-2	40	density-lim	1500			0.7	4	1	3	3	6216	3966	3966	1.12
5513	003	1792	0.04	875	1	55	80	2.5	3	2	4480	3605	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5017.600098	4142.600098	4142.600098	1.12
5513	004	1750	0.04	750	1	55	80	2.5	3	2	4375	3625	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	4150	4150	1.12
5513	005	1750	0.04	1425	1	55	80	2.5	3	2	4375	2950	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	3475	3475	1.12
5513	006	1750	0.04	1425	1	55	80	2.5	3	2	4375	2950	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	3475	3475	1.12
5513	008	1722	0.04	1655	1	55	80	2.5	3	2	4305	2650	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4821.600098	3166.600098	3166.600098	1.12
5513	009	1722	0.04	1200	1	55	80	2.5	3	2	4305	3105	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4821.600098	3621.600098	3621.600098	1.12
5513	011B	2151	0.05	1360	1	55	80	2.5	4	3	5378	4018	RH-2	40	density-lim	1500			0.7	4	1	3	3	6022.799805	4662.799805	4662.799805	1.119896
5513	011C	2140	0.05	1360	1	55	80	2.5	4	3	5350	3990	RH-2	40	density-lim	1500			0.7	4	1	3	3	5992	4632	4632	1.12
5513	012A	2141	0.05	1360	1	55	80	2.5	4	3	5352	3992	RH-2	40	density-lim	1500			0.7	4	1	3	3	5994.799805	4634.799805	4634.799805	1.120105
5513	012C	2512	0.06	1400	1	55	80	2.5	5	4	6280	4880	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7033.600098	5633.600098	5633.600098	1.12
5513	012D	2501	0.06	1400	1	55	80	2.5	5	4	6252	4852	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7002.799805	5602.799805	5602.799805	1.12009
5513	013	2500	0.06	1145	1	55	80	2.5	5	4	6250	5105	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5855	5855	1.12
5513	014	2500	0.06	875	1	55	80	2.5	5	4	6250	5375	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6125	6125	1.12
5513	019	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5750	5750	1.12
5513	021	3107	0.07	4095	3	55	80	2.5	6	3	7768	3673	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	8699.599609	4604.599609	4604.599609	1.119928
5513	023	2518	0.06	1400	1	55	80	2.5	5	4	6295	4895	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7050.399902	5650.399902	5650.399902	1.12
5513	024	2517	0.06	1762	1	55	80	2.5	5	4	6292	4530	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7047.600098	5285.600098	5285.600098	1.120089
5513	025	2414	0.06	1400	1	55	80	2.5	5	4	6035	4635	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6759.199707	5359.199707	5359.199707	1.12
5513	026	2414	0.06	1400	1	55	80	2.5	5	4	6035	4635	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6759.199707	5359.199707	5359.199707	1.12
5514	001	2512	0.06	3750	3	55	80	2.5	5	2	6280	2530	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	3	3	7033.600098	3283.600098	3283.600098	1.12
5514	002	2542	0.06	897	1	55	80	2.5	5	4	6355	5458	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7117.600098	6220.600098	6220.600098	1.12
5514	009	2618	0.06	1025	1	55	80	2.5	5	4	6545	5520	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7330.399902	6305.399902	6305.399902	1.12
5514	010	4500	0.1	2100	1	55	80	2.5	8	7	11250	9150	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	12600	10500	10500	1.12
5514	011	4500	0.1	1655	1	55	80	2.5	8	7	11250	9595	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	12600	10945	10945	1.12
5514	012	4500	0.1	2010	1	55	80	2.5	8	7	11250	9240	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	12600	10590	10590	1.12
5514	015	4950	0.11	1407	1	55	80	2.5	9	8	12375	10968	RH-2	40	density-lim	1500			0.7	4	0.444444448	3	3	13860	12453	12453	1.12
5514	016	4350	0.1	1270	1	55	80	2.5	8	7	10875	9605	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	12180	10910	10910	1.12
5514	016A	4350	0.1	2327	1	55	80	2.5	8	7	10875	8548	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	12180	9853	9853	1.12
5514	016B	4325	0.1	1270	1	55	80	2.5	8	7	10812	9542	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	12110	10840	10840	1.120052
5514	017	2525	0.06	2600	3	55	80	2.5	5	2	6312	3712	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	3	3	7070	4470	4470	1.120089
5514	018	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6000	6000	1.12
5514	019	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
5514	020	2500	0.06	1768	1	55	80	2.5	5	4	6250	4482	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5232	5232	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5514	021	2500	0.06	1650	1	55	80	2.5	5	4	6250	4600	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5350	5350	1.12
5514	022	2500	0.06	1638	1	55	80	2.5	5	4	6250	4612	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5362	5362	1.12
5514	025	2500	0.06	1736	1	55	80	2.5	5	4	6250	4514	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5264	5264	1.12
5514	026	1864	0.04	2723	3	55	80	2.5	3	0	4660	1937	RH-2	40	density-lim	1500	true		0.7	6	2	3	3	5219.199707	2496.199707	2496.199707	1.12
5514	027	1865	0.04	975	1	55	80	2.5	3	2	4662	3687	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5222	4247	4247	1.12012
5514	028	1867	0.04	1475	1	55	80	2.5	3	2	4668	3193	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5227.600098	3752.600098	3752.600098	1.11988
5514	029	1868	0.04	1625	1	55	80	2.5	3	2	4670	3045	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5230.399902	3605.399902	3605.399902	1.12
5514	034	4501	0.1	1945	1	55	80	2.5	8	7	11252	9307	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	12602.7998	10657.7998	10657.7998	1.12005
5514	037	4506	0.1	2121	1	55	80	2.5	8	7	11265	9144	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	12616.7998	10495.7998	10495.7998	1.12
5514	039	2698	0.06	1650	1	55	80	2.5	5	4	6745	5095	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7554.399902	5904.399902	5904.399902	1.12
5514	040	2509	0.06	2459	1	55	80	2.5	5	4	6272	3813	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7025.199707	4566.199707	4566.199707	1.120089
5514	041	2511	0.06	1150	1	55	80	2.5	5	4	6278	5128	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7030.799805	5880.799805	5880.799805	1.119911
5514	046	2539	0.06	930	1	55	80	2.5	5	4	6348	5418	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7109.199707	6179.199707	6179.199707	1.119912
5515	003	2125	0.05	1655	1	55	80	2.5	4	3	5312	3657	RH-2	40	density-lim	1500			0.7	4	1	3	3	5950	4295	4295	1.120105
5515	004	4125	0.09	1810	1	55	80	2.5	7	6	10312	8502	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	11550	9740	9740	1.120054
5515	005	3125	0.07	1635	1	55	80	2.5	6	5	7812	6177	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8750	7115	7115	1.120072
5515	012	1875	0.04	1225	1	55	80	2.5	3	2	4688	3463	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4025	4025	1.119881
5515	013	1875	0.04	1771	1	55	80	2.5	3	2	4688	2917	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3479	3479	1.119881
5515	014	1875	0.04	1000	1	55	80	2.5	3	2	4688	3688	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4250	4250	1.119881
5515	015	1875	0.04	2250	1	55	80	2.5	3	2	4688	2438	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3000	3000	1.119881
5515	016	1875	0.04	1541	1	55	80	2.5	3	2	4688	3147	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3709	3709	1.119881
5515	017	1875	0.04	1830	1	55	80	2.5	3	2	4688	2858	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3420	3420	1.119881
5515	018	1875	0.04	1340	1	55	80	2.5	3	2	4688	3348	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3910	3910	1.119881
5515	019	1875	0.04	1200	1	55	80	2.5	3	2	4688	3488	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4050	4050	1.119881
5515	020	1875	0.04	1250	1	55	80	2.5	3	2	4688	3438	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4000	4000	1.119881
5515	021	1875	0.04	1653	1	55	80	2.5	3	2	4688	3035	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3597	3597	1.119881
5515	022	1875	0.04	900	1	55	80	2.5	3	2	4688	3788	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4350	4350	1.119881
5515	024	2038	0.05	1106	1	55	80	2.5	4	3	5095	3989	RH-2	40	density-lim	1500			0.7	4	1	3	3	5706.399902	4600.399902	4600.399902	1.12
5515	025	2040	0.05	1000	1	55	80	2.5	4	3	5100	4100	RH-2	40	density-lim	1500			0.7	4	1	3	3	5712	4712	4712	1.12
5515	027	6488	0.15	875	1	55	80	2.5	12	11	16220	15345	RH-2	40	density-lim	1500			0.7	4	0.333333343	3	3	18166.40039	17291.40039	17291.40039	1.12
5515	028	5981	0.14	1486	1	55	80	2.5	11	10	14952	13466	RH-2	40	density-lim	1500			0.7	4	0.363636374	3	3	16746.79883	15260.79883	15260.79883	1.120037
5515	029A	2287	0.05	1952	1	55	80	2.5	4	3	5718	3766	RH-2	40	density-lim	1500			0.7	4	1	3	3	6403.600098	4451.600098	4451.600098	1.119902
5515	029B	2570	0.06	1760	1	55	80	2.5	5	4	6425	4665	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7196	5436	5436	1.12
5515	029D	3136	0.07	1125	1	55	80	2.5	6	5	7840	6715	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8780.799805	7655.799805	7655.799805	1.12
5515	032	2605	0.06	1050	1	55	80	2.5	5	4	6512	5462	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7294	6244	6244	1.120086
5515	033	2356	0.05	2763	1	55	80	2.5	4	3	5890	3127	RH-2	40	density-lim	1500			0.7	4	1	3	3	6596.799805	3833.799805	3833.799805	1.12
5515	034	1983	0.05	1375	1	55	80	2.5	4	3	4958	3583	RH-2	40	density-lim	1500			0.7	4	1	3	3	5552.399902	4177.399902	4177.399902	1.119887
5515	037	913	0.02	1560	1	55	80	2.5	2	1	2282	722	RH-2	40	density-lim	1500			0.7	4	2	3	3	2556.399902	996.3999023	996.3999023	1.120245
5518	006	2500	0.06	1322	1	65	100	3	6	5	7500	6178	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5678	5678	0.933333
5518	018	2088	0.05	2066	0	85	140	4	7	7	8352	6286	NCD-MISS	50	density-lim	600			0.75	3	0.428571433	3	3	7830	5764	5764	0.9375
5527	006	2500	0.06	2274	1	55	80	2.5	5	4	6250	3976	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4726	4726	1.12
5527	007	2500	0.06	2085	1	55	80	2.5	5	4	6250	4165	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4915	4915	1.12
5527	008	2500	0.06	1389	1	55	80	2.5	5	4	6250	4861	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5611	5611	1.12
5527	009	2500	0.06	1101	1	55	80	2.5	5	4	6250	5149	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5899	5899	1.12
5527	010	2500	0.06	600	1	55	80	2.5	5	4	6250	5650	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6400	6400	1.12
5527	011	3750	0.09	1603	1	55	80	2.5	7	6	9375	7772	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	10500	8897	8897	1.12
5527	012	2500	0.06	2065	1	55	80	2.5	5	4	6250	4185	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4935	4935	1.12
5527	013	2500	0.06	1325	1	55	80	2.5	5	4	6250	4925	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5675	5675	1.12
5527	014	4275	0.1	1747	1	55	80	2.5	8	7	10688	8941	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	11970	10223	10223	1.119948
5527	015	942	0.02	750	1	55	80	2.5	2	1	2355	1605	RH-2	40	density-lim	1500			0.7	4	2	3	3	2637.599854	1887.599854	1887.599854	1.12
5527	016	2025	0.05	1602	1	55	80	2.5	4	3	5062	3460	RH-2	40	density-lim	1500			0.7	4	1	3	3	5670	4068	4068	1.120111
5527	016A	2006	0.05	1010	1	55	80	2.5	4	3	5015	4005	RH-2	40	density-lim	1500			0.7	4	1	3	3	5616.799805	4606.799805	4606.799805	1.12
5527	018	2022	0.05	1192	1	55	80	2.5	4	3	5055	3863	RH-2	40	density-lim	1500			0.7	4	1	3	3	5661.600098	4469.600098	4469.600098	1.12
5527	024	2649	0.06	3040	1	55	80	2.5	5	4	6622	3582	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7417.199707	4377.199707	4377.199707	1.120085
5527	026	2028	0.05	544	1	55	80	2.5	4	3	5070	4526	RH-2	40	density-lim	1500			0.7	4	1	3	3	5678.399902	5134.399902	5134.399902	1.12
5527	030	1863	0.04	920	1	55	80	2.5	3	2	4658	3738	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5216.399902	4296.399902	4296.399902	1.11988
5527	031	1863	0.04	1200	1	55	80	2.5	3	2	4658	3458	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5216.399902	4016.399902	4016.399902	1.11988
5527	032	1863	0.04	1083	1	55	80	2.5	3	2	4658	3575	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5216.399902	4133.399902	4133.399902	1.11988
5527	033	3113	0.07	1515	1	55	80	2.5	6	5	7782	6267	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8716.399414	7201.399414	7201.399414	1.120072
5527	035	1863	0.04	1100	1	55	80	2.5	3	2	4658	3558	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5216.399902	4116.399902	4116.399902	1.11988
5527	036	1863	0.04	1100	1	55	80	2.5	3	2	4658	3558	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5216.399902	4116.399902	4116.399902	1.11988
5527	037	1863	0.04	1100	1	55	80	2.5	3	2	4658	3558	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5216.399902	4116.399902	4116.399902	1.11988
5527	038	1863	0.04	1575	1	55	80	2.5	3	2	4658	3083	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5216.399902	3641.399902	3641.399902	1.11988
5527	039	1863	0.04	1100	1	55	80	2.5	3	2	4658	3558	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5216.399902	4116.399902	4116.399902	1.11988

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5527	043	4375	0.1	2562	1	55	80	2.5	8	7	10938	8376	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12250	9688	9688	1.119949
5527	044	4375	0.1	2086	1	55	80	2.5	8	7	10938	8852	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12250	10164	10164	1.119949
5528	003	1749	0.04	924	1	55	80	2.5	3	2	4372	3448	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4897.199707	3973.199707	3973.199707	1.120128
5528	005	1690	0.04	1100	1	55	80	2.5	3	2	4225	3125	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4732	3632	3632	1.12
5528	013	1750	0.04	2271	1	55	80	2.5	3	2	4375	2104	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	2629	2629	1.12
5528	015	1750	0.04	2014	1	55	80	2.5	3	2	4375	2361	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	2886	2886	1.12
5529	002	1536	0.04	985	1	55	80	2.5	3	2	3840	2855	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4300.799805	3315.799805	3315.799805	1.12
5529	003	1748	0.04	1453	1	55	80	2.5	3	2	4370	2917	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4894.399902	3441.399902	3441.399902	1.12
5529	004	1750	0.04	1826	1	55	80	2.5	3	2	4375	2549	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3074	3074	1.12
5529	005	1751	0.04	1150	1	55	80	2.5	3	2	4378	3228	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4902.799805	3752.799805	3752.799805	1.119872
5529	006	1752	0.04	1191	1	55	80	2.5	3	2	4380	3189	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4905.600098	3714.600098	3714.600098	1.12
5529	007	1753	0.04	1492	1	55	80	2.5	3	2	4382	2890	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4908.399902	3416.399902	3416.399902	1.120128
5529	008	1754	0.04	1430	1	55	80	2.5	3	2	4385	2955	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4911.199707	3481.199707	3481.199707	1.12
5529	010	3394	0.08	1959	1	55	80	2.5	6	5	8485	6526	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9503.200195	7544.200195	7544.200195	1.12
5529	012	2606	0.06	1100	1	55	80	2.5	5	4	6515	5415	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7296.799805	6196.799805	6196.799805	1.12
5529	014	3551	0.08	788	1	55	80	2.5	6	5	8878	8090	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9942.799805	9154.799805	9154.799805	1.119937
5529	016	1777	0.04	1050	1	55	80	2.5	3	2	4442	3392	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4975.600098	3925.600098	3925.600098	1.120126
5529	017	1779	0.04	1025	1	55	80	2.5	3	2	4448	3423	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4981.199707	3956.199707	3956.199707	1.119874
5529	018	1579	0.04	1106	1	55	80	2.5	3	2	3948	2842	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4421.199707	3315.199707	3315.199707	1.119858
5529	019	1923	0.04	1106	1	55	80	2.5	3	2	4808	3702	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5384.399902	4278.399902	4278.399902	1.119884
5529	021	1750	0.04	2000	1	55	80	2.5	3	2	4375	2375	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	2900	2900	1.12
5529	023	1750	0.04	1773	1	55	80	2.5	3	2	4375	2602	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	3127	3127	1.12
5529	024	1750	0.04	1327	1	55	80	2.5	3	2	4375	3048	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	3573	3573	1.12
5529	027	1750	0.04	1690	1	55	80	2.5	3	2	4375	2685	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	3210	3210	1.12
5529	029	1750	0.04	900	1	55	80	2.5	3	2	4375	3475	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	4000	4000	1.12
5529	030	1750	0.04	1502	1	55	80	2.5	3	2	4375	2873	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	3398	3398	1.12
5529	031	1750	0.04	620	1	55	80	2.5	3	2	4375	3755	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	4280	4280	1.12
5529	032	1750	0.04	1000	1	55	80	2.5	3	2	4375	3375	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	3900	3900	1.12
5529	039	1749	0.04	1925	1	55	80	2.5	3	2	4372	2447	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4897.199707	2972.199707	2972.199707	1.120128
5529	041	1749	0.04	1675	1	55	80	2.5	3	2	4372	2697	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4897.199707	3222.199707	3222.199707	1.120128
5529	042	1749	0.04	1470	1	55	80	2.5	3	2	4372	2902	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4897.199707	3427.199707	3427.199707	1.120128
5529	046	1749	0.04	1154	1	55	80	2.5	3	2	4372	3218	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4897.199707	3743.199707	3743.199707	1.120128
5529	048	1749	0.04	775	1	55	80	2.5	3	2	4372	3597	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4897.199707	4122.199707	4122.199707	1.120128
5529	050	1749	0.04	700	1	55	80	2.5	3	2	4372	3672	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4897.199707	4197.199707	4197.199707	1.120128
5530	002	1875	0.04	2346	1	55	80	2.5	3	2	4688	2342	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	2904	2904	1.119881
5530	003	1875	0.04	1480	1	55	80	2.5	3	2	4688	3208	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3770	3770	1.119881
5530	005	2261	0.05	1241	1	55	80	2.5	4	3	5652	4411	RH-1	40	density-lim	3000			0.7	4	1	3	3	6330.799805	5089.799805	5089.799805	1.120099
5530	006	2020	0.05	1240	1	55	80	2.5	4	3	5050	3810	RH-1	40	density-lim	3000			0.7	4	1	3	3	5656	4416	4416	1.12
5530	007	2116	0.05	1470	1	55	80	2.5	4	3	5290	3820	RH-1	40	density-lim	3000			0.7	4	1	3	3	5924.799805	4454.799805	4454.799805	1.12
5530	008	1755	0.04	1374	1	55	80	2.5	3	2	4388	3014	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4914	3540	3540	1.119872
5530	013	1800	0.04	1507	1	55	80	2.5	3	2	4500	2993	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5040	3533	3533	1.12
5530	014	2167	0.05	1669	1	55	80	2.5	4	3	5418	3749	RH-2	40	density-lim	1500			0.7	4	1	3	3	6067.600098	4398.600098	4398.600098	1.119897
5530	015	1907	0.04	2537	1	55	80	2.5	3	2	4768	2231	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5339.600098	2802.600098	2802.600098	1.119883
5530	016	2160	0.05	2775	1	55	80	2.5	4	3	5400	2625	RH-2	40	density-lim	1500			0.7	4	1	3	3	6048	3273	3273	1.12
5531	002	1875	0.04	1275	1	55	80	2.5	3	2	4688	3413	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3975	3975	1.119881
5531	003	1875	0.04	1275	1	55	80	2.5	3	2	4688	3413	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3975	3975	1.119881
5531	004	1875	0.04	2375	1	55	80	2.5	3	2	4688	2313	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	2875	2875	1.119881
5531	006	1875	0.04	1475	1	55	80	2.5	3	2	4688	3213	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3775	3775	1.119881
5531	007	1875	0.04	1335	1	55	80	2.5	3	2	4688	3353	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3915	3915	1.119881
5531	008	2500	0.06	1335	1	55	80	2.5	5	4	6250	4915	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5665	5665	1.12
5531	009	2500	0.06	1275	1	55	80	2.5	5	4	6250	4975	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5725	5725	1.12
5531	011	1867	0.04	2190	1	55	80	2.5	3	2	4668	2478	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5227.600098	3037.600098	3037.600098	1.11988
5531	014	2164	0.05	1400	1	55	80	2.5	4	3	5410	4010	RH-2	40	density-lim	1500			0.7	4	1	3	3	6059.199707	4659.199707	4659.199707	1.12
5531	017	2659	0.06	950	1	55	80	2.5	5	4	6648	5698	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7445.199707	6495.199707	6495.199707	1.119916
5531	018	1782	0.04	1575	1	55	80	2.5	3	2	4455	2880	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4989.600098	3414.600098	3414.600098	1.12
5531	019	2155	0.05	1450	1	55	80	2.5	4	3	5388	3938	RH-2	40	density-lim	1500			0.7	4	1	3	3	6034	4584	4584	1.119896
5532	002	1861	0.04	1848	1	55	80	2.5	3	2	4652	2804	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5210.799805	3362.799805	3362.799805	1.12012
5532	003	1860	0.04	1991	1	55	80	2.5	3	2	4650	2659	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5208	3217	3217	1.12
5532	004	1859	0.04	1925	1	55	80	2.5	3	2	4648	2723	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5205.199707	3280.199707	3280.199707	1.119879
5532	005	1858	0.04	1475	1	55	80	2.5	3	2	4645	3170	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5202.399902	3727.399902	3727.399902	1.12
5532	006	1857	0.04	1645	1	55	80	2.5	3	2	4642	2997	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5199.600098	3554.600098	3554.600098	1.120121
5532	008	2612	0.06	1600	1	55	80	2.5	5	4	6530	4930	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7313.600098	5713.600098	5713.600098	1.12
5532	009	2257	0.05	2064	1	55	80	2.5	4	3	5642	3578	RH-1	40	density-lim	3000			0.7	4	1	3	3	6319.600098	4255.600098	4255.600098	1.120099
5532	011	1875	0.04	1100	1	55	80	2.5	3	2	4688	3588	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4150	4150	1.119881

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5532	012	1875	0.04	1275	1	55	80	2.5	3	2	4688	3413	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3975	3975	1.119881
5532	015	1875	0.04	2177	1	55	80	2.5	3	2	4688	2511	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3073	3073	1.119881
5532	016	2500	0.06	1986	1	55	80	2.5	5	4	6250	4264	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5014	5014	1.12
5532	017	2500	0.06	1600	1	55	80	2.5	5	4	6250	4650	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5400	5400	1.12
5532	019	1875	0.04	1400	1	55	80	2.5	3	2	4688	3288	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3850	3850	1.119881
5534	002	1750	0.04	825	1	55	80	2.5	3	2	4375	3550	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	4075	4075	1.12
5534	003	1750	0.04	1295	1	55	80	2.5	3	2	4375	3080	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3605	3605	1.12
5534	004	1750	0.04	1029	1	55	80	2.5	3	2	4375	3346	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3871	3871	1.12
5534	005	1750	0.04	825	1	55	80	2.5	3	2	4375	3550	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	4075	4075	1.12
5534	006	1750	0.04	825	1	55	80	2.5	3	2	4375	3550	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	4075	4075	1.12
5534	009	1717	0.04	1291	1	55	80	2.5	3	2	4292	3001	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4807.600098	3516.600098	3516.600098	1.120131
5534	013	1867	0.04	2004	1	55	80	2.5	3	2	4668	2664	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5227.600098	3223.600098	3223.600098	1.11988
5534	014	1871	0.04	806	1	55	80	2.5	3	2	4678	3872	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5238.799805	4432.799805	4432.799805	1.11988
5534	015	1874	0.04	2551	1	55	80	2.5	3	2	4685	2134	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5247.199707	2696.199707	2696.199707	1.12
5534	016	1878	0.04	1050	1	55	80	2.5	3	2	4695	3645	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5258.399902	4208.399902	4208.399902	1.12
5534	017	1881	0.04	1050	1	55	80	2.5	3	2	4702	3652	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5266.799805	4216.799805	4216.799805	1.120119
5534	018	1884	0.04	1039	1	55	80	2.5	3	2	4710	3671	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5275.199707	4236.199707	4236.199707	1.12
5534	019	1888	0.04	1039	1	55	80	2.5	3	2	4720	3681	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5286.399902	4247.399902	4247.399902	1.12
5534	020	1891	0.04	1039	1	55	80	2.5	3	2	4728	3689	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5294.799805	4255.799805	4255.799805	1.119882
5534	021	1895	0.04	1846	1	55	80	2.5	3	2	4738	2892	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5306	3460	3460	1.119882
5534	022	1898	0.04	1846	1	55	80	2.5	3	2	4745	2899	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5314.399902	3468.399902	3468.399902	1.12
5534	023	1880	0.04	1846	1	55	80	2.5	3	2	4700	2854	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5264	3418	3418	1.12
5534	031	1594	0.04	1443	1	55	80	2.5	3	2	3985	2542	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4463.199707	3020.199707	3020.199707	1.12
5534	032	1594	0.04	1443	1	55	80	2.5	3	2	3985	2542	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4463.199707	3020.199707	3020.199707	1.12
5534	033	1594	0.04	1443	1	55	80	2.5	3	2	3985	2542	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4463.199707	3020.199707	3020.199707	1.12
5534	034	1594	0.04	1443	1	55	80	2.5	3	2	3985	2542	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4463.199707	3020.199707	3020.199707	1.12
5534	035	1594	0.04	1466	1	55	80	2.5	3	2	3985	2519	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4463.199707	2997.199707	2997.199707	1.12
5534	036	4781	0.11	2761	1	55	80	2.5	9	8	11952	9191	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13386.7998	10625.7998	10625.7998	1.120047
5534	038	2869	0.07	2828	1	55	80	2.5	6	5	7172	4344	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8033.199707	5205.199707	5205.199707	1.120078
5534	039	1594	0.04	2134	1	55	80	2.5	3	2	3985	1851	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4463.199707	2329.199707	2329.199707	1.12
5534	040	2684	0.06	1520	1	55	80	2.5	5	4	6710	5190	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7515.199707	5995.199707	5995.199707	1.12
5534	042	1757	0.04	2070	1	55	80	2.5	3	2	4392	2322	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4919.600098	2849.600098	2849.600098	1.120128
5534	045	1767	0.04	1745	1	55	80	2.5	3	2	4418	2673	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4947.600098	3202.600098	3202.600098	1.119873
5534	046	1771	0.04	1250	1	55	80	2.5	3	2	4428	3178	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4958.799805	3708.799805	3708.799805	1.119874
5534	047	1774	0.04	1885	1	55	80	2.5	3	2	4435	2550	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4967.199707	3082.199707	3082.199707	1.12
5534	051	2174	0.05	2815	1	55	80	2.5	4	3	5435	2620	RH-1	40	density-lim	3000			0.7	4	1	3	3	6087.199707	3272.199707	3272.199707	1.12
5534	053	2797	0.06	875	1	55	80	2.5	5	4	6992	6117	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7831.600098	6956.600098	6956.600098	1.12008
5534	054	1750	0.04	792	1	55	80	2.5	3	2	4375	3583	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	4108	4108	1.12
5534	055	1750	0.04	1395	1	55	80	2.5	3	2	4375	2980	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3505	3505	1.12
5535	001	2984	0.07	2746	1	55	80	2.5	6	5	7460	4714	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8355.200195	5609.200195	5609.200195	1.12
5535	003	3545	0.08	1750	1	55	80	2.5	6	5	8862	7112	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9926	8176	8176	1.120063
5535	006	1774	0.04	850	1	55	80	2.5	3	2	4435	3585	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4967.199707	4117.199707	4117.199707	1.12
5535	008	1776	0.04	2597	1	55	80	2.5	3	2	4440	1843	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4972.799805	2375.799805	2375.799805	1.12
5535	009	1776	0.04	2186	1	55	80	2.5	3	2	4440	2254	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4972.799805	2786.799805	2786.799805	1.12
5535	010	1777	0.04	1958	1	55	80	2.5	3	2	4442	2484	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4975.600098	3017.600098	3017.600098	1.120126
5535	017	1750	0.04	1056	1	55	80	2.5	3	2	4375	3319	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3844	3844	1.12
5535	018	1750	0.04	1343	1	55	80	2.5	3	2	4375	3032	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3557	3557	1.12
5535	019	1750	0.04	1200	1	55	80	2.5	3	2	4375	3175	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3700	3700	1.12
5535	020	1750	0.04	1170	1	55	80	2.5	3	2	4375	3205	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3730	3730	1.12
5535	021	1750	0.04	1170	1	55	80	2.5	3	2	4375	3205	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3730	3730	1.12
5535	022	1750	0.04	1201	1	55	80	2.5	3	2	4375	3174	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3699	3699	1.12
5535	023	1750	0.04	1240	1	55	80	2.5	3	2	4375	3135	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3660	3660	1.12
5535	024	1750	0.04	1152	1	55	80	2.5	3	2	4375	3223	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3748	3748	1.12
5535	025	1750	0.04	1152	1	55	80	2.5	3	2	4375	3223	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3748	3748	1.12
5535	026	1750	0.04	1392	1	55	80	2.5	3	2	4375	2983	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3508	3508	1.12
5535	027	1750	0.04	1056	1	55	80	2.5	3	2	4375	3319	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3844	3844	1.12
5535	028	1750	0.04	1056	1	55	80	2.5	3	2	4375	3319	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3844	3844	1.12
5535	029	1750	0.04	1056	1	55	80	2.5	3	2	4375	3319	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3844	3844	1.12
5535	030	1750	0.04	1256	1	55	80	2.5	3	2	4375	3119	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3644	3644	1.12
5536	001	2410	0.06	1193	1	55	80	2.5	5	4	6025	4832	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6748	5555	5555	1.12
5536	002	2415	0.06	3243	1	55	80	2.5	5	4	6038	2795	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6762	3519	3519	1.119907
5536	003	1764	0.04	1627	1	55	80	2.5	3	2	4410	2783	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4939.199707	3312.199707	3312.199707	1.12
5536	005	1750	0.04	1030	1	55	80	2.5	3	2	4375	3345	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3870	3870	1.12
5536	006	1750	0.04	1030	1	55	80	2.5	3	2	4375	3345	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3870	3870	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5536	007	1750	0.04	1030	1	55	80	2.5	3	2	4375	3345	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3870	3870	1.12
5536	008	1750	0.04	1030	1	55	80	2.5	3	2	4375	3345	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3870	3870	1.12
5536A	002	2261	0.05	1030	1	55	80	2.5	4	3	5652	4622	RH-1	40	density-lim	3000			0.7	4	1	3	3	6330.799805	5300.799805	5300.799805	1.120099
5536A	003	2546	0.06	1300	1	55	80	2.5	5	4	6365	5065	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7128.799805	5828.799805	5828.799805	1.12
5536A	004	2830	0.06	1030	1	55	80	2.5	5	4	7075	6045	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7924	6894	6894	1.12
5536A	005	3094	0.07	1401	1	55	80	2.5	6	5	7735	6334	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8663.200195	7262.200195	7262.200195	1.12
5536A	006	2992	0.07	1030	1	55	80	2.5	6	5	7480	6450	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8377.599609	7347.599609	7347.599609	1.12
5536A	007	2759	0.06	1030	1	55	80	2.5	5	4	6898	5868	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7725.199707	6695.199707	6695.199707	1.119919
5536A	008	2526	0.06	1030	1	55	80	2.5	5	4	6315	5285	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	6042.799805	6042.799805	1.12
5536A	011	1758	0.04	1227	1	55	80	2.5	3	2	4395	3168	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4922.399902	3695.399902	3695.399902	1.12
5536A	012	1756	0.04	1374	1	55	80	2.5	3	2	4390	3016	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4916.799805	3542.799805	3542.799805	1.12
5536A	013	1754	0.04	1805	1	55	80	2.5	3	2	4385	2580	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4911.199707	3106.199707	3106.199707	1.12
5536A	014	1751	0.04	1227	1	55	80	2.5	3	2	4378	3151	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4902.799805	3675.799805	3675.799805	1.119872
5536A	015	1749	0.04	981	1	55	80	2.5	3	2	4372	3391	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4897.199707	3916.199707	3916.199707	1.120128
5536A	016	2669	0.06	1550	1	55	80	2.5	5	4	6672	5122	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7473.199707	5923.199707	5923.199707	1.120084
5536A	025	1795	0.04	1880	1	55	80	2.5	3	2	4488	2608	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5026	3146	3146	1.119875
5536A	026	1940	0.04	2165	1	55	80	2.5	3	2	4850	2685	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5432	3267	3267	1.12
5536A	028	4222	0.1	2670	1	55	80	2.5	8	7	10555	7885	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	11821.59961	9151.599609	9151.599609	1.12
5537	004	1820	0.04	1243	1	55	80	2.5	3	2	4550	3307	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5096	3853	3853	1.12
5537	006	1750	0.04	1700	1	55	80	2.5	3	2	4375	2675	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3200	3200	1.12
5537	007	1750	0.04	2367	1	55	80	2.5	3	2	4375	2008	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	2533	2533	1.12
5537	008	2100	0.05	2345	1	55	80	2.5	4	3	5250	2905	RH-1	40	density-lim	3000			0.7	4	1	3	3	5880	3535	3535	1.12
5537	009	3150	0.07	875	1	55	80	2.5	6	5	7875	7000	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8820	7945	7945	1.12
5537	011	1750	0.04	756	1	55	80	2.5	3	2	4375	3619	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	4144	4144	1.12
5537	014	2660	0.06	781	1	55	80	2.5	5	4	6650	5869	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7448	6667	6667	1.12
5537	015	2660	0.06	1727	1	55	80	2.5	5	4	6650	4923	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7448	5721	5721	1.12
5537	016	2660	0.06	1750	1	55	80	2.5	5	4	6650	4900	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7448	5698	5698	1.12
5537	019	1716	0.04	2208	1	55	80	2.5	3	2	4290	2082	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4804.799805	2596.799805	2596.799805	1.12
5537	021	1716	0.04	2536	1	55	80	2.5	3	2	4290	1754	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4804.799805	2268.799805	2268.799805	1.12
5537	022	1716	0.04	997	1	55	80	2.5	3	2	4290	3293	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4804.799805	3807.799805	3807.799805	1.12
5537	028	1750	0.04	2570	1	55	80	2.5	3	2	4375	1805	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	2330	2330	1.12
5537	030	2149	0.05	2228	1	55	80	2.5	4	3	5372	3144	RH-1	40	density-lim	3000			0.7	4	1	3	3	6017.199707	3789.199707	3789.199707	1.120104
5537	031	3431	0.08	2674	1	55	80	2.5	6	5	8578	5904	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9606.799805	6932.799805	6932.799805	1.119935
5537	041	1405	0.03	850	1	55	80	2.5	2	1	3512	2662	RH-1	40	density-lim	3000			0.7	4	2	3	3	3934	3084	3084	1.12016
5537	042	1051	0.02	490	1	55	80	2.5	2	1	2628	2138	RH-1	40	density-lim	3000			0.7	4	2	3	3	2942.800049	2452.800049	2452.800049	1.119787
5538	003	1750	0.04	1880	1	55	80	2.5	3	2	4375	2495	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3020	3020	1.12
5538	004	1750	0.04	1961	1	55	80	2.5	3	2	4375	2414	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	2939	2939	1.12
5538	007	5250	0.12	1071	1	55	80	2.5	10	9	13125	12054	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14700	13629	13629	1.12
5538	010	1750	0.04	574	1	55	80	2.5	3	2	4375	3801	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	4326	4326	1.12
5538	021	1716	0.04	2309	1	55	80	2.5	3	2	4290	1981	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4804.799805	2495.799805	2495.799805	1.12
5538	022	1716	0.04	968	1	55	80	2.5	3	2	4290	3322	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4804.799805	3836.799805	3836.799805	1.12
5539	003	2625	0.06	877	1	55	80	2.5	5	4	6562	5685	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7350	6473	6473	1.120085
5539	007	1750	0.04	1620	1	55	80	2.5	3	2	4375	2755	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3280	3280	1.12
5539	008	1750	0.04	1274	1	55	80	2.5	3	2	4375	3101	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3626	3626	1.12
5539	009	1750	0.04	1275	1	55	80	2.5	3	2	4375	3100	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3625	3625	1.12
5539	020	1763	0.04	1475	1	55	80	2.5	3	2	4408	2933	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4936.399902	3461.399902	3461.399902	1.119873
5539	021	1763	0.04	1228	1	55	80	2.5	3	2	4408	3180	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4936.399902	3708.399902	3708.399902	1.119873
5539	022	1763	0.04	1643	1	55	80	2.5	3	2	4408	2765	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4936.399902	3293.399902	3293.399902	1.119873
5539	024	1763	0.04	2229	1	55	80	2.5	3	2	4408	2179	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4936.399902	2707.399902	2707.399902	1.119873
5539	025	1763	0.04	2565	1	55	80	2.5	3	2	4408	1843	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4936.399902	2371.399902	2371.399902	1.119873
5539	026	1763	0.04	2318	1	55	80	2.5	3	2	4408	2090	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4936.399902	2618.399902	2618.399902	1.119873
5539	027	1763	0.04	2114	1	55	80	2.5	3	2	4408	2294	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4936.399902	2822.399902	2822.399902	1.119873
5539	028	1763	0.04	2175	1	55	80	2.5	3	2	4408	2233	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4936.399902	2761.399902	2761.399902	1.119873
5539	029	1763	0.04	2175	1	55	80	2.5	3	2	4408	2233	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4936.399902	2761.399902	2761.399902	1.119873
5539	030	2415	0.06	1703	1	55	80	2.5	5	4	6038	4335	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6762	5059	5059	1.119907
5539	031	1960	0.04	2820	1	55	80	2.5	3	2	4900	2080	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5488	2668	2668	1.12
5540	016	2000	0.05	1632	1	55	80	2.5	4	3	5000	3368	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	3968	3968	1.12
5540	017	2000	0.05	2546	1	55	80	2.5	4	3	5000	2454	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	3054	3054	1.12
5540	018	2000	0.05	1750	1	55	80	2.5	4	3	5000	3250	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	3850	3850	1.12
5540	020	2000	0.05	1250	1	55	80	2.5	4	3	5000	3750	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4350	4350	1.12
5540	021	2000	0.05	1000	1	55	80	2.5	4	3	5000	4000	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4600	4600	1.12
5540	024	2509	0.06	850	1	55	80	2.5	5	4	6272	5422	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7025.199707	6175.199707	6175.199707	1.120089
5540	025	2509	0.06	948	1	55	80	2.5	5	4	6272	5324	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7025.199707	6077.199707	6077.199707	1.120089
5609	024	2522	0.06	800	1	65	100	3	6	5	7566	6766	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7061.600098	6261.600098	6261.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5609	025	1541	0.04	1371	1	65	100	3	4	3	4623	3252	RH-2	40	density-lim	1500			0.7	4	1	3	3	4314.799805	2943.799805	2943.799805	0.933333
5610	010	4265	0.1	3295	1	65	100	3	10	9	12795	9500	RH-2	40	density-lim	1500			0.7	4	0.400000006	3	3	11942	8647	8647	0.933333
5609	023	2522	0.06	1920	1	65	100	3	6	5	7566	5646	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7061.600098	5141.600098	5141.600098	0.933333
5610	003	1309	0.03	1050	1	65	100	3	3	2	3927	2877	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3665.199951	2615.199951	2615.199951	0.933333
5610	004	1759	0.04	936	1	65	100	3	4	3	5277	4341	RH-2	40	density-lim	1500			0.7	4	1	3	3	4925.199707	3989.199707	3989.199707	0.933333
5610	007	1872	0.04	1758	1	65	100	3	4	3	5616	3858	RH-2	40	density-lim	1500			0.7	4	1	3	3	5241.600098	3483.600098	3483.600098	0.933333
5610	011	4265	0.1	750	1	65	100	3	10	9	12795	12045	RH-2	40	density-lim	1500			0.7	4	0.400000006	3	3	11942	11192	11192	0.933333
5610	012	3046	0.07	1314	1	65	100	3	7	6	9138	7824	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8528.799805	7214.799805	7214.799805	0.933333
5610	016	3074	0.07	925	1	65	100	3	7	6	9222	8297	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8607.200195	7682.200195	7682.200195	0.933333
5610	018	4315	0.1	750	1	65	100	3	10	9	12945	12195	RH-2	40	density-lim	1500			0.7	4	0.400000006	3	3	12082	11332	11332	0.933333
5610	019	4312	0.1	2510	1	65	100	3	10	9	12936	10426	RH-2	40	density-lim	1500			0.7	4	0.400000006	3	3	12073.59961	9563.599609	9563.599609	0.933333
5610	020	1960	0.04	998	1	65	100	3	4	3	5880	4882	RH-2	40	density-lim	1500			0.7	4	1	3	3	5488	4490	4490	0.933333
5610	021A	1710	0.04	1000	1	65	100	3	4	3	5130	4130	RH-2	40	density-lim	1500			0.7	4	1	3	3	4788	3788	3788	0.933333
5610	023	1750	0.04	1500	1	65	100	3	4	3	5250	3750	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3400	3400	0.933333
5610	024	2000	0.05	1550	1	65	100	3	5	4	6000	4450	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5600	4050	4050	0.933333
5610	025	1750	0.04	1100	1	65	100	3	4	3	5250	4150	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3800	3800	0.933333
5610	028	1485	0.03	2220	1	65	100	3	3	2	4455	2235	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4158	1938	1938	0.933333
5610	029	1485	0.03	1569	1	65	100	3	3	2	4455	2886	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4158	2589	2589	0.933333
5610	030	1488	0.03	1328	1	65	100	3	3	2	4464	3136	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4166.399902	2838.399902	2838.399902	0.933333
5610	033	1113	0.03	838	1	65	100	3	3	2	3339	2501	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3116.399902	2278.399902	2278.399902	0.933333
5610A	004	1749	0.04	1935	1	65	100	3	4	3	5247	3312	RH-2	40	density-lim	1500			0.7	4	1	3	3	4897.199707	2962.199707	2962.199707	0.933333
5610A	005	1751	0.04	1275	1	65	100	3	4	3	5253	3978	RH-2	40	density-lim	1500			0.7	4	1	3	3	4902.799805	3627.799805	3627.799805	0.933333
5610A	006	1752	0.04	1275	1	65	100	3	4	3	5256	3981	RH-2	40	density-lim	1500			0.7	4	1	3	3	4905.600098	3630.600098	3630.600098	0.933333
5610A	007	1753	0.04	1350	1	65	100	3	4	3	5259	3909	RH-2	40	density-lim	1500			0.7	4	1	3	3	4908.399902	3558.399902	3558.399902	0.933333
5610A	008	1754	0.04	944	1	65	100	3	4	3	5262	4318	RH-2	40	density-lim	1500			0.7	4	1	3	3	4911.199707	3967.199707	3967.199707	0.933333
5610A	009	1756	0.04	894	1	65	100	3	4	3	5268	4374	RH-2	40	density-lim	1500			0.7	4	1	3	3	4916.799805	4022.799805	4022.799805	0.933333
5610A	010	1757	0.04	1749	1	65	100	3	4	3	5271	3522	RH-2	40	density-lim	1500			0.7	4	1	3	3	4919.600098	3170.600098	3170.600098	0.933333
5610A	012	1760	0.04	625	1	65	100	3	4	3	5280	4655	RH-2	40	density-lim	1500			0.7	4	1	3	3	4928	4303	4303	0.933333
5610A	013	1761	0.04	700	1	65	100	3	4	3	5283	4583	RH-2	40	density-lim	1500			0.7	4	1	3	3	4930.799805	4230.799805	4230.799805	0.933333
5610A	014	1762	0.04	855	1	65	100	3	4	3	5286	4431	RH-2	40	density-lim	1500			0.7	4	1	3	3	4933.600098	4078.600098	4078.600098	0.933333
5610A	022	1750	0.04	1405	1	65	100	3	4	3	5250	3845	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3495	3495	0.933333
5610A	034	1770	0.04	1138	1	65	100	3	4	3	5310	4172	RH-2	40	density-lim	1500			0.7	4	1	3	3	4956	3818	3818	0.933333
5610A	036	1771	0.04	2238	1	65	100	3	4	3	5313	3075	RH-2	40	density-lim	1500			0.7	4	1	3	3	4958.799805	2720.799805	2720.799805	0.933333
5610A	038	1771	0.04	875	1	65	100	3	4	3	5313	4438	RH-2	40	density-lim	1500			0.7	4	1	3	3	4958.799805	4083.799805	4083.799805	0.933333
5610A	039	1771	0.04	1125	1	65	100	3	4	3	5313	4188	RH-2	40	density-lim	1500			0.7	4	1	3	3	4958.799805	3833.799805	3833.799805	0.933333
5610A	040	1772	0.04	750	1	65	100	3	4	3	5316	4566	RH-2	40	density-lim	1500			0.7	4	1	3	3	4961.600098	4211.600098	4211.600098	0.933333
5610A	041	1772	0.04	2000	1	65	100	3	4	3	5316	3316	RH-2	40	density-lim	1500			0.7	4	1	3	3	4961.600098	2961.600098	2961.600098	0.933333
5610A	042	1772	0.04	1050	1	65	100	3	4	3	5316	4266	RH-2	40	density-lim	1500			0.7	4	1	3	3	4961.600098	3911.600098	3911.600098	0.933333
5610A	043	1772	0.04	1125	1	65	100	3	4	3	5316	4191	RH-2	40	density-lim	1500			0.7	4	1	3	3	4961.600098	3836.600098	3836.600098	0.933333
5610A	044	1773	0.04	800	1	65	100	3	4	3	5319	4519	RH-2	40	density-lim	1500			0.7	4	1	3	3	4964.399902	4164.399902	4164.399902	0.933333
5610A	045	1773	0.04	1500	1	65	100	3	4	3	5319	3819	RH-2	40	density-lim	1500			0.7	4	1	3	3	4964.399902	3464.399902	3464.399902	0.933333
5611	002	1750	0.04	900	1	65	100	3	4	3	5250	4350	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	4000	4000	0.933333
5611	005	1750	0.04	1410	1	65	100	3	4	3	5250	3840	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3490	3490	0.933333
5611	006	1750	0.04	1007	1	65	100	3	4	3	5250	4243	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3893	3893	0.933333
5611	007	1750	0.04	1175	1	65	100	3	4	3	5250	4075	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3725	3725	0.933333
5611	010	1750	0.04	1125	1	65	100	3	4	3	5250	4125	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3775	3775	0.933333
5611	011	1750	0.04	930	1	65	100	3	4	3	5250	4320	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3970	3970	0.933333
5611	012	1750	0.04	1211	1	65	100	3	4	3	5250	4039	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3689	3689	0.933333
5611	013	1750	0.04	1356	1	65	100	3	4	3	5250	3894	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3544	3544	0.933333
5611	014	1750	0.04	772	1	65	100	3	4	3	5250	4478	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	4128	4128	0.933333
5611	018	1750	0.04	750	1	65	100	3	4	3	5250	4500	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	4150	4150	0.933333
5611	019	1750	0.04	1197	1	65	100	3	4	3	5250	4053	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3703	3703	0.933333
5611	022	1750	0.04	525	1	65	100	3	4	3	5250	4725	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	4375	4375	0.933333
5611	024	1750	0.04	1800	1	65	100	3	4	3	5250	3450	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3100	3100	0.933333
5611	025	1750	0.04	1510	1	65	100	3	4	3	5250	3740	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3390	3390	0.933333
5611	027	1750	0.04	1650	1	65	100	3	4	3	5250	3600	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3250	3250	0.933333
5611	028	1750	0.04	1125	1	65	100	3	4	3	5250	4125	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3775	3775	0.933333
5611	028A	1750	0.04	967	1	65	100	3	4	3	5250	4283	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3933	3933	0.933333
5611	028B	1750	0.04	1147	1	65	100	3	4	3	5250	4103	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3753	3753	0.933333
5611	029	1783	0.04	920	1	65	100	3	4	3	5349	4429	RH-2	40	density-lim	1500			0.7	4	1	3	3	4992.399902	4072.399902	4072.399902	0.933333
5611	032	1735	0.04	1040	1	65	100	3	4	3	5205	4165	RH-2	40	density-lim	1500			0.7	4	1	3	3	4858	3818	3818	0.933333
5611	034	1735	0.04	1220	1	65	100	3	4	3	5205	3985	RH-2	40	density-lim	1500			0.7	4	1	3	3	4858	3638	3638	0.933333
5611	035	1736	0.04	2011	1	65	100	3	4	3	5208	3197	RH-2	40	density-lim	1500			0.7	4	1	3	3	4860.799805	2849.799805	2849.799805	0.933333
5611	036	1736	0.04	1755	1	65	100	3	4	3	5208	3453	RH-2	40	density-lim	1500			0.7	4	1	3	3	4860.799805	3105.799805	3105.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5611	037	1736	0.04	925	1	65	100	3	4	3	5208	4283	RH-2	40	density-lim	1500			0.7	4	1	3	3	4860.799805	3935.799805	3935.799805	0.933333
5611	038	1736	0.04	1420	1	65	100	3	4	3	5208	3788	RH-2	40	density-lim	1500			0.7	4	1	3	3	4860.799805	3440.799805	3440.799805	0.933333
5611	039	1736	0.04	2236	1	65	100	3	4	3	5208	2972	RH-2	40	density-lim	1500			0.7	4	1	3	3	4860.799805	2624.799805	2624.799805	0.933333
5611	040	1737	0.04	2251	1	65	100	3	4	3	5211	2960	RH-2	40	density-lim	1500			0.7	4	1	3	3	4863.600098	2612.600098	2612.600098	0.933333
5611	041	1737	0.04	2750	1	65	100	3	4	3	5211	2461	RH-2	40	density-lim	1500			0.7	4	1	3	3	4863.600098	2113.600098	2113.600098	0.933333
5611	042	1737	0.04	1599	1	65	100	3	4	3	5211	3612	RH-2	40	density-lim	1500			0.7	4	1	3	3	4863.600098	3264.600098	3264.600098	0.933333
5611	044	2780	0.06	1215	1	65	100	3	6	5	8340	7125	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7784	6569	6569	0.933333
5611	046	1738	0.04	1750	1	65	100	3	4	3	5214	3464	RH-2	40	density-lim	1500			0.7	4	1	3	3	4866.399902	3116.399902	3116.399902	0.933333
5611	048	1739	0.04	1800	1	65	100	3	4	3	5217	3417	RH-2	40	density-lim	1500			0.7	4	1	3	3	4869.199707	3069.199707	3069.199707	0.933333
5611	049	1739	0.04	750	1	65	100	3	4	3	5217	4467	RH-2	40	density-lim	1500			0.7	4	1	3	3	4869.199707	4119.199707	4119.199707	0.933333
5611	052	1740	0.04	1630	1	65	100	3	4	3	5220	3590	RH-2	40	density-lim	1500			0.7	4	1	3	3	4872	3242	3242	0.933333
5611	053	1740	0.04	1500	1	65	100	3	4	3	5220	3720	RH-2	40	density-lim	1500			0.7	4	1	3	3	4872	3372	3372	0.933333
5611	054	2424	0.06	660	1	65	100	3	6	5	7272	6612	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6787.199707	6127.199707	6127.199707	0.933333
5611	055	2181	0.05	780	1	65	100	3	5	4	6543	5763	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6106.799805	5326.799805	5326.799805	0.933333
5611	057	1750	0.04	1390	1	65	100	3	4	3	5250	3860	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3510	3510	0.933333
5612	002	2789	0.06	959	1	65	100	3	6	5	8367	7408	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7809.199707	6850.199707	6850.199707	0.933333
5612	004	1750	0.04	1522	1	65	100	3	4	3	5250	3728	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3378	3378	0.933333
5612	005	1750	0.04	600	1	65	100	3	4	3	5250	4650	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	4300	4300	0.933333
5612	006	1750	0.04	750	1	65	100	3	4	3	5250	4500	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	4150	4150	0.933333
5612	007	1750	0.04	1329	1	65	100	3	4	3	5250	3921	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3571	3571	0.933333
5612	008	1750	0.04	1302	1	65	100	3	4	3	5250	3948	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3598	3598	0.933333
5612	011	1750	0.04	1417	1	65	100	3	4	3	5250	3833	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3483	3483	0.933333
5612	012	1750	0.04	1858	1	65	100	3	4	3	5250	3392	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3042	3042	0.933333
5612	013	1750	0.04	1363	1	65	100	3	4	3	5250	3887	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3537	3537	0.933333
5612	014	1750	0.04	2018	1	65	100	3	4	3	5250	3232	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2882	2882	0.933333
5612	015	1750	0.04	925	1	65	100	3	4	3	5250	4325	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3975	3975	0.933333
5612	016	1750	0.04	1125	1	65	100	3	4	3	5250	4125	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3775	3775	0.933333
5612	019	1750	0.04	1709	1	65	100	3	4	3	5250	3541	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3191	3191	0.933333
5612	020	1750	0.04	2307	1	65	100	3	4	3	5250	2943	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2593	2593	0.933333
5612	021	1750	0.04	1050	1	65	100	3	4	3	5250	4200	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3850	3850	0.933333
5612	022	1750	0.04	1612	1	65	100	3	4	3	5250	3638	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3288	3288	0.933333
5612	023	1750	0.04	1685	1	65	100	3	4	3	5250	3565	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3215	3215	0.933333
5612	024	1750	0.04	1024	1	65	100	3	4	3	5250	4226	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3876	3876	0.933333
5612	025	1750	0.04	2157	1	65	100	3	4	3	5250	3093	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2743	2743	0.933333
5612	026	1750	0.04	825	1	65	100	3	4	3	5250	4425	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	4075	4075	0.933333
5612	027	1750	0.04	825	1	65	100	3	4	3	5250	4425	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	4075	4075	0.933333
5612	028	1750	0.04	1485	1	65	100	3	4	3	5250	3765	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3415	3415	0.933333
5612	029	1750	0.04	1614	1	65	100	3	4	3	5250	3636	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3286	3286	0.933333
5612	030A	1790	0.04	825	1	65	100	3	4	3	5370	4545	RH-1	40	density-lim	3000			0.7	4	1	3	3	5012	4187	4187	0.933333
5612	031	1790	0.04	825	1	65	100	3	4	3	5370	4545	RH-1	40	density-lim	3000			0.7	4	1	3	3	5012	4187	4187	0.933333
5612	032	1791	0.04	1446	1	65	100	3	4	3	5373	3927	RH-1	40	density-lim	3000			0.7	4	1	3	3	5014.799805	3568.799805	3568.799805	0.933333
5612	033	1791	0.04	825	1	65	100	3	4	3	5373	4548	RH-1	40	density-lim	3000			0.7	4	1	3	3	5014.799805	4189.799805	4189.799805	0.933333
5612	034	1791	0.04	1221	1	65	100	3	4	3	5373	4152	RH-1	40	density-lim	3000			0.7	4	1	3	3	5014.799805	3793.799805	3793.799805	0.933333
5612	035	1791	0.04	1050	1	65	100	3	4	3	5373	4323	RH-1	40	density-lim	3000			0.7	4	1	3	3	5014.799805	3964.799805	3964.799805	0.933333
5612	036	1792	0.04	1727	1	65	100	3	4	3	5376	3649	RH-1	40	density-lim	3000			0.7	4	1	3	3	5017.600098	3290.600098	3290.600098	0.933333
5612	037	1792	0.04	1355	1	65	100	3	4	3	5376	4021	RH-1	40	density-lim	3000			0.7	4	1	3	3	5017.600098	3662.600098	3662.600098	0.933333
5612	038	1792	0.04	1225	1	65	100	3	4	3	5376	4151	RH-1	40	density-lim	3000			0.7	4	1	3	3	5017.600098	3792.600098	3792.600098	0.933333
5612	039	1793	0.04	1000	1	65	100	3	4	3	5379	4379	RH-1	40	density-lim	3000			0.7	4	1	3	3	5020.399902	4020.399902	4020.399902	0.933333
5612	041	1793	0.04	781	1	65	100	3	4	3	5379	4598	RH-1	40	density-lim	3000			0.7	4	1	3	3	5020.399902	4239.399902	4239.399902	0.933333
5612	042	1794	0.04	1812	1	65	100	3	4	3	5382	3570	RH-1	40	density-lim	3000			0.7	4	1	3	3	5023.199707	3211.199707	3211.199707	0.933333
5612	043	1794	0.04	1322	1	65	100	3	4	3	5382	4060	RH-1	40	density-lim	3000			0.7	4	1	3	3	5023.199707	3701.199707	3701.199707	0.933333
5612	044	1794	0.04	1812	1	65	100	3	4	3	5382	3570	RH-1	40	density-lim	3000			0.7	4	1	3	3	5023.199707	3211.199707	3211.199707	0.933333
5612	045	1794	0.04	1600	1	65	100	3	4	3	5382	3782	RH-1	40	density-lim	3000			0.7	4	1	3	3	5023.199707	3423.199707	3423.199707	0.933333
5612	046	1795	0.04	865	1	65	100	3	4	3	5385	4520	RH-1	40	density-lim	3000			0.7	4	1	3	3	5026	4161	4161	0.933333
5612	047	1795	0.04	1493	1	65	100	3	4	3	5385	3892	RH-1	40	density-lim	3000			0.7	4	1	3	3	5026	3533	3533	0.933333
5612	048	1795	0.04	1332	1	65	100	3	4	3	5385	4053	RH-1	40	density-lim	3000			0.7	4	1	3	3	5026	3694	3694	0.933333
5612	049	1796	0.04	840	1	65	100	3	4	3	5388	4548	RH-1	40	density-lim	3000			0.7	4	1	3	3	5028.799805	4188.799805	4188.799805	0.933333
5612	050	1796	0.04	1200	1	65	100	3	4	3	5388	4188	RH-1	40	density-lim	3000			0.7	4	1	3	3	5028.799805	3828.799805	3828.799805	0.933333
5612	051	1796	0.04	2011	1	65	100	3	4	3	5388	3377	RH-1	40	density-lim	3000			0.7	4	1	3	3	5028.799805	3017.799805	3017.799805	0.933333
5612	052	1868	0.04	600	1	65	100	3	4	3	5604	5004	RH-1	40	density-lim	3000			0.7	4	1	3	3	5230.399902	4630.399902	4630.399902	0.933333
5612	052A	1258	0.03	1150	1	65	100	3	3	2	3774	2624	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3522.399902	2372.399902	2372.399902	0.933333
5612	054	1348	0.03	2099	1	65	100	3	3	2	4044	1945	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3774.399902	1675.399902	1675.399902	0.933333
5612	055	1797	0.04	1508	1	65	100	3	4	3	5391	3883	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	3523.600098	3523.600098	0.933333
5612	056	1798	0.04	1547	1	65	100	3	4	3	5394	3847	RH-1	40	density-lim	3000			0.7	4	1	3	3	5034.399902	3487.399902	3487.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5612	057	1798	0.04	1450	1	65	100	3	4	3	5394	3944	RH-1	40	density-lim	3000			0.7	4	1	3	3	5034.399902	3584.399902	3584.399902	0.933333
5612	058	1798	0.04	875	1	65	100	3	4	3	5394	4519	RH-1	40	density-lim	3000			0.7	4	1	3	3	5034.399902	4159.399902	4159.399902	0.933333
5612	063	1750	0.04	2191	1	65	100	3	4	3	5250	3059	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2709	2709	0.933333
5612	064	1750	0.04	1487	1	65	100	3	4	3	5250	3763	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3413	3413	0.933333
5615	004	1525	0.04	844	1	65	100	3	4	3	4575	3731	RH-2	40	density-lim	1500			0.7	4	1	3	3	4270	3426	3426	0.933333
5615	004A	1586	0.04	844	1	65	100	3	4	3	4758	3914	RH-2	40	density-lim	1500			0.7	4	1	3	3	4440.799805	3596.799805	3596.799805	0.933333
5615	012	2500	0.06	3015	1	65	100	3	6	5	7500	4485	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	3985	3985	0.933333
5615	019	3000	0.07	1125	1	65	100	3	7	6	9000	7875	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8400	7275	7275	0.933333
5615	024A	1820	0.04	1450	1	65	100	3	4	3	5460	4010	RH-2	40	density-lim	1500			0.7	4	1	3	3	5096	3646	3646	0.933333
5615	024B	1820	0.04	1450	1	65	100	3	4	3	5460	4010	RH-2	40	density-lim	1500			0.7	4	1	3	3	5096	3646	3646	0.933333
5615	024C	1820	0.04	1325	1	65	100	3	4	3	5460	4135	RH-2	40	density-lim	1500			0.7	4	1	3	3	5096	3771	3771	0.933333
5615	024D	1820	0.04	1325	1	65	100	3	4	3	5460	4135	RH-2	40	density-lim	1500			0.7	4	1	3	3	5096	3771	3771	0.933333
5615	036A	2835	0.07	1200	2	65	100	3	7	5	8505	7305	NCD-MISS	40	density-lim	600			0.75	5	0.714285731	3	3	8505	7305	7305	1
5615	046	1611	0.04	1450	1	65	100	3	4	3	4833	3383	RH-2	40	density-lim	1500			0.7	4	1	3	3	4510.799805	3060.799805	3060.799805	0.933333
5615	053	1680	0.04	1200	1	85	140	4	6	5	6720	5520	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	4704	3504	3504	0.7
5615	054	1679	0.04	1709	1	85	140	4	6	5	6716	5007	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	4701.199707	2992.199707	2992.199707	0.7
5615	055	1678	0.04	2960	3	65	100	3	4	1	5034	2074	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	4698.399902	1738.399902	1738.399902	0.933333
5615	058	1694	0.04	1582	1	65	100	3	4	3	5082	3500	RH-2	40	density-lim	1500			0.7	4	1	3	3	4743.199707	3161.199707	3161.199707	0.933333
5616	017	1791	0.04	2303	1	65	100	3	4	3	5373	3070	RH-2	40	density-lim	1500			0.7	4	1	3	3	5014.799805	2711.799805	2711.799805	0.933333
5615	064	1556	0.04	1450	1	65	100	3	4	3	4668	3218	RH-2	40	density-lim	1500			0.7	4	1	3	3	4356.799805	2906.799805	2906.799805	0.933333
5615	065	1543	0.04	1450	1	65	100	3	4	3	4629	3179	RH-2	40	density-lim	1500			0.7	4	1	3	3	4320.399902	2870.399902	2870.399902	0.933333
5615	067	1633	0.04	900	1	65	100	3	4	3	4899	3999	RH-2	40	density-lim	1500			0.7	4	1	3	3	4572.399902	3672.399902	3672.399902	0.933333
5615	068	1633	0.04	950	1	65	100	3	4	3	4899	3949	RH-2	40	density-lim	1500			0.7	4	1	3	3	4572.399902	3622.399902	3622.399902	0.933333
5615	078	3995	0.09	4750	4	85	140	4	13	9	15980	11230	NCD-MISS	40	density-lim	600			0.75	7	0.538461566	3	3	11985	7235	7235	0.75
5616	004	1771	0.04	1575	1	65	100	3	4	3	5313	3738	RH-2	40	density-lim	1500			0.7	4	1	3	3	4958.799805	3383.799805	3383.799805	0.933333
5616	005	1773	0.04	750	1	65	100	3	4	3	5319	4569	RH-2	40	density-lim	1500			0.7	4	1	3	3	4964.399902	4214.399902	4214.399902	0.933333
5616	006	1774	0.04	1442	1	65	100	3	4	3	5322	3880	RH-2	40	density-lim	1500			0.7	4	1	3	3	4967.199707	3525.199707	3525.199707	0.933333
5616	007	2663	0.06	2407	1	65	100	3	6	5	7989	5582	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7456.399902	5049.399902	5049.399902	0.933333
5616	008	750	0.02	375	1	65	100	3	2	1	2250	1875	RH-2	40	density-lim	1500			0.7	4	2	3	3	2100	1725	1725	0.933333
5616	008A	1916	0.04	1276	1	65	100	3	4	3	5748	4472	RH-2	40	density-lim	1500			0.7	4	1	3	3	5364.799805	4088.799805	4088.799805	0.933333
5616	009	3559	0.08	1080	1	65	100	3	8	7	10677	9597	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9965.200195	8885.200195	8885.200195	0.933333
5616	012	1785	0.04	874	1	65	100	3	4	3	5355	4481	RH-2	40	density-lim	1500			0.7	4	1	3	3	4998	4124	4124	0.933333
5616	013	1786	0.04	874	1	65	100	3	4	3	5358	4484	RH-2	40	density-lim	1500			0.7	4	1	3	3	5000.799805	4126.799805	4126.799805	0.933333
5616	015	1789	0.04	2402	1	65	100	3	4	3	5367	2965	RH-2	40	density-lim	1500			0.7	4	1	3	3	5009.199707	2607.199707	2607.199707	0.933333
5616	016	1790	0.04	2060	1	65	100	3	4	3	5370	3310	RH-2	40	density-lim	1500			0.7	4	1	3	3	5012	2952	2952	0.933333
5616	019A	1500	0.03	1200	1	65	100	3	3	2	4500	3300	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4200	3000	3000	0.933333
5616	024	1750	0.04	875	1	65	100	3	4	3	5250	4375	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	4025	4025	0.933333
5616	025	1750	0.04	1700	1	65	100	3	4	3	5250	3550	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3200	3200	0.933333
5616	027	1750	0.04	1120	1	65	100	3	4	3	5250	4130	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3780	3780	0.933333
5616	031	2097	0.05	750	1	65	100	3	5	4	6291	5541	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5871.600098	5121.600098	5121.600098	0.933333
5616	032	1715	0.04	1120	1	65	100	3	4	3	5145	4025	RH-2	40	density-lim	1500			0.7	4	1	3	3	4802	3682	3682	0.933333
5616	033	1750	0.04	1250	1	65	100	3	4	3	5250	4000	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3650	3650	0.933333
5616	034	1750	0.04	2375	1	65	100	3	4	3	5250	2875	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	2525	2525	0.933333
5616	039	1774	0.04	2107	1	65	100	3	4	3	5322	3215	RH-2	40	density-lim	1500			0.7	4	1	3	3	4967.199707	2860.199707	2860.199707	0.933333
5616	043	1776	0.04	1469	1	65	100	3	4	3	5328	3859	RH-2	40	density-lim	1500			0.7	4	1	3	3	4972.799805	3503.799805	3503.799805	0.933333
5616	044	1776	0.04	750	1	65	100	3	4	3	5328	4578	RH-2	40	density-lim	1500			0.7	4	1	3	3	4972.799805	4222.799805	4222.799805	0.933333
5616	045	1776	0.04	1423	1	65	100	3	4	3	5328	3905	RH-2	40	density-lim	1500			0.7	4	1	3	3	4972.799805	3549.799805	3549.799805	0.933333
5616	046	1776	0.04	1775	1	65	100	3	4	3	5328	3553	RH-2	40	density-lim	1500			0.7	4	1	3	3	4972.799805	3197.799805	3197.799805	0.933333
5616	047	1777	0.04	1210	1	65	100	3	4	3	5331	4121	RH-2	40	density-lim	1500			0.7	4	1	3	3	4975.600098	3765.600098	3765.600098	0.933333
5616	048	1777	0.04	870	1	65	100	3	4	3	5331	4461	RH-2	40	density-lim	1500			0.7	4	1	3	3	4975.600098	4105.600098	4105.600098	0.933333
5616	049	2072	0.05	1200	1	65	100	3	5	4	6216	5016	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5801.600098	4601.600098	4601.600098	0.933333
5616	050	1777	0.04	1750	1	65	100	3	4	3	5331	3581	RH-2	40	density-lim	1500			0.7	4	1	3	3	4975.600098	3225.600098	3225.600098	0.933333
5616	051	1778	0.04	875	1	65	100	3	4	3	5334	4459	RH-2	40	density-lim	1500			0.7	4	1	3	3	4978.399902	4103.399902	4103.399902	0.933333
5616	052	1778	0.04	1290	1	65	100	3	4	3	5334	4044	RH-2	40	density-lim	1500			0.7	4	1	3	3	4978.399902	3688.399902	3688.399902	0.933333
5616	058	2348	0.05	1240	1	65	100	3	5	4	7044	5804	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6574.399902	5334.399902	5334.399902	0.933333
5616	060	2029	0.05	962	1	65	100	3	5	4	6087	5125	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5681.199707	4719.199707	4719.199707	0.933333
5617	001	1740	0.04	994	1	65	100	3	4	3	5220	4226	RH-2	40	density-lim	1500			0.7	4	1	3	3	4872	3878	3878	0.933333
5617	002	1739	0.04	1694	1	65	100	3	4	3	5217	3523	RH-2	40	density-lim	1500			0.7	4	1	3	3	4869.199707	3175.199707	3175.199707	0.933333
5617	004	1738	0.04	1000	1	65	100	3	4	3	5214	4214	RH-2	40	density-lim	1500			0.7	4	1	3	3	4866.399902	3866.399902	3866.399902	0.933333
5617	005	1738	0.04	1375	1	65	100	3	4	3	5214	3839	RH-2	40	density-lim	1500			0.7	4	1	3	3	4866.399902	3491.399902	3491.399902	0.933333
5617	006	1737	0.04	1302	1	65	100	3	4	3	5211	3909	RH-2	40	density-lim	1500			0.7	4	1	3	3	4863.600098	3561.600098	3561.600098	0.933333
5617	007	1737	0.04	1689	1	65	100	3	4	3	5211	3522	RH-2	40	density-lim	1500			0.7	4	1	3	3	4863.600098	3174.600098	3174.600098	0.933333
5617	008	1736	0.04	1465	1	65	100	3	4	3	5208	3743	RH-2	40	density-lim	1500			0.7	4	1	3	3	4860.799805	3395.799805	3395.799805	0.933333
5617	009	1735	0.04	1050	1	65	100	3	4	3	5205	4155	RH-2	40	density-lim	1500			0.7	4	1	3	3	4858	3808	3808	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5617	010	1735	0.04	1235	1	65	100	3	4	3	5205	3970	RH-2	40	density-lim	1500			0.7	4	1	3	3	4858	3623	3623	0.933333
5617	013	1733	0.04	1222	1	65	100	3	4	3	5199	3977	RH-2	40	density-lim	1500			0.7	4	1	3	3	4852.399902	3630.399902	3630.399902	0.933333
5617	015	1732	0.04	1373	1	65	100	3	4	3	5196	3823	RH-2	40	density-lim	1500			0.7	4	1	3	3	4849.600098	3476.600098	3476.600098	0.933333
5617	016	1731	0.04	1025	1	65	100	3	4	3	5193	4168	RH-2	40	density-lim	1500			0.7	4	1	3	3	4846.799805	3821.799805	3821.799805	0.933333
5617	021	1885	0.04	1656	1	65	100	3	4	3	5655	3999	RH-2	40	density-lim	1500			0.7	4	1	3	3	5278	3622	3622	0.933333
5617	022	1886	0.04	910	1	65	100	3	4	3	5658	4748	RH-2	40	density-lim	1500			0.7	4	1	3	3	5280.799805	4370.799805	4370.799805	0.933333
5617	023	1887	0.04	3055	3	65	100	3	4	1	5661	2606	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	5283.600098	2228.600098	2228.600098	0.933333
5617	028	1750	0.04	875	1	65	100	3	4	3	5250	4375	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	4025	4025	0.933333
5617	029	1750	0.04	1500	1	65	100	3	4	3	5250	3750	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3400	3400	0.933333
5617	030	1750	0.04	700	1	65	100	3	4	3	5250	4550	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	4200	4200	0.933333
5617	034	1750	0.04	1504	1	65	100	3	4	3	5250	3746	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3396	3396	0.933333
5617	037	1750	0.04	1066	1	65	100	3	4	3	5250	4184	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3834	3834	0.933333
5617	038	1750	0.04	1984	1	65	100	3	4	3	5250	3266	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	2916	2916	0.933333
5618	004	1750	0.04	2202	1	65	100	3	4	3	5250	3048	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2698	2698	0.933333
5618	005	1750	0.04	2240	1	65	100	3	4	3	5250	3010	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2660	2660	0.933333
5618	006	1750	0.04	2232	1	65	100	3	4	3	5250	3018	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2668	2668	0.933333
5618	007	1750	0.04	2793	1	65	100	3	4	3	5250	2457	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2107	2107	0.933333
5618	008	1750	0.04	1931	1	65	100	3	4	3	5250	3319	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2969	2969	0.933333
5618	009	1750	0.04	2000	1	65	100	3	4	3	5250	3250	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2900	2900	0.933333
5618	010	1750	0.04	1926	1	65	100	3	4	3	5250	3324	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2974	2974	0.933333
5618	011	1750	0.04	2809	1	65	100	3	4	3	5250	2441	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2091	2091	0.933333
5618	012	1750	0.04	1450	1	65	100	3	4	3	5250	3800	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3450	3450	0.933333
5618	013	1750	0.04	2005	1	65	100	3	4	3	5250	3245	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2895	2895	0.933333
5618	015	1750	0.04	2232	1	65	100	3	4	3	5250	3018	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2668	2668	0.933333
5618	016	1750	0.04	2459	1	65	100	3	4	3	5250	2791	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2441	2441	0.933333
5618	017	1750	0.04	2400	1	65	100	3	4	3	5250	2850	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2500	2500	0.933333
5618	018	1750	0.04	1885	1	65	100	3	4	3	5250	3365	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3015	3015	0.933333
5618	020	1750	0.04	2986	1	65	100	3	4	3	5250	2264	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	1914	1914	0.933333
5618	021	1750	0.04	875	1	65	100	3	4	3	5250	4375	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	4025	4025	0.933333
5618	023	1477	0.03	1240	1	65	100	3	3	2	4431	3191	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4135.600098	2895.600098	2895.600098	0.933333
5618	028	1860	0.04	892	1	65	100	3	4	3	5580	4688	RH-1	40	density-lim	3000			0.7	4	1	3	3	5208	4316	4316	0.933333
5618	030	1708	0.04	1589	1	65	100	3	4	3	5124	3535	RH-1	40	density-lim	3000			0.7	4	1	3	3	4782.399902	3193.399902	3193.399902	0.933333
5618	031	1708	0.04	560	1	65	100	3	4	3	5124	4564	RH-1	40	density-lim	3000			0.7	4	1	3	3	4782.399902	4222.399902	4222.399902	0.933333
5618	033	1708	0.04	1760	1	65	100	3	4	3	5124	3364	RH-1	40	density-lim	3000			0.7	4	1	3	3	4782.399902	3022.399902	3022.399902	0.933333
5618	034	1708	0.04	2203	1	65	100	3	4	3	5124	2921	RH-1	40	density-lim	3000			0.7	4	1	3	3	4782.399902	2579.399902	2579.399902	0.933333
5618	035	1708	0.04	1317	1	65	100	3	4	3	5124	3807	RH-1	40	density-lim	3000			0.7	4	1	3	3	4782.399902	3465.399902	3465.399902	0.933333
5618	036	1708	0.04	1050	1	65	100	3	4	3	5124	4074	RH-1	40	density-lim	3000			0.7	4	1	3	3	4782.399902	3732.399902	3732.399902	0.933333
5618	038	1708	0.04	1610	1	65	100	3	4	3	5124	3514	RH-1	40	density-lim	3000			0.7	4	1	3	3	4782.399902	3172.399902	3172.399902	0.933333
5618	039	1708	0.04	1130	1	65	100	3	4	3	5124	3994	RH-1	40	density-lim	3000			0.7	4	1	3	3	4782.399902	3652.399902	3652.399902	0.933333
5618	040	1708	0.04	1000	1	65	100	3	4	3	5124	4124	RH-1	40	density-lim	3000			0.7	4	1	3	3	4782.399902	3782.399902	3782.399902	0.933333
5618	041	1708	0.04	1275	1	65	100	3	4	3	5124	3849	RH-1	40	density-lim	3000			0.7	4	1	3	3	4782.399902	3507.399902	3507.399902	0.933333
5618	044	1707	0.04	2600	1	65	100	3	4	3	5121	2521	RH-1	40	density-lim	3000			0.7	4	1	3	3	4779.600098	2179.600098	2179.600098	0.933333
5618	045	1707	0.04	1425	1	65	100	3	4	3	5121	3696	RH-1	40	density-lim	3000			0.7	4	1	3	3	4779.600098	3354.600098	3354.600098	0.933333
5642	004	1440	0.03	1920	1	65	100	3	3	2	4320	2400	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4032	2112	2112	0.933333
5642	013	1875	0.04	700	1	65	100	3	4	3	5625	4925	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	4550	4550	0.933333
5642	015	2525	0.06	2380	1	85	140	4	8	7	10100	7720	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7070	4690	4690	0.7
5642	016	2475	0.06	900	1	85	140	4	8	7	9900	9000	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	6930	6030	6030	0.7
5642	018	2500	0.06	930	1	85	140	4	8	7	10000	9070	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7000	6070	6070	0.7
5642	034	2881	0.07	1716	1	85	140	4	10	9	11524	9808	RH-2	40	density-lim	1500			0.7	4	0.400000006	3	3	8066.799805	6350.799805	6350.799805	0.7
5642	035	1801	0.04	860	1	85	140	4	6	5	7204	6344	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	5042.799805	4182.799805	4182.799805	0.7
5642	039	1200	0.03	1600	1	65	100	3	3	2	3600	2000	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3360	1760	1760	0.933333
5642	042	1800	0.04	1550	1	65	100	3	4	3	5400	3850	RH-2	40	density-lim	1500			0.7	4	1	3	3	5040	3490	3490	0.933333
5642	050	1602	0.04	5100	0	65	100	3	4	4	4806	0	NCD-MISSI	40	density-lim	600	true		0.75	3	0.75	3	3	4806	0	0	1
5642	060	776	0.02	1120	1	65	100	3	2	1	2328	1208	RH-2	40	density-lim	1500			0.7	4	2	3	3	2172.800049	1052.800049	1052.800049	0.933333
5643	005	1638	0.04	2755	3	65	100	3	4	1	4914	2159	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	4586.399902	1831.399902	1831.399902	0.933333
5643	006	1638	0.04	1215	1	65	100	3	4	3	4914	3699	RH-2	40	density-lim	1500			0.7	4	1	3	3	4586.399902	3371.399902	3371.399902	0.933333
5643	007	1674	0.04	2636	1	65	100	3	4	3	5022	2386	RH-2	40	density-lim	1500			0.7	4	1	3	3	4687.199707	2051.199707	2051.199707	0.933333
5643	008	1624	0.04	1051	1	65	100	3	4	3	4872	3821	RH-2	40	density-lim	1500			0.7	4	1	3	3	4547.199707	3496.199707	3496.199707	0.933333
5643	009	1638	0.04	1250	1	65	100	3	4	3	4914	3664	RH-2	40	density-lim	1500			0.7	4	1	3	3	4586.399902	3336.399902	3336.399902	0.933333
5643	012	2016	0.05	1000	1	65	100	3	5	4	6048	5048	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5644.799805	4644.799805	4644.799805	0.933333
5643	014	1638	0.04	2580	3	65	100	3	4	1	4914	2334	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	4586.399902	2006.399902	2006.399902	0.933333
5643	015	1638	0.04	885	1	65	100	3	4	3	4914	4029	RH-2	40	density-lim	1500			0.7	4	1	3	3	4586.399902	3701.399902	3701.399902	0.933333
5643	016	1624	0.04	1782	1	65	100	3	4	3	4872	3090	RH-2	40	density-lim	1500			0.7	4	1	3	3	4547.199707	2765.199707	2765.199707	0.933333
5643	017	1683	0.04	1290	1	65	100	3	4	3	5049	3759	RH-2	40	density-lim	1500			0.7	4	1	3	3	4712.399902	3422.399902	3422.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5643	024	2160	0.05	2090	1	65	100	3	5	4	6480	4390	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6048	3958	3958	0.933333
5643	025	2148	0.05	1125	1	65	100	3	5	4	6444	5319	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6014.399902	4889.399902	4889.399902	0.933333
5643	027	1750	0.04	1475	1	65	100	3	4	3	5250	3775	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3425	3425	0.933333
5643	028	1750	0.04	3065	1	65	100	3	4	3	5250	2185	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	1835	1835	0.933333
5643	031	1720	0.04	3953	3	65	100	3	4	1	5160	1207	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	4816	863	863	0.933333
5643	032	1943	0.04	750	1	65	100	3	4	3	5829	5079	RH-2	40	density-lim	1500			0.7	4	1	3	3	5440.399902	4690.399902	4690.399902	0.933333
5643	033	1945	0.04	1737	1	65	100	3	4	3	5835	4098	RH-2	40	density-lim	1500			0.7	4	1	3	3	5446	3709	3709	0.933333
5643	034	1947	0.04	2230	1	65	100	3	4	3	5841	3611	RH-2	40	density-lim	1500			0.7	4	1	3	3	5451.600098	3221.600098	3221.600098	0.933333
5644	004	1629	0.04	1275	1	65	100	3	4	3	4887	3612	RH-2	40	density-lim	1500			0.7	4	1	3	3	4561.199707	3286.199707	3286.199707	0.933333
5644	006	2114	0.05	1018	1	65	100	3	5	4	6342	5324	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5919.199707	4901.199707	4901.199707	0.933333
5644	007	1107	0.03	1507	1	65	100	3	3	2	3321	1814	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3099.599854	1592.599854	1592.599854	0.933333
5644	007A	1250	0.03	750	1	65	100	3	3	2	3750	3000	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3500	2750	2750	0.933333
5644	009	1425	0.03	1150	1	65	100	3	3	2	4275	3125	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3990	2840	2840	0.933333
5644	010	1336	0.03	1275	1	65	100	3	3	2	4008	2733	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3740.800049	2465.800049	2465.800049	0.933333
5644	016	1718	0.04	1245	1	65	100	3	4	3	5154	3909	RH-2	40	density-lim	1500			0.7	4	1	3	3	4810.399902	3565.399902	3565.399902	0.933333
5644	017	1717	0.04	1245	1	65	100	3	4	3	5151	3906	RH-2	40	density-lim	1500			0.7	4	1	3	3	4807.600098	3562.600098	3562.600098	0.933333
5644	018	1715	0.04	2373	1	65	100	3	4	3	5145	2772	RH-2	40	density-lim	1500			0.7	4	1	3	3	4802	2429	2429	0.933333
5644	019	1713	0.04	1050	1	65	100	3	4	3	5139	4089	RH-2	40	density-lim	1500			0.7	4	1	3	3	4796.399902	3746.399902	3746.399902	0.933333
5644	022	1709	0.04	2187	1	65	100	3	4	3	5127	2940	RH-2	40	density-lim	1500			0.7	4	1	3	3	4785.199707	2598.199707	2598.199707	0.933333
5644	023	1707	0.04	800	1	65	100	3	4	3	5121	4321	RH-2	40	density-lim	1500			0.7	4	1	3	3	4779.600098	3979.600098	3979.600098	0.933333
5644	024	1767	0.04	2760	3	65	100	3	4	1	5301	2541	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	4947.600098	2187.600098	2187.600098	0.933333
5644	027	1758	0.04	1610	1	65	100	3	4	3	5274	3664	RH-2	40	density-lim	1500			0.7	4	1	3	3	4922.399902	3312.399902	3312.399902	0.933333
5644	030	1750	0.04	720	1	65	100	3	4	3	5250	4530	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	4180	4180	0.933333
5644	034	1750	0.04	875	1	65	100	3	4	3	5250	4375	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	4025	4025	0.933333
5644	035	1750	0.04	950	1	65	100	3	4	3	5250	4300	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3950	3950	0.933333
5644	036	1750	0.04	1450	1	65	100	3	4	3	5250	3800	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3450	3450	0.933333
5644	037	1750	0.04	750	1	65	100	3	4	3	5250	4500	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	4150	4150	0.933333
5644	038	1750	0.04	1100	1	65	100	3	4	3	5250	4150	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3800	3800	0.933333
5644	039	1750	0.04	1150	1	65	100	3	4	3	5250	4100	RH-2	40	density-lim	1500			0.7	4	1	3	3	4900	3750	3750	0.933333
5644	040	1418	0.03	1375	1	65	100	3	3	2	4254	2879	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3970.399902	2595.399902	2595.399902	0.933333
5668	001	1797	0.04	2750	3	65	100	3	4	1	5391	2641	RH-1	40	density-lim	3000	true		0.7	6	1.5	3	3	5031.600098	2281.600098	2281.600098	0.933333
5668	002	1797	0.04	1200	1	65	100	3	4	3	5391	4191	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	3831.600098	3831.600098	0.933333
5668	003	1797	0.04	1545	1	65	100	3	4	3	5391	3846	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	3486.600098	3486.600098	0.933333
5668	004	1797	0.04	3214	1	65	100	3	4	3	5391	2177	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	1817.600098	1817.600098	0.933333
5668	006	1797	0.04	1589	1	65	100	3	4	3	5391	3802	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	3442.600098	3442.600098	0.933333
5668	007	1797	0.04	1456	1	65	100	3	4	3	5391	3935	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	3575.600098	3575.600098	0.933333
5668	009	1797	0.04	1537	1	65	100	3	4	3	5391	3854	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	3494.600098	3494.600098	0.933333
5668	010	1797	0.04	840	1	65	100	3	4	3	5391	4551	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	4191.600098	4191.600098	0.933333
5668	011	1797	0.04	1450	1	55	80	2.5	3	2	4492	3042	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5031.600098	3581.600098	3581.600098	1.120125
5668	012	1797	0.04	1200	1	55	80	2.5	3	2	4492	3292	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5031.600098	3831.600098	3831.600098	1.120125
5668	015	1750	0.04	1375	1	55	80	2.5	3	2	4375	3000	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3525	3525	1.12
5668	018	2052	0.05	1200	0	55	80	2.5	4	4	5130	3930	NCD-CORT	40	density-lim	800			0.75	3	0.75	3	3	6156	4956	4956	1.2
5668	021	2221	0.05	1650	1	65	100	3	5	4	6663	5013	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6218.799805	4568.799805	4568.799805	0.933333
5668	023	2286	0.05	1980	1	65	100	3	5	4	6858	4878	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6400.799805	4420.799805	4420.799805	0.933333
5668	024	1802	0.04	1704	1	65	100	3	4	3	5406	3702	RH-1	40	density-lim	3000			0.7	4	1	3	3	5045.600098	3341.600098	3341.600098	0.933333
5668	025	1798	0.04	1200	1	65	100	3	4	3	5394	4194	RH-1	40	density-lim	3000			0.7	4	1	3	3	5034.399902	3834.399902	3834.399902	0.933333
5668	026	1795	0.04	1939	1	65	100	3	4	3	5385	3446	RH-1	40	density-lim	3000			0.7	4	1	3	3	5026	3087	3087	0.933333
5668	027	1792	0.04	1125	1	65	100	3	4	3	5376	4251	RH-1	40	density-lim	3000			0.7	4	1	3	3	5017.600098	3892.600098	3892.600098	0.933333
5668	028	1788	0.04	1170	1	65	100	3	4	3	5364	4194	RH-1	40	density-lim	3000			0.7	4	1	3	3	5006.399902	3836.399902	3836.399902	0.933333
5668	029	1785	0.04	1507	1	65	100	3	4	3	5355	3848	RH-1	40	density-lim	3000			0.7	4	1	3	3	4998	3491	3491	0.933333
5668	030	1781	0.04	1125	1	65	100	3	4	3	5343	4218	RH-1	40	density-lim	3000			0.7	4	1	3	3	4986.799805	3861.799805	3861.799805	0.933333
5668	031	1778	0.04	1200	1	65	100	3	4	3	5334	4134	RH-1	40	density-lim	3000			0.7	4	1	3	3	4978.399902	3778.399902	3778.399902	0.933333
5668	032	1774	0.04	1169	1	65	100	3	4	3	5322	4153	RH-1	40	density-lim	3000			0.7	4	1	3	3	4967.199707	3798.199707	3798.199707	0.933333
5668	033	1771	0.04	950	1	65	100	3	4	3	5313	4363	RH-1	40	density-lim	3000			0.7	4	1	3	3	4958.799805	4008.799805	4008.799805	0.933333
5668	036	3640	0.08	1260	1	55	80	2.5	6	5	9100	7840	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	10192	8932	8932	1.12
5669	003	1797	0.04	810	1	65	100	3	4	3	5391	4581	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	4221.600098	4221.600098	0.933333
5669	004	1797	0.04	1740	1	65	100	3	4	3	5391	3651	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	3291.600098	3291.600098	0.933333
5669	005	1797	0.04	640	1	65	100	3	4	3	5391	4751	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	4391.600098	4391.600098	0.933333
5669	006	1797	0.04	800	1	65	100	3	4	3	5391	4591	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	4231.600098	4231.600098	0.933333
5669	007	1797	0.04	625	1	65	100	3	4	3	5391	4766	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	4406.600098	4406.600098	0.933333
5669	008	1797	0.04	1200	1	65	100	3	4	3	5391	4191	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	3831.600098	3831.600098	0.933333
5669	010	1797	0.04	915	1	65	100	3	4	3	5391	4476	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	4116.600098	4116.600098	0.933333
5669	011	1797	0.04	1350	1	65	100	3	4	3	5391	4041	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	3681.600098	3681.600098	0.933333
5670	012	1797	0.04	900	1	65	100	3	4	3	5391	4491	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	4131.600098	4131.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5670	013	1797	0.04	825	1	65	100	3	4	3	5391	4566	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	4206.600098	4206.600098	0.933333
5670	015	1797	0.04	875	1	65	100	3	4	3	5391	4516	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	4156.600098	4156.600098	0.933333
5669	017	3488	0.08	800	1	65	100	3	8	7	10464	9664	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9766.399414	8966.399414	8966.399414	0.933333
5669	018	1808	0.04	950	1	65	100	3	4	3	5424	4474	RH-1	40	density-lim	3000			0.7	4	1	3	3	5062.399902	4112.399902	4112.399902	0.933333
5669	020	1764	0.04	925	1	65	100	3	4	3	5292	4367	RH-1	40	density-lim	3000			0.7	4	1	3	3	4939.199707	4014.199707	4014.199707	0.933333
5669	021	1812	0.04	1552	1	65	100	3	4	3	5436	3884	RH-1	40	density-lim	3000			0.7	4	1	3	3	5073.600098	3521.600098	3521.600098	0.933333
5669	022	1814	0.04	1250	1	65	100	3	4	3	5442	4192	RH-1	40	density-lim	3000			0.7	4	1	3	3	5079.199707	3829.199707	3829.199707	0.933333
5669	024	1817	0.04	1328	1	65	100	3	4	3	5451	4123	RH-1	40	density-lim	3000			0.7	4	1	3	3	5087.600098	3759.600098	3759.600098	0.933333
5669	025	1818	0.04	1500	1	65	100	3	4	3	5454	3954	RH-1	40	density-lim	3000			0.7	4	1	3	3	5090.399902	3590.399902	3590.399902	0.933333
5669	026	1819	0.04	1883	1	65	100	3	4	3	5457	3574	RH-1	40	density-lim	3000			0.7	4	1	3	3	5093.199707	3210.199707	3210.199707	0.933333
5669	027	1821	0.04	875	1	65	100	3	4	3	5463	4588	RH-1	40	density-lim	3000			0.7	4	1	3	3	5098.799805	4223.799805	4223.799805	0.933333
5669	028	1822	0.04	1800	1	65	100	3	4	3	5466	3666	RH-1	40	density-lim	3000			0.7	4	1	3	3	5101.600098	3301.600098	3301.600098	0.933333
5669	029	1823	0.04	2154	1	65	100	3	4	3	5469	3315	RH-1	40	density-lim	3000			0.7	4	1	3	3	5104.399902	2950.399902	2950.399902	0.933333
5669	030	1825	0.04	1070	1	65	100	3	4	3	5475	4405	RH-1	40	density-lim	3000			0.7	4	1	3	3	5110	4040	4040	0.933333
5669	033	2800	0.06	2109	1	65	100	3	6	5	8400	6291	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7840	5731	5731	0.933333
5670	002	1797	0.04	750	1	65	100	3	4	3	5391	4641	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	4281.600098	4281.600098	0.933333
5670	003	1797	0.04	1674	1	65	100	3	4	3	5391	3717	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	3357.600098	3357.600098	0.933333
5670	004	1820	0.04	725	1	65	100	3	4	3	5460	4735	RH-2	40	density-lim	1500			0.7	4	1	3	3	5096	4371	4371	0.933333
5670	006	1797	0.04	1370	1	65	100	3	4	3	5391	4021	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	3661.600098	3661.600098	0.933333
5670	007	1797	0.04	750	1	65	100	3	4	3	5391	4641	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	4281.600098	4281.600098	0.933333
5670	008	1797	0.04	2192	1	65	100	3	4	3	5391	3199	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	2839.600098	2839.600098	0.933333
5670	009	1823	0.04	1778	1	65	100	3	4	3	5469	3691	RH-2	40	density-lim	1500			0.7	4	1	3	3	5104.399902	3326.399902	3326.399902	0.933333
5670	010	1797	0.04	1935	1	65	100	3	4	3	5391	3456	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	3096.600098	3096.600098	0.933333
5670	014	1797	0.04	1100	1	65	100	3	4	3	5391	4291	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	3931.600098	3931.600098	0.933333
5670	017	2310	0.05	1274	1	65	100	3	5	4	6930	5656	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6468	5194	5194	0.933333
5670	017A	1540	0.04	560	1	65	100	3	4	3	4620	4060	RH-2	40	density-lim	1500			0.7	4	1	3	3	4312	3752	3752	0.933333
5670	020	1806	0.04	1150	1	65	100	3	4	3	5418	4268	RH-2	40	density-lim	1500			0.7	4	1	3	3	5056.799805	3906.799805	3906.799805	0.933333
5670	021	1806	0.04	750	1	65	100	3	4	3	5418	4668	RH-2	40	density-lim	1500			0.7	4	1	3	3	5056.799805	4306.799805	4306.799805	0.933333
5670	022	1806	0.04	1143	1	65	100	3	4	3	5418	4275	RH-2	40	density-lim	1500			0.7	4	1	3	3	5056.799805	3913.799805	3913.799805	0.933333
5670	023	1806	0.04	949	1	65	100	3	4	3	5418	4469	RH-2	40	density-lim	1500			0.7	4	1	3	3	5056.799805	4107.799805	4107.799805	0.933333
5670	024	1806	0.04	1273	1	65	100	3	4	3	5418	4145	RH-2	40	density-lim	1500			0.7	4	1	3	3	5056.799805	3783.799805	3783.799805	0.933333
5670	025	1806	0.04	1403	1	65	100	3	4	3	5418	4015	RH-2	40	density-lim	1500			0.7	4	1	3	3	5056.799805	3653.799805	3653.799805	0.933333
5670	026	1657	0.04	1385	1	65	100	3	4	3	4971	3586	RH-2	40	density-lim	1500			0.7	4	1	3	3	4639.600098	3254.600098	3254.600098	0.933333
5670	028	1807	0.04	1980	1	65	100	3	4	3	5421	3441	RH-2	40	density-lim	1500			0.7	4	1	3	3	5059.600098	3079.600098	3079.600098	0.933333
5670	029	1807	0.04	1150	1	65	100	3	4	3	5421	4271	RH-2	40	density-lim	1500			0.7	4	1	3	3	5059.600098	3909.600098	3909.600098	0.933333
5670	030	1807	0.04	1275	1	65	100	3	4	3	5421	4146	RH-2	40	density-lim	1500			0.7	4	1	3	3	5059.600098	3784.600098	3784.600098	0.933333
5670	031	1783	0.04	2015	1	65	100	3	4	3	5349	3334	RH-2	40	density-lim	1500			0.7	4	1	3	3	4992.399902	2977.399902	2977.399902	0.933333
5670	032	1831	0.04	750	1	65	100	3	4	3	5493	4743	RH-2	40	density-lim	1500			0.7	4	1	3	3	5126.799805	4376.799805	4376.799805	0.933333
5670	033	1807	0.04	700	1	65	100	3	4	3	5421	4721	RH-2	40	density-lim	1500			0.7	4	1	3	3	5059.600098	4359.600098	4359.600098	0.933333
5670	034	1807	0.04	1250	1	65	100	3	4	3	5421	4171	RH-2	40	density-lim	1500			0.7	4	1	3	3	5059.600098	3809.600098	3809.600098	0.933333
5671	002	1797	0.04	1150	1	65	100	3	4	3	5391	4241	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	3881.600098	3881.600098	0.933333
5671	003	1797	0.04	1150	1	65	100	3	4	3	5391	4241	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	3881.600098	3881.600098	0.933333
5671	004	1797	0.04	1301	1	65	100	3	4	3	5391	4090	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	3730.600098	3730.600098	0.933333
5671	005	1797	0.04	850	1	65	100	3	4	3	5391	4541	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	4181.600098	4181.600098	0.933333
5671	006	1797	0.04	925	1	65	100	3	4	3	5391	4466	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	4106.600098	4106.600098	0.933333
5671	007	1797	0.04	1600	1	65	100	3	4	3	5391	3791	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	3431.600098	3431.600098	0.933333
5671	008	1797	0.04	1150	1	65	100	3	4	3	5391	4241	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	3881.600098	3881.600098	0.933333
5671	009	1797	0.04	1625	1	65	100	3	4	3	5391	3766	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	3406.600098	3406.600098	0.933333
5671	010	1797	0.04	1000	1	65	100	3	4	3	5391	4391	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	4031.600098	4031.600098	0.933333
5671	011	1797	0.04	750	1	65	100	3	4	3	5391	4641	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	4281.600098	4281.600098	0.933333
5671	012	1797	0.04	1750	1	65	100	3	4	3	5391	3641	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	3281.600098	3281.600098	0.933333
5671	013	1797	0.04	2103	1	65	100	3	4	3	5391	3288	RH-2	40	density-lim	1500			0.7	4	1	3	3	5031.600098	2928.600098	2928.600098	0.933333
5671	014	1762	0.04	875	1	65	100	3	4	3	5286	4411	RH-2	40	density-lim	1500			0.7	4	1	3	3	4933.600098	4058.600098	4058.600098	0.933333
5671	015	1762	0.04	1182	1	65	100	3	4	3	5286	4104	RH-2	40	density-lim	1500			0.7	4	1	3	3	4933.600098	3751.600098	3751.600098	0.933333
5671	020	1925	0.04	1100	1	65	100	3	4	3	5775	4675	RH-2	40	density-lim	1500			0.7	4	1	3	3	5390	4290	4290	0.933333
5671	022	1758	0.04	785	1	65	100	3	4	3	5274	4489	RH-2	40	density-lim	1500			0.7	4	1	3	3	4922.399902	4137.399902	4137.399902	0.933333
5671	025	1788	0.04	1275	1	65	100	3	4	3	5364	4089	RH-2	40	density-lim	1500			0.7	4	1	3	3	5006.399902	3731.399902	3731.399902	0.933333
5671	026	1787	0.04	1702	1	65	100	3	4	3	5361	3659	RH-2	40	density-lim	1500			0.7	4	1	3	3	5003.600098	3301.600098	3301.600098	0.933333
5671	027	1785	0.04	1275	1	65	100	3	4	3	5355	4080	RH-2	40	density-lim	1500			0.7	4	1	3	3	4998	3723	3723	0.933333
5671	030	1780	0.04	970	1	65	100	3	4	3	5340	4370	RH-2	40	density-lim	1500			0.7	4	1	3	3	4984	4014	4014	0.933333
5671	031	1778	0.04	1150	1	65	100	3	4	3	5334	4184	RH-2	40	density-lim	1500			0.7	4	1	3	3	4978.399902	3828.399902	3828.399902	0.933333
5671	032	1776	0.04	1967	1	65	100	3	4	3	5328	3361	RH-2	40	density-lim	1500			0.7	4	1	3	3	4972.799805	3005.799805	3005.799805	0.933333
5671	033	1775	0.04	1030	1	65	100	3	4	3	5325	4295	RH-2	40	density-lim	1500			0.7	4	1	3	3	4970	3940	3940	0.933333
5671	034	1773	0.04	1795	1	65	100	3	4	3	5319	3524	RH-2	40	density-lim	1500			0.7	4	1	3	3	4964.399902	3169.399902	3169.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5671	035	1771	0.04	1631	1	65	100	3	4	3	5313	3682	RH-2	40	density-lim	1500			0.7	4	1	3	3	4958.799805	3327.799805	3327.799805	0.933333
5672	002	3663	0.08	1590	1	65	100	3	8	7	10989	9399	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	10256.39941	8666.399414	8666.399414	0.933333
5672	003	1633	0.04	1590	1	65	100	3	4	3	4899	3309	RH-2	40	density-lim	1500			0.7	4	1	3	3	4572.399902	2982.399902	2982.399902	0.933333
5672	004	1633	0.04	2300	3	65	100	3	4	1	4899	2599	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	4572.399902	2272.399902	2272.399902	0.933333
5672	006	1633	0.04	1050	1	65	100	3	4	3	4899	3849	RH-2	40	density-lim	1500			0.7	4	1	3	3	4572.399902	3522.399902	3522.399902	0.933333
5672	007	1633	0.04	1320	1	65	100	3	4	3	4899	3579	RH-2	40	density-lim	1500			0.7	4	1	3	3	4572.399902	3252.399902	3252.399902	0.933333
5672	014	2259	0.05	1760	1	65	100	3	5	4	6777	5017	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6325.199707	4565.199707	4565.199707	0.933333
5672	016	1633	0.04	2038	3	65	100	3	4	1	4899	2861	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	4572.399902	2534.399902	2534.399902	0.933333
5672	019	2265	0.05	1300	1	65	100	3	5	4	6795	5495	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6342	5042	5042	0.933333
5672	019A	2265	0.05	1300	1	65	100	3	5	4	6795	5495	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6342	5042	5042	0.933333
5672	020	5741	0.13	2594	1	65	100	3	13	12	17223	14629	RH-2	40	density-lim	1500			0.7	4	0.307692319	3	3	16074.7998	13480.7998	13480.7998	0.933333
5672	021	3189	0.07	2565	1	65	100	3	7	6	9567	7002	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8929.200195	6364.200195	6364.200195	0.933333
5672	022	2333	0.05	1656	1	65	100	3	5	4	6999	5343	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6532.399902	4876.399902	4876.399902	0.933333
5672	023	2333	0.05	1950	1	65	100	3	5	4	6999	5049	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6532.399902	4582.399902	4582.399902	0.933333
5672	028	1773	0.04	1150	1	65	100	3	4	3	5319	4169	RH-2	40	density-lim	1500			0.7	4	1	3	3	4964.399902	3814.399902	3814.399902	0.933333
5672	028D	1976	0.05	896	1	65	100	3	5	4	5928	5032	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5532.799805	4636.799805	4636.799805	0.933333
5672	028F	2071	0.05	1358	1	65	100	3	5	4	6213	4855	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5798.799805	4440.799805	4440.799805	0.933333
5672	030	1723	0.04	1075	1	65	100	3	4	3	5169	4094	RH-2	40	density-lim	1500			0.7	4	1	3	3	4824.399902	3749.399902	3749.399902	0.933333
5672	031	1975	0.05	1000	1	65	100	3	5	4	5925	4925	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5530	4530	4530	0.933333
5672	032	1608	0.04	1000	1	65	100	3	4	3	4824	3824	RH-2	40	density-lim	1500			0.7	4	1	3	3	4502.399902	3502.399902	3502.399902	0.933333
5673	008	2468	0.06	1540	1	65	100	3	6	5	7404	5864	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6910.399902	5370.399902	5370.399902	0.933333
5673	009	2465	0.06	1300	1	65	100	3	6	5	7395	6095	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6902	5602	5602	0.933333
5673	010	2463	0.06	1800	1	65	100	3	6	5	7389	5589	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6896.399902	5096.399902	5096.399902	0.933333
5673	011	1865	0.04	3600	3	65	100	3	4	1	5595	1995	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	5222	1622	1622	0.933333
5673	023	5319	0.12	4101	6	65	100	3	12	6	15957	11856	NCD-MISSI	40	density-lim	600			0.75	9	0.75	3	3	15957	11856	11856	1
5673	024	1618	0.04	880	0	65	100	3	4	4	4854	3974	NCD-MISSI	40	density-lim	600			0.75	3	0.75	3	3	4854	3974	3974	1
5673	030	1871	0.04	1374	1	65	100	3	4	3	5613	4239	RH-2	40	density-lim	1500			0.7	4	1	3	3	5238.799805	3864.799805	3864.799805	0.933333
5673	031	1829	0.04	672	1	65	100	3	4	3	5487	4815	RH-2	40	density-lim	1500			0.7	4	1	3	3	5121.199707	4449.199707	4449.199707	0.933333
5673	034	1833	0.04	1620	1	65	100	3	4	3	5499	3879	RH-2	40	density-lim	1500			0.7	4	1	3	3	5132.399902	3512.399902	3512.399902	0.933333
5673	035	1881	0.04	1550	1	65	100	3	4	3	5643	4093	RH-2	40	density-lim	1500			0.7	4	1	3	3	5266.799805	3716.799805	3716.799805	0.933333
5673	036	1881	0.04	1250	1	65	100	3	4	3	5643	4393	RH-2	40	density-lim	1500			0.7	4	1	3	3	5266.799805	4016.799805	4016.799805	0.933333
5673	041	1750	0.04	2200	0	85	140	4	6	6	7000	4800	NCD-MISSI	40	density-lim	600			0.75	3	0.5	3	3	5250	3050	3050	0.75
5673	042	1701	0.04	2119	1	85	140	4	6	5	6804	4685	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	4762.799805	2643.799805	2643.799805	0.7
5674	003	1250	0.03	750	1	65	100	3	3	2	3750	3000	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3500	2750	2750	0.933333
5674	003A	1227	0.03	750	1	65	100	3	3	2	3681	2931	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3435.599854	2685.599854	2685.599854	0.933333
5674	004	1287	0.03	600	1	65	100	3	3	2	3861	3261	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3603.599854	3003.599854	3003.599854	0.933333
5674	004A	1189	0.03	875	1	65	100	3	3	2	3567	2692	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3329.199951	2454.199951	2454.199951	0.933333
5674	006	1250	0.03	1000	1	65	100	3	3	2	3750	2750	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3500	2500	2500	0.933333
5674	007	1375	0.03	1250	1	65	100	3	3	2	4125	2875	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3850	2600	2600	0.933333
5674	007A	1100	0.03	1500	1	65	100	3	3	2	3300	1800	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3080	1580	1580	0.933333
5674	008	1250	0.03	1290	1	65	100	3	3	2	3750	2460	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3500	2210	2210	0.933333
5674	008A	1224	0.03	1610	1	65	100	3	3	2	3672	2062	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3427.199951	1817.199951	1817.199951	0.933333
5674	009	2473	0.06	1275	1	65	100	3	6	5	7419	6144	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6924.399902	5649.399902	5649.399902	0.933333
5674	010	2473	0.06	1200	1	65	100	3	6	5	7419	6219	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6924.399902	5724.399902	5724.399902	0.933333
5674	011	2472	0.06	1500	1	65	100	3	6	5	7416	5916	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6921.600098	5421.600098	5421.600098	0.933333
5674	012	1250	0.03	600	1	65	100	3	3	2	3750	3150	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3500	2900	2900	0.933333
5674	012A	1221	0.03	625	1	65	100	3	3	2	3663	3038	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3418.800049	2793.800049	2793.800049	0.933333
5674	015	1219	0.03	750	1	65	100	3	3	2	3657	2907	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3413.199951	2663.199951	2663.199951	0.933333
5674	015A	1250	0.03	1689	1	65	100	3	3	2	3750	2061	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3500	1811	1811	0.933333
5674	016	2437	0.06	1566	1	65	100	3	6	5	7311	5745	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6823.600098	5257.600098	5257.600098	0.933333
5674	018	2467	0.06	1175	1	65	100	3	6	5	7401	6226	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6907.600098	5732.600098	5732.600098	0.933333
5674	019	2467	0.06	2348	1	65	100	3	6	5	7401	5053	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6907.600098	4559.600098	4559.600098	0.933333
5674	024	1250	0.03	1392	1	65	100	3	3	2	3750	2358	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3500	2108	2108	0.933333
5674	025	1226	0.03	1275	1	65	100	3	3	2	3678	2403	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3432.800049	2157.800049	2157.800049	0.933333
5674	028	1477	0.03	1079	1	65	100	3	3	2	4431	3352	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4135.600098	3056.600098	3056.600098	0.933333
5675	002	2489	0.06	1250	1	65	100	3	6	5	7467	6217	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6969.199707	5719.199707	5719.199707	0.933333
5675	003	2488	0.06	800	1	65	100	3	6	5	7464	6664	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6966.399902	6166.399902	6166.399902	0.933333
5675	004	2488	0.06	1312	1	65	100	3	6	5	7464	6152	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6966.399902	5654.399902	5654.399902	0.933333
5675	008	1660	0.04	923	1	65	100	3	4	3	4980	4057	RH-2	40	density-lim	1500			0.7	4	1	3	3	4648	3725	3725	0.933333
5675	008A	825	0.02	400	1	65	100	3	2	1	2475	2075	RH-2	40	density-lim	1500			0.7	4	2	3	3	2310	1910	1910	0.933333
5675	010	2484	0.06	930	1	65	100	3	6	5	7452	6522	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6955.199707	6025.199707	6025.199707	0.933333
5675	012	2482	0.06	540	1	65	100	3	6	5	7446	6906	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6949.600098	6409.600098	6409.600098	0.933333
5675	013	2482	0.06	1221	1	65	100	3	6	5	7446	6225	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6949.600098	5728.600098	5728.600098	0.933333
5675	015	1062	0.02	750	1	65	100	3	2	1	3186	2436	RH-2	40	density-lim	1500			0.7	4	2	3	3	2973.599854	2223.599854	2223.599854	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5675	016	1421	0.03	1975	1	65	100	3	3	2	4263	2288	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3978.800049	2003.800049	2003.800049	0.933333
5675	017	1574	0.04	1260	1	65	100	3	4	3	4722	3462	RH-2	40	density-lim	1500			0.7	4	1	3	3	4407.199707	3147.199707	3147.199707	0.933333
5675	018	911	0.02	923	1	65	100	3	2	1	2733	1810	RH-2	40	density-lim	1500			0.7	4	2	3	3	2550.800049	1627.800049	1627.800049	0.933333
5676	002	3222	0.07	1110	1	55	80	2.5	6	5	8055	6945	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9021.599609	7911.599609	7911.599609	1.12
5676	003	3223	0.07	2500	1	55	80	2.5	6	5	8058	5558	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9024.399414	6524.399414	6524.399414	1.11993
5676	004	3223	0.07	1000	1	55	80	2.5	6	5	8058	7058	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9024.399414	8024.399414	8024.399414	1.11993
5676	005	3223	0.07	1549	1	55	80	2.5	6	5	8058	6509	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9024.399414	7475.399414	7475.399414	1.11993
5676	006	3222	0.07	1832	1	55	80	2.5	6	5	8055	6223	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9021.599609	7189.599609	7189.599609	1.12
5676	007	3222	0.07	640	1	55	80	2.5	6	5	8055	7415	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9021.599609	8381.599609	8381.599609	1.12
5676	008	3222	0.07	968	1	55	80	2.5	6	5	8055	7087	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9021.599609	8053.599609	8053.599609	1.12
5676	009	3223	0.07	1675	1	55	80	2.5	6	5	8058	6383	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9024.399414	7349.399414	7349.399414	1.11993
5676	010	3222	0.07	1450	1	55	80	2.5	6	5	8055	6605	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	9021.599609	7571.599609	7571.599609	1.12
5676	012	2353	0.05	2023	1	55	80	2.5	4	3	5882	3859	RH-2	40	density-lim	1500			0.7	4	1	3	3	6588.399902	4565.399902	4565.399902	1.120095
5676	013	2533	0.06	700	1	55	80	2.5	5	4	6332	5632	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7092.399902	6392.399902	6392.399902	1.120088
5676	014	2773	0.06	2068	1	55	80	2.5	5	4	6932	4864	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7764.399902	5696.399902	5696.399902	1.120081
5676	015	3080	0.07	1440	1	55	80	2.5	6	5	7700	6260	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8624	7184	7184	1.12
5676	017	2178	0.05	2226	1	65	100	3	5	4	6534	4308	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6098.399902	3872.399902	3872.399902	0.933333
5676	021	2464	0.06	2511	1	65	100	3	6	5	7392	4881	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6899.199707	4388.199707	4388.199707	0.933333
5676	022	2464	0.06	1850	1	65	100	3	6	5	7392	5542	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6899.199707	5049.199707	5049.199707	0.933333
5676	025	3222	0.07	1850	1	65	100	3	7	6	9666	7816	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	9021.599609	7171.599609	7171.599609	0.933333
5676	026	3222	0.07	1250	1	65	100	3	7	6	9666	8416	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	9021.599609	7771.599609	7771.599609	0.933333
5676	027	3222	0.07	1156	1	65	100	3	7	6	9666	8510	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	9021.599609	7865.599609	7865.599609	0.933333
5676	028	3222	0.07	1592	1	65	100	3	7	6	9666	8074	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	9021.599609	7429.599609	7429.599609	0.933333
5676	029	3221	0.07	1043	1	65	100	3	7	6	9663	8620	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	9018.799805	7975.799805	7975.799805	0.933333
5676	030	3221	0.07	1345	1	65	100	3	7	6	9663	8318	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	9018.799805	7673.799805	7673.799805	0.933333
5676	031	3221	0.07	2099	1	65	100	3	7	6	9663	7564	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	9018.799805	6919.799805	6919.799805	0.933333
5676	032	3221	0.07	2250	1	65	100	3	7	6	9663	7413	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	9018.799805	6768.799805	6768.799805	0.933333
5676	033	3220	0.07	1100	1	65	100	3	7	6	9660	8560	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	9016	7916	7916	0.933333
5676	035	1364	0.03	1075	1	65	100	3	3	2	4092	3017	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3819.199951	2744.199951	2744.199951	0.933333
5676	036	1750	0.04	1240	1	65	100	3	4	3	5250	4010	RH-3	40	density-lim	1000			0.7	4	1	3	3	4900	3660	3660	0.933333
5676	038	2250	0.05	1200	1	65	100	3	5	4	6750	5550	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	6300	5100	5100	0.933333
5676	039	2250	0.05	2072	1	55	80	2.5	4	3	5625	3553	RH-3	40	density-lim	1000			0.7	4	1	3	3	6300	4228	4228	1.12
5676	040	2250	0.05	1350	1	55	80	2.5	4	3	5625	4275	RH-3	40	density-lim	1000			0.7	4	1	3	3	6300	4950	4950	1.12
5676	042	2250	0.05	1150	1	55	80	2.5	4	3	5625	4475	RH-3	40	density-lim	1000			0.7	4	1	3	3	6300	5150	5150	1.12
5676	043	2250	0.05	900	1	55	80	2.5	4	3	5625	4725	RH-3	40	density-lim	1000			0.7	4	1	3	3	6300	5400	5400	1.12
5676	051	2504	0.06	1463	1	65	100	3	6	5	7512	6049	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	5548.199707	5548.199707	0.933333
5677	002	2500	0.06	900	1	55	80	2.5	5	4	6250	5350	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6100	6100	1.12
5677	003	2500	0.06	1350	1	55	80	2.5	5	4	6250	4900	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5650	5650	1.12
5677	004	2500	0.06	1061	1	55	80	2.5	5	4	6250	5189	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5939	5939	1.12
5677	005	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5850	5850	1.12
5677	007	2813	0.06	2133	1	55	80	2.5	5	4	7032	4899	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7876.399902	5743.399902	5743.399902	1.12008
5677	008	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5875	5875	1.12
5677	010	2859	0.07	1435	1	55	80	2.5	6	5	7148	5713	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8005.199707	6570.199707	6570.199707	1.119922
5677	011	2631	0.06	785	1	55	80	2.5	5	4	6578	5793	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7366.799805	6581.799805	6581.799805	1.119915
5677	012	2402	0.06	1700	1	55	80	2.5	5	4	6005	4305	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6725.600098	5025.600098	5025.600098	1.12
5677	013	2799	0.06	1020	1	55	80	2.5	5	4	6998	5978	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7837.199707	6817.199707	6817.199707	1.11992
5677	014	2570	0.06	1075	1	55	80	2.5	5	4	6425	5350	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7196	6121	6121	1.12
5677	016	2114	0.05	1400	1	55	80	2.5	4	3	5285	3885	RH-2	40	density-lim	1500			0.7	4	1	3	3	5919.199707	4519.199707	4519.199707	1.12
5677	019	2496	0.06	2424	1	55	80	2.5	5	4	6240	3816	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6988.799805	4564.799805	4564.799805	1.12
5677	020	2495	0.06	1000	1	55	80	2.5	5	4	6238	5238	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6986	5986	5986	1.11991
5677	023	1458	0.03	1166	1	55	80	2.5	2	1	3645	2479	RH-2	40	density-lim	1500			0.7	4	2	3	3	4082.399902	2916.399902	2916.399902	1.12
5678	005	2242	0.05	1347	1	55	80	2.5	4	3	5605	4258	RH-2	40	density-lim	1500			0.7	4	1	3	3	6277.600098	4930.600098	4930.600098	1.12
5678	008	1663	0.04	814	1	55	80	2.5	3	2	4158	3344	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4656.399902	3842.399902	3842.399902	1.119865
5678	010	2815	0.06	740	1	55	80	2.5	5	4	7038	6298	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7882	7142	7142	1.11992
5678	014	2815	0.06	875	1	55	80	2.5	5	4	7038	6163	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7882	7007	7007	1.11992
5678	015	2815	0.06	1125	1	55	80	2.5	5	4	7038	5913	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7882	6757	6757	1.11992
5678	016	1480	0.03	885	1	55	80	2.5	2	1	3700	2815	RH-2	40	density-lim	1500			0.7	4	2	3	3	4144	3259	3259	1.12
5678	018	1750	0.04	720	1	55	80	2.5	3	2	4375	3655	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4900	4180	4180	1.12
5678	019	2500	0.06	2473	1	55	80	2.5	5	4	6250	3777	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4527	4527	1.12
5678	020	2500	0.06	1325	1	55	80	2.5	5	4	6250	4925	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5675	5675	1.12
5678	021	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5600	5600	1.12
5678	022	2500	0.06	1625	0	55	80	2.5	5	5	6250	4625	NCD-CORT	40	density-lim	800	true		0.75	3	0.600000024	3	3	7500	5875	5875	1.2
5678	031	2785	0.06	1750	0	55	80	2.5	5	5	6962	5212	NCD-CORT	40	density-lim	800			0.75	3	0.600000024	3	3	8355	6605	6605	1.200086
5707	002	1750	0.04	2098	1	55	80	2.5	3	2	4375	2277	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	2802	2802	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5707	003	1750	0.04	1375	1	55	80	2.5	3	2	4375	3000	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3525	3525	1.12
5707	006	1750	0.04	925	1	55	80	2.5	3	2	4375	3450	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3975	3975	1.12
5707	007	1820	0.04	1745	1	55	80	2.5	3	2	4550	2805	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5096	3351	3351	1.12
5707	009	1750	0.04	1000	1	55	80	2.5	3	2	4375	3375	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3900	3900	1.12
5707	010	1750	0.04	1640	1	55	80	2.5	3	2	4375	2735	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3260	3260	1.12
5707	011	1750	0.04	1367	1	55	80	2.5	3	2	4375	3008	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3533	3533	1.12
5707	012	1750	0.04	695	1	55	80	2.5	3	2	4375	3680	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	4205	4205	1.12
5707	014A	565	0.01	500	1	55	80	2.5	1	0	1412	912	RH-1	40	density-lim	3000			0.7	4	4	3	1	1582	1082	1082	1.120397
5707	015	1769	0.04	1923	1	55	80	2.5	3	2	4422	2499	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4953.199707	3030.199707	3030.199707	1.120127
5707	016	1771	0.04	1825	1	55	80	2.5	3	2	4428	2603	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4958.799805	3133.799805	3133.799805	1.119874
5707	017	3545	0.08	1600	1	55	80	2.5	6	5	8862	7262	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9926	8326	8326	1.120063
5707	019	1775	0.04	1040	1	55	80	2.5	3	2	4438	3398	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4970	3930	3930	1.119874
5707	021	1777	0.04	2300	1	55	80	2.5	3	2	4442	2142	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4975.600098	2675.600098	2675.600098	1.120126
5707	022	1779	0.04	2062	1	55	80	2.5	3	2	4448	2386	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4981.199707	2919.199707	2919.199707	1.119874
5707	023	1774	0.04	1075	1	55	80	2.5	3	2	4435	3360	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4967.199707	3892.199707	3892.199707	1.12
5707	024	1781	0.04	1675	1	55	80	2.5	3	2	4452	2777	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4986.799805	3311.799805	3311.799805	1.120126
5707	025	3424	0.08	1000	1	55	80	2.5	6	5	8560	7560	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9587.200195	8587.200195	8587.200195	1.12
5708	004	2535	0.06	1300	1	55	80	2.5	5	4	6338	5038	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7098	5798	5798	1.119912
5708	005	2567	0.06	1135	1	55	80	2.5	5	4	6418	5283	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7187.600098	6052.600098	6052.600098	1.119913
5708	006	2599	0.06	1512	1	55	80	2.5	5	4	6498	4986	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7277.199707	5765.199707	5765.199707	1.119914
5708	008	2188	0.05	1714	1	55	80	2.5	4	3	5470	3756	RH-2	40	density-lim	1500			0.7	4	1	3	3	6126.399902	4412.399902	4412.399902	1.12
5708	010	2188	0.05	1300	1	55	80	2.5	4	3	5470	4170	RH-2	40	density-lim	1500			0.7	4	1	3	3	6126.399902	4826.399902	4826.399902	1.12
5708	011	2188	0.05	1000	1	55	80	2.5	4	3	5470	4470	RH-2	40	density-lim	1500			0.7	4	1	3	3	6126.399902	5126.399902	5126.399902	1.12
5708	012	2187	0.05	1576	1	55	80	2.5	4	3	5468	3892	RH-2	40	density-lim	1500			0.7	4	1	3	3	6123.600098	4547.600098	4547.600098	1.119898
5708	013	2187	0.05	1491	1	55	80	2.5	4	3	5468	3977	RH-2	40	density-lim	1500			0.7	4	1	3	3	6123.600098	4632.600098	4632.600098	1.119898
5708	014	2415	0.06	870	1	55	80	2.5	5	4	6038	5168	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6762	5892	5892	1.119907
5708	017	2500	0.06	1600	1	55	80	2.5	5	4	6250	4650	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5400	5400	1.12
5708	019	2500	0.06	1300	1	55	80	2.5	5	4	6250	4950	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5700	5700	1.12
5708	021	2219	0.05	875	1	55	80	2.5	4	3	5548	4673	RH-2	40	density-lim	1500			0.7	4	1	3	3	6213.199707	5338.199707	5338.199707	1.119899
5708	022	2221	0.05	1300	1	55	80	2.5	4	3	5552	4252	RH-2	40	density-lim	1500			0.7	4	1	3	3	6218.799805	4918.799805	4918.799805	1.120101
5708	023	2222	0.05	1200	1	55	80	2.5	4	3	5555	4355	RH-2	40	density-lim	1500			0.7	4	1	3	3	6221.600098	5021.600098	5021.600098	1.12
5708	024	2224	0.05	1166	1	55	80	2.5	4	3	5560	4394	RH-2	40	density-lim	1500			0.7	4	1	3	3	6227.199707	5061.199707	5061.199707	1.12
5709	002	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5850	5850	1.12
5709	003	2500	0.06	1325	1	55	80	2.5	5	4	6250	4925	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5675	5675	1.12
5709	005	2500	0.06	1275	1	55	80	2.5	5	4	6250	4975	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5725	5725	1.12
5709	006	2500	0.06	1525	1	55	80	2.5	5	4	6250	4725	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5475	5475	1.12
5709	008	2204	0.05	1000	1	55	80	2.5	4	3	5510	4510	RH-2	40	density-lim	1500			0.7	4	1	3	3	6171.199707	5171.199707	5171.199707	1.12
5709	009	2202	0.05	1450	1	55	80	2.5	4	3	5505	4055	RH-2	40	density-lim	1500			0.7	4	1	3	3	6165.600098	4715.600098	4715.600098	1.12
5709	012	2367	0.05	2274	1	55	80	2.5	4	3	5918	3644	RH-2	40	density-lim	1500			0.7	4	1	3	3	6627.600098	4353.600098	4353.600098	1.119905
5709	015	3040	0.07	1740	1	55	80	2.5	6	5	7600	5860	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8512	6772	6772	1.12
5709	019	2188	0.05	1025	1	55	80	2.5	4	3	5470	4445	RH-2	40	density-lim	1500			0.7	4	1	3	3	6126.399902	5101.399902	5101.399902	1.12
5709	020	2188	0.05	1275	1	55	80	2.5	4	3	5470	4195	RH-2	40	density-lim	1500			0.7	4	1	3	3	6126.399902	4851.399902	4851.399902	1.12
5709	021	2188	0.05	2250	1	55	80	2.5	4	3	5470	3220	RH-2	40	density-lim	1500			0.7	4	1	3	3	6126.399902	3876.399902	3876.399902	1.12
5710	003	2823	0.06	1125	1	65	100	3	6	5	8469	7344	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7904.399902	6779.399902	6779.399902	0.933333
5710	004	2825	0.06	1125	1	65	100	3	6	5	8475	7350	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7910	6785	6785	0.933333
5710	006	2156	0.05	1400	1	65	100	3	5	4	6468	5068	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6036.799805	4636.799805	4636.799805	0.933333
5710	007	2725	0.06	1350	1	65	100	3	6	5	8175	6825	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7630	6280	6280	0.933333
5710	008	2725	0.06	950	1	65	100	3	6	5	8175	7225	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7630	6680	6680	0.933333
5710	010	2450	0.06	1150	1	65	100	3	6	5	7350	6200	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6860	5710	5710	0.933333
5710	011	2369	0.05	1125	1	65	100	3	5	4	7107	5982	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	5508.199707	5508.199707	0.933333
5710	012	2369	0.05	1275	1	65	100	3	5	4	7107	5832	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	5358.199707	5358.199707	0.933333
5710	014	2369	0.05	733	1	65	100	3	5	4	7107	6374	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	5900.199707	5900.199707	0.933333
5710	015	2369	0.05	2084	1	65	100	3	5	4	7107	5023	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	4549.199707	4549.199707	0.933333
5710	016	2369	0.05	770	1	65	100	3	5	4	7107	6337	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	5863.199707	5863.199707	0.933333
5710	017	2369	0.05	640	1	65	100	3	5	4	7107	6467	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	5993.199707	5993.199707	0.933333
5710	018	2369	0.05	1325	1	65	100	3	5	4	7107	5782	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	5308.199707	5308.199707	0.933333
5710	019	2369	0.05	2172	1	65	100	3	5	4	7107	4935	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	4461.199707	4461.199707	0.933333
5710	020	2369	0.05	1236	1	65	100	3	5	4	7107	5871	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	5397.199707	5397.199707	0.933333
5710	021	2369	0.05	1190	1	65	100	3	5	4	7107	5917	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	5443.199707	5443.199707	0.933333
5710	022	2369	0.05	700	1	65	100	3	5	4	7107	6407	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	5933.199707	5933.199707	0.933333
5710	023	2369	0.05	1428	1	65	100	3	5	4	7107	5679	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	5205.199707	5205.199707	0.933333
5710	024	2369	0.05	1250	1	65	100	3	5	4	7107	5857	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	5383.199707	5383.199707	0.933333
5710	025	2369	0.05	540	1	65	100	3	5	4	7107	6567	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6633.199707	6093.199707	6093.199707	0.933333
5710	027	1250	0.03	1000	1	65	100	3	3	2	3750	2750	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3500	2500	2500	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5710	028	2500	0.06	2448	1	65	100	3	6	5	7500	5052	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4552	4552	0.933333
5710	030	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5950	5950	0.933333
5710	031	2500	0.06	1509	1	65	100	3	6	5	7500	5991	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5491	5491	0.933333
5710	032	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5725	5725	0.933333
5710	033	2500	0.06	875	1	65	100	3	6	5	7500	6625	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6125	6125	0.933333
5710	034	2500	0.06	1160	1	65	100	3	6	5	7500	6340	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5840	5840	0.933333
5710	035	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
5710	036	2500	0.06	1030	1	65	100	3	6	5	7500	6470	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5970	5970	0.933333
5710	037	2500	0.06	1700	1	65	100	3	6	5	7500	5800	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5300	5300	0.933333
5710	038	2500	0.06	1550	1	65	100	3	6	5	7500	5950	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5450	5450	0.933333
5710	039	2500	0.06	1513	1	65	100	3	6	5	7500	5987	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5487	5487	0.933333
5710	040	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5875	5875	0.933333
5710	043	2500	0.06	1750	1	65	100	3	6	5	7500	5750	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5250	5250	0.933333
5710	044	2500	0.06	1061	1	65	100	3	6	5	7500	6439	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5939	5939	0.933333
5710	045	2500	0.06	1123	1	65	100	3	6	5	7500	6377	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5877	5877	0.933333
5710	046	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5750	5750	0.933333
5710	048	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
5710	049	2500	0.06	1827	1	65	100	3	6	5	7500	5673	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5173	5173	0.933333
5710	050	2500	0.06	1850	1	65	100	3	6	5	7500	5650	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5150	5150	0.933333
5710	053	1244	0.03	1125	1	65	100	3	3	2	3732	2607	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3483.199951	2358.199951	2358.199951	0.933333
5710	063	2500	0.06	850	1	65	100	3	6	5	7500	6650	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6150	6150	0.933333
5712	003	2500	0.06	2000	1	65	100	3	6	5	7500	5500	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5000	5000	0.933333
5712	004	2500	0.06	1988	1	65	100	3	6	5	7500	5512	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5012	5012	0.933333
5712	005	2500	0.06	994	1	65	100	3	6	5	7500	6506	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6006	6006	0.933333
5712	006	2500	0.06	1056	1	65	100	3	6	5	7500	6444	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5944	5944	0.933333
5712	007	2500	0.06	2540	1	65	100	3	6	5	7500	4960	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4460	4460	0.933333
5712	009	2500	0.06	500	1	65	100	3	6	5	7500	7000	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6500	6500	0.933333
5712	011	2500	0.06	1510	1	65	100	3	6	5	7500	5990	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5490	5490	0.933333
5712	012	2500	0.06	2750	1	65	100	3	6	5	7500	4750	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4250	4250	0.933333
5712	013	2500	0.06	1400	1	65	100	3	6	5	7500	6100	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5600	5600	0.933333
5712	014	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
5712	017	2500	0.06	375	1	65	100	3	6	5	7500	7125	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6625	6625	0.933333
5712	018	2613	0.06	1025	1	65	100	3	6	5	7839	6814	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7316.399902	6291.399902	6291.399902	0.933333
5712	022A	1767	0.04	2045	1	65	100	3	4	3	5301	3256	RH-2	40	density-lim	1500			0.7	4	1	3	3	4947.600098	2902.600098	2902.600098	0.933333
5712	023	3065	0.07	750	1	85	140	4	10	9	12260	11510	RH-2	40	density-lim	1500			0.7	4	0.400000006	3	3	8582	7832	7832	0.7
5712	028	2632	0.06	1050	1	85	140	4	8	7	10528	9478	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7369.600098	6319.600098	6319.600098	0.7
5712	035	2702	0.06	1390	1	65	100	3	6	5	8106	6716	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7565.600098	6175.600098	6175.600098	0.933333
5712	040	2694	0.06	692	1	65	100	3	6	5	8082	7390	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7543.199707	6851.199707	6851.199707	0.933333
5712	044	2687	0.06	762	1	65	100	3	6	5	8061	7299	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7523.600098	6761.600098	6761.600098	0.933333
5712	047	2500	0.06	1448	1	65	100	3	6	5	7500	6052	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5552	5552	0.933333
5713	001	2423	0.06	2350	3	65	100	3	6	3	7269	4919	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	6784.399902	4434.399902	4434.399902	0.933333
5713	003	2500	0.06	1420	1	65	100	3	6	5	7500	6080	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5580	5580	0.933333
5713	004	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333
5713	006	2500	0.06	2580	1	65	100	3	6	5	7500	4920	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4420	4420	0.933333
5713	011	2500	0.06	1920	1	65	100	3	6	5	7500	5580	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5080	5080	0.933333
5713	021	2783	0.06	1478	1	65	100	3	6	5	8349	6871	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7792.399902	6314.399902	6314.399902	0.933333
5713	022	2796	0.06	560	1	65	100	3	6	5	8388	7828	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7828.799805	7268.799805	7268.799805	0.933333
5713	023	2658	0.06	1150	1	65	100	3	6	5	7974	6824	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7442.399902	6292.399902	6292.399902	0.933333
5713	027	2088	0.05	2013	1	65	100	3	5	4	6264	4251	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5846.399902	3833.399902	3833.399902	0.933333
5713	032	2690	0.06	1250	1	65	100	3	6	5	8070	6820	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7532	6282	6282	0.933333
5713	033	2528	0.06	1420	1	65	100	3	6	5	7584	6164	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7078.399902	5658.399902	5658.399902	0.933333
5715	002	2661	0.06	4425	3	55	80	2.5	5	2	6652	2227	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	3	3	7450.799805	3025.799805	3025.799805	1.120084
5715	003	2697	0.06	1635	1	55	80	2.5	5	4	6742	5107	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7551.600098	5916.600098	5916.600098	1.120083
5715	005	2572	0.06	1694	1	55	80	2.5	5	4	6430	4736	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7201.600098	5507.600098	5507.600098	1.12
5715	006	2642	0.06	1553	1	55	80	2.5	5	4	6605	5052	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7397.600098	5844.600098	5844.600098	1.12
5715	007	2746	0.06	3597	1	55	80	2.5	5	4	6865	3268	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7688.799805	4091.799805	4091.799805	1.12
5715	009	2428	0.06	810	1	55	80	2.5	5	4	6070	5260	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6798.399902	5988.399902	5988.399902	1.12
5715	010	2631	0.06	1950	1	55	80	2.5	5	4	6578	4628	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7366.799805	5416.799805	5416.799805	1.119915
5715	012	1250	0.03	800	1	55	80	2.5	2	1	3125	2325	RH-2	40	density-lim	1500			0.7	4	2	3	3	3500	2700	2700	1.12
5715	013	2500	0.06	2074	1	55	80	2.5	5	4	6250	4176	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4926	4926	1.12
5715	014	2500	0.06	1574	1	55	80	2.5	5	4	6250	4676	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5426	5426	1.12
5715	016	1691	0.04	800	1	55	80	2.5	3	2	4228	3428	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4734.799805	3934.799805	3934.799805	1.119867
5716	001A	1000	0.02	902	1	55	80	2.5	2	1	2500	1598	RH-2	40	density-lim	1500			0.7	4	2	3	3	2800	1898	1898	1.12
5716	003	2909	0.07	2366	1	55	80	2.5	6	5	7272	4906	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8145.199707	5779.199707	5779.199707	1.120077

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5716	004	2943	0.07	1375	1	55	80	2.5	6	5	7358	5983	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8240.399414	6865.399414	6865.399414	1.119924
5716	005	2978	0.07	1150	1	55	80	2.5	6	5	7445	6295	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8338.399414	7188.399414	7188.399414	1.12
5716	006	1943	0.04	1250	1	55	80	2.5	3	2	4858	3608	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5440.399902	4190.399902	4190.399902	1.119885
5716	008	2232	0.05	932	1	55	80	2.5	4	3	5580	4648	RH-2	40	density-lim	1500			0.7	4	1	3	3	6249.600098	5317.600098	5317.600098	1.12
5716	009	2267	0.05	1280	1	55	80	2.5	4	3	5668	4388	RH-2	40	density-lim	1500			0.7	4	1	3	3	6347.600098	5067.600098	5067.600098	1.119901
5716	010	2303	0.05	1600	1	55	80	2.5	4	3	5758	4158	RH-2	40	density-lim	1500			0.7	4	1	3	3	6448.399902	4848.399902	4848.399902	1.119903
5716	011	2339	0.05	1200	1	55	80	2.5	4	3	5848	4648	RH-2	40	density-lim	1500			0.7	4	1	3	3	6549.199707	5349.199707	5349.199707	1.119904
5716	012	2375	0.05	2611	1	55	80	2.5	4	3	5938	3327	RH-2	40	density-lim	1500			0.7	4	1	3	3	6650	4039	4039	1.119906
5716	013	2411	0.06	1300	1	55	80	2.5	5	4	6028	4728	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6750.799805	5450.799805	5450.799805	1.119907
5716	015	2500	0.06	1375	1	55	80	2.5	5	4	6250	4875	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5625	5625	1.12
5716	016	2500	0.06	2010	1	55	80	2.5	5	4	6250	4240	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4990	4990	1.12
5716	017	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5850	5850	1.12
5716	018	2500	0.06	1375	1	55	80	2.5	5	4	6250	4875	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5625	5625	1.12
5716	022	2500	0.06	2770	1	55	80	2.5	5	4	6250	3480	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4230	4230	1.12
5716	023	2500	0.06	2136	1	55	80	2.5	5	4	6250	4114	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4864	4864	1.12
5716	024	2500	0.06	1625	1	55	80	2.5	5	4	6250	4625	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5375	5375	1.12
5716	026	2500	0.06	640	1	55	80	2.5	5	4	6250	5610	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6360	6360	1.12
5716	027	2500	0.06	1377	1	55	80	2.5	5	4	6250	4873	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5623	5623	1.12
5716	029	2217	0.05	1057	1	55	80	2.5	4	3	5542	4485	RH-2	40	density-lim	1500			0.7	4	1	3	3	6207.600098	5150.600098	5150.600098	1.120101
5717	001	1650	0.04	1930	1	55	80	2.5	3	2	4125	2195	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4620	2690	2690	1.12
5717	002	2750	0.06	994	1	55	80	2.5	5	4	6875	5881	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7700	6706	6706	1.12
5717	003	2750	0.06	600	1	55	80	2.5	5	4	6875	6275	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7700	7100	7100	1.12
5717	004	2750	0.06	1400	1	55	80	2.5	5	4	6875	5475	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7700	6300	6300	1.12
5717	005	2750	0.06	1375	1	55	80	2.5	5	4	6875	5500	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7700	6325	6325	1.12
5717	006	2750	0.06	1525	1	55	80	2.5	5	4	6875	5350	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7700	6175	6175	1.12
5717	007A	2500	0.06	884	1	55	80	2.5	5	4	6250	5366	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6116	6116	1.12
5717	011	2265	0.05	1100	1	55	80	2.5	4	3	5662	4562	RH-2	40	density-lim	1500			0.7	4	1	3	3	6342	5242	5242	1.120099
5717	013	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5825	5825	1.12
5717	014	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6000	6000	1.12
5717	015	2500	0.06	1390	1	55	80	2.5	5	4	6250	4860	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5610	5610	1.12
5717	016	2500	0.06	1825	1	55	80	2.5	5	4	6250	4425	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5175	5175	1.12
5717	017	2520	0.06	1432	1	55	80	2.5	5	4	6300	4868	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7056	5624	5624	1.12
5717	019	3740	0.09	1150	1	55	80	2.5	7	6	9350	8200	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	10472	9322	9322	1.12
5717	020	2500	0.06	1393	1	55	80	2.5	5	4	6250	4857	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5607	5607	1.12
5717	021	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6200	6200	1.12
5717	022	2500	0.06	2562	1	55	80	2.5	5	4	6250	3688	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4438	4438	1.12
5717	023	2500	0.06	875	1	55	80	2.5	5	4	6250	5375	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6125	6125	1.12
5717	024A	1305	0.03	950	1	55	80	2.5	2	1	3262	2312	RH-2	40	density-lim	1500			0.7	4	2	3	3	3654	2704	2704	1.120172
5717	025	2505	0.06	1423	1	55	80	2.5	5	4	6262	4839	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7014	5591	5591	1.120089
5717	026	2167	0.05	1375	1	55	80	2.5	4	3	5418	4043	RH-2	40	density-lim	1500			0.7	4	1	3	3	6067.600098	4692.600098	4692.600098	1.119897
5717	027	2627	0.06	1375	1	55	80	2.5	5	4	6568	5193	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7355.600098	5980.600098	5980.600098	1.119915
5717	028	2995	0.07	1950	1	55	80	2.5	6	5	7488	5538	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	8386	6436	6436	1.119925
5717	029	2775	0.06	1452	1	55	80	2.5	5	4	6938	5486	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7770	6318	6318	1.119919
5717	030	2027	0.05	2698	1	55	80	2.5	4	3	5068	2370	RH-2	40	density-lim	1500			0.7	4	1	3	3	5675.600098	2977.600098	2977.600098	1.119889
5717	031A	1450	0.03	760	1	55	80	2.5	2	1	3625	2865	RH-2	40	density-lim	1500			0.7	4	2	3	3	4060	3300	3300	1.12
5717	032	2700	0.06	1430	1	55	80	2.5	5	4	6750	5320	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7560	6130	6130	1.12
5717	033	2700	0.06	1400	1	55	80	2.5	5	4	6750	5350	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7560	6160	6160	1.12
5717	034	2700	0.06	1356	1	55	80	2.5	5	4	6750	5394	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7560	6204	6204	1.12
5717	035	2700	0.06	1000	1	55	80	2.5	5	4	6750	5750	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7560	6560	6560	1.12
5717	036	4061	0.09	2950	1	55	80	2.5	7	6	10152	7202	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	11370.7998	8420.799805	8420.799805	1.120055
5717	039	2700	0.06	1400	1	55	80	2.5	5	4	6750	5350	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7560	6160	6160	1.12
5717	040	2700	0.06	1404	1	55	80	2.5	5	4	6750	5346	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7560	6156	6156	1.12
5717	041	2700	0.06	1275	1	55	80	2.5	5	4	6750	5475	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7560	6285	6285	1.12
5717	042	2700	0.06	1443	1	55	80	2.5	5	4	6750	5307	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7560	6117	6117	1.12
5717	043	2700	0.06	1377	1	55	80	2.5	5	4	6750	5373	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7560	6183	6183	1.12
5717	044	2700	0.06	1919	1	55	80	2.5	5	4	6750	4831	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7560	5641	5641	1.12
5718	011	2540	0.06	1440	1	65	100	3	6	5	7620	6180	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7112	5672	5672	0.933333
5718	012	2540	0.06	1900	1	65	100	3	6	5	7620	5720	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7112	5212	5212	0.933333
5718	014	2540	0.06	1525	1	65	100	3	6	5	7620	6095	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7112	5587	5587	0.933333
5718	015	2540	0.06	1450	1	65	100	3	6	5	7620	6170	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7112	5662	5662	0.933333
5718	016	2540	0.06	1900	1	65	100	3	6	5	7620	5720	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7112	5212	5212	0.933333
5718	017	2540	0.06	1000	1	65	100	3	6	5	7620	6620	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7112	6112	6112	0.933333
5718	018	2540	0.06	1287	1	65	100	3	6	5	7620	6333	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7112	5825	5825	0.933333
5718	019	2540	0.06	1353	1	65	100	3	6	5	7620	6267	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7112	5759	5759	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5718	020	2540	0.06	1575	1	65	100	3	6	5	7620	6045	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7112	5537	5537	0.933333
5718	021	2540	0.06	1275	1	65	100	3	6	5	7620	6345	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7112	5837	5837	0.933333
5718	024	2540	0.06	1577	1	65	100	3	6	5	7620	6043	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7112	5535	5535	0.933333
5718	036	2190	0.05	1050	1	65	100	3	5	4	6570	5520	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6132	5082	5082	0.933333
5718	040	2500	0.06	1454	1	65	100	3	6	5	7500	6046	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5546	5546	0.933333
5718	041	2500	0.06	875	1	65	100	3	6	5	7500	6625	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6125	6125	0.933333
5718	042	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5725	5725	0.933333
5718	043	2500	0.06	1525	1	65	100	3	6	5	7500	5975	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5475	5475	0.933333
5718	044	2500	0.06	2047	1	65	100	3	6	5	7500	5453	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4953	4953	0.933333
5718	045	2500	0.06	1440	1	65	100	3	6	5	7500	6060	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5560	5560	0.933333
5718	048	2500	0.06	1517	1	65	100	3	6	5	7500	5983	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5483	5483	0.933333
5718	049	2500	0.06	1375	1	65	100	3	6	5	7500	6125	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5625	5625	0.933333
5718	050	2500	0.06	936	1	65	100	3	6	5	7500	6564	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6064	6064	0.933333
5718	051	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5700	5700	0.933333
5718	052	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5875	5875	0.933333
5718	053	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5875	5875	0.933333
5718	055	2500	0.06	1893	1	65	100	3	6	5	7500	5607	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5107	5107	0.933333
5718	056	2500	0.06	1905	1	65	100	3	6	5	7500	5595	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5095	5095	0.933333
5718	061	2540	0.06	2029	1	65	100	3	6	5	7620	5591	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7112	5083	5083	0.933333
5719	008	2205	0.05	2000	0	65	100	3	5	5	6615	4615	NC-2	40	density-lim	800			0.75	3	0.600000024	3	3	6615	4615	4615	1
5719	009	2311	0.05	1275	1	65	100	3	5	4	6933	5658	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6470.799805	5195.799805	5195.799805	0.933333
5719	010A	1428	0.03	1400	1	65	100	3	3	2	4284	2884	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3998.399902	2598.399902	2598.399902	0.933333
5719	012	2450	0.06	1221	1	65	100	3	6	5	7350	6129	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6860	5639	5639	0.933333
5719	014	2450	0.06	1870	1	65	100	3	6	5	7350	5480	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6860	4990	4990	0.933333
5719	018	2437	0.06	1800	0	65	100	3	6	6	7311	5511	NC-2	40	density-lim	800			0.75	3	0.5	3	3	7311	5511	5511	1
5719	023	2234	0.05	0	0	65	100	3	5	5	6702	6702	NC-2	40	density-lim	800			0.75	3	0.600000024	3	3	6702	6702	6702	1
5720	001	2014	0.05	3135	3	55	80	2.5	4	1	5035	1900	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	5639.199707	2504.199707	2504.199707	1.12
5720	002	2087	0.05	1645	1	55	80	2.5	4	3	5218	3573	RH-2	40	density-lim	1500			0.7	4	1	3	3	5843.600098	4198.600098	4198.600098	1.119893
5720	003	2215	0.05	1050	1	55	80	2.5	4	3	5538	4488	RH-2	40	density-lim	1500			0.7	4	1	3	3	6202	5152	5152	1.119899
5720	005	1304	0.03	1000	1	55	80	2.5	2	1	3260	2260	RH-2	40	density-lim	1500			0.7	4	2	3	3	3651.199951	2651.199951	2651.199951	1.12
5720	005A	1368	0.03	1048	1	55	80	2.5	2	1	3420	2372	RH-2	40	density-lim	1500			0.7	4	2	3	3	3830.399902	2782.399902	2782.399902	1.12
5720	006	1307	0.03	2002	1	55	80	2.5	2	1	3268	1266	RH-2	40	density-lim	1500			0.7	4	2	3	3	3659.599854	1657.599854	1657.599854	1.119829
5720	006A	1702	0.04	1275	1	55	80	2.5	3	2	4255	2980	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4765.600098	3490.600098	3490.600098	1.12
5720	007	1905	0.04	1300	1	55	80	2.5	3	2	4762	3462	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5334	4034	4034	1.120118
5720	008	2406	0.06	875	1	55	80	2.5	5	4	6015	5140	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6736.799805	5861.799805	5861.799805	1.12
5720	012	2500	0.06	675	1	55	80	2.5	5	4	6250	5575	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6325	6325	1.12
5720	013	2500	0.06	1300	1	55	80	2.5	5	4	6250	4950	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5700	5700	1.12
5720	014	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5900	5900	1.12
5720	015	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5750	5750	1.12
5720	016	2472	0.06	1250	1	55	80	2.5	5	4	6180	4930	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6921.600098	5671.600098	5671.600098	1.12
5720	017	2528	0.06	1750	1	55	80	2.5	5	4	6320	4570	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7078.399902	5328.399902	5328.399902	1.12
5720	018	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5750	5750	1.12
5720	019	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5900	5900	1.12
5720	020	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5875	5875	1.12
5720	021	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5875	5875	0.933333
5720	023	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
5720	024	2500	0.06	2200	1	65	100	3	6	5	7500	5300	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4800	4800	0.933333
5720	025	2500	0.06	1389	1	65	100	3	6	5	7500	6111	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5611	5611	0.933333
5720	026	2500	0.06	1525	1	65	100	3	6	5	7500	5975	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5475	5475	0.933333
5720	027	2500	0.06	2496	1	65	100	3	6	5	7500	5004	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	4504	4504	0.933333
5720	028	2500	0.06	1125	1	65	100	3	6	5	7500	6375	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5875	5875	0.933333
5720	029	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
5720	031	2434	0.06	1846	1	65	100	3	6	5	7302	5456	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6815.199707	4969.199707	4969.199707	0.933333
5720	032	2806	0.06	1208	1	65	100	3	6	5	8418	7210	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7856.799805	6648.799805	6648.799805	0.933333
5720	033	3177	0.07	1200	1	65	100	3	7	6	9531	8331	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8895.599609	7695.599609	7695.599609	0.933333
5720	035	2648	0.06	1311	1	65	100	3	6	5	7944	6633	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7414.399902	6103.399902	6103.399902	0.933333
5720	039	2472	0.06	1800	1	65	100	3	6	5	7416	5616	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6921.600098	5121.600098	5121.600098	0.933333
5720	040	2473	0.06	1887	1	65	100	3	6	5	7419	5532	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6924.399902	5037.399902	5037.399902	0.933333
5720	041	2474	0.06	1885	1	65	100	3	6	5	7422	5537	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6927.199707	5042.199707	5042.199707	0.933333
5720	044	2478	0.06	983	1	65	100	3	6	5	7434	6451	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6938.399902	5955.399902	5955.399902	0.933333
5720	045	2480	0.06	895	1	65	100	3	6	5	7440	6545	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6944	6049	6049	0.933333
5720	046	2481	0.06	1575	1	65	100	3	6	5	7443	5868	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6946.799805	5371.799805	5371.799805	0.933333
5720	049	2485	0.06	1120	1	65	100	3	6	5	7455	6335	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6958	5838	5838	0.933333
5720	052	2489	0.06	2225	1	65	100	3	6	5	7467	5242	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6969.199707	4744.199707	4744.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5720	053	2490	0.06	875	1	65	100	3	6	5	7470	6595	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6972	6097	6097	0.933333
5720	062	1718	0.04	1500	1	55	80	2.5	3	2	4295	2795	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4810.399902	3310.399902	3310.399902	1.12
5720	063	1517	0.03	700	1	55	80	2.5	2	1	3792	3092	RH-2	40	density-lim	1500			0.7	4	2	3	3	4247.600098	3547.600098	3547.600098	1.120148
5721	001	1625	0.04	3000	3	55	80	2.5	3	0	4062	1062	RH-2	40	density-lim	1500	true		0.7	6	2	3	3	4550	1550	1550	1.120138
5721	005	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5875	5875	1.12
5721	006	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5875	5875	1.12
5721	009	2742	0.06	900	1	55	80	2.5	5	4	6855	5955	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7677.600098	6777.600098	6777.600098	1.12
5721	011	2500	0.06	850	1	55	80	2.5	5	4	6250	5400	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6150	6150	1.12
5721	012	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6000	6000	1.12
5721	013	2500	0.06	2250	1	55	80	2.5	5	4	6250	4000	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4750	4750	1.12
5721	014	2500	0.06	1275	1	55	80	2.5	5	4	6250	4975	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5725	5725	1.12
5721	015	2500	0.06	1625	1	55	80	2.5	5	4	6250	4625	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5375	5375	1.12
5721	016	2500	0.06	1570	1	55	80	2.5	5	4	6250	4680	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5430	5430	1.12
5721	017	2500	0.06	1800	1	55	80	2.5	5	4	6250	4450	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5200	5200	1.12
5721	018	2500	0.06	2028	1	55	80	2.5	5	4	6250	4222	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4972	4972	1.12
5721	019	2500	0.06	1379	1	55	80	2.5	5	4	6250	4871	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5621	5621	1.12
5721	020	2500	0.06	1827	1	55	80	2.5	5	4	6250	4423	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5173	5173	1.12
5721	021	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6000	6000	1.12
5721	025	2500	0.06	1770	1	55	80	2.5	5	4	6250	4480	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5230	5230	1.12
5721	033	2500	0.06	2230	1	55	80	2.5	5	4	6250	4020	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4770	4770	1.12
5721	034	2467	0.06	1815	1	55	80	2.5	5	4	6168	4353	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6907.600098	5092.600098	5092.600098	1.119909
5721	035	2500	0.06	810	1	55	80	2.5	5	4	6250	5440	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6190	6190	1.12
5721	036	1625	0.04	843	1	55	80	2.5	3	2	4062	3219	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4550	3707	3707	1.120138
5721	037	1550	0.04	2000	1	55	80	2.5	3	2	3875	1875	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4340	2340	2340	1.12
5721	041	1283	0.03	750	1	55	80	2.5	2	1	3208	2458	RH-2	40	density-lim	1500			0.7	4	2	3	3	3592.399902	2842.399902	2842.399902	1.119825
5721	042	1539	0.04	1335	1	55	80	2.5	3	2	3848	2513	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4309.199707	2974.199707	2974.199707	1.119854
5721	043	1544	0.04	1750	1	55	80	2.5	3	2	3860	2110	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4323.199707	2573.199707	2573.199707	1.12
5721	046	1934	0.04	2150	1	55	80	2.5	3	2	4835	2685	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	5415.199707	3265.199707	3265.199707	1.12
5721	048	2375	0.05	1275	1	55	80	2.5	4	3	5938	4663	RH-2	40	density-lim	1500			0.7	4	1	3	3	6650	5375	5375	1.119906
5721	049	2500	0.06	1275	1	55	80	2.5	5	4	6250	4975	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5725	5725	1.12
5721	051	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6000	6000	1.12
5721	052	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5825	5825	1.12
5721	053	2500	0.06	672	1	55	80	2.5	5	4	6250	5578	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6328	6328	1.12
5721	054	2500	0.06	1530	1	55	80	2.5	5	4	6250	4720	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5470	5470	1.12
5721	056	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5600	5600	1.12
5721	057	2500	0.06	1543	1	55	80	2.5	5	4	6250	4707	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5457	5457	1.12
5721	058	2500	0.06	2424	1	55	80	2.5	5	4	6250	3826	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4576	4576	1.12
5721	059	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	6200	6200	1.12
5721	061	2500	0.06	1370	1	55	80	2.5	5	4	6250	4880	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5630	5630	1.12
5721	062	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5875	5875	1.12
5721	064	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5875	5875	1.12
5721	066A	2500	0.06	1625	1	55	80	2.5	5	4	6250	4625	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5375	5375	1.12
5721	067	2500	0.06	1625	1	55	80	2.5	5	4	6250	4625	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	5375	5375	1.12
5721	068	2500	0.06	2202	1	55	80	2.5	5	4	6250	4048	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7000	4798	4798	1.12
5721	070	875	0.02	667	1	55	80	2.5	2	1	2188	1521	RH-2	40	density-lim	1500			0.7	4	2	3	3	2450	1783	1783	1.119744
5721	071	1500	0.03	1750	1	55	80	2.5	2	1	3750	2000	RH-2	40	density-lim	1500			0.7	4	2	3	3	4200	2450	2450	1.12
5722	001	1742	0.04	1150	1	55	80	2.5	3	2	4355	3205	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4877.600098	3727.600098	3727.600098	1.12
5722	002	1762	0.04	1100	1	55	80	2.5	3	2	4405	3305	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4933.600098	3833.600098	3833.600098	1.12
5722	003	1761	0.04	1025	1	55	80	2.5	3	2	4402	3377	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4930.799805	3905.799805	3905.799805	1.120127
5722	004	1760	0.04	625	1	55	80	2.5	3	2	4400	3775	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4928	4303	4303	1.12
5722	005	1758	0.04	1829	1	55	80	2.5	3	2	4395	2566	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4922.399902	3093.399902	3093.399902	1.12
5722	006	1757	0.04	992	1	55	80	2.5	3	2	4392	3400	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4919.600098	3927.600098	3927.600098	1.120128
5722	017	1750	0.04	1283	1	55	80	2.5	3	2	4375	3092	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3617	3617	1.12
5722	018	1750	0.04	1900	1	55	80	2.5	3	2	4375	2475	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3000	3000	1.12
5722	019	1750	0.04	1475	1	55	80	2.5	3	2	4375	2900	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3425	3425	1.12
5722	020	1750	0.04	2100	1	55	80	2.5	3	2	4375	2275	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	2800	2800	1.12
5722	021	1750	0.04	900	1	55	80	2.5	3	2	4375	3475	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	4000	4000	1.12
5722	022	1750	0.04	1286	1	55	80	2.5	3	2	4375	3089	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3614	3614	1.12
5722	023	1750	0.04	1150	1	55	80	2.5	3	2	4375	3225	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3750	3750	1.12
5722	025	1750	0.04	1750	1	55	80	2.5	3	2	4375	2625	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3150	3150	1.12
5722	026	1750	0.04	1180	1	55	80	2.5	3	2	4375	3195	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3720	3720	1.12
5722	027	1750	0.04	875	1	55	80	2.5	3	2	4375	3500	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	4025	4025	1.12
5722	028	1750	0.04	1920	1	55	80	2.5	3	2	4375	2455	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	2980	2980	1.12
5722	029	1750	0.04	850	1	55	80	2.5	3	2	4375	3525	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	4050	4050	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5745	013	2513	0.06	1275	1	55	80	2.5	5	4	6282	5007	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7036.399902	5761.399902	5761.399902	1.120089
5745	014	2513	0.06	1446	1	55	80	2.5	5	4	6282	4836	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7036.399902	5590.399902	5590.399902	1.120089
5745	016	2514	0.06	1375	1	55	80	2.5	5	4	6285	4910	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7039.199707	5664.199707	5664.199707	1.12
5745	017	2514	0.06	2115	1	55	80	2.5	5	4	6285	4170	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7039.199707	4924.199707	4924.199707	1.12
5745	018	2514	0.06	1275	1	55	80	2.5	5	4	6285	5010	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7039.199707	5764.199707	5764.199707	1.12
5745	019	2514	0.06	1710	1	55	80	2.5	5	4	6285	4575	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7039.199707	5329.199707	5329.199707	1.12
5745	020	2514	0.06	1108	1	55	80	2.5	5	4	6285	5177	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7039.199707	5931.199707	5931.199707	1.12
5745	021	2514	0.06	1694	1	55	80	2.5	5	4	6285	4591	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7039.199707	5345.199707	5345.199707	1.12
5745	022	2514	0.06	2940	1	55	80	2.5	5	4	6285	3345	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7039.199707	4099.199707	4099.199707	1.12
5745	023	2515	0.06	875	1	55	80	2.5	5	4	6288	5413	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7042	6167	6167	1.119911
5745	024	2515	0.06	1272	1	55	80	2.5	5	4	6288	5016	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7042	5770	5770	1.119911
5745	025	2515	0.06	1275	1	55	80	2.5	5	4	6288	5013	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7042	5767	5767	1.119911
5745	026	2515	0.06	1275	1	55	80	2.5	5	4	6288	5013	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7042	5767	5767	1.119911
5745	028	2296	0.05	1400	1	55	80	2.5	4	3	5740	4340	RH-2	40	density-lim	1500			0.7	4	1	3	3	6428.799805	5028.799805	5028.799805	1.12
5745	029	2666	0.06	1200	1	55	80	2.5	5	4	6665	5465	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7464.799805	6264.799805	6264.799805	1.12
5745	035	2504	0.06	2484	1	55	80	2.5	5	4	6260	3776	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7011.199707	4527.199707	4527.199707	1.12
5745	036	2504	0.06	1020	1	55	80	2.5	5	4	6260	5240	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7011.199707	5991.199707	5991.199707	1.12
5745	037	2504	0.06	1020	1	55	80	2.5	5	4	6260	5240	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7011.199707	5991.199707	5991.199707	1.12
5745	038	2503	0.06	1430	1	55	80	2.5	5	4	6258	4828	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7008.399902	5578.399902	5578.399902	1.11991
5745	039	2503	0.06	1125	1	55	80	2.5	5	4	6258	5133	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7008.399902	5883.399902	5883.399902	1.11991
5745	040	2503	0.06	1300	1	55	80	2.5	5	4	6258	4958	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7008.399902	5708.399902	5708.399902	1.11991
5745	041	2503	0.06	2846	1	55	80	2.5	5	4	6258	3412	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7008.399902	4162.399902	4162.399902	1.11991
5745	043	2503	0.06	1120	1	55	80	2.5	5	4	6258	5138	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7008.399902	5888.399902	5888.399902	1.11991
5745	044	2482	0.06	1168	1	55	80	2.5	5	4	6205	5037	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6949.600098	5781.600098	5781.600098	1.12
5745	045	2523	0.06	1250	1	55	80	2.5	5	4	6308	5058	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7064.399902	5814.399902	5814.399902	1.119911
5745	046	2502	0.06	2641	1	55	80	2.5	5	4	6255	3614	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7005.600098	4364.600098	4364.600098	1.12
5745	047	2502	0.06	1150	1	55	80	2.5	5	4	6255	5105	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7005.600098	5855.600098	5855.600098	1.12
5745	048	2502	0.06	1510	1	55	80	2.5	5	4	6255	4745	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7005.600098	5495.600098	5495.600098	1.12
5745	049	2502	0.06	750	1	55	80	2.5	5	4	6255	5505	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7005.600098	6255.600098	6255.600098	1.12
5745	050	2502	0.06	1250	1	55	80	2.5	5	4	6255	5005	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7005.600098	5755.600098	5755.600098	1.12
5745	051	2501	0.06	1150	1	55	80	2.5	5	4	6252	5102	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7002.799805	5852.799805	5852.799805	1.12009
5745	052	2501	0.06	1258	1	55	80	2.5	5	4	6252	4994	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7002.799805	5744.799805	5744.799805	1.12009
5745	053	2501	0.06	1406	1	55	80	2.5	5	4	6252	4846	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7002.799805	5596.799805	5596.799805	1.12009
5745	054	2501	0.06	1461	1	55	80	2.5	5	4	6252	4791	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7002.799805	5541.799805	5541.799805	1.12009
5745	055	2501	0.06	1660	1	55	80	2.5	5	4	6252	4592	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7002.799805	5342.799805	5342.799805	1.12009
6189	026	2500	0.06	1280	1	55	80	2.5	5	4	6250	4970	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5720	5720	1.12
6189	032	2500	0.06	2250	1	55	80	2.5	5	4	6250	4000	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4750	4750	1.12
6189	033	2500	0.06	2250	1	55	80	2.5	5	4	6250	4000	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4750	4750	1.12
6190	072	1260	0.03	2164	1	55	80	2.5	2	1	3150	986	RH-1	40	density-lim	3000			0.7	4	2	3	3	3528	1364	1364	1.12
6190	073	1261	0.03	2157	1	55	80	2.5	2	1	3152	995	RH-1	40	density-lim	3000			0.7	4	2	3	3	3530.800049	1373.800049	1373.800049	1.120178
6190	074	1560	0.04	2157	1	55	80	2.5	3	2	3900	1743	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4368	2211	2211	1.12
6260	003A	2750	0.06	1676	1	55	80	2.5	5	4	6875	5199	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7700	6024	6024	1.12
6260	004	2729	0.06	1214	1	55	80	2.5	5	4	6822	5608	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7641.199707	6427.199707	6427.199707	1.120082
6260	004A	2750	0.06	1094	1	55	80	2.5	5	4	6875	5781	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7700	6606	6606	1.12
6260	005	2860	0.07	800	1	55	80	2.5	6	5	7150	6350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8008	7208	7208	1.12
6260	006	2677	0.06	1245	1	55	80	2.5	5	4	6692	5447	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7495.600098	6250.600098	6250.600098	1.120084
6260	007	2684	0.06	750	1	55	80	2.5	5	4	6710	5960	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7515.199707	6765.199707	6765.199707	1.12
6260	015	3688	0.08	1263	1	55	80	2.5	6	5	9220	7957	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	10326.39941	9063.399414	9063.399414	1.12
6432	018	3571	0.08	1165	1	55	80	2.5	6	5	8928	7763	RH-1(D)	40	density-lim	3000			0.7	4	0.666666687	3	3	9998.799805	8833.799805	8833.799805	1.119937
6432	019	3297	0.08	1165	1	55	80	2.5	6	5	8242	7077	RH-1(D)	40						4	0.666666687	3	3	0	0	0	0
6433	014	4254	0.1	1165	1	55	80	2.5	8	7	10635	9470	RH-1(D)	40	density-lim	3000			0.7	4	0.5	3	3	11911.2002	10746.2002	10746.2002	1.12
6469	002	4244	0.1	1862	1	55	80	2.5	8	7	10610	8748	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	11883.2002	10021.2002	10021.2002	1.12
6469	002A	3640	0.08	1811	1	55	80	2.5	6	5	9100	7289	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	10192	8381	8381	1.12
6469	003	2948	0.07	1610	1	55	80	2.5	6	5	7370	5760	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8254.399414	6644.399414	6644.399414	1.12
6469	003A	2696	0.06	1625	1	55	80	2.5	5	4	6740	5115	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7548.799805	5923.799805	5923.799805	1.12
6469	003B	2666	0.06	1385	1	55	80	2.5	5	4	6665	5280	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7464.799805	6079.799805	6079.799805	1.12
6469	003C	2686	0.06	1200	1	55	80	2.5	5	4	6715	5515	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7520.799805	6320.799805	6320.799805	1.12
6469	004	2066	0.05	1198	1	55	80	2.5	4	3	5165	3967	RH-1	40	density-lim	3000			0.7	4	1	3	3	5784.799805	4586.799805	4586.799805	1.12
6469	004A	2096	0.05	993	1	55	80	2.5	4	3	5240	4247	RH-1	40	density-lim	3000			0.7	4	1	3	3	5868.799805	4875.799805	4875.799805	1.12
6469	004B	1935	0.04	1100	1	55	80	2.5	3	2	4838	3738	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5418	4318	4318	1.119884
6469	004C	1839	0.04	850	1	55	80	2.5	3	2	4598	3748	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5149.199707	4299.199707	4299.199707	1.119878
6469	005A	1791	0.04	1018	1	55	80	2.5	3	2	4478	3460	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5014.799805	3996.799805	3996.799805	1.119875
6469	006A	1670	0.04	1309	1	55	80	2.5	3	2	4175	2866	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4676	3367	3367	1.12
6469	007	1735	0.04	1194	1	55	80	2.5	3	2	4338	3144	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4858	3664	3664	1.119871

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6469	008A	1805	0.04	1050	1	55	80	2.5	3	2	4512	3462	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5054	4004	4004	1.120124
6469	009A	1573	0.04	745	1	55	80	2.5	3	2	3932	3187	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4404.399902	3659.399902	3659.399902	1.120142
6469	013	2658	0.06	869	1	55	80	2.5	5	4	6645	5776	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	3	3	7974	7105	7105	1.2
6469	014	2444	0.06	1200	1	55	80	2.5	5	4	6110	4910	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	3	3	7332	6132	6132	1.2
6469	020	1869	0.04	1116	1	55	80	2.5	3	2	4672	3556	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5233.199707	4117.199707	4117.199707	1.12012
6469	021	1838	0.04	1175	1	55	80	2.5	3	2	4595	3420	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5146.399902	3971.399902	3971.399902	1.12
6469	022	1899	0.04	1103	1	55	80	2.5	3	2	4748	3645	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5317.199707	4214.199707	4214.199707	1.119882
6469	023	2177	0.05	910	1	55	80	2.5	4	3	5442	4532	RH-1	40	density-lim	3000			0.7	4	1	3	3	6095.600098	5185.600098	5185.600098	1.120103
6469	024	1744	0.04	910	1	55	80	2.5	3	2	4360	3450	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4883.199707	3973.199707	3973.199707	1.12
6469	025	1862	0.04	910	1	55	80	2.5	3	2	4655	3745	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5213.600098	4303.600098	4303.600098	1.12
6469	026	1955	0.04	1536	1	55	80	2.5	3	2	4888	3352	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5474	3938	3938	1.119885
6469	027	2048	0.05	1081	1	55	80	2.5	4	3	5120	4039	RH-1	40	density-lim	3000			0.7	4	1	3	3	5734.399902	4653.399902	4653.399902	1.12
6470	001A	1822	0.04	1836	0	55	80	2.5	3	3	4555	2719	NCD-EXCE	40	density-lim	600			0.75	3	1	3	3	5466	3630	3630	1.2
6470	003	1807	0.04	1950	0	55	80	2.5	3	3	4518	2568	NCD-EXCE	40	density-lim	600			0.75	3	1	3	3	5421	3471	3471	1.199867
6470	004	1922	0.04	1800	0	55	80	2.5	3	3	4805	3005	NCD-EXCE	40	density-lim	600	true		0.75	3	1	3	3	5766	3966	3966	1.2
6473	006	2629	0.06	1707	1	55	80	2.5	5	4	6572	4865	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7361.199707	5654.199707	5654.199707	1.120085
6471	002	2500	0.06	1652	1	55	80	2.5	5	4	6250	4598	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5348	5348	1.12
6472	002A	2350	0.05	1510	1	55	80	2.5	4	3	5875	4365	RH-1	40	density-lim	3000			0.7	4	1	3	3	6580	5070	5070	1.12
6472	002C	2784	0.06	2569	1	55	80	2.5	5	4	6960	4391	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7795.199707	5226.199707	5226.199707	1.12
6472	003	9479	0.22	974	1	55	80	2.5	18	17	23698	22724	RH-1	40	density-lim	3000			0.7	4	0.222222224	3	3	26541.19922	25567.19922	25567.19922	1.119976
6472	005	9479	0.22	1620	1	55	80	2.5	18	17	23698	22078	RH-1	40	density-lim	3000			0.7	4	0.222222224	3	3	26541.19922	24921.19922	24921.19922	1.119976
6472	009	2086	0.05	1161	1	55	80	2.5	4	3	5215	4054	RH-1	40	density-lim	3000			0.7	4	1	3	3	5840.799805	4679.799805	4679.799805	1.12
6472	010A	1389	0.03	1094	1	55	80	2.5	2	1	3472	2378	RH-1	40	density-lim	3000			0.7	4	2	3	3	3889.199951	2795.199951	2795.199951	1.120161
6472	011	2752	0.06	803	1	55	80	2.5	5	4	6880	6077	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7705.600098	6902.600098	6902.600098	1.12
6472	012	2749	0.06	1605	1	55	80	2.5	5	4	6872	5267	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7697.199707	6092.199707	6092.199707	1.120081
6472	013	2747	0.06	1883	1	55	80	2.5	5	4	6868	4985	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7691.600098	5808.600098	5808.600098	1.119918
6472	020B	2262	0.05	1290	1	55	80	2.5	4	3	5655	4365	RH-1	40	density-lim	3000			0.7	4	1	3	3	6333.600098	5043.600098	5043.600098	1.12
6472	020C	2263	0.05	1481	1	55	80	2.5	4	3	5658	4177	RH-1	40	density-lim	3000			0.7	4	1	3	3	6336.399902	4855.399902	4855.399902	1.119901
6472	020D	2078	0.05	1350	1	55	80	2.5	4	3	5195	3845	RH-1	40	density-lim	3000			0.7	4	1	3	3	5818.399902	4468.399902	4468.399902	1.12
6472	020E	2080	0.05	2110	1	55	80	2.5	4	3	5200	3090	RH-1	40	density-lim	3000			0.7	4	1	3	3	5824	3714	3714	1.12
6472	020F	2079	0.05	2068	1	55	80	2.5	4	3	5198	3130	RH-1	40	density-lim	3000			0.7	4	1	3	3	5821.199707	3753.199707	3753.199707	1.119892
6472	020G	2079	0.05	1352	1	55	80	2.5	4	3	5198	3846	RH-1	40	density-lim	3000			0.7	4	1	3	3	5821.199707	4469.199707	4469.199707	1.119892
6472	030	9825	0.23	958	13	55	80	2.5	18	5	24562	23604	NCD-EXCE	40	density-lim	600			0.75	16	0.888888896	3	3	29475	28517	28517	1.200024
6472	064	2996	0.07	1700	1	55	80	2.5	6	5	7490	5790	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8388.799805	6688.799805	6688.799805	1.12
6472	068	2662	0.06	1382	1	55	80	2.5	5	4	6655	5273	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7453.600098	6071.600098	6071.600098	1.12
6472	069	2663	0.06	2178	1	55	80	2.5	5	4	6658	4480	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7456.399902	5278.399902	5278.399902	1.119916
6472	070	2663	0.06	2500	1	55	80	2.5	5	4	6658	4158	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7456.399902	4956.399902	4956.399902	1.119916
6472	094	2307	0.05	2692	1	55	80	2.5	4	3	5768	3076	NCD-EXCE	40	density-lim	600			0.75	4	1	3	3	6921	4229	4229	1.199896
6473	002	2106	0.05	1116	1	55	80	2.5	4	3	5265	4149	RH-1	40	density-lim	3000			0.7	4	1	3	3	5896.799805	4780.799805	4780.799805	1.12
6473	002A	2106	0.05	1890	1	55	80	2.5	4	3	5265	3375	RH-1	40	density-lim	3000			0.7	4	1	3	3	5896.799805	4006.799805	4006.799805	1.12
6473	002C	2662	0.06	876	1	55	80	2.5	5	4	6655	5779	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7453.600098	6577.600098	6577.600098	1.12
6473	002D	2663	0.06	876	1	55	80	2.5	5	4	6658	5782	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7456.399902	6580.399902	6580.399902	1.119916
6473	002E	2660	0.06	885	1	55	80	2.5	5	4	6650	5765	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7448	6563	6563	1.12
6473	002F	2665	0.06	885	1	55	80	2.5	5	4	6662	5777	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7462	6577	6577	1.120084
6473	003	2028	0.05	1793	1	55	80	2.5	4	3	5070	3277	RH-1	40	density-lim	3000			0.7	4	1	3	3	5678.399902	3885.399902	3885.399902	1.12
6473	003A	2028	0.05	1138	1	55	80	2.5	4	3	5070	3932	RH-1	40	density-lim	3000			0.7	4	1	3	3	5678.399902	4540.399902	4540.399902	1.12
6473	003C	2432	0.06	850	1	55	80	2.5	5	4	6080	5230	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6809.600098	5959.600098	5959.600098	1.12
6473	003D	2028	0.05	1339	1	55	80	2.5	4	3	5070	3731	RH-1	40	density-lim	3000			0.7	4	1	3	3	5678.399902	4339.399902	4339.399902	1.12
6473	003E	2769	0.06	850	1	55	80	2.5	5	4	6922	6072	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7753.199707	6903.199707	6903.199707	1.120081
6473	003F	2783	0.06	886	1	55	80	2.5	5	4	6958	6072	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7792.399902	6906.399902	6906.399902	1.11992
6473	003G	2755	0.06	864	1	55	80	2.5	5	4	6888	6024	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7714	6850	6850	1.119919
6473	004	2626	0.06	1972	1	55	80	2.5	5	4	6565	4593	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7352.799805	5380.799805	5380.799805	1.12
6473	005	2627	0.06	1241	1	55	80	2.5	5	4	6568	5327	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7355.600098	6114.600098	6114.600098	1.119915
6473	008	2769	0.06	1300	1	55	80	2.5	5	4	6922	5622	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7753.199707	6453.199707	6453.199707	1.120081
6473	009	2769	0.06	1860	1	55	80	2.5	5	4	6922	5062	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7753.199707	5893.199707	5893.199707	1.120081
6473	010	2769	0.06	934	1	55	80	2.5	5	4	6922	5988	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7753.199707	6819.199707	6819.199707	1.120081
6473	011	2769	0.06	1451	1	55	80	2.5	5	4	6922	5471	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7753.199707	6302.199707	6302.199707	1.120081
6473	011A	2769	0.06	985	1	55	80	2.5	5	4	6922	5937	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7753.199707	6768.199707	6768.199707	1.120081
6473	011B	3195	0.07	1993	1	55	80	2.5	6	5	7988	5995	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8946	6953	6953	1.11993
6473	011C	2769	0.06	1763	1	55	80	2.5	5	4	6922	5159	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7753.199707	5990.199707	5990.199707	1.120081
6473	011D	2769	0.06	1000	1	55	80	2.5	5	4	6922	5922	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7753.199707	6753.199707	6753.199707	1.120081
6473	011E	3195	0.07	990	1	55	80	2.5	6	5	7988	6998	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8946	7956	7956	1.11993
6473	012	3515	0.08	2171	1	55	80	2.5	6	5	8788	6617	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9842	7671	7671	1.119936
6473	012A	3515	0.08	998	1	55	80	2.5	6	5	8788	7790	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9842	8844	8844	1.119936

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6473	013	2769	0.06	941	1	55	80	2.5	5	4	6922	5981	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7753.199707	6812.199707	6812.199707	1.120081
6473	013A	2769	0.06	990	1	55	80	2.5	5	4	6922	5932	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7753.199707	6763.199707	6763.199707	1.120081
6473	014	2769	0.06	1265	1	55	80	2.5	5	4	6922	5657	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7753.199707	6488.199707	6488.199707	1.120081
6473	014A	2769	0.06	965	1	55	80	2.5	5	4	6922	5957	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7753.199707	6788.199707	6788.199707	1.120081
6473	015	2663	0.06	1950	1	55	80	2.5	5	4	6658	4708	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7456.399902	5506.399902	5506.399902	1.119916
6473	015A	2663	0.06	1267	1	55	80	2.5	5	4	6658	5391	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7456.399902	6189.399902	6189.399902	1.119916
6473	016	2250	0.05	1065	1	55	80	2.5	4	3	5625	4560	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	5235	5235	1.12
6473	016A	2250	0.05	1475	1	55	80	2.5	4	3	5625	4150	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	4825	4825	1.12
6473	016B	3075	0.07	1093	1	55	80	2.5	6	5	7688	6595	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8610	7517	7517	1.119927
6473	016C	2250	0.05	1143	1	55	80	2.5	4	3	5625	4482	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	5157	5157	1.12
6473	016D	3075	0.07	1906	1	55	80	2.5	6	5	7688	5782	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8610	6704	6704	1.119927
6473	016E	3075	0.07	1731	1	55	80	2.5	6	5	7688	5957	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8610	6879	6879	1.119927
6473	017	3510	0.08	1172	1	55	80	2.5	6	5	8775	7603	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9828	8656	8656	1.12
6473	018	3510	0.08	1100	1	55	80	2.5	6	5	8775	7675	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9828	8728	8728	1.12
6473	019	3510	0.08	2321	1	55	80	2.5	6	5	8775	6454	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9828	7507	7507	1.12
6473	021	2600	0.06	1498	1	55	80	2.5	5	4	6500	5002	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7280	5782	5782	1.12
6473	022	2600	0.06	1044	1	55	80	2.5	5	4	6500	5456	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7280	6236	6236	1.12
6473	023	2600	0.06	1990	1	55	80	2.5	5	4	6500	4510	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7280	5290	5290	1.12
6473	024	2600	0.06	1250	1	55	80	2.5	5	4	6500	5250	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7280	6030	6030	1.12
6473	025	4628	0.11	1305	1	55	80	2.5	9	8	11570	10265	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	12958.39941	11653.39941	11653.39941	1.12
6473	026	4628	0.11	966	1	55	80	2.5	9	8	11570	10604	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	12958.39941	11992.39941	11992.39941	1.12
6473	027	4628	0.11	2389	1	55	80	2.5	9	8	11570	9181	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	12958.39941	10569.39941	10569.39941	1.12
6473	028	5073	0.12	1250	1	55	80	2.5	10	9	12682	11432	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14204.39941	12954.39941	12954.39941	1.120044
6473	029	4628	0.11	838	1	55	80	2.5	9	8	11570	10732	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	12958.39941	12120.39941	12120.39941	1.12
6473	029A	4450	0.1	1828	1	55	80	2.5	8	7	11125	9297	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12460	10632	10632	1.12
6473	029B	4806	0.11	1979	1	55	80	2.5	9	8	12015	10036	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13456.7998	11477.7998	11477.7998	1.12
6473	041A	3160	0.07	2297	1	55	80	2.5	6	5	7900	5603	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8848	6551	6551	1.12
6473	043	2288	0.05	1438	1	55	80	2.5	4	3	5720	4282	NCD-EXCE	40	density-lim	600			0.75	4	1	3	3	6864	5426	5426	1.2
6473	045	2650	0.06	1100	1	55	80	2.5	5	4	6625	5525	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	3	3	7950	6850	6850	1.2
6474	002	3000	0.07	1242	1	55	80	2.5	6	5	7500	6258	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8400	7158	7158	1.12
6474	003	3000	0.07	1250	1	55	80	2.5	6	5	7500	6250	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8400	7150	7150	1.12
6474	004	2650	0.06	1110	1	55	80	2.5	5	4	6625	5515	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7420	6310	6310	1.12
6474	004A	2650	0.06	1488	1	55	80	2.5	5	4	6625	5137	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7420	5932	5932	1.12
6474	005	2500	0.06	1880	1	55	80	2.5	5	4	6250	4370	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5120	5120	1.12
6474	005A	1875	0.04	1110	1	55	80	2.5	3	2	4688	3578	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4140	4140	1.119881
6474	005B	1875	0.04	1457	1	55	80	2.5	3	2	4688	3231	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3793	3793	1.119881
6474	005D	1875	0.04	1452	1	55	80	2.5	3	2	4688	3236	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3798	3798	1.119881
6474	014	1674	0.04	1723	1	55	80	2.5	3	2	4185	2462	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4687.199707	2964.199707	2964.199707	1.12
6474	014A	1674	0.04	1190	1	55	80	2.5	3	2	4185	2995	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4687.199707	3497.199707	3497.199707	1.12
6474	014B	1674	0.04	1265	1	55	80	2.5	3	2	4185	2920	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4687.199707	3422.199707	3422.199707	1.12
6474	014C	1674	0.04	1410	1	55	80	2.5	3	2	4185	2775	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4687.199707	3277.199707	3277.199707	1.12
6474	014E	1845	0.04	1285	1	55	80	2.5	3	2	4612	3327	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5166	3881	3881	1.120121
6474	014G	1845	0.04	1336	1	55	80	2.5	3	2	4612	3276	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5166	3830	3830	1.120121
6474	014H	1880	0.04	958	1	55	80	2.5	3	2	4700	3742	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5264	4306	4306	1.12
6474	014I	1880	0.04	958	1	55	80	2.5	3	2	4700	3742	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5264	4306	4306	1.12
6474	015	1880	0.04	1200	1	55	80	2.5	3	2	4700	3500	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5264	4064	4064	1.12
6474	015A	1800	0.04	1454	1	55	80	2.5	3	2	4500	3046	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5040	3586	3586	1.12
6474	015B	1800	0.04	833	1	55	80	2.5	3	2	4500	3667	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5040	4207	4207	1.12
6474	015C	1800	0.04	935	1	55	80	2.5	3	2	4500	3565	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5040	4105	4105	1.12
6474	015D	1800	0.04	899	1	55	80	2.5	3	2	4500	3601	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5040	4141	4141	1.12
6474	015E	1800	0.04	875	1	55	80	2.5	3	2	4500	3625	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5040	4165	4165	1.12
6474	015F	2970	0.07	1520	1	55	80	2.5	6	5	7425	5905	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8316	6796	6796	1.12
6474	015G	2610	0.06	1148	1	55	80	2.5	5	4	6525	5377	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7308	6160	6160	1.12
6474	015H	1740	0.04	1158	1	55	80	2.5	3	2	4350	3192	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4872	3714	3714	1.12
6474	015I	1880	0.04	958	1	55	80	2.5	3	2	4700	3742	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5264	4306	4306	1.12
6474	016	4450	0.1	1247	1	55	80	2.5	8	7	11125	9878	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12460	11213	11213	1.12
6474	017	4450	0.1	2412	1	55	80	2.5	8	7	11125	8713	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12460	10048	10048	1.12
6474	018	4450	0.1	2611	1	55	80	2.5	8	7	11125	8514	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12460	9849	9849	1.12
6475	001A	2737	0.06	1349	1	55	80	2.5	5	4	6842	5493	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7663.600098	6314.600098	6314.600098	1.120082
6475	001B	2179	0.05	1915	1	55	80	2.5	4	3	5448	3533	RH-1	40	density-lim	3000			0.7	4	1	3	3	6101.199707	4186.199707	4186.199707	1.119897
6475	001C	2299	0.05	1451	1	55	80	2.5	4	3	5748	4297	RH-1	40	density-lim	3000			0.7	4	1	3	3	6437.199707	4986.199707	4986.199707	1.119902
6475	001D	2063	0.05	1250	1	55	80	2.5	4	3	5158	3908	RH-1	40	density-lim	3000			0.7	4	1	3	3	5776.399902	4526.399902	4526.399902	1.119891
6475	002	3167	0.07	1250	1	55	80	2.5	6	5	7918	6668	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8867.599609	7617.599609	7617.599609	1.119929
6475	003	3289	0.08	1440	1	55	80	2.5	6	5	8222	6782	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9209.200195	7769.200195	7769.200195	1.120068

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6475	004	3400	0.08	1350	1	55	80	2.5	6	5	8500	7150	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9520	8170	8170	1.12
6475	005	3487	0.08	1456	1	55	80	2.5	6	5	8718	7262	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9763.599609	8307.599609	8307.599609	1.119936
6475	006B	2550	0.06	1281	1	55	80	2.5	5	4	6375	5094	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7140	5859	5859	1.12
6475	006C	2500	0.06	1436	1	55	80	2.5	5	4	6250	4814	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5564	5564	1.12
6475	007G	2616	0.06	1384	1	55	80	2.5	5	4	6540	5156	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7324.799805	5940.799805	5940.799805	1.12
6475	008	2600	0.06	1629	1	55	80	2.5	5	4	6500	4871	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7280	5651	5651	1.12
6475	008A	2600	0.06	1352	1	55	80	2.5	5	4	6500	5148	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7280	5928	5928	1.12
6475	010A	5298	0.12	1550	1	55	80	2.5	10	9	13245	11695	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14834.39941	13284.39941	13284.39941	1.12
6475	011	5301	0.12	2000	1	55	80	2.5	10	9	13252	11252	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14842.7998	12842.7998	12842.7998	1.120042
6475	011A	5305	0.12	1961	1	55	80	2.5	10	9	13262	11301	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14854	12893	12893	1.120042
6475	012	5308	0.12	1750	1	55	80	2.5	10	9	13270	11520	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14862.39941	13112.39941	13112.39941	1.12
6475	014	2655	0.06	2035	1	55	80	2.5	5	4	6638	4603	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7434	5399	5399	1.119916
6475	014B	1939	0.04	1050	1	55	80	2.5	3	2	4848	3798	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5429.199707	4379.199707	4379.199707	1.119884
6475	014C	1939	0.04	1050	1	55	80	2.5	3	2	4848	3798	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5429.199707	4379.199707	4379.199707	1.119884
6475	014D	1939	0.04	1600	1	55	80	2.5	3	2	4848	3248	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5429.199707	3829.199707	3829.199707	1.119884
6475	014E	2714	0.06	1000	1	55	80	2.5	5	4	6785	5785	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7599.199707	6599.199707	6599.199707	1.12
6475	014F	2662	0.06	2204	1	55	80	2.5	5	4	6655	4451	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7453.600098	5249.600098	5249.600098	1.12
6475	014G	2659	0.06	1200	1	55	80	2.5	5	4	6648	5448	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7445.199707	6245.199707	6245.199707	1.119916
6475	015	5607	0.13	1775	1	55	80	2.5	10	9	14018	12243	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	15699.59961	13924.59961	13924.59961	1.11996
6475	017	4450	0.1	3135	1	55	80	2.5	8	7	11125	7990	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12460	9325	9325	1.12
6475	018	4450	0.1	2150	1	55	80	2.5	8	7	11125	8975	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12460	10310	10310	1.12
6475	019	4450	0.1	1830	1	55	80	2.5	8	7	11125	9295	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12460	10630	10630	1.12
6475	021	5150	0.12	1820	1	55	80	2.5	10	9	12875	11055	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14420	12600	12600	1.12
6475	022	2575	0.06	708	1	55	80	2.5	5	4	6438	5730	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7210	6502	6502	1.119913
6475	024A	2825	0.06	1293	1	55	80	2.5	5	4	7062	5769	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7910	6617	6617	1.120079
6475	028	6429	0.15	2001	1	55	80	2.5	12	11	16072	14071	RH-1	40	density-lim	3000			0.7	4	0.333333343	3	3	18001.19922	16000.19922	16000.19922	1.120035
6475	030	3090	0.07	950	1	55	80	2.5	6	5	7725	6775	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8652	7702	7702	1.12
6475	034	5372	0.12	1400	1	55	80	2.5	10	9	13430	12030	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	15041.59961	13641.59961	13641.59961	1.12
6475	035	5354	0.12	1656	1	55	80	2.5	10	9	13385	11729	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14991.2002	13335.2002	13335.2002	1.12
6475	036	5311	0.12	1322	1	55	80	2.5	10	9	13278	11956	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14870.7998	13548.7998	13548.7998	1.119958
6475	037	5315	0.12	1770	1	55	80	2.5	10	9	13288	11518	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14882	13112	13112	1.119958
6475	038	2825	0.06	1150	1	55	80	2.5	5	4	7062	5912	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7910	6760	6760	1.120079
6475	039	2825	0.06	1440	1	55	80	2.5	5	4	7062	5622	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7910	6470	6470	1.120079
6475	040	6886	0.16	1035	1	55	80	2.5	13	12	17215	16180	RH-1	40	density-lim	3000			0.7	4	0.307692319	3	3	19280.79883	18245.79883	18245.79883	1.12
6475	041	5769	0.13	1512	1	55	80	2.5	10	9	14422	12910	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	16153.2002	14641.2002	14641.2002	1.120039
6475	043	1786	0.04	636	1	55	80	2.5	3	2	4465	3829	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5000.799805	4364.799805	4364.799805	1.12
6475	046	3978	0.09	2004	1	55	80	2.5	7	6	9945	7941	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	11138.39941	9134.399414	9134.399414	1.12
6475	048	4450	0.1	1192	1	55	80	2.5	8	7	11125	9933	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12460	11268	11268	1.12
6475	049	4450	0.1	1440	1	55	80	2.5	8	7	11125	9685	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12460	11020	11020	1.12
6475	050	2892	0.07	2123	1	55	80	2.5	6	5	7230	5107	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8097.600098	5974.600098	5974.600098	1.12
6475	052	3491	0.08	1729	1	55	80	2.5	6	5	8728	6999	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9774.799805	8045.799805	8045.799805	1.119936
6475	053	3040	0.07	2464	1	55	80	2.5	6	5	7600	5136	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8512	6048	6048	1.12
6475	054	2889	0.07	1479	1	55	80	2.5	6	5	7222	5743	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8089.199707	6610.199707	6610.199707	1.120077
6475	056	4450	0.1	2565	1	55	80	2.5	8	7	11125	8560	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12460	9895	9895	1.12
6475	057	4450	0.1	2214	1	55	80	2.5	8	7	11125	8911	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12460	10246	10246	1.12
6489	059	2667	0.06	2564	1	55	80	2.5	5	4	6668	4104	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7467.600098	4903.600098	4903.600098	1.119916
6490	017E	2772	0.06	1196	1	55	80	2.5	5	4	6930	5734	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7761.600098	6565.600098	6565.600098	1.12
6489	061	1800	0.04	1437	1	55	80	2.5	3	2	4500	3063	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5040	3603	3603	1.12
6489	062	1774	0.04	1092	1	55	80	2.5	3	2	4435	3343	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4967.199707	3875.199707	3875.199707	1.12
6489	063	2053	0.05	1258	1	55	80	2.5	4	3	5132	3874	RH-1	40	density-lim	3000			0.7	4	1	3	3	5748.399902	4490.399902	4490.399902	1.120109
6489	064	2053	0.05	1776	1	55	80	2.5	4	3	5132	3356	RH-1	40	density-lim	3000			0.7	4	1	3	3	5748.399902	3972.399902	3972.399902	1.120109
6489	066	2524	0.06	1876	1	55	80	2.5	5	4	6310	4434	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7067.199707	5191.199707	5191.199707	1.12
6489	067	2525	0.06	1876	1	55	80	2.5	5	4	6312	4436	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7070	5194	5194	1.120089
6489	068	2527	0.06	1876	1	55	80	2.5	5	4	6318	4442	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7075.600098	5199.600098	5199.600098	1.119911
6489	069	2529	0.06	1876	1	55	80	2.5	5	4	6322	4446	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7081.199707	5205.199707	5205.199707	1.120089
6489	070	2530	0.06	1876	1	55	80	2.5	5	4	6325	4449	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7084	5208	5208	1.12
6489	071	2532	0.06	1876	1	55	80	2.5	5	4	6330	4454	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7089.600098	5213.600098	5213.600098	1.12
6489	072	2534	0.06	1876	1	55	80	2.5	5	4	6335	4459	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7095.199707	5219.199707	5219.199707	1.12
6490	002	5150	0.12	672	1	55	80	2.5	10	9	12875	12203	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14420	13748	13748	1.12
6490	005	4450	0.1	1471	1	55	80	2.5	8	7	11125	9654	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12460	10989	10989	1.12
6490	006	4450	0.1	1890	1	55	80	2.5	8	7	11125	9235	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12460	10570	10570	1.12
6490	010B	5064	0.12	450	1	55	80	2.5	10	9	12660	12210	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14179.2002	13729.2002	13729.2002	1.12
6490	011	9534	0.22	2307	1	55	80	2.5	18	17	23835	21528	RH-1	40	density-lim	3000			0.7	4	0.222222224	3	3	26695.19922	24388.19922	24388.19922	1.12
6490	014	4746	0.11	2117	1	55	80	2.5	9	8	11865	9748	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13288.7998	11171.7998	11171.7998	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6490	014A	4746	0.11	1536	1	55	80	2.5	9	8	11865	10329	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13288.7998	11752.7998	11752.7998	1.12
6490	014B	4746	0.11	1933	1	55	80	2.5	9	8	11865	9932	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13288.7998	11355.7998	11355.7998	1.12
6490	014C	4746	0.11	1575	1	55	80	2.5	9	8	11865	10290	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13288.7998	11713.7998	11713.7998	1.12
6490	015	4746	0.11	1511	1	55	80	2.5	9	8	11865	10354	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13288.7998	11777.7998	11777.7998	1.12
6490	015A	4746	0.11	1571	1	55	80	2.5	9	8	11865	10294	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13288.7998	11717.7998	11717.7998	1.12
6490	017	2727	0.06	1240	1	55	80	2.5	5	4	6818	5578	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7635.600098	6395.600098	6395.600098	1.119918
6490	017A	4156	0.1	1200	1	55	80	2.5	8	7	10390	9190	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	11636.7998	10436.7998	10436.7998	1.12
6490	017B	1985	0.05	1681	1	55	80	2.5	4	3	4962	3281	RH-1	40	density-lim	3000			0.7	4	1	3	3	5558	3877	3877	1.120113
6490	017C	1985	0.05	1646	1	55	80	2.5	4	3	4962	3316	RH-1	40	density-lim	3000			0.7	4	1	3	3	5558	3912	3912	1.120113
6490	017D	2772	0.06	1100	1	55	80	2.5	5	4	6930	5830	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7761.600098	6661.600098	6661.600098	1.12
6490	017F	1985	0.05	880	1	55	80	2.5	4	3	4962	4082	RH-1	40	density-lim	3000			0.7	4	1	3	3	5558	4678	4678	1.120113
6490	020A	3874	0.09	2409	1	55	80	2.5	7	6	9685	7276	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	10847.2002	8438.200195	8438.200195	1.12
6490	020D	3317	0.08	856	1	55	80	2.5	6	5	8292	7436	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9287.599609	8431.599609	8431.599609	1.120067
6490	020E	1635	0.04	1045	1	55	80	2.5	3	2	4088	3043	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4578	3533	3533	1.119863
6490	021	2500	0.06	1544	1	55	80	2.5	5	4	6250	4706	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5456	5456	1.12
6490	022	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6200	6200	1.12
6490	023	2500	0.06	1532	1	55	80	2.5	5	4	6250	4718	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5468	5468	1.12
6490	024	2500	0.06	1700	1	55	80	2.5	5	4	6250	4550	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5300	5300	1.12
6490	025	2500	0.06	673	1	55	80	2.5	5	4	6250	5577	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6327	6327	1.12
6490	026	2500	0.06	1557	1	55	80	2.5	5	4	6250	4693	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5443	5443	1.12
6490	027	4035	0.09	1545	1	55	80	2.5	7	6	10088	8543	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	11298	9753	9753	1.119944
6490	028	4073	0.09	1794	1	55	80	2.5	7	6	10182	8388	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	11404.39941	9610.399414	9610.399414	1.120055
6490	029	5000	0.11	945	1	55	80	2.5	9	8	12500	11555	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	14000	13055	13055	1.12
6490	033	2508	0.06	1879	1	55	80	2.5	5	4	6270	4391	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7022.399902	5143.399902	5143.399902	1.12
6490	034	2501	0.06	1554	1	55	80	2.5	5	4	6252	4698	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7002.799805	5448.799805	5448.799805	1.12009
6490	035	2474	0.06	2009	1	55	80	2.5	5	4	6185	4176	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6927.199707	4918.199707	4918.199707	1.12
6490	036	2252	0.05	2288	1	55	80	2.5	4	3	5630	3342	RH-1	40	density-lim	3000			0.7	4	1	3	3	6305.600098	4017.600098	4017.600098	1.12
6490	037	2844	0.07	2101	1	55	80	2.5	6	5	7110	5009	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7963.199707	5862.199707	5862.199707	1.12
6490	038	2763	0.06	2347	1	55	80	2.5	5	4	6908	4561	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7736.399902	5389.399902	5389.399902	1.119919
6490	039	2776	0.06	2347	1	55	80	2.5	5	4	6940	4593	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7772.799805	5425.799805	5425.799805	1.12
6490	040	2789	0.06	2347	1	55	80	2.5	5	4	6972	4625	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7809.199707	5462.199707	5462.199707	1.12008
6490	041	3315	0.08	2060	1	55	80	2.5	6	5	8288	6228	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9282	7222	7222	1.119932
6490	042	2421	0.06	2155	1	55	80	2.5	5	4	6052	3897	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6778.799805	4623.799805	4623.799805	1.120093
6490	043	2750	0.06	2347	1	55	80	2.5	5	4	6875	4528	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7700	5353	5353	1.12
6490	044	2732	0.06	2098	1	55	80	2.5	5	4	6830	4732	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7649.600098	5551.600098	5551.600098	1.12
6490	049	2500	0.06	1862	1	55	80	2.5	5	4	6250	4388	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5138	5138	1.12
6490	050	2500	0.06	1648	1	55	80	2.5	5	4	6250	4602	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5352	5352	1.12
6490	051	2500	0.06	1648	1	55	80	2.5	5	4	6250	4602	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5352	5352	1.12
6490	052	2500	0.06	1119	1	55	80	2.5	5	4	6250	5131	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5881	5881	1.12
6490	060	2503	0.06	1065	1	55	80	2.5	5	4	6258	5193	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7008.399902	5943.399902	5943.399902	1.11991
6490	061	3657	0.08	2976	1	55	80	2.5	6	5	9142	6166	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	10239.59961	7263.599609	7263.599609	1.120061
6490	062	4029	0.09	1517	1	55	80	2.5	7	6	10072	8555	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	11281.2002	9764.200195	9764.200195	1.120056
6491	001A	2663	0.06	1562	1	55	80	2.5	5	4	6658	5096	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7456.399902	5894.399902	5894.399902	1.119916
6491	001B	2663	0.06	1193	1	55	80	2.5	5	4	6658	5465	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7456.399902	6263.399902	6263.399902	1.119916
6491	001C	2663	0.06	1227	1	55	80	2.5	5	4	6658	5431	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7456.399902	6229.399902	6229.399902	1.119916
6491	001D	2006	0.05	1915	1	55	80	2.5	4	3	5015	3100	RH-1	40	density-lim	3000			0.7	4	1	3	3	5616.799805	3701.799805	3701.799805	1.12
6491	001E	2066	0.05	1625	1	55	80	2.5	4	3	5165	3540	RH-1	40	density-lim	3000			0.7	4	1	3	3	5784.799805	4159.799805	4159.799805	1.12
6491	001F	2663	0.06	1540	1	55	80	2.5	5	4	6658	5118	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7456.399902	5916.399902	5916.399902	1.119916
6491	001G	2006	0.05	1752	1	55	80	2.5	4	3	5015	3263	RH-1	40	density-lim	3000			0.7	4	1	3	3	5616.799805	3864.799805	3864.799805	1.12
6491	006	2663	0.06	1213	1	55	80	2.5	5	4	6658	5445	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7456.399902	6243.399902	6243.399902	1.119916
6491	007	2663	0.06	1181	1	55	80	2.5	5	4	6658	5477	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7456.399902	6275.399902	6275.399902	1.119916
6491	008	2663	0.06	1740	1	55	80	2.5	5	4	6658	4918	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7456.399902	5716.399902	5716.399902	1.119916
6491	013	2632	0.06	1275	1	55	80	2.5	5	4	6580	5305	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7369.600098	6094.600098	6094.600098	1.12
6491	015	2994	0.07	1180	1	55	80	2.5	6	5	7485	6305	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8383.200195	7203.200195	7203.200195	1.12
6491	016	2944	0.07	1258	1	55	80	2.5	6	5	7360	6102	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8243.200195	6985.200195	6985.200195	1.12
6491	017	2944	0.07	1258	1	55	80	2.5	6	5	7360	6102	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8243.200195	6985.200195	6985.200195	1.12
6491	020	4440	0.1	1165	1	55	80	2.5	8	7	11100	9935	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12432	11267	11267	1.12
6491	021	4440	0.1	1559	1	55	80	2.5	8	7	11100	9541	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12432	10873	10873	1.12
6491	022	4140	0.1	1714	1	55	80	2.5	8	7	10350	8636	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	11592	9878	9878	1.12
6491	023	3158	0.07	1818	1	55	80	2.5	6	5	7895	6077	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8842.399414	7024.399414	7024.399414	1.12
6491	024	2994	0.07	1895	1	55	80	2.5	6	5	7485	5590	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8383.200195	6488.200195	6488.200195	1.12
6491	025	4374	0.1	1344	1	55	80	2.5	8	7	10935	9591	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12247.2002	10903.2002	10903.2002	1.12
6491	026	4340	0.1	1121	1	55	80	2.5	8	7	10850	9729	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12152	11031	11031	1.12
6491	027	3062	0.07	2197	1	55	80	2.5	6	5	7655	5458	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8573.599609	6376.599609	6376.599609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6491	028	2800	0.06	1258	1	55	80	2.5	5	4	7000	5742	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7840	6582	6582	1.12
6505	001	2700	0.06	5945	7	55	80	2.5	5	0	6750	805	NCD-24TH	65	form-based		true	true	0.75	10	2	3	3	12150	6205	6205	1.8
6505	005	2310	0.05	2606	2	55	80	2.5	4	2	5775	3169	RH-2	40	form-based			true	0.7	5	1.25	3	3	6468	3862	3862	1.12
6505	006	1760	0.04	2621	1	55	80	2.5	3	2	4400	1779	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4928	2307	2307	1.12
6505	009	2194	0.05	2720	2	55	80	2.5	4	2	5485	2765	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6143.199707	3423.199707	3423.199707	1.12
6506	040	2850	0.07	6195	8	55	80	2.5	6	0	7125	930	NCD-24TH	65	form-based			true	0.75	11	1.833333373	3	3	12825	6630	6630	1.8
6506	045	3040	0.07	4030	8	55	80	2.5	6	0	7600	3570	NCD-24TH	65	form-based			true	0.75	11	1.833333373	3	3	13680	9650	9650	1.8
6507	002	1882	0.04	2347	2	55	80	2.5	3	1	4705	2358	RH-2	50	form-based			true	0.7	5	1.666666627	3	3	6587	4240	4240	1.4
6507	002A	1882	0.04	3240	2	55	80	2.5	3	1	4705	1465	RH-2	50	form-based			true	0.7	5	1.666666627	3	3	6587	3347	3347	1.4
6507	003A	1921	0.04	2350	2	55	80	2.5	3	1	4802	2452	RH-2	50	form-based			true	0.7	5	1.666666627	3	3	6723.5	4373.5	4373.5	1.400146
6507	017	2000	0.05	5025	5	55	80	2.5	4	0	5000	0	NCD-24TH	65	form-based		true	true	0.75	8	2	3	3	9000	3975	3975	1.8
6508	005	2660	0.06	5135	4	65	100	3	6	2	7980	2845	RH-2	50	form-based			true	0.7	7	1.166666627	3	3	9310	4175	4175	1.166667
6509	012	1693	0.04	2450	2	65	100	3	4	2	5079	2629	RH-2	50	form-based		true	true	0.7	5	1.25	3	3	5925.5	3475.5	3475.5	1.166667
6509	015	2459	0.06	3810	4	65	100	3	6	2	7377	3567	RH-2	50	form-based		true	true	0.7	7	1.166666627	3	3	8606.5	4796.5	4796.5	1.166667
6509	029	2647	0.06	5176	7	65	100	3	6	0	7941	2765	NCD-24TH	65	form-based		true	true	0.75	10	1.666666627	3	3	11911.5	6735.5	6735.5	1.5
6509	032	1896	0.04	1465	2	65	100	3	4	2	5688	4223	RH-2	50	form-based			true	0.7	5	1.25	3	3	6636	5171	5171	1.166667
6509	033	1896	0.04	1685	2	65	100	3	4	2	5688	4003	RH-2	50	form-based			true	0.7	5	1.25	3	3	6636	4951	4951	1.166667
6510	008	1616	0.04	2700	2	65	100	3	4	2	4848	2148	RH-2	50	form-based		true	true	0.7	5	1.25	3	3	5656	2956	2956	1.166667
6511	005	3701	0.08	1668	1	65	100	3	8	7	11103	9435	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	10362.7998	8694.799805	8694.799805	0.933333
6511	006	3701	0.08	3000	1	65	100	3	8	7	11103	8103	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	10362.7998	7362.799805	7362.799805	0.933333
6511	008	3084	0.07	2465	1	65	100	3	7	6	9252	6787	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8635.200195	6170.200195	6170.200195	0.933333
6511	009	3084	0.07	3522	1	65	100	3	7	6	9252	5730	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8635.200195	5113.200195	5113.200195	0.933333
6511	010	3084	0.07	3636	1	65	100	3	7	6	9252	5616	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8635.200195	4999.200195	4999.200195	0.933333
6511	011	3084	0.07	2650	1	65	100	3	7	6	9252	6602	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8635.200195	5985.200195	5985.200195	0.933333
6511	017	2750	0.06	1553	1	65	100	3	6	5	8250	6697	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7700	6147	6147	0.933333
6511	018	3500	0.08	3924	3	65	100	3	8	5	10500	6576	RH-3	40	density-lim	1000	true		0.7	6	0.75	3	3	9800	5876	5876	0.933333
6511	024	3125	0.07	2000	1	65	100	3	7	6	9375	7375	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8750	6750	6750	0.933333
6511	038	2125	0.05	1140	1	65	100	3	5	4	6375	5235	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5950	4810	4810	0.933333
6511	042	3443	0.08	4093	3	65	100	3	8	5	10329	6236	RH-3	40	density-lim	1000	true		0.7	6	0.75	3	3	9640.399414	5547.399414	5547.399414	0.933333
6512	006	3117	0.07	2703	1	65	100	3	7	6	9351	6648	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8727.599609	6024.599609	6024.599609	0.933333
6512	010A	1910	0.04	2880	3	65	100	3	4	1	5730	2850	RH-3	40	density-lim	1000	true		0.7	6	1.5	3	3	5348	2468	2468	0.933333
6512	010B	2130	0.05	1863	1	65	100	3	5	4	6390	4527	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5964	4101	4101	0.933333
6512	021	3125	0.07	4215	1	65	100	3	7	6	9375	5160	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8750	4535	4535	0.933333
6513	008	4876	0.11	1978	5	75	120	3.5	13	8	17066	15088	RM-2	40	density-lim	600			0.7	8	0.615384638	3	3	13652.7998	11674.7998	11674.7998	0.8
6513	010C	3250	0.07	1925	1	75	120	3.5	8	7	11375	9450	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	9100	7175	7175	0.8
6513	013	3813	0.09	3784	1	75	120	3.5	11	10	13346	9562	RH-3	40	density-lim	1000			0.7	4	0.363636374	3	3	10676.39941	6892.399414	6892.399414	0.79997
6513	015	3498	0.08	2400	1	75	120	3.5	10	9	12243	9843	RH-3	40	density-lim	1000			0.7	4	0.400000006	3	3	9794.399414	7394.399414	7394.399414	0.8
6513	016	3382	0.08	3010	1	75	120	3.5	10	9	11837	8827	RH-3	40	density-lim	1000			0.7	4	0.400000006	3	3	9469.599609	6459.599609	6459.599609	0.8
6513	026	2622	0.06	1449	1	75	120	3.5	7	6	9177	7728	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	7341.600098	5892.600098	5892.600098	0.8
6515	021	2933	0.07	4050	6	75	120	3.5	8	2	10266	6216	NCT-VALEI	55	form-based				0.75	9	1.125	3	3	10998.75	6948.75	6948.75	1.071376
6516	024	2891	0.07	5940	6	75	120	3.5	8	2	10118	4178	NCT-MISSI	55	form-based				0.75	9	1.125	3	3	10841.25	4901.25	4901.25	1.071481
6517	051	3294	0.08	877	4	75	120	3.5	10	6	11529	10652	RTO-M	40	form-based				0.7	7	0.699999988	3	3	9223.200195	8346.200195	8346.200195	0.8
6517	006	2157	0.05	1328	2	75	120	3.5	6	4	7550	6222	RTO-M	40	form-based				0.7	5	0.833333313	3	3	6039.600098	4711.600098	4711.600098	0.799947
6517	014	3451	0.08	3120	4	75	120	3.5	10	6	12078	8958	RTO-M	40	form-based				0.7	7	0.699999988	3	3	9662.799805	6542.799805	6542.799805	0.800033
6517	016	3336	0.08	2589	4	75	120	3.5	10	6	11676	9087	RTO-M	40	form-based				0.7	7	0.699999988	3	3	9340.799805	6751.799805	6751.799805	0.8
6517	036	1509	0.03	3058	2	75	120	3.5	4	2	5282	2224	NCT-MISSI	55	form-based				0.75	5	1.25	3	3	5658.75	2600.75	2600.75	1.071327
6518	003A	2319	0.05	5625	3	75	120	3.5	6	3	8116	2491	RTO-M	50	form-based				0.7	6	1	3	3	8116.5	2491.5	2491.5	1.000062
6518	023	2869	0.07	1490	3	75	120	3.5	8	5	10042	8552	RTO-M	40	form-based				0.7	6	0.75	3	3	8033.199707	6543.199707	6543.199707	0.79996
6518	024	3563	0.08	2816	4	75	120	3.5	10	6	12470	9654	RTO-M	40	form-based				0.7	7	0.699999988	3	3	9976.399414	7160.399414	7160.399414	0.800032
6518	028	1738	0.04	2805	2	75	120	3.5	5	3	6083	3278	NCT-24TH-	55	form-based				0.75	5	1	3	3	6517.5	3712.5	3712.5	1.071429
6527	034	1463	0.03	820	1	75	120	3.5	4	3	5120	4300	RTO-M	50	form-based				0.7	4	1	3	3	5120.5	4300.5	4300.5	1.000098
6527	037	2840	0.07	5697	5	75	120	3.5	8	3	9940	4243	RTO-M	50	form-based				0.7	8	1	3	3	9940	4243	4243	1
6527	039	3213	0.07	5076	4	75	120	3.5	8	4	11246	6170	RTO-M	40	form-based				0.7	7	0.875	3	3	8996.399414	3920.399414	3920.399414	0.799964
6527	051	1744	0.04	1528	2	75	120	3.5	5	3	6104	4576	RTO-M	55	form-based		true		0.7	5	1	3	3	6104	4576	4576	1
6527	053	1744	0.04	1473	2	75	120	3.5	5	3	6104	4631	RTO-M	50	form-based				0.7	5	1	3	3	6104	4631	4631	1
6527	057	1744	0.04	1212	2	75	120	3.5	5	3	6104	4892	RTO-M	50	form-based				0.7	5	1	3	3	6104	4892	4892	1
6528	008	2406	0.06	2450	2	75	120	3.5	7	5	8421	5971	RTO-M	40	form-based				0.7	5	0.714285731	3	3	6736.799805	4286.799805	4286.799805	0.8
6528	009	2492	0.06	2280	2	75	120	3.5	7	5	8722	6442	RTO-M	40	form-based				0.7	5	0.714285731	3	3	6977.600098	4697.600098	4697.600098	0.8
6528	019	1842	0.04	2871	2	75	120	3.5	5	3	6447	3576	RTO-M	55	form-based		true		0.7	5	1	3	3	6447	3576	3576	1
6528	035	2362	0.05	4160	4	75	120	3.5	6	2	8267	4107	RTO-M	55	form-based		true		0.7	7	1.166666627	3	3	8267	4107	4107	1
6529	021	1708	0.04	1930	2	75	120	3.5	5	3	5978	4048	RTO-M	55	form-based		true		0.7	5	1	3	3	5978	4048	4048	1
6529	024	2195	0.05	2090	3	75	120	3.5	6	3	7682	5592	RTO-M	55	form-based				0.7	6	1	3	3	7682.5	5592.5	5592.5	1.000065
6530	002A	2250	0.05	2800	2	75	120	3.5	6	4	7875	5075	RTO-M	45	form-based				0.7	5	0.833333313	3	3	6300	3500	3500	0.8
6530	002B	1358	0.03	900	0	75	120	3.5	4	4	4753	3853	RTO-M	45	form-based				0.7	3	0.75	3	3	3802.399902	2902.399902	2902.399902	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6530	003A	2226	0.05	2050	2	75	120	3.5	6	4	7791	5741	RTO-M	45	form-based				0.7	5	0.833333313	3	3	6232.799805	4182.799805	4182.799805	0.8
6530	005	3515	0.08	3200	4	75	120	3.5	10	6	12302	9102	RTO-M	45	form-based				0.7	7	0.699999988	3	3	9842	6642	6642	0.800032
6530	009	3515	0.08	2665	4	75	120	3.5	10	6	12302	9637	RTO-M	45	form-based				0.7	7	0.699999988	3	3	9842	7177	7177	0.800032
6531	005	2251	0.05	3004	4	75	120	3.5	6	2	7878	4874	NCT-VALEI	55	form-based				0.75	7	1.166666627	3	3	8441.25	5437.25	5437.25	1.071497
6531	009	1801	0.04	3629	2	75	120	3.5	5	3	6304	2675	NCT-VALEI	55	form-based				0.75	5	1	3	3	6753.75	3124.75	3124.75	1.071344
6531	017	3151	0.07	5150	6	65	100	3	7	1	9453	4303	NCT-VALEI	55	form-based		true		0.75	9	1.285714269	3	3	11816.25	6666.25	6666.25	1.25
6531	021	2436	0.06	1797	1	75	120	3.5	7	6	8526	6729	RM-2	40	density-lim	600			0.7	4	0.571428597	3	3	6820.799805	5023.799805	5023.799805	0.8
6531	026	1849	0.04	1650	1	75	120	3.5	5	4	6472	4822	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5177.199707	3527.199707	3527.199707	0.799938
6531	026A	1622	0.04	1240	1	75	120	3.5	5	4	5677	4437	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	4541.600098	3301.600098	3301.600098	0.8
6531	027	1125	0.03	1025	1	75	120	3.5	4	3	3938	2913	RH-3	40	density-lim	1000			0.7	4	1	3	3	3150	2125	2125	0.799898
6531	027A	1125	0.03	1025	1	75	120	3.5	4	3	3938	2913	RH-3	40	density-lim	1000			0.7	4	1	3	3	3150	2125	2125	0.799898
6531	028C	1608	0.04	1300	1	75	120	3.5	5	4	5628	4328	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	4502.399902	3202.399902	3202.399902	0.8
6532	004	1925	0.04	2850	3	75	120	3.5	5	2	6738	3888	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	3	3	5390	2540	2540	0.799941
6532	004A	1025	0.02	1115	1	75	120	3.5	2	1	3588	2473	RH-3	40	density-lim	1000			0.7	4	2	3	3	2870	1755	1755	0.799888
6532	007A	848	0.02	860	1	75	120	3.5	2	1	2968	2108	RH-3	40	density-lim	1000			0.7	4	2	3	3	2374.399902	1514.399902	1514.399902	0.8
6532	007B	1359	0.03	1036	1	75	120	3.5	4	3	4756	3720	RH-3	40	density-lim	1000			0.7	4	1	3	3	3805.199951	2769.199951	2769.199951	0.800084
6532	007C	1828	0.04	1652	1	65	100	3	4	3	5484	3832	RH-3	40	density-lim	1000			0.7	4	1	3	3	5118.399902	3466.399902	3466.399902	0.933333
6532	028	3750	0.09	3335	1	65	100	3	9	8	11250	7915	RH-3	40	density-lim	1000			0.7	4	0.444444448	3	3	10500	7165	7165	0.933333
6532	031A	1188	0.03	1700	1	65	100	3	3	2	3564	1864	RH-3	40	density-lim	1000			0.7	4	1.333333373	3	3	3326.399902	1626.399902	1626.399902	0.933333
6532	045	1950	0.04	1920	1	75	120	3.5	5	4	6825	4905	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5460	3540	3540	0.8
6533	005	3367	0.08	1965	1	65	100	3	8	7	10101	8136	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	9427.599609	7462.599609	7462.599609	0.933333
6533	006	3367	0.08	2594	1	65	100	3	8	7	10101	7507	RH-3	40	density-lim	1000			0.7	4	0.5	3	3	9427.599609	6833.599609	6833.599609	0.933333
6533	018A	1820	0.04	970	1	65	100	3	4	3	5460	4490	RH-3	40	density-lim	1000			0.7	4	1	3	3	5096	4126	4126	0.933333
6533	020	2125	0.05	1410	1	65	100	3	5	4	6375	4965	RH-3	40	density-lim	1000			0.7	4	0.800000012	3	3	5950	4540	4540	0.933333
6533	026	3125	0.07	1984	1	65	100	3	7	6	9375	7391	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8750	6766	6766	0.933333
6533	028	3125	0.07	2555	1	65	100	3	7	6	9375	6820	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8750	6195	6195	0.933333
6533	029	2500	0.06	1780	1	65	100	3	6	5	7500	5720	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	5220	5220	0.933333
6533	032	2500	0.06	2806	1	65	100	3	6	5	7500	4694	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	4194	4194	0.933333
6533	033	2500	0.06	2165	1	65	100	3	6	5	7500	5335	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	4835	4835	0.933333
6533	041	795	0.02	1160	1	65	100	3	2	1	2385	1225	RH-3	40	density-lim	1000			0.7	4	2	3	3	2226	1066	1066	0.933333
6534	002	2502	0.06	2000	1	65	100	3	6	5	7506	5506	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7005.600098	5005.600098	5005.600098	0.933333
6534	007	3127	0.07	1828	1	65	100	3	7	6	9381	7553	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8755.599609	6927.599609	6927.599609	0.933333
6534	009	3138	0.07	2372	1	65	100	3	7	6	9414	7042	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8786.399414	6414.399414	6414.399414	0.933333
6534	012	3127	0.07	2135	1	65	100	3	7	6	9381	7246	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8755.599609	6620.599609	6620.599609	0.933333
6534	016B	1747	0.04	4692	3	65	100	3	4	1	5241	549	RH-3	40	density-lim	1000	true		0.7	6	1.5	3	3	4891.600098	199.6000977	199.6000977	0.933333
6534	023	3750	0.09	2138	1	65	100	3	9	8	11250	9112	RH-3	40	density-lim	1000			0.7	4	0.444444448	3	3	10500	8362	8362	0.933333
6534	026	3125	0.07	2150	1	65	100	3	7	6	9375	7225	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8750	6600	6600	0.933333
6534	027	3125	0.07	1860	1	65	100	3	7	6	9375	7515	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8750	6890	6890	0.933333
6534	029	3125	0.07	3755	1	65	100	3	7	6	9375	5620	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8750	4995	4995	0.933333
6535	025	1830	0.04	4050	4	65	100	3	4	0	5490	1440	NC-1	65	form-based		true	true	0.75	7	1.75	3	3	8235	4185	4185	1.5
6535	046	1912	0.04	1233	2	65	100	3	4	2	5736	4503	RH-2	50	form-based			true	0.7	5	1.25	3	3	6692	5459	5459	1.166667
6536	001	1888	0.04	2878	4	65	100	3	4	0	5664	2786	RTO-C	65	form-based		true	true	0.75	7	1.75	3	3	8496	5618	5618	1.5
6536	004	2867	0.07	6098	8	65	100	3	7	0	8601	2503	RTO-C	65	form-based			true	0.75	11	1.571428537	3	3	12901.5	6803.5	6803.5	1.5
6536	018	2843	0.07	3525	5	65	100	3	7	2	8529	5004	RH-2	50	form-based			true	0.7	8	1.142857194	3	3	9950.5	6425.5	6425.5	1.166667
6536	031	2275	0.05	1900	3	65	100	3	5	2	6825	4925	RH-2	50	form-based			true	0.7	6	1.200000048	3	3	7962.5	6062.5	6062.5	1.166667
6536	033	1896	0.04	1643	2	65	100	3	4	2	5688	4045	RH-2	50	form-based			true	0.7	5	1.25	3	3	6636	4993	4993	1.166667
6537	001	3203	0.07	4396	4	65	100	3	7	3	9609	5213	RH-2	40	form-based		true	true	0.7	7	1	3	3	8968.399414	4572.399414	4572.399414	0.933333
6537	001A	1717	0.04	1348	1	65	100	3	4	3	5151	3803	RH-2	40	form-based			true	0.7	4	1	3	3	4807.600098	3459.600098	3459.600098	0.933333
6537	042	2850	0.07	2600	3	65	100	3	7	4	8550	5950	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	7980	5380	5380	0.933333
6538	001A	1992	0.05	1200	1	55	80	2.5	4	3	4980	3780	RH-2	40	form-based			true	0.7	4	1	3	3	5577.600098	4377.600098	4377.600098	1.12
6538	002	1992	0.05	1200	1	55	80	2.5	4	3	4980	3780	RH-2	40	form-based			true	0.7	4	1	3	3	5577.600098	4377.600098	4377.600098	1.12
6538	002A	1992	0.05	1200	1	55	80	2.5	4	3	4980	3780	RH-2	40	form-based			true	0.7	4	1	3	3	5577.600098	4377.600098	4377.600098	1.12
6538	006	3384	0.08	4000	4	55	80	2.5	6	2	8460	4460	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9475.200195	5475.200195	5475.200195	1.12
6538	012	2728	0.06	3000	3	55	80	2.5	5	2	6820	3820	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7638.399902	4638.399902	4638.399902	1.12
6538	016	3411	0.08	3800	4	55	80	2.5	6	2	8528	4728	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9550.799805	5750.799805	5750.799805	1.119934
6538	026A	3208	0.07	2726	4	55	80	2.5	6	2	8020	5294	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	8982.399414	6256.399414	6256.399414	1.12
6538	038	2508	0.06	2347	2	55	80	2.5	5	3	6270	3923	RH-2	40	form-based			true	0.7	5	1	3	3	7022.399902	4675.399902	4675.399902	1.12
6538	044	2222	0.05	2680	2	55	80	2.5	4	2	5555	2875	RH-2	40	form-based			true	0.7	5	1.25	3	3	6221.600098	3541.600098	3541.600098	1.12
6538	049	1470	0.03	1362	0	55	80	2.5	2	2	3675	2313	RH-2	40	form-based			true	0.7	3	1.5	3	3	4116	2754	2754	1.12
6539	006	3419	0.08	3860	4	55	80	2.5	6	2	8548	4688	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9573.200195	5713.200195	5713.200195	1.119935
6539	011	2850	0.07	1872	3	55	80	2.5	6	3	7125	5253	RH-2	40	form-based			true	0.7	6	1	3	3	7980	6108	6108	1.12
6539	012	3420	0.08	3658	4	55	80	2.5	6	2	8550	4892	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9576	5918	5918	1.12
6539	019	1700	0.04	1093	1	55	80	2.5	3	2	4250	3157	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4760	3667	3667	1.12
6539	020	1700	0.04	1093	1	55	80	2.5	3	2	4250	3157	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4760	3667	3667	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6539	022	1875	0.04	2847	1	55	80	2.5	3	2	4688	1841	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	2403	2403	1.119881
6539	023	1875	0.04	3345	1	55	80	2.5	3	2	4688	1343	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5250	1905	1905	1.119881
6539	025	1920	0.04	1316	1	55	80	2.5	3	2	4800	3484	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5376	4060	4060	1.12
6539	026	2700	0.06	3750	3	55	80	2.5	5	2	6750	3000	RH-2	40	form-based		true	true	0.7	6	1.200000048	3	3	7560	3810	3810	1.12
6539	035	2850	0.07	3701	3	55	80	2.5	6	3	7125	3424	RH-2	40	form-based			true	0.7	6	1	3	3	7980	4279	4279	1.12
6540	002	1977	0.05	1821	1	55	80	2.5	4	3	4942	3121	RH-2	40	form-based			true	0.7	4	1	3	3	5535.600098	3714.600098	3714.600098	1.120113
6545	001	2386	0.05	2500	2	55	80	2.5	4	2	5965	3465	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6680.799805	4180.799805	4180.799805	1.12
6545	007	1831	0.04	1454	1	55	80	2.5	3	2	4578	3124	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5126.799805	3672.799805	3672.799805	1.119878
6545	007A	1791	0.04	2530	1	55	80	2.5	3	2	4478	1948	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5014.799805	2484.799805	2484.799805	1.119875
6546	017	3050	0.07	2430	3	55	80	2.5	6	3	7625	5195	RH-2	40	form-based			true	0.7	6	1	3	3	8540	6110	6110	1.12
6546	028	1955	0.04	1035	1	55	80	2.5	3	2	4888	3853	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5474	4439	4439	1.119885
6546	047	2530	0.06	1559	2	55	80	2.5	5	3	6325	4766	RH-2	40	form-based			true	0.7	5	1	3	3	7084	5525	5525	1.12
6546	051	2383	0.05	894	2	55	80	2.5	4	2	5958	5064	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6672.399902	5778.399902	5778.399902	1.119906
6546	054	1942	0.04	562	1	55	80	2.5	3	2	4855	4293	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5437.600098	4875.600098	4875.600098	1.12
6548	009	2773	0.06	3442	3	65	100	3	6	3	8319	4877	RH-2	40	form-based			true	0.7	6	1	3	3	7764.399902	4322.399902	4322.399902	0.933333
6548	044	3321	0.08	3828	4	65	100	3	8	4	9963	6135	RH-2	40	form-based			true	0.7	7	0.875	3	3	9298.799805	5470.799805	5470.799805	0.933333
6549	026	1798	0.04	2108	2	65	100	3	4	2	5394	3286	RH-2	50	form-based			true	0.7	5	1.25	3	3	6293	4185	4185	1.166667
6549	055	1793	0.04	4364	2	65	100	3	4	2	5379	1015	RH-2	50	form-based			true	0.7	5	1.25	3	3	6275.5	1911.5	1911.5	1.166667
6549	061	1792	0.04	983	2	65	100	3	4	2	5376	4393	RH-2	50	form-based			true	0.7	5	1.25	3	3	6272	5289	5289	1.166667
6551	002	2471	0.06	3945	4	65	100	3	6	2	7413	3468	RH-3	50	form-based			true	0.7	7	1.166666627	3	3	8648.5	4703.5	4703.5	1.166667
6551	008	1908	0.04	2920	2	65	100	3	4	2	5724	2804	RH-3	50	form-based		true	true	0.7	5	1.25	3	3	6678	3758	3758	1.166667
6551	058	1750	0.04	1301	2	65	100	3	4	2	5250	3949	RH-3	50	form-based			true	0.7	5	1.25	3	3	6125	4824	4824	1.166667
6552	005	2316	0.05	5130	6	85	140	4	7	1	9264	4134	RTO-C	65	form-based			true	0.75	9	1.285714269	3	3	10422	5292	5292	1.125
6552	028	2240	0.05	4455	3	65	100	3	5	2	6720	2265	RH-2	50	form-based		true	true	0.7	6	1.200000048	3	3	7840	3385	3385	1.166667
6552	044	1952	0.04	1024	2	65	100	3	4	2	5856	4832	RH-2	50	form-based			true	0.7	5	1.25	3	3	6832	5808	5808	1.166667
6553	002	2021	0.05	1100	1	65	100	3	5	4	6063	4963	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5658.799805	4558.799805	4558.799805	0.933333
6553	003	2019	0.05	1070	1	65	100	3	5	4	6057	4987	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5653.199707	4583.199707	4583.199707	0.933333
6553	004	1444	0.03	961	0	65	100	3	3	3	4332	3371	RH-2	40	form-based			true	0.7	3	1	3	3	4043.199951	3082.199951	3082.199951	0.933333
6553	012	2260	0.05	1932	2	65	100	3	5	3	6780	4848	RH-2	40	form-based			true	0.7	5	1	3	3	6328	4396	4396	0.933333
6553	013	2259	0.05	1848	2	65	100	3	5	3	6777	4929	RH-2	40	form-based			true	0.7	5	1	3	3	6325.199707	4477.199707	4477.199707	0.933333
6553	014	2259	0.05	1888	2	65	100	3	5	3	6777	4889	RH-2	40	form-based			true	0.7	5	1	3	3	6325.199707	4437.199707	4437.199707	0.933333
6553	020	2209	0.05	2350	2	65	100	3	5	3	6627	4277	RH-2	40	form-based			true	0.7	5	1	3	3	6185.199707	3835.199707	3835.199707	0.933333
6553	023	1840	0.04	1634	1	65	100	3	4	3	5520	3886	RH-3	40	form-based			true	0.7	4	1	3	3	5152	3518	3518	0.933333
6553	026	1760	0.04	1618	1	65	100	3	4	3	5280	3662	RH-3	40	form-based			true	0.7	4	1	3	3	4928	3310	3310	0.933333
6553	047	2261	0.05	2681	2	65	100	3	5	3	6783	4102	RH-2	40	form-based			true	0.7	5	1	3	3	6330.799805	3649.799805	3649.799805	0.933333
6554	013	2875	0.07	2020	3	55	80	2.5	6	3	7188	5168	RH-2	40	form-based			true	0.7	6	1	3	3	8050	6030	6030	1.119922
6554	020	2000	0.05	1585	1	55	80	2.5	4	3	5000	3415	RH-2	40	form-based			true	0.7	4	1	3	3	5600	4015	4015	1.12
6554	021	2000	0.05	1913	1	55	80	2.5	4	3	5000	3087	RH-2	40	form-based			true	0.7	4	1	3	3	5600	3687	3687	1.12
6554	022	2000	0.05	950	1	55	80	2.5	4	3	5000	4050	RH-2	40	form-based			true	0.7	4	1	3	3	5600	4650	4650	1.12
6554	023	2000	0.05	1150	1	55	80	2.5	4	3	5000	3850	RH-2	40	form-based			true	0.7	4	1	3	3	5600	4450	4450	1.12
6554	036	3420	0.08	3000	4	55	80	2.5	6	2	8550	5550	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9576	6576	6576	1.12
6554	048	3238	0.07	970	4	55	80	2.5	6	2	8095	7125	RH-2	40	form-based			true	0.7	7	1.166666627	3	3	9066.399414	8096.399414	8096.399414	1.12
6555	002	1972	0.05	994	1	55	80	2.5	4	3	4930	3936	RH-2	40	form-based			true	0.7	4	1	3	3	5521.600098	4527.600098	4527.600098	1.12
6555	003	1971	0.05	2832	1	55	80	2.5	4	3	4928	2096	RH-2	40	form-based			true	0.7	4	1	3	3	5518.799805	2686.799805	2686.799805	1.119886
6555	006	1970	0.05	1620	1	55	80	2.5	4	3	4925	3305	RH-2	40	form-based			true	0.7	4	1	3	3	5516	3896	3896	1.12
6555	007	1970	0.05	846	1	55	80	2.5	4	3	4925	4079	RH-2	40	form-based			true	0.7	4	1	3	3	5516	4670	4670	1.12
6555	008	1970	0.05	1318	1	55	80	2.5	4	3	4925	3607	RH-2	40	form-based			true	0.7	4	1	3	3	5516	4198	4198	1.12
6555	028	2000	0.05	1605	1	55	80	2.5	4	3	5000	3395	RH-1	40	form-based			true	0.7	4	1	3	3	5600	3995	3995	1.12
6555	029	1860	0.04	926	1	55	80	2.5	3	2	4650	3724	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5208	4282	4282	1.12
6555	030	1860	0.04	913	1	55	80	2.5	3	2	4650	3737	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5208	4295	4295	1.12
6555	031	1840	0.04	741	1	55	80	2.5	3	2	4600	3859	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5152	4411	4411	1.12
6555	032	1840	0.04	1704	1	55	80	2.5	3	2	4600	2896	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5152	3448	3448	1.12
6555	033	1840	0.04	1645	1	55	80	2.5	3	2	4600	2955	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5152	3507	3507	1.12
6555	034	1760	0.04	1946	1	55	80	2.5	3	2	4400	2454	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	4928	2982	2982	1.12
6556	001	1730	0.04	1102	1	55	80	2.5	3	2	4325	3223	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	4844	3742	3742	1.12
6556	002	1808	0.04	2546	1	55	80	2.5	3	2	4520	1974	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5062.399902	2516.399902	2516.399902	1.12
6556	003	1809	0.04	1918	1	55	80	2.5	3	2	4522	2604	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5065.199707	3147.199707	3147.199707	1.120124
6556	004	1809	0.04	1243	1	55	80	2.5	3	2	4522	3279	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5065.199707	3822.199707	3822.199707	1.120124
6556	005	1809	0.04	2044	1	55	80	2.5	3	2	4522	2478	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5065.199707	3021.199707	3021.199707	1.120124
6556	006	1966	0.05	1698	1	55	80	2.5	4	3	4915	3217	RH-1	40	form-based			true	0.7	4	1	3	3	5504.799805	3806.799805	3806.799805	1.12
6556	008	2393	0.05	2500	2	55	80	2.5	4	2	5982	3482	RH-1	40	form-based		true	true	0.7	5	1.25	3	3	6700.399902	4200.399902	4200.399902	1.120094
6561	003	1988	0.05	2590	1	55	80	2.5	4	3	4970	2380	RH-1	40	form-based			true	0.7	4	1	3	3	5566.399902	2976.399902	2976.399902	1.12
6561	005	1988	0.05	1125	1	55	80	2.5	4	3	4970	3845	RH-1	40	form-based			true	0.7	4	1	3	3	5566.399902	4441.399902	4441.399902	1.12
6561	005A	1989	0.05	1475	1	55	80	2.5	4	3	4972	3497	RH-1	40	form-based			true	0.7	4	1	3	3	5569.199707	4094.199707	4094.199707	1.120113

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6561	006	1989	0.05	2235	1	55	80	2.5	4	3	4972	2737	RH-1	40	form-based			true	0.7	4	1	3	3	5569.199707	3334.199707	3334.199707	1.120113
6562	001	2067	0.05	1850	1	55	80	2.5	4	3	5168	3318	RH-2	40	form-based			true	0.7	4	1	3	3	5787.600098	3937.600098	3937.600098	1.119892
6562	001A	2121	0.05	1190	1	55	80	2.5	4	3	5302	4112	RH-2	40	form-based		true	true	0.7	4	1	3	3	5938.799805	4748.799805	4748.799805	1.120106
6562	001B	1779	0.04	1020	1	55	80	2.5	3	2	4448	3428	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	4981.199707	3961.199707	3961.199707	1.119874
6562	019	1990	0.05	2082	1	55	80	2.5	4	3	4975	2893	RH-1	40	form-based			true	0.7	4	1	3	3	5572	3490	3490	1.12
6563	004	2152	0.05	890	2	65	100	3	5	3	6456	5566	RH-2	40	form-based			true	0.7	5	1	3	3	6025.600098	5135.600098	5135.600098	0.933333
6563	019	2164	0.05	2000	2	55	80	2.5	4	2	5410	3410	RH-2	40	form-based			true	0.7	5	1.25	3	3	6059.199707	4059.199707	4059.199707	1.12
6563	020	3468	0.08	4260	4	55	80	2.5	6	2	8670	4410	RH-2	40	form-based		true	true	0.7	7	1.166666627	3	3	9710.399414	5450.399414	5450.399414	1.12
6563	075	2850	0.07	1994	3	55	80	2.5	6	3	7125	5131	RH-2	40	form-based			true	0.7	6	1	3	3	7980	5986	5986	1.12
6564	002	1819	0.04	1040	1	65	100	3	4	3	5457	4417	RH-2	40	form-based			true	0.7	4	1	3	3	5093.199707	4053.199707	4053.199707	0.933333
6564	003	1819	0.04	1594	1	65	100	3	4	3	5457	3863	RH-2	40	form-based			true	0.7	4	1	3	3	5093.199707	3499.199707	3499.199707	0.933333
6564	004	1798	0.04	1098	1	65	100	3	4	3	5394	4296	RH-2	40	form-based			true	0.7	4	1	3	3	5034.399902	3936.399902	3936.399902	0.933333
6564	005	1839	0.04	1058	1	65	100	3	4	3	5517	4459	RH-2	40	form-based			true	0.7	4	1	3	3	5149.199707	4091.199707	4091.199707	0.933333
6564	010A	2841	0.07	2289	3	65	100	3	7	4	8523	6234	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	7954.799805	5665.799805	5665.799805	0.933333
6564	018B	3014	0.07	1958	3	65	100	3	7	4	9042	7084	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8439.200195	6481.200195	6481.200195	0.933333
6564	019	1834	0.04	3186	1	65	100	3	4	3	5502	2316	RH-2	40	form-based		true	true	0.7	4	1	3	3	5135.199707	1949.199707	1949.199707	0.933333
6564	019A	1800	0.04	1278	1	65	100	3	4	3	5400	4122	RH-2	40	form-based			true	0.7	4	1	3	3	5040	3762	3762	0.933333
6564	019B	1800	0.04	1300	1	65	100	3	4	3	5400	4100	RH-2	40	form-based			true	0.7	4	1	3	3	5040	3740	3740	0.933333
6564	019C	1800	0.04	1158	1	65	100	3	4	3	5400	4242	RH-2	40	form-based			true	0.7	4	1	3	3	5040	3882	3882	0.933333
6564	020	1800	0.04	1856	1	65	100	3	4	3	5400	3544	RH-2	40	form-based			true	0.7	4	1	3	3	5040	3184	3184	0.933333
6564	031	2280	0.05	2190	2	65	100	3	5	3	6840	4650	RH-2	40	form-based			true	0.7	5	1	3	3	6384	4194	4194	0.933333
6564	032	2280	0.05	1710	2	65	100	3	5	3	6840	5130	RH-2	40	form-based			true	0.7	5	1	3	3	6384	4674	4674	0.933333
6564	034	3230	0.07	2322	4	65	100	3	7	3	9690	7368	RH-2	40	form-based			true	0.7	7	1	3	3	9044	6722	6722	0.933333
6565	018	3131	0.07	4462	6	65	100	3	7	1	9393	4931	RH-2	50	form-based			true	0.7	9	1.285714269	3	3	10958.5	6496.5	6496.5	1.166667
6565	025	1915	0.04	2400	2	65	100	3	4	2	5745	3345	RH-2	50	form-based		true	true	0.7	5	1.25	3	3	6702.5	4302.5	4302.5	1.166667
6566	007	2827	0.06	3446	5	65	100	3	6	1	8481	5035	RH-3	50	form-based			true	0.7	8	1.333333373	3	3	9894.5	6448.5	6448.5	1.166667
6566	061	1790	0.04	1191	2	65	100	3	4	2	5370	4179	RH-2	50	form-based			true	0.7	5	1.25	3	3	6265	5074	5074	1.166667
6567	015	2103	0.05	1025	1	65	100	3	5	4	6309	5284	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5888.399902	4863.399902	4863.399902	0.933333
6567	016	1566	0.04	936	1	65	100	3	4	3	4698	3762	RH-2	40	density-lim	1500			0.7	4	1	3	3	4384.799805	3448.799805	3448.799805	0.933333
6567	018A	1684	0.04	1281	1	65	100	3	4	3	5052	3771	RH-2	40	density-lim	1500			0.7	4	1	3	3	4715.199707	3434.199707	3434.199707	0.933333
6567	018C	785	0.02	1016	1	65	100	3	2	1	2355	1339	RH-2	40	density-lim	1500			0.7	4	2	3	3	2198	1182	1182	0.933333
6567	020	1833	0.04	1699	1	65	100	3	4	3	5499	3800	RH-2	40	density-lim	1500			0.7	4	1	3	3	5132.399902	3433.399902	3433.399902	0.933333
6567	021	1903	0.04	1100	1	65	100	3	4	3	5709	4609	RH-2	40	density-lim	1500			0.7	4	1	3	3	5328.399902	4228.399902	4228.399902	0.933333
6567	023	3000	0.07	1575	1	65	100	3	7	6	9000	7425	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8400	6825	6825	0.933333
6567	026	2375	0.05	810	1	65	100	3	5	4	7125	6315	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6650	5840	5840	0.933333
6567	030	3800	0.09	1786	1	65	100	3	9	8	11400	9614	RH-2	40	density-lim	1500			0.7	4	0.444444448	3	3	10640	8854	8854	0.933333
6567	031	5898	0.14	1130	1	65	100	3	14	13	17694	16564	RH-2	40	density-lim	1500			0.7	4	0.285714298	3	3	16514.40039	15384.40039	15384.40039	0.933333
6567	032	3585	0.08	990	1	65	100	3	8	7	10755	9765	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	10038	9048	9048	0.933333
6567	033	3062	0.07	1375	1	65	100	3	7	6	9186	7811	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8573.599609	7198.599609	7198.599609	0.933333
6567	040	2127	0.05	1636	1	65	100	3	5	4	6381	4745	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5955.600098	4319.600098	4319.600098	0.933333
6569	021	2242	0.05	2900	2	65	100	3	5	3	6726	3826	RTO-M	45	form-based				0.7	5	1	3	3	6277.600098	3377.600098	3377.600098	0.933333
6569	025	1875	0.04	1450	1	85	140	4	6	5	7500	6050	RTO-M	45	form-based				0.7	4	0.666666687	3	3	5250	3800	3800	0.7
6568	016	2497	0.06	1250	1	65	100	3	6	5	7491	6241	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	6991.600098	5741.600098	5741.600098	0.933333
6569	015A	3130	0.07	6150	6	65	100	3	7	1	9390	3240	RTO-M	55	form-based				0.7	9	1.285714269	3	3	10955	4805	4805	1.166667
6569	041	2355	0.05	705	4	65	100	3	5	1	7065	6360	RTO-M	55	form-based				0.7	7	1.399999976	3	3	8242.5	7537.5	7537.5	1.166667
6569	045	3096	0.07	892	4	65	100	3	7	3	9288	8396	RTO-M	45	form-based				0.7	7	1	3	3	8668.799805	7776.799805	7776.799805	0.933333
6577	012	2841	0.07	2354	1	65	100	3	7	6	8523	6169	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7954.799805	5600.799805	5600.799805	0.933333
6577	019	2841	0.07	2155	1	65	100	3	7	6	8523	6368	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7954.799805	5799.799805	5799.799805	0.933333
6577	022	2841	0.07	2219	1	65	100	3	7	6	8523	6304	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7954.799805	5735.799805	5735.799805	0.933333
6577	023	2841	0.07	3242	1	65	100	3	7	6	8523	5281	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7954.799805	4712.799805	4712.799805	0.933333
6577	024	2841	0.07	2608	1	65	100	3	7	6	8523	5915	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7954.799805	5346.799805	5346.799805	0.933333
6577	026	2150	0.05	830	1	65	100	3	5	4	6450	5620	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6020	5190	5190	0.933333
6577	028B	2159	0.05	1749	1	65	100	3	5	4	6477	4728	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6045.199707	4296.199707	4296.199707	0.933333
6577	029A	1413	0.03	1000	1	65	100	3	3	2	4239	3239	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3956.399902	2956.399902	2956.399902	0.933333
6577	029B	1755	0.04	1290	1	65	100	3	4	3	5265	3975	RH-2	40	density-lim	1500			0.7	4	1	3	3	4914	3624	3624	0.933333
6577	030	2705	0.06	2071	1	65	100	3	6	5	8115	6044	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7574	5503	5503	0.933333
6577	033	2850	0.07	1666	1	65	100	3	7	6	8550	6884	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	6314	6314	0.933333
6577	045	5275	0.12	2653	1	65	100	3	12	11	15825	13172	RH-2	40	density-lim	1500			0.7	4	0.333333343	3	3	14770	12117	12117	0.933333
6577	061	1993	0.05	1506	1	65	100	3	5	4	5979	4473	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5580.399902	4074.399902	4074.399902	0.933333
6578	008	2375	0.05	3530	4	65	100	3	5	1	7125	3595	RH-2	50	form-based			true	0.7	7	1.399999976	3	3	8312.5	4782.5	4782.5	1.166667
6578	024	2449	0.06	5848	6	65	100	3	6	0	7347	1499	NC-1	65	form-based		true	true	0.75	9	1.5	3	3	11020.5	5172.5	5172.5	1.5
6578	026	2375	0.05	4551	6	65	100	3	5	0	7125	2574	RTO-C	65	form-based			true	0.75	9	1.799999952	3	3	10687.5	6136.5	6136.5	1.5
6578	027	2375	0.05	4455	6	65	100	3	5	0	7125	2670	RTO-C	65	form-based			true	0.75	9	1.799999952	3	3	10687.5	6232.5	6232.5	1.5
6578	046	1271	0.03	2149	1	65	100	3	3	2	3813	1664	RH-2	50	form-based			true	0.7	4	1.333333373	3	3	4448.5	2299.5	2299.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6578	053	1650	0.04	889	2	65	100	3	4	2	4950	4061	RH-2	50	form-based		true	true	0.7	5	1.25	3	3	5775	4886	4886	1.166667
6570	004A	1509	0.03	1944	2	85	140	4	4	2	6036	4092	NCT-MISSI	55	form-based				0.75	5	1.25	3	3	5658.75	3714.75	3714.75	0.9375
6570	014	3900	0.09	4199	9	75	120	3.5	11	2	13650	9451	NCT-MISSI	55	form-based				0.75	12	1.090909123	3	3	14625	10426	10426	1.071429
6571	014B	1602	0.04	2500	2	65	100	3	4	2	4806	2306	NCT-MISSI	55	form-based				0.75	5	1.25	3	3	6007.5	3507.5	3507.5	1.25
6577	003	2500	0.06	1620	1	65	100	3	6	5	7500	5880	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5380	5380	0.933333
6577	004	2500	0.06	1597	1	65	100	3	6	5	7500	5903	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5403	5403	0.933333
6577	009	2604	0.06	4836	3	65	100	3	6	3	7812	2976	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	7291.199707	2455.199707	2455.199707	0.933333
6579	027	2080	0.05	1956	3	65	100	3	5	2	6240	4284	RH-2	50	form-based			true	0.7	6	1.200000048	3	3	7280	5324	5324	1.166667
6579	029	1612	0.04	2288	2	65	100	3	4	2	4836	2548	RH-2	50	form-based		true	true	0.7	5	1.25	3	3	5642	3354	3354	1.166667
6579	030	1488	0.03	1750	1	65	100	3	3	2	4464	2714	RH-2	50	form-based			true	0.7	4	1.333333373	3	3	5208	3458	3458	1.166667
6580	003	2245	0.05	2479	2	65	100	3	5	3	6735	4256	RH-2	40	form-based			true	0.7	5	1	3	3	6286	3807	3807	0.933333
6580	004	1764	0.04	805	1	65	100	3	4	3	5292	4487	RH-2	40	form-based			true	0.7	4	1	3	3	4939.199707	4134.199707	4134.199707	0.933333
6580	005	2004	0.05	1587	1	65	100	3	5	4	6012	4425	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5611.199707	4024.199707	4024.199707	0.933333
6580	008	1995	0.05	808	1	65	100	3	5	4	5985	5177	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5586	4778	4778	0.933333
6580	032	2280	0.05	2169	2	65	100	3	5	3	6840	4671	RH-2	40	form-based			true	0.7	5	1	3	3	6384	4215	4215	0.933333
6580	050	5744	0.13	5940	9	65	100	3	13	4	17232	11292	RH-2	40	form-based			true	0.7	12	0.923076928	3	3	16083.2002	10143.2002	10143.2002	0.933333
6581	014	2775	0.06	3090	3	55	80	2.5	5	2	6938	3848	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7770	4680	4680	1.119919
6581	030	1950	0.04	825	1	55	80	2.5	3	2	4875	4050	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5460	4635	4635	1.12
6581	031	2067	0.05	830	1	55	80	2.5	4	3	5168	4338	RH-2	40	form-based		true	true	0.7	4	1	3	3	5787.600098	4957.600098	4957.600098	1.119892
6581	031A	2060	0.05	1395	1	55	80	2.5	4	3	5150	3755	RH-2	40	form-based			true	0.7	4	1	3	3	5768	4373	4373	1.12
6581	042	2850	0.07	2906	3	55	80	2.5	6	3	7125	4219	RM-1	40	form-based			true	0.7	6	1	3	3	7980	5074	5074	1.12
6581	056	2775	0.06	617	3	55	80	2.5	5	2	6938	6321	RM-1	40	form-based			true	0.7	6	1.200000048	3	3	7770	7153	7153	1.119919
6581	060	1954	0.04	3968	1	55	80	2.5	3	2	4885	917	RH-2	40	form-based		true	true	0.7	4	1.333333373	3	3	5471.199707	1503.199707	1503.199707	1.12
6582	011A	1759	0.04	1250	1	55	80	2.5	3	2	4398	3148	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4925.199707	3675.199707	3675.199707	1.119873
6582	012	1759	0.04	1997	1	55	80	2.5	3	2	4398	2401	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4925.199707	2928.199707	2928.199707	1.119873
6582	014	1820	0.04	1080	1	55	80	2.5	3	2	4550	3470	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5096	4016	4016	1.12
6582	015A	1992	0.05	1150	1	55	80	2.5	4	3	4980	3830	RH-1	40	form-based			true	0.7	4	1	3	3	5577.600098	4427.600098	4427.600098	1.12
6582	016C	2042	0.05	1530	1	55	80	2.5	4	3	5105	3575	RH-1	40	form-based		true	true	0.7	4	1	3	3	5717.600098	4187.600098	4187.600098	1.12
6583	002	1958	0.04	1145	1	55	80	2.5	3	2	4895	3750	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5482.399902	4337.399902	4337.399902	1.12
6583	002A	1958	0.04	1025	1	55	80	2.5	3	2	4895	3870	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5482.399902	4457.399902	4457.399902	1.12
6583	002B	1958	0.04	1025	1	55	80	2.5	3	2	4895	3870	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5482.399902	4457.399902	4457.399902	1.12
6583	002C	1959	0.04	1025	1	55	80	2.5	3	2	4898	3873	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5485.199707	4460.199707	4460.199707	1.119886
6583	002D	1959	0.04	1302	1	55	80	2.5	3	2	4898	3596	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5485.199707	4183.199707	4183.199707	1.119886
6583	003	1779	0.04	1345	1	55	80	2.5	3	2	4448	3103	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4981.199707	3636.199707	3636.199707	1.119874
6588	004B	2080	0.05	1240	1	55	80	2.5	4	3	5200	3960	RH-1	40	form-based			true	0.7	4	1	3	3	5824	4584	4584	1.12
6589	001B	1891	0.04	1000	1	55	80	2.5	3	2	4728	3728	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5294.799805	4294.799805	4294.799805	1.119882
6589	001C	2000	0.05	1917	1	55	80	2.5	4	3	5000	3083	RH-1	40	form-based			true	0.7	4	1	3	3	5600	3683	3683	1.12
6589	001D	2000	0.05	1790	1	55	80	2.5	4	3	5000	3210	RH-1	40	form-based			true	0.7	4	1	3	3	5600	3810	3810	1.12
6589	001E	2000	0.05	1425	1	55	80	2.5	4	3	5000	3575	RH-1	40	form-based			true	0.7	4	1	3	3	5600	4175	4175	1.12
6589	001F	2000	0.05	1954	1	55	80	2.5	4	3	5000	3046	RH-1	40	form-based			true	0.7	4	1	3	3	5600	3646	3646	1.12
6589	001G	2000	0.05	1248	1	55	80	2.5	4	3	5000	3752	RH-1	40	form-based			true	0.7	4	1	3	3	5600	4352	4352	1.12
6589	001H	2000	0.05	800	1	55	80	2.5	4	3	5000	4200	RH-1	40	form-based			true	0.7	4	1	3	3	5600	4800	4800	1.12
6589	001I	1820	0.04	1181	1	55	80	2.5	3	2	4550	3369	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5096	3915	3915	1.12
6589	001J	1736	0.04	2590	1	55	80	2.5	3	2	4340	1750	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4860.799805	2270.799805	2270.799805	1.12
6589	002	1942	0.04	1078	1	55	80	2.5	3	2	4855	3777	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5437.600098	4359.600098	4359.600098	1.12
6589	002A	2093	0.05	1942	1	55	80	2.5	4	3	5232	3290	RH-1	40	form-based			true	0.7	4	1	3	3	5860.399902	3918.399902	3918.399902	1.120107
6589	002B	2081	0.05	2576	1	55	80	2.5	4	3	5202	2626	RH-1	40	form-based			true	0.7	4	1	3	3	5826.799805	3250.799805	3250.799805	1.120108
6589	002F	2083	0.05	1350	1	55	80	2.5	4	3	5208	3858	RH-1	40	form-based			true	0.7	4	1	3	3	5832.399902	4482.399902	4482.399902	1.119892
6589	002G	2066	0.05	1375	1	55	80	2.5	4	3	5165	3790	RH-1	40	form-based			true	0.7	4	1	3	3	5784.799805	4409.799805	4409.799805	1.12
6589	002P	1709	0.04	1220	1	55	80	2.5	3	2	4272	3052	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4785.199707	3565.199707	3565.199707	1.120131
6589	003B	1750	0.04	1634	1	55	80	2.5	3	2	4375	2741	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	3266	3266	1.12
6589	003C	1826	0.04	1152	1	55	80	2.5	3	2	4565	3413	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5112.799805	3960.799805	3960.799805	1.12
6589	003E	1896	0.04	1184	1	55	80	2.5	3	2	4740	3556	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5308.799805	4124.799805	4124.799805	1.12
6589	003G	1764	0.04	800	1	55	80	2.5	3	2	4410	3610	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4939.199707	4139.199707	4139.199707	1.12
6589	003I	1752	0.04	1000	1	55	80	2.5	3	2	4380	3380	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4905.600098	3905.600098	3905.600098	1.12
6589	003J	1994	0.05	1482	1	55	80	2.5	4	3	4985	3503	RH-1	40	form-based			true	0.7	4	1	3	3	5583.199707	4101.199707	4101.199707	1.12
6589	004	2094	0.05	1000	1	55	80	2.5	4	3	5235	4235	RH-1	40	form-based			true	0.7	4	1	3	3	5863.199707	4863.199707	4863.199707	1.12
6589	005	2087	0.05	1625	1	55	80	2.5	4	3	5218	3593	RH-1	40	form-based			true	0.7	4	1	3	3	5843.600098	4218.600098	4218.600098	1.119893
6589	006	2080	0.05	1000	1	55	80	2.5	4	3	5200	4200	RH-1	40	form-based			true	0.7	4	1	3	3	5824	4824	4824	1.12
6589	007	1844	0.04	1000	1	55	80	2.5	3	2	4610	3610	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5163.199707	4163.199707	4163.199707	1.12
6589	011	2095	0.05	2212	1	55	80	2.5	4	3	5238	3026	RH-2	40	form-based			true	0.7	4	1	3	3	5866	3654	3654	1.119893
6590	003	2197	0.05	2508	2	55	80	2.5	4	2	5492	2984	RH-2	40	form-based			true	0.7	5	1.25	3	3	6151.600098	3643.600098	3643.600098	1.120102
6590	005	2197	0.05	2508	2	55	80	2.5	4	2	5492	2984	RH-2	40	form-based			true	0.7	5	1.25	3	3	6151.600098	3643.600098	3643.600098	1.120102
6590	006	2197	0.05	2508	2	55	80	2.5	4	2	5492	2984	RH-2	40	form-based			true	0.7	5	1.25	3	3	6151.600098	3643.600098	3643.600098	1.120102

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6590	007	2197	0.05	2508	2	55	80	2.5	4	2	5492	2984	RH-2	40	form-based			true	0.7	5	1.25	3	3	6151.600098	3643.600098	3643.600098	1.120102
6590	008	2197	0.05	3389	2	55	80	2.5	4	2	5492	2103	RH-2	40	form-based			true	0.7	5	1.25	3	3	6151.600098	2762.600098	2762.600098	1.120102
6590	015	2829	0.06	3637	3	55	80	2.5	5	2	7072	3435	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7921.199707	4284.199707	4284.199707	1.120079
6590	048	3986	0.09	4546	5	55	80	2.5	7	2	9965	5419	RH-2	40	form-based		true	true	0.7	8	1.142857194	3	3	11160.7998	6614.799805	6614.799805	1.12
6590	055	2850	0.07	1500	3	55	80	2.5	6	3	7125	5625	RH-3	40	form-based			true	0.7	6	1	3	3	7980	6480	6480	1.12
6590	059	2850	0.07	1137	3	55	80	2.5	6	3	7125	5988	RH-3	40	form-based			true	0.7	6	1	3	3	7980	6843	6843	1.12
6590	062	2850	0.07	1145	3	55	80	2.5	6	3	7125	5980	RH-3	40	form-based			true	0.7	6	1	3	3	7980	6835	6835	1.12
6590	070	2850	0.07	1600	3	55	80	2.5	6	3	7125	5525	RH-3	40	form-based			true	0.7	6	1	3	3	7980	6380	6380	1.12
6590	080	2197	0.05	1185	2	55	80	2.5	4	2	5492	4307	RH-2	40	form-based			true	0.7	5	1.25	3	3	6151.600098	4966.600098	4966.600098	1.120102
6590	082	2850	0.07	1494	3	55	80	2.5	6	3	7125	5631	RH-3	40	form-based			true	0.7	6	1	3	3	7980	6486	6486	1.12
6590	085	2850	0.07	1556	3	55	80	2.5	6	3	7125	5569	RH-3	40	form-based			true	0.7	6	1	3	3	7980	6424	6424	1.12
6590	104	2197	0.05	1260	2	55	80	2.5	4	2	5492	4232	RH-2	40	form-based			true	0.7	5	1.25	3	3	6151.600098	4891.600098	4891.600098	1.120102
6591	002	1818	0.04	2111	1	65	100	3	4	3	5454	3343	RH-2	40	form-based			true	0.7	4	1	3	3	5090.399902	2979.399902	2979.399902	0.933333
6591	003	1740	0.04	1210	1	65	100	3	4	3	5220	4010	RH-2	40	form-based			true	0.7	4	1	3	3	4872	3662	3662	0.933333
6591	004	1740	0.04	1535	1	65	100	3	4	3	5220	3685	RH-2	40	form-based			true	0.7	4	1	3	3	4872	3337	3337	0.933333
6591	009	2087	0.05	1558	1	65	100	3	5	4	6261	4703	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5843.600098	4285.600098	4285.600098	0.933333
6591	025	2016	0.05	1087	1	65	100	3	5	4	6048	4961	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5644.799805	4557.799805	4557.799805	0.933333
6591	039	2255	0.05	1962	2	65	100	3	5	3	6765	4803	RH-2	40	form-based			true	0.7	5	1	3	3	6314	4352	4352	0.933333
6592	015	2456	0.06	3625	4	65	100	3	6	2	7368	3743	RH-2	50	form-based			true	0.7	7	1.166666627	3	3	8596	4971	4971	1.166667
6592	033	2400	0.06	3396	4	65	100	3	6	2	7200	3804	RH-2	50	form-based		true	true	0.7	7	1.166666627	3	3	8400	5004	5004	1.166667
6593	003	2640	0.06	3754	4	65	100	3	6	2	7920	4166	RH-2	50	form-based		true	true	0.7	7	1.166666627	3	3	9240	5486	5486	1.166667
6593	005	6559	0.15	14169	15	65	100	3	15	0	19677	5508	RH-2	50	form-based			true	0.7	18	1.200000048	3	3	22956.5	8787.5	8787.5	1.166667
6593	041	1270	0.03	918	1	65	100	3	3	2	3810	2892	RH-2	50	form-based			true	0.7	4	1.333333373	3	3	4445	3527	3527	1.166667
6594	002	2133	0.05	1805	1	65	100	3	5	4	6399	4594	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5972.399902	4167.399902	4167.399902	0.933333
6594	009	2846	0.07	1790	1	65	100	3	7	6	8538	6748	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7968.799805	6178.799805	6178.799805	0.933333
6594	020	2859	0.07	1444	1	65	100	3	7	6	8577	7133	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8005.199707	6561.199707	6561.199707	0.933333
6594	032	2850	0.07	2270	1	65	100	3	7	6	8550	6280	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	5710	5710	0.933333
6594	034	2850	0.07	2713	1	65	100	3	7	6	8550	5837	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	5267	5267	0.933333
6594	037	2850	0.07	1050	1	65	100	3	7	6	8550	7500	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	6930	6930	0.933333
6594	038	2850	0.07	1775	1	65	100	3	7	6	8550	6775	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	6205	6205	0.933333
6594	039	2850	0.07	2076	1	65	100	3	7	6	8550	6474	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	5904	5904	0.933333
6594	040	2850	0.07	1264	1	65	100	3	7	6	8550	7286	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	6716	6716	0.933333
6595	006	1769	0.04	850	1	65	100	3	4	3	5307	4457	RH-2	40	density-lim	1500			0.7	4	1	3	3	4953.199707	4103.199707	4103.199707	0.933333
6595	009	1817	0.04	1173	1	65	100	3	4	3	5451	4278	RH-2	40	density-lim	1500			0.7	4	1	3	3	5087.600098	3914.600098	3914.600098	0.933333
6595	010	1396	0.03	1200	1	65	100	3	3	2	4188	2988	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3908.800049	2708.800049	2708.800049	0.933333
6595	013	2292	0.05	669	1	65	100	3	5	4	6876	6207	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6417.600098	5748.600098	5748.600098	0.933333
6596	001A	1799	0.04	3817	0	65	100	3	4	4	5397	1580	NCD-MISSI	40	density-lim	600			0.75	3	0.75	3	3	5397	1580	1580	1
6596	013B	2575	0.06	1564	1	85	140	4	8	7	10300	8736	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7210	5646	5646	0.7
6596	013C	2575	0.06	1175	1	85	140	4	8	7	10300	9125	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7210	6035	6035	0.7
6596	013H	2575	0.06	1238	1	85	140	4	8	7	10300	9062	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7210	5972	5972	0.7
6596	013I	2575	0.06	2062	1	85	140	4	8	7	10300	8238	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7210	5148	5148	0.7
6596	013M	2575	0.06	1300	1	85	140	4	8	7	10300	9000	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7210	5910	5910	0.7
6596	014	2500	0.06	1549	1	85	140	4	8	7	10000	8451	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7000	5451	5451	0.7
6597	002	1367	0.03	988	1	65	100	3	3	2	4101	3113	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3827.599854	2839.599854	2839.599854	0.933333
6597	004	2807	0.06	830	1	65	100	3	6	5	8421	7591	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7859.600098	7029.600098	7029.600098	0.933333
6597	005A	3087	0.07	2000	1	65	100	3	7	6	9261	7261	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8643.599609	6643.599609	6643.599609	0.933333
6597	005B	2966	0.07	1111	1	65	100	3	7	6	8898	7787	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8304.799805	7193.799805	7193.799805	0.933333
6597	005C	2846	0.07	1111	1	65	100	3	7	6	8538	7427	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7968.799805	6857.799805	6857.799805	0.933333
6597	006	2981	0.07	1100	1	65	100	3	7	6	8943	7843	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8346.799805	7246.799805	7246.799805	0.933333
6597	007	3396	0.08	2100	1	65	100	3	8	7	10188	8088	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9508.799805	7408.799805	7408.799805	0.933333
6597	007A	2344	0.05	1102	1	65	100	3	5	4	7032	5930	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6563.199707	5461.199707	5461.199707	0.933333
6597	007B	2522	0.06	1102	1	65	100	3	6	5	7566	6464	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7061.600098	5959.600098	5959.600098	0.933333
6597	007C	2528	0.06	1150	1	65	100	3	6	5	7584	6434	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7078.399902	5928.399902	5928.399902	0.933333
6597	007D	2535	0.06	1002	1	65	100	3	6	5	7605	6603	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7098	6096	6096	0.933333
6597	007E	2541	0.06	1002	1	65	100	3	6	5	7623	6621	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7114.799805	6112.799805	6112.799805	0.933333
6597	007F	2547	0.06	1002	1	65	100	3	6	5	7641	6639	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7131.600098	6129.600098	6129.600098	0.933333
6597	007G	2554	0.06	1022	1	65	100	3	6	5	7662	6640	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7151.199707	6129.199707	6129.199707	0.933333
6597	007I	2504	0.06	2300	1	65	100	3	6	5	7512	5212	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	4711.199707	4711.199707	0.933333
6597	007N	3149	0.07	2424	1	65	100	3	7	6	9447	7023	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8817.200195	6393.200195	6393.200195	0.933333
6597	007T	3347	0.08	1180	1	65	100	3	8	7	10041	8861	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9371.599609	8191.599609	8191.599609	0.933333
6597	007U	2815	0.06	2644	1	65	100	3	6	5	8445	5801	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7882	5238	5238	0.933333
6597	012	1595	0.04	1512	1	65	100	3	4	3	4785	3273	RH-2	40	density-lim	1500			0.7	4	1	3	3	4466	2954	2954	0.933333
6597	013	1601	0.04	1725	1	65	100	3	4	3	4803	3078	RH-2	40	density-lim	1500			0.7	4	1	3	3	4482.799805	2757.799805	2757.799805	0.933333
6597	014	1608	0.04	1705	1	65	100	3	4	3	4824	3119	RH-2	40	density-lim	1500			0.7	4	1	3	3	4502.399902	2797.399902	2797.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6597	015	1615	0.04	1820	1	65	100	3	4	3	4845	3025	RH-2	40	density-lim	1500			0.7	4	1	3	3	4522	2702	2702	0.933333
6597	016	1622	0.04	1820	1	65	100	3	4	3	4866	3046	RH-2	40	density-lim	1500			0.7	4	1	3	3	4541.600098	2721.600098	2721.600098	0.933333
6597	017	1629	0.04	1800	1	65	100	3	4	3	4887	3087	RH-2	40	density-lim	1500			0.7	4	1	3	3	4561.199707	2761.199707	2761.199707	0.933333
6597	022	1568	0.04	1300	1	65	100	3	4	3	4704	3404	RH-2	40	density-lim	1500			0.7	4	1	3	3	4390.399902	3090.399902	3090.399902	0.933333
6597	023	1698	0.04	1735	1	65	100	3	4	3	5094	3359	RH-2	40	density-lim	1500			0.7	4	1	3	3	4754.399902	3019.399902	3019.399902	0.933333
6597	024	1828	0.04	2124	1	65	100	3	4	3	5484	3360	RH-2	40	density-lim	1500			0.7	4	1	3	3	5118.399902	2994.399902	2994.399902	0.933333
6597	025	1958	0.04	1698	1	65	100	3	4	3	5874	4176	RH-2	40	density-lim	1500			0.7	4	1	3	3	5482.399902	3784.399902	3784.399902	0.933333
6597	027	2609	0.06	2870	1	65	100	3	6	5	7827	4957	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7305.199707	4435.199707	4435.199707	0.933333
6597	033	3393	0.08	990	1	65	100	3	8	7	10179	9189	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9500.399414	8510.399414	8510.399414	0.933333
6597	035	1485	0.03	1250	1	65	100	3	3	2	4455	3205	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	4158	2908	2908	0.933333
6597	038	3117	0.07	1975	1	65	100	3	7	6	9351	7376	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8727.599609	6752.599609	6752.599609	0.933333
6597	042	2075	0.05	1200	1	65	100	3	5	4	6225	5025	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5810	4610	4610	0.933333
6598	003	3766	0.09	4659	3	65	100	3	9	6	11298	6639	RH-3	40	density-lim	1000	true		0.7	6	0.666666687	3	3	10544.7998	5885.799805	5885.799805	0.933333
6599	006	2849	0.07	2793	1	65	100	3	7	6	8547	5754	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7977.199707	5184.199707	5184.199707	0.933333
6599	007	2848	0.07	1893	1	65	100	3	7	6	8544	6651	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7974.399902	6081.399902	6081.399902	0.933333
6599	008	2995	0.07	2996	1	65	100	3	7	6	8985	5989	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8386	5390	5390	0.933333
6599	009A	3449	0.08	980	1	65	100	3	8	7	10347	9367	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	9657.200195	8677.200195	8677.200195	0.933333
6598	004	2251	0.05	2558	3	65	100	3	5	2	6753	4195	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	3	3	6302.799805	3744.799805	3744.799805	0.933333
6599	011	2847	0.07	1470	1	65	100	3	7	6	8541	7071	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7971.600098	6501.600098	6501.600098	0.933333
6599	012	2847	0.07	2200	1	65	100	3	7	6	8541	6341	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7971.600098	5771.600098	5771.600098	0.933333
6599	016	2847	0.07	1890	1	65	100	3	7	6	8541	6651	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7971.600098	6081.600098	6081.600098	0.933333
6599	016A	2846	0.07	2759	1	65	100	3	7	6	8538	5779	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7968.799805	5209.799805	5209.799805	0.933333
6599	017	2498	0.06	900	1	65	100	3	6	5	7494	6594	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6994.399902	6094.399902	6094.399902	0.933333
6599	020	1600	0.04	2208	1	65	100	3	4	3	4800	2592	RH-2	40	density-lim	1500			0.7	4	1	3	3	4480	2272	2272	0.933333
6599	021	2850	0.07	1650	1	65	100	3	7	6	8550	6900	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	6330	6330	0.933333
6599	023A	2725	0.06	1400	1	65	100	3	6	5	8175	6775	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7630	6230	6230	0.933333
6599	024	2850	0.07	1875	1	65	100	3	7	6	8550	6675	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	6105	6105	0.933333
6600	003	2534	0.06	2700	4	65	100	3	6	2	7602	4902	RH-2	50	form-based			true	0.7	7	1.166666627	3	3	8869	6169	6169	1.166667
6600	020	1290	0.03	1840	2	85	140	4	4	2	5160	3320	RTO-C	65	form-based			true	0.75	5	1.25	3	3	5805	3965	3965	1.125
6600	052	1875	0.04	1569	2	65	100	3	4	2	5625	4056	RH-2	50	form-based			true	0.7	5	1.25	3	3	6562.5	4993.5	4993.5	1.166667
6601	020A	1457	0.03	1500	1	65	100	3	3	2	4371	2871	RH-2	50	form-based		true	true	0.7	4	1.333333373	3	3	5099.5	3599.5	3599.5	1.166667
6602	004	2513	0.06	1662	2	65	100	3	6	4	7539	5877	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7036.399902	5374.399902	5374.399902	0.933333
6602	006	2512	0.06	2630	2	65	100	3	6	4	7536	4906	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7033.600098	4403.600098	4403.600098	0.933333
6602	024	1691	0.04	1575	1	65	100	3	4	3	5073	3498	RH-2	40	form-based			true	0.7	4	1	3	3	4734.799805	3159.799805	3159.799805	0.933333
6602	024A	1691	0.04	1050	1	65	100	3	4	3	5073	4023	RH-2	40	form-based			true	0.7	4	1	3	3	4734.799805	3684.799805	3684.799805	0.933333
6602	027B	1886	0.04	529	1	65	100	3	4	3	5658	5129	RH-2	40	form-based		true	true	0.7	4	1	3	3	5280.799805	4751.799805	4751.799805	0.933333
6603	001	3394	0.08	2158	4	65	100	3	8	4	10182	8024	RH-2	40	form-based		true	true	0.7	7	0.875	3	3	9503.200195	7345.200195	7345.200195	0.933333
6603	002	2925	0.07	2358	3	65	100	3	7	4	8775	6417	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8190	5832	5832	0.933333
6603	006	2040	0.05	1480	1	65	100	3	5	4	6120	4640	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5712	4232	4232	0.933333
6603	007	2040	0.05	3000	1	65	100	3	5	4	6120	3120	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5712	2712	2712	0.933333
6603	008	2040	0.05	1068	1	65	100	3	5	4	6120	5052	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5712	4644	4644	0.933333
6603	040	2872	0.07	1007	3	55	80	2.5	6	3	7180	6173	RH-2	40	form-based			true	0.7	6	1	3	3	8041.600098	7034.600098	7034.600098	1.12
6603	055	2538	0.06	2934	2	55	80	2.5	5	3	6345	3411	RH-2	40	form-based			true	0.7	5	1	3	3	7106.399902	4172.399902	4172.399902	1.12
6603	066	2538	0.06	2934	2	55	80	2.5	5	3	6345	3411	RH-2	40	form-based			true	0.7	5	1	3	3	7106.399902	4172.399902	4172.399902	1.12
6604	036	2846	0.07	756	1	55	80	2.5	6	5	7115	6359	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7968.799805	7212.799805	7212.799805	1.12
6604	042	1875	0.04	1907	1	55	80	2.5	3	2	4688	2781	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5250	3343	3343	1.119881
6604	043	1988	0.05	2554	1	55	80	2.5	4	3	4970	2416	RH-1	40	form-based			true	0.7	4	1	3	3	5566.399902	3012.399902	3012.399902	1.12
6604	044	1875	0.04	1573	1	55	80	2.5	3	2	4688	3115	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3677	3677	1.119881
6604	058	2414	0.06	1825	2	55	80	2.5	5	3	6035	4210	RH-2	40	form-based			true	0.7	5	1	3	3	6759.199707	4934.199707	4934.199707	1.12
6604	060	2287	0.05	1857	2	55	80	2.5	4	2	5718	3861	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6403.600098	4546.600098	4546.600098	1.119902
6605	001	1923	0.04	1925	1	55	80	2.5	3	2	4808	2883	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5384.399902	3459.399902	3459.399902	1.119884
6605	039	1923	0.04	1050	1	55	80	2.5	3	2	4808	3758	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5384.399902	4334.399902	4334.399902	1.119884
6605	040	1923	0.04	1050	1	55	80	2.5	3	2	4808	3758	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5384.399902	4334.399902	4334.399902	1.119884
6611	026	1690	0.04	1080	1	55	80	2.5	3	2	4225	3145	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4732	3652	3652	1.12
6612	001	2140	0.05	1538	1	65	100	3	5	4	6420	4882	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5992	4454	4454	0.933333
6612	002	2000	0.05	1315	1	65	100	3	5	4	6000	4685	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	4285	4285	0.933333
6612	003	2000	0.05	855	1	65	100	3	5	4	6000	5145	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	4745	4745	0.933333
6612	043	1916	0.04	1500	1	55	80	2.5	3	2	4790	3290	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5364.799805	3864.799805	3864.799805	1.12
6612	044	2850	0.07	1875	3	55	80	2.5	6	3	7125	5250	RH-2	40	form-based			true	0.7	6	1	3	3	7980	6105	6105	1.12
6613	002	1875	0.04	1215	1	65	100	3	4	3	5625	4410	RH-2	40	form-based			true	0.7	4	1	3	3	5250	4035	4035	0.933333
6613	028	2000	0.05	900	1	65	100	3	5	4	6000	5100	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	4700	4700	0.933333
6613	029	2000	0.05	1836	1	65	100	3	5	4	6000	4164	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3764	3764	0.933333
6613	030	2000	0.05	3313	1	65	100	3	5	4	6000	2687	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	2287	2287	0.933333
6613	039	2890	0.07	3800	3	65	100	3	7	4	8670	4870	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8092	4292	4292	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6613	040	2890	0.07	2968	3	65	100	3	7	4	8670	5702	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8092	5124	5124	0.933333
6613	046	2341	0.05	2000	2	65	100	3	5	3	7023	5023	RH-2	40	form-based			true	0.7	5	1	3	3	6554.799805	4554.799805	4554.799805	0.933333
6613	056	2255	0.05	1100	2	65	100	3	5	3	6765	5665	RH-2	40	form-based		true	true	0.7	5	1	3	3	6314	5214	5214	0.933333
6614	016A	2969	0.07	3623	5	65	100	3	7	2	8907	5284	RH-2	50	form-based			true	0.7	8	1.142857194	3	3	10391.5	6768.5	6768.5	1.166667
6615	035C	1428	0.03	912	1	65	100	3	3	2	4284	3372	RH-2	50	form-based			true	0.7	4	1.333333373	3	3	4998	4086	4086	1.166667
6615	051	920	0.02	3000	0	65	100	3	2	2	2760	0	RH-2	50	form-based			true	0.7	3	1.5	3	3	3220	220	220	1.166667
6616	002	1799	0.04	1850	1	65	100	3	4	3	5397	3547	RH-2	40	density-lim	1500			0.7	4	1	3	3	5037.199707	3187.199707	3187.199707	0.933333
6616	003	2485	0.06	1500	1	65	100	3	6	5	7455	5955	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6958	5458	5458	0.933333
6616	004	2402	0.06	1370	1	65	100	3	6	5	7206	5836	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6725.600098	5355.600098	5355.600098	0.933333
6616	007	1781	0.04	1194	1	65	100	3	4	3	5343	4149	RH-2	40	density-lim	1500			0.7	4	1	3	3	4986.799805	3792.799805	3792.799805	0.933333
6616	008	1551	0.04	1675	1	65	100	3	4	3	4653	2978	RH-2	40	density-lim	1500			0.7	4	1	3	3	4342.799805	2667.799805	2667.799805	0.933333
6616	013	2850	0.07	2310	1	65	100	3	7	6	8550	6240	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	5670	5670	0.933333
6616	016	2941	0.07	2236	1	65	100	3	7	6	8823	6587	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8234.799805	5998.799805	5998.799805	0.933333
6616	016A	2941	0.07	1413	1	65	100	3	7	6	8823	7410	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8234.799805	6821.799805	6821.799805	0.933333
6616	018	2941	0.07	1746	1	65	100	3	7	6	8823	7077	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8234.799805	6488.799805	6488.799805	0.933333
6616	021	2941	0.07	3871	1	65	100	3	7	6	8823	4952	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8234.799805	4363.799805	4363.799805	0.933333
6616	022	2941	0.07	1175	1	65	100	3	7	6	8823	7648	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8234.799805	7059.799805	7059.799805	0.933333
6616	023A	1854	0.04	2100	3	65	100	3	4	1	5562	3462	RH-2	40	density-lim	1500	true		0.7	6	1.5	3	3	5191.199707	3091.199707	3091.199707	0.933333
6616	026	2373	0.05	2529	1	65	100	3	5	4	7119	4590	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6644.399902	4115.399902	4115.399902	0.933333
6616	027	1900	0.04	1721	1	65	100	3	4	3	5700	3979	RH-2	40	density-lim	1500			0.7	4	1	3	3	5320	3599	3599	0.933333
6616	029	1903	0.04	2430	1	65	100	3	4	3	5709	3279	RH-2	40	density-lim	1500			0.7	4	1	3	3	5328.399902	2898.399902	2898.399902	0.933333
6616	030	1904	0.04	1836	1	65	100	3	4	3	5712	3876	RH-2	40	density-lim	1500			0.7	4	1	3	3	5331.199707	3495.199707	3495.199707	0.933333
6616	033	2945	0.07	1540	1	65	100	3	7	6	8835	7295	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8246	6706	6706	0.933333
6616	034	2945	0.07	2511	1	65	100	3	7	6	8835	6324	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8246	5735	5735	0.933333
6616	036	2946	0.07	2125	1	65	100	3	7	6	8838	6713	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8248.799805	6123.799805	6123.799805	0.933333
6616	037	2946	0.07	2987	1	65	100	3	7	6	8838	5851	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8248.799805	5261.799805	5261.799805	0.933333
6616	041	2946	0.07	1125	1	65	100	3	7	6	8838	7713	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8248.799805	7123.799805	7123.799805	0.933333
6616	044	2947	0.07	1275	1	65	100	3	7	6	8841	7566	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8251.599609	6976.599609	6976.599609	0.933333
6616	045	2970	0.07	1430	1	65	100	3	7	6	8910	7480	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8316	6886	6886	0.933333
6616	046	1551	0.04	1430	1	65	100	3	4	3	4653	3223	RH-2	40	density-lim	1500			0.7	4	1	3	3	4342.799805	2912.799805	2912.799805	0.933333
6617	030	3081	0.07	1125	1	65	100	3	7	6	9243	8118	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8626.799805	7501.799805	7501.799805	0.933333
6617	036	3075	0.07	888	1	65	100	3	7	6	9225	8337	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8610	7722	7722	0.933333
6618	019	2650	0.06	7644	7	85	140	4	8	1	10600	2956	NC-1	65	form-based		true	true	0.75	10	1.25	3	3	11925	4281	4281	1.125
6619	026	2929	0.07	4060	5	65	100	3	7	2	8787	4727	RH-2	50	form-based			true	0.7	8	1.142857194	3	3	10251.5	6191.5	6191.5	1.166667
6620	007	2625	0.06	3078	3	65	100	3	6	3	7875	4797	RH-2	40	form-based			true	0.7	6	1	3	3	7350	4272	4272	0.933333
6620	017	2850	0.07	1770	3	65	100	3	7	4	8550	6780	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	7980	6210	6210	0.933333
6620	022	2540	0.06	2700	2	65	100	3	6	4	7620	4920	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7112	4412	4412	0.933333
6620	025	2540	0.06	2338	2	65	100	3	6	4	7620	5282	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7112	4774	4774	0.933333
6620	027	3250	0.07	2800	4	65	100	3	7	3	9750	6950	RH-2	40	form-based			true	0.7	7	1	3	3	9100	6300	6300	0.933333
6620	028	3250	0.07	3030	4	65	100	3	7	3	9750	6720	RH-2	40	form-based			true	0.7	7	1	3	3	9100	6070	6070	0.933333
6620	035	2839	0.07	1961	3	65	100	3	7	4	8517	6556	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	7949.199707	5988.199707	5988.199707	0.933333
6621	022	2538	0.06	1600	2	55	80	2.5	5	3	6345	4745	RH-2	40	form-based			true	0.7	5	1	3	3	7106.399902	5506.399902	5506.399902	1.12
6621	024	2538	0.06	3068	2	55	80	2.5	5	3	6345	3277	RH-2	40	form-based			true	0.7	5	1	3	3	7106.399902	4038.399902	4038.399902	1.12
6621	029	2625	0.06	3100	3	55	80	2.5	5	2	6562	3462	RH-2	40	form-based			true	0.7	6	1.200000048	3	3	7350	4250	4250	1.120085
6621	045	7875	0.18	10033	14	55	80	2.5	14	0	19688	9655	RH-2	40	form-based			true	0.7	17	1.214285731	3	3	22050	12017	12017	1.119972
6630	002	2134	0.05	1917	1	65	100	3	5	4	6402	4485	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5975.199707	4058.199707	4058.199707	0.933333
6630	003	2000	0.05	1975	1	65	100	3	5	4	6000	4025	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3625	3625	0.933333
6630	004	2000	0.05	2036	1	65	100	3	5	4	6000	3964	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	3564	3564	0.933333
6630	024	1725	0.04	1344	1	55	80	2.5	3	2	4312	2968	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4830	3486	3486	1.12013
6630	031	2850	0.07	3405	3	55	80	2.5	6	3	7125	3720	RH-2	40	form-based			true	0.7	6	1	3	3	7980	4575	4575	1.12
6631	022	2250	0.05	3324	2	65	100	3	5	3	6750	3426	RH-2	40	form-based		true	true	0.7	5	1	3	3	6300	2976	2976	0.933333
6631	023	2411	0.06	1650	2	65	100	3	6	4	7233	5583	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6750.799805	5100.799805	5100.799805	0.933333
6631	024	2251	0.05	1632	2	65	100	3	5	3	6753	5121	RH-2	40	form-based			true	0.7	5	1	3	3	6302.799805	4670.799805	4670.799805	0.933333
6631	028	2856	0.07	2742	3	65	100	3	7	4	8568	5826	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	7996.799805	5254.799805	5254.799805	0.933333
6631	029	2856	0.07	3620	3	65	100	3	7	4	8568	4948	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	7996.799805	4376.799805	4376.799805	0.933333
6631	036	2854	0.07	1320	3	65	100	3	7	4	8562	7242	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	7991.199707	6671.199707	6671.199707	0.933333
6631	054	2853	0.07	929	3	65	100	3	7	4	8559	7630	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	7988.399902	7059.399902	7059.399902	0.933333
6632	035	2831	0.06	3660	5	65	100	3	6	1	8493	4833	RM-1	50	form-based			true	0.7	8	1.333333373	3	3	9908.5	6248.5	6248.5	1.166667
6632	102	1875	0.04	1175	2	85	140	4	6	4	7500	6325	RH-2	50	form-based			true	0.7	5	0.833333313	3	3	6562.5	5387.5	5387.5	0.875
6632	104	1835	0.04	1041	2	65	100	3	4	2	5505	4464	RM-1	50	form-based			true	0.7	5	1.25	3	3	6422.5	5381.5	5381.5	1.166667
6633	001A	1507	0.03	1475	1	65	100	3	3	2	4521	3046	RH-2	50	form-based			true	0.7	4	1.333333373	3	3	5274.5	3799.5	3799.5	1.166667
6634	008	2861	0.07	1145	1	65	100	3	7	6	8583	7438	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8010.799805	6865.799805	6865.799805	0.933333
6634	009	2861	0.07	2873	1	65	100	3	7	6	8583	5710	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8010.799805	5137.799805	5137.799805	0.933333
6634	010	2861	0.07	1100	1	65	100	3	7	6	8583	7483	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8010.799805	6910.799805	6910.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6634	013	2500	0.06	2420	1	65	100	3	6	5	7500	5080	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	4580	4580	0.933333
6634	014	2500	0.06	2740	1	65	100	3	6	5	7500	4760	RH-3	40	density-lim	1000			0.7	4	0.666666687	3	3	7000	4260	4260	0.933333
6634	018	1875	0.04	2094	1	65	100	3	4	3	5625	3531	RH-3	40	density-lim	1000			0.7	4	1	3	3	5250	3156	3156	0.933333
6634	028	2964	0.07	3997	1	65	100	3	7	6	8892	4895	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	8299.200195	4302.200195	4302.200195	0.933333
6634	040	2099	0.05	1412	3	65	100	3	5	2	6297	4885	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	3	3	5877.199707	4465.199707	4465.199707	0.933333
6635	045	3245	0.07	2483	2	65	100	3	7	5	9735	7252	NCD-MISS	40	density-lim	600			0.75	5	0.714285731	3	3	9735	7252	7252	1
6636	005	2345	0.05	1175	1	85	140	4	7	6	9380	8205	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	6566	5391	5391	0.7
6636	006	2109	0.05	2014	1	85	140	4	7	6	8436	6422	RH-3	40	density-lim	1000			0.7	4	0.571428597	3	3	5905.199707	3891.199707	3891.199707	0.7
6636	010	1913	0.04	1025	1	85	140	4	6	5	7652	6627	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	5356.399902	4331.399902	4331.399902	0.7
6636	013	2500	0.06	3266	1	85	140	4	8	7	10000	6734	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7000	3734	3734	0.7
6636	015	2500	0.06	1678	1	85	140	4	8	7	10000	8322	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7000	5322	5322	0.7
6636	016	2500	0.06	1069	1	85	140	4	8	7	10000	8931	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7000	5931	5931	0.7
6636	017	2500	0.06	1837	1	85	140	4	8	7	10000	8163	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7000	5163	5163	0.7
6636	021	2850	0.07	1838	1	85	140	4	10	9	11400	9562	RH-2	40	density-lim	1500			0.7	4	0.400000006	3	3	7980	6142	6142	0.7
6636	022	2541	0.06	1760	1	85	140	4	8	7	10164	8404	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7114.799805	5354.799805	5354.799805	0.7
6636	023	2541	0.06	3652	1	65	100	3	6	5	7623	3971	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7114.799805	3462.799805	3462.799805	0.933333
6636	024	1916	0.04	2374	1	65	100	3	4	3	5748	3374	RH-2	40	density-lim	1500			0.7	4	1	3	3	5364.799805	2990.799805	2990.799805	0.933333
6637	032	1304	0.03	1668	1	65	100	3	3	2	3912	2244	RM-1	50	form-based			true	0.7	4	1.333333373	3	3	4564	2896	2896	1.166667
6637	035	1808	0.04	2532	4	85	140	4	6	2	7232	4700	NC-1	65	form-based		true	true	0.75	7	1.166666627	3	3	8136	5604	5604	1.125
6637	036	4557	0.1	6736	10	65	100	3	10	0	13671	6935	RM-1	50	form-based			true	0.7	13	1.299999952	3	3	15949.5	9213.5	9213.5	1.166667
6637	038	4557	0.1	6736	10	65	100	3	10	0	13671	6935	RM-1	50	form-based			true	0.7	13	1.299999952	3	3	15949.5	9213.5	9213.5	1.166667
6637	039	4557	0.1	6736	10	85	140	4	14	4	18228	11492	RM-1	50	form-based			true	0.7	13	0.928571403	3	3	15949.5	9213.5	9213.5	0.875
6638	044	1110	0.03	1080	1	85	140	4	4	3	4440	3360	NC-1	65	form-based			true	0.75	4	1	3	3	4995	3915	3915	1.125
6639	009	2793	0.06	3248	3	65	100	3	6	3	8379	5131	RH-2	40	form-based		true	true	0.7	6	1	3	3	7820.399902	4572.399902	4572.399902	0.933333
6639	041	2863	0.07	2668	3	65	100	3	7	4	8589	5921	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8016.399902	5348.399902	5348.399902	0.933333
6639	049	1801	0.04	2800	1	65	100	3	4	3	5403	2603	RH-2	40	form-based		true	true	0.7	4	1	3	3	5042.799805	2242.799805	2242.799805	0.933333
6639	052	3420	0.08	765	4	65	100	3	8	4	10260	9495	RH-2	40	form-based			true	0.7	7	0.875	3	3	9576	8811	8811	0.933333
6640	006	2256	0.05	1547	2	55	80	2.5	4	2	5640	4093	RH-1(S)	40	form-based			true	0.7	5	1.25	3	3	6316.799805	4769.799805	4769.799805	1.12
6640	015	1923	0.04	1481	1	55	80	2.5	3	2	4808	3327	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5384.399902	3903.399902	3903.399902	1.119884
6651	002	2100	0.05	1254	1	65	100	3	5	4	6300	5046	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5880	4626	4626	0.933333
6651	003	2100	0.05	1173	1	65	100	3	5	4	6300	5127	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5880	4707	4707	0.933333
6651	004	2100	0.05	984	1	65	100	3	5	4	6300	5316	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5880	4896	4896	0.933333
6651	005	2100	0.05	1225	1	65	100	3	5	4	6300	5075	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5880	4655	4655	0.933333
6651	019	1900	0.04	800	1	55	80	2.5	3	2	4750	3950	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5320	4520	4520	1.12
6651	028	2136	0.05	520	1	55	80	2.5	4	3	5340	4820	RH-1	40	form-based			true	0.7	4	1	3	3	5980.799805	5460.799805	5460.799805	1.12
6651	030	2338	0.05	2636	2	55	80	2.5	4	2	5845	3209	RH-2	40	form-based			true	0.7	5	1.25	3	3	6546.399902	3910.399902	3910.399902	1.12
6652	005	2492	0.06	2150	2	65	100	3	6	4	7476	5326	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6977.600098	4827.600098	4827.600098	0.933333
6652	007	2000	0.05	1496	1	65	100	3	5	4	6000	4504	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	4104	4104	0.933333
6652	008	2000	0.05	1293	1	65	100	3	5	4	6000	4707	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	4307	4307	0.933333
6652	008A	2000	0.05	1406	1	65	100	3	5	4	6000	4594	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5600	4194	4194	0.933333
6652	013	1901	0.04	1350	1	65	100	3	4	3	5703	4353	RH-1	40	form-based			true	0.7	4	1	3	3	5322.799805	3972.799805	3972.799805	0.933333
6652	025A	2013	0.05	1417	1	65	100	3	5	4	6039	4622	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5636.399902	4219.399902	4219.399902	0.933333
6652	026	2475	0.06	4980	2	65	100	3	6	4	7425	2445	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6930	1950	1950	0.933333
6652	029	3750	0.09	3290	5	65	100	3	9	4	11250	7960	RH-2	40	form-based			true	0.7	8	0.888888896	3	3	10500	7210	7210	0.933333
6653	001A	1886	0.04	1708	1	65	100	3	4	3	5658	3950	RH-2	40	form-based			true	0.7	4	1	3	3	5280.799805	3572.799805	3572.799805	0.933333
6653	001B	1886	0.04	1665	1	65	100	3	4	3	5658	3993	RH-2	40	form-based			true	0.7	4	1	3	3	5280.799805	3615.799805	3615.799805	0.933333
6653	001C	1886	0.04	1665	1	65	100	3	4	3	5658	3993	RH-2	40	form-based			true	0.7	4	1	3	3	5280.799805	3615.799805	3615.799805	0.933333
6653	001D	1886	0.04	2100	1	65	100	3	4	3	5658	3558	RH-2	40	form-based			true	0.7	4	1	3	3	5280.799805	3180.799805	3180.799805	0.933333
6653	013	1963	0.05	1595	1	65	100	3	5	4	5889	4294	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5496.399902	3901.399902	3901.399902	0.933333
6653	014	1674	0.04	950	1	65	100	3	4	3	5022	4072	RH-2	40	form-based			true	0.7	4	1	3	3	4687.199707	3737.199707	3737.199707	0.933333
6653	014D	1192	0.03	0	0	65	100	3	3	3	3576	3576	RH-2	40	form-based			true	0.7	3	1	3	3	3337.599854	3337.599854	3337.599854	0.933333
6653	020	2018	0.05	1764	1	65	100	3	5	4	6054	4290	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5650.399902	3886.399902	3886.399902	0.933333
6653	038	1749	0.04	1216	1	65	100	3	4	3	5247	4031	RH-2	40	form-based			true	0.7	4	1	3	3	4897.199707	3681.199707	3681.199707	0.933333
6653	041	1982	0.05	1624	1	65	100	3	5	4	5946	4322	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5549.600098	3925.600098	3925.600098	0.933333
6653	051	2498	0.06	865	2	65	100	3	6	4	7494	6629	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6994.399902	6129.399902	6129.399902	0.933333
6653	053	2502	0.06	2468	2	65	100	3	6	4	7506	5038	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7005.600098	4537.600098	4537.600098	0.933333
6654	022	2120	0.05	1750	1	65	100	3	5	4	6360	4610	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5936	4186	4186	0.933333
6654	023	1676	0.04	1483	1	65	100	3	4	3	5028	3545	RH-2	40	form-based			true	0.7	4	1	3	3	4692.799805	3209.799805	3209.799805	0.933333
6654	026	2053	0.05	1676	1	65	100	3	5	4	6159	4483	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5748.399902	4072.399902	4072.399902	0.933333
6654	029	1982	0.05	1290	1	65	100	3	5	4	5946	4656	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5549.600098	4259.600098	4259.600098	0.933333
6654	030	2120	0.05	1785	1	65	100	3	5	4	6360	4575	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5936	4151	4151	0.933333
6654	031A	2310	0.05	2858	2	65	100	3	5	3	6930	4072	RH-2	40	form-based			true	0.7	5	1	3	3	6468	3610	3610	0.933333
6654	032	1838	0.04	1269	1	65	100	3	4	3	5514	4245	RH-2	40	form-based			true	0.7	4	1	3	3	5146.399902	3877.399902	3877.399902	0.933333
6654	033	1908	0.04	1450	1	65	100	3	4	3	5724	4274	RH-2	40	form-based		true	true	0.7	4	1	3	3	5342.399902	3892.399902	3892.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6654	053	1987	0.05	1750	1	65	100	3	5	4	5961	4211	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5563.600098	3813.600098	3813.600098	0.933333
6654	053B	1988	0.05	1784	1	65	100	3	5	4	5964	4180	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5566.399902	3782.399902	3782.399902	0.933333
6654	055	2287	0.05	2865	2	65	100	3	5	3	6861	3996	RH-2	40	form-based			true	0.7	5	1	3	3	6403.600098	3538.600098	3538.600098	0.933333
6654	060	2210	0.05	2420	2	65	100	3	5	3	6630	4210	RH-2	40	form-based			true	0.7	5	1	3	3	6188	3768	3768	0.933333
6654	081	2210	0.05	1147	2	65	100	3	5	3	6630	5483	RH-2	40	form-based			true	0.7	5	1	3	3	6188	5041	5041	0.933333
6655	025	2375	0.05	2350	2	65	100	3	5	3	7125	4775	RH-2	40	form-based			true	0.7	5	1	3	3	6650	4300	4300	0.933333
6655	041	3114	0.07	2982	4	65	100	3	7	3	9342	6360	RH-2	40	form-based			true	0.7	7	1	3	3	8719.200195	5737.200195	5737.200195	0.933333
6655	075	3125	0.07	1498	4	65	100	3	7	3	9375	7877	RH-2	40	form-based			true	0.7	7	1	3	3	8750	7252	7252	0.933333
6656	023	1875	0.04	1448	1	65	100	3	4	3	5625	4177	RH-2	40	form-based			true	0.7	4	1	3	3	5250	3802	3802	0.933333
6656	024	1875	0.04	1296	1	65	100	3	4	3	5625	4329	RH-2	40	form-based			true	0.7	4	1	3	3	5250	3954	3954	0.933333
6656	025	1875	0.04	2100	1	65	100	3	4	3	5625	3525	RH-2	40	form-based		true	true	0.7	4	1	3	3	5250	3150	3150	0.933333
6656	025A	1875	0.04	1540	1	65	100	3	4	3	5625	4085	RH-2	40	form-based			true	0.7	4	1	3	3	5250	3710	3710	0.933333
6656	038	3125	0.07	3160	4	65	100	3	7	3	9375	6215	RH-2	40	form-based			true	0.7	7	1	3	3	8750	5590	5590	0.933333
6656	051	2500	0.06	1900	2	85	140	4	8	6	10000	8100	RH-2	40	form-based			true	0.7	5	0.625	3	3	7000	5100	5100	0.7
6656	053	2850	0.07	2168	3	85	140	4	10	7	11400	9232	RH-2	40	form-based			true	0.7	6	0.600000024	3	3	7980	5812	5812	0.7
6656	057	2109	0.05	1653	1	85	140	4	7	6	8436	6783	RH-2	40	form-based			true	0.7	4	0.571428597	3	3	5905.199707	4252.199707	4252.199707	0.7
6656	060	2500	0.06	3535	2	65	100	3	6	4	7500	3965	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3465	3465	0.933333
6656	061	2500	0.06	2430	2	65	100	3	6	4	7500	5070	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4570	4570	0.933333
6657	012	2018	0.05	1390	1	65	100	3	5	4	6054	4664	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5650.399902	4260.399902	4260.399902	0.933333
6657	016	3320	0.08	3084	4	65	100	3	8	4	9960	6876	RH-2	40	form-based			true	0.7	7	0.875	3	3	9296	6212	6212	0.933333
6657	057	3238	0.07	3510	4	85	140	4	10	6	12952	9442	RH-2	40	form-based			true	0.7	7	0.699999988	3	3	9066.399414	5556.399414	5556.399414	0.7
6659	002	2682	0.06	1590	1	85	140	4	8	7	10728	9138	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7509.600098	5919.600098	5919.600098	0.7
6659	004	2193	0.05	2150	1	85	140	4	7	6	8772	6622	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6140.399902	3990.399902	3990.399902	0.7
6659	005	1948	0.04	1750	1	65	100	3	4	3	5844	4094	RH-2	40	density-lim	1500			0.7	4	1	3	3	5454.399902	3704.399902	3704.399902	0.933333
6659	007	1297	0.03	1516	1	65	100	3	3	2	3891	2375	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3631.599854	2115.599854	2115.599854	0.933333
6659	009	1005	0.02	811	1	65	100	3	2	1	3015	2204	RH-2	40	density-lim	1500			0.7	4	2	3	3	2814	2003	2003	0.933333
6659	011	1088	0.02	1564	1	85	140	4	3	2	4352	2788	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3046.399902	1482.399902	1482.399902	0.7
6659	011A	1553	0.04	3690	3	85	140	4	6	3	6212	2522	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	4348.399902	658.3999023	658.3999023	0.7
6659	012	2200	0.05	1840	1	85	140	4	7	6	8800	6960	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6160	4320	4320	0.7
6660	016	1682	0.04	0	0	65	100	3	4	4	5046	5046	NCD-MISSI	40	density-lim	600	true		0.75	3	0.75	3	3	5046	5046	5046	1
6660	024	1742	0.04	659	0	65	100	3	4	4	5226	4567	NCD-MISSI	40	density-lim	600	true		0.75	3	0.75	3	3	5226	4567	4567	1
6660	026	2215	0.05	736	1	65	100	3	5	4	6645	5909	NCD-MISSI	40	density-lim	600			0.75	4	0.800000012	3	3	6645	5909	5909	1
6660	031	2497	0.06	1896	1	65	100	3	6	5	7491	5595	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5095.600098	5095.600098	0.933333
6660	033	1824	0.04	840	1	65	100	3	4	3	5472	4632	RH-2	40	density-lim	1500			0.7	4	1	3	3	5107.199707	4267.199707	4267.199707	0.933333
6660	034	1850	0.04	2259	1	65	100	3	4	3	5550	3291	RH-2	40	density-lim	1500			0.7	4	1	3	3	5180	2921	2921	0.933333
6660	037	2019	0.05	900	1	65	100	3	5	4	6057	5157	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5653.199707	4753.199707	4753.199707	0.933333
6660	038	2578	0.06	2103	1	65	100	3	6	5	7734	5631	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7218.399902	5115.399902	5115.399902	0.933333
6660	039	2604	0.06	1321	1	65	100	3	6	5	7812	6491	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7291.199707	5970.199707	5970.199707	0.933333
6660	041	1751	0.04	1070	1	65	100	3	4	3	5253	4183	RH-2	40	density-lim	1500			0.7	4	1	3	3	4902.799805	3832.799805	3832.799805	0.933333
6660	044	3529	0.08	10988	3	65	100	3	8	5	10587	0	RH-2	40	density-lim	1500	true		0.7	6	0.75	3	3	9881.200195	0	0	0.933333
6660	045	1866	0.04	859	1	65	100	3	4	3	5598	4739	RH-2	40	density-lim	1500			0.7	4	1	3	3	5224.799805	4365.799805	4365.799805	0.933333
6660	045A	1770	0.04	1003	1	65	100	3	4	3	5310	4307	RH-2	40	density-lim	1500			0.7	4	1	3	3	4956	3953	3953	0.933333
6660	055	2706	0.06	1500	1	65	100	3	6	5	8118	6618	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7576.799805	6076.799805	6076.799805	0.933333
6662	010	2482	0.06	2334	2	65	100	3	6	4	7446	5112	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6949.600098	4615.600098	4615.600098	0.933333
6662	011	2270	0.05	2348	2	65	100	3	5	3	6810	4462	RH-2	40	form-based			true	0.7	5	1	3	3	6356	4008	4008	0.933333
6662	004	2666	0.06	3966	3	85	140	4	8	5	10664	6698	RH-2	40	form-based			true	0.7	6	0.75	3	3	7464.799805	3498.799805	3498.799805	0.7
6662	014	3244	0.07	3456	4	65	100	3	7	3	9732	6276	RH-2	40	form-based			true	0.7	7	1	3	3	9083.200195	5627.200195	5627.200195	0.933333
6662	017	2794	0.06	3750	3	65	100	3	6	3	8382	4632	RH-2	40	form-based			true	0.7	6	1	3	3	7823.199707	4073.199707	4073.199707	0.933333
6663	001B	1851	0.04	965	1	65	100	3	4	3	5553	4588	RH-2	40	form-based			true	0.7	4	1	3	3	5182.799805	4217.799805	4217.799805	0.933333
6663	002	2466	0.06	4698	2	65	100	3	6	4	7398	2700	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6904.799805	2206.799805	2206.799805	0.933333
6663	016	1765	0.04	1099	1	65	100	3	4	3	5295	4196	RH-2	40	form-based			true	0.7	4	1	3	3	4942	3843	3843	0.933333
6663	017	1765	0.04	2374	1	65	100	3	4	3	5295	2921	RH-2	40	form-based			true	0.7	4	1	3	3	4942	2568	2568	0.933333
6663	018	1764	0.04	862	1	65	100	3	4	3	5292	4430	RH-2	40	form-based			true	0.7	4	1	3	3	4939.199707	4077.199707	4077.199707	0.933333
6663	023	2065	0.05	1472	1	65	100	3	5	4	6195	4723	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5782	4310	4310	0.933333
6663	023A	1768	0.04	1454	1	65	100	3	4	3	5304	3850	RH-2	40	form-based			true	0.7	4	1	3	3	4950.399902	3496.399902	3496.399902	0.933333
6663	025	1750	0.04	987	1	65	100	3	4	3	5250	4263	RH-2	40	form-based			true	0.7	4	1	3	3	4900	3913	3913	0.933333
6663	040	2500	0.06	3050	2	65	100	3	6	4	7500	4450	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3950	3950	0.933333
6664	003	2128	0.05	1711	1	65	100	3	5	4	6384	4673	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5958.399902	4247.399902	4247.399902	0.933333
6664	004	2390	0.05	2400	2	65	100	3	5	3	7170	4770	RH-2	40	form-based			true	0.7	5	1	3	3	6692	4292	4292	0.933333
6664	006	2022	0.05	1065	1	65	100	3	5	4	6066	5001	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5661.600098	4596.600098	4596.600098	0.933333
6664	007	2027	0.05	500	1	65	100	3	5	4	6081	5581	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5675.600098	5175.600098	5175.600098	0.933333
6664	008	2033	0.05	1880	1	65	100	3	5	4	6099	4219	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5692.399902	3812.399902	3812.399902	0.933333
6664	013	2618	0.06	3190	2	65	100	3	6	4	7854	4664	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7330.399902	4140.399902	4140.399902	0.933333
6664	014	2493	0.06	3150	2	65	100	3	6	4	7479	4329	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	6980.399902	3830.399902	3830.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6664	037	1869	0.04	1687	1	65	100	3	4	3	5607	3920	RH-1	40	form-based			true	0.7	4	1	3	3	5233.199707	3546.199707	3546.199707	0.933333
6664	038	1869	0.04	1338	1	65	100	3	4	3	5607	4269	RH-1	40	form-based			true	0.7	4	1	3	3	5233.199707	3895.199707	3895.199707	0.933333
6664	039	1869	0.04	1775	1	65	100	3	4	3	5607	3832	RH-1	40	form-based		true	true	0.7	4	1	3	3	5233.199707	3458.199707	3458.199707	0.933333
6664	039A	1875	0.04	1338	1	65	100	3	4	3	5625	4287	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3912	3912	0.933333
6664	040	1875	0.04	1085	1	65	100	3	4	3	5625	4540	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4165	4165	0.933333
6664	040A	1875	0.04	1085	1	65	100	3	4	3	5625	4540	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4165	4165	0.933333
6664	041	1875	0.04	1338	1	65	100	3	4	3	5625	4287	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3912	3912	0.933333
6664	041A	1875	0.04	1338	1	65	100	3	4	3	5625	4287	RH-1	40	form-based		true	true	0.7	4	1	3	3	5250	3912	3912	0.933333
6664	050	2500	0.06	1789	2	65	100	3	6	4	7500	5711	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5211	5211	0.933333
6664	053A	2500	0.06	2229	2	65	100	3	6	4	7500	5271	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4771	4771	0.933333
6664	055	2500	0.06	2406	2	65	100	3	6	4	7500	5094	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4594	4594	0.933333
6664	062	2500	0.06	2762	2	65	100	3	6	4	7500	4738	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4238	4238	0.933333
6664	067	2500	0.06	760	2	65	100	3	6	4	7500	6740	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	6240	6240	0.933333
6664	070	2500	0.06	1507	2	65	100	3	6	4	7500	5993	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5493	5493	0.933333
6664	072	2500	0.06	1314	2	65	100	3	6	4	7500	6186	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5686	5686	0.933333
6664	074	2500	0.06	1003	2	65	100	3	6	4	7500	6497	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5997	5997	0.933333
6664	076	2500	0.06	1340	2	65	100	3	6	4	7500	6160	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5660	5660	0.933333
6664	078	2500	0.06	1975	2	65	100	3	6	4	7500	5525	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5025	5025	0.933333
6665	022A	1751	0.04	594	1	65	100	3	4	3	5253	4659	RH-1	40	form-based			true	0.7	4	1	3	3	4902.799805	4308.799805	4308.799805	0.933333
6665	023	1731	0.04	800	1	65	100	3	4	3	5193	4393	RH-1	40	form-based			true	0.7	4	1	3	3	4846.799805	4046.799805	4046.799805	0.933333
6665	023A	1726	0.04	1250	1	65	100	3	4	3	5178	3928	RH-1	40	form-based			true	0.7	4	1	3	3	4832.799805	3582.799805	3582.799805	0.933333
6665	023B	1729	0.04	1250	1	65	100	3	4	3	5187	3937	RH-1	40	form-based			true	0.7	4	1	3	3	4841.199707	3591.199707	3591.199707	0.933333
6665	023F	1910	0.04	2057	1	65	100	3	4	3	5730	3673	RH-2	40	form-based			true	0.7	4	1	3	3	5348	3291	3291	0.933333
6665	024	1723	0.04	1250	1	65	100	3	4	3	5169	3919	RH-1	40	form-based			true	0.7	4	1	3	3	4824.399902	3574.399902	3574.399902	0.933333
6665	024A	1667	0.04	1250	1	65	100	3	4	3	5001	3751	RH-1	40	form-based			true	0.7	4	1	3	3	4667.600098	3417.600098	3417.600098	0.933333
6665	025	2100	0.05	2355	1	65	100	3	5	4	6300	3945	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5880	3525	3525	0.933333
6665	028A	2383	0.05	2639	2	65	100	3	5	3	7149	4510	RH-2	40	form-based			true	0.7	5	1	3	3	6672.399902	4033.399902	4033.399902	0.933333
6683	004	2000	0.05	3122	1	65	100	3	5	4	6000	2878	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5600	2478	2478	0.933333
6665	091	1972	0.05	1002	1	65	100	3	5	4	5916	4914	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5521.600098	4519.600098	4519.600098	0.933333
6683	005	2000	0.05	2688	1	65	100	3	5	4	6000	3312	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5600	2912	2912	0.933333
6683	006	2000	0.05	1970	1	65	100	3	5	4	6000	4030	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5600	3630	3630	0.933333
6683	007	2000	0.05	2854	1	65	100	3	5	4	6000	3146	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5600	2746	2746	0.933333
6683	008	1979	0.05	2726	1	65	100	3	5	4	5937	3211	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5541.199707	2815.199707	2815.199707	0.933333
6683	009	1756	0.04	1798	1	65	100	3	4	3	5268	3470	RH-1	40	form-based		true	true	0.7	4	1	3	3	4916.799805	3118.799805	3118.799805	0.933333
6683	010	1869	0.04	2086	1	65	100	3	4	3	5607	3521	RH-1	40	form-based			true	0.7	4	1	3	3	5233.199707	3147.199707	3147.199707	0.933333
6683	012	2148	0.05	1695	2	65	100	3	5	3	6444	4749	RH-1	40	form-based			true	0.7	5	1	3	3	6014.399902	4319.399902	4319.399902	0.933333
6683	013	2033	0.05	2252	1	65	100	3	5	4	6099	3847	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5692.399902	3440.399902	3440.399902	0.933333
6683	014	1811	0.04	2766	1	65	100	3	4	3	5433	2667	RH-1	40	form-based		true	true	0.7	4	1	3	3	5070.799805	2304.799805	2304.799805	0.933333
6684	001	2047	0.05	1075	1	65	100	3	5	4	6141	5066	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5731.600098	4656.600098	4656.600098	0.933333
6684	002	2037	0.05	1620	1	65	100	3	5	4	6111	4491	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5703.600098	4083.600098	4083.600098	0.933333
6684	003	2026	0.05	704	1	65	100	3	5	4	6078	5374	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5672.799805	4968.799805	4968.799805	0.933333
6684	004	2015	0.05	2000	1	65	100	3	5	4	6045	4045	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5642	3642	3642	0.933333
6684	007	1941	0.04	1844	1	65	100	3	4	3	5823	3979	RH-2	40	form-based			true	0.7	4	1	3	3	5434.799805	3590.799805	3590.799805	0.933333
6684	008	1941	0.04	1394	1	65	100	3	4	3	5823	4429	RH-2	40	form-based			true	0.7	4	1	3	3	5434.799805	4040.799805	4040.799805	0.933333
6684	011A	2316	0.05	3480	2	65	100	3	5	3	6948	3468	RH-2	40	form-based			true	0.7	5	1	3	3	6484.799805	3004.799805	3004.799805	0.933333
6684	015	1765	0.04	1330	1	65	100	3	4	3	5295	3965	RH-2	40	form-based			true	0.7	4	1	3	3	4942	3612	3612	0.933333
6684	016	2138	0.05	1554	1	65	100	3	5	4	6414	4860	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5986.399902	4432.399902	4432.399902	0.933333
6684	022	2055	0.05	3376	1	65	100	3	5	4	6165	2789	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5754	2378	2378	0.933333
6684	023	2093	0.05	2486	1	65	100	3	5	4	6279	3793	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5860.399902	3374.399902	3374.399902	0.933333
6684	027	2299	0.05	1900	2	65	100	3	5	3	6897	4997	RH-2	40	form-based			true	0.7	5	1	3	3	6437.199707	4537.199707	4537.199707	0.933333
6684	028	2283	0.05	1952	2	65	100	3	5	3	6849	4897	RH-2	40	form-based			true	0.7	5	1	3	3	6392.399902	4440.399902	4440.399902	0.933333
6684	029	2272	0.05	1068	2	65	100	3	5	3	6816	5748	RH-1	40	form-based		true	true	0.7	5	1	3	3	6361.600098	5293.600098	5293.600098	0.933333
6685	009	2105	0.05	1920	1	65	100	3	5	4	6315	4395	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5894	3974	3974	0.933333
6685	010	2132	0.05	1930	1	65	100	3	5	4	6396	4466	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5969.600098	4039.600098	4039.600098	0.933333
6685	018	1899	0.04	946	1	65	100	3	4	3	5697	4751	RH-2	40	form-based			true	0.7	4	1	3	3	5317.199707	4371.199707	4371.199707	0.933333
6685	021	2081	0.05	1990	1	65	100	3	5	4	6243	4253	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5826.799805	3836.799805	3836.799805	0.933333
6685	027	1996	0.05	1966	1	65	100	3	5	4	5988	4022	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5588.799805	3622.799805	3622.799805	0.933333
6685	041	2321	0.05	881	2	65	100	3	5	3	6963	6082	RH-2	40	form-based			true	0.7	5	1	3	3	6498.799805	5617.799805	5617.799805	0.933333
6686	014	2317	0.05	1875	2	65	100	3	5	3	6951	5076	RH-2	40	form-based		true	true	0.7	5	1	3	3	6487.600098	4612.600098	4612.600098	0.933333
6686	018	2261	0.05	1848	2	65	100	3	5	3	6783	4935	RH-2	40	form-based			true	0.7	5	1	3	3	6330.799805	4482.799805	4482.799805	0.933333
6686	020A	1872	0.04	1150	1	65	100	3	4	3	5616	4466	RH-2	40	form-based		true	true	0.7	4	1	3	3	5241.600098	4091.600098	4091.600098	0.933333
6686	025	2130	0.05	1280	1	65	100	3	5	4	6390	5110	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5964	4684	4684	0.933333
6686	026	2334	0.05	2000	2	65	100	3	5	3	7002	5002	RH-2	40	form-based			true	0.7	5	1	3	3	6535.199707	4535.199707	4535.199707	0.933333
6686	041	1494	0.03	2359	0	65	100	3	3	3	4482	2123	RH-2	40	form-based			true	0.7	3	1	3	3	4183.199707	1824.199707	1824.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6686	042	1213	0.03	754	0	65	100	3	3	3	3639	2885	RH-2	40	form-based			true	0.7	3	1	3	3	3396.399902	2642.399902	2642.399902	0.933333
6687	005	2073	0.05	1340	1	65	100	3	5	4	6219	4879	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5804.399902	4464.399902	4464.399902	0.933333
6687	007	2029	0.05	1025	1	65	100	3	5	4	6087	5062	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5681.199707	4656.199707	4656.199707	0.933333
6687	008A	2511	0.06	1009	1	65	100	3	6	5	7533	6524	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7030.799805	6021.799805	6021.799805	0.933333
6688	013	2504	0.06	1500	1	65	100	3	6	5	7512	6012	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7011.199707	5511.199707	5511.199707	0.933333
6688	014	2506	0.06	1162	1	65	100	3	6	5	7518	6356	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7016.799805	5854.799805	5854.799805	0.933333
6688	015	3109	0.07	2876	1	65	100	3	7	6	9327	6451	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8705.200195	5829.200195	5829.200195	0.933333
6688	027	2908	0.07	1151	1	65	100	3	7	6	8724	7573	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8142.399902	6991.399902	6991.399902	0.933333
6688	028	2908	0.07	1225	1	65	100	3	7	6	8724	7499	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8142.399902	6917.399902	6917.399902	0.933333
6689	016	1253	0.03	2100	0	65	100	3	3	3	3759	1659	RH-2	40	form-based			true	0.7	3	1	3	3	3508.399902	1408.399902	1408.399902	0.933333
6689	017	1351	0.03	2038	0	65	100	3	3	3	4053	2015	RH-2	40	form-based			true	0.7	3	1	3	3	3782.800049	1744.800049	1744.800049	0.933333
6690	013	3053	0.07	2456	3	65	100	3	7	4	9159	6703	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8548.399414	6092.399414	6092.399414	0.933333
6690	037	2617	0.06	2176	2	65	100	3	6	4	7851	5675	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7327.600098	5151.600098	5151.600098	0.933333
6690	046	2141	0.05	2560	1	65	100	3	5	4	6423	3863	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5994.799805	3434.799805	3434.799805	0.933333
6690	052	2488	0.06	743	2	65	100	3	6	4	7464	6721	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6966.399902	6223.399902	6223.399902	0.933333
6691	003	2535	0.06	2200	0	65	100	3	6	6	7605	5405	NC-2	40	density-lim	800			0.75	3	0.5	3	3	7605	5405	5405	1
6691	004	2535	0.06	1556	0	65	100	3	6	6	7605	6049	NC-2	40	density-lim	800			0.75	3	0.5	3	3	7605	6049	6049	1
6691	010	2535	0.06	1064	1	65	100	3	6	5	7605	6541	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7098	6034	6034	0.933333
6691	011	2535	0.06	1107	1	65	100	3	6	5	7605	6498	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7098	5991	5991	0.933333
6691	012	2535	0.06	1420	1	65	100	3	6	5	7605	6185	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7098	5678	5678	0.933333
6691	013	2535	0.06	916	1	65	100	3	6	5	7605	6689	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7098	6182	6182	0.933333
6691	016	2535	0.06	2550	1	65	100	3	6	5	7605	5055	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7098	4548	4548	0.933333
6691	017	2535	0.06	1724	1	65	100	3	6	5	7605	5881	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7098	5374	5374	0.933333
6691	018	2535	0.06	1748	1	65	100	3	6	5	7605	5857	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7098	5350	5350	0.933333
6691	022	1216	0.03	1500	1	65	100	3	3	2	3648	2148	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3404.800049	1904.800049	1904.800049	0.933333
6691	030	2385	0.05	1864	1	65	100	3	5	4	7155	5291	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6678	4814	4814	0.933333
6691	031	2497	0.06	1330	1	65	100	3	6	5	7491	6161	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6991.600098	5661.600098	5661.600098	0.933333
6691	032	2494	0.06	1270	1	65	100	3	6	5	7482	6212	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6983.199707	5713.199707	5713.199707	0.933333
6691	033	2490	0.06	2419	1	65	100	3	6	5	7470	5051	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6972	4553	4553	0.933333
6691	035	2483	0.06	1244	1	65	100	3	6	5	7449	6205	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6952.399902	5708.399902	5708.399902	0.933333
6691	036	2480	0.06	1139	1	65	100	3	6	5	7440	6301	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6944	5805	5805	0.933333
6691	037	2477	0.06	2470	1	65	100	3	6	5	7431	4961	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6935.600098	4465.600098	4465.600098	0.933333
6691	039	2470	0.06	720	1	65	100	3	6	5	7410	6690	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6916	6196	6196	0.933333
6693	007	1739	0.04	1322	1	65	100	3	4	3	5217	3895	RH-2	40	form-based			true	0.7	4	1	3	3	4869.199707	3547.199707	3547.199707	0.933333
6693	008	1776	0.04	1167	1	65	100	3	4	3	5328	4161	RH-2	40	form-based			true	0.7	4	1	3	3	4972.799805	3805.799805	3805.799805	0.933333
6693	009	1813	0.04	1912	1	65	100	3	4	3	5439	3527	RH-2	40	form-based			true	0.7	4	1	3	3	5076.399902	3164.399902	3164.399902	0.933333
6693	012	1961	0.05	1295	1	65	100	3	5	4	5883	4588	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5490.799805	4195.799805	4195.799805	0.933333
6693	017	1750	0.04	1780	1	65	100	3	4	3	5250	3470	RH-2	40	form-based			true	0.7	4	1	3	3	4900	3120	3120	0.933333
6693	018	1747	0.04	1641	1	65	100	3	4	3	5241	3600	RH-2	40	form-based			true	0.7	4	1	3	3	4891.600098	3250.600098	3250.600098	0.933333
6693	019	1745	0.04	1325	1	65	100	3	4	3	5235	3910	RH-2	40	form-based			true	0.7	4	1	3	3	4886	3561	3561	0.933333
6693	020	1743	0.04	1600	1	65	100	3	4	3	5229	3629	RH-2	40	form-based			true	0.7	4	1	3	3	4880.399902	3280.399902	3280.399902	0.933333
6694	002	2510	0.06	2425	2	65	100	3	6	4	7530	5105	RH-2	40	form-based		true	true	0.7	5	0.833333313	3	3	7028	4603	4603	0.933333
6694	005	2500	0.06	1700	2	65	100	3	6	4	7500	5800	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5300	5300	0.933333
6694	026	2471	0.06	3014	2	65	100	3	6	4	7413	4399	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6918.799805	3904.799805	3904.799805	0.933333
6694	031	2471	0.06	3087	2	65	100	3	6	4	7413	4326	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6918.799805	3831.799805	3831.799805	0.933333
6694	032	2471	0.06	3000	2	65	100	3	6	4	7413	4413	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6918.799805	3918.799805	3918.799805	0.933333
6694	033	2471	0.06	2437	2	65	100	3	6	4	7413	4976	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6918.799805	4481.799805	4481.799805	0.933333
6694	035	2501	0.06	1503	2	65	100	3	6	4	7503	6000	RH-2	40	form-based		true	true	0.7	5	0.833333313	3	3	7002.799805	5499.799805	5499.799805	0.933333
6694	041	2500	0.06	1162	2	65	100	3	6	4	7500	6338	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5838	5838	0.933333
6695	001	1866	0.04	635	1	65	100	3	4	3	5598	4963	RH-1	40	form-based		true	true	0.7	4	1	3	3	5224.799805	4589.799805	4589.799805	0.933333
6695	002	1925	0.04	1222	1	65	100	3	4	3	5775	4553	RH-1	40	form-based			true	0.7	4	1	3	3	5390	4168	4168	0.933333
6695	010	2500	0.06	2700	2	65	100	3	6	4	7500	4800	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4300	4300	0.933333
6695	011	2500	0.06	2775	2	65	100	3	6	4	7500	4725	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4225	4225	0.933333
6695	015	2029	0.05	1195	1	65	100	3	5	4	6087	4892	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5681.199707	4486.199707	4486.199707	0.933333
6695	016	2029	0.05	1596	1	65	100	3	5	4	6087	4491	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5681.199707	4085.199707	4085.199707	0.933333
6695	017	2030	0.05	2050	1	65	100	3	5	4	6090	4040	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5684	3634	3634	0.933333
6695	018	2030	0.05	1259	1	65	100	3	5	4	6090	4831	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5684	4425	4425	0.933333
6695	028	2536	0.06	1772	2	65	100	3	6	4	7608	5836	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7100.799805	5328.799805	5328.799805	0.933333
6696	014	2596	0.06	2600	2	65	100	3	6	4	7788	5188	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7268.799805	4668.799805	4668.799805	0.933333
6696	018C	2113	0.05	1441	1	65	100	3	5	4	6339	4898	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5916.399902	4475.399902	4475.399902	0.933333
6696	018D	1875	0.04	1725	1	65	100	3	4	3	5625	3900	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3525	3525	0.933333
6696	023	2500	0.06	2275	2	65	100	3	6	4	7500	5225	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	4725	4725	0.933333
6696	026	1667	0.04	861	1	65	100	3	4	3	5001	4140	RH-1	40	form-based			true	0.7	4	1	3	3	4667.600098	3806.600098	3806.600098	0.933333
6696	027	1667	0.04	1056	1	65	100	3	4	3	5001	3945	RH-1	40	form-based			true	0.7	4	1	3	3	4667.600098	3611.600098	3611.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6700	001	2093	0.05	875	1	65	100	3	5	4	6279	5404	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5860.399902	4985.399902	4985.399902	0.933333
6700	037	1902	0.04	2024	1	65	100	3	4	3	5706	3682	RH-1	40	form-based		true	true	0.7	4	1	3	3	5325.600098	3301.600098	3301.600098	0.933333
6706	028A	1796	0.04	1845	1	65	100	3	4	3	5388	3543	RH-1	40	form-based			true	0.7	4	1	3	3	5028.799805	3183.799805	3183.799805	0.933333
6706	033	2032	0.05	1654	1	65	100	3	5	4	6096	4442	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5689.600098	4035.600098	4035.600098	0.933333
6706	060	1957	0.04	3074	1	65	100	3	4	3	5871	2797	RH-1	40	form-based			true	0.7	4	1	3	3	5479.600098	2405.600098	2405.600098	0.933333
6710	017	1929	0.04	2405	1	65	100	3	4	3	5787	3382	RH-1	40	form-based			true	0.7	4	1	3	3	5401.199707	2996.199707	2996.199707	0.933333
6710	029	2500	0.06	1456	2	65	100	3	6	4	7500	6044	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	5544	5544	0.933333
6710	031	1817	0.04	860	1	65	100	3	4	3	5451	4591	RH-1	40	form-based		true	true	0.7	4	1	3	3	5087.600098	4227.600098	4227.600098	0.933333
6712	007	2246	0.05	1512	2	65	100	3	5	3	6738	5226	RH-1	40	form-based		true	true	0.7	5	1	3	3	6288.799805	4776.799805	4776.799805	0.933333
6712	039	1864	0.04	2597	1	65	100	3	4	3	5592	2995	RH-1	40	form-based			true	0.7	4	1	3	3	5219.199707	2622.199707	2622.199707	0.933333
6712	042	2014	0.05	1012	1	65	100	3	5	4	6042	5030	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5639.199707	4627.199707	4627.199707	0.933333
6712	047	1953	0.04	1407	1	65	100	3	4	3	5859	4452	RH-1	40	form-based		true	true	0.7	4	1	3	3	5468.399902	4061.399902	4061.399902	0.933333
6713	002	1790	0.04	2028	1	65	100	3	4	3	5370	3342	RH-1	40	form-based			true	0.7	4	1	3	3	5012	2984	2984	0.933333
6717	018	2044	0.05	750	1	75	120	3.5	6	5	7154	6404	RH-2	40	form-based			true	0.7	4	0.666666687	3	3	5723.199707	4973.199707	4973.199707	0.8
6717	022	1882	0.04	880	1	65	100	3	4	3	5646	4766	RH-1	40	form-based			true	0.7	4	1	3	3	5269.600098	4389.600098	4389.600098	0.933333
6718	013	2500	0.06	2200	2	65	100	3	6	4	7500	5300	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4800	4800	0.933333
6718	014A	1876	0.04	862	1	65	100	3	4	3	5628	4766	RH-2	40	form-based			true	0.7	4	1	3	3	5252.799805	4390.799805	4390.799805	0.933333
6718	014B	1876	0.04	1210	1	65	100	3	4	3	5628	4418	RH-2	40	form-based			true	0.7	4	1	3	3	5252.799805	4042.799805	4042.799805	0.933333
6718	014C	1877	0.04	1000	1	75	120	3.5	5	4	6570	5570	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5255.600098	4255.600098	4255.600098	0.799939
6718	017	3000	0.07	1994	3	65	100	3	7	4	9000	7006	RH-2	40	form-based			true	0.7	6	0.857142866	3	3	8400	6406	6406	0.933333
6718	018	2500	0.06	2135	2	65	100	3	6	4	7500	5365	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4865	4865	0.933333
6718	020	2500	0.06	3861	2	65	100	3	6	4	7500	3639	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3139	3139	0.933333
6718	021	2500	0.06	3160	2	65	100	3	6	4	7500	4340	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3840	3840	0.933333
6718	026	2350	0.05	2946	2	65	100	3	5	3	7050	4104	RH-2	40	form-based			true	0.7	5	1	3	3	6580	3634	3634	0.933333
6718	027	2350	0.05	2550	2	65	100	3	5	3	7050	4500	RH-2	40	form-based			true	0.7	5	1	3	3	6580	4030	4030	0.933333
6718	033	2498	0.06	3272	2	65	100	3	6	4	7494	4222	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6994.399902	3722.399902	3722.399902	0.933333
6718	034	2344	0.05	999	2	65	100	3	5	3	7032	6033	RH-2	40	form-based			true	0.7	5	1	3	3	6563.199707	5564.199707	5564.199707	0.933333
6718	038	2498	0.06	1292	2	65	100	3	6	4	7494	6202	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6994.399902	5702.399902	5702.399902	0.933333
6719	003	3065	0.07	3534	3	65	100	3	7	4	9195	5661	RH-2	40	form-based		true	true	0.7	6	0.857142866	3	3	8582	5048	5048	0.933333
6719	008	2512	0.06	1535	2	65	100	3	6	4	7536	6001	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7033.600098	5498.600098	5498.600098	0.933333
6719	010	2175	0.05	2708	2	65	100	3	5	3	6525	3817	RH-2	40	form-based			true	0.7	5	1	3	3	6090	3382	3382	0.933333
6721	009	2811	0.06	1260	1	65	100	3	6	5	8433	7173	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7870.799805	6610.799805	6610.799805	0.933333
6721	011	2364	0.05	1124	1	65	100	3	5	4	7092	5968	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6619.199707	5495.199707	5495.199707	0.933333
6721	012	2598	0.06	1360	1	65	100	3	6	5	7794	6434	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7274.399902	5914.399902	5914.399902	0.933333
6722	001	2102	0.05	2887	3	65	100	3	5	2	6306	3419	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	3	3	5885.600098	2998.600098	2998.600098	0.933333
6722	002	1635	0.04	1160	1	65	100	3	4	3	4905	3745	RH-1	40	density-lim	3000			0.7	4	1	3	3	4578	3418	3418	0.933333
6722	002A	3059	0.07	2000	1	65	100	3	7	6	9177	7177	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8565.200195	6565.200195	6565.200195	0.933333
6722	003	2510	0.06	1275	1	65	100	3	6	5	7530	6255	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7028	5753	5753	0.933333
6722	004	2912	0.07	1445	1	65	100	3	7	6	8736	7291	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8153.600098	6708.600098	6708.600098	0.933333
6722	005	2619	0.06	1506	1	65	100	3	6	5	7857	6351	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7333.199707	5827.199707	5827.199707	0.933333
6722	006	2614	0.06	1646	1	65	100	3	6	5	7842	6196	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7319.199707	5673.199707	5673.199707	0.933333
6722	007	2609	0.06	1356	1	65	100	3	6	5	7827	6471	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7305.199707	5949.199707	5949.199707	0.933333
6722	008	2605	0.06	1500	1	65	100	3	6	5	7815	6315	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7294	5794	5794	0.933333
6722	010	1875	0.04	1329	1	65	100	3	4	3	5625	4296	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3921	3921	0.933333
6722	011	1875	0.04	1502	1	65	100	3	4	3	5625	4123	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	3748	3748	0.933333
6722	013	2500	0.06	1845	1	65	100	3	6	5	7500	5655	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5155	5155	0.933333
6722	015	1250	0.03	1175	1	65	100	3	3	2	3750	2575	RH-2	40	density-lim	1500			0.7	4	1.333333373	3	3	3500	2325	2325	0.933333
6722	016	1250	0.03	1400	1	65	100	3	3	2	3750	2350	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3500	2100	2100	0.933333
6722	016A	1250	0.03	1456	1	65	100	3	3	2	3750	2294	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3500	2044	2044	0.933333
6722	017	2500	0.06	1394	1	65	100	3	6	5	7500	6106	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5606	5606	0.933333
6722	018	2500	0.06	3230	1	65	100	3	6	5	7500	4270	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	3770	3770	0.933333
6722	019	2500	0.06	925	1	65	100	3	6	5	7500	6575	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6075	6075	0.933333
6722	020	2756	0.06	1900	1	65	100	3	6	5	8268	6368	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7716.799805	5816.799805	5816.799805	0.933333
6722	021	2244	0.05	880	1	65	100	3	5	4	6732	5852	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6283.199707	5403.199707	5403.199707	0.933333
6722	022	3528	0.08	2000	1	65	100	3	8	7	10584	8584	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9878.399414	7878.399414	7878.399414	0.933333
6722	025	1932	0.04	825	1	65	100	3	4	3	5796	4971	RH-1	40	density-lim	3000			0.7	4	1	3	3	5409.600098	4584.600098	4584.600098	0.933333
6722	026	1886	0.04	1558	1	65	100	3	4	3	5658	4100	RH-1	40	density-lim	3000			0.7	4	1	3	3	5280.799805	3722.799805	3722.799805	0.933333
6722	027	1513	0.03	1138	1	65	100	3	3	2	4539	3401	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4236.399902	3098.399902	3098.399902	0.933333
6722	028	2633	0.06	1592	1	65	100	3	6	5	7899	6307	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7372.399902	5780.399902	5780.399902	0.933333
6722	030	2500	0.06	3081	1	65	100	3	6	5	7500	4419	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	3919	3919	0.933333
6722	033	3125	0.07	2050	1	65	100	3	7	6	9375	7325	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8750	6700	6700	0.933333
6722	037	2850	0.07	2078	1	65	100	3	7	6	8550	6472	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7980	5902	5902	0.933333
6722	038	2375	0.05	1500	1	65	100	3	5	4	7125	5625	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6650	5150	5150	0.933333
6723	002	2451	0.06	1260	1	65	100	3	6	5	7353	6093	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6862.799805	5602.799805	5602.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6723	003	2500	0.06	1310	1	65	100	3	6	5	7500	6190	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5690	5690	0.933333
6723	004	2500	0.06	980	1	65	100	3	6	5	7500	6520	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6020	6020	0.933333
6723	008	2500	0.06	1064	1	75	120	3.5	7	6	8750	7686	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5936	5936	0.8
6723	009	2500	0.06	1130	1	75	120	3.5	7	6	8750	7620	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5870	5870	0.8
6723	010	2500	0.06	850	1	75	120	3.5	7	6	8750	7900	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6150	6150	0.8
6723	011	2500	0.06	2984	3	65	100	3	6	3	7500	4516	RH-2	40	density-lim	1500	true		0.7	6	1	3	3	7000	4016	4016	0.933333
6723	014	2500	0.06	2170	1	75	120	3.5	7	6	8750	6580	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	4830	4830	0.8
6723	015	1674	0.04	866	1	75	120	3.5	5	4	5859	4993	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4687.199707	3821.199707	3821.199707	0.8
6723	016	1875	0.04	828	1	75	120	3.5	5	4	6562	5734	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5250	4422	4422	0.800061
6723	017	1875	0.04	828	1	75	120	3.5	5	4	6562	5734	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5250	4422	4422	0.800061
6723	018A	2433	0.06	1080	1	75	120	3.5	7	6	8516	7436	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6812.399902	5732.399902	5732.399902	0.799953
6723	019	2433	0.06	1570	1	75	120	3.5	7	6	8516	6946	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6812.399902	5242.399902	5242.399902	0.799953
6723	020	2433	0.06	2183	1	75	120	3.5	7	6	8516	6333	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6812.399902	4629.399902	4629.399902	0.799953
6723	021	2433	0.06	1187	1	75	120	3.5	7	6	8516	7329	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6812.399902	5625.399902	5625.399902	0.799953
6723	022	2433	0.06	1332	1	75	120	3.5	7	6	8516	7184	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6812.399902	5480.399902	5480.399902	0.799953
6723	023	2433	0.06	1370	1	75	120	3.5	7	6	8516	7146	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6812.399902	5442.399902	5442.399902	0.799953
6723	024	2433	0.06	1363	1	75	120	3.5	7	6	8516	7153	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6812.399902	5449.399902	5449.399902	0.799953
6723	028	3600	0.08	1580	1	75	120	3.5	10	9	12600	11020	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	10080	8500	8500	0.8
6723	029	2650	0.06	2690	1	75	120	3.5	7	6	9275	6585	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7420	4730	4730	0.8
6724	003	1600	0.04	2140	1	75	120	3.5	5	4	5600	3460	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4480	2340	2340	0.8
6724	004	1600	0.04	2140	1	75	120	3.5	5	4	5600	3460	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4480	2340	2340	0.8
6724	005	1600	0.04	2140	1	75	120	3.5	5	4	5600	3460	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4480	2340	2340	0.8
6724	006	2400	0.06	2140	1	75	120	3.5	7	6	8400	6260	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6720	4580	4580	0.8
6724	007	2400	0.06	2140	1	75	120	3.5	7	6	8400	6260	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6720	4580	4580	0.8
6724	008	1600	0.04	2140	1	75	120	3.5	5	4	5600	3460	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4480	2340	2340	0.8
6724	009	1600	0.04	2140	1	75	120	3.5	5	4	5600	3460	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4480	2340	2340	0.8
6724	010	1600	0.04	2140	1	75	120	3.5	5	4	5600	3460	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4480	2340	2340	0.8
6724	011	1600	0.04	2140	1	75	120	3.5	5	4	5600	3460	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4480	2340	2340	0.8
6724	013	1440	0.03	2134	1	75	120	3.5	4	3	5040	2906	RH-2	40	density-lim	1500			0.7	4	1	3	3	4032	1898	1898	0.8
6724	014	1394	0.03	1698	1	75	120	3.5	4	3	4879	3181	RH-2	40	density-lim	1500			0.7	4	1	3	3	3903.199951	2205.199951	2205.199951	0.8
6724	015	1136	0.03	2134	1	75	120	3.5	4	3	3976	1842	RH-2	40	density-lim	1500			0.7	4	1	3	3	3180.800049	1046.800049	1046.800049	0.8
6724	016	1147	0.03	2134	1	75	120	3.5	4	3	4014	1880	RH-2	40	density-lim	1500			0.7	4	1	3	3	3211.599854	1077.599854	1077.599854	0.8001
6724	018	1600	0.04	2140	1	75	120	3.5	5	4	5600	3460	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4480	2340	2340	0.8
6724	019	1600	0.04	2140	1	75	120	3.5	5	4	5600	3460	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4480	2340	2340	0.8
6724	020	1600	0.04	2140	1	75	120	3.5	5	4	5600	3460	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4480	2340	2340	0.8
6724	021	2400	0.06	1630	1	75	120	3.5	7	6	8400	6770	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6720	5090	5090	0.8
6724	023	1513	0.03	2150	1	75	120	3.5	4	3	5296	3146	RH-2	40	density-lim	1500			0.7	4	1	3	3	4236.399902	2086.399902	2086.399902	0.799924
6724	024	1705	0.04	2150	1	75	120	3.5	5	4	5968	3818	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4774	2624	2624	0.799933
6724	025	1898	0.04	2150	1	75	120	3.5	5	4	6643	4493	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5314.399902	3164.399902	3164.399902	0.8
6724	026	1715	0.04	2150	1	75	120	3.5	5	4	6002	3852	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4802	2652	2652	0.800067
6724	027	1795	0.04	2150	1	75	120	3.5	5	4	6282	4132	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5026	2876	2876	0.800064
6726	012	2025	0.05	1280	1	75	120	3.5	6	5	7088	5808	RH-2	40	form-based			true	0.7	4	0.666666687	3	3	5670	4390	4390	0.799944
6726	022	2250	0.05	2954	3	75	120	3.5	6	3	7875	4921	RH-2	50	form-based			true	0.7	6	1	3	3	7875	4921	4921	1
6726	043	2508	0.06	2256	2	75	120	3.5	7	5	8778	6522	RH-2	40	form-based			true	0.7	5	0.714285731	3	3	7022.399902	4766.399902	4766.399902	0.8
6726	046	1824	0.04	857	1	75	120	3.5	5	4	6384	5527	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5107.199707	4250.199707	4250.199707	0.8
6726	047	1976	0.05	1845	1	75	120	3.5	6	5	6916	5071	RH-2	40	form-based		true	true	0.7	4	0.666666687	3	3	5532.799805	3687.799805	3687.799805	0.8
6726	053	1875	0.04	661	1	75	120	3.5	5	4	6562	5901	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5250	4589	4589	0.800061
6727	001	2017	0.05	1910	1	75	120	3.5	6	5	7060	5150	RH-1	40	form-based		true	true	0.7	4	0.666666687	3	3	5647.600098	3737.600098	3737.600098	0.799943
6727	001A	2075	0.05	1184	1	75	120	3.5	6	5	7262	6078	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5810	4626	4626	0.800055
6727	002	2075	0.05	1055	1	75	120	3.5	6	5	7262	6207	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5810	4755	4755	0.800055
6727	002A	2075	0.05	700	1	75	120	3.5	6	5	7262	6562	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5810	5110	5110	0.800055
6727	010	2500	0.06	1700	2	75	120	3.5	7	5	8750	7050	RH-2	40	form-based			true	0.7	5	0.714285731	3	3	7000	5300	5300	0.8
6727	024A	1500	0.03	1025	1	75	120	3.5	4	3	5250	4225	RH-1	50	form-based			true	0.7	4	1	3	3	5250	4225	4225	1
6727	025	1500	0.03	983	1	75	120	3.5	4	3	5250	4267	RH-1	50	form-based			true	0.7	4	1	3	3	5250	4267	4267	1
6727	044	1875	0.04	1170	1	75	120	3.5	5	4	6562	5392	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5250	4080	4080	0.800061
6728	022B	1757	0.04	1543	2	75	120	3.5	5	3	6150	4607	RH-1	50	form-based			true	0.7	5	1	3	3	6149.5	4606.5	4606.5	0.999919
6729	006	2173	0.05	1325	2	75	120	3.5	6	4	7606	6281	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	6084.399902	4759.399902	4759.399902	0.799947
6729	007	2305	0.05	2825	2	75	120	3.5	6	4	8068	5243	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	6454	3629	3629	0.79995
6729	008	2070	0.05	1187	1	75	120	3.5	6	5	7245	6058	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5796	4609	4609	0.8
6729	009	2108	0.05	1465	1	75	120	3.5	6	5	7378	5913	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5902.399902	4437.399902	4437.399902	0.8
6729	014	2064	0.05	1748	1	75	120	3.5	6	5	7224	5476	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5779.199707	4031.199707	4031.199707	0.8
6729	017	1960	0.04	1700	1	75	120	3.5	5	4	6860	5160	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5488	3788	3788	0.8
6729	018	1925	0.04	1189	1	75	120	3.5	5	4	6738	5549	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5390	4201	4201	0.799941
6729	022	2113	0.05	2160	1	75	120	3.5	6	5	7396	5236	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5916.399902	3756.399902	3756.399902	0.799946

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6729	047	2165	0.05	2064	3	75	120	3.5	6	3	7578	5514	RH-1	50	form-based			true	0.7	6	1	3	3	7577.5	5513.5	5513.5	0.999934
6730	031	2508	0.06	1400	2	75	120	3.5	7	5	8778	7378	RH-1	40	form-based			true	0.7	5	0.714285731	3	3	7022.399902	5622.399902	5622.399902	0.8
6731	002	2594	0.06	2333	2	65	100	3	6	4	7782	5449	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7263.199707	4930.199707	4930.199707	0.933333
6731	018	2050	0.05	903	1	75	120	3.5	6	5	7175	6272	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5740	4837	4837	0.8
6731	019	1946	0.04	2026	1	65	100	3	4	3	5838	3812	RH-1	40	form-based			true	0.7	4	1	3	3	5448.799805	3422.799805	3422.799805	0.933333
6731	020	1955	0.04	2145	1	65	100	3	4	3	5865	3720	RH-1	40	form-based			true	0.7	4	1	3	3	5474	3329	3329	0.933333
6731	021	1964	0.05	973	1	65	100	3	5	4	5892	4919	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5499.199707	4526.199707	4526.199707	0.933333
6731	022	1973	0.05	750	1	65	100	3	5	4	5919	5169	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5524.399902	4774.399902	4774.399902	0.933333
6731	023	1976	0.05	993	1	65	100	3	5	4	5928	4935	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5532.799805	4539.799805	4539.799805	0.933333
6731	024	1849	0.04	950	1	65	100	3	4	3	5547	4597	RH-1	40	form-based			true	0.7	4	1	3	3	5177.199707	4227.199707	4227.199707	0.933333
6731	025	2011	0.05	950	1	65	100	3	5	4	6033	5083	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5630.799805	4680.799805	4680.799805	0.933333
6731	026	2127	0.05	1164	1	65	100	3	5	4	6381	5217	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5955.600098	4791.600098	4791.600098	0.933333
6731	044	1857	0.04	1950	1	65	100	3	4	3	5571	3621	RH-1	40	form-based			true	0.7	4	1	3	3	5199.600098	3249.600098	3249.600098	0.933333
6731	045	1881	0.04	1112	1	65	100	3	4	3	5643	4531	RH-1	40	form-based			true	0.7	4	1	3	3	5266.799805	4154.799805	4154.799805	0.933333
6731	046	1905	0.04	1215	1	65	100	3	4	3	5715	4500	RH-1	40	form-based			true	0.7	4	1	3	3	5334	4119	4119	0.933333
6732	030	1768	0.04	900	1	65	100	3	4	3	5304	4404	RH-1	40	form-based			true	0.7	4	1	3	3	4950.399902	4050.399902	4050.399902	0.933333
6732	027	2304	0.05	1506	2	65	100	3	5	3	6912	5406	RH-1	40	form-based			true	0.7	5	1	3	3	6451.199707	4945.199707	4945.199707	0.933333
6732	028	2125	0.05	1215	1	65	100	3	5	4	6375	5160	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5950	4735	4735	0.933333
6732	029	1947	0.04	1621	1	65	100	3	4	3	5841	4220	RH-1	40	form-based			true	0.7	4	1	3	3	5451.600098	3830.600098	3830.600098	0.933333
6732	038	2489	0.06	1928	2	65	100	3	6	4	7467	5539	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	6969.199707	5041.199707	5041.199707	0.933333
6733A	003	1871	0.04	2406	1	65	100	3	4	3	5613	3207	RH-1	40	form-based			true	0.7	4	1	3	3	5238.799805	2832.799805	2832.799805	0.933333
6733A	004	2139	0.05	1675	1	65	100	3	5	4	6417	4742	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5989.199707	4314.199707	4314.199707	0.933333
6733A	005J	2075	0.05	1115	1	65	100	3	5	4	6225	5110	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5810	4695	4695	0.933333
6733A	005K	1836	0.04	940	1	65	100	3	4	3	5508	4568	RH-1	40	form-based			true	0.7	4	1	3	3	5140.799805	4200.799805	4200.799805	0.933333
6733A	005L	1970	0.05	900	1	65	100	3	5	4	5910	5010	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5516	4616	4616	0.933333
6733A	005M	1728	0.04	900	1	65	100	3	4	3	5184	4284	RH-1	40	form-based			true	0.7	4	1	3	3	4838.399902	3938.399902	3938.399902	0.933333
6733A	026	1905	0.04	1218	1	65	100	3	4	3	5715	4497	RH-1	40	form-based		true	true	0.7	4	1	3	3	5334	4116	4116	0.933333
6733A	027	1998	0.05	1248	1	65	100	3	5	4	5994	4746	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5594.399902	4346.399902	4346.399902	0.933333
6733A	028	1998	0.05	1588	1	65	100	3	5	4	5994	4406	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5594.399902	4006.399902	4006.399902	0.933333
6733A	029	1850	0.04	1888	1	65	100	3	4	3	5550	3662	RH-1	40	form-based			true	0.7	4	1	3	3	5180	3292	3292	0.933333
6733A	030	1850	0.04	2049	1	65	100	3	4	3	5550	3501	RH-1	40	form-based			true	0.7	4	1	3	3	5180	3131	3131	0.933333
6733A	031	1840	0.04	1847	1	65	100	3	4	3	5520	3673	RH-1	40	form-based			true	0.7	4	1	3	3	5152	3305	3305	0.933333
6733A	033	2043	0.05	1188	1	65	100	3	5	4	6129	4941	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5720.399902	4532.399902	4532.399902	0.933333
6734	011	2217	0.05	1050	2	65	100	3	5	3	6651	5601	RH-1	40	form-based			true	0.7	5	1	3	3	6207.600098	5157.600098	5157.600098	0.933333
6734	016	1875	0.04	925	1	65	100	3	4	3	5625	4700	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4325	4325	0.933333
6734	017	1875	0.04	950	1	65	100	3	4	3	5625	4675	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4300	4300	0.933333
6735	062	1801	0.04	1575	1	65	100	3	4	3	5403	3828	RH-1	40	form-based			true	0.7	4	1	3	3	5042.799805	3467.799805	3467.799805	0.933333
6735	045	1801	0.04	1155	1	65	100	3	4	3	5403	4248	RH-1	40	form-based			true	0.7	4	1	3	3	5042.799805	3887.799805	3887.799805	0.933333
6735	046	1801	0.04	2462	1	65	100	3	4	3	5403	2941	RH-1	40	form-based			true	0.7	4	1	3	3	5042.799805	2580.799805	2580.799805	0.933333
6735	047	1900	0.04	936	1	65	100	3	4	3	5700	4764	RH-1	40	form-based			true	0.7	4	1	3	3	5320	4384	4384	0.933333
6735	063	1790	0.04	2029	1	65	100	3	4	3	5370	3341	RH-1	40	form-based			true	0.7	4	1	3	3	5012	2983	2983	0.933333
6736	015	2500	0.06	1290	1	65	100	3	6	5	7500	6210	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5710	5710	0.933333
6736	027	1762	0.04	770	1	75	120	3.5	5	4	6167	5397	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	4933.600098	4163.600098	4163.600098	0.8
6736	031	2852	0.07	2763	1	75	120	3.5	8	7	9982	7219	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7985.600098	5222.600098	5222.600098	0.8
6740	007	1488	0.03	860	1	75	120	3.5	4	3	5208	4348	RH-2	50	form-based			true	0.7	4	1	3	3	5208	4348	4348	1
6740	014B	1387	0.03	1631	1	75	120	3.5	4	3	4854	3223	RH-2	50	form-based			true	0.7	4	1	3	3	4854.5	3223.5	3223.5	1.000103
6740	016	1877	0.04	2450	2	75	120	3.5	5	3	6570	4120	RH-2	50	form-based			true	0.7	5	1	3	3	6569.5	4119.5	4119.5	0.999924
6740	023	1254	0.03	600	1	75	120	3.5	4	3	4389	3789	RH-2	50	form-based			true	0.7	4	1	3	3	4389	3789	3789	1
6741	034	1930	0.04	1196	2	75	120	3.5	5	3	6755	5559	RH-2	50	form-based			true	0.7	5	1	3	3	6755	5559	5559	1
6741	008	1357	0.03	1516	1	75	120	3.5	4	3	4750	3234	RH-2	50	form-based			true	0.7	4	1	3	3	4749.5	3233.5	3233.5	0.999895
6741	009	1323	0.03	975	1	75	120	3.5	4	3	4630	3655	RH-2	50	form-based			true	0.7	4	1	3	3	4630.5	3655.5	3655.5	1.000108
6741	009A	1276	0.03	872	1	75	120	3.5	4	3	4466	3594	RH-2	50	form-based			true	0.7	4	1	3	3	4466	3594	3594	1
6741	025	1486	0.03	2766	1	75	120	3.5	4	3	5201	2435	RH-2	50	form-based			true	0.7	4	1	3	3	5201	2435	2435	1
6747	017	2582	0.06	1065	1	75	120	3.5	7	6	9037	7972	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7229.600098	6164.600098	6164.600098	0.8
6747	020	2182	0.05	1457	1	75	120	3.5	6	5	7637	6180	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6109.600098	4652.600098	4652.600098	0.8
6747	021	1762	0.04	1830	1	75	120	3.5	5	4	6167	4337	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4933.600098	3103.600098	3103.600098	0.8
6748	008	1929	0.04	1080	1	65	100	3	4	3	5787	4707	RH-2	40	density-lim	1500			0.7	4	1	3	3	5401.199707	4321.199707	4321.199707	0.933333
6748	009	1552	0.04	1260	1	65	100	3	4	3	4656	3396	RH-2	40	density-lim	1500			0.7	4	1	3	3	4345.600098	3085.600098	3085.600098	0.933333
6748	029	2502	0.06	1500	1	65	100	3	6	5	7506	6006	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5505.600098	5505.600098	0.933333
6748	030	2502	0.06	1520	1	65	100	3	6	5	7506	5986	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5485.600098	5485.600098	0.933333
6748	031	2410	0.06	2039	1	65	100	3	6	5	7230	5191	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6748	4709	4709	0.933333
6748	033	4594	0.11	1195	1	65	100	3	11	10	13782	12587	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	12863.2002	11668.2002	11668.2002	0.933333
6748	034	2371	0.05	1419	1	65	100	3	5	4	7113	5694	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6638.799805	5219.799805	5219.799805	0.933333
6748	035	2420	0.06	1603	1	65	100	3	6	5	7260	5657	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6776	5173	5173	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6748	036	2463	0.06	1304	1	65	100	3	6	5	7389	6085	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6896.399902	5592.399902	5592.399902	0.933333
6748	041	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5800	5800	0.933333
6748	043	2500	0.06	850	1	65	100	3	6	5	7500	6650	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6150	6150	0.933333
6748	045	2500	0.06	1722	1	65	100	3	6	5	7500	5778	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5278	5278	0.933333
6748	046	2390	0.05	1619	1	65	100	3	5	4	7170	5551	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6692	5073	5073	0.933333
6748	047	2262	0.05	1528	1	65	100	3	5	4	6786	5258	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6333.600098	4805.600098	4805.600098	0.933333
6748	051	2210	0.05	1222	1	65	100	3	5	4	6630	5408	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6188	4966	4966	0.933333
6748	055	2500	0.06	1464	1	65	100	3	6	5	7500	6036	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5536	5536	0.933333
6748	056	2500	0.06	1464	1	65	100	3	6	5	7500	6036	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5536	5536	0.933333
6750	002	2555	0.06	960	1	65	100	3	6	5	7665	6705	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7154	6194	6194	0.933333
6750	003	2558	0.06	1060	1	65	100	3	6	5	7674	6614	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7162.399902	6102.399902	6102.399902	0.933333
6750	004	2560	0.06	1283	1	65	100	3	6	5	7680	6397	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7168	5885	5885	0.933333
6750	006	3761	0.09	2610	1	65	100	3	9	8	11283	8673	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10530.7998	7920.799805	7920.799805	0.933333
6750	008	2474	0.06	1275	1	65	100	3	6	5	7422	6147	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6927.199707	5652.199707	5652.199707	0.933333
6750	009	2474	0.06	1275	1	65	100	3	6	5	7422	6147	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6927.199707	5652.199707	5652.199707	0.933333
6750	033	2545	0.06	1175	1	75	120	3.5	7	6	8908	7733	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7126	5951	5951	0.799955
6750	034	2500	0.06	1567	1	75	120	3.5	7	6	8750	7183	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5433	5433	0.8
6750	035	2500	0.06	2080	1	75	120	3.5	7	6	8750	6670	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	4920	4920	0.8
6750	036	2500	0.06	1100	1	75	120	3.5	7	6	8750	7650	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5900	5900	0.8
6750	040	2500	0.06	1532	1	75	120	3.5	7	6	8750	7218	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5468	5468	0.8
6750	041	2500	0.06	1474	1	75	120	3.5	7	6	8750	7276	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5526	5526	0.8
6750	042	2500	0.06	1190	1	65	100	3	6	5	7500	6310	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5810	5810	0.933333
6750	049	2359	0.05	2109	1	75	120	3.5	6	5	8256	6147	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6605.199707	4496.199707	4496.199707	0.800048
6750	051	2060	0.05	1865	1	75	120	3.5	6	5	7210	5345	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5768	3903	3903	0.8
6751	001A	1837	0.04	1374	1	75	120	3.5	5	4	6430	5056	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5143.600098	3769.600098	3769.600098	0.799938
6751	001B	1842	0.04	1276	1	75	120	3.5	5	4	6447	5171	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5157.600098	3881.600098	3881.600098	0.8
6751	001C	1847	0.04	1120	1	75	120	3.5	5	4	6464	5344	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5171.600098	4051.600098	4051.600098	0.800062
6751	002	2476	0.06	1262	1	75	120	3.5	7	6	8666	7404	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6932.799805	5670.799805	5670.799805	0.8
6751	003	2481	0.06	1880	1	75	120	3.5	7	6	8684	6804	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6946.799805	5066.799805	5066.799805	0.799954
6751	004	2486	0.06	1276	1	75	120	3.5	7	6	8701	7425	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6960.799805	5684.799805	5684.799805	0.8
6751	005	2490	0.06	1276	1	75	120	3.5	7	6	8715	7439	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6972	5696	5696	0.8
6751	006	2495	0.06	1452	1	75	120	3.5	7	6	8732	7280	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6986	5534	5534	0.800046
6751	007	2500	0.06	2012	1	75	120	3.5	7	6	8750	6738	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	4988	4988	0.8
6751	024	1875	0.04	1470	1	75	120	3.5	5	4	6562	5092	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5250	3780	3780	0.800061
6751	025	1875	0.04	1008	1	75	120	3.5	5	4	6562	5554	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5250	4242	4242	0.800061
6751	036	2500	0.06	1150	1	75	120	3.5	7	6	8750	7600	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5850	5850	0.8
6751	037	2500	0.06	1056	1	75	120	3.5	7	6	8750	7694	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5944	5944	0.8
6751	038	2500	0.06	508	1	75	120	3.5	7	6	8750	8242	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6492	6492	0.8
6751	039	2500	0.06	924	1	75	120	3.5	7	6	8750	7826	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6076	6076	0.8
6751	040	2500	0.06	1160	1	75	120	3.5	7	6	8750	7590	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5840	5840	0.8
6751	041	2500	0.06	1225	1	75	120	3.5	7	6	8750	7525	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5775	5775	0.8
6751	042	2500	0.06	1025	1	75	120	3.5	7	6	8750	7725	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5975	5975	0.8
6751	042A	1875	0.04	2200	3	75	120	3.5	5	2	6562	4362	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	3	3	5250	3050	3050	0.800061
6751	043	1875	0.04	1496	1	75	120	3.5	5	4	6562	5066	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5250	3754	3754	0.800061
6751	044	1875	0.04	1781	1	75	120	3.5	5	4	6562	4781	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5250	3469	3469	0.800061
6751	045	1875	0.04	2457	1	75	120	3.5	5	4	6562	4105	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5250	2793	2793	0.800061
6751	046	2500	0.06	960	1	75	120	3.5	7	6	8750	7790	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	6040	6040	0.8
6751	049	1856	0.04	924	1	75	120	3.5	5	4	6496	5572	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5196.799805	4272.799805	4272.799805	0.8
6751	050	2162	0.05	924	1	75	120	3.5	6	5	7567	6643	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6053.600098	5129.600098	5129.600098	0.8
6752	002	2485	0.06	1575	1	75	120	3.5	7	6	8698	7123	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6958	5383	5383	0.799954
6752	003	2486	0.06	2156	1	75	120	3.5	7	6	8701	6545	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6960.799805	4804.799805	4804.799805	0.8
6752	004	2488	0.06	1800	1	75	120	3.5	7	6	8708	6908	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6966.399902	5166.399902	5166.399902	0.8
6752	022	2500	0.06	924	1	75	120	3.5	7	6	8750	7826	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6076	6076	0.8
6752	023	2500	0.06	825	1	75	120	3.5	7	6	8750	7925	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6175	6175	0.8
6752	024	2500	0.06	1255	1	75	120	3.5	7	6	8750	7495	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5745	5745	0.8
6752	025	2500	0.06	1195	1	75	120	3.5	7	6	8750	7555	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5805	5805	0.8
6752	026	1875	0.04	2080	1	75	120	3.5	5	4	6562	4482	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5250	3170	3170	0.800061
6752	027A	1205	0.03	660	1	75	120	3.5	4	3	4218	3558	RH-1	40	density-lim	3000			0.7	4	1	3	3	3374	2714	2714	0.799905
6752	028	1200	0.03	660	1	75	120	3.5	4	3	4200	3540	RH-1	40	density-lim	3000			0.7	4	1	3	3	3360	2700	2700	0.8
6752	028A	1820	0.04	840	1	75	120	3.5	5	4	6370	5530	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5096	4256	4256	0.8
6752	029	2441	0.06	930	1	75	120	3.5	7	6	8544	7614	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6834.799805	5904.799805	5904.799805	0.799953
6752	045	2500	0.06	1604	1	75	120	3.5	7	6	8750	7146	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	7000	5396	5396	0.8
6752	046	1875	0.04	1959	1	75	120	3.5	5	4	6562	4603	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5250	3291	3291	0.800061
6752	048	1734	0.04	1204	1	75	120	3.5	5	4	6069	4865	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	4855.199707	3651.199707	3651.199707	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6752	048A	1860	0.04	1034	1	75	120	3.5	5	4	6510	5476	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5208	4174	4174	0.8
6752	049	2428	0.06	2050	1	75	120	3.5	7	6	8498	6448	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	6798.399902	4748.399902	4748.399902	0.8
6752	050	1947	0.04	1965	1	75	120	3.5	5	4	6814	4849	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5451.600098	3486.600098	3486.600098	0.800059
6752	051	1875	0.04	1125	1	75	120	3.5	5	4	6562	5437	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5250	4125	4125	0.800061
6752	052	1875	0.04	2339	1	75	120	3.5	5	4	6562	4223	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5250	2911	2911	0.800061
6753	001A	1932	0.04	1502	1	75	120	3.5	5	4	6762	5260	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5409.600098	3907.600098	3907.600098	0.8
6753	001B	1886	0.04	1062	1	75	120	3.5	5	4	6601	5539	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5280.799805	4218.799805	4218.799805	0.8
6753	002	2642	0.06	1100	1	75	120	3.5	7	6	9247	8147	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7397.600098	6297.600098	6297.600098	0.8
6753	003	2680	0.06	960	1	75	120	3.5	7	6	9380	8420	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7504	6544	6544	0.8
6753	004	2717	0.06	1196	1	75	120	3.5	7	6	9510	8314	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7607.600098	6411.600098	6411.600098	0.799958
6753	019	2500	0.06	1002	1	75	120	3.5	7	6	8750	7748	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5998	5998	0.8
6753	020	2500	0.06	1283	1	75	120	3.5	7	6	8750	7467	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5717	5717	0.8
6753	022	2500	0.06	1650	1	75	120	3.5	7	6	8750	7100	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5350	5350	0.8
6753	026	2500	0.06	1125	1	75	120	3.5	7	6	8750	7625	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5875	5875	0.8
6753	027	2500	0.06	1125	1	75	120	3.5	7	6	8750	7625	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5875	5875	0.8
6753	029	2026	0.05	625	1	75	120	3.5	6	5	7091	6466	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5672.799805	5047.799805	5047.799805	0.8
6753	030	2486	0.06	1625	1	75	120	3.5	7	6	8701	7076	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6960.799805	5335.799805	5335.799805	0.8
6753	031	2486	0.06	1023	1	75	120	3.5	7	6	8701	7678	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6960.799805	5937.799805	5937.799805	0.8
6753	032	2361	0.05	1599	1	75	120	3.5	6	5	8264	6665	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6610.799805	5011.799805	5011.799805	0.799952
6753	047	2500	0.06	1492	1	75	120	3.5	7	6	8750	7258	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5508	5508	0.8
6753	048	2500	0.06	1100	1	75	120	3.5	7	6	8750	7650	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5900	5900	0.8
6753	049	2500	0.06	1193	1	75	120	3.5	7	6	8750	7557	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5807	5807	0.8
6753	055	2591	0.06	875	1	75	120	3.5	7	6	9068	8193	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7254.799805	6379.799805	6379.799805	0.800044
6753	057	1174	0.03	905	1	75	120	3.5	4	3	4109	3204	RH-2	40	density-lim	1500			0.7	4	1	3	3	3287.199951	2382.199951	2382.199951	0.8
6753	065	1250	0.03	1750	1	75	120	3.5	4	3	4375	2625	RH-1	40	density-lim	3000			0.7	4	1	3	3	3500	1750	1750	0.8
6753	069	2500	0.06	2307	1	75	120	3.5	7	6	8750	6443	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	4693	4693	0.8
6754	019	2761	0.06	1438	1	75	120	3.5	7	6	9664	8226	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7730.799805	6292.799805	6292.799805	0.799959
6754	020	2500	0.06	1012	1	75	120	3.5	7	6	8750	7738	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5988	5988	0.8
6754	021	2500	0.06	1225	1	75	120	3.5	7	6	8750	7525	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5775	5775	0.8
6754	022	2500	0.06	678	1	75	120	3.5	7	6	8750	8072	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6322	6322	0.8
6754	024	2500	0.06	1018	1	75	120	3.5	7	6	8750	7732	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5982	5982	0.8
6754	025	1250	0.03	748	1	75	120	3.5	4	3	4375	3627	RH-1	40	density-lim	3000			0.7	4	1	3	3	3500	2752	2752	0.8
6754	026	1875	0.04	1150	1	75	120	3.5	5	4	6562	5412	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5250	4100	4100	0.800061
6754	027	2500	0.06	960	1	75	120	3.5	7	6	8750	7790	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6040	6040	0.8
6754	028	2500	0.06	1450	1	75	120	3.5	7	6	8750	7300	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5550	5550	0.8
6754	029	2500	0.06	720	1	75	120	3.5	7	6	8750	8030	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6280	6280	0.8
6754	030	2500	0.06	926	1	75	120	3.5	7	6	8750	7824	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6074	6074	0.8
6754	031	2500	0.06	2100	1	75	120	3.5	7	6	8750	6650	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	4900	4900	0.8
6754	033	2539	0.06	1205	1	75	120	3.5	7	6	8886	7681	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7109.199707	5904.199707	5904.199707	0.800045
6754	034	2531	0.06	1205	1	75	120	3.5	7	6	8858	7653	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7086.799805	5881.799805	5881.799805	0.800045
6754	035	2523	0.06	960	1	75	120	3.5	7	6	8830	7870	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7064.399902	6104.399902	6104.399902	0.800045
6754	036	2515	0.06	1821	1	75	120	3.5	7	6	8802	6981	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7042	5221	5221	0.800045
6754	037	2507	0.06	1012	1	75	120	3.5	7	6	8774	7762	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7019.600098	6007.600098	6007.600098	0.800046
6754	038	2771	0.06	1012	1	75	120	3.5	7	6	9698	8686	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7758.799805	6746.799805	6746.799805	0.800041
6760	001	2500	0.06	1900	2	75	120	3.5	7	5	8750	6850	RH-1	40	form-based			true	0.7	5	0.714285731	3	3	7000	5100	5100	0.8
6760	033	1853	0.04	966	1	75	120	3.5	5	4	6486	5520	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5188.399902	4222.399902	4222.399902	0.799938
6761	026	1982	0.05	1035	1	65	100	3	5	4	5946	4911	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5549.600098	4514.600098	4514.600098	0.933333
6760	037	1875	0.04	915	1	65	100	3	4	3	5625	4710	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4335	4335	0.933333
6760	038	1875	0.04	1425	1	65	100	3	4	3	5625	4200	RH-1	40	form-based			true	0.7	4	1	3	3	5250	3825	3825	0.933333
6761	029	1937	0.04	1296	1	65	100	3	4	3	5811	4515	RH-1	40	form-based			true	0.7	4	1	3	3	5423.600098	4127.600098	4127.600098	0.933333
6761	030	2038	0.05	855	1	65	100	3	5	4	6114	5259	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5706.399902	4851.399902	4851.399902	0.933333
6761	034	2048	0.05	1701	1	65	100	3	5	4	6144	4443	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5734.399902	4033.399902	4033.399902	0.933333
6762	030A	1839	0.04	647	1	65	100	3	4	3	5517	4870	RH-1	40	form-based			true	0.7	4	1	3	3	5149.199707	4502.199707	4502.199707	0.933333
6762	032	2125	0.05	1325	1	65	100	3	5	4	6375	5050	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5950	4625	4625	0.933333
6762	039	1798	0.04	1878	1	65	100	3	4	3	5394	3516	RH-1	40	form-based			true	0.7	4	1	3	3	5034.399902	3156.399902	3156.399902	0.933333
6763	033	1855	0.04	1190	1	65	100	3	4	3	5565	4375	RH-1	40	form-based			true	0.7	4	1	3	3	5194	4004	4004	0.933333
6763	037	2110	0.05	1110	1	65	100	3	5	4	6330	5220	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5908	4798	4798	0.933333
6763	038	2122	0.05	1898	1	65	100	3	5	4	6366	4468	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5941.600098	4043.600098	4043.600098	0.933333
6765	030	1906	0.04	1135	1	65	100	3	4	3	5718	4583	RH-1	40	form-based			true	0.7	4	1	3	3	5336.799805	4201.799805	4201.799805	0.933333
6765	031	1897	0.04	1440	1	65	100	3	4	3	5691	4251	RH-1	40	form-based			true	0.7	4	1	3	3	5311.600098	3871.600098	3871.600098	0.933333
6765	032	1888	0.04	1140	1	65	100	3	4	3	5664	4524	RH-1	40	form-based			true	0.7	4	1	3	3	5286.399902	4146.399902	4146.399902	0.933333
6765	033	1880	0.04	1425	1	65	100	3	4	3	5640	4215	RH-1	40	form-based		true	true	0.7	4	1	3	3	5264	3839	3839	0.933333
6766	024	2500	0.06	1618	2	65	100	3	6	4	7500	5882	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	5382	5382	0.933333
6769	008	2574	0.06	2078	2	65	100	3	6	4	7722	5644	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7207.199707	5129.199707	5129.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6769	024	2489	0.06	4425	2	65	100	3	6	4	7467	3042	RM-1	40	form-based			true	0.7	5	0.833333313	3	3	6969.199707	2544.199707	2544.199707	0.933333
6769	043	2500	0.06	1904	2	65	100	3	6	4	7500	5596	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	5096	5096	0.933333
6770	008	2449	0.06	2084	2	65	100	3	6	4	7347	5263	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6857.199707	4773.199707	4773.199707	0.933333
6770	009	2452	0.06	1840	2	65	100	3	6	4	7356	5516	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6865.600098	5025.600098	5025.600098	0.933333
6770	021	2481	0.06	2304	2	65	100	3	6	4	7443	5139	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6946.799805	4642.799805	4642.799805	0.933333
6770	028A	1854	0.04	1050	1	65	100	3	4	3	5562	4512	RH-1	40	form-based			true	0.7	4	1	3	3	5191.199707	4141.199707	4141.199707	0.933333
6770	030	1848	0.04	895	1	65	100	3	4	3	5544	4649	RH-1	40	form-based		true	true	0.7	4	1	3	3	5174.399902	4279.399902	4279.399902	0.933333
6770	031	1903	0.04	750	1	65	100	3	4	3	5709	4959	RH-1	40	form-based			true	0.7	4	1	3	3	5328.399902	4578.399902	4578.399902	0.933333
6770	032	1906	0.04	1970	1	65	100	3	4	3	5718	3748	RH-1	40	form-based			true	0.7	4	1	3	3	5336.799805	3366.799805	3366.799805	0.933333
6770	032A	1908	0.04	1175	1	65	100	3	4	3	5724	4549	RH-1	40	form-based			true	0.7	4	1	3	3	5342.399902	4167.399902	4167.399902	0.933333
6770	038	2046	0.05	1250	1	65	100	3	5	4	6138	4888	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5728.799805	4478.799805	4478.799805	0.933333
6770	058	2486	0.06	3007	2	65	100	3	6	4	7458	4451	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6960.799805	3953.799805	3953.799805	0.933333
6771	032	2824	0.06	5262	3	65	100	3	6	3	8472	3210	RH-2	40	form-based			true	0.7	6	1	3	3	7907.199707	2645.199707	2645.199707	0.933333
6772	001	1877	0.04	1068	1	65	100	3	4	3	5631	4563	RH-2	40	form-based			true	0.7	4	1	3	3	5255.600098	4187.600098	4187.600098	0.933333
6772	003	1673	0.04	875	1	65	100	3	4	3	5019	4144	RH-2	40	form-based			true	0.7	4	1	3	3	4684.399902	3809.399902	3809.399902	0.933333
6772	003A	1770	0.04	1021	1	65	100	3	4	3	5310	4289	RH-1	40	form-based			true	0.7	4	1	3	3	4956	3935	3935	0.933333
6772	004	1914	0.04	875	1	65	100	3	4	3	5742	4867	RH-2	40	form-based			true	0.7	4	1	3	3	5359.199707	4484.199707	4484.199707	0.933333
6772	005	1874	0.04	1174	1	65	100	3	4	3	5622	4448	RH-1	40	form-based			true	0.7	4	1	3	3	5247.199707	4073.199707	4073.199707	0.933333
6772	005A	2066	0.05	1648	1	65	100	3	5	4	6198	4550	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5784.799805	4136.799805	4136.799805	0.933333
6772	018	1806	0.04	1385	1	65	100	3	4	3	5418	4033	RH-1	40	form-based			true	0.7	4	1	3	3	5056.799805	3671.799805	3671.799805	0.933333
6772	018A	1679	0.04	1075	1	65	100	3	4	3	5037	3962	RH-1	40	form-based		true	true	0.7	4	1	3	3	4701.199707	3626.199707	3626.199707	0.933333
6772	019	1875	0.04	1215	1	65	100	3	4	3	5625	4410	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4035	4035	0.933333
6772	020	1875	0.04	1075	1	65	100	3	4	3	5625	4550	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4175	4175	0.933333
6772	023A	1993	0.05	1300	1	65	100	3	5	4	5979	4679	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5580.399902	4280.399902	4280.399902	0.933333
6772	024	1989	0.05	1000	1	65	100	3	5	4	5967	4967	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5569.199707	4569.199707	4569.199707	0.933333
6772	025	1985	0.05	1075	1	65	100	3	5	4	5955	4880	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5558	4483	4483	0.933333
6772	026	1981	0.05	1075	1	65	100	3	5	4	5943	4868	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5546.799805	4471.799805	4471.799805	0.933333
6772	039	2055	0.05	1000	1	65	100	3	5	4	6165	5165	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5754	4754	4754	0.933333
6772	040	1926	0.04	1000	1	65	100	3	4	3	5778	4778	RH-2	40	form-based			true	0.7	4	1	3	3	5392.799805	4392.799805	4392.799805	0.933333
6772	041	1922	0.04	1388	1	65	100	3	4	3	5766	4378	RH-2	40	form-based			true	0.7	4	1	3	3	5381.600098	3993.600098	3993.600098	0.933333
6772	042	1918	0.04	1368	1	65	100	3	4	3	5754	4386	RH-2	40	form-based			true	0.7	4	1	3	3	5370.399902	4002.399902	4002.399902	0.933333
6774	003	1701	0.04	875	1	65	100	3	4	3	5103	4228	RH-1	40	form-based		true	true	0.7	4	1	3	3	4762.799805	3887.799805	3887.799805	0.933333
6774	004	2080	0.05	1432	1	65	100	3	5	4	6240	4808	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5824	4392	4392	0.933333
6775	001	1721	0.04	1031	1	65	100	3	4	3	5163	4132	RH-1	40	form-based		true	true	0.7	4	1	3	3	4818.799805	3787.799805	3787.799805	0.933333
6775	002	1795	0.04	2640	1	65	100	3	4	3	5385	2745	RH-1	40	form-based		true	true	0.7	4	1	3	3	5026	2386	2386	0.933333
6775	003	1730	0.04	800	1	65	100	3	4	3	5190	4390	RH-1	40	form-based		true	true	0.7	4	1	3	3	4844	4044	4044	0.933333
6776	002	1706	0.04	945	1	65	100	3	4	3	5118	4173	RH-1	40	form-based			true	0.7	4	1	3	3	4776.799805	3831.799805	3831.799805	0.933333
6776	004	1888	0.04	1489	1	65	100	3	4	3	5664	4175	RH-1	40	form-based		true	true	0.7	4	1	3	3	5286.399902	3797.399902	3797.399902	0.933333
6776	005	1888	0.04	1200	1	65	100	3	4	3	5664	4464	RH-1	40	form-based			true	0.7	4	1	3	3	5286.399902	4086.399902	4086.399902	0.933333
6776	006	1888	0.04	1122	1	65	100	3	4	3	5664	4542	RH-1	40	form-based			true	0.7	4	1	3	3	5286.399902	4164.399902	4164.399902	0.933333
6778	003	3148	0.07	1865	1	65	100	3	7	6	9444	7579	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	6949.399414	6949.399414	0.933333
6778	004	3148	0.07	1270	1	65	100	3	7	6	9444	8174	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	7544.399414	7544.399414	0.933333
6778	005	3148	0.07	1270	1	65	100	3	7	6	9444	8174	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	7544.399414	7544.399414	0.933333
6778	006	3148	0.07	1675	1	65	100	3	7	6	9444	7769	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	7139.399414	7139.399414	0.933333
6778	007	3148	0.07	1785	1	65	100	3	7	6	9444	7659	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	7029.399414	7029.399414	0.933333
6778	008	3148	0.07	1275	1	65	100	3	7	6	9444	8169	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	7539.399414	7539.399414	0.933333
6778	009	3148	0.07	1275	1	65	100	3	7	6	9444	8169	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	7539.399414	7539.399414	0.933333
6778	010	3148	0.07	1275	1	65	100	3	7	6	9444	8169	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	7539.399414	7539.399414	0.933333
6778	011	3148	0.07	1498	1	65	100	3	7	6	9444	7946	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	7316.399414	7316.399414	0.933333
6778	012	3148	0.07	2016	1	65	100	3	7	6	9444	7428	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	6798.399414	6798.399414	0.933333
6778	013	3148	0.07	1275	1	65	100	3	7	6	9444	8169	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	7539.399414	7539.399414	0.933333
6778	014	3148	0.07	1275	1	65	100	3	7	6	9444	8169	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	7539.399414	7539.399414	0.933333
6778	015	3148	0.07	1625	1	65	100	3	7	6	9444	7819	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	7189.399414	7189.399414	0.933333
6778	016	3148	0.07	1455	1	65	100	3	7	6	9444	7989	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	7359.399414	7359.399414	0.933333
6778	018	2712	0.06	1420	1	65	100	3	6	5	8136	6716	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7593.600098	6173.600098	6173.600098	0.933333
6778	019	2923	0.07	1050	1	65	100	3	7	6	8769	7719	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8184.399902	7134.399902	7134.399902	0.933333
6778	020	4105	0.09	1840	1	85	140	4	13	12	16420	14580	RH-1	40	density-lim	3000			0.7	4	0.307692319	3	3	11494	9654	9654	0.7
6778	021	3579	0.08	2037	1	85	140	4	11	10	14316	12279	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	10021.2002	7984.200195	7984.200195	0.7
6778	022	2938	0.07	1290	1	85	140	4	10	9	11752	10462	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8226.399414	6936.399414	6936.399414	0.7
6778	023	3149	0.07	1250	1	85	140	4	10	9	12596	11346	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8817.200195	7567.200195	7567.200195	0.7
6778	025	3131	0.07	1953	1	85	140	4	10	9	12524	10571	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8766.799805	6813.799805	6813.799805	0.7
6778	026	3129	0.07	1649	1	85	140	4	10	9	12516	10867	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8761.200195	7112.200195	7112.200195	0.7
6778	027	3126	0.07	1155	1	85	140	4	10	9	12504	11349	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8752.799805	7597.799805	7597.799805	0.7
6778	028	3124	0.07	1189	1	85	140	4	10	9	12496	11307	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8747.200195	7558.200195	7558.200195	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6778	029	3122	0.07	1155	1	65	100	3	7	6	9366	8211	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8741.599609	7586.599609	7586.599609	0.933333
6778	030	3120	0.07	1155	1	65	100	3	7	6	9360	8205	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8736	7581	7581	0.933333
6778	031	3118	0.07	1155	1	65	100	3	7	6	9354	8199	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7575.399414	7575.399414	0.933333
6778	032	3116	0.07	1115	1	65	100	3	7	6	9348	8233	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8724.799805	7609.799805	7609.799805	0.933333
6778	033	3114	0.07	1155	1	65	100	3	7	6	9342	8187	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8719.200195	7564.200195	7564.200195	0.933333
6778	034	3112	0.07	1140	1	65	100	3	7	6	9336	8196	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8713.599609	7573.599609	7573.599609	0.933333
6778	035	3110	0.07	1125	1	65	100	3	7	6	9330	8205	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8708	7583	7583	0.933333
6778	036	3108	0.07	1240	1	65	100	3	7	6	9324	8084	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8702.399414	7462.399414	7462.399414	0.933333
6778	037	3106	0.07	1140	1	65	100	3	7	6	9318	8178	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8696.799805	7556.799805	7556.799805	0.933333
6778	038	3103	0.07	1715	1	65	100	3	7	6	9309	7594	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	6973.399414	6973.399414	0.933333
6778	039	3101	0.07	1125	1	65	100	3	7	6	9303	8178	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8682.799805	7557.799805	7557.799805	0.933333
6779	003	2526	0.06	1750	1	65	100	3	6	5	7578	5828	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5322.799805	5322.799805	0.933333
6779	004	2526	0.06	1225	1	65	100	3	6	5	7578	6353	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5847.799805	5847.799805	0.933333
6779	005	2526	0.06	1440	1	65	100	3	6	5	7578	6138	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5632.799805	5632.799805	0.933333
6779	006	2526	0.06	1300	1	65	100	3	6	5	7578	6278	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5772.799805	5772.799805	0.933333
6779	007	2526	0.06	1070	1	65	100	3	6	5	7578	6508	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	6002.799805	6002.799805	0.933333
6779	008	2526	0.06	1150	1	65	100	3	6	5	7578	6428	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5922.799805	5922.799805	0.933333
6779	009	2526	0.06	1350	1	65	100	3	6	5	7578	6228	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5722.799805	5722.799805	0.933333
6779	010	2526	0.06	875	1	65	100	3	6	5	7578	6703	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	6197.799805	6197.799805	0.933333
6779	011	2526	0.06	935	1	65	100	3	6	5	7578	6643	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	6137.799805	6137.799805	0.933333
6779	012	2526	0.06	1035	1	65	100	3	6	5	7578	6543	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	6037.799805	6037.799805	0.933333
6779	013	2526	0.06	1409	1	65	100	3	6	5	7578	6169	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5663.799805	5663.799805	0.933333
6779	014	2526	0.06	1274	1	65	100	3	6	5	7578	6304	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5798.799805	5798.799805	0.933333
6779	015	2526	0.06	1090	1	65	100	3	6	5	7578	6488	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5982.799805	5982.799805	0.933333
6779	016	2526	0.06	1382	1	65	100	3	6	5	7578	6196	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5690.799805	5690.799805	0.933333
6779	019	2526	0.06	1227	1	65	100	3	6	5	7578	6351	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5845.799805	5845.799805	0.933333
6779	020	2527	0.06	632	1	65	100	3	6	5	7581	6949	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7075.600098	6443.600098	6443.600098	0.933333
6779	021	2545	0.06	2613	1	65	100	3	6	5	7635	5022	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7126	4513	4513	0.933333
6779	024	3179	0.07	1300	1	65	100	3	7	6	9537	8237	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8901.200195	7601.200195	7601.200195	0.933333
6779	025	3333	0.08	2307	1	65	100	3	8	7	9999	7692	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9332.399414	7025.399414	7025.399414	0.933333
6779	026	3487	0.08	1185	1	65	100	3	8	7	10461	9276	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9763.599609	8578.599609	8578.599609	0.933333
6779	027	3261	0.07	1185	1	65	100	3	7	6	9783	8598	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9130.799805	7945.799805	7945.799805	0.933333
6779	028	3526	0.08	1200	1	65	100	3	8	7	10578	9378	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9872.799805	8672.799805	8672.799805	0.933333
6779	029	3464	0.08	1075	1	65	100	3	8	7	10392	9317	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9699.200195	8624.200195	8624.200195	0.933333
6779	030	3402	0.08	1185	1	65	100	3	8	7	10206	9021	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9525.599609	8340.599609	8340.599609	0.933333
6779	031	3341	0.08	1745	1	65	100	3	8	7	10023	8278	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9354.799805	7609.799805	7609.799805	0.933333
6779	032	3776	0.09	1185	1	65	100	3	9	8	11328	10143	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10572.7998	9387.799805	9387.799805	0.933333
6779	033	4845	0.11	1240	1	65	100	3	11	10	14535	13295	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13566	12326	12326	0.933333
6779	034	4813	0.11	2609	1	65	100	3	11	10	14439	11830	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13476.39941	10867.39941	10867.39941	0.933333
6779	035	4626	0.11	1300	1	65	100	3	11	10	13878	12578	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	12952.7998	11652.7998	11652.7998	0.933333
6779	036	4579	0.11	1250	1	65	100	3	11	10	13737	12487	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	12821.2002	11571.2002	11571.2002	0.933333
6779	037	4908	0.11	1280	1	65	100	3	11	10	14724	13444	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13742.39941	12462.39941	12462.39941	0.933333
6779	038	5598	0.13	1225	1	65	100	3	13	12	16794	15569	RH-1	40	density-lim	3000			0.7	4	0.307692319	3	3	15674.39941	14449.39941	14449.39941	0.933333
6779	039	6425	0.15	1657	1	65	100	3	15	14	19275	17618	RH-1	40	density-lim	3000			0.7	4	0.266666681	3	3	17990	16333	16333	0.933333
6779	040	5610	0.13	930	1	65	100	3	13	12	16830	15900	RH-1	40	density-lim	3000			0.7	4	0.307692319	3	3	15708	14778	14778	0.933333
6779	041	4960	0.11	2019	1	65	100	3	11	10	14880	12861	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13888	11869	11869	0.933333
6779	042	3428	0.08	2317	1	65	100	3	8	7	10284	7967	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9598.399414	7281.399414	7281.399414	0.933333
6779	043	3245	0.07	1080	1	65	100	3	7	6	9735	8655	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9086	8006	8006	0.933333
6779	044	3328	0.08	1070	1	65	100	3	8	7	9984	8914	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9318.399414	8248.399414	8248.399414	0.933333
6779	045	3328	0.08	1070	1	65	100	3	8	7	9984	8914	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9318.399414	8248.399414	8248.399414	0.933333
6779	046	3328	0.08	1070	1	65	100	3	8	7	9984	8914	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9318.399414	8248.399414	8248.399414	0.933333
6779	047	3327	0.08	1070	1	65	100	3	8	7	9981	8911	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9315.599609	8245.599609	8245.599609	0.933333
6779	048	3327	0.08	1070	1	65	100	3	8	7	9981	8911	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9315.599609	8245.599609	8245.599609	0.933333
6779	050	3327	0.08	1050	1	65	100	3	8	7	9981	8931	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9315.599609	8265.599609	8265.599609	0.933333
6779	051	3326	0.08	921	1	65	100	3	8	7	9978	9057	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9312.799805	8391.799805	8391.799805	0.933333
6779	052	3326	0.08	1100	1	65	100	3	8	7	9978	8878	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9312.799805	8212.799805	8212.799805	0.933333
6779	053	3326	0.08	1000	1	65	100	3	8	7	9978	8978	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9312.799805	8312.799805	8312.799805	0.933333
6779	054	3326	0.08	2692	1	65	100	3	8	7	9978	7286	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9312.799805	6620.799805	6620.799805	0.933333
6780	030	2519	0.06	1125	1	65	100	3	6	5	7557	6432	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	5928.199707	5928.199707	0.933333
6779	055	3325	0.08	1251	1	65	100	3	8	7	9975	8724	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9310	8059	8059	0.933333
6779	064	2756	0.06	1609	1	65	100	3	6	5	8268	6659	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7716.799805	6107.799805	6107.799805	0.933333
6779	070	2633	0.06	1000	1	65	100	3	6	5	7899	6899	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7372.399902	6372.399902	6372.399902	0.933333
6779	071	2475	0.06	1138	1	65	100	3	6	5	7425	6287	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6930	5792	5792	0.933333
6779	076	1916	0.04	1000	1	65	100	3	4	3	5748	4748	RH-1	40	density-lim	3000			0.7	4	1	3	3	5364.799805	4364.799805	4364.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6779	077	2345	0.05	1460	1	65	100	3	5	4	7035	5575	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6566	5106	5106	0.933333
6779	080	2762	0.06	1050	1	65	100	3	6	5	8286	7236	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7733.600098	6683.600098	6683.600098	0.933333
6779	081	2294	0.05	2635	1	65	100	3	5	4	6882	4247	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6423.199707	3788.199707	3788.199707	0.933333
6780	005	2447	0.06	1075	1	65	100	3	6	5	7341	6266	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6851.600098	5776.600098	5776.600098	0.933333
6780	006	2451	0.06	1695	1	65	100	3	6	5	7353	5658	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6862.799805	5167.799805	5167.799805	0.933333
6780	007	2455	0.06	875	1	65	100	3	6	5	7365	6490	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6874	5999	5999	0.933333
6780	008	2459	0.06	950	1	65	100	3	6	5	7377	6427	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5935.199707	5935.199707	0.933333
6780	009	2463	0.06	1700	1	65	100	3	6	5	7389	5689	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6896.399902	5196.399902	5196.399902	0.933333
6780	011	2471	0.06	1065	1	65	100	3	6	5	7413	6348	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6918.799805	5853.799805	5853.799805	0.933333
6780	012	2475	0.06	1107	1	65	100	3	6	5	7425	6318	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6930	5823	5823	0.933333
6780	013	2479	0.06	1877	1	65	100	3	6	5	7437	5560	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6941.199707	5064.199707	5064.199707	0.933333
6780	014	2483	0.06	1290	1	65	100	3	6	5	7449	6159	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6952.399902	5662.399902	5662.399902	0.933333
6780	015	2487	0.06	1470	1	65	100	3	6	5	7461	5991	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6963.600098	5493.600098	5493.600098	0.933333
6780	016	2491	0.06	2000	1	65	100	3	6	5	7473	5473	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6974.799805	4974.799805	4974.799805	0.933333
6780	017	2495	0.06	875	1	65	100	3	6	5	7485	6610	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	6111	6111	0.933333
6780	018	2499	0.06	2100	1	65	100	3	6	5	7497	5397	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	4897.199707	4897.199707	0.933333
6780	019	1707	0.04	770	1	65	100	3	4	3	5121	4351	RH-1	40	density-lim	3000			0.7	4	1	3	3	4779.600098	4009.600098	4009.600098	0.933333
6780	031	2521	0.06	1080	1	65	100	3	6	5	7563	6483	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7058.799805	5978.799805	5978.799805	0.933333
6780	032	2523	0.06	1328	1	65	100	3	6	5	7569	6241	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7064.399902	5736.399902	5736.399902	0.933333
6780	033	2525	0.06	1360	1	65	100	3	6	5	7575	6215	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7070	5710	5710	0.933333
6780	034	2527	0.06	748	1	65	100	3	6	5	7581	6833	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7075.600098	6327.600098	6327.600098	0.933333
6780	035	2529	0.06	1515	1	65	100	3	6	5	7587	6072	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7081.199707	5566.199707	5566.199707	0.933333
6780	020B	2133	0.05	1075	1	65	100	3	5	4	6399	5324	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5972.399902	4897.399902	4897.399902	0.933333
6780	020C	2234	0.05	1175	1	65	100	3	5	4	6702	5527	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6255.199707	5080.199707	5080.199707	0.933333
6780	020D	2457	0.06	1558	1	65	100	3	6	5	7371	5813	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6879.600098	5321.600098	5321.600098	0.933333
6780	020E	2205	0.05	1175	1	65	100	3	5	4	6615	5440	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6174	4999	4999	0.933333
6780	020F	2309	0.05	1439	1	65	100	3	5	4	6927	5488	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6465.199707	5026.199707	5026.199707	0.933333
6780	020G	2397	0.06	1175	1	65	100	3	6	5	7191	6016	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6711.600098	5536.600098	5536.600098	0.933333
6780	020I	2545	0.06	1125	1	65	100	3	6	5	7635	6510	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7126	6001	6001	0.933333
6780	021	2458	0.06	1675	1	65	100	3	6	5	7374	5699	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6882.399902	5207.399902	5207.399902	0.933333
6780	022	2503	0.06	1350	1	65	100	3	6	5	7509	6159	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7008.399902	5658.399902	5658.399902	0.933333
6780	023	2505	0.06	1350	1	65	100	3	6	5	7515	6165	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7014	5664	5664	0.933333
6780	024	2507	0.06	1350	1	65	100	3	6	5	7521	6171	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7019.600098	5669.600098	5669.600098	0.933333
6780	025	2509	0.06	1350	1	65	100	3	6	5	7527	6177	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7025.199707	5675.199707	5675.199707	0.933333
6780	026	2511	0.06	2311	1	65	100	3	6	5	7533	5222	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7030.799805	4719.799805	4719.799805	0.933333
6780	027	2513	0.06	1600	1	65	100	3	6	5	7539	5939	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7036.399902	5436.399902	5436.399902	0.933333
6780	028	2515	0.06	1075	1	65	100	3	6	5	7545	6470	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7042	5967	5967	0.933333
6780	029	2517	0.06	1075	1	65	100	3	6	5	7551	6476	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7047.600098	5972.600098	5972.600098	0.933333
6780	036	2531	0.06	1604	1	65	100	3	6	5	7593	5989	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7086.799805	5482.799805	5482.799805	0.933333
6780	037	2533	0.06	1437	1	65	100	3	6	5	7599	6162	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7092.399902	5655.399902	5655.399902	0.933333
6780	038	2518	0.06	1280	1	65	100	3	6	5	7554	6274	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	5770.399902	5770.399902	0.933333
6780	039	2484	0.06	1598	1	65	100	3	6	5	7452	5854	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6955.199707	5357.199707	5357.199707	0.933333
6780	050	3125	0.07	932	1	65	100	3	7	6	9375	8443	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7818	7818	0.933333
6780	051	2117	0.05	763	1	65	100	3	5	4	6351	5588	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5927.600098	5164.600098	5164.600098	0.933333
6781	006	2505	0.06	1045	1	75	120	3.5	7	6	8768	7723	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7014	5969	5969	0.799954
6781	007	2505	0.06	2420	1	75	120	3.5	7	6	8768	6348	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7014	4594	4594	0.799954
6781	008	2505	0.06	1288	1	75	120	3.5	7	6	8768	7480	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7014	5726	5726	0.799954
6781	009	2505	0.06	1050	1	75	120	3.5	7	6	8768	7718	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7014	5964	5964	0.799954
6781	010	2506	0.06	1305	1	75	120	3.5	7	6	8771	7466	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7016.799805	5711.799805	5711.799805	0.8
6781	011	2506	0.06	1305	1	75	120	3.5	7	6	8771	7466	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7016.799805	5711.799805	5711.799805	0.8
6781	012	2506	0.06	1425	1	75	120	3.5	7	6	8771	7346	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7016.799805	5591.799805	5591.799805	0.8
6781	013	2506	0.06	1175	1	75	120	3.5	7	6	8771	7596	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7016.799805	5841.799805	5841.799805	0.8
6781	014	2507	0.06	1775	1	75	120	3.5	7	6	8774	6999	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7019.600098	5244.600098	5244.600098	0.800046
6781	015	2507	0.06	2166	1	75	120	3.5	7	6	8774	6608	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7019.600098	4853.600098	4853.600098	0.800046
6781	016	2507	0.06	2346	1	75	120	3.5	7	6	8774	6428	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7019.600098	4673.600098	4673.600098	0.800046
6781	017	2507	0.06	1125	1	75	120	3.5	7	6	8774	7649	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7019.600098	5894.600098	5894.600098	0.800046
6781	018	3054	0.07	2611	1	75	120	3.5	8	7	10689	8078	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	8551.200195	5940.200195	5940.200195	0.8
6781	018B	1424	0.03	1310	1	75	120	3.5	4	3	4984	3674	RH-1	40	density-lim	3000			0.7	4	1	3	3	3987.199951	2677.199951	2677.199951	0.8
6781	018C	1330	0.03	975	1	65	100	3	3	2	3990	3015	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3724	2749	2749	0.933333
6781	018D	1461	0.03	1100	1	65	100	3	3	2	4383	3283	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4090.800049	2990.800049	2990.800049	0.933333
6781	018E	1591	0.04	1225	1	65	100	3	4	3	4773	3548	RH-1	40	density-lim	3000			0.7	4	1	3	3	4454.799805	3229.799805	3229.799805	0.933333
6781	019	2973	0.07	836	1	65	100	3	7	6	8919	8083	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8324.399414	7488.399414	7488.399414	0.933333
6781	020	3750	0.09	1014	1	65	100	3	9	8	11250	10236	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10500	9486	9486	0.933333
6781	021	3750	0.09	1157	1	75	120	3.5	11	10	13125	11968	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	10500	9343	9343	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6781	022	2500	0.06	755	1	75	120	3.5	7	6	8750	7995	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6245	6245	0.8
6781	023	2500	0.06	1536	1	75	120	3.5	7	6	8750	7214	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5464	5464	0.8
6781	024	2500	0.06	1035	1	75	120	3.5	7	6	8750	7715	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5965	5965	0.8
6781	025	2500	0.06	1288	1	75	120	3.5	7	6	8750	7462	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5712	5712	0.8
6781	026	2500	0.06	1000	1	75	120	3.5	7	6	8750	7750	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6000	6000	0.8
6781	027	2500	0.06	1000	1	75	120	3.5	7	6	8750	7750	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6000	6000	0.8
6781	028	2500	0.06	1549	1	75	120	3.5	7	6	8750	7201	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5451	5451	0.8
6781	029	2500	0.06	1325	1	75	120	3.5	7	6	8750	7425	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5675	5675	0.8
6781	030	2500	0.06	1280	1	75	120	3.5	7	6	8750	7470	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5720	5720	0.8
6781	031	2616	0.06	1525	1	75	120	3.5	7	6	9156	7631	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7324.799805	5799.799805	5799.799805	0.8
6783	001	1403	0.03	1050	1	75	120	3.5	4	3	4910	3860	RH-1	40	density-lim	3000			0.7	4	1	3	3	3928.399902	2878.399902	2878.399902	0.800081
6782	006	2237	0.05	1350	1	75	120	3.5	6	5	7830	6480	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6263.600098	4913.600098	4913.600098	0.799949
6782	007	2783	0.06	1487	1	75	120	3.5	7	6	9740	8253	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7792.399902	6305.399902	6305.399902	0.800041
6782	008	2633	0.06	1500	1	75	120	3.5	7	6	9216	7716	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7372.399902	5872.399902	5872.399902	0.799957
6782	009	2679	0.06	1265	1	75	120	3.5	7	6	9376	8111	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7501.199707	6236.199707	6236.199707	0.800043
6782	010	2535	0.06	1200	1	75	120	3.5	7	6	8872	7672	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7098	5898	5898	0.800045
6782	011	2468	0.06	1307	1	75	120	3.5	7	6	8638	7331	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6910.399902	5603.399902	5603.399902	0.8
6782	012	2369	0.05	1125	1	75	120	3.5	6	5	8292	7167	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6633.199707	5508.199707	5508.199707	0.799952
6782	013	2394	0.05	1200	1	75	120	3.5	6	5	8379	7179	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6703.199707	5503.199707	5503.199707	0.8
6782	015	2051	0.05	1575	1	75	120	3.5	6	5	7178	5603	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5742.799805	4167.799805	4167.799805	0.800056
6782	016	1906	0.04	1500	1	75	120	3.5	5	4	6671	5171	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5336.799805	3836.799805	3836.799805	0.8
6782	022	2342	0.05	1300	1	75	120	3.5	6	5	8197	6897	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6557.600098	5257.600098	5257.600098	0.8
6782	023	2300	0.05	2446	1	75	120	3.5	6	5	8050	5604	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6440	3994	3994	0.8
6782	024	2508	0.06	2544	1	75	120	3.5	7	6	8778	6234	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7022.399902	4478.399902	4478.399902	0.8
6782	025	2411	0.06	1466	1	75	120	3.5	7	6	8438	6972	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6750.799805	5284.799805	5284.799805	0.800047
6782	026	2579	0.06	894	1	75	120	3.5	7	6	9026	8132	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7221.199707	6327.199707	6327.199707	0.800044
6782	027	2569	0.06	1115	1	75	120	3.5	7	6	8992	7877	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7193.199707	6078.199707	6078.199707	0.799955
6782	028	2757	0.06	1090	1	75	120	3.5	7	6	9650	8560	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7719.600098	6629.600098	6629.600098	0.799959
6782	030	2822	0.06	900	1	75	120	3.5	7	6	9877	8977	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7901.600098	7001.600098	7001.600098	0.8
6782	031	2308	0.05	925	1	75	120	3.5	6	5	8078	7153	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6462.399902	5537.399902	5537.399902	0.8
6782	032	2406	0.06	850	1	75	120	3.5	7	6	8421	7571	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6736.799805	5886.799805	5886.799805	0.8
6783	001J	2011	0.05	1867	1	75	120	3.5	6	5	7038	5171	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5630.799805	3763.799805	3763.799805	0.800057
6783	001K	1739	0.04	1142	1	75	120	3.5	5	4	6086	4944	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4869.199707	3727.199707	3727.199707	0.800066
6783	001L	3540	0.08	1328	1	75	120	3.5	10	9	12390	11062	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9912	8584	8584	0.8
6783	004	1831	0.04	1325	1	75	120	3.5	5	4	6408	5083	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5126.799805	3801.799805	3801.799805	0.800062
6783	005	2102	0.05	1590	1	75	120	3.5	6	5	7357	5767	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5885.600098	4295.600098	4295.600098	0.8
6783	006	2004	0.05	1325	1	75	120	3.5	6	5	7014	5689	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5611.199707	4286.199707	4286.199707	0.8
6783	007	1988	0.05	1058	1	75	120	3.5	6	5	6958	5900	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5566.399902	4508.399902	4508.399902	0.8
6783	008	1959	0.04	1058	1	75	120	3.5	5	4	6856	5798	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5485.199707	4427.199707	4427.199707	0.800058
6783	009	2022	0.05	1058	1	75	120	3.5	6	5	7077	6019	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5661.600098	4603.600098	4603.600098	0.8
6783	010	1960	0.05	2006	1	75	120	3.5	6	5	6860	4854	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5488	3482	3482	0.8
6784	005	2500	0.06	1450	1	75	120	3.5	7	6	8750	7300	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5550	5550	0.8
6784	006	2500	0.06	1280	1	75	120	3.5	7	6	8750	7470	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5720	5720	0.8
6784	012	2500	0.06	2100	1	75	120	3.5	7	6	8750	6650	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	4900	4900	0.8
6784	013	2500	0.06	1125	1	75	120	3.5	7	6	8750	7625	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5875	5875	0.8
6784	014	2500	0.06	1125	1	75	120	3.5	7	6	8750	7625	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5875	5875	0.8
6784	015	2500	0.06	1125	1	75	120	3.5	7	6	8750	7625	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5875	5875	0.8
6784	017	2506	0.06	1954	1	75	120	3.5	7	6	8771	6817	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7016.799805	5062.799805	5062.799805	0.8
6784	018	2436	0.06	1315	1	75	120	3.5	7	6	8526	7211	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6820.799805	5505.799805	5505.799805	0.8
6784	019	2363	0.05	1250	1	75	120	3.5	6	5	8270	7020	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6616.399902	5366.399902	5366.399902	0.800048
6784	020	2289	0.05	1375	1	75	120	3.5	6	5	8012	6637	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6409.199707	5034.199707	5034.199707	0.79995
6784	021	2215	0.05	1250	1	75	120	3.5	6	5	7752	6502	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6202	4952	4952	0.800052
6785	004	2500	0.06	1674	1	75	120	3.5	7	6	8750	7076	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5326	5326	0.8
6785	005	2500	0.06	1431	1	75	120	3.5	7	6	8750	7319	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5569	5569	0.8
6785	006	2500	0.06	725	1	75	120	3.5	7	6	8750	8025	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6275	6275	0.8
6785	007	2500	0.06	1985	1	75	120	3.5	7	6	8750	6765	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5015	5015	0.8
6785	008	2500	0.06	1743	1	75	120	3.5	7	6	8750	7007	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5257	5257	0.8
6785	009	1875	0.04	1233	1	75	120	3.5	5	4	6562	5329	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5250	4017	4017	0.800061
6785	010	1847	0.04	1225	1	75	120	3.5	5	4	6464	5239	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5171.600098	3946.600098	3946.600098	0.800062
6785	011	1848	0.04	1175	1	75	120	3.5	5	4	6468	5293	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5174.399902	3999.399902	3999.399902	0.8
6785	012	2473	0.06	1175	1	75	120	3.5	7	6	8656	7481	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6924.399902	5749.399902	5749.399902	0.799954
6785	013	2473	0.06	2220	1	75	120	3.5	7	6	8656	6436	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6924.399902	4704.399902	4704.399902	0.799954
6785	014	2473	0.06	1450	1	75	120	3.5	7	6	8656	7206	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6924.399902	5474.399902	5474.399902	0.799954
6785	015	2474	0.06	1370	1	75	120	3.5	7	6	8659	7289	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6927.199707	5557.199707	5557.199707	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6785	017	2486	0.06	2080	1	75	120	3.5	7	6	8701	6621	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6960.799805	4880.799805	4880.799805	0.8
6785	018	2486	0.06	1200	1	75	120	3.5	7	6	8701	7501	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6960.799805	5760.799805	5760.799805	0.8
6785	019	2486	0.06	360	1	75	120	3.5	7	6	8701	8341	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6960.799805	6600.799805	6600.799805	0.8
6785	020	2486	0.06	1596	1	75	120	3.5	7	6	8701	7105	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6960.799805	5364.799805	5364.799805	0.8
6785	021	2486	0.06	1520	1	75	120	3.5	7	6	8701	7181	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6960.799805	5440.799805	5440.799805	0.8
6786	004	2042	0.05	775	1	65	100	3	5	4	6126	5351	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5717.600098	4942.600098	4942.600098	0.933333
6786	005	2051	0.05	1475	1	65	100	3	5	4	6153	4678	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5742.799805	4267.799805	4267.799805	0.933333
6786	006	2060	0.05	1302	1	65	100	3	5	4	6180	4878	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5768	4466	4466	0.933333
6786	007	2069	0.05	1778	1	65	100	3	5	4	6207	4429	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5793.199707	4015.199707	4015.199707	0.933333
6786	009	2615	0.06	1200	1	65	100	3	6	5	7845	6645	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7322	6122	6122	0.933333
6786	009A	3011	0.07	1325	1	65	100	3	7	6	9033	7708	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8430.799805	7105.799805	7105.799805	0.933333
6786	013	2139	0.05	1095	1	75	120	3.5	6	5	7486	6391	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5989.199707	4894.199707	4894.199707	0.800053
6786	014	2147	0.05	845	1	75	120	3.5	6	5	7514	6669	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6011.600098	5166.600098	5166.600098	0.800053
6786	015	2156	0.05	650	1	75	120	3.5	6	5	7546	6896	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6036.799805	5386.799805	5386.799805	0.8
6786	016	2165	0.05	1000	1	75	120	3.5	6	5	7578	6578	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6062	5062	5062	0.799947
6786	017	2174	0.05	2076	1	75	120	3.5	6	5	7609	5533	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6087.199707	4011.199707	4011.199707	0.8
6786	018	2183	0.05	1105	1	75	120	3.5	6	5	7640	6535	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6112.399902	5007.399902	5007.399902	0.800052
6786	019	2192	0.05	1300	1	75	120	3.5	6	5	7672	6372	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6137.600098	4837.600098	4837.600098	0.8
6786	020	2354	0.05	1800	1	75	120	3.5	6	5	8239	6439	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6591.199707	4791.199707	4791.199707	0.8
6786	021	2210	0.05	1227	1	75	120	3.5	6	5	7735	6508	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6188	4961	4961	0.8
6786	022	2219	0.05	1088	1	75	120	3.5	6	5	7766	6678	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6213.199707	5125.199707	5125.199707	0.800051
6786	023	2228	0.05	646	1	75	120	3.5	6	5	7798	7152	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6238.399902	5592.399902	5592.399902	0.8
6786	024	2237	0.05	1750	1	75	120	3.5	6	5	7830	6080	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6263.600098	4513.600098	4513.600098	0.799949
6786	026	2255	0.05	1425	1	75	120	3.5	6	5	7892	6467	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6314	4889	4889	0.800051
6786	027	2264	0.05	1305	1	75	120	3.5	6	5	7924	6619	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6339.199707	5034.199707	5034.199707	0.8
6786	028	2272	0.05	2078	1	75	120	3.5	6	5	7952	5874	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6361.600098	4283.600098	4283.600098	0.8
6786	034	2326	0.05	1235	1	75	120	3.5	6	5	8141	6906	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6512.799805	5277.799805	5277.799805	0.8
6786	035	2335	0.05	1235	1	75	120	3.5	6	5	8172	6937	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6538	5303	5303	0.800049
6786	036	2344	0.05	1235	1	75	120	3.5	6	5	8204	6969	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6563.199707	5328.199707	5328.199707	0.8
6786	037	2549	0.06	1700	1	75	120	3.5	7	6	8922	7222	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7137.199707	5437.199707	5437.199707	0.799955
6786	038	2362	0.05	1127	1	75	120	3.5	6	5	8267	7140	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6613.600098	5486.600098	5486.600098	0.8
6786	039	2371	0.05	1250	1	75	120	3.5	6	5	8298	7048	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6638.799805	5388.799805	5388.799805	0.800048
6786	040	2380	0.05	1370	1	75	120	3.5	6	5	8330	6960	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6664	5294	5294	0.8
6786	041	2389	0.05	1300	1	75	120	3.5	6	5	8362	7062	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6689.199707	5389.199707	5389.199707	0.799952
6786	042	2398	0.06	1780	1	75	120	3.5	7	6	8393	6613	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6714.399902	4934.399902	4934.399902	0.8
6786	043	2406	0.06	1443	1	75	120	3.5	7	6	8421	6978	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6736.799805	5293.799805	5293.799805	0.8
6786	044	2415	0.06	2360	1	75	120	3.5	7	6	8452	6092	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6762	4402	4402	0.800047
6786	045	2424	0.06	1500	1	75	120	3.5	7	6	8484	6984	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6787.199707	5287.199707	5287.199707	0.8
6786	046	2436	0.06	1070	1	75	120	3.5	7	6	8526	7456	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6820.799805	5750.799805	5750.799805	0.8
6786	047	2461	0.06	576	1	75	120	3.5	7	6	8614	8038	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6890.799805	6314.799805	6314.799805	0.799954
6786	054	2542	0.06	1140	1	75	120	3.5	7	6	8897	7757	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7117.600098	5977.600098	5977.600098	0.8
6786	055	2533	0.06	1660	1	75	120	3.5	7	6	8866	7206	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7092.399902	5432.399902	5432.399902	0.799955
6786	056	2525	0.06	1210	1	75	120	3.5	7	6	8838	7628	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7070	5860	5860	0.799955
6786	057	2516	0.06	1415	1	75	120	3.5	7	6	8806	7391	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7044.799805	5629.799805	5629.799805	0.8
6786	058	2507	0.06	1703	1	75	120	3.5	7	6	8774	7071	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7019.600098	5316.600098	5316.600098	0.800046
6786	059	2498	0.06	1415	1	75	120	3.5	7	6	8743	7328	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6994.399902	5579.399902	5579.399902	0.8
6786	060	2490	0.06	1300	1	75	120	3.5	7	6	8715	7415	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6972	5672	5672	0.8
6786	061	2481	0.06	1800	1	75	120	3.5	7	6	8684	6884	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6946.799805	5146.799805	5146.799805	0.799954
6786	062	2472	0.06	1300	1	75	120	3.5	7	6	8652	7352	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6921.600098	5621.600098	5621.600098	0.8
6786	063	2548	0.06	1275	1	75	120	3.5	7	6	8918	7643	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7134.399902	5859.399902	5859.399902	0.8
6786	064	2477	0.06	1150	1	75	120	3.5	7	6	8670	7520	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6935.600098	5785.600098	5785.600098	0.799954
6786	065	2024	0.05	1395	1	75	120	3.5	6	5	7084	5689	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5667.199707	4272.199707	4272.199707	0.8
6786	066	1936	0.04	1200	1	75	120	3.5	5	4	6776	5576	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5420.799805	4220.799805	4220.799805	0.8
6786	067	1703	0.04	1200	1	75	120	3.5	5	4	5960	4760	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4768.399902	3568.399902	3568.399902	0.800067
6786	068	2818	0.06	944	1	75	120	3.5	7	6	9863	8919	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7890.399902	6946.399902	6946.399902	0.8
6786	069	2935	0.07	1590	1	75	120	3.5	8	7	10272	8682	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	8218	6628	6628	0.800039
6786	071	2225	0.05	2142	1	65	100	3	5	4	6675	4533	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6230	4088	4088	0.933333
6786	073	3066	0.07	2008	1	75	120	3.5	8	7	10731	8723	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	8584.799805	6576.799805	6576.799805	0.8
6786	075	1449	0.03	780	1	75	120	3.5	4	3	5072	4292	RH-1	40	density-lim	3000			0.7	4	1	3	3	4057.199951	3277.199951	3277.199951	0.799921
6786	076	1104	0.03	900	1	75	120	3.5	4	3	3864	2964	RH-1	40	density-lim	3000			0.7	4	1	3	3	3091.199951	2191.199951	2191.199951	0.8
6786	077	1381	0.03	1080	1	75	120	3.5	4	3	4834	3754	RH-1	40	density-lim	3000			0.7	4	1	3	3	3866.800049	2786.800049	2786.800049	0.799917
6786	078	1535	0.04	900	1	75	120	3.5	5	4	5372	4472	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4298	3398	3398	0.800074
6786	079	2213	0.05	1386	1	75	120	3.5	6	5	7746	6360	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6196.399902	4810.399902	4810.399902	0.799948
6786	080	1963	0.05	1357	1	75	120	3.5	6	5	6870	5513	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5496.399902	4139.399902	4139.399902	0.800058

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6786	081	2209	0.05	1400	1	75	120	3.5	6	5	7732	6332	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6185.199707	4785.199707	4785.199707	0.799948
6786	082	2393	0.05	1094	1	75	120	3.5	6	5	8376	7282	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6700.399902	5606.399902	5606.399902	0.799952
6786	083	1991	0.05	1287	1	75	120	3.5	6	5	6968	5681	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5574.799805	4287.799805	4287.799805	0.800057
6786	084	2310	0.05	1275	1	75	120	3.5	6	5	8085	6810	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6468	5193	5193	0.8
6786	085	2201	0.05	1974	1	75	120	3.5	6	5	7704	5730	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6162.799805	4188.799805	4188.799805	0.799948
6786	087	2593	0.06	2873	1	75	120	3.5	7	6	9076	6203	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7260.399902	4387.399902	4387.399902	0.799956
6786	088	2260	0.05	1200	1	75	120	3.5	6	5	7910	6710	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6328	5128	5128	0.8
6786	089	2484	0.06	1200	1	75	120	3.5	7	6	8694	7494	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6955.199707	5755.199707	5755.199707	0.8
6786	091	882	0.02	745	1	75	120	3.5	2	1	3087	2342	RH-1	40	density-lim	3000			0.7	4	2	3	3	2469.599854	1724.599854	1724.599854	0.8
6786	093	2500	0.06	1175	1	75	120	3.5	7	6	8750	7575	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5825	5825	0.8
6786	094	2795	0.06	1511	1	75	120	3.5	7	6	9782	8271	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7826	6315	6315	0.800041
6793	023	2377	0.05	0	0	85	140	4	7	7	9508	9508	NC-1	40	density-lim	800			0.75	3	0.428571433	3	3	7131	7131	7131	0.75
6793	024	2371	0.05	0	0	85	140	4	7	7	9484	9484	NC-1	40	density-lim	800			0.75	3	0.428571433	3	3	7113	7113	7113	0.75
6794	002	3342	0.08	1400	1	65	100	3	8	7	10026	8626	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9357.599609	7957.599609	7957.599609	0.933333
6794	003	3345	0.08	1350	1	65	100	3	8	7	10035	8685	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9366	8016	8016	0.933333
6794	004	3055	0.07	1175	1	65	100	3	7	6	9165	7990	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8554	7379	7379	0.933333
6794	005	3150	0.07	1175	1	65	100	3	7	6	9450	8275	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8820	7645	7645	0.933333
6794	006	3205	0.07	1175	1	65	100	3	7	6	9615	8440	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8974	7799	7799	0.933333
6794	007	3261	0.07	1175	1	65	100	3	7	6	9783	8608	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9130.799805	7955.799805	7955.799805	0.933333
6794	008	3316	0.08	1350	1	65	100	3	8	7	9948	8598	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9284.799805	7934.799805	7934.799805	0.933333
6794	009	3371	0.08	1175	1	65	100	3	8	7	10113	8938	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9438.799805	8263.799805	8263.799805	0.933333
6794	010	3426	0.08	1175	1	65	100	3	8	7	10278	9103	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9592.799805	8417.799805	8417.799805	0.933333
6794	011	3482	0.08	1175	1	65	100	3	8	7	10446	9271	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9749.599609	8574.599609	8574.599609	0.933333
6794	012	3537	0.08	2050	1	65	100	3	8	7	10611	8561	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9903.599609	7853.599609	7853.599609	0.933333
6794	014	2242	0.05	1070	1	65	100	3	5	4	6726	5656	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6277.600098	5207.600098	5207.600098	0.933333
6794	015	2385	0.05	1070	1	65	100	3	5	4	7155	6085	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6678	5608	5608	0.933333
6794	016	2531	0.06	1020	1	65	100	3	6	5	7593	6573	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7086.799805	6066.799805	6066.799805	0.933333
6794	017	3741	0.09	1270	1	65	100	3	9	8	11223	9953	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10474.7998	9204.799805	9204.799805	0.933333
6794	018	3760	0.09	2010	1	65	100	3	9	8	11280	9270	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10528	8518	8518	0.933333
6794	019	3034	0.07	1510	1	65	100	3	7	6	9102	7592	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8495.200195	6985.200195	6985.200195	0.933333
6794	020	3244	0.07	1380	1	65	100	3	7	6	9732	8352	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9083.200195	7703.200195	7703.200195	0.933333
6794	022	3764	0.09	1050	1	65	100	3	9	8	11292	10242	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10539.2002	9489.200195	9489.200195	0.933333
6794	023	3764	0.09	1000	1	65	100	3	9	8	11292	10292	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10539.2002	9539.200195	9539.200195	0.933333
6794	024	3728	0.09	1490	1	65	100	3	9	8	11184	9694	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10438.39941	8948.399414	8948.399414	0.933333
6794	025	3756	0.09	1065	1	65	100	3	9	8	11268	10203	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10516.7998	9451.799805	9451.799805	0.933333
6794	026	3764	0.09	1285	1	65	100	3	9	8	11292	10007	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10539.2002	9254.200195	9254.200195	0.933333
6794	027	3149	0.07	924	1	65	100	3	7	6	9447	8523	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8817.200195	7893.200195	7893.200195	0.933333
6794	028	3149	0.07	1575	1	65	100	3	7	6	9447	7872	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8817.200195	7242.200195	7242.200195	0.933333
6794	029	3149	0.07	1550	1	65	100	3	7	6	9447	7897	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8817.200195	7267.200195	7267.200195	0.933333
6794	030	3149	0.07	1525	1	65	100	3	7	6	9447	7922	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8817.200195	7292.200195	7292.200195	0.933333
6794	031	3149	0.07	1295	1	65	100	3	7	6	9447	8152	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8817.200195	7522.200195	7522.200195	0.933333
6794	032	3149	0.07	1525	1	65	100	3	7	6	9447	7922	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8817.200195	7292.200195	7292.200195	0.933333
6795A	003	3000	0.07	1886	1	65	100	3	7	6	9000	7114	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	6514	6514	0.933333
6795A	004	3000	0.07	2700	1	65	100	3	7	6	9000	6300	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	5700	5700	0.933333
6795A	005	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	6800	6800	0.933333
6795A	006	3000	0.07	1911	1	65	100	3	7	6	9000	7089	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	6489	6489	0.933333
6795A	007	3000	0.07	1600	1	65	100	3	7	6	9000	7400	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	6800	6800	0.933333
6795A	008	2897	0.07	1600	1	65	100	3	7	6	8691	7091	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8111.600098	6511.600098	6511.600098	0.933333
6795A	009	2934	0.07	2530	1	65	100	3	7	6	8802	6272	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8215.200195	5685.200195	5685.200195	0.933333
6795A	010	2478	0.06	1350	1	65	100	3	6	5	7434	6084	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6938.399902	5588.399902	5588.399902	0.933333
6795A	011	2466	0.06	1314	1	65	100	3	6	5	7398	6084	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6904.799805	5590.799805	5590.799805	0.933333
6795A	012	2453	0.06	1674	1	65	100	3	6	5	7359	5685	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6868.399902	5194.399902	5194.399902	0.933333
6795A	013	2441	0.06	2158	1	65	100	3	6	5	7323	5165	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6834.799805	4676.799805	4676.799805	0.933333
6795A	014	2430	0.06	2089	1	65	100	3	6	5	7290	5201	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6804	4715	4715	0.933333
6795A	015	3338	0.08	2175	1	65	100	3	8	7	10014	7839	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9346.399414	7171.399414	7171.399414	0.933333
6795A	016	2508	0.06	1350	1	65	100	3	6	5	7524	6174	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5672.399902	5672.399902	0.933333
6795A	017	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5650	5650	0.933333
6795A	018	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5750	5750	0.933333
6795A	019	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5500	5500	0.933333
6795A	020	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5650	5650	0.933333
6795A	021	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5650	5650	0.933333
6795A	022	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5650	5650	0.933333
6795A	023	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5650	5650	0.933333
6795A	024	2500	0.06	1620	1	65	100	3	6	5	7500	5880	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5380	5380	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6795A	026	2129	0.05	1200	1	65	100	3	5	4	6387	5187	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5961.199707	4761.199707	4761.199707	0.933333
6795A	027	2461	0.06	1200	1	65	100	3	6	5	7383	6183	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6890.799805	5690.799805	5690.799805	0.933333
6795A	028	2728	0.06	1125	1	65	100	3	6	5	8184	7059	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7638.399902	6513.399902	6513.399902	0.933333
6795C	023	1990	0.05	1495	1	65	100	3	5	4	5970	4475	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5572	4077	4077	0.933333
6795C	001	2556	0.06	1500	1	65	100	3	6	5	7668	6168	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7156.799805	5656.799805	5656.799805	0.933333
6795C	002	2406	0.06	1080	1	65	100	3	6	5	7218	6138	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6736.799805	5656.799805	5656.799805	0.933333
6795C	002A	2380	0.05	1170	1	65	100	3	5	4	7140	5970	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6664	5494	5494	0.933333
6795C	002C	1994	0.05	1965	1	65	100	3	5	4	5982	4017	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5583.199707	3618.199707	3618.199707	0.933333
6795C	002D	1917	0.04	1278	1	65	100	3	4	3	5751	4473	RH-1	40	density-lim	3000			0.7	4	1	3	3	5367.600098	4089.600098	4089.600098	0.933333
6795C	002E	1994	0.05	1685	1	65	100	3	5	4	5982	4297	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5583.199707	3898.199707	3898.199707	0.933333
6795C	002G	2543	0.06	1190	1	65	100	3	6	5	7629	6439	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7120.399902	5930.399902	5930.399902	0.933333
6795C	003	2680	0.06	1140	1	65	100	3	6	5	8040	6900	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7504	6364	6364	0.933333
6795C	004	2557	0.06	1565	1	65	100	3	6	5	7671	6106	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7159.600098	5594.600098	5594.600098	0.933333
6795C	005	2434	0.06	1100	1	65	100	3	6	5	7302	6202	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6815.199707	5715.199707	5715.199707	0.933333
6795C	007	2500	0.06	1725	1	65	100	3	6	5	7500	5775	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5275	5275	0.933333
6795C	008	2500	0.06	1820	1	65	100	3	6	5	7500	5680	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5180	5180	0.933333
6795C	009	2500	0.06	1560	1	65	100	3	6	5	7500	5940	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5440	5440	0.933333
6795C	010	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5700	5700	0.933333
6795C	011	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5700	5700	0.933333
6795C	012	2500	0.06	1807	1	65	100	3	6	5	7500	5693	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5193	5193	0.933333
6795C	013	2511	0.06	1300	1	65	100	3	6	5	7533	6233	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7030.799805	5730.799805	5730.799805	0.933333
6795C	014	2899	0.07	1650	1	65	100	3	7	6	8697	7047	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8117.199707	6467.199707	6467.199707	0.933333
6795C	015	2614	0.06	2200	1	65	100	3	6	5	7842	5642	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7319.199707	5119.199707	5119.199707	0.933333
6795C	017	2615	0.06	1585	1	65	100	3	6	5	7845	6260	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7322	5737	5737	0.933333
6795C	018	2615	0.06	1315	1	65	100	3	6	5	7845	6530	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7322	6007	6007	0.933333
6795C	019	2615	0.06	1794	1	65	100	3	6	5	7845	6051	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7322	5528	5528	0.933333
6795C	020	2615	0.06	1480	1	65	100	3	6	5	7845	6365	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7322	5842	5842	0.933333
6795C	021	2615	0.06	2255	1	65	100	3	6	5	7845	5590	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7322	5067	5067	0.933333
6795C	022	1990	0.05	1330	1	65	100	3	5	4	5970	4640	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5572	4242	4242	0.933333
6795C	025	1875	0.04	1833	1	65	100	3	4	3	5625	3792	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3417	3417	0.933333
6795C	026	2125	0.05	1243	1	65	100	3	5	4	6375	5132	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4707	4707	0.933333
6795C	028	2442	0.06	2142	1	65	100	3	6	5	7326	5184	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6837.600098	4695.600098	4695.600098	0.933333
6795C	029	1970	0.05	1300	1	65	100	3	5	4	5910	4610	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5516	4216	4216	0.933333
6795C	030	2907	0.07	1798	1	65	100	3	7	6	8721	6923	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8139.600098	6341.600098	6341.600098	0.933333
6795C	031	2907	0.07	1707	1	65	100	3	7	6	8721	7014	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8139.600098	6432.600098	6432.600098	0.933333
6795C	032	2908	0.07	2128	1	65	100	3	7	6	8724	6596	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8142.399902	6014.399902	6014.399902	0.933333
6795C	033	3116	0.07	1075	1	65	100	3	7	6	9348	8273	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8724.799805	7649.799805	7649.799805	0.933333
6795C	036	2588	0.06	2100	1	65	100	3	6	5	7764	5664	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7246.399902	5146.399902	5146.399902	0.933333
6795C	037	2616	0.06	2654	1	65	100	3	6	5	7848	5194	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7324.799805	4670.799805	4670.799805	0.933333
6795C	038	2511	0.06	1865	1	65	100	3	6	5	7533	5668	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7030.799805	5165.799805	5165.799805	0.933333
6795C	039	2551	0.06	1690	1	65	100	3	6	5	7653	5963	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7142.799805	5452.799805	5452.799805	0.933333
6795C	040	2556	0.06	1340	1	65	100	3	6	5	7668	6328	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7156.799805	5816.799805	5816.799805	0.933333
6795C	041	2548	0.06	1370	1	65	100	3	6	5	7644	6274	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7134.399902	5764.399902	5764.399902	0.933333
6795D	002	2309	0.05	1325	1	65	100	3	5	4	6927	5602	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6465.199707	5140.199707	5140.199707	0.933333
6795D	003	2195	0.05	1325	1	65	100	3	5	4	6585	5260	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6146	4821	4821	0.933333
6795D	004	2081	0.05	1300	1	65	100	3	5	4	6243	4943	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5826.799805	4526.799805	4526.799805	0.933333
6795D	005	1966	0.05	1200	1	65	100	3	5	4	5898	4698	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5504.799805	4304.799805	4304.799805	0.933333
6795D	006	1852	0.04	1250	1	65	100	3	4	3	5556	4306	RH-1	40	density-lim	3000			0.7	4	1	3	3	5185.600098	3935.600098	3935.600098	0.933333
6795D	009	2699	0.06	1365	1	65	100	3	6	5	8097	6732	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7557.199707	6192.199707	6192.199707	0.933333
6795D	010	2699	0.06	1422	1	65	100	3	6	5	8097	6675	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7557.199707	6135.199707	6135.199707	0.933333
6795D	011	2235	0.05	1425	1	65	100	3	5	4	6705	5280	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6258	4833	4833	0.933333
6795D	012	2235	0.05	2039	1	65	100	3	5	4	6705	4666	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6258	4219	4219	0.933333
6795D	013	2236	0.05	1748	1	65	100	3	5	4	6708	4960	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6260.799805	4512.799805	4512.799805	0.933333
6795D	015	2750	0.06	1462	1	65	100	3	6	5	8250	6788	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7700	6238	6238	0.933333
6795D	018	2250	0.05	1223	1	65	100	3	5	4	6750	5527	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	5077	5077	0.933333
6795D	019	2250	0.05	1223	1	65	100	3	5	4	6750	5527	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	5077	5077	0.933333
6795D	021	2000	0.05	1170	1	65	100	3	5	4	6000	4830	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4430	4430	0.933333
6795D	022	2000	0.05	1300	1	65	100	3	5	4	6000	4700	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4300	4300	0.933333
6795D	023	2000	0.05	1260	1	65	100	3	5	4	6000	4740	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4340	4340	0.933333
6795D	025	2500	0.06	1225	1	65	100	3	6	5	7500	6275	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5775	5775	0.933333
6795D	026	2163	0.05	1871	1	65	100	3	5	4	6489	4618	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6056.399902	4185.399902	4185.399902	0.933333
6795D	027	1013	0.02	798	1	65	100	3	2	1	3039	2241	RH-1	40	density-lim	3000			0.7	4	2	3	3	2836.399902	2038.399902	2038.399902	0.933333
6795D	028	1956	0.04	1905	1	65	100	3	4	3	5868	3963	RH-1	40	density-lim	3000			0.7	4	1	3	3	5476.799805	3571.799805	3571.799805	0.933333
6795D	029	1955	0.04	1400	1	65	100	3	4	3	5865	4465	RH-1	40	density-lim	3000			0.7	4	1	3	3	5474	4074	4074	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6795D	030	2580	0.06	1400	1	65	100	3	6	5	7740	6340	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7224	5824	5824	0.933333
6795D	031	2254	0.05	1500	1	65	100	3	5	4	6762	5262	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6311.199707	4811.199707	4811.199707	0.933333
6795D	032	2254	0.05	1400	1	65	100	3	5	4	6762	5362	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6311.199707	4911.199707	4911.199707	0.933333
6795D	033	2253	0.05	1400	1	65	100	3	5	4	6759	5359	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6308.399902	4908.399902	4908.399902	0.933333
6795D	036	2265	0.05	1240	1	65	100	3	5	4	6795	5555	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6342	5102	5102	0.933333
6795D	037	2265	0.05	2336	1	65	100	3	5	4	6795	4459	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6342	4006	4006	0.933333
6795D	038	2500	0.06	1550	1	65	100	3	6	5	7500	5950	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5450	5450	0.933333
6795D	039	2500	0.06	1550	1	65	100	3	6	5	7500	5950	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5450	5450	0.933333
6795D	040	2749	0.06	1646	1	65	100	3	6	5	8247	6601	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7697.199707	6051.199707	6051.199707	0.933333
6795D	041	2250	0.05	1539	1	65	100	3	5	4	6750	5211	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	4761	4761	0.933333
6795D	043	1737	0.04	1628	1	65	100	3	4	3	5211	3583	RH-1	40	density-lim	3000			0.7	4	1	3	3	4863.600098	3235.600098	3235.600098	0.933333
6796	001	2500	0.06	4000	1	65	100	3	6	5	7500	3500	NCD-EXCE	40	density-lim	600	true		0.75	4	0.666666687	3	3	7500	3500	3500	1
6796	013	3768	0.09	1400	1	65	100	3	9	8	11304	9904	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10550.39941	9150.399414	9150.399414	0.933333
6796	014	3767	0.09	1490	1	65	100	3	9	8	11301	9811	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10547.59961	9057.599609	9057.599609	0.933333
6796	015	3766	0.09	1490	1	65	100	3	9	8	11298	9808	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10544.7998	9054.799805	9054.799805	0.933333
6796	016	3765	0.09	2000	1	65	100	3	9	8	11295	9295	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10542	8542	8542	0.933333
6796	017	3764	0.09	1854	1	65	100	3	9	8	11292	9438	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10539.2002	8685.200195	8685.200195	0.933333
6796	018	3763	0.09	1562	1	65	100	3	9	8	11289	9727	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10536.39941	8974.399414	8974.399414	0.933333
6796	020	3761	0.09	2358	1	65	100	3	9	8	11283	8925	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10530.7998	8172.799805	8172.799805	0.933333
6796	041A	3750	0.09	2195	1	65	100	3	9	8	11250	9055	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10500	8305	8305	0.933333
6796	042	3750	0.09	1150	1	65	100	3	9	8	11250	10100	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10500	9350	9350	0.933333
6796	044	3750	0.09	1200	1	65	100	3	9	8	11250	10050	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10500	9300	9300	0.933333
6796	045	3750	0.09	781	1	65	100	3	9	8	11250	10469	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10500	9719	9719	0.933333
6796	046	3750	0.09	845	1	65	100	3	9	8	11250	10405	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10500	9655	9655	0.933333
6796	048	3750	0.09	2168	1	65	100	3	9	8	11250	9082	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10500	8332	8332	0.933333
6797	030	2500	0.06	1230	1	65	100	3	6	5	7500	6270	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5770	5770	0.933333
6796	049	3750	0.09	3126	1	65	100	3	9	8	11250	8124	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10500	7374	7374	0.933333
6797	005	2512	0.06	1386	1	65	100	3	6	5	7536	6150	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5647.600098	5647.600098	0.933333
6797	006	2512	0.06	2007	1	65	100	3	6	5	7536	5529	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5026.600098	5026.600098	0.933333
6797	007	2512	0.06	2000	1	65	100	3	6	5	7536	5536	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5033.600098	5033.600098	0.933333
6797	008	2512	0.06	790	1	65	100	3	6	5	7536	6746	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	6243.600098	6243.600098	0.933333
6797	010	2512	0.06	900	1	65	100	3	6	5	7536	6636	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	6133.600098	6133.600098	0.933333
6797	011	2512	0.06	1475	1	65	100	3	6	5	7536	6061	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5558.600098	5558.600098	0.933333
6797	012	2512	0.06	900	1	65	100	3	6	5	7536	6636	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	6133.600098	6133.600098	0.933333
6797	013	2512	0.06	1000	1	65	100	3	6	5	7536	6536	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	6033.600098	6033.600098	0.933333
6797	015	2512	0.06	2759	1	65	100	3	6	5	7536	4777	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	4274.600098	4274.600098	0.933333
6797	016	2512	0.06	1550	1	65	100	3	6	5	7536	5986	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5483.600098	5483.600098	0.933333
6797	017	2512	0.06	1040	1	65	100	3	6	5	7536	6496	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5993.600098	5993.600098	0.933333
6797	018	2512	0.06	1372	1	65	100	3	6	5	7536	6164	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5661.600098	5661.600098	0.933333
6797	019	2512	0.06	1106	1	65	100	3	6	5	7536	6430	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5927.600098	5927.600098	0.933333
6797	020	2512	0.06	940	1	65	100	3	6	5	7536	6596	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	6093.600098	6093.600098	0.933333
6797	021	2512	0.06	1350	1	65	100	3	6	5	7536	6186	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5683.600098	5683.600098	0.933333
6797	022	2512	0.06	1350	1	65	100	3	6	5	7536	6186	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5683.600098	5683.600098	0.933333
6797	023	2512	0.06	1008	1	65	100	3	6	5	7536	6528	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	6025.600098	6025.600098	0.933333
6797	025	1700	0.04	1120	1	65	100	3	4	3	5100	3980	RH-1	40	density-lim	3000			0.7	4	1	3	3	4760	3640	3640	0.933333
6797	026	2090	0.05	1800	1	65	100	3	5	4	6270	4470	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5852	4052	4052	0.933333
6797	027	2480	0.06	1120	1	65	100	3	6	5	7440	6320	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6944	5824	5824	0.933333
6797	028	2500	0.06	750	1	65	100	3	6	5	7500	6750	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6250	6250	0.933333
6797	029	2500	0.06	524	1	65	100	3	6	5	7500	6976	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6476	6476	0.933333
6797	031	2500	0.06	1170	1	65	100	3	6	5	7500	6330	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5830	5830	0.933333
6797	032	2500	0.06	1170	1	65	100	3	6	5	7500	6330	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5830	5830	0.933333
6797	033	2500	0.06	1392	1	65	100	3	6	5	7500	6108	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5608	5608	0.933333
6797	034	2500	0.06	1218	1	65	100	3	6	5	7500	6282	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5782	5782	0.933333
6797	035	2500	0.06	2100	1	65	100	3	6	5	7500	5400	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4900	4900	0.933333
6797	037	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5750	5750	0.933333
6797	038	2500	0.06	1425	1	65	100	3	6	5	7500	6075	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5575	5575	0.933333
6797	039	2500	0.06	1287	1	65	100	3	6	5	7500	6213	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5713	5713	0.933333
6797	040	2500	0.06	1612	1	65	100	3	6	5	7500	5888	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5388	5388	0.933333
6797	041	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333
6797	042	2500	0.06	2184	1	65	100	3	6	5	7500	5316	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4816	4816	0.933333
6797	043	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5500	5500	0.933333
6797	045	2500	0.06	1413	1	65	100	3	6	5	7500	6087	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5587	5587	0.933333
6798	006	2551	0.06	1496	1	65	100	3	6	5	7653	6157	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	3	3	7653	6157	6157	1
6798	008	2500	0.06	1908	1	65	100	3	6	5	7500	5592	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5092	5092	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6798	009	2500	0.06	1215	1	65	100	3	6	5	7500	6285	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5785	5785	0.933333
6798	010	2500	0.06	1145	1	65	100	3	6	5	7500	6355	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5855	5855	0.933333
6798	012	2500	0.06	1634	1	65	100	3	6	5	7500	5866	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5366	5366	0.933333
6798	014	2500	0.06	1584	1	65	100	3	6	5	7500	5916	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5416	5416	0.933333
6798	014A	2500	0.06	1345	1	65	100	3	6	5	7500	6155	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5655	5655	0.933333
6798	015	2500	0.06	1106	1	65	100	3	6	5	7500	6394	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5894	5894	0.933333
6798	015A	2500	0.06	1106	1	65	100	3	6	5	7500	6394	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5894	5894	0.933333
6798	016	2618	0.06	700	1	65	100	3	6	5	7854	7154	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7330.399902	6630.399902	6630.399902	0.933333
6798	017	2382	0.05	2056	1	65	100	3	5	4	7146	5090	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6669.600098	4613.600098	4613.600098	0.933333
6798	018	2500	0.06	792	1	65	100	3	6	5	7500	6708	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6208	6208	0.933333
6798	019	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5850	5850	0.933333
6798	020	2500	0.06	1175	1	65	100	3	6	5	7500	6325	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5825	5825	0.933333
6798	020A	2500	0.06	1960	1	65	100	3	6	5	7500	5540	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5040	5040	0.933333
6798	021	2500	0.06	1643	1	65	100	3	6	5	7500	5857	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5357	5357	0.933333
6798	022	1786	0.04	980	1	65	100	3	4	3	5358	4378	RH-1	40	density-lim	3000			0.7	4	1	3	3	5000.799805	4020.799805	4020.799805	0.933333
6798	023A	1799	0.04	1147	1	65	100	3	4	3	5397	4250	RH-1	40	density-lim	3000			0.7	4	1	3	3	5037.199707	3890.199707	3890.199707	0.933333
6798	023B	1799	0.04	1088	1	65	100	3	4	3	5397	4309	RH-1	40	density-lim	3000			0.7	4	1	3	3	5037.199707	3949.199707	3949.199707	0.933333
6798	023C	2396	0.05	1122	1	65	100	3	5	4	7188	6066	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6708.799805	5586.799805	5586.799805	0.933333
6798	024	2496	0.06	1765	1	65	100	3	6	5	7488	5723	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6988.799805	5223.799805	5223.799805	0.933333
6798	025	2499	0.06	1348	1	65	100	3	6	5	7497	6149	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	5649.199707	5649.199707	0.933333
6798	027	2499	0.06	1670	1	65	100	3	6	5	7497	5827	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	5327.199707	5327.199707	0.933333
6798	027A	2499	0.06	1110	1	65	100	3	6	5	7497	6387	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	5887.199707	5887.199707	0.933333
6798	028	2499	0.06	1100	1	65	100	3	6	5	7497	6397	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	5897.199707	5897.199707	0.933333
6798	028A	2499	0.06	1110	1	65	100	3	6	5	7497	6387	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	5887.199707	5887.199707	0.933333
6798	029	2499	0.06	2026	1	65	100	3	6	5	7497	5471	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	4971.199707	4971.199707	0.933333
6798	029A	2499	0.06	1144	1	65	100	3	6	5	7497	6353	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	5853.199707	5853.199707	0.933333
6798	030	2499	0.06	600	1	65	100	3	6	5	7497	6897	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	6397.199707	6397.199707	0.933333
6798	031	2499	0.06	820	1	65	100	3	6	5	7497	6677	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	6177.199707	6177.199707	0.933333
6798	032	2499	0.06	842	1	65	100	3	6	5	7497	6655	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	6155.199707	6155.199707	0.933333
6798	033	2499	0.06	700	1	65	100	3	6	5	7497	6797	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	6297.199707	6297.199707	0.933333
6798	034	2499	0.06	1575	1	65	100	3	6	5	7497	5922	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	5422.199707	5422.199707	0.933333
6798	035	3749	0.09	1450	1	65	100	3	9	8	11247	9797	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10497.2002	9047.200195	9047.200195	0.933333
6798	036	3749	0.09	3662	1	65	100	3	9	8	11247	7585	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10497.2002	6835.200195	6835.200195	0.933333
6798	037	2535	0.06	1260	1	65	100	3	6	5	7605	6345	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7098	5838	5838	0.933333
6798	038	2463	0.06	1180	1	65	100	3	6	5	7389	6209	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6896.399902	5716.399902	5716.399902	0.933333
6798	039	2500	0.06	1748	1	65	100	3	6	5	7500	5752	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5252	5252	0.933333
6798	040	2500	0.06	2412	1	65	100	3	6	5	7500	5088	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4588	4588	0.933333
6799	007	2501	0.06	1490	1	65	100	3	6	5	7503	6013	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5512.799805	5512.799805	0.933333
6799	008	2501	0.06	1294	1	65	100	3	6	5	7503	6209	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5708.799805	5708.799805	0.933333
6799	009	2501	0.06	1275	1	65	100	3	6	5	7503	6228	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5727.799805	5727.799805	0.933333
6799	009A	2174	0.05	850	1	65	100	3	5	4	6522	5672	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6087.199707	5237.199707	5237.199707	0.933333
6799	010	2501	0.06	2383	1	65	100	3	6	5	7503	5120	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	4619.799805	4619.799805	0.933333
6799	010A	2501	0.06	950	1	65	100	3	6	5	7503	6553	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	6052.799805	6052.799805	0.933333
6799	011	2501	0.06	1044	1	65	100	3	6	5	7503	6459	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5958.799805	5958.799805	0.933333
6799	011A	2501	0.06	1020	1	65	100	3	6	5	7503	6483	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5982.799805	5982.799805	0.933333
6799	012	2501	0.06	1100	1	65	100	3	6	5	7503	6403	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5902.799805	5902.799805	0.933333
6799	012A	2501	0.06	500	1	65	100	3	6	5	7503	7003	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	6502.799805	6502.799805	0.933333
6799	013	2501	0.06	1860	1	65	100	3	6	5	7503	5643	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5142.799805	5142.799805	0.933333
6799	014	2501	0.06	1480	1	65	100	3	6	5	7503	6023	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5522.799805	5522.799805	0.933333
6799	015	2501	0.06	2200	1	65	100	3	6	5	7503	5303	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	4802.799805	4802.799805	0.933333
6799	015A	2501	0.06	1140	1	65	100	3	6	5	7503	6363	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5862.799805	5862.799805	0.933333
6799	016	2501	0.06	1170	1	65	100	3	6	5	7503	6333	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5832.799805	5832.799805	0.933333
6799	016A	2501	0.06	1170	1	65	100	3	6	5	7503	6333	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5832.799805	5832.799805	0.933333
6799	017	2501	0.06	895	1	65	100	3	6	5	7503	6608	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	6107.799805	6107.799805	0.933333
6799	017A	2501	0.06	842	1	65	100	3	6	5	7503	6661	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	6160.799805	6160.799805	0.933333
6799	018	2752	0.06	2554	1	65	100	3	6	5	8256	5702	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7705.600098	5151.600098	5151.600098	0.933333
6799	018A	2509	0.06	1124	1	65	100	3	6	5	7527	6403	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7025.199707	5901.199707	5901.199707	0.933333
6799	020A	2553	0.06	1456	1	65	100	3	6	5	7659	6203	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7148.399902	5692.399902	5692.399902	0.933333
6799	021	2402	0.06	925	1	65	100	3	6	5	7206	6281	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6725.600098	5800.600098	5800.600098	0.933333
6799	022	2502	0.06	1996	1	65	100	3	6	5	7506	5510	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5009.600098	5009.600098	0.933333
6799	023	2502	0.06	652	1	65	100	3	6	5	7506	6854	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	6353.600098	6353.600098	0.933333
6799	024	2502	0.06	1980	1	65	100	3	6	5	7506	5526	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5025.600098	5025.600098	0.933333
6799	025	2502	0.06	1486	1	65	100	3	6	5	7506	6020	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5519.600098	5519.600098	0.933333
6799	027	2502	0.06	960	1	65	100	3	6	5	7506	6546	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	6045.600098	6045.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6799	028	2502	0.06	1937	1	65	100	3	6	5	7506	5569	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5068.600098	5068.600098	0.933333
6799	029	2502	0.06	1266	1	65	100	3	6	5	7506	6240	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5739.600098	5739.600098	0.933333
6799	030	2502	0.06	1233	1	65	100	3	6	5	7506	6273	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5772.600098	5772.600098	0.933333
6799	031	2502	0.06	600	1	65	100	3	6	5	7506	6906	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	6405.600098	6405.600098	0.933333
6799	033	2502	0.06	1550	1	65	100	3	6	5	7506	5956	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5455.600098	5455.600098	0.933333
6799	034	2502	0.06	1337	1	65	100	3	6	5	7506	6169	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5668.600098	5668.600098	0.933333
6799	035	2174	0.05	1800	1	65	100	3	5	4	6522	4722	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6087.199707	4287.199707	4287.199707	0.933333
6799	036	2502	0.06	1050	1	65	100	3	6	5	7506	6456	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5955.600098	5955.600098	0.933333
6799	037	2502	0.06	1661	1	65	100	3	6	5	7506	5845	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5344.600098	5344.600098	0.933333
6799	039	1751	0.04	870	1	65	100	3	4	3	5253	4383	RH-1	40	density-lim	3000			0.7	4	1	3	3	4902.799805	4032.799805	4032.799805	0.933333
6799	043	2502	0.06	760	1	65	100	3	6	5	7506	6746	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	6245.600098	6245.600098	0.933333
6799	044	2502	0.06	2156	1	65	100	3	6	5	7506	5350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	4849.600098	4849.600098	0.933333
6800	005	2903	0.07	1508	1	65	100	3	7	6	8709	7201	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8128.399902	6620.399902	6620.399902	0.933333
6800	005A	2594	0.06	870	1	65	100	3	6	5	7782	6912	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7263.199707	6393.199707	6393.199707	0.933333
6800	006	1924	0.04	2194	1	65	100	3	4	3	5772	3578	RH-1	40	density-lim	3000			0.7	4	1	3	3	5387.199707	3193.199707	3193.199707	0.933333
6800	006A	2072	0.05	1152	1	65	100	3	5	4	6216	5064	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5801.600098	4649.600098	4649.600098	0.933333
6800	008	2368	0.05	945	1	65	100	3	5	4	7104	6159	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6630.399902	5685.399902	5685.399902	0.933333
6800	009	2516	0.06	1400	1	65	100	3	6	5	7548	6148	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7044.799805	5644.799805	5644.799805	0.933333
6800	009A	2664	0.06	720	1	65	100	3	6	5	7992	7272	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7459.199707	6739.199707	6739.199707	0.933333
6800	010	2312	0.05	1250	1	65	100	3	5	4	6936	5686	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6473.600098	5223.600098	5223.600098	0.933333
6800	011	2313	0.05	1750	1	65	100	3	5	4	6939	5189	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6476.399902	4726.399902	4726.399902	0.933333
6800	012	2312	0.05	2048	1	65	100	3	5	4	6936	4888	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6473.600098	4425.600098	4425.600098	0.933333
6800	013	2312	0.05	1250	1	65	100	3	5	4	6936	5686	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6473.600098	5223.600098	5223.600098	0.933333
6800	014	2313	0.05	1250	1	65	100	3	5	4	6939	5689	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6476.399902	5226.399902	5226.399902	0.933333
6800	015	2312	0.05	1432	1	65	100	3	5	4	6936	5504	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6473.600098	5041.600098	5041.600098	0.933333
6800	016	2313	0.05	1260	1	65	100	3	5	4	6939	5679	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6476.399902	5216.399902	5216.399902	0.933333
6800	017	2312	0.05	1300	1	65	100	3	5	4	6936	5636	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6473.600098	5173.600098	5173.600098	0.933333
6800	018	2156	0.05	1250	1	65	100	3	5	4	6468	5218	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6036.799805	4786.799805	4786.799805	0.933333
6800	020	2111	0.05	1460	1	65	100	3	5	4	6333	4873	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5910.799805	4450.799805	4450.799805	0.933333
6800	021	1981	0.05	1460	1	65	100	3	5	4	5943	4483	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5546.799805	4086.799805	4086.799805	0.933333
6800	022	2303	0.05	1128	1	65	100	3	5	4	6909	5781	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6448.399902	5320.399902	5320.399902	0.933333
6800	023	2294	0.05	1470	1	65	100	3	5	4	6882	5412	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6423.199707	4953.199707	4953.199707	0.933333
6800	024	2111	0.05	1440	1	65	100	3	5	4	6333	4893	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5910.799805	4470.799805	4470.799805	0.933333
6800	026	2305	0.05	1325	1	65	100	3	5	4	6915	5590	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6454	5129	5129	0.933333
6800	027	2305	0.05	1400	1	65	100	3	5	4	6915	5515	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6454	5054	5054	0.933333
6800	028	2306	0.05	2623	1	65	100	3	5	4	6918	4295	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6456.799805	3833.799805	3833.799805	0.933333
6800	029	2306	0.05	2027	1	65	100	3	5	4	6918	4891	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6456.799805	4429.799805	4429.799805	0.933333
6800	030	2307	0.05	1420	1	65	100	3	5	4	6921	5501	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6459.600098	5039.600098	5039.600098	0.933333
6800	031	2307	0.05	1950	1	65	100	3	5	4	6921	4971	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6459.600098	4509.600098	4509.600098	0.933333
6800	032	2308	0.05	2188	1	65	100	3	5	4	6924	4736	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6462.399902	4274.399902	4274.399902	0.933333
6800	033	2308	0.05	1350	1	65	100	3	5	4	6924	5574	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6462.399902	5112.399902	5112.399902	0.933333
6800	034	1957	0.04	1420	1	65	100	3	4	3	5871	4451	RH-1	40	density-lim	3000			0.7	4	1	3	3	5479.600098	4059.600098	4059.600098	0.933333
6800	035	2105	0.05	1420	1	65	100	3	5	4	6315	4895	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5894	4474	4474	0.933333
6800	036	2254	0.05	1420	1	65	100	3	5	4	6762	5342	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6311.199707	4891.199707	4891.199707	0.933333
6800	037	2402	0.06	1480	1	65	100	3	6	5	7206	5726	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6725.600098	5245.600098	5245.600098	0.933333
6800	038	2551	0.06	1575	1	65	100	3	6	5	7653	6078	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7142.799805	5567.799805	5567.799805	0.933333
6800	039	2699	0.06	1480	1	65	100	3	6	5	8097	6617	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7557.199707	6077.199707	6077.199707	0.933333
6800	040	2050	0.05	1102	1	65	100	3	5	4	6150	5048	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5740	4638	4638	0.933333
6800	042	2129	0.05	1371	1	65	100	3	5	4	6387	5016	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5961.199707	4590.199707	4590.199707	0.933333
6800	043	5075	0.12	2925	1	65	100	3	12	11	15225	12300	RH-1	40	density-lim	3000			0.7	4	0.333333343	3	3	14210	11285	11285	0.933333
6800	047	1724	0.04	192	0	65	100	3	4	4	5172	4980	NCD-EXCE	40	density-lim	600	true		0.75	3	0.75	3	3	5172	4980	4980	1
6800	048	1746	0.04	192	0	65	100	3	4	4	5238	5046	NCD-EXCE	40	density-lim	600	true		0.75	3	0.75	3	3	5238	5046	5046	1
6801	001A	1898	0.04	1510	1	75	120	3.5	5	4	6643	5133	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5314.399902	3804.399902	3804.399902	0.8
6801	002	1675	0.04	1200	1	75	120	3.5	5	4	5862	4662	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4690	3490	3490	0.800068
6801	003	2795	0.06	1290	1	75	120	3.5	7	6	9782	8492	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7826	6536	6536	0.800041
6801	004	2381	0.05	1118	1	75	120	3.5	6	5	8334	7216	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6666.799805	5548.799805	5548.799805	0.799952
6801	005	2084	0.05	1258	1	75	120	3.5	6	5	7294	6036	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5835.199707	4577.199707	4577.199707	0.8
6801	006	2272	0.05	1180	1	75	120	3.5	6	5	7952	6772	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6361.600098	5181.600098	5181.600098	0.8
6801	007	2414	0.06	1180	1	75	120	3.5	7	6	8449	7269	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6759.199707	5579.199707	5579.199707	0.8
6801	008	2671	0.06	1198	1	75	120	3.5	7	6	9348	8150	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7478.799805	6280.799805	6280.799805	0.800043
6801	009	2779	0.06	1328	1	75	120	3.5	7	6	9726	8398	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7781.199707	6453.199707	6453.199707	0.800041
6801	010	2771	0.06	1869	1	75	120	3.5	7	6	9698	7829	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7758.799805	5889.799805	5889.799805	0.800041
6801	011	2938	0.07	1190	1	75	120	3.5	8	7	10283	9093	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	8226.399414	7036.399414	7036.399414	0.8
6801	012	3352	0.08	1522	1	75	120	3.5	10	9	11732	10210	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9385.599609	7863.599609	7863.599609	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6801	013	3408	0.08	2258	1	75	120	3.5	10	9	11928	9670	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9542.399414	7284.399414	7284.399414	0.8
6801	014	3339	0.08	1910	1	75	120	3.5	10	9	11686	9776	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9349.200195	7439.200195	7439.200195	0.800034
6801	016	1995	0.05	1375	1	65	100	3	5	4	5985	4610	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5586	4211	4211	0.933333
6801	017	1996	0.05	1224	1	65	100	3	5	4	5988	4764	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5588.799805	4364.799805	4364.799805	0.933333
6801	018	2095	0.05	1224	1	65	100	3	5	4	6285	5061	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5866	4642	4642	0.933333
6801	019	2105	0.05	1275	1	75	120	3.5	6	5	7368	6093	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5894	4619	4619	0.799946
6801	020	2494	0.06	1471	1	75	120	3.5	7	6	8729	7258	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6983.199707	5512.199707	5512.199707	0.8
6801	022	2602	0.06	1182	1	75	120	3.5	7	6	9107	7925	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7285.600098	6103.600098	6103.600098	0.8
6801	023	2464	0.06	1182	1	75	120	3.5	7	6	8624	7442	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6899.199707	5717.199707	5717.199707	0.8
6801	024	2238	0.05	1104	1	75	120	3.5	6	5	7833	6729	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6266.399902	5162.399902	5162.399902	0.8
6801	025	2435	0.06	1000	1	75	120	3.5	7	6	8522	7522	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6818	5818	5818	0.800047
6801	026	2899	0.07	1110	1	75	120	3.5	8	7	10146	9036	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	8117.199707	7007.199707	7007.199707	0.800039
6801	027	2655	0.06	1890	1	75	120	3.5	7	6	9292	7402	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7434	5544	5544	0.800043
6801	028	2392	0.05	1240	1	75	120	3.5	6	5	8372	7132	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6697.600098	5457.600098	5457.600098	0.8
6801	029	2234	0.05	1743	1	75	120	3.5	6	5	7819	6076	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6255.199707	4512.199707	4512.199707	0.8
6801	030	2219	0.05	1500	1	75	120	3.5	6	5	7766	6266	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6213.199707	4713.199707	4713.199707	0.800051
6801	031	2217	0.05	2215	1	75	120	3.5	6	5	7760	5545	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6207.600098	3992.600098	3992.600098	0.799948
6801	032	2216	0.05	2492	1	75	120	3.5	6	5	7756	5264	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6204.799805	3712.799805	3712.799805	0.8
6801	033	2214	0.05	1200	1	75	120	3.5	6	5	7749	6549	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6199.199707	4999.199707	4999.199707	0.8
6801	034	2212	0.05	1200	1	75	120	3.5	6	5	7742	6542	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6193.600098	4993.600098	4993.600098	0.8
6801	035	2211	0.05	1200	1	75	120	3.5	6	5	7738	6538	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6190.799805	4990.799805	4990.799805	0.800052
6801	036	2191	0.05	1375	1	75	120	3.5	6	5	7668	6293	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6134.799805	4759.799805	4759.799805	0.800052
6801	037	2149	0.05	1768	1	75	120	3.5	6	5	7522	5754	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6017.199707	4249.199707	4249.199707	0.799947
6801	038	2107	0.05	1016	1	75	120	3.5	6	5	7374	6358	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5899.600098	4883.600098	4883.600098	0.800054
6801	039	2040	0.05	1668	1	75	120	3.5	6	5	7140	5472	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5712	4044	4044	0.8
6801	040	1949	0.04	1000	1	75	120	3.5	5	4	6822	5822	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5457.199707	4457.199707	4457.199707	0.799941
6801	041	1857	0.04	1288	1	75	120	3.5	5	4	6500	5212	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5199.600098	3911.600098	3911.600098	0.799938
6801	042	1766	0.04	1250	1	75	120	3.5	5	4	6181	4931	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4944.799805	3694.799805	3694.799805	0.8
6802	008	2216	0.05	2175	1	65	100	3	5	4	6648	4473	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6204.799805	4029.799805	4029.799805	0.933333
6802	009	2255	0.05	1425	1	65	100	3	5	4	6765	5340	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6314	4889	4889	0.933333
6802	010	2294	0.05	1731	1	65	100	3	5	4	6882	5151	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6423.199707	4692.199707	4692.199707	0.933333
6802	011	2334	0.05	1196	1	65	100	3	5	4	7002	5806	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6535.199707	5339.199707	5339.199707	0.933333
6802	012	2373	0.05	1350	1	65	100	3	5	4	7119	5769	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6644.399902	5294.399902	5294.399902	0.933333
6802	013	2052	0.05	2175	1	65	100	3	5	4	6156	3981	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5745.600098	3570.600098	3570.600098	0.933333
6802	014	2145	0.05	1196	1	65	100	3	5	4	6435	5239	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6006	4810	4810	0.933333
6802	016	2365	0.05	1175	1	65	100	3	5	4	7095	5920	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6622	5447	5447	0.933333
6802	018	2356	0.05	1255	1	65	100	3	5	4	7068	5813	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6596.799805	5341.799805	5341.799805	0.933333
6802	019	2319	0.05	1100	1	65	100	3	5	4	6957	5857	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6493.199707	5393.199707	5393.199707	0.933333
6802	020	2281	0.05	1375	1	65	100	3	5	4	6843	5468	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6386.799805	5011.799805	5011.799805	0.933333
6802	021	2244	0.05	1150	1	65	100	3	5	4	6732	5582	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6283.199707	5133.199707	5133.199707	0.933333
6802	022	2206	0.05	1270	1	65	100	3	5	4	6618	5348	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6176.799805	4906.799805	4906.799805	0.933333
6803	003	2250	0.05	1856	1	65	100	3	5	4	6750	4894	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	3	3	6750	4894	4894	1
6803	004	2250	0.05	2800	1	65	100	3	5	4	6750	3950	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	3	3	6750	3950	3950	1
6803	011	2000	0.05	1840	1	65	100	3	5	4	6000	4160	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	3760	3760	0.933333
6803	012	2002	0.05	1350	1	65	100	3	5	4	6006	4656	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5605.600098	4255.600098	4255.600098	0.933333
6803	013	2004	0.05	1175	1	65	100	3	5	4	6012	4837	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5611.199707	4436.199707	4436.199707	0.933333
6803	015	2874	0.07	2000	1	65	100	3	7	6	8622	6622	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8047.199707	6047.199707	6047.199707	0.933333
6803	016	2987	0.07	1520	1	65	100	3	7	6	8961	7441	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8363.599609	6843.599609	6843.599609	0.933333
6803	017	2981	0.07	1450	1	65	100	3	7	6	8943	7493	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8346.799805	6896.799805	6896.799805	0.933333
6803	019	2000	0.05	1284	1	65	100	3	5	4	6000	4716	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4316	4316	0.933333
6803	020	2000	0.05	1500	1	65	100	3	5	4	6000	4500	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4100	4100	0.933333
6803	021	2000	0.05	1500	1	65	100	3	5	4	6000	4500	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4100	4100	0.933333
6804	004	2229	0.05	4051	1	65	100	3	5	4	6687	2636	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	3	3	6687	2636	2636	1
6804	011	2465	0.06	1275	1	65	100	3	6	5	7395	6120	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6902	5627	5627	0.933333
6804	012	2300	0.05	1280	1	65	100	3	5	4	6900	5620	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6440	5160	5160	0.933333
6804	013	2164	0.05	1817	1	65	100	3	5	4	6492	4675	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6059.199707	4242.199707	4242.199707	0.933333
6804	014	2079	0.05	1572	1	75	120	3.5	6	5	7276	5704	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5821.199707	4249.199707	4249.199707	0.800055
6804	015	1950	0.04	1150	1	75	120	3.5	5	4	6825	5675	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5460	4310	4310	0.8
6804	017	2080	0.05	1275	1	75	120	3.5	6	5	7280	6005	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5824	4549	4549	0.8
6804	018	2564	0.06	900	1	75	120	3.5	7	6	8974	8074	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7179.199707	6279.199707	6279.199707	0.8
6804	019	2521	0.06	1140	1	75	120	3.5	7	6	8824	7684	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7058.799805	5918.799805	5918.799805	0.799955
6804	020	2250	0.05	1140	1	75	120	3.5	6	5	7875	6735	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6300	5160	5160	0.8
6804	021	2425	0.06	1196	1	65	100	3	6	5	7275	6079	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6790	5594	5594	0.933333
6804	022	3386	0.08	1172	1	65	100	3	8	7	10158	8986	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9480.799805	8308.799805	8308.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6912A	001	1320	0.03	0	0	65	100	3	3	3	3960	3960	RH-1(D)	40	form-based			true	0.7	3	1	3	3	3696	3696	3696	0.933333
6934	008	2518	0.06	1400	2	65	100	3	6	4	7554	6154	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7050.399902	5650.399902	5650.399902	0.933333
6934	010	2500	0.06	1912	2	65	100	3	6	4	7500	5588	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5088	5088	0.933333
6934	020	2500	0.06	1908	2	85	140	4	8	6	10000	8092	RH-1	40	form-based			true	0.7	5	0.625	3	3	7000	5092	5092	0.7
6935	010	1875	0.04	1295	1	65	100	3	4	3	5625	4330	RH-2	40	form-based		true	true	0.7	4	1	3	3	5250	3955	3955	0.933333
6935	011	1875	0.04	1070	1	65	100	3	4	3	5625	4555	RH-2	40	form-based			true	0.7	4	1	3	3	5250	4180	4180	0.933333
6935	012	1875	0.04	1175	1	65	100	3	4	3	5625	4450	RH-2	40	form-based			true	0.7	4	1	3	3	5250	4075	4075	0.933333
6935	012A	1875	0.04	900	1	65	100	3	4	3	5625	4725	RH-2	40	form-based			true	0.7	4	1	3	3	5250	4350	4350	0.933333
6935	015	2500	0.06	2995	2	65	100	3	6	4	7500	4505	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4005	4005	0.933333
6936	003	1773	0.04	875	1	85	140	4	6	5	7092	6217	RH-2	40	form-based			true	0.7	4	0.666666687	3	3	4964.399902	4089.399902	4089.399902	0.7
6936	004	1775	0.04	1035	1	85	140	4	6	5	7100	6065	RH-2	40	form-based		true	true	0.7	4	0.666666687	3	3	4970	3935	3935	0.7
6936	005	2500	0.06	2707	2	85	140	4	8	6	10000	7293	RH-2	40	form-based			true	0.7	5	0.625	3	3	7000	4293	4293	0.7
6937	018	1754	0.04	1147	1	65	100	3	4	3	5262	4115	RH-2	40	form-based			true	0.7	4	1	3	3	4911.199707	3764.199707	3764.199707	0.933333
6937	018C	1754	0.04	1147	1	65	100	3	4	3	5262	4115	RH-2	40	form-based			true	0.7	4	1	3	3	4911.199707	3764.199707	3764.199707	0.933333
6937	022	2500	0.06	3300	2	65	100	3	6	4	7500	4200	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3700	3700	0.933333
6937	023	2500	0.06	3300	2	65	100	3	6	4	7500	4200	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3700	3700	0.933333
6937	042	1700	0.04	1025	1	65	100	3	4	3	5100	4075	RH-1	40	form-based			true	0.7	4	1	3	3	4760	3735	3735	0.933333
6937	043	1700	0.04	1025	1	65	100	3	4	3	5100	4075	RH-1	40	form-based			true	0.7	4	1	3	3	4760	3735	3735	0.933333
6937	043A	1688	0.04	1549	1	65	100	3	4	3	5064	3515	RH-1	40	form-based		true	true	0.7	4	1	3	3	4726.399902	3177.399902	3177.399902	0.933333
6938	001A	1679	0.04	1112	1	65	100	3	4	3	5037	3925	RH-1	40	form-based			true	0.7	4	1	3	3	4701.199707	3589.199707	3589.199707	0.933333
6938	001B	1681	0.04	900	1	65	100	3	4	3	5043	4143	RH-1	40	form-based			true	0.7	4	1	3	3	4706.799805	3806.799805	3806.799805	0.933333
6938	020	2500	0.06	1428	2	65	100	3	6	4	7500	6072	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5572	5572	0.933333
6938	024	1875	0.04	985	1	65	100	3	4	3	5625	4640	RH-2	40	form-based		true	true	0.7	4	1	3	3	5250	4265	4265	0.933333
6938	025	1875	0.04	1377	1	65	100	3	4	3	5625	4248	RH-2	40	form-based			true	0.7	4	1	3	3	5250	3873	3873	0.933333
6938	026	1875	0.04	950	1	65	100	3	4	3	5625	4675	RH-2	40	form-based			true	0.7	4	1	3	3	5250	4300	4300	0.933333
6938	026A	1875	0.04	1597	1	65	100	3	4	3	5625	4028	RH-2	40	form-based			true	0.7	4	1	3	3	5250	3653	3653	0.933333
6939	001	1723	0.04	1056	1	65	100	3	4	3	5169	4113	RH-1	40	form-based		true	true	0.7	4	1	3	3	4824.399902	3768.399902	3768.399902	0.933333
6939	001A	1693	0.04	1056	1	65	100	3	4	3	5079	4023	RH-1	40	form-based			true	0.7	4	1	3	3	4740.399902	3684.399902	3684.399902	0.933333
6939	001B	1692	0.04	1846	1	65	100	3	4	3	5076	3230	RH-1	40	form-based			true	0.7	4	1	3	3	4737.600098	2891.600098	2891.600098	0.933333
6939	043	2486	0.06	2082	2	65	100	3	6	4	7458	5376	RH-1	40	form-based		true	true	0.7	5	0.833333313	3	3	6960.799805	4878.799805	4878.799805	0.933333
6940	016	1691	0.04	1475	1	65	100	3	4	3	5073	3598	RH-2	40	form-based			true	0.7	4	1	3	3	4734.799805	3259.799805	3259.799805	0.933333
6940	017	1910	0.04	1314	1	65	100	3	4	3	5730	4416	RH-2	40	form-based		true	true	0.7	4	1	3	3	5348	4034	4034	0.933333
6940	017A	2034	0.05	1675	1	65	100	3	5	4	6102	4427	RH-2	40	form-based			true	0.7	4	0.800000012	3	3	5695.199707	4020.199707	4020.199707	0.933333
6940	031	2813	0.06	2361	3	65	100	3	6	3	8439	6078	RH-1	40	form-based			true	0.7	6	1	3	3	7876.399902	5515.399902	5515.399902	0.933333
6941	002	2819	0.06	1649	3	65	100	3	6	3	8457	6808	RH-2	40	form-based			true	0.7	6	1	3	3	7893.199707	6244.199707	6244.199707	0.933333
6941	017	2809	0.06	3238	3	65	100	3	6	3	8427	5189	RH-2	40	form-based			true	0.7	6	1	3	3	7865.199707	4627.199707	4627.199707	0.933333
6941	031	2500	0.06	2666	2	65	100	3	6	4	7500	4834	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	4334	4334	0.933333
6942	024	2500	0.06	1380	2	65	100	3	6	4	7500	6120	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5620	5620	0.933333
6942	047A	1880	0.04	796	1	65	100	3	4	3	5640	4844	RH-2	40	form-based			true	0.7	4	1	3	3	5264	4468	4468	0.933333
6942	060	2005	0.05	1260	1	65	100	3	5	4	6015	4755	RH-2	40	form-based		true	true	0.7	4	0.800000012	3	3	5614	4354	4354	0.933333
6943	007	2782	0.06	3455	3	65	100	3	6	3	8346	4891	RH-2	40	form-based			true	0.7	6	1	3	3	7789.600098	4334.600098	4334.600098	0.933333
6943	011	5576	0.13	6816	9	65	100	3	13	4	16728	9912	RH-2	40	form-based			true	0.7	12	0.923076928	3	3	15612.7998	8796.799805	8796.799805	0.933333
6943	021	2500	0.06	1420	2	65	100	3	6	4	7500	6080	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5580	5580	0.933333
6943	024	2500	0.06	3050	2	65	100	3	6	4	7500	4450	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3950	3950	0.933333
6943	034	3164	0.07	3902	4	65	100	3	7	3	9492	5590	RH-2	40	form-based			true	0.7	7	1	3	3	8859.200195	4957.200195	4957.200195	0.933333
6943	040	2812	0.06	2531	3	65	100	3	6	3	8436	5905	RH-2	40	form-based			true	0.7	6	1	3	3	7873.600098	5342.600098	5342.600098	0.933333
6943	042	2500	0.06	968	2	65	100	3	6	4	7500	6532	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	6032	6032	0.933333
6943	056	2448	0.06	3348	2	65	100	3	6	4	7344	3996	RH-2	40	form-based		true	true	0.7	5	0.833333313	3	3	6854.399902	3506.399902	3506.399902	0.933333
6943	057	2500	0.06	3347	2	65	100	3	6	4	7500	4153	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3653	3653	0.933333
6944	017	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5000	5000	0.933333
6944	019	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5000	5000	0.933333
6944	020	2500	0.06	2000	2	65	100	3	6	4	7500	5500	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	5000	5000	0.933333
6944	021	2458	0.06	2431	2	65	100	3	6	4	7374	4943	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6882.399902	4451.399902	4451.399902	0.933333
6945	014	2500	0.06	3276	2	65	100	3	6	4	7500	4224	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7000	3724	3724	0.933333
6945	019	2575	0.06	2592	2	65	100	3	6	4	7725	5133	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7210	4618	4618	0.933333
6946	019	2815	0.06	2955	3	65	100	3	6	3	8445	5490	RH-1	40	form-based			true	0.7	6	1	3	3	7882	4927	4927	0.933333
6946	025	2500	0.06	1650	2	65	100	3	6	4	7500	5850	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	7000	5350	5350	0.933333
6946	058	2125	0.05	2135	1	75	120	3.5	6	5	7438	5303	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5950	3815	3815	0.799946
6951	010G	2217	0.05	3284	1	75	120	3.5	6	5	7760	4476	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6207.600098	2923.600098	2923.600098	0.799948
6947	002B	2080	0.05	1175	1	75	120	3.5	6	5	7280	6105	RH-2	40	form-based			true	0.7	4	0.666666687	3	3	5824	4649	4649	0.8
6947	002C	2089	0.05	1175	1	75	120	3.5	6	5	7312	6137	RH-2	40	form-based			true	0.7	4	0.666666687	3	3	5849.199707	4674.199707	4674.199707	0.799945
6947	003A	2030	0.05	1175	1	75	120	3.5	6	5	7105	5930	RH-2	40	form-based			true	0.7	4	0.666666687	3	3	5684	4509	4509	0.8
6947	010	2067	0.05	1659	1	85	140	4	7	6	8268	6609	RH-1	40	form-based			true	0.7	4	0.571428597	3	3	5787.600098	4128.600098	4128.600098	0.7
6947	017	2075	0.05	1712	1	85	140	4	7	6	8300	6588	RH-1	40	form-based			true	0.7	4	0.571428597	3	3	5810	4098	4098	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6951	010H	2214	0.05	1781	1	75	120	3.5	6	5	7749	5968	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6199.199707	4418.199707	4418.199707	0.8
6951	012	9518	0.22	1740	1	75	120	3.5	26	25	33313	31573	RH-1	40	density-lim	3000			0.7	4	0.15384616	3	3	26650.40039	24910.40039	24910.40039	0.8
6951	001A	2034	0.05	2026	1	65	100	3	5	4	6102	4076	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5695.199707	3669.199707	3669.199707	0.933333
6951	002	3136	0.07	960	1	65	100	3	7	6	9408	8448	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8780.799805	7820.799805	7820.799805	0.933333
6951	006	6352	0.15	1880	1	65	100	3	15	14	19056	17176	RH-1	40	density-lim	3000			0.7	4	0.266666681	3	3	17785.59961	15905.59961	15905.59961	0.933333
6951	007	3680	0.08	2620	1	65	100	3	8	7	11040	8420	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10304	7684	7684	0.933333
6951	008	3000	0.07	2131	1	65	100	3	7	6	9000	6869	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	6269	6269	0.933333
6951	008A	3000	0.07	1080	1	65	100	3	7	6	9000	7920	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	7320	7320	0.933333
6951	009	2610	0.06	1056	1	65	100	3	6	5	7830	6774	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7308	6252	6252	0.933333
6951	009A	2610	0.06	912	1	65	100	3	6	5	7830	6918	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7308	6396	6396	0.933333
6951	009C	2250	0.05	836	1	65	100	3	5	4	6750	5914	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	5464	5464	0.933333
6951	009E	2125	0.05	1832	1	65	100	3	5	4	6375	4543	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4118	4118	0.933333
6951	009F	2125	0.05	880	1	65	100	3	5	4	6375	5495	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	5070	5070	0.933333
6951	009G	2550	0.06	912	1	65	100	3	6	5	7650	6738	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7140	6228	6228	0.933333
6951	009H	1700	0.04	1265	1	75	120	3.5	5	4	5950	4685	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4760	3495	3495	0.8
6951	010	1992	0.05	1405	1	75	120	3.5	6	5	6972	5567	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5577.600098	4172.600098	4172.600098	0.8
6951	010C	2000	0.05	1954	1	75	120	3.5	6	5	7000	5046	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5600	3646	3646	0.8
6951	010D	2000	0.05	1085	1	75	120	3.5	6	5	7000	5915	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5600	4515	4515	0.8
6951	010E	1992	0.05	1035	1	75	120	3.5	6	5	6972	5937	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5577.600098	4542.600098	4542.600098	0.8
6951	014A	3000	0.07	960	1	75	120	3.5	8	7	10500	9540	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	8400	7440	7440	0.8
6951	014B	3000	0.07	1138	1	75	120	3.5	8	7	10500	9362	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	8400	7262	7262	0.8
6951	015B	2905	0.07	1425	1	65	100	3	7	6	8715	7290	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8134	6709	6709	0.933333
6951	020	2023	0.05	1020	1	65	100	3	5	4	6069	5049	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5664.399902	4644.399902	4644.399902	0.933333
6951	024	6352	0.15	2470	1	75	120	3.5	18	17	22232	19762	RH-1	40	density-lim	3000			0.7	4	0.222222224	3	3	17785.59961	15315.59961	15315.59961	0.8
6951	025	6354	0.15	1942	1	75	120	3.5	18	17	22239	20297	RH-1	40	density-lim	3000			0.7	4	0.222222224	3	3	17791.19922	15849.19922	15849.19922	0.8
6951	027	3920	0.09	660	1	65	100	3	9	8	11760	11100	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10976	10316	10316	0.933333
6951	032	4000	0.09	1200	1	75	120	3.5	11	10	14000	12800	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	11200	10000	10000	0.8
6951	034	2513	0.06	1483	1	65	100	3	6	5	7539	6056	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7036.399902	5553.399902	5553.399902	0.933333
6952	003	1875	0.04	3100	1	65	100	3	4	3	5625	2525	RH-2	40	density-lim	1500			0.7	4	1	3	3	5250	2150	2150	0.933333
6953	004	2517	0.06	832	1	65	100	3	6	5	7551	6719	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7047.600098	6215.600098	6215.600098	0.933333
6953	005	2517	0.06	874	1	65	100	3	6	5	7551	6677	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7047.600098	6173.600098	6173.600098	0.933333
6953	006	2518	0.06	2321	1	65	100	3	6	5	7554	5233	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	4729.399902	4729.399902	0.933333
6953	008	2519	0.06	1299	1	65	100	3	6	5	7557	6258	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	5754.199707	5754.199707	0.933333
6953	009	2520	0.06	1634	1	65	100	3	6	5	7560	5926	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	5422	5422	0.933333
6953	010	2520	0.06	1625	1	65	100	3	6	5	7560	5935	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	5431	5431	0.933333
6953	011	2521	0.06	1125	1	65	100	3	6	5	7563	6438	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7058.799805	5933.799805	5933.799805	0.933333
6953	012	2522	0.06	1770	1	65	100	3	6	5	7566	5796	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7061.600098	5291.600098	5291.600098	0.933333
6953	013	2522	0.06	1657	1	65	100	3	6	5	7566	5909	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7061.600098	5404.600098	5404.600098	0.933333
6953	014	1898	0.04	1784	1	65	100	3	4	3	5694	3910	RH-1	40	density-lim	3000			0.7	4	1	3	3	5314.399902	3530.399902	3530.399902	0.933333
6953	015	1875	0.04	1385	1	65	100	3	4	3	5625	4240	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3865	3865	0.933333
6953	016	1875	0.04	1334	1	65	100	3	4	3	5625	4291	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3916	3916	0.933333
6953	017	2500	0.06	1248	1	65	100	3	6	5	7500	6252	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5752	5752	0.933333
6953	018	1875	0.04	1248	1	65	100	3	4	3	5625	4377	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4002	4002	0.933333
6953	019	1875	0.04	1872	1	65	100	3	4	3	5625	3753	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3378	3378	0.933333
6953	020	1875	0.04	1255	1	65	100	3	4	3	5625	4370	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3995	3995	0.933333
6953	021A	2500	0.06	1580	1	65	100	3	6	5	7500	5920	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5420	5420	0.933333
6953	022A	2150	0.05	1255	1	65	100	3	5	4	6450	5195	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6020	4765	4765	0.933333
6953	023	1875	0.04	1500	1	65	100	3	4	3	5625	4125	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3750	3750	0.933333
6953	024	1875	0.04	2012	1	65	100	3	4	3	5625	3613	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3238	3238	0.933333
6953	025	2500	0.06	1248	1	65	100	3	6	5	7500	6252	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5752	5752	0.933333
6953	026	3125	0.07	1592	1	65	100	3	7	6	9375	7783	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7158	7158	0.933333
6953	027	2500	0.06	1248	1	65	100	3	6	5	7500	6252	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5752	5752	0.933333
6953	029	2500	0.06	1248	1	65	100	3	6	5	7500	6252	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5752	5752	0.933333
6953	031	2546	0.06	1736	1	65	100	3	6	5	7638	5902	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7128.799805	5392.799805	5392.799805	0.933333
6953	033	2550	0.06	2622	1	65	100	3	6	5	7650	5028	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7140	4518	4518	0.933333
6953	034	2983	0.07	1544	1	65	100	3	7	6	8949	7405	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8352.399414	6808.399414	6808.399414	0.933333
6953	035	3417	0.08	1214	1	65	100	3	8	7	10251	9037	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9567.599609	8353.599609	8353.599609	0.933333
6953	036	3851	0.09	1300	1	65	100	3	9	8	11553	10253	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10782.7998	9482.799805	9482.799805	0.933333
6953	037	2410	0.06	1332	1	65	100	3	6	5	7230	5898	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6748	5416	5416	0.933333
6953	039	2219	0.05	1260	1	65	100	3	5	4	6657	5397	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6213.199707	4953.199707	4953.199707	0.933333
6953	041	2150	0.05	1058	1	65	100	3	5	4	6450	5392	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6020	4962	4962	0.933333
6953	042	2150	0.05	2092	1	65	100	3	5	4	6450	4358	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6020	3928	3928	0.933333
6953	043	2775	0.06	1315	1	65	100	3	6	5	8325	7010	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7770	6455	6455	0.933333
6953	044	2775	0.06	1495	1	65	100	3	6	5	8325	6830	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7770	6275	6275	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6953	045	2775	0.06	800	1	65	100	3	6	5	8325	7525	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7770	6970	6970	0.933333
6953	046	2775	0.06	1810	1	65	100	3	6	5	8325	6515	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7770	5960	5960	0.933333
6953	047	2500	0.06	1906	1	65	100	3	6	5	7500	5594	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5094	5094	0.933333
6953	048	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6050	6050	0.933333
6953	049	2500	0.06	1135	1	65	100	3	6	5	7500	6365	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5865	5865	0.933333
6953	050	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5950	5950	0.933333
6953	051	2500	0.06	1340	1	65	100	3	6	5	7500	6160	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5660	5660	0.933333
6953	052	2500	0.06	1215	1	65	100	3	6	5	7500	6285	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5785	5785	0.933333
6953	053	2500	0.06	885	1	65	100	3	6	5	7500	6615	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6115	6115	0.933333
6953	054	2500	0.06	885	1	65	100	3	6	5	7500	6615	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6115	6115	0.933333
6953	055	2500	0.06	1438	1	65	100	3	6	5	7500	6062	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5562	5562	0.933333
6953	057	2340	0.05	1075	1	65	100	3	5	4	7020	5945	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6552	5477	5477	0.933333
6953	058	2774	0.06	1075	1	65	100	3	6	5	8322	7247	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7767.199707	6692.199707	6692.199707	0.933333
6953	059	3208	0.07	2676	1	65	100	3	7	6	9624	6948	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8982.399414	6306.399414	6306.399414	0.933333
6953	060	2392	0.05	1800	1	65	100	3	5	4	7176	5376	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6697.600098	4897.600098	4897.600098	0.933333
6953	061	2201	0.05	1312	1	65	100	3	5	4	6603	5291	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6162.799805	4850.799805	4850.799805	0.933333
6953	062	2635	0.06	1388	1	65	100	3	6	5	7905	6517	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7378	5990	5990	0.933333
6953	063	1875	0.04	1216	1	65	100	3	4	3	5625	4409	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4034	4034	0.933333
6953	065	4406	0.1	2190	1	65	100	3	10	9	13218	11028	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12336.7998	10146.7998	10146.7998	0.933333
6954	014	1767	0.04	1250	1	65	100	3	4	3	5301	4051	RH-1	40	density-lim	3000			0.7	4	1	3	3	4947.600098	3697.600098	3697.600098	0.933333
6954	014A	1761	0.04	1785	1	65	100	3	4	3	5283	3498	RH-1	40	density-lim	3000			0.7	4	1	3	3	4930.799805	3145.799805	3145.799805	0.933333
6954	014B	1755	0.04	1790	1	65	100	3	4	3	5265	3475	RH-1	40	density-lim	3000			0.7	4	1	3	3	4914	3124	3124	0.933333
6954	015	1754	0.04	1652	1	65	100	3	4	3	5262	3610	RH-1	40	density-lim	3000			0.7	4	1	3	3	4911.199707	3259.199707	3259.199707	0.933333
6954	015A	1753	0.04	1430	1	65	100	3	4	3	5259	3829	RH-1	40	density-lim	3000			0.7	4	1	3	3	4908.399902	3478.399902	3478.399902	0.933333
6954	015B	2453	0.06	1200	1	65	100	3	6	5	7359	6159	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6868.399902	5668.399902	5668.399902	0.933333
6954	022	2000	0.05	2055	1	65	100	3	5	4	6000	3945	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	3545	3545	0.933333
6954	022B	2000	0.05	1250	1	65	100	3	5	4	6000	4750	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4350	4350	0.933333
6954	022C	2000	0.05	2027	1	65	100	3	5	4	6000	3973	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	3573	3573	0.933333
6954	022D	2283	0.05	2785	1	65	100	3	5	4	6849	4064	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6392.399902	3607.399902	3607.399902	0.933333
6954	022E	2191	0.05	800	1	65	100	3	5	4	6573	5773	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6134.799805	5334.799805	5334.799805	0.933333
6954	022F	2166	0.05	1026	1	65	100	3	5	4	6498	5472	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6064.799805	5038.799805	5038.799805	0.933333
6954	023A	1641	0.04	1312	1	65	100	3	4	3	4923	3611	RH-1	40	density-lim	3000			0.7	4	1	3	3	4594.799805	3282.799805	3282.799805	0.933333
6954	023B	1635	0.04	1312	1	65	100	3	4	3	4905	3593	RH-1	40	density-lim	3000			0.7	4	1	3	3	4578	3266	3266	0.933333
6954	023C	1629	0.04	1312	1	65	100	3	4	3	4887	3575	RH-1	40	density-lim	3000			0.7	4	1	3	3	4561.199707	3249.199707	3249.199707	0.933333
6954	023D	1460	0.03	1312	1	65	100	3	3	2	4380	3068	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4088	2776	2776	0.933333
6954	023E	1024	0.02	980	1	65	100	3	2	1	3072	2092	RH-1	40	density-lim	3000			0.7	4	2	3	3	2867.199951	1887.199951	1887.199951	0.933333
6954	023F	1334	0.03	1283	1	65	100	3	3	2	4002	2719	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3735.199951	2452.199951	2452.199951	0.933333
6954	024A	1745	0.04	1312	1	65	100	3	4	3	5235	3923	RH-1	40	density-lim	3000			0.7	4	1	3	3	4886	3574	3574	0.933333
6954	024B	1785	0.04	1312	1	65	100	3	4	3	5355	4043	RH-1	40	density-lim	3000			0.7	4	1	3	3	4998	3686	3686	0.933333
6954	024C	1791	0.04	1312	1	65	100	3	4	3	5373	4061	RH-1	40	density-lim	3000			0.7	4	1	3	3	5014.799805	3702.799805	3702.799805	0.933333
6954	024D	1697	0.04	1312	1	65	100	3	4	3	5091	3779	RH-1	40	density-lim	3000			0.7	4	1	3	3	4751.600098	3439.600098	3439.600098	0.933333
6954	024E	1407	0.03	980	1	65	100	3	3	2	4221	3241	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3939.599854	2959.599854	2959.599854	0.933333
6954	024F	1725	0.04	1123	1	65	100	3	4	3	5175	4052	RH-1	40	density-lim	3000			0.7	4	1	3	3	4830	3707	3707	0.933333
6954	031	3539	0.08	2298	1	65	100	3	8	7	10617	8319	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9909.200195	7611.200195	7611.200195	0.933333
6954	034	4000	0.09	3609	1	65	100	3	9	8	12000	8391	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11200	7591	7591	0.933333
6954	035	4000	0.09	1977	1	65	100	3	9	8	12000	10023	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11200	9223	9223	0.933333
6955	021	2646	0.06	704	1	55	80	2.5	5	4	6615	5911	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7408.799805	6704.799805	6704.799805	1.12
6955	022	2646	0.06	1534	1	55	80	2.5	5	4	6615	5081	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7408.799805	5874.799805	5874.799805	1.12
6955	023	2646	0.06	1172	1	55	80	2.5	5	4	6615	5443	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7408.799805	6236.799805	6236.799805	1.12
6955	025	4063	0.09	3143	1	55	80	2.5	7	6	10158	7015	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	11376.39941	8233.399414	8233.399414	1.119945
6955	026	2540	0.06	2345	1	55	80	2.5	5	4	6350	4005	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7112	4767	4767	1.12
6955	027	2541	0.06	2345	1	55	80	2.5	5	4	6352	4007	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7114.799805	4769.799805	4769.799805	1.120088
6955	028	2542	0.06	2360	1	55	80	2.5	5	4	6355	3995	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7117.600098	4757.600098	4757.600098	1.12
6955	029	2543	0.06	1640	1	55	80	2.5	5	4	6358	4718	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7120.399902	5480.399902	5480.399902	1.119912
6955	030	2443	0.06	840	1	55	80	2.5	5	4	6108	5268	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6840.399902	6000.399902	6000.399902	1.119908
6955	031	2443	0.06	2055	1	55	80	2.5	5	4	6108	4053	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6840.399902	4785.399902	4785.399902	1.119908
6956	005C	2744	0.06	1669	1	55	80	2.5	5	4	6860	5191	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7683.199707	6014.199707	6014.199707	1.12
6956	012	2552	0.06	1210	1	55	80	2.5	5	4	6380	5170	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7145.600098	5935.600098	5935.600098	1.12
6956	015	2551	0.06	1484	1	55	80	2.5	5	4	6378	4894	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	7142.799805	5658.799805	5658.799805	1.119912
6956	025	2513	0.06	1868	1	55	80	2.5	5	4	6282	4414	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	3	3	7539	5671	5671	1.200096
6956	027	4666	0.11	1920	1	55	80	2.5	9	8	11665	9745	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13064.7998	11144.7998	11144.7998	1.12
6956	029	2500	0.06	2302	1	55	80	2.5	5	4	6250	3948	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4698	4698	1.12
6956	030	2740	0.06	1350	1	55	80	2.5	5	4	6850	5500	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7672	6322	6322	1.12
6957	002	2064	0.05	1325	1	65	100	3	5	4	6192	4867	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5779.199707	4454.199707	4454.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6957	003	2061	0.05	1625	1	65	100	3	5	4	6183	4558	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5770.799805	4145.799805	4145.799805	0.933333
6957	004	2059	0.05	1125	1	65	100	3	5	4	6177	5052	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5765.199707	4640.199707	4640.199707	0.933333
6957	005	2056	0.05	1125	1	65	100	3	5	4	6168	5043	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5756.799805	4631.799805	4631.799805	0.933333
6957	006	2062	0.05	1050	1	65	100	3	5	4	6186	5136	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5773.600098	4723.600098	4723.600098	0.933333
6957	007	2044	0.05	2085	1	65	100	3	5	4	6132	4047	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5723.199707	3638.199707	3638.199707	0.933333
6957	008	2052	0.05	1600	1	65	100	3	5	4	6156	4556	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5745.600098	4145.600098	4145.600098	0.933333
6957	009	2051	0.05	2036	1	65	100	3	5	4	6153	4117	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5742.799805	3706.799805	3706.799805	0.933333
6957	010	1854	0.04	1100	1	65	100	3	4	3	5562	4462	RH-1	40	density-lim	3000			0.7	4	1	3	3	5191.199707	4091.199707	4091.199707	0.933333
6957	011	1602	0.04	1100	1	65	100	3	4	3	4806	3706	RH-1	40	density-lim	3000			0.7	4	1	3	3	4485.600098	3385.600098	3385.600098	0.933333
6957	012	1601	0.04	1424	1	65	100	3	4	3	4803	3379	RH-1	40	density-lim	3000			0.7	4	1	3	3	4482.799805	3058.799805	3058.799805	0.933333
6957	014	2375	0.05	1640	1	65	100	3	5	4	7125	5485	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6650	5010	5010	0.933333
6957	015	2500	0.06	1468	1	65	100	3	6	5	7500	6032	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5532	5532	0.933333
6957	016	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5800	5800	0.933333
6957	017	2500	0.06	2112	1	65	100	3	6	5	7500	5388	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4888	4888	0.933333
6957	018	2500	0.06	1650	1	65	100	3	6	5	7500	5850	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5350	5350	0.933333
6957	019	1875	0.04	1200	1	65	100	3	4	3	5625	4425	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4050	4050	0.933333
6957	021	1875	0.04	1250	1	65	100	3	4	3	5625	4375	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4000	4000	0.933333
6957	022	1875	0.04	1740	1	65	100	3	4	3	5625	3885	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3510	3510	0.933333
6957	023	2500	0.06	1768	1	65	100	3	6	5	7500	5732	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5232	5232	0.933333
6957	024	2550	0.06	1265	1	65	100	3	6	5	7650	6385	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7140	5875	5875	0.933333
6957	025	2550	0.06	1265	1	65	100	3	6	5	7650	6385	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7140	5875	5875	0.933333
6957	027	2134	0.05	1050	1	65	100	3	5	4	6402	5352	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5975.199707	4925.199707	4925.199707	0.933333
6957	028	2561	0.06	1175	1	65	100	3	6	5	7683	6508	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7170.799805	5995.799805	5995.799805	0.933333
6957	029	2561	0.06	990	1	65	100	3	6	5	7683	6693	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7170.799805	6180.799805	6180.799805	0.933333
6957	030	2561	0.06	990	1	65	100	3	6	5	7683	6693	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7170.799805	6180.799805	6180.799805	0.933333
6957	031	2150	0.05	1315	1	65	100	3	5	4	6450	5135	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6020	4705	4705	0.933333
6957	032	2150	0.05	1815	1	65	100	3	5	4	6450	4635	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6020	4205	4205	0.933333
6957	033	2150	0.05	1315	1	65	100	3	5	4	6450	5135	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6020	4705	4705	0.933333
6957	034	2150	0.05	1478	1	65	100	3	5	4	6450	4972	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6020	4542	4542	0.933333
6957	035	2150	0.05	1325	1	65	100	3	5	4	6450	5125	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6020	4695	4695	0.933333
6957	037	2243	0.05	1240	1	65	100	3	5	4	6729	5489	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6280.399902	5040.399902	5040.399902	0.933333
6957	038	2240	0.05	2246	1	65	100	3	5	4	6720	4474	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6272	4026	4026	0.933333
6957	040	2230	0.05	1225	1	65	100	3	5	4	6690	5465	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6244	5019	5019	0.933333
6957	041	2230	0.05	1150	1	65	100	3	5	4	6690	5540	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6244	5094	5094	0.933333
6957	042	2230	0.05	1150	1	65	100	3	5	4	6690	5540	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6244	5094	5094	0.933333
6957	043	2230	0.05	1329	1	65	100	3	5	4	6690	5361	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6244	4915	4915	0.933333
6957	044	2230	0.05	1870	1	65	100	3	5	4	6690	4820	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6244	4374	4374	0.933333
6957	045	2230	0.05	1150	1	65	100	3	5	4	6690	5540	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6244	5094	5094	0.933333
6957	046	2230	0.05	1150	1	65	100	3	5	4	6690	5540	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6244	5094	5094	0.933333
6958	002	1600	0.04	1100	1	65	100	3	4	3	4800	3700	RH-1	40	density-lim	3000			0.7	4	1	3	3	4480	3380	3380	0.933333
6958	003	1599	0.04	1466	1	65	100	3	4	3	4797	3331	RH-1	40	density-lim	3000			0.7	4	1	3	3	4477.199707	3011.199707	3011.199707	0.933333
6958	004	1599	0.04	1400	1	65	100	3	4	3	4797	3397	RH-1	40	density-lim	3000			0.7	4	1	3	3	4477.199707	3077.199707	3077.199707	0.933333
6958	005	2318	0.05	2413	1	65	100	3	5	4	6954	4541	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6490.399902	4077.399902	4077.399902	0.933333
6958	006	2682	0.06	1663	1	65	100	3	6	5	8046	6383	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7509.600098	5846.600098	5846.600098	0.933333
6958	007	2640	0.06	1613	1	65	100	3	6	5	7920	6307	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7392	5779	5779	0.933333
6958	008	3155	0.07	1691	1	65	100	3	7	6	9465	7774	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8834	7143	7143	0.933333
6958	009	4360	0.1	1779	1	65	100	3	10	9	13080	11301	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12208	10429	10429	0.933333
6958	010	2222	0.05	1930	1	65	100	3	5	4	6666	4736	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6221.600098	4291.600098	4291.600098	0.933333
6958	011	2404	0.06	1400	1	65	100	3	6	5	7212	5812	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6731.199707	5331.199707	5331.199707	0.933333
6958	012	1589	0.04	1444	1	65	100	3	4	3	4767	3323	RH-1	40	density-lim	3000			0.7	4	1	3	3	4449.199707	3005.199707	3005.199707	0.933333
6958	013	1680	0.04	1002	1	65	100	3	4	3	5040	4038	RH-1	40	density-lim	3000			0.7	4	1	3	3	4704	3702	3702	0.933333
6958	014	1418	0.03	1921	1	65	100	3	3	2	4254	2333	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3970.399902	2049.399902	2049.399902	0.933333
6958	015	1211	0.03	1015	1	65	100	3	3	2	3633	2618	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3390.800049	2375.800049	2375.800049	0.933333
6958	016	1215	0.03	1015	1	65	100	3	3	2	3645	2630	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3402	2387	2387	0.933333
6958	017	1259	0.03	1135	1	65	100	3	3	2	3777	2642	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3525.199951	2390.199951	2390.199951	0.933333
6958	018	1945	0.04	1159	1	65	100	3	4	3	5835	4676	RH-1	40	density-lim	3000			0.7	4	1	3	3	5446	4287	4287	0.933333
6958	019	1825	0.04	878	1	65	100	3	4	3	5475	4597	RH-1	40	density-lim	3000			0.7	4	1	3	3	5110	4232	4232	0.933333
6958	020	1379	0.03	800	1	65	100	3	3	2	4137	3337	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3861.199951	3061.199951	3061.199951	0.933333
6958	021	1275	0.03	800	1	65	100	3	3	2	3825	3025	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3570	2770	2770	0.933333
6958	022	1263	0.03	800	1	65	100	3	3	2	3789	2989	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3536.399902	2736.399902	2736.399902	0.933333
6958	023	1258	0.03	800	1	65	100	3	3	2	3774	2974	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3522.399902	2722.399902	2722.399902	0.933333
6958	024	1269	0.03	1579	1	65	100	3	3	2	3807	2228	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3553.199951	1974.199951	1974.199951	0.933333
6958	025	1280	0.03	800	1	65	100	3	3	2	3840	3040	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3584	2784	2784	0.933333
6958	026	1868	0.04	1250	1	65	100	3	4	3	5604	4354	RH-1	40	density-lim	3000			0.7	4	1	3	3	5230.399902	3980.399902	3980.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6958	027	1856	0.04	1350	1	65	100	3	4	3	5568	4218	RH-1	40	density-lim	3000			0.7	4	1	3	3	5196.799805	3846.799805	3846.799805	0.933333
6958	029	1874	0.04	1075	1	65	100	3	4	3	5622	4547	RH-1	40	density-lim	3000			0.7	4	1	3	3	5247.199707	4172.199707	4172.199707	0.933333
6958	030	1875	0.04	1075	1	65	100	3	4	3	5625	4550	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4175	4175	0.933333
6958	055	2241	0.05	1325	1	65	100	3	5	4	6723	5398	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6274.799805	4949.799805	4949.799805	0.933333
6958	031	2123	0.05	1698	1	65	100	3	5	4	6369	4671	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5944.399902	4246.399902	4246.399902	0.933333
6958	032	2125	0.05	2287	1	65	100	3	5	4	6375	4088	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	3663	3663	0.933333
6958	033	2125	0.05	1690	1	65	100	3	5	4	6375	4685	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4260	4260	0.933333
6958	034	2067	0.05	1300	1	65	100	3	5	4	6201	4901	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5787.600098	4487.600098	4487.600098	0.933333
6958	035	1951	0.04	1300	1	65	100	3	4	3	5853	4553	RH-1	40	density-lim	3000			0.7	4	1	3	3	5462.799805	4162.799805	4162.799805	0.933333
6958	037	1977	0.05	1834	1	65	100	3	5	4	5931	4097	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5535.600098	3701.600098	3701.600098	0.933333
6958	038	1965	0.05	1732	1	65	100	3	5	4	5895	4163	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5502	3770	3770	0.933333
6958	041	2465	0.06	1188	1	65	100	3	6	5	7395	6207	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6902	5714	5714	0.933333
6958	042	1973	0.05	1282	1	65	100	3	5	4	5919	4637	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5524.399902	4242.399902	4242.399902	0.933333
6958	043	2949	0.07	1188	1	65	100	3	7	6	8847	7659	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8257.200195	7069.200195	7069.200195	0.933333
6958	044	2457	0.06	1188	1	65	100	3	6	5	7371	6183	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6879.600098	5691.600098	5691.600098	0.933333
6958	045	2457	0.06	1313	1	65	100	3	6	5	7371	6058	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6879.600098	5566.600098	5566.600098	0.933333
6958	046	2457	0.06	1553	1	65	100	3	6	5	7371	5818	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6879.600098	5326.600098	5326.600098	0.933333
6958	047	2457	0.06	1225	1	65	100	3	6	5	7371	6146	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6879.600098	5654.600098	5654.600098	0.933333
6958	048	2268	0.05	1425	1	65	100	3	5	4	6804	5379	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6350.399902	4925.399902	4925.399902	0.933333
6958	049	1826	0.04	1590	1	65	100	3	4	3	5478	3888	RH-1	40	density-lim	3000			0.7	4	1	3	3	5112.799805	3522.799805	3522.799805	0.933333
6958	051	1452	0.03	1355	1	65	100	3	3	2	4356	3001	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4065.599854	2710.599854	2710.599854	0.933333
6958	052	2476	0.06	1703	1	65	100	3	6	5	7428	5725	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6932.799805	5229.799805	5229.799805	0.933333
6958	053	2500	0.06	2068	1	65	100	3	6	5	7500	5432	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4932	4932	0.933333
6958	054	2535	0.06	1325	1	65	100	3	6	5	7605	6280	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7098	5773	5773	0.933333
6958	056	1925	0.04	1735	1	65	100	3	4	3	5775	4040	RH-1	40	density-lim	3000			0.7	4	1	3	3	5390	3655	3655	0.933333
6959	012	3367	0.08	1400	1	65	100	3	8	7	10101	8701	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9427.599609	8027.599609	8027.599609	0.933333
6959	013	3367	0.08	2118	1	65	100	3	8	7	10101	7983	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9427.599609	7309.599609	7309.599609	0.933333
6959	014	3238	0.07	1756	1	65	100	3	7	6	9714	7958	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9066.399414	7310.399414	7310.399414	0.933333
6959	015	3232	0.07	1400	1	65	100	3	7	6	9696	8296	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9049.599609	7649.599609	7649.599609	0.933333
6959	022	2771	0.06	1814	1	65	100	3	6	5	8313	6499	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7758.799805	5944.799805	5944.799805	0.933333
6959	023	2794	0.06	1924	1	65	100	3	6	5	8382	6458	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7823.199707	5899.199707	5899.199707	0.933333
6959	024	2820	0.06	1484	1	65	100	3	6	5	8460	6976	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7896	6412	6412	0.933333
6959	030	2485	0.06	1390	1	65	100	3	6	5	7455	6065	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6958	5568	5568	0.933333
6961	008	2080	0.05	300	1	75	120	3.5	6	5	7280	6980	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5824	5524	5524	0.8
6961	009	2080	0.05	724	1	75	120	3.5	6	5	7280	6556	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5824	5100	5100	0.8
6961	010	2080	0.05	1100	1	75	120	3.5	6	5	7280	6180	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5824	4724	4724	0.8
6961	011	2080	0.05	2646	1	75	120	3.5	6	5	7280	4634	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5824	3178	3178	0.8
6961	012	2080	0.05	1170	1	75	120	3.5	6	5	7280	6110	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5824	4654	4654	0.8
6961	013	2080	0.05	1170	1	75	120	3.5	6	5	7280	6110	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5824	4654	4654	0.8
6965A	007	2512	0.06	1300	1	75	120	3.5	7	6	8792	7492	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7033.600098	5733.600098	5733.600098	0.8
6965A	002	2114	0.05	1176	1	75	120	3.5	6	5	7399	6223	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5919.199707	4743.199707	4743.199707	0.8
6965A	003	2300	0.05	1613	1	75	120	3.5	6	5	8050	6437	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6440	4827	4827	0.8
6965A	005	2237	0.05	1176	1	75	120	3.5	6	5	7830	6654	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6263.600098	5087.600098	5087.600098	0.799949
6965A	006	2394	0.05	2452	1	75	120	3.5	6	5	8379	5927	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6703.199707	4251.199707	4251.199707	0.8
6965A	008	2668	0.06	1100	1	75	120	3.5	7	6	9338	8238	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7470.399902	6370.399902	6370.399902	0.8
6965A	009	2809	0.06	1716	1	75	120	3.5	7	6	9832	8116	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7865.199707	6149.199707	6149.199707	0.799959
6965A	011	2883	0.07	1170	1	75	120	3.5	8	7	10090	8920	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	8072.399902	6902.399902	6902.399902	0.80004
6965A	012	3002	0.07	2035	1	75	120	3.5	8	7	10507	8472	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	8405.599609	6370.599609	6370.599609	0.8
6965A	013	3512	0.08	2881	1	75	120	3.5	10	9	12292	9411	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9833.599609	6952.599609	6952.599609	0.8
6965A	014	3370	0.08	968	1	75	120	3.5	10	9	11795	10827	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9436	8468	8468	0.8
6965A	015	4080	0.09	1056	1	75	120	3.5	11	10	14280	13224	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	11424	10368	10368	0.8
6965A	017	4008	0.09	1775	1	75	120	3.5	11	10	14028	12253	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	11222.39941	9447.399414	9447.399414	0.8
6965A	018	4034	0.09	1792	1	75	120	3.5	11	10	14119	12327	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	11295.2002	9503.200195	9503.200195	0.8
6965A	019	3913	0.09	2773	1	65	100	3	9	8	11739	8966	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10956.39941	8183.399414	8183.399414	0.933333
6965A	020	3917	0.09	2187	1	65	100	3	9	8	11751	9564	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10967.59961	8780.599609	8780.599609	0.933333
6965A	021	3804	0.09	1445	1	65	100	3	9	8	11412	9967	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10651.2002	9206.200195	9206.200195	0.933333
6965A	023	3634	0.08	1525	1	65	100	3	8	7	10902	9377	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10175.2002	8650.200195	8650.200195	0.933333
6965A	024	3339	0.08	2320	1	65	100	3	8	7	10017	7697	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9349.200195	7029.200195	7029.200195	0.933333
6965A	025	3183	0.07	924	1	65	100	3	7	6	9549	8625	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8912.399414	7988.399414	7988.399414	0.933333
6965A	026	2199	0.05	1350	1	65	100	3	5	4	6597	5247	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6157.199707	4807.199707	4807.199707	0.933333
6965A	028	2257	0.05	1125	1	65	100	3	5	4	6771	5646	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6319.600098	5194.600098	5194.600098	0.933333
6965A	031	1772	0.04	940	1	65	100	3	4	3	5316	4376	RH-1	40	density-lim	3000			0.7	4	1	3	3	4961.600098	4021.600098	4021.600098	0.933333
6965A	032	2404	0.06	1328	1	65	100	3	6	5	7212	5884	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6731.199707	5403.199707	5403.199707	0.933333
6965A	034	2413	0.06	925	1	65	100	3	6	5	7239	6314	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6756.399902	5831.399902	5831.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6965A	035	2418	0.06	1150	1	65	100	3	6	5	7254	6104	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6770.399902	5620.399902	5620.399902	0.933333
6965A	036	2423	0.06	2141	1	75	120	3.5	7	6	8480	6339	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6784.399902	4643.399902	4643.399902	0.800047
6965A	037	2428	0.06	1200	1	75	120	3.5	7	6	8498	7298	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6798.399902	5598.399902	5598.399902	0.8
6965A	038	2432	0.06	2022	1	75	120	3.5	7	6	8512	6490	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6809.600098	4787.600098	4787.600098	0.8
6965A	039	2432	0.06	1570	1	75	120	3.5	7	6	8512	6942	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6809.600098	5239.600098	5239.600098	0.8
6965A	040	2431	0.06	1165	1	75	120	3.5	7	6	8508	7343	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6806.799805	5641.799805	5641.799805	0.800047
6965A	041	2430	0.06	1200	1	75	120	3.5	7	6	8505	7305	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6804	5604	5604	0.8
6965A	042	2429	0.06	1115	1	75	120	3.5	7	6	8502	7387	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6801.199707	5686.199707	5686.199707	0.799953
6965A	043	2428	0.06	1200	1	75	120	3.5	7	6	8498	7298	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6798.399902	5598.399902	5598.399902	0.8
6965A	044	2386	0.05	1200	1	75	120	3.5	6	5	8351	7151	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6680.799805	5480.799805	5480.799805	0.8
6965A	045	2283	0.05	1065	1	75	120	3.5	6	5	7990	6925	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6392.399902	5327.399902	5327.399902	0.80005
6965A	046	2169	0.05	1065	1	75	120	3.5	6	5	7592	6527	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6073.199707	5008.199707	5008.199707	0.799947
6965A	047	2043	0.05	925	1	75	120	3.5	6	5	7150	6225	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5720.399902	4795.399902	4795.399902	0.800056
6965A	048	2159	0.05	925	1	75	120	3.5	6	5	7556	6631	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6045.199707	5120.199707	5120.199707	0.800053
6965A	049	2031	0.05	1455	1	75	120	3.5	6	5	7108	5653	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5686.799805	4231.799805	4231.799805	0.800056
6965A	050	2189	0.05	1590	1	75	120	3.5	6	5	7662	6072	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6129.199707	4539.199707	4539.199707	0.799948
6965A	051	2315	0.05	925	1	75	120	3.5	6	5	8102	7177	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6482	5557	5557	0.800049
6965B	045	2143	0.05	880	1	75	120	3.5	6	5	7500	6620	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6000.399902	5120.399902	5120.399902	0.800053
6967	001	1363	0.03	800	1	65	100	3	3	2	4089	3289	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3816.399902	3016.399902	3016.399902	0.933333
6967	002	1611	0.04	1191	1	65	100	3	4	3	4833	3642	RH-1	40	density-lim	3000			0.7	4	1	3	3	4510.799805	3319.799805	3319.799805	0.933333
6967	003	1611	0.04	800	1	65	100	3	4	3	4833	4033	RH-1	40	density-lim	3000			0.7	4	1	3	3	4510.799805	3710.799805	3710.799805	0.933333
6967	004	1611	0.04	968	1	65	100	3	4	3	4833	3865	RH-1	40	density-lim	3000			0.7	4	1	3	3	4510.799805	3542.799805	3542.799805	0.933333
6965B	002	2053	0.05	1265	1	75	120	3.5	6	5	7186	5921	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5748.399902	4483.399902	4483.399902	0.799944
6965B	003	2133	0.05	1550	1	75	120	3.5	6	5	7466	5916	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5972.399902	4422.399902	4422.399902	0.799946
6965B	004	2192	0.05	1764	1	75	120	3.5	6	5	7672	5908	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6137.600098	4373.600098	4373.600098	0.8
6965B	005	2218	0.05	1708	1	75	120	3.5	6	5	7763	6055	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6210.399902	4502.399902	4502.399902	0.8
6965B	006	2195	0.05	1220	1	75	120	3.5	6	5	7682	6462	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6146	4926	4926	0.800052
6965B	007	2179	0.05	990	1	75	120	3.5	6	5	7626	6636	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6101.199707	5111.199707	5111.199707	0.800052
6965B	008	2175	0.05	1831	1	75	120	3.5	6	5	7612	5781	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6090	4259	4259	0.800053
6965B	009	2180	0.05	1360	1	75	120	3.5	6	5	7630	6270	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6104	4744	4744	0.8
6965B	010	2178	0.05	1110	1	75	120	3.5	6	5	7623	6513	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6098.399902	4988.399902	4988.399902	0.8
6965B	011	2172	0.05	2161	1	75	120	3.5	6	5	7602	5441	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6081.600098	3920.600098	3920.600098	0.8
6965B	012	2166	0.05	990	1	75	120	3.5	6	5	7581	6591	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6064.799805	5074.799805	5074.799805	0.8
6965B	013	2160	0.05	1192	1	75	120	3.5	6	5	7560	6368	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6048	4856	4856	0.8
6965B	014	2156	0.05	792	1	75	120	3.5	6	5	7546	6754	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6036.799805	5244.799805	5244.799805	0.8
6965B	015	2155	0.05	1513	1	75	120	3.5	6	5	7542	6029	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6034	4521	4521	0.800053
6965B	016	2157	0.05	792	1	75	120	3.5	6	5	7550	6758	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6039.600098	5247.600098	5247.600098	0.799947
6965B	017	2158	0.05	1063	1	75	120	3.5	6	5	7553	6490	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6042.399902	4979.399902	4979.399902	0.8
6965B	018	2160	0.05	875	1	65	100	3	5	4	6480	5605	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6048	5173	5173	0.933333
6965B	019	2161	0.05	1071	1	65	100	3	5	4	6483	5412	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6050.799805	4979.799805	4979.799805	0.933333
6965B	020	2163	0.05	1595	1	65	100	3	5	4	6489	4894	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6056.399902	4461.399902	4461.399902	0.933333
6965B	021	1862	0.04	792	1	65	100	3	4	3	5586	4794	RH-1	40	density-lim	3000			0.7	4	1	3	3	5213.600098	4421.600098	4421.600098	0.933333
6965B	022	1865	0.04	792	1	65	100	3	4	3	5595	4803	RH-1	40	density-lim	3000			0.7	4	1	3	3	5222	4430	4430	0.933333
6968	028	2563	0.06	1764	1	65	100	3	6	5	7689	5925	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7176.399902	5412.399902	5412.399902	0.933333
6965B	024	1885	0.04	1008	1	65	100	3	4	3	5655	4647	RH-1	40	density-lim	3000			0.7	4	1	3	3	5278	4270	4270	0.933333
6965B	026	1934	0.04	888	1	65	100	3	4	3	5802	4914	RH-1	40	density-lim	3000			0.7	4	1	3	3	5415.199707	4527.199707	4527.199707	0.933333
6965B	027	1936	0.04	1200	1	65	100	3	4	3	5808	4608	RH-1	40	density-lim	3000			0.7	4	1	3	3	5420.799805	4220.799805	4220.799805	0.933333
6965B	028	2252	0.05	1200	1	65	100	3	5	4	6756	5556	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6305.600098	5105.600098	5105.600098	0.933333
6965B	029	2246	0.05	1863	1	65	100	3	5	4	6738	4875	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6288.799805	4425.799805	4425.799805	0.933333
6965B	030	2241	0.05	990	1	75	120	3.5	6	5	7844	6854	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6274.799805	5284.799805	5284.799805	0.799949
6965B	031	2235	0.05	940	1	75	120	3.5	6	5	7822	6882	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6258	5318	5318	0.800051
6965B	032	2230	0.05	888	1	75	120	3.5	6	5	7805	6917	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6244	5356	5356	0.8
6965B	033	2225	0.05	1777	1	75	120	3.5	6	5	7788	6011	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6230	4453	4453	0.799949
6965B	034	2219	0.05	1617	1	75	120	3.5	6	5	7766	6149	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6213.199707	4596.199707	4596.199707	0.800051
6965B	035	2214	0.05	940	1	75	120	3.5	6	5	7749	6809	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6199.199707	5259.199707	5259.199707	0.8
6965B	036	2207	0.05	990	1	75	120	3.5	6	5	7724	6734	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6179.600098	5189.600098	5189.600098	0.800052
6965B	037	2200	0.05	1550	1	75	120	3.5	6	5	7700	6150	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6160	4610	4610	0.8
6965B	038	2193	0.05	880	1	75	120	3.5	6	5	7676	6796	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6140.399902	5260.399902	5260.399902	0.799948
6965B	039	2186	0.05	880	1	75	120	3.5	6	5	7651	6771	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6120.799805	5240.799805	5240.799805	0.8
6965B	040	2179	0.05	1344	1	75	120	3.5	6	5	7626	6282	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6101.199707	4757.199707	4757.199707	0.800052
6965B	041	2172	0.05	1242	1	75	120	3.5	6	5	7602	6360	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6081.600098	4839.600098	4839.600098	0.8
6965B	042	2165	0.05	1149	1	75	120	3.5	6	5	7578	6429	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6062	4913	4913	0.799947
6965B	043	2158	0.05	1200	1	75	120	3.5	6	5	7553	6353	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6042.399902	4842.399902	4842.399902	0.8
6965B	044	2150	0.05	880	1	75	120	3.5	6	5	7525	6645	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6020	5140	5140	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6967	005	1611	0.04	1376	1	65	100	3	4	3	4833	3457	RH-1	40	density-lim	3000			0.7	4	1	3	3	4510.799805	3134.799805	3134.799805	0.933333
6967	006	1611	0.04	920	1	65	100	3	4	3	4833	3913	RH-1	40	density-lim	3000			0.7	4	1	3	3	4510.799805	3590.799805	3590.799805	0.933333
6967	007	1611	0.04	1175	1	65	100	3	4	3	4833	3658	RH-1	40	density-lim	3000			0.7	4	1	3	3	4510.799805	3335.799805	3335.799805	0.933333
6967	008	1868	0.04	1102	1	65	100	3	4	3	5604	4502	RH-1	40	density-lim	3000			0.7	4	1	3	3	5230.399902	4128.399902	4128.399902	0.933333
6967	009	1868	0.04	1102	1	65	100	3	4	3	5604	4502	RH-1	40	density-lim	3000			0.7	4	1	3	3	5230.399902	4128.399902	4128.399902	0.933333
6967	011	3602	0.08	1300	1	65	100	3	8	7	10806	9506	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10085.59961	8785.599609	8785.599609	0.933333
6967	012	3000	0.07	1525	1	65	100	3	7	6	9000	7475	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	6875	6875	0.933333
6967	013	3216	0.07	1487	1	65	100	3	7	6	9648	8161	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9004.799805	7517.799805	7517.799805	0.933333
6967	014	3216	0.07	1595	1	65	100	3	7	6	9648	8053	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9004.799805	7409.799805	7409.799805	0.933333
6967	015	3216	0.07	1611	1	65	100	3	7	6	9648	8037	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9004.799805	7393.799805	7393.799805	0.933333
6967	016	4800	0.11	1250	1	65	100	3	11	10	14400	13150	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13440	12190	12190	0.933333
6967	017	3115	0.07	1325	1	65	100	3	7	6	9345	8020	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8722	7397	7397	0.933333
6967	018	3228	0.07	1450	1	65	100	3	7	6	9684	8234	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9038.399414	7588.399414	7588.399414	0.933333
6967	019	3220	0.07	1862	1	65	100	3	7	6	9660	7798	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9016	7154	7154	0.933333
6967	021	3067	0.07	1250	1	65	100	3	7	6	9201	7951	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8587.599609	7337.599609	7337.599609	0.933333
6967	022	3220	0.07	1300	1	65	100	3	7	6	9660	8360	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9016	7716	7716	0.933333
6967	023	2863	0.07	1325	1	65	100	3	7	6	8589	7264	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8016.399902	6691.399902	6691.399902	0.933333
6968	025	1875	0.04	1440	1	65	100	3	4	3	5625	4185	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3810	3810	0.933333
6968	026	2719	0.06	1034	1	65	100	3	6	5	8157	7123	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7613.199707	6579.199707	6579.199707	0.933333
6968	027	2641	0.06	852	1	65	100	3	6	5	7923	7071	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7394.799805	6542.799805	6542.799805	0.933333
6967	026	3598	0.08	1995	1	65	100	3	8	7	10794	8799	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10074.39941	8079.399414	8079.399414	0.933333
6967	027	3150	0.07	1292	1	65	100	3	7	6	9450	8158	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8820	7528	7528	0.933333
6967	028	3149	0.07	1899	1	65	100	3	7	6	9447	7548	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8817.200195	6918.200195	6918.200195	0.933333
6967	029	3148	0.07	1292	1	65	100	3	7	6	9444	8152	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8814.399414	7522.399414	7522.399414	0.933333
6967	030	3197	0.07	1448	1	65	100	3	7	6	9591	8143	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8951.599609	7503.599609	7503.599609	0.933333
6968	006	2059	0.05	1250	0	65	100	3	5	5	6177	4927	NCD-EXCE	40	density-lim	600			0.75	3	0.600000024	3	3	6177	4927	4927	1
6968	007	2140	0.05	1375	1	65	100	3	5	4	6420	5045	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	3	3	6420	5045	5045	1
6968	018	1913	0.04	1400	1	65	100	3	4	3	5739	4339	RH-1	40	density-lim	3000			0.7	4	1	3	3	5356.399902	3956.399902	3956.399902	0.933333
6968	019	1338	0.03	894	1	65	100	3	3	2	4014	3120	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3746.399902	2852.399902	2852.399902	0.933333
6968	020	2500	0.06	1273	1	65	100	3	6	5	7500	6227	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5727	5727	0.933333
6968	021	2500	0.06	1266	1	65	100	3	6	5	7500	6234	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5734	5734	0.933333
6968	022	1875	0.04	755	1	65	100	3	4	3	5625	4870	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4495	4495	0.933333
6968	023	1875	0.04	890	1	65	100	3	4	3	5625	4735	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4360	4360	0.933333
6968	029	2485	0.06	901	1	65	100	3	6	5	7455	6554	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6958	6057	6057	0.933333
6968	030	2407	0.06	901	1	65	100	3	6	5	7221	6320	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6739.600098	5838.600098	5838.600098	0.933333
6968	031	2329	0.05	901	1	65	100	3	5	4	6987	6086	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6521.199707	5620.199707	5620.199707	0.933333
6968	032	2251	0.05	1081	1	65	100	3	5	4	6753	5672	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6302.799805	5221.799805	5221.799805	0.933333
6968	033	2173	0.05	988	1	65	100	3	5	4	6519	5531	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6084.399902	5096.399902	5096.399902	0.933333
6968	034	2095	0.05	1145	1	65	100	3	5	4	6285	5140	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5866	4721	4721	0.933333
6968	035	2879	0.07	1344	1	65	100	3	7	6	8637	7293	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8061.199707	6717.199707	6717.199707	0.933333
6968	038	1845	0.04	1345	1	65	100	3	4	3	5535	4190	RH-1	40	density-lim	3000			0.7	4	1	3	3	5166	3821	3821	0.933333
6968	039	909	0.02	1308	1	65	100	3	2	1	2727	1419	RH-1	40	density-lim	3000			0.7	4	2	3	3	2545.199951	1237.199951	1237.199951	0.933333
6968	040A	1406	0.03	1115	1	65	100	3	3	2	4218	3103	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3936.800049	2821.800049	2821.800049	0.933333
6968	040B	2474	0.06	1500	1	65	100	3	6	5	7422	5922	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6927.199707	5427.199707	5427.199707	0.933333
6968	041	2512	0.06	1401	1	65	100	3	6	5	7536	6135	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5632.600098	5632.600098	0.933333
6968	042	2491	0.06	1595	1	65	100	3	6	5	7473	5878	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6974.799805	5379.799805	5379.799805	0.933333
6968	043	2480	0.06	960	1	65	100	3	6	5	7440	6480	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6944	5984	5984	0.933333
6968	044	2479	0.06	1007	1	65	100	3	6	5	7437	6430	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6941.199707	5934.199707	5934.199707	0.933333
6968	045	2489	0.06	1075	1	65	100	3	6	5	7467	6392	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6969.199707	5894.199707	5894.199707	0.933333
6968	046	2508	0.06	1025	1	65	100	3	6	5	7524	6499	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5997.399902	5997.399902	0.933333
6968	047	2513	0.06	1281	1	65	100	3	6	5	7539	6258	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7036.399902	5755.399902	5755.399902	0.933333
6968	048	2507	0.06	1065	1	65	100	3	6	5	7521	6456	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7019.600098	5954.600098	5954.600098	0.933333
6968	049	2502	0.06	1795	1	65	100	3	6	5	7506	5711	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5210.600098	5210.600098	0.933333
6968	050	2498	0.06	995	1	65	100	3	6	5	7494	6499	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6994.399902	5999.399902	5999.399902	0.933333
6968	051	2495	0.06	840	1	65	100	3	6	5	7485	6645	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	6146	6146	0.933333
6968	052	2493	0.06	1690	1	65	100	3	6	5	7479	5789	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5290.399902	5290.399902	0.933333
6968	053	2493	0.06	1333	1	65	100	3	6	5	7479	6146	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5647.399902	5647.399902	0.933333
6968	054	2493	0.06	819	1	65	100	3	6	5	7479	6660	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	6161.399902	6161.399902	0.933333
6968	055	2494	0.06	616	1	65	100	3	6	5	7482	6866	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6983.199707	6367.199707	6367.199707	0.933333
6968	056	2497	0.06	616	1	65	100	3	6	5	7491	6875	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6991.600098	6375.600098	6375.600098	0.933333
6968	057	2750	0.06	1640	1	65	100	3	6	5	8250	6610	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7700	6060	6060	0.933333
6968	059	1375	0.03	750	1	65	100	3	3	2	4125	3375	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3850	3100	3100	0.933333
6968	060	1375	0.03	1384	1	65	100	3	3	2	4125	2741	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3850	2466	2466	0.933333
6969	003C	2738	0.06	3982	2	65	100	3	6	4	8214	4232	NCD-EXCE	65	density-lim	600			0.75	5	0.833333313	3	3	12321	8339	8339	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6969	003E	3108	0.07	2214	1	65	100	3	7	6	9324	7110	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8702.399414	6488.399414	6488.399414	0.933333
6969	003F	3572	0.08	1895	1	65	100	3	8	7	10716	8821	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10001.59961	8106.599609	8106.599609	0.933333
6969	004A	2818	0.06	1605	1	65	100	3	6	5	8454	6849	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7890.399902	6285.399902	6285.399902	0.933333
6969	004B	2465	0.06	1579	1	65	100	3	6	5	7395	5816	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6902	5323	5323	0.933333
6969	004C	3137	0.07	1491	1	65	100	3	7	6	9411	7920	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8783.599609	7292.599609	7292.599609	0.933333
6969	005A	2250	0.05	1125	1	65	100	3	5	4	6750	5625	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	5175	5175	0.933333
6969	005C	2250	0.05	1125	1	65	100	3	5	4	6750	5625	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	5175	5175	0.933333
6969	005D	2250	0.05	1813	1	65	100	3	5	4	6750	4937	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	4487	4487	0.933333
6969	005E	2250	0.05	1134	1	65	100	3	5	4	6750	5616	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	5166	5166	0.933333
6969	005F	2250	0.05	1705	1	65	100	3	5	4	6750	5045	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	4595	4595	0.933333
6969	006	2554	0.06	990	1	65	100	3	6	5	7662	6672	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7151.199707	6161.199707	6161.199707	0.933333
6969	006B	2554	0.06	1351	1	65	100	3	6	5	7662	6311	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7151.199707	5800.199707	5800.199707	0.933333
6969	007	2554	0.06	1150	1	65	100	3	6	5	7662	6512	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7151.199707	6001.199707	6001.199707	0.933333
6969	007A	2556	0.06	1350	1	65	100	3	6	5	7668	6318	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7156.799805	5806.799805	5806.799805	0.933333
6969	007C	2325	0.05	1260	1	65	100	3	5	4	6975	5715	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6510	5250	5250	0.933333
6969	007D	2325	0.05	2012	1	65	100	3	5	4	6975	4963	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6510	4498	4498	0.933333
6969	007E	2325	0.05	1340	1	65	100	3	5	4	6975	5635	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6510	5170	5170	0.933333
6969	007G	2325	0.05	1615	1	65	100	3	5	4	6975	5360	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6510	4895	4895	0.933333
6969	007H	3021	0.07	1440	1	65	100	3	7	6	9063	7623	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8458.799805	7018.799805	7018.799805	0.933333
6969	007I	3026	0.07	990	1	65	100	3	7	6	9078	8088	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8472.799805	7482.799805	7482.799805	0.933333
6969	008	2209	0.05	1056	1	65	100	3	5	4	6627	5571	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6185.199707	5129.199707	5129.199707	0.933333
6969	008A	2210	0.05	1146	1	65	100	3	5	4	6630	5484	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6188	5042	5042	0.933333
6969	008B	3000	0.07	2075	1	65	100	3	7	6	9000	6925	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	6325	6325	0.933333
6969	008C	2210	0.05	1812	1	65	100	3	5	4	6630	4818	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6188	4376	4376	0.933333
6969	010	2496	0.06	1000	1	65	100	3	6	5	7488	6488	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6988.799805	5988.799805	5988.799805	0.933333
6969	014	2729	0.06	1440	1	65	100	3	6	5	8187	6747	RH-1	65	density-lim	3000			0.7	4	0.666666687	3	3	11461.7998	10021.7998	10021.7998	1.4
6969	015	2720	0.06	1840	1	65	100	3	6	5	8160	6320	RH-1	65	density-lim	3000			0.7	4	0.666666687	3	3	11424	9584	9584	1.4
6969	017	3250	0.07	1178	1	65	100	3	7	6	9750	8572	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9100	7922	7922	0.933333
6969	018	3250	0.07	990	1	65	100	3	7	6	9750	8760	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9100	8110	8110	0.933333
6970	001B	2011	0.05	1861	1	65	100	3	5	4	6033	4172	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5630.799805	3769.799805	3769.799805	0.933333
6970	001C	2011	0.05	1325	1	65	100	3	5	4	6033	4708	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5630.799805	4305.799805	4305.799805	0.933333
6970	001D	2011	0.05	1325	1	65	100	3	5	4	6033	4708	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5630.799805	4305.799805	4305.799805	0.933333
6970	001F	1993	0.05	1450	1	65	100	3	5	4	5979	4529	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5580.399902	4130.399902	4130.399902	0.933333
6970	002	2011	0.05	1325	1	65	100	3	5	4	6033	4708	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5630.799805	4305.799805	4305.799805	0.933333
6970	002A	2011	0.05	1675	1	65	100	3	5	4	6033	4358	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5630.799805	3955.799805	3955.799805	0.933333
6970	002C	2000	0.05	1325	1	65	100	3	5	4	6000	4675	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4275	4275	0.933333
6970	002D	2000	0.05	1350	1	65	100	3	5	4	6000	4650	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4250	4250	0.933333
6970	002E	2000	0.05	1325	1	65	100	3	5	4	6000	4675	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4275	4275	0.933333
6970	003	1761	0.04	1200	1	65	100	3	4	3	5283	4083	RH-1	40	density-lim	3000			0.7	4	1	3	3	4930.799805	3730.799805	3730.799805	0.933333
6970	003A	1761	0.04	1547	1	65	100	3	4	3	5283	3736	RH-1	40	density-lim	3000			0.7	4	1	3	3	4930.799805	3383.799805	3383.799805	0.933333
6970	003B	1761	0.04	1200	1	65	100	3	4	3	5283	4083	RH-1	40	density-lim	3000			0.7	4	1	3	3	4930.799805	3730.799805	3730.799805	0.933333
6970	004	1761	0.04	1200	1	65	100	3	4	3	5283	4083	RH-1	40	density-lim	3000			0.7	4	1	3	3	4930.799805	3730.799805	3730.799805	0.933333
6970	005B	1761	0.04	1626	1	65	100	3	4	3	5283	3657	RH-1	40	density-lim	3000			0.7	4	1	3	3	4930.799805	3304.799805	3304.799805	0.933333
6970	006	2250	0.05	1892	1	65	100	3	5	4	6750	4858	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	4408	4408	0.933333
6970	007	2250	0.05	1911	1	65	100	3	5	4	6750	4839	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	4389	4389	0.933333
6970	008	2250	0.05	1537	1	65	100	3	5	4	6750	5213	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	4763	4763	0.933333
6970	009	2250	0.05	1250	1	65	100	3	5	4	6750	5500	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	5050	5050	0.933333
6970	010	2250	0.05	1250	1	65	100	3	5	4	6750	5500	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	5050	5050	0.933333
6970	012	1856	0.04	1000	1	65	100	3	4	3	5568	4568	RH-1	40	density-lim	3000			0.7	4	1	3	3	5196.799805	4196.799805	4196.799805	0.933333
6970	013	1875	0.04	1080	1	65	100	3	4	3	5625	4545	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4170	4170	0.933333
6970	014	1875	0.04	985	1	65	100	3	4	3	5625	4640	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4265	4265	0.933333
6970	015	2500	0.06	990	1	65	100	3	6	5	7500	6510	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6010	6010	0.933333
6970	016	2500	0.06	1628	1	65	100	3	6	5	7500	5872	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5372	5372	0.933333
6970	017	2500	0.06	1035	1	65	100	3	6	5	7500	6465	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5965	5965	0.933333
6970	018	2500	0.06	990	1	65	100	3	6	5	7500	6510	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6010	6010	0.933333
6970	019	2500	0.06	990	1	65	100	3	6	5	7500	6510	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6010	6010	0.933333
6970	020	2500	0.06	1310	1	65	100	3	6	5	7500	6190	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5690	5690	0.933333
6970	021	2500	0.06	1069	1	65	100	3	6	5	7500	6431	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5931	5931	0.933333
6970	022	2500	0.06	990	1	65	100	3	6	5	7500	6510	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6010	6010	0.933333
6970	023	2500	0.06	1168	1	65	100	3	6	5	7500	6332	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5832	5832	0.933333
6970	024B	1985	0.05	1075	1	65	100	3	5	4	5955	4880	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5558	4483	4483	0.933333
6970	024C	1989	0.05	1605	1	65	100	3	5	4	5967	4362	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5569.199707	3964.199707	3964.199707	0.933333
6970	024D	1333	0.03	1394	1	65	100	3	3	2	3999	2605	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3732.399902	2338.399902	2338.399902	0.933333
6970	024E	1333	0.03	1156	1	65	100	3	3	2	3999	2843	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3732.399902	2576.399902	2576.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6970	024F	1333	0.03	800	1	65	100	3	3	2	3999	3199	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3732.399902	2932.399902	2932.399902	0.933333
6970	024G	1355	0.03	920	1	65	100	3	3	2	4065	3145	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3794	2874	2874	0.933333
6970	024H	1326	0.03	1437	1	65	100	3	3	2	3978	2541	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3712.800049	2275.800049	2275.800049	0.933333
6970	024I	1319	0.03	800	1	65	100	3	3	2	3957	3157	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3693.199951	2893.199951	2893.199951	0.933333
6970	025	2755	0.06	1000	1	65	100	3	6	5	8265	7265	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7714	6714	6714	0.933333
6970	026	2498	0.06	1300	1	65	100	3	6	5	7494	6194	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6994.399902	5694.399902	5694.399902	0.933333
6970	027	2499	0.06	1430	1	65	100	3	6	5	7497	6067	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	5567.199707	5567.199707	0.933333
6970	029	1944	0.04	1056	1	65	100	3	4	3	5832	4776	RH-1	40	density-lim	3000			0.7	4	1	3	3	5443.199707	4387.199707	4387.199707	0.933333
6970	030	2103	0.05	1056	1	65	100	3	5	4	6309	5253	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5888.399902	4832.399902	4832.399902	0.933333
6970	031	2235	0.05	1480	1	65	100	3	5	4	6705	5225	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6258	4778	4778	0.933333
6970	032	2340	0.05	1848	1	65	100	3	5	4	7020	5172	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6552	4704	4704	0.933333
6970	033	2419	0.06	1056	1	65	100	3	6	5	7257	6201	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6773.199707	5717.199707	5717.199707	0.933333
6970	034	2484	0.06	1056	1	65	100	3	6	5	7452	6396	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6955.199707	5899.199707	5899.199707	0.933333
6970	035	2551	0.06	1200	1	65	100	3	6	5	7653	6453	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7142.799805	5942.799805	5942.799805	0.933333
6970	036	2601	0.06	1152	1	65	100	3	6	5	7803	6651	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7282.799805	6130.799805	6130.799805	0.933333
6970	037	2002	0.05	1492	1	65	100	3	5	4	6006	4514	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5605.600098	4113.600098	4113.600098	0.933333
6970	038	2013	0.05	1060	1	65	100	3	5	4	6039	4979	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5636.399902	4576.399902	4576.399902	0.933333
6970	039	2005	0.05	2124	1	65	100	3	5	4	6015	3891	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5614	3490	3490	0.933333
6971A	038	2188	0.05	968	1	75	120	3.5	6	5	7658	6690	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6126.399902	5158.399902	5158.399902	0.8
6971A	039	1883	0.04	1453	1	75	120	3.5	5	4	6590	5137	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5272.399902	3819.399902	3819.399902	0.800061
6970	041	2533	0.06	1104	1	65	100	3	6	5	7599	6495	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7092.399902	5988.399902	5988.399902	0.933333
6970	042	2000	0.05	1225	1	65	100	3	5	4	6000	4775	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4375	4375	0.933333
6971A	021	1986	0.05	1789	1	65	100	3	5	4	5958	4169	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5560.799805	3771.799805	3771.799805	0.933333
6971A	023	1805	0.04	1056	1	65	100	3	4	3	5415	4359	RH-1	40	density-lim	3000			0.7	4	1	3	3	5054	3998	3998	0.933333
6971A	024	1811	0.04	1535	1	65	100	3	4	3	5433	3898	RH-1	40	density-lim	3000			0.7	4	1	3	3	5070.799805	3535.799805	3535.799805	0.933333
6971A	025	2199	0.05	1552	1	65	100	3	5	4	6597	5045	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6157.199707	4605.199707	4605.199707	0.933333
6971A	026	2193	0.05	1622	1	65	100	3	5	4	6579	4957	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6140.399902	4518.399902	4518.399902	0.933333
6971A	027	2188	0.05	1165	1	65	100	3	5	4	6564	5399	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6126.399902	4961.399902	4961.399902	0.933333
6971A	028	2188	0.05	1056	1	75	120	3.5	6	5	7658	6602	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6126.399902	5070.399902	5070.399902	0.8
6971A	029	2187	0.05	1600	1	75	120	3.5	6	5	7654	6054	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6123.600098	4523.600098	4523.600098	0.800052
6971A	030	2188	0.05	1361	1	75	120	3.5	6	5	7658	6297	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6126.399902	4765.399902	4765.399902	0.8
6971A	031	2188	0.05	1412	1	75	120	3.5	6	5	7658	6246	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6126.399902	4714.399902	4714.399902	0.8
6971A	032	2187	0.05	1353	1	75	120	3.5	6	5	7654	6301	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6123.600098	4770.600098	4770.600098	0.800052
6971A	033	2188	0.05	1165	1	75	120	3.5	6	5	7658	6493	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6126.399902	4961.399902	4961.399902	0.8
6971A	034	2187	0.05	968	1	75	120	3.5	6	5	7654	6686	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6123.600098	5155.600098	5155.600098	0.800052
6971A	035	2188	0.05	1903	1	75	120	3.5	6	5	7658	5755	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6126.399902	4223.399902	4223.399902	0.8
6971A	036	2188	0.05	1655	1	75	120	3.5	6	5	7658	6003	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6126.399902	4471.399902	4471.399902	0.8
6971A	037	2187	0.05	1556	1	75	120	3.5	6	5	7654	6098	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6123.600098	4567.600098	4567.600098	0.800052
6971A	041	1868	0.04	1075	1	75	120	3.5	5	4	6538	5463	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5230.399902	4155.399902	4155.399902	0.8
6971A	042	1712	0.04	1988	1	75	120	3.5	5	4	5992	4004	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4793.600098	2805.600098	2805.600098	0.8
6971A	044	1692	0.04	1250	1	75	120	3.5	5	4	5922	4672	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4737.600098	3487.600098	3487.600098	0.8
6971A	045	1685	0.04	2088	1	75	120	3.5	5	4	5898	3810	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4718	2630	2630	0.799932
6971A	046	1679	0.04	1250	1	75	120	3.5	5	4	5876	4626	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4701.199707	3451.199707	3451.199707	0.800068
6971A	047	1672	0.04	1482	1	75	120	3.5	5	4	5852	4370	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4681.600098	3199.600098	3199.600098	0.8
6971A	048	1665	0.04	1250	1	75	120	3.5	5	4	5828	4578	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4662	3412	3412	0.799931
6971A	049	1658	0.04	1522	1	75	120	3.5	5	4	5803	4281	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4642.399902	3120.399902	3120.399902	0.8
6971A	050	1652	0.04	1655	1	65	100	3	4	3	4956	3301	RH-1	40	density-lim	3000			0.7	4	1	3	3	4625.600098	2970.600098	2970.600098	0.933333
6971A	051	1645	0.04	1670	1	65	100	3	4	3	4935	3265	RH-1	40	density-lim	3000			0.7	4	1	3	3	4606	2936	2936	0.933333
6971A	054	2084	0.05	1641	1	75	120	3.5	6	5	7294	5653	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5835.199707	4194.199707	4194.199707	0.8
6971A	056	1725	0.04	1712	1	75	120	3.5	5	4	6038	4326	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4830	3118	3118	0.799934
6971A	057	1719	0.04	1712	1	75	120	3.5	5	4	6016	4304	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4813.199707	3101.199707	3101.199707	0.800066
6971A	058	1705	0.04	1747	1	75	120	3.5	5	4	5968	4221	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4774	3027	3027	0.799933
6971A	059	1699	0.04	1712	1	75	120	3.5	5	4	5946	4234	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4757.199707	3045.199707	3045.199707	0.800067
6971A	062	1638	0.04	924	1	65	100	3	4	3	4914	3990	RH-1	40	density-lim	3000			0.7	4	1	3	3	4586.399902	3662.399902	3662.399902	0.933333
6971A	064	1949	0.04	1562	1	65	100	3	4	3	5847	4285	RH-1	40	density-lim	3000			0.7	4	1	3	3	5457.199707	3895.199707	3895.199707	0.933333
6971B	002	2500	0.06	1200	1	75	120	3.5	7	6	8750	7550	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5800	5800	0.8
6971B	003	2500	0.06	1757	1	75	120	3.5	7	6	8750	6993	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5243	5243	0.8
6971B	004	2500	0.06	1650	1	75	120	3.5	7	6	8750	7100	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5350	5350	0.8
6971B	005	2188	0.05	1600	1	75	120	3.5	6	5	7658	6058	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6126.399902	4526.399902	4526.399902	0.8
6971B	006	2188	0.05	2220	1	75	120	3.5	6	5	7658	5438	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6126.399902	3906.399902	3906.399902	0.8
6971B	007	2188	0.05	2000	1	75	120	3.5	6	5	7658	5658	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6126.399902	4126.399902	4126.399902	0.8
6971B	008	2188	0.05	2077	1	75	120	3.5	6	5	7658	5581	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6126.399902	4049.399902	4049.399902	0.8
6971B	009	2188	0.05	1305	1	75	120	3.5	6	5	7658	6353	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6126.399902	4821.399902	4821.399902	0.8
6971B	010	2188	0.05	1008	1	75	120	3.5	6	5	7658	6650	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6126.399902	5118.399902	5118.399902	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6971B	011	2188	0.05	1935	1	75	120	3.5	6	5	7658	5723	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6126.399902	4191.399902	4191.399902	0.8
6971B	012	2188	0.05	1890	1	65	100	3	5	4	6564	4674	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6126.399902	4236.399902	4236.399902	0.933333
6971B	013	2185	0.05	1638	1	65	100	3	5	4	6555	4917	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6118	4480	4480	0.933333
6971B	014	2179	0.05	1758	1	65	100	3	5	4	6537	4779	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6101.199707	4343.199707	4343.199707	0.933333
6971B	015	2173	0.05	1544	1	65	100	3	5	4	6519	4975	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6084.399902	4540.399902	4540.399902	0.933333
6971B	016	1875	0.04	2132	1	65	100	3	4	3	5625	3493	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3118	3118	0.933333
6971B	017	1875	0.04	2133	1	65	100	3	4	3	5625	3492	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3117	3117	0.933333
6971B	019	2010	0.05	1700	1	65	100	3	5	4	6030	4330	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5628	3928	3928	0.933333
6971B	022	2803	0.06	1225	1	65	100	3	6	5	8409	7184	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7848.399902	6623.399902	6623.399902	0.933333
6971B	023	2204	0.05	1056	1	65	100	3	5	4	6612	5556	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6171.199707	5115.199707	5115.199707	0.933333
6971B	024	2208	0.05	1738	1	65	100	3	5	4	6624	4886	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6182.399902	4444.399902	4444.399902	0.933333
6971B	025	2212	0.05	1056	1	65	100	3	5	4	6636	5580	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6193.600098	5137.600098	5137.600098	0.933333
6971B	026	2216	0.05	1056	1	65	100	3	5	4	6648	5592	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6204.799805	5148.799805	5148.799805	0.933333
6971B	027	2220	0.05	1125	1	75	120	3.5	6	5	7770	6645	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6216	5091	5091	0.8
6971B	028	2223	0.05	1056	1	75	120	3.5	6	5	7780	6724	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6224.399902	5168.399902	5168.399902	0.800051
6971B	029	2227	0.05	1556	1	75	120	3.5	6	5	7794	6238	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6235.600098	4679.600098	4679.600098	0.800051
6971B	030	2231	0.05	1737	1	75	120	3.5	6	5	7808	6071	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6246.799805	4509.799805	4509.799805	0.800051
6971B	031	2249	0.05	1056	1	75	120	3.5	6	5	7872	6816	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6297.199707	5241.199707	5241.199707	0.799949
6971B	032	2310	0.05	1802	1	75	120	3.5	6	5	8085	6283	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6468	4666	4666	0.8
6971B	033	2408	0.06	1772	1	75	120	3.5	7	6	8428	6656	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6742.399902	4970.399902	4970.399902	0.8
6971B	034	2231	0.05	1132	1	75	120	3.5	6	5	7808	6676	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6246.799805	5114.799805	5114.799805	0.800051
6971B	036	900	0.02	693	1	75	120	3.5	2	1	3150	2457	RH-1	40	density-lim	3000			0.7	4	2	3	3	2520	1827	1827	0.8
6977	001A	1999	0.05	1868	1	75	120	3.5	6	5	6996	5128	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5597.199707	3729.199707	3729.199707	0.800057
6979	001	2531	0.06	1850	2	65	100	3	6	4	7593	5743	RH-2	40	form-based		true	true	0.7	5	0.833333313	3	3	7086.799805	5236.799805	5236.799805	0.933333
6979	017	1878	0.04	1087	1	65	100	3	4	3	5634	4547	RH-1	40	form-based			true	0.7	4	1	3	3	5258.399902	4171.399902	4171.399902	0.933333
6979	017A	1879	0.04	1603	1	65	100	3	4	3	5637	4034	RH-1	40	form-based			true	0.7	4	1	3	3	5261.199707	3658.199707	3658.199707	0.933333
6979	018	1880	0.04	1087	1	65	100	3	4	3	5640	4553	RH-1	40	form-based			true	0.7	4	1	3	3	5264	4177	4177	0.933333
6979	019	1881	0.04	1087	1	65	100	3	4	3	5643	4556	RH-1	40	form-based		true	true	0.7	4	1	3	3	5266.799805	4179.799805	4179.799805	0.933333
6979	024A	1750	0.04	536	1	65	100	3	4	3	5250	4714	RH-1	40	form-based			true	0.7	4	1	3	3	4900	4364	4364	0.933333
6979	040	2505	0.06	1850	2	65	100	3	6	4	7515	5665	RH-2	40	form-based		true	true	0.7	5	0.833333313	3	3	7014	5164	5164	0.933333
6979	046	2403	0.06	1394	2	65	100	3	6	4	7209	5815	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6728.399902	5334.399902	5334.399902	0.933333
6980	017	1885	0.04	982	1	65	100	3	4	3	5655	4673	RH-1	40	form-based			true	0.7	4	1	3	3	5278	4296	4296	0.933333
6980	017A	1887	0.04	864	1	65	100	3	4	3	5661	4797	RH-1	40	form-based			true	0.7	4	1	3	3	5283.600098	4419.600098	4419.600098	0.933333
6980	045	1889	0.04	1575	1	65	100	3	4	3	5667	4092	RH-1	40	form-based			true	0.7	4	1	3	3	5289.199707	3714.199707	3714.199707	0.933333
6980	046	1891	0.04	1575	1	65	100	3	4	3	5673	4098	RH-1	40	form-based		true	true	0.7	4	1	3	3	5294.799805	3719.799805	3719.799805	0.933333
6980	049	2511	0.06	3184	2	65	100	3	6	4	7533	4349	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7030.799805	3846.799805	3846.799805	0.933333
6980	050	2511	0.06	3184	2	65	100	3	6	4	7533	4349	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7030.799805	3846.799805	3846.799805	0.933333
6981	001	2501	0.06	1950	3	65	100	3	6	3	7503	5553	NC-1	40	form-based		true	true	0.75	6	1	3	3	7503	5553	5553	1
6981	019A	1875	0.04	1152	1	65	100	3	4	3	5625	4473	RH-1	40	form-based			true	0.7	4	1	3	3	5250	4098	4098	0.933333
6982	018	1675	0.04	1546	1	65	100	3	4	3	5025	3479	RH-1	40	form-based			true	0.7	4	1	3	3	4690	3144	3144	0.933333
6982	018A	1675	0.04	932	1	65	100	3	4	3	5025	4093	RH-1	40	form-based			true	0.7	4	1	3	3	4690	3758	3758	0.933333
6982	042	3876	0.09	3539	5	65	100	3	9	4	11628	8089	RH-2	40	form-based		true	true	0.7	8	0.888888896	3	3	10852.7998	7313.799805	7313.799805	0.933333
6982	045	2501	0.06	2192	2	65	100	3	6	4	7503	5311	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7002.799805	4810.799805	4810.799805	0.933333
6983	024	1750	0.04	814	1	55	80	2.5	3	2	4375	3561	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4900	4086	4086	1.12
6983	025	1750	0.04	1073	1	55	80	2.5	3	2	4375	3302	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4900	3827	3827	1.12
6983	044	2502	0.06	2650	2	65	100	3	6	4	7506	4856	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7005.600098	4355.600098	4355.600098	0.933333
6983	047	2503	0.06	2250	2	65	100	3	6	4	7509	5259	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7008.399902	4758.399902	4758.399902	0.933333
6984	016	1677	0.04	1023	1	55	80	2.5	3	2	4192	3169	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4695.600098	3672.600098	3672.600098	1.120134
6984	016A	1677	0.04	1023	1	55	80	2.5	3	2	4192	3169	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4695.600098	3672.600098	3672.600098	1.120134
6984	017	1677	0.04	1023	1	55	80	2.5	3	2	4192	3169	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	4695.600098	3672.600098	3672.600098	1.120134
6984	042	2499	0.06	2387	2	65	100	3	6	4	7497	5110	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	6997.199707	4610.199707	4610.199707	0.933333
6984	048	2504	0.06	3073	2	65	100	3	6	4	7512	4439	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7011.199707	3938.199707	3938.199707	0.933333
6986	001	2492	0.06	2847	2	65	100	3	6	4	7476	4629	RH-2	40	form-based		true	true	0.7	5	0.833333313	3	3	6977.600098	4130.600098	4130.600098	0.933333
6986	015	1849	0.04	1635	1	55	80	2.5	3	2	4622	2987	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5177.199707	3542.199707	3542.199707	1.120121
6986	016	1848	0.04	1263	1	55	80	2.5	3	2	4620	3357	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5174.399902	3911.399902	3911.399902	1.12
6986	017	1847	0.04	1868	1	55	80	2.5	3	2	4618	2750	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5171.600098	3303.600098	3303.600098	1.119879
6986	017A	1846	0.04	875	1	55	80	2.5	3	2	4615	3740	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5168.799805	4293.799805	4293.799805	1.12
6986	021	1875	0.04	1000	1	55	80	2.5	3	2	4688	3688	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5250	4250	4250	1.119881
6986	022	2130	0.05	900	1	55	80	2.5	4	3	5325	4425	RH-1	40	form-based			true	0.7	4	1	3	3	5964	5064	5064	1.12
6986	023	2130	0.05	1740	1	55	80	2.5	4	3	5325	3585	RH-1	40	form-based			true	0.7	4	1	3	3	5964	4224	4224	1.12
6986	037	2530	0.06	2200	2	65	100	3	6	4	7590	5390	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7084	4884	4884	0.933333
6986	038	2530	0.06	2200	2	65	100	3	6	4	7590	5390	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7084	4884	4884	0.933333
6987	001	2540	0.06	4425	2	65	100	3	6	4	7620	3195	RH-2	40	form-based		true	true	0.7	5	0.833333313	3	3	7112	2687	2687	0.933333
6987	017	1980	0.05	1050	1	55	80	2.5	4	3	4950	3900	RH-1	40	form-based			true	0.7	4	1	3	3	5544	4494	4494	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6987	017A	1980	0.05	1050	1	55	80	2.5	4	3	4950	3900	RH-1	40	form-based			true	0.7	4	1	3	3	5544	4494	4494	1.12
6987	018	1800	0.04	1478	1	55	80	2.5	3	2	4500	3022	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5040	3562	3562	1.12
6987	022	1956	0.04	1075	1	55	80	2.5	3	2	4890	3815	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5476.799805	4401.799805	4401.799805	1.12
6987	046	2514	0.06	3122	2	65	100	3	6	4	7542	4420	RH-2	40	form-based			true	0.7	5	0.833333313	3	3	7039.199707	3917.199707	3917.199707	0.933333
6988	002	1510	0.03	986	1	55	80	2.5	2	1	3775	2789	RH-1	40	density-lim	3000			0.7	4	2	3	3	4228	3242	3242	1.12
6988	002A	1541	0.04	1442	1	55	80	2.5	3	2	3852	2410	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4314.799805	2872.799805	2872.799805	1.120145
6988	003	1537	0.04	1250	1	55	80	2.5	3	2	3842	2592	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4303.600098	3053.600098	3053.600098	1.120146
6988	004	1534	0.04	1120	1	55	80	2.5	3	2	3835	2715	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4295.199707	3175.199707	3175.199707	1.12
6988	005	1530	0.04	972	1	55	80	2.5	3	2	3825	2853	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4284	3312	3312	1.12
6988	006	1527	0.04	1130	1	55	80	2.5	3	2	3818	2688	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4275.600098	3145.600098	3145.600098	1.119853
6988	006A	1523	0.03	1397	1	55	80	2.5	2	1	3808	2411	RH-1	40	density-lim	3000			0.7	4	2	3	3	4264.399902	2867.399902	2867.399902	1.119853
6988	007	2170	0.05	1605	1	55	80	2.5	4	3	5425	3820	RH-1	40	density-lim	3000			0.7	4	1	3	3	6076	4471	4471	1.12
6988	008	2163	0.05	2175	1	55	80	2.5	4	3	5408	3233	RH-1	40	density-lim	3000			0.7	4	1	3	3	6056.399902	3881.399902	3881.399902	1.119896
6988	009	2156	0.05	850	1	55	80	2.5	4	3	5390	4540	RH-1	40	density-lim	3000			0.7	4	1	3	3	6036.799805	5186.799805	5186.799805	1.12
6988	010	2149	0.05	825	1	55	80	2.5	4	3	5372	4547	RH-1	40	density-lim	3000			0.7	4	1	3	3	6017.199707	5192.199707	5192.199707	1.120104
6988	011	2142	0.05	825	1	55	80	2.5	4	3	5355	4530	RH-1	40	density-lim	3000			0.7	4	1	3	3	5997.600098	5172.600098	5172.600098	1.12
6989	002	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5850	5850	1.12
6989	003	2500	0.06	1440	1	55	80	2.5	5	4	6250	4810	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5560	5560	1.12
6989	004	3320	0.08	1176	1	55	80	2.5	6	5	8300	7124	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9296	8120	8120	1.12
6989	005	3340	0.08	2465	1	55	80	2.5	6	5	8350	5885	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9352	6887	6887	1.12
6989	006	3340	0.08	2565	1	55	80	2.5	6	5	8350	5785	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9352	6787	6787	1.12
6989	008	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
6989	009	3320	0.08	1050	1	55	80	2.5	6	5	8300	7250	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9296	8246	8246	1.12
6989	010	3340	0.08	1440	1	55	80	2.5	6	5	8350	6910	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9352	7912	7912	1.12
6989	011	3340	0.08	1701	1	55	80	2.5	6	5	8350	6649	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9352	7651	7651	1.12
6989	012	3320	0.08	1130	1	55	80	2.5	6	5	8300	7170	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9296	8166	8166	1.12
6989	013	3340	0.08	1000	1	55	80	2.5	6	5	8350	7350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9352	8352	8352	1.12
6989	014	3340	0.08	1050	1	55	80	2.5	6	5	8350	7300	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9352	8302	8302	1.12
6989	017	3500	0.08	870	1	55	80	2.5	6	5	8750	7880	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9800	8930	8930	1.12
6989	029	2500	0.06	1325	1	55	80	2.5	5	4	6250	4925	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5675	5675	1.12
6989	030	2500	0.06	1225	1	55	80	2.5	5	4	6250	5025	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5775	5775	1.12
6989	031	2700	0.06	1125	1	55	80	2.5	5	4	6750	5625	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7560	6435	6435	1.12
6989	032	2900	0.07	2897	1	55	80	2.5	6	5	7250	4353	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8120	5223	5223	1.12
6989	033	4400	0.1	1000	1	55	80	2.5	8	7	11000	10000	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12320	11320	11320	1.12
6989	035	2500	0.06	1410	1	55	80	2.5	5	4	6250	4840	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5590	5590	1.12
6989	036	2500	0.06	1340	1	55	80	2.5	5	4	6250	4910	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5660	5660	1.12
6989	037	2500	0.06	1400	1	55	80	2.5	5	4	6250	4850	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5600	5600	1.12
6989	038	2500	0.06	717	1	55	80	2.5	5	4	6250	5533	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6283	6283	1.12
6989	039	2500	0.06	1324	1	55	80	2.5	5	4	6250	4926	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5676	5676	1.12
6989	040	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5850	5850	1.12
6989	041	2500	0.06	1230	1	55	80	2.5	5	4	6250	5020	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5770	5770	1.12
6989	042	2500	0.06	1475	1	55	80	2.5	5	4	6250	4775	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5525	5525	1.12
6989	043	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6000	6000	1.12
6989	044	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6000	6000	1.12
6989	045	2500	0.06	1677	1	55	80	2.5	5	4	6250	4573	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5323	5323	1.12
6989	047	5750	0.13	2110	1	55	80	2.5	10	9	14375	12265	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	16100	13990	13990	1.12
6989	048	5750	0.13	1716	1	65	100	3	13	12	17250	15534	RH-1(D)	40	density-lim	3000			0.7	4	0.307692319	3	3	16100	14384	14384	0.933333
6990	002	2526	0.06	1125	1	55	80	2.5	5	4	6315	5190	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	5947.799805	5947.799805	1.12
6990	003	2526	0.06	2327	1	55	80	2.5	5	4	6315	3988	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	4745.799805	4745.799805	1.12
6990	004	2526	0.06	1190	1	55	80	2.5	5	4	6315	5125	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	5882.799805	5882.799805	1.12
6990	005	2526	0.06	1515	1	55	80	2.5	5	4	6315	4800	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	5557.799805	5557.799805	1.12
6990	006	2526	0.06	1088	1	55	80	2.5	5	4	6315	5227	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	5984.799805	5984.799805	1.12
6990	007	2526	0.06	1050	1	55	80	2.5	5	4	6315	5265	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	6022.799805	6022.799805	1.12
6990	008	2526	0.06	1297	1	55	80	2.5	5	4	6315	5018	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	5775.799805	5775.799805	1.12
6990	009	2526	0.06	950	1	55	80	2.5	5	4	6315	5365	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	6122.799805	6122.799805	1.12
6990	010	2526	0.06	1706	1	55	80	2.5	5	4	6315	4609	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	5366.799805	5366.799805	1.12
6990	011	2526	0.06	1910	1	55	80	2.5	5	4	6315	4405	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	5162.799805	5162.799805	1.12
6990	012	2526	0.06	1265	1	55	80	2.5	5	4	6315	5050	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	5807.799805	5807.799805	1.12
6990	013	2526	0.06	1000	1	55	80	2.5	5	4	6315	5315	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	6072.799805	6072.799805	1.12
6990	014	2526	0.06	1016	1	55	80	2.5	5	4	6315	5299	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	6056.799805	6056.799805	1.12
6990	015	2526	0.06	1198	1	55	80	2.5	5	4	6315	5117	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	5874.799805	5874.799805	1.12
6990	016	2526	0.06	875	1	55	80	2.5	5	4	6315	5440	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	6197.799805	6197.799805	1.12
6990	017	2526	0.06	1177	1	55	80	2.5	5	4	6315	5138	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	5895.799805	5895.799805	1.12
6990	018	2526	0.06	1000	1	55	80	2.5	5	4	6315	5315	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	6072.799805	6072.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6990	019	2547	0.06	1200	1	55	80	2.5	5	4	6368	5168	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7131.600098	5931.600098	5931.600098	1.119912
6990	022	1656	0.04	1602	1	55	80	2.5	3	2	4140	2538	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4636.799805	3034.799805	3034.799805	1.12
6990	023	1860	0.04	1200	1	55	80	2.5	3	2	4650	3450	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5208	4008	4008	1.12
6990	024	2035	0.05	975	1	55	80	2.5	4	3	5088	4113	RH-1	40	density-lim	3000			0.7	4	1	3	3	5698	4723	4723	1.11989
6990	025	2184	0.05	1317	1	55	80	2.5	4	3	5460	4143	RH-1	40	density-lim	3000			0.7	4	1	3	3	6115.199707	4798.199707	4798.199707	1.12
6990	026	2306	0.05	1075	1	55	80	2.5	4	3	5765	4690	RH-1	40	density-lim	3000			0.7	4	1	3	3	6456.799805	5381.799805	5381.799805	1.12
6990	028	3340	0.08	1350	1	55	80	2.5	6	5	8350	7000	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9352	8002	8002	1.12
6990	029	3340	0.08	1134	1	55	80	2.5	6	5	8350	7216	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9352	8218	8218	1.12
6990	031	3340	0.08	1533	1	55	80	2.5	6	5	8350	6817	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9352	7819	7819	1.12
6990	032	2500	0.06	2064	1	55	80	2.5	5	4	6250	4186	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4936	4936	1.12
6990	033	2500	0.06	2269	1	55	80	2.5	5	4	6250	3981	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4731	4731	1.12
6990	034	2500	0.06	1438	1	55	80	2.5	5	4	6250	4812	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5562	5562	1.12
6990	035	2500	0.06	825	1	55	80	2.5	5	4	6250	5425	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6175	6175	1.12
6990	036	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5825	5825	1.12
6990	037	2500	0.06	825	1	55	80	2.5	5	4	6250	5425	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6175	6175	1.12
6990	038	2500	0.06	1252	1	55	80	2.5	5	4	6250	4998	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5748	5748	1.12
6990	039	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5875	5875	1.12
6990	040	2500	0.06	1611	1	55	80	2.5	5	4	6250	4639	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5389	5389	1.12
6990	041	2500	0.06	1713	1	55	80	2.5	5	4	6250	4537	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5287	5287	1.12
6990	042	2500	0.06	903	1	55	80	2.5	5	4	6250	5347	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6097	6097	1.12
6990	043	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5875	5875	1.12
6990	044	2500	0.06	2056	1	55	80	2.5	5	4	6250	4194	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4944	4944	1.12
6990	045	2500	0.06	2056	1	55	80	2.5	5	4	6250	4194	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4944	4944	1.12
6990	047	5750	0.13	1718	1	55	80	2.5	10	9	14375	12657	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	16100	14382	14382	1.12
6990	048	5750	0.13	2971	1	55	80	2.5	10	9	14375	11404	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	16100	13129	13129	1.12
6991	002	2484	0.06	1600	1	55	80	2.5	5	4	6210	4610	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5355.199707	5355.199707	1.12
6991	003	2484	0.06	1830	1	55	80	2.5	5	4	6210	4380	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5125.199707	5125.199707	1.12
6991	004	2484	0.06	2272	1	55	80	2.5	5	4	6210	3938	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	4683.199707	4683.199707	1.12
6991	005	2484	0.06	1612	1	55	80	2.5	5	4	6210	4598	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5343.199707	5343.199707	1.12
6991	006	2484	0.06	1770	1	55	80	2.5	5	4	6210	4440	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5185.199707	5185.199707	1.12
6991	007	2484	0.06	1100	1	55	80	2.5	5	4	6210	5110	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5855.199707	5855.199707	1.12
6991	008	2484	0.06	1649	1	55	80	2.5	5	4	6210	4561	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5306.199707	5306.199707	1.12
6991	009	2484	0.06	2152	1	55	80	2.5	5	4	6210	4058	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	4803.199707	4803.199707	1.12
6991	010	2484	0.06	1220	1	55	80	2.5	5	4	6210	4990	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5735.199707	5735.199707	1.12
6991	011	2484	0.06	1175	1	55	80	2.5	5	4	6210	5035	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5780.199707	5780.199707	1.12
6991	012	2484	0.06	1250	1	55	80	2.5	5	4	6210	4960	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5705.199707	5705.199707	1.12
6991	013	2484	0.06	1250	1	55	80	2.5	5	4	6210	4960	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5705.199707	5705.199707	1.12
6991	014	2484	0.06	1000	1	55	80	2.5	5	4	6210	5210	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5955.199707	5955.199707	1.12
6991	015	2484	0.06	1300	1	55	80	2.5	5	4	6210	4910	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5655.199707	5655.199707	1.12
6991	016	2484	0.06	1000	1	55	80	2.5	5	4	6210	5210	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5955.199707	5955.199707	1.12
6991	017	2484	0.06	1150	1	55	80	2.5	5	4	6210	5060	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5805.199707	5805.199707	1.12
6991	018	2484	0.06	900	1	55	80	2.5	5	4	6210	5310	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	6055.199707	6055.199707	1.12
6991	019	2484	0.06	900	1	55	80	2.5	5	4	6210	5310	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	6055.199707	6055.199707	1.12
6991	021	2500	0.06	944	1	55	80	2.5	5	4	6250	5306	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6056	6056	1.12
6991	022	2500	0.06	944	1	55	80	2.5	5	4	6250	5306	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6056	6056	1.12
6991	023	2500	0.06	1302	1	55	80	2.5	5	4	6250	4948	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5698	5698	1.12
6991	024	2500	0.06	1620	1	55	80	2.5	5	4	6250	4630	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5380	5380	1.12
6991	025	2500	0.06	1350	1	55	80	2.5	5	4	6250	4900	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5650	5650	1.12
6991	027	1500	0.03	986	1	55	80	2.5	2	1	3750	2764	RH-1	40	density-lim	3000			0.7	4	2	3	3	4200	3214	3214	1.12
6991	027A	1500	0.03	986	1	55	80	2.5	2	1	3750	2764	RH-1	40	density-lim	3000			0.7	4	2	3	3	4200	3214	3214	1.12
6991	028	2500	0.06	1954	1	55	80	2.5	5	4	6250	4296	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5046	5046	1.12
6991	029	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5750	5750	1.12
6991	030	2500	0.06	1300	1	55	80	2.5	5	4	6250	4950	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5700	5700	1.12
6991	031	2500	0.06	1875	1	55	80	2.5	5	4	6250	4375	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5125	5125	1.12
6991	032	2500	0.06	875	1	55	80	2.5	5	4	6250	5375	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6125	6125	1.12
6991	033	2500	0.06	1568	1	55	80	2.5	5	4	6250	4682	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5432	5432	1.12
6991	034	2500	0.06	1017	1	55	80	2.5	5	4	6250	5233	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5983	5983	1.12
6991	035	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5850	5850	1.12
6991	036	2500	0.06	2043	1	55	80	2.5	5	4	6250	4207	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4957	4957	1.12
6991	037	2500	0.06	825	1	55	80	2.5	5	4	6250	5425	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6175	6175	1.12
6991	038	2500	0.06	1300	1	55	80	2.5	5	4	6250	4950	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5700	5700	1.12
6991	039	2500	0.06	1200	1	55	80	2.5	5	4	6250	5050	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5800	5800	1.12
6991	040	2500	0.06	1200	1	55	80	2.5	5	4	6250	5050	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5800	5800	1.12
6991	041	2500	0.06	1025	1	55	80	2.5	5	4	6250	5225	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5975	5975	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6991	042	2500	0.06	1200	1	55	80	2.5	5	4	6250	5050	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5800	5800	1.12
6991	043	2500	0.06	1788	1	55	80	2.5	5	4	6250	4462	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5212	5212	1.12
6991	044	2500	0.06	1450	1	55	80	2.5	5	4	6250	4800	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5550	5550	1.12
6991	045	2500	0.06	1025	1	55	80	2.5	5	4	6250	5225	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5975	5975	1.12
6991	047	5699	0.13	2160	1	55	80	2.5	10	9	14248	12088	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	15957.2002	13797.2002	13797.2002	1.119961
6991	048	5697	0.13	1260	1	55	80	2.5	10	9	14242	12982	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	15951.59961	14691.59961	14691.59961	1.120039
6992	002	2485	0.06	1425	1	55	80	2.5	5	4	6212	4787	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	5533	5533	1.12009
6992	003	2485	0.06	1267	1	55	80	2.5	5	4	6212	4945	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	5691	5691	1.12009
6992	004	2485	0.06	1555	1	55	80	2.5	5	4	6212	4657	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	5403	5403	1.12009
6992	005	2485	0.06	1454	1	55	80	2.5	5	4	6212	4758	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	5504	5504	1.12009
6992	006	2485	0.06	2084	1	55	80	2.5	5	4	6212	4128	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	4874	4874	1.12009
6992	007	2485	0.06	1390	1	55	80	2.5	5	4	6212	4822	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	5568	5568	1.12009
6992	010	2485	0.06	1825	1	55	80	2.5	5	4	6212	4387	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	5133	5133	1.12009
6992	011	2485	0.06	1490	1	55	80	2.5	5	4	6212	4722	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	5468	5468	1.12009
6992	012	2485	0.06	2116	1	55	80	2.5	5	4	6212	4096	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	4842	4842	1.12009
6992	013	2485	0.06	1886	1	55	80	2.5	5	4	6212	4326	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	5072	5072	1.12009
6992	014	2485	0.06	1596	1	55	80	2.5	5	4	6212	4616	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	5362	5362	1.12009
6992	015	2485	0.06	2121	1	55	80	2.5	5	4	6212	4091	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	4837	4837	1.12009
6992	016	2485	0.06	1215	1	55	80	2.5	5	4	6212	4997	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	5743	5743	1.12009
6992	017	2485	0.06	1419	1	55	80	2.5	5	4	6212	4793	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	5539	5539	1.12009
6992	018	2485	0.06	1178	1	55	80	2.5	5	4	6212	5034	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	5780	5780	1.12009
6992	019	2485	0.06	1620	1	55	80	2.5	5	4	6212	4592	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	5338	5338	1.12009
6992	020	1860	0.04	1150	1	55	80	2.5	3	2	4650	3500	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5208	4058	4058	1.12
6992	021	1875	0.04	1150	1	55	80	2.5	3	2	4688	3538	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4100	4100	1.119881
6992	022	1875	0.04	1375	1	55	80	2.5	3	2	4688	3313	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3875	3875	1.119881
6992	023	2500	0.06	1869	1	55	80	2.5	5	4	6250	4381	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5131	5131	1.12
6992	024	1875	0.04	1250	1	55	80	2.5	3	2	4688	3438	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4000	4000	1.119881
6992	025	1875	0.04	1650	1	55	80	2.5	3	2	4688	3038	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3600	3600	1.119881
6992	027A	2500	0.06	1275	1	55	80	2.5	5	4	6250	4975	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5725	5725	1.12
6992	028	2500	0.06	1610	1	55	80	2.5	5	4	6250	4640	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5390	5390	1.12
6992	029	2500	0.06	1253	1	55	80	2.5	5	4	6250	4997	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5747	5747	1.12
6992	030	2500	0.06	1253	1	55	80	2.5	5	4	6250	4997	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5747	5747	1.12
6992	031	2500	0.06	1025	1	55	80	2.5	5	4	6250	5225	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5975	5975	1.12
6992	032	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5850	5850	1.12
6992	033	2500	0.06	1238	1	55	80	2.5	5	4	6250	5012	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5762	5762	1.12
6992	034	2500	0.06	1300	1	55	80	2.5	5	4	6250	4950	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5700	5700	1.12
6992	035	2500	0.06	1865	1	55	80	2.5	5	4	6250	4385	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5135	5135	1.12
6992	036	2500	0.06	2467	1	55	80	2.5	5	4	6250	3783	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4533	4533	1.12
6992	037	2500	0.06	1300	1	55	80	2.5	5	4	6250	4950	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5700	5700	1.12
6992	038	2500	0.06	771	1	55	80	2.5	5	4	6250	5479	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6229	6229	1.12
6992	039	2500	0.06	1025	1	55	80	2.5	5	4	6250	5225	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5975	5975	1.12
6992	040	2500	0.06	1025	1	55	80	2.5	5	4	6250	5225	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5975	5975	1.12
6992	041	2500	0.06	950	1	55	80	2.5	5	4	6250	5300	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6050	6050	1.12
6992	042	2500	0.06	1625	1	55	80	2.5	5	4	6250	4625	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5375	5375	1.12
6992	043	2500	0.06	1195	1	55	80	2.5	5	4	6250	5055	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5805	5805	1.12
6992	044	2500	0.06	1260	1	55	80	2.5	5	4	6250	4990	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5740	5740	1.12
6992	045	2500	0.06	1260	1	55	80	2.5	5	4	6250	4990	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5740	5740	1.12
6992	047	5713	0.13	1650	1	55	80	2.5	10	9	14282	12632	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	15996.39941	14346.39941	14346.39941	1.120039
6992	048	5710	0.13	2037	1	55	80	2.5	10	9	14275	12238	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	15988	13951	13951	1.12
6992	049	4970	0.11	1400	1	55	80	2.5	9	8	12425	11025	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13916	12516	12516	1.12
6993	002	2500	0.06	1668	1	55	80	2.5	5	4	6250	4582	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5332	5332	1.12
6993	003	2500	0.06	1266	1	55	80	2.5	5	4	6250	4984	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5734	5734	1.12
6993	004	2500	0.06	1080	1	55	80	2.5	5	4	6250	5170	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5920	5920	1.12
6993	005	2500	0.06	1875	1	55	80	2.5	5	4	6250	4375	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5125	5125	1.12
6993	006	2500	0.06	1599	1	55	80	2.5	5	4	6250	4651	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5401	5401	1.12
6993	007	2500	0.06	1750	1	55	80	2.5	5	4	6250	4500	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5250	5250	1.12
6993	008	2500	0.06	1900	1	55	80	2.5	5	4	6250	4350	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5100	5100	1.12
6993	011	2500	0.06	972	1	55	80	2.5	5	4	6250	5278	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6028	6028	1.12
6993	012	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6000	6000	1.12
6993	013	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6000	6000	1.12
6993	014	2500	0.06	1519	1	55	80	2.5	5	4	6250	4731	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5481	5481	1.12
6993	015	2500	0.06	1760	1	55	80	2.5	5	4	6250	4490	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5240	5240	1.12
6993	016	2500	0.06	1312	1	55	80	2.5	5	4	6250	4938	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5688	5688	1.12
6993	017	2500	0.06	1113	1	55	80	2.5	5	4	6250	5137	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5887	5887	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6993	018	2500	0.06	1701	1	55	80	2.5	5	4	6250	4549	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5299	5299	1.12
6993	019	2500	0.06	1284	1	55	80	2.5	5	4	6250	4966	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5716	5716	1.12
6993	019A	1875	0.04	1150	1	55	80	2.5	3	2	4688	3538	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4100	4100	1.119881
6993	021	1875	0.04	1150	1	55	80	2.5	3	2	4688	3538	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4100	4100	1.119881
6993	022	1875	0.04	225	1	55	80	2.5	3	2	4688	4463	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	5025	5025	1.119881
6993	023	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5825	5825	1.12
6993	024	2500	0.06	2159	1	55	80	2.5	5	4	6250	4091	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4841	4841	1.12
6993	025	2500	0.06	1403	1	55	80	2.5	5	4	6250	4847	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5597	5597	1.12
6993	026	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5825	5825	1.12
6993	028	2500	0.06	1425	1	55	80	2.5	5	4	6250	4825	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5575	5575	1.12
6993	029	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5850	5850	1.12
6993	030	2500	0.06	1295	1	55	80	2.5	5	4	6250	4955	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5705	5705	1.12
6993	031	2500	0.06	1999	1	55	80	2.5	5	4	6250	4251	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5001	5001	1.12
6993	032	2500	0.06	1504	1	55	80	2.5	5	4	6250	4746	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5496	5496	1.12
6993	033	2500	0.06	1064	1	55	80	2.5	5	4	6250	5186	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5936	5936	1.12
6993	034	2500	0.06	2092	1	55	80	2.5	5	4	6250	4158	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4908	4908	1.12
6993	035	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
6993	036	2500	0.06	1512	1	55	80	2.5	5	4	6250	4738	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5488	5488	1.12
6993	037	2500	0.06	1475	1	55	80	2.5	5	4	6250	4775	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5525	5525	1.12
6993	038	2500	0.06	1025	1	55	80	2.5	5	4	6250	5225	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5975	5975	1.12
6993	039	2500	0.06	1132	1	55	80	2.5	5	4	6250	5118	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5868	5868	1.12
6993	040	2500	0.06	1981	1	55	80	2.5	5	4	6250	4269	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5019	5019	1.12
6993	041	2500	0.06	1266	1	55	80	2.5	5	4	6250	4984	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5734	5734	1.12
6993	042	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5825	5825	1.12
6993	043	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
6993	044	2500	0.06	1275	1	55	80	2.5	5	4	6250	4975	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5725	5725	1.12
6993	045	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5750	5750	1.12
6993	047	5726	0.13	1877	1	55	80	2.5	10	9	14315	12438	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	16032.7998	14155.7998	14155.7998	1.12
6993	048	5723	0.13	2330	1	55	80	2.5	10	9	14308	11978	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	16024.39941	13694.39941	13694.39941	1.119961
6993	049	5000	0.11	2941	1	55	80	2.5	9	8	12500	9559	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	14000	11059	11059	1.12
6994	002	3320	0.08	1650	1	55	80	2.5	6	5	8300	6650	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9296	7646	7646	1.12
6994	003	3680	0.08	2716	1	55	80	2.5	6	5	9200	6484	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	10304	7588	7588	1.12
6994	004	3000	0.07	2000	1	55	80	2.5	6	5	7500	5500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8400	6400	6400	1.12
6994	005	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5850	5850	1.12
6994	006	2500	0.06	1750	1	55	80	2.5	5	4	6250	4500	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5250	5250	1.12
6994	007	2500	0.06	1656	1	55	80	2.5	5	4	6250	4594	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5344	5344	1.12
6994	008	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5850	5850	1.12
6994	009	2500	0.06	1610	1	55	80	2.5	5	4	6250	4640	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5390	5390	1.12
6994	010	2500	0.06	1375	1	55	80	2.5	5	4	6250	4875	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5625	5625	1.12
6994	011	3760	0.09	1250	1	55	80	2.5	7	6	9400	8150	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	10528	9278	9278	1.12
6994	012	3740	0.09	1650	1	55	80	2.5	7	6	9350	7700	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	10472	8822	8822	1.12
6994	014	2500	0.06	1648	1	55	80	2.5	5	4	6250	4602	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5352	5352	1.12
6994	015	2500	0.06	1162	1	55	80	2.5	5	4	6250	5088	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5838	5838	1.12
6994	016	3760	0.09	1532	1	55	80	2.5	7	6	9400	7868	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	10528	8996	8996	1.12
6994	018	3740	0.09	1800	1	55	80	2.5	7	6	9350	7550	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	10472	8672	8672	1.12
6994	018A	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6200	6200	1.12
6994	021	1875	0.04	800	1	55	80	2.5	3	2	4688	3888	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4450	4450	1.119881
6994	022	1875	0.04	1904	1	55	80	2.5	3	2	4688	2784	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3346	3346	1.119881
6994	023	1875	0.04	1990	1	55	80	2.5	3	2	4688	2698	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3260	3260	1.119881
6994	024	1875	0.04	800	1	55	80	2.5	3	2	4688	3888	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4450	4450	1.119881
6994	025	1875	0.04	800	1	55	80	2.5	3	2	4688	3888	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4450	4450	1.119881
6994	026A	2500	0.06	968	1	55	80	2.5	5	4	6250	5282	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6032	6032	1.12
6994	027	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6200	6200	1.12
6994	028	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5900	5900	1.12
6994	029	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6200	6200	1.12
6994	030	5000	0.11	1040	1	55	80	2.5	9	8	12500	11460	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	14000	12960	12960	1.12
6994	032	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5825	5825	1.12
6994	033	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6200	6200	1.12
6994	034	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6200	6200	1.12
6994	035	2500	0.06	1350	1	55	80	2.5	5	4	6250	4900	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5650	5650	1.12
6994	036	2500	0.06	1300	1	55	80	2.5	5	4	6250	4950	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5700	5700	1.12
6994	037	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5750	5750	1.12
6994	038	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5750	5750	1.12
6994	040	2500	0.06	1696	1	55	80	2.5	5	4	6250	4554	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5304	5304	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6994	041	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5825	5825	1.12
6994	042	2500	0.06	1320	1	55	80	2.5	5	4	6250	4930	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5680	5680	1.12
6994	043	2500	0.06	1337	1	55	80	2.5	5	4	6250	4913	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5663	5663	1.12
6994	044	2500	0.06	1747	1	55	80	2.5	5	4	6250	4503	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5253	5253	1.12
6994	046	5739	0.13	1150	1	55	80	2.5	10	9	14348	13198	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	16069.2002	14919.2002	14919.2002	1.119961
6994	047	5736	0.13	1110	1	55	80	2.5	10	9	14340	13230	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	16060.7998	14950.7998	14950.7998	1.12
6995	002	2500	0.06	1475	1	55	80	2.5	5	4	6250	4775	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5525	5525	1.12
6995	003	2500	0.06	1320	1	55	80	2.5	5	4	6250	4930	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5680	5680	1.12
6995	006	2335	0.05	1125	1	55	80	2.5	4	3	5838	4713	RH-1	40	density-lim	3000			0.7	4	1	3	3	6538	5413	5413	1.119904
6995	007	2685	0.06	630	1	55	80	2.5	5	4	6712	6082	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7518	6888	6888	1.120083
6995	008	2500	0.06	1628	1	55	80	2.5	5	4	6250	4622	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5372	5372	1.12
6995	011	2500	0.06	1533	1	55	80	2.5	5	4	6250	4717	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5467	5467	1.12
6995	012	2500	0.06	1618	1	55	80	2.5	5	4	6250	4632	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5382	5382	1.12
6995	015	2760	0.06	817	1	55	80	2.5	5	4	6900	6083	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7728	6911	6911	1.12
6995	019	2500	0.06	1962	1	55	80	2.5	5	4	6250	4288	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5038	5038	1.12
6995	021	1875	0.04	1062	1	55	80	2.5	3	2	4688	3626	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4188	4188	1.119881
6995	022	1875	0.04	1062	1	55	80	2.5	3	2	4688	3626	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4188	4188	1.119881
6995	023	1875	0.04	1062	1	55	80	2.5	3	2	4688	3626	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4188	4188	1.119881
6995	024	2500	0.06	1548	1	55	80	2.5	5	4	6250	4702	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5452	5452	1.12
6995	025	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
6995	026	2500	0.06	2160	1	55	80	2.5	5	4	6250	4090	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4840	4840	1.12
6995	028	2500	0.06	1440	1	55	80	2.5	5	4	6250	4810	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5560	5560	1.12
6995	029	2500	0.06	1481	1	55	80	2.5	5	4	6250	4769	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5519	5519	1.12
6995	030	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5750	5750	1.12
6995	031	2500	0.06	1080	1	55	80	2.5	5	4	6250	5170	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5920	5920	1.12
6995	032	2500	0.06	1196	1	55	80	2.5	5	4	6250	5054	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5804	5804	1.12
6995	033	2500	0.06	1950	1	55	80	2.5	5	4	6250	4300	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5050	5050	1.12
6995	034	2500	0.06	2109	1	55	80	2.5	5	4	6250	4141	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4891	4891	1.12
6995	035	2500	0.06	1406	1	55	80	2.5	5	4	6250	4844	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5594	5594	1.12
6995	036	2500	0.06	1406	1	55	80	2.5	5	4	6250	4844	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5594	5594	1.12
6995	037	3760	0.09	4516	1	55	80	2.5	7	6	9400	4884	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	10528	6012	6012	1.12
6995	039	3130	0.07	1125	1	55	80	2.5	6	5	7825	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8764	7639	7639	1.12
6995	040	3130	0.07	1150	1	55	80	2.5	6	5	7825	6675	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8764	7614	7614	1.12
6995	041	2500	0.06	1300	1	55	80	2.5	5	4	6250	4950	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5700	5700	1.12
6995	042	2500	0.06	1744	1	55	80	2.5	5	4	6250	4506	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5256	5256	1.12
6995	043	2500	0.06	1376	1	55	80	2.5	5	4	6250	4874	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5624	5624	1.12
6995	044	2500	0.06	1678	1	55	80	2.5	5	4	6250	4572	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5322	5322	1.12
6995	045	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5900	5900	1.12
6995	047	5742	0.13	1905	1	55	80	2.5	10	9	14355	12450	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	16077.59961	14172.59961	14172.59961	1.12
6995	048	5739	0.13	1020	1	55	80	2.5	10	9	14348	13328	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	16069.2002	15049.2002	15049.2002	1.119961
6995	049	5000	0.11	2926	1	55	80	2.5	9	8	12500	9574	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	14000	11074	11074	1.12
6995	052	5000	0.11	3116	1	55	80	2.5	9	8	12500	9384	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	14000	10884	10884	1.12
6995	053	4740	0.11	800	1	55	80	2.5	9	8	11850	11050	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13272	12472	12472	1.12
6995	054	5000	0.11	1854	1	55	80	2.5	9	8	12500	10646	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	14000	12146	12146	1.12
6995	055	2500	0.06	2480	1	55	80	2.5	5	4	6250	3770	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4520	4520	1.12
6996	002	5035	0.12	1650	1	55	80	2.5	10	9	12588	10938	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14098	12448	12448	1.119956
6996	004	5035	0.12	2290	1	55	80	2.5	10	9	12588	10298	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14098	11808	11808	1.119956
6996	006	2518	0.06	2773	1	55	80	2.5	5	4	6295	3522	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7050.399902	4277.399902	4277.399902	1.12
6996	007	2518	0.06	1200	1	55	80	2.5	5	4	6295	5095	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7050.399902	5850.399902	5850.399902	1.12
6996	008	2518	0.06	2460	1	55	80	2.5	5	4	6295	3835	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7050.399902	4590.399902	4590.399902	1.12
6996	009	3364	0.08	596	1	55	80	2.5	6	5	8410	7814	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9419.200195	8823.200195	8823.200195	1.12
6996	010	3364	0.08	2296	1	55	80	2.5	6	5	8410	6114	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9419.200195	7123.200195	7123.200195	1.12
6996	011	3343	0.08	1524	1	55	80	2.5	6	5	8358	6834	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9360.399414	7836.399414	7836.399414	1.119933
6996	012	2518	0.06	1746	1	55	80	2.5	5	4	6295	4549	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7050.399902	5304.399902	5304.399902	1.12
6996	013	2518	0.06	1114	1	55	80	2.5	5	4	6295	5181	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7050.399902	5936.399902	5936.399902	1.12
6996	014	2518	0.06	1670	1	55	80	2.5	5	4	6295	4625	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7050.399902	5380.399902	5380.399902	1.12
6996	015	2518	0.06	1200	1	55	80	2.5	5	4	6295	5095	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7050.399902	5850.399902	5850.399902	1.12
6996	016	2518	0.06	1453	1	55	80	2.5	5	4	6295	4842	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7050.399902	5597.399902	5597.399902	1.12
6996	017	2518	0.06	1535	1	55	80	2.5	5	4	6295	4760	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7050.399902	5515.399902	5515.399902	1.12
6996	018	2538	0.06	1450	1	55	80	2.5	5	4	6345	4895	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7106.399902	5656.399902	5656.399902	1.12
6996	019	1893	0.04	1584	1	55	80	2.5	3	2	4732	3148	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5300.399902	3716.399902	3716.399902	1.120118
6996	021	1875	0.04	1200	1	55	80	2.5	3	2	4688	3488	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4050	4050	1.119881
6996	021A	1875	0.04	1812	1	55	80	2.5	3	2	4688	2876	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3438	3438	1.119881
6996	022	2500	0.06	1660	1	55	80	2.5	5	4	6250	4590	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5340	5340	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6996	023	2500	0.06	1135	1	65	100	3	6	5	7500	6365	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5865	5865	0.933333
6996	024	2059	0.05	1135	1	65	100	3	5	4	6177	5042	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5765.199707	4630.199707	4630.199707	0.933333
6996	026	2175	0.05	1138	1	55	80	2.5	4	3	5438	4300	RH-1	40	density-lim	3000			0.7	4	1	3	3	6090	4952	4952	1.119897
6996	027	3340	0.08	1200	1	55	80	2.5	6	5	8350	7150	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9352	8152	8152	1.12
6996	028	3340	0.08	1200	1	55	80	2.5	6	5	8350	7150	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9352	8152	8152	1.12
6996	029	3340	0.08	1128	1	55	80	2.5	6	5	8350	7222	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9352	8224	8224	1.12
6996	031	2500	0.06	1285	1	55	80	2.5	5	4	6250	4965	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5715	5715	1.12
6996	032	2500	0.06	1058	1	55	80	2.5	5	4	6250	5192	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5942	5942	1.12
6996	033	2500	0.06	1705	1	55	80	2.5	5	4	6250	4545	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5295	5295	1.12
6996	034	2500	0.06	1387	1	55	80	2.5	5	4	6250	4863	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5613	5613	1.12
6996	035	2500	0.06	1215	1	55	80	2.5	5	4	6250	5035	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5785	5785	1.12
6996	036	2500	0.06	1715	1	55	80	2.5	5	4	6250	4535	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5285	5285	1.12
6996	037	2500	0.06	1550	1	55	80	2.5	5	4	6250	4700	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5450	5450	1.12
6996	038	2500	0.06	2320	1	55	80	2.5	5	4	6250	3930	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4680	4680	1.12
6996	039	2500	0.06	1056	1	55	80	2.5	5	4	6250	5194	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5944	5944	1.12
6996	040	2500	0.06	1487	1	55	80	2.5	5	4	6250	4763	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5513	5513	1.12
6996	041	2559	0.06	1366	1	55	80	2.5	5	4	6398	5032	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7165.199707	5799.199707	5799.199707	1.119912
6996	042	2441	0.06	2056	1	55	80	2.5	5	4	6102	4046	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6834.799805	4778.799805	4778.799805	1.120092
6996	043	2500	0.06	1476	1	55	80	2.5	5	4	6250	4774	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5524	5524	1.12
6996	044	2500	0.06	1476	1	55	80	2.5	5	4	6250	4774	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5524	5524	1.12
6996	046	5744	0.13	1848	1	55	80	2.5	10	9	14360	12512	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	16083.2002	14235.2002	14235.2002	1.12
6996	047	5745	0.13	1273	1	55	80	2.5	10	9	14362	13089	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	16086	14813	14813	1.120039
6997	002	5050	0.12	1604	1	55	80	2.5	10	9	12625	11021	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14140	12536	12536	1.12
6997	004	2524	0.06	842	1	55	80	2.5	5	4	6310	5468	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7067.199707	6225.199707	6225.199707	1.12
6997	005	2523	0.06	1400	1	55	80	2.5	5	4	6308	4908	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7064.399902	5664.399902	5664.399902	1.119911
6997	006	2522	0.06	1250	1	55	80	2.5	5	4	6305	5055	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7061.600098	5811.600098	5811.600098	1.12
6997	007	2521	0.06	1480	1	55	80	2.5	5	4	6302	4822	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7058.799805	5578.799805	5578.799805	1.120089
6997	008	2520	0.06	1600	1	55	80	2.5	5	4	6300	4700	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7056	5456	5456	1.12
6997	009	2519	0.06	1800	1	55	80	2.5	5	4	6298	4498	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	5253.199707	5253.199707	1.119911
6997	010	2519	0.06	1325	1	55	80	2.5	5	4	6298	4973	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	5728.199707	5728.199707	1.119911
6997	011	2518	0.06	1200	1	55	80	2.5	5	4	6295	5095	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7050.399902	5850.399902	5850.399902	1.12
6997	012	2517	0.06	1315	1	55	80	2.5	5	4	6292	4977	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7047.600098	5732.600098	5732.600098	1.120089
6997	013	2516	0.06	960	1	55	80	2.5	5	4	6290	5330	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7044.799805	6084.799805	6084.799805	1.12
6997	014	2515	0.06	1470	1	55	80	2.5	5	4	6288	4818	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7042	5572	5572	1.119911
6997	015	2514	0.06	1637	1	55	80	2.5	5	4	6285	4648	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7039.199707	5402.199707	5402.199707	1.12
6997	016	2513	0.06	1579	1	55	80	2.5	5	4	6282	4703	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7036.399902	5457.399902	5457.399902	1.120089
6997	017	2513	0.06	990	1	65	100	3	6	5	7539	6549	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7036.399902	6046.399902	6046.399902	0.933333
6997	018	2512	0.06	1380	1	65	100	3	6	5	7536	6156	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5653.600098	5653.600098	0.933333
6997	019	2511	0.06	1691	1	65	100	3	6	5	7533	5842	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7030.799805	5339.799805	5339.799805	0.933333
6997	021	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5800	5800	0.933333
6997	022	2500	0.06	1432	1	65	100	3	6	5	7500	6068	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5568	5568	0.933333
6997	023	2500	0.06	1175	1	65	100	3	6	5	7500	6325	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5825	5825	0.933333
6997	024	2500	0.06	1416	1	65	100	3	6	5	7500	6084	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5584	5584	0.933333
6997	025	2500	0.06	2137	1	65	100	3	6	5	7500	5363	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4863	4863	0.933333
6997	026	1875	0.04	1863	1	65	100	3	4	3	5625	3762	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3387	3387	0.933333
6997	027A	1250	0.03	1246	1	65	100	3	3	2	3750	2504	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3500	2254	2254	0.933333
6997	028	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
6997	029	2500	0.06	810	1	65	100	3	6	5	7500	6690	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6190	6190	0.933333
6997	030	2500	0.06	1470	1	65	100	3	6	5	7500	6030	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5530	5530	0.933333
6997	031	2500	0.06	1325	1	65	100	3	6	5	7500	6175	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5675	5675	0.933333
6997	032	2500	0.06	1325	1	55	80	2.5	5	4	6250	4925	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5675	5675	1.12
6997	033	2500	0.06	1810	1	55	80	2.5	5	4	6250	4440	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5190	5190	1.12
6997	034	2500	0.06	1806	1	55	80	2.5	5	4	6250	4444	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5194	5194	1.12
6997	035	2500	0.06	1156	1	55	80	2.5	5	4	6250	5094	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5844	5844	1.12
6997	036	2500	0.06	1831	1	55	80	2.5	5	4	6250	4419	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5169	5169	1.12
6997	037	2500	0.06	1384	1	55	80	2.5	5	4	6250	4866	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5616	5616	1.12
6997	038	2500	0.06	1175	1	65	100	3	6	5	7500	6325	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5825	5825	0.933333
6997	039	2500	0.06	1575	1	65	100	3	6	5	7500	5925	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5425	5425	0.933333
6997	040	2500	0.06	1725	1	65	100	3	6	5	7500	5775	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5275	5275	0.933333
6997	041	2500	0.06	1325	1	65	100	3	6	5	7500	6175	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5675	5675	0.933333
6997	042	2500	0.06	1575	1	65	100	3	6	5	7500	5925	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5425	5425	0.933333
6997	043	2500	0.06	1175	1	65	100	3	6	5	7500	6325	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5825	5825	0.933333
6997	045	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5850	5850	0.933333
6997	047	5752	0.13	2715	1	55	80	2.5	10	9	14380	11665	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	16105.59961	13390.59961	13390.59961	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6997	048	5753	0.13	2530	1	55	80	2.5	10	9	14382	11852	RH-1(D)	40	density-lim	3000			0.7	4	0.400000006	3	3	16108.39941	13578.39941	13578.39941	1.120039
6998	002	2477	0.06	1243	1	65	100	3	6	5	7431	6188	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5692.600098	5692.600098	0.933333
6998	003	2479	0.06	976	1	65	100	3	6	5	7437	6461	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6941.199707	5965.199707	5965.199707	0.933333
6998	004	2480	0.06	1566	1	65	100	3	6	5	7440	5874	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6944	5378	5378	0.933333
6998	005	2481	0.06	1250	1	65	100	3	6	5	7443	6193	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6946.799805	5696.799805	5696.799805	0.933333
6998	006	2483	0.06	1543	1	65	100	3	6	5	7449	5906	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6952.399902	5409.399902	5409.399902	0.933333
6998	007	2484	0.06	1670	1	65	100	3	6	5	7452	5782	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6955.199707	5285.199707	5285.199707	0.933333
6998	008	2486	0.06	1200	1	65	100	3	6	5	7458	6258	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6960.799805	5760.799805	5760.799805	0.933333
6998	009	2487	0.06	1502	1	65	100	3	6	5	7461	5959	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6963.600098	5461.600098	5461.600098	0.933333
6998	010	2488	0.06	643	1	65	100	3	6	5	7464	6821	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6966.399902	6323.399902	6323.399902	0.933333
6998	011	2490	0.06	2442	1	65	100	3	6	5	7470	5028	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6972	4530	4530	0.933333
6998	012	2491	0.06	1200	1	65	100	3	6	5	7473	6273	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6974.799805	5774.799805	5774.799805	0.933333
6998	013	2493	0.06	1396	1	65	100	3	6	5	7479	6083	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5584.399902	5584.399902	0.933333
6998	014	2494	0.06	1516	1	65	100	3	6	5	7482	5966	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6983.199707	5467.199707	5467.199707	0.933333
6998	015	2495	0.06	1580	1	65	100	3	6	5	7485	5905	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5406	5406	0.933333
6998	016	2497	0.06	2736	1	65	100	3	6	5	7491	4755	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6991.600098	4255.600098	4255.600098	0.933333
6998	017	2498	0.06	2736	1	65	100	3	6	5	7494	4758	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6994.399902	4258.399902	4258.399902	0.933333
6998	018	2500	0.06	1128	1	65	100	3	6	5	7500	6372	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5872	5872	0.933333
6998	019	2501	0.06	1248	1	65	100	3	6	5	7503	6255	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5754.799805	5754.799805	0.933333
6998	023	2500	0.06	1460	1	65	100	3	6	5	7500	6040	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5540	5540	0.933333
6998	024	2500	0.06	2271	1	65	100	3	6	5	7500	5229	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4729	4729	0.933333
6998	027	2475	0.06	1484	1	65	100	3	6	5	7425	5941	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6930	5446	5446	0.933333
6998	028	2500	0.06	1708	1	65	100	3	6	5	7500	5792	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5292	5292	0.933333
6998	029	2500	0.06	1730	1	65	100	3	6	5	7500	5770	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5270	5270	0.933333
6998	030	2500	0.06	1478	1	65	100	3	6	5	7500	6022	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5522	5522	0.933333
6998	031	2500	0.06	1608	1	65	100	3	6	5	7500	5892	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5392	5392	0.933333
6998	032	2500	0.06	1213	1	65	100	3	6	5	7500	6287	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5787	5787	0.933333
6998	034	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5550	5550	0.933333
6998	035	2500	0.06	1350	1	65	100	3	6	5	7500	6150	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5650	5650	0.933333
6998	036	2500	0.06	1749	1	65	100	3	6	5	7500	5751	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5251	5251	0.933333
6998	037	2500	0.06	1658	1	65	100	3	6	5	7500	5842	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5342	5342	0.933333
6998	038	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6100	6100	0.933333
6998	039	2500	0.06	893	1	65	100	3	6	5	7500	6607	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6107	6107	0.933333
6998	042	2500	0.06	1475	1	65	100	3	6	5	7500	6025	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5525	5525	0.933333
6998	043	2500	0.06	1291	1	65	100	3	6	5	7500	6209	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5709	5709	0.933333
6998	044	2500	0.06	1875	1	65	100	3	6	5	7500	5625	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5125	5125	0.933333
6998	045	2500	0.06	2000	1	65	100	3	6	5	7500	5500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5000	5000	0.933333
6998	047	5750	0.13	1340	1	65	100	3	13	12	17250	15910	RH-1(D)	40	density-lim	3000			0.7	4	0.307692319	3	3	16100	14760	14760	0.933333
6998	048	5751	0.13	3068	1	65	100	3	13	12	17253	14185	RH-1(D)	40	density-lim	3000			0.7	4	0.307692319	3	3	16102.7998	13034.7998	13034.7998	0.933333
6998	050	5000	0.11	1520	1	65	100	3	11	10	15000	13480	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	14000	12480	12480	0.933333
6998	051	2400	0.06	1458	1	65	100	3	6	5	7200	5742	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6720	5262	5262	0.933333
6998	052	2400	0.06	1458	1	65	100	3	6	5	7200	5742	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6720	5262	5262	0.933333
6998	053	3249	0.07	2522	3	65	100	3	7	4	9747	7225	RH-1	40	density-lim	3000	true		0.7	6	0.857142866	3	3	9097.200195	6575.200195	6575.200195	0.933333
7001	002	2531	0.06	2322	1	65	100	3	6	5	7593	5271	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7086.799805	4764.799805	4764.799805	0.933333
7001	003	2530	0.06	2000	1	65	100	3	6	5	7590	5590	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7084	5084	5084	0.933333
7001	004	2530	0.06	1050	1	65	100	3	6	5	7590	6540	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7084	6034	6034	0.933333
7001	005	2529	0.06	825	1	65	100	3	6	5	7587	6762	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7081.199707	6256.199707	6256.199707	0.933333
7001	006	2529	0.06	1075	1	65	100	3	6	5	7587	6512	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7081.199707	6006.199707	6006.199707	0.933333
7001	007	2528	0.06	1302	1	65	100	3	6	5	7584	6282	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7078.399902	5776.399902	5776.399902	0.933333
7001	008	2528	0.06	1439	1	65	100	3	6	5	7584	6145	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7078.399902	5639.399902	5639.399902	0.933333
7001	009	2528	0.06	1250	1	65	100	3	6	5	7584	6334	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7078.399902	5828.399902	5828.399902	0.933333
7001	010	2527	0.06	1050	1	65	100	3	6	5	7581	6531	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7075.600098	6025.600098	6025.600098	0.933333
7001	011	2527	0.06	1684	1	65	100	3	6	5	7581	5897	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7075.600098	5391.600098	5391.600098	0.933333
7001	012	2526	0.06	1450	1	65	100	3	6	5	7578	6128	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5622.799805	5622.799805	0.933333
7001	013	2526	0.06	1450	1	65	100	3	6	5	7578	6128	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5622.799805	5622.799805	0.933333
7001	014	2525	0.06	1881	1	65	100	3	6	5	7575	5694	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7070	5189	5189	0.933333
7001	015	2525	0.06	1755	1	65	100	3	6	5	7575	5820	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7070	5315	5315	0.933333
7001	016	2524	0.06	1250	1	65	100	3	6	5	7572	6322	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7067.199707	5817.199707	5817.199707	0.933333
7001	017	2524	0.06	1750	1	65	100	3	6	5	7572	5822	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7067.199707	5317.199707	5317.199707	0.933333
7001	019	2500	0.06	1751	1	65	100	3	6	5	7500	5749	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5249	5249	0.933333
7001	020	2500	0.06	1536	1	65	100	3	6	5	7500	5964	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5464	5464	0.933333
7001	021	2500	0.06	2038	1	65	100	3	6	5	7500	5462	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4962	4962	0.933333
7001	022	2500	0.06	1561	1	65	100	3	6	5	7500	5939	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5439	5439	0.933333
7001	023	2500	0.06	1900	1	65	100	3	6	5	7500	5600	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5100	5100	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7001	025	2500	0.06	1109	1	65	100	3	6	5	7500	6391	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5891	5891	0.933333
7001	026	2500	0.06	1240	1	65	100	3	6	5	7500	6260	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5760	5760	0.933333
7001	027	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7001	028	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7001	029	2500	0.06	984	1	65	100	3	6	5	7500	6516	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6016	6016	0.933333
7001	030	2500	0.06	1162	1	65	100	3	6	5	7500	6338	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5838	5838	0.933333
7001	031	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7001	032	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5950	5950	0.933333
7001	033	2500	0.06	896	1	65	100	3	6	5	7500	6604	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6104	6104	0.933333
7001	034	2500	0.06	1354	1	65	100	3	6	5	7500	6146	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5646	5646	0.933333
7001	035	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7001	038	2500	0.06	1786	1	65	100	3	6	5	7500	5714	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5214	5214	0.933333
7001	039	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7001	040	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7001	041	2500	0.06	1080	1	65	100	3	6	5	7500	6420	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5920	5920	0.933333
7001	043	2196	0.05	1926	1	65	100	3	5	4	6588	4662	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4222.799805	4222.799805	0.933333
7001	044	2196	0.05	1175	1	65	100	3	5	4	6588	5413	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4973.799805	4973.799805	0.933333
7001	045	2196	0.05	1325	1	65	100	3	5	4	6588	5263	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4823.799805	4823.799805	0.933333
7001	046	2196	0.05	1350	1	65	100	3	5	4	6588	5238	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4798.799805	4798.799805	0.933333
7001	047	2196	0.05	1350	1	65	100	3	5	4	6588	5238	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4798.799805	4798.799805	0.933333
7001	048	2196	0.05	1400	1	65	100	3	5	4	6588	5188	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4748.799805	4748.799805	0.933333
7001	049	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5500	5500	0.933333
7001	050	2500	0.06	1970	1	65	100	3	6	5	7500	5530	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5030	5030	0.933333
7002	002	2474	0.06	1125	1	65	100	3	6	5	7422	6297	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6927.199707	5802.199707	5802.199707	0.933333
7002	003	2474	0.06	1480	1	65	100	3	6	5	7422	5942	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6927.199707	5447.199707	5447.199707	0.933333
7002	004	2474	0.06	700	1	65	100	3	6	5	7422	6722	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6927.199707	6227.199707	6227.199707	0.933333
7002	005	2474	0.06	800	1	65	100	3	6	5	7422	6622	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6927.199707	6127.199707	6127.199707	0.933333
7002	006	4948	0.11	1666	1	65	100	3	11	10	14844	13178	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13854.39941	12188.39941	12188.39941	0.933333
7002	008	2474	0.06	1253	1	65	100	3	6	5	7422	6169	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6927.199707	5674.199707	5674.199707	0.933333
7002	009	2474	0.06	1725	1	65	100	3	6	5	7422	5697	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6927.199707	5202.199707	5202.199707	0.933333
7002	010	2474	0.06	1553	1	65	100	3	6	5	7422	5869	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6927.199707	5374.199707	5374.199707	0.933333
7002	013	2475	0.06	1455	1	65	100	3	6	5	7425	5970	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6930	5475	5475	0.933333
7002	014	2475	0.06	1088	1	65	100	3	6	5	7425	6337	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6930	5842	5842	0.933333
7002	015	2475	0.06	812	1	65	100	3	6	5	7425	6613	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6930	6118	6118	0.933333
7002	016	2475	0.06	812	1	65	100	3	6	5	7425	6613	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6930	6118	6118	0.933333
7002	017	2475	0.06	812	1	65	100	3	6	5	7425	6613	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6930	6118	6118	0.933333
7002	019	2500	0.06	1072	1	65	100	3	6	5	7500	6428	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5928	5928	0.933333
7002	020	2500	0.06	1214	1	65	100	3	6	5	7500	6286	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5786	5786	0.933333
7002	021	2500	0.06	1446	1	65	100	3	6	5	7500	6054	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5554	5554	0.933333
7002	022	2500	0.06	1845	1	65	100	3	6	5	7500	5655	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5155	5155	0.933333
7002	023	2500	0.06	1888	1	65	100	3	6	5	7500	5612	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5112	5112	0.933333
7002	024	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5850	5850	0.933333
7002	026	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333
7002	027	2500	0.06	1288	1	65	100	3	6	5	7500	6212	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5712	5712	0.933333
7002	028	2500	0.06	678	1	65	100	3	6	5	7500	6822	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6322	6322	0.933333
7002	029	2500	0.06	1084	1	65	100	3	6	5	7500	6416	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5916	5916	0.933333
7002	030	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7002	031	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7002	032	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7002	033	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7002	034	2500	0.06	1224	1	65	100	3	6	5	7500	6276	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5776	5776	0.933333
7002	035	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7002	036	2500	0.06	1210	1	65	100	3	6	5	7500	6290	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5790	5790	0.933333
7002	037	2500	0.06	1011	1	65	100	3	6	5	7500	6489	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5989	5989	0.933333
7002	038	2500	0.06	1011	1	65	100	3	6	5	7500	6489	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5989	5989	0.933333
7002	039	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333
7002	040	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7002	041	2500	0.06	2792	1	65	100	3	6	5	7500	4708	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4208	4208	0.933333
7002	043	2196	0.05	1200	1	65	100	3	5	4	6588	5388	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4948.799805	4948.799805	0.933333
7002	044	2196	0.05	1200	1	65	100	3	5	4	6588	5388	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4948.799805	4948.799805	0.933333
7002	045	2196	0.05	1200	1	65	100	3	5	4	6588	5388	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4948.799805	4948.799805	0.933333
7002	046	2196	0.05	1200	1	65	100	3	5	4	6588	5388	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4948.799805	4948.799805	0.933333
7002	047	2196	0.05	1601	1	65	100	3	5	4	6588	4987	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4547.799805	4547.799805	0.933333
7002	048	2196	0.05	1196	1	65	100	3	5	4	6588	5392	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4952.799805	4952.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7002	050	2475	0.06	875	1	65	100	3	6	5	7425	6550	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6930	6055	6055	0.933333
7002	051	2475	0.06	2110	1	65	100	3	6	5	7425	5315	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6930	4820	4820	0.933333
7003	001A	1971	0.05	1218	1	65	100	3	5	4	5913	4695	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5518.799805	4300.799805	4300.799805	0.933333
7003	002	2538	0.06	1619	1	65	100	3	6	5	7614	5995	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7106.399902	5487.399902	5487.399902	0.933333
7003	003	3372	0.08	1278	1	65	100	3	8	7	10116	8838	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9441.599609	8163.599609	8163.599609	0.933333
7003	004	3393	0.08	888	1	65	100	3	8	7	10179	9291	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9500.399414	8612.399414	8612.399414	0.933333
7003	005	3393	0.08	1134	1	65	100	3	8	7	10179	9045	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9500.399414	8366.399414	8366.399414	0.933333
7003	007	2540	0.06	1400	1	65	100	3	6	5	7620	6220	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7112	5712	5712	0.933333
7003	008	2541	0.06	2025	1	65	100	3	6	5	7623	5598	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7114.799805	5089.799805	5089.799805	0.933333
7003	009	2541	0.06	960	1	65	100	3	6	5	7623	6663	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7114.799805	6154.799805	6154.799805	0.933333
7003	010	2542	0.06	1140	1	65	100	3	6	5	7626	6486	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7117.600098	5977.600098	5977.600098	0.933333
7003	011	2542	0.06	1150	1	65	100	3	6	5	7626	6476	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7117.600098	5967.600098	5967.600098	0.933333
7003	012	2542	0.06	1150	1	65	100	3	6	5	7626	6476	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7117.600098	5967.600098	5967.600098	0.933333
7003	013	2543	0.06	2168	1	65	100	3	6	5	7629	5461	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7120.399902	4952.399902	4952.399902	0.933333
7003	014	2543	0.06	1894	1	65	100	3	6	5	7629	5735	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7120.399902	5226.399902	5226.399902	0.933333
7003	015	2544	0.06	1275	1	65	100	3	6	5	7632	6357	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7123.199707	5848.199707	5848.199707	0.933333
7003	016	2544	0.06	1250	1	65	100	3	6	5	7632	6382	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7123.199707	5873.199707	5873.199707	0.933333
7003	017	2544	0.06	1243	1	65	100	3	6	5	7632	6389	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7123.199707	5880.199707	5880.199707	0.933333
7003	019	2500	0.06	775	1	65	100	3	6	5	7500	6725	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6225	6225	0.933333
7003	020	2500	0.06	1352	1	65	100	3	6	5	7500	6148	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5648	5648	0.933333
7003	021	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6050	6050	0.933333
7003	022	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6050	6050	0.933333
7003	023	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5850	5850	0.933333
7003	024	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5550	5550	0.933333
7003	026	2500	0.06	1162	1	65	100	3	6	5	7500	6338	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5838	5838	0.933333
7003	027	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7003	028	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7003	029	2500	0.06	1198	1	65	100	3	6	5	7500	6302	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5802	5802	0.933333
7003	030	2500	0.06	1280	1	65	100	3	6	5	7500	6220	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5720	5720	0.933333
7003	031	2500	0.06	1015	1	65	100	3	6	5	7500	6485	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5985	5985	0.933333
7003	032	2500	0.06	1015	1	65	100	3	6	5	7500	6485	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5985	5985	0.933333
7003	033	2500	0.06	1090	1	65	100	3	6	5	7500	6410	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5910	5910	0.933333
7003	034	2500	0.06	1090	1	65	100	3	6	5	7500	6410	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5910	5910	0.933333
7003	035	2500	0.06	1389	1	65	100	3	6	5	7500	6111	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5611	5611	0.933333
7003	036	2500	0.06	1220	1	65	100	3	6	5	7500	6280	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5780	5780	0.933333
7003	037	2500	0.06	1534	1	65	100	3	6	5	7500	5966	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5466	5466	0.933333
7003	038	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7003	039	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7003	040	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7003	041	2500	0.06	995	1	65	100	3	6	5	7500	6505	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6005	6005	0.933333
7003	043	2196	0.05	1425	1	65	100	3	5	4	6588	5163	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4723.799805	4723.799805	0.933333
7003	044	2196	0.05	1425	1	65	100	3	5	4	6588	5163	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4723.799805	4723.799805	0.933333
7003	045	2196	0.05	1378	1	65	100	3	5	4	6588	5210	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4770.799805	4770.799805	0.933333
7003	046	2196	0.05	1000	1	65	100	3	5	4	6588	5588	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	5148.799805	5148.799805	0.933333
7003	047	2196	0.05	1137	1	65	100	3	5	4	6588	5451	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	5011.799805	5011.799805	0.933333
7004	002	2484	0.06	1087	1	55	80	2.5	5	4	6210	5123	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5868.199707	5868.199707	1.12
7004	003	2484	0.06	1295	1	55	80	2.5	5	4	6210	4915	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5660.199707	5660.199707	1.12
7004	004	2484	0.06	1087	1	55	80	2.5	5	4	6210	5123	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5868.199707	5868.199707	1.12
7004	005	2484	0.06	1712	1	55	80	2.5	5	4	6210	4498	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5243.199707	5243.199707	1.12
7004	006	2483	0.06	1473	1	55	80	2.5	5	4	6208	4735	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6952.399902	5479.399902	5479.399902	1.11991
7004	007	2483	0.06	2708	1	55	80	2.5	5	4	6208	3500	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6952.399902	4244.399902	4244.399902	1.11991
7004	008	2483	0.06	1991	1	65	100	3	6	5	7449	5458	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6952.399902	4961.399902	4961.399902	0.933333
7004	009	2482	0.06	1502	1	65	100	3	6	5	7446	5944	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	5447.600098	5447.600098	0.933333
7004	010	2482	0.06	1187	1	65	100	3	6	5	7446	6259	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	5762.600098	5762.600098	0.933333
7004	011	2482	0.06	1863	1	65	100	3	6	5	7446	5583	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	5086.600098	5086.600098	0.933333
7004	012	2482	0.06	1315	1	65	100	3	6	5	7446	6131	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	5634.600098	5634.600098	0.933333
7004	013	2481	0.06	1740	1	65	100	3	6	5	7443	5703	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6946.799805	5206.799805	5206.799805	0.933333
7004	014	2481	0.06	1414	1	65	100	3	6	5	7443	6029	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6946.799805	5532.799805	5532.799805	0.933333
7004	015	2481	0.06	1757	1	65	100	3	6	5	7443	5686	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6946.799805	5189.799805	5189.799805	0.933333
7004	016	2480	0.06	1825	1	65	100	3	6	5	7440	5615	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6944	5119	5119	0.933333
7004	017	2480	0.06	1753	1	65	100	3	6	5	7440	5687	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6944	5191	5191	0.933333
7004	023	2500	0.06	1381	1	65	100	3	6	5	7500	6119	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5619	5619	0.933333
7004	024	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6050	6050	0.933333
7004	025	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5750	5750	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7004	026	2500	0.06	1865	1	65	100	3	6	5	7500	5635	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5135	5135	0.933333
7004	027	2500	0.06	1430	1	65	100	3	6	5	7500	6070	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5570	5570	0.933333
7004	028	2500	0.06	1736	1	65	100	3	6	5	7500	5764	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5264	5264	0.933333
7004	029	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5850	5850	0.933333
7004	030	2500	0.06	1545	1	65	100	3	6	5	7500	5955	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5455	5455	0.933333
7004	031	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5850	5850	0.933333
7004	032	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5850	5850	0.933333
7004	033	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5850	5850	0.933333
7004	034	2500	0.06	1670	1	65	100	3	6	5	7500	5830	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5330	5330	0.933333
7004	035	2500	0.06	1353	1	65	100	3	6	5	7500	6147	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5647	5647	0.933333
7004	036	2500	0.06	1073	1	65	100	3	6	5	7500	6427	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5927	5927	0.933333
7004	037	2500	0.06	1540	1	65	100	3	6	5	7500	5960	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5460	5460	0.933333
7004	038	2500	0.06	1580	1	65	100	3	6	5	7500	5920	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5420	5420	0.933333
7004	039	2500	0.06	1237	1	65	100	3	6	5	7500	6263	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5763	5763	0.933333
7004	040	2500	0.06	1237	1	65	100	3	6	5	7500	6263	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5763	5763	0.933333
7004	041	2500	0.06	1190	1	65	100	3	6	5	7500	6310	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5810	5810	0.933333
7004	043	2191	0.05	1162	1	55	80	2.5	4	3	5478	4316	RH-1	40	density-lim	3000			0.7	4	1	3	3	6134.799805	4972.799805	4972.799805	1.119898
7004	044	2192	0.05	1050	1	55	80	2.5	4	3	5480	4430	RH-1	40	density-lim	3000			0.7	4	1	3	3	6137.600098	5087.600098	5087.600098	1.12
7004	045	2192	0.05	1660	1	55	80	2.5	4	3	5480	3820	RH-1	40	density-lim	3000			0.7	4	1	3	3	6137.600098	4477.600098	4477.600098	1.12
7004	046	2193	0.05	2066	1	55	80	2.5	4	3	5482	3416	RH-1	40	density-lim	3000			0.7	4	1	3	3	6140.399902	4074.399902	4074.399902	1.120102
7004	049	2480	0.06	1159	1	65	100	3	6	5	7440	6281	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6944	5785	5785	0.933333
7004	051	1881	0.04	1159	1	65	100	3	4	3	5643	4484	RH-1	40	density-lim	3000			0.7	4	1	3	3	5266.799805	4107.799805	4107.799805	0.933333
7004	052	1881	0.04	1578	1	65	100	3	4	3	5643	4065	RH-1	40	density-lim	3000			0.7	4	1	3	3	5266.799805	3688.799805	3688.799805	0.933333
7004	053	1881	0.04	1159	1	65	100	3	4	3	5643	4484	RH-1	40	density-lim	3000			0.7	4	1	3	3	5266.799805	4107.799805	4107.799805	0.933333
7004	054	2083	0.05	1375	1	55	80	2.5	4	3	5208	3833	RH-1	40	density-lim	3000			0.7	4	1	3	3	5832.399902	4457.399902	4457.399902	1.119892
7004	055	1494	0.03	750	1	55	80	2.5	2	1	3735	2985	RH-1	40	density-lim	3000			0.7	4	2	3	3	4183.199707	3433.199707	3433.199707	1.12
7004	056	1495	0.03	1060	1	55	80	2.5	2	1	3738	2678	RH-1	40	density-lim	3000			0.7	4	2	3	3	4186	3126	3126	1.11985
7005	001A	1099	0.03	1260	1	55	80	2.5	2	1	2748	1488	RH-1	40	density-lim	3000			0.7	4	2	3	3	3077.199951	1817.199951	1817.199951	1.119796
7005	002	2500	0.06	900	1	55	80	2.5	5	4	6250	5350	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6100	6100	1.12
7005	003	2500	0.06	1174	1	55	80	2.5	5	4	6250	5076	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5826	5826	1.12
7005	004	2500	0.06	900	1	55	80	2.5	5	4	6250	5350	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6100	6100	1.12
7005	005	2501	0.06	1087	1	55	80	2.5	5	4	6252	5165	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7002.799805	5915.799805	5915.799805	1.12009
7005	006	2501	0.06	1087	1	55	80	2.5	5	4	6252	5165	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7002.799805	5915.799805	5915.799805	1.12009
7005	007	2501	0.06	1087	1	55	80	2.5	5	4	6252	5165	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7002.799805	5915.799805	5915.799805	1.12009
7005	008	2502	0.06	1214	1	55	80	2.5	5	4	6255	5041	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7005.600098	5791.600098	5791.600098	1.12
7005	009	2502	0.06	1214	1	55	80	2.5	5	4	6255	5041	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7005.600098	5791.600098	5791.600098	1.12
7005	010	2502	0.06	800	1	55	80	2.5	5	4	6255	5455	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7005.600098	6205.600098	6205.600098	1.12
7005	011	2503	0.06	800	1	55	80	2.5	5	4	6258	5458	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7008.399902	6208.399902	6208.399902	1.11991
7005	012	2503	0.06	1157	1	55	80	2.5	5	4	6258	5101	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7008.399902	5851.399902	5851.399902	1.11991
7005	013	2503	0.06	1000	1	55	80	2.5	5	4	6258	5258	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7008.399902	6008.399902	6008.399902	1.11991
7005	014	2503	0.06	1000	1	55	80	2.5	5	4	6258	5258	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7008.399902	6008.399902	6008.399902	1.11991
7005	015	2504	0.06	1244	1	55	80	2.5	5	4	6260	5016	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7011.199707	5767.199707	5767.199707	1.12
7005	016	2504	0.06	781	1	55	80	2.5	5	4	6260	5479	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7011.199707	6230.199707	6230.199707	1.12
7005	017	2504	0.06	800	1	55	80	2.5	5	4	6260	5460	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7011.199707	6211.199707	6211.199707	1.12
7005	017A	2505	0.06	800	1	55	80	2.5	5	4	6262	5462	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7014	6214	6214	1.120089
7005	019	1875	0.04	800	1	55	80	2.5	3	2	4688	3888	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4450	4450	1.119881
7005	020	1875	0.04	800	1	55	80	2.5	3	2	4688	3888	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4450	4450	1.119881
7005	021	1875	0.04	800	1	55	80	2.5	3	2	4688	3888	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4450	4450	1.119881
7005	022	1875	0.04	800	1	55	80	2.5	3	2	4688	3888	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4450	4450	1.119881
7005	023	1875	0.04	800	1	65	100	3	4	3	5625	4825	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4450	4450	0.933333
7005	024	1875	0.04	800	1	65	100	3	4	3	5625	4825	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4450	4450	0.933333
7005	025A	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7005	026	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5700	5700	0.933333
7005	027	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
7005	028	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
7005	029	2500	0.06	1782	1	55	80	2.5	5	4	6250	4468	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5218	5218	1.12
7005	030	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
7005	031	2500	0.06	1250	1	55	80	2.5	5	4	6250	5000	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5750	5750	1.12
7005	032	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6200	6200	1.12
7005	033	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6200	6200	1.12
7005	034	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6200	6200	1.12
7005	035	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6200	6200	1.12
7005	036	2500	0.06	1415	1	55	80	2.5	5	4	6250	4835	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5585	5585	1.12
7005	037	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6200	6200	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7005	038	2500	0.06	1231	1	55	80	2.5	5	4	6250	5019	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5769	5769	1.12
7005	039	2500	0.06	800	1	55	80	2.5	5	4	6250	5450	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6200	6200	1.12
7005	040	2500	0.06	1054	1	55	80	2.5	5	4	6250	5196	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5946	5946	1.12
7005	041	2500	0.06	1140	1	55	80	2.5	5	4	6250	5110	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5860	5860	1.12
7005	043	2214	0.05	1000	1	55	80	2.5	4	3	5535	4535	RH-1	40	density-lim	3000			0.7	4	1	3	3	6199.199707	5199.199707	5199.199707	1.12
7005	044	2205	0.05	1087	1	55	80	2.5	4	3	5512	4425	RH-1	40	density-lim	3000			0.7	4	1	3	3	6174	5087	5087	1.120102
7005	045	2276	0.05	1777	1	55	80	2.5	4	3	5690	3913	RH-1	40	density-lim	3000			0.7	4	1	3	3	6372.799805	4595.799805	4595.799805	1.12
7005	046	2207	0.05	1045	1	55	80	2.5	4	3	5518	4473	RH-1	40	density-lim	3000			0.7	4	1	3	3	6179.600098	5134.600098	5134.600098	1.119899
7005	047	2208	0.05	925	1	55	80	2.5	4	3	5520	4595	RH-1	40	density-lim	3000			0.7	4	1	3	3	6182.399902	5257.399902	5257.399902	1.12
7005	048	2208	0.05	1100	1	55	80	2.5	4	3	5520	4420	RH-1	40	density-lim	3000			0.7	4	1	3	3	6182.399902	5082.399902	5082.399902	1.12
7006	002	2519	0.06	1663	1	55	80	2.5	5	4	6298	4635	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	5390.199707	5390.199707	1.119911
7006	003	2519	0.06	1412	1	55	80	2.5	5	4	6298	4886	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	5641.199707	5641.199707	1.119911
7006	007	2519	0.06	945	1	55	80	2.5	5	4	6298	5353	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	6108.199707	6108.199707	1.119911
7006	008	2519	0.06	1125	1	55	80	2.5	5	4	6298	5173	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	5928.199707	5928.199707	1.119911
7006	009	2519	0.06	850	1	55	80	2.5	5	4	6298	5448	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	6203.199707	6203.199707	1.119911
7006	011	2519	0.06	850	1	55	80	2.5	5	4	6298	5448	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	6203.199707	6203.199707	1.119911
7006	012	2519	0.06	850	1	55	80	2.5	5	4	6298	5448	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	6203.199707	6203.199707	1.119911
7006	013	2519	0.06	1371	1	55	80	2.5	5	4	6298	4927	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	5682.199707	5682.199707	1.119911
7006	014	2519	0.06	1731	1	55	80	2.5	5	4	6298	4567	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	5322.199707	5322.199707	1.119911
7006	015	2519	0.06	1400	1	55	80	2.5	5	4	6298	4898	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	5653.199707	5653.199707	1.119911
7006	016	2519	0.06	1025	1	55	80	2.5	5	4	6298	5273	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	6028.199707	6028.199707	1.119911
7006	017	2519	0.06	781	1	55	80	2.5	5	4	6298	5517	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	6272.199707	6272.199707	1.119911
7006	020	2500	0.06	781	1	55	80	2.5	5	4	6250	5469	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6219	6219	1.12
7006	021	2500	0.06	2113	1	55	80	2.5	5	4	6250	4137	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4887	4887	1.12
7006	022	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
7006	023	2500	0.06	1698	1	55	80	2.5	5	4	6250	4552	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5302	5302	1.12
7006	024	2500	0.06	1470	1	55	80	2.5	5	4	6250	4780	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5530	5530	1.12
7006	026	2500	0.06	781	1	55	80	2.5	5	4	6250	5469	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6219	6219	1.12
7006	027	2500	0.06	2042	1	55	80	2.5	5	4	6250	4208	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4958	4958	1.12
7006	028	2500	0.06	1775	1	55	80	2.5	5	4	6250	4475	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5225	5225	1.12
7006	029	2500	0.06	781	1	55	80	2.5	5	4	6250	5469	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6219	6219	1.12
7006	030	2500	0.06	1055	1	55	80	2.5	5	4	6250	5195	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5945	5945	1.12
7006	031	2500	0.06	875	1	55	80	2.5	5	4	6250	5375	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6125	6125	1.12
7006	032	2500	0.06	875	1	55	80	2.5	5	4	6250	5375	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6125	6125	1.12
7006	033	2500	0.06	1587	1	55	80	2.5	5	4	6250	4663	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5413	5413	1.12
7006	034	2500	0.06	925	1	55	80	2.5	5	4	6250	5325	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6075	6075	1.12
7006	035	2500	0.06	1476	1	55	80	2.5	5	4	6250	4774	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5524	5524	1.12
7006	036	2500	0.06	1225	1	55	80	2.5	5	4	6250	5025	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5775	5775	1.12
7006	037	2500	0.06	1225	1	55	80	2.5	5	4	6250	5025	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5775	5775	1.12
7006	038	2500	0.06	1822	1	55	80	2.5	5	4	6250	4428	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5178	5178	1.12
7006	039	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6000	6000	1.12
7006	040	2500	0.06	1190	1	55	80	2.5	5	4	6250	5060	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5810	5810	1.12
7006	041	2500	0.06	1793	1	55	80	2.5	5	4	6250	4457	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5207	5207	1.12
7006	041A	1875	0.04	918	1	55	80	2.5	3	2	4688	3770	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4332	4332	1.119881
7006	042	1375	0.03	1155	1	55	80	2.5	2	1	3438	2283	RH-1	40	density-lim	3000			0.7	4	2	3	3	3850	2695	2695	1.119837
7006	043A	962	0.02	781	1	55	80	2.5	2	1	2405	1624	RH-1	40	density-lim	3000			0.7	4	2	3	3	2693.599854	1912.599854	1912.599854	1.12
7006	044	1463	0.03	781	1	55	80	2.5	2	1	3658	2877	RH-1	40	density-lim	3000			0.7	4	2	3	3	4096.399902	3315.399902	3315.399902	1.119847
7006	045	2214	0.05	1625	1	55	80	2.5	4	3	5535	3910	RH-1	40	density-lim	3000			0.7	4	1	3	3	6199.199707	4574.199707	4574.199707	1.12
7006	046	2214	0.05	1287	1	55	80	2.5	4	3	5535	4248	RH-1	40	density-lim	3000			0.7	4	1	3	3	6199.199707	4912.199707	4912.199707	1.12
7006	047	2215	0.05	750	1	55	80	2.5	4	3	5538	4788	RH-1	40	density-lim	3000			0.7	4	1	3	3	6202	5452	5452	1.119899
7006	050	2519	0.06	1438	1	55	80	2.5	5	4	6298	4860	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7053.199707	5615.199707	5615.199707	1.119911
7007	002	2459	0.06	825	1	55	80	2.5	5	4	6148	5323	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	6060.199707	6060.199707	1.119909
7007	003	2459	0.06	637	1	55	80	2.5	5	4	6148	5511	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	6248.199707	6248.199707	1.119909
7007	004	2459	0.06	1125	1	55	80	2.5	5	4	6148	5023	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	5760.199707	5760.199707	1.119909
7007	005	2459	0.06	1187	1	55	80	2.5	5	4	6148	4961	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	5698.199707	5698.199707	1.119909
7007	006	2459	0.06	1187	1	55	80	2.5	5	4	6148	4961	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	5698.199707	5698.199707	1.119909
7007	007	2459	0.06	850	1	55	80	2.5	5	4	6148	5298	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	6035.199707	6035.199707	1.119909
7007	008	2459	0.06	1775	1	55	80	2.5	5	4	6148	4373	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	5110.199707	5110.199707	1.119909
7007	009	2459	0.06	1150	1	55	80	2.5	5	4	6148	4998	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	5735.199707	5735.199707	1.119909
7007	010	2459	0.06	1150	1	55	80	2.5	5	4	6148	4998	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	5735.199707	5735.199707	1.119909
7007	011	2459	0.06	950	1	55	80	2.5	5	4	6148	5198	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	5935.199707	5935.199707	1.119909
7007	012	2459	0.06	875	1	55	80	2.5	5	4	6148	5273	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	6010.199707	6010.199707	1.119909
7007	013	2459	0.06	900	1	55	80	2.5	5	4	6148	5248	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	5985.199707	5985.199707	1.119909
7007	014	2459	0.06	1082	1	55	80	2.5	5	4	6148	5066	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	5803.199707	5803.199707	1.119909

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7007	015	2459	0.06	900	1	55	80	2.5	5	4	6148	5248	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	5985.199707	5985.199707	1.119909
7007	016	2459	0.06	900	1	55	80	2.5	5	4	6148	5248	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	5985.199707	5985.199707	1.119909
7007	017	2459	0.06	900	1	55	80	2.5	5	4	6148	5248	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6885.199707	5985.199707	5985.199707	1.119909
7007	017A	1834	0.04	1427	1	55	80	2.5	3	2	4585	3158	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5135.199707	3708.199707	3708.199707	1.12
7007	019	1875	0.04	1050	1	55	80	2.5	3	2	4688	3638	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4200	4200	1.119881
7007	020	1875	0.04	1415	1	55	80	2.5	3	2	4688	3273	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3835	3835	1.119881
7007	021	2500	0.06	1025	1	55	80	2.5	5	4	6250	5225	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5975	5975	1.12
7007	022	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
7007	023	1875	0.04	1224	1	55	80	2.5	3	2	4688	3464	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4026	4026	1.119881
7007	024	1875	0.04	1425	1	55	80	2.5	3	2	4688	3263	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3825	3825	1.119881
7007	025A	1875	0.04	900	1	55	80	2.5	3	2	4688	3788	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4350	4350	1.119881
7007	026	2500	0.06	1450	1	55	80	2.5	5	4	6250	4800	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5550	5550	1.12
7007	027	2500	0.06	1025	1	55	80	2.5	5	4	6250	5225	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5975	5975	1.12
7007	028	2500	0.06	1227	1	55	80	2.5	5	4	6250	5023	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5773	5773	1.12
7007	029	2500	0.06	1090	1	55	80	2.5	5	4	6250	5160	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5910	5910	1.12
7007	030	2500	0.06	1090	1	55	80	2.5	5	4	6250	5160	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5910	5910	1.12
7007	031	2500	0.06	900	1	55	80	2.5	5	4	6250	5350	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6100	6100	1.12
7007	032	2500	0.06	1086	1	55	80	2.5	5	4	6250	5164	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5914	5914	1.12
7007	033	2500	0.06	1332	1	55	80	2.5	5	4	6250	4918	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5668	5668	1.12
7007	034	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5850	5850	1.12
7007	037	2500	0.06	1746	1	55	80	2.5	5	4	6250	4504	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5254	5254	1.12
7007	038	2500	0.06	1075	1	55	80	2.5	5	4	6250	5175	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5925	5925	1.12
7007	039	2500	0.06	1075	1	55	80	2.5	5	4	6250	5175	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5925	5925	1.12
7007	040	2500	0.06	1350	1	55	80	2.5	5	4	6250	4900	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5650	5650	1.12
7007	041	2500	0.06	1175	1	55	80	2.5	5	4	6250	5075	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5825	5825	1.12
7007	044	2221	0.05	1195	1	55	80	2.5	4	3	5552	4357	RH-1	40	density-lim	3000			0.7	4	1	3	3	6218.799805	5023.799805	5023.799805	1.120101
7007	045	2221	0.05	1590	1	55	80	2.5	4	3	5552	3962	RH-1	40	density-lim	3000			0.7	4	1	3	3	6218.799805	4628.799805	4628.799805	1.120101
7007	046	2222	0.05	1175	1	55	80	2.5	4	3	5555	4380	RH-1	40	density-lim	3000			0.7	4	1	3	3	6221.600098	5046.600098	5046.600098	1.12
7007	047	2223	0.05	1175	1	55	80	2.5	4	3	5558	4383	RH-1	40	density-lim	3000			0.7	4	1	3	3	6224.399902	5049.399902	5049.399902	1.119899
7007	048	2223	0.05	1175	1	55	80	2.5	4	3	5558	4383	RH-1	40	density-lim	3000			0.7	4	1	3	3	6224.399902	5049.399902	5049.399902	1.119899
7007	050	2500	0.06	1282	1	55	80	2.5	5	4	6250	4968	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5718	5718	1.12
7007	051	2500	0.06	1589	1	55	80	2.5	5	4	6250	4661	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5411	5411	1.12
7008	002	2533	0.06	1000	1	55	80	2.5	5	4	6332	5332	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7092.399902	6092.399902	6092.399902	1.120088
7008	003	2533	0.06	1266	1	55	80	2.5	5	4	6332	5066	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7092.399902	5826.399902	5826.399902	1.120088
7008	004	2532	0.06	1165	1	55	80	2.5	5	4	6330	5165	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7089.600098	5924.600098	5924.600098	1.12
7008	005	2532	0.06	1300	1	55	80	2.5	5	4	6330	5030	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7089.600098	5789.600098	5789.600098	1.12
7008	006	2531	0.06	1300	1	55	80	2.5	5	4	6328	5028	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7086.799805	5786.799805	5786.799805	1.119911
7008	007	2531	0.06	1187	1	55	80	2.5	5	4	6328	5141	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7086.799805	5899.799805	5899.799805	1.119911
7008	008	2530	0.06	1187	1	55	80	2.5	5	4	6325	5138	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7084	5897	5897	1.12
7008	010	2530	0.06	1187	1	55	80	2.5	5	4	6325	5138	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7084	5897	5897	1.12
7008	011	2529	0.06	1214	1	55	80	2.5	5	4	6322	5108	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7081.199707	5867.199707	5867.199707	1.120089
7008	012	2529	0.06	1757	1	55	80	2.5	5	4	6322	4565	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7081.199707	5324.199707	5324.199707	1.120089
7008	013	2528	0.06	1214	1	55	80	2.5	5	4	6320	5106	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7078.399902	5864.399902	5864.399902	1.12
7008	014	2528	0.06	1214	1	55	80	2.5	5	4	6320	5106	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7078.399902	5864.399902	5864.399902	1.12
7008	015	2527	0.06	1130	1	55	80	2.5	5	4	6318	5188	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7075.600098	5945.600098	5945.600098	1.119911
7008	016	2527	0.06	850	1	55	80	2.5	5	4	6318	5468	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7075.600098	6225.600098	6225.600098	1.119911
7008	017	2526	0.06	1125	1	55	80	2.5	5	4	6315	5190	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	5947.799805	5947.799805	1.12
7008	018	2526	0.06	1573	1	55	80	2.5	5	4	6315	4742	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	5499.799805	5499.799805	1.12
7008	019	1875	0.04	1725	1	55	80	2.5	3	2	4688	2963	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3525	3525	1.119881
7008	020	1875	0.04	1100	1	55	80	2.5	3	2	4688	3588	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4150	4150	1.119881
7008	021	1875	0.04	1100	1	55	80	2.5	3	2	4688	3588	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4150	4150	1.119881
7008	022	2500	0.06	1495	1	55	80	2.5	5	4	6250	4755	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5505	5505	1.12
7008	023	2500	0.06	1961	1	55	80	2.5	5	4	6250	4289	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5039	5039	1.12
7008	024	1750	0.04	1229	1	55	80	2.5	3	2	4375	3146	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3671	3671	1.12
7008	025A	1500	0.03	900	1	55	80	2.5	2	1	3750	2850	RH-1	40	density-lim	3000			0.7	4	2	3	3	4200	3300	3300	1.12
7008	026	2500	0.06	1448	1	55	80	2.5	5	4	6250	4802	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5552	5552	1.12
7008	027	2500	0.06	899	1	55	80	2.5	5	4	6250	5351	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6101	6101	1.12
7008	028	2500	0.06	819	1	55	80	2.5	5	4	6250	5431	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6181	6181	1.12
7008	029	2500	0.06	819	1	55	80	2.5	5	4	6250	5431	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6181	6181	1.12
7008	030	2500	0.06	1187	1	55	80	2.5	5	4	6250	5063	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5813	5813	1.12
7008	031	2500	0.06	1187	1	55	80	2.5	5	4	6250	5063	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5813	5813	1.12
7008	032	2500	0.06	1187	1	55	80	2.5	5	4	6250	5063	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5813	5813	1.12
7008	033	2500	0.06	1187	1	55	80	2.5	5	4	6250	5063	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5813	5813	1.12
7008	034	2500	0.06	1214	1	55	80	2.5	5	4	6250	5036	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5786	5786	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7008	035	2500	0.06	1214	1	55	80	2.5	5	4	6250	5036	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5786	5786	1.12
7008	036	2500	0.06	1809	1	55	80	2.5	5	4	6250	4441	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5191	5191	1.12
7008	037	2500	0.06	1214	1	55	80	2.5	5	4	6250	5036	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5786	5786	1.12
7008	039	2500	0.06	1379	1	55	80	2.5	5	4	6250	4871	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5621	5621	1.12
7008	040	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5850	5850	1.12
7008	041	2500	0.06	1444	1	55	80	2.5	5	4	6250	4806	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5556	5556	1.12
7008	042	2200	0.05	1320	1	55	80	2.5	4	3	5500	4180	RH-1	40	density-lim	3000			0.7	4	1	3	3	6160	4840	4840	1.12
7008	044	2228	0.05	995	1	55	80	2.5	4	3	5570	4575	RH-1	40	density-lim	3000			0.7	4	1	3	3	6238.399902	5243.399902	5243.399902	1.12
7008	045	2229	0.05	1071	1	55	80	2.5	4	3	5572	4501	RH-1	40	density-lim	3000			0.7	4	1	3	3	6241.199707	5170.199707	5170.199707	1.1201
7008	046	2230	0.05	1000	1	55	80	2.5	4	3	5575	4575	RH-1	40	density-lim	3000			0.7	4	1	3	3	6244	5244	5244	1.12
7008	047	2230	0.05	1225	1	55	80	2.5	4	3	5575	4350	RH-1	40	density-lim	3000			0.7	4	1	3	3	6244	5019	5019	1.12
7008	048	2231	0.05	1000	1	55	80	2.5	4	3	5578	4578	RH-1	40	density-lim	3000			0.7	4	1	3	3	6246.799805	5246.799805	5246.799805	1.1199
7009	006	2486	0.06	849	1	55	80	2.5	5	4	6215	5366	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6960.799805	6111.799805	6111.799805	1.12
7009	007	2487	0.06	849	1	55	80	2.5	5	4	6218	5369	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6963.600098	6114.600098	6114.600098	1.11991
7009	008	2487	0.06	849	1	55	80	2.5	5	4	6218	5369	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6963.600098	6114.600098	6114.600098	1.11991
7009	009	2487	0.06	849	1	55	80	2.5	5	4	6218	5369	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6963.600098	6114.600098	6114.600098	1.11991
7009	010	2488	0.06	849	1	55	80	2.5	5	4	6220	5371	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6966.399902	6117.399902	6117.399902	1.12
7009	011	2488	0.06	1975	1	55	80	2.5	5	4	6220	4245	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6966.399902	4991.399902	4991.399902	1.12
7009	012	2489	0.06	1480	1	55	80	2.5	5	4	6222	4742	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6969.199707	5489.199707	5489.199707	1.12009
7009	013	2489	0.06	1579	1	55	80	2.5	5	4	6222	4643	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6969.199707	5390.199707	5390.199707	1.12009
7009	014	2490	0.06	1250	1	55	80	2.5	5	4	6225	4975	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6972	5722	5722	1.12
7009	015	2490	0.06	1170	1	55	80	2.5	5	4	6225	5055	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6972	5802	5802	1.12
7009	016	2490	0.06	900	1	55	80	2.5	5	4	6225	5325	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6972	6072	6072	1.12
7009	017	2491	0.06	1216	1	55	80	2.5	5	4	6228	5012	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6974.799805	5758.799805	5758.799805	1.11991
7009	018	1866	0.04	900	1	55	80	2.5	3	2	4665	3765	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5224.799805	4324.799805	4324.799805	1.12
7009	019A	1875	0.04	1150	1	55	80	2.5	3	2	4688	3538	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4100	4100	1.119881
7009	020	1875	0.04	850	1	55	80	2.5	3	2	4688	3838	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4400	4400	1.119881
7009	021	2500	0.06	850	1	55	80	2.5	5	4	6250	5400	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6150	6150	1.12
7009	022	2500	0.06	850	1	55	80	2.5	5	4	6250	5400	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6150	6150	1.12
7009	024	1875	0.04	750	1	55	80	2.5	3	2	4688	3938	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4500	4500	1.119881
7009	025	1875	0.04	750	1	55	80	2.5	3	2	4688	3938	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4500	4500	1.119881
7009	025A	1875	0.04	750	1	55	80	2.5	3	2	4688	3938	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4500	4500	1.119881
7009	026	2500	0.06	1029	1	55	80	2.5	5	4	6250	5221	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5971	5971	1.12
7009	027	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
7009	028	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
7009	029	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
7009	030	2500	0.06	1497	1	55	80	2.5	5	4	6250	4753	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5503	5503	1.12
7009	031	2500	0.06	958	1	55	80	2.5	5	4	6250	5292	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6042	6042	1.12
7009	032	2500	0.06	1534	1	55	80	2.5	5	4	6250	4716	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5466	5466	1.12
7009	033	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
7009	033A	2500	0.06	1884	1	55	80	2.5	5	4	6250	4366	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5116	5116	1.12
7009	034	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
7009	036	2500	0.06	1969	1	55	80	2.5	5	4	6250	4281	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5031	5031	1.12
7009	037	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5900	5900	1.12
7009	038	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5900	5900	1.12
7009	039	2500	0.06	1470	1	55	80	2.5	5	4	6250	4780	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5530	5530	1.12
7009	048	2375	0.05	850	1	55	80	2.5	4	3	5938	5088	RH-1	40	density-lim	3000			0.7	4	1	3	3	6650	5800	5800	1.119906
7009	049	2487	0.06	850	1	55	80	2.5	5	4	6218	5368	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6963.600098	6113.600098	6113.600098	1.11991
7009	050	2623	0.06	850	1	55	80	2.5	5	4	6558	5708	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7344.399902	6494.399902	6494.399902	1.119915
7009	051	2158	0.05	1218	1	55	80	2.5	4	3	5395	4177	RH-1	40	density-lim	3000			0.7	4	1	3	3	6042.399902	4824.399902	4824.399902	1.12
7009	053	1858	0.04	849	1	55	80	2.5	3	2	4645	3796	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5202.399902	4353.399902	4353.399902	1.12
7009	054	1858	0.04	849	1	55	80	2.5	3	2	4645	3796	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5202.399902	4353.399902	4353.399902	1.12
7009	055	1858	0.04	1353	1	55	80	2.5	3	2	4645	3292	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5202.399902	3849.399902	3849.399902	1.12
7009	056	2484	0.06	1110	1	55	80	2.5	5	4	6210	5100	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6955.199707	5845.199707	5845.199707	1.12
7009	057	4969	0.11	1225	1	55	80	2.5	9	8	12422	11197	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13913.2002	12688.2002	12688.2002	1.120045
7009	058	2500	0.06	1212	1	55	80	2.5	5	4	6250	5038	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5788	5788	1.12
7009	059	2500	0.06	1790	1	55	80	2.5	5	4	6250	4460	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5210	5210	1.12
7009	060	2485	0.06	1461	1	55	80	2.5	5	4	6212	4751	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6958	5497	5497	1.12009
7009	061	2486	0.06	1461	1	55	80	2.5	5	4	6215	4754	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6960.799805	5499.799805	5499.799805	1.12
7010	002	2549	0.06	1175	1	55	80	2.5	5	4	6372	5197	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7137.199707	5962.199707	5962.199707	1.120088
7010	003	2548	0.06	1605	1	55	80	2.5	5	4	6370	4765	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7134.399902	5529.399902	5529.399902	1.12
7010	004	2548	0.06	1309	1	55	80	2.5	5	4	6370	5061	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7134.399902	5825.399902	5825.399902	1.12
7010	005	2547	0.06	1309	1	55	80	2.5	5	4	6368	5059	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7131.600098	5822.600098	5822.600098	1.119912
7010	006	2546	0.06	1275	1	55	80	2.5	5	4	6365	5090	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7128.799805	5853.799805	5853.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7010	007	2545	0.06	2135	1	55	80	2.5	5	4	6362	4227	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7126	4991	4991	1.120088
7010	008	2544	0.06	2135	1	55	80	2.5	5	4	6360	4225	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7123.199707	4988.199707	4988.199707	1.12
7010	009	2544	0.06	2135	1	55	80	2.5	5	4	6360	4225	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7123.199707	4988.199707	4988.199707	1.12
7010	010	2543	0.06	2135	1	55	80	2.5	5	4	6358	4223	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7120.399902	4985.399902	4985.399902	1.119912
7010	011	2542	0.06	2135	1	55	80	2.5	5	4	6355	4220	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7117.600098	4982.600098	4982.600098	1.12
7010	012	2541	0.06	2135	1	55	80	2.5	5	4	6352	4217	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7114.799805	4979.799805	4979.799805	1.120088
7010	013	2541	0.06	1828	1	55	80	2.5	5	4	6352	4524	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7114.799805	5286.799805	5286.799805	1.120088
7010	014	2540	0.06	1828	1	55	80	2.5	5	4	6350	4522	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7112	5284	5284	1.12
7010	015	2539	0.06	1828	1	55	80	2.5	5	4	6348	4520	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7109.199707	5281.199707	5281.199707	1.119912
7010	016	2538	0.06	1828	1	55	80	2.5	5	4	6345	4517	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7106.399902	5278.399902	5278.399902	1.12
7010	017	2537	0.06	1828	1	55	80	2.5	5	4	6342	4514	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7103.600098	5275.600098	5275.600098	1.120088
7010	019A	1875	0.04	850	1	55	80	2.5	3	2	4688	3838	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4400	4400	1.119881
7010	020	1875	0.04	850	1	55	80	2.5	3	2	4688	3838	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4400	4400	1.119881
7010	021	2500	0.06	850	1	55	80	2.5	5	4	6250	5400	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6150	6150	1.12
7010	022	2500	0.06	850	1	55	80	2.5	5	4	6250	5400	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6150	6150	1.12
7010	023	1875	0.04	850	1	55	80	2.5	3	2	4688	3838	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4400	4400	1.119881
7010	024	1875	0.04	850	1	55	80	2.5	3	2	4688	3838	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4400	4400	1.119881
7010	025A	1875	0.04	837	1	55	80	2.5	3	2	4688	3851	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4413	4413	1.119881
7010	026	2500	0.06	837	1	55	80	2.5	5	4	6250	5413	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6163	6163	1.12
7010	027	2500	0.06	981	1	55	80	2.5	5	4	6250	5269	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6019	6019	1.12
7010	028	2500	0.06	1177	1	55	80	2.5	5	4	6250	5073	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5823	5823	1.12
7010	029	2500	0.06	1077	1	55	80	2.5	5	4	6250	5173	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5923	5923	1.12
7010	030	2500	0.06	2850	1	55	80	2.5	5	4	6250	3400	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4150	4150	1.12
7010	031	2500	0.06	837	1	55	80	2.5	5	4	6250	5413	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6163	6163	1.12
7010	032	2500	0.06	837	1	55	80	2.5	5	4	6250	5413	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6163	6163	1.12
7010	033	2500	0.06	1480	1	55	80	2.5	5	4	6250	4770	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5520	5520	1.12
7010	036	2500	0.06	1237	1	55	80	2.5	5	4	6250	5013	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5763	5763	1.12
7010	037	2500	0.06	1150	1	55	80	2.5	5	4	6250	5100	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5850	5850	1.12
7010	038	2500	0.06	850	1	55	80	2.5	5	4	6250	5400	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6150	6150	1.12
7010	039	2500	0.06	850	1	55	80	2.5	5	4	6250	5400	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6150	6150	1.12
7010	040	2500	0.06	1098	1	55	80	2.5	5	4	6250	5152	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5902	5902	1.12
7010	041	2500	0.06	1367	1	55	80	2.5	5	4	6250	4883	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5633	5633	1.12
7010	049	2444	0.06	1094	1	55	80	2.5	5	4	6110	5016	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6843.199707	5749.199707	5749.199707	1.12
7010	050	2517	0.06	1094	1	55	80	2.5	5	4	6292	5198	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7047.600098	5953.600098	5953.600098	1.120089
7010	051	2557	0.06	1094	1	55	80	2.5	5	4	6392	5298	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7159.600098	6065.600098	6065.600098	1.120088
7010	053	1650	0.04	1236	1	55	80	2.5	3	2	4125	2889	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4620	3384	3384	1.12
7010	054	1650	0.04	898	1	55	80	2.5	3	2	4125	3227	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4620	3722	3722	1.12
7010	055	1650	0.04	898	1	55	80	2.5	3	2	4125	3227	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4620	3722	3722	1.12
7010	056	1650	0.04	898	1	55	80	2.5	3	2	4125	3227	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4620	3722	3722	1.12
7010	058	2192	0.05	1090	1	55	80	2.5	4	3	5480	4390	RH-1	40	density-lim	3000			0.7	4	1	3	3	6137.600098	5047.600098	5047.600098	1.12
7010	059	2336	0.05	1090	1	55	80	2.5	4	3	5840	4750	RH-1	40	density-lim	3000			0.7	4	1	3	3	6540.799805	5450.799805	5450.799805	1.12
7010	060	2537	0.06	720	1	55	80	2.5	5	4	6342	5622	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7103.600098	6383.600098	6383.600098	1.120088
7010	061	2463	0.06	500	1	55	80	2.5	5	4	6158	5658	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6896.399902	6396.399902	6396.399902	1.119909
7010	064	5101	0.12	1825	1	55	80	2.5	10	9	12752	10927	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	14282.7998	12457.7998	12457.7998	1.120044
7010	065	10104	0.23	2435	1	55	80	2.5	18	17	25260	22825	RH-1	40	density-lim	3000			0.7	4	0.222222224	3	3	28291.19922	25856.19922	25856.19922	1.12
7011	003	1996	0.05	1927	1	55	80	2.5	4	3	4990	3063	RH-1	40	density-lim	3000			0.7	4	1	3	3	5588.799805	3661.799805	3661.799805	1.12
7011	004	2002	0.05	1200	1	55	80	2.5	4	3	5005	3805	RH-1	40	density-lim	3000			0.7	4	1	3	3	5605.600098	4405.600098	4405.600098	1.12
7011	005	2008	0.05	1404	1	55	80	2.5	4	3	5020	3616	RH-1	40	density-lim	3000			0.7	4	1	3	3	5622.399902	4218.399902	4218.399902	1.12
7011	006	2015	0.05	533	1	55	80	2.5	4	3	5038	4505	RH-1	40	density-lim	3000			0.7	4	1	3	3	5642	5109	5109	1.119889
7011	007	4047	0.09	1500	1	55	80	2.5	7	6	10118	8618	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	11331.59961	9831.599609	9831.599609	1.119945
7011	010	2039	0.05	1054	1	55	80	2.5	4	3	5098	4044	RH-1	40	density-lim	3000			0.7	4	1	3	3	5709.199707	4655.199707	4655.199707	1.11989
7011	011	2045	0.05	1533	1	55	80	2.5	4	3	5112	3579	RH-1	40	density-lim	3000			0.7	4	1	3	3	5726	4193	4193	1.12011
7011	012	2051	0.05	1898	1	55	80	2.5	4	3	5128	3230	RH-1	40	density-lim	3000			0.7	4	1	3	3	5742.799805	3844.799805	3844.799805	1.119891
7011	013	2057	0.05	1858	1	55	80	2.5	4	3	5142	3284	RH-1	40	density-lim	3000			0.7	4	1	3	3	5759.600098	3901.600098	3901.600098	1.120109
7012	043	1875	0.04	1553	1	55	80	2.5	3	2	4688	3135	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3697	3697	1.119881
7012	044	1875	0.04	1025	1	55	80	2.5	3	2	4688	3663	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4225	4225	1.119881
7012	045	1875	0.04	1630	1	55	80	2.5	3	2	4688	3058	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	3620	3620	1.119881
7012	045A	1829	0.04	1025	1	55	80	2.5	3	2	4572	3547	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5121.199707	4096.199707	4096.199707	1.120122
7013	023	1875	0.04	781	1	55	80	2.5	3	2	4688	3907	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4469	4469	1.119881
7013	024	1875	0.04	1116	1	55	80	2.5	3	2	4688	3572	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4134	4134	1.119881
7013	025	1875	0.04	1069	1	55	80	2.5	3	2	4688	3619	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4181	4181	1.119881
7013	026	1875	0.04	1816	1	55	80	2.5	3	2	4688	2872	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5250	3434	3434	1.119881
7014	018	1887	0.04	1501	1	55	80	2.5	3	2	4718	3217	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5283.600098	3782.600098	3782.600098	1.119881
7014	018A	1887	0.04	775	1	55	80	2.5	3	2	4718	3943	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5283.600098	4508.600098	4508.600098	1.119881

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7014	019	1887	0.04	775	1	55	80	2.5	3	2	4718	3943	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5283.600098	4508.600098	4508.600098	1.119881
7014	020	1887	0.04	1201	1	55	80	2.5	3	2	4718	3517	RH-1	40	form-based		true	true	0.7	4	1.333333373	3	3	5283.600098	4082.600098	4082.600098	1.119881
7014	025	1875	0.04	1138	1	55	80	2.5	3	2	4688	3550	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4112	4112	1.119881
7014	026	1875	0.04	852	1	55	80	2.5	3	2	4688	3836	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4398	4398	1.119881
7014	026A	1875	0.04	1186	1	55	80	2.5	3	2	4688	3502	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5250	4064	4064	1.119881
7021	001	1876	0.04	1162	1	75	120	3.5	5	4	6566	5404	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5252.799805	4090.799805	4090.799805	0.8
7021	002	1917	0.04	2660	1	75	120	3.5	5	4	6710	4050	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5367.600098	2707.600098	2707.600098	0.79994
7021	003	1932	0.04	2660	1	65	100	3	4	3	5796	3136	RH-1	40	form-based			true	0.7	4	1	3	3	5409.600098	2749.600098	2749.600098	0.933333
7021	004	1948	0.04	1100	1	65	100	3	4	3	5844	4744	RH-1	40	form-based			true	0.7	4	1	3	3	5454.399902	4354.399902	4354.399902	0.933333
7021	005	1964	0.05	1100	1	65	100	3	5	4	5892	4792	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5499.199707	4399.199707	4399.199707	0.933333
7021	006	1979	0.05	2228	1	65	100	3	5	4	5937	3709	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5541.199707	3313.199707	3313.199707	0.933333
7021	007	1995	0.05	1500	1	65	100	3	5	4	5985	4485	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5586	4086	4086	0.933333
7021	008	2010	0.05	2210	1	65	100	3	5	4	6030	3820	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5628	3418	3418	0.933333
7021	009	2026	0.05	1287	1	65	100	3	5	4	6078	4791	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5672.799805	4385.799805	4385.799805	0.933333
7021	010	2042	0.05	1112	1	65	100	3	5	4	6126	5014	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5717.600098	4605.600098	4605.600098	0.933333
7021	011	2057	0.05	1112	1	65	100	3	5	4	6171	5059	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5759.600098	4647.600098	4647.600098	0.933333
7021	012	2073	0.05	1112	1	65	100	3	5	4	6219	5107	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5804.399902	4692.399902	4692.399902	0.933333
7021	013	2060	0.05	1112	1	65	100	3	5	4	6180	5068	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5768	4656	4656	0.933333
7021	014	1896	0.04	1112	1	65	100	3	4	3	5688	4576	RH-1	40	form-based		true	true	0.7	4	1	3	3	5308.799805	4196.799805	4196.799805	0.933333
7021	015	1909	0.04	750	1	75	120	3.5	5	4	6682	5932	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5345.199707	4595.199707	4595.199707	0.79994
7021	016	1877	0.04	1300	1	75	120	3.5	5	4	6570	5270	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5255.600098	3955.600098	3955.600098	0.799939
7022	023	2030	0.05	1400	1	65	100	3	5	4	6090	4690	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5684	4284	4284	0.933333
7022	024	2030	0.05	1090	1	75	120	3.5	6	5	7105	6015	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5684	4594	4594	0.8
7022	025	2030	0.05	1501	1	75	120	3.5	6	5	7105	5604	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5684	4183	4183	0.8
7022	026	2030	0.05	1390	1	75	120	3.5	6	5	7105	5715	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5684	4294	4294	0.8
7022	027	2030	0.05	1090	1	75	120	3.5	6	5	7105	6015	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5684	4594	4594	0.8
7022	028	2030	0.05	1067	1	75	120	3.5	6	5	7105	6038	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5684	4617	4617	0.8
7022	029	2030	0.05	1482	1	75	120	3.5	6	5	7105	5623	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5684	4202	4202	0.8
7022	032	1872	0.04	1294	1	75	120	3.5	5	4	6552	5258	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5241.600098	3947.600098	3947.600098	0.8
7028A	022	2191	0.05	1250	1	65	100	3	5	4	6573	5323	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6134.799805	4884.799805	4884.799805	0.933333
7028A	002	2002	0.05	1811	1	75	120	3.5	6	5	7007	5196	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5605.600098	3794.600098	3794.600098	0.8
7028A	003	2102	0.05	1250	1	75	120	3.5	6	5	7357	6107	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5885.600098	4635.600098	4635.600098	0.8
7028A	004	2158	0.05	1803	1	75	120	3.5	6	5	7553	5750	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6042.399902	4239.399902	4239.399902	0.8
7028A	005	2169	0.05	1250	1	75	120	3.5	6	5	7592	6342	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6073.199707	4823.199707	4823.199707	0.799947
7028A	006	2174	0.05	1630	1	75	120	3.5	6	5	7609	5979	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6087.199707	4457.199707	4457.199707	0.8
7028A	007	2179	0.05	1700	1	65	100	3	5	4	6537	4837	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6101.199707	4401.199707	4401.199707	0.933333
7028A	008	2184	0.05	1250	1	65	100	3	5	4	6552	5302	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6115.199707	4865.199707	4865.199707	0.933333
7028A	009	2190	0.05	1250	1	65	100	3	5	4	6570	5320	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6132	4882	4882	0.933333
7028A	010	2195	0.05	1250	1	65	100	3	5	4	6585	5335	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6146	4896	4896	0.933333
7028A	011	2200	0.05	1250	1	65	100	3	5	4	6600	5350	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	4910	4910	0.933333
7028A	012	2205	0.05	1420	1	65	100	3	5	4	6615	5195	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6174	4754	4754	0.933333
7028A	013	2848	0.07	2618	1	65	100	3	7	6	8544	5926	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7974.399902	5356.399902	5356.399902	0.933333
7028A	016	2015	0.05	1125	1	65	100	3	5	4	6045	4920	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5642	4517	4517	0.933333
7028A	019	2817	0.06	1250	1	65	100	3	6	5	8451	7201	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7887.600098	6637.600098	6637.600098	0.933333
7028A	020	2191	0.05	2277	1	65	100	3	5	4	6573	4296	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6134.799805	3857.799805	3857.799805	0.933333
7028A	021	2191	0.05	1250	1	65	100	3	5	4	6573	5323	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6134.799805	4884.799805	4884.799805	0.933333
7028A	023	2191	0.05	2075	1	65	100	3	5	4	6573	4498	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6134.799805	4059.799805	4059.799805	0.933333
7028A	024	2191	0.05	1250	1	65	100	3	5	4	6573	5323	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6134.799805	4884.799805	4884.799805	0.933333
7028A	025	2191	0.05	1355	1	65	100	3	5	4	6573	5218	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6134.799805	4779.799805	4779.799805	0.933333
7028A	026	2191	0.05	1891	1	65	100	3	5	4	6573	4682	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6134.799805	4243.799805	4243.799805	0.933333
7028A	027	2191	0.05	1482	1	65	100	3	5	4	6573	5091	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6134.799805	4652.799805	4652.799805	0.933333
7028A	028	2191	0.05	1375	1	75	120	3.5	6	5	7668	6293	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6134.799805	4759.799805	4759.799805	0.800052
7028A	029	2191	0.05	1355	1	75	120	3.5	6	5	7668	6313	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6134.799805	4779.799805	4779.799805	0.800052
7028A	031	1031	0.02	1465	1	75	120	3.5	2	1	3608	2143	RH-1	40	density-lim	3000			0.7	4	2	3	3	2886.800049	1421.800049	1421.800049	0.800111
7028B	002	2183	0.05	2207	1	65	100	3	5	4	6549	4342	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6112.399902	3905.399902	3905.399902	0.933333
7028B	003	2181	0.05	1325	1	65	100	3	5	4	6543	5218	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6106.799805	4781.799805	4781.799805	0.933333
7028B	004	2179	0.05	1325	1	65	100	3	5	4	6537	5212	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6101.199707	4776.199707	4776.199707	0.933333
7028B	005	2177	0.05	1325	1	65	100	3	5	4	6531	5206	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6095.600098	4770.600098	4770.600098	0.933333
7028B	006	2175	0.05	1635	1	65	100	3	5	4	6525	4890	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6090	4455	4455	0.933333
7028B	007	2173	0.05	1325	1	65	100	3	5	4	6519	5194	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6084.399902	4759.399902	4759.399902	0.933333
7028B	008	2170	0.05	1355	1	65	100	3	5	4	6510	5155	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6076	4721	4721	0.933333
7028B	009	2168	0.05	1931	1	65	100	3	5	4	6504	4573	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6070.399902	4139.399902	4139.399902	0.933333
7028B	010	2166	0.05	1325	1	65	100	3	5	4	6498	5173	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6064.799805	4739.799805	4739.799805	0.933333
7028B	011	2164	0.05	1932	1	65	100	3	5	4	6492	4560	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6059.199707	4127.199707	4127.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7029	005C	2000	0.05	2004	1	65	100	3	5	4	6000	3996	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	3596	3596	0.933333
7028B	015	2176	0.05	1355	1	65	100	3	5	4	6528	5173	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6092.799805	4737.799805	4737.799805	0.933333
7028B	016	2176	0.05	1635	1	65	100	3	5	4	6528	4893	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6092.799805	4457.799805	4457.799805	0.933333
7028B	017	2176	0.05	1635	1	65	100	3	5	4	6528	4893	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6092.799805	4457.799805	4457.799805	0.933333
7028B	018	2176	0.05	1635	1	65	100	3	5	4	6528	4893	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6092.799805	4457.799805	4457.799805	0.933333
7028B	019	2176	0.05	1635	1	65	100	3	5	4	6528	4893	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6092.799805	4457.799805	4457.799805	0.933333
7028B	020	2176	0.05	2174	1	65	100	3	5	4	6528	4354	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6092.799805	3918.799805	3918.799805	0.933333
7028B	021	2176	0.05	1325	1	65	100	3	5	4	6528	5203	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6092.799805	4767.799805	4767.799805	0.933333
7028B	022	2176	0.05	1210	1	65	100	3	5	4	6528	5318	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6092.799805	4882.799805	4882.799805	0.933333
7028B	023	2176	0.05	1210	1	65	100	3	5	4	6528	5318	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6092.799805	4882.799805	4882.799805	0.933333
7029	001	4297	0.1	1628	1	65	100	3	10	9	12891	11263	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12031.59961	10403.59961	10403.59961	0.933333
7029	001A	2418	0.06	1470	1	65	100	3	6	5	7254	5784	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6770.399902	5300.399902	5300.399902	0.933333
7029	001B	2249	0.05	1470	1	65	100	3	5	4	6747	5277	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6297.199707	4827.199707	4827.199707	0.933333
7029	002	2387	0.05	1540	1	65	100	3	5	4	7161	5621	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6683.600098	5143.600098	5143.600098	0.933333
7029	002A	2386	0.05	2221	1	65	100	3	5	4	7158	4937	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6680.799805	4459.799805	4459.799805	0.933333
7029	003	2384	0.05	2233	1	65	100	3	5	4	7152	4919	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6675.199707	4442.199707	4442.199707	0.933333
7029	003A	2383	0.05	2268	1	65	100	3	5	4	7149	4881	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6672.399902	4404.399902	4404.399902	0.933333
7029	003B	2382	0.05	1958	1	65	100	3	5	4	7146	5188	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6669.600098	4711.600098	4711.600098	0.933333
7029	004	2381	0.05	1540	1	65	100	3	5	4	7143	5603	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6666.799805	5126.799805	5126.799805	0.933333
7029	004A	2380	0.05	1540	1	65	100	3	5	4	7140	5600	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6664	5124	5124	0.933333
7029	019	2181	0.05	1525	1	65	100	3	5	4	6543	5018	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6106.799805	4581.799805	4581.799805	0.933333
7029	005A	2000	0.05	1696	1	65	100	3	5	4	6000	4304	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	3904	3904	0.933333
7029	005B	1944	0.04	1875	1	65	100	3	4	3	5832	3957	RH-1	40	density-lim	3000			0.7	4	1	3	3	5443.199707	3568.199707	3568.199707	0.933333
7029	005D	2000	0.05	1250	1	65	100	3	5	4	6000	4750	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4350	4350	0.933333
7029	005E	2000	0.05	1250	1	65	100	3	5	4	6000	4750	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4350	4350	0.933333
7029	005F	2000	0.05	1250	1	65	100	3	5	4	6000	4750	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4350	4350	0.933333
7029	005H	1944	0.04	1250	1	65	100	3	4	3	5832	4582	RH-1	40	density-lim	3000			0.7	4	1	3	3	5443.199707	4193.199707	4193.199707	0.933333
7029	006	2000	0.05	1385	1	65	100	3	5	4	6000	4615	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4215	4215	0.933333
7029	006A	2000	0.05	1410	1	65	100	3	5	4	6000	4590	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4190	4190	0.933333
7029	006B	2000	0.05	1200	1	65	100	3	5	4	6000	4800	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4400	4400	0.933333
7029	006C	2000	0.05	1385	1	65	100	3	5	4	6000	4615	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4215	4215	0.933333
7029	006D	2000	0.05	2162	1	65	100	3	5	4	6000	3838	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	3438	3438	0.933333
7029	006E	2716	0.06	1893	1	65	100	3	6	5	8148	6255	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7604.799805	5711.799805	5711.799805	0.933333
7029	013	2115	0.05	2340	1	65	100	3	5	4	6345	4005	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5922	3582	3582	0.933333
7029	014	2126	0.05	2086	1	65	100	3	5	4	6378	4292	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5952.799805	3866.799805	3866.799805	0.933333
7029	015	2137	0.05	1400	1	65	100	3	5	4	6411	5011	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5983.600098	4583.600098	4583.600098	0.933333
7029	016	2148	0.05	1525	1	65	100	3	5	4	6444	4919	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6014.399902	4489.399902	4489.399902	0.933333
7029	017	2159	0.05	2090	1	65	100	3	5	4	6477	4387	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6045.199707	3955.199707	3955.199707	0.933333
7029	018	2170	0.05	2231	1	65	100	3	5	4	6510	4279	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6076	3845	3845	0.933333
7029	020	2192	0.05	1685	1	65	100	3	5	4	6576	4891	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6137.600098	4452.600098	4452.600098	0.933333
7029	021	2203	0.05	2026	1	65	100	3	5	4	6609	4583	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6168.399902	4142.399902	4142.399902	0.933333
7029	022	2214	0.05	2159	1	65	100	3	5	4	6642	4483	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6199.199707	4040.199707	4040.199707	0.933333
7029	023	2225	0.05	1400	1	65	100	3	5	4	6675	5275	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6230	4830	4830	0.933333
7029	024	2236	0.05	1400	1	65	100	3	5	4	6708	5308	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6260.799805	4860.799805	4860.799805	0.933333
7029	025	2247	0.05	2084	1	65	100	3	5	4	6741	4657	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6291.600098	4207.600098	4207.600098	0.933333
7029	026	1725	0.04	1913	1	65	100	3	4	3	5175	3262	RH-1	40	density-lim	3000			0.7	4	1	3	3	4830	2917	2917	0.933333
7029A	002	2366	0.05	2020	1	65	100	3	5	4	7098	5078	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6624.799805	4604.799805	4604.799805	0.933333
7029A	003	2369	0.05	1580	1	65	100	3	5	4	7107	5527	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6633.199707	5053.199707	5053.199707	0.933333
7029A	004	2373	0.05	2057	1	65	100	3	5	4	7119	5062	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6644.399902	4587.399902	4587.399902	0.933333
7029A	005	2377	0.05	1979	1	65	100	3	5	4	7131	5152	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6655.600098	4676.600098	4676.600098	0.933333
7029A	006	2381	0.05	1582	1	65	100	3	5	4	7143	5561	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6666.799805	5084.799805	5084.799805	0.933333
7029A	007	2385	0.05	2035	1	65	100	3	5	4	7155	5120	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6678	4643	4643	0.933333
7029A	015	2380	0.05	2660	1	65	100	3	5	4	7140	4480	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6664	4004	4004	0.933333
7029A	016	2380	0.05	1934	1	65	100	3	5	4	7140	5206	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6664	4730	4730	0.933333
7029A	017	2380	0.05	2753	1	65	100	3	5	4	7140	4387	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6664	3911	3911	0.933333
7029A	019	2380	0.05	1540	1	65	100	3	5	4	7140	5600	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6664	5124	5124	0.933333
7029A	020	2380	0.05	1540	1	65	100	3	5	4	7140	5600	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6664	5124	5124	0.933333
7029A	021	2380	0.05	2278	1	65	100	3	5	4	7140	4862	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6664	4386	4386	0.933333
7030	015	2014	0.05	980	1	65	100	3	5	4	6042	5062	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5639.199707	4659.199707	4659.199707	0.933333
7030	016	2015	0.05	1761	1	65	100	3	5	4	6045	4284	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5642	3881	3881	0.933333
7030	017	2014	0.05	1958	1	65	100	3	5	4	6042	4084	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5639.199707	3681.199707	3681.199707	0.933333
7029A	022	2624	0.06	1716	1	65	100	3	6	5	7872	6156	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7347.199707	5631.199707	5631.199707	0.933333
7029A	023	2270	0.05	1320	1	65	100	3	5	4	6810	5490	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6356	5036	5036	0.933333
7029A	024	2751	0.06	3581	1	65	100	3	6	5	8253	4672	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7702.799805	4121.799805	4121.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7030	004	1639	0.04	1675	0	65	100	3	4	4	4917	3242	NCD-EXCE	65	density-lin	600	true		0.75	3	0.75	3	3	7375.5	5700.5	5700.5	1.5
7030	006	3104	0.07	2100	2	65	100	3	7	5	9312	7212	NCD-EXCE	65	density-lin	600			0.75	5	0.714285731	3	3	13968	11868	11868	1.5
7030	010	2004	0.05	1286	1	65	100	3	5	4	6012	4726	RH-1	40	density-lin	3000			0.7	4	0.800000012	3	3	5611.199707	4325.199707	4325.199707	0.933333
7030	011	2249	0.05	875	1	65	100	3	5	4	6747	5872	RH-1	40	density-lin	3000			0.7	4	0.800000012	3	3	6297.199707	5422.199707	5422.199707	0.933333
7030	012	2046	0.05	975	1	65	100	3	5	4	6138	5163	RH-1	40	density-lin	3000			0.7	4	0.800000012	3	3	5728.799805	4753.799805	4753.799805	0.933333
7030	013	2002	0.05	2003	1	65	100	3	5	4	6006	4003	RH-1	40	density-lin	3000			0.7	4	0.800000012	3	3	5605.600098	3602.600098	3602.600098	0.933333
7030	019A	2600	0.06	1325	1	65	100	3	6	5	7800	6475	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7280	5955	5955	0.933333
7030	022B	2491	0.06	1428	1	65	100	3	6	5	7473	6045	NCD-EXCE	40	density-lin	600			0.75	4	0.666666687	3	3	7473	6045	6045	1
7030	031	3333	0.08	1120	1	65	100	3	8	7	9999	8879	RH-1	40	density-lin	3000			0.7	4	0.5	3	3	9332.399414	8212.399414	8212.399414	0.933333
7030	032	2467	0.06	1200	1	65	100	3	6	5	7401	6201	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6907.600098	5707.600098	5707.600098	0.933333
7030	035	2343	0.05	1728	1	65	100	3	5	4	7029	5301	NCD-EXCE	40	density-lin	600			0.75	4	0.800000012	3	3	7029	5301	5301	1
7030	037	2600	0.06	1338	1	65	100	3	6	5	7800	6462	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7280	5942	5942	0.933333
7030	038	2600	0.06	1150	1	65	100	3	6	5	7800	6650	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7280	6130	6130	0.933333
7030	045	1574	0.04	1954	1	65	100	3	4	3	4722	2768	RH-1	40	density-lin	3000			0.7	4	1	3	3	4407.199707	2453.199707	2453.199707	0.933333
7030	046	1917	0.04	2279	1	65	100	3	4	3	5751	3472	RH-1	40	density-lin	3000			0.7	4	1	3	3	5367.600098	3088.600098	3088.600098	0.933333
7030	047	1918	0.04	2279	1	65	100	3	4	3	5754	3475	RH-1	40	density-lin	3000			0.7	4	1	3	3	5370.399902	3091.399902	3091.399902	0.933333
7030	048	1919	0.04	2279	1	65	100	3	4	3	5757	3478	RH-1	40	density-lin	3000			0.7	4	1	3	3	5373.199707	3094.199707	3094.199707	0.933333
7030	049	1929	0.04	2279	1	65	100	3	4	3	5787	3508	RH-1	40	density-lin	3000			0.7	4	1	3	3	5401.199707	3122.199707	3122.199707	0.933333
7030	054	1897	0.04	1967	0	65	100	3	4	4	5691	3724	NCD-EXCE	65	density-lin	600			0.75	3	0.75	3	3	8536.5	6569.5	6569.5	1.5
7031	008C	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7000	6100	6100	0.933333
7030	062	2367	0.05	1994	1	65	100	3	5	4	7101	5107	NCD-EXCE	40	density-lin	600			0.75	4	0.800000012	3	3	7101	5107	5107	1
7030	071	2421	0.06	1967	1	65	100	3	6	5	7263	5296	NCD-EXCE	40	density-lin	600			0.75	4	0.666666687	3	3	7263	5296	5296	1
7030	072	2420	0.06	1967	1	65	100	3	6	5	7260	5293	NCD-EXCE	40	density-lin	600			0.75	4	0.666666687	3	3	7260	5293	5293	1
7030	073	2420	0.06	1967	1	65	100	3	6	5	7260	5293	NCD-EXCE	40	density-lin	600			0.75	4	0.666666687	3	3	7260	5293	5293	1
7030	074	2420	0.06	1991	1	65	100	3	6	5	7260	5269	NCD-EXCE	40	density-lin	600			0.75	4	0.666666687	3	3	7260	5269	5269	1
7030	076	2458	0.06	1569	1	65	100	3	6	5	7374	5805	NCD-EXCE	65	density-lin	600			0.75	4	0.666666687	3	3	11061	9492	9492	1.5
7031	001B	2710	0.06	3180	2	55	80	2.5	5	3	6775	3595	NCD-EXCE	40	density-lin	600			0.75	5	1	3	3	8130	4950	4950	1.2
7031	004	2500	0.06	1200	1	55	80	2.5	5	4	6250	5050	RH-1	40	density-lin	3000			0.7	4	0.800000012	3	3	7000	5800	5800	1.12
7031	004B	2000	0.05	950	1	55	80	2.5	4	3	5000	4050	RH-1	40	density-lin	3000			0.7	4	1	3	3	5600	4650	4650	1.12
7031	004C	2000	0.05	1515	1	55	80	2.5	4	3	5000	3485	RH-1	40	density-lin	3000			0.7	4	1	3	3	5600	4085	4085	1.12
7031	004D	2000	0.05	1000	1	55	80	2.5	4	3	5000	4000	RH-1	40	density-lin	3000			0.7	4	1	3	3	5600	4600	4600	1.12
7031	004E	2000	0.05	900	1	55	80	2.5	4	3	5000	4100	RH-1	40	density-lin	3000			0.7	4	1	3	3	5600	4700	4700	1.12
7031	004F	2000	0.05	900	1	55	80	2.5	4	3	5000	4100	RH-1	40	density-lin	3000			0.7	4	1	3	3	5600	4700	4700	1.12
7031	005	2000	0.05	900	1	55	80	2.5	4	3	5000	4100	RH-1	40	density-lin	3000			0.7	4	1	3	3	5600	4700	4700	1.12
7031	005A	2000	0.05	980	1	55	80	2.5	4	3	5000	4020	RH-1	40	density-lin	3000			0.7	4	1	3	3	5600	4620	4620	1.12
7031	005B	2000	0.05	900	1	55	80	2.5	4	3	5000	4100	RH-1	40	density-lin	3000			0.7	4	1	3	3	5600	4700	4700	1.12
7031	005C	2000	0.05	900	1	55	80	2.5	4	3	5000	4100	RH-1	40	density-lin	3000			0.7	4	1	3	3	5600	4700	4700	1.12
7031	005D	2000	0.05	1664	1	55	80	2.5	4	3	5000	3336	RH-1	40	density-lin	3000			0.7	4	1	3	3	5600	3936	3936	1.12
7031	005E	2000	0.05	900	1	55	80	2.5	4	3	5000	4100	RH-1	40	density-lin	3000			0.7	4	1	3	3	5600	4700	4700	1.12
7031	005F	1399	0.03	1486	1	55	80	2.5	2	1	3498	2012	RH-1	40	density-lin	3000			0.7	4	2	3	3	3917.199951	2431.199951	2431.199951	1.11984
7031	006	2028	0.05	1400	1	65	100	3	5	4	6084	4684	RH-1	40	density-lin	3000			0.7	4	0.800000012	3	3	5678.399902	4278.399902	4278.399902	0.933333
7031	006A	2485	0.06	900	1	65	100	3	6	5	7455	6555	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6958	6058	6058	0.933333
7031	006B	2485	0.06	1298	1	65	100	3	6	5	7455	6157	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6958	5660	5660	0.933333
7031	006D	2485	0.06	900	1	65	100	3	6	5	7455	6555	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6958	6058	6058	0.933333
7031	006E	2485	0.06	900	1	65	100	3	6	5	7455	6555	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6958	6058	6058	0.933333
7031	006F	2485	0.06	1380	1	65	100	3	6	5	7455	6075	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6958	5578	5578	0.933333
7031	007	2485	0.06	1284	1	65	100	3	6	5	7455	6171	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6958	5674	5674	0.933333
7031	007A	2485	0.06	1580	1	65	100	3	6	5	7455	5875	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6958	5378	5378	0.933333
7031	007B	2485	0.06	1405	1	65	100	3	6	5	7455	6050	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6958	5553	5553	0.933333
7031	007C	2473	0.06	900	1	65	100	3	6	5	7419	6519	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6924.399902	6024.399902	6024.399902	0.933333
7031	007D	1892	0.04	1450	1	65	100	3	4	3	5676	4226	RH-1	40	density-lin	3000			0.7	4	1	3	3	5297.600098	3847.600098	3847.600098	0.933333
7031	007E	1892	0.04	900	1	65	100	3	4	3	5676	4776	RH-1	40	density-lin	3000			0.7	4	1	3	3	5297.600098	4397.600098	4397.600098	0.933333
7031	008	2403	0.06	2710	1	65	100	3	6	5	7209	4499	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	6728.399902	4018.399902	4018.399902	0.933333
7031	008A	2000	0.05	1110	1	65	100	3	5	4	6000	4890	RH-1	40	density-lin	3000			0.7	4	0.800000012	3	3	5600	4490	4490	0.933333
7031	008B	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7000	6100	6100	0.933333
7031	008D	2500	0.06	1237	1	65	100	3	6	5	7500	6263	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7000	5763	5763	0.933333
7031	008E	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7000	6100	6100	0.933333
7031	008F	2500	0.06	1266	1	65	100	3	6	5	7500	6234	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7000	5734	5734	0.933333
7031	009	2500	0.06	1431	1	65	100	3	6	5	7500	6069	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7000	5569	5569	0.933333
7031	009A	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7000	6100	6100	0.933333
7031	009B	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7000	6100	6100	0.933333
7031	009C	2052	0.05	1890	1	65	100	3	5	4	6156	4266	RH-1	40	density-lin	3000			0.7	4	0.800000012	3	3	5745.600098	3855.600098	3855.600098	0.933333
7031	009D	2060	0.05	950	1	65	100	3	5	4	6180	5230	RH-1	40	density-lin	3000			0.7	4	0.800000012	3	3	5768	4818	4818	0.933333
7031	009E	2523	0.06	900	1	65	100	3	6	5	7569	6669	RH-1	40	density-lin	3000			0.7	4	0.666666687	3	3	7064.399902	6164.399902	6164.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7031	009F	2522	0.06	900	1	65	100	3	6	5	7566	6666	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7061.600098	6161.600098	6161.600098	0.933333
7031	010	1957	0.04	1598	1	65	100	3	4	3	5871	4273	RH-1	40	density-lim	3000			0.7	4	1	3	3	5479.600098	3881.600098	3881.600098	0.933333
7031	010B	2510	0.06	2440	1	65	100	3	6	5	7530	5090	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7028	4588	4588	0.933333
7031	011	2521	0.06	900	1	65	100	3	6	5	7563	6663	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7058.799805	6158.799805	6158.799805	0.933333
7031	011A	2520	0.06	1550	1	65	100	3	6	5	7560	6010	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	5506	5506	0.933333
7031	011B	2519	0.06	2360	1	65	100	3	6	5	7557	5197	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	4693.199707	4693.199707	0.933333
7031	011C	2518	0.06	1458	1	65	100	3	6	5	7554	6096	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	5592.399902	5592.399902	0.933333
7031	011D	2516	0.06	1747	1	65	100	3	6	5	7548	5801	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7044.799805	5297.799805	5297.799805	0.933333
7031	011E	2515	0.06	900	1	65	100	3	6	5	7545	6645	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7042	6142	6142	0.933333
7031	011F	1889	0.04	1156	1	65	100	3	4	3	5667	4511	RH-1	40	density-lim	3000			0.7	4	1	3	3	5289.199707	4133.199707	4133.199707	0.933333
7031	012	1888	0.04	955	1	65	100	3	4	3	5664	4709	RH-1	40	density-lim	3000			0.7	4	1	3	3	5286.399902	4331.399902	4331.399902	0.933333
7031	012A	1887	0.04	900	1	65	100	3	4	3	5661	4761	RH-1	40	density-lim	3000			0.7	4	1	3	3	5283.600098	4383.600098	4383.600098	0.933333
7031	012C	2449	0.06	1783	1	65	100	3	6	5	7347	5564	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6857.199707	5074.199707	5074.199707	0.933333
7031	012D	2449	0.06	2150	1	65	100	3	6	5	7347	5197	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6857.199707	4707.199707	4707.199707	0.933333
7031	012F	1875	0.04	900	1	65	100	3	4	3	5625	4725	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4350	4350	0.933333
7031	012G	1875	0.04	1080	1	65	100	3	4	3	5625	4545	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4170	4170	0.933333
7031	012H	1875	0.04	900	1	65	100	3	4	3	5625	4725	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4350	4350	0.933333
7031	013	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6100	6100	0.933333
7031	013A	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6100	6100	0.933333
7031	013B	2434	0.06	2118	1	65	100	3	6	5	7302	5184	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6815.199707	4697.199707	4697.199707	0.933333
7031	013C	2434	0.06	1323	1	65	100	3	6	5	7302	5979	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6815.199707	5492.199707	5492.199707	0.933333
7031	013D	2434	0.06	1476	1	65	100	3	6	5	7302	5826	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6815.199707	5339.199707	5339.199707	0.933333
7031	014	2434	0.06	1176	1	65	100	3	6	5	7302	6126	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6815.199707	5639.199707	5639.199707	0.933333
7031	014A	2434	0.06	1421	1	65	100	3	6	5	7302	5881	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6815.199707	5394.199707	5394.199707	0.933333
7031	014B	2435	0.06	1912	1	65	100	3	6	5	7305	5393	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6818	4906	4906	0.933333
7031	014C	2435	0.06	2091	1	65	100	3	6	5	7305	5214	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6818	4727	4727	0.933333
7031	015A	2732	0.06	1000	1	65	100	3	6	5	8196	7196	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7649.600098	6649.600098	6649.600098	0.933333
7031	015B	2728	0.06	1000	1	65	100	3	6	5	8184	7184	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7638.399902	6638.399902	6638.399902	0.933333
7031	015C	2725	0.06	1000	1	65	100	3	6	5	8175	7175	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7630	6630	6630	0.933333
7031	015D	2723	0.06	1000	1	65	100	3	6	5	8169	7169	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7624.399902	6624.399902	6624.399902	0.933333
7031	015F	2224	0.05	1498	1	65	100	3	5	4	6672	5174	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6227.199707	4729.199707	4729.199707	0.933333
7031	016	2006	0.05	650	1	65	100	3	5	4	6018	5368	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5616.799805	4966.799805	4966.799805	0.933333
7031	017	2013	0.05	725	1	65	100	3	5	4	6039	5314	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5636.399902	4911.399902	4911.399902	0.933333
7031	018	2013	0.05	1541	1	65	100	3	5	4	6039	4498	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5636.399902	4095.399902	4095.399902	0.933333
7031	019	2011	0.05	950	1	65	100	3	5	4	6033	5083	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5630.799805	4680.799805	4680.799805	0.933333
7031	020	2009	0.05	750	1	65	100	3	5	4	6027	5277	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5625.199707	4875.199707	4875.199707	0.933333
7031	021	2007	0.05	750	1	65	100	3	5	4	6021	5271	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5619.600098	4869.600098	4869.600098	0.933333
7031	022	2006	0.05	750	1	65	100	3	5	4	6018	5268	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5616.799805	4866.799805	4866.799805	0.933333
7031	023	2004	0.05	895	1	65	100	3	5	4	6012	5117	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5611.199707	4716.199707	4716.199707	0.933333
7031	024	2002	0.05	750	1	65	100	3	5	4	6006	5256	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5605.600098	4855.600098	4855.600098	0.933333
7031	025	2003	0.05	950	1	65	100	3	5	4	6009	5059	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5608.399902	4658.399902	4658.399902	0.933333
7031	026	2002	0.05	950	1	65	100	3	5	4	6006	5056	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5605.600098	4655.600098	4655.600098	0.933333
7031	027	2000	0.05	1350	1	55	80	2.5	4	3	5000	3650	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4250	4250	1.12
7032A	005	2388	0.05	1307	1	65	100	3	5	4	7164	5857	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6686.399902	5379.399902	5379.399902	0.933333
7032A	005A	2341	0.05	1150	1	65	100	3	5	4	7023	5873	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6554.799805	5404.799805	5404.799805	0.933333
7032A	005B	2348	0.05	1150	1	65	100	3	5	4	7044	5894	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6574.399902	5424.399902	5424.399902	0.933333
7032A	005C	2346	0.05	1150	1	65	100	3	5	4	7038	5888	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6568.799805	5418.799805	5418.799805	0.933333
7032A	005D	2343	0.05	1150	1	65	100	3	5	4	7029	5879	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6560.399902	5410.399902	5410.399902	0.933333
7032A	005E	2330	0.05	1432	1	65	100	3	5	4	6990	5558	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6524	5092	5092	0.933333
7032A	005F	2095	0.05	1565	1	65	100	3	5	4	6285	4720	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5866	4301	4301	0.933333
7032A	005G	2102	0.05	1839	1	65	100	3	5	4	6306	4467	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5885.600098	4046.600098	4046.600098	0.933333
7032A	007A	2204	0.05	1563	1	65	100	3	5	4	6612	5049	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6171.199707	4608.199707	4608.199707	0.933333
7032A	007B	2269	0.05	1320	1	65	100	3	5	4	6807	5487	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6353.199707	5033.199707	5033.199707	0.933333
7032A	007C	2269	0.05	1200	1	65	100	3	5	4	6807	5607	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6353.199707	5153.199707	5153.199707	0.933333
7032A	007E	2375	0.05	2022	1	65	100	3	5	4	7125	5103	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6650	4628	4628	0.933333
7032A	007F	2375	0.05	1200	1	65	100	3	5	4	7125	5925	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6650	5450	5450	0.933333
7032A	007G	2375	0.05	1200	1	65	100	3	5	4	7125	5925	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6650	5450	5450	0.933333
7032A	007H	2375	0.05	1320	1	65	100	3	5	4	7125	5805	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6650	5330	5330	0.933333
7032A	007I	2375	0.05	1320	1	65	100	3	5	4	7125	5805	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6650	5330	5330	0.933333
7032A	007J	2277	0.05	1950	1	65	100	3	5	4	6831	4881	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6375.600098	4425.600098	4425.600098	0.933333
7032A	008	2572	0.06	1450	1	65	100	3	6	5	7716	6266	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7201.600098	5751.600098	5751.600098	0.933333
7032A	009	2645	0.06	1920	1	65	100	3	6	5	7935	6015	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7406	5486	5486	0.933333
7032A	010	2644	0.06	1200	1	65	100	3	6	5	7932	6732	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7403.199707	6203.199707	6203.199707	0.933333
7032A	011	2644	0.06	1200	1	65	100	3	6	5	7932	6732	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7403.199707	6203.199707	6203.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7032A	012	2643	0.06	1822	1	65	100	3	6	5	7929	6107	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7400.399902	5578.399902	5578.399902	0.933333
7032A	013	2643	0.06	1325	1	65	100	3	6	5	7929	6604	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7400.399902	6075.399902	6075.399902	0.933333
7032A	015	2258	0.05	1725	1	65	100	3	5	4	6774	5049	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6322.399902	4597.399902	4597.399902	0.933333
7032A	016	2258	0.05	2257	1	65	100	3	5	4	6774	4517	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6322.399902	4065.399902	4065.399902	0.933333
7032A	017	2258	0.05	1638	1	65	100	3	5	4	6774	5136	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6322.399902	4684.399902	4684.399902	0.933333
7032A	043	2533	0.06	1716	1	65	100	3	6	5	7599	5883	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7092.399902	5376.399902	5376.399902	0.933333
7032A	044	2531	0.06	1716	1	65	100	3	6	5	7593	5877	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7086.799805	5370.799805	5370.799805	0.933333
7032A	019	2600	0.06	1672	1	65	100	3	6	5	7800	6128	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7280	5608	5608	0.933333
7032A	020	2600	0.06	1200	1	65	100	3	6	5	7800	6600	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7280	6080	6080	0.933333
7032A	021	2600	0.06	1200	1	65	100	3	6	5	7800	6600	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7280	6080	6080	0.933333
7032A	022	2600	0.06	1650	1	65	100	3	6	5	7800	6150	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7280	5630	5630	0.933333
7032A	023	2600	0.06	2063	1	65	100	3	6	5	7800	5737	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7280	5217	5217	0.933333
7032A	024	2600	0.06	1200	1	65	100	3	6	5	7800	6600	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7280	6080	6080	0.933333
7032A	025	2600	0.06	1466	1	65	100	3	6	5	7800	6334	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7280	5814	5814	0.933333
7032A	026	3775	0.09	1340	1	65	100	3	9	8	11325	9985	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10570	9230	9230	0.933333
7032A	028	3384	0.08	1921	1	65	100	3	8	7	10152	8231	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9475.200195	7554.200195	7554.200195	0.933333
7032A	029	2481	0.06	1413	1	65	100	3	6	5	7443	6030	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6946.799805	5533.799805	5533.799805	0.933333
7032A	030	2519	0.06	1409	1	65	100	3	6	5	7557	6148	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	5644.199707	5644.199707	0.933333
7032A	031	2556	0.06	1775	1	65	100	3	6	5	7668	5893	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7156.799805	5381.799805	5381.799805	0.933333
7032A	035	3901	0.09	1975	1	65	100	3	9	8	11703	9728	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10922.7998	8947.799805	8947.799805	0.933333
7032A	038	1795	0.04	1926	1	65	100	3	4	3	5385	3459	RH-1	40	density-lim	3000			0.7	4	1	3	3	5026	3100	3100	0.933333
7032A	039	2304	0.05	1926	1	65	100	3	5	4	6912	4986	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6451.199707	4525.199707	4525.199707	0.933333
7032A	040	2631	0.06	1365	1	65	100	3	6	5	7893	6528	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7366.799805	6001.799805	6001.799805	0.933333
7032A	041	1797	0.04	1926	1	65	100	3	4	3	5391	3465	RH-1	40	density-lim	3000			0.7	4	1	3	3	5031.600098	3105.600098	3105.600098	0.933333
7032A	042	2535	0.06	1716	1	65	100	3	6	5	7605	5889	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7098	5382	5382	0.933333
7032A	045	2529	0.06	1716	1	65	100	3	6	5	7587	5871	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7081.199707	5365.199707	5365.199707	0.933333
7032A	046	2528	0.06	1828	1	65	100	3	6	5	7584	5756	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7078.399902	5250.399902	5250.399902	0.933333
7032A	047	2526	0.06	1716	1	65	100	3	6	5	7578	5862	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5356.799805	5356.799805	0.933333
7032A	048	2524	0.06	1840	1	65	100	3	6	5	7572	5732	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7067.199707	5227.199707	5227.199707	0.933333
7032A	049	2522	0.06	1798	1	65	100	3	6	5	7566	5768	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7061.600098	5263.600098	5263.600098	0.933333
7032A	050	2521	0.06	1716	1	65	100	3	6	5	7563	5847	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7058.799805	5342.799805	5342.799805	0.933333
7032A	051	2519	0.06	1716	1	65	100	3	6	5	7557	5841	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	5337.199707	5337.199707	0.933333
7032A	052	2728	0.06	1944	1	65	100	3	6	5	8184	6240	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7638.399902	5694.399902	5694.399902	0.933333
7032A	053	2727	0.06	1944	1	65	100	3	6	5	8181	6237	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7635.600098	5691.600098	5691.600098	0.933333
7032A	054	3827	0.09	1944	1	65	100	3	9	8	11481	9537	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10715.59961	8771.599609	8771.599609	0.933333
7032A	055	3850	0.09	1944	1	65	100	3	9	8	11550	9606	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10780	8836	8836	0.933333
7039A	003	2000	0.05	1350	1	65	100	3	5	4	6000	4650	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4250	4250	0.933333
7039A	004	2000	0.05	1548	1	65	100	3	5	4	6000	4452	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4052	4052	0.933333
7039A	005	2000	0.05	1175	1	65	100	3	5	4	6000	4825	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4425	4425	0.933333
7039A	006	2000	0.05	1800	1	65	100	3	5	4	6000	4200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	3800	3800	0.933333
7039A	010	2015	0.05	1200	1	65	100	3	5	4	6045	4845	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5642	4442	4442	0.933333
7039A	011	2016	0.05	1560	1	65	100	3	5	4	6048	4488	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5644.799805	4084.799805	4084.799805	0.933333
7039A	012	2017	0.05	1200	1	65	100	3	5	4	6051	4851	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5647.600098	4447.600098	4447.600098	0.933333
7039A	013	2018	0.05	1907	1	65	100	3	5	4	6054	4147	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5650.399902	3743.399902	3743.399902	0.933333
7039A	014	2019	0.05	1866	1	65	100	3	5	4	6057	4191	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5653.199707	3787.199707	3787.199707	0.933333
7039A	015	2020	0.05	1200	1	65	100	3	5	4	6060	4860	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5656	4456	4456	0.933333
7039B	002	2075	0.05	1736	1	65	100	3	5	4	6225	4489	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5810	4074	4074	0.933333
7041	002	2125	0.05	1100	1	65	100	3	5	4	6375	5275	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4850	4850	0.933333
7039B	004	1851	0.04	1250	1	65	100	3	4	3	5553	4303	RH-1	40	density-lim	3000			0.7	4	1	3	3	5182.799805	3932.799805	3932.799805	0.933333
7039B	005	2000	0.05	1250	1	65	100	3	5	4	6000	4750	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4350	4350	0.933333
7039B	006	2000	0.05	1250	1	65	100	3	5	4	6000	4750	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4350	4350	0.933333
7040A	003	2000	0.05	1984	1	65	100	3	5	4	6000	4016	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	3616	3616	0.933333
7040A	004	2000	0.05	1200	1	65	100	3	5	4	6000	4800	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4400	4400	0.933333
7040A	005	2000	0.05	1200	1	65	100	3	5	4	6000	4800	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4400	4400	0.933333
7040A	006	2000	0.05	1200	1	65	100	3	5	4	6000	4800	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4400	4400	0.933333
7040A	007	2000	0.05	1928	1	65	100	3	5	4	6000	4072	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	3672	3672	0.933333
7040A	008	2000	0.05	1125	1	65	100	3	5	4	6000	4875	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4475	4475	0.933333
7040A	011	2023	0.05	1560	1	65	100	3	5	4	6069	4509	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5664.399902	4104.399902	4104.399902	0.933333
7040A	012	2024	0.05	1343	1	65	100	3	5	4	6072	4729	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5667.199707	4324.199707	4324.199707	0.933333
7040A	013	2024	0.05	1715	1	65	100	3	5	4	6072	4357	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5667.199707	3952.199707	3952.199707	0.933333
7040A	014	2025	0.05	1400	1	65	100	3	5	4	6075	4675	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5670	4270	4270	0.933333
7040A	016	2027	0.05	1418	1	65	100	3	5	4	6081	4663	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5675.600098	4257.600098	4257.600098	0.933333
7041	003	2125	0.05	1100	1	65	100	3	5	4	6375	5275	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4850	4850	0.933333
7041	004	2125	0.05	1100	1	65	100	3	5	4	6375	5275	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4850	4850	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7041	005	2125	0.05	1100	1	65	100	3	5	4	6375	5275	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4850	4850	0.933333
7041	006	3375	0.08	1757	1	65	100	3	8	7	10125	8368	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9450	7693	7693	0.933333
7043	004D	2065	0.05	1190	1	55	80	2.5	4	3	5162	3972	RH-1	40	density-lim	3000			0.7	4	1	3	3	5782	4592	4592	1.120108
7040B	003	2402	0.06	1430	1	65	100	3	6	5	7206	5776	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6725.600098	5295.600098	5295.600098	0.933333
7040B	004	2268	0.05	1719	1	65	100	3	5	4	6804	5085	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6350.399902	4631.399902	4631.399902	0.933333
7040B	005	2135	0.05	1508	1	65	100	3	5	4	6405	4897	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5978	4470	4470	0.933333
7040B	006	1962	0.05	1250	1	65	100	3	5	4	5886	4636	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5493.600098	4243.600098	4243.600098	0.933333
7040B	007	1749	0.04	1625	1	65	100	3	4	3	5247	3622	RH-1	40	density-lim	3000			0.7	4	1	3	3	4897.199707	3272.199707	3272.199707	0.933333
7042A	019	2187	0.05	2155	1	65	100	3	5	4	6561	4406	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6123.600098	3968.600098	3968.600098	0.933333
7040B	010	2000	0.05	1875	1	65	100	3	5	4	6000	4125	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	3725	3725	0.933333
7040B	011	2000	0.05	1947	1	65	100	3	5	4	6000	4053	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	3653	3653	0.933333
7040B	012	2000	0.05	1424	1	65	100	3	5	4	6000	4576	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4176	4176	0.933333
7040B	013	2040	0.05	1480	1	65	100	3	5	4	6120	4640	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5712	4232	4232	0.933333
7040B	014	2119	0.05	1200	1	65	100	3	5	4	6357	5157	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5933.199707	4733.199707	4733.199707	0.933333
7040B	015	2199	0.05	1200	1	65	100	3	5	4	6597	5397	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6157.199707	4957.199707	4957.199707	0.933333
7041	008	1875	0.04	1260	1	65	100	3	4	3	5625	4365	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3990	3990	0.933333
7041	009	1875	0.04	1260	1	65	100	3	4	3	5625	4365	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3990	3990	0.933333
7041	010	1875	0.04	1540	1	65	100	3	4	3	5625	4085	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3710	3710	0.933333
7041	011	1875	0.04	1260	1	65	100	3	4	3	5625	4365	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3990	3990	0.933333
7041	012	1875	0.04	1260	1	65	100	3	4	3	5625	4365	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3990	3990	0.933333
7041	013	1875	0.04	2142	1	65	100	3	4	3	5625	3483	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3108	3108	0.933333
7041	014	1875	0.04	1534	1	65	100	3	4	3	5625	4091	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3716	3716	0.933333
7041	015	1875	0.04	1596	1	65	100	3	4	3	5625	4029	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3654	3654	0.933333
7041	016	1875	0.04	1380	1	65	100	3	4	3	5625	4245	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3870	3870	0.933333
7041	017	1875	0.04	1380	1	65	100	3	4	3	5625	4245	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3870	3870	0.933333
7041	018	1875	0.04	2245	1	65	100	3	4	3	5625	3380	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3005	3005	0.933333
7041	019	1875	0.04	1797	1	65	100	3	4	3	5625	3828	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3453	3453	0.933333
7041	020	1875	0.04	1382	1	65	100	3	4	3	5625	4243	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3868	3868	0.933333
7041	021	1875	0.04	2063	1	65	100	3	4	3	5625	3562	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3187	3187	0.933333
7042A	018	2573	0.06	1125	1	65	100	3	6	5	7719	6594	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7204.399902	6079.399902	6079.399902	0.933333
7041	023A	1910	0.04	1296	1	65	100	3	4	3	5730	4434	RH-1	40	density-lim	3000			0.7	4	1	3	3	5348	4052	4052	0.933333
7041	024	1958	0.04	1170	1	65	100	3	4	3	5874	4704	RH-1	40	density-lim	3000			0.7	4	1	3	3	5482.399902	4312.399902	4312.399902	0.933333
7041	025	2190	0.05	1630	1	65	100	3	5	4	6570	4940	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6132	4502	4502	0.933333
7041	026	2815	0.06	2475	1	65	100	3	6	5	8445	5970	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7882	5407	5407	0.933333
7041	027	2582	0.06	1464	1	65	100	3	6	5	7746	6282	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7229.600098	5765.600098	5765.600098	0.933333
7041	028	2796	0.06	1325	1	65	100	3	6	5	8388	7063	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7828.799805	6503.799805	6503.799805	0.933333
7041	029	3010	0.07	1275	1	65	100	3	7	6	9030	7755	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8428	7153	7153	0.933333
7041	030	3225	0.07	1275	1	65	100	3	7	6	9675	8400	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9030	7755	7755	0.933333
7041	031	2814	0.06	1425	1	65	100	3	6	5	8442	7017	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7879.199707	6454.199707	6454.199707	0.933333
7041	032	3029	0.07	1425	1	65	100	3	7	6	9087	7662	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8481.200195	7056.200195	7056.200195	0.933333
7042A	002	2213	0.05	1275	1	65	100	3	5	4	6639	5364	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6196.399902	4921.399902	4921.399902	0.933333
7042A	003	2214	0.05	1592	1	65	100	3	5	4	6642	5050	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6199.199707	4607.199707	4607.199707	0.933333
7042A	004	2215	0.05	1383	1	65	100	3	5	4	6645	5262	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6202	4819	4819	0.933333
7042A	005	2216	0.05	1512	1	65	100	3	5	4	6648	5136	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6204.799805	4692.799805	4692.799805	0.933333
7042A	006	2217	0.05	1275	1	65	100	3	5	4	6651	5376	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6207.600098	4932.600098	4932.600098	0.933333
7042A	007	2218	0.05	2000	1	65	100	3	5	4	6654	4654	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6210.399902	4210.399902	4210.399902	0.933333
7042A	010	2565	0.06	1300	1	65	100	3	6	5	7695	6395	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7182	5882	5882	0.933333
7042A	011	2498	0.06	1686	1	65	100	3	6	5	7494	5808	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6994.399902	5308.399902	5308.399902	0.933333
7042A	012	2400	0.06	1450	1	65	100	3	6	5	7200	5750	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6720	5270	5270	0.933333
7042A	013	2274	0.05	1819	1	65	100	3	5	4	6822	5003	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6367.199707	4548.199707	4548.199707	0.933333
7042A	014	2152	0.05	1550	1	65	100	3	5	4	6456	4906	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6025.600098	4475.600098	4475.600098	0.933333
7042A	015	2065	0.05	1450	1	65	100	3	5	4	6195	4745	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5782	4332	4332	0.933333
7042A	016	2010	0.05	1300	1	65	100	3	5	4	6030	4730	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5628	4328	4328	0.933333
7042A	017	1988	0.05	1300	1	65	100	3	5	4	5964	4664	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5566.399902	4266.399902	4266.399902	0.933333
7042A	020	2188	0.05	2246	1	65	100	3	5	4	6564	4318	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6126.399902	3880.399902	3880.399902	0.933333
7042A	021	2187	0.05	1285	1	65	100	3	5	4	6561	5276	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6123.600098	4838.600098	4838.600098	0.933333
7042A	022	2188	0.05	1085	1	65	100	3	5	4	6564	5479	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6126.399902	5041.399902	5041.399902	0.933333
7042A	023	2187	0.05	1085	1	65	100	3	5	4	6561	5476	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6123.600098	5038.600098	5038.600098	0.933333
7042A	024	2182	0.05	1431	1	65	100	3	5	4	6546	5115	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6109.600098	4678.600098	4678.600098	0.933333
7042A	025	2500	0.06	1330	1	65	100	3	6	5	7500	6170	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5670	5670	0.933333
7042A	026	2500	0.06	1330	1	65	100	3	6	5	7500	6170	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5670	5670	0.933333
7042A	027	2500	0.06	1330	1	65	100	3	6	5	7500	6170	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5670	5670	0.933333
7042A	028	2500	0.06	1330	1	65	100	3	6	5	7500	6170	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5670	5670	0.933333
7042A	029	2500	0.06	1330	1	65	100	3	6	5	7500	6170	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5670	5670	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7042A	030	2500	0.06	1330	1	65	100	3	6	5	7500	6170	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5670	5670	0.933333
7042A	031	2500	0.06	1530	1	65	100	3	6	5	7500	5970	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5470	5470	0.933333
7042A	032	2500	0.06	1330	1	65	100	3	6	5	7500	6170	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5670	5670	0.933333
7042A	033	2664	0.06	1075	1	65	100	3	6	5	7992	6917	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7459.199707	6384.199707	6384.199707	0.933333
7042A	037	2723	0.06	1910	1	65	100	3	6	5	8169	6259	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7624.399902	5714.399902	5714.399902	0.933333
7042B	022	2185	0.05	1653	1	65	100	3	5	4	6555	4902	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6118	4465	4465	0.933333
7042B	023	2200	0.05	1200	1	65	100	3	5	4	6600	5400	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	4960	4960	0.933333
7042B	024	2176	0.05	1320	1	65	100	3	5	4	6528	5208	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6092.799805	4772.799805	4772.799805	0.933333
7042B	025	2114	0.05	1200	1	65	100	3	5	4	6342	5142	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5919.199707	4719.199707	4719.199707	0.933333
7042B	003	2511	0.06	1518	1	65	100	3	6	5	7533	6015	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7030.799805	5512.799805	5512.799805	0.933333
7042B	004	2514	0.06	1500	1	65	100	3	6	5	7542	6042	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7039.199707	5539.199707	5539.199707	0.933333
7042B	005	2504	0.06	1470	1	65	100	3	6	5	7512	6042	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7011.199707	5541.199707	5541.199707	0.933333
7042B	006	2536	0.06	1470	1	65	100	3	6	5	7608	6138	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7100.799805	5630.799805	5630.799805	0.933333
7042B	007	2561	0.06	1403	1	65	100	3	6	5	7683	6280	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7170.799805	5767.799805	5767.799805	0.933333
7042B	008	2572	0.06	1350	1	65	100	3	6	5	7716	6366	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7201.600098	5851.600098	5851.600098	0.933333
7042B	009	2569	0.06	2130	1	65	100	3	6	5	7707	5577	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7193.199707	5063.199707	5063.199707	0.933333
7042B	010	2552	0.06	1470	1	65	100	3	6	5	7656	6186	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7145.600098	5675.600098	5675.600098	0.933333
7042B	011	2521	0.06	1470	1	65	100	3	6	5	7563	6093	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7058.799805	5588.799805	5588.799805	0.933333
7042B	012	2475	0.06	1470	1	65	100	3	6	5	7425	5955	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6930	5460	5460	0.933333
7042B	013	2415	0.06	1548	1	65	100	3	6	5	7245	5697	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6762	5214	5214	0.933333
7042B	014	2337	0.05	1518	1	65	100	3	5	4	7011	5493	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6543.600098	5025.600098	5025.600098	0.933333
7042B	015	2281	0.05	1590	1	65	100	3	5	4	6843	5253	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6386.799805	4796.799805	4796.799805	0.933333
7042B	016	2225	0.05	1470	1	65	100	3	5	4	6675	5205	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6230	4760	4760	0.933333
7042B	019	1864	0.04	1200	1	65	100	3	4	3	5592	4392	RH-1	40	density-lim	3000			0.7	4	1	3	3	5219.199707	4019.199707	4019.199707	0.933333
7042B	020	1977	0.05	1600	1	65	100	3	5	4	5931	4331	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5535.600098	3935.600098	3935.600098	0.933333
7042B	021	2090	0.05	1200	1	65	100	3	5	4	6270	5070	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5852	4652	4652	0.933333
7042B	026	2043	0.05	1320	1	65	100	3	5	4	6129	4809	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5720.399902	4400.399902	4400.399902	0.933333
7042B	027	1998	0.05	1200	1	65	100	3	5	4	5994	4794	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5594.399902	4394.399902	4394.399902	0.933333
7042B	028	1984	0.05	2257	1	65	100	3	5	4	5952	3695	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5555.199707	3298.199707	3298.199707	0.933333
7042B	029	1998	0.05	1645	1	65	100	3	5	4	5994	4349	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5594.399902	3949.399902	3949.399902	0.933333
7042B	030	1989	0.05	1420	1	65	100	3	5	4	5967	4547	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5569.199707	4149.199707	4149.199707	0.933333
7042B	031	1988	0.05	1800	1	65	100	3	5	4	5964	4164	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5566.399902	3766.399902	3766.399902	0.933333
7042B	032	1988	0.05	1420	1	65	100	3	5	4	5964	4544	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5566.399902	4146.399902	4146.399902	0.933333
7043	001E	1993	0.05	2100	0	55	80	2.5	4	4	4982	2882	NCD-EXCE	40	density-lim	600			0.75	3	0.75	3	3	5979	3879	3879	1.20012
7043	002H	1875	0.04	1269	1	55	80	2.5	3	2	4688	3419	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3981	3981	1.119881
7043	003A	2125	0.05	1190	1	55	80	2.5	4	3	5312	4122	RH-1	40	density-lim	3000			0.7	4	1	3	3	5950	4760	4760	1.120105
7043	003B	2125	0.05	1190	1	55	80	2.5	4	3	5312	4122	RH-1	40	density-lim	3000			0.7	4	1	3	3	5950	4760	4760	1.120105
7043	003C	2250	0.05	1977	1	55	80	2.5	4	3	5625	3648	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	4323	4323	1.12
7043	003E	2250	0.05	1190	1	55	80	2.5	4	3	5625	4435	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	5110	5110	1.12
7043	003F	2250	0.05	1110	1	55	80	2.5	4	3	5625	4515	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	5190	5190	1.12
7043	004	2250	0.05	1190	1	55	80	2.5	4	3	5625	4435	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	5110	5110	1.12
7043	004A	2250	0.05	1190	1	55	80	2.5	4	3	5625	4435	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	5110	5110	1.12
7043	004B	2065	0.05	1190	1	55	80	2.5	4	3	5162	3972	RH-1	40	density-lim	3000			0.7	4	1	3	3	5782	4592	4592	1.120108
7043	004C	2065	0.05	1190	1	55	80	2.5	4	3	5162	3972	RH-1	40	density-lim	3000			0.7	4	1	3	3	5782	4592	4592	1.120108
7043	004E	2065	0.05	1190	1	55	80	2.5	4	3	5162	3972	RH-1	40	density-lim	3000			0.7	4	1	3	3	5782	4592	4592	1.120108
7043	004F	1875	0.04	1732	1	55	80	2.5	3	2	4688	2956	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	3518	3518	1.119881
7043	005	1875	0.04	1106	1	55	80	2.5	3	2	4688	3582	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4144	4144	1.119881
7043	005C	1880	0.04	1492	1	55	80	2.5	3	2	4700	3208	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5264	3772	3772	1.12
7043	005D	1880	0.04	1215	1	55	80	2.5	3	2	4700	3485	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5264	4049	4049	1.12
7043	005E	1915	0.04	1617	1	55	80	2.5	3	2	4788	3171	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5362	3745	3745	1.119883
7043	005F	2504	0.06	1540	1	55	80	2.5	5	4	6260	4720	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7011.199707	5471.199707	5471.199707	1.12
7043	006	2503	0.06	1995	1	55	80	2.5	5	4	6258	4263	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7008.399902	5013.399902	5013.399902	1.11991
7043	006A	2503	0.06	1215	1	55	80	2.5	5	4	6258	5043	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7008.399902	5793.399902	5793.399902	1.11991
7043	006B	2502	0.06	1215	1	55	80	2.5	5	4	6255	5040	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7005.600098	5790.600098	5790.600098	1.12
7043	006C	2502	0.06	1215	1	55	80	2.5	5	4	6255	5040	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7005.600098	5790.600098	5790.600098	1.12
7043	006D	2501	0.06	1494	1	55	80	2.5	5	4	6252	4758	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7002.799805	5508.799805	5508.799805	1.12009
7043	006E	2501	0.06	1215	1	55	80	2.5	5	4	6252	5037	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7002.799805	5787.799805	5787.799805	1.12009
7043	006F	2500	0.06	1215	1	55	80	2.5	5	4	6250	5035	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5785	5785	1.12
7043	007	2500	0.06	1395	1	55	80	2.5	5	4	6250	4855	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5605	5605	1.12
7043	007A	2499	0.06	2152	1	55	80	2.5	5	4	6248	4096	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6997.199707	4845.199707	4845.199707	1.11991
7043	007B	2070	0.05	1250	1	55	80	2.5	4	3	5175	3925	RH-1	40	density-lim	3000			0.7	4	1	3	3	5796	4546	4546	1.12
7043	007C	1873	0.04	1215	1	55	80	2.5	3	2	4682	3467	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5244.399902	4029.399902	4029.399902	1.12012
7043	007E	1938	0.04	930	1	55	80	2.5	3	2	4845	3915	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5426.399902	4496.399902	4496.399902	1.12
7043	007F	1937	0.04	930	1	55	80	2.5	3	2	4842	3912	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5423.600098	4493.600098	4493.600098	1.120116

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7043	008A	1875	0.04	1010	1	55	80	2.5	3	2	4688	3678	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4240	4240	1.119881
7043	008B	2056	0.05	1130	1	55	80	2.5	4	3	5140	4010	RH-1	40	density-lim	3000			0.7	4	1	3	3	5756.799805	4626.799805	4626.799805	1.12
7043	008C	2500	0.06	1010	1	55	80	2.5	5	4	6250	5240	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5990	5990	1.12
7043	008D	2500	0.06	1130	1	55	80	2.5	5	4	6250	5120	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5870	5870	1.12
7043	008E	2500	0.06	1060	1	55	80	2.5	5	4	6250	5190	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5940	5940	1.12
7043	008F	2500	0.06	1010	1	55	80	2.5	5	4	6250	5240	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5990	5990	1.12
7043	008G	2500	0.06	1010	1	65	100	3	6	5	7500	6490	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5990	5990	0.933333
7043	009	2500	0.06	1010	1	65	100	3	6	5	7500	6490	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5990	5990	0.933333
7043	009A	2500	0.06	1010	1	65	100	3	6	5	7500	6490	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5990	5990	0.933333
7043	009B	2500	0.06	1010	1	65	100	3	6	5	7500	6490	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5990	5990	0.933333
7043	009C	2500	0.06	1010	1	65	100	3	6	5	7500	6490	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5990	5990	0.933333
7043	014C	2080	0.05	1000	1	65	100	3	5	4	6240	5240	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5824	4824	4824	0.933333
7043	009D	2500	0.06	1010	1	65	100	3	6	5	7500	6490	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5990	5990	0.933333
7043	009E	1915	0.04	930	1	65	100	3	4	3	5745	4815	RH-1	40	density-lim	3000			0.7	4	1	3	3	5362	4432	4432	0.933333
7043	009G	1915	0.04	930	1	65	100	3	4	3	5745	4815	RH-1	40	density-lim	3000			0.7	4	1	3	3	5362	4432	4432	0.933333
7043	009H	1915	0.04	930	1	65	100	3	4	3	5745	4815	RH-1	40	density-lim	3000			0.7	4	1	3	3	5362	4432	4432	0.933333
7043	010A	2195	0.05	1000	1	65	100	3	5	4	6585	5585	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6146	5146	5146	0.933333
7043	010B	2194	0.05	1180	1	65	100	3	5	4	6582	5402	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6143.199707	4963.199707	4963.199707	0.933333
7043	010C	2193	0.05	1000	1	65	100	3	5	4	6579	5579	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6140.399902	5140.399902	5140.399902	0.933333
7043	010D	2192	0.05	1176	1	65	100	3	5	4	6576	5400	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6137.600098	4961.600098	4961.600098	0.933333
7043	010E	2191	0.05	1000	1	65	100	3	5	4	6573	5573	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6134.799805	5134.799805	5134.799805	0.933333
7043	010F	2173	0.05	1000	1	65	100	3	5	4	6519	5519	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6084.399902	5084.399902	5084.399902	0.933333
7043	010G	2732	0.06	1624	1	65	100	3	6	5	8196	6572	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7649.600098	6025.600098	6025.600098	0.933333
7043	011	3075	0.07	1214	1	65	100	3	7	6	9225	8011	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8610	7396	7396	0.933333
7043	011A	3076	0.07	1781	1	65	100	3	7	6	9228	7447	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8612.799805	6831.799805	6831.799805	0.933333
7043	011B	3077	0.07	1214	1	65	100	3	7	6	9231	8017	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8615.599609	7401.599609	7401.599609	0.933333
7043	011C	3078	0.07	1214	1	65	100	3	7	6	9234	8020	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8618.399414	7404.399414	7404.399414	0.933333
7043	011D	3080	0.07	1934	1	65	100	3	7	6	9240	7306	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8624	6690	6690	0.933333
7043	011E	3081	0.07	1077	1	65	100	3	7	6	9243	8166	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8626.799805	7549.799805	7549.799805	0.933333
7043	011F	2964	0.07	1400	1	65	100	3	7	6	8892	7492	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8299.200195	6899.200195	6899.200195	0.933333
7043	011G	2965	0.07	1400	1	65	100	3	7	6	8895	7495	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8302	6902	6902	0.933333
7043	011H	3559	0.08	1783	1	65	100	3	8	7	10677	8894	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9965.200195	8182.200195	8182.200195	0.933333
7043	012	3084	0.07	1377	1	65	100	3	7	6	9252	7875	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8635.200195	7258.200195	7258.200195	0.933333
7043	012A	3084	0.07	977	1	65	100	3	7	6	9252	8275	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8635.200195	7658.200195	7658.200195	0.933333
7043	012B	3084	0.07	1754	1	65	100	3	7	6	9252	7498	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8635.200195	6881.200195	6881.200195	0.933333
7043	012C	3084	0.07	1150	1	65	100	3	7	6	9252	8102	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8635.200195	7485.200195	7485.200195	0.933333
7043	012D	3084	0.07	1560	1	65	100	3	7	6	9252	7692	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8635.200195	7075.200195	7075.200195	0.933333
7043	012E	3084	0.07	1000	1	65	100	3	7	6	9252	8252	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8635.200195	7635.200195	7635.200195	0.933333
7043	013	2965	0.07	1738	1	65	100	3	7	6	8895	7157	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8302	6564	6564	0.933333
7043	013A	2965	0.07	1650	1	65	100	3	7	6	8895	7245	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8302	6652	6652	0.933333
7043	013B	3558	0.08	1400	1	65	100	3	8	7	10674	9274	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9962.399414	8562.399414	8562.399414	0.933333
7043	014A	2080	0.05	1638	1	65	100	3	5	4	6240	4602	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5824	4186	4186	0.933333
7043	014B	2080	0.05	1818	1	65	100	3	5	4	6240	4422	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5824	4006	4006	0.933333
7043	014D	2080	0.05	1050	1	65	100	3	5	4	6240	5190	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5824	4774	4774	0.933333
7043	014E	2080	0.05	1555	1	65	100	3	5	4	6240	4685	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5824	4269	4269	0.933333
7043	014F	2080	0.05	1216	1	65	100	3	5	4	6240	5024	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5824	4608	4608	0.933333
7043	015	2080	0.05	1000	1	65	100	3	5	4	6240	5240	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5824	4824	4824	0.933333
7044A	006A	2025	0.05	1725	1	55	80	2.5	4	3	5062	3337	RH-1	40	density-lim	3000			0.7	4	1	3	3	5670	3945	3945	1.120111
7044A	006C	2025	0.05	1750	1	55	80	2.5	4	3	5062	3312	RH-1	40	density-lim	3000			0.7	4	1	3	3	5670	3920	3920	1.120111
7044A	006E	2025	0.05	1609	1	55	80	2.5	4	3	5062	3453	RH-1	40	density-lim	3000			0.7	4	1	3	3	5670	4061	4061	1.120111
7044A	006F	2025	0.05	1989	1	55	80	2.5	4	3	5062	3073	RH-1	40	density-lim	3000			0.7	4	1	3	3	5670	3681	3681	1.120111
7044A	007	2250	0.05	1940	1	55	80	2.5	4	3	5625	3685	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	4360	4360	1.12
7044A	008	2250	0.05	1350	1	55	80	2.5	4	3	5625	4275	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	4950	4950	1.12
7044A	009	2250	0.05	1350	1	55	80	2.5	4	3	5625	4275	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	4950	4950	1.12
7044A	010	2250	0.05	1932	1	55	80	2.5	4	3	5625	3693	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	4368	4368	1.12
7044A	011	2250	0.05	1325	1	55	80	2.5	4	3	5625	4300	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	4975	4975	1.12
7044A	012	2250	0.05	1325	1	55	80	2.5	4	3	5625	4300	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	4975	4975	1.12
7044A	013	2250	0.05	1950	1	55	80	2.5	4	3	5625	3675	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	4350	4350	1.12
7044A	014	2250	0.05	1474	1	55	80	2.5	4	3	5625	4151	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	4826	4826	1.12
7044A	015	2250	0.05	1350	1	55	80	2.5	4	3	5625	4275	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	4950	4950	1.12
7044A	016	2250	0.05	1800	1	55	80	2.5	4	3	5625	3825	RH-1	40	density-lim	3000			0.7	4	1	3	3	6300	4500	4500	1.12
7044A	019	2113	0.05	1050	1	55	80	2.5	4	3	5282	4232	RH-1	40	density-lim	3000			0.7	4	1	3	3	5916.399902	4866.399902	4866.399902	1.120106
7044B	002	2202	0.05	1800	1	65	100	3	5	4	6606	4806	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6165.600098	4365.600098	4365.600098	0.933333
7044B	003	2202	0.05	1506	1	65	100	3	5	4	6606	5100	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6165.600098	4659.600098	4659.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7044B	004	2202	0.05	1300	1	65	100	3	5	4	6606	5306	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6165.600098	4865.600098	4865.600098	0.933333
7044B	005	2202	0.05	1300	1	55	80	2.5	4	3	5505	4205	RH-1	40	density-lim	3000			0.7	4	1	3	3	6165.600098	4865.600098	4865.600098	1.12
7044B	006	2202	0.05	1565	1	55	80	2.5	4	3	5505	3940	RH-1	40	density-lim	3000			0.7	4	1	3	3	6165.600098	4600.600098	4600.600098	1.12
7044B	007	2202	0.05	1300	1	55	80	2.5	4	3	5505	4205	RH-1	40	density-lim	3000			0.7	4	1	3	3	6165.600098	4865.600098	4865.600098	1.12
7044B	008	2202	0.05	1390	1	55	80	2.5	4	3	5505	4115	RH-1	40	density-lim	3000			0.7	4	1	3	3	6165.600098	4775.600098	4775.600098	1.12
7044B	009	2202	0.05	1300	1	55	80	2.5	4	3	5505	4205	RH-1	40	density-lim	3000			0.7	4	1	3	3	6165.600098	4865.600098	4865.600098	1.12
7044B	010	2202	0.05	1000	1	55	80	2.5	4	3	5505	4505	RH-1	40	density-lim	3000			0.7	4	1	3	3	6165.600098	5165.600098	5165.600098	1.12
7044B	011	2202	0.05	1048	1	55	80	2.5	4	3	5505	4457	RH-1	40	density-lim	3000			0.7	4	1	3	3	6165.600098	5117.600098	5117.600098	1.12
7044B	012	2202	0.05	1371	1	55	80	2.5	4	3	5505	4134	RH-1	40	density-lim	3000			0.7	4	1	3	3	6165.600098	4794.600098	4794.600098	1.12
7044B	014	2202	0.05	1025	1	55	80	2.5	4	3	5505	4480	RH-1	40	density-lim	3000			0.7	4	1	3	3	6165.600098	5140.600098	5140.600098	1.12
7044B	015	2202	0.05	1025	1	55	80	2.5	4	3	5505	4480	RH-1	40	density-lim	3000			0.7	4	1	3	3	6165.600098	5140.600098	5140.600098	1.12
7044B	016	2202	0.05	1175	1	55	80	2.5	4	3	5505	4330	RH-1	40	density-lim	3000			0.7	4	1	3	3	6165.600098	4990.600098	4990.600098	1.12
7044B	019	2188	0.05	1575	1	55	80	2.5	4	3	5470	3895	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	4551.399902	4551.399902	1.12
7044B	020	2188	0.05	1050	1	55	80	2.5	4	3	5470	4420	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	5076.399902	5076.399902	1.12
7044B	021	2188	0.05	1050	1	55	80	2.5	4	3	5470	4420	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	5076.399902	5076.399902	1.12
7044B	022	2188	0.05	1050	1	55	80	2.5	4	3	5470	4420	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	5076.399902	5076.399902	1.12
7044B	023	2188	0.05	1050	1	55	80	2.5	4	3	5470	4420	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	5076.399902	5076.399902	1.12
7044B	024	2188	0.05	1651	1	55	80	2.5	4	3	5470	3819	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	4475.399902	4475.399902	1.12
7044B	025	2188	0.05	1050	1	55	80	2.5	4	3	5470	4420	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	5076.399902	5076.399902	1.12
7044B	026	2188	0.05	1050	1	55	80	2.5	4	3	5470	4420	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	5076.399902	5076.399902	1.12
7044B	027	2188	0.05	1050	1	55	80	2.5	4	3	5470	4420	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	5076.399902	5076.399902	1.12
7044B	028	2188	0.05	1050	1	55	80	2.5	4	3	5470	4420	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	5076.399902	5076.399902	1.12
7044B	029	2188	0.05	1050	1	55	80	2.5	4	3	5470	4420	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	5076.399902	5076.399902	1.12
7044B	030	2188	0.05	1050	1	55	80	2.5	4	3	5470	4420	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	5076.399902	5076.399902	1.12
7044B	031	2188	0.05	1050	1	55	80	2.5	4	3	5470	4420	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	5076.399902	5076.399902	1.12
7044B	032	2188	0.05	1170	1	55	80	2.5	4	3	5470	4300	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	4956.399902	4956.399902	1.12
7044B	033	2188	0.05	1050	1	65	100	3	5	4	6564	5514	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6126.399902	5076.399902	5076.399902	0.933333
7044B	035	2200	0.05	1000	1	65	100	3	5	4	6600	5600	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	5160	5160	0.933333
7044B	036	2200	0.05	2045	1	65	100	3	5	4	6600	4555	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	4115	4115	0.933333
7044B	037	2200	0.05	1358	1	65	100	3	5	4	6600	5242	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	4802	4802	0.933333
7044B	038	2200	0.05	1192	1	65	100	3	5	4	6600	5408	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	4968	4968	0.933333
7044B	039	2200	0.05	925	1	65	100	3	5	4	6600	5675	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	5235	5235	0.933333
7044C	003	2201	0.05	1747	1	55	80	2.5	4	3	5502	3755	RH-1	40	density-lim	3000			0.7	4	1	3	3	6162.799805	4415.799805	4415.799805	1.120102
7044C	004	2202	0.05	1060	1	55	80	2.5	4	3	5505	4445	RH-1	40	density-lim	3000			0.7	4	1	3	3	6165.600098	5105.600098	5105.600098	1.12
7044C	005	2202	0.05	1060	1	55	80	2.5	4	3	5505	4445	RH-1	40	density-lim	3000			0.7	4	1	3	3	6165.600098	5105.600098	5105.600098	1.12
7044C	006	2202	0.05	1645	1	55	80	2.5	4	3	5505	3860	RH-1	40	density-lim	3000			0.7	4	1	3	3	6165.600098	4520.600098	4520.600098	1.12
7044C	007	2203	0.05	1306	1	55	80	2.5	4	3	5508	4202	RH-1	40	density-lim	3000			0.7	4	1	3	3	6168.399902	4862.399902	4862.399902	1.119898
7044C	008	2203	0.05	1480	1	55	80	2.5	4	3	5508	4028	RH-1	40	density-lim	3000			0.7	4	1	3	3	6168.399902	4688.399902	4688.399902	1.119898
7044C	009	2204	0.05	1060	1	55	80	2.5	4	3	5510	4450	RH-1	40	density-lim	3000			0.7	4	1	3	3	6171.199707	5111.199707	5111.199707	1.12
7044C	010	2204	0.05	1660	1	55	80	2.5	4	3	5510	3850	RH-1	40	density-lim	3000			0.7	4	1	3	3	6171.199707	4511.199707	4511.199707	1.12
7044C	011	2204	0.05	1440	1	55	80	2.5	4	3	5510	4070	RH-1	40	density-lim	3000			0.7	4	1	3	3	6171.199707	4731.199707	4731.199707	1.12
7044C	012	2205	0.05	1060	1	55	80	2.5	4	3	5512	4452	RH-1	40	density-lim	3000			0.7	4	1	3	3	6174	5114	5114	1.120102
7044C	013	2205	0.05	1060	1	55	80	2.5	4	3	5512	4452	RH-1	40	density-lim	3000			0.7	4	1	3	3	6174	5114	5114	1.120102
7044C	014	2205	0.05	1060	1	55	80	2.5	4	3	5512	4452	RH-1	40	density-lim	3000			0.7	4	1	3	3	6174	5114	5114	1.120102
7044C	015	2206	0.05	2174	1	55	80	2.5	4	3	5515	3341	RH-1	40	density-lim	3000			0.7	4	1	3	3	6176.799805	4002.799805	4002.799805	1.12
7044C	016	2206	0.05	1180	1	55	80	2.5	4	3	5515	4335	RH-1	40	density-lim	3000			0.7	4	1	3	3	6176.799805	4996.799805	4996.799805	1.12
7044C	018	2208	0.05	1320	1	55	80	2.5	4	3	5520	4200	RH-1	40	density-lim	3000			0.7	4	1	3	3	6182.399902	4862.399902	4862.399902	1.12
7044C	020	2187	0.05	1800	1	55	80	2.5	4	3	5468	3668	RH-1	40	density-lim	3000			0.7	4	1	3	3	6123.600098	4323.600098	4323.600098	1.119898
7044C	021	2188	0.05	1150	1	55	80	2.5	4	3	5470	4320	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	4976.399902	4976.399902	1.12
7044C	022	2187	0.05	1503	1	55	80	2.5	4	3	5468	3965	RH-1	40	density-lim	3000			0.7	4	1	3	3	6123.600098	4620.600098	4620.600098	1.119898
7044C	023	2187	0.05	1150	1	55	80	2.5	4	3	5468	4318	RH-1	40	density-lim	3000			0.7	4	1	3	3	6123.600098	4973.600098	4973.600098	1.119898
7044C	024	2187	0.05	1150	1	55	80	2.5	4	3	5468	4318	RH-1	40	density-lim	3000			0.7	4	1	3	3	6123.600098	4973.600098	4973.600098	1.119898
7044C	025	2187	0.05	1150	1	55	80	2.5	4	3	5468	4318	RH-1	40	density-lim	3000			0.7	4	1	3	3	6123.600098	4973.600098	4973.600098	1.119898
7044C	026	2187	0.05	1050	1	55	80	2.5	4	3	5468	4418	RH-1	40	density-lim	3000			0.7	4	1	3	3	6123.600098	5073.600098	5073.600098	1.119898
7044C	028	2187	0.05	1175	1	55	80	2.5	4	3	5468	4293	RH-1	40	density-lim	3000			0.7	4	1	3	3	6123.600098	4948.600098	4948.600098	1.119898
7044C	029	2188	0.05	1050	1	55	80	2.5	4	3	5470	4420	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	5076.399902	5076.399902	1.12
7044C	030	2188	0.05	1175	1	55	80	2.5	4	3	5470	4295	RH-1	40	density-lim	3000			0.7	4	1	3	3	6126.399902	4951.399902	4951.399902	1.12
7044C	031	2187	0.05	1647	1	55	80	2.5	4	3	5468	3821	RH-1	40	density-lim	3000			0.7	4	1	3	3	6123.600098	4476.600098	4476.600098	1.119898
7044C	032	2187	0.05	1589	1	55	80	2.5	4	3	5468	3879	RH-1	40	density-lim	3000			0.7	4	1	3	3	6123.600098	4534.600098	4534.600098	1.119898
7044C	033	2187	0.05	1050	1	55	80	2.5	4	3	5468	4418	RH-1	40	density-lim	3000			0.7	4	1	3	3	6123.600098	5073.600098	5073.600098	1.119898
7044C	035	2200	0.05	1075	1	65	100	3	5	4	6600	5525	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	5085	5085	0.933333
7044C	036	2200	0.05	1726	1	65	100	3	5	4	6600	4874	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	4434	4434	0.933333
7044C	037	2200	0.05	1525	1	65	100	3	5	4	6600	5075	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	4635	4635	0.933333
7044C	038	2200	0.05	1075	1	65	100	3	5	4	6600	5525	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	5085	5085	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7044C	039	2200	0.05	1195	1	65	100	3	5	4	6600	5405	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	4965	4965	0.933333
7045	001A	2175	0.05	1726	1	65	100	3	5	4	6525	4799	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6090	4364	4364	0.933333
7045	001B	1997	0.05	1350	1	65	100	3	5	4	5991	4641	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5591.600098	4241.600098	4241.600098	0.933333
7045	001C	2165	0.05	1850	1	65	100	3	5	4	6495	4645	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6062	4212	4212	0.933333
7045	006	1909	0.04	1150	1	65	100	3	4	3	5727	4577	RH-1	40	density-lim	3000			0.7	4	1	3	3	5345.199707	4195.199707	4195.199707	0.933333
7045	007	2070	0.05	1200	1	65	100	3	5	4	6210	5010	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5796	4596	4596	0.933333
7045A	002	2194	0.05	1775	1	65	100	3	5	4	6582	4807	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6143.199707	4368.199707	4368.199707	0.933333
7045A	003	2194	0.05	1375	1	65	100	3	5	4	6582	5207	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6143.199707	4768.199707	4768.199707	0.933333
7045A	004	2194	0.05	1375	1	65	100	3	5	4	6582	5207	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6143.199707	4768.199707	4768.199707	0.933333
7045B	026	2125	0.05	1340	1	65	100	3	5	4	6375	5035	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4610	4610	0.933333
7045B	027	2125	0.05	1220	1	65	100	3	5	4	6375	5155	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4730	4730	0.933333
7046A	001G	2008	0.05	1150	1	65	100	3	5	4	6024	4874	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5622.399902	4472.399902	4472.399902	0.933333
7045B	014	1886	0.04	1645	1	65	100	3	4	3	5658	4013	RH-1	40	density-lim	3000			0.7	4	1	3	3	5280.799805	3635.799805	3635.799805	0.933333
7045A	006	2158	0.05	1201	1	65	100	3	5	4	6474	5273	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6042.399902	4841.399902	4841.399902	0.933333
7045A	007	2188	0.05	1711	1	65	100	3	5	4	6564	4853	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6126.399902	4415.399902	4415.399902	0.933333
7045A	008	2188	0.05	1520	1	65	100	3	5	4	6564	5044	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6126.399902	4606.399902	4606.399902	0.933333
7045A	009	2187	0.05	1230	1	65	100	3	5	4	6561	5331	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6123.600098	4893.600098	4893.600098	0.933333
7045A	011	2000	0.05	1010	1	65	100	3	5	4	6000	4990	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4590	4590	0.933333
7045A	012	2000	0.05	1010	1	65	100	3	5	4	6000	4990	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4590	4590	0.933333
7045A	013	2000	0.05	1718	1	65	100	3	5	4	6000	4282	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	3882	3882	0.933333
7045A	014	2000	0.05	1010	1	65	100	3	5	4	6000	4990	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4590	4590	0.933333
7045A	015	2000	0.05	1010	1	65	100	3	5	4	6000	4990	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4590	4590	0.933333
7045B	002	2195	0.05	2175	1	65	100	3	5	4	6585	4410	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6146	3971	3971	0.933333
7045B	003	2196	0.05	1340	1	65	100	3	5	4	6588	5248	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4808.799805	4808.799805	0.933333
7045B	004	2196	0.05	1612	1	65	100	3	5	4	6588	4976	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6148.799805	4536.799805	4536.799805	0.933333
7045B	023	2125	0.05	1210	1	65	100	3	5	4	6375	5165	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4740	4740	0.933333
7045B	006	2727	0.06	1418	1	65	100	3	6	5	8181	6763	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7635.600098	6217.600098	6217.600098	0.933333
7045B	007	2560	0.06	1300	1	65	100	3	6	5	7680	6380	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7168	5868	5868	0.933333
7045B	008	2393	0.05	1300	1	65	100	3	5	4	7179	5879	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6700.399902	5400.399902	5400.399902	0.933333
7045B	009	2266	0.05	1170	1	65	100	3	5	4	6798	5628	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6344.799805	5174.799805	5174.799805	0.933333
7045B	010	2162	0.05	1714	1	65	100	3	5	4	6486	4772	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6053.600098	4339.600098	4339.600098	0.933333
7045B	011	2604	0.06	1170	1	65	100	3	6	5	7812	6642	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7291.199707	6121.199707	6121.199707	0.933333
7045B	012	2222	0.05	1300	1	65	100	3	5	4	6666	5366	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6221.600098	4921.600098	4921.600098	0.933333
7045B	013	2054	0.05	1602	1	65	100	3	5	4	6162	4560	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5751.199707	4149.199707	4149.199707	0.933333
7045B	016	2203	0.05	1380	1	65	100	3	5	4	6609	5229	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6168.399902	4788.399902	4788.399902	0.933333
7045B	017	2203	0.05	1200	1	65	100	3	5	4	6609	5409	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6168.399902	4968.399902	4968.399902	0.933333
7045B	018	2203	0.05	1125	1	65	100	3	5	4	6609	5484	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6168.399902	5043.399902	5043.399902	0.933333
7045B	019	2203	0.05	1365	1	65	100	3	5	4	6609	5244	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6168.399902	4803.399902	4803.399902	0.933333
7045B	020	2203	0.05	1923	1	65	100	3	5	4	6609	4686	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6168.399902	4245.399902	4245.399902	0.933333
7045B	021	2203	0.05	1125	1	65	100	3	5	4	6609	5484	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6168.399902	5043.399902	5043.399902	0.933333
7045B	024	2125	0.05	1424	1	65	100	3	5	4	6375	4951	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4526	4526	0.933333
7045B	025	2125	0.05	1340	1	65	100	3	5	4	6375	5035	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4610	4610	0.933333
7045B	029	2186	0.05	1025	1	65	100	3	5	4	6558	5533	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6120.799805	5095.799805	5095.799805	0.933333
7045B	030	2187	0.05	1025	1	65	100	3	5	4	6561	5536	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6123.600098	5098.600098	5098.600098	0.933333
7045B	031	2187	0.05	1025	1	65	100	3	5	4	6561	5536	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6123.600098	5098.600098	5098.600098	0.933333
7045B	032	2201	0.05	1527	1	65	100	3	5	4	6603	5076	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6162.799805	4635.799805	4635.799805	0.933333
7046A	001	2178	0.05	1150	1	65	100	3	5	4	6534	5384	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6098.399902	4948.399902	4948.399902	0.933333
7046A	001A	1991	0.05	1150	1	65	100	3	5	4	5973	4823	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5574.799805	4424.799805	4424.799805	0.933333
7046A	001C	1976	0.05	1150	1	65	100	3	5	4	5928	4778	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5532.799805	4382.799805	4382.799805	0.933333
7046A	001D	1991	0.05	1150	1	65	100	3	5	4	5973	4823	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5574.799805	4424.799805	4424.799805	0.933333
7046A	001E	1991	0.05	1000	1	65	100	3	5	4	5973	4973	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5574.799805	4574.799805	4574.799805	0.933333
7046A	001F	1991	0.05	1150	1	65	100	3	5	4	5973	4823	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5574.799805	4424.799805	4424.799805	0.933333
7046A	002	2194	0.05	1250	1	65	100	3	5	4	6582	5332	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6143.199707	4893.199707	4893.199707	0.933333
7046A	003	2194	0.05	2150	1	65	100	3	5	4	6582	4432	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6143.199707	3993.199707	3993.199707	0.933333
7046A	004	2194	0.05	1125	1	65	100	3	5	4	6582	5457	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6143.199707	5018.199707	5018.199707	0.933333
7046A	005	2194	0.05	1777	1	65	100	3	5	4	6582	4805	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6143.199707	4366.199707	4366.199707	0.933333
7046A	006	2194	0.05	1600	1	65	100	3	5	4	6582	4982	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6143.199707	4543.199707	4543.199707	0.933333
7046A	007	2194	0.05	1225	1	65	100	3	5	4	6582	5357	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6143.199707	4918.199707	4918.199707	0.933333
7046A	010	2125	0.05	1592	1	65	100	3	5	4	6375	4783	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4358	4358	0.933333
7046A	011	2125	0.05	1025	1	65	100	3	5	4	6375	5350	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4925	4925	0.933333
7046A	012	2125	0.05	1980	1	65	100	3	5	4	6375	4395	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	3970	3970	0.933333
7046A	013	2125	0.05	1025	1	65	100	3	5	4	6375	5350	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4925	4925	0.933333
7046A	014	2120	0.05	1753	1	65	100	3	5	4	6360	4607	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5936	4183	4183	0.933333
7046A	015	2187	0.05	1250	1	65	100	3	5	4	6561	5311	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6123.600098	4873.600098	4873.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7046A	016	2187	0.05	1250	1	65	100	3	5	4	6561	5311	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6123.600098	4873.600098	4873.600098	0.933333
7046A	017	2187	0.05	1250	1	65	100	3	5	4	6561	5311	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6123.600098	4873.600098	4873.600098	0.933333
7046A	018	2188	0.05	1465	1	65	100	3	5	4	6564	5099	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6126.399902	4661.399902	4661.399902	0.933333
7046A	019	2187	0.05	1921	1	65	100	3	5	4	6561	4640	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6123.600098	4202.600098	4202.600098	0.933333
7046A	020	2363	0.05	1150	1	65	100	3	5	4	7089	5939	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6616.399902	5466.399902	5466.399902	0.933333
7046A	026	2508	0.06	1390	1	65	100	3	6	5	7524	6134	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5632.399902	5632.399902	0.933333
7046A	027	9492	0.22	1964	1	65	100	3	22	21	28476	26512	RH-1	40	density-lim	3000			0.7	4	0.181818187	3	3	26577.59961	24613.59961	24613.59961	0.933333
7046B	001	4197	0.1	907	1	65	100	3	10	9	12591	11684	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	11751.59961	10844.59961	10844.59961	0.933333
7046B	002	2500	0.06	1144	1	65	100	3	6	5	7500	6356	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5856	5856	0.933333
7046B	004	2181	0.05	1125	1	65	100	3	5	4	6543	5418	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6106.799805	4981.799805	4981.799805	0.933333
7046B	005	2181	0.05	1575	1	65	100	3	5	4	6543	4968	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6106.799805	4531.799805	4531.799805	0.933333
7046B	006	2182	0.05	1237	1	65	100	3	5	4	6546	5309	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6109.600098	4872.600098	4872.600098	0.933333
7046B	007	2182	0.05	1040	1	65	100	3	5	4	6546	5506	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6109.600098	5069.600098	5069.600098	0.933333
7046B	008	2183	0.05	1040	1	65	100	3	5	4	6549	5509	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6112.399902	5072.399902	5072.399902	0.933333
7046B	010	2125	0.05	1924	1	65	100	3	5	4	6375	4451	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4026	4026	0.933333
7046B	011	2125	0.05	1874	1	65	100	3	5	4	6375	4501	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4076	4076	0.933333
7046B	012	2125	0.05	1238	1	65	100	3	5	4	6375	5137	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4712	4712	0.933333
7046B	013	2125	0.05	1938	1	65	100	3	5	4	6375	4437	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4012	4012	0.933333
7046B	014	2125	0.05	1238	1	65	100	3	5	4	6375	5137	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4712	4712	0.933333
7046B	016	2203	0.05	1150	1	65	100	3	5	4	6609	5459	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6168.399902	5018.399902	5018.399902	0.933333
7046B	017	2203	0.05	1300	1	65	100	3	5	4	6609	5309	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6168.399902	4868.399902	4868.399902	0.933333
7046B	018	2203	0.05	1300	1	65	100	3	5	4	6609	5309	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6168.399902	4868.399902	4868.399902	0.933333
7046B	019	2203	0.05	1800	1	65	100	3	5	4	6609	4809	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6168.399902	4368.399902	4368.399902	0.933333
7046B	020	2203	0.05	1300	1	65	100	3	5	4	6609	5309	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6168.399902	4868.399902	4868.399902	0.933333
7046B	022	2467	0.06	1512	1	65	100	3	6	5	7401	5889	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6907.600098	5395.600098	5395.600098	0.933333
7046B	023	3893	0.09	1512	1	65	100	3	9	8	11679	10167	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10900.39941	9388.399414	9388.399414	0.933333
7046B	025	2124	0.05	1843	1	65	100	3	5	4	6372	4529	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5947.199707	4104.199707	4104.199707	0.933333
7052	004	3037	0.07	1234	1	55	80	2.5	6	5	7592	6358	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8503.599609	7269.599609	7269.599609	1.120074
7052	005	3041	0.07	2250	1	55	80	2.5	6	5	7602	5352	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8514.799805	6264.799805	6264.799805	1.120074
7052	006	3046	0.07	2039	1	55	80	2.5	6	5	7615	5576	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8528.799805	6489.799805	6489.799805	1.12
7052	007	3050	0.07	2039	1	55	80	2.5	6	5	7625	5586	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8540	6501	6501	1.12
7052	008	3055	0.07	1275	1	55	80	2.5	6	5	7638	6363	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8554	7279	7279	1.119927
7052	009	3060	0.07	1275	1	55	80	2.5	6	5	7650	6375	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8568	7293	7293	1.12
7052	011	1750	0.04	1350	1	55	80	2.5	3	2	4375	3025	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3550	3550	1.12
7052	013	2634	0.06	1318	1	55	80	2.5	5	4	6585	5267	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7375.199707	6057.199707	6057.199707	1.12
7052	013A	2400	0.06	1190	1	55	80	2.5	5	4	6000	4810	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6720	5530	5530	1.12
7052	016	2478	0.06	803	1	55	80	2.5	5	4	6195	5392	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6938.399902	6135.399902	6135.399902	1.12
7052	017	2478	0.06	1432	1	55	80	2.5	5	4	6195	4763	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6938.399902	5506.399902	5506.399902	1.12
7052	018	2478	0.06	650	1	65	100	3	6	5	7434	6784	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6938.399902	6288.399902	6288.399902	0.933333
7052	019	2478	0.06	1060	1	65	100	3	6	5	7434	6374	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6938.399902	5878.399902	5878.399902	0.933333
7052	020	2478	0.06	1166	1	65	100	3	6	5	7434	6268	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6938.399902	5772.399902	5772.399902	0.933333
7052	021	2478	0.06	1100	1	65	100	3	6	5	7434	6334	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6938.399902	5838.399902	5838.399902	0.933333
7052	022	2478	0.06	1100	1	65	100	3	6	5	7434	6334	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6938.399902	5838.399902	5838.399902	0.933333
7052	023	2478	0.06	1100	1	65	100	3	6	5	7434	6334	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6938.399902	5838.399902	5838.399902	0.933333
7052	031	3358	0.08	2392	1	65	100	3	8	7	10074	7682	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9402.399414	7010.399414	7010.399414	0.933333
7052	034	2957	0.07	1705	1	65	100	3	7	6	8871	7166	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8279.599609	6574.599609	6574.599609	0.933333
7052	035	3310	0.08	1705	1	65	100	3	8	7	9930	8225	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9268	7563	7563	0.933333
7052	036	3014	0.07	1705	1	65	100	3	7	6	9042	7337	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8439.200195	6734.200195	6734.200195	0.933333
7052	037	3018	0.07	1705	1	65	100	3	7	6	9054	7349	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8450.399414	6745.399414	6745.399414	0.933333
7052	038	3023	0.07	1705	1	65	100	3	7	6	9069	7364	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8464.399414	6759.399414	6759.399414	0.933333
7052	039	3027	0.07	1705	1	65	100	3	7	6	9081	7376	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8475.599609	6770.599609	6770.599609	0.933333
7052	040	3032	0.07	2330	1	55	80	2.5	6	5	7580	5250	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8489.599609	6159.599609	6159.599609	1.12
7052	043	2495	0.06	0	1	65	100	3	6	5	7485	7485	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	6986	6986	0.933333
7052	046	5104	0.12	1728	1	65	100	3	12	11	15312	13584	RH-1	40	density-lim	3000			0.7	4	0.333333343	3	3	14291.2002	12563.2002	12563.2002	0.933333
7052	047	2539	0.06	2650	1	65	100	3	6	5	7617	4967	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7109.199707	4459.199707	4459.199707	0.933333
7052	048	2189	0.05	2000	1	55	80	2.5	4	3	5472	3472	RH-1	40	density-lim	3000			0.7	4	1	3	3	6129.199707	4129.199707	4129.199707	1.120102
7053	001A	2823	0.06	840	1	55	80	2.5	5	4	7058	6218	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7904.399902	7064.399902	7064.399902	1.119921
7053	002	2539	0.06	876	1	55	80	2.5	5	4	6348	5472	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7109.199707	6233.199707	6233.199707	1.119912
7053	002A	2526	0.06	1588	1	55	80	2.5	5	4	6315	4727	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7072.799805	5484.799805	5484.799805	1.12
7053	003	2524	0.06	1260	1	55	80	2.5	5	4	6310	5050	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7067.199707	5807.199707	5807.199707	1.12
7053	003A	1896	0.04	630	1	55	80	2.5	3	2	4740	4110	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5308.799805	4678.799805	4678.799805	1.12
7053	003B	1894	0.04	630	1	55	80	2.5	3	2	4735	4105	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5303.199707	4673.199707	4673.199707	1.12
7053	003D	1807	0.04	1165	1	55	80	2.5	3	2	4518	3353	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5059.600098	3894.600098	3894.600098	1.119876
7053	003E	3060	0.07	1081	1	55	80	2.5	6	5	7650	6569	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8568	7487	7487	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7053	003F	3063	0.07	781	1	55	80	2.5	6	5	7658	6877	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8576.399414	7795.399414	7795.399414	1.119927
7053	003G	3066	0.07	781	1	55	80	2.5	6	5	7665	6884	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8584.799805	7803.799805	7803.799805	1.12
7053	003H	3070	0.07	781	1	55	80	2.5	6	5	7675	6894	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8596	7815	7815	1.12
7053	004	3073	0.07	781	1	55	80	2.5	6	5	7682	6901	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8604.399414	7823.399414	7823.399414	1.120073
7053	004A	3076	0.07	1245	1	55	80	2.5	6	5	7690	6445	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8612.799805	7367.799805	7367.799805	1.12
7053	004B	3079	0.07	935	1	55	80	2.5	6	5	7698	6763	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8621.200195	7686.200195	7686.200195	1.119927
7053	004C	3082	0.07	781	1	55	80	2.5	6	5	7705	6924	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8629.599609	7848.599609	7848.599609	1.12
7053	004D	3085	0.07	1902	1	55	80	2.5	6	5	7712	5810	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8638	6736	6736	1.120073
7053	004E	3088	0.07	781	1	55	80	2.5	6	5	7720	6939	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8646.399414	7865.399414	7865.399414	1.12
7053	004F	3091	0.07	781	1	55	80	2.5	6	5	7728	6947	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8654.799805	7873.799805	7873.799805	1.119928
7053	004G	3094	0.07	1032	1	55	80	2.5	6	5	7735	6703	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8663.200195	7631.200195	7631.200195	1.12
7053	005	3097	0.07	1240	1	55	80	2.5	6	5	7742	6502	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8671.599609	7431.599609	7431.599609	1.120072
7053	005A	3100	0.07	781	1	55	80	2.5	6	5	7750	6969	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8680	7899	7899	1.12
7053	005B	3103	0.07	1493	1	55	80	2.5	6	5	7758	6265	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8688.399414	7195.399414	7195.399414	1.119928
7053	005C	3106	0.07	2320	1	55	80	2.5	6	5	7765	5445	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8696.799805	6376.799805	6376.799805	1.12
7053	005D	3109	0.07	1111	1	55	80	2.5	6	5	7772	6661	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8705.200195	7594.200195	7594.200195	1.120072
7053	006	3121	0.07	969	1	55	80	2.5	6	5	7802	6833	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8738.799805	7769.799805	7769.799805	1.120072
7053	007	3124	0.07	1350	1	55	80	2.5	6	5	7810	6460	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8747.200195	7397.200195	7397.200195	1.12
7053	008	3127	0.07	1558	1	55	80	2.5	6	5	7818	6260	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8755.599609	7197.599609	7197.599609	1.119928
7053	009	3130	0.07	1616	1	55	80	2.5	6	5	7825	6209	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8764	7148	7148	1.12
7053	010	3133	0.07	1094	1	55	80	2.5	6	5	7832	6738	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8772.399414	7678.399414	7678.399414	1.120071
7053	012	4875	0.11	2604	1	55	80	2.5	9	8	12188	9584	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13650	11046	11046	1.119954
7053	014	1875	0.04	860	1	55	80	2.5	3	2	4688	3828	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4390	4390	1.119881
7053	014A	1875	0.04	980	1	55	80	2.5	3	2	4688	3708	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4270	4270	1.119881
7053	015	1875	0.04	1014	1	55	80	2.5	3	2	4688	3674	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4236	4236	1.119881
7053	017	2500	0.06	1002	1	55	80	2.5	5	4	6250	5248	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5998	5998	1.12
7053	019	2500	0.06	1465	1	55	80	2.5	5	4	6250	4785	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5535	5535	1.12
7053	020	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5900	5900	1.12
7053	021	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5900	5900	1.12
7053	022	2500	0.06	1100	1	55	80	2.5	5	4	6250	5150	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5900	5900	1.12
7053	023	2500	0.06	1480	1	55	80	2.5	5	4	6250	4770	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5520	5520	1.12
7053	024	2500	0.06	1527	1	55	80	2.5	5	4	6250	4723	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5473	5473	1.12
7053	025	3750	0.09	1389	1	55	80	2.5	7	6	9375	7986	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	10500	9111	9111	1.12
7053	027	3750	0.09	900	1	55	80	2.5	7	6	9375	8475	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	10500	9600	9600	1.12
7053	028	2500	0.06	1634	1	55	80	2.5	5	4	6250	4616	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5366	5366	1.12
7053	029	2500	0.06	1857	1	55	80	2.5	5	4	6250	4393	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5143	5143	1.12
7053	030	2500	0.06	1037	1	55	80	2.5	5	4	6250	5213	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5963	5963	1.12
7053	031	2500	0.06	880	1	55	80	2.5	5	4	6250	5370	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6120	6120	1.12
7053	032	2500	0.06	1187	1	55	80	2.5	5	4	6250	5063	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5813	5813	1.12
7053	033	2500	0.06	912	1	55	80	2.5	5	4	6250	5338	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6088	6088	1.12
7053	035	2500	0.06	912	1	55	80	2.5	5	4	6250	5338	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6088	6088	1.12
7053	036	2500	0.06	912	1	55	80	2.5	5	4	6250	5338	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6088	6088	1.12
7053	037	2500	0.06	1625	1	55	80	2.5	5	4	6250	4625	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5375	5375	1.12
7053	039	2500	0.06	1160	1	55	80	2.5	5	4	6250	5090	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5840	5840	1.12
7053	040	2500	0.06	1782	1	55	80	2.5	5	4	6250	4468	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5218	5218	1.12
7053	041	2500	0.06	1236	1	55	80	2.5	5	4	6250	5014	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5764	5764	1.12
7053	042	2500	0.06	2528	1	55	80	2.5	5	4	6250	3722	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4472	4472	1.12
7053	045	2268	0.05	1386	1	55	80	2.5	4	3	5670	4284	RH-1	40	density-lim	3000			0.7	4	1	3	3	6350.399902	4964.399902	4964.399902	1.12
7053	047	3112	0.07	1845	1	55	80	2.5	6	5	7780	5935	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8713.599609	6868.599609	6868.599609	1.12
7053	048	3115	0.07	1845	1	55	80	2.5	6	5	7788	5943	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8722	6877	6877	1.119928
7053	049	3118	0.07	1845	1	55	80	2.5	6	5	7795	5950	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8730.399414	6885.399414	6885.399414	1.12
7054	002	1577	0.04	1065	1	55	80	2.5	3	2	3942	2877	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4415.600098	3350.600098	3350.600098	1.120142
7054	002A	1561	0.04	1086	1	55	80	2.5	3	2	3902	2816	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4370.799805	3284.799805	3284.799805	1.120143
7054	003	2409	0.06	1254	1	55	80	2.5	5	4	6022	4768	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6745.199707	5491.199707	5491.199707	1.120093
7054	003A	2005	0.05	1422	1	55	80	2.5	4	3	5012	3590	RH-1	40	density-lim	3000			0.7	4	1	3	3	5614	4192	4192	1.120112
7054	003B	2006	0.05	1086	1	55	80	2.5	4	3	5015	3929	RH-1	40	density-lim	3000			0.7	4	1	3	3	5616.799805	4530.799805	4530.799805	1.12
7054	004	2007	0.05	1086	1	55	80	2.5	4	3	5018	3932	RH-1	40	density-lim	3000			0.7	4	1	3	3	5619.600098	4533.600098	4533.600098	1.119888
7054	005	3198	0.07	1111	1	55	80	2.5	6	5	7995	6884	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8954.399414	7843.399414	7843.399414	1.12
7054	006	3201	0.07	1111	1	55	80	2.5	6	5	8002	6891	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8962.799805	7851.799805	7851.799805	1.12007
7054	007	3204	0.07	1353	1	55	80	2.5	6	5	8010	6657	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8971.200195	7618.200195	7618.200195	1.12
7054	008	3207	0.07	2220	1	55	80	2.5	6	5	8018	5798	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8979.599609	6759.599609	6759.599609	1.11993
7054	009	3210	0.07	1622	1	55	80	2.5	6	5	8025	6403	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8988	7366	7366	1.12
7054	010	3213	0.07	850	1	55	80	2.5	6	5	8032	7182	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8996.399414	8146.399414	8146.399414	1.12007
7054	011	3216	0.07	2070	1	55	80	2.5	6	5	8040	5970	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9004.799805	6934.799805	6934.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7054	012	3305	0.08	1045	1	55	80	2.5	6	5	8262	7217	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9254	8209	8209	1.120068
7054	013	3136	0.07	1554	1	55	80	2.5	6	5	7840	6286	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8780.799805	7226.799805	7226.799805	1.12
7054	014	3225	0.07	1698	1	55	80	2.5	6	5	8062	6364	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9030	7332	7332	1.12007
7054	015	3228	0.07	1125	1	55	80	2.5	6	5	8070	6945	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9038.399414	7913.399414	7913.399414	1.12
7054	016	3231	0.07	1610	1	55	80	2.5	6	5	8078	6468	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9046.799805	7436.799805	7436.799805	1.119931
7054	019	3241	0.07	1262	1	55	80	2.5	6	5	8102	6840	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9074.799805	7812.799805	7812.799805	1.120069
7054	021	3247	0.07	1531	1	55	80	2.5	6	5	8118	6587	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9091.599609	7560.599609	7560.599609	1.119931
7054	022	3250	0.07	2365	1	55	80	2.5	6	5	8125	5760	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9100	6735	6735	1.12
7054	023	3253	0.07	1105	1	55	80	2.5	6	5	8132	7027	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9108.399414	8003.399414	8003.399414	1.120069
7054	024	3256	0.07	1580	1	55	80	2.5	6	5	8140	6560	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9116.799805	7536.799805	7536.799805	1.12
7054	025	3259	0.07	1105	1	65	100	3	7	6	9777	8672	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9125.200195	8020.200195	8020.200195	0.933333
7054	026	3262	0.07	1258	1	65	100	3	7	6	9786	8528	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9133.599609	7875.599609	7875.599609	0.933333
7054	028	3268	0.08	1000	1	65	100	3	8	7	9804	8804	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9150.399414	8150.399414	8150.399414	0.933333
7054	029	3271	0.08	1050	1	65	100	3	8	7	9813	8763	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9158.799805	8108.799805	8108.799805	0.933333
7054	030	3274	0.08	850	1	65	100	3	8	7	9822	8972	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9167.200195	8317.200195	8317.200195	0.933333
7054	031	3277	0.08	1117	1	65	100	3	8	7	9831	8714	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9175.599609	8058.599609	8058.599609	0.933333
7054	033	4602	0.11	750	1	65	100	3	11	10	13806	13056	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	12885.59961	12135.59961	12135.59961	0.933333
7054	034	3291	0.08	750	1	65	100	3	8	7	9873	9123	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9214.799805	8464.799805	8464.799805	0.933333
7054	035	2669	0.06	750	1	65	100	3	6	5	8007	7257	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7473.199707	6723.199707	6723.199707	0.933333
7054	036A	1875	0.04	1050	1	65	100	3	4	3	5625	4575	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4200	4200	0.933333
7054	036B	1875	0.04	1125	1	65	100	3	4	3	5625	4500	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4125	4125	0.933333
7054	036C	1875	0.04	1250	1	65	100	3	4	3	5625	4375	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4000	4000	0.933333
7054	036D	2500	0.06	750	1	65	100	3	6	5	7500	6750	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6250	6250	0.933333
7054	043	2500	0.06	3200	1	55	80	2.5	5	4	6250	3050	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	3800	3800	1.12
7054	044	2500	0.06	1442	1	55	80	2.5	5	4	6250	4808	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5558	5558	1.12
7054	045	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6000	6000	1.12
7054	046	2500	0.06	1603	1	55	80	2.5	5	4	6250	4647	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5397	5397	1.12
7054	047	2500	0.06	1000	1	55	80	2.5	5	4	6250	5250	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6000	6000	1.12
7054	048	2500	0.06	2877	1	55	80	2.5	5	4	6250	3373	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4123	4123	1.12
7054	049	2500	0.06	1225	1	55	80	2.5	5	4	6250	5025	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5775	5775	1.12
7054	051	2500	0.06	780	1	55	80	2.5	5	4	6250	5470	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6220	6220	1.12
7054	052	4300	0.1	2037	1	55	80	2.5	8	7	10750	8713	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12040	10003	10003	1.12
7054	053	3200	0.07	996	1	55	80	2.5	6	5	8000	7004	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8960	7964	7964	1.12
7054	055	2500	0.06	1198	1	55	80	2.5	5	4	6250	5052	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5802	5802	1.12
7054	056	2500	0.06	672	1	55	80	2.5	5	4	6250	5578	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6328	6328	1.12
7054	057	2500	0.06	672	1	55	80	2.5	5	4	6250	5578	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6328	6328	1.12
7054	058	2500	0.06	672	1	55	80	2.5	5	4	6250	5578	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6328	6328	1.12
7054	059	2500	0.06	1322	1	55	80	2.5	5	4	6250	4928	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5678	5678	1.12
7054	060	2500	0.06	672	1	55	80	2.5	5	4	6250	5578	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6328	6328	1.12
7054	061	2500	0.06	882	1	55	80	2.5	5	4	6250	5368	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6118	6118	1.12
7054	062	2500	0.06	1032	1	55	80	2.5	5	4	6250	5218	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5968	5968	1.12
7054	063	2500	0.06	714	1	55	80	2.5	5	4	6250	5536	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6286	6286	1.12
7054	064	2500	0.06	672	1	55	80	2.5	5	4	6250	5578	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6328	6328	1.12
7054	065	2500	0.06	672	1	55	80	2.5	5	4	6250	5578	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6328	6328	1.12
7054	066	2500	0.06	950	1	55	80	2.5	5	4	6250	5300	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6050	6050	1.12
7054	067	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
7054	068	2500	0.06	1050	1	55	80	2.5	5	4	6250	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5950	5950	1.12
7054	069	2500	0.06	1352	1	55	80	2.5	5	4	6250	4898	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5648	5648	1.12
7054	070	2500	0.06	1038	1	55	80	2.5	5	4	6250	5212	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5962	5962	1.12
7054	071	2500	0.06	1038	1	55	80	2.5	5	4	6250	5212	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5962	5962	1.12
7054	072	2500	0.06	1038	1	55	80	2.5	5	4	6250	5212	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5962	5962	1.12
7054	075	3280	0.08	1105	1	65	100	3	8	7	9840	8735	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9184	8079	8079	0.933333
7054	076	3940	0.09	537	1	65	100	3	9	8	11820	11283	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11032	10495	10495	0.933333
7054	079	3429	0.08	2199	1	55	80	2.5	6	5	8572	6373	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9601.200195	7402.200195	7402.200195	1.120065
7054	080	3043	0.07	650	1	55	80	2.5	6	5	7608	6958	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8520.399414	7870.399414	7870.399414	1.119926
7054	082	2500	0.06	1730	1	55	80	2.5	5	4	6250	4520	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5270	5270	1.12
7054	083	2500	0.06	1554	1	55	80	2.5	5	4	6250	4696	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5446	5446	1.12
7054	084	2500	0.06	1554	1	55	80	2.5	5	4	6250	4696	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5446	5446	1.12
7054	085	2640	0.06	1093	1	65	100	3	6	5	7920	6827	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7392	6299	6299	0.933333
7054	086	3125	0.07	514	1	55	80	2.5	6	5	7812	7298	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	8236	8236	1.120072
7055	001A	2520	0.06	960	1	65	100	3	6	5	7560	6600	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	6096	6096	0.933333
7055	002	1619	0.04	970	1	65	100	3	4	3	4857	3887	RH-1	40	density-lim	3000			0.7	4	1	3	3	4533.199707	3563.199707	3563.199707	0.933333
7055	002A	1620	0.04	800	1	65	100	3	4	3	4860	4060	RH-1	40	density-lim	3000			0.7	4	1	3	3	4536	3736	3736	0.933333
7055	002B	1620	0.04	800	1	65	100	3	4	3	4860	4060	RH-1	40	density-lim	3000			0.7	4	1	3	3	4536	3736	3736	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7055	002C	1620	0.04	996	1	65	100	3	4	3	4860	3864	RH-1	40	density-lim	3000			0.7	4	1	3	3	4536	3540	3540	0.933333
7055	004	3125	0.07	1620	1	65	100	3	7	6	9375	7755	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7130	7130	0.933333
7055	005	3125	0.07	1014	1	65	100	3	7	6	9375	8361	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7736	7736	0.933333
7055	005A	3125	0.07	837	1	65	100	3	7	6	9375	8538	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7913	7913	0.933333
7055	006	3125	0.07	837	1	65	100	3	7	6	9375	8538	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7913	7913	0.933333
7055	006A	3125	0.07	837	1	65	100	3	7	6	9375	8538	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7913	7913	0.933333
7055	007	3125	0.07	837	1	65	100	3	7	6	9375	8538	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7913	7913	0.933333
7055	007A	3125	0.07	837	1	65	100	3	7	6	9375	8538	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7913	7913	0.933333
7055	009	3125	0.07	712	1	65	100	3	7	6	9375	8663	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	8038	8038	0.933333
7055	009A	3125	0.07	712	1	65	100	3	7	6	9375	8663	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	8038	8038	0.933333
7055	009B	3125	0.07	712	1	65	100	3	7	6	9375	8663	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	8038	8038	0.933333
7055	010	3125	0.07	1100	1	65	100	3	7	6	9375	8275	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7650	7650	0.933333
7055	011	3125	0.07	1100	1	65	100	3	7	6	9375	8275	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7650	7650	0.933333
7055	011A	3125	0.07	1100	1	65	100	3	7	6	9375	8275	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7650	7650	0.933333
7055	012	3125	0.07	1100	1	65	100	3	7	6	9375	8275	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7650	7650	0.933333
7055	013	3000	0.07	2153	1	65	100	3	7	6	9000	6847	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	6247	6247	0.933333
7055	013B	1875	0.04	1305	1	65	100	3	4	3	5625	4320	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3945	3945	0.933333
7055	013C	1875	0.04	1111	1	65	100	3	4	3	5625	4514	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4139	4139	0.933333
7055	013D	2875	0.07	915	1	65	100	3	7	6	8625	7710	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8050	7135	7135	0.933333
7055	013E	2875	0.07	1139	1	65	100	3	7	6	8625	7486	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8050	6911	6911	0.933333
7055	014	2575	0.06	750	1	65	100	3	6	5	7725	6975	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7210	6460	6460	0.933333
7055	014A	1950	0.04	1200	1	65	100	3	4	3	5850	4650	RH-1	40	density-lim	3000			0.7	4	1	3	3	5460	4260	4260	0.933333
7055	014B	1950	0.04	958	1	65	100	3	4	3	5850	4892	RH-1	40	density-lim	3000			0.7	4	1	3	3	5460	4502	4502	0.933333
7055	014C	1950	0.04	750	1	65	100	3	4	3	5850	5100	RH-1	40	density-lim	3000			0.7	4	1	3	3	5460	4710	4710	0.933333
7055	014E	2493	0.06	750	1	65	100	3	6	5	7479	6729	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	6230.399902	6230.399902	0.933333
7055	014F	3118	0.07	750	1	65	100	3	7	6	9354	8604	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7980.399414	7980.399414	0.933333
7055	014G	3118	0.07	1150	1	65	100	3	7	6	9354	8204	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7580.399414	7580.399414	0.933333
7055	014H	3118	0.07	750	1	65	100	3	7	6	9354	8604	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7980.399414	7980.399414	0.933333
7055	015	3118	0.07	750	1	65	100	3	7	6	9354	8604	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7980.399414	7980.399414	0.933333
7055	015A	3118	0.07	2547	1	65	100	3	7	6	9354	6807	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	6183.399414	6183.399414	0.933333
7055	015B	4490	0.1	2726	1	65	100	3	10	9	13470	10744	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12572	9846	9846	0.933333
7055	015C	2868	0.07	2500	1	65	100	3	7	6	8604	6104	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8030.399902	5530.399902	5530.399902	0.933333
7055	015D	3118	0.07	750	1	65	100	3	7	6	9354	8604	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7980.399414	7980.399414	0.933333
7055	015E	3118	0.07	750	1	65	100	3	7	6	9354	8604	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7980.399414	7980.399414	0.933333
7055	015F	3118	0.07	750	1	65	100	3	7	6	9354	8604	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7980.399414	7980.399414	0.933333
7055	015G	3492	0.08	1804	1	65	100	3	8	7	10476	8672	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9777.599609	7973.599609	7973.599609	0.933333
7055	018	3118	0.07	1005	1	65	100	3	7	6	9354	8349	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7725.399414	7725.399414	0.933333
7055	019	3118	0.07	837	1	65	100	3	7	6	9354	8517	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7893.399414	7893.399414	0.933333
7055	020	3118	0.07	837	1	65	100	3	7	6	9354	8517	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7893.399414	7893.399414	0.933333
7055	021	3118	0.07	837	1	65	100	3	7	6	9354	8517	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7893.399414	7893.399414	0.933333
7055	022	3118	0.07	837	1	65	100	3	7	6	9354	8517	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	7893.399414	7893.399414	0.933333
7055	024	6236	0.14	862	1	65	100	3	14	13	18708	17846	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	17460.79883	16598.79883	16598.79883	0.933333
7055	025	1650	0.04	1218	1	65	100	3	4	3	4950	3732	RH-1	40	density-lim	3000			0.7	4	1	3	3	4620	3402	3402	0.933333
7055	026	1650	0.04	1180	1	55	80	2.5	3	2	4125	2945	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4620	3440	3440	1.12
7055	027	1868	0.04	1368	1	65	100	3	4	3	5604	4236	RH-1	40	density-lim	3000			0.7	4	1	3	3	5230.399902	3862.399902	3862.399902	0.933333
7055	029	3750	0.09	1135	1	65	100	3	9	8	11250	10115	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10500	9365	9365	0.933333
7055	030	3750	0.09	1525	1	65	100	3	9	8	11250	9725	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10500	8975	8975	0.933333
7055	031	3125	0.07	1636	1	65	100	3	7	6	9375	7739	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7114	7114	0.933333
7055	032	3125	0.07	700	1	65	100	3	7	6	9375	8675	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	8050	8050	0.933333
7055A	005	3125	0.07	1615	1	65	100	3	7	6	9375	7760	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7135	7135	0.933333
7055A	006	3125	0.07	1750	1	65	100	3	7	6	9375	7625	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7000	7000	0.933333
7055A	007	3125	0.07	1064	1	65	100	3	7	6	9375	8311	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7686	7686	0.933333
7055A	008	3125	0.07	1392	1	65	100	3	7	6	9375	7983	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7358	7358	0.933333
7055A	009	6250	0.14	1178	1	65	100	3	14	13	18750	17572	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	17500	16322	16322	0.933333
7055A	010	2250	0.05	1025	1	65	100	3	5	4	6750	5725	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	5275	5275	0.933333
7055A	010C	3002	0.07	1864	1	55	80	2.5	6	5	7505	5641	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8405.599609	6541.599609	6541.599609	1.12
7055A	013	4615	0.11	809	1	55	80	2.5	9	8	11538	10729	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	12922	12113	12113	1.119951
7055A	015	5363	0.12	945	1	55	80	2.5	10	9	13408	12463	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	15016.39941	14071.39941	14071.39941	1.119958
7055A	016	2500	0.06	1347	1	55	80	2.5	5	4	6250	4903	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5653	5653	1.12
7055A	020	3794	0.09	670	1	55	80	2.5	7	6	9485	8815	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	10623.2002	9953.200195	9953.200195	1.12
7055A	021	2392	0.05	1124	1	55	80	2.5	4	3	5980	4856	RH-1	40	density-lim	3000			0.7	4	1	3	3	6697.600098	5573.600098	5573.600098	1.12
7055A	022	3588	0.08	1800	1	55	80	2.5	6	5	8970	7170	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	10046.39941	8246.399414	8246.399414	1.12
7055A	023	1750	0.04	1661	1	55	80	2.5	3	2	4375	2714	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4900	3239	3239	1.12
7055A	025	2025	0.05	1320	1	55	80	2.5	4	3	5062	3742	RH-1	40	density-lim	3000			0.7	4	1	3	3	5670	4350	4350	1.120111

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7055A	026	2026	0.05	1320	1	55	80	2.5	4	3	5065	3745	RH-1	40	density-lim	3000			0.7	4	1	3	3	5672.799805	4352.799805	4352.799805	1.12
7055A	027	2027	0.05	1320	1	65	100	3	5	4	6081	4761	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5675.600098	4355.600098	4355.600098	0.933333
7055A	029	4542	0.1	1423	1	55	80	2.5	8	7	11355	9932	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	12717.59961	11294.59961	11294.59961	1.12
7056	001	2493	0.06	1145	1	55	80	2.5	5	4	6232	5087	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6980.399902	5835.399902	5835.399902	1.12009
7056	002	1865	0.04	1231	1	55	80	2.5	3	2	4662	3431	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5222	3991	3991	1.12012
7056	002A	1863	0.04	1384	1	55	80	2.5	3	2	4658	3274	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5216.399902	3832.399902	3832.399902	1.11988
7056	002B	3093	0.07	805	1	65	100	3	7	6	9279	8474	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8660.399414	7855.399414	7855.399414	0.933333
7056	002C	1860	0.04	1130	1	55	80	2.5	3	2	4650	3520	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5208	4078	4078	1.12
7056	002D	1858	0.04	1903	1	65	100	3	4	3	5574	3671	RH-1	40	density-lim	3000			0.7	4	1	3	3	5202.399902	3299.399902	3299.399902	0.933333
7056	002E	1761	0.04	1904	1	65	100	3	4	3	5283	3379	RH-1	40	density-lim	3000			0.7	4	1	3	3	4930.799805	3026.799805	3026.799805	0.933333
7056	003	3093	0.07	1873	1	65	100	3	7	6	9279	7406	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8660.399414	6787.399414	6787.399414	0.933333
7056	004	3093	0.07	2096	1	65	100	3	7	6	9279	7183	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8660.399414	6564.399414	6564.399414	0.933333
7056	004A	3093	0.07	1214	1	65	100	3	7	6	9279	8065	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8660.399414	7446.399414	7446.399414	0.933333
7056	004B	3093	0.07	1214	1	65	100	3	7	6	9279	8065	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8660.399414	7446.399414	7446.399414	0.933333
7056	005	3093	0.07	800	1	65	100	3	7	6	9279	8479	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8660.399414	7860.399414	7860.399414	0.933333
7056	005A	6187	0.14	1200	1	65	100	3	14	13	18561	17361	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	17323.59961	16123.59961	16123.59961	0.933333
7056	005B	3093	0.07	976	1	55	80	2.5	6	5	7732	6756	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8660.399414	7684.399414	7684.399414	1.120072
7056	006	3093	0.07	1776	1	55	80	2.5	6	5	7732	5956	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8660.399414	6884.399414	6884.399414	1.120072
7056	006A	3093	0.07	1446	1	55	80	2.5	6	5	7732	6286	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8660.399414	7214.399414	7214.399414	1.120072
7056	007	3093	0.07	781	1	55	80	2.5	6	5	7732	6951	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8660.399414	7879.399414	7879.399414	1.120072
7056	008	3093	0.07	650	1	55	80	2.5	6	5	7732	7082	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8660.399414	8010.399414	8010.399414	1.120072
7056	009	4652	0.11	1275	1	55	80	2.5	9	8	11630	10355	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	13025.59961	11750.59961	11750.59961	1.12
7056	010	4652	0.11	1075	1	65	100	3	11	10	13956	12881	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13025.59961	11950.59961	11950.59961	0.933333
7056	011	2468	0.06	1451	1	65	100	3	6	5	7404	5953	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6910.399902	5459.399902	5459.399902	0.933333
7056	012	2468	0.06	2165	1	65	100	3	6	5	7404	5239	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6910.399902	4745.399902	4745.399902	0.933333
7056	013	2468	0.06	2024	1	65	100	3	6	5	7404	5380	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6910.399902	4886.399902	4886.399902	0.933333
7056	014	2468	0.06	1076	1	65	100	3	6	5	7404	6328	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6910.399902	5834.399902	5834.399902	0.933333
7056	015	3093	0.07	3238	1	65	100	3	7	6	9279	6041	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8660.399414	5422.399414	5422.399414	0.933333
7056	016	3093	0.07	1149	1	65	100	3	7	6	9279	8130	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8660.399414	7511.399414	7511.399414	0.933333
7056	018	2468	0.06	1060	1	65	100	3	6	5	7404	6344	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6910.399902	5850.399902	5850.399902	0.933333
7056	021	3125	0.07	1696	1	55	80	2.5	6	5	7812	6116	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7054	7054	1.120072
7056	022B	2500	0.06	2024	1	55	80	2.5	5	4	6250	4226	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	4976	4976	1.12
7056	022C	3125	0.07	781	1	55	80	2.5	6	5	7812	7031	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7969	7969	1.120072
7056	023	3125	0.07	781	1	55	80	2.5	6	5	7812	7031	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7969	7969	1.120072
7056	023A	3125	0.07	781	1	55	80	2.5	6	5	7812	7031	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7969	7969	1.120072
7056	024	3125	0.07	800	1	55	80	2.5	6	5	7812	7012	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7950	7950	1.120072
7056	024A	3125	0.07	825	1	55	80	2.5	6	5	7812	6987	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7925	7925	1.120072
7056	025	3125	0.07	805	1	55	80	2.5	6	5	7812	7007	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7945	7945	1.120072
7056	025A	3125	0.07	1263	1	55	80	2.5	6	5	7812	6549	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7487	7487	1.120072
7056	025B	3125	0.07	1124	1	55	80	2.5	6	5	7812	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7626	7626	1.120072
7056	026	3125	0.07	775	1	55	80	2.5	6	5	7812	7037	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7975	7975	1.120072
7056	028A	3125	0.07	1508	1	55	80	2.5	6	5	7812	6304	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7242	7242	1.120072
7056	028B	3125	0.07	1018	1	55	80	2.5	6	5	7812	6794	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7732	7732	1.120072
7056	028C	3125	0.07	1018	1	55	80	2.5	6	5	7812	6794	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7732	7732	1.120072
7056	028D	3125	0.07	1018	1	55	80	2.5	6	5	7812	6794	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7732	7732	1.120072
7056	028E	3125	0.07	1018	1	55	80	2.5	6	5	7812	6794	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7732	7732	1.120072
7056	028F	3125	0.07	2549	1	55	80	2.5	6	5	7812	5263	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	6201	6201	1.120072
7056	029	3125	0.07	1450	1	55	80	2.5	6	5	7812	6362	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7300	7300	1.120072
7056	030	3125	0.07	1302	1	55	80	2.5	6	5	7812	6510	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7448	7448	1.120072
7056	031	3125	0.07	2138	1	55	80	2.5	6	5	7812	5674	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	6612	6612	1.120072
7056	032	3125	0.07	1400	1	55	80	2.5	6	5	7812	6412	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7350	7350	1.120072
7056	034	2500	0.06	1418	1	55	80	2.5	5	4	6250	4832	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5582	5582	1.12
7056	035	2498	0.06	1138	1	55	80	2.5	5	4	6245	5107	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6994.399902	5856.399902	5856.399902	1.12
7056	036	2495	0.06	1145	1	55	80	2.5	5	4	6238	5093	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6986	5841	5841	1.11991
7056	037	2468	0.06	1760	1	65	100	3	6	5	7404	5644	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6910.399902	5150.399902	5150.399902	0.933333
7056	039	3125	0.07	1350	1	55	80	2.5	6	5	7812	6462	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7400	7400	1.120072
7056	040	3150	0.07	2016	1	55	80	2.5	6	5	7875	5859	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8820	6804	6804	1.12
7056	041	2468	0.06	1367	1	65	100	3	6	5	7404	6037	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6910.399902	5543.399902	5543.399902	0.933333
7056	042	2468	0.06	1212	1	65	100	3	6	5	7404	6192	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6910.399902	5698.399902	5698.399902	0.933333
7056	043	3125	0.07	1858	1	55	80	2.5	6	5	7812	5954	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	6892	6892	1.120072
7056	044	3125	0.07	1212	1	55	80	2.5	6	5	7812	6600	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7538	7538	1.120072
7056	046	2500	0.06	1502	1	55	80	2.5	5	4	6250	4748	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5498	5498	1.12
7056	047	2425	0.06	2570	1	55	80	2.5	5	4	6062	3492	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6790	4220	4220	1.120092
7056	048	5700	0.13	2278	1	55	80	2.5	10	9	14250	11972	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	15960	13682	13682	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7057	001	3023	0.07	1646	1	65	100	3	7	6	9069	7423	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8464.399414	6818.399414	6818.399414	0.933333
7057	002	2059	0.05	1090	1	65	100	3	5	4	6177	5087	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5765.199707	4675.199707	4675.199707	0.933333
7057	004	2346	0.05	1237	1	65	100	3	5	4	7038	5801	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6568.799805	5331.799805	5331.799805	0.933333
7057	006	1686	0.04	850	1	65	100	3	4	3	5058	4208	RH-1	40	density-lim	3000			0.7	4	1	3	3	4720.799805	3870.799805	3870.799805	0.933333
7057	007	1816	0.04	850	1	65	100	3	4	3	5448	4598	RH-1	40	density-lim	3000			0.7	4	1	3	3	5084.799805	4234.799805	4234.799805	0.933333
7057	008	3073	0.07	850	1	65	100	3	7	6	9219	8369	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8604.399414	7754.399414	7754.399414	0.933333
7057	009	3073	0.07	850	1	65	100	3	7	6	9219	8369	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8604.399414	7754.399414	7754.399414	0.933333
7057	009A	3073	0.07	1325	1	65	100	3	7	6	9219	7894	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8604.399414	7279.399414	7279.399414	0.933333
7057	009B	3073	0.07	1102	1	65	100	3	7	6	9219	8117	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8604.399414	7502.399414	7502.399414	0.933333
7057	009D	3073	0.07	850	1	65	100	3	7	6	9219	8369	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8604.399414	7754.399414	7754.399414	0.933333
7057	013	3125	0.07	1607	1	55	80	2.5	6	5	7812	6205	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7143	7143	1.120072
7057	014	3073	0.07	850	1	65	100	3	7	6	9219	8369	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8604.399414	7754.399414	7754.399414	0.933333
7057	016	3073	0.07	850	1	65	100	3	7	6	9219	8369	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8604.399414	7754.399414	7754.399414	0.933333
7057	017	3073	0.07	850	1	65	100	3	7	6	9219	8369	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8604.399414	7754.399414	7754.399414	0.933333
7057	018	3073	0.07	2193	1	65	100	3	7	6	9219	7026	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8604.399414	6411.399414	6411.399414	0.933333
7057	019	3073	0.07	850	1	65	100	3	7	6	9219	8369	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8604.399414	7754.399414	7754.399414	0.933333
7057	020	2448	0.06	850	1	65	100	3	6	5	7344	6494	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6854.399902	6004.399902	6004.399902	0.933333
7057	022	1875	0.04	855	1	65	100	3	4	3	5625	4770	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4395	4395	0.933333
7057	023	1875	0.04	855	1	55	80	2.5	3	2	4688	3833	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4395	4395	1.119881
7057	024	1875	0.04	855	1	55	80	2.5	3	2	4688	3833	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4395	4395	1.119881
7057	025	2500	0.06	855	1	55	80	2.5	5	4	6250	5395	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6145	6145	1.12
7057	026	2500	0.06	855	1	55	80	2.5	5	4	6250	5395	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	6145	6145	1.12
7057	027	1875	0.04	855	1	55	80	2.5	3	2	4688	3833	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4395	4395	1.119881
7057	028	1875	0.04	855	1	55	80	2.5	3	2	4688	3833	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4395	4395	1.119881
7057	029	1875	0.04	855	1	55	80	2.5	3	2	4688	3833	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5250	4395	4395	1.119881
7057	031	2500	0.06	1691	1	55	80	2.5	5	4	6250	4559	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5309	5309	1.12
7057	041	3125	0.07	1631	1	65	100	3	7	6	9375	7744	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7119	7119	0.933333
7057	043	2164	0.05	1025	1	65	100	3	5	4	6492	5467	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6059.199707	5034.199707	5034.199707	0.933333
7057	044	2450	0.06	1025	1	65	100	3	6	5	7350	6325	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6860	5835	5835	0.933333
7057	045	2737	0.06	1025	1	65	100	3	6	5	8211	7186	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7663.600098	6638.600098	6638.600098	0.933333
7057	046	3125	0.07	812	1	55	80	2.5	6	5	7812	7000	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7938	7938	1.120072
7057	047	3125	0.07	928	1	55	80	2.5	6	5	7812	6884	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7822	7822	1.120072
7057	048	3125	0.07	1606	1	55	80	2.5	6	5	7812	6206	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7144	7144	1.120072
7057	049	3125	0.07	1631	1	55	80	2.5	6	5	7812	6181	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7119	7119	1.120072
7057	050	3125	0.07	1606	1	55	80	2.5	6	5	7812	6206	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7144	7144	1.120072
7057	051	3125	0.07	1666	1	55	80	2.5	6	5	7812	6146	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7084	7084	1.120072
7057	052	3125	0.07	1329	1	55	80	2.5	6	5	7812	6483	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	7421	7421	1.120072
7057	053	3125	0.07	2490	1	55	80	2.5	6	5	7812	5322	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8750	6260	6260	1.120072
7058	002	2500	0.06	735	1	65	100	3	6	5	7500	6765	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6265	6265	0.933333
7058	003	2500	0.06	1965	1	65	100	3	6	5	7500	5535	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5035	5035	0.933333
7058	004	2500	0.06	1142	1	65	100	3	6	5	7500	6358	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5858	5858	0.933333
7058	005	2500	0.06	760	1	65	100	3	6	5	7500	6740	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6240	6240	0.933333
7058	006	2500	0.06	2124	1	65	100	3	6	5	7500	5376	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4876	4876	0.933333
7058	009	2268	0.05	1280	1	65	100	3	5	4	6804	5524	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6350.399902	5070.399902	5070.399902	0.933333
7058	011	2500	0.06	3013	1	65	100	3	6	5	7500	4487	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	3987	3987	0.933333
7058	012	2500	0.06	3013	1	65	100	3	6	5	7500	4487	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	3987	3987	0.933333
7058	013	2500	0.06	3013	1	65	100	3	6	5	7500	4487	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	3987	3987	0.933333
7058	015	5000	0.11	800	1	65	100	3	11	10	15000	14200	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	14000	13200	13200	0.933333
7058	017	2500	0.06	1783	1	65	100	3	6	5	7500	5717	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5217	5217	0.933333
7058	018	2500	0.06	840	1	65	100	3	6	5	7500	6660	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6160	6160	0.933333
7058	019	2500	0.06	514	1	65	100	3	6	5	7500	6986	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6486	6486	0.933333
7058	020	2500	0.06	1485	1	65	100	3	6	5	7500	6015	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5515	5515	0.933333
7059	002	2482	0.06	1150	1	65	100	3	6	5	7446	6296	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	5799.600098	5799.600098	0.933333
7059	003	2482	0.06	1000	1	65	100	3	6	5	7446	6446	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	5949.600098	5949.600098	0.933333
7059	004	2481	0.06	1275	1	65	100	3	6	5	7443	6168	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6946.799805	5671.799805	5671.799805	0.933333
7059	005	2482	0.06	944	1	65	100	3	6	5	7446	6502	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	6005.600098	6005.600098	0.933333
7059	006	2482	0.06	2000	1	65	100	3	6	5	7446	5446	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	4949.600098	4949.600098	0.933333
7059	007	2482	0.06	650	1	65	100	3	6	5	7446	6796	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	6299.600098	6299.600098	0.933333
7059	008	2482	0.06	1100	1	65	100	3	6	5	7446	6346	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	5849.600098	5849.600098	0.933333
7059	009	2481	0.06	590	1	65	100	3	6	5	7443	6853	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6946.799805	6356.799805	6356.799805	0.933333
7059	010	2481	0.06	1849	1	65	100	3	6	5	7443	5594	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6946.799805	5097.799805	5097.799805	0.933333
7059	011	2482	0.06	1875	1	65	100	3	6	5	7446	5571	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	5074.600098	5074.600098	0.933333
7059	012	2481	0.06	1862	1	65	100	3	6	5	7443	5581	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6946.799805	5084.799805	5084.799805	0.933333
7059	013	3113	0.07	720	1	65	100	3	7	6	9339	8619	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8716.399414	7996.399414	7996.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7059	015	1628	0.04	1661	1	65	100	3	4	3	4884	3223	RH-1	40	density-lim	3000			0.7	4	1	3	3	4558.399902	2897.399902	2897.399902	0.933333
7059	018	2500	0.06	2120	1	65	100	3	6	5	7500	5380	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4880	4880	0.933333
7059	019	2500	0.06	1845	1	65	100	3	6	5	7500	5655	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5155	5155	0.933333
7059	020	2500	0.06	2448	1	65	100	3	6	5	7500	5052	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4552	4552	0.933333
7059	021	2500	0.06	1192	1	65	100	3	6	5	7500	6308	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5808	5808	0.933333
7059	022	2500	0.06	1364	1	65	100	3	6	5	7500	6136	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5636	5636	0.933333
7059	023	2500	0.06	1552	1	65	100	3	6	5	7500	5948	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5448	5448	0.933333
7059	024	2500	0.06	2532	1	65	100	3	6	5	7500	4968	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4468	4468	0.933333
7059	025	2500	0.06	690	1	65	100	3	6	5	7500	6810	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6310	6310	0.933333
7059	028	2500	0.06	1667	1	65	100	3	6	5	7500	5833	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5333	5333	0.933333
7059	029	2500	0.06	850	1	65	100	3	6	5	7500	6650	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6150	6150	0.933333
7059	030	2500	0.06	910	1	65	100	3	6	5	7500	6590	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6090	6090	0.933333
7059	031	2500	0.06	1026	1	65	100	3	6	5	7500	6474	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5974	5974	0.933333
7059	032	1875	0.04	1100	1	65	100	3	4	3	5625	4525	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4150	4150	0.933333
7059	033	1875	0.04	1100	1	65	100	3	4	3	5625	4525	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4150	4150	0.933333
7059	034	1857	0.04	872	1	65	100	3	4	3	5571	4699	RH-1	40	density-lim	3000			0.7	4	1	3	3	5199.600098	4327.600098	4327.600098	0.933333
7060	002	2495	0.06	800	1	65	100	3	6	5	7485	6685	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	6186	6186	0.933333
7060	003	2495	0.06	775	1	65	100	3	6	5	7485	6710	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	6211	6211	0.933333
7060	004	2495	0.06	1030	1	65	100	3	6	5	7485	6455	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5956	5956	0.933333
7060	005	2495	0.06	1250	1	65	100	3	6	5	7485	6235	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5736	5736	0.933333
7060	006	2495	0.06	1080	1	65	100	3	6	5	7485	6405	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5906	5906	0.933333
7060	007	2495	0.06	950	1	65	100	3	6	5	7485	6535	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	6036	6036	0.933333
7060	008	2495	0.06	1683	1	65	100	3	6	5	7485	5802	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5303	5303	0.933333
7060	009	2495	0.06	800	1	65	100	3	6	5	7485	6685	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	6186	6186	0.933333
7060	010	2495	0.06	1165	1	65	100	3	6	5	7485	6320	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5821	5821	0.933333
7060	011	2495	0.06	1433	1	65	100	3	6	5	7485	6052	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5553	5553	0.933333
7060	013	2495	0.06	1040	1	65	100	3	6	5	7485	6445	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5946	5946	0.933333
7060	014	2495	0.06	1958	1	65	100	3	6	5	7485	5527	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5028	5028	0.933333
7060	015	2495	0.06	1380	1	65	100	3	6	5	7485	6105	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5606	5606	0.933333
7060	016	2495	0.06	1356	1	65	100	3	6	5	7485	6129	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5630	5630	0.933333
7060	017	2495	0.06	1370	1	65	100	3	6	5	7485	6115	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5616	5616	0.933333
7060	018	2495	0.06	1370	1	65	100	3	6	5	7485	6115	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5616	5616	0.933333
7060	021	1424	0.03	866	1	65	100	3	3	2	4272	3406	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3987.199951	3121.199951	3121.199951	0.933333
7060	023	2500	0.06	1740	1	65	100	3	6	5	7500	5760	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5260	5260	0.933333
7060	024	2500	0.06	1587	1	65	100	3	6	5	7500	5913	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5413	5413	0.933333
7060	025	2500	0.06	1835	1	65	100	3	6	5	7500	5665	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5165	5165	0.933333
7060	026	2500	0.06	837	1	65	100	3	6	5	7500	6663	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6163	6163	0.933333
7060	027	2500	0.06	625	1	65	100	3	6	5	7500	6875	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6375	6375	0.933333
7060	028	2500	0.06	1447	1	65	100	3	6	5	7500	6053	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5553	5553	0.933333
7060	029	2500	0.06	942	1	65	100	3	6	5	7500	6558	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6058	6058	0.933333
7060	030	2500	0.06	2475	1	65	100	3	6	5	7500	5025	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4525	4525	0.933333
7060	031	2500	0.06	1435	1	65	100	3	6	5	7500	6065	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5565	5565	0.933333
7060	032	2500	0.06	1349	1	65	100	3	6	5	7500	6151	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5651	5651	0.933333
7060	033	2500	0.06	1506	1	65	100	3	6	5	7500	5994	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5494	5494	0.933333
7060	034	2500	0.06	1378	1	65	100	3	6	5	7500	6122	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5622	5622	0.933333
7060	035	2500	0.06	1075	1	65	100	3	6	5	7500	6425	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5925	5925	0.933333
7060	036	2500	0.06	1124	1	65	100	3	6	5	7500	6376	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5876	5876	0.933333
7060	037	2500	0.06	1502	1	65	100	3	6	5	7500	5998	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5498	5498	0.933333
7060	038	2500	0.06	2158	1	65	100	3	6	5	7500	5342	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4842	4842	0.933333
7060	040	2500	0.06	1008	1	65	100	3	6	5	7500	6492	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5992	5992	0.933333
7060	041	2500	0.06	1650	1	65	100	3	6	5	7500	5850	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5350	5350	0.933333
7060	042	2500	0.06	2574	1	65	100	3	6	5	7500	4926	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4426	4426	0.933333
7060	043	2500	0.06	2555	1	65	100	3	6	5	7500	4945	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4445	4445	0.933333
7060	044	2500	0.06	875	1	65	100	3	6	5	7500	6625	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6125	6125	0.933333
7060	045	2500	0.06	1140	1	65	100	3	6	5	7500	6360	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5860	5860	0.933333
7061	002	2508	0.06	1320	1	65	100	3	6	5	7524	6204	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5702.399902	5702.399902	0.933333
7061	003	2508	0.06	840	1	65	100	3	6	5	7524	6684	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	6182.399902	6182.399902	0.933333
7061	004	2508	0.06	1000	1	65	100	3	6	5	7524	6524	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	6022.399902	6022.399902	0.933333
7061	005	2508	0.06	1320	1	65	100	3	6	5	7524	6204	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5702.399902	5702.399902	0.933333
7061	006	2508	0.06	1350	1	65	100	3	6	5	7524	6174	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5672.399902	5672.399902	0.933333
7061	007	2508	0.06	624	1	65	100	3	6	5	7524	6900	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	6398.399902	6398.399902	0.933333
7061	008	2508	0.06	625	1	65	100	3	6	5	7524	6899	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	6397.399902	6397.399902	0.933333
7061	009	2508	0.06	665	1	65	100	3	6	5	7524	6859	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	6357.399902	6357.399902	0.933333
7061	010	2508	0.06	1000	1	65	100	3	6	5	7524	6524	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	6022.399902	6022.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7061	011	2508	0.06	1000	1	65	100	3	6	5	7524	6524	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	6022.399902	6022.399902	0.933333
7061	012	2508	0.06	1349	1	65	100	3	6	5	7524	6175	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5673.399902	5673.399902	0.933333
7061	013	2508	0.06	625	1	65	100	3	6	5	7524	6899	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	6397.399902	6397.399902	0.933333
7061	014	2508	0.06	1975	1	65	100	3	6	5	7524	5549	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5047.399902	5047.399902	0.933333
7061	015	2508	0.06	2088	1	65	100	3	6	5	7524	5436	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	4934.399902	4934.399902	0.933333
7061	016	2508	0.06	950	1	65	100	3	6	5	7524	6574	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	6072.399902	6072.399902	0.933333
7061	017	2508	0.06	854	1	65	100	3	6	5	7524	6670	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	6168.399902	6168.399902	0.933333
7061	018	2508	0.06	750	1	65	100	3	6	5	7524	6774	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	6272.399902	6272.399902	0.933333
7061	019	2508	0.06	1090	1	65	100	3	6	5	7524	6434	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5932.399902	5932.399902	0.933333
7061	020	2508	0.06	1135	1	65	100	3	6	5	7524	6389	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5887.399902	5887.399902	0.933333
7061	021	2508	0.06	1050	1	65	100	3	6	5	7524	6474	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5972.399902	5972.399902	0.933333
7061	022	2508	0.06	1050	1	65	100	3	6	5	7524	6474	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5972.399902	5972.399902	0.933333
7061	023	2169	0.05	1050	1	65	100	3	5	4	6507	5457	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6073.199707	5023.199707	5023.199707	0.933333
7061	026	2162	0.05	1888	1	65	100	3	5	4	6486	4598	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6053.600098	4165.600098	4165.600098	0.933333
7061	027	2500	0.06	1888	1	65	100	3	6	5	7500	5612	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5112	5112	0.933333
7061	028	2500	0.06	1888	1	65	100	3	6	5	7500	5612	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5112	5112	0.933333
7061	029	2500	0.06	2218	1	65	100	3	6	5	7500	5282	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4782	4782	0.933333
7061	030	2500	0.06	2285	1	65	100	3	6	5	7500	5215	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4715	4715	0.933333
7061	031	2500	0.06	2218	1	65	100	3	6	5	7500	5282	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4782	4782	0.933333
7061	032	2500	0.06	2218	1	65	100	3	6	5	7500	5282	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4782	4782	0.933333
7061	033	2500	0.06	2447	1	65	100	3	6	5	7500	5053	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4553	4553	0.933333
7061	034	2500	0.06	2447	1	65	100	3	6	5	7500	5053	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4553	4553	0.933333
7061	037	3750	0.09	1072	1	65	100	3	9	8	11250	10178	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10500	9428	9428	0.933333
7061	039	3750	0.09	2250	1	65	100	3	9	8	11250	9000	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10500	8250	8250	0.933333
7061	040	2500	0.06	1411	1	65	100	3	6	5	7500	6089	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5589	5589	0.933333
7061	041	2500	0.06	2130	1	65	100	3	6	5	7500	5370	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4870	4870	0.933333
7061	042	2500	0.06	875	1	65	100	3	6	5	7500	6625	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6125	6125	0.933333
7061	043	2500	0.06	1470	1	65	100	3	6	5	7500	6030	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5530	5530	0.933333
7061	044	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7061	045	2500	0.06	875	1	65	100	3	6	5	7500	6625	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6125	6125	0.933333
7061	046	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333
7061	047	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333
7061	049	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5950	5950	0.933333
7061	050	2500	0.06	872	1	65	100	3	6	5	7500	6628	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6128	6128	0.933333
7061	051	2500	0.06	1818	1	65	100	3	6	5	7500	5682	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5182	5182	0.933333
7061	052	2500	0.06	1625	1	65	100	3	6	5	7500	5875	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5375	5375	0.933333
7061	053	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5850	5850	0.933333
7061	054	2500	0.06	1426	1	65	100	3	6	5	7500	6074	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5574	5574	0.933333
7061	055	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5800	5800	0.933333
7061	056	2500	0.06	3200	1	65	100	3	6	5	7500	4300	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	3800	3800	0.933333
7062	002	1345	0.03	850	1	85	140	4	4	3	5380	4530	RH-1	40	density-lim	3000			0.7	4	1	3	3	3766	2916	2916	0.7
7062	003	2473	0.06	2394	1	85	140	4	8	7	9892	7498	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6924.399902	4530.399902	4530.399902	0.7
7062	005	2471	0.06	1100	1	85	140	4	8	7	9884	8784	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6918.799805	5818.799805	5818.799805	0.7
7062	006	2470	0.06	1100	1	85	140	4	8	7	9880	8780	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6916	5816	5816	0.7
7062	007	2470	0.06	1011	1	85	140	4	8	7	9880	8869	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6916	5905	5905	0.7
7062	008	2469	0.06	1050	1	85	140	4	8	7	9876	8826	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6913.199707	5863.199707	5863.199707	0.7
7062	009	2470	0.06	1751	1	65	100	3	6	5	7410	5659	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6916	5165	5165	0.933333
7062	010	2470	0.06	1449	1	65	100	3	6	5	7410	5961	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6916	5467	5467	0.933333
7062	011	2471	0.06	1108	1	65	100	3	6	5	7413	6305	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6918.799805	5810.799805	5810.799805	0.933333
7062	012	2472	0.06	1115	1	65	100	3	6	5	7416	6301	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6921.600098	5806.600098	5806.600098	0.933333
7062	013	2474	0.06	1085	1	65	100	3	6	5	7422	6337	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6927.199707	5842.199707	5842.199707	0.933333
7062	014	2476	0.06	900	1	65	100	3	6	5	7428	6528	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6932.799805	6032.799805	6032.799805	0.933333
7062	015	2478	0.06	950	1	65	100	3	6	5	7434	6484	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6938.399902	5988.399902	5988.399902	0.933333
7062	016	2481	0.06	950	1	65	100	3	6	5	7443	6493	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6946.799805	5996.799805	5996.799805	0.933333
7062	017	2484	0.06	1217	1	65	100	3	6	5	7452	6235	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6955.199707	5738.199707	5738.199707	0.933333
7062	018	2487	0.06	950	1	65	100	3	6	5	7461	6511	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6963.600098	6013.600098	6013.600098	0.933333
7062	019	2491	0.06	1503	1	65	100	3	6	5	7473	5970	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6974.799805	5471.799805	5471.799805	0.933333
7062	020	2495	0.06	975	1	65	100	3	6	5	7485	6510	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	6011	6011	0.933333
7062	021	2499	0.06	1200	1	65	100	3	6	5	7497	6297	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	5797.199707	5797.199707	0.933333
7062	022	2504	0.06	1936	1	65	100	3	6	5	7512	5576	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7011.199707	5075.199707	5075.199707	0.933333
7062	023	2509	0.06	704	1	65	100	3	6	5	7527	6823	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7025.199707	6321.199707	6321.199707	0.933333
7062	024	2506	0.06	1001	1	65	100	3	6	5	7518	6517	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7016.799805	6015.799805	6015.799805	0.933333
7062	025	2491	0.06	1288	1	65	100	3	6	5	7473	6185	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6974.799805	5686.799805	5686.799805	0.933333
7062	026	2471	0.06	1624	1	65	100	3	6	5	7413	5789	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6918.799805	5294.799805	5294.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7062	027	3975	0.09	1375	1	65	100	3	9	8	11925	10550	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11130	9755	9755	0.933333
7062	028	2500	0.06	1756	1	65	100	3	6	5	7500	5744	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5244	5244	0.933333
7062	029	2500	0.06	1276	1	65	100	3	6	5	7500	6224	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5724	5724	0.933333
7062	030	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7062	031	2500	0.06	1425	1	65	100	3	6	5	7500	6075	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5575	5575	0.933333
7062	032	2500	0.06	1308	1	65	100	3	6	5	7500	6192	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5692	5692	0.933333
7062	033	2500	0.06	1860	1	65	100	3	6	5	7500	5640	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5140	5140	0.933333
7062	034	2500	0.06	1337	1	65	100	3	6	5	7500	6163	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5663	5663	0.933333
7062	035	2500	0.06	1287	1	65	100	3	6	5	7500	6213	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5713	5713	0.933333
7062	036	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7062	037	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7062	038	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7062	039	2500	0.06	1552	1	65	100	3	6	5	7500	5948	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5448	5448	0.933333
7062	040	2500	0.06	1559	1	65	100	3	6	5	7500	5941	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5441	5441	0.933333
7062	041	2500	0.06	1355	1	65	100	3	6	5	7500	6145	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5645	5645	0.933333
7062	042	2500	0.06	875	1	65	100	3	6	5	7500	6625	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6125	6125	0.933333
7062	043	2500	0.06	1445	1	65	100	3	6	5	7500	6055	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5555	5555	0.933333
7062	044	2500	0.06	880	1	65	100	3	6	5	7500	6620	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6120	6120	0.933333
7062	045	2500	0.06	880	1	65	100	3	6	5	7500	6620	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6120	6120	0.933333
7062	046	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5700	5700	0.933333
7062	047	2500	0.06	700	1	85	140	4	8	7	10000	9300	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6300	6300	0.7
7062	048	2500	0.06	800	1	85	140	4	8	7	10000	9200	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6200	6200	0.7
7062	050	2500	0.06	1250	1	85	140	4	8	7	10000	8750	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5750	5750	0.7
7062	051	2500	0.06	1000	1	85	140	4	8	7	10000	9000	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6000	6000	0.7
7062	052	2500	0.06	1745	1	85	140	4	8	7	10000	8255	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5255	5255	0.7
7063A	001	4518	0.1	1512	1	65	100	3	10	9	13554	12042	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12650.39941	11138.39941	11138.39941	0.933333
7063A	003	2716	0.06	1250	1	65	100	3	6	5	8148	6898	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7604.799805	6354.799805	6354.799805	0.933333
7063A	004	2716	0.06	1620	1	65	100	3	6	5	8148	6528	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7604.799805	5984.799805	5984.799805	0.933333
7063A	005	2716	0.06	1250	1	65	100	3	6	5	8148	6898	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7604.799805	6354.799805	6354.799805	0.933333
7063A	006	2090	0.05	1250	1	65	100	3	5	4	6270	5020	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5852	4602	4602	0.933333
7063A	007	2090	0.05	1250	1	65	100	3	5	4	6270	5020	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5852	4602	4602	0.933333
7063A	008	2089	0.05	1250	1	65	100	3	5	4	6267	5017	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5849.199707	4599.199707	4599.199707	0.933333
7063B	014	2689	0.06	1214	1	65	100	3	6	5	8067	6853	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7529.199707	6315.199707	6315.199707	0.933333
7063A	010	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5750	5750	0.933333
7063A	010A	2500	0.06	1250	1	65	100	3	6	5	7500	6250	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5750	5750	0.933333
7063A	012	2064	0.05	1214	1	65	100	3	5	4	6192	4978	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5779.199707	4565.199707	4565.199707	0.933333
7063A	013	2064	0.05	1214	1	65	100	3	5	4	6192	4978	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5779.199707	4565.199707	4565.199707	0.933333
7063A	014	2064	0.05	1214	1	65	100	3	5	4	6192	4978	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5779.199707	4565.199707	4565.199707	0.933333
7063A	015	2689	0.06	1246	1	65	100	3	6	5	8067	6821	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7529.199707	6283.199707	6283.199707	0.933333
7063A	016	2689	0.06	1214	1	65	100	3	6	5	8067	6853	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7529.199707	6315.199707	6315.199707	0.933333
7063A	017	2689	0.06	1634	1	65	100	3	6	5	8067	6433	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7529.199707	5895.199707	5895.199707	0.933333
7063A	018	5223	0.12	1589	1	65	100	3	12	11	15669	14080	RH-1	40	density-lim	3000			0.7	4	0.333333343	3	3	14624.39941	13035.39941	13035.39941	0.933333
7063A	020	2341	0.05	925	1	65	100	3	5	4	7023	6098	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6554.799805	5629.799805	5629.799805	0.933333
7063B	004	2685	0.06	1214	1	65	100	3	6	5	8055	6841	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7518	6304	6304	0.933333
7063B	005	2685	0.06	1395	1	65	100	3	6	5	8055	6660	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7518	6123	6123	0.933333
7063B	006	1747	0.04	1286	1	65	100	3	4	3	5241	3955	RH-1	40	density-lim	3000			0.7	4	1	3	3	4891.600098	3605.600098	3605.600098	0.933333
7063B	007	1747	0.04	1214	1	65	100	3	4	3	5241	4027	RH-1	40	density-lim	3000			0.7	4	1	3	3	4891.600098	3677.600098	3677.600098	0.933333
7063B	009	1875	0.04	1214	1	65	100	3	4	3	5625	4411	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4036	4036	0.933333
7063B	010	1875	0.04	1214	1	65	100	3	4	3	5625	4411	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4036	4036	0.933333
7063B	011	1875	0.04	1214	1	65	100	3	4	3	5625	4411	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4036	4036	0.933333
7063B	013	1752	0.04	1214	1	65	100	3	4	3	5256	4042	RH-1	40	density-lim	3000			0.7	4	1	3	3	4905.600098	3691.600098	3691.600098	0.933333
7063B	013A	1752	0.04	1214	1	65	100	3	4	3	5256	4042	RH-1	40	density-lim	3000			0.7	4	1	3	3	4905.600098	3691.600098	3691.600098	0.933333
7063B	013B	2689	0.06	1214	1	65	100	3	6	5	8067	6853	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7529.199707	6315.199707	6315.199707	0.933333
7063B	015	2689	0.06	1214	1	65	100	3	6	5	8067	6853	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7529.199707	6315.199707	6315.199707	0.933333
7063B	018	3012	0.07	1512	1	65	100	3	7	6	9036	7524	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8433.599609	6921.599609	6921.599609	0.933333
7064	006A	3773	0.09	1238	1	65	100	3	9	8	11319	10081	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10564.39941	9326.399414	9326.399414	0.933333
7064	006C	3000	0.07	1250	1	65	100	3	7	6	9000	7750	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	7150	7150	0.933333
7064	007	1253	0.03	1378	1	65	100	3	3	2	3759	2381	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3508.399902	2130.399902	2130.399902	0.933333
7064	007A	1250	0.03	928	1	65	100	3	3	2	3750	2822	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3500	2572	2572	0.933333
7064	007B	1250	0.03	928	1	65	100	3	3	2	3750	2822	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3500	2572	2572	0.933333
7064	007D	2501	0.06	1238	1	65	100	3	6	5	7503	6265	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5764.799805	5764.799805	0.933333
7064	008	2501	0.06	1238	1	65	100	3	6	5	7503	6265	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5764.799805	5764.799805	0.933333
7064	009	2501	0.06	1635	1	65	100	3	6	5	7503	5868	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5367.799805	5367.799805	0.933333
7064	011	1875	0.04	1668	1	65	100	3	4	3	5625	3957	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3582	3582	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7064	013	1789	0.04	1238	1	65	100	3	4	3	5367	4129	RH-1	40	density-lim	3000			0.7	4	1	3	3	5009.199707	3771.199707	3771.199707	0.933333
7064	013A	1622	0.04	1238	1	65	100	3	4	3	4866	3628	RH-1	40	density-lim	3000			0.7	4	1	3	3	4541.600098	3303.600098	3303.600098	0.933333
7064	014	2083	0.05	1325	1	65	100	3	5	4	6249	4924	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5832.399902	4507.399902	4507.399902	0.933333
7064	023	2590	0.06	2460	1	65	100	3	6	5	7770	5310	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7252	4792	4792	0.933333
7064	024	2620	0.06	2713	1	65	100	3	6	5	7860	5147	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7336	4623	4623	0.933333
7064	025	2595	0.06	2544	1	65	100	3	6	5	7785	5241	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7266	4722	4722	0.933333
7064	026	2589	0.06	2347	1	65	100	3	6	5	7767	5420	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7249.199707	4902.199707	4902.199707	0.933333
7064	027	2837	0.07	2446	1	65	100	3	7	6	8511	6065	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7943.600098	5497.600098	5497.600098	0.933333
7064	028	2815	0.06	2307	1	65	100	3	6	5	8445	6138	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7882	5575	5575	0.933333
7064	029	2936	0.07	2307	1	65	100	3	7	6	8808	6501	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8220.799805	5913.799805	5913.799805	0.933333
7064	030	2692	0.06	2163	1	65	100	3	6	5	8076	5913	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7537.600098	5374.600098	5374.600098	0.933333
7064	031	2592	0.06	2951	1	65	100	3	6	5	7776	4825	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7257.600098	4306.600098	4306.600098	0.933333
7064	032	2592	0.06	2022	1	65	100	3	6	5	7776	5754	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7257.600098	5235.600098	5235.600098	0.933333
7064	033	2412	0.06	1782	1	65	100	3	6	5	7236	5454	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6753.600098	4971.600098	4971.600098	0.933333
7064	034	2610	0.06	1782	1	65	100	3	6	5	7830	6048	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7308	5526	5526	0.933333
7064	035	2654	0.06	2052	1	65	100	3	6	5	7962	5910	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7431.199707	5379.199707	5379.199707	0.933333
7064	036	2461	0.06	2006	1	65	100	3	6	5	7383	5377	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6890.799805	4884.799805	4884.799805	0.933333
7064	037	2436	0.06	2058	1	65	100	3	6	5	7308	5250	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6820.799805	4762.799805	4762.799805	0.933333
7064	038	2359	0.05	2468	1	65	100	3	5	4	7077	4609	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6605.199707	4137.199707	4137.199707	0.933333
7064	039	1743	0.04	2084	1	65	100	3	4	3	5229	3145	RH-1	40	density-lim	3000			0.7	4	1	3	3	4880.399902	2796.399902	2796.399902	0.933333
7064	041	2017	0.05	1732	1	65	100	3	5	4	6051	4319	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5647.600098	3915.600098	3915.600098	0.933333
7064	042	2017	0.05	1732	1	65	100	3	5	4	6051	4319	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5647.600098	3915.600098	3915.600098	0.933333
7064	043	2017	0.05	1732	1	65	100	3	5	4	6051	4319	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5647.600098	3915.600098	3915.600098	0.933333
7064	044	3538	0.08	2150	1	65	100	3	8	7	10614	8464	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9906.399414	7756.399414	7756.399414	0.933333
7064A	002	2500	0.06	1075	1	65	100	3	6	5	7500	6425	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5925	5925	0.933333
7064A	002A	2989	0.07	1075	1	65	100	3	7	6	8967	7892	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8369.200195	7294.200195	7294.200195	0.933333
7064A	004	2147	0.05	1250	1	65	100	3	5	4	6441	5191	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6011.600098	4761.600098	4761.600098	0.933333
7064A	005	2147	0.05	1510	1	65	100	3	5	4	6441	4931	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6011.600098	4501.600098	4501.600098	0.933333
7064A	006	2148	0.05	1790	1	65	100	3	5	4	6444	4654	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6014.399902	4224.399902	4224.399902	0.933333
7064A	007	2148	0.05	1250	1	65	100	3	5	4	6444	5194	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6014.399902	4764.399902	4764.399902	0.933333
7064A	008	2148	0.05	1250	1	65	100	3	5	4	6444	5194	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6014.399902	4764.399902	4764.399902	0.933333
7064A	009	2148	0.05	1250	1	65	100	3	5	4	6444	5194	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6014.399902	4764.399902	4764.399902	0.933333
7064A	010	2148	0.05	1187	1	65	100	3	5	4	6444	5257	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6014.399902	4827.399902	4827.399902	0.933333
7064A	011	2149	0.05	1187	1	65	100	3	5	4	6447	5260	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6017.199707	4830.199707	4830.199707	0.933333
7064A	012	2149	0.05	1719	1	65	100	3	5	4	6447	4728	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6017.199707	4298.199707	4298.199707	0.933333
7064A	013	2149	0.05	1187	1	65	100	3	5	4	6447	5260	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6017.199707	4830.199707	4830.199707	0.933333
7064A	014	2149	0.05	1637	1	65	100	3	5	4	6447	4810	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6017.199707	4380.199707	4380.199707	0.933333
7064A	015	2149	0.05	1187	1	65	100	3	5	4	6447	5260	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6017.199707	4830.199707	4830.199707	0.933333
7064A	016	2147	0.05	1187	1	65	100	3	5	4	6441	5254	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6011.600098	4824.600098	4824.600098	0.933333
7064A	017	2082	0.05	1637	1	65	100	3	5	4	6246	4609	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5829.600098	4192.600098	4192.600098	0.933333
7064A	018	1991	0.05	1637	1	65	100	3	5	4	5973	4336	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5574.799805	3937.799805	3937.799805	0.933333
7064A	019	1900	0.04	1187	1	65	100	3	4	3	5700	4513	RH-1	40	density-lim	3000			0.7	4	1	3	3	5320	4133	4133	0.933333
7064A	020	1809	0.04	1187	1	65	100	3	4	3	5427	4240	RH-1	40	density-lim	3000			0.7	4	1	3	3	5065.199707	3878.199707	3878.199707	0.933333
7064A	021	1718	0.04	1637	1	65	100	3	4	3	5154	3517	RH-1	40	density-lim	3000			0.7	4	1	3	3	4810.399902	3173.399902	3173.399902	0.933333
7064A	023	1724	0.04	875	1	65	100	3	4	3	5172	4297	RH-1	40	density-lim	3000			0.7	4	1	3	3	4827.199707	3952.199707	3952.199707	0.933333
7064A	024	1320	0.03	850	1	65	100	3	3	2	3960	3110	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3696	2846	2846	0.933333
7064A	024A	1394	0.03	850	1	65	100	3	3	2	4182	3332	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3903.199951	3053.199951	3053.199951	0.933333
7064A	024B	1469	0.03	850	1	65	100	3	3	2	4407	3557	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4113.199707	3263.199707	3263.199707	0.933333
7064A	024C	1543	0.04	850	1	65	100	3	4	3	4629	3779	RH-1	40	density-lim	3000			0.7	4	1	3	3	4320.399902	3470.399902	3470.399902	0.933333
7064A	024D	1664	0.04	1214	1	65	100	3	4	3	4992	3778	RH-1	40	density-lim	3000			0.7	4	1	3	3	4659.199707	3445.199707	3445.199707	0.933333
7064A	025	1832	0.04	1214	1	65	100	3	4	3	5496	4282	RH-1	40	density-lim	3000			0.7	4	1	3	3	5129.600098	3915.600098	3915.600098	0.933333
7064A	025A	2001	0.05	1214	1	65	100	3	5	4	6003	4789	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5602.799805	4388.799805	4388.799805	0.933333
7064A	027	2404	0.06	1375	1	65	100	3	6	5	7212	5837	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6731.199707	5356.199707	5356.199707	0.933333
7064A	028	2572	0.06	1775	1	65	100	3	6	5	7716	5941	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7201.600098	5426.600098	5426.600098	0.933333
7064A	029	2741	0.06	1732	1	65	100	3	6	5	8223	6491	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7674.799805	5942.799805	5942.799805	0.933333
7064A	030	2909	0.07	1986	1	65	100	3	7	6	8727	6741	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8145.199707	6159.199707	6159.199707	0.933333
7064A	031	3077	0.07	1450	1	65	100	3	7	6	9231	7781	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8615.599609	7165.599609	7165.599609	0.933333
7064A	032	2125	0.05	1375	1	65	100	3	5	4	6375	5000	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4575	4575	0.933333
7064A	033	2125	0.05	1375	1	65	100	3	5	4	6375	5000	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4575	4575	0.933333
7064A	034	2125	0.05	1375	1	65	100	3	5	4	6375	5000	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4575	4575	0.933333
7065	003	2401	0.06	1275	1	55	80	2.5	5	4	6002	4727	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6722.799805	5447.799805	5447.799805	1.120093
7065	004	2401	0.06	1958	1	55	80	2.5	5	4	6002	4044	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6722.799805	4764.799805	4764.799805	1.120093
7065	004A	2175	0.05	1778	1	55	80	2.5	4	3	5438	3660	RH-1	40	density-lim	3000			0.7	4	1	3	3	6090	4312	4312	1.119897
7065	005	2320	0.05	2796	3	55	80	2.5	4	1	5800	3004	RH-1	40	density-lim	3000	true		0.7	6	1.5	3	3	6496	3700	3700	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7065	006	2368	0.05	960	1	55	80	2.5	4	3	5920	4960	RH-1	40	density-lim	3000			0.7	4	1	3	3	6630.399902	5670.399902	5670.399902	1.12
7065	008	2000	0.05	1211	1	55	80	2.5	4	3	5000	3789	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4389	4389	1.12
7065	009A	2000	0.05	1571	1	55	80	2.5	4	3	5000	3429	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4029	4029	1.12
7065	009B	2000	0.05	1211	1	55	80	2.5	4	3	5000	3789	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4389	4389	1.12
7065	010	2000	0.05	1211	1	55	80	2.5	4	3	5000	3789	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4389	4389	1.12
7065	010A	2000	0.05	1211	1	55	80	2.5	4	3	5000	3789	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4389	4389	1.12
7065	010B	2000	0.05	1573	1	55	80	2.5	4	3	5000	3427	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4027	4027	1.12
7065	010C	2000	0.05	2111	1	55	80	2.5	4	3	5000	2889	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	3489	3489	1.12
7065	011	2000	0.05	1736	1	55	80	2.5	4	3	5000	3264	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	3864	3864	1.12
7065	011A	2000	0.05	1211	1	55	80	2.5	4	3	5000	3789	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4389	4389	1.12
7065	011B	2000	0.05	1211	1	55	80	2.5	4	3	5000	3789	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4389	4389	1.12
7065	011C	2000	0.05	1617	1	55	80	2.5	4	3	5000	3383	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	3983	3983	1.12
7065	012	1875	0.04	1211	1	65	100	3	4	3	5625	4414	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4039	4039	0.933333
7065	012B	1485	0.03	928	1	65	100	3	3	2	4455	3527	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4158	3230	3230	0.933333
7065	012C	1485	0.03	928	1	65	100	3	3	2	4455	3527	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4158	3230	3230	0.933333
7065	013D	2760	0.06	1496	1	65	100	3	6	5	8280	6784	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7728	6232	6232	0.933333
7065	013E	2760	0.06	1196	1	65	100	3	6	5	8280	7084	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7728	6532	6532	0.933333
7065	014A	1989	0.05	1300	1	65	100	3	5	4	5967	4667	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5569.199707	4269.199707	4269.199707	0.933333
7065	014B	1989	0.05	1858	1	65	100	3	5	4	5967	4109	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5569.199707	3711.199707	3711.199707	0.933333
7065	014C	1989	0.05	1300	1	55	80	2.5	4	3	4972	3672	RH-1	40	density-lim	3000			0.7	4	1	3	3	5569.199707	4269.199707	4269.199707	1.120113
7065	014D	1989	0.05	1300	1	55	80	2.5	4	3	4972	3672	RH-1	40	density-lim	3000			0.7	4	1	3	3	5569.199707	4269.199707	4269.199707	1.120113
7065	014E	1989	0.05	1300	1	55	80	2.5	4	3	4972	3672	RH-1	40	density-lim	3000			0.7	4	1	3	3	5569.199707	4269.199707	4269.199707	1.120113
7065	014F	1989	0.05	1300	1	55	80	2.5	4	3	4972	3672	RH-1	40	density-lim	3000			0.7	4	1	3	3	5569.199707	4269.199707	4269.199707	1.120113
7065	014G	1989	0.05	1300	1	55	80	2.5	4	3	4972	3672	RH-1	40	density-lim	3000			0.7	4	1	3	3	5569.199707	4269.199707	4269.199707	1.120113
7065	033	2677	0.06	2117	1	55	80	2.5	5	4	6692	4575	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7495.600098	5378.600098	5378.600098	1.120084
7065	014H	2207	0.05	1620	1	55	80	2.5	4	3	5518	3898	RH-1	40	density-lim	3000			0.7	4	1	3	3	6179.600098	4559.600098	4559.600098	1.119899
7065	015A	2000	0.05	1955	1	65	100	3	5	4	6000	4045	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	3645	3645	0.933333
7065	015B	2000	0.05	1300	1	65	100	3	5	4	6000	4700	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4300	4300	0.933333
7065	015C	2486	0.06	1300	1	55	80	2.5	5	4	6215	4915	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6960.799805	5660.799805	5660.799805	1.12
7065	015D	3000	0.07	1910	1	55	80	2.5	6	5	7500	5590	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8400	6490	6490	1.12
7065	015E	2954	0.07	1300	1	55	80	2.5	6	5	7385	6085	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8271.200195	6971.200195	6971.200195	1.12
7065	015F	2579	0.06	1962	1	55	80	2.5	5	4	6448	4486	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7221.199707	5259.199707	5259.199707	1.119913
7065	015G	2270	0.05	1689	1	55	80	2.5	4	3	5675	3986	RH-1	40	density-lim	3000			0.7	4	1	3	3	6356	4667	4667	1.12
7065	015H	2498	0.06	1300	1	55	80	2.5	5	4	6245	4945	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6994.399902	5694.399902	5694.399902	1.12
7065	016	4000	0.09	2593	1	65	100	3	9	8	12000	9407	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11200	8607	8607	0.933333
7065	017A	2112	0.05	1096	1	55	80	2.5	4	3	5280	4184	RH-1	40	density-lim	3000			0.7	4	1	3	3	5913.600098	4817.600098	4817.600098	1.12
7065	017B	2112	0.05	1096	1	55	80	2.5	4	3	5280	4184	RH-1	40	density-lim	3000			0.7	4	1	3	3	5913.600098	4817.600098	4817.600098	1.12
7065	017C	2112	0.05	2060	1	65	100	3	5	4	6336	4276	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5913.600098	3853.600098	3853.600098	0.933333
7065	017D	2175	0.05	1955	1	55	80	2.5	4	3	5438	3483	RH-1	40	density-lim	3000			0.7	4	1	3	3	6090	4135	4135	1.119897
7065	017E	2388	0.05	1685	1	65	100	3	5	4	7164	5479	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6686.399902	5001.399902	5001.399902	0.933333
7065	018	1995	0.05	1597	1	55	80	2.5	4	3	4988	3391	RH-1	40	density-lim	3000			0.7	4	1	3	3	5586	3989	3989	1.119888
7065	019	1994	0.05	1697	1	55	80	2.5	4	3	4985	3288	RH-1	40	density-lim	3000			0.7	4	1	3	3	5583.199707	3886.199707	3886.199707	1.12
7065	020	1940	0.04	1139	1	55	80	2.5	3	2	4850	3711	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5432	4293	4293	1.12
7065	023	2509	0.06	2368	1	55	80	2.5	5	4	6272	3904	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7025.199707	4657.199707	4657.199707	1.120089
7065	024	2509	0.06	1614	1	55	80	2.5	5	4	6272	4658	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7025.199707	5411.199707	5411.199707	1.120089
7065	031	2405	0.06	1803	1	55	80	2.5	5	4	6012	4209	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6734	4931	4931	1.120093
7065	032	2610	0.06	1613	1	55	80	2.5	5	4	6525	4912	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7308	5695	5695	1.12
7065	034	2677	0.06	1552	1	55	80	2.5	5	4	6692	5140	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7495.600098	5943.600098	5943.600098	1.120084
7065	035	2677	0.06	1552	1	55	80	2.5	5	4	6692	5140	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7495.600098	5943.600098	5943.600098	1.120084
7065	040	3090	0.07	1570	1	55	80	2.5	6	5	7725	6155	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8652	7082	7082	1.12
7065	041	3090	0.07	2270	1	55	80	2.5	6	5	7725	5455	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8652	6382	6382	1.12
7065	042	3090	0.07	1570	1	55	80	2.5	6	5	7725	6155	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8652	7082	7082	1.12
7065	043	3090	0.07	1570	1	55	80	2.5	6	5	7725	6155	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8652	7082	7082	1.12
7065	044	2389	0.05	1518	1	55	80	2.5	4	3	5972	4454	RH-1	40	density-lim	3000			0.7	4	1	3	3	6689.199707	5171.199707	5171.199707	1.120094
7065	045	2389	0.05	1707	1	55	80	2.5	4	3	5972	4265	RH-1	40	density-lim	3000			0.7	4	1	3	3	6689.199707	4982.199707	4982.199707	1.120094
7065	046	2389	0.05	2396	1	55	80	2.5	4	3	5972	3576	RH-1	40	density-lim	3000			0.7	4	1	3	3	6689.199707	4293.199707	4293.199707	1.120094
7065	048	2800	0.06	1525	1	55	80	2.5	5	4	7000	5475	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7840	6315	6315	1.12
7065	049	2800	0.06	1525	1	55	80	2.5	5	4	7000	5475	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7840	6315	6315	1.12
7065	050	2800	0.06	1765	1	55	80	2.5	5	4	7000	5235	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7840	6075	6075	1.12
7065	053	3120	0.07	1300	1	55	80	2.5	6	5	7800	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8736	7436	7436	1.12
7065	057	3636	0.08	1666	1	55	80	2.5	6	5	9090	7424	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	10180.7998	8514.799805	8514.799805	1.12
7065	058	3698	0.08	1906	1	55	80	2.5	6	5	9245	7339	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	10354.39941	8448.399414	8448.399414	1.12
7065	059	3501	0.08	2364	1	55	80	2.5	6	5	8752	6388	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9802.799805	7438.799805	7438.799805	1.120064
7065	060	3182	0.07	1614	1	55	80	2.5	6	5	7955	6341	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8909.599609	7295.599609	7295.599609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7065	061	3481	0.08	2010	1	55	80	2.5	6	5	8702	6692	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9746.799805	7736.799805	7736.799805	1.120064
7065	062	2922	0.07	1196	1	65	100	3	7	6	8766	7570	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8181.600098	6985.600098	6985.600098	0.933333
7066	001A	2024	0.05	1407	1	55	80	2.5	4	3	5060	3653	RH-1	40	density-lim	3000			0.7	4	1	3	3	5667.199707	4260.199707	4260.199707	1.12
7066	001B	2024	0.05	1145	1	55	80	2.5	4	3	5060	3915	RH-1	40	density-lim	3000			0.7	4	1	3	3	5667.199707	4522.199707	4522.199707	1.12
7066	001C	2024	0.05	1151	1	55	80	2.5	4	3	5060	3909	RH-1	40	density-lim	3000			0.7	4	1	3	3	5667.199707	4516.199707	4516.199707	1.12
7066	001D	2024	0.05	1300	1	55	80	2.5	4	3	5060	3760	RH-1	40	density-lim	3000			0.7	4	1	3	3	5667.199707	4367.199707	4367.199707	1.12
7066	001G	1554	0.04	0	0	55	80	2.5	3	3	3885	3885	NCD-EXCE	40	density-lim	600	true		0.75	3	1	3	3	4662	4662	4662	1.2
7066	001H	1563	0.04	0	0	55	80	2.5	3	3	3908	3908	NCD-EXCE	40	density-lim	600			0.75	3	1	3	3	4689	4689	4689	1.199847
7066	001I	1625	0.04	0	0	55	80	2.5	3	3	4062	4062	NCD-EXCE	40	density-lim	600			0.75	3	1	3	3	4875	4875	4875	1.200148
7066	002	3155	0.07	3900	2	55	80	2.5	6	4	7888	3988	NCD-EXCE	40	density-lim	600			0.75	5	0.833333313	3	3	9465	5565	5565	1.199924
7066	003	3191	0.07	1829	2	55	80	2.5	6	4	7978	6149	NCD-EXCE	40	density-lim	600			0.75	5	0.833333313	3	3	9573	7744	7744	1.199925
7066	003A	3227	0.07	1934	1	55	80	2.5	6	5	8068	6134	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9035.599609	7101.599609	7101.599609	1.119931
7066	014	5000	0.11	1375	1	55	80	2.5	9	8	12500	11125	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	14000	12625	12625	1.12
7066	017	3333	0.08	350	1	55	80	2.5	6	5	8332	7982	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9332.399414	8982.399414	8982.399414	1.120067
7066	018	2667	0.06	2170	1	55	80	2.5	5	4	6668	4498	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7467.600098	5297.600098	5297.600098	1.119916
7066	019	2667	0.06	1160	1	55	80	2.5	5	4	6668	5508	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7467.600098	6307.600098	6307.600098	1.119916
7066	020	3200	0.07	939	1	55	80	2.5	6	5	8000	7061	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8960	8021	8021	1.12
7066	021	3200	0.07	2007	1	55	80	2.5	6	5	8000	5993	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8960	6953	6953	1.12
7066	022	3750	0.09	1482	1	55	80	2.5	7	6	9375	7893	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	10500	9018	9018	1.12
7066	023	3750	0.09	1482	1	55	80	2.5	7	6	9375	7893	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	10500	9018	9018	1.12
7066	024	3750	0.09	1300	1	55	80	2.5	7	6	9375	8075	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	10500	9200	9200	1.12
7066	025	3750	0.09	1300	1	55	80	2.5	7	6	9375	8075	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	10500	9200	9200	1.12
7066	026	1854	0.04	1162	1	55	80	2.5	3	2	4635	3473	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5191.199707	4029.199707	4029.199707	1.12
7066	027	1854	0.04	1162	1	55	80	2.5	3	2	4635	3473	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	5191.199707	4029.199707	4029.199707	1.12
7066	028	2013	0.05	1000	1	55	80	2.5	4	3	5032	4032	RH-1	40	density-lim	3000			0.7	4	1	3	3	5636.399902	4636.399902	4636.399902	1.120111
7067	001	3456	0.08	2100	1	65	100	3	8	7	10368	8268	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9676.799805	7576.799805	7576.799805	0.933333
7067	003	3125	0.07	4501	1	65	100	3	7	6	9375	4874	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	4249	4249	0.933333
7067	004	3125	0.07	4501	1	65	100	3	7	6	9375	4874	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	4249	4249	0.933333
7067	005	3125	0.07	4501	1	65	100	3	7	6	9375	4874	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	4249	4249	0.933333
7067	006	3125	0.07	4501	1	65	100	3	7	6	9375	4874	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	4249	4249	0.933333
7067	007	3125	0.07	1879	1	65	100	3	7	6	9375	7496	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6871	6871	0.933333
7067	008	3125	0.07	1879	1	65	100	3	7	6	9375	7496	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6871	6871	0.933333
7067	009	3125	0.07	1040	1	65	100	3	7	6	9375	8335	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7710	7710	0.933333
7067	010	3125	0.07	1975	1	65	100	3	7	6	9375	7400	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6775	6775	0.933333
7067	011	3125	0.07	1264	1	65	100	3	7	6	9375	8111	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7486	7486	0.933333
7067	013A	3000	0.07	2373	1	65	100	3	7	6	9000	6627	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	6027	6027	0.933333
7067	015	3153	0.07	1005	1	65	100	3	7	6	9459	8454	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7823.399414	7823.399414	0.933333
7067	015A	3153	0.07	926	1	65	100	3	7	6	9459	8533	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7902.399414	7902.399414	0.933333
7067	015B	3153	0.07	2630	1	65	100	3	7	6	9459	6829	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	6198.399414	6198.399414	0.933333
7067	015C	3153	0.07	1197	1	65	100	3	7	6	9459	8262	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7631.399414	7631.399414	0.933333
7067	017	9458	0.22	1730	1	65	100	3	22	21	28374	26644	RH-1	40	density-lim	3000			0.7	4	0.181818187	3	3	26482.40039	24752.40039	24752.40039	0.933333
7067	018	3153	0.07	1656	1	65	100	3	7	6	9459	7803	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7172.399414	7172.399414	0.933333
7067	018A	3153	0.07	1155	1	65	100	3	7	6	9459	8304	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7673.399414	7673.399414	0.933333
7067	018B	3153	0.07	850	1	65	100	3	7	6	9459	8609	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7978.399414	7978.399414	0.933333
7067	019	3154	0.07	850	1	65	100	3	7	6	9462	8612	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8831.200195	7981.200195	7981.200195	0.933333
7067	020	3222	0.07	850	1	65	100	3	7	6	9666	8816	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9021.599609	8171.599609	8171.599609	0.933333
7067	021	3405	0.08	1595	1	65	100	3	8	7	10215	8620	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9534	7939	7939	0.933333
7067	022	2323	0.05	850	1	65	100	3	5	4	6969	6119	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6504.399902	5654.399902	5654.399902	0.933333
7067	023	2606	0.06	850	1	65	100	3	6	5	7818	6968	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7296.799805	6446.799805	6446.799805	0.933333
7067	024	2890	0.07	850	1	65	100	3	7	6	8670	7820	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8092	7242	7242	0.933333
7067	025	3173	0.07	850	1	65	100	3	7	6	9519	8669	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8884.399414	8034.399414	8034.399414	0.933333
7067	026	3153	0.07	1335	1	65	100	3	7	6	9459	8124	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7493.399414	7493.399414	0.933333
7067	027	3153	0.07	1906	1	65	100	3	7	6	9459	7553	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	6922.399414	6922.399414	0.933333
7067	028	3125	0.07	1167	1	65	100	3	7	6	9375	8208	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7583	7583	0.933333
7067	029	3125	0.07	1846	1	65	100	3	7	6	9375	7529	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6904	6904	0.933333
7067	030	3125	0.07	1399	1	65	100	3	7	6	9375	7976	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7351	7351	0.933333
7067	031	2375	0.05	938	1	65	100	3	5	4	7125	6187	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6650	5712	5712	0.933333
7067	033	2802	0.06	2597	1	65	100	3	6	5	8406	5809	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7845.600098	5248.600098	5248.600098	0.933333
7067	035	2500	0.06	1752	1	65	100	3	6	5	7500	5748	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5248	5248	0.933333
7067	036	2500	0.06	1960	1	65	100	3	6	5	7500	5540	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5040	5040	0.933333
7067	037	2500	0.06	2009	1	65	100	3	6	5	7500	5491	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4991	4991	0.933333
7067	038	2500	0.06	2088	1	65	100	3	6	5	7500	5412	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4912	4912	0.933333
7067	039	2813	0.06	2088	1	65	100	3	6	5	8439	6351	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7876.399902	5788.399902	5788.399902	0.933333
7067	040	3125	0.07	1752	1	65	100	3	7	6	9375	7623	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6998	6998	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7067	041	3125	0.07	1752	1	65	100	3	7	6	9375	7623	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6998	6998	0.933333
7067	042	3125	0.07	1752	1	65	100	3	7	6	9375	7623	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6998	6998	0.933333
7067	043	3125	0.07	1752	1	65	100	3	7	6	9375	7623	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6998	6998	0.933333
7067	044	1750	0.04	1437	1	65	100	3	4	3	5250	3813	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3463	3463	0.933333
7067	045	1750	0.04	1058	1	65	100	3	4	3	5250	4192	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3842	3842	0.933333
7067	047	1875	0.04	1437	1	65	100	3	4	3	5625	4188	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3813	3813	0.933333
7069	001A	2601	0.06	825	1	65	100	3	6	5	7803	6978	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7282.799805	6457.799805	6457.799805	0.933333
7069	002	2609	0.06	1100	1	65	100	3	6	5	7827	6727	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7305.199707	6205.199707	6205.199707	0.933333
7069	004	3237	0.07	2801	1	65	100	3	7	6	9711	6910	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9063.599609	6262.599609	6262.599609	0.933333
7069	005	2063	0.05	1228	1	65	100	3	5	4	6189	4961	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5776.399902	4548.399902	4548.399902	0.933333
7069	006	1941	0.04	800	1	65	100	3	4	3	5823	5023	RH-1	40	density-lim	3000			0.7	4	1	3	3	5434.799805	4634.799805	4634.799805	0.933333
7069	007	2973	0.07	920	1	65	100	3	7	6	8919	7999	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8324.399414	7404.399414	7404.399414	0.933333
7069	008	2478	0.06	1875	1	65	100	3	6	5	7434	5559	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6938.399902	5063.399902	5063.399902	0.933333
7069	010	3103	0.07	1636	1	65	100	3	7	6	9309	7673	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7052.399414	7052.399414	0.933333
7069	010A	3103	0.07	968	1	65	100	3	7	6	9309	8341	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7720.399414	7720.399414	0.933333
7069	010B	2478	0.06	1186	1	65	100	3	6	5	7434	6248	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6938.399902	5752.399902	5752.399902	0.933333
7069	010C	2478	0.06	1150	1	65	100	3	6	5	7434	6284	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6938.399902	5788.399902	5788.399902	0.933333
7069	011	3103	0.07	878	1	65	100	3	7	6	9309	8431	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7810.399414	7810.399414	0.933333
7069	011A	3103	0.07	950	1	65	100	3	7	6	9309	8359	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7738.399414	7738.399414	0.933333
7069	011B	3103	0.07	2661	1	65	100	3	7	6	9309	6648	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	6027.399414	6027.399414	0.933333
7069	011C	3103	0.07	878	1	65	100	3	7	6	9309	8431	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7810.399414	7810.399414	0.933333
7069	013	3103	0.07	1864	1	65	100	3	7	6	9309	7445	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	6824.399414	6824.399414	0.933333
7069	014	3103	0.07	1590	1	65	100	3	7	6	9309	7719	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7098.399414	7098.399414	0.933333
7069	015	3103	0.07	1543	1	65	100	3	7	6	9309	7766	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7145.399414	7145.399414	0.933333
7069	016	3103	0.07	675	1	65	100	3	7	6	9309	8634	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	8013.399414	8013.399414	0.933333
7069	016A	3103	0.07	1500	1	65	100	3	7	6	9309	7809	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7188.399414	7188.399414	0.933333
7069	017	3103	0.07	2327	1	65	100	3	7	6	9309	6982	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	6361.399414	6361.399414	0.933333
7069	018	3103	0.07	1885	1	65	100	3	7	6	9309	7424	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	6803.399414	6803.399414	0.933333
7069	018A	3103	0.07	875	1	65	100	3	7	6	9309	8434	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7813.399414	7813.399414	0.933333
7069	018B	3103	0.07	875	1	65	100	3	7	6	9309	8434	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7813.399414	7813.399414	0.933333
7069	018C	3103	0.07	1515	1	65	100	3	7	6	9309	7794	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7173.399414	7173.399414	0.933333
7069	018D	3103	0.07	1030	1	65	100	3	7	6	9309	8279	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7658.399414	7658.399414	0.933333
7069	018E	3103	0.07	1440	1	65	100	3	7	6	9309	7869	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7248.399414	7248.399414	0.933333
7069	018F	3103	0.07	988	1	65	100	3	7	6	9309	8321	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7700.399414	7700.399414	0.933333
7069	018G	3103	0.07	1278	1	65	100	3	7	6	9309	8031	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7410.399414	7410.399414	0.933333
7069	019	3103	0.07	875	1	65	100	3	7	6	9309	8434	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7813.399414	7813.399414	0.933333
7069	019A	3103	0.07	875	1	65	100	3	7	6	9309	8434	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7813.399414	7813.399414	0.933333
7069	019B	3103	0.07	875	1	65	100	3	7	6	9309	8434	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7813.399414	7813.399414	0.933333
7069	020A	2875	0.07	1154	1	65	100	3	7	6	8625	7471	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8050	6896	6896	0.933333
7069	021	2875	0.07	1000	1	65	100	3	7	6	8625	7625	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8050	7050	7050	0.933333
7069	023	2875	0.07	1288	1	65	100	3	7	6	8625	7337	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8050	6762	6762	0.933333
7069	023A	1625	0.04	915	1	65	100	3	4	3	4875	3960	RH-1	40	density-lim	3000			0.7	4	1	3	3	4550	3635	3635	0.933333
7069	023B	1625	0.04	915	1	65	100	3	4	3	4875	3960	RH-1	40	density-lim	3000			0.7	4	1	3	3	4550	3635	3635	0.933333
7069	024C	1875	0.04	1356	1	65	100	3	4	3	5625	4269	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3894	3894	0.933333
7069	024D	1875	0.04	1095	1	65	100	3	4	3	5625	4530	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4155	4155	0.933333
7069	024E	3125	0.07	915	1	65	100	3	7	6	9375	8460	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7835	7835	0.933333
7069	024F	3125	0.07	915	1	65	100	3	7	6	9375	8460	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7835	7835	0.933333
7069	025	3125	0.07	2071	1	65	100	3	7	6	9375	7304	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6679	6679	0.933333
7069	026	3125	0.07	1660	1	65	100	3	7	6	9375	7715	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7090	7090	0.933333
7069	026A	3125	0.07	1050	1	65	100	3	7	6	9375	8325	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7700	7700	0.933333
7069	026B	3125	0.07	781	1	65	100	3	7	6	9375	8594	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7969	7969	0.933333
7069	026C	3125	0.07	781	1	65	100	3	7	6	9375	8594	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7969	7969	0.933333
7069	026D	3125	0.07	781	1	65	100	3	7	6	9375	8594	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7969	7969	0.933333
7069	026E	3125	0.07	1092	1	65	100	3	7	6	9375	8283	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7658	7658	0.933333
7069	026F	3125	0.07	781	1	65	100	3	7	6	9375	8594	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7969	7969	0.933333
7069	026G	3125	0.07	781	1	65	100	3	7	6	9375	8594	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7969	7969	0.933333
7069	028	3875	0.09	1795	1	65	100	3	9	8	11625	9830	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10850	9055	9055	0.933333
7069	029	3812	0.09	772	1	65	100	3	9	8	11436	10664	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10673.59961	9901.599609	9901.599609	0.933333
7069	030	4000	0.09	1103	1	65	100	3	9	8	12000	10897	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11200	10097	10097	0.933333
7069	031	3125	0.07	1456	1	65	100	3	7	6	9375	7919	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7294	7294	0.933333
7069	032	3125	0.07	1270	1	65	100	3	7	6	9375	8105	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7480	7480	0.933333
7069	033	3125	0.07	1150	1	65	100	3	7	6	9375	8225	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7600	7600	0.933333
7069	034	3125	0.07	1385	1	65	100	3	7	6	9375	7990	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7365	7365	0.933333
7069	035	3125	0.07	2369	1	65	100	3	7	6	9375	7006	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6381	6381	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7069	036	3125	0.07	2000	1	65	100	3	7	6	9375	7375	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6750	6750	0.933333
7069	037	6250	0.14	2365	1	65	100	3	14	13	18750	16385	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	17500	15135	15135	0.933333
7069	040	3125	0.07	1000	1	65	100	3	7	6	9375	8375	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7750	7750	0.933333
7069	041	3125	0.07	1600	1	65	100	3	7	6	9375	7775	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7150	7150	0.933333
7069	042	3125	0.07	2606	1	65	100	3	7	6	9375	6769	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6144	6144	0.933333
7069	043	3125	0.07	1190	1	65	100	3	7	6	9375	8185	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7560	7560	0.933333
7069	044	2250	0.05	1836	1	65	100	3	5	4	6750	4914	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	4464	4464	0.933333
7069	047	3750	0.09	1168	1	65	100	3	9	8	11250	10082	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10500	9332	9332	0.933333
7069	049	3103	0.07	1560	1	65	100	3	7	6	9309	7749	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7128.399414	7128.399414	0.933333
7069	050	3103	0.07	1378	1	65	100	3	7	6	9309	7931	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7310.399414	7310.399414	0.933333
7069	051	3103	0.07	1570	1	65	100	3	7	6	9309	7739	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7118.399414	7118.399414	0.933333
7069	052	3103	0.07	1570	1	65	100	3	7	6	9309	7739	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7118.399414	7118.399414	0.933333
7070	002	2529	0.06	750	1	65	100	3	6	5	7587	6837	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7081.199707	6331.199707	6331.199707	0.933333
7070	003	2528	0.06	750	1	65	100	3	6	5	7584	6834	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7078.399902	6328.399902	6328.399902	0.933333
7070	004	2527	0.06	2065	1	65	100	3	6	5	7581	5516	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7075.600098	5010.600098	5010.600098	0.933333
7070	005	2526	0.06	1614	1	65	100	3	6	5	7578	5964	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5458.799805	5458.799805	0.933333
7070	006	2526	0.06	750	1	65	100	3	6	5	7578	6828	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	6322.799805	6322.799805	0.933333
7070	007	2525	0.06	750	1	65	100	3	6	5	7575	6825	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7070	6320	6320	0.933333
7070	008	2524	0.06	1010	1	65	100	3	6	5	7572	6562	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7067.199707	6057.199707	6057.199707	0.933333
7070	009	2523	0.06	1431	1	65	100	3	6	5	7569	6138	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7064.399902	5633.399902	5633.399902	0.933333
7070	010	2523	0.06	750	1	65	100	3	6	5	7569	6819	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7064.399902	6314.399902	6314.399902	0.933333
7070	011	2522	0.06	974	1	65	100	3	6	5	7566	6592	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7061.600098	6087.600098	6087.600098	0.933333
7070	012	2521	0.06	750	1	65	100	3	6	5	7563	6813	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7058.799805	6308.799805	6308.799805	0.933333
7070	013	2520	0.06	750	1	65	100	3	6	5	7560	6810	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	6306	6306	0.933333
7070	014	2519	0.06	937	1	65	100	3	6	5	7557	6620	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	6116.199707	6116.199707	0.933333
7070	015	2519	0.06	750	1	65	100	3	6	5	7557	6807	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	6303.199707	6303.199707	0.933333
7070	016	2518	0.06	750	1	65	100	3	6	5	7554	6804	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	6300.399902	6300.399902	0.933333
7070	017	2517	0.06	750	1	65	100	3	6	5	7551	6801	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7047.600098	6297.600098	6297.600098	0.933333
7070	019	2885	0.07	1952	1	65	100	3	7	6	8655	6703	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8078	6126	6126	0.933333
7070	020	2500	0.06	1664	1	65	100	3	6	5	7500	5836	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5336	5336	0.933333
7070	021	2500	0.06	1664	1	65	100	3	6	5	7500	5836	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5336	5336	0.933333
7070	022	2500	0.06	480	1	65	100	3	6	5	7500	7020	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6520	6520	0.933333
7070	023	2500	0.06	700	1	65	100	3	6	5	7500	6800	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6300	6300	0.933333
7070	025	2500	0.06	1044	1	65	100	3	6	5	7500	6456	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5956	5956	0.933333
7070	026	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7070	027	2500	0.06	1615	1	65	100	3	6	5	7500	5885	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5385	5385	0.933333
7070	028	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7070	029	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7070	030	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7070	031	2500	0.06	850	1	65	100	3	6	5	7500	6650	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6150	6150	0.933333
7070	032	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7070	033	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7070	034	2500	0.06	1110	1	65	100	3	6	5	7500	6390	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5890	5890	0.933333
7070	035	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7070	036	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7070	037	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7070	038	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7070	039	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7070	040	2500	0.06	1280	1	65	100	3	6	5	7500	6220	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5720	5720	0.933333
7070	041	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7070	042	1875	0.04	1367	1	65	100	3	4	3	5625	4258	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3883	3883	0.933333
7070	043A	1868	0.04	850	1	65	100	3	4	3	5604	4754	RH-1	40	density-lim	3000			0.7	4	1	3	3	5230.399902	4380.399902	4380.399902	0.933333
7070	044	1868	0.04	1090	1	65	100	3	4	3	5604	4514	RH-1	40	density-lim	3000			0.7	4	1	3	3	5230.399902	4140.399902	4140.399902	0.933333
7070	045	2493	0.06	1065	1	65	100	3	6	5	7479	6414	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5915.399902	5915.399902	0.933333
7070	046	2493	0.06	850	1	65	100	3	6	5	7479	6629	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	6130.399902	6130.399902	0.933333
7070	047	2493	0.06	1118	1	65	100	3	6	5	7479	6361	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5862.399902	5862.399902	0.933333
7070	048	2493	0.06	1328	1	65	100	3	6	5	7479	6151	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5652.399902	5652.399902	0.933333
7071	001A	1870	0.04	850	1	65	100	3	4	3	5610	4760	RH-1	40	density-lim	3000			0.7	4	1	3	3	5236	4386	4386	0.933333
7071	002	2496	0.06	850	1	65	100	3	6	5	7488	6638	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6988.799805	6138.799805	6138.799805	0.933333
7071	003	2496	0.06	850	1	65	100	3	6	5	7488	6638	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6988.799805	6138.799805	6138.799805	0.933333
7071	004	2497	0.06	1295	1	65	100	3	6	5	7491	6196	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6991.600098	5696.600098	5696.600098	0.933333
7071	005	2497	0.06	850	1	65	100	3	6	5	7491	6641	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6991.600098	6141.600098	6141.600098	0.933333
7071	006	2497	0.06	1410	1	65	100	3	6	5	7491	6081	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6991.600098	5581.600098	5581.600098	0.933333
7071	007	2498	0.06	983	1	65	100	3	6	5	7494	6511	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6994.399902	6011.399902	6011.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7071	008	2498	0.06	1796	1	65	100	3	6	5	7494	5698	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6994.399902	5198.399902	5198.399902	0.933333
7071	009	2499	0.06	1836	1	65	100	3	6	5	7497	5661	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	5161.199707	5161.199707	0.933333
7071	010	2499	0.06	1100	1	65	100	3	6	5	7497	6397	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	5897.199707	5897.199707	0.933333
7071	011	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333
7071	012	2500	0.06	850	1	65	100	3	6	5	7500	6650	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6150	6150	0.933333
7071	013	2500	0.06	850	1	65	100	3	6	5	7500	6650	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6150	6150	0.933333
7071	014	2501	0.06	850	1	65	100	3	6	5	7503	6653	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	6152.799805	6152.799805	0.933333
7071	015	2501	0.06	1216	1	65	100	3	6	5	7503	6287	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5786.799805	5786.799805	0.933333
7071	016	2502	0.06	850	1	65	100	3	6	5	7506	6656	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	6155.600098	6155.600098	0.933333
7071	017	2502	0.06	1613	1	65	100	3	6	5	7506	5893	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5392.600098	5392.600098	0.933333
7071	018	1878	0.04	1010	1	65	100	3	4	3	5634	4624	RH-1	40	density-lim	3000			0.7	4	1	3	3	5258.399902	4248.399902	4248.399902	0.933333
7071	020	1875	0.04	1010	1	65	100	3	4	3	5625	4615	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4240	4240	0.933333
7071	020A	1875	0.04	1376	1	65	100	3	4	3	5625	4249	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3874	3874	0.933333
7071	021	2500	0.06	1010	1	65	100	3	6	5	7500	6490	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5990	5990	0.933333
7071	022	2500	0.06	1010	1	65	100	3	6	5	7500	6490	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5990	5990	0.933333
7071	024	1875	0.04	1050	1	65	100	3	4	3	5625	4575	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4200	4200	0.933333
7071	024A	1875	0.04	1254	1	65	100	3	4	3	5625	4371	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3996	3996	0.933333
7071	025	1875	0.04	1050	1	65	100	3	4	3	5625	4575	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4200	4200	0.933333
7071	026	2500	0.06	2160	1	65	100	3	6	5	7500	5340	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4840	4840	0.933333
7071	027	2500	0.06	1978	1	65	100	3	6	5	7500	5522	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5022	5022	0.933333
7071	028	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7071	029	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7071	030	2500	0.06	975	1	65	100	3	6	5	7500	6525	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6025	6025	0.933333
7071	031	2500	0.06	1075	1	65	100	3	6	5	7500	6425	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5925	5925	0.933333
7071	032	2500	0.06	1092	1	65	100	3	6	5	7500	6408	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5908	5908	0.933333
7071	033	2500	0.06	1672	1	65	100	3	6	5	7500	5828	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5328	5328	0.933333
7071	034	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5800	5800	0.933333
7071	035	2500	0.06	1326	1	65	100	3	6	5	7500	6174	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5674	5674	0.933333
7071	036	2500	0.06	855	1	65	100	3	6	5	7500	6645	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6145	6145	0.933333
7071	037	2500	0.06	1189	1	65	100	3	6	5	7500	6311	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5811	5811	0.933333
7071	038	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7071	039	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7071	040	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7071	041	2500	0.06	944	1	65	100	3	6	5	7500	6556	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6056	6056	0.933333
7071	043	1868	0.04	800	1	65	100	3	4	3	5604	4804	RH-1	40	density-lim	3000			0.7	4	1	3	3	5230.399902	4430.399902	4430.399902	0.933333
7071	044	1868	0.04	800	1	65	100	3	4	3	5604	4804	RH-1	40	density-lim	3000			0.7	4	1	3	3	5230.399902	4430.399902	4430.399902	0.933333
7071	044A	1875	0.04	1025	1	65	100	3	4	3	5625	4600	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4225	4225	0.933333
7071	045	2493	0.06	1369	1	65	100	3	6	5	7479	6110	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5611.399902	5611.399902	0.933333
7071	046	2493	0.06	1050	1	65	100	3	6	5	7479	6429	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5930.399902	5930.399902	0.933333
7071	047	1868	0.04	850	1	65	100	3	4	3	5604	4754	RH-1	40	density-lim	3000			0.7	4	1	3	3	5230.399902	4380.399902	4380.399902	0.933333
7071	048	1868	0.04	850	1	65	100	3	4	3	5604	4754	RH-1	40	density-lim	3000			0.7	4	1	3	3	5230.399902	4380.399902	4380.399902	0.933333
7072	002	2522	0.06	949	1	65	100	3	6	5	7566	6617	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7061.600098	6112.600098	6112.600098	0.933333
7072	003	2521	0.06	1050	1	65	100	3	6	5	7563	6513	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7058.799805	6008.799805	6008.799805	0.933333
7072	004	2521	0.06	1050	1	65	100	3	6	5	7563	6513	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7058.799805	6008.799805	6008.799805	0.933333
7072	005	2520	0.06	1050	1	65	100	3	6	5	7560	6510	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	6006	6006	0.933333
7072	006	2520	0.06	1661	1	65	100	3	6	5	7560	5899	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	5395	5395	0.933333
7072	007	2520	0.06	1050	1	65	100	3	6	5	7560	6510	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	6006	6006	0.933333
7072	008	2519	0.06	1651	1	65	100	3	6	5	7557	5906	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	5402.199707	5402.199707	0.933333
7072	009	2519	0.06	1150	1	65	100	3	6	5	7557	6407	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	5903.199707	5903.199707	0.933333
7072	010	2518	0.06	781	1	65	100	3	6	5	7554	6773	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	6269.399902	6269.399902	0.933333
7072	011	2518	0.06	1050	1	65	100	3	6	5	7554	6504	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	6000.399902	6000.399902	0.933333
7072	012	2517	0.06	1803	1	65	100	3	6	5	7551	5748	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7047.600098	5244.600098	5244.600098	0.933333
7072	013	2517	0.06	1214	1	65	100	3	6	5	7551	6337	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7047.600098	5833.600098	5833.600098	0.933333
7072	014	2517	0.06	1645	1	65	100	3	6	5	7551	5906	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7047.600098	5402.600098	5402.600098	0.933333
7072	015	2516	0.06	1214	1	65	100	3	6	5	7548	6334	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7044.799805	5830.799805	5830.799805	0.933333
7072	016	2516	0.06	1214	1	65	100	3	6	5	7548	6334	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7044.799805	5830.799805	5830.799805	0.933333
7072	017	2515	0.06	1214	1	65	100	3	6	5	7545	6331	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7042	5828	5828	0.933333
7072	018	2515	0.06	800	1	65	100	3	6	5	7545	6745	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7042	6242	6242	0.933333
7072	019	2514	0.06	800	1	65	100	3	6	5	7542	6742	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7039.199707	6239.199707	6239.199707	0.933333
7072	020	2514	0.06	1289	1	65	100	3	6	5	7542	6253	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7039.199707	5750.199707	5750.199707	0.933333
7072	023	2500	0.06	2202	1	65	100	3	6	5	7500	5298	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4798	4798	0.933333
7072	024	2500	0.06	1080	1	65	100	3	6	5	7500	6420	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5920	5920	0.933333
7072	025	2500	0.06	1575	1	65	100	3	6	5	7500	5925	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5425	5425	0.933333
7072	026	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5550	5550	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7072	027	2500	0.06	1231	1	65	100	3	6	5	7500	6269	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5769	5769	0.933333
7072	028	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5950	5950	0.933333
7072	029	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5950	5950	0.933333
7072	030	2500	0.06	1297	1	65	100	3	6	5	7500	6203	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5703	5703	0.933333
7072	031	2500	0.06	1623	1	65	100	3	6	5	7500	5877	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5377	5377	0.933333
7072	032	2500	0.06	1290	1	65	100	3	6	5	7500	6210	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5710	5710	0.933333
7072	033	2500	0.06	2230	1	65	100	3	6	5	7500	5270	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4770	4770	0.933333
7072	034	2500	0.06	1232	1	65	100	3	6	5	7500	6268	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5768	5768	0.933333
7072	035	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5950	5950	0.933333
7072	036	2500	0.06	1545	1	65	100	3	6	5	7500	5955	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5455	5455	0.933333
7072	037	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7072	038	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7072	039	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7072	040	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7072	041	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7072	042	1875	0.04	1150	1	65	100	3	4	3	5625	4475	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4100	4100	0.933333
7072	043	1868	0.04	1000	1	65	100	3	4	3	5604	4604	RH-1	40	density-lim	3000			0.7	4	1	3	3	5230.399902	4230.399902	4230.399902	0.933333
7072	045	2493	0.06	1432	1	65	100	3	6	5	7479	6047	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5548.399902	5548.399902	0.933333
7072	046	2493	0.06	1214	1	65	100	3	6	5	7479	6265	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5766.399902	5766.399902	0.933333
7072	047	2493	0.06	2140	1	65	100	3	6	5	7479	5339	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	4840.399902	4840.399902	0.933333
7072	048	2493	0.06	2048	1	65	100	3	6	5	7479	5431	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	4932.399902	4932.399902	0.933333
7073	001A	1834	0.04	781	1	65	100	3	4	3	5502	4721	RH-1	40	density-lim	3000			0.7	4	1	3	3	5135.199707	4354.199707	4354.199707	0.933333
7073	002	2459	0.06	750	1	65	100	3	6	5	7377	6627	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	6135.199707	6135.199707	0.933333
7073	003	2459	0.06	1050	1	65	100	3	6	5	7377	6327	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5835.199707	5835.199707	0.933333
7073	004	2459	0.06	1571	1	65	100	3	6	5	7377	5806	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5314.199707	5314.199707	0.933333
7073	005	2459	0.06	1717	1	65	100	3	6	5	7377	5660	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5168.199707	5168.199707	0.933333
7073	006	2459	0.06	1050	1	65	100	3	6	5	7377	6327	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5835.199707	5835.199707	0.933333
7073	007	2459	0.06	1025	1	65	100	3	6	5	7377	6352	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5860.199707	5860.199707	0.933333
7073	008	2459	0.06	1025	1	65	100	3	6	5	7377	6352	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5860.199707	5860.199707	0.933333
7073	009	2459	0.06	1025	1	65	100	3	6	5	7377	6352	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5860.199707	5860.199707	0.933333
7073	010	2459	0.06	1422	1	65	100	3	6	5	7377	5955	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5463.199707	5463.199707	0.933333
7073	011	2459	0.06	1012	1	65	100	3	6	5	7377	6365	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5873.199707	5873.199707	0.933333
7073	012	2459	0.06	1012	1	65	100	3	6	5	7377	6365	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5873.199707	5873.199707	0.933333
7073	013	2459	0.06	1226	1	65	100	3	6	5	7377	6151	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5659.199707	5659.199707	0.933333
7073	014	2459	0.06	1150	1	65	100	3	6	5	7377	6227	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5735.199707	5735.199707	0.933333
7073	015	2459	0.06	900	1	65	100	3	6	5	7377	6477	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5985.199707	5985.199707	0.933333
7073	016	2459	0.06	900	1	65	100	3	6	5	7377	6477	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5985.199707	5985.199707	0.933333
7073	017	2459	0.06	422	1	65	100	3	6	5	7377	6955	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	6463.199707	6463.199707	0.933333
7073	018	1834	0.04	921	1	65	100	3	4	3	5502	4581	RH-1	40	density-lim	3000			0.7	4	1	3	3	5135.199707	4214.199707	4214.199707	0.933333
7073	018A	1834	0.04	781	1	65	100	3	4	3	5502	4721	RH-1	40	density-lim	3000			0.7	4	1	3	3	5135.199707	4354.199707	4354.199707	0.933333
7073	019	1834	0.04	781	1	65	100	3	4	3	5502	4721	RH-1	40	density-lim	3000			0.7	4	1	3	3	5135.199707	4354.199707	4354.199707	0.933333
7073	021	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6050	6050	0.933333
7073	043	2568	0.06	1705	1	65	100	3	6	5	7704	5999	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7190.399902	5485.399902	5485.399902	0.933333
7073	044	2568	0.06	1050	1	65	100	3	6	5	7704	6654	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7190.399902	6140.399902	6140.399902	0.933333
7073	045	2568	0.06	2205	1	65	100	3	6	5	7704	5499	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7190.399902	4985.399902	4985.399902	0.933333
7073	046	2568	0.06	781	1	65	100	3	6	5	7704	6923	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7190.399902	6409.399902	6409.399902	0.933333
7073	047	1943	0.04	1081	1	65	100	3	4	3	5829	4748	RH-1	40	density-lim	3000			0.7	4	1	3	3	5440.399902	4359.399902	4359.399902	0.933333
7073	048	1943	0.04	781	1	65	100	3	4	3	5829	5048	RH-1	40	density-lim	3000			0.7	4	1	3	3	5440.399902	4659.399902	4659.399902	0.933333
7074	046	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5950	5950	0.933333
7074	047	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5950	5950	0.933333
7074	048	2500	0.06	1670	1	65	100	3	6	5	7500	5830	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5330	5330	0.933333
7075	026	2500	0.06	1338	1	65	100	3	6	5	7500	6162	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5662	5662	0.933333
7075	027	2500	0.06	1974	1	65	100	3	6	5	7500	5526	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5026	5026	0.933333
7075	028	2500	0.06	1116	1	65	100	3	6	5	7500	6384	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5884	5884	0.933333
7075	029	2500	0.06	1116	1	65	100	3	6	5	7500	6384	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5884	5884	0.933333
7075	030	2500	0.06	1930	1	65	100	3	6	5	7500	5570	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5070	5070	0.933333
7075	031	2500	0.06	1930	1	65	100	3	6	5	7500	5570	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5070	5070	0.933333
7075	036	2499	0.06	2693	1	65	100	3	6	5	7497	4804	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	4304.199707	4304.199707	0.933333
7075	037	2498	0.06	1275	1	65	100	3	6	5	7494	6219	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6994.399902	5719.399902	5719.399902	0.933333
7075	038	2498	0.06	1275	1	65	100	3	6	5	7494	6219	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6994.399902	5719.399902	5719.399902	0.933333
7075	039	2498	0.06	1194	1	65	100	3	6	5	7494	6300	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6994.399902	5800.399902	5800.399902	0.933333
7075	040	2497	0.06	1187	1	65	100	3	6	5	7491	6304	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6991.600098	5804.600098	5804.600098	0.933333
7075	041	2497	0.06	2140	1	65	100	3	6	5	7491	5351	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6991.600098	4851.600098	4851.600098	0.933333
7075	043	2568	0.06	1620	1	65	100	3	6	5	7704	6084	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7190.399902	5570.399902	5570.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7075	044	2568	0.06	1186	1	65	100	3	6	5	7704	6518	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7190.399902	6004.399902	6004.399902	0.933333
7075	045	2553	0.06	1186	1	65	100	3	6	5	7659	6473	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7148.399902	5962.399902	5962.399902	0.933333
7075	046	2568	0.06	1186	1	65	100	3	6	5	7704	6518	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7190.399902	6004.399902	6004.399902	0.933333
7075	047	2568	0.06	1186	1	65	100	3	6	5	7704	6518	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7190.399902	6004.399902	6004.399902	0.933333
7075	048	2568	0.06	1186	1	65	100	3	6	5	7704	6518	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7190.399902	6004.399902	6004.399902	0.933333
7075	050	1750	0.04	1062	1	65	100	3	4	3	5250	4188	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3838	3838	0.933333
7075	052	1875	0.04	1058	1	65	100	3	4	3	5625	4567	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4192	4192	0.933333
7075	053	1875	0.04	1072	1	65	100	3	4	3	5625	4553	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4178	4178	0.933333
7075	055	2625	0.06	2028	1	65	100	3	6	5	7875	5847	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7350	5322	5322	0.933333
7076	002	2541	0.06	1000	1	65	100	3	6	5	7623	6623	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7114.799805	6114.799805	6114.799805	0.933333
7076	003	2541	0.06	1000	1	65	100	3	6	5	7623	6623	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7114.799805	6114.799805	6114.799805	0.933333
7076	004	2540	0.06	1420	1	65	100	3	6	5	7620	6200	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7112	5692	5692	0.933333
7076	005	2539	0.06	1475	1	65	100	3	6	5	7617	6142	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7109.199707	5634.199707	5634.199707	0.933333
7076	006	2539	0.06	1976	1	65	100	3	6	5	7617	5641	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7109.199707	5133.199707	5133.199707	0.933333
7076	007	2538	0.06	1360	1	65	100	3	6	5	7614	6254	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7106.399902	5746.399902	5746.399902	0.933333
7076	008	2537	0.06	1000	1	65	100	3	6	5	7611	6611	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7103.600098	6103.600098	6103.600098	0.933333
7076	009	2537	0.06	950	1	65	100	3	6	5	7611	6661	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7103.600098	6153.600098	6153.600098	0.933333
7076	010	2536	0.06	950	1	65	100	3	6	5	7608	6658	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7100.799805	6150.799805	6150.799805	0.933333
7076	011	2535	0.06	950	1	65	100	3	6	5	7605	6655	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7098	6148	6148	0.933333
7076	012	2535	0.06	1551	1	65	100	3	6	5	7605	6054	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7098	5547	5547	0.933333
7076	013	2534	0.06	1540	1	65	100	3	6	5	7602	6062	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7095.199707	5555.199707	5555.199707	0.933333
7076	014	2533	0.06	950	1	65	100	3	6	5	7599	6649	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7092.399902	6142.399902	6142.399902	0.933333
7076	015	2533	0.06	950	1	65	100	3	6	5	7599	6649	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7092.399902	6142.399902	6142.399902	0.933333
7076	016	2532	0.06	950	1	65	100	3	6	5	7596	6646	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7089.600098	6139.600098	6139.600098	0.933333
7076	017	2531	0.06	1337	1	65	100	3	6	5	7593	6256	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7086.799805	5749.799805	5749.799805	0.933333
7076	019	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5850	5850	0.933333
7076	020	2500	0.06	1204	1	65	100	3	6	5	7500	6296	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5796	5796	0.933333
7076	021	2500	0.06	1012	1	65	100	3	6	5	7500	6488	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5988	5988	0.933333
7076	022	2500	0.06	1012	1	65	100	3	6	5	7500	6488	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5988	5988	0.933333
7076	023	2500	0.06	1012	1	65	100	3	6	5	7500	6488	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5988	5988	0.933333
7076	024	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7076	026	2500	0.06	1012	1	65	100	3	6	5	7500	6488	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5988	5988	0.933333
7076	027	2500	0.06	1275	1	65	100	3	6	5	7500	6225	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5725	5725	0.933333
7076	028	2500	0.06	975	1	65	100	3	6	5	7500	6525	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6025	6025	0.933333
7076	029	2500	0.06	1112	1	65	100	3	6	5	7500	6388	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5888	5888	0.933333
7076	030	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7076	031	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7076	032	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7076	033	2500	0.06	1126	1	65	100	3	6	5	7500	6374	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5874	5874	0.933333
7076	034	2500	0.06	1070	1	65	100	3	6	5	7500	6430	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5930	5930	0.933333
7076	035	2500	0.06	975	1	65	100	3	6	5	7500	6525	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6025	6025	0.933333
7076	036	2500	0.06	975	1	65	100	3	6	5	7500	6525	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6025	6025	0.933333
7076	037	2500	0.06	975	1	65	100	3	6	5	7500	6525	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6025	6025	0.933333
7076	038	2500	0.06	2083	1	65	100	3	6	5	7500	5417	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4917	4917	0.933333
7076	039	2500	0.06	2000	1	65	100	3	6	5	7500	5500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5000	5000	0.933333
7076	040	2500	0.06	975	1	65	100	3	6	5	7500	6525	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6025	6025	0.933333
7076	041	2500	0.06	975	1	65	100	3	6	5	7500	6525	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6025	6025	0.933333
7076	043	2493	0.06	1250	1	65	100	3	6	5	7479	6229	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5730.399902	5730.399902	0.933333
7076	044	2493	0.06	1266	1	65	100	3	6	5	7479	6213	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5714.399902	5714.399902	0.933333
7076	045	2493	0.06	1266	1	65	100	3	6	5	7479	6213	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5714.399902	5714.399902	0.933333
7076	046	2493	0.06	1000	1	65	100	3	6	5	7479	6479	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5980.399902	5980.399902	0.933333
7076	047	2493	0.06	1000	1	65	100	3	6	5	7479	6479	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5980.399902	5980.399902	0.933333
7076	048	2493	0.06	1250	1	65	100	3	6	5	7479	6229	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5730.399902	5730.399902	0.933333
7077	002	2484	0.06	1337	1	65	100	3	6	5	7452	6115	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6955.199707	5618.199707	5618.199707	0.933333
7077	003	2485	0.06	1175	1	65	100	3	6	5	7455	6280	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6958	5783	5783	0.933333
7077	004	2486	0.06	1175	1	65	100	3	6	5	7458	6283	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6960.799805	5785.799805	5785.799805	0.933333
7077	005	2486	0.06	2092	1	65	100	3	6	5	7458	5366	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6960.799805	4868.799805	4868.799805	0.933333
7077	006	2487	0.06	1762	1	65	100	3	6	5	7461	5699	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6963.600098	5201.600098	5201.600098	0.933333
7077	007	2481	0.06	1125	1	65	100	3	6	5	7443	6318	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6946.799805	5821.799805	5821.799805	0.933333
7077	008	2489	0.06	1811	1	65	100	3	6	5	7467	5656	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6969.199707	5158.199707	5158.199707	0.933333
7077	009	2483	0.06	1921	1	65	100	3	6	5	7449	5528	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6952.399902	5031.399902	5031.399902	0.933333
7077	010	2483	0.06	994	1	65	100	3	6	5	7449	6455	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6952.399902	5958.399902	5958.399902	0.933333
7077	011	2484	0.06	994	1	65	100	3	6	5	7452	6458	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6955.199707	5961.199707	5961.199707	0.933333
7077	012	2492	0.06	1050	1	65	100	3	6	5	7476	6426	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6977.600098	5927.600098	5927.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7077	013	2486	0.06	1175	1	65	100	3	6	5	7458	6283	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6960.799805	5785.799805	5785.799805	0.933333
7077	014	2486	0.06	1014	1	65	100	3	6	5	7458	6444	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6960.799805	5946.799805	5946.799805	0.933333
7077	015	2494	0.06	1050	1	65	100	3	6	5	7482	6432	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6983.199707	5933.199707	5933.199707	0.933333
7077	016	2495	0.06	1050	1	65	100	3	6	5	7485	6435	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5936	5936	0.933333
7077	017	2496	0.06	1570	1	65	100	3	6	5	7488	5918	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6988.799805	5418.799805	5418.799805	0.933333
7077	018	1871	0.04	1050	1	65	100	3	4	3	5613	4563	RH-1	40	density-lim	3000			0.7	4	1	3	3	5238.799805	4188.799805	4188.799805	0.933333
7077	018A	1872	0.04	1350	1	65	100	3	4	3	5616	4266	RH-1	40	density-lim	3000			0.7	4	1	3	3	5241.600098	3891.600098	3891.600098	0.933333
7077	019	1873	0.04	2174	1	65	100	3	4	3	5619	3445	RH-1	40	density-lim	3000			0.7	4	1	3	3	5244.399902	3070.399902	3070.399902	0.933333
7077	021	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5950	5950	0.933333
7077	022	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5550	5550	0.933333
7077	024	1875	0.04	1025	1	65	100	3	4	3	5625	4600	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4225	4225	0.933333
7077	025	1875	0.04	1025	1	65	100	3	4	3	5625	4600	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4225	4225	0.933333
7077	025A	1875	0.04	1000	1	65	100	3	4	3	5625	4625	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4250	4250	0.933333
7077	026	2500	0.06	887	1	65	100	3	6	5	7500	6613	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6113	6113	0.933333
7077	027	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7077	028	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7077	029	2493	0.06	1550	1	65	100	3	6	5	7479	5929	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5430.399902	5430.399902	0.933333
7077	030	2493	0.06	812	1	65	100	3	6	5	7479	6667	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	6168.399902	6168.399902	0.933333
7077	031	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7077	032	2493	0.06	812	1	65	100	3	6	5	7479	6667	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	6168.399902	6168.399902	0.933333
7077	033	2493	0.06	812	1	65	100	3	6	5	7479	6667	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	6168.399902	6168.399902	0.933333
7077	034	2493	0.06	812	1	65	100	3	6	5	7479	6667	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	6168.399902	6168.399902	0.933333
7077	035	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7077	036	2493	0.06	1388	1	65	100	3	6	5	7479	6091	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5592.399902	5592.399902	0.933333
7077	037	2500	0.06	1378	1	65	100	3	6	5	7500	6122	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5622	5622	0.933333
7077	038	2500	0.06	1325	1	65	100	3	6	5	7500	6175	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5675	5675	0.933333
7077	039	2500	0.06	1218	1	65	100	3	6	5	7500	6282	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5782	5782	0.933333
7077	040	2500	0.06	1168	1	65	100	3	6	5	7500	6332	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5832	5832	0.933333
7077	041	2500	0.06	1168	1	65	100	3	6	5	7500	6332	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5832	5832	0.933333
7077	045	2503	0.06	1271	1	65	100	3	6	5	7509	6238	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7008.399902	5737.399902	5737.399902	0.933333
7077	046	2503	0.06	1497	1	65	100	3	6	5	7509	6012	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7008.399902	5511.399902	5511.399902	0.933333
7077	047	2503	0.06	1497	1	65	100	3	6	5	7509	6012	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7008.399902	5511.399902	5511.399902	0.933333
7077	049	1875	0.04	1525	1	65	100	3	4	3	5625	4100	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3725	3725	0.933333
7077	051	1878	0.04	1271	1	65	100	3	4	3	5634	4363	RH-1	40	density-lim	3000			0.7	4	1	3	3	5258.399902	3987.399902	3987.399902	0.933333
7077	052	1878	0.04	1271	1	65	100	3	4	3	5634	4363	RH-1	40	density-lim	3000			0.7	4	1	3	3	5258.399902	3987.399902	3987.399902	0.933333
7078	007	2476	0.06	1671	1	65	100	3	6	5	7428	5757	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6932.799805	5261.799805	5261.799805	0.933333
7078	008	2476	0.06	1550	1	65	100	3	6	5	7428	5878	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6932.799805	5382.799805	5382.799805	0.933333
7078	009	2476	0.06	1252	1	65	100	3	6	5	7428	6176	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6932.799805	5680.799805	5680.799805	0.933333
7078	010	2476	0.06	1624	1	65	100	3	6	5	7428	5804	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6932.799805	5308.799805	5308.799805	0.933333
7078	011	2476	0.06	812	1	65	100	3	6	5	7428	6616	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6932.799805	6120.799805	6120.799805	0.933333
7078	012	2476	0.06	1685	1	65	100	3	6	5	7428	5743	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6932.799805	5247.799805	5247.799805	0.933333
7078	013	2476	0.06	1779	1	65	100	3	6	5	7428	5649	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6932.799805	5153.799805	5153.799805	0.933333
7078	014	2476	0.06	812	1	65	100	3	6	5	7428	6616	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6932.799805	6120.799805	6120.799805	0.933333
7078	015	2476	0.06	812	1	65	100	3	6	5	7428	6616	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6932.799805	6120.799805	6120.799805	0.933333
7078	016	2476	0.06	812	1	65	100	3	6	5	7428	6616	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6932.799805	6120.799805	6120.799805	0.933333
7078	017	2477	0.06	812	1	65	100	3	6	5	7431	6619	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	6123.600098	6123.600098	0.933333
7078	018	2477	0.06	1198	1	65	100	3	6	5	7431	6233	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5737.600098	5737.600098	0.933333
7078	019	1875	0.04	952	1	65	100	3	4	3	5625	4673	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4298	4298	0.933333
7078	020	1875	0.04	952	1	65	100	3	4	3	5625	4673	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4298	4298	0.933333
7078	021	1875	0.04	952	1	65	100	3	4	3	5625	4673	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4298	4298	0.933333
7078	026	2500	0.06	1656	1	65	100	3	6	5	7500	5844	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5344	5344	0.933333
7078	027	2500	0.06	1482	1	65	100	3	6	5	7500	6018	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5518	5518	0.933333
7078	028	2500	0.06	1320	1	65	100	3	6	5	7500	6180	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5680	5680	0.933333
7078	029	2500	0.06	1320	1	65	100	3	6	5	7500	6180	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5680	5680	0.933333
7078	030	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7078	031	2500	0.06	1320	1	65	100	3	6	5	7500	6180	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5680	5680	0.933333
7078	032	2500	0.06	1320	1	65	100	3	6	5	7500	6180	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5680	5680	0.933333
7078	033	2500	0.06	1320	1	65	100	3	6	5	7500	6180	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5680	5680	0.933333
7078	034	2500	0.06	1482	1	65	100	3	6	5	7500	6018	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5518	5518	0.933333
7078	035	2500	0.06	1320	1	65	100	3	6	5	7500	6180	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5680	5680	0.933333
7078	036	2500	0.06	1482	1	65	100	3	6	5	7500	6018	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5518	5518	0.933333
7078	050	1875	0.04	1430	1	65	100	3	4	3	5625	4195	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3820	3820	0.933333
7078	051	1875	0.04	1320	1	65	100	3	4	3	5625	4305	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3930	3930	0.933333
7078	052	1875	0.04	1320	1	65	100	3	4	3	5625	4305	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3930	3930	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7078	054	2500	0.06	1482	1	65	100	3	6	5	7500	6018	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5518	5518	0.933333
7079	001A	1894	0.04	1815	1	65	100	3	4	3	5682	3867	RH-1	40	density-lim	3000			0.7	4	1	3	3	5303.199707	3488.199707	3488.199707	0.933333
7079	002	2519	0.06	812	1	65	100	3	6	5	7557	6745	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	6241.199707	6241.199707	0.933333
7079	003	2518	0.06	812	1	65	100	3	6	5	7554	6742	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	6238.399902	6238.399902	0.933333
7079	004	2518	0.06	1175	1	65	100	3	6	5	7554	6379	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	5875.399902	5875.399902	0.933333
7079	005	2517	0.06	1675	1	65	100	3	6	5	7551	5876	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7047.600098	5372.600098	5372.600098	0.933333
7079	006	2517	0.06	1595	1	65	100	3	6	5	7551	5956	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7047.600098	5452.600098	5452.600098	0.933333
7079	007	2516	0.06	1510	1	65	100	3	6	5	7548	6038	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7044.799805	5534.799805	5534.799805	0.933333
7079	008	2516	0.06	1150	1	65	100	3	6	5	7548	6398	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7044.799805	5894.799805	5894.799805	0.933333
7079	009	2516	0.06	1622	1	65	100	3	6	5	7548	5926	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7044.799805	5422.799805	5422.799805	0.933333
7079	010	2515	0.06	1404	1	65	100	3	6	5	7545	6141	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7042	5638	5638	0.933333
7079	011	2515	0.06	1250	1	65	100	3	6	5	7545	6295	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7042	5792	5792	0.933333
7079	012	2514	0.06	1564	1	65	100	3	6	5	7542	5978	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7039.199707	5475.199707	5475.199707	0.933333
7079	013	2514	0.06	1400	1	65	100	3	6	5	7542	6142	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7039.199707	5639.199707	5639.199707	0.933333
7079	014	2513	0.06	1275	1	65	100	3	6	5	7539	6264	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7036.399902	5761.399902	5761.399902	0.933333
7079	015	2513	0.06	1170	1	85	140	4	8	7	10052	8882	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7036.399902	5866.399902	5866.399902	0.7
7079	016	2512	0.06	1676	1	85	140	4	8	7	10048	8372	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7033.600098	5357.600098	5357.600098	0.7
7079	017	2512	0.06	1916	1	85	140	4	8	7	10048	8132	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7033.600098	5117.600098	5117.600098	0.7
7079	018	1886	0.04	1649	1	85	140	4	6	5	7544	5895	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5280.799805	3631.799805	3631.799805	0.7
7079	019	1886	0.04	1843	1	85	140	4	6	5	7544	5701	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5280.799805	3437.799805	3437.799805	0.7
7079	019A	1885	0.04	1649	1	85	140	4	6	5	7540	5891	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5278	3629	3629	0.7
7079	021	2500	0.06	1570	1	85	140	4	8	7	10000	8430	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5430	5430	0.7
7079	022	2500	0.06	2820	2	85	140	4	8	6	10000	7180	RH-1	40	form-based			true	0.7	5	0.625	3	3	7000	4180	4180	0.7
7079	026	2500	0.06	2925	2	85	140	4	8	6	10000	7075	RH-1	40	form-based			true	0.7	5	0.625	3	3	7000	4075	4075	0.7
7079	047	1868	0.04	1180	1	65	100	3	4	3	5604	4424	RH-1	40	density-lim	3000			0.7	4	1	3	3	5230.399902	4050.399902	4050.399902	0.933333
7079	048	1868	0.04	1180	1	65	100	3	4	3	5604	4424	RH-1	40	density-lim	3000			0.7	4	1	3	3	5230.399902	4050.399902	4050.399902	0.933333
7081A	007	2495	0.06	836	1	85	140	4	8	7	9980	9144	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6986	6150	6150	0.7
7081A	008	2488	0.06	2042	1	85	140	4	8	7	9952	7910	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6966.399902	4924.399902	4924.399902	0.7
7081A	009	2480	0.06	1304	1	85	140	4	8	7	9920	8616	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6944	5640	5640	0.7
7081A	010	2473	0.06	1175	1	85	140	4	8	7	9892	8717	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6924.399902	5749.399902	5749.399902	0.7
7081A	014	2003	0.05	1402	1	65	100	3	5	4	6009	4607	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5608.399902	4206.399902	4206.399902	0.933333
7081A	024	2058	0.05	1325	1	65	100	3	5	4	6174	4849	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5762.399902	4437.399902	4437.399902	0.933333
7081A	025	1950	0.04	1200	1	65	100	3	4	3	5850	4650	RH-1	40	form-based			true	0.7	4	1	3	3	5460	4260	4260	0.933333
7081A	026	1842	0.04	1827	1	65	100	3	4	3	5526	3699	RH-1	40	form-based			true	0.7	4	1	3	3	5157.600098	3330.600098	3330.600098	0.933333
7081A	027	1709	0.04	1759	1	65	100	3	4	3	5127	3368	RH-1	40	form-based			true	0.7	4	1	3	3	4785.199707	3026.199707	3026.199707	0.933333
7081A	036	2253	0.05	1664	1	65	100	3	5	4	6759	5095	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6308.399902	4644.399902	4644.399902	0.933333
7081A	037	1637	0.04	1200	1	65	100	3	4	3	4911	3711	RH-2	40	density-lim	1500			0.7	4	1	3	3	4583.600098	3383.600098	3383.600098	0.933333
7081A	038	1745	0.04	1970	1	65	100	3	4	3	5235	3265	RH-2	40	density-lim	1500			0.7	4	1	3	3	4886	2916	2916	0.933333
7081A	039	1863	0.04	1759	1	65	100	3	4	3	5589	3830	RH-2	40	density-lim	1500			0.7	4	1	3	3	5216.399902	3457.399902	3457.399902	0.933333
7081A	040	1981	0.05	1325	1	65	100	3	5	4	5943	4618	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5546.799805	4221.799805	4221.799805	0.933333
7081A	041	2099	0.05	1562	1	65	100	3	5	4	6297	4735	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5877.199707	4315.199707	4315.199707	0.933333
7081A	042	2217	0.05	1553	1	65	100	3	5	4	6651	5098	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6207.600098	4654.600098	4654.600098	0.933333
7083	002	2477	0.06	1125	1	65	100	3	6	5	7431	6306	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5810.600098	5810.600098	0.933333
7083	003	2477	0.06	812	1	65	100	3	6	5	7431	6619	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	6123.600098	6123.600098	0.933333
7083	004	2477	0.06	812	1	65	100	3	6	5	7431	6619	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	6123.600098	6123.600098	0.933333
7083	005	2477	0.06	1132	1	65	100	3	6	5	7431	6299	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5803.600098	5803.600098	0.933333
7083	006	2478	0.06	1636	1	85	140	4	8	7	9912	8276	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6938.399902	5302.399902	5302.399902	0.7
7083	007	2478	0.06	1132	1	85	140	4	8	7	9912	8780	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6938.399902	5806.399902	5806.399902	0.7
7083	008	2478	0.06	1132	1	85	140	4	8	7	9912	8780	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6938.399902	5806.399902	5806.399902	0.7
7083	009	2478	0.06	1493	1	85	140	4	8	7	9912	8419	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6938.399902	5445.399902	5445.399902	0.7
7083	019	2500	0.06	1120	1	65	100	3	6	5	7500	6380	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5880	5880	0.933333
7083	020	2500	0.06	1120	1	65	100	3	6	5	7500	6380	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5880	5880	0.933333
7083	021	2500	0.06	1871	1	65	100	3	6	5	7500	5629	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5129	5129	0.933333
7083	023	2500	0.06	1209	1	65	100	3	6	5	7500	6291	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5791	5791	0.933333
7083	024	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7083	025	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7083	026	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7083	027	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7084	001A	1877	0.04	1382	1	65	100	3	4	3	5631	4249	RH-1	40	density-lim	3000			0.7	4	1	3	3	5255.600098	3873.600098	3873.600098	0.933333
7084	001B	1878	0.04	1392	1	65	100	3	4	3	5634	4242	RH-1	40	density-lim	3000			0.7	4	1	3	3	5258.399902	3866.399902	3866.399902	0.933333
7084	001C	1878	0.04	892	1	65	100	3	4	3	5634	4742	RH-1	40	density-lim	3000			0.7	4	1	3	3	5258.399902	4366.399902	4366.399902	0.933333
7084	002	2504	0.06	1427	1	65	100	3	6	5	7512	6085	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7011.199707	5584.199707	5584.199707	0.933333
7084	003	2505	0.06	1518	1	65	100	3	6	5	7515	5997	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7014	5496	5496	0.933333
7084	004	2506	0.06	808	1	65	100	3	6	5	7518	6710	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7016.799805	6208.799805	6208.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7084	005	2506	0.06	700	1	65	100	3	6	5	7518	6818	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7016.799805	6316.799805	6316.799805	0.933333
7084	006	2507	0.06	1080	1	65	100	3	6	5	7521	6441	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7019.600098	5939.600098	5939.600098	0.933333
7084	007	2508	0.06	1200	1	65	100	3	6	5	7524	6324	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5822.399902	5822.399902	0.933333
7084	008	2509	0.06	1073	1	65	100	3	6	5	7527	6454	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7025.199707	5952.199707	5952.199707	0.933333
7084	009	2509	0.06	1025	1	65	100	3	6	5	7527	6502	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7025.199707	6000.199707	6000.199707	0.933333
7084	010	2510	0.06	1434	1	65	100	3	6	5	7530	6096	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7028	5594	5594	0.933333
7084	011	2511	0.06	1050	1	65	100	3	6	5	7533	6483	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7030.799805	5980.799805	5980.799805	0.933333
7084	012	2512	0.06	1175	1	65	100	3	6	5	7536	6361	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5858.600098	5858.600098	0.933333
7084	013	2513	0.06	1800	1	65	100	3	6	5	7539	5739	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7036.399902	5236.399902	5236.399902	0.933333
7084	014	2513	0.06	1162	1	65	100	3	6	5	7539	6377	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7036.399902	5874.399902	5874.399902	0.933333
7084	015	2514	0.06	1162	1	65	100	3	6	5	7542	6380	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7039.199707	5877.199707	5877.199707	0.933333
7084	016	2515	0.06	1315	1	65	100	3	6	5	7545	6230	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7042	5727	5727	0.933333
7084	017	2516	0.06	1852	1	85	140	4	8	7	10064	8212	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7044.799805	5192.799805	5192.799805	0.7
7085	009	2519	0.06	1402	1	65	100	3	6	5	7557	6155	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	5651.199707	5651.199707	0.933333
7085	010	2518	0.06	1000	1	65	100	3	6	5	7554	6554	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	6050.399902	6050.399902	0.933333
7085	011	2518	0.06	1475	1	65	100	3	6	5	7554	6079	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	5575.399902	5575.399902	0.933333
7084	026	2500	0.06	1000	1	85	140	4	8	7	10000	9000	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6000	6000	0.7
7084	027	2500	0.06	1958	1	85	140	4	8	7	10000	8042	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5042	5042	0.7
7084	028	2500	0.06	1000	1	85	140	4	8	7	10000	9000	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6000	6000	0.7
7084	029	5000	0.11	1020	1	85	140	4	15	14	20000	18980	RH-1	40	density-lim	3000			0.7	4	0.266666681	3	3	14000	12980	12980	0.7
7084	031	2500	0.06	884	1	85	140	4	8	7	10000	9116	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6116	6116	0.7
7084	032	2500	0.06	1100	1	85	140	4	8	7	10000	8900	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5900	5900	0.7
7084	033	2500	0.06	812	1	85	140	4	8	7	10000	9188	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6188	6188	0.7
7084	034	2500	0.06	812	1	85	140	4	8	7	10000	9188	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6188	6188	0.7
7084	035	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7084	036	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7084	037	2500	0.06	1187	1	65	100	3	6	5	7500	6313	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5813	5813	0.933333
7084	038	2500	0.06	1245	1	65	100	3	6	5	7500	6255	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5755	5755	0.933333
7084	039	2500	0.06	927	1	65	100	3	6	5	7500	6573	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6073	6073	0.933333
7084	040	2500	0.06	862	1	65	100	3	6	5	7500	6638	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6138	6138	0.933333
7084	041	2500	0.06	812	1	65	100	3	6	5	7500	6688	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6188	6188	0.933333
7084	042	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7084	043	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7084	044	2500	0.06	1165	1	65	100	3	6	5	7500	6335	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5835	5835	0.933333
7084	046	2500	0.06	1500	1	65	100	3	6	5	7500	6000	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5500	5500	0.933333
7085	003	2523	0.06	1620	1	65	100	3	6	5	7569	5949	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7064.399902	5444.399902	5444.399902	0.933333
7085	004	2522	0.06	1620	1	65	100	3	6	5	7566	5946	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7061.600098	5441.600098	5441.600098	0.933333
7085	005	2522	0.06	1360	1	65	100	3	6	5	7566	6206	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7061.600098	5701.600098	5701.600098	0.933333
7085	006	2521	0.06	1094	1	65	100	3	6	5	7563	6469	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7058.799805	5964.799805	5964.799805	0.933333
7085	007	2520	0.06	1425	1	65	100	3	6	5	7560	6135	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	5631	5631	0.933333
7085	008	2520	0.06	1582	1	65	100	3	6	5	7560	5978	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	5474	5474	0.933333
7085	012	2517	0.06	825	1	65	100	3	6	5	7551	6726	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7047.600098	6222.600098	6222.600098	0.933333
7085	013	2517	0.06	1225	1	65	100	3	6	5	7551	6326	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7047.600098	5822.600098	5822.600098	0.933333
7085	014	2516	0.06	1178	1	65	100	3	6	5	7548	6370	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7044.799805	5866.799805	5866.799805	0.933333
7085	015	2515	0.06	1000	1	65	100	3	6	5	7545	6545	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7042	6042	6042	0.933333
7085	016	2514	0.06	1536	1	65	100	3	6	5	7542	6006	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7039.199707	5503.199707	5503.199707	0.933333
7085	017	2514	0.06	0	1	65	100	3	6	5	7542	7542	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7039.199707	7039.199707	7039.199707	0.933333
7085	019	2400	0.06	1451	1	65	100	3	6	5	7200	5749	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	6720	5269	5269	0.933333
7085	020	2500	0.06	1225	1	65	100	3	6	5	7500	6275	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5775	5775	0.933333
7085	021	2500	0.06	1775	1	65	100	3	6	5	7500	5725	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5225	5225	0.933333
7085	026	2500	0.06	1945	1	65	100	3	6	5	7500	5555	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5055	5055	0.933333
7085	027	2500	0.06	1945	1	65	100	3	6	5	7500	5555	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5055	5055	0.933333
7085	028	2500	0.06	1945	1	65	100	3	6	5	7500	5555	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5055	5055	0.933333
7085	029	2500	0.06	2220	1	65	100	3	6	5	7500	5280	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4780	4780	0.933333
7085	030	2500	0.06	2573	1	65	100	3	6	5	7500	4927	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4427	4427	0.933333
7085	031	2500	0.06	2468	1	65	100	3	6	5	7500	5032	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4532	4532	0.933333
7085	032	2500	0.06	1080	1	65	100	3	6	5	7500	6420	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5920	5920	0.933333
7085	033	2500	0.06	1787	1	65	100	3	6	5	7500	5713	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5213	5213	0.933333
7085	034	2500	0.06	1750	1	65	100	3	6	5	7500	5750	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5250	5250	0.933333
7085	035	2500	0.06	1175	1	65	100	3	6	5	7500	6325	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5825	5825	0.933333
7085	036	2500	0.06	1370	1	65	100	3	6	5	7500	6130	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5630	5630	0.933333
7085	037	2500	0.06	912	1	65	100	3	6	5	7500	6588	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6088	6088	0.933333
7085	038	2500	0.06	912	1	65	100	3	6	5	7500	6588	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6088	6088	0.933333
7085	039	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7085	040	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7085	041	2500	0.06	800	1	65	100	3	6	5	7500	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6200	6200	0.933333
7085	042	1875	0.04	987	1	65	100	3	4	3	5625	4638	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4263	4263	0.933333
7085	042A	1875	0.04	875	1	65	100	3	4	3	5625	4750	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4375	4375	0.933333
7085	043	1875	0.04	1303	1	65	100	3	4	3	5625	4322	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3947	3947	0.933333
7085	044	2555	0.06	1538	1	65	100	3	6	5	7665	6127	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7154	5616	5616	0.933333
7085	045	2554	0.06	1599	1	65	100	3	6	5	7662	6063	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7151.199707	5552.199707	5552.199707	0.933333
7085	046	2553	0.06	1000	1	65	100	3	6	5	7659	6659	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7148.399902	6148.399902	6148.399902	0.933333
7085	052	2758	0.06	2333	1	65	100	3	6	5	8274	5941	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7722.399902	5389.399902	5389.399902	0.933333
7086	002	2515	0.06	1250	1	65	100	3	6	5	7545	6295	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7042	5792	5792	0.933333
7086	003	2516	0.06	1447	1	65	100	3	6	5	7548	6101	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7044.799805	5597.799805	5597.799805	0.933333
7086	004	2516	0.06	805	1	65	100	3	6	5	7548	6743	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7044.799805	6239.799805	6239.799805	0.933333
7086	005	2516	0.06	1090	1	65	100	3	6	5	7548	6458	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7044.799805	5954.799805	5954.799805	0.933333
7086	007	2517	0.06	1000	1	65	100	3	6	5	7551	6551	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7047.600098	6047.600098	6047.600098	0.933333
7086	008	2517	0.06	1252	1	65	100	3	6	5	7551	6299	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7047.600098	5795.600098	5795.600098	0.933333
7086	009	2518	0.06	1000	1	65	100	3	6	5	7554	6554	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	6050.399902	6050.399902	0.933333
7086	010	2518	0.06	849	1	65	100	3	6	5	7554	6705	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	6201.399902	6201.399902	0.933333
7086	011	2518	0.06	1000	1	65	100	3	6	5	7554	6554	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	6050.399902	6050.399902	0.933333
7086	012	2518	0.06	1422	1	65	100	3	6	5	7554	6132	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	5628.399902	5628.399902	0.933333
7086	013	2519	0.06	1075	1	65	100	3	6	5	7557	6482	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	5978.199707	5978.199707	0.933333
7086	014	2519	0.06	992	1	65	100	3	6	5	7557	6565	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	6061.199707	6061.199707	0.933333
7086	015	2519	0.06	1135	1	85	140	4	8	7	10076	8941	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7053.199707	5918.199707	5918.199707	0.7
7086	016	2520	0.06	1075	1	85	140	4	8	7	10080	9005	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7056	5981	5981	0.7
7086	017	2520	0.06	1150	1	85	140	4	8	7	10080	8930	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7056	5906	5906	0.7
7086	018	1895	0.04	1000	1	85	140	4	6	5	7580	6580	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	5306	4306	4306	0.7
7086	019	1896	0.04	1000	1	85	140	4	6	5	7584	6584	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	5308.799805	4308.799805	4308.799805	0.7
7086	020	1896	0.04	1075	1	85	140	4	6	5	7584	6509	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	5308.799805	4233.799805	4233.799805	0.7
7086	026	2500	0.06	1777	1	85	140	4	8	7	10000	8223	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5223	5223	0.7
7086	027	2500	0.06	1538	1	65	100	3	6	5	7500	5962	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5462	5462	0.933333
7086	028	2500	0.06	1808	1	65	100	3	6	5	7500	5692	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5192	5192	0.933333
7086	029	2500	0.06	1795	1	65	100	3	6	5	7500	5705	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5205	5205	0.933333
7086	030	2500	0.06	1054	1	65	100	3	6	5	7500	6446	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5946	5946	0.933333
7086	031	2500	0.06	1054	1	65	100	3	6	5	7500	6446	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5946	5946	0.933333
7086	032	2500	0.06	1625	1	65	100	3	6	5	7500	5875	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5375	5375	0.933333
7086	033	2500	0.06	1214	1	65	100	3	6	5	7500	6286	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5786	5786	0.933333
7086	034	2500	0.06	1225	1	65	100	3	6	5	7500	6275	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5775	5775	0.933333
7086	035	2500	0.06	1477	1	65	100	3	6	5	7500	6023	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5523	5523	0.933333
7086	036	2500	0.06	1114	1	65	100	3	6	5	7500	6386	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5886	5886	0.933333
7086	037	2500	0.06	1114	1	65	100	3	6	5	7500	6386	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5886	5886	0.933333
7086	038	2500	0.06	1512	1	65	100	3	6	5	7500	5988	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5488	5488	0.933333
7086	039	2500	0.06	1036	1	65	100	3	6	5	7500	6464	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5964	5964	0.933333
7086	040	2500	0.06	1036	1	65	100	3	6	5	7500	6464	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5964	5964	0.933333
7086	041	2500	0.06	1036	1	65	100	3	6	5	7500	6464	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5964	5964	0.933333
7086	049	1890	0.04	1000	1	65	100	3	4	3	5670	4670	RH-1	40	density-lim	3000			0.7	4	1	3	3	5292	4292	4292	0.933333
7086	050	1845	0.04	1000	1	65	100	3	4	3	5535	4535	RH-1	40	density-lim	3000			0.7	4	1	3	3	5166	4166	4166	0.933333
7086	051	1844	0.04	1000	1	65	100	3	4	3	5532	4532	RH-1	40	density-lim	3000			0.7	4	1	3	3	5163.199707	4163.199707	4163.199707	0.933333
7086	054	2500	0.06	1720	1	85	140	4	8	7	10000	8280	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7000	5280	5280	0.7
7086	057	1848	0.04	1300	1	65	100	3	4	3	5544	4244	RH-1	40	density-lim	3000			0.7	4	1	3	3	5174.399902	3874.399902	3874.399902	0.933333
7086	058	1847	0.04	1000	1	65	100	3	4	3	5541	4541	RH-1	40	density-lim	3000			0.7	4	1	3	3	5171.600098	4171.600098	4171.600098	0.933333
7086	059	1847	0.04	1000	1	65	100	3	4	3	5541	4541	RH-1	40	density-lim	3000			0.7	4	1	3	3	5171.600098	4171.600098	4171.600098	0.933333
7086	062	2500	0.06	1255	1	65	100	3	6	5	7500	6245	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5745	5745	0.933333
7086	063	1875	0.04	1960	1	85	140	4	6	5	7500	5540	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	5250	3290	3290	0.7
7087	001A	2477	0.06	1000	1	65	100	3	6	5	7431	6431	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5935.600098	5935.600098	0.933333
7087	001B	2477	0.06	1000	1	65	100	3	6	5	7431	6431	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5935.600098	5935.600098	0.933333
7087	001C	2477	0.06	1000	1	65	100	3	6	5	7431	6431	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5935.600098	5935.600098	0.933333
7087	002	2477	0.06	1375	1	65	100	3	6	5	7431	6056	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5560.600098	5560.600098	0.933333
7087	003	2477	0.06	1000	1	65	100	3	6	5	7431	6431	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5935.600098	5935.600098	0.933333
7087	004	2477	0.06	825	1	65	100	3	6	5	7431	6606	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	6110.600098	6110.600098	0.933333
7087	005	2477	0.06	825	1	65	100	3	6	5	7431	6606	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	6110.600098	6110.600098	0.933333
7087	006	2477	0.06	1344	1	65	100	3	6	5	7431	6087	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5591.600098	5591.600098	0.933333
7087	007	2477	0.06	2250	1	65	100	3	6	5	7431	5181	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	4685.600098	4685.600098	0.933333
7087	008	2477	0.06	1000	1	65	100	3	6	5	7431	6431	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5935.600098	5935.600098	0.933333
7087	009	2477	0.06	1000	1	65	100	3	6	5	7431	6431	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5935.600098	5935.600098	0.933333
7087	010	2477	0.06	1000	1	65	100	3	6	5	7431	6431	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5935.600098	5935.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7087	011	2477	0.06	1328	1	65	100	3	6	5	7431	6103	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5607.600098	5607.600098	0.933333
7087	012	2477	0.06	1015	1	65	100	3	6	5	7431	6416	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5920.600098	5920.600098	0.933333
7087	013	2477	0.06	1175	1	65	100	3	6	5	7431	6256	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5760.600098	5760.600098	0.933333
7087	014	2477	0.06	1499	1	65	100	3	6	5	7431	5932	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5436.600098	5436.600098	0.933333
7087	015	2477	0.06	1000	1	85	140	4	8	7	9908	8908	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6935.600098	5935.600098	5935.600098	0.7
7087	016	2477	0.06	1000	1	85	140	4	8	7	9908	8908	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6935.600098	5935.600098	5935.600098	0.7
7087	017	2477	0.06	1000	1	85	140	4	8	7	9908	8908	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6935.600098	5935.600098	5935.600098	0.7
7087	026	2500	0.06	1093	1	85	140	4	8	7	10000	8907	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5907	5907	0.7
7087	027	2500	0.06	1552	1	85	140	4	8	7	10000	8448	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5448	5448	0.7
7087	028	2500	0.06	1093	1	85	140	4	8	7	10000	8907	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5907	5907	0.7
7087	029	2500	0.06	1093	1	85	140	4	8	7	10000	8907	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5907	5907	0.7
7087	030	2500	0.06	1380	1	65	100	3	6	5	7500	6120	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5620	5620	0.933333
7087	031	2500	0.06	1340	1	65	100	3	6	5	7500	6160	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5660	5660	0.933333
7087	032	2500	0.06	1385	1	65	100	3	6	5	7500	6115	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5615	5615	0.933333
7087	033	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7087	034	2500	0.06	1445	1	65	100	3	6	5	7500	6055	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5555	5555	0.933333
7087	035	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7087	036	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7087	037	2500	0.06	1488	1	65	100	3	6	5	7500	6012	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5512	5512	0.933333
7087	038	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7087	039	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5800	5800	0.933333
7087	040	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7087	041	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7087	044	2464	0.06	1255	1	65	100	3	6	5	7392	6137	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6899.199707	5644.199707	5644.199707	0.933333
7087	045	2463	0.06	1255	1	65	100	3	6	5	7389	6134	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6896.399902	5641.399902	5641.399902	0.933333
7087	050	1680	0.04	1458	1	65	100	3	4	3	5040	3582	RH-1	40	density-lim	3000			0.7	4	1	3	3	4704	3246	3246	0.933333
7088	001A	1876	0.04	855	1	65	100	3	4	3	5628	4773	RH-1	40	density-lim	3000			0.7	4	1	3	3	5252.799805	4397.799805	4397.799805	0.933333
7088	001B	1876	0.04	855	1	65	100	3	4	3	5628	4773	RH-1	40	density-lim	3000			0.7	4	1	3	3	5252.799805	4397.799805	4397.799805	0.933333
7088	001C	1876	0.04	855	1	65	100	3	4	3	5628	4773	RH-1	40	density-lim	3000			0.7	4	1	3	3	5252.799805	4397.799805	4397.799805	0.933333
7088	002	2501	0.06	1463	1	65	100	3	6	5	7503	6040	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5539.799805	5539.799805	0.933333
7088	003	2501	0.06	2060	1	65	100	3	6	5	7503	5443	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	4942.799805	4942.799805	0.933333
7088	004	2501	0.06	2275	1	65	100	3	6	5	7503	5228	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	4727.799805	4727.799805	0.933333
7088	005	2501	0.06	900	1	65	100	3	6	5	7503	6603	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	6102.799805	6102.799805	0.933333
7088	006	2501	0.06	1056	1	65	100	3	6	5	7503	6447	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5946.799805	5946.799805	0.933333
7088	007	2501	0.06	900	1	65	100	3	6	5	7503	6603	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	6102.799805	6102.799805	0.933333
7088	008	2501	0.06	1625	1	65	100	3	6	5	7503	5878	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5377.799805	5377.799805	0.933333
7088	009	2501	0.06	1771	1	65	100	3	6	5	7503	5732	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5231.799805	5231.799805	0.933333
7088	010	2501	0.06	1182	1	65	100	3	6	5	7503	6321	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5820.799805	5820.799805	0.933333
7088	011	2501	0.06	1000	1	65	100	3	6	5	7503	6503	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	6002.799805	6002.799805	0.933333
7088	012	2501	0.06	1390	1	65	100	3	6	5	7503	6113	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5612.799805	5612.799805	0.933333
7088	013	2501	0.06	1000	1	65	100	3	6	5	7503	6503	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	6002.799805	6002.799805	0.933333
7088	014	2501	0.06	1200	1	65	100	3	6	5	7503	6303	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5802.799805	5802.799805	0.933333
7088	015	2501	0.06	1000	1	65	100	3	6	5	7503	6503	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	6002.799805	6002.799805	0.933333
7088	016	2501	0.06	1000	1	65	100	3	6	5	7503	6503	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	6002.799805	6002.799805	0.933333
7088	017	2501	0.06	1638	1	65	100	3	6	5	7503	5865	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5364.799805	5364.799805	0.933333
7088	026	2500	0.06	1069	1	65	100	3	6	5	7500	6431	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5931	5931	0.933333
7088	027	2500	0.06	1144	1	65	100	3	6	5	7500	6356	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5856	5856	0.933333
7088	028	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7088	029	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7088	030	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7088	031	2500	0.06	1507	1	65	100	3	6	5	7500	5993	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5493	5493	0.933333
7088	032	2500	0.06	1214	1	65	100	3	6	5	7500	6286	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5786	5786	0.933333
7088	033	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7088	034	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7088	035	2500	0.06	1543	1	65	100	3	6	5	7500	5957	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5457	5457	0.933333
7088	036	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7088	037	2500	0.06	1403	1	65	100	3	6	5	7500	6097	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5597	5597	0.933333
7088	038	2500	0.06	1325	1	65	100	3	6	5	7500	6175	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5675	5675	0.933333
7088	039	2500	0.06	1816	1	65	100	3	6	5	7500	5684	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5184	5184	0.933333
7088	040	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7088	041	2500	0.06	1486	1	65	100	3	6	5	7500	6014	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5514	5514	0.933333
7088	042	2500	0.06	2121	1	65	100	3	6	5	7500	5379	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4879	4879	0.933333
7088	046	2454	0.06	1202	1	65	100	3	6	5	7362	6160	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6871.199707	5669.199707	5669.199707	0.933333
7088	053	2455	0.06	2678	1	65	100	3	6	5	7365	4687	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6874	4196	4196	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7088	054	2455	0.06	1526	1	65	100	3	6	5	7365	5839	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6874	5348	5348	0.933333
7089	002	2510	0.06	1119	1	65	100	3	6	5	7530	6411	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7028	5909	5909	0.933333
7089	003	2510	0.06	1284	1	65	100	3	6	5	7530	6246	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7028	5744	5744	0.933333
7089	004	2509	0.06	1343	1	65	100	3	6	5	7527	6184	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7025.199707	5682.199707	5682.199707	0.933333
7089	005	2509	0.06	1168	1	65	100	3	6	5	7527	6359	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7025.199707	5857.199707	5857.199707	0.933333
7089	006	2509	0.06	2046	1	65	100	3	6	5	7527	5481	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7025.199707	4979.199707	4979.199707	0.933333
7089	007	2508	0.06	1035	1	65	100	3	6	5	7524	6489	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5987.399902	5987.399902	0.933333
7089	008	3410	0.08	977	1	65	100	3	8	7	10230	9253	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9548	8571	8571	0.933333
7089	009	4111	0.09	1558	1	65	100	3	9	8	12333	10775	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11510.7998	9952.799805	9952.799805	0.933333
7089	011	2506	0.06	1866	1	65	100	3	6	5	7518	5652	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7016.799805	5150.799805	5150.799805	0.933333
7089	012	2506	0.06	781	1	65	100	3	6	5	7518	6737	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7016.799805	6235.799805	6235.799805	0.933333
7089	013	2506	0.06	781	1	65	100	3	6	5	7518	6737	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7016.799805	6235.799805	6235.799805	0.933333
7089	014	2505	0.06	781	1	65	100	3	6	5	7515	6734	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7014	6233	6233	0.933333
7089	015	2505	0.06	963	1	65	100	3	6	5	7515	6552	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7014	6051	6051	0.933333
7089	016	2504	0.06	950	1	65	100	3	6	5	7512	6562	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7011.199707	6061.199707	6061.199707	0.933333
7089	017	2504	0.06	1219	1	65	100	3	6	5	7512	6293	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7011.199707	5792.199707	5792.199707	0.933333
7089	025	1621	0.04	1152	1	65	100	3	4	3	4863	3711	RH-2	40	density-lim	1500			0.7	4	1	3	3	4538.799805	3386.799805	3386.799805	0.933333
7089	025A	1621	0.04	1152	1	65	100	3	4	3	4863	3711	RH-2	40	density-lim	1500			0.7	4	1	3	3	4538.799805	3386.799805	3386.799805	0.933333
7089	026	2500	0.06	1590	1	65	100	3	6	5	7500	5910	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5410	5410	0.933333
7089	027	2500	0.06	1130	1	65	100	3	6	5	7500	6370	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5870	5870	0.933333
7089	028	2500	0.06	1200	1	65	100	3	6	5	7500	6300	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5800	5800	0.933333
7089	029	2500	0.06	1440	1	65	100	3	6	5	7500	6060	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5560	5560	0.933333
7089	030	2500	0.06	900	1	65	100	3	6	5	7500	6600	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6100	6100	0.933333
7089	031	2500	0.06	1081	1	65	100	3	6	5	7500	6419	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5919	5919	0.933333
7089	032	2500	0.06	2213	1	65	100	3	6	5	7500	5287	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4787	4787	0.933333
7089	033	2500	0.06	1336	1	65	100	3	6	5	7500	6164	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5664	5664	0.933333
7089	034	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7089	035	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7089	036	2500	0.06	1405	1	65	100	3	6	5	7500	6095	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5595	5595	0.933333
7089	037	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7089	038	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7089	039	2500	0.06	1255	1	65	100	3	6	5	7500	6245	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5745	5745	0.933333
7089	041	2500	0.06	1476	1	65	100	3	6	5	7500	6024	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5524	5524	0.933333
7089	043	2523	0.06	950	1	65	100	3	6	5	7569	6619	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7064.399902	6114.399902	6114.399902	0.933333
7089	044	2522	0.06	1279	1	65	100	3	6	5	7566	6287	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7061.600098	5782.600098	5782.600098	0.933333
7089	045	2521	0.06	950	1	65	100	3	6	5	7563	6613	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7058.799805	6108.799805	6108.799805	0.933333
7089	046	2520	0.06	1144	1	65	100	3	6	5	7560	6416	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	5912	5912	0.933333
7089	047	2520	0.06	1025	1	65	100	3	6	5	7560	6535	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	6031	6031	0.933333
7089	048	2519	0.06	1204	1	65	100	3	6	5	7557	6353	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7053.199707	5849.199707	5849.199707	0.933333
7090	001A	1528	0.04	897	1	65	100	3	4	3	4584	3687	RH-1	40	density-lim	3000			0.7	4	1	3	3	4278.399902	3381.399902	3381.399902	0.933333
7090	002	2507	0.06	1250	1	65	100	3	6	5	7521	6271	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7019.600098	5769.600098	5769.600098	0.933333
7090	003	2508	0.06	1611	1	65	100	3	6	5	7524	5913	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5411.399902	5411.399902	0.933333
7090	004	2508	0.06	1037	1	65	100	3	6	5	7524	6487	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5985.399902	5985.399902	0.933333
7090	005	2508	0.06	1037	1	65	100	3	6	5	7524	6487	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5985.399902	5985.399902	0.933333
7090	006	2509	0.06	1050	1	65	100	3	6	5	7527	6477	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7025.199707	5975.199707	5975.199707	0.933333
7090	008	2510	0.06	805	1	65	100	3	6	5	7530	6725	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7028	6223	6223	0.933333
7090	009	2510	0.06	805	1	65	100	3	6	5	7530	6725	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7028	6223	6223	0.933333
7090	010	2511	0.06	781	1	65	100	3	6	5	7533	6752	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7030.799805	6249.799805	6249.799805	0.933333
7090	011	2511	0.06	935	1	65	100	3	6	5	7533	6598	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7030.799805	6095.799805	6095.799805	0.933333
7090	012	2511	0.06	1000	1	65	100	3	6	5	7533	6533	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7030.799805	6030.799805	6030.799805	0.933333
7090	013	2512	0.06	1000	1	65	100	3	6	5	7536	6536	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	6033.600098	6033.600098	0.933333
7090	014	2512	0.06	1760	1	65	100	3	6	5	7536	5776	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5273.600098	5273.600098	0.933333
7090	017	2514	0.06	1265	1	85	140	4	8	7	10056	8791	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7039.199707	5774.199707	5774.199707	0.7
7090	017A	2514	0.06	1025	1	85	140	4	8	7	10056	9031	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7039.199707	6014.199707	6014.199707	0.7
7090	020	1875	0.04	1070	1	85	140	4	6	5	7500	6430	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	5250	4180	4180	0.7
7090	022	1875	0.04	1162	1	85	140	4	6	5	7500	6338	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	5250	4088	4088	0.7
7090	024	1875	0.04	1762	1	85	140	4	6	5	7500	5738	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	5250	3488	3488	0.7
7090	024A	1875	0.04	1162	1	85	140	4	6	5	7500	6338	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	5250	4088	4088	0.7
7090	025	2500	0.06	1637	1	85	140	4	8	7	10000	8363	RH-2	40	density-lim	1500			0.7	4	0.5	3	3	7000	5363	5363	0.7
7090	026	2500	0.06	1780	1	85	140	4	8	7	10000	8220	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5220	5220	0.7
7090	027	2500	0.06	1312	1	65	100	3	6	5	7500	6188	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5688	5688	0.933333
7090	028	2500	0.06	1975	1	65	100	3	6	5	7500	5525	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5025	5025	0.933333
7090	029	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333
7090	030	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7090	031	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7090	032	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7090	033	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7090	034	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7090	035	2500	0.06	600	1	65	100	3	6	5	7500	6900	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6400	6400	0.933333
7090	036	2500	0.06	1995	1	65	100	3	6	5	7500	5505	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5005	5005	0.933333
7090	037	2500	0.06	1843	1	65	100	3	6	5	7500	5657	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5157	5157	0.933333
7090	038	2500	0.06	1121	1	65	100	3	6	5	7500	6379	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5879	5879	0.933333
7090	039	2500	0.06	1144	1	65	100	3	6	5	7500	6356	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5856	5856	0.933333
7090	041	2500	0.06	1239	1	65	100	3	6	5	7500	6261	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5761	5761	0.933333
7090	042	2500	0.06	1231	1	65	100	3	6	5	7500	6269	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5769	5769	0.933333
7090	043	2500	0.06	1375	1	65	100	3	6	5	7500	6125	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5625	5625	0.933333
7090	046	2512	0.06	1757	1	65	100	3	6	5	7536	5779	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	5276.600098	5276.600098	0.933333
7090	047	2511	0.06	1921	1	65	100	3	6	5	7533	5612	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7030.799805	5109.799805	5109.799805	0.933333
7090	048	1750	0.04	950	1	65	100	3	4	3	5250	4300	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3950	3950	0.933333
7090	049	1750	0.04	2296	1	65	100	3	4	3	5250	2954	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	2604	2604	0.933333
7090	052	1515	0.03	1305	1	65	100	3	3	2	4545	3240	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4242	2937	2937	0.933333
7090	053	5026	0.12	1180	1	85	140	4	17	16	20104	18924	RH-1	40	density-lim	3000			0.7	4	0.235294119	3	3	14072.7998	12892.7998	12892.7998	0.7
7091	002	2508	0.06	1330	1	65	100	3	6	5	7524	6194	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5692.399902	5692.399902	0.933333
7091	003	2507	0.06	1060	1	65	100	3	6	5	7521	6461	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7019.600098	5959.600098	5959.600098	0.933333
7091	004	2507	0.06	1366	1	65	100	3	6	5	7521	6155	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7019.600098	5653.600098	5653.600098	0.933333
7091	005	2506	0.06	1060	1	65	100	3	6	5	7518	6458	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7016.799805	5956.799805	5956.799805	0.933333
7091	006	2505	0.06	1060	1	65	100	3	6	5	7515	6455	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7014	5954	5954	0.933333
7091	007	2504	0.06	1060	1	65	100	3	6	5	7512	6452	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7011.199707	5951.199707	5951.199707	0.933333
7091	008	2503	0.06	1213	1	65	100	3	6	5	7509	6296	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7008.399902	5795.399902	5795.399902	0.933333
7091	009	2503	0.06	1214	1	65	100	3	6	5	7509	6295	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7008.399902	5794.399902	5794.399902	0.933333
7091	010	2502	0.06	1214	1	65	100	3	6	5	7506	6292	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5791.600098	5791.600098	0.933333
7091	011	2501	0.06	1214	1	65	100	3	6	5	7503	6289	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5788.799805	5788.799805	0.933333
7091	012	2500	0.06	1949	1	65	100	3	6	5	7500	5551	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5051	5051	0.933333
7091	013	2500	0.06	1265	1	65	100	3	6	5	7500	6235	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5735	5735	0.933333
7091	014	2499	0.06	1575	1	65	100	3	6	5	7497	5922	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	5422.199707	5422.199707	0.933333
7091	015	2498	0.06	1413	1	85	140	4	8	7	9992	8579	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6994.399902	5581.399902	5581.399902	0.7
7091	016	2198	0.05	2173	1	85	140	4	7	6	8792	6619	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6154.399902	3981.399902	3981.399902	0.7
7091	017	2796	0.06	1425	1	85	140	4	8	7	11184	9759	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7828.799805	6403.799805	6403.799805	0.7
7091	026	2500	0.06	1945	1	85	140	4	8	7	10000	8055	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5055	5055	0.7
7091	027	2500	0.06	1945	1	85	140	4	8	7	10000	8055	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5055	5055	0.7
7091	028	2500	0.06	1945	1	85	140	4	8	7	10000	8055	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5055	5055	0.7
7091	029	2500	0.06	1945	1	85	140	4	8	7	10000	8055	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5055	5055	0.7
7091	030	2500	0.06	750	1	65	100	3	6	5	7500	6750	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6250	6250	0.933333
7091	031	2500	0.06	1075	1	65	100	3	6	5	7500	6425	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5925	5925	0.933333
7091	032	2500	0.06	1075	1	65	100	3	6	5	7500	6425	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5925	5925	0.933333
7091	033	2500	0.06	1806	1	65	100	3	6	5	7500	5694	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5194	5194	0.933333
7091	034	2500	0.06	1075	1	65	100	3	6	5	7500	6425	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5925	5925	0.933333
7091	035	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7091	036	2500	0.06	2015	1	65	100	3	6	5	7500	5485	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4985	4985	0.933333
7091	037	2500	0.06	1212	1	65	100	3	6	5	7500	6288	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5788	5788	0.933333
7091	038	2500	0.06	1634	1	65	100	3	6	5	7500	5866	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5366	5366	0.933333
7091	039	2500	0.06	1474	1	65	100	3	6	5	7500	6026	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5526	5526	0.933333
7091	040	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333
7091	041	2500	0.06	2602	1	65	100	3	6	5	7500	4898	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4398	4398	0.933333
7091	042	2500	0.06	1319	1	65	100	3	6	5	7500	6181	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5681	5681	0.933333
7091	044	1881	0.04	1650	1	65	100	3	4	3	5643	3993	RH-1	40	density-lim	3000			0.7	4	1	3	3	5266.799805	3616.799805	3616.799805	0.933333
7091	045	1880	0.04	1106	1	65	100	3	4	3	5640	4534	RH-1	40	density-lim	3000			0.7	4	1	3	3	5264	4158	4158	0.933333
7091	045A	1879	0.04	1106	1	65	100	3	4	3	5637	4531	RH-1	40	density-lim	3000			0.7	4	1	3	3	5261.199707	4155.199707	4155.199707	0.933333
7091	046	2504	0.06	1060	1	65	100	3	6	5	7512	6452	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7011.199707	5951.199707	5951.199707	0.933333
7091	047	2503	0.06	1060	1	65	100	3	6	5	7509	6449	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7008.399902	5948.399902	5948.399902	0.933333
7091	048	2502	0.06	1625	1	65	100	3	6	5	7506	5881	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7005.600098	5380.600098	5380.600098	0.933333
7092	002	1875	0.04	1162	1	65	100	3	4	3	5625	4463	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4088	4088	0.933333
7092	004	2625	0.06	2725	1	65	100	3	6	5	7875	5150	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7350	4625	4625	0.933333
7092	005	2625	0.06	2313	1	65	100	3	6	5	7875	5562	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7350	5037	5037	0.933333
7092	006	2625	0.06	1175	1	65	100	3	6	5	7875	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7350	6175	6175	0.933333
7092	007	2625	0.06	1175	1	65	100	3	6	5	7875	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7350	6175	6175	0.933333
7092	014	6228	0.14	1540	1	65	100	3	14	13	18684	17144	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	17438.40039	15898.40039	15898.40039	0.933333
7092	015	3115	0.07	2067	1	65	100	3	7	6	9345	7278	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8722	6655	6655	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7092	016	2991	0.07	936	1	65	100	3	7	6	8973	8037	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8374.799805	7438.799805	7438.799805	0.933333
7092	017	3116	0.07	1472	1	65	100	3	7	6	9348	7876	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8724.799805	7252.799805	7252.799805	0.933333
7092	018	3116	0.07	1050	1	65	100	3	7	6	9348	8298	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8724.799805	7674.799805	7674.799805	0.933333
7092	019	3117	0.07	967	1	65	100	3	7	6	9351	8384	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8727.599609	7760.599609	7760.599609	0.933333
7092	020	3118	0.07	2195	1	65	100	3	7	6	9354	7159	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8730.399414	6535.399414	6535.399414	0.933333
7092	021	6725	0.15	1152	1	65	100	3	15	14	20175	19023	RH-1	40	density-lim	3000			0.7	4	0.266666681	3	3	18830	17678	17678	0.933333
7092	023	2875	0.07	1619	1	65	100	3	7	6	8625	7006	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8050	6431	6431	0.933333
7092	024	2875	0.07	845	1	65	100	3	7	6	8625	7780	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8050	7205	7205	0.933333
7092	025	2250	0.05	1094	1	65	100	3	5	4	6750	5656	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	5206	5206	0.933333
7092	026	2250	0.05	1094	1	65	100	3	5	4	6750	5656	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6300	5206	5206	0.933333
7092	028	6243	0.14	2343	1	65	100	3	14	13	18729	16386	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	17480.40039	15137.40039	15137.40039	0.933333
7092	030	3122	0.07	1397	1	65	100	3	7	6	9366	7969	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8741.599609	7344.599609	7344.599609	0.933333
7092	031	3123	0.07	1150	1	65	100	3	7	6	9369	8219	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8744.399414	7594.399414	7594.399414	0.933333
7092	033	3250	0.07	750	1	65	100	3	7	6	9750	9000	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9100	8350	8350	0.933333
7092	034	3250	0.07	1040	1	65	100	3	7	6	9750	8710	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9100	8060	8060	0.933333
7092	035	3251	0.07	1320	1	65	100	3	7	6	9753	8433	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9102.799805	7782.799805	7782.799805	0.933333
7092	036	3127	0.07	950	1	65	100	3	7	6	9381	8431	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8755.599609	7805.599609	7805.599609	0.933333
7092	037	3127	0.07	950	1	65	100	3	7	6	9381	8431	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8755.599609	7805.599609	7805.599609	0.933333
7092	040	2255	0.05	1148	1	65	100	3	5	4	6765	5617	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6314	5166	5166	0.933333
7092	042	2278	0.05	2138	1	65	100	3	5	4	6834	4696	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6378.399902	4240.399902	4240.399902	0.933333
7092	043	2276	0.05	800	1	65	100	3	5	4	6828	6028	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6372.799805	5572.799805	5572.799805	0.933333
7092	044	2275	0.05	1075	1	65	100	3	5	4	6825	5750	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6370	5295	5295	0.933333
7092	045	2274	0.05	1075	1	65	100	3	5	4	6822	5747	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6367.199707	5292.199707	5292.199707	0.933333
7092	082	3513	0.08	1534	1	65	100	3	8	7	10539	9005	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9836.399414	8302.399414	8302.399414	0.933333
7092	083	5372	0.12	1220	1	65	100	3	12	11	16116	14896	RH-1	40	density-lim	3000			0.7	4	0.333333343	3	3	15041.59961	13821.59961	13821.59961	0.933333
7092	084	3624	0.08	2045	1	65	100	3	8	7	10872	8827	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10147.2002	8102.200195	8102.200195	0.933333
7092	048	1423	0.03	1075	1	65	100	3	3	2	4269	3194	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3984.399902	2909.399902	2909.399902	0.933333
7092	049	3125	0.07	2024	1	65	100	3	7	6	9375	7351	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6726	6726	0.933333
7092	051	6250	0.14	596	1	65	100	3	14	13	18750	18154	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	17500	16904	16904	0.933333
7092	053	3125	0.07	1307	1	65	100	3	7	6	9375	8068	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7443	7443	0.933333
7092	054	3125	0.07	1025	1	65	100	3	7	6	9375	8350	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7725	7725	0.933333
7092	055	3125	0.07	1944	1	65	100	3	7	6	9375	7431	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6806	6806	0.933333
7092	056	3125	0.07	1025	1	65	100	3	7	6	9375	8350	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7725	7725	0.933333
7092	057	3125	0.07	1155	1	65	100	3	7	6	9375	8220	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7595	7595	0.933333
7092	058	3125	0.07	857	1	65	100	3	7	6	9375	8518	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7893	7893	0.933333
7092	059	3125	0.07	1083	1	65	100	3	7	6	9375	8292	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7667	7667	0.933333
7092	060	3125	0.07	1319	1	65	100	3	7	6	9375	8056	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7431	7431	0.933333
7092	061	3125	0.07	857	1	65	100	3	7	6	9375	8518	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7893	7893	0.933333
7092	062	3125	0.07	857	1	65	100	3	7	6	9375	8518	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7893	7893	0.933333
7092	063	3125	0.07	1527	1	65	100	3	7	6	9375	7848	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7223	7223	0.933333
7092	065	3125	0.07	1190	1	65	100	3	7	6	9375	8185	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7560	7560	0.933333
7092	066	3125	0.07	781	1	65	100	3	7	6	9375	8594	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7969	7969	0.933333
7092	067	3125	0.07	792	1	65	100	3	7	6	9375	8583	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7958	7958	0.933333
7092	068	3125	0.07	1350	1	65	100	3	7	6	9375	8025	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7400	7400	0.933333
7092	071	3125	0.07	1949	1	65	100	3	7	6	9375	7426	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6801	6801	0.933333
7092	072	3000	0.07	2010	1	65	100	3	7	6	9000	6990	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	6390	6390	0.933333
7092	073	3000	0.07	1259	1	65	100	3	7	6	9000	7741	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	7141	7141	0.933333
7092	074	3000	0.07	1566	1	65	100	3	7	6	9000	7434	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	6834	6834	0.933333
7092	075	3375	0.08	970	1	65	100	3	8	7	10125	9155	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9450	8480	8480	0.933333
7092	076	4600	0.11	1594	1	65	100	3	11	10	13800	12206	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	12880	11286	11286	0.933333
7092	077	3400	0.08	765	1	65	100	3	8	7	10200	9435	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9520	8755	8755	0.933333
7092	078	1250	0.03	714	1	65	100	3	3	2	3750	3036	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3500	2786	2786	0.933333
7092	080	4187	0.1	1260	1	65	100	3	10	9	12561	11301	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	11723.59961	10463.59961	10463.59961	0.933333
7092	081	3513	0.08	2197	1	65	100	3	8	7	10539	8342	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9836.399414	7639.399414	7639.399414	0.933333
7092	086	2235	0.05	1045	1	65	100	3	5	4	6705	5660	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6258	5213	5213	0.933333
7092	087	3128	0.07	1576	1	65	100	3	7	6	9384	7808	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8758.399414	7182.399414	7182.399414	0.933333
7092	088	3238	0.07	1661	1	65	100	3	7	6	9714	8053	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9066.399414	7405.399414	7405.399414	0.933333
7092	090	1731	0.04	1930	1	65	100	3	4	3	5193	3263	RH-1	40	density-lim	3000			0.7	4	1	3	3	4846.799805	2916.799805	2916.799805	0.933333
7092	091	2273	0.05	900	1	65	100	3	5	4	6819	5919	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6364.399902	5464.399902	5464.399902	0.933333
7092	113	3063	0.07	2883	1	65	100	3	7	6	9189	6306	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8576.399414	5693.399414	5693.399414	0.933333
7094	004	3141	0.07	875	1	65	100	3	7	6	9423	8548	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8794.799805	7919.799805	7919.799805	0.933333
7094	004A	3141	0.07	875	1	65	100	3	7	6	9423	8548	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8794.799805	7919.799805	7919.799805	0.933333
7094	005	3141	0.07	875	1	65	100	3	7	6	9423	8548	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8794.799805	7919.799805	7919.799805	0.933333
7094	005A	3141	0.07	875	1	65	100	3	7	6	9423	8548	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8794.799805	7919.799805	7919.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7094	006	3141	0.07	875	1	65	100	3	7	6	9423	8548	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8794.799805	7919.799805	7919.799805	0.933333
7094	006A	3141	0.07	875	1	65	100	3	7	6	9423	8548	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8794.799805	7919.799805	7919.799805	0.933333
7094	007	3141	0.07	875	1	65	100	3	7	6	9423	8548	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8794.799805	7919.799805	7919.799805	0.933333
7094	007A	3141	0.07	875	1	65	100	3	7	6	9423	8548	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8794.799805	7919.799805	7919.799805	0.933333
7094	008	4397	0.1	2142	1	65	100	3	10	9	13191	11049	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12311.59961	10169.59961	10169.59961	0.933333
7094	008A	4397	0.1	773	1	65	100	3	10	9	13191	12418	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12311.59961	11538.59961	11538.59961	0.933333
7094	008B	3768	0.09	2112	1	65	100	3	9	8	11304	9192	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10550.39941	8438.399414	8438.399414	0.933333
7094	009	4187	0.1	735	1	65	100	3	10	9	12561	11826	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	11723.59961	10988.59961	10988.59961	0.933333
7094	010	4187	0.1	880	1	65	100	3	10	9	12561	11681	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	11723.59961	10843.59961	10843.59961	0.933333
7094	010A	4187	0.1	714	1	65	100	3	10	9	12561	11847	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	11723.59961	11009.59961	11009.59961	0.933333
7094	012	3140	0.07	1296	1	65	100	3	7	6	9420	8124	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8792	7496	7496	0.933333
7094	013	3140	0.07	1616	1	65	100	3	7	6	9420	7804	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8792	7176	7176	0.933333
7094	014	3140	0.07	856	1	65	100	3	7	6	9420	8564	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8792	7936	7936	0.933333
7094	015	3140	0.07	1321	1	65	100	3	7	6	9420	8099	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8792	7471	7471	0.933333
7094	016	3140	0.07	1080	1	65	100	3	7	6	9420	8340	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8792	7712	7712	0.933333
7094	017	3140	0.07	1275	1	65	100	3	7	6	9420	8145	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8792	7517	7517	0.933333
7094	019	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6050	6050	0.933333
7094	020	2500	0.06	1540	1	65	100	3	6	5	7500	5960	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5460	5460	0.933333
7094	021	1875	0.04	840	1	65	100	3	4	3	5625	4785	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4410	4410	0.933333
7094	021A	2500	0.06	1571	1	65	100	3	6	5	7500	5929	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5429	5429	0.933333
7094	022	3750	0.09	1205	1	65	100	3	9	8	11250	10045	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10500	9295	9295	0.933333
7094	022A	2500	0.06	1205	1	65	100	3	6	5	7500	6295	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5795	5795	0.933333
7094	022B	2500	0.06	1070	1	65	100	3	6	5	7500	6430	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5930	5930	0.933333
7094	022C	2500	0.06	1425	1	65	100	3	6	5	7500	6075	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5575	5575	0.933333
7094	024	4688	0.11	1521	1	65	100	3	11	10	14064	12543	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13126.39941	11605.39941	11605.39941	0.933333
7094	025	4688	0.11	1411	1	65	100	3	11	10	14064	12653	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13126.39941	11715.39941	11715.39941	0.933333
7094	027	3125	0.07	1475	1	65	100	3	7	6	9375	7900	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7275	7275	0.933333
7094	028	3125	0.07	1650	1	65	100	3	7	6	9375	7725	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7100	7100	0.933333
7094	028A	3125	0.07	1530	1	65	100	3	7	6	9375	7845	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7220	7220	0.933333
7094	029	2500	0.06	850	1	65	100	3	6	5	7500	6650	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6150	6150	0.933333
7094	030	2500	0.06	3679	1	65	100	3	6	5	7500	3821	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	3321	3321	0.933333
7094	031	3140	0.07	1253	1	65	100	3	7	6	9420	8167	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8792	7539	7539	0.933333
7094	032	3140	0.07	1311	1	65	100	3	7	6	9420	8109	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8792	7481	7481	0.933333
7094	033	3125	0.07	2367	1	65	100	3	7	6	9375	7008	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6383	6383	0.933333
7094	034	3125	0.07	3234	1	65	100	3	7	6	9375	6141	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	5516	5516	0.933333
7094	035	3112	0.07	1725	1	65	100	3	7	6	9336	7611	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8713.599609	6988.599609	6988.599609	0.933333
7094	036	2779	0.06	1500	1	65	100	3	6	5	8337	6837	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7781.199707	6281.199707	6281.199707	0.933333
7094	037	2543	0.06	1465	1	65	100	3	6	5	7629	6164	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7120.399902	5655.399902	5655.399902	0.933333
7094	038	2805	0.06	1634	1	65	100	3	6	5	8415	6781	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7854	6220	6220	0.933333
7094	039	3502	0.08	1634	1	65	100	3	8	7	10506	8872	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9805.599609	8171.599609	8171.599609	0.933333
7094	040	3141	0.07	1634	1	65	100	3	7	6	9423	7789	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8794.799805	7160.799805	7160.799805	0.933333
7094	041	3141	0.07	1634	1	65	100	3	7	6	9423	7789	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8794.799805	7160.799805	7160.799805	0.933333
7094	042	3141	0.07	1470	1	65	100	3	7	6	9423	7953	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8794.799805	7324.799805	7324.799805	0.933333
7094	043	3141	0.07	1470	1	65	100	3	7	6	9423	7953	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8794.799805	7324.799805	7324.799805	0.933333
7094	044	3125	0.07	1550	1	65	100	3	7	6	9375	7825	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7200	7200	0.933333
7094	045	3125	0.07	1550	1	65	100	3	7	6	9375	7825	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7200	7200	0.933333
7094	046	3125	0.07	2247	1	65	100	3	7	6	9375	7128	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6503	6503	0.933333
7094	047	3125	0.07	1550	1	65	100	3	7	6	9375	7825	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7200	7200	0.933333
7094	048	3125	0.07	1550	1	65	100	3	7	6	9375	7825	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7200	7200	0.933333
7094	049	3125	0.07	1550	1	65	100	3	7	6	9375	7825	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7200	7200	0.933333
7094	050	3125	0.07	1550	1	65	100	3	7	6	9375	7825	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7200	7200	0.933333
7094	051	3125	0.07	1550	1	65	100	3	7	6	9375	7825	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7200	7200	0.933333
7094	052	3125	0.07	1550	1	65	100	3	7	6	9375	7825	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7200	7200	0.933333
7094	053	3125	0.07	1550	1	65	100	3	7	6	9375	7825	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7200	7200	0.933333
7094	054	3125	0.07	1550	1	65	100	3	7	6	9375	7825	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7200	7200	0.933333
7094	055	3125	0.07	2532	1	65	100	3	7	6	9375	6843	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6218	6218	0.933333
7094	058	2320	0.05	2159	1	65	100	3	5	4	6960	4801	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6496	4337	4337	0.933333
7094	059	2782	0.06	2111	1	65	100	3	6	5	8346	6235	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7789.600098	5678.600098	5678.600098	0.933333
7094	060	3125	0.07	1200	1	65	100	3	7	6	9375	8175	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7550	7550	0.933333
7094	061	3125	0.07	2032	1	65	100	3	7	6	9375	7343	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6718	6718	0.933333
7096A	010	2177	0.05	950	1	65	100	3	5	4	6531	5581	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6095.600098	5145.600098	5145.600098	0.933333
7096A	011	2333	0.05	2420	1	65	100	3	5	4	6999	4579	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6532.399902	4112.399902	4112.399902	0.933333
7096A	011A	1990	0.05	1187	1	65	100	3	5	4	5970	4783	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5572	4385	4385	0.933333
7096A	011B	2160	0.05	1187	1	65	100	3	5	4	6480	5293	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6048	4861	4861	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7096A	011C	2329	0.05	1613	1	65	100	3	5	4	6987	5374	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6521.199707	4908.199707	4908.199707	0.933333
7096A	026	2328	0.05	1658	1	65	100	3	5	4	6984	5326	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6518.399902	4860.399902	4860.399902	0.933333
7096A	027	2269	0.05	1658	1	65	100	3	5	4	6807	5149	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6353.199707	4695.199707	4695.199707	0.933333
7096A	028	2268	0.05	1658	1	65	100	3	5	4	6804	5146	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6350.399902	4692.399902	4692.399902	0.933333
7096A	029	1890	0.04	1665	1	65	100	3	4	3	5670	4005	RH-1	40	density-lim	3000			0.7	4	1	3	3	5292	3627	3627	0.933333
7096A	030	1890	0.04	1665	1	65	100	3	4	3	5670	4005	RH-1	40	density-lim	3000			0.7	4	1	3	3	5292	3627	3627	0.933333
7096A	031	1890	0.04	1665	1	65	100	3	4	3	5670	4005	RH-1	40	density-lim	3000			0.7	4	1	3	3	5292	3627	3627	0.933333
7096A	032	1891	0.04	1665	1	65	100	3	4	3	5673	4008	RH-1	40	density-lim	3000			0.7	4	1	3	3	5294.799805	3629.799805	3629.799805	0.933333
7096A	033	1891	0.04	1665	1	65	100	3	4	3	5673	4008	RH-1	40	density-lim	3000			0.7	4	1	3	3	5294.799805	3629.799805	3629.799805	0.933333
7096A	035	2625	0.06	1665	1	65	100	3	6	5	7875	6210	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7350	5685	5685	0.933333
7096A	036	2554	0.06	1665	1	65	100	3	6	5	7662	5997	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7151.199707	5486.199707	5486.199707	0.933333
7096A	037	2567	0.06	1665	1	65	100	3	6	5	7701	6036	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7187.600098	5522.600098	5522.600098	0.933333
7096A	038	2571	0.06	1665	1	65	100	3	6	5	7713	6048	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7198.799805	5533.799805	5533.799805	0.933333
7096A	039	2428	0.06	1665	1	65	100	3	6	5	7284	5619	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6798.399902	5133.399902	5133.399902	0.933333
7096A	040	2744	0.06	1664	1	65	100	3	6	5	8232	6568	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7683.199707	6019.199707	6019.199707	0.933333
7096A	042	1874	0.04	1782	1	65	100	3	4	3	5622	3840	RH-1	40	density-lim	3000			0.7	4	1	3	3	5247.199707	3465.199707	3465.199707	0.933333
7096A	043	1874	0.04	1782	1	65	100	3	4	3	5622	3840	RH-1	40	density-lim	3000			0.7	4	1	3	3	5247.199707	3465.199707	3465.199707	0.933333
7096A	044	1874	0.04	1782	1	65	100	3	4	3	5622	3840	RH-1	40	density-lim	3000			0.7	4	1	3	3	5247.199707	3465.199707	3465.199707	0.933333
7096A	045	1874	0.04	1782	1	65	100	3	4	3	5622	3840	RH-1	40	density-lim	3000			0.7	4	1	3	3	5247.199707	3465.199707	3465.199707	0.933333
7096A	046	1874	0.04	1782	1	65	100	3	4	3	5622	3840	RH-1	40	density-lim	3000			0.7	4	1	3	3	5247.199707	3465.199707	3465.199707	0.933333
7096A	047	1874	0.04	1200	1	65	100	3	4	3	5622	4422	RH-1	40	density-lim	3000			0.7	4	1	3	3	5247.199707	4047.199707	4047.199707	0.933333
7096A	048	1874	0.04	1782	1	65	100	3	4	3	5622	3840	RH-1	40	density-lim	3000			0.7	4	1	3	3	5247.199707	3465.199707	3465.199707	0.933333
7096A	049	2514	0.06	1665	1	65	100	3	6	5	7542	5877	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7039.199707	5374.199707	5374.199707	0.933333
7096A	050	2279	0.05	1665	1	65	100	3	5	4	6837	5172	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6381.199707	4716.199707	4716.199707	0.933333
7096A	051	3076	0.07	1665	1	65	100	3	7	6	9228	7563	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8612.799805	6947.799805	6947.799805	0.933333
7096A	053	2823	0.06	1250	1	65	100	3	6	5	8469	7219	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7904.399902	6654.399902	6654.399902	0.933333
7096B	001	1582	0.04	1300	1	65	100	3	4	3	4746	3446	RH-1	40	density-lim	3000			0.7	4	1	3	3	4429.600098	3129.600098	3129.600098	0.933333
7096B	002	1766	0.04	1300	1	65	100	3	4	3	5298	3998	RH-1	40	density-lim	3000			0.7	4	1	3	3	4944.799805	3644.799805	3644.799805	0.933333
7096B	003	1707	0.04	1000	1	65	100	3	4	3	5121	4121	RH-1	40	density-lim	3000			0.7	4	1	3	3	4779.600098	3779.600098	3779.600098	0.933333
7096B	005	1593	0.04	1375	1	65	100	3	4	3	4779	3404	RH-1	40	density-lim	3000			0.7	4	1	3	3	4460.399902	3085.399902	3085.399902	0.933333
7096B	006	1536	0.04	1000	1	65	100	3	4	3	4608	3608	RH-1	40	density-lim	3000			0.7	4	1	3	3	4300.799805	3300.799805	3300.799805	0.933333
7096B	007	1498	0.03	1000	1	65	100	3	3	2	4494	3494	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4194.399902	3194.399902	3194.399902	0.933333
7096B	008	1478	0.03	1694	1	65	100	3	3	2	4434	2740	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4138.399902	2444.399902	2444.399902	0.933333
7096B	009	1464	0.03	1125	1	65	100	3	3	2	4392	3267	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4099.199707	2974.199707	2974.199707	0.933333
7096B	010	1457	0.03	1125	1	65	100	3	3	2	4371	3246	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4079.599854	2954.599854	2954.599854	0.933333
7096B	011	1513	0.03	1375	1	65	100	3	3	2	4539	3164	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4236.399902	2861.399902	2861.399902	0.933333
7096B	012	1530	0.04	1903	1	65	100	3	4	3	4590	2687	RH-1	40	density-lim	3000			0.7	4	1	3	3	4284	2381	2381	0.933333
7096B	013	1522	0.03	1375	1	65	100	3	3	2	4566	3191	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4261.600098	2886.600098	2886.600098	0.933333
7096B	014	1541	0.04	1250	1	65	100	3	4	3	4623	3373	RH-1	40	density-lim	3000			0.7	4	1	3	3	4314.799805	3064.799805	3064.799805	0.933333
7096B	015	1577	0.04	2525	1	65	100	3	4	3	4731	2206	RH-1	40	density-lim	3000			0.7	4	1	3	3	4415.600098	1890.600098	1890.600098	0.933333
7096B	016	1596	0.04	1620	1	65	100	3	4	3	4788	3168	RH-1	40	density-lim	3000			0.7	4	1	3	3	4468.799805	2848.799805	2848.799805	0.933333
7096B	017	1623	0.04	1250	1	65	100	3	4	3	4869	3619	RH-1	40	density-lim	3000			0.7	4	1	3	3	4544.399902	3294.399902	3294.399902	0.933333
7096B	018	1659	0.04	1250	1	65	100	3	4	3	4977	3727	RH-1	40	density-lim	3000			0.7	4	1	3	3	4645.199707	3395.199707	3395.199707	0.933333
7096B	019	1638	0.04	2030	1	65	100	3	4	3	4914	2884	RH-1	40	density-lim	3000			0.7	4	1	3	3	4586.399902	2556.399902	2556.399902	0.933333
7096B	020	1763	0.04	1250	1	65	100	3	4	3	5289	4039	RH-1	40	density-lim	3000			0.7	4	1	3	3	4936.399902	3686.399902	3686.399902	0.933333
7096B	021	1829	0.04	1537	1	65	100	3	4	3	5487	3950	RH-1	40	density-lim	3000			0.7	4	1	3	3	5121.199707	3584.199707	3584.199707	0.933333
7096B	022	1894	0.04	1375	1	65	100	3	4	3	5682	4307	RH-1	40	density-lim	3000			0.7	4	1	3	3	5303.199707	3928.199707	3928.199707	0.933333
7096B	023	1960	0.04	1000	1	65	100	3	4	3	5880	4880	RH-1	40	density-lim	3000			0.7	4	1	3	3	5488	4488	4488	0.933333
7096B	024	2025	0.05	1518	1	65	100	3	5	4	6075	4557	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5670	4152	4152	0.933333
7096B	025	2091	0.05	1000	1	65	100	3	5	4	6273	5273	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5854.799805	4854.799805	4854.799805	0.933333
7096B	026	2072	0.05	1958	1	65	100	3	5	4	6216	4258	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5801.600098	3843.600098	3843.600098	0.933333
7096B	027	2133	0.05	1516	1	65	100	3	5	4	6399	4883	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5972.399902	4456.399902	4456.399902	0.933333
7096B	029	2127	0.05	1250	1	65	100	3	5	4	6381	5131	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5955.600098	4705.600098	4705.600098	0.933333
7096B	030	2132	0.05	1200	1	65	100	3	5	4	6396	5196	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5969.600098	4769.600098	4769.600098	0.933333
7096C	002	2700	0.06	1650	1	65	100	3	6	5	8100	6450	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7560	5910	5910	0.933333
7096C	003	2700	0.06	1025	1	65	100	3	6	5	8100	7075	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7560	6535	6535	0.933333
7096C	004	3600	0.08	1650	1	65	100	3	8	7	10800	9150	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10080	8430	8430	0.933333
7096C	005	2700	0.06	1818	1	65	100	3	6	5	8100	6282	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7560	5742	5742	0.933333
7096C	006	2700	0.06	1561	1	65	100	3	6	5	8100	6539	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7560	5999	5999	0.933333
7096C	008	2550	0.06	1125	1	65	100	3	6	5	7650	6525	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7140	6015	6015	0.933333
7096C	009	3000	0.07	1811	1	65	100	3	7	6	9000	7189	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	6589	6589	0.933333
7096C	011	2230	0.05	1025	1	65	100	3	5	4	6690	5665	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6244	5219	5219	0.933333
7096C	012	2125	0.05	1250	1	65	100	3	5	4	6375	5125	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	4700	4700	0.933333
7096C	013	2000	0.05	1275	1	65	100	3	5	4	6000	4725	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4325	4325	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7096C	014	2605	0.06	1739	1	65	100	3	6	5	7815	6076	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7294	5555	5555	0.933333
7096C	015	2458	0.06	1200	1	65	100	3	6	5	7374	6174	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6882.399902	5682.399902	5682.399902	0.933333
7096C	016	2310	0.05	1325	1	65	100	3	5	4	6930	5605	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6468	5143	5143	0.933333
7096C	017	2159	0.05	1525	1	65	100	3	5	4	6477	4952	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6045.199707	4520.199707	4520.199707	0.933333
7096C	018	2554	0.06	1305	1	65	100	3	6	5	7662	6357	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7151.199707	5846.199707	5846.199707	0.933333
7097	001A	2991	0.07	1625	1	55	80	2.5	6	5	7478	5853	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8374.799805	6749.799805	6749.799805	1.119925
7097	002	2991	0.07	1175	1	55	80	2.5	6	5	7478	6303	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8374.799805	7199.799805	7199.799805	1.119925
7097	002A	2991	0.07	2009	1	55	80	2.5	6	5	7478	5469	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8374.799805	6365.799805	6365.799805	1.119925
7097	002B	2992	0.07	1375	1	55	80	2.5	6	5	7480	6105	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8377.599609	7002.599609	7002.599609	1.12
7097	003	2493	0.06	1452	1	55	80	2.5	5	4	6232	4780	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6980.399902	5528.399902	5528.399902	1.12009
7097	003A	2494	0.06	1629	1	55	80	2.5	5	4	6235	4606	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6983.199707	5354.199707	5354.199707	1.12
7097	003B	2494	0.06	1275	1	55	80	2.5	5	4	6235	4960	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6983.199707	5708.199707	5708.199707	1.12
7097	004	2494	0.06	2012	1	55	80	2.5	5	4	6235	4223	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6983.199707	4971.199707	4971.199707	1.12
7097	004A	2494	0.06	1275	1	55	80	2.5	5	4	6235	4960	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6983.199707	5708.199707	5708.199707	1.12
7097	004B	2495	0.06	1325	1	55	80	2.5	5	4	6238	4913	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6986	5661	5661	1.11991
7097	005A	3027	0.07	1250	1	55	80	2.5	6	5	7568	6318	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8475.599609	7225.599609	7225.599609	1.119926
7097	005C	3027	0.07	1300	1	55	80	2.5	6	5	7568	6268	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8475.599609	7175.599609	7175.599609	1.119926
7097	006	2495	0.06	1060	1	55	80	2.5	5	4	6238	5178	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6986	5926	5926	1.11991
7097	007	2496	0.06	840	1	55	80	2.5	5	4	6240	5400	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6988.799805	6148.799805	6148.799805	1.12
7097	010	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5875	5875	1.12
7097	011	2500	0.06	1125	1	55	80	2.5	5	4	6250	5125	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5875	5875	1.12
7097	012	2500	0.06	1221	1	55	80	2.5	5	4	6250	5029	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7000	5779	5779	1.12
7097	014	2523	0.06	1225	1	55	80	2.5	5	4	6308	5083	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7064.399902	5839.399902	5839.399902	1.119911
7097	015	2523	0.06	1350	1	55	80	2.5	5	4	6308	4958	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7064.399902	5714.399902	5714.399902	1.119911
7097	016	2522	0.06	1268	1	55	80	2.5	5	4	6305	5037	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7061.600098	5793.600098	5793.600098	1.12
7097	017	3027	0.07	1415	1	55	80	2.5	6	5	7568	6153	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8475.599609	7060.599609	7060.599609	1.119926
7097	018	3027	0.07	1125	1	55	80	2.5	6	5	7568	6443	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8475.599609	7350.599609	7350.599609	1.119926
7097	020	3027	0.07	1503	1	55	80	2.5	6	5	7568	6065	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8475.599609	6972.599609	6972.599609	1.119926
7097	021	3027	0.07	1125	1	55	80	2.5	6	5	7568	6443	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8475.599609	7350.599609	7350.599609	1.119926
7097	022	3609	0.08	1215	1	65	100	3	8	7	10827	9612	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10105.2002	8890.200195	8890.200195	0.933333
7097	023	3609	0.08	2636	1	65	100	3	8	7	10827	8191	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10105.2002	7469.200195	7469.200195	0.933333
7097	024	3608	0.08	1215	1	65	100	3	8	7	10824	9609	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10102.39941	8887.399414	8887.399414	0.933333
7097	025	3607	0.08	1125	1	65	100	3	8	7	10821	9696	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10099.59961	8974.599609	8974.599609	0.933333
7097	026	3606	0.08	1125	1	65	100	3	8	7	10818	9693	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10096.7998	8971.799805	8971.799805	0.933333
7097	027	3606	0.08	1797	1	65	100	3	8	7	10818	9021	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10096.7998	8299.799805	8299.799805	0.933333
7097	028	3605	0.08	1125	1	65	100	3	8	7	10815	9690	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10094	8969	8969	0.933333
7097	029	3604	0.08	1125	1	65	100	3	8	7	10812	9687	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10091.2002	8966.200195	8966.200195	0.933333
7097	030	3603	0.08	1125	1	65	100	3	8	7	10809	9684	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10088.39941	8963.399414	8963.399414	0.933333
7097	031	3603	0.08	1585	1	65	100	3	8	7	10809	9224	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10088.39941	8503.399414	8503.399414	0.933333
7097	032	1999	0.05	1322	1	65	100	3	5	4	5997	4675	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5597.199707	4275.199707	4275.199707	0.933333
7097	033	1997	0.05	1050	1	65	100	3	5	4	5991	4941	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5591.600098	4541.600098	4541.600098	0.933333
7097	034	1996	0.05	1050	1	65	100	3	5	4	5988	4938	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5588.799805	4538.799805	4538.799805	0.933333
7097	036	3035	0.07	1414	1	65	100	3	7	6	9105	7691	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8498	7084	7084	0.933333
7097	037	2529	0.06	1495	1	65	100	3	6	5	7587	6092	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7081.199707	5586.199707	5586.199707	0.933333
7097	038	2529	0.06	990	1	65	100	3	6	5	7587	6597	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7081.199707	6091.199707	6091.199707	0.933333
7097	040	1925	0.04	1125	1	65	100	3	4	3	5775	4650	RH-1	40	density-lim	3000			0.7	4	1	3	3	5390	4265	4265	0.933333
7097	041	1925	0.04	1617	1	65	100	3	4	3	5775	4158	RH-1	40	density-lim	3000			0.7	4	1	3	3	5390	3773	3773	0.933333
7097	042	1925	0.04	1341	1	65	100	3	4	3	5775	4434	RH-1	40	density-lim	3000			0.7	4	1	3	3	5390	4049	4049	0.933333
7097	043	3507	0.08	1465	1	65	100	3	8	7	10521	9056	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9819.599609	8354.599609	8354.599609	0.933333
7097	043A	3508	0.08	1982	1	65	100	3	8	7	10524	8542	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9822.399414	7840.399414	7840.399414	0.933333
7097	043B	3509	0.08	1550	1	65	100	3	8	7	10527	8977	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9825.200195	8275.200195	8275.200195	0.933333
7097	043C	3510	0.08	1875	1	65	100	3	8	7	10530	8655	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9828	7953	7953	0.933333
7097	043D	3510	0.08	1150	1	65	100	3	8	7	10530	9380	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9828	8678	8678	0.933333
7097	043E	3510	0.08	1125	1	65	100	3	8	7	10530	9405	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9828	8703	8703	0.933333
7097	043F	3510	0.08	1417	1	65	100	3	8	7	10530	9113	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9828	8411	8411	0.933333
7097	043G	3510	0.08	1395	1	65	100	3	8	7	10530	9135	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9828	8433	8433	0.933333
7097	043H	3510	0.08	2145	1	65	100	3	8	7	10530	8385	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9828	7683	7683	0.933333
7097	043I	3510	0.08	2210	1	65	100	3	8	7	10530	8320	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9828	7618	7618	0.933333
7097	044A	2080	0.05	1569	1	65	100	3	5	4	6240	4671	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5824	4255	4255	0.933333
7097	044B	2079	0.05	1200	1	55	80	2.5	4	3	5198	3998	RH-1	40	density-lim	3000			0.7	4	1	3	3	5821.199707	4621.199707	4621.199707	1.119892
7097	044C	2079	0.05	1185	1	55	80	2.5	4	3	5198	4013	RH-1	40	density-lim	3000			0.7	4	1	3	3	5821.199707	4636.199707	4636.199707	1.119892
7097	044D	2244	0.05	1970	1	55	80	2.5	4	3	5610	3640	RH-1	40	density-lim	3000			0.7	4	1	3	3	6283.199707	4313.199707	4313.199707	1.12
7097	044E	2080	0.05	2077	1	65	100	3	5	4	6240	4163	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5824	3747	3747	0.933333
7097	044F	2080	0.05	1340	1	65	100	3	5	4	6240	4900	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5824	4484	4484	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7097	044G	2081	0.05	1280	1	65	100	3	5	4	6243	4963	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5826.799805	4546.799805	4546.799805	0.933333
7097	044H	2081	0.05	1300	1	65	100	3	5	4	6243	4943	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5826.799805	4526.799805	4526.799805	0.933333
7097	045	2488	0.06	1987	1	55	80	2.5	5	4	6220	4233	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6966.399902	4979.399902	4979.399902	1.12
7097	046	2401	0.06	940	1	55	80	2.5	5	4	6002	5062	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6722.799805	5782.799805	5782.799805	1.120093
7097	047	2401	0.06	940	1	55	80	2.5	5	4	6002	5062	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6722.799805	5782.799805	5782.799805	1.120093
7097	048	2401	0.06	1230	1	55	80	2.5	5	4	6002	4772	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6722.799805	5492.799805	5492.799805	1.120093
7097	050	3546	0.08	2996	1	55	80	2.5	6	5	8865	5869	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9928.799805	6932.799805	6932.799805	1.12
7098	002A	3407	0.08	3200	1	55	80	2.5	6	5	8518	5318	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9539.599609	6339.599609	6339.599609	1.119934
7098	003A	2894	0.07	1338	1	55	80	2.5	6	5	7235	5897	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8103.199707	6765.199707	6765.199707	1.12
7098	003B	2678	0.06	1600	1	55	80	2.5	5	4	6695	5095	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7498.399902	5898.399902	5898.399902	1.12
7098	013	2916	0.07	1800	1	55	80	2.5	6	5	7290	5490	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8164.799805	6364.799805	6364.799805	1.12
7098	014	1996	0.05	1320	1	55	80	2.5	4	3	4990	3670	RH-1	40	density-lim	3000			0.7	4	1	3	3	5588.799805	4268.799805	4268.799805	1.12
7098	015	2005	0.05	1710	1	55	80	2.5	4	3	5012	3302	RH-1	40	density-lim	3000			0.7	4	1	3	3	5614	3904	3904	1.120112
7099	010	1966	0.05	0	0	55	80	2.5	4	4	4915	4915	NCD-EXCE	40	density-lim	600			0.75	3	0.75	3	3	5898	5898	5898	1.2
7100	001A	1720	0.04	1200	1	55	80	2.5	3	2	4300	3100	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4816	3616	3616	1.12
7100	001B	1720	0.04	1200	1	55	80	2.5	3	2	4300	3100	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	4816	3616	3616	1.12
7100	002	2533	0.06	1248	1	55	80	2.5	5	4	6332	5084	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7092.399902	5844.399902	5844.399902	1.120088
7100	002A	2533	0.06	1699	1	55	80	2.5	5	4	6332	4633	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7092.399902	5393.399902	5393.399902	1.120088
7100	002B	3318	0.08	1215	1	65	100	3	8	7	9954	8739	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9290.399414	8075.399414	8075.399414	0.933333
7100	002C	3972	0.09	1828	1	55	80	2.5	7	6	9930	8102	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	11121.59961	9293.599609	9293.599609	1.12
7100	003	2667	0.06	2882	1	55	80	2.5	5	4	6668	3786	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7467.600098	4585.600098	4585.600098	1.119916
7100	003A	2533	0.06	2036	1	55	80	2.5	5	4	6332	4296	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7092.399902	5056.399902	5056.399902	1.120088
7100	003B	3191	0.07	1895	1	55	80	2.5	6	5	7978	6083	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8934.799805	7039.799805	7039.799805	1.11993
7100	003C	3315	0.08	1797	1	55	80	2.5	6	5	8288	6491	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9282	7485	7485	1.119932
7100	004	2533	0.06	1200	1	55	80	2.5	5	4	6332	5132	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7092.399902	5892.399902	5892.399902	1.120088
7100	004A	2533	0.06	1200	1	55	80	2.5	5	4	6332	5132	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7092.399902	5892.399902	5892.399902	1.120088
7100	004B	3977	0.09	1200	1	55	80	2.5	7	6	9942	8742	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	11135.59961	9935.599609	9935.599609	1.120056
7100	004C	3313	0.08	1225	1	55	80	2.5	6	5	8282	7057	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9276.399414	8051.399414	8051.399414	1.120068
7100	005	2760	0.06	1511	1	55	80	2.5	5	4	6900	5389	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7728	6217	6217	1.12
7100	006	3013	0.07	950	1	55	80	2.5	6	5	7532	6582	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8436.399414	7486.399414	7486.399414	1.120074
7100	007	2760	0.06	660	1	55	80	2.5	5	4	6900	6240	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7728	7068	7068	1.12
7100	008	2760	0.06	1620	1	55	80	2.5	5	4	6900	5280	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7728	6108	6108	1.12
7100	009	2691	0.06	958	1	55	80	2.5	5	4	6728	5770	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7534.799805	6576.799805	6576.799805	1.119917
7100	010	2769	0.06	990	1	55	80	2.5	5	4	6922	5932	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	7753.199707	6763.199707	6763.199707	1.120081
7100	012	2000	0.05	1400	1	55	80	2.5	4	3	5000	3600	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4200	4200	1.12
7100	012A	2000	0.05	2210	1	55	80	2.5	4	3	5000	2790	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	3390	3390	1.12
7100	013	2000	0.05	1655	1	55	80	2.5	4	3	5000	3345	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	3945	3945	1.12
7100	014	2000	0.05	1000	1	55	80	2.5	4	3	5000	4000	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4600	4600	1.12
7100	014A	2000	0.05	1634	1	55	80	2.5	4	3	5000	3366	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	3966	3966	1.12
7100	015	2000	0.05	700	1	55	80	2.5	4	3	5000	4300	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4900	4900	1.12
7100	016	2000	0.05	1570	1	55	80	2.5	4	3	5000	3430	RH-1	40	density-lim	3000			0.7	4	1	3	3	5600	4030	4030	1.12
7100	018	3362	0.08	1753	1	55	80	2.5	6	5	8405	6652	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9413.599609	7660.599609	7660.599609	1.12
7100	022	3052	0.07	2269	1	55	80	2.5	6	5	7630	5361	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8545.599609	6276.599609	6276.599609	1.12
7100	023	3306	0.08	600	1	55	80	2.5	6	5	8265	7665	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9256.799805	8656.799805	8656.799805	1.12
7100	025	2803	0.06	1400	1	65	100	3	6	5	8409	7009	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7848.399902	6448.399902	6448.399902	0.933333
7100	026	2829	0.06	1060	1	65	100	3	6	5	8487	7427	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7921.199707	6861.199707	6861.199707	0.933333
7100	027	2830	0.06	1376	1	65	100	3	6	5	8490	7114	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7924	6548	6548	0.933333
7100	028	2830	0.06	3124	1	65	100	3	6	5	8490	5366	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7924	4800	4800	0.933333
7100	030	3186	0.07	1213	1	65	100	3	7	6	9558	8345	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8920.799805	7707.799805	7707.799805	0.933333
7100	031	1092	0.03	735	1	65	100	3	3	2	3276	2541	RH-1	40	density-lim	3000			0.7	4	1.333333373	3	3	3057.599854	2322.599854	2322.599854	0.933333
7100	032	2773	0.06	2352	1	65	100	3	6	5	8319	5967	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7764.399902	5412.399902	5412.399902	0.933333
7100	033	2773	0.06	1237	1	65	100	3	6	5	8319	7082	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7764.399902	6527.399902	6527.399902	0.933333
7100	034	2773	0.06	1500	1	65	100	3	6	5	8319	6819	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7764.399902	6264.399902	6264.399902	0.933333
7100	035	2773	0.06	750	1	65	100	3	6	5	8319	7569	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7764.399902	7014.399902	7014.399902	0.933333
7100	036	2773	0.06	1866	1	65	100	3	6	5	8319	6453	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7764.399902	5898.399902	5898.399902	0.933333
7100	037	2773	0.06	750	1	65	100	3	6	5	8319	7569	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7764.399902	7014.399902	7014.399902	0.933333
7100	039	2609	0.06	1662	1	65	100	3	6	5	7827	6165	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7305.199707	5643.199707	5643.199707	0.933333
7100	039A	3295	0.08	1050	1	65	100	3	8	7	9885	8835	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9226	8176	8176	0.933333
7100	042	2760	0.06	2096	1	65	100	3	6	5	8280	6184	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7728	5632	5632	0.933333
7100	043	3120	0.07	2272	1	65	100	3	7	6	9360	7088	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8736	6464	6464	0.933333
7100	043A	2600	0.06	1015	1	65	100	3	6	5	7800	6785	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7280	6265	6265	0.933333
7100	043B	2600	0.06	1375	1	65	100	3	6	5	7800	6425	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7280	5905	5905	0.933333
7100	043C	3120	0.07	1550	1	65	100	3	7	6	9360	7810	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8736	7186	7186	0.933333
7100	043D	3120	0.07	1350	1	65	100	3	7	6	9360	8010	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8736	7386	7386	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7100	043E	1975	0.05	1000	1	65	100	3	5	4	5925	4925	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5530	4530	4530	0.933333
7100	043F	1975	0.05	1000	1	65	100	3	5	4	5925	4925	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5530	4530	4530	0.933333
7100	044	1975	0.05	1000	1	65	100	3	5	4	5925	4925	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5530	4530	4530	0.933333
7100	044B	2500	0.06	1104	1	65	100	3	6	5	7500	6396	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5896	5896	0.933333
7100	044C	2500	0.06	1997	1	65	100	3	6	5	7500	5503	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5003	5003	0.933333
7100	044E	2015	0.05	1100	1	65	100	3	5	4	6045	4945	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5642	4542	4542	0.933333
7100	044F	2015	0.05	1100	1	65	100	3	5	4	6045	4945	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5642	4542	4542	0.933333
7100	045	2015	0.05	1965	1	65	100	3	5	4	6045	4080	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5642	3677	3677	0.933333
7100	045A	2640	0.06	1125	1	65	100	3	6	5	7920	6795	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7392	6267	6267	0.933333
7100	045B	3168	0.07	1100	1	65	100	3	7	6	9504	8404	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8870.399414	7770.399414	7770.399414	0.933333
7100	045C	3168	0.07	1225	1	65	100	3	7	6	9504	8279	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8870.399414	7645.399414	7645.399414	0.933333
7100	045D	2640	0.06	1150	1	65	100	3	6	5	7920	6770	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7392	6242	6242	0.933333
7100	045E	3168	0.07	1250	1	65	100	3	7	6	9504	8254	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8870.399414	7620.399414	7620.399414	0.933333
7100	048A	2229	0.05	1100	1	55	80	2.5	4	3	5572	4472	RH-1	40	density-lim	3000			0.7	4	1	3	3	6241.199707	5141.199707	5141.199707	1.1201
7100	049	2760	0.06	750	1	65	100	3	6	5	8280	7530	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7728	6978	6978	0.933333
7100	050	2760	0.06	1390	1	65	100	3	6	5	8280	6890	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7728	6338	6338	0.933333
7100	052	2066	0.05	1299	1	55	80	2.5	4	3	5165	3866	RH-1	40	density-lim	3000			0.7	4	1	3	3	5784.799805	4485.799805	4485.799805	1.12
7100	053	2983	0.07	2490	1	55	80	2.5	6	5	7458	4968	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8352.399414	5862.399414	5862.399414	1.119925
7100	054	2978	0.07	1050	1	55	80	2.5	6	5	7445	6395	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	8338.399414	7288.399414	7288.399414	1.12
7100	056	3355	0.08	4804	1	55	80	2.5	6	5	8388	3584	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	9394	4590	4590	1.119933
7101A	003	2550	0.06	2055	1	65	100	3	6	5	7650	5595	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7140	5085	5085	0.933333
7101A	004	2550	0.06	1870	1	65	100	3	6	5	7650	5780	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7140	5270	5270	0.933333
7101A	006	2125	0.05	2095	1	65	100	3	5	4	6375	4280	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5950	3855	3855	0.933333
7101A	008	2500	0.06	1808	1	65	100	3	6	5	7500	5692	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5192	5192	0.933333
7101A	009	3000	0.07	1729	1	65	100	3	7	6	9000	7271	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	6671	6671	0.933333
7101A	010	2500	0.06	1300	1	65	100	3	6	5	7500	6200	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5700	5700	0.933333
7101A	012	2953	0.07	1692	1	65	100	3	7	6	8859	7167	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8268.399414	6576.399414	6576.399414	0.933333
7101A	013	2907	0.07	1125	1	65	100	3	7	6	8721	7596	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8139.600098	7014.600098	7014.600098	0.933333
7101A	014	2848	0.07	1705	1	65	100	3	7	6	8544	6839	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7974.399902	6269.399902	6269.399902	0.933333
7101A	015	2775	0.06	1276	1	65	100	3	6	5	8325	7049	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7770	6494	6494	0.933333
7101A	016	2690	0.06	1570	1	65	100	3	6	5	8070	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7532	5962	5962	0.933333
7101A	018	2490	0.06	1375	1	65	100	3	6	5	7470	6095	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6972	5597	5597	0.933333
7101A	019	2987	0.07	1250	1	65	100	3	7	6	8961	7711	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8363.599609	7113.599609	7113.599609	0.933333
7101A	020	2490	0.06	1742	1	65	100	3	6	5	7470	5728	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6972	5230	5230	0.933333
7101B	002	2000	0.05	810	1	65	100	3	5	4	6000	5190	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4790	4790	0.933333
7101B	003	2000	0.05	1275	1	65	100	3	5	4	6000	4725	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	4325	4325	0.933333
7101B	004	2625	0.06	1200	1	65	100	3	6	5	7875	6675	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7350	6150	6150	0.933333
7101B	005	2500	0.06	1908	1	65	100	3	6	5	7500	5592	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5092	5092	0.933333
7101B	006	2500	0.06	1241	1	65	100	3	6	5	7500	6259	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5759	5759	0.933333
7101B	007	2500	0.06	1715	1	65	100	3	6	5	7500	5785	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5285	5285	0.933333
7101B	008	2500	0.06	1241	1	65	100	3	6	5	7500	6259	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5759	5759	0.933333
7101B	009	2500	0.06	1241	1	65	100	3	6	5	7500	6259	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5759	5759	0.933333
7101B	011	3275	0.08	1800	1	65	100	3	8	7	9825	8025	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9170	7370	7370	0.933333
7101B	012	4070	0.09	2535	1	65	100	3	9	8	12210	9675	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11396	8861	8861	0.933333
7101B	013	1915	0.04	2236	1	65	100	3	4	3	5745	3509	RH-1	40	density-lim	3000			0.7	4	1	3	3	5362	3126	3126	0.933333
7101B	014	2400	0.06	1250	1	65	100	3	6	5	7200	5950	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6720	5470	5470	0.933333
7101B	015	2000	0.05	1875	1	65	100	3	5	4	6000	4125	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5600	3725	3725	0.933333
7101B	017	2723	0.06	1000	1	65	100	3	6	5	8169	7169	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7624.399902	6624.399902	6624.399902	0.933333
7101B	018	2832	0.07	1275	1	65	100	3	7	6	8496	7221	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7929.600098	6654.600098	6654.600098	0.933333
7101B	019	3268	0.08	1500	1	65	100	3	8	7	9804	8304	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9150.399414	7650.399414	7650.399414	0.933333
7101B	020	2098	0.05	1200	1	65	100	3	5	4	6294	5094	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5874.399902	4674.399902	4674.399902	0.933333
7101B	021	2098	0.05	1200	1	65	100	3	5	4	6294	5094	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5874.399902	4674.399902	4674.399902	0.933333
7101B	022	2098	0.05	1756	1	65	100	3	5	4	6294	4538	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5874.399902	4118.399902	4118.399902	0.933333
7101B	023	2241	0.05	1200	1	65	100	3	5	4	6723	5523	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6274.799805	5074.799805	5074.799805	0.933333
7101B	024	2547	0.06	1704	1	65	100	3	6	5	7641	5937	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7131.600098	5427.600098	5427.600098	0.933333
7101B	025	3297	0.08	1125	1	65	100	3	8	7	9891	8766	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9231.599609	8106.599609	8106.599609	0.933333
7101B	026	3583	0.08	1125	1	65	100	3	8	7	10749	9624	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10032.39941	8907.399414	8907.399414	0.933333
7101B	027	1947	0.04	910	1	65	100	3	4	3	5841	4931	RH-1	40	density-lim	3000			0.7	4	1	3	3	5451.600098	4541.600098	4541.600098	0.933333
7103	007	3125	0.07	850	1	65	100	3	7	6	9375	8525	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7900	7900	0.933333
7103	001	3208	0.07	1050	1	85	140	4	10	9	12832	11782	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8982.399414	7932.399414	7932.399414	0.7
7103	002	3153	0.07	1553	1	85	140	4	10	9	12612	11059	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8828.399414	7275.399414	7275.399414	0.7
7103	002A	3125	0.07	925	1	85	140	4	10	9	12500	11575	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8750	7825	7825	0.7
7103	002B	3125	0.07	1425	1	85	140	4	10	9	12500	11075	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8750	7325	7325	0.7
7103	002C	3125	0.07	925	1	85	140	4	10	9	12500	11575	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8750	7825	7825	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7103	003	3125	0.07	925	1	85	140	4	10	9	12500	11575	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8750	7825	7825	0.7
7103	003A	3125	0.07	1325	1	65	100	3	7	6	9375	8050	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7425	7425	0.933333
7103	003B	3125	0.07	925	1	65	100	3	7	6	9375	8450	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7825	7825	0.933333
7103	003C	3125	0.07	925	1	65	100	3	7	6	9375	8450	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7825	7825	0.933333
7103	004	3625	0.08	1368	1	65	100	3	8	7	10875	9507	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10150	8782	8782	0.933333
7103	004A	3563	0.08	875	1	65	100	3	8	7	10689	9814	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9976.399414	9101.399414	9101.399414	0.933333
7103	004B	3563	0.08	875	1	65	100	3	8	7	10689	9814	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9976.399414	9101.399414	9101.399414	0.933333
7103	004C	3563	0.08	870	1	65	100	3	8	7	10689	9819	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9976.399414	9106.399414	9106.399414	0.933333
7103	004D	3563	0.08	870	1	65	100	3	8	7	10689	9819	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9976.399414	9106.399414	9106.399414	0.933333
7103	004E	3563	0.08	870	1	65	100	3	8	7	10689	9819	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9976.399414	9106.399414	9106.399414	0.933333
7103	004F	3563	0.08	870	1	65	100	3	8	7	10689	9819	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9976.399414	9106.399414	9106.399414	0.933333
7103	005	3125	0.07	1772	1	65	100	3	7	6	9375	7603	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6978	6978	0.933333
7103	006	3125	0.07	1075	1	65	100	3	7	6	9375	8300	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7675	7675	0.933333
7103	008	3125	0.07	850	1	65	100	3	7	6	9375	8525	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7900	7900	0.933333
7103	009	3125	0.07	1200	1	65	100	3	7	6	9375	8175	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7550	7550	0.933333
7103	010	3125	0.07	1516	1	65	100	3	7	6	9375	7859	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7234	7234	0.933333
7103	011	6250	0.14	1341	1	65	100	3	14	13	18750	17409	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	17500	16159	16159	0.933333
7103	013	8125	0.19	2376	1	65	100	3	19	18	24375	21999	RH-1	40	density-lim	3000			0.7	4	0.210526317	3	3	22750	20374	20374	0.933333
7103	013A	4375	0.1	2480	1	65	100	3	10	9	13125	10645	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12250	9770	9770	0.933333
7103	014	3125	0.07	1200	1	65	100	3	7	6	9375	8175	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7550	7550	0.933333
7103	015	3125	0.07	1590	1	65	100	3	7	6	9375	7785	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7160	7160	0.933333
7103	016	3125	0.07	1025	1	65	100	3	7	6	9375	8350	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7725	7725	0.933333
7103	017	3125	0.07	1125	1	65	100	3	7	6	9375	8250	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7625	7625	0.933333
7103	018	6250	0.14	1349	1	65	100	3	14	13	18750	17401	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	17500	16151	16151	0.933333
7103	018A	2500	0.06	1663	1	65	100	3	6	5	7500	5837	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	5337	5337	0.933333
7103	018B	3125	0.07	2034	1	65	100	3	7	6	9375	7341	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6716	6716	0.933333
7103	018C	3125	0.07	1110	1	65	100	3	7	6	9375	8265	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7640	7640	0.933333
7103	019	3200	0.07	1294	1	65	100	3	7	6	9600	8306	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	8960	7666	7666	0.933333
7103	020	3108	0.07	1087	1	65	100	3	7	6	9324	8237	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8702.399414	7615.399414	7615.399414	0.933333
7103	020A	3107	0.07	2900	1	65	100	3	7	6	9321	6421	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8699.599609	5799.599609	5799.599609	0.933333
7103	020B	3106	0.07	1087	1	65	100	3	7	6	9318	8231	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8696.799805	7609.799805	7609.799805	0.933333
7103	020C	3105	0.07	1087	1	65	100	3	7	6	9315	8228	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8694	7607	7607	0.933333
7103	021	3105	0.07	1475	1	65	100	3	7	6	9315	7840	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8694	7219	7219	0.933333
7103	022	3104	0.07	940	1	65	100	3	7	6	9312	8372	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8691.200195	7751.200195	7751.200195	0.933333
7103	023	3103	0.07	770	1	65	100	3	7	6	9309	8539	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7918.399414	7918.399414	0.933333
7103	024	3103	0.07	800	1	65	100	3	7	6	9309	8509	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7888.399414	7888.399414	0.933333
7103	025	3102	0.07	1000	1	65	100	3	7	6	9306	8306	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8685.599609	7685.599609	7685.599609	0.933333
7103	025A	3101	0.07	1216	1	65	100	3	7	6	9303	8087	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8682.799805	7466.799805	7466.799805	0.933333
7103	025B	3100	0.07	1170	1	65	100	3	7	6	9300	8130	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8680	7510	7510	0.933333
7103	025C	3100	0.07	1000	1	65	100	3	7	6	9300	8300	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8680	7680	7680	0.933333
7103	026	3099	0.07	940	1	65	100	3	7	6	9297	8357	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8677.200195	7737.200195	7737.200195	0.933333
7103	027	3098	0.07	940	1	65	100	3	7	6	9294	8354	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8674.399414	7734.399414	7734.399414	0.933333
7103	028	3098	0.07	940	1	65	100	3	7	6	9294	8354	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8674.399414	7734.399414	7734.399414	0.933333
7103	029	3097	0.07	1415	1	65	100	3	7	6	9291	7876	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8671.599609	7256.599609	7256.599609	0.933333
7103	030	3096	0.07	1590	1	65	100	3	7	6	9288	7698	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8668.799805	7078.799805	7078.799805	0.933333
7103	032	3095	0.07	2822	1	65	100	3	7	6	9285	6463	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8666	5844	5844	0.933333
7103	033	3094	0.07	1196	1	65	100	3	7	6	9282	8086	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8663.200195	7467.200195	7467.200195	0.933333
7103	034	3093	0.07	1196	1	65	100	3	7	6	9279	8083	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8660.399414	7464.399414	7464.399414	0.933333
7103	035	3093	0.07	1418	1	65	100	3	7	6	9279	7861	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8660.399414	7242.399414	7242.399414	0.933333
7103	036	3092	0.07	900	1	65	100	3	7	6	9276	8376	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8657.599609	7757.599609	7757.599609	0.933333
7103	044	2467	0.06	1050	1	85	140	4	8	7	9868	8818	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6907.600098	5857.600098	5857.600098	0.7
7103	045	2484	0.06	1050	1	85	140	4	8	7	9936	8886	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6955.199707	5905.199707	5905.199707	0.7
7103	046	2499	0.06	1050	1	85	140	4	8	7	9996	8946	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6997.199707	5947.199707	5947.199707	0.7
7103	047	2505	0.06	1050	1	85	140	4	8	7	10020	8970	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7014	5964	5964	0.7
7103	048	2504	0.06	1050	1	85	140	4	8	7	10016	8966	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7011.199707	5961.199707	5961.199707	0.7
7103	049	2686	0.06	1050	1	85	140	4	8	7	10744	9694	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7520.799805	6470.799805	6470.799805	0.7
7103	050	2350	0.05	1050	1	85	140	4	7	6	9400	8350	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6580	5530	5530	0.7
7103	051	1796	0.04	1150	1	85	140	4	6	5	7184	6034	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5028.799805	3878.799805	3878.799805	0.7
7103	054	2550	0.06	1431	1	65	100	3	6	5	7650	6219	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7140	5709	5709	0.933333
7103	057	2784	0.06	1200	1	65	100	3	6	5	8352	7152	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7795.199707	6595.199707	6595.199707	0.933333
7103	060	6487	0.15	1726	1	65	100	3	15	14	19461	17735	RH-1	40	density-lim	3000			0.7	4	0.266666681	3	3	18163.59961	16437.59961	16437.59961	0.933333
7103	061	3089	0.07	1726	1	65	100	3	7	6	9267	7541	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8649.200195	6923.200195	6923.200195	0.933333
7103	062	3088	0.07	1726	1	65	100	3	7	6	9264	7538	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8646.399414	6920.399414	6920.399414	0.933333
7103	063	3088	0.07	1726	1	65	100	3	7	6	9264	7538	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8646.399414	6920.399414	6920.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7103	064	3087	0.07	1726	1	65	100	3	7	6	9261	7535	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8643.599609	6917.599609	6917.599609	0.933333
7103	065	3086	0.07	1726	1	65	100	3	7	6	9258	7532	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8640.799805	6914.799805	6914.799805	0.933333
7103	066	3085	0.07	1726	1	65	100	3	7	6	9255	7529	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8638	6912	6912	0.933333
7103	067	3085	0.07	1726	1	65	100	3	7	6	9255	7529	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8638	6912	6912	0.933333
7103	068	3084	0.07	1726	1	65	100	3	7	6	9252	7526	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8635.200195	6909.200195	6909.200195	0.933333
7103	069	3084	0.07	1726	1	85	140	4	10	9	12336	10610	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	8635.200195	6909.200195	6909.200195	0.7
7103	070	5991	0.14	1726	1	85	140	4	20	19	23964	22238	RH-1	40	density-lim	3000			0.7	4	0.200000003	3	3	16774.79883	15048.79883	15048.79883	0.7
7104	021	2527	0.06	2330	1	65	100	3	6	5	7581	5251	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7075.600098	4745.600098	4745.600098	0.933333
7103	071	7359	0.17	1726	1	85	140	4	24	23	29436	27710	RH-1	40	density-lim	3000			0.7	4	0.166666672	3	3	20605.19922	18879.19922	18879.19922	0.7
7104	001A	2044	0.05	1488	1	65	100	3	5	4	6132	4644	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5723.199707	4235.199707	4235.199707	0.933333
7104	003	2340	0.05	825	1	65	100	3	5	4	7020	6195	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	6552	5727	5727	0.933333
7104	006	3125	0.07	837	1	65	100	3	7	6	9375	8538	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7913	7913	0.933333
7104	007	3125	0.07	837	1	65	100	3	7	6	9375	8538	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7913	7913	0.933333
7104	008	3125	0.07	1375	1	65	100	3	7	6	9375	8000	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7375	7375	0.933333
7104	009	3125	0.07	1740	1	65	100	3	7	6	9375	7635	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7010	7010	0.933333
7104	010	3125	0.07	1536	1	65	100	3	7	6	9375	7839	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7214	7214	0.933333
7104	011	3125	0.07	1977	1	65	100	3	7	6	9375	7398	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6773	6773	0.933333
7104	012	3125	0.07	1010	1	65	100	3	7	6	9375	8365	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7740	7740	0.933333
7104	013	3125	0.07	860	1	65	100	3	7	6	9375	8515	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7890	7890	0.933333
7104	013A	3125	0.07	2240	1	65	100	3	7	6	9375	7135	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6510	6510	0.933333
7104	014	3125	0.07	1943	1	65	100	3	7	6	9375	7432	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6807	6807	0.933333
7104	015	3125	0.07	1412	1	65	100	3	7	6	9375	7963	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7338	7338	0.933333
7104	016	3125	0.07	1520	1	65	100	3	7	6	9375	7855	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7230	7230	0.933333
7104	017	3125	0.07	1125	1	65	100	3	7	6	9375	8250	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7625	7625	0.933333
7104	018	3125	0.07	765	1	65	100	3	7	6	9375	8610	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7985	7985	0.933333
7104	018A	3125	0.07	2611	1	65	100	3	7	6	9375	6764	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6139	6139	0.933333
7104	018B	3125	0.07	800	1	65	100	3	7	6	9375	8575	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7950	7950	0.933333
7104	018C	3125	0.07	1036	1	65	100	3	7	6	9375	8339	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7714	7714	0.933333
7104	018D	3125	0.07	1250	1	65	100	3	7	6	9375	8125	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7500	7500	0.933333
7104	018E	3125	0.07	765	1	65	100	3	7	6	9375	8610	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7985	7985	0.933333
7104	018F	3125	0.07	1510	1	65	100	3	7	6	9375	7865	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7240	7240	0.933333
7104	018G	3125	0.07	2448	1	65	100	3	7	6	9375	6927	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6302	6302	0.933333
7104	019	4125	0.09	1669	1	65	100	3	9	8	12375	10706	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11550	9881	9881	0.933333
7104	019A	3125	0.07	1129	1	65	100	3	7	6	9375	8246	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7621	7621	0.933333
7104	019B	3625	0.08	1338	1	65	100	3	8	7	10875	9537	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10150	8812	8812	0.933333
7104	019D	2131	0.05	1650	1	65	100	3	5	4	6393	4743	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5966.799805	4316.799805	4316.799805	0.933333
7104	019E	2855	0.07	1574	1	65	100	3	7	6	8565	6991	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7994	6420	6420	0.933333
7104	019F	2900	0.07	910	1	65	100	3	7	6	8700	7790	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8120	7210	7210	0.933333
7104	019G	2175	0.05	910	1	65	100	3	5	4	6525	5615	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6090	5180	5180	0.933333
7104	020	2553	0.06	2062	1	65	100	3	6	5	7659	5597	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7148.399902	5086.399902	5086.399902	0.933333
7104	022	2526	0.06	1937	1	65	100	3	6	5	7578	5641	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5135.799805	5135.799805	0.933333
7104	023	2525	0.06	880	1	65	100	3	6	5	7575	6695	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7070	6190	6190	0.933333
7104	025	3130	0.07	1260	1	65	100	3	7	6	9390	8130	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8764	7504	7504	0.933333
7104	026	3130	0.07	2524	1	65	100	3	7	6	9390	6866	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8764	6240	6240	0.933333
7104	027	3130	0.07	2594	1	65	100	3	7	6	9390	6796	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8764	6170	6170	0.933333
7104	028	3130	0.07	1500	1	65	100	3	7	6	9390	7890	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8764	7264	7264	0.933333
7104	029	3129	0.07	1575	1	65	100	3	7	6	9387	7812	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8761.200195	7186.200195	7186.200195	0.933333
7104	030	3129	0.07	1100	1	65	100	3	7	6	9387	8287	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8761.200195	7661.200195	7661.200195	0.933333
7104	031	3129	0.07	1412	1	65	100	3	7	6	9387	7975	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8761.200195	7349.200195	7349.200195	0.933333
7104	032	3129	0.07	930	1	65	100	3	7	6	9387	8457	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8761.200195	7831.200195	7831.200195	0.933333
7104	033	3128	0.07	798	1	65	100	3	7	6	9384	8586	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8758.399414	7960.399414	7960.399414	0.933333
7104	034	3128	0.07	777	1	65	100	3	7	6	9384	8607	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8758.399414	7981.399414	7981.399414	0.933333
7104	035	3128	0.07	926	1	65	100	3	7	6	9384	8458	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8758.399414	7832.399414	7832.399414	0.933333
7104	036	3128	0.07	1888	1	65	100	3	7	6	9384	7496	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8758.399414	6870.399414	6870.399414	0.933333
7104	037	6254	0.14	1130	1	65	100	3	14	13	18762	17632	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	17511.19922	16381.19922	16381.19922	0.933333
7104	039	3127	0.07	1523	1	65	100	3	7	6	9381	7858	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8755.599609	7232.599609	7232.599609	0.933333
7104	040	3127	0.07	781	1	65	100	3	7	6	9381	8600	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8755.599609	7974.599609	7974.599609	0.933333
7104	041	3126	0.07	781	1	65	100	3	7	6	9378	8597	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8752.799805	7971.799805	7971.799805	0.933333
7104	042	3126	0.07	2103	1	65	100	3	7	6	9378	7275	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8752.799805	6649.799805	6649.799805	0.933333
7104	043	3126	0.07	1200	1	65	100	3	7	6	9378	8178	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8752.799805	7552.799805	7552.799805	0.933333
7104	044	3125	0.07	1726	1	65	100	3	7	6	9375	7649	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7024	7024	0.933333
7104	045	3125	0.07	1533	1	65	100	3	7	6	9375	7842	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7217	7217	0.933333
7104	046	3125	0.07	2034	1	65	100	3	7	6	9375	7341	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	6716	6716	0.933333
7104	049	3124	0.07	3582	1	65	100	3	7	6	9372	5790	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8747.200195	5165.200195	5165.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7104	051	2500	0.06	837	1	65	100	3	6	5	7500	6663	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	7000	6163	6163	0.933333
7104	052	2063	0.05	1597	1	65	100	3	5	4	6189	4592	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5776.399902	4179.399902	4179.399902	0.933333
7105	002	3153	0.07	1473	1	65	100	3	7	6	9459	7986	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7355.399414	7355.399414	0.933333
7105	003	3153	0.07	1575	1	65	100	3	7	6	9459	7884	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7253.399414	7253.399414	0.933333
7105	004	3153	0.07	1170	1	65	100	3	7	6	9459	8289	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7658.399414	7658.399414	0.933333
7105	005	6306	0.14	1330	1	65	100	3	14	13	18918	17588	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	17656.79883	16326.79883	16326.79883	0.933333
7105	007	3153	0.07	1090	1	65	100	3	7	6	9459	8369	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7738.399414	7738.399414	0.933333
7105	007A	3153	0.07	2290	1	65	100	3	7	6	9459	7169	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	6538.399414	6538.399414	0.933333
7105	007B	3153	0.07	1921	1	65	100	3	7	6	9459	7538	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	6907.399414	6907.399414	0.933333
7105	007C	3153	0.07	1752	1	65	100	3	7	6	9459	7707	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7076.399414	7076.399414	0.933333
7105	007D	3153	0.07	1067	1	65	100	3	7	6	9459	8392	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7761.399414	7761.399414	0.933333
7105	007E	3153	0.07	1500	1	65	100	3	7	6	9459	7959	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7328.399414	7328.399414	0.933333
7105	007F	3153	0.07	1100	1	65	100	3	7	6	9459	8359	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7728.399414	7728.399414	0.933333
7105	008	3153	0.07	1814	1	65	100	3	7	6	9459	7645	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7014.399414	7014.399414	0.933333
7105	008A	5045	0.12	3939	1	65	100	3	12	11	15135	11196	RH-1	40	density-lim	3000			0.7	4	0.333333343	3	3	14126	10187	10187	0.933333
7105	008B	4414	0.1	1310	1	65	100	3	10	9	13242	11932	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12359.2002	11049.2002	11049.2002	0.933333
7105	009	3153	0.07	1482	1	65	100	3	7	6	9459	7977	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7346.399414	7346.399414	0.933333
7105	010	3153	0.07	1573	1	65	100	3	7	6	9459	7886	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7255.399414	7255.399414	0.933333
7105	012	6306	0.14	1339	1	65	100	3	14	13	18918	17579	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	17656.79883	16317.79883	16317.79883	0.933333
7105	012A	6306	0.14	2210	1	65	100	3	14	13	18918	16708	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	17656.79883	15446.79883	15446.79883	0.933333
7105	013	3153	0.07	892	1	65	100	3	7	6	9459	8567	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7936.399414	7936.399414	0.933333
7105	015	4934	0.11	2900	3	65	100	3	11	8	14802	11902	NC-1	40	density-lim	800	true		0.75	6	0.545454562	3	3	14802	11902	11902	1
7105	016	2874	0.07	1156	1	65	100	3	7	6	8622	7466	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8047.199707	6891.199707	6891.199707	0.933333
7105	018	2801	0.06	1028	1	65	100	3	6	5	8403	7375	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7842.799805	6814.799805	6814.799805	0.933333
7105	018A	2802	0.06	1320	1	65	100	3	6	5	8406	7086	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7845.600098	6525.600098	6525.600098	0.933333
7105	019	2802	0.06	1554	1	65	100	3	6	5	8406	6852	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7845.600098	6291.600098	6291.600098	0.933333
7105	020	3128	0.07	1025	1	65	100	3	7	6	9384	8359	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8758.399414	7733.399414	7733.399414	0.933333
7105	021	3128	0.07	1525	1	65	100	3	7	6	9384	7859	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8758.399414	7233.399414	7233.399414	0.933333
7105	021A	3129	0.07	1025	1	65	100	3	7	6	9387	8362	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8761.200195	7736.200195	7736.200195	0.933333
7105	022	3129	0.07	1567	1	65	100	3	7	6	9387	7820	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8761.200195	7194.200195	7194.200195	0.933333
7105	022A	3130	0.07	1025	1	65	100	3	7	6	9390	8365	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8764	7739	7739	0.933333
7105	022B	3130	0.07	1680	1	65	100	3	7	6	9390	7710	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8764	7084	7084	0.933333
7105	022C	3131	0.07	1025	1	65	100	3	7	6	9393	8368	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8766.799805	7741.799805	7741.799805	0.933333
7105	022D	3131	0.07	1605	1	65	100	3	7	6	9393	7788	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8766.799805	7161.799805	7161.799805	0.933333
7105	022E	3132	0.07	1025	1	65	100	3	7	6	9396	8371	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8769.599609	7744.599609	7744.599609	0.933333
7105	022F	3132	0.07	1025	1	65	100	3	7	6	9396	8371	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8769.599609	7744.599609	7744.599609	0.933333
7105	022G	3133	0.07	2701	1	65	100	3	7	6	9399	6698	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8772.399414	6071.399414	6071.399414	0.933333
7105	023	4701	0.11	1305	1	65	100	3	11	10	14103	12798	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13162.7998	11857.7998	11857.7998	0.933333
7105	025	4766	0.11	970	1	65	100	3	11	10	14298	13328	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13344.7998	12374.7998	12374.7998	0.933333
7105	026	4704	0.11	1595	1	65	100	3	11	10	14112	12517	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13171.2002	11576.2002	11576.2002	0.933333
7105	027	4706	0.11	1304	1	65	100	3	11	10	14118	12814	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13176.7998	11872.7998	11872.7998	0.933333
7105	029	3139	0.07	974	1	65	100	3	7	6	9417	8443	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8789.200195	7815.200195	7815.200195	0.933333
7105	030	3153	0.07	1118	1	65	100	3	7	6	9459	8341	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7710.399414	7710.399414	0.933333
7105	031	3153	0.07	1118	1	65	100	3	7	6	9459	8341	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8828.399414	7710.399414	7710.399414	0.933333
7105	032	3103	0.07	1339	1	65	100	3	7	6	9309	7970	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8688.399414	7349.399414	7349.399414	0.933333
7105	033	3104	0.07	1339	1	65	100	3	7	6	9312	7973	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8691.200195	7352.200195	7352.200195	0.933333
7105	034	3138	0.07	2200	1	65	100	3	7	6	9414	7214	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8786.399414	6586.399414	6586.399414	0.933333
7105	035	3138	0.07	2035	1	65	100	3	7	6	9414	7379	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8786.399414	6751.399414	6751.399414	0.933333
7115	002	2252	0.05	925	1	85	140	4	7	6	9008	8083	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6305.600098	5380.600098	5380.600098	0.7
7115	003	2438	0.06	1510	1	85	140	4	8	7	9752	8242	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6826.399902	5316.399902	5316.399902	0.7
7115	004	2500	0.06	1825	1	85	140	4	8	7	10000	8175	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5175	5175	0.7
7115	005	4098	0.09	1672	1	85	140	4	13	12	16392	14720	RH-1	40	density-lim	3000			0.7	4	0.307692319	3	3	11474.39941	9802.399414	9802.399414	0.7
7115	007	2500	0.06	1355	1	85	140	4	8	7	10000	8645	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5645	5645	0.7
7115	008	3250	0.07	1890	1	85	140	4	10	9	13000	11110	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9100	7210	7210	0.7
7115	009	2500	0.06	874	1	85	140	4	8	7	10000	9126	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6126	6126	0.7
7115	010	2500	0.06	825	1	85	140	4	8	7	10000	9175	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6175	6175	0.7
7115	011	2500	0.06	825	1	85	140	4	8	7	10000	9175	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6175	6175	0.7
7115	012	2500	0.06	1007	1	85	140	4	8	7	10000	8993	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5993	5993	0.7
7115	013	2500	0.06	1007	1	85	140	4	8	7	10000	8993	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5993	5993	0.7
7115	014	2500	0.06	800	1	85	140	4	8	7	10000	9200	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6200	6200	0.7
7115	015	2500	0.06	1085	1	85	140	4	8	7	10000	8915	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5915	5915	0.7
7115	016	2500	0.06	1039	1	85	140	4	8	7	10000	8961	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5961	5961	0.7
7115	017	2500	0.06	1270	1	85	140	4	8	7	10000	8730	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5730	5730	0.7
7115	019	2500	0.06	1178	1	85	140	4	8	7	10000	8822	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5822	5822	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7115	019A	2500	0.06	1178	1	85	140	4	8	7	10000	8822	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5822	5822	0.7
7115	020	2548	0.06	1178	1	85	140	4	8	7	10192	9014	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7134.399902	5956.399902	5956.399902	0.7
7115	021	2452	0.06	1178	1	65	100	3	6	5	7356	6178	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6865.600098	5687.600098	5687.600098	0.933333
7115	023	1836	0.04	1453	1	65	100	3	4	3	5508	4055	RH-1	40	density-lim	3000			0.7	4	1	3	3	5140.799805	3687.799805	3687.799805	0.933333
7115	024	1837	0.04	1178	1	65	100	3	4	3	5511	4333	RH-1	40	density-lim	3000			0.7	4	1	3	3	5143.600098	3965.600098	3965.600098	0.933333
7115	025	1837	0.04	1509	1	65	100	3	4	3	5511	4002	RH-1	40	density-lim	3000			0.7	4	1	3	3	5143.600098	3634.600098	3634.600098	0.933333
7115	026	2476	0.06	1094	1	85	140	4	8	7	9904	8810	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6932.799805	5838.799805	5838.799805	0.7
7115	027	2477	0.06	1094	1	85	140	4	8	7	9908	8814	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6935.600098	5841.600098	5841.600098	0.7
7115	028	2477	0.06	1290	1	85	140	4	8	7	9908	8618	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6935.600098	5645.600098	5645.600098	0.7
7115	029	2478	0.06	962	1	85	140	4	8	7	9912	8950	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6938.399902	5976.399902	5976.399902	0.7
7115	030	2479	0.06	1248	1	85	140	4	8	7	9916	8668	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6941.199707	5693.199707	5693.199707	0.7
7115	031	2480	0.06	1118	1	85	140	4	8	7	9920	8802	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6944	5826	5826	0.7
7115	032	2480	0.06	792	1	85	140	4	8	7	9920	9128	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6944	6152	6152	0.7
7115	033	2481	0.06	1190	1	85	140	4	8	7	9924	8734	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6946.799805	5756.799805	5756.799805	0.7
7115	034	2482	0.06	1050	1	85	140	4	8	7	9928	8878	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6949.600098	5899.600098	5899.600098	0.7
7115	035	2483	0.06	925	1	85	140	4	8	7	9932	9007	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6952.399902	6027.399902	6027.399902	0.7
7115	038	2485	0.06	1250	1	85	140	4	8	7	9940	8690	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6958	5708	5708	0.7
7115	039	2486	0.06	1813	1	85	140	4	8	7	9944	8131	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6960.799805	5147.799805	5147.799805	0.7
7116	029	2500	0.06	1251	1	65	100	3	6	5	7500	6249	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5749	5749	0.933333
7116	030	2500	0.06	1131	1	65	100	3	6	5	7500	6369	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5869	5869	0.933333
7115	050	2487	0.06	2145	1	85	140	4	8	7	9948	7803	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6963.600098	4818.600098	4818.600098	0.7
7115	051	2488	0.06	2417	1	85	140	4	8	7	9952	7535	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6966.399902	4549.399902	4549.399902	0.7
7116	001A	1893	0.04	1479	1	85	140	4	6	5	7572	6093	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	5300.399902	3821.399902	3821.399902	0.7
7116	001B	1893	0.04	1293	1	85	140	4	6	5	7572	6279	RH-2	40	density-lim	1500			0.7	4	0.666666687	3	3	5300.399902	4007.399902	4007.399902	0.7
7116	002	2519	0.06	825	1	85	140	4	8	7	10076	9251	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7053.199707	6228.199707	6228.199707	0.7
7116	004	2519	0.06	825	1	85	140	4	8	7	10076	9251	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7053.199707	6228.199707	6228.199707	0.7
7116	005	2520	0.06	1118	1	85	140	4	8	7	10080	8962	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7056	5938	5938	0.7
7116	006	2520	0.06	1460	1	85	140	4	8	7	10080	8620	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7056	5596	5596	0.7
7116	008	2521	0.06	1000	1	65	100	3	6	5	7563	6563	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7058.799805	6058.799805	6058.799805	0.933333
7116	009	2522	0.06	1000	1	65	100	3	6	5	7566	6566	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7061.600098	6061.600098	6061.600098	0.933333
7116	010	2522	0.06	1000	1	65	100	3	6	5	7566	6566	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7061.600098	6061.600098	6061.600098	0.933333
7116	011	2522	0.06	1000	1	65	100	3	6	5	7566	6566	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7061.600098	6061.600098	6061.600098	0.933333
7116	012	5046	0.12	1648	1	65	100	3	12	11	15138	13490	RH-1	40	density-lim	3000			0.7	4	0.333333343	3	3	14128.7998	12480.7998	12480.7998	0.933333
7116	014	2524	0.06	1216	1	65	100	3	6	5	7572	6356	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7067.199707	5851.199707	5851.199707	0.933333
7116	015	2524	0.06	702	1	65	100	3	6	5	7572	6870	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7067.199707	6365.199707	6365.199707	0.933333
7116	016	2525	0.06	1912	1	65	100	3	6	5	7575	5663	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7070	5158	5158	0.933333
7116	017	2525	0.06	925	1	65	100	3	6	5	7575	6650	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7070	6145	6145	0.933333
7116	018	4714	0.11	1178	1	65	100	3	11	10	14142	12964	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13199.2002	12021.2002	12021.2002	0.933333
7116	019	4092	0.09	1178	1	65	100	3	9	8	12276	11098	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11457.59961	10279.59961	10279.59961	0.933333
7116	020	3470	0.08	1178	1	65	100	3	8	7	10410	9232	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9716	8538	8538	0.933333
7116	021	2950	0.07	1178	1	65	100	3	7	6	8850	7672	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8260	7082	7082	0.933333
7116	022	2200	0.05	1178	1	65	100	3	5	4	6600	5422	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6160	4982	4982	0.933333
7116	026	2500	0.06	1187	1	65	100	3	6	5	7500	6313	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5813	5813	0.933333
7116	027	2500	0.06	1439	1	65	100	3	6	5	7500	6061	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5561	5561	0.933333
7116	028	2500	0.06	845	1	65	100	3	6	5	7500	6655	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6155	6155	0.933333
7116	031	2500	0.06	880	1	65	100	3	6	5	7500	6620	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6120	6120	0.933333
7116	032	2500	0.06	1093	1	65	100	3	6	5	7500	6407	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5907	5907	0.933333
7116	035	2500	0.06	1817	1	65	100	3	6	5	7500	5683	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5183	5183	0.933333
7116	036	2500	0.06	2542	1	65	100	3	6	5	7500	4958	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4458	4458	0.933333
7116	037	2500	0.06	1842	1	65	100	3	6	5	7500	5658	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5158	5158	0.933333
7116	039	2500	0.06	936	1	85	140	4	8	7	10000	9064	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6064	6064	0.7
7116	040	2500	0.06	1533	1	85	140	4	8	7	10000	8467	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5467	5467	0.7
7116	041	2500	0.06	1429	1	85	140	4	8	7	10000	8571	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5571	5571	0.7
7116	043	1975	0.05	1983	1	85	140	4	7	6	7900	5917	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	5530	3547	3547	0.7
7116	044	1975	0.05	960	1	85	140	4	7	6	7900	6940	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	5530	4570	4570	0.7
7116	045	1975	0.05	1139	1	85	140	4	7	6	7900	6761	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	5530	4391	4391	0.7
7116	046	1975	0.05	1489	1	85	140	4	7	6	7900	6411	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	5530	4041	4041	0.7
7116	047	2500	0.06	1100	1	65	100	3	6	5	7500	6400	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5900	5900	0.933333
7117	001A	1975	0.05	891	1	65	100	3	5	4	5925	5034	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5530	4639	4639	0.933333
7117	003	2500	0.06	1189	1	65	100	3	6	5	7500	6311	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5811	5811	0.933333
7117	004	2500	0.06	1675	1	65	100	3	6	5	7500	5825	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5325	5325	0.933333
7117	006	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7117	007	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7117	008	2500	0.06	988	1	65	100	3	6	5	7500	6512	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6012	6012	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7117	009	2500	0.06	1261	1	65	100	3	6	5	7500	6239	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5739	5739	0.933333
7117	010	2500	0.06	704	1	65	100	3	6	5	7500	6796	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6296	6296	0.933333
7117	013	2500	0.06	1249	1	65	100	3	6	5	7500	6251	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5751	5751	0.933333
7117	015	2500	0.06	1687	1	65	100	3	6	5	7500	5813	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5313	5313	0.933333
7117	016	2500	0.06	1187	1	65	100	3	6	5	7500	6313	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5813	5813	0.933333
7117	017	2500	0.06	1187	1	65	100	3	6	5	7500	6313	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5813	5813	0.933333
7117	026	2492	0.06	1247	1	65	100	3	6	5	7476	6229	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6977.600098	5730.600098	5730.600098	0.933333
7117	029	2494	0.06	1087	1	65	100	3	6	5	7482	6395	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6983.199707	5896.199707	5896.199707	0.933333
7117	030	2494	0.06	1087	1	65	100	3	6	5	7482	6395	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6983.199707	5896.199707	5896.199707	0.933333
7117	031	2494	0.06	1087	1	65	100	3	6	5	7482	6395	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6983.199707	5896.199707	5896.199707	0.933333
7117	032	2495	0.06	1112	1	65	100	3	6	5	7485	6373	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5874	5874	0.933333
7117	033	2495	0.06	1503	1	65	100	3	6	5	7485	5982	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6986	5483	5483	0.933333
7117	034	2496	0.06	1018	1	65	100	3	6	5	7488	6470	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6988.799805	5970.799805	5970.799805	0.933333
7117	035	2496	0.06	867	1	65	100	3	6	5	7488	6621	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6988.799805	6121.799805	6121.799805	0.933333
7117	036	2497	0.06	1155	1	65	100	3	6	5	7491	6336	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6991.600098	5836.600098	5836.600098	0.933333
7117	037	2497	0.06	1155	1	65	100	3	6	5	7491	6336	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6991.600098	5836.600098	5836.600098	0.933333
7117	038	2498	0.06	1036	1	65	100	3	6	5	7494	6458	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6994.399902	5958.399902	5958.399902	0.933333
7117	039	2498	0.06	1036	1	65	100	3	6	5	7494	6458	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6994.399902	5958.399902	5958.399902	0.933333
7117	040	2498	0.06	984	1	65	100	3	6	5	7494	6510	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6994.399902	6010.399902	6010.399902	0.933333
7117	041	2499	0.06	1275	1	65	100	3	6	5	7497	6222	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6997.199707	5722.199707	5722.199707	0.933333
7117	045	1975	0.05	1386	1	65	100	3	5	4	5925	4539	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5530	4144	4144	0.933333
7117	046	1975	0.05	782	1	65	100	3	5	4	5925	5143	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5530	4748	4748	0.933333
7117	049	1975	0.05	2260	1	65	100	3	5	4	5925	3665	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5530	3270	3270	0.933333
7117	051	4986	0.11	750	1	65	100	3	11	10	14958	14208	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	13960.7998	13210.7998	13210.7998	0.933333
7117	053	2500	0.06	2726	1	65	100	3	6	5	7500	4774	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4274	4274	0.933333
7117	054	2500	0.06	2726	1	65	100	3	6	5	7500	4774	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4274	4274	0.933333
7118	001A	1980	0.05	1191	1	65	100	3	5	4	5940	4749	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5544	4353	4353	0.933333
7118	001B	1980	0.05	1639	1	65	100	3	5	4	5940	4301	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5544	3905	3905	0.933333
7118	002	2500	0.06	1859	1	65	100	3	6	5	7500	5641	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5141	5141	0.933333
7118	003	2500	0.06	1470	1	65	100	3	6	5	7500	6030	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5530	5530	0.933333
7118	006	2500	0.06	1696	1	65	100	3	6	5	7500	5804	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5304	5304	0.933333
7118	007	2500	0.06	781	1	65	100	3	6	5	7500	6719	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6219	6219	0.933333
7118	010	2500	0.06	1152	1	65	100	3	6	5	7500	6348	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5848	5848	0.933333
7118	012	2433	0.06	1694	1	65	100	3	6	5	7299	5605	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6812.399902	5118.399902	5118.399902	0.933333
7118	013	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7118	014	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7118	015	2500	0.06	1144	1	65	100	3	6	5	7500	6356	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5856	5856	0.933333
7118	016	2500	0.06	1536	1	65	100	3	6	5	7500	5964	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5464	5464	0.933333
7118	017	2500	0.06	1087	1	65	100	3	6	5	7500	6413	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5913	5913	0.933333
7118	026	2501	0.06	1050	1	65	100	3	6	5	7503	6453	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5952.799805	5952.799805	0.933333
7118	027	2501	0.06	1050	1	65	100	3	6	5	7503	6453	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5952.799805	5952.799805	0.933333
7118	028	2501	0.06	964	1	65	100	3	6	5	7503	6539	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	6038.799805	6038.799805	0.933333
7118	029	2501	0.06	1081	1	65	100	3	6	5	7503	6422	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5921.799805	5921.799805	0.933333
7118	030	2501	0.06	1081	1	65	100	3	6	5	7503	6422	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5921.799805	5921.799805	0.933333
7118	031	2501	0.06	1081	1	65	100	3	6	5	7503	6422	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5921.799805	5921.799805	0.933333
7118	032	2501	0.06	1473	1	65	100	3	6	5	7503	6030	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5529.799805	5529.799805	0.933333
7118	033	2501	0.06	1959	1	65	100	3	6	5	7503	5544	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5043.799805	5043.799805	0.933333
7118	034	2501	0.06	1081	1	65	100	3	6	5	7503	6422	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5921.799805	5921.799805	0.933333
7118	035	2501	0.06	1184	1	65	100	3	6	5	7503	6319	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5818.799805	5818.799805	0.933333
7118	036	2501	0.06	1319	1	65	100	3	6	5	7503	6184	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5683.799805	5683.799805	0.933333
7118	037	2501	0.06	1431	1	65	100	3	6	5	7503	6072	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5571.799805	5571.799805	0.933333
7118	038	2501	0.06	1081	1	65	100	3	6	5	7503	6422	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5921.799805	5921.799805	0.933333
7118	039	2501	0.06	1211	1	65	100	3	6	5	7503	6292	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5791.799805	5791.799805	0.933333
7118	040	2501	0.06	1414	1	65	100	3	6	5	7503	6089	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5588.799805	5588.799805	0.933333
7118	041	2501	0.06	800	1	65	100	3	6	5	7503	6703	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	6202.799805	6202.799805	0.933333
7118	042	1891	0.04	1087	1	65	100	3	4	3	5673	4586	RH-2	40	density-lim	1500			0.7	4	1	3	3	5294.799805	4207.799805	4207.799805	0.933333
7118	043	1876	0.04	1087	1	65	100	3	4	3	5628	4541	RH-2	40	density-lim	1500			0.7	4	1	3	3	5252.799805	4165.799805	4165.799805	0.933333
7118	044	2176	0.05	1932	0	65	100	3	5	5	6528	4596	NC-1	40	density-lim	800	true		0.75	3	0.600000024	3	3	6528	4596	4596	1
7118	051	5000	0.11	1300	1	65	100	3	11	10	15000	13700	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	14000	12700	12700	0.933333
7118	052	5000	0.11	1216	1	65	100	3	11	10	15000	13784	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	14000	12784	12784	0.933333
7118	053	2567	0.06	1455	1	65	100	3	6	5	7701	6246	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7187.600098	5732.600098	5732.600098	0.933333
7119	001	1975	0.05	2302	3	85	140	4	7	4	7900	5598	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	3	3	5530	3228	3228	0.7
7119	002	2500	0.06	1593	1	85	140	4	8	7	10000	8407	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5407	5407	0.7
7119	003	2500	0.06	675	1	85	140	4	8	7	10000	9325	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6325	6325	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7119	004	2500	0.06	1143	1	65	100	3	6	5	7500	6357	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5857	5857	0.933333
7119	005	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7119	006	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7119	007	2500	0.06	1112	1	65	100	3	6	5	7500	6388	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5888	5888	0.933333
7119	008	2500	0.06	1112	1	65	100	3	6	5	7500	6388	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5888	5888	0.933333
7119	009	2500	0.06	1204	1	65	100	3	6	5	7500	6296	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5796	5796	0.933333
7119	010	2500	0.06	1204	1	65	100	3	6	5	7500	6296	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5796	5796	0.933333
7119	011	2500	0.06	1204	1	65	100	3	6	5	7500	6296	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5796	5796	0.933333
7119	012	2500	0.06	1279	1	65	100	3	6	5	7500	6221	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5721	5721	0.933333
7119	013	2500	0.06	850	1	65	100	3	6	5	7500	6650	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6150	6150	0.933333
7119	014	2500	0.06	850	1	65	100	3	6	5	7500	6650	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6150	6150	0.933333
7119	015	2500	0.06	1718	1	65	100	3	6	5	7500	5782	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5282	5282	0.933333
7119	016	2500	0.06	1355	1	65	100	3	6	5	7500	6145	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5645	5645	0.933333
7119	017	2500	0.06	1416	1	65	100	3	6	5	7500	6084	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5584	5584	0.933333
7119	026	2917	0.07	668	1	65	100	3	7	6	8751	8083	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8167.600098	7499.600098	7499.600098	0.933333
7119	028	2477	0.06	1214	1	65	100	3	6	5	7431	6217	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5721.600098	5721.600098	0.933333
7119	029	2477	0.06	1534	1	65	100	3	6	5	7431	5897	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5401.600098	5401.600098	0.933333
7119	030	2477	0.06	1614	1	65	100	3	6	5	7431	5817	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5321.600098	5321.600098	0.933333
7119	031	2477	0.06	1214	1	65	100	3	6	5	7431	6217	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5721.600098	5721.600098	0.933333
7119	032	2477	0.06	1420	1	65	100	3	6	5	7431	6011	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5515.600098	5515.600098	0.933333
7119	033	2477	0.06	1214	1	65	100	3	6	5	7431	6217	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5721.600098	5721.600098	0.933333
7119	034	2477	0.06	1214	1	65	100	3	6	5	7431	6217	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5721.600098	5721.600098	0.933333
7119	035	2477	0.06	1881	1	65	100	3	6	5	7431	5550	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5054.600098	5054.600098	0.933333
7119	036	2477	0.06	1573	1	65	100	3	6	5	7431	5858	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5362.600098	5362.600098	0.933333
7119	037	2477	0.06	1214	1	65	100	3	6	5	7431	6217	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6935.600098	5721.600098	5721.600098	0.933333
7119	038	2477	0.06	1793	1	85	140	4	8	7	9908	8115	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6935.600098	5142.600098	5142.600098	0.7
7119	039	2477	0.06	1276	1	85	140	4	8	7	9908	8632	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6935.600098	5659.600098	5659.600098	0.7
7119	040	2477	0.06	1623	1	85	140	4	8	7	9908	8285	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6935.600098	5312.600098	5312.600098	0.7
7119	041	2477	0.06	1806	1	85	140	4	8	7	9908	8102	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6935.600098	5129.600098	5129.600098	0.7
7119	043	1975	0.05	1250	1	85	140	4	7	6	7900	6650	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	5530	4280	4280	0.7
7119	045	1975	0.05	1551	1	85	140	4	7	6	7900	6349	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	5530	3979	3979	0.7
7119	046	1975	0.05	1267	1	85	140	4	7	6	7900	6633	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	5530	4263	4263	0.7
7119	047	1975	0.05	1267	1	85	140	4	7	6	7900	6633	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	5530	4263	4263	0.7
7120	002	2500	0.06	685	1	85	140	4	8	7	10000	9315	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	6315	6315	0.7
7120	003	3340	0.08	1155	1	85	140	4	11	10	13360	12205	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	9352	8197	8197	0.7
7120	004	3340	0.08	1903	1	85	140	4	11	10	13360	11457	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	9352	7449	7449	0.7
7120	005	3320	0.08	1289	1	85	140	4	11	10	13280	11991	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	9296	8007	8007	0.7
7120	007	2500	0.06	1979	1	65	100	3	6	5	7500	5521	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5021	5021	0.933333
7120	008	2500	0.06	1214	1	65	100	3	6	5	7500	6286	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5786	5786	0.933333
7120	009	2500	0.06	1214	1	65	100	3	6	5	7500	6286	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5786	5786	0.933333
7120	010	2500	0.06	1214	1	65	100	3	6	5	7500	6286	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5786	5786	0.933333
7120	011	2500	0.06	1214	1	65	100	3	6	5	7500	6286	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5786	5786	0.933333
7120	012	2500	0.06	1576	1	65	100	3	6	5	7500	5924	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5424	5424	0.933333
7120	013	2500	0.06	950	1	65	100	3	6	5	7500	6550	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6050	6050	0.933333
7120	014	2500	0.06	1105	1	65	100	3	6	5	7500	6395	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5895	5895	0.933333
7120	015	2500	0.06	875	1	65	100	3	6	5	7500	6625	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6125	6125	0.933333
7120	016	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	6000	6000	0.933333
7120	017	2500	0.06	1050	1	65	100	3	6	5	7500	6450	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5950	5950	0.933333
7120	025	2528	0.06	810	1	65	100	3	6	5	7584	6774	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7078.399902	6268.399902	6268.399902	0.933333
7120	026	2527	0.06	862	1	65	100	3	6	5	7581	6719	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7075.600098	6213.600098	6213.600098	0.933333
7120	027	2527	0.06	862	1	65	100	3	6	5	7581	6719	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7075.600098	6213.600098	6213.600098	0.933333
7120	030	2526	0.06	2047	1	65	100	3	6	5	7578	5531	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5025.799805	5025.799805	0.933333
7120	031	2526	0.06	2454	1	65	100	3	6	5	7578	5124	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	4618.799805	4618.799805	0.933333
7120	032	2526	0.06	1450	1	65	100	3	6	5	7578	6128	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7072.799805	5622.799805	5622.799805	0.933333
7120	033	2525	0.06	1000	1	65	100	3	6	5	7575	6575	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7070	6070	6070	0.933333
7120	034	2525	0.06	875	1	65	100	3	6	5	7575	6700	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7070	6195	6195	0.933333
7120	035	2525	0.06	1100	1	65	100	3	6	5	7575	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7070	5970	5970	0.933333
7120	036	2525	0.06	3540	1	65	100	3	6	5	7575	4035	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7070	3530	3530	0.933333
7120	037	2524	0.06	2500	1	85	140	4	8	7	10096	7596	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7067.199707	4567.199707	4567.199707	0.7
7120	038	2524	0.06	1566	1	85	140	4	8	7	10096	8530	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7067.199707	5501.199707	5501.199707	0.7
7120	039	2524	0.06	1217	1	85	140	4	8	7	10096	8879	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7067.199707	5850.199707	5850.199707	0.7
7120	040	2523	0.06	875	1	85	140	4	8	7	10092	9217	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7064.399902	6189.399902	6189.399902	0.7
7120	042	1975	0.05	1449	1	85	140	4	7	6	7900	6451	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	5530	4081	4081	0.7
7120	043	1975	0.05	950	1	85	140	4	7	6	7900	6950	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	5530	4580	4580	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7120	044	1975	0.05	1305	1	85	140	4	7	6	7900	6595	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	5530	4225	4225	0.7
7120	045	1975	0.05	1312	1	85	140	4	7	6	7900	6588	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	5530	4218	4218	0.7
7120	046	1975	0.05	1186	1	85	140	4	7	6	7900	6714	RH-2	40	density-lim	1500			0.7	4	0.571428597	3	3	5530	4344	4344	0.7
7120	050	2527	0.06	783	1	65	100	3	6	5	7581	6798	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7075.600098	6292.600098	6292.600098	0.933333
7120	051	2527	0.06	1750	1	65	100	3	6	5	7581	5831	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7075.600098	5325.600098	5325.600098	0.933333
7121	002	2500	0.06	1612	1	65	100	3	6	5	7500	5888	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5388	5388	0.933333
7121	003	2500	0.06	1722	1	65	100	3	6	5	7500	5778	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5278	5278	0.933333
7121	004	2500	0.06	1150	1	65	100	3	6	5	7500	6350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5850	5850	0.933333
7121	005	2500	0.06	1366	1	65	100	3	6	5	7500	6134	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5634	5634	0.933333
7121	006	3125	0.07	1200	1	65	100	3	7	6	9375	8175	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7550	7550	0.933333
7121	007	3125	0.07	1728	1	65	100	3	7	6	9375	7647	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7022	7022	0.933333
7121	008	3125	0.07	1100	1	65	100	3	7	6	9375	8275	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7650	7650	0.933333
7121	009	3125	0.07	1469	1	65	100	3	7	6	9375	7906	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7281	7281	0.933333
7121	010	3125	0.07	925	1	65	100	3	7	6	9375	8450	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7825	7825	0.933333
7121	011	3125	0.07	1025	1	65	100	3	7	6	9375	8350	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8750	7725	7725	0.933333
7121	011A	2445	0.06	961	1	65	100	3	6	5	7335	6374	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6846	5885	5885	0.933333
7121	011B	2046	0.05	1257	1	65	100	3	5	4	6138	4881	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5728.799805	4471.799805	4471.799805	0.933333
7121	011C	1587	0.04	781	1	65	100	3	4	3	4761	3980	RH-1	40	density-lim	3000			0.7	4	1	3	3	4443.600098	3662.600098	3662.600098	0.933333
7121	012	2500	0.06	2175	1	65	100	3	6	5	7500	5325	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	4825	4825	0.933333
7121	013	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7121	014	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7121	015	1766	0.04	1013	1	65	100	3	4	3	5298	4285	RH-1	40	density-lim	3000			0.7	4	1	3	3	4944.799805	3931.799805	3931.799805	0.933333
7121	016	1966	0.05	926	1	65	100	3	5	4	5898	4972	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5504.799805	4578.799805	4578.799805	0.933333
7121	016A	1901	0.04	926	1	65	100	3	4	3	5703	4777	RH-1	40	density-lim	3000			0.7	4	1	3	3	5322.799805	4396.799805	4396.799805	0.933333
7121	017	1667	0.04	1090	1	65	100	3	4	3	5001	3911	RH-1	40	density-lim	3000			0.7	4	1	3	3	4667.600098	3577.600098	3577.600098	0.933333
7121	017A	1688	0.04	1090	1	65	100	3	4	3	5064	3974	RH-1	40	density-lim	3000			0.7	4	1	3	3	4726.399902	3636.399902	3636.399902	0.933333
7121	018	1709	0.04	1090	1	65	100	3	4	3	5127	4037	RH-1	40	density-lim	3000			0.7	4	1	3	3	4785.199707	3695.199707	3695.199707	0.933333
7121	018A	1730	0.04	1390	1	65	100	3	4	3	5190	3800	RH-1	40	density-lim	3000			0.7	4	1	3	3	4844	3454	3454	0.933333
7121	020	2396	0.06	1105	1	65	100	3	6	5	7188	6083	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6708.799805	5603.799805	5603.799805	0.933333
7121	021	2417	0.06	1050	1	65	100	3	6	5	7251	6201	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6767.600098	5717.600098	5717.600098	0.933333
7121	022	2438	0.06	1227	1	65	100	3	6	5	7314	6087	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6826.399902	5599.399902	5599.399902	0.933333
7121	025	1975	0.05	980	1	65	100	3	5	4	5925	4945	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5530	4550	4550	0.933333
7121	026	1975	0.05	1130	1	65	100	3	5	4	5925	4795	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5530	4400	4400	0.933333
7121	027	1975	0.05	1257	1	65	100	3	5	4	5925	4668	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5530	4273	4273	0.933333
7121	028	1975	0.05	1155	1	65	100	3	5	4	5925	4770	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5530	4375	4375	0.933333
7121	029	1975	0.05	1191	1	65	100	3	5	4	5925	4734	RH-2	40	density-lim	1500			0.7	4	0.800000012	3	3	5530	4339	4339	0.933333
7122	004	2476	0.06	900	0	65	100	3	6	6	7428	6528	NC-1	26	density-lim	800	true		0.75	3	0.5	3	3	3714	2814	2814	0.5
7122	006	2038	0.05	920	1	65	100	3	5	4	6114	5194	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5706.399902	4786.399902	4786.399902	0.933333
7122	007	1833	0.04	800	1	65	100	3	4	3	5499	4699	RH-1	40	density-lim	3000			0.7	4	1	3	3	5132.399902	4332.399902	4332.399902	0.933333
7122	008	3728	0.09	1146	1	65	100	3	9	8	11184	10038	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10438.39941	9292.399414	9292.399414	0.933333
7122	009	1895	0.04	1660	1	65	100	3	4	3	5685	4025	RH-1	40	density-lim	3000			0.7	4	1	3	3	5306	3646	3646	0.933333
7122	010	1915	0.04	1640	1	65	100	3	4	3	5745	4105	RH-1	40	density-lim	3000			0.7	4	1	3	3	5362	3722	3722	0.933333
7122	011	1936	0.04	1933	1	65	100	3	4	3	5808	3875	RH-1	40	density-lim	3000			0.7	4	1	3	3	5420.799805	3487.799805	3487.799805	0.933333
7122	012	1956	0.04	1200	1	65	100	3	4	3	5868	4668	RH-1	40	density-lim	3000			0.7	4	1	3	3	5476.799805	4276.799805	4276.799805	0.933333
7122	013	2187	0.05	1555	1	65	100	3	5	4	6561	5006	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6123.600098	4568.600098	4568.600098	0.933333
7122	014	2332	0.05	1200	1	65	100	3	5	4	6996	5796	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6529.600098	5329.600098	5329.600098	0.933333
7122	015	2689	0.06	1800	1	65	100	3	6	5	8067	6267	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7529.199707	5729.199707	5729.199707	0.933333
7122	016	2716	0.06	1200	1	65	100	3	6	5	8148	6948	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7604.799805	6404.799805	6404.799805	0.933333
7122	017	2717	0.06	1200	1	65	100	3	6	5	8151	6951	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7607.600098	6407.600098	6407.600098	0.933333
7122	018	2718	0.06	1480	1	65	100	3	6	5	8154	6674	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7610.399902	6130.399902	6130.399902	0.933333
7122	022	2527	0.06	1084	1	65	100	3	6	5	7581	6497	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7075.600098	5991.600098	5991.600098	0.933333
7122	023	1940	0.04	1088	1	65	100	3	4	3	5820	4732	RH-1	40	density-lim	3000			0.7	4	1	3	3	5432	4344	4344	0.933333
7122	024	2397	0.06	1020	1	65	100	3	6	5	7191	6171	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6711.600098	5691.600098	5691.600098	0.933333
7122	025	3350	0.08	907	1	65	100	3	8	7	10050	9143	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9380	8473	8473	0.933333
7124	002	3156	0.07	1175	1	65	100	3	7	6	9468	8293	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8836.799805	7661.799805	7661.799805	0.933333
7124	003	3607	0.08	1670	1	65	100	3	8	7	10821	9151	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10099.59961	8429.599609	8429.599609	0.933333
7124	004	3206	0.07	1230	1	65	100	3	7	6	9618	8388	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8976.799805	7746.799805	7746.799805	0.933333
7124	004A	3206	0.07	1600	1	65	100	3	7	6	9618	8018	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8976.799805	7376.799805	7376.799805	0.933333
7124	004B	3196	0.07	1050	1	65	100	3	7	6	9588	8538	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8948.799805	7898.799805	7898.799805	0.933333
7124	012A	6651	0.15	1520	1	65	100	3	15	14	19953	18433	RH-1	40	density-lim	3000			0.7	4	0.266666681	3	3	18622.79883	17102.79883	17102.79883	0.933333
7124	012B	5865	0.13	1638	1	65	100	3	13	12	17595	15957	RH-1	40	density-lim	3000			0.7	4	0.307692319	3	3	16422	14784	14784	0.933333
7124	012C	2455	0.06	1350	1	65	100	3	6	5	7365	6015	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6874	5524	5524	0.933333
7124	013	2518	0.06	1656	1	65	100	3	6	5	7554	5898	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7050.399902	5394.399902	5394.399902	0.933333
7124	014	2500	0.06	1458	1	65	100	3	6	5	7500	6042	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5542	5542	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7124	015	2500	0.06	1156	1	65	100	3	6	5	7500	6344	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5844	5844	0.933333
7125	001A	1437	0.03	900	1	85	140	4	4	3	5748	4848	RH-1	40	density-lim	3000			0.7	4	1	3	3	4023.599854	3123.599854	3123.599854	0.7
7125	001B	1895	0.04	1200	1	85	140	4	6	5	7580	6380	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5306	4106	4106	0.7
7125	002	2672	0.06	1450	1	85	140	4	8	7	10688	9238	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7481.600098	6031.600098	6031.600098	0.7
7125	003	3130	0.07	1200	1	65	100	3	7	6	9390	8190	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8764	7564	7564	0.933333
7125	004	3492	0.08	1200	1	65	100	3	8	7	10476	9276	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9777.599609	8577.599609	8577.599609	0.933333
7125	005	3517	0.08	1200	1	65	100	3	8	7	10551	9351	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9847.599609	8647.599609	8647.599609	0.933333
7125	006	2750	0.06	1454	1	65	100	3	6	5	8250	6796	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7700	6246	6246	0.933333
7125	007	2750	0.06	1275	1	65	100	3	6	5	8250	6975	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7700	6425	6425	0.933333
7125	008	2750	0.06	1275	1	65	100	3	6	5	8250	6975	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7700	6425	6425	0.933333
7125	009	2750	0.06	1200	1	65	100	3	6	5	8250	7050	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7700	6500	6500	0.933333
7125	009C	5114	0.12	2225	1	65	100	3	12	11	15342	13117	RH-1	40	density-lim	3000			0.7	4	0.333333343	3	3	14319.2002	12094.2002	12094.2002	0.933333
7125	009D	3000	0.07	1570	1	65	100	3	7	6	9000	7430	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	6830	6830	0.933333
7125	009E	3000	0.07	1225	1	65	100	3	7	6	9000	7775	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	7175	7175	0.933333
7125	011	2750	0.06	1200	1	65	100	3	6	5	8250	7050	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7700	6500	6500	0.933333
7125	012	2750	0.06	1200	1	65	100	3	6	5	8250	7050	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7700	6500	6500	0.933333
7125	013	2750	0.06	1434	1	65	100	3	6	5	8250	6816	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7700	6266	6266	0.933333
7125	014	2750	0.06	1976	1	65	100	3	6	5	8250	6274	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7700	5724	5724	0.933333
7125	022	2816	0.06	1225	1	65	100	3	6	5	8448	7223	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7884.799805	6659.799805	6659.799805	0.933333
7125	023	3256	0.07	1988	1	65	100	3	7	6	9768	7780	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	9116.799805	7128.799805	7128.799805	0.933333
7125	024	4392	0.1	2045	1	85	140	4	14	13	17568	15523	RH-1	40	density-lim	3000			0.7	4	0.285714298	3	3	12297.59961	10252.59961	10252.59961	0.7
7125	025	3349	0.08	1464	1	65	100	3	8	7	10047	8583	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9377.200195	7913.200195	7913.200195	0.933333
7125	026	2500	0.06	1700	1	85	140	4	8	7	10000	8300	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5300	5300	0.7
7125	027	1875	0.04	1200	1	85	140	4	6	5	7500	6300	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5250	4050	4050	0.7
7125	028	1875	0.04	1200	1	85	140	4	6	5	7500	6300	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5250	4050	4050	0.7
7125	029	1875	0.04	1889	1	85	140	4	6	5	7500	5611	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5250	3361	3361	0.7
7125	030	2500	0.06	1200	1	85	140	4	8	7	10000	8800	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	7000	5800	5800	0.7
7125	031	2450	0.06	1200	1	85	140	4	8	7	9800	8600	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	6860	5660	5660	0.7
7127	022	2507	0.06	1582	1	65	100	3	6	5	7521	5939	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7019.600098	5437.600098	5437.600098	0.933333
7127	023	2507	0.06	1092	1	65	100	3	6	5	7521	6429	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7019.600098	5927.600098	5927.600098	0.933333
7127	024	2507	0.06	1092	1	65	100	3	6	5	7521	6429	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7019.600098	5927.600098	5927.600098	0.933333
7127	025	2508	0.06	1272	1	65	100	3	6	5	7524	6252	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7022.399902	5750.399902	5750.399902	0.933333
7127	026	1875	0.04	1887	1	65	100	3	4	3	5625	3738	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3363	3363	0.933333
7127	026A	1875	0.04	1167	1	65	100	3	4	3	5625	4458	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4083	4083	0.933333
7127	027	1875	0.04	1167	1	65	100	3	4	3	5625	4458	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4083	4083	0.933333
7127	029	2535	0.06	1914	1	65	100	3	6	5	7605	5691	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7098	5184	5184	0.933333
7129	001A	1890	0.04	1100	1	65	100	3	4	3	5670	4570	RH-1	40	density-lim	3000			0.7	4	1	3	3	5292	4192	4192	0.933333
7129	001B	1890	0.04	1100	1	65	100	3	4	3	5670	4570	RH-1	40	density-lim	3000			0.7	4	1	3	3	5292	4192	4192	0.933333
7129	001C	1890	0.04	1100	1	65	100	3	4	3	5670	4570	RH-1	40	density-lim	3000			0.7	4	1	3	3	5292	4192	4192	0.933333
7129	002	3500	0.08	1576	1	65	100	3	8	7	10500	8924	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9800	8224	8224	0.933333
7129	003	3500	0.08	1305	1	65	100	3	8	7	10500	9195	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9800	8495	8495	0.933333
7129	004	3500	0.08	1050	1	65	100	3	8	7	10500	9450	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9800	8750	8750	0.933333
7129	005	3500	0.08	1386	1	65	100	3	8	7	10500	9114	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9800	8414	8414	0.933333
7129	006	3500	0.08	1050	1	65	100	3	8	7	10500	9450	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9800	8750	8750	0.933333
7129	008	3500	0.08	994	1	65	100	3	8	7	10500	9506	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9800	8806	8806	0.933333
7129	009	3500	0.08	1025	1	65	100	3	8	7	10500	9475	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9800	8775	8775	0.933333
7129	010	3500	0.08	1100	1	65	100	3	8	7	10500	9400	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9800	8700	8700	0.933333
7129	011	3500	0.08	1025	1	65	100	3	8	7	10500	9475	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9800	8775	8775	0.933333
7129	012	3500	0.08	1585	1	65	100	3	8	7	10500	8915	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9800	8215	8215	0.933333
7129	013	3500	0.08	1025	1	65	100	3	8	7	10500	9475	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9800	8775	8775	0.933333
7129	015	1714	0.04	1020	1	65	100	3	4	3	5142	4122	RH-1	40	density-lim	3000			0.7	4	1	3	3	4799.199707	3779.199707	3779.199707	0.933333
7129	016	2676	0.06	1633	1	65	100	3	6	5	8028	6395	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7492.799805	5859.799805	5859.799805	0.933333
7129	017	2676	0.06	1633	1	65	100	3	6	5	8028	6395	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7492.799805	5859.799805	5859.799805	0.933333
7129	023	2676	0.06	1450	1	65	100	3	6	5	8028	6578	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7492.799805	6042.799805	6042.799805	0.933333
7129	025	3455	0.08	1050	1	65	100	3	8	7	10365	9315	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9674	8624	8624	0.933333
7129	026	3457	0.08	1176	1	65	100	3	8	7	10371	9195	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9679.599609	8503.599609	8503.599609	0.933333
7129	027	3458	0.08	1050	1	65	100	3	8	7	10374	9324	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9682.399414	8632.399414	8632.399414	0.933333
7129	029	3460	0.08	1050	1	65	100	3	8	7	10380	9330	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9688	8638	8638	0.933333
7129	030	3462	0.08	1050	1	65	100	3	8	7	10386	9336	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9693.599609	8643.599609	8643.599609	0.933333
7129	033	4297	0.1	1300	1	65	100	3	10	9	12891	11591	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12031.59961	10731.59961	10731.59961	0.933333
7129	034	5131	0.12	1300	1	65	100	3	12	11	15393	14093	RH-1	40	density-lim	3000			0.7	4	0.333333343	3	3	14366.7998	13066.7998	13066.7998	0.933333
7129	036	4440	0.1	1300	1	65	100	3	10	9	13320	12020	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	12432	11132	11132	0.933333
7129	037	1930	0.04	980	1	65	100	3	4	3	5790	4810	RH-1	40	density-lim	3000			0.7	4	1	3	3	5404	4424	4424	0.933333
7129	038	1931	0.04	1100	1	65	100	3	4	3	5793	4693	RH-1	40	density-lim	3000			0.7	4	1	3	3	5406.799805	4306.799805	4306.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7129	038A	1933	0.04	1100	1	65	100	3	4	3	5799	4699	RH-1	40	density-lim	3000			0.7	4	1	3	3	5412.399902	4312.399902	4312.399902	0.933333
7129	040	2520	0.06	1100	1	65	100	3	6	5	7560	6460	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	5956	5956	0.933333
7129	041	2520	0.06	1340	1	65	100	3	6	5	7560	6220	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	5716	5716	0.933333
7129	042	2520	0.06	1250	1	65	100	3	6	5	7560	6310	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	5806	5806	0.933333
7129	043	2520	0.06	1100	1	65	100	3	6	5	7560	6460	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	5956	5956	0.933333
7129	044	2520	0.06	1025	1	65	100	3	6	5	7560	6535	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7056	6031	6031	0.933333
7129	047	3158	0.07	1696	1	65	100	3	7	6	9474	7778	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8842.399414	7146.399414	7146.399414	0.933333
7129	048	3769	0.09	1925	1	65	100	3	9	8	11307	9382	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10553.2002	8628.200195	8628.200195	0.933333
7130	009	2471	0.06	1570	1	65	100	3	6	5	7413	5843	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6918.799805	5348.799805	5348.799805	0.933333
7130	010	2473	0.06	1075	1	65	100	3	6	5	7419	6344	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6924.399902	5849.399902	5849.399902	0.933333
7130	012	2475	0.06	1075	1	65	100	3	6	5	7425	6350	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6930	5855	5855	0.933333
7130	013	2476	0.06	1075	1	65	100	3	6	5	7428	6353	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6932.799805	5857.799805	5857.799805	0.933333
7130	014	2478	0.06	1075	1	65	100	3	6	5	7434	6359	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6938.399902	5863.399902	5863.399902	0.933333
7130	015	2479	0.06	1837	1	65	100	3	6	5	7437	5600	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6941.199707	5104.199707	5104.199707	0.933333
7130	016	2480	0.06	1075	1	65	100	3	6	5	7440	6365	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6944	5869	5869	0.933333
7130	017	2482	0.06	1075	1	65	100	3	6	5	7446	6371	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	5874.600098	5874.600098	0.933333
7130	018	2483	0.06	1299	1	65	100	3	6	5	7449	6150	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6952.399902	5653.399902	5653.399902	0.933333
7130	019	2484	0.06	2000	1	65	100	3	6	5	7452	5452	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6955.199707	4955.199707	4955.199707	0.933333
7130	020	2485	0.06	1075	1	65	100	3	6	5	7455	6380	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6958	5883	5883	0.933333
7130	021	2487	0.06	1635	1	65	100	3	6	5	7461	5826	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6963.600098	5328.600098	5328.600098	0.933333
7130	022	2488	0.06	1379	1	65	100	3	6	5	7464	6085	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6966.399902	5587.399902	5587.399902	0.933333
7130	023	2489	0.06	1537	1	65	100	3	6	5	7467	5930	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6969.199707	5432.199707	5432.199707	0.933333
7132	011	1859	0.04	1325	1	65	100	3	4	3	5577	4252	RH-1	40	density-lim	3000			0.7	4	1	3	3	5205.199707	3880.199707	3880.199707	0.933333
7132	012	2017	0.05	1170	1	65	100	3	5	4	6051	4881	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5647.600098	4477.600098	4477.600098	0.933333
7132	014	1752	0.04	2412	1	65	100	3	4	3	5256	2844	RH-1	40	density-lim	3000			0.7	4	1	3	3	4905.600098	2493.600098	2493.600098	0.933333
7133	031	2053	0.05	1551	1	65	100	3	5	4	6159	4608	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5748.399902	4197.399902	4197.399902	0.933333
7134	016	5000	0.11	1199	1	65	100	3	11	10	15000	13801	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	14000	12801	12801	0.933333
7134	017	2500	0.06	1819	1	65	100	3	6	5	7500	5681	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5181	5181	0.933333
7134	019	1855	0.04	2418	1	65	100	3	4	3	5565	3147	RH-1	40	density-lim	3000			0.7	4	1	3	3	5194	2776	2776	0.933333
7134	020	1855	0.04	1640	1	65	100	3	4	3	5565	3925	RH-1	40	density-lim	3000			0.7	4	1	3	3	5194	3554	3554	0.933333
7134	020A	1856	0.04	1494	1	65	100	3	4	3	5568	4074	RH-1	40	density-lim	3000			0.7	4	1	3	3	5196.799805	3702.799805	3702.799805	0.933333
7134	021	2481	0.06	1025	1	65	100	3	6	5	7443	6418	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6946.799805	5921.799805	5921.799805	0.933333
7134	022	2482	0.06	1125	1	65	100	3	6	5	7446	6321	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	5824.600098	5824.600098	0.933333
7134	023	2482	0.06	1025	1	65	100	3	6	5	7446	6421	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	5924.600098	5924.600098	0.933333
7134	023A	1858	0.04	1025	1	65	100	3	4	3	5574	4549	RH-1	40	density-lim	3000			0.7	4	1	3	3	5202.399902	4177.399902	4177.399902	0.933333
7134	025	2055	0.05	1200	1	65	100	3	5	4	6165	4965	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5754	4554	4554	0.933333
7134	026	1974	0.05	1200	1	65	100	3	5	4	5922	4722	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5527.199707	4327.199707	4327.199707	0.933333
7134	027	2501	0.06	1200	1	65	100	3	6	5	7503	6303	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	5802.799805	5802.799805	0.933333
7134	028	3013	0.07	1200	1	65	100	3	7	6	9039	7839	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8436.399414	7236.399414	7236.399414	0.933333
7134	029	2892	0.07	2222	1	65	100	3	7	6	8676	6454	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8097.600098	5875.600098	5875.600098	0.933333
7134	030	2764	0.06	1200	1	65	100	3	6	5	8292	7092	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7739.199707	6539.199707	6539.199707	0.933333
7134	038	5000	0.11	630	1	65	100	3	11	10	15000	14370	RH-1	40	density-lim	3000			0.7	4	0.363636374	3	3	14000	13370	13370	0.933333
7135	012	2482	0.06	1093	1	65	100	3	6	5	7446	6353	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6949.600098	5856.600098	5856.600098	0.933333
7135	021	2500	0.06	4075	1	65	100	3	6	5	7500	3425	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	2925	2925	0.933333
7135	022	2500	0.06	4080	1	65	100	3	6	5	7500	3420	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	2920	2920	0.933333
7150	010	3499	0.08	1712	1	75	120	3.5	10	9	12246	10534	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9797.200195	8085.200195	8085.200195	0.800033
7150	011	3499	0.08	1210	1	75	120	3.5	10	9	12246	11036	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9797.200195	8587.200195	8587.200195	0.800033
7150	012	3499	0.08	1350	1	75	120	3.5	10	9	12246	10896	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9797.200195	8447.200195	8447.200195	0.800033
7150	013	3499	0.08	2577	1	75	120	3.5	10	9	12246	9669	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9797.200195	7220.200195	7220.200195	0.800033
7150	014	3582	0.08	1600	1	75	120	3.5	10	9	12537	10937	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	10029.59961	8429.599609	8429.599609	0.8
7150	015	3582	0.08	1625	1	75	120	3.5	10	9	12537	10912	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	10029.59961	8404.599609	8404.599609	0.8
7150	016	3500	0.08	800	1	75	120	3.5	10	9	12250	11450	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9800	9000	9000	0.8
7150	017	3500	0.08	1387	1	75	120	3.5	10	9	12250	10863	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9800	8413	8413	0.8
7150	018	3500	0.08	1087	1	75	120	3.5	10	9	12250	11163	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9800	8713	8713	0.8
7150	019	3500	0.08	1150	1	75	120	3.5	10	9	12250	11100	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9800	8650	8650	0.8
7150	020	976	0.02	728	1	75	120	3.5	2	1	3416	2688	RH-1	40	density-lim	3000			0.7	4	2	3	3	2732.800049	2004.800049	2004.800049	0.8
7150	021	2496	0.06	2256	1	75	120	3.5	7	6	8736	6480	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6988.799805	4732.799805	4732.799805	0.8
7150	022	2496	0.06	2258	1	75	120	3.5	7	6	8736	6478	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6988.799805	4730.799805	4730.799805	0.8
7150	023	2496	0.06	1433	1	75	120	3.5	7	6	8736	7303	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6988.799805	5555.799805	5555.799805	0.8
7150	024	2496	0.06	1833	1	75	120	3.5	7	6	8736	6903	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6988.799805	5155.799805	5155.799805	0.8
7150	025	2496	0.06	2258	1	75	120	3.5	7	6	8736	6478	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6988.799805	4730.799805	4730.799805	0.8
7150	026	2961	0.07	1853	1	75	120	3.5	8	7	10364	8511	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	8290.799805	6437.799805	6437.799805	0.799961
7150	028	2418	0.06	1691	1	75	120	3.5	7	6	8463	6772	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6770.399902	5079.399902	5079.399902	0.8
7150	029	2418	0.06	1755	1	75	120	3.5	7	6	8463	6708	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6770.399902	5015.399902	5015.399902	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7150	030	3437	0.08	1344	1	75	120	3.5	10	9	12030	10686	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9623.599609	8279.599609	8279.599609	0.799967
7150	031	3437	0.08	1500	1	75	120	3.5	10	9	12030	10530	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9623.599609	8123.599609	8123.599609	0.799967
7150	032	3438	0.08	1675	1	75	120	3.5	10	9	12033	10358	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9626.399414	7951.399414	7951.399414	0.8
7150	033	3438	0.08	1150	1	75	120	3.5	10	9	12033	10883	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9626.399414	8476.399414	8476.399414	0.8
7150	035	3358	0.08	1100	1	75	120	3.5	10	9	11753	10653	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9402.399414	8302.399414	8302.399414	0.8
7150	036	3358	0.08	1100	1	75	120	3.5	10	9	11753	10653	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9402.399414	8302.399414	8302.399414	0.8
7150	037	3441	0.08	2091	1	75	120	3.5	10	9	12044	9953	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9634.799805	7543.799805	7543.799805	0.799967
7150	038	3442	0.08	1418	1	75	120	3.5	10	9	12047	10629	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9637.599609	8219.599609	8219.599609	0.8
7150	039	3442	0.08	1540	1	75	120	3.5	10	9	12047	10507	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9637.599609	8097.599609	8097.599609	0.8
7150	040	3443	0.08	1100	1	75	120	3.5	10	9	12050	10950	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9640.399414	8540.399414	8540.399414	0.800033
7150	041	3443	0.08	1290	1	75	120	3.5	10	9	12050	10760	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9640.399414	8350.399414	8350.399414	0.800033
7150	042	3303	0.08	1353	1	75	120	3.5	10	9	11560	10207	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9248.399414	7895.399414	7895.399414	0.800035
7150	043	1699	0.04	1117	1	65	100	3	4	3	5097	3980	RH-1	40	density-lim	3000			0.7	4	1	3	3	4757.199707	3640.199707	3640.199707	0.933333
7150	043B	2703	0.06	1446	1	65	100	3	6	5	8109	6663	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7568.399902	6122.399902	6122.399902	0.933333
7150	043C	2609	0.06	1194	1	65	100	3	6	5	7827	6633	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7305.199707	6111.199707	6111.199707	0.933333
7151	011	2500	0.06	1088	1	75	120	3.5	7	6	8750	7662	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5912	5912	0.8
7151	012	2500	0.06	1467	1	75	120	3.5	7	6	8750	7283	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5533	5533	0.8
7151	013	2500	0.06	1454	1	75	120	3.5	7	6	8750	7296	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5546	5546	0.8
7151	014	2500	0.06	1300	1	75	120	3.5	7	6	8750	7450	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5700	5700	0.8
7151	015	2500	0.06	1150	1	75	120	3.5	7	6	8750	7600	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5850	5850	0.8
7151	016	2500	0.06	1150	1	75	120	3.5	7	6	8750	7600	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5850	5850	0.8
7151	017	2500	0.06	1000	1	75	120	3.5	7	6	8750	7750	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6000	6000	0.8
7151	018	2500	0.06	1000	1	75	120	3.5	7	6	8750	7750	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	6000	6000	0.8
7151	019	2500	0.06	1689	1	75	120	3.5	7	6	8750	7061	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5311	5311	0.8
7151	020	2500	0.06	1169	1	75	120	3.5	7	6	8750	7581	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5831	5831	0.8
7151	021	2500	0.06	1169	1	75	120	3.5	7	6	8750	7581	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5831	5831	0.8
7151	022	2494	0.06	1462	1	75	120	3.5	7	6	8729	7267	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6983.199707	5521.199707	5521.199707	0.8
7151	023	2217	0.05	1773	1	75	120	3.5	6	5	7760	5987	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6207.600098	4434.600098	4434.600098	0.799948
7126B	015	1729	0.04	1582	1	65	100	3	4	3	5187	3605	RH-1	40	density-lim	3000			0.7	4	1	3	3	4841.199707	3259.199707	3259.199707	0.933333
7126B	016	2283	0.05	1100	1	65	100	3	5	4	6849	5749	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6392.399902	5292.399902	5292.399902	0.933333
7126B	017	2459	0.06	1100	1	65	100	3	6	5	7377	6277	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6885.199707	5785.199707	5785.199707	0.933333
7126B	018	2458	0.06	1100	1	65	100	3	6	5	7374	6274	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6882.399902	5782.399902	5782.399902	0.933333
7126B	019	2457	0.06	1539	1	65	100	3	6	5	7371	5832	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6879.600098	5340.600098	5340.600098	0.933333
7126B	020	2461	0.06	1795	1	65	100	3	6	5	7383	5588	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6890.799805	5095.799805	5095.799805	0.933333
7126B	021	2454	0.06	1100	1	65	100	3	6	5	7362	6262	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6871.199707	5771.199707	5771.199707	0.933333
7126B	022	2453	0.06	1475	1	65	100	3	6	5	7359	5884	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6868.399902	5393.399902	5393.399902	0.933333
7126B	023	2452	0.06	1100	1	65	100	3	6	5	7356	6256	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6865.600098	5765.600098	5765.600098	0.933333
7126B	025	2289	0.05	1790	1	65	100	3	5	4	6867	5077	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6409.199707	4619.199707	4619.199707	0.933333
7126B	027	1875	0.04	1187	1	65	100	3	4	3	5625	4438	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4063	4063	0.933333
7126B	028	1875	0.04	1187	1	65	100	3	4	3	5625	4438	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4063	4063	0.933333
7126B	029	1689	0.04	1095	1	65	100	3	4	3	5067	3972	RH-1	40	density-lim	3000			0.7	4	1	3	3	4729.199707	3634.199707	3634.199707	0.933333
7126B	031	1694	0.04	1717	1	65	100	3	4	3	5082	3365	RH-1	40	density-lim	3000			0.7	4	1	3	3	4743.199707	3026.199707	3026.199707	0.933333
7126B	033	2869	0.07	1187	1	65	100	3	7	6	8607	7420	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8033.199707	6846.199707	6846.199707	0.933333
7127	010	3903	0.09	1600	1	65	100	3	9	8	11709	10109	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10928.39941	9328.399414	9328.399414	0.933333
7127	011	3003	0.07	1225	1	65	100	3	7	6	9009	7784	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8408.399414	7183.399414	7183.399414	0.933333
7127	013	3003	0.07	1377	1	65	100	3	7	6	9009	7632	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8408.399414	7031.399414	7031.399414	0.933333
7127	014	2503	0.06	1625	1	65	100	3	6	5	7509	5884	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7008.399902	5383.399902	5383.399902	0.933333
7127	015	2504	0.06	1451	1	65	100	3	6	5	7512	6061	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7011.199707	5560.199707	5560.199707	0.933333
7127	016	2504	0.06	1175	1	65	100	3	6	5	7512	6337	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7011.199707	5836.199707	5836.199707	0.933333
7127	017	2504	0.06	1125	1	65	100	3	6	5	7512	6387	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7011.199707	5886.199707	5886.199707	0.933333
7127	018	3757	0.09	1261	1	65	100	3	9	8	11271	10010	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10519.59961	9258.599609	9258.599609	0.933333
7127	020	3758	0.09	1826	1	65	100	3	9	8	11274	9448	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10522.39941	8696.399414	8696.399414	0.933333
7127	021	2506	0.06	1272	1	65	100	3	6	5	7518	6246	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7016.799805	5744.799805	5744.799805	0.933333
7133	008	2122	0.05	1025	1	65	100	3	5	4	6366	5341	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5941.600098	4916.600098	4916.600098	0.933333
7130	026	2693	0.06	1442	1	65	100	3	6	5	8079	6637	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7540.399902	6098.399902	6098.399902	0.933333
7130	027	2389	0.05	1162	1	65	100	3	5	4	7167	6005	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6689.199707	5527.199707	5527.199707	0.933333
7130	029	2500	0.06	1306	1	65	100	3	6	5	7500	6194	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5694	5694	0.933333
7130	030	2500	0.06	1393	1	65	100	3	6	5	7500	6107	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5607	5607	0.933333
7130	031	2500	0.06	1450	1	65	100	3	6	5	7500	6050	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5550	5550	0.933333
7130	032	2500	0.06	1432	1	65	100	3	6	5	7500	6068	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5568	5568	0.933333
7130	033	2500	0.06	1553	1	65	100	3	6	5	7500	5947	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5447	5447	0.933333
7130	034	2500	0.06	1719	1	65	100	3	6	5	7500	5781	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5281	5281	0.933333
7130	035	2500	0.06	1162	1	65	100	3	6	5	7500	6338	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5838	5838	0.933333
7130	036	2500	0.06	1162	1	65	100	3	6	5	7500	6338	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5838	5838	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7130	037	2500	0.06	1130	1	65	100	3	6	5	7500	6370	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5870	5870	0.933333
7130	038	2310	0.05	1092	1	65	100	3	5	4	6930	5838	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6468	5376	5376	0.933333
7132	002	1875	0.04	1050	1	65	100	3	4	3	5625	4575	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4200	4200	0.933333
7132	003	2500	0.06	1194	1	65	100	3	6	5	7500	6306	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5806	5806	0.933333
7132	004	2486	0.06	1496	1	65	100	3	6	5	7458	5962	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6960.799805	5464.799805	5464.799805	0.933333
7132	005	2151	0.05	2168	1	65	100	3	5	4	6453	4285	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6022.799805	3854.799805	3854.799805	0.933333
7132	006	1964	0.05	1424	1	65	100	3	5	4	5892	4468	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5499.199707	4075.199707	4075.199707	0.933333
7132	009	2796	0.06	1050	1	65	100	3	6	5	8388	7338	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7828.799805	6778.799805	6778.799805	0.933333
7132	010	2310	0.05	1915	1	65	100	3	5	4	6930	5015	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6468	4553	4553	0.933333
7133	007	2135	0.05	1483	1	65	100	3	5	4	6405	4922	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5978	4495	4495	0.933333
7133	009	2095	0.05	1458	1	65	100	3	5	4	6285	4827	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5866	4408	4408	0.933333
7133	010	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7133	011	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7133	012	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7133	013	2500	0.06	1025	1	65	100	3	6	5	7500	6475	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5975	5975	0.933333
7133	014	2500	0.06	1128	1	65	100	3	6	5	7500	6372	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5872	5872	0.933333
7133	015	2400	0.06	1087	1	65	100	3	6	5	7200	6113	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6720	5633	5633	0.933333
7133	016	1875	0.04	1463	1	65	100	3	4	3	5625	4162	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3787	3787	0.933333
7133	016A	1875	0.04	1025	1	65	100	3	4	3	5625	4600	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4225	4225	0.933333
7133	018	2675	0.06	950	1	65	100	3	6	5	8025	7075	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7490	6540	6540	0.933333
7133	019	2050	0.05	950	1	65	100	3	5	4	6150	5200	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5740	4790	4790	0.933333
7133	021	1895	0.04	1432	1	65	100	3	4	3	5685	4253	RH-1	40	density-lim	3000			0.7	4	1	3	3	5306	3874	3874	0.933333
7133	021A	1891	0.04	988	1	65	100	3	4	3	5673	4685	RH-1	40	density-lim	3000			0.7	4	1	3	3	5294.799805	4306.799805	4306.799805	0.933333
7133	022	2512	0.06	988	1	65	100	3	6	5	7536	6548	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7033.600098	6045.600098	6045.600098	0.933333
7133	024	2505	0.06	1375	1	65	100	3	6	5	7515	6140	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7014	5639	5639	0.933333
7133	025	2501	0.06	1000	1	65	100	3	6	5	7503	6503	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7002.799805	6002.799805	6002.799805	0.933333
7133	027	2493	0.06	1665	1	65	100	3	6	5	7479	5814	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6980.399902	5315.399902	5315.399902	0.933333
7133	029	1926	0.04	1025	1	65	100	3	4	3	5778	4753	RH-1	40	density-lim	3000			0.7	4	1	3	3	5392.799805	4367.799805	4367.799805	0.933333
7133	030	1997	0.05	1025	1	65	100	3	5	4	5991	4966	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	5591.600098	4566.600098	4566.600098	0.933333
7135	024	3467	0.08	1290	1	65	100	3	8	7	10401	9111	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9707.599609	8417.599609	8417.599609	0.933333
7135	041	2230	0.05	852	1	65	100	3	5	4	6690	5838	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6244	5392	5392	0.933333
7135	047	2698	0.06	1398	1	65	100	3	6	5	8094	6696	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7554.399902	6156.399902	6156.399902	0.933333
7136	015	1749	0.04	900	1	65	100	3	4	3	5247	4347	RH-1	40	density-lim	3000			0.7	4	1	3	3	4897.199707	3997.199707	3997.199707	0.933333
7136	017	2221	0.05	1200	1	65	100	3	5	4	6663	5463	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6218.799805	5018.799805	5018.799805	0.933333
7136	039	3000	0.07	1350	1	65	100	3	7	6	9000	7650	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	7050	7050	0.933333
7136	040	3000	0.07	1256	1	65	100	3	7	6	9000	7744	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8400	7144	7144	0.933333
7136	041	2817	0.06	1256	1	65	100	3	6	5	8451	7195	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7887.600098	6631.600098	6631.600098	0.933333
7136	042	2598	0.06	1256	1	65	100	3	6	5	7794	6538	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7274.399902	6018.399902	6018.399902	0.933333
7136	044	2996	0.07	1772	1	65	100	3	7	6	8988	7216	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	8388.799805	6616.799805	6616.799805	0.933333
7136	045	3404	0.08	1168	1	65	100	3	8	7	10212	9044	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9531.200195	8363.200195	8363.200195	0.933333
7136	046	2683	0.06	1215	1	65	100	3	6	5	8049	6834	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7512.399902	6297.399902	6297.399902	0.933333
7136	047	2827	0.06	1557	1	65	100	3	6	5	8481	6924	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7915.600098	6358.600098	6358.600098	0.933333
7136	048	3419	0.08	1544	1	65	100	3	8	7	10257	8713	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9573.200195	8029.200195	8029.200195	0.933333
7136	049	4011	0.09	1044	1	65	100	3	9	8	12033	10989	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	11230.7998	10186.7998	10186.7998	0.933333
7136	052	1750	0.04	1044	1	65	100	3	4	3	5250	4206	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3856	3856	0.933333
7136	053	1750	0.04	1044	1	65	100	3	4	3	5250	4206	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3856	3856	0.933333
7136	054	1750	0.04	1274	1	65	100	3	4	3	5250	3976	RH-1	40	density-lim	3000			0.7	4	1	3	3	4900	3626	3626	0.933333
7136	058	1742	0.04	1180	1	65	100	3	4	3	5226	4046	RH-1	40	density-lim	3000			0.7	4	1	3	3	4877.600098	3697.600098	3697.600098	0.933333
7136	059	3406	0.08	1694	1	65	100	3	8	7	10218	8524	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	9536.799805	7842.799805	7842.799805	0.933333
7136	061	2500	0.06	1909	1	65	100	3	6	5	7500	5591	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5091	5091	0.933333
7136	062	2500	0.06	1611	1	65	100	3	6	5	7500	5889	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5389	5389	0.933333
7149	001A	1875	0.04	1366	1	65	100	3	4	3	5625	4259	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3884	3884	0.933333
7149	001	1875	0.04	1366	1	65	100	3	4	3	5625	4259	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	3884	3884	0.933333
7149	002	2509	0.06	1025	1	65	100	3	6	5	7527	6502	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7025.199707	6000.199707	6000.199707	0.933333
7149	003	3629	0.08	2069	1	65	100	3	8	7	10887	8818	RH-1	40	density-lim	3000			0.7	4	0.5	3	3	10161.2002	8092.200195	8092.200195	0.933333
7149	006	2215	0.05	1006	1	75	120	3.5	6	5	7752	6746	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6202	5196	5196	0.800052
7149	007	2489	0.06	1006	1	75	120	3.5	7	6	8712	7706	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6969.199707	5963.199707	5963.199707	0.799954
7149	008	2503	0.06	1400	1	75	120	3.5	7	6	8760	7360	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7008.399902	5608.399902	5608.399902	0.800046
7149	009	2503	0.06	1400	1	75	120	3.5	7	6	8760	7360	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7008.399902	5608.399902	5608.399902	0.800046
7149	010	2502	0.06	1176	1	75	120	3.5	7	6	8757	7581	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7005.600098	5829.600098	5829.600098	0.8
7149	011	2502	0.06	1326	1	75	120	3.5	7	6	8757	7431	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7005.600098	5679.600098	5679.600098	0.8
7149	012	2502	0.06	1377	1	75	120	3.5	7	6	8757	7380	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7005.600098	5628.600098	5628.600098	0.8
7149	014	2101	0.05	1538	1	75	120	3.5	6	5	7354	5816	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5882.799805	4344.799805	4344.799805	0.799946
7149	015	2093	0.05	1006	1	75	120	3.5	6	5	7326	6320	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5860.399902	4854.399902	4854.399902	0.799945

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7149	015A	2086	0.05	1006	1	75	120	3.5	6	5	7301	6295	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5840.799805	4834.799805	4834.799805	0.8
7149	018	1875	0.04	1150	1	65	100	3	4	3	5625	4475	RH-1	40	density-lim	3000			0.7	4	1	3	3	5250	4100	4100	0.933333
7149	019	2539	0.06	1102	1	65	100	3	6	5	7617	6515	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7109.199707	6007.199707	6007.199707	0.933333
7150	002	2744	0.06	1075	1	65	100	3	6	5	8232	7157	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7683.199707	6608.199707	6608.199707	0.933333
7150	003	2749	0.06	1715	1	65	100	3	6	5	8247	6532	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7697.199707	5982.199707	5982.199707	0.933333
7150	004	2749	0.06	1525	1	65	100	3	6	5	8247	6722	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7697.199707	6172.199707	6172.199707	0.933333
7150	005	2749	0.06	1200	1	65	100	3	6	5	8247	7047	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7697.199707	6497.199707	6497.199707	0.933333
7150	006	3499	0.08	1200	1	75	120	3.5	10	9	12246	11046	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9797.200195	8597.200195	8597.200195	0.800033
7150	007	3499	0.08	2275	1	75	120	3.5	10	9	12246	9971	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9797.200195	7522.200195	7522.200195	0.800033
7150	008	3499	0.08	1150	1	75	120	3.5	10	9	12246	11096	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9797.200195	8647.200195	8647.200195	0.800033
7150	009	3499	0.08	1861	1	75	120	3.5	10	9	12246	10385	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9797.200195	7936.200195	7936.200195	0.800033
7150	045	2306	0.05	2081	1	65	100	3	5	4	6918	4837	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6456.799805	4375.799805	4375.799805	0.933333
7150	046	2363	0.05	828	1	65	100	3	5	4	7089	6261	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	6616.399902	5788.399902	5788.399902	0.933333
7150	047	3820	0.09	1295	1	65	100	3	9	8	11460	10165	RH-1	40	density-lim	3000			0.7	4	0.444444448	3	3	10696	9401	9401	0.933333
7151	004	2500	0.06	1475	1	65	100	3	6	5	7500	6025	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5525	5525	0.933333
7151	005	2500	0.06	1886	1	65	100	3	6	5	7500	5614	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5114	5114	0.933333
7151	006	2500	0.06	1318	1	65	100	3	6	5	7500	6182	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	7000	5682	5682	0.933333
7151	007	2500	0.06	1088	1	75	120	3.5	7	6	8750	7662	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5912	5912	0.8
7151	008	2500	0.06	1618	1	75	120	3.5	7	6	8750	7132	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5382	5382	0.8
7151	009	2500	0.06	1172	1	75	120	3.5	7	6	8750	7578	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5828	5828	0.8
7151	010	2500	0.06	1088	1	75	120	3.5	7	6	8750	7662	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5912	5912	0.8
7178	002	2680	0.06	1108	1	75	120	3.5	7	6	9380	8272	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7504	6396	6396	0.8
7178	003	3381	0.08	2395	1	75	120	3.5	10	9	11834	9439	RH-1	40	density-lim	3000			0.7	4	0.400000006	3	3	9466.799805	7071.799805	7071.799805	0.799966
7178	004	2631	0.06	879	1	75	120	3.5	7	6	9208	8329	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7366.799805	6487.799805	6487.799805	0.800043
7178	005	2031	0.05	2128	1	75	120	3.5	6	5	7108	4980	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	5686.799805	3558.799805	3558.799805	0.800056
7178	006	2398	0.06	2318	1	75	120	3.5	7	6	8393	6075	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	6714.399902	4396.399902	4396.399902	0.8
7178	007	2662	0.06	858	1	75	120	3.5	7	6	9317	8459	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7453.600098	6595.600098	6595.600098	0.8
7178	011	2242	0.05	3025	1	75	120	3.5	6	5	7847	4822	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6277.600098	3252.600098	3252.600098	0.8
7178	017	2299	0.05	3175	1	75	120	3.5	6	5	8046	4871	RH-1	40	density-lim	3000			0.7	4	0.666666687	3	3	6437.199707	3262.199707	3262.199707	0.80005
7179	003	2500	0.06	1219	1	75	120	3.5	7	6	8750	7531	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5781	5781	0.8
7179	004	2500	0.06	1185	1	75	120	3.5	7	6	8750	7565	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5815	5815	0.8
7179	005	5000	0.11	1156	1	75	120	3.5	13	12	17500	16344	RH-1	40	density-lim	3000			0.7	4	0.307692319	3	3	14000	12844	12844	0.8
7179	007	2500	0.06	1583	1	75	120	3.5	7	6	8750	7167	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5417	5417	0.8
7179	008	5000	0.11	1125	1	75	120	3.5	13	12	17500	16375	RH-1	40	density-lim	3000			0.7	4	0.307692319	3	3	14000	12875	12875	0.8
7179	010	2500	0.06	1162	1	75	120	3.5	7	6	8750	7588	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	5838	5838	0.8
7179	011	2500	0.06	2402	1	75	120	3.5	7	6	8750	6348	RH-1	40	density-lim	3000			0.7	4	0.571428597	3	3	7000	4598	4598	0.8
7179	019	1750	0.04	1098	1	75	120	3.5	5	4	6125	5027	RH-1	40	density-lim	3000			0.7	4	0.800000012	3	3	4900	3802	3802	0.8
7231	019A	1371	0.03	0	0	85	140	4	4	4	5484	5484	RH-1(D)	40	form-based			true	0.7	3	0.75	3	3	3838.800049	3838.800049	3838.800049	0.7
7295	008	3241	0.07	1379	1	65	100	3	7	6	9723	8344	RH-1(D)	40	density-lim	3000			0.7	4	0.571428597	3	3	9074.799805	7695.799805	7695.799805	0.933333
7295	009	3227	0.07	2745	1	65	100	3	7	6	9681	6936	RH-1(D)	40	density-lim	3000			0.7	4	0.571428597	3	3	9035.599609	6290.599609	6290.599609	0.933333
7295	031	3521	0.08	5095	1	65	100	3	8	7	10563	5468	RH-1(D)	40	density-lim	3000			0.7	4	0.5	3	3	9858.799805	4763.799805	4763.799805	0.933333
7303	001	2082	0.05	0	0	55	80	2.5	4	4	5205	5205	RM-1	40	density-lim	800			0.7	3	0.75	3	3	5829.600098	5829.600098	5829.600098	1.12
7349	001	2227	0.05	0	0	55	80	2.5	4	4	5568	5568	RM-1	40	density-lim	800			0.7	3	0.75	3	3	6235.600098	6235.600098	6235.600098	1.119899
7520	001	2140	0.05	3160	1	55	80	2.5	4	3	5350	2190	RH-1	40	form-based		true	true	0.7	4	1	3	3	5992	2832	2832	1.12
7520	005	1932	0.04	897	1	55	80	2.5	3	2	4830	3933	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5409.600098	4512.600098	4512.600098	1.12
7520	006	1932	0.04	3511	1	55	80	2.5	3	2	4830	1319	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5409.600098	1898.600098	1898.600098	1.12
7520	007	1834	0.04	3294	1	55	80	2.5	3	2	4585	1291	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5135.199707	1841.199707	1841.199707	1.12
7527	017	2463	0.06	1982	2	65	100	3	6	4	7389	5407	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	6896.399902	4914.399902	4914.399902	0.933333
7536	042	1794	0.04	3320	1	55	80	2.5	3	2	4485	1165	RH-2	40	form-based			true	0.7	4	1.333333373	3	3	5023.199707	1703.199707	1703.199707	1.12
7536	044	2340	0.05	1647	2	55	80	2.5	4	2	5850	4203	RH-2	40	form-based		true	true	0.7	5	1.25	3	3	6552	4905	4905	1.12
7537	002	2000	0.05	2850	1	55	80	2.5	4	3	5000	2150	RH-1	40	form-based			true	0.7	4	1	3	3	5600	2750	2750	1.12
7537	003	2000	0.05	2652	1	55	80	2.5	4	3	5000	2348	RH-1	40	form-based			true	0.7	4	1	3	3	5600	2948	2948	1.12
7548	027	2623	0.06	3578	3	75	120	3.5	7	4	9180	5602	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	7344.399902	3766.399902	3766.399902	0.800044
7535	104	1999	0.05	4672	1	55	80	2.5	4	3	4998	326	RM-1	40	form-based			true	0.7	4	1	3	3	5597.199707	925.199707	925.199707	1.119888
7535	105	2000	0.05	3699	1	55	80	2.5	4	3	5000	1301	RM-1	40	form-based			true	0.7	4	1	3	3	5600	1901	1901	1.12
7536	002	1950	0.04	1440	1	55	80	2.5	3	2	4875	3435	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5460	4020	4020	1.12
7536	003	1950	0.04	1544	1	55	80	2.5	3	2	4875	3331	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5460	3916	3916	1.12
7537	019	1734	0.04	393	1	55	80	2.5	3	2	4335	3942	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	4855.199707	4462.199707	4462.199707	1.12
7537	056	1912	0.04	950	1	55	80	2.5	3	2	4780	3830	RH-1	40	form-based			true	0.7	4	1.333333373	3	3	5353.600098	4403.600098	4403.600098	1.12
7538	023	1687	0.04	791	1	65	100	3	4	3	5061	4270	RH-1	40	form-based			true	0.7	4	1	3	3	4723.600098	3932.600098	3932.600098	0.933333
7538	024	1683	0.04	1368	1	65	100	3	4	3	5049	3681	RH-1	40	form-based			true	0.7	4	1	3	3	4712.399902	3344.399902	3344.399902	0.933333
7539	041	1475	0.03	0	0	55	80	2.5	2	2	3688	3688	RH-1	40	form-based			true	0.7	3	1.5	3	3	4130	4130	4130	1.119848
7547	007	1935	0.04	1570	1	65	100	3	4	3	5805	4235	RH-1	40	form-based			true	0.7	4	1	3	3	5418	3848	3848	0.933333
7547	008	2027	0.05	950	1	65	100	3	5	4	6081	5131	RH-1	40	form-based		true	true	0.7	4	0.800000012	3	3	5675.600098	4725.600098	4725.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7547	009	1892	0.04	1114	1	65	100	3	4	3	5676	4562	RH-1	40	form-based			true	0.7	4	1	3	3	5297.600098	4183.600098	4183.600098	0.933333
7548	013	1595	0.04	0	0	75	120	3.5	5	5	5582	5582	RH-1	40	form-based			true	0.7	3	0.600000024	3	3	4466	4466	4466	0.800072
7548	014	1981	0.05	2320	1	75	120	3.5	6	5	6934	4614	RH-1	40	form-based			true	0.7	4	0.666666687	3	3	5546.799805	3226.799805	3226.799805	0.799942
7549	002	2094	0.05	1166	1	65	100	3	5	4	6282	5116	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5863.199707	4697.199707	4697.199707	0.933333
7549	016	1992	0.05	1529	1	65	100	3	5	4	5976	4447	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5577.600098	4048.600098	4048.600098	0.933333
7550	001	1876	0.04	1272	1	65	100	3	4	3	5628	4356	RH-1	40	form-based		true	true	0.7	4	1	3	3	5252.799805	3980.799805	3980.799805	0.933333
7550	002	1876	0.04	1025	1	65	100	3	4	3	5628	4603	RH-1	40	form-based			true	0.7	4	1	3	3	5252.799805	4227.799805	4227.799805	0.933333
7550	003	1876	0.04	1025	1	65	100	3	4	3	5628	4603	RH-1	40	form-based			true	0.7	4	1	3	3	5252.799805	4227.799805	4227.799805	0.933333
7550	004	1982	0.05	1193	1	65	100	3	5	4	5946	4753	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5549.600098	4356.600098	4356.600098	0.933333
7550	005	1925	0.04	1253	1	65	100	3	4	3	5775	4522	RH-1	40	form-based		true	true	0.7	4	1	3	3	5390	4137	4137	0.933333
7550	006	2001	0.05	1253	1	65	100	3	5	4	6003	4750	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5602.799805	4349.799805	4349.799805	0.933333
7550	031	1853	0.04	1650	1	65	100	3	4	3	5559	3909	RH-1	40	form-based			true	0.7	4	1	3	3	5188.399902	3538.399902	3538.399902	0.933333
7551	012	1922	0.04	765	1	65	100	3	4	3	5766	5001	RH-1	40	form-based			true	0.7	4	1	3	3	5381.600098	4616.600098	4616.600098	0.933333
7551	106	2020	0.05	1412	1	65	100	3	5	4	6060	4648	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5656	4244	4244	0.933333
7551	107	2193	0.05	3037	2	65	100	3	5	3	6579	3542	RH-1	40	form-based			true	0.7	5	1	3	3	6140.399902	3103.399902	3103.399902	0.933333
7552	011	2071	0.05	1320	1	65	100	3	5	4	6213	4893	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5798.799805	4478.799805	4478.799805	0.933333
7552	012	2422	0.06	2420	2	65	100	3	6	4	7266	4846	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	6781.600098	4361.600098	4361.600098	0.933333
7552	018	1851	0.04	910	1	65	100	3	4	3	5553	4643	RH-1	40	form-based			true	0.7	4	1	3	3	5182.799805	4272.799805	4272.799805	0.933333
7552	019	1851	0.04	756	1	65	100	3	4	3	5553	4797	RH-1	40	form-based			true	0.7	4	1	3	3	5182.799805	4426.799805	4426.799805	0.933333
7552	020	1851	0.04	880	1	65	100	3	4	3	5553	4673	RH-1	40	form-based			true	0.7	4	1	3	3	5182.799805	4302.799805	4302.799805	0.933333
7552	021	1851	0.04	1136	1	65	100	3	4	3	5553	4417	RH-1	40	form-based		true	true	0.7	4	1	3	3	5182.799805	4046.799805	4046.799805	0.933333
7552	024	3061	0.07	4092	3	65	100	3	7	4	9183	5091	RH-1	40	form-based			true	0.7	6	0.857142866	3	3	8570.799805	4478.799805	4478.799805	0.933333
7553	006	2473	0.06	1750	2	65	100	3	6	4	7419	5669	RH-1	40	form-based			true	0.7	5	0.833333313	3	3	6924.399902	5174.399902	5174.399902	0.933333
7553	044	1758	0.04	1601	1	65	100	3	4	3	5274	3673	RH-1	40	form-based		true	true	0.7	4	1	3	3	4922.399902	3321.399902	3321.399902	0.933333
7553	046	2020	0.05	2113	1	65	100	3	5	4	6060	3947	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5656	3543	3543	0.933333
7553	048	2273	0.05	3467	2	65	100	3	5	3	6819	3352	RH-1	40	form-based			true	0.7	5	1	3	3	6364.399902	2897.399902	2897.399902	0.933333
7554	001	1924	0.04	2359	1	65	100	3	4	3	5772	3413	RH-1	40	form-based		true	true	0.7	4	1	3	3	5387.199707	3028.199707	3028.199707	0.933333
7554	002	1807	0.04	850	1	65	100	3	4	3	5421	4571	RH-1	40	form-based			true	0.7	4	1	3	3	5059.600098	4209.600098	4209.600098	0.933333
7554	025	1963	0.05	2434	1	65	100	3	5	4	5889	3455	RH-1	40	form-based			true	0.7	4	0.800000012	3	3	5496.399902	3062.399902	3062.399902	0.933333
7554	026	1910	0.04	2160	1	65	100	3	4	3	5730	3570	RH-1	40	form-based		true	true	0.7	4	1	3	3	5348	3188	3188	0.933333
7555	009	2254	0.05	1759	2	65	100	3	5	3	6762	5003	RH-1	40	form-based			true	0.7	5	1	3	3	6311.199707	4552.199707	4552.199707	0.933333
0025	004	1706	0.04	3750	4	65	100	3	4	0	5118	1368	NC-1	65	form-based			true	0.75	6	1.5	2	2	7677	3927	3927	1.5
0025	004C	2275	0.05	4134	3	65	100	3	5	2	6825	2691	RTO-C	40	form-based			true	0.75	5	1	2	2	6825	2691	2691	1
0026	043	2614	0.06	1211	3	65	100	3	6	3	7842	6631	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7319.199707	6108.199707	6108.199707	0.933333
0027	002	2013	0.05	2400	2	65	100	3	5	3	6039	3639	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5636.399902	3236.399902	3236.399902	0.933333
0027	017	1881	0.04	2716	2	65	100	3	4	2	5643	2927	RH-3	40	form-based			true	0.7	4	1	2	2	5266.799805	2550.799805	2550.799805	0.933333
0027	019	1925	0.04	2540	2	65	100	3	4	2	5775	3235	RH-3	40	form-based			true	0.7	4	1	2	2	5390	2850	2850	0.933333
0027	027	2538	0.06	3388	3	65	100	3	6	3	7614	4226	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7106.399902	3718.399902	3718.399902	0.933333
0027	030	4562	0.1	6919	8	65	100	3	10	2	13686	6767	RH-3	40	form-based			true	0.7	10	1	2	2	12773.59961	5854.599609	5854.599609	0.933333
0027	077	1925	0.04	3097	2	65	100	3	4	2	5775	2678	RH-3	40	form-based			true	0.7	4	1	2	2	5390	2293	2293	0.933333
0038	012	8406	0.19	1563	6	65	100	3	19	13	25218	23655	RH-3	40	density-lim	1000	true		0.7	8	0.421052635	2	2	23536.79883	21973.79883	21973.79883	0.933333
0039	007	840	0.02	1660	2	65	100	3	2	0	2520	860	RH-3	40	density-lim	1000			0.7	4	2	2	2	2352	692	692	0.933333
0039	008A	1109	0.03	2450	2	65	100	3	3	1	3327	877	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3105.199951	655.1999512	655.1999512	0.933333
0039	009	2363	0.05	2900	2	65	100	3	5	3	7089	4189	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6616.399902	3716.399902	3716.399902	0.933333
0039	013A	1576	0.04	3106	2	65	100	3	4	2	4728	1622	RH-3	40	density-lim	1000			0.7	4	1	2	2	4412.799805	1306.799805	1306.799805	0.933333
0039	018A	1037	0.02	2200	2	65	100	3	2	0	3111	911	RH-3	40	density-lim	1000			0.7	4	2	2	2	2903.599854	703.5998535	703.5998535	0.933333
0039	022	1586	0.04	1668	2	65	100	3	4	2	4758	3090	RM-3	40	density-lim	400			0.75	4	1	2	2	4758	3090	3090	1
0039	105	1202	0.03	1305	4	65	100	3	3	0	3606	2301	RH-3	40	density-lim	1000	true		0.7	6	2	2	2	3365.599854	2060.599854	2060.599854	0.933333
0041	004	1375	0.03	2990	6	65	100	3	3	0	4125	1135	C-2	85	form-based		true	true	0.8	8	2.666666746	2	0	8800	5810	5260	2.133333
0041	012	1375	0.03	836	1	65	100	3	3	2	4125	3289	NCD-NORT	40	density-lim	400			0.75	3	1	2	2	4125	3289	3289	1
0045	020	1361	0.03	1660	1	65	100	3	3	2	4083	2423	RH-3	40	form-based			true	0.7	3	1	2	2	3810.800049	2150.800049	2150.800049	0.933333
0044	003D	2530	0.06	4950	5	65	100	3	6	1	7590	2640	RH-3	50	form-based			true	0.7	7	1.166666627	2	2	8855	3905	3905	1.166667
0044	024	1717	0.04	3983	4	65	100	3	4	0	5151	1168	RTO-C	65	form-based		true	true	0.75	6	1.5	2	2	7726.5	3743.5	3743.5	1.5
0045	019	1361	0.03	2490	1	65	100	3	3	2	4083	1593	RH-3	40	form-based			true	0.7	3	1	2	2	3810.800049	1320.800049	1320.800049	0.933333
0048	016	9281	0.21	17782	17	55	80	2.5	17	0	23202	5420	RH-1(D)	40	form-based			true	0.7	19	1.117647052	2	2	25986.79883	8204.798828	8204.798828	1.120024
0049	010B	1890	0.04	2609	2	65	100	3	4	2	5670	3061	RH-3	40	form-based			true	0.7	4	1	2	2	5292	2683	2683	0.933333
0049	015	2297	0.05	1474	3	55	80	2.5	4	1	5742	4268	RH-3	40	form-based			true	0.7	5	1.25	2	2	6431.600098	4957.600098	4957.600098	1.120098
0049	018	2193	0.05	825	3	65	100	3	5	2	6579	5754	RH-3	40	form-based			true	0.7	5	1	2	2	6140.399902	5315.399902	5315.399902	0.933333
0049	023	2187	0.05	1346	3	55	80	2.5	4	1	5468	4122	RH-3	40	form-based		true	true	0.7	5	1.25	2	2	6123.600098	4777.600098	4777.600098	1.119898
0050	006	1444	0.03	3566	2	65	100	3	3	1	4332	766	RM-1	50	form-based			true	0.7	4	1.333333373	2	2	5054	1488	1488	1.166667
0050	006B	1444	0.03	2738	2	65	100	3	3	1	4332	1594	RM-1	50	form-based			true	0.7	4	1.333333373	2	2	5054	2316	2316	1.166667
0050	006C	1444	0.03	2738	2	65	100	3	3	1	4332	1594	RM-1	50	form-based			true	0.7	4	1.333333373	2	2	5054	2316	2316	1.166667
0050	008	1375	0.03	1480	2	65	100	3	3	1	4125	2645	RM-1	50	form-based			true	0.7	4	1.333333373	2	2	4812.5	3332.5	3332.5	1.166667
0050	016	1071	0.02	1932	1	65	100	3	2	1	3213	1281	RM-1	50	form-based		true	true	0.7	3	1.5	2	2	3748.5	1816.5	1816.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0050	016B	1071	0.02	1930	1	65	100	3	2	1	3213	1283	RM-1	50	form-based			true	0.7	3	1.5	2	2	3748.5	1818.5	1818.5	1.166667
0051	011	2524	0.06	2079	6	65	100	3	6	0	7572	5493	NCD-NORT	50	form-based			true	0.75	8	1.333333373	2	2	9465	7386	7386	1.25
0051	015	1085	0.02	1071	1	65	100	3	2	1	3255	2184	NCD-NORT	50	form-based			true	0.75	3	1.5	2	2	4068.75	2997.75	2997.75	1.25
0051	018	2536	0.06	6315	6	65	100	3	6	0	7608	1293	NCD-NORT	50	form-based			true	0.75	8	1.333333373	2	2	9510	3195	3195	1.25
0051	029	1993	0.05	3704	4	65	100	3	5	1	5979	2275	NCD-NORT	50	form-based			true	0.75	6	1.200000048	2	2	7473.75	3769.75	3769.75	1.25
0052	014	1558	0.04	3939	3	65	100	3	4	1	4674	735	NCD-NORT	50	form-based			true	0.75	5	1.25	2	2	5842.5	1903.5	1903.5	1.25
0052	016	1598	0.04	2460	2	65	100	3	4	2	4794	2334	NCD-NORT	40	density-lim	400			0.75	4	1	2	2	4794	2334	2334	1
0052	017	1604	0.04	2652	2	65	100	3	4	2	4812	2160	NCD-NORT	40	density-lim	400			0.75	4	1	2	2	4812	2160	2160	1
0052	137	2160	0.05	3168	3	65	100	3	5	2	6480	3312	NCD-NORT	40	density-lim	400			0.75	5	1	2	2	6480	3312	3312	1
0054	005	1371	0.03	2404	2	65	100	3	3	1	4113	1709	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3838.800049	1434.800049	1434.800049	0.933333
0054	011	1400	0.03	2814	2	65	100	3	3	1	4200	1386	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3920	1106	1106	0.933333
0054	020	1063	0.02	1530	2	65	100	3	2	0	3189	1659	RH-3	40	density-lim	1000			0.7	4	2	2	2	2976.399902	1446.399902	1446.399902	0.933333
0054	021	1065	0.02	2885	2	65	100	3	2	0	3195	310	RH-3	40	density-lim	1000			0.7	4	2	2	2	2982	97	97	0.933333
0054	028	1313	0.03	2500	4	65	100	3	3	0	3939	1439	RH-3	40	density-lim	1000	true		0.7	6	2	2	2	3676.399902	1176.399902	1176.399902	0.933333
0054	035	900	0.02	1536	2	65	100	3	2	0	2700	1164	RH-3	40	density-lim	1000			0.7	4	2	2	2	2520	984	984	0.933333
0054	037	1148	0.03	1980	2	65	100	3	3	1	3444	1464	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3214.399902	1234.399902	1234.399902	0.933333
0054	042	1530	0.04	3348	2	65	100	3	4	2	4590	1242	RH-3	40	density-lim	1000			0.7	4	1	2	2	4284	936	936	0.933333
0054	044	1463	0.03	2420	2	65	100	3	3	1	4389	1969	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	4096.399902	1676.399902	1676.399902	0.933333
0054	064	2360	0.05	2281	2	65	100	3	5	3	7080	4799	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6608	4327	4327	0.933333
0054	066	1347	0.03	1415	4	65	100	3	3	0	4041	2626	RH-3	40	density-lim	1000	true		0.7	6	2	2	2	3771.599854	2356.599854	2356.599854	0.933333
0054	081	1062	0.02	1050	2	65	100	3	2	0	3186	2136	RH-3	40	density-lim	1000			0.7	4	2	2	2	2973.599854	1923.599854	1923.599854	0.933333
0054	086	2021	0.05	1223	2	65	100	3	5	3	6063	4840	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5658.799805	4435.799805	4435.799805	0.933333
0055	007	2585	0.06	2552	2	65	100	3	6	4	7755	5203	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7238	4686	4686	0.933333
0061	001C	3284	0.08	5661	5	65	100	3	8	3	9852	4191	RH-3	40	form-based			true	0.7	7	0.875	2	2	9195.200195	3534.200195	3534.200195	0.933333
0061	002F	1788	0.04	2212	2	65	100	3	4	2	5364	3152	RH-3	40	form-based			true	0.7	4	1	2	2	5006.399902	2794.399902	2794.399902	0.933333
0061	002G	1788	0.04	2212	2	65	100	3	4	2	5364	3152	RH-3	40	form-based			true	0.7	4	1	2	2	5006.399902	2794.399902	2794.399902	0.933333
0061	002H	1788	0.04	2212	2	65	100	3	4	2	5364	3152	RH-3	40	form-based			true	0.7	4	1	2	2	5006.399902	2794.399902	2794.399902	0.933333
0061	002I	1817	0.04	2284	2	65	100	3	4	2	5451	3167	RH-3	40	form-based			true	0.7	4	1	2	2	5087.600098	2803.600098	2803.600098	0.933333
0061	002J	1833	0.04	2212	2	65	100	3	4	2	5499	3287	RH-3	40	form-based			true	0.7	4	1	2	2	5132.399902	2920.399902	2920.399902	0.933333
0061	006	1996	0.05	3719	2	65	100	3	5	3	5988	2269	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5588.799805	1869.799805	1869.799805	0.933333
0061	013	1718	0.04	2328	2	65	100	3	4	2	5154	2826	RH-3	40	form-based		true	true	0.7	4	1	2	2	4810.399902	2482.399902	2482.399902	0.933333
0061	026	2000	0.05	3600	2	65	100	3	5	3	6000	2400	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5600	2000	2000	0.933333
0061	037	1847	0.04	1002	2	65	100	3	4	2	5541	4539	RH-3	40	form-based		true	true	0.7	4	1	2	2	5171.600098	4169.600098	4169.600098	0.933333
0062	007	2157	0.05	2572	3	65	100	3	5	2	6471	3899	RH-3	40	form-based			true	0.7	5	1	2	2	6039.600098	3467.600098	3467.600098	0.933333
0062	010	1250	0.03	925	1	65	100	3	3	2	3750	2825	RH-3	40	form-based			true	0.7	3	1	2	2	3500	2575	2575	0.933333
0062	016	3781	0.09	6764	6	55	80	2.5	7	1	9452	2688	RH-3	40	form-based			true	0.7	8	1.142857194	2	2	10586.7998	3822.799805	3822.799805	1.120059
0062	019	1902	0.04	3680	2	55	80	2.5	3	1	4755	1075	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5325.600098	1645.600098	1645.600098	1.12
0062	026	4039	0.09	6759	6	65	100	3	9	3	12117	5358	RH-3	40	form-based			true	0.7	8	0.888888896	2	2	11309.2002	4550.200195	4550.200195	0.933333
0062	030	2188	0.05	2420	3	65	100	3	5	2	6564	4144	RH-3	40	form-based			true	0.7	5	1	2	2	6126.399902	3706.399902	3706.399902	0.933333
0062	043	4240	0.1	1048	7	65	100	3	10	3	12720	11672	RH-3	40	form-based			true	0.7	9	0.899999976	2	2	11872	10824	10824	0.933333
0063	010	3369	0.08	5734	5	55	80	2.5	6	1	8422	2688	RM-2	40	form-based			true	0.7	7	1.166666627	2	2	9433.200195	3699.200195	3699.200195	1.120067
0063	012	3323	0.08	5595	5	55	80	2.5	6	1	8308	2713	RM-2	40	form-based			true	0.7	7	1.166666627	2	2	9304.399414	3709.399414	3709.399414	1.119933
0063	018	2397	0.06	6426	3	55	80	2.5	5	2	5992	0	RM-2	40	form-based		true	true	0.7	5	1	2	2	6711.600098	285.6000977	285.6000977	1.120093
0063	022	2632	0.06	4219	4	55	80	2.5	5	1	6580	2361	RM-2	40	form-based			true	0.7	6	1.200000048	2	2	7369.600098	3150.600098	3150.600098	1.12
0063	026	2975	0.07	4806	4	55	80	2.5	6	2	7438	2632	RM-2	40	form-based			true	0.7	6	1	2	2	8330	3524	3524	1.119925
0063	027A	3139	0.07	4967	5	55	80	2.5	6	1	7848	2881	RM-2	40	form-based			true	0.7	7	1.166666627	2	2	8789.200195	3822.200195	3822.200195	1.119929
0063	039	1807	0.04	2940	2	55	80	2.5	3	1	4518	1578	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5059.600098	2119.600098	2119.600098	1.119876
0064	003	2521	0.06	4800	3	55	80	2.5	5	2	6302	1502	RM-2	40	form-based			true	0.7	5	1	2	2	7058.799805	2258.799805	2258.799805	1.120089
0064	004	2523	0.06	4650	3	55	80	2.5	5	2	6308	1658	RM-2	40	form-based			true	0.7	5	1	2	2	7064.399902	2414.399902	2414.399902	1.119911
0064	009	2888	0.07	5680	4	55	80	2.5	6	2	7220	1540	RM-2	40	form-based		true	true	0.7	6	1	2	2	8086.399902	2406.399902	2406.399902	1.12
0064	016A	2006	0.05	2600	4	55	80	2.5	4	0	5015	2415	RM-2	50	form-based			true	0.7	6	1.5	2	2	7021	4421	4421	1.4
0064	018	1610	0.04	3546	3	55	80	2.5	3	0	4025	479	RM-2	50	form-based			true	0.7	5	1.666666627	2	2	5635	2089	2089	1.4
0064	019	1610	0.04	3516	3	55	80	2.5	3	0	4025	509	RM-2	50	form-based			true	0.7	5	1.666666627	2	2	5635	2119	2119	1.4
0064	020	1610	0.04	4140	3	55	80	2.5	3	0	4025	0	RM-2	50	form-based			true	0.7	5	1.666666627	2	2	5635	1495	1495	1.4
0064	023	1530	0.04	2370	2	55	80	2.5	3	1	3825	1455	RM-2	50	form-based			true	0.7	4	1.333333373	2	2	5355	2985	2985	1.4
0064	025	1530	0.04	2424	2	55	80	2.5	3	1	3825	1401	RM-2	50	form-based			true	0.7	4	1.333333373	2	2	5355	2931	2931	1.4
0064	025A	1530	0.04	2424	2	55	80	2.5	3	1	3825	1401	RM-2	50	form-based			true	0.7	4	1.333333373	2	2	5355	2931	2931	1.4
0064	040	1566	0.04	1163	2	55	80	2.5	3	1	3915	2752	RM-2	50	form-based			true	0.7	4	1.333333373	2	2	5481	4318	4318	1.4
0065	005	2389	0.05	4668	5	55	80	2.5	4	0	5972	1304	RM-2	50	form-based			true	0.7	7	1.75	2	2	8361.5	3693.5	3693.5	1.400117
0065	016	1479	0.03	4416	4	55	80	2.5	2	0	3698	0	NCD-NORT	65	form-based			true	0.75	6	3	2	0	6655.5	2239.5	2239.5	1.799757
0066	017	1625	0.04	3420	3	55	80	2.5	3	0	4062	642	RM-1	50	form-based			true	0.7	5	1.666666627	2	2	5687.5	2267.5	2267.5	1.400172
0066	019	1625	0.04	4407	3	55	80	2.5	3	0	4062	0	RM-1	50	form-based		true	true	0.7	5	1.666666627	2	2	5687.5	1280.5	1280.5	1.400172
0066	022	1875	0.04	3990	3	55	80	2.5	3	0	4688	698	RM-1	50	form-based			true	0.7	5	1.666666627	2	2	6562.5	2572.5	2572.5	1.399851
0067	007	2058	0.05	3696	2	55	80	2.5	4	2	5145	1449	RH-3	40	form-based			true	0.7	4	1	2	2	5762.399902	2066.399902	2066.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0067	013A	1653	0.04	1896	1	55	80	2.5	3	2	4132	2236	RH-2	40	form-based			true	0.7	3	1	2	2	4628.399902	2732.399902	2732.399902	1.120136
0067	013F	1400	0.03	1570	1	55	80	2.5	2	1	3500	1930	RH-2	40	form-based			true	0.7	3	1.5	2	2	3920	2350	2350	1.12
0067	013H	1320	0.03	1542	1	55	80	2.5	2	1	3300	1758	RH-2	40	form-based			true	0.7	3	1.5	2	2	3696	2154	2154	1.12
0067	013K	1351	0.03	1824	1	55	80	2.5	2	1	3378	1554	RH-2	40	form-based			true	0.7	3	1.5	2	2	3782.800049	1958.800049	1958.800049	1.119834
0067	013L	1228	0.03	2115	1	55	80	2.5	2	1	3070	955	RH-2	40	form-based			true	0.7	3	1.5	2	2	3438.399902	1323.399902	1323.399902	1.12
0071	005E	2497	0.06	4179	5	55	80	2.5	5	0	6242	2063	RH-3	50	form-based			true	0.7	7	1.399999976	2	2	8739.5	4560.5	4560.5	1.400112
0071	011	3136	0.07	2920	7	55	80	2.5	6	0	7840	4920	RM-2	50	form-based			true	0.7	9	1.5	2	2	10976	8056	8056	1.4
0072	015	2313	0.05	2780	3	55	80	2.5	4	1	5782	3002	RM-1	40	form-based			true	0.7	5	1.25	2	2	6476.399902	3696.399902	3696.399902	1.120097
0072	022	4000	0.09	7392	6	55	80	2.5	7	1	10000	2608	RM-1	40	form-based		true	true	0.7	8	1.142857194	2	2	11200	3808	3808	1.12
0073	001A	1939	0.04	3734	3	55	80	2.5	3	0	4848	1114	RM-1	50	form-based			true	0.7	5	1.666666627	2	2	6786.5	3052.5	3052.5	1.399856
0073	002	1938	0.04	4062	3	55	80	2.5	3	0	4845	783	RM-1	50	form-based			true	0.7	5	1.666666627	2	2	6783	2721	2721	1.4
0073	002B	1937	0.04	4062	3	55	80	2.5	3	0	4842	780	RM-1	50	form-based			true	0.7	5	1.666666627	2	2	6779.5	2717.5	2717.5	1.400145
0073	005	1875	0.04	4305	3	55	80	2.5	3	0	4688	383	RM-1	50	form-based			true	0.7	5	1.666666627	2	2	6562.5	2257.5	2257.5	1.399851
0073	009A	3135	0.07	5651	5	55	80	2.5	6	1	7838	2187	RM-1	40	form-based			true	0.7	7	1.166666627	2	2	8778	3127	3127	1.119929
0073	017	2134	0.05	3240	2	55	80	2.5	4	2	5335	2095	RM-1	40	form-based			true	0.7	4	1	2	2	5975.199707	2735.199707	2735.199707	1.12
0074	004	1132	0.03	2280	2	55	80	2.5	2	0	2830	550	NCD-NORT	65	form-based			true	0.75	4	2	2	2	5094	2814	2814	1.8
0074	013	1238	0.03	3000	3	55	80	2.5	2	0	3095	95	NCD-NORT	65	form-based		true	true	0.75	5	2.5	2	1	5571	2571	2571	1.8
0074	028	1369	0.03	3432	3	55	80	2.5	2	0	3422	0	NCD-NORT	65	form-based			true	0.75	5	2.5	2	1	6160.5	2728.5	2728.5	1.800263
0074	040	1131	0.03	666	1	55	80	2.5	2	1	2828	2162	RM-2	50	form-based			true	0.7	3	1.5	2	2	3958.5	3292.5	3292.5	1.399752
0074	054	1138	0.03	1133	2	55	80	2.5	2	0	2845	1712	NCD-NORT	65	form-based		true	true	0.75	4	2	2	2	5121	3988	3988	1.8
0074	061	1641	0.04	4383	3	55	80	2.5	3	0	4102	0	RM-1	50	form-based			true	0.7	5	1.666666627	2	2	5743.5	1360.5	1360.5	1.400171
0074	062	1669	0.04	2566	3	55	80	2.5	3	0	4172	1606	RM-1	50	form-based			true	0.7	5	1.666666627	2	2	5841.5	3275.5	3275.5	1.400168
0076	007	1779	0.04	2768	2	55	80	2.5	3	1	4448	1680	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	4981.199707	2213.199707	2213.199707	1.119874
0076	016	1430	0.03	1730	2	55	80	2.5	2	0	3575	1845	RM-2	50	form-based			true	0.7	4	2	2	2	5005	3275	3275	1.4
0076	027	1912	0.04	2630	2	55	80	2.5	3	1	4780	2150	RM-2	40	form-based			true	0.7	4	1.333333373	2	2	5353.600098	2723.600098	2723.600098	1.12
0076	032	1932	0.04	2036	2	55	80	2.5	3	1	4830	2794	RM-2	40	form-based			true	0.7	4	1.333333373	2	2	5409.600098	3373.600098	3373.600098	1.12
0076	033A	2136	0.05	2702	2	55	80	2.5	4	2	5340	2638	RM-2	40	form-based			true	0.7	4	1	2	2	5980.799805	3278.799805	3278.799805	1.12
0076	058	1835	0.04	2098	2	55	80	2.5	3	1	4588	2490	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5138	3040	3040	1.119878
0077	003	1341	0.03	2676	1	55	80	2.5	2	1	3352	676	RH-3	40	form-based			true	0.7	3	1.5	2	2	3754.800049	1078.800049	1078.800049	1.120167
0077	015	1800	0.04	2016	2	55	80	2.5	3	1	4500	2484	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	5040	3024	3024	1.12
0077	019	1800	0.04	1520	2	55	80	2.5	3	1	4500	2980	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	5040	3520	3520	1.12
0077	025	2473	0.06	3660	3	55	80	2.5	5	2	6182	2522	RM-1	40	form-based			true	0.7	5	1	2	2	6924.399902	3264.399902	3264.399902	1.120091
0077	026	2473	0.06	3825	3	55	80	2.5	5	2	6182	2357	RM-1	40	form-based			true	0.7	5	1	2	2	6924.399902	3099.399902	3099.399902	1.120091
0077	027	2536	0.06	4125	3	55	80	2.5	5	2	6340	2215	RM-1	40	form-based			true	0.7	5	1	2	2	7100.799805	2975.799805	2975.799805	1.12
0077	037	2250	0.05	2924	3	55	80	2.5	4	1	5625	2701	RH-3	40	form-based			true	0.7	5	1.25	2	2	6300	3376	3376	1.12
0077	041	1800	0.04	2120	2	55	80	2.5	3	1	4500	2380	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	5040	2920	2920	1.12
0078	009	1211	0.03	2227	1	55	80	2.5	2	1	3028	801	RH-3	40	form-based			true	0.7	3	1.5	2	2	3390.800049	1163.800049	1163.800049	1.119815
0078	010	1204	0.03	1700	1	55	80	2.5	2	1	3010	1310	RH-3	40	form-based			true	0.7	3	1.5	2	2	3371.199951	1671.199951	1671.199951	1.12
0078	013	1581	0.04	1605	1	65	100	3	4	3	4743	3138	RH-3	40	form-based			true	0.7	3	0.75	2	2	4426.799805	2821.799805	2821.799805	0.933333
0078	018	791	0.02	2500	0	55	80	2.5	2	2	1978	0	RH-3	40	form-based			true	0.7	2	1	2	2	2214.800049	0	0	1.119717
0078	022	1610	0.04	1980	1	55	80	2.5	3	2	4025	2045	RH-3	40	form-based			true	0.7	3	1	2	2	4508	2528	2528	1.12
0078	024	1575	0.04	2070	1	55	80	2.5	3	2	3938	1868	RH-3	40	form-based			true	0.7	3	1	2	2	4410	2340	2340	1.119858
0078	037	1448	0.03	4683	1	55	80	2.5	2	1	3620	0	RH-3	40	form-based			true	0.7	3	1.5	2	2	4054.399902	0	0	1.12
0078	045	1631	0.04	472	1	65	100	3	4	3	4893	4421	RH-3	40	form-based			true	0.7	3	0.75	2	2	4566.799805	4094.799805	4094.799805	0.933333
0078	080	2405	0.06	1700	3	55	80	2.5	5	2	6012	4312	RH-3	40	form-based			true	0.7	5	1	2	2	6734	5034	5034	1.120093
0078	090	3110	0.07	1908	5	55	80	2.5	6	1	7775	5867	RH-3	40	form-based			true	0.7	7	1.166666627	2	2	8708	6800	6800	1.12
0079	006	1563	0.04	1850	1	65	100	3	4	3	4689	2839	RH-3	40	form-based			true	0.7	3	0.75	2	2	4376.399902	2526.399902	2526.399902	0.933333
0085	010	1560	0.04	1361	2	65	100	3	4	2	4680	3319	RH-3	40	density-lim	1000			0.7	4	1	2	2	4368	3007	3007	0.933333
0085	011	1795	0.04	1458	2	65	100	3	4	2	5385	3927	RH-3	40	density-lim	1000			0.7	4	1	2	2	5026	3568	3568	0.933333
0085	017	1243	0.03	3029	2	65	100	3	3	1	3729	700	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3480.399902	451.3999023	451.3999023	0.933333
0085	021	1406	0.03	4383	1	65	100	3	3	2	4218	0	RH-3	40	form-based			true	0.7	3	1	2	2	3936.800049	0	0	0.933333
0085	039	1931	0.04	1525	2	65	100	3	4	2	5793	4268	RH-3	40	density-lim	1000			0.7	4	1	2	2	5406.799805	3881.799805	3881.799805	0.933333
0085	049	1560	0.04	1800	2	65	100	3	4	2	4680	2880	RH-3	40	density-lim	1000			0.7	4	1	2	2	4368	2568	2568	0.933333
0085	057	1243	0.03	1150	2	65	100	3	3	1	3729	2579	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3480.399902	2330.399902	2330.399902	0.933333
0085	066	5950	0.14	534	4	65	100	3	14	10	17850	17316	RH-3	40	density-lim	1000			0.7	6	0.428571433	2	2	16660	16126	16126	0.933333
0086	001A	1959	0.04	1402	2	65	100	3	4	2	5877	4475	RH-3	40	form-based			true	0.7	4	1	2	2	5485.199707	4083.199707	4083.199707	0.933333
0086	001C	4572	0.1	7800	8	65	100	3	10	2	13716	5916	RH-3	40	form-based			true	0.7	10	1	2	2	12801.59961	5001.599609	5001.599609	0.933333
0086	002	2187	0.05	5215	3	65	100	3	5	2	6561	1346	RH-3	40	form-based			true	0.7	5	1	2	2	6123.600098	908.6000977	908.6000977	0.933333
0086	039	1856	0.04	2016	2	65	100	3	4	2	5568	3552	RH-3	40	form-based			true	0.7	4	1	2	2	5196.799805	3180.799805	3180.799805	0.933333
0086	014	5378	0.12	1276	9	65	100	3	12	3	16134	14858	RH-3	40	form-based			true	0.7	11	0.916666687	2	2	15058.39941	13782.39941	13782.39941	0.933333
0087	007B	2020	0.05	3204	2	55	80	2.5	4	2	5050	1846	RH-3	40	form-based			true	0.7	4	1	2	2	5656	2452	2452	1.12
0087	007E	2500	0.06	4025	3	55	80	2.5	5	2	6250	2225	RH-3	40	form-based			true	0.7	5	1	2	2	7000	2975	2975	1.12
0087	060	2398	0.06	829	3	55	80	2.5	5	2	5995	5166	RH-3	40	form-based			true	0.7	5	1	2	2	6714.399902	5885.399902	5885.399902	1.12
0087	073	2365	0.05	760	3	55	80	2.5	4	1	5912	5152	RH-3	40	form-based			true	0.7	5	1.25	2	2	6622	5862	5862	1.120095

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0088	010	3305	0.08	6084	5	55	80	2.5	6	1	8262	2178	RM-2	40	form-based			true	0.7	7	1.166666627	2	2	9254	3170	3170	1.120068
0088	012	1440	0.03	1200	1	55	80	2.5	2	1	3600	2400	RM-2	40	form-based			true	0.7	3	1.5	2	2	4032	2832	2832	1.12
0088	015	3152	0.07	6420	6	55	80	2.5	6	0	7880	1460	NCD-NORT	40	density-lim	400			0.75	8	1.333333373	2	2	9456	3036	3036	1.2
0088	018	2653	0.06	6066	5	55	80	2.5	5	0	6632	566	NCD-NORT	40	density-lim	400			0.75	7	1.399999976	2	2	7959	1893	1893	1.200091
0088	021	2706	0.06	6178	5	55	80	2.5	5	0	6765	587	NCD-NORT	40	density-lim	400			0.75	7	1.399999976	2	2	8118	1940	1940	1.2
0088	026	4730	0.11	6056	8	55	80	2.5	9	1	11825	5769	RM-2	40	form-based			true	0.7	10	1.111111164	2	2	13244	7188	7188	1.12
0088	037	1741	0.04	2466	2	55	80	2.5	3	1	4352	1886	RM-2	40	form-based			true	0.7	4	1.333333373	2	2	4874.799805	2408.799805	2408.799805	1.120129
0088	072	2549	0.06	625	3	55	80	2.5	5	2	6372	5747	RM-2	40	form-based			true	0.7	5	1	2	2	7137.199707	6512.199707	6512.199707	1.120088
0089	005	2003	0.05	4333	3	55	80	2.5	4	1	5008	675	NCD-NORT	40	density-lim	400			0.75	5	1.25	2	2	6009	1676	1676	1.19988
0089	013	2287	0.05	5250	3	55	80	2.5	4	1	5718	468	RM-1	40	form-based			true	0.7	5	1.25	2	2	6403.600098	1153.600098	1153.600098	1.119902
0089	022A	2183	0.05	4720	3	55	80	2.5	4	1	5458	738	RM-1	40	form-based			true	0.7	5	1.25	2	2	6112.399902	1392.399902	1392.399902	1.119897
0089	029	1924	0.04	3198	2	55	80	2.5	3	1	4810	1612	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5387.199707	2189.199707	2189.199707	1.12
0090	001	3325	0.08	10000	6	55	80	2.5	6	0	8312	0	NCD-NORT	40	density-lim	400	true		0.75	8	1.333333373	2	2	9975	0	0	1.200072
0090	002	1575	0.04	2425	2	55	80	2.5	3	1	3938	1513	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	2	2	4725	2300	2300	1.199848
0090	035	2310	0.05	3672	4	55	80	2.5	4	0	5775	2103	NCD-NORT	40	density-lim	400			0.75	6	1.5	2	2	6930	3258	3258	1.2
0091	017	2652	0.06	4542	4	55	80	2.5	5	1	6630	2088	RM-1	40	form-based			true	0.7	6	1.200000048	2	2	7425.600098	2883.600098	2883.600098	1.12
0091	028	1380	0.03	1239	1	55	80	2.5	2	1	3450	2211	RM-1	40	form-based			true	0.7	3	1.5	2	2	3864	2625	2625	1.12
0091	034	1385	0.03	1233	1	55	80	2.5	2	1	3462	2229	RM-1	40	form-based			true	0.7	3	1.5	2	2	3878	2645	2645	1.120162
0092	004	2946	0.07	4760	4	55	80	2.5	6	2	7365	2605	RM-1	40	form-based			true	0.7	6	1	2	2	8248.799805	3488.799805	3488.799805	1.12
0092	020	1200	0.03	940	1	55	80	2.5	2	1	3000	2060	RM-1	40	form-based			true	0.7	3	1.5	2	2	3360	2420	2420	1.12
0092	020A	1200	0.03	960	1	55	80	2.5	2	1	3000	2040	RM-1	40	form-based			true	0.7	3	1.5	2	2	3360	2400	2400	1.12
0092	035	2100	0.05	3100	2	55	80	2.5	4	2	5250	2150	RM-1	40	form-based			true	0.7	4	1	2	2	5880	2780	2780	1.12
0092	037	1382	0.03	2560	1	55	80	2.5	2	1	3455	895	RM-1	40	form-based		true	true	0.7	3	1.5	2	2	3869.599854	1309.599854	1309.599854	1.12
0093	003	1920	0.04	2864	2	55	80	2.5	3	1	4800	1936	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5376	2512	2512	1.12
0093	005A	3025	0.07	3810	4	55	80	2.5	6	2	7562	3752	RM-1	40	form-based			true	0.7	6	1	2	2	8470	4660	4660	1.120074
0093	008	2655	0.06	3712	4	55	80	2.5	5	1	6638	2926	RM-1	40	form-based			true	0.7	6	1.200000048	2	2	7434	3722	3722	1.119916
0093	009	1750	0.04	2824	2	55	80	2.5	3	1	4375	1551	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	4900	2076	2076	1.12
0093	016	2500	0.06	4817	3	55	80	2.5	5	2	6250	1433	RM-1	40	form-based			true	0.7	5	1	2	2	7000	2183	2183	1.12
0093	017	1875	0.04	3772	2	55	80	2.5	3	1	4688	916	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5250	1478	1478	1.119881
0093	027	2188	0.05	1380	3	55	80	2.5	4	1	5470	4090	RM-1	40	form-based			true	0.7	5	1.25	2	2	6126.399902	4746.399902	4746.399902	1.12
0094	034	2975	0.07	888	6	55	80	2.5	6	0	7438	6550	RM-2	50	form-based			true	0.7	8	1.333333373	2	2	10412.5	9524.5	9524.5	1.399906
0096	003	1540	0.04	2780	3	55	80	2.5	3	0	3850	1070	RH-3	65	form-based			true	0.7	5	1.666666627	2	2	6468	3688	3688	1.68
0096	010	1200	0.03	1820	2	65	100	3	3	1	3600	1780	RH-3	65	form-based			true	0.7	4	1.333333373	2	2	5040	3220	3220	1.4
0096	011	1200	0.03	1520	2	65	100	3	3	1	3600	2080	RH-3	65	form-based			true	0.7	4	1.333333373	2	2	5040	3520	3520	1.4
0096	017	1200	0.03	3600	3	55	80	2.5	2	0	3000	0	NC-1	65	form-based			true	0.75	5	2.5	2	1	5400	1800	1800	1.8
0096	019	1200	0.03	2312	2	55	80	2.5	2	0	3000	688	RH-3	65	form-based			true	0.7	4	2	2	2	5040	2728	2728	1.68
0096	020	1200	0.03	2392	2	65	100	3	3	1	3600	1208	RH-3	65	form-based			true	0.7	4	1.333333373	2	2	5040	2648	2648	1.4
0096	031	1150	0.03	2450	2	65	100	3	3	1	3450	1000	RH-3	65	form-based		true	true	0.7	4	1.333333373	2	2	4830	2380	2380	1.4
0096	032A	1150	0.03	2252	2	65	100	3	3	1	3450	1198	RH-3	65	form-based		true	true	0.7	4	1.333333373	2	2	4830	2578	2578	1.4
0096	034	1200	0.03	2200	2	65	100	3	3	1	3600	1400	RH-3	65	form-based			true	0.7	4	1.333333373	2	2	5040	2840	2840	1.4
0096	053	1200	0.03	1260	2	65	100	3	3	1	3600	2340	RH-3	65	form-based			true	0.7	4	1.333333373	2	2	5040	3780	3780	1.4
0096	059	1200	0.03	960	2	65	100	3	3	1	3600	2640	RH-3	65	form-based			true	0.7	4	1.333333373	2	2	5040	4080	4080	1.4
0097	001	1807	0.04	4038	4	55	80	2.5	3	0	4518	480	RH-3	65	form-based		true	true	0.7	6	2	2	2	7589.399902	3551.399902	3551.399902	1.679814
0097	017	1519	0.03	3615	3	55	80	2.5	2	0	3798	183	RH-3	65	form-based			true	0.7	5	2.5	2	1	6379.799805	2764.799805	2764.799805	1.679779
0097	056	1351	0.03	3195	3	55	80	2.5	2	0	3378	183	RH-3	65	form-based			true	0.7	5	2.5	2	1	5674.199707	2479.199707	2479.199707	1.679751
0098	014	2190	0.05	4120	3	55	80	2.5	4	1	5475	1355	RM-1	40	form-based			true	0.7	5	1.25	2	2	6132	2012	2012	1.12
0098	014A	2190	0.05	3675	3	55	80	2.5	4	1	5475	1800	RM-1	40	form-based			true	0.7	5	1.25	2	2	6132	2457	2457	1.12
0098	030	2815	0.06	1527	4	55	80	2.5	5	1	7038	5511	RM-1	40	form-based			true	0.7	6	1.200000048	2	2	7882	6355	6355	1.11992
0098	037	2637	0.06	422	4	55	80	2.5	5	1	6592	6170	RM-1	40	form-based			true	0.7	6	1.200000048	2	2	7383.600098	6961.600098	6961.600098	1.120085
0099	002	1768	0.04	2364	2	55	80	2.5	3	1	4420	2056	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	4950.399902	2586.399902	2586.399902	1.12
0099	003B	1921	0.04	2950	2	55	80	2.5	3	1	4802	1852	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5378.799805	2428.799805	2428.799805	1.120117
0099	005C	3432	0.08	5489	5	55	80	2.5	6	1	8580	3091	RM-2	40	form-based			true	0.7	7	1.166666627	2	2	9609.599609	4120.599609	4120.599609	1.12
0099	016	2126	0.05	2180	2	55	80	2.5	4	2	5315	3135	RM-1	40	form-based			true	0.7	4	1	2	2	5952.799805	3772.799805	3772.799805	1.12
0099	017	2748	0.06	2590	4	55	80	2.5	5	1	6870	4280	RM-1	40	form-based			true	0.7	6	1.200000048	2	2	7694.399902	5104.399902	5104.399902	1.12
0099	040	3435	0.08	1385	5	55	80	2.5	6	1	8588	7203	RM-2	40	form-based			true	0.7	7	1.166666627	2	2	9618	8233	8233	1.119935
0100	005	1800	0.04	3252	2	55	80	2.5	3	1	4500	1248	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5040	1788	1788	1.12
0100	027	2822	0.06	4730	4	55	80	2.5	5	1	7055	2325	RM-1	40	form-based		true	true	0.7	6	1.200000048	2	2	7901.600098	3171.600098	3171.600098	1.12
0100	027A	1778	0.04	2850	2	55	80	2.5	3	1	4445	1595	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	4978.399902	2128.399902	2128.399902	1.12
0100	037A	1931	0.04	2618	2	55	80	2.5	3	1	4828	2210	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5406.799805	2788.799805	2788.799805	1.119884
0100	045	4990	0.11	8646	8	55	80	2.5	9	1	12475	3829	RM-1	40	form-based			true	0.7	10	1.111111164	2	2	13972	5326	5326	1.12
0100	046	1926	0.04	1127	2	55	80	2.5	3	1	4815	3688	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5392.799805	4265.799805	4265.799805	1.12
0100	051	2389	0.05	912	3	55	80	2.5	4	1	5972	5060	RM-1	40	form-based			true	0.7	5	1.25	2	2	6689.199707	5777.199707	5777.199707	1.120094
0100	063	2810	0.06	1050	4	55	80	2.5	5	1	7025	5975	RM-1	40	form-based			true	0.7	6	1.200000048	2	2	7868	6818	6818	1.12
0100	070	1808	0.04	4633	2	55	80	2.5	3	1	4520	0	RM-1	40	form-based		true	true	0.7	4	1.333333373	2	2	5062.399902	429.3999023	429.3999023	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0101	013	2840	0.07	4334	3	55	80	2.5	6	3	7100	2766	RM-2	40	density-lim	600			0.7	5	0.833333313	2	2	7952	3618	3618	1.12
0101	021	4672	0.11	8019	6	55	80	2.5	9	3	11680	3661	RM-2	40	density-lim	600			0.7	8	0.888888896	2	2	13081.59961	5062.599609	5062.599609	1.12
0101	027	1966	0.05	1563	1	55	80	2.5	4	3	4915	3352	RM-2	40	density-lim	600			0.7	3	0.75	2	2	5504.799805	3941.799805	3941.799805	1.12
0103	032	2400	0.06	2340	2	55	80	2.5	5	3	6000	3660	RM-2	40	density-lim	600			0.7	4	0.800000012	2	2	6720	4380	4380	1.12
0104	004	1087	0.02	1938	2	55	80	2.5	2	0	2718	780	RH-3	40	density-lim	1000			0.7	4	2	2	2	3043.599854	1105.599854	1105.599854	1.119794
0104	005	1194	0.03	2130	2	55	80	2.5	2	0	2985	855	RH-3	40	density-lim	1000			0.7	4	2	2	2	3343.199951	1213.199951	1213.199951	1.12
0104	011	2156	0.05	3559	4	55	80	2.5	4	0	5390	1831	RH-3	40	density-lim	1000	true		0.7	6	1.5	2	2	6036.799805	2477.799805	2477.799805	1.12
0104	026	1310	0.03	460	1	55	80	2.5	2	1	3275	2815	NCD-NORT	40	density-lim	400	true		0.75	3	1.5	2	2	3930	3470	3470	1.2
0104	028	1328	0.03	1704	2	55	80	2.5	2	0	3320	1616	RH-3	40	density-lim	1000			0.7	4	2	2	2	3718.399902	2014.399902	2014.399902	1.12
0104	035	1170	0.03	2284	2	55	80	2.5	2	0	2925	641	RH-3	40	density-lim	1000			0.7	4	2	2	2	3276	992	992	1.12
0104	042	1200	0.03	1828	2	55	80	2.5	2	0	3000	1172	RH-3	40	density-lim	1000			0.7	4	2	2	2	3360	1532	1532	1.12
0104	043	1200	0.03	1800	2	55	80	2.5	2	0	3000	1200	RH-3	40	density-lim	1000			0.7	4	2	2	2	3360	1560	1560	1.12
0104	048	1150	0.03	2128	2	55	80	2.5	2	0	2875	747	RH-3	40	density-lim	1000			0.7	4	2	2	2	3220	1092	1092	1.12
0104	049	1150	0.03	1770	2	55	80	2.5	2	0	2875	1105	RH-3	40	density-lim	1000			0.7	4	2	2	2	3220	1450	1450	1.12
0104	054	1031	0.02	1924	2	55	80	2.5	2	0	2578	654	RH-3	40	density-lim	1000			0.7	4	2	2	2	2886.800049	962.8000488	962.8000488	1.119783
0104	055	1272	0.03	2024	2	55	80	2.5	2	0	3180	1156	RH-3	40	density-lim	1000			0.7	4	2	2	2	3561.599854	1537.599854	1537.599854	1.12
0104	055A	1261	0.03	2890	2	55	80	2.5	2	0	3152	262	RH-3	40	density-lim	1000			0.7	4	2	2	2	3530.800049	640.8000488	640.8000488	1.120178
0104	064	500	0.01	900	2	55	80	2.5	1	0	1250	350	RH-3	40	density-lim	1000			0.7	4	4	2	0	1400	500	500	1.12
0104	071	1205	0.03	2905	2	55	80	2.5	2	0	3012	107	RH-3	40	density-lim	1000			0.7	4	2	2	2	3374	469	469	1.120186
0105	009	800	0.02	1908	2	65	100	3	2	0	2400	492	RH-3	40	density-lim	1000			0.7	4	2	2	2	2240	332	332	0.933333
0105	013	1938	0.04	3256	4	65	100	3	4	0	5814	2558	RH-3	40	density-lim	1000	true		0.7	6	1.5	2	2	5426.399902	2170.399902	2170.399902	0.933333
0105	014	2500	0.06	4480	4	65	100	3	6	2	7500	3020	RH-3	40	density-lim	1000	true		0.7	6	1	2	2	7000	2520	2520	0.933333
0105	021	1789	0.04	2032	2	55	80	2.5	3	1	4472	2440	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	5009.199707	2977.199707	2977.199707	1.120125
0106	016	539	0.01	1620	2	65	100	3	1	0	1617	0	RH-3	40	density-lim	1000			0.7	4	4	2	0	1509.199951	0	0	0.933333
0106	017A	2188	0.05	3285	2	65	100	3	5	3	6564	3279	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6126.399902	2841.399902	2841.399902	0.933333
0106	017E	1019	0.02	1280	2	65	100	3	2	0	3057	1777	RH-3	40	density-lim	1000			0.7	4	2	2	2	2853.199951	1573.199951	1573.199951	0.933333
0106	018	1450	0.03	1782	2	65	100	3	3	1	4350	2568	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	4060	2278	2278	0.933333
0106	021	1188	0.03	2450	2	65	100	3	3	1	3564	1114	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3326.399902	876.3999023	876.3999023	0.933333
0106	033	1479	0.03	3351	2	65	100	3	3	1	4437	1086	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	4141.199707	790.199707	790.199707	0.933333
0113	014	1696	0.04	2220	2	65	100	3	4	2	5088	2868	RM-1	40	form-based			true	0.7	4	1	2	2	4748.799805	2528.799805	2528.799805	0.933333
0113	016	1574	0.04	2244	1	65	100	3	4	3	4722	2478	RM-1	40	form-based			true	0.7	3	0.75	2	2	4407.199707	2163.199707	2163.199707	0.933333
0113	044	2696	0.06	2199	2	65	100	3	6	4	8088	5889	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7548.799805	5349.799805	5349.799805	0.933333
0113	064	4221	0.1	1610	2	65	100	3	10	8	12663	11053	RH-3	40	density-lim	1000			0.7	4	0.400000006	2	2	11818.7998	10208.7998	10208.7998	0.933333
0114	005	2869	0.07	4000	4	65	100	3	7	3	8607	4607	RH-3	40	form-based		true	true	0.7	6	0.857142866	2	2	8033.199707	4033.199707	4033.199707	0.933333
0114	006	1406	0.03	1325	1	55	80	2.5	2	1	3515	2190	RH-3	40	form-based			true	0.7	3	1.5	2	2	3936.800049	2611.800049	2611.800049	1.12
0114	009	1231	0.03	2205	1	55	80	2.5	2	1	3078	873	RH-3	40	form-based			true	0.7	3	1.5	2	2	3446.800049	1241.800049	1241.800049	1.119818
0114	012	1841	0.04	1688	2	55	80	2.5	3	1	4602	2914	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5154.799805	3466.799805	3466.799805	1.120122
0114	013	1841	0.04	2724	2	55	80	2.5	3	1	4602	1878	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5154.799805	2430.799805	2430.799805	1.120122
0114	015	1645	0.04	3180	1	55	80	2.5	3	2	4112	932	RM-1	40	form-based			true	0.7	3	1	2	2	4606	1426	1426	1.120136
0114	027	1489	0.03	1721	1	55	80	2.5	2	1	3722	2001	RH-3	40	form-based			true	0.7	3	1.5	2	2	4169.199707	2448.199707	2448.199707	1.12015
0114	028	2740	0.06	4706	4	55	80	2.5	5	1	6850	2144	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7672	2966	2966	1.12
0114	028A	2578	0.06	3355	3	55	80	2.5	5	2	6445	3090	RH-3	40	form-based			true	0.7	5	1	2	2	7218.399902	3863.399902	3863.399902	1.12
0114	028B	2578	0.06	4820	3	55	80	2.5	5	2	6445	1625	RH-3	40	form-based			true	0.7	5	1	2	2	7218.399902	2398.399902	2398.399902	1.12
0114	053	1084	0.02	1750	0	55	80	2.5	2	2	2710	960	RH-3	40	form-based			true	0.7	2	1	2	2	3035.199951	1285.199951	1285.199951	1.12
0114	054	1413	0.03	802	1	55	80	2.5	2	1	3532	2730	RH-3	40	form-based			true	0.7	3	1.5	2	2	3956.399902	3154.399902	3154.399902	1.120159
0114	060	1745	0.04	800	2	65	100	3	4	2	5235	4435	RH-3	40	form-based			true	0.7	4	1	2	2	4886	4086	4086	0.933333
0114	073	1645	0.04	3253	1	55	80	2.5	3	2	4112	859	RM-1	40	form-based			true	0.7	3	1	2	2	4606	1353	1353	1.120136
0115	008A	840	0.02	1200	2	55	80	2.5	2	0	2100	900	RH-3	40	density-lim	1000			0.7	4	2	2	2	2352	1152	1152	1.12
0115	063	1190	0.03	340	4	55	80	2.5	2	0	2975	2635	RH-3	40	density-lim	1000	true		0.7	6	3	2	0	3332	2992	2992	1.12
0115	066	1050	0.02	600	4	55	80	2.5	2	0	2625	2025	RH-3	40	density-lim	1000	true		0.7	6	3	2	0	2940	2340	2340	1.12
0115	070	800	0.02	1200	2	55	80	2.5	2	0	2000	800	RH-3	40	density-lim	1000			0.7	4	2	2	2	2240	1040	1040	1.12
0115	071	800	0.02	2400	2	55	80	2.5	2	0	2000	0	RH-3	40	density-lim	1000			0.7	4	2	2	2	2240	0	0	1.12
0115	084	751	0.02	1470	2	55	80	2.5	2	0	1878	408	RH-3	40	density-lim	1000			0.7	4	2	2	2	2102.800049	632.8000488	632.8000488	1.119702
0115	085	849	0.02	1188	2	55	80	2.5	2	0	2122	934	RH-3	40	density-lim	1000			0.7	4	2	2	2	2377.199951	1189.199951	1189.199951	1.120264
0116	016	1860	0.04	4950	3	55	80	2.5	3	0	4650	0	NCD-NORT	40	density-lim	400			0.75	5	1.666666627	2	2	5580	630	630	1.2
0117	009	3320	0.08	6633	6	55	80	2.5	6	0	8300	1667	NCD-NORT	40	density-lim	400			0.75	8	1.333333373	2	2	9960	3327	3327	1.2
0117	014	1890	0.04	4516	3	55	80	2.5	3	0	4725	209	NCD-NORT	40	density-lim	400			0.75	5	1.666666627	2	2	5670	1154	1154	1.2
0117	015	1855	0.04	4260	3	55	80	2.5	3	0	4638	378	NCD-NORT	40	density-lim	400			0.75	5	1.666666627	2	2	5565	1305	1305	1.199871
0117	018	1859	0.04	3984	3	55	80	2.5	3	0	4648	664	NCD-NORT	40	density-lim	400			0.75	5	1.666666627	2	2	5577	1593	1593	1.199871
0117	021	1479	0.03	3134	2	55	80	2.5	2	0	3698	564	NCD-NORT	40	density-lim	400			0.75	4	2	2	2	4437	1303	1303	1.199838
0118	006	1562	0.04	1595	2	55	80	2.5	3	1	3905	2310	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	2	2	4686	3091	3091	1.2
0118	008	1562	0.04	2510	2	55	80	2.5	3	1	3905	1395	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	2	2	4686	2176	2176	1.2
0118	010	2925	0.07	5649	3	55	80	2.5	6	3	7312	1663	RM-2	40	density-lim	600			0.7	5	0.833333313	2	2	8190	2541	2541	1.120077
0118	021	3468	0.08	3636	4	55	80	2.5	6	2	8670	5034	RM-2	40	density-lim	600			0.7	6	1	2	2	9710.399414	6074.399414	6074.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0118	025	2435	0.06	3558	2	55	80	2.5	5	3	6088	2530	RM-2	40	density-lim	600			0.7	4	0.800000012	2	2	6818	3260	3260	1.119908
0119	003	2559	0.06	5280	3	55	80	2.5	5	2	6398	1118	RM-2	40	form-based		true	true	0.7	5	1	2	2	7165.199707	1885.199707	1885.199707	1.119912
0119	012	1444	0.03	2658	1	55	80	2.5	2	1	3610	952	RM-2	40	form-based			true	0.7	3	1.5	2	2	4043.199951	1385.199951	1385.199951	1.12
0119	019	5555	0.13	8332	10	55	80	2.5	10	0	13888	5556	RM-2	40	form-based			true	0.7	12	1.200000048	2	2	15554	7222	7222	1.11996
0119	031	2063	0.05	3120	2	55	80	2.5	4	2	5158	2038	RM-2	40	form-based			true	0.7	4	1	2	2	5776.399902	2656.399902	2656.399902	1.119891
0119	039	3360	0.08	5050	5	55	80	2.5	6	1	8400	3350	RM-2	40	form-based			true	0.7	7	1.166666627	2	2	9408	4358	4358	1.12
0119	041	3149	0.07	750	5	55	80	2.5	6	1	7872	7122	RM-2	40	form-based			true	0.7	7	1.166666627	2	2	8817.200195	8067.200195	8067.200195	1.120071
0120	016	1317	0.03	900	1	55	80	2.5	2	1	3292	2392	RM-2	40	form-based			true	0.7	3	1.5	2	2	3687.599854	2787.599854	2787.599854	1.12017
0120	018	995	0.02	2750	0	55	80	2.5	2	2	2488	0	RM-2	40	form-based			true	0.7	2	1	2	2	2786	36	36	1.119775
0120	021	2149	0.05	5345	3	55	80	2.5	4	1	5372	27	RM-2	40	form-based			true	0.7	5	1.25	2	2	6017.199707	672.199707	672.199707	1.120104
0120	025	1887	0.04	2760	2	55	80	2.5	3	1	4718	1958	RM-2	40	form-based			true	0.7	4	1.333333373	2	2	5283.600098	2523.600098	2523.600098	1.119881
0120	025A	1375	0.03	2588	1	55	80	2.5	2	1	3438	850	RM-2	40	form-based			true	0.7	3	1.5	2	2	3850	1262	1262	1.119837
0120	032	7082	0.16	980	13	55	80	2.5	13	0	17705	16725	RM-2	40	form-based			true	0.7	15	1.153846145	2	2	19829.59961	18849.59961	18849.59961	1.12
0120	066	2100	0.05	1509	2	55	80	2.5	4	2	5250	3741	RM-2	40	form-based		true	true	0.7	4	1	2	2	5880	4371	4371	1.12
0121	019	3032	0.07	4700	4	55	80	2.5	6	2	7580	2880	RM-2	40	form-based			true	0.7	6	1	2	2	8489.599609	3789.599609	3789.599609	1.12
0122	016	1250	0.03	2200	2	55	80	2.5	2	0	3125	925	RH-3	65	form-based			true	0.7	4	2	2	2	5250	3050	3050	1.68
0122	018	1563	0.04	4617	4	55	80	2.5	3	0	3908	0	NC-1	65	form-based		true	true	0.75	6	2	2	2	7033.5	2416.5	2416.5	1.79977
0122	027D	3175	0.07	7380	9	55	80	2.5	6	0	7938	558	RH-3	65	form-based			true	0.7	11	1.833333373	2	2	13335	5955	5955	1.679894
0122	066	1302	0.03	260	3	55	80	2.5	2	0	3255	2995	RH-3	65	form-based			true	0.7	5	2.5	2	1	5468.399902	5208.399902	5208.399902	1.68
0123	028	1200	0.03	2238	2	55	80	2.5	2	0	3000	762	RH-3	65	form-based			true	0.7	4	2	2	2	5040	2802	2802	1.68
0122	077	1250	0.03	996	2	55	80	2.5	2	0	3125	2129	RH-3	65	form-based			true	0.7	4	2	2	2	5250	4254	4254	1.68
0123	001	1474	0.03	2932	4	55	80	2.5	2	0	3685	753	NC-1	65	form-based		true	true	0.75	6	3	2	0	6633	3701	3701	1.8
0123	007	1200	0.03	1512	2	65	100	3	3	1	3600	2088	RH-2	65	form-based			true	0.7	4	1.333333373	2	2	5040	3528	3528	1.4
0123	011	1100	0.03	1520	2	65	100	3	3	1	3300	1780	RH-2	65	form-based		true	true	0.7	4	1.333333373	2	2	4620	3100	3100	1.4
0123	013	1200	0.03	1760	2	65	100	3	3	1	3600	1840	RH-2	65	form-based			true	0.7	4	1.333333373	2	2	5040	3280	3280	1.4
0123	014	1200	0.03	1400	2	65	100	3	3	1	3600	2200	RH-2	65	form-based			true	0.7	4	1.333333373	2	2	5040	3640	3640	1.4
0123	015	1200	0.03	2906	2	65	100	3	3	1	3600	694	RH-2	65	form-based			true	0.7	4	1.333333373	2	2	5040	2134	2134	1.4
0123	017	1200	0.03	1424	2	65	100	3	3	1	3600	2176	RH-2	65	form-based			true	0.7	4	1.333333373	2	2	5040	3616	3616	1.4
0123	021	1203	0.03	2760	3	55	80	2.5	2	0	3008	248	NC-1	65	form-based		true	true	0.75	5	2.5	2	1	5413.5	2653.5	2653.5	1.799701
0123	024	1202	0.03	2970	3	55	80	2.5	2	0	3005	35	NC-1	65	form-based			true	0.75	5	2.5	2	1	5409	2439	2439	1.8
0123	027	1200	0.03	1800	2	55	80	2.5	2	0	3000	1200	RH-3	65	form-based			true	0.7	4	2	2	2	5040	3240	3240	1.68
0123	029	1200	0.03	2084	2	65	100	3	3	1	3600	1516	RH-3	65	form-based			true	0.7	4	1.333333373	2	2	5040	2956	2956	1.4
0123	032	1200	0.03	1940	2	65	100	3	3	1	3600	1660	RH-3	65	form-based			true	0.7	4	1.333333373	2	2	5040	3100	3100	1.4
0123	033	1200	0.03	1900	2	65	100	3	3	1	3600	1700	RH-3	65	form-based			true	0.7	4	1.333333373	2	2	5040	3140	3140	1.4
0123	034	1200	0.03	2068	2	65	100	3	3	1	3600	1532	RH-3	65	form-based			true	0.7	4	1.333333373	2	2	5040	2972	2972	1.4
0123	035	1200	0.03	2000	2	65	100	3	3	1	3600	1600	RH-3	65	form-based			true	0.7	4	1.333333373	2	2	5040	3040	3040	1.4
0123	036	1240	0.03	2730	2	65	100	3	3	1	3720	990	RH-3	65	form-based		true	true	0.7	4	1.333333373	2	2	5208	2478	2478	1.4
0123	036A	1160	0.03	1800	2	65	100	3	3	1	3480	1680	RH-2	65	form-based		true	true	0.7	4	1.333333373	2	2	4872	3072	3072	1.4
0123	038	2358	0.05	6390	6	65	100	3	5	0	7074	684	RH-3	65	form-based			true	0.7	8	1.600000024	2	2	9903.599609	3513.599609	3513.599609	1.4
0123	047	1557	0.04	2363	3	65	100	3	4	1	4671	2308	RH-3	65	form-based		true	true	0.7	5	1.25	2	2	6539.399902	4176.399902	4176.399902	1.4
0123	049	1798	0.04	4875	4	65	100	3	4	0	5394	519	RH-3	65	form-based			true	0.7	6	1.5	2	2	7551.600098	2676.600098	2676.600098	1.4
0123	052	1605	0.04	4000	4	65	100	3	4	0	4815	815	RH-3	65	form-based		true	true	0.7	6	1.5	2	2	6741	2741	2741	1.4
0123	057	1393	0.03	3654	3	65	100	3	3	0	4179	525	RH-3	65	form-based			true	0.7	5	1.666666627	2	2	5850.600098	2196.600098	2196.600098	1.4
0123	060	1391	0.03	3732	3	65	100	3	3	0	4173	441	RH-3	65	form-based			true	0.7	5	1.666666627	2	2	5842.199707	2110.199707	2110.199707	1.4
0123	062	2778	0.06	8652	8	65	100	3	6	0	8334	0	RH-3	65	form-based			true	0.7	10	1.666666627	2	2	11667.59961	3015.599609	3015.599609	1.4
0123	077	1571	0.04	1245	3	65	100	3	4	1	4713	3468	RH-3	65	form-based			true	0.7	5	1.25	2	2	6598.199707	5353.199707	5353.199707	1.4
0123	091	1200	0.03	960	2	65	100	3	3	1	3600	2640	RH-2	65	form-based			true	0.7	4	1.333333373	2	2	5040	4080	4080	1.4
0123	101	1390	0.03	400	3	65	100	3	3	0	4170	3770	RH-3	65	form-based			true	0.7	5	1.666666627	2	2	5838	5438	5438	1.4
0124	002	2187	0.05	4575	6	55	80	2.5	4	0	5468	893	RM-1	65	form-based			true	0.7	8	2	2	2	9185.399414	4610.399414	4610.399414	1.679846
0124	009	2362	0.05	5088	6	65	100	3	5	0	7086	1998	RH-3	65	form-based			true	0.7	8	1.600000024	2	2	9920.399414	4832.399414	4832.399414	1.4
0124	011	1563	0.04	3753	3	65	100	3	4	1	4689	936	RH-3	65	form-based			true	0.7	5	1.25	2	2	6564.600098	2811.600098	2811.600098	1.4
0124	021	1057	0.02	1880	2	65	100	3	2	0	3171	1291	RH-2	65	form-based			true	0.7	4	2	2	2	4439.399902	2559.399902	2559.399902	1.4
0125	005	2500	0.06	6656	7	55	80	2.5	5	0	6250	0	RH-3	65	form-based			true	0.7	9	1.799999952	2	2	10500	3844	3844	1.68
0125	005A	2500	0.06	6750	7	55	80	2.5	5	0	6250	0	RH-3	65	form-based			true	0.7	9	1.799999952	2	2	10500	3750	3750	1.68
0125	012	1257	0.03	2700	2	55	80	2.5	2	0	3142	442	RM-1	65	form-based			true	0.7	4	2	2	2	5279.399902	2579.399902	2579.399902	1.680267
0126	003	3300	0.08	6660	2	55	80	2.5	6	4	8250	1590	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	9240	2580	2580	1.12
0126	010	3438	0.08	2800	2	55	80	2.5	6	4	8595	5795	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9626.399414	6826.399414	6826.399414	1.12
0126	012	3415	0.08	3172	2	55	80	2.5	6	4	8538	5366	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9562	6390	6390	1.119934
0126	013	3781	0.09	3345	2	55	80	2.5	7	5	9452	6107	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	10586.7998	7241.799805	7241.799805	1.120059
0126	015	3438	0.08	2890	2	55	80	2.5	6	4	8595	5705	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9626.399414	6736.399414	6736.399414	1.12
0126	017	2738	0.06	2812	2	55	80	2.5	5	3	6845	4033	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7666.399902	4854.399902	4854.399902	1.12
0126	050	2708	0.06	1620	2	55	80	2.5	5	3	6770	5150	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7582.399902	5962.399902	5962.399902	1.12
0126	055	1100	0.03	849	2	55	80	2.5	2	0	2750	1901	RH-2	40	density-lim	1500			0.7	4	2	2	2	3080	2231	2231	1.12
0126	057	1913	0.04	1552	2	55	80	2.5	3	1	4782	3230	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	5356.399902	3804.399902	3804.399902	1.120117

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0126	059	3025	0.07	1467	2	55	80	2.5	6	4	7562	6095	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8470	7003	7003	1.120074
0126	063	2738	0.06	6063	2	55	80	2.5	5	3	6845	782	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7666.399902	1603.399902	1603.399902	1.12
0127	006	4102	0.09	2742	2	55	80	2.5	7	5	10255	7513	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	11485.59961	8743.599609	8743.599609	1.12
0128	003A	1697	0.04	1350	2	55	80	2.5	3	1	4242	2892	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4751.600098	3401.600098	3401.600098	1.120132
0128	006	1540	0.04	2158	2	55	80	2.5	3	1	3850	1692	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4312	2154	2154	1.12
0128	010	2733	0.06	3660	2	55	80	2.5	5	3	6832	3172	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7652.399902	3992.399902	3992.399902	1.120082
0129	002D	2557	0.06	3700	4	55	80	2.5	5	1	6392	2692	NCD-NORT	40	density-lim	400			0.75	6	1.200000048	2	2	7671	3971	3971	1.200094
0130	013	1171	0.03	1083	1	55	80	2.5	2	1	2928	1845	NCD-NORT	40	density-lim	400			0.75	3	1.5	2	2	3513	2430	2430	1.199795
0130	037	2980	0.07	5754	5	55	80	2.5	6	1	7450	1696	NCD-NORT	40	density-lim	400			0.75	7	1.166666627	2	2	8940	3186	3186	1.2
0131	017	2547	0.06	9246	4	55	80	2.5	5	1	6368	0	NCD-NORT	40	density-lim	400			0.75	6	1.200000048	2	2	7641	0	0	1.199906
0133	009	1750	0.04	874	2	55	80	2.5	3	1	4375	3501	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	4900	4026	4026	1.12
0133	016	2750	0.06	3010	4	55	80	2.5	5	1	6875	3865	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7700	4690	4690	1.12
0133	019	2750	0.06	4098	4	55	80	2.5	5	1	6875	2777	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7700	3602	3602	1.12
0133	022	1891	0.04	2756	2	55	80	2.5	3	1	4728	1972	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	5294.799805	2538.799805	2538.799805	1.119882
0134	007	2120	0.05	2000	2	55	80	2.5	4	2	5300	3300	RM-1	40	form-based			true	0.7	4	1	2	2	5936	3936	3936	1.12
0134	013	1562	0.04	970	1	55	80	2.5	3	2	3905	2935	RH-3	40	form-based			true	0.7	3	1	2	2	4373.600098	3403.600098	3403.600098	1.12
0141	012	1237	0.03	1172	0	65	100	3	3	3	3711	2539	C-2	65	density-lim	800			0.8	2	0.666666687	2	2	5937.600098	4765.600098	4765.600098	1.6
0143	013	883	0.02	1775	2	55	80	2.5	2	0	2208	433	RH-3	40	density-lim	1000			0.7	4	2	2	2	2472.399902	697.3999023	697.3999023	1.119746
0143	014	883	0.02	1815	2	55	80	2.5	2	0	2208	393	RH-3	40	density-lim	1000			0.7	4	2	2	2	2472.399902	657.3999023	657.3999023	1.119746
0143	018	602	0.01	1082	2	55	80	2.5	1	0	1505	423	RH-3	40	density-lim	1000			0.7	4	4	2	0	1685.599976	603.5999756	603.5999756	1.12
0143	024	1231	0.03	3675	4	55	80	2.5	2	0	3078	0	RH-3	40	density-lim	1000	true		0.7	6	3	2	0	3446.800049	0	0	1.119818
0143	027	1149	0.03	2460	2	55	80	2.5	2	0	2872	412	RH-3	40	density-lim	1000			0.7	4	2	2	2	3217.199951	757.1999512	757.1999512	1.120195
0143	028	1096	0.03	1932	2	55	80	2.5	2	0	2740	808	RH-3	40	density-lim	1000			0.7	4	2	2	2	3068.800049	1136.800049	1136.800049	1.12
0143	033	1249	0.03	2236	4	55	80	2.5	2	0	3122	886	RH-3	40	density-lim	1000	true		0.7	6	3	2	0	3497.199951	1261.199951	1261.199951	1.120179
0143	041	1300	0.03	1448	2	65	100	3	3	1	3900	2452	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3640	2192	2192	0.933333
0144	002	1193	0.03	1600	2	55	80	2.5	2	0	2982	1382	RH-3	40	density-lim	1000			0.7	4	2	2	2	3340.399902	1740.399902	1740.399902	1.120188
0144	031	1032	0.02	1760	2	55	80	2.5	2	0	2580	820	RH-3	40	density-lim	1000			0.7	4	2	2	2	2889.599854	1129.599854	1129.599854	1.12
0145	016	2013	0.05	3674	1	55	80	2.5	4	3	5032	1358	RM-1	40	density-lim	800			0.7	3	0.75	2	2	5636.399902	1962.399902	1962.399902	1.120111
0146	001	5076	0.12	20640	11	55	80	2.5	10	0	12690	0	NCD-NORT	40	density-lim	400	true		0.75	13	1.299999952	2	2	15228	0	0	1.2
0146	014	874	0.02	0	0	65	100	3	2	2	2622	2622	NCD-NORT	40	density-lim	400			0.75	2	1	2	2	2622	2622	2622	1
0146	029	784	0.02	1554	0	65	100	3	2	2	2352	798	NCD-BROA	65	density-lim	400			0.75	2	1	2	2	3528	1974	1974	1.5
0147	004	1988	0.05	5783	3	65	100	3	5	2	5964	181	NCD-NORT	40	density-lim	400			0.75	5	1	2	2	5964	181	181	1
0147	008A	3717	0.09	7125	17	65	100	3	9	0	11151	4026	CCB	65	density-lim	200			0.75	19	2.111111164	2	1	16726.5	9601.5	9601.5	1.5
0147	016	947	0.02	1890	0	55	80	2.5	2	2	2368	478	NCD-NORT	40	density-lim	400			0.75	2	1	2	2	2841	951	951	1.199747
0148	009	4730	0.11	6543	6	55	80	2.5	9	3	11825	5282	RM-2	40	density-lim	600			0.7	8	0.888888896	2	2	13244	6701	6701	1.12
0148	010	4730	0.11	5892	6	55	80	2.5	9	3	11825	5933	RM-2	40	density-lim	600			0.7	8	0.888888896	2	2	13244	7352	7352	1.12
0148	034	4730	0.11	1260	6	55	80	2.5	9	3	11825	10565	RM-2	40	density-lim	600			0.7	8	0.888888896	2	2	13244	11984	11984	1.12
0149	004A	2423	0.06	3341	2	55	80	2.5	5	3	6058	2717	RM-2	40	density-lim	600			0.7	4	0.800000012	2	2	6784.399902	3443.399902	3443.399902	1.119907
0150	004	6600	0.15	3073	2	55	80	2.5	12	10	16500	13427	RH-2	40	density-lim	1500			0.7	4	0.333333343	2	2	18480	15407	15407	1.12
0150	016	1465	0.03	2200	2	55	80	2.5	2	0	3662	1462	RH-2	40	density-lim	1500			0.7	4	2	2	2	4102	1902	1902	1.120153
0150	057	2205	0.05	2189	2	55	80	2.5	4	2	5512	3323	RH-2	40	density-lim	1500			0.7	4	1	2	2	6174	3985	3985	1.120102
0150	059	2139	0.05	2425	2	55	80	2.5	4	2	5348	2923	RH-2	40	density-lim	1500			0.7	4	1	2	2	5989.199707	3564.199707	3564.199707	1.119895
0150	061	2146	0.05	2918	2	55	80	2.5	4	2	5365	2447	RH-2	40	density-lim	1500			0.7	4	1	2	2	6008.799805	3090.799805	3090.799805	1.12
0151	002	1387	0.03	2956	2	55	80	2.5	2	0	3468	512	RH-3	40	density-lim	1000			0.7	4	2	2	2	3883.599854	927.5998535	927.5998535	1.119838
0151	004	1383	0.03	2320	2	55	80	2.5	2	0	3458	1138	RH-3	40	density-lim	1000			0.7	4	2	2	2	3872.399902	1552.399902	1552.399902	1.119838
0151	005	1381	0.03	2200	2	55	80	2.5	2	0	3452	1252	RH-3	40	density-lim	1000			0.7	4	2	2	2	3866.800049	1666.800049	1666.800049	1.120162
0151	012	788	0.02	1424	2	55	80	2.5	2	0	1970	546	RH-3	40	density-lim	1000			0.7	4	2	2	2	2206.399902	782.3999023	782.3999023	1.12
0151	014	1365	0.03	2560	2	55	80	2.5	2	0	3412	852	RH-3	65	density-lim	1000			0.7	4	2	2	2	5733	3173	3173	1.680246
0151	016	1363	0.03	2208	2	55	80	2.5	2	0	3408	1200	RH-3	65	density-lim	1000			0.7	4	2	2	2	5724.600098	3516.600098	3516.600098	1.679754
0151	020	1359	0.03	2588	2	55	80	2.5	2	0	3398	810	RH-3	65	density-lim	1000			0.7	4	2	2	2	5707.799805	3119.799805	3119.799805	1.679753
0151	021	1329	0.03	2314	2	55	80	2.5	2	0	3322	1008	RH-3	65	density-lim	1000			0.7	4	2	2	2	5581.799805	3267.799805	3267.799805	1.680253
0151	022	1358	0.03	2282	2	55	80	2.5	2	0	3395	1113	RH-3	65	density-lim	1000			0.7	4	2	2	2	5703.600098	3421.600098	3421.600098	1.68
0151	024	1356	0.03	3258	2	55	80	2.5	2	0	3390	132	RH-3	65	density-lim	1000			0.7	4	2	2	2	5695.199707	2437.199707	2437.199707	1.68
0151	031	1380	0.03	2242	2	55	80	2.5	2	0	3450	1208	RH-2	40	density-lim	1500			0.7	4	2	2	2	3864	1622	1622	1.12
0151	034	1380	0.03	1704	2	55	80	2.5	2	0	3450	1746	RH-2	40	density-lim	1500			0.7	4	2	2	2	3864	2160	2160	1.12
0151	036	1380	0.03	2827	2	55	80	2.5	2	0	3450	623	RH-2	40	density-lim	1500			0.7	4	2	2	2	3864	1037	1037	1.12
0151	039	1380	0.03	2138	2	55	80	2.5	2	0	3450	1312	RH-2	40	density-lim	1500			0.7	4	2	2	2	3864	1726	1726	1.12
0151	041	1380	0.03	1548	2	55	80	2.5	2	0	3450	1902	RH-2	40	density-lim	1500			0.7	4	2	2	2	3864	2316	2316	1.12
0151	044	1380	0.03	2787	2	55	80	2.5	2	0	3450	663	RH-2	40	density-lim	1500			0.7	4	2	2	2	3864	1077	1077	1.12
0151	046	1350	0.03	2288	2	55	80	2.5	2	0	3375	1087	RH-2	40	density-lim	1500			0.7	4	2	2	2	3780	1492	1492	1.12
0151	047	1380	0.03	2350	2	55	80	2.5	2	0	3450	1100	RH-2	40	density-lim	1500			0.7	4	2	2	2	3864	1514	1514	1.12
0151	051	1360	0.03	2410	2	55	80	2.5	2	0	3400	990	RH-3	40	density-lim	1000			0.7	4	2	2	2	3808	1398	1398	1.12
0151	052	1397	0.03	2470	2	55	80	2.5	2	0	3492	1022	RH-3	40	density-lim	1000			0.7	4	2	2	2	3911.599854	1441.599854	1441.599854	1.12016
0151	053	1323	0.03	2340	2	55	80	2.5	2	0	3308	968	RH-3	40	density-lim	1000			0.7	4	2	2	2	3704.399902	1364.399902	1364.399902	1.119831

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0151	054	1360	0.03	2845	2	55	80	2.5	2	0	3400	555	RH-3	40	density-lim	1000			0.7	4	2	2	2	3808	963	963	1.12
0151	060	1350	0.03	2344	2	55	80	2.5	2	0	3375	1031	RH-3	40	density-lim	1000			0.7	4	2	2	2	3780	1436	1436	1.12
0151	065	1380	0.03	2512	2	55	80	2.5	2	0	3450	938	RH-3	40	density-lim	1000			0.7	4	2	2	2	3864	1352	1352	1.12
0151	067	1380	0.03	2700	2	55	80	2.5	2	0	3450	750	RH-3	40	density-lim	1000			0.7	4	2	2	2	3864	1164	1164	1.12
0151	073	1380	0.03	1290	2	55	80	2.5	2	0	3450	2160	RH-3	40	density-lim	1000			0.7	4	2	2	2	3864	2574	2574	1.12
0151	075	1380	0.03	1134	2	55	80	2.5	2	0	3450	2316	RH-2	40	density-lim	1500			0.7	4	2	2	2	3864	2730	2730	1.12
0151	077	1365	0.03	600	4	55	80	2.5	2	0	3412	2812	RH-3	40	density-lim	1000	true		0.7	6	3	2	0	3822	3222	3222	1.120164
0151	081	1610	0.04	1334	2	55	80	2.5	3	1	4025	2691	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	4508	3174	3174	1.12
0151	083	1380	0.03	942	2	55	80	2.5	2	0	3450	2508	RH-3	40	density-lim	1000			0.7	4	2	2	2	3864	2922	2922	1.12
0151	085	1385	0.03	899	2	55	80	2.5	2	0	3462	2563	RH-3	40	density-lim	1000			0.7	4	2	2	2	3878	2979	2979	1.120162
0151	087	931	0.02	719	4	55	80	2.5	2	0	2328	1609	RH-3	40	density-lim	1000	true		0.7	6	3	2	0	2606.800049	1887.800049	1887.800049	1.119759
0151	090	1366	0.03	1103	2	55	80	2.5	2	0	3415	2312	RH-3	65	density-lim	1000			0.7	4	2	2	2	5737.199707	4634.199707	4634.199707	1.68
0151	092	1380	0.03	1107	2	55	80	2.5	2	0	3450	2343	RH-3	40	density-lim	1000			0.7	4	2	2	2	3864	2757	2757	1.12
0151	112	1357	0.03	1156	2	55	80	2.5	2	0	3392	2236	RH-3	65	density-lim	1000			0.7	4	2	2	2	5699.399902	4543.399902	4543.399902	1.680248
0151	114	1380	0.03	1100	2	55	80	2.5	2	0	3450	2350	RH-2	40	density-lim	1500			0.7	4	2	2	2	3864	2764	2764	1.12
0152	005A	2054	0.05	3040	4	55	80	2.5	4	0	5135	2095	RH-3	50	form-based			true	0.7	6	1.5	2	2	7189	4149	4149	1.4
0152	008	1233	0.03	2967	2	55	80	2.5	2	0	3082	115	RH-3	65	form-based		true	true	0.7	4	2	2	2	5178.600098	2211.600098	2211.600098	1.680273
0152	016	1207	0.03	1560	2	55	80	2.5	2	0	3018	1458	RM-1	65	form-based			true	0.7	4	2	2	2	5069.399902	3509.399902	3509.399902	1.679722
0153	001	3280	0.08	9546	7	55	80	2.5	6	0	8200	0	RM-1	50	form-based		true	true	0.7	9	1.5	2	2	11480	1934	1934	1.4
0153	027	1638	0.04	3095	3	65	100	3	4	1	4914	1819	RH-3	50	form-based		true	true	0.7	5	1.25	2	2	5733	2638	2638	1.166667
0154	017A	1058	0.02	2039	2	65	100	3	2	0	3174	1135	RH-3	65	form-based			true	0.7	4	2	2	2	4443.600098	2404.600098	2404.600098	1.4
0154	019	930	0.02	1875	1	65	100	3	2	1	2790	915	NCD-PACIF	65	form-based			true	0.75	3	1.5	2	2	4185	2310	2310	1.5
0155	001	1132	0.03	2400	2	55	80	2.5	2	0	2830	430	RH-3	65	form-based		true	true	0.7	4	2	2	2	4754.399902	2354.399902	2354.399902	1.68
0155	002	2244	0.05	4950	6	55	80	2.5	4	0	5610	660	RH-3	65	form-based			true	0.7	8	2	2	2	9424.799805	4474.799805	4474.799805	1.68
0155	004	1200	0.03	2520	2	55	80	2.5	2	0	3000	480	RH-3	65	form-based			true	0.7	4	2	2	2	5040	2520	2520	1.68
0155	005	1212	0.03	2132	2	55	80	2.5	2	0	3030	898	RH-3	65	form-based			true	0.7	4	2	2	2	5090.399902	2958.399902	2958.399902	1.68
0155	006	1200	0.03	2260	2	55	80	2.5	2	0	3000	740	RH-3	65	form-based			true	0.7	4	2	2	2	5040	2780	2780	1.68
0155	007	1200	0.03	3230	2	55	80	2.5	2	0	3000	0	RH-3	65	form-based			true	0.7	4	2	2	2	5040	1810	1810	1.68
0155	008	8250	0.19	19395	27	55	80	2.5	15	0	20625	1230	RH-3	65	form-based		true	true	0.7	29	1.933333278	2	2	34650	15255	15255	1.68
0155	012	1404	0.03	3657	3	55	80	2.5	2	0	3510	0	NCD-PACIF	65	form-based			true	0.75	5	2.5	2	1	6318	2661	2661	1.8
0155	014	2100	0.05	5850	6	55	80	2.5	4	0	5250	0	NCD-PACIF	65	form-based			true	0.75	8	2	2	2	9450	3600	3600	1.8
0155	015	1278	0.03	3281	3	55	80	2.5	2	0	3195	0	NCD-PACIF	65	form-based			true	0.75	5	2.5	2	1	5751	2470	2470	1.8
0155	016	1278	0.03	3525	3	55	80	2.5	2	0	3195	0	NCD-PACIF	65	form-based			true	0.75	5	2.5	2	1	5751	2226	2226	1.8
0155	017	1320	0.03	2640	3	55	80	2.5	2	0	3300	660	NCD-PACIF	65	form-based			true	0.75	5	2.5	2	1	5940	3300	3300	1.8
0155	024	1050	0.02	1992	2	55	80	2.5	2	0	2625	633	NCD-PACIF	65	form-based			true	0.75	4	2	2	2	4725	2733	2733	1.8
0155	026	1301	0.03	3400	3	55	80	2.5	2	0	3252	0	NCD-PACIF	65	form-based		true	true	0.75	5	2.5	2	1	5854.5	2454.5	2454.5	1.800277
0155	042	2145	0.05	4665	6	55	80	2.5	4	0	5362	697	RM-1	65	form-based			true	0.7	8	2	2	2	9009	4344	4344	1.680157
0155	043	2145	0.05	4575	6	55	80	2.5	4	0	5362	787	RM-1	65	form-based			true	0.7	8	2	2	2	9009	4434	4434	1.680157
0155	044	2145	0.05	4575	6	55	80	2.5	4	0	5362	787	RM-1	65	form-based			true	0.7	8	2	2	2	9009	4434	4434	1.680157
0155	050	1019	0.02	1940	2	55	80	2.5	2	0	2548	608	RH-3	65	form-based			true	0.7	4	2	2	2	4279.799805	2339.799805	2339.799805	1.67967
0155	053	1212	0.03	1542	2	55	80	2.5	2	0	3030	1488	RH-3	65	form-based			true	0.7	4	2	2	2	5090.399902	3548.399902	3548.399902	1.68
0156	002	1422	0.03	0	0	55	80	2.5	2	2	3555	3555	RM-2	40	density-lim	600			0.7	2	1	2	2	3981.599854	3981.599854	3981.599854	1.12
0156	014A	1380	0.03	2164	2	55	80	2.5	2	0	3450	1286	RH-3	65	density-lim	1000			0.7	4	2	2	2	5796	3632	3632	1.68
0156	027	1380	0.03	2138	2	55	80	2.5	2	0	3450	1312	RH-3	65	density-lim	1000			0.7	4	2	2	2	5796	3658	3658	1.68
0156	034	1380	0.03	2520	2	55	80	2.5	2	0	3450	930	RH-3	65	density-lim	1000			0.7	4	2	2	2	5796	3276	3276	1.68
0156	035	1380	0.03	2230	2	55	80	2.5	2	0	3450	1220	RH-3	65	density-lim	1000			0.7	4	2	2	2	5796	3566	3566	1.68
0156	036	1380	0.03	200	2	55	80	2.5	2	0	3450	3250	RH-3	65	density-lim	1000			0.7	4	2	2	2	5796	5596	5596	1.68
0156	037	1380	0.03	2280	2	55	80	2.5	2	0	3450	1170	RH-3	65	density-lim	1000			0.7	4	2	2	2	5796	3516	3516	1.68
0156	038	1476	0.03	2724	2	55	80	2.5	2	0	3690	966	RH-3	65	density-lim	1000			0.7	4	2	2	2	6199.199707	3475.199707	3475.199707	1.68
0156	038A	1292	0.03	1664	2	55	80	2.5	2	0	3230	1566	RH-3	65	density-lim	1000			0.7	4	2	2	2	5426.399902	3762.399902	3762.399902	1.68
0156	039	1380	0.03	2110	2	55	80	2.5	2	0	3450	1340	RH-3	65	density-lim	1000			0.7	4	2	2	2	5796	3686	3686	1.68
0156	040	1445	0.03	3720	4	55	80	2.5	2	0	3612	0	RH-3	65	density-lim	1000	true		0.7	6	3	2	0	6069	2349	2349	1.680233
0156	041	1360	0.03	2340	2	55	80	2.5	2	0	3400	1060	RH-3	65	density-lim	1000			0.7	4	2	2	2	5712	3372	3372	1.68
0156	042	1275	0.03	2340	2	55	80	2.5	2	0	3188	848	RH-3	65	density-lim	1000			0.7	4	2	2	2	5355	3015	3015	1.679736
0156	043	1445	0.03	2448	2	55	80	2.5	2	0	3612	1164	RH-3	65	density-lim	1000			0.7	4	2	2	2	6069	3621	3621	1.680233
0156	045	1409	0.03	2330	2	55	80	2.5	2	0	3522	1192	RH-3	65	density-lim	1000			0.7	4	2	2	2	5917.799805	3587.799805	3587.799805	1.680238
0156	046	1441	0.03	2711	2	55	80	2.5	2	0	3602	891	RH-3	65	density-lim	1000			0.7	4	2	2	2	6052.199707	3341.199707	3341.199707	1.680233
0156	047	1396	0.03	2296	2	55	80	2.5	2	0	3490	1194	RH-3	65	density-lim	1000			0.7	4	2	2	2	5863.199707	3567.199707	3567.199707	1.68
0156	051	1412	0.03	2232	2	55	80	2.5	2	0	3530	1298	RH-3	65	density-lim	1000			0.7	4	2	2	2	5930.399902	3698.399902	3698.399902	1.68
0156	052	1412	0.03	2346	2	55	80	2.5	2	0	3530	1184	RH-3	65	density-lim	1000			0.7	4	2	2	2	5930.399902	3584.399902	3584.399902	1.68
0157	033	1380	0.03	1952	2	55	80	2.5	2	0	3450	1498	RH-3	65	density-lim	1000			0.7	4	2	2	2	5796	3844	3844	1.68
0157	026	1380	0.03	2008	2	55	80	2.5	2	0	3450	1442	RH-3	65	density-lim	1000			0.7	4	2	2	2	5796	3788	3788	1.68
0157	028	1380	0.03	1830	2	55	80	2.5	2	0	3450	1620	RH-3	65	density-lim	1000			0.7	4	2	2	2	5796	3966	3966	1.68
0157	034	1386	0.03	2400	2	55	80	2.5	2	0	3465	1065	RH-3	65	density-lim	1000			0.7	4	2	2	2	5821.199707	3421.199707	3421.199707	1.68

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0157	036	1428	0.03	2350	2	55	80	2.5	2	0	3570	1220	RH-3	40	density-lim	1000			0.7	4	2	2	2	3998.399902	1648.399902	1648.399902	1.12
0157	037	1215	0.03	1700	2	55	80	2.5	2	0	3038	1338	RH-3	40	density-lim	1000			0.7	4	2	2	2	3402	1702	1702	1.119816
0157	039	1215	0.03	2160	2	55	80	2.5	2	0	3038	878	RH-3	40	density-lim	1000			0.7	4	2	2	2	3402	1242	1242	1.119816
0157	046	1337	0.03	2012	2	55	80	2.5	2	0	3342	1330	RH-3	40	density-lim	1000			0.7	4	2	2	2	3743.599854	1731.599854	1731.599854	1.120167
0157	047	1428	0.03	1890	2	55	80	2.5	2	0	3570	1680	RH-3	40	density-lim	1000			0.7	4	2	2	2	3998.399902	2108.399902	2108.399902	1.12
0157	062	1635	0.04	2680	2	55	80	2.5	3	1	4088	1408	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	4578	1898	1898	1.119863
0157	065	1443	0.03	911	2	55	80	2.5	2	0	3608	2697	RH-3	40	density-lim	1000			0.7	4	2	2	2	4040.399902	3129.399902	3129.399902	1.119845
0157	067	1140	0.03	1102	2	55	80	2.5	2	0	2850	1748	RH-3	40	density-lim	1000			0.7	4	2	2	2	3192	2090	2090	1.12
0157	078	1307	0.03	843	2	55	80	2.5	2	0	3268	2425	RH-3	40	density-lim	1000			0.7	4	2	2	2	3659.599854	2816.599854	2816.599854	1.119829
0157	080	1142	0.03	694	2	55	80	2.5	2	0	2855	2161	RH-3	40	density-lim	1000			0.7	4	2	2	2	3197.599854	2503.599854	2503.599854	1.12
0158	079	1883	0.04	1273	3	55	80	2.5	3	0	4708	3435	RC-3	65	density-lim	400	true		0.75	5	1.666666627	2	2	8473.5	7200.5	7200.5	1.799809
0159	015	1761	0.04	4629	2	65	100	3	4	2	5283	654	RC-3	65	density-lim	400	true		0.75	4	1	2	2	7924.5	3295.5	3295.5	1.5
0159	041	803	0.02	1820	2	65	100	3	2	0	2409	589	RH-3	40	density-lim	1000			0.7	4	2	2	2	2248.399902	428.3999023	428.3999023	0.933333
0162	004	997	0.02	2913	0	65	100	3	2	2	2991	78	NCD-BROA	65	density-lim	400	true		0.75	2	1	2	2	4486.5	1573.5	1573.5	1.5
0162	015	1000	0.02	4000	3	65	100	3	2	0	3000	0	CCB	65	density-lim	200	true		0.75	5	2.5	2	1	4500	500	500	1.5
0162	021	711	0.02	2091	0	65	100	3	2	2	2133	42	NCD-BROA	65	density-lim	400			0.75	2	1	2	2	3199.5	1108.5	1108.5	1.5
0162	024	1687	0.04	5055	2	65	100	3	4	2	5061	6	NCD-BROA	65	density-lim	400			0.75	4	1	2	2	7591.5	2536.5	2536.5	1.5
0163	010	1316	0.03	1375	0	65	100	3	3	3	3948	2573	C-2	65	density-lim	800			0.8	2	0.666666687	2	2	6316.800293	4941.800293	4941.800293	1.6
0163	012	1337	0.03	2822	0	65	100	3	3	3	4011	1189	C-2	65	density-lim	800	true		0.8	2	0.666666687	2	2	6417.600098	3595.600098	3595.600098	1.6
0163	018	966	0.02	870	0	55	80	2.5	2	2	2415	1545	NCD-BROA	65	density-lim	400			0.75	2	1	2	2	4347	3477	3477	1.8
0163	021	1563	0.04	4092	2	55	80	2.5	3	1	3908	0	NCD-BROA	65	density-lim	400			0.75	4	1.333333373	2	2	7033.5	2941.5	2941.5	1.79977
0175	004	1749	0.04	5400	0	65	100	3	4	4	5247	0	C-2	65	density-lim	800	true		0.8	2	0.5	2	2	8395.200195	2995.200195	2995.200195	1.6
0175	005	1200	0.03	2378	0	65	100	3	3	3	3600	1222	C-2	65	density-lim	800			0.8	2	0.666666687	2	2	5760	3382	3382	1.6
0175	011	1302	0.03	3897	0	65	100	3	3	3	3906	9	C-2	65	density-lim	800			0.8	2	0.666666687	2	2	6249.600098	2352.600098	2352.600098	1.6
0175	024	1576	0.04	9570	0	65	100	3	4	4	4728	0	C-2	65	density-lim	800			0.8	2	0.5	2	2	7564.800293	0	0	1.6
0175	025	1578	0.04	3701	0	65	100	3	4	4	4734	1033	C-2	65	density-lim	800			0.8	2	0.5	2	2	7574.399902	3873.399902	3873.399902	1.6
0176	002	1649	0.04	5175	0	65	100	3	4	4	4947	0	C-2	65	density-lim	800			0.8	2	0.5	2	2	7915.200195	2740.200195	2740.200195	1.6
0176	009	3225	0.07	15615	2	65	100	3	7	5	9675	0	C-2	65	density-lim	800			0.8	4	0.571428597	2	2	15480	0	0	1.6
0176	015	1221	0.03	5368	0	65	100	3	3	3	3663	0	C-2	65	density-lim	800			0.8	2	0.666666687	2	2	5860.800293	492.800293	492.800293	1.6
0178	005	2363	0.05	6222	10	65	100	3	5	0	7089	867	CRNC	50	density-lim	200			0.75	12	2.400000095	2	0	8861.25	2639.25	2639.25	1.25
0179	033	2800	0.06	7950	12	65	100	3	6	0	8400	450	CRNC	65	density-lim	200			0.75	14	2.333333254	2	0	12600	4650	4650	1.5
0179	035	1540	0.04	3226	6	65	100	3	4	0	4620	1394	CRNC	65	density-lim	200			0.75	8	2	2	2	6930	3704	3704	1.5
0180	013	1449	0.03	2644	2	65	100	3	3	1	4347	1703	RH-3	65	density-lim	1000			0.7	4	1.333333373	2	2	6085.799805	3441.799805	3441.799805	1.4
0180	013A	1440	0.03	3556	2	65	100	3	3	1	4320	764	RH-3	65	density-lim	1000			0.7	4	1.333333373	2	2	6048	2492	2492	1.4
0180	014	1440	0.03	2214	2	65	100	3	3	1	4320	2106	RH-3	65	density-lim	1000			0.7	4	1.333333373	2	2	6048	3834	3834	1.4
0180	021	1078	0.02	2209	2	65	100	3	2	0	3234	1025	RH-3	65	density-lim	1000			0.7	4	2	2	2	4527.600098	2318.600098	2318.600098	1.4
0180	022	1378	0.03	1974	2	65	100	3	3	1	4134	2160	RH-3	65	density-lim	1000			0.7	4	1.333333373	2	2	5787.600098	3813.600098	3813.600098	1.4
0180	023	1378	0.03	1936	2	65	100	3	3	1	4134	2198	RH-3	65	density-lim	1000			0.7	4	1.333333373	2	2	5787.600098	3851.600098	3851.600098	1.4
0180	031	1252	0.03	1860	2	65	100	3	3	1	3756	1896	RH-3	65	density-lim	1000			0.7	4	1.333333373	2	2	5258.399902	3398.399902	3398.399902	1.4
0180	032	1252	0.03	1940	2	65	100	3	3	1	3756	1816	RH-3	65	density-lim	1000			0.7	4	1.333333373	2	2	5258.399902	3318.399902	3318.399902	1.4
0180	034	1183	0.03	1966	2	65	100	3	3	1	3549	1583	RH-3	65	density-lim	1000			0.7	4	1.333333373	2	2	4968.600098	3002.600098	3002.600098	1.4
0180	036	1384	0.03	1856	2	65	100	3	3	1	4152	2296	RH-3	65	density-lim	1000			0.7	4	1.333333373	2	2	5812.799805	3956.799805	3956.799805	1.4
0180	041	1950	0.04	3108	2	65	100	3	4	2	5850	2742	RH-3	65	density-lim	1000			0.7	4	1	2	2	8190	5082	5082	1.4
0180	044	3569	0.08	5754	7	65	100	3	8	1	10707	4953	RC-3	65	density-lim	400	true		0.75	9	1.125	2	2	16060.5	10306.5	10306.5	1.5
0180	047A	1189	0.03	1460	1	65	100	3	3	2	3567	2107	RC-3	65	density-lim	400			0.75	3	1	2	2	5350.5	3890.5	3890.5	1.5
0181	002A	1694	0.04	2722	2	65	100	3	4	2	5082	2360	RC-3	65	density-lim	400			0.75	4	1	2	2	7623	4901	4901	1.5
0181	006	1942	0.04	4344	3	65	100	3	4	1	5826	1482	RC-3	65	density-lim	400			0.75	5	1.25	2	2	8739	4395	4395	1.5
0181	032	1709	0.04	2314	2	55	80	2.5	3	1	4272	1958	RC-3	65	density-lim	400			0.75	4	1.333333373	2	2	7690.5	5376.5	5376.5	1.800211
0181	032A	1706	0.04	2314	2	55	80	2.5	3	1	4265	1951	RC-3	65	density-lim	400			0.75	4	1.333333373	2	2	7677	5363	5363	1.8
0181	039	1150	0.03	1680	2	65	100	3	3	1	3450	1770	RH-3	65	density-lim	1000			0.7	4	1.333333373	2	2	4830	3150	3150	1.4
0181	041	1145	0.03	1832	2	65	100	3	3	1	3435	1603	RH-3	65	density-lim	1000			0.7	4	1.333333373	2	2	4809	2977	2977	1.4
0181	043	1150	0.03	1960	2	65	100	3	3	1	3450	1490	RH-3	65	density-lim	1000			0.7	4	1.333333373	2	2	4830	2870	2870	1.4
0181	044	1140	0.03	1592	2	65	100	3	3	1	3420	1828	RH-3	65	density-lim	1000			0.7	4	1.333333373	2	2	4788	3196	3196	1.4
0181	057	1502	0.03	1330	2	65	100	3	3	1	4506	3176	RC-3	65	density-lim	400			0.75	4	1.333333373	2	2	6759	5429	5429	1.5
0182	025	1069	0.02	1644	1	55	80	2.5	2	1	2672	1028	RM-3	65	density-lim	400			0.75	3	1.5	2	2	4810.5	3166.5	3166.5	1.800337
0182	026	1055	0.02	1764	1	55	80	2.5	2	1	2638	874	RM-3	65	density-lim	400			0.75	3	1.5	2	2	4747.5	2983.5	2983.5	1.799659
0182	027	1303	0.03	1794	1	55	80	2.5	2	1	3258	1464	RM-3	65	density-lim	400			0.75	3	1.5	2	2	5863.5	4069.5	4069.5	1.799724
0183	015	2574	0.06	3074	2	55	80	2.5	5	3	6435	3361	RH-3	50	density-lim	1000			0.7	4	0.800000012	2	2	9009	5935	5935	1.4
0183	019	1578	0.04	2466	2	55	80	2.5	3	1	3945	1479	RM-3	65	density-lim	400			0.75	4	1.333333373	2	2	7101	4635	4635	1.8
0183	024	2645	0.06	3105	5	55	80	2.5	5	0	6612	3507	RM-3	65	density-lim	400			0.75	7	1.399999976	2	2	11902.5	8797.5	8797.5	1.800136
0183	025	1610	0.04	2864	2	55	80	2.5	3	1	4025	1161	RM-3	65	density-lim	400			0.75	4	1.333333373	2	2	7245	4381	4381	1.8
0184	005	1200	0.03	3480	3	55	80	2.5	2	0	3000	0	RM-3	65	form-based			true	0.75	5	2.5	2	1	5400	1920	1920	1.8
0184	017	1370	0.03	2220	3	55	80	2.5	2	0	3425	1205	RM-3	65	form-based		true	true	0.75	5	2.5	2	1	6165	3945	3945	1.8
0184	022	1380	0.03	2465	2	55	80	2.5	2	0	3450	985	NCD-PACIF	50	form-based			true	0.75	4	2	2	2	5175	2710	2710	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0184	065	1199	0.03	2120	2	55	80	2.5	2	0	2998	878	NCD-PACIF	65	form-based		true	true	0.75	4	2	2	2	5395.5	3275.5	3275.5	1.7997
0185	016	2013	0.05	4718	5	65	100	3	5	0	6039	1321	RM-1	65	form-based			true	0.7	7	1.399999976	2	2	8454.599609	3736.599609	3736.599609	1.4
0185	024	1375	0.03	3020	3	65	100	3	3	0	4125	1105	RM-1	65	form-based			true	0.7	5	1.666666627	2	2	5775	2755	2755	1.4
0185	027	2234	0.05	5085	6	65	100	3	5	0	6702	1617	RM-1	65	form-based			true	0.7	8	1.600000024	2	2	9382.799805	4297.799805	4297.799805	1.4
0186	003	2188	0.05	5025	6	55	80	2.5	4	0	5470	445	RM-3	65	form-based			true	0.75	8	2	2	2	9846	4821	4821	1.8
0186	017	2269	0.05	5166	6	65	100	3	5	0	6807	1641	RM-2	65	form-based			true	0.7	8	1.600000024	2	2	9529.799805	4363.799805	4363.799805	1.4
0187	002	2364	0.05	9484	7	55	80	2.5	4	0	5910	0	RM-3	65	form-based			true	0.75	9	2.25	2	1	10638	1154	1154	1.8
0187	003	2171	0.05	4275	6	55	80	2.5	4	0	5428	1153	RM-3	65	form-based			true	0.75	8	2	2	2	9769.5	5494.5	5494.5	1.799834
0187	021	2337	0.05	7415	7	55	80	2.5	4	0	5842	0	RM-3	65	form-based			true	0.75	9	2.25	2	1	10516.5	3101.5	3101.5	1.800154
0187	025	1821	0.04	3168	5	55	80	2.5	3	0	4552	1384	RM-3	65	form-based		true	true	0.75	7	2.333333254	2	1	8194.5	5026.5	5026.5	1.800198
0187	038	3841	0.09	9423	12	55	80	2.5	7	0	9602	179	RM-3	65	form-based			true	0.75	14	2	2	2	17284.5	7861.5	7861.5	1.800094
0188	009A	4071	0.09	6760	8	55	80	2.5	7	0	10178	3418	RM-3	65	density-lim	400			0.75	10	1.428571463	2	2	18319.5	11559.5	11559.5	1.799912
0188	014	5005	0.11	11436	11	55	80	2.5	9	0	12512	1076	RM-3	65	density-lim	400			0.75	13	1.444444418	2	2	22522.5	11086.5	11086.5	1.800072
0188	015	4433	0.1	5790	9	55	80	2.5	8	0	11082	5292	RM-3	65	density-lim	400			0.75	11	1.375	2	2	19948.5	14158.5	14158.5	1.800081
0188	024	3456	0.08	3120	2	55	80	2.5	6	4	8640	5520	RH-3	50	density-lim	1000			0.7	4	0.666666687	2	2	12096	8976	8976	1.4
0188	025	3454	0.08	2950	2	55	80	2.5	6	4	8635	5685	RH-3	50	density-lim	1000			0.7	4	0.666666687	2	2	12089	9139	9139	1.4
0189	005	5456	0.13	14925	12	55	80	2.5	10	0	13640	0	RM-3	65	density-lim	400	true		0.75	14	1.399999976	2	2	24552	9627	9627	1.8
0189	015	3630	0.08	6111	7	55	80	2.5	6	0	9075	2964	RM-3	65	density-lim	400			0.75	9	1.5	2	2	16335	10224	10224	1.8
0189	023	2493	0.06	2500	2	55	80	2.5	5	3	6232	3732	RH-3	50	density-lim	1000			0.7	4	0.800000012	2	2	8725.5	6225.5	6225.5	1.400112
0189	048	2875	0.07	1607	2	55	80	2.5	6	4	7188	5581	RH-3	50	density-lim	1000			0.7	4	0.666666687	2	2	10062.5	8455.5	8455.5	1.399903
0190	020	1775	0.04	2423	2	65	100	3	4	2	5325	2902	RH-3	65	density-lim	1000			0.7	4	1	2	2	7455	5032	5032	1.4
0191	019	4251	0.1	7340	9	65	100	3	10	1	12753	5413	RC-3	65	density-lim	400	true		0.75	11	1.100000024	2	2	19129.5	11789.5	11789.5	1.5
0191	020	2126	0.05	4263	3	65	100	3	5	2	6378	2115	RM-3	65	density-lim	400			0.75	5	1	2	2	9567	5304	5304	1.5
0191	042	3008	0.07	1081	6	65	100	3	7	1	9024	7943	RC-3	65	density-lim	400			0.75	8	1.142857194	2	2	13536	12455	12455	1.5
0192	008	1343	0.03	3673	5	65	100	3	3	0	4029	356	CRNC	65	density-lim	200			0.75	7	2.333333254	2	1	6043.5	2370.5	2370.5	1.5
0192	026	1200	0.03	3055	4	65	100	3	3	0	3600	545	CRNC	65	density-lim	200			0.75	6	2	2	2	5400	2345	2345	1.5
0193	023	1651	0.04	4148	6	65	100	3	4	0	4953	805	CRNC	85	density-lim	200			0.75	8	2	2	2	9906	5758	5758	2
0194	031	3293	0.08	12500	14	65	100	3	8	0	9879	0	CVR	50	density-lim	200	true		0.75	16	2	2	2	12348.75	0	0	1.25
0195	017	1895	0.04	709	0	65	100	3	4	4	5685	4976	C-2	65	density-lim	800	true		0.8	2	0.5	2	2	9096	8387	8387	1.6
0196	003	1200	0.03	5000	0	65	100	3	3	3	3600	0	C-2	65	density-lim	800			0.8	2	0.666666687	2	2	5760	760	760	1.6
0196	010	1612	0.04	5752	0	65	100	3	4	4	4836	0	C-2	65	density-lim	800			0.8	2	0.5	2	2	7737.600098	1985.600098	1985.600098	1.6
0209	012	1382	0.03	4368	5	65	100	3	3	0	4146	0	CVR	50	density-lim	200	true		0.75	7	2.333333254	2	1	5182.5	814.5	814.5	1.25
0210	027	1302	0.03	2880	5	85	140	4	4	0	5208	2328	CRNC	50	density-lim	200	true		0.75	7	1.75	2	2	4882.5	2002.5	2002.5	0.9375
0210	028	1467	0.03	5600	5	65	100	3	3	0	4401	0	CRNC	50	density-lim	200			0.75	7	2.333333254	2	1	5501.25	0	0	1.25
0210	044	492	0.01	1621	0	65	100	3	1	1	1476	0	CVR	50	density-lim	200			0.75	2	2	2	2	1845	224	224	1.25
0212	013	1893	0.04	4500	3	65	100	3	4	1	5679	1179	RM-3	65	density-lim	400			0.75	5	1.25	2	2	8518.5	4018.5	4018.5	1.5
0211	019	1680	0.04	4266	6	65	100	3	4	0	5040	774	RC-4	65	density-lim	200			0.75	8	2	2	2	7560	3294	3294	1.5
0211	020	1380	0.03	3615	5	65	100	3	3	0	4140	525	RC-4	65	density-lim	200			0.75	7	2.333333254	2	1	6210	2595	2595	1.5
0212	016	1905	0.04	4650	3	65	100	3	4	1	5715	1065	RM-3	65	density-lim	400			0.75	5	1.25	2	2	8572.5	3922.5	3922.5	1.5
0212	019	1625	0.04	2608	2	65	100	3	4	2	4875	2267	RM-3	65	density-lim	400			0.75	4	1	2	2	7312.5	4704.5	4704.5	1.5
0212	020	1848	0.04	5107	3	65	100	3	4	1	5544	437	RM-3	65	density-lim	400			0.75	5	1.25	2	2	8316	3209	3209	1.5
0212	023	1375	0.03	2243	1	65	100	3	3	2	4125	1882	RM-3	65	density-lim	400			0.75	3	1	2	2	6187.5	3944.5	3944.5	1.5
0213	006	1220	0.03	3000	3	65	100	3	3	0	3660	660	RM-3	65	form-based			true	0.75	5	1.666666627	2	2	5490	2490	2490	1.5
0214	001A	3323	0.08	8960	10	55	80	2.5	6	0	8308	0	RM-3	65	form-based			true	0.75	12	2	2	2	14953.5	5993.5	5993.5	1.799892
0214	005A	3225	0.07	6675	10	55	80	2.5	6	0	8062	1387	RM-3	65	form-based			true	0.75	12	2	2	2	14512.5	7837.5	7837.5	1.800112
0215	012A	1079	0.02	1182	1	55	80	2.5	2	1	2698	1516	RH-2	50	form-based			true	0.7	3	1.5	2	2	3776.5	2594.5	2594.5	1.399741
0215	020	1025	0.02	1602	1	55	80	2.5	2	1	2562	960	RH-2	50	form-based			true	0.7	3	1.5	2	2	3587.5	1985.5	1985.5	1.400273
0215	023	1268	0.03	3060	3	55	80	2.5	2	0	3170	110	RM-3	65	form-based		true	true	0.75	5	2.5	2	1	5706	2646	2646	1.8
0215	024	1025	0.02	1880	1	55	80	2.5	2	1	2562	682	RH-2	50	form-based			true	0.7	3	1.5	2	2	3587.5	1707.5	1707.5	1.400273
0215	052	980	0.02	3708	1	55	80	2.5	2	1	2450	0	RH-2	50	form-based			true	0.7	3	1.5	2	2	3430	0	0	1.4
0215	053	1053	0.02	3507	1	55	80	2.5	2	1	2632	0	RH-2	50	form-based			true	0.7	3	1.5	2	2	3685.5	178.5	178.5	1.400266
0216	009	4508	0.1	12988	15	55	80	2.5	8	0	11270	0	RM-3	65	form-based			true	0.75	17	2.125	2	1	20286	7298	7298	1.8
0217	007	1094	0.03	1919	2	65	100	3	3	1	3282	1363	RM-3	65	form-based			true	0.75	4	1.333333373	2	2	4923	3004	3004	1.5
0217	021	4406	0.1	9861	15	65	100	3	10	0	13218	3357	RM-3	65	form-based			true	0.75	17	1.700000048	2	2	19827	9966	9966	1.5
0218	007	2105	0.05	5220	6	55	80	2.5	4	0	5262	42	RM-3	65	form-based			true	0.75	8	2	2	2	9472.5	4252.5	4252.5	1.800171
0218	019	11264	0.26	30510	40	65	100	3	26	0	33792	3282	RM-3	65	form-based		true	true	0.75	42	1.615384579	2	2	50688	20178	20178	1.5
0218	026	1440	0.03	3474	3	55	80	2.5	2	0	3600	126	RM-3	65	form-based			true	0.75	5	2.5	2	1	6480	3006	3006	1.8
0219	006	1161	0.03	1714	2	55	80	2.5	2	0	2902	1188	RM-3	65	form-based			true	0.75	4	2	2	2	5224.5	3510.5	3510.5	1.80031
0219	007	2291	0.05	5685	7	55	80	2.5	4	0	5728	43	RM-3	65	form-based			true	0.75	9	2.25	2	1	10309.5	4624.5	4624.5	1.799843
0219	019	1350	0.03	3780	3	55	80	2.5	2	0	3375	0	RM-3	65	form-based			true	0.75	5	2.5	2	1	6075	2295	2295	1.8
0220	020	1400	0.03	3720	3	55	80	2.5	2	0	3500	0	RM-3	65	form-based			true	0.75	5	2.5	2	1	6300	2580	2580	1.8
0221	007	1380	0.03	3663	3	55	80	2.5	2	0	3450	0	RM-3	65	form-based			true	0.75	5	2.5	2	1	6210	2547	2547	1.8
0221	015	1410	0.03	3315	3	55	80	2.5	2	0	3525	210	RM-3	65	form-based			true	0.75	5	2.5	2	1	6345	3030	3030	1.8
0221	021	1306	0.03	3230	3	55	80	2.5	2	0	3265	35	RM-3	65	form-based			true	0.75	5	2.5	2	1	5877	2647	2647	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0221	027	1360	0.03	3540	3	55	80	2.5	2	0	3400	0	RM-4	65	form-based			true	0.75	5	2.5	2	1	6120	2580	2580	1.8
0221	125	2550	0.06	11330	11	55	80	2.5	5	0	6375	0	RM-4	65	density-lim	200	true		0.75	13	2.599999905	2	0	11475	145	145	1.8
0221	143	1004	0.02	2740	2	55	80	2.5	2	0	2510	0	RM-3	65	form-based			true	0.75	4	2	2	2	4518	1778	1778	1.8
0222	015	920	0.02	3226	1	55	80	2.5	2	1	2300	0	RM-4	65	form-based			true	0.75	3	1.5	2	2	4140	914	914	1.8
0222	026	2260	0.05	5381	6	55	80	2.5	4	0	5650	269	RM-3	65	form-based			true	0.75	8	2	2	2	10170	4789	4789	1.8
0223	023	1123	0.03	820	1	65	100	3	3	2	3369	2549	RM-3	85	density-lim	400			0.75	3	1	2	2	6738	5918	5918	2
0223	027	1767	0.04	3988	2	65	100	3	4	2	5301	1313	RM-3	65	density-lim	400			0.75	4	1	2	2	7951.5	3963.5	3963.5	1.5
0224	006	2804	0.06	9107	12	65	100	3	6	0	8412	0	CRNC	85	density-lim	200	true		0.75	14	2.333333254	2	0	16824	7717	7717	2
0225	021	1742	0.04	8025	7	65	100	3	4	0	5226	0	CRNC	50	density-lim	200			0.75	9	2.25	2	1	6532.5	0	0	1.25
0226	013	1176	0.03	3040	4	65	100	3	3	0	3528	488	CCB	50	density-lim	200			0.75	6	2	2	2	4410	1370	1370	1.25
0226	049	1500	0.03	5200	6	65	100	3	3	0	4500	0	CCB	50	density-lim	200			0.75	8	2.666666746	2	0	5625	425	425	1.25
0242	020	2300	0.05	9739	10	65	100	3	5	0	6900	0	CRNC	65	density-lim	200	true		0.75	12	2.400000095	2	0	10350	611	611	1.5
0243	008	4650	0.11	12009	21	65	100	3	11	0	13950	1941	RM-4	65	density-lim	200	true		0.75	23	2.090909004	2	1	20925	8916	8916	1.5
0247	007	3773	0.09	8397	12	55	80	2.5	7	0	9432	1035	RM-3	65	form-based			true	0.75	14	2	2	2	16978.5	8581.5	8581.5	1.800095
0247	014	2388	0.05	6189	7	55	80	2.5	4	0	5970	0	RM-3	65	form-based		true	true	0.75	9	2.25	2	1	10746	4557	4557	1.8
0247	016A	1437	0.03	3333	3	55	80	2.5	2	0	3592	259	RM-3	65	form-based			true	0.75	5	2.5	2	1	6466.5	3133.5	3133.5	1.800251
0247	022	1833	0.04	3640	5	55	80	2.5	3	0	4582	942	RM-3	65	form-based		true	true	0.75	7	2.333333254	2	1	8248.5	4608.5	4608.5	1.800196
0247	028	1381	0.03	3951	3	55	80	2.5	2	0	3452	0	RM-3	65	form-based		true	true	0.75	5	2.5	2	1	6214.5	2263.5	2263.5	1.800261
0248	018	2406	0.06	6267	7	55	80	2.5	5	0	6015	0	RM-3	65	form-based			true	0.75	9	1.799999952	2	2	10827	4560	4560	1.8
0248	070	2240	0.05	835	6	55	80	2.5	4	0	5600	4765	RM-3	65	form-based			true	0.75	8	2	2	2	10080	9245	9245	1.8
0249	019	7353	0.17	15700	26	65	100	3	17	0	22059	6359	RM-3	65	form-based			true	0.75	28	1.647058845	2	2	33088.5	17388.5	17388.5	1.5
0249	021	2508	0.06	7230	7	65	100	3	6	0	7524	294	RM-3	65	form-based			true	0.75	9	1.5	2	2	11286	4056	4056	1.5
0256	017A	608	0.01	1080	1	65	100	3	1	0	1824	744	RM-4	65	density-lim	200			0.75	3	3	2	1	2736	1656	1656	1.5
0256	019	1040	0.02	1120	1	65	100	3	2	1	3120	2000	RM-3	65	density-lim	400			0.75	3	1.5	2	2	4680	3560	3560	1.5
0256	022	1765	0.04	3276	2	65	100	3	4	2	5295	2019	RM-3	65	density-lim	400			0.75	4	1	2	2	7942.5	4666.5	4666.5	1.5
0256	024	1073	0.02	2805	1	65	100	3	2	1	3219	414	RM-3	65	density-lim	400			0.75	3	1.5	2	2	4828.5	2023.5	2023.5	1.5
0257	007	1152	0.03	2120	3	65	100	3	3	0	3456	1336	C-3-G	65	form-based				0.8	5	1.666666627	2	2	5529.600098	3409.600098	3409.600098	1.6
0258	013	1000	0.02	3000	3	65	100	3	2	0	3000	0	CCB	50	density-lim	200			0.75	5	2.5	2	1	3750	750	750	1.25
0258	017	1000	0.02	2920	3	65	100	3	2	0	3000	80	CCB	50	density-lim	200			0.75	5	2.5	2	1	3750	830	830	1.25
0258	018	1000	0.02	3000	3	65	100	3	2	0	3000	0	CCB	50	density-lim	200			0.75	5	2.5	2	1	3750	750	750	1.25
0258	020	962	0.02	2925	3	65	100	3	2	0	2886	0	CCB	50	density-lim	200			0.75	5	2.5	2	1	3607.5	682.5	682.5	1.25
0269	008	1121	0.03	3313	2	75	120	3.5	4	2	3924	611	C-3-O	50	form-based				0.8	4	1	2	2	4484	1171	1171	1.142712
0272	012	7264	0.17	19400	34	65	100	3	17	0	21792	2392	RM-4	65	density-lim	200	true		0.75	36	2.117647171	2	0	32688	13288	13288	1.5
0272	025	4795	0.11	11385	22	65	100	3	11	0	14385	3000	RM-4	65	density-lim	200			0.75	24	2.181818247	2	0	21577.5	10192.5	10192.5	1.5
0273	009	2976	0.07	8650	13	65	100	3	7	0	8928	278	RC-4	65	density-lim	200			0.75	15	2.142857075	2	1	13392	4742	4742	1.5
0273	011	900	0.02	2400	3	65	100	3	2	0	2700	300	RC-4	65	density-lim	200			0.75	5	2.5	2	1	4050	1650	1650	1.5
0273	014	3920	0.09	954	18	65	100	3	9	0	11760	10806	RM-4	65	density-lim	200			0.75	20	2.222222328	2	0	17640	16686	16686	1.5
0274	015	1791	0.04	5400	7	65	100	3	4	0	5373	0	RM-4	65	density-lim	200			0.75	9	2.25	2	1	8059.5	2659.5	2659.5	1.5
0274	020	4727	0.11	13320	22	65	100	3	11	0	14181	861	RM-4	65	density-lim	200			0.75	24	2.181818247	2	0	21271.5	7951.5	7951.5	1.5
0276	011	2500	0.06	7300	11	65	100	3	6	0	7500	200	RC-4	65	density-lim	200			0.75	13	2.166666746	2	1	11250	3950	3950	1.5
0282	013A	7504	0.17	16968	36	65	100	3	17	0	22512	5544	RC-4	65	density-lim	200			0.75	38	2.235294104	2	0	33768	16800	16800	1.5
0282	061	2871	0.07	633	12	65	100	3	7	0	8613	7980	RC-4	80	density-lim	200			0.75	14	2	2	2	17226	16593	16593	2
0298	011	1198	0.03	4280	4	65	100	3	3	0	3594	0	RC-4	80	density-lim	200	true		0.75	6	2	2	2	7188	2908	2908	2
0302	031	700	0.02	410	2	65	100	3	2	0	2100	1690	RC-4	80	density-lim	200	true		0.75	4	2	2	2	4200	3790	3790	2
0303	013	1719	0.04	4463	7	65	100	3	4	0	5157	694	RC-4	80	density-lim	200			0.75	9	2.25	2	1	10314	5851	5851	2
0303	016	3850	0.09	12048	17	65	100	3	9	0	11550	0	RC-4	80	density-lim	200			0.75	19	2.111111164	2	1	23100	11052	11052	2
0311	016	11357	0.26	1605	100	85	140	4	36	0	45428	43823	C-3-O	285	form-based		true		0.8	102	2.833333254	2	0	102213	100608	89251	2.25
0319	027	5985	0.14	19844	28	85	140	4	20	0	23940	4096	RC-4	80	density-lim	200			0.75	30	1.5	2	2	35910	16066	16066	1.5
0320	007	2342	0.05	6700	10	65	100	3	5	0	7026	326	RC-4	80	density-lim	200			0.75	12	2.400000095	2	0	14052	7352	7352	2
0321	005	1942	0.04	5010	8	65	100	3	4	0	5826	816	RC-4	80	density-lim	200			0.75	10	2.5	2	0	11652	6642	6642	2
0321	026	343	0.01	0	0	85	140	4	1	1	1372	1372	RC-4	80	density-lim	200			0.75	2	2	2	2	2058	2058	2058	1.5
0334	019	2812	0.06	6201	12	65	100	3	6	0	8436	2235	RC-4	80	density-lim	200			0.75	14	2.333333254	2	0	16872	10671	10671	2
0334	032	2812	0.06	408	12	65	100	3	6	0	8436	8028	RC-4	80	density-lim	200			0.75	14	2.333333254	2	0	16872	16464	16464	2
0338	022	1938	0.04	5050	8	65	100	3	4	0	5814	764	RC-4	80	density-lim	200			0.75	10	2.5	2	0	11628	6578	6578	2
0445A	001A	2519	0.06	3919	3	55	80	2.5	5	2	6298	2379	RH-2	40	form-based			true	0.7	5	1	2	2	7053.199707	3134.199707	3134.199707	1.119911
0453	015	2275	0.05	1355	3	65	100	3	5	2	6825	5470	NC-1	40	form-based			true	0.75	5	1	2	2	6825	5470	5470	1
0460A	001A	1706	0.04	2640	2	55	80	2.5	3	1	4265	1625	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4776.799805	2136.799805	2136.799805	1.12
0471	002F	2751	0.06	4304	4	55	80	2.5	5	1	6878	2574	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7702.799805	3398.799805	3398.799805	1.119919
0472	037	3437	0.08	3500	5	65	100	3	8	3	10311	6811	RM-1	40	form-based			true	0.7	7	0.875	2	2	9623.599609	6123.599609	6123.599609	0.933333
0472	041	2406	0.06	4600	3	65	100	3	6	3	7218	2618	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	6736.799805	2136.799805	2136.799805	0.933333
0472	047	2812	0.06	750	4	65	100	3	6	2	8436	7686	RM-1	40	form-based			true	0.7	6	1	2	2	7873.600098	7123.600098	7123.600098	0.933333
0473	013E	3694	0.08	5510	6	65	100	3	8	2	11082	5572	RH-3	40	form-based			true	0.7	8	1	2	2	10343.2002	4833.200195	4833.200195	0.933333
0474	006	3781	0.09	7230	6	65	100	3	9	3	11343	4113	RM-1	40	form-based			true	0.7	8	0.888888896	2	2	10586.7998	3356.799805	3356.799805	0.933333
0474	018	6884	0.16	11994	12	65	100	3	16	4	20652	8658	RM-1	40	form-based			true	0.7	14	0.875	2	2	19275.19922	7281.199219	7281.199219	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0474	021	3442	0.08	4717	5	65	100	3	8	3	10326	5609	RM-1	40	form-based			true	0.7	7	0.875	2	2	9637.599609	4920.599609	4920.599609	0.933333
0474	057	2067	0.05	1276	2	65	100	3	5	3	6201	4925	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5787.600098	4511.600098	4511.600098	0.933333
0474	061	1875	0.04	1064	2	65	100	3	4	2	5625	4561	RM-1	40	form-based			true	0.7	4	1	2	2	5250	4186	4186	0.933333
0476	005B	5157	0.12	9591	9	65	100	3	12	3	15471	5880	RM-1	40	form-based			true	0.7	11	0.916666687	2	2	14439.59961	4848.599609	4848.599609	0.933333
0477	011	1822	0.04	2338	2	65	100	3	4	2	5466	3128	RH-2	40	form-based			true	0.7	4	1	2	2	5101.600098	2763.600098	2763.600098	0.933333
0477	031	1925	0.04	1175	2	65	100	3	4	2	5775	4600	RH-2	40	form-based			true	0.7	4	1	2	2	5390	4215	4215	0.933333
0477	040	1925	0.04	2178	2	65	100	3	4	2	5775	3597	RH-2	40	form-based			true	0.7	4	1	2	2	5390	3212	3212	0.933333
0477	046	1731	0.04	1088	2	65	100	3	4	2	5193	4105	RM-1	40	form-based			true	0.7	4	1	2	2	4846.799805	3758.799805	3758.799805	0.933333
0478	002A	2812	0.06	3796	4	65	100	3	6	2	8436	4640	RM-1	40	form-based			true	0.7	6	1	2	2	7873.600098	4077.600098	4077.600098	0.933333
0478	004	2295	0.05	6002	3	65	100	3	5	2	6885	883	RM-1	40	form-based			true	0.7	5	1	2	2	6426	424	424	0.933333
0478	010B	3789	0.09	4354	6	85	140	4	13	7	15156	10802	RM-1	40	form-based			true	0.7	8	0.615384638	2	2	10609.2002	6255.200195	6255.200195	0.7
0478	042	3842	0.09	832	6	85	140	4	13	7	15368	14536	RM-1	40	form-based			true	0.7	8	0.615384638	2	2	10757.59961	9925.599609	9925.599609	0.7
0478	061	2812	0.06	1375	4	65	100	3	6	2	8436	7061	RM-1	40	form-based			true	0.7	6	1	2	2	7873.600098	6498.600098	6498.600098	0.933333
0478	065	2295	0.05	1002	3	65	100	3	5	2	6885	5883	RM-1	40	form-based			true	0.7	5	1	2	2	6426	5424	5424	0.933333
0480	001	2498	0.06	4120	3	65	100	3	6	3	7494	3374	RH-3	40	form-based	true		true	0.7	5	0.833333313	2	2	6994.399902	2874.399902	2874.399902	0.933333
0480	002D	1723	0.04	2750	4	65	100	3	4	0	5169	2419	RTO-C	65	form-based	true		true	0.75	6	1.5	2	2	7753.5	5003.5	5003.5	1.5
0480	002E	775	0.02	889	1	65	100	3	2	1	2325	1436	RTO-C	65	form-based			true	0.75	3	1.5	2	2	3487.5	2598.5	2598.5	1.5
0480	005C	2815	0.06	4795	4	65	100	3	6	2	8445	3650	RH-3	40	form-based			true	0.7	6	1	2	2	7882	3087	3087	0.933333
0480	005D	2815	0.06	4660	4	65	100	3	6	2	8445	3785	RH-3	40	form-based	true		true	0.7	6	1	2	2	7882	3222	3222	0.933333
0481	002	2187	0.05	3720	3	65	100	3	5	2	6561	2841	RH-3	40	form-based			true	0.7	5	1	2	2	6123.600098	2403.600098	2403.600098	0.933333
0482	022	2500	0.06	6045	3	55	80	2.5	5	2	6250	205	RM-2	40	form-based			true	0.7	5	1	2	2	7000	955	955	1.12
0482	003	2734	0.06	3550	4	55	80	2.5	5	1	6835	3285	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7655.199707	4105.199707	4105.199707	1.12
0482	034	2500	0.06	1487	3	55	80	2.5	5	2	6250	4763	RM-2	40	form-based			true	0.7	5	1	2	2	7000	5513	5513	1.12
0482	057	2736	0.06	900	4	55	80	2.5	5	1	6840	5940	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7660.799805	6760.799805	6760.799805	1.12
0493	001	957	0.02	2000	2	55	80	2.5	2	0	2392	392	RTO-C	65	form-based	true		true	0.75	4	2	2	2	4306.5	2306.5	2306.5	1.800376
0493	032	1027	0.02	989	2	55	80	2.5	2	0	2568	1579	RTO-C	65	form-based			true	0.75	4	2	2	2	4621.5	3632.5	3632.5	1.799649
0493	034	2255	0.05	758	6	55	80	2.5	4	0	5638	4880	RTO-C	65	form-based			true	0.75	8	2	2	2	10147.5	9389.5	9389.5	1.79984
0494	018	2946	0.07	8163	9	55	80	2.5	6	0	7365	0	RTO-C	65	form-based			true	0.75	11	1.833333373	2	2	13257	5094	5094	1.8
0495	001C	4744	0.11	9084	16	55	80	2.5	9	0	11860	2776	RTO-C	65	form-based			true	0.75	18	2	2	2	21348	12264	12264	1.8
0495	008	6851	0.16	13680	24	55	80	2.5	13	0	17128	3448	RTO-C	65	form-based			true	0.75	26	2	2	2	30829.5	17149.5	17149.5	1.799948
0496	014	3808	0.09	8871	12	65	100	3	9	0	11424	2553	RTO-C	65	form-based			true	0.75	14	1.555555582	2	2	17136	8265	8265	1.5
0496	015A	2656	0.06	6204	8	65	100	3	6	0	7968	1764	RTO-C	65	form-based			true	0.75	10	1.666666627	2	2	11952	5748	5748	1.5
0496	015C	1730	0.04	3150	4	55	80	2.5	3	0	4325	1175	RTO-C	65	form-based	true		true	0.75	6	2	2	2	7785	4635	4635	1.8
0497	001	2057	0.05	3384	6	65	100	3	5	0	6171	2787	RTO-C	65	form-based	true		true	0.75	8	1.600000024	2	2	9256.5	5872.5	5872.5	1.5
0500	006	1841	0.04	7614	3	65	100	3	4	1	5523	0	RH-2	50	form-based	true		true	0.7	5	1.25	2	2	6443.5	0	0	1.166667
0500	012	1913	0.04	3450	3	65	100	3	4	1	5739	2289	RH-3	50	form-based			true	0.7	5	1.25	2	2	6695.5	3245.5	3245.5	1.166667
0500	016	4261	0.1	10920	13	65	100	3	10	0	12783	1863	RH-3	65	form-based			true	0.7	15	1.5	2	2	17896.19922	6976.199219	6976.199219	1.4
0500	045	1524	0.03	1286	2	65	100	3	3	1	4572	3286	RH-3	50	form-based			true	0.7	4	1.333333373	2	2	5334	4048	4048	1.166667
0503	109	2303	0.05	1265	3	65	100	3	5	2	6909	5644	RH-3	40	form-based			true	0.7	5	1	2	2	6448.399902	5183.399902	5183.399902	0.933333
0504	002	2183	0.05	3765	3	65	100	3	5	2	6549	2784	RH-3	40	form-based	true		true	0.7	5	1	2	2	6112.399902	2347.399902	2347.399902	0.933333
0504	003F	2500	0.06	3700	3	65	100	3	6	3	7500	3800	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	3300	3300	0.933333
0504	023	3000	0.07	1528	4	65	100	3	7	3	9000	7472	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8400	6872	6872	0.933333
0505	004	1684	0.04	2300	2	55	80	2.5	3	1	4210	1910	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	4715.199707	2415.199707	2415.199707	1.12
0505	004B	1683	0.04	2800	2	55	80	2.5	3	1	4208	1408	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	4712.399902	1912.399902	1912.399902	1.119867
0505	007	2500	0.06	3651	3	55	80	2.5	5	2	6250	2599	RH-3	40	form-based			true	0.7	5	1	2	2	7000	3349	3349	1.12
0505	008	2500	0.06	3003	3	55	80	2.5	5	2	6250	3247	RH-3	40	form-based			true	0.7	5	1	2	2	7000	3997	3997	1.12
0505	021	1970	0.05	3000	2	55	80	2.5	4	2	4925	1925	RH-3	40	form-based			true	0.7	4	1	2	2	5516	2516	2516	1.12
0505	022	1742	0.04	2620	2	55	80	2.5	3	1	4355	1735	RH-3	40	form-based	true		true	0.7	4	1.333333373	2	2	4877.600098	2257.600098	2257.600098	1.12
0506	005	2031	0.05	2200	2	55	80	2.5	4	2	5078	2878	RH-2	40	form-based			true	0.7	4	1	2	2	5686.799805	3486.799805	3486.799805	1.11989
0506	005A	2031	0.05	2888	2	55	80	2.5	4	2	5078	2190	RH-2	40	form-based			true	0.7	4	1	2	2	5686.799805	2798.799805	2798.799805	1.11989
0506	005B	2031	0.05	2031	2	55	80	2.5	4	2	5078	3047	RH-2	40	form-based			true	0.7	4	1	2	2	5686.799805	3655.799805	3655.799805	1.11989
0506	005C	2031	0.05	2350	2	55	80	2.5	4	2	5078	2728	RH-2	40	form-based	true		true	0.7	4	1	2	2	5686.799805	3336.799805	3336.799805	1.11989
0506	015	2500	0.06	4950	3	55	80	2.5	5	2	6250	1300	RH-2	40	form-based			true	0.7	5	1	2	2	7000	2050	2050	1.12
0506	047	2656	0.06	1016	4	55	80	2.5	5	1	6640	5624	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7436.799805	6420.799805	6420.799805	1.12
0507	039	2656	0.06	5325	4	55	80	2.5	5	1	6640	1315	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7436.799805	2111.799805	2111.799805	1.12
0508	019	1925	0.04	2862	2	55	80	2.5	3	1	4812	1950	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5390	2528	2528	1.120116
0508	020	1925	0.04	2862	2	55	80	2.5	3	1	4812	1950	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5390	2528	2528	1.120116
0517	002	1962	0.05	2700	2	55	80	2.5	4	2	4905	2205	RH-2	40	form-based	true		true	0.7	4	1	2	2	5493.600098	2793.600098	2793.600098	1.12
0517	003	1980	0.05	2490	2	55	80	2.5	4	2	4950	2460	RH-2	40	form-based			true	0.7	4	1	2	2	5544	3054	3054	1.12
0517	021C	1689	0.04	1768	2	55	80	2.5	3	1	4222	2454	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4729.199707	2961.199707	2961.199707	1.120133
0517	022	1850	0.04	1715	2	55	80	2.5	3	1	4625	2910	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5180	3465	3465	1.12
0517	033	1700	0.04	1400	2	55	80	2.5	3	1	4250	2850	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4760	3360	3360	1.12
0517	035	1650	0.04	2400	1	55	80	2.5	3	2	4125	1725	RH-2	40	form-based			true	0.7	3	1	2	2	4620	2220	2220	1.12
0517	050	2200	0.05	2784	3	55	80	2.5	4	1	5500	2716	RH-2	40	form-based			true	0.7	5	1.25	2	2	6160	3376	3376	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0517	051	800	0.02	1008	0	55	80	2.5	2	2	2000	992	RH-2	40	form-based			true	0.7	2	1	2	2	2240	1232	1232	1.12
0518	003	2175	0.05	2902	3	55	80	2.5	4	1	5438	2536	RH-2	40	form-based			true	0.7	5	1.25	2	2	6090	3188	3188	1.119897
0518	021	2006	0.05	2286	2	55	80	2.5	4	2	5015	2729	RH-2	40	form-based			true	0.7	4	1	2	2	5616.799805	3330.799805	3330.799805	1.12
0518	027	2302	0.05	4545	3	55	80	2.5	4	1	5755	1210	RH-2	40	form-based			true	0.7	5	1.25	2	2	6445.600098	1900.600098	1900.600098	1.12
0518	028	2373	0.05	4995	3	55	80	2.5	4	1	5932	937	RH-2	40	form-based		true	true	0.7	5	1.25	2	2	6644.399902	1649.399902	1649.399902	1.120094
0518	034	1281	0.03	970	1	55	80	2.5	2	1	3202	2232	RH-2	40	form-based			true	0.7	3	1.5	2	2	3586.800049	2616.800049	2616.800049	1.120175
0518	035	1237	0.03	970	1	55	80	2.5	2	1	3092	2122	RH-2	40	form-based			true	0.7	3	1.5	2	2	3463.599854	2493.599854	2493.599854	1.120181
0518	036	1266	0.03	970	1	55	80	2.5	2	1	3165	2195	RH-2	40	form-based			true	0.7	3	1.5	2	2	3544.800049	2574.800049	2574.800049	1.12
0518	061	2705	0.06	708	4	55	80	2.5	5	1	6762	6054	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7574	6866	6866	1.120083
0519	014	2352	0.05	4365	3	55	80	2.5	4	1	5880	1515	RH-2	40	form-based			true	0.7	5	1.25	2	2	6585.600098	2220.600098	2220.600098	1.12
0519	015	2352	0.05	2785	3	55	80	2.5	4	1	5880	3095	RH-2	40	form-based			true	0.7	5	1.25	2	2	6585.600098	3800.600098	3800.600098	1.12
0519	015A	2130	0.05	2725	2	55	80	2.5	4	2	5325	2600	RH-2	40	form-based			true	0.7	4	1	2	2	5964	3239	3239	1.12
0519	015B	2130	0.05	3382	2	55	80	2.5	4	2	5325	1943	RH-2	40	form-based			true	0.7	4	1	2	2	5964	2582	2582	1.12
0519	018	1240	0.03	1621	1	55	80	2.5	2	1	3100	1479	RH-2	40	form-based			true	0.7	3	1.5	2	2	3472	1851	1851	1.12
0519	019	1240	0.03	1692	1	55	80	2.5	2	1	3100	1408	RH-2	40	form-based			true	0.7	3	1.5	2	2	3472	1780	1780	1.12
0519	028	1661	0.04	942	1	55	80	2.5	3	2	4152	3210	RH-2	40	form-based		true	true	0.7	3	1	2	2	4650.799805	3708.799805	3708.799805	1.120135
0519	031	1661	0.04	2390	1	55	80	2.5	3	2	4152	1762	RH-2	40	form-based			true	0.7	3	1	2	2	4650.799805	2260.799805	2260.799805	1.120135
0519	032	1661	0.04	1031	1	55	80	2.5	3	2	4152	3121	RH-2	40	form-based			true	0.7	3	1	2	2	4650.799805	3619.799805	3619.799805	1.120135
0519	033	1611	0.04	1291	1	55	80	2.5	3	2	4028	2737	RH-2	40	form-based		true	true	0.7	3	1	2	2	4510.799805	3219.799805	3219.799805	1.119861
0520	001A	1872	0.04	2856	2	65	100	3	4	2	5616	2760	RH-3	40	form-based			true	0.7	4	1	2	2	5241.600098	2385.600098	2385.600098	0.933333
0520	002	1920	0.04	2600	2	65	100	3	4	2	5760	3160	RH-3	40	form-based			true	0.7	4	1	2	2	5376	2776	2776	0.933333
0520	003	1800	0.04	2525	2	65	100	3	4	2	5400	2875	RH-3	40	form-based			true	0.7	4	1	2	2	5040	2515	2515	0.933333
0520	012	8544	0.2	9680	16	65	100	3	20	4	25632	15952	RH-3	40	form-based			true	0.7	18	0.899999976	2	2	23923.19922	14243.19922	14243.19922	0.933333
0520	017	2432	0.06	4782	3	55	80	2.5	5	2	6080	1298	RH-3	40	form-based			true	0.7	5	1	2	2	6809.600098	2027.600098	2027.600098	1.12
0520	022	2502	0.06	2842	3	55	80	2.5	5	2	6255	3413	RH-3	40	form-based			true	0.7	5	1	2	2	7005.600098	4163.600098	4163.600098	1.12
0520	023	1802	0.04	2114	2	55	80	2.5	3	1	4505	2391	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	5045.600098	2931.600098	2931.600098	1.12
0520	030	2132	0.05	2738	2	65	100	3	5	3	6396	3658	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5969.600098	3231.600098	3231.600098	0.933333
0520	031	2132	0.05	2712	2	65	100	3	5	3	6396	3684	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5969.600098	3257.600098	3257.600098	0.933333
0524	004	3652	0.08	7495	8	65	100	3	8	0	10956	3461	RH-3	50	form-based			true	0.7	10	1.25	2	2	12782	5287	5287	1.166667
0524	031	8644	0.2	4063	4	65	100	3	20	16	25932	21869	RH-2	40	density-lin	1500			0.7	6	0.300000012	2	2	24203.19922	20140.19922	20140.19922	0.933333
0524	071	1268	0.03	2624	2	65	100	3	3	1	3804	1180	RH-2	50	form-based			true	0.7	4	1.333333373	2	2	4438	1814	1814	1.166667
0529	018C	2000	0.05	2800	2	55	80	2.5	4	2	5000	2200	RH-3	40	form-based			true	0.7	4	1	2	2	5600	2800	2800	1.12
0529	018D	2000	0.05	2800	2	55	80	2.5	4	2	5000	2200	RH-3	40	form-based			true	0.7	4	1	2	2	5600	2800	2800	1.12
0529	019	4125	0.09	6947	7	65	100	3	9	2	12375	5428	RH-3	40	form-based			true	0.7	9	1	2	2	11550	4603	4603	0.933333
0529	086	2502	0.06	1875	3	65	100	3	6	3	7506	5631	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7005.600098	5130.600098	5130.600098	0.933333
0530	022	2151	0.05	3120	3	55	80	2.5	4	1	5378	2258	RH-2	40	form-based			true	0.7	5	1.25	2	2	6022.799805	2902.799805	2902.799805	1.119896
0541	008	3435	0.08	5300	5	55	80	2.5	6	1	8588	3288	RH-2	40	form-based			true	0.7	7	1.166666627	2	2	9618	4318	4318	1.119935
0542	001A	975	0.02	1681	2	55	80	2.5	2	0	2438	757	NCD-UNIO	65	form-based			true	0.75	4	2	2	2	4387.5	2706.5	2706.5	1.799631
0542	001B	975	0.02	1664	2	55	80	2.5	2	0	2438	774	NCD-UNIO	65	form-based			true	0.75	4	2	2	2	4387.5	2723.5	2723.5	1.799631
0542	018	1875	0.04	2112	2	55	80	2.5	3	1	4688	2576	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5250	3138	3138	1.119881
0542	028	1870	0.04	1714	2	55	80	2.5	3	1	4675	2961	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5236	3522	3522	1.12
0542	029	1624	0.04	865	1	55	80	2.5	3	2	4060	3195	RH-2	40	form-based			true	0.7	3	1	2	2	4547.199707	3682.199707	3682.199707	1.12
0542	040	6108	0.14	6840	11	55	80	2.5	11	0	15270	8430	RH-2	40	form-based			true	0.7	13	1.181818128	2	2	17102.40039	10262.40039	10262.40039	1.12
0542	073	5091	0.12	1300	9	55	80	2.5	10	1	12728	11428	RM-1	40	form-based			true	0.7	11	1.100000024	2	2	14254.7998	12954.7998	12954.7998	1.119956
0543	001	2451	0.06	4278	7	55	80	2.5	5	0	6128	1850	NCD-UNIO	65	form-based		true	true	0.75	9	1.799999952	2	2	11029.5	6751.5	6751.5	1.799853
0543	002	2275	0.05	3518	3	55	80	2.5	4	1	5688	2170	RH-2	40	form-based			true	0.7	5	1.25	2	2	6370	2852	2852	1.119902
0543	007	2500	0.06	2540	3	55	80	2.5	5	2	6250	3710	RH-2	40	form-based			true	0.7	5	1	2	2	7000	4460	4460	1.12
0543	013	3437	0.08	4870	5	55	80	2.5	6	1	8592	3722	RH-3	40	form-based			true	0.7	7	1.166666627	2	2	9623.599609	4753.599609	4753.599609	1.120065
0543	035	2500	0.06	1455	3	55	80	2.5	5	2	6250	4795	RH-3	40	form-based			true	0.7	5	1	2	2	7000	5545	5545	1.12
0543	039	2500	0.06	1081	3	55	80	2.5	5	2	6250	5169	RH-3	40	form-based			true	0.7	5	1	2	2	7000	5919	5919	1.12
0545	023	2063	0.05	3801	6	65	100	3	5	0	6189	2388	RTO-C	65	form-based			true	0.75	8	1.600000024	2	2	9283.5	5482.5	5482.5	1.5
0548	001A	6302	0.14	12582	20	65	100	3	14	0	18906	6324	RM-2	65	form-based			true	0.7	22	1.571428537	2	2	26468.40039	13886.40039	13886.40039	1.4
0548	001B	6302	0.14	12537	20	65	100	3	14	0	18906	6369	RM-2	65	form-based			true	0.7	22	1.571428537	2	2	26468.40039	13931.40039	13931.40039	1.4
0548	005	2407	0.06	6279	6	65	100	3	6	0	7221	942	RM-2	65	form-based		true	true	0.7	8	1.333333373	2	2	10109.39941	3830.399414	3830.399414	1.4
0548	019	3768	0.09	12200	12	65	100	3	9	0	11304	0	NCD-POLK	65	form-based		true	true	0.75	14	1.555555582	2	2	16956	4756	4756	1.5
0551	001B	2740	0.06	35130	23	85	140	4	8	0	10960	0	RC-3	240	form-based			true	0.75	25	3.125	2	0	24660	0	0	2.25
0553	001	2515	0.06	8505	3	65	100	3	6	3	7545	0	RH-2	40	form-based		true	true	0.7	5	0.833333313	2	2	7042	0	0	0.933333
0555	033	2504	0.06	2421	3	55	80	2.5	5	2	6260	3839	RH-2	40	form-based		true	true	0.7	5	1	2	2	7011.199707	4590.199707	4590.199707	1.12
0556	012	5500	0.13	5962	10	55	80	2.5	10	0	13750	7788	RH-2	40	form-based			true	0.7	12	1.200000048	2	2	15400	9438	9438	1.12
0558	025	2137	0.05	3350	2	55	80	2.5	4	2	5342	1992	RH-2	40	form-based			true	0.7	4	1	2	2	5983.600098	2633.600098	2633.600098	1.120105
0559	005	3025	0.07	4014	4	55	80	2.5	6	2	7562	3548	RH-2	40	form-based			true	0.7	6	1	2	2	8470	4456	4456	1.120074
0560	001A	1529	0.04	2080	1	55	80	2.5	3	2	3822	1742	RH-1	40	form-based			true	0.7	3	1	2	2	4281.199707	2201.199707	2201.199707	1.120146
0562	001A	1358	0.03	1798	1	55	80	2.5	2	1	3395	1597	RH-1	40	form-based			true	0.7	3	1.5	2	2	3802.399902	2004.399902	2004.399902	1.12
0562	001B	1596	0.04	2680	1	55	80	2.5	3	2	3990	1310	RH-1	40	form-based			true	0.7	3	1	2	2	4468.799805	1788.799805	1788.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0562	001C	1596	0.04	2468	1	55	80	2.5	3	2	3990	1522	RH-1	40	form-based			true	0.7	3	1	2	2	4468.799805	2000.799805	2000.799805	1.12
0565	002	1801	0.04	2992	2	55	80	2.5	3	1	4502	1510	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5042.799805	2050.799805	2050.799805	1.120124
0565	023	1448	0.03	2129	1	55	80	2.5	2	1	3620	1491	RH-2	40	form-based			true	0.7	3	1.5	2	2	4054.399902	1925.399902	1925.399902	1.12
0565	058	1844	0.04	1472	2	55	80	2.5	3	1	4610	3138	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	5163.199707	3691.199707	3691.199707	1.12
0566	022	3777	0.09	3734	6	55	80	2.5	7	1	9442	5708	RH-2	40	form-based			true	0.7	8	1.142857194	2	2	10575.59961	6841.599609	6841.599609	1.120059
0567	004	3441	0.08	3718	5	55	80	2.5	6	1	8602	4884	RH-2	40	form-based			true	0.7	7	1.166666627	2	2	9634.799805	5916.799805	5916.799805	1.120065
0572	002	1379	0.03	4781	3	65	100	3	3	0	4137	0	RH-3	65	form-based			true	0.7	5	1.666666627	2	2	5791.799805	1010.799805	1010.799805	1.4
0572	009	2161	0.05	4916	6	65	100	3	5	0	6483	1567	RH-3	65	form-based			true	0.7	8	1.600000024	2	2	9076.200195	4160.200195	4160.200195	1.4
0572	010	2154	0.05	4155	6	65	100	3	5	0	6462	2307	RH-3	65	form-based			true	0.7	8	1.600000024	2	2	9046.799805	4891.799805	4891.799805	1.4
0572	025	1228	0.03	2100	2	65	100	3	3	1	3684	1584	RH-3	65	form-based			true	0.7	4	1.333333373	2	2	5157.600098	3057.600098	3057.600098	1.4
0572	083	1323	0.03	1410	3	65	100	3	3	0	3969	2559	RH-3	65	form-based		true	true	0.7	5	1.666666627	2	2	5556.600098	4146.600098	4146.600098	1.4
0577	005	3993	0.09	7517	6	65	100	3	9	3	11979	4462	RH-2	40	form-based			true	0.7	8	0.888888896	2	2	11180.39941	3663.399414	3663.399414	0.933333
0579	009A	1720	0.04	2930	2	55	80	2.5	3	1	4300	1370	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4816	1886	1886	1.12
0579	009C	1721	0.04	4454	2	55	80	2.5	3	1	4302	0	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4818.799805	364.7998047	364.7998047	1.12013
0579	009D	1721	0.04	2930	2	55	80	2.5	3	1	4302	1372	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4818.799805	1888.799805	1888.799805	1.12013
0579	021	4022	0.09	1419	6	55	80	2.5	7	1	10055	8636	RH-3	40	form-based			true	0.7	8	1.142857194	2	2	11261.59961	9842.599609	9842.599609	1.12
0579	054	1721	0.04	1078	2	55	80	2.5	3	1	4302	3224	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4818.799805	3740.799805	3740.799805	1.12013
0580	001	3713	0.09	9800	12	55	80	2.5	7	0	9282	0	RTO-C	65	form-based		true	true	0.75	14	2	2	2	16708.5	6908.5	6908.5	1.800097
0585	010	1400	0.03	1350	1	55	80	2.5	2	1	3500	2150	RH-1	40	form-based			true	0.7	3	1.5	2	2	3920	2570	2570	1.12
0586	001	3423	0.08	6372	5	55	80	2.5	6	1	8558	2186	RH-1	40	form-based		true	true	0.7	7	1.166666627	2	2	9584.399414	3212.399414	3212.399414	1.119934
0586	001A	1372	0.03	2820	1	55	80	2.5	2	1	3430	610	RH-1	40	form-based			true	0.7	3	1.5	2	2	3841.599854	1021.599854	1021.599854	1.12
0586	001B	1372	0.03	2550	1	55	80	2.5	2	1	3430	880	RH-1	40	form-based			true	0.7	3	1.5	2	2	3841.599854	1291.599854	1291.599854	1.12
0586	002A	1648	0.04	3636	1	55	80	2.5	3	2	4120	484	RH-1	40	form-based			true	0.7	3	1	2	2	4614.399902	978.3999023	978.3999023	1.12
0588	014	2757	0.06	3657	4	55	80	2.5	5	1	6892	3235	RM-1	40	form-based			true	0.7	6	1.200000048	2	2	7719.600098	4062.600098	4062.600098	1.120081
0589	021	3501	0.08	5467	5	55	80	2.5	6	1	8752	3285	RH-2	40	form-based			true	0.7	7	1.166666627	2	2	9802.799805	4335.799805	4335.799805	1.120064
0589	031	3735	0.09	960	6	55	80	2.5	7	1	9338	8378	RM-1	40	form-based		true	true	0.7	8	1.142857194	2	2	10458	9498	9498	1.11994
0592	004B	2020	0.05	3965	2	65	100	3	5	3	6060	2095	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5656	1691	1691	0.933333
0592	015A	3730	0.09	4295	6	65	100	3	9	3	11190	6895	RH-2	40	form-based			true	0.7	8	0.888888896	2	2	10444	6149	6149	0.933333
0592	024	2020	0.05	1420	2	65	100	3	5	3	6060	4640	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5656	4236	4236	0.933333
0594	009	217	0	0	0	65	100	3	0	0	651	651	RTO-C	240	form-based			true	0.75	2		2	2	1953	1953	1302	3
0597	014	2008	0.05	6016	8	65	100	3	5	0	6024	8	RM-2	85	form-based			true	0.7	10	2	2	2	11244.7998	5228.799805	5228.799805	1.866667
0600	007	3543	0.08	4250	5	65	100	3	8	3	10629	6379	RH-2	40	form-based			true	0.7	7	0.875	2	2	9920.399414	5670.399414	5670.399414	0.933333
0600	033	1832	0.04	2200	2	65	100	3	4	2	5496	3296	RH-2	40	form-based			true	0.7	4	1	2	2	5129.600098	2929.600098	2929.600098	0.933333
0601	012	2427	0.06	1575	3	65	100	3	6	3	7281	5706	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	6795.600098	5220.600098	5220.600098	0.933333
0601	015	2427	0.06	1643	3	65	100	3	6	3	7281	5638	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	6795.600098	5152.600098	5152.600098	0.933333
0603	001	1902	0.04	3208	2	55	80	2.5	3	1	4755	1547	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	5325.600098	2117.600098	2117.600098	1.12
0603	001A	1948	0.04	2550	2	55	80	2.5	3	1	4870	2320	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5454.399902	2904.399902	2904.399902	1.12
0604	022	2040	0.05	4675	2	55	80	2.5	4	2	5100	425	RH-2	40	form-based			true	0.7	4	1	2	2	5712	1037	1037	1.12
0604	023	2040	0.05	3902	2	55	80	2.5	4	2	5100	1198	RH-2	40	form-based			true	0.7	4	1	2	2	5712	1810	1810	1.12
0604	024	2070	0.05	3586	2	55	80	2.5	4	2	5175	1589	RH-2	40	form-based			true	0.7	4	1	2	2	5796	2210	2210	1.12
0604	033	3245	0.07	6060	5	55	80	2.5	6	1	8112	2052	RH-2	40	form-based			true	0.7	7	1.166666627	2	2	9086	3026	3026	1.120069
0604	036	2062	0.05	1700	2	55	80	2.5	4	2	5155	3455	RH-2	40	form-based			true	0.7	4	1	2	2	5773.600098	4073.600098	4073.600098	1.12
0604	038	3915	0.09	1045	6	55	80	2.5	7	1	9788	8743	RM-1	40	form-based			true	0.7	8	1.142857194	2	2	10962	9917	9917	1.119943
0604	053	2537	0.06	1657	3	55	80	2.5	5	2	6342	4685	RH-2	40	form-based			true	0.7	5	1	2	2	7103.600098	5446.600098	5446.600098	1.120088
0605	001	2156	0.05	2440	4	55	80	2.5	4	0	5390	2950	RH-2	40	density-lim	1500	true		0.7	6	1.5	2	2	6036.799805	3596.799805	3596.799805	1.12
0605	040	2022	0.05	1471	2	55	80	2.5	4	2	5055	3584	RH-2	40	form-based			true	0.7	4	1	2	2	5661.600098	4190.600098	4190.600098	1.12
0605	042	2819	0.06	515	4	55	80	2.5	5	1	7048	6533	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7893.199707	7378.199707	7378.199707	1.11992
0606	017A	1445	0.03	3600	1	65	100	3	3	2	4335	735	RM-1	40	form-based			true	0.7	3	1	2	2	4046	446	446	0.933333
0606	021A	2171	0.05	5738	3	65	100	3	5	2	6513	775	RM-1	40	form-based		true	true	0.7	5	1	2	2	6078.799805	340.7998047	340.7998047	0.933333
0606	021B	1630	0.04	2080	1	65	100	3	4	3	4890	2810	RH-2	40	form-based			true	0.7	3	0.75	2	2	4564	2484	2484	0.933333
0606	024	3511	0.08	6859	5	65	100	3	8	3	10533	3674	RH-2	40	form-based			true	0.7	7	0.875	2	2	9830.799805	2971.799805	2971.799805	0.933333
0611	023	1581	0.04	1075	1	65	100	3	4	3	4743	3668	RH-2	40	form-based			true	0.7	3	0.75	2	2	4426.799805	3351.799805	3351.799805	0.933333
0612	003	1719	0.04	2580	2	65	100	3	4	2	5157	2577	RH-2	40	density-lim	1500			0.7	4	1	2	2	4813.199707	2233.199707	2233.199707	0.933333
0612	042	2250	0.05	1172	3	65	100	3	5	2	6750	5578	RH-2	40	form-based			true	0.7	5	1	2	2	6300	5128	5128	0.933333
0612	049	1719	0.04	1964	2	65	100	3	4	2	5157	3193	RH-2	40	density-lim	1500			0.7	4	1	2	2	4813.199707	2849.199707	2849.199707	0.933333
0613	015	2157	0.05	1850	2	65	100	3	5	3	6471	4621	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6039.600098	4189.600098	4189.600098	0.933333
0614	016	3332	0.08	5276	5	55	80	2.5	6	1	8330	3054	RH-2	40	form-based			true	0.7	7	1.166666627	2	2	9329.599609	4053.599609	4053.599609	1.12
0617	016	1430	0.03	3083	1	65	100	3	3	2	4290	1207	RH-2	40	form-based			true	0.7	3	1	2	2	4004	921	921	0.933333
0620	001	3278	0.08	9401	10	65	100	3	8	0	9834	433	RM-3	65	form-based		true	true	0.75	12	1.5	2	2	14751	5350	5350	1.5
0629	022	2262	0.05	5068	6	65	100	3	5	0	6786	1718	NCD-UPPE	65	form-based			true	0.75	8	1.600000024	2	2	10179	5111	5111	1.5
0630	049	3840	0.09	985	9	65	100	3	9	0	11520	10535	RH-2	50	form-based			true	0.7	11	1.222222209	2	2	13440	12455	12455	1.166667
0630	060	4011	0.09	1550	6	65	100	3	9	3	12033	10483	RH-2	40	form-based			true	0.7	8	0.888888896	2	2	11230.7998	9680.799805	9680.799805	0.933333
0631	037	1281	0.03	1796	2	65	100	3	3	1	3843	2047	RH-2	50	form-based			true	0.7	4	1.333333373	2	2	4483.5	2687.5	2687.5	1.166667
0631	040	2495	0.06	1925	3	65	100	3	6	3	7485	5560	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	6986	5061	5061	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0632	001A	2705	0.06	4995	4	65	100	3	6	2	8115	3120	RH-3	40	form-based			true	0.7	6	1	2	2	7574	2579	2579	0.933333
0632	001B	2696	0.06	3290	4	65	100	3	6	2	8088	4798	RH-3	40	form-based			true	0.7	6	1	2	2	7548.799805	4258.799805	4258.799805	0.933333
0632	001D	3518	0.08	4795	5	65	100	3	8	3	10554	5759	RH-3	40	form-based			true	0.7	7	0.875	2	2	9850.399414	5055.399414	5055.399414	0.933333
0632	001F	3464	0.08	4816	5	65	100	3	8	3	10392	5576	RH-3	40	form-based			true	0.7	7	0.875	2	2	9699.200195	4883.200195	4883.200195	0.933333
0633	001K	2577	0.06	3640	5	65	100	3	6	1	7731	4091	RH-2	50	form-based			true	0.7	7	1.166666627	2	2	9019.5	5379.5	5379.5	1.166667
0633	006	8003	0.18	24629	40	65	100	3	18	0	24009	0	RTO-C	85	form-based		true	true	0.75	42	2.333333254	2	0	48018	23389	23389	2
0633	020	2825	0.06	574	6	85	140	4	8	2	11300	10726	RH-2	50	form-based			true	0.7	8	1	2	2	9887.5	9313.5	9313.5	0.875
0634	017	1147	0.03	1923	1	65	100	3	3	2	3441	1518	RH-3	50	form-based			true	0.7	3	1	2	2	4014.5	2091.5	2091.5	1.166667
0634	017A	1142	0.03	1715	1	65	100	3	3	2	3426	1711	RH-3	50	form-based			true	0.7	3	1	2	2	3997	2282	2282	1.166667
0634	018	1164	0.03	2164	1	65	100	3	3	2	3492	1328	RH-3	50	form-based			true	0.7	3	1	2	2	4074	1910	1910	1.166667
0634	019A	982	0.02	1660	1	65	100	3	2	1	2946	1286	RH-3	50	form-based			true	0.7	3	1.5	2	2	3437	1777	1777	1.166667
0634	041	1480	0.03	1110	2	65	100	3	3	1	4440	3330	RH-3	50	form-based			true	0.7	4	1.333333373	2	2	5180	4070	4070	1.166667
0634	051	1848	0.04	1344	3	85	140	4	6	3	7392	6048	RH-3	50	form-based			true	0.7	5	0.833333313	2	2	6468	5124	5124	0.875
0635	003	5631	0.13	16450	19	65	100	3	13	0	16893	443	NCD-UPPE	65	form-based			true	0.75	21	1.615384579	2	2	25339.5	8889.5	8889.5	1.5
0637	026	5716	0.13	915	10	55	80	2.5	10	0	14290	13375	RM-1	40	form-based		true	true	0.7	12	1.200000048	2	2	16004.7998	15089.7998	15089.7998	1.12
0638	041	8779	0.2	1582	16	55	80	2.5	16	0	21948	20366	RM-2	40	form-based			true	0.7	18	1.125	2	2	24581.19922	22999.19922	22999.19922	1.119974
0639	014	6687	0.15	16290	12	55	80	2.5	12	0	16718	428	RM-2	40	form-based			true	0.7	14	1.166666627	2	2	18723.59961	2433.599609	2433.599609	1.119967
0641	008	8034	0.18	42052	40	65	100	3	18	0	24102	0	RM-3	80	form-based		true	true	0.75	42	2.333333254	2	0	48204	6152	6152	2
0644	003	2500	0.06	5938	7	65	100	3	6	0	7500	1562	RM-3	65	form-based			true	0.75	9	1.5	2	2	11250	5312	5312	1.5
0644	004	2520	0.06	5862	7	65	100	3	6	0	7560	1698	RM-3	65	form-based			true	0.75	9	1.5	2	2	11340	5478	5478	1.5
0644	006	3030	0.07	6069	9	65	100	3	7	0	9090	3021	RM-3	65	form-based			true	0.75	11	1.571428537	2	2	13635	7566	7566	1.5
0644	018	3540	0.08	7620	17	65	100	3	8	0	10620	3000	RM-3	85	form-based			true	0.75	19	2.375	2	0	21240	13620	13620	2
0649	018	4308	0.1	4598	2	65	100	3	10	8	12924	8326	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	12062.39941	7464.399414	7464.399414	0.933333
0649	025	4762	0.11	2565	2	55	80	2.5	9	7	11905	9340	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	13333.59961	10768.59961	10768.59961	1.12
0649	027	4308	0.1	1645	2	65	100	3	10	8	12924	11279	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	12062.39941	10417.39941	10417.39941	0.933333
0649	029	4308	0.1	2382	2	65	100	3	10	8	12924	10542	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	12062.39941	9680.399414	9680.399414	0.933333
0652	012	3437	0.08	3539	2	65	100	3	8	6	10311	6772	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9623.599609	6084.599609	6084.599609	0.933333
0649	031	4308	0.1	1840	2	65	100	3	10	8	12924	11084	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	12062.39941	10222.39941	10222.39941	0.933333
0649	051	3300	0.08	2280	2	65	100	3	8	6	9900	7620	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9240	6960	6960	0.933333
0651	025	2981	0.07	4100	2	55	80	2.5	6	4	7452	3352	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8346.799805	4246.799805	4246.799805	1.120075
0651	055	3151	0.07	2328	2	55	80	2.5	6	4	7878	5550	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8822.799805	6494.799805	6494.799805	1.119929
0651	065	3151	0.07	1819	2	55	80	2.5	6	4	7878	6059	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8822.799805	7003.799805	7003.799805	1.119929
0652	006	2258	0.05	3212	2	55	80	2.5	4	2	5645	2433	RH-2	40	density-lim	1500			0.7	4	1	2	2	6322.399902	3110.399902	3110.399902	1.12
0652	010	3266	0.07	2884	2	65	100	3	7	5	9798	6914	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	9144.799805	6260.799805	6260.799805	0.933333
0652	028	3457	0.08	3046	2	65	100	3	8	6	10371	7325	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9679.599609	6633.599609	6633.599609	0.933333
0652	030	3457	0.08	2566	2	65	100	3	8	6	10371	7805	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9679.599609	7113.599609	7113.599609	0.933333
0652	036	2254	0.05	1504	2	55	80	2.5	4	2	5635	4131	RH-2	40	density-lim	1500			0.7	4	1	2	2	6311.199707	4807.199707	4807.199707	1.12
0652	065	3457	0.08	1795	2	65	100	3	8	6	10371	8576	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9679.599609	7884.599609	7884.599609	0.933333
0652	071	2356	0.05	2075	2	55	80	2.5	4	2	5890	3815	RH-2	40	density-lim	1500			0.7	4	1	2	2	6596.799805	4521.799805	4521.799805	1.12
0652	073	2152	0.05	1222	2	55	80	2.5	4	2	5380	4158	RH-2	40	density-lim	1500			0.7	4	1	2	2	6025.600098	4803.600098	4803.600098	1.12
0652	075	2194	0.05	1150	2	65	100	3	5	3	6582	5432	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6143.199707	4993.199707	4993.199707	0.933333
0652	093	3457	0.08	1839	2	65	100	3	8	6	10371	8532	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9679.599609	7840.599609	7840.599609	0.933333
0653	007	2362	0.05	3282	2	65	100	3	5	3	7086	3804	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6613.600098	3331.600098	3331.600098	0.933333
0653	012	1647	0.04	3240	4	65	100	3	4	0	4941	1701	RH-2	40	density-lim	1500	true		0.7	6	1.5	2	2	4611.600098	1371.600098	1371.600098	0.933333
0653	014	2362	0.05	2975	2	65	100	3	5	3	7086	4111	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6613.600098	3638.600098	3638.600098	0.933333
0653	028	3175	0.07	8370	15	65	100	3	7	0	9525	1155	RTO-C	85	form-based		true	true	0.75	17	2.428571463	2	0	19050	10680	10680	2
0653	042	2225	0.05	2514	2	65	100	3	5	3	6675	4161	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6230	3716	3716	0.933333
0653	043	2225	0.05	3034	2	65	100	3	5	3	6675	3641	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6230	3196	3196	0.933333
0654	028	2500	0.06	2297	2	65	100	3	6	4	7500	5203	NCD-UPPE	40	density-lim	600			0.75	4	0.666666687	2	2	7500	5203	5203	1
0656	003	2012	0.05	2100	2	65	100	3	5	3	6036	3936	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5633.600098	3533.600098	3533.600098	0.933333
0656	006	1838	0.04	2352	2	65	100	3	4	2	5514	3162	RH-2	40	form-based			true	0.7	4	1	2	2	5146.399902	2794.399902	2794.399902	0.933333
0656	012A	3542	0.08	4860	5	65	100	3	8	3	10626	5766	RH-2	40	form-based			true	0.7	7	0.875	2	2	9917.599609	5057.599609	5057.599609	0.933333
0656	017A	1547	0.04	5113	1	65	100	3	4	3	4641	0	RH-2	40	form-based			true	0.7	3	0.75	2	2	4331.600098	0	0	0.933333
0657	016	1542	0.04	2150	1	65	100	3	4	3	4626	2476	RH-2	40	form-based			true	0.7	3	0.75	2	2	4317.600098	2167.600098	2167.600098	0.933333
0657	020	7565	0.17	5738	14	65	100	3	17	3	22695	16957	RH-2	40	form-based			true	0.7	16	0.941176474	2	2	21182	15444	15444	0.933333
0657	025	1269	0.03	1580	1	65	100	3	3	2	3807	2227	RH-2	40	form-based			true	0.7	3	1	2	2	3553.199951	1973.199951	1973.199951	0.933333
0657	030	1282	0.03	1580	1	65	100	3	3	2	3846	2266	RH-2	40	form-based			true	0.7	3	1	2	2	3589.599854	2009.599854	2009.599854	0.933333
0657	031	1282	0.03	2322	1	65	100	3	3	2	3846	1524	RH-2	40	form-based			true	0.7	3	1	2	2	3589.599854	1267.599854	1267.599854	0.933333
0659	012	1812	0.04	2080	2	65	100	3	4	2	5436	3356	RH-3	40	density-lim	1000			0.7	4	1	2	2	5073.600098	2993.600098	2993.600098	0.933333
0659	012A	1356	0.03	1711	2	65	100	3	3	1	4068	2357	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3796.800049	2085.800049	2085.800049	0.933333
0659	017	1790	0.04	2850	2	65	100	3	4	2	5370	2520	RH-3	40	density-lim	1000			0.7	4	1	2	2	5012	2162	2162	0.933333
0659	033	3187	0.07	7187	3	65	100	3	7	4	9561	2374	NCD-UPPE	40	density-lim	600			0.75	5	0.714285731	2	2	9561	2374	2374	1
0659	037	1310	0.03	2030	2	65	100	3	3	1	3930	1900	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3668	1638	1638	0.933333
0660	028	3159	0.07	1750	2	65	100	3	7	5	9477	7727	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8845.200195	7095.200195	7095.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0660	029	1646	0.04	1960	2	65	100	3	4	2	4938	2978	RH-2	40	density-lim	1500			0.7	4	1	2	2	4608.799805	2648.799805	2648.799805	0.933333
0660	029A	1513	0.03	2693	2	65	100	3	3	1	4539	1846	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4236.399902	1543.399902	1543.399902	0.933333
0660	049	875	0.02	700	2	65	100	3	2	0	2625	1925	RH-2	40	density-lim	1500			0.7	4	2	2	2	2450	1750	1750	0.933333
0660	065	2019	0.05	3542	2	65	100	3	5	3	6057	2515	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5653.199707	2111.199707	2111.199707	0.933333
0660	067	771	0.02	1454	2	65	100	3	2	0	2313	859	RH-2	40	density-lim	1500			0.7	4	2	2	2	2158.800049	704.8000488	704.8000488	0.933333
0660	073	950	0.02	2047	2	65	100	3	2	0	2850	803	RH-2	40	density-lim	1500			0.7	4	2	2	2	2660	613	613	0.933333
0661	001	1916	0.04	3420	4	65	100	3	4	0	5748	2328	RH-2	40	density-lim	1500	true		0.7	6	1.5	2	2	5364.799805	1944.799805	1944.799805	0.933333
0661	002	2109	0.05	2650	2	65	100	3	5	3	6327	3677	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5905.199707	3255.199707	3255.199707	0.933333
0661	002A	2109	0.05	2650	2	65	100	3	5	3	6327	3677	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5905.199707	3255.199707	3255.199707	0.933333
0661	005	4727	0.11	2576	2	65	100	3	11	9	14181	11605	RH-2	40	density-lim	1500			0.7	4	0.363636374	2	2	13235.59961	10659.59961	10659.59961	0.933333
0661	006	4056	0.09	3360	2	65	100	3	9	7	12168	8808	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	11356.7998	7996.799805	7996.799805	0.933333
0661	007	3151	0.07	2184	2	65	100	3	7	5	9453	7269	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8822.799805	6638.799805	6638.799805	0.933333
0661	008	3151	0.07	2580	2	65	100	3	7	5	9453	6873	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8822.799805	6242.799805	6242.799805	0.933333
0661	015B	1444	0.03	2390	2	65	100	3	3	1	4332	1942	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4043.199951	1653.199951	1653.199951	0.933333
0661	016	1563	0.04	2470	2	65	100	3	4	2	4689	2219	RH-2	40	density-lim	1500			0.7	4	1	2	2	4376.399902	1906.399902	1906.399902	0.933333
0661	027	2297	0.05	3614	2	65	100	3	5	3	6891	3277	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6431.600098	2817.600098	2817.600098	0.933333
0661	041	1831	0.04	1103	2	65	100	3	4	2	5493	4390	RH-2	40	density-lim	1500			0.7	4	1	2	2	5126.799805	4023.799805	4023.799805	0.933333
0661	043	1881	0.04	986	2	65	100	3	4	2	5643	4657	RH-2	40	density-lim	1500			0.7	4	1	2	2	5266.799805	4280.799805	4280.799805	0.933333
0661	045	2177	0.05	1312	2	65	100	3	5	3	6531	5219	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6095.600098	4783.600098	4783.600098	0.933333
0661	047	3915	0.09	2362	2	65	100	3	9	7	11745	9383	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	10962	8600	8600	0.933333
0662	003	2187	0.05	3565	2	65	100	3	5	3	6561	2996	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6123.600098	2558.600098	2558.600098	0.933333
0662	019	3781	0.09	2485	2	65	100	3	9	7	11343	8858	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	10586.7998	8101.799805	8101.799805	0.933333
0662	021	2187	0.05	2000	2	65	100	3	5	3	6561	4561	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6123.600098	4123.600098	4123.600098	0.933333
0662	029	1852	0.04	2650	2	65	100	3	4	2	5556	2906	RH-2	40	density-lim	1500			0.7	4	1	2	2	5185.600098	2535.600098	2535.600098	0.933333
0662	032	3731	0.09	3202	2	65	100	3	9	7	11193	7991	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	10446.7998	7244.799805	7244.799805	0.933333
0662	039	2451	0.06	2090	2	65	100	3	6	4	7353	5263	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6862.799805	4772.799805	4772.799805	0.933333
0662	047	3044	0.07	2245	2	65	100	3	7	5	9132	6887	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8523.200195	6278.200195	6278.200195	0.933333
0662	058	4125	0.09	2231	2	65	100	3	9	7	12375	10144	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	11550	9319	9319	0.933333
0662	063	3781	0.09	3022	2	65	100	3	9	7	11343	8321	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	10586.7998	7564.799805	7564.799805	0.933333
0663	006	4500	0.1	3875	2	65	100	3	10	8	13500	9625	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	12600	8725	8725	0.933333
0663	008	3421	0.08	3200	2	65	100	3	8	6	10263	7063	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9578.799805	6378.799805	6378.799805	0.933333
0663	011	3781	0.09	2916	2	65	100	3	9	7	11343	8427	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	10586.7998	7670.799805	7670.799805	0.933333
0663	012	3781	0.09	3270	2	65	100	3	9	7	11343	8073	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	10586.7998	7316.799805	7316.799805	0.933333
0663	015	1902	0.04	1890	2	65	100	3	4	2	5706	3816	RH-2	40	density-lim	1500			0.7	4	1	2	2	5325.600098	3435.600098	3435.600098	0.933333
0663	017	1902	0.04	2630	2	65	100	3	4	2	5706	3076	RH-2	40	density-lim	1500			0.7	4	1	2	2	5325.600098	2695.600098	2695.600098	0.933333
0663	021	1800	0.04	2496	2	65	100	3	4	2	5400	2904	RH-2	40	density-lim	1500			0.7	4	1	2	2	5040	2544	2544	0.933333
0663	031	4059	0.09	2174	2	65	100	3	9	7	12177	10003	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	11365.2002	9191.200195	9191.200195	0.933333
0663	044	1900	0.04	1308	2	65	100	3	4	2	5700	4392	RH-2	40	density-lim	1500			0.7	4	1	2	2	5320	4012	4012	0.933333
0663	058	3721	0.09	1771	2	65	100	3	9	7	11163	9392	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	10418.7998	8647.799805	8647.799805	0.933333
0664	008	3600	0.08	2403	2	65	100	3	8	6	10800	8397	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	10080	7677	7677	0.933333
0664	058	2440	0.06	2050	2	65	100	3	6	4	7320	5270	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6832	4782	4782	0.933333
0664	063	1169	0.03	804	2	65	100	3	3	1	3507	2703	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3273.199951	2469.199951	2469.199951	0.933333
0665	016	1800	0.04	2790	2	65	100	3	4	2	5400	2610	RH-3	80	density-lim	1000			0.7	4	1	2	2	10080	7290	7290	1.866667
0665	019	1480	0.03	2000	2	65	100	3	3	1	4440	2440	RH-3	130	density-lim	1000			0.7	4	1.333333373	2	2	13320	11320	6880	3
0665	027A	1120	0.03	1584	2	65	100	3	3	1	3360	1776	RH-3	80	density-lim	1000			0.7	4	1.333333373	2	2	6272	4688	4688	1.866667
0665	028	2121	0.05	6657	2	65	100	3	5	3	6363	0	RH-3	80	density-lim	1000			0.7	4	0.800000012	2	2	11877.59961	5220.599609	5220.599609	1.866667
0665	028A	1079	0.02	2240	2	65	100	3	2	0	3237	997	RH-3	80	density-lim	1000			0.7	4	2	2	2	6042.399902	3802.399902	3802.399902	1.866667
0665	037	1740	0.04	1072	2	65	100	3	4	2	5220	4148	RH-3	80	density-lim	1000			0.7	4	1	2	2	9744	8672	8672	1.866667
0675	028	3836	0.09	5106	8	65	100	3	9	1	11508	6402	RM-3	40	density-lim	400			0.75	10	1.111111164	2	2	11508	6402	6402	1
0677	030	4302	0.1	2670	3	65	100	3	10	7	12906	10236	RM-1	40	density-lim	800			0.7	5	0.5	2	2	12045.59961	9375.599609	9375.599609	0.933333
0677	064	3791	0.09	911	3	65	100	3	9	6	11373	10462	RM-1	40	density-lim	800			0.7	5	0.555555582	2	2	10614.7998	9703.799805	9703.799805	0.933333
0677	146	2536	0.06	3408	1	65	100	3	6	5	7608	4200	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7100.799805	3692.799805	3692.799805	0.933333
0681	026	1308	0.03	3528	5	65	100	3	3	0	3924	396	NC-3	85	form-based		true	true	0.75	7	2.333333254	2	1	7848	4320	4320	2
0683	017	3025	0.07	8271	6	65	100	3	7	1	9075	804	RM-3	50	density-lim	400	true		0.75	8	1.142857194	2	2	11343.75	3072.75	3072.75	1.25
0684	041	1768	0.04	3432	3	65	100	3	4	1	5304	1872	NCT-FILLM	50	form-based				0.75	5	1.25	2	2	6630	3198	3198	1.25
0686	031	752	0.02	0	0	65	100	3	2	2	2256	2256	NCD-JAPAI	50	density-lim	400			0.75	2	1	2	2	2820	2820	2820	1.25
0686	044	748	0.02	0	0	65	100	3	2	2	2244	2244	NCD-JAPAI	50	density-lim	400			0.75	2	1	2	2	2805	2805	2805	1.25
0686	058	750	0.02	0	0	65	100	3	2	2	2250	2250	NCD-JAPAI	50	density-lim	400			0.75	2	1	2	2	2812.5	2812.5	2812.5	1.25
0728	001	2188	0.05	3025	3	65	100	3	5	2	6564	3539	RM-3	65	density-lim	400	true		0.75	5	1	2	2	9846	6821	6821	1.5
0728	046	3794	0.09	865	7	65	100	3	9	2	11382	10517	RM-3	65	density-lim	400			0.75	9	1	2	2	17073	16208	16208	1.5
0735	061	2575	0.06	779	4	65	100	3	6	2	7725	6946	RM-3	80	density-lim	400			0.75	6	1	2	2	15450	14671	14671	2
0730	046	2250	0.05	950	2	65	100	3	5	3	6750	5800	RM-2	65	density-lim	600			0.7	4	0.800000012	2	2	9450	8500	8500	1.4
0730	048	2250	0.05	971	2	65	100	3	5	3	6750	5779	RM-2	65	density-lim	600			0.7	4	0.800000012	2	2	9450	8479	8479	1.4
0733	019	1304	0.03	1900	0	65	100	3	3	3	3912	2012	NC-S	50	density-lim	800			0.75	2	0.666666687	2	2	4890	2990	2990	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0733	020	1274	0.03	1900	0	65	100	3	3	3	3822	1922	NC-S	50	density-lim	800			0.75	2	0.666666687	2	2	4777.5	2877.5	2877.5	1.25
0733	035	1532	0.04	1900	0	65	100	3	4	4	4596	2696	NC-S	50	density-lim	800			0.75	2	0.5	2	2	5745	3845	3845	1.25
0733	038	1532	0.04	1900	0	65	100	3	4	4	4596	2696	NC-S	50	density-lim	800			0.75	2	0.5	2	2	5745	3845	3845	1.25
0735	065	2575	0.06	1590	4	65	100	3	6	2	7725	6135	RM-3	80	density-lim	400			0.75	6	1	2	2	15450	13860	13860	2
0735	069	2575	0.06	779	4	65	100	3	6	2	7725	6946	RM-3	80	density-lim	400			0.75	6	1	2	2	15450	14671	14671	2
0735	073	2575	0.06	779	4	65	100	3	6	2	7725	6946	RM-3	80	density-lim	400			0.75	6	1	2	2	15450	14671	14671	2
0735	077	2575	0.06	779	4	65	100	3	6	2	7725	6946	RM-3	80	density-lim	400			0.75	6	1	2	2	15450	14671	14671	2
0735	081	2575	0.06	779	4	65	100	3	6	2	7725	6946	RM-3	80	density-lim	400			0.75	6	1	2	2	15450	14671	14671	2
0735	085	2575	0.06	816	4	65	100	3	6	2	7725	6909	RM-3	80	density-lim	400			0.75	6	1	2	2	15450	14634	14634	2
0735	089	2575	0.06	816	4	65	100	3	6	2	7725	6909	RM-3	80	density-lim	400			0.75	6	1	2	2	15450	14634	14634	2
0735	093	2575	0.06	816	4	65	100	3	6	2	7725	6909	RM-3	80	density-lim	400			0.75	6	1	2	2	15450	14634	14634	2
0735	097	2575	0.06	816	4	65	100	3	6	2	7725	6909	RM-3	80	density-lim	400			0.75	6	1	2	2	15450	14634	14634	2
0740	019	3300	0.08	8400	15	65	100	3	8	0	9900	1500	RC-4	80	density-lim	200			0.75	17	2.125	2	1	19800	11400	11400	2
0743	200	17708	0.41	73954	87	65	100	3	41	0	53124	0	RM-4	130	density-lim	200	true		0.75	89	2.170731783	2	0	146967	73013	32294	2.76649
0744	023	18906	0.43	0	93	65	100	3	43	0	56718	56718	RM-4	80	density-lim	200	true		0.75	95	2.209302425	2	0	113436	113436	113436	2
0749	001B	2375	0.05	3650	4	65	100	3	5	1	7125	3475	RM-3	50	density-lim	400			0.75	6	1.200000048	2	2	8906.25	5256.25	5256.25	1.25
0749	001C	2375	0.05	3650	4	65	100	3	5	1	7125	3475	RM-3	50	density-lim	400			0.75	6	1.200000048	2	2	8906.25	5256.25	5256.25	1.25
0749	002	2375	0.05	3650	4	65	100	3	5	1	7125	3475	RM-3	50	density-lim	400			0.75	6	1.200000048	2	2	8906.25	5256.25	5256.25	1.25
0749	002A	2375	0.05	3650	4	65	100	3	5	1	7125	3475	RM-3	50	density-lim	400			0.75	6	1.200000048	2	2	8906.25	5256.25	5256.25	1.25
0749	002B	2375	0.05	3650	4	65	100	3	5	1	7125	3475	RM-3	50	density-lim	400			0.75	6	1.200000048	2	2	8906.25	5256.25	5256.25	1.25
0749	002C	2375	0.05	3650	4	65	100	3	5	1	7125	3475	RM-3	50	density-lim	400			0.75	6	1.200000048	2	2	8906.25	5256.25	5256.25	1.25
0753	010	3368	0.08	4124	4	55	80	2.5	6	2	8420	4296	RH-3	40	density-lim	1000	true		0.7	6	1	2	2	9430.399414	5306.399414	5306.399414	1.12
0753	013	3000	0.07	1820	2	55	80	2.5	6	4	7500	5680	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	8400	6580	6580	1.12
0753	014A	1175	0.03	1000	2	55	80	2.5	2	0	2938	1938	RH-3	40	density-lim	1000			0.7	4	2	2	2	3290	2290	2290	1.119809
0753	032	3661	0.08	2382	3	55	80	2.5	6	3	9152	6770	RM-1	40	density-lim	800			0.7	5	0.833333313	2	2	10250.7998	7868.799805	7868.799805	1.120061
0753	039	1264	0.03	850	2	55	80	2.5	2	0	3160	2310	RH-3	40	density-lim	1000			0.7	4	2	2	2	3539.199951	2689.199951	2689.199951	1.12
0753	053	1238	0.03	700	2	55	80	2.5	2	0	3095	2395	RH-3	40	density-lim	1000			0.7	4	2	2	2	3466.399902	2766.399902	2766.399902	1.12
0775	009	3713	0.09	5475	3	55	80	2.5	7	4	9282	3807	RM-1	40	density-lim	800			0.7	5	0.714285731	2	2	10396.39941	4921.399414	4921.399414	1.12006
0775	029	4875	0.11	1280	4	55	80	2.5	9	5	12188	10908	RM-1	40	density-lim	800			0.7	6	0.666666687	2	2	13650	12370	12370	1.119954
0775	033	3712	0.09	1444	3	55	80	2.5	7	4	9280	7836	RM-1	40	density-lim	800			0.7	5	0.714285731	2	2	10393.59961	8949.599609	8949.599609	1.12
0775	046	3781	0.09	1876	3	55	80	2.5	7	4	9452	7576	RM-1	40	density-lim	800			0.7	5	0.714285731	2	2	10586.7998	8710.799805	8710.799805	1.120059
0776	022	3437	0.08	2240	2	55	80	2.5	6	4	8592	6352	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9623.599609	7383.599609	7383.599609	1.120065
0776	023	3438	0.08	2165	2	55	80	2.5	6	4	8595	6430	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9626.399414	7461.399414	7461.399414	1.12
0776	030	3025	0.07	2454	2	55	80	2.5	6	4	7562	5108	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	8470	6016	6016	1.120074
0776	033	1805	0.04	2238	2	55	80	2.5	3	1	4512	2274	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	5054	2816	2816	1.120124
0776	048	2737	0.06	2120	2	55	80	2.5	5	3	6842	4722	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7663.600098	5543.600098	5543.600098	1.120082
0777	016	3459	0.08	2256	2	55	80	2.5	6	4	8648	6392	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9685.200195	7429.200195	7429.200195	1.119935
0777	018	3458	0.08	3000	2	55	80	2.5	6	4	8645	5645	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9682.399414	6682.399414	6682.399414	1.12
0777	035	3438	0.08	2200	2	55	80	2.5	6	4	8595	6395	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9626.399414	7426.399414	7426.399414	1.12
0777	037	2500	0.06	1495	2	55	80	2.5	5	3	6250	4755	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5505	5505	1.12
0777	048	3831	0.09	1251	4	55	80	2.5	7	3	9578	8327	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	2	2	10726.7998	9475.799805	9475.799805	1.119941
0777	052	3437	0.08	2070	2	55	80	2.5	6	4	8592	6522	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9623.599609	7553.599609	7553.599609	1.120065
0777	057	2500	0.06	2009	2	55	80	2.5	5	3	6250	4241	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	4991	4991	1.12
0777	059	2500	0.06	2292	2	55	80	2.5	5	3	6250	3958	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	4708	4708	1.12
0777	074	3459	0.08	1318	2	55	80	2.5	6	4	8648	7330	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9685.200195	8367.200195	8367.200195	1.119935
0778	002	2853	0.07	4312	2	55	80	2.5	6	4	7132	2820	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7988.399902	3676.399902	3676.399902	1.120079
0778	004	2854	0.07	3730	2	55	80	2.5	6	4	7135	3405	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7991.199707	4261.199707	4261.199707	1.12
0778	005	3066	0.07	2368	2	55	80	2.5	6	4	7665	5297	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	8584.799805	6216.799805	6216.799805	1.12
0778	014	3437	0.08	3020	2	55	80	2.5	6	4	8592	5572	RM-1	40	density-lim	800			0.7	4	0.666666687	2	2	9623.599609	6603.599609	6603.599609	1.120065
0778	018	3438	0.08	4136	2	55	80	2.5	6	4	8595	4459	RM-1	40	density-lim	800			0.7	4	0.666666687	2	2	9626.399414	5490.399414	5490.399414	1.12
0778	024	2854	0.07	1915	2	55	80	2.5	6	4	7135	5220	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7991.199707	6076.199707	6076.199707	1.12
0793	009	1723	0.04	2285	2	65	100	3	4	2	5169	2884	NCT-3	40	form-based				0.75	4	1	2	2	5169	2884	2884	1
0793	016	1895	0.04	2870	2	55	80	2.5	3	1	4738	1868	NCT-HAYES	40	form-based				0.75	4	1.333333373	2	2	5685	2815	2815	1.199873
0793	070	2184	0.05	1666	3	55	80	2.5	4	1	5460	3794	NCT-HAYES	40	form-based				0.75	5	1.25	2	2	6552	4886	4886	1.2
0794	029	1484	0.03	1296	1	55	80	2.5	2	1	3710	2414	RTO-1	40	form-based			true	0.7	3	1.5	2	2	4155.199707	2859.199707	2859.199707	1.12
0794	055	2186	0.05	1699	3	55	80	2.5	4	1	5465	3766	RTO-1	40	form-based			true	0.7	5	1.25	2	2	6120.799805	4421.799805	4421.799805	1.12
0797	006	1898	0.04	2560	2	55	80	2.5	3	1	4745	2185	RH-3	50	density-lim	1000			0.7	4	1.333333373	2	2	6643	4083	4083	1.4
0797	007	2723	0.06	3528	2	55	80	2.5	5	3	6808	3280	RH-3	50	density-lim	1000			0.7	4	0.800000012	2	2	9530.5	6002.5	6002.5	1.399897
0797	011	3781	0.09	3580	2	55	80	2.5	7	5	9452	5872	RH-3	50	density-lim	1000			0.7	4	0.571428597	2	2	13233.5	9653.5	9653.5	1.400074
0797	013	4125	0.09	3085	2	55	80	2.5	7	5	10312	7227	RH-3	50	density-lim	1000			0.7	4	0.571428597	2	2	14437.5	11352.5	11352.5	1.400068
0798	002	4727	0.11	4592	3	55	80	2.5	9	6	11818	7226	RH-3	50	density-lim	1000			0.7	5	0.555555582	2	2	16544.5	11952.5	11952.5	1.399941
0798	026	3143	0.07	943	2	55	80	2.5	6	4	7858	6915	RH-3	50	density-lim	1000			0.7	4	0.666666687	2	2	11000.5	10057.5	10057.5	1.399911
0798	051	4469	0.1	1700	2	55	80	2.5	8	6	11172	9472	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	12513.2002	10813.2002	10813.2002	1.12005
0803	027	3450	0.08	2400	2	55	80	2.5	6	4	8625	6225	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	9660	7260	7260	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0803	028	3450	0.08	2400	2	55	80	2.5	6	4	8625	6225	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	9660	7260	7260	1.12
0803	029	3450	0.08	2400	2	55	80	2.5	6	4	8625	6225	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	9660	7260	7260	1.12
0803	030	3000	0.07	2400	2	55	80	2.5	6	4	7500	5100	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8400	6000	6000	1.12
0803	036	1237	0.03	1053	2	55	80	2.5	2	0	3092	2039	RH-2	50	density-lim	1500			0.7	4	2	2	2	4329.5	3276.5	3276.5	1.400226
0804	017	3300	0.08	3628	2	55	80	2.5	6	4	8250	4622	RH-3	50	density-lim	1000			0.7	4	0.666666687	2	2	11550	7922	7922	1.4
0804	023	3447	0.08	2648	2	55	80	2.5	6	4	8618	5970	RH-3	50	density-lim	1000			0.7	4	0.666666687	2	2	12064.5	9416.5	9416.5	1.399919
0804	024	4251	0.1	3084	2	55	80	2.5	8	6	10628	7544	RH-3	50	density-lim	1000			0.7	4	0.5	2	2	14878.5	11794.5	11794.5	1.399934
0804	026	2520	0.06	2450	2	55	80	2.5	5	3	6300	3850	RH-3	50	density-lim	1000			0.7	4	0.800000012	2	2	8820	6370	6370	1.4
0805	018	905	0.02	1200	1	55	80	2.5	2	1	2262	1062	RH-3	50	form-based			true	0.7	3	1.5	2	2	3167.5	1967.5	1967.5	1.400309
0805	033	2037	0.05	2744	4	55	80	2.5	4	0	5092	2348	RH-3	50	form-based			true	0.7	6	1.5	2	2	7129.5	4385.5	4385.5	1.400137
0805	034A	1506	0.03	1680	2	55	80	2.5	2	0	3765	2085	RH-3	50	form-based			true	0.7	4	2	2	2	5271	3591	3591	1.4
0805	038	1328	0.03	1980	2	55	80	2.5	2	0	3320	1340	RH-3	50	form-based			true	0.7	4	2	2	2	4648	2668	2668	1.4
0805	039	1732	0.04	2984	3	55	80	2.5	3	0	4330	1346	RH-3	50	form-based			true	0.7	5	1.666666627	2	2	6062	3078	3078	1.4
0806	005	1750	0.04	2096	2	55	80	2.5	3	1	4375	2279	RTO-1	40	form-based			true	0.7	4	1.333333373	2	2	4900	2804	2804	1.12
0806	010	1688	0.04	2320	2	55	80	2.5	3	1	4220	1900	RTO-1	40	form-based			true	0.7	4	1.333333373	2	2	4726.399902	2406.399902	2406.399902	1.12
0806	042	1950	0.04	1862	2	55	80	2.5	3	1	4875	3013	RTO-1	40	form-based			true	0.7	4	1.333333373	2	2	5460	3598	3598	1.12
0806	052	1750	0.04	2145	2	55	80	2.5	3	1	4375	2230	RTO-1	40	form-based			true	0.7	4	1.333333373	2	2	4900	2755	2755	1.12
0807	009A	1744	0.04	2450	2	55	80	2.5	3	1	4360	1910	NCT-HAYE	40	form-based				0.75	4	1.333333373	2	2	5232	2782	2782	1.2
0807	027A	1500	0.03	504	1	55	80	2.5	2	1	3750	3246	RTO-1	40	form-based			true	0.7	3	1.5	2	2	4200	3696	3696	1.12
0807	029	1500	0.03	1809	1	55	80	2.5	2	1	3750	1941	RTO-1	40	form-based			true	0.7	3	1.5	2	2	4200	2391	2391	1.12
0807	033	1850	0.04	1008	2	55	80	2.5	3	1	4625	3617	RTO-1	40	form-based			true	0.7	4	1.333333373	2	2	5180	4172	4172	1.12
0807	046	3000	0.07	6386	4	55	80	2.5	6	2	7500	1114	RTO-1	40	form-based			true	0.7	6	1	2	2	8400	2014	2014	1.12
0808	022	1747	0.04	1375	2	55	80	2.5	3	1	4368	2993	NCT-HAYE	40	form-based				0.75	4	1.333333373	2	2	5241	3866	3866	1.199863
0808	022A	1250	0.03	1355	1	55	80	2.5	2	1	3125	1770	NCT-HAYE	40	form-based				0.75	3	1.5	2	2	3750	2395	2395	1.2
0808	044	1998	0.05	1327	2	55	80	2.5	4	2	4995	3668	NCT-HAYE	40	form-based				0.75	4	1	2	2	5994	4667	4667	1.2
0808	061	1958	0.04	2579	2	55	80	2.5	3	1	4895	2316	NCT-HAYE	40	form-based				0.75	4	1.333333373	2	2	5874	3295	3295	1.2
0816	023	1386	0.03	2726	2	65	100	3	3	1	4158	1432	NCT-HAYE	50	form-based				0.75	4	1.333333373	2	2	5197.5	2471.5	2471.5	1.25
0816	025	1700	0.04	2350	2	65	100	3	4	2	5100	2750	NCT-HAYE	40	form-based				0.75	4	1	2	2	5100	2750	2750	1
0816	026	1721	0.04	4500	3	65	100	3	4	1	5163	663	NCT-HAYE	50	form-based				0.75	5	1.25	2	2	6453.75	1953.75	1953.75	1.25
0817	006	1894	0.04	2695	2	65	100	3	4	2	5682	2987	NCT-HAYE	40	form-based				0.75	4	1	2	2	5682	2987	2987	1
0817	040	3300	0.08	1128	8	65	100	3	8	0	9900	8772	NCT-HAYE	50	form-based		true		0.75	10	1.25	2	2	12375	11247	11247	1.25
0818	012	3300	0.08	3600	5	55	80	2.5	6	1	8250	4650	RTO-1	40	form-based			true	0.7	7	1.166666627	2	2	9240	5640	5640	1.12
0818	046	2145	0.05	5181	3	55	80	2.5	4	1	5362	181	RTO-1	40	form-based			true	0.7	5	1.25	2	2	6006	825	825	1.120104
0818	048	1898	0.04	3471	2	55	80	2.5	3	1	4745	1274	RTO-1	40	form-based			true	0.7	4	1.333333373	2	2	5314.399902	1843.399902	1843.399902	1.12
0818	050	1950	0.04	1200	2	65	100	3	4	2	5850	4650	RTO-1	40	form-based			true	0.7	4	1	2	2	5460	4260	4260	0.933333
0818	083	1297	0.03	851	2	55	80	2.5	2	0	3242	2391	RTO-1	50	form-based			true	0.7	4	2	2	2	4539.5	3688.5	3688.5	1.400216
0819	011A	1224	0.03	935	1	55	80	2.5	2	1	3060	2125	RTO-1	40	form-based			true	0.7	3	1.5	2	2	3427.199951	2492.199951	2492.199951	1.12
0819	029	1218	0.03	1767	1	55	80	2.5	2	1	3045	1278	RTO-1	40	form-based			true	0.7	3	1.5	2	2	3410.399902	1643.399902	1643.399902	1.12
0819	030	1218	0.03	1899	1	55	80	2.5	2	1	3045	1146	RTO-1	40	form-based			true	0.7	3	1.5	2	2	3410.399902	1511.399902	1511.399902	1.12
0819	031	1219	0.03	1500	1	55	80	2.5	2	1	3048	1548	RTO-1	40	form-based			true	0.7	3	1.5	2	2	3413.199951	1913.199951	1913.199951	1.119816
0819	068	2076	0.05	1100	2	55	80	2.5	4	2	5190	4090	RTO-1	40	form-based			true	0.7	4	1	2	2	5812.799805	4712.799805	4712.799805	1.12
0820	006	1512	0.03	1296	2	55	80	2.5	2	0	3780	2484	RH-3	50	form-based			true	0.7	4	2	2	2	5292	3996	3996	1.4
0820	006A	2268	0.05	2440	4	55	80	2.5	4	0	5670	3230	RH-3	50	form-based			true	0.7	6	1.5	2	2	7938	5498	5498	1.4
0821	023	2946	0.07	6450	6	55	80	2.5	6	0	7365	915	RM-1	50	form-based			true	0.7	8	1.333333373	2	2	10311	3861	3861	1.4
0821	025	1608	0.04	3060	3	55	80	2.5	3	0	4020	960	RM-1	50	form-based		true	true	0.7	5	1.666666627	2	2	5628	2568	2568	1.4
0821	080	1575	0.04	960	2	55	80	2.5	3	1	3938	2978	RM-1	50	form-based			true	0.7	4	1.333333373	2	2	5512.5	4552.5	4552.5	1.399822
0822	031	6883	0.16	14400	12	55	80	2.5	13	1	17208	2808	RM-1	40	form-based			true	0.7	14	1.076923132	2	2	19272.40039	4872.400391	4872.400391	1.119967
0822	056	2656	0.06	1582	2	55	80	2.5	5	3	6640	5058	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7436.799805	5854.799805	5854.799805	1.12
0823	013	3663	0.08	3306	2	55	80	2.5	6	4	9158	5852	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	10256.39941	6950.399414	6950.399414	1.119939
0823	014	3801	0.09	3273	2	55	80	2.5	7	5	9502	6229	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	10642.7998	7369.799805	7369.799805	1.120059
0823	017	3438	0.08	1505	2	55	80	2.5	6	4	8595	7090	RM-1	40	density-lim	800			0.7	4	0.666666687	2	2	9626.399414	8121.399414	8121.399414	1.12
0824	013	2925	0.07	978	4	55	80	2.5	6	2	7312	6334	RH-3	40	form-based			true	0.7	6	1	2	2	8190	7212	7212	1.120077
0824	019	2925	0.07	811	4	55	80	2.5	6	2	7312	6501	RH-3	40	form-based			true	0.7	6	1	2	2	8190	7379	7379	1.120077
0825	005	836	0.02	0	0	55	80	2.5	2	2	2090	2090	RH-3	40	form-based			true	0.7	2	1	2	2	2340.800049	2340.800049	2340.800049	1.12
0825	014	5000	0.11	12573	8	55	80	2.5	9	1	12500	0	RH-3	40	form-based		true	true	0.7	10	1.111111164	2	2	14000	1427	1427	1.12
0825	017	3438	0.08	4252	5	55	80	2.5	6	1	8595	4343	RH-3	40	form-based			true	0.7	7	1.166666627	2	2	9626.399414	5374.399414	5374.399414	1.12
0825	022	2144	0.05	4725	3	55	80	2.5	4	1	5360	635	RM-1	40	form-based			true	0.7	5	1.25	2	2	6003.199707	1278.199707	1278.199707	1.12
0825	036	3260	0.07	8175	5	55	80	2.5	6	1	8150	0	RM-1	40	form-based			true	0.7	7	1.166666627	2	2	9128	953	953	1.12
0825	041	2500	0.06	1480	3	55	80	2.5	5	2	6250	4770	RH-3	40	form-based			true	0.7	5	1	2	2	7000	5520	5520	1.12
0826	029	3397	0.08	7534	5	55	80	2.5	6	1	8492	958	RM-1	40	form-based			true	0.7	7	1.166666627	2	2	9511.599609	1977.599609	1977.599609	1.120066
0827	003	2755	0.06	4154	4	55	80	2.5	5	1	6888	2734	RM-1	40	form-based			true	0.7	6	1.200000048	2	2	7714	3560	3560	1.119919
0827	005	2504	0.06	5625	3	55	80	2.5	5	2	6260	635	RM-1	40	form-based			true	0.7	5	1	2	2	7011.199707	1386.199707	1386.199707	1.12
0827	006	3562	0.08	10290	5	55	80	2.5	6	1	8905	0	RM-1	40	form-based		true	true	0.7	7	1.166666627	2	2	9973.599609	0	0	1.12
0827	017	3546	0.08	3904	5	55	80	2.5	6	1	8865	4961	RM-1	40	form-based		true	true	0.7	7	1.166666627	2	2	9928.799805	6024.799805	6024.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0827	025	3416	0.08	6000	5	55	80	2.5	6	1	8540	2540	RM-1	40	form-based			true	0.7	7	1.166666627	2	2	9564.799805	3564.799805	3564.799805	1.12
0827	030	3400	0.08	5129	5	55	80	2.5	6	1	8500	3371	RM-1	40	form-based			true	0.7	7	1.166666627	2	2	9520	4391	4391	1.12
0828	015	2235	0.05	3524	3	55	80	2.5	4	1	5588	2064	RM-1	40	form-based			true	0.7	5	1.25	2	2	6258	2734	2734	1.1199
0828	017	2235	0.05	4830	3	55	80	2.5	4	1	5588	758	RM-1	40	form-based			true	0.7	5	1.25	2	2	6258	1428	1428	1.1199
0828	019	2500	0.06	4026	3	55	80	2.5	5	2	6250	2224	RM-1	40	form-based			true	0.7	5	1	2	2	7000	2974	2974	1.12
0828	036	2507	0.06	1380	3	55	80	2.5	5	2	6268	4888	RH-3	40	form-based			true	0.7	5	1	2	2	7019.600098	5639.600098	5639.600098	1.119911
0829	002	1353	0.03	836	1	55	80	2.5	2	1	3382	2546	RH-3	40	form-based			true	0.7	3	1.5	2	2	3788.399902	2952.399902	2952.399902	1.120166
0829	012A	1375	0.03	1980	1	55	80	2.5	2	1	3438	1458	RH-3	40	form-based			true	0.7	3	1.5	2	2	3850	1870	1870	1.119837
0829	013A	1306	0.03	2522	1	55	80	2.5	2	1	3265	743	RH-3	40	form-based			true	0.7	3	1.5	2	2	3656.800049	1134.800049	1134.800049	1.12
0829	014A	1375	0.03	2722	1	55	80	2.5	2	1	3438	716	RH-3	40	form-based			true	0.7	3	1.5	2	2	3850	1128	1128	1.119837
0829	015F	1436	0.03	2682	1	55	80	2.5	2	1	3590	908	RH-3	40	form-based			true	0.7	3	1.5	2	2	4020.800049	1338.800049	1338.800049	1.12
0829	025	3620	0.08	6120	6	55	80	2.5	6	0	9050	2930	RH-3	40	form-based			true	0.7	8	1.333333373	2	2	10136	4016	4016	1.12
0829	026A	2211	0.05	2048	3	55	80	2.5	4	1	5528	3480	RH-3	40	form-based			true	0.7	5	1.25	2	2	6190.799805	4142.799805	4142.799805	1.119899
0829	035	2814	0.06	3466	4	55	80	2.5	5	1	7035	3569	RH-3	40	form-based	true		true	0.7	6	1.200000048	2	2	7879.199707	4413.199707	4413.199707	1.12
0829	036	2369	0.05	1188	3	55	80	2.5	4	1	5922	4734	RH-3	40	form-based	true		true	0.7	5	1.25	2	2	6633.199707	5445.199707	5445.199707	1.120095
0829	040	1350	0.03	2425	1	55	80	2.5	2	1	3375	950	RH-3	40	form-based			true	0.7	3	1.5	2	2	3780	1355	1355	1.12
0830	012A	1305	0.03	1799	1	55	80	2.5	2	1	3262	1463	RTO-1	40	form-based			true	0.7	3	1.5	2	2	3654	1855	1855	1.120172
0830	012C	1624	0.04	540	1	55	80	2.5	3	2	4060	3520	RTO-1	40	form-based			true	0.7	3	1	2	2	4547.199707	4007.199707	4007.199707	1.12
0830	025	2084	0.05	3174	2	55	80	2.5	4	2	5210	2036	RTO-1	40	form-based			true	0.7	4	1	2	2	5835.199707	2661.199707	2661.199707	1.12
0830	026	2029	0.05	2760	2	55	80	2.5	4	2	5072	2312	RTO-1	40	form-based			true	0.7	4	1	2	2	5681.199707	2921.199707	2921.199707	1.12011
0830	028	2101	0.05	1934	2	55	80	2.5	4	2	5252	3318	RTO-1	40	form-based			true	0.7	4	1	2	2	5882.799805	3948.799805	3948.799805	1.120107
0830	049	2069	0.05	1219	2	55	80	2.5	4	2	5172	3953	RTO-1	40	form-based			true	0.7	4	1	2	2	5793.199707	4574.199707	4574.199707	1.120108
0830	051	2036	0.05	1331	2	55	80	2.5	4	2	5090	3759	RTO-1	40	form-based			true	0.7	4	1	2	2	5700.799805	4369.799805	4369.799805	1.12
0832	070	1233	0.03	1375	2	65	100	3	3	1	3699	2324	NCT-HAYE	50	form-based				0.75	4	1.333333373	2	2	4623.75	3248.75	3248.75	1.25
0837	007	3360	0.08	6736	8	65	100	3	8	0	10080	3344	NCT-3	50	form-based				0.75	10	1.25	2	2	12600	5864	5864	1.25
0838	070	1783	0.04	4875	3	65	100	3	4	1	5349	474	NCT-HAYE	50	form-based				0.75	5	1.25	2	2	6686.25	1811.25	1811.25	1.25
0838	075	1250	0.03	802	2	65	100	3	3	1	3750	2948	NCT-HAYE	50	form-based				0.75	4	1.333333373	2	2	4687.5	3885.5	3885.5	1.25
0838	092	1396	0.03	2270	1	65	100	3	3	2	4188	1918	NCT-HAYE	40	form-based				0.75	3	1	2	2	4188	1918	1918	1
0839	005C	2000	0.05	2300	2	65	100	3	5	3	6000	3700	RTO-1	40	form-based			true	0.7	4	0.800000012	2	2	5600	3300	3300	0.933333
0839	015	3300	0.08	5160	5	65	100	3	8	3	9900	4740	RTO-1	40	form-based			true	0.7	7	0.875	2	2	9240	4080	4080	0.933333
0839	035	3031	0.07	1500	4	65	100	3	7	3	9093	7593	RTO-1	40	form-based			true	0.7	6	0.857142866	2	2	8486.799805	6986.799805	6986.799805	0.933333
0839	039	3300	0.08	6165	5	65	100	3	8	3	9900	3735	RTO-1	40	form-based			true	0.7	7	0.875	2	2	9240	3075	3075	0.933333
0840	011	1575	0.04	1650	1	55	80	2.5	3	2	3938	2288	RTO-1	40	form-based	true		true	0.7	3	1	2	2	4410	2760	2760	1.119858
0840	014	1954	0.04	3300	2	55	80	2.5	3	1	4885	1585	RTO-1	40	form-based			true	0.7	4	1.333333373	2	2	5471.199707	2171.199707	2171.199707	1.12
0840	015	2079	0.05	3120	2	55	80	2.5	4	2	5198	2078	RTO-1	40	form-based			true	0.7	4	1	2	2	5821.199707	2701.199707	2701.199707	1.119892
0840	017	2035	0.05	2394	2	55	80	2.5	4	2	5088	2694	RTO-1	40	form-based			true	0.7	4	1	2	2	5698	3304	3304	1.11989
0840	019	2232	0.05	4875	3	65	100	3	5	2	6696	1821	RTO-1	40	form-based			true	0.7	5	1	2	2	6249.600098	1374.600098	1374.600098	0.933333
0841	024	2210	0.05	4440	3	55	80	2.5	4	1	5525	1085	RTO-1	40	form-based			true	0.7	5	1.25	2	2	6188	1748	1748	1.12
0841	035	1986	0.05	1287	2	55	80	2.5	4	2	4965	3678	RTO-1	40	form-based			true	0.7	4	1	2	2	5560.799805	4273.799805	4273.799805	1.12
0841	039	1080	0.02	1178	0	55	80	2.5	2	2	2700	1522	RTO-1	40	form-based			true	0.7	2	1	2	2	3024	1846	1846	1.12
0841	063	2294	0.05	1820	3	55	80	2.5	4	1	5735	3915	RTO-1	40	form-based			true	0.7	5	1.25	2	2	6423.199707	4603.199707	4603.199707	1.12
0842	015	2479	0.06	4620	3	55	80	2.5	5	2	6198	1578	RM-1	40	form-based			true	0.7	5	1	2	2	6941.199707	2321.199707	2321.199707	1.11991
0842	025	3757	0.09	4350	6	55	80	2.5	7	1	9392	5042	RM-1	40	form-based			true	0.7	8	1.142857194	2	2	10519.59961	6169.599609	6169.599609	1.12006
0842	036	2500	0.06	1500	3	55	80	2.5	5	2	6250	4750	RM-1	40	form-based			true	0.7	5	1	2	2	7000	5500	5500	1.12
0842	039	2500	0.06	1500	3	55	80	2.5	5	2	6250	4750	RM-1	40	form-based			true	0.7	5	1	2	2	7000	5500	5500	1.12
0842	042	2500	0.06	1500	3	55	80	2.5	5	2	6250	4750	RM-1	40	form-based			true	0.7	5	1	2	2	7000	5500	5500	1.12
0842	045	2500	0.06	1500	3	55	80	2.5	5	2	6250	4750	RM-1	40	form-based			true	0.7	5	1	2	2	7000	5500	5500	1.12
0842	048	2410	0.06	1500	3	55	80	2.5	5	2	6025	4525	RM-1	40	form-based	true		true	0.7	5	1	2	2	6748	5248	5248	1.12
0842	054	2500	0.06	900	3	55	80	2.5	5	2	6250	5350	RM-1	40	form-based			true	0.7	5	1	2	2	7000	6100	6100	1.12
0843	003	2758	0.06	4480	4	55	80	2.5	5	1	6895	2415	RM-1	40	form-based			true	0.7	6	1.200000048	2	2	7722.399902	3242.399902	3242.399902	1.12
0843	036	4046	0.09	1300	6	55	80	2.5	7	1	10115	8815	RH-3	40	form-based			true	0.7	8	1.142857194	2	2	11328.7998	10028.7998	10028.7998	1.12
0844	014	2187	0.05	3825	3	65	100	3	5	2	6561	2736	RH-3	40	form-based			true	0.7	5	1	2	2	6123.600098	2298.600098	2298.600098	0.933333
0844	029	1619	0.04	2270	1	55	80	2.5	3	2	4048	1778	RM-1	40	form-based			true	0.7	3	1	2	2	4533.199707	2263.199707	2263.199707	1.119862
0844	034	2527	0.06	4875	3	55	80	2.5	5	2	6318	1443	RM-1	40	form-based			true	0.7	5	1	2	2	7075.600098	2200.600098	2200.600098	1.119911
0844	036	7125	0.16	11860	13	65	100	3	16	3	21375	9515	RH-3	40	form-based			true	0.7	15	0.9375	2	2	19950	8090	8090	0.933333
0844	037	7276	0.17	12480	13	65	100	3	17	4	21828	9348	RH-3	40	form-based			true	0.7	15	0.882352948	2	2	20372.79883	7892.798828	7892.798828	0.933333
0844	041	3025	0.07	517	4	55	80	2.5	6	2	7562	7045	RM-1	40	form-based			true	0.7	6	1	2	2	8470	7953	7953	1.120074
0845	029	3457	0.08	5350	5	55	80	2.5	6	1	8642	3292	RH-3	40	form-based			true	0.7	7	1.166666627	2	2	9679.599609	4329.599609	4329.599609	1.120065
0845	043	2848	0.07	7001	4	55	80	2.5	6	2	7120	119	RH-3	40	form-based			true	0.7	6	1	2	2	7974.399902	973.3999023	973.3999023	1.12
0845	057	2500	0.06	1682	3	65	100	3	6	3	7500	5818	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	5318	5318	0.933333
0845	066	2848	0.07	898	4	65	100	3	7	3	8544	7646	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	7974.399902	7076.399902	7076.399902	0.933333
0846	001	2500	0.06	5400	5	65	100	3	6	1	7500	2100	RH-3	50	form-based	true		true	0.7	7	1.166666627	2	2	8750	3350	3350	1.166667
0848	023	2665	0.06	4000	5	65	100	3	6	1	7995	3995	RM-1	50	form-based			true	0.7	7	1.166666627	2	2	9327.5	5327.5	5327.5	1.166667
0851	044	2815	0.06	1460	4	65	100	3	6	2	8445	6985	RTO-1	40	form-based			true	0.7	6	1	2	2	7882	6422	6422	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0852	021	3298	0.08	7103	5	65	100	3	8	3	9894	2791	RTO-1	40	form-based			true	0.7	7	0.875	2	2	9234.399414	2131.399414	2131.399414	0.933333
0852	039	1889	0.04	1333	2	65	100	3	4	2	5667	4334	RTO-1	40	form-based			true	0.7	4	1	2	2	5289.199707	3956.199707	3956.199707	0.933333
0852	054	1785	0.04	1535	2	65	100	3	4	2	5355	3820	RTO-1	40	form-based			true	0.7	4	1	2	2	4998	3463	3463	0.933333
0852	058	1703	0.04	2034	2	65	100	3	4	2	5109	3075	RTO-1	40	form-based			true	0.7	4	1	2	2	4768.399902	2734.399902	2734.399902	0.933333
0852	062	2297	0.05	1474	3	65	100	3	5	2	6891	5417	RTO-1	40	form-based			true	0.7	5	1	2	2	6431.600098	4957.600098	4957.600098	0.933333
0853	017	1803	0.04	2520	2	65	100	3	4	2	5409	2889	NCT-3	40	form-based				0.75	4	1	2	2	5409	2889	2889	1
0856	015	2202	0.05	3750	4	65	100	3	5	1	6606	2856	RTO-1	50	form-based			true	0.7	6	1.200000048	2	2	7707	3957	3957	1.166667
0856	034	1881	0.04	1102	3	65	100	3	4	1	5643	4541	RTO-1	50	form-based			true	0.7	5	1.25	2	2	6583.5	5481.5	5481.5	1.166667
0858	003	1902	0.04	3050	2	65	100	3	4	2	5706	2656	RTO-1	40	form-based			true	0.7	4	1	2	2	5325.600098	2275.600098	2275.600098	0.933333
0858	006	3002	0.07	3150	4	65	100	3	7	3	9006	5856	RTO-1	40	form-based			true	0.7	6	0.857142866	2	2	8405.599609	5255.599609	5255.599609	0.933333
0858	007	3002	0.07	3150	4	65	100	3	7	3	9006	5856	RTO-1	40	form-based			true	0.7	6	0.857142866	2	2	8405.599609	5255.599609	5255.599609	0.933333
0858	009	3002	0.07	2980	4	65	100	3	7	3	9006	6026	RTO-1	40	form-based			true	0.7	6	0.857142866	2	2	8405.599609	5425.599609	5425.599609	0.933333
0858	011	2003	0.05	2650	2	65	100	3	5	3	6009	3359	RTO-1	40	form-based			true	0.7	4	0.800000012	2	2	5608.399902	2958.399902	2958.399902	0.933333
0858	023	3000	0.07	7800	4	65	100	3	7	3	9000	1200	RTO-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	600	600	0.933333
0858	024A	750	0.02	0	0	65	100	3	2	2	2250	2250	RTO-1	40	form-based			true	0.7	2	1	2	2	2100	2100	2100	0.933333
0858	039	1752	0.04	3170	2	65	100	3	4	2	5256	2086	RTO-1	40	form-based			true	0.7	4	1	2	2	4905.600098	1735.600098	1735.600098	0.933333
0858	069	1060	0.02	0	0	65	100	3	2	2	3180	3180	RTO-1	40	form-based			true	0.7	2	1	2	2	2968	2968	2968	0.933333
0859	013	3438	0.08	6299	8	65	100	3	8	0	10314	4015	RH-3	50	form-based			true	0.7	10	1.25	2	2	12033	5734	5734	1.166667
0860	002	1948	0.04	3120	4	65	100	3	4	0	5844	2724	NCD-LOWI	50	form-based		true	true	0.75	6	1.5	2	2	7305	4185	4185	1.25
0860	015	1250	0.03	760	1	65	100	3	3	2	3750	2990	RH-3	50	form-based			true	0.7	3	1	2	2	4375	3615	3615	1.166667
0860	017	1850	0.04	4575	3	65	100	3	4	1	5550	975	RH-3	50	form-based			true	0.7	5	1.25	2	2	6475	1900	1900	1.166667
0860	042	2750	0.06	4448	6	65	100	3	6	0	8250	3802	NCD-LOWI	50	form-based			true	0.75	8	1.333333373	2	2	10312.5	5864.5	5864.5	1.25
0860	043	929	0.02	1555	1	65	100	3	2	1	2787	1232	NCD-LOWI	50	form-based			true	0.75	3	1.5	2	2	3483.75	1928.75	1928.75	1.25
0860	058	1700	0.04	4200	3	65	100	3	4	1	5100	900	RH-3	50	form-based			true	0.7	5	1.25	2	2	5950	1750	1750	1.166667
0860	060	2005	0.05	4500	6	65	100	3	5	0	6015	1515	NCD-LOWI	65	form-based			true	0.75	8	1.600000024	2	2	9022.5	4522.5	4522.5	1.5
0860	064	1500	0.03	2950	2	65	100	3	3	1	4500	1550	RH-3	50	form-based			true	0.7	4	1.333333373	2	2	5250	2300	2300	1.166667
0860	069	1500	0.03	1013	2	65	100	3	3	1	4500	3487	RH-3	50	form-based			true	0.7	4	1.333333373	2	2	5250	4237	4237	1.166667
0860	075	1869	0.04	1044	3	65	100	3	4	1	5607	4563	RH-3	50	form-based		true	true	0.7	5	1.25	2	2	6541.5	5497.5	5497.5	1.166667
0860	081	1300	0.03	1320	2	65	100	3	3	1	3900	2580	RH-3	50	form-based			true	0.7	4	1.333333373	2	2	4550	3230	3230	1.166667
0860	105	1331	0.03	871	2	65	100	3	3	1	3993	3122	NCD-LOWI	50	form-based			true	0.75	4	1.333333373	2	2	4991.25	4120.25	4120.25	1.25
0861	034	2506	0.06	4170	7	65	100	3	6	0	7518	3348	RTO-C	65	form-based			true	0.75	9	1.5	2	2	11277	7107	7107	1.5
0862	020	1822	0.04	2760	3	65	100	3	4	1	5466	2706	RH-3	50	form-based			true	0.7	5	1.25	2	2	6377	3617	3617	1.166667
0862	028	2415	0.06	4590	7	65	100	3	6	0	7245	2655	RTO-C	65	form-based			true	0.75	9	1.5	2	2	10867.5	6277.5	6277.5	1.5
0862	033	2356	0.05	3900	5	65	100	3	5	0	7068	3168	RH-3	50	form-based		true	true	0.7	7	1.399999976	2	2	8246	4346	4346	1.166667
0863	012	1628	0.04	1785	1	65	100	3	4	3	4884	3099	RTO-1	40	density-lim	600			0.7	3	0.75	2	2	4558.399902	2773.399902	2773.399902	0.933333
0863	018	2915	0.07	1400	2	65	100	3	7	5	8745	7345	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8162	6762	6762	0.933333
0864	003	2375	0.05	2870	2	65	100	3	5	3	7125	4255	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6650	3780	3780	0.933333
0864	004	2375	0.05	2310	2	65	100	3	5	3	7125	4815	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6650	4340	4340	0.933333
0864	009	2375	0.05	1648	2	85	140	4	7	5	9500	7852	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	6650	5002	5002	0.7
0864	012	2360	0.05	3117	2	65	100	3	5	3	7080	3963	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6608	3491	3491	0.933333
0864	013	2360	0.05	2120	2	65	100	3	5	3	7080	4960	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6608	4488	4488	0.933333
0864	014	2360	0.05	2838	2	65	100	3	5	3	7080	4242	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6608	3770	3770	0.933333
0864	019	1995	0.05	2366	1	65	100	3	5	4	5985	3619	RTO-1	40	density-lim	600	true		0.7	3	0.600000024	2	2	5586	3220	3220	0.933333
0864	023	2019	0.05	2050	1	65	100	3	5	4	6057	4007	RTO-1	40	density-lim	600			0.7	3	0.600000024	2	2	5653.199707	3603.199707	3603.199707	0.933333
0864	029	2160	0.05	2075	2	65	100	3	5	3	6480	4405	RTO-1	40	density-lim	600			0.7	4	0.800000012	2	2	6048	3973	3973	0.933333
0865	007	2250	0.05	2872	2	65	100	3	5	3	6750	3878	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6300	3428	3428	0.933333
0865	011	2752	0.06	3938	2	85	140	4	8	6	11008	7070	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7705.600098	3767.600098	3767.600098	0.7
0865	019	2433	0.06	3444	2	65	100	3	6	4	7299	3855	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6812.399902	3368.399902	3368.399902	0.933333
0866	003	2210	0.05	2887	2	65	100	3	5	3	6630	3743	RTO-1	40	density-lim	600			0.7	4	0.800000012	2	2	6188	3301	3301	0.933333
0866	023	2625	0.06	4010	2	65	100	3	6	4	7875	3865	RTO-1	40	density-lim	600			0.7	4	0.666666687	2	2	7350	3340	3340	0.933333
0866	028	2210	0.05	1545	2	65	100	3	5	3	6630	5085	RTO-1	40	density-lim	600			0.7	4	0.800000012	2	2	6188	4643	4643	0.933333
0867	005	1965	0.05	2522	2	65	100	3	5	3	5895	3373	NC-1	40	form-based		true	true	0.75	4	0.800000012	2	2	5895	3373	3373	1
0867	006	1944	0.04	1584	2	65	100	3	4	2	5832	4248	RTO-1	40	form-based		true	true	0.7	4	1	2	2	5443.199707	3859.199707	3859.199707	0.933333
0867	009	1944	0.04	2756	2	65	100	3	4	2	5832	3076	RTO-1	40	form-based		true	true	0.7	4	1	2	2	5443.199707	2687.199707	2687.199707	0.933333
0867	010	1817	0.04	2650	2	65	100	3	4	2	5451	2801	RTO-1	40	form-based			true	0.7	4	1	2	2	5087.600098	2437.600098	2437.600098	0.933333
0867	013A	1500	0.03	750	1	65	100	3	3	2	4500	3750	RTO-1	40	form-based			true	0.7	3	1	2	2	4200	3450	3450	0.933333
0867	016A	1335	0.03	840	1	65	100	3	3	2	4005	3165	RTO-1	40	form-based			true	0.7	3	1	2	2	3738	2898	2898	0.933333
0867	021	1920	0.04	2850	2	65	100	3	4	2	5760	2910	RTO-1	40	form-based			true	0.7	4	1	2	2	5376	2526	2526	0.933333
0867	025	1951	0.04	2480	2	65	100	3	4	2	5853	3373	RTO-1	40	form-based			true	0.7	4	1	2	2	5462.799805	2982.799805	2982.799805	0.933333
0867	028	1626	0.04	1550	1	65	100	3	4	3	4878	3328	RTO-1	40	form-based			true	0.7	3	0.75	2	2	4552.799805	3002.799805	3002.799805	0.933333
0867	064	1924	0.04	1412	2	65	100	3	4	2	5772	4360	NC-1	40	form-based			true	0.75	4	1	2	2	5772	4360	4360	1
0867	066	1300	0.03	1566	1	65	100	3	3	2	3900	2334	RTO-1	40	form-based			true	0.7	3	1	2	2	3640	2074	2074	0.933333
0867	072	1944	0.04	947	2	65	100	3	4	2	5832	4885	RTO-1	40	form-based			true	0.7	4	1	2	2	5443.199707	4496.199707	4496.199707	0.933333
0867	074	1700	0.04	1016	2	65	100	3	4	2	5100	4084	RTO-1	40	form-based			true	0.7	4	1	2	2	4760	3744	3744	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0868	004	1971	0.05	3120	2	65	100	3	5	3	5913	2793	RTO-1	40	form-based			true	0.7	4	0.800000012	2	2	5518.799805	2398.799805	2398.799805	0.933333
0868	008	1391	0.03	1874	1	65	100	3	3	2	4173	2299	RTO-1	40	form-based			true	0.7	3	1	2	2	3894.800049	2020.800049	2020.800049	0.933333
0868	010A	1750	0.04	2720	2	65	100	3	4	2	5250	2530	RTO-1	40	form-based			true	0.7	4	1	2	2	4900	2180	2180	0.933333
0868	037	1945	0.04	3150	2	65	100	3	4	2	5835	2685	RTO-1	40	form-based		true	true	0.7	4	1	2	2	5446	2296	2296	0.933333
0868	045	1951	0.04	1380	2	65	100	3	4	2	5853	4473	NC-1	40	form-based		true	true	0.75	4	1	2	2	5853	4473	4473	1
0868	047	1971	0.05	1400	2	65	100	3	5	3	5913	4513	RTO-1	40	form-based			true	0.7	4	0.800000012	2	2	5518.799805	4118.799805	4118.799805	0.933333
0868	051	1970	0.05	1365	2	65	100	3	5	3	5910	4545	RTO-1	40	form-based		true	true	0.7	4	0.800000012	2	2	5516	4151	4151	0.933333
0868	053	1969	0.05	1078	2	65	100	3	5	3	5907	4829	RTO-1	40	form-based			true	0.7	4	0.800000012	2	2	5513.199707	4435.199707	4435.199707	0.933333
0868	058	1688	0.04	1020	2	65	100	3	4	2	5064	4044	RTO-1	40	form-based			true	0.7	4	1	2	2	4726.399902	3706.399902	3706.399902	0.933333
0868	067	1969	0.05	1227	2	65	100	3	5	3	5907	4680	RTO-1	40	form-based			true	0.7	4	0.800000012	2	2	5513.199707	4286.199707	4286.199707	0.933333
0868	072	2000	0.05	1085	2	65	100	3	5	3	6000	4915	RTO-1	40	form-based			true	0.7	4	0.800000012	2	2	5600	4515	4515	0.933333
0868	076	1969	0.05	1200	2	65	100	3	5	3	5907	4707	RTO-1	40	form-based			true	0.7	4	0.800000012	2	2	5513.199707	4313.199707	4313.199707	0.933333
0869	002	2570	0.06	4370	3	65	100	3	6	3	7710	3340	RTO-1	40	form-based			true	0.7	5	0.833333313	2	2	7196	2826	2826	0.933333
0869	003	2516	0.06	5427	3	65	100	3	6	3	7548	2121	RTO-1	40	form-based			true	0.7	5	0.833333313	2	2	7044.799805	1617.799805	1617.799805	0.933333
0869	015	3437	0.08	3470	5	65	100	3	8	3	10311	6841	RTO-1	40	form-based			true	0.7	7	0.875	2	2	9623.599609	6153.599609	6153.599609	0.933333
0869	020	3267	0.07	7756	5	65	100	3	7	2	9801	2045	RTO-1	40	form-based		true	true	0.7	7	1	2	2	9147.599609	1391.599609	1391.599609	0.933333
0869	025	2438	0.06	3568	3	65	100	3	6	3	7314	3746	RTO-1	40	form-based			true	0.7	5	0.833333313	2	2	6826.399902	3258.399902	3258.399902	0.933333
0869	030	3438	0.08	5465	5	65	100	3	8	3	10314	4849	RTO-1	40	form-based			true	0.7	7	0.875	2	2	9626.399414	4161.399414	4161.399414	0.933333
0869	048	2228	0.05	1262	3	65	100	3	5	2	6684	5422	RTO-1	40	form-based			true	0.7	5	1	2	2	6238.399902	4976.399902	4976.399902	0.933333
0869	059	2188	0.05	1307	3	65	100	3	5	2	6564	5257	RTO-1	40	form-based			true	0.7	5	1	2	2	6126.399902	4819.399902	4819.399902	0.933333
0874	007	2273	0.05	3586	3	85	140	4	7	4	9092	5506	RTO-1	40	form-based			true	0.7	5	0.714285731	2	2	6364.399902	2778.399902	2778.399902	0.7
0874	021	2195	0.05	1226	3	85	140	4	7	4	8780	7554	RTO-1	40	form-based			true	0.7	5	0.714285731	2	2	6146	4920	4920	0.7
0875	014	2385	0.05	4950	3	65	100	3	5	2	7155	2205	RTO-1	40	form-based			true	0.7	5	1	2	2	6678	1728	1728	0.933333
0875	015	2357	0.05	4050	3	65	100	3	5	2	7071	3021	RTO-1	40	form-based			true	0.7	5	1	2	2	6599.600098	2549.600098	2549.600098	0.933333
0875	019	1521	0.03	1150	1	65	100	3	3	2	4563	3413	RTO-1	40	form-based			true	0.7	3	1	2	2	4258.799805	3108.799805	3108.799805	0.933333
0954	016	1656	0.04	2400	1	55	80	2.5	3	2	4140	1740	RH-1	40	form-based		true	true	0.7	3	1	2	2	4636.799805	2236.799805	2236.799805	1.12
0954	016A	1372	0.03	1900	1	55	80	2.5	2	1	3430	1530	RH-1	40	form-based			true	0.7	3	1.5	2	2	3841.599854	1941.599854	1941.599854	1.12
0956	009	1073	0.02	0	0	55	80	2.5	2	2	2682	2682	RH-1	40	form-based			true	0.7	2	1	2	2	3004.399902	3004.399902	3004.399902	1.120209
0959	006	1550	0.04	3952	1	55	80	2.5	3	2	3875	0	RH-1(D)	40	form-based			true	0.7	3	1	2	2	4340	388	388	1.12
0965	002A	1251	0.03	2350	1	55	80	2.5	2	1	3128	778	RH-1	40	form-based			true	0.7	3	1.5	2	2	3502.800049	1152.800049	1152.800049	1.119821
0966	001	1615	0.04	4020	1	55	80	2.5	3	2	4038	18	RH-1	40	form-based			true	0.7	3	1	2	2	4522	502	502	1.119861
0966	006	1713	0.04	2664	2	55	80	2.5	3	1	4282	1618	RH-1	40	form-based			true	0.7	4	1.333333373	2	2	4796.399902	2132.399902	2132.399902	1.120131
0974	018	3841	0.09	5460	6	55	80	2.5	7	1	9602	4142	RH-1	40	form-based			true	0.7	8	1.142857194	2	2	10754.7998	5294.799805	5294.799805	1.120058
0975	005	3671	0.08	5980	6	55	80	2.5	6	0	9178	3198	RH-3	40	form-based			true	0.7	8	1.333333373	2	2	10278.7998	4298.799805	4298.799805	1.119939
0975	007	3819	0.09	6487	6	55	80	2.5	7	1	9548	3061	RH-3	40	form-based			true	0.7	8	1.142857194	2	2	10693.2002	4206.200195	4206.200195	1.119941
0976	047	6851	0.16	1125	12	55	80	2.5	13	1	17128	16003	RM-2	40	form-based			true	0.7	14	1.076923132	2	2	19182.79883	18057.79883	18057.79883	1.119967
0977	003A	1987	0.05	2912	2	55	80	2.5	4	2	4968	2056	RH-2	40	form-based		true	true	0.7	4	1	2	2	5563.600098	2651.600098	2651.600098	1.119887
0977	003B	2040	0.05	3270	2	55	80	2.5	4	2	5100	1830	RH-2	40	form-based			true	0.7	4	1	2	2	5712	2442	2442	1.12
0977	004	2650	0.06	4114	4	55	80	2.5	5	1	6625	2511	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7420	3306	3306	1.12
0978	032	2824	0.06	992	4	55	80	2.5	5	1	7060	6068	RH-2	40	form-based		true	true	0.7	6	1.200000048	2	2	7907.199707	6915.199707	6915.199707	1.12
0979	027	3435	0.08	3604	5	65	100	3	8	3	10305	6701	RH-2	40	form-based			true	0.7	7	0.875	2	2	9618	6014	6014	0.933333
0979	040	2990	0.07	1986	4	65	100	3	7	3	8970	6984	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8372	6386	6386	0.933333
0979	052	2750	0.06	2324	4	65	100	3	6	2	8250	5926	RH-2	40	form-based			true	0.7	6	1	2	2	7700	5376	5376	0.933333
0980	028	2088	0.05	3935	2	65	100	3	5	3	6264	2329	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5846.399902	1911.399902	1911.399902	0.933333
0980	049	3784	0.09	1363	6	65	100	3	9	3	11352	9989	RM-1	40	form-based			true	0.7	8	0.888888896	2	2	10595.2002	9232.200195	9232.200195	0.933333
0980	091	2325	0.05	2124	3	65	100	3	5	2	6975	4851	RM-1	40	form-based			true	0.7	5	1	2	2	6510	4386	4386	0.933333
0981	022	2500	0.06	2400	3	65	100	3	6	3	7500	5100	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7000	4600	4600	0.933333
0981	056	2500	0.06	590	3	65	100	3	6	3	7500	6910	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7000	6410	6410	0.933333
0982	016	2567	0.06	5118	3	65	100	3	6	3	7701	2583	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7187.600098	2069.600098	2069.600098	0.933333
0982	063	2567	0.06	1875	3	65	100	3	6	3	7701	5826	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7187.600098	5312.600098	5312.600098	0.933333
0983	025	2533	0.06	4689	3	65	100	3	6	3	7599	2910	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7092.399902	2403.399902	2403.399902	0.933333
0985	032	2522	0.06	2080	3	65	100	3	6	3	7566	5486	RH-1	40	form-based			true	0.7	5	0.833333313	2	2	7061.600098	4981.600098	4981.600098	0.933333
0991	005	2100	0.05	5079	2	55	80	2.5	4	2	5250	171	RH-1	40	form-based		true	true	0.7	4	1	2	2	5880	801	801	1.12
0995	025	1365	0.03	2410	1	65	100	3	3	2	4095	1685	RH-1	40	form-based			true	0.7	3	1	2	2	3822	1412	1412	0.933333
0996	052	2500	0.06	1638	3	65	100	3	6	3	7500	5862	RH-1	40	form-based			true	0.7	5	0.833333313	2	2	7000	5362	5362	0.933333
0999	032	3112	0.07	4080	5	65	100	3	7	2	9336	5256	RH-3	40	form-based			true	0.7	7	1	2	2	8713.599609	4633.599609	4633.599609	0.933333
0999	064	2341	0.05	2643	3	65	100	3	5	2	7023	4380	RH-3	40	form-based		true	true	0.7	5	1	2	2	6554.799805	3911.799805	3911.799805	0.933333
1000	027	3178	0.07	5190	5	65	100	3	7	2	9534	4344	RH-2	40	form-based			true	0.7	7	1	2	2	8898.399414	3708.399414	3708.399414	0.933333
1001	003	3000	0.07	2380	4	65	100	3	7	3	9000	6620	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	6020	6020	0.933333
1001	025	2361	0.05	3790	3	65	100	3	5	2	7083	3293	NC-1	40	form-based			true	0.75	5	1	2	2	7083	3293	3293	1
1001	056	2750	0.06	1165	4	65	100	3	6	2	8250	7085	RH-3	40	form-based		true	true	0.7	6	1	2	2	7700	6535	6535	0.933333
1003	003	4062	0.09	3385	7	65	100	3	9	2	12186	8801	RH-3	40	form-based			true	0.7	9	1	2	2	11373.59961	7988.599609	7988.599609	0.933333
1003	055	1910	0.04	3402	3	65	100	3	4	1	5730	2328	RH-3	50	form-based			true	0.7	5	1.25	2	2	6685	3283	3283	1.166667
1003	063	2035	0.05	1438	2	65	100	3	5	3	6105	4667	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5698	4260	4260	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1005	028	3003	0.07	3420	4	65	100	3	7	3	9009	5589	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8408.399414	4988.399414	4988.399414	0.933333
1006	011	3577	0.08	7125	8	65	100	3	8	0	10731	3606	RH-2	50	form-based			true	0.7	10	1.25	2	2	12519.5	5394.5	5394.5	1.166667
1006	018A	1621	0.04	2491	1	65	100	3	4	3	4863	2372	RH-2	40	form-based			true	0.7	3	0.75	2	2	4538.799805	2047.799805	2047.799805	0.933333
1006	043	2782	0.06	534	4	65	100	3	6	2	8346	7812	RH-2	40	form-based			true	0.7	6	1	2	2	7789.600098	7255.600098	7255.600098	0.933333
1008	030	1832	0.04	2800	2	65	100	3	4	2	5496	2696	RH-2	40	form-based			true	0.7	4	1	2	2	5129.600098	2329.600098	2329.600098	0.933333
1009	029	5192	0.12	15657	17	65	100	3	12	0	15576	0	NCD-SACR	65	form-based		true	true	0.75	19	1.583333373	2	2	23364	7707	7707	1.5
1012	028	2603	0.06	3338	3	55	80	2.5	5	2	6508	3170	RH-1	40	form-based			true	0.7	5	1	2	2	7288.399902	3950.399902	3950.399902	1.119914
1013	043	2536	0.06	2025	3	55	80	2.5	5	2	6340	4315	RH-1	40	form-based			true	0.7	5	1	2	2	7100.799805	5075.799805	5075.799805	1.12
1014	024	3181	0.07	9287	7	55	80	2.5	6	0	7952	0	RM-1	50	form-based		true	true	0.7	9	1.5	2	2	11133.5	1846.5	1846.5	1.400088
1017	026	2553	0.06	6084	5	55	80	2.5	5	0	6382	298	RH-3	50	form-based			true	0.7	7	1.399999976	2	2	8935.5	2851.5	2851.5	1.40011
1019	019	3715	0.09	10474	12	55	80	2.5	7	0	9288	0	NCD-SACR	65	form-based		true	true	0.75	14	2	2	2	16717.5	6243.5	6243.5	1.799903
1022	016	2500	0.06	6055	7	85	140	4	8	1	10000	3945	NCD-SACR	65	form-based			true	0.75	9	1.125	2	2	11250	5195	5195	1.125
1022	020	3329	0.08	5697	10	65	100	3	8	0	9987	4290	NCD-SACR	65	form-based			true	0.75	12	1.5	2	2	14980.5	9283.5	9283.5	1.5
1025	024	2088	0.05	2850	4	65	100	3	5	1	6264	3414	RH-2	50	form-based			true	0.7	6	1.200000048	2	2	7308	4458	4458	1.166667
1025	033	6065	0.14	11210	15	65	100	3	14	0	18195	6985	RH-2	50	form-based			true	0.7	17	1.214285731	2	2	21227.5	10017.5	10017.5	1.166667
1026	001	3367	0.08	9576	7	65	100	3	8	1	10101	525	RH-3	50	form-based		true	true	0.7	9	1.125	2	2	11784.5	2208.5	2208.5	1.166667
1026	024	7066	0.16	13485	18	65	100	3	16	0	21198	7713	RH-3	50	form-based			true	0.7	20	1.25	2	2	24731	11246	11246	1.166667
1029	021	2676	0.06	3384	4	85	140	4	8	4	10704	7320	RH-2	40	form-based			true	0.7	6	0.75	2	2	7492.799805	4108.799805	4108.799805	0.7
1029	036	2269	0.05	1713	3	65	100	3	5	2	6807	5094	RM-1	40	form-based		true	true	0.7	5	1	2	2	6353.199707	4640.199707	4640.199707	0.933333
1029	089	2058	0.05	1607	2	85	140	4	7	5	8232	6625	RH-2	40	form-based			true	0.7	4	0.571428597	2	2	5762.399902	4155.399902	4155.399902	0.7
1030	050	2203	0.05	2354	3	65	100	3	5	2	6609	4255	RH-2	40	form-based		true	true	0.7	5	1	2	2	6168.399902	3814.399902	3814.399902	0.933333
1030	057	1756	0.04	1284	2	65	100	3	4	2	5268	3984	RH-2	40	form-based			true	0.7	4	1	2	2	4916.799805	3632.799805	3632.799805	0.933333
1039	036	4017	0.09	6000	6	55	80	2.5	7	1	10042	4042	RM-1	40	form-based			true	0.7	8	1.142857194	2	2	11247.59961	5247.599609	5247.599609	1.120056
1040	015	3166	0.07	4290	5	65	100	3	7	2	9498	5208	RM-1	40	form-based			true	0.7	7	1	2	2	8864.799805	4574.799805	4574.799805	0.933333
1044	015	5357	0.12	10200	9	65	100	3	12	3	16071	5871	RM-2	40	form-based		true	true	0.7	11	0.916666687	2	2	14999.59961	4799.599609	4799.599609	0.933333
1046	002	2188	0.05	5410	3	65	100	3	5	2	6564	1154	RH-3	40	form-based			true	0.7	5	1	2	2	6126.399902	716.3999023	716.3999023	0.933333
1046	003	2187	0.05	5410	3	65	100	3	5	2	6561	1151	RH-3	40	form-based			true	0.7	5	1	2	2	6123.600098	713.6000977	713.6000977	0.933333
1046	005	2500	0.06	3528	3	65	100	3	6	3	7500	3972	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	3472	3472	0.933333
1046	010	1875	0.04	2717	2	65	100	3	4	2	5625	2908	RH-3	40	form-based			true	0.7	4	1	2	2	5250	2533	2533	0.933333
1046	026	2750	0.06	2320	4	65	100	3	6	2	8250	5930	RH-3	40	form-based			true	0.7	6	1	2	2	7700	5380	5380	0.933333
1046	027	2511	0.06	3720	3	65	100	3	6	3	7533	3813	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7030.799805	3310.799805	3310.799805	0.933333
1046	027A	2490	0.06	2480	3	65	100	3	6	3	7470	4990	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	6972	4492	4492	0.933333
1047	016	3438	0.08	7080	5	65	100	3	8	3	10314	3234	RH-2	40	form-based			true	0.7	7	0.875	2	2	9626.399414	2546.399414	2546.399414	0.933333
1047	025	2614	0.06	4320	3	65	100	3	6	3	7842	3522	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7319.199707	2999.199707	2999.199707	0.933333
1047	048	1760	0.04	1137	2	65	100	3	4	2	5280	4143	RH-2	40	form-based			true	0.7	4	1	2	2	4928	3791	3791	0.933333
1047	052	2212	0.05	3477	3	65	100	3	5	2	6636	3159	RH-2	40	form-based			true	0.7	5	1	2	2	6193.600098	2716.600098	2716.600098	0.933333
1048	026	2188	0.05	2730	3	65	100	3	5	2	6564	3834	RH-2	40	form-based			true	0.7	5	1	2	2	6126.399902	3396.399902	3396.399902	0.933333
1049	011	2750	0.06	2500	4	65	100	3	6	2	8250	5750	RH-2	40	form-based			true	0.7	6	1	2	2	7700	5200	5200	0.933333
1049	015	2681	0.06	2150	4	65	100	3	6	2	8043	5893	RH-2	40	form-based			true	0.7	6	1	2	2	7506.799805	5356.799805	5356.799805	0.933333
1049	018	1203	0.03	1174	1	65	100	3	3	2	3609	2435	RM-1	40	form-based			true	0.7	3	1	2	2	3368.399902	2194.399902	2194.399902	0.933333
1049	025	1983	0.05	2269	2	65	100	3	5	3	5949	3680	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5552.399902	3283.399902	3283.399902	0.933333
1049	070	2144	0.05	1596	3	65	100	3	5	2	6432	4836	RH-2	40	form-based			true	0.7	5	1	2	2	6003.199707	4407.199707	4407.199707	0.933333
1050	003	1320	0.03	2432	1	65	100	3	3	2	3960	1528	RH-2	40	form-based			true	0.7	3	1	2	2	3696	1264	1264	0.933333
1050	032	2023	0.05	1861	2	65	100	3	5	3	6069	4208	RH-2	40	form-based		true	true	0.7	4	0.800000012	2	2	5664.399902	3803.399902	3803.399902	0.933333
1052	011	2008	0.05	2820	2	65	100	3	5	3	6024	3204	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5622.399902	2802.399902	2802.399902	0.933333
1052	013	2206	0.05	5445	3	65	100	3	5	2	6618	1173	RH-3	40	form-based			true	0.7	5	1	2	2	6176.799805	731.7998047	731.7998047	0.933333
1052	018	2111	0.05	2992	2	65	100	3	5	3	6333	3341	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5910.799805	2918.799805	2918.799805	0.933333
1052	032	2111	0.05	1437	2	65	100	3	5	3	6333	4896	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5910.799805	4473.799805	4473.799805	0.933333
1052	039	2251	0.05	1772	3	65	100	3	5	2	6753	4981	RH-3	40	form-based			true	0.7	5	1	2	2	6302.799805	4530.799805	4530.799805	0.933333
1053	004	1695	0.04	2784	2	65	100	3	4	2	5085	2301	RH-3	40	form-based			true	0.7	4	1	2	2	4746	1962	1962	0.933333
1053	010B	2428	0.06	4469	3	65	100	3	6	3	7284	2815	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	6798.399902	2329.399902	2329.399902	0.933333
1053	015	2187	0.05	2020	3	65	100	3	5	2	6561	4541	RH-3	40	form-based			true	0.7	5	1	2	2	6123.600098	4103.600098	4103.600098	0.933333
1053	016	2056	0.05	2500	2	65	100	3	5	3	6168	3668	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5756.799805	3256.799805	3256.799805	0.933333
1053	019	2018	0.05	2032	2	65	100	3	5	3	6054	4022	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5650.399902	3618.399902	3618.399902	0.933333
1053	027	1406	0.03	832	1	65	100	3	3	2	4218	3386	RH-3	40	form-based			true	0.7	3	1	2	2	3936.800049	3104.800049	3104.800049	0.933333
1053	028	3779	0.09	7335	6	65	100	3	9	3	11337	4002	RH-3	40	form-based			true	0.7	8	0.888888896	2	2	10581.2002	3246.200195	3246.200195	0.933333
1054	009A	1283	0.03	700	1	65	100	3	3	2	3849	3149	RH-3	40	form-based			true	0.7	3	1	2	2	3592.399902	2892.399902	2892.399902	0.933333
1054	009B	1298	0.03	700	1	65	100	3	3	2	3894	3194	RH-3	40	form-based			true	0.7	3	1	2	2	3634.399902	2934.399902	2934.399902	0.933333
1054	022	2366	0.05	3428	3	65	100	3	5	2	7098	3670	RH-3	40	form-based		true	true	0.7	5	1	2	2	6624.799805	3196.799805	3196.799805	0.933333
1055	018	2265	0.05	2840	3	65	100	3	5	2	6795	3955	RH-3	40	form-based			true	0.7	5	1	2	2	6342	3502	3502	0.933333
1055	019	2141	0.05	2020	2	65	100	3	5	3	6423	4403	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5994.799805	3974.799805	3974.799805	0.933333
1062	033	3890	0.09	5352	6	65	100	3	9	3	11670	6318	RM-1	40	form-based			true	0.7	8	0.888888896	2	2	10892	5540	5540	0.933333
1064	021	3296	0.08	5550	5	65	100	3	8	3	9888	4338	RH-2	40	form-based			true	0.7	7	0.875	2	2	9228.799805	3678.799805	3678.799805	0.933333
1064	036	3190	0.07	5800	5	85	140	4	10	5	12760	6960	RH-1(D)	40	form-based			true	0.7	7	0.699999988	2	2	8932	3132	3132	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1065	019	2973	0.07	3510	4	65	100	3	7	3	8919	5409	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8324.399414	4814.399414	4814.399414	0.933333
1065	020	2942	0.07	3510	4	85	140	4	10	6	11768	8258	RH-2	40	form-based			true	0.7	6	0.600000024	2	2	8237.599609	4727.599609	4727.599609	0.7
1065	075	2564	0.06	410	3	65	100	3	6	3	7692	7282	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7179.199707	6769.199707	6769.199707	0.933333
1066	047	3023	0.07	3215	4	65	100	3	7	3	9069	5854	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8464.399414	5249.399414	5249.399414	0.933333
1067	013	3000	0.07	3180	4	65	100	3	7	3	9000	5820	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5220	5220	0.933333
1067	045	1099	0.03	0	0	65	100	3	3	3	3297	3297	RM-2	40	form-based			true	0.7	2	0.666666687	2	2	3077.199951	3077.199951	3077.199951	0.933333
1069	053	1517	0.03	1500	1	85	140	4	4	3	6068	4568	RH-2	40	form-based			true	0.7	3	0.75	2	2	4247.600098	2747.600098	2747.600098	0.7
1069	054	1457	0.03	2210	1	65	100	3	3	2	4371	2161	RH-2	40	form-based			true	0.7	3	1	2	2	4079.599854	1869.599854	1869.599854	0.933333
1073	006	2356	0.05	2887	3	65	100	3	5	2	7068	4181	RH-3	40	form-based			true	0.7	5	1	2	2	6596.799805	3709.799805	3709.799805	0.933333
1073	043	1894	0.04	1105	2	65	100	3	4	2	5682	4577	RH-3	40	form-based			true	0.7	4	1	2	2	5303.199707	4198.199707	4198.199707	0.933333
1073	057	2158	0.05	1774	3	65	100	3	5	2	6474	4700	RH-3	40	form-based			true	0.7	5	1	2	2	6042.399902	4268.399902	4268.399902	0.933333
1074	005	2500	0.06	3110	3	65	100	3	6	3	7500	4390	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	3890	3890	0.933333
1074	018	1265	0.03	1319	1	65	100	3	3	2	3795	2476	RH-3	40	form-based			true	0.7	3	1	2	2	3542	2223	2223	0.933333
1074	018B	1650	0.04	1505	1	65	100	3	4	3	4950	3445	RH-3	40	form-based			true	0.7	3	0.75	2	2	4620	3115	3115	0.933333
1074	018C	1831	0.04	2756	2	65	100	3	4	2	5493	2737	RH-3	40	form-based		true	true	0.7	4	1	2	2	5126.799805	2370.799805	2370.799805	0.933333
1074	020	2040	0.05	1698	2	65	100	3	5	3	6120	4422	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5712	4014	4014	0.933333
1074	020A	2040	0.05	1698	2	65	100	3	5	3	6120	4422	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5712	4014	4014	0.933333
1080	004	2500	0.06	5280	3	65	100	3	6	3	7500	2220	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	1720	1720	0.933333
1080	022	2187	0.05	2843	3	65	100	3	5	2	6561	3718	RH-3	40	form-based			true	0.7	5	1	2	2	6123.600098	3280.600098	3280.600098	0.933333
1080	025	2467	0.06	3820	3	65	100	3	6	3	7401	3581	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	6907.600098	3087.600098	3087.600098	0.933333
1080	030	2500	0.06	3687	3	65	100	3	6	3	7500	3813	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	3313	3313	0.933333
1080	032	4656	0.11	6300	8	85	140	4	15	7	18624	12324	RH-3	40	form-based			true	0.7	10	0.666666687	2	2	13036.7998	6736.799805	6736.799805	0.7
1081	070	2000	0.05	2082	2	65	100	3	5	3	6000	3918	RH-3	40	form-based		true	true	0.7	4	0.800000012	2	2	5600	3518	3518	0.933333
1082	017	1645	0.04	1125	1	65	100	3	4	3	4935	3810	RH-3	40	form-based			true	0.7	3	0.75	2	2	4606	3481	3481	0.933333
1082	024	1500	0.03	1331	1	65	100	3	3	2	4500	3169	RH-3	40	form-based			true	0.7	3	1	2	2	4200	2869	2869	0.933333
1102	009	2527	0.06	4945	3	65	100	3	6	3	7581	2636	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7075.600098	2130.600098	2130.600098	0.933333
1103	010	3088	0.07	3520	4	65	100	3	7	3	9264	5744	RM-2	40	form-based			true	0.7	6	0.857142866	2	2	8646.399414	5126.399414	5126.399414	0.933333
1103	011	3041	0.07	3520	4	65	100	3	7	3	9123	5603	RM-2	40	form-based			true	0.7	6	0.857142866	2	2	8514.799805	4994.799805	4994.799805	0.933333
1103	012	3028	0.07	3520	4	65	100	3	7	3	9084	5564	RM-2	40	form-based			true	0.7	6	0.857142866	2	2	8478.399414	4958.399414	4958.399414	0.933333
1104	001	3850	0.09	3271	6	65	100	3	9	3	11550	8279	RM-1	40	form-based		true	true	0.7	8	0.888888896	2	2	10780	7509	7509	0.933333
1125	012	3073	0.07	1723	4	65	100	3	7	3	9219	7496	RM-1	40	form-based		true	true	0.7	6	0.857142866	2	2	8604.399414	6881.399414	6881.399414	0.933333
1103	082	3061	0.07	880	4	65	100	3	7	3	9183	8303	RM-2	40	form-based			true	0.7	6	0.857142866	2	2	8570.799805	7690.799805	7690.799805	0.933333
1115	001	3586	0.08	4410	6	65	100	3	8	2	10758	6348	RM-2	40	form-based		true	true	0.7	8	1	2	2	10040.7998	5630.799805	5630.799805	0.933333
1119	001	4265	0.1	5777	7	65	100	3	10	3	12795	7018	RM-1	40	form-based		true	true	0.7	9	0.899999976	2	2	11942	6165	6165	0.933333
1130	002	2051	0.05	1545	2	65	100	3	5	3	6153	4608	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5742.799805	4197.799805	4197.799805	0.933333
1130	002A	715	0.02	0	0	65	100	3	2	2	2145	2145	RM-1	40	form-based			true	0.7	2	1	2	2	2002	2002	2002	0.933333
1130	004	2765	0.06	4000	4	65	100	3	6	2	8295	4295	RM-1	40	form-based			true	0.7	6	1	2	2	7742	3742	3742	0.933333
1130	006	2763	0.06	3050	4	65	100	3	6	2	8289	5239	RM-1	40	form-based			true	0.7	6	1	2	2	7736.399902	4686.399902	4686.399902	0.933333
1130	009B	1425	0.03	1170	1	65	100	3	3	2	4275	3105	RM-1	40	form-based			true	0.7	3	1	2	2	3990	2820	2820	0.933333
1131	002A	1250	0.03	1334	1	65	100	3	3	2	3750	2416	RH-1	40	form-based			true	0.7	3	1	2	2	3500	2166	2166	0.933333
1131	003	1589	0.04	1922	1	65	100	3	4	3	4767	2845	RH-1	40	form-based			true	0.7	3	0.75	2	2	4449.199707	2527.199707	2527.199707	0.933333
1131	010A	1986	0.05	2300	2	65	100	3	5	3	5958	3658	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5560.799805	3260.799805	3260.799805	0.933333
1131	010D	1976	0.05	2538	2	65	100	3	5	3	5928	3390	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5532.799805	2994.799805	2994.799805	0.933333
1133	007B	1809	0.04	2600	2	65	100	3	4	2	5427	2827	RH-2	40	form-based			true	0.7	4	1	2	2	5065.199707	2465.199707	2465.199707	0.933333
1133	008	1984	0.05	2750	2	65	100	3	5	3	5952	3202	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5555.199707	2805.199707	2805.199707	0.933333
1135	001A	1854	0.04	3140	2	65	100	3	4	2	5562	2422	RH-2	40	form-based			true	0.7	4	1	2	2	5191.199707	2051.199707	2051.199707	0.933333
1135	023	2018	0.05	4489	2	65	100	3	5	3	6054	1565	RH-2	40	form-based		true	true	0.7	4	0.800000012	2	2	5650.399902	1161.399902	1161.399902	0.933333
1135	025	1722	0.04	2800	2	65	100	3	4	2	5166	2366	RH-2	40	form-based			true	0.7	4	1	2	2	4821.600098	2021.600098	2021.600098	0.933333
1137	001	2558	0.06	3274	3	65	100	3	6	3	7674	4400	RH-2	40	form-based		true	true	0.7	5	0.833333313	2	2	7162.399902	3888.399902	3888.399902	0.933333
1137	003A	2612	0.06	3440	3	65	100	3	6	3	7836	4396	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7313.600098	3873.600098	3873.600098	0.933333
1137	011	2130	0.05	3342	2	65	100	3	5	3	6390	3048	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5964	2622	2622	0.933333
1137	011B	2130	0.05	3432	2	65	100	3	5	3	6390	2958	RH-2	40	form-based		true	true	0.7	4	0.800000012	2	2	5964	2532	2532	0.933333
1138	013	3043	0.07	4232	4	65	100	3	7	3	9129	4897	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8520.399414	4288.399414	4288.399414	0.933333
1138	014	3043	0.07	4034	4	65	100	3	7	3	9129	5095	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8520.399414	4486.399414	4486.399414	0.933333
1141	002	2500	0.06	2639	3	65	100	3	6	3	7500	4861	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7000	4361	4361	0.933333
1141	028	6090	0.14	9028	11	65	100	3	14	3	18270	9242	RH-2	40	form-based			true	0.7	13	0.928571403	2	2	17052	8024	8024	0.933333
1141	034	2387	0.05	1365	3	55	80	2.5	4	1	5968	4603	RM-2	40	form-based			true	0.7	5	1.25	2	2	6683.600098	5318.600098	5318.600098	1.119906
1141	037	2509	0.06	1232	3	65	100	3	6	3	7527	6295	RM-2	40	form-based			true	0.7	5	0.833333313	2	2	7025.199707	5793.199707	5793.199707	0.933333
1142	001	1845	0.04	2130	2	55	80	2.5	3	1	4612	2482	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	5166	3036	3036	1.120121
1142	001A	1800	0.04	2130	2	55	80	2.5	3	1	4500	2370	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5040	2910	2910	1.12
1142	001B	1800	0.04	2130	2	55	80	2.5	3	1	4500	2370	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5040	2910	2910	1.12
1142	014	3382	0.08	3670	5	55	80	2.5	6	1	8455	4785	RH-2	40	form-based			true	0.7	7	1.166666627	2	2	9469.599609	5799.599609	5799.599609	1.12
1142	020	1709	0.04	3360	2	55	80	2.5	3	1	4272	912	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4785.199707	1425.199707	1425.199707	1.120131
1142	022	1791	0.04	3040	2	55	80	2.5	3	1	4478	1438	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5014.799805	1974.799805	1974.799805	1.119875

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1142	027	2542	0.06	3200	3	55	80	2.5	5	2	6355	3155	RH-2	40	form-based			true	0.7	5	1	2	2	7117.600098	3917.600098	3917.600098	1.12
1142	028	2596	0.06	2358	3	55	80	2.5	5	2	6490	4132	RH-2	40	form-based			true	0.7	5	1	2	2	7268.799805	4910.799805	4910.799805	1.12
1142	042	1885	0.04	2130	2	55	80	2.5	3	1	4712	2582	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5278	3148	3148	1.120119
1143	001	1348	0.03	1573	1	55	80	2.5	2	1	3370	1797	RH-2	40	form-based		true	true	0.7	3	1.5	2	2	3774.399902	2201.399902	2201.399902	1.12
1143	001A	1317	0.03	2419	1	55	80	2.5	2	1	3292	873	RH-2	40	form-based			true	0.7	3	1.5	2	2	3687.599854	1268.599854	1268.599854	1.12017
1143	001E	1350	0.03	2515	1	55	80	2.5	2	1	3375	860	RH-2	40	form-based			true	0.7	3	1.5	2	2	3780	1265	1265	1.12
1143	010A	1575	0.04	750	1	55	80	2.5	3	2	3938	3188	RH-2	40	form-based			true	0.7	3	1	2	2	4410	3660	3660	1.119858
1143	016	1550	0.04	1458	1	55	80	2.5	3	2	3875	2417	RH-2	40	form-based			true	0.7	3	1	2	2	4340	2882	2882	1.12
1144	019A	360	0.01	0	0	55	80	2.5	1	1	900	900	RH-2	80	form-based		true	true	0.7	2	2	2	2	2016	2016	1800	2.24
1147	001	2315	0.05	3455	3	55	80	2.5	4	1	5788	2333	RH-2	40	form-based		true	true	0.7	5	1.25	2	2	6482	3027	3027	1.119903
1148	016	2250	0.05	3120	3	55	80	2.5	4	1	5625	2505	RH-2	40	form-based		true	true	0.7	5	1.25	2	2	6300	3180	3180	1.12
1149	021	3438	0.08	4500	5	55	80	2.5	6	1	8595	4095	RH-3	40	form-based			true	0.7	7	1.166666627	2	2	9626.399414	5126.399414	5126.399414	1.12
1150	007	2813	0.06	3300	4	55	80	2.5	5	1	7032	3732	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7876.399902	4576.399902	4576.399902	1.12008
1150	018	3438	0.08	2995	5	55	80	2.5	6	1	8595	5600	RH-3	40	form-based			true	0.7	7	1.166666627	2	2	9626.399414	6631.399414	6631.399414	1.12
1150	027	2500	0.06	4020	3	55	80	2.5	5	2	6250	2230	RH-3	40	form-based			true	0.7	5	1	2	2	7000	2980	2980	1.12
1150	028	2625	0.06	3670	4	55	80	2.5	5	1	6562	2892	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7350	3680	3680	1.120085
1150	029A	1802	0.04	2250	2	55	80	2.5	3	1	4505	2255	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	5045.600098	2795.600098	2795.600098	1.12
1150	034	3368	0.08	6974	5	55	80	2.5	6	1	8420	1446	RH-3	40	form-based			true	0.7	7	1.166666627	2	2	9430.399414	2456.399414	2456.399414	1.12
1150	041	2500	0.06	1482	3	55	80	2.5	5	2	6250	4768	RH-3	40	form-based			true	0.7	5	1	2	2	7000	5518	5518	1.12
1151	020	2399	0.06	4208	3	55	80	2.5	5	2	5998	1790	RH-3	40	form-based			true	0.7	5	1	2	2	6717.199707	2509.199707	2509.199707	1.119907
1151	026	3346	0.08	2650	5	55	80	2.5	6	1	8365	5715	RH-3	40	form-based			true	0.7	7	1.166666627	2	2	9368.799805	6718.799805	6718.799805	1.12
1152	009	2205	0.05	4500	3	55	80	2.5	4	1	5512	1012	RM-1	40	form-based			true	0.7	5	1.25	2	2	6174	1674	1674	1.120102
1152	018	2449	0.06	7280	3	55	80	2.5	5	2	6122	0	RM-1	40	form-based			true	0.7	5	1	2	2	6857.199707	0	0	1.120091
1152	021	2500	0.06	5145	3	55	80	2.5	5	2	6250	1105	RH-3	40	form-based			true	0.7	5	1	2	2	7000	1855	1855	1.12
1152	033	3437	0.08	3750	5	55	80	2.5	6	1	8592	4842	RM-1	40	form-based			true	0.7	7	1.166666627	2	2	9623.599609	5873.599609	5873.599609	1.120065
1152	035	2500	0.06	2015	3	55	80	2.5	5	2	6250	4235	RH-3	40	form-based			true	0.7	5	1	2	2	7000	4985	4985	1.12
1152	060	2450	0.06	1310	3	55	80	2.5	5	2	6125	4815	RM-1	40	form-based			true	0.7	5	1	2	2	6860	5550	5550	1.12
1154	011	2966	0.07	7200	6	55	80	2.5	6	0	7415	215	RM-1	50	form-based			true	0.7	8	1.333333373	2	2	10381	3181	3181	1.4
1154	043	1875	0.04	1590	3	55	80	2.5	3	0	4688	3098	RH-3	50	form-based			true	0.7	5	1.666666627	2	2	6562.5	4972.5	4972.5	1.399851
1154	049	1509	0.03	1300	2	55	80	2.5	2	0	3772	2472	RM-1	50	form-based			true	0.7	4	2	2	2	5281.5	3981.5	3981.5	1.400186
1155	003	2845	0.07	5896	6	55	80	2.5	6	0	7112	1216	RM-1	50	form-based			true	0.7	8	1.333333373	2	2	9957.5	4061.5	4061.5	1.400098
1156	050	2812	0.06	444	6	55	80	2.5	5	0	7030	6586	RM-1	50	form-based			true	0.7	8	1.600000024	2	2	9842	9398	9398	1.4
1157	003	2774	0.06	6150	6	55	80	2.5	5	0	6935	785	RM-1	50	form-based			true	0.7	8	1.600000024	2	2	9709	3559	3559	1.4
1157	009B	4892	0.11	9960	12	55	80	2.5	9	0	12230	2270	RM-1	50	form-based			true	0.7	14	1.555555582	2	2	17122	7162	7162	1.4
1157	011	2422	0.06	2880	3	55	80	2.5	5	2	6055	3175	RH-3	40	form-based			true	0.7	5	1	2	2	6781.600098	3901.600098	3901.600098	1.12
1157	012	2422	0.06	5265	3	55	80	2.5	5	2	6055	790	RH-3	40	form-based			true	0.7	5	1	2	2	6781.600098	1516.600098	1516.600098	1.12
1157	013	2422	0.06	4380	3	55	80	2.5	5	2	6055	1675	RH-3	40	form-based			true	0.7	5	1	2	2	6781.600098	2401.600098	2401.600098	1.12
1157	017	2500	0.06	6255	3	55	80	2.5	5	2	6250	0	RM-1	40	form-based			true	0.7	5	1	2	2	7000	745	745	1.12
1158	003	2406	0.06	5530	3	55	80	2.5	5	2	6015	485	RH-3	40	form-based			true	0.7	5	1	2	2	6736.799805	1206.799805	1206.799805	1.12
1158	026	2500	0.06	3439	3	55	80	2.5	5	2	6250	2811	RM-1	40	form-based			true	0.7	5	1	2	2	7000	3561	3561	1.12
1158	044	2500	0.06	1461	3	55	80	2.5	5	2	6250	4789	RM-1	40	form-based			true	0.7	5	1	2	2	7000	5539	5539	1.12
1158	046	2405	0.06	1352	3	55	80	2.5	5	2	6012	4660	RH-3	40	form-based			true	0.7	5	1	2	2	6734	5382	5382	1.120093
1158	082	2187	0.05	3370	3	55	80	2.5	4	1	5468	2098	RH-3	40	form-based			true	0.7	5	1.25	2	2	6123.600098	2753.600098	2753.600098	1.119898
1159	015	1927	0.04	3960	3	55	80	2.5	3	0	4818	858	RM-1	50	form-based			true	0.7	5	1.666666627	2	2	6744.5	2784.5	2784.5	1.399855
1159	030	2500	0.06	3135	3	55	80	2.5	5	2	6250	3115	RH-3	40	form-based			true	0.7	5	1	2	2	7000	3865	3865	1.12
1159	060	3846	0.09	9864	6	55	80	2.5	7	1	9615	0	RH-3	40	form-based		true	true	0.7	8	1.142857194	2	2	10768.7998	904.7998047	904.7998047	1.12
1159	069	2500	0.06	1727	3	55	80	2.5	5	2	6250	4523	RH-3	40	form-based			true	0.7	5	1	2	2	7000	5273	5273	1.12
1160	002	2578	0.06	5625	3	55	80	2.5	5	2	6445	820	RH-3	40	form-based			true	0.7	5	1	2	2	7218.399902	1593.399902	1593.399902	1.12
1162	001	2134	0.05	3250	2	55	80	2.5	4	2	5335	2085	RH-2	40	form-based		true	true	0.7	4	1	2	2	5975.199707	2725.199707	2725.199707	1.12
1163	040	3052	0.07	1008	4	55	80	2.5	6	2	7630	6622	RH-2	40	form-based		true	true	0.7	6	1	2	2	8545.599609	7537.599609	7537.599609	1.12
1166	026	1720	0.04	2154	2	55	80	2.5	3	1	4300	2146	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4816	2662	2662	1.12
1166	007	2330	0.05	2900	3	55	80	2.5	4	1	5825	2925	RH-2	40	form-based			true	0.7	5	1.25	2	2	6524	3624	3624	1.12
1166	008	2550	0.06	2795	3	55	80	2.5	5	2	6375	3580	RH-2	40	form-based			true	0.7	5	1	2	2	7140	4345	4345	1.12
1166	009	2312	0.05	3630	3	55	80	2.5	4	1	5780	2150	RH-2	40	form-based			true	0.7	5	1.25	2	2	6473.600098	2843.600098	2843.600098	1.12
1166	012	2146	0.05	2576	3	55	80	2.5	4	1	5365	2789	RH-2	40	form-based			true	0.7	5	1.25	2	2	6008.799805	3432.799805	3432.799805	1.12
1166	014	3293	0.08	6044	5	55	80	2.5	6	1	8232	2188	RH-2	40	form-based			true	0.7	7	1.166666627	2	2	9220.399414	3176.399414	3176.399414	1.120068
1166	028	2052	0.05	1950	2	55	80	2.5	4	2	5130	3180	RH-2	40	form-based			true	0.7	4	1	2	2	5745.600098	3795.600098	3795.600098	1.12
1166	031	2603	0.06	2560	3	55	80	2.5	5	2	6508	3948	RH-2	40	form-based			true	0.7	5	1	2	2	7288.399902	4728.399902	4728.399902	1.119914
1166	039	1567	0.04	1200	1	55	80	2.5	3	2	3918	2718	RH-1	40	form-based			true	0.7	3	1	2	2	4387.600098	3187.600098	3187.600098	1.119857
1166	052	2052	0.05	941	2	55	80	2.5	4	2	5130	4189	RH-2	40	form-based			true	0.7	4	1	2	2	5745.600098	4804.600098	4804.600098	1.12
1167	003	4800	0.11	6686	8	55	80	2.5	9	1	12000	5314	RM-1	40	form-based			true	0.7	10	1.111111164	2	2	13440	6754	6754	1.12
1167	023	2535	0.06	4500	4	55	80	2.5	5	1	6338	1838	NC-1	40	form-based			true	0.75	6	1.200000048	2	2	7605	3105	3105	1.199905
1168	002	2029	0.05	3234	2	55	80	2.5	4	2	5072	1838	RM-1	40	form-based			true	0.7	4	1	2	2	5681.199707	2447.199707	2447.199707	1.12011
1168	029	2379	0.05	4200	3	55	80	2.5	4	1	5948	1748	RM-2	40	form-based			true	0.7	5	1.25	2	2	6661.199707	2461.199707	2461.199707	1.119906

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1168	034	2232	0.05	4285	3	55	80	2.5	4	1	5580	1295	RM-2	40	form-based		true	true	0.7	5	1.25	2	2	6249.600098	1964.600098	1964.600098	1.12
1168	039	3506	0.08	3486	5	55	80	2.5	6	1	8765	5279	RH-3	40	form-based			true	0.7	7	1.166666627	2	2	9816.799805	6330.799805	6330.799805	1.12
1169	022	2408	0.06	4500	3	55	80	2.5	5	2	6020	1520	RH-2	40	form-based			true	0.7	5	1	2	2	6742.399902	2242.399902	2242.399902	1.12
1169	039	1088	0.02	0	0	55	80	2.5	2	2	2720	2720	RH-3	40	form-based			true	0.7	2	1	2	2	3046.399902	3046.399902	3046.399902	1.12
1176	001	2250	0.05	6300	4	55	80	2.5	4	0	5625	0	RM-1	50	form-based		true	true	0.7	6	1.5	2	2	7875	1575	1575	1.4
1176	020	2680	0.06	2582	4	55	80	2.5	5	1	6700	4118	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7504	4922	4922	1.12
1176	033	3437	0.08	6230	8	55	80	2.5	6	0	8592	2362	RM-1	50	form-based			true	0.7	10	1.666666627	2	2	12029.5	5799.5	5799.5	1.400082
1176	037	1406	0.03	1060	2	55	80	2.5	2	0	3515	2455	RH-3	50	form-based			true	0.7	4	2	2	2	4921	3861	3861	1.4
1176	063	2557	0.06	1104	3	55	80	2.5	5	2	6392	5288	RH-3	40	form-based			true	0.7	5	1	2	2	7159.600098	6055.600098	6055.600098	1.120088
1176	066	2557	0.06	1319	3	55	80	2.5	5	2	6392	5073	RH-3	40	form-based			true	0.7	5	1	2	2	7159.600098	5840.600098	5840.600098	1.120088
1176	069	2557	0.06	1287	3	55	80	2.5	5	2	6392	5105	RH-3	40	form-based			true	0.7	5	1	2	2	7159.600098	5872.600098	5872.600098	1.120088
1177	008	2422	0.06	4950	3	55	80	2.5	5	2	6055	1105	RH-3	40	form-based			true	0.7	5	1	2	2	6781.600098	1831.600098	1831.600098	1.12
1177	021	2432	0.06	5625	3	55	80	2.5	5	2	6080	455	RH-3	40	form-based			true	0.7	5	1	2	2	6809.600098	1184.600098	1184.600098	1.12
1177	021A	2432	0.06	3875	3	55	80	2.5	5	2	6080	2205	RH-3	40	form-based		true	true	0.7	5	1	2	2	6809.600098	2934.600098	2934.600098	1.12
1177	050	2495	0.06	1450	3	55	80	2.5	5	2	6238	4788	RH-3	40	form-based			true	0.7	5	1	2	2	6986	5536	5536	1.11991
1178	004	1969	0.05	1980	2	55	80	2.5	4	2	4922	2942	RH-3	40	form-based			true	0.7	4	1	2	2	5513.199707	3533.199707	3533.199707	1.120114
1178	007	2188	0.05	3233	3	55	80	2.5	4	1	5470	2237	RM-1	40	form-based		true	true	0.7	5	1.25	2	2	6126.399902	2893.399902	2893.399902	1.12
1178	015	2417	0.06	2680	3	55	80	2.5	5	2	6042	3362	RH-3	40	form-based			true	0.7	5	1	2	2	6767.600098	4087.600098	4087.600098	1.120093
1178	019	1729	0.04	4650	3	55	80	2.5	3	0	4322	0	RM-1	50	form-based		true	true	0.7	5	1.666666627	2	2	6051.5	1401.5	1401.5	1.400162
1178	026	3437	0.08	4514	8	55	80	2.5	6	0	8592	4078	RM-1	50	form-based			true	0.7	10	1.666666627	2	2	12029.5	7515.5	7515.5	1.400082
1179	011	2188	0.05	4150	4	55	80	2.5	4	0	5470	1320	RM-1	50	form-based		true	true	0.7	6	1.5	2	2	7658	3508	3508	1.4
1180	008	3494	0.08	2900	2	55	80	2.5	6	4	8735	5835	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9783.200195	6883.200195	6883.200195	1.12
1180	009	3494	0.08	2512	2	55	80	2.5	6	4	8735	6223	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9783.200195	7271.200195	7271.200195	1.12
1180	010	3494	0.08	3700	2	55	80	2.5	6	4	8735	5035	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9783.200195	6083.200195	6083.200195	1.12
1180	011	3494	0.08	3702	2	55	80	2.5	6	4	8735	5033	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9783.200195	6081.200195	6081.200195	1.12
1180	039	4757	0.11	1445	4	55	80	2.5	9	5	11892	10447	RM-1	40	density-lim	800			0.7	6	0.666666687	2	2	13319.59961	11874.59961	11874.59961	1.120047
1180	054	3494	0.08	3160	2	55	80	2.5	6	4	8735	5575	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9783.200195	6623.200195	6623.200195	1.12
1181	006	2776	0.06	3170	2	55	80	2.5	5	3	6940	3770	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7772.799805	4602.799805	4602.799805	1.12
1181	012	4854	0.11	10146	12	55	80	2.5	9	0	12135	1989	RM-2	50	form-based			true	0.7	14	1.555555582	2	2	16989	6843	6843	1.4
1181	012A	5112	0.12	10146	12	55	80	2.5	10	0	12780	2634	RM-2	50	form-based			true	0.7	14	1.399999976	2	2	17892	7746	7746	1.4
1181	024	3624	0.08	3020	2	55	80	2.5	6	4	9060	6040	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	10147.2002	7127.200195	7127.200195	1.12
1181	031	2920	0.07	866	6	55	80	2.5	6	0	7300	6434	RM-2	50	form-based			true	0.7	8	1.333333373	2	2	10220	9354	9354	1.4
1182	014	2449	0.06	4440	5	55	80	2.5	5	0	6122	1682	RH-3	50	form-based			true	0.7	7	1.399999976	2	2	8571.5	4131.5	4131.5	1.400114
1182	061	1906	0.04	4000	3	55	80	2.5	3	0	4765	765	RH-3	50	form-based			true	0.7	5	1.666666627	2	2	6671	2671	2671	1.4
1183	033	3437	0.08	4441	5	55	80	2.5	6	1	8592	4151	RM-1	40	form-based			true	0.7	7	1.166666627	2	2	9623.599609	5182.599609	5182.599609	1.120065
1183	058	3421	0.08	770	5	55	80	2.5	6	1	8552	7782	RM-1	40	form-based			true	0.7	7	1.166666627	2	2	9578.799805	8808.799805	8808.799805	1.120065
1183	077	2500	0.06	1181	3	55	80	2.5	5	2	6250	5069	RH-3	40	form-based			true	0.7	5	1	2	2	7000	5819	5819	1.12
1184	022	3051	0.07	3200	4	55	80	2.5	6	2	7628	4428	RH-3	40	form-based			true	0.7	6	1	2	2	8542.799805	5342.799805	5342.799805	1.119927
1184	023	2422	0.06	2866	3	55	80	2.5	5	2	6055	3189	RH-3	40	form-based			true	0.7	5	1	2	2	6781.600098	3915.600098	3915.600098	1.12
1184	043	2422	0.06	2469	3	55	80	2.5	5	2	6055	3586	RH-3	40	form-based		true	true	0.7	5	1	2	2	6781.600098	4312.600098	4312.600098	1.12
1184	047	2484	0.06	1469	3	55	80	2.5	5	2	6210	4741	RH-3	40	form-based			true	0.7	5	1	2	2	6955.199707	5486.199707	5486.199707	1.12
1185	001	3125	0.07	5240	5	55	80	2.5	6	1	7812	2572	RH-3	40	form-based		true	true	0.7	7	1.166666627	2	2	8750	3510	3510	1.120072
1185	004	2587	0.06	4619	3	55	80	2.5	5	2	6468	1849	RH-3	40	form-based			true	0.7	5	1	2	2	7243.600098	2624.600098	2624.600098	1.119913
1185	006	2500	0.06	2858	3	55	80	2.5	5	2	6250	3392	RH-3	40	form-based			true	0.7	5	1	2	2	7000	4142	4142	1.12
1185	017	2500	0.06	4305	3	55	80	2.5	5	2	6250	1945	RH-3	40	form-based			true	0.7	5	1	2	2	7000	2695	2695	1.12
1185	019	2500	0.06	3600	3	55	80	2.5	5	2	6250	2650	RH-3	40	form-based			true	0.7	5	1	2	2	7000	3400	3400	1.12
1185	058	2500	0.06	1381	3	55	80	2.5	5	2	6250	4869	RH-3	40	form-based			true	0.7	5	1	2	2	7000	5619	5619	1.12
1186	006	2529	0.06	2800	3	55	80	2.5	5	2	6322	3522	RH-2	40	form-based			true	0.7	5	1	2	2	7081.199707	4281.199707	4281.199707	1.120089
1186	007	2022	0.05	2932	2	55	80	2.5	4	2	5055	2123	RH-2	40	form-based			true	0.7	4	1	2	2	5661.600098	2729.600098	2729.600098	1.12
1186	007A	2111	0.05	3004	2	55	80	2.5	4	2	5278	2274	RH-2	40	form-based			true	0.7	4	1	2	2	5910.799805	2906.799805	2906.799805	1.119894
1186	011	2093	0.05	5838	6	55	80	2.5	4	0	5232	0	RTO-C	65	form-based		true	true	0.75	8	2	2	2	9418.5	3580.5	3580.5	1.800172
1186	030	1875	0.04	1584	2	55	80	2.5	3	1	4688	3104	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5250	3666	3666	1.119881
1188	001B	2011	0.05	3692	2	55	80	2.5	4	2	5028	1336	RH-2	40	form-based			true	0.7	4	1	2	2	5630.799805	1938.799805	1938.799805	1.119889
1190	001C	3600	0.08	4500	6	55	80	2.5	6	0	9000	4500	RH-2	40	form-based			true	0.7	8	1.333333373	2	2	10080	5580	5580	1.12
1188	002A	1697	0.04	2200	2	55	80	2.5	3	1	4242	2042	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4751.600098	2551.600098	2551.600098	1.120132
1188	002D	2062	0.05	2932	2	55	80	2.5	4	2	5155	2223	RH-2	40	form-based			true	0.7	4	1	2	2	5773.600098	2841.600098	2841.600098	1.12
1188	005	3935	0.09	6900	6	55	80	2.5	7	1	9838	2938	RH-2	40	form-based			true	0.7	8	1.142857194	2	2	11018	4118	4118	1.119943
1189	010	2057	0.05	2770	2	55	80	2.5	4	2	5142	2372	RH-3	40	form-based			true	0.7	4	1	2	2	5759.600098	2989.600098	2989.600098	1.120109
1189	018	2057	0.05	5371	9	55	80	2.5	4	0	5142	0	RTO-C	85	form-based		true	true	0.75	11	2.75	2	0	12342	6971	4913	2.400233
1190	001I	2058	0.05	3354	2	55	80	2.5	4	2	5145	1791	RH-2	40	form-based			true	0.7	4	1	2	2	5762.399902	2408.399902	2408.399902	1.12
1190	009	2058	0.05	1965	2	55	80	2.5	4	2	5145	3180	RH-2	40	form-based			true	0.7	4	1	2	2	5762.399902	3797.399902	3797.399902	1.12
1201	017A	1908	0.04	3360	3	55	80	2.5	3	0	4770	1410	RM-1	50	form-based			true	0.7	5	1.666666627	2	2	6678	3318	3318	1.4
1201	035	4125	0.09	7800	10	55	80	2.5	7	0	10312	2512	RM-1	50	form-based			true	0.7	12	1.714285731	2	2	14437.5	6637.5	6637.5	1.400068
1202	006	4334	0.1	5486	10	55	80	2.5	8	0	10835	5349	RH-3	50	form-based			true	0.7	12	1.5	2	2	15169	9683	9683	1.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1203	001A	1888	0.04	2320	3	55	80	2.5	3	0	4720	2400	RH-3	50	form-based			true	0.7	5	1.666666627	2	2	6608	4288	4288	1.4
1203	017	900	0.02	1850	3	55	80	2.5	2	0	2250	400	NCT-DIVIS/	85	form-based			true	0.75	5	2.5	2	1	5400	3550	2650	2.4
1203	027	5052	0.12	10107	12	55	80	2.5	10	0	12630	2523	RH-3	50	form-based			true	0.7	14	1.399999976	2	2	17682	7575	7575	1.4
1204	011A	446	0.01	816	0	55	80	2.5	1	1	1115	299	NCT-DIVIS/	85	form-based			true	0.75	2	2	2	2	2676	1860	1414	2.4
1204	028	5000	0.11	11700	12	55	80	2.5	9	0	12500	800	RM-1	50	form-based			true	0.7	14	1.555555582	2	2	17500	5800	5800	1.4
1205	002	2422	0.06	2000	3	55	80	2.5	5	2	6055	4055	RH-3	40	form-based			true	0.7	5	1	2	2	6781.600098	4781.600098	4781.600098	1.12
1205	006	2422	0.06	3050	3	55	80	2.5	5	2	6055	3005	RH-3	40	form-based			true	0.7	5	1	2	2	6781.600098	3731.600098	3731.600098	1.12
1205	035	2422	0.06	1445	3	55	80	2.5	5	2	6055	4610	RH-3	40	form-based			true	0.7	5	1	2	2	6781.600098	5336.600098	5336.600098	1.12
1205	038	2422	0.06	1730	3	55	80	2.5	5	2	6055	4325	RH-3	40	form-based		true	true	0.7	5	1	2	2	6781.600098	5051.600098	5051.600098	1.12
1205	052	2422	0.06	1235	3	55	80	2.5	5	2	6055	4820	RH-3	40	form-based			true	0.7	5	1	2	2	6781.600098	5546.600098	5546.600098	1.12
1210	039	4952	0.11	6046	8	55	80	2.5	9	1	12380	6334	RH-3	40	form-based			true	0.7	10	1.111111164	2	2	13865.59961	7819.599609	7819.599609	1.12
1211	005	2664	0.06	5078	4	55	80	2.5	5	1	6660	1582	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7459.199707	2381.199707	2381.199707	1.12
1211	018	6877	0.16	10050	12	55	80	2.5	13	1	17192	7142	RH-3	40	form-based			true	0.7	14	1.076923132	2	2	19255.59961	9205.599609	9205.599609	1.120033
1211	022	2502	0.06	5640	3	55	80	2.5	5	2	6255	615	RH-3	40	form-based			true	0.7	5	1	2	2	7005.600098	1365.600098	1365.600098	1.12
1211	025	2656	0.06	3550	4	55	80	2.5	5	1	6640	3090	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7436.799805	3886.799805	3886.799805	1.12
1211	055	2502	0.06	1436	3	55	80	2.5	5	2	6255	4819	RH-3	40	form-based			true	0.7	5	1	2	2	7005.600098	5569.600098	5569.600098	1.12
1212	006	2581	0.06	2280	3	55	80	2.5	5	2	6452	4172	RH-3	40	form-based			true	0.7	5	1	2	2	7226.799805	4946.799805	4946.799805	1.120087
1212	008	2505	0.06	4515	3	55	80	2.5	5	2	6262	1747	RM-1	40	form-based			true	0.7	5	1	2	2	7014	2499	2499	1.120089
1212	010	2505	0.06	4350	3	55	80	2.5	5	2	6262	1912	RM-1	40	form-based			true	0.7	5	1	2	2	7014	2664	2664	1.120089
1212	018	2500	0.06	5370	3	55	80	2.5	5	2	6250	880	RH-3	40	form-based			true	0.7	5	1	2	2	7000	1630	1630	1.12
1212	038	2505	0.06	1275	3	55	80	2.5	5	2	6262	4987	RM-1	40	form-based			true	0.7	5	1	2	2	7014	5739	5739	1.120089
1213	003	3450	0.08	5850	6	55	80	2.5	6	0	8625	2775	RM-3	40	form-based			true	0.75	8	1.333333373	2	2	10350	4500	4500	1.2
1214	009A	993	0.02	0	0	55	80	2.5	2	2	2482	2482	RM-2	40	form-based			true	0.7	2	1	2	2	2780.399902	2780.399902	2780.399902	1.120226
1216	020	1705	0.04	2726	3	55	80	2.5	3	0	4262	1536	RH-3	50	form-based		true	true	0.7	5	1.666666627	2	2	5967.5	3241.5	3241.5	1.400164
1216	021	1829	0.04	2726	3	55	80	2.5	3	0	4572	1846	RH-3	50	form-based			true	0.7	5	1.666666627	2	2	6401.5	3675.5	3675.5	1.400153
1216	022	1828	0.04	2726	3	55	80	2.5	3	0	4570	1844	RH-3	50	form-based			true	0.7	5	1.666666627	2	2	6398	3672	3672	1.4
1217	019	3437	0.08	7650	8	55	80	2.5	6	0	8592	942	RH-3	50	form-based			true	0.7	10	1.666666627	2	2	12029.5	4379.5	4379.5	1.400082
1217	036	3412	0.08	7678	8	55	80	2.5	6	0	8530	852	RH-3	50	form-based			true	0.7	10	1.666666627	2	2	11942	4264	4264	1.4
1218	084	1300	0.03	1692	2	55	80	2.5	2	0	3250	1558	RM-2	50	form-based			true	0.7	4	2	2	2	4550	2858	2858	1.4
1219	009	3437	0.08	4500	5	55	80	2.5	6	1	8592	4092	RM-2	40	form-based			true	0.7	7	1.166666627	2	2	9623.599609	5123.599609	5123.599609	1.120065
1219	018	2422	0.06	2680	3	55	80	2.5	5	2	6055	3375	RH-3	40	form-based			true	0.7	5	1	2	2	6781.600098	4101.600098	4101.600098	1.12
1219	045	3450	0.08	769	5	55	80	2.5	6	1	8625	7856	RM-2	40	form-based			true	0.7	7	1.166666627	2	2	9660	8891	8891	1.12
1220	008	4125	0.09	7200	7	55	80	2.5	7	0	10312	3112	RH-3	40	form-based			true	0.7	9	1.285714269	2	2	11550	4350	4350	1.120054
1220	011	3781	0.09	6971	6	55	80	2.5	7	1	9452	2481	RH-3	40	form-based			true	0.7	8	1.142857194	2	2	10586.7998	3615.799805	3615.799805	1.120059
1220	027	3364	0.08	4635	5	55	80	2.5	6	1	8410	3775	RH-3	40	form-based			true	0.7	7	1.166666627	2	2	9419.200195	4784.200195	4784.200195	1.12
1220	044	2279	0.05	599	3	55	80	2.5	4	1	5698	5099	RH-3	40	form-based			true	0.7	5	1.25	2	2	6381.199707	5782.199707	5782.199707	1.119902
1220	061	2045	0.05	1542	2	55	80	2.5	4	2	5112	3570	RH-3	40	form-based		true	true	0.7	4	1	2	2	5726	4184	4184	1.12011
1222	009	1922	0.04	2478	2	55	80	2.5	3	1	4805	2327	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	5381.600098	2903.600098	2903.600098	1.12
1222	026	2444	0.06	5025	3	55	80	2.5	5	2	6110	1085	RM-2	40	form-based			true	0.7	5	1	2	2	6843.199707	1818.199707	1818.199707	1.12
1222	029	3710	0.09	6726	6	55	80	2.5	7	1	9275	2549	RM-2	40	form-based			true	0.7	8	1.142857194	2	2	10388	3662	3662	1.12
1222	043	3710	0.09	765	6	55	80	2.5	7	1	9275	8510	RM-2	40	form-based			true	0.7	8	1.142857194	2	2	10388	9623	9623	1.12
1223	012	2062	0.05	2622	2	55	80	2.5	4	2	5155	2533	RH-3	40	form-based			true	0.7	4	1	2	2	5773.600098	3151.600098	3151.600098	1.12
1224	017	2456	0.06	2730	3	55	80	2.5	5	2	6140	3410	RH-3	40	form-based			true	0.7	5	1	2	2	6876.799805	4146.799805	4146.799805	1.12
1224	024	2500	0.06	3800	3	55	80	2.5	5	2	6250	2450	RH-3	40	form-based			true	0.7	5	1	2	2	7000	3200	3200	1.12
1224	033	2453	0.06	3675	3	55	80	2.5	5	2	6132	2457	RH-3	40	form-based			true	0.7	5	1	2	2	6868.399902	3193.399902	3193.399902	1.120091
1224	045	2456	0.06	1379	3	55	80	2.5	5	2	6140	4761	RH-3	40	form-based			true	0.7	5	1	2	2	6876.799805	5497.799805	5497.799805	1.12
1224	061	1118	0.03	1940	0	55	80	2.5	2	2	2795	855	RH-3	40	form-based			true	0.7	2	1	2	2	3130.399902	1190.399902	1190.399902	1.12
1225	002	1389	0.03	2880	1	55	80	2.5	2	1	3472	592	RH-3	40	form-based			true	0.7	3	1.5	2	2	3889.199951	1009.199951	1009.199951	1.120161
1225	004	1387	0.03	2300	1	55	80	2.5	2	1	3468	1168	RH-3	40	form-based			true	0.7	3	1.5	2	2	3883.599854	1583.599854	1583.599854	1.119838
1225	011	2500	0.06	3390	3	55	80	2.5	5	2	6250	2860	RH-3	40	form-based			true	0.7	5	1	2	2	7000	3610	3610	1.12
1225	032	5097	0.12	4926	9	55	80	2.5	10	1	12742	7816	RM-2	40	form-based			true	0.7	11	1.100000024	2	2	14271.59961	9345.599609	9345.599609	1.120044
1225	035	3397	0.08	2688	5	55	80	2.5	6	1	8492	5804	RM-2	40	form-based			true	0.7	7	1.166666627	2	2	9511.599609	6823.599609	6823.599609	1.120066
1225	040	2008	0.05	3884	2	55	80	2.5	4	2	5020	1136	RH-3	40	form-based			true	0.7	4	1	2	2	5622.399902	1738.399902	1738.399902	1.12
1225	044	937	0.02	0	0	55	80	2.5	2	2	2342	2342	RH-3	40	form-based			true	0.7	2	1	2	2	2623.599854	2623.599854	2623.599854	1.120239
1225	065	2500	0.06	1262	3	55	80	2.5	5	2	6250	4988	RH-3	40	form-based			true	0.7	5	1	2	2	7000	5738	5738	1.12
1226	007	2500	0.06	4200	3	55	80	2.5	5	2	6250	2050	RM-2	40	form-based			true	0.7	5	1	2	2	7000	2800	2800	1.12
1227	037	2470	0.06	4665	3	55	80	2.5	5	2	6175	1510	RM-2	40	form-based			true	0.7	5	1	2	2	6916	2251	2251	1.12
1227	008	2500	0.06	2795	3	55	80	2.5	5	2	6250	3455	RM-2	40	form-based			true	0.7	5	1	2	2	7000	4205	4205	1.12
1227	064	2470	0.06	1340	3	55	80	2.5	5	2	6175	4835	RM-2	40	form-based			true	0.7	5	1	2	2	6916	5576	5576	1.12
1228	002	2976	0.07	3969	6	55	80	2.5	6	0	7440	3471	RM-2	50	form-based			true	0.7	8	1.333333373	2	2	10416	6447	6447	1.4
1228	009	5791	0.13	13557	20	55	80	2.5	10	0	14478	921	RTO-C	65	form-based		true	true	0.75	22	2.200000048	2	0	26059.5	12502.5	12502.5	1.799938
1229	022	3437	0.08	5250	8	55	80	2.5	6	0	8592	3342	RM-2	50	form-based			true	0.7	10	1.666666627	2	2	12029.5	6779.5	6779.5	1.400082
1230	061	2656	0.06	1400	5	55	80	2.5	5	0	6640	5240	RH-3	50	form-based			true	0.7	7	1.399999976	2	2	9296	7896	7896	1.4
1231	018	2760	0.06	7400	8	55	80	2.5	5	0	6900	0	NCD-HAIG	65	form-based		true	true	0.75	10	2	2	2	12420	5020	5020	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1231	021	2500	0.06	5130	5	55	80	2.5	5	0	6250	1120	RH-3	50	form-based			true	0.7	7	1.399999976	2	2	8750	3620	3620	1.4
1231	024	2813	0.06	4562	6	55	80	2.5	5	0	7032	2470	RH-3	50	form-based			true	0.7	8	1.600000024	2	2	9845.5	5283.5	5283.5	1.4001
1232	013	2500	0.06	7580	7	55	80	2.5	5	0	6250	0	NCD-HAIG	65	form-based		true	true	0.75	9	1.799999952	2	2	11250	3670	3670	1.8
1232	018	2875	0.07	5250	6	55	80	2.5	6	0	7188	1938	RH-3	50	form-based			true	0.7	8	1.333333373	2	2	10062.5	4812.5	4812.5	1.399903
1232	020	2250	0.05	5010	4	55	80	2.5	4	0	5625	615	RH-3	50	form-based			true	0.7	6	1.5	2	2	7875	2865	2865	1.4
1233	006	2952	0.07	5925	6	55	80	2.5	6	0	7380	1455	RH-3	50	form-based			true	0.7	8	1.333333373	2	2	10332	4407	4407	1.4
1237	032	1547	0.04	3490	2	55	80	2.5	3	1	3868	378	RM-1	50	form-based			true	0.7	4	1.333333373	2	2	5414.5	1924.5	1924.5	1.399819
1238	007	1430	0.03	2500	2	65	100	3	3	1	4290	1790	RH-3	50	form-based			true	0.7	4	1.333333373	2	2	5005	2505	2505	1.166667
1238	030	4125	0.09	6600	10	65	100	3	9	0	12375	5775	RH-3	50	form-based			true	0.7	12	1.333333373	2	2	14437.5	7837.5	7837.5	1.166667
1238	032	3781	0.09	5746	9	65	100	3	9	0	11343	5597	RH-3	50	form-based			true	0.7	11	1.222222209	2	2	13233.5	7487.5	7487.5	1.166667
1240	001A	1700	0.04	3140	3	65	100	3	4	1	5100	1960	RH-3	50	form-based			true	0.7	5	1.25	2	2	5950	2810	2810	1.166667
1241	004	2500	0.06	3350	5	55	80	2.5	5	0	6250	2900	RH-3	50	form-based			true	0.7	7	1.399999976	2	2	8750	5400	5400	1.4
1242	002	1487	0.03	2920	2	55	80	2.5	2	0	3718	798	RH-3	50	form-based			true	0.7	4	2	2	2	5204.5	2284.5	2284.5	1.399812
1242	003	1053	0.02	3075	1	55	80	2.5	2	1	2632	0	RH-3	50	form-based			true	0.7	3	1.5	2	2	3685.5	610.5	610.5	1.400266
1242	007	1185	0.03	2499	1	55	80	2.5	2	1	2962	463	RH-3	50	form-based		true	true	0.7	3	1.5	2	2	4147.5	1648.5	1648.5	1.400236
1244	034	2900	0.07	837	6	55	80	2.5	6	0	7250	6413	RH-3	50	form-based			true	0.7	8	1.333333373	2	2	10150	9313	9313	1.4
1245	010	5844	0.13	8940	14	55	80	2.5	10	0	14610	5670	RH-3	50	form-based			true	0.7	16	1.600000024	2	2	20454	11514	11514	1.4
1245	020	2958	0.07	4875	6	55	80	2.5	6	0	7395	2520	RH-3	50	form-based			true	0.7	8	1.333333373	2	2	10353	5478	5478	1.4
1248	006	2115	0.05	2790	4	65	100	3	5	1	6345	3555	RH-3	50	form-based			true	0.7	6	1.200000048	2	2	7402.5	4612.5	4612.5	1.166667
1248	024	4229	0.1	6084	10	65	100	3	10	0	12687	6603	RH-3	50	form-based		true	true	0.7	12	1.200000048	2	2	14801.5	8717.5	8717.5	1.166667
1250	010	2832	0.07	4992	6	65	100	3	7	1	8496	3504	RH-3	50	form-based			true	0.7	8	1.142857194	2	2	9912	4920	4920	1.166667
1253	025	2750	0.06	4450	6	65	100	3	6	0	8250	3800	RH-3	50	form-based			true	0.7	8	1.333333373	2	2	9625	5175	5175	1.166667
1253	030	2750	0.06	3640	6	65	100	3	6	0	8250	4610	RH-3	50	form-based		true	true	0.7	8	1.333333373	2	2	9625	5985	5985	1.166667
1253	050	5037	0.12	8970	12	65	100	3	12	0	15111	6141	RH-3	50	form-based			true	0.7	14	1.166666627	2	2	17629.5	8659.5	8659.5	1.166667
1254	060	2006	0.05	2350	2	65	100	3	5	3	6018	3668	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5616.799805	3266.799805	3266.799805	0.933333
1254	062	2006	0.05	1785	2	65	100	3	5	3	6018	4233	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5616.799805	3831.799805	3831.799805	0.933333
1254	065	1893	0.04	2364	2	65	100	3	4	2	5679	3315	RH-2	40	form-based			true	0.7	4	1	2	2	5300.399902	2936.399902	2936.399902	0.933333
1254	082	2575	0.06	1511	3	65	100	3	6	3	7725	6214	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7210	5699	5699	0.933333
1254	085	2006	0.05	982	2	65	100	3	5	3	6018	5036	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5616.799805	4634.799805	4634.799805	0.933333
1254	087	2650	0.06	1409	4	65	100	3	6	2	7950	6541	RH-3	40	form-based			true	0.7	6	1	2	2	7420	6011	6011	0.933333
1254	097	2066	0.05	1594	2	65	100	3	5	3	6198	4604	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5784.799805	4190.799805	4190.799805	0.933333
1254	103	2006	0.05	1151	2	65	100	3	5	3	6018	4867	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5616.799805	4465.799805	4465.799805	0.933333
1255	002	2613	0.06	6000	3	55	80	2.5	5	2	6532	532	RH-3	40	form-based			true	0.7	5	1	2	2	7316.399902	1316.399902	1316.399902	1.120086
1255	013	2600	0.06	4362	3	55	80	2.5	5	2	6500	2138	RH-3	40	form-based			true	0.7	5	1	2	2	7280	2918	2918	1.12
1255	016A	2000	0.05	2860	2	55	80	2.5	4	2	5000	2140	RH-2	40	form-based			true	0.7	4	1	2	2	5600	2740	2740	1.12
1255	017A	3162	0.07	6264	5	55	80	2.5	6	1	7905	1641	RH-3	40	form-based		true	true	0.7	7	1.166666627	2	2	8853.599609	2589.599609	2589.599609	1.12
1255	025	2500	0.06	3750	3	65	100	3	6	3	7500	3750	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	3250	3250	0.933333
1255	054	2013	0.05	2276	2	55	80	2.5	4	2	5032	2756	RH-2	40	form-based			true	0.7	4	1	2	2	5636.399902	3360.399902	3360.399902	1.120111
1255	055	2013	0.05	2288	2	55	80	2.5	4	2	5032	2744	RH-2	40	form-based			true	0.7	4	1	2	2	5636.399902	3348.399902	3348.399902	1.120111
1255	059	2013	0.05	2450	2	65	100	3	5	3	6039	3589	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5636.399902	3186.399902	3186.399902	0.933333
1255	061	2000	0.05	2320	2	55	80	2.5	4	2	5000	2680	RH-2	40	form-based			true	0.7	4	1	2	2	5600	3280	3280	1.12
1255	063	2000	0.05	2000	2	55	80	2.5	4	2	5000	3000	RH-2	40	form-based			true	0.7	4	1	2	2	5600	3600	3600	1.12
1255	066	2000	0.05	2090	2	55	80	2.5	4	2	5000	2910	RH-2	40	form-based			true	0.7	4	1	2	2	5600	3510	3510	1.12
1255	082	3802	0.09	3189	6	65	100	3	9	3	11406	8217	RH-3	40	form-based			true	0.7	8	0.888888896	2	2	10645.59961	7456.599609	7456.599609	0.933333
1255	084	2156	0.05	1106	3	55	80	2.5	4	1	5390	4284	RH-2	40	form-based			true	0.7	5	1.25	2	2	6036.799805	4930.799805	4930.799805	1.12
1255	093	2597	0.06	750	3	55	80	2.5	5	2	6492	5742	RH-3	40	form-based			true	0.7	5	1	2	2	7271.600098	6521.600098	6521.600098	1.120086
1255	098	2500	0.06	1893	3	65	100	3	6	3	7500	5607	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	5107	5107	0.933333
1255	103	2013	0.05	1040	2	55	80	2.5	4	2	5032	3992	RH-2	40	form-based			true	0.7	4	1	2	2	5636.399902	4596.399902	4596.399902	1.120111
1255	107	2000	0.05	1387	2	55	80	2.5	4	2	5000	3613	RH-2	40	form-based			true	0.7	4	1	2	2	5600	4213	4213	1.12
1255	113	2372	0.05	1383	3	55	80	2.5	4	1	5930	4547	RH-3	40	form-based		true	true	0.7	5	1.25	2	2	6641.600098	5258.600098	5258.600098	1.12
1255	138	2000	0.05	1294	2	55	80	2.5	4	2	5000	3706	RH-2	40	form-based			true	0.7	4	1	2	2	5600	4306	4306	1.12
1256	002	2798	0.06	3300	4	55	80	2.5	5	1	6995	3695	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7834.399902	4534.399902	4534.399902	1.12
1256	042	2835	0.07	3330	4	55	80	2.5	6	2	7088	3758	RH-3	40	form-based			true	0.7	6	1	2	2	7938	4608	4608	1.119921
1256	051	3150	0.07	4300	5	55	80	2.5	6	1	7875	3575	RH-3	40	form-based			true	0.7	7	1.166666627	2	2	8820	4520	4520	1.12
1256	053	2500	0.06	4958	3	55	80	2.5	5	2	6250	1292	RH-3	40	form-based			true	0.7	5	1	2	2	7000	2042	2042	1.12
1259	028	2223	0.05	3512	3	65	100	3	5	2	6669	3157	RH-3	40	form-based			true	0.7	5	1	2	2	6224.399902	2712.399902	2712.399902	0.933333
1258	002	1475	0.03	1774	1	65	100	3	3	2	4425	2651	RH-3	40	form-based			true	0.7	3	1	2	2	4130	2356	2356	0.933333
1258	025	5799	0.13	11856	10	65	100	3	13	3	17397	5541	RH-3	40	form-based			true	0.7	12	0.923076928	2	2	16237.2002	4381.200195	4381.200195	0.933333
1259	014A	2010	0.05	3222	2	65	100	3	5	3	6030	2808	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5628	2406	2406	0.933333
1259	027	2104	0.05	2500	2	65	100	3	5	3	6312	3812	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5891.199707	3391.199707	3391.199707	0.933333
1259	050	2238	0.05	1386	3	65	100	3	5	2	6714	5328	RH-3	40	form-based			true	0.7	5	1	2	2	6266.399902	4880.399902	4880.399902	0.933333
1260	007	2969	0.07	3565	4	65	100	3	7	3	8907	5342	RH-3	40	form-based		true	true	0.7	6	0.857142866	2	2	8313.200195	4748.200195	4748.200195	0.933333
1260	010	2969	0.07	2560	4	65	100	3	7	3	8907	6347	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8313.200195	5753.200195	5753.200195	0.933333
1260	018	2975	0.07	3635	4	65	100	3	7	3	8925	5290	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8330	4695	4695	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1260	022	721	0.02	0	0	65	100	3	2	2	2163	2163	RH-3	40	form-based		true	true	0.7	2	1	2	2	2018.799927	2018.799927	2018.799927	0.933333
1260	033	2500	0.06	2890	3	65	100	3	6	3	7500	4610	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	4110	4110	0.933333
1260	049	2323	0.05	2415	3	65	100	3	5	2	6969	4554	RH-3	40	form-based			true	0.7	5	1	2	2	6504.399902	4089.399902	4089.399902	0.933333
1260	063	2171	0.05	4415	3	65	100	3	5	2	6513	2098	RH-3	40	form-based		true	true	0.7	5	1	2	2	6078.799805	1663.799805	1663.799805	0.933333
1260	066	2704	0.06	2069	4	65	100	3	6	2	8112	6043	RH-3	40	form-based		true	true	0.7	6	1	2	2	7571.199707	5502.199707	5502.199707	0.933333
1260	070	2163	0.05	1280	3	65	100	3	5	2	6489	5209	RH-3	40	form-based			true	0.7	5	1	2	2	6056.399902	4776.399902	4776.399902	0.933333
1260	091	2700	0.06	860	4	65	100	3	6	2	8100	7240	RH-3	40	form-based			true	0.7	6	1	2	2	7560	6700	6700	0.933333
1260	095	2111	0.05	1655	2	65	100	3	5	3	6333	4678	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5910.799805	4255.799805	4255.799805	0.933333
1261	005	2500	0.06	2600	5	65	100	3	6	1	7500	4900	RH-3	50	form-based			true	0.7	7	1.166666627	2	2	8750	6150	6150	1.166667
1262	023	2697	0.06	6636	8	65	100	3	6	0	8091	1455	NC-1	65	form-based			true	0.75	10	1.666666627	2	2	12136.5	5500.5	5500.5	1.5
1267	003	1766	0.04	3000	3	65	100	3	4	1	5298	2298	RH-3	50	form-based			true	0.7	5	1.25	2	2	6181	3181	3181	1.166667
1267	006	2818	0.06	5160	6	85	140	4	8	2	11272	6112	RH-3	50	form-based			true	0.7	8	1	2	2	9863	4703	4703	0.875
1267	064	1925	0.04	3880	3	65	100	3	4	1	5775	1895	RH-3	50	form-based			true	0.7	5	1.25	2	2	6737.5	2857.5	2857.5	1.166667
1268	019	1904	0.04	4500	3	65	100	3	4	1	5712	1212	RH-3	50	form-based			true	0.7	5	1.25	2	2	6664	2164	2164	1.166667
1268	036	1713	0.04	3050	3	65	100	3	4	1	5139	2089	RH-3	50	form-based			true	0.7	5	1.25	2	2	5995.5	2945.5	2945.5	1.166667
1269	007	2500	0.06	3900	3	65	100	3	6	3	7500	3600	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	3100	3100	0.933333
1269	016	2757	0.06	2016	4	65	100	3	6	2	8271	6255	RH-3	40	form-based			true	0.7	6	1	2	2	7719.600098	5703.600098	5703.600098	0.933333
1269	022	2656	0.06	3597	4	65	100	3	6	2	7968	4371	RH-3	40	form-based			true	0.7	6	1	2	2	7436.799805	3839.799805	3839.799805	0.933333
1269	043	2572	0.06	3225	3	65	100	3	6	3	7716	4491	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7201.600098	3976.600098	3976.600098	0.933333
1269	045A	1675	0.04	2500	2	65	100	3	4	2	5025	2525	RH-2	40	form-based			true	0.7	4	1	2	2	4690	2190	2190	0.933333
1269	049	1792	0.04	2750	2	65	100	3	4	2	5376	2626	RH-2	40	form-based			true	0.7	4	1	2	2	5017.600098	2267.600098	2267.600098	0.933333
1269	050	1792	0.04	2550	2	65	100	3	4	2	5376	2826	RH-2	40	form-based			true	0.7	4	1	2	2	5017.600098	2467.600098	2467.600098	0.933333
1269	052A	1256	0.03	1275	1	65	100	3	3	2	3768	2493	RH-2	40	form-based			true	0.7	3	1	2	2	3516.800049	2241.800049	2241.800049	0.933333
1269	053	1918	0.04	2950	2	65	100	3	4	2	5754	2804	RH-2	40	form-based			true	0.7	4	1	2	2	5370.399902	2420.399902	2420.399902	0.933333
1269	092	1400	0.03	1978	1	65	100	3	3	2	4200	2222	RH-2	40	form-based			true	0.7	3	1	2	2	3920	1942	1942	0.933333
1269	093	1400	0.03	1800	1	65	100	3	3	2	4200	2400	RH-2	40	form-based			true	0.7	3	1	2	2	3920	2120	2120	0.933333
1269	096	2000	0.05	2438	2	65	100	3	5	3	6000	3562	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	3162	3162	0.933333
1269	098	2000	0.05	2600	2	65	100	3	5	3	6000	3400	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	3000	3000	0.933333
1269	103	2000	0.05	2650	2	65	100	3	5	3	6000	3350	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	2950	2950	0.933333
1269	108	2000	0.05	2508	2	65	100	3	5	3	6000	3492	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	3092	3092	0.933333
1269	110	2000	0.05	2850	2	65	100	3	5	3	6000	3150	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	2750	2750	0.933333
1269	112	1875	0.04	2812	2	65	100	3	4	2	5625	2813	RH-2	40	form-based			true	0.7	4	1	2	2	5250	2438	2438	0.933333
1269	113	2000	0.05	1950	2	65	100	3	5	3	6000	4050	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	3650	3650	0.933333
1269	115	2000	0.05	1380	2	65	100	3	5	3	6000	4620	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	4220	4220	0.933333
1269	121	2000	0.05	2040	2	65	100	3	5	3	6000	3960	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	3560	3560	0.933333
1269	122	2017	0.05	3065	2	65	100	3	5	3	6051	2986	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5647.600098	2582.600098	2582.600098	0.933333
1269	123	2762	0.06	3900	4	65	100	3	6	2	8286	4386	RH-2	40	form-based			true	0.7	6	1	2	2	7733.600098	3833.600098	3833.600098	0.933333
1269	134	1983	0.05	1765	2	65	100	3	5	3	5949	4184	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5552.399902	3787.399902	3787.399902	0.933333
1269	137	1983	0.05	2500	2	65	100	3	5	3	5949	3449	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5552.399902	3052.399902	3052.399902	0.933333
1269	140	1983	0.05	3000	2	65	100	3	5	3	5949	2949	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5552.399902	2552.399902	2552.399902	0.933333
1269	141	1984	0.05	2440	2	65	100	3	5	3	5952	3512	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5555.199707	3115.199707	3115.199707	0.933333
1269	144	1984	0.05	2100	2	65	100	3	5	3	5952	3852	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5555.199707	3455.199707	3455.199707	0.933333
1269	148	2134	0.05	2000	2	65	100	3	5	3	6402	4402	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5975.199707	3975.199707	3975.199707	0.933333
1269	154	1747	0.04	2490	2	65	100	3	4	2	5241	2751	RH-2	40	form-based			true	0.7	4	1	2	2	4891.600098	2401.600098	2401.600098	0.933333
1269	157	2125	0.05	2310	2	65	100	3	5	3	6375	4065	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5950	3640	3640	0.933333
1269	162	1683	0.04	1300	2	65	100	3	4	2	5049	3749	RH-2	40	form-based			true	0.7	4	1	2	2	4712.399902	3412.399902	3412.399902	0.933333
1269	166	1650	0.04	2050	1	65	100	3	4	3	4950	2900	RH-2	40	form-based			true	0.7	3	0.75	2	2	4620	2570	2570	0.933333
1269	167	1422	0.03	3122	1	65	100	3	3	2	4266	1144	RH-2	40	form-based			true	0.7	3	1	2	2	3981.599854	859.5998535	859.5998535	0.933333
1269	183	2180	0.05	1264	3	65	100	3	5	2	6540	5276	RH-3	40	form-based	true	true	true	0.7	5	1	2	2	6104	4840	4840	0.933333
1269	190	2158	0.05	983	3	65	100	3	5	2	6474	5491	RH-2	40	form-based			true	0.7	5	1	2	2	6042.399902	5059.399902	5059.399902	0.933333
1269	201	2000	0.05	1073	2	65	100	3	5	3	6000	4927	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	4527	4527	0.933333
1269	206	2000	0.05	1193	2	65	100	3	5	3	6000	4807	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	4407	4407	0.933333
1269	210	1984	0.05	1110	2	65	100	3	5	3	5952	4842	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5555.199707	4445.199707	4445.199707	0.933333
1270	026A	2013	0.05	3250	2	65	100	3	5	3	6039	2789	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5636.399902	2386.399902	2386.399902	0.933333
1270	031	2656	0.06	5218	4	65	100	3	6	2	7968	2750	RH-3	40	form-based			true	0.7	6	1	2	2	7436.799805	2218.799805	2218.799805	0.933333
1270	048	2013	0.05	3456	2	65	100	3	5	3	6039	2583	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5636.399902	2180.399902	2180.399902	0.933333
1270	049	2415	0.06	3890	3	65	100	3	6	3	7245	3355	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	6762	2872	2872	0.933333
1270	090	2638	0.06	596	4	65	100	3	6	2	7914	7318	RH-2	40	form-based			true	0.7	6	1	2	2	7386.399902	6790.399902	6790.399902	0.933333
1270	096	2013	0.05	1446	2	65	100	3	5	3	6039	4593	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5636.399902	4190.399902	4190.399902	0.933333
1272	011	5231	0.12	10125	18	65	100	3	12	0	15693	5568	RTO-C	65	form-based	true	true	true	0.75	20	1.666666627	2	2	23539.5	13414.5	13414.5	1.5
1275	044	1328	0.03	1725	3	85	140	4	4	1	5312	3587	RTO-C	65	form-based			true	0.75	5	1.25	2	2	5976	4251	4251	1.125
1275	072	1170	0.03	1131	2	85	140	4	4	2	4680	3549	RTO-C	65	form-based			true	0.75	4	1	2	2	5265	4134	4134	1.125
1276	002	3125	0.07	4717	7	65	100	3	7	0	9375	4658	RH-3	50	form-based			true	0.7	9	1.285714269	2	2	10937.5	6220.5	6220.5	1.166667
1277	013	3000	0.07	4275	6	65	100	3	7	1	9000	4725	RH-3	50	form-based			true	0.7	8	1.142857194	2	2	10500	6225	6225	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1278	016	2750	0.06	5793	6	65	100	3	6	0	8250	2457	RH-3	50	form-based			true	0.7	8	1.333333373	2	2	9625	3832	3832	1.166667
1278	017	2750	0.06	4710	6	65	100	3	6	0	8250	3540	RH-3	50	form-based			true	0.7	8	1.333333373	2	2	9625	4915	4915	1.166667
1279	011	2287	0.05	3525	3	65	100	3	5	2	6861	3336	RH-2	40	form-based			true	0.7	5	1	2	2	6403.600098	2878.600098	2878.600098	0.933333
1279	013	2291	0.05	2255	3	65	100	3	5	2	6873	4618	RH-2	40	form-based			true	0.7	5	1	2	2	6414.799805	4159.799805	4159.799805	0.933333
1279	029	2321	0.05	2208	3	65	100	3	5	2	6963	4755	RH-2	40	form-based			true	0.7	5	1	2	2	6498.799805	4290.799805	4290.799805	0.933333
1279	053	3489	0.08	3360	5	55	80	2.5	6	1	8722	5362	RH-2	40	form-based			true	0.7	7	1.166666627	2	2	9769.200195	6409.200195	6409.200195	1.120064
1279	100	1515	0.03	1299	2	65	100	3	3	1	4545	3246	RH-2	50	form-based			true	0.7	4	1.333333373	2	2	5302.5	4003.5	4003.5	1.166667
1279	116	1383	0.03	1418	2	65	100	3	3	1	4149	2731	RH-2	50	form-based			true	0.7	4	1.333333373	2	2	4840.5	3422.5	3422.5	1.166667
1280	016A	1373	0.03	2076	1	65	100	3	3	2	4119	2043	RH-3	40	form-based		true	true	0.7	3	1	2	2	3844.399902	1768.399902	1768.399902	0.933333
1280	019	2445	0.06	2200	3	65	100	3	6	3	7335	5135	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	6846	4646	4646	0.933333
1280	022	2173	0.05	3300	3	65	100	3	5	2	6519	3219	RH-3	40	form-based			true	0.7	5	1	2	2	6084.399902	2784.399902	2784.399902	0.933333
1280	024	1823	0.04	2600	2	65	100	3	4	2	5469	2869	RH-3	40	form-based			true	0.7	4	1	2	2	5104.399902	2504.399902	2504.399902	0.933333
1280	035	1821	0.04	1150	2	65	100	3	4	2	5463	4313	RH-3	40	form-based			true	0.7	4	1	2	2	5098.799805	3948.799805	3948.799805	0.933333
1280	037	2509	0.06	1935	3	65	100	3	6	3	7527	5592	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7025.199707	5090.199707	5090.199707	0.933333
1282	010	1398	0.03	1092	1	65	100	3	3	2	4194	3102	RH-2	40	form-based			true	0.7	3	1	2	2	3914.399902	2822.399902	2822.399902	0.933333
1282	012	2998	0.07	2745	4	65	100	3	7	3	8994	6249	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8394.399414	5649.399414	5649.399414	0.933333
1282	029	1368	0.03	2673	1	65	100	3	3	2	4104	1431	RH-3	40	form-based			true	0.7	3	1	2	2	3830.399902	1157.399902	1157.399902	0.933333
1282	034	2827	0.06	850	4	65	100	3	6	2	8481	7631	RH-3	40	form-based			true	0.7	6	1	2	2	7915.600098	7065.600098	7065.600098	0.933333
1284	009	2631	0.06	3638	4	65	100	3	6	2	7893	4255	RH-2	40	form-based			true	0.7	6	1	2	2	7366.799805	3728.799805	3728.799805	0.933333
1284	022	2467	0.06	2050	3	65	100	3	6	3	7401	5351	RH-2	40	form-based		true	true	0.7	5	0.833333313	2	2	6907.600098	4857.600098	4857.600098	0.933333
1284	025	2618	0.06	3250	3	65	100	3	6	3	7854	4604	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7330.399902	4080.399902	4080.399902	0.933333
1284	037	1366	0.03	1892	1	65	100	3	3	2	4098	2206	RH-2	40	form-based		true	true	0.7	3	1	2	2	3824.800049	1932.800049	1932.800049	0.933333
1285	025	2541	0.06	4275	3	65	100	3	6	3	7623	3348	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7114.799805	2839.799805	2839.799805	0.933333
1286	004	2446	0.06	3000	3	55	80	2.5	5	2	6115	3115	RH-2	40	form-based			true	0.7	5	1	2	2	6848.799805	3848.799805	3848.799805	1.12
1286	041	2284	0.05	1399	3	55	80	2.5	4	1	5710	4311	RH-2	40	form-based			true	0.7	5	1.25	2	2	6395.199707	4996.199707	4996.199707	1.12
1287	001	2750	0.06	4200	4	65	100	3	6	2	8250	4050	RH-2	40	form-based		true	true	0.7	6	1	2	2	7700	3500	3500	0.933333
1287	009A	1808	0.04	2394	2	55	80	2.5	3	1	4520	2126	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5062.399902	2668.399902	2668.399902	1.12
1287	016	2511	0.06	2650	3	55	80	2.5	5	2	6278	3628	RH-2	40	form-based			true	0.7	5	1	2	2	7030.799805	4380.799805	4380.799805	1.119911
1287	016B	1415	0.03	1780	1	55	80	2.5	2	1	3538	1758	RH-2	40	form-based			true	0.7	3	1.5	2	2	3962	2182	2182	1.119842
1287	020	2493	0.06	4425	3	55	80	2.5	5	2	6232	1807	RH-2	40	form-based			true	0.7	5	1	2	2	6980.399902	2555.399902	2555.399902	1.12009
1287	045	2014	0.05	1014	2	55	80	2.5	4	2	5035	4021	RH-2	40	form-based		true	true	0.7	4	1	2	2	5639.199707	4625.199707	4625.199707	1.12
1288	002	3813	0.09	3919	6	65	100	3	9	3	11439	7520	RH-2	40	form-based			true	0.7	8	0.888888896	2	2	10676.39941	6757.399414	6757.399414	0.933333
1288	035	2139	0.05	1172	2	55	80	2.5	4	2	5348	4176	RH-2	40	form-based		true	true	0.7	4	1	2	2	5989.199707	4817.199707	4817.199707	1.119895
1289	058	2540	0.06	3130	3	55	80	2.5	5	2	6350	3220	RH-2	40	form-based			true	0.7	5	1	2	2	7112	3982	3982	1.12
1289	078	1807	0.04	1192	2	55	80	2.5	3	1	4518	3326	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	5059.600098	3867.600098	3867.600098	1.119876
1289	082	1774	0.04	1216	2	55	80	2.5	3	1	4435	3219	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4967.199707	3751.199707	3751.199707	1.12
1327	017	977	0.02	0	0	55	80	2.5	2	2	2442	2442	RH-1(D)	40	form-based			true	0.7	2	1	2	2	2735.599854	2735.599854	2735.599854	1.120229
1331	002A	1320	0.03	2010	1	55	80	2.5	2	1	3300	1290	RH-1(D)	40	form-based			true	0.7	3	1.5	2	2	3696	1686	1686	1.12
1331	002B	1269	0.03	2545	1	55	80	2.5	2	1	3172	627	RH-1(D)	40	form-based			true	0.7	3	1.5	2	2	3553.199951	1008.199951	1008.199951	1.120177
1332	021	2500	0.06	4885	3	55	80	2.5	5	2	6250	1365	RM-1	40	form-based			true	0.7	5	1	2	2	7000	2115	2115	1.12
1333	057	4050	0.09	6745	7	55	80	2.5	7	0	10125	3380	RM-1	40	form-based			true	0.7	9	1.285714269	2	2	11340	4595	4595	1.12
1337	010	1002	0.02	0	0	55	80	2.5	2	2	2505	2505	RH-1	40	form-based			true	0.7	2	1	2	2	2805.599854	2805.599854	2805.599854	1.12
1340	005	3197	0.07	6888	5	55	80	2.5	6	1	7992	1104	RH-1	40	form-based		true	true	0.7	7	1.166666627	2	2	8951.599609	2063.599609	2063.599609	1.12007
1341	006	1413	0.03	2900	1	55	80	2.5	2	1	3532	632	RH-1	40	form-based			true	0.7	3	1.5	2	2	3956.399902	1056.399902	1056.399902	1.120159
1342	013	1610	0.04	2154	1	55	80	2.5	3	2	4025	1871	RH-1	40	form-based			true	0.7	3	1	2	2	4508	2354	2354	1.12
1342	018	2122	0.05	1715	2	55	80	2.5	4	2	5305	3590	RH-1	40	form-based			true	0.7	4	1	2	2	5941.600098	4226.600098	4226.600098	1.12
1344	038	1956	0.04	1098	2	55	80	2.5	3	1	4890	3792	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5476.799805	4378.799805	4378.799805	1.12
1346	004	2123	0.05	4120	2	55	80	2.5	4	2	5308	1188	RH-2	40	form-based			true	0.7	4	1	2	2	5944.399902	1824.399902	1824.399902	1.119895
1346	005	1769	0.04	1460	2	55	80	2.5	3	1	4422	2962	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4953.199707	3493.199707	3493.199707	1.120127
1346	005A	1769	0.04	3080	2	55	80	2.5	3	1	4422	1342	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4953.199707	1873.199707	1873.199707	1.120127
1346	006	2123	0.05	4430	2	55	80	2.5	4	2	5308	878	RH-2	40	form-based			true	0.7	4	1	2	2	5944.399902	1514.399902	1514.399902	1.119895
1346	008	2122	0.05	2515	2	55	80	2.5	4	2	5305	2790	RH-2	40	form-based		true	true	0.7	4	1	2	2	5941.600098	3426.600098	3426.600098	1.12
1347	003	2121	0.05	1693	2	55	80	2.5	4	2	5302	3609	RH-2	40	form-based			true	0.7	4	1	2	2	5938.799805	4245.799805	4245.799805	1.120106
1347	007	1768	0.04	2450	2	55	80	2.5	3	1	4420	1970	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4950.399902	2500.399902	2500.399902	1.12
1347	009	2122	0.05	1456	2	55	80	2.5	4	2	5305	3849	RH-2	40	form-based			true	0.7	4	1	2	2	5941.600098	4485.600098	4485.600098	1.12
1348	002	1908	0.04	3300	2	55	80	2.5	3	1	4770	1470	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5342.399902	2042.399902	2042.399902	1.12
1348	004	1908	0.04	2558	2	55	80	2.5	3	1	4770	2212	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5342.399902	2784.399902	2784.399902	1.12
1349	013	3973	0.09	940	6	55	80	2.5	7	1	9932	8992	RM-1	40	form-based			true	0.7	8	1.142857194	2	2	11124.39941	10184.39941	10184.39941	1.120056
1351	018	2100	0.05	2470	2	55	80	2.5	4	2	5250	2780	RM-2	40	form-based			true	0.7	4	1	2	2	5880	3410	3410	1.12
1352	036	2957	0.07	750	4	55	80	2.5	6	2	7392	6642	RH-1	40	form-based			true	0.7	6	1	2	2	8279.599609	7529.599609	7529.599609	1.120076
1352	046	2957	0.07	695	4	55	80	2.5	6	2	7392	6697	RH-1	40	form-based			true	0.7	6	1	2	2	8279.599609	7584.599609	7584.599609	1.120076
1354	009	3002	0.07	3670	4	55	80	2.5	6	2	7505	3835	RH-1	40	form-based			true	0.7	6	1	2	2	8405.599609	4735.599609	4735.599609	1.12
1361	018A	1720	0.04	2904	2	55	80	2.5	3	1	4300	1396	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	4816	1912	1912	1.12
1361	018B	2688	0.06	4593	4	55	80	2.5	5	1	6720	2127	RM-1	40	form-based		true	true	0.7	6	1.200000048	2	2	7526.399902	2933.399902	2933.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1361	018C	2232	0.05	3250	3	55	80	2.5	4	1	5580	2330	RM-1	40	form-based			true	0.7	5	1.25	2	2	6249.600098	2999.600098	2999.600098	1.12
1355	064	2715	0.06	5674	4	55	80	2.5	5	1	6788	1114	RM-1	40	form-based			true	0.7	6	1.200000048	2	2	7602	1928	1928	1.119918
1361	041	2553	0.06	3110	3	55	80	2.5	5	2	6382	3272	RM-1	40	form-based			true	0.7	5	1	2	2	7148.399902	4038.399902	4038.399902	1.120088
1361	103	1759	0.04	1229	2	55	80	2.5	3	1	4398	3169	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	4925.199707	3696.199707	3696.199707	1.119873
1362	041	2500	0.06	4705	3	55	80	2.5	5	2	6250	1545	RM-1	40	form-based			true	0.7	5	1	2	2	7000	2295	2295	1.12
1363	002	2274	0.05	2814	3	55	80	2.5	4	1	5685	2871	RH-2	40	form-based			true	0.7	5	1.25	2	2	6367.199707	3553.199707	3553.199707	1.12
1363	045	2889	0.07	887	4	55	80	2.5	6	2	7222	6335	RH-2	40	form-based		true	true	0.7	6	1	2	2	8089.199707	7202.199707	7202.199707	1.120077
1364	004	3028	0.07	3950	4	55	80	2.5	6	2	7570	3620	RH-2	40	form-based			true	0.7	6	1	2	2	8478.399414	4528.399414	4528.399414	1.12
1364	005	3028	0.07	3370	4	55	80	2.5	6	2	7570	4200	RH-2	40	form-based			true	0.7	6	1	2	2	8478.399414	5108.399414	5108.399414	1.12
1364	023A	743	0.02	1120	2	55	80	2.5	2	0	1858	738	NC-1	85	form-based			true	0.75	4	2	2	2	4458	3338	2596	2.399354
1365	039	3000	0.07	3424	4	55	80	2.5	6	2	7500	4076	RH-2	40	form-based			true	0.7	6	1	2	2	8400	4976	4976	1.12
1366	009	3000	0.07	1944	4	55	80	2.5	6	2	7500	5556	RH-2	40	form-based			true	0.7	6	1	2	2	8400	6456	6456	1.12
1366	012	3002	0.07	3808	4	55	80	2.5	6	2	7505	3697	RH-2	40	form-based			true	0.7	6	1	2	2	8405.599609	4597.599609	4597.599609	1.12
1367	003	2321	0.05	3794	3	55	80	2.5	4	1	5802	2008	RH-2	40	form-based			true	0.7	5	1.25	2	2	6498.799805	2704.799805	2704.799805	1.120096
1367	051	2745	0.06	2192	4	55	80	2.5	5	1	6862	4670	RH-2	40	form-based		true	true	0.7	6	1.200000048	2	2	7686	5494	5494	1.120082
1367	061	2102	0.05	1640	2	55	80	2.5	4	2	5255	3615	RH-2	40	form-based			true	0.7	4	1	2	2	5885.600098	4245.600098	4245.600098	1.12
1368	001	2362	0.05	4237	3	55	80	2.5	4	1	5905	1668	RH-2	40	form-based		true	true	0.7	5	1.25	2	2	6613.600098	2376.600098	2376.600098	1.12
1368	056	1911	0.04	1535	2	55	80	2.5	3	1	4778	3243	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5350.799805	3815.799805	3815.799805	1.119883
1369	022	3000	0.07	4120	4	55	80	2.5	6	2	7500	3380	RH-2	40	form-based			true	0.7	6	1	2	2	8400	4280	4280	1.12
1369	037	2534	0.06	3433	3	55	80	2.5	5	2	6335	2902	RH-2	40	form-based			true	0.7	5	1	2	2	7095.199707	3662.199707	3662.199707	1.12
1369	057	3034	0.07	632	4	55	80	2.5	6	2	7585	6953	RH-2	40	form-based			true	0.7	6	1	2	2	8495.200195	7863.200195	7863.200195	1.12
1370	019	2965	0.07	4250	4	55	80	2.5	6	2	7412	3162	RH-2	40	form-based			true	0.7	6	1	2	2	8302	4052	4052	1.120076
1370	046	1238	0.03	1950	1	55	80	2.5	2	1	3095	1145	RH-2	40	form-based		true	true	0.7	3	1.5	2	2	3466.399902	1516.399902	1516.399902	1.12
1370	046A	1281	0.03	1722	1	55	80	2.5	2	1	3202	1480	RH-2	40	form-based			true	0.7	3	1.5	2	2	3586.800049	1864.800049	1864.800049	1.120175
1371	036	3037	0.07	4030	4	55	80	2.5	6	2	7592	3562	RH-2	40	form-based			true	0.7	6	1	2	2	8503.599609	4473.599609	4473.599609	1.120074
1371	041	1426	0.03	1550	1	55	80	2.5	2	1	3565	2015	RH-2	40	form-based			true	0.7	3	1.5	2	2	3992.800049	2442.800049	2442.800049	1.12
1371	046	2532	0.06	3373	3	55	80	2.5	5	2	6330	2957	RH-2	40	form-based			true	0.7	5	1	2	2	7089.600098	3716.600098	3716.600098	1.12
1371	048	2532	0.06	2725	3	55	80	2.5	5	2	6330	3605	RH-2	40	form-based			true	0.7	5	1	2	2	7089.600098	4364.600098	4364.600098	1.12
1372	001A	1729	0.04	2040	2	55	80	2.5	3	1	4322	2282	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4841.199707	2801.199707	2801.199707	1.120129
1372	004	3011	0.07	4040	4	55	80	2.5	6	2	7528	3488	RH-2	40	form-based			true	0.7	6	1	2	2	8430.799805	4390.799805	4390.799805	1.119926
1372	005	3011	0.07	4054	4	55	80	2.5	6	2	7528	3474	RH-2	40	form-based			true	0.7	6	1	2	2	8430.799805	4376.799805	4376.799805	1.119926
1372	010	3011	0.07	4250	4	55	80	2.5	6	2	7528	3278	RH-2	40	form-based			true	0.7	6	1	2	2	8430.799805	4180.799805	4180.799805	1.119926
1372	044	2536	0.06	3431	3	55	80	2.5	5	2	6340	2909	RH-2	40	form-based			true	0.7	5	1	2	2	7100.799805	3669.799805	3669.799805	1.12
1372	048	1542	0.04	2236	1	55	80	2.5	3	2	3855	1619	RH-2	40	form-based			true	0.7	3	1	2	2	4317.600098	2081.600098	2081.600098	1.12
1374	019	3023	0.07	7065	9	55	80	2.5	6	0	7558	493	RTO-C	65	form-based		true	true	0.75	11	1.833333373	2	2	13603.5	6538.5	6538.5	1.799881
1376	018A	1588	0.04	2600	4	55	80	2.5	3	0	3970	1370	RTO-C	65	form-based		true	true	0.75	6	2	2	2	7146	4546	4546	1.8
1376	070	2500	0.06	3111	3	55	80	2.5	5	2	6250	3139	RH-2	40	form-based			true	0.7	5	1	2	2	7000	3889	3889	1.12
1377	002	2183	0.05	2995	3	55	80	2.5	4	1	5458	2463	RH-2	40	form-based			true	0.7	5	1.25	2	2	6112.399902	3117.399902	3117.399902	1.119897
1377	026	1414	0.03	1300	1	55	80	2.5	2	1	3535	2235	RH-2	40	form-based			true	0.7	3	1.5	2	2	3959.199951	2659.199951	2659.199951	1.12
1377	028	3094	0.07	3656	4	55	80	2.5	6	2	7735	4079	RH-2	40	form-based			true	0.7	6	1	2	2	8663.200195	5007.200195	5007.200195	1.12
1377	045	2223	0.05	4516	3	55	80	2.5	4	1	5558	1042	RH-2	40	form-based			true	0.7	5	1.25	2	2	6224.399902	1708.399902	1708.399902	1.119899
1377	056	2058	0.05	1361	2	55	80	2.5	4	2	5145	3784	RH-2	40	form-based			true	0.7	4	1	2	2	5762.399902	4401.399902	4401.399902	1.12
1378	019	2707	0.06	4838	8	55	80	2.5	5	0	6768	1930	RTO-C	65	form-based		true	true	0.75	10	2	2	2	12181.5	7343.5	7343.5	1.799867
1378	028	2989	0.07	4274	4	55	80	2.5	6	2	7472	3198	RH-2	40	form-based			true	0.7	6	1	2	2	8369.200195	4095.200195	4095.200195	1.120075
1378	030	2500	0.06	3410	3	55	80	2.5	5	2	6250	2840	RH-2	40	form-based			true	0.7	5	1	2	2	7000	3590	3590	1.12
1378	033	2500	0.06	3398	3	55	80	2.5	5	2	6250	2852	RH-2	40	form-based			true	0.7	5	1	2	2	7000	3602	3602	1.12
1379	016	3804	0.09	9213	12	55	80	2.5	7	0	9510	297	RTO-C	65	form-based		true	true	0.75	14	2	2	2	17118	7905	7905	1.8
1379	033	3006	0.07	3130	4	55	80	2.5	6	2	7515	4385	RH-2	40	form-based			true	0.7	6	1	2	2	8416.799805	5286.799805	5286.799805	1.12
1380	009	3000	0.07	3780	4	55	80	2.5	6	2	7500	3720	RH-2	40	form-based			true	0.7	6	1	2	2	8400	4620	4620	1.12
1380	015	3000	0.07	3776	4	55	80	2.5	6	2	7500	3724	RH-2	40	form-based			true	0.7	6	1	2	2	8400	4624	4624	1.12
1380	027	3020	0.07	4210	4	55	80	2.5	6	2	7550	3340	RH-2	40	form-based			true	0.7	6	1	2	2	8456	4246	4246	1.12
1381	040	2400	0.06	3006	3	55	80	2.5	5	2	6000	2994	RH-2	40	form-based			true	0.7	5	1	2	2	6720	3714	3714	1.12
1383	010	3000	0.07	4066	4	55	80	2.5	6	2	7500	3434	RH-2	40	form-based			true	0.7	6	1	2	2	8400	4334	4334	1.12
1383	028	2996	0.07	4088	4	55	80	2.5	6	2	7490	3402	RH-2	40	form-based			true	0.7	6	1	2	2	8388.799805	4300.799805	4300.799805	1.12
1383	029	2996	0.07	3428	4	55	80	2.5	6	2	7490	4062	RH-2	40	form-based			true	0.7	6	1	2	2	8388.799805	4960.799805	4960.799805	1.12
1383	031	2996	0.07	4100	4	55	80	2.5	6	2	7490	3390	RH-2	40	form-based			true	0.7	6	1	2	2	8388.799805	4288.799805	4288.799805	1.12
1383	042	2500	0.06	3880	3	55	80	2.5	5	2	6250	2370	RM-1	40	form-based			true	0.7	5	1	2	2	7000	3120	3120	1.12
1384	001	1900	0.04	2800	2	55	80	2.5	3	1	4750	1950	RM-1	40	form-based		true	true	0.7	4	1.333333373	2	2	5320	2520	2520	1.12
1384	001A	1883	0.04	2800	2	55	80	2.5	3	1	4708	1908	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5272.399902	2472.399902	2472.399902	1.119881
1384	007	3000	0.07	3650	4	55	80	2.5	6	2	7500	3850	RH-2	40	form-based			true	0.7	6	1	2	2	8400	4750	4750	1.12
1384	021	1875	0.04	2847	2	55	80	2.5	3	1	4688	1841	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5250	2403	2403	1.119881
1384	023	1875	0.04	1137	2	55	80	2.5	3	1	4688	3551	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5250	4113	4113	1.119881
1385	007	3037	0.07	3640	4	55	80	2.5	6	2	7592	3952	RH-2	40	form-based			true	0.7	6	1	2	2	8503.599609	4863.599609	4863.599609	1.120074
1385	008	3037	0.07	4480	4	55	80	2.5	6	2	7592	3112	RH-2	40	form-based			true	0.7	6	1	2	2	8503.599609	4023.599609	4023.599609	1.120074

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1385	014	3037	0.07	3098	4	55	80	2.5	6	2	7592	4494	RH-2	40	form-based			true	0.7	6	1	2	2	8503.599609	5405.599609	5405.599609	1.120074
1385	027	3000	0.07	4064	4	55	80	2.5	6	2	7500	3436	RM-1	40	form-based			true	0.7	6	1	2	2	8400	4336	4336	1.12
1385	031	1950	0.04	1844	2	55	80	2.5	3	1	4875	3031	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5460	3616	3616	1.12
1386	002	2937	0.07	5850	4	55	80	2.5	6	2	7342	1492	RM-1	40	form-based			true	0.7	6	1	2	2	8223.599609	2373.599609	2373.599609	1.120076
1386	012	2937	0.07	4048	4	55	80	2.5	6	2	7342	3294	RM-1	40	form-based			true	0.7	6	1	2	2	8223.599609	4175.599609	4175.599609	1.120076
1386	015	2937	0.07	3971	4	55	80	2.5	6	2	7342	3371	RM-1	40	form-based			true	0.7	6	1	2	2	8223.599609	4252.599609	4252.599609	1.120076
1386	029	3000	0.07	2690	4	55	80	2.5	6	2	7500	4810	RM-1	40	form-based			true	0.7	6	1	2	2	8400	5710	5710	1.12
1386	032	3000	0.07	4050	4	55	80	2.5	6	2	7500	3450	RM-1	40	form-based			true	0.7	6	1	2	2	8400	4350	4350	1.12
1386	037	3000	0.07	3980	4	55	80	2.5	6	2	7500	3520	RM-1	40	form-based			true	0.7	6	1	2	2	8400	4420	4420	1.12
1386	070	2500	0.06	2500	3	55	80	2.5	5	2	6250	3750	RM-1	40	form-based			true	0.7	5	1	2	2	7000	4500	4500	1.12
1387	003	3000	0.07	4048	4	55	80	2.5	6	2	7500	3452	RM-1	40	form-based			true	0.7	6	1	2	2	8400	4352	4352	1.12
1387	004	3000	0.07	3720	4	55	80	2.5	6	2	7500	3780	RM-1	40	form-based			true	0.7	6	1	2	2	8400	4680	4680	1.12
1387	005	3000	0.07	3720	4	55	80	2.5	6	2	7500	3780	RM-1	40	form-based			true	0.7	6	1	2	2	8400	4680	4680	1.12
1387	006	3000	0.07	3350	4	55	80	2.5	6	2	7500	4150	RM-1	40	form-based			true	0.7	6	1	2	2	8400	5050	5050	1.12
1387	007	3000	0.07	3350	4	55	80	2.5	6	2	7500	4150	RM-1	40	form-based			true	0.7	6	1	2	2	8400	5050	5050	1.12
1387	008	3000	0.07	3720	4	55	80	2.5	6	2	7500	3780	RM-1	40	form-based			true	0.7	6	1	2	2	8400	4680	4680	1.12
1403	001	3080	0.07	4624	4	65	100	3	7	3	9240	4616	RH-2	40	form-based		true	true	0.7	6	0.857142866	2	2	8624	4000	4000	0.933333
1403	008	1598	0.04	2519	1	65	100	3	4	3	4794	2275	RH-2	40	form-based			true	0.7	3	0.75	2	2	4474.399902	1955.399902	1955.399902	0.933333
1403	012	1625	0.04	1700	1	65	100	3	4	3	4875	3175	RH-2	40	form-based			true	0.7	3	0.75	2	2	4550	2850	2850	0.933333
1403	019	1808	0.04	2288	5	65	100	3	4	0	5424	3136	NC-1	65	form-based		true	true	0.75	7	1.75	2	2	8136	5848	5848	1.5
1403	032	2438	0.06	4783	3	65	100	3	6	3	7314	2531	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	6826.399902	2043.399902	2043.399902	0.933333
1404	002	2414	0.06	3250	3	65	100	3	6	3	7242	3992	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	6759.199707	3509.199707	3509.199707	0.933333
1404	013	3039	0.07	3038	4	65	100	3	7	3	9117	6079	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8509.200195	5471.200195	5471.200195	0.933333
1404	016	3039	0.07	3232	4	65	100	3	7	3	9117	5885	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8509.200195	5277.200195	5277.200195	0.933333
1404	021A	1664	0.04	1880	1	65	100	3	4	3	4992	3112	RH-2	40	form-based			true	0.7	3	0.75	2	2	4659.199707	2779.199707	2779.199707	0.933333
1404	027B	1875	0.04	3000	5	65	100	3	4	0	5625	2625	RTO-C	65	form-based		true	true	0.75	7	1.75	2	2	8437.5	5437.5	5437.5	1.5
1405	001	2159	0.05	4193	3	65	100	3	5	2	6477	2284	RM-1	40	form-based		true	true	0.7	5	1	2	2	6045.199707	1852.199707	1852.199707	0.933333
1405	030	2049	0.05	3028	2	65	100	3	5	3	6147	3119	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5737.199707	2709.199707	2709.199707	0.933333
1406	006	2989	0.07	1994	4	65	100	3	7	3	8967	6973	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8369.200195	6375.200195	6375.200195	0.933333
1406	016	2989	0.07	4100	4	65	100	3	7	3	8967	4867	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8369.200195	4269.200195	4269.200195	0.933333
1406	027	3060	0.07	3720	4	65	100	3	7	3	9180	5460	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8568	4848	4848	0.933333
1406	031	3000	0.07	1400	4	65	100	3	7	3	9000	7600	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	7000	7000	0.933333
1406	053	2796	0.06	1196	4	65	100	3	6	2	8388	7192	RM-1	40	form-based		true	true	0.7	6	1	2	2	7828.799805	6632.799805	6632.799805	0.933333
1407	016	2997	0.07	3900	4	65	100	3	7	3	8991	5091	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8391.599609	4491.599609	4491.599609	0.933333
1407	024	1651	0.04	1172	1	65	100	3	4	3	4953	3781	RH-2	40	form-based			true	0.7	3	0.75	2	2	4622.799805	3450.799805	3450.799805	0.933333
1407	036	3000	0.07	4050	4	65	100	3	7	3	9000	4950	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4350	4350	0.933333
1408	032	2940	0.07	4110	4	65	100	3	7	3	8820	4710	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8232	4122	4122	0.933333
1408	035	2940	0.07	4054	4	65	100	3	7	3	8820	4766	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8232	4178	4178	0.933333
1408	051	2940	0.07	4050	4	65	100	3	7	3	8820	4770	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8232	4182	4182	0.933333
1409	002	3038	0.07	4024	4	65	100	3	7	3	9114	5090	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8506.399414	4482.399414	4482.399414	0.933333
1409	005	3038	0.07	4048	4	65	100	3	7	3	9114	5066	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8506.399414	4458.399414	4458.399414	0.933333
1409	009	3038	0.07	4024	4	65	100	3	7	3	9114	5090	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8506.399414	4482.399414	4482.399414	0.933333
1409	018	1027	0.02	1790	2	65	100	3	2	0	3081	1291	NCD-OUTE	65	form-based			true	0.75	4	2	2	2	4621.5	2831.5	2831.5	1.5
1409	027	2062	0.05	3136	2	65	100	3	5	3	6186	3050	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5773.600098	2637.600098	2637.600098	0.933333
1409	033	3000	0.07	4028	4	65	100	3	7	3	9000	4972	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4372	4372	0.933333
1410	011	2996	0.07	3972	4	65	100	3	7	3	8988	5016	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8388.799805	4416.799805	4416.799805	0.933333
1410	012	2996	0.07	4274	4	65	100	3	7	3	8988	4714	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8388.799805	4114.799805	4114.799805	0.933333
1410	013	2996	0.07	3972	4	65	100	3	7	3	8988	5016	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8388.799805	4416.799805	4416.799805	0.933333
1410	023	2970	0.07	4274	4	65	100	3	7	3	8910	4636	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8316	4042	4042	0.933333
1410	029	2970	0.07	4048	4	65	100	3	7	3	8910	4862	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8316	4268	4268	0.933333
1410	033	2970	0.07	3816	4	65	100	3	7	3	8910	5094	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8316	4500	4500	0.933333
1410	034	2970	0.07	4028	4	65	100	3	7	3	8910	4882	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8316	4288	4288	0.933333
1411	015	2062	0.05	2418	2	65	100	3	5	3	6186	3768	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5773.600098	3355.600098	3355.600098	0.933333
1411	019	3000	0.07	4048	4	65	100	3	7	3	9000	4952	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4352	4352	0.933333
1411	021	3000	0.07	4064	4	65	100	3	7	3	9000	4936	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4336	4336	0.933333
1412	010	2965	0.07	3870	4	65	100	3	7	3	8895	5025	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8302	4432	4432	0.933333
1412	011	2965	0.07	4224	4	65	100	3	7	3	8895	4671	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8302	4078	4078	0.933333
1413	009	3021	0.07	4040	4	65	100	3	7	3	9063	5023	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8458.799805	4418.799805	4418.799805	0.933333
1413	011	3021	0.07	4062	4	65	100	3	7	3	9063	5001	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8458.799805	4396.799805	4396.799805	0.933333
1413	013	3021	0.07	4110	4	65	100	3	7	3	9063	4953	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8458.799805	4348.799805	4348.799805	0.933333
1413	036	3000	0.07	4000	4	65	100	3	7	3	9000	5000	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4400	4400	0.933333
1414	028	3000	0.07	4048	4	65	100	3	7	3	9000	4952	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4352	4352	0.933333
1415	022A	3000	0.07	4223	4	65	100	3	7	3	9000	4777	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4177	4177	0.933333
1415	041	1725	0.04	1036	2	65	100	3	4	2	5175	4139	RM-1	40	form-based			true	0.7	4	1	2	2	4830	3794	3794	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1415	043	3000	0.07	750	4	65	100	3	7	3	9000	8250	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	7650	7650	0.933333
1416	035	3000	0.07	3572	4	65	100	3	7	3	9000	5428	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4828	4828	0.933333
1417	003	3000	0.07	3790	4	65	100	3	7	3	9000	5210	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4610	4610	0.933333
1417	034	3843	0.09	9225	12	65	100	3	9	0	11529	2304	RTO-C	65	form-based			true	0.75	14	1.555555582	2	2	17293.5	8068.5	8068.5	1.5
1418	002	2891	0.07	2922	4	65	100	3	7	3	8673	5751	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8094.799805	5172.799805	5172.799805	0.933333
1422	014	3046	0.07	4000	4	65	100	3	7	3	9138	5138	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8528.799805	4528.799805	4528.799805	0.933333
1423	016A	3083	0.07	4420	4	65	100	3	7	3	9249	4829	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8632.399414	4212.399414	4212.399414	0.933333
1423	025	3000	0.07	3370	4	65	100	3	7	3	9000	5630	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	5030	5030	0.933333
1424	008	3036	0.07	3888	4	65	100	3	7	3	9108	5220	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8500.799805	4612.799805	4612.799805	0.933333
1425	028	2296	0.05	4500	3	65	100	3	5	2	6888	2388	RM-1	40	form-based			true	0.7	5	1	2	2	6428.799805	1928.799805	1928.799805	0.933333
1426	027	3600	0.08	5026	6	65	100	3	8	2	10800	5774	RM-1	40	form-based			true	0.7	8	1	2	2	10080	5054	5054	0.933333
1426	031	3000	0.07	4491	4	65	100	3	7	3	9000	4509	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	3909	3909	0.933333
1426	034	3000	0.07	3400	4	65	100	3	7	3	9000	5600	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	5000	5000	0.933333
1426	035	3000	0.07	3400	4	65	100	3	7	3	9000	5600	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	5000	5000	0.933333
1427	005	2405	0.06	2271	3	65	100	3	6	3	7215	4944	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	6734	4463	4463	0.933333
1427	021	3000	0.07	4200	4	65	100	3	7	3	9000	4800	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4200	4200	0.933333
1428	007	3008	0.07	3284	4	65	100	3	7	3	9024	5740	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8422.399414	5138.399414	5138.399414	0.933333
1428	017	2812	0.06	3090	4	65	100	3	6	2	8436	5346	RM-1	40	form-based			true	0.7	6	1	2	2	7873.600098	4783.600098	4783.600098	0.933333
1428	042	2993	0.07	2776	4	65	100	3	7	3	8979	6203	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8380.399414	5604.399414	5604.399414	0.933333
1429	008	3018	0.07	3646	4	65	100	3	7	3	9054	5408	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8450.399414	4804.399414	4804.399414	0.933333
1429	031A	2994	0.07	3167	4	65	100	3	7	3	8982	5815	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8383.200195	5216.200195	5216.200195	0.933333
1429	039	2990	0.07	4048	4	65	100	3	7	3	8970	4922	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8372	4324	4324	0.933333
1429	043	2500	0.06	2770	3	65	100	3	6	3	7500	4730	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7000	4230	4230	0.933333
1429	047	2500	0.06	3718	3	65	100	3	6	3	7500	3782	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7000	3282	3282	0.933333
1430	006	3019	0.07	3968	4	65	100	3	7	3	9057	5089	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8453.200195	4485.200195	4485.200195	0.933333
1430	008	3019	0.07	3968	4	65	100	3	7	3	9057	5089	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8453.200195	4485.200195	4485.200195	0.933333
1430	041A	2979	0.07	4294	4	65	100	3	7	3	8937	4643	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8341.200195	4047.200195	4047.200195	0.933333
1430	048	5917	0.14	8258	10	65	100	3	14	4	17751	9493	RM-1	40	form-based			true	0.7	12	0.857142866	2	2	16567.59961	8309.599609	8309.599609	0.933333
1431	015	3000	0.07	2962	4	65	100	3	7	3	9000	6038	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	5438	5438	0.933333
1431	033	3019	0.07	3998	4	65	100	3	7	3	9057	5059	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8453.200195	4455.200195	4455.200195	0.933333
1431	044	2081	0.05	2838	2	65	100	3	5	3	6243	3405	RM-1	40	form-based	true		true	0.7	4	0.800000012	2	2	5826.799805	2988.799805	2988.799805	0.933333
1431	065	2081	0.05	3227	2	65	100	3	5	3	6243	3016	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5826.799805	2599.799805	2599.799805	0.933333
1432	018	4152	0.1	8500	14	65	100	3	10	0	12456	3956	NCD-INNE	65	form-based			true	0.75	16	1.600000024	2	2	18684	10184	10184	1.5
1432	024	2062	0.05	1494	2	65	100	3	5	3	6186	4692	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5773.600098	4279.600098	4279.600098	0.933333
1432	035	3000	0.07	3981	4	65	100	3	7	3	9000	5019	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4419	4419	0.933333
1432	055	2550	0.06	1495	3	65	100	3	6	3	7650	6155	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7140	5645	5645	0.933333
1433	004	3043	0.07	3650	4	65	100	3	7	3	9129	5479	RM-2	40	form-based			true	0.7	6	0.857142866	2	2	8520.399414	4870.399414	4870.399414	0.933333
1433	005	3043	0.07	3650	4	65	100	3	7	3	9129	5479	RM-2	40	form-based			true	0.7	6	0.857142866	2	2	8520.399414	4870.399414	4870.399414	0.933333
1433	015	2977	0.07	3038	4	65	100	3	7	3	8931	5893	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8335.599609	5297.599609	5297.599609	0.933333
1433	016	2977	0.07	2540	4	65	100	3	7	3	8931	6391	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8335.599609	5795.599609	5795.599609	0.933333
1433	024	2977	0.07	3992	4	65	100	3	7	3	8931	4939	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8335.599609	4343.599609	4343.599609	0.933333
1433	026	2977	0.07	4275	4	65	100	3	7	3	8931	4656	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8335.599609	4060.599609	4060.599609	0.933333
1433	034	2062	0.05	5812	6	65	100	3	5	0	6186	374	NCD-INNE	65	form-based	true		true	0.75	8	1.600000024	2	2	9279	3467	3467	1.5
1434	013	3000	0.07	3866	4	65	100	3	7	3	9000	5134	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4534	4534	0.933333
1434	022	2590	0.06	3750	3	85	140	4	8	5	10360	6610	RM-1	40	form-based			true	0.7	5	0.625	2	2	7252	3502	3502	0.7
1434	037	3019	0.07	2892	4	65	100	3	7	3	9057	6165	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8453.200195	5561.200195	5561.200195	0.933333
1435	022	3000	0.07	3490	4	65	100	3	7	3	9000	5510	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4910	4910	0.933333
1435	025	3000	0.07	4740	4	65	100	3	7	3	9000	4260	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	3660	3660	0.933333
1436	013	3000	0.07	2840	4	65	100	3	7	3	9000	6160	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	5560	5560	0.933333
1436	029	3006	0.07	4533	4	65	100	3	7	3	9018	4485	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8416.799805	3883.799805	3883.799805	0.933333
1436	032	2946	0.07	3644	4	65	100	3	7	3	8838	5194	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8248.799805	4604.799805	4604.799805	0.933333
1437	003	3000	0.07	4048	4	65	100	3	7	3	9000	4952	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4352	4352	0.933333
1437	007	3000	0.07	3170	4	65	100	3	7	3	9000	5830	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	5230	5230	0.933333
1437	009	3000	0.07	4048	4	65	100	3	7	3	9000	4952	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4352	4352	0.933333
1437	026	4823	0.11	6500	8	65	100	3	11	3	14469	7969	RM-1	40	form-based			true	0.7	10	0.909090936	2	2	13504.39941	7004.399414	7004.399414	0.933333
1438	013	3000	0.07	4305	5	65	100	3	7	2	9000	4695	NCD-GEAR	40	form-based			true	0.75	7	1	2	2	9000	4695	4695	1
1438	023	2988	0.07	6831	5	65	100	3	7	2	8964	2133	NCD-GEAR	40	form-based			true	0.75	7	1	2	2	8964	2133	2133	1
1439	012	3000	0.07	3992	4	65	100	3	7	3	9000	5008	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4408	4408	0.933333
1439	029	3024	0.07	3862	4	65	100	3	7	3	9072	5210	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8467.200195	4605.200195	4605.200195	0.933333
1439	033	3024	0.07	4118	4	65	100	3	7	3	9072	4954	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8467.200195	4349.200195	4349.200195	0.933333
1439	048	649	0.01	0	0	65	100	3	1	1	1947	1947	NCD-INNE	65	form-based			true	0.75	2	2	2	2	2920.5	2920.5	2920.5	1.5
1441	025	3032	0.07	4030	4	65	100	3	7	3	9096	5066	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8489.599609	4459.599609	4459.599609	0.933333
1442	018	2960	0.07	4048	4	65	100	3	7	3	8880	4832	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8288	4240	4240	0.933333
1442	034	3018	0.07	4004	4	65	100	3	7	3	9054	5050	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8450.399414	4446.399414	4446.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1442	040	3027	0.07	3580	4	65	100	3	7	3	9081	5501	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8475.599609	4895.599609	4895.599609	0.933333
1443	002	2969	0.07	3820	4	65	100	3	7	3	8907	5087	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8313.200195	4493.200195	4493.200195	0.933333
1443	004	2972	0.07	2260	4	65	100	3	7	3	8916	6656	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8321.599609	6061.599609	6061.599609	0.933333
1443	005	3009	0.07	4010	4	65	100	3	7	3	9027	5017	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8425.200195	4415.200195	4415.200195	0.933333
1443	012	2984	0.07	4048	4	65	100	3	7	3	8952	4904	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8355.200195	4307.200195	4307.200195	0.933333
1443	025A	3036	0.07	3620	4	65	100	3	7	3	9108	5488	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8500.799805	4880.799805	4880.799805	0.933333
1444	028	2987	0.07	4116	4	65	100	3	7	3	8961	4845	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8363.599609	4247.599609	4247.599609	0.933333
1447	002	1446	0.03	765	1	65	100	3	3	2	4338	3573	RH-2	40	form-based			true	0.7	3	1	2	2	4048.800049	3283.800049	3283.800049	0.933333
1447	003	1254	0.03	1320	1	65	100	3	3	2	3762	2442	RH-2	40	form-based			true	0.7	3	1	2	2	3511.199951	2191.199951	2191.199951	0.933333
1447	037	1585	0.04	1839	1	65	100	3	4	3	4755	2916	RH-2	40	form-based			true	0.7	3	0.75	2	2	4438	2599	2599	0.933333
1447	038	1447	0.03	2358	1	65	100	3	3	2	4341	1983	RH-2	40	form-based			true	0.7	3	1	2	2	4051.599854	1693.599854	1693.599854	0.933333
1447	039	1358	0.03	1810	1	65	100	3	3	2	4074	2264	RH-2	40	form-based			true	0.7	3	1	2	2	3802.399902	1992.399902	1992.399902	0.933333
1447	040	1390	0.03	1190	1	65	100	3	3	2	4170	2980	RH-2	40	form-based			true	0.7	3	1	2	2	3892	2702	2702	0.933333
1447	043A	1818	0.04	1732	2	65	100	3	4	2	5454	3722	RH-2	40	form-based			true	0.7	4	1	2	2	5090.399902	3358.399902	3358.399902	0.933333
1447	043C	1631	0.04	771	1	65	100	3	4	3	4893	4122	RH-2	40	form-based			true	0.7	3	0.75	2	2	4566.799805	3795.799805	3795.799805	0.933333
1449	017	2100	0.05	3370	2	85	140	4	7	5	8400	5030	RH-2	40	form-based			true	0.7	4	0.571428597	2	2	5880	2510	2510	0.7
1449	024	2975	0.07	3950	5	65	100	3	7	2	8925	4975	NCD-GEAR	40	form-based			true	0.75	7	1	2	2	8925	4975	4975	1
1449	044	2785	0.06	3474	4	65	100	3	6	2	8355	4881	RH-2	40	form-based			true	0.7	6	1	2	2	7798	4324	4324	0.933333
1450	025	3000	0.07	3980	4	65	100	3	7	3	9000	5020	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4420	4420	0.933333
1450	026	3000	0.07	3980	4	65	100	3	7	3	9000	5020	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4420	4420	0.933333
1450	027	3000	0.07	3980	4	65	100	3	7	3	9000	5020	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4420	4420	0.933333
1450	034	3000	0.07	4048	4	65	100	3	7	3	9000	4952	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4352	4352	0.933333
1451	010	3000	0.07	4048	4	65	100	3	7	3	9000	4952	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4352	4352	0.933333
1451	012	3000	0.07	4138	4	65	100	3	7	3	9000	4862	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4262	4262	0.933333
1451	027	1758	0.04	4031	2	85	140	4	6	4	7032	3001	RM-1	40	form-based			true	0.7	4	0.666666687	2	2	4922.399902	891.3999023	891.3999023	0.7
1451	063	3008	0.07	898	4	65	100	3	7	3	9024	8126	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8422.399414	7524.399414	7524.399414	0.933333
1452	001	2496	0.06	5020	7	65	100	3	6	0	7488	2468	NCD-OUTE	65	form-based		true	true	0.75	9	1.5	2	2	11232	6212	6212	1.5
1452	003	3000	0.07	4028	4	65	100	3	7	3	9000	4972	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4372	4372	0.933333
1452	004	3000	0.07	4228	4	65	100	3	7	3	9000	4772	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4172	4172	0.933333
1452	009	3000	0.07	2875	4	65	100	3	7	3	9000	6125	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	5525	5525	0.933333
1452	014	3000	0.07	3940	4	65	100	3	7	3	9000	5060	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4460	4460	0.933333
1452	029	3022	0.07	3650	4	65	100	3	7	3	9066	5416	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8461.599609	4811.599609	4811.599609	0.933333
1452	034	3022	0.07	4010	4	65	100	3	7	3	9066	5056	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8461.599609	4451.599609	4451.599609	0.933333
1453	009	3000	0.07	3600	4	65	100	3	7	3	9000	5400	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4800	4800	0.933333
1453	016	3600	0.08	2750	6	65	100	3	8	2	10800	8050	RM-1	40	form-based			true	0.7	8	1	2	2	10080	7330	7330	0.933333
1453	031	2991	0.07	3992	4	65	100	3	7	3	8973	4981	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8374.799805	4382.799805	4382.799805	0.933333
1453	064	3000	0.07	5939	4	65	100	3	7	3	9000	3061	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	2461	2461	0.933333
1454	008	2970	0.07	3860	4	65	100	3	7	3	8910	5050	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8316	4456	4456	0.933333
1454	009	2970	0.07	4048	4	65	100	3	7	3	8910	4862	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8316	4268	4268	0.933333
1454	013	3845	0.09	5000	6	65	100	3	9	3	11535	6535	RM-1	40	form-based			true	0.7	8	0.888888896	2	2	10766	5766	5766	0.933333
1454	016	2970	0.07	3890	4	85	140	4	10	6	11880	7990	RM-1	40	form-based			true	0.7	6	0.600000024	2	2	8316	4426	4426	0.7
1455	001	3261	0.07	7175	10	65	100	3	7	0	9783	2608	NCD-OUTE	65	form-based		true	true	0.75	12	1.714285731	2	2	14674.5	7499.5	7499.5	1.5
1455	002	3500	0.08	4800	5	65	100	3	8	3	10500	5700	RM-1	40	form-based			true	0.7	7	0.875	2	2	9800	5000	5000	0.933333
1455	028	2994	0.07	3992	4	65	100	3	7	3	8982	4990	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8383.200195	4391.200195	4391.200195	0.933333
1456	012	3000	0.07	4028	4	65	100	3	7	3	9000	4972	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4372	4372	0.933333
1456	027	3008	0.07	3700	4	85	140	4	10	6	12032	8332	RM-1	40	form-based			true	0.7	6	0.600000024	2	2	8422.399414	4722.399414	4722.399414	0.7
1456	030	3008	0.07	4200	4	65	100	3	7	3	9024	4824	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8422.399414	4222.399414	4222.399414	0.933333
1456	036	3008	0.07	4010	4	65	100	3	7	3	9024	5014	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8422.399414	4412.399414	4412.399414	0.933333
1457	010	3250	0.07	3660	5	65	100	3	7	2	9750	6090	RM-1	40	form-based			true	0.7	7	1	2	2	9100	5440	5440	0.933333
1457	029	2727	0.06	3690	4	65	100	3	6	2	8181	4491	RM-1	40	form-based			true	0.7	6	1	2	2	7635.600098	3945.600098	3945.600098	0.933333
1457	032	2004	0.05	3680	2	65	100	3	5	3	6012	2332	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5611.199707	1931.199707	1931.199707	0.933333
1457	051	5224	0.12	2084	18	65	100	3	12	0	15672	13588	NCD-OUTE	65	form-based			true	0.75	20	1.666666627	2	2	23508	21424	21424	1.5
1458	017	2641	0.06	3570	4	65	100	3	6	2	7923	4353	RM-1	40	form-based			true	0.7	6	1	2	2	7394.799805	3824.799805	3824.799805	0.933333
1458	027A	3084	0.07	3500	4	65	100	3	7	3	9252	5752	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8635.200195	5135.200195	5135.200195	0.933333
1458	028A	2957	0.07	3992	4	65	100	3	7	3	8871	4879	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8279.599609	4287.599609	4287.599609	0.933333
1458	030	2639	0.06	3848	4	65	100	3	6	2	7917	4069	RH-2	40	form-based			true	0.7	6	1	2	2	7389.199707	3541.199707	3541.199707	0.933333
1459	004A	2956	0.07	3892	4	65	100	3	7	3	8868	4976	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8276.799805	4384.799805	4384.799805	0.933333
1462	043	1773	0.04	3574	5	65	100	3	4	0	5319	1745	NC-1	65	form-based		true	true	0.75	7	1.75	2	2	7978.5	4404.5	4404.5	1.5
1463	052	789	0.02	0	0	65	100	3	2	2	2367	2367	RH-2	40	form-based			true	0.7	2	1	2	2	2209.199951	2209.199951	2209.199951	0.933333
1465	015A	3000	0.07	3917	4	65	100	3	7	3	9000	5083	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4483	4483	0.933333
1466	050	3000	0.07	3707	4	65	100	3	7	3	9000	5293	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4693	4693	0.933333
1467	020	2078	0.05	2950	2	65	100	3	5	3	6234	3284	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5818.399902	2868.399902	2868.399902	0.933333
1471	039A	564	0.01	0	0	55	80	2.5	1	1	1410	1410	RTO-C	65	form-based			true	0.75	2	2	2	2	2538	2538	2538	1.8
1472	004A	1804	0.04	1874	2	55	80	2.5	3	1	4510	2636	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5051.199707	3177.199707	3177.199707	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1503	012	3000	0.07	1920	4	55	80	2.5	6	2	7500	5580	RH-2	40	form-based			true	0.7	6	1	2	2	8400	6480	6480	1.12
1503	018	1434	0.03	1301	1	55	80	2.5	2	1	3585	2284	RH-2	40	form-based			true	0.7	3	1.5	2	2	4015.199951	2714.199951	2714.199951	1.12
1503	018A	1434	0.03	975	1	55	80	2.5	2	1	3585	2610	RH-2	40	form-based			true	0.7	3	1.5	2	2	4015.199951	3040.199951	3040.199951	1.12
1503	019	1434	0.03	875	1	55	80	2.5	2	1	3585	2710	RH-2	40	form-based			true	0.7	3	1.5	2	2	4015.199951	3140.199951	3140.199951	1.12
1503	019A	1331	0.03	1475	1	55	80	2.5	2	1	3328	1853	RH-2	40	form-based		true	true	0.7	3	1.5	2	2	3726.800049	2251.800049	2251.800049	1.119832
1504	013	2455	0.06	3257	3	55	80	2.5	5	2	6138	2881	RH-2	40	form-based		true	true	0.7	5	1	2	2	6874	3617	3617	1.119909
1505	007	4878	0.11	5396	8	55	80	2.5	9	1	12195	6799	RH-2	40	form-based			true	0.7	10	1.111111164	2	2	13658.39941	8262.399414	8262.399414	1.12
1506	026	2065	0.05	2157	2	55	80	2.5	4	2	5162	3005	RH-2	40	form-based			true	0.7	4	1	2	2	5782	3625	3625	1.120108
1507	014	1442	0.03	850	1	55	80	2.5	2	1	3605	2755	RH-2	40	form-based			true	0.7	3	1.5	2	2	4037.599854	3187.599854	3187.599854	1.12
1507	014A	1443	0.03	850	1	55	80	2.5	2	1	3608	2758	RH-2	40	form-based			true	0.7	3	1.5	2	2	4040.399902	3190.399902	3190.399902	1.119845
1507	014B	1445	0.03	850	1	55	80	2.5	2	1	3612	2762	RH-2	40	form-based			true	0.7	3	1.5	2	2	4046	3196	3196	1.120155
1507	014C	1521	0.03	1525	1	55	80	2.5	2	1	3802	2277	RH-2	40	form-based		true	true	0.7	3	1.5	2	2	4258.799805	2733.799805	2733.799805	1.120147
1507	019	2994	0.07	3550	4	55	80	2.5	6	2	7485	3935	RH-2	40	form-based			true	0.7	6	1	2	2	8383.200195	4833.200195	4833.200195	1.12
1508	010E	2422	0.06	2300	3	65	100	3	6	3	7266	4966	RH-2	40	form-based		true	true	0.7	5	0.833333313	2	2	6781.600098	4481.600098	4481.600098	0.933333
1508	011C	1913	0.04	1710	2	65	100	3	4	2	5739	4029	RH-2	40	form-based		true	true	0.7	4	1	2	2	5356.399902	3646.399902	3646.399902	0.933333
1508	012A	2958	0.07	3616	4	65	100	3	7	3	8874	5258	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8282.399414	4666.399414	4666.399414	0.933333
1508	029	3044	0.07	2900	4	65	100	3	7	3	9132	6232	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8523.200195	5623.200195	5623.200195	0.933333
1508	030	3046	0.07	2900	4	65	100	3	7	3	9138	6238	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8528.799805	5628.799805	5628.799805	0.933333
1510	025	2375	0.05	3871	3	65	100	3	5	2	7125	3254	RH-2	40	form-based			true	0.7	5	1	2	2	6650	2779	2779	0.933333
1510	043B	843	0.02	1336	2	65	100	3	2	0	2529	1193	RTO-C	85	form-based			true	0.75	4	2	2	2	5058	3722	3722	2
1511	025	1560	0.04	2582	1	65	100	3	4	3	4680	2098	RH-2	40	form-based		true	true	0.7	3	0.75	2	2	4368	1786	1786	0.933333
1511	025A	1500	0.03	1100	1	65	100	3	3	2	4500	3400	RH-2	40	form-based			true	0.7	3	1	2	2	4200	3100	3100	0.933333
1511	025B	1500	0.03	990	1	65	100	3	3	2	4500	3510	RH-2	40	form-based			true	0.7	3	1	2	2	4200	3210	3210	0.933333
1516	003	3000	0.07	4118	4	85	140	4	10	6	12000	7882	RM-1	40	form-based			true	0.7	6	0.600000024	2	2	8400	4282	4282	0.7
1516	012	3000	0.07	3882	4	65	100	3	7	3	9000	5118	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4518	4518	0.933333
1516	012A	3000	0.07	3600	4	65	100	3	7	3	9000	5400	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4800	4800	0.933333
1516	013A	1581	0.04	1525	1	65	100	3	4	3	4743	3218	RM-1	40	form-based			true	0.7	3	0.75	2	2	4426.799805	2901.799805	2901.799805	0.933333
1516	013B	1438	0.03	1700	1	65	100	3	3	2	4314	2614	RM-1	40	form-based			true	0.7	3	1	2	2	4026.399902	2326.399902	2326.399902	0.933333
1516	035	2992	0.07	2863	4	65	100	3	7	3	8976	6113	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8377.599609	5514.599609	5514.599609	0.933333
1516	049	3000	0.07	4054	4	65	100	3	7	3	9000	4946	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4346	4346	0.933333
1517	001A	1125	0.03	0	0	65	100	3	3	3	3375	3375	RH-2	40	form-based			true	0.7	2	0.666666687	2	2	3150	3150	3150	0.933333
1517	010	3050	0.07	3904	4	65	100	3	7	3	9150	5246	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8540	4636	4636	0.933333
1517	013	1726	0.04	3100	2	65	100	3	4	2	5178	2078	RM-1	40	form-based		true	true	0.7	4	1	2	2	4832.799805	1732.799805	1732.799805	0.933333
1517	021	2939	0.07	3700	4	65	100	3	7	3	8817	5117	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8229.200195	4529.200195	4529.200195	0.933333
1517	021A	2989	0.07	3700	4	65	100	3	7	3	8967	5267	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8369.200195	4669.200195	4669.200195	0.933333
1517	021B	2989	0.07	4967	4	65	100	3	7	3	8967	4000	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8369.200195	3402.200195	3402.200195	0.933333
1517	031	2989	0.07	4066	4	85	140	4	10	6	11956	7890	RM-1	40	form-based			true	0.7	6	0.600000024	2	2	8369.200195	4303.200195	4303.200195	0.7
1518	011	7920	0.18	11560	15	65	100	3	18	3	23760	12200	RM-1	40	form-based			true	0.7	17	0.944444418	2	2	22176	10616	10616	0.933333
1518	015C	2109	0.05	2264	2	65	100	3	5	3	6327	4063	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5905.199707	3641.199707	3641.199707	0.933333
1518	021B	2937	0.07	4727	4	65	100	3	7	3	8811	4084	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8223.599609	3496.599609	3496.599609	0.933333
1519	019	2550	0.06	3254	3	65	100	3	6	3	7650	4396	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7140	3886	3886	0.933333
1519	035	1768	0.04	2820	2	65	100	3	4	2	5304	2484	RM-1	40	form-based			true	0.7	4	1	2	2	4950.399902	2130.399902	2130.399902	0.933333
1520	007A	3000	0.07	3700	4	65	100	3	7	3	9000	5300	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4700	4700	0.933333
1520	007D	3000	0.07	4060	4	65	100	3	7	3	9000	4940	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4340	4340	0.933333
1520	012	3000	0.07	3904	4	65	100	3	7	3	9000	5096	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4496	4496	0.933333
1520	016	2511	0.06	4029	3	65	100	3	6	3	7533	3504	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7030.799805	3001.799805	3001.799805	0.933333
1520	018	2723	0.06	4200	4	65	100	3	6	2	8169	3969	RM-1	40	form-based		true	true	0.7	6	1	2	2	7624.399902	3424.399902	3424.399902	0.933333
1520	028	2987	0.07	4150	4	65	100	3	7	3	8961	4811	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8363.599609	4213.599609	4213.599609	0.933333
1520	032	2987	0.07	4024	4	65	100	3	7	3	8961	4937	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8363.599609	4339.599609	4339.599609	0.933333
1521	003	3020	0.07	4046	4	85	140	4	10	6	12080	8034	RM-1	40	form-based			true	0.7	6	0.600000024	2	2	8456	4410	4410	0.7
1521	003B	3020	0.07	4040	4	65	100	3	7	3	9060	5020	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8456	4416	4416	0.933333
1521	007	3020	0.07	4040	4	65	100	3	7	3	9060	5020	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8456	4416	4416	0.933333
1521	008	3020	0.07	4043	4	65	100	3	7	3	9060	5017	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8456	4413	4413	0.933333
1521	011	3020	0.07	3890	4	65	100	3	7	3	9060	5170	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8456	4566	4566	0.933333
1521	016B	2020	0.05	2047	2	65	100	3	5	3	6060	4013	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5656	3609	3609	0.933333
1521	022	2038	0.05	2208	2	65	100	3	5	3	6114	3906	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5706.399902	3498.399902	3498.399902	0.933333
1522	003	4469	0.1	6628	7	65	100	3	10	3	13407	6779	RM-1	40	form-based			true	0.7	9	0.899999976	2	2	12513.2002	5885.200195	5885.200195	0.933333
1522	004	2979	0.07	3730	4	65	100	3	7	3	8937	5207	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8341.200195	4611.200195	4611.200195	0.933333
1522	006	2979	0.07	3904	4	65	100	3	7	3	8937	5033	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8341.200195	4437.200195	4437.200195	0.933333
1522	011A	2979	0.07	3650	4	65	100	3	7	3	8937	5287	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8341.200195	4691.200195	4691.200195	0.933333
1522	022	3036	0.07	2820	4	65	100	3	7	3	9108	6288	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8500.799805	5680.799805	5680.799805	0.933333
1522	027	3036	0.07	3800	4	65	100	3	7	3	9108	5308	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8500.799805	4700.799805	4700.799805	0.933333
1522	030	3036	0.07	3904	4	65	100	3	7	3	9108	5204	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8500.799805	4596.799805	4596.799805	0.933333
1522	031	3036	0.07	3500	4	65	100	3	7	3	9108	5608	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8500.799805	5000.799805	5000.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1522	034	3036	0.07	3730	4	85	140	4	10	6	12144	8414	RM-1	40	form-based			true	0.7	6	0.600000024	2	2	8500.799805	4770.799805	4770.799805	0.7
1522	034A	3036	0.07	3730	4	85	140	4	10	6	12144	8414	RM-1	40	form-based			true	0.7	6	0.600000024	2	2	8500.799805	4770.799805	4770.799805	0.7
1522	034E	2703	0.06	3730	4	85	140	4	8	4	10812	7082	RM-1	40	form-based			true	0.7	6	0.75	2	2	7568.399902	3838.399902	3838.399902	0.7
1522	039	3036	0.07	3904	4	65	100	3	7	3	9108	5204	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8500.799805	4596.799805	4596.799805	0.933333
1523	007	3000	0.07	3890	4	65	100	3	7	3	9000	5110	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4510	4510	0.933333
1523	010	3000	0.07	3890	4	65	100	3	7	3	9000	5110	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4510	4510	0.933333
1523	014	3000	0.07	3904	4	65	100	3	7	3	9000	5096	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4496	4496	0.933333
1523	015	3000	0.07	2490	4	65	100	3	7	3	9000	6510	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5910	5910	0.933333
1523	026	3048	0.07	4580	4	65	100	3	7	3	9144	4564	RM-1	40	form-based		true	true	0.7	6	0.857142866	2	2	8534.399414	3954.399414	3954.399414	0.933333
1523	033	2921	0.07	4088	4	65	100	3	7	3	8763	4675	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8178.799805	4090.799805	4090.799805	0.933333
1523	039	2985	0.07	3819	4	65	100	3	7	3	8955	5136	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8358	4539	4539	0.933333
1524	002	2971	0.07	4277	4	85	140	4	10	6	11884	7607	RM-1	40	form-based			true	0.7	6	0.600000024	2	2	8318.799805	4041.799805	4041.799805	0.7
1524	006	2971	0.07	4070	4	65	100	3	7	3	8913	4843	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8318.799805	4248.799805	4248.799805	0.933333
1524	007	2971	0.07	4330	4	65	100	3	7	3	8913	4583	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8318.799805	3988.799805	3988.799805	0.933333
1524	011	2971	0.07	4046	4	65	100	3	7	3	8913	4867	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8318.799805	4272.799805	4272.799805	0.933333
1524	014	2578	0.06	4300	3	65	100	3	6	3	7734	3434	RM-1	40	form-based		true	true	0.7	5	0.833333313	2	2	7218.399902	2918.399902	2918.399902	0.933333
1524	015	2695	0.06	3550	4	65	100	3	6	2	8085	4535	RM-1	40	form-based			true	0.7	6	1	2	2	7546	3996	3996	0.933333
1524	024	3025	0.07	3890	4	65	100	3	7	3	9075	5185	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8470	4580	4580	0.933333
1524	033	3025	0.07	3890	4	65	100	3	7	3	9075	5185	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8470	4580	4580	0.933333
1525	004	3000	0.07	3890	4	65	100	3	7	3	9000	5110	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4510	4510	0.933333
1525	010	3000	0.07	4438	4	65	100	3	7	3	9000	4562	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	3962	3962	0.933333
1525	015	3000	0.07	3276	4	65	100	3	7	3	9000	5724	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	5124	5124	0.933333
1525	024	1484	0.03	2376	1	65	100	3	3	2	4452	2076	RM-1	40	form-based		true	true	0.7	3	1	2	2	4155.199707	1779.199707	1779.199707	0.933333
1525	024A	1475	0.03	1768	1	65	100	3	3	2	4425	2657	RM-1	40	form-based			true	0.7	3	1	2	2	4130	2362	2362	0.933333
1525	024B	1475	0.03	1768	1	65	100	3	3	2	4425	2657	RM-1	40	form-based			true	0.7	3	1	2	2	4130	2362	2362	0.933333
1525	024C	1475	0.03	1768	1	65	100	3	3	2	4425	2657	RM-1	40	form-based			true	0.7	3	1	2	2	4130	2362	2362	0.933333
1525	027	3037	0.07	4010	4	65	100	3	7	3	9111	5101	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8503.599609	4493.599609	4493.599609	0.933333
1525	029	3037	0.07	4010	4	65	100	3	7	3	9111	5101	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8503.599609	4493.599609	4493.599609	0.933333
1526	012	2025	0.05	2840	2	65	100	3	5	3	6075	3235	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5670	2830	2830	0.933333
1526	013	2025	0.05	2840	2	65	100	3	5	3	6075	3235	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5670	2830	2830	0.933333
1526	014	2025	0.05	2840	2	65	100	3	5	3	6075	3235	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5670	2830	2830	0.933333
1526	016	2515	0.06	2872	3	65	100	3	6	3	7545	4673	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7042	4170	4170	0.933333
1527	024	2516	0.06	2644	3	65	100	3	6	3	7548	4904	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7044.799805	4400.799805	4400.799805	0.933333
1527	026	2075	0.05	2380	2	65	100	3	5	3	6225	3845	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5810	3430	3430	0.933333
1527	027A	2075	0.05	2380	2	65	100	3	5	3	6225	3845	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5810	3430	3430	0.933333
1527	039	2075	0.05	1152	2	65	100	3	5	3	6225	5073	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5810	4658	4658	0.933333
1529	021	2517	0.06	2369	3	65	100	3	6	3	7551	5182	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7047.600098	4678.600098	4678.600098	0.933333
1530	012B	2089	0.05	2490	2	65	100	3	5	3	6267	3777	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5849.199707	3359.199707	3359.199707	0.933333
1530	013	2032	0.05	2984	2	65	100	3	5	3	6096	3112	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5689.600098	2705.600098	2705.600098	0.933333
1530	013B	2032	0.05	3687	2	65	100	3	5	3	6096	2409	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5689.600098	2002.600098	2002.600098	0.933333
1530	015A	1994	0.05	3132	2	65	100	3	5	3	5982	2850	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5583.199707	2451.199707	2451.199707	0.933333
1530	037	2089	0.05	1563	2	65	100	3	5	3	6267	4704	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5849.199707	4286.199707	4286.199707	0.933333
1530	039	2089	0.05	1370	2	65	100	3	5	3	6267	4897	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5849.199707	4479.199707	4479.199707	0.933333
1530	041	1994	0.05	1490	2	65	100	3	5	3	5982	4492	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5583.199707	4093.199707	4093.199707	0.933333
1532	015A	1894	0.04	1740	2	65	100	3	4	2	5682	3942	RH-2	40	form-based			true	0.7	4	1	2	2	5303.199707	3563.199707	3563.199707	0.933333
1532	026	3011	0.07	4965	4	65	100	3	7	3	9033	4068	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8430.799805	3465.799805	3465.799805	0.933333
1533	012	2979	0.07	3950	4	65	100	3	7	3	8937	4987	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8341.200195	4391.200195	4391.200195	0.933333
1533	019	2519	0.06	2795	3	65	100	3	6	3	7557	4762	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7053.199707	4258.199707	4258.199707	0.933333
1533	046	2101	0.05	2440	2	65	100	3	5	3	6303	3863	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5882.799805	3442.799805	3442.799805	0.933333
1533	048	2042	0.05	1640	2	65	100	3	5	3	6126	4486	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5717.600098	4077.600098	4077.600098	0.933333
1534	011	3000	0.07	3360	4	65	100	3	7	3	9000	5640	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5040	5040	0.933333
1534	027	2982	0.07	2610	4	65	100	3	7	3	8946	6336	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8349.599609	5739.599609	5739.599609	0.933333
1534	033	2982	0.07	3976	4	65	100	3	7	3	8946	4970	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8349.599609	4373.599609	4373.599609	0.933333
1535	010	3011	0.07	3350	4	65	100	3	7	3	9033	5683	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8430.799805	5080.799805	5080.799805	0.933333
1535	010A	3011	0.07	3350	4	65	100	3	7	3	9033	5683	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8430.799805	5080.799805	5080.799805	0.933333
1535	019	2521	0.06	3290	3	65	100	3	6	3	7563	4273	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7058.799805	3768.799805	3768.799805	0.933333
1535	023	2521	0.06	3250	3	65	100	3	6	3	7563	4313	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7058.799805	3808.799805	3808.799805	0.933333
1536	003	3000	0.07	3720	4	85	140	4	10	6	12000	8280	RM-1	40	form-based			true	0.7	6	0.600000024	2	2	8400	4680	4680	0.7
1536	003A	3000	0.07	3850	4	65	100	3	7	3	9000	5150	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4550	4550	0.933333
1536	010	3000	0.07	3650	4	65	100	3	7	3	9000	5350	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4750	4750	0.933333
1536	010A	3000	0.07	3650	4	65	100	3	7	3	9000	5350	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4750	4750	0.933333
1536	016	2521	0.06	3572	3	65	100	3	6	3	7563	3991	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7058.799805	3486.799805	3486.799805	0.933333
1536	045	3000	0.07	3414	4	65	100	3	7	3	9000	5586	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4986	4986	0.933333
1536	055	2521	0.06	1426	3	65	100	3	6	3	7563	6137	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7058.799805	5632.799805	5632.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1537	008	2970	0.07	3610	4	65	100	3	7	3	8910	5300	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8316	4706	4706	0.933333
1537	009	2970	0.07	3610	4	65	100	3	7	3	8910	5300	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8316	4706	4706	0.933333
1537	016	2970	0.07	3720	4	65	100	3	7	3	8910	5190	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8316	4596	4596	0.933333
1537	018	2635	0.06	1970	4	65	100	3	6	2	7905	5935	RM-1	40	form-based			true	0.7	6	1	2	2	7378	5408	5408	0.933333
1537	025	3022	0.07	4074	4	65	100	3	7	3	9066	4992	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8461.599609	4387.599609	4387.599609	0.933333
1537	035A	3022	0.07	3490	4	65	100	3	7	3	9066	5576	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8461.599609	4971.599609	4971.599609	0.933333
1537	036	3022	0.07	3816	4	65	100	3	7	3	9066	5250	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8461.599609	4645.599609	4645.599609	0.933333
1538	009	3000	0.07	3866	4	65	100	3	7	3	9000	5134	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4534	4534	0.933333
1538	010	3000	0.07	3866	4	65	100	3	7	3	9000	5134	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4534	4534	0.933333
1538	011	3000	0.07	4054	4	65	100	3	7	3	9000	4946	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4346	4346	0.933333
1538	013	1267	0.03	1490	1	65	100	3	3	2	3801	2311	RM-1	40	form-based			true	0.7	3	1	2	2	3547.599854	2057.599854	2057.599854	0.933333
1538	015	2523	0.06	3951	3	65	100	3	6	3	7569	3618	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7064.399902	3113.399902	3113.399902	0.933333
1538	017	2523	0.06	2339	3	65	100	3	6	3	7569	5230	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7064.399902	4725.399902	4725.399902	0.933333
1538	018	2522	0.06	4311	3	65	100	3	6	3	7566	3255	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7061.600098	2750.600098	2750.600098	0.933333
1538	022	3014	0.07	4040	4	65	100	3	7	3	9042	5002	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8439.200195	4399.200195	4399.200195	0.933333
1538	023	3014	0.07	4054	4	65	100	3	7	3	9042	4988	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8439.200195	4385.200195	4385.200195	0.933333
1538	024	3014	0.07	4054	4	65	100	3	7	3	9042	4988	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8439.200195	4385.200195	4385.200195	0.933333
1540	008	3000	0.07	2900	4	65	100	3	7	3	9000	6100	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8400	5500	5500	0.933333
1540	015	3000	0.07	3800	4	65	100	3	7	3	9000	5200	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4600	4600	0.933333
1540	018	1438	0.03	1900	1	65	100	3	3	2	4314	2414	RH-2	40	form-based			true	0.7	3	1	2	2	4026.399902	2126.399902	2126.399902	0.933333
1541	005	2974	0.07	3750	4	85	140	4	10	6	11896	8146	RH-3	40	form-based			true	0.7	6	0.600000024	2	2	8327.200195	4577.200195	4577.200195	0.7
1541	005A	2980	0.07	4024	4	65	100	3	7	3	8940	4916	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8344	4320	4320	0.933333
1541	025	2086	0.05	2305	2	65	100	3	5	3	6258	3953	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5840.799805	3535.799805	3535.799805	0.933333
1541	037	3026	0.07	3600	4	65	100	3	7	3	9078	5478	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8472.799805	4872.799805	4872.799805	0.933333
1541	049	2977	0.07	1808	4	85	140	4	10	6	11908	10100	RH-3	40	form-based			true	0.7	6	0.600000024	2	2	8335.599609	6527.599609	6527.599609	0.7
1542	003	2962	0.07	3405	4	65	100	3	7	3	8886	5481	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8293.599609	4888.599609	4888.599609	0.933333
1543	015	3008	0.07	3038	4	65	100	3	7	3	9024	5986	RM-2	40	form-based			true	0.7	6	0.857142866	2	2	8422.399414	5384.399414	5384.399414	0.933333
1543	023	1651	0.04	1940	1	65	100	3	4	3	4953	3013	RH-2	40	form-based			true	0.7	3	0.75	2	2	4622.799805	2682.799805	2682.799805	0.933333
1543	024	1650	0.04	2470	1	65	100	3	4	3	4950	2480	RH-2	40	form-based			true	0.7	3	0.75	2	2	4620	2150	2150	0.933333
1543	038	3012	0.07	3944	4	65	100	3	7	3	9036	5092	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8433.599609	4489.599609	4489.599609	0.933333
1544	052	5450	0.13	13356	18	65	100	3	13	0	16350	2994	RTO-C	65	form-based	true		true	0.75	20	1.538461566	2	2	24525	11169	11169	1.5
1545	031	3023	0.07	3750	4	65	100	3	7	3	9069	5319	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8464.399414	4714.399414	4714.399414	0.933333
1545	032	3023	0.07	3750	4	65	100	3	7	3	9069	5319	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8464.399414	4714.399414	4714.399414	0.933333
1545	047	2398	0.06	2970	3	65	100	3	6	3	7194	4224	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	6714.399902	3744.399902	3744.399902	0.933333
1546	001	2487	0.06	4540	3	65	100	3	6	3	7461	2921	RH-2	40	form-based	true		true	0.7	5	0.833333313	2	2	6963.600098	2423.600098	2423.600098	0.933333
1546	017	3250	0.07	8565	10	65	100	3	7	0	9750	1185	NCD-INNE	65	form-based	true		true	0.75	12	1.714285731	2	2	14625	6060	6060	1.5
1547	040	3017	0.07	3284	4	65	100	3	7	3	9051	5767	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8447.599609	5163.599609	5163.599609	0.933333
1547	044	3024	0.07	3061	4	65	100	3	7	3	9072	6011	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8467.200195	5406.200195	5406.200195	0.933333
1547	047	2403	0.06	3230	3	65	100	3	6	3	7209	3979	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	6728.399902	3498.399902	3498.399902	0.933333
1548	002	2345	0.05	3410	3	65	100	3	5	2	7035	3625	RH-3	40	form-based			true	0.7	5	1	2	2	6566	3156	3156	0.933333
1548	008	2979	0.07	2880	4	65	100	3	7	3	8937	6057	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8341.200195	5461.200195	5461.200195	0.933333
1548	039	3009	0.07	2750	4	65	100	3	7	3	9027	6277	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8425.200195	5675.200195	5675.200195	0.933333
1548	042	3611	0.08	6609	6	65	100	3	8	2	10833	4224	RH-3	40	form-based			true	0.7	8	1	2	2	10110.7998	3501.799805	3501.799805	0.933333
1549	028	3030	0.07	3880	4	65	100	3	7	3	9090	5210	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8484	4604	4604	0.933333
1549	031	3030	0.07	4090	4	65	100	3	7	3	9090	5000	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8484	4394	4394	0.933333
1549	043	1917	0.04	2650	2	65	100	3	4	2	5751	3101	RH-2	40	form-based			true	0.7	4	1	2	2	5367.600098	2717.600098	2717.600098	0.933333
1549	047	2427	0.06	3375	3	65	100	3	6	3	7281	3906	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	6795.600098	3420.600098	3420.600098	0.933333
1549	061	2428	0.06	1400	3	65	100	3	6	3	7284	5884	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	6798.399902	5398.399902	5398.399902	0.933333
1550	002	2030	0.05	2875	2	65	100	3	5	3	6090	3215	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5684	2809	2809	0.933333
1550	003	2030	0.05	2875	2	65	100	3	5	3	6090	3215	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5684	2809	2809	0.933333
1550	014	2970	0.07	3878	4	65	100	3	7	3	8910	5032	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8316	4438	4438	0.933333
1550	030	3431	0.08	7539	11	65	100	3	8	0	10293	2754	RTO-C	65	form-based	true		true	0.75	13	1.625	2	2	15439.5	7900.5	7900.5	1.5
1550	048	2089	0.05	2800	2	65	100	3	5	3	6267	3467	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5849.199707	3049.199707	3049.199707	0.933333
1551	007	3000	0.07	4028	4	65	100	3	7	3	9000	4972	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4372	4372	0.933333
1551	049	1928	0.04	2160	2	65	100	3	4	2	5784	3624	RH-2	40	form-based			true	0.7	4	1	2	2	5398.399902	3238.399902	3238.399902	0.933333
1551	051	2919	0.07	4000	4	65	100	3	7	3	8757	4757	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8173.199707	4173.199707	4173.199707	0.933333
1555	050	2440	0.06	2600	3	65	100	3	6	3	7320	4720	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	6832	4232	4232	0.933333
1559	002	2446	0.06	3388	3	65	100	3	6	3	7338	3950	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	6848.799805	3460.799805	3460.799805	0.933333
1559	044	2723	0.06	3380	4	65	100	3	6	2	8169	4789	RM-1	40	form-based			true	0.7	6	1	2	2	7624.399902	4244.399902	4244.399902	0.933333
1561	001B	2025	0.05	2090	2	65	100	3	5	3	6075	3985	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5670	3580	3580	0.933333
1561	013	2952	0.07	4280	4	65	100	3	7	3	8856	4576	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8265.599609	3985.599609	3985.599609	0.933333
1563	001A	1559	0.04	2104	1	65	100	3	4	3	4677	2573	RH-2	40	form-based			true	0.7	3	0.75	2	2	4365.199707	2261.199707	2261.199707	0.933333
1563	024	3025	0.07	3700	4	65	100	3	7	3	9075	5375	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8470	4770	4770	0.933333
1563	026	3025	0.07	3550	4	65	100	3	7	3	9075	5525	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8470	4920	4920	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1563	035	3025	0.07	3630	4	65	100	3	7	3	9075	5445	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8470	4840	4840	0.933333
1563	045	1949	0.04	2300	2	65	100	3	4	2	5847	3547	RM-1	40	form-based			true	0.7	4	1	2	2	5457.199707	3157.199707	3157.199707	0.933333
1564	001A	2027	0.05	2820	2	65	100	3	5	3	6081	3261	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5675.600098	2855.600098	2855.600098	0.933333
1564	001B	2027	0.05	2820	2	65	100	3	5	3	6081	3261	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5675.600098	2855.600098	2855.600098	0.933333
1564	016	2965	0.07	3640	4	65	100	3	7	3	8895	5255	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8302	4662	4662	0.933333
1564	023	1953	0.04	2750	5	55	80	2.5	3	0	4882	2132	NC-1	65	form-based		true	true	0.75	7	2.333333254	2	1	8788.5	6038.5	6038.5	1.800184
1564	041	1458	0.03	1610	1	65	100	3	3	2	4374	2764	RH-2	40	form-based			true	0.7	3	1	2	2	4082.399902	2472.399902	2472.399902	0.933333
1564	041A	1458	0.03	1668	1	65	100	3	3	2	4374	2706	RH-2	40	form-based			true	0.7	3	1	2	2	4082.399902	2414.399902	2414.399902	0.933333
1564	042	1458	0.03	1590	1	65	100	3	3	2	4374	2784	RH-2	40	form-based			true	0.7	3	1	2	2	4082.399902	2492.399902	2492.399902	0.933333
1564	042A	1502	0.03	1590	1	65	100	3	3	2	4506	2916	RM-1	40	form-based		true	true	0.7	3	1	2	2	4205.600098	2615.600098	2615.600098	0.933333
1564	044	2518	0.06	2640	3	65	100	3	6	3	7554	4914	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7050.399902	4410.399902	4410.399902	0.933333
1564	053	2027	0.05	1788	2	65	100	3	5	3	6081	4293	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5675.600098	3887.600098	3887.600098	0.933333
1565	001	1517	0.03	2080	1	65	100	3	3	2	4551	2471	RM-1	40	form-based		true	true	0.7	3	1	2	2	4247.600098	2167.600098	2167.600098	0.933333
1565	001A	1470	0.03	1610	1	65	100	3	3	2	4410	2800	RH-2	40	form-based			true	0.7	3	1	2	2	4116	2506	2506	0.933333
1565	001B	1470	0.03	1740	1	65	100	3	3	2	4410	2670	RH-2	40	form-based			true	0.7	3	1	2	2	4116	2376	2376	0.933333
1565	001C	1470	0.03	1740	1	65	100	3	3	2	4410	2670	RH-2	40	form-based			true	0.7	3	1	2	2	4116	2376	2376	0.933333
1565	027	2045	0.05	3062	2	65	100	3	5	3	6135	3073	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5726	2664	2664	0.933333
1565	029	2521	0.06	3420	3	65	100	3	6	3	7563	4143	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7058.799805	3638.799805	3638.799805	0.933333
1566	001	2893	0.07	3660	4	65	100	3	7	3	8679	5019	RM-1	40	form-based		true	true	0.7	6	0.857142866	2	2	8100.399902	4440.399902	4440.399902	0.933333
1567	024	2987	0.07	3802	4	65	100	3	7	3	8961	5159	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8363.599609	4561.599609	4561.599609	0.933333
1567	028	2987	0.07	4080	4	65	100	3	7	3	8961	4881	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8363.599609	4283.599609	4283.599609	0.933333
1567	029	2987	0.07	3632	4	65	100	3	7	3	8961	5329	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8363.599609	4731.599609	4731.599609	0.933333
1567	032	2528	0.06	1290	3	65	100	3	6	3	7584	6294	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7078.399902	5788.399902	5788.399902	0.933333
1567	033	2531	0.06	3738	3	65	100	3	6	3	7593	3855	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7086.799805	3348.799805	3348.799805	0.933333
1567	034	2318	0.05	4729	3	65	100	3	5	2	6954	2225	RM-1	40	form-based			true	0.7	5	1	2	2	6490.399902	1761.399902	1761.399902	0.933333
1567	036	2045	0.05	2900	2	65	100	3	5	3	6135	3235	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5726	2826	2826	0.933333
1568	001A	1964	0.05	1600	2	65	100	3	5	3	5892	4292	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5499.199707	3899.199707	3899.199707	0.933333
1568	026	1866	0.04	2350	2	65	100	3	4	2	5598	3248	RH-2	40	form-based			true	0.7	4	1	2	2	5224.799805	2874.799805	2874.799805	0.933333
1568	026A	1866	0.04	3200	2	65	100	3	4	2	5598	2398	RH-2	40	form-based			true	0.7	4	1	2	2	5224.799805	2024.799805	2024.799805	0.933333
1568	026C	1866	0.04	2500	2	65	100	3	4	2	5598	3098	RH-2	40	form-based			true	0.7	4	1	2	2	5224.799805	2724.799805	2724.799805	0.933333
1568	026D	1929	0.04	2850	2	65	100	3	4	2	5787	2937	RM-1	40	form-based		true	true	0.7	4	1	2	2	5401.199707	2551.199707	2551.199707	0.933333
1568	029	3228	0.07	5000	5	65	100	3	7	2	9684	4684	RM-1	40	form-based			true	0.7	7	1	2	2	9038.399414	4038.399414	4038.399414	0.933333
1568	044	1866	0.04	960	2	65	100	3	4	2	5598	4638	RH-2	40	form-based			true	0.7	4	1	2	2	5224.799805	4264.799805	4264.799805	0.933333
1570	001	2330	0.05	2350	3	65	100	3	5	2	6990	4640	RM-1	40	form-based		true	true	0.7	5	1	2	2	6524	4174	4174	0.933333
1572	016M	3390	0.08	6035	5	65	100	3	8	3	10170	4135	RH-2	40	form-based			true	0.7	7	0.875	2	2	9492	3457	3457	0.933333
1575	026	4592	0.11	5520	8	65	100	3	11	3	13776	8256	RH-2	40	form-based			true	0.7	10	0.909090936	2	2	12857.59961	7337.599609	7337.599609	0.933333
1575	031	2517	0.06	3015	3	65	100	3	6	3	7551	4536	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7047.600098	4032.600098	4032.600098	0.933333
1575	033	2517	0.06	3685	3	65	100	3	6	3	7551	3866	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7047.600098	3362.600098	3362.600098	0.933333
1576	001	1483	0.03	875	1	65	100	3	3	2	4449	3574	RH-2	40	form-based		true	true	0.7	3	1	2	2	4152.399902	3277.399902	3277.399902	0.933333
1576	001B	1440	0.03	1318	1	65	100	3	3	2	4320	3002	RH-2	40	form-based			true	0.7	3	1	2	2	4032	2714	2714	0.933333
1576	001C	1440	0.03	875	1	65	100	3	3	2	4320	3445	RH-2	40	form-based			true	0.7	3	1	2	2	4032	3157	3157	0.933333
1576	005A	3000	0.07	3600	4	65	100	3	7	3	9000	5400	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4800	4800	0.933333
1576	005N	1000	0.02	0	0	65	100	3	2	2	3000	3000	RH-2	40	form-based			true	0.7	2	1	2	2	2800	2800	2800	0.933333
1578	001	1894	0.04	2636	2	65	100	3	4	2	5682	3046	RH-2	40	form-based		true	true	0.7	4	1	2	2	5303.199707	2667.199707	2667.199707	0.933333
1578	022	1232	0.03	850	1	65	100	3	3	2	3696	2846	RH-2	40	form-based			true	0.7	3	1	2	2	3449.599854	2599.599854	2599.599854	0.933333
1578	022A	1232	0.03	1000	1	65	100	3	3	2	3696	2696	RH-2	40	form-based			true	0.7	3	1	2	2	3449.599854	2449.599854	2449.599854	0.933333
1578	022C	1281	0.03	1225	1	65	100	3	3	2	3843	2618	RH-2	40	form-based		true	true	0.7	3	1	2	2	3586.800049	2361.800049	2361.800049	0.933333
1579	017D	2989	0.07	4045	4	55	80	2.5	6	2	7472	3427	RH-2	40	form-based			true	0.7	6	1	2	2	8369.200195	4324.200195	4324.200195	1.120075
1580	001B	1904	0.04	3006	2	55	80	2.5	3	1	4760	1754	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5331.199707	2325.199707	2325.199707	1.12
1580	001G	2050	0.05	2250	2	55	80	2.5	4	2	5125	2875	RH-2	40	form-based			true	0.7	4	1	2	2	5740	3490	3490	1.12
1580	011	1993	0.05	2374	2	55	80	2.5	4	2	4982	2608	RH-2	40	form-based			true	0.7	4	1	2	2	5580.399902	3206.399902	3206.399902	1.120112
1582	001B	1875	0.04	1907	2	55	80	2.5	3	1	4688	2781	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5250	3343	3343	1.119881
1582	040	3013	0.07	3372	4	55	80	2.5	6	2	7532	4160	RH-2	40	form-based			true	0.7	6	1	2	2	8436.399414	5064.399414	5064.399414	1.120074
1582	040D	1613	0.04	1175	1	55	80	2.5	3	2	4032	2857	RH-2	40	form-based			true	0.7	3	1	2	2	4516.399902	3341.399902	3341.399902	1.120139
1582	040I	1336	0.03	1530	1	55	80	2.5	2	1	3340	1810	RH-2	40	form-based			true	0.7	3	1.5	2	2	3740.800049	2210.800049	2210.800049	1.12
1606	007	1060	0.02	0	0	55	80	2.5	2	2	2650	2650	RH-2	40	form-based			true	0.7	2	1	2	2	2968	2968	2968	1.12
1607	014	2650	0.06	2500	4	55	80	2.5	5	1	6625	4125	RH-2	40	form-based		true	true	0.7	6	1.200000048	2	2	7420	4920	4920	1.12
1608	034	1875	0.04	3175	2	55	80	2.5	3	1	4688	1513	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5250	2075	2075	1.119881
1611	021A	1437	0.03	1015	1	55	80	2.5	2	1	3592	2577	RH-2	40	form-based		true	true	0.7	3	1.5	2	2	4023.599854	3008.599854	3008.599854	1.120156
1611	021B	1437	0.03	985	1	55	80	2.5	2	1	3592	2607	RH-2	40	form-based			true	0.7	3	1.5	2	2	4023.599854	3038.599854	3038.599854	1.120156
1611	022	1437	0.03	1530	1	55	80	2.5	2	1	3592	2062	RH-2	40	form-based			true	0.7	3	1.5	2	2	4023.599854	2493.599854	2493.599854	1.120156
1611	022A	1437	0.03	1130	1	55	80	2.5	2	1	3592	2462	RH-2	40	form-based			true	0.7	3	1.5	2	2	4023.599854	2893.599854	2893.599854	1.120156
1612	017	1440	0.03	1050	1	55	80	2.5	2	1	3600	2550	RH-2	40	form-based		true	true	0.7	3	1.5	2	2	4032	2982	2982	1.12
1612	017J	1440	0.03	1050	1	55	80	2.5	2	1	3600	2550	RH-2	40	form-based			true	0.7	3	1.5	2	2	4032	2982	2982	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1612	017K	1440	0.03	1050	1	55	80	2.5	2	1	3600	2550	RH-2	40	form-based			true	0.7	3	1.5	2	2	4032	2982	2982	1.12
1612	017L	1440	0.03	1555	1	55	80	2.5	2	1	3600	2045	RH-2	40	form-based			true	0.7	3	1.5	2	2	4032	2477	2477	1.12
1613	007H	2375	0.05	4475	3	55	80	2.5	4	1	5938	1463	RH-2	40	form-based			true	0.7	5	1.25	2	2	6650	2175	2175	1.119906
1617	035	2297	0.05	2898	3	55	80	2.5	4	1	5742	2844	RH-2	40	form-based			true	0.7	5	1.25	2	2	6431.600098	3533.600098	3533.600098	1.120098
1619	012	2500	0.06	3324	3	55	80	2.5	5	2	6250	2926	RH-2	40	form-based			true	0.7	5	1	2	2	7000	3676	3676	1.12
1620	001	2787	0.06	4990	8	55	80	2.5	5	0	6968	1978	RTO-C	65	form-based		true	true	0.75	10	2	2	2	12541.5	7551.5	7551.5	1.799871
1620	011	2862	0.07	4710	4	55	80	2.5	6	2	7155	2445	RH-2	40	form-based		true	true	0.7	6	1	2	2	8013.600098	3303.600098	3303.600098	1.12
1621	001	1834	0.04	3738	5	55	80	2.5	3	0	4585	847	RTO-C	65	form-based		true	true	0.75	7	2.333333254	2	1	8253	4515	4515	1.8
1621	045	1006	0.02	0	0	55	80	2.5	2	2	2515	2515	RH-2	40	form-based			true	0.7	2	1	2	2	2816.800049	2816.800049	2816.800049	1.12
1622	008	3008	0.07	3402	4	55	80	2.5	6	2	7520	4118	RH-2	40	form-based			true	0.7	6	1	2	2	8422.399414	5020.399414	5020.399414	1.12
1622	022	2500	0.06	1642	3	55	80	2.5	5	2	6250	4608	RH-2	40	form-based			true	0.7	5	1	2	2	7000	5358	5358	1.12
1625	012A	2398	0.06	3281	3	55	80	2.5	5	2	5995	2714	RH-2	40	form-based			true	0.7	5	1	2	2	6714.399902	3433.399902	3433.399902	1.12
1625	016	2895	0.07	5294	4	55	80	2.5	6	2	7238	1944	RH-2	40	form-based		true	true	0.7	6	1	2	2	8106	2812	2812	1.119923
1626	012	2500	0.06	2700	3	55	80	2.5	5	2	6250	3550	RH-2	40	form-based			true	0.7	5	1	2	2	7000	4300	4300	1.12
1626	012A	2500	0.06	2700	3	55	80	2.5	5	2	6250	3550	RH-2	40	form-based			true	0.7	5	1	2	2	7000	4300	4300	1.12
1626	020	3060	0.07	3730	4	55	80	2.5	6	2	7650	3920	RH-2	40	form-based			true	0.7	6	1	2	2	8568	4838	4838	1.12
1627	006	2618	0.06	3128	3	55	80	2.5	5	2	6545	3417	RH-2	40	form-based			true	0.7	5	1	2	2	7330.399902	4202.399902	4202.399902	1.12
1628	013A	2643	0.06	4874	4	55	80	2.5	5	1	6608	1734	RH-2	40	form-based		true	true	0.7	6	1.200000048	2	2	7400.399902	2526.399902	2526.399902	1.119915
1628	017A	2908	0.07	4450	4	55	80	2.5	6	2	7270	2820	RH-2	40	form-based		true	true	0.7	6	1	2	2	8142.399902	3692.399902	3692.399902	1.12
1628	017B	1551	0.04	1266	1	55	80	2.5	3	2	3878	2612	RH-2	40	form-based			true	0.7	3	1	2	2	4342.799805	3076.799805	3076.799805	1.119856
1634	004	2961	0.07	4070	4	55	80	2.5	6	2	7402	3332	RH-2	40	form-based			true	0.7	6	1	2	2	8290.799805	4220.799805	4220.799805	1.120076
1635	005	2988	0.07	3750	4	55	80	2.5	6	2	7470	3720	RH-2	40	form-based			true	0.7	6	1	2	2	8366.399414	4616.399414	4616.399414	1.12
1635	005A	2988	0.07	3750	4	55	80	2.5	6	2	7470	3720	RH-2	40	form-based			true	0.7	6	1	2	2	8366.399414	4616.399414	4616.399414	1.12
1635	013	2500	0.06	4470	3	55	80	2.5	5	2	6250	1780	RH-2	40	form-based			true	0.7	5	1	2	2	7000	2530	2530	1.12
1635	028B	3033	0.07	3350	4	55	80	2.5	6	2	7582	4232	RH-2	40	form-based			true	0.7	6	1	2	2	8492.399414	5142.399414	5142.399414	1.120074
1635	028E	3033	0.07	3670	4	55	80	2.5	6	2	7582	3912	RH-2	40	form-based			true	0.7	6	1	2	2	8492.399414	4822.399414	4822.399414	1.120074
1635	035	2988	0.07	3800	4	55	80	2.5	6	2	7470	3670	RH-2	40	form-based			true	0.7	6	1	2	2	8366.399414	4566.399414	4566.399414	1.12
1635	036	2988	0.07	3800	4	55	80	2.5	6	2	7470	3670	RH-2	40	form-based			true	0.7	6	1	2	2	8366.399414	4566.399414	4566.399414	1.12
1637	017B	1536	0.04	1620	1	55	80	2.5	3	2	3840	2220	RH-2	40	form-based			true	0.7	3	1	2	2	4300.799805	2680.799805	2680.799805	1.12
1636	005	1944	0.04	2630	2	55	80	2.5	3	1	4860	2230	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5443.199707	2813.199707	2813.199707	1.12
1636	005C	1943	0.04	2630	2	55	80	2.5	3	1	4858	2228	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5440.399902	2810.399902	2810.399902	1.119885
1636	005D	1943	0.04	2630	2	55	80	2.5	3	1	4858	2228	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5440.399902	2810.399902	2810.399902	1.119885
1636	009	2052	0.05	3134	2	55	80	2.5	4	2	5130	1996	RH-2	40	form-based			true	0.7	4	1	2	2	5745.600098	2611.600098	2611.600098	1.12
1636	010	1907	0.04	2660	2	55	80	2.5	3	1	4768	2108	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	5339.600098	2679.600098	2679.600098	1.119883
1636	014	3012	0.07	3600	4	55	80	2.5	6	2	7530	3930	RH-2	40	form-based			true	0.7	6	1	2	2	8433.599609	4833.599609	4833.599609	1.12
1636	019	1000	0.02	0	0	55	80	2.5	2	2	2500	2500	RH-2	40	form-based			true	0.7	2	1	2	2	2800	2800	2800	1.12
1636	023	3012	0.07	4158	4	55	80	2.5	6	2	7530	3372	RH-2	40	form-based			true	0.7	6	1	2	2	8433.599609	4275.599609	4275.599609	1.12
1637	015	3024	0.07	4222	4	55	80	2.5	6	2	7560	3338	RH-2	40	form-based			true	0.7	6	1	2	2	8467.200195	4245.200195	4245.200195	1.12
1637	019A	2736	0.06	4760	4	55	80	2.5	5	1	6840	2080	RH-2	40	form-based		true	true	0.7	6	1.200000048	2	2	7660.799805	2900.799805	2900.799805	1.12
1637	021	3148	0.07	2856	5	55	80	2.5	6	1	7870	5014	RH-2	40	form-based			true	0.7	7	1.166666627	2	2	8814.399414	5958.399414	5958.399414	1.12
1638	015	2360	0.05	3795	3	55	80	2.5	4	1	5900	2105	RH-2	40	form-based			true	0.7	5	1.25	2	2	6608	2813	2813	1.12
1638	020A	1875	0.04	2600	2	55	80	2.5	3	1	4688	2088	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5250	2650	2650	1.119881
1638	020B	1750	0.04	2600	2	55	80	2.5	3	1	4375	1775	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	4900	2300	2300	1.12
1638	020C	1750	0.04	2925	2	55	80	2.5	3	1	4375	1450	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4900	1975	1975	1.12
1638	020D	1750	0.04	2600	2	55	80	2.5	3	1	4375	1775	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4900	2300	2300	1.12
1639	005	3009	0.07	3438	4	55	80	2.5	6	2	7522	4084	RH-2	40	form-based			true	0.7	6	1	2	2	8425.200195	4987.200195	4987.200195	1.120075
1639	021	2384	0.05	3020	3	55	80	2.5	4	1	5960	2940	RH-2	40	form-based			true	0.7	5	1.25	2	2	6675.199707	3655.199707	3655.199707	1.12
1639	027	2375	0.05	3478	3	55	80	2.5	4	1	5938	2460	RH-2	40	form-based			true	0.7	5	1.25	2	2	6650	3172	3172	1.119906
1639	031	3000	0.07	3130	4	55	80	2.5	6	2	7500	4370	RH-2	40	form-based			true	0.7	6	1	2	2	8400	5270	5270	1.12
1639	034	3000	0.07	3450	4	55	80	2.5	6	2	7500	4050	RH-2	40	form-based			true	0.7	6	1	2	2	8400	4950	4950	1.12
1640	001	2369	0.05	5765	7	55	80	2.5	4	0	5922	157	NCD-INNE	65	form-based		true	true	0.75	9	2.25	2	1	10660.5	4895.5	4895.5	1.800152
1640	022	2372	0.05	4350	3	55	80	2.5	4	1	5930	1580	RH-2	40	form-based			true	0.7	5	1.25	2	2	6641.600098	2291.600098	2291.600098	1.12
1640	032	3000	0.07	2206	4	55	80	2.5	6	2	7500	5294	RH-2	40	form-based			true	0.7	6	1	2	2	8400	6194	6194	1.12
1640	055	712	0.02	727	1	55	80	2.5	2	1	1780	1053	NCD-INNE	65	form-based			true	0.75	3	1.5	2	2	3204	2477	2477	1.8
1641	022	2393	0.05	3561	3	55	80	2.5	4	1	5982	2421	RH-2	40	form-based			true	0.7	5	1.25	2	2	6700.399902	3139.399902	3139.399902	1.120094
1641	030	2375	0.05	2902	3	55	80	2.5	4	1	5938	3036	RH-2	40	form-based			true	0.7	5	1.25	2	2	6650	3748	3748	1.119906
1641	033	3000	0.07	2464	4	55	80	2.5	6	2	7500	5036	RH-2	40	form-based			true	0.7	6	1	2	2	8400	5936	5936	1.12
1642	025	2501	0.06	3122	3	55	80	2.5	5	2	6252	3130	RH-2	40	form-based			true	0.7	5	1	2	2	7002.799805	3880.799805	3880.799805	1.12009
1642	033	3000	0.07	3800	4	55	80	2.5	6	2	7500	3700	RH-2	40	form-based			true	0.7	6	1	2	2	8400	4600	4600	1.12
1642	044	3000	0.07	3502	4	55	80	2.5	6	2	7500	3998	RH-2	40	form-based			true	0.7	6	1	2	2	8400	4898	4898	1.12
1643	049A	1011	0.02	1626	2	55	80	2.5	2	0	2528	902	RTO-C	65	form-based			true	0.75	4	2	2	2	4549.5	2923.5	2923.5	1.799644
1643	069	2986	0.07	888	4	55	80	2.5	6	2	7465	6577	RM-2	40	form-based			true	0.7	6	1	2	2	8360.799805	7472.799805	7472.799805	1.12
1644	035	3681	0.08	1026	6	55	80	2.5	6	0	9202	8176	RM-2	40	form-based			true	0.7	8	1.333333373	2	2	10306.7998	9280.799805	9280.799805	1.120061
1644	041	3967	0.09	938	6	55	80	2.5	7	1	9918	8980	RM-2	40	form-based			true	0.7	8	1.142857194	2	2	11107.59961	10169.59961	10169.59961	1.119943

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1645	001	2630	0.06	3850	4	55	80	2.5	5	1	6575	2725	RH-3	40	form-based		true	true	0.7	6	1.200000048	2	2	7364	3514	3514	1.12
1645	002	2626	0.06	3422	4	55	80	2.5	5	1	6565	3143	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7352.799805	3930.799805	3930.799805	1.12
1645	003	2626	0.06	3800	4	55	80	2.5	5	1	6565	2765	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7352.799805	3552.799805	3552.799805	1.12
1647	021	2824	0.06	2876	4	55	80	2.5	5	1	7060	4184	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7907.199707	5031.199707	5031.199707	1.12
1648	002	1970	0.05	1836	2	55	80	2.5	4	2	4925	3089	RH-2	40	form-based			true	0.7	4	1	2	2	5516	3680	3680	1.12
1648	004	2420	0.06	3256	3	55	80	2.5	5	2	6050	2794	RH-3	40	form-based			true	0.7	5	1	2	2	6776	3520	3520	1.12
1648	013	3009	0.07	3916	4	55	80	2.5	6	2	7522	3606	RH-3	40	form-based			true	0.7	6	1	2	2	8425.200195	4509.200195	4509.200195	1.120075
1648	034	3000	0.07	3030	4	55	80	2.5	6	2	7500	4470	RH-3	40	form-based			true	0.7	6	1	2	2	8400	5370	5370	1.12
1648	049	1970	0.05	1836	2	55	80	2.5	4	2	4925	3089	RH-2	40	form-based			true	0.7	4	1	2	2	5516	3680	3680	1.12
1648	051	1970	0.05	943	2	55	80	2.5	4	2	4925	3982	RH-2	40	form-based		true	true	0.7	4	1	2	2	5516	4573	4573	1.12
1649	005	2985	0.07	4581	4	55	80	2.5	6	2	7462	2881	RH-3	40	form-based			true	0.7	6	1	2	2	8358	3777	3777	1.120075
1649	005A	2985	0.07	3650	4	55	80	2.5	6	2	7462	3812	RH-3	40	form-based			true	0.7	6	1	2	2	8358	4708	4708	1.120075
1649	020A	1375	0.03	930	1	55	80	2.5	2	1	3438	2508	RH-2	40	form-based			true	0.7	3	1.5	2	2	3850	2920	2920	1.119837
1650	007	3024	0.07	4830	4	55	80	2.5	6	2	7560	2730	RH-3	40	form-based			true	0.7	6	1	2	2	8467.200195	3637.200195	3637.200195	1.12
1650	009	3024	0.07	3850	4	55	80	2.5	6	2	7560	3710	RH-3	40	form-based			true	0.7	6	1	2	2	8467.200195	4617.200195	4617.200195	1.12
1650	031	3000	0.07	3600	4	55	80	2.5	6	2	7500	3900	RH-2	40	form-based			true	0.7	6	1	2	2	8400	4800	4800	1.12
1650	031A	3000	0.07	3600	4	55	80	2.5	6	2	7500	3900	RH-2	40	form-based			true	0.7	6	1	2	2	8400	4800	4800	1.12
1651	007	3000	0.07	3320	4	55	80	2.5	6	2	7500	4180	RH-2	40	form-based			true	0.7	6	1	2	2	8400	5080	5080	1.12
1651	009	3000	0.07	3330	4	55	80	2.5	6	2	7500	4170	RH-2	40	form-based			true	0.7	6	1	2	2	8400	5070	5070	1.12
1651	020A	2024	0.05	3160	2	55	80	2.5	4	2	5060	1900	RH-2	40	form-based			true	0.7	4	1	2	2	5667.199707	2507.199707	2507.199707	1.12
1651	021	2982	0.07	4068	4	55	80	2.5	6	2	7455	3387	RH-2	40	form-based			true	0.7	6	1	2	2	8349.599609	4281.599609	4281.599609	1.12
1651	042	2982	0.07	3754	4	55	80	2.5	6	2	7455	3701	RH-2	40	form-based			true	0.7	6	1	2	2	8349.599609	4595.599609	4595.599609	1.12
1652	010I	2985	0.07	3180	4	55	80	2.5	6	2	7462	4282	RH-2	40	form-based			true	0.7	6	1	2	2	8358	5178	5178	1.120075
1653	046	2109	0.05	2697	2	55	80	2.5	4	2	5272	2575	RH-2	40	form-based			true	0.7	4	1	2	2	5905.199707	3208.199707	3208.199707	1.120106
1653	047	2109	0.05	2540	2	55	80	2.5	4	2	5272	2732	RH-2	40	form-based			true	0.7	4	1	2	2	5905.199707	3365.199707	3365.199707	1.120106
1654	001	2301	0.05	4040	3	55	80	2.5	4	1	5752	1712	RH-2	40	form-based		true	true	0.7	5	1.25	2	2	6442.799805	2402.799805	2402.799805	1.120097
1654	001A	2101	0.05	2150	2	55	80	2.5	4	2	5252	3102	RH-2	40	form-based			true	0.7	4	1	2	2	5882.799805	3732.799805	3732.799805	1.120107
1654	010	2995	0.07	3064	4	55	80	2.5	6	2	7488	4424	RH-2	40	form-based			true	0.7	6	1	2	2	8386	5322	5322	1.119925
1654	045	2500	0.06	3120	3	55	80	2.5	5	2	6250	3130	RH-2	40	form-based			true	0.7	5	1	2	2	7000	3880	3880	1.12
1654	048	2500	0.06	3276	3	55	80	2.5	5	2	6250	2974	RH-2	40	form-based			true	0.7	5	1	2	2	7000	3724	3724	1.12
1654	050	1629	0.04	1852	1	55	80	2.5	3	2	4072	2220	RH-2	40	form-based			true	0.7	3	1	2	2	4561.199707	2709.199707	2709.199707	1.120137
1658	001	2760	0.06	4232	4	55	80	2.5	5	1	6900	2668	RH-2	40	form-based		true	true	0.7	6	1.200000048	2	2	7728	3496	3496	1.12
1658	006	3189	0.07	4030	5	55	80	2.5	6	1	7972	3942	RH-2	40	form-based			true	0.7	7	1.166666627	2	2	8929.200195	4899.200195	4899.200195	1.12007
1658	030	1940	0.04	2600	2	55	80	2.5	3	1	4850	2250	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5432	2832	2832	1.12
1658	031	1940	0.04	2920	2	55	80	2.5	3	1	4850	1930	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5432	2512	2512	1.12
1659	001	2109	0.05	3294	2	55	80	2.5	4	2	5272	1978	RH-2	40	form-based		true	true	0.7	4	1	2	2	5905.199707	2611.199707	2611.199707	1.120106
1660	002	3000	0.07	3886	4	55	80	2.5	6	2	7500	3614	RH-2	40	form-based			true	0.7	6	1	2	2	8400	4514	4514	1.12
1660	012	3000	0.07	3474	4	55	80	2.5	6	2	7500	4026	RH-2	40	form-based			true	0.7	6	1	2	2	8400	4926	4926	1.12
1660	039	3011	0.07	3890	4	55	80	2.5	6	2	7528	3638	RH-2	40	form-based			true	0.7	6	1	2	2	8430.799805	4540.799805	4540.799805	1.119926
1661	001	3063	0.07	5572	4	55	80	2.5	6	2	7658	2086	RH-2	40	form-based		true	true	0.7	6	1	2	2	8576.399414	3004.399414	3004.399414	1.119927
1661	003	2964	0.07	4040	4	55	80	2.5	6	2	7410	3370	RH-2	40	form-based			true	0.7	6	1	2	2	8299.200195	4259.200195	4259.200195	1.12
1661	035	2500	0.06	3380	3	55	80	2.5	5	2	6250	2870	RH-2	40	form-based			true	0.7	5	1	2	2	7000	3620	3620	1.12
1662	006	2948	0.07	3500	4	55	80	2.5	6	2	7370	3870	RH-2	40	form-based			true	0.7	6	1	2	2	8254.399414	4754.399414	4754.399414	1.12
1662	011	2948	0.07	3890	4	55	80	2.5	6	2	7370	3480	RH-2	40	form-based			true	0.7	6	1	2	2	8254.399414	4364.399414	4364.399414	1.12
1662	038	1312	0.03	1125	1	55	80	2.5	2	1	3280	2155	RH-2	40	form-based			true	0.7	3	1.5	2	2	3673.599854	2548.599854	2548.599854	1.12
1662	038A	1875	0.04	2030	2	55	80	2.5	3	1	4688	2658	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	5250	3220	3220	1.119881
1662	045	3047	0.07	4053	4	55	80	2.5	6	2	7618	3565	RH-2	40	form-based			true	0.7	6	1	2	2	8531.599609	4478.599609	4478.599609	1.119926
1662	050	2948	0.07	4053	4	55	80	2.5	6	2	7370	3317	RH-2	40	form-based			true	0.7	6	1	2	2	8254.399414	4201.399414	4201.399414	1.12
1663	001A	1703	0.04	2005	2	55	80	2.5	3	1	4258	2253	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4768.399902	2763.399902	2763.399902	1.119869
1663	003	2953	0.07	3600	4	55	80	2.5	6	2	7382	3782	RH-2	40	form-based			true	0.7	6	1	2	2	8268.399414	4668.399414	4668.399414	1.120076
1663	008	2848	0.07	4274	4	55	80	2.5	6	2	7120	2846	RH-2	40	form-based			true	0.7	6	1	2	2	7974.399902	3700.399902	3700.399902	1.12
1666	048	2125	0.05	2620	2	55	80	2.5	4	2	5312	2692	RH-2	40	form-based			true	0.7	4	1	2	2	5950	3330	3330	1.120105
1666	049	2125	0.05	2250	2	55	80	2.5	4	2	5312	3062	RH-2	40	form-based			true	0.7	4	1	2	2	5950	3700	3700	1.120105
1668	030	3001	0.07	3320	4	55	80	2.5	6	2	7502	4182	RH-2	40	form-based			true	0.7	6	1	2	2	8402.799805	5082.799805	5082.799805	1.120075
1671	014	3095	0.07	3750	4	55	80	2.5	6	2	7738	3988	RH-2	40	form-based			true	0.7	6	1	2	2	8666	4916	4916	1.119928
1672	031	3000	0.07	3750	4	55	80	2.5	6	2	7500	3750	RH-2	40	form-based			true	0.7	6	1	2	2	8400	4650	4650	1.12
1672	039	3000	0.07	1005	4	55	80	2.5	6	2	7500	6495	RH-2	40	form-based			true	0.7	6	1	2	2	8400	7395	7395	1.12
1673	019	2978	0.07	3800	4	55	80	2.5	6	2	7445	3645	RH-2	40	form-based			true	0.7	6	1	2	2	8338.399414	4538.399414	4538.399414	1.12
1673	020	2978	0.07	3800	4	55	80	2.5	6	2	7445	3645	RH-2	40	form-based			true	0.7	6	1	2	2	8338.399414	4538.399414	4538.399414	1.12
1678	030F	1634	0.04	2600	1	55	80	2.5	3	2	4085	1485	RH-2	40	form-based		true	true	0.7	3	1	2	2	4575.199707	1975.199707	1975.199707	1.12
1679	001	2025	0.05	3857	2	55	80	2.5	4	2	5062	1205	RH-2	40	form-based		true	true	0.7	4	1	2	2	5670	1813	1813	1.120111
1679	025	3094	0.07	4908	4	55	80	2.5	6	2	7735	2827	RH-2	40	form-based			true	0.7	6	1	2	2	8663.200195	3755.200195	3755.200195	1.12
1680	033C	1932	0.04	2546	2	55	80	2.5	3	1	4830	2284	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	5409.600098	2863.600098	2863.600098	1.12
1702	001A	1437	0.03	1105	1	65	100	3	3	2	4311	3206	RH-2	40	form-based			true	0.7	3	1	2	2	4023.599854	2918.599854	2918.599854	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1702	001J	1438	0.03	1461	1	65	100	3	3	2	4314	2853	RH-2	40	form-based			true	0.7	3	1	2	2	4026.399902	2565.399902	2565.399902	0.933333
1702	032	1875	0.04	2276	2	65	100	3	4	2	5625	3349	RH-2	40	form-based			true	0.7	4	1	2	2	5250	2974	2974	0.933333
1702	033	1875	0.04	2276	2	65	100	3	4	2	5625	3349	RM-1	40	form-based			true	0.7	4	1	2	2	5250	2974	2974	0.933333
1703	002	3007	0.07	2278	4	65	100	3	7	3	9021	6743	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8419.599609	6141.599609	6141.599609	0.933333
1703	003	2983	0.07	2278	4	65	100	3	7	3	8949	6671	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8352.399414	6074.399414	6074.399414	0.933333
1704	034	1550	0.04	1056	1	65	100	3	4	3	4650	3594	RH-2	40	form-based			true	0.7	3	0.75	2	2	4340	3284	3284	0.933333
1704	035	1550	0.04	1056	1	65	100	3	4	3	4650	3594	RH-2	40	form-based			true	0.7	3	0.75	2	2	4340	3284	3284	0.933333
1704	035A	1453	0.03	550	1	65	100	3	3	2	4359	3809	RH-2	40	form-based			true	0.7	3	1	2	2	4068.399902	3518.399902	3518.399902	0.933333
1705	052	3005	0.07	3927	4	65	100	3	7	3	9015	5088	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8414	4487	4487	0.933333
1706	003	3000	0.07	4035	4	65	100	3	7	3	9000	4965	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4365	4365	0.933333
1706	065	3004	0.07	606	4	65	100	3	7	3	9012	8406	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8411.200195	7805.200195	7805.200195	0.933333
1713	025	1750	0.04	3500	5	65	100	3	4	0	5250	1750	RTO-C	65	form-based	true		true	0.75	7	1.75	2	2	7875	4375	4375	1.5
1723	020	1756	0.04	2000	2	65	100	3	4	2	5268	3268	RH-1	40	form-based			true	0.7	4	1	2	2	4916.799805	2916.799805	2916.799805	0.933333
1725	043	3094	0.07	3770	4	65	100	3	7	3	9282	5512	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8663.200195	4893.200195	4893.200195	0.933333
1726	015	3002	0.07	3640	4	65	100	3	7	3	9006	5366	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8405.599609	4765.599609	4765.599609	0.933333
1726	029	3000	0.07	2864	4	65	100	3	7	3	9000	6136	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5536	5536	0.933333
1727	026	1440	0.03	2015	1	65	100	3	3	2	4320	2305	RH-2	40	form-based			true	0.7	3	1	2	2	4032	2017	2017	0.933333
1727	033	3000	0.07	3206	4	65	100	3	7	3	9000	5794	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5194	5194	0.933333
1729	005	2997	0.07	3816	4	65	100	3	7	3	8991	5175	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8391.599609	4575.599609	4575.599609	0.933333
1729	009	2997	0.07	3854	4	65	100	3	7	3	8991	5137	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8391.599609	4537.599609	4537.599609	0.933333
1729	013	2997	0.07	4280	4	65	100	3	7	3	8991	4711	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8391.599609	4111.599609	4111.599609	0.933333
1734	010	3010	0.07	3852	4	65	100	3	7	3	9030	5178	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8428	4576	4576	0.933333
1734	012	3010	0.07	3852	4	65	100	3	7	3	9030	5178	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8428	4576	4576	0.933333
1734	028	3000	0.07	3080	4	65	100	3	7	3	9000	5920	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	5320	5320	0.933333
1734	033	3000	0.07	3880	4	65	100	3	7	3	9000	5120	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4520	4520	0.933333
1734	044	3000	0.07	3256	4	65	100	3	7	3	9000	5744	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	5144	5144	0.933333
1734	057	3010	0.07	3852	4	65	100	3	7	3	9030	5178	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8428	4576	4576	0.933333
1736	038	2090	0.05	5670	6	65	100	3	5	0	6270	600	RTO-C	65	form-based			true	0.75	8	1.600000024	2	2	9405	3735	3735	1.5
1738	035	3000	0.07	3954	4	65	100	3	7	3	9000	5046	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4446	4446	0.933333
1738	036	3000	0.07	3850	4	65	100	3	7	3	9000	5150	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4550	4550	0.933333
1738	042	3105	0.07	4664	5	65	100	3	7	2	9315	4651	RH-2	40	form-based			true	0.7	7	1	2	2	8694	4030	4030	0.933333
1739	005	3000	0.07	3870	4	65	100	3	7	3	9000	5130	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4530	4530	0.933333
1739	011	3000	0.07	3064	4	65	100	3	7	3	9000	5936	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5336	5336	0.933333
1739	015	3000	0.07	3480	4	65	100	3	7	3	9000	5520	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4920	4920	0.933333
1739	026	1125	0.03	3195	4	65	100	3	3	0	3375	180	NCD-INNE	85	form-based	true		true	0.75	6	2	2	2	6750	3555	3555	2
1739	028	3000	0.07	3838	4	65	100	3	7	3	9000	5162	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4562	4562	0.933333
1739	031	3000	0.07	3834	4	65	100	3	7	3	9000	5166	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4566	4566	0.933333
1739	037	3000	0.07	3840	4	65	100	3	7	3	9000	5160	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4560	4560	0.933333
1739	040	3000	0.07	3878	4	65	100	3	7	3	9000	5122	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4522	4522	0.933333
1739	061	3000	0.07	483	4	65	100	3	7	3	9000	8517	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	7917	7917	0.933333
1740	007	2979	0.07	3500	4	65	100	3	7	3	8937	5437	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8341.200195	4841.200195	4841.200195	0.933333
1740	016	2979	0.07	4000	4	65	100	3	7	3	8937	4937	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8341.200195	4341.200195	4341.200195	0.933333
1740	041	3000	0.07	2670	4	65	100	3	7	3	9000	6330	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5730	5730	0.933333
1742	003	2963	0.07	4000	4	65	100	3	7	3	8889	4889	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8296.399414	4296.399414	4296.399414	0.933333
1742	006	2963	0.07	3386	4	65	100	3	7	3	8889	5503	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8296.399414	4910.399414	4910.399414	0.933333
1744	009	2524	0.06	3145	3	65	100	3	6	3	7572	4427	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7067.199707	3922.199707	3922.199707	0.933333
1744	031	2408	0.06	1707	3	65	100	3	6	3	7224	5517	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	6742.399902	5035.399902	5035.399902	0.933333
1744	037	2369	0.05	1193	3	65	100	3	5	2	7107	5914	RH-2	40	form-based			true	0.7	5	1	2	2	6633.199707	5440.199707	5440.199707	0.933333
1745	013	2375	0.05	3093	3	65	100	3	5	2	7125	4032	RH-2	40	form-based			true	0.7	5	1	2	2	6650	3557	3557	0.933333
1745	017	3000	0.07	3984	4	65	100	3	7	3	9000	5016	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4416	4416	0.933333
1746	006	2390	0.05	4564	3	65	100	3	5	2	7170	2606	RH-2	40	form-based			true	0.7	5	1	2	2	6692	2128	2128	0.933333
1746	016	3000	0.07	2960	4	65	100	3	7	3	9000	6040	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5440	5440	0.933333
1747	011	2582	0.06	3661	3	65	100	3	6	3	7746	4085	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7229.600098	3568.600098	3568.600098	0.933333
1747	014	2375	0.05	2772	3	65	100	3	5	2	7125	4353	RH-2	40	form-based			true	0.7	5	1	2	2	6650	3878	3878	0.933333
1747	015	2375	0.05	4440	3	65	100	3	5	2	7125	2685	RH-2	40	form-based			true	0.7	5	1	2	2	6650	2210	2210	0.933333
1747	025	2583	0.06	1562	3	65	100	3	6	3	7749	6187	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7232.399902	5670.399902	5670.399902	0.933333
1748	030	3012	0.07	1323	4	65	100	3	7	3	9036	7713	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8433.599609	7110.599609	7110.599609	0.933333
1749	011	2500	0.06	6900	3	65	100	3	6	3	7500	600	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7000	100	100	0.933333
1750	024	2750	0.06	3180	4	65	100	3	6	2	8250	5070	RH-2	40	form-based			true	0.7	6	1	2	2	7700	4520	4520	0.933333
1751	001A	1222	0.03	1946	1	65	100	3	3	2	3666	1720	RH-2	40	form-based			true	0.7	3	1	2	2	3421.599854	1475.599854	1475.599854	0.933333
1751	008	2381	0.05	4470	3	85	140	4	7	4	9524	5054	RH-2	40	form-based			true	0.7	5	0.714285731	2	2	6666.799805	2196.799805	2196.799805	0.7
1751	020	2381	0.05	2400	3	65	100	3	5	2	7143	4743	RH-2	40	form-based			true	0.7	5	1	2	2	6666.799805	4266.799805	4266.799805	0.933333
1751	025	3006	0.07	6773	4	65	100	3	7	3	9018	2245	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8416.799805	1643.799805	1643.799805	0.933333
1752	006	2998	0.07	4700	4	65	100	3	7	3	8994	4294	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8394.399414	3694.399414	3694.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1752	007	2373	0.05	4259	3	65	100	3	5	2	7119	2860	RH-2	40	form-based			true	0.7	5	1	2	2	6644.399902	2385.399902	2385.399902	0.933333
1752	022	3322	0.08	6696	5	65	100	3	8	3	9966	3270	RH-2	40	form-based		true	true	0.7	7	0.875	2	2	9301.599609	2605.599609	2605.599609	0.933333
1753	023	1225	0.03	2287	1	65	100	3	3	2	3675	1388	RH-2	40	form-based			true	0.7	3	1	2	2	3430	1143	1143	0.933333
1754	007	2377	0.05	3240	3	85	140	4	7	4	9508	6268	RH-1	40	form-based			true	0.7	5	0.714285731	2	2	6655.600098	3415.600098	3415.600098	0.7
1754	015	2377	0.05	3150	3	85	140	4	7	4	9508	6358	RH-1	40	form-based			true	0.7	5	0.714285731	2	2	6655.600098	3505.600098	3505.600098	0.7
1754	016	2377	0.05	4875	3	85	140	4	7	4	9508	4633	RH-1	40	form-based			true	0.7	5	0.714285731	2	2	6655.600098	1780.600098	1780.600098	0.7
1754	021	2377	0.05	3675	3	65	100	3	5	2	7131	3456	RH-1	40	form-based			true	0.7	5	1	2	2	6655.600098	2980.600098	2980.600098	0.933333
1755	001	3321	0.08	6300	5	65	100	3	8	3	9963	3663	RH-2	40	form-based		true	true	0.7	7	0.875	2	2	9298.799805	2998.799805	2998.799805	0.933333
1755	003	2372	0.05	5025	3	65	100	3	5	2	7116	2091	RH-2	40	form-based			true	0.7	5	1	2	2	6641.600098	1616.600098	1616.600098	0.933333
1758	010	2995	0.07	3650	4	65	100	3	7	3	8985	5335	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8386	4736	4736	0.933333
1758	023	1633	0.04	2250	4	65	100	3	4	0	4899	2649	RTO-C	65	form-based			true	0.75	6	1.5	2	2	7348.5	5098.5	5098.5	1.5
1759	011	3015	0.07	2870	4	65	100	3	7	3	9045	6175	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8442	5572	5572	0.933333
1759	028	2702	0.06	2950	4	65	100	3	6	2	8106	5156	RH-2	40	form-based			true	0.7	6	1	2	2	7565.600098	4615.600098	4615.600098	0.933333
1759	029	3000	0.07	3200	4	65	100	3	7	3	9000	5800	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5200	5200	0.933333
1759	030	3000	0.07	3886	4	65	100	3	7	3	9000	5114	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4514	4514	0.933333
1760	004	2380	0.05	4650	3	85	140	4	7	4	9520	4870	RH-2	40	form-based			true	0.7	5	0.714285731	2	2	6664	2014	2014	0.7
1760	006	3005	0.07	3032	4	85	140	4	10	6	12020	8988	RH-2	40	form-based			true	0.7	6	0.600000024	2	2	8414	5382	5382	0.7
1762	026	2150	0.05	2965	3	65	100	3	5	2	6450	3485	RH-2	40	form-based			true	0.7	5	1	2	2	6020	3055	3055	0.933333
1762	036	3000	0.07	3520	4	65	100	3	7	3	9000	5480	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4880	4880	0.933333
1763	015	2963	0.07	3180	4	65	100	3	7	3	8889	5709	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8296.399414	5116.399414	5116.399414	0.933333
1765	002	3031	0.07	3580	4	65	100	3	7	3	9093	5513	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8486.799805	4906.799805	4906.799805	0.933333
1765	006	2979	0.07	4250	4	65	100	3	7	3	8937	4687	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8341.200195	4091.200195	4091.200195	0.933333
1765	007	2979	0.07	4250	4	65	100	3	7	3	8937	4687	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8341.200195	4091.200195	4091.200195	0.933333
1765	029	3000	0.07	3150	4	65	100	3	7	3	9000	5850	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5250	5250	0.933333
1767	025	3000	0.07	3000	4	85	140	4	10	6	12000	9000	RH-2	40	form-based			true	0.7	6	0.600000024	2	2	8400	5400	5400	0.7
1767	029	3000	0.07	3270	4	65	100	3	7	3	9000	5730	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5130	5130	0.933333
1771	002	3000	0.07	3616	4	65	100	3	7	3	9000	5384	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4784	4784	0.933333
1771	006	3750	0.09	4959	6	65	100	3	9	3	11250	6291	RM-1	40	form-based			true	0.7	8	0.888888896	2	2	10500	5541	5541	0.933333
1771	037	3010	0.07	4032	4	65	100	3	7	3	9030	4998	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8428	4396	4396	0.933333
1771	049	3010	0.07	3024	4	65	100	3	7	3	9030	6006	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8428	5404	5404	0.933333
1771	050	2695	0.06	3024	4	65	100	3	6	2	8085	5061	RH-2	40	form-based			true	0.7	6	1	2	2	7546	4522	4522	0.933333
1776	005	3000	0.07	3400	4	65	100	3	7	3	9000	5600	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5000	5000	0.933333
1778	024A	1437	0.03	1377	1	65	100	3	3	2	4311	2934	RH-2	40	form-based			true	0.7	3	1	2	2	4023.599854	2646.599854	2646.599854	0.933333
1778	038	3000	0.07	3150	4	65	100	3	7	3	9000	5850	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5250	5250	0.933333
1779	027	3000	0.07	4112	4	65	100	3	7	3	9000	4888	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4288	4288	0.933333
1780	010	3017	0.07	4000	4	65	100	3	7	3	9051	5051	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8447.599609	4447.599609	4447.599609	0.933333
1780	036	3000	0.07	3194	4	65	100	3	7	3	9000	5806	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5206	5206	0.933333
1782	013A	2068	0.05	2450	2	85	140	4	7	5	8272	5822	RH-3	40	form-based			true	0.7	4	0.571428597	2	2	5790.399902	3340.399902	3340.399902	0.7
1782	016F	2062	0.05	2341	2	85	140	4	7	5	8248	5907	RH-1	40	form-based			true	0.7	4	0.571428597	2	2	5773.600098	3432.600098	3432.600098	0.7
1782	017	3000	0.07	2700	4	85	140	4	10	6	12000	9300	RH-1	40	form-based			true	0.7	6	0.600000024	2	2	8400	5700	5700	0.7
1782	022A	1438	0.03	1269	1	65	100	3	3	2	4314	3045	RH-2	40	form-based			true	0.7	3	1	2	2	4026.399902	2757.399902	2757.399902	0.933333
1782	022B	1438	0.03	1537	1	65	100	3	3	2	4314	2777	RH-2	40	form-based			true	0.7	3	1	2	2	4026.399902	2489.399902	2489.399902	0.933333
1782	023	1438	0.03	1268	1	65	100	3	3	2	4314	3046	RH-2	40	form-based			true	0.7	3	1	2	2	4026.399902	2758.399902	2758.399902	0.933333
1782	023A	1438	0.03	1268	1	65	100	3	3	2	4314	3046	RH-2	40	form-based		true	true	0.7	3	1	2	2	4026.399902	2758.399902	2758.399902	0.933333
1783	001	1609	0.04	1121	1	65	100	3	4	3	4827	3706	RH-2	40	form-based		true	true	0.7	3	0.75	2	2	4505.199707	3384.199707	3384.199707	0.933333
1783	001A	1559	0.04	1121	1	65	100	3	4	3	4677	3556	RH-2	40	form-based			true	0.7	3	0.75	2	2	4365.199707	3244.199707	3244.199707	0.933333
1786	003	3000	0.07	2850	4	65	100	3	7	3	9000	6150	RH-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	5550	5550	0.933333
1786	028	1706	0.04	1710	2	65	100	3	4	2	5118	3408	RH-2	40	form-based			true	0.7	4	1	2	2	4776.799805	3066.799805	3066.799805	0.933333
1787	001A	1471	0.03	990	1	65	100	3	3	2	4413	3423	RH-2	40	form-based			true	0.7	3	1	2	2	4118.799805	3128.799805	3128.799805	0.933333
1787	017	3000	0.07	2850	4	65	100	3	7	3	9000	6150	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8400	5550	5550	0.933333
1787	021A	3000	0.07	2842	4	65	100	3	7	3	9000	6158	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5558	5558	0.933333
1787	028B	1235	0.03	798	1	65	100	3	3	2	3705	2907	RH-2	40	form-based		true	true	0.7	3	1	2	2	3458	2660	2660	0.933333
1788	001A	2064	0.05	2300	2	65	100	3	5	3	6192	3892	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5779.199707	3479.199707	3479.199707	0.933333
1788	007	3002	0.07	2842	4	65	100	3	7	3	9006	6164	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8405.599609	5563.599609	5563.599609	0.933333
1788	036	1875	0.04	2760	2	65	100	3	4	2	5625	2865	RH-2	40	form-based			true	0.7	4	1	2	2	5250	2490	2490	0.933333
1789	038	1562	0.04	975	1	65	100	3	4	3	4686	3711	RH-2	40	form-based			true	0.7	3	0.75	2	2	4373.600098	3398.600098	3398.600098	0.933333
1789	039	1562	0.04	975	1	65	100	3	4	3	4686	3711	RH-2	40	form-based			true	0.7	3	0.75	2	2	4373.600098	3398.600098	3398.600098	0.933333
1789	043	1562	0.04	1191	1	65	100	3	4	3	4686	3495	RH-2	40	form-based			true	0.7	3	0.75	2	2	4373.600098	3182.600098	3182.600098	0.933333
1789	044	1563	0.04	975	1	65	100	3	4	3	4689	3714	RH-2	40	form-based			true	0.7	3	0.75	2	2	4376.399902	3401.399902	3401.399902	0.933333
1792	001C	1159	0.03	2294	2	65	100	3	3	1	3477	1183	RTO-C	65	form-based			true	0.75	4	1.333333373	2	2	5215.5	2921.5	2921.5	1.5
1793	026B	1625	0.04	2525	2	65	100	3	4	2	4875	2350	NC-1	40	form-based			true	0.75	4	1	2	2	4875	2350	2350	1
1795	024	3000	0.07	2024	4	65	100	3	7	3	9000	6976	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	6376	6376	0.933333
1796	040	1437	0.03	1412	1	65	100	3	3	2	4311	2899	RH-2	40	form-based			true	0.7	3	1	2	2	4023.599854	2611.599854	2611.599854	0.933333
1797	021A	1438	0.03	800	1	85	140	4	4	3	5752	4952	RH-2	40	form-based			true	0.7	3	0.75	2	2	4026.399902	3226.399902	3226.399902	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1800	002	2937	0.07	2922	4	65	100	3	7	3	8811	5889	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8223.599609	5301.599609	5301.599609	0.933333
1800	004	3005	0.07	2692	4	65	100	3	7	3	9015	6323	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8414	5722	5722	0.933333
1800	011A	2380	0.05	2184	3	85	140	4	7	4	9520	7336	RH-2	40	form-based			true	0.7	5	0.714285731	2	2	6664	4480	4480	0.7
1801	003	3003	0.07	2324	4	65	100	3	7	3	9009	6685	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8408.399414	6084.399414	6084.399414	0.933333
1801	004	3003	0.07	2798	4	65	100	3	7	3	9009	6211	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8408.399414	5610.399414	5610.399414	0.933333
1801	024	2065	0.05	1100	2	65	100	3	5	3	6195	5095	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5782	4682	4682	0.933333
1801	029	3000	0.07	4530	4	65	100	3	7	3	9000	4470	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	3870	3870	0.933333
1802	026A	1325	0.03	540	1	65	100	3	3	2	3975	3435	RH-2	40	form-based			true	0.7	3	1	2	2	3710	3170	3170	0.933333
1802	037	2983	0.07	2690	4	65	100	3	7	3	8949	6259	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8352.399414	5662.399414	5662.399414	0.933333
1802	039	2125	0.05	2043	2	65	100	3	5	3	6375	4332	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5950	3907	3907	0.933333
1802	044	3000	0.07	3880	4	65	100	3	7	3	9000	5120	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4520	4520	0.933333
1803	009	3000	0.07	4082	4	65	100	3	7	3	9000	4918	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4318	4318	0.933333
1803	013	3000	0.07	3640	4	85	140	4	10	6	12000	8360	RH-2	40	form-based			true	0.7	6	0.600000024	2	2	8400	4760	4760	0.7
1803	015	2750	0.06	3730	4	85	140	4	8	4	11000	7270	RM-1	40	form-based			true	0.7	6	0.75	2	2	7700	3970	3970	0.7
1803	020	2101	0.05	1890	2	85	140	4	7	5	8404	6514	RH-3	40	form-based		true	true	0.7	4	0.571428597	2	2	5882.799805	3992.799805	3992.799805	0.7
1803	023	3021	0.07	3384	4	85	140	4	10	6	12084	8700	RH-3	40	form-based			true	0.7	6	0.600000024	2	2	8458.799805	5074.799805	5074.799805	0.7
1805	002	3000	0.07	3563	4	85	140	4	10	6	12000	8437	RM-1	40	form-based			true	0.7	6	0.600000024	2	2	8400	4837	4837	0.7
1805	009	3000	0.07	2192	4	65	100	3	7	3	9000	6808	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	6208	6208	0.933333
1805	010	3000	0.07	2192	4	65	100	3	7	3	9000	6808	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	6208	6208	0.933333
1805	011	3000	0.07	4174	4	65	100	3	7	3	9000	4826	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4226	4226	0.933333
1805	012	3000	0.07	4174	4	65	100	3	7	3	9000	4826	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4226	4226	0.933333
1805	014	2250	0.05	3258	3	65	100	3	5	2	6750	3492	RM-1	40	form-based			true	0.7	5	1	2	2	6300	3042	3042	0.933333
1805	017	3000	0.07	2040	4	65	100	3	7	3	9000	6960	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	6360	6360	0.933333
1805	020	1616	0.04	1100	1	65	100	3	4	3	4848	3748	RM-1	40	form-based		true	true	0.7	3	0.75	2	2	4524.799805	3424.799805	3424.799805	0.933333
1805	020A	1562	0.04	1157	1	65	100	3	4	3	4686	3529	RM-1	40	form-based			true	0.7	3	0.75	2	2	4373.600098	3216.600098	3216.600098	0.933333
1805	020B	1563	0.04	1002	1	65	100	3	4	3	4689	3687	RM-1	40	form-based			true	0.7	3	0.75	2	2	4376.399902	3374.399902	3374.399902	0.933333
1805	021	1563	0.04	1002	1	65	100	3	4	3	4689	3687	RM-1	40	form-based			true	0.7	3	0.75	2	2	4376.399902	3374.399902	3374.399902	0.933333
1805	022	1563	0.04	1002	1	65	100	3	4	3	4689	3687	RM-1	40	form-based			true	0.7	3	0.75	2	2	4376.399902	3374.399902	3374.399902	0.933333
1805	022A	1562	0.04	1002	1	65	100	3	4	3	4686	3684	RM-1	40	form-based			true	0.7	3	0.75	2	2	4373.600098	3371.600098	3371.600098	0.933333
1805	022B	1563	0.04	1278	1	65	100	3	4	3	4689	3411	RM-1	40	form-based			true	0.7	3	0.75	2	2	4376.399902	3098.399902	3098.399902	0.933333
1805	023	1250	0.03	1914	1	65	100	3	3	2	3750	1836	RM-1	40	form-based		true	true	0.7	3	1	2	2	3500	1586	1586	0.933333
1805	023A	1250	0.03	806	1	65	100	3	3	2	3750	2944	RM-1	40	form-based			true	0.7	3	1	2	2	3500	2694	2694	0.933333
1805	050	1896	0.04	2750	2	85	140	4	6	4	7584	4834	RM-1	40	form-based			true	0.7	4	0.666666687	2	2	5308.799805	2558.799805	2558.799805	0.7
1806	013	1437	0.03	1177	1	65	100	3	3	2	4311	3134	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	2846.599854	2846.599854	0.933333
1806	013B	1438	0.03	1177	1	65	100	3	3	2	4314	3137	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	2849.399902	2849.399902	0.933333
1806	013C	1438	0.03	1177	1	65	100	3	3	2	4314	3137	RH-1	40	form-based		true	true	0.7	3	1	2	2	4026.399902	2849.399902	2849.399902	0.933333
1806	023	3000	0.07	1874	4	65	100	3	7	3	9000	7126	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	6526	6526	0.933333
1807	010	1990	0.05	968	2	65	100	3	5	3	5970	5002	RH-1	40	form-based			true	0.7	4	0.800000012	2	2	5572	4604	4604	0.933333
1807	025	3000	0.07	3614	4	65	100	3	7	3	9000	5386	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4786	4786	0.933333
1807	032A	1300	0.03	540	1	85	140	4	4	3	5200	4660	RH-2	40	form-based			true	0.7	3	0.75	2	2	3640	3100	3100	0.7
1808	022	2131	0.05	2156	2	65	100	3	5	3	6393	4237	RH-1	40	form-based		true	true	0.7	4	0.800000012	2	2	5966.799805	3810.799805	3810.799805	0.933333
1810	001C	2075	0.05	2074	2	85	140	4	7	5	8300	6226	RH-2	40	form-based			true	0.7	4	0.571428597	2	2	5810	3736	3736	0.7
1810	024	1525	0.04	1972	1	65	100	3	4	3	4575	2603	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4270	2298	2298	0.933333
1810	024A	1450	0.03	1222	1	65	100	3	3	2	4350	3128	RH-1	40	form-based			true	0.7	3	1	2	2	4060	2838	2838	0.933333
1810	025	1450	0.03	1222	1	65	100	3	3	2	4350	3128	RH-1	40	form-based			true	0.7	3	1	2	2	4060	2838	2838	0.933333
1810	025A	1450	0.03	1222	1	65	100	3	3	2	4350	3128	RH-1	40	form-based			true	0.7	3	1	2	2	4060	2838	2838	0.933333
1810	037	1438	0.03	1483	1	65	100	3	3	2	4314	2831	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	2543.399902	2543.399902	0.933333
1811	042	1438	0.03	1025	1	85	140	4	4	3	5752	4727	RH-2	40	form-based			true	0.7	3	0.75	2	2	4026.399902	3001.399902	3001.399902	0.7
1812	001C	1865	0.04	1974	2	65	100	3	4	2	5595	3621	RH-2	40	form-based			true	0.7	4	1	2	2	5222	3248	3248	0.933333
1812	018	1605	0.04	1040	1	65	100	3	4	3	4815	3775	RH-1	40	form-based			true	0.7	3	0.75	2	2	4494	3454	3454	0.933333
1812	018A	1656	0.04	1040	1	65	100	3	4	3	4968	3928	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4636.799805	3596.799805	3596.799805	0.933333
1812	024	1529	0.04	1366	1	65	100	3	4	3	4587	3221	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4281.199707	2915.199707	2915.199707	0.933333
1812	024A	1437	0.03	1130	1	65	100	3	3	2	4311	3181	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	2893.599854	2893.599854	0.933333
1812	024B	1437	0.03	1130	1	65	100	3	3	2	4311	3181	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	2893.599854	2893.599854	0.933333
1812	024C	1437	0.03	1130	1	65	100	3	3	2	4311	3181	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	2893.599854	2893.599854	0.933333
1813	001C	2060	0.05	2500	2	85	140	4	7	5	8240	5740	RH-2	40	form-based			true	0.7	4	0.571428597	2	2	5768	3268	3268	0.7
1813	018	1440	0.03	1222	1	65	100	3	3	2	4320	3098	RH-1	40	form-based			true	0.7	3	1	2	2	4032	2810	2810	0.933333
1813	018A	1440	0.03	1222	1	65	100	3	3	2	4320	3098	RH-1	40	form-based			true	0.7	3	1	2	2	4032	2810	2810	0.933333
1813	019	1440	0.03	1270	1	65	100	3	3	2	4320	3050	RH-1	40	form-based			true	0.7	3	1	2	2	4032	2762	2762	0.933333
1813	019A	1530	0.04	1721	1	65	100	3	4	3	4590	2869	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4284	2563	2563	0.933333
1813	026A	1620	0.04	1178	1	65	100	3	4	3	4860	3682	RH-1	40	form-based			true	0.7	3	0.75	2	2	4536	3358	3358	0.933333
1819	038	1946	0.04	1788	2	65	100	3	4	2	5838	4050	RH-3	40	form-based			true	0.7	4	1	2	2	5448.799805	3660.799805	3660.799805	0.933333
1820	043	2065	0.05	2748	2	85	140	4	7	5	8260	5512	RH-3	40	form-based			true	0.7	4	0.571428597	2	2	5782	3034	3034	0.7
1821	021	1750	0.04	2320	2	65	100	3	4	2	5250	2930	RH-1	40	form-based		true	true	0.7	4	1	2	2	4900	2580	2580	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1821	022	2039	0.05	2320	2	65	100	3	5	3	6117	3797	RH-1	40	form-based			true	0.7	4	0.800000012	2	2	5709.199707	3389.199707	3389.199707	0.933333
1821	022A	2028	0.05	2320	2	65	100	3	5	3	6084	3764	RH-1	40	form-based			true	0.7	4	0.800000012	2	2	5678.399902	3358.399902	3358.399902	0.933333
1825	036	1765	0.04	2250	2	85	140	4	6	4	7060	4810	RH-3	40	form-based			true	0.7	4	0.666666687	2	2	4942	2692	2692	0.7
1826	024	2002	0.05	2520	2	65	100	3	5	3	6006	3486	RH-2	40	form-based		true	true	0.7	4	0.800000012	2	2	5605.600098	3085.600098	3085.600098	0.933333
1826	025	1934	0.04	2320	2	65	100	3	4	2	5802	3482	RH-2	40	form-based			true	0.7	4	1	2	2	5415.199707	3095.199707	3095.199707	0.933333
1826	025A	1934	0.04	2320	2	65	100	3	4	2	5802	3482	RH-2	40	form-based			true	0.7	4	1	2	2	5415.199707	3095.199707	3095.199707	0.933333
1837	018	2454	0.06	3232	3	65	100	3	6	3	7362	4130	RH-2	40	form-based		true	true	0.7	5	0.833333313	2	2	6871.199707	3639.199707	3639.199707	0.933333
1837	018A	1891	0.04	2816	2	65	100	3	4	2	5673	2857	RH-2	40	form-based			true	0.7	4	1	2	2	5294.799805	2478.799805	2478.799805	0.933333
1837	025	1770	0.04	2346	2	65	100	3	4	2	5310	2964	RH-2	40	form-based			true	0.7	4	1	2	2	4956	2610	2610	0.933333
1837	034	3000	0.07	2700	4	65	100	3	7	3	9000	6300	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5700	5700	0.933333
1837	035	3000	0.07	2700	4	65	100	3	7	3	9000	6300	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5700	5700	0.933333
1837	041	3000	0.07	3700	4	65	100	3	7	3	9000	5300	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4700	4700	0.933333
1838	017	2099	0.05	2452	2	65	100	3	5	3	6297	3845	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5877.199707	3425.199707	3425.199707	0.933333
1839	001F	3000	0.07	2950	4	65	100	3	7	3	9000	6050	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5450	5450	0.933333
1839	024	2709	0.06	3104	4	65	100	3	6	2	8127	5023	RH-2	40	form-based			true	0.7	6	1	2	2	7585.199707	4481.199707	4481.199707	0.933333
1840	008	3014	0.07	3680	4	65	100	3	7	3	9042	5362	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8439.200195	4759.200195	4759.200195	0.933333
1840	020A	1560	0.04	1709	1	65	100	3	4	3	4680	2971	RH-2	40	form-based			true	0.7	3	0.75	2	2	4368	2659	2659	0.933333
1840	020B	1542	0.04	1432	1	65	100	3	4	3	4626	3194	RH-2	40	form-based			true	0.7	3	0.75	2	2	4317.600098	2885.600098	2885.600098	0.933333
1840	026	3000	0.07	3150	4	65	100	3	7	3	9000	5850	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5250	5250	0.933333
1840	029	3000	0.07	3050	4	65	100	3	7	3	9000	5950	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5350	5350	0.933333
1841	017A	1810	0.04	2500	2	65	100	3	4	2	5430	2930	RH-2	40	form-based		true	true	0.7	4	1	2	2	5068	2568	2568	0.933333
1841	017B	1840	0.04	2500	2	65	100	3	4	2	5520	3020	RH-2	40	form-based			true	0.7	4	1	2	2	5152	2652	2652	0.933333
1842	011	3000	0.07	2330	4	65	100	3	7	3	9000	6670	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	6070	6070	0.933333
1842	018	1438	0.03	800	1	65	100	3	3	2	4314	3514	RH-2	40	form-based			true	0.7	3	1	2	2	4026.399902	3226.399902	3226.399902	0.933333
1842	018A	1437	0.03	1024	1	65	100	3	3	2	4311	3287	RH-2	40	form-based			true	0.7	3	1	2	2	4023.599854	2999.599854	2999.599854	0.933333
1842	018B	1437	0.03	1574	1	65	100	3	3	2	4311	2737	RH-2	40	form-based			true	0.7	3	1	2	2	4023.599854	2449.599854	2449.599854	0.933333
1843	004	2997	0.07	3924	4	65	100	3	7	3	8991	5067	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8391.599609	4467.599609	4467.599609	0.933333
1843	053	1500	0.03	800	1	65	100	3	3	2	4500	3700	RH-2	40	form-based			true	0.7	3	1	2	2	4200	3400	3400	0.933333
1843	054	1500	0.03	1181	1	65	100	3	3	2	4500	3319	RH-2	40	form-based			true	0.7	3	1	2	2	4200	3019	3019	0.933333
1844	039	2982	0.07	4000	4	65	100	3	7	3	8946	4946	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8349.599609	4349.599609	4349.599609	0.933333
1844	042	2933	0.07	3866	4	85	140	4	10	6	11732	7866	RH-2	40	form-based			true	0.7	6	0.600000024	2	2	8212.399414	4346.399414	4346.399414	0.7
1844	051	1492	0.03	2726	1	65	100	3	3	2	4476	1750	RH-2	40	form-based			true	0.7	3	1	2	2	4177.600098	1451.600098	1451.600098	0.933333
1845	009	2995	0.07	3458	4	65	100	3	7	3	8985	5527	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8386	4928	4928	0.933333
1845	010	2995	0.07	3400	4	65	100	3	7	3	8985	5585	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8386	4986	4986	0.933333
1845	014	2995	0.07	3380	4	65	100	3	7	3	8985	5605	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8386	5006	5006	0.933333
1845	017	2995	0.07	3800	4	65	100	3	7	3	8985	5185	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8386	4586	4586	0.933333
1845	018	3232	0.07	4748	5	65	100	3	7	2	9696	4948	RH-1	40	form-based		true	true	0.7	7	1	2	2	9049.599609	4301.599609	4301.599609	0.933333
1845	037	3000	0.07	3940	4	65	100	3	7	3	9000	5060	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4460	4460	0.933333
1846	025	2500	0.06	3212	3	65	100	3	6	3	7500	4288	RH-1	40	form-based			true	0.7	5	0.833333313	2	2	7000	3788	3788	0.933333
1846	041	2968	0.07	3844	4	65	100	3	7	3	8904	5060	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8310.399414	4466.399414	4466.399414	0.933333
1846	042	2919	0.07	3800	4	65	100	3	7	3	8757	4957	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8173.199707	4373.199707	4373.199707	0.933333
1847	023	2296	0.05	3180	3	65	100	3	5	2	6888	3708	RH-1	40	form-based			true	0.7	5	1	2	2	6428.799805	3248.799805	3248.799805	0.933333
1847	050	2331	0.05	4480	7	65	100	3	5	0	6993	2513	RTO-C	65	form-based		true	true	0.75	9	1.799999952	2	2	10489.5	6009.5	6009.5	1.5
1848	028	2390	0.05	3393	3	65	100	3	5	2	7170	3777	RH-1	40	form-based			true	0.7	5	1	2	2	6692	3299	3299	0.933333
1851	006A	825	0.02	0	0	55	80	2.5	2	2	2062	2062	RH-2	40	form-based			true	0.7	2	1	2	2	2310	2310	2310	1.120272
1851	007A	981	0.02	0	0	55	80	2.5	2	2	2452	2452	RH-2	40	form-based			true	0.7	2	1	2	2	2746.800049	2746.800049	2746.800049	1.120228
1854	005	2984	0.07	4050	4	65	100	3	7	3	8952	4902	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8355.200195	4305.200195	4305.200195	0.933333
1854	009	2984	0.07	3926	4	65	100	3	7	3	8952	5026	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8355.200195	4429.200195	4429.200195	0.933333
1854	013A	2984	0.07	4140	4	65	100	3	7	3	8952	4812	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8355.200195	4215.200195	4215.200195	0.933333
1854	031	3250	0.07	5430	5	65	100	3	7	2	9750	4320	RH-1	40	form-based		true	true	0.7	7	1	2	2	9100	3670	3670	0.933333
1854	038	2375	0.05	3300	3	65	100	3	5	2	7125	3825	RH-1	40	form-based			true	0.7	5	1	2	2	6650	3350	3350	0.933333
1854	039	2877	0.07	4000	4	65	100	3	7	3	8631	4631	RH-2	40	form-based		true	true	0.7	6	0.857142866	2	2	8055.600098	4055.600098	4055.600098	0.933333
1855	006	3000	0.07	3834	4	65	100	3	7	3	9000	5166	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4566	4566	0.933333
1855	008	3000	0.07	3946	4	65	100	3	7	3	9000	5054	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4454	4454	0.933333
1855	009	3000	0.07	4140	4	65	100	3	7	3	9000	4860	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	4260	4260	0.933333
1855	011	3000	0.07	2750	4	65	100	3	7	3	9000	6250	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	5650	5650	0.933333
1855	046	3013	0.07	4016	4	65	100	3	7	3	9039	5023	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8436.399414	4420.399414	4420.399414	0.933333
1855	047	3013	0.07	4016	4	65	100	3	7	3	9039	5023	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8436.399414	4420.399414	4420.399414	0.933333
1855	048	3013	0.07	4016	4	65	100	3	7	3	9039	5023	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8436.399414	4420.399414	4420.399414	0.933333
1856	026	1729	0.04	2750	2	65	100	3	4	2	5187	2437	RH-2	40	form-based		true	true	0.7	4	1	2	2	4841.199707	2091.199707	2091.199707	0.933333
1856	043	1414	0.03	1550	1	65	100	3	3	2	4242	2692	RH-2	40	form-based			true	0.7	3	1	2	2	3959.199951	2409.199951	2409.199951	0.933333
1856	043B	1875	0.04	2250	2	65	100	3	4	2	5625	3375	RH-2	40	form-based			true	0.7	4	1	2	2	5250	3000	3000	0.933333
1857	001A	1440	0.03	2033	1	65	100	3	3	2	4320	2287	RH-2	40	form-based			true	0.7	3	1	2	2	4032	1999	1999	0.933333
1857	024	3000	0.07	2340	4	65	100	3	7	3	9000	6660	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	6060	6060	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1857	027	3000	0.07	1980	4	65	100	3	7	3	9000	7020	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8400	6420	6420	0.933333
1858	013	1750	0.04	3115	2	65	100	3	4	2	5250	2135	RH-2	40	form-based			true	0.7	4	1	2	2	4900	1785	1785	0.933333
1858	014	1750	0.04	2600	2	65	100	3	4	2	5250	2650	RH-2	40	form-based			true	0.7	4	1	2	2	4900	2300	2300	0.933333
1858	015	1856	0.04	2600	2	65	100	3	4	2	5568	2968	RH-2	40	form-based			true	0.7	4	1	2	2	5196.799805	2596.799805	2596.799805	0.933333
1858	032	1820	0.04	1365	2	65	100	3	4	2	5460	4095	RH-2	40	form-based		true	true	0.7	4	1	2	2	5096	3731	3731	0.933333
1860A	013D	1288	0.03	1437	1	65	100	3	3	2	3864	2427	RH-1	40	form-based			true	0.7	3	1	2	2	3606.399902	2169.399902	2169.399902	0.933333
1860A	029	1226	0.03	2060	1	65	100	3	3	2	3678	1618	RH-1	40	form-based			true	0.7	3	1	2	2	3432.800049	1372.800049	1372.800049	0.933333
1863	021B	3003	0.07	5000	4	55	80	2.5	6	2	7508	2508	RH-1	40	form-based		true	true	0.7	6	1	2	2	8408.399414	3408.399414	3408.399414	1.119925
1863	042	1975	0.05	2849	2	65	100	3	5	3	5925	3076	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5530	2681	2681	0.933333
1865	008C	3040	0.07	2950	4	65	100	3	7	3	9120	6170	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8512	5562	5562	0.933333
1865	013	1568	0.04	555	1	65	100	3	4	3	4704	4149	RH-2	40	form-based			true	0.7	3	0.75	2	2	4390.399902	3835.399902	3835.399902	0.933333
1865	016	2540	0.06	3000	3	65	100	3	6	3	7620	4620	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7112	4112	4112	0.933333
1866	018G	1609	0.04	1276	1	65	100	3	4	3	4827	3551	RH-2	40	form-based			true	0.7	3	0.75	2	2	4505.199707	3229.199707	3229.199707	0.933333
1866	018H	1547	0.04	1025	1	65	100	3	4	3	4641	3616	RH-2	40	form-based			true	0.7	3	0.75	2	2	4331.600098	3306.600098	3306.600098	0.933333
1866	018I	1547	0.04	1500	1	65	100	3	4	3	4641	3141	RH-2	40	form-based			true	0.7	3	0.75	2	2	4331.600098	2831.600098	2831.600098	0.933333
1868	018B	2082	0.05	2400	2	65	100	3	5	3	6246	3846	RH-1	40	form-based		true	true	0.7	4	0.800000012	2	2	5829.600098	3429.600098	3429.600098	0.933333
1868	023	1643	0.04	1558	1	65	100	3	4	3	4929	3371	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4600.399902	3042.399902	3042.399902	0.933333
1868	023A	1636	0.04	1137	1	65	100	3	4	3	4908	3771	RH-1	40	form-based			true	0.7	3	0.75	2	2	4580.799805	3443.799805	3443.799805	0.933333
1869	044	2000	0.05	2750	2	65	100	3	5	3	6000	3250	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	2850	2850	0.933333
1870	001	2063	0.05	2800	2	65	100	3	5	3	6189	3389	RH-2	40	form-based		true	true	0.7	4	0.800000012	2	2	5776.399902	2976.399902	2976.399902	0.933333
1870	023A	1439	0.03	1050	1	65	100	3	3	2	4317	3267	RH-2	40	form-based			true	0.7	3	1	2	2	4029.199951	2979.199951	2979.199951	0.933333
1870	023B	1439	0.03	1032	1	65	100	3	3	2	4317	3285	RH-2	40	form-based			true	0.7	3	1	2	2	4029.199951	2997.199951	2997.199951	0.933333
1870	024	1439	0.03	1050	1	65	100	3	3	2	4317	3267	RH-2	40	form-based		true	true	0.7	3	1	2	2	4029.199951	2979.199951	2979.199951	0.933333
1871	001B	1670	0.04	2534	2	65	100	3	4	2	5010	2476	RH-2	40	form-based			true	0.7	4	1	2	2	4676	2142	2142	0.933333
1885	001	1363	0.03	1035	1	65	100	3	3	2	4089	3054	RH-1	40	form-based		true	true	0.7	3	1	2	2	3816.399902	2781.399902	2781.399902	0.933333
1885	001A	1437	0.03	844	1	65	100	3	3	2	4311	3467	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	3179.599854	3179.599854	0.933333
1885	001B	1437	0.03	900	1	65	100	3	3	2	4311	3411	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	3123.599854	3123.599854	0.933333
1885	001C	1437	0.03	1455	1	65	100	3	3	2	4311	2856	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	2568.599854	2568.599854	0.933333
1887	015A	1303	0.03	980	1	55	80	2.5	2	1	3258	2278	RH-1	40	form-based			true	0.7	3	1.5	2	2	3648.399902	2668.399902	2668.399902	1.119828
1888	017A	1368	0.03	2240	3	65	100	3	3	0	4104	1864	NC-1	65	form-based			true	0.75	5	1.666666627	2	2	6156	3916	3916	1.5
1890	001	1590	0.04	1662	1	65	100	3	4	3	4770	3108	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4452	2790	2790	0.933333
1890	001A	1366	0.03	875	1	65	100	3	3	2	4098	3223	RH-1	40	form-based			true	0.7	3	1	2	2	3824.800049	2949.800049	2949.800049	0.933333
1890	001B	1437	0.03	875	1	65	100	3	3	2	4311	3436	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	3148.599854	3148.599854	0.933333
1890	001C	1285	0.03	1303	1	65	100	3	3	2	3855	2552	RH-1	40	form-based			true	0.7	3	1	2	2	3598	2295	2295	0.933333
1890	014	1581	0.04	1025	1	65	100	3	4	3	4743	3718	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4426.799805	3401.799805	3401.799805	0.933333
1890	014A	1625	0.04	1025	1	65	100	3	4	3	4875	3850	RH-1	40	form-based			true	0.7	3	0.75	2	2	4550	3525	3525	0.933333
1890	019	1362	0.03	934	1	55	80	2.5	2	1	3405	2471	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	3813.599854	2879.599854	2879.599854	1.12
1890	019A	1441	0.03	800	1	65	100	3	3	2	4323	3523	RH-1	40	form-based			true	0.7	3	1	2	2	4034.800049	3234.800049	3234.800049	0.933333
1890	020	1441	0.03	800	1	65	100	3	3	2	4323	3523	RH-1	40	form-based			true	0.7	3	1	2	2	4034.800049	3234.800049	3234.800049	0.933333
1890	020A	1441	0.03	1125	1	65	100	3	3	2	4323	3198	RH-1	40	form-based			true	0.7	3	1	2	2	4034.800049	2909.800049	2909.800049	0.933333
1890	036A	1441	0.03	1100	1	65	100	3	3	2	4323	3223	RH-1	40	form-based			true	0.7	3	1	2	2	4034.800049	2934.800049	2934.800049	0.933333
1890	036B	1441	0.03	1100	1	65	100	3	3	2	4323	3223	RH-1	40	form-based			true	0.7	3	1	2	2	4034.800049	2934.800049	2934.800049	0.933333
1890	037	1524	0.03	1487	1	65	100	3	3	2	4572	3085	RH-1	40	form-based		true	true	0.7	3	1	2	2	4267.199707	2780.199707	2780.199707	0.933333
1891	001A	1528	0.04	1721	1	65	100	3	4	3	4584	2863	RH-1	40	form-based			true	0.7	3	0.75	2	2	4278.399902	2557.399902	2557.399902	0.933333
1891	043	1442	0.03	1365	1	65	100	3	3	2	4326	2961	RH-1	40	form-based			true	0.7	3	1	2	2	4037.599854	2672.599854	2672.599854	0.933333
1891	043A	1442	0.03	1000	1	65	100	3	3	2	4326	3326	RH-1	40	form-based			true	0.7	3	1	2	2	4037.599854	3037.599854	3037.599854	0.933333
1891	044	1442	0.03	1000	1	65	100	3	3	2	4326	3326	RH-1	40	form-based			true	0.7	3	1	2	2	4037.599854	3037.599854	3037.599854	0.933333
1891	044A	1396	0.03	1000	1	65	100	3	3	2	4188	3188	RH-1	40	form-based		true	true	0.7	3	1	2	2	3908.800049	2908.800049	2908.800049	0.933333
1892	001	2200	0.05	1852	3	65	100	3	5	2	6600	4748	RH-1	40	form-based		true	true	0.7	5	1	2	2	6160	4308	4308	0.933333
1892	013	1335	0.03	944	1	65	100	3	3	2	4005	3061	RH-1	40	form-based		true	true	0.7	3	1	2	2	3738	2794	2794	0.933333
1892	013A	1440	0.03	800	1	65	100	3	3	2	4320	3520	RH-1	40	form-based			true	0.7	3	1	2	2	4032	3232	3232	0.933333
1892	013B	1440	0.03	994	1	65	100	3	3	2	4320	3326	RH-1	40	form-based			true	0.7	3	1	2	2	4032	3038	3038	0.933333
1892	013C	1440	0.03	800	1	65	100	3	3	2	4320	3520	RH-1	40	form-based			true	0.7	3	1	2	2	4032	3232	3232	0.933333
1892	034	1501	0.03	1761	1	65	100	3	3	2	4503	2742	RH-1	40	form-based		true	true	0.7	3	1	2	2	4202.799805	2441.799805	2441.799805	0.933333
1893	017	1440	0.03	960	1	65	100	3	3	2	4320	3360	RH-1	40	form-based			true	0.7	3	1	2	2	4032	3072	3072	0.933333
1893	017A	1440	0.03	960	1	65	100	3	3	2	4320	3360	RH-1	40	form-based			true	0.7	3	1	2	2	4032	3072	3072	0.933333
1893	018	1440	0.03	960	1	65	100	3	3	2	4320	3360	RH-1	40	form-based			true	0.7	3	1	2	2	4032	3072	3072	0.933333
1893	018A	1359	0.03	960	1	65	100	3	3	2	4077	3117	RH-1	40	form-based		true	true	0.7	3	1	2	2	3805.199951	2845.199951	2845.199951	0.933333
1893	035	2983	0.07	4094	4	65	100	3	7	3	8949	4855	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8352.399414	4258.399414	4258.399414	0.933333
1893	036	2983	0.07	4094	4	65	100	3	7	3	8949	4855	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8352.399414	4258.399414	4258.399414	0.933333
1893	046	1619	0.04	1025	1	65	100	3	4	3	4857	3832	RH-2	40	form-based		true	true	0.7	3	0.75	2	2	4533.199707	3508.199707	3508.199707	0.933333
1893	048	1364	0.03	1047	1	65	100	3	3	2	4092	3045	RH-2	40	form-based			true	0.7	3	1	2	2	3819.199951	2772.199951	2772.199951	0.933333
1894	015	3000	0.07	3516	4	65	100	3	7	3	9000	5484	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4884	4884	0.933333
1894	016	3000	0.07	2650	4	65	100	3	7	3	9000	6350	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	5750	5750	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1894	019A	1433	0.03	1250	1	65	100	3	3	2	4299	3049	RH-2	40	form-based			true	0.7	3	1	2	2	4012.399902	2762.399902	2762.399902	0.933333
1894	020	1349	0.03	1000	1	65	100	3	3	2	4047	3047	RH-2	40	form-based		true	true	0.7	3	1	2	2	3777.199951	2777.199951	2777.199951	0.933333
1894	020A	1517	0.03	850	1	65	100	3	3	2	4551	3701	RH-2	40	form-based			true	0.7	3	1	2	2	4247.600098	3397.600098	3397.600098	0.933333
1894	020B	1517	0.03	1444	1	65	100	3	3	2	4551	3107	RH-2	40	form-based			true	0.7	3	1	2	2	4247.600098	2803.600098	2803.600098	0.933333
1894	020C	1465	0.03	1150	1	65	100	3	3	2	4395	3245	RH-2	40	form-based			true	0.7	3	1	2	2	4102	2952	2952	0.933333
1894	021A	2142	0.05	1912	2	65	100	3	5	3	6426	4514	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5997.600098	4085.600098	4085.600098	0.933333
1894	037	4774	0.11	4320	8	65	100	3	11	3	14322	10002	RM-1	40	form-based			true	0.7	10	0.909090936	2	2	13367.2002	9047.200195	9047.200195	0.933333
1894	082	1890	0.04	557	2	65	100	3	4	2	5670	5113	RM-1	40	form-based			true	0.7	4	1	2	2	5292	4735	4735	0.933333
1895	055	2826	0.06	870	4	55	80	2.5	5	1	7065	6195	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7912.799805	7042.799805	7042.799805	1.12
1895	059	2861	0.07	4763	4	55	80	2.5	6	2	7152	2389	RH-2	40	form-based			true	0.7	6	1	2	2	8010.799805	3247.799805	3247.799805	1.120078
1896	001B	1221	0.03	1428	1	55	80	2.5	2	1	3052	1624	RH-1	40	form-based			true	0.7	3	1.5	2	2	3418.800049	1990.800049	1990.800049	1.120183
1896	024	1875	0.04	1983	2	55	80	2.5	3	1	4688	2705	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	5250	3267	3267	1.119881
1897	031	1753	0.04	1986	2	55	80	2.5	3	1	4382	2396	RH-1	40	form-based			true	0.7	4	1.333333373	2	2	4908.399902	2922.399902	2922.399902	1.120128
1898	001A	1635	0.04	1198	1	55	80	2.5	3	2	4088	2890	RH-1	40	form-based			true	0.7	3	1	2	2	4578	3380	3380	1.119863
1898	017A	1437	0.03	1190	1	55	80	2.5	2	1	3592	2402	RH-1	40	form-based			true	0.7	3	1.5	2	2	4023.599854	2833.599854	2833.599854	1.120156
1898	018	1291	0.03	1190	1	55	80	2.5	2	1	3228	2038	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	3614.800049	2424.800049	2424.800049	1.119827
1898	039	1438	0.03	1370	1	55	80	2.5	2	1	3595	2225	RH-1	40	form-based			true	0.7	3	1.5	2	2	4026.399902	2656.399902	2656.399902	1.12
1898	039A	1437	0.03	900	1	55	80	2.5	2	1	3592	2692	RH-1	40	form-based			true	0.7	3	1.5	2	2	4023.599854	3123.599854	3123.599854	1.120156
1898	040	1437	0.03	1391	1	55	80	2.5	2	1	3592	2201	RH-1	40	form-based			true	0.7	3	1.5	2	2	4023.599854	2632.599854	2632.599854	1.120156
1898	040A	1513	0.03	900	1	55	80	2.5	2	1	3782	2882	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	4236.399902	3336.399902	3336.399902	1.120148
1899	018	1584	0.04	1503	1	55	80	2.5	3	2	3960	2457	RH-1	40	form-based			true	0.7	3	1	2	2	4435.199707	2932.199707	2932.199707	1.12
1899	018A	1438	0.03	1050	1	55	80	2.5	2	1	3595	2545	RH-1	40	form-based			true	0.7	3	1.5	2	2	4026.399902	2976.399902	2976.399902	1.12
1899	019	1437	0.03	1050	1	55	80	2.5	2	1	3592	2542	RH-1	40	form-based			true	0.7	3	1.5	2	2	4023.599854	2973.599854	2973.599854	1.120156
1899	019A	1291	0.03	1050	1	55	80	2.5	2	1	3228	2178	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	3614.800049	2564.800049	2564.800049	1.119827
1899	025	1295	0.03	850	1	55	80	2.5	2	1	3238	2388	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	3626	2776	2776	1.119827
1899	025A	1441	0.03	850	1	55	80	2.5	2	1	3602	2752	RH-1	40	form-based			true	0.7	3	1.5	2	2	4034.800049	3184.800049	3184.800049	1.120155
1899	026	1441	0.03	850	1	55	80	2.5	2	1	3602	2752	RH-1	40	form-based			true	0.7	3	1.5	2	2	4034.800049	3184.800049	3184.800049	1.120155
1899	026A	1588	0.04	850	1	55	80	2.5	3	2	3970	3120	RH-1	40	form-based			true	0.7	3	1	2	2	4446.399902	3596.399902	3596.399902	1.12
1899	045	1436	0.03	1280	1	55	80	2.5	2	1	3590	2310	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	4020.800049	2740.800049	2740.800049	1.12
1899	045A	1434	0.03	1300	1	55	80	2.5	2	1	3585	2285	RH-1	40	form-based			true	0.7	3	1.5	2	2	4015.199951	2715.199951	2715.199951	1.12
1900	039	1651	0.04	1549	1	55	80	2.5	3	2	4128	2579	RH-1	40	form-based			true	0.7	3	1	2	2	4622.799805	3073.799805	3073.799805	1.119864
1900	039A	1583	0.04	1173	1	55	80	2.5	3	2	3958	2785	RH-1	40	form-based		true	true	0.7	3	1	2	2	4432.399902	3259.399902	3259.399902	1.119859
1902	001	1600	0.04	1230	1	55	80	2.5	3	2	4000	2770	RH-1	40	form-based		true	true	0.7	3	1	2	2	4480	3250	3250	1.12
1902	003E	1893	0.04	1725	2	55	80	2.5	3	1	4732	3007	RH-1	40	form-based			true	0.7	4	1.333333373	2	2	5300.399902	3575.399902	3575.399902	1.120118
1902	025	1640	0.04	1620	1	55	80	2.5	3	2	4100	2480	RH-1	40	form-based		true	true	0.7	3	1	2	2	4592	2972	2972	1.12
1903	001	1598	0.04	1675	1	55	80	2.5	3	2	3995	2320	RH-1	40	form-based		true	true	0.7	3	1	2	2	4474.399902	2799.399902	2799.399902	1.12
1903	051	1599	0.04	1849	1	55	80	2.5	3	2	3998	2149	RH-1	40	form-based		true	true	0.7	3	1	2	2	4477.199707	2628.199707	2628.199707	1.11986
1904	001	1596	0.04	1438	1	55	80	2.5	3	2	3990	2552	RH-1	40	form-based		true	true	0.7	3	1	2	2	4468.799805	3030.799805	3030.799805	1.12
1904	052	1606	0.04	1000	1	55	80	2.5	3	2	4015	3015	RH-1	40	form-based		true	true	0.7	3	1	2	2	4496.799805	3496.799805	3496.799805	1.12
1909	001	1584	0.04	1786	1	55	80	2.5	3	2	3960	2174	RH-1	40	form-based		true	true	0.7	3	1	2	2	4435.199707	2649.199707	2649.199707	1.12
1914	001A	2012	0.05	1680	2	55	80	2.5	4	2	5030	3350	RH-1	40	form-based			true	0.7	4	1	2	2	5633.600098	3953.600098	3953.600098	1.12
1914	001B	2013	0.05	1680	2	55	80	2.5	4	2	5032	3352	RH-1	40	form-based			true	0.7	4	1	2	2	5636.399902	3956.399902	3956.399902	1.120111
1921	051	1863	0.04	3100	2	55	80	2.5	3	1	4658	1558	RH-1	40	form-based		true	true	0.7	4	1.333333373	2	2	5216.399902	2116.399902	2116.399902	1.11988
1923	015	2025	0.05	2600	2	55	80	2.5	4	2	5062	2462	RH-2	40	form-based			true	0.7	4	1	2	2	5670	3070	3070	1.120111
1923	017	1893	0.04	2600	2	55	80	2.5	3	1	4732	2132	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5300.399902	2700.399902	2700.399902	1.120118
1924	091	2575	0.06	1980	3	55	80	2.5	5	2	6438	4458	RH-2	40	form-based			true	0.7	5	1	2	2	7210	5230	5230	1.119913
1924	093	2575	0.06	2108	3	55	80	2.5	5	2	6438	4330	RH-2	40	form-based			true	0.7	5	1	2	2	7210	5102	5102	1.119913
1924	099	2575	0.06	1980	3	55	80	2.5	5	2	6438	4458	RH-2	40	form-based			true	0.7	5	1	2	2	7210	5230	5230	1.119913
1924	103	2575	0.06	1980	3	55	80	2.5	5	2	6438	4458	RH-2	40	form-based			true	0.7	5	1	2	2	7210	5230	5230	1.119913
1924	105	2575	0.06	1980	3	55	80	2.5	5	2	6438	4458	RH-2	40	form-based			true	0.7	5	1	2	2	7210	5230	5230	1.119913
1924	107	2575	0.06	1980	3	55	80	2.5	5	2	6438	4458	RH-2	40	form-based			true	0.7	5	1	2	2	7210	5230	5230	1.119913
1924	111	2575	0.06	1980	3	55	80	2.5	5	2	6438	4458	RH-2	40	form-based			true	0.7	5	1	2	2	7210	5230	5230	1.119913
1924	117	2575	0.06	1980	3	55	80	2.5	5	2	6438	4458	RH-2	40	form-based			true	0.7	5	1	2	2	7210	5230	5230	1.119913
1924	119	2575	0.06	1980	3	55	80	2.5	5	2	6438	4458	RH-2	40	form-based			true	0.7	5	1	2	2	7210	5230	5230	1.119913
1924	125	2575	0.06	1980	3	55	80	2.5	5	2	6438	4458	RH-2	40	form-based			true	0.7	5	1	2	2	7210	5230	5230	1.119913
1925	021	1445	0.03	1710	1	55	80	2.5	2	1	3612	1902	RH-1	40	form-based			true	0.7	3	1.5	2	2	4046	2336	2336	1.120155
1929A	009C	2782	0.06	2570	4	55	80	2.5	5	1	6955	4385	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7789.600098	5219.600098	5219.600098	1.12
1929A	061	2625	0.06	715	4	55	80	2.5	5	1	6562	5847	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7350	6635	6635	1.120085
1929A	065	2992	0.07	517	4	55	80	2.5	6	2	7480	6963	RH-2	40	form-based		true	true	0.7	6	1	2	2	8377.599609	7860.599609	7860.599609	1.12
1931	001	1288	0.03	2200	1	55	80	2.5	2	1	3220	1020	RH-2	40	form-based		true	true	0.7	3	1.5	2	2	3606.399902	1406.399902	1406.399902	1.12
1931	001C	2048	0.05	2074	2	55	80	2.5	4	2	5120	3046	RH-2	40	form-based			true	0.7	4	1	2	2	5734.399902	3660.399902	3660.399902	1.12
1931	036	1816	0.04	2074	2	55	80	2.5	3	1	4540	2466	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5084.799805	3010.799805	3010.799805	1.12
1932	001B	1416	0.03	1508	1	55	80	2.5	2	1	3540	2032	RH-2	40	form-based			true	0.7	3	1.5	2	2	3964.800049	2456.800049	2456.800049	1.12
1932	022	2213	0.05	2321	3	55	80	2.5	4	1	5532	3211	RH-2	40	form-based			true	0.7	5	1.25	2	2	6196.399902	3875.399902	3875.399902	1.120101

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1933	034	2990	0.07	4432	4	55	80	2.5	6	2	7475	3043	RH-2	40	form-based			true	0.7	6	1	2	2	8372	3940	3940	1.12
1934	001	1579	0.04	1650	1	55	80	2.5	3	2	3948	2298	RH-2	40	form-based		true	true	0.7	3	1	2	2	4421.199707	2771.199707	2771.199707	1.119858
1934	001A	1750	0.04	1650	2	55	80	2.5	3	1	4375	2725	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4900	3250	3250	1.12
1934	032	3013	0.07	3621	4	55	80	2.5	6	2	7532	3911	RH-2	40	form-based			true	0.7	6	1	2	2	8436.399414	4815.399414	4815.399414	1.120074
1934	041B	1592	0.04	2330	1	55	80	2.5	3	2	3980	1650	RH-2	40	form-based		true	true	0.7	3	1	2	2	4457.600098	2127.600098	2127.600098	1.12
1935	010	782	0.02	0	0	55	80	2.5	2	2	1955	1955	RH-1	40	form-based			true	0.7	2	1	2	2	2189.599854	2189.599854	2189.599854	1.12
1936	040	1575	0.04	1740	1	55	80	2.5	3	2	3938	2198	RH-1	40	form-based			true	0.7	3	1	2	2	4410	2670	2670	1.119858
1936	041	1575	0.04	1213	1	55	80	2.5	3	2	3938	2725	RH-1	40	form-based			true	0.7	3	1	2	2	4410	3197	3197	1.119858
2001	019	1437	0.03	1512	1	55	80	2.5	2	1	3592	2080	RH-2	40	form-based			true	0.7	3	1.5	2	2	4023.599854	2511.599854	2511.599854	1.120156
2001	020	1437	0.03	1228	1	55	80	2.5	2	1	3592	2364	RH-2	40	form-based			true	0.7	3	1.5	2	2	4023.599854	2795.599854	2795.599854	1.120156
2001	043	1333	0.03	1319	1	55	80	2.5	2	1	3332	2013	RH-2	40	form-based			true	0.7	3	1.5	2	2	3732.399902	2413.399902	2413.399902	1.120168
2001	044	1363	0.03	1130	1	55	80	2.5	2	1	3408	2278	RH-2	40	form-based			true	0.7	3	1.5	2	2	3816.399902	2686.399902	2686.399902	1.119836
2001	044A	1393	0.03	1000	1	55	80	2.5	2	1	3482	2482	RH-2	40	form-based		true	true	0.7	3	1.5	2	2	3900.399902	2900.399902	2900.399902	1.120161
2003	004	1659	0.04	850	1	55	80	2.5	3	2	4148	3298	RH-1	40	form-based			true	0.7	3	1	2	2	4645.199707	3795.199707	3795.199707	1.119865
2003	049	1659	0.04	850	1	55	80	2.5	3	2	4148	3298	RH-1	40	form-based			true	0.7	3	1	2	2	4645.199707	3795.199707	3795.199707	1.119865
2004	047	1631	0.04	1068	1	55	80	2.5	3	2	4078	3010	RH-1	40	form-based			true	0.7	3	1	2	2	4566.799805	3498.799805	3498.799805	1.119863
2004	048	1631	0.04	688	1	55	80	2.5	3	2	4078	3390	RH-1	40	form-based			true	0.7	3	1	2	2	4566.799805	3878.799805	3878.799805	1.119863
2004	049	1631	0.04	1187	1	55	80	2.5	3	2	4078	2891	RH-1	40	form-based		true	true	0.7	3	1	2	2	4566.799805	3379.799805	3379.799805	1.119863
2005	001	1440	0.03	1000	1	55	80	2.5	2	1	3600	2600	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	4032	3032	3032	1.12
2005	001A	1440	0.03	1000	1	55	80	2.5	2	1	3600	2600	RH-1	40	form-based			true	0.7	3	1.5	2	2	4032	3032	3032	1.12
2005	001B	1440	0.03	1000	1	55	80	2.5	2	1	3600	2600	RH-1	40	form-based			true	0.7	3	1.5	2	2	4032	3032	3032	1.12
2005	001C	1440	0.03	1125	1	55	80	2.5	2	1	3600	2475	RH-1	40	form-based			true	0.7	3	1.5	2	2	4032	2907	2907	1.12
2005	039A	1436	0.03	1240	1	55	80	2.5	2	1	3590	2350	RH-1	40	form-based			true	0.7	3	1.5	2	2	4020.800049	2780.800049	2780.800049	1.12
2005	040	1436	0.03	1000	1	55	80	2.5	2	1	3590	2590	RH-1	40	form-based			true	0.7	3	1.5	2	2	4020.800049	3020.800049	3020.800049	1.12
2005	041	1436	0.03	1000	1	55	80	2.5	2	1	3590	2590	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	4020.800049	3020.800049	3020.800049	1.12
2007	001	1375	0.03	1210	1	55	80	2.5	2	1	3438	2228	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	3850	2640	2640	1.119837
2007	001A	1417	0.03	1038	1	55	80	2.5	2	1	3542	2504	RH-1	40	form-based			true	0.7	3	1.5	2	2	3967.599854	2929.599854	2929.599854	1.120158
2007	001B	1417	0.03	1038	1	55	80	2.5	2	1	3542	2504	RH-1	40	form-based			true	0.7	3	1.5	2	2	3967.599854	2929.599854	2929.599854	1.120158
2007	001C	1417	0.03	1320	1	55	80	2.5	2	1	3542	2222	RH-1	40	form-based			true	0.7	3	1.5	2	2	3967.599854	2647.599854	2647.599854	1.120158
2010	001	1377	0.03	1126	1	55	80	2.5	2	1	3442	2316	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	3855.599854	2729.599854	2729.599854	1.120163
2010	002	1419	0.03	980	1	55	80	2.5	2	1	3548	2568	RH-1	40	form-based			true	0.7	3	1.5	2	2	3973.199951	2993.199951	2993.199951	1.119842
2010	003	1419	0.03	800	1	55	80	2.5	2	1	3548	2748	RH-1	40	form-based			true	0.7	3	1.5	2	2	3973.199951	3173.199951	3173.199951	1.119842
2010	051	1421	0.03	800	1	55	80	2.5	2	1	3552	2752	RH-1	40	form-based			true	0.7	3	1.5	2	2	3978.800049	3178.800049	3178.800049	1.120158
2010	052	1421	0.03	921	1	55	80	2.5	2	1	3552	2631	RH-1	40	form-based			true	0.7	3	1.5	2	2	3978.800049	3057.800049	3057.800049	1.120158
2010	053	1379	0.03	800	1	55	80	2.5	2	1	3448	2648	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	3861.199951	3061.199951	3061.199951	1.119838
2011	001	1662	0.04	1088	1	55	80	2.5	3	2	4155	3067	RH-1	40	form-based		true	true	0.7	3	1	2	2	4653.600098	3565.600098	3565.600098	1.12
2036A	026	2740	0.06	2569	4	55	80	2.5	5	1	6850	4281	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7672	5103	5103	1.12
2037A	021B	2118	0.05	2506	2	55	80	2.5	4	2	5295	2789	RH-2	40	form-based			true	0.7	4	1	2	2	5930.399902	3424.399902	3424.399902	1.12
2037A	025	987	0.02	0	0	55	80	2.5	2	2	2468	2468	RH-2	40	form-based			true	0.7	2	1	2	2	2763.599854	2763.599854	2763.599854	1.119773
2039	019	2500	0.06	1920	3	55	80	2.5	5	2	6250	4330	RH-2	40	form-based			true	0.7	5	1	2	2	7000	5080	5080	1.12
2039	024A	1625	0.04	1025	1	55	80	2.5	3	2	4062	3037	RH-1	40	form-based			true	0.7	3	1	2	2	4550	3525	3525	1.120138
2040	003	2898	0.07	2060	4	55	80	2.5	6	2	7245	5185	RH-2	40	form-based			true	0.7	6	1	2	2	8114.399902	6054.399902	6054.399902	1.12
2040	015A	2705	0.06	2600	4	55	80	2.5	5	1	6762	4162	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7574	4974	4974	1.120083
2040	042	1776	0.04	1553	2	55	80	2.5	3	1	4440	2887	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4972.799805	3419.799805	3419.799805	1.12
2040	044	1777	0.04	1491	2	55	80	2.5	3	1	4442	2951	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4975.600098	3484.600098	3484.600098	1.120126
2040	046	1777	0.04	1572	2	55	80	2.5	3	1	4442	2870	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	4975.600098	3403.600098	3403.600098	1.120126
2041	033	2880	0.07	3544	4	55	80	2.5	6	2	7200	3656	RH-2	40	form-based			true	0.7	6	1	2	2	8064	4520	4520	1.12
2041	057	3006	0.07	514	4	55	80	2.5	6	2	7515	7001	RH-2	40	form-based			true	0.7	6	1	2	2	8416.799805	7902.799805	7902.799805	1.12
2044	003B	1696	0.04	2151	2	55	80	2.5	3	1	4240	2089	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4748.799805	2597.799805	2597.799805	1.12
2044	014	1954	0.04	2900	2	55	80	2.5	3	1	4885	1985	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5471.199707	2571.199707	2571.199707	1.12
2044	031	2096	0.05	2047	2	55	80	2.5	4	2	5240	3193	RH-2	40	form-based			true	0.7	4	1	2	2	5868.799805	3821.799805	3821.799805	1.12
2045	022	1257	0.03	835	1	55	80	2.5	2	1	3142	2307	RH-2	40	form-based			true	0.7	3	1.5	2	2	3519.599854	2684.599854	2684.599854	1.120178
2045	022A	1361	0.03	1100	1	55	80	2.5	2	1	3402	2302	RH-2	40	form-based		true	true	0.7	3	1.5	2	2	3810.800049	2710.800049	2710.800049	1.120165
2045	025	2500	0.06	3370	3	55	80	2.5	5	2	6250	2880	RH-2	40	form-based			true	0.7	5	1	2	2	7000	3630	3630	1.12
2124A	011	1500	0.03	952	1	55	80	2.5	2	1	3750	2798	RH-1	40	form-based			true	0.7	3	1.5	2	2	4200	3248	3248	1.12
2125	010B	1669	0.04	2000	2	55	80	2.5	3	1	4172	2172	RH-1	40	form-based			true	0.7	4	1.333333373	2	2	4673.199707	2673.199707	2673.199707	1.120134
2125	016	2091	0.05	792	2	55	80	2.5	4	2	5228	4436	RH-1	40	form-based		true	true	0.7	4	1	2	2	5854.799805	5062.799805	5062.799805	1.119893
2129	001C	2063	0.05	2233	2	55	80	2.5	4	2	5158	2925	RH-1	40	form-based			true	0.7	4	1	2	2	5776.399902	3543.399902	3543.399902	1.119891
2133A	029	1587	0.04	1632	1	55	80	2.5	3	2	3968	2336	RH-1	40	form-based			true	0.7	3	1	2	2	4443.600098	2811.600098	2811.600098	1.119859
2138	001A	1416	0.03	1800	1	55	80	2.5	2	1	3540	1740	RH-1	40	form-based			true	0.7	3	1.5	2	2	3964.800049	2164.800049	2164.800049	1.12
2138	001B	1416	0.03	1375	1	55	80	2.5	2	1	3540	2165	RH-1	40	form-based			true	0.7	3	1.5	2	2	3964.800049	2589.800049	2589.800049	1.12
2138	001C	1416	0.03	1156	1	55	80	2.5	2	1	3540	2384	RH-1	40	form-based			true	0.7	3	1.5	2	2	3964.800049	2808.800049	2808.800049	1.12
2140	015	1501	0.03	1809	1	55	80	2.5	2	1	3752	1943	RH-1	40	form-based			true	0.7	3	1.5	2	2	4202.799805	2393.799805	2393.799805	1.120149
2140	015G	1501	0.03	1302	1	55	80	2.5	2	1	3752	2450	RH-1	40	form-based			true	0.7	3	1.5	2	2	4202.799805	2900.799805	2900.799805	1.120149

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2140	015H	1501	0.03	1631	1	55	80	2.5	2	1	3752	2121	RH-1	40	form-based			true	0.7	3	1.5	2	2	4202.799805	2571.799805	2571.799805	1.120149
2140	015I	1501	0.03	1050	1	55	80	2.5	2	1	3752	2702	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	4202.799805	3152.799805	3152.799805	1.120149
2143	002	1447	0.03	1065	1	55	80	2.5	2	1	3618	2553	RH-1	40	form-based			true	0.7	3	1.5	2	2	4051.599854	2986.599854	2986.599854	1.119845
2143	003	1447	0.03	1199	1	55	80	2.5	2	1	3618	2419	RH-1	40	form-based			true	0.7	3	1.5	2	2	4051.599854	2852.599854	2852.599854	1.119845
2143	004	1447	0.03	940	1	55	80	2.5	2	1	3618	2678	RH-1	40	form-based			true	0.7	3	1.5	2	2	4051.599854	3111.599854	3111.599854	1.119845
2143	022	1447	0.03	968	1	55	80	2.5	2	1	3618	2650	RH-1	40	form-based			true	0.7	3	1.5	2	2	4051.599854	3083.599854	3083.599854	1.119845
2143	023	1447	0.03	800	1	55	80	2.5	2	1	3618	2818	RH-1	40	form-based			true	0.7	3	1.5	2	2	4051.599854	3251.599854	3251.599854	1.119845
2143	024	1447	0.03	1056	1	55	80	2.5	2	1	3618	2562	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	4051.599854	2995.599854	2995.599854	1.119845
2143	030	1437	0.03	1231	1	55	80	2.5	2	1	3592	2361	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	4023.599854	2792.599854	2792.599854	1.120156
2143	031	1437	0.03	800	1	55	80	2.5	2	1	3592	2792	RH-1	40	form-based			true	0.7	3	1.5	2	2	4023.599854	3223.599854	3223.599854	1.120156
2143	032	1437	0.03	1128	1	55	80	2.5	2	1	3592	2464	RH-1	40	form-based			true	0.7	3	1.5	2	2	4023.599854	2895.599854	2895.599854	1.120156
2143	033	1437	0.03	1114	1	55	80	2.5	2	1	3592	2478	RH-1	40	form-based			true	0.7	3	1.5	2	2	4023.599854	2909.599854	2909.599854	1.120156
2143	050	1437	0.03	900	1	55	80	2.5	2	1	3592	2692	RH-1	40	form-based			true	0.7	3	1.5	2	2	4023.599854	3123.599854	3123.599854	1.120156
2143	051	1437	0.03	800	1	55	80	2.5	2	1	3592	2792	RH-1	40	form-based			true	0.7	3	1.5	2	2	4023.599854	3223.599854	3223.599854	1.120156
2143	052	1438	0.03	977	1	55	80	2.5	2	1	3595	2618	RH-1	40	form-based			true	0.7	3	1.5	2	2	4026.399902	3049.399902	3049.399902	1.12
2152	002	1456	0.03	800	1	55	80	2.5	2	1	3640	2840	RH-1	40	form-based			true	0.7	3	1.5	2	2	4076.800049	3276.800049	3276.800049	1.12
2152	003	1456	0.03	800	1	55	80	2.5	2	1	3640	2840	RH-1	40	form-based			true	0.7	3	1.5	2	2	4076.800049	3276.800049	3276.800049	1.12
2152	039	1438	0.03	1162	1	55	80	2.5	2	1	3595	2433	RH-1	40	form-based			true	0.7	3	1.5	2	2	4026.399902	2864.399902	2864.399902	1.12
2152	040	1437	0.03	1162	1	55	80	2.5	2	1	3592	2430	RH-1	40	form-based			true	0.7	3	1.5	2	2	4023.599854	2861.599854	2861.599854	1.120156
2165	001A	1656	0.04	1575	1	55	80	2.5	3	2	4140	2565	RH-1	40	form-based			true	0.7	3	1	2	2	4636.799805	3061.799805	3061.799805	1.12
2168	005	1321	0.03	1265	1	55	80	2.5	2	1	3302	2037	RH-2	40	form-based			true	0.7	3	1.5	2	2	3698.800049	2433.800049	2433.800049	1.12017
2168	005B	1500	0.03	1517	1	55	80	2.5	2	1	3750	2233	RH-2	40	form-based			true	0.7	3	1.5	2	2	4200	2683	2683	1.12
2168	007	1302	0.03	1000	1	55	80	2.5	2	1	3255	2255	RH-2	40	form-based			true	0.7	3	1.5	2	2	3645.599854	2645.599854	2645.599854	1.12
2168	007A	1421	0.03	1000	1	55	80	2.5	2	1	3552	2552	RH-2	40	form-based			true	0.7	3	1.5	2	2	3978.800049	2978.800049	2978.800049	1.120158
2168	007B	1302	0.03	1000	1	55	80	2.5	2	1	3255	2255	RH-2	40	form-based			true	0.7	3	1.5	2	2	3645.599854	2645.599854	2645.599854	1.12
2168	007C	1388	0.03	1395	1	55	80	2.5	2	1	3470	2075	RH-2	40	form-based			true	0.7	3	1.5	2	2	3886.399902	2491.399902	2491.399902	1.12
2168	008	1302	0.03	1494	1	55	80	2.5	2	1	3255	1761	RH-2	40	form-based			true	0.7	3	1.5	2	2	3645.599854	2151.599854	2151.599854	1.12
2168	008A	1355	0.03	1155	1	55	80	2.5	2	1	3388	2233	RH-2	40	form-based			true	0.7	3	1.5	2	2	3794	2639	2639	1.119835
2168	010	2592	0.06	3324	3	55	80	2.5	5	2	6480	3156	RH-2	40	form-based			true	0.7	5	1	2	2	7257.600098	3933.600098	3933.600098	1.12
2168	051	1547	0.04	1875	1	55	80	2.5	3	2	3868	1993	RH-2	40	form-based			true	0.7	3	1	2	2	4331.600098	2456.600098	2456.600098	1.119855
2168	052	1209	0.03	2000	1	55	80	2.5	2	1	3022	1022	RH-2	40	form-based			true	0.7	3	1.5	2	2	3385.199951	1385.199951	1385.199951	1.120185
2169	001	2777	0.06	4542	4	55	80	2.5	5	1	6942	2400	RH-2	40	form-based		true	true	0.7	6	1.200000048	2	2	7775.600098	3233.600098	3233.600098	1.120081
2169	018	1953	0.04	2370	2	55	80	2.5	3	1	4882	2512	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5468.399902	3098.399902	3098.399902	1.120115
2169	019	2009	0.05	2352	2	55	80	2.5	4	2	5022	2670	RH-2	40	form-based			true	0.7	4	1	2	2	5625.199707	3273.199707	3273.199707	1.120111
2169	020	1738	0.04	2703	2	55	80	2.5	3	1	4345	1642	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	4866.399902	2163.399902	2163.399902	1.12
2170	001	1417	0.03	900	1	55	80	2.5	2	1	3542	2642	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	3967.599854	3067.599854	3067.599854	1.120158
2170	002	1451	0.03	900	1	55	80	2.5	2	1	3628	2728	RH-1	40	form-based			true	0.7	3	1.5	2	2	4062.800049	3162.800049	3162.800049	1.119846
2170	003	1451	0.03	1032	1	55	80	2.5	2	1	3628	2596	RH-1	40	form-based			true	0.7	3	1.5	2	2	4062.800049	3030.800049	3030.800049	1.119846
2170	022	1448	0.03	975	1	55	80	2.5	2	1	3620	2645	RH-1	40	form-based			true	0.7	3	1.5	2	2	4054.399902	3079.399902	3079.399902	1.12
2170	023	1448	0.03	998	1	55	80	2.5	2	1	3620	2622	RH-1	40	form-based			true	0.7	3	1.5	2	2	4054.399902	3056.399902	3056.399902	1.12
2170	024	1467	0.03	875	1	55	80	2.5	2	1	3668	2793	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	4107.600098	3232.600098	3232.600098	1.119847
2174	024A	1256	0.03	750	1	55	80	2.5	2	1	3140	2390	RH-1	40	form-based			true	0.7	3	1.5	2	2	3516.800049	2766.800049	2766.800049	1.12
2175	001	1413	0.03	1360	1	55	80	2.5	2	1	3532	2172	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	3956.399902	2596.399902	2596.399902	1.120159
2175	001A	1447	0.03	1360	1	55	80	2.5	2	1	3618	2258	RH-1	40	form-based			true	0.7	3	1.5	2	2	4051.599854	2691.599854	2691.599854	1.119845
2175	001B	1447	0.03	1360	1	55	80	2.5	2	1	3618	2258	RH-1	40	form-based			true	0.7	3	1.5	2	2	4051.599854	2691.599854	2691.599854	1.119845
2175	001C	1447	0.03	1360	1	55	80	2.5	2	1	3618	2258	RH-1	40	form-based			true	0.7	3	1.5	2	2	4051.599854	2691.599854	2691.599854	1.119845
2175	009A	1000	0.02	0	0	55	80	2.5	2	2	2500	2500	RH-1	40	form-based			true	0.7	2	1	2	2	2800	2800	2800	1.12
2183	009A	1441	0.03	1049	1	55	80	2.5	2	1	3602	2553	RH-1	40	form-based			true	0.7	3	1.5	2	2	4034.800049	2985.800049	2985.800049	1.120155
2183	009B	1441	0.03	1049	1	55	80	2.5	2	1	3602	2553	RH-1	40	form-based			true	0.7	3	1.5	2	2	4034.800049	2985.800049	2985.800049	1.120155
2183	009C	1512	0.03	1259	1	55	80	2.5	2	1	3780	2521	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	4233.600098	2974.600098	2974.600098	1.12
2184	039	1459	0.03	800	1	55	80	2.5	2	1	3648	2848	RH-1	40	form-based			true	0.7	3	1.5	2	2	4085.199951	3285.199951	3285.199951	1.119846
2184	039A	1459	0.03	1175	1	55	80	2.5	2	1	3648	2473	RH-1	40	form-based			true	0.7	3	1.5	2	2	4085.199951	2910.199951	2910.199951	1.119846
2184	040	1459	0.03	1147	1	55	80	2.5	2	1	3648	2501	RH-1	40	form-based			true	0.7	3	1.5	2	2	4085.199951	2938.199951	2938.199951	1.119846
2184	040A	1408	0.03	1878	1	55	80	2.5	2	1	3520	1642	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	3942.399902	2064.399902	2064.399902	1.12
2190	008	2065	0.05	2082	2	55	80	2.5	4	2	5162	3080	RH-1	40	form-based			true	0.7	4	1	2	2	5782	3700	3700	1.120108
2191	014I	1750	0.04	807	2	55	80	2.5	3	1	4375	3568	RH-1	40	form-based			true	0.7	4	1.333333373	2	2	4900	4093	4093	1.12
2193	010	1463	0.03	1252	1	55	80	2.5	2	1	3658	2406	RH-1	40	form-based			true	0.7	3	1.5	2	2	4096.399902	2844.399902	2844.399902	1.119847
2193	010A	1463	0.03	1252	1	55	80	2.5	2	1	3658	2406	RH-1	40	form-based			true	0.7	3	1.5	2	2	4096.399902	2844.399902	2844.399902	1.119847
2193	010B	1463	0.03	1252	1	55	80	2.5	2	1	3658	2406	RH-1	40	form-based			true	0.7	3	1.5	2	2	4096.399902	2844.399902	2844.399902	1.119847
2193	011	1535	0.04	1252	1	55	80	2.5	3	2	3838	2586	RH-1	40	form-based		true	true	0.7	3	1	2	2	4298	3046	3046	1.119854
2196	001	2267	0.05	2975	3	55	80	2.5	4	1	5668	2693	RH-1	40	form-based		true	true	0.7	5	1.25	2	2	6347.600098	3372.600098	3372.600098	1.119901
2197	004	1613	0.04	1452	1	55	80	2.5	3	2	4032	2580	RH-1	40	form-based		true	true	0.7	3	1	2	2	4516.399902	3064.399902	3064.399902	1.120139
2197	004A	1586	0.04	1792	1	55	80	2.5	3	2	3965	2173	RH-1	40	form-based			true	0.7	3	1	2	2	4440.799805	2648.799805	2648.799805	1.12
2197	004B	1615	0.04	1933	1	55	80	2.5	3	2	4038	2105	RH-1	40	form-based			true	0.7	3	1	2	2	4522	2589	2589	1.119861

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2197	004C	1582	0.04	1375	1	55	80	2.5	3	2	3955	2580	RH-1	40	form-based			true	0.7	3	1	2	2	4429.600098	3054.600098	3054.600098	1.12
2197	004D	1582	0.04	1168	1	55	80	2.5	3	2	3955	2787	RH-1	40	form-based			true	0.7	3	1	2	2	4429.600098	3261.600098	3261.600098	1.12
2197	004E	1612	0.04	1364	1	55	80	2.5	3	2	4030	2666	RH-1	40	form-based			true	0.7	3	1	2	2	4513.600098	3149.600098	3149.600098	1.12
2197	006	1625	0.04	1474	1	55	80	2.5	3	2	4062	2588	RH-1	40	form-based			true	0.7	3	1	2	2	4550	3076	3076	1.120138
2197	006A	1625	0.04	1250	1	55	80	2.5	3	2	4062	2812	RH-1	40	form-based			true	0.7	3	1	2	2	4550	3300	3300	1.120138
2197	006B	1555	0.04	2121	1	55	80	2.5	3	2	3888	1767	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	4354	2233	2233	1.119856
2201	001	1467	0.03	1768	1	55	80	2.5	2	1	3668	1900	RH-1	40	form-based	true	true	true	0.7	3	1.5	2	2	4107.600098	2339.600098	2339.600098	1.119847
2201	005	1467	0.03	1425	1	55	80	2.5	2	1	3668	2243	RH-1	40	form-based			true	0.7	3	1.5	2	2	4107.600098	2682.600098	2682.600098	1.119847
2201	006	1467	0.03	1155	1	55	80	2.5	2	1	3668	2513	RH-1	40	form-based			true	0.7	3	1.5	2	2	4107.600098	2952.600098	2952.600098	1.119847
2201	007	1467	0.03	1633	1	55	80	2.5	2	1	3668	2035	RH-1	40	form-based			true	0.7	3	1.5	2	2	4107.600098	2474.600098	2474.600098	1.119847
2202	002B	2052	0.05	1750	2	55	80	2.5	4	2	5130	3380	RH-1(D)	40	form-based	true	true	true	0.7	4	1	2	2	5745.600098	3995.600098	3995.600098	1.12
2203	057	1278	0.03	3498	1	55	80	2.5	2	1	3195	0	RH-1(D)	40	form-based			true	0.7	3	1.5	2	2	3578.399902	80.39990234	80.39990234	1.12
2203	058	1321	0.03	3119	1	55	80	2.5	2	1	3302	183	RH-1(D)	40	form-based			true	0.7	3	1.5	2	2	3698.800049	579.8000488	579.8000488	1.12017
2203	059	1300	0.03	3883	1	55	80	2.5	2	1	3250	0	RH-1(D)	40	form-based			true	0.7	3	1.5	2	2	3640	0	0	1.12
2302	021	1625	0.04	1025	1	65	100	3	4	3	4875	3850	RH-1	40	form-based			true	0.7	3	0.75	2	2	4550	3525	3525	0.933333
2302	022	1625	0.04	1450	1	65	100	3	4	3	4875	3425	RH-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4550	3100	3100	0.933333
2302	027	1250	0.03	1620	1	65	100	3	3	2	3750	2130	RH-1	40	form-based			true	0.7	3	1	2	2	3500	1880	1880	0.933333
2302	001	1652	0.04	1195	1	55	80	2.5	3	2	4130	2935	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	4625.600098	3430.600098	3430.600098	1.12
2302	028	1250	0.03	1047	1	65	100	3	3	2	3750	2703	RH-1	40	form-based			true	0.7	3	1	2	2	3500	2453	2453	0.933333
2302	029	1454	0.03	1115	1	65	100	3	3	2	4362	3247	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	4071.199951	2956.199951	2956.199951	0.933333
2302	030	1453	0.03	1072	1	65	100	3	3	2	4359	3287	RH-1	40	form-based			true	0.7	3	1	2	2	4068.399902	2996.399902	2996.399902	0.933333
2302	052	1651	0.04	1195	1	55	80	2.5	3	2	4128	2933	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	4622.799805	3427.799805	3427.799805	1.119864
2306	026	1466	0.03	795	1	65	100	3	3	2	4398	3603	RH-1	40	form-based			true	0.7	3	1	2	2	4104.799805	3309.799805	3309.799805	0.933333
2307	020	1445	0.03	800	1	65	100	3	3	2	4335	3535	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	4046	3246	3246	0.933333
2307	021	1445	0.03	1125	1	65	100	3	3	2	4335	3210	RH-1	40	form-based			true	0.7	3	1	2	2	4046	2921	2921	0.933333
2307	022	1445	0.03	950	1	65	100	3	3	2	4335	3385	RH-1	40	form-based			true	0.7	3	1	2	2	4046	3096	3096	0.933333
2307	023	1445	0.03	920	1	65	100	3	3	2	4335	3415	RH-1	40	form-based			true	0.7	3	1	2	2	4046	3126	3126	0.933333
2307	043	1662	0.04	962	1	65	100	3	4	3	4986	4024	RH-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4653.600098	3691.600098	3691.600098	0.933333
2308	001	1612	0.04	1287	1	65	100	3	4	3	4836	3549	RH-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4513.600098	3226.600098	3226.600098	0.933333
2308	028C	1617	0.04	1097	1	65	100	3	4	3	4851	3754	RH-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4527.600098	3430.600098	3430.600098	0.933333
2309	001	1621	0.04	1011	1	65	100	3	4	3	4863	3852	RH-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4538.799805	3527.799805	3527.799805	0.933333
2309	025	1603	0.04	1000	1	65	100	3	4	3	4809	3809	RH-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4488.399902	3488.399902	3488.399902	0.933333
2310	001	1628	0.04	1403	1	65	100	3	4	3	4884	3481	RH-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4558.399902	3155.399902	3155.399902	0.933333
2310	018A	1619	0.04	905	1	65	100	3	4	3	4857	3952	RH-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4533.199707	3628.199707	3628.199707	0.933333
2311	001	1621	0.04	1385	1	55	80	2.5	3	2	4052	2667	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	4538.799805	3153.799805	3153.799805	1.120138
2311	020	1624	0.04	905	1	65	100	3	4	3	4872	3967	RH-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4547.199707	3642.199707	3642.199707	0.933333
2312	014	1437	0.03	990	1	65	100	3	3	2	4311	3321	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	4023.599854	3033.599854	3033.599854	0.933333
2312	014A	1438	0.03	990	1	65	100	3	3	2	4314	3324	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	3036.399902	3036.399902	0.933333
2312	014B	1438	0.03	1200	1	65	100	3	3	2	4314	3114	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	2826.399902	2826.399902	0.933333
2312	014C	1437	0.03	990	1	65	100	3	3	2	4311	3321	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	3033.599854	3033.599854	0.933333
2314	017	1631	0.04	1137	1	65	100	3	4	3	4893	3756	RH-1	40	form-based			true	0.7	3	0.75	2	2	4566.799805	3429.799805	3429.799805	0.933333
2314	017A	1630	0.04	1137	1	65	100	3	4	3	4890	3753	RH-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4564	3427	3427	0.933333
2314	030A	2075	0.05	1763	2	65	100	3	5	3	6225	4462	RH-1	40	form-based			true	0.7	4	0.800000012	2	2	5810	4047	4047	0.933333
2320	001	1588	0.04	1137	1	65	100	3	4	3	4764	3627	RH-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4446.399902	3309.399902	3309.399902	0.933333
2320	001A	1634	0.04	1360	1	65	100	3	4	3	4902	3542	RH-1	40	form-based			true	0.7	3	0.75	2	2	4575.199707	3215.199707	3215.199707	0.933333
2320	008	1642	0.04	1232	1	65	100	3	4	3	4926	3694	RH-1	40	form-based			true	0.7	3	0.75	2	2	4597.600098	3365.600098	3365.600098	0.933333
2320	008A	1596	0.04	1490	1	65	100	3	4	3	4788	3298	RH-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4468.799805	2978.799805	2978.799805	0.933333
2321	030	1617	0.04	1366	1	65	100	3	4	3	4851	3485	RH-1	40	form-based			true	0.7	3	0.75	2	2	4527.600098	3161.600098	3161.600098	0.933333
2328	001B	1500	0.03	1708	1	65	100	3	3	2	4500	2792	RH-1	40	form-based			true	0.7	3	1	2	2	4200	2492	2492	0.933333
2328	001C	1500	0.03	1075	1	65	100	3	3	2	4500	3425	RH-1	40	form-based			true	0.7	3	1	2	2	4200	3125	3125	0.933333
2328	001D	1500	0.03	1500	1	65	100	3	3	2	4500	3000	RH-1	40	form-based			true	0.7	3	1	2	2	4200	2700	2700	0.933333
2328	009N	1623	0.04	1872	1	65	100	3	4	3	4869	2997	RH-2	40	form-based			true	0.7	3	0.75	2	2	4544.399902	2672.399902	2672.399902	0.933333
2329	008A	1623	0.04	906	1	65	100	3	4	3	4869	3963	RH-2	40	form-based			true	0.7	3	0.75	2	2	4544.399902	3638.399902	3638.399902	0.933333
2329	008B	1622	0.04	1261	1	65	100	3	4	3	4866	3605	RH-2	40	form-based			true	0.7	3	0.75	2	2	4541.600098	3280.600098	3280.600098	0.933333
2330	011A	1437	0.03	1011	1	65	100	3	3	2	4311	3300	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	3012.599854	3012.599854	0.933333
2332	037B	1601	0.04	832	1	65	100	3	4	3	4803	3971	RH-1	40	form-based			true	0.7	3	0.75	2	2	4482.799805	3650.799805	3650.799805	0.933333
2335A	001A	1519	0.03	1675	1	55	80	2.5	2	1	3798	2123	RH-1	40	form-based			true	0.7	3	1.5	2	2	4253.199707	2578.199707	2578.199707	1.119852
2335A	001B	1519	0.03	2144	1	65	100	3	3	2	4557	2413	RH-1	40	form-based			true	0.7	3	1	2	2	4253.199707	2109.199707	2109.199707	0.933333
2335A	001C	1519	0.03	1400	1	65	100	3	3	2	4557	3157	RH-1	40	form-based			true	0.7	3	1	2	2	4253.199707	2853.199707	2853.199707	0.933333
2334B	015	2556	0.06	2189	3	65	100	3	6	3	7668	5479	RH-1(D)	40	form-based			true	0.7	5	0.833333313	2	2	7156.799805	4967.799805	4967.799805	0.933333
2335A	001	1590	0.04	1150	1	55	80	2.5	3	2	3975	2825	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	4452	3302	3302	1.12
2340	006A	1442	0.03	1551	1	65	100	3	3	2	4326	2775	RH-1(D)	40	form-based			true	0.7	3	1	2	2	4037.599854	2486.599854	2486.599854	0.933333
2345A	029A	2035	0.05	2250	2	65	100	3	5	3	6105	3855	RH-1	40	form-based			true	0.7	4	0.800000012	2	2	5698	3448	3448	0.933333
2345A	035	1918	0.04	2100	2	65	100	3	4	2	5754	3654	RH-1	40	form-based			true	0.7	4	1	2	2	5370.399902	3270.399902	3270.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2345A	035A	2025	0.05	2100	2	65	100	3	5	3	6075	3975	RH-1	40	form-based			true	0.7	4	0.800000012	2	2	5670	3570	3570	0.933333
2345A	041	1876	0.04	1545	2	65	100	3	4	2	5628	4083	RH-1	40	form-based			true	0.7	4	1	2	2	5252.799805	3707.799805	3707.799805	0.933333
2349	013A	3007	0.07	6886	9	65	100	3	7	0	9021	2135	RTO-C	65	form-based			true	0.75	11	1.571428537	2	2	13531.5	6645.5	6645.5	1.5
2350	001D	1630	0.04	1150	1	65	100	3	4	3	4890	3740	RH-2	40	form-based			true	0.7	3	0.75	2	2	4564	3414	3414	0.933333
2350	001E	1596	0.04	1750	1	65	100	3	4	3	4788	3038	RH-2	40	form-based			true	0.7	3	0.75	2	2	4468.799805	2718.799805	2718.799805	0.933333
2350	001F	1562	0.04	1350	1	65	100	3	4	3	4686	3336	RH-2	40	form-based			true	0.7	3	0.75	2	2	4373.600098	3023.600098	3023.600098	0.933333
2350	035	3000	0.07	4200	4	65	100	3	7	3	9000	4800	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4200	4200	0.933333
2353	006	3007	0.07	2990	4	65	100	3	7	3	9021	6031	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8419.599609	5429.599609	5429.599609	0.933333
2354	018	3004	0.07	2820	4	85	140	4	10	6	12016	9196	RH-1	40	form-based			true	0.7	6	0.600000024	2	2	8411.200195	5591.200195	5591.200195	0.7
2356	006	3009	0.07	2750	4	65	100	3	7	3	9027	6277	RH-1	40	form-based			true	0.7	6	0.857142866	2	2	8425.200195	5675.200195	5675.200195	0.933333
2364	047	2500	0.06	2130	3	65	100	3	6	3	7500	5370	RH-1	40	form-based			true	0.7	5	0.833333313	2	2	7000	4870	4870	0.933333
2370	025A	1437	0.03	1972	1	85	140	4	4	3	5748	3776	RH-1	40	form-based			true	0.7	3	0.75	2	2	4023.599854	2051.599854	2051.599854	0.7
2370	047	1438	0.03	1023	1	65	100	3	3	2	4314	3291	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	3003.399902	3003.399902	0.933333
2371	026	1438	0.03	800	1	65	100	3	3	2	4314	3514	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	3226.399902	3226.399902	0.933333
2371	026A	1437	0.03	1004	1	65	100	3	3	2	4311	3307	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	3019.599854	3019.599854	0.933333
2371	026B	1438	0.03	1021	1	65	100	3	3	2	4314	3293	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	3005.399902	3005.399902	0.933333
2371	026C	1438	0.03	1238	1	65	100	3	3	2	4314	3076	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	4026.399902	2788.399902	2788.399902	0.933333
2372	001	1502	0.03	800	1	65	100	3	3	2	4506	3706	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	4205.600098	3405.600098	3405.600098	0.933333
2372	001A	1455	0.03	800	1	65	100	3	3	2	4365	3565	RH-1	40	form-based			true	0.7	3	1	2	2	4074	3274	3274	0.933333
2372	001B	1455	0.03	800	1	65	100	3	3	2	4365	3565	RH-1	40	form-based			true	0.7	3	1	2	2	4074	3274	3274	0.933333
2373	018	1437	0.03	950	1	85	140	4	4	3	5748	4798	RH-1	40	form-based			true	0.7	3	0.75	2	2	4023.599854	3073.599854	3073.599854	0.7
2373	043	1287	0.03	1000	1	65	100	3	3	2	3861	2861	RH-1	40	form-based			true	0.7	3	1	2	2	3603.599854	2603.599854	2603.599854	0.933333
2373	044	1288	0.03	1000	1	65	100	3	3	2	3864	2864	RH-1	40	form-based			true	0.7	3	1	2	2	3606.399902	2606.399902	2606.399902	0.933333
2373	044A	1328	0.03	1000	1	65	100	3	3	2	3984	2984	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	3718.399902	2718.399902	2718.399902	0.933333
2374	001	1483	0.03	1080	1	65	100	3	3	2	4449	3369	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	4152.399902	3072.399902	3072.399902	0.933333
2374	001A	1438	0.03	1015	1	65	100	3	3	2	4314	3299	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	3011.399902	3011.399902	0.933333
2374	001B	1437	0.03	1152	1	65	100	3	3	2	4311	3159	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	2871.599854	2871.599854	0.933333
2374	015	1437	0.03	1025	1	65	100	3	3	2	4311	3286	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	2998.599854	2998.599854	0.933333
2375	001	1328	0.03	925	1	65	100	3	3	2	3984	3059	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	3718.399902	2793.399902	2793.399902	0.933333
2375	001A	1288	0.03	925	1	65	100	3	3	2	3864	2939	RH-1	40	form-based			true	0.7	3	1	2	2	3606.399902	2681.399902	2681.399902	0.933333
2375	001B	1287	0.03	925	1	65	100	3	3	2	3861	2936	RH-1	40	form-based			true	0.7	3	1	2	2	3603.599854	2678.599854	2678.599854	0.933333
2375	001C	1247	0.03	925	1	65	100	3	3	2	3741	2816	RH-1	40	form-based			true	0.7	3	1	2	2	3491.599854	2566.599854	2566.599854	0.933333
2376	020	1438	0.03	1090	1	65	100	3	3	2	4314	3224	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	2936.399902	2936.399902	0.933333
2376	020A	1437	0.03	1090	1	65	100	3	3	2	4311	3221	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	2933.599854	2933.599854	0.933333
2376	020B	1437	0.03	1363	1	65	100	3	3	2	4311	2948	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	2660.599854	2660.599854	0.933333
2376	020C	1437	0.03	938	1	65	100	3	3	2	4311	3373	RM-1	40	form-based	true	true	true	0.7	3	1	2	2	4023.599854	3085.599854	3085.599854	0.933333
2376	024	1980	0.05	2550	2	65	100	3	5	3	5940	3390	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5544	2994	2994	0.933333
2376	025	1875	0.04	2550	2	65	100	3	4	2	5625	3075	RM-1	40	form-based			true	0.7	4	1	2	2	5250	2700	2700	0.933333
2376	027	3036	0.07	3700	4	65	100	3	7	3	9108	5408	RH-1	40	form-based			true	0.7	6	0.857142866	2	2	8500.799805	4800.799805	4800.799805	0.933333
2378	009A	2500	0.06	1950	3	65	100	3	6	3	7500	5550	RH-1	40	form-based			true	0.7	5	0.833333313	2	2	7000	5050	5050	0.933333
2378	031	3000	0.07	2825	4	65	100	3	7	3	9000	6175	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	5575	5575	0.933333
2378	037	3000	0.07	3830	4	65	100	3	7	3	9000	5170	RM-1	40	form-based			true	0.7	6	0.857142866	2	2	8400	4570	4570	0.933333
2378	043	1438	0.03	1049	1	65	100	3	3	2	4314	3265	RM-1	40	form-based			true	0.7	3	1	2	2	4026.399902	2977.399902	2977.399902	0.933333
2378	044	1545	0.04	2325	1	65	100	3	4	3	4635	2310	RM-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4326	2001	2001	0.933333
2378	047	1543	0.04	1305	1	65	100	3	4	3	4629	3324	RM-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4320.399902	3015.399902	3015.399902	0.933333
2378	048	1437	0.03	1065	1	65	100	3	3	2	4311	3246	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	2958.599854	2958.599854	0.933333
2379	023	1437	0.03	1391	1	85	140	4	4	3	5748	4357	RH-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4023.599854	2632.599854	2632.599854	0.7
2379	023A	1437	0.03	909	1	65	100	3	3	2	4311	3402	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	3114.599854	3114.599854	0.933333
2379	023B	1438	0.03	909	1	65	100	3	3	2	4314	3405	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	3117.399902	3117.399902	0.933333
2379	023C	1438	0.03	1184	1	65	100	3	3	2	4314	3130	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	2842.399902	2842.399902	0.933333
2381	026	1350	0.03	877	1	65	100	3	3	2	4050	3173	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	3780	2903	2903	0.933333
2381	026B	1440	0.03	1617	1	65	100	3	3	2	4320	2703	RH-1	40	form-based			true	0.7	3	1	2	2	4032	2415	2415	0.933333
2381	042	1438	0.03	950	1	65	100	3	3	2	4314	3364	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	3076.399902	3076.399902	0.933333
2383	016	1437	0.03	800	1	65	100	3	3	2	4311	3511	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	3223.599854	3223.599854	0.933333
2383	016A	1437	0.03	800	1	65	100	3	3	2	4311	3511	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	3223.599854	3223.599854	0.933333
2383	017	1437	0.03	1377	1	65	100	3	3	2	4311	2934	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	2646.599854	2646.599854	0.933333
2383	017A	1437	0.03	1250	1	65	100	3	3	2	4311	3061	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	4023.599854	2773.599854	2773.599854	0.933333
2384	001C	2062	0.05	2410	2	85	140	4	7	5	8248	5838	RH-1	40	form-based			true	0.7	4	0.571428597	2	2	5773.600098	3363.600098	3363.600098	0.7
2385	040	1929	0.04	2050	2	85	140	4	6	4	7716	5666	RH-1	40	form-based			true	0.7	4	0.666666687	2	2	5401.199707	3351.199707	3351.199707	0.7
2386	023	1438	0.03	862	1	65	100	3	3	2	4314	3452	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	4026.399902	3164.399902	3164.399902	0.933333
2386	023A	1438	0.03	1158	1	65	100	3	3	2	4314	3156	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	2868.399902	2868.399902	0.933333
2386	024	1437	0.03	1200	1	65	100	3	3	2	4311	3111	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	2823.599854	2823.599854	0.933333
2386	024A	1438	0.03	800	1	65	100	3	3	2	4314	3514	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	3226.399902	3226.399902	0.933333
2388	017D	1937	0.04	1966	2	65	100	3	4	2	5811	3845	RH-1	40	form-based			true	0.7	4	1	2	2	5423.600098	3457.600098	3457.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2394	025A	1545	0.04	1100	1	65	100	3	4	3	4635	3535	RH-1	40	form-based			true	0.7	3	0.75	2	2	4326	3226	3226	0.933333
2396	013	1239	0.03	1630	1	65	100	3	3	2	3717	2087	RH-1	40	form-based			true	0.7	3	1	2	2	3469.199951	1839.199951	1839.199951	0.933333
2402	016	1250	0.03	1092	1	65	100	3	3	2	3750	2658	RH-1	40	form-based			true	0.7	3	1	2	2	3500	2408	2408	0.933333
2410	004	1125	0.03	0	0	85	140	4	4	4	4500	4500	RH-1	40	form-based			true	0.7	2	0.5	2	2	3150	3150	3150	0.7
2417	022B	1523	0.03	931	1	65	100	3	3	2	4569	3638	RH-1	40	form-based			true	0.7	3	1	2	2	4264.399902	3333.399902	3333.399902	0.933333
2425	001A	1237	0.03	1568	1	65	100	3	3	2	3711	2143	RH-1(D)	40	form-based			true	0.7	3	1	2	2	3463.599854	1895.599854	1895.599854	0.933333
2428	020	1359	0.03	1395	1	65	100	3	3	2	4077	2682	RH-1	40	form-based		true	true	0.7	3	1	2	2	3805.199951	2410.199951	2410.199951	0.933333
2428	020A	1366	0.03	1945	1	65	100	3	3	2	4098	2153	RH-1	40	form-based			true	0.7	3	1	2	2	3824.800049	1879.800049	1879.800049	0.933333
2430	017B	1625	0.04	2050	1	65	100	3	4	3	4875	2825	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4550	2500	2500	0.933333
2430	019	1302	0.03	837	1	65	100	3	3	2	3906	3069	RH-1	40	form-based			true	0.7	3	1	2	2	3645.599854	2808.599854	2808.599854	0.933333
2430	019B	1302	0.03	1177	1	65	100	3	3	2	3906	2729	RH-1	40	form-based			true	0.7	3	1	2	2	3645.599854	2468.599854	2468.599854	0.933333
2430	019C	1302	0.03	837	1	65	100	3	3	2	3906	3069	RH-1	40	form-based			true	0.7	3	1	2	2	3645.599854	2808.599854	2808.599854	0.933333
2430	032	3041	0.07	2070	4	65	100	3	7	3	9123	7053	RH-1	40	form-based		true	true	0.7	6	0.857142866	2	2	8514.799805	6444.799805	6444.799805	0.933333
2431	001	1427	0.03	1800	1	65	100	3	3	2	4281	2481	RH-1	40	form-based		true	true	0.7	3	1	2	2	3995.599854	2195.599854	2195.599854	0.933333
2431	001A	1291	0.03	1050	1	65	100	3	3	2	3873	2823	RH-1	40	form-based			true	0.7	3	1	2	2	3614.800049	2564.800049	2564.800049	0.933333
2431	014C	1350	0.03	837	1	65	100	3	3	2	4050	3213	RH-1	40	form-based			true	0.7	3	1	2	2	3780	2943	2943	0.933333
2431	014D	1350	0.03	1249	1	65	100	3	3	2	4050	2801	RH-1	40	form-based			true	0.7	3	1	2	2	3780	2531	2531	0.933333
2431	014E	1345	0.03	837	1	65	100	3	3	2	4035	3198	RH-1	40	form-based			true	0.7	3	1	2	2	3766	2929	2929	0.933333
2431	015	1350	0.03	1077	1	65	100	3	3	2	4050	2973	RH-1	40	form-based			true	0.7	3	1	2	2	3780	2703	2703	0.933333
2431	015A	1350	0.03	837	1	65	100	3	3	2	4050	3213	RH-1	40	form-based			true	0.7	3	1	2	2	3780	2943	2943	0.933333
2431	015B	1350	0.03	1100	1	65	100	3	3	2	4050	2950	RH-1	40	form-based			true	0.7	3	1	2	2	3780	2680	2680	0.933333
2433	019B	1586	0.04	1000	1	65	100	3	4	3	4758	3758	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4440.799805	3440.799805	3440.799805	0.933333
2436	001	1586	0.04	1934	1	65	100	3	4	3	4758	2824	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4440.799805	2506.799805	2506.799805	0.933333
2438	021	1339	0.03	3791	3	55	80	2.5	2	0	3348	0	RTO-C	65	form-based		true	true	0.75	5	2.5	2	1	6025.5	2234.5	2234.5	1.799731
2443	030	1442	0.03	1483	1	65	100	3	3	2	4326	2843	RH-1	40	form-based			true	0.7	3	1	2	2	4037.599854	2554.599854	2554.599854	0.933333
2444	001A	1631	0.04	1040	1	65	100	3	4	3	4893	3853	RH-1	40	form-based			true	0.7	3	0.75	2	2	4566.799805	3526.799805	3526.799805	0.933333
2444	023	1440	0.03	1252	1	65	100	3	3	2	4320	3068	RH-1	40	form-based			true	0.7	3	1	2	2	4032	2780	2780	0.933333
2445	001A	1617	0.04	876	1	65	100	3	4	3	4851	3975	RH-1	40	form-based			true	0.7	3	0.75	2	2	4527.600098	3651.600098	3651.600098	0.933333
2447	001	1434	0.03	1177	1	85	140	4	4	3	5736	4559	RH-1	40	form-based	true	true	true	0.7	3	0.75	2	2	4015.199951	2838.199951	2838.199951	0.7
2447	002	1434	0.03	800	1	85	140	4	4	3	5736	4936	RH-1	40	form-based			true	0.7	3	0.75	2	2	4015.199951	3215.199951	3215.199951	0.7
2447	003	1434	0.03	972	1	85	140	4	4	3	5736	4764	RH-1	40	form-based			true	0.7	3	0.75	2	2	4015.199951	3043.199951	3043.199951	0.7
2447	004	1434	0.03	800	1	85	140	4	4	3	5736	4936	RH-1	40	form-based			true	0.7	3	0.75	2	2	4015.199951	3215.199951	3215.199951	0.7
2447	050	1438	0.03	903	1	65	100	3	3	2	4314	3411	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	3123.399902	3123.399902	0.933333
2447	051	1438	0.03	903	1	65	100	3	3	2	4314	3411	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	3123.399902	3123.399902	0.933333
2447	052	1437	0.03	903	1	65	100	3	3	2	4311	3408	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	3120.599854	3120.599854	0.933333
2447	053	1437	0.03	1140	1	65	100	3	3	2	4311	3171	RH-1	40	form-based		true	true	0.7	3	1	2	2	4023.599854	2883.599854	2883.599854	0.933333
2449	001	2655	0.06	2040	4	65	100	3	6	2	7965	5925	RH-2	40	form-based		true	true	0.7	6	1	2	2	7434	5394	5394	0.933333
2449	002	1475	0.03	995	1	65	100	3	3	2	4425	3430	RH-2	40	form-based			true	0.7	3	1	2	2	4130	3135	3135	0.933333
2449	010	1359	0.03	800	1	85	140	4	4	3	5436	4636	RH-1	40	form-based			true	0.7	3	0.75	2	2	3805.199951	3005.199951	3005.199951	0.7
2449	011	1359	0.03	950	1	85	140	4	4	3	5436	4486	RH-1	40	form-based			true	0.7	3	0.75	2	2	3805.199951	2855.199951	2855.199951	0.7
2449	012	1359	0.03	960	1	85	140	4	4	3	5436	4476	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	3805.199951	2845.199951	2845.199951	0.7
2449	032	1386	0.03	999	1	85	140	4	4	3	5544	4545	RH-1	40	form-based			true	0.7	3	0.75	2	2	3880.800049	2881.800049	2881.800049	0.7
2449	033	1415	0.03	993	1	85	140	4	4	3	5660	4667	RH-1	40	form-based			true	0.7	3	0.75	2	2	3962	2969	2969	0.7
2449	034	1444	0.03	993	1	85	140	4	4	3	5776	4783	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4043.199951	3050.199951	3050.199951	0.7
2449	045	1739	0.04	2406	2	65	100	3	4	2	5217	2811	RH-2	40	form-based			true	0.7	4	1	2	2	4869.199707	2463.199707	2463.199707	0.933333
2449	046	1750	0.04	2406	2	65	100	3	4	2	5250	2844	RH-2	40	form-based			true	0.7	4	1	2	2	4900	2494	2494	0.933333
2452	013	1515	0.03	1455	1	65	100	3	3	2	4545	3090	RH-1	40	form-based		true	true	0.7	3	1	2	2	4242	2787	2787	0.933333
2452	013A	1437	0.03	1115	1	65	100	3	3	2	4311	3196	RH-1	40	form-based			true	0.7	3	1	2	2	4023.599854	2908.599854	2908.599854	0.933333
2452	014	1438	0.03	825	1	65	100	3	3	2	4314	3489	RH-1	40	form-based			true	0.7	3	1	2	2	4026.399902	3201.399902	3201.399902	0.933333
2452	014A	1360	0.03	825	1	65	100	3	3	2	4080	3255	RH-1	40	form-based			true	0.7	3	1	2	2	3808	2983	2983	0.933333
2453	001Q	2551	0.06	2394	3	65	100	3	6	3	7653	5259	RH-1	40	form-based			true	0.7	5	0.833333313	2	2	7142.799805	4748.799805	4748.799805	0.933333
2453	016A	3750	0.09	3000	12	65	100	3	9	0	11250	8250	RTO-C	65	form-based			true	0.75	14	1.555555582	2	2	16875	13875	13875	1.5
2507	021	1640	0.04	1011	1	55	80	2.5	3	2	4100	3089	RH-1	40	form-based	true	true	true	0.7	3	1	2	2	4592	3581	3581	1.12
2509	047	1644	0.04	1878	1	55	80	2.5	3	2	4110	2232	RH-1	40	form-based		true	true	0.7	3	1	2	2	4603.199707	2725.199707	2725.199707	1.12
2512	001A	1773	0.04	1406	2	65	100	3	4	2	5319	3913	RH-1	40	form-based			true	0.7	4	1	2	2	4964.399902	3558.399902	3558.399902	0.933333
2607	050	1880	0.04	2771	2	55	80	2.5	3	1	4700	1929	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5264	2493	2493	1.12
2607	105	1965	0.05	2435	2	55	80	2.5	4	2	4912	2477	RH-3	40	form-based			true	0.7	4	1	2	2	5502	3067	3067	1.120114
2607	108	1981	0.05	2995	2	55	80	2.5	4	2	4952	1957	RH-3	40	form-based			true	0.7	4	1	2	2	5546.799805	2551.799805	2551.799805	1.120113
2607	273	1797	0.04	816	2	55	80	2.5	3	1	4492	3676	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5031.600098	4215.600098	4215.600098	1.120125
2607	284	3095	0.07	5732	4	55	80	2.5	6	2	7738	2006	RH-3	40	form-based			true	0.7	6	1	2	2	8666	2934	2934	1.119928
2608	055	1927	0.04	2554	2	55	80	2.5	3	1	4818	2264	RH-2	40	form-based	true	true	true	0.7	4	1.333333373	2	2	5395.600098	2841.600098	2841.600098	1.119884
2609	008	2826	0.06	3431	4	65	100	3	6	2	8478	5047	RH-2	40	form-based			true	0.7	6	1	2	2	7912.799805	4481.799805	4481.799805	0.933333
2609	010	2250	0.05	3301	3	65	100	3	5	2	6750	3449	RH-2	40	form-based			true	0.7	5	1	2	2	6300	2999	2999	0.933333
2609	032	2808	0.06	3050	4	55	80	2.5	5	1	7020	3970	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7862.399902	4812.399902	4812.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2609	035	2808	0.06	4520	4	65	100	3	6	2	8424	3904	RH-2	40	form-based			true	0.7	6	1	2	2	7862.399902	3342.399902	3342.399902	0.933333
2609	057	2358	0.05	605	3	55	80	2.5	4	1	5895	5290	RH-2	40	form-based			true	0.7	5	1.25	2	2	6602.399902	5997.399902	5997.399902	1.12
2609	062	2255	0.05	1250	3	65	100	3	5	2	6765	5515	RH-2	40	form-based		true	true	0.7	5	1	2	2	6314	5064	5064	0.933333
2610	008	4919	0.11	8028	8	65	100	3	11	3	14757	6729	RH-3	40	form-based			true	0.7	10	0.909090936	2	2	13773.2002	5745.200195	5745.200195	0.933333
2610	010	2325	0.05	5230	3	65	100	3	5	2	6975	1745	RH-3	40	form-based			true	0.7	5	1	2	2	6510	1280	1280	0.933333
2610	013	2665	0.06	3036	4	65	100	3	6	2	7995	4959	RH-3	40	form-based			true	0.7	6	1	2	2	7462	4426	4426	0.933333
2610	023	1846	0.04	2378	2	65	100	3	4	2	5538	3160	RH-2	40	form-based			true	0.7	4	1	2	2	5168.799805	2790.799805	2790.799805	0.933333
2610	024	1846	0.04	2438	2	65	100	3	4	2	5538	3100	RH-2	40	form-based			true	0.7	4	1	2	2	5168.799805	2730.799805	2730.799805	0.933333
2610	030	2388	0.05	3950	3	65	100	3	5	2	7164	3214	RH-2	40	form-based			true	0.7	5	1	2	2	6686.399902	2736.399902	2736.399902	0.933333
2610	033	2227	0.05	3408	3	65	100	3	5	2	6681	3273	RH-2	40	form-based			true	0.7	5	1	2	2	6235.600098	2827.600098	2827.600098	0.933333
2610	054	2441	0.06	1856	3	65	100	3	6	3	7323	5467	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	6834.799805	4978.799805	4978.799805	0.933333
2610	056	2088	0.05	1113	2	65	100	3	5	3	6264	5151	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5846.399902	4733.399902	4733.399902	0.933333
2610	060	2030	0.05	1109	2	65	100	3	5	3	6090	4981	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5684	4575	4575	0.933333
2611	004	2060	0.05	2448	2	65	100	3	5	3	6180	3732	RM-1	40	form-based			true	0.7	4	0.800000012	2	2	5768	3320	3320	0.933333
2611	006	2412	0.06	2900	3	65	100	3	6	3	7236	4336	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	6753.600098	3853.600098	3853.600098	0.933333
2611	028	2468	0.06	4370	3	65	100	3	6	3	7404	3034	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	6910.399902	2540.399902	2540.399902	0.933333
2611	031	2290	0.05	3700	3	65	100	3	5	2	6870	3170	RH-3	40	form-based			true	0.7	5	1	2	2	6412	2712	2712	0.933333
2611	036	1574	0.04	2490	1	65	100	3	4	3	4722	2232	RH-3	40	form-based		true	true	0.7	3	0.75	2	2	4407.199707	1917.199707	1917.199707	0.933333
2611	041	2693	0.06	3134	4	65	100	3	6	2	8079	4945	RH-3	40	form-based			true	0.7	6	1	2	2	7540.399902	4406.399902	4406.399902	0.933333
2611	051	2313	0.05	1490	3	65	100	3	5	2	6939	5449	RH-3	40	form-based			true	0.7	5	1	2	2	6476.399902	4986.399902	4986.399902	0.933333
2612	005	2993	0.07	3000	4	65	100	3	7	3	8979	5979	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8380.399414	5380.399414	5380.399414	0.933333
2612	008A	2316	0.05	3024	3	65	100	3	5	2	6948	3924	RH-3	40	form-based			true	0.7	5	1	2	2	6484.799805	3460.799805	3460.799805	0.933333
2612	032	2299	0.05	3096	3	55	80	2.5	4	1	5748	2652	RM-1	40	form-based		true	true	0.7	5	1.25	2	2	6437.199707	3341.199707	3341.199707	1.119902
2612	036B	1894	0.04	2660	2	55	80	2.5	3	1	4735	2075	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5303.199707	2643.199707	2643.199707	1.12
2612	042A	1468	0.03	2207	1	55	80	2.5	2	1	3670	1463	RH-2	40	form-based			true	0.7	3	1.5	2	2	4110.399902	1903.399902	1903.399902	1.12
2612	078	2538	0.06	3460	3	55	80	2.5	5	2	6345	2885	RM-1	40	form-based			true	0.7	5	1	2	2	7106.399902	3646.399902	3646.399902	1.12
2612	137	1750	0.04	1185	2	55	80	2.5	3	1	4375	3190	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4900	3715	3715	1.12
2612	107	1950	0.04	975	2	55	80	2.5	3	1	4875	3900	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5460	4485	4485	1.12
2612	113	1894	0.04	1080	2	55	80	2.5	3	1	4735	3655	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5303.199707	4223.199707	4223.199707	1.12
2612	053A	1225	0.03	1602	1	55	80	2.5	2	1	3062	1460	RH-2	40	form-based			true	0.7	3	1.5	2	2	3430	1828	1828	1.120183
2612	073	1925	0.04	5358	2	55	80	2.5	3	1	4812	0	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5390	32	32	1.120116
2612	075	2832	0.07	3957	4	55	80	2.5	6	2	7080	3123	RM-1	40	form-based			true	0.7	6	1	2	2	7929.600098	3972.600098	3972.600098	1.12
2612	076	2832	0.07	3957	4	55	80	2.5	6	2	7080	3123	RM-1	40	form-based			true	0.7	6	1	2	2	7929.600098	3972.600098	3972.600098	1.12
2613	027	1819	0.04	2220	2	65	100	3	4	2	5457	3237	RH-2	40	form-based			true	0.7	4	1	2	2	5093.199707	2873.199707	2873.199707	0.933333
2614	067	2538	0.06	3800	3	55	80	2.5	5	2	6345	2545	RH-2	40	form-based			true	0.7	5	1	2	2	7106.399902	3306.399902	3306.399902	1.12
2614	113	2810	0.06	3480	4	65	100	3	6	2	8430	4950	RH-2	40	form-based		true	true	0.7	6	1	2	2	7868	4388	4388	0.933333
2614	117	2114	0.05	1130	2	65	100	3	5	3	6342	5212	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5919.199707	4789.199707	4789.199707	0.933333
2614	119	2878	0.07	2500	4	55	80	2.5	6	2	7195	4695	RH-2	40	form-based			true	0.7	6	1	2	2	8058.399902	5558.399902	5558.399902	1.12
2614	137	2822	0.06	785	4	65	100	3	6	2	8466	7681	RH-2	40	form-based			true	0.7	6	1	2	2	7901.600098	7116.600098	7116.600098	0.933333
2616	036	2500	0.06	4317	3	55	80	2.5	5	2	6250	1933	RH-2	40	form-based			true	0.7	5	1	2	2	7000	2683	2683	1.12
2617A	002	2500	0.06	2750	3	55	80	2.5	5	2	6250	3500	RH-2	40	form-based			true	0.7	5	1	2	2	7000	4250	4250	1.12
2617A	004	2500	0.06	2160	3	55	80	2.5	5	2	6250	4090	RH-2	40	form-based			true	0.7	5	1	2	2	7000	4840	4840	1.12
2618	004A	1582	0.04	865	1	55	80	2.5	3	2	3955	3090	RH-2	40	form-based			true	0.7	3	1	2	2	4429.600098	3564.600098	3564.600098	1.12
2619	003	746	0.02	0	0	65	100	3	2	2	2238	2238	RH-2	40	form-based			true	0.7	2	1	2	2	2088.800049	2088.800049	2088.800049	0.933333
2618	038	2326	0.05	3880	3	55	80	2.5	4	1	5815	1935	RH-2	40	form-based			true	0.7	5	1.25	2	2	6512.799805	2632.799805	2632.799805	1.12
2618	044C	1523	0.03	2230	1	55	80	2.5	2	1	3808	1578	RH-2	40	form-based			true	0.7	3	1.5	2	2	4264.399902	2034.399902	2034.399902	1.119853
2618	044D	1433	0.03	1704	1	55	80	2.5	2	1	3582	1878	RH-2	40	form-based			true	0.7	3	1.5	2	2	4012.399902	2308.399902	2308.399902	1.120156
2618	095	1667	0.04	818	2	55	80	2.5	3	1	4168	3350	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4667.600098	3849.600098	3849.600098	1.119866
2618	100	2119	0.05	1398	2	55	80	2.5	4	2	5298	3900	RH-2	40	form-based			true	0.7	4	1	2	2	5933.199707	4535.199707	4535.199707	1.119894
2619	002	2092	0.05	1720	2	65	100	3	5	3	6276	4556	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5857.600098	4137.600098	4137.600098	0.933333
2619	045	791	0.02	0	0	55	80	2.5	2	2	1978	1978	RH-2	40	form-based			true	0.7	2	1	2	2	2214.800049	2214.800049	2214.800049	1.119717
2619	078	1291	0.03	672	1	55	80	2.5	2	1	3228	2556	RH-2	40	form-based			true	0.7	3	1.5	2	2	3614.800049	2942.800049	2942.800049	1.119827
2619	079	2865	0.07	2760	4	55	80	2.5	6	2	7162	4402	RH-2	40	form-based			true	0.7	6	1	2	2	8022	5262	5262	1.120078
2619	101	2699	0.06	649	4	55	80	2.5	5	1	6748	6099	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7557.199707	6908.199707	6908.199707	1.119917
2620	062	3320	0.08	3459	5	55	80	2.5	6	1	8300	4841	RH-2	40	form-based			true	0.7	7	1.166666627	2	2	9296	5837	5837	1.12
2620	069	2155	0.05	4090	3	55	80	2.5	4	1	5388	1298	RH-2	40	form-based			true	0.7	5	1.25	2	2	6034	1944	1944	1.119896
2620	092	1562	0.04	1701	1	55	80	2.5	3	2	3905	2204	RH-2	40	form-based			true	0.7	3	1	2	2	4373.600098	2672.600098	2672.600098	1.12
2620	094	2426	0.06	3000	3	55	80	2.5	5	2	6065	3065	RH-2	40	form-based			true	0.7	5	1	2	2	6792.799805	3792.799805	3792.799805	1.12
2620	100	2514	0.06	1742	3	55	80	2.5	5	2	6285	4543	RH-2	40	form-based			true	0.7	5	1	2	2	7039.199707	5297.199707	5297.199707	1.12
2620	123	2125	0.05	855	2	55	80	2.5	4	2	5312	4457	RH-2	40	form-based			true	0.7	4	1	2	2	5950	5095	5095	1.120105
2623	035A	1850	0.04	2676	2	65	100	3	4	2	5550	2874	RH-2	40	form-based			true	0.7	4	1	2	2	5180	2504	2504	0.933333
2623	054	2076	0.05	2650	2	65	100	3	5	3	6228	3578	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5812.799805	3162.799805	3162.799805	0.933333
2623	057	2245	0.05	1944	3	65	100	3	5	2	6735	4791	RH-2	40	form-based			true	0.7	5	1	2	2	6286	4342	4342	0.933333
2623	063	1440	0.03	1794	1	65	100	3	3	2	4320	2526	RH-2	40	form-based			true	0.7	3	1	2	2	4032	2238	2238	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2623	065	1520	0.03	720	1	65	100	3	3	2	4560	3840	RH-2	40	form-based			true	0.7	3	1	2	2	4256	3536	3536	0.933333
2623	101	6615	0.15	8526	12	65	100	3	15	3	19845	11319	RH-3	40	form-based			true	0.7	14	0.933333337	2	2	18522	9996	9996	0.933333
2623	201	1850	0.04	1504	2	65	100	3	4	2	5550	4046	RH-2	40	form-based			true	0.7	4	1	2	2	5180	3676	3676	0.933333
2625	003	1842	0.04	2620	2	65	100	3	4	2	5526	2906	RH-2	40	form-based			true	0.7	4	1	2	2	5157.600098	2537.600098	2537.600098	0.933333
2625	003A	1621	0.04	1350	1	65	100	3	4	3	4863	3513	RH-2	40	form-based			true	0.7	3	0.75	2	2	4538.799805	3188.799805	3188.799805	0.933333
2625	005	1750	0.04	2390	2	65	100	3	4	2	5250	2860	RH-2	40	form-based			true	0.7	4	1	2	2	4900	2510	2510	0.933333
2625	008	1850	0.04	1950	2	65	100	3	4	2	5550	3600	RH-2	40	form-based			true	0.7	4	1	2	2	5180	3230	3230	0.933333
2625	009A	2046	0.05	2132	2	55	80	2.5	4	2	5115	2983	RH-2	40	form-based			true	0.7	4	1	2	2	5728.799805	3596.799805	3596.799805	1.12
2625	010	1873	0.04	1800	2	65	100	3	4	2	5619	3819	RH-2	40	form-based			true	0.7	4	1	2	2	5244.399902	3444.399902	3444.399902	0.933333
2625	012	2488	0.06	4950	3	65	100	3	6	3	7464	2514	RH-2	40	form-based		true	true	0.7	5	0.833333313	2	2	6966.399902	2016.399902	2016.399902	0.933333
2625	014A	1725	0.04	2210	2	55	80	2.5	3	1	4312	2102	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4830	2620	2620	1.12013
2625	019	1593	0.04	2277	1	55	80	2.5	3	2	3982	1705	RH-2	40	form-based			true	0.7	3	1	2	2	4460.399902	2183.399902	2183.399902	1.120141
2625	021	1857	0.04	1056	2	65	100	3	4	2	5571	4515	RH-2	40	form-based			true	0.7	4	1	2	2	5199.600098	4143.600098	4143.600098	0.933333
2625	035	1805	0.04	936	2	65	100	3	4	2	5415	4479	RH-2	40	form-based			true	0.7	4	1	2	2	5054	4118	4118	0.933333
2626	014A	2832	0.07	2544	4	55	80	2.5	6	2	7080	4536	RH-2	40	form-based		true	true	0.7	6	1	2	2	7929.600098	5385.600098	5385.600098	1.12
2626	017	2515	0.06	1875	3	55	80	2.5	5	2	6288	4413	RH-2	40	form-based			true	0.7	5	1	2	2	7042	5167	5167	1.119911
2626	047	1737	0.04	880	2	55	80	2.5	3	1	4342	3462	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4863.600098	3983.600098	3983.600098	1.120129
2627	003	2606	0.06	4120	3	55	80	2.5	5	2	6515	2395	RH-2	40	form-based			true	0.7	5	1	2	2	7296.799805	3176.799805	3176.799805	1.12
2627	007	2010	0.05	3100	2	55	80	2.5	4	2	5025	1925	RH-2	40	form-based			true	0.7	4	1	2	2	5628	2528	2528	1.12
2627	024	2268	0.05	3357	3	55	80	2.5	4	1	5670	2313	RH-2	40	form-based			true	0.7	5	1.25	2	2	6350.399902	2993.399902	2993.399902	1.12
2627	039	2181	0.05	2220	3	55	80	2.5	4	1	5452	3232	RH-2	40	form-based			true	0.7	5	1.25	2	2	6106.799805	3886.799805	3886.799805	1.120103
2627	055	1783	0.04	1458	2	55	80	2.5	3	1	4458	3000	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4992.399902	3534.399902	3534.399902	1.119874
2627	061	1881	0.04	1290	2	55	80	2.5	3	1	4702	3412	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5266.799805	3976.799805	3976.799805	1.120119
2627	071	2223	0.05	403	3	55	80	2.5	4	1	5558	5155	RH-2	40	form-based			true	0.7	5	1.25	2	2	6224.399902	5821.399902	5821.399902	1.119899
2628	007	1449	0.03	2195	1	55	80	2.5	2	1	3622	1427	RH-2	40	form-based			true	0.7	3	1.5	2	2	4057.199951	1862.199951	1862.199951	1.120155
2628	018	1735	0.04	2533	2	55	80	2.5	3	1	4338	1805	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4858	2325	2325	1.119871
2628	021	1728	0.04	2503	2	55	80	2.5	3	1	4320	1817	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4838.399902	2335.399902	2335.399902	1.12
2628	022	1739	0.04	2312	2	55	80	2.5	3	1	4348	2036	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4869.199707	2557.199707	2557.199707	1.119871
2628	023	1750	0.04	1900	2	55	80	2.5	3	1	4375	2475	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4900	3000	3000	1.12
2628	024	1735	0.04	2058	2	55	80	2.5	3	1	4338	2280	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4858	2800	2800	1.119871
2628	025	1943	0.04	1165	2	55	80	2.5	3	1	4858	3693	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5440.399902	4275.399902	4275.399902	1.119885
2628	042	1554	0.04	2650	1	55	80	2.5	3	2	3885	1235	RH-2	40	form-based			true	0.7	3	1	2	2	4351.199707	1701.199707	1701.199707	1.12
2628	044	1491	0.03	2730	1	55	80	2.5	2	1	3728	998	RH-2	40	form-based			true	0.7	3	1.5	2	2	4174.799805	1444.799805	1444.799805	1.11985
2628	044A	1498	0.03	2638	1	55	80	2.5	2	1	3745	1107	RH-2	40	form-based			true	0.7	3	1.5	2	2	4194.399902	1556.399902	1556.399902	1.12
2628	046	1857	0.04	357	2	55	80	2.5	3	1	4642	4285	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5199.600098	4842.600098	4842.600098	1.120121
2628	083	1667	0.04	1530	2	55	80	2.5	3	1	4168	2638	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4667.600098	3137.600098	3137.600098	1.119866
2628	087	1868	0.04	1586	2	55	80	2.5	3	1	4670	3084	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5230.399902	3644.399902	3644.399902	1.12
2628	089	1758	0.04	1675	2	55	80	2.5	3	1	4395	2720	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4922.399902	3247.399902	3247.399902	1.12
2628	091	1760	0.04	1457	2	55	80	2.5	3	1	4400	2943	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4928	3471	3471	1.12
2628	093	1731	0.04	1722	2	55	80	2.5	3	1	4328	2606	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4846.799805	3124.799805	3124.799805	1.119871
2628	095	1733	0.04	1870	2	55	80	2.5	3	1	4332	2462	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4852.399902	2982.399902	2982.399902	1.120129
2628	105	1737	0.04	1534	2	55	80	2.5	3	1	4342	2808	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4863.600098	3329.600098	3329.600098	1.120129
2628	111	1835	0.04	1493	2	55	80	2.5	3	1	4588	3095	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5138	3645	3645	1.119878
2628	120	1829	0.04	1189	2	55	80	2.5	3	1	4572	3383	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5121.199707	3932.199707	3932.199707	1.120122
2628	122	1823	0.04	1182	2	55	80	2.5	3	1	4558	3376	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5104.399902	3922.399902	3922.399902	1.119877
2629	028	2539	0.06	4038	3	65	100	3	6	3	7617	3579	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7109.199707	3071.199707	3071.199707	0.933333
2629	029	2572	0.06	4125	3	65	100	3	6	3	7716	3591	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7201.600098	3076.600098	3076.600098	0.933333
2629	053	4878	0.11	1880	8	55	80	2.5	9	1	12195	10315	RH-2	40	form-based			true	0.7	10	1.111111164	2	2	13658.39941	11778.39941	11778.39941	1.12
2629	070	2121	0.05	1682	2	55	80	2.5	4	2	5302	3620	RH-2	40	form-based			true	0.7	4	1	2	2	5938.799805	4256.799805	4256.799805	1.120106
2629	079	2498	0.06	1100	3	55	80	2.5	5	2	6245	5145	RH-2	40	form-based			true	0.7	5	1	2	2	6994.399902	5894.399902	5894.399902	1.12
2629A	002D	1922	0.04	1468	2	55	80	2.5	3	1	4805	3337	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5381.600098	3913.600098	3913.600098	1.12
2629A	002E	1843	0.04	1468	2	55	80	2.5	3	1	4608	3140	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5160.399902	3692.399902	3692.399902	1.119878
2629A	002F	1695	0.04	1556	2	55	80	2.5	3	1	4238	2682	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4746	3190	3190	1.119868
2629A	020	1947	0.04	2450	2	55	80	2.5	3	1	4868	2418	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	5451.600098	3001.600098	3001.600098	1.119885
2629A	024	2816	0.06	3135	4	55	80	2.5	5	1	7040	3905	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7884.799805	4749.799805	4749.799805	1.12
2629A	065	2015	0.05	995	2	55	80	2.5	4	2	5038	4043	RH-3	40	form-based			true	0.7	4	1	2	2	5642	4647	4647	1.119889
2630	031	2559	0.06	2925	3	65	100	3	6	3	7677	4752	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7165.199707	4240.199707	4240.199707	0.933333
2631	018	2000	0.05	1948	2	65	100	3	5	3	6000	4052	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	3652	3652	0.933333
2634	085	2912	0.07	2580	4	55	80	2.5	6	2	7280	4700	RM-2	40	form-based			true	0.7	6	1	2	2	8153.600098	5573.600098	5573.600098	1.12
2634	086	2983	0.07	2580	4	55	80	2.5	6	2	7458	4878	RM-2	40	form-based			true	0.7	6	1	2	2	8352.399414	5772.399414	5772.399414	1.119925
2634	087	3055	0.07	2580	4	55	80	2.5	6	2	7638	5058	RM-2	40	form-based			true	0.7	6	1	2	2	8554	5974	5974	1.119927
2634	089	2704	0.06	2580	4	55	80	2.5	5	1	6760	4180	RM-2	40	form-based			true	0.7	6	1.200000048	2	2	7571.199707	4991.199707	4991.199707	1.12
2634	090	2972	0.07	2580	4	55	80	2.5	6	2	7430	4850	RM-2	40	form-based			true	0.7	6	1	2	2	8321.599609	5741.599609	5741.599609	1.12
2634	091	2867	0.07	2580	4	55	80	2.5	6	2	7168	4588	RM-2	40	form-based			true	0.7	6	1	2	2	8027.600098	5447.600098	5447.600098	1.119922

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2634	092	2926	0.07	2580	4	55	80	2.5	6	2	7315	4735	RM-2	40	form-based			true	0.7	6	1	2	2	8192.799805	5612.799805	5612.799805	1.12
2638	009	2035	0.05	2913	2	55	80	2.5	4	2	5088	2175	RM-1	40	form-based			true	0.7	4	1	2	2	5698	2785	2785	1.11989
2644	005	2926	0.07	2560	4	65	100	3	7	3	8778	6218	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8192.799805	5632.799805	5632.799805	0.933333
2645	011	1944	0.04	1956	2	55	80	2.5	3	1	4860	2904	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5443.199707	3487.199707	3487.199707	1.12
2645	004	1658	0.04	1624	1	55	80	2.5	3	2	4145	2521	RH-2	40	form-based			true	0.7	3	1	2	2	4642.399902	3018.399902	3018.399902	1.12
2645	020	2261	0.05	2248	3	55	80	2.5	4	1	5652	3404	RH-2	40	form-based			true	0.7	5	1.25	2	2	6330.799805	4082.799805	4082.799805	1.120099
2645	023	1177	0.03	0	0	55	80	2.5	2	2	2942	2942	RH-2	40	form-based		true	true	0.7	2	1	2	2	3295.599854	3295.599854	3295.599854	1.12019
2645	024	1219	0.03	1220	1	55	80	2.5	2	1	3048	1828	RH-2	40	form-based			true	0.7	3	1.5	2	2	3413.199951	2193.199951	2193.199951	1.119816
2645	036	2560	0.06	2240	3	55	80	2.5	5	2	6400	4160	RH-2	40	form-based			true	0.7	5	1	2	2	7168	4928	4928	1.12
2646	002	2388	0.05	1892	3	55	80	2.5	4	1	5970	4078	RH-2	40	form-based			true	0.7	5	1.25	2	2	6686.399902	4794.399902	4794.399902	1.12
2646	007	2187	0.05	3200	3	55	80	2.5	4	1	5468	2268	RH-2	40	form-based			true	0.7	5	1.25	2	2	6123.600098	2923.600098	2923.600098	1.119898
2646	031	2420	0.06	3560	3	55	80	2.5	5	2	6050	2490	RH-2	40	form-based			true	0.7	5	1	2	2	6776	3216	3216	1.12
2646	033	1617	0.04	1025	1	55	80	2.5	3	2	4042	3017	RH-2	40	form-based			true	0.7	3	1	2	2	4527.600098	3502.600098	3502.600098	1.120139
2646	037	2126	0.05	1560	2	55	80	2.5	4	2	5315	3755	RH-2	40	form-based			true	0.7	4	1	2	2	5952.799805	4392.799805	4392.799805	1.12
2648	016	1875	0.04	2650	2	65	100	3	4	2	5625	2975	NCD-CAST	40	form-based			true	0.75	4	1	2	2	5625	2975	2975	1
2648	017	1875	0.04	5219	2	65	100	3	4	2	5625	406	NCD-CAST	40	form-based			true	0.75	4	1	2	2	5625	406	406	1
2648	018	1875	0.04	2650	2	65	100	3	4	2	5625	2975	NCD-CAST	40	form-based			true	0.75	4	1	2	2	5625	2975	2975	1
2648	020	1875	0.04	1394	2	65	100	3	4	2	5625	4231	NCD-CAST	40	form-based			true	0.75	4	1	2	2	5625	4231	4231	1
2648	030	3109	0.07	4300	5	65	100	3	7	2	9327	5027	RH-3	40	form-based			true	0.7	7	1	2	2	8705.200195	4405.200195	4405.200195	0.933333
2649	017	1900	0.04	2273	2	65	100	3	4	2	5700	3427	RH-3	40	form-based			true	0.7	4	1	2	2	5320	3047	3047	0.933333
2649	018	1875	0.04	2250	2	65	100	3	4	2	5625	3375	RH-3	40	form-based			true	0.7	4	1	2	2	5250	3000	3000	0.933333
2649	020	2813	0.06	4080	4	65	100	3	6	2	8439	4359	RH-3	40	form-based			true	0.7	6	1	2	2	7876.399902	3796.399902	3796.399902	0.933333
2649	036	1641	0.04	1350	1	65	100	3	4	3	4923	3573	RH-3	40	form-based			true	0.7	3	0.75	2	2	4594.799805	3244.799805	3244.799805	0.933333
2649	037	1641	0.04	1350	1	65	100	3	4	3	4923	3573	RH-3	40	form-based			true	0.7	3	0.75	2	2	4594.799805	3244.799805	3244.799805	0.933333
2649	038	1641	0.04	2046	1	65	100	3	4	3	4923	2877	RH-3	40	form-based			true	0.7	3	0.75	2	2	4594.799805	2548.799805	2548.799805	0.933333
2649	039	1621	0.04	1500	1	65	100	3	4	3	4863	3363	RH-3	40	form-based			true	0.7	3	0.75	2	2	4538.799805	3038.799805	3038.799805	0.933333
2649	053	1811	0.04	1022	2	65	100	3	4	2	5433	4411	RH-3	40	form-based			true	0.7	4	1	2	2	5070.799805	4048.799805	4048.799805	0.933333
2649	058	2813	0.06	4080	4	65	100	3	6	2	8439	4359	RH-3	40	form-based			true	0.7	6	1	2	2	7876.399902	3796.399902	3796.399902	0.933333
2649	062	2250	0.05	1181	3	65	100	3	5	2	6750	5569	RH-3	40	form-based			true	0.7	5	1	2	2	6300	5119	5119	0.933333
2650	013	3083	0.07	5077	4	65	100	3	7	3	9249	4172	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8632.399414	3555.399414	3555.399414	0.933333
2650	016	1937	0.04	2300	2	65	100	3	4	2	5811	3511	RH-3	40	form-based			true	0.7	4	1	2	2	5423.600098	3123.600098	3123.600098	0.933333
2650	036	2625	0.06	3790	4	65	100	3	6	2	7875	4085	RH-3	40	form-based			true	0.7	6	1	2	2	7350	3560	3560	0.933333
2650	039	2450	0.06	2448	3	65	100	3	6	3	7350	4902	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	6860	4412	4412	0.933333
2650	041	1800	0.04	1852	2	65	100	3	4	2	5400	3548	RH-3	40	form-based			true	0.7	4	1	2	2	5040	3188	3188	0.933333
2650	042	1800	0.04	1852	2	65	100	3	4	2	5400	3548	RH-3	40	form-based			true	0.7	4	1	2	2	5040	3188	3188	0.933333
2650	060	1937	0.04	2451	2	65	100	3	4	2	5811	3360	RH-3	40	form-based			true	0.7	4	1	2	2	5423.600098	2972.600098	2972.600098	0.933333
2651	002	2241	0.05	4756	3	65	100	3	5	2	6723	1967	RH-2	40	form-based		true	true	0.7	5	1	2	2	6274.799805	1518.799805	1518.799805	0.933333
2651	003	1700	0.04	2250	2	65	100	3	4	2	5100	2850	RH-2	40	form-based			true	0.7	4	1	2	2	4760	2510	2510	0.933333
2651	004	1750	0.04	2400	2	65	100	3	4	2	5250	2850	RH-2	40	form-based			true	0.7	4	1	2	2	4900	2500	2500	0.933333
2651	005	3399	0.08	4166	5	65	100	3	8	3	10197	6031	RH-2	40	form-based			true	0.7	7	0.875	2	2	9517.200195	5351.200195	5351.200195	0.933333
2651	006	1634	0.04	1983	1	65	100	3	4	3	4902	2919	RH-2	40	form-based			true	0.7	3	0.75	2	2	4575.199707	2592.199707	2592.199707	0.933333
2651	007	1574	0.04	2336	1	65	100	3	4	3	4722	2386	RH-2	40	form-based		true	true	0.7	3	0.75	2	2	4407.199707	2071.199707	2071.199707	0.933333
2651	007B	1838	0.04	2310	2	55	80	2.5	3	1	4595	2285	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5146.399902	2836.399902	2836.399902	1.12
2651	015	2275	0.05	3155	3	55	80	2.5	4	1	5688	2533	RH-2	40	form-based			true	0.7	5	1.25	2	2	6370	3215	3215	1.119902
2651	031	1861	0.04	1653	2	55	80	2.5	3	1	4652	2999	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5210.799805	3557.799805	3557.799805	1.12012
2652	003	2122	0.05	2933	2	55	80	2.5	4	2	5305	2372	RH-2	40	form-based			true	0.7	4	1	2	2	5941.600098	3008.600098	3008.600098	1.12
2652	004	1966	0.05	2799	2	55	80	2.5	4	2	4915	2116	RH-2	40	form-based			true	0.7	4	1	2	2	5504.799805	2705.799805	2705.799805	1.12
2652	006A	1213	0.03	1000	1	55	80	2.5	2	1	3032	2032	RH-2	40	form-based			true	0.7	3	1.5	2	2	3396.399902	2396.399902	2396.399902	1.120185
2652	007A	1500	0.03	1630	1	55	80	2.5	2	1	3750	2120	RH-2	40	form-based			true	0.7	3	1.5	2	2	4200	2570	2570	1.12
2652	008	1500	0.03	898	1	55	80	2.5	2	1	3750	2852	RH-2	40	form-based			true	0.7	3	1.5	2	2	4200	3302	3302	1.12
2652	008A	1334	0.03	1470	1	55	80	2.5	2	1	3335	1865	RH-2	40	form-based			true	0.7	3	1.5	2	2	3735.199951	2265.199951	2265.199951	1.12
2652	009	3047	0.07	2550	4	55	80	2.5	6	2	7618	5068	RH-2	40	form-based			true	0.7	6	1	2	2	8531.599609	5981.599609	5981.599609	1.119926
2652	015	1389	0.03	750	1	55	80	2.5	2	1	3472	2722	RH-2	40	form-based			true	0.7	3	1.5	2	2	3889.199951	3139.199951	3139.199951	1.120161
2652	019	2167	0.05	2506	3	55	80	2.5	4	1	5418	2912	RH-2	40	form-based			true	0.7	5	1.25	2	2	6067.600098	3561.600098	3561.600098	1.119897
2652	021	1998	0.05	1940	2	55	80	2.5	4	2	4995	3055	RH-2	40	form-based			true	0.7	4	1	2	2	5594.399902	3654.399902	3654.399902	1.12
2652	023	1613	0.04	945	1	55	80	2.5	3	2	4032	3087	RH-2	40	form-based			true	0.7	3	1	2	2	4516.399902	3571.399902	3571.399902	1.120139
2652	023A	1420	0.03	945	1	55	80	2.5	2	1	3550	2605	RH-2	40	form-based			true	0.7	3	1.5	2	2	3976	3031	3031	1.12
2652	040	2071	0.05	1268	2	55	80	2.5	4	2	5178	3910	RH-2	40	form-based		true	true	0.7	4	1	2	2	5798.799805	4530.799805	4530.799805	1.119892
2653	004A	1394	0.03	1027	1	55	80	2.5	2	1	3485	2458	RH-2	40	form-based			true	0.7	3	1.5	2	2	3903.199951	2876.199951	2876.199951	1.12
2653	005	2702	0.06	1500	4	55	80	2.5	5	1	6755	5255	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7565.600098	6065.600098	6065.600098	1.12
2653	007A	1587	0.04	1960	1	55	80	2.5	3	2	3968	2008	RH-2	40	form-based			true	0.7	3	1	2	2	4443.600098	2483.600098	2483.600098	1.119859
2653	008	2053	0.05	2428	2	55	80	2.5	4	2	5132	2704	RH-2	40	form-based			true	0.7	4	1	2	2	5748.399902	3320.399902	3320.399902	1.120109
2653	016B	1224	0.03	925	1	55	80	2.5	2	1	3060	2135	RH-2	40	form-based			true	0.7	3	1.5	2	2	3427.199951	2502.199951	2502.199951	1.12
2653	021	2395	0.05	2000	3	55	80	2.5	4	1	5988	3988	RH-2	40	form-based			true	0.7	5	1.25	2	2	6706	4706	4706	1.119906

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2653	033	1923	0.04	1320	2	55	80	2.5	3	1	4808	3488	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5384.399902	4064.399902	4064.399902	1.119884
2653	043	2462	0.06	1033	3	55	80	2.5	5	2	6155	5122	RH-2	40	form-based		true	true	0.7	5	1	2	2	6893.600098	5860.600098	5860.600098	1.12
2653	048	2128	0.05	1275	2	55	80	2.5	4	2	5320	4045	RH-2	40	form-based			true	0.7	4	1	2	2	5958.399902	4683.399902	4683.399902	1.12
2653	050	2007	0.05	728	2	55	80	2.5	4	2	5018	4290	RH-2	40	form-based			true	0.7	4	1	2	2	5619.600098	4891.600098	4891.600098	1.119888
2653	052	1858	0.04	642	2	55	80	2.5	3	1	4645	4003	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5202.399902	4560.399902	4560.399902	1.12
2654	008	2528	0.06	2075	3	55	80	2.5	5	2	6320	4245	RH-2	40	form-based			true	0.7	5	1	2	2	7078.399902	5003.399902	5003.399902	1.12
2654	024	2594	0.06	2496	3	55	80	2.5	5	2	6485	3989	RH-2	40	form-based			true	0.7	5	1	2	2	7263.199707	4767.199707	4767.199707	1.12
2655	018	2697	0.06	4108	4	55	80	2.5	5	1	6742	2634	RH-2	40	form-based		true	true	0.7	6	1.200000048	2	2	7551.600098	3443.600098	3443.600098	1.120083
2655	043	2500	0.06	3074	3	55	80	2.5	5	2	6250	3176	RH-2	40	form-based			true	0.7	5	1	2	2	7000	3926	3926	1.12
2656	011	1980	0.05	2250	2	55	80	2.5	4	2	4950	2700	RH-2	40	form-based			true	0.7	4	1	2	2	5544	3294	3294	1.12
2656	028	1835	0.04	2100	2	55	80	2.5	3	1	4588	2488	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5138	3038	3038	1.119878
2656	034	1768	0.04	2868	2	55	80	2.5	3	1	4420	1552	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4950.399902	2082.399902	2082.399902	1.12
2656	036	1923	0.04	2784	2	55	80	2.5	3	1	4808	2024	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5384.399902	2600.399902	2600.399902	1.119884
2656	037	2072	0.05	3000	2	55	80	2.5	4	2	5180	2180	RH-2	40	form-based			true	0.7	4	1	2	2	5801.600098	2801.600098	2801.600098	1.12
2656	042	2742	0.06	3200	4	55	80	2.5	5	1	6855	3655	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7677.600098	4477.600098	4477.600098	1.12
2656	051	1923	0.04	2150	2	55	80	2.5	3	1	4808	2658	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5384.399902	3234.399902	3234.399902	1.119884
2656	053	1944	0.04	2932	2	55	80	2.5	3	1	4860	1928	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5443.199707	2511.199707	2511.199707	1.12
2656	054	1957	0.04	2500	2	55	80	2.5	3	1	4892	2392	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5479.600098	2979.600098	2979.600098	1.120114
2656	062	1564	0.04	1075	1	55	80	2.5	3	2	3910	2835	RH-2	40	form-based			true	0.7	3	1	2	2	4379.199707	3304.199707	3304.199707	1.12
2656	063	1807	0.04	1348	2	55	80	2.5	3	1	4518	3170	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5059.600098	3711.600098	3711.600098	1.119876
2656	068	2258	0.05	800	3	55	80	2.5	4	1	5645	4845	RH-2	40	form-based			true	0.7	5	1.25	2	2	6322.399902	5522.399902	5522.399902	1.12
2656	071	1945	0.04	1131	2	55	80	2.5	3	1	4862	3731	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5446	4315	4315	1.120115
2656	073	2868	0.07	2414	4	55	80	2.5	6	2	7170	4756	RH-2	40	form-based			true	0.7	6	1	2	2	8030.399902	5616.399902	5616.399902	1.12
2657	011	2412	0.06	2721	3	55	80	2.5	5	2	6030	3309	RH-2	40	form-based		true	true	0.7	5	1	2	2	6753.600098	4032.600098	4032.600098	1.12
2657	011B	1198	0.03	1950	1	55	80	2.5	2	1	2995	1045	RH-2	40	form-based			true	0.7	3	1.5	2	2	3354.399902	1404.399902	1404.399902	1.12
2657	021	1666	0.04	2518	1	55	80	2.5	3	2	4165	1647	RH-2	40	form-based		true	true	0.7	3	1	2	2	4664.799805	2146.799805	2146.799805	1.12
2657	025	1901	0.04	1450	2	55	80	2.5	3	1	4752	3302	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	5322.799805	3872.799805	3872.799805	1.120118
2657	026	2011	0.05	2732	2	55	80	2.5	4	2	5028	2296	RH-2	40	form-based			true	0.7	4	1	2	2	5630.799805	2898.799805	2898.799805	1.119889
2657	029	2411	0.06	1894	3	55	80	2.5	5	2	6028	4134	RH-2	40	form-based		true	true	0.7	5	1	2	2	6750.799805	4856.799805	4856.799805	1.119907
2657	041	1871	0.04	863	2	55	80	2.5	3	1	4678	3815	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5238.799805	4375.799805	4375.799805	1.11988
2658	002	1917	0.04	3500	2	55	80	2.5	3	1	4792	1292	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	5367.600098	1867.600098	1867.600098	1.120117
2658	006	2014	0.05	1400	2	55	80	2.5	4	2	5035	3635	RH-2	40	form-based			true	0.7	4	1	2	2	5639.199707	4239.199707	4239.199707	1.12
2658	025	1522	0.03	1230	1	55	80	2.5	2	1	3805	2575	RH-2	40	form-based			true	0.7	3	1.5	2	2	4261.600098	3031.600098	3031.600098	1.12
2658	026	1145	0.03	1101	0	55	80	2.5	2	2	2862	1761	RH-2	40	form-based			true	0.7	2	1	2	2	3206	2105	2105	1.120196
2658	040	1364	0.03	1088	1	55	80	2.5	2	1	3410	2322	RH-2	40	form-based			true	0.7	3	1.5	2	2	3819.199951	2731.199951	2731.199951	1.12
2658	046	1653	0.04	1050	1	55	80	2.5	3	2	4132	3082	RH-2	40	form-based			true	0.7	3	1	2	2	4628.399902	3578.399902	3578.399902	1.120136
2658	048	1606	0.04	1319	1	55	80	2.5	3	2	4015	2696	RH-2	40	form-based			true	0.7	3	1	2	2	4496.799805	3177.799805	3177.799805	1.12
2658	050	1560	0.04	1150	1	55	80	2.5	3	2	3900	2750	RH-2	40	form-based			true	0.7	3	1	2	2	4368	3218	3218	1.12
2658	051	1537	0.04	1680	1	55	80	2.5	3	2	3842	2162	RH-2	40	form-based			true	0.7	3	1	2	2	4303.600098	2623.600098	2623.600098	1.120146
2658	052	1513	0.03	882	1	55	80	2.5	2	1	3782	2900	RH-2	40	form-based			true	0.7	3	1.5	2	2	4236.399902	3354.399902	3354.399902	1.120148
2658	053	1490	0.03	1915	1	55	80	2.5	2	1	3725	1810	RH-2	40	form-based			true	0.7	3	1.5	2	2	4172	2257	2257	1.12
2658	058	2590	0.06	3000	3	55	80	2.5	5	2	6475	3475	RH-2	40	form-based			true	0.7	5	1	2	2	7252	4252	4252	1.12
2659	039	1383	0.03	1724	1	55	80	2.5	2	1	3458	1734	RH-2	40	form-based			true	0.7	3	1.5	2	2	3872.399902	2148.399902	2148.399902	1.119838
2658	060	1980	0.05	1100	2	55	80	2.5	4	2	4950	3850	RH-2	40	form-based			true	0.7	4	1	2	2	5544	4444	4444	1.12
2658	066	1966	0.05	2336	2	55	80	2.5	4	2	4915	2579	RH-2	40	form-based			true	0.7	4	1	2	2	5504.799805	3168.799805	3168.799805	1.12
2658	068	1990	0.05	1038	2	55	80	2.5	4	2	4975	3937	RH-2	40	form-based			true	0.7	4	1	2	2	5572	4534	4534	1.12
2658	070	2062	0.05	1364	2	55	80	2.5	4	2	5155	3791	RH-2	40	form-based			true	0.7	4	1	2	2	5773.600098	4409.600098	4409.600098	1.12
2658	072	2110	0.05	1278	2	55	80	2.5	4	2	5275	3997	RH-2	40	form-based			true	0.7	4	1	2	2	5908	4630	4630	1.12
2658	074	2086	0.05	1183	2	55	80	2.5	4	2	5215	4032	RH-2	40	form-based			true	0.7	4	1	2	2	5840.799805	4657.799805	4657.799805	1.12
2658	080	1910	0.04	670	2	55	80	2.5	3	1	4775	4105	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5348	4678	4678	1.12
2659	004	1373	0.03	1350	1	55	80	2.5	2	1	3432	2082	RH-2	40	form-based			true	0.7	3	1.5	2	2	3844.399902	2494.399902	2494.399902	1.120163
2659	005	1592	0.04	1346	1	55	80	2.5	3	2	3980	2634	RH-2	40	form-based			true	0.7	3	1	2	2	4457.600098	3111.600098	3111.600098	1.12
2659	006	1948	0.04	1650	2	55	80	2.5	3	1	4870	3220	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5454.399902	3804.399902	3804.399902	1.12
2659	036	2891	0.07	2800	4	55	80	2.5	6	2	7228	4428	RH-2	40	form-based			true	0.7	6	1	2	2	8094.799805	5294.799805	5294.799805	1.119923
2659	038	1403	0.03	2210	1	55	80	2.5	2	1	3508	1298	RH-2	40	form-based			true	0.7	3	1.5	2	2	3928.399902	1718.399902	1718.399902	1.11984
2659	055	8747	0.2	11729	16	55	80	2.5	16	0	21868	10139	RH-2	40	form-based			true	0.7	18	1.125	2	2	24491.59961	12762.59961	12762.59961	1.119974
2659	067	1773	0.04	1326	2	55	80	2.5	3	1	4432	3106	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4964.399902	3638.399902	3638.399902	1.120126
2660	004C	1660	0.04	1362	1	55	80	2.5	3	2	4150	2788	RH-2	40	form-based			true	0.7	3	1	2	2	4648	3286	3286	1.12
2660	004D	1376	0.03	1362	1	55	80	2.5	2	1	3440	2078	RH-2	40	form-based		true	true	0.7	3	1.5	2	2	3852.800049	2490.800049	2490.800049	1.12
2660	044	1371	0.03	1050	1	55	80	2.5	2	1	3428	2378	RH-2	40	form-based			true	0.7	3	1.5	2	2	3838.800049	2788.800049	2788.800049	1.119837
2660	011F	1196	0.03	1155	1	55	80	2.5	2	1	2990	1835	RH-2	40	form-based			true	0.7	3	1.5	2	2	3348.800049	2193.800049	2193.800049	1.12
2660	011H	1275	0.03	1524	1	55	80	2.5	2	1	3188	1664	RH-2	40	form-based			true	0.7	3	1.5	2	2	3570	2046	2046	1.119824
2660	014A	1385	0.03	720	1	55	80	2.5	2	1	3462	2742	RH-2	40	form-based			true	0.7	3	1.5	2	2	3878	3158	3158	1.120162
2660	032	955	0.02	0	0	55	80	2.5	2	2	2388	2388	RH-2	40	form-based			true	0.7	2	1	2	2	2674	2674	2674	1.119766

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2660	033	1444	0.03	1556	1	55	80	2.5	2	1	3610	2054	RH-2	40	form-based			true	0.7	3	1.5	2	2	4043.199951	2487.199951	2487.199951	1.12
2660	040	1234	0.03	1155	1	55	80	2.5	2	1	3085	1930	RH-2	40	form-based			true	0.7	3	1.5	2	2	3455.199951	2300.199951	2300.199951	1.12
2660	050	1943	0.04	743	2	55	80	2.5	3	1	4858	4115	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5440.399902	4697.399902	4697.399902	1.119885
2660	052	1937	0.04	1800	2	55	80	2.5	3	1	4842	3042	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5423.600098	3623.600098	3623.600098	1.120116
2665	001	1408	0.03	906	1	55	80	2.5	2	1	3520	2614	RH-1(D)	40	form-based			true	0.7	3	1.5	2	2	3942.399902	3036.399902	3036.399902	1.12
2665	001A	1557	0.04	1428	1	55	80	2.5	3	2	3892	2464	RH-1(D)	40	form-based			true	0.7	3	1	2	2	4359.600098	2931.600098	2931.600098	1.120144
2689	024	1576	0.04	1762	1	55	80	2.5	3	2	3940	2178	RH-2	40	form-based			true	0.7	3	1	2	2	4412.799805	2650.799805	2650.799805	1.12
2689	025	1814	0.04	1677	2	55	80	2.5	3	1	4535	2858	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5079.199707	3402.199707	3402.199707	1.12
2690	002A	1977	0.05	1626	2	55	80	2.5	4	2	4942	3316	RH-2	40	form-based		true	true	0.7	4	1	2	2	5535.600098	3909.600098	3909.600098	1.120113
2690	003	1978	0.05	2050	2	55	80	2.5	4	2	4945	2895	RH-2	40	form-based			true	0.7	4	1	2	2	5538.399902	3488.399902	3488.399902	1.12
2690	014	2050	0.05	2650	2	55	80	2.5	4	2	5125	2475	RH-2	40	form-based			true	0.7	4	1	2	2	5740	3090	3090	1.12
2690	031A	3036	0.07	3098	4	55	80	2.5	6	2	7590	4492	RH-2	40	form-based			true	0.7	6	1	2	2	8500.799805	5402.799805	5402.799805	1.12
2690	036	3031	0.07	1834	4	55	80	2.5	6	2	7578	5744	RH-2	40	form-based			true	0.7	6	1	2	2	8486.799805	6652.799805	6652.799805	1.119926
2691	004	3750	0.09	4337	6	55	80	2.5	7	1	9375	5038	RH-2	40	form-based			true	0.7	8	1.142857194	2	2	10500	6163	6163	1.12
2691	018	3025	0.07	2918	4	55	80	2.5	6	2	7562	4644	RH-2	40	form-based			true	0.7	6	1	2	2	8470	5552	5552	1.120074
2691	019	3025	0.07	3715	4	55	80	2.5	6	2	7562	3847	RH-2	40	form-based			true	0.7	6	1	2	2	8470	4755	4755	1.120074
2691	055	1584	0.04	2320	1	55	80	2.5	3	2	3960	1640	RH-2	40	form-based			true	0.7	3	1	2	2	4435.199707	2115.199707	2115.199707	1.12
2691	073	2526	0.06	1110	3	55	80	2.5	5	2	6315	5205	RH-2	40	form-based		true	true	0.7	5	1	2	2	7072.799805	5962.799805	5962.799805	1.12
2692	037B	1878	0.04	2350	2	65	100	3	4	2	5634	3284	RH-3	40	form-based			true	0.7	4	1	2	2	5258.399902	2908.399902	2908.399902	0.933333
2692	041	1509	0.03	2160	1	65	100	3	3	2	4527	2367	RH-3	40	form-based			true	0.7	3	1	2	2	4225.199707	2065.199707	2065.199707	0.933333
2692	042	1510	0.03	1450	1	65	100	3	3	2	4530	3080	RH-3	40	form-based			true	0.7	3	1	2	2	4228	2778	2778	0.933333
2693	013	1875	0.04	2804	2	65	100	3	4	2	5625	2821	RH-3	40	form-based			true	0.7	4	1	2	2	5250	2446	2446	0.933333
2693	014	1875	0.04	3010	2	65	100	3	4	2	5625	2615	RH-3	40	form-based			true	0.7	4	1	2	2	5250	2240	2240	0.933333
2693	015	1875	0.04	2100	2	55	80	2.5	3	1	4688	2588	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	5250	3150	3150	1.119881
2693	016	1875	0.04	2260	2	55	80	2.5	3	1	4688	2428	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	5250	2990	2990	1.119881
2693	017	1875	0.04	2080	2	55	80	2.5	3	1	4688	2608	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5250	3170	3170	1.119881
2693	025	3387	0.08	3066	5	65	100	3	8	3	10161	7095	RH-2	40	form-based			true	0.7	7	0.875	2	2	9483.599609	6417.599609	6417.599609	0.933333
2693	030	1871	0.04	2700	2	65	100	3	4	2	5613	2913	RH-3	40	form-based			true	0.7	4	1	2	2	5238.799805	2538.799805	2538.799805	0.933333
2693	033	1877	0.04	1980	2	65	100	3	4	2	5631	3651	RH-3	40	form-based			true	0.7	4	1	2	2	5255.600098	3275.600098	3275.600098	0.933333
2695	020	3078	0.07	5107	7	65	100	3	7	0	9234	4127	RH-3	50	form-based			true	0.7	9	1.285714269	2	2	10773	5666	5666	1.166667
2696	020	1706	0.04	2096	2	55	80	2.5	3	1	4265	2169	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	4776.799805	2680.799805	2680.799805	1.12
2696	027	2850	0.07	3304	4	55	80	2.5	6	2	7125	3821	RH-3	40	form-based			true	0.7	6	1	2	2	7980	4676	4676	1.12
2696	029	2298	0.05	5016	3	55	80	2.5	4	1	5745	729	RH-3	40	form-based			true	0.7	5	1.25	2	2	6434.399902	1418.399902	1418.399902	1.12
2696	032	2017	0.05	3582	3	65	100	3	5	2	6051	2469	NC-1	40	form-based			true	0.75	5	1	2	2	6051	2469	2469	1
2696	052	2988	0.07	1737	4	55	80	2.5	6	2	7470	5733	RH-3	40	form-based			true	0.7	6	1	2	2	8366.399414	6629.399414	6629.399414	1.12
2697	017	2048	0.05	1950	2	55	80	2.5	4	2	5120	3170	RH-3	40	form-based			true	0.7	4	1	2	2	5734.399902	3784.399902	3784.399902	1.12
2697	018	2071	0.05	2080	2	55	80	2.5	4	2	5178	3098	RH-3	40	form-based			true	0.7	4	1	2	2	5798.799805	3718.799805	3718.799805	1.119892
2697	020	2055	0.05	3064	2	55	80	2.5	4	2	5138	2074	RH-3	40	form-based			true	0.7	4	1	2	2	5754	2690	2690	1.119891
2697	028	2430	0.06	3280	3	55	80	2.5	5	2	6075	2795	RH-3	40	form-based			true	0.7	5	1	2	2	6804	3524	3524	1.12
2697	040	2075	0.05	935	2	55	80	2.5	4	2	5188	4253	RH-3	40	form-based			true	0.7	4	1	2	2	5810	4875	4875	1.119892
2698	012	2750	0.06	3864	4	55	80	2.5	5	1	6875	3011	RH-3	40	form-based	true		true	0.7	6	1.200000048	2	2	7700	3836	3836	1.12
2698	026A	3717	0.09	7036	6	55	80	2.5	7	1	9292	2256	RH-2	40	form-based			true	0.7	8	1.142857194	2	2	10407.59961	3371.599609	3371.599609	1.12006
2698	059	3438	0.08	1517	5	55	80	2.5	6	1	8595	7078	RH-3	40	form-based			true	0.7	7	1.166666627	2	2	9626.399414	8109.399414	8109.399414	1.12
2698	069	2119	0.05	1369	2	55	80	2.5	4	2	5298	3929	RH-3	40	form-based			true	0.7	4	1	2	2	5933.199707	4564.199707	4564.199707	1.119894
2699	001	1993	0.05	3900	2	55	80	2.5	4	2	4982	1082	RH-2	40	form-based	true		true	0.7	4	1	2	2	5580.399902	1680.399902	1680.399902	1.120112
2699	002	2000	0.05	2687	2	55	80	2.5	4	2	5000	2313	RH-2	40	form-based			true	0.7	4	1	2	2	5600	2913	2913	1.12
2699	025	1875	0.04	1818	2	55	80	2.5	3	1	4688	2870	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5250	3432	3432	1.119881
2699	044	1875	0.04	1641	2	55	80	2.5	3	1	4688	3047	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5250	3609	3609	1.119881
2699	046	1874	0.04	2520	2	55	80	2.5	3	1	4685	2165	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5247.199707	2727.199707	2727.199707	1.12
2699	048	1499	0.03	2224	1	55	80	2.5	2	1	3748	1524	RH-2	40	form-based			true	0.7	3	1.5	2	2	4197.199707	1973.199707	1973.199707	1.119851
2699	058	2000	0.05	760	2	55	80	2.5	4	2	5000	4240	RH-2	40	form-based			true	0.7	4	1	2	2	5600	4840	4840	1.12
2700	004	2283	0.05	3250	3	55	80	2.5	4	1	5708	2458	RH-2	40	form-based			true	0.7	5	1.25	2	2	6392.399902	3142.399902	3142.399902	1.119902
2700	032	2445	0.06	3260	3	55	80	2.5	5	2	6112	2852	RH-2	40	form-based			true	0.7	5	1	2	2	6846	3586	3586	1.120092
2701	002	2123	0.05	1722	2	55	80	2.5	4	2	5308	3586	RH-2	40	form-based			true	0.7	4	1	2	2	5944.399902	4222.399902	4222.399902	1.119895
2701	006	2014	0.05	2858	2	55	80	2.5	4	2	5035	2177	RH-2	40	form-based			true	0.7	4	1	2	2	5639.199707	2781.199707	2781.199707	1.12
2701	010	2150	0.05	3251	3	55	80	2.5	4	1	5375	2124	RH-2	40	form-based	true		true	0.7	5	1.25	2	2	6020	2769	2769	1.12
2701	017	1532	0.04	1800	1	55	80	2.5	3	2	3830	2030	RH-2	40	form-based			true	0.7	3	1	2	2	4289.600098	2489.600098	2489.600098	1.12
2701	024A	1622	0.04	1850	1	55	80	2.5	3	2	4055	2205	RH-2	40	form-based			true	0.7	3	1	2	2	4541.600098	2691.600098	2691.600098	1.12
2701	037	1995	0.05	1003	2	55	80	2.5	4	2	4988	3985	RH-2	40	form-based			true	0.7	4	1	2	2	5586	4583	4583	1.119888
2701	038	1995	0.05	2280	2	55	80	2.5	4	2	4988	2708	RH-2	40	form-based			true	0.7	4	1	2	2	5586	3306	3306	1.119888
2701	047	1642	0.04	1792	1	55	80	2.5	3	2	4105	2313	RH-2	40	form-based			true	0.7	3	1	2	2	4597.600098	2805.600098	2805.600098	1.12
2701	049	1994	0.05	1246	2	55	80	2.5	4	2	4985	3739	RH-2	40	form-based			true	0.7	4	1	2	2	5583.199707	4337.199707	4337.199707	1.12
2701A	014	1700	0.04	1886	2	55	80	2.5	3	1	4250	2364	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4760	2874	2874	1.12
2701A	022	1700	0.04	1886	2	55	80	2.5	3	1	4250	2364	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4760	2874	2874	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2702	005	2011	0.05	2233	2	55	80	2.5	4	2	5028	2795	RH-2	40	form-based		true	true	0.7	4	1	2	2	5630.799805	3397.799805	3397.799805	1.119889
2702	011	1505	0.03	1028	1	55	80	2.5	2	1	3762	2734	RH-2	40	form-based		true	true	0.7	3	1.5	2	2	4214	3186	3186	1.120149
2702	026	1984	0.05	1125	2	55	80	2.5	4	2	4960	3835	RH-2	40	form-based			true	0.7	4	1	2	2	5555.199707	4430.199707	4430.199707	1.12
2702	028	2016	0.05	1119	2	55	80	2.5	4	2	5040	3921	RH-2	40	form-based			true	0.7	4	1	2	2	5644.799805	4525.799805	4525.799805	1.12
2714	012C	2458	0.06	2982	3	55	80	2.5	5	2	6145	3163	RH-2	40	form-based			true	0.7	5	1	2	2	6882.399902	3900.399902	3900.399902	1.12
2714	053	2524	0.06	552	3	55	80	2.5	5	2	6310	5758	RH-2	40	form-based			true	0.7	5	1	2	2	7067.199707	6515.199707	6515.199707	1.12
2714	059	2867	0.07	669	4	55	80	2.5	6	2	7168	6499	RH-2	40	form-based			true	0.7	6	1	2	2	8027.600098	7358.600098	7358.600098	1.119922
2715	014	1974	0.05	3592	2	55	80	2.5	4	2	4935	1343	RH-2	40	form-based			true	0.7	4	1	2	2	5527.199707	1935.199707	1935.199707	1.12
2715	017	1919	0.04	3720	2	55	80	2.5	3	1	4798	1078	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5373.199707	1653.199707	1653.199707	1.119883
2715	018	1837	0.04	2480	2	55	80	2.5	3	1	4592	2112	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5143.600098	2663.600098	2663.600098	1.120122
2715	021	1980	0.05	1768	2	55	80	2.5	4	2	4950	3182	RH-2	40	form-based			true	0.7	4	1	2	2	5544	3776	3776	1.12
2715	024A	1276	0.03	1524	1	55	80	2.5	2	1	3190	1666	RH-2	40	form-based			true	0.7	3	1.5	2	2	3572.800049	2048.800049	2048.800049	1.12
2715	025	2095	0.05	4022	2	55	80	2.5	4	2	5238	1216	RH-2	40	form-based			true	0.7	4	1	2	2	5866	1844	1844	1.119893
2715	028	2764	0.06	3362	4	55	80	2.5	5	1	6910	3548	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7739.199707	4377.199707	4377.199707	1.12
2715	032	2549	0.06	3160	3	55	80	2.5	5	2	6372	3212	RH-2	40	form-based			true	0.7	5	1	2	2	7137.199707	3977.199707	3977.199707	1.120088
2715	057	1967	0.05	1756	2	55	80	2.5	4	2	4918	3162	RH-2	40	form-based			true	0.7	4	1	2	2	5507.600098	3751.600098	3751.600098	1.119886
2715	063	1867	0.04	1127	2	55	80	2.5	3	1	4668	3541	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5227.600098	4100.600098	4100.600098	1.11988
2715	081	1925	0.04	1511	2	55	80	2.5	3	1	4812	3301	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5390	3879	3879	1.120116
2715	086	2721	0.06	1053	4	55	80	2.5	5	1	6802	5749	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7618.799805	6565.799805	6565.799805	1.120082
2715	090	2542	0.06	765	3	55	80	2.5	5	2	6355	5590	RH-2	40	form-based			true	0.7	5	1	2	2	7117.600098	6352.600098	6352.600098	1.12
2737	006	1252	0.03	2085	1	55	80	2.5	2	1	3130	1045	RH-1	40	form-based			true	0.7	3	1.5	2	2	3505.599854	1420.599854	1420.599854	1.12
2737	008	1559	0.04	2300	1	55	80	2.5	3	2	3898	1598	RH-1	40	form-based			true	0.7	3	1	2	2	4365.199707	2065.199707	2065.199707	1.119856
2737	009	1530	0.04	2300	1	55	80	2.5	3	2	3825	1525	RH-1	40	form-based			true	0.7	3	1	2	2	4284	1984	1984	1.12
2737	012	1306	0.03	2085	1	55	80	2.5	2	1	3265	1180	RH-1	40	form-based			true	0.7	3	1.5	2	2	3656.800049	1571.800049	1571.800049	1.12
2737	013	1538	0.04	2300	1	55	80	2.5	3	2	3845	1545	RH-1	40	form-based			true	0.7	3	1	2	2	4306.399902	2006.399902	2006.399902	1.12
2737	014	1550	0.04	2300	1	55	80	2.5	3	2	3875	1575	RH-1	40	form-based			true	0.7	3	1	2	2	4340	2040	2040	1.12
2737	001	1540	0.04	2300	1	55	80	2.5	3	2	3850	1550	RH-1	40	form-based			true	0.7	3	1	2	2	4312	2012	2012	1.12
2737	003	1284	0.03	2085	1	55	80	2.5	2	1	3210	1125	RH-1	40	form-based			true	0.7	3	1.5	2	2	3595.199951	1510.199951	1510.199951	1.12
2737	015	1457	0.03	2300	1	55	80	2.5	2	1	3642	1342	RH-1	40	form-based			true	0.7	3	1.5	2	2	4079.599854	1779.599854	1779.599854	1.120154
2737	018	1361	0.03	2085	1	55	80	2.5	2	1	3402	1317	RH-1	40	form-based			true	0.7	3	1.5	2	2	3810.800049	1725.800049	1725.800049	1.120165
2737	019	1553	0.04	2300	1	55	80	2.5	3	2	3882	1582	RH-1	40	form-based			true	0.7	3	1	2	2	4348.399902	2048.399902	2048.399902	1.120144
2737	020	1447	0.03	2085	1	55	80	2.5	2	1	3618	1533	RH-1	40	form-based			true	0.7	3	1.5	2	2	4051.599854	1966.599854	1966.599854	1.119845
2737	025	1266	0.03	2085	1	55	80	2.5	2	1	3165	1080	RH-1	40	form-based			true	0.7	3	1.5	2	2	3544.800049	1459.800049	1459.800049	1.12
2737	027	1480	0.03	2300	1	55	80	2.5	2	1	3700	1400	RH-1	40	form-based			true	0.7	3	1.5	2	2	4144	1844	1844	1.12
2737	028	1473	0.03	2300	1	55	80	2.5	2	1	3682	1382	RH-1	40	form-based			true	0.7	3	1.5	2	2	4124.399902	1824.399902	1824.399902	1.120152
2737	029	1525	0.04	2300	1	55	80	2.5	3	2	3812	1512	RH-1	40	form-based			true	0.7	3	1	2	2	4270	1970	1970	1.120147
2737	030	1500	0.03	2300	1	55	80	2.5	2	1	3750	1450	RH-1	40	form-based			true	0.7	3	1.5	2	2	4200	1900	1900	1.12
2737	034	1261	0.03	2085	1	55	80	2.5	2	1	3152	1067	RH-1	40	form-based			true	0.7	3	1.5	2	2	3530.800049	1445.800049	1445.800049	1.120178
2737	035	1324	0.03	2085	1	55	80	2.5	2	1	3310	1225	RH-1	40	form-based			true	0.7	3	1.5	2	2	3707.199951	1622.199951	1622.199951	1.12
2737	036	1620	0.04	2085	1	55	80	2.5	3	2	4050	1965	RH-1	40	form-based			true	0.7	3	1	2	2	4536	2451	2451	1.12
2737	037	1491	0.03	2300	1	55	80	2.5	2	1	3728	1428	RH-1	40	form-based			true	0.7	3	1.5	2	2	4174.799805	1874.799805	1874.799805	1.11985
2737	039	1364	0.03	2085	1	55	80	2.5	2	1	3410	1325	RH-1	40	form-based			true	0.7	3	1.5	2	2	3819.199951	1734.199951	1734.199951	1.12
2737	042	1500	0.03	2300	1	55	80	2.5	2	1	3750	1450	RH-1	40	form-based			true	0.7	3	1.5	2	2	4200	1900	1900	1.12
2737	043	1492	0.03	2300	1	55	80	2.5	2	1	3730	1430	RH-1	40	form-based			true	0.7	3	1.5	2	2	4177.600098	1877.600098	1877.600098	1.12
2737	045	1558	0.04	2300	1	55	80	2.5	3	2	3895	1595	RH-1	40	form-based			true	0.7	3	1	2	2	4362.399902	2062.399902	2062.399902	1.12
2737	046	1391	0.03	2300	1	55	80	2.5	2	1	3478	1178	RH-1	40	form-based			true	0.7	3	1.5	2	2	3894.800049	1594.800049	1594.800049	1.119839
2737	049	1587	0.04	2300	1	55	80	2.5	3	2	3968	1668	RH-1	40	form-based			true	0.7	3	1	2	2	4443.600098	2143.600098	2143.600098	1.119859
2737	050	1223	0.03	2085	1	55	80	2.5	2	1	3058	973	RH-1	40	form-based			true	0.7	3	1.5	2	2	3424.399902	1339.399902	1339.399902	1.119817
2737	051	1563	0.04	2300	1	55	80	2.5	3	2	3908	1608	RH-1	40	form-based			true	0.7	3	1	2	2	4376.399902	2076.399902	2076.399902	1.119857
2737	052	1577	0.04	2300	1	55	80	2.5	3	2	3942	1642	RH-1	40	form-based			true	0.7	3	1	2	2	4415.600098	2115.600098	2115.600098	1.120142
2737	053	1530	0.04	2300	1	55	80	2.5	3	2	3825	1525	RH-1	40	form-based			true	0.7	3	1	2	2	4284	1984	1984	1.12
2737	054	1564	0.04	2300	1	55	80	2.5	3	2	3910	1610	RH-1	40	form-based			true	0.7	3	1	2	2	4379.199707	2079.199707	2079.199707	1.12
2737	058	1347	0.03	2085	1	55	80	2.5	2	1	3368	1283	RH-1	40	form-based			true	0.7	3	1.5	2	2	3771.599854	1686.599854	1686.599854	1.119834
2737	059	1545	0.04	2300	1	55	80	2.5	3	2	3862	1562	RH-1	40	form-based			true	0.7	3	1	2	2	4326	2026	2026	1.120145
2737	060	1337	0.03	2085	1	55	80	2.5	2	1	3342	1257	RH-1	40	form-based			true	0.7	3	1.5	2	2	3743.599854	1658.599854	1658.599854	1.120167
2737	061	1573	0.04	2300	1	55	80	2.5	3	2	3932	1632	RH-1	40	form-based			true	0.7	3	1	2	2	4404.399902	2104.399902	2104.399902	1.120142
2737	062	1553	0.04	2300	1	55	80	2.5	3	2	3882	1582	RH-1	40	form-based			true	0.7	3	1	2	2	4348.399902	2048.399902	2048.399902	1.120144
2737	063	1194	0.03	2085	1	55	80	2.5	2	1	2985	900	RH-1	40	form-based			true	0.7	3	1.5	2	2	3343.199951	1258.199951	1258.199951	1.12
2737	064	1365	0.03	2085	1	55	80	2.5	2	1	3412	1327	RH-1	40	form-based			true	0.7	3	1.5	2	2	3822	1737	1737	1.120164
2737	065	1577	0.04	2300	1	55	80	2.5	3	2	3942	1642	RH-1	40	form-based			true	0.7	3	1	2	2	4415.600098	2115.600098	2115.600098	1.120142
2737	066	1290	0.03	2085	1	55	80	2.5	2	1	3225	1140	RH-1	40	form-based			true	0.7	3	1.5	2	2	3612	1527	1527	1.12
2737	067	1309	0.03	2085	1	55	80	2.5	2	1	3272	1187	RH-1	40	form-based			true	0.7	3	1.5	2	2	3665.199951	1580.199951	1580.199951	1.120171
2737	068	1333	0.03	2085	1	55	80	2.5	2	1	3332	1247	RH-1	40	form-based			true	0.7	3	1.5	2	2	3732.399902	1647.399902	1647.399902	1.120168
2737	070	1568	0.04	2300	1	55	80	2.5	3	2	3920	1620	RH-1	40	form-based			true	0.7	3	1	2	2	4390.399902	2090.399902	2090.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2737	071	1595	0.04	2300	1	55	80	2.5	3	2	3988	1688	RH-1	40	form-based			true	0.7	3	1	2	2	4466	2166	2166	1.11986
2737	075	1571	0.04	2300	1	55	80	2.5	3	2	3928	1628	RH-1	40	form-based			true	0.7	3	1	2	2	4398.799805	2098.799805	2098.799805	1.119857
2737	076	1487	0.03	2300	1	55	80	2.5	2	1	3718	1418	RH-1	40	form-based			true	0.7	3	1.5	2	2	4163.600098	1863.600098	1863.600098	1.119849
2737	078	1550	0.04	2300	1	55	80	2.5	3	2	3875	1575	RH-1	40	form-based			true	0.7	3	1	2	2	4340	2040	2040	1.12
2748	007	1638	0.04	2080	1	55	80	2.5	3	2	4095	2015	RH-2	40	form-based			true	0.7	3	1	2	2	4586.399902	2506.399902	2506.399902	1.12
2748	007A	1664	0.04	2689	1	55	80	2.5	3	2	4160	1471	RH-2	40	form-based			true	0.7	3	1	2	2	4659.199707	1970.199707	1970.199707	1.12
2750	022A	1600	0.04	1602	1	55	80	2.5	3	2	4000	2398	RH-2	40	form-based			true	0.7	3	1	2	2	4480	2878	2878	1.12
2750	022B	1600	0.04	1329	1	55	80	2.5	3	2	4000	2671	RH-2	40	form-based			true	0.7	3	1	2	2	4480	3151	3151	1.12
2750	044	2438	0.06	3133	3	55	80	2.5	5	2	6095	2962	RH-2	40	form-based			true	0.7	5	1	2	2	6826.399902	3693.399902	3693.399902	1.12
2750	045	1345	0.03	2175	1	55	80	2.5	2	1	3362	1187	RH-2	40	form-based			true	0.7	3	1.5	2	2	3766	1591	1591	1.120167
2750	046	2224	0.05	2921	3	55	80	2.5	4	1	5560	2639	RH-2	40	form-based		true	true	0.7	5	1.25	2	2	6227.199707	3306.199707	3306.199707	1.12
2751	006I	2399	0.06	2750	3	55	80	2.5	5	2	5998	3248	RH-2	40	form-based			true	0.7	5	1	2	2	6717.199707	3967.199707	3967.199707	1.119907
2751	021	2437	0.06	3000	3	55	80	2.5	5	2	6092	3092	RH-3	40	form-based			true	0.7	5	1	2	2	6823.600098	3823.600098	3823.600098	1.120092
2752	031	2760	0.06	2857	4	55	80	2.5	5	1	6900	4043	RH-3	40	form-based			true	0.7	6	1.200000048	2	2	7728	4871	4871	1.12
2753	001B	1569	0.04	1761	1	55	80	2.5	3	2	3922	2161	RH-2	40	form-based			true	0.7	3	1	2	2	4393.199707	2632.199707	2632.199707	1.120143
2753	029	1801	0.04	1143	2	55	80	2.5	3	1	4502	3359	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5042.799805	3899.799805	3899.799805	1.120124
2768	001A	1380	0.03	1232	1	55	80	2.5	2	1	3450	2218	RH-2	40	form-based			true	0.7	3	1.5	2	2	3864	2632	2632	1.12
2768	001B	1379	0.03	2052	1	55	80	2.5	2	1	3448	1396	RH-2	40	form-based			true	0.7	3	1.5	2	2	3861.199951	1809.199951	1809.199951	1.119838
2768	001C	1390	0.03	1185	1	55	80	2.5	2	1	3475	2290	RH-2	40	form-based			true	0.7	3	1.5	2	2	3892	2707	2707	1.12
2768	001D	1389	0.03	1864	1	55	80	2.5	2	1	3472	1608	RH-2	40	form-based			true	0.7	3	1.5	2	2	3889.199951	2025.199951	2025.199951	1.120161
2768	017	1380	0.03	690	1	55	80	2.5	2	1	3450	2760	RH-2	40	form-based			true	0.7	3	1.5	2	2	3864	3174	3174	1.12
2769	058	3090	0.07	1094	4	55	80	2.5	6	2	7725	6631	RH-2	40	form-based			true	0.7	6	1	2	2	8652	7558	7558	1.12
2770	011	2014	0.05	2715	2	55	80	2.5	4	2	5035	2320	RH-2	40	form-based		true	true	0.7	4	1	2	2	5639.199707	2924.199707	2924.199707	1.12
2770	020	1875	0.04	4295	2	55	80	2.5	3	1	4688	393	RH-3	40	form-based			true	0.7	4	1.333333373	2	2	5250	955	955	1.119881
2770	026	1819	0.04	1720	2	55	80	2.5	3	1	4548	2828	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	5093.199707	3373.199707	3373.199707	1.119877
2770	027	1896	0.04	1055	2	55	80	2.5	3	1	4740	3685	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5308.799805	4253.799805	4253.799805	1.12
2770	044	1901	0.04	614	2	55	80	2.5	3	1	4752	4138	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5322.799805	4708.799805	4708.799805	1.120118
2771	030	2781	0.06	2384	4	55	80	2.5	5	1	6952	4568	RH-3	40	form-based		true	true	0.7	6	1.200000048	2	2	7786.799805	5402.799805	5402.799805	1.12008
2803	024	2167	0.05	2148	3	55	80	2.5	4	1	5418	3270	RH-2	40	form-based		true	true	0.7	5	1.25	2	2	6067.600098	3919.600098	3919.600098	1.119897
2804	007	1695	0.04	1744	2	55	80	2.5	3	1	4238	2494	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	4746	3002	3002	1.119868
2804	030	2500	0.06	4140	3	55	80	2.5	5	2	6250	2110	RH-2	40	form-based			true	0.7	5	1	2	2	7000	2860	2860	1.12
2804	045	1589	0.04	2098	1	55	80	2.5	3	2	3972	1874	RH-2	40	form-based			true	0.7	3	1	2	2	4449.199707	2351.199707	2351.199707	1.120141
2804	046	1589	0.04	2877	1	55	80	2.5	3	2	3972	1095	RH-2	40	form-based			true	0.7	3	1	2	2	4449.199707	1572.199707	1572.199707	1.120141
2804	047	1589	0.04	2484	1	55	80	2.5	3	2	3972	1488	RH-2	40	form-based			true	0.7	3	1	2	2	4449.199707	1965.199707	1965.199707	1.120141
2804	048	1589	0.04	1249	1	55	80	2.5	3	2	3972	2723	RH-2	40	form-based			true	0.7	3	1	2	2	4449.199707	3200.199707	3200.199707	1.120141
2830	001A	1502	0.03	1410	1	55	80	2.5	2	1	3755	2345	RH-2	40	form-based			true	0.7	3	1.5	2	2	4205.600098	2795.600098	2795.600098	1.12
2830	001B	1502	0.03	1410	1	55	80	2.5	2	1	3755	2345	RH-2	40	form-based			true	0.7	3	1.5	2	2	4205.600098	2795.600098	2795.600098	1.12
2830	004	1875	0.04	2610	2	55	80	2.5	3	1	4688	2078	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5250	2640	2640	1.119881
2830	005	1650	0.04	1772	1	55	80	2.5	3	2	4125	2353	RH-2	40	form-based			true	0.7	3	1	2	2	4620	2848	2848	1.12
2830	006	1650	0.04	1980	1	55	80	2.5	3	2	4125	2145	RH-2	40	form-based			true	0.7	3	1	2	2	4620	2640	2640	1.12
2830	007	1650	0.04	1772	1	55	80	2.5	3	2	4125	2353	RH-2	40	form-based			true	0.7	3	1	2	2	4620	2848	2848	1.12
2831	005	3968	0.09	10368	13	55	80	2.5	7	0	9920	0	NCD-24TH	65	form-based		true	true	0.75	15	2.142857075	2	1	17856	7488	7488	1.8
2902	009	1624	0.04	1884	1	55	80	2.5	3	2	4060	2176	RH-1(D)	40	form-based			true	0.7	3	1	2	2	4547.199707	2663.199707	2663.199707	1.12
2902	011	1577	0.04	1737	1	55	80	2.5	3	2	3942	2205	RH-1(D)	40	form-based			true	0.7	3	1	2	2	4415.600098	2678.600098	2678.600098	1.120142
2902	012	1654	0.04	1450	1	55	80	2.5	3	2	4135	2685	RH-1(D)	40	form-based			true	0.7	3	1	2	2	4631.199707	3181.199707	3181.199707	1.12
2915	016	1662	0.04	1818	1	55	80	2.5	3	2	4155	2337	RH-1(D)	40	form-based		true	true	0.7	3	1	2	2	4653.600098	2835.600098	2835.600098	1.12
2932	023A	1608	0.04	1455	1	65	100	3	4	3	4824	3369	RH-1(D)	40	form-based			true	0.7	3	0.75	2	2	4502.399902	3047.399902	3047.399902	0.933333
2975	045A	749	0.02	0	0	55	80	2.5	2	2	1872	1872	RH-1(D)	40	form-based			true	0.7	2	1	2	2	2097.199951	2097.199951	2097.199951	1.120299
2979A	005A	894	0.02	0	0	65	100	3	2	2	2682	2682	RH-1(D)	40	form-based			true	0.7	2	1	2	2	2503.199951	2503.199951	2503.199951	0.933333
3072	021	867	0.02	0	0	65	100	3	2	2	2601	2601	RH-1(D)	40	form-based			true	0.7	2	1	2	2	2427.599854	2427.599854	2427.599854	0.933333
3091	010	2500	0.06	2574	3	65	100	3	6	3	7500	4926	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7000	4426	4426	0.933333
3091	111	2500	0.06	1189	3	65	100	3	6	3	7500	6311	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	7000	5811	5811	0.933333
3092	006	2500	0.06	2818	3	55	80	2.5	5	2	6250	3432	RM-1	40	form-based			true	0.7	5	1	2	2	7000	4182	4182	1.12
3092	007	2500	0.06	2818	3	55	80	2.5	5	2	6250	3432	RM-1	40	form-based			true	0.7	5	1	2	2	7000	4182	4182	1.12
3092	021	2500	0.06	1624	3	55	80	2.5	5	2	6250	4626	RM-1	40	form-based			true	0.7	5	1	2	2	7000	5376	5376	1.12
3092	059	2493	0.06	1658	3	55	80	2.5	5	2	6232	4574	RH-1	40	form-based			true	0.7	5	1	2	2	6980.399902	5322.399902	5322.399902	1.12009
3093	010	2482	0.06	2696	4	55	80	2.5	5	1	6205	3509	NC-1	40	form-based			true	0.75	6	1.200000048	2	2	7446	4750	4750	1.2
3116	006A	1250	0.03	1909	1	55	80	2.5	2	1	3125	1216	RH-1	40	form-based			true	0.7	3	1.5	2	2	3500	1591	1591	1.12
3117	001	2679	0.06	3280	4	55	80	2.5	5	1	6698	3418	RH-2	40	form-based		true	true	0.7	6	1.200000048	2	2	7501.199707	4221.199707	4221.199707	1.119916
3117	026	1666	0.04	940	1	55	80	2.5	3	2	4165	3225	RH-1	40	form-based			true	0.7	3	1	2	2	4664.799805	3724.799805	3724.799805	1.12
3117	026A	1666	0.04	940	1	55	80	2.5	3	2	4165	3225	RH-1	40	form-based			true	0.7	3	1	2	2	4664.799805	3724.799805	3724.799805	1.12
3117	027	1581	0.04	1434	1	55	80	2.5	3	2	3952	2518	RH-1	40	form-based		true	true	0.7	3	1	2	2	4426.799805	2992.799805	2992.799805	1.120142
3117	031	2325	0.05	2000	3	55	80	2.5	4	1	5812	3812	RH-2	40	form-based			true	0.7	5	1.25	2	2	6510	4510	4510	1.120096
3117	034	1764	0.04	2274	2	55	80	2.5	3	1	4410	2136	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4939.199707	2665.199707	2665.199707	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3117	034A	1832	0.04	2274	2	55	80	2.5	3	1	4580	2306	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5129.600098	2855.600098	2855.600098	1.12
3118	024	1571	0.04	1544	1	55	80	2.5	3	2	3928	2384	RH-1	40	form-based		true	true	0.7	3	1	2	2	4398.799805	2854.799805	2854.799805	1.119857
3118	024A	1571	0.04	1075	1	55	80	2.5	3	2	3928	2853	RH-1	40	form-based			true	0.7	3	1	2	2	4398.799805	3323.799805	3323.799805	1.119857
3118	027	1500	0.03	900	1	55	80	2.5	2	1	3750	2850	RH-1	40	form-based			true	0.7	3	1.5	2	2	4200	3300	3300	1.12
3118	031	2542	0.06	2811	3	55	80	2.5	5	2	6355	3544	RH-2	40	form-based			true	0.7	5	1	2	2	7117.600098	4306.600098	4306.600098	1.12
3119	007	2500	0.06	2464	3	65	100	3	6	3	7500	5036	RH-1	40	form-based			true	0.7	5	0.833333313	2	2	7000	4536	4536	0.933333
3122	026	1650	0.04	1918	1	55	80	2.5	3	2	4125	2207	RH-1	40	form-based			true	0.7	3	1	2	2	4620	2702	2702	1.12
3122	027	1650	0.04	986	1	55	80	2.5	3	2	4125	3139	RH-1	40	form-based			true	0.7	3	1	2	2	4620	3634	3634	1.12
3123	004	2500	0.06	1928	3	55	80	2.5	5	2	6250	4322	RH-1	40	form-based			true	0.7	5	1	2	2	7000	5072	5072	1.12
3139	018	1384	0.03	1002	1	55	80	2.5	2	1	3460	2458	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	3875.199951	2873.199951	2873.199951	1.12
3143	001	3021	0.07	3088	4	65	100	3	7	3	9063	5975	RH-1	40	form-based		true	true	0.7	6	0.857142866	2	2	8458.799805	5370.799805	5370.799805	0.933333
3144A	015	2376	0.05	1617	1	65	100	3	5	4	7128	5511	NC-1	40	density-lim	800			0.75	3	0.600000024	2	2	7128	5511	5511	1
3144B	025	2409	0.06	1094	2	65	100	3	6	4	7227	6133	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	6745.199707	5651.199707	5651.199707	0.933333
3145	048	3322	0.08	3000	2	85	140	4	11	9	13288	10288	NC-1	40	density-lim	800			0.75	4	0.363636374	2	2	9966	6966	6966	0.75
3144C	040	2558	0.06	3480	2	65	100	3	6	4	7674	4194	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7162.399902	3682.399902	3682.399902	0.933333
3144C	041	2560	0.06	2880	2	65	100	3	6	4	7680	4800	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7168	4288	4288	0.933333
3145	001	1569	0.04	1620	0	85	140	4	6	6	6276	4656	NC-1	40	density-lim	800	true		0.75	2	0.333333343	2	2	4707	3087	3087	0.75
3146	021	3448	0.08	2558	2	65	100	3	8	6	10344	7786	RH-1	40	density-lim	3000			0.7	4	0.5	2	2	9654.399414	7096.399414	7096.399414	0.933333
3147	001	4919	0.11	13003	6	55	80	2.5	9	3	12298	0	NCD-EXCE	40	density-lim	600	true		0.75	8	0.888888896	2	2	14757	1754	1754	1.199951
3147	003	2500	0.06	4000	2	55	80	2.5	5	3	6250	2250	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	2	2	7500	3500	3500	1.2
3148	004	2500	0.06	3700	2	55	80	2.5	5	3	6250	2550	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	2	2	7500	3800	3800	1.2
3148	016A	2500	0.06	2336	2	55	80	2.5	5	3	6250	3914	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	7000	4664	4664	1.12
3148	027	2504	0.06	1880	2	55	80	2.5	5	3	6260	4380	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	7011.199707	5131.199707	5131.199707	1.12
3148	029	2502	0.06	2100	2	55	80	2.5	5	3	6255	4155	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	7005.600098	4905.600098	4905.600098	1.12
3149	053	2644	0.06	1608	2	65	100	3	6	4	7932	6324	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7403.199707	5795.199707	5795.199707	0.933333
3151	031	3745	0.09	1582	2	65	100	3	9	7	11235	9653	RH-1	40	density-lim	3000			0.7	4	0.444444448	2	2	10486	8904	8904	0.933333
3152	035	3176	0.07	2091	2	65	100	3	7	5	9528	7437	RH-1	40	density-lim	3000			0.7	4	0.571428597	2	2	8892.799805	6801.799805	6801.799805	0.933333
3153	004	2246	0.05	2064	2	65	100	3	5	3	6738	4674	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	6288.799805	4224.799805	4224.799805	0.933333
3155	031	1569	0.04	1253	1	65	100	3	4	3	4707	3454	RH-1	40	form-based			true	0.7	3	0.75	2	2	4393.199707	3140.199707	3140.199707	0.933333
3155	041	1626	0.04	1410	1	65	100	3	4	3	4878	3468	RH-1	40	form-based			true	0.7	3	0.75	2	2	4552.799805	3142.799805	3142.799805	0.933333
3157	001	2500	0.06	2913	3	65	100	3	6	3	7500	4587	RH-1	40	form-based		true	true	0.7	5	0.833333313	2	2	7000	4087	4087	0.933333
3158	007	1660	0.04	971	1	65	100	3	4	3	4980	4009	RH-1	40	form-based			true	0.7	3	0.75	2	2	4648	3677	3677	0.933333
3158	007A	1548	0.04	971	1	65	100	3	4	3	4644	3673	RH-1	40	form-based			true	0.7	3	0.75	2	2	4334.399902	3363.399902	3363.399902	0.933333
3158	033	2500	0.06	2082	3	55	80	2.5	5	2	6250	4168	RH-1	40	form-based			true	0.7	5	1	2	2	7000	4918	4918	1.12
3181	031	1475	0.03	759	1	65	100	3	3	2	4425	3666	RH-1	40	form-based		true	true	0.7	3	1	2	2	4130	3371	3371	0.933333
3184	018	1470	0.03	810	1	65	100	3	3	2	4410	3600	RH-1	40	form-based			true	0.7	3	1	2	2	4116	3306	3306	0.933333
3206	011	2500	0.06	2300	2	55	80	2.5	5	3	6250	3950	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	7000	4700	4700	1.12
3206	018	2462	0.06	2132	2	55	80	2.5	5	3	6155	4023	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	6893.600098	4761.600098	4761.600098	1.12
3206	025	2478	0.06	1900	2	55	80	2.5	5	3	6195	4295	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	6938.399902	5038.399902	5038.399902	1.12
3206	027	2482	0.06	2421	2	55	80	2.5	5	3	6205	3784	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	6949.600098	4528.600098	4528.600098	1.12
3206	028	2487	0.06	3322	2	55	80	2.5	5	3	6218	2896	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	6963.600098	3641.600098	3641.600098	1.11991
3206	033	2500	0.06	2300	2	55	80	2.5	5	3	6250	3950	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	7000	4700	4700	1.12
3207	008	2494	0.06	2688	2	55	80	2.5	5	3	6235	3547	NCD-EXCE	65	density-lim	600			0.75	4	0.800000012	2	2	11223	8535	8535	1.8
3211	010	4035	0.09	3926	3	65	100	3	9	6	12105	8179	NC-1	40	density-lim	800			0.75	5	0.555555582	2	2	12105	8179	8179	1
3211	011B	3784	0.09	1550	2	65	100	3	9	7	11352	9802	RH-1	40	density-lim	3000			0.7	4	0.444444448	2	2	10595.2002	9045.200195	9045.200195	0.933333
3211	036	2061	0.05	1714	1	65	100	3	5	4	6183	4469	NC-1	40	density-lim	800			0.75	3	0.600000024	2	2	6183	4469	4469	1
3211	037	2102	0.05	1965	1	65	100	3	5	4	6306	4341	NC-1	40	density-lim	800			0.75	3	0.600000024	2	2	6306	4341	4341	1
3212	008B	2632	0.06	1176	2	65	100	3	6	4	7896	6720	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7369.600098	6193.600098	6193.600098	0.933333
3212	008C	2721	0.06	1579	2	65	100	3	6	4	8163	6584	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7618.799805	6039.799805	6039.799805	0.933333
3212	012F	2578	0.06	1785	2	65	100	3	6	4	7734	5949	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7218.399902	5433.399902	5433.399902	0.933333
3212	027	7757	0.18	2230	2	75	120	3.5	22	20	27150	24920	RH-1	40	density-lim	3000			0.7	4	0.181818187	2	2	21719.59961	19489.59961	19489.59961	0.799985
3212	027B	3016	0.07	3158	2	65	100	3	7	5	9048	5890	RH-1	40	density-lim	3000			0.7	4	0.571428597	2	2	8444.799805	5286.799805	5286.799805	0.933333
3212	037	2145	0.05	2143	2	85	140	4	7	5	8580	6437	RH-1	40	density-lim	3000			0.7	4	0.571428597	2	2	6006	3863	3863	0.7
3212	042	2670	0.06	1016	2	85	140	4	8	6	10680	9664	RH-1	40	density-lim	3000			0.7	4	0.5	2	2	7476	6460	6460	0.7
3257	016A	436	0.01	0	0	85	140	4	1	1	1744	1744	RTO-C	65	form-based		true	true	0.75	2	2	2	2	1962	1962	1962	1.125
3283	188	1920	0.04	2710	2	65	100	3	4	2	5760	3050	RH-2	40	form-based			true	0.7	4	1	2	2	5376	2666	2666	0.933333
3283	191	1917	0.04	2806	2	65	100	3	4	2	5751	2945	RH-2	40	form-based			true	0.7	4	1	2	2	5367.600098	2561.600098	2561.600098	0.933333
3281	001A	1224	0.03	1170	1	65	100	3	3	2	3672	2502	RH-1(D)	40	form-based			true	0.7	3	1	2	2	3427.199951	2257.199951	2257.199951	0.933333
3283	105	2043	0.05	1400	2	65	100	3	5	3	6129	4729	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5720.399902	4320.399902	4320.399902	0.933333
3283	034	1963	0.05	1995	2	65	100	3	5	3	5889	3894	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5496.399902	3501.399902	3501.399902	0.933333
3283	068	2000	0.05	2806	2	65	100	3	5	3	6000	3194	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	2794	2794	0.933333
3283	069	2000	0.05	2806	2	65	100	3	5	3	6000	3194	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	2794	2794	0.933333
3283	070	2000	0.05	2806	2	65	100	3	5	3	6000	3194	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	2794	2794	0.933333
3283	071	2000	0.05	3181	2	65	100	3	5	3	6000	2819	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	2419	2419	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3283	078	2000	0.05	3241	2	65	100	3	5	3	6000	2759	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	2359	2359	0.933333
3283	079	2000	0.05	3038	2	65	100	3	5	3	6000	2962	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	2562	2562	0.933333
3283	080	2000	0.05	3598	2	65	100	3	5	3	6000	2402	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	2002	2002	0.933333
3283	107	1804	0.04	1403	2	65	100	3	4	2	5412	4009	RH-2	40	form-based			true	0.7	4	1	2	2	5051.199707	3648.199707	3648.199707	0.933333
3283	091	2000	0.05	1403	2	65	100	3	5	3	6000	4597	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	4197	4197	0.933333
3283	093	2000	0.05	1400	2	65	100	3	5	3	6000	4600	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	4200	4200	0.933333
3283	095	2000	0.05	1403	2	65	100	3	5	3	6000	4597	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	4197	4197	0.933333
3283	097	2000	0.05	1403	2	65	100	3	5	3	6000	4597	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5600	4197	4197	0.933333
3283	185	1947	0.04	2710	2	65	100	3	4	2	5841	3131	RH-2	40	form-based			true	0.7	4	1	2	2	5451.600098	2741.600098	2741.600098	0.933333
3283	186	1890	0.04	3146	2	65	100	3	4	2	5670	2524	RH-2	40	form-based			true	0.7	4	1	2	2	5292	2146	2146	0.933333
3283	187	1897	0.04	3126	2	65	100	3	4	2	5691	2565	RH-2	40	form-based			true	0.7	4	1	2	2	5311.600098	2185.600098	2185.600098	0.933333
3283	192	1915	0.04	3401	2	65	100	3	4	2	5745	2344	NC-2	40	form-based			true	0.75	4	1	2	2	5745	2344	2344	1
3283	193	1913	0.04	3114	2	65	100	3	4	2	5739	2625	NC-2	40	form-based			true	0.75	4	1	2	2	5739	2625	2625	1
3283	194	1899	0.04	3406	2	65	100	3	4	2	5697	2291	NC-2	40	form-based			true	0.75	4	1	2	2	5697	2291	2291	1
3283	227	1961	0.05	1355	2	65	100	3	5	3	5883	4528	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5490.799805	4135.799805	4135.799805	0.933333
3283	237	1991	0.05	1398	2	65	100	3	5	3	5973	4575	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5574.799805	4176.799805	4176.799805	0.933333
3283	239	1918	0.04	2806	2	65	100	3	4	2	5754	2948	RH-2	40	form-based			true	0.7	4	1	2	2	5370.399902	2564.399902	2564.399902	0.933333
3502	052	2000	0.05	2830	4	65	100	3	5	1	6000	3170	RTO-1	50	form-based			true	0.7	6	1.200000048	2	2	7000	4170	4170	1.166667
3502	053	2000	0.05	2830	4	65	100	3	5	1	6000	3170	RTO-1	50	form-based			true	0.7	6	1.200000048	2	2	7000	4170	4170	1.166667
3502	062	2320	0.05	2780	4	65	100	3	5	1	6960	4180	RTO-1	50	form-based			true	0.7	6	1.200000048	2	2	8120	5340	5340	1.166667
3502	076	1667	0.04	1790	3	65	100	3	4	1	5001	3211	RTO-1	50	form-based			true	0.7	5	1.25	2	2	5834.5	4044.5	4044.5	1.166667
3502	079	1591	0.04	2628	2	65	100	3	4	2	4773	2145	RTO-1	50	form-based			true	0.7	4	1	2	2	5568.5	2940.5	2940.5	1.166667
3502	082	1591	0.04	2310	2	65	100	3	4	2	4773	2463	RTO-1	50	form-based			true	0.7	4	1	2	2	5568.5	3258.5	3258.5	1.166667
3502	087	1875	0.04	2602	3	65	100	3	4	1	5625	3023	RTO-1	50	form-based			true	0.7	5	1.25	2	2	6562.5	3960.5	3960.5	1.166667
3502	095	1875	0.04	2590	3	65	100	3	4	1	5625	3035	RTO-1	50	form-based			true	0.7	5	1.25	2	2	6562.5	3972.5	3972.5	1.166667
3505	024	5004	0.11	7020	9	65	100	3	11	2	15012	7992	NCT-3	40	form-based				0.75	11	1	2	2	15012	7992	7992	1
3509	027	1484	0.03	1076	1	75	120	3.5	4	3	5194	4118	RED-MX	45	form-based				0.75	3	0.75	2	2	4452	3376	3376	0.857143
3509	031	1587	0.04	2165	2	75	120	3.5	5	3	5554	3389	RED-MX	45	form-based				0.75	4	0.800000012	2	2	4761	2596	2596	0.85722
3509	052	1558	0.04	1619	2	75	120	3.5	5	3	5453	3834	RED-MX	45	form-based				0.75	4	0.800000012	2	2	4674	3055	3055	0.857143
3511	056	1933	0.04	2488	2	65	100	3	4	2	5799	3311	RED	40	form-based				0.75	4	1	2	2	5799	3311	3311	1
3511	057	2003	0.05	4600	3	65	100	3	5	2	6009	1409	RED	40	form-based				0.75	5	1	2	2	6009	1409	1409	1
3511	068B	1115	0.03	641	1	65	100	3	3	2	3345	2704	RED	40	form-based				0.75	3	1	2	2	3345	2704	2704	1
3511	084	2003	0.05	2122	3	65	100	3	5	2	6009	3887	RED	40	form-based				0.75	5	1	2	2	6009	3887	3887	1
3511	091	1829	0.04	1901	2	65	100	3	4	2	5487	3586	RED	40	form-based		true		0.75	4	1	2	2	5487	3586	3586	1
3511	119	2205	0.05	1182	3	65	100	3	5	2	6615	5433	RED	40	form-based				0.75	5	1	2	2	6615	5433	5433	1
3513	045	1937	0.04	2208	2	65	100	3	4	2	5811	3603	NCT-3	40	form-based				0.75	4	1	2	2	5811	3603	3603	1
3517	014	4812	0.11	10035	12	65	100	3	11	0	14436	4401	WMUG	55	form-based				0.75	14	1.272727251	2	2	18045	8010	8010	1.25
3517	020	1575	0.04	2184	2	65	100	3	4	2	4725	2541	RED	40	form-based				0.75	4	1	2	2	4725	2541	2541	1
3517	021	1575	0.04	2184	2	65	100	3	4	2	4725	2541	RED	40	form-based				0.75	4	1	2	2	4725	2541	2541	1
3517	022	1575	0.04	2250	2	65	100	3	4	2	4725	2475	RED	40	form-based				0.75	4	1	2	2	4725	2475	2475	1
3517	025	1575	0.04	2474	2	65	100	3	4	2	4725	2251	RED	40	form-based				0.75	4	1	2	2	4725	2251	2251	1
3517	026	1575	0.04	2028	2	65	100	3	4	2	4725	2697	RED	40	form-based				0.75	4	1	2	2	4725	2697	2697	1
3517	028A	1575	0.04	2250	2	65	100	3	4	2	4725	2475	RED	40	form-based				0.75	4	1	2	2	4725	2475	2475	1
3517	029	2158	0.05	3700	3	65	100	3	5	2	6474	2774	RED-MX	45	form-based		true		0.75	5	1	2	2	6474	2774	2774	1
3519	072	3200	0.07	556	8	65	100	3	7	0	9600	9044	RCD	55	form-based				0.75	10	1.428571463	2	2	12000	11444	11444	1.25
3519	080	2500	0.06	1205	4	65	100	3	6	2	7500	6295	RED	40	form-based				0.75	6	1	2	2	7500	6295	6295	1
3519	084	2521	0.06	1512	4	65	100	3	6	2	7563	6051	RED	40	form-based				0.75	6	1	2	2	7563	6051	6051	1
3520	039	2041	0.05	2555	4	65	100	3	5	1	6123	3568	WMUG	55	form-based				0.75	6	1.200000048	2	2	7653.75	5098.75	5098.75	1.25
3520	080	2724	0.06	1341	6	65	100	3	6	0	8172	6831	RCD	55	form-based				0.75	8	1.333333373	2	2	10215	8874	8874	1.25
3522	005	1883	0.04	1870	2	65	100	3	4	2	5649	3779	RED-MX	45	form-based		true		0.75	4	1	2	2	5649	3779	3779	1
3522	070	1931	0.04	2868	2	65	100	3	4	2	5793	2925	RED	40	form-based				0.75	4	1	2	2	5793	2925	2925	1
3522	117	1906	0.04	1005	2	65	100	3	4	2	5718	4713	RED	40	form-based				0.75	4	1	2	2	5718	4713	4713	1
3522	119	1995	0.05	1349	2	65	100	3	5	3	5985	4636	RED	40	form-based				0.75	4	0.800000012	2	2	5985	4636	4636	1
3525	034	2125	0.05	2872	3	55	80	2.5	4	1	5312	2440	RED	40	form-based				0.75	5	1.25	2	2	6375	3503	3503	1.200113
3525	089	2500	0.06	1380	4	55	80	2.5	5	1	6250	4870	RED-MX	45	form-based				0.75	6	1.200000048	2	2	7500	6120	6120	1.2
3532	036	4401	0.1	9900	11	65	100	3	10	0	13203	3303	NCT-3	50	form-based				0.75	13	1.299999952	2	2	16503.75	6603.75	6603.75	1.25
3533	003	2291	0.05	5082	5	65	100	3	5	0	6873	1791	NCT-3	50	form-based				0.75	7	1.399999976	2	2	8591.25	3509.25	3509.25	1.25
3533	013	2625	0.06	3292	2	65	100	3	6	4	7875	4583	RTO-1	40	density-lim	600			0.7	4	0.666666687	2	2	7350	4058	4058	0.933333
3533	019	2625	0.06	2400	2	65	100	3	6	4	7875	5475	RTO-1	40	density-lim	600			0.7	4	0.666666687	2	2	7350	4950	4950	0.933333
3533	026A	1370	0.03	1351	1	65	100	3	3	2	4110	2759	RTO-1	40	form-based			true	0.7	3	1	2	2	3836	2485	2485	0.933333
3533	033	2800	0.06	2491	3	65	100	3	6	3	8400	5909	RTO-1	40	density-lim	600			0.7	5	0.833333313	2	2	7840	5349	5349	0.933333
3533	055	1900	0.04	3210	3	65	100	3	4	1	5700	2490	RTO-1	50	form-based		true	true	0.7	5	1.25	2	2	6650	3440	3440	1.166667
3533	072	1745	0.04	2400	3	65	100	3	4	1	5235	2835	RTO-1	50	form-based			true	0.7	5	1.25	2	2	6107.5	3707.5	3707.5	1.166667
3533	075	1828	0.04	1185	1	65	100	3	4	3	5484	4299	RTO-1	40	density-lim	600			0.7	3	0.75	2	2	5118.399902	3933.399902	3933.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3533	085	2100	0.05	1148	2	65	100	3	5	3	6300	5152	RTO-1	40	form-based			true	0.7	4	0.800000012	2	2	5880	4732	4732	0.933333
3534	037	1804	0.04	2380	3	65	100	3	4	1	5412	3032	RTO-1	50	form-based			true	0.7	5	1.25	2	2	6314	3934	3934	1.166667
3534	051	1875	0.04	2440	3	65	100	3	4	1	5625	3185	RTO-1	50	form-based			true	0.7	5	1.25	2	2	6562.5	4122.5	4122.5	1.166667
3534	055	1875	0.04	2440	3	85	140	4	6	3	7500	5060	RTO-1	50	form-based			true	0.7	5	0.833333313	2	2	6562.5	4122.5	4122.5	0.875
3534	065	2269	0.05	2784	4	65	100	3	5	1	6807	4023	RTO-1	50	form-based			true	0.7	6	1.200000048	2	2	7941.5	5157.5	5157.5	1.166667
3534	134	1799	0.04	1532	3	65	100	3	4	1	5397	3865	RTO-1	50	form-based			true	0.7	5	1.25	2	2	6296.5	4764.5	4764.5	1.166667
3534	181	2518	0.06	1746	5	65	100	3	6	1	7554	5808	RTO-1	50	form-based			true	0.7	7	1.166666627	2	2	8813	7067	7067	1.166667
3537	020	2500	0.06	7326	11	85	140	4	8	0	10000	2674	NCT-UPPE	85	form-based			true	0.75	13	1.625	2	2	15000	7674	7674	1.5
3537	024	2652	0.06	8187	6	65	100	3	6	0	7956	0	NCT-UPPE	50	form-based		true	true	0.75	8	1.333333373	2	2	9945	1758	1758	1.25
3537	027	5000	0.11	7460	12	65	100	3	11	0	15000	7540	RTO-1	50	form-based			true	0.7	14	1.272727251	2	2	17500	10040	10040	1.166667
3537	038A	3219	0.07	4567	5	65	100	3	7	2	9657	5090	RTO-1	40	form-based			true	0.7	7	1	2	2	9013.200195	4446.200195	4446.200195	0.933333
3537	084	3125	0.07	5054	5	85	140	4	10	5	12500	7446	RTO-1	40	form-based			true	0.7	7	0.699999988	2	2	8750	3696	3696	0.7
3538	018	2599	0.06	4656	3	65	100	3	6	3	7797	3141	RTO-1	40	form-based			true	0.7	5	0.833333313	2	2	7277.199707	2621.199707	2621.199707	0.933333
3538	023	2315	0.05	3354	3	65	100	3	5	2	6945	3591	RTO-1	40	form-based			true	0.7	5	1	2	2	6482	3128	3128	0.933333
3538	033	2567	0.06	3948	3	65	100	3	6	3	7701	3753	RTO-1	40	form-based			true	0.7	5	0.833333313	2	2	7187.600098	3239.600098	3239.600098	0.933333
3538	034	4020	0.09	9102	6	65	100	3	9	3	12060	2958	RTO-1	40	form-based		true	true	0.7	8	0.888888896	2	2	11256	2154	2154	0.933333
3538	040	4038	0.09	5148	6	65	100	3	9	3	12114	6966	RTO-1	40	form-based			true	0.7	8	0.888888896	2	2	11306.39941	6158.399414	6158.399414	0.933333
3538	046	3745	0.09	5215	6	65	100	3	9	3	11235	6020	RTO-1	40	form-based			true	0.7	8	0.888888896	2	2	10486	5271	5271	0.933333
3538	059	2167	0.05	3384	3	65	100	3	5	2	6501	3117	RTO-1	40	form-based			true	0.7	5	1	2	2	6067.600098	2683.600098	2683.600098	0.933333
3538	063	2500	0.06	4102	3	65	100	3	6	3	7500	3398	RTO-1	40	form-based			true	0.7	5	0.833333313	2	2	7000	2898	2898	0.933333
3538	067	2200	0.05	3990	3	65	100	3	5	2	6600	2610	RTO-1	40	form-based			true	0.7	5	1	2	2	6160	2170	2170	0.933333
3538	074	3125	0.07	4072	5	65	100	3	7	2	9375	5303	RTO-1	40	form-based			true	0.7	7	1	2	2	8750	4678	4678	0.933333
3538	112	2200	0.05	1149	3	65	100	3	5	2	6600	5451	RTO-1	40	form-based			true	0.7	5	1	2	2	6160	5011	5011	0.933333
3538	121	2200	0.05	1530	3	65	100	3	5	2	6600	5070	RTO-1	40	form-based			true	0.7	5	1	2	2	6160	4630	4630	0.933333
3538	126	2500	0.06	1304	3	65	100	3	6	3	7500	6196	RTO-1	40	form-based			true	0.7	5	0.833333313	2	2	7000	5696	5696	0.933333
3538	159	2408	0.06	1205	3	65	100	3	6	3	7224	6019	RTO-1	40	form-based			true	0.7	5	0.833333313	2	2	6742.399902	5537.399902	5537.399902	0.933333
3538	165	3741	0.09	574	6	65	100	3	9	3	11223	10649	RTO-1	40	form-based			true	0.7	8	0.888888896	2	2	10474.7998	9900.799805	9900.799805	0.933333
3540	001A	1976	0.05	2928	2	65	100	3	5	3	5928	3000	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5532.799805	2604.799805	2604.799805	0.933333
3540	004A	1893	0.04	2370	2	65	100	3	4	2	5679	3309	RM-1	40	form-based			true	0.7	4	1	2	2	5300.399902	2930.399902	2930.399902	0.933333
3540	007	2523	0.06	4650	3	65	100	3	6	3	7569	2919	RM-1	40	form-based		true	true	0.7	5	0.833333313	2	2	7064.399902	2414.399902	2414.399902	0.933333
3540	031	2167	0.05	2475	3	65	100	3	5	2	6501	4026	RH-3	40	form-based			true	0.7	5	1	2	2	6067.600098	3592.600098	3592.600098	0.933333
3540	032	2257	0.05	3490	3	65	100	3	5	2	6771	3281	RH-3	40	form-based			true	0.7	5	1	2	2	6319.600098	2829.600098	2829.600098	0.933333
3540	036	2000	0.05	2924	2	65	100	3	5	3	6000	3076	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5600	2676	2676	0.933333
3540	042	2882	0.07	3106	4	65	100	3	7	3	8646	5540	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8069.600098	4963.600098	4963.600098	0.933333
3540	047	3228	0.07	3416	5	65	100	3	7	2	9684	6268	RH-3	40	form-based			true	0.7	7	1	2	2	9038.399414	5622.399414	5622.399414	0.933333
3540	108	2400	0.06	1113	3	65	100	3	6	3	7200	6087	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	6720	5607	5607	0.933333
3540	130	1821	0.04	1283	2	65	100	3	4	2	5463	4180	RM-1	40	form-based			true	0.7	4	1	2	2	5098.799805	3815.799805	3815.799805	0.933333
3540	134	2496	0.06	1507	3	65	100	3	6	3	7488	5981	RM-1	40	form-based			true	0.7	5	0.833333313	2	2	6988.799805	5481.799805	5481.799805	0.933333
3540	137	2991	0.07	776	4	65	100	3	7	3	8973	8197	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8374.799805	7598.799805	7598.799805	0.933333
3540	151	2875	0.07	1503	4	65	100	3	7	3	8625	7122	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8050	6547	6547	0.933333
3540	155	2875	0.07	746	4	65	100	3	7	3	8625	7879	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8050	7304	7304	0.933333
3540	163	3936	0.09	1290	6	65	100	3	9	3	11808	10518	RM-1	40	form-based			true	0.7	8	0.888888896	2	2	11020.7998	9730.799805	9730.799805	0.933333
3540	178	2421	0.06	4200	3	65	100	3	6	3	7263	3063	RM-1	40	form-based		true	true	0.7	5	0.833333313	2	2	6778.799805	2578.799805	2578.799805	0.933333
3541	006	2635	0.06	6536	5	65	100	3	6	1	7905	1369	RTO-1	50	form-based		true	true	0.7	7	1.166666627	2	2	9222.5	2686.5	2686.5	1.166667
3541	008	2635	0.06	3965	5	65	100	3	6	1	7905	3940	RTO-1	50	form-based			true	0.7	7	1.166666627	2	2	9222.5	5257.5	5257.5	1.166667
3541	031	2125	0.05	3248	2	65	100	3	5	3	6375	3127	RTO-1	40	form-based			true	0.7	4	0.800000012	2	2	5950	2702	2702	0.933333
3541	051	2875	0.07	3870	6	65	100	3	7	1	8625	4755	RTO-1	50	form-based			true	0.7	8	1.142857194	2	2	10062.5	6192.5	6192.5	1.166667
3541	060	2888	0.07	4662	4	65	100	3	7	3	8664	4002	RTO-1	40	form-based		true	true	0.7	6	0.857142866	2	2	8086.399902	3424.399902	3424.399902	0.933333
3541	064	2625	0.06	5274	4	65	100	3	6	2	7875	2601	RTO-1	40	form-based			true	0.7	6	1	2	2	7350	2076	2076	0.933333
3541	083	2882	0.07	3330	6	65	100	3	7	1	8646	5316	RTO-1	50	form-based			true	0.7	8	1.142857194	2	2	10087	6757	6757	1.166667
3541	137	3150	0.07	1421	7	65	100	3	7	0	9450	8029	RTO-1	50	form-based		true	true	0.7	9	1.285714269	2	2	11025	9604	9604	1.166667
3541	163	2872	0.07	1330	4	65	100	3	7	3	8616	7286	RTO-1	40	form-based			true	0.7	6	0.857142866	2	2	8041.600098	6711.600098	6711.600098	0.933333
3542	034	1798	0.04	3450	3	65	100	3	4	1	5394	1944	RTO-1	50	form-based			true	0.7	5	1.25	2	2	6293	2843	2843	1.166667
3544	073	1500	0.03	1900	2	65	100	3	3	1	4500	2600	RTO-1	50	form-based		true	true	0.7	4	1.333333373	2	2	5250	3350	3350	1.166667
3544	073B	1500	0.03	1900	2	65	100	3	3	1	4500	2600	RTO-1	50	form-based			true	0.7	4	1.333333373	2	2	5250	3350	3350	1.166667
3544	073C	1500	0.03	1900	2	65	100	3	3	1	4500	2600	RTO-1	50	form-based			true	0.7	4	1.333333373	2	2	5250	3350	3350	1.166667
3544	074	2750	0.06	5540	6	65	100	3	6	0	8250	2710	RTO-1	50	form-based			true	0.7	8	1.333333373	2	2	9625	4085	4085	1.166667
3544	101	1500	0.03	950	2	65	100	3	3	1	4500	3550	RTO-1	50	form-based			true	0.7	4	1.333333373	2	2	5250	4300	4300	1.166667
3545	012	3691	0.08	3592	4	65	100	3	8	4	11073	7481	RTO-1	40	density-lim	600			0.7	6	0.75	2	2	10334.7998	6742.799805	6742.799805	0.933333
3545	037	2502	0.06	1697	2	65	100	3	6	4	7506	5809	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7005.600098	5308.600098	5308.600098	0.933333
3545	064	1875	0.04	2210	2	65	100	3	4	2	5625	3415	RTO-1	40	form-based			true	0.7	4	1	2	2	5250	3040	3040	0.933333
3545	099	3296	0.08	1683	3	65	100	3	8	5	9888	8205	RTO-1	40	density-lim	600			0.7	5	0.625	2	2	9228.799805	7545.799805	7545.799805	0.933333
3545	106	1875	0.04	1086	2	65	100	3	4	2	5625	4539	RTO-1	40	form-based			true	0.7	4	1	2	2	5250	4164	4164	0.933333
3545	128	1875	0.04	1346	2	65	100	3	4	2	5625	4279	RTO-1	40	form-based			true	0.7	4	1	2	2	5250	3904	3904	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3545	144	3296	0.08	1304	3	65	100	3	8	5	9888	8584	RTO-1	40	density-lin	600			0.7	5	0.625	2	2	9228.799805	7924.799805	7924.799805	0.933333
3545	159	3296	0.08	1457	3	65	100	3	8	5	9888	8431	RTO-1	40	density-lin	600			0.7	5	0.625	2	2	9228.799805	7771.799805	7771.799805	0.933333
3546	045	2000	0.05	1180	2	65	100	3	5	3	6000	4820	RTO-M	45	form-based				0.7	4	0.800000012	2	2	5600	4420	4420	0.933333
3548	082	1919	0.04	2676	2	75	120	3.5	5	3	6716	4040	RTO-M	40	form-based				0.7	4	0.800000012	2	2	5373.199707	2697.199707	2697.199707	0.800059
3548	004	2700	0.06	5818	6	75	120	3.5	7	1	9450	3632	UMU	58	form-based				0.75	8	1.142857194	2	2	10125	4307	4307	1.071429
3548	007	2125	0.05	3844	4	75	120	3.5	6	2	7438	3594	UMU	58	form-based				0.75	6	1	2	2	7968.75	4124.75	4124.75	1.071357
3548	019	1688	0.04	4176	3	75	120	3.5	5	2	5908	1732	UMU	58	form-based				0.75	5	1	2	2	6330	2154	2154	1.071429
3548	062	2000	0.05	2568	2	75	120	3.5	6	4	7000	4432	RTO-M	40	form-based				0.7	4	0.666666687	2	2	5600	3032	3032	0.8
3548	064	2000	0.05	3598	3	75	120	3.5	6	3	7000	3402	UMU	48	form-based				0.75	5	0.833333313	2	2	6000	2402	2402	0.857143
3548	069	2000	0.05	2118	2	75	120	3.5	6	4	7000	4882	RTO-M	40	form-based				0.7	4	0.666666687	2	2	5600	3482	3482	0.8
3548	080	1919	0.04	1938	2	75	120	3.5	5	3	6716	4778	RTO-M	40	form-based				0.7	4	0.800000012	2	2	5373.199707	3435.199707	3435.199707	0.800059
3548	081	1919	0.04	1431	2	75	120	3.5	5	3	6716	5285	RTO-M	40	form-based				0.7	4	0.800000012	2	2	5373.199707	3942.199707	3942.199707	0.800059
3548	107	1919	0.04	1304	2	75	120	3.5	5	3	6716	5412	RTO-M	40	form-based				0.7	4	0.800000012	2	2	5373.199707	4069.199707	4069.199707	0.800059
3548	109	2057	0.05	4008	4	75	120	3.5	6	2	7200	3192	RTO-M	55	form-based				0.7	6	1	2	2	7199.5	3191.5	3191.5	0.999931
3548	122	1794	0.04	1424	2	75	120	3.5	5	3	6279	4855	RTO-M	40	form-based				0.7	4	0.800000012	2	2	5023.199707	3599.199707	3599.199707	0.8
3548	171	2041	0.05	1206	4	75	120	3.5	6	2	7144	5938	RTO-M	55	form-based				0.7	6	1	2	2	7143.5	5937.5	5937.5	0.99993
3549	025	1776	0.04	2880	3	75	120	3.5	5	2	6216	3336	UMU	58	form-based				0.75	5	1	2	2	6660	3780	3780	1.071429
3549	029	2826	0.06	5637	6	75	120	3.5	7	1	9891	4254	UMU	58	form-based				0.75	8	1.142857194	2	2	10597.5	4960.5	4960.5	1.071429
3549	085	2125	0.05	1314	2	75	120	3.5	6	4	7438	6124	RH-3	50	density-lin	1000			0.7	4	0.666666687	2	2	7437.5	6123.5	6123.5	0.999933
3549	092	2125	0.05	1395	2	75	120	3.5	6	4	7438	6043	RH-3	50	density-lin	1000			0.7	4	0.666666687	2	2	7437.5	6042.5	6042.5	0.999933
3549	096	8226	0.19	6088	23	75	120	3.5	23	0	28791	22703	UMU	50	form-based		true		0.75	25	1.086956501	2	2	30847.5	24759.5	24759.5	1.071429
3552	001	2802	0.06	5511	4	75	120	3.5	7	3	9807	4296	RH-3	55	density-lin	1000	true		0.7	6	0.857142866	2	2	9807	4296	4296	1
3552	006	3065	0.07	2663	2	75	120	3.5	8	6	10728	8065	RH-3	55	density-lin	1000			0.7	4	0.5	2	2	10727.5	8064.5	8064.5	0.999953
3552	027	3300	0.08	5420	8	75	120	3.5	10	2	11550	6130	UMU	58	form-based				0.75	10	1	2	2	12375	6955	6955	1.071429
3553	006	1885	0.04	4980	3	75	120	3.5	5	2	6598	1618	RTO-M	55	form-based				0.7	5	1	2	2	6597.5	1617.5	1617.5	0.999924
3553	038	1878	0.04	2460	2	75	120	3.5	5	3	6573	4113	RTO-M	40	form-based				0.7	4	0.800000012	2	2	5258.399902	2798.399902	2798.399902	0.8
3553	043	1875	0.04	2870	2	75	120	3.5	5	3	6562	3692	RTO-M	40	form-based				0.7	4	0.800000012	2	2	5250	2380	2380	0.800061
3553	061	1878	0.04	1111	2	75	120	3.5	5	3	6573	5462	RTO-M	40	form-based				0.7	4	0.800000012	2	2	5258.399902	4147.399902	4147.399902	0.8
3553	101	14138	0.32	2057	40	75	120	3.5	38	0	49483	47426	UMU	58	form-based		true		0.75	42	1.105263114	2	2	53017.5	50960.5	50960.5	1.071429
3554	032	2402	0.06	4428	3	75	120	3.5	7	4	8407	3979	RTO-M	45	form-based				0.7	5	0.714285731	2	2	6725.600098	2297.600098	2297.600098	0.8
3554	036	3003	0.07	4088	4	75	120	3.5	8	4	10510	6422	RTO-M	45	form-based				0.7	6	0.75	2	2	8408.399414	4320.399414	4320.399414	0.800038
3554	047	2095	0.05	2488	2	75	120	3.5	6	4	7332	4844	RTO-M	45	form-based				0.7	4	0.666666687	2	2	5866	3378	3378	0.800055
3554	048	2095	0.05	2728	2	75	120	3.5	6	4	7332	4604	RTO-M	45	form-based				0.7	4	0.666666687	2	2	5866	3138	3138	0.800055
3554	051	2000	0.05	2856	4	75	120	3.5	6	2	7000	4144	RTO-M	55	form-based				0.7	6	1	2	2	7000	4144	4144	1
3555	023	2996	0.07	7500	7	75	120	3.5	8	1	10486	2986	NCT-VALEI	55	form-based				0.75	9	1.125	2	2	11235	3735	3735	1.071429
3555	029	969	0.02	520	0	75	120	3.5	2	2	3392	2872	NCT-VALEI	45	form-based				0.75	2	1	2	2	2907	2387	2387	0.857017
3555	029A	2979	0.07	4208	4	75	120	3.5	8	4	10426	6218	RTO-M	45	form-based				0.7	6	0.75	2	2	8341.200195	4133.200195	4133.200195	0.800038
3555	031C	2954	0.07	2590	4	75	120	3.5	8	4	10339	7749	RTO-M	45	form-based				0.7	6	0.75	2	2	8271.200195	5681.200195	5681.200195	0.8
3555	039	2420	0.06	2814	5	75	120	3.5	7	2	8470	5656	NCT-VALEI	55	form-based				0.75	7	1	2	2	9075	6261	6261	1.071429
3555	058	3024	0.07	4180	4	75	120	3.5	8	4	10584	6404	RTO-M	45	form-based				0.7	6	0.75	2	2	8467.200195	4287.200195	4287.200195	0.8
3555	060	2202	0.05	3806	3	75	120	3.5	6	3	7707	3901	RTO-M	45	form-based				0.7	5	0.833333313	2	2	6165.600098	2359.600098	2359.600098	0.8
3555	061	2205	0.05	3807	3	75	120	3.5	6	3	7718	3911	RTO-M	45	form-based				0.7	5	0.833333313	2	2	6174	2367	2367	0.799948
3555	064	2220	0.05	1329	3	75	120	3.5	6	3	7770	6441	RTO-M	45	form-based				0.7	5	0.833333313	2	2	6216	4887	4887	0.8
3557	031	1738	0.04	3582	3	85	140	4	6	3	6952	3370	RTO-1	50	form-based			true	0.7	5	0.833333313	2	2	6083	2501	2501	0.875
3557	059	1815	0.04	3744	3	65	100	3	4	1	5445	1701	RTO-1	50	form-based			true	0.7	5	1.25	2	2	6352.5	2608.5	2608.5	1.166667
3557	095	1737	0.04	894	3	85	140	4	6	3	6948	6054	RTO-1	50	form-based			true	0.7	5	0.833333313	2	2	6079.5	5185.5	5185.5	0.875
3558	013	2386	0.05	5635	5	65	100	3	5	0	7158	1523	RTO-1	50	form-based			true	0.7	7	1.399999976	2	2	8351	2716	2716	1.166667
3558	023	2842	0.07	5890	6	65	100	3	7	1	8526	2636	RTO-1	50	form-based			true	0.7	8	1.142857194	2	2	9947	4057	4057	1.166667
3558	025	4350	0.1	4060	10	65	100	3	10	0	13050	8990	RTO-1	50	form-based			true	0.7	12	1.200000048	2	2	15225	11165	11165	1.166667
3558	032	3150	0.07	4661	7	85	140	4	10	3	12600	7939	RTO-1	50	form-based			true	0.7	9	0.899999976	2	2	11025	6364	6364	0.875
3558	065	2750	0.06	4570	6	65	100	3	6	0	8250	3680	RTO-1	50	form-based			true	0.7	8	1.333333373	2	2	9625	5055	5055	1.166667
3559	006	2750	0.06	4866	6	65	100	3	6	0	8250	3384	RTO-1	50	form-based			true	0.7	8	1.333333373	2	2	9625	4759	4759	1.166667
3559	011A	590	0.01	9130	0	65	100	3	1	1	1770	0	NCT-UPPE	50	form-based			true	0.75	2	2	2	2	2212.5	0	0	1.25
3560	020	4947	0.11	9840	12	65	100	3	11	0	14841	5001	RM-2	50	form-based			true	0.7	14	1.272727251	2	2	17314.5	7474.5	7474.5	1.166667
3561	001	1834	0.04	3809	3	65	100	3	4	1	5502	1693	RH-3	50	form-based		true	true	0.7	5	1.25	2	2	6419	2610	2610	1.166667
3561	007	2995	0.07	7500	6	65	100	3	7	1	8985	1485	RH-3	50	form-based		true	true	0.7	8	1.142857194	2	2	10482.5	2982.5	2982.5	1.166667
3561	021	2899	0.07	4936	6	65	100	3	7	1	8697	3761	RH-3	50	form-based			true	0.7	8	1.142857194	2	2	10146.5	5210.5	5210.5	1.166667
3561	077	2875	0.07	3514	4	65	100	3	7	3	8625	5111	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8050	4536	4536	0.933333
3564	007	2500	0.06	3703	5	65	100	3	6	1	7500	3797	RH-3	50	form-based			true	0.7	7	1.166666627	2	2	8750	5047	5047	1.166667
3564	013	2500	0.06	4485	3	65	100	3	6	3	7500	3015	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	2515	2515	0.933333
3564	018	2773	0.06	4089	4	65	100	3	6	2	8319	4230	RH-3	40	form-based		true	true	0.7	6	1	2	2	7764.399902	3675.399902	3675.399902	0.933333
3564	019	2287	0.05	5247	3	65	100	3	5	2	6861	1614	RH-3	40	form-based			true	0.7	5	1	2	2	6403.600098	1156.600098	1156.600098	0.933333
3564	021	2287	0.05	4026	3	65	100	3	5	2	6861	2835	RH-3	40	form-based			true	0.7	5	1	2	2	6403.600098	2377.600098	2377.600098	0.933333
3564	025	2008	0.05	2400	2	65	100	3	5	3	6024	3624	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5622.399902	3222.399902	3222.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3564	031	2008	0.05	2704	4	65	100	3	5	1	6024	3320	RH-2	50	form-based			true	0.7	6	1.200000048	2	2	7028	4324	4324	1.166667
3564	060	1719	0.04	3642	3	65	100	3	4	1	5157	1515	RH-2	50	form-based			true	0.7	5	1.25	2	2	6016.5	2374.5	2374.5	1.166667
3564	070	8301	0.19	9292	21	85	140	4	27	6	33204	23912	RH-3	50	form-based			true	0.7	23	0.851851881	2	2	29053.5	19761.5	19761.5	0.875
3564	079	2288	0.05	2896	4	85	140	4	7	3	9152	6256	RH-3	50	form-based			true	0.7	6	0.857142866	2	2	8008	5112	5112	0.875
3564	103	2500	0.06	1560	3	65	100	3	6	3	7500	5940	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	5440	5440	0.933333
3564	125	2500	0.06	1672	3	65	100	3	6	3	7500	5828	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	5328	5328	0.933333
3564	148	2008	0.05	968	2	65	100	3	5	3	6024	5056	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5622.399902	4654.399902	4654.399902	0.933333
3565	093	2260	0.05	1300	4	65	100	3	5	1	6780	5480	RM-1	50	form-based			true	0.7	6	1.200000048	2	2	7910	6610	6610	1.166667
3566	003	2881	0.07	4004	6	65	100	3	7	1	8643	4639	RH-3	50	form-based		true	true	0.7	8	1.142857194	2	2	10083.5	6079.5	6079.5	1.166667
3566	006	2715	0.06	5412	6	65	100	3	6	0	8145	2733	RH-3	50	form-based			true	0.7	8	1.333333373	2	2	9502.5	4090.5	4090.5	1.166667
3566	008	3024	0.07	7245	6	65	100	3	7	1	9072	1827	RH-3	50	form-based			true	0.7	8	1.142857194	2	2	10584	3339	3339	1.166667
3566	029	1504	0.03	1764	2	65	100	3	3	1	4512	2748	RH-2	50	form-based			true	0.7	4	1.333333373	2	2	5264	3500	3500	1.166667
3566	038	2061	0.05	4260	4	85	140	4	7	3	8244	3984	RM-1	50	form-based			true	0.7	6	0.857142866	2	2	7213.5	2953.5	2953.5	0.875
3567	004	4107	0.09	4800	5	65	100	3	9	4	12321	7521	RM-2	40	density-lim	600			0.7	7	0.777777791	2	2	11499.59961	6699.599609	6699.599609	0.933333
3567	005	8191	0.19	11472	12	65	100	3	19	7	24573	13101	RM-2	40	density-lim	600			0.7	14	0.736842096	2	2	22934.79883	11462.79883	11462.79883	0.933333
3567	019	2902	0.07	3050	2	65	100	3	7	5	8706	5656	RM-1	40	density-lim	800			0.7	4	0.571428597	2	2	8125.600098	5075.600098	5075.600098	0.933333
3567	025	3224	0.07	3280	2	65	100	3	7	5	9672	6392	RM-1	40	density-lim	800			0.7	4	0.571428597	2	2	9027.200195	5747.200195	5747.200195	0.933333
3567	058	2510	0.06	1562	2	65	100	3	6	4	7530	5968	RM-2	40	density-lim	600			0.7	4	0.666666687	2	2	7028	5466	5466	0.933333
3568	005	1815	0.04	4320	3	85	140	4	6	3	7260	2940	NCT-VALE	55	form-based				0.75	5	0.833333313	2	2	6806.25	2486.25	2486.25	0.9375
3568	019	4320	0.1	8512	7	75	120	3.5	12	5	15120	6608	RTO-M	45	form-based				0.7	9	0.75	2	2	12096	3584	3584	0.8
3568	023	3600	0.08	7740	6	75	120	3.5	10	4	12600	4860	RTO-M	45	form-based				0.7	8	0.800000012	2	2	10080	2340	2340	0.8
3568	028	3653	0.08	6150	6	75	120	3.5	10	4	12786	6636	RTO-M	45	form-based				0.7	8	0.800000012	2	2	10228.39941	4078.399414	4078.399414	0.799969
3568	029	3652	0.08	7320	6	75	120	3.5	10	4	12782	5462	RTO-M	45	form-based				0.7	8	0.800000012	2	2	10225.59961	2905.599609	2905.599609	0.8
3568	032	2267	0.05	4275	3	75	120	3.5	6	3	7934	3659	RTO-M	45	form-based		true		0.7	5	0.833333313	2	2	6347.600098	2072.600098	2072.600098	0.80005
3568	033	2720	0.06	6260	4	75	120	3.5	7	3	9520	3260	RTO-M	45	form-based				0.7	6	0.857142866	2	2	7616	1356	1356	0.8
3568	035A	1759	0.04	3180	2	75	120	3.5	5	3	6156	2976	RTO-M	45	form-based				0.7	4	0.800000012	2	2	4925.199707	1745.199707	1745.199707	0.800065
3568	072	1800	0.04	1145	2	85	140	4	6	4	7200	6055	RTO-M	45	form-based				0.7	4	0.666666687	2	2	5040	3895	3895	0.7
3574	018B	1102	0.03	1850	2	65	100	3	3	1	3306	1456	RH-3	55	density-lim	1000			0.7	4	1.333333373	2	2	3857	2007	2007	1.166667
3574	020	2353	0.05	2555	2	65	100	3	5	3	7059	4504	RH-3	55	density-lim	1000			0.7	4	0.800000012	2	2	8235.5	5680.5	5680.5	1.166667
3574	021	2353	0.05	2055	2	65	100	3	5	3	7059	5004	RH-3	55	density-lim	1000			0.7	4	0.800000012	2	2	8235.5	6180.5	6180.5	1.166667
3574	042	2958	0.07	3250	2	75	120	3.5	8	6	10353	7103	RH-3	50	density-lim	1000			0.7	4	0.5	2	2	10353	7103	7103	1
3574	052	2940	0.07	3037	2	75	120	3.5	8	6	10290	7253	RH-3	50	density-lim	1000			0.7	4	0.5	2	2	10290	7253	7253	1
3574	055	2940	0.07	3386	2	75	120	3.5	8	6	10290	6904	RH-3	50	density-lim	1000			0.7	4	0.5	2	2	10290	6904	6904	1
3574	070	3062	0.07	2254	2	75	120	3.5	8	6	10717	8463	RH-3	50	density-lim	1000			0.7	4	0.5	2	2	10717	8463	8463	1
3574	095	2977	0.07	2840	2	75	120	3.5	8	6	10420	7580	RH-3	50	density-lim	1000			0.7	4	0.5	2	2	10419.5	7579.5	7579.5	0.999952
3574	121	3001	0.07	1882	2	75	120	3.5	8	6	10504	8622	RH-3	50	density-lim	1000			0.7	4	0.5	2	2	10503.5	8621.5	8621.5	0.999952
3577	021	2048	0.05	3000	4	65	100	3	5	1	6144	3144	RTO-M	55	form-based				0.7	6	1.200000048	2	2	7168	4168	4168	1.166667
3577	032A	2838	0.07	3572	4	65	100	3	7	3	8514	4942	RTO-M	45	form-based				0.7	6	0.857142866	2	2	7946.399902	4374.399902	4374.399902	0.933333
3577	033	2250	0.05	4350	3	65	100	3	5	2	6750	2400	RTO-M	45	form-based				0.7	5	1	2	2	6300	1950	1950	0.933333
3577	039	2250	0.05	4680	4	75	120	3.5	6	2	7875	3195	RTO-M	55	form-based				0.7	6	1	2	2	7875	3195	3195	1
3577	040	2250	0.05	3240	4	75	120	3.5	6	2	7875	4635	RTO-M	55	form-based				0.7	6	1	2	2	7875	4635	4635	1
3577	042	3032	0.07	4090	4	75	120	3.5	8	4	10612	6522	RTO-M	45	form-based				0.7	6	0.75	2	2	8489.599609	4399.599609	4399.599609	0.8
3577	053	2783	0.06	3454	4	75	120	3.5	7	3	9740	6286	RTO-M	45	form-based				0.7	6	0.857142866	2	2	7792.399902	4338.399902	4338.399902	0.800041
3577	054	2783	0.06	3454	4	75	120	3.5	7	3	9740	6286	RTO-M	45	form-based				0.7	6	0.857142866	2	2	7792.399902	4338.399902	4338.399902	0.800041
3577	068	2625	0.06	610	4	75	120	3.5	7	3	9188	8578	RTO-M	45	form-based				0.7	6	0.857142866	2	2	7350	6740	6740	0.799956
3577	077	2670	0.06	861	4	65	100	3	6	2	8010	7149	RTO-M	45	form-based				0.7	6	1	2	2	7476	6615	6615	0.933333
3577	083	1959	0.04	1212	2	65	100	3	4	2	5877	4665	RTO-M	45	form-based				0.7	4	1	2	2	5485.199707	4273.199707	4273.199707	0.933333
3577	085	2125	0.05	949	2	75	120	3.5	6	4	7438	6489	RTO-M	45	form-based				0.7	4	0.666666687	2	2	5950	5001	5001	0.799946
3578	018	2800	0.06	2000	3	65	100	3	6	3	8400	6400	RM-2	40	density-lim	600			0.7	5	0.833333313	2	2	7840	5840	5840	0.933333
3578	034	2782	0.06	2614	2	65	100	3	6	4	8346	5732	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7789.600098	5175.600098	5175.600098	0.933333
3578	040	2898	0.07	1856	2	65	100	3	7	5	8694	6838	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8114.399902	6258.399902	6258.399902	0.933333
3578	052	2855	0.07	3450	2	65	100	3	7	5	8565	5115	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7994	4544	4544	0.933333
3578	054	1578	0.04	2477	2	65	100	3	4	2	4734	2257	RH-3	40	density-lim	1000			0.7	4	1	2	2	4418.399902	1941.399902	1941.399902	0.933333
3578	054D	1578	0.04	2480	2	65	100	3	4	2	4734	2254	RH-3	40	density-lim	1000			0.7	4	1	2	2	4418.399902	1938.399902	1938.399902	0.933333
3578	054E	1657	0.04	2292	2	65	100	3	4	2	4971	2679	RH-3	40	density-lim	1000			0.7	4	1	2	2	4639.600098	2347.600098	2347.600098	0.933333
3578	073	4422	0.1	4916	4	65	100	3	10	6	13266	8350	RM-1	40	density-lim	800			0.7	6	0.600000024	2	2	12381.59961	7465.599609	7465.599609	0.933333
3578	084	1625	0.04	1375	2	65	100	3	4	2	4875	3500	RH-3	40	density-lim	1000			0.7	4	1	2	2	4550	3175	3175	0.933333
3578	090	4737	0.11	7530	6	65	100	3	11	5	14211	6681	RM-2	40	density-lim	600			0.7	8	0.727272749	2	2	13263.59961	5733.599609	5733.599609	0.933333
3578	103	1657	0.04	995	2	65	100	3	4	2	4971	3976	RH-3	40	density-lim	1000			0.7	4	1	2	2	4639.600098	3644.600098	3644.600098	0.933333
3578	111	2898	0.07	1490	2	65	100	3	7	5	8694	7204	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8114.399902	6624.399902	6624.399902	0.933333
3578	131	1657	0.04	1150	2	65	100	3	4	2	4971	3821	RH-3	40	density-lim	1000			0.7	4	1	2	2	4639.600098	3489.600098	3489.600098	0.933333
3578	133	2800	0.06	1744	3	65	100	3	6	3	8400	6656	RM-2	40	density-lim	600			0.7	5	0.833333313	2	2	7840	6096	6096	0.933333
3578	136	2750	0.06	5267	3	65	100	3	6	3	8250	2983	RM-2	40	density-lim	600			0.7	5	0.833333313	2	2	7700	2433	2433	0.933333
3578	145	1578	0.04	760	2	65	100	3	4	2	4734	3974	RH-3	40	density-lim	1000			0.7	4	1	2	2	4418.399902	3658.399902	3658.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3579	023	2918	0.07	6274	6	85	140	4	10	4	11672	5398	RM-1	50	form-based			true	0.7	8	0.800000012	2	2	10213	3939	3939	0.875
3580	001	3608	0.08	10051	12	85	140	4	11	0	14432	4381	RTO-C	65	form-based		true	true	0.75	14	1.272727251	2	2	16236	6185	6185	1.125
3580	005	6084	0.14	15000	21	85	140	4	20	0	24336	9336	RTO-C	65	form-based		true	true	0.75	23	1.149999976	2	2	27378	12378	12378	1.125
3580	016	3521	0.08	6507	8	85	140	4	11	3	14084	7577	RM-1	50	form-based			true	0.7	10	0.909090936	2	2	12323.5	5816.5	5816.5	0.875
3580	027	2768	0.06	5544	6	65	100	3	6	0	8304	2760	RM-1	50	form-based			true	0.7	8	1.333333373	2	2	9688	4144	4144	1.166667
3580	028	2908	0.07	5544	6	65	100	3	7	1	8724	3180	RM-1	50	form-based			true	0.7	8	1.142857194	2	2	10178	4634	4634	1.166667
3580	029	2865	0.07	5544	6	65	100	3	7	1	8595	3051	RM-1	50	form-based			true	0.7	8	1.142857194	2	2	10027.5	4483.5	4483.5	1.166667
3580	031	2690	0.06	5544	6	65	100	3	6	0	8070	2526	RM-1	50	form-based			true	0.7	8	1.333333373	2	2	9415	3871	3871	1.166667
3581	013	2500	0.06	3508	3	65	100	3	6	3	7500	3992	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	3492	3492	0.933333
3581	014	2500	0.06	3615	3	65	100	3	6	3	7500	3885	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	3385	3385	0.933333
3581	067	2750	0.06	3100	4	85	140	4	8	4	11000	7900	RH-3	40	form-based			true	0.7	6	0.75	2	2	7700	4600	4600	0.7
3581	077	2835	0.07	4120	4	65	100	3	7	3	8505	4385	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	7938	3818	3818	0.933333
3581	087	1722	0.04	3150	2	65	100	3	4	2	5166	2016	RH-3	40	form-based		true	true	0.7	4	1	2	2	4821.600098	1671.600098	1671.600098	0.933333
3581	126	2836	0.07	1487	4	65	100	3	7	3	8508	7021	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	7940.799805	6453.799805	6453.799805	0.933333
3582	024	2500	0.06	7792	3	65	100	3	6	3	7500	0	RH-3	40	form-based		true	true	0.7	5	0.833333313	2	2	7000	0	0	0.933333
3582	109	1584	0.04	968	2	85	140	4	6	4	6336	5368	RH-3	50	form-based			true	0.7	4	0.666666687	2	2	5544	4576	4576	0.875
3582	114	2500	0.06	1750	3	65	100	3	6	3	7500	5750	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	5250	5250	0.933333
3582	116	1604	0.04	1294	2	85	140	4	6	4	6416	5122	RH-3	50	form-based			true	0.7	4	0.666666687	2	2	5614	4320	4320	0.875
3582	121	2468	0.06	1460	3	65	100	3	6	3	7404	5944	RH-3	40	form-based		true	true	0.7	5	0.833333313	2	2	6910.399902	5450.399902	5450.399902	0.933333
3583	013	2075	0.05	3048	2	65	100	3	5	3	6225	3177	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5810	2762	2762	0.933333
3583	056	2375	0.05	4375	5	65	100	3	5	0	7125	2750	NCD-CAST	50	form-based		true	true	0.75	7	1.399999976	2	2	8906.25	4531.25	4531.25	1.25
3583	079	1690	0.04	3750	3	65	100	3	4	1	5070	1320	NCD-CAST	50	form-based		true	true	0.75	5	1.25	2	2	6337.5	2587.5	2587.5	1.25
3583	084	1842	0.04	2100	2	65	100	3	4	2	5526	3426	NCD-CAST	40	form-based			true	0.75	4	1	2	2	5526	3426	3426	1
3583	102	2075	0.05	1301	2	65	100	3	5	3	6225	4924	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5810	4509	4509	0.933333
3583	110	2075	0.05	1304	2	65	100	3	5	3	6225	4921	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5810	4506	4506	0.933333
3583	123	1829	0.04	1216	2	65	100	3	4	2	5487	4271	NCD-CAST	40	form-based			true	0.75	4	1	2	2	5487	4271	4271	1
3583	125	1876	0.04	874	2	65	100	3	4	2	5628	4754	NCD-CAST	40	form-based			true	0.75	4	1	2	2	5628	4754	4754	1
3584	003	2625	0.06	3201	4	65	100	3	6	2	7875	4674	RH-3	40	form-based			true	0.7	6	1	2	2	7350	4149	4149	0.933333
3584	019	2783	0.06	4980	4	65	100	3	6	2	8349	3369	RH-2	40	form-based		true	true	0.7	6	1	2	2	7792.399902	2812.399902	2812.399902	0.933333
3584	033	2903	0.07	4120	4	65	100	3	7	3	8709	4589	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8128.399902	4008.399902	4008.399902	0.933333
3584	060	2850	0.07	3605	4	65	100	3	7	3	8550	4945	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	7980	4375	4375	0.933333
3584	064	2850	0.07	4250	4	65	100	3	7	3	8550	4300	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	7980	3730	3730	0.933333
3584	070	1566	0.04	1206	1	65	100	3	4	3	4698	3492	RH-3	40	form-based			true	0.7	3	0.75	2	2	4384.799805	3178.799805	3178.799805	0.933333
3584	071	1950	0.04	1707	2	65	100	3	4	2	5850	4143	RH-3	40	form-based			true	0.7	4	1	2	2	5460	3753	3753	0.933333
3584	075	1444	0.03	1466	1	65	100	3	3	2	4332	2866	RH-3	40	form-based			true	0.7	3	1	2	2	4043.199951	2577.199951	2577.199951	0.933333
3584	076A	1859	0.04	1340	2	65	100	3	4	2	5577	4237	RH-3	40	form-based			true	0.7	4	1	2	2	5205.199707	3865.199707	3865.199707	0.933333
3584	080	2834	0.07	2712	4	65	100	3	7	3	8502	5790	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	7935.199707	5223.199707	5223.199707	0.933333
3584	087	2836	0.07	4030	4	65	100	3	7	3	8508	4478	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	7940.799805	3910.799805	3910.799805	0.933333
3584	114	2362	0.05	720	3	65	100	3	5	2	7086	6366	RH-3	40	form-based			true	0.7	5	1	2	2	6613.600098	5893.600098	5893.600098	0.933333
3584	117	2230	0.05	2125	3	65	100	3	5	2	6690	4565	RH-3	40	form-based		true	true	0.7	5	1	2	2	6244	4119	4119	0.933333
3584	135	2834	0.07	646	4	65	100	3	7	3	8502	7856	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	7935.199707	7289.199707	7289.199707	0.933333
3584	141	1912	0.04	3165	2	65	100	3	4	2	5736	2571	RH-3	40	form-based		true	true	0.7	4	1	2	2	5353.600098	2188.600098	2188.600098	0.933333
3585	015A	1282	0.03	2100	2	65	100	3	3	1	3846	1746	RH-2	50	form-based			true	0.7	4	1.333333373	2	2	4487	2387	2387	1.166667
3585	108	2097	0.05	743	6	65	100	3	5	0	6291	5548	RTO-C	65	form-based		true	true	0.75	8	1.600000024	2	2	9436.5	8693.5	8693.5	1.5
3587	008A	2300	0.05	3070	2	65	100	3	5	3	6900	3830	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6440	3370	3370	0.933333
3587	009	2500	0.06	2865	2	65	100	3	6	4	7500	4635	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4135	4135	0.933333
3587	020	2700	0.06	2700	2	65	100	3	6	4	8100	5400	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7560	4860	4860	0.933333
3587	022	3826	0.09	3334	4	65	100	3	9	5	11478	8144	RH-3	40	density-lim	1000	true		0.7	6	0.666666687	2	2	10712.7998	7378.799805	7378.799805	0.933333
3587	025	2500	0.06	3188	4	65	100	3	6	2	7500	4312	RH-3	40	density-lim	1000	true		0.7	6	1	2	2	7000	3812	3812	0.933333
3587	027	2513	0.06	4305	2	65	100	3	6	4	7539	3234	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7036.399902	2731.399902	2731.399902	0.933333
3587	028	2500	0.06	3014	2	65	100	3	6	4	7500	4486	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	3986	3986	0.933333
3587	033	2957	0.07	3983	3	65	100	3	7	4	8871	4888	RM-2	40	density-lim	600			0.7	5	0.714285731	2	2	8279.599609	4296.599609	4296.599609	0.933333
3587	034	2787	0.06	4500	3	65	100	3	6	3	8361	3861	RM-2	40	density-lim	600			0.7	5	0.833333313	2	2	7803.600098	3303.600098	3303.600098	0.933333
3587	043	3202	0.07	5460	3	65	100	3	7	4	9606	4146	RM-2	40	density-lim	600			0.7	5	0.714285731	2	2	8965.599609	3505.599609	3505.599609	0.933333
3587	062	2490	0.06	3370	2	65	100	3	6	4	7470	4100	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6972	3602	3602	0.933333
3587	063	2422	0.06	2533	2	65	100	3	6	4	7266	4733	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6781.600098	4248.600098	4248.600098	0.933333
3587	066	2216	0.05	2100	2	65	100	3	5	3	6648	4548	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6204.799805	4104.799805	4104.799805	0.933333
3587	074A	2804	0.06	4048	2	65	100	3	6	4	8412	4364	NC-1	40	density-lim	800			0.75	4	0.666666687	2	2	8412	4364	4364	1
3587	079	2877	0.07	2326	2	65	100	3	7	5	8631	6305	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8055.600098	5729.600098	5729.600098	0.933333
3587	095	2828	0.06	1373	2	65	100	3	6	4	8484	7111	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7918.399902	6545.399902	6545.399902	0.933333
3587	100	2750	0.06	1199	2	65	100	3	6	4	8250	7051	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7700	6501	6501	0.933333
3587	105	3050	0.07	1616	2	65	100	3	7	5	9150	7534	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8540	6924	6924	0.933333
3587	107	2778	0.06	1344	3	65	100	3	6	3	8334	6990	RM-2	40	density-lim	600			0.7	5	0.833333313	2	2	7778.399902	6434.399902	6434.399902	0.933333
3587	157	2500	0.06	1427	2	65	100	3	6	4	7500	6073	RM-2	40	density-lim	600			0.7	4	0.666666687	2	2	7000	5573	5573	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3588	002	2506	0.06	7152	6	65	100	3	6	0	7518	366	NCT-VALEI	55	form-based				0.75	8	1.333333373	2	2	9397.5	2245.5	2245.5	1.25
3588	025	2000	0.05	1346	2	65	100	3	5	3	6000	4654	RTO-M	45	form-based				0.7	4	0.800000012	2	2	5600	4254	4254	0.933333
3588	026	2000	0.05	2250	2	65	100	3	5	3	6000	3750	RTO-M	45	form-based				0.7	4	0.800000012	2	2	5600	3350	3350	0.933333
3588	035	2000	0.05	2464	2	65	100	3	5	3	6000	3536	RTO-M	45	form-based				0.7	4	0.800000012	2	2	5600	3136	3136	0.933333
3588	036	2000	0.05	2360	2	65	100	3	5	3	6000	3640	RTO-M	45	form-based				0.7	4	0.800000012	2	2	5600	3240	3240	0.933333
3588	038	2000	0.05	3038	2	65	100	3	5	3	6000	2962	RTO-M	45	form-based				0.7	4	0.800000012	2	2	5600	2562	2562	0.933333
3588	046	3014	0.07	6624	6	65	100	3	7	1	9042	2418	RTO-M	55	form-based		true		0.7	8	1.142857194	2	2	10549	3925	3925	1.166667
3588	049E	1731	0.04	2576	2	65	100	3	4	2	5193	2617	RTO-M	45	form-based				0.7	4	1	2	2	4846.799805	2270.799805	2270.799805	0.933333
3588	049J	1875	0.04	2710	2	65	100	3	4	2	5625	2915	RTO-M	45	form-based				0.7	4	1	2	2	5250	2540	2540	0.933333
3588	060	2643	0.06	2920	4	65	100	3	6	2	7929	5009	RTO-M	45	form-based				0.7	6	1	2	2	7400.399902	4480.399902	4480.399902	0.933333
3588	064	2628	0.06	3352	4	65	100	3	6	2	7884	4532	RTO-M	45	form-based				0.7	6	1	2	2	7358.399902	4006.399902	4006.399902	0.933333
3588	067	2682	0.06	7653	6	65	100	3	6	0	8046	393	RTO-M	55	form-based		true		0.7	8	1.333333373	2	2	9387	1734	1734	1.166667
3588	075	1537	0.04	1480	1	65	100	3	4	3	4611	3131	RTO-M	45	form-based				0.7	3	0.75	2	2	4303.600098	2823.600098	2823.600098	0.933333
3588	078	1530	0.04	2000	1	65	100	3	4	3	4590	2590	RTO-M	45	form-based				0.7	3	0.75	2	2	4284	2284	2284	0.933333
3588	081	2850	0.07	6552	6	65	100	3	7	1	8550	1998	RTO-M	55	form-based		true		0.7	8	1.142857194	2	2	9975	3423	3423	1.166667
3588	090	2000	0.05	1143	2	65	100	3	5	3	6000	4857	RTO-M	45	form-based				0.7	4	0.800000012	2	2	5600	4457	4457	0.933333
3588	094	2000	0.05	1214	2	65	100	3	5	3	6000	4786	RTO-M	45	form-based				0.7	4	0.800000012	2	2	5600	4386	4386	0.933333
3588	096	2000	0.05	1060	2	65	100	3	5	3	6000	4940	RTO-M	45	form-based				0.7	4	0.800000012	2	2	5600	4540	4540	0.933333
3588	098	2000	0.05	1033	2	65	100	3	5	3	6000	4967	RTO-M	45	form-based				0.7	4	0.800000012	2	2	5600	4567	4567	0.933333
3588	100	1875	0.04	961	2	65	100	3	4	2	5625	4664	RTO-M	45	form-based				0.7	4	1	2	2	5250	4289	4289	0.933333
3593	015	3063	0.07	2850	2	65	100	3	7	5	9189	6339	RH-3	65	density-lim	1000			0.7	4	0.571428597	2	2	12864.59961	10014.59961	10014.59961	1.4
3594	010	3663	0.08	5442	3	65	100	3	8	5	10989	5547	RM-1	55	density-lim	800			0.7	5	0.625	2	2	12820.5	7378.5	7378.5	1.166667
3594	019A	2773	0.06	2984	2	65	100	3	6	4	8319	5335	RH-3	50	density-lim	1000			0.7	4	0.666666687	2	2	9705.5	6721.5	6721.5	1.166667
3594	027	2000	0.05	2925	2	65	100	3	5	3	6000	3075	RH-3	50	density-lim	1000			0.7	4	0.800000012	2	2	7000	4075	4075	1.166667
3594	032	3315	0.08	890	2	65	100	3	8	6	9945	9055	RM-1	50	density-lim	800			0.7	4	0.5	2	2	11602.5	10712.5	10712.5	1.166667
3594	037	2412	0.06	851	1	65	100	3	6	5	7236	6385	RM-1	50	density-lim	800			0.7	3	0.5	2	2	8442	7591	7591	1.166667
3594	043	6860	0.16	6354	7	65	100	3	16	9	20580	14226	RM-1	50	density-lim	800			0.7	9	0.5625	2	2	24010	17656	17656	1.166667
3594	071	11708	0.27	790	13	65	100	3	27	14	35124	34334	NC-2	55	density-lim	800	true		0.75	15	0.555555582	2	2	43905	43115	43115	1.25
3594	090	3185	0.07	1470	2	65	100	3	7	5	9555	8085	RM-1	50	density-lim	800			0.7	4	0.571428597	2	2	11147.5	9677.5	9677.5	1.166667
3594	111	4314	0.1	2175	2	65	100	3	10	8	12942	10767	RH-3	50	density-lim	1000			0.7	4	0.400000006	2	2	15099	12924	12924	1.166667
3594	114	2773	0.06	1828	2	65	100	3	6	4	8319	6491	RH-3	50	density-lim	1000			0.7	4	0.666666687	2	2	9705.5	7877.5	7877.5	1.166667
3597	033	2184	0.05	5250	3	65	100	3	5	2	6552	1302	RTO-M	45	form-based				0.7	5	1	2	2	6115.199707	865.199707	865.199707	0.933333
3597	036	2184	0.05	4215	3	65	100	3	5	2	6552	2337	RTO-M	45	form-based				0.7	5	1	2	2	6115.199707	1900.199707	1900.199707	0.933333
3597	039	2193	0.05	5250	3	65	100	3	5	2	6579	1329	RTO-M	45	form-based				0.7	5	1	2	2	6140.399902	890.3999023	890.3999023	0.933333
3597	076	2184	0.05	1238	3	65	100	3	5	2	6552	5314	RTO-M	45	form-based				0.7	5	1	2	2	6115.199707	4877.199707	4877.199707	0.933333
3597	092	2184	0.05	1199	3	65	100	3	5	2	6552	5353	RTO-M	45	form-based				0.7	5	1	2	2	6115.199707	4916.199707	4916.199707	0.933333
3598	001	2463	0.06	4020	1	65	100	3	6	5	7389	3369	RM-1	40	density-lim	800	true		0.7	3	0.5	2	2	6896.399902	2876.399902	2876.399902	0.933333
3598	007	2450	0.06	2746	2	65	100	3	6	4	7350	4604	RM-2	40	density-lim	600			0.7	4	0.666666687	2	2	6860	4114	4114	0.933333
3598	010	2850	0.07	6816	2	65	100	3	7	5	8550	1734	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	1164	1164	0.933333
3598	010A	2850	0.07	5470	2	65	100	3	7	5	8550	3080	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	2510	2510	0.933333
3598	020	2850	0.07	2884	2	65	100	3	7	5	8550	5666	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	5096	5096	0.933333
3598	023	1867	0.04	5038	2	65	100	3	4	2	5601	563	RH-3	40	density-lim	1000			0.7	4	1	2	2	5227.600098	189.6000977	189.6000977	0.933333
3598	025	2000	0.05	3808	2	65	100	3	5	3	6000	2192	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5600	1792	1792	0.933333
3598	026	2000	0.05	2776	2	65	100	3	5	3	6000	3224	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5600	2824	2824	0.933333
3598	037	2877	0.07	3284	2	65	100	3	7	5	8631	5347	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8055.600098	4771.600098	4771.600098	0.933333
3598	039	2877	0.07	1425	2	65	100	3	7	5	8631	7206	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8055.600098	6630.600098	6630.600098	0.933333
3598	045	2105	0.05	2770	2	65	100	3	5	3	6315	3545	RM-2	40	density-lim	600			0.7	4	0.800000012	2	2	5894	3124	3124	0.933333
3598	053	2850	0.07	3500	2	65	100	3	7	5	8550	5050	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	4480	4480	0.933333
3598	054	2850	0.07	3082	2	65	100	3	7	5	8550	5468	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	4898	4898	0.933333
3598	054A	2850	0.07	3110	2	65	100	3	7	5	8550	5440	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	4870	4870	0.933333
3598	068	2856	0.07	3870	2	65	100	3	7	5	8568	4698	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7996.799805	4126.799805	4126.799805	0.933333
3598	069A	2970	0.07	2876	2	65	100	3	7	5	8910	6034	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8316	5440	5440	0.933333
3598	081	2960	0.07	1465	2	65	100	3	7	5	8880	7415	RM-1	40	density-lim	800			0.7	4	0.571428597	2	2	8288	6823	6823	0.933333
3598	093	2877	0.07	1382	2	65	100	3	7	5	8631	7249	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8055.600098	6673.600098	6673.600098	0.933333
3598	095	3990	0.09	1654	2	65	100	3	9	7	11970	10316	RH-3	40	density-lim	1000			0.7	4	0.444444448	2	2	11172	9518	9518	0.933333
3598	097	2850	0.07	2013	2	65	100	3	7	5	8550	6537	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	5967	5967	0.933333
3598	102	3370	0.08	1001	2	65	100	3	8	6	10110	9109	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9436	8435	8435	0.933333
3598	104	2877	0.07	1307	2	65	100	3	7	5	8631	7324	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8055.600098	6748.600098	6748.600098	0.933333
3598	106	2877	0.07	1525	2	65	100	3	7	5	8631	7106	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8055.600098	6530.600098	6530.600098	0.933333
3598	117	2856	0.07	1256	2	65	100	3	7	5	8568	7312	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7996.799805	6740.799805	6740.799805	0.933333
3598	121	2233	0.05	1218	4	65	100	3	5	1	6699	5481	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	2	2	6252.399902	5034.399902	5034.399902	0.933333
3598	125	2913	0.07	1528	2	65	100	3	7	5	8739	7211	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8156.399902	6628.399902	6628.399902	0.933333
3598	127	2877	0.07	1711	2	65	100	3	7	5	8631	6920	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8055.600098	6344.600098	6344.600098	0.933333
3600	043	11400	0.26	19098	30	65	100	3	26	0	34200	15102	RH-2	50	form-based			true	0.7	32	1.230769277	2	2	39900	20802	20802	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3600	071	5668	0.13	11832	14	65	100	3	13	0	17004	5172	RH-2	50	form-based			true	0.7	16	1.230769277	2	2	19838	8006	8006	1.166667
3600	125	2890	0.07	622	6	65	100	3	7	1	8670	8048	RH-2	50	form-based			true	0.7	8	1.142857194	2	2	10115	9493	9493	1.166667
3601	062	1482	0.03	1764	1	65	100	3	3	2	4446	2682	RH-2	40	form-based			true	0.7	3	1	2	2	4149.600098	2385.600098	2385.600098	0.933333
3601	074A	1284	0.03	1479	1	65	100	3	3	2	3852	2373	RH-2	40	form-based			true	0.7	3	1	2	2	3595.199951	2116.199951	2116.199951	0.933333
3601	098	2850	0.07	1393	4	65	100	3	7	3	8550	7157	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	7980	6587	6587	0.933333
3601	114	2850	0.07	2160	4	65	100	3	7	3	8550	6390	RH-1	40	form-based			true	0.7	6	0.857142866	2	2	7980	5820	5820	0.933333
3602	001A	1950	0.04	1670	2	65	100	3	4	2	5850	4180	RH-2	40	form-based			true	0.7	4	1	2	2	5460	3790	3790	0.933333
3602	036	3625	0.08	3862	6	55	80	2.5	6	0	9062	5200	RH-3	40	form-based			true	0.7	8	1.333333373	2	2	10150	6288	6288	1.120062
3602	066	3790	0.09	5571	6	55	80	2.5	7	1	9475	3904	RH-3	40	form-based			true	0.7	8	1.142857194	2	2	10612	5041	5041	1.12
3602	069	3789	0.09	5940	6	55	80	2.5	7	1	9472	3532	RH-3	40	form-based			true	0.7	8	1.142857194	2	2	10609.2002	4669.200195	4669.200195	1.120059
3602	070	3789	0.09	5985	6	55	80	2.5	7	1	9472	3487	RH-3	40	form-based			true	0.7	8	1.142857194	2	2	10609.2002	4624.200195	4624.200195	1.120059
3602	083	2714	0.06	3496	4	65	100	3	6	2	8142	4646	RH-3	40	form-based		true	true	0.7	6	1	2	2	7599.199707	4103.199707	4103.199707	0.933333
3602	085	1255	0.03	1404	1	65	100	3	3	2	3765	2361	RH-3	40	form-based			true	0.7	3	1	2	2	3514	2110	2110	0.933333
3602	096	2129	0.05	977	2	65	100	3	5	3	6387	5410	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5961.199707	4984.199707	4984.199707	0.933333
3602	103	2450	0.06	1340	3	55	80	2.5	5	2	6125	4785	RH-1	40	form-based		true	true	0.7	5	1	2	2	6860	5520	5520	1.12
3602	121	3450	0.08	1189	5	55	80	2.5	6	1	8625	7436	RH-3	40	form-based			true	0.7	7	1.166666627	2	2	9660	8471	8471	1.12
3602	134	2065	0.05	1175	2	55	80	2.5	4	2	5162	3987	RH-2	40	form-based			true	0.7	4	1	2	2	5782	4607	4607	1.120108
3603	006	1450	0.03	1041	1	55	80	2.5	2	1	3625	2584	RH-2	40	form-based			true	0.7	3	1.5	2	2	4060	3019	3019	1.12
3603	051	2414	0.06	3040	3	55	80	2.5	5	2	6035	2995	RH-2	40	form-based			true	0.7	5	1	2	2	6759.199707	3719.199707	3719.199707	1.12
3603	067	2782	0.06	3524	4	55	80	2.5	5	1	6955	3431	RH-2	40	form-based		true	true	0.7	6	1.200000048	2	2	7789.600098	4265.600098	4265.600098	1.12
3603	090	2453	0.06	2300	3	55	80	2.5	5	2	6132	3832	RH-2	40	form-based			true	0.7	5	1	2	2	6868.399902	4568.399902	4568.399902	1.120091
3603	094	1647	0.04	1675	1	55	80	2.5	3	2	4118	2443	RH-2	40	form-based			true	0.7	3	1	2	2	4611.600098	2936.600098	2936.600098	1.119864
3604	002	1768	0.04	3600	2	65	100	3	4	2	5304	1704	RH-1	40	form-based			true	0.7	4	1	2	2	4950.399902	1350.399902	1350.399902	0.933333
3604	026	1527	0.04	1278	1	65	100	3	4	3	4581	3303	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4275.600098	2997.600098	2997.600098	0.933333
3604	026A	1740	0.04	5082	2	55	80	2.5	3	1	4350	0	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	4872	0	0	1.12
3604	029A	1260	0.03	984	1	65	100	3	3	2	3780	2796	RH-2	40	form-based			true	0.7	3	1	2	2	3528	2544	2544	0.933333
3604	068	1523	0.03	840	1	65	100	3	3	2	4569	3729	RH-1	40	form-based		true	true	0.7	3	1	2	2	4264.399902	3424.399902	3424.399902	0.933333
3604	069	1275	0.03	1150	1	65	100	3	3	2	3825	2675	RH-1	40	form-based			true	0.7	3	1	2	2	3570	2420	2420	0.933333
3605	025	1450	0.03	1840	1	65	100	3	3	2	4350	2510	RH-1	40	form-based		true	true	0.7	3	1	2	2	4060	2220	2220	0.933333
3605	070	1450	0.03	1190	1	65	100	3	3	2	4350	3160	RH-1	40	form-based			true	0.7	3	1	2	2	4060	2870	2870	0.933333
3605	072	5700	0.13	7072	10	65	100	3	13	3	17100	10028	RH-2	40	form-based			true	0.7	12	0.923076928	2	2	15960	8888	8888	0.933333
3605	095	1875	0.04	1301	2	85	140	4	6	4	7500	6199	RH-2	40	form-based			true	0.7	4	0.666666687	2	2	5250	3949	3949	0.7
3606	012	2625	0.06	3650	5	65	100	3	6	1	7875	4225	RH-3	50	form-based			true	0.7	7	1.166666627	2	2	9187.5	5537.5	5537.5	1.166667
3606	085	2850	0.07	800	6	85	140	4	10	4	11400	10600	RH-3	50	form-based			true	0.7	8	0.800000012	2	2	9975	9175	9175	0.875
3606	079	3208	0.07	6423	7	65	100	3	7	0	9624	3201	RM-1	50	form-based			true	0.7	9	1.285714269	2	2	11228	4805	4805	1.166667
3607	002	1512	0.03	2248	2	65	100	3	3	1	4536	2288	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	4233.600098	1985.600098	1985.600098	0.933333
3607	006	2485	0.06	2600	2	65	100	3	6	4	7455	4855	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6958	4358	4358	0.933333
3607	008A	2619	0.06	3785	2	65	100	3	6	4	7857	4072	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7333.199707	3548.199707	3548.199707	0.933333
3607	012A	2298	0.05	3070	2	65	100	3	5	3	6894	3824	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6434.399902	3364.399902	3364.399902	0.933333
3607	012C	2298	0.05	3070	2	65	100	3	5	3	6894	3824	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6434.399902	3364.399902	3364.399902	0.933333
3607	017	2850	0.07	3415	2	65	100	3	7	5	8550	5135	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7980	4565	4565	0.933333
3607	019	3420	0.08	3970	2	65	100	3	8	6	10260	6290	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9576	5606	5606	0.933333
3607	026	2312	0.05	3839	2	65	100	3	5	3	6936	3097	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6473.600098	2634.600098	2634.600098	0.933333
3607	036	6250	0.14	4370	4	65	100	3	14	10	18750	14380	RH-3	40	density-lim	1000			0.7	6	0.428571433	2	2	17500	13130	13130	0.933333
3607	040	3410	0.08	4700	2	65	100	3	8	6	10230	5530	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9548	4848	4848	0.933333
3607	044	3420	0.08	3750	2	65	100	3	8	6	10260	6510	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9576	5826	5826	0.933333
3607	047	2850	0.07	1512	2	65	100	3	7	5	8550	7038	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7980	6468	6468	0.933333
3607	048	2850	0.07	3230	2	65	100	3	7	5	8550	5320	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7980	4750	4750	0.933333
3607	051	2850	0.07	3250	2	65	100	3	7	5	8550	5300	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7980	4730	4730	0.933333
3607	055	2295	0.05	3080	2	65	100	3	5	3	6885	3805	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6426	3346	3346	0.933333
3607	056	1913	0.04	2290	2	65	100	3	4	2	5739	3449	RH-3	40	density-lim	1000			0.7	4	1	2	2	5356.399902	3066.399902	3066.399902	0.933333
3607	056B	1912	0.04	2750	2	65	100	3	4	2	5736	2986	RH-3	40	density-lim	1000			0.7	4	1	2	2	5353.600098	2603.600098	2603.600098	0.933333
3607	057	5250	0.12	3868	3	65	100	3	12	9	15750	11882	RH-3	40	density-lim	1000			0.7	5	0.416666657	2	2	14700	10832	10832	0.933333
3607	058	1245	0.03	2040	2	65	100	3	3	1	3735	1695	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3486	1446	1446	0.933333
3607	068	2828	0.06	1660	2	65	100	3	6	4	8484	6824	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7918.399902	6258.399902	6258.399902	0.933333
3607	069	2828	0.06	2640	2	65	100	3	6	4	8484	5844	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7918.399902	5278.399902	5278.399902	0.933333
3607	070	2828	0.06	2656	2	65	100	3	6	4	8484	5828	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7918.399902	5262.399902	5262.399902	0.933333
3607	072	2828	0.06	1560	2	65	100	3	6	4	8484	6924	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7918.399902	6358.399902	6358.399902	0.933333
3607	074	2859	0.07	2068	2	65	100	3	7	5	8577	6509	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8005.199707	5937.199707	5937.199707	0.933333
3607	077	2828	0.06	925	2	65	100	3	6	4	8484	7559	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7918.399902	6993.399902	6993.399902	0.933333
3607	082	2842	0.07	1455	2	65	100	3	7	5	8526	7071	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7957.600098	6502.600098	6502.600098	0.933333
3607	087	2313	0.05	1238	2	65	100	3	5	3	6939	5701	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6476.399902	5238.399902	5238.399902	0.933333
3607	094	2715	0.06	927	2	65	100	3	6	4	8145	7218	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7602	6675	6675	0.933333
3607	096	2850	0.07	1129	2	65	100	3	7	5	8550	7421	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7980	6851	6851	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3607	110	2515	0.06	1749	2	65	100	3	6	4	7545	5796	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7042	5293	5293	0.933333
3607	112	2298	0.05	1200	2	65	100	3	5	3	6894	5694	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6434.399902	5234.399902	5234.399902	0.933333
3608	013	2875	0.07	3809	2	65	100	3	7	5	8625	4816	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8050	4241	4241	0.933333
3608	014	2875	0.07	4344	2	65	100	3	7	5	8625	4281	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8050	3706	3706	0.933333
3608	019	2875	0.07	3640	2	65	100	3	7	5	8625	4985	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8050	4410	4410	0.933333
3608	020	2875	0.07	3100	2	65	100	3	7	5	8625	5525	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8050	4950	4950	0.933333
3608	028	2500	0.06	1953	1	65	100	3	6	5	7500	5547	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	5047	5047	0.933333
3608	031	2820	0.06	3450	2	65	100	3	6	4	8460	5010	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7896	4446	4446	0.933333
3608	040	2822	0.06	2200	2	65	100	3	6	4	8466	6266	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7901.600098	5701.600098	5701.600098	0.933333
3608	041	2822	0.06	2400	2	65	100	3	6	4	8466	6066	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7901.600098	5501.600098	5501.600098	0.933333
3608	045	2875	0.07	3088	2	65	100	3	7	5	8625	5537	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8050	4962	4962	0.933333
3608	054	2500	0.06	2310	2	65	100	3	6	4	7500	5190	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4690	4690	0.933333
3608	056	2500	0.06	2715	2	65	100	3	6	4	7500	4785	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4285	4285	0.933333
3608	058	2461	0.06	2960	4	65	100	3	6	2	7383	4423	RH-2	40	density-lim	1500	true		0.7	6	1	2	2	6890.799805	3930.799805	3930.799805	0.933333
3608	059	2803	0.06	3521	2	65	100	3	6	4	8409	4888	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7848.399902	4327.399902	4327.399902	0.933333
3608	068	2803	0.06	5247	2	65	100	3	6	4	8409	3162	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7848.399902	2601.399902	2601.399902	0.933333
3608	073	3360	0.08	4458	6	65	100	3	8	2	10080	5622	NCT-VALEI	40	form-based				0.75	8	1	2	2	10080	5622	5622	1
3608	079	5750	0.13	1204	4	65	100	3	13	9	17250	16046	RH-3	40	density-lim	1000			0.7	6	0.461538464	2	2	16100	14896	14896	0.933333
3608	083	2803	0.06	1496	2	65	100	3	6	4	8409	6913	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7848.399902	6352.399902	6352.399902	0.933333
3608	085	2875	0.07	1415	2	65	100	3	7	5	8625	7210	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8050	6635	6635	0.933333
3608	090	2821	0.06	1035	2	65	100	3	6	4	8463	7428	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7898.799805	6863.799805	6863.799805	0.933333
3608	092	2500	0.06	955	2	65	100	3	6	4	7500	6545	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	6045	6045	0.933333
3608	094	3650	0.08	1429	6	65	100	3	8	2	10950	9521	NCT-VALEI	40	form-based				0.75	8	1	2	2	10950	9521	9521	1
3608	100	2821	0.06	1664	2	65	100	3	6	4	8463	6799	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7898.799805	6234.799805	6234.799805	0.933333
3608	105	2875	0.07	1628	2	65	100	3	7	5	8625	6997	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8050	6422	6422	0.933333
3608	114	2820	0.06	1615	2	65	100	3	6	4	8460	6845	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7896	6281	6281	0.933333
3608	116	1500	0.03	987	2	65	100	3	3	1	4500	3513	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4200	3213	3213	0.933333
3611	010	3062	0.07	3080	2	65	100	3	7	5	9186	6106	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8573.599609	5493.599609	5493.599609	0.933333
3611	012	3062	0.07	2390	2	65	100	3	7	5	9186	6796	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8573.599609	6183.599609	6183.599609	0.933333
3611	021	3062	0.07	2790	2	65	100	3	7	5	9186	6396	RH-3	50	density-lim	1000			0.7	4	0.571428597	2	2	10717	7927	7927	1.166667
3611	023	3430	0.08	5905	2	65	100	3	8	6	10290	4385	RH-3	50	density-lim	1000			0.7	4	0.5	2	2	12005	6100	6100	1.166667
3611	028	3477	0.08	4120	2	65	100	3	8	6	10431	6311	RH-3	50	density-lim	1000			0.7	4	0.5	2	2	12169.5	8049.5	8049.5	1.166667
3611	030	3655	0.08	3180	2	65	100	3	8	6	10965	7785	RH-3	50	density-lim	1000			0.7	4	0.5	2	2	12792.5	9612.5	9612.5	1.166667
3611	039	3081	0.07	2240	2	65	100	3	7	5	9243	7003	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8626.799805	6386.799805	6386.799805	0.933333
3611	054	2000	0.05	2250	2	65	100	3	5	3	6000	3750	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5600	3350	3350	0.933333
3611	074	3697	0.08	1788	2	65	100	3	8	6	11091	9303	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	10351.59961	8563.599609	8563.599609	0.933333
3611	083	4382	0.1	1600	2	65	100	3	10	8	13146	11546	RH-3	40	density-lim	1000			0.7	4	0.400000006	2	2	12269.59961	10669.59961	10669.59961	0.933333
3611	085	3081	0.07	1154	2	65	100	3	7	5	9243	8089	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8626.799805	7472.799805	7472.799805	0.933333
3611	087	3081	0.07	1237	2	65	100	3	7	5	9243	8006	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8626.799805	7389.799805	7389.799805	0.933333
3612	016	2492	0.06	2331	2	65	100	3	6	4	7476	5145	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6977.600098	4646.600098	4646.600098	0.933333
3612	017A	1510	0.03	2650	2	65	100	3	3	1	4530	1880	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	4228	1578	1578	0.933333
3612	018	2741	0.06	5350	4	65	100	3	6	2	8223	2873	RH-3	40	density-lim	1000	true		0.7	6	1	2	2	7674.799805	2324.799805	2324.799805	0.933333
3612	020	2741	0.06	3600	2	65	100	3	6	4	8223	4623	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7674.799805	4074.799805	4074.799805	0.933333
3612	023	2740	0.06	3100	2	65	100	3	6	4	8220	5120	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7672	4572	4572	0.933333
3612	029	3063	0.07	3170	2	65	100	3	7	5	9189	6019	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8576.399414	5406.399414	5406.399414	0.933333
3612	031	3062	0.07	1935	2	65	100	3	7	5	9186	7251	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8573.599609	6638.599609	6638.599609	0.933333
3612	032	3063	0.07	2700	2	65	100	3	7	5	9189	6489	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8576.399414	5876.399414	5876.399414	0.933333
3612	034	3063	0.07	3200	2	65	100	3	7	5	9189	5989	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8576.399414	5376.399414	5376.399414	0.933333
3612	038	3062	0.07	3510	2	65	100	3	7	5	9186	5676	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8573.599609	5063.599609	5063.599609	0.933333
3612	039	3063	0.07	3130	2	65	100	3	7	5	9189	6059	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8576.399414	5446.399414	5446.399414	0.933333
3612	040	2373	0.05	2972	2	65	100	3	5	3	7119	4147	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6644.399902	3672.399902	3672.399902	0.933333
3612	043	2750	0.06	2600	2	65	100	3	6	4	8250	5650	RH-3	45	density-lim	1000			0.7	4	0.666666687	2	2	7700	5100	5100	0.933333
3612	044	2750	0.06	2290	2	65	100	3	6	4	8250	5960	RH-3	45	density-lim	1000			0.7	4	0.666666687	2	2	7700	5410	5410	0.933333
3612	048	2750	0.06	3620	4	65	100	3	6	2	8250	4630	RH-3	45	density-lim	1000	true		0.7	6	1	2	2	7700	4080	4080	0.933333
3612	049	3061	0.07	2160	2	65	100	3	7	5	9183	7023	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8570.799805	6410.799805	6410.799805	0.933333
3612	051	3062	0.07	2200	2	65	100	3	7	5	9186	6986	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8573.599609	6373.599609	6373.599609	0.933333
3612	054	3064	0.07	2900	2	65	100	3	7	5	9192	6292	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8579.200195	5679.200195	5679.200195	0.933333
3612	058	3066	0.07	2760	2	65	100	3	7	5	9198	6438	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8584.799805	5824.799805	5824.799805	0.933333
3612	058A	3066	0.07	2760	2	65	100	3	7	5	9198	6438	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8584.799805	5824.799805	5824.799805	0.933333
3612	069	2358	0.05	2031	2	55	80	2.5	4	2	5895	3864	RH-3	40	density-lim	1000			0.7	4	1	2	2	6602.399902	4571.399902	4571.399902	1.12
3612	069B	1750	0.04	1664	2	55	80	2.5	3	1	4375	2711	RH-3	45	density-lim	1000			0.7	4	1.333333373	2	2	4900	3236	3236	1.12
3612	069C	1715	0.04	2200	2	55	80	2.5	3	1	4288	2088	RH-3	45	density-lim	1000			0.7	4	1.333333373	2	2	4802	2602	2602	1.119869
3612	074	1425	0.03	2404	2	55	80	2.5	2	0	3562	1158	RH-3	40	density-lim	1000			0.7	4	2	2	2	3990	1586	1586	1.120157
3612	075	1635	0.04	3052	2	55	80	2.5	3	1	4088	1036	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	4578	1526	1526	1.119863

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3612	113	2375	0.05	1544	2	55	80	2.5	4	2	5938	4394	RH-3	45	density-lim	1000			0.7	4	1	2	2	6650	5106	5106	1.119906
3612	115	2750	0.06	1380	2	65	100	3	6	4	8250	6870	RH-3	45	density-lim	1000			0.7	4	0.666666687	2	2	7700	6320	6320	0.933333
3612	130	2741	0.06	1149	2	65	100	3	6	4	8223	7074	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7674.799805	6525.799805	6525.799805	0.933333
3612	144	2492	0.06	997	2	65	100	3	6	4	7476	6479	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6977.600098	5980.600098	5980.600098	0.933333
3613	023	2537	0.06	2038	2	65	100	3	6	4	7611	5573	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7103.600098	5065.600098	5065.600098	0.933333
3613	034	2185	0.05	1420	2	65	100	3	5	3	6555	5135	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6118	4698	4698	0.933333
3613	035A	1721	0.04	2010	2	65	100	3	4	2	5163	3153	RH-3	40	density-lim	1000			0.7	4	1	2	2	4818.799805	2808.799805	2808.799805	0.933333
3613	037	3675	0.08	3012	2	65	100	3	8	6	11025	8013	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	10290	7278	7278	0.933333
3613	038	3063	0.07	2800	2	65	100	3	7	5	9189	6389	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8576.399414	5776.399414	5776.399414	0.933333
3613	054	3675	0.08	1176	2	65	100	3	8	6	11025	9849	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	10290	9114	9114	0.933333
3613	056	6905	0.16	1133	14	65	100	3	16	2	20715	19582	UMU	48	form-based		true		0.75	16	1	2	2	20715	19582	19582	1
3613	071	3631	0.08	874	2	65	100	3	8	6	10893	10019	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	10166.7998	9292.799805	9292.799805	0.933333
3613	073	3920	0.09	1018	2	65	100	3	9	7	11760	10742	RH-3	40	density-lim	1000			0.7	4	0.444444448	2	2	10976	9958	9958	0.933333
3614	006	3062	0.07	3750	2	65	100	3	7	5	9186	5436	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8573.599609	4823.599609	4823.599609	0.933333
3614	008	3063	0.07	2890	2	65	100	3	7	5	9189	6299	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8576.399414	5686.399414	5686.399414	0.933333
3614	028	3451	0.08	2660	4	65	100	3	8	4	10353	7693	RM-2	50	density-lim	600			0.7	6	0.75	2	2	12078.5	9418.5	9418.5	1.166667
3614	035	3675	0.08	2227	2	65	100	3	8	6	11025	8798	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	10290	8063	8063	0.933333
3614	037	3675	0.08	2850	2	65	100	3	8	6	11025	8175	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	10290	7440	7440	0.933333
3614	045	3947	0.09	1908	2	65	100	3	9	7	11841	9933	RH-3	40	density-lim	1000			0.7	4	0.444444448	2	2	11051.59961	9143.599609	9143.599609	0.933333
3614	049	3431	0.08	3500	2	65	100	3	8	6	10293	6793	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9606.799805	6106.799805	6106.799805	0.933333
3614	053	3705	0.09	2862	2	65	100	3	9	7	11115	8253	RH-3	40	density-lim	1000			0.7	4	0.444444448	2	2	10374	7512	7512	0.933333
3614	054	1445	0.03	2311	2	65	100	3	3	1	4335	2024	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	4046	1735	1735	0.933333
3614	054A	1437	0.03	2190	2	65	100	3	3	1	4311	2121	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	4023.599854	1833.599854	1833.599854	0.933333
3614	054B	1441	0.03	2190	2	65	100	3	3	1	4323	2133	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	4034.800049	1844.800049	1844.800049	0.933333
3614	061	2101	0.05	2924	4	65	100	3	5	1	6303	3379	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	2	2	5882.799805	2958.799805	2958.799805	0.933333
3614	066	3769	0.09	2363	2	65	100	3	9	7	11307	8944	RH-3	40	density-lim	1000			0.7	4	0.444444448	2	2	10553.2002	8190.200195	8190.200195	0.933333
3614	083	3676	0.08	790	4	65	100	3	8	4	11028	10238	RM-2	50	density-lim	600			0.7	6	0.75	2	2	12866	12076	12076	1.166667
3614	093	3338	0.08	3725	2	65	100	3	8	6	10014	6289	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9346.399414	5621.399414	5621.399414	0.933333
3614	097	3453	0.08	1148	2	65	100	3	8	6	10359	9211	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9668.399414	8520.399414	8520.399414	0.933333
3617	011	1856	0.04	2070	2	65	100	3	4	2	5568	3498	NCT-VALEI	40	form-based				0.75	4	1	2	2	5568	3498	3498	1
3617	020	2850	0.07	2740	2	65	100	3	7	5	8550	5810	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	5240	5240	0.933333
3617	032	2238	0.05	2470	2	65	100	3	5	3	6714	4244	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6266.399902	3796.399902	3796.399902	0.933333
3617	033	2238	0.05	2060	2	65	100	3	5	3	6714	4654	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6266.399902	4206.399902	4206.399902	0.933333
3617	035	2588	0.06	2924	2	65	100	3	6	4	7764	4840	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7246.399902	4322.399902	4322.399902	0.933333
3617	038	3122	0.07	3300	2	65	100	3	7	5	9366	6066	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8741.599609	5441.599609	5441.599609	0.933333
3617	039	3916	0.09	2670	2	65	100	3	9	7	11748	9078	RH-3	40	density-lim	1000			0.7	4	0.444444448	2	2	10964.7998	8294.799805	8294.799805	0.933333
3617	045	1929	0.04	1938	2	65	100	3	4	2	5787	3849	RH-3	40	density-lim	1000			0.7	4	1	2	2	5401.199707	3463.199707	3463.199707	0.933333
3617	052	3420	0.08	2625	2	65	100	3	8	6	10260	7635	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9576	6951	6951	0.933333
3617	053	3420	0.08	3055	2	65	100	3	8	6	10260	7205	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9576	6521	6521	0.933333
3617	055	2850	0.07	3183	2	65	100	3	7	5	8550	5367	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	4797	4797	0.933333
3617	060	1530	0.04	2410	2	65	100	3	4	2	4590	2180	RH-3	40	density-lim	1000			0.7	4	1	2	2	4284	1874	1874	0.933333
3617	066	2850	0.07	6068	2	65	100	3	7	5	8550	2482	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	1912	1912	0.933333
3617	068	2250	0.05	2400	2	65	100	3	5	3	6750	4350	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6300	3900	3900	0.933333
3617	069	2250	0.05	4086	2	65	100	3	5	3	6750	2664	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6300	2214	2214	0.933333
3617	092	2855	0.07	1354	2	65	100	3	7	5	8565	7211	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7994	6640	6640	0.933333
3617	094	2855	0.07	1290	2	65	100	3	7	5	8565	7275	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7994	6704	6704	0.933333
3617	096	2855	0.07	3847	2	65	100	3	7	5	8565	4718	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7994	4147	4147	0.933333
3617	098	2508	0.06	1238	2	65	100	3	6	4	7524	6286	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7022.399902	5784.399902	5784.399902	0.933333
3617	100	2850	0.07	1069	2	65	100	3	7	5	8550	7481	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	6911	6911	0.933333
3617	106	5676	0.13	1665	4	65	100	3	13	9	17028	15363	RH-3	40	density-lim	1000			0.7	6	0.461538464	2	2	15892.7998	14227.7998	14227.7998	0.933333
3617	113	2850	0.07	812	2	65	100	3	7	5	8550	7738	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	7168	7168	0.933333
3618	004A	3525	0.08	2795	4	65	100	3	8	4	10575	7780	RM-2	40	density-lim	600			0.7	6	0.75	2	2	9870	7075	7075	0.933333
3618	010	3525	0.08	2552	2	65	100	3	8	6	10575	8023	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9870	7318	7318	0.933333
3618	015	2892	0.07	4208	4	65	100	3	7	3	8676	4468	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	2	2	8097.600098	3889.600098	3889.600098	0.933333
3618	016	1427	0.03	1844	2	65	100	3	3	1	4281	2437	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3995.599854	2151.599854	2151.599854	0.933333
3618	016A	1427	0.03	1844	2	65	100	3	3	1	4281	2437	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3995.599854	2151.599854	2151.599854	0.933333
3618	025	3554	0.08	3320	2	65	100	3	8	6	10662	7342	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9951.200195	6631.200195	6631.200195	0.933333
3618	029	3525	0.08	2716	2	65	100	3	8	6	10575	7859	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9870	7154	7154	0.933333
3618	034	2250	0.05	3440	2	65	100	3	5	3	6750	3310	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6300	2860	2860	0.933333
3618	035	2250	0.05	2692	2	65	100	3	5	3	6750	4058	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6300	3608	3608	0.933333
3618	036	2250	0.05	2804	2	65	100	3	5	3	6750	3946	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6300	3496	3496	0.933333
3618	039A	1849	0.04	3798	2	65	100	3	4	2	5547	1749	RH-3	40	density-lim	1000			0.7	4	1	2	2	5177.199707	1379.199707	1379.199707	0.933333
3618	045	3744	0.09	2248	2	65	100	3	9	7	11232	8984	RH-3	40	density-lim	1000			0.7	4	0.444444448	2	2	10483.2002	8235.200195	8235.200195	0.933333
3618	047	2340	0.05	2092	2	65	100	3	5	3	7020	4928	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6552	4460	4460	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3618	048	2574	0.06	1816	2	65	100	3	6	4	7722	5906	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7207.199707	5391.199707	5391.199707	0.933333
3618	049	4090	0.09	3112	2	65	100	3	9	7	12270	9158	RH-3	40	density-lim	1000			0.7	4	0.444444448	2	2	11452	8340	8340	0.933333
3618	049A	3047	0.07	1900	2	65	100	3	7	5	9141	7241	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8531.599609	6631.599609	6631.599609	0.933333
3618	055	2935	0.07	4635	2	65	100	3	7	5	8805	4170	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8218	3583	3583	0.933333
3618	056	2935	0.07	2752	2	65	100	3	7	5	8805	6053	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8218	5466	5466	0.933333
3618	057	3933	0.09	2560	2	65	100	3	9	7	11799	9239	RH-3	40	density-lim	1000			0.7	4	0.444444448	2	2	11012.39941	8452.399414	8452.399414	0.933333
3618	066	1679	0.04	2230	1	65	100	3	4	3	5037	2807	RM-2	40	density-lim	600	true		0.7	3	0.75	2	2	4701.199707	2471.199707	2471.199707	0.933333
3618	073	2938	0.07	1369	2	65	100	3	7	5	8814	7445	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8226.399414	6857.399414	6857.399414	0.933333
3618	080	1849	0.04	1277	2	65	100	3	4	2	5547	4270	RH-3	40	density-lim	1000			0.7	4	1	2	2	5177.199707	3900.199707	3900.199707	0.933333
3618	087	3290	0.08	3220	2	65	100	3	8	6	9870	6650	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9212	5992	5992	0.933333
3618	089	3643	0.08	2050	2	65	100	3	8	6	10929	8879	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	10200.39941	8150.399414	8150.399414	0.933333
3618	090	3053	0.07	1913	2	65	100	3	7	5	9159	7246	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8548.399414	6635.399414	6635.399414	0.933333
3618	099	4212	0.1	1395	2	65	100	3	10	8	12636	11241	RH-3	40	density-lim	1000			0.7	4	0.400000006	2	2	11793.59961	10398.59961	10398.59961	0.933333
3619	033B	530	0.01	0	0	85	140	4	1	1	2120	2120	RTO-C	65	form-based			true	0.75	2	2	2	2	2385	2385	2385	1.125
3619	034	2687	0.06	5417	8	85	140	4	8	0	10748	5331	RTO-C	65	form-based			true	0.75	10	1.25	2	2	12091.5	6674.5	6674.5	1.125
3621	081	2889	0.07	3253	4	65	100	3	7	3	8667	5414	RH-1	40	form-based			true	0.7	6	0.857142866	2	2	8089.199707	4836.199707	4836.199707	0.933333
3622	007	1944	0.04	3226	2	55	80	2.5	3	1	4860	1634	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	5443.199707	2217.199707	2217.199707	1.12
3622	010	1963	0.05	2420	2	55	80	2.5	4	2	4908	2488	RH-2	40	form-based			true	0.7	4	1	2	2	5496.399902	3076.399902	3076.399902	1.119886
3622	026	2807	0.06	4197	4	55	80	2.5	5	1	7018	2821	RH-2	40	form-based			true	0.7	6	1.200000048	2	2	7859.600098	3662.600098	3662.600098	1.11992
3622	062	2850	0.07	2102	4	55	80	2.5	6	2	7125	5023	RH-2	40	form-based			true	0.7	6	1	2	2	7980	5878	5878	1.12
3622	075	2615	0.06	2100	3	55	80	2.5	5	2	6538	4438	RH-2	40	form-based			true	0.7	5	1	2	2	7322	5222	5222	1.119914
3622	115	2891	0.07	981	4	55	80	2.5	6	2	7228	6247	RH-2	40	form-based			true	0.7	6	1	2	2	8094.799805	7113.799805	7113.799805	1.119923
3623	001	2823	0.06	4154	4	55	80	2.5	5	1	7058	2904	RH-2	40	form-based		true	true	0.7	6	1.200000048	2	2	7904.399902	3750.399902	3750.399902	1.119921
3624	003	1500	0.03	1842	1	55	80	2.5	2	1	3750	1908	RH-2	40	form-based			true	0.7	3	1.5	2	2	4200	2358	2358	1.12
3625	002	2024	0.05	2157	2	65	100	3	5	3	6072	3915	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5667.199707	3510.199707	3510.199707	0.933333
3625	006	1856	0.04	1529	2	65	100	3	4	2	5568	4039	RH-3	40	form-based		true	true	0.7	4	1	2	2	5196.799805	3667.799805	3667.799805	0.933333
3625	011A	2896	0.07	3220	4	65	100	3	7	3	8688	5468	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	8108.799805	4888.799805	4888.799805	0.933333
3625	051	2806	0.06	645	4	65	100	3	6	2	8418	7773	RH-2	40	form-based			true	0.7	6	1	2	2	7856.799805	7211.799805	7211.799805	0.933333
3626	024	2954	0.07	4371	4	65	100	3	7	3	8862	4491	RH-2	40	form-based		true	true	0.7	6	0.857142866	2	2	8271.200195	3900.200195	3900.200195	0.933333
3626	040	1953	0.04	2319	2	65	100	3	4	2	5859	3540	RH-2	40	form-based			true	0.7	4	1	2	2	5468.399902	3149.399902	3149.399902	0.933333
3626	044	2004	0.05	2296	2	65	100	3	5	3	6012	3716	RH-2	40	form-based		true	true	0.7	4	0.800000012	2	2	5611.199707	3315.199707	3315.199707	0.933333
3627	020	1527	0.04	2138	2	65	100	3	4	2	4581	2443	RH-3	50	form-based			true	0.7	4	1	2	2	5344.5	3206.5	3206.5	1.166667
3627	022	1524	0.03	2598	2	65	100	3	3	1	4572	1974	RH-3	50	form-based		true	true	0.7	4	1.333333373	2	2	5334	2736	2736	1.166667
3627	055	2025	0.05	897	4	65	100	3	5	1	6075	5178	RH-3	50	form-based			true	0.7	6	1.200000048	2	2	7087.5	6190.5	6190.5	1.166667
3627	076	1528	0.04	886	2	65	100	3	4	2	4584	3698	RH-3	50	form-based			true	0.7	4	1	2	2	5348	4462	4462	1.166667
3629	001	2750	0.06	4014	6	85	140	4	8	2	11000	6986	RH-2	50	form-based		true	true	0.7	8	1	2	2	9625	5611	5611	0.875
3630	015	1517	0.03	2628	2	65	100	3	3	1	4551	1923	RH-2	50	form-based			true	0.7	4	1.333333373	2	2	5309.5	2681.5	2681.5	1.166667
3631	001	1885	0.04	3140	4	65	100	3	4	0	5655	2515	RH-3	40	density-lim	1000	true		0.7	6	1.5	2	2	5278	2138	2138	0.933333
3631	001A	1777	0.04	3128	4	65	100	3	4	0	5331	2203	RH-3	40	density-lim	1000	true		0.7	6	1.5	2	2	4975.600098	1847.600098	1847.600098	0.933333
3631	003	2914	0.07	1925	2	65	100	3	7	5	8742	6817	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8159.199707	6234.199707	6234.199707	0.933333
3631	009	3730	0.09	2272	2	65	100	3	9	7	11190	8918	RH-3	40	density-lim	1000			0.7	4	0.444444448	2	2	10444	8172	8172	0.933333
3631	019	2948	0.07	3150	2	65	100	3	7	5	8844	5694	RM-1	40	density-lim	800			0.7	4	0.571428597	2	2	8254.399414	5104.399414	5104.399414	0.933333
3631	022	3066	0.07	4830	2	65	100	3	7	5	9198	4368	RM-1	40	density-lim	800			0.7	4	0.571428597	2	2	8584.799805	3754.799805	3754.799805	0.933333
3631	028	4246	0.1	4250	3	65	100	3	10	7	12738	8488	RM-1	40	density-lim	800			0.7	5	0.5	2	2	11888.7998	7638.799805	7638.799805	0.933333
3631	039	3555	0.08	1076	2	65	100	3	8	6	10665	9589	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9954	8878	8878	0.933333
3631	045	3555	0.08	1516	2	65	100	3	8	6	10665	9149	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9954	8438	8438	0.933333
3632	008	3047	0.07	3396	2	65	100	3	7	5	9141	5745	RM-1	40	density-lim	800			0.7	4	0.571428597	2	2	8531.599609	5135.599609	5135.599609	0.933333
3632	036	3590	0.08	1690	2	65	100	3	8	6	10770	9080	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	10052	8362	8362	0.933333
3632	046	1798	0.04	831	2	65	100	3	4	2	5394	4563	RH-3	40	density-lim	1000			0.7	4	1	2	2	5034.399902	4203.399902	4203.399902	0.933333
3632	062	1689	0.04	1217	2	65	100	3	4	2	5067	3850	RH-3	40	density-lim	1000			0.7	4	1	2	2	4729.199707	3512.199707	3512.199707	0.933333
3633	003	2850	0.07	2700	2	75	120	3.5	8	6	9975	7275	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	7980	5280	5280	0.8
3633	004	2850	0.07	2844	2	75	120	3.5	8	6	9975	7131	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	7980	5136	5136	0.8
3633	005	2850	0.07	2844	2	75	120	3.5	8	6	9975	7131	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	7980	5136	5136	0.8
3633	007	2850	0.07	1190	2	75	120	3.5	8	6	9975	8785	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	7980	6790	6790	0.8
3633	013	2850	0.07	2287	2	65	100	3	7	5	8550	6263	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	5693	5693	0.933333
3633	016	1688	0.04	1840	2	65	100	3	4	2	5064	3224	RH-3	40	density-lim	1000			0.7	4	1	2	2	4726.399902	2886.399902	2886.399902	0.933333
3633	017	1688	0.04	2166	2	65	100	3	4	2	5064	2898	RH-3	40	density-lim	1000			0.7	4	1	2	2	4726.399902	2560.399902	2560.399902	0.933333
3633	023	2847	0.07	3000	2	65	100	3	7	5	8541	5541	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7971.600098	4971.600098	4971.600098	0.933333
3633	027	2857	0.07	3058	2	65	100	3	7	5	8571	5513	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7999.600098	4941.600098	4941.600098	0.933333
3633	028	2859	0.07	2520	2	65	100	3	7	5	8577	6057	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8005.199707	5485.199707	5485.199707	0.933333
3634	001A	1816	0.04	3605	2	75	120	3.5	5	3	6356	2751	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5084.799805	1479.799805	1479.799805	0.8
3634	001B	1710	0.04	2472	2	75	120	3.5	5	3	5985	3513	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	4788	2316	2316	0.8
3634	007	2850	0.07	2770	2	75	120	3.5	8	6	9975	7205	RM-1	40	density-lim	800			0.7	4	0.5	2	2	7980	5210	5210	0.8
3634	014	2025	0.05	2270	2	65	100	3	5	3	6075	3805	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5670	3400	3400	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3634	015	1350	0.03	2270	2	65	100	3	3	1	4050	1780	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3780	1510	1510	0.933333
3634	016	1350	0.03	2270	2	65	100	3	3	1	4050	1780	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3780	1510	1510	0.933333
3634	017	1717	0.04	4026	4	65	100	3	4	0	5151	1125	RH-3	40	density-lim	1000	true		0.7	6	1.5	2	2	4807.600098	781.6000977	781.6000977	0.933333
3634	018	2179	0.05	2256	2	65	100	3	5	3	6537	4281	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6101.199707	3845.199707	3845.199707	0.933333
3634	021	2859	0.07	2506	2	75	120	3.5	8	6	10006	7500	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	8005.199707	5499.199707	5499.199707	0.80004
3634	022	2856	0.07	2510	2	75	120	3.5	8	6	9996	7486	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	7996.799805	5486.799805	5486.799805	0.8
3634	023	2854	0.07	3155	2	75	120	3.5	8	6	9989	6834	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	7991.199707	4836.199707	4836.199707	0.8
3635	001	1420	0.03	2772	2	75	120	3.5	4	2	4970	2198	NCT-VALEI	55	form-based		true		0.75	4	1	2	2	5325	2553	2553	1.071429
3635	012	2888	0.07	3942	7	75	120	3.5	8	1	10108	6166	NCT-VALEI	55	form-based				0.75	9	1.125	2	2	10830	6888	6888	1.071429
3637	002	2523	0.06	4032	5	75	120	3.5	7	2	8830	4798	RTO-M	50	form-based				0.7	7	1	2	2	8830.5	4798.5	4798.5	1.000057
3637	029	11638	0.27	38200	42	85	140	4	38	0	46552	8352	NCT-MISSI	65	form-based				0.75	44	1.157894731	2	2	52371	14171	14171	1.125
3637	089	2700	0.06	580	4	75	120	3.5	7	3	9450	8870	RTO-M	40	form-based				0.7	6	0.857142866	2	2	7560	6980	6980	0.8
3638	050	2437	0.06	1890	2	75	120	3.5	7	5	8530	6640	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	6823.600098	4933.600098	4933.600098	0.799953
3638	014	1822	0.04	2197	2	75	120	3.5	5	3	6377	4180	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5101.600098	2904.600098	2904.600098	0.8
3638	015	1606	0.04	1782	2	75	120	3.5	5	3	5621	3839	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	4496.799805	2714.799805	2714.799805	0.8
3638	016	1736	0.04	3020	4	75	120	3.5	5	1	6076	3056	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	2	2	4860.799805	1840.799805	1840.799805	0.8
3638	018	1625	0.04	3988	2	75	120	3.5	5	3	5688	1700	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	4550	562	562	0.79993
3638	019	2250	0.05	2572	2	75	120	3.5	6	4	7875	5303	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6300	3728	3728	0.8
3638	026	3063	0.07	3040	2	75	120	3.5	8	6	10720	7680	RH-3	50	density-lim	1000			0.7	4	0.5	2	2	10720.5	7680.5	7680.5	1.000047
3638	029	3675	0.08	2780	2	75	120	3.5	10	8	12862	10082	RH-3	50	density-lim	1000			0.7	4	0.400000006	2	2	12862.5	10082.5	10082.5	1.000039
3638	038	2708	0.06	2030	2	75	120	3.5	7	5	9478	7448	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7582.399902	5552.399902	5552.399902	0.8
3638	040	3563	0.08	2646	2	75	120	3.5	10	8	12470	9824	RH-3	40	density-lim	1000			0.7	4	0.400000006	2	2	9976.399414	7330.399414	7330.399414	0.800032
3638	040B	3562	0.08	2650	2	75	120	3.5	10	8	12467	9817	RH-3	40	density-lim	1000			0.7	4	0.400000006	2	2	9973.599609	7323.599609	7323.599609	0.8
3638	049	2438	0.06	2000	2	75	120	3.5	7	5	8533	6533	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	6826.399902	4826.399902	4826.399902	0.8
3638	083	3062	0.07	1764	2	75	120	3.5	8	6	10717	8953	RH-3	50	density-lim	1000			0.7	4	0.5	2	2	10717	8953	8953	1
3638	104	2512	0.06	7635	4	75	120	3.5	7	3	8792	1157	RH-3	55	density-lim	1000	true		0.7	6	0.857142866	2	2	8792	1157	1157	1
3639	009	2756	0.06	1994	2	65	100	3	6	4	8268	6274	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7716.799805	5722.799805	5722.799805	0.933333
3639	010	3675	0.08	2834	2	65	100	3	8	6	11025	8191	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	10290	7456	7456	0.933333
3639	012	2241	0.05	2505	2	65	100	3	5	3	6723	4218	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6274.799805	3769.799805	3769.799805	0.933333
3639	012C	2205	0.05	1760	2	65	100	3	5	3	6615	4855	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6174	4414	4414	0.933333
3639	012D	2190	0.05	1768	2	65	100	3	5	3	6570	4802	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6132	4364	4364	0.933333
3639	014A	2379	0.05	1790	2	65	100	3	5	3	7137	5347	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6661.199707	4871.199707	4871.199707	0.933333
3639	019	3966	0.09	1820	2	65	100	3	9	7	11898	10078	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	11104.7998	9284.799805	9284.799805	0.933333
3639	021	4246	0.1	2440	2	65	100	3	10	8	12738	10298	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	11888.7998	9448.799805	9448.799805	0.933333
3639	031	3155	0.07	2700	2	65	100	3	7	5	9465	6765	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8834	6134	6134	0.933333
3639	037	3033	0.07	1005	2	65	100	3	7	5	9099	8094	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8492.399414	7487.399414	7487.399414	0.933333
3639	113	2756	0.06	1082	2	65	100	3	6	4	8268	7186	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7716.799805	6634.799805	6634.799805	0.933333
3642	012B	1479	0.03	1760	2	75	120	3.5	4	2	5176	3416	RTO-M	55	form-based				0.7	4	1	2	2	5176.5	3416.5	3416.5	1.000097
3642	051	1525	0.04	2085	1	75	120	3.5	5	4	5338	3253	RTO-M	40	form-based				0.7	3	0.600000024	2	2	4270	2185	2185	0.799925
3642	051A	4625	0.11	4732	8	75	120	3.5	13	5	16188	11456	RTO-M	40	form-based				0.7	10	0.769230783	2	2	12950	8218	8218	0.799975
3642	063	2800	0.06	4696	6	75	120	3.5	7	1	9800	5104	RTO-M	55	form-based		true		0.7	8	1.142857194	2	2	9800	5104	5104	1
3642	097	3063	0.07	1395	4	75	120	3.5	8	4	10720	9325	RTO-M	40	form-based				0.7	6	0.75	2	2	8576.399414	7181.399414	7181.399414	0.800037
3643	015A	2580	0.06	5160	6	75	120	3.5	7	1	9030	3870	NCT-VALEI	55	form-based				0.75	8	1.142857194	2	2	9675	4515	4515	1.071429
3643	017	2323	0.05	3316	5	75	120	3.5	6	1	8130	4814	NCT-VALEI	55	form-based		true		0.75	7	1.166666627	2	2	8711.25	5395.25	5395.25	1.071494
3643	018	3090	0.07	5612	7	75	120	3.5	8	1	10815	5203	NCT-VALEI	55	form-based		true		0.75	9	1.125	2	2	11587.5	5975.5	5975.5	1.071429
3643	051	1616	0.04	4152	3	75	120	3.5	5	2	5656	1504	NCT-MISSI	55	form-based				0.75	5	1	2	2	6060	1908	1908	1.071429
3644	004	3400	0.08	6090	8	75	120	3.5	10	2	11900	5810	NCT-VALEI	55	form-based				0.75	10	1	2	2	12750	6660	6660	1.071429
3644	018	2559	0.06	2516	4	75	120	3.5	7	3	8956	6440	NCT-VALEI	40	form-based				0.75	6	0.857142866	2	2	7677	5161	5161	0.857191
3644	023	1920	0.04	2800	2	75	120	3.5	5	3	6720	3920	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5376	2576	2576	0.8
3644	024	2259	0.05	1207	2	75	120	3.5	6	4	7906	6699	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6325.199707	5118.199707	5118.199707	0.800051
3644	026	1737	0.04	1216	2	75	120	3.5	5	3	6080	4864	NCT-VALEI	40	form-based				0.75	4	0.800000012	2	2	5211	3995	3995	0.857072
3645	004	2372	0.05	1752	2	75	120	3.5	6	4	8302	6550	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6641.600098	4889.600098	4889.600098	0.8
3645	007	3095	0.07	3894	2	75	120	3.5	8	6	10832	6938	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	8666	4772	4772	0.800037
3645	009	3162	0.07	2132	2	75	120	3.5	8	6	11067	8935	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	8853.599609	6721.599609	6721.599609	0.8
3645	011	3437	0.08	2372	2	75	120	3.5	10	8	12030	9658	RH-3	40	density-lim	1000			0.7	4	0.400000006	2	2	9623.599609	7251.599609	7251.599609	0.799967
3645	012	3438	0.08	3208	2	75	120	3.5	10	8	12033	8825	RH-3	40	density-lim	1000			0.7	4	0.400000006	2	2	9626.399414	6418.399414	6418.399414	0.8
3645	013	2188	0.05	2573	2	75	120	3.5	6	4	7658	5085	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6126.399902	3553.399902	3553.399902	0.8
3645	014A	2031	0.05	2680	2	75	120	3.5	6	4	7108	4428	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	5686.799805	3006.799805	3006.799805	0.800056
3645	020	1741	0.04	2578	2	75	120	3.5	5	3	6094	3516	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	4874.799805	2296.799805	2296.799805	0.799934
3645	022	1731	0.04	2169	2	75	120	3.5	5	3	6058	3889	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	4846.799805	2677.799805	2677.799805	0.800066
3645	023	2462	0.06	3120	2	75	120	3.5	7	5	8617	5497	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	6893.600098	3773.600098	3773.600098	0.8
3645	029	2438	0.06	1536	2	75	120	3.5	7	5	8533	6997	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	6826.399902	5290.399902	5290.399902	0.8
3645	030	2435	0.06	2196	2	75	120	3.5	7	5	8522	6326	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	6818	4622	4622	0.800047
3645	039	2441	0.06	1178	2	75	120	3.5	7	5	8544	7366	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	6834.799805	5656.799805	5656.799805	0.799953

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3646	002	3762	0.09	1514	2	75	120	3.5	11	9	13167	11653	RH-3	40	density-lim	1000			0.7	4	0.363636374	2	2	10533.59961	9019.599609	9019.599609	0.8
3646	004	2389	0.05	3060	2	75	120	3.5	6	4	8362	5302	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6689.199707	3629.199707	3629.199707	0.799952
3646	007	2850	0.07	1968	2	75	120	3.5	8	6	9975	8007	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	7980	6012	6012	0.8
3646	010	2850	0.07	2092	2	75	120	3.5	8	6	9975	7883	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	7980	5888	5888	0.8
3646	013	4260	0.1	5384	4	75	120	3.5	12	8	14910	9526	RH-3	40	density-lim	1000	true		0.7	6	0.5	2	2	11928	6544	6544	0.8
3646	021	2868	0.07	3508	2	75	120	3.5	8	6	10038	6530	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	8030.399902	4522.399902	4522.399902	0.8
3646	023	2873	0.07	2366	2	75	120	3.5	8	6	10056	7690	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	8044.399902	5678.399902	5678.399902	0.79996
3646	026	2700	0.06	2116	2	75	120	3.5	7	5	9450	7334	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7560	5444	5444	0.8
3646	029	2483	0.06	1267	4	75	120	3.5	7	3	8690	7423	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	2	2	6952.399902	5685.399902	5685.399902	0.800046
3646	036	2866	0.07	1215	2	75	120	3.5	8	6	10031	8816	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	8024.799805	6809.799805	6809.799805	0.8
3647	009	3404	0.08	3580	2	65	100	3	8	6	10212	6632	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9531.200195	5951.200195	5951.200195	0.933333
3647	010	3480	0.08	3700	2	65	100	3	8	6	10440	6740	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9744	6044	6044	0.933333
3647	015	1762	0.04	3000	2	65	100	3	4	2	5286	2286	RH-3	40	density-lim	1000			0.7	4	1	2	2	4933.600098	1933.600098	1933.600098	0.933333
3647	018	1663	0.04	3816	4	65	100	3	4	0	4989	1173	RH-3	40	density-lim	1000	true		0.7	6	1.5	2	2	4656.399902	840.3999023	840.3999023	0.933333
3647	033	2532	0.06	3134	2	65	100	3	6	4	7596	4462	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7089.600098	3955.600098	3955.600098	0.933333
3647	041	1625	0.04	1516	2	65	100	3	4	2	4875	3359	RH-3	40	density-lim	1000			0.7	4	1	2	2	4550	3034	3034	0.933333
3647	055	2171	0.05	1079	2	65	100	3	5	3	6513	5434	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6078.799805	4999.799805	4999.799805	0.933333
3648	003	3497	0.08	3200	2	65	100	3	8	6	10491	7291	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9791.599609	6591.599609	6591.599609	0.933333
3648	014	2914	0.07	2160	2	65	100	3	7	5	8742	6582	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8159.199707	5999.199707	5999.199707	0.933333
3648	015	2138	0.05	2995	2	65	100	3	5	3	6414	3419	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5986.399902	2991.399902	2991.399902	0.933333
3648	016	2138	0.05	1716	2	65	100	3	5	3	6414	4698	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5986.399902	4270.399902	4270.399902	0.933333
3648	021	3597	0.08	4822	2	65	100	3	8	6	10791	5969	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	10071.59961	5249.599609	5249.599609	0.933333
3648	028	4128	0.09	3576	2	65	100	3	9	7	12384	8808	RH-3	40	density-lim	1000			0.7	4	0.444444448	2	2	11558.39941	7982.399414	7982.399414	0.933333
3648	030	3066	0.07	3336	2	65	100	3	7	5	9198	5862	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8584.799805	5248.799805	5248.799805	0.933333
3648	032	2419	0.06	2956	4	65	100	3	6	2	7257	4301	RH-3	40	density-lim	1000	true		0.7	6	1	2	2	6773.199707	3817.199707	3817.199707	0.933333
3648	042	3066	0.07	1215	2	65	100	3	7	5	9198	7983	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8584.799805	7369.799805	7369.799805	0.933333
3648	052	3921	0.09	2360	2	65	100	3	9	7	11763	9403	RH-3	40	density-lim	1000			0.7	4	0.444444448	2	2	10978.7998	8618.799805	8618.799805	0.933333
3649	014	3120	0.07	4880	7	65	100	3	7	0	9360	4480	RM-1	50	form-based			true	0.7	9	1.285714269	2	2	10920	6040	6040	1.166667
3650	050	14620	0.34	17740	39	65	100	3	34	0	43860	26120	RH-2	50	form-based			true	0.7	41	1.205882311	2	2	51170	33430	33430	1.166667
3651	022	1875	0.04	4400	5	65	100	3	4	0	5625	1225	NCD-24TH	65	form-based		true	true	0.75	7	1.75	2	2	8437.5	4037.5	4037.5	1.5
3652	001	2270	0.05	3726	4	65	100	3	5	1	6810	3084	RH-3	50	form-based		true	true	0.7	6	1.200000048	2	2	7945	4219	4219	1.166667
3652	031	2955	0.07	5557	6	65	100	3	7	1	8865	3308	RH-3	50	form-based			true	0.7	8	1.142857194	2	2	10342.5	4785.5	4785.5	1.166667
3652	039	1820	0.04	2530	3	65	100	3	4	1	5460	2930	RH-3	50	form-based			true	0.7	5	1.25	2	2	6370	3840	3840	1.166667
3652	045	2125	0.05	4230	6	65	100	3	5	0	6375	2145	NCD-24TH	65	form-based			true	0.75	8	1.600000024	2	2	9562.5	5332.5	5332.5	1.5
3652	046	2125	0.05	4430	6	65	100	3	5	0	6375	1945	NCD-24TH	65	form-based			true	0.75	8	1.600000024	2	2	9562.5	5132.5	5132.5	1.5
3652	074	1820	0.04	1185	3	65	100	3	4	1	5460	4275	RH-3	50	form-based			true	0.7	5	1.25	2	2	6370	5185	5185	1.166667
3653	022	1907	0.04	2265	2	65	100	3	4	2	5721	3456	RH-3	40	form-based			true	0.7	4	1	2	2	5339.600098	3074.600098	3074.600098	0.933333
3653	022A	2772	0.06	4388	4	65	100	3	6	2	8316	3928	RH-3	40	form-based		true	true	0.7	6	1	2	2	7761.600098	3373.600098	3373.600098	0.933333
3653	027	3327	0.08	4930	5	65	100	3	8	3	9981	5051	RH-3	40	form-based			true	0.7	7	0.875	2	2	9315.599609	4385.599609	4385.599609	0.933333
3653	029	2514	0.06	3458	3	65	100	3	6	3	7542	4084	RH-3	40	form-based		true	true	0.7	5	0.833333313	2	2	7039.199707	3581.199707	3581.199707	0.933333
3653	047	2500	0.06	1329	3	65	100	3	6	3	7500	6171	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	7000	5671	5671	0.933333
3653	065	2635	0.06	1140	4	65	100	3	6	2	7905	6765	RH-3	40	form-based		true	true	0.7	6	1	2	2	7378	6238	6238	0.933333
3653	069	2850	0.07	3600	4	65	100	3	7	3	8550	4950	RH-3	40	form-based			true	0.7	6	0.857142866	2	2	7980	4380	4380	0.933333
3654	001	2556	0.06	5410	5	65	100	3	6	1	7668	2258	RH-3	50	form-based		true	true	0.7	7	1.166666627	2	2	8946	3536	3536	1.166667
3654	019A	1400	0.03	3268	2	65	100	3	3	1	4200	932	RH-3	50	form-based			true	0.7	4	1.333333373	2	2	4900	1632	1632	1.166667
3654	025	2736	0.06	5700	6	65	100	3	6	0	8208	2508	RH-3	50	form-based			true	0.7	8	1.333333373	2	2	9576	3876	3876	1.166667
3654	039	1504	0.03	2064	2	65	100	3	3	1	4512	2448	RH-3	50	form-based			true	0.7	4	1.333333373	2	2	5264	3200	3200	1.166667
3655	032	2766	0.06	4750	4	55	80	2.5	5	1	6915	2165	RH-2	40	form-based		true	true	0.7	6	1.200000048	2	2	7744.799805	2994.799805	2994.799805	1.12
3655	052	2484	0.06	1392	3	55	80	2.5	5	2	6210	4818	RH-3	40	form-based			true	0.7	5	1	2	2	6955.199707	5563.199707	5563.199707	1.12
3655	063	2481	0.06	651	3	55	80	2.5	5	2	6202	5551	RH-3	40	form-based			true	0.7	5	1	2	2	6946.799805	6295.799805	6295.799805	1.12009
3656	025	1375	0.03	2332	2	55	80	2.5	2	0	3438	1106	RH-2	50	form-based			true	0.7	4	2	2	2	4812.5	2480.5	2480.5	1.399796
3656	026	3405	0.08	8542	8	55	80	2.5	6	0	8512	0	RH-2	50	form-based		true	true	0.7	10	1.666666627	2	2	11917.5	3375.5	3375.5	1.400082
3704	144	5738	0.13	607	50	75	120	3.5	16	0	20083	19476	C-3-G	90	form-based				0.8	52	3.25	2	0	51642	51035	39559	2.571429
3726	051	1850	0.04	2750	2	65	100	3	4	2	5550	2800	RED	45	form-based				0.75	4	1	2	2	5550	2800	2800	1
3726	071	1825	0.04	1960	2	65	100	3	4	2	5475	3515	RED	45	form-based				0.75	4	1	2	2	5475	3515	3515	1
3726	089	2090	0.05	4880	3	65	100	3	5	2	6270	1390	RED	45	form-based				0.75	5	1	2	2	6270	1390	1390	1
3726	098	2040	0.05	4545	3	65	100	3	5	2	6120	1575	RED	45	form-based				0.75	5	1	2	2	6120	1575	1575	1
3726	161	1899	0.04	1913	2	65	100	3	4	2	5697	3784	RED	45	form-based				0.75	4	1	2	2	5697	3784	3784	1
3727	031	1900	0.04	2160	2	75	120	3.5	5	3	6650	4490	RED	40	form-based				0.75	4	0.800000012	2	2	5700	3540	3540	0.857143
3727	039	1865	0.04	1325	2	75	120	3.5	5	3	6528	5203	RED	40	form-based				0.75	4	0.800000012	2	2	5595	4270	4270	0.857077
3727	046	1794	0.04	3390	2	75	120	3.5	5	3	6279	2889	RED	40	form-based				0.75	4	0.800000012	2	2	5382	1992	1992	0.857143
3727	058	1950	0.04	2250	2	75	120	3.5	5	3	6825	4575	RED	40	form-based				0.75	4	0.800000012	2	2	5850	3600	3600	0.857143
3727	070	3390	0.08	5820	6	75	120	3.5	10	4	11865	6045	RED	40	form-based		true		0.75	8	0.800000012	2	2	10170	4350	4350	0.857143
3727	078	1558	0.04	3290	2	75	120	3.5	5	3	5453	2163	RED	40	form-based				0.75	4	0.800000012	2	2	4674	1384	1384	0.857143

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3727	226	1899	0.04	830	2	75	120	3.5	5	3	6646	5816	RED	40	form-based				0.75	4	0.800000012	2	2	5697	4867	4867	0.857207
3728	061	1937	0.04	2424	2	75	120	3.5	5	3	6780	4356	RED-MX	45	form-based				0.75	4	0.800000012	2	2	5811	3387	3387	0.85708
3728	192	1875	0.04	1411	2	75	120	3.5	5	3	6562	5151	RED-MX	45	form-based				0.75	4	0.800000012	2	2	5625	4214	4214	0.857208
3729	027	1908	0.04	2150	2	65	100	3	4	2	5724	3574	RED-MX	45	form-based				0.75	4	1	2	2	5724	3574	3574	1
3729	044	1875	0.04	1880	2	65	100	3	4	2	5625	3745	RED-MX	45	form-based				0.75	4	1	2	2	5625	3745	3745	1
3729	053	1875	0.04	2800	2	65	100	3	4	2	5625	2825	RED-MX	45	form-based				0.75	4	1	2	2	5625	2825	2825	1
3729	053A	1875	0.04	2860	2	65	100	3	4	2	5625	2765	RED-MX	45	form-based				0.75	4	1	2	2	5625	2765	2765	1
3729	055	1875	0.04	1530	2	65	100	3	4	2	5625	4095	RED-MX	45	form-based				0.75	4	1	2	2	5625	4095	4095	1
3729	066	1554	0.04	2446	1	65	100	3	4	3	4662	2216	RED-MX	45	form-based				0.75	3	0.75	2	2	4662	2216	2216	1
3729	079	2004	0.05	4755	4	65	100	3	5	1	6012	1257	RCD	55	form-based				0.75	6	1.200000048	2	2	7515	2760	2760	1.25
3729	095	1902	0.04	2429	2	65	100	3	4	2	5706	3277	RED-MX	45	form-based				0.75	4	1	2	2	5706	3277	3277	1
3729	159	1906	0.04	3181	2	65	100	3	4	2	5718	2537	RED-MX	45	form-based				0.75	4	1	2	2	5718	2537	2537	1
3730	043	1450	0.03	940	1	65	100	3	3	2	4350	3410	RED	40	form-based				0.75	3	1	2	2	4350	3410	3410	1
3730	054	1432	0.03	1520	1	65	100	3	3	2	4296	2776	RED	40	form-based				0.75	3	1	2	2	4296	2776	2776	1
3730	084	2800	0.06	4500	4	65	100	3	6	2	8400	3900	RED	40	form-based				0.75	6	1	2	2	8400	3900	3900	1
3730	097	1972	0.05	2400	2	65	100	3	5	3	5916	3516	RED	40	form-based				0.75	4	0.800000012	2	2	5916	3516	3516	1
3730	108	2000	0.05	3880	3	65	100	3	5	2	6000	2120	RED	40	form-based				0.75	5	1	2	2	6000	2120	2120	1
3731	060	1800	0.04	2144	2	65	100	3	4	2	5400	3256	RED	45	form-based				0.75	4	1	2	2	5400	3256	3256	1
3731	061	1800	0.04	2144	2	65	100	3	4	2	5400	3256	RED	45	form-based				0.75	4	1	2	2	5400	3256	3256	1
3731	062	1800	0.04	2520	2	65	100	3	4	2	5400	2880	RED	45	form-based				0.75	4	1	2	2	5400	2880	2880	1
3731	156	2446	0.06	1165	4	65	100	3	6	2	7338	6173	RED	45	form-based				0.75	6	1	2	2	7338	6173	6173	1
3731	109	1711	0.04	2260	2	65	100	3	4	2	5133	2873	MUG	45	form-based				0.75	4	1	2	2	5133	2873	2873	1
3732	090A	2000	0.05	3190	3	65	100	3	5	2	6000	2810	MUR	45	form-based				0.75	5	1	2	2	6000	2810	2810	1
3732	097	2120	0.05	4670	3	65	100	3	5	2	6360	1690	MUR	45	form-based				0.75	5	1	2	2	6360	1690	1690	1
3732	101	1650	0.04	2436	2	65	100	3	4	2	4950	2514	MUR	45	form-based				0.75	4	1	2	2	4950	2514	2514	1
3732	102	1875	0.04	1597	2	65	100	3	4	2	5625	4028	MUR	45	form-based				0.75	4	1	2	2	5625	4028	4028	1
3732	108	1644	0.04	1500	2	65	100	3	4	2	4932	3432	MUR	45	form-based				0.75	4	1	2	2	4932	3432	3432	1
3732	177	2000	0.05	1334	3	65	100	3	5	2	6000	4666	MUR	45	form-based				0.75	5	1	2	2	6000	4666	4666	1
3732	263	2000	0.05	736	3	65	100	3	5	2	6000	5264	MUR	45	form-based				0.75	5	1	2	2	6000	5264	5264	1
3733	096	454	0.01	0	0	65	100	3	1	1	1362	1362	RC-4	130	density-lim	200			0.75	2	2	2	2	4086	4086	2724	3
3753	082	1866	0.04	2622	2	65	100	3	4	2	5598	2976	MUR	45	form-based				0.75	4	1	2	2	5598	2976	2976	1
3753	093	1862	0.04	1500	2	65	100	3	4	2	5586	4086	MUR	45	form-based				0.75	4	1	2	2	5586	4086	4086	1
3753	117	1875	0.04	1500	2	65	100	3	4	2	5625	4125	MUR	45	form-based				0.75	4	1	2	2	5625	4125	4125	1
3753	152	3729	0.09	808	6	65	100	3	9	3	11187	10379	MUR	45	form-based				0.75	8	0.888888896	2	2	11187	10379	10379	1
3753	219	3607	0.08	1551	6	65	100	3	8	2	10821	9270	MUR	45	form-based				0.75	8	1	2	2	10821	9270	9270	1
3753	311	1678	0.04	992	2	65	100	3	4	2	5034	4042	MUR	45	form-based				0.75	4	1	2	2	5034	4042	4042	1
3754	042	1853	0.04	4925	2	65	100	3	4	2	5559	634	MUG	45	form-based				0.75	4	1	2	2	5559	634	634	1
3755	112	2000	0.05	3095	3	65	100	3	5	2	6000	2905	RED	40	form-based				0.75	5	1	2	2	6000	2905	2905	1
3755	150	1858	0.04	1419	2	65	100	3	4	2	5574	4155	RED	40	form-based				0.75	4	1	2	2	5574	4155	4155	1
3755	152	2442	0.06	869	3	65	100	3	6	3	7326	6457	RED	40	form-based				0.75	5	0.833333313	2	2	7326	6457	6457	1
3762	011	1600	0.04	4110	7	65	100	3	4	0	4800	690	CMUO	85	form-based				0.8	9	2.25	2	1	10240	6130	5490	2.133333
3775	054	2176	0.05	3928	3	65	100	3	5	2	6528	2600	SPD	40	form-based				0.75	5	1	2	2	6528	2600	2600	1
3775	092	1610	0.04	2100	2	65	100	3	4	2	4830	2730	CMUO	45	form-based				0.8	4	1	2	2	5152	3052	3052	1.066667
3775	164	4000	0.09	1732	8	65	100	3	9	1	12000	10268	CMUO	45	form-based				0.8	10	1.111111164	2	2	12800	11068	11068	1.066667
3775	179	1894	0.04	1357	2	65	100	3	4	2	5682	4325	SPD	40	form-based				0.75	4	1	2	2	5682	4325	4325	1
3776	120	3146	0.07	906	8	65	100	3	7	0	9438	8532	CMUO	55	form-based				0.8	10	1.428571463	2	2	12584	11678	11678	1.333333
3779	175	2008	0.05	1635	3	65	100	3	5	2	6024	4389	RED-MX	45	form-based				0.75	5	1	2	2	6024	4389	4389	1
3787	023	678	0.02	2400	1	75	120	3.5	2	1	2373	0	CMUO	65	form-based				0.8	3	1.5	2	2	3254.400146	854.4001465	854.4001465	1.371429
3977	023	1775	0.04	2600	2	65	100	3	4	2	5325	2725	RH-3	40	density-lim	1000			0.7	4	1	2	2	4970	2370	2370	0.933333
3977	001C	2488	0.06	1500	2	65	100	3	6	4	7464	5964	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6966.399902	5466.399902	5466.399902	0.933333
3977	009	2500	0.06	1988	2	65	100	3	6	4	7500	5512	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	5012	5012	0.933333
3977	016	2500	0.06	2080	2	65	100	3	6	4	7500	5420	RH-2	45	density-lim	1500			0.7	4	0.666666687	2	2	7000	4920	4920	0.933333
3977	017	2500	0.06	4600	2	65	100	3	6	4	7500	2900	RH-2	45	density-lim	1500			0.7	4	0.666666687	2	2	7000	2400	2400	0.933333
3977	024	2484	0.06	591	2	65	100	3	6	4	7452	6861	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6955.199707	6364.199707	6364.199707	0.933333
3977	032	2492	0.06	1130	2	65	100	3	6	4	7476	6346	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6977.600098	5847.600098	5847.600098	0.933333
3983	015	2508	0.06	2250	2	65	100	3	6	4	7524	5274	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7022.399902	4772.399902	4772.399902	0.933333
3983	026	5000	0.11	3376	3	65	100	3	11	8	15000	11624	RH-3	40	density-lim	1000			0.7	5	0.454545468	2	2	14000	10624	10624	0.933333
3983	042	2500	0.06	1900	2	65	100	3	6	4	7500	5600	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	5100	5100	0.933333
3984	008A	2000	0.05	1808	2	65	100	3	5	3	6000	4192	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5600	3792	3792	0.933333
3984	016	2500	0.06	2240	2	65	100	3	6	4	7500	5260	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4760	4760	0.933333
3984	018	2500	0.06	1875	2	65	100	3	6	4	7500	5625	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	5125	5125	0.933333
3984	020	2500	0.06	1017	2	65	100	3	6	4	7500	6483	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	5983	5983	0.933333
3984	031	2500	0.06	1633	2	65	100	3	6	4	7500	5867	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	5367	5367	0.933333
3984	035	2509	0.06	1360	2	65	100	3	6	4	7527	6167	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7025.199707	5665.199707	5665.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3985	003	2473	0.06	3912	2	65	100	3	6	4	7419	3507	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6924.399902	3012.399902	3012.399902	0.933333
3985	012	2500	0.06	1928	2	65	100	3	6	4	7500	5572	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5072	5072	0.933333
3986	019	10097	0.23	3428	21	65	100	3	23	2	30291	26863	UMU	40	form-based				0.75	23	1	2	2	30291	26863	26863	1
3995	045	2500	0.06	1091	4	65	100	3	6	2	7500	6409	UMU	45	form-based				0.75	6	1	2	2	7500	6409	6409	1
3995	049	2500	0.06	1092	4	65	100	3	6	2	7500	6408	UMU	45	form-based				0.75	6	1	2	2	7500	6408	6408	1
4000	009	2500	0.06	2728	2	65	100	3	6	4	7500	4772	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4272	4272	0.933333
4000	010	2500	0.06	2728	2	65	100	3	6	4	7500	4772	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4272	4272	0.933333
4000	011A	1625	0.04	2546	4	65	100	3	4	0	4875	2329	RH-2	40	density-lim	1500	true		0.7	6	1.5	2	2	4550	2004	2004	0.933333
4000	013	2500	0.06	2500	2	65	100	3	6	4	7500	5000	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4500	4500	0.933333
4000	016	2482	0.06	2888	2	65	100	3	6	4	7446	4558	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6949.600098	4061.600098	4061.600098	0.933333
4000	019	2482	0.06	2180	2	65	100	3	6	4	7446	5266	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6949.600098	4769.600098	4769.600098	0.933333
4000	020	2482	0.06	2200	2	65	100	3	6	4	7446	5246	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6949.600098	4749.600098	4749.600098	0.933333
4000	021	3169	0.07	2920	2	65	100	3	7	5	9507	6587	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8873.200195	5953.200195	5953.200195	0.933333
4000	021A	1796	0.04	2040	2	65	100	3	4	2	5388	3348	RH-2	40	density-lim	1500			0.7	4	1	2	2	5028.799805	2988.799805	2988.799805	0.933333
4000	022	2482	0.06	1900	2	65	100	3	6	4	7446	5546	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6949.600098	5049.600098	5049.600098	0.933333
4000	051	2500	0.06	2543	2	65	100	3	6	4	7500	4957	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4457	4457	0.933333
4001	005	2500	0.06	2471	2	65	100	3	6	4	7500	5029	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4529	4529	0.933333
4001	006	2500	0.06	2579	2	65	100	3	6	4	7500	4921	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4421	4421	0.933333
4001	007	2500	0.06	2677	2	65	100	3	6	4	7500	4823	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4323	4323	0.933333
4001	012	2500	0.06	2596	2	65	100	3	6	4	7500	4904	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4404	4404	0.933333
4001	014	4042	0.09	2610	3	65	100	3	9	6	12126	9516	NC-2	40	density-lim	800	true		0.75	5	0.555555582	2	2	12126	9516	9516	1
4001	025	2511	0.06	1179	2	65	100	3	6	4	7533	6354	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7030.799805	5851.799805	5851.799805	0.933333
4001	027	2500	0.06	1834	2	65	100	3	6	4	7500	5666	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5166	5166	0.933333
4002	008	2984	0.07	2179	2	65	100	3	7	5	8952	6773	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8355.200195	6176.200195	6176.200195	0.933333
4002	011	2487	0.06	1300	2	65	100	3	6	4	7461	6161	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6963.600098	5663.600098	5663.600098	0.933333
4002	012	1237	0.03	0	0	65	100	3	3	3	3711	3711	NC-2	40	density-lim	800			0.75	2	0.666666687	2	2	3711	3711	3711	1
4002	015	2500	0.06	2724	2	65	100	3	6	4	7500	4776	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4276	4276	0.933333
4002	018	2500	0.06	3062	2	65	100	3	6	4	7500	4438	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3938	3938	0.933333
4002	019	2500	0.06	2604	2	65	100	3	6	4	7500	4896	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4396	4396	0.933333
4002	020	2500	0.06	2312	2	65	100	3	6	4	7500	5188	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4688	4688	0.933333
4002	021	2200	0.05	2750	2	65	100	3	5	3	6600	3850	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6160	3410	3410	0.933333
4002	025	2350	0.05	5509	4	65	100	3	5	1	7050	1541	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	6580	1071	1071	0.933333
4002	027	2487	0.06	2775	2	65	100	3	6	4	7461	4686	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6963.600098	4188.600098	4188.600098	0.933333
4002	041	2527	0.06	1254	2	65	100	3	6	4	7581	6327	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7075.600098	5821.600098	5821.600098	0.933333
4002	043	2473	0.06	2301	2	65	100	3	6	4	7419	5118	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6924.399902	4623.399902	4623.399902	0.933333
4003	003	2527	0.06	2770	2	65	100	3	6	4	7581	4811	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7075.600098	4305.600098	4305.600098	0.933333
4003	004	2527	0.06	2250	2	65	100	3	6	4	7581	5331	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7075.600098	4825.600098	4825.600098	0.933333
4003	005	2527	0.06	2726	2	65	100	3	6	4	7581	4855	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7075.600098	4349.600098	4349.600098	0.933333
4003	008	2527	0.06	2796	2	65	100	3	6	4	7581	4785	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7075.600098	4279.600098	4279.600098	0.933333
4003	010	2527	0.06	2697	2	65	100	3	6	4	7581	4884	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7075.600098	4378.600098	4378.600098	0.933333
4003	013	2527	0.06	2670	2	65	100	3	6	4	7581	4911	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7075.600098	4405.600098	4405.600098	0.933333
4003	022	2500	0.06	4348	2	65	100	3	6	4	7500	3152	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	2652	2652	0.933333
4003	025	2500	0.06	1880	2	65	100	3	6	4	7500	5620	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	5120	5120	0.933333
4003	026	2500	0.06	2409	2	65	100	3	6	4	7500	5091	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4591	4591	0.933333
4003	027	2500	0.06	1898	2	65	100	3	6	4	7500	5602	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	5102	5102	0.933333
4003	028	2500	0.06	1868	2	65	100	3	6	4	7500	5632	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	5132	5132	0.933333
4003	029	3000	0.07	2800	2	65	100	3	7	5	9000	6200	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8400	5600	5600	0.933333
4003	032	2527	0.06	3020	2	65	100	3	6	4	7581	4561	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7075.600098	4055.600098	4055.600098	0.933333
4003	040	2527	0.06	1359	2	65	100	3	6	4	7581	6222	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7075.600098	5716.600098	5716.600098	0.933333
4004	003	1974	0.05	2016	2	65	100	3	5	3	5922	3906	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5527.199707	3511.199707	3511.199707	0.933333
4004	003B	1953	0.04	2420	2	65	100	3	4	2	5859	3439	RH-3	40	density-lim	1000			0.7	4	1	2	2	5468.399902	3048.399902	3048.399902	0.933333
4004	004	2501	0.06	2623	2	65	100	3	6	4	7503	4880	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7002.799805	4379.799805	4379.799805	0.933333
4004	006	2730	0.06	2180	2	65	100	3	6	4	8190	6010	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7644	5464	5464	0.933333
4004	008	2730	0.06	2724	2	65	100	3	6	4	8190	5466	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7644	4920	4920	0.933333
4004	016	1813	0.04	2008	2	65	100	3	4	2	5439	3431	RH-2	40	density-lim	1500			0.7	4	1	2	2	5076.399902	3068.399902	3068.399902	0.933333
4004	018	1813	0.04	1040	2	65	100	3	4	2	5439	4399	RH-2	40	density-lim	1500			0.7	4	1	2	2	5076.399902	4036.399902	4036.399902	0.933333
4004	021	2500	0.06	1399	2	65	100	3	6	4	7500	6101	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	5601	5601	0.933333
4004	022	2500	0.06	2890	2	65	100	3	6	4	7500	4610	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4110	4110	0.933333
4004	026	2500	0.06	2100	2	65	100	3	6	4	7500	5400	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4900	4900	0.933333
4004	035	1875	0.04	3052	2	65	100	3	4	2	5625	2573	RH-3	40	density-lim	1000			0.7	4	1	2	2	5250	2198	2198	0.933333
4004	036	1875	0.04	2652	2	65	100	3	4	2	5625	2973	RH-3	40	density-lim	1000			0.7	4	1	2	2	5250	2598	2598	0.933333
4004	037	1812	0.04	1130	2	65	100	3	4	2	5436	4306	RH-2	40	density-lim	1500			0.7	4	1	2	2	5073.600098	3943.600098	3943.600098	0.933333
4004	039	2500	0.06	1030	2	65	100	3	6	4	7500	6470	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	5970	5970	0.933333
4004	041	2730	0.06	1084	2	65	100	3	6	4	8190	7106	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7644	6560	6560	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4004	054	2500	0.06	958	2	65	100	3	6	4	7500	6542	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7000	6042	6042	0.933333
4009	008A	2500	0.06	1780	2	65	100	3	6	4	7500	5720	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7000	5220	5220	0.933333
4009	010	2491	0.06	2264	2	65	100	3	6	4	7473	5209	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	6974.799805	4710.799805	4710.799805	0.933333
4010	001A	639	0.01	2150	2	65	100	3	1	0	1917	0	RH-3	40	density-lin	1000			0.7	4	4	2	0	1789.199951	0	0	0.933333
4010	001I	2514	0.06	2400	2	65	100	3	6	4	7542	5142	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7039.199707	4639.199707	4639.199707	0.933333
4010	001J	2514	0.06	2800	2	65	100	3	6	4	7542	4742	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7039.199707	4239.199707	4239.199707	0.933333
4010	001K	2514	0.06	2400	2	65	100	3	6	4	7542	5142	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7039.199707	4639.199707	4639.199707	0.933333
4010	009	2500	0.06	2223	2	65	100	3	6	4	7500	5277	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7000	4777	4777	0.933333
4010	033	2514	0.06	1490	2	65	100	3	6	4	7542	6052	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7039.199707	5549.199707	5549.199707	0.933333
4011	002	2560	0.06	2571	2	65	100	3	6	4	7680	5109	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7168	4597	4597	0.933333
4011	004	2371	0.05	1906	2	65	100	3	5	3	7113	5207	RH-3	40	density-lin	1000			0.7	4	0.800000012	2	2	6638.799805	4732.799805	4732.799805	0.933333
4011	010	2174	0.05	2212	2	65	100	3	5	3	6522	4310	RH-3	40	density-lin	1000			0.7	4	0.800000012	2	2	6087.199707	3875.199707	3875.199707	0.933333
4011	011	2466	0.06	1892	2	65	100	3	6	4	7398	5506	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6904.799805	5012.799805	5012.799805	0.933333
4011	012	2466	0.06	2248	2	65	100	3	6	4	7398	5150	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6904.799805	4656.799805	4656.799805	0.933333
4011	014	2466	0.06	2954	2	65	100	3	6	4	7398	4444	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6904.799805	3950.799805	3950.799805	0.933333
4011	017	1875	0.04	2730	2	65	100	3	4	2	5625	2895	RH-3	40	density-lin	1000			0.7	4	1	2	2	5250	2520	2520	0.933333
4011	041	2088	0.05	1107	2	65	100	3	5	3	6264	5157	RH-3	40	density-lin	1000			0.7	4	0.800000012	2	2	5846.399902	4739.399902	4739.399902	0.933333
4011	043	1994	0.05	839	2	65	100	3	5	3	5982	5143	RH-3	40	density-lin	1000			0.7	4	0.800000012	2	2	5583.199707	4744.199707	4744.199707	0.933333
4019	008	2595	0.06	1066	8	65	100	3	6	0	7785	6719	UMU	68	form-based		true		0.75	10	1.666666627	2	2	11677.5	10611.5	10611.5	1.5
4022	012	1838	0.04	1852	2	65	100	3	4	2	5514	3662	RH-2	65	density-lin	1500			0.7	4	1	2	2	7719.600098	5867.600098	5867.600098	1.4
4022	019	1875	0.04	1583	2	65	100	3	4	2	5625	4042	RH-2	65	density-lin	1500			0.7	4	1	2	2	7875	6292	6292	1.4
4024	003	2521	0.06	2145	2	65	100	3	6	4	7563	5418	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7058.799805	4913.799805	4913.799805	0.933333
4024	003A	2521	0.06	1850	2	65	100	3	6	4	7563	5713	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7058.799805	5208.799805	5208.799805	0.933333
4024	004	2521	0.06	2320	2	65	100	3	6	4	7563	5243	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7058.799805	4738.799805	4738.799805	0.933333
4024	008	2467	0.06	2108	2	65	100	3	6	4	7401	5293	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	6907.600098	4799.600098	4799.600098	0.933333
4024	010	2469	0.06	2400	2	65	100	3	6	4	7407	5007	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	6913.199707	4513.199707	4513.199707	0.933333
4024	011A	988	0.02	1468	2	65	100	3	2	0	2964	1496	RH-2	40	density-lin	1500			0.7	4	2	2	2	2766.399902	1298.399902	1298.399902	0.933333
4024	013	2500	0.06	2250	2	65	100	3	6	4	7500	5250	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	4750	4750	0.933333
4024	018	3000	0.07	1750	2	65	100	3	7	5	9000	7250	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	8400	6650	6650	0.933333
4024	031	1913	0.04	2858	2	65	100	3	4	2	5739	2881	RH-2	40	density-lin	1500			0.7	4	1	2	2	5356.399902	2498.399902	2498.399902	0.933333
4024	032	2521	0.06	1660	2	65	100	3	6	4	7563	5903	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7058.799805	5398.799805	5398.799805	0.933333
4027	003	1314	0.03	2017	2	65	100	3	3	1	3942	1925	RH-2	40	density-lin	1500			0.7	4	1.333333373	2	2	3679.199951	1662.199951	1662.199951	0.933333
4027	004	1588	0.04	2017	2	65	100	3	4	2	4764	2747	RH-2	40	density-lin	1500			0.7	4	1	2	2	4446.399902	2429.399902	2429.399902	0.933333
4027	013	2717	0.06	2130	2	65	100	3	6	4	8151	6021	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7607.600098	5477.600098	5477.600098	0.933333
4027	021	6044	0.14	3210	4	65	100	3	14	10	18132	14922	RH-2	40	density-lin	1500	true		0.7	6	0.428571433	2	2	16923.19922	13713.19922	13713.19922	0.933333
4027	024	2717	0.06	2700	2	65	100	3	6	4	8151	5451	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7607.600098	4907.600098	4907.600098	0.933333
4027	026	2519	0.06	1450	2	65	100	3	6	4	7557	6107	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7053.199707	5603.199707	5603.199707	0.933333
4027	037	1862	0.04	1125	2	65	100	3	4	2	5586	4461	RH-2	40	density-lin	1500			0.7	4	1	2	2	5213.600098	4088.600098	4088.600098	0.933333
4028	001B	2466	0.06	2900	2	65	100	3	6	4	7398	4498	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6904.799805	4004.799805	4004.799805	0.933333
4028	001C	2456	0.06	2520	2	65	100	3	6	4	7368	4848	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6876.799805	4356.799805	4356.799805	0.933333
4028	001I	2466	0.06	4418	2	65	100	3	6	4	7398	2980	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6904.799805	2486.799805	2486.799805	0.933333
4028	001K	2466	0.06	2350	2	65	100	3	6	4	7398	5048	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6904.799805	4554.799805	4554.799805	0.933333
4028	001O	2466	0.06	3720	2	65	100	3	6	4	7398	3678	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6904.799805	3184.799805	3184.799805	0.933333
4028	008A	2500	0.06	1959	2	65	100	3	6	4	7500	5541	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	5041	5041	0.933333
4028	015	2500	0.06	1905	2	65	100	3	6	4	7500	5595	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	5095	5095	0.933333
4028	017	2601	0.06	4112	4	65	100	3	6	2	7803	3691	RH-2	40	density-lin	1500	true		0.7	6	1	2	2	7282.799805	3170.799805	3170.799805	0.933333
4028	039	2466	0.06	1245	2	65	100	3	6	4	7398	6153	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6904.799805	5659.799805	5659.799805	0.933333
4029	021	2000	0.05	2462	2	65	100	3	5	3	6000	3538	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	5600	3138	3138	0.933333
4030	004	2512	0.06	2509	2	55	80	2.5	5	3	6280	3771	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	7033.600098	4524.600098	4524.600098	1.12
4030	012	2500	0.06	2075	2	55	80	2.5	5	3	6250	4175	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	7000	4925	4925	1.12
4030	017	2511	0.06	2298	2	65	100	3	6	4	7533	5235	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7030.799805	4732.799805	4732.799805	0.933333
4030	021	3000	0.07	2450	2	65	100	3	7	5	9000	6550	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	8400	5950	5950	0.933333
4030	023	2500	0.06	1840	2	65	100	3	6	4	7500	5660	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	5160	5160	0.933333
4030	027	2350	0.05	2220	2	65	100	3	5	3	7050	4830	RH-3	40	density-lin	1000			0.7	4	0.800000012	2	2	6580	4360	4360	0.933333
4030	037	2500	0.06	1569	2	65	100	3	6	4	7500	5931	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	5431	5431	0.933333
4030	041	2511	0.06	950	2	65	100	3	6	4	7533	6583	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7030.799805	6080.799805	6080.799805	0.933333
4030	043	2511	0.06	1389	2	65	100	3	6	4	7533	6144	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7030.799805	5641.799805	5641.799805	0.933333
4030	047	3167	0.07	1320	2	65	100	3	7	5	9501	8181	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	8867.599609	7547.599609	7547.599609	0.933333
4031	004C	1875	0.04	1680	2	55	80	2.5	3	1	4688	3008	RH-2	40	density-lin	1500			0.7	4	1.333333373	2	2	5250	3570	3570	1.119881
4031	009	2011	0.05	2900	2	55	80	2.5	4	2	5028	2128	RH-2	40	density-lin	1500			0.7	4	1	2	2	5630.799805	2730.799805	2730.799805	1.119889
4031	010	2407	0.06	2712	2	55	80	2.5	5	3	6018	3306	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	6739.600098	4027.600098	4027.600098	1.119907
4031	014	1835	0.04	1120	2	55	80	2.5	3	1	4588	3468	RH-2	40	density-lin	1500			0.7	4	1.333333373	2	2	5138	4018	4018	1.119878
4031	018	1246	0.03	1359	2	55	80	2.5	2	0	3115	1756	RH-2	40	density-lin	1500			0.7	4	2	2	2	3488.800049	2129.800049	2129.800049	1.12
4031	019A	1875	0.04	1788	2	55	80	2.5	3	1	4688	2900	RH-2	40	density-lin	1500			0.7	4	1.333333373	2	2	5250	3462	3462	1.119881

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4031	029	3041	0.07	3574	2	55	80	2.5	6	4	7602	4028	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8514.799805	4940.799805	4940.799805	1.120074
4031	033	2944	0.07	1369	2	55	80	2.5	6	4	7360	5991	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8243.200195	6874.200195	6874.200195	1.12
4031	035	2100	0.05	1800	2	55	80	2.5	4	2	5250	3450	RH-2	40	density-lim	1500			0.7	4	1	2	2	5880	4080	4080	1.12
4031	037	2182	0.05	1643	2	55	80	2.5	4	2	5455	3812	RH-2	40	density-lim	1500			0.7	4	1	2	2	6109.600098	4466.600098	4466.600098	1.12
4031	039	2548	0.06	1048	2	55	80	2.5	5	3	6370	5322	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7134.399902	6086.399902	6086.399902	1.12
4031	046	2440	0.06	1746	2	55	80	2.5	5	3	6100	4354	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6832	5086	5086	1.12
4031	048	2439	0.06	1771	2	55	80	2.5	5	3	6098	4327	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6829.199707	5058.199707	5058.199707	1.119908
4031	050	2439	0.06	1790	2	55	80	2.5	5	3	6098	4308	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6829.199707	5039.199707	5039.199707	1.119908
4031	052	3031	0.07	2349	2	55	80	2.5	6	4	7578	5229	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8486.799805	6137.799805	6137.799805	1.119926
4035	006	2500	0.06	2620	2	65	100	3	6	4	7500	4880	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4380	4380	0.933333
4035	007	2500	0.06	4000	2	65	100	3	6	4	7500	3500	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3000	3000	0.933333
4035	010	2500	0.06	1725	2	65	100	3	6	4	7500	5775	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5275	5275	0.933333
4035	023	2502	0.06	2624	2	65	100	3	6	4	7506	4882	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7005.600098	4381.600098	4381.600098	0.933333
4035	025	2502	0.06	1550	2	65	100	3	6	4	7506	5956	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7005.600098	5455.600098	5455.600098	0.933333
4035	035	1300	0.03	1178	2	65	100	3	3	1	3900	2722	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3640	2462	2462	0.933333
4035	037	2500	0.06	871	4	65	100	3	6	2	7500	6629	RH-2	40	density-lim	1500	true		0.7	6	1	2	2	7000	6129	6129	0.933333
4035	041	2500	0.06	1622	2	65	100	3	6	4	7500	5878	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5378	5378	0.933333
4035	043	2503	0.06	539	2	65	100	3	6	4	7509	6970	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7008.399902	6469.399902	6469.399902	0.933333
4035	045	2502	0.06	1725	2	65	100	3	6	4	7506	5781	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7005.600098	5280.600098	5280.600098	0.933333
4036	003	2504	0.06	1690	2	65	100	3	6	4	7512	5822	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7011.199707	5321.199707	5321.199707	0.933333
4036	004	2500	0.06	1760	2	65	100	3	6	4	7500	5740	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5240	5240	0.933333
4036	008	2526	0.06	2424	2	65	100	3	6	4	7578	5154	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7072.799805	4648.799805	4648.799805	0.933333
4036	022	2558	0.06	2035	2	65	100	3	6	4	7674	5639	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7162.399902	5127.399902	5127.399902	0.933333
4036	023	2527	0.06	2560	2	65	100	3	6	4	7581	5021	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7075.600098	4515.600098	4515.600098	0.933333
4036	026	2529	0.06	2600	2	65	100	3	6	4	7587	4987	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7081.199707	4481.199707	4481.199707	0.933333
4036	028	2496	0.06	1104	2	65	100	3	6	4	7488	6384	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6988.799805	5884.799805	5884.799805	0.933333
4036	030	2525	0.06	1234	2	65	100	3	6	4	7575	6341	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7070	5836	5836	0.933333
4036	032	2500	0.06	1756	2	65	100	3	6	4	7500	5744	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5244	5244	0.933333
4036	034	2530	0.06	1257	2	65	100	3	6	4	7590	6333	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7084	5827	5827	0.933333
4037	002	1785	0.04	3800	0	65	100	3	4	4	5355	1555	NC-2	40	density-lim	800			0.75	2	0.5	2	2	5355	1555	1555	1
4037	013A	1824	0.04	2180	2	65	100	3	4	2	5472	3292	RH-2	40	density-lim	1500			0.7	4	1	2	2	5107.199707	2927.199707	2927.199707	0.933333
4037	013D	1325	0.03	2250	2	65	100	3	3	1	3975	1725	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3710	1460	1460	0.933333
4037	019	2500	0.06	1866	2	65	100	3	6	4	7500	5634	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5134	5134	0.933333
4037	024	2500	0.06	3300	2	65	100	3	6	4	7500	4200	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3700	3700	0.933333
4037	025	2500	0.06	2330	2	65	100	3	6	4	7500	5170	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4670	4670	0.933333
4037	027	2500	0.06	4130	2	65	100	3	6	4	7500	3370	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	2870	2870	0.933333
4037	034	2487	0.06	2477	2	65	100	3	6	4	7461	4984	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6963.600098	4486.600098	4486.600098	0.933333
4037	036	2500	0.06	1516	2	65	100	3	6	4	7500	5984	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5484	5484	0.933333
4037	038	2500	0.06	1302	2	65	100	3	6	4	7500	6198	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5698	5698	0.933333
4037	040	2500	0.06	1353	2	65	100	3	6	4	7500	6147	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5647	5647	0.933333
4037	042	1875	0.04	1375	2	65	100	3	4	2	5625	4250	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	3875	3875	0.933333
4037	044	2500	0.06	1625	2	65	100	3	6	4	7500	5875	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5375	5375	0.933333
4037	046	2487	0.06	1522	2	65	100	3	6	4	7461	5939	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6963.600098	5441.600098	5441.600098	0.933333
4038	002	2511	0.06	2650	2	65	100	3	6	4	7533	4883	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7030.799805	4380.799805	4380.799805	0.933333
4038	005	2511	0.06	2550	2	65	100	3	6	4	7533	4983	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7030.799805	4480.799805	4480.799805	0.933333
4038	010	2500	0.06	2540	2	65	100	3	6	4	7500	4960	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4460	4460	0.933333
4038	011	2500	0.06	3785	2	65	100	3	6	4	7500	3715	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3215	3215	0.933333
4038	016	2500	0.06	1905	2	65	100	3	6	4	7500	5595	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5095	5095	0.933333
4038	018	2500	0.06	2591	2	65	100	3	6	4	7500	4909	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4409	4409	0.933333
4038	020	2500	0.06	4165	2	65	100	3	6	4	7500	3335	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	2835	2835	0.933333
4038	025	2483	0.06	3068	2	65	100	3	6	4	7449	4381	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6952.399902	3884.399902	3884.399902	0.933333
4038	028	2525	0.06	2900	2	65	100	3	6	4	7575	4675	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7070	4170	4170	0.933333
4038	032	1799	0.04	2840	4	65	100	3	4	0	5397	2557	RH-3	40	density-lim	1000	true		0.7	6	1.5	2	2	5037.199707	2197.199707	2197.199707	0.933333
4038	034	2517	0.06	1018	2	65	100	3	6	4	7551	6533	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7047.600098	6029.600098	6029.600098	0.933333
4038	036	2500	0.06	1769	2	65	100	3	6	4	7500	5731	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5231	5231	0.933333
4038	051	2525	0.06	1177	2	65	100	3	6	4	7575	6398	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7070	5893	5893	0.933333
4039	006	2500	0.06	3280	2	65	100	3	6	4	7500	4220	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3720	3720	0.933333
4039	012	2483	0.06	2076	2	65	100	3	6	4	7449	5373	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6952.399902	4876.399902	4876.399902	0.933333
4039	015	2483	0.06	3055	2	65	100	3	6	4	7449	4394	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6952.399902	3897.399902	3897.399902	0.933333
4039	016	2483	0.06	2305	2	65	100	3	6	4	7449	5144	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6952.399902	4647.399902	4647.399902	0.933333
4039	018	2483	0.06	2385	2	65	100	3	6	4	7449	5064	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6952.399902	4567.399902	4567.399902	0.933333
4039	020	2483	0.06	3180	2	65	100	3	6	4	7449	4269	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6952.399902	3772.399902	3772.399902	0.933333
4039	033	2500	0.06	1707	2	65	100	3	6	4	7500	5793	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5293	5293	0.933333
4039	038	2483	0.06	2262	2	65	100	3	6	4	7449	5187	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6952.399902	4690.399902	4690.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4040	032	2500	0.06	2540	2	65	100	3	6	4	7500	4960	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4460	4460	0.933333
4040	034	10000	0.23	10050	5	65	100	3	23	18	30000	19950	RH-2	40	density-lim	1500			0.7	7	0.304347813	2	2	28000	17950	17950	0.933333
4043	004	2511	0.06	2430	2	65	100	3	6	4	7533	5103	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7030.799805	4600.799805	4600.799805	0.933333
4043	005A	2511	0.06	2270	2	65	100	3	6	4	7533	5263	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7030.799805	4760.799805	4760.799805	0.933333
4043	061	2511	0.06	1152	2	65	100	3	6	4	7533	6381	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7030.799805	5878.799805	5878.799805	0.933333
4063	023	2550	0.06	2614	2	65	100	3	6	4	7650	5036	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7140	4526	4526	0.933333
4064	002	5052	0.12	3708	2	65	100	3	12	10	15156	11448	RH-2	40	density-lim	1500			0.7	4	0.333333343	2	2	14145.59961	10437.59961	10437.59961	0.933333
4064	011	2531	0.06	2090	2	75	120	3.5	7	5	8858	6768	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7086.799805	4996.799805	4996.799805	0.800045
4064	017	2500	0.06	2324	2	75	120	3.5	7	5	8750	6426	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	4676	4676	0.8
4064	029	1781	0.04	2090	2	75	120	3.5	5	3	6234	4144	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	4986.799805	2896.799805	2896.799805	0.799936
4064	030	1782	0.04	2090	2	75	120	3.5	5	3	6237	4147	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	4989.600098	2899.600098	2899.600098	0.8
4064	032	2250	0.05	2280	2	75	120	3.5	6	4	7875	5595	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6300	4020	4020	0.8
4064	033	2300	0.05	1064	2	65	100	3	5	3	6900	5836	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6440	5376	5376	0.933333
4064	035	2500	0.06	1721	2	65	100	3	6	4	7500	5779	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5279	5279	0.933333
4064	037	2000	0.05	1240	2	65	100	3	5	3	6000	4760	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5600	4360	4360	0.933333
4064	044	2500	0.06	1362	2	65	100	3	6	4	7500	6138	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5638	5638	0.933333
4065	003	2446	0.06	2107	2	65	100	3	6	4	7338	5231	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6848.799805	4741.799805	4741.799805	0.933333
4065	026	2625	0.06	2590	2	65	100	3	6	4	7875	5285	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7350	4760	4760	0.933333
4065	027	3150	0.07	2640	2	65	100	3	7	5	9450	6810	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8820	6180	6180	0.933333
4065	029	8021	0.18	4099	3	65	100	3	18	15	24063	19964	RH-2	40	density-lim	1500			0.7	5	0.277777791	2	2	22458.79883	18359.79883	18359.79883	0.933333
4065	030	2525	0.06	1250	2	65	100	3	6	4	7575	6325	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7070	5820	5820	0.933333
4065	034	2479	0.06	1997	2	65	100	3	6	4	7437	5440	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6941.199707	4944.199707	4944.199707	0.933333
4065	036	2634	0.06	1991	2	65	100	3	6	4	7902	5911	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7375.199707	5384.199707	5384.199707	0.933333
4066	003	2516	0.06	2540	2	65	100	3	6	4	7548	5008	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7044.799805	4504.799805	4504.799805	0.933333
4066	023	2500	0.06	1407	2	65	100	3	6	4	7500	6093	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5593	5593	0.933333
4067	005	2505	0.06	2958	2	65	100	3	6	4	7515	4557	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7014	4056	4056	0.933333
4067	013	2489	0.06	1150	1	65	100	3	6	5	7467	6317	NC-2	40	density-lim	800			0.75	3	0.5	2	2	7467	6317	6317	1
4067	023	2500	0.06	2472	2	65	100	3	6	4	7500	5028	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4528	4528	0.933333
4067	024	2500	0.06	4782	2	65	100	3	6	4	7500	2718	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	2218	2218	0.933333
4067	042	2503	0.06	1260	2	65	100	3	6	4	7509	6249	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7008.399902	5748.399902	5748.399902	0.933333
4068	005A	3005	0.07	3240	2	65	100	3	7	5	9015	5775	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8414	5174	5174	0.933333
4068	008	2500	0.06	2359	2	65	100	3	6	4	7500	5141	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4641	4641	0.933333
4068	012A	1482	0.03	3049	2	65	100	3	3	1	4446	1397	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4149.600098	1100.600098	1100.600098	0.933333
4068	014	2505	0.06	2760	2	65	100	3	6	4	7515	4755	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7014	4254	4254	0.933333
4068	016	1875	0.04	2150	2	65	100	3	4	2	5625	3475	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	3100	3100	0.933333
4068	018	1875	0.04	2150	2	65	100	3	4	2	5625	3475	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	3100	3100	0.933333
4068	026	1875	0.04	1075	2	65	100	3	4	2	5625	4550	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	4175	4175	0.933333
4068	028	2750	0.06	1807	2	65	100	3	6	4	8250	6443	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7700	5893	5893	0.933333
4068	030	2750	0.06	2247	2	65	100	3	6	4	8250	6003	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7700	5453	5453	0.933333
4068	032	2504	0.06	1004	2	65	100	3	6	4	7512	6508	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7011.199707	6007.199707	6007.199707	0.933333
4068	036	2504	0.06	1167	2	65	100	3	6	4	7512	6345	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7011.199707	5844.199707	5844.199707	0.933333
4069	007	2500	0.06	3015	2	65	100	3	6	4	7500	4485	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3985	3985	0.933333
4069	022	2499	0.06	1820	2	65	100	3	6	4	7497	5677	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6997.199707	5177.199707	5177.199707	0.933333
4069	023	2539	0.06	1500	2	65	100	3	6	4	7617	6117	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7109.199707	5609.199707	5609.199707	0.933333
4069	024A	2499	0.06	2900	2	65	100	3	6	4	7497	4597	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6997.199707	4097.199707	4097.199707	0.933333
4069	025	2342	0.05	1316	2	65	100	3	5	3	7026	5710	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6557.600098	5241.600098	5241.600098	0.933333
4069	025B	2671	0.06	1082	2	65	100	3	6	4	8013	6931	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7478.799805	6396.799805	6396.799805	0.933333
4069	028	2500	0.06	762	2	65	100	3	6	4	7500	6738	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	6238	6238	0.933333
4069	030	2500	0.06	1680	2	65	100	3	6	4	7500	5820	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5320	5320	0.933333
4069	037	2500	0.06	1200	2	65	100	3	6	4	7500	6300	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5800	5800	0.933333
4069	039	2500	0.06	1966	2	65	100	3	6	4	7500	5534	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5034	5034	0.933333
4069	041	2500	0.06	1128	2	65	100	3	6	4	7500	6372	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5872	5872	0.933333
4069	043	2299	0.05	1169	2	65	100	3	5	3	6897	5728	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6437.199707	5268.199707	5268.199707	0.933333
4069	049	2654	0.06	1619	2	65	100	3	6	4	7962	6343	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7431.199707	5812.199707	5812.199707	0.933333
4071	028	2548	0.06	2333	2	55	80	2.5	5	3	6370	4037	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7134.399902	4801.399902	4801.399902	1.12
4071	034	2598	0.06	6852	4	55	80	2.5	5	1	6495	0	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	7274.399902	422.3999023	422.3999023	1.12
4071	038	2467	0.06	1520	2	65	100	3	6	4	7401	5881	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6907.600098	5387.600098	5387.600098	0.933333
4071	040	2467	0.06	2487	2	65	100	3	6	4	7401	4914	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6907.600098	4420.600098	4420.600098	0.933333
4071	049	2467	0.06	2059	2	65	100	3	6	4	7401	5342	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6907.600098	4848.600098	4848.600098	0.933333
4071	051	2467	0.06	2059	2	65	100	3	6	4	7401	5342	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6907.600098	4848.600098	4848.600098	0.933333
4071	053	2467	0.06	1488	2	65	100	3	6	4	7401	5913	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6907.600098	5419.600098	5419.600098	0.933333
4072	004	2500	0.06	1595	2	55	80	2.5	5	3	6250	4655	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5405	5405	1.12
4072	006	2500	0.06	1600	2	55	80	2.5	5	3	6250	4650	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5400	5400	1.12
4072	010	3488	0.08	2963	2	55	80	2.5	6	4	8720	5757	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	9766.399414	6803.399414	6803.399414	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4072	012	2531	0.06	1815	2	55	80	2.5	5	3	6328	4513	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7086.799805	5271.799805	5271.799805	1.119911
4072	014	2530	0.06	1750	2	55	80	2.5	5	3	6325	4575	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7084	5334	5334	1.12
4072	016	2529	0.06	2020	2	55	80	2.5	5	3	6322	4302	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7081.199707	5061.199707	5061.199707	1.120089
4072	039	2530	0.06	1334	2	55	80	2.5	5	3	6325	4991	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7084	5750	5750	1.12
4073	018C	2500	0.06	1225	2	65	100	3	6	4	7500	6275	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5775	5775	0.933333
4073	019	2500	0.06	1995	2	65	100	3	6	4	7500	5505	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5005	5005	0.933333
4073	030	2517	0.06	1280	2	55	80	2.5	5	3	6292	5012	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7047.600098	5767.600098	5767.600098	1.120089
4073	040	2500	0.06	947	2	65	100	3	6	4	7500	6553	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	6053	6053	0.933333
4073	055	2510	0.06	2126	2	65	100	3	6	4	7530	5404	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7028	4902	4902	0.933333
4074	003	2413	0.06	3707	2	65	100	3	6	4	7239	3532	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6756.399902	3049.399902	3049.399902	0.933333
4074	011A	2500	0.06	1445	2	65	100	3	6	4	7500	6055	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5555	5555	0.933333
4074	017	2740	0.06	1795	1	65	100	3	6	5	8220	6425	RM-1	40	density-lim	800	true		0.7	3	0.5	2	2	7672	5877	5877	0.933333
4074	025	2500	0.06	2402	2	65	100	3	6	4	7500	5098	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4598	4598	0.933333
4074	041	2500	0.06	1044	2	65	100	3	6	4	7500	6456	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5956	5956	0.933333
4075	003	2466	0.06	2285	2	65	100	3	6	4	7398	5113	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6904.799805	4619.799805	4619.799805	0.933333
4075	012	2466	0.06	2521	2	65	100	3	6	4	7398	4877	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6904.799805	4383.799805	4383.799805	0.933333
4075	015	2466	0.06	2360	2	65	100	3	6	4	7398	5038	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6904.799805	4544.799805	4544.799805	0.933333
4075	022	2500	0.06	1820	2	65	100	3	6	4	7500	5680	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5180	5180	0.933333
4075	033	2500	0.06	1709	2	65	100	3	6	4	7500	5791	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5291	5291	0.933333
4075	035	2466	0.06	1797	2	65	100	3	6	4	7398	5601	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6904.799805	5107.799805	5107.799805	0.933333
4075	037	2500	0.06	1368	2	65	100	3	6	4	7500	6132	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5632	5632	0.933333
4075	039	2500	0.06	1914	2	65	100	3	6	4	7500	5586	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5086	5086	0.933333
4075	041	2500	0.06	1460	2	65	100	3	6	4	7500	6040	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5540	5540	0.933333
4076	002	2473	0.06	2300	2	65	100	3	6	4	7419	5119	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6924.399902	4624.399902	4624.399902	0.933333
4076	021	3700	0.08	1858	2	65	100	3	8	6	11100	9242	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	10360	8502	8502	0.933333
4076	023	4131	0.09	1493	2	65	100	3	9	7	12393	10900	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	11566.7998	10073.7998	10073.7998	0.933333
4076	025	2813	0.06	1750	2	65	100	3	6	4	8439	6689	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7876.399902	6126.399902	6126.399902	0.933333
4079	010	2521	0.06	1960	2	65	100	3	6	4	7563	5603	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7058.799805	5098.799805	5098.799805	0.933333
4079	011	2660	0.06	3010	4	65	100	3	6	2	7980	4970	RH-2	40	density-lim	1500	true		0.7	6	1	2	2	7448	4438	4438	0.933333
4079	012	2215	0.05	2520	2	65	100	3	5	3	6645	4125	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6202	3682	3682	0.933333
4079	029	2184	0.05	1559	2	65	100	3	5	3	6552	4993	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6115.199707	4556.199707	4556.199707	0.933333
4079	035	2623	0.06	1140	4	65	100	3	6	2	7869	6729	RH-2	40	density-lim	1500	true		0.7	6	1	2	2	7344.399902	6204.399902	6204.399902	0.933333
4081	001A	1500	0.03	2106	2	65	100	3	3	1	4500	2394	RH-2	65	density-lim	1500			0.7	4	1.333333373	2	2	6300	4194	4194	1.4
4081	002	2489	0.06	2380	2	65	100	3	6	4	7467	5087	RH-2	65	density-lim	1500			0.7	4	0.666666687	2	2	10453.7998	8073.799805	8073.799805	1.4
4081	004	2488	0.06	2460	2	65	100	3	6	4	7464	5004	RH-2	65	density-lim	1500			0.7	4	0.666666687	2	2	10449.59961	7989.599609	7989.599609	1.4
4081	008	2488	0.06	3318	2	65	100	3	6	4	7464	4146	RH-2	65	density-lim	1500			0.7	4	0.666666687	2	2	10449.59961	7131.599609	7131.599609	1.4
4081	009	2488	0.06	1960	2	65	100	3	6	4	7464	5504	RH-2	65	density-lim	1500			0.7	4	0.666666687	2	2	10449.59961	8489.599609	8489.599609	1.4
4081	009A	2488	0.06	2720	2	65	100	3	6	4	7464	4744	RH-2	65	density-lim	1500			0.7	4	0.666666687	2	2	10449.59961	7729.599609	7729.599609	1.4
4081	077	2488	0.06	3413	2	65	100	3	6	4	7464	4051	RH-2	65	density-lim	1500			0.7	4	0.666666687	2	2	10449.59961	7036.599609	7036.599609	1.4
4084	015	1662	0.04	1840	2	55	80	2.5	3	1	4155	2315	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4653.600098	2813.600098	2813.600098	1.12
4084	022	2603	0.06	2594	2	55	80	2.5	5	3	6508	3914	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7288.399902	4694.399902	4694.399902	1.119914
4084	036	2638	0.06	3997	4	55	80	2.5	5	1	6595	2598	UMU	48	form-based		true		0.75	6	1.200000048	2	2	7914	3917	3917	1.2
4084	045	2657	0.06	1457	4	55	80	2.5	5	1	6642	5185	UMU	48	form-based				0.75	6	1.200000048	2	2	7971	6514	6514	1.20009
4084	069	2602	0.06	1205	2	55	80	2.5	5	3	6505	5300	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7285.600098	6080.600098	6080.600098	1.12
4084	071	2593	0.06	929	2	55	80	2.5	5	3	6482	5553	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7260.399902	6331.399902	6331.399902	1.120086
4084	073	2595	0.06	1465	2	55	80	2.5	5	3	6488	5023	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7266	5801	5801	1.119914
4084	081	2600	0.06	1197	2	55	80	2.5	5	3	6500	5303	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7280	6083	6083	1.12
4084	083	2600	0.06	2280	2	55	80	2.5	5	3	6500	4220	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7280	5000	5000	1.12
4085	005	2585	0.06	2345	2	65	100	3	6	4	7755	5410	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7238	4893	4893	0.933333
4085	006	2587	0.06	2100	2	65	100	3	6	4	7761	5661	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7243.600098	5143.600098	5143.600098	0.933333
4085	007	2588	0.06	1964	2	65	100	3	6	4	7764	5800	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7246.399902	5282.399902	5282.399902	0.933333
4085	023	2600	0.06	2840	2	65	100	3	6	4	7800	4960	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	4440	4440	0.933333
4085	025	2600	0.06	2528	2	65	100	3	6	4	7800	5272	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	4752	4752	0.933333
4085	027	2600	0.06	2870	2	65	100	3	6	4	7800	4930	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	4410	4410	0.933333
4085	050	2600	0.06	1093	2	65	100	3	6	4	7800	6707	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	6187	6187	0.933333
4085	052	2600	0.06	2054	2	65	100	3	6	4	7800	5746	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	5226	5226	0.933333
4086	003	2500	0.06	1660	1	65	100	3	6	5	7500	5840	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	5340	5340	0.933333
4086	009	2346	0.05	1100	1	65	100	3	5	4	7038	5938	RM-1	40	density-lim	800			0.7	3	0.600000024	2	2	6568.799805	5468.799805	5468.799805	0.933333
4086	010	2346	0.05	1220	1	65	100	3	5	4	7038	5818	RM-1	40	density-lim	800			0.7	3	0.600000024	2	2	6568.799805	5348.799805	5348.799805	0.933333
4086	011	2345	0.05	1375	1	65	100	3	5	4	7035	5660	RM-1	40	density-lim	800			0.7	3	0.600000024	2	2	6566	5191	5191	0.933333
4086	017	2509	0.06	2526	2	65	100	3	6	4	7527	5001	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7025.199707	4499.199707	4499.199707	0.933333
4086	020	2497	0.06	2300	2	65	100	3	6	4	7491	5191	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6991.600098	4691.600098	4691.600098	0.933333
4086	024A	2567	0.06	2092	2	65	100	3	6	4	7701	5609	RH-2	45	density-lim	1500			0.7	4	0.666666687	2	2	7187.600098	5095.600098	5095.600098	0.933333
4087	005	2506	0.06	3952	2	65	100	3	6	4	7518	3566	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7016.799805	3064.799805	3064.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4087	010	2500	0.06	2900	2	65	100	3	6	4	7500	4600	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4100	4100	0.933333
4087	012	2498	0.06	2708	2	65	100	3	6	4	7494	4786	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6994.399902	4286.399902	4286.399902	0.933333
4087	014	2496	0.06	2804	2	65	100	3	6	4	7488	4684	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6988.799805	4184.799805	4184.799805	0.933333
4087	021	2387	0.05	987	1	65	100	3	5	4	7161	6174	RM-1	40	density-lim	800			0.7	3	0.600000024	2	2	6683.600098	5696.600098	5696.600098	0.933333
4087	028	2500	0.06	1145	1	65	100	3	6	5	7500	6355	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	5855	5855	0.933333
4087	033	2500	0.06	1000	1	65	100	3	6	5	7500	6500	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	6000	6000	0.933333
4088	009	2500	0.06	2550	2	65	100	3	6	4	7500	4950	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4450	4450	0.933333
4087	044	4776	0.11	2807	2	65	100	3	11	9	14328	11521	RH-2	40	density-lim	1500			0.7	4	0.363636374	2	2	13372.7998	10565.7998	10565.7998	0.933333
4087	055	2499	0.06	1122	2	65	100	3	6	4	7497	6375	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6997.199707	5875.199707	5875.199707	0.933333
4087	063	2494	0.06	1100	2	65	100	3	6	4	7482	6382	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6983.199707	5883.199707	5883.199707	0.933333
4087	065	2502	0.06	1316	2	65	100	3	6	4	7506	6190	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7005.600098	5689.600098	5689.600098	0.933333
4088	002	2617	0.06	1800	2	65	100	3	6	4	7851	6051	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7327.600098	5527.600098	5527.600098	0.933333
4088	003	2500	0.06	2230	2	65	100	3	6	4	7500	5270	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4770	4770	0.933333
4088	007	2500	0.06	2380	2	65	100	3	6	4	7500	5120	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4620	4620	0.933333
4088	011	2500	0.06	1552	2	65	100	3	6	4	7500	5948	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5448	5448	0.933333
4088	021	2329	0.05	3260	4	65	100	3	5	1	6987	3727	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	6521.199707	3261.199707	3261.199707	0.933333
4088	024	2503	0.06	2480	2	65	100	3	6	4	7509	5029	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7008.399902	4528.399902	4528.399902	0.933333
4088	028	2504	0.06	2600	2	65	100	3	6	4	7512	4912	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7011.199707	4411.199707	4411.199707	0.933333
4088	029	2505	0.06	2770	2	65	100	3	6	4	7515	4745	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7014	4244	4244	0.933333
4088	030	2505	0.06	1338	2	65	100	3	6	4	7515	6177	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7014	5676	5676	0.933333
4088	032	2506	0.06	2654	2	65	100	3	6	4	7518	4864	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7016.799805	4362.799805	4362.799805	0.933333
4088	037A	736	0.02	1307	2	65	100	3	2	0	2208	901	RH-2	40	density-lim	1500			0.7	4	2	2	2	2060.800049	753.8000488	753.8000488	0.933333
4088	038	2550	0.06	1810	2	65	100	3	6	4	7650	5840	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7140	5330	5330	0.933333
4088	039	2550	0.06	3030	2	65	100	3	6	4	7650	4620	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7140	4110	4110	0.933333
4088	041	2507	0.06	927	2	65	100	3	6	4	7521	6594	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7019.600098	6092.600098	6092.600098	0.933333
4088	043	2500	0.06	1610	2	65	100	3	6	4	7500	5890	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5390	5390	0.933333
4088	045	2550	0.06	1898	2	65	100	3	6	4	7650	5752	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7140	5242	5242	0.933333
4088	049	2503	0.06	2067	2	65	100	3	6	4	7509	5442	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7008.399902	4941.399902	4941.399902	0.933333
4093	001	2500	0.06	2761	1	65	100	3	6	5	7500	4739	RM-1	40	density-lim	800	true		0.7	3	0.5	2	2	7000	4239	4239	0.933333
4093	002	2500	0.06	1000	2	65	100	3	6	4	7500	6500	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	6000	6000	0.933333
4093	015	2500	0.06	575	2	65	100	3	6	4	7500	6925	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	6425	6425	0.933333
4093	046	2427	0.06	2470	2	65	100	3	6	4	7281	4811	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6795.600098	4325.600098	4325.600098	0.933333
4093	051	2473	0.06	2112	2	65	100	3	6	4	7419	5307	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6924.399902	4812.399902	4812.399902	0.933333
4093	053	2472	0.06	2020	2	65	100	3	6	4	7416	5396	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6921.600098	4901.600098	4901.600098	0.933333
4093	062	3223	0.07	1988	2	65	100	3	7	5	9669	7681	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	9024.399414	7036.399414	7036.399414	0.933333
4093	064	2498	0.06	2157	2	65	100	3	6	4	7494	5337	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6994.399902	4837.399902	4837.399902	0.933333
4093	064B	2464	0.06	1775	1	65	100	3	6	5	7392	5617	RM-1	40	density-lim	800	true		0.7	3	0.5	2	2	6899.199707	5124.199707	5124.199707	0.933333
4093	068	2533	0.06	1275	2	65	100	3	6	4	7599	6324	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7092.399902	5817.399902	5817.399902	0.933333
4093	102	2472	0.06	1173	2	65	100	3	6	4	7416	6243	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6921.600098	5748.600098	5748.600098	0.933333
4093	104	3169	0.07	1645	2	65	100	3	7	5	9507	7862	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8873.200195	7228.200195	7228.200195	0.933333
4093	117	2500	0.06	2015	2	65	100	3	6	4	7500	5485	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4985	4985	0.933333
4093	119	2500	0.06	1858	2	65	100	3	6	4	7500	5642	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5142	5142	0.933333
4093	131	2468	0.06	1530	2	65	100	3	6	4	7404	5874	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6910.399902	5380.399902	5380.399902	0.933333
4093	133	2468	0.06	1516	2	65	100	3	6	4	7404	5888	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6910.399902	5394.399902	5394.399902	0.933333
4093	151	2500	0.06	2432	2	65	100	3	6	4	7500	5068	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4568	4568	0.933333
4094	001	2500	0.06	4061	4	55	80	2.5	5	1	6250	2189	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	2	2	7000	2939	2939	1.12
4094	005	2500	0.06	3600	2	55	80	2.5	5	3	6250	2650	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	3400	3400	1.12
4094	007	2500	0.06	4090	2	55	80	2.5	5	3	6250	2160	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	2910	2910	1.12
4094	008	2500	0.06	2386	2	55	80	2.5	5	3	6250	3864	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	4614	4614	1.12
4094	010	2500	0.06	3000	2	55	80	2.5	5	3	6250	3250	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	4000	4000	1.12
4094	012	2500	0.06	3056	2	55	80	2.5	5	3	6250	3194	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	3944	3944	1.12
4094	016	2500	0.06	1600	2	55	80	2.5	5	3	6250	4650	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5400	5400	1.12
4094	019A	1263	0.03	1540	2	55	80	2.5	2	0	3158	1618	RH-3	40	density-lim	1000			0.7	4	2	2	2	3536.399902	1996.399902	1996.399902	1.119823
4094	021	2310	0.05	2610	2	55	80	2.5	4	2	5775	3165	RH-3	40	density-lim	1000			0.7	4	1	2	2	6468	3858	3858	1.12
4094	022	2500	0.06	2467	2	55	80	2.5	5	3	6250	3783	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	4533	4533	1.12
4094	023	2500	0.06	2700	2	55	80	2.5	5	3	6250	3550	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	4300	4300	1.12
4094	027	2500	0.06	2285	2	65	100	3	6	4	7500	5215	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4715	4715	0.933333
4094	029	2500	0.06	2450	2	55	80	2.5	5	3	6250	3800	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	4550	4550	1.12
4094	035	2493	0.06	2850	2	65	100	3	6	4	7479	4629	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6980.399902	4130.399902	4130.399902	0.933333
4094	036	2493	0.06	2850	2	65	100	3	6	4	7479	4629	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6980.399902	4130.399902	4130.399902	0.933333
4094	054	2505	0.06	2850	2	65	100	3	6	4	7515	4665	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7014	4164	4164	0.933333
4094	057	2506	0.06	2382	2	65	100	3	6	4	7518	5136	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7016.799805	4634.799805	4634.799805	0.933333
4094	059	2506	0.06	2160	2	65	100	3	6	4	7518	5358	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7016.799805	4856.799805	4856.799805	0.933333
4094	060	2506	0.06	2600	2	65	100	3	6	4	7518	4918	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7016.799805	4416.799805	4416.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4094	063	2507	0.06	1600	2	55	80	2.5	5	3	6268	4668	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7019.600098	5419.600098	5419.600098	1.119911
4094	068	2500	0.06	1800	2	55	80	2.5	5	3	6250	4450	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5200	5200	1.12
4094	075	2504	0.06	1740	2	65	100	3	6	4	7512	5772	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7011.199707	5271.199707	5271.199707	0.933333
4094	077	2504	0.06	1740	2	65	100	3	6	4	7512	5772	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7011.199707	5271.199707	5271.199707	0.933333
4094	079	2493	0.06	1855	2	65	100	3	6	4	7479	5624	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6980.399902	5125.399902	5125.399902	0.933333
4094	081	2500	0.06	1506	2	55	80	2.5	5	3	6250	4744	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5494	5494	1.12
4094	083	2507	0.06	2866	2	65	100	3	6	4	7521	4655	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7019.600098	4153.600098	4153.600098	0.933333
4094	091	2500	0.06	866	2	55	80	2.5	5	3	6250	5384	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	6134	6134	1.12
4094	093	2500	0.06	1243	2	55	80	2.5	5	3	6250	5007	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5757	5757	1.12
4094	107	2500	0.06	1268	2	55	80	2.5	5	3	6250	4982	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5732	5732	1.12
4094	114	2504	0.06	0	2	65	100	3	6	4	7512	7512	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7011.199707	7011.199707	7011.199707	0.933333
4094	116	2504	0.06	0	2	65	100	3	6	4	7512	7512	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7011.199707	7011.199707	7011.199707	0.933333
4094	118	2392	0.05	2260	2	65	100	3	5	3	7176	4916	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6697.600098	4437.600098	4437.600098	0.933333
4095	013	2519	0.06	2350	2	65	100	3	6	4	7557	5207	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7053.199707	4703.199707	4703.199707	0.933333
4095	024	2515	0.06	3297	2	65	100	3	6	4	7545	4248	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7042	3745	3745	0.933333
4095	026	2514	0.06	1408	2	65	100	3	6	4	7542	6134	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7039.199707	5631.199707	5631.199707	0.933333
4095	028	2514	0.06	3074	2	65	100	3	6	4	7542	4468	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7039.199707	3965.199707	3965.199707	0.933333
4095	030	2513	0.06	2250	2	65	100	3	6	4	7539	5289	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7036.399902	4786.399902	4786.399902	0.933333
4095	031	2549	0.06	2712	4	65	100	3	6	2	7647	4935	RH-3	40	density-lim	1000	true		0.7	6	1	2	2	7137.199707	4425.199707	4425.199707	0.933333
4095	032	2500	0.06	2468	2	65	100	3	6	4	7500	5032	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4532	4532	0.933333
4095	039	2500	0.06	2876	2	65	100	3	6	4	7500	4624	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4124	4124	0.933333
4095	041	2500	0.06	2166	2	65	100	3	6	4	7500	5334	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4834	4834	0.933333
4095	044	2500	0.06	2130	2	65	100	3	6	4	7500	5370	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4870	4870	0.933333
4095	052	2500	0.06	3744	2	55	80	2.5	5	3	6250	2506	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	3256	3256	1.12
4095	055	2500	0.06	2160	2	55	80	2.5	5	3	6250	4090	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	4840	4840	1.12
4095	058	2500	0.06	2355	2	55	80	2.5	5	3	6250	3895	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	4645	4645	1.12
4095	059	2500	0.06	1616	2	55	80	2.5	5	3	6250	4634	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5384	5384	1.12
4095	060	2500	0.06	2396	2	55	80	2.5	5	3	6250	3854	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	4604	4604	1.12
4095	061	2500	0.06	3856	2	55	80	2.5	5	3	6250	2394	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	3144	3144	1.12
4095	074	2688	0.06	4098	2	65	100	3	6	4	8064	3966	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7526.399902	3428.399902	3428.399902	0.933333
4095	078	2521	0.06	1369	2	55	80	2.5	5	3	6302	4933	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7058.799805	5689.799805	5689.799805	1.120089
4095	080	2522	0.06	1494	2	55	80	2.5	5	3	6305	4811	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7061.600098	5567.600098	5567.600098	1.12
4095	084	2500	0.06	2044	2	55	80	2.5	5	3	6250	4206	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	4956	4956	1.12
4095	086	2514	0.06	1729	2	65	100	3	6	4	7542	5813	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7039.199707	5310.199707	5310.199707	0.933333
4095	091	2500	0.06	1571	2	55	80	2.5	5	3	6250	4679	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5429	5429	1.12
4095	097	2500	0.06	871	2	65	100	3	6	4	7500	6629	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	6129	6129	0.933333
4096	001	2353	0.05	1608	1	65	100	3	5	4	7059	5451	RM-1	40	density-lim	800	true		0.7	3	0.600000024	2	2	6588.399902	4980.399902	4980.399902	0.933333
4096	002	6505	0.15	4466	2	65	100	3	15	13	19515	15049	RH-2	40	density-lim	1500			0.7	4	0.266666681	2	2	18214	13748	13748	0.933333
4096	010	2466	0.06	1440	2	65	100	3	6	4	7398	5958	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6904.799805	5464.799805	5464.799805	0.933333
4096	030	2361	0.05	3683	2	65	100	3	5	3	7083	3400	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6610.799805	2927.799805	2927.799805	0.933333
4096	031	2473	0.06	1932	2	65	100	3	6	4	7419	5487	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6924.399902	4992.399902	4992.399902	0.933333
4096	050	2500	0.06	3204	2	65	100	3	6	4	7500	4296	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3796	3796	0.933333
4096	055	2500	0.06	3291	2	65	100	3	6	4	7500	4209	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3709	3709	0.933333
4096	059	2500	0.06	1590	2	65	100	3	6	4	7500	5910	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5410	5410	0.933333
4096	064	2500	0.06	3050	1	65	100	3	6	5	7500	4450	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	3950	3950	0.933333
4096	065	2500	0.06	1375	1	65	100	3	6	5	7500	6125	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	5625	5625	0.933333
4096	066	2500	0.06	900	1	65	100	3	6	5	7500	6600	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	6100	6100	0.933333
4096	067	2500	0.06	1293	1	65	100	3	6	5	7500	6207	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	5707	5707	0.933333
4096	068	2500	0.06	1207	1	65	100	3	6	5	7500	6293	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	5793	5793	0.933333
4096	076	2500	0.06	1079	2	65	100	3	6	4	7500	6421	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5921	5921	0.933333
4096	078	3364	0.08	1600	2	65	100	3	8	6	10092	8492	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9419.200195	7819.200195	7819.200195	0.933333
4096	084	1876	0.04	1753	2	65	100	3	4	2	5628	3875	RH-2	40	density-lim	1500			0.7	4	1	2	2	5252.799805	3499.799805	3499.799805	0.933333
4096	088	2213	0.05	1781	2	65	100	3	5	3	6639	4858	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6196.399902	4415.399902	4415.399902	0.933333
4096	090	2113	0.05	1682	2	65	100	3	5	3	6339	4657	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5916.399902	4234.399902	4234.399902	0.933333
4096	099	2469	0.06	566	2	65	100	3	6	4	7407	6841	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6913.199707	6347.199707	6347.199707	0.933333
4096	103	2200	0.05	1067	2	65	100	3	5	3	6600	5533	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6160	5093	5093	0.933333
4096	105	3000	0.07	1589	2	65	100	3	7	5	9000	7411	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8400	6811	6811	0.933333
4096	107	2800	0.06	1054	2	65	100	3	6	4	8400	7346	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7840	6786	6786	0.933333
4096	112	995	0.02	1152	2	65	100	3	2	0	2985	1833	RH-3	40	density-lim	1000			0.7	4	2	2	2	2786	1634	1634	0.933333
4096	115	4116	0.09	3030	2	65	100	3	9	7	12348	9318	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	11524.7998	8494.799805	8494.799805	0.933333
4096	116	1875	0.04	0	2	65	100	3	4	2	5625	5625	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	5250	5250	0.933333
4097	007	2528	0.06	1800	2	65	100	3	6	4	7584	5784	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7078.399902	5278.399902	5278.399902	0.933333
4097	009	2527	0.06	2100	2	65	100	3	6	4	7581	5481	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7075.600098	4975.600098	4975.600098	0.933333
4097	009A	6669	0.15	2356	2	65	100	3	15	13	20007	17651	RH-2	40	density-lim	1500			0.7	4	0.266666681	2	2	18673.19922	16317.19922	16317.19922	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4097	011	2525	0.06	3377	2	65	100	3	6	4	7575	4198	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7070	3693	3693	0.933333
4097	013	2525	0.06	2794	2	65	100	3	6	4	7575	4781	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7070	4276	4276	0.933333
4097	018	3784	0.09	1755	2	65	100	3	9	7	11352	9597	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	10595.2002	8840.200195	8840.200195	0.933333
4097	042	2500	0.06	3552	2	65	100	3	6	4	7500	3948	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3448	3448	0.933333
4097	050	2500	0.06	2740	2	65	100	3	6	4	7500	4760	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4260	4260	0.933333
4097	051	2500	0.06	2489	2	65	100	3	6	4	7500	5011	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4511	4511	0.933333
4097	052	2531	0.06	1437	2	65	100	3	6	4	7593	6156	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7086.799805	5649.799805	5649.799805	0.933333
4097	054	2521	0.06	1782	2	65	100	3	6	4	7563	5781	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7058.799805	5276.799805	5276.799805	0.933333
4097	056	2525	0.06	1570	2	65	100	3	6	4	7575	6005	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7070	5500	5500	0.933333
4097	058	2500	0.06	1478	2	65	100	3	6	4	7500	6022	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5522	5522	0.933333
4097	060	2500	0.06	1859	2	65	100	3	6	4	7500	5641	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5141	5141	0.933333
4098	001	2509	0.06	2410	1	65	100	3	6	5	7527	5117	NC-2	40	density-lim	800	true		0.75	3	0.5	2	2	7527	5117	5117	1
4098	013	2509	0.06	2167	2	65	100	3	6	4	7527	5360	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7025.199707	4858.199707	4858.199707	0.933333
4098	023	2500	0.06	1595	2	65	100	3	6	4	7500	5905	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5405	5405	0.933333
4098	031	2600	0.06	1788	2	65	100	3	6	4	7800	6012	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	5492	5492	0.933333
4098	034	2500	0.06	1250	2	65	100	3	6	4	7500	6250	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5750	5750	0.933333
4098	038	1999	0.05	2700	2	65	100	3	5	3	5997	3297	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5597.199707	2897.199707	2897.199707	0.933333
4098	039	2507	0.06	3000	2	65	100	3	6	4	7521	4521	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7019.600098	4019.600098	4019.600098	0.933333
4098	041	2425	0.06	1253	2	65	100	3	6	4	7275	6022	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6790	5537	5537	0.933333
4099	002	2808	0.06	1726	2	65	100	3	6	4	8424	6698	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7862.399902	6136.399902	6136.399902	0.933333
4099	011	2508	0.06	1365	2	65	100	3	6	4	7524	6159	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7022.399902	5657.399902	5657.399902	0.933333
4099	033	2500	0.06	2692	2	65	100	3	6	4	7500	4808	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4308	4308	0.933333
4099	040	2500	0.06	2250	2	65	100	3	6	4	7500	5250	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4750	4750	0.933333
4099	044	2300	0.05	2958	2	65	100	3	5	3	6900	3942	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6440	3482	3482	0.933333
4099	057	2479	0.06	1800	1	65	100	3	6	5	7437	5637	NC-2	40	density-lim	800			0.75	3	0.5	2	2	7437	5637	5637	1
4099	061	3513	0.08	4900	2	65	100	3	8	6	10539	5639	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9836.399414	4936.399414	4936.399414	0.933333
4099	063	2510	0.06	853	2	65	100	3	6	4	7530	6677	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7028	6175	6175	0.933333
4100	003A	2500	0.06	2350	2	65	100	3	6	4	7500	5150	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4650	4650	0.933333
4100	003C	2494	0.06	2784	2	65	100	3	6	4	7482	4698	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6983.199707	4199.199707	4199.199707	0.933333
4100	004	2495	0.06	3770	2	65	100	3	6	4	7485	3715	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6986	3216	3216	0.933333
4100	004D	2500	0.06	2081	2	65	100	3	6	4	7500	5419	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4919	4919	0.933333
4100	017	3000	0.07	1816	2	65	100	3	7	5	9000	7184	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8400	6584	6584	0.933333
4100	021	2500	0.06	2067	2	65	100	3	6	4	7500	5433	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4933	4933	0.933333
4100	027	2500	0.06	2180	2	65	100	3	6	4	7500	5320	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4820	4820	0.933333
4100	030	2316	0.05	1975	2	65	100	3	5	3	6948	4973	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6484.799805	4509.799805	4509.799805	0.933333
4100	032	2467	0.06	1750	1	65	100	3	6	5	7401	5651	NC-2	40	density-lim	800			0.75	3	0.5	2	2	7401	5651	5651	1
4100	033	2500	0.06	1425	1	65	100	3	6	5	7500	6075	NC-2	40	density-lim	800			0.75	3	0.5	2	2	7500	6075	6075	1
4100	048	2500	0.06	2098	2	75	120	3.5	7	5	8750	6652	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	4902	4902	0.8
4100	049	2500	0.06	2098	2	75	120	3.5	7	5	8750	6652	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	4902	4902	0.8
4100	050	2500	0.06	2098	2	75	120	3.5	7	5	8750	6652	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	4902	4902	0.8
4100	052	2500	0.06	2598	2	75	120	3.5	7	5	8750	6152	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	4402	4402	0.8
4100	053	2500	0.06	2723	2	75	120	3.5	7	5	8750	6027	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	4277	4277	0.8
4100	057	1875	0.04	1716	2	75	120	3.5	5	3	6562	4846	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5250	3534	3534	0.800061
4100	059	1875	0.04	1716	2	75	120	3.5	5	3	6562	4846	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5250	3534	3534	0.800061
4100	061	2507	0.06	1284	2	75	120	3.5	7	5	8774	7490	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7019.600098	5735.600098	5735.600098	0.800046
4100	063	2437	0.06	1716	2	75	120	3.5	7	5	8530	6814	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	6823.600098	5107.600098	5107.600098	0.799953
4100	065	1928	0.04	1468	2	75	120	3.5	5	3	6748	5280	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5398.399902	3930.399902	3930.399902	0.8
4100	067	2506	0.06	1643	2	75	120	3.5	7	5	8771	7128	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7016.799805	5373.799805	5373.799805	0.8
4100	071	2506	0.06	3000	2	75	120	3.5	7	5	8771	5771	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7016.799805	4016.799805	4016.799805	0.8
4100	073	2500	0.06	1028	2	75	120	3.5	7	5	8750	7722	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	5972	5972	0.8
4100	084	2504	0.06	1102	2	75	120	3.5	7	5	8764	7662	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7011.199707	5909.199707	5909.199707	0.8
4100	089	2500	0.06	1618	2	75	120	3.5	7	5	8750	7132	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	5382	5382	0.8
4100	091	2501	0.06	1765	2	75	120	3.5	7	5	8754	6989	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7002.799805	5237.799805	5237.799805	0.799954
4100	093	3302	0.08	2186	2	75	120	3.5	10	8	11557	9371	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	9245.599609	7059.599609	7059.599609	0.8
4100	095	2497	0.06	1614	2	65	100	3	6	4	7491	5877	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6991.600098	5377.600098	5377.600098	0.933333
4100	097	3303	0.08	1996	2	75	120	3.5	10	8	11560	9564	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	9248.399414	7252.399414	7252.399414	0.800035
4100	099	2498	0.06	1565	2	65	100	3	6	4	7494	5929	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6994.399902	5429.399902	5429.399902	0.933333
4100	101	2499	0.06	1900	2	75	120	3.5	7	5	8746	6846	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	6997.199707	5097.199707	5097.199707	0.800046
4100	103	2499	0.06	1557	2	75	120	3.5	7	5	8746	7189	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	6997.199707	5440.199707	5440.199707	0.800046
4100	105	2500	0.06	1765	2	75	120	3.5	7	5	8750	6985	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	5235	5235	0.8
4100	107	2496	0.06	1191	2	65	100	3	6	4	7488	6297	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6988.799805	5797.799805	5797.799805	0.933333
4100	109	2498	0.06	1765	2	65	100	3	6	4	7494	5729	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6994.399902	5229.399902	5229.399902	0.933333
4100	111	2535	0.06	3292	2	75	120	3.5	7	5	8872	5580	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7098	3806	3806	0.800045
4100	113	2465	0.06	2498	2	75	120	3.5	7	5	8628	6130	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	6902	4404	4404	0.799954

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4100	115	2504	0.06	1274	2	75	120	3.5	7	5	8764	7490	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7011.199707	5737.199707	5737.199707	0.8
4100	117	2505	0.06	1297	2	75	120	3.5	7	5	8768	7471	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7014	5717	5717	0.799954
4100	119	2500	0.06	895	2	65	100	3	6	4	7500	6605	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	6105	6105	0.933333
4101	003	2517	0.06	2547	2	75	120	3.5	7	5	8810	6263	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7047.600098	4500.600098	4500.600098	0.799955
4101	027	2500	0.06	1459	2	75	120	3.5	7	5	8750	7291	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	5541	5541	0.8
4101	029	2500	0.06	1340	2	75	120	3.5	7	5	8750	7410	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	5660	5660	0.8
4101	063	2500	0.06	1008	2	65	100	3	6	4	7500	6492	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5992	5992	0.933333
4101	141	2500	0.06	1716	2	75	120	3.5	7	5	8750	7034	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	5284	5284	0.8
4102	001	1968	0.05	3200	4	75	120	3.5	6	2	6888	3688	RH-2	40	density-lim	1500	true		0.7	6	1	2	2	5510.399902	2310.399902	2310.399902	0.8
4102	012	2500	0.06	2384	2	75	120	3.5	7	5	8750	6366	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	4616	4616	0.8
4102	019	2500	0.06	2296	2	75	120	3.5	7	5	8750	6454	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	4704	4704	0.8
4102	020	2500	0.06	2040	2	75	120	3.5	7	5	8750	6710	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	4960	4960	0.8
4102	051	2491	0.06	1302	2	75	120	3.5	7	5	8718	7416	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	6974.799805	5672.799805	5672.799805	0.800046
4102	057	2487	0.06	2870	2	75	120	3.5	7	5	8704	5834	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	6963.600098	4093.600098	4093.600098	0.800046
4102	058	2287	0.05	2492	2	75	120	3.5	6	4	8004	5512	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6403.600098	3911.600098	3911.600098	0.80005
4102	064	2481	0.06	2384	2	75	120	3.5	7	5	8684	6300	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	6946.799805	4562.799805	4562.799805	0.799954
4102	068	2483	0.06	2550	2	75	120	3.5	7	5	8690	6140	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	6952.399902	4402.399902	4402.399902	0.800046
4102	070	2489	0.06	1437	2	75	120	3.5	7	5	8712	7275	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	6969.199707	5532.199707	5532.199707	0.799954
4102	166	2500	0.06	3278	2	75	120	3.5	7	5	8750	5472	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	3722	3722	0.8
4103	010	2600	0.06	3084	2	75	120	3.5	7	5	9100	6016	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7280	4196	4196	0.8
4103	011	2500	0.06	3120	2	75	120	3.5	7	5	8750	5630	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	3880	3880	0.8
4103	013	3500	0.08	2602	2	75	120	3.5	10	8	12250	9648	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	9800	7198	7198	0.8
4103	014	2500	0.06	2490	2	75	120	3.5	7	5	8750	6260	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	4510	4510	0.8
4103	018	2500	0.06	1382	2	75	120	3.5	7	5	8750	7368	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	5618	5618	0.8
4103	020	2500	0.06	2500	2	75	120	3.5	7	5	8750	6250	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	4500	4500	0.8
4103	020A	2500	0.06	3080	2	75	120	3.5	7	5	8750	5670	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	3920	3920	0.8
4103	026	2500	0.06	2570	2	75	120	3.5	7	5	8750	6180	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	4430	4430	0.8
4103	035	2521	0.06	2588	2	75	120	3.5	7	5	8824	6236	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7058.799805	4470.799805	4470.799805	0.799955
4103	037	2522	0.06	3696	2	75	120	3.5	7	5	8827	5131	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7061.600098	3365.600098	3365.600098	0.8
4103	044	4613	0.11	2873	2	75	120	3.5	13	11	16146	13273	RH-2	40	density-lim	1500			0.7	4	0.307692319	2	2	12916.39941	10043.39941	10043.39941	0.799975
4103	053	2500	0.06	1125	2	75	120	3.5	7	5	8750	7625	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	5875	5875	0.8
4103	105	2524	0.06	2188	2	75	120	3.5	7	5	8834	6646	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7067.199707	4879.199707	4879.199707	0.8
4104	008	2527	0.06	1990	2	75	120	3.5	7	5	8844	6854	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7075.600098	5085.600098	5085.600098	0.800045
4104	009	2526	0.06	2438	2	75	120	3.5	7	5	8841	6403	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7072.799805	4634.799805	4634.799805	0.8
4104	014	2770	0.06	1995	2	75	120	3.5	7	5	9695	7700	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7756	5761	5761	0.8
4104	033	2510	0.06	1769	2	75	120	3.5	7	5	8785	7016	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7028	5259	5259	0.8
4104	035	2511	0.06	1431	2	75	120	3.5	7	5	8788	7357	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7030.799805	5599.799805	5599.799805	0.800045
4104	037	2512	0.06	1431	2	75	120	3.5	7	5	8792	7361	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7033.600098	5602.600098	5602.600098	0.8
4104	039	1911	0.04	1960	2	75	120	3.5	5	3	6688	4728	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5350.799805	3390.799805	3390.799805	0.80006
4104	041	2513	0.06	1791	2	75	120	3.5	7	5	8796	7005	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7036.399902	5245.399902	5245.399902	0.799955
4104	043	1873	0.04	1823	2	75	120	3.5	5	3	6556	4733	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5244.399902	3421.399902	3421.399902	0.799939
4104	047	2509	0.06	1368	2	75	120	3.5	7	5	8782	7414	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7025.199707	5657.199707	5657.199707	0.799954
4104	049	2508	0.06	1960	2	75	120	3.5	7	5	8778	6818	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7022.399902	5062.399902	5062.399902	0.8
4104	051	2507	0.06	1490	2	75	120	3.5	7	5	8774	7284	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7019.600098	5529.600098	5529.600098	0.800046
4104	057	1912	0.04	2800	2	75	120	3.5	5	3	6692	3892	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5353.600098	2553.600098	2553.600098	0.8
4104	059	2818	0.06	2398	2	75	120	3.5	7	5	9863	7465	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7890.399902	5492.399902	5492.399902	0.8
4104	067	3450	0.08	1872	2	75	120	3.5	10	8	12075	10203	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	9660	7788	7788	0.8
4104	089	2538	0.06	1521	2	75	120	3.5	7	5	8883	7362	RM-2	40	density-lim	600			0.7	4	0.571428597	2	2	7106.399902	5585.399902	5585.399902	0.8
4106	005A	2500	0.06	2832	2	75	120	3.5	7	5	8750	5918	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7000	4168	4168	0.8
4106	006	2500	0.06	2400	2	75	120	3.5	7	5	8750	6350	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7000	4600	4600	0.8
4106	008	2500	0.06	3020	2	75	120	3.5	7	5	8750	5730	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7000	3980	3980	0.8
4106	009	2500	0.06	2780	2	75	120	3.5	7	5	8750	5970	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7000	4220	4220	0.8
4106	009A	2500	0.06	3000	2	75	120	3.5	7	5	8750	5750	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7000	4000	4000	0.8
4106	011	2500	0.06	3477	2	75	120	3.5	7	5	8750	5273	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7000	3523	3523	0.8
4106	012	2500	0.06	2554	2	75	120	3.5	7	5	8750	6196	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7000	4446	4446	0.8
4106	025	2500	0.06	1272	2	75	120	3.5	7	5	8750	7478	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7000	5728	5728	0.8
4107	007	2474	0.06	2720	2	75	120	3.5	7	5	8659	5939	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	6927.199707	4207.199707	4207.199707	0.8
4107	008	2474	0.06	2750	2	75	120	3.5	7	5	8659	5909	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	6927.199707	4177.199707	4177.199707	0.8
4107	010	2284	0.05	3686	3	75	120	3.5	6	3	7994	4308	NCT-2	45	form-based				0.75	5	0.833333313	2	2	6852	3166	3166	0.857143
4107	014	2283	0.05	4095	3	75	120	3.5	6	3	7990	3895	NCT-2	45	form-based				0.75	5	0.833333313	2	2	6849	2754	2754	0.857197
4107	015	2283	0.05	3990	3	75	120	3.5	6	3	7990	4000	NCT-2	45	form-based				0.75	5	0.833333313	2	2	6849	2859	2859	0.857197
4107	016	2283	0.05	4530	3	75	120	3.5	6	3	7990	3460	NCT-2	45	form-based		true		0.75	5	0.833333313	2	2	6849	2319	2319	0.857197
4107	018	2500	0.06	3148	2	75	120	3.5	7	5	8750	5602	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7000	3852	3852	0.8
4107	019	2500	0.06	2447	2	75	120	3.5	7	5	8750	6303	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7000	4553	4553	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4107	021	3350	0.08	3660	2	75	120	3.5	10	8	11725	8065	RH-3	40	density-lim	1000			0.7	4	0.400000006	2	2	9380	5720	5720	0.8
4107	058	3321	0.08	1480	2	75	120	3.5	10	8	11624	10144	RH-3	40	density-lim	1000			0.7	4	0.400000006	2	2	9298.799805	7818.799805	7818.799805	0.799966
4108	011	2500	0.06	2754	2	75	120	3.5	7	5	8750	5996	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7000	4246	4246	0.8
4108	014A	2500	0.06	2850	2	75	120	3.5	7	5	8750	5900	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7000	4150	4150	0.8
4108	032	2500	0.06	1216	2	75	120	3.5	7	5	8750	7534	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7000	5784	5784	0.8
4108	034	2375	0.05	1135	2	75	120	3.5	6	4	8312	7177	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6650	5515	5515	0.800048
4143	006	2500	0.06	2569	2	65	100	3	6	4	7500	4931	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4431	4431	0.933333
4143	008	2500	0.06	3215	2	65	100	3	6	4	7500	4285	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3785	3785	0.933333
4143	011	2500	0.06	2532	2	65	100	3	6	4	7500	4968	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4468	4468	0.933333
4143	016	2437	0.06	1435	1	65	100	3	6	5	7311	5876	RM-1	40	density-lim	800			0.7	3	0.5	2	2	6823.600098	5388.600098	5388.600098	0.933333
4143	017	2438	0.06	1902	1	65	100	3	6	5	7314	5412	RM-1	40	density-lim	800			0.7	3	0.5	2	2	6826.399902	4924.399902	4924.399902	0.933333
4143	023	2493	0.06	2900	2	65	100	3	6	4	7479	4579	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6980.399902	4080.399902	4080.399902	0.933333
4143	028	2495	0.06	1051	2	65	100	3	6	4	7485	6434	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6986	5935	5935	0.933333
4143	030	2496	0.06	3084	2	65	100	3	6	4	7488	4404	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6988.799805	3904.799805	3904.799805	0.933333
4143	036	2438	0.06	1850	1	65	100	3	6	5	7314	5464	RM-1	40	density-lim	800			0.7	3	0.5	2	2	6826.399902	4976.399902	4976.399902	0.933333
4143	038	2443	0.06	1694	1	65	100	3	6	5	7329	5635	RM-1	40	density-lim	800			0.7	3	0.5	2	2	6840.399902	5146.399902	5146.399902	0.933333
4143	041	2500	0.06	1025	2	65	100	3	6	4	7500	6475	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5975	5975	0.933333
4143	043	2500	0.06	1530	2	65	100	3	6	4	7500	5970	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5470	5470	0.933333
4143	047	2500	0.06	2144	2	65	100	3	6	4	7500	5356	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4856	4856	0.933333
4143	049	2494	0.06	1100	2	65	100	3	6	4	7482	6382	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6983.199707	5883.199707	5883.199707	0.933333
4143	051	2496	0.06	2577	2	65	100	3	6	4	7488	4911	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6988.799805	4411.799805	4411.799805	0.933333
4144	004	2750	0.06	2304	2	65	100	3	6	4	8250	5946	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7700	5396	5396	0.933333
4144	010	2500	0.06	2420	2	65	100	3	6	4	7500	5080	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4580	4580	0.933333
4144	012	2500	0.06	2440	2	65	100	3	6	4	7500	5060	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4560	4560	0.933333
4144	013	3500	0.08	2295	2	65	100	3	8	6	10500	8205	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9800	7505	7505	0.933333
4144	014	2500	0.06	3130	1	65	100	3	6	5	7500	4370	RM-1	40	density-lim	800	true		0.7	3	0.5	2	2	7000	3870	3870	0.933333
4144	020	2963	0.07	2230	2	65	100	3	7	5	8889	6659	RM-1	40	density-lim	800			0.7	4	0.571428597	2	2	8296.399414	6066.399414	6066.399414	0.933333
4144	023	2473	0.06	1180	1	65	100	3	6	5	7419	6239	RM-1	40	density-lim	800			0.7	3	0.5	2	2	6924.399902	5744.399902	5744.399902	0.933333
4144	030	2479	0.06	2854	1	65	100	3	6	5	7437	4583	RM-1	40	density-lim	800			0.7	3	0.5	2	2	6941.199707	4087.199707	4087.199707	0.933333
4145	005	2500	0.06	1593	1	65	100	3	6	5	7500	5907	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	5407	5407	0.933333
4145	006	2500	0.06	1110	1	65	100	3	6	5	7500	6390	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	5890	5890	0.933333
4145	007	2500	0.06	1701	1	65	100	3	6	5	7500	5799	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	5299	5299	0.933333
4145	008	2500	0.06	1715	1	65	100	3	6	5	7500	5785	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	5285	5285	0.933333
4145	009	2500	0.06	2788	1	65	100	3	6	5	7500	4712	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	4212	4212	0.933333
4145	010	2500	0.06	2029	1	65	100	3	6	5	7500	5471	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	4971	4971	0.933333
4145	015A	2372	0.05	1056	1	65	100	3	5	4	7116	6060	RM-1	40	density-lim	800			0.7	3	0.600000024	2	2	6641.600098	5585.600098	5585.600098	0.933333
4145	016	1000	0.02	2000	2	65	100	3	2	0	3000	1000	RH-3	40	density-lim	1000			0.7	4	2	2	2	2800	800	800	0.933333
4145	016A	1000	0.02	2000	2	65	100	3	2	0	3000	1000	RH-3	40	density-lim	1000			0.7	4	2	2	2	2800	800	800	0.933333
4145	016B	1000	0.02	2000	2	65	100	3	2	0	3000	1000	RH-3	40	density-lim	1000			0.7	4	2	2	2	2800	800	800	0.933333
4145	016C	1000	0.02	2000	2	65	100	3	2	0	3000	1000	RH-3	40	density-lim	1000			0.7	4	2	2	2	2800	800	800	0.933333
4145	019	2500	0.06	2450	2	65	100	3	6	4	7500	5050	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4550	4550	0.933333
4145	020	2500	0.06	2672	2	65	100	3	6	4	7500	4828	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4328	4328	0.933333
4145	024	2497	0.06	2631	2	65	100	3	6	4	7491	4860	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6991.600098	4360.600098	4360.600098	0.933333
4145	032	2497	0.06	1625	2	65	100	3	6	4	7491	5866	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6991.600098	5366.600098	5366.600098	0.933333
4145	035	2125	0.05	3478	4	65	100	3	5	1	6375	2897	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	5950	2472	2472	0.933333
4145	038	2113	0.05	3515	2	65	100	3	5	3	6339	2824	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5916.399902	2401.399902	2401.399902	0.933333
4145	061	2497	0.06	1093	2	65	100	3	6	4	7491	6398	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6991.600098	5898.600098	5898.600098	0.933333
4145	063	2500	0.06	1085	2	65	100	3	6	4	7500	6415	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	5915	5915	0.933333
4146	006	2500	0.06	2085	2	65	100	3	6	4	7500	5415	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4915	4915	0.933333
4146	011	2600	0.06	2400	2	65	100	3	6	4	7800	5400	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	4880	4880	0.933333
4146	012	2600	0.06	2030	2	65	100	3	6	4	7800	5770	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	5250	5250	0.933333
4146	018	2781	0.06	2826	2	65	100	3	6	4	8343	5517	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7786.799805	4960.799805	4960.799805	0.933333
4146	024	2637	0.06	2240	2	65	100	3	6	4	7911	5671	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7383.600098	5143.600098	5143.600098	0.933333
4146	026	2633	0.06	3062	2	65	100	3	6	4	7899	4837	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7372.399902	4310.399902	4310.399902	0.933333
4146	029	2527	0.06	2000	2	65	100	3	6	4	7581	5581	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7075.600098	5075.600098	5075.600098	0.933333
4146	032	2521	0.06	2250	2	65	100	3	6	4	7563	5313	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7058.799805	4808.799805	4808.799805	0.933333
4146	033	2519	0.06	2596	2	65	100	3	6	4	7557	4961	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7053.199707	4457.199707	4457.199707	0.933333
4147	002	1750	0.04	1335	2	65	100	3	4	2	5250	3915	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3565	3565	0.933333
4147	003	2500	0.06	2362	2	65	100	3	6	4	7500	5138	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4638	4638	0.933333
4147	012	2500	0.06	2500	2	65	100	3	6	4	7500	5000	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4500	4500	0.933333
4149	015	2548	0.06	3213	2	65	100	3	6	4	7644	4431	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7134.399902	3921.399902	3921.399902	0.933333
4147	066	2600	0.06	1145	2	65	100	3	6	4	7800	6655	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	6135	6135	0.933333
4147	068	2451	0.06	1673	2	65	100	3	6	4	7353	5680	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6862.799805	5189.799805	5189.799805	0.933333
4147	070	2255	0.05	1023	2	65	100	3	5	3	6765	5742	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6314	5291	5291	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4147	072	2699	0.06	1273	2	65	100	3	6	4	8097	6824	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7557.199707	6284.199707	6284.199707	0.933333
4148	003	1781	0.04	1464	2	65	100	3	4	2	5343	3879	RH-2	40	density-lim	1500			0.7	4	1	2	2	4986.799805	3522.799805	3522.799805	0.933333
4148	008A	2733	0.06	2080	2	65	100	3	6	4	8199	6119	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7652.399902	5572.399902	5572.399902	0.933333
4148	011	2545	0.06	1800	2	65	100	3	6	4	7635	5835	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7126	5326	5326	0.933333
4148	013A	1988	0.05	3290	4	65	100	3	5	1	5964	2674	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	5566.399902	2276.399902	2276.399902	0.933333
4148	015A	2319	0.05	1508	2	65	100	3	5	3	6957	5449	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6493.199707	4985.199707	4985.199707	0.933333
4148	016B	1810	0.04	3600	4	65	100	3	4	0	5430	1830	RH-3	40	density-lim	1000	true		0.7	6	1.5	2	2	5068	1468	1468	0.933333
4148	022	2828	0.06	3692	2	65	100	3	6	4	8484	4792	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7918.399902	4226.399902	4226.399902	0.933333
4148	023	2860	0.07	2000	2	65	100	3	7	5	8580	6580	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8008	6008	6008	0.933333
4148	030	2386	0.05	1960	2	65	100	3	5	3	7158	5198	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6680.799805	4720.799805	4720.799805	0.933333
4149	004	2600	0.06	1424	2	65	100	3	6	4	7800	6376	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	5856	5856	0.933333
4149	007	2606	0.06	2112	2	65	100	3	6	4	7818	5706	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7296.799805	5184.799805	5184.799805	0.933333
4149	012	2615	0.06	2139	2	65	100	3	6	4	7845	5706	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7322	5183	5183	0.933333
4149	015A	2652	0.06	1686	2	65	100	3	6	4	7956	6270	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7425.600098	5739.600098	5739.600098	0.933333
4149	017	2600	0.06	1892	2	65	100	3	6	4	7800	5908	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	5388	5388	0.933333
4149	019	1775	0.04	1768	2	65	100	3	4	2	5325	3557	RH-2	40	density-lim	1500			0.7	4	1	2	2	4970	3202	3202	0.933333
4149	026	2600	0.06	2148	2	65	100	3	6	4	7800	5652	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	5132	5132	0.933333
4149	027	2600	0.06	2950	2	65	100	3	6	4	7800	4850	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	4330	4330	0.933333
4149	032	1229	0.03	2174	2	65	100	3	3	1	3687	1513	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3441.199951	1267.199951	1267.199951	0.933333
4149	042	2706	0.06	1375	2	65	100	3	6	4	8118	6743	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7576.799805	6201.799805	6201.799805	0.933333
4149	044	2600	0.06	1151	2	65	100	3	6	4	7800	6649	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	6129	6129	0.933333
4149	046	2617	0.06	1169	2	65	100	3	6	4	7851	6682	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7327.600098	6158.600098	6158.600098	0.933333
4150	004	2500	0.06	2423	1	65	100	3	6	5	7500	5077	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	4577	4577	0.933333
4150	012	3000	0.07	2928	2	65	100	3	7	5	9000	6072	RM-1	40	density-lim	800			0.7	4	0.571428597	2	2	8400	5472	5472	0.933333
4150	013	3000	0.07	5868	2	65	100	3	7	5	9000	3132	RM-1	40	density-lim	800	true		0.7	4	0.571428597	2	2	8400	2532	2532	0.933333
4150	016	2716	0.06	1167	1	65	100	3	6	5	8148	6981	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7604.799805	6437.799805	6437.799805	0.933333
4150	020	2629	0.06	2414	2	65	100	3	6	4	7887	5473	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7361.199707	4947.199707	4947.199707	0.933333
4150	022	2629	0.06	2300	2	65	100	3	6	4	7887	5587	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7361.199707	5061.199707	5061.199707	0.933333
4150	030	3034	0.07	2164	2	65	100	3	7	5	9102	6938	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8495.200195	6331.200195	6331.200195	0.933333
4150	032	1894	0.04	2380	2	65	100	3	4	2	5682	3302	RH-3	40	density-lim	1000			0.7	4	1	2	2	5303.199707	2923.199707	2923.199707	0.933333
4151	004	2485	0.06	1875	2	65	100	3	6	4	7455	5580	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6958	5083	5083	0.933333
4151	005	1674	0.04	1600	2	65	100	3	4	2	5022	3422	RH-2	40	density-lim	1500			0.7	4	1	2	2	4687.199707	3087.199707	3087.199707	0.933333
4151	009	2573	0.06	1768	2	65	100	3	6	4	7719	5951	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7204.399902	5436.399902	5436.399902	0.933333
4151	012	1649	0.04	1786	2	65	100	3	4	2	4947	3161	RH-2	40	density-lim	1500			0.7	4	1	2	2	4617.199707	2831.199707	2831.199707	0.933333
4151	013	2274	0.05	2000	2	65	100	3	5	3	6822	4822	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6367.199707	4367.199707	4367.199707	0.933333
4151	014	2274	0.05	2340	2	65	100	3	5	3	6822	4482	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6367.199707	4027.199707	4027.199707	0.933333
4151	019	2600	0.06	993	1	65	100	3	6	5	7800	6807	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7280	6287	6287	0.933333
4151	022B	2717	0.06	1375	1	65	100	3	6	5	8151	6776	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7607.600098	6232.600098	6232.600098	0.933333
4152	012	2486	0.06	1680	2	65	100	3	6	4	7458	5778	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6960.799805	5280.799805	5280.799805	0.933333
4152	013	2486	0.06	2090	2	65	100	3	6	4	7458	5368	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6960.799805	4870.799805	4870.799805	0.933333
4152	014	2485	0.06	3000	2	65	100	3	6	4	7455	4455	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6958	3958	3958	0.933333
4152	024	2500	0.06	2484	2	65	100	3	6	4	7500	5016	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4516	4516	0.933333
4152	025	2500	0.06	1313	2	65	100	3	6	4	7500	6187	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5687	5687	0.933333
4152	031	2500	0.06	2600	2	65	100	3	6	4	7500	4900	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4400	4400	0.933333
4152	038A	2500	0.06	1330	1	65	100	3	6	5	7500	6170	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	5670	5670	0.933333
4152	040	2242	0.05	1603	1	65	100	3	5	4	6726	5123	RM-1	40	density-lim	800			0.7	3	0.600000024	2	2	6277.600098	4674.600098	4674.600098	0.933333
4152	056	2500	0.06	1075	2	65	100	3	6	4	7500	6425	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5925	5925	0.933333
4158	027	2498	0.06	2933	2	55	80	2.5	5	3	6245	3312	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6994.399902	4061.399902	4061.399902	1.12
4158	029	2489	0.06	3625	4	55	80	2.5	5	1	6222	2597	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	6969.199707	3344.199707	3344.199707	1.12009
4158	030	2500	0.06	2325	2	55	80	2.5	5	3	6250	3925	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4675	4675	1.12
4158	031	2500	0.06	2310	2	55	80	2.5	5	3	6250	3940	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4690	4690	1.12
4158	034	2500	0.06	1364	2	65	100	3	6	4	7500	6136	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5636	5636	0.933333
4158	035	2500	0.06	2580	2	65	100	3	6	4	7500	4920	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4420	4420	0.933333
4158	039	2500	0.06	2072	2	65	100	3	6	4	7500	5428	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4928	4928	0.933333
4158	040	2500	0.06	2390	2	65	100	3	6	4	7500	5110	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4610	4610	0.933333
4158	041	2500	0.06	2796	2	65	100	3	6	4	7500	4704	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4204	4204	0.933333
4158	049	3300	0.08	2380	2	65	100	3	8	6	9900	7520	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9240	6860	6860	0.933333
4158	053	2500	0.06	2074	2	65	100	3	6	4	7500	5426	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4926	4926	0.933333
4158	055	2500	0.06	2300	2	65	100	3	6	4	7500	5200	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4700	4700	0.933333
4158	057A	2500	0.06	2500	2	65	100	3	6	4	7500	5000	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4500	4500	0.933333
4158	065	1911	0.04	2172	2	55	80	2.5	3	1	4778	2606	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	5350.799805	3178.799805	3178.799805	1.119883
4158	066	1911	0.04	752	2	55	80	2.5	3	1	4778	4026	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	5350.799805	4598.799805	4598.799805	1.119883
4158	067	2500	0.06	1330	2	65	100	3	6	4	7500	6170	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5670	5670	0.933333
4158	071	3299	0.08	1056	2	55	80	2.5	6	4	8248	7192	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	9237.200195	8181.200195	8181.200195	1.119932

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4158	073	2500	0.06	992	2	65	100	3	6	4	7500	6508	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	6008	6008	0.933333
4158	075	2500	0.06	1878	2	65	100	3	6	4	7500	5622	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5122	5122	0.933333
4158	077	2500	0.06	1188	2	55	80	2.5	5	3	6250	5062	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5812	5812	1.12
4159	001	2650	0.06	4054	4	65	100	3	6	2	7950	3896	RH-3	40	density-lim	1000	true		0.7	6	1	2	2	7420	3366	3366	0.933333
4159	004	2510	0.06	1045	2	65	100	3	6	4	7530	6485	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7028	5983	5983	0.933333
4159	008	2508	0.06	2581	2	65	100	3	6	4	7524	4943	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7022.399902	4441.399902	4441.399902	0.933333
4159	017	3307	0.08	2175	2	65	100	3	8	6	9921	7746	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9259.599609	7084.599609	7084.599609	0.933333
4159	022	2504	0.06	2780	2	65	100	3	6	4	7512	4732	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7011.199707	4231.199707	4231.199707	0.933333
4159	024	2503	0.06	1985	2	65	100	3	6	4	7509	5524	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7008.399902	5023.399902	5023.399902	0.933333
4159	034	2500	0.06	1530	2	65	100	3	6	4	7500	5970	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5470	5470	0.933333
4159	036	2500	0.06	1580	2	65	100	3	6	4	7500	5920	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5420	5420	0.933333
4159	039	2500	0.06	3626	4	55	80	2.5	5	1	6250	2624	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	7000	3374	3374	1.12
4159	045	2500	0.06	1672	2	65	100	3	6	4	7500	5828	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5328	5328	0.933333
4159	052	3300	0.08	1798	2	65	100	3	8	6	9900	8102	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9240	7442	7442	0.933333
4159	066	2535	0.06	2290	2	65	100	3	6	4	7605	5315	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7098	4808	4808	0.933333
4159	069	2535	0.06	1549	2	65	100	3	6	4	7605	6056	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7098	5549	5549	0.933333
4159	071	2510	0.06	2058	2	65	100	3	6	4	7530	5472	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7028	4970	4970	0.933333
4159	073	2506	0.06	1923	2	65	100	3	6	4	7518	5595	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7016.799805	5093.799805	5093.799805	0.933333
4159	091	2535	0.06	2158	2	65	100	3	6	4	7605	5447	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7098	4940	4940	0.933333
4160	017	3273	0.08	2844	2	65	100	3	8	6	9819	6975	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9164.399414	6320.399414	6320.399414	0.933333
4160	018	3273	0.08	840	2	65	100	3	8	6	9819	8979	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9164.399414	8324.399414	8324.399414	0.933333
4160	019	2480	0.06	2253	2	65	100	3	6	4	7440	5187	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6944	4691	4691	0.933333
4160	023	2481	0.06	1766	2	65	100	3	6	4	7443	5677	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6946.799805	5180.799805	5180.799805	0.933333
4160	024	2482	0.06	1709	2	65	100	3	6	4	7446	5737	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6949.600098	5240.600098	5240.600098	0.933333
4160	025	2482	0.06	1835	2	65	100	3	6	4	7446	5611	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6949.600098	5114.600098	5114.600098	0.933333
4160	026	2482	0.06	948	2	65	100	3	6	4	7446	6498	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6949.600098	6001.600098	6001.600098	0.933333
4160	029	2483	0.06	2160	2	65	100	3	6	4	7449	5289	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6952.399902	4792.399902	4792.399902	0.933333
4160	031A	2500	0.06	2398	2	65	100	3	6	4	7500	5102	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4602	4602	0.933333
4160	038	3750	0.09	1736	2	65	100	3	9	7	11250	9514	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	10500	8764	8764	0.933333
4160	046	2500	0.06	2124	2	65	100	3	6	4	7500	5376	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4876	4876	0.933333
4160	048	2000	0.05	1898	2	65	100	3	5	3	6000	4102	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5600	3702	3702	0.933333
4160	059	2500	0.06	1772	2	65	100	3	6	4	7500	5728	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5228	5228	0.933333
4160	070	2483	0.06	1075	2	65	100	3	6	4	7449	6374	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6952.399902	5877.399902	5877.399902	0.933333
4160	072	2476	0.06	1877	2	65	100	3	6	4	7428	5551	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6932.799805	5055.799805	5055.799805	0.933333
4160	074	2500	0.06	1568	2	65	100	3	6	4	7500	5932	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5432	5432	0.933333
4160	076	2477	0.06	1534	2	65	100	3	6	4	7431	5897	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6935.600098	5401.600098	5401.600098	0.933333
4160	078	2500	0.06	973	2	65	100	3	6	4	7500	6527	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	6027	6027	0.933333
4160	080	2500	0.06	2030	2	65	100	3	6	4	7500	5470	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4970	4970	0.933333
4160	084	2477	0.06	846	2	65	100	3	6	4	7431	6585	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6935.600098	6089.600098	6089.600098	0.933333
4161	005	2516	0.06	2349	2	65	100	3	6	4	7548	5199	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7044.799805	4695.799805	4695.799805	0.933333
4161	006	2516	0.06	2208	2	65	100	3	6	4	7548	5340	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7044.799805	4836.799805	4836.799805	0.933333
4161	017	2512	0.06	2520	2	65	100	3	6	4	7536	5016	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7033.600098	4513.600098	4513.600098	0.933333
4161	018	2512	0.06	2172	2	65	100	3	6	4	7536	5364	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7033.600098	4861.600098	4861.600098	0.933333
4161	019	2511	0.06	2217	2	65	100	3	6	4	7533	5316	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7030.799805	4813.799805	4813.799805	0.933333
4161	020	2511	0.06	4660	2	65	100	3	6	4	7533	2873	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7030.799805	2370.799805	2370.799805	0.933333
4161	025	2500	0.06	3357	2	65	100	3	6	4	7500	4143	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3643	3643	0.933333
4161	040	2500	0.06	2276	2	65	100	3	6	4	7500	5224	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4724	4724	0.933333
4161	056	2500	0.06	2594	2	65	100	3	6	4	7500	4906	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4406	4406	0.933333
4161	057	2500	0.06	1067	2	65	100	3	6	4	7500	6433	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5933	5933	0.933333
4161	059	2500	0.06	1067	2	65	100	3	6	4	7500	6433	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5933	5933	0.933333
4161	061	2500	0.06	1067	2	65	100	3	6	4	7500	6433	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5933	5933	0.933333
4161	063	2500	0.06	1155	2	65	100	3	6	4	7500	6345	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5845	5845	0.933333
4161	065	2500	0.06	1355	2	65	100	3	6	4	7500	6145	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5645	5645	0.933333
4161	070	2500	0.06	1138	2	65	100	3	6	4	7500	6362	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5862	5862	0.933333
4161	072	2500	0.06	1369	2	65	100	3	6	4	7500	6131	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5631	5631	0.933333
4161	076	2513	0.06	900	2	65	100	3	6	4	7539	6639	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7036.399902	6136.399902	6136.399902	0.933333
4161	078	2500	0.06	1309	2	65	100	3	6	4	7500	6191	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5691	5691	0.933333
4161	080	2646	0.06	1701	2	65	100	3	6	4	7938	6237	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7408.799805	5707.799805	5707.799805	0.933333
4161	082	2500	0.06	1210	2	65	100	3	6	4	7500	6290	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5790	5790	0.933333
4161	084	2515	0.06	961	2	65	100	3	6	4	7545	6584	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7042	6081	6081	0.933333
4161	086	2513	0.06	1941	2	65	100	3	6	4	7539	5598	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7036.399902	5095.399902	5095.399902	0.933333
4161	088	2511	0.06	1212	2	65	100	3	6	4	7533	6321	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7030.799805	5818.799805	5818.799805	0.933333
4161	090	2510	0.06	825	2	65	100	3	6	4	7530	6705	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7028	6203	6203	0.933333
4161	101	2516	0.06	2202	2	65	100	3	6	4	7548	5346	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7044.799805	4842.799805	4842.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4162	001A	2519	0.06	1500	2	65	100	3	6	4	7557	6057	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7053.199707	5553.199707	5553.199707	0.933333
4162	015	2500	0.06	2588	2	65	100	3	6	4	7500	4912	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	4412	4412	0.933333
4162	024	2581	0.06	3028	4	65	100	3	6	2	7743	4715	RH-2	40	density-lin	1500	true		0.7	6	1	2	2	7226.799805	4198.799805	4198.799805	0.933333
4162	046	2526	0.06	2636	2	65	100	3	6	4	7578	4942	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7072.799805	4436.799805	4436.799805	0.933333
4162	054	2528	0.06	3385	4	65	100	3	6	2	7584	4199	RH-2	40	density-lin	1500	true		0.7	6	1	2	2	7078.399902	3693.399902	3693.399902	0.933333
4162	067	2531	0.06	2008	2	65	100	3	6	4	7593	5585	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7086.799805	5078.799805	5078.799805	0.933333
4162	071	2532	0.06	830	2	65	100	3	6	4	7596	6766	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7089.600098	6259.600098	6259.600098	0.933333
4162	075	2529	0.06	1111	2	65	100	3	6	4	7587	6476	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7081.199707	5970.199707	5970.199707	0.933333
4162	102	2529	0.06	1560	2	65	100	3	6	4	7587	6027	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7081.199707	5521.199707	5521.199707	0.933333
4162	106	2500	0.06	1855	2	65	100	3	6	4	7500	5645	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	5145	5145	0.933333
4162	108	2530	0.06	1228	2	65	100	3	6	4	7590	6362	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7084	5856	5856	0.933333
4162	110	2500	0.06	922	2	65	100	3	6	4	7500	6578	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	6078	6078	0.933333
4171	004	2500	0.06	2310	2	75	120	3.5	7	5	8750	6440	RH-3	40	density-lin	1000			0.7	4	0.571428597	2	2	7000	4690	4690	0.8
4171	005	2500	0.06	2000	2	75	120	3.5	7	5	8750	6750	RH-3	40	density-lin	1000			0.7	4	0.571428597	2	2	7000	5000	5000	0.8
4171	017	2142	0.05	5040	3	75	120	3.5	6	3	7497	2457	NCT-2	45	form-based				0.75	5	0.833333313	2	2	6426	1386	1386	0.857143
4172	004	2148	0.05	2233	3	75	120	3.5	6	3	7518	5285	NCT-2	45	form-based				0.75	5	0.833333313	2	2	6444	4211	4211	0.857143
4172	034	1895	0.04	2584	2	75	120	3.5	5	3	6632	4048	NCT-2	45	form-based				0.75	4	0.800000012	2	2	5685	3101	3101	0.857207
4172	075	2801	0.06	771	4	75	120	3.5	7	3	9804	9033	NCT-2	45	form-based				0.75	6	0.857142866	2	2	8403	7632	7632	0.857099
4206	005	2610	0.06	2239	2	65	100	3	6	4	7830	5591	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7308	5069	5069	0.933333
4206	006	2610	0.06	2940	2	65	100	3	6	4	7830	4890	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7308	4368	4368	0.933333
4206	011	2609	0.06	3011	2	65	100	3	6	4	7827	4816	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7305.199707	4294.199707	4294.199707	0.933333
4206	012	2609	0.06	2222	2	65	100	3	6	4	7827	5605	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7305.199707	5083.199707	5083.199707	0.933333
4206	013	2609	0.06	2692	2	65	100	3	6	4	7827	5135	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7305.199707	4613.199707	4613.199707	0.933333
4206	020	2600	0.06	2324	2	65	100	3	6	4	7800	5476	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7280	4956	4956	0.933333
4206	020A	2600	0.06	3710	2	65	100	3	6	4	7800	4090	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7280	3570	3570	0.933333
4206	025	2600	0.06	1970	2	65	100	3	6	4	7800	5830	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7280	5310	5310	0.933333
4206	031	1950	0.04	1400	2	65	100	3	4	2	5850	4450	RH-2	40	density-lin	1500			0.7	4	1	2	2	5460	4060	4060	0.933333
4206	032	1950	0.04	2524	2	65	100	3	4	2	5850	3326	RH-2	40	density-lin	1500			0.7	4	1	2	2	5460	2936	2936	0.933333
4206	034	1330	0.03	2340	2	65	100	3	3	1	3990	1650	RH-2	40	density-lin	1500			0.7	4	1.333333373	2	2	3724	1384	1384	0.933333
4206	034A	1329	0.03	2320	2	65	100	3	3	1	3987	1667	RH-2	40	density-lin	1500			0.7	4	1.333333373	2	2	3721.199951	1401.199951	1401.199951	0.933333
4206	038	2033	0.05	3720	3	65	100	3	5	2	6099	2379	NCT-24TH-	45	form-based		true		0.75	5	1	2	2	6099	2379	2379	1
4206	043	1440	0.03	977	2	65	100	3	3	1	4320	3343	RH-2	40	density-lin	1500			0.7	4	1.333333373	2	2	4032	3055	3055	0.933333
4206	045	2600	0.06	1439	2	65	100	3	6	4	7800	6361	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7280	5841	5841	0.933333
4206	047	2600	0.06	1471	2	65	100	3	6	4	7800	6329	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7280	5809	5809	0.933333
4206	058	2610	0.06	1529	2	65	100	3	6	4	7830	6301	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7308	5779	5779	0.933333
4207	002	2596	0.06	2500	2	65	100	3	6	4	7788	5288	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7268.799805	4768.799805	4768.799805	0.933333
4207	005	2347	0.05	2014	2	65	100	3	5	3	7041	5027	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	6571.600098	4557.600098	4557.600098	0.933333
4207	006	2896	0.07	2120	2	65	100	3	7	5	8688	6568	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	8108.799805	5988.799805	5988.799805	0.933333
4207	011	2297	0.05	1896	2	65	100	3	5	3	6891	4995	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	6431.600098	4535.600098	4535.600098	0.933333
4207	014A	1105	0.03	1908	2	65	100	3	3	1	3315	1407	RH-2	40	density-lin	1500			0.7	4	1.333333373	2	2	3094	1186	1186	0.933333
4207	024	2500	0.06	1950	2	65	100	3	6	4	7500	5550	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	5050	5050	0.933333
4207	026	2500	0.06	2144	2	65	100	3	6	4	7500	5356	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	4856	4856	0.933333
4207	031	1524	0.03	2500	2	65	100	3	3	1	4572	2072	RH-2	40	density-lin	1500			0.7	4	1.333333373	2	2	4267.199707	1767.199707	1767.199707	0.933333
4207	035	2624	0.06	2016	2	65	100	3	6	4	7872	5856	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7347.199707	5331.199707	5331.199707	0.933333
4207	036	2623	0.06	2250	2	65	100	3	6	4	7869	5619	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7344.399902	5094.399902	5094.399902	0.933333
4207	037	2623	0.06	1900	2	65	100	3	6	4	7869	5969	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7344.399902	5444.399902	5444.399902	0.933333
4207	041	2347	0.05	1058	2	65	100	3	5	3	7041	5983	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	6571.600098	5513.600098	5513.600098	0.933333
4208	028	2600	0.06	2168	2	65	100	3	6	4	7800	5632	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7280	5112	5112	0.933333
4207	043	2625	0.06	2154	2	65	100	3	6	4	7875	5721	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7350	5196	5196	0.933333
4207	045	2624	0.06	1587	2	65	100	3	6	4	7872	6285	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7347.199707	5760.199707	5760.199707	0.933333
4207	047	2500	0.06	983	2	65	100	3	6	4	7500	6517	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	6017	6017	0.933333
4207	049	2500	0.06	940	2	65	100	3	6	4	7500	6560	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	6060	6060	0.933333
4208	002	2585	0.06	2760	2	65	100	3	6	4	7755	4995	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7238	4478	4478	0.933333
4208	005	2585	0.06	2560	2	65	100	3	6	4	7755	5195	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7238	4678	4678	0.933333
4208	007	2485	0.06	1442	2	65	100	3	6	4	7455	6013	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	6958	5516	5516	0.933333
4208	009	2585	0.06	2976	2	65	100	3	6	4	7755	4779	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7238	4262	4262	0.933333
4208	010	2585	0.06	2976	2	65	100	3	6	4	7755	4779	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7238	4262	4262	0.933333
4208	011	2585	0.06	1350	2	65	100	3	6	4	7755	6405	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7238	5888	5888	0.933333
4208	014	2585	0.06	2210	2	65	100	3	6	4	7755	5545	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7238	5028	5028	0.933333
4208	015	2585	0.06	3638	2	65	100	3	6	4	7755	4117	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7238	3600	3600	0.933333
4208	016	2585	0.06	1510	2	65	100	3	6	4	7755	6245	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7238	5728	5728	0.933333
4208	024	2600	0.06	2385	2	65	100	3	6	4	7800	5415	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7280	4895	4895	0.933333
4208	029	2600	0.06	2000	2	65	100	3	6	4	7800	5800	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7280	5280	5280	0.933333
4208	033	2600	0.06	2440	2	65	100	3	6	4	7800	5360	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7280	4840	4840	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4208	036	2620	0.06	1496	1	65	100	3	6	5	7860	6364	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7336	5840	5840	0.933333
4208	039	2600	0.06	1469	2	65	100	3	6	4	7800	6331	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	5811	5811	0.933333
4208	041	2585	0.06	1823	2	65	100	3	6	4	7755	5932	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7238	5415	5415	0.933333
4208	043	2625	0.06	1033	2	65	100	3	6	4	7875	6842	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7350	6317	6317	0.933333
4208	045	2684	0.06	1271	2	65	100	3	6	4	8052	6781	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7515.199707	6244.199707	6244.199707	0.933333
4209	003	2618	0.06	1430	2	65	100	3	6	4	7854	6424	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7330.399902	5900.399902	5900.399902	0.933333
4209	004	2618	0.06	2610	2	65	100	3	6	4	7854	5244	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7330.399902	4720.399902	4720.399902	0.933333
4209	009	2618	0.06	1564	2	65	100	3	6	4	7854	6290	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7330.399902	5766.399902	5766.399902	0.933333
4209	010	2618	0.06	2304	2	65	100	3	6	4	7854	5550	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7330.399902	5026.399902	5026.399902	0.933333
4209	010A	2618	0.06	2620	2	65	100	3	6	4	7854	5234	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7330.399902	4710.399902	4710.399902	0.933333
4209	011	2618	0.06	1888	2	65	100	3	6	4	7854	5966	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7330.399902	5442.399902	5442.399902	0.933333
4209	022	2600	0.06	1698	2	65	100	3	6	4	7800	6102	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	5582	5582	0.933333
4209	026	2600	0.06	4387	2	65	100	3	6	4	7800	3413	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	2893	2893	0.933333
4209	028	2125	0.05	2720	2	65	100	3	5	3	6375	3655	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5950	3230	3230	0.933333
4209	029	2600	0.06	2376	2	65	100	3	6	4	7800	5424	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	4904	4904	0.933333
4209	042	2600	0.06	945	2	65	100	3	6	4	7800	6855	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	6335	6335	0.933333
4209	044	2618	0.06	2270	2	65	100	3	6	4	7854	5584	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7330.399902	5060.399902	5060.399902	0.933333
4210	001A	2864	0.07	2550	2	65	100	3	7	5	8592	6042	RM-1	40	density-lim	800			0.7	4	0.571428597	2	2	8019.199707	5469.199707	5469.199707	0.933333
4210	003	2608	0.06	2130	2	65	100	3	6	4	7824	5694	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7302.399902	5172.399902	5172.399902	0.933333
4210	004	2608	0.06	1902	2	65	100	3	6	4	7824	5922	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7302.399902	5400.399902	5400.399902	0.933333
4210	005	2608	0.06	1979	2	65	100	3	6	4	7824	5845	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7302.399902	5323.399902	5323.399902	0.933333
4210	008	2708	0.06	2734	2	65	100	3	6	4	8124	5390	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7582.399902	4848.399902	4848.399902	0.933333
4210	013	2608	0.06	3077	2	65	100	3	6	4	7824	4747	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7302.399902	4225.399902	4225.399902	0.933333
4210	021	2600	0.06	2500	2	65	100	3	6	4	7800	5300	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	4780	4780	0.933333
4210	022	2600	0.06	2145	2	65	100	3	6	4	7800	5655	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	5135	5135	0.933333
4210	024	2600	0.06	3933	2	65	100	3	6	4	7800	3867	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	3347	3347	0.933333
4210	026	2700	0.06	2327	2	65	100	3	6	4	8100	5773	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7560	5233	5233	0.933333
4210	031	2600	0.06	2036	2	65	100	3	6	4	7800	5764	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	5244	5244	0.933333
4210	033	2610	0.06	1487	1	65	100	3	6	5	7830	6343	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7308	5821	5821	0.933333
4210	035	2609	0.06	1054	1	65	100	3	6	5	7827	6773	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7305.199707	6251.199707	6251.199707	0.933333
4210	037	2640	0.06	1040	1	65	100	3	6	5	7920	6880	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7392	6352	6352	0.933333
4210	038	2600	0.06	1076	2	65	100	3	6	4	7800	6724	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	6204	6204	0.933333
4210	040	2600	0.06	1100	2	65	100	3	6	4	7800	6700	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	6180	6180	0.933333
4211	002	2487	0.06	2486	2	65	100	3	6	4	7461	4975	RH-3	55	density-lim	1000			0.7	4	0.666666687	2	2	8704.5	6218.5	6218.5	1.166667
4211	003	2486	0.06	2666	2	65	100	3	6	4	7458	4792	RH-3	55	density-lim	1000			0.7	4	0.666666687	2	2	8701	6035	6035	1.166667
4211	012	2188	0.05	2422	2	65	100	3	5	3	6564	4142	RH-3	55	density-lim	1000			0.7	4	0.800000012	2	2	7658	5236	5236	1.166667
4211	017A	1856	0.04	2584	2	65	100	3	4	2	5568	2984	RH-2	40	density-lim	1500			0.7	4	1	2	2	5196.799805	2612.799805	2612.799805	0.933333
4211	017B	1875	0.04	2180	2	65	100	3	4	2	5625	3445	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	3070	3070	0.933333
4211	026	2500	0.06	1910	2	65	100	3	6	4	7500	5590	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5090	5090	0.933333
4212	010	2500	0.06	2616	2	65	100	3	6	4	7500	4884	RH-3	55	density-lim	1000			0.7	4	0.666666687	2	2	8750	6134	6134	1.166667
4212	014	2500	0.06	2812	2	65	100	3	6	4	7500	4688	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4188	4188	0.933333
4212	015	2500	0.06	2175	2	65	100	3	6	4	7500	5325	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4825	4825	0.933333
4214	005	2866	0.07	2000	2	65	100	3	7	5	8598	6598	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8024.799805	6024.799805	6024.799805	0.933333
4214	007A	3719	0.09	3704	2	65	100	3	9	7	11157	7453	RH-2	40	density-lim	1500			0.7	4	0.444444448	2	2	10413.2002	6709.200195	6709.200195	0.933333
4214	014	2500	0.06	1104	1	65	100	3	6	5	7500	6396	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	5896	5896	0.933333
4214	025	2494	0.06	2462	2	65	100	3	6	4	7482	5020	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6983.199707	4521.199707	4521.199707	0.933333
4214	029	2474	0.06	3300	4	65	100	3	6	2	7422	4122	RH-2	40	density-lim	1500	true		0.7	6	1	2	2	6927.199707	3627.199707	3627.199707	0.933333
4214	030	2494	0.06	1270	2	65	100	3	6	4	7482	6212	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6983.199707	5713.199707	5713.199707	0.933333
4216	002	80224	1.84	726	132	65	100	3	184	52	240672	239946	RM-2	40	density-lim	600	true		0.55	134	0.728260875	2	2	176492.7969	175766.7969	175766.7969	0.733333
4217	002	2485	0.06	2885	2	65	100	3	6	4	7455	4570	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6958	4073	4073	0.933333
4217	008	2485	0.06	1900	2	65	100	3	6	4	7455	5555	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6958	5058	5058	0.933333
4217	009	2485	0.06	1926	2	55	80	2.5	5	3	6212	4286	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6958	5032	5032	1.12009
4217	015	1875	0.04	2810	2	55	80	2.5	3	1	4688	1878	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	5250	2440	2440	1.119881
4217	018	2500	0.06	1954	2	55	80	2.5	5	3	6250	4296	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5046	5046	1.12
4217	020	2500	0.06	1740	2	55	80	2.5	5	3	6250	4510	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5260	5260	1.12
4217	022	2500	0.06	2120	2	55	80	2.5	5	3	6250	4130	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4880	4880	1.12
4217	023	2500	0.06	2000	2	55	80	2.5	5	3	6250	4250	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5000	5000	1.12
4217	024	2500	0.06	2000	2	55	80	2.5	5	3	6250	4250	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5000	5000	1.12
4217	026	2500	0.06	3120	2	55	80	2.5	5	3	6250	3130	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	3880	3880	1.12
4217	032	2485	0.06	916	2	65	100	3	6	4	7455	6539	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6958	6042	6042	0.933333
4217	038	1875	0.04	1419	2	55	80	2.5	3	1	4688	3269	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	5250	3831	3831	1.119881
4217	040	2522	0.06	1149	2	65	100	3	6	4	7566	6417	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7061.600098	5912.600098	5912.600098	0.933333
4217	042	1875	0.04	1535	2	55	80	2.5	3	1	4688	3153	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	5250	3715	3715	1.119881
4217	044	2500	0.06	1030	2	55	80	2.5	5	3	6250	5220	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5970	5970	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4218	031	3333	0.08	1666	2	55	80	2.5	6	4	8332	6666	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9332.399414	7666.399414	7666.399414	1.120067
4218	035	3333	0.08	1475	2	65	100	3	8	6	9999	8524	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9332.399414	7857.399414	7857.399414	0.933333
4218	036	3333	0.08	3346	2	65	100	3	8	6	9999	6653	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9332.399414	5986.399414	5986.399414	0.933333
4218	051	3333	0.08	1350	2	55	80	2.5	6	4	8332	6982	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	9332.399414	7982.399414	7982.399414	1.120067
4218	057	3000	0.07	1729	2	65	100	3	7	5	9000	7271	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8400	6671	6671	0.933333
4218	063	3000	0.07	1652	2	65	100	3	7	5	9000	7348	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8400	6748	6748	0.933333
4219	003	2538	0.06	3430	2	65	100	3	6	4	7614	4184	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7106.399902	3676.399902	3676.399902	0.933333
4219	005	3437	0.08	1119	2	65	100	3	8	6	10311	9192	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9623.599609	8504.599609	8504.599609	0.933333
4219	042	2500	0.06	1600	2	65	100	3	6	4	7500	5900	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5400	5400	0.933333
4219	058	2500	0.06	1400	2	65	100	3	6	4	7500	6100	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5600	5600	0.933333
4219	064	2615	0.06	808	2	65	100	3	6	4	7845	7037	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7322	6514	6514	0.933333
4220	026	2500	0.06	1810	2	65	100	3	6	4	7500	5690	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5190	5190	0.933333
4220	027	2500	0.06	1840	2	65	100	3	6	4	7500	5660	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5160	5160	0.933333
4220	032	2500	0.06	2220	2	65	100	3	6	4	7500	5280	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4780	4780	0.933333
4220	033	2500	0.06	2508	2	65	100	3	6	4	7500	4992	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4492	4492	0.933333
4220	037	2500	0.06	3304	2	65	100	3	6	4	7500	4196	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3696	3696	0.933333
4220	041	3300	0.08	1896	2	65	100	3	8	6	9900	8004	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9240	7344	7344	0.933333
4220	042	2500	0.06	1486	2	65	100	3	6	4	7500	6014	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5514	5514	0.933333
4224	044	2576	0.06	2146	2	65	100	3	6	4	7728	5582	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7212.799805	5066.799805	5066.799805	0.933333
4224	080	5000	0.11	1591	9	65	100	3	11	2	15000	13409	UMU	40	form-based				0.75	11	1	2	2	15000	13409	13409	1
4224	120	2500	0.06	1440	2	75	120	3.5	7	5	8750	7310	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	5560	5560	0.8
4224	150	3084	0.07	2988	2	65	100	3	7	5	9252	6264	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8635.200195	5647.200195	5647.200195	0.933333
4224	151	2068	0.05	1260	2	65	100	3	5	3	6204	4944	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5790.399902	4530.399902	4530.399902	0.933333
4224	163	2825	0.06	1235	4	65	100	3	6	2	8475	7240	UMU	40	form-based				0.75	6	1	2	2	8475	7240	7240	1
4224	171	2500	0.06	2026	2	65	100	3	6	4	7500	5474	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4974	4974	0.933333
4224	176	2500	0.06	1673	2	65	100	3	6	4	7500	5827	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	5327	5327	0.933333
4259	021	2485	0.06	2464	2	55	80	2.5	5	3	6212	3748	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6958	4494	4494	1.12009
4259	023	2485	0.06	2740	2	55	80	2.5	5	3	6212	3472	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6958	4218	4218	1.12009
4259	024	2485	0.06	2900	2	55	80	2.5	5	3	6212	3312	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6958	4058	4058	1.12009
4259	026	2426	0.06	3600	4	55	80	2.5	5	1	6065	2465	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	6792.799805	3192.799805	3192.799805	1.12
4259	027	2482	0.06	2270	2	55	80	2.5	5	3	6205	3935	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6949.600098	4679.600098	4679.600098	1.12
4259	030	2477	0.06	1650	2	55	80	2.5	5	3	6192	4542	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6935.600098	5285.600098	5285.600098	1.12009
4259	036	2500	0.06	1305	2	55	80	2.5	5	3	6250	4945	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5695	5695	1.12
4259	037	2500	0.06	1980	2	55	80	2.5	5	3	6250	4270	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5020	5020	1.12
4259	039	2500	0.06	1980	2	55	80	2.5	5	3	6250	4270	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5020	5020	1.12
4259	041	2500	0.06	1980	2	55	80	2.5	5	3	6250	4270	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5020	5020	1.12
4259	046	2500	0.06	1687	2	55	80	2.5	5	3	6250	4563	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5313	5313	1.12
4259	048	2500	0.06	1687	2	55	80	2.5	5	3	6250	4563	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5313	5313	1.12
4259	050	2485	0.06	1384	2	55	80	2.5	5	3	6212	4828	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6958	5574	5574	1.12009
4259	052	2500	0.06	1500	2	55	80	2.5	5	3	6250	4750	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5500	5500	1.12
4259	054	2481	0.06	1325	2	55	80	2.5	5	3	6202	4877	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6946.799805	5621.799805	5621.799805	1.12009
4259	056	2500	0.06	1236	2	55	80	2.5	5	3	6250	5014	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	7000	5764	5764	1.12
4260	003	2500	0.06	2480	2	55	80	2.5	5	3	6250	3770	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4520	4520	1.12
4260	004A	2500	0.06	1942	2	55	80	2.5	5	3	6250	4308	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5058	5058	1.12
4260	014	1892	0.04	2411	2	65	100	3	4	2	5676	3265	RH-2	40	density-lim	1500			0.7	4	1	2	2	5297.600098	2886.600098	2886.600098	0.933333
4260	017	2517	0.06	1842	2	65	100	3	6	4	7551	5709	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7047.600098	5205.600098	5205.600098	0.933333
4260	018	2517	0.06	1942	2	65	100	3	6	4	7551	5609	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7047.600098	5105.600098	5105.600098	0.933333
4260	019	2517	0.06	1440	2	65	100	3	6	4	7551	6111	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7047.600098	5607.600098	5607.600098	0.933333
4260	024	2517	0.06	2910	2	65	100	3	6	4	7551	4641	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7047.600098	4137.600098	4137.600098	0.933333
4260	025	1892	0.04	2520	2	65	100	3	4	2	5676	3156	RH-2	40	density-lim	1500			0.7	4	1	2	2	5297.600098	2777.600098	2777.600098	0.933333
4260	025A	1892	0.04	1808	2	65	100	3	4	2	5676	3868	RH-2	40	density-lim	1500			0.7	4	1	2	2	5297.600098	3489.600098	3489.600098	0.933333
4260	029	2496	0.06	3500	2	55	80	2.5	5	3	6240	2740	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6988.799805	3488.799805	3488.799805	1.12
4260	030	2448	0.06	2596	2	55	80	2.5	5	3	6120	3524	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6854.399902	4258.399902	4258.399902	1.12
4260	041	2500	0.06	1479	2	55	80	2.5	5	3	6250	4771	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5521	5521	1.12
4262	008	2466	0.06	3782	2	65	100	3	6	4	7398	3616	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6904.799805	3122.799805	3122.799805	0.933333
4262	009	1875	0.04	2310	2	65	100	3	4	2	5625	3315	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	2940	2940	0.933333
4262	019	2500	0.06	1604	2	65	100	3	6	4	7500	5896	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5396	5396	0.933333
4262	020A	2429	0.06	3034	2	65	100	3	6	4	7287	4253	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6801.199707	3767.199707	3767.199707	0.933333
4262	027	2486	0.06	1415	1	65	100	3	6	5	7458	6043	RM-1	40	density-lim	800			0.7	3	0.5	2	2	6960.799805	5545.799805	5545.799805	0.933333
4262	031	3200	0.07	2192	2	65	100	3	7	5	9600	7408	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8960	6768	6768	0.933333
4262	033	2466	0.06	1145	2	65	100	3	6	4	7398	6253	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6904.799805	5759.799805	5759.799805	0.933333
4262	045	2535	0.06	1973	2	65	100	3	6	4	7605	5632	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7098	5125	5125	0.933333
4263	004	2500	0.06	2749	2	65	100	3	6	4	7500	4751	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4251	4251	0.933333
4263	007	2500	0.06	2693	2	65	100	3	6	4	7500	4807	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4307	4307	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4263	008B	1875	0.04	5283	4	65	100	3	4	0	5625	342	RH-3	40	density-lin	1000	true		0.7	6	1.5	2	2	5250	0	0	0.933333
4263	023	1857	0.04	2900	2	65	100	3	4	2	5571	2671	NCT-24TH-	40	form-based		true		0.75	4	1	2	2	5571	2671	2671	1
4263	024	2103	0.05	1275	2	65	100	3	5	3	6309	5034	RH-3	40	density-lin	1000			0.7	4	0.800000012	2	2	5888.399902	4613.399902	4613.399902	0.933333
4263	026	2491	0.06	1875	2	65	100	3	6	4	7473	5598	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6974.799805	5099.799805	5099.799805	0.933333
4263	030	2490	0.06	1381	2	65	100	3	6	4	7470	6089	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6972	5591	5591	0.933333
4263	032	2500	0.06	1447	2	65	100	3	6	4	7500	6053	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7000	5553	5553	0.933333
4264	004	2494	0.06	3119	2	65	100	3	6	4	7482	4363	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6983.199707	3864.199707	3864.199707	0.933333
4264	006	2494	0.06	2360	2	65	100	3	6	4	7482	5122	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6983.199707	4623.199707	4623.199707	0.933333
4264	008	2500	0.06	3010	2	65	100	3	6	4	7500	4490	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7000	3990	3990	0.933333
4264	009	2509	0.06	3840	4	65	100	3	6	2	7527	3687	RH-3	40	density-lin	1000	true		0.7	6	1	2	2	7025.199707	3185.199707	3185.199707	0.933333
4264	010A	2527	0.06	2152	2	65	100	3	6	4	7581	5429	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7075.600098	4923.600098	4923.600098	0.933333
4264	010B	2526	0.06	2152	2	65	100	3	6	4	7578	5426	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7072.799805	4920.799805	4920.799805	0.933333
4264	011	2526	0.06	2620	2	65	100	3	6	4	7578	4958	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7072.799805	4452.799805	4452.799805	0.933333
4264	011A	2525	0.06	2800	2	65	100	3	6	4	7575	4775	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7070	4270	4270	0.933333
4264	013	2525	0.06	2516	2	85	140	4	8	6	10100	7584	RH-3	40	density-lin	1000			0.7	4	0.5	2	2	7070	4554	4554	0.7
4264	053	2513	0.06	988	2	65	100	3	6	4	7539	6551	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7036.399902	6048.399902	6048.399902	0.933333
4264	061	2563	0.06	831	4	65	100	3	6	2	7689	6858	RH-3	40	density-lin	1000	true		0.7	6	1	2	2	7176.399902	6345.399902	6345.399902	0.933333
4265	009	2500	0.06	1698	2	65	100	3	6	4	7500	5802	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7000	5302	5302	0.933333
4265	010	2500	0.06	2992	2	65	100	3	6	4	7500	4508	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7000	4008	4008	0.933333
4265	011	2500	0.06	1698	2	65	100	3	6	4	7500	5802	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7000	5302	5302	0.933333
4265	012A	2500	0.06	3060	2	65	100	3	6	4	7500	4440	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7000	3940	3940	0.933333
4265	013	2500	0.06	2750	2	65	100	3	6	4	7500	4750	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7000	4250	4250	0.933333
4265	014	2500	0.06	3020	2	65	100	3	6	4	7500	4480	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7000	3980	3980	0.933333
4265	015	2500	0.06	2490	2	85	140	4	8	6	10000	7510	RH-3	40	density-lin	1000			0.7	4	0.5	2	2	7000	4510	4510	0.7
4266	003	2608	0.06	1304	2	65	100	3	6	4	7824	6520	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7302.399902	5998.399902	5998.399902	0.933333
4266	012	2457	0.06	2534	2	65	100	3	6	4	7371	4837	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6879.600098	4345.600098	4345.600098	0.933333
4266	014	2407	0.06	1560	2	65	100	3	6	4	7221	5661	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6739.600098	5179.600098	5179.600098	0.933333
4266	022	2300	0.05	2206	2	65	100	3	5	3	6900	4694	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	6440	4234	4234	0.933333
4266	024	2300	0.05	1434	2	65	100	3	5	3	6900	5466	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	6440	5006	5006	0.933333
4266	027	2300	0.05	2980	2	65	100	3	5	3	6900	3920	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	6440	3460	3460	0.933333
4266	028	2300	0.05	2320	2	65	100	3	5	3	6900	4580	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	6440	4120	4120	0.933333
4266	045	2300	0.05	1085	2	65	100	3	5	3	6900	5815	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	6440	5355	5355	0.933333
4266	047	2508	0.06	1081	2	65	100	3	6	4	7524	6443	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7022.399902	5941.399902	5941.399902	0.933333
4266	049	2407	0.06	1298	2	65	100	3	6	4	7221	5923	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6739.600098	5441.600098	5441.600098	0.933333
4266	071	2300	0.05	1145	2	65	100	3	5	3	6900	5755	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	6440	5295	5295	0.933333
4267	002	2417	0.06	2588	2	65	100	3	6	4	7251	4663	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	6767.600098	4179.600098	4179.600098	0.933333
4267	006	2618	0.06	2166	2	65	100	3	6	4	7854	5688	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7330.399902	5164.399902	5164.399902	0.933333
4267	008	2618	0.06	1664	2	65	100	3	6	4	7854	6190	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7330.399902	5666.399902	5666.399902	0.933333
4267	009	2618	0.06	1080	2	65	100	3	6	4	7854	6774	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7330.399902	6250.399902	6250.399902	0.933333
4267	010A	2568	0.06	2840	2	65	100	3	6	4	7704	4864	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7190.399902	4350.399902	4350.399902	0.933333
4267	016	2600	0.06	1568	2	65	100	3	6	4	7800	6232	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7280	5712	5712	0.933333
4267	020A	1900	0.04	2889	2	65	100	3	4	2	5700	2811	RH-3	40	density-lin	1000			0.7	4	1	2	2	5320	2431	2431	0.933333
4267	022	1785	0.04	1748	2	65	100	3	4	2	5355	3607	RH-3	40	density-lin	1000			0.7	4	1	2	2	4998	3250	3250	0.933333
4267	022A	3415	0.08	2449	2	65	100	3	8	6	10245	7796	RH-3	40	density-lin	1000			0.7	4	0.5	2	2	9562	7113	7113	0.933333
4267	025	2825	0.06	1573	2	65	100	3	6	4	8475	6902	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7910	6337	6337	0.933333
4267	027	2600	0.06	2034	2	65	100	3	6	4	7800	5766	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7280	5246	5246	0.933333
4267	028	2600	0.06	2768	2	65	100	3	6	4	7800	5032	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7280	4512	4512	0.933333
4267	028A	2600	0.06	3128	2	65	100	3	6	4	7800	4672	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7280	4152	4152	0.933333
4267	033	1571	0.04	1910	2	65	100	3	4	2	4713	2803	NCT-24TH-	45	form-based				0.75	4	1	2	2	4713	2803	2803	1
4267	051	2568	0.06	1420	2	65	100	3	6	4	7704	6284	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7190.399902	5770.399902	5770.399902	0.933333
4267	053	2719	0.06	816	2	65	100	3	6	4	8157	7341	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7613.199707	6797.199707	6797.199707	0.933333
4268	002	2584	0.06	3200	2	65	100	3	6	4	7752	4552	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7235.199707	4035.199707	4035.199707	0.933333
4268	012	1875	0.04	1908	2	65	100	3	4	2	5625	3717	RH-3	40	density-lin	1000			0.7	4	1	2	2	5250	3342	3342	0.933333
4268	014	2600	0.06	3280	2	65	100	3	6	4	7800	4520	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7280	4000	4000	0.933333
4268	019	2600	0.06	1933	2	65	100	3	6	4	7800	5867	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7280	5347	5347	0.933333
4268	024	2200	0.05	1640	2	65	100	3	5	3	6600	4960	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	6160	4520	4520	0.933333
4268	025	3000	0.07	2988	2	65	100	3	7	5	9000	6012	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	8400	5412	5412	0.933333
4268	027	2000	0.05	1700	2	65	100	3	5	3	6000	4300	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	5600	3900	3900	0.933333
4268	028	2550	0.06	1170	2	65	100	3	6	4	7650	6480	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7140	5970	5970	0.933333
4268	029	2250	0.05	2020	2	65	100	3	5	3	6750	4730	RH-2	40	density-lin	1500			0.7	4	0.800000012	2	2	6300	4280	4280	0.933333
4268	034	888	0.02	1362	2	65	100	3	2	0	2664	1302	RH-2	40	density-lin	1500			0.7	4	2	2	2	2486.399902	1124.399902	1124.399902	0.933333
4268	037	2783	0.06	1039	2	65	100	3	6	4	8349	7310	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7792.399902	6753.399902	6753.399902	0.933333
4268	052	2700	0.06	1262	2	65	100	3	6	4	8100	6838	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7560	6298	6298	0.933333
4268	054	3000	0.07	710	2	65	100	3	7	5	9000	8290	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	8400	7690	7690	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4269	008	2600	0.06	1800	2	65	100	3	6	4	7800	6000	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	5480	5480	0.933333
4269	021	2343	0.05	2306	3	65	100	3	5	2	7029	4723	NCT-24TH-	45	form-based				0.75	5	1	2	2	7029	4723	4723	1
4270	001	1839	0.04	2600	2	65	100	3	4	2	5517	2917	NCT-24TH-	45	form-based		true		0.75	4	1	2	2	5517	2917	2917	1
4270	003	2606	0.06	3088	2	65	100	3	6	4	7818	4730	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7296.799805	4208.799805	4208.799805	0.933333
4270	005	2605	0.06	3120	2	65	100	3	6	4	7815	4695	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7294	4174	4174	0.933333
4270	012	2503	0.06	2246	2	65	100	3	6	4	7509	5263	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7008.399902	4762.399902	4762.399902	0.933333
4270	014	2600	0.06	2574	2	65	100	3	6	4	7800	5226	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	4706	4706	0.933333
4270	017	2600	0.06	1869	2	65	100	3	6	4	7800	5931	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	5411	5411	0.933333
4270	019A	2600	0.06	3382	4	65	100	3	6	2	7800	4418	RH-2	40	density-lim	1500	true		0.7	6	1	2	2	7280	3898	3898	0.933333
4270	020	2600	0.06	2666	2	65	100	3	6	4	7800	5134	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	4614	4614	0.933333
4270	023	2600	0.06	2310	2	65	100	3	6	4	7800	5490	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	4970	4970	0.933333
4270	024	2600	0.06	2646	2	65	100	3	6	4	7800	5154	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	4634	4634	0.933333
4270	025	2600	0.06	1740	2	65	100	3	6	4	7800	6060	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	5540	5540	0.933333
4270	026	2600	0.06	2976	2	65	100	3	6	4	7800	4824	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	4304	4304	0.933333
4270	032	1250	0.03	2600	2	65	100	3	3	1	3750	1150	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3500	900	900	0.933333
4270	032A	1350	0.03	2268	2	65	100	3	3	1	4050	1782	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3780	1512	1512	0.933333
4270	033	2478	0.06	5000	5	65	100	3	6	1	7434	2434	NCT-24TH-	55	form-based		true		0.75	7	1.166666627	2	2	9292.5	4292.5	4292.5	1.25
4270	036	2541	0.06	4570	4	65	100	3	6	2	7623	3053	NCT-24TH-	45	form-based				0.75	6	1	2	2	7623	3053	3053	1
4271	003	2499	0.06	2839	2	65	100	3	6	4	7497	4658	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6997.199707	4158.199707	4158.199707	0.933333
4271	007	2498	0.06	3111	2	65	100	3	6	4	7494	4383	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6994.399902	3883.399902	3883.399902	0.933333
4271	008	2497	0.06	1250	2	65	100	3	6	4	7491	6241	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6991.600098	5741.600098	5741.600098	0.933333
4271	015	2495	0.06	3122	2	65	100	3	6	4	7485	4363	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6986	3864	3864	0.933333
4271	020	2500	0.06	2700	2	65	100	3	6	4	7500	4800	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4300	4300	0.933333
4271	022	2500	0.06	2280	2	65	100	3	6	4	7500	5220	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4720	4720	0.933333
4271	027	2500	0.06	3454	2	65	100	3	6	4	7500	4046	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3546	3546	0.933333
4271	028	2500	0.06	2250	2	65	100	3	6	4	7500	5250	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4750	4750	0.933333
4271	033	2500	0.06	2640	2	65	100	3	6	4	7500	4860	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4360	4360	0.933333
4271	034	2500	0.06	2794	2	65	100	3	6	4	7500	4706	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4206	4206	0.933333
4271	036	2500	0.06	2704	2	65	100	3	6	4	7500	4796	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4296	4296	0.933333
4271	037	2500	0.06	1985	2	65	100	3	6	4	7500	5515	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5015	5015	0.933333
4271	044	2049	0.05	2200	2	65	100	3	5	3	6147	3947	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5737.199707	3537.199707	3537.199707	0.933333
4271	045	2496	0.06	1341	2	65	100	3	6	4	7488	6147	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6988.799805	5647.799805	5647.799805	0.933333
4271	047	2496	0.06	1191	2	65	100	3	6	4	7488	6297	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6988.799805	5797.799805	5797.799805	0.933333
4271	049	2500	0.06	1499	2	65	100	3	6	4	7500	6001	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5501	5501	0.933333
4271	051	1595	0.04	980	2	65	100	3	4	2	4785	3805	RH-2	40	density-lim	1500			0.7	4	1	2	2	4466	3486	3486	0.933333
4272	001B	2265	0.05	2880	2	65	100	3	5	3	6795	3915	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6342	3462	3462	0.933333
4272	005	2728	0.06	1812	2	65	100	3	6	4	8184	6372	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7638.399902	5826.399902	5826.399902	0.933333
4272	006	2765	0.06	2758	2	65	100	3	6	4	8295	5537	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7742	4984	4984	0.933333
4272	011	2497	0.06	1520	2	65	100	3	6	4	7491	5971	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6991.600098	5471.600098	5471.600098	0.933333
4272	013	3012	0.07	2370	2	65	100	3	7	5	9036	6666	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8433.599609	6063.599609	6063.599609	0.933333
4272	018	1625	0.04	2526	2	65	100	3	4	2	4875	2349	RH-2	40	density-lim	1500			0.7	4	1	2	2	4550	2024	2024	0.933333
4272	019	2500	0.06	2297	2	65	100	3	6	4	7500	5203	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4703	4703	0.933333
4272	020	2500	0.06	3673	2	65	100	3	6	4	7500	3827	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3327	3327	0.933333
4272	023	3016	0.07	2360	2	65	100	3	7	5	9048	6688	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8444.799805	6084.799805	6084.799805	0.933333
4272	024	2484	0.06	2990	2	65	100	3	6	4	7452	4462	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6955.199707	3965.199707	3965.199707	0.933333
4272	027	2500	0.06	2200	2	65	100	3	6	4	7500	5300	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4800	4800	0.933333
4272	028	2500	0.06	2350	2	65	100	3	6	4	7500	5150	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4650	4650	0.933333
4272	032	2500	0.06	3496	2	65	100	3	6	4	7500	4004	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3504	3504	0.933333
4272	033	3784	0.09	5726	4	65	100	3	9	5	11352	5626	RH-2	40	density-lim	1500	true		0.7	6	0.666666687	2	2	10595.2002	4869.200195	4869.200195	0.933333
4272	034	1891	0.04	2670	2	65	100	3	4	2	5673	3003	RH-2	40	density-lim	1500			0.7	4	1	2	2	5294.799805	2624.799805	2624.799805	0.933333
4272	035	1891	0.04	2880	2	65	100	3	4	2	5673	2793	RH-2	40	density-lim	1500			0.7	4	1	2	2	5294.799805	2414.799805	2414.799805	0.933333
4272	051	2497	0.06	1493	2	65	100	3	6	4	7491	5998	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6991.600098	5498.600098	5498.600098	0.933333
4272	053	1625	0.04	1107	2	65	100	3	4	2	4875	3768	RH-2	40	density-lim	1500			0.7	4	1	2	2	4550	3443	3443	0.933333
4273	003	2485	0.06	2950	2	65	100	3	6	4	7455	4505	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6958	4008	4008	0.933333
4273	009	2237	0.05	1440	2	65	100	3	5	3	6711	5271	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6263.600098	4823.600098	4823.600098	0.933333
4273	010	2833	0.07	2900	2	65	100	3	7	5	8499	5599	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7932.399902	5032.399902	5032.399902	0.933333
4273	019	2500	0.06	1020	2	65	100	3	6	4	7500	6480	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5980	5980	0.933333
4273	023	2500	0.06	1891	2	65	100	3	6	4	7500	5609	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5109	5109	0.933333
4273	025	2250	0.05	2506	2	65	100	3	5	3	6750	4244	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6300	3794	3794	0.933333
4273	027	1625	0.04	2560	2	55	80	2.5	3	1	4062	1502	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4550	1990	1990	1.120138
4273	028	1750	0.04	2411	2	55	80	2.5	3	1	4375	1964	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4900	2489	2489	1.12
4273	031	2500	0.06	2750	2	65	100	3	6	4	7500	4750	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4250	4250	0.933333
4273	034	2485	0.06	1382	2	65	100	3	6	4	7455	6073	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6958	5576	5576	0.933333
4274	013	2333	0.05	3195	2	65	100	3	5	3	6999	3804	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6532.399902	3337.399902	3337.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4274	014	2333	0.05	3219	2	65	100	3	5	3	6999	3780	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6532.399902	3313.399902	3313.399902	0.933333
4274	017	2333	0.05	1448	2	65	100	3	5	3	6999	5551	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6532.399902	5084.399902	5084.399902	0.933333
4274	019	2681	0.06	2624	2	65	100	3	6	4	8043	5419	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7506.799805	4882.799805	4882.799805	0.933333
4274	023	2500	0.06	2332	2	65	100	3	6	4	7500	5168	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4668	4668	0.933333
4274	024	2500	0.06	3216	2	65	100	3	6	4	7500	4284	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	3784	3784	0.933333
4274	029	1112	0.03	2010	2	65	100	3	3	1	3336	1326	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3113.599854	1103.599854	1103.599854	0.933333
4274	032	2255	0.05	1750	2	65	100	3	5	3	6765	5015	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6314	4564	4564	0.933333
4274	036	3000	0.07	1303	2	65	100	3	7	5	9000	7697	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8400	7097	7097	0.933333
4274	038	2706	0.06	1053	2	65	100	3	6	4	8118	7065	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7576.799805	6523.799805	6523.799805	0.933333
4274	040	2517	0.06	1450	2	65	100	3	6	4	7551	6101	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7047.600098	5597.600098	5597.600098	0.933333
4274	042	2618	0.06	936	2	65	100	3	6	4	7854	6918	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7330.399902	6394.399902	6394.399902	0.933333
4274	044	2333	0.05	2544	2	65	100	3	5	3	6999	4455	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6532.399902	3988.399902	3988.399902	0.933333
4275	001A	1883	0.04	2046	2	65	100	3	4	2	5649	3603	RH-2	40	density-lim	1500			0.7	4	1	2	2	5272.399902	3226.399902	3226.399902	0.933333
4275	001C	1624	0.04	1770	2	65	100	3	4	2	4872	3102	RH-2	40	density-lim	1500			0.7	4	1	2	2	4547.199707	2777.199707	2777.199707	0.933333
4275	006	2006	0.05	2038	2	65	100	3	5	3	6018	3980	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5616.799805	3578.799805	3578.799805	0.933333
4275	007	2006	0.05	2783	2	65	100	3	5	3	6018	3235	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5616.799805	2833.799805	2833.799805	0.933333
4275	008	3009	0.07	2233	2	65	100	3	7	5	9027	6794	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8425.200195	6192.200195	6192.200195	0.933333
4275	010	3258	0.07	2040	2	65	100	3	7	5	9774	7734	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	9122.399414	7082.399414	7082.399414	0.933333
4275	011	2760	0.06	1976	2	65	100	3	6	4	8280	6304	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7728	5752	5752	0.933333
4275	012	2608	0.06	2512	2	65	100	3	6	4	7824	5312	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7302.399902	4790.399902	4790.399902	0.933333
4275	012C	2608	0.06	2996	2	65	100	3	6	4	7824	4828	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7302.399902	4306.399902	4306.399902	0.933333
4275	018	2500	0.06	2718	2	65	100	3	6	4	7500	4782	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4282	4282	0.933333
4275	031	1883	0.04	2079	2	65	100	3	4	2	5649	3570	RH-2	40	density-lim	1500			0.7	4	1	2	2	5272.399902	3193.399902	3193.399902	0.933333
4275	038	2508	0.06	2126	2	65	100	3	6	4	7524	5398	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7022.399902	4896.399902	4896.399902	0.933333
4276	004C	2430	0.06	1998	2	65	100	3	6	4	7290	5292	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6804	4806	4806	0.933333
4276	004E	2250	0.05	2880	2	65	100	3	5	3	6750	3870	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6300	3420	3420	0.933333
4276	005	1840	0.04	1460	2	65	100	3	4	2	5520	4060	RH-2	40	density-lim	1500			0.7	4	1	2	2	5152	3692	3692	0.933333
4276	017	2350	0.05	3404	4	65	100	3	5	1	7050	3646	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	6580	3176	3176	0.933333
4279	022	2500	0.06	2244	2	65	100	3	6	4	7500	5256	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4756	4756	0.933333
4279	023	2500	0.06	2550	2	65	100	3	6	4	7500	4950	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4450	4450	0.933333
4279	023A	2500	0.06	2584	2	65	100	3	6	4	7500	4916	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4416	4416	0.933333
4279	025	1875	0.04	2230	2	65	100	3	4	2	5625	3395	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	3020	3020	0.933333
4279	026A	1744	0.04	2096	2	65	100	3	4	2	5232	3136	RH-2	40	density-lim	1500			0.7	4	1	2	2	4883.199707	2787.199707	2787.199707	0.933333
4281A	002	2517	0.06	2372	2	55	80	2.5	5	3	6292	3920	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7047.600098	4675.600098	4675.600098	1.120089
4281A	007	2517	0.06	2500	2	55	80	2.5	5	3	6292	3792	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7047.600098	4547.600098	4547.600098	1.120089
4281A	021	2500	0.06	1480	2	55	80	2.5	5	3	6250	4770	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5520	5520	1.12
4282A	003	2634	0.06	1412	2	55	80	2.5	5	3	6585	5173	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7375.199707	5963.199707	5963.199707	1.12
4282A	004	2634	0.06	1875	2	55	80	2.5	5	3	6585	4710	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7375.199707	5500.199707	5500.199707	1.12
4282A	019	1330	0.03	2480	4	55	80	2.5	2	0	3325	845	RH-2	40	density-lim	1500	true		0.7	6	3	2	0	3724	1244	1244	1.12
4282A	034	2634	0.06	2980	2	55	80	2.5	5	3	6585	3605	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7375.199707	4395.199707	4395.199707	1.12
4282A	036	2634	0.06	1675	2	55	80	2.5	5	3	6585	4910	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7375.199707	5700.199707	5700.199707	1.12
4282A	038	2496	0.06	1355	2	55	80	2.5	5	3	6240	4885	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6988.799805	5633.799805	5633.799805	1.12
4334	009	2636	0.06	1599	2	55	80	2.5	5	3	6590	4991	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7380.799805	5781.799805	5781.799805	1.12
4335	003	2500	0.06	1271	2	55	80	2.5	5	3	6250	4979	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5729	5729	1.12
4335	003K	2517	0.06	1654	2	55	80	2.5	5	3	6292	4638	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7047.600098	5393.600098	5393.600098	1.120089
4336	004	2500	0.06	2048	2	55	80	2.5	5	3	6250	4202	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4952	4952	1.12
4336	007E	1514	0.03	2344	2	55	80	2.5	2	0	3785	1441	RH-2	40	density-lim	1500			0.7	4	2	2	2	4239.199707	1895.199707	1895.199707	1.12
4336	007F	1483	0.03	1505	2	55	80	2.5	2	0	3708	2203	RH-2	40	density-lim	1500			0.7	4	2	2	2	4152.399902	2647.399902	2647.399902	1.119849
4336	017	1825	0.04	2310	2	55	80	2.5	3	1	4562	2252	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	5110	2800	2800	1.120123
4336	019	2825	0.06	2300	2	55	80	2.5	5	3	7062	4762	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7910	5610	5610	1.120079
4336	020	2825	0.06	2240	2	55	80	2.5	5	3	7062	4822	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7910	5670	5670	1.120079
4336	021	2825	0.06	2320	2	55	80	2.5	5	3	7062	4742	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7910	5590	5590	1.120079
4336	027	2386	0.05	2216	2	55	80	2.5	4	2	5965	3749	RH-2	40	density-lim	1500			0.7	4	1	2	2	6680.799805	4464.799805	4464.799805	1.12
4337	002	2500	0.06	2410	2	55	80	2.5	5	3	6250	3840	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4590	4590	1.12
4337	004	2500	0.06	2090	2	55	80	2.5	5	3	6250	4160	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4910	4910	1.12
4338	011	1766	0.04	1980	2	65	100	3	4	2	5298	3318	RH-2	40	density-lim	1500			0.7	4	1	2	2	4944.799805	2964.799805	2964.799805	0.933333
4338	012	1719	0.04	1890	2	65	100	3	4	2	5157	3267	RH-2	40	density-lim	1500			0.7	4	1	2	2	4813.199707	2923.199707	2923.199707	0.933333
4338	018	4567	0.1	3418	2	65	100	3	10	8	13701	10283	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	12787.59961	9369.599609	9369.599609	0.933333
4338	022	2592	0.06	2730	2	65	100	3	6	4	7776	5046	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7257.600098	4527.600098	4527.600098	0.933333
4338	023	2493	0.06	995	2	65	100	3	6	4	7479	6484	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6980.399902	5985.399902	5985.399902	0.933333
4338	028	2500	0.06	1121	2	65	100	3	6	4	7500	6379	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5879	5879	0.933333
5505	001	1978	0.05	3594	4	55	80	2.5	4	0	4945	1351	RH-2	40	density-lim	1500	true		0.7	6	1.5	2	2	5538.399902	1944.399902	1944.399902	1.12
5505	006	2003	0.05	2034	2	55	80	2.5	4	2	5008	2974	RH-2	40	density-lim	1500			0.7	4	1	2	2	5608.399902	3574.399902	3574.399902	1.119888
5505	009	2596	0.06	2520	2	55	80	2.5	5	3	6490	3970	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7268.799805	4748.799805	4748.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5505	010	2138	0.05	2400	2	55	80	2.5	4	2	5345	2945	RH-2	40	density-lim	1500			0.7	4	1	2	2	5986.399902	3586.399902	3586.399902	1.12
5505	015	2500	0.06	1800	2	55	80	2.5	5	3	6250	4450	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5200	5200	1.12
5505	016	2500	0.06	2045	2	55	80	2.5	5	3	6250	4205	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4955	4955	1.12
5505	019	2038	0.05	1940	2	55	80	2.5	4	2	5095	3155	RH-2	40	density-lim	1500			0.7	4	1	2	2	5706.399902	3766.399902	3766.399902	1.12
5505	021	2045	0.05	2290	2	55	80	2.5	4	2	5112	2822	RH-2	40	density-lim	1500			0.7	4	1	2	2	5726	3436	3436	1.12011
5506	003	2101	0.05	1938	2	55	80	2.5	4	2	5252	3314	RH-2	40	density-lim	1500			0.7	4	1	2	2	5882.799805	3944.799805	3944.799805	1.120107
5506	005	2250	0.05	3750	4	55	80	2.5	4	0	5625	1875	RH-2	40	density-lim	1500	true		0.7	6	1.5	2	2	6300	2550	2550	1.12
5506	006	2258	0.05	2700	4	55	80	2.5	4	0	5645	2945	RH-2	40	density-lim	1500	true		0.7	6	1.5	2	2	6322.399902	3622.399902	3622.399902	1.12
5507	001	1648	0.04	1610	0	55	80	2.5	3	3	4120	2510	NC-1	40	density-lim	800	true		0.75	2	0.666666687	2	2	4944	3334	3334	1.2
5513	012F	1408	0.03	1200	2	55	80	2.5	2	0	3520	2320	RH-2	40	density-lim	1500			0.7	4	2	2	2	3942.399902	2742.399902	2742.399902	1.12
5512	004	2940	0.07	2220	2	55	80	2.5	6	4	7350	5130	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8232	6012	6012	1.12
5512	009	1680	0.04	1764	2	55	80	2.5	3	1	4200	2436	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4704	2940	2940	1.12
5512	032	1750	0.04	1500	2	55	80	2.5	3	1	4375	2875	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4900	3400	3400	1.12
5512	033	2500	0.06	1900	2	55	80	2.5	5	3	6250	4350	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5100	5100	1.12
5513	007	1750	0.04	1875	2	55	80	2.5	3	1	4375	2500	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4900	3025	3025	1.12
5513	011A	2163	0.05	1719	2	55	80	2.5	4	2	5408	3689	RH-2	40	density-lim	1500			0.7	4	1	2	2	6056.399902	4337.399902	4337.399902	1.119896
5513	012B	2103	0.05	2400	2	55	80	2.5	4	2	5258	2858	RH-2	40	density-lim	1500			0.7	4	1	2	2	5888.399902	3488.399902	3488.399902	1.119893
5513	018	2500	0.06	1925	2	55	80	2.5	5	3	6250	4325	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5075	5075	1.12
5514	005	2535	0.06	3415	2	55	80	2.5	5	3	6338	2923	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7098	3683	3683	1.119912
5514	007	2500	0.06	2400	2	55	80	2.5	5	3	6250	3850	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4600	4600	1.12
5514	008	2500	0.06	2198	2	55	80	2.5	5	3	6250	4052	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4802	4802	1.12
5514	024	2500	0.06	3469	2	55	80	2.5	5	3	6250	2781	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	3531	3531	1.12
5514	031	3746	0.09	1675	2	55	80	2.5	7	5	9365	7690	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	10488.7998	8813.799805	8813.799805	1.12
5514	032	4497	0.1	3150	2	55	80	2.5	8	6	11242	8092	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	12591.59961	9441.599609	9441.599609	1.12005
5514	035	4502	0.1	3060	2	55	80	2.5	8	6	11255	8195	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	12605.59961	9545.599609	9545.599609	1.12
5514	042	4508	0.1	1378	2	55	80	2.5	8	6	11270	9892	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	12622.39941	11244.39941	11244.39941	1.12
5514	044	2537	0.06	1561	2	55	80	2.5	5	3	6342	4781	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7103.600098	5542.600098	5542.600098	1.120088
5515	001	1985	0.05	3600	4	55	80	2.5	4	0	4962	1362	RH-2	40	density-lim	1500	true		0.7	6	1.5	2	2	5558	1958	1958	1.120113
5515	002	2125	0.05	1750	2	55	80	2.5	4	2	5312	3562	RH-2	40	density-lim	1500			0.7	4	1	2	2	5950	4200	4200	1.120105
5515	006	3125	0.07	2295	2	55	80	2.5	6	4	7812	5517	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8750	6455	6455	1.120072
5515	008	3125	0.07	2801	2	55	80	2.5	6	4	7812	5011	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8750	5949	5949	1.120072
5515	009	3121	0.07	2235	2	55	80	2.5	6	4	7802	5567	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8738.799805	6503.799805	6503.799805	1.120072
5515	038	3125	0.07	1014	2	55	80	2.5	6	4	7812	6798	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8750	7736	7736	1.120072
5518	003	3545	0.08	1880	2	85	140	4	11	9	14180	12300	RH-2	40	density-lim	1500			0.7	4	0.363636374	2	2	9926	8046	8046	0.7
5518	008	2500	0.06	2100	2	85	140	4	8	6	10000	7900	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7000	4900	4900	0.7
5518	026	2500	0.06	957	2	65	100	3	6	4	7500	6543	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	6043	6043	0.933333
5518	028	3000	0.07	1125	2	85	140	4	10	8	12000	10875	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	8400	7275	7275	0.7
5518	061	1875	0.04	1035	2	65	100	3	4	2	5625	4590	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	4215	4215	0.933333
5527	028	1863	0.04	1435	2	55	80	2.5	3	1	4658	3223	RH-1	40	density-lim	3000			0.7	4	1.333333373	2	2	5216.399902	3781.399902	3781.399902	1.11988
5527	045	2020	0.05	526	2	55	80	2.5	4	2	5050	4524	RH-2	40	density-lim	1500			0.7	4	1	2	2	5656	5130	5130	1.12
5528	004	1749	0.04	1809	2	55	80	2.5	3	1	4372	2563	RH-1	40	density-lim	3000			0.7	4	1.333333373	2	2	4897.199707	3088.199707	3088.199707	1.120128
5528	006	1445	0.03	1898	2	55	80	2.5	2	0	3612	1714	RH-1	40	density-lim	3000			0.7	4	2	2	2	4046	2148	2148	1.120155
5528	012	1750	0.04	1800	2	55	80	2.5	3	1	4375	2575	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4900	3100	3100	1.12
5528	014	1750	0.04	1800	2	55	80	2.5	3	1	4375	2575	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4900	3100	3100	1.12
5529	022	1750	0.04	1600	2	55	80	2.5	3	1	4375	2775	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4900	3300	3300	1.12
5529	025	1750	0.04	1342	2	55	80	2.5	3	1	4375	3033	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4900	3558	3558	1.12
5529	026	1750	0.04	2045	2	55	80	2.5	3	1	4375	2330	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4900	2855	2855	1.12
5529	037	1749	0.04	2105	2	55	80	2.5	3	1	4372	2267	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4897.199707	2792.199707	2792.199707	1.120128
5529	038	1749	0.04	2500	2	55	80	2.5	3	1	4372	1872	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4897.199707	2397.199707	2397.199707	1.120128
5529	040	1749	0.04	3004	2	55	80	2.5	3	1	4372	1368	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4897.199707	1893.199707	1893.199707	1.120128
5529	043	3499	0.08	1560	2	55	80	2.5	6	4	8748	7188	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	9797.200195	8237.200195	8237.200195	1.119936
5529	049	1749	0.04	1700	2	55	80	2.5	3	1	4372	2672	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4897.199707	3197.199707	3197.199707	1.120128
5529	054	1749	0.04	1479	2	55	80	2.5	3	1	4372	2893	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4897.199707	3418.199707	3418.199707	1.120128
5529	056	1749	0.04	605	2	55	80	2.5	3	1	4372	3767	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4897.199707	4292.199707	4292.199707	1.120128
5529	073	2055	0.05	1593	2	55	80	2.5	4	2	5138	3545	RH-2	40	density-lim	1500			0.7	4	1	2	2	5754	4161	4161	1.119891
5530	010	2100	0.05	2760	2	55	80	2.5	4	2	5250	2490	RH-2	40	density-lim	1500			0.7	4	1	2	2	5880	3120	3120	1.12
5530	017	2828	0.06	1450	2	55	80	2.5	5	3	7070	5620	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7918.399902	6468.399902	6468.399902	1.12
5531	012	1868	0.04	1150	2	55	80	2.5	3	1	4670	3520	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	5230.399902	4080.399902	4080.399902	1.12
5531	015	2538	0.06	2720	2	55	80	2.5	5	3	6345	3625	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7106.399902	4386.399902	4386.399902	1.12
5531	016	2286	0.05	2423	2	55	80	2.5	4	2	5715	3292	RH-2	40	density-lim	1500			0.7	4	1	2	2	6400.799805	3977.799805	3977.799805	1.12
5532	018	1875	0.04	1600	2	55	80	2.5	3	1	4688	3088	RH-1	40	density-lim	3000			0.7	4	1.333333373	2	2	5250	3650	3650	1.119881
5537	020	1716	0.04	1750	2	55	80	2.5	3	1	4290	2540	RH-1	40	density-lim	3000			0.7	4	1.333333373	2	2	4804.799805	3054.799805	3054.799805	1.12
5540	023	2509	0.06	2350	2	55	80	2.5	5	3	6272	3922	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	7025.199707	4675.199707	4675.199707	1.120089
5609	005	2300	0.05	2277	2	65	100	3	5	3	6900	4623	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6440	4163	4163	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5609	006	2500	0.06	1965	2	65	100	3	6	4	7500	5535	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5035	5035	0.933333
5609	008	2504	0.06	1200	2	65	100	3	6	4	7512	6312	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7011.199707	5811.199707	5811.199707	0.933333
5609	019	2521	0.06	2510	2	85	140	4	8	6	10084	7574	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7058.799805	4548.799805	4548.799805	0.7
5609	021	2522	0.06	2100	2	85	140	4	8	6	10088	7988	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7061.600098	4961.600098	4961.600098	0.7
5609	022	2522	0.06	2200	2	65	100	3	6	4	7566	5366	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7061.600098	4861.600098	4861.600098	0.933333
5610	005	2188	0.05	1800	2	65	100	3	5	3	6564	4764	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6126.399902	4326.399902	4326.399902	0.933333
5610	008	2132	0.05	2524	2	65	100	3	5	3	6396	3872	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5969.600098	3445.600098	3445.600098	0.933333
5610	013	3034	0.07	1800	2	65	100	3	7	5	9102	7302	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8495.200195	6695.200195	6695.200195	0.933333
5610	017	3084	0.07	1225	2	65	100	3	7	5	9252	8027	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8635.200195	7410.200195	7410.200195	0.933333
5610	020A	1949	0.04	1500	2	65	100	3	4	2	5847	4347	RH-2	40	density-lim	1500			0.7	4	1	2	2	5457.199707	3957.199707	3957.199707	0.933333
5610	021	2198	0.05	2260	2	65	100	3	5	3	6594	4334	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6154.399902	3894.399902	3894.399902	0.933333
5610	022	2000	0.05	1750	2	65	100	3	5	3	6000	4250	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5600	3850	3850	0.933333
5610	029A	1736	0.04	2880	2	65	100	3	4	2	5208	2328	RH-2	40	density-lim	1500			0.7	4	1	2	2	4860.799805	1980.799805	1980.799805	0.933333
5610	034	971	0.02	1500	2	65	100	3	2	0	2913	1413	RH-2	40	density-lim	1500			0.7	4	2	2	2	2718.800049	1218.800049	1218.800049	0.933333
5610A	011	1758	0.04	2105	2	65	100	3	4	2	5274	3169	RH-2	40	density-lim	1500			0.7	4	1	2	2	4922.399902	2817.399902	2817.399902	0.933333
5610A	018	1750	0.04	2200	2	65	100	3	4	2	5250	3050	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2700	2700	0.933333
5610A	020	1750	0.04	2330	2	65	100	3	4	2	5250	2920	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2570	2570	0.933333
5610A	023	1750	0.04	1300	2	65	100	3	4	2	5250	3950	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3600	3600	0.933333
5610A	025	1750	0.04	1500	2	65	100	3	4	2	5250	3750	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3400	3400	0.933333
5610A	027	1750	0.04	2200	2	65	100	3	4	2	5250	3050	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2700	2700	0.933333
5610A	030	1750	0.04	1555	2	65	100	3	4	2	5250	3695	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3345	3345	0.933333
5610A	033	2761	0.06	1875	2	65	100	3	6	4	8283	6408	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7730.799805	5855.799805	5855.799805	0.933333
5610A	035	1770	0.04	1390	2	65	100	3	4	2	5310	3920	RH-2	40	density-lim	1500			0.7	4	1	2	2	4956	3566	3566	0.933333
5610A	047	1771	0.04	1110	2	65	100	3	4	2	5313	4203	RH-2	40	density-lim	1500			0.7	4	1	2	2	4958.799805	3848.799805	3848.799805	0.933333
5610A	063	1750	0.04	1072	2	65	100	3	4	2	5250	4178	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3828	3828	0.933333
5610A	065	1750	0.04	2200	2	65	100	3	4	2	5250	3050	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2700	2700	0.933333
5611	016	1750	0.04	2324	2	65	100	3	4	2	5250	2926	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2576	2576	0.933333
5611	017	1750	0.04	2280	2	65	100	3	4	2	5250	2970	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2620	2620	0.933333
5611	021	1750	0.04	2150	2	65	100	3	4	2	5250	3100	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2750	2750	0.933333
5611	026	1750	0.04	1920	2	65	100	3	4	2	5250	3330	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2980	2980	0.933333
5611	030	2601	0.06	1712	2	65	100	3	6	4	7803	6091	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7282.799805	5570.799805	5570.799805	0.933333
5611	045	1738	0.04	1750	2	65	100	3	4	2	5214	3464	RH-2	40	density-lim	1500			0.7	4	1	2	2	4866.399902	3116.399902	3116.399902	0.933333
5611	047	1738	0.04	2800	2	65	100	3	4	2	5214	2414	RH-2	40	density-lim	1500			0.7	4	1	2	2	4866.399902	2066.399902	2066.399902	0.933333
5611	062	1750	0.04	1225	2	65	100	3	4	2	5250	4025	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3675	3675	0.933333
5611	064	1735	0.04	875	2	65	100	3	4	2	5205	4330	RH-2	40	density-lim	1500			0.7	4	1	2	2	4858	3983	3983	0.933333
5611	066	1750	0.04	936	2	65	100	3	4	2	5250	4314	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3964	3964	0.933333
5611	068	1750	0.04	959	2	65	100	3	4	2	5250	4291	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3941	3941	0.933333
5611	072	1750	0.04	2396	2	65	100	3	4	2	5250	2854	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2504	2504	0.933333
5612	040	1793	0.04	2000	2	65	100	3	4	2	5379	3379	RH-1	40	density-lim	3000			0.7	4	1	2	2	5020.399902	3020.399902	3020.399902	0.933333
5612	053	916	0.02	1624	2	65	100	3	2	0	2748	1124	RH-1	40	density-lim	3000			0.7	4	2	2	2	2564.800049	940.8000488	940.8000488	0.933333
5612	061	1750	0.04	787	2	65	100	3	4	2	5250	4463	RH-1	40	density-lim	3000			0.7	4	1	2	2	4900	4113	4113	0.933333
5615	002	1525	0.04	1750	2	65	100	3	4	2	4575	2825	RH-2	40	density-lim	1500			0.7	4	1	2	2	4270	2520	2520	0.933333
5615	003	1525	0.04	1850	2	65	100	3	4	2	4575	2725	RH-2	40	density-lim	1500			0.7	4	1	2	2	4270	2420	2420	0.933333
5615	014	2500	0.06	2570	2	65	100	3	6	4	7500	4930	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4430	4430	0.933333
5615	015	4567	0.1	1800	2	65	100	3	10	8	13701	11901	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	12787.59961	10987.59961	10987.59961	0.933333
5615	016	3400	0.08	3391	2	65	100	3	8	6	10200	6809	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9520	6129	6129	0.933333
5615	020	3000	0.07	2700	2	65	100	3	7	5	9000	6300	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8400	5700	5700	0.933333
5615	025	1750	0.04	3000	2	65	100	3	4	2	5250	2250	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	1900	1900	0.933333
5615	037	7476	0.17	3482	3	65	100	3	17	14	22428	18946	RH-2	40	density-lim	1500			0.7	5	0.294117659	2	2	20932.79883	17450.79883	17450.79883	0.933333
5615	045	1525	0.04	1750	1	85	140	4	6	5	6100	4350	NCD-MISS	40	density-lim	600			0.75	3	0.5	2	2	4575	2825	2825	0.75
5615	057	1636	0.04	1800	2	65	100	3	4	2	4908	3108	RH-2	40	density-lim	1500			0.7	4	1	2	2	4580.799805	2780.799805	2780.799805	0.933333
5615	059	1643	0.04	2280	2	65	100	3	4	2	4929	2649	RH-2	40	density-lim	1500			0.7	4	1	2	2	4600.399902	2320.399902	2320.399902	0.933333
5615	060	1643	0.04	2040	2	65	100	3	4	2	4929	2889	RH-2	40	density-lim	1500			0.7	4	1	2	2	4600.399902	2560.399902	2560.399902	0.933333
5615	061	1680	0.04	2535	2	65	100	3	4	2	5040	2505	RH-2	40	density-lim	1500			0.7	4	1	2	2	4704	2169	2169	0.933333
5615	066	1553	0.04	1839	2	65	100	3	4	2	4659	2820	RH-2	40	density-lim	1500			0.7	4	1	2	2	4348.399902	2509.399902	2509.399902	0.933333
5615	079	1925	0.04	1393	1	65	100	3	4	3	5775	4382	NCD-MISS	40	density-lim	600			0.75	3	0.75	2	2	5775	4382	4382	1
5615	090	6133	0.14	1129	8	85	140	4	20	12	24532	23403	NCD-MISS	40	density-lim	600			0.75	10	0.5	2	2	18399	17270	17270	0.75
5615	109	3264	0.07	2295	3	65	100	3	7	4	9792	7497	NCD-MISS	40	density-lim	600			0.75	5	0.714285731	2	2	9792	7497	7497	1
5615	117	2500	0.06	689	2	65	100	3	6	4	7500	6811	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	6311	6311	0.933333
5616	010	2673	0.06	2700	2	65	100	3	6	4	8019	5319	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7484.399902	4784.399902	4784.399902	0.933333
5616	014	1787	0.04	1250	2	65	100	3	4	2	5361	4111	RH-2	40	density-lim	1500			0.7	4	1	2	2	5003.600098	3753.600098	3753.600098	0.933333
5616	021	1750	0.04	900	2	65	100	3	4	2	5250	4350	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	4000	4000	0.933333
5616	023	1750	0.04	1645	2	65	100	3	4	2	5250	3605	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3255	3255	0.933333
5616	026	1750	0.04	2100	2	65	100	3	4	2	5250	3150	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2800	2800	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5616	028	1750	0.04	1600	2	65	100	3	4	2	5250	3650	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3300	3300	0.933333
5616	029	1750	0.04	1250	2	65	100	3	4	2	5250	4000	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3650	3650	0.933333
5616	030	1750	0.04	1900	2	65	100	3	4	2	5250	3350	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3000	3000	0.933333
5616	035	1750	0.04	1930	2	65	100	3	4	2	5250	3320	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2970	2970	0.933333
5616	036	1750	0.04	2250	2	65	100	3	4	2	5250	3000	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2650	2650	0.933333
5616	040	1775	0.04	1375	2	65	100	3	4	2	5325	3950	RH-2	40	density-lim	1500			0.7	4	1	2	2	4970	3595	3595	0.933333
5616	042	1775	0.04	1318	2	65	100	3	4	2	5325	4007	RH-2	40	density-lim	1500			0.7	4	1	2	2	4970	3652	3652	0.933333
5616	053	1778	0.04	1961	2	65	100	3	4	2	5334	3373	RH-2	40	density-lim	1500			0.7	4	1	2	2	4978.399902	3017.399902	3017.399902	0.933333
5616	063	1728	0.04	868	2	65	100	3	4	2	5184	4316	RH-2	40	density-lim	1500			0.7	4	1	2	2	4838.399902	3970.399902	3970.399902	0.933333
5616	065	1784	0.04	916	2	65	100	3	4	2	5352	4436	RH-2	40	density-lim	1500			0.7	4	1	2	2	4995.199707	4079.199707	4079.199707	0.933333
5616	067	1775	0.04	791	2	65	100	3	4	2	5325	4534	RH-2	40	density-lim	1500			0.7	4	1	2	2	4970	4179	4179	0.933333
5617	003	1739	0.04	1750	2	65	100	3	4	2	5217	3467	RH-2	40	density-lim	1500			0.7	4	1	2	2	4869.199707	3119.199707	3119.199707	0.933333
5617	011	1734	0.04	2157	2	65	100	3	4	2	5202	3045	RH-2	40	density-lim	1500			0.7	4	1	2	2	4855.199707	2698.199707	2698.199707	0.933333
5617	012	2043	0.05	1838	2	65	100	3	5	3	6129	4291	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5720.399902	3882.399902	3882.399902	0.933333
5617	014	1733	0.04	1953	2	65	100	3	4	2	5199	3246	RH-2	40	density-lim	1500			0.7	4	1	2	2	4852.399902	2899.399902	2899.399902	0.933333
5617	027	1750	0.04	2484	2	65	100	3	4	2	5250	2766	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2416	2416	0.933333
5617	031	1750	0.04	2202	2	65	100	3	4	2	5250	3048	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2698	2698	0.933333
5617	033	1750	0.04	2650	2	65	100	3	4	2	5250	2600	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2250	2250	0.933333
5617	035	1750	0.04	1850	2	65	100	3	4	2	5250	3400	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3050	3050	0.933333
5617	042	1750	0.04	2150	2	65	100	3	4	2	5250	3100	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2750	2750	0.933333
5617	044	1759	0.04	1162	2	65	100	3	4	2	5277	4115	RH-2	40	density-lim	1500			0.7	4	1	2	2	4925.199707	3763.199707	3763.199707	0.933333
5617	046	1750	0.04	2275	2	65	100	3	4	2	5250	2975	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2625	2625	0.933333
5617	048	1750	0.04	753	2	65	100	3	4	2	5250	4497	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	4147	4147	0.933333
5617	050	2231	0.05	946	2	65	100	3	5	3	6693	5747	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6246.799805	5300.799805	5300.799805	0.933333
5617	052	1750	0.04	900	2	65	100	3	4	2	5250	4350	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	4000	4000	0.933333
5618	002	3375	0.08	1800	2	65	100	3	8	6	10125	8325	RH-1	40	density-lim	3000			0.7	4	0.5	2	2	9450	7650	7650	0.933333
5618	019	1750	0.04	1400	2	65	100	3	4	2	5250	3850	RH-1	40	density-lim	3000			0.7	4	1	2	2	4900	3500	3500	0.933333
5618	022	1703	0.04	1371	2	65	100	3	4	2	5109	3738	RH-1	40	density-lim	3000			0.7	4	1	2	2	4768.399902	3397.399902	3397.399902	0.933333
5618	024	1234	0.03	1000	2	65	100	3	3	1	3702	2702	RH-1	40	density-lim	3000			0.7	4	1.333333373	2	2	3455.199951	2455.199951	2455.199951	0.933333
5618	025	1068	0.02	880	2	65	100	3	2	0	3204	2324	RH-1	40	density-lim	3000			0.7	4	2	2	2	2990.399902	2110.399902	2110.399902	0.933333
5618	029	1708	0.04	1773	2	65	100	3	4	2	5124	3351	RH-1	40	density-lim	3000			0.7	4	1	2	2	4782.399902	3009.399902	3009.399902	0.933333
5618	037	1708	0.04	1750	2	65	100	3	4	2	5124	3374	RH-1	40	density-lim	3000			0.7	4	1	2	2	4782.399902	3032.399902	3032.399902	0.933333
5618	042	1708	0.04	1750	2	65	100	3	4	2	5124	3374	RH-1	40	density-lim	3000			0.7	4	1	2	2	4782.399902	3032.399902	3032.399902	0.933333
5618	043	1708	0.04	2218	2	65	100	3	4	2	5124	2906	RH-1	40	density-lim	3000			0.7	4	1	2	2	4782.399902	2564.399902	2564.399902	0.933333
5642	031	1800	0.04	1680	2	85	140	4	6	4	7200	5520	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	5040	3360	3360	0.7
5642	006	2094	0.05	3600	4	65	100	3	5	1	6282	2682	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	5863.199707	2263.199707	2263.199707	0.933333
5642	011A	1875	0.04	1880	2	65	100	3	4	2	5625	3745	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	3370	3370	0.933333
5642	017	2500	0.06	1200	2	85	140	4	8	6	10000	8800	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7000	5800	5800	0.7
5642	038	1200	0.03	2200	2	65	100	3	3	1	3600	1400	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3360	1160	1160	0.933333
5642	041	1800	0.04	2750	2	65	100	3	4	2	5400	2650	RH-2	40	density-lim	1500			0.7	4	1	2	2	5040	2290	2290	0.933333
5642	049	1311	0.03	960	0	65	100	3	3	3	3933	2973	NCD-MISS	40	density-lim	600			0.75	2	0.666666687	2	2	3933	2973	2973	1
5642	055	569	0.01	1200	2	65	100	3	1	0	1707	507	RH-2	40	density-lim	1500			0.7	4	4	2	0	1593.199951	393.1999512	393.1999512	0.933333
5642	061	2500	0.06	2508	2	65	100	3	6	4	7500	4992	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4492	4492	0.933333
5642	062	1875	0.04	2458	2	65	100	3	4	2	5625	3167	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	2792	2792	0.933333
5642	064	2350	0.05	966	2	85	140	4	7	5	9400	8434	NCD-MISS	40	density-lim	600			0.75	4	0.571428597	2	2	7050	6084	6084	0.75
5642	066	3600	0.08	846	2	85	140	4	11	9	14400	13554	RH-2	40	density-lim	1500			0.7	4	0.363636374	2	2	10080	9234	9234	0.7
5642	068	770	0.02	589	2	65	100	3	2	0	2310	1721	RH-2	40	density-lim	1500			0.7	4	2	2	2	2156	1567	1567	0.933333
5642	070	573	0.01	393	2	65	100	3	1	0	1719	1326	RH-2	40	density-lim	1500			0.7	4	4	2	0	1604.400024	1211.400024	1211.400024	0.933333
5643	003	1750	0.04	2296	2	65	100	3	4	2	5250	2954	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	2604	2604	0.933333
5643	013	2016	0.05	2000	2	65	100	3	5	3	6048	4048	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5644.799805	3644.799805	3644.799805	0.933333
5643	020	2037	0.05	1620	2	65	100	3	5	3	6111	4491	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5703.600098	4083.600098	4083.600098	0.933333
5643	022	2025	0.05	1560	2	65	100	3	5	3	6075	4515	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5670	4110	4110	0.933333
5643	035	1949	0.04	2151	2	65	100	3	4	2	5847	3696	RH-2	40	density-lim	1500			0.7	4	1	2	2	5457.199707	3306.199707	3306.199707	0.933333
5643	039	2004	0.05	1013	2	65	100	3	5	3	6012	4999	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5611.199707	4598.199707	4598.199707	0.933333
5643	041	1951	0.04	1323	2	65	100	3	4	2	5853	4530	RH-2	40	density-lim	1500			0.7	4	1	2	2	5462.799805	4139.799805	4139.799805	0.933333
5643	043	1750	0.04	1863	2	65	100	3	4	2	5250	3387	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3037	3037	0.933333
5643	045	2160	0.05	886	2	65	100	3	5	3	6480	5594	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6048	5162	5162	0.933333
5643	047	2037	0.05	936	2	65	100	3	5	3	6111	5175	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5703.600098	4767.600098	4767.600098	0.933333
5643	051	1750	0.04	1083	2	65	100	3	4	2	5250	4167	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3817	3817	0.933333
5644	003	1386	0.03	2493	2	65	100	3	3	1	4158	1665	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3880.800049	1387.800049	1387.800049	0.933333
5644	005	1871	0.04	2579	2	65	100	3	4	2	5613	3034	RH-2	40	density-lim	1500			0.7	4	1	2	2	5238.799805	2659.799805	2659.799805	0.933333
5644	008	2600	0.06	1902	2	65	100	3	6	4	7800	5898	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7280	5378	5378	0.933333
5644	011	1579	0.04	1876	2	65	100	3	4	2	4737	2861	RH-2	40	density-lim	1500			0.7	4	1	2	2	4421.199707	2545.199707	2545.199707	0.933333
5644	020	1712	0.04	2100	2	65	100	3	4	2	5136	3036	RH-2	40	density-lim	1500			0.7	4	1	2	2	4793.600098	2693.600098	2693.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5644	021	1710	0.04	2850	2	65	100	3	4	2	5130	2280	RH-2	40	density-lim	1500			0.7	4	1	2	2	4788	1938	1938	0.933333
5644	025	1764	0.04	2170	2	65	100	3	4	2	5292	3122	RH-2	40	density-lim	1500			0.7	4	1	2	2	4939.199707	2769.199707	2769.199707	0.933333
5644	031	1750	0.04	1550	2	65	100	3	4	2	5250	3700	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3350	3350	0.933333
5644	032	1750	0.04	1600	2	65	100	3	4	2	5250	3650	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	3300	3300	0.933333
5644	042	1621	0.04	1985	2	65	100	3	4	2	4863	2878	RH-2	40	density-lim	1500			0.7	4	1	2	2	4538.799805	2553.799805	2553.799805	0.933333
5644	044	1750	0.04	849	2	65	100	3	4	2	5250	4401	RH-2	40	density-lim	1500			0.7	4	1	2	2	4900	4051	4051	0.933333
5668	008	1797	0.04	1950	2	65	100	3	4	2	5391	3441	RH-1	40	density-lim	3000			0.7	4	1	2	2	5031.600098	3081.600098	3081.600098	0.933333
5668	016	1890	0.04	1610	2	55	80	2.5	3	1	4725	3115	RH-1	40	density-lim	3000			0.7	4	1.333333373	2	2	5292	3682	3682	1.12
5668	017	3502	0.08	3105	2	55	80	2.5	6	4	8755	5650	NCD-CORT	40	density-lim	800	true		0.75	4	0.666666687	2	2	10506	7401	7401	1.2
5668	035	1764	0.04	2405	4	65	100	3	4	0	5292	2887	RH-1	40	density-lim	3000	true		0.7	6	1.5	2	2	4939.199707	2534.199707	2534.199707	0.933333
5669	002	2193	0.05	1425	2	65	100	3	5	3	6579	5154	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	6140.399902	4715.399902	4715.399902	0.933333
5669	013	1797	0.04	1936	2	65	100	3	4	2	5391	3455	RH-1	40	density-lim	3000			0.7	4	1	2	2	5031.600098	3095.600098	3095.600098	0.933333
5669	015	1801	0.04	2800	2	65	100	3	4	2	5403	2603	RH-2	40	density-lim	1500			0.7	4	1	2	2	5042.799805	2242.799805	2242.799805	0.933333
5669	016	3594	0.08	2240	2	65	100	3	8	6	10782	8542	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	10063.2002	7823.200195	7823.200195	0.933333
5669	019	1810	0.04	1440	2	65	100	3	4	2	5430	3990	RH-1	40	density-lim	3000			0.7	4	1	2	2	5068	3628	3628	0.933333
5669	023	1815	0.04	2150	2	65	100	3	4	2	5445	3295	RH-1	40	density-lim	3000			0.7	4	1	2	2	5082	2932	2932	0.933333
5669	041	1797	0.04	793	2	65	100	3	4	2	5391	4598	RH-1	40	density-lim	3000			0.7	4	1	2	2	5031.600098	4238.600098	4238.600098	0.933333
5670	005	1773	0.04	2348	2	65	100	3	4	2	5319	2971	RH-2	40	density-lim	1500			0.7	4	1	2	2	4964.399902	2616.399902	2616.399902	0.933333
5671	016	1925	0.04	4257	4	65	100	3	4	0	5775	1518	RH-2	40	density-lim	1500	true		0.7	6	1.5	2	2	5390	1133	1133	0.933333
5671	017	1700	0.04	2080	2	65	100	3	4	2	5100	3020	RH-2	40	density-lim	1500			0.7	4	1	2	2	4760	2680	2680	0.933333
5671	019	1797	0.04	2310	2	65	100	3	4	2	5391	3081	RH-2	40	density-lim	1500			0.7	4	1	2	2	5031.600098	2721.600098	2721.600098	0.933333
5671	023	1757	0.04	1400	2	65	100	3	4	2	5271	3871	RH-2	40	density-lim	1500			0.7	4	1	2	2	4919.600098	3519.600098	3519.600098	0.933333
5671	028	1783	0.04	2000	2	65	100	3	4	2	5349	3349	RH-2	40	density-lim	1500			0.7	4	1	2	2	4992.399902	2992.399902	2992.399902	0.933333
5671	037	1643	0.04	1521	2	65	100	3	4	2	4929	3408	RH-2	40	density-lim	1500			0.7	4	1	2	2	4600.399902	3079.399902	3079.399902	0.933333
5672	008	3412	0.08	2470	2	65	100	3	8	6	10236	7766	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	9553.599609	7083.599609	7083.599609	0.933333
5672	010	4520	0.1	2070	2	65	100	3	10	8	13560	11490	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	12656	10586	10586	0.933333
5672	011	1633	0.04	2530	4	65	100	3	4	0	4899	2369	RH-2	40	density-lim	1500	true		0.7	6	1.5	2	2	4572.399902	2042.399902	2042.399902	0.933333
5672	012	1633	0.04	1764	2	65	100	3	4	2	4899	3135	RH-2	40	density-lim	1500			0.7	4	1	2	2	4572.399902	2808.399902	2808.399902	0.933333
5672	013	1633	0.04	2102	2	65	100	3	4	2	4899	2797	RH-2	40	density-lim	1500			0.7	4	1	2	2	4572.399902	2470.399902	2470.399902	0.933333
5672	015	1888	0.04	3240	2	65	100	3	4	2	5664	2424	RH-2	40	density-lim	1500			0.7	4	1	2	2	5286.399902	2046.399902	2046.399902	0.933333
5672	015A	1890	0.04	3668	2	65	100	3	4	2	5670	2002	RH-2	40	density-lim	1500			0.7	4	1	2	2	5292	1624	1624	0.933333
5672	018	2240	0.05	2530	2	65	100	3	5	3	6720	4190	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6272	3742	3742	0.933333
5672	025	1948	0.04	2999	2	65	100	3	4	2	5844	2845	RH-2	40	density-lim	1500			0.7	4	1	2	2	5454.399902	2455.399902	2455.399902	0.933333
5672	026	2027	0.05	3114	2	65	100	3	5	3	6081	2967	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5675.600098	2561.600098	2561.600098	0.933333
5672	028B	2081	0.05	3012	4	65	100	3	5	1	6243	3231	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	5826.799805	2814.799805	2814.799805	0.933333
5672	029	1723	0.04	1500	2	65	100	3	4	2	5169	3669	RH-2	40	density-lim	1500			0.7	4	1	2	2	4824.399902	3324.399902	3324.399902	0.933333
5672	033	1608	0.04	1125	2	65	100	3	4	2	4824	3699	RH-2	40	density-lim	1500			0.7	4	1	2	2	4502.399902	3377.399902	3377.399902	0.933333
5672	036	2165	0.05	956	2	65	100	3	5	3	6495	5539	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6062	5106	5106	0.933333
5673	006	1765	0.04	2500	2	65	100	3	4	2	5295	2795	RH-2	40	density-lim	1500			0.7	4	1	2	2	4942	2442	2442	0.933333
5673	013	2000	0.05	2500	2	65	100	3	5	3	6000	3500	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5600	3100	3100	0.933333
5673	017	2625	0.06	3100	2	65	100	3	6	4	7875	4775	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7350	4250	4250	0.933333
5673	020	2739	0.06	4125	3	65	100	3	6	3	8217	4092	NCD-MISS	40	density-lim	600			0.75	5	0.833333313	2	2	8217	4092	4092	1
5673	028	1869	0.04	2500	2	65	100	3	4	2	5607	3107	RH-2	40	density-lim	1500			0.7	4	1	2	2	5233.199707	2733.199707	2733.199707	0.933333
5673	032	1833	0.04	2400	2	65	100	3	4	2	5499	3099	RH-2	40	density-lim	1500			0.7	4	1	2	2	5132.399902	2732.399902	2732.399902	0.933333
5673	033	1833	0.04	2400	2	65	100	3	4	2	5499	3099	RH-2	40	density-lim	1500			0.7	4	1	2	2	5132.399902	2732.399902	2732.399902	0.933333
5673	043	1862	0.04	2200	2	65	100	3	4	2	5586	3386	RH-2	40	density-lim	1500			0.7	4	1	2	2	5213.600098	3013.600098	3013.600098	0.933333
5673	044	1351	0.03	1988	2	65	100	3	3	1	4053	2065	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3782.800049	1794.800049	1794.800049	0.933333
5673	045	1197	0.03	1820	2	65	100	3	3	1	3591	1771	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3351.599854	1531.599854	1531.599854	0.933333
5673	046	1232	0.03	1820	2	65	100	3	3	1	3696	1876	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3449.599854	1629.599854	1629.599854	0.933333
5673	049	2625	0.06	1145	2	65	100	3	6	4	7875	6730	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7350	6205	6205	0.933333
5673	056	2360	0.05	2129	2	65	100	3	5	3	7080	4951	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6608	4479	4479	0.933333
5673	058	2625	0.06	1770	2	65	100	3	6	4	7875	6105	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7350	5580	5580	0.933333
5673	060	2000	0.05	1179	2	65	100	3	5	3	6000	4821	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5600	4421	4421	0.933333
5674	002	2478	0.06	1695	2	65	100	3	6	4	7434	5739	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6938.399902	5243.399902	5243.399902	0.933333
5674	006A	1225	0.03	1725	2	65	100	3	3	1	3675	1950	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3430	1705	1705	0.933333
5674	013	2471	0.06	3014	2	65	100	3	6	4	7413	4399	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6918.799805	3904.799805	3904.799805	0.933333
5674	017	2500	0.06	1650	2	65	100	3	6	4	7500	5850	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5350	5350	0.933333
5675	005	2487	0.06	1600	2	65	100	3	6	4	7461	5861	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6963.600098	5363.600098	5363.600098	0.933333
5675	007	2486	0.06	1600	2	65	100	3	6	4	7458	5858	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6960.799805	5360.799805	5360.799805	0.933333
5676	001	2601	0.06	2839	4	55	80	2.5	5	1	6502	3663	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	2	2	7282.799805	4443.799805	4443.799805	1.120086
5676	020	2465	0.06	2250	2	65	100	3	6	4	7395	5145	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6902	4652	4652	0.933333
5676	024	2504	0.06	2699	2	65	100	3	6	4	7512	4813	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7011.199707	4312.199707	4312.199707	0.933333
5677	018	2810	0.06	1150	2	55	80	2.5	5	3	7025	5875	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7868	6718	6718	1.12
5678	004	2210	0.05	1670	2	55	80	2.5	4	2	5525	3855	RH-2	40	density-lim	1500			0.7	4	1	2	2	6188	4518	4518	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5678	006	2275	0.05	2500	2	55	80	2.5	4	2	5688	3188	RH-2	40	density-lim	1500			0.7	4	1	2	2	6370	3870	3870	1.119902
5678	011	2815	0.06	950	2	55	80	2.5	5	3	7038	6088	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7882	6932	6932	1.11992
5678	013	2815	0.06	1850	2	55	80	2.5	5	3	7038	5188	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7882	6032	6032	1.11992
5678	024	2500	0.06	960	1	55	80	2.5	5	4	6250	5290	NCD-CORT	40	density-lim	800			0.75	3	0.600000024	2	2	7500	6540	6540	1.2
5678	030	2786	0.06	1125	1	55	80	2.5	5	4	6965	5840	NCD-CORT	40	density-lim	800			0.75	3	0.600000024	2	2	8358	7233	7233	1.2
5678	032	2201	0.05	1302	2	55	80	2.5	4	2	5502	4200	RH-2	40	density-lim	1500			0.7	4	1	2	2	6162.799805	4860.799805	4860.799805	1.120102
5678	034	1350	0.03	1156	2	55	80	2.5	2	0	3375	2219	RH-2	40	density-lim	1500			0.7	4	2	2	2	3780	2624	2624	1.12
5678	036	2815	0.06	910	2	55	80	2.5	5	3	7038	6128	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7882	6972	6972	1.11992
5707	020	1776	0.04	2712	2	55	80	2.5	3	1	4440	1728	RH-1	40	density-lim	3000			0.7	4	1.333333373	2	2	4972.799805	2260.799805	2260.799805	1.12
5708	002	2471	0.06	1804	2	55	80	2.5	5	3	6178	4374	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6918.799805	5114.799805	5114.799805	1.119909
5708	016	2786	0.06	2785	2	55	80	2.5	5	3	6965	4180	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7800.799805	5015.799805	5015.799805	1.12
5708	018	2500	0.06	2000	2	55	80	2.5	5	3	6250	4250	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5000	5000	1.12
5708	030	4452	0.1	1024	2	55	80	2.5	8	6	11130	10106	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	12465.59961	11441.59961	11441.59961	1.12
5708	034	1279	0.03	786	2	55	80	2.5	2	0	3198	2412	RH-2	40	density-lim	1500			0.7	4	2	2	2	3581.199951	2795.199951	2795.199951	1.119825
5709	004	2500	0.06	1725	2	55	80	2.5	5	3	6250	4525	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5275	5275	1.12
5709	010	2201	0.05	1450	2	55	80	2.5	4	2	5502	4052	RH-2	40	density-lim	1500			0.7	4	1	2	2	6162.799805	4712.799805	4712.799805	1.120102
5709	013	3255	0.07	1621	2	55	80	2.5	6	4	8138	6517	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	9114	7493	7493	1.119931
5709	016	2811	0.06	3284	2	55	80	2.5	5	3	7028	3744	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7870.799805	4586.799805	4586.799805	1.11992
5709	024	2437	0.06	1679	2	55	80	2.5	5	3	6092	4413	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6823.600098	5144.600098	5144.600098	1.120092
5710	002	2820	0.06	2128	2	65	100	3	6	4	8460	6332	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7896	5768	5768	0.933333
5710	026	2369	0.05	1581	2	65	100	3	5	3	7107	5526	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6633.199707	5052.199707	5052.199707	0.933333
5710	029	2500	0.06	2124	2	65	100	3	6	4	7500	5376	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4876	4876	0.933333
5710	042	2500	0.06	2600	2	65	100	3	6	4	7500	4900	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4400	4400	0.933333
5710	047	2500	0.06	1925	2	65	100	3	6	4	7500	5575	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5075	5075	0.933333
5710	061	2369	0.05	633	2	65	100	3	5	3	7107	6474	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6633.199707	6000.199707	6000.199707	0.933333
5712	010	2500	0.06	1600	2	65	100	3	6	4	7500	5900	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5400	5400	0.933333
5712	020	2725	0.06	1949	2	65	100	3	6	4	8175	6226	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7630	5681	5681	0.933333
5712	021	1326	0.03	1674	2	65	100	3	3	1	3978	2304	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3712.800049	2038.800049	2038.800049	0.933333
5712	025	2465	0.06	2780	2	85	140	4	8	6	9860	7080	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	6902	4122	4122	0.7
5712	031	3392	0.08	1750	2	85	140	4	11	9	13568	11818	RH-2	40	density-lim	1500			0.7	4	0.363636374	2	2	9497.599609	7747.599609	7747.599609	0.7
5712	032	3389	0.08	1776	2	85	140	4	11	9	13556	11780	RH-2	40	density-lim	1500			0.7	4	0.363636374	2	2	9489.200195	7713.200195	7713.200195	0.7
5712	041	2692	0.06	1500	2	65	100	3	6	4	8076	6576	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7537.600098	6037.600098	6037.600098	0.933333
5712	046	2500	0.06	930	2	65	100	3	6	4	7500	6570	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	6070	6070	0.933333
5712	048	2500	0.06	2872	2	65	100	3	6	4	7500	4628	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4128	4128	0.933333
5712	049	2445	0.06	1275	2	85	140	4	8	6	9780	8505	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	6846	5571	5571	0.7
5712	051	2500	0.06	759	2	65	100	3	6	4	7500	6741	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	6241	6241	0.933333
5712	053	2500	0.06	1004	2	65	100	3	6	4	7500	6496	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5996	5996	0.933333
5713	002	3237	0.07	2250	2	65	100	3	7	5	9711	7461	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	9063.599609	6813.599609	6813.599609	0.933333
5713	005	2500	0.06	2200	2	65	100	3	6	4	7500	5300	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4800	4800	0.933333
5713	007	2500	0.06	2123	2	65	100	3	6	4	7500	5377	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4877	4877	0.933333
5713	012	2500	0.06	3720	2	65	100	3	6	4	7500	3780	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	3280	3280	0.933333
5713	016	2096	0.05	3808	2	65	100	3	5	3	6288	2480	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5868.799805	2060.799805	2060.799805	0.933333
5713	017	2734	0.06	4780	2	65	100	3	6	4	8202	3422	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7655.199707	2875.199707	2875.199707	0.933333
5713	018	2746	0.06	5500	2	65	100	3	6	4	8238	2738	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7688.799805	2188.799805	2188.799805	0.933333
5713	019	2759	0.06	2520	2	65	100	3	6	4	8277	5757	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7725.199707	5205.199707	5205.199707	0.933333
5713	020	2771	0.06	2300	2	65	100	3	6	4	8313	6013	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7758.799805	5458.799805	5458.799805	0.933333
5713	026	4175	0.1	2525	2	65	100	3	10	8	12525	10000	RH-2	40	density-lim	1500			0.7	4	0.400000006	2	2	11690	9165	9165	0.933333
5713	028	2179	0.05	3472	4	65	100	3	5	1	6537	3065	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	6101.199707	2629.199707	2629.199707	0.933333
5713	035	2084	0.05	3808	2	65	100	3	5	3	6252	2444	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5835.199707	2027.199707	2027.199707	0.933333
5713	040	5000	0.11	1830	4	65	100	3	11	7	15000	13170	RH-2	40	density-lim	1500	true		0.7	6	0.545454562	2	2	14000	12170	12170	0.933333
5713	044	2346	0.05	2026	2	65	100	3	5	3	7038	5012	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6568.799805	4542.799805	4542.799805	0.933333
5713	046	2805	0.06	3000	2	65	100	3	6	4	8415	5415	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7854	4854	4854	0.933333
5715	001	2500	0.06	3691	4	55	80	2.5	5	1	6250	2559	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	7000	3309	3309	1.12
5715	008	2262	0.05	1950	2	55	80	2.5	4	2	5655	3705	RH-2	40	density-lim	1500			0.7	4	1	2	2	6333.600098	4383.600098	4383.600098	1.12
5716	002	2874	0.07	2501	2	55	80	2.5	6	4	7185	4684	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8047.199707	5546.199707	5546.199707	1.12
5716	020	2500	0.06	2123	2	55	80	2.5	5	3	6250	4127	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4877	4877	1.12
5716	025	2500	0.06	2382	2	55	80	2.5	5	3	6250	3868	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4618	4618	1.12
5716	030	2500	0.06	954	2	55	80	2.5	5	3	6250	5296	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	6046	6046	1.12
5717	012	2735	0.06	2542	2	55	80	2.5	5	3	6838	4296	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7658	5116	5116	1.119918
5717	024	2265	0.05	1360	2	55	80	2.5	4	2	5662	4302	RH-2	40	density-lim	1500			0.7	4	1	2	2	6342	4982	4982	1.120099
5717	038	2700	0.06	1750	2	55	80	2.5	5	3	6750	5000	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7560	5810	5810	1.12
5717	046	2700	0.06	1251	2	55	80	2.5	5	3	6750	5499	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7560	6309	6309	1.12
5717	048	2500	0.06	674	2	55	80	2.5	5	3	6250	5576	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	6326	6326	1.12
5718	013	2540	0.06	1850	2	65	100	3	6	4	7620	5770	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7112	5262	5262	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5718	022	2540	0.06	1900	2	65	100	3	6	4	7620	5720	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7112	5212	5212	0.933333
5718	027	2540	0.06	2448	2	65	100	3	6	4	7620	5172	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7112	4664	4664	0.933333
5718	028	2540	0.06	1250	2	65	100	3	6	4	7620	6370	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7112	5862	5862	0.933333
5718	029	1866	0.04	2500	4	65	100	3	4	0	5598	3098	RH-2	40	density-lim	1500	true		0.7	6	1.5	2	2	5224.799805	2724.799805	2724.799805	0.933333
5718	032	2800	0.06	2250	2	65	100	3	6	4	8400	6150	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7840	5590	5590	0.933333
5718	037	2500	0.06	2550	2	65	100	3	6	4	7500	4950	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4450	4450	0.933333
5718	038	2500	0.06	2550	2	65	100	3	6	4	7500	4950	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4450	4450	0.933333
5718	046	2500	0.06	2500	2	65	100	3	6	4	7500	5000	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4500	4500	0.933333
5718	054	2500	0.06	1685	2	65	100	3	6	4	7500	5815	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5315	5315	0.933333
5718	057	2500	0.06	1213	2	65	100	3	6	4	7500	6287	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5787	5787	0.933333
5718	059	2540	0.06	869	2	65	100	3	6	4	7620	6751	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7112	6243	6243	0.933333
5719	011	2244	0.05	2250	2	65	100	3	5	3	6732	4482	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6283.199707	4033.199707	4033.199707	0.933333
5719	017	2438	0.06	3133	1	65	100	3	6	5	7314	4181	NC-2	40	density-lim	800			0.75	3	0.5	2	2	7314	4181	4181	1
5720	009	3633	0.08	3150	2	55	80	2.5	6	4	9082	5932	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	10172.39941	7022.399414	7022.399414	1.120062
5720	011	2500	0.06	1600	2	55	80	2.5	5	3	6250	4650	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5400	5400	1.12
5720	022	2500	0.06	2083	2	65	100	3	6	4	7500	5417	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4917	4917	0.933333
5720	042	2476	0.06	2100	2	65	100	3	6	4	7428	5328	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6932.799805	4832.799805	4832.799805	0.933333
5720	043	2477	0.06	2100	2	65	100	3	6	4	7431	5331	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6935.600098	4835.600098	4835.600098	0.933333
5720	047	2482	0.06	1625	2	65	100	3	6	4	7446	5821	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6949.600098	5324.600098	5324.600098	0.933333
5720	048	2484	0.06	2138	2	65	100	3	6	4	7452	5314	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6955.199707	4817.199707	4817.199707	0.933333
5720	050	2486	0.06	1550	2	65	100	3	6	4	7458	5908	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6960.799805	5410.799805	5410.799805	0.933333
5720	051	2488	0.06	1838	2	65	100	3	6	4	7464	5626	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6966.399902	5128.399902	5128.399902	0.933333
5720	054	2492	0.06	2782	2	65	100	3	6	4	7476	4694	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6977.600098	4195.600098	4195.600098	0.933333
5720	055	2493	0.06	2400	2	55	80	2.5	5	3	6232	3832	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6980.399902	4580.399902	4580.399902	1.12009
5720	056	2495	0.06	1250	2	55	80	2.5	5	3	6238	4988	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6986	5736	5736	1.11991
5720	057	2995	0.07	2250	2	55	80	2.5	6	4	7488	5238	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8386	6136	6136	1.119925
5720	065	2403	0.06	2650	2	55	80	2.5	5	3	6008	3358	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6728.399902	4078.399902	4078.399902	1.119907
5720	066	1500	0.03	2345	2	65	100	3	3	1	4500	2155	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4200	1855	1855	0.933333
5721	002	2500	0.06	2175	2	55	80	2.5	5	3	6250	4075	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4825	4825	1.12
5721	007	2500	0.06	2633	2	55	80	2.5	5	3	6250	3617	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4367	4367	1.12
5721	022	2500	0.06	2250	2	55	80	2.5	5	3	6250	4000	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4750	4750	1.12
5721	030	3700	0.08	2280	2	55	80	2.5	6	4	9250	6970	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	10360	8080	8080	1.12
5721	031	2500	0.06	2620	2	55	80	2.5	5	3	6250	3630	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4380	4380	1.12
5721	044	1828	0.04	1556	2	55	80	2.5	3	1	4570	3014	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	5118.399902	3562.399902	3562.399902	1.12
5721	045	1372	0.03	1783	2	55	80	2.5	2	0	3430	1647	RH-2	40	density-lim	1500			0.7	4	2	2	2	3841.599854	2058.599854	2058.599854	1.12
5721	063	2500	0.06	3069	2	55	80	2.5	5	3	6250	3181	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	3931	3931	1.12
5721	065	2500	0.06	1375	2	55	80	2.5	5	3	6250	4875	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5625	5625	1.12
5721	069	2500	0.06	2320	2	55	80	2.5	5	3	6250	3930	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4680	4680	1.12
5721	073	2500	0.06	1880	2	55	80	2.5	5	3	6250	4370	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5120	5120	1.12
5721	074	2500	0.06	1880	2	55	80	2.5	5	3	6250	4370	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5120	5120	1.12
5721	076	2500	0.06	2850	2	55	80	2.5	5	3	6250	3400	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4150	4150	1.12
5721	077	2500	0.06	2160	2	55	80	2.5	5	3	6250	4090	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	4840	4840	1.12
5721	079	2500	0.06	1192	2	55	80	2.5	5	3	6250	5058	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5808	5808	1.12
5721	081	2500	0.06	1095	2	55	80	2.5	5	3	6250	5155	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	5905	5905	1.12
5721	083	2533	0.06	1000	2	55	80	2.5	5	3	6332	5332	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7092.399902	6092.399902	6092.399902	1.120088
5721	085	2500	0.06	675	2	55	80	2.5	5	3	6250	5575	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7000	6325	6325	1.12
5722	024	1750	0.04	2250	2	55	80	2.5	3	1	4375	2125	RH-1	40	density-lim	3000			0.7	4	1.333333373	2	2	4900	2650	2650	1.12
5745	034A	1956	0.04	2000	2	55	80	2.5	3	1	4890	2890	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	5476.799805	3476.799805	3476.799805	1.12
5745	056	2476	0.06	2350	2	55	80	2.5	5	3	6190	3840	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6932.799805	4582.799805	4582.799805	1.12
5745	060	1944	0.04	2600	2	55	80	2.5	3	1	4860	2260	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	5443.199707	2843.199707	2843.199707	1.12
5745	066	2503	0.06	1206	2	55	80	2.5	5	3	6258	5052	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7008.399902	5802.399902	5802.399902	1.11991
5745	068	2513	0.06	1438	2	55	80	2.5	5	3	6282	4844	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7036.399902	5598.399902	5598.399902	1.120089
5745	071	3111	0.07	1287	2	55	80	2.5	6	4	7778	6491	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	8710.799805	7423.799805	7423.799805	1.119928
6469	005	3861	0.09	3918	4	55	80	2.5	7	3	9652	5734	NCD-EXCE	40	density-lim	600			0.75	6	0.857142866	2	2	11583	7665	7665	1.200062
6469	035	1696	0.04	1363	1	55	80	2.5	3	2	4240	2877	NCD-EXCE	40	density-lim	600			0.75	3	1	2	2	5088	3725	3725	1.2
6469	037	1591	0.04	1364	1	55	80	2.5	3	2	3978	2614	NCD-EXCE	40	density-lim	600			0.75	3	1	2	2	4773	3409	3409	1.199849
6469	046	2254	0.05	1379	2	55	80	2.5	4	2	5635	4256	NCD-EXCE	40	density-lim	600			0.75	4	1	2	2	6762	5383	5383	1.2
6471	003	1750	0.04	1820	2	55	80	2.5	3	1	4375	2555	RH-1	40	density-lim	3000			0.7	4	1.333333373	2	2	4900	3080	3080	1.12
6472	027	2500	0.06	3190	2	55	80	2.5	5	3	6250	3060	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	2	2	7500	4310	4310	1.2
6472	043	8449	0.19	984	12	55	80	2.5	15	3	21122	20138	NCD-EXCE	40	density-lim	600			0.75	14	0.933333337	2	2	25347	24363	24363	1.200028
6472	076	3159	0.07	2388	2	55	80	2.5	6	4	7898	5510	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	8845.200195	6457.200195	6457.200195	1.119929
6473	037	11587	0.27	14506	17	55	80	2.5	22	5	28968	14462	NCD-EXCE	40	density-lim	600	true		0.75	19	0.863636374	2	2	34761	20255	20255	1.199979
6473	041	2660	0.06	4091	2	55	80	2.5	5	3	6650	2559	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	2	2	7980	3889	3889	1.2
6473	042	2241	0.05	2528	2	55	80	2.5	4	2	5602	3074	NCD-EXCE	40	density-lim	600			0.75	4	1	2	2	6723	4195	4195	1.200107

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6473	050	2256	0.05	3711	2	55	80	2.5	4	2	5640	1929	NCD-EXCE	40	density-lim	600			0.75	4	1	2	2	6768	3057	3057	1.2
6490	053	6400	0.15	3552	2	55	80	2.5	12	10	16000	12448	RH-1	40	density-lim	3000			0.7	4	0.333333343	2	2	17920	14368	14368	1.12
6491	001	2291	0.05	2629	4	55	80	2.5	4	0	5728	3099	RH-1	40	density-lim	3000	true		0.7	6	1.5	2	2	6414.799805	3785.799805	3785.799805	1.119902
6505	053	1760	0.04	1038	2	55	80	2.5	3	1	4400	3362	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	4928	3890	3890	1.12
6508	006	3049	0.07	5027	7	65	100	3	7	0	9147	4120	RH-2	50	form-based		true	true	0.7	9	1.285714269	2	2	10671.5	5644.5	5644.5	1.166667
6508	023	2172	0.05	3402	4	65	100	3	5	1	6516	3114	RH-2	50	form-based		true	true	0.7	6	1.200000048	2	2	7602	4200	4200	1.166667
6509	011A	2120	0.05	3600	4	65	100	3	5	1	6360	2760	RH-2	50	form-based		true	true	0.7	6	1.200000048	2	2	7420	3820	3820	1.166667
6509	011B	1450	0.03	2574	2	65	100	3	3	1	4350	1776	RH-2	50	form-based			true	0.7	4	1.333333373	2	2	5075	2501	2501	1.166667
6509	018	2100	0.05	2500	4	65	100	3	5	1	6300	3800	RH-2	50	form-based			true	0.7	6	1.200000048	2	2	7350	4850	4850	1.166667
6510	023A	2488	0.06	4352	5	65	100	3	6	1	7464	3112	NCD-24TH	50	form-based		true	true	0.75	7	1.166666627	2	2	9330	4978	4978	1.25
6510	023B	1914	0.04	3420	4	85	140	4	6	2	7656	4236	NCD-24TH	50	form-based			true	0.75	6	1	2	2	7177.5	3757.5	3757.5	0.9375
6511	003	2834	0.07	2780	2	65	100	3	7	5	8502	5722	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7935.199707	5155.199707	5155.199707	0.933333
6511	012	2459	0.06	2108	2	65	100	3	6	4	7377	5269	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6885.199707	4777.199707	4777.199707	0.933333
6511	013	2459	0.06	2966	2	65	100	3	6	4	7377	4411	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6885.199707	3919.199707	3919.199707	0.933333
6511	014	2459	0.06	2800	2	65	100	3	6	4	7377	4577	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6885.199707	4085.199707	4085.199707	0.933333
6511	016	2750	0.06	3300	2	65	100	3	6	4	8250	4950	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7700	4400	4400	0.933333
6511	026	3125	0.07	2400	2	65	100	3	7	5	9375	6975	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8750	6350	6350	0.933333
6511	028	3750	0.09	2714	2	65	100	3	9	7	11250	8536	RH-3	40	density-lim	1000			0.7	4	0.444444448	2	2	10500	7786	7786	0.933333
6511	029	3750	0.09	3224	2	65	100	3	9	7	11250	8026	RH-3	40	density-lim	1000			0.7	4	0.444444448	2	2	10500	7276	7276	0.933333
6511	034	2398	0.06	2550	2	65	100	3	6	4	7194	4644	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6714.399902	4164.399902	4164.399902	0.933333
6511	035	2398	0.06	2304	2	65	100	3	6	4	7194	4890	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6714.399902	4410.399902	4410.399902	0.933333
6511	037	1625	0.04	1671	2	65	100	3	4	2	4875	3204	RH-3	40	density-lim	1000			0.7	4	1	2	2	4550	2879	2879	0.933333
6511	045	2834	0.07	1315	2	65	100	3	7	5	8502	7187	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7935.199707	6620.199707	6620.199707	0.933333
6511	047	2500	0.06	2031	2	65	100	3	6	4	7500	5469	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4969	4969	0.933333
6511	049	3125	0.07	1575	2	65	100	3	7	5	9375	7800	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8750	7175	7175	0.933333
6511	054	2476	0.06	1093	2	65	100	3	6	4	7428	6335	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6932.799805	5839.799805	5839.799805	0.933333
6512	003	3117	0.07	2640	2	65	100	3	7	5	9351	6711	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8727.599609	6087.599609	6087.599609	0.933333
6512	007	3117	0.07	3498	2	65	100	3	7	5	9351	5853	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8727.599609	5229.599609	5229.599609	0.933333
6512	017	3125	0.07	3000	2	65	100	3	7	5	9375	6375	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8750	5750	5750	0.933333
6512	032	1940	0.04	1527	2	65	100	3	4	2	5820	4293	RH-3	40	density-lim	1000			0.7	4	1	2	2	5432	3905	3905	0.933333
6512	034	3125	0.07	1419	2	65	100	3	7	5	9375	7956	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8750	7331	7331	0.933333
6512	041	3125	0.07	1299	2	65	100	3	7	5	9375	8076	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8750	7451	7451	0.933333
6513	002A	2700	0.06	2480	2	75	120	3.5	7	5	9450	6970	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7560	5080	5080	0.8
6513	005	4589	0.11	5044	3	75	120	3.5	13	10	16062	11018	RH-3	40	density-lim	1000			0.7	5	0.384615391	2	2	12849.2002	7805.200195	7805.200195	0.799975
6513	012	1963	0.05	2500	2	75	120	3.5	6	4	6870	4370	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	5496.399902	2996.399902	2996.399902	0.800058
6513	012B	1849	0.04	2500	2	75	120	3.5	5	3	6472	3972	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5177.199707	2677.199707	2677.199707	0.799938
6513	021	4107	0.09	3546	2	75	120	3.5	11	9	14374	10828	RH-3	40	density-lim	1000			0.7	4	0.363636374	2	2	11499.59961	7953.599609	7953.599609	0.800028
6513	022	1999	0.05	2000	2	75	120	3.5	6	4	6996	4996	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	5597.199707	3597.199707	3597.199707	0.800057
6513	038	2079	0.05	1105	2	75	120	3.5	6	4	7276	6171	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	5821.199707	4716.199707	4716.199707	0.800055
6513	040	2121	0.05	1275	2	75	120	3.5	6	4	7424	6149	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	5938.799805	4663.799805	4663.799805	0.799946
6513	044	2079	0.05	1118	2	75	120	3.5	6	4	7276	6158	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	5821.199707	4703.199707	4703.199707	0.800055
6513	049	1849	0.04	1250	2	75	120	3.5	5	3	6472	5222	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5177.199707	3927.199707	3927.199707	0.799938
6513	051	1259	0.03	882	2	75	120	3.5	4	2	4406	3524	RH-3	40	density-lim	1000			0.7	4	1	2	2	3525.199951	2643.199951	2643.199951	0.800091
6513	055	1286	0.03	1004	2	75	120	3.5	4	2	4501	3497	RH-3	40	density-lim	1000			0.7	4	1	2	2	3600.800049	2596.800049	2596.800049	0.8
6513	061	1846	0.04	1111	2	75	120	3.5	5	3	6461	5350	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5168.799805	4057.799805	4057.799805	0.8
6513	063	1846	0.04	1119	2	75	120	3.5	5	3	6461	5342	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5168.799805	4049.799805	4049.799805	0.8
6513	072	3250	0.07	2353	2	75	120	3.5	8	6	11375	9022	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9100	6747	6747	0.8
6514	007	1953	0.04	2612	4	75	120	3.5	5	1	6836	4224	NCT-VALEI	55	form-based				0.75	6	1.200000048	2	2	7323.75	4711.75	4711.75	1.07135
6515	009	3051	0.07	3370	4	75	120	3.5	8	4	10678	7308	RTO-M	45	form-based				0.7	6	0.75	2	2	8542.799805	5172.799805	5172.799805	0.800037
6515	034	2415	0.06	644	3	75	120	3.5	7	4	8452	7808	RTO-M	45	form-based				0.7	5	0.714285731	2	2	6762	6118	6118	0.800047
6516	011A	2975	0.07	3106	4	75	120	3.5	8	4	10412	7306	RTO-M	45	form-based				0.7	6	0.75	2	2	8330	5224	5224	0.800038
6516	020	2618	0.06	2722	3	85	140	4	8	5	10472	7750	RTO-M	45	form-based				0.7	5	0.625	2	2	7330.399902	4608.399902	4608.399902	0.7
6517	002	1354	0.03	1248	1	75	120	3.5	4	3	4739	3491	RTO-M	40	form-based				0.7	3	0.75	2	2	3791.199951	2543.199951	2543.199951	0.8
6517	003	1442	0.03	1140	1	75	120	3.5	4	3	5047	3907	RTO-M	40	form-based				0.7	3	0.75	2	2	4037.599854	2897.599854	2897.599854	0.8
6517	004	1442	0.03	1285	1	75	120	3.5	4	3	5047	3762	RTO-M	40	form-based				0.7	3	0.75	2	2	4037.599854	2752.599854	2752.599854	0.8
6517	017	2701	0.06	3014	6	75	120	3.5	7	1	9454	6440	RTO-M	55	form-based		true		0.7	8	1.142857194	2	2	9453.5	6439.5	6439.5	0.999947
6518	010	3729	0.09	5328	8	75	120	3.5	11	3	13052	7724	RTO-M	50	form-based				0.7	10	0.909090936	2	2	13051.5	7723.5	7723.5	0.999962
6518	013A	2778	0.06	6150	6	75	120	3.5	7	1	9723	3573	RTO-M	55	form-based		true		0.7	8	1.142857194	2	2	9723	3573	3573	1
6518	014	1479	0.03	2208	2	75	120	3.5	4	2	5176	2968	RTO-M	55	form-based		true		0.7	4	1	2	2	5176.5	2968.5	2968.5	1.000097
6518	014B	1495	0.03	2208	2	75	120	3.5	4	2	5232	3024	RTO-M	55	form-based				0.7	4	1	2	2	5232.5	3024.5	3024.5	1.000096
6518	030	1495	0.03	2208	2	75	120	3.5	4	2	5232	3024	RTO-M	55	form-based				0.7	4	1	2	2	5232.5	3024.5	3024.5	1.000096
6518	041	1495	0.03	1091	2	75	120	3.5	4	2	5232	4141	RTO-M	55	form-based				0.7	4	1	2	2	5232.5	4141.5	4141.5	1.000096
6518	043	2869	0.07	4115	4	75	120	3.5	8	4	10042	5927	RTO-M	40	form-based				0.7	6	0.75	2	2	8033.199707	3918.199707	3918.199707	0.79996
6527	014	3564	0.08	8624	9	75	120	3.5	10	1	12474	3850	NCT-MISSI	55	form-based		true		0.75	11	1.100000024	2	2	13365	4741	4741	1.071429

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6527	015B	1300	0.03	2459	2	75	120	3.5	4	2	4550	2091	RTO-M	55	form-based				0.7	4	1	2	2	4550	2091	2091	1
6527	017	1950	0.04	2278	3	75	120	3.5	5	2	6825	4547	RTO-M	55	form-based		true		0.7	5	1	2	2	6825	4547	4547	1
6528	008B	1726	0.04	1731	2	75	120	3.5	5	3	6041	4310	RTO-M	40	form-based				0.7	4	0.800000012	2	2	4832.799805	3101.799805	3101.799805	0.8
6528	008C	920	0.02	0	0	75	120	3.5	2	2	3220	3220	RTO-M	40	form-based				0.7	2	1	2	2	2576	2576	2576	0.8
6528	071	2492	0.06	1198	3	75	120	3.5	7	4	8722	7524	RTO-M	40	form-based				0.7	5	0.714285731	2	2	6977.600098	5779.600098	5779.600098	0.8
6528	074	2492	0.06	1100	3	75	120	3.5	7	4	8722	7622	RTO-M	40	form-based				0.7	5	0.714285731	2	2	6977.600098	5877.600098	5877.600098	0.8
6529	005	3543	0.08	6371	11	75	120	3.5	10	0	12400	6029	NCT-MISSI	65	form-based				0.75	13	1.299999952	2	2	15943.5	9572.5	9572.5	1.285766
6529	012B	2700	0.06	6300	6	75	120	3.5	7	1	9450	3150	RTO-M	55	form-based		true		0.7	8	1.142857194	2	2	9450	3150	3150	1
6529	015	2953	0.07	3320	4	75	120	3.5	8	4	10336	7016	RTO-M	45	form-based				0.7	6	0.75	2	2	8268.399414	4948.399414	4948.399414	0.799961
6530	008	4218	0.1	6560	7	75	120	3.5	12	5	14763	8203	RTO-M	45	form-based				0.7	9	0.75	2	2	11810.39941	5250.399414	5250.399414	0.8
6530	011	1942	0.04	2552	2	75	120	3.5	5	3	6797	4245	RTO-M	45	form-based				0.7	4	0.800000012	2	2	5437.600098	2885.600098	2885.600098	0.8
6530	011B	2622	0.06	3442	5	75	120	3.5	7	2	9177	5735	RTO-M	55	form-based		true		0.7	7	1	2	2	9177	5735	5735	1
6530	013	1806	0.04	3748	3	75	120	3.5	5	2	6321	2573	NCT-VALEI	55	form-based				0.75	5	1	2	2	6772.5	3024.5	3024.5	1.071429
6530	013A	1131	0.03	1021	1	75	120	3.5	4	3	3958	2937	NCT-VALEI	55	form-based				0.75	3	0.75	2	2	4241.25	3220.25	3220.25	1.071564
6531	013	2701	0.06	7850	6	75	120	3.5	7	1	9454	1604	NCT-VALEI	55	form-based				0.75	8	1.142857194	2	2	10128.75	2278.75	2278.75	1.071372
6531	016	2701	0.06	3404	6	65	100	3	6	0	8103	4699	NCT-VALEI	55	form-based				0.75	8	1.333333373	2	2	10128.75	6724.75	6724.75	1.25
6531	028A	1460	0.03	2340	2	75	120	3.5	4	2	5110	2770	RH-3	40	density-lim	1000			0.7	4	1	2	2	4088	1748	1748	0.8
6531	030	2701	0.06	4800	6	75	120	3.5	7	1	9454	4654	NCT-VALEI	55	form-based				0.75	8	1.142857194	2	2	10128.75	5328.75	5328.75	1.071372
6531	041	2701	0.06	1245	6	75	120	3.5	7	1	9454	8209	NCT-VALEI	55	form-based				0.75	8	1.142857194	2	2	10128.75	8883.75	8883.75	1.071372
6532	001	2692	0.06	4455	4	75	120	3.5	7	3	9422	4967	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	2	2	7537.600098	3082.600098	3082.600098	0.8
6532	001A	1435	0.03	1980	2	75	120	3.5	4	2	5022	3042	RH-3	40	density-lim	1000			0.7	4	1	2	2	4018	2038	2038	0.80008
6532	003	2950	0.07	2890	2	75	120	3.5	8	6	10325	7435	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	8260	5370	5370	0.8
6532	019	2500	0.06	1148	1	65	100	3	6	5	7500	6352	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7000	5852	5852	0.933333
6532	020	2668	0.06	1426	1	65	100	3	6	5	8004	6578	RM-1	40	density-lim	800			0.7	3	0.5	2	2	7470.399902	6044.399902	6044.399902	0.933333
6532	021A	1736	0.04	2400	2	65	100	3	4	2	5208	2808	RH-3	40	density-lim	1000			0.7	4	1	2	2	4860.799805	2460.799805	2460.799805	0.933333
6532	024	3062	0.07	2350	2	65	100	3	7	5	9186	6836	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8573.599609	6223.599609	6223.599609	0.933333
6532	025	3167	0.07	2466	2	65	100	3	7	5	9501	7035	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8867.599609	6401.599609	6401.599609	0.933333
6532	027	3125	0.07	3360	2	65	100	3	7	5	9375	6015	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8750	5390	5390	0.933333
6532	032A	1375	0.03	2020	2	65	100	3	3	1	4125	2105	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3850	1830	1830	0.933333
6532	036	2236	0.05	3024	2	65	100	3	5	3	6708	3684	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	6260.799805	3236.799805	3236.799805	0.933333
6532	042	2950	0.07	1465	2	75	120	3.5	8	6	10325	8860	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	8260	6795	6795	0.8
6532	046	2100	0.05	1670	2	75	120	3.5	6	4	7350	5680	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	5880	4210	4210	0.8
6532	061	3125	0.07	1328	2	65	100	3	7	5	9375	8047	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8750	7422	7422	0.933333
6532	063	2950	0.07	1566	2	75	120	3.5	8	6	10325	8759	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	8260	6694	6694	0.8
6533	001	2390	0.05	5000	4	65	100	3	5	1	7170	2170	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	2	2	6692	1692	1692	0.933333
6533	002	2641	0.06	3520	2	65	100	3	6	4	7923	4403	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7394.799805	3874.799805	3874.799805	0.933333
6533	003	2641	0.06	3800	2	65	100	3	6	4	7923	4123	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7394.799805	3594.799805	3594.799805	0.933333
6533	012	3117	0.07	2700	2	65	100	3	7	5	9351	6651	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8727.599609	6027.599609	6027.599609	0.933333
6533	021	4250	0.1	3846	4	65	100	3	10	6	12750	8904	RH-3	40	density-lim	1000	true		0.7	6	0.600000024	2	2	11900	8054	8054	0.933333
6533	024	3125	0.07	3086	2	65	100	3	7	5	9375	6289	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8750	5664	5664	0.933333
6533	025	3125	0.07	2300	2	65	100	3	7	5	9375	7075	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8750	6450	6450	0.933333
6533	030	2500	0.06	2425	2	65	100	3	6	4	7500	5075	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	4575	4575	0.933333
6533	031	2500	0.06	1920	2	65	100	3	6	4	7500	5580	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7000	5080	5080	0.933333
6533	035	2700	0.06	3500	2	65	100	3	6	4	8100	4600	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7560	4060	4060	0.933333
6533	038	3129	0.07	3550	4	65	100	3	7	3	9387	5837	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	2	2	8761.200195	5211.200195	5211.200195	0.933333
6533	052	1740	0.04	997	2	65	100	3	4	2	5220	4223	RH-3	40	density-lim	1000			0.7	4	1	2	2	4872	3875	3875	0.933333
6533	055	2012	0.05	3760	4	65	100	3	5	1	6036	2276	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	2	2	5633.600098	1873.600098	1873.600098	0.933333
6533	056	2633	0.06	762	2	65	100	3	6	4	7899	7137	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7372.399902	6610.399902	6610.399902	0.933333
6533	064	3117	0.07	1390	2	65	100	3	7	5	9351	7961	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8727.599609	7337.599609	7337.599609	0.933333
6533	066	3366	0.08	2000	2	65	100	3	8	6	10098	8098	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	9424.799805	7424.799805	7424.799805	0.933333
6534	004	3098	0.07	3150	2	65	100	3	7	5	9294	6144	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8674.399414	5524.399414	5524.399414	0.933333
6534	010A	3127	0.07	2390	2	65	100	3	7	5	9381	6991	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8755.599609	6365.599609	6365.599609	0.933333
6534	013	3127	0.07	2752	2	65	100	3	7	5	9381	6629	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8755.599609	6003.599609	6003.599609	0.933333
6534	014B	2602	0.06	2604	2	65	100	3	6	4	7806	5202	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7285.600098	4681.600098	4681.600098	0.933333
6534	015A	2125	0.05	2210	2	65	100	3	5	3	6375	4165	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5950	3740	3740	0.933333
6534	016A	1375	0.03	1640	2	65	100	3	3	1	4125	2485	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3850	2210	2210	0.933333
6534	025	3115	0.07	2875	2	65	100	3	7	5	9345	6470	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8722	5847	5847	0.933333
6534	032	2798	0.06	3100	2	65	100	3	6	4	8394	5294	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7834.399902	4734.399902	4734.399902	0.933333
6534	036	1875	0.04	3329	2	65	100	3	4	2	5625	2296	RH-3	40	density-lim	1000			0.7	4	1	2	2	5250	1921	1921	0.933333
6534	051	2090	0.05	2000	2	65	100	3	5	3	6270	4270	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5852	3852	3852	0.933333
6534	054	1753	0.04	1215	2	65	100	3	4	2	5259	4044	RH-3	40	density-lim	1000			0.7	4	1	2	2	4908.399902	3693.399902	3693.399902	0.933333
6534	056	3127	0.07	1682	2	65	100	3	7	5	9381	7699	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8755.599609	7073.599609	7073.599609	0.933333
6534	061	3125	0.07	1480	2	65	100	3	7	5	9375	7895	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8750	7270	7270	0.933333
6534	063	2110	0.05	1499	2	65	100	3	5	3	6330	4831	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5908	4409	4409	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6534	068	3127	0.07	1575	2	65	100	3	7	5	9381	7806	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8755.599609	7180.599609	7180.599609	0.933333
6535	031B	1248	0.03	1810	1	65	100	3	3	2	3744	1934	RH-2	50	form-based			true	0.7	3	1	2	2	4368	2558	2558	1.166667
6536	014	1450	0.03	2140	2	65	100	3	3	1	4350	2210	RH-2	50	form-based			true	0.7	4	1.333333373	2	2	5075	2935	2935	1.166667
6536	017	1647	0.04	3050	3	65	100	3	4	1	4941	1891	RH-2	50	form-based		true	true	0.7	5	1.25	2	2	5764.5	2714.5	2714.5	1.166667
6536	055	1852	0.04	1671	3	65	100	3	4	1	5556	3885	RH-2	50	form-based		true	true	0.7	5	1.25	2	2	6482	4811	4811	1.166667
6537	005	1991	0.05	2074	2	65	100	3	5	3	5973	3899	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5574.799805	3500.799805	3500.799805	0.933333
6537	006	1519	0.03	1910	1	65	100	3	3	2	4557	2647	RH-2	40	form-based			true	0.7	3	1	2	2	4253.199707	2343.199707	2343.199707	0.933333
6537	007	1519	0.03	1781	1	65	100	3	3	2	4557	2776	RH-2	40	form-based			true	0.7	3	1	2	2	4253.199707	2472.199707	2472.199707	0.933333
6537	055	1801	0.04	662	2	65	100	3	4	2	5403	4741	RH-2	40	form-based		true	true	0.7	4	1	2	2	5042.799805	4380.799805	4380.799805	0.933333
6539	003	1994	0.05	2309	2	55	80	2.5	4	2	4985	2676	RH-2	40	form-based			true	0.7	4	1	2	2	5583.199707	3274.199707	3274.199707	1.12
6540	003	1977	0.05	1530	2	55	80	2.5	4	2	4942	3412	RH-2	40	form-based			true	0.7	4	1	2	2	5535.600098	4005.600098	4005.600098	1.120113
6545	069	2227	0.05	1339	3	55	80	2.5	4	1	5568	4229	RH-2	40	form-based			true	0.7	5	1.25	2	2	6235.600098	4896.600098	4896.600098	1.119899
6546	004	2001	0.05	2101	2	55	80	2.5	4	2	5002	2901	RH-2	40	form-based			true	0.7	4	1	2	2	5602.799805	3501.799805	3501.799805	1.120112
6546	027	1955	0.04	1435	2	55	80	2.5	3	1	4888	3453	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5474	4039	4039	1.119885
6546	029	1921	0.04	1460	2	55	80	2.5	3	1	4802	3342	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5378.799805	3918.799805	3918.799805	1.120117
6548	001A	1525	0.04	1850	1	65	100	3	4	3	4575	2725	RH-2	40	form-based			true	0.7	3	0.75	2	2	4270	2420	2420	0.933333
6548	002	1525	0.04	1800	1	65	100	3	4	3	4575	2775	RH-2	40	form-based			true	0.7	3	0.75	2	2	4270	2470	2470	0.933333
6548	003	1933	0.04	2340	2	65	100	3	4	2	5799	3459	RH-2	40	form-based			true	0.7	4	1	2	2	5412.399902	3072.399902	3072.399902	0.933333
6548	029	2871	0.07	3894	4	65	100	3	7	3	8613	4719	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8038.799805	4144.799805	4144.799805	0.933333
6549	024A	907	0.02	1600	1	65	100	3	2	1	2721	1121	RH-2	50	form-based			true	0.7	3	1.5	2	2	3174.5	1574.5	1574.5	1.166667
6550	007	2043	0.05	3530	4	65	100	3	5	1	6129	2599	RH-3	50	form-based		true	true	0.7	6	1.200000048	2	2	7150.5	3620.5	3620.5	1.166667
6550	008	1339	0.03	2040	2	65	100	3	3	1	4017	1977	RH-3	50	form-based			true	0.7	4	1.333333373	2	2	4686.5	2646.5	2646.5	1.166667
6551	019	2958	0.07	4264	6	65	100	3	7	1	8874	4610	RH-2	50	form-based			true	0.7	8	1.142857194	2	2	10353	6089	6089	1.166667
6551	022A	1952	0.04	4371	5	85	140	4	6	1	7808	3437	NC-1	65	form-based		true	true	0.75	7	1.166666627	2	2	8784	4413	4413	1.125
6551	060	2473	0.06	1805	5	65	100	3	6	1	7419	5614	RH-3	50	form-based			true	0.7	7	1.166666627	2	2	8655.5	6850.5	6850.5	1.166667
6551	063	1485	0.03	128	2	65	100	3	3	1	4455	4327	RH-3	50	form-based			true	0.7	4	1.333333373	2	2	5197.5	5069.5	5069.5	1.166667
6552	001	1935	0.04	4011	5	85	140	4	6	1	7740	3729	NC-1	65	form-based		true	true	0.75	7	1.166666627	2	2	8707.5	4696.5	4696.5	1.125
6552	020	2024	0.05	3450	4	65	100	3	5	1	6072	2622	NC-1	50	form-based		true	true	0.75	6	1.200000048	2	2	7590	4140	4140	1.25
6552	023	1952	0.04	2200	3	65	100	3	4	1	5856	3656	RH-2	50	form-based			true	0.7	5	1.25	2	2	6832	4632	4632	1.166667
6552	039	5700	0.13	11910	14	85	140	4	18	4	22800	10890	RH-2	50	form-based			true	0.7	16	0.888888896	2	2	19950	8040	8040	0.875
6553	027	1920	0.04	2352	2	65	100	3	4	2	5760	3408	RH-3	40	form-based		true	true	0.7	4	1	2	2	5376	3024	3024	0.933333
6553	049	1760	0.04	920	2	65	100	3	4	2	5280	4360	RH-3	40	form-based			true	0.7	4	1	2	2	4928	4008	4008	0.933333
6554	004	2439	0.06	4398	3	65	100	3	6	3	7317	2919	RH-3	40	form-based			true	0.7	5	0.833333313	2	2	6829.199707	2431.199707	2431.199707	0.933333
6554	009	2891	0.07	3925	4	55	80	2.5	6	2	7228	3303	RH-2	40	form-based			true	0.7	6	1	2	2	8094.799805	4169.799805	4169.799805	1.119923
6554	010	2879	0.07	4000	4	55	80	2.5	6	2	7198	3198	RH-2	40	form-based			true	0.7	6	1	2	2	8061.199707	4061.199707	4061.199707	1.119922
6554	014	2874	0.07	3958	4	55	80	2.5	6	2	7185	3227	RH-2	40	form-based			true	0.7	6	1	2	2	8047.199707	4089.199707	4089.199707	1.12
6554	037	2850	0.07	4080	4	55	80	2.5	6	2	7125	3045	RH-2	40	form-based			true	0.7	6	1	2	2	7980	3900	3900	1.12
6554	044	1979	0.05	1267	2	65	100	3	5	3	5937	4670	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5541.199707	4274.199707	4274.199707	0.933333
6554	052	1979	0.05	1078	2	65	100	3	5	3	5937	4859	RH-3	40	form-based			true	0.7	4	0.800000012	2	2	5541.199707	4463.199707	4463.199707	0.933333
6555	004	1971	0.05	1864	2	55	80	2.5	4	2	4928	3064	RH-2	40	form-based			true	0.7	4	1	2	2	5518.799805	3654.799805	3654.799805	1.119886
6555	005	1971	0.05	2887	2	55	80	2.5	4	2	4928	2041	RH-2	40	form-based			true	0.7	4	1	2	2	5518.799805	2631.799805	2631.799805	1.119886
6562	005	2470	0.06	2200	3	55	80	2.5	5	2	6175	3975	RH-2	40	form-based		true	true	0.7	5	1	2	2	6916	4716	4716	1.12
6562	017	1532	0.04	1126	1	55	80	2.5	3	2	3830	2704	RH-1	40	form-based		true	true	0.7	3	1	2	2	4289.600098	3163.600098	3163.600098	1.12
6562	018	1451	0.03	1120	1	55	80	2.5	2	1	3628	2508	RH-1	40	form-based			true	0.7	3	1.5	2	2	4062.800049	2942.800049	2942.800049	1.119846
6562	018A	1451	0.03	1051	1	55	80	2.5	2	1	3628	2577	RH-1	40	form-based			true	0.7	3	1.5	2	2	4062.800049	3011.800049	3011.800049	1.119846
6562	018B	1451	0.03	1308	1	55	80	2.5	2	1	3628	2320	RH-1	40	form-based			true	0.7	3	1.5	2	2	4062.800049	2754.800049	2754.800049	1.119846
6563	018	2164	0.05	3106	3	55	80	2.5	4	1	5410	2304	RH-2	40	form-based			true	0.7	5	1.25	2	2	6059.199707	2953.199707	2953.199707	1.12
6563	043	20104	0.46	41576	40	55	80	2.5	37	0	50260	8684	RM-1	40	form-based			true	0.7	42	1.135135174	2	2	56291.19922	14715.19922	14715.19922	1.12
6563	046	2375	0.05	1530	3	65	100	3	5	2	7125	5595	RH-2	40	form-based			true	0.7	5	1	2	2	6650	5120	5120	0.933333
6563	057	2316	0.05	1931	3	55	80	2.5	4	1	5790	3859	RH-2	40	form-based		true	true	0.7	5	1.25	2	2	6484.799805	4553.799805	4553.799805	1.12
6564	009	2731	0.06	2080	4	65	100	3	6	2	8193	6113	RH-2	40	form-based		true	true	0.7	6	1	2	2	7646.799805	5566.799805	5566.799805	0.933333
6564	009A	1609	0.04	1348	1	65	100	3	4	3	4827	3479	RH-2	40	form-based			true	0.7	3	0.75	2	2	4505.199707	3157.199707	3157.199707	0.933333
6564	012	3028	0.07	3880	4	65	100	3	7	3	9084	5204	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8478.399414	4598.399414	4598.399414	0.933333
6564	037	1320	0.03	2064	1	65	100	3	3	2	3960	1896	RH-2	40	form-based			true	0.7	3	1	2	2	3696	1632	1632	0.933333
6565	026	975	0.02	1191	1	65	100	3	2	1	2925	1734	RH-2	50	form-based			true	0.7	3	1.5	2	2	3412.5	2221.5	2221.5	1.166667
6566	045	2112	0.05	3473	4	65	100	3	5	1	6336	2863	RH-3	50	form-based		true	true	0.7	6	1.200000048	2	2	7392	3919	3919	1.166667
6567	001	2310	0.05	4000	4	65	100	3	5	1	6930	2930	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	2	2	6468	2468	2468	0.933333
6567	012	2991	0.07	2608	2	65	100	3	7	5	8973	6365	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8374.799805	5766.799805	5766.799805	0.933333
6567	018	2232	0.05	2426	2	65	100	3	5	3	6696	4270	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6249.600098	3823.600098	3823.600098	0.933333
6567	024	3000	0.07	1680	2	65	100	3	7	5	9000	7320	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8400	6720	6720	0.933333
6567	025	2375	0.05	1900	2	65	100	3	5	3	7125	5225	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6650	4750	4750	0.933333
6567	027	2375	0.05	2350	2	65	100	3	5	3	7125	4775	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6650	4300	4300	0.933333
6567	029	2550	0.06	1450	2	65	100	3	6	4	7650	6200	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7140	5690	5690	0.933333
6567	035	2016	0.05	1250	2	65	100	3	5	3	6048	4798	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5644.799805	4394.799805	4394.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6567	036	1907	0.04	3200	2	65	100	3	4	2	5721	2521	RH-2	40	density-lin	1500			0.7	4	1	2	2	5339.600098	2139.600098	2139.600098	0.933333
6567	038	2463	0.06	1150	2	65	100	3	6	4	7389	6239	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6896.399902	5746.399902	5746.399902	0.933333
6567	041	3255	0.07	2680	2	65	100	3	7	5	9765	7085	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	9114	6434	6434	0.933333
6567	042	1338	0.03	919	2	65	100	3	3	1	4014	3095	RH-3	40	density-lin	1000			0.7	4	1.333333373	2	2	3746.399902	2827.399902	2827.399902	0.933333
6567	044	3470	0.08	2436	2	65	100	3	8	6	10410	7974	RH-2	40	density-lin	1500			0.7	4	0.5	2	2	9716	7280	7280	0.933333
6567	046	2824	0.06	1272	2	65	100	3	6	4	8472	7200	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7907.199707	6635.199707	6635.199707	0.933333
6568	014	2497	0.06	2600	2	65	100	3	6	4	7491	4891	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6991.600098	4391.600098	4391.600098	0.933333
6568	015	2497	0.06	2900	2	65	100	3	6	4	7491	4591	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	6991.600098	4091.600098	4091.600098	0.933333
6568	018	2150	0.05	2230	2	65	100	3	5	3	6450	4220	RH-3	40	density-lin	1000			0.7	4	0.800000012	2	2	6020	3790	3790	0.933333
6568	021	2500	0.06	3290	2	65	100	3	6	4	7500	4210	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7000	3710	3710	0.933333
6568	035	1733	0.04	1383	2	65	100	3	4	2	5199	3816	RH-3	40	density-lin	1000			0.7	4	1	2	2	4852.399902	3469.399902	3469.399902	0.933333
6568	037	2500	0.06	2730	2	65	100	3	6	4	7500	4770	RH-3	40	density-lin	1000			0.7	4	0.666666687	2	2	7000	4270	4270	0.933333
6569	020	3740	0.09	4848	6	65	100	3	9	3	11220	6372	RTO-M	45	form-based				0.7	8	0.888888896	2	2	10472	5624	5624	0.933333
6569	026	1875	0.04	3073	2	85	140	4	6	4	7500	4427	RTO-M	45	form-based				0.7	4	0.666666687	2	2	5250	2177	2177	0.7
6569	027	1875	0.04	1670	2	85	140	4	6	4	7500	5830	RTO-M	45	form-based				0.7	4	0.666666687	2	2	5250	3580	3580	0.7
6577	011	2841	0.07	2770	2	65	100	3	7	5	8523	5753	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	7954.799805	5184.799805	5184.799805	0.933333
6577	013	2841	0.07	1850	2	65	100	3	7	5	8523	6673	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	7954.799805	6104.799805	6104.799805	0.933333
6577	021	2841	0.07	2904	2	65	100	3	7	5	8523	5619	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	7954.799805	5050.799805	5050.799805	0.933333
6577	028	2843	0.07	3364	2	65	100	3	7	5	8529	5165	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	7960.399902	4596.399902	4596.399902	0.933333
6577	037	2850	0.07	3763	2	65	100	3	7	5	8550	4787	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	7980	4217	4217	0.933333
6577	038	2850	0.07	2880	2	65	100	3	7	5	8550	5670	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	7980	5100	5100	0.933333
6577	039	2850	0.07	2604	2	65	100	3	7	5	8550	5946	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	7980	5376	5376	0.933333
6577	043	2841	0.07	1220	2	65	100	3	7	5	8523	7303	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	7954.799805	6734.799805	6734.799805	0.933333
6577	047	2850	0.07	1136	2	65	100	3	7	5	8550	7414	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	7980	6844	6844	0.933333
6577	049	2850	0.07	1236	2	65	100	3	7	5	8550	7314	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	7980	6744	6744	0.933333
6577	051	2500	0.06	1169	2	65	100	3	6	4	7500	6331	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	5831	5831	0.933333
6577	053	2841	0.07	1520	2	65	100	3	7	5	8523	7003	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	7954.799805	6434.799805	6434.799805	0.933333
6577	055	2500	0.06	1130	2	65	100	3	6	4	7500	6370	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	5870	5870	0.933333
6577	057	2841	0.07	1312	2	65	100	3	7	5	8523	7211	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	7954.799805	6642.799805	6642.799805	0.933333
6577	059	2850	0.07	1428	2	65	100	3	7	5	8550	7122	RH-2	40	density-lin	1500			0.7	4	0.571428597	2	2	7980	6552	6552	0.933333
6578	005A	1137	0.03	778	1	65	100	3	3	2	3411	2633	RH-2	50	form-based			true	0.7	3	1	2	2	3979.5	3201.5	3201.5	1.166667
6569	182	1875	0.04	1067	3	75	120	3.5	5	2	6562	5495	RTO-M	55	form-based				0.7	5	1	2	2	6562.5	5495.5	5495.5	1.000076
6569	185	1875	0.04	2961	3	75	120	3.5	5	2	6562	3601	RTO-M	55	form-based				0.7	5	1	2	2	6562.5	3601.5	3601.5	1.000076
6570	004	1444	0.03	1980	2	85	140	4	4	2	5776	3796	NCT-MISSI	55	form-based				0.75	4	1	2	2	5415	3435	3435	0.9375
6571	015	2885	0.07	4044	7	65	100	3	7	0	8655	4611	NCT-MISSI	55	form-based				0.75	9	1.285714269	2	2	10818.75	6774.75	6774.75	1.25
6574	016	1364	0.03	0	0	85	140	4	4	4	5456	5456	NCD-MISS	50	density-lin	600			0.75	2	0.5	2	2	5115	5115	5115	0.9375
6577	006	2500	0.06	4337	2	65	100	3	6	4	7500	3163	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	2663	2663	0.933333
6577	007	2500	0.06	3242	2	65	100	3	6	4	7500	4258	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	3758	3758	0.933333
6577	008	2500	0.06	3408	2	65	100	3	6	4	7500	4092	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	3592	3592	0.933333
6577	001	1782	0.04	3180	4	65	100	3	4	0	5346	2166	RH-2	40	density-lin	1500	true		0.7	6	1.5	2	2	4989.600098	1809.600098	1809.600098	0.933333
6577	002	2500	0.06	3080	2	65	100	3	6	4	7500	4420	RH-2	40	density-lin	1500			0.7	4	0.666666687	2	2	7000	3920	3920	0.933333
6580	006	2004	0.05	1920	2	65	100	3	5	3	6012	4092	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5611.199707	3691.199707	3691.199707	0.933333
6580	042	2085	0.05	1249	2	65	100	3	5	3	6255	5006	RH-2	40	form-based		true	true	0.7	4	0.800000012	2	2	5838	4589	4589	0.933333
6581	009	2743	0.06	4278	4	55	80	2.5	5	1	6858	2580	RM-1	40	form-based		true	true	0.7	6	1.200000048	2	2	7680.399902	3402.399902	3402.399902	1.119918
6581	024	2950	0.07	3700	4	55	80	2.5	6	2	7375	3675	RH-2	40	form-based			true	0.7	6	1	2	2	8260	4560	4560	1.12
6582	015	1630	0.04	1111	1	55	80	2.5	3	2	4075	2964	RH-1	40	form-based		true	true	0.7	3	1	2	2	4564	3453	3453	1.12
6582	026	2806	0.06	2500	4	55	80	2.5	5	1	7015	4515	RM-1	40	form-based			true	0.7	6	1.200000048	2	2	7856.799805	5356.799805	5356.799805	1.12
6582	031	2806	0.06	3600	4	55	80	2.5	5	1	7015	3415	RM-1	40	form-based			true	0.7	6	1.200000048	2	2	7856.799805	4256.799805	4256.799805	1.12
6588	001	1202	0.03	1935	1	55	80	2.5	2	1	3005	1070	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	3365.599854	1430.599854	1430.599854	1.12
6588	001A	1202	0.03	625	1	55	80	2.5	2	1	3005	2380	RH-1	40	form-based			true	0.7	3	1.5	2	2	3365.599854	2740.599854	2740.599854	1.12
6589	002H	1754	0.04	1740	2	55	80	2.5	3	1	4385	2645	RH-1	40	form-based		true	true	0.7	4	1.333333373	2	2	4911.199707	3171.199707	3171.199707	1.12
6589	002I	1441	0.03	1884	1	55	80	2.5	2	1	3602	1718	RH-1	40	form-based			true	0.7	3	1.5	2	2	4034.800049	2150.800049	2150.800049	1.120155
6589	003H	1510	0.03	1114	1	55	80	2.5	2	1	3775	2661	RH-1	40	form-based			true	0.7	3	1.5	2	2	4228	3114	3114	1.12
6589	008	1633	0.04	1368	1	55	80	2.5	3	2	4082	2714	RH-1	40	form-based			true	0.7	3	1	2	2	4572.399902	3204.399902	3204.399902	1.120137
6590	001	1870	0.04	2270	2	55	80	2.5	3	1	4675	2405	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	5236	2966	2966	1.12
6590	038	2850	0.07	3705	4	55	80	2.5	6	2	7125	3420	RH-3	40	form-based			true	0.7	6	1	2	2	7980	4275	4275	1.12
6591	005	1626	0.04	1075	1	65	100	3	4	3	4878	3803	RH-2	40	form-based			true	0.7	3	0.75	2	2	4552.799805	3477.799805	3477.799805	0.933333
6591	007	2231	0.05	1830	3	65	100	3	5	2	6693	4863	RH-2	40	form-based			true	0.7	5	1	2	2	6246.799805	4416.799805	4416.799805	0.933333
6591	010	4576	0.11	6080	8	65	100	3	11	3	13728	7648	RH-2	40	form-based			true	0.7	10	0.909090936	2	2	12812.7998	6732.799805	6732.799805	0.933333
6591	010A	4576	0.11	6230	8	65	100	3	11	3	13728	7498	RH-2	40	form-based			true	0.7	10	0.909090936	2	2	12812.7998	6582.799805	6582.799805	0.933333
6591	022	1544	0.04	2483	1	65	100	3	4	3	4632	2149	RH-2	40	form-based		true	true	0.7	3	0.75	2	2	4323.199707	1840.199707	1840.199707	0.933333
6591	022A	1544	0.04	1621	1	65	100	3	4	3	4632	3011	RH-2	40	form-based			true	0.7	3	0.75	2	2	4323.199707	2702.199707	2702.199707	0.933333
6591	023	1544	0.04	3115	1	65	100	3	4	3	4632	1517	RH-2	40	form-based			true	0.7	3	0.75	2	2	4323.199707	1208.199707	1208.199707	0.933333
6593	021	1433	0.03	3100	3	65	100	3	3	0	4299	1199	RTO-C	65	form-based			true	0.75	5	1.666666627	2	2	6448.5	3348.5	3348.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6594	005	2916	0.07	4056	2	65	100	3	7	5	8748	4692	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8164.799805	4108.799805	4108.799805	0.933333
6594	008	2845	0.07	2475	2	65	100	3	7	5	8535	6060	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7966	5491	5491	0.933333
6594	010	2847	0.07	2667	2	65	100	3	7	5	8541	5874	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7971.600098	5304.600098	5304.600098	0.933333
6594	013	2851	0.07	2616	2	65	100	3	7	5	8553	5937	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7982.799805	5366.799805	5366.799805	0.933333
6594	017	2858	0.07	2352	2	65	100	3	7	5	8574	6222	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8002.399902	5650.399902	5650.399902	0.933333
6594	021	2860	0.07	2135	2	65	100	3	7	5	8580	6445	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8008	5873	5873	0.933333
6594	023	2500	0.06	2672	2	65	100	3	6	4	7500	4828	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4328	4328	0.933333
6594	029	2625	0.06	2486	2	65	100	3	6	4	7875	5389	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7350	4864	4864	0.933333
6594	030	2625	0.06	3722	4	65	100	3	6	2	7875	4153	RH-2	40	density-lim	1500	true		0.7	6	1	2	2	7350	3628	3628	0.933333
6594	033	2850	0.07	2485	2	65	100	3	7	5	8550	6065	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7980	5495	5495	0.933333
6594	050	3204	0.07	1866	2	65	100	3	7	5	9612	7746	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8971.200195	7105.200195	7105.200195	0.933333
6594	052	2853	0.07	2255	2	65	100	3	7	5	8559	6304	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7988.399902	5733.399902	5733.399902	0.933333
6594	054	2627	0.06	2309	2	65	100	3	6	4	7881	5572	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7355.600098	5046.600098	5046.600098	0.933333
6594	056	2910	0.07	1470	2	65	100	3	7	5	8730	7260	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8148	6678	6678	0.933333
6594	058	2850	0.07	1468	2	65	100	3	7	5	8550	7082	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7980	6512	6512	0.933333
6594	060	2859	0.07	1961	2	65	100	3	7	5	8577	6616	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8005.199707	6044.199707	6044.199707	0.933333
6594	062	2850	0.07	1195	2	65	100	3	7	5	8550	7355	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7980	6785	6785	0.933333
6594	064	2570	0.06	1773	2	65	100	3	6	4	7710	5937	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7196	5423	5423	0.933333
6594	068	2852	0.07	1312	2	65	100	3	7	5	8556	7244	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7985.600098	6673.600098	6673.600098	0.933333
6594	101	2850	0.07	1137	2	65	100	3	7	5	8550	7413	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7980	6843	6843	0.933333
6594	103	2850	0.07	1385	2	65	100	3	7	5	8550	7165	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7980	6595	6595	0.933333
6594	105	2625	0.06	1276	2	65	100	3	6	4	7875	6599	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7350	6074	6074	0.933333
6594	158	2500	0.06	1384	2	65	100	3	6	4	7500	6116	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5616	5616	0.933333
6595	001	2199	0.05	3764	4	65	100	3	5	1	6597	2833	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	6157.199707	2393.199707	2393.199707	0.933333
6595	002	1753	0.04	2350	2	65	100	3	4	2	5259	2909	RH-2	40	density-lim	1500			0.7	4	1	2	2	4908.399902	2558.399902	2558.399902	0.933333
6595	002A	1778	0.04	2112	2	65	100	3	4	2	5334	3222	RH-2	40	density-lim	1500			0.7	4	1	2	2	4978.399902	2866.399902	2866.399902	0.933333
6595	003	2090	0.05	1890	2	65	100	3	5	3	6270	4380	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5852	3962	3962	0.933333
6595	005	1863	0.04	2709	2	65	100	3	4	2	5589	2880	RH-2	40	density-lim	1500			0.7	4	1	2	2	5216.399902	2507.399902	2507.399902	0.933333
6595	007	2225	0.05	3650	4	65	100	3	5	1	6675	3025	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	6230	2580	2580	0.933333
6595	011	1833	0.04	1785	2	65	100	3	4	2	5499	3714	RH-2	40	density-lim	1500			0.7	4	1	2	2	5132.399902	3347.399902	3347.399902	0.933333
6595	017	2006	0.05	851	2	65	100	3	5	3	6018	5167	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5616.799805	4765.799805	4765.799805	0.933333
6595	021	1738	0.04	985	2	65	100	3	4	2	5214	4229	RH-2	40	density-lim	1500			0.7	4	1	2	2	4866.399902	3881.399902	3881.399902	0.933333
6596	002A	3703	0.09	5450	4	85	140	4	13	9	14812	9362	NCD-MISSI	40	density-lim	600	true		0.75	6	0.461538464	2	2	11109	5659	5659	0.75
6596	006	2422	0.06	4855	2	85	140	4	8	6	9688	4833	NCD-MISSI	40	density-lim	600			0.75	4	0.5	2	2	7266	2411	2411	0.75
6596	007	2560	0.06	3966	2	85	140	4	8	6	10240	6274	NCD-MISSI	40	density-lim	600			0.75	4	0.5	2	2	7680	3714	3714	0.75
6596	013D	2575	0.06	2250	2	85	140	4	8	6	10300	8050	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7210	4960	4960	0.7
6596	013E	2575	0.06	2250	2	85	140	4	8	6	10300	8050	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7210	4960	4960	0.7
6596	013F	2575	0.06	2250	2	85	140	4	8	6	10300	8050	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7210	4960	4960	0.7
6596	013J	2575	0.06	2228	2	85	140	4	8	6	10300	8072	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7210	4982	4982	0.7
6596	013K	2575	0.06	2228	2	85	140	4	8	6	10300	8072	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7210	4982	4982	0.7
6596	013L	2575	0.06	2228	2	85	140	4	8	6	10300	8072	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7210	4982	4982	0.7
6596	020	2575	0.06	1125	2	85	140	4	8	6	10300	9175	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7210	6085	6085	0.7
6597	003	1686	0.04	1855	2	65	100	3	4	2	5058	3203	RH-2	40	density-lim	1500			0.7	4	1	2	2	4720.799805	2865.799805	2865.799805	0.933333
6597	007J	2633	0.06	3601	2	65	100	3	6	4	7899	4298	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7372.399902	3771.399902	3771.399902	0.933333
6597	007K	2762	0.06	2560	2	65	100	3	6	4	8286	5726	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7733.600098	5173.600098	5173.600098	0.933333
6597	007L	2891	0.07	2560	2	65	100	3	7	5	8673	6113	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8094.799805	5534.799805	5534.799805	0.933333
6597	007M	3020	0.07	2860	2	65	100	3	7	5	9060	6200	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8456	5596	5596	0.933333
6597	007O	2375	0.05	2564	2	65	100	3	5	3	7125	4561	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6650	4086	4086	0.933333
6597	007P	2247	0.05	2584	2	65	100	3	5	3	6741	4157	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6291.600098	3707.600098	3707.600098	0.933333
6597	007Q	2118	0.05	2584	2	65	100	3	5	3	6354	3770	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5930.399902	3346.399902	3346.399902	0.933333
6597	007R	2560	0.06	3150	2	65	100	3	6	4	7680	4530	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7168	4018	4018	0.933333
6597	010	2271	0.05	2669	2	65	100	3	5	3	6813	4144	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6358.799805	3689.799805	3689.799805	0.933333
6597	026	2088	0.05	2131	2	65	100	3	5	3	6264	4133	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5846.399902	3715.399902	3715.399902	0.933333
6597	028	2116	0.05	2044	2	65	100	3	5	3	6348	4304	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5924.799805	3880.799805	3880.799805	0.933333
6597	034	2513	0.06	3239	2	65	100	3	6	4	7539	4300	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7036.399902	3797.399902	3797.399902	0.933333
6597	036	2558	0.06	2500	4	65	100	3	6	2	7674	5174	RH-2	40	density-lim	1500	true		0.7	6	1	2	2	7162.399902	4662.399902	4662.399902	0.933333
6597	036A	1912	0.04	1584	2	65	100	3	4	2	5736	4152	RH-2	40	density-lim	1500			0.7	4	1	2	2	5353.600098	3769.600098	3769.600098	0.933333
6597	039	2211	0.05	2915	2	65	100	3	5	3	6633	3718	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6190.799805	3275.799805	3275.799805	0.933333
6597	040	1926	0.04	2654	2	65	100	3	4	2	5778	3124	RH-2	40	density-lim	1500			0.7	4	1	2	2	5392.799805	2738.799805	2738.799805	0.933333
6597	043	1425	0.03	1456	2	65	100	3	3	1	4275	2819	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3990	2534	2534	0.933333
6597	044	1641	0.04	1520	2	65	100	3	4	2	4923	3403	RH-2	40	density-lim	1500			0.7	4	1	2	2	4594.799805	3074.799805	3074.799805	0.933333
6597	062	2341	0.05	2466	2	65	100	3	5	3	7023	4557	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6554.799805	4088.799805	4088.799805	0.933333
6597	071	2952	0.07	988	2	65	100	3	7	5	8856	7868	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8265.599609	7277.599609	7277.599609	0.933333
6599	001A	1962	0.05	2416	2	65	100	3	5	3	5886	3470	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5493.600098	3077.600098	3077.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6599	001B	1964	0.05	2640	2	65	100	3	5	3	5892	3252	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5499.199707	2859.199707	2859.199707	0.933333
6599	001D	3645	0.08	2632	2	65	100	3	8	6	10935	8303	RH-3	40	density-lim	1000			0.7	4	0.5	2	2	10206	7574	7574	0.933333
6599	004	2614	0.06	1060	2	65	100	3	6	4	7842	6782	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7319.199707	6259.199707	6259.199707	0.933333
6599	005	2849	0.07	1342	2	65	100	3	7	5	8547	7205	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7977.199707	6635.199707	6635.199707	0.933333
6599	013	2870	0.07	3788	2	65	100	3	7	5	8610	4822	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8036	4248	4248	0.933333
6599	014	2847	0.07	1628	2	65	100	3	7	5	8541	6913	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7971.600098	6343.600098	6343.600098	0.933333
6599	015	2847	0.07	2922	2	65	100	3	7	5	8541	5619	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7971.600098	5049.600098	5049.600098	0.933333
6599	019A	2554	0.06	4260	4	65	100	3	6	2	7662	3402	RH-2	40	density-lim	1500	true		0.7	6	1	2	2	7151.199707	2891.199707	2891.199707	0.933333
6599	027	2650	0.06	2750	2	65	100	3	6	4	7950	5200	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7420	4670	4670	0.933333
6599	028	2650	0.06	3030	2	65	100	3	6	4	7950	4920	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7420	4390	4390	0.933333
6599	029	2650	0.06	2392	2	65	100	3	6	4	7950	5558	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7420	5028	5028	0.933333
6599	030	2822	0.06	2650	2	65	100	3	6	4	8466	5816	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7901.600098	5251.600098	5251.600098	0.933333
6599	031	2850	0.07	2200	2	65	100	3	7	5	8550	6350	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7980	5780	5780	0.933333
6599	035	1819	0.04	2560	2	65	100	3	4	2	5457	2897	RH-3	40	density-lim	1000			0.7	4	1	2	2	5093.199707	2533.199707	2533.199707	0.933333
6599	038	1989	0.05	2560	2	65	100	3	5	3	5967	3407	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5569.199707	3009.199707	3009.199707	0.933333
6599	043	2998	0.07	973	2	65	100	3	7	5	8994	8021	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8394.399414	7421.399414	7421.399414	0.933333
6599	045	2295	0.05	1092	2	65	100	3	5	3	6885	5793	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6426	5334	5334	0.933333
6599	047	2499	0.06	1366	2	65	100	3	6	4	7497	6131	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6997.199707	5631.199707	5631.199707	0.933333
6600	028	1519	0.03	3600	4	65	100	3	3	0	4557	957	NC-1	65	form-based		true	true	0.75	6	2	2	2	6835.5	3235.5	3235.5	1.5
6601	012A	1129	0.03	1120	1	65	100	3	3	2	3387	2267	RH-2	50	form-based			true	0.7	3	1	2	2	3951.5	2831.5	2831.5	1.166667
6601	020	1192	0.03	3870	1	65	100	3	3	2	3576	0	RH-2	50	form-based			true	0.7	3	1	2	2	4172	302	302	1.166667
6601	042	3002	0.07	3842	6	65	100	3	7	1	9006	5164	RH-2	50	form-based			true	0.7	8	1.142857194	2	2	10507	6665	6665	1.166667
6601	043	2850	0.07	4116	6	65	100	3	7	1	8550	4434	RH-2	50	form-based			true	0.7	8	1.142857194	2	2	9975	5859	5859	1.166667
6602	023	1965	0.05	4459	2	65	100	3	5	3	5895	1436	RH-2	40	form-based		true	true	0.7	4	0.800000012	2	2	5502	1043	1043	0.933333
6603	052	1898	0.04	2730	2	55	80	2.5	3	1	4745	2015	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5314.399902	2584.399902	2584.399902	1.12
6603	058	1898	0.04	1365	2	55	80	2.5	3	1	4745	3380	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5314.399902	3949.399902	3949.399902	1.12
6603	060	1897	0.04	1545	2	55	80	2.5	3	1	4742	3197	RM-1	40	form-based			true	0.7	4	1.333333373	2	2	5311.600098	3766.600098	3766.600098	1.120118
6603	062	2872	0.07	632	4	55	80	2.5	6	2	7180	6548	RH-2	40	form-based			true	0.7	6	1	2	2	8041.600098	7409.600098	7409.600098	1.12
6611	024	1664	0.04	1279	1	55	80	2.5	3	2	4160	2881	RH-1	40	form-based		true	true	0.7	3	1	2	2	4659.199707	3380.199707	3380.199707	1.12
6611	025	1625	0.04	1467	1	55	80	2.5	3	2	4062	2595	RH-1	40	form-based			true	0.7	3	1	2	2	4550	3083	3083	1.120138
6612	008	1596	0.04	1819	1	55	80	2.5	3	2	3990	2171	RH-2	40	form-based		true	true	0.7	3	1	2	2	4468.799805	2649.799805	2649.799805	1.12
6612	009	1197	0.03	1050	1	55	80	2.5	2	1	2992	1942	RH-2	40	form-based			true	0.7	3	1.5	2	2	3351.599854	2301.599854	2301.599854	1.120187
6612	014	2850	0.07	4000	4	55	80	2.5	6	2	7125	3125	RH-2	40	form-based			true	0.7	6	1	2	2	7980	3980	3980	1.12
6614	021	2718	0.06	5550	6	65	100	3	6	0	8154	2604	RH-2	50	form-based		true	true	0.7	8	1.333333373	2	2	9513	3963	3963	1.166667
6615	035A	1188	0.03	925	1	65	100	3	3	2	3564	2639	RH-2	50	form-based			true	0.7	3	1	2	2	4158	3233	3233	1.166667
6615	035B	1126	0.03	1459	1	65	100	3	3	2	3378	1919	RH-2	50	form-based			true	0.7	3	1	2	2	3941	2482	2482	1.166667
6615	067	1673	0.04	601	3	65	100	3	4	1	5019	4418	RH-2	50	form-based		true	true	0.7	5	1.25	2	2	5855.5	5254.5	5254.5	1.166667
6616	005	2235	0.05	2000	2	65	100	3	5	3	6705	4705	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6258	4258	4258	0.933333
6616	010	2964	0.07	3440	2	65	100	3	7	5	8892	5452	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8299.200195	4859.200195	4859.200195	0.933333
6616	011	2941	0.07	2802	2	65	100	3	7	5	8823	6021	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8234.799805	5432.799805	5432.799805	0.933333
6616	017	2941	0.07	2072	2	65	100	3	7	5	8823	6751	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8234.799805	6162.799805	6162.799805	0.933333
6616	023	1290	0.03	2574	2	65	100	3	3	1	3870	1296	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3612	1038	1038	0.933333
6616	028	1901	0.04	2232	2	65	100	3	4	2	5703	3471	RH-2	40	density-lim	1500			0.7	4	1	2	2	5322.799805	3090.799805	3090.799805	0.933333
6616	031	1905	0.04	2140	2	65	100	3	4	2	5715	3575	RH-2	40	density-lim	1500			0.7	4	1	2	2	5334	3194	3194	0.933333
6616	035	2946	0.07	2679	2	65	100	3	7	5	8838	6159	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8248.799805	5569.799805	5569.799805	0.933333
6616	038	2946	0.07	2396	2	65	100	3	7	5	8838	6442	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8248.799805	5852.799805	5852.799805	0.933333
6616	039	2946	0.07	2904	2	65	100	3	7	5	8838	5934	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8248.799805	5344.799805	5344.799805	0.933333
6616	042	5847	0.13	2542	2	65	100	3	13	11	17541	14999	RH-2	40	density-lim	1500			0.7	4	0.307692319	2	2	16371.59961	13829.59961	13829.59961	0.933333
6616	055	1745	0.04	1068	2	65	100	3	4	2	5235	4167	RH-2	40	density-lim	1500			0.7	4	1	2	2	4886	3818	3818	0.933333
6616	057	2946	0.07	854	2	65	100	3	7	5	8838	7984	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8248.799805	7394.799805	7394.799805	0.933333
6616	059	2941	0.07	1109	2	65	100	3	7	5	8823	7714	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8234.799805	7125.799805	7125.799805	0.933333
6616	061	2850	0.07	2670	2	65	100	3	7	5	8550	5880	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7980	5310	5310	0.933333
6617	010	3089	0.07	2596	2	65	100	3	7	5	9267	6671	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8649.200195	6053.200195	6053.200195	0.933333
6617	012	3089	0.07	2850	2	65	100	3	7	5	9267	6417	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8649.200195	5799.200195	5799.200195	0.933333
6617	014	3089	0.07	2628	2	65	100	3	7	5	9267	6639	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	8649.200195	6021.200195	6021.200195	0.933333
6617	021	2500	0.06	1700	2	65	100	3	6	4	7500	5800	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5300	5300	0.933333
6617	022	2500	0.06	1786	2	65	100	3	6	4	7500	5714	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5214	5214	0.933333
6617	023	2500	0.06	1816	2	65	100	3	6	4	7500	5684	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5184	5184	0.933333
6617	025	2500	0.06	2152	2	65	100	3	6	4	7500	5348	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4848	4848	0.933333
6617	028	3083	0.07	2803	2	65	100	3	7	5	9249	6446	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8632.399414	5829.399414	5829.399414	0.933333
6617	032	3079	0.07	2546	2	65	100	3	7	5	9237	6691	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8621.200195	6075.200195	6075.200195	0.933333
6617	034	3077	0.07	1440	2	65	100	3	7	5	9231	7791	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8615.599609	7175.599609	7175.599609	0.933333
6617	037	3074	0.07	4702	2	65	100	3	7	5	9222	4520	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8607.200195	3905.200195	3905.200195	0.933333
6617	038	3076	0.07	1248	2	65	100	3	7	5	9228	7980	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8612.799805	7364.799805	7364.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6617	050	3118	0.07	1521	2	65	100	3	7	5	9354	7833	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8730.399414	7209.399414	7209.399414	0.933333
6617	059	2500	0.06	1054	2	65	100	3	6	4	7500	6446	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5946	5946	0.933333
6619	032	1292	0.03	3080	2	65	100	3	3	1	3876	796	NC-1	50	form-based			true	0.75	4	1.333333373	2	2	4845	1765	1765	1.25
6620	008A	1762	0.04	2817	2	65	100	3	4	2	5286	2469	NC-1	40	form-based		true	true	0.75	4	1	2	2	5286	2469	2469	1
6620	008B	1914	0.04	2366	2	65	100	3	4	2	5742	3376	RH-2	40	form-based			true	0.7	4	1	2	2	5359.199707	2993.199707	2993.199707	0.933333
6620	044	2812	0.06	2570	4	65	100	3	6	2	8436	5866	RH-2	40	form-based			true	0.7	6	1	2	2	7873.600098	5303.600098	5303.600098	0.933333
6620	051	1823	0.04	931	2	65	100	3	4	2	5469	4538	RH-2	40	form-based		true	true	0.7	4	1	2	2	5104.399902	4173.399902	4173.399902	0.933333
6621	020	2850	0.07	3410	4	55	80	2.5	6	2	7125	3715	RH-2	40	form-based			true	0.7	6	1	2	2	7980	4570	4570	1.12
6621	047	1803	0.04	3534	2	55	80	2.5	3	1	4508	974	RH-2	40	form-based		true	true	0.7	4	1.333333373	2	2	5048.399902	1514.399902	1514.399902	1.119876
6621	048	1803	0.04	2717	2	55	80	2.5	3	1	4508	1791	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5048.399902	2331.399902	2331.399902	1.119876
6621	049	1803	0.04	2717	2	55	80	2.5	3	1	4508	1791	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5048.399902	2331.399902	2331.399902	1.119876
6630	029	2850	0.07	3070	4	55	80	2.5	6	2	7125	4055	RH-2	40	form-based			true	0.7	6	1	2	2	7980	4910	4910	1.12
6631	002	1375	0.03	1928	1	65	100	3	3	2	4125	2197	RH-2	40	form-based			true	0.7	3	1	2	2	3850	1922	1922	0.933333
6631	010	2850	0.07	3804	4	65	100	3	7	3	8550	4746	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	7980	4176	4176	0.933333
6631	034	2855	0.07	3940	4	65	100	3	7	3	8565	4625	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	7994	4054	4054	0.933333
6631	038	2854	0.07	3920	4	65	100	3	7	3	8562	4642	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	7991.199707	4071.199707	4071.199707	0.933333
6631	046	1856	0.04	2640	2	65	100	3	4	2	5568	2928	RH-2	40	form-based			true	0.7	4	1	2	2	5196.799805	2556.799805	2556.799805	0.933333
6633	008A	1171	0.03	777	1	65	100	3	3	2	3513	2736	RH-2	50	form-based			true	0.7	3	1	2	2	4098.5	3321.5	3321.5	1.166667
6633	008B	1170	0.03	905	1	65	100	3	3	2	3510	2605	RH-2	50	form-based			true	0.7	3	1	2	2	4095	3190	3190	1.166667
6634	006	2498	0.06	2650	2	65	100	3	6	4	7494	4844	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	6994.399902	4344.399902	4344.399902	0.933333
6634	012	2696	0.06	4290	4	65	100	3	6	2	8088	3798	RH-3	40	density-lim	1000	true		0.7	6	1	2	2	7548.799805	3258.799805	3258.799805	0.933333
6634	019	1875	0.04	2150	2	65	100	3	4	2	5625	3475	RH-3	40	density-lim	1000			0.7	4	1	2	2	5250	3100	3100	0.933333
6634	021	2850	0.07	4310	2	65	100	3	7	5	8550	4240	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	3670	3670	0.933333
6634	023	2850	0.07	2400	2	65	100	3	7	5	8550	6150	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	5580	5580	0.933333
6634	064	2736	0.06	2088	2	65	100	3	6	4	8208	6120	RH-3	40	density-lim	1000			0.7	4	0.666666687	2	2	7660.799805	5572.799805	5572.799805	0.933333
6634	068	2850	0.07	2677	2	65	100	3	7	5	8550	5873	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	7980	5303	5303	0.933333
6635	001	3308	0.08	8166	4	65	100	3	8	4	9924	1758	NCD-MISSI	40	density-lim	600	true		0.75	6	0.75	2	2	9924	1758	1758	1
6635	005	2423	0.06	2175	2	65	100	3	6	4	7269	5094	NCD-MISSI	40	density-lim	600			0.75	4	0.666666687	2	2	7269	5094	5094	1
6635	020	3291	0.08	2800	2	85	140	4	11	9	13164	10364	RH-3	40	density-lim	1000			0.7	4	0.363636374	2	2	9214.799805	6414.799805	6414.799805	0.7
6635	021	3198	0.07	2592	2	85	140	4	10	8	12792	10200	RH-3	40	density-lim	1000			0.7	4	0.400000006	2	2	8954.399414	6362.399414	6362.399414	0.7
6635	023	2324	0.05	2442	2	85	140	4	7	5	9296	6854	RH-3	40	density-lim	1000			0.7	4	0.571428597	2	2	6507.199707	4065.199707	4065.199707	0.7
6635	024	779	0.02	1604	2	85	140	4	3	1	3116	1512	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	2181.199951	577.1999512	577.1999512	0.7
6635	028	2122	0.05	2930	2	65	100	3	5	3	6366	3436	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5941.600098	3011.600098	3011.600098	0.933333
6635	030	2118	0.05	2920	2	65	100	3	5	3	6354	3434	RH-3	40	density-lim	1000			0.7	4	0.800000012	2	2	5930.399902	3010.399902	3010.399902	0.933333
6635	057	2819	0.06	4950	3	65	100	3	6	3	8457	3507	NCD-MISSI	40	density-lim	600			0.75	5	0.833333313	2	2	8457	3507	3507	1
6636	004A	1332	0.03	1325	2	65	100	3	3	1	3996	2671	RH-3	40	density-lim	1000			0.7	4	1.333333373	2	2	3729.599854	2404.599854	2404.599854	0.933333
6636	012	2660	0.06	4125	4	85	140	4	8	4	10640	6515	RH-2	40	density-lim	1500	true		0.7	6	0.75	2	2	7448	3323	3323	0.7
6636	018	2500	0.06	2520	2	85	140	4	8	6	10000	7480	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7000	4480	4480	0.7
6636	019	2500	0.06	3430	2	85	140	4	8	6	10000	6570	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7000	3570	3570	0.7
6636	025	2500	0.06	2353	2	85	140	4	8	6	10000	7647	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7000	4647	4647	0.7
6637	007	3510	0.08	6318	8	85	140	4	11	3	14040	7722	RM-1	50	form-based		true	true	0.7	10	0.909090936	2	2	12285	5967	5967	0.875
6651	031	1881	0.04	1684	2	55	80	2.5	3	1	4702	3018	RH-2	40	form-based			true	0.7	4	1.333333373	2	2	5266.799805	3582.799805	3582.799805	1.120119
6652	014	1660	0.04	1048	1	65	100	3	4	3	4980	3932	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4648	3600	3600	0.933333
6653	014A	1500	0.03	840	1	65	100	3	3	2	4500	3660	RH-2	40	form-based			true	0.7	3	1	2	2	4200	3360	3360	0.933333
6653	014B	1644	0.04	840	1	65	100	3	4	3	4932	4092	RH-2	40	form-based			true	0.7	3	0.75	2	2	4603.199707	3763.199707	3763.199707	0.933333
6653	014C	1508	0.03	1246	1	65	100	3	3	2	4524	3278	RH-2	40	form-based		true	true	0.7	3	1	2	2	4222.399902	2976.399902	2976.399902	0.933333
6653	031	1375	0.03	1125	1	65	100	3	3	2	4125	3000	RH-2	40	form-based		true	true	0.7	3	1	2	2	3850	2725	2725	0.933333
6653	037	1376	0.03	1587	1	65	100	3	3	2	4128	2541	RH-2	40	form-based			true	0.7	3	1	2	2	3852.800049	2265.800049	2265.800049	0.933333
6654	025	1488	0.03	2019	1	65	100	3	3	2	4464	2445	RH-2	40	form-based			true	0.7	3	1	2	2	4166.399902	2147.399902	2147.399902	0.933333
6655	032	1875	0.04	1586	2	65	100	3	4	2	5625	4039	RH-2	40	form-based			true	0.7	4	1	2	2	5250	3664	3664	0.933333
6654	056	2287	0.05	2340	3	65	100	3	5	2	6861	4521	RH-2	40	form-based			true	0.7	5	1	2	2	6403.600098	4063.600098	4063.600098	0.933333
6654	064	2287	0.05	1286	3	65	100	3	5	2	6861	5575	RH-2	40	form-based		true	true	0.7	5	1	2	2	6403.600098	5117.600098	5117.600098	0.933333
6654	067	1728	0.04	1125	2	65	100	3	4	2	5184	4059	RH-2	40	form-based		true	true	0.7	4	1	2	2	4838.399902	3713.399902	3713.399902	0.933333
6655	002	1500	0.03	1380	1	85	140	4	4	3	6000	4620	RH-2	40	form-based			true	0.7	3	0.75	2	2	4200	2820	2820	0.7
6655	024	1610	0.04	910	1	65	100	3	4	3	4830	3920	RH-2	40	form-based			true	0.7	3	0.75	2	2	4508	3598	3598	0.933333
6655	034	1250	0.03	1560	1	65	100	3	3	2	3750	2190	RH-2	40	form-based			true	0.7	3	1	2	2	3500	1940	1940	0.933333
6655	035	1250	0.03	1007	1	65	100	3	3	2	3750	2743	RH-2	40	form-based			true	0.7	3	1	2	2	3500	2493	2493	0.933333
6655	047	3114	0.07	3825	5	65	100	3	7	2	9342	5517	RH-2	40	form-based			true	0.7	7	1	2	2	8719.200195	4894.200195	4894.200195	0.933333
6656	002	2041	0.05	1553	2	85	140	4	7	5	8164	6611	RH-2	40	form-based			true	0.7	4	0.571428597	2	2	5714.799805	4161.799805	4161.799805	0.7
6656	050	2800	0.06	3158	4	85	140	4	8	4	11200	8042	RH-2	40	form-based			true	0.7	6	0.75	2	2	7840	4682	4682	0.7
6656	055	1650	0.04	1020	1	85	140	4	6	5	6600	5580	RH-2	40	form-based			true	0.7	3	0.5	2	2	4620	3600	3600	0.7
6657	009	2896	0.07	3560	4	65	100	3	7	3	8688	5128	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8108.799805	4548.799805	4548.799805	0.933333
6657	013	742	0.02	0	0	65	100	3	2	2	2226	2226	RH-2	40	form-based			true	0.7	2	1	2	2	2077.599854	2077.599854	2077.599854	0.933333
6657	039	1845	0.04	1496	2	65	100	3	4	2	5535	4039	RH-2	40	form-based			true	0.7	4	1	2	2	5166	3670	3670	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6657	040	1330	0.03	1053	1	65	100	3	3	2	3990	2937	RH-2	40	form-based			true	0.7	3	1	2	2	3724	2671	2671	0.933333
6657	047	5945	0.14	8010	10	85	140	4	20	10	23780	15770	RH-2	40	form-based			true	0.7	12	0.600000024	2	2	16646	8636	8636	0.7
6657	060	2393	0.05	3284	3	65	100	3	5	2	7179	3895	RH-2	40	form-based			true	0.7	5	1	2	2	6700.399902	3416.399902	3416.399902	0.933333
6657	061	2313	0.05	3284	3	65	100	3	5	2	6939	3655	RH-2	40	form-based			true	0.7	5	1	2	2	6476.399902	3192.399902	3192.399902	0.933333
6657	062	2430	0.06	3284	3	65	100	3	6	3	7290	4006	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	6804	3520	3520	0.933333
6659	008	1244	0.03	1820	2	65	100	3	3	1	3732	1912	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3483.199951	1663.199951	1663.199951	0.933333
6659	010	2437	0.06	1756	2	85	140	4	8	6	9748	7992	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	6823.600098	5067.600098	5067.600098	0.7
6659	014	4347	0.1	2800	4	85	140	4	14	10	17388	14588	RH-2	40	density-lim	1500	true		0.7	6	0.428571433	2	2	12171.59961	9371.599609	9371.599609	0.7
6659	024	2200	0.05	1338	2	85	140	4	7	5	8800	7462	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	6160	4822	4822	0.7
6659	026	1703	0.04	2009	2	65	100	3	4	2	5109	3100	RH-2	40	density-lim	1500			0.7	4	1	2	2	4768.399902	2759.399902	2759.399902	0.933333
6660	005	2410	0.06	2530	2	85	140	4	8	6	9640	7110	NCD-MISS	40	density-lim	600			0.75	4	0.5	2	2	7230	4700	4700	0.75
6660	006	2179	0.05	2490	2	65	100	3	5	3	6537	4047	NCD-MISS	40	density-lim	600			0.75	4	0.800000012	2	2	6537	4047	4047	1
6660	013	2197	0.05	4462	2	65	100	3	5	3	6591	2129	NCD-MISS	40	density-lim	600			0.75	4	0.800000012	2	2	6591	2129	2129	1
6660	032	2475	0.06	1820	2	65	100	3	6	4	7425	5605	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6930	5110	5110	0.933333
6660	042	1836	0.04	1761	2	65	100	3	4	2	5508	3747	RH-2	40	density-lim	1500			0.7	4	1	2	2	5140.799805	3379.799805	3379.799805	0.933333
6662	012	2058	0.05	2248	2	65	100	3	5	3	6174	3926	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5762.399902	3514.399902	3514.399902	0.933333
6662	013	1846	0.04	3040	2	65	100	3	4	2	5538	2498	RH-2	40	form-based			true	0.7	4	1	2	2	5168.799805	2128.799805	2128.799805	0.933333
6660	062	1689	0.04	2788	2	65	100	3	4	2	5067	2279	RH-2	40	density-lim	1500			0.7	4	1	2	2	4729.199707	1941.199707	1941.199707	0.933333
6660	071	1853	0.04	1025	2	65	100	3	4	2	5559	4534	RH-2	40	density-lim	1500			0.7	4	1	2	2	5188.399902	4163.399902	4163.399902	0.933333
6661	016	1064	0.02	1538	2	65	100	3	2	0	3192	1654	RH-2	40	density-lim	1500			0.7	4	2	2	2	2979.199951	1441.199951	1441.199951	0.933333
6661	017	1253	0.03	1808	2	65	100	3	3	1	3759	1951	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	3508.399902	1700.399902	1700.399902	0.933333
6661	018	1443	0.03	1992	2	65	100	3	3	1	4329	2337	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	4040.399902	2048.399902	2048.399902	0.933333
6661	019	1632	0.04	2160	2	65	100	3	4	2	4896	2736	RH-2	40	density-lim	1500			0.7	4	1	2	2	4569.600098	2409.600098	2409.600098	0.933333
6662	018A	1339	0.03	1344	1	65	100	3	3	2	4017	2673	RH-2	40	form-based			true	0.7	3	1	2	2	3749.199951	2405.199951	2405.199951	0.933333
6663	001C	1640	0.04	2074	1	65	100	3	4	3	4920	2846	RH-2	40	form-based			true	0.7	3	0.75	2	2	4592	2518	2518	0.933333
6663	019A	1801	0.04	1600	2	65	100	3	4	2	5403	3803	RH-2	40	form-based			true	0.7	4	1	2	2	5042.799805	3442.799805	3442.799805	0.933333
6663	041	1875	0.04	3050	2	65	100	3	4	2	5625	2575	RH-2	40	form-based			true	0.7	4	1	2	2	5250	2200	2200	0.933333
6664	009	2038	0.05	2450	2	65	100	3	5	3	6114	3664	RH-2	40	form-based		true	true	0.7	4	0.800000012	2	2	5706.399902	3256.399902	3256.399902	0.933333
6664	012A	1303	0.03	975	1	65	100	3	3	2	3909	2934	RH-1	40	form-based			true	0.7	3	1	2	2	3648.399902	2673.399902	2673.399902	0.933333
6664	057	2500	0.06	1563	3	65	100	3	6	3	7500	5937	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7000	5437	5437	0.933333
6665	046	1325	0.03	1297	1	65	100	3	3	2	3975	2678	RH-1	40	form-based			true	0.7	3	1	2	2	3710	2413	2413	0.933333
6665	076	2141	0.05	822	2	65	100	3	5	3	6423	5601	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5994.799805	5172.799805	5172.799805	0.933333
6665	078	2737	0.06	868	4	65	100	3	6	2	8211	7343	RH-2	40	form-based			true	0.7	6	1	2	2	7663.600098	6795.600098	6795.600098	0.933333
6665	082	2102	0.05	1182	2	65	100	3	5	3	6306	5124	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5885.600098	4703.600098	4703.600098	0.933333
6665	102	3481	0.08	1254	5	65	100	3	8	3	10443	9189	RH-1	40	form-based			true	0.7	7	0.875	2	2	9746.799805	8492.799805	8492.799805	0.933333
6685	015	2173	0.05	3514	3	65	100	3	5	2	6519	3005	RH-2	40	form-based			true	0.7	5	1	2	2	6084.399902	2570.399902	2570.399902	0.933333
6685	016A	2255	0.05	3120	3	65	100	3	5	2	6765	3645	RH-2	40	form-based		true	true	0.7	5	1	2	2	6314	3194	3194	0.933333
6685	019	1426	0.03	1290	1	65	100	3	3	2	4278	2988	RH-2	40	form-based			true	0.7	3	1	2	2	3992.800049	2702.800049	2702.800049	0.933333
6685	020	1590	0.04	1772	1	65	100	3	4	3	4770	2998	RH-2	40	form-based			true	0.7	3	0.75	2	2	4452	2680	2680	0.933333
6686	020	1197	0.03	1476	1	65	100	3	3	2	3591	2115	RH-2	40	form-based			true	0.7	3	1	2	2	3351.599854	1875.599854	1875.599854	0.933333
6687	006	2051	0.05	1586	2	65	100	3	5	3	6153	4567	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5742.799805	4156.799805	4156.799805	0.933333
6687	019	3140	0.07	3220	2	65	100	3	7	5	9420	6200	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8792	5572	5572	0.933333
6687	020	3175	0.07	4626	2	65	100	3	7	5	9525	4899	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8890	4264	4264	0.933333
6688	043	2499	0.06	2344	2	65	100	3	6	4	7497	5153	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6997.199707	4653.199707	4653.199707	0.933333
6689	022	2365	0.05	1850	3	65	100	3	5	2	7095	5245	RH-2	40	form-based		true	true	0.7	5	1	2	2	6622	4772	4772	0.933333
6690	025	2487	0.06	3810	3	65	100	3	6	3	7461	3651	RH-2	40	form-based		true	true	0.7	5	0.833333313	2	2	6963.600098	3153.600098	3153.600098	0.933333
6690	026	2500	0.06	3744	3	65	100	3	6	3	7500	3756	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7000	3256	3256	0.933333
6690	035A	2500	0.06	3637	3	65	100	3	6	3	7500	3863	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7000	3363	3363	0.933333
6690	040	2689	0.06	3500	4	65	100	3	6	2	8067	4567	RH-2	40	form-based			true	0.7	6	1	2	2	7529.199707	4029.199707	4029.199707	0.933333
6690	047A	1557	0.04	1368	1	65	100	3	4	3	4671	3303	RH-2	40	form-based			true	0.7	3	0.75	2	2	4359.600098	2991.600098	2991.600098	0.933333
6690	054	3040	0.07	972	4	65	100	3	7	3	9120	8148	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8512	7540	7540	0.933333
6691	020	2535	0.06	2008	2	65	100	3	6	4	7605	5597	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7098	5090	5090	0.933333
6691	034	2487	0.06	2754	2	65	100	3	6	4	7461	4707	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6963.600098	4209.600098	4209.600098	0.933333
6691	038	2473	0.06	2144	2	65	100	3	6	4	7419	5275	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6924.399902	4780.399902	4780.399902	0.933333
6691	042	2535	0.06	1260	2	65	100	3	6	4	7605	6345	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7098	5838	5838	0.933333
6691	044	2058	0.05	1205	2	65	100	3	5	3	6174	4969	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5762.399902	4557.399902	4557.399902	0.933333
6693	002	1785	0.04	2180	2	65	100	3	4	2	5355	3175	RH-2	40	form-based			true	0.7	4	1	2	2	4998	2818	2818	0.933333
6693	011	1924	0.04	2090	2	65	100	3	4	2	5772	3682	RH-2	40	form-based			true	0.7	4	1	2	2	5387.199707	3297.199707	3297.199707	0.933333
6693	016	1988	0.05	1947	2	65	100	3	5	3	5964	4017	RH-2	40	form-based			true	0.7	4	0.800000012	2	2	5566.399902	3619.399902	3619.399902	0.933333
6693	021	1887	0.04	3669	2	65	100	3	4	2	5661	1992	RH-2	40	form-based			true	0.7	4	1	2	2	5283.600098	1614.600098	1614.600098	0.933333
6693	022	1848	0.04	3572	2	65	100	3	4	2	5544	1972	RH-2	40	form-based			true	0.7	4	1	2	2	5174.399902	1602.399902	1602.399902	0.933333
6693	026	1850	0.04	1263	2	65	100	3	4	2	5550	4287	RH-2	40	form-based			true	0.7	4	1	2	2	5180	3917	3917	0.933333
6693	033	1850	0.04	1147	2	65	100	3	4	2	5550	4403	RH-2	40	form-based			true	0.7	4	1	2	2	5180	4033	4033	0.933333
6693	035	1702	0.04	1161	2	65	100	3	4	2	5106	3945	RH-2	40	form-based			true	0.7	4	1	2	2	4765.600098	3604.600098	3604.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6694	001	2426	0.06	3240	3	65	100	3	6	3	7278	4038	RH-2	40	form-based		true	true	0.7	5	0.833333313	2	2	6792.799805	3552.799805	3552.799805	0.933333
6694	018	1558	0.04	1325	1	65	100	3	4	3	4674	3349	RH-2	40	form-based		true	true	0.7	3	0.75	2	2	4362.399902	3037.399902	3037.399902	0.933333
6695	001A	1493	0.03	1545	1	65	100	3	3	2	4479	2934	RH-1	40	form-based			true	0.7	3	1	2	2	4180.399902	2635.399902	2635.399902	0.933333
6695	006A	2800	0.06	4525	4	65	100	3	6	2	8400	3875	RH-2	40	form-based		true	true	0.7	6	1	2	2	7840	3315	3315	0.933333
6695	023	2524	0.06	3625	3	65	100	3	6	3	7572	3947	RH-1	40	form-based			true	0.7	5	0.833333313	2	2	7067.199707	3442.199707	3442.199707	0.933333
6696	004A	1494	0.03	2394	1	65	100	3	3	2	4482	2088	RH-1	40	form-based		true	true	0.7	3	1	2	2	4183.199707	1789.199707	1789.199707	0.933333
6696	018	1575	0.04	1396	1	65	100	3	4	3	4725	3329	RH-1	40	form-based			true	0.7	3	0.75	2	2	4410	3014	3014	0.933333
6696	018A	1456	0.03	1200	1	65	100	3	3	2	4368	3168	RH-1	40	form-based			true	0.7	3	1	2	2	4076.800049	2876.800049	2876.800049	0.933333
6696	018B	1456	0.03	827	1	65	100	3	3	2	4368	3541	RH-1	40	form-based		true	true	0.7	3	1	2	2	4076.800049	3249.800049	3249.800049	0.933333
6710	018	1474	0.03	888	1	65	100	3	3	2	4422	3534	RH-1	40	form-based			true	0.7	3	1	2	2	4127.199707	3239.199707	3239.199707	0.933333
6712	022	2493	0.06	2484	3	65	100	3	6	3	7479	4995	RH-1	40	form-based			true	0.7	5	0.833333313	2	2	6980.399902	4496.399902	4496.399902	0.933333
6712	040	1621	0.04	1760	1	65	100	3	4	3	4863	3103	RH-1	40	form-based			true	0.7	3	0.75	2	2	4538.799805	2778.799805	2778.799805	0.933333
6712	041	2060	0.05	2240	2	65	100	3	5	3	6180	3940	RH-1	40	form-based			true	0.7	4	0.800000012	2	2	5768	3528	3528	0.933333
6712	048	1421	0.03	1007	1	65	100	3	3	2	4263	3256	RH-1	40	form-based			true	0.7	3	1	2	2	3978.800049	2971.800049	2971.800049	0.933333
6713	037A	1298	0.03	620	1	65	100	3	3	2	3894	3274	RH-1	40	form-based			true	0.7	3	1	2	2	3634.399902	3014.399902	3014.399902	0.933333
6713	047	1250	0.03	1500	1	65	100	3	3	2	3750	2250	RH-1	40	form-based			true	0.7	3	1	2	2	3500	2000	2000	0.933333
6717	008	2800	0.06	2700	4	65	100	3	6	2	8400	5700	RH-2	40	form-based		true	true	0.7	6	1	2	2	7840	5140	5140	0.933333
6717	021	1221	0.03	1110	1	75	120	3.5	4	3	4274	3164	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	3418.800049	2308.800049	2308.800049	0.799906
6717	021A	1236	0.03	1209	1	65	100	3	3	2	3708	2499	RH-1	40	form-based			true	0.7	3	1	2	2	3460.800049	2251.800049	2251.800049	0.933333
6717	021B	1237	0.03	950	1	65	100	3	3	2	3711	2761	RH-1	40	form-based			true	0.7	3	1	2	2	3463.599854	2513.599854	2513.599854	0.933333
6718	002A	1317	0.03	1225	1	65	100	3	3	2	3951	2726	RH-2	40	form-based		true	true	0.7	3	1	2	2	3687.599854	2462.599854	2462.599854	0.933333
6718	019	2500	0.06	2158	3	65	100	3	6	3	7500	5342	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7000	4842	4842	0.933333
6718	031	2250	0.05	2950	3	65	100	3	5	2	6750	3800	RH-2	40	form-based			true	0.7	5	1	2	2	6300	3350	3350	0.933333
6718	036	2345	0.05	1568	3	65	100	3	5	2	7035	5467	RH-2	40	form-based			true	0.7	5	1	2	2	6566	4998	4998	0.933333
6719	013	2500	0.06	2813	3	65	100	3	6	3	7500	4687	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7000	4187	4187	0.933333
6722	014	2500	0.06	1934	2	65	100	3	6	4	7500	5566	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5066	5066	0.933333
6722	024	2770	0.06	2626	2	65	100	3	6	4	8310	5684	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7756	5130	5130	0.933333
6722	031	2500	0.06	870	2	65	100	3	6	4	7500	6630	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	6130	6130	0.933333
6722	032	3125	0.07	2000	2	65	100	3	7	5	9375	7375	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8750	6750	6750	0.933333
6722	034	3125	0.07	2307	2	65	100	3	7	5	9375	7068	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8750	6443	6443	0.933333
6722	036	3125	0.07	1400	2	65	100	3	7	5	9375	7975	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8750	7350	7350	0.933333
6722	039	3125	0.07	1313	2	65	100	3	7	5	9375	8062	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8750	7437	7437	0.933333
6722	043	1925	0.04	778	2	65	100	3	4	2	5775	4997	RH-1	40	density-lim	3000			0.7	4	1	2	2	5390	4612	4612	0.933333
6723	005	3750	0.09	2262	2	75	120	3.5	11	9	13125	10863	RH-1	40	density-lim	3000			0.7	4	0.363636374	2	2	10500	8238	8238	0.8
6723	018	1875	0.04	2340	4	75	120	3.5	5	1	6562	4222	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	2	2	5250	2910	2910	0.800061
6723	025	2433	0.06	2039	2	75	120	3.5	7	5	8516	6477	RH-1	40	density-lim	3000			0.7	4	0.571428597	2	2	6812.399902	4773.399902	4773.399902	0.799953
6723	032	2500	0.06	1046	2	65	100	3	6	4	7500	6454	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	5954	5954	0.933333
6726	001	1412	0.03	1233	1	75	120	3.5	4	3	4942	3709	RH-2	40	form-based		true	true	0.7	3	0.75	2	2	3953.599854	2720.599854	2720.599854	0.8
6726	001A	1413	0.03	772	1	75	120	3.5	4	3	4946	4174	RH-2	40	form-based			true	0.7	3	0.75	2	2	3956.399902	3184.399902	3184.399902	0.799919
6726	001B	1413	0.03	736	1	75	120	3.5	4	3	4946	4210	RH-2	40	form-based			true	0.7	3	0.75	2	2	3956.399902	3220.399902	3220.399902	0.799919
6726	001C	1412	0.03	736	1	75	120	3.5	4	3	4942	4206	RH-2	40	form-based			true	0.7	3	0.75	2	2	3953.599854	3217.599854	3217.599854	0.8
6727	043	1575	0.04	675	1	75	120	3.5	5	4	5512	4837	RH-2	40	form-based			true	0.7	3	0.600000024	2	2	4410	3735	3735	0.800073
6728	008	1601	0.04	1807	1	75	120	3.5	5	4	5604	3797	RH-1	40	form-based		true	true	0.7	3	0.600000024	2	2	4482.799805	2675.799805	2675.799805	0.799929
6728	008A	1439	0.03	1475	1	75	120	3.5	4	3	5036	3561	RH-1	40	form-based			true	0.7	3	0.75	2	2	4029.199951	2554.199951	2554.199951	0.800079
6728	022	1000	0.02	800	1	75	120	3.5	2	1	3500	2700	RH-1	50	form-based			true	0.7	3	1.5	2	2	3500	2700	2700	1
6729	001A	1558	0.04	2200	1	65	100	3	4	3	4674	2474	RH-1	40	form-based			true	0.7	3	0.75	2	2	4362.399902	2162.399902	2162.399902	0.933333
6729	016	1995	0.05	1550	2	75	120	3.5	6	4	6982	5432	RH-1	40	form-based			true	0.7	4	0.666666687	2	2	5586	4036	4036	0.800057
6731	029	2475	0.06	2580	3	65	100	3	6	3	7425	4845	RH-1	40	form-based			true	0.7	5	0.833333313	2	2	6930	4350	4350	0.933333
6731	032	1445	0.03	756	1	65	100	3	3	2	4335	3579	RH-1	40	form-based			true	0.7	3	1	2	2	4046	3290	3290	0.933333
6731	049	1864	0.04	950	2	65	100	3	4	2	5592	4642	RH-1	40	form-based			true	0.7	4	1	2	2	5219.199707	4269.199707	4269.199707	0.933333
6732	031	1590	0.04	1600	1	65	100	3	4	3	4770	3170	RH-1	40	form-based			true	0.7	3	0.75	2	2	4452	2852	2852	0.933333
6732	032	1542	0.04	1289	1	65	100	3	4	3	4626	3337	RH-1	40	form-based			true	0.7	3	0.75	2	2	4317.600098	3028.600098	3028.600098	0.933333
6732	032A	1411	0.03	821	1	65	100	3	3	2	4233	3412	RH-1	40	form-based			true	0.7	3	1	2	2	3950.800049	3129.800049	3129.800049	0.933333
6732	035	1833	0.04	1820	2	65	100	3	4	2	5499	3679	RH-1	40	form-based			true	0.7	4	1	2	2	5132.399902	3312.399902	3312.399902	0.933333
6732	068	1245	0.03	950	1	65	100	3	3	2	3735	2785	RH-1	40	form-based			true	0.7	3	1	2	2	3486	2536	2536	0.933333
6733A	005A	1619	0.04	1092	1	65	100	3	4	3	4857	3765	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4533.199707	3441.199707	3441.199707	0.933333
6736	001	1763	0.04	3125	2	75	120	3.5	5	3	6170	3045	RH-1	40	form-based			true	0.7	4	0.800000012	2	2	4936.399902	1811.399902	1811.399902	0.800065
6738	031	1930	0.04	722	3	75	120	3.5	5	2	6755	6033	RH-1	50	form-based			true	0.7	5	1	2	2	6755	6033	6033	1
6741	001	1587	0.04	560	1	75	120	3.5	5	4	5554	4994	RH-2	40	form-based		true	true	0.7	3	0.600000024	2	2	4443.600098	3883.600098	3883.600098	0.800072
6741	007	2293	0.05	2429	4	75	120	3.5	6	2	8026	5597	RH-2	50	form-based			true	0.7	6	1	2	2	8025.5	5596.5	5596.5	0.999938
6741	008A	1089	0.02	1190	1	75	120	3.5	2	1	3812	2622	RH-2	50	form-based			true	0.7	3	1.5	2	2	3811.5	2621.5	2621.5	0.999869
6741	012	1556	0.04	1650	2	75	120	3.5	5	3	5446	3796	RH-2	50	form-based			true	0.7	4	0.800000012	2	2	5446	3796	3796	1
6741	020A	619	0.01	0	0	75	120	3.5	1	1	2166	2166	RH-2	50	form-based			true	0.7	2	2	2	2	2166.5	2166.5	2166.5	1.000231
6741	031	1442	0.03	2549	2	75	120	3.5	4	2	5047	2498	RH-2	50	form-based			true	0.7	4	1	2	2	5047	2498	2498	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6747	025	1505	0.03	2638	2	75	120	3.5	4	2	5268	2630	RH-2	40	density-lim	1500			0.7	4	1	2	2	4214	1576	1576	0.799924
6747	033	1828	0.04	1533	2	75	120	3.5	5	3	6398	4865	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5118.399902	3585.399902	3585.399902	0.8
6747	035	2124	0.05	2125	2	75	120	3.5	6	4	7434	5309	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	5947.199707	3822.199707	3822.199707	0.8
6747	037	2341	0.05	2269	2	75	120	3.5	6	4	8194	5925	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6554.799805	4285.799805	4285.799805	0.799951
6747	039	2971	0.07	2999	2	75	120	3.5	8	6	10398	7399	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	8318.799805	5319.799805	5319.799805	0.800038
6747	043	2730	0.06	6115	2	75	120	3.5	7	5	9555	3440	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7644	1529	1529	0.8
6748	004	2153	0.05	2982	2	65	100	3	5	3	6459	3477	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6028.399902	3046.399902	3046.399902	0.933333
6748	005	1894	0.04	2162	2	65	100	3	4	2	5682	3520	RH-2	40	density-lim	1500			0.7	4	1	2	2	5303.199707	3141.199707	3141.199707	0.933333
6748	006	1906	0.04	2568	2	65	100	3	4	2	5718	3150	RH-2	40	density-lim	1500			0.7	4	1	2	2	5336.799805	2768.799805	2768.799805	0.933333
6748	007	1917	0.04	2278	2	65	100	3	4	2	5751	3473	RH-2	40	density-lim	1500			0.7	4	1	2	2	5367.600098	3089.600098	3089.600098	0.933333
6748	042	2500	0.06	2393	2	65	100	3	6	4	7500	5107	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4607	4607	0.933333
6748	049	1775	0.04	3351	2	65	100	3	4	2	5325	1974	RH-2	40	density-lim	1500			0.7	4	1	2	2	4970	1619	1619	0.933333
6750	038	2500	0.06	3056	2	75	120	3.5	7	5	8750	5694	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	3944	3944	0.8
6750	039	2500	0.06	1513	2	75	120	3.5	7	5	8750	7237	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	7000	5487	5487	0.8
6750	043	2500	0.06	2788	2	65	100	3	6	4	7500	4712	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4212	4212	0.933333
6753	001	2363	0.05	3800	4	75	120	3.5	6	2	8270	4470	RH-2	40	density-lim	1500	true		0.7	6	1	2	2	6616.399902	2816.399902	2816.399902	0.800048
6753	018	2375	0.05	1740	2	75	120	3.5	6	4	8312	6572	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	6650	4910	4910	0.800048
6753	052	1778	0.04	2100	2	75	120	3.5	5	3	6223	4123	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	4978.399902	2878.399902	2878.399902	0.8
6760	035	1622	0.04	855	1	65	100	3	4	3	4866	4011	RH-1	40	form-based			true	0.7	3	0.75	2	2	4541.600098	3686.600098	3686.600098	0.933333
6760	036	1559	0.04	1076	1	65	100	3	4	3	4677	3601	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4365.199707	3289.199707	3289.199707	0.933333
6761	033	1617	0.04	855	1	65	100	3	4	3	4851	3996	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4527.600098	3672.600098	3672.600098	0.933333
6762	040	1472	0.03	2100	1	65	100	3	3	2	4416	2316	RH-1	40	form-based		true	true	0.7	3	1	2	2	4121.600098	2021.600098	2021.600098	0.933333
6763	032	1662	0.04	1143	1	65	100	3	4	3	4986	3843	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4653.600098	3510.600098	3510.600098	0.933333
6767	020	1250	0.03	950	1	75	120	3.5	4	3	4375	3425	RH-1	50	form-based			true	0.7	3	0.75	2	2	4375	3425	3425	1
6767	021	1250	0.03	950	1	75	120	3.5	4	3	4375	3425	RH-1	50	form-based			true	0.7	3	0.75	2	2	4375	3425	3425	1
6767	021A	1250	0.03	950	1	75	120	3.5	4	3	4375	3425	RH-1	50	form-based			true	0.7	3	0.75	2	2	4375	3425	3425	1
6767	021B	1250	0.03	950	1	75	120	3.5	4	3	4375	3425	RH-1	50	form-based		true	true	0.7	3	0.75	2	2	4375	3425	3425	1
6768	009	1365	0.03	1955	2	75	120	3.5	4	2	4778	2823	RH-2	50	form-based			true	0.7	4	1	2	2	4777.5	2822.5	2822.5	0.999895
6769	001	1250	0.03	1100	1	75	120	3.5	4	3	4375	3275	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	3500	2400	2400	0.8
6769	001A	1250	0.03	775	1	75	120	3.5	4	3	4375	3600	RH-1	40	form-based			true	0.7	3	0.75	2	2	3500	2725	2725	0.8
6769	001B	1250	0.03	725	1	75	120	3.5	4	3	4375	3650	RH-1	40	form-based			true	0.7	3	0.75	2	2	3500	2775	2775	0.8
6769	002	1250	0.03	800	1	75	120	3.5	4	3	4375	3575	RH-1	40	form-based			true	0.7	3	0.75	2	2	3500	2700	2700	0.8
6769	032	2525	0.06	2750	3	65	100	3	6	3	7575	4825	RH-1	40	form-based		true	true	0.7	5	0.833333313	2	2	7070	4320	4320	0.933333
6770	013	984	0.02	0	0	65	100	3	2	2	2952	2952	RH-2	40	form-based			true	0.7	2	1	2	2	2755.199951	2755.199951	2755.199951	0.933333
6770	020	2479	0.06	2245	3	65	100	3	6	3	7437	5192	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	6941.199707	4696.199707	4696.199707	0.933333
6771	001	1342	0.03	825	1	65	100	3	3	2	4026	3201	RH-2	40	form-based		true	true	0.7	3	1	2	2	3757.599854	2932.599854	2932.599854	0.933333
6771	001A	1230	0.03	875	1	65	100	3	3	2	3690	2815	RH-1	40	form-based			true	0.7	3	1	2	2	3444	2569	2569	0.933333
6771	001B	1230	0.03	825	1	65	100	3	3	2	3690	2865	RH-1	40	form-based			true	0.7	3	1	2	2	3444	2619	2619	0.933333
6771	001C	1230	0.03	856	1	65	100	3	3	2	3690	2834	RH-1	40	form-based			true	0.7	3	1	2	2	3444	2588	2588	0.933333
6771	047	2861	0.07	1440	4	65	100	3	7	3	8583	7143	RH-2	40	form-based			true	0.7	6	0.857142866	2	2	8010.799805	6570.799805	6570.799805	0.933333
6771	049	2553	0.06	1944	3	65	100	3	6	3	7659	5715	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7148.399902	5204.399902	5204.399902	0.933333
6772	041A	1558	0.04	920	1	65	100	3	4	3	4674	3754	RH-1	40	form-based			true	0.7	3	0.75	2	2	4362.399902	3442.399902	3442.399902	0.933333
6772	042A	1241	0.03	800	1	65	100	3	3	2	3723	2923	RH-1	40	form-based			true	0.7	3	1	2	2	3474.800049	2674.800049	2674.800049	0.933333
6772	047	1557	0.04	1461	1	75	120	3.5	5	4	5450	3989	RH-2	40	form-based			true	0.7	3	0.600000024	2	2	4359.600098	2898.600098	2898.600098	0.799927
6775	001A	1496	0.03	1493	1	65	100	3	3	2	4488	2995	RH-1	40	form-based			true	0.7	3	1	2	2	4188.799805	2695.799805	2695.799805	0.933333
6779	002	2526	0.06	2274	2	65	100	3	6	4	7578	5304	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7072.799805	4798.799805	4798.799805	0.933333
6782	029	2711	0.06	1600	2	75	120	3.5	7	5	9488	7888	RH-1	40	density-lim	3000			0.7	4	0.571428597	2	2	7590.799805	5990.799805	5990.799805	0.800042
6786	003	2752	0.06	1800	2	65	100	3	6	4	8256	6456	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7705.600098	5905.600098	5905.600098	0.933333
6786	033	2317	0.05	1600	2	75	120	3.5	6	4	8110	6510	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	6487.600098	4887.600098	4887.600098	0.799951
6796	001A	2500	0.06	3830	2	65	100	3	6	4	7500	3670	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	2	2	7500	3670	3670	1
6796	005	2500	0.06	2442	2	65	100	3	6	4	7500	5058	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	2	2	7500	5058	5058	1
6796	010	2500	0.06	3956	2	65	100	3	6	4	7500	3544	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	2	2	7500	3544	3544	1
6796	019	3762	0.09	1880	2	65	100	3	9	7	11286	9406	RH-1	40	density-lim	3000			0.7	4	0.444444448	2	2	10533.59961	8653.599609	8653.599609	0.933333
6796	043	3750	0.09	870	2	65	100	3	9	7	11250	10380	RH-1	40	density-lim	3000			0.7	4	0.444444448	2	2	10500	9630	9630	0.933333
6797	009	2512	0.06	2150	2	65	100	3	6	4	7536	5386	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7033.600098	4883.600098	4883.600098	0.933333
6797	036	2500	0.06	1940	2	65	100	3	6	4	7500	5560	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7000	5060	5060	0.933333
6798	011	2500	0.06	2165	2	65	100	3	6	4	7500	5335	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7000	4835	4835	0.933333
6799	026	2502	0.06	2119	2	65	100	3	6	4	7506	5387	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7005.600098	4886.600098	4886.600098	0.933333
6800	007	2220	0.05	2092	2	65	100	3	5	3	6660	4568	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	6216	4124	4124	0.933333
6800	041	2130	0.05	2002	2	65	100	3	5	3	6390	4388	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	5964	3962	3962	0.933333
6800	044	9292	0.21	1677	13	65	100	3	21	8	27876	26199	NCD-EXCE	40	density-lim	600	true		0.75	15	0.714285731	2	2	27876	26199	26199	1
6803	006	2250	0.05	2768	2	65	100	3	5	3	6750	3982	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	2	2	6750	3982	3982	1
6803	007	2250	0.05	3250	2	65	100	3	5	3	6750	3500	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	2	2	6750	3500	3500	1
6804	025	4788	0.11	1797	6	65	100	3	11	5	14364	12567	NCD-EXCE	40	density-lim	600			0.75	8	0.727272749	2	2	14364	12567	12567	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6933	019	1632	0.04	1000	1	65	100	3	4	3	4896	3896	RH-1	40	form-based			true	0.7	3	0.75	2	2	4569.600098	3569.600098	3569.600098	0.933333
6933	018	1632	0.04	1125	1	65	100	3	4	3	4896	3771	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4569.600098	3444.600098	3444.600098	0.933333
6933	018A	1632	0.04	1120	1	65	100	3	4	3	4896	3776	RH-1	40	form-based			true	0.7	3	0.75	2	2	4569.600098	3449.600098	3449.600098	0.933333
6937	018A	2250	0.05	3420	3	65	100	3	5	2	6750	3330	RH-2	40	form-based			true	0.7	5	1	2	2	6300	2880	2880	0.933333
6937	018B	1754	0.04	1950	2	65	100	3	4	2	5262	3312	RH-2	40	form-based		true	true	0.7	4	1	2	2	4911.199707	2961.199707	2961.199707	0.933333
6938	001	1651	0.04	1575	1	65	100	3	4	3	4953	3378	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4622.799805	3047.799805	3047.799805	0.933333
6938	043A	1395	0.03	1000	1	65	100	3	3	2	4185	3185	RH-1	40	form-based		true	true	0.7	3	1	2	2	3906	2906	2906	0.933333
6941	032	2500	0.06	3397	3	65	100	3	6	3	7500	4103	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7000	3603	3603	0.933333
6942	020A	1502	0.03	918	1	65	100	3	3	2	4506	3588	RH-2	40	form-based			true	0.7	3	1	2	2	4205.600098	3287.600098	3287.600098	0.933333
6942	023	2500	0.06	1968	3	65	100	3	6	3	7500	5532	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7000	5032	5032	0.933333
6942	047	1873	0.04	1756	2	65	100	3	4	2	5619	3863	RH-2	40	form-based			true	0.7	4	1	2	2	5244.399902	3488.399902	3488.399902	0.933333
6942	059	1503	0.03	1257	1	65	100	3	3	2	4509	3252	RH-2	40	form-based			true	0.7	3	1	2	2	4208.399902	2951.399902	2951.399902	0.933333
6942	071	2500	0.06	3674	3	65	100	3	6	3	7500	3826	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7000	3326	3326	0.933333
6944	013	1310	0.03	1405	1	65	100	3	3	2	3930	2525	RH-2	40	form-based			true	0.7	3	1	2	2	3668	2263	2263	0.933333
6951	015C	3000	0.07	1500	2	65	100	3	7	5	9000	7500	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	8400	6900	6900	0.933333
6951	017	3220	0.07	1390	2	65	100	3	7	5	9660	8270	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	9016	7626	7626	0.933333
6951	023	6349	0.15	2300	2	75	120	3.5	18	16	22222	19922	RH-1	40	density-lim	3000			0.7	4	0.222222224	2	2	17777.19922	15477.19922	15477.19922	0.799982
6951	026	3224	0.07	3032	2	65	100	3	7	5	9672	6640	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	9027.200195	5995.200195	5995.200195	0.933333
6951	038	2545	0.06	2114	2	65	100	3	6	4	7635	5521	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7126	5012	5012	0.933333
6951	039	2545	0.06	2114	2	65	100	3	6	4	7635	5521	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7126	5012	5012	0.933333
6951	040	2545	0.06	2114	2	65	100	3	6	4	7635	5521	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7126	5012	5012	0.933333
6951	041	2545	0.06	2093	2	65	100	3	6	4	7635	5542	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7126	5033	5033	0.933333
6952	005	2363	0.05	3250	2	65	100	3	5	3	7089	3839	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6616.399902	3366.399902	3366.399902	0.933333
6952	011	1935	0.04	1681	2	65	100	3	4	2	5805	4124	RH-2	40	density-lim	1500			0.7	4	1	2	2	5418	3737	3737	0.933333
6955	015	2509	0.06	1512	2	55	80	2.5	5	3	6272	4760	NCD-EXCE	65	density-lim	600			0.75	4	0.800000012	2	2	11290.5	9778.5	9778.5	1.800143
6955	020	2646	0.06	1766	2	55	80	2.5	5	3	6615	4849	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7408.799805	5642.799805	5642.799805	1.12
6955	032	2637	0.06	2140	2	55	80	2.5	5	3	6592	4452	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	7383.600098	5243.600098	5243.600098	1.120085
6956	011	2553	0.06	2500	2	55	80	2.5	5	3	6382	3882	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7148.399902	4648.399902	4648.399902	1.120088
6956	013	2552	0.06	1850	2	55	80	2.5	5	3	6380	4530	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7145.600098	5295.600098	5295.600098	1.12
6956	014	2551	0.06	2969	2	55	80	2.5	5	3	6378	3409	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	7142.799805	4173.799805	4173.799805	1.119912
6955	046	1940	0.04	2402	2	55	80	2.5	3	1	4850	2448	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	5432	3030	3030	1.12
6955	047	1945	0.04	2402	2	55	80	2.5	3	1	4862	2460	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	5446	3044	3044	1.120115
6955	048	1968	0.05	2402	2	55	80	2.5	4	2	4920	2518	RH-2	40	density-lim	1500			0.7	4	1	2	2	5510.399902	3108.399902	3108.399902	1.12
6956	031	2008	0.05	1662	2	55	80	2.5	4	2	5020	3358	RH-2	40	density-lim	1500			0.7	4	1	2	2	5622.399902	3960.399902	3960.399902	1.12
6956	033	1832	0.04	1156	2	55	80	2.5	3	1	4580	3424	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	5129.600098	3973.600098	3973.600098	1.12
6956	034	1878	0.04	1116	2	55	80	2.5	3	1	4695	3579	RH-2	40	density-lim	1500			0.7	4	1.333333373	2	2	5258.399902	4142.399902	4142.399902	1.12
6959	018	2038	0.05	1990	1	55	80	2.5	4	3	5095	3105	NCD-EXCE	40	density-lim	600			0.75	3	0.75	2	2	6114	4124	4124	1.2
6959	021	2797	0.06	2384	2	65	100	3	6	4	8391	6007	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7831.600098	5447.600098	5447.600098	0.933333
6965A	030	1786	0.04	750	2	65	100	3	4	2	5358	4608	RH-1	40	density-lim	3000			0.7	4	1	2	2	5000.799805	4250.799805	4250.799805	0.933333
6965A	033	2408	0.06	1692	2	65	100	3	6	4	7224	5532	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	6742.399902	5050.399902	5050.399902	0.933333
6967	024	2514	0.06	1315	2	65	100	3	6	4	7542	6227	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7039.199707	5724.199707	5724.199707	0.933333
6968	014	2704	0.06	3459	3	65	100	3	6	3	8112	4653	NCD-EXCE	40	density-lim	600			0.75	5	0.833333313	2	2	8112	4653	4653	1
6976	001	1469	0.03	1010	1	75	120	3.5	4	3	5142	4132	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4113.199707	3103.199707	3103.199707	0.799922
6976	011	1474	0.03	990	1	75	120	3.5	4	3	5159	4169	RH-1	40	form-based			true	0.7	3	0.75	2	2	4127.199707	3137.199707	3137.199707	0.8
6976	012	1471	0.03	990	1	75	120	3.5	4	3	5148	4158	RH-1	40	form-based			true	0.7	3	0.75	2	2	4118.799805	3128.799805	3128.799805	0.800078
6977	009	1250	0.03	615	1	75	120	3.5	4	3	4375	3760	RH-1	40	form-based			true	0.7	3	0.75	2	2	3500	2885	2885	0.8
6977	009A	1250	0.03	922	1	75	120	3.5	4	3	4375	3453	RH-1	40	form-based			true	0.7	3	0.75	2	2	3500	2578	2578	0.8
6977	010	1250	0.03	615	1	75	120	3.5	4	3	4375	3760	RH-1	40	form-based			true	0.7	3	0.75	2	2	3500	2885	2885	0.8
6977	010A	1250	0.03	883	1	75	120	3.5	4	3	4375	3492	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	3500	2617	2617	0.8
6979	024	1625	0.04	1005	1	65	100	3	4	3	4875	3870	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4550	3545	3545	0.933333
6980	001	1671	0.04	1350	2	65	100	3	4	2	5013	3663	RH-2	40	form-based		true	true	0.7	4	1	2	2	4678.799805	3328.799805	3328.799805	0.933333
6980	001B	1675	0.04	1420	2	65	100	3	4	2	5025	3605	RH-2	40	form-based			true	0.7	4	1	2	2	4690	3270	3270	0.933333
6980	022A	1500	0.03	800	1	65	100	3	3	2	4500	3700	RH-1	40	form-based			true	0.7	3	1	2	2	4200	3400	3400	0.933333
6980	047	1421	0.03	1454	1	65	100	3	3	2	4263	2809	RH-1	40	form-based			true	0.7	3	1	2	2	3978.800049	2524.800049	2524.800049	0.933333
6981	015	1407	0.03	930	1	65	100	3	3	2	4221	3291	RH-1	40	form-based			true	0.7	3	1	2	2	3939.599854	3009.599854	3009.599854	0.933333
6981	047	2502	0.06	2200	3	65	100	3	6	3	7506	5306	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7005.600098	4805.600098	4805.600098	0.933333
6981	050	2502	0.06	2588	3	65	100	3	6	3	7506	4918	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7005.600098	4417.600098	4417.600098	0.933333
6982	001	2502	0.06	2620	3	65	100	3	6	3	7506	4886	RH-2	40	form-based		true	true	0.7	5	0.833333313	2	2	7005.600098	4385.600098	4385.600098	0.933333
6982	019	1650	0.04	900	1	65	100	3	4	3	4950	4050	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4620	3720	3720	0.933333
6982	048	2501	0.06	2734	3	65	100	3	6	3	7503	4769	RH-2	40	form-based			true	0.7	5	0.833333313	2	2	7002.799805	4268.799805	4268.799805	0.933333
6983	025A	1500	0.03	1160	1	55	80	2.5	2	1	3750	2590	RH-1	40	form-based			true	0.7	3	1.5	2	2	4200	3040	3040	1.12
6983	052	1254	0.03	2189	1	65	100	3	3	2	3762	1573	RH-2	40	form-based		true	true	0.7	3	1	2	2	3511.199951	1322.199951	1322.199951	0.933333
6983	053	1250	0.03	864	1	65	100	3	3	2	3750	2886	RH-2	40	form-based			true	0.7	3	1	2	2	3500	2636	2636	0.933333
6984	021A	1625	0.04	1515	1	55	80	2.5	3	2	4062	2547	RH-1	40	form-based		true	true	0.7	3	1	2	2	4550	3035	3035	1.120138

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6986	034	1875	0.04	2200	2	65	100	3	4	2	5625	3425	RH-2	40	form-based			true	0.7	4	1	2	2	5250	3050	3050	0.933333
6986	034A	1875	0.04	2200	2	65	100	3	4	2	5625	3425	RH-2	40	form-based			true	0.7	4	1	2	2	5250	3050	3050	0.933333
6986	035	1875	0.04	2200	2	65	100	3	4	2	5625	3425	RH-2	40	form-based			true	0.7	4	1	2	2	5250	3050	3050	0.933333
6986	036	1964	0.05	2200	2	65	100	3	5	3	5892	3692	RH-2	40	form-based		true	true	0.7	4	0.800000012	2	2	5499.199707	3299.199707	3299.199707	0.933333
6994	039	2500	0.06	2106	2	55	80	2.5	5	3	6250	4144	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	7000	4894	4894	1.12
6997	044	2500	0.06	825	2	65	100	3	6	4	7500	6675	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7000	6175	6175	0.933333
6998	033	2500	0.06	1575	2	65	100	3	6	4	7500	5925	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7000	5425	5425	0.933333
7006	010	2519	0.06	2312	2	55	80	2.5	5	3	6298	3986	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	7053.199707	4741.199707	4741.199707	1.119911
7006	019	2500	0.06	1088	2	55	80	2.5	5	3	6250	5162	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	7000	5912	5912	1.12
7013	001	1476	0.03	1050	1	55	80	2.5	2	1	3690	2640	RH-1	40	form-based		true	true	0.7	3	1.5	2	2	4132.799805	3082.799805	3082.799805	1.12
7013	001A	1539	0.04	1050	1	55	80	2.5	3	2	3848	2798	RH-1	40	form-based			true	0.7	3	1	2	2	4309.199707	3259.199707	3259.199707	1.119854
7013	001B	1538	0.04	1050	1	55	80	2.5	3	2	3845	2795	RH-1	40	form-based			true	0.7	3	1	2	2	4306.399902	3256.399902	3256.399902	1.12
7013	001C	1538	0.04	1050	1	55	80	2.5	3	2	3845	2795	RH-1	40	form-based			true	0.7	3	1	2	2	4306.399902	3256.399902	3256.399902	1.12
7013	045	1536	0.04	1336	1	55	80	2.5	3	2	3840	2504	RH-1	40	form-based			true	0.7	3	1	2	2	4300.799805	2964.799805	2964.799805	1.12
7013	046	1536	0.04	1120	1	55	80	2.5	3	2	3840	2720	RH-1	40	form-based			true	0.7	3	1	2	2	4300.799805	3180.799805	3180.799805	1.12
7022	030	1405	0.03	1304	1	75	120	3.5	4	3	4918	3614	RH-1	40	form-based			true	0.7	3	0.75	2	2	3934	2630	2630	0.799919
7022	030A	1405	0.03	1062	1	75	120	3.5	4	3	4918	3856	RH-1	40	form-based			true	0.7	3	0.75	2	2	3934	2872	2872	0.799919
7022	031	1401	0.03	1062	1	75	120	3.5	4	3	4904	3842	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	3922.800049	2860.800049	2860.800049	0.799918
7029	002B	2385	0.05	1932	2	65	100	3	5	3	7155	5223	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	6678	4746	4746	0.933333
7029A	014	2380	0.05	2523	2	65	100	3	5	3	7140	4617	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	6664	4141	4141	0.933333
7029A	018	2380	0.05	1923	2	65	100	3	5	3	7140	5217	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	6664	4741	4741	0.933333
7030	006B	2748	0.06	1803	3	65	100	3	6	3	8244	6441	NCD-EXCE	65	density-lim	600			0.75	5	0.833333313	2	2	12366	10563	10563	1.5
7030	022A	2091	0.05	1187	1	65	100	3	5	4	6273	5086	NCD-EXCE	40	density-lim	600			0.75	3	0.600000024	2	2	6273	5086	5086	1
7030	041	2366	0.05	2936	2	65	100	3	5	3	7098	4162	NCD-EXCE	65	density-lim	600			0.75	4	0.800000012	2	2	10647	7711	7711	1.5
7030	042	2366	0.05	2938	2	65	100	3	5	3	7098	4160	NCD-EXCE	65	density-lim	600			0.75	4	0.800000012	2	2	10647	7709	7709	1.5
7030	043	2366	0.05	2917	2	65	100	3	5	3	7098	4181	NCD-EXCE	65	density-lim	600			0.75	4	0.800000012	2	2	10647	7730	7730	1.5
7030	044	2341	0.05	2885	2	65	100	3	5	3	7023	4138	NCD-EXCE	65	density-lim	600			0.75	4	0.800000012	2	2	10534.5	7649.5	7649.5	1.5
7030	050	1849	0.04	1967	1	65	100	3	4	3	5547	3580	NCD-EXCE	65	density-lim	600			0.75	3	0.75	2	2	8320.5	6353.5	6353.5	1.5
7030	051	1889	0.04	1967	1	65	100	3	4	3	5667	3700	NCD-EXCE	65	density-lim	600			0.75	3	0.75	2	2	8500.5	6533.5	6533.5	1.5
7030	052	1889	0.04	2280	1	65	100	3	4	3	5667	3387	NCD-EXCE	65	density-lim	600			0.75	3	0.75	2	2	8500.5	6220.5	6220.5	1.5
7030	053	1889	0.04	1967	1	65	100	3	4	3	5667	3700	NCD-EXCE	65	density-lim	600			0.75	3	0.75	2	2	8500.5	6533.5	6533.5	1.5
7030	055	2060	0.05	1950	1	65	100	3	5	4	6180	4230	NCD-EXCE	40	density-lim	600			0.75	3	0.600000024	2	2	6180	4230	4230	1
7030	056	2060	0.05	1940	1	65	100	3	5	4	6180	4240	NCD-EXCE	40	density-lim	600			0.75	3	0.600000024	2	2	6180	4240	4240	1
7030	057	2060	0.05	2580	1	65	100	3	5	4	6180	3600	NCD-EXCE	40	density-lim	600			0.75	3	0.600000024	2	2	6180	3600	3600	1
7030	058	1703	0.04	1964	1	65	100	3	4	3	5109	3145	NCD-EXCE	40	density-lim	600			0.75	3	0.75	2	2	5109	3145	3145	1
7030	059	1707	0.04	1975	1	65	100	3	4	3	5121	3146	NCD-EXCE	40	density-lim	600			0.75	3	0.75	2	2	5121	3146	3146	1
7030	060	1710	0.04	1964	1	65	100	3	4	3	5130	3166	NCD-EXCE	40	density-lim	600			0.75	3	0.75	2	2	5130	3166	3166	1
7030	061	1714	0.04	1943	1	65	100	3	4	3	5142	3199	NCD-EXCE	40	density-lim	600			0.75	3	0.75	2	2	5142	3199	3199	1
7030	063	1708	0.04	2269	1	65	100	3	4	3	5124	2855	NCD-EXCE	40	density-lim	600			0.75	3	0.75	2	2	5124	2855	2855	1
7030	066	1717	0.04	1967	1	65	100	3	4	3	5151	3184	NCD-EXCE	40	density-lim	600			0.75	3	0.75	2	2	5151	3184	3184	1
7030	067	1720	0.04	1975	1	65	100	3	4	3	5160	3185	NCD-EXCE	40	density-lim	600			0.75	3	0.75	2	2	5160	3185	3185	1
7030	068	1963	0.05	2162	1	65	100	3	5	4	5889	3727	NCD-EXCE	40	density-lim	600			0.75	3	0.600000024	2	2	5889	3727	3727	1
7030	069	1962	0.05	1967	1	65	100	3	5	4	5886	3919	NCD-EXCE	40	density-lim	600			0.75	3	0.600000024	2	2	5886	3919	3919	1
7030	070	1962	0.05	1967	1	65	100	3	5	4	5886	3919	NCD-EXCE	40	density-lim	600			0.75	3	0.600000024	2	2	5886	3919	3919	1
7031	003	2600	0.06	2880	2	55	80	2.5	5	3	6500	3620	NCD-EXCE	40	density-lim	600	true		0.75	4	0.800000012	2	2	7800	4920	4920	1.2
7031	003A	2595	0.06	2000	2	55	80	2.5	5	3	6488	4488	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	2	2	7785	5785	5785	1.199908
7031	003B	2524	0.06	2080	2	55	80	2.5	5	3	6310	4230	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	2	2	7572	5492	5492	1.2
7031	003C	2662	0.06	2144	2	55	80	2.5	5	3	6655	4511	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	2	2	7986	5842	5842	1.2
7031	003D	2375	0.05	2000	2	55	80	2.5	4	2	5938	3938	NCD-EXCE	40	density-lim	600			0.75	4	1	2	2	7125	5125	5125	1.199899
7031	003E	2135	0.05	1880	2	55	80	2.5	4	2	5338	3458	NCD-EXCE	40	density-lim	600			0.75	4	1	2	2	6405	4525	4525	1.199888
7031	015G	3383	0.08	2260	2	65	100	3	8	6	10149	7889	RH-1	40	density-lim	3000			0.7	4	0.5	2	2	9472.399414	7212.399414	7212.399414	0.933333
7040A	015	2026	0.05	1250	2	65	100	3	5	3	6078	4828	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	5672.799805	4422.799805	4422.799805	0.933333
7043	001	2244	0.05	1900	2	55	80	2.5	4	2	5610	3710	NCD-EXCE	40	density-lim	600	true		0.75	4	1	2	2	6732	4832	4832	1.2
7043	002C	2143	0.05	2100	2	55	80	2.5	4	2	5358	3258	NCD-EXCE	40	density-lim	600			0.75	4	1	2	2	6429	4329	4329	1.199888
7043	002D	2199	0.05	2100	2	55	80	2.5	4	2	5498	3398	NCD-EXCE	40	density-lim	600			0.75	4	1	2	2	6597	4497	4497	1.199891
7044A	006B	2211	0.05	2500	2	55	80	2.5	4	2	5528	3028	NCD-EXCE	40	density-lim	600			0.75	4	1	2	2	6633	4133	4133	1.199891
7044B	013	2202	0.05	1495	2	55	80	2.5	4	2	5505	4010	RH-1	40	density-lim	3000			0.7	4	1	2	2	6165.600098	4670.600098	4670.600098	1.12
7053	038	2500	0.06	2512	2	55	80	2.5	5	3	6250	3738	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	7000	4488	4488	1.12
7054	020	3244	0.07	1650	2	55	80	2.5	6	4	8110	6460	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	9083.200195	7433.200195	7433.200195	1.12
7056	017	6187	0.14	1825	2	65	100	3	14	12	18561	16736	RH-1	40	density-lim	3000			0.7	4	0.285714298	2	2	17323.59961	15498.59961	15498.59961	0.933333
7061	048	1056	0.02	900	2	65	100	3	2	0	3168	2268	RH-1	40	density-lim	3000			0.7	4	2	2	2	2956.800049	2056.800049	2056.800049	0.933333
7064	006B	3050	0.07	2688	2	65	100	3	7	5	9150	6462	RH-1	40	density-lim	3000			0.7	4	0.571428597	2	2	8540	5852	5852	0.933333
7064	010	2501	0.06	1634	2	65	100	3	6	4	7503	5869	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7002.799805	5368.799805	5368.799805	0.933333
7065	009	2000	0.05	1824	2	55	80	2.5	4	2	5000	3176	RH-1	40	density-lim	3000			0.7	4	1	2	2	5600	3776	3776	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7066	029	1987	0.05	2484	2	55	80	2.5	4	2	4968	2484	RH-1	40	density-lim	3000			0.7	4	1	2	2	5563.600098	3079.600098	3079.600098	1.119887
7066	035	2886	0.07	2280	3	55	80	2.5	6	3	7215	4935	NCD-EXCE	40	density-lim	600			0.75	5	0.833333313	2	2	8658	6378	6378	1.2
7069	042A	3125	0.07	2047	2	65	100	3	7	5	9375	7328	RH-1	40	density-lim	3000			0.7	4	0.571428597	2	2	8750	6703	6703	0.933333
7072	044	1868	0.04	1550	2	65	100	3	4	2	5604	4054	RH-1	40	density-lim	3000			0.7	4	1	2	2	5230.399902	3680.399902	3680.399902	0.933333
7081A	003	1839	0.04	1332	0	85	140	4	6	6	7356	6024	NC-1	26	density-lim	800			0.75	2	0.333333343	2	2	2758.5	1426.5	1426.5	0.375
7081A	028	1663	0.04	1000	1	65	100	3	4	3	4989	3989	RH-1	40	form-based			true	0.7	3	0.75	2	2	4656.399902	3656.399902	3656.399902	0.933333
7081A	029	1516	0.03	1000	1	65	100	3	3	2	4548	3548	RH-2	40	form-based			true	0.7	3	1	2	2	4244.799805	3244.799805	3244.799805	0.933333
7081A	043	2431	0.06	3214	2	65	100	3	6	4	7293	4079	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	6806.799805	3592.799805	3592.799805	0.933333
7085	022	2500	0.06	2300	2	65	100	3	6	4	7500	5200	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4700	4700	0.933333
7085	049	1875	0.04	2764	2	65	100	3	4	2	5625	2861	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	2486	2486	0.933333
7085	050	1875	0.04	2764	2	65	100	3	4	2	5625	2861	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	2486	2486	0.933333
7086	065	1875	0.04	1905	2	85	140	4	6	4	7500	5595	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	5250	3345	3345	0.7
7086	066	1875	0.04	2400	2	85	140	4	6	4	7500	5100	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	5250	2850	2850	0.7
7088	052	2500	0.06	2620	1	65	100	3	6	5	7500	4880	NC-1	40	density-lim	800			0.75	3	0.5	2	2	7500	4880	4880	1
7088	055	2501	0.06	3437	1	65	100	3	6	5	7503	4066	NC-1	40	density-lim	800			0.75	3	0.5	2	2	7503	4066	4066	1
7089	040	2500	0.06	1685	2	65	100	3	6	4	7500	5815	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7000	5315	5315	0.933333
7090	007	2509	0.06	1671	2	65	100	3	6	4	7527	5856	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7025.199707	5354.199707	5354.199707	0.933333
7091	018	1871	0.04	1950	2	85	140	4	6	4	7484	5534	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	5238.799805	3288.799805	3288.799805	0.7
7091	018A	1870	0.04	1950	2	85	140	4	6	4	7480	5530	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	5236	3286	3286	0.7
7091	019	1869	0.04	1950	2	85	140	4	6	4	7476	5526	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	5233.199707	3283.199707	3283.199707	0.7
7091	021	2500	0.06	1950	2	85	140	4	8	6	10000	8050	RH-2	40	density-lim	1500			0.7	4	0.5	2	2	7000	5050	5050	0.7
7092	064	3125	0.07	2828	2	65	100	3	7	5	9375	6547	RH-1	40	density-lim	3000			0.7	4	0.571428597	2	2	8750	5922	5922	0.933333
7097	005	5988	0.14	2330	2	55	80	2.5	11	9	14970	12640	RH-1	40	density-lim	3000			0.7	4	0.363636374	2	2	16766.40039	14436.40039	14436.40039	1.12
7097	019	3027	0.07	1125	2	55	80	2.5	6	4	7568	6443	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	8475.599609	7350.599609	7350.599609	1.119926
7099	004	1533	0.04	990	1	55	80	2.5	3	2	3832	2842	NCD-EXCE	40	density-lim	600			0.75	3	1	2	2	4599	3609	3609	1.200157
7099	005	2104	0.05	2000	2	55	80	2.5	4	2	5260	3260	NCD-EXCE	40	density-lim	600			0.75	4	1	2	2	6312	4312	4312	1.2
7099	013	3951	0.09	5565	5	55	80	2.5	7	2	9878	4313	NCD-EXCE	40	density-lim	600	true		0.75	7	1	2	2	11853	6288	6288	1.199939
7099	015	1875	0.04	1632	1	55	80	2.5	3	2	4688	3056	NCD-EXCE	40	density-lim	600	true		0.75	3	1	2	2	5625	3993	3993	1.199872
7101A	002	2550	0.06	1250	2	65	100	3	6	4	7650	6400	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7140	5890	5890	0.933333
7103	018E	1875	0.04	2050	2	65	100	3	4	2	5625	3575	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	3200	3200	0.933333
7103	018F	1875	0.04	2025	2	65	100	3	4	2	5625	3600	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	3225	3225	0.933333
7103	018G	1875	0.04	2050	2	65	100	3	4	2	5625	3575	RH-2	40	density-lim	1500			0.7	4	1	2	2	5250	3200	3200	0.933333
7103	018H	2500	0.06	2050	2	65	100	3	6	4	7500	5450	RH-2	40	density-lim	1500			0.7	4	0.666666687	2	2	7000	4950	4950	0.933333
7103	031	3095	0.07	1875	2	65	100	3	7	5	9285	7410	RH-1	40	density-lim	3000			0.7	4	0.571428597	2	2	8666	6791	6791	0.933333
7103	052	1840	0.04	1434	2	85	140	4	6	4	7360	5926	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	5152	3718	3718	0.7
7103	053	2325	0.05	2746	2	65	100	3	5	3	6975	4229	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6510	3764	3764	0.933333
7103	056	2308	0.05	2388	2	65	100	3	5	3	6924	4536	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6462.399902	4074.399902	4074.399902	0.933333
7104	002	2344	0.05	2294	2	65	100	3	5	3	7032	4738	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	6563.199707	4269.199707	4269.199707	0.933333
7104	054	3124	0.07	3510	2	65	100	3	7	5	9372	5862	RH-1	40	density-lim	3000			0.7	4	0.571428597	2	2	8747.200195	5237.200195	5237.200195	0.933333
7105	014	3279	0.08	1266	2	65	100	3	8	6	9837	8571	RH-1	40	density-lim	3000			0.7	4	0.5	2	2	9181.200195	7915.200195	7915.200195	0.933333
7115	036	4968	0.11	1872	2	85	140	4	15	13	19872	18000	RH-1	40	density-lim	3000			0.7	4	0.266666681	2	2	13910.39941	12038.39941	12038.39941	0.7
7115	043	1998	0.05	3200	2	85	140	4	7	5	7992	4792	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	5594.399902	2394.399902	2394.399902	0.7
7116	048	2500	0.06	1721	2	65	100	3	6	4	7500	5779	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7000	5279	5279	0.933333
7117	043	1975	0.05	1087	2	65	100	3	5	3	5925	4838	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5530	4443	4443	0.933333
7117	044	1975	0.05	1299	2	65	100	3	5	3	5925	4626	RH-2	40	density-lim	1500			0.7	4	0.800000012	2	2	5530	4231	4231	0.933333
7120	047	1975	0.05	1526	2	85	140	4	7	5	7900	6374	RH-2	40	density-lim	1500			0.7	4	0.571428597	2	2	5530	4004	4004	0.7
7129	007	3500	0.08	1950	2	65	100	3	8	6	10500	8550	RH-1	40	density-lim	3000			0.7	4	0.5	2	2	9800	7850	7850	0.933333
7129	014	1714	0.04	1320	2	65	100	3	4	2	5142	3822	RH-1	40	density-lim	3000			0.7	4	1	2	2	4799.199707	3479.199707	3479.199707	0.933333
7130	011	2474	0.06	1384	2	65	100	3	6	4	7422	6038	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	6927.199707	5543.199707	5543.199707	0.933333
7150	043A	2003	0.05	1194	2	65	100	3	5	3	6009	4815	RH-1	40	density-lim	3000			0.7	4	0.800000012	2	2	5608.399902	4414.399902	4414.399902	0.933333
7133	023	2508	0.06	2192	2	65	100	3	6	4	7524	5332	RH-1	40	density-lim	3000			0.7	4	0.666666687	2	2	7022.399902	4830.399902	4830.399902	0.933333
7296	010	1664	0.04	0	0	65	100	3	4	4	4992	4992	C-2	65	density-lim	800			0.8	2	0.5	2	2	7987.200195	7987.200195	7987.200195	1.6
7536	046	2000	0.05	1382	2	55	80	2.5	4	2	5000	3618	RH-2	40	form-based			true	0.7	4	1	2	2	5600	4218	4218	1.12
7537	001	2120	0.05	1948	2	55	80	2.5	4	2	5300	3352	RH-1	40	form-based		true	true	0.7	4	1	2	2	5936	3988	3988	1.12
7536	009	2883	0.07	1986	4	55	80	2.5	6	2	7208	5222	RH-1	40	form-based			true	0.7	6	1	2	2	8072.399902	6086.399902	6086.399902	1.119922
7548	003	897	0.02	0	0	65	100	3	2	2	2691	2691	RH-1	40	form-based			true	0.7	2	1	2	2	2511.599854	2511.599854	2511.599854	0.933333
7548	007	2550	0.06	2560	3	75	120	3.5	7	4	8925	6365	RH-1	40	form-based			true	0.7	5	0.714285731	2	2	7140	4580	4580	0.8
7549	001	1591	0.04	812	1	65	100	3	4	3	4773	3961	RH-1	40	form-based		true	true	0.7	3	0.75	2	2	4454.799805	3642.799805	3642.799805	0.933333
7549	015	1546	0.04	2109	1	65	100	3	4	3	4638	2529	RH-1	40	form-based			true	0.7	3	0.75	2	2	4328.799805	2219.799805	2219.799805	0.933333
7553	045	1649	0.04	1992	1	65	100	3	4	3	4947	2955	RH-1	40	form-based			true	0.7	3	0.75	2	2	4617.199707	2625.199707	2625.199707	0.933333
0026	001A	2481	0.06	4095	4	65	100	3	6	2	7443	3348	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	6946.799805	2851.799805	2851.799805	0.933333
0026	002	1976	0.05	2915	3	65	100	3	5	2	5928	3013	RH-3	40	form-based		true	true	0.7	4	0.800000012	1	1	5532.799805	2617.799805	2617.799805	0.933333
0026	010	3117	0.07	7290	6	65	100	3	7	1	9351	2061	RH-3	40	form-based			true	0.7	7	1	1	1	8727.599609	1437.599609	1437.599609	0.933333
0026	018	2723	0.06	5500	5	65	100	3	6	1	8169	2669	RH-3	40	form-based			true	0.7	6	1	1	1	7624.399902	2124.399902	2124.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0026	019C	3427	0.08	4718	6	65	100	3	8	2	10281	5563	RH-3	40	form-based			true	0.7	7	0.875	1	1	9595.599609	4877.599609	4877.599609	0.933333
0026	026	1692	0.04	3100	3	65	100	3	4	1	5076	1976	RH-3	40	form-based			true	0.7	4	1	1	1	4737.600098	1637.600098	1637.600098	0.933333
0026	027	1179	0.03	1271	1	65	100	3	3	2	3537	2266	RH-3	40	form-based			true	0.7	2	0.666666687	1	1	3301.199951	2030.199951	2030.199951	0.933333
0026	036	1993	0.05	1220	3	65	100	3	5	2	5979	4759	RH-3	40	form-based			true	0.7	4	0.800000012	1	1	5580.399902	4360.399902	4360.399902	0.933333
0027	005	3444	0.08	5771	6	65	100	3	8	2	10332	4561	RH-3	40	form-based			true	0.7	7	0.875	1	1	9643.200195	3872.200195	3872.200195	0.933333
0027	026	1587	0.04	3010	2	65	100	3	4	2	4761	1751	RH-3	40	form-based			true	0.7	3	0.75	1	1	4443.600098	1433.600098	1433.600098	0.933333
0027	035	1275	0.03	1692	2	65	100	3	3	1	3825	2133	RH-3	40	form-based			true	0.7	3	1	1	1	3570	1878	1878	0.933333
0039	010	1719	0.04	2826	3	65	100	3	4	1	5157	2331	RH-3	40	density-lim	1000			0.7	4	1	1	1	4813.199707	1987.199707	1987.199707	0.933333
0039	011	1816	0.04	2496	3	65	100	3	4	1	5448	2952	RH-3	40	density-lim	1000			0.7	4	1	1	1	5084.799805	2588.799805	2588.799805	0.933333
0039	014	1577	0.04	2456	3	65	100	3	4	1	4731	2275	RH-3	40	density-lim	1000			0.7	4	1	1	1	4415.600098	1959.600098	1959.600098	0.933333
0039	016	2062	0.05	3536	3	65	100	3	5	2	6186	2650	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	5773.600098	2237.600098	2237.600098	0.933333
0039	111	1719	0.04	1041	3	65	100	3	4	1	5157	4116	RH-3	40	density-lim	1000			0.7	4	1	1	1	4813.199707	3772.199707	3772.199707	0.933333
0040	005	2113	0.05	4487	5	65	100	3	5	0	6339	1852	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	1	1	5916.399902	1429.399902	1429.399902	0.933333
0041	008	1375	0.03	2500	2	65	100	3	3	1	4125	1625	NCD-NORT	40	density-lim	400			0.75	3	1	1	1	4125	1625	1625	1
0041	010	2750	0.06	7500	6	65	100	3	6	0	8250	750	NCD-NORT	40	density-lim	400			0.75	7	1.166666627	1	1	8250	750	750	1
0041	132	1375	0.03	875	2	65	100	3	3	1	4125	3250	NCD-NORT	40	density-lim	400			0.75	3	1	1	1	4125	3250	3250	1
0044	012	1504	0.03	3266	3	65	100	3	3	0	4512	1246	RH-3	50	form-based			true	0.7	4	1.333333373	1	1	5264	1998	1998	1.166667
0045	010B	3600	0.08	5848	7	65	100	3	8	1	10800	4952	RH-3	40	form-based			true	0.7	8	1	1	1	10080	4232	4232	0.933333
0045	018	1031	0.02	1500	1	65	100	3	2	1	3093	1593	RH-3	40	form-based			true	0.7	2	1	1	1	2886.800049	1386.800049	1386.800049	0.933333
0045	026	1031	0.02	1500	1	65	100	3	2	1	3093	1593	RH-3	40	form-based			true	0.7	2	1	1	1	2886.800049	1386.800049	1386.800049	0.933333
0045	035	1031	0.02	1916	1	65	100	3	2	1	3093	1177	RH-3	40	form-based			true	0.7	2	1	1	1	2886.800049	970.8000488	970.8000488	0.933333
0045	037	1031	0.02	1500	1	65	100	3	2	1	3093	1593	RH-3	40	form-based			true	0.7	2	1	1	1	2886.800049	1386.800049	1386.800049	0.933333
0047	002	2481	0.06	4986	4	65	100	3	6	2	7443	2457	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	6946.799805	1960.799805	1960.799805	0.933333
0050	016A	2921	0.07	7871	7	65	100	3	7	0	8763	892	RM-1	50	form-based		true	true	0.7	8	1.142857194	1	1	10223.5	2352.5	2352.5	1.166667
0050	017	995	0.02	1538	2	65	100	3	2	0	2985	1447	RM-1	50	form-based			true	0.7	3	1.5	1	1	3482.5	1944.5	1944.5	1.166667
0050	032	1330	0.03	3539	3	65	100	3	3	0	3990	451	NCD-NORT	50	form-based		true	true	0.75	4	1.333333373	1	1	4987.5	1448.5	1448.5	1.25
0051	026	1164	0.03	2000	2	65	100	3	3	1	3492	1492	NCD-NORT	50	form-based			true	0.75	3	1	1	1	4365	2365	2365	1.25
0052	003	2158	0.05	3636	4	65	100	3	5	1	6474	2838	NCD-NORT	40	density-lim	400			0.75	5	1	1	1	6474	2838	2838	1
0052	006	1724	0.04	4002	3	65	100	3	4	1	5172	1170	NCD-NORT	40	density-lim	400			0.75	4	1	1	1	5172	1170	1170	1
0052	007	1666	0.04	3705	3	65	100	3	4	1	4998	1293	NCD-NORT	40	density-lim	400			0.75	4	1	1	1	4998	1293	1293	1
0052	015	1581	0.04	2869	4	65	100	3	4	0	4743	1874	NCD-NORT	50	form-based		true	true	0.75	5	1.25	1	1	5928.75	3059.75	3059.75	1.25
0052	021	2625	0.06	6120	6	65	100	3	6	0	7875	1755	NCD-NORT	40	density-lim	400			0.75	7	1.166666627	1	1	7875	1755	1755	1
0052	025	1604	0.04	1050	3	65	100	3	4	1	4812	3762	NCD-NORT	40	density-lim	400			0.75	4	1	1	1	4812	3762	3762	1
0053	002	1840	0.04	1192	1	65	100	3	4	3	5520	4328	RM-1	40	density-lim	800			0.7	2	0.5	1	1	5152	3960	3960	0.933333
0054	004	1674	0.04	2796	3	65	100	3	4	1	5022	2226	RH-3	40	density-lim	1000			0.7	4	1	1	1	4687.199707	1891.199707	1891.199707	0.933333
0054	007	1500	0.03	4200	3	65	100	3	3	0	4500	300	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	4200	0	0	0.933333
0054	009	1400	0.03	3596	3	65	100	3	3	0	4200	604	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3920	324	324	0.933333
0054	010	1400	0.03	2332	3	65	100	3	3	0	4200	1868	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3920	1588	1588	0.933333
0054	014	1400	0.03	2400	3	65	100	3	3	0	4200	1800	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3920	1520	1520	0.933333
0054	016C	2400	0.06	3820	3	65	100	3	6	3	7200	3380	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6720	2900	2900	0.933333
0054	025	2100	0.05	2980	3	65	100	3	5	2	6300	3320	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	5880	2900	2900	0.933333
0054	032	1938	0.04	1275	1	65	100	3	4	3	5814	4539	RM-1	40	density-lim	800			0.7	2	0.5	1	1	5426.399902	4151.399902	4151.399902	0.933333
0054	044A	1316	0.03	3210	3	65	100	3	3	0	3948	738	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3684.800049	474.8000488	474.8000488	0.933333
0054	046	2000	0.05	4260	3	65	100	3	5	2	6000	1740	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	5600	1340	1340	0.933333
0054	047	1861	0.04	3754	3	65	100	3	4	1	5583	1829	RH-3	40	density-lim	1000			0.7	4	1	1	1	5210.799805	1456.799805	1456.799805	0.933333
0054	048	2000	0.05	1410	3	65	100	3	5	2	6000	4590	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	5600	4190	4190	0.933333
0054	076	1598	0.04	576	3	65	100	3	4	1	4794	4218	RH-3	40	density-lim	1000			0.7	4	1	1	1	4474.399902	3898.399902	3898.399902	0.933333
0054	079	2513	0.06	1629	2	65	100	3	6	4	7539	5910	RM-1	40	density-lim	800	true		0.7	3	0.5	1	1	7036.399902	5407.399902	5407.399902	0.933333
0061	007	3311	0.08	6810	6	65	100	3	8	2	9933	3123	RH-3	40	form-based			true	0.7	7	0.875	1	1	9270.799805	2460.799805	2460.799805	0.933333
0062	001	937	0.02	2336	1	65	100	3	2	1	2811	475	RH-3	40	form-based		true	true	0.7	2	1	1	1	2623.599854	287.5998535	287.5998535	0.933333
0062	014	5998	0.14	9954	12	55	80	2.5	11	0	14995	5041	RH-3	40	form-based			true	0.7	13	1.181818128	1	1	16794.40039	6840.400391	6840.400391	1.12
0062	020	2162	0.05	3440	4	55	80	2.5	4	0	5405	1965	RM-1	40	form-based			true	0.7	5	1.25	1	1	6053.600098	2613.600098	2613.600098	1.12
0062	021	1407	0.03	2432	2	55	80	2.5	2	0	3518	1086	RM-1	40	form-based			true	0.7	3	1.5	1	1	3939.599854	1507.599854	1507.599854	1.119841
0062	023	4675	0.11	8337	9	65	100	3	11	2	14025	5688	RH-3	40	form-based			true	0.7	10	0.909090936	1	1	13090	4753	4753	0.933333
0062	031	937	0.02	972	1	65	100	3	2	1	2811	1839	RH-3	40	form-based			true	0.7	2	1	1	1	2623.599854	1651.599854	1651.599854	0.933333
0063	002	2026	0.05	5025	3	55	80	2.5	4	1	5065	40	RM-1	40	form-based			true	0.7	4	1	1	1	5672.799805	647.7998047	647.7998047	1.12
0063	004	2461	0.06	3740	4	55	80	2.5	5	1	6152	2412	RM-1	40	form-based		true	true	0.7	5	1	1	1	6890.799805	3150.799805	3150.799805	1.120091
0063	009	1750	0.04	3696	3	55	80	2.5	3	0	4375	679	RM-1	40	form-based		true	true	0.7	4	1.333333373	1	1	4900	1204	1204	1.12
0063	013	3300	0.08	7017	6	55	80	2.5	6	0	8250	1233	RM-2	40	form-based			true	0.7	7	1.166666627	1	1	9240	2223	2223	1.12
0063	016A	1494	0.03	1750	2	55	80	2.5	2	0	3735	1985	RM-2	40	form-based			true	0.7	3	1.5	1	1	4183.199707	2433.199707	2433.199707	1.12
0063	017	6991	0.16	14220	14	55	80	2.5	13	0	17478	3258	RM-2	40	form-based			true	0.7	15	1.153846145	1	1	19574.79883	5354.798828	5354.798828	1.119968
0063	024	3874	0.09	6613	7	55	80	2.5	7	0	9685	3072	RM-2	40	form-based			true	0.7	8	1.142857194	1	1	10847.2002	4234.200195	4234.200195	1.12
0063	029	1628	0.04	3415	2	55	80	2.5	3	1	4070	655	RM-1	40	form-based			true	0.7	3	1	1	1	4558.399902	1143.399902	1143.399902	1.12
0063	034	1944	0.04	1318	3	55	80	2.5	3	0	4860	3542	RM-2	40	form-based			true	0.7	4	1.333333373	1	1	5443.199707	4125.199707	4125.199707	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0064	002	3577	0.08	7416	7	55	80	2.5	6	0	8942	1526	RM-2	40	form-based			true	0.7	8	1.333333373	1	1	10015.59961	2599.599609	2599.599609	1.120063
0064	005	3637	0.08	10500	7	55	80	2.5	6	0	9092	0	RM-2	40	form-based			true	0.7	8	1.333333373	1	1	10183.59961	0	0	1.120062
0064	021	1592	0.04	3786	3	55	80	2.5	3	0	3980	194	RM-2	50	form-based			true	0.7	4	1.333333373	1	1	5572	1786	1786	1.4
0064	021A	1533	0.04	3786	3	55	80	2.5	3	0	3832	46	RM-2	50	form-based			true	0.7	4	1.333333373	1	1	5365.5	1579.5	1579.5	1.400183
0064	024	1530	0.04	4680	3	55	80	2.5	3	0	3825	0	RM-2	50	form-based			true	0.7	4	1.333333373	1	1	5355	675	675	1.4
0064	033	1832	0.04	1330	3	55	80	2.5	3	0	4580	3250	RM-2	40	form-based			true	0.7	4	1.333333373	1	1	5129.600098	3799.600098	3799.600098	1.12
0065	001	1768	0.04	3120	4	55	80	2.5	3	0	4420	1300	RM-2	50	form-based		true	true	0.7	5	1.666666627	1	1	6188	3068	3068	1.4
0065	011	1111	0.03	1754	2	55	80	2.5	2	0	2778	1024	NCD-NORT	50	form-based			true	0.75	3	1.5	1	1	4166.25	2412.25	2412.25	1.49973
0067	013	863	0.02	2675	1	55	80	2.5	2	1	2158	0	RH-2	40	form-based			true	0.7	2	1	1	1	2416.399902	0	0	1.11974
0067	013I	1042	0.02	1764	1	55	80	2.5	2	1	2605	841	RH-2	40	form-based			true	0.7	2	1	1	1	2917.599854	1153.599854	1153.599854	1.12
0071	005D	250	0.01	0	0	55	80	2.5	1	1	625	625	RH-3	50	form-based			true	0.7	1	1	1	1	875	875	875	1.4
0071	005F	250	0.01	0	0	55	80	2.5	1	1	625	625	RH-3	50	form-based			true	0.7	1	1	1	1	875	875	875	1.4
0071	015	1262	0.03	3700	3	55	80	2.5	2	0	3155	0	RH-3	50	form-based		true	true	0.7	4	2	1	1	4417	717	717	1.4
0071	017	3932	0.09	1700	10	55	80	2.5	7	0	9830	8130	RM-2	50	form-based			true	0.7	11	1.571428537	1	1	13762	12062	12062	1.4
0072	010	2089	0.05	2784	3	55	80	2.5	4	1	5222	2438	RM-1	40	form-based			true	0.7	4	1	1	1	5849.199707	3065.199707	3065.199707	1.120107
0073	005A	1875	0.04	4305	3	55	80	2.5	3	0	4688	383	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5250	945	945	1.119881
0073	005B	1875	0.04	4425	3	55	80	2.5	3	0	4688	263	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5250	825	825	1.119881
0073	011	1988	0.05	4344	3	55	80	2.5	4	1	4970	626	RM-1	40	form-based			true	0.7	4	1	1	1	5566.399902	1222.399902	1222.399902	1.12
0073	012	2095	0.05	4905	3	55	80	2.5	4	1	5238	333	RM-1	40	form-based		true	true	0.7	4	1	1	1	5866	961	961	1.119893
0073	014	1775	0.04	4500	3	55	80	2.5	3	0	4438	0	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	4970	470	470	1.119874
0073	030	1775	0.04	1930	3	55	80	2.5	3	0	4438	2508	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	4970	3040	3040	1.119874
0074	008	1238	0.03	2374	2	55	80	2.5	2	0	3095	721	RM-2	50	form-based			true	0.7	3	1.5	1	1	4333	1959	1959	1.4
0074	009	2365	0.05	5607	6	55	80	2.5	4	0	5912	305	RM-2	50	form-based			true	0.7	7	1.75	1	1	8277.5	2670.5	2670.5	1.400118
0074	009A	2365	0.05	5310	6	55	80	2.5	4	0	5912	602	RM-2	50	form-based			true	0.7	7	1.75	1	1	8277.5	2967.5	2967.5	1.400118
0074	009B	2365	0.05	5580	6	55	80	2.5	4	0	5912	332	RM-2	50	form-based		true	true	0.7	7	1.75	1	1	8277.5	2697.5	2697.5	1.400118
0074	009C	2365	0.05	5280	6	55	80	2.5	4	0	5912	632	RM-2	50	form-based			true	0.7	7	1.75	1	1	8277.5	2997.5	2997.5	1.400118
0074	018	1098	0.03	2155	2	55	80	2.5	2	0	2745	590	RM-2	50	form-based			true	0.7	3	1.5	1	1	3843	1688	1688	1.4
0074	019	1098	0.03	1642	2	55	80	2.5	2	0	2745	1103	RM-2	50	form-based			true	0.7	3	1.5	1	1	3843	2201	2201	1.4
0074	041	1133	0.03	2068	2	55	80	2.5	2	0	2832	764	RM-2	50	form-based			true	0.7	3	1.5	1	1	3965.5	1897.5	1897.5	1.400247
0076	003	7288	0.17	18573	14	55	80	2.5	14	0	18220	0	RM-1	40	form-based			true	0.7	15	1.071428537	1	1	20406.40039	1833.400391	1833.400391	1.12
0076	008	1778	0.04	3050	3	55	80	2.5	3	0	4445	1395	RM-1	40	form-based		true	true	0.7	4	1.333333373	1	1	4978.399902	1928.399902	1928.399902	1.12
0076	009	1204	0.03	2686	2	55	80	2.5	2	0	3010	324	RM-1	40	form-based			true	0.7	3	1.5	1	1	3371.199951	685.1999512	685.1999512	1.12
0076	025B	2091	0.05	4326	3	55	80	2.5	4	1	5228	902	RM-2	40	form-based		true	true	0.7	4	1	1	1	5854.799805	1528.799805	1528.799805	1.119893
0076	028	1386	0.03	2360	2	55	80	2.5	2	0	3465	1105	RM-2	40	form-based			true	0.7	3	1.5	1	1	3880.800049	1520.800049	1520.800049	1.12
0076	034	1388	0.03	1394	2	55	80	2.5	2	0	3470	2076	RM-2	40	form-based			true	0.7	3	1.5	1	1	3886.399902	2492.399902	2492.399902	1.12
0077	005	2680	0.06	3519	5	55	80	2.5	5	0	6700	3181	RH-3	40	form-based			true	0.7	6	1.200000048	1	1	7504	3985	3985	1.12
0077	009	1080	0.02	2156	1	55	80	2.5	2	1	2700	544	RH-3	40	form-based			true	0.7	2	1	1	1	3024	868	868	1.12
0077	013	1800	0.04	3060	3	55	80	2.5	3	0	4500	1440	RH-3	40	form-based			true	0.7	4	1.333333373	1	1	5040	1980	1980	1.12
0077	020	1800	0.04	2032	3	55	80	2.5	3	0	4500	2468	RH-3	40	form-based			true	0.7	4	1.333333373	1	1	5040	3008	3008	1.12
0077	028	1562	0.04	1589	2	55	80	2.5	3	1	3905	2316	RM-1	40	form-based			true	0.7	3	1	1	1	4373.600098	2784.600098	2784.600098	1.12
0077	032	1250	0.03	1920	2	55	80	2.5	2	0	3125	1205	RM-1	40	form-based			true	0.7	3	1.5	1	1	3500	1580	1580	1.12
0077	032A	1503	0.03	2376	2	55	80	2.5	2	0	3758	1382	RM-1	40	form-based		true	true	0.7	3	1.5	1	1	4208.399902	1832.399902	1832.399902	1.119851
0077	035	2250	0.05	3962	4	55	80	2.5	4	0	5625	1663	RH-3	40	form-based			true	0.7	5	1.25	1	1	6300	2338	2338	1.12
0078	002B	1875	0.04	5121	3	65	100	3	4	1	5625	504	RH-3	40	form-based			true	0.7	4	1	1	1	5250	129	129	0.933333
0078	005	2100	0.05	3255	3	65	100	3	5	2	6300	3045	RH-3	40	form-based			true	0.7	4	0.800000012	1	1	5880	2625	2625	0.933333
0078	005A	1380	0.03	2400	2	65	100	3	3	1	4140	1740	RH-3	40	form-based			true	0.7	3	1	1	1	3864	1464	1464	0.933333
0078	007	1204	0.03	3015	2	55	80	2.5	2	0	3010	0	RH-3	40	form-based			true	0.7	3	1.5	1	1	3371.199951	356.1999512	356.1999512	1.12
0078	011	1204	0.03	1870	2	55	80	2.5	2	0	3010	1140	RH-3	40	form-based			true	0.7	3	1.5	1	1	3371.199951	1501.199951	1501.199951	1.12
0078	025	1350	0.03	1890	2	55	80	2.5	2	0	3375	1485	RH-3	40	form-based			true	0.7	3	1.5	1	1	3780	1890	1890	1.12
0078	036	1463	0.03	1540	2	55	80	2.5	2	0	3658	2118	RH-3	40	form-based			true	0.7	3	1.5	1	1	4096.399902	2556.399902	2556.399902	1.119847
0078	039	2119	0.05	3184	3	65	100	3	5	2	6357	3173	RH-3	40	form-based			true	0.7	4	0.800000012	1	1	5933.199707	2749.199707	2749.199707	0.933333
0078	039A	326	0.01	0	0	65	100	3	1	1	978	978	RH-3	40	form-based			true	0.7	1	1	1	1	912.7999878	912.7999878	912.7999878	0.933333
0078	040	2060	0.05	3280	3	65	100	3	5	2	6180	2900	RH-3	40	form-based		true	true	0.7	4	0.800000012	1	1	5768	2488	2488	0.933333
0078	063	8775	0.2	960	17	65	100	3	20	3	26325	25365	RH-3	40	form-based		true	true	0.7	18	0.899999976	1	1	24570	23610	23610	0.933333
0078	112	1200	0.03	1950	2	55	80	2.5	2	0	3000	1050	RH-3	40	form-based			true	0.7	3	1.5	1	1	3360	1410	1410	1.12
0085	006	1785	0.04	2134	3	65	100	3	4	1	5355	3221	RH-3	40	density-lim	1000			0.7	4	1	1	1	4998	2864	2864	0.933333
0085	013	1587	0.04	1500	3	65	100	3	4	1	4761	3261	RH-3	40	density-lim	1000			0.7	4	1	1	1	4443.600098	2943.600098	2943.600098	0.933333
0085	018	1243	0.03	3616	3	65	100	3	3	0	3729	113	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3480.399902	0	0	0.933333
0085	040	3431	0.08	625	6	65	100	3	8	2	10293	9668	RH-3	40	form-based			true	0.7	7	0.875	1	1	9606.799805	8981.799805	8981.799805	0.933333
0085	055	1406	0.03	4400	2	65	100	3	3	1	4218	0	RH-3	40	form-based		true	true	0.7	3	1	1	1	3936.800049	0	0	0.933333
0085	060	1651	0.04	1088	3	65	100	3	4	1	4953	3865	RH-3	40	density-lim	1000			0.7	4	1	1	1	4622.799805	3534.799805	3534.799805	0.933333
0085	070	1788	0.04	888	3	65	100	3	4	1	5364	4476	RH-3	40	density-lim	1000			0.7	4	1	1	1	5006.399902	4118.399902	4118.399902	0.933333
0086	006A	1793	0.04	2512	3	65	100	3	4	1	5379	2867	RH-3	40	form-based		true	true	0.7	4	1	1	1	5020.399902	2508.399902	2508.399902	0.933333
0086	032	2187	0.05	840	4	65	100	3	5	1	6561	5721	RH-3	40	form-based			true	0.7	5	1	1	1	6123.600098	5283.600098	5283.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0087	007F	1230	0.03	2150	2	55	80	2.5	2	0	3075	925	RH-3	40	form-based			true	0.7	3	1.5	1	1	3444	1294	1294	1.12
0087	013	1517	0.03	2760	2	55	80	2.5	2	0	3792	1032	RH-3	40	form-based			true	0.7	3	1.5	1	1	4247.600098	1487.600098	1487.600098	1.120148
0087	022	2813	0.06	3625	5	55	80	2.5	5	0	7032	3407	RH-3	40	form-based			true	0.7	6	1.200000048	1	1	7876.399902	4251.399902	4251.399902	1.12008
0089	044	2500	0.06	1416	4	55	80	2.5	5	1	6250	4834	RM-1	40	form-based		true	true	0.7	5	1	1	1	7000	5584	5584	1.12
0088	004	1200	0.03	2000	2	55	80	2.5	2	0	3000	1000	RM-2	40	form-based			true	0.7	3	1.5	1	1	3360	1360	1360	1.12
0088	022	1980	0.05	3468	4	55	80	2.5	4	0	4950	1482	NCD-NORT	40	density-lim	400	true		0.75	5	1.25	1	1	5940	2472	2472	1.2
0088	023	1379	0.03	1840	2	55	80	2.5	2	0	3448	1608	NCD-NORT	40	density-lim	400			0.75	3	1.5	1	1	4137	2297	2297	1.199826
0088	034	1267	0.03	2249	2	55	80	2.5	2	0	3168	919	RM-2	40	form-based			true	0.7	3	1.5	1	1	3547.599854	1298.599854	1298.599854	1.119823
0088	071	1783	0.04	6629	3	55	80	2.5	3	0	4458	0	RM-2	40	form-based			true	0.7	4	1.333333373	1	1	4992.399902	0	0	1.119874
0088	073	1270	0.03	895	2	55	80	2.5	2	0	3175	2280	RM-2	40	form-based			true	0.7	3	1.5	1	1	3556	2661	2661	1.12
0089	002	1570	0.04	3744	3	55	80	2.5	3	0	3925	181	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	1	1	4710	966	966	1.2
0089	003	1761	0.04	2321	3	55	80	2.5	3	0	4402	2081	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	1	1	5283	2962	2962	1.200136
0089	004	1551	0.04	3295	3	55	80	2.5	3	0	3878	583	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	1	1	4653	1358	1358	1.199845
0089	005A	1096	0.03	2292	1	55	80	2.5	2	1	2740	448	RM-1	40	form-based			true	0.7	2	1	1	1	3068.800049	776.8000488	776.8000488	1.12
0089	006	3204	0.07	6182	7	55	80	2.5	6	0	8010	1828	NCD-NORT	40	density-lim	400			0.75	8	1.333333373	1	1	9612	3430	3430	1.2
0089	039	2015	0.05	1760	3	55	80	2.5	4	1	5038	3278	RM-1	40	form-based			true	0.7	4	1	1	1	5642	3882	3882	1.119889
0090	005	1575	0.04	4629	3	55	80	2.5	3	0	3938	0	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	1	1	4725	96	96	1.199848
0090	022	1438	0.03	1372	1	55	80	2.5	2	1	3595	2223	RM-2	40	density-lim	600			0.7	2	1	1	1	4026.399902	2654.399902	2654.399902	1.12
0091	008	1680	0.04	4455	3	55	80	2.5	3	0	4200	0	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	4704	249	249	1.12
0091	010A	1357	0.03	2064	2	55	80	2.5	2	0	3392	1328	RM-1	40	form-based			true	0.7	3	1.5	1	1	3799.599854	1735.599854	1735.599854	1.120165
0091	013	1380	0.03	2112	2	55	80	2.5	2	0	3450	1338	RM-1	40	form-based			true	0.7	3	1.5	1	1	3864	1752	1752	1.12
0091	014	1380	0.03	2428	2	55	80	2.5	2	0	3450	1022	RM-1	40	form-based			true	0.7	3	1.5	1	1	3864	1436	1436	1.12
0091	016	1525	0.04	2288	2	55	80	2.5	3	1	3812	1524	RM-1	40	form-based			true	0.7	3	1	1	1	4270	1982	1982	1.120147
0091	018A	1323	0.03	2148	2	55	80	2.5	2	0	3308	1160	RM-1	40	form-based			true	0.7	3	1.5	1	1	3704.399902	1556.399902	1556.399902	1.119831
0091	019	1380	0.03	1837	2	55	80	2.5	2	0	3450	1613	RM-1	40	form-based			true	0.7	3	1.5	1	1	3864	2027	2027	1.12
0091	020	1637	0.04	3064	2	55	80	2.5	3	1	4092	1028	RM-1	40	form-based		true	true	0.7	3	1	1	1	4583.600098	1519.600098	1519.600098	1.120137
0091	022	3137	0.07	6210	6	55	80	2.5	6	0	7842	1632	RM-1	40	form-based			true	0.7	7	1.166666627	1	1	8783.599609	2573.599609	2573.599609	1.120071
0091	025	1380	0.03	1564	2	55	80	2.5	2	0	3450	1886	RM-1	40	form-based			true	0.7	3	1.5	1	1	3864	2300	2300	1.12
0091	030	1380	0.03	1160	2	55	80	2.5	2	0	3450	2290	RM-1	40	form-based			true	0.7	3	1.5	1	1	3864	2704	2704	1.12
0091	033	1380	0.03	2040	2	55	80	2.5	2	0	3450	1410	RM-1	40	form-based			true	0.7	3	1.5	1	1	3864	1824	1824	1.12
0091	035	1376	0.03	1982	2	55	80	2.5	2	0	3440	1458	RM-1	40	form-based			true	0.7	3	1.5	1	1	3852.800049	1870.800049	1870.800049	1.12
0091	037	1380	0.03	2062	2	55	80	2.5	2	0	3450	1388	RM-1	40	form-based			true	0.7	3	1.5	1	1	3864	1802	1802	1.12
0091	038	1380	0.03	1792	2	55	80	2.5	2	0	3450	1658	RM-1	40	form-based			true	0.7	3	1.5	1	1	3864	2072	2072	1.12
0091	041	2732	0.06	5456	5	55	80	2.5	5	0	6830	1374	RM-1	40	form-based			true	0.7	6	1.200000048	1	1	7649.600098	2193.600098	2193.600098	1.12
0091	043	1664	0.04	3746	2	55	80	2.5	3	1	4160	414	RM-1	40	form-based			true	0.7	3	1	1	1	4659.199707	913.199707	913.199707	1.12
0091	046	1354	0.03	2116	2	55	80	2.5	2	0	3385	1269	RM-1	40	form-based			true	0.7	3	1.5	1	1	3791.199951	1675.199951	1675.199951	1.12
0091	047	1354	0.03	2162	2	55	80	2.5	2	0	3385	1223	RM-1	40	form-based			true	0.7	3	1.5	1	1	3791.199951	1629.199951	1629.199951	1.12
0091	050	1000	0.02	985	1	55	80	2.5	2	1	2500	1515	RM-1	40	form-based			true	0.7	2	1	1	1	2800	1815	1815	1.12
0091	055	1380	0.03	2112	2	55	80	2.5	2	0	3450	1338	RM-1	40	form-based			true	0.7	3	1.5	1	1	3864	1752	1752	1.12
0091	056	1380	0.03	2392	2	55	80	2.5	2	0	3450	1058	RM-1	40	form-based			true	0.7	3	1.5	1	1	3864	1472	1472	1.12
0091	071	1380	0.03	1058	2	55	80	2.5	2	0	3450	2392	RM-1	40	form-based			true	0.7	3	1.5	1	1	3864	2806	2806	1.12
0091	073	1568	0.04	1579	2	55	80	2.5	3	1	3920	2341	RM-1	40	form-based			true	0.7	3	1	1	1	4390.399902	2811.399902	2811.399902	1.12
0092	003	1909	0.04	4608	3	55	80	2.5	3	0	4772	164	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5345.199707	737.199707	737.199707	1.120117
0092	015	1200	0.03	2190	2	55	80	2.5	2	0	3000	810	RM-1	40	form-based			true	0.7	3	1.5	1	1	3360	1170	1170	1.12
0092	019	1200	0.03	1920	2	55	80	2.5	2	0	3000	1080	RM-1	40	form-based			true	0.7	3	1.5	1	1	3360	1440	1440	1.12
0092	022	957	0.02	440	1	55	80	2.5	2	1	2392	1952	RM-1	40	form-based		true	true	0.7	2	1	1	1	2679.599854	2239.599854	2239.599854	1.120234
0092	024	1500	0.03	2080	2	55	80	2.5	2	0	3750	1670	RM-1	40	form-based			true	0.7	3	1.5	1	1	4200	2120	2120	1.12
0092	028	1362	0.03	2478	2	55	80	2.5	2	0	3405	927	RM-1	40	form-based		true	true	0.7	3	1.5	1	1	3813.599854	1335.599854	1335.599854	1.12
0092	029	2419	0.06	4660	4	55	80	2.5	5	1	6048	1388	RM-1	40	form-based			true	0.7	5	1	1	1	6773.199707	2113.199707	2113.199707	1.119907
0092	041	1800	0.04	1414	3	55	80	2.5	3	0	4500	3086	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5040	3626	3626	1.12
0092	051	1806	0.04	1145	3	55	80	2.5	3	0	4515	3370	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5056.799805	3911.799805	3911.799805	1.12
0093	002	1920	0.04	4014	3	55	80	2.5	3	0	4800	786	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5376	1362	1362	1.12
0093	049	2805	0.06	668	5	55	80	2.5	5	0	7012	6344	RM-1	40	form-based			true	0.7	6	1.200000048	1	1	7854	7186	7186	1.12008
0093	072	2083	0.05	2084	3	55	80	2.5	4	1	5208	3124	RM-1	40	form-based		true	true	0.7	4	1	1	1	5832.399902	3748.399902	3748.399902	1.119892
0094	047	2796	0.06	876	7	55	80	2.5	5	0	6990	6114	RH-3	50	form-based			true	0.7	8	1.600000024	1	1	9786	8910	8910	1.4
0096	021	1200	0.03	3200	3	65	100	3	3	0	3600	400	RH-3	65	form-based			true	0.7	4	1.333333373	1	1	5040	1840	1840	1.4
0097	037	1560	0.04	3329	4	55	80	2.5	3	0	3900	571	RH-3	65	form-based			true	0.7	5	1.666666627	1	1	6552	3223	3223	1.68
0098	004	1020	0.02	2040	1	55	80	2.5	2	1	2550	510	RM-2	40	form-based		true	true	0.7	2	1	1	1	2856	816	816	1.12
0098	010	1818	0.04	4816	3	55	80	2.5	3	0	4545	0	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5090.399902	274.3999023	274.3999023	1.12
0099	003	1844	0.04	3780	3	55	80	2.5	3	0	4610	830	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5163.199707	1383.199707	1383.199707	1.12
0099	003A	2031	0.05	4284	3	55	80	2.5	4	1	5078	794	RM-1	40	form-based		true	true	0.7	4	1	1	1	5686.799805	1402.799805	1402.799805	1.11989
0099	004	3435	0.08	8085	6	55	80	2.5	6	0	8588	503	RM-2	40	form-based		true	true	0.7	7	1.166666627	1	1	9618	1533	1533	1.119935
0099	034	3100	0.07	1186	6	55	80	2.5	6	0	7750	6564	RM-2	40	form-based		true	true	0.7	7	1.166666627	1	1	8680	7494	7494	1.12
0100	002	1431	0.03	2840	2	55	80	2.5	2	0	3578	738	RM-1	40	form-based			true	0.7	3	1.5	1	1	4006.800049	1166.800049	1166.800049	1.119843

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0100	004	1832	0.04	4434	3	55	80	2.5	3	0	4580	146	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5129.600098	695.6000977	695.6000977	1.12
0100	008	1602	0.04	2050	2	55	80	2.5	3	1	4005	1955	RM-1	40	form-based			true	0.7	3	1	1	1	4485.600098	2435.600098	2435.600098	1.12
0100	014	1200	0.03	2196	2	55	80	2.5	2	0	3000	804	RM-1	40	form-based			true	0.7	3	1.5	1	1	3360	1164	1164	1.12
0100	017	1860	0.04	3900	3	55	80	2.5	3	0	4650	750	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5208	1308	1308	1.12
0100	019A	1333	0.03	2600	2	55	80	2.5	2	0	3332	732	RM-1	40	form-based			true	0.7	3	1.5	1	1	3732.399902	1132.399902	1132.399902	1.120168
0100	021B	1410	0.03	1866	2	55	80	2.5	2	0	3525	1659	RM-1	40	form-based			true	0.7	3	1.5	1	1	3948	2082	2082	1.12
0100	023	1810	0.04	3795	3	55	80	2.5	3	0	4525	730	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5068	1273	1273	1.12
0100	031	1927	0.04	2396	3	55	80	2.5	3	0	4818	2422	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5395.600098	2999.600098	2999.600098	1.119884
0100	039A	358	0.01	0	0	55	80	2.5	1	1	895	895	RM-1	40	form-based			true	0.7	1	1	1	1	1002.399963	1002.399963	1002.399963	1.12
0100	048	1983	0.05	1360	3	55	80	2.5	4	1	4958	3598	RM-1	40	form-based			true	0.7	4	1	1	1	5552.399902	4192.399902	4192.399902	1.119887
0100	057	1525	0.04	1509	2	55	80	2.5	3	1	3812	2303	RM-1	40	form-based			true	0.7	3	1	1	1	4270	2761	2761	1.120147
0100	059	1492	0.03	877	2	55	80	2.5	2	0	3730	2853	RM-1	40	form-based			true	0.7	3	1.5	1	1	4177.600098	3300.600098	3300.600098	1.12
0100	067	1200	0.03	1070	2	55	80	2.5	2	0	3000	1930	RM-1	40	form-based			true	0.7	3	1.5	1	1	3360	2290	2290	1.12
0101	006	1985	0.05	3114	2	55	80	2.5	4	2	4962	1848	RM-2	40	density-lim	600			0.7	3	0.75	1	1	5558	2444	2444	1.120113
0101	007A	3618	0.08	6736	5	55	80	2.5	6	1	9045	2309	RM-2	40	density-lim	600			0.7	6	1	1	1	10130.39941	3394.399414	3394.399414	1.12
0101	034	3888	0.09	2785	5	55	80	2.5	7	2	9720	6935	RM-2	40	density-lim	600			0.7	6	0.857142866	1	1	10886.39941	8101.399414	8101.399414	1.12
0103	004	3499	0.08	12690	8	55	80	2.5	6	0	8748	0	NCD-NORT	40	density-lim	400			0.75	9	1.5	1	1	10497	0	0	1.199931
0103	038	1588	0.04	1394	2	55	80	2.5	3	1	3970	2576	RM-2	40	density-lim	600	true		0.7	3	1	1	1	4446.399902	3052.399902	3052.399902	1.12
0104	013	1150	0.03	2700	3	55	80	2.5	2	0	2875	175	RH-3	40	density-lim	1000			0.7	4	2	1	1	3220	520	520	1.12
0104	014	1078	0.02	2532	3	55	80	2.5	2	0	2695	163	RH-3	40	density-lim	1000			0.7	4	2	1	1	3018.399902	486.3999023	486.3999023	1.12
0104	015	1078	0.02	2530	5	55	80	2.5	2	0	2695	165	RH-3	40	density-lim	1000	true		0.7	6	3	1	0	3018.399902	488.3999023	488.3999023	1.12
0104	016	2963	0.07	3980	5	55	80	2.5	6	1	7408	3428	RH-3	40	density-lim	1000	true		0.7	6	1	1	1	8296.399414	4316.399414	4316.399414	1.119924
0104	027	2598	0.06	4653	5	55	80	2.5	5	0	6495	1842	NCD-NORT	40	density-lim	400			0.75	6	1.200000048	1	1	7794	3141	3141	1.2
0104	033	1410	0.03	2327	3	55	80	2.5	2	0	3525	1198	NCD-NORT	40	density-lim	400			0.75	4	2	1	1	4230	1903	1903	1.2
0104	045	1800	0.04	2552	3	55	80	2.5	3	0	4500	1948	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	5040	2488	2488	1.12
0104	047	1150	0.03	2325	3	55	80	2.5	2	0	2875	550	RH-3	40	density-lim	1000			0.7	4	2	1	1	3220	895	895	1.12
0104	057	1725	0.04	2300	3	55	80	2.5	3	0	4312	2012	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	4830	2530	2530	1.12013
0104	062	1860	0.04	1252	3	55	80	2.5	3	0	4650	3398	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	5208	3956	3956	1.12
0104	063	1875	0.04	2400	3	55	80	2.5	3	0	4688	2288	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	5250	2850	2850	1.119881
0104	070	1201	0.03	1800	3	55	80	2.5	2	0	3002	1202	RH-3	40	density-lim	1000			0.7	4	2	1	1	3362.800049	1562.800049	1562.800049	1.120187
0104	081	1620	0.04	363	3	55	80	2.5	3	0	4050	3687	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	1	1	4860	4497	4497	1.2
0104	086	539	0.01	840	3	55	80	2.5	1	0	1348	508	RH-3	40	density-lim	1000			0.7	4	4	1	0	1509.199951	669.1999512	669.1999512	1.119585
0104	087	1177	0.03	2721	3	55	80	2.5	2	0	2942	221	RH-3	40	density-lim	1000			0.7	4	2	1	1	3295.599854	574.5998535	574.5998535	1.12019
0105	002	1576	0.04	2156	2	65	100	3	4	2	4728	2572	RH-3	40	form-based			true	0.7	3	0.75	1	1	4412.799805	2256.799805	2256.799805	0.933333
0105	016	1513	0.03	2110	2	65	100	3	3	1	4539	2429	RH-3	40	form-based			true	0.7	3	1	1	1	4236.399902	2126.399902	2126.399902	0.933333
0105	018	1753	0.04	4035	3	65	100	3	4	1	5259	1224	RH-3	40	form-based			true	0.7	4	1	1	1	4908.399902	873.3999023	873.3999023	0.933333
0105	020	1755	0.04	2320	3	55	80	2.5	3	0	4388	2068	RH-3	40	form-based			true	0.7	4	1.333333373	1	1	4914	2594	2594	1.119872
0105	023	2008	0.05	3375	3	55	80	2.5	4	1	5020	1645	RH-3	40	form-based			true	0.7	4	1	1	1	5622.399902	2247.399902	2247.399902	1.12
0105	030	770	0.02	330	1	55	80	2.5	2	1	1925	1595	RH-3	40	form-based			true	0.7	2	1	1	1	2156	1826	1826	1.12
0105	032	814	0.02	1492	1	55	80	2.5	2	1	2035	543	RH-3	40	form-based		true	true	0.7	2	1	1	1	2279.199951	787.1999512	787.1999512	1.12
0105	046	1158	0.03	1968	1	65	100	3	3	2	3474	1506	RH-3	40	form-based		true	true	0.7	2	0.666666687	1	1	3242.399902	1274.399902	1274.399902	0.933333
0105	082	1953	0.04	3303	3	65	100	3	4	1	5859	2556	RH-3	40	form-based			true	0.7	4	1	1	1	5468.399902	2165.399902	2165.399902	0.933333
0105	086	1200	0.03	2100	2	55	80	2.5	2	0	3000	900	RH-3	40	form-based			true	0.7	3	1.5	1	1	3360	1260	1260	1.12
0106	016A	1474	0.03	3786	5	65	100	3	3	0	4422	636	RH-3	40	density-lim	1000	true		0.7	6	2	1	1	4127.199707	341.199707	341.199707	0.933333
0106	020	1250	0.03	2448	3	65	100	3	3	0	3750	1302	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3500	1052	1052	0.933333
0106	026	1500	0.03	2285	3	65	100	3	3	0	4500	2215	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	4200	1915	1915	0.933333
0106	031	1301	0.03	2829	3	65	100	3	3	0	3903	1074	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3642.800049	813.8000488	813.8000488	0.933333
0106	060	2462	0.06	731	3	65	100	3	6	3	7386	6655	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6893.600098	6162.600098	6162.600098	0.933333
0106	063	1750	0.04	1325	3	65	100	3	4	1	5250	3925	RH-3	40	density-lim	1000			0.7	4	1	1	1	4900	3575	3575	0.933333
0114	007	1406	0.03	1364	2	55	80	2.5	2	0	3515	2151	RH-3	40	form-based			true	0.7	3	1.5	1	1	3936.800049	2572.800049	2572.800049	1.12
0114	016	1078	0.02	2642	1	55	80	2.5	2	1	2695	53	RM-1	40	form-based			true	0.7	2	1	1	1	3018.399902	376.3999023	376.3999023	1.12
0114	018	2228	0.05	4042	4	55	80	2.5	4	0	5570	1528	RM-1	40	form-based		true	true	0.7	5	1.25	1	1	6238.399902	2196.399902	2196.399902	1.12
0114	023	1668	0.04	3600	3	55	80	2.5	3	0	4170	570	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	4670.399902	1070.399902	1070.399902	1.12
0114	025	1580	0.04	3013	2	55	80	2.5	3	1	3950	937	RM-1	40	form-based		true	true	0.7	3	1	1	1	4424	1411	1411	1.12
0114	029	1752	0.04	3999	3	55	80	2.5	3	0	4380	381	RH-3	40	form-based			true	0.7	4	1.333333373	1	1	4905.600098	906.6000977	906.6000977	1.12
0114	039	1175	0.03	2144	1	55	80	2.5	2	1	2938	794	RH-3	40	form-based			true	0.7	2	1	1	1	3290	1146	1146	1.119809
0114	040	1175	0.03	3170	1	55	80	2.5	2	1	2938	0	RH-3	40	form-based			true	0.7	2	1	1	1	3290	120	120	1.119809
0114	048	1234	0.03	1860	2	55	80	2.5	2	0	3085	1225	RH-3	40	form-based			true	0.7	3	1.5	1	1	3455.199951	1595.199951	1595.199951	1.12
0114	051	1175	0.03	760	1	55	80	2.5	2	1	2938	2178	RH-3	40	form-based			true	0.7	2	1	1	1	3290	2530	2530	1.119809
0114	056	1693	0.04	3093	3	65	100	3	4	1	5079	1986	RH-3	40	form-based			true	0.7	4	1	1	1	4740.399902	1647.399902	1647.399902	0.933333
0114	062	2300	0.05	765	4	55	80	2.5	4	0	5750	4985	RM-1	40	form-based		true	true	0.7	5	1.25	1	1	6440	5675	5675	1.12
0114	074	2350	0.05	1213	4	55	80	2.5	4	0	5875	4662	RH-3	40	form-based			true	0.7	5	1.25	1	1	6580	5367	5367	1.12
0115	002	1600	0.04	1890	3	55	80	2.5	3	0	4000	2110	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	4480	2590	2590	1.12
0115	008	760	0.02	1980	3	55	80	2.5	2	0	1900	0	RH-3	40	density-lim	1000			0.7	4	2	1	1	2128	148	148	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0115	013A	1710	0.04	1081	1	55	80	2.5	3	2	4275	3194	RM-1	40	density-lim	800			0.7	2	0.666666687	1	1	4788	3707	3707	1.12
0115	029	1434	0.03	2160	3	55	80	2.5	2	0	3585	1425	RH-3	40	density-lim	1000			0.7	4	2	1	1	4015.199951	1855.199951	1855.199951	1.12
0115	030	1802	0.04	2880	3	55	80	2.5	3	0	4505	1625	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	5045.600098	2165.600098	2165.600098	1.12
0115	031	1202	0.03	2838	3	55	80	2.5	2	0	3005	167	RH-3	40	density-lim	1000			0.7	4	2	1	1	3365.599854	527.5998535	527.5998535	1.12
0115	034	1150	0.03	3030	3	55	80	2.5	2	0	2875	0	RH-3	40	density-lim	1000			0.7	4	2	1	1	3220	190	190	1.12
0115	035	1150	0.03	2952	3	55	80	2.5	2	0	2875	0	RH-3	40	density-lim	1000			0.7	4	2	1	1	3220	268	268	1.12
0115	038	1093	0.03	2016	3	55	80	2.5	2	0	2732	716	RH-3	40	density-lim	1000			0.7	4	2	1	1	3060.399902	1044.399902	1044.399902	1.120205
0115	039	1121	0.03	2565	3	55	80	2.5	2	0	2802	237	RH-3	40	density-lim	1000			0.7	4	2	1	1	3138.800049	573.8000488	573.8000488	1.1202
0115	040	1121	0.03	3003	3	55	80	2.5	2	0	2802	0	RH-3	40	density-lim	1000			0.7	4	2	1	1	3138.800049	135.8000488	135.8000488	1.1202
0115	043	1200	0.03	2376	3	55	80	2.5	2	0	3000	624	RH-3	40	density-lim	1000			0.7	4	2	1	1	3360	984	984	1.12
0115	046	750	0.02	2220	3	55	80	2.5	2	0	1875	0	RH-3	40	density-lim	1000			0.7	4	2	1	1	2100	0	0	1.12
0115	047	825	0.02	3216	3	55	80	2.5	2	0	2062	0	RH-3	40	density-lim	1000			0.7	4	2	1	1	2310	0	0	1.120272
0115	049	776	0.02	2310	3	55	80	2.5	2	0	1940	0	RH-3	40	density-lim	1000			0.7	4	2	1	1	2172.800049	0	0	1.12
0115	050	724	0.02	1995	3	55	80	2.5	2	0	1810	0	RH-3	40	density-lim	1000			0.7	4	2	1	1	2027.199951	32.19995117	32.19995117	1.12
0115	072	1187	0.03	874	3	55	80	2.5	2	0	2968	2094	RH-3	40	density-lim	1000			0.7	4	2	1	1	3323.599854	2449.599854	2449.599854	1.119811
0116	005	1553	0.04	3184	3	55	80	2.5	3	0	3882	698	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	1	1	4659	1475	1475	1.200155
0116	012	1668	0.04	4518	3	55	80	2.5	3	0	4170	0	NCD-NORT	40	density-lim	400	true		0.75	4	1.333333373	1	1	5004	486	486	1.2
0116	015	1801	0.04	4758	4	55	80	2.5	3	0	4502	0	NCD-NORT	40	density-lim	400			0.75	5	1.666666627	1	1	5403	645	645	1.200133
0116	029	748	0.02	580	0	55	80	2.5	2	2	1870	1290	RM-2	40	density-lim	600			0.7	1	0.5	1	1	2094.399902	1514.399902	1514.399902	1.12
0116	034	2211	0.05	2940	3	55	80	2.5	4	1	5528	2588	RM-2	40	density-lim	600			0.7	4	1	1	1	6190.799805	3250.799805	3250.799805	1.119899
0116	053	1173	0.03	2900	2	55	80	2.5	2	0	2932	32	NCD-NORT	40	density-lim	400			0.75	3	1.5	1	1	3519	619	619	1.200205
0117	007	4125	0.09	5790	9	55	80	2.5	7	0	10312	4522	NCD-NORT	40	density-lim	400			0.75	10	1.428571463	1	1	12375	6585	6585	1.200058
0117	012	1680	0.04	3900	3	55	80	2.5	3	0	4200	300	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	1	1	5040	1140	1140	1.2
0118	014	1097	0.03	1250	1	55	80	2.5	2	1	2742	1492	RM-2	40	density-lim	600			0.7	2	1	1	1	3071.599854	1821.599854	1821.599854	1.120204
0118	017	2099	0.05	2900	2	55	80	2.5	4	2	5248	2348	RM-2	40	density-lim	600			0.7	3	0.75	1	1	5877.199707	2977.199707	2977.199707	1.119893
0118	020	1876	0.04	2060	2	55	80	2.5	3	1	4690	2630	RM-2	40	density-lim	600			0.7	3	1	1	1	5252.799805	3192.799805	3192.799805	1.12
0118	022	2483	0.06	4975	3	55	80	2.5	5	2	6208	1233	RM-2	40	density-lim	600			0.7	4	0.800000012	1	1	6952.399902	1977.399902	1977.399902	1.11991
0118	024	2399	0.06	3834	3	55	80	2.5	5	2	5998	2164	RM-2	40	density-lim	600			0.7	4	0.800000012	1	1	6717.199707	2883.199707	2883.199707	1.119907
0118	032	1137	0.03	1780	1	55	80	2.5	2	1	2842	1062	RM-2	40	density-lim	600			0.7	2	1	1	1	3183.599854	1403.599854	1403.599854	1.120197
0118	036	1613	0.04	2596	2	55	80	2.5	3	1	4032	1436	RM-2	40	density-lim	600			0.7	3	1	1	1	4516.399902	1920.399902	1920.399902	1.120139
0118	037	1800	0.04	3499	2	55	80	2.5	3	1	4500	1001	RM-2	40	density-lim	600			0.7	3	1	1	1	5040	1541	1541	1.12
0118	039	1613	0.04	2010	2	55	80	2.5	3	1	4032	2022	RM-2	40	density-lim	600			0.7	3	1	1	1	4516.399902	2506.399902	2506.399902	1.120139
0118	045	2422	0.06	1135	3	55	80	2.5	5	2	6055	4920	RM-2	40	density-lim	600			0.7	4	0.800000012	1	1	6781.600098	5646.600098	5646.600098	1.12
0118	061	1875	0.04	1367	2	55	80	2.5	3	1	4688	3321	RM-2	40	density-lim	600			0.7	3	1	1	1	5250	3883	3883	1.119881
0119	004	3160	0.07	5180	6	55	80	2.5	6	0	7900	2720	RM-2	40	form-based			true	0.7	7	1.166666627	1	1	8848	3668	3668	1.12
0119	007	4956	0.11	9860	9	55	80	2.5	9	0	12390	2530	RM-2	40	form-based			true	0.7	10	1.111111164	1	1	13876.7998	4016.799805	4016.799805	1.12
0119	014	3149	0.07	6390	6	55	80	2.5	6	0	7872	1482	RM-2	40	form-based			true	0.7	7	1.166666627	1	1	8817.200195	2427.200195	2427.200195	1.120071
0119	027	1726	0.04	4500	3	55	80	2.5	3	0	4315	0	RM-2	40	form-based			true	0.7	4	1.333333373	1	1	4832.799805	332.7998047	332.7998047	1.12
0119	030	1375	0.03	2340	2	55	80	2.5	2	0	3438	1098	RM-2	40	form-based			true	0.7	3	1.5	1	1	3850	1510	1510	1.119837
0119	030A	2063	0.05	4545	3	55	80	2.5	4	1	5158	613	RM-2	40	form-based		true	true	0.7	4	1	1	1	5776.399902	1231.399902	1231.399902	1.119891
0119	036	4727	0.11	8163	9	55	80	2.5	9	0	11818	3655	RM-2	40	form-based			true	0.7	10	1.111111164	1	1	13235.59961	5072.599609	5072.599609	1.119953
0119	038A	2181	0.05	2806	4	55	80	2.5	4	0	5452	2646	RM-2	40	form-based			true	0.7	5	1.25	1	1	6106.799805	3300.799805	3300.799805	1.120103
0120	012	1404	0.03	3373	2	55	80	2.5	2	0	3510	137	RM-2	40	form-based			true	0.7	3	1.5	1	1	3931.199951	558.1999512	558.1999512	1.12
0120	013	1721	0.04	3665	3	55	80	2.5	3	0	4302	637	RM-2	40	form-based			true	0.7	4	1.333333373	1	1	4818.799805	1153.799805	1153.799805	1.12013
0120	019	1112	0.03	1710	1	55	80	2.5	2	1	2780	1070	RM-2	40	form-based			true	0.7	2	1	1	1	3113.599854	1403.599854	1403.599854	1.12
0120	029	1435	0.03	1376	2	55	80	2.5	2	0	3588	2212	RH-2	40	form-based			true	0.7	3	1.5	1	1	4018	2642	2642	1.119844
0120	075	1538	0.04	960	2	55	80	2.5	3	1	3845	2885	RH-2	40	form-based			true	0.7	3	1	1	1	4306.399902	3346.399902	3346.399902	1.12
0120	085	1588	0.04	936	2	55	80	2.5	3	1	3970	3034	RM-2	40	form-based			true	0.7	3	1	1	1	4446.399902	3510.399902	3510.399902	1.12
0121	012	3144	0.07	8352	6	55	80	2.5	6	0	7860	0	RM-2	40	form-based		true	true	0.7	7	1.166666627	1	1	8803.200195	451.2001953	451.2001953	1.12
0121	015	2100	0.05	3867	3	55	80	2.5	4	1	5250	1383	RM-2	40	form-based			true	0.7	4	1	1	1	5880	2013	2013	1.12
0121	018	3031	0.07	6075	5	55	80	2.5	6	1	7578	1503	RM-2	40	form-based			true	0.7	6	1	1	1	8486.799805	2411.799805	2411.799805	1.119926
0121	024	3646	0.08	8157	7	55	80	2.5	6	0	9115	958	RM-2	40	form-based			true	0.7	8	1.333333373	1	1	10208.7998	2051.799805	2051.799805	1.12
0121	025	2100	0.05	3972	3	55	80	2.5	4	1	5250	1278	RM-2	40	form-based			true	0.7	4	1	1	1	5880	1908	1908	1.12
0121	026	2100	0.05	3972	3	55	80	2.5	4	1	5250	1278	RM-2	40	form-based			true	0.7	4	1	1	1	5880	1908	1908	1.12
0121	029	2100	0.05	1014	3	55	80	2.5	4	1	5250	4236	RM-2	40	form-based		true	true	0.7	4	1	1	1	5880	4866	4866	1.12
0121	053	2736	0.06	1899	5	55	80	2.5	5	0	6840	4941	RM-2	40	form-based		true	true	0.7	6	1.200000048	1	1	7660.799805	5761.799805	5761.799805	1.12
0123	020	1200	0.03	2700	3	55	80	2.5	2	0	3000	300	RH-2	65	form-based			true	0.7	4	2	1	1	5040	2340	2340	1.68
0123	030	1200	0.03	2553	3	65	100	3	3	0	3600	1047	RH-3	65	form-based			true	0.7	4	1.333333373	1	1	5040	2487	2487	1.4
0123	046	3644	0.08	7071	12	65	100	3	8	0	10932	3861	RH-3	65	form-based		true	true	0.7	13	1.625	1	1	15304.7998	8233.799805	8233.799805	1.4
0124	005	1750	0.04	3330	5	55	80	2.5	3	0	4375	1045	RM-1	65	form-based			true	0.7	6	2	1	1	7350	4020	4020	1.68
0124	012	1937	0.04	4935	6	65	100	3	4	0	5811	876	RH-3	65	form-based		true	true	0.7	7	1.75	1	1	8135.399902	3200.399902	3200.399902	1.4
0124	024	1315	0.03	3099	4	65	100	3	3	0	3945	846	RH-3	65	form-based			true	0.7	5	1.666666627	1	1	5523	2424	2424	1.4
0124	064	606	0.01	1144	1	65	100	3	1	0	1818	674	RH-3	65	form-based			true	0.7	2	2	1	1	2545.199951	1401.199951	1401.199951	1.4
0125	014	2047	0.05	3400	6	55	80	2.5	4	0	5118	1718	RM-1	65	form-based			true	0.7	7	1.75	1	1	8597.399414	5197.399414	5197.399414	1.679836

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0126	009	3438	0.08	4200	3	55	80	2.5	6	3	8595	4395	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	9626.399414	5426.399414	5426.399414	1.12
0126	011	3465	0.08	3612	3	55	80	2.5	6	3	8662	5050	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	9702	6090	6090	1.120065
0126	018	2738	0.06	4055	3	55	80	2.5	5	2	6845	2790	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7666.399902	3611.399902	3611.399902	1.12
0126	019	2738	0.06	4575	3	55	80	2.5	5	2	6845	2270	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7666.399902	3091.399902	3091.399902	1.12
0126	052	3438	0.08	1580	3	55	80	2.5	6	3	8595	7015	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	9626.399414	8046.399414	8046.399414	1.12
0127	141	11773	0.27	2822	7	55	80	2.5	22	15	29432	26610	RH-2	40	density-lim	1500			0.7	8	0.363636374	1	1	32964.39844	30142.39844	30142.39844	1.120019
0128	011	2663	0.06	3894	3	55	80	2.5	5	2	6658	2764	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7456.399902	3562.399902	3562.399902	1.119916
0128	014	3057	0.07	2956	3	55	80	2.5	6	3	7642	4686	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	8559.599609	5603.599609	5603.599609	1.120073
0129	002C	457	0.01	0	0	55	80	2.5	1	1	1142	1142	NCD-NORT	40	density-lim	400			0.75	1	1	1	1	1371	1371	1371	1.200525
0129	001	4765	0.11	11070	11	55	80	2.5	9	0	11912	842	NCD-NORT	40	density-lim	400	true		0.75	12	1.333333373	1	1	14295	3225	3225	1.20005
0129	006	1057	0.02	1368	2	55	80	2.5	2	0	2642	1274	NCD-NORT	40	density-lim	400			0.75	3	1.5	1	1	3171	1803	1803	1.200227
0129	010	1530	0.04	1800	2	55	80	2.5	3	1	3825	2025	RM-2	40	density-lim	600			0.7	3	1	1	1	4284	2484	2484	1.12
0129	012	6423	0.15	10710	10	55	80	2.5	12	2	16058	5348	RM-2	40	density-lim	600			0.7	11	0.916666687	1	1	17984.40039	7274.400391	7274.400391	1.119965
0129	023	3718	0.09	5061	5	55	80	2.5	7	2	9295	4234	RM-2	40	density-lim	600			0.7	6	0.857142866	1	1	10410.39941	5349.399414	5349.399414	1.12
0129	029	9445	0.22	20646	15	55	80	2.5	18	3	23612	2966	RM-2	40	density-lim	600			0.7	16	0.888888896	1	1	26446	5800	5800	1.120024
0129	030	3115	0.07	3556	4	55	80	2.5	6	2	7788	4232	RM-2	40	density-lim	600			0.7	5	0.833333313	1	1	8722	5166	5166	1.119928
0129	033	1689	0.04	2644	2	55	80	2.5	3	1	4222	1578	RM-2	40	density-lim	600			0.7	3	1	1	1	4729.199707	2085.199707	2085.199707	1.120133
0129	034	1689	0.04	2364	2	55	80	2.5	3	1	4222	1858	RM-2	40	density-lim	600			0.7	3	1	1	1	4729.199707	2365.199707	2365.199707	1.120133
0130	008	1089	0.03	1410	2	55	80	2.5	2	0	2722	1312	NCD-NORT	40	density-lim	400			0.75	3	1.5	1	1	3267	1857	1857	1.20022
0130	011	1682	0.04	4086	3	55	80	2.5	3	0	4205	119	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	1	1	5046	960	960	1.2
0130	011A	1745	0.04	3606	3	55	80	2.5	3	0	4362	756	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	1	1	5235	1629	1629	1.200137
0130	027	1112	0.03	2100	2	55	80	2.5	2	0	2780	680	NCD-NORT	40	density-lim	400			0.75	3	1.5	1	1	3336	1236	1236	1.2
0130	032	2265	0.05	4743	5	55	80	2.5	4	0	5662	919	NCD-NORT	40	density-lim	400			0.75	6	1.5	1	1	6795	2052	2052	1.200106
0131	002	4675	0.11	11670	11	55	80	2.5	9	0	11688	18	NCD-NORT	40	density-lim	400			0.75	12	1.333333373	1	1	14025	2355	2355	1.199949
0131	025	1269	0.03	2220	2	55	80	2.5	2	0	3172	952	NCD-NORT	40	density-lim	400			0.75	3	1.5	1	1	3807	1587	1587	1.200189
0132	010	575	0.01	0	0	55	80	2.5	1	1	1438	1438	RM-1	40	density-lim	800			0.7	1	1	1	1	1610	1610	1610	1.119611
0132	042	2740	0.06	2340	2	55	80	2.5	5	3	6850	4510	RM-1	40	density-lim	800			0.7	3	0.600000024	1	1	7672	5332	5332	1.12
0132	048	7704	0.18	13629	12	55	80	2.5	14	2	19260	5631	RM-2	40	density-lim	600			0.7	13	0.928571403	1	1	21571.19922	7942.199219	7942.199219	1.12
0133	007	1500	0.03	2230	2	55	80	2.5	2	0	3750	1520	RH-3	40	form-based			true	0.7	3	1.5	1	1	4200	1970	1970	1.12
0133	012	1250	0.03	2362	2	55	80	2.5	2	0	3125	763	RH-3	40	form-based			true	0.7	3	1.5	1	1	3500	1138	1138	1.12
0133	014	1260	0.03	2230	2	55	80	2.5	2	0	3150	920	RH-3	40	form-based			true	0.7	3	1.5	1	1	3528	1298	1298	1.12
0133	018	2750	0.06	5373	5	55	80	2.5	5	0	6875	1502	RH-3	40	form-based			true	0.7	6	1.200000048	1	1	7700	2327	2327	1.12
0133	025D	1703	0.04	3385	3	55	80	2.5	3	0	4258	873	RM-2	40	form-based			true	0.7	4	1.333333373	1	1	4768.399902	1383.399902	1383.399902	1.119869
0133	037	832	0.02	1772	1	55	80	2.5	2	1	2080	308	RM-1	40	form-based			true	0.7	2	1	1	1	2329.599854	557.5998535	557.5998535	1.12
0133	040A	3448	0.08	4950	6	55	80	2.5	6	0	8620	3670	RM-1	40	form-based			true	0.7	7	1.166666627	1	1	9654.399414	4704.399414	4704.399414	1.12
0133	055	1479	0.03	985	2	55	80	2.5	2	0	3698	2713	RH-3	40	form-based			true	0.7	3	1.5	1	1	4141.199707	3156.199707	3156.199707	1.119848
0133	063	1237	0.03	852	2	55	80	2.5	2	0	3092	2240	RM-1	40	form-based			true	0.7	3	1.5	1	1	3463.599854	2611.599854	2611.599854	1.120181
0133	065	2573	0.06	572	4	55	80	2.5	5	1	6432	5860	RH-3	40	form-based			true	0.7	5	1	1	1	7204.399902	6632.399902	6632.399902	1.120087
0134	011	1045	0.02	690	1	55	80	2.5	2	1	2612	1922	RH-3	40	form-based			true	0.7	2	1	1	1	2926	2236	2236	1.120214
0134	012	1079	0.02	1830	1	55	80	2.5	2	1	2698	868	RH-3	40	form-based			true	0.7	2	1	1	1	3021.199951	1191.199951	1191.199951	1.119792
0134	022	1405	0.03	1500	2	55	80	2.5	2	0	3512	2012	RH-3	40	form-based			true	0.7	3	1.5	1	1	3934	2434	2434	1.12016
0143	010	1255	0.03	3636	3	55	80	2.5	2	0	3138	0	RH-3	40	density-lim	1000			0.7	4	2	1	1	3514	0	0	1.119822
0143	052	1300	0.03	1703	3	65	100	3	3	0	3900	2197	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3640	1937	1937	0.933333
0144	003	2349	0.05	3196	3	55	80	2.5	4	1	5872	2676	RH-3	40	density-lim	1000			0.7	4	1	1	1	6577.199707	3381.199707	3381.199707	1.120095
0144	004	2689	0.06	3180	3	55	80	2.5	5	2	6722	3542	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7529.199707	4349.199707	4349.199707	1.120083
0144	005	3146	0.07	3513	3	55	80	2.5	6	3	7865	4352	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	8808.799805	5295.799805	5295.799805	1.12
0144	006	3140	0.07	3513	3	55	80	2.5	6	3	7850	4337	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	8792	5279	5279	1.12
0144	014	1334	0.03	2428	2	55	80	2.5	2	0	3335	907	NCD-BROA	65	density-lim	400			0.75	3	1.5	1	1	6003	3575	3575	1.8
0144	021	2358	0.05	1440	3	55	80	2.5	4	1	5895	4455	RM-2	40	density-lim	600			0.7	4	1	1	1	6602.399902	5162.399902	5162.399902	1.12
0144	029	937	0.02	2140	3	55	80	2.5	2	0	2342	202	RH-3	40	density-lim	1000			0.7	4	2	1	1	2623.599854	483.5998535	483.5998535	1.120239
0145	007	2480	0.06	3424	3	55	80	2.5	5	2	6200	2776	RM-2	40	density-lim	600			0.7	4	0.800000012	1	1	6944	3520	3520	1.12
0145	014	1085	0.02	1962	2	65	100	3	2	0	3255	1293	NCD-NORT	40	density-lim	400			0.75	3	1.5	1	1	3255	1293	1293	1
0145	024	1489	0.03	1796	1	55	80	2.5	2	1	3722	1926	RM-1	40	density-lim	800			0.7	2	1	1	1	4169.199707	2373.199707	2373.199707	1.12015
0145	030	1150	0.03	3450	2	55	80	2.5	2	0	2875	0	NCD-NORT	40	density-lim	400	true		0.75	3	1.5	1	1	3450	0	0	1.2
0146	022	1330	0.03	2788	2	65	100	3	3	1	3990	1202	NCD-NORT	40	density-lim	400			0.75	3	1	1	1	3990	1202	1202	1
0146	027	1973	0.05	5544	4	65	100	3	5	1	5919	375	NCD-NORT	40	density-lim	400			0.75	5	1	1	1	5919	375	375	1
0146	030	1146	0.03	2634	2	65	100	3	3	1	3438	804	NCD-BROA	65	density-lim	400			0.75	3	1	1	1	5157	2523	2523	1.5
0146	040	1330	0.03	877	2	65	100	3	3	1	3990	3113	NCD-NORT	40	density-lim	400			0.75	3	1	1	1	3990	3113	3113	1
0147	014	3645	0.08	9950	8	65	100	3	8	0	10935	985	NCD-NORT	40	density-lim	400			0.75	9	1.125	1	1	10935	985	985	1
0147	026	1516	0.03	3660	3	65	100	3	3	0	4548	888	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	1	1	4548	888	888	1
0148	005	1403	0.03	3461	3	65	100	3	3	0	4209	748	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	1	1	4209	748	748	1
0148	006	1424	0.03	4221	3	65	100	3	3	0	4272	51	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	1	1	4272	51	51	1
0148	011	2965	0.07	6298	4	55	80	2.5	6	2	7412	1114	RM-2	40	density-lim	600			0.7	5	0.833333313	1	1	8302	2004	2004	1.120076
0148	019	4785	0.11	7842	7	55	80	2.5	9	2	11962	4120	RM-2	40	density-lim	600			0.7	8	0.888888896	1	1	13398	5556	5556	1.120047

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0148	020	4675	0.11	7428	7	55	80	2.5	9	2	11688	4260	RM-2	40	density-lim	600			0.7	8	0.888888896	1	1	13090	5662	5662	1.119952
0148	025	3438	0.08	5750	5	55	80	2.5	6	1	8595	2845	RM-2	40	density-lim	600			0.7	6	1	1	1	9626.399414	3876.399414	3876.399414	1.12
0148	051	2752	0.06	1497	4	55	80	2.5	5	1	6880	5383	RM-2	40	density-lim	600			0.7	5	1	1	1	7705.600098	6208.600098	6208.600098	1.12
0149	002	1579	0.04	3160	2	55	80	2.5	3	1	3948	788	RM-2	40	density-lim	600			0.7	3	1	1	1	4421.199707	1261.199707	1261.199707	1.119858
0149	004	2440	0.06	4050	3	55	80	2.5	5	2	6100	2050	RM-2	40	density-lim	600			0.7	4	0.800000012	1	1	6832	2782	2782	1.12
0149	005	1988	0.05	2920	2	55	80	2.5	4	2	4970	2050	RM-2	40	density-lim	600			0.7	3	0.75	1	1	5566.399902	2646.399902	2646.399902	1.12
0149	011	3884	0.09	6573	5	55	80	2.5	7	2	9710	3137	RM-2	40	density-lim	600			0.7	6	0.857142866	1	1	10875.2002	4302.200195	4302.200195	1.12
0149	015	3782	0.09	8162	5	55	80	2.5	7	2	9455	1293	RM-2	40	density-lim	600			0.7	6	0.857142866	1	1	10589.59961	2427.599609	2427.599609	1.12
0149	028	2625	0.06	5400	3	55	80	2.5	5	2	6562	1162	RM-2	40	density-lim	600			0.7	4	0.800000012	1	1	7350	1950	1950	1.120085
0149	030	2500	0.06	2250	3	55	80	2.5	5	2	6250	4000	RM-2	40	density-lim	600			0.7	4	0.800000012	1	1	7000	4750	4750	1.12
0149	094	5133	0.12	1000	8	55	80	2.5	10	2	12832	11832	RM-2	40	density-lim	600			0.7	9	0.899999976	1	1	14372.39941	13372.39941	13372.39941	1.120044
0150	023	1400	0.03	4076	3	55	80	2.5	2	0	3500	0	RH-2	40	density-lim	1500			0.7	4	2	1	1	3920	0	0	1.12
0150	027	3512	0.08	3400	3	55	80	2.5	6	3	8780	5380	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	9833.599609	6433.599609	6433.599609	1.12
0151	015	1364	0.03	3291	3	55	80	2.5	2	0	3410	119	RH-3	65	density-lim	1000			0.7	4	2	1	1	5728.799805	2437.799805	2437.799805	1.68
0151	016A	1380	0.03	2678	3	55	80	2.5	2	0	3450	772	RH-2	65	density-lim	1500			0.7	4	2	1	1	5796	3118	3118	1.68
0151	030	1380	0.03	3363	3	55	80	2.5	2	0	3450	87	RH-2	40	density-lim	1500			0.7	4	2	1	1	3864	501	501	1.12
0151	033	1380	0.03	2384	3	55	80	2.5	2	0	3450	1066	RH-2	40	density-lim	1500			0.7	4	2	1	1	3864	1480	1480	1.12
0151	056	1380	0.03	2754	3	55	80	2.5	2	0	3450	696	RH-3	40	density-lim	1000			0.7	4	2	1	1	3864	1110	1110	1.12
0151	066	1380	0.03	3180	3	55	80	2.5	2	0	3450	270	RH-3	40	density-lim	1000			0.7	4	2	1	1	3864	684	684	1.12
0151	094	1350	0.03	853	3	55	80	2.5	2	0	3375	2522	RH-2	40	density-lim	1500			0.7	4	2	1	1	3780	2927	2927	1.12
0151	097	1350	0.03	2504	3	55	80	2.5	2	0	3375	871	RH-3	40	density-lim	1000			0.7	4	2	1	1	3780	1276	1276	1.12
0152	001	1165	0.03	2222	2	55	80	2.5	2	0	2912	690	RH-3	50	form-based		true	true	0.7	3	1.5	1	1	4077.5	1855.5	1855.5	1.40024
0152	006	1235	0.03	2320	2	55	80	2.5	2	0	3088	768	RH-3	50	form-based		true	true	0.7	3	1.5	1	1	4322.5	2002.5	2002.5	1.399773
0152	017	1207	0.03	3030	3	55	80	2.5	2	0	3018	0	RM-1	65	form-based			true	0.7	4	2	1	1	5069.399902	2039.399902	2039.399902	1.679722
0152	020	1259	0.03	3534	3	55	80	2.5	2	0	3148	0	RM-1	65	form-based		true	true	0.7	4	2	1	1	5287.799805	1753.799805	1753.799805	1.679733
0152	023	3401	0.08	6075	9	55	80	2.5	6	0	8502	2427	RM-1	50	form-based			true	0.7	10	1.666666627	1	1	11903.5	5828.5	5828.5	1.400082
0153	002	1573	0.04	3210	3	55	80	2.5	3	0	3932	722	RM-1	50	form-based			true	0.7	4	1.333333373	1	1	5505.5	2295.5	2295.5	1.400178
0153	003	1576	0.04	3450	3	55	80	2.5	3	0	3940	490	RM-1	50	form-based			true	0.7	4	1.333333373	1	1	5516	2066	2066	1.4
0153	007	2744	0.06	7746	7	55	80	2.5	5	0	6860	0	RM-1	50	form-based			true	0.7	8	1.600000024	1	1	9604	1858	1858	1.4
0154	008	1944	0.04	4575	6	55	80	2.5	3	0	4860	285	NCD-PACIF	65	form-based			true	0.75	7	2.333333254	1	0	8748	4173	4173	1.8
0154	016	873	0.02	1496	2	65	100	3	2	0	2619	1123	NCD-PACIF	65	form-based			true	0.75	3	1.5	1	1	3928.5	2432.5	2432.5	1.5
0155	023	2400	0.06	6930	8	55	80	2.5	5	0	6000	0	NCD-PACIF	65	form-based			true	0.75	9	1.799999952	1	1	10800	3870	3870	1.8
0155	062	1200	0.03	3932	4	55	80	2.5	2	0	3000	0	NCD-PACIF	65	form-based			true	0.75	5	2.5	1	0	5400	1468	1468	1.8
0156	011	1380	0.03	3027	0	55	80	2.5	2	2	3450	423	NCD-PACIF	40	density-lim	1000			0.75	1	0.5	1	1	4140	1113	1113	1.2
0156	048	1411	0.03	3020	3	55	80	2.5	2	0	3528	508	RH-3	65	density-lim	1000			0.7	4	2	1	1	5926.199707	2906.199707	2906.199707	1.679762
0156	057	1409	0.03	1550	1	55	80	2.5	2	1	3522	1972	RM-2	40	density-lim	600			0.7	2	1	1	1	3945.199951	2395.199951	2395.199951	1.120159
0156	072	1389	0.03	2346	0	55	80	2.5	2	2	3472	1126	NCD-PACIF	65	density-lim	1000			0.75	1	0.5	1	1	6250.5	3904.5	3904.5	1.800259
0157	003	1178	0.03	1981	1	55	80	2.5	2	1	2945	964	RM-2	40	density-lim	600			0.7	2	1	1	1	3298.399902	1317.399902	1317.399902	1.12
0157	015	1380	0.03	1059	1	55	80	2.5	2	1	3450	2391	RM-1	40	density-lim	800			0.7	2	1	1	1	3864	2805	2805	1.12
0157	016	1380	0.03	540	1	55	80	2.5	2	1	3450	2910	RM-1	40	density-lim	800			0.7	2	1	1	1	3864	3324	3324	1.12
0157	017	1380	0.03	1828	1	55	80	2.5	2	1	3450	1622	RM-1	40	density-lim	800			0.7	2	1	1	1	3864	2036	2036	1.12
0157	019	1476	0.03	1128	1	55	80	2.5	2	1	3690	2562	RM-1	40	density-lim	800			0.7	2	1	1	1	4132.799805	3004.799805	3004.799805	1.12
0157	027	1380	0.03	2007	3	55	80	2.5	2	0	3450	1443	RH-3	65	density-lim	1000			0.7	4	2	1	1	5796	3789	3789	1.68
0157	030	1380	0.03	2325	3	55	80	2.5	2	0	3450	1125	RH-3	65	density-lim	1000			0.7	4	2	1	1	5796	3471	3471	1.68
0157	031	1380	0.03	2616	3	55	80	2.5	2	0	3450	834	RH-3	65	density-lim	1000			0.7	4	2	1	1	5796	3180	3180	1.68
0157	032	1380	0.03	2685	3	55	80	2.5	2	0	3450	765	RH-3	65	density-lim	1000			0.7	4	2	1	1	5796	3111	3111	1.68
0157	035	1428	0.03	3150	3	55	80	2.5	2	0	3570	420	RH-3	40	density-lim	1000			0.7	4	2	1	1	3998.399902	848.3999023	848.3999023	1.12
0157	043A	1428	0.03	3192	3	55	80	2.5	2	0	3570	378	RH-3	40	density-lim	1000			0.7	4	2	1	1	3998.399902	806.3999023	806.3999023	1.12
0157	051	1410	0.03	3785	3	55	80	2.5	2	0	3525	0	RH-3	40	density-lim	1000			0.7	4	2	1	1	3948	163	163	1.12
0157	056	1134	0.03	1649	3	55	80	2.5	2	0	2835	1186	RH-3	40	density-lim	1000			0.7	4	2	1	1	3175.199951	1526.199951	1526.199951	1.12
0157	061	1410	0.03	2438	3	55	80	2.5	2	0	3525	1087	RH-3	40	density-lim	1000			0.7	4	2	1	1	3948	1510	1510	1.12
0157	064	1380	0.03	2675	3	55	80	2.5	2	0	3450	775	RH-3	65	density-lim	1000			0.7	4	2	1	1	5796	3121	3121	1.68
0157	069	1431	0.03	924	3	55	80	2.5	2	0	3578	2654	RH-3	40	density-lim	1000			0.7	4	2	1	1	4006.800049	3082.800049	3082.800049	1.119843
0157	072	1416	0.03	1020	3	55	80	2.5	2	0	3540	2520	RH-3	40	density-lim	1000			0.7	4	2	1	1	3964.800049	2944.800049	2944.800049	1.12
0157	075	1590	0.04	765	3	55	80	2.5	3	0	3975	3210	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	4452	3687	3687	1.12
0158	007	3031	0.07	4923	4	65	100	3	7	3	9093	4170	RM-2	40	density-lim	600			0.7	5	0.714285731	1	1	8486.799805	3563.799805	3563.799805	0.933333
0158	018	1233	0.03	1980	2	55	80	2.5	2	0	3082	1102	RC-3	65	density-lim	400			0.75	3	1.5	1	1	5548.5	3568.5	3568.5	1.800292
0158	019	1539	0.04	3237	3	55	80	2.5	3	0	3848	611	RC-3	65	density-lim	400			0.75	4	1.333333373	1	1	6925.5	3688.5	3688.5	1.799766
0158	027	1668	0.04	2556	2	55	80	2.5	3	1	4170	1614	RM-2	40	density-lim	600	true		0.7	3	1	1	1	4670.399902	2114.399902	2114.399902	1.12
0158	037	1200	0.03	1800	1	55	80	2.5	2	1	3000	1200	RM-2	40	density-lim	600			0.7	2	1	1	1	3360	1560	1560	1.12
0159	009	868	0.02	2520	3	65	100	3	2	0	2604	84	RH-3	40	density-lim	1000			0.7	4	2	1	1	2430.399902	0	0	0.933333
0159	012	1750	0.04	2910	3	65	100	3	4	1	5250	2340	RC-3	65	density-lim	400			0.75	4	1	1	1	7875	4965	4965	1.5
0159	016	1762	0.04	2624	3	65	100	3	4	1	5286	2662	RC-3	65	density-lim	400			0.75	4	1	1	1	7929	5305	5305	1.5
0159	025	1288	0.03	3240	3	65	100	3	3	0	3864	624	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3606.399902	366.3999023	366.3999023	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0159	027	1400	0.03	3240	3	65	100	3	3	0	4200	960	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3920	680	680	0.933333
0159	028	1400	0.03	3249	3	65	100	3	3	0	4200	951	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3920	671	671	0.933333
0159	028A	1400	0.03	3240	3	65	100	3	3	0	4200	960	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3920	680	680	0.933333
0159	029	1400	0.03	3240	3	65	100	3	3	0	4200	960	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3920	680	680	0.933333
0159	033	1400	0.03	3972	3	65	100	3	3	0	4200	228	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3920	0	0	0.933333
0159	034	1402	0.03	3104	3	65	100	3	3	0	4206	1102	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3925.599854	821.5998535	821.5998535	0.933333
0159	037	1878	0.04	6216	8	65	100	3	4	0	5634	0	CCB	65	density-lim	200	true		0.75	9	2.25	1	0	8451	2235	2235	1.5
0159	050	3977	0.09	5027	6	65	100	3	9	3	11931	6904	RM-2	40	density-lim	600			0.7	7	0.777777791	1	1	11135.59961	6108.599609	6108.599609	0.933333
0161	018	2852	0.07	9669	13	65	100	3	7	0	8556	0	CRNC	85	density-lim	200	true		0.75	14	2	1	1	17112	7443	7443	2
0163	023	1516	0.03	4641	3	55	80	2.5	2	0	3790	0	NCD-BROA	65	density-lim	400			0.75	4	2	1	1	6822	2181	2181	1.8
0164	029	1150	0.03	2200	0	65	100	3	3	3	3450	1250	C-2	65	density-lim	800			0.8	1	0.333333343	1	1	5520	3320	3320	1.6
0175	022	785	0.02	2300	0	65	100	3	2	2	2355	55	C-2	65	density-lim	800			0.8	1	0.5	1	1	3768	1468	1468	1.6
0176	023	814	0.02	2385	0	65	100	3	2	2	2442	57	C-2	65	density-lim	800	true		0.8	1	0.5	1	1	3907.199951	1522.199951	1522.199951	1.6
0179	015	7906	0.18	25478	39	65	100	3	18	0	23718	0	CRNC	65	density-lim	200	true		0.75	40	2.222222328	1	0	35577	10099	10099	1.5
0179	030	1373	0.03	2494	6	65	100	3	3	0	4119	1625	CRNC	65	density-lim	200			0.75	7	2.333333254	1	0	6178.5	3684.5	3684.5	1.5
0179	032	1425	0.03	3551	6	65	100	3	3	0	4275	724	CRNC	65	density-lim	200			0.75	7	2.333333254	1	0	6412.5	2861.5	2861.5	1.5
0180	010	1568	0.04	4218	3	65	100	3	4	1	4704	486	RH-3	65	density-lim	1000			0.7	4	1	1	1	6585.600098	2367.600098	2367.600098	1.4
0180	017	1725	0.04	6578	3	65	100	3	4	1	5175	0	RH-3	65	density-lim	1000			0.7	4	1	1	1	7245	667	667	1.4
0180	026	1369	0.03	3360	3	65	100	3	3	0	4107	747	RH-3	65	density-lim	1000			0.7	4	1.333333373	1	1	5749.799805	2389.799805	2389.799805	1.4
0180	033	1183	0.03	2528	3	65	100	3	3	0	3549	1021	RH-3	65	density-lim	1000			0.7	4	1.333333373	1	1	4968.600098	2440.600098	2440.600098	1.4
0180	035	1384	0.03	3078	3	65	100	3	3	0	4152	1074	RH-3	65	density-lim	1000			0.7	4	1.333333373	1	1	5812.799805	2734.799805	2734.799805	1.4
0180	039	1384	0.03	1756	3	65	100	3	3	0	4152	2396	RH-3	65	density-lim	1000			0.7	4	1.333333373	1	1	5812.799805	4056.799805	4056.799805	1.4
0180	042	3750	0.09	8753	8	65	100	3	9	1	11250	2497	RC-3	65	density-lim	400	true		0.75	9	1	1	1	16875	8122	8122	1.5
0180	049	1191	0.03	1731	2	65	100	3	3	1	3573	1842	RC-3	65	density-lim	400			0.75	3	1	1	1	5359.5	3628.5	3628.5	1.5
0180	051	1413	0.03	4378	3	65	100	3	3	0	4239	0	RC-3	65	density-lim	400			0.75	4	1.333333373	1	1	6358.5	1980.5	1980.5	1.5
0181	002	1692	0.04	4083	3	65	100	3	4	1	5076	993	RC-3	65	density-lim	400			0.75	4	1	1	1	7614	3531	3531	1.5
0181	007	1739	0.04	3395	3	65	100	3	4	1	5217	1822	RC-3	65	density-lim	400			0.75	4	1	1	1	7825.5	4430.5	4430.5	1.5
0181	009	1372	0.03	3615	3	65	100	3	3	0	4116	501	RH-3	65	density-lim	1000			0.7	4	1.333333373	1	1	5762.399902	2147.399902	2147.399902	1.4
0181	010	1372	0.03	3765	3	65	100	3	3	0	4116	351	RH-3	65	density-lim	1000			0.7	4	1.333333373	1	1	5762.399902	1997.399902	1997.399902	1.4
0181	017	1991	0.05	4170	3	55	80	2.5	4	1	4978	808	RH-3	65	density-lim	1000			0.7	4	1	1	1	8362.200195	4192.200195	4192.200195	1.679831
0181	018	1975	0.05	4170	3	55	80	2.5	4	1	4938	768	RH-3	65	density-lim	1000			0.7	4	1	1	1	8295	4125	4125	1.67983
0181	019	1840	0.04	4320	3	55	80	2.5	3	0	4600	280	RH-3	65	density-lim	1000			0.7	4	1.333333373	1	1	7728	3408	3408	1.68
0181	031	1692	0.04	2988	3	55	80	2.5	3	0	4230	1242	RC-3	65	density-lim	400			0.75	4	1.333333373	1	1	7614	4626	4626	1.8
0181	035	1325	0.03	3627	3	65	100	3	3	0	3975	348	RH-3	65	density-lim	1000			0.7	4	1.333333373	1	1	5565	1938	1938	1.4
0181	037	1325	0.03	3270	3	65	100	3	3	0	3975	705	RH-3	65	density-lim	1000			0.7	4	1.333333373	1	1	5565	2295	2295	1.4
0181	038	1325	0.03	3261	3	65	100	3	3	0	3975	714	RH-3	65	density-lim	1000			0.7	4	1.333333373	1	1	5565	2304	2304	1.4
0181	042	1150	0.03	2470	3	65	100	3	3	0	3450	980	RH-3	65	density-lim	1000			0.7	4	1.333333373	1	1	4830	2360	2360	1.4
0181	045	916	0.02	2241	1	55	80	2.5	2	1	2290	49	RC-3	65	density-lim	400	true		0.75	2	1	1	1	4122	1881	1881	1.8
0181	045A	1714	0.04	2729	3	65	100	3	4	1	5142	2413	RC-3	65	density-lim	400			0.75	4	1	1	1	7713	4984	4984	1.5
0181	046	1505	0.03	3003	3	65	100	3	3	0	4515	1512	RC-3	65	density-lim	400			0.75	4	1.333333373	1	1	6772.5	3769.5	3769.5	1.5
0181	048	1499	0.03	2948	3	65	100	3	3	0	4497	1549	RC-3	65	density-lim	400			0.75	4	1.333333373	1	1	6745.5	3797.5	3797.5	1.5
0182	014	2968	0.07	6013	6	55	80	2.5	6	0	7420	1407	RM-3	65	density-lim	400			0.75	7	1.166666627	1	1	13356	7343	7343	1.8
0182	018	1665	0.04	2400	3	55	80	2.5	3	0	4162	1762	RM-3	65	density-lim	400			0.75	4	1.333333373	1	1	7492.5	5092.5	5092.5	1.800216
0182	031B	2008	0.05	2440	2	55	80	2.5	4	2	5020	2580	RM-1	40	density-lim	800	true		0.7	3	0.75	1	1	5622.399902	3182.399902	3182.399902	1.12
0182	034	2104	0.05	2192	2	55	80	2.5	4	2	5260	3068	RM-1	40	density-lim	800			0.7	3	0.75	1	1	5891.199707	3699.199707	3699.199707	1.12
0182	035	2105	0.05	2470	2	55	80	2.5	4	2	5262	2792	RM-1	40	density-lim	800			0.7	3	0.75	1	1	5894	3424	3424	1.120106
0183	005	2605	0.06	7662	6	55	80	2.5	5	0	6512	0	RM-3	65	density-lim	400			0.75	7	1.399999976	1	1	11722.5	4060.5	4060.5	1.800138
0183	006	2635	0.06	6510	6	55	80	2.5	5	0	6588	78	RM-3	65	density-lim	400			0.75	7	1.399999976	1	1	11857.5	5347.5	5347.5	1.799863
0183	009	2807	0.06	4986	6	55	80	2.5	5	0	7018	2032	RM-3	65	density-lim	400			0.75	7	1.399999976	1	1	12631.5	7645.5	7645.5	1.799872
0183	013	3903	0.09	4680	3	55	80	2.5	7	4	9758	5078	RH-3	50	density-lim	1000			0.7	4	0.571428597	1	1	13660.5	8980.5	8980.5	1.399928
0183	014	3929	0.09	4536	3	55	80	2.5	7	4	9822	5286	RH-3	50	density-lim	1000			0.7	4	0.571428597	1	1	13751.5	9215.5	9215.5	1.400071
0183	035	3229	0.07	2446	2	55	80	2.5	6	4	8072	5626	NCD-PACIF	40	density-lim	1000			0.75	3	0.5	1	1	9687	7241	7241	1.200074
0183	036	3230	0.07	2360	2	55	80	2.5	6	4	8075	5715	NCD-PACIF	40	density-lim	1000			0.75	3	0.5	1	1	9690	7330	7330	1.2
0183	040	3220	0.07	1353	3	55	80	2.5	6	3	8050	6697	RH-3	50	density-lim	1000			0.7	4	0.666666687	1	1	11270	9917	9917	1.4
0183	054	1576	0.04	3900	3	55	80	2.5	3	0	3940	40	RM-3	65	density-lim	400			0.75	4	1.333333373	1	1	7092	3192	3192	1.8
0184	004	2310	0.05	8600	8	55	80	2.5	4	0	5775	0	RM-3	65	form-based			true	0.75	9	2.25	1	0	10395	1795	1795	1.8
0184	007	2621	0.06	3660	9	55	80	2.5	5	0	6552	2892	RM-3	65	form-based			true	0.75	10	2	1	1	11794.5	8134.5	8134.5	1.800137
0184	035	2740	0.06	6180	7	55	80	2.5	5	0	6850	670	NCD-PACIF	50	form-based			true	0.75	8	1.600000024	1	1	10275	4095	4095	1.5
0185	006	1358	0.03	4005	4	55	80	2.5	2	0	3395	0	NCD-PACIF	65	form-based			true	0.75	5	2.5	1	0	6111	2106	2106	1.8
0185	038	921	0.02	1575	2	65	100	3	2	0	2763	1188	NCD-PACIF	65	form-based		true	true	0.75	3	1.5	1	1	4144.5	2569.5	2569.5	1.5
0185	040	1889	0.04	4200	6	65	100	3	4	0	5667	1467	NCD-PACIF	65	form-based			true	0.75	7	1.75	1	1	8500.5	4300.5	4300.5	1.5
0186	006B	344	0.01	6600	0	65	100	3	1	1	1032	0	RM-3	65	density-lim	400			0.75	1	1	1	1	1548	0	0	1.5
0186	018	2062	0.05	5166	6	65	100	3	5	0	6186	1020	RM-2	65	form-based			true	0.7	7	1.399999976	1	1	8660.399414	3494.399414	3494.399414	1.4
0186	021	3781	0.09	7086	12	65	100	3	9	0	11343	4257	RM-2	65	form-based			true	0.7	13	1.444444418	1	1	15880.2002	8794.200195	8794.200195	1.4

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0187	004	2140	0.05	6602	7	55	80	2.5	4	0	5350	0	RM-3	65	form-based			true	0.75	8	2	1	1	9630	3028	3028	1.8
0187	034	2190	0.05	4845	7	55	80	2.5	4	0	5475	630	RM-3	65	form-based			true	0.75	8	2	1	1	9855	5010	5010	1.8
0188	013	1373	0.03	3325	2	55	80	2.5	2	0	3432	107	RM-3	65	density-lim	400			0.75	3	1.5	1	1	6178.5	2853.5	2853.5	1.800262
0188	019A	2617	0.06	6525	6	55	80	2.5	5	0	6542	17	RM-3	50	density-lim	400	true		0.75	7	1.399999976	1	1	9813.75	3288.75	3288.75	1.500115
0188	020	4213	0.1	4622	3	55	80	2.5	8	5	10532	5910	RH-3	50	density-lim	1000			0.7	4	0.5	1	1	14745.5	10123.5	10123.5	1.400066
0188	021	3436	0.08	4500	3	55	80	2.5	6	3	8590	4090	RH-3	50	density-lim	1000			0.7	4	0.666666687	1	1	12026	7526	7526	1.4
0188	022	3484	0.08	4500	3	55	80	2.5	6	3	8710	4210	RH-3	50	density-lim	1000			0.7	4	0.666666687	1	1	12194	7694	7694	1.4
0188	023	3458	0.08	4500	3	55	80	2.5	6	3	8645	4145	RH-3	50	density-lim	1000			0.7	4	0.666666687	1	1	12103	7603	7603	1.4
0188	026	3453	0.08	4400	3	55	80	2.5	6	3	8632	4232	RH-3	50	density-lim	1000			0.7	4	0.666666687	1	1	12085.5	7685.5	7685.5	1.400081
0188	027	2641	0.06	5790	6	55	80	2.5	5	0	6602	812	RM-3	65	density-lim	400			0.75	7	1.399999976	1	1	11884.5	6094.5	6094.5	1.800136
0189	003	5800	0.13	15089	14	55	80	2.5	10	0	14500	0	RM-3	65	density-lim	400			0.75	15	1.5	1	1	26100	11011	11011	1.8
0189	013	3219	0.07	7075	7	55	80	2.5	6	0	8048	973	RM-3	65	density-lim	400			0.75	8	1.333333373	1	1	14485.5	7410.5	7410.5	1.799888
0189	019D	2873	0.07	2526	3	55	80	2.5	6	3	7182	4656	RH-3	50	density-lim	1000			0.7	4	0.666666687	1	1	10055.5	7529.5	7529.5	1.400097
0189	020	1705	0.04	4539	3	55	80	2.5	3	0	4262	0	RH-3	50	density-lim	1000			0.7	4	1.333333373	1	1	5967.5	1428.5	1428.5	1.400164
0189	021	1703	0.04	4353	3	55	80	2.5	3	0	4258	0	RH-3	50	density-lim	1000			0.7	4	1.333333373	1	1	5960.5	1607.5	1607.5	1.399836
0189	045	4070	0.09	1667	3	55	80	2.5	7	4	10175	8508	RH-3	50	density-lim	1000			0.7	4	0.571428597	1	1	14245	12578	12578	1.4
0191	008	1375	0.03	2720	2	65	100	3	3	1	4125	1405	RM-3	65	density-lim	400			0.75	3	1	1	1	6187.5	3467.5	3467.5	1.5
0191	014	4125	0.09	7176	9	65	100	3	9	0	12375	5199	RC-3	65	density-lim	400			0.75	10	1.111111164	1	1	18562.5	11386.5	11386.5	1.5
0191	015	1564	0.04	2850	3	65	100	3	4	1	4692	1842	RC-3	65	density-lim	400			0.75	4	1	1	1	7038	4188	4188	1.5
0191	029	1599	0.04	3442	3	65	100	3	4	1	4797	1355	RM-3	65	density-lim	400			0.75	4	1	1	1	7195.5	3753.5	3753.5	1.5
0191	030	1598	0.04	3442	3	65	100	3	4	1	4794	1352	RM-3	65	density-lim	400			0.75	4	1	1	1	7191	3749	3749	1.5
0191	031	1580	0.04	2361	3	65	100	3	4	1	4740	2379	RM-3	65	density-lim	400			0.75	4	1	1	1	7110	4749	4749	1.5
0193	035	360	0.01	600	1	65	100	3	1	0	1080	480	CVR	50	density-lim	200			0.75	2	2	1	1	1350	750	750	1.25
0194	021	855	0.02	2520	3	65	100	3	2	0	2565	45	CVR	50	density-lim	200			0.75	4	2	1	1	3206.25	686.25	686.25	1.25
0210	005	3705	0.09	17285	18	65	100	3	9	0	11115	0	CVR	50	density-lim	200	true		0.75	19	2.111111164	1	0	13893.75	0	0	1.25
0210	007	1000	0.02	3000	4	65	100	3	2	0	3000	0	CRNC	50	density-lim	200	true		0.75	5	2.5	1	0	3750	750	750	1.25
0210	037	1965	0.05	7860	9	65	100	3	5	0	5895	0	CRNC	50	density-lim	200			0.75	10	2	1	1	7368.75	0	0	1.25
0211	004	1897	0.04	8058	8	65	100	3	4	0	5691	0	CRNC	85	density-lim	200	true		0.75	9	2.25	1	0	11382	3324	3324	2
0211	005	1338	0.03	3762	6	85	140	4	4	0	5352	1590	CRNC	85	density-lim	200			0.75	7	1.75	1	1	8028	4266	4266	1.5
0212	010	1758	0.04	4170	3	65	100	3	4	1	5274	1104	RM-3	65	density-lim	400	true		0.75	4	1	1	1	7911	3741	3741	1.5
0212	014	1736	0.04	4300	3	65	100	3	4	1	5208	908	RM-3	65	density-lim	400	true		0.75	4	1	1	1	7812	3512	3512	1.5
0212	025	1649	0.04	4500	3	65	100	3	4	1	4947	447	RM-3	65	density-lim	400	true		0.75	4	1	1	1	7420.5	2920.5	2920.5	1.5
0212	035	1217	0.03	1820	2	65	100	3	3	1	3651	1831	RM-3	65	density-lim	400			0.75	3	1	1	1	5476.5	3656.5	3656.5	1.5
0212	036A	1328	0.03	2800	2	65	100	3	3	1	3984	1184	RM-3	65	density-lim	400			0.75	3	1	1	1	5976	3176	3176	1.5
0212	038	1758	0.04	4698	3	65	100	3	4	1	5274	576	RM-3	65	density-lim	400			0.75	4	1	1	1	7911	3213	3213	1.5
0212	039	1143	0.03	2070	2	65	100	3	3	1	3429	1359	RM-3	65	density-lim	400			0.75	3	1	1	1	5143.5	3073.5	3073.5	1.5
0212	040	1150	0.03	2060	2	65	100	3	3	1	3450	1390	RM-3	65	density-lim	400			0.75	3	1	1	1	5175	3115	3115	1.5
0212	042	1197	0.03	3530	2	65	100	3	3	1	3591	61	RM-3	65	density-lim	400			0.75	3	1	1	1	5386.5	1856.5	1856.5	1.5
0212	051	2448	0.06	824	5	65	100	3	6	1	7344	6520	RM-3	65	density-lim	400			0.75	6	1	1	1	11016	10192	10192	1.5
0213	002	2379	0.05	7281	8	65	100	3	5	0	7137	0	RM-3	65	form-based		true	true	0.75	9	1.799999952	1	1	10705.5	3424.5	3424.5	1.5
0213	013	3850	0.09	8466	13	65	100	3	9	0	11550	3084	RM-3	65	form-based			true	0.75	14	1.555555582	1	1	17325	8859	8859	1.5
0215	004	3595	0.08	8700	12	55	80	2.5	6	0	8988	288	RM-3	65	form-based		true	true	0.75	13	2.166666746	1	0	16177.5	7477.5	7477.5	1.7999
0217	018	3875	0.09	9009	14	65	100	3	9	0	11625	2616	RM-3	65	form-based			true	0.75	15	1.666666627	1	1	17437.5	8428.5	8428.5	1.5
0217	020	4031	0.09	7475	14	65	100	3	9	0	12093	4618	RM-3	65	form-based			true	0.75	15	1.666666627	1	1	18139.5	10664.5	10664.5	1.5
0218	006	2099	0.05	5220	7	55	80	2.5	4	0	5248	28	RM-3	65	form-based			true	0.75	8	2	1	1	9445.5	4225.5	4225.5	1.799829
0218	016	4080	0.09	10230	14	65	100	3	9	0	12240	2010	RM-3	65	form-based			true	0.75	15	1.666666627	1	1	18360	8130	8130	1.5
0221	006	1400	0.03	3128	4	55	80	2.5	2	0	3500	372	RM-3	65	form-based			true	0.75	5	2.5	1	0	6300	3172	3172	1.8
0221	008	1380	0.03	3765	4	55	80	2.5	2	0	3450	0	RM-3	65	form-based			true	0.75	5	2.5	1	0	6210	2445	2445	1.8
0221	020	1206	0.03	2080	4	55	80	2.5	2	0	3015	935	RM-3	65	form-based			true	0.75	5	2.5	1	0	5427	3347	3347	1.8
0221	151	1410	0.03	1039	4	55	80	2.5	2	0	3525	2486	RM-3	65	form-based			true	0.75	5	2.5	1	0	6345	5306	5306	1.8
0222	020	1840	0.04	4513	6	55	80	2.5	3	0	4600	87	RM-3	65	form-based			true	0.75	7	2.333333254	1	0	8280	3767	3767	1.8
0222	025	2257	0.05	5678	7	55	80	2.5	4	0	5642	0	RM-3	65	form-based			true	0.75	8	2	1	1	10156.5	4478.5	4478.5	1.80016
0222	043	1984	0.05	5670	6	65	100	3	5	0	5952	282	RM-3	65	form-based			true	0.75	7	1.399999976	1	1	8928	3258	3258	1.5
0223	013	1540	0.04	4232	3	65	100	3	4	1	4620	388	RM-3	65	density-lim	400	true		0.75	4	1	1	1	6930	2698	2698	1.5
0223	020	1176	0.03	1664	2	65	100	3	3	1	3528	1864	RM-3	65	density-lim	400			0.75	3	1	1	1	5292	3628	3628	1.5
0223	062	1379	0.03	1688	2	65	100	3	3	1	4137	2449	RM-3	65	density-lim	400			0.75	3	1	1	1	6205.5	4517.5	4517.5	1.5
0224	007	2252	0.05	4410	10	65	100	3	5	0	6756	2346	RM-4	65	density-lim	200			0.75	11	2.200000048	1	0	10134	5724	5724	1.5
0225	028	771	0.02	2436	3	65	100	3	2	0	2313	0	CRNC	50	density-lim	200			0.75	4	2	1	1	2891.25	455.25	455.25	1.25
0226	012	1176	0.03	3468	5	65	100	3	3	0	3528	60	CCB	50	density-lim	200			0.75	6	2	1	1	4410	942	942	1.25
0226	048	1575	0.04	5500	7	65	100	3	4	0	4725	0	CCB	50	density-lim	200			0.75	8	2	1	1	5906.25	406.25	406.25	1.25
0241	019A	275	0.01	0	0	65	100	3	1	1	825	825	CCB	50	density-lim	200			0.75	1	1	1	1	1031.25	1031.25	1031.25	1.25
0243	055	1518	0.03	4101	7	65	100	3	3	0	4554	453	RM-4	65	density-lim	200			0.75	8	2.666666746	1	0	6831	2730	2730	1.5
0247	026	2012	0.05	6943	7	55	80	2.5	4	0	5030	0	RM-3	65	form-based			true	0.75	8	2	1	1	9054	2111	2111	1.8
0248	008	1875	0.04	5502	6	55	80	2.5	3	0	4688	0	RM-3	65	form-based			true	0.75	7	2.333333254	1	0	8437.5	2935.5	2935.5	1.799808

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0248	017	3772	0.09	9435	13	55	80	2.5	7	0	9430	0	RM-3	65	form-based			true	0.75	14	2	1	1	16974	7539	7539	1.8
0252	013	6880	0.16	17002	33	55	80	2.5	13	0	17200	198	RM-4	65	density-lim	200	true		0.75	34	2.615384579	1	0	30960	13958	13958	1.8
0254	008	1438	0.03	4140	3	65	100	3	3	0	4314	174	RM-3	65	density-lim	400			0.75	4	1.333333373	1	1	6471	2331	2331	1.5
0256T	001M	3438	0.08	14317	16	65	100	3	8	0	10314	0	RM-4	65	density-lim	200	true		0.75	17	2.125	1	0	15471	1154	1154	1.5
0258	014	1875	0.04	5445	8	65	100	3	4	0	5625	180	CCB	50	density-lim	200			0.75	9	2.25	1	0	7031.25	1586.25	1586.25	1.25
0272	028	1532	0.04	3992	7	65	100	3	4	0	4596	604	RM-4	65	density-lim	200			0.75	8	2	1	1	6894	2902	2902	1.5
0273	026	870	0.02	860	3	65	100	3	2	0	2610	1750	RC-4	65	density-lim	200	true		0.75	4	2	1	1	3915	3055	3055	1.5
0274	011	4571	0.1	16320	22	65	100	3	10	0	13713	0	RC-4	65	density-lim	200			0.75	23	2.299999952	1	0	20569.5	4249.5	4249.5	1.5
0276	026	3446	0.08	10200	16	65	100	3	8	0	10338	138	RM-4	65	density-lim	200			0.75	17	2.125	1	0	15507	5307	5307	1.5
0283	002	2206	0.05	8000	10	65	100	3	5	0	6618	0	RC-4	65	density-lim	200			0.75	11	2.200000048	1	0	9927	1927	1927	1.5
0283	023	6135	0.14	3985	14	65	100	3	14	0	18405	14420	C-3-G	40	form-based		true		0.8	15	1.071428537	1	1	19632	15647	15647	1.066667
0287	022	3438	0.08	17185	30	85	140	4	11	0	13752	0	C-3-O	130	form-based		true		0.8	31	2.818181753	1	0	30942	13757	10319	2.25
0299	012	2187	0.05	5640	10	65	100	3	5	0	6561	921	RC-4	80	density-lim	200			0.75	11	2.200000048	1	0	13122	7482	7482	2
0300	003A	2784	0.06	6150	13	65	100	3	6	0	8352	2202	RC-4	80	density-lim	200			0.75	14	2.333333254	1	0	16704	10554	10554	2
0301	005	1566	0.04	4992	7	65	100	3	4	0	4698	0	RC-4	130	density-lim	200			0.75	8	2	1	1	14094	9102	4404	3
0301	021	4031	0.09	15580	19	65	100	3	9	0	12093	0	RC-4	130	density-lim	200			0.75	20	2.222222328	1	0	36279	20699	8606	3
0304	013	1576	0.04	7190	7	85	140	4	6	0	6304	0	RC-4	80	density-lim	200			0.75	8	1.333333373	1	1	9456	2266	2266	1.5
0319	005	3650	0.08	11213	17	85	140	4	11	0	14600	3387	RC-4	80	density-lim	200			0.75	18	1.636363626	1	1	21900	10687	10687	1.5
0319	009	1722	0.04	4080	8	65	100	3	4	0	5166	1086	RC-4	80	density-lim	200			0.75	9	2.25	1	0	10332	6252	6252	2
0319	020	2740	0.06	4620	13	65	100	3	6	0	8220	3600	RC-4	80	density-lim	200			0.75	14	2.333333254	1	0	16440	11820	11820	2
0320	022	1964	0.05	6550	9	65	100	3	5	0	5892	0	RC-4	80	density-lim	200			0.75	10	2	1	1	11784	5234	5234	2
0335	001B	3818	0.09	10910	18	65	100	3	9	0	11454	544	RC-4	80	density-lim	200			0.75	19	2.111111164	1	0	22908	11998	11998	2
0345	012	4813	0.11	10860	23	75	120	3.5	13	0	16846	5986	RC-4	80	density-lim	200			0.75	24	1.846153855	1	1	28878	18018	18018	1.714235
0453	001	1218	0.03	2430	2	65	100	3	3	1	3654	1224	NC-1	40	form-based		true	true	0.75	3	1	1	1	3654	1224	1224	1
0471	002G	2500	0.06	3868	4	55	80	2.5	5	1	6250	2382	RH-3	40	form-based			true	0.7	5	1	1	1	7000	3132	3132	1.12
0472	012	6255	0.14	14121	12	65	100	3	14	2	18765	4644	RH-3	40	form-based			true	0.7	13	0.928571403	1	1	17514	3393	3393	0.933333
0472	026	2500	0.06	3628	4	65	100	3	6	2	7500	3872	RM-1	40	form-based			true	0.7	5	0.833333313	1	1	7000	3372	3372	0.933333
0472	057	2500	0.06	758	4	55	80	2.5	5	1	6250	5492	RH-3	40	form-based			true	0.7	5	1	1	1	7000	6242	6242	1.12
0472	063	2500	0.06	742	4	55	80	2.5	5	1	6250	5508	RH-3	40	form-based			true	0.7	5	1	1	1	7000	6258	6258	1.12
0473	019A	6024	0.14	10425	12	65	100	3	14	2	18072	7647	RM-1	40	form-based			true	0.7	13	0.928571403	1	1	16867.19922	6442.199219	6442.199219	0.933333
0474	011	1125	0.03	1710	1	65	100	3	3	2	3375	1665	RM-1	40	form-based			true	0.7	2	0.666666687	1	1	3150	1440	1440	0.933333
0477	013	1925	0.04	3156	3	65	100	3	4	1	5775	2619	RH-2	40	form-based			true	0.7	4	1	1	1	5390	2234	2234	0.933333
0477	016B	1347	0.03	2340	2	65	100	3	3	1	4041	1701	RH-2	40	form-based		true	true	0.7	3	1	1	1	3771.599854	1431.599854	1431.599854	0.933333
0477	028	3781	0.09	5763	7	65	100	3	9	2	11343	5580	RH-2	40	form-based			true	0.7	8	0.888888896	1	1	10586.7998	4823.799805	4823.799805	0.933333
0477	048	1286	0.03	875	2	65	100	3	3	1	3858	2983	RH-2	40	form-based			true	0.7	3	1	1	1	3600.800049	2725.800049	2725.800049	0.933333
0478	014	3855	0.09	9045	13	85	140	4	13	0	15420	6375	RTO-C	65	form-based			true	0.75	14	1.076923132	1	1	17347.5	8302.5	8302.5	1.125
0478	015A	3223	0.07	7701	11	85	140	4	10	0	12892	5191	RTO-C	65	form-based		true	true	0.75	12	1.200000048	1	1	14503.5	6802.5	6802.5	1.125
0481	009	5469	0.13	13125	20	65	100	3	13	0	16407	3282	RTO-C	65	form-based		true	true	0.75	21	1.615384579	1	1	24610.5	11485.5	11485.5	1.5
0481	030	2600	0.06	4646	4	65	100	3	6	2	7800	3154	RH-3	40	form-based		true	true	0.7	5	0.833333313	1	1	7280	2634	2634	0.933333
0482	007	4135	0.09	10041	15	55	80	2.5	7	0	10338	297	RTO-C	65	form-based		true	true	0.75	16	2.285714388	1	0	18607.5	8566.5	8566.5	1.799913
0482	024	2500	0.06	3550	4	55	80	2.5	5	1	6250	2700	RM-2	40	form-based			true	0.7	5	1	1	1	7000	3450	3450	1.12
0494	001	3485	0.08	8550	12	55	80	2.5	6	0	8712	162	RTO-C	65	form-based		true	true	0.75	13	2.166666746	1	0	15682.5	7132.5	7132.5	1.800103
0494	025	1451	0.03	2310	4	55	80	2.5	2	0	3628	1318	RTO-C	65	form-based			true	0.75	5	2.5	1	0	6529.5	4219.5	4219.5	1.799752
0498	006	2750	0.06	7125	9	65	100	3	6	0	8250	1125	RC-3	65	form-based			true	0.75	10	1.666666627	1	1	12375	5250	5250	1.5
0499	001A	2999	0.07	7584	7	65	100	3	7	0	8997	1413	RM-1	50	form-based			true	0.7	8	1.142857194	1	1	10496.5	2912.5	2912.5	1.166667
0499	001B	2999	0.07	7584	7	65	100	3	7	0	8997	1413	RM-1	50	form-based			true	0.7	8	1.142857194	1	1	10496.5	2912.5	2912.5	1.166667
0500	014	1536	0.04	3730	3	65	100	3	4	1	4608	878	RH-3	50	form-based			true	0.7	4	1	1	1	5376	1646	1646	1.166667
0501	010	2645	0.06	6452	6	65	100	3	6	0	7935	1483	RH-3	50	form-based		true	true	0.7	7	1.166666627	1	1	9257.5	2805.5	2805.5	1.166667
0503	026	4572	0.1	8844	9	65	100	3	10	1	13716	4872	RH-3	40	form-based			true	0.7	10	1	1	1	12801.59961	3957.599609	3957.599609	0.933333
0506	055	3189	0.07	1106	6	55	80	2.5	6	0	7972	6866	RH-2	40	form-based			true	0.7	7	1.166666627	1	1	8929.200195	7823.200195	7823.200195	1.12007
0508	007	1500	0.03	2250	2	55	80	2.5	2	0	3750	1500	RH-2	40	form-based			true	0.7	3	1.5	1	1	4200	1950	1950	1.12
0508	007B	1500	0.03	2360	2	55	80	2.5	2	0	3750	1390	RH-2	40	form-based			true	0.7	3	1.5	1	1	4200	1840	1840	1.12
0508	022	1500	0.03	3029	2	55	80	2.5	2	0	3750	721	RH-2	40	form-based			true	0.7	3	1.5	1	1	4200	1171	1171	1.12
0508	023	1500	0.03	2360	2	55	80	2.5	2	0	3750	1390	RH-2	40	form-based			true	0.7	3	1.5	1	1	4200	1840	1840	1.12
0508	026	1500	0.03	1776	2	55	80	2.5	2	0	3750	1974	RH-2	40	form-based			true	0.7	3	1.5	1	1	4200	2424	2424	1.12
0508	036	1500	0.03	1700	2	55	80	2.5	2	0	3750	2050	RH-2	40	form-based			true	0.7	3	1.5	1	1	4200	2500	2500	1.12
0517	031	1300	0.03	1750	2	55	80	2.5	2	0	3250	1500	RH-2	40	form-based			true	0.7	3	1.5	1	1	3640	1890	1890	1.12
0517	046	1650	0.04	1426	2	55	80	2.5	3	1	4125	2699	RH-2	40	form-based			true	0.7	3	1	1	1	4620	3194	3194	1.12
0518	008	2434	0.06	3672	4	55	80	2.5	5	1	6085	2413	RH-2	40	form-based		true	true	0.7	5	1	1	1	6815.199707	3143.199707	3143.199707	1.12
0518	014	3781	0.09	7455	7	55	80	2.5	7	0	9452	1997	RH-2	40	form-based			true	0.7	8	1.142857194	1	1	10586.7998	3131.799805	3131.799805	1.120059
0519	013B	2352	0.05	4074	4	55	80	2.5	4	0	5880	1806	RH-2	40	form-based			true	0.7	5	1.25	1	1	6585.600098	2511.600098	2511.600098	1.12
0519	020	1401	0.03	3375	2	55	80	2.5	2	0	3502	127	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	3922.800049	547.8000488	547.8000488	1.12016
0519	034	1990	0.05	2384	3	55	80	2.5	4	1	4975	2591	RH-2	40	form-based			true	0.7	4	1	1	1	5572	3188	3188	1.12
0519	035	1990	0.05	2910	3	55	80	2.5	4	1	4975	2065	RH-2	40	form-based			true	0.7	4	1	1	1	5572	2662	2662	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0519	059	1429	0.03	657	2	55	80	2.5	2	0	3572	2915	RH-2	40	form-based			true	0.7	3	1.5	1	1	4001.199951	3344.199951	3344.199951	1.120157
0519	061	2010	0.05	850	3	55	80	2.5	4	1	5025	4175	RH-2	40	form-based			true	0.7	4	1	1	1	5628	4778	4778	1.12
0520	005	3161	0.07	6315	6	65	100	3	7	1	9483	3168	RM-2	40	form-based			true	0.7	7	1	1	1	8850.799805	2535.799805	2535.799805	0.933333
0520	013A	2100	0.05	2566	3	55	80	2.5	4	1	5250	2684	RH-3	40	form-based			true	0.7	4	1	1	1	5880	3314	3314	1.12
0520	014	2520	0.06	3640	4	55	80	2.5	5	1	6300	2660	RH-3	40	form-based			true	0.7	5	1	1	1	7056	3416	3416	1.12
0520	033	1322	0.03	957	2	55	80	2.5	2	0	3305	2348	RH-3	40	form-based			true	0.7	3	1.5	1	1	3701.599854	2744.599854	2744.599854	1.12
0521	014	2496	0.06	6792	12	65	100	3	6	0	7488	696	RTO-C	85	form-based		true	true	0.75	13	2.166666746	1	0	14976	8184	8184	2
0525	003	4106	0.09	8265	13	65	100	3	9	0	12318	4053	RM-2	65	form-based			true	0.7	14	1.555555582	1	1	17245.19922	8980.199219	8980.199219	1.4
0525	007	2338	0.05	5880	7	65	100	3	5	0	7014	1134	RM-2	65	form-based			true	0.7	8	1.600000024	1	1	9819.599609	3939.599609	3939.599609	1.4
0525	033	4952	0.11	835	16	65	100	3	11	0	14856	14021	RM-2	65	form-based		true	true	0.7	17	1.545454502	1	1	20798.40039	19963.40039	19963.40039	1.4
0526	002	3086	0.07	8390	15	65	100	3	7	0	9258	868	NCD-POLK	85	form-based			true	0.75	16	2.285714388	1	0	18516	10126	10126	2
0529	001C	2502	0.06	3514	4	65	100	3	6	2	7506	3992	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	7005.600098	3491.600098	3491.600098	0.933333
0529	001E	1562	0.04	2630	2	65	100	3	4	2	4686	2056	RH-3	40	form-based			true	0.7	3	0.75	1	1	4373.600098	1743.600098	1743.600098	0.933333
0529	001F	1563	0.04	2780	2	65	100	3	4	2	4689	1909	RH-3	40	form-based			true	0.7	3	0.75	1	1	4376.399902	1596.399902	1596.399902	0.933333
0529	015	2114	0.05	4452	3	65	100	3	5	2	6342	1890	RH-3	40	form-based			true	0.7	4	0.800000012	1	1	5919.199707	1467.199707	1467.199707	0.933333
0529	093	1025	0.02	1700	1	55	80	2.5	2	1	2562	862	RH-3	40	form-based			true	0.7	2	1	1	1	2870	1170	1170	1.120219
0530	002	2753	0.06	5427	5	55	80	2.5	5	0	6882	1455	RH-2	40	form-based			true	0.7	6	1.200000048	1	1	7708.399902	2281.399902	2281.399902	1.120081
0530	003	2753	0.06	5094	5	55	80	2.5	5	0	6882	1788	RH-2	40	form-based			true	0.7	6	1.200000048	1	1	7708.399902	2614.399902	2614.399902	1.120081
0530	017	1176	0.03	2880	3	55	80	2.5	2	0	2940	60	NCD-UNIO	65	form-based			true	0.75	4	2	1	1	5292	2412	2412	1.8
0530	022A	1564	0.04	3126	2	55	80	2.5	3	1	3910	784	RH-2	40	form-based			true	0.7	3	1	1	1	4379.199707	1253.199707	1253.199707	1.12
0530	023	1563	0.04	3026	2	55	80	2.5	3	1	3908	882	RH-2	40	form-based		true	true	0.7	3	1	1	1	4376.399902	1350.399902	1350.399902	1.119857
0530	023B	2470	0.06	3224	4	55	80	2.5	5	1	6175	2951	RH-2	40	form-based			true	0.7	5	1	1	1	6916	3692	3692	1.12
0530	028	3438	0.08	6933	6	55	80	2.5	6	0	8595	1662	RH-2	40	form-based			true	0.7	7	1.166666627	1	1	9626.399414	2693.399414	2693.399414	1.12
0531	014A	934	0.02	1642	1	55	80	2.5	2	1	2335	693	RH-2	40	form-based			true	0.7	2	1	1	1	2615.199951	973.1999512	973.1999512	1.12
0542	007	2368	0.05	3458	4	55	80	2.5	4	0	5920	2462	RH-2	40	form-based			true	0.7	5	1.25	1	1	6630.399902	3172.399902	3172.399902	1.12
0542	015	2475	0.06	4720	4	55	80	2.5	5	1	6188	1468	RH-2	40	form-based			true	0.7	5	1	1	1	6930	2210	2210	1.11991
0542	025	1875	0.04	4751	6	55	80	2.5	3	0	4688	0	NCD-UNIO	65	form-based		true	true	0.75	7	2.333333254	1	0	8437.5	3686.5	3686.5	1.799808
0542	039	5020	0.12	12580	18	55	80	2.5	10	0	12550	0	NCD-UNIO	65	form-based		true	true	0.75	19	1.899999976	1	1	22590	10010	10010	1.8
0543	017	2500	0.06	2900	4	55	80	2.5	5	1	6250	3350	RH-3	40	form-based			true	0.7	5	1	1	1	7000	4100	4100	1.12
0543	020	2500	0.06	3925	4	55	80	2.5	5	1	6250	2325	RH-3	40	form-based		true	true	0.7	5	1	1	1	7000	3075	3075	1.12
0544	021	2160	0.05	700	4	55	80	2.5	4	0	5400	4700	RH-2	40	form-based			true	0.7	5	1.25	1	1	6048	5348	5348	1.12
0545	010	3300	0.08	7068	6	65	100	3	8	2	9900	2832	RM-2	40	form-based			true	0.7	7	0.875	1	1	9240	2172	2172	0.933333
0549	003A	200	0	0	0	65	100	3	0	0	600	600	RH-3	65	form-based			true	0.7	1		1	1	840	840	840	1.4
0549	022	3501	0.08	5925	16	65	100	3	8	0	10503	4578	RM-2	85	form-based			true	0.7	17	2.125	1	0	19605.59961	13680.59961	13680.59961	1.866667
0555	003	2504	0.06	3080	4	55	80	2.5	5	1	6260	3180	RH-2	40	form-based			true	0.7	5	1	1	1	7011.199707	3931.199707	3931.199707	1.12
0555	025	3644	0.08	6280	7	55	80	2.5	6	0	9110	2830	RH-3	40	form-based			true	0.7	8	1.333333373	1	1	10203.2002	3923.200195	3923.200195	1.12
0555	043	2111	0.05	1604	3	55	80	2.5	4	1	5278	3674	RH-2	40	form-based			true	0.7	4	1	1	1	5910.799805	4306.799805	4306.799805	1.119894
0556	031	2479	0.06	860	4	55	80	2.5	5	1	6198	5338	RH-2	40	form-based		true	true	0.7	5	1	1	1	6941.199707	6081.199707	6081.199707	1.11991
0557	003	4804	0.11	6936	9	55	80	2.5	9	0	12010	5074	RH-2	40	form-based		true	true	0.7	10	1.111111164	1	1	13451.2002	6515.200195	6515.200195	1.12
0558	006	339	0.01	0	0	55	80	2.5	1	1	848	848	RH-2	40	form-based			true	0.7	1	1	1	1	949.2000122	949.2000122	949.2000122	1.11934
0558	013	4727	0.11	8419	9	55	80	2.5	9	0	11818	3399	RH-2	40	form-based			true	0.7	10	1.111111164	1	1	13235.59961	4816.599609	4816.599609	1.119953
0558	023	2714	0.06	4896	5	55	80	2.5	5	0	6785	1889	RH-2	40	form-based		true	true	0.7	6	1.200000048	1	1	7599.199707	2703.199707	2703.199707	1.12
0559	001	2050	0.05	3922	3	55	80	2.5	4	1	5125	1203	RH-2	40	form-based		true	true	0.7	4	1	1	1	5740	1818	1818	1.12
0562	001	903	0.02	1874	1	55	80	2.5	2	1	2258	384	RH-1	40	form-based		true	true	0.7	2	1	1	1	2528.399902	654.3999023	654.3999023	1.119752
0562	018	943	0.02	1540	1	55	80	2.5	2	1	2358	818	RH-1	40	form-based			true	0.7	2	1	1	1	2640.399902	1100.399902	1100.399902	1.119762
0562	026	864	0.02	1664	1	55	80	2.5	2	1	2160	496	RH-1	40	form-based			true	0.7	2	1	1	1	2419.199951	755.1999512	755.1999512	1.12
0565	051	2619	0.06	380	4	55	80	2.5	5	1	6548	6168	RH-2	40	form-based			true	0.7	5	1	1	1	7333.199707	6953.199707	6953.199707	1.119914
0574	001	2276	0.05	6126	11	65	100	3	5	0	6828	702	NCD-POLK	85	form-based		true	true	0.75	12	2.400000095	1	0	13656	7530	7530	2
0575	010	7151	0.16	13035	5	65	100	3	16	11	21453	8418	RH-2	80	density-lin	1500	true		0.7	6	0.375	1	1	40045.59766	27010.59766	27010.59766	1.866667
0577	021	9282	0.21	1275	18	55	80	2.5	17	0	23205	21930	RM-2	40	form-based		true	true	0.7	19	1.117647052	1	1	25989.59961	24714.59961	24714.59961	1.12
0579	036	2581	0.06	1095	4	55	80	2.5	5	1	6452	5357	RH-3	40	form-based		true	true	0.7	5	1	1	1	7226.799805	6131.799805	6131.799805	1.120087
0581	013B	3375	0.08	7752	12	55	80	2.5	6	0	8438	686	RTO-C	65	form-based			true	0.75	13	2.166666746	1	0	15187.5	7435.5	7435.5	1.799893
0589	010	2966	0.07	4034	5	55	80	2.5	6	1	7415	3381	RH-2	40	form-based			true	0.7	6	1	1	1	8304.799805	4270.799805	4270.799805	1.12
0589	037	3152	0.07	678	6	55	80	2.5	6	0	7880	7202	RH-2	40	form-based			true	0.7	7	1.166666627	1	1	8825.599609	8147.599609	8147.599609	1.12
0596	008	2567	0.06	6150	8	65	100	3	6	0	7701	1551	RM-1	65	form-based			true	0.7	9	1.5	1	1	10781.39941	4631.399414	4631.399414	1.4
0597	026	1954	0.04	4416	6	65	100	3	4	0	5862	1446	RM-2	65	form-based			true	0.7	7	1.75	1	1	8206.799805	3790.799805	3790.799805	1.4
0603	007	3793	0.09	4950	7	55	80	2.5	7	0	9482	4532	RM-1	40	form-based			true	0.7	8	1.142857194	1	1	10620.39941	5670.399414	5670.399414	1.120059
0603	016	3511	0.08	3847	6	55	80	2.5	6	0	8778	4931	RH-2	40	form-based			true	0.7	7	1.166666627	1	1	9830.799805	5983.799805	5983.799805	1.119936
0604	019	3152	0.07	6930	6	55	80	2.5	6	0	7880	950	RH-2	40	form-based			true	0.7	7	1.166666627	1	1	8825.599609	1895.599609	1895.599609	1.12
0604	028	6458	0.15	14214	13	55	80	2.5	12	0	16145	1931	RH-2	40	form-based			true	0.7	14	1.166666627	1	1	18082.40039	3868.400391	3868.400391	1.12
0604	050	2062	0.05	456	3	55	80	2.5	4	1	5155	4699	RH-2	40	form-based			true	0.7	4	1	1	1	5773.600098	5317.600098	5317.600098	1.12
0604	056	2112	0.05	1917	3	55	80	2.5	4	1	5280	3363	RH-2	40	form-based		true	true	0.7	4	1	1	1	5913.600098	3996.600098	3996.600098	1.12
0605	022	3203	0.07	4204	6	65	100	3	7	1	9609	5405	RH-2	40	form-based			true	0.7	7	1	1	1	8968.399414	4764.399414	4764.399414	0.933333
0605	034	3203	0.07	890	6	65	100	3	7	1	9609	8719	RH-2	40	form-based			true	0.7	7	1	1	1	8968.399414	8078.399414	8078.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0606	022	1567	0.04	3404	2	65	100	3	4	2	4701	1297	RH-2	40	form-based			true	0.7	3	0.75	1	1	4387.600098	983.6000977	983.6000977	0.933333
0606	051	1567	0.04	1874	2	65	100	3	4	2	4701	2827	RH-2	40	form-based			true	0.7	3	0.75	1	1	4387.600098	2513.600098	2513.600098	0.933333
0611	024A	3187	0.07	6198	6	65	100	3	7	1	9561	3363	RH-2	40	form-based			true	0.7	7	1	1	1	8923.599609	2725.599609	2725.599609	0.933333
0612	016	2250	0.05	3236	4	65	100	3	5	1	6750	3514	RH-2	40	form-based			true	0.7	5	1	1	1	6300	3064	3064	0.933333
0614	001	8622	0.2	12925	17	55	80	2.5	16	0	21555	8630	RM-2	40	form-based		true	true	0.7	18	1.125	1	1	24141.59961	11216.59961	11216.59961	1.12
0617	005	11592	0.27	42198	25	65	100	3	27	2	34776	0	RM-3	40	form-based			true	0.75	26	0.962962985	1	1	34776	0	0	1
0620	013	3195	0.07	6017	16	65	100	3	7	0	9585	3568	RM-3	85	form-based			true	0.75	17	2.428571463	1	0	19170	13153	13153	2
0624	005	3830	0.09	8895	7	65	100	3	9	2	11490	2595	RH-2	40	form-based			true	0.7	8	0.888888896	1	1	10724	1829	1829	0.933333
0624	013A	5822	0.13	11307	12	65	100	3	13	1	17466	6159	RM-3	40	form-based			true	0.75	13	1	1	1	17466	6159	6159	1
0630	027	3130	0.07	4516	6	65	100	3	7	1	9390	4874	RH-2	40	form-based			true	0.7	7	1	1	1	8764	4248	4248	0.933333
0631	008	2987	0.07	6585	7	65	100	3	7	0	8961	2376	RH-3	50	form-based			true	0.7	8	1.142857194	1	1	10454.5	3869.5	3869.5	1.166667
0631	038	957	0.02	1678	2	65	100	3	2	0	2871	1193	RH-2	50	form-based			true	0.7	3	1.5	1	1	3349.5	1671.5	1671.5	1.166667
0632	001	3449	0.08	6220	6	65	100	3	8	2	10347	4127	RH-3	40	form-based		true	true	0.7	7	0.875	1	1	9657.200195	3437.200195	3437.200195	0.933333
0632	002C	3877	0.09	11052	10	65	100	3	9	0	11631	579	RM-2	50	form-based		true	true	0.7	11	1.222222209	1	1	13569.5	2517.5	2517.5	1.166667
0632	003	8777	0.2	18600	24	65	100	3	20	0	26331	7731	RM-2	50	form-based			true	0.7	25	1.25	1	1	30719.5	12119.5	12119.5	1.166667
0632	018	3732	0.09	7620	7	65	100	3	9	2	11196	3576	RH-3	40	form-based			true	0.7	8	0.888888896	1	1	10449.59961	2829.599609	2829.599609	0.933333
0633	001B	2584	0.06	4180	6	85	140	4	8	2	10336	6156	RH-2	50	form-based			true	0.7	7	0.875	1	1	9044	4864	4864	0.875
0633	016	3264	0.07	5752	8	65	100	3	7	0	9792	4040	RM-2	50	form-based		true	true	0.7	9	1.285714269	1	1	11424	5672	5672	1.166667
0634	015	2173	0.05	4843	10	85	140	4	7	0	8692	3849	RTO-C	85	form-based		true	true	0.75	11	1.571428537	1	1	13038	8195	8195	1.5
0634	020A	982	0.02	1570	2	65	100	3	2	0	2946	1376	RH-3	50	form-based			true	0.7	3	1.5	1	1	3437	1867	1867	1.166667
0634	021A	890	0.02	758	1	65	100	3	2	1	2670	1912	RH-3	50	form-based			true	0.7	2	1	1	1	3115	2357	2357	1.166667
0634	025A	1059	0.02	1696	2	85	140	4	3	1	4236	2540	RH-3	50	form-based			true	0.7	3	1	1	1	3706.5	2010.5	2010.5	0.875
0634	029	3053	0.07	5750	8	85	140	4	10	2	12212	6462	RH-3	50	form-based			true	0.7	9	0.899999976	1	1	10685.5	4935.5	4935.5	0.875
0637	040	4555	0.1	1983	3	65	100	3	10	7	13665	11682	RH-2	40	density-lim	1500			0.7	4	0.400000006	1	1	12754	10771	10771	0.933333
0640	012A	1054	0.02	1910	1	65	100	3	2	1	3162	1252	RM-2	40	form-based			true	0.7	2	1	1	1	2951.199951	1041.199951	1041.199951	0.933333
0650	043	2107	0.05	1204	3	55	80	2.5	4	1	5268	4064	RH-2	40	density-lim	1500			0.7	4	1	1	1	5899.600098	4695.600098	4695.600098	1.119894
0651	011	2350	0.05	5515	3	55	80	2.5	4	1	5875	360	RH-2	40	density-lim	1500			0.7	4	1	1	1	6580	1065	1065	1.12
0652	011	3437	0.08	2800	3	65	100	3	8	5	10311	7511	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	9623.599609	6823.599609	6823.599609	0.933333
0652	025	3457	0.08	6000	3	65	100	3	8	5	10371	4371	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	9679.599609	3679.599609	3679.599609	0.933333
0652	081	3437	0.08	2137	3	65	100	3	8	5	10311	8174	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	9623.599609	7486.599609	7486.599609	0.933333
0653	004	2500	0.06	3800	3	65	100	3	6	3	7500	3700	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	3200	3200	0.933333
0653	015	2362	0.05	2835	3	65	100	3	5	2	7086	4251	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6613.600098	3778.600098	3778.600098	0.933333
0653	038	2558	0.06	6525	12	65	100	3	6	0	7674	1149	RTO-C	85	form-based			true	0.75	13	2.166666746	1	0	15348	8823	8823	2
0653	061	2246	0.05	782	3	65	100	3	5	2	6738	5956	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6288.799805	5506.799805	5506.799805	0.933333
0654	001	4021	0.09	7936	20	65	100	3	9	0	12063	4127	NCD-UPPE	85	form-based		true	true	0.75	21	2.333333254	1	0	24126	16190	16190	2
0654	007	2500	0.06	4500	3	65	100	3	6	3	7500	3000	NCD-UPPE	40	density-lim	600			0.75	4	0.666666687	1	1	7500	3000	3000	1
0654	030	1545	0.04	2041	2	65	100	3	4	2	4635	2594	NCD-UPPE	40	density-lim	600			0.75	3	0.75	1	1	4635	2594	2594	1
0656	007	2144	0.05	2648	4	65	100	3	5	1	6432	3784	RH-2	40	form-based		true	true	0.7	5	1	1	1	6003.199707	3355.199707	3355.199707	0.933333
0657	026	1269	0.03	1580	2	65	100	3	3	1	3807	2227	RH-2	40	form-based			true	0.7	3	1	1	1	3553.199951	1973.199951	1973.199951	0.933333
0657	033	1147	0.03	2185	1	65	100	3	3	2	3441	1256	RH-3	40	form-based			true	0.7	2	0.666666687	1	1	3211.599854	1026.599854	1026.599854	0.933333
0657	038	2036	0.05	1166	3	65	100	3	5	2	6108	4942	RH-2	40	form-based			true	0.7	4	0.800000012	1	1	5700.799805	4534.799805	4534.799805	0.933333
0659	032	3187	0.07	4820	4	65	100	3	7	3	9561	4741	NCD-UPPE	40	density-lim	600			0.75	5	0.714285731	1	1	9561	4741	4741	1
0659	034	1858	0.04	3010	2	65	100	3	4	2	5574	2564	NCD-UPPE	40	density-lim	600			0.75	3	0.75	1	1	5574	2564	2564	1
0659	041	3170	0.07	1458	3	65	100	3	7	4	9510	8052	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8876	7418	7418	0.933333
0659	044	2121	0.05	1800	3	65	100	3	5	2	6363	4563	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	5938.799805	4138.799805	4138.799805	0.933333
0659	047	2111	0.05	1800	3	65	100	3	5	2	6333	4533	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	5910.799805	4110.799805	4110.799805	0.933333
0659	054	3168	0.07	1036	3	65	100	3	7	4	9504	8468	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8870.399414	7834.399414	7834.399414	0.933333
0660	014	3187	0.07	2900	3	65	100	3	7	4	9561	6661	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	8923.599609	6023.599609	6023.599609	0.933333
0660	030	1633	0.04	2100	3	65	100	3	4	1	4899	2799	RH-2	40	density-lim	1500			0.7	4	1	1	1	4572.399902	2472.399902	2472.399902	0.933333
0660	035	2665	0.06	3000	3	65	100	3	6	3	7995	4995	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7462	4462	4462	0.933333
0660	051	2313	0.05	1187	3	65	100	3	5	2	6939	5752	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6476.399902	5289.399902	5289.399902	0.933333
0660	062	2493	0.06	1516	3	65	100	3	6	3	7479	5963	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6980.399902	5464.399902	5464.399902	0.933333
0661	009	2062	0.05	2536	3	65	100	3	5	2	6186	3650	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	5773.600098	3237.600098	3237.600098	0.933333
0661	019	2464	0.06	5073	3	65	100	3	6	3	7392	2319	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6899.199707	1826.199707	1826.199707	0.933333
0661	020	2464	0.06	4973	3	65	100	3	6	3	7392	2419	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6899.199707	1926.199707	1926.199707	0.933333
0662	007	3438	0.08	3292	3	65	100	3	8	5	10314	7022	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	9626.399414	6334.399414	6334.399414	0.933333
0662	010	2187	0.05	3309	3	65	100	3	5	2	6561	3252	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6123.600098	2814.600098	2814.600098	0.933333
0662	025	2744	0.06	3816	3	65	100	3	6	3	8232	4416	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7683.199707	3867.199707	3867.199707	0.933333
0662	027	1851	0.04	2960	3	65	100	3	4	1	5553	2593	RH-2	40	density-lim	1500			0.7	4	1	1	1	5182.799805	2222.799805	2222.799805	0.933333
0662	033	3391	0.08	3406	3	65	100	3	8	5	10173	6767	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	9494.799805	6088.799805	6088.799805	0.933333
0662	036	3389	0.08	5019	3	65	100	3	8	5	10167	5148	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	9489.200195	4470.200195	4470.200195	0.933333
0662	038	2451	0.06	4111	3	65	100	3	6	3	7353	3242	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6862.799805	2751.799805	2751.799805	0.933333
0662	040	3781	0.09	2676	3	65	100	3	9	6	11343	8667	RH-2	40	density-lim	1500			0.7	4	0.444444448	1	1	10586.7998	7910.799805	7910.799805	0.933333
0662	049	3781	0.09	2894	3	65	100	3	9	6	11343	8449	RH-2	40	density-lim	1500			0.7	4	0.444444448	1	1	10586.7998	7692.799805	7692.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0662	052	1851	0.04	516	3	65	100	3	4	1	5553	5037	RH-2	40	density-lim	1500			0.7	4	1	1	1	5182.799805	4666.799805	4666.799805	0.933333
0662	055	3781	0.09	1900	3	65	100	3	9	6	11343	9443	RH-2	40	density-lim	1500			0.7	4	0.444444448	1	1	10586.7998	8686.799805	8686.799805	0.933333
0662	065	3391	0.08	2175	3	65	100	3	8	5	10173	7998	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	9494.799805	7319.799805	7319.799805	0.933333
0663	005	3400	0.08	4860	5	65	100	3	8	3	10200	5340	RH-2	40	density-lim	1500	true		0.7	6	0.75	1	1	9520	4660	4660	0.933333
0663	033	2750	0.06	4000	3	65	100	3	6	3	8250	4250	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7700	3700	3700	0.933333
0663	034	2750	0.06	4000	3	65	100	3	6	3	8250	4250	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7700	3700	3700	0.933333
0663	039	3922	0.09	1900	3	65	100	3	9	6	11766	9866	RH-2	40	density-lim	1500			0.7	4	0.444444448	1	1	10981.59961	9081.599609	9081.599609	0.933333
0663	048	3854	0.09	2112	3	65	100	3	9	6	11562	9450	RH-2	40	density-lim	1500			0.7	4	0.444444448	1	1	10791.2002	8679.200195	8679.200195	0.933333
0663	051	4058	0.09	2255	3	65	100	3	9	6	12174	9919	RH-2	40	density-lim	1500			0.7	4	0.444444448	1	1	11362.39941	9107.399414	9107.399414	0.933333
0664	021	1766	0.04	3975	3	65	100	3	4	1	5298	1323	RH-2	40	density-lim	1500			0.7	4	1	1	1	4944.799805	969.7998047	969.7998047	0.933333
0664	033	2625	0.06	2260	3	65	100	3	6	3	7875	5615	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7350	5090	5090	0.933333
0664	062	3426	0.08	5286	3	65	100	3	8	5	10278	4992	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	9592.799805	4306.799805	4306.799805	0.933333
0665	013	1800	0.04	5397	3	65	100	3	4	1	5400	3	RH-3	80	density-lim	1000			0.7	4	1	1	1	10080	4683	4683	1.866667
0665	018	1500	0.03	4020	3	65	100	3	3	0	4500	480	RH-3	130	density-lim	1000			0.7	4	1.333333373	1	1	13500	9480	4980	3
0665	030	2923	0.07	6975	3	65	100	3	7	4	8769	1794	RH-3	80	density-lim	1000			0.7	4	0.571428597	1	1	16368.7998	9393.799805	9393.799805	1.866667
0665	032	2172	0.05	5325	3	65	100	3	5	2	6516	1191	RH-3	130	density-lim	1000			0.7	4	0.800000012	1	1	19548	14223	7707	3
0669	018	6000	0.14	637	14	65	100	3	14	0	18000	17363	NCD-POLK	65	density-lim	400			0.75	15	1.071428537	1	1	27000	26363	26363	1.5
0677	033	1756	0.04	1440	1	65	100	3	4	3	5268	3828	RM-1	40	density-lim	800			0.7	2	0.5	1	1	4916.799805	3476.799805	3476.799805	0.933333
0677	034	1757	0.04	1440	1	65	100	3	4	3	5271	3831	RM-1	40	density-lim	800			0.7	2	0.5	1	1	4919.600098	3479.600098	3479.600098	0.933333
0677	035	1757	0.04	1572	1	65	100	3	4	3	5271	3699	RM-1	40	density-lim	800			0.7	2	0.5	1	1	4919.600098	3347.600098	3347.600098	0.933333
0677	043	1716	0.04	1508	1	65	100	3	4	3	5148	3640	RM-1	40	density-lim	800			0.7	2	0.5	1	1	4804.799805	3296.799805	3296.799805	0.933333
0683	018	3025	0.07	5860	7	65	100	3	7	0	9075	3215	RM-3	50	density-lim	400			0.75	8	1.142857194	1	1	11343.75	5483.75	5483.75	1.25
0684	038	1465	0.03	4661	3	65	100	3	3	0	4395	0	NCT-FILLM	50	form-based				0.75	4	1.333333373	1	1	5493.75	832.75	832.75	1.25
0684	042	4342	0.1	7560	12	65	100	3	10	0	13026	5466	NCT-FILLM	50	form-based				0.75	13	1.299999952	1	1	16282.5	8722.5	8722.5	1.25
0686	059	425	0.01	0	0	65	100	3	1	1	1275	1275	NCD-JAPAI	50	density-lim	400			0.75	1	1	1	1	1593.75	1593.75	1593.75	1.25
0692	010	2779	0.06	8535	6	65	100	3	6	0	8337	0	NCD-POLK	130	density-lim	400			0.75	7	1.166666627	1	1	25011	16476	8139	3
0692	020	3419	0.08	13062	8	65	100	3	8	0	10257	0	NCD-POLK	65	density-lim	400			0.75	9	1.125	1	1	15385.5	2323.5	2323.5	1.5
0700	006	562	0.01	445	0	85	140	4	1	1	2248	1803	NCD-JAPAI	50	density-lim	400			0.75	1	1	1	1	2107.5	1662.5	1662.5	0.9375
0718	019	3300	0.08	11652	29	65	100	3	8	0	9900	0	RC-4	500	form-based			true	0.75	30	3.75	1	0	29700	18048	8148	3
0726	014	5156	0.12	11775	12	65	100	3	12	0	15468	3693	RM-3	130	density-lim	400			0.75	13	1.083333373	1	1	46404	34629	19161	3
0733	027	702	0.02	1900	0	65	100	3	2	2	2106	206	NC-S	50	density-lim	800			0.75	1	0.5	1	1	2632.5	732.5	732.5	1.25
0733	028	1003	0.02	1900	0	65	100	3	2	2	3009	1109	NC-S	50	density-lim	800			0.75	1	0.5	1	1	3761.25	1861.25	1861.25	1.25
0733	014	1117	0.03	1849	0	65	100	3	3	3	3351	1502	NC-S	50	density-lim	800			0.75	1	0.333333343	1	1	4188.75	2339.75	2339.75	1.25
0733	015	1124	0.03	1100	0	65	100	3	3	3	3372	2272	NC-S	50	density-lim	800			0.75	1	0.333333343	1	1	4215	3115	3115	1.25
0733	016	1124	0.03	1900	0	65	100	3	3	3	3372	1472	NC-S	50	density-lim	800			0.75	1	0.333333343	1	1	4215	2315	2315	1.25
0733	017	1124	0.03	1900	0	65	100	3	3	3	3372	1472	NC-S	50	density-lim	800			0.75	1	0.333333343	1	1	4215	2315	2315	1.25
0733	018	1124	0.03	1900	0	65	100	3	3	3	3372	1472	NC-S	50	density-lim	800			0.75	1	0.333333343	1	1	4215	2315	2315	1.25
0733	021	1085	0.02	1900	0	65	100	3	2	2	3255	1355	NC-S	50	density-lim	800			0.75	1	0.5	1	1	4068.75	2168.75	2168.75	1.25
0733	022	1085	0.02	1900	0	65	100	3	2	2	3255	1355	NC-S	50	density-lim	800			0.75	1	0.5	1	1	4068.75	2168.75	2168.75	1.25
0733	023	1085	0.02	1900	0	65	100	3	2	2	3255	1355	NC-S	50	density-lim	800			0.75	1	0.5	1	1	4068.75	2168.75	2168.75	1.25
0733	024	1085	0.02	1100	0	65	100	3	2	2	3255	2155	NC-S	50	density-lim	800			0.75	1	0.5	1	1	4068.75	2968.75	2968.75	1.25
0733	025	1071	0.02	1900	0	65	100	3	2	2	3213	1313	NC-S	50	density-lim	800			0.75	1	0.5	1	1	4016.25	2116.25	2116.25	1.25
0733	026	932	0.02	1900	0	65	100	3	2	2	2796	896	NC-S	50	density-lim	800			0.75	1	0.5	1	1	3495	1595	1595	1.25
0733	029	1003	0.02	1900	0	65	100	3	2	2	3009	1109	NC-S	50	density-lim	800			0.75	1	0.5	1	1	3761.25	1861.25	1861.25	1.25
0733	030	1003	0.02	1900	0	65	100	3	2	2	3009	1109	NC-S	50	density-lim	800			0.75	1	0.5	1	1	3761.25	1861.25	1861.25	1.25
0733	031	997	0.02	1900	0	65	100	3	2	2	2991	1091	NC-S	50	density-lim	800	true		0.75	1	0.5	1	1	3738.75	1838.75	1838.75	1.25
0733	032	959	0.02	1900	0	65	100	3	2	2	2877	977	NC-S	50	density-lim	800			0.75	1	0.5	1	1	3596.25	1696.25	1696.25	1.25
0733	033	965	0.02	1900	0	65	100	3	2	2	2895	995	NC-S	50	density-lim	800			0.75	1	0.5	1	1	3618.75	1718.75	1718.75	1.25
0733	034	965	0.02	1900	0	65	100	3	2	2	2895	995	NC-S	50	density-lim	800			0.75	1	0.5	1	1	3618.75	1718.75	1718.75	1.25
0733	036	1020	0.02	1900	0	65	100	3	2	2	3060	1160	NC-S	50	density-lim	800			0.75	1	0.5	1	1	3825	1925	1925	1.25
0733	037	1020	0.02	1900	0	65	100	3	2	2	3060	1160	NC-S	50	density-lim	800			0.75	1	0.5	1	1	3825	1925	1925	1.25
0733	039	965	0.02	1900	0	65	100	3	2	2	2895	995	NC-S	50	density-lim	800			0.75	1	0.5	1	1	3618.75	1718.75	1718.75	1.25
0733	040	965	0.02	1900	0	65	100	3	2	2	2895	995	NC-S	50	density-lim	800			0.75	1	0.5	1	1	3618.75	1718.75	1718.75	1.25
0733	042	752	0.02	1456	0	65	100	3	2	2	2256	800	NC-S	50	density-lim	800			0.75	1	0.5	1	1	2820	1364	1364	1.25
0733	043	752	0.02	1900	0	65	100	3	2	2	2256	356	NC-S	50	density-lim	800			0.75	1	0.5	1	1	2820	920	920	1.25
0748	001	3000	0.07	4116	7	65	100	3	7	0	9000	4884	RM-3	50	density-lim	400	true		0.75	8	1.142857194	1	1	11250	7134	7134	1.25
0753	014	1825	0.04	2500	3	55	80	2.5	3	0	4562	2062	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	5110	2610	2610	1.120123
0753	029	3300	0.08	1135	3	55	80	2.5	6	3	8250	7115	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	9240	8105	8105	1.12
0753	035	2063	0.05	2061	3	55	80	2.5	4	1	5158	3097	RH-3	40	density-lim	1000			0.7	4	1	1	1	5776.399902	3715.399902	3715.399902	1.119891
0753	051	2036	0.05	1400	3	55	80	2.5	4	1	5090	3690	RH-3	40	density-lim	1000			0.7	4	1	1	1	5700.799805	4300.799805	4300.799805	1.12
0754	011	1300	0.03	1480	2	55	80	2.5	2	0	3250	1770	RM-3	40	density-lim	400			0.75	3	1.5	1	1	3900	2420	2420	1.2
0755	011	2220	0.05	3000	5	55	80	2.5	4	0	5550	2550	RM-3	65	density-lim	400			0.75	6	1.5	1	1	9990	6990	6990	1.8
0773	030	21487	0.49	81235	106	55	80	2.5	39	0	53718	0	RM-4	50	density-lim	200	true		0.75	107	2.74358964	1	0	80576.25	0	0	1.499986
0775	021	2250	0.05	3915	3	55	80	2.5	4	1	5625	1710	RH-3	40	density-lim	1000			0.7	4	1	1	1	6300	2385	2385	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0775	023	2636	0.06	5160	3	55	80	2.5	5	2	6590	1430	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7380.799805	2220.799805	2220.799805	1.12
0775	026	2618	0.06	1703	3	55	80	2.5	5	2	6545	4842	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7330.399902	5627.399902	5627.399902	1.12
0775	049	2640	0.06	1657	3	55	80	2.5	5	2	6600	4943	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7392	5735	5735	1.12
0775	055	2827	0.06	1834	3	55	80	2.5	5	2	7068	5234	RM-1	40	density-lim	800			0.7	4	0.800000012	1	1	7915.600098	6081.600098	6081.600098	1.119921
0776	018	2737	0.06	3050	3	55	80	2.5	5	2	6842	3792	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7663.600098	4613.600098	4613.600098	1.120082
0776	019	2737	0.06	2420	3	55	80	2.5	5	2	6842	4422	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7663.600098	5243.600098	5243.600098	1.120082
0776	040	3437	0.08	1071	3	55	80	2.5	6	3	8592	7521	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	9623.599609	8552.599609	8552.599609	1.120065
0776	043	4049	0.09	7427	4	55	80	2.5	7	3	10122	2695	RM-1	40	density-lim	800			0.7	5	0.714285731	1	1	11337.2002	3910.200195	3910.200195	1.120055
0777	008	4125	0.09	4276	3	55	80	2.5	7	4	10312	6036	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	11550	7274	7274	1.120054
0777	012	2500	0.06	4038	3	55	80	2.5	5	2	6250	2212	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7000	2962	2962	1.12
0777	014	2500	0.06	6263	3	55	80	2.5	5	2	6250	0	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7000	737	737	1.12
0777	027	2500	0.06	5250	3	55	80	2.5	5	2	6250	1000	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7000	1750	1750	1.12
0777	028	2500	0.06	4770	3	55	80	2.5	5	2	6250	1480	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7000	2230	2230	1.12
0777	029	2500	0.06	2760	3	55	80	2.5	5	2	6250	3490	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7000	4240	4240	1.12
0777	030	2500	0.06	5040	3	55	80	2.5	5	2	6250	1210	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7000	1960	1960	1.12
0777	044	4991	0.11	1282	4	55	80	2.5	9	5	12478	11196	RH-3	40	density-lim	1000			0.7	5	0.555555582	1	1	13974.7998	12692.7998	12692.7998	1.119955
0777	054	2500	0.06	712	3	55	80	2.5	5	2	6250	5538	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7000	6288	6288	1.12
0777	070	4991	0.11	1136	4	55	80	2.5	9	5	12478	11342	RH-3	40	density-lim	1000			0.7	5	0.555555582	1	1	13974.7998	12838.7998	12838.7998	1.119955
0778	001	5703	0.13	12186	6	55	80	2.5	10	4	14258	2072	RM-1	40	density-lim	800	true		0.7	7	0.699999988	1	1	15968.39941	3782.399414	3782.399414	1.119961
0778	005A	5110	0.12	4198	4	55	80	2.5	10	6	12775	8577	RH-3	40	density-lim	1000			0.7	5	0.5	1	1	14308	10110	10110	1.12
0778	008	3781	0.09	5700	3	55	80	2.5	7	4	9452	3752	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	10586.7998	4886.799805	4886.799805	1.120059
0778	021	3443	0.08	1725	3	55	80	2.5	6	3	8608	6883	RM-1	40	density-lim	800			0.7	4	0.666666687	1	1	9640.399414	7915.399414	7915.399414	1.119935
0785	053	365	0.01	0	0	65	100	3	1	1	1095	1095	NCT-3	65	form-based				0.75	1	1	1	1	1642.5	1642.5	1642.5	1.5
0794	005	1630	0.04	1624	2	55	80	2.5	3	1	4075	2451	RTO-1	40	form-based			true	0.7	3	1	1	1	4564	2940	2940	1.12
0794	008A	1296	0.03	2080	2	55	80	2.5	2	0	3240	1160	RTO-1	40	form-based			true	0.7	3	1.5	1	1	3628.800049	1548.800049	1548.800049	1.12
0794	025	1395	0.03	1880	2	55	80	2.5	2	0	3488	1608	NCT-HAYE	40	form-based				0.75	3	1.5	1	1	4185	2305	2305	1.199828
0794	038	1500	0.03	1143	2	55	80	2.5	2	0	3750	2607	RTO-1	40	form-based			true	0.7	3	1.5	1	1	4200	3057	3057	1.12
0797	004	1898	0.04	2572	3	55	80	2.5	3	0	4745	2173	RH-3	50	density-lim	1000			0.7	4	1.333333373	1	1	6643	4071	4071	1.4
0797	005	1897	0.04	3180	3	55	80	2.5	3	0	4742	1562	RH-3	50	density-lim	1000			0.7	4	1.333333373	1	1	6639.5	3459.5	3459.5	1.400148
0797	017A	3929	0.09	4005	3	55	80	2.5	7	4	9822	5817	RH-3	50	density-lim	1000			0.7	4	0.571428597	1	1	13751.5	9746.5	9746.5	1.400071
0797	023	3781	0.09	4448	3	55	80	2.5	7	4	9452	5004	RH-3	50	density-lim	1000			0.7	4	0.571428597	1	1	13233.5	8785.5	8785.5	1.400074
0797	024	3781	0.09	4527	3	55	80	2.5	7	4	9452	4925	RH-3	50	density-lim	1000			0.7	4	0.571428597	1	1	13233.5	8706.5	8706.5	1.400074
0797	029	3781	0.09	3480	3	55	80	2.5	7	4	9452	5972	RH-3	50	density-lim	1000			0.7	4	0.571428597	1	1	13233.5	9753.5	9753.5	1.400074
0797	032	3781	0.09	4670	3	55	80	2.5	7	4	9452	4782	RH-3	50	density-lim	1000			0.7	4	0.571428597	1	1	13233.5	8563.5	8563.5	1.400074
0797	034	4641	0.11	4833	4	55	80	2.5	9	5	11602	6769	RH-3	50	density-lim	1000			0.7	5	0.555555582	1	1	16243.5	11410.5	11410.5	1.40006
0798	004	3437	0.08	5313	3	55	80	2.5	6	3	8592	3279	RH-3	50	density-lim	1000			0.7	4	0.666666687	1	1	12029.5	6716.5	6716.5	1.400082
0798	011	3781	0.09	3397	3	55	80	2.5	7	4	9452	6055	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	10586.7998	7189.799805	7189.799805	1.120059
0798	018	4125	0.09	3565	3	55	80	2.5	7	4	10312	6747	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	11550	7985	7985	1.120054
0798	022	1719	0.04	4725	3	55	80	2.5	3	0	4298	0	RH-3	50	density-lim	1000			0.7	4	1.333333373	1	1	6016.5	1291.5	1291.5	1.399837
0798	023	3025	0.07	1219	3	55	80	2.5	6	3	7562	6343	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	8470	7251	7251	1.120074
0803	006A	2767	0.06	11100	7	55	80	2.5	5	0	6918	0	RM-2	50	form-based		true	true	0.7	8	1.600000024	1	1	9684.5	0	0	1.399899
0804	001B	2312	0.05	2864	3	55	80	2.5	4	1	5780	2916	RH-3	50	density-lim	1000			0.7	4	1	1	1	8092	5228	5228	1.4
0804	014	3713	0.09	5583	3	55	80	2.5	7	4	9282	3699	RH-3	50	density-lim	1000			0.7	4	0.571428597	1	1	12995.5	7412.5	7412.5	1.400075
0804	040	2500	0.06	1313	3	55	80	2.5	5	2	6250	4937	RH-3	50	density-lim	1000			0.7	4	0.800000012	1	1	8750	7437	7437	1.4
0805	022	1215	0.03	1000	2	55	80	2.5	2	0	3038	2038	RH-3	50	form-based			true	0.7	3	1.5	1	1	4252.5	3252.5	3252.5	1.39977
0805	027A	962	0.02	1872	2	55	80	2.5	2	0	2405	533	RH-3	50	form-based			true	0.7	3	1.5	1	1	3367	1495	1495	1.4
0805	028A	1110	0.03	1768	2	55	80	2.5	2	0	2775	1007	RH-3	50	form-based			true	0.7	3	1.5	1	1	3885	2117	2117	1.4
0805	029A	1068	0.02	1200	2	55	80	2.5	2	0	2670	1470	RH-3	50	form-based			true	0.7	3	1.5	1	1	3738	2538	2538	1.4
0805	035	4178	0.1	9930	11	55	80	2.5	8	0	10445	515	RH-3	50	form-based			true	0.7	12	1.5	1	1	14623	4693	4693	1.4
0805	036	1938	0.04	3300	4	55	80	2.5	3	0	4845	1545	RH-3	50	form-based			true	0.7	5	1.666666627	1	1	6783	3483	3483	1.4
0806	012A	1279	0.03	1978	2	55	80	2.5	2	0	3198	1220	RTO-1	40	form-based			true	0.7	3	1.5	1	1	3581.199951	1603.199951	1603.199951	1.119825
0806	013A	1374	0.03	1860	2	55	80	2.5	2	0	3435	1575	RTO-1	40	form-based			true	0.7	3	1.5	1	1	3847.199951	1987.199951	1987.199951	1.12
0806	015	1900	0.04	4200	3	55	80	2.5	3	0	4750	550	RTO-1	40	form-based			true	0.7	4	1.333333373	1	1	5320	1120	1120	1.12
0806	016	1800	0.04	3282	3	55	80	2.5	3	0	4500	1218	RTO-1	40	form-based			true	0.7	4	1.333333373	1	1	5040	1758	1758	1.12
0806	017	1800	0.04	2701	3	55	80	2.5	3	0	4500	1799	RTO-1	40	form-based			true	0.7	4	1.333333373	1	1	5040	2339	2339	1.12
0806	020	1350	0.03	2024	2	55	80	2.5	2	0	3375	1351	RTO-1	40	form-based		true	true	0.7	3	1.5	1	1	3780	1756	1756	1.12
0806	020A	600	0.01	864	0	55	80	2.5	1	1	1500	636	RTO-1	40	form-based			true	0.7	1	1	1	1	1680	816	816	1.12
0806	044	1697	0.04	1427	3	55	80	2.5	3	0	4242	2815	RTO-1	40	form-based			true	0.7	4	1.333333373	1	1	4751.600098	3324.600098	3324.600098	1.120132
0806	051	1250	0.03	2145	2	55	80	2.5	2	0	3125	980	RTO-1	40	form-based			true	0.7	3	1.5	1	1	3500	1355	1355	1.12
0806	053	1246	0.03	909	2	55	80	2.5	2	0	3115	2206	RTO-1	40	form-based			true	0.7	3	1.5	1	1	3488.800049	2579.800049	2579.800049	1.12
0806	058	1250	0.03	720	2	55	80	2.5	2	0	3125	2405	RTO-1	40	form-based			true	0.7	3	1.5	1	1	3500	2780	2780	1.12
0806	060	1950	0.04	2316	3	55	80	2.5	3	0	4875	2559	RTO-1	40	form-based			true	0.7	4	1.333333373	1	1	5460	3144	3144	1.12
0807	001A	2999	0.07	5931	5	55	80	2.5	6	1	7498	1567	RTO-1	40	form-based			true	0.7	6	1	1	1	8397.200195	2466.200195	2466.200195	1.119925
0807	002A	700	0.02	944	1	55	80	2.5	2	1	1750	806	NCT-HAYE	40	form-based				0.75	2	1	1	1	2100	1156	1156	1.2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0807	015	1923	0.04	2970	3	55	80	2.5	3	0	4808	1838	RTO-1	40	form-based			true	0.7	4	1.333333373	1	1	5384.399902	2414.399902	2414.399902	1.119884
0807	021	1150	0.03	1200	1	55	80	2.5	2	1	2875	1675	RTO-1	40	form-based			true	0.7	2	1	1	1	3220	2020	2020	1.12
0807	026	2999	0.07	2480	5	55	80	2.5	6	1	7498	5018	RTO-1	40	form-based			true	0.7	6	1	1	1	8397.200195	5917.200195	5917.200195	1.119925
0807	027	1499	0.03	2325	2	55	80	2.5	2	0	3748	1423	RTO-1	40	form-based			true	0.7	3	1.5	1	1	4197.199707	1872.199707	1872.199707	1.119851
0807	028	1499	0.03	1530	2	55	80	2.5	2	0	3748	2218	RTO-1	40	form-based			true	0.7	3	1.5	1	1	4197.199707	2667.199707	2667.199707	1.119851
0808	004	2250	0.05	6810	6	65	100	3	5	0	6750	0	NCT-HAYES	50	form-based		true		0.75	7	1.399999976	1	1	8437.5	1627.5	1627.5	1.25
0808	032	5881	0.14	8595	12	55	80	2.5	11	0	14702	6107	NCT-HAYES	40	form-based				0.75	13	1.181818128	1	1	17643	9048	9048	1.200041
0816	068	1155	0.03	995	2	65	100	3	3	1	3465	2470	NCT-HAYES	40	form-based				0.75	3	1	1	1	3465	2470	2470	1
0816	102	1155	0.03	1389	2	65	100	3	3	1	3465	2076	NCT-HAYES	40	form-based				0.75	3	1	1	1	3465	2076	2076	1
0817	070	3015	0.07	7054	6	65	100	3	7	1	9045	1991	NCT-HAYES	40	form-based				0.75	7	1	1	1	9045	1991	1991	1
0818	005	1500	0.03	2250	2	65	100	3	3	1	4500	2250	RTO-1	40	form-based			true	0.7	3	1	1	1	4200	1950	1950	0.933333
0818	007A	1650	0.04	2260	2	65	100	3	4	2	4950	2690	RTO-1	40	form-based			true	0.7	3	0.75	1	1	4620	2360	2360	0.933333
0818	021	3314	0.08	2960	6	55	80	2.5	6	0	8285	5325	NCT-HAYES	40	form-based			true	0.75	7	1.166666627	1	1	9942	6982	6982	1.2
0818	027	1399	0.03	2200	2	55	80	2.5	2	0	3498	1298	RTO-1	40	form-based			true	0.7	3	1.5	1	1	3917.199951	1717.199951	1717.199951	1.11984
0818	034	1925	0.04	4815	3	65	100	3	4	1	5775	960	RTO-1	40	form-based			true	0.7	4	1	1	1	5390	575	575	0.933333
0818	035	1375	0.03	2250	2	55	80	2.5	2	0	3438	1188	RTO-1	40	form-based			true	0.7	3	1.5	1	1	3850	1600	1600	1.119837
0818	039	1375	0.03	2131	3	55	80	2.5	2	0	3438	1307	RTO-1	50	form-based			true	0.7	4	2	1	1	4812.5	2681.5	2681.5	1.399796
0818	047	1155	0.03	825	1	55	80	2.5	2	1	2888	2063	RTO-1	40	form-based			true	0.7	2	1	1	1	3234	2409	2409	1.119806
0818	052	1500	0.03	1328	2	65	100	3	3	1	4500	3172	RTO-1	40	form-based			true	0.7	3	1	1	1	4200	2872	2872	0.933333
0818	079	1513	0.03	1449	2	55	80	2.5	2	0	3782	2333	RTO-1	40	form-based			true	0.7	3	1.5	1	1	4236.399902	2787.399902	2787.399902	1.120148
0819	001	1852	0.04	3294	3	55	80	2.5	3	0	4630	1336	NCT-HAYES	40	form-based		true		0.75	4	1.333333373	1	1	5556	2262	2262	1.2
0819	010A	1237	0.03	2000	2	55	80	2.5	2	0	3092	1092	RTO-1	40	form-based			true	0.7	3	1.5	1	1	3463.599854	1463.599854	1463.599854	1.120181
0819	022	3312	0.08	8012	6	55	80	2.5	6	0	8280	268	RTO-1	40	form-based			true	0.7	7	1.166666627	1	1	9273.599609	1261.599609	1261.599609	1.12
0819	027	1540	0.04	1910	2	55	80	2.5	3	1	3850	1940	RTO-1	40	form-based			true	0.7	3	1	1	1	4312	2402	2402	1.12
0819	036	3300	0.08	1215	6	55	80	2.5	6	0	8250	7035	RTO-1	40	form-based			true	0.7	7	1.166666627	1	1	9240	8025	8025	1.12
0819	047	1800	0.04	1150	3	55	80	2.5	3	0	4500	3350	RTO-1	40	form-based			true	0.7	4	1.333333373	1	1	5040	3890	3890	1.12
0819	052	1457	0.03	1420	2	55	80	2.5	2	0	3642	2222	RTO-1	40	form-based			true	0.7	3	1.5	1	1	4079.599854	2659.599854	2659.599854	1.120154
0819	056	1582	0.04	831	2	55	80	2.5	3	1	3955	3124	RTO-1	40	form-based			true	0.7	3	1	1	1	4429.600098	3598.600098	3598.600098	1.12
0819	058	1776	0.04	1209	3	55	80	2.5	3	0	4440	3231	RTO-1	40	form-based			true	0.7	4	1.333333373	1	1	4972.799805	3763.799805	3763.799805	1.12
0820	003A	1189	0.03	2190	2	55	80	2.5	2	0	2972	782	RH-3	50	form-based			true	0.7	3	1.5	1	1	4161.5	1971.5	1971.5	1.400236
0821	028	1561	0.04	3570	3	55	80	2.5	3	0	3902	332	RM-1	50	form-based			true	0.7	4	1.333333373	1	1	5463.5	1893.5	1893.5	1.400179
0821	077	1540	0.04	490	3	55	80	2.5	3	0	3850	3360	RM-1	50	form-based			true	0.7	4	1.333333373	1	1	5390	4900	4900	1.4
0822	001	2706	0.06	9050	7	55	80	2.5	5	0	6765	0	RM-1	50	form-based		true	true	0.7	8	1.600000024	1	1	9471	421	421	1.4
0822	051	2656	0.06	517	3	55	80	2.5	5	2	6640	6123	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7436.799805	6919.799805	6919.799805	1.12
0822	058	2656	0.06	1697	3	55	80	2.5	5	2	6640	4943	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7436.799805	5739.799805	5739.799805	1.12
0823	016	2080	0.05	4060	3	55	80	2.5	4	1	5200	1140	RH-3	40	density-lim	1000			0.7	4	1	1	1	5824	1764	1764	1.12
0824	004	2500	0.06	3972	4	55	80	2.5	5	1	6250	2278	RM-1	40	form-based			true	0.7	5	1	1	1	7000	3028	3028	1.12
0824	006C	2074	0.05	1736	2	55	80	2.5	4	2	5185	3449	RM-2	40	density-lim	600			0.7	3	0.75	1	1	5807.199707	4071.199707	4071.199707	1.12
0825	037	5767	0.13	7491	11	55	80	2.5	10	0	14418	6927	RM-1	40	form-based			true	0.7	12	1.200000048	1	1	16147.59961	8656.599609	8656.599609	1.119961
0826	022	4792	0.11	7239	9	55	80	2.5	9	0	11980	4741	RM-1	40	form-based			true	0.7	10	1.111111164	1	1	13417.59961	6178.599609	6178.599609	1.12
0826	030	2710	0.06	7534	5	55	80	2.5	5	0	6775	0	RM-1	40	form-based			true	0.7	6	1.200000048	1	1	7588	54	54	1.12
0827	021	3000	0.07	7260	6	55	80	2.5	6	0	7500	240	RM-3	40	form-based			true	0.75	7	1.166666627	1	1	9000	1740	1740	1.2
0827	022	3000	0.07	7740	6	55	80	2.5	6	0	7500	0	RM-3	40	form-based			true	0.75	7	1.166666627	1	1	9000	1260	1260	1.2
0827	031	1587	0.04	2340	2	55	80	2.5	3	1	3968	1628	RM-1	40	form-based			true	0.7	3	1	1	1	4443.600098	2103.600098	2103.600098	1.119859
0827	032	1588	0.04	2620	2	55	80	2.5	3	1	3970	1350	RM-1	40	form-based			true	0.7	3	1	1	1	4446.399902	1826.399902	1826.399902	1.12
0827	050	1588	0.04	1380	2	55	80	2.5	3	1	3970	2590	RM-1	40	form-based			true	0.7	3	1	1	1	4446.399902	3066.399902	3066.399902	1.12
0828	044	2235	0.05	565	4	55	80	2.5	4	0	5588	5023	RM-1	40	form-based			true	0.7	5	1.25	1	1	6258	5693	5693	1.1199
0829	001	967	0.02	1928	1	55	80	2.5	2	1	2418	490	RH-3	40	form-based		true	true	0.7	2	1	1	1	2707.599854	779.5998535	779.5998535	1.119768
0829	003	1353	0.03	2120	2	55	80	2.5	2	0	3382	1262	RH-3	40	form-based		true	true	0.7	3	1.5	1	1	3788.399902	1668.399902	1668.399902	1.120166
0829	004	2475	0.06	5300	4	55	80	2.5	5	1	6188	888	RH-3	40	form-based		true	true	0.7	5	1	1	1	6930	1630	1630	1.11991
0829	012	1925	0.04	1327	3	55	80	2.5	3	0	4812	3485	RH-3	40	form-based			true	0.7	4	1.333333373	1	1	5390	4063	4063	1.120116
0829	015E	1475	0.03	2785	2	55	80	2.5	2	0	3688	903	RH-3	40	form-based			true	0.7	3	1.5	1	1	4130	1345	1345	1.119848
0829	016	3300	0.08	6450	6	55	80	2.5	6	0	8250	1800	RH-3	40	form-based			true	0.7	7	1.166666627	1	1	9240	2790	2790	1.12
0829	017A	984	0.02	828	1	55	80	2.5	2	1	2460	1632	RH-3	40	form-based			true	0.7	2	1	1	1	2755.199951	1927.199951	1927.199951	1.12
0829	017B	964	0.02	828	1	55	80	2.5	2	1	2410	1582	RH-3	40	form-based		true	true	0.7	2	1	1	1	2699.199951	1871.199951	1871.199951	1.12
0829	019	2369	0.05	6592	4	55	80	2.5	4	0	5922	0	RH-3	40	form-based			true	0.7	5	1.25	1	1	6633.199707	41.19970703	41.19970703	1.120095
0829	029	1614	0.04	2280	2	55	80	2.5	3	1	4035	1755	RH-3	40	form-based			true	0.7	3	1	1	1	4519.199707	2239.199707	2239.199707	1.12
0829	031	1031	0.02	1240	1	55	80	2.5	2	1	2578	1338	RH-3	40	form-based			true	0.7	2	1	1	1	2886.800049	1646.800049	1646.800049	1.119783
0829	042	1250	0.03	2650	2	55	80	2.5	2	0	3125	475	RH-3	40	form-based			true	0.7	3	1.5	1	1	3500	850	850	1.12
0829	046	1888	0.04	1253	3	55	80	2.5	3	0	4720	3467	RH-3	40	form-based			true	0.7	4	1.333333373	1	1	5286.399902	4033.399902	4033.399902	1.12
0830	006A	2045	0.05	6000	3	65	100	3	5	2	6135	135	RTO-1	40	form-based			true	0.7	4	0.800000012	1	1	5726	0	0	0.933333
0830	008	3120	0.07	8502	6	55	80	2.5	6	0	7800	0	RTO-1	40	form-based			true	0.7	7	1.166666627	1	1	8736	234	234	1.12
0830	012	1635	0.04	3126	2	55	80	2.5	3	1	4088	962	RTO-1	40	form-based			true	0.7	3	1	1	1	4578	1452	1452	1.119863
0830	020A	900	0.02	1400	1	55	80	2.5	2	1	2250	850	RTO-1	40	form-based			true	0.7	2	1	1	1	2520	1120	1120	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0830	021A	1375	0.03	2120	2	55	80	2.5	2	0	3438	1318	RTO-1	40	form-based			true	0.7	3	1.5	1	1	3850	1730	1730	1.119837
0830	022A	1545	0.04	1354	2	55	80	2.5	3	1	3862	2508	RTO-1	40	form-based			true	0.7	3	1	1	1	4326	2972	2972	1.120145
0830	025A	1183	0.03	720	1	55	80	2.5	2	1	2958	2238	RTO-1	40	form-based			true	0.7	2	1	1	1	3312.399902	2592.399902	2592.399902	1.119811
0830	046	1027	0.02	1265	1	55	80	2.5	2	1	2568	1303	RTO-1	40	form-based			true	0.7	2	1	1	1	2875.599854	1610.599854	1610.599854	1.119782
0834	012	5957	0.14	23550	32	65	100	3	14	0	17871	0	C-3-G	85	form-based		true		0.8	33	2.357142925	1	0	38124.80078	14574.80078	12192	2.133333
0838	024	2790	0.06	3549	5	65	100	3	6	1	8370	4821	NCT-HAYES	40	form-based				0.75	6	1	1	1	8370	4821	4821	1
0838	071	1250	0.03	3525	3	65	100	3	3	0	3750	225	NCT-HAYES	50	form-based				0.75	4	1.333333373	1	1	4687.5	1162.5	1162.5	1.25
0838	100	1569	0.04	1350	3	65	100	3	4	1	4707	3357	NCT-HAYES	40	form-based				0.75	4	1	1	1	4707	3357	3357	1
0839	007	1694	0.04	4275	3	65	100	3	4	1	5082	807	RTO-1	40	form-based			true	0.7	4	1	1	1	4743.199707	468.199707	468.199707	0.933333
0839	016	1712	0.04	3697	3	65	100	3	4	1	5136	1439	RTO-1	40	form-based			true	0.7	4	1	1	1	4793.600098	1096.600098	1096.600098	0.933333
0839	016A	1588	0.04	2240	2	65	100	3	4	2	4764	2524	RTO-1	40	form-based			true	0.7	3	0.75	1	1	4446.399902	2206.399902	2206.399902	0.933333
0839	019	1807	0.04	4860	3	65	100	3	4	1	5421	561	RTO-1	40	form-based			true	0.7	4	1	1	1	5059.600098	199.6000977	199.6000977	0.933333
0839	019A	1216	0.03	1694	2	65	100	3	3	1	3648	1954	RTO-1	40	form-based			true	0.7	3	1	1	1	3404.800049	1710.800049	1710.800049	0.933333
0839	045	1620	0.04	3052	2	65	100	3	4	2	4860	1808	RTO-1	40	form-based			true	0.7	3	0.75	1	1	4536	1484	1484	0.933333
0839	055	1800	0.04	3630	3	65	100	3	4	1	5400	1770	RTO-1	40	form-based			true	0.7	4	1	1	1	5040	1410	1410	0.933333
0839	057	1500	0.03	2625	2	65	100	3	3	1	4500	1875	RTO-1	40	form-based			true	0.7	3	1	1	1	4200	1575	1575	0.933333
0839	061	2559	0.06	4050	4	65	100	3	6	2	7677	3627	RTO-1	40	form-based			true	0.7	5	0.833333313	1	1	7165.199707	3115.199707	3115.199707	0.933333
0839	064	2138	0.05	1315	3	65	100	3	5	2	6414	5099	RTO-1	40	form-based			true	0.7	4	0.800000012	1	1	5986.399902	4671.399902	4671.399902	0.933333
0839	071	1475	0.03	828	2	65	100	3	3	1	4425	3597	RTO-1	40	form-based			true	0.7	3	1	1	1	4130	3302	3302	0.933333
0839	073	1500	0.03	906	2	65	100	3	3	1	4500	3594	RTO-1	40	form-based			true	0.7	3	1	1	1	4200	3294	3294	0.933333
0840	001A	1386	0.03	2150	2	65	100	3	3	1	4158	2008	RTO-1	40	form-based		true	true	0.7	3	1	1	1	3880.800049	1730.800049	1730.800049	0.933333
0840	012	1468	0.03	1984	2	55	80	2.5	2	0	3670	1686	RTO-1	40	form-based			true	0.7	3	1.5	1	1	4110.399902	2126.399902	2126.399902	1.12
0840	017A	994	0.02	975	1	65	100	3	2	1	2982	2007	RTO-1	40	form-based			true	0.7	2	1	1	1	2783.199951	1808.199951	1808.199951	0.933333
0840	020	1100	0.03	987	1	65	100	3	3	2	3300	2313	RTO-1	40	form-based			true	0.7	2	0.666666687	1	1	3080	2093	2093	0.933333
0840	041	1635	0.04	1016	2	55	80	2.5	3	1	4088	3072	RTO-1	40	form-based			true	0.7	3	1	1	1	4578	3562	3562	1.119863
0841	020A	1344	0.03	2112	2	55	80	2.5	2	0	3360	1248	RTO-1	40	form-based			true	0.7	3	1.5	1	1	3763.199951	1651.199951	1651.199951	1.12
0841	032	1238	0.03	1560	2	55	80	2.5	2	0	3095	1535	RTO-1	40	form-based			true	0.7	3	1.5	1	1	3466.399902	1906.399902	1906.399902	1.12
0842	008	3500	0.08	7050	6	55	80	2.5	6	0	8750	1700	RM-1	40	form-based			true	0.7	7	1.166666627	1	1	9800	2750	2750	1.12
0842	028	3447	0.08	5250	6	55	80	2.5	6	0	8618	3368	RM-1	40	form-based			true	0.7	7	1.166666627	1	1	9651.599609	4401.599609	4401.599609	1.119935
0842	029	3104	0.07	5250	6	55	80	2.5	6	0	7760	2510	RM-1	40	form-based			true	0.7	7	1.166666627	1	1	8691.200195	3441.200195	3441.200195	1.12
0843	031	1283	0.03	2400	2	55	80	2.5	2	0	3208	808	RM-1	40	form-based			true	0.7	3	1.5	1	1	3592.399902	1192.399902	1192.399902	1.119825
0843	051	1940	0.04	4202	3	55	80	2.5	3	0	4850	648	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5432	1230	1230	1.12
0843	052	1940	0.04	4464	3	55	80	2.5	3	0	4850	386	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5432	968	968	1.12
0843	053	1940	0.04	4599	3	55	80	2.5	3	0	4850	251	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5432	833	833	1.12
0843	054	1940	0.04	4628	3	55	80	2.5	3	0	4850	222	RM-1	40	form-based		true	true	0.7	4	1.333333373	1	1	5432	804	804	1.12
0844	007	3319	0.08	5550	6	65	100	3	8	2	9957	4407	RH-3	40	form-based			true	0.7	7	0.875	1	1	9293.200195	3743.200195	3743.200195	0.933333
0844	017	2031	0.05	4050	3	65	100	3	5	2	6093	2043	RH-3	40	form-based			true	0.7	4	0.800000012	1	1	5686.799805	1636.799805	1636.799805	0.933333
0844	020	3781	0.09	6447	7	55	80	2.5	7	0	9452	3005	RM-1	40	form-based			true	0.7	8	1.142857194	1	1	10586.7998	4139.799805	4139.799805	1.120059
0844	028	373	0.01	0	0	55	80	2.5	1	1	932	932	RM-1	40	form-based			true	0.7	1	1	1	1	1044.400024	1044.400024	1044.400024	1.120601
0844	033	2527	0.06	6030	4	55	80	2.5	5	1	6318	288	RM-1	40	form-based			true	0.7	5	1	1	1	7075.600098	1045.600098	1045.600098	1.119911
0844	045	2031	0.05	1426	3	65	100	3	5	2	6093	4667	RH-3	40	form-based			true	0.7	4	0.800000012	1	1	5686.799805	4260.799805	4260.799805	0.933333
0844	061	2048	0.05	1245	3	65	100	3	5	2	6144	4899	RM-1	40	form-based			true	0.7	4	0.800000012	1	1	5734.399902	4489.399902	4489.399902	0.933333
0844	067	2048	0.05	1000	3	65	100	3	5	2	6144	5144	RM-1	40	form-based			true	0.7	4	0.800000012	1	1	5734.399902	4734.399902	4734.399902	0.933333
0845	017	2503	0.06	3056	4	65	100	3	6	2	7509	4453	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	7008.399902	3952.399902	3952.399902	0.933333
0845	026	1894	0.04	2276	3	55	80	2.5	3	0	4735	2459	RH-3	40	form-based			true	0.7	4	1.333333373	1	1	5303.199707	3027.199707	3027.199707	1.12
0845	028	3457	0.08	5020	6	55	80	2.5	6	0	8642	3622	RH-3	40	form-based			true	0.7	7	1.166666627	1	1	9679.599609	4659.599609	4659.599609	1.120065
0845	031	3457	0.08	3450	6	55	80	2.5	6	0	8642	5192	RH-3	40	form-based			true	0.7	7	1.166666627	1	1	9679.599609	6229.599609	6229.599609	1.120065
0846	029	3436	0.08	7000	9	65	100	3	8	0	10308	3308	RH-3	50	form-based			true	0.7	10	1.25	1	1	12026	5026	5026	1.166667
0846	037	1475	0.03	4500	3	65	100	3	3	0	4425	0	RH-3	50	form-based			true	0.7	4	1.333333373	1	1	5162.5	662.5	662.5	1.166667
0847	029	2248	0.05	4443	5	65	100	3	5	0	6744	2301	RH-3	50	form-based			true	0.7	6	1.200000048	1	1	7868	3425	3425	1.166667
0847	030A	297	0.01	0	0	65	100	3	1	1	891	891	RH-3	50	form-based			true	0.7	1	1	1	1	1039.5	1039.5	1039.5	1.166667
0848	002D	3758	0.09	6070	10	65	100	3	9	0	11274	5204	RM-1	50	form-based			true	0.7	11	1.222222209	1	1	13153	7083	7083	1.166667
0848	002F	3767	0.09	4970	10	65	100	3	9	0	11301	6331	RM-1	50	form-based			true	0.7	11	1.222222209	1	1	13184.5	8214.5	8214.5	1.166667
0848	002G	3112	0.07	5150	8	65	100	3	7	0	9336	4186	RM-1	50	form-based			true	0.7	9	1.285714269	1	1	10892	5742	5742	1.166667
0849	001	2505	0.06	4700	6	65	100	3	6	0	7515	2815	RM-1	50	form-based		true	true	0.7	7	1.166666627	1	1	8767.5	4067.5	4067.5	1.166667
0849	008	1830	0.04	4500	6	65	100	3	4	0	5490	990	NCD-LOWI	65	form-based		true	true	0.75	7	1.75	1	1	8235	3735	3735	1.5
0849	008A	1032	0.02	1030	2	65	100	3	2	0	3096	2066	RH-3	50	form-based			true	0.7	3	1.5	1	1	3612	2582	2582	1.166667
0849	037	429	0.01	0	0	65	100	3	1	1	1287	1287	RM-1	50	form-based			true	0.7	1	1	1	1	1501.5	1501.5	1501.5	1.166667
0851	002	3300	0.08	7875	6	65	100	3	8	2	9900	2025	RTO-1	40	form-based			true	0.7	7	0.875	1	1	9240	1365	1365	0.933333
0852	003B	2401	0.06	3560	4	65	100	3	6	2	7203	3643	RTO-1	40	form-based			true	0.7	5	0.833333313	1	1	6722.799805	3162.799805	3162.799805	0.933333
0852	003C	2401	0.06	3560	4	65	100	3	6	2	7203	3643	RTO-1	40	form-based			true	0.7	5	0.833333313	1	1	6722.799805	3162.799805	3162.799805	0.933333
0852	009A	1515	0.03	2268	2	65	100	3	3	1	4545	2277	RTO-1	40	form-based			true	0.7	3	1	1	1	4242	1974	1974	0.933333
0852	041	1673	0.04	1275	3	65	100	3	4	1	5019	3744	RTO-1	40	form-based			true	0.7	4	1	1	1	4684.399902	3409.399902	3409.399902	0.933333
0852	046	1325	0.03	860	2	65	100	3	3	1	3975	3115	RTO-1	40	form-based			true	0.7	3	1	1	1	3710	2850	2850	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0852	056	1295	0.03	1531	2	65	100	3	3	1	3885	2354	RTO-1	40	form-based			true	0.7	3	1	1	1	3626	2095	2095	0.933333
0852	060	1267	0.03	879	2	65	100	3	3	1	3801	2922	RTO-1	40	form-based			true	0.7	3	1	1	1	3547.599854	2668.599854	2668.599854	0.933333
0856	013	3445	0.08	9331	9	65	100	3	8	0	10335	1004	RTO-1	50	form-based			true	0.7	10	1.25	1	1	12057.5	2726.5	2726.5	1.166667
0856	018	6875	0.16	11550	18	65	100	3	16	0	20625	9075	RTO-1	50	form-based			true	0.7	19	1.1875	1	1	24062.5	12512.5	12512.5	1.166667
0858	003A	1100	0.03	710	1	65	100	3	3	2	3300	2590	RTO-1	40	form-based			true	0.7	2	0.666666687	1	1	3080	2370	2370	0.933333
0858	011A	1000	0.02	1384	1	65	100	3	2	1	3000	1616	RTO-1	40	form-based			true	0.7	2	1	1	1	2800	1416	1416	0.933333
0858	015C	1140	0.03	1710	1	65	100	3	3	2	3420	1710	RTO-1	40	form-based			true	0.7	2	0.666666687	1	1	3192	1482	1482	0.933333
0858	018	2375	0.05	5750	4	65	100	3	5	1	7125	1375	RTO-1	40	form-based		true	true	0.7	5	1	1	1	6650	900	900	0.933333
0858	041	1305	0.03	863	2	65	100	3	3	1	3915	3052	RTO-1	40	form-based			true	0.7	3	1	1	1	3654	2791	2791	0.933333
0858	047	1310	0.03	1694	2	65	100	3	3	1	3930	2236	RTO-1	40	form-based		true	true	0.7	3	1	1	1	3668	1974	1974	0.933333
0860	004	1437	0.03	3066	3	65	100	3	3	0	4311	1245	NC-1	50	form-based			true	0.75	4	1.333333373	1	1	5388.75	2322.75	2322.75	1.25
0860	008	1020	0.02	2470	2	65	100	3	2	0	3060	590	RH-3	50	form-based			true	0.7	3	1.5	1	1	3570	1100	1100	1.166667
0860	015A	1750	0.04	2180	4	65	100	3	4	0	5250	3070	RH-3	50	form-based			true	0.7	5	1.25	1	1	6125	3945	3945	1.166667
0860	017A	1150	0.03	1700	2	65	100	3	3	1	3450	1750	RH-3	50	form-based			true	0.7	3	1	1	1	4025	2325	2325	1.166667
0860	018A	1250	0.03	2000	2	65	100	3	3	1	3750	1750	RH-3	50	form-based			true	0.7	3	1	1	1	4375	2375	2375	1.166667
0860	047	1125	0.03	3000	2	65	100	3	3	1	3375	375	RH-3	50	form-based			true	0.7	3	1	1	1	3937.5	937.5	937.5	1.166667
0860	097	1000	0.02	676	2	65	100	3	2	0	3000	2324	NCD-LOWI	50	form-based			true	0.75	3	1.5	1	1	3750	3074	3074	1.25
0860	107	1069	0.02	1252	2	65	100	3	2	0	3207	1955	RH-3	50	form-based			true	0.7	3	1.5	1	1	3741.5	2489.5	2489.5	1.166667
0861	007	5291	0.12	14910	14	65	100	3	12	0	15873	963	RM-1	50	form-based		true	true	0.7	15	1.25	1	1	18518.5	3608.5	3608.5	1.166667
0861	020	5312	0.12	16500	14	65	100	3	12	0	15936	0	RH-3	50	form-based			true	0.7	15	1.25	1	1	18592	2092	2092	1.166667
0861	066	2656	0.06	1226	6	65	100	3	6	0	7968	6742	RH-3	50	form-based		true	true	0.7	7	1.166666627	1	1	9296	8070	8070	1.166667
0862	008A	949	0.02	1768	2	65	100	3	2	0	2847	1079	RH-3	50	form-based			true	0.7	3	1.5	1	1	3321.5	1553.5	1553.5	1.166667
0863	006	3263	0.07	3493	3	65	100	3	7	4	9789	6296	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	9136.399414	5643.399414	5643.399414	0.933333
0863	009	1991	0.05	2691	3	65	100	3	5	2	5973	3282	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	5574.799805	2883.799805	2883.799805	0.933333
0863	011	1627	0.04	2290	2	65	100	3	4	2	4881	2591	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	4555.600098	2265.600098	2265.600098	0.933333
0863	016	1973	0.05	1731	2	65	100	3	5	3	5919	4188	RTO-1	40	density-lim	600			0.7	3	0.600000024	1	1	5524.399902	3793.399902	3793.399902	0.933333
0864	005	2375	0.05	4309	3	65	100	3	5	2	7125	2816	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6650	2341	2341	0.933333
0864	022	2183	0.05	3333	3	65	100	3	5	2	6549	3216	RTO-1	40	density-lim	600			0.7	4	0.800000012	1	1	6112.399902	2779.399902	2779.399902	0.933333
0865	013	2341	0.05	3203	3	65	100	3	5	2	7023	3820	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6554.799805	3351.799805	3351.799805	0.933333
0865	023	2250	0.05	2300	3	65	100	3	5	2	6750	4450	RTO-1	40	density-lim	600			0.7	4	0.800000012	1	1	6300	4000	4000	0.933333
0865	026	2754	0.06	1357	3	65	100	3	6	3	8262	6905	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7711.199707	6354.199707	6354.199707	0.933333
0865	033	2250	0.05	1500	3	65	100	3	5	2	6750	5250	RTO-1	40	density-lim	600			0.7	4	0.800000012	1	1	6300	4800	4800	0.933333
0865	045	2250	0.05	5558	3	65	100	3	5	2	6750	1192	RTO-1	40	density-lim	600			0.7	4	0.800000012	1	1	6300	742	742	0.933333
0866	008	2652	0.06	6600	3	65	100	3	6	3	7956	1356	RTO-1	40	density-lim	600			0.7	4	0.666666687	1	1	7425.600098	825.6000977	825.6000977	0.933333
0866	009	2440	0.06	6726	3	65	100	3	6	3	7320	594	RTO-1	40	density-lim	600			0.7	4	0.666666687	1	1	6832	106	106	0.933333
0866	010	2255	0.05	5280	3	65	100	3	5	2	6765	1485	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6314	1034	1034	0.933333
0866	011	2255	0.05	4380	3	65	100	3	5	2	6765	2385	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6314	1934	1934	0.933333
0866	022	2417	0.06	4010	3	65	100	3	6	3	7251	3241	RTO-1	40	density-lim	600			0.7	4	0.666666687	1	1	6767.600098	2757.600098	2757.600098	0.933333
0866	025	2250	0.05	1270	3	65	100	3	5	2	6750	5480	RTO-1	40	density-lim	600			0.7	4	0.800000012	1	1	6300	5030	5030	0.933333
0866	030	2433	0.06	956	3	65	100	3	6	3	7299	6343	RTO-1	40	density-lim	600			0.7	4	0.666666687	1	1	6812.399902	5856.399902	5856.399902	0.933333
0866	033	2528	0.06	1755	3	65	100	3	6	3	7584	5829	RTO-1	40	density-lim	600			0.7	4	0.666666687	1	1	7078.399902	5323.399902	5323.399902	0.933333
0866	036	2210	0.05	1280	3	65	100	3	5	2	6630	5350	RTO-1	40	density-lim	600			0.7	4	0.800000012	1	1	6188	4908	4908	0.933333
0867	001	1425	0.03	4104	2	65	100	3	3	1	4275	171	NC-1	40	form-based		true	true	0.75	3	1	1	1	4275	171	171	1
0867	003	1945	0.04	5031	3	65	100	3	4	1	5835	804	NC-1	40	form-based			true	0.75	4	1	1	1	5835	804	804	1
0867	008	1944	0.04	4320	3	65	100	3	4	1	5832	1512	RTO-1	40	form-based			true	0.7	4	1	1	1	5443.199707	1123.199707	1123.199707	0.933333
0867	008A	1944	0.04	4320	3	65	100	3	4	1	5832	1512	RTO-1	40	form-based			true	0.7	4	1	1	1	5443.199707	1123.199707	1123.199707	0.933333
0867	012A	1500	0.03	2100	2	65	100	3	3	1	4500	2400	RTO-1	40	form-based			true	0.7	3	1	1	1	4200	2100	2100	0.933333
0867	016	1665	0.04	2450	2	65	100	3	4	2	4995	2545	RTO-1	40	form-based			true	0.7	3	0.75	1	1	4662	2212	2212	0.933333
0867	019A	1578	0.04	2766	2	65	100	3	4	2	4734	1968	RTO-1	40	form-based			true	0.7	3	0.75	1	1	4418.399902	1652.399902	1652.399902	0.933333
0867	031	2980	0.07	7360	5	65	100	3	7	2	8940	1580	RTO-1	40	form-based			true	0.7	6	0.857142866	1	1	8344	984	984	0.933333
0867	058	1578	0.04	500	2	65	100	3	4	2	4734	4234	RTO-1	40	form-based			true	0.7	3	0.75	1	1	4418.399902	3918.399902	3918.399902	0.933333
0867	060	1525	0.04	1741	2	65	100	3	4	2	4575	2834	RTO-1	40	form-based			true	0.7	3	0.75	1	1	4270	2529	2529	0.933333
0867	061	1475	0.03	2273	2	65	100	3	3	1	4425	2152	RTO-1	40	form-based			true	0.7	3	1	1	1	4130	1857	1857	0.933333
0867	068	1850	0.04	4275	3	65	100	3	4	1	5550	1275	RTO-1	40	form-based			true	0.7	4	1	1	1	5180	905	905	0.933333
0867	070	1500	0.03	1200	2	65	100	3	3	1	4500	3300	RTO-1	40	form-based			true	0.7	3	1	1	1	4200	3000	3000	0.933333
0867	076	1353	0.03	958	2	65	100	3	3	1	4059	3101	RTO-1	40	form-based			true	0.7	3	1	1	1	3788.399902	2830.399902	2830.399902	0.933333
0867	078	1300	0.03	772	2	65	100	3	3	1	3900	3128	RTO-1	40	form-based			true	0.7	3	1	1	1	3640	2868	2868	0.933333
0867	080	1500	0.03	852	2	65	100	3	3	1	4500	3648	RTO-1	40	form-based			true	0.7	3	1	1	1	4200	3348	3348	0.933333
0867	082	1819	0.04	4275	3	65	100	3	4	1	5457	1182	RTO-1	40	form-based			true	0.7	4	1	1	1	5093.199707	818.199707	818.199707	0.933333
0867	085	1500	0.03	1500	2	65	100	3	3	1	4500	3000	RTO-1	40	form-based			true	0.7	3	1	1	1	4200	2700	2700	0.933333
0867	087	1851	0.04	1245	3	65	100	3	4	1	5553	4308	RTO-1	40	form-based			true	0.7	4	1	1	1	5182.799805	3937.799805	3937.799805	0.933333
0868	008B	835	0.02	1050	1	65	100	3	2	1	2505	1455	RTO-1	40	form-based			true	0.7	2	1	1	1	2338	1288	1288	0.933333
0868	008C	843	0.02	1050	1	65	100	3	2	1	2529	1479	RTO-1	40	form-based			true	0.7	2	1	1	1	2360.399902	1310.399902	1310.399902	0.933333
0868	010	1250	0.03	1750	2	65	100	3	3	1	3750	2000	RTO-1	40	form-based			true	0.7	3	1	1	1	3500	1750	1750	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0868	011A	1250	0.03	1750	2	65	100	3	3	1	3750	2000	RTO-1	40	form-based			true	0.7	3	1	1	1	3500	1750	1750	0.933333
0868	020	1951	0.04	4350	3	65	100	3	4	1	5853	1503	RTO-1	40	form-based			true	0.7	4	1	1	1	5462.799805	1112.799805	1112.799805	0.933333
0868	034	1616	0.04	2370	2	65	100	3	4	2	4848	2478	RTO-1	40	form-based			true	0.7	3	0.75	1	1	4524.799805	2154.799805	2154.799805	0.933333
0868	034A	1375	0.03	2260	2	65	100	3	3	1	4125	1865	RTO-1	40	form-based			true	0.7	3	1	1	1	3850	1590	1590	0.933333
0868	036A	1125	0.03	1170	1	65	100	3	3	2	3375	2205	RTO-1	40	form-based			true	0.7	2	0.666666687	1	1	3150	1980	1980	0.933333
0868	042	1907	0.04	400	3	65	100	3	4	1	5721	5321	NC-1	40	form-based		true	true	0.75	4	1	1	1	5721	5321	5321	1
0868	055	1382	0.03	868	2	65	100	3	3	1	4146	3278	RTO-1	40	form-based			true	0.7	3	1	1	1	3869.599854	3001.599854	3001.599854	0.933333
0868	059	1618	0.04	1102	2	65	100	3	4	2	4854	3752	RTO-1	40	form-based			true	0.7	3	0.75	1	1	4530.399902	3428.399902	3428.399902	0.933333
0868	061	1312	0.03	1125	2	65	100	3	3	1	3936	2811	RTO-1	40	form-based			true	0.7	3	1	1	1	3673.599854	2548.599854	2548.599854	0.933333
0868	063	1375	0.03	1265	2	65	100	3	3	1	4125	2860	RTO-1	40	form-based			true	0.7	3	1	1	1	3850	2585	2585	0.933333
0868	065	1951	0.04	2308	3	65	100	3	4	1	5853	3545	RTO-1	40	form-based			true	0.7	4	1	1	1	5462.799805	3154.799805	3154.799805	0.933333
0868	069	1599	0.04	1105	2	65	100	3	4	2	4797	3692	RTO-1	40	form-based			true	0.7	3	0.75	1	1	4477.199707	3372.199707	3372.199707	0.933333
0868	073	1867	0.04	3060	3	65	100	3	4	1	5601	2541	RTO-1	40	form-based			true	0.7	4	1	1	1	5227.600098	2167.600098	2167.600098	0.933333
0868	080	1390	0.03	952	2	65	100	3	3	1	4170	3218	RTO-1	40	form-based			true	0.7	3	1	1	1	3892	2940	2940	0.933333
0868	082	1280	0.03	875	2	65	100	3	3	1	3840	2965	RTO-1	40	form-based			true	0.7	3	1	1	1	3584	2709	2709	0.933333
0868	090	3220	0.07	6220	6	65	100	3	7	1	9660	3440	RTO-1	40	form-based			true	0.7	7	1	1	1	9016	2796	2796	0.933333
0868	095	1430	0.03	1043	2	65	100	3	3	1	4290	3247	RTO-1	40	form-based			true	0.7	3	1	1	1	4004	2961	2961	0.933333
0869	009	2754	0.06	3360	7	65	100	3	6	0	8262	4902	RTO-1	50	form-based			true	0.7	8	1.333333373	1	1	9639	6279	6279	1.166667
0869	013	3609	0.08	2843	9	65	100	3	8	0	10827	7984	RTO-1	50	form-based			true	0.7	10	1.25	1	1	12631.5	9788.5	9788.5	1.166667
0869	018	3435	0.08	3806	6	65	100	3	8	2	10305	6499	RTO-1	40	form-based			true	0.7	7	0.875	1	1	9618	5812	5812	0.933333
0869	053	3300	0.08	385	6	65	100	3	8	2	9900	9515	RTO-1	40	form-based			true	0.7	7	0.875	1	1	9240	8855	8855	0.933333
0875	020	427	0.01	321	0	65	100	3	1	1	1281	960	RTO-1	40	form-based			true	0.7	1	1	1	1	1195.599976	874.5999756	874.5999756	0.933333
0963	010	3320	0.08	5412	6	55	80	2.5	6	0	8300	2888	RH-1	40	form-based			true	0.7	7	1.166666627	1	1	9296	3884	3884	1.12
0966	002	1111	0.03	3625	1	55	80	2.5	2	1	2778	0	RH-1	40	form-based			true	0.7	2	1	1	1	3110.800049	0	0	1.119798
0966	003	916	0.02	3827	1	55	80	2.5	2	1	2290	0	RH-1	40	form-based			true	0.7	2	1	1	1	2564.800049	0	0	1.12
0972	011A	960	0.02	2558	1	55	80	2.5	2	1	2400	0	RH-1	40	form-based			true	0.7	2	1	1	1	2688	130	130	1.12
0973	016	1036	0.02	2160	1	55	80	2.5	2	1	2590	430	RH-1	40	form-based			true	0.7	2	1	1	1	2900.800049	740.8000488	740.8000488	1.12
0975	012	1611	0.04	3210	2	55	80	2.5	3	1	4028	818	RH-3	40	form-based			true	0.7	3	1	1	1	4510.799805	1300.799805	1300.799805	1.119861
0975	013	998	0.02	1800	1	55	80	2.5	2	1	2495	695	RH-3	40	form-based		true	true	0.7	2	1	1	1	2794.399902	994.3999023	994.3999023	1.12
0976	005	2650	0.06	2820	5	55	80	2.5	5	0	6625	3805	RH-3	40	form-based			true	0.7	6	1.200000048	1	1	7420	4600	4600	1.12
0977	003	1895	0.04	3088	3	55	80	2.5	3	0	4738	1650	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	5306	2218	2218	1.119882
0979	011	3511	0.08	6787	6	65	100	3	8	2	10533	3746	RH-2	40	form-based			true	0.7	7	0.875	1	1	9830.799805	3043.799805	3043.799805	0.933333
0980	003	3469	0.08	7275	6	65	100	3	8	2	10407	3132	RM-1	40	form-based			true	0.7	7	0.875	1	1	9713.200195	2438.200195	2438.200195	0.933333
0980	013	4389	0.1	6100	9	65	100	3	10	1	13167	7067	NC-1	40	form-based			true	0.75	10	1	1	1	13167	7067	7067	1
0980	043	3469	0.08	1000	6	65	100	3	8	2	10407	9407	RM-1	40	form-based			true	0.7	7	0.875	1	1	9713.200195	8713.200195	8713.200195	0.933333
0980	055	6312	0.14	1065	12	65	100	3	14	2	18936	17871	RM-1	40	form-based		true	true	0.7	13	0.928571403	1	1	17673.59961	16608.59961	16608.59961	0.933333
0981	005	2241	0.05	2680	4	65	100	3	5	1	6723	4043	RH-2	40	form-based			true	0.7	5	1	1	1	6274.799805	3594.799805	3594.799805	0.933333
0981	026A	1228	0.03	3138	2	65	100	3	3	1	3684	546	RH-3	40	form-based			true	0.7	3	1	1	1	3438.399902	300.3999023	300.3999023	0.933333
0981	068	3174	0.07	1151	6	65	100	3	7	1	9522	8371	RH-2	40	form-based			true	0.7	7	1	1	1	8887.200195	7736.200195	7736.200195	0.933333
0982	013	3184	0.07	5164	6	65	100	3	7	1	9552	4388	RH-3	40	form-based			true	0.7	7	1	1	1	8915.200195	3751.200195	3751.200195	0.933333
0983	001	3737	0.09	7957	7	65	100	3	9	2	11211	3254	RH-2	40	form-based		true	true	0.7	8	0.888888896	1	1	10463.59961	2506.599609	2506.599609	0.933333
0983	021	3228	0.07	6300	6	65	100	3	7	1	9684	3384	RH-2	40	form-based			true	0.7	7	1	1	1	9038.399414	2738.399414	2738.399414	0.933333
0986	003	8372	0.19	34425	17	55	80	2.5	15	0	20930	0	RH-1	40	form-based		true	true	0.7	18	1.200000048	1	1	23441.59961	0	0	1.12
0998	014D	259	0.01	0	0	65	100	3	1	1	777	777	RM-1	40	form-based			true	0.7	1	1	1	1	725.2000122	725.2000122	725.2000122	0.933333
0999	001A	1009	0.02	2400	1	65	100	3	2	1	3027	627	RH-3	40	form-based			true	0.7	2	1	1	1	2825.199951	425.1999512	425.1999512	0.933333
0999	034	6384	0.15	1062	12	65	100	3	15	3	19152	18090	RH-3	40	form-based			true	0.7	13	0.866666675	1	1	17875.19922	16813.19922	16813.19922	0.933333
1000	013	6384	0.15	12375	12	65	100	3	15	3	19152	6777	RH-3	40	form-based			true	0.7	13	0.866666675	1	1	17875.19922	5500.199219	5500.199219	0.933333
1000	022	2676	0.06	2550	5	65	100	3	6	1	8028	5478	RH-2	40	form-based			true	0.7	6	1	1	1	7492.799805	4942.799805	4942.799805	0.933333
1001	001	3230	0.07	8400	6	65	100	3	7	1	9690	1290	RM-1	40	form-based		true	true	0.7	7	1	1	1	9044	644	644	0.933333
1001	014	3511	0.08	6257	6	65	100	3	8	2	10533	4276	RH-2	40	form-based			true	0.7	7	0.875	1	1	9830.799805	3573.799805	3573.799805	0.933333
1001	020	2775	0.06	3588	5	65	100	3	6	1	8325	4737	RH-2	40	form-based			true	0.7	6	1	1	1	7770	4182	4182	0.933333
1001	028	3283	0.08	6600	6	65	100	3	8	2	9849	3249	RH-2	40	form-based			true	0.7	7	0.875	1	1	9192.399414	2592.399414	2592.399414	0.933333
1001	034	3226	0.07	1070	6	65	100	3	7	1	9678	8608	RM-1	40	form-based			true	0.7	7	1	1	1	9032.799805	7962.799805	7962.799805	0.933333
1001	062	2492	0.06	1504	4	65	100	3	6	2	7476	5972	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	6977.600098	5473.600098	5473.600098	0.933333
1002	019	2750	0.06	4950	5	65	100	3	6	1	8250	3300	RH-2	40	form-based			true	0.7	6	1	1	1	7700	2750	2750	0.933333
1002	023	4125	0.09	5475	8	65	100	3	9	1	12375	6900	RH-2	40	form-based			true	0.7	9	1	1	1	11550	6075	6075	0.933333
1002	040	2513	0.06	940	4	65	100	3	6	2	7539	6599	RH-2	40	form-based		true	true	0.7	5	0.833333313	1	1	7036.399902	6096.399902	6096.399902	0.933333
1003	039	3256	0.07	5600	6	65	100	3	7	1	9768	4168	RH-3	40	form-based			true	0.7	7	1	1	1	9116.799805	3516.799805	3516.799805	0.933333
1004	032	1553	0.04	2614	2	65	100	3	4	2	4659	2045	RH-2	40	form-based			true	0.7	3	0.75	1	1	4348.399902	1734.399902	1734.399902	0.933333
1005	003	3094	0.07	4960	8	65	100	3	7	0	9282	4322	RH-2	50	form-based		true	true	0.7	9	1.285714269	1	1	10829	5869	5869	1.166667
1006	003	2562	0.06	3480	4	65	100	3	6	2	7686	4206	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	7173.600098	3693.600098	3693.600098	0.933333
1007	002	3194	0.07	6927	6	65	100	3	7	1	9582	2655	RH-2	40	form-based			true	0.7	7	1	1	1	8943.200195	2016.200195	2016.200195	0.933333
1007	006	750	0.02	1893	1	65	100	3	2	1	2250	357	RH-2	50	form-based			true	0.7	2	1	1	1	2625	732	732	1.166667
1007	021	3199	0.07	7307	6	65	100	3	7	1	9597	2290	RM-1	40	form-based			true	0.7	7	1	1	1	8957.200195	1650.200195	1650.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1007	027	3198	0.07	1253	6	65	100	3	7	1	9594	8341	RM-1	40	form-based			true	0.7	7	1	1	1	8954.399414	7701.399414	7701.399414	0.933333
1007	037	3305	0.08	1105	6	65	100	3	8	2	9915	8810	RM-1	40	form-based		true	true	0.7	7	0.875	1	1	9254	8149	8149	0.933333
1008	002	3623	0.08	6308	7	65	100	3	8	1	10869	4561	RM-1	40	form-based			true	0.7	8	1	1	1	10144.39941	3836.399414	3836.399414	0.933333
1008	041	2462	0.06	715	6	65	100	3	6	0	7386	6671	RM-1	50	form-based			true	0.7	7	1.166666627	1	1	8617	7902	7902	1.166667
1009	034	3227	0.07	1035	6	65	100	3	7	1	9681	8646	RH-2	40	form-based			true	0.7	7	1	1	1	9035.599609	8000.599609	8000.599609	0.933333
1010	015	2093	0.05	7410	7	55	80	2.5	4	0	5232	0	NCD-SACR	65	form-based		true	true	0.75	8	2	1	1	9418.5	2008.5	2008.5	1.800172
1012	010	2310	0.05	2824	5	55	80	2.5	4	0	5775	2951	RH-3	50	form-based			true	0.7	6	1.5	1	1	8085	5261	5261	1.4
1013	002	3317	0.08	7800	6	55	80	2.5	6	0	8292	492	RH-1	40	form-based			true	0.7	7	1.166666627	1	1	9287.599609	1487.599609	1487.599609	1.120067
1013	006	4610	0.11	15450	12	55	80	2.5	9	0	11525	0	RM-1	50	form-based		true	true	0.7	13	1.444444418	1	1	16135	685	685	1.4
1013	015	2460	0.06	6450	6	55	80	2.5	5	0	6150	0	RM-1	50	form-based		true	true	0.7	7	1.399999976	1	1	8610	2160	2160	1.4
1026	030	5250	0.12	762	14	65	100	3	12	0	15750	14988	RH-2	50	form-based			true	0.7	15	1.25	1	1	18375	17613	17613	1.166667
1028	008A	2062	0.05	4680	3	65	100	3	5	2	6186	1506	RH-2	40	form-based			true	0.7	4	0.800000012	1	1	5773.600098	1093.600098	1093.600098	0.933333
1029	004	2269	0.05	3270	4	65	100	3	5	1	6807	3537	RM-1	40	form-based			true	0.7	5	1	1	1	6353.199707	3083.199707	3083.199707	0.933333
1029	034	1624	0.04	1182	2	65	100	3	4	2	4872	3690	RH-2	40	form-based			true	0.7	3	0.75	1	1	4547.199707	3365.199707	3365.199707	0.933333
1031	008	2500	0.06	3916	4	65	100	3	6	2	7500	3584	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	7000	3084	3084	0.933333
1036	021	3445	0.08	6138	6	65	100	3	8	2	10335	4197	RH-2	40	form-based			true	0.7	7	0.875	1	1	9646	3508	3508	0.933333
1046	009	1875	0.04	3170	3	65	100	3	4	1	5625	2455	RH-3	40	form-based		true	true	0.7	4	1	1	1	5250	2080	2080	0.933333
1046	015	2100	0.05	4490	6	65	100	3	5	0	6300	1810	RM-1	65	form-based			true	0.7	7	1.399999976	1	1	8820	4330	4330	1.4
1046	029	2501	0.06	4230	4	65	100	3	6	2	7503	3273	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	7002.799805	2772.799805	2772.799805	0.933333
1047	040	1639	0.04	2050	2	65	100	3	4	2	4917	2867	RH-2	40	form-based			true	0.7	3	0.75	1	1	4589.199707	2539.199707	2539.199707	0.933333
1048	024	1389	0.03	1440	2	65	100	3	3	1	4167	2727	RH-2	40	form-based			true	0.7	3	1	1	1	3889.199951	2449.199951	2449.199951	0.933333
1048	027A	731	0.02	1308	1	65	100	3	2	1	2193	885	RH-2	40	form-based			true	0.7	2	1	1	1	2046.799927	738.7999268	738.7999268	0.933333
1050	006B	1698	0.04	2215	3	65	100	3	4	1	5094	2879	RH-2	40	form-based			true	0.7	4	1	1	1	4754.399902	2539.399902	2539.399902	0.933333
1050	006C	779	0.02	1057	1	65	100	3	2	1	2337	1280	RH-2	40	form-based			true	0.7	2	1	1	1	2181.199951	1124.199951	1124.199951	0.933333
1050	006E	743	0.02	640	1	65	100	3	2	1	2229	1589	RH-2	40	form-based			true	0.7	2	1	1	1	2080.399902	1440.399902	1440.399902	0.933333
1053	005A	1645	0.04	2792	2	65	100	3	4	2	4935	2143	RH-3	40	form-based			true	0.7	3	0.75	1	1	4606	1814	1814	0.933333
1053	021	2500	0.06	3612	4	65	100	3	6	2	7500	3888	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	7000	3388	3388	0.933333
1053	022A	1522	0.03	3000	2	65	100	3	3	1	4566	1566	RH-3	40	form-based		true	true	0.7	3	1	1	1	4261.600098	1261.600098	1261.600098	0.933333
1054	009	1116	0.03	720	1	65	100	3	3	2	3348	2628	RH-3	40	form-based			true	0.7	2	0.666666687	1	1	3124.800049	2404.800049	2404.800049	0.933333
1054	010	2450	0.06	2780	4	65	100	3	6	2	7350	4570	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	6860	4080	4080	0.933333
1054	019	2550	0.06	2740	4	65	100	3	6	2	7650	4910	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	7140	4400	4400	0.933333
1054	023	1052	0.02	1404	1	65	100	3	2	1	3156	1752	RH-3	40	form-based			true	0.7	2	1	1	1	2945.599854	1541.599854	1541.599854	0.933333
1054	030	3777	0.09	5147	7	65	100	3	9	2	11331	6184	RH-2	40	form-based			true	0.7	8	0.888888896	1	1	10575.59961	5428.599609	5428.599609	0.933333
1055	015	8377	0.19	23170	28	65	100	3	19	0	25131	1961	RM-2	65	form-based		true	true	0.7	29	1.526315808	1	1	35183.39844	12013.39844	12013.39844	1.4
1061	045	5982	0.14	8865	12	65	100	3	14	2	17946	9081	RM-2	40	form-based		true	true	0.7	13	0.928571403	1	1	16749.59961	7884.599609	7884.599609	0.933333
1058	011	4101	0.09	4922	8	65	100	3	9	1	12303	7381	RH-3	40	form-based		true	true	0.7	9	1	1	1	11482.7998	6560.799805	6560.799805	0.933333
1062	034	3890	0.09	5352	7	65	100	3	9	2	11670	6318	RM-1	40	form-based			true	0.7	8	0.888888896	1	1	10892	5540	5540	0.933333
1064	008	3016	0.07	4090	5	65	100	3	7	2	9048	4958	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8444.799805	4354.799805	4354.799805	0.933333
1065	046	6090	0.14	11850	12	65	100	3	14	2	18270	6420	RM-2	40	form-based			true	0.7	13	0.928571403	1	1	17052	5202	5202	0.933333
1069	003	2950	0.07	3450	5	65	100	3	7	2	8850	5400	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8260	4810	4810	0.933333
1069	010	1490	0.03	1570	2	65	100	3	3	1	4470	2900	RH-2	40	form-based			true	0.7	3	1	1	1	4172	2602	2602	0.933333
1069	010A	1112	0.03	1450	1	65	100	3	3	2	3336	1886	RH-2	40	form-based			true	0.7	2	0.666666687	1	1	3113.599854	1663.599854	1663.599854	0.933333
1073	001	1738	0.04	4800	3	65	100	3	4	1	5214	414	RH-3	40	form-based		true	true	0.7	4	1	1	1	4866.399902	66.39990234	66.39990234	0.933333
1073	007A	1836	0.04	2120	3	65	100	3	4	1	5508	3388	RH-3	40	form-based			true	0.7	4	1	1	1	5140.799805	3020.799805	3020.799805	0.933333
1073	026	2300	0.05	845	4	65	100	3	5	1	6900	6055	RH-3	40	form-based			true	0.7	5	1	1	1	6440	5595	5595	0.933333
1073	051	2435	0.06	800	4	65	100	3	6	2	7305	6505	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	6818	6018	6018	0.933333
1074	010	2500	0.06	4050	4	65	100	3	6	2	7500	3450	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	7000	2950	2950	0.933333
1074	018A	1375	0.03	1902	2	65	100	3	3	1	4125	2223	RH-3	40	form-based			true	0.7	3	1	1	1	3850	1948	1948	0.933333
1074	020B	2040	0.05	2712	3	65	100	3	5	2	6120	3408	RH-3	40	form-based			true	0.7	4	0.800000012	1	1	5712	3000	3000	0.933333
1076	017	3406	0.08	9120	6	65	100	3	8	2	10218	1098	RM-1	40	form-based		true	true	0.7	7	0.875	1	1	9536.799805	416.7998047	416.7998047	0.933333
1080	002	1750	0.04	4260	3	65	100	3	4	1	5250	990	RH-3	40	form-based			true	0.7	4	1	1	1	4900	640	640	0.933333
1080	003	1750	0.04	4260	3	65	100	3	4	1	5250	990	RH-3	40	form-based			true	0.7	4	1	1	1	4900	640	640	0.933333
1080	021A	1171	0.03	1075	1	65	100	3	3	2	3513	2438	RH-3	40	form-based			true	0.7	2	0.666666687	1	1	3278.800049	2203.800049	2203.800049	0.933333
1080	021B	1163	0.03	1458	1	65	100	3	3	2	3489	2031	RH-3	40	form-based			true	0.7	2	0.666666687	1	1	3256.399902	1798.399902	1798.399902	0.933333
1080	021C	1155	0.03	975	1	65	100	3	3	2	3465	2490	RH-3	40	form-based		true	true	0.7	2	0.666666687	1	1	3234	2259	2259	0.933333
1081	002	1650	0.04	2484	2	85	140	4	6	4	6600	4116	RH-3	40	form-based			true	0.7	3	0.5	1	1	4620	2136	2136	0.7
1081	026	3781	0.09	2860	7	65	100	3	9	2	11343	8483	RH-3	40	form-based			true	0.7	8	0.888888896	1	1	10586.7998	7726.799805	7726.799805	0.933333
1082	020	2323	0.05	2792	4	65	100	3	5	1	6969	4177	RH-3	40	form-based			true	0.7	5	1	1	1	6504.399902	3712.399902	3712.399902	0.933333
1082	033	1262	0.03	1035	2	65	100	3	3	1	3786	2751	RH-3	40	form-based			true	0.7	3	1	1	1	3533.599854	2498.599854	2498.599854	0.933333
1087	013C	108	0	2280	0	65	100	3	0	0	324	0	RTO-C	85	form-based			true	0.75	1		1	1	648	0	0	2
1100	030	1920	0.04	4605	6	65	100	3	4	0	5760	1155	RTO-C	65	form-based			true	0.75	7	1.75	1	1	8640	4035	4035	1.5
1101	019	2188	0.05	4122	6	65	100	3	5	0	6564	2442	RM-3	50	form-based			true	0.75	7	1.399999976	1	1	8205	4083	4083	1.25
1102	002	3000	0.07	4800	5	65	100	3	7	2	9000	4200	RM-1	40	form-based		true	true	0.7	6	0.857142866	1	1	8400	3600	3600	0.933333
1102	016	1531	0.04	1475	2	65	100	3	4	2	4593	3118	RM-1	40	form-based			true	0.7	3	0.75	1	1	4286.799805	2811.799805	2811.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1125	034	2523	0.06	720	4	65	100	3	6	2	7569	6849	RM-1	40	form-based			true	0.7	5	0.833333313	1	1	7064.399902	6344.399902	6344.399902	0.933333
1112	024	4177	0.1	5616	8	65	100	3	10	2	12531	6915	RH-2	40	form-based		true	true	0.7	9	0.899999976	1	1	11695.59961	6079.599609	6079.599609	0.933333
1129	012A	4452	0.1	7266	12	65	100	3	10	0	13356	6090	RM-3	50	form-based			true	0.75	13	1.299999952	1	1	16695	9429	9429	1.25
1130	009	1639	0.04	2350	2	65	100	3	4	2	4917	2567	RM-1	40	form-based			true	0.7	3	0.75	1	1	4589.199707	2239.199707	2239.199707	0.933333
1130	009A	1639	0.04	2350	2	65	100	3	4	2	4917	2567	RM-1	40	form-based		true	true	0.7	3	0.75	1	1	4589.199707	2239.199707	2239.199707	0.933333
1131	002B	1174	0.03	1302	1	65	100	3	3	2	3522	2220	RH-1	40	form-based			true	0.7	2	0.666666687	1	1	3287.199951	1985.199951	1985.199951	0.933333
1131	010B	1610	0.04	2974	2	65	100	3	4	2	4830	1856	RH-2	40	form-based		true	true	0.7	3	0.75	1	1	4508	1534	1534	0.933333
1131	018	1506	0.03	1154	2	65	100	3	3	1	4518	3364	RH-2	40	form-based			true	0.7	3	1	1	1	4216.799805	3062.799805	3062.799805	0.933333
1133	007A	1485	0.03	2100	2	65	100	3	3	1	4455	2355	RH-2	40	form-based			true	0.7	3	1	1	1	4158	2058	2058	0.933333
1133	007C	1549	0.04	2982	2	65	100	3	4	2	4647	1665	RH-2	40	form-based		true	true	0.7	3	0.75	1	1	4337.199707	1355.199707	1355.199707	0.933333
1135	024	1577	0.04	2800	2	65	100	3	4	2	4731	1931	RH-2	40	form-based			true	0.7	3	0.75	1	1	4415.600098	1615.600098	1615.600098	0.933333
1135	026	1570	0.04	1421	2	65	100	3	4	2	4710	3289	RH-2	40	form-based		true	true	0.7	3	0.75	1	1	4396	2975	2975	0.933333
1136	001	1408	0.03	2318	2	65	100	3	3	1	4224	1906	RH-2	40	form-based		true	true	0.7	3	1	1	1	3942.399902	1624.399902	1624.399902	0.933333
1136	024	1482	0.03	2500	2	65	100	3	3	1	4446	1946	RH-2	40	form-based			true	0.7	3	1	1	1	4149.600098	1649.600098	1649.600098	0.933333
1136	025	1482	0.03	2500	2	65	100	3	3	1	4446	1946	RH-2	40	form-based			true	0.7	3	1	1	1	4149.600098	1649.600098	1649.600098	0.933333
1136	026	1482	0.03	2318	2	65	100	3	3	1	4446	2128	RH-2	40	form-based			true	0.7	3	1	1	1	4149.600098	1831.600098	1831.600098	0.933333
1139	011A	1373	0.03	2240	2	65	100	3	3	1	4119	1879	RH-2	40	form-based		true	true	0.7	3	1	1	1	3844.399902	1604.399902	1604.399902	0.933333
1139	011C	1284	0.03	2240	2	65	100	3	3	1	3852	1612	RH-2	40	form-based			true	0.7	3	1	1	1	3595.199951	1355.199951	1355.199951	0.933333
1140	006A	1260	0.03	1870	2	65	100	3	3	1	3780	1910	RH-2	40	form-based			true	0.7	3	1	1	1	3528	1658	1658	0.933333
1140	017	1370	0.03	1084	2	65	100	3	3	1	4110	3026	RH-2	40	form-based		true	true	0.7	3	1	1	1	3836	2752	2752	0.933333
1141	001	2500	0.06	1680	4	65	100	3	6	2	7500	5820	RH-2	40	form-based		true	true	0.7	5	0.833333313	1	1	7000	5320	5320	0.933333
1141	018	2605	0.06	3440	4	55	80	2.5	5	1	6512	3072	RM-2	40	form-based		true	true	0.7	5	1	1	1	7294	3854	3854	1.120086
1141	020	2514	0.06	3600	4	65	100	3	6	2	7542	3942	RM-2	40	form-based			true	0.7	5	0.833333313	1	1	7039.199707	3439.199707	3439.199707	0.933333
1141	025	2508	0.06	3000	4	65	100	3	6	2	7524	4524	RM-2	40	form-based		true	true	0.7	5	0.833333313	1	1	7022.399902	4022.399902	4022.399902	0.933333
1141	026	3230	0.07	4050	6	65	100	3	7	1	9690	5640	RM-2	40	form-based			true	0.7	7	1	1	1	9044	4994	4994	0.933333
1141	031	3223	0.07	4200	6	65	100	3	7	1	9669	5469	RM-2	40	form-based			true	0.7	7	1	1	1	9024.399414	4824.399414	4824.399414	0.933333
1142	017	3373	0.08	3955	6	55	80	2.5	6	0	8432	4477	RH-2	40	form-based			true	0.7	7	1.166666627	1	1	9444.399414	5489.399414	5489.399414	1.120066
1142	023	1791	0.04	2600	3	55	80	2.5	3	0	4478	1878	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	5014.799805	2414.799805	2414.799805	1.119875
1142	036	3325	0.08	6486	6	55	80	2.5	6	0	8312	1826	RM-1	40	form-based			true	0.7	7	1.166666627	1	1	9310	2824	2824	1.120067
1142	074	2500	0.06	847	4	55	80	2.5	5	1	6250	5403	RH-2	40	form-based		true	true	0.7	5	1	1	1	7000	6153	6153	1.12
1143	004	1575	0.04	1940	2	55	80	2.5	3	1	3938	1998	RH-2	40	form-based			true	0.7	3	1	1	1	4410	2470	2470	1.119858
1143	005	1571	0.04	1940	2	55	80	2.5	3	1	3928	1988	RH-2	40	form-based			true	0.7	3	1	1	1	4398.799805	2458.799805	2458.799805	1.119857
1143	005A	1612	0.04	1940	2	55	80	2.5	3	1	4030	2090	RH-2	40	form-based			true	0.7	3	1	1	1	4513.600098	2573.600098	2573.600098	1.12
1143	010	1594	0.04	2100	2	55	80	2.5	3	1	3985	1885	RH-2	40	form-based			true	0.7	3	1	1	1	4463.199707	2363.199707	2363.199707	1.12
1143	011	1594	0.04	2130	2	55	80	2.5	3	1	3985	1855	RH-2	40	form-based			true	0.7	3	1	1	1	4463.199707	2333.199707	2333.199707	1.12
1143	011A	1594	0.04	2130	2	55	80	2.5	3	1	3985	1855	RH-2	40	form-based			true	0.7	3	1	1	1	4463.199707	2333.199707	2333.199707	1.12
1143	011B	1594	0.04	2130	2	55	80	2.5	3	1	3985	1855	RH-2	40	form-based			true	0.7	3	1	1	1	4463.199707	2333.199707	2333.199707	1.12
1143	011C	1594	0.04	2130	2	55	80	2.5	3	1	3985	1855	RH-2	40	form-based		true	true	0.7	3	1	1	1	4463.199707	2333.199707	2333.199707	1.12
1143	012	1563	0.04	2130	2	55	80	2.5	3	1	3908	1778	RH-2	40	form-based		true	true	0.7	3	1	1	1	4376.399902	2246.399902	2246.399902	1.119857
1143	012A	1566	0.04	2130	2	55	80	2.5	3	1	3915	1785	RH-2	40	form-based			true	0.7	3	1	1	1	4384.799805	2254.799805	2254.799805	1.12
1143	012C	1572	0.04	2130	2	55	80	2.5	3	1	3930	1800	RH-2	40	form-based			true	0.7	3	1	1	1	4401.600098	2271.600098	2271.600098	1.12
1143	014	2487	0.06	4400	4	55	80	2.5	5	1	6218	1818	RH-2	40	form-based			true	0.7	5	1	1	1	6963.600098	2563.600098	2563.600098	1.11991
1143	017	1631	0.04	2200	2	55	80	2.5	3	1	4078	1878	RH-2	40	form-based			true	0.7	3	1	1	1	4566.799805	2366.799805	2366.799805	1.119863
1143	020	1613	0.04	990	2	55	80	2.5	3	1	4032	3042	RH-2	40	form-based			true	0.7	3	1	1	1	4516.399902	3526.399902	3526.399902	1.120139
1143	022	1569	0.04	982	2	55	80	2.5	3	1	3922	2940	RH-2	40	form-based			true	0.7	3	1	1	1	4393.199707	3411.199707	3411.199707	1.120143
1150	025	2500	0.06	2770	4	55	80	2.5	5	1	6250	3480	RH-3	40	form-based			true	0.7	5	1	1	1	7000	4230	4230	1.12
1151	017	2500	0.06	3530	4	55	80	2.5	5	1	6250	2720	RH-3	40	form-based			true	0.7	5	1	1	1	7000	3470	3470	1.12
1152	056	2500	0.06	1050	4	55	80	2.5	5	1	6250	5200	RM-1	40	form-based		true	true	0.7	5	1	1	1	7000	5950	5950	1.12
1153	014	2468	0.06	3853	6	55	80	2.5	5	0	6170	2317	RH-3	50	form-based			true	0.7	7	1.399999976	1	1	8638	4785	4785	1.4
1154	004	4523	0.1	8184	12	55	80	2.5	8	0	11308	3124	RH-3	50	form-based			true	0.7	13	1.625	1	1	15830.5	7646.5	7646.5	1.399938
1156	026	4583	0.11	10275	12	55	80	2.5	9	0	11458	1183	RM-1	50	form-based			true	0.7	13	1.444444418	1	1	16040.5	5765.5	5765.5	1.399939
1157	005	2625	0.06	6792	6	55	80	2.5	5	0	6562	0	RM-1	50	form-based			true	0.7	7	1.399999976	1	1	9187.5	2395.5	2395.5	1.400107
1157	009	3116	0.07	4838	8	55	80	2.5	6	0	7790	2952	RM-1	50	form-based			true	0.7	9	1.5	1	1	10906	6068	6068	1.4
1158	001	3606	0.08	5025	7	55	80	2.5	6	0	9015	3990	RM-1	40	form-based		true	true	0.7	8	1.333333373	1	1	10096.7998	5071.799805	5071.799805	1.12
1158	012	3429	0.08	5502	9	55	80	2.5	6	0	8572	3070	RH-3	50	form-based			true	0.7	10	1.666666627	1	1	12001.5	6499.5	6499.5	1.400082
1159	018A	1877	0.04	3120	3	55	80	2.5	3	0	4692	1572	RH-3	40	form-based			true	0.7	4	1.333333373	1	1	5255.600098	2135.600098	2135.600098	1.120119
1159	047	1873	0.04	1740	3	55	80	2.5	3	0	4682	2942	RH-3	40	form-based		true	true	0.7	4	1.333333373	1	1	5244.399902	3504.399902	3504.399902	1.12012
1160	001A	963	0.02	900	1	55	80	2.5	2	1	2408	1508	RH-3	40	form-based			true	0.7	2	1	1	1	2696.399902	1796.399902	1796.399902	1.119767
1160	006	2510	0.06	2960	6	55	80	2.5	5	0	6275	3315	RH-3	50	form-based			true	0.7	7	1.399999976	1	1	8785	5825	5825	1.4
1161	008A	1485	0.03	2320	2	55	80	2.5	2	0	3712	1392	RH-2	40	form-based			true	0.7	3	1.5	1	1	4158	1838	1838	1.120151
1161	009	1483	0.03	2100	2	55	80	2.5	2	0	3708	1608	RH-2	40	form-based			true	0.7	3	1.5	1	1	4152.399902	2052.399902	2052.399902	1.119849
1161	009A	1480	0.03	2100	2	55	80	2.5	2	0	3700	1600	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	4144	2044	2044	1.12
1161	023	1505	0.03	998	2	55	80	2.5	2	0	3762	2764	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	4214	3216	3216	1.120149
1166	027	1439	0.03	1950	2	55	80	2.5	2	0	3598	1648	RH-2	40	form-based			true	0.7	3	1.5	1	1	4029.199951	2079.199951	2079.199951	1.119844

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1166	027A	1439	0.03	1950	2	55	80	2.5	2	0	3598	1648	RH-2	40	form-based			true	0.7	3	1.5	1	1	4029.199951	2079.199951	2079.199951	1.119844
1166	033	3260	0.07	4680	6	55	80	2.5	6	0	8150	3470	RH-2	40	form-based			true	0.7	7	1.166666627	1	1	9128	4448	4448	1.12
1167	004	2229	0.05	4548	4	55	80	2.5	4	0	5572	1024	RM-1	40	form-based		true	true	0.7	5	1.25	1	1	6241.199707	1693.199707	1693.199707	1.1201
1168	005	2204	0.05	4602	4	55	80	2.5	4	0	5510	908	RM-1	40	form-based			true	0.7	5	1.25	1	1	6171.199707	1569.199707	1569.199707	1.12
1168	006	2379	0.05	4600	4	55	80	2.5	4	0	5948	1348	RM-1	40	form-based			true	0.7	5	1.25	1	1	6661.199707	2061.199707	2061.199707	1.119906
1168	028	2268	0.05	3480	4	55	80	2.5	4	0	5670	2190	RM-2	40	form-based			true	0.7	5	1.25	1	1	6350.399902	2870.399902	2870.399902	1.12
1168	041	3438	0.08	4010	6	55	80	2.5	6	0	8595	4585	RH-3	40	form-based			true	0.7	7	1.166666627	1	1	9626.399414	5616.399414	5616.399414	1.12
1169	023	2403	0.06	3000	4	55	80	2.5	5	1	6008	3008	RH-2	40	form-based			true	0.7	5	1	1	1	6728.399902	3728.399902	3728.399902	1.119907
1169	038	1896	0.04	2820	3	55	80	2.5	3	0	4740	1920	RH-2	40	form-based		true	true	0.7	4	1.333333373	1	1	5308.799805	2488.799805	2488.799805	1.12
1174	016	2064	0.05	2800	3	55	80	2.5	4	1	5160	2360	RH-2	40	form-based			true	0.7	4	1	1	1	5779.199707	2979.199707	2979.199707	1.12
1176	034	2500	0.06	4095	6	55	80	2.5	5	0	6250	2155	RM-1	50	form-based			true	0.7	7	1.399999976	1	1	8750	4655	4655	1.4
1177	011	2244	0.05	3074	4	55	80	2.5	4	0	5610	2536	RH-3	40	form-based			true	0.7	5	1.25	1	1	6283.199707	3209.199707	3209.199707	1.12
1177	042	1195	0.03	1083	2	55	80	2.5	2	0	2988	1905	RM-1	50	form-based			true	0.7	3	1.5	1	1	4182.5	3099.5	3099.5	1.399766
1178	003	1969	0.05	2970	3	55	80	2.5	4	1	4922	1952	RH-3	40	form-based			true	0.7	4	1	1	1	5513.199707	2543.199707	2543.199707	1.120114
1178	013A	3186	0.07	8700	6	55	80	2.5	6	0	7965	0	RM-1	40	form-based		true	true	0.7	7	1.166666627	1	1	8920.799805	220.7998047	220.7998047	1.12
1178	018	1739	0.04	3860	4	55	80	2.5	3	0	4348	488	RH-3	50	form-based			true	0.7	5	1.666666627	1	1	6086.5	2226.5	2226.5	1.399839
1178	025	4469	0.1	6345	12	55	80	2.5	8	0	11172	4827	RM-1	50	form-based			true	0.7	13	1.625	1	1	15641.5	9296.5	9296.5	1.400063
1178	033	2637	0.06	853	5	55	80	2.5	5	0	6592	5739	RH-3	40	form-based			true	0.7	6	1.200000048	1	1	7383.600098	6530.600098	6530.600098	1.120085
1179	018	2225	0.05	4198	5	55	80	2.5	4	0	5562	1364	RH-3	50	form-based			true	0.7	6	1.5	1	1	7787.5	3589.5	3589.5	1.400126
1180	006	3494	0.08	2880	3	55	80	2.5	6	3	8735	5855	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	9783.200195	6903.200195	6903.200195	1.12
1180	012	3808	0.09	5589	3	55	80	2.5	7	4	9520	3931	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	10662.39941	5073.399414	5073.399414	1.12
1180	013B	1442	0.03	2860	3	55	80	2.5	2	0	3605	745	RH-3	40	density-lim	1000			0.7	4	2	1	1	4037.599854	1177.599854	1177.599854	1.12
1181	038	4156	0.1	4760	5	55	80	2.5	8	3	10390	5630	RH-3	40	density-lim	1000	true		0.7	6	0.75	1	1	11636.7998	6876.799805	6876.799805	1.12
1182	015	2450	0.06	4195	6	55	80	2.5	5	0	6125	1930	RH-3	50	form-based			true	0.7	7	1.399999976	1	1	8575	4380	4380	1.4
1182	084	2417	0.06	1499	6	55	80	2.5	5	0	6042	4543	RM-1	50	form-based			true	0.7	7	1.399999976	1	1	8459.5	6960.5	6960.5	1.400116
1183	019	4795	0.11	15000	9	55	80	2.5	9	0	11988	0	RM-1	40	form-based		true	true	0.7	10	1.111111164	1	1	13426	0	0	1.119953
1183	050	2500	0.06	1650	4	55	80	2.5	5	1	6250	4600	RH-3	40	form-based			true	0.7	5	1	1	1	7000	5350	5350	1.12
1183	061	1249	0.03	1025	2	55	80	2.5	2	0	3122	2097	RM-1	40	form-based			true	0.7	3	1.5	1	1	3497.199951	2472.199951	2472.199951	1.120179
1184	010	3421	0.08	3925	6	55	80	2.5	6	0	8552	4627	RH-3	40	form-based			true	0.7	7	1.166666627	1	1	9578.799805	5653.799805	5653.799805	1.120065
1184	016	2510	0.06	3100	4	55	80	2.5	5	1	6275	3175	RH-3	40	form-based			true	0.7	5	1	1	1	7028	3928	3928	1.12
1185	005	1001	0.02	1928	1	55	80	2.5	2	1	2502	574	RH-3	40	form-based			true	0.7	2	1	1	1	2802.800049	874.8000488	874.8000488	1.120224
1185	007	2500	0.06	4535	4	55	80	2.5	5	1	6250	1715	RH-3	40	form-based			true	0.7	5	1	1	1	7000	2465	2465	1.12
1185	024	3375	0.08	6939	6	55	80	2.5	6	0	8438	1499	RM-1	40	form-based			true	0.7	7	1.166666627	1	1	9450	2511	2511	1.119934
1185	028	2000	0.05	3660	3	55	80	2.5	4	1	5000	1340	RH-3	40	form-based			true	0.7	4	1	1	1	5600	1940	1940	1.12
1185	028A	1438	0.03	1750	2	55	80	2.5	2	0	3595	1845	RH-3	40	form-based			true	0.7	3	1.5	1	1	4026.399902	2276.399902	2276.399902	1.12
1185	029	2000	0.05	3660	3	55	80	2.5	4	1	5000	1340	RH-3	40	form-based			true	0.7	4	1	1	1	5600	1940	1940	1.12
1185	033	3437	0.08	5430	6	55	80	2.5	6	0	8592	3162	RH-3	40	form-based			true	0.7	7	1.166666627	1	1	9623.599609	4193.599609	4193.599609	1.120065
1185	051	1438	0.03	700	2	55	80	2.5	2	0	3595	2895	RH-3	40	form-based			true	0.7	3	1.5	1	1	4026.399902	3326.399902	3326.399902	1.12
1185	053	2500	0.06	5401	4	55	80	2.5	5	1	6250	849	RH-3	40	form-based			true	0.7	5	1	1	1	7000	1599	1599	1.12
1186	002	1306	0.03	2000	2	55	80	2.5	2	0	3265	1265	RH-2	40	form-based			true	0.7	3	1.5	1	1	3656.800049	1656.800049	1656.800049	1.12
1186	003	1367	0.03	2000	2	55	80	2.5	2	0	3418	1418	RH-2	40	form-based			true	0.7	3	1.5	1	1	3827.599854	1827.599854	1827.599854	1.119836
1186	004	1428	0.03	2000	2	55	80	2.5	2	0	3570	1570	RH-2	40	form-based			true	0.7	3	1.5	1	1	3998.399902	1998.399902	1998.399902	1.12
1186	005	1489	0.03	2000	2	55	80	2.5	2	0	3722	1722	RH-2	40	form-based			true	0.7	3	1.5	1	1	4169.199707	2169.199707	2169.199707	1.12015
1186	009	3527	0.08	4360	6	55	80	2.5	6	0	8818	4458	RH-2	40	form-based			true	0.7	7	1.166666627	1	1	9875.599609	5515.599609	5515.599609	1.119936
1188	013C	2656	0.06	8665	13	55	80	2.5	5	0	6640	0	RTO-C	85	form-based		true	true	0.75	14	2.799999952	1	0	15936	7271	4615	2.4
1189	011	2057	0.05	2670	3	55	80	2.5	4	1	5142	2472	RH-3	40	form-based			true	0.7	4	1	1	1	5759.600098	3089.600098	3089.600098	1.120109
1189	014	2682	0.06	4066	5	55	80	2.5	5	0	6705	2639	RH-3	40	form-based			true	0.7	6	1.200000048	1	1	7509.600098	3443.600098	3443.600098	1.12
1189	029	2057	0.05	1534	3	55	80	2.5	4	1	5142	3608	RH-3	40	form-based			true	0.7	4	1	1	1	5759.600098	4225.600098	4225.600098	1.120109
1191	023	2482	0.06	7125	12	55	80	2.5	5	0	6205	0	RTO-C	85	form-based		true	true	0.75	13	2.599999905	1	0	14892	7767	5285	2.4
1202	002D	2500	0.06	5700	6	55	80	2.5	5	0	6250	550	RM-2	50	form-based			true	0.7	7	1.399999976	1	1	8750	3050	3050	1.4
1202	002F	2500	0.06	6075	6	55	80	2.5	5	0	6250	175	RM-2	50	form-based			true	0.7	7	1.399999976	1	1	8750	2675	2675	1.4
1202	002L	4605	0.11	9480	12	55	80	2.5	9	0	11512	2032	RH-3	50	form-based			true	0.7	13	1.444444418	1	1	16117.5	6637.5	6637.5	1.400061
1202	002M	4500	0.1	9480	12	55	80	2.5	8	0	11250	1770	RH-3	50	form-based			true	0.7	13	1.625	1	1	15750	6270	6270	1.4
1202	010	2232	0.05	560	7	55	80	2.5	4	0	5580	5020	NCT-DIVIS.	65	form-based			true	0.75	8	2	1	1	10044	9484	9484	1.8
1203	005	2537	0.06	7380	6	55	80	2.5	5	0	6342	0	RH-3	50	form-based		true	true	0.7	7	1.399999976	1	1	8879.5	1499.5	1499.5	1.40011
1204	021	2656	0.06	4395	6	55	80	2.5	5	0	6640	2245	RM-1	50	form-based			true	0.7	7	1.399999976	1	1	9296	4901	4901	1.4
1204	022	2656	0.06	4395	6	55	80	2.5	5	0	6640	2245	RM-1	50	form-based			true	0.7	7	1.399999976	1	1	9296	4901	4901	1.4
1204	029	2500	0.06	3750	6	55	80	2.5	5	0	6250	2500	RM-1	50	form-based			true	0.7	7	1.399999976	1	1	8750	5000	5000	1.4
1205	001	1237	0.03	2500	2	55	80	2.5	2	0	3092	592	RH-3	40	form-based		true	true	0.7	3	1.5	1	1	3463.599854	963.5998535	963.5998535	1.120181
1210	015	3430	0.08	4650	6	55	80	2.5	6	0	8575	3925	RH-3	40	form-based			true	0.7	7	1.166666627	1	1	9604	4954	4954	1.12
1210	055	2656	0.06	968	5	55	80	2.5	5	0	6640	5672	RH-3	40	form-based			true	0.7	6	1.200000048	1	1	7436.799805	6468.799805	6468.799805	1.12
1211	034	3411	0.08	4455	6	55	80	2.5	6	0	8528	4073	RH-3	40	form-based			true	0.7	7	1.166666627	1	1	9550.799805	5095.799805	5095.799805	1.119934
1212	011A	3322	0.08	6300	6	55	80	2.5	6	0	8305	2005	RH-3	40	form-based			true	0.7	7	1.166666627	1	1	9301.599609	3001.599609	3001.599609	1.12
1212	048	1875	0.04	1250	3	55	80	2.5	3	0	4688	3438	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5250	4000	4000	1.119881

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1212	051	1884	0.04	1050	3	55	80	2.5	3	0	4710	3660	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5275.199707	4225.199707	4225.199707	1.12
1212	054	1885	0.04	1095	3	55	80	2.5	3	0	4712	3617	RM-1	40	form-based		true	true	0.7	4	1.333333373	1	1	5278	4183	4183	1.120119
1212	057	1884	0.04	1050	3	55	80	2.5	3	0	4710	3660	RM-1	40	form-based			true	0.7	4	1.333333373	1	1	5275.199707	4225.199707	4225.199707	1.12
1212	061	2509	0.06	2330	4	55	80	2.5	5	1	6272	3942	RM-1	40	form-based			true	0.7	5	1	1	1	7025.199707	4695.199707	4695.199707	1.120089
1216	003	1848	0.04	2740	4	55	80	2.5	3	0	4620	1880	RH-3	50	form-based			true	0.7	5	1.666666627	1	1	6468	3728	3728	1.4
1218	008	975	0.02	3780	4	55	80	2.5	2	0	2438	0	NCT-DIVIS	85	form-based			true	0.75	5	2.5	1	0	5850	2070	1096	2.399508
1218	011	3438	0.08	7434	9	55	80	2.5	6	0	8595	1161	RM-1	50	form-based			true	0.7	10	1.666666627	1	1	12033	4599	4599	1.4
1219	005	2593	0.06	6940	4	55	80	2.5	5	1	6482	0	RM-2	40	form-based		true	true	0.7	5	1	1	1	7260.399902	320.3999023	320.3999023	1.120086
1219	010	3438	0.08	4050	6	55	80	2.5	6	0	8595	4545	RM-2	40	form-based			true	0.7	7	1.166666627	1	1	9626.399414	5576.399414	5576.399414	1.12
1219	039	6096	0.14	9189	12	55	80	2.5	11	0	15240	6051	RM-2	40	form-based			true	0.7	13	1.181818128	1	1	17068.79883	7879.798828	7879.798828	1.12
1219	041	2512	0.06	982	4	55	80	2.5	5	1	6280	5298	RM-2	40	form-based			true	0.7	5	1	1	1	7033.600098	6051.600098	6051.600098	1.12
1219	086	2512	0.06	765	4	55	80	2.5	5	1	6280	5515	RM-2	40	form-based			true	0.7	5	1	1	1	7033.600098	6268.600098	6268.600098	1.12
1220	005	1875	0.04	4665	3	55	80	2.5	3	0	4688	23	RH-3	40	form-based			true	0.7	4	1.333333373	1	1	5250	585	585	1.119881
1220	007	1875	0.04	4665	3	55	80	2.5	3	0	4688	23	RH-3	40	form-based			true	0.7	4	1.333333373	1	1	5250	585	585	1.119881
1220	041	1875	0.04	1872	3	55	80	2.5	3	0	4688	2816	RH-3	40	form-based			true	0.7	4	1.333333373	1	1	5250	3378	3378	1.119881
1222	008	1230	0.03	1860	2	55	80	2.5	2	0	3075	1215	RH-3	40	form-based		true	true	0.7	3	1.5	1	1	3444	1584	1584	1.12
1222	017	2500	0.06	3530	4	55	80	2.5	5	1	6250	2720	RH-3	40	form-based			true	0.7	5	1	1	1	7000	3470	3470	1.12
1222	022	2000	0.05	5040	3	55	80	2.5	4	1	5000	0	RH-3	40	form-based			true	0.7	4	1	1	1	5600	560	560	1.12
1222	024	2000	0.05	5040	3	55	80	2.5	4	1	5000	0	RH-3	40	form-based			true	0.7	4	1	1	1	5600	560	560	1.12
1222	066	1203	0.03	786	2	55	80	2.5	2	0	3008	2222	RH-3	40	form-based			true	0.7	3	1.5	1	1	3368.399902	2582.399902	2582.399902	1.119814
1223	034	2063	0.05	995	3	55	80	2.5	4	1	5158	4163	RH-3	40	form-based			true	0.7	4	1	1	1	5776.399902	4781.399902	4781.399902	1.119891
1224	035	2453	0.06	3300	4	55	80	2.5	5	1	6132	2832	RH-3	40	form-based			true	0.7	5	1	1	1	6868.399902	3568.399902	3568.399902	1.120091
1224	048	1444	0.03	1711	2	55	80	2.5	2	0	3610	1899	RH-3	40	form-based		true	true	0.7	3	1.5	1	1	4043.199951	2332.199951	2332.199951	1.12
1224	056	1662	0.04	1188	2	55	80	2.5	3	1	4155	2967	RH-3	40	form-based			true	0.7	3	1	1	1	4653.600098	3465.600098	3465.600098	1.12
1224	065	2500	0.06	666	4	55	80	2.5	5	1	6250	5584	RH-3	40	form-based			true	0.7	5	1	1	1	7000	6334	6334	1.12
1225	015	3438	0.08	4550	6	55	80	2.5	6	0	8595	4045	RH-3	40	form-based			true	0.7	7	1.166666627	1	1	9626.399414	5076.399414	5076.399414	1.12
1225	020	2500	0.06	3992	4	55	80	2.5	5	1	6250	2258	RH-3	40	form-based			true	0.7	5	1	1	1	7000	3008	3008	1.12
1225	028	2462	0.06	5136	4	55	80	2.5	5	1	6155	1019	RM-2	40	form-based			true	0.7	5	1	1	1	6893.600098	1757.600098	1757.600098	1.12
1225	037	2459	0.06	3500	4	55	80	2.5	5	1	6148	2648	RM-2	40	form-based			true	0.7	5	1	1	1	6885.199707	3385.199707	3385.199707	1.119909
1225	038	2459	0.06	2850	4	55	80	2.5	5	1	6148	3298	RM-2	40	form-based			true	0.7	5	1	1	1	6885.199707	4035.199707	4035.199707	1.119909
1225	039	3438	0.08	5775	6	55	80	2.5	6	0	8595	2820	RH-3	40	form-based			true	0.7	7	1.166666627	1	1	9626.399414	3851.399414	3851.399414	1.12
1225	041	6018	0.14	6531	12	55	80	2.5	11	0	15045	8514	RH-3	40	form-based		true	true	0.7	13	1.181818128	1	1	16850.40039	10319.40039	10319.40039	1.12
1225	052	2462	0.06	539	4	55	80	2.5	5	1	6155	5616	RM-2	40	form-based			true	0.7	5	1	1	1	6893.600098	6354.600098	6354.600098	1.12
1226	006	2500	0.06	4164	4	55	80	2.5	5	1	6250	2086	RM-2	40	form-based			true	0.7	5	1	1	1	7000	2836	2836	1.12
1226	014	3404	0.08	6300	6	55	80	2.5	6	0	8510	2210	RM-2	40	form-based			true	0.7	7	1.166666627	1	1	9531.200195	3231.200195	3231.200195	1.12
1226	026	3437	0.08	6225	6	55	80	2.5	6	0	8592	2367	RM-2	40	form-based			true	0.7	7	1.166666627	1	1	9623.599609	3398.599609	3398.599609	1.120065
1226	027	3438	0.08	6225	6	55	80	2.5	6	0	8595	2370	RM-2	40	form-based			true	0.7	7	1.166666627	1	1	9626.399414	3401.399414	3401.399414	1.12
1227	007	2500	0.06	3500	4	55	80	2.5	5	1	6250	2750	RM-2	40	form-based			true	0.7	5	1	1	1	7000	3500	3500	1.12
1227	036	2470	0.06	5670	4	55	80	2.5	5	1	6175	505	RM-2	40	form-based			true	0.7	5	1	1	1	6916	1246	1246	1.12
1227	041	3408	0.08	4995	6	55	80	2.5	6	0	8520	3525	RM-2	40	form-based			true	0.7	7	1.166666627	1	1	9542.399414	4547.399414	4547.399414	1.12
1230	008	8766	0.2	23360	32	55	80	2.5	16	0	21915	0	NCD-HAIG	65	form-based		true	true	0.75	33	2.0625	1	0	39447	16087	16087	1.8
1230	019	2464	0.06	5250	6	55	80	2.5	5	0	6160	910	RH-3	50	form-based			true	0.7	7	1.399999976	1	1	8624	3374	3374	1.4
1231	007	2496	0.06	5325	6	55	80	2.5	5	0	6240	915	RH-3	50	form-based			true	0.7	7	1.399999976	1	1	8736	3411	3411	1.4
1233	001	2336	0.05	5175	6	55	80	2.5	4	0	5840	665	RH-3	50	form-based		true	true	0.7	7	1.75	1	1	8176	3001	3001	1.4
1233	003	2326	0.05	5820	6	55	80	2.5	4	0	5815	0	RH-3	50	form-based			true	0.7	7	1.75	1	1	8141	2321	2321	1.4
1234	002	2597	0.06	4875	6	55	80	2.5	5	0	6492	1617	RM-1	50	form-based			true	0.7	7	1.399999976	1	1	9089.5	4214.5	4214.5	1.400108
1234	024	2181	0.05	3400	5	55	80	2.5	4	0	5452	2052	RM-1	50	form-based			true	0.7	6	1.5	1	1	7633.5	4233.5	4233.5	1.400128
1236	024	2664	0.06	3856	6	55	80	2.5	5	0	6660	2804	RH-3	50	form-based		true	true	0.7	7	1.399999976	1	1	9324	5468	5468	1.4
1236	026	2812	0.06	3700	7	55	80	2.5	5	0	7030	3330	RM-2	50	form-based			true	0.7	8	1.600000024	1	1	9842	6142	6142	1.4
1240	017	2400	0.06	5820	6	55	80	2.5	5	0	6000	180	RH-3	50	form-based			true	0.7	7	1.399999976	1	1	8400	2580	2580	1.4
1240	024	2544	0.06	5238	9	55	80	2.5	5	0	6360	1122	RTO-C	65	form-based			true	0.75	10	2	1	1	11448	6210	6210	1.8
1240	042	2600	0.06	1284	6	55	80	2.5	5	0	6500	5216	RH-3	50	form-based		true	true	0.7	7	1.399999976	1	1	9100	7816	7816	1.4
1241	035	1297	0.03	1204	4	55	80	2.5	2	0	3242	2038	RTO-C	65	form-based		true	true	0.75	5	2.5	1	0	5836.5	4632.5	4632.5	1.800278
1242	006	1508	0.03	3726	3	55	80	2.5	2	0	3770	44	RH-3	50	form-based		true	true	0.7	4	2	1	1	5278	1552	1552	1.4
1243	018	2500	0.06	6125	6	55	80	2.5	5	0	6250	125	RH-3	50	form-based			true	0.7	7	1.399999976	1	1	8750	2625	2625	1.4
1245	007	2535	0.06	7350	6	55	80	2.5	5	0	6338	0	RH-3	50	form-based		true	true	0.7	7	1.399999976	1	1	8872.5	1522.5	1522.5	1.39989
1245	017	2250	0.05	4275	5	65	100	3	5	0	6750	2475	RH-3	50	form-based			true	0.7	6	1.200000048	1	1	7875	3600	3600	1.166667
1246	011	2386	0.05	7200	6	65	100	3	5	0	7158	0	RH-3	50	form-based		true	true	0.7	7	1.399999976	1	1	8351	1151	1151	1.166667
1247	019	2375	0.05	4720	6	65	100	3	5	0	7125	2405	RH-3	50	form-based			true	0.7	7	1.399999976	1	1	8312.5	3592.5	3592.5	1.166667
1247	035	2405	0.06	1070	6	65	100	3	6	0	7215	6145	RH-3	50	form-based		true	true	0.7	7	1.166666627	1	1	8417.5	7347.5	7347.5	1.166667
1251	022	2460	0.06	4575	6	65	100	3	6	0	7380	2805	RH-3	50	form-based			true	0.7	7	1.166666627	1	1	8610	4035	4035	1.166667
1251	023	2460	0.06	4575	6	65	100	3	6	0	7380	2805	RH-3	50	form-based			true	0.7	7	1.166666627	1	1	8610	4035	4035	1.166667
1252	022	2442	0.06	5250	6	65	100	3	6	0	7326	2076	RH-3	50	form-based			true	0.7	7	1.166666627	1	1	8547	3297	3297	1.166667
1253	023	2548	0.06	6354	6	65	100	3	6	0	7644	1290	RH-3	50	form-based			true	0.7	7	1.166666627	1	1	8918	2564	2564	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1253	049	2664	0.06	4500	6	65	100	3	6	0	7992	3492	RH-3	50	form-based			true	0.7	7	1.166666627	1	1	9324	4824	4824	1.166667
1254	025	2652	0.06	4635	5	65	100	3	6	1	7956	3321	RH-3	40	form-based			true	0.7	6	1	1	1	7425.600098	2790.600098	2790.600098	0.933333
1254	048	2500	0.06	5180	4	65	100	3	6	2	7500	2320	RH-3	40	form-based		true	true	0.7	5	0.833333313	1	1	7000	1820	1820	0.933333
1254	049	2006	0.05	2725	3	65	100	3	5	2	6018	3293	RH-2	40	form-based			true	0.7	4	0.800000012	1	1	5616.799805	2891.799805	2891.799805	0.933333
1254	051	2006	0.05	2575	3	65	100	3	5	2	6018	3443	RH-2	40	form-based			true	0.7	4	0.800000012	1	1	5616.799805	3041.799805	3041.799805	0.933333
1254	052	1806	0.04	3513	3	65	100	3	4	1	5418	1905	RH-2	40	form-based			true	0.7	4	1	1	1	5056.799805	1543.799805	1543.799805	0.933333
1254	053	1806	0.04	3045	3	65	100	3	4	1	5418	2373	RH-2	40	form-based			true	0.7	4	1	1	1	5056.799805	2011.799805	2011.799805	0.933333
1254	054	1806	0.04	4275	3	65	100	3	4	1	5418	1143	RH-2	40	form-based			true	0.7	4	1	1	1	5056.799805	781.7998047	781.7998047	0.933333
1254	054A	1631	0.04	1558	2	65	100	3	4	2	4893	3335	RH-2	40	form-based			true	0.7	3	0.75	1	1	4566.799805	3008.799805	3008.799805	0.933333
1254	070	2210	0.05	3506	4	65	100	3	5	1	6630	3124	RH-2	40	form-based			true	0.7	5	1	1	1	6188	2682	2682	0.933333
1254	123	1562	0.04	1403	2	65	100	3	4	2	4686	3283	RH-3	40	form-based			true	0.7	3	0.75	1	1	4373.600098	2970.600098	2970.600098	0.933333
1255	017	1898	0.04	3590	3	55	80	2.5	3	0	4745	1155	RH-3	40	form-based			true	0.7	4	1.333333373	1	1	5314.399902	1724.399902	1724.399902	1.12
1255	051	2587	0.06	3888	4	55	80	2.5	5	1	6468	2580	RH-2	40	form-based			true	0.7	5	1	1	1	7243.600098	3355.600098	3355.600098	1.119913
1255	058	2013	0.05	3533	3	65	100	3	5	2	6039	2506	RH-2	40	form-based			true	0.7	4	0.800000012	1	1	5636.399902	2103.399902	2103.399902	0.933333
1255	071	2000	0.05	4350	3	55	80	2.5	4	1	5000	650	RH-2	40	form-based			true	0.7	4	1	1	1	5600	1250	1250	1.12
1255	087	2599	0.06	1670	4	55	80	2.5	5	1	6498	4828	RH-3	40	form-based			true	0.7	5	1	1	1	7277.199707	5607.199707	5607.199707	1.119914
1255	096	1969	0.05	1589	3	55	80	2.5	4	1	4922	3333	RH-2	40	form-based			true	0.7	4	1	1	1	5513.199707	3924.199707	3924.199707	1.120114
1255	117	1980	0.05	1499	3	55	80	2.5	4	1	4950	3451	RH-3	40	form-based		true	true	0.7	4	1	1	1	5544	4045	4045	1.12
1256	024	2350	0.05	2930	4	55	80	2.5	4	0	5875	2945	RH-3	40	form-based			true	0.7	5	1.25	1	1	6580	3650	3650	1.12
1258	014	1593	0.04	2995	2	65	100	3	4	2	4779	1784	RH-3	40	form-based			true	0.7	3	0.75	1	1	4460.399902	1465.399902	1465.399902	0.933333
1258	024	2848	0.07	3972	5	55	80	2.5	6	1	7120	3148	RH-3	40	form-based			true	0.7	6	1	1	1	7974.399902	4002.399902	4002.399902	1.12
1258	029	3081	0.07	1442	5	55	80	2.5	6	1	7702	6260	RH-3	40	form-based			true	0.7	6	1	1	1	8626.799805	7184.799805	7184.799805	1.120073
1259	024	3381	0.08	4942	6	65	100	3	8	2	10143	5201	RH-3	40	form-based			true	0.7	7	0.875	1	1	9466.799805	4524.799805	4524.799805	0.933333
1260	006A	1105	0.03	1800	1	65	100	3	3	2	3315	1515	RH-3	40	form-based			true	0.7	2	0.666666687	1	1	3094	1294	1294	0.933333
1260	038A	3243	0.07	6615	6	65	100	3	7	1	9729	3114	RH-3	40	form-based			true	0.7	7	1	1	1	9080.399414	2465.399414	2465.399414	0.933333
1260	039	2400	0.06	3050	4	65	100	3	6	2	7200	4150	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	6720	3670	3670	0.933333
1260	041	2400	0.06	3400	4	65	100	3	6	2	7200	3800	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	6720	3320	3320	0.933333
1260	042	1279	0.03	1818	2	65	100	3	3	1	3837	2019	RH-3	40	form-based		true	true	0.7	3	1	1	1	3581.199951	1763.199951	1763.199951	0.933333
1260	049A	1163	0.03	1228	1	65	100	3	3	2	3489	2261	RH-3	40	form-based			true	0.7	2	0.666666687	1	1	3256.399902	2028.399902	2028.399902	0.933333
1260	049B	1427	0.03	1915	2	65	100	3	3	1	4281	2366	RH-3	40	form-based		true	true	0.7	3	1	1	1	3995.599854	2080.599854	2080.599854	0.933333
1260	052	3243	0.07	7650	6	65	100	3	7	1	9729	2079	RH-3	40	form-based			true	0.7	7	1	1	1	9080.399414	1430.399414	1430.399414	0.933333
1260	083	2400	0.06	884	4	65	100	3	6	2	7200	6316	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	6720	5836	5836	0.933333
1260	087	2555	0.06	1192	4	65	100	3	6	2	7665	6473	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	7154	5962	5962	0.933333
1261	011	2500	0.06	7725	6	65	100	3	6	0	7500	0	RH-3	50	form-based		true	true	0.7	7	1.166666627	1	1	8750	1025	1025	1.166667
1266	040	3346	0.08	8166	12	85	140	4	11	0	13384	5218	RTO-C	65	form-based		true	true	0.75	13	1.181818128	1	1	15057	6891	6891	1.125
1267	029	3437	0.08	4400	12	85	140	4	11	0	13748	9348	RTO-C	65	form-based			true	0.75	13	1.181818128	1	1	15466.5	11066.5	11066.5	1.125
1269	001	2869	0.07	5799	5	65	100	3	7	2	8607	2808	RH-3	40	form-based		true	true	0.7	6	0.857142866	1	1	8033.199707	2234.199707	2234.199707	0.933333
1269	003	2656	0.06	5325	5	65	100	3	6	1	7968	2643	RH-3	40	form-based			true	0.7	6	1	1	1	7436.799805	2111.799805	2111.799805	0.933333
1269	005	2500	0.06	5212	4	65	100	3	6	2	7500	2288	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	7000	1788	1788	0.933333
1269	008	6375	0.15	10680	12	65	100	3	15	3	19125	8445	RH-3	40	form-based			true	0.7	13	0.866666675	1	1	17850	7170	7170	0.933333
1269	021	2656	0.06	2750	5	65	100	3	6	1	7968	5218	RH-3	40	form-based			true	0.7	6	1	1	1	7436.799805	4686.799805	4686.799805	0.933333
1269	035A	1773	0.04	4344	3	65	100	3	4	1	5319	975	RH-2	40	form-based			true	0.7	4	1	1	1	4964.399902	620.3999023	620.3999023	0.933333
1269	046	1683	0.04	3000	3	65	100	3	4	1	5049	2049	RH-2	40	form-based			true	0.7	4	1	1	1	4712.399902	1712.399902	1712.399902	0.933333
1269	048	1792	0.04	2040	3	65	100	3	4	1	5376	3336	RH-2	40	form-based			true	0.7	4	1	1	1	5017.600098	2977.600098	2977.600098	0.933333
1269	053A	1078	0.02	1439	1	65	100	3	2	1	3234	1795	RH-2	40	form-based			true	0.7	2	1	1	1	3018.399902	1579.399902	1579.399902	0.933333
1269	090B	1571	0.04	2754	2	65	100	3	4	2	4713	1959	RH-2	40	form-based			true	0.7	3	0.75	1	1	4398.799805	1644.799805	1644.799805	0.933333
1269	106	2000	0.05	3108	3	65	100	3	5	2	6000	2892	RH-2	40	form-based			true	0.7	4	0.800000012	1	1	5600	2492	2492	0.933333
1269	116	2000	0.05	2301	3	65	100	3	5	2	6000	3699	RH-2	40	form-based			true	0.7	4	0.800000012	1	1	5600	3299	3299	0.933333
1269	119	2000	0.05	2894	3	65	100	3	5	2	6000	3106	RH-2	40	form-based			true	0.7	4	0.800000012	1	1	5600	2706	2706	0.933333
1269	127	3365	0.08	5385	6	65	100	3	8	2	10095	4710	RH-2	40	form-based			true	0.7	7	0.875	1	1	9422	4037	4037	0.933333
1269	139	1983	0.05	3040	3	65	100	3	5	2	5949	2909	RH-2	40	form-based			true	0.7	4	0.800000012	1	1	5552.399902	2512.399902	2512.399902	0.933333
1269	195	2183	0.05	715	4	65	100	3	5	1	6549	5834	RH-2	40	form-based			true	0.7	5	1	1	1	6112.399902	5397.399902	5397.399902	0.933333
1269	199	1630	0.04	1683	2	65	100	3	4	2	4890	3207	RH-2	40	form-based			true	0.7	3	0.75	1	1	4564	2881	2881	0.933333
1270	001	2517	0.06	3600	4	55	80	2.5	5	1	6292	2692	RH-3	40	form-based		true	true	0.7	5	1	1	1	7047.600098	3447.600098	3447.600098	1.120089
1270	001C	2500	0.06	3600	4	55	80	2.5	5	1	6250	2650	RH-2	40	form-based			true	0.7	5	1	1	1	7000	3400	3400	1.12
1270	001D	2500	0.06	3600	4	55	80	2.5	5	1	6250	2650	RH-2	40	form-based			true	0.7	5	1	1	1	7000	3400	3400	1.12
1275	090	1179	0.03	500	3	85	140	4	4	1	4716	4216	RTO-C	65	form-based			true	0.75	4	1	1	1	5305.5	4805.5	4805.5	1.125
1279	002A	1842	0.04	2950	4	65	100	3	4	0	5526	2576	RH-2	50	form-based			true	0.7	5	1.25	1	1	6447	3497	3497	1.166667
1280	016	1059	0.02	1600	1	65	100	3	2	1	3177	1577	RH-3	40	form-based			true	0.7	2	1	1	1	2965.199951	1365.199951	1365.199951	0.933333
1281	002	1637	0.04	3115	2	65	100	3	4	2	4911	1796	RH-3	40	form-based			true	0.7	3	0.75	1	1	4583.600098	1468.600098	1468.600098	0.933333
1281	003	1629	0.04	1820	2	65	100	3	4	2	4887	3067	RH-3	40	form-based			true	0.7	3	0.75	1	1	4561.199707	2741.199707	2741.199707	0.933333
1281	005	2591	0.06	2875	4	65	100	3	6	2	7773	4898	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	7254.799805	4379.799805	4379.799805	0.933333
1281	006	2591	0.06	3653	4	65	100	3	6	2	7773	4120	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	7254.799805	3601.799805	3601.799805	0.933333
1282	001	1085	0.02	897	1	65	100	3	2	1	3255	2358	RH-3	40	form-based		true	true	0.7	2	1	1	1	3038	2141	2141	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1282	009A	1091	0.03	760	1	65	100	3	3	2	3273	2513	RH-2	40	form-based			true	0.7	2	0.666666687	1	1	3054.800049	2294.800049	2294.800049	0.933333
1282	015	3276	0.08	9780	6	65	100	3	8	2	9828	48	RH-2	40	form-based		true	true	0.7	7	0.875	1	1	9172.799805	0	0	0.933333
1284	047	2551	0.06	964	4	65	100	3	6	2	7653	6689	RH-2	40	form-based		true	true	0.7	5	0.833333313	1	1	7142.799805	6178.799805	6178.799805	0.933333
1284	038	1134	0.03	433	1	65	100	3	3	2	3402	2969	RH-2	40	form-based			true	0.7	2	0.666666687	1	1	3175.199951	2742.199951	2742.199951	0.933333
1285	001	2625	0.06	5735	5	65	100	3	6	1	7875	2140	RH-2	40	form-based		true	true	0.7	6	1	1	1	7350	1615	1615	0.933333
1285	008	2434	0.06	4750	4	65	100	3	6	2	7302	2552	RH-2	40	form-based		true	true	0.7	5	0.833333313	1	1	6815.199707	2065.199707	2065.199707	0.933333
1286	002	2446	0.06	3000	4	65	100	3	6	2	7338	4338	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	6848.799805	3848.799805	3848.799805	0.933333
1286	027	1357	0.03	2170	2	65	100	3	3	1	4071	1901	RH-2	40	form-based		true	true	0.7	3	1	1	1	3799.599854	1629.599854	1629.599854	0.933333
1286	044	1375	0.03	1085	2	65	100	3	3	1	4125	3040	RH-2	40	form-based			true	0.7	3	1	1	1	3850	2765	2765	0.933333
1286	051	2282	0.05	1372	4	55	80	2.5	4	0	5705	4333	RH-2	40	form-based		true	true	0.7	5	1.25	1	1	6389.600098	5017.600098	5017.600098	1.12
1286	053	2768	0.06	10490	5	55	80	2.5	5	0	6920	0	RH-2	40	form-based		true	true	0.7	6	1.200000048	1	1	7750.399902	0	0	1.12
1287	024	2020	0.05	3600	3	65	100	3	5	2	6060	2460	RH-2	40	form-based		true	true	0.7	4	0.800000012	1	1	5656	2056	2056	0.933333
1287	024A	975	0.02	1500	1	65	100	3	2	1	2925	1425	RH-2	40	form-based			true	0.7	2	1	1	1	2730	1230	1230	0.933333
1288	003A	953	0.02	1030	1	65	100	3	2	1	2859	1829	RH-2	40	form-based			true	0.7	2	1	1	1	2668.399902	1638.399902	1638.399902	0.933333
1288	021	2500	0.06	3400	4	65	100	3	6	2	7500	4100	RH-2	40	form-based		true	true	0.7	5	0.833333313	1	1	7000	3600	3600	0.933333
1290	001	2711	0.06	4133	5	55	80	2.5	5	0	6778	2645	RH-2	40	form-based		true	true	0.7	6	1.200000048	1	1	7590.799805	3457.799805	3457.799805	1.119917
1290	009	1202	0.03	2244	2	55	80	2.5	2	0	3005	761	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	3365.599854	1121.599854	1121.599854	1.12
1290	030	2599	0.06	756	4	55	80	2.5	5	1	6498	5742	RH-2	40	form-based		true	true	0.7	5	1	1	1	7277.199707	6521.199707	6521.199707	1.119914
1290	040	1261	0.03	1122	2	55	80	2.5	2	0	3152	2030	RH-2	40	form-based			true	0.7	3	1.5	1	1	3530.800049	2408.800049	2408.800049	1.120178
1291	015	2457	0.06	2750	4	55	80	2.5	5	1	6142	3392	RH-2	40	form-based		true	true	0.7	5	1	1	1	6879.600098	4129.600098	4129.600098	1.120091
1291	018	2517	0.06	3124	4	55	80	2.5	5	1	6292	3168	RH-2	40	form-based			true	0.7	5	1	1	1	7047.600098	3923.600098	3923.600098	1.120089
1292	001	3090	0.07	6384	5	55	80	2.5	6	1	7725	1341	RH-2	40	form-based		true	true	0.7	6	1	1	1	8652	2268	2268	1.12
1292	020	1380	0.03	2250	2	55	80	2.5	2	0	3450	1200	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	3864	1614	1614	1.12
1292	030	1380	0.03	1375	2	55	80	2.5	2	0	3450	2075	RH-2	40	form-based			true	0.7	3	1.5	1	1	3864	2489	2489	1.12
1293	028	3523	0.08	5217	6	55	80	2.5	6	0	8808	3591	RH-2	40	form-based			true	0.7	7	1.166666627	1	1	9864.399414	4647.399414	4647.399414	1.119936
1332	018	3250	0.07	8343	6	55	80	2.5	6	0	8125	0	RM-1	40	form-based		true	true	0.7	7	1.166666627	1	1	9100	757	757	1.12
1332	025	3250	0.07	7425	6	55	80	2.5	6	0	8125	700	RM-1	40	form-based		true	true	0.7	7	1.166666627	1	1	9100	1675	1675	1.12
1332	041A	1018	0.02	1942	1	55	80	2.5	2	1	2545	603	RH-1	40	form-based			true	0.7	2	1	1	1	2850.399902	908.3999023	908.3999023	1.12
1333	022A	989	0.02	1522	1	55	80	2.5	2	1	2472	950	RM-1	40	form-based			true	0.7	2	1	1	1	2769.199951	1247.199951	1247.199951	1.120227
1333	043	875	0.02	1000	1	55	80	2.5	2	1	2188	1188	RH-1	40	form-based			true	0.7	2	1	1	1	2450	1450	1450	1.119744
1338	006A	1656	0.04	2480	2	55	80	2.5	3	1	4140	1660	RH-1	40	form-based			true	0.7	3	1	1	1	4636.799805	2156.799805	2156.799805	1.12
1344	016	1575	0.04	2690	2	55	80	2.5	3	1	3938	1248	RH-2	40	form-based			true	0.7	3	1	1	1	4410	1720	1720	1.119858
1344	046	1506	0.03	1198	2	55	80	2.5	2	0	3765	2567	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	4216.799805	3018.799805	3018.799805	1.12
1349	001	2228	0.05	3496	4	55	80	2.5	4	0	5570	2074	RM-1	40	form-based		true	true	0.7	5	1.25	1	1	6238.399902	2742.399902	2742.399902	1.12
1349	002	2118	0.05	3405	3	55	80	2.5	4	1	5295	1890	RM-1	40	form-based			true	0.7	4	1	1	1	5930.399902	2525.399902	2525.399902	1.12
1350	007	2294	0.05	7626	4	55	80	2.5	4	0	5735	0	RM-1	40	form-based		true	true	0.7	5	1.25	1	1	6423.199707	0	0	1.12
1351	014	2870	0.07	4875	5	55	80	2.5	6	1	7175	2300	RH-2	40	form-based			true	0.7	6	1	1	1	8036	3161	3161	1.12
1352	021K	2500	0.06	3820	4	55	80	2.5	5	1	6250	2430	RM-2	40	form-based			true	0.7	5	1	1	1	7000	3180	3180	1.12
1353	018	3400	0.08	5610	6	55	80	2.5	6	0	8500	2890	RM-2	40	form-based			true	0.7	7	1.166666627	1	1	9520	3910	3910	1.12
1353	018A	3468	0.08	4926	6	55	80	2.5	6	0	8670	3744	RM-2	40	form-based			true	0.7	7	1.166666627	1	1	9710.399414	4784.399414	4784.399414	1.12
1355	019	1098	0.03	1320	1	55	80	2.5	2	1	2745	1425	RM-1	40	form-based			true	0.7	2	1	1	1	3074.399902	1754.399902	1754.399902	1.12
1355	056	4181	0.1	1020	8	55	80	2.5	8	0	10452	9432	RM-1	40	form-based		true	true	0.7	9	1.125	1	1	11706.7998	10686.7998	10686.7998	1.120054
1361	044	500	0.01	0	0	55	80	2.5	1	1	1250	1250	RM-1	40	form-based			true	0.7	1	1	1	1	1400	1400	1400	1.12
1362	040	2099	0.05	3412	3	55	80	2.5	4	1	5248	1836	RH-2	40	form-based		true	true	0.7	4	1	1	1	5877.199707	2465.199707	2465.199707	1.119893
1364	001A	1603	0.04	2280	2	55	80	2.5	3	1	4008	1728	RH-2	40	form-based			true	0.7	3	1	1	1	4488.399902	2208.399902	2208.399902	1.11986
1365	021	2507	0.06	3706	4	55	80	2.5	5	1	6268	2562	RH-2	40	form-based			true	0.7	5	1	1	1	7019.600098	3313.600098	3313.600098	1.119911
1365	034	3250	0.07	7920	6	55	80	2.5	6	0	8125	205	RH-2	40	form-based		true	true	0.7	7	1.166666627	1	1	9100	1180	1180	1.12
1369	001A	2409	0.06	3280	4	55	80	2.5	5	1	6022	2742	RH-2	40	form-based			true	0.7	5	1	1	1	6745.199707	3465.199707	3465.199707	1.120093
1374	044	2320	0.05	4591	4	55	80	2.5	4	0	5800	1209	RH-2	40	form-based		true	true	0.7	5	1.25	1	1	6496	1905	1905	1.12
1374	055	2250	0.05	835	4	55	80	2.5	4	0	5625	4790	RH-2	40	form-based		true	true	0.7	5	1.25	1	1	6300	5465	5465	1.12
1375	003	1431	0.03	2112	2	55	80	2.5	2	0	3578	1466	RH-2	40	form-based			true	0.7	3	1.5	1	1	4006.800049	1894.800049	1894.800049	1.119843
1375	055	1533	0.04	1139	2	55	80	2.5	3	1	3832	2693	RH-2	40	form-based			true	0.7	3	1	1	1	4292.399902	3153.399902	3153.399902	1.120146
1377	015	3156	0.07	4556	6	55	80	2.5	6	0	7890	3334	RH-2	40	form-based			true	0.7	7	1.166666627	1	1	8836.799805	4280.799805	4280.799805	1.12
1378	031	2500	0.06	3220	4	55	80	2.5	5	1	6250	3030	RH-2	40	form-based			true	0.7	5	1	1	1	7000	3780	3780	1.12
1379	010	6240	0.14	13278	12	55	80	2.5	11	0	15600	2322	RH-2	40	form-based			true	0.7	13	1.181818128	1	1	17472	4194	4194	1.12
1379	013	6240	0.14	13590	12	55	80	2.5	11	0	15600	2010	RH-2	40	form-based			true	0.7	13	1.181818128	1	1	17472	3882	3882	1.12
1380	022	2403	0.06	6045	8	55	80	2.5	5	0	6008	0	RTO-C	65	form-based		true	true	0.75	9	1.799999952	1	1	10813.5	4768.5	4768.5	1.79985
1380	033	2062	0.05	2397	3	55	80	2.5	4	1	5155	2758	RH-2	40	form-based			true	0.7	4	1	1	1	5773.600098	3376.600098	3376.600098	1.12
1380	035	2393	0.05	3948	4	55	80	2.5	4	0	5982	2034	RH-2	40	form-based		true	true	0.7	5	1.25	1	1	6700.399902	2752.399902	2752.399902	1.120094
1380	037	2600	0.06	3820	4	55	80	2.5	5	1	6500	2680	RH-2	40	form-based			true	0.7	5	1	1	1	7280	3460	3460	1.12
1380	039	3504	0.08	638	12	55	80	2.5	6	0	8760	8122	RTO-C	65	form-based		true	true	0.75	13	2.166666746	1	0	15768	15130	15130	1.8
1381	012	9000	0.21	18804	18	55	80	2.5	17	0	22500	3696	RH-2	40	form-based			true	0.7	19	1.117647052	1	1	25200	6396	6396	1.12
1382	001A	1098	0.03	1362	1	55	80	2.5	2	1	2745	1383	RH-2	40	form-based			true	0.7	2	1	1	1	3074.399902	1712.399902	1712.399902	1.12
1385	006	3037	0.07	3562	5	55	80	2.5	6	1	7592	4030	RM-1	40	form-based			true	0.7	6	1	1	1	8503.599609	4941.599609	4941.599609	1.120074

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1385	022	3000	0.07	4320	5	55	80	2.5	6	1	7500	3180	RM-1	40	form-based			true	0.7	6	1	1	1	8400	4080	4080	1.12
1386	023	6000	0.14	12192	12	55	80	2.5	11	0	15000	2808	RM-1	40	form-based			true	0.7	13	1.181818128	1	1	16800	4608	4608	1.12
1386	034	3000	0.07	4383	5	55	80	2.5	6	1	7500	3117	RM-1	40	form-based			true	0.7	6	1	1	1	8400	4017	4017	1.12
1386	049	2500	0.06	885	4	55	80	2.5	5	1	6250	5365	RM-1	40	form-based			true	0.7	5	1	1	1	7000	6115	6115	1.12
1387	021	2533	0.06	3340	4	55	80	2.5	5	1	6332	2992	RH-2	40	form-based			true	0.7	5	1	1	1	7092.399902	3752.399902	3752.399902	1.120088
1392	032	2514	0.06	3820	4	55	80	2.5	5	1	6285	2465	RH-1(D)	40	form-based		true	true	0.7	5	1	1	1	7039.199707	3219.199707	3219.199707	1.12
1402	017	3515	0.08	8415	12	65	100	3	8	0	10545	2130	NC-1	65	form-based		true	true	0.75	13	1.625	1	1	15817.5	7402.5	7402.5	1.5
1402	035	3120	0.07	4456	6	65	100	3	7	1	9360	4904	RH-2	40	form-based			true	0.7	7	1	1	1	8736	4280	4280	0.933333
1402	037	3120	0.07	4550	6	65	100	3	7	1	9360	4810	RH-2	40	form-based			true	0.7	7	1	1	1	8736	4186	4186	0.933333
1402	038	3120	0.07	4550	6	65	100	3	7	1	9360	4810	RH-2	40	form-based			true	0.7	7	1	1	1	8736	4186	4186	0.933333
1402	039	3120	0.07	4550	6	65	100	3	7	1	9360	4810	RH-2	40	form-based			true	0.7	7	1	1	1	8736	4186	4186	0.933333
1402	049	7920	0.18	10080	16	65	100	3	18	2	23760	13680	RH-2	40	form-based			true	0.7	17	0.944444418	1	1	22176	12096	12096	0.933333
1402	050	6000	0.14	13158	12	65	100	3	14	2	18000	4842	RH-2	40	form-based			true	0.7	13	0.928571403	1	1	16800	3642	3642	0.933333
1403	009	1582	0.04	1370	2	65	100	3	4	2	4746	3376	RH-2	40	form-based			true	0.7	3	0.75	1	1	4429.600098	3059.600098	3059.600098	0.933333
1403	036	2437	0.06	3534	4	65	100	3	6	2	7311	3777	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	6823.600098	3289.600098	3289.600098	0.933333
1404	001	2158	0.05	3850	4	65	100	3	5	1	6474	2624	RM-1	40	form-based		true	true	0.7	5	1	1	1	6042.399902	2192.399902	2192.399902	0.933333
1404	021	1664	0.04	2582	2	65	100	3	4	2	4992	2410	RH-2	40	form-based			true	0.7	3	0.75	1	1	4659.199707	2077.199707	2077.199707	0.933333
1405	054	2367	0.05	665	4	65	100	3	5	1	7101	6436	RH-2	40	form-based			true	0.7	5	1	1	1	6627.600098	5962.600098	5962.600098	0.933333
1405	064	2182	0.05	1024	4	55	80	2.5	4	0	5455	4431	RM-1	40	form-based		true	true	0.7	5	1.25	1	1	6109.600098	5085.600098	5085.600098	1.12
1408	022	2940	0.07	4300	5	65	100	3	7	2	8820	4520	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8232	3932	3932	0.933333
1412	003	3557	0.08	5390	6	65	100	3	8	2	10671	5281	RM-1	40	form-based			true	0.7	7	0.875	1	1	9959.599609	4569.599609	4569.599609	0.933333
1413	015	3021	0.07	4350	5	65	100	3	7	2	9063	4713	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8458.799805	4108.799805	4108.799805	0.933333
1414	004	6008	0.14	14340	12	65	100	3	14	2	18024	3684	RM-1	40	form-based			true	0.7	13	0.928571403	1	1	16822.40039	2482.400391	2482.400391	0.933333
1415	022	3000	0.07	4160	5	65	100	3	7	2	9000	4840	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8400	4240	4240	0.933333
1415	025	1750	0.04	3975	6	55	80	2.5	3	0	4375	400	RTO-C	65	form-based		true	true	0.75	7	2.333333254	1	0	7875	3900	3900	1.8
1417	027	3000	0.07	4420	5	65	100	3	7	2	9000	4580	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8400	3980	3980	0.933333
1419	011	3255	0.07	4276	6	65	100	3	7	1	9765	5489	RH-2	40	form-based			true	0.7	7	1	1	1	9114	4838	4838	0.933333
1422	015A	4020	0.09	5238	7	65	100	3	9	2	12060	6822	RM-1	40	form-based			true	0.7	8	0.888888896	1	1	11256	6018	6018	0.933333
1424	017	5892	0.14	10524	21	65	100	3	14	0	17676	7152	NCD-INNE	65	form-based		true	true	0.75	22	1.571428537	1	1	26514	15990	15990	1.5
1424	051	1790	0.04	1052	3	65	100	3	4	1	5370	4318	RM-1	40	form-based			true	0.7	4	1	1	1	5012	3960	3960	0.933333
1425	034	3000	0.07	6552	5	65	100	3	7	2	9000	2448	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8400	1848	1848	0.933333
1426	004	3291	0.08	6150	6	65	100	3	8	2	9873	3723	RM-1	40	form-based			true	0.7	7	0.875	1	1	9214.799805	3064.799805	3064.799805	0.933333
1427	006	2404	0.06	2271	4	65	100	3	6	2	7212	4941	RM-1	40	form-based			true	0.7	5	0.833333313	1	1	6731.199707	4460.199707	4460.199707	0.933333
1428	076	2813	0.06	5313	5	65	100	3	6	1	8439	3126	RM-1	40	form-based			true	0.7	6	1	1	1	7876.399902	2563.399902	2563.399902	0.933333
1429	001	3366	0.08	5660	6	65	100	3	8	2	10098	4438	RM-1	40	form-based		true	true	0.7	7	0.875	1	1	9424.799805	3764.799805	3764.799805	0.933333
1429	033	5986	0.14	8340	12	65	100	3	14	2	17958	9618	RM-1	40	form-based			true	0.7	13	0.928571403	1	1	16760.79883	8420.798828	8420.798828	0.933333
1431	005	3000	0.07	2699	5	65	100	3	7	2	9000	6301	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8400	5701	5701	0.933333
1431	060	1456	0.03	943	2	65	100	3	3	1	4368	3425	RM-1	40	form-based			true	0.7	3	1	1	1	4076.800049	3133.800049	3133.800049	0.933333
1432	038	2990	0.07	3792	5	65	100	3	7	2	8970	5178	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8372	4580	4580	0.933333
1436	005	3000	0.07	4190	5	65	100	3	7	2	9000	4810	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8400	4210	4210	0.933333
1436	012	3000	0.07	4237	5	65	100	3	7	2	9000	4763	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8400	4163	4163	0.933333
1436	024	2976	0.07	3300	5	65	100	3	7	2	8928	5628	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8332.799805	5032.799805	5032.799805	0.933333
1438	051	989	0.02	1670	1	85	140	4	3	2	3956	2286	NCD-GEAR	40	form-based			true	0.75	2	0.666666687	1	1	2967	1297	1297	0.75
1439	020	2500	0.06	5400	12	65	100	3	6	0	7500	2100	NCD-GEAR	85	form-based			true	0.75	13	2.166666746	1	0	15000	9600	9600	2
1442	047	6058	0.14	10035	12	65	100	3	14	2	18174	8139	RM-1	40	form-based			true	0.7	13	0.928571403	1	1	16962.40039	6927.400391	6927.400391	0.933333
1444	013	3000	0.07	4735	5	65	100	3	7	2	9000	4265	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8400	3665	3665	0.933333
1447	008	3134	0.07	4770	6	65	100	3	7	1	9402	4632	RH-2	40	form-based		true	true	0.7	7	1	1	1	8775.200195	4005.200195	4005.200195	0.933333
1450	028	3000	0.07	3980	5	65	100	3	7	2	9000	5020	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8400	4420	4420	0.933333
1453	010	3000	0.07	3912	5	65	100	3	7	2	9000	5088	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8400	4488	4488	0.933333
1453	017	3350	0.08	6050	6	65	100	3	8	2	10050	4000	RM-1	40	form-based			true	0.7	7	0.875	1	1	9380	3330	3330	0.933333
1454	022B	2304	0.05	3750	4	85	140	4	7	3	9216	5466	RM-1	40	form-based			true	0.7	5	0.714285731	1	1	6451.199707	2701.199707	2701.199707	0.7
1457	009	3250	0.07	4684	6	65	100	3	7	1	9750	5066	RM-1	40	form-based			true	0.7	7	1	1	1	9100	4416	4416	0.933333
1458	009	3129	0.07	4320	6	65	100	3	7	1	9387	5067	RM-1	40	form-based			true	0.7	7	1	1	1	8761.200195	4441.200195	4441.200195	0.933333
1459	034	312	0.01	0	0	85	140	4	1	1	1248	1248	RH-2	40	form-based			true	0.7	1	1	1	1	873.5999756	873.5999756	873.5999756	0.7
1460	023	3468	0.08	8112	12	65	100	3	8	0	10404	2292	RTO-C	65	form-based		true	true	0.75	13	1.625	1	1	15606	7494	7494	1.5
1465	001	5111	0.12	12915	18	65	100	3	12	0	15333	2418	RTO-C	65	form-based		true	true	0.75	19	1.583333373	1	1	22999.5	10084.5	10084.5	1.5
1466	046	6000	0.14	8250	12	65	100	3	14	2	18000	9750	RH-2	40	form-based			true	0.7	13	0.928571403	1	1	16800	8550	8550	0.933333
1504	010	2455	0.06	2856	4	55	80	2.5	5	1	6138	3282	RH-2	40	form-based			true	0.7	5	1	1	1	6874	4018	4018	1.119909
1508	002	6058	0.14	11070	12	65	100	3	14	2	18174	7104	RM-1	40	form-based			true	0.7	13	0.928571403	1	1	16962.40039	5892.400391	5892.400391	0.933333
1511	047	6000	0.14	8400	12	65	100	3	14	2	18000	9600	RH-2	40	form-based			true	0.7	13	0.928571403	1	1	16800	8400	8400	0.933333
1511	050	1500	0.03	2064	2	65	100	3	3	1	4500	2436	RH-2	40	form-based			true	0.7	3	1	1	1	4200	2136	2136	0.933333
1511	051	1541	0.04	2064	2	65	100	3	4	2	4623	2559	RH-2	40	form-based		true	true	0.7	3	0.75	1	1	4314.799805	2250.799805	2250.799805	0.933333
1515	009	3887	0.09	4636	7	65	100	3	9	2	11661	7025	RH-2	40	form-based			true	0.7	8	0.888888896	1	1	10883.59961	6247.599609	6247.599609	0.933333
1515	015A	1883	0.04	3174	3	65	100	3	4	1	5649	2475	RM-1	40	form-based			true	0.7	4	1	1	1	5272.399902	2098.399902	2098.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1518	027	1437	0.03	2562	2	65	100	3	3	1	4311	1749	RH-2	40	form-based			true	0.7	3	1	1	1	4023.599854	1461.599854	1461.599854	0.933333
1519	021	2594	0.06	3675	4	65	100	3	6	2	7782	4107	RM-1	40	form-based		true	true	0.7	5	0.833333313	1	1	7263.199707	3588.199707	3588.199707	0.933333
1519	032A	500	0.01	0	0	65	100	3	1	1	1500	1500	RM-1	40	form-based			true	0.7	1	1	1	1	1400	1400	1400	0.933333
1520	002	3000	0.07	3750	5	85	140	4	10	5	12000	8250	RH-2	40	form-based			true	0.7	6	0.600000024	1	1	8400	4650	4650	0.7
1521	016A	2020	0.05	3245	3	65	100	3	5	2	6060	2815	RM-1	40	form-based			true	0.7	4	0.800000012	1	1	5656	2411	2411	0.933333
1522	003A	4469	0.1	6628	8	85	140	4	14	6	17876	11248	RM-1	40	form-based			true	0.7	9	0.642857134	1	1	12513.2002	5885.200195	5885.200195	0.7
1522	007	2979	0.07	4086	5	65	100	3	7	2	8937	4851	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8341.200195	4255.200195	4255.200195	0.933333
1522	020	1662	0.04	2360	2	65	100	3	4	2	4986	2626	RM-1	40	form-based			true	0.7	3	0.75	1	1	4653.600098	2293.600098	2293.600098	0.933333
1522	020B	1538	0.04	2440	2	65	100	3	4	2	4614	2174	RM-1	40	form-based			true	0.7	3	0.75	1	1	4306.399902	1866.399902	1866.399902	0.933333
1522	023	3036	0.07	4881	5	65	100	3	7	2	9108	4227	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8500.799805	3619.799805	3619.799805	0.933333
1523	011	3000	0.07	4390	5	65	100	3	7	2	9000	4610	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8400	4010	4010	0.933333
1524	041	759	0.02	1180	1	65	100	3	2	1	2277	1097	RM-1	40	form-based			true	0.7	2	1	1	1	2125.199951	945.1999512	945.1999512	0.933333
1524	043	2695	0.06	1529	5	65	100	3	6	1	8085	6556	RM-1	40	form-based			true	0.7	6	1	1	1	7546	6017	6017	0.933333
1525	002	3000	0.07	5942	5	85	140	4	10	5	12000	6058	RM-1	40	form-based			true	0.7	6	0.600000024	1	1	8400	2458	2458	0.7
1525	021	2509	0.06	3640	4	65	100	3	6	2	7527	3887	RM-1	40	form-based			true	0.7	5	0.833333313	1	1	7025.199707	3385.199707	3385.199707	0.933333
1526	018	2101	0.05	3440	3	65	100	3	5	2	6303	2863	RM-1	40	form-based		true	true	0.7	4	0.800000012	1	1	5882.799805	2442.799805	2442.799805	0.933333
1527	021	813	0.02	1500	1	65	100	3	2	1	2439	939	RH-2	40	form-based			true	0.7	2	1	1	1	2276.399902	776.3999023	776.3999023	0.933333
1527	021A	2458	0.06	4160	4	65	100	3	6	2	7374	3214	RM-1	40	form-based		true	true	0.7	5	0.833333313	1	1	6882.399902	2722.399902	2722.399902	0.933333
1528	022	2566	0.06	3180	4	65	100	3	6	2	7698	4518	RM-1	40	form-based		true	true	0.7	5	0.833333313	1	1	7184.799805	4004.799805	4004.799805	0.933333
1529	011A	660	0.02	0	0	65	100	3	2	2	1980	1980	RH-2	40	form-based			true	0.7	1	0.5	1	1	1848	1848	1848	0.933333
1529	022	2277	0.05	3800	4	65	100	3	5	1	6831	3031	RM-1	40	form-based		true	true	0.7	5	1	1	1	6375.600098	2575.600098	2575.600098	0.933333
1530	008A	300	0.01	0	0	65	100	3	1	1	900	900	RH-2	40	form-based			true	0.7	1	1	1	1	840	840	840	0.933333
1533	047	2101	0.05	2670	3	65	100	3	5	2	6303	3633	RH-2	40	form-based			true	0.7	4	0.800000012	1	1	5882.799805	3212.799805	3212.799805	0.933333
1535	020	2521	0.06	3500	4	65	100	3	6	2	7563	4063	RM-1	40	form-based			true	0.7	5	0.833333313	1	1	7058.799805	3558.799805	3558.799805	0.933333
1536	018	2521	0.06	3190	4	65	100	3	6	2	7563	4373	RM-1	40	form-based			true	0.7	5	0.833333313	1	1	7058.799805	3868.799805	3868.799805	0.933333
1536	026	3447	0.08	5250	6	65	100	3	8	2	10341	5091	RM-1	40	form-based			true	0.7	7	0.875	1	1	9651.599609	4401.599609	4401.599609	0.933333
1537	003	2970	0.07	3499	5	65	100	3	7	2	8910	5411	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8316	4817	4817	0.933333
1537	013	2970	0.07	4742	5	65	100	3	7	2	8910	4168	RM-1	40	form-based			true	0.7	6	0.857142866	1	1	8316	3574	3574	0.933333
1537	017	3198	0.07	6960	6	65	100	3	7	1	9594	2634	RM-1	40	form-based			true	0.7	7	1	1	1	8954.399414	1994.399414	1994.399414	0.933333
1540	016	3000	0.07	3158	5	65	100	3	7	2	9000	5842	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8400	5242	5242	0.933333
1540	018A	2469	0.06	4550	4	65	100	3	6	2	7407	2857	RH-2	40	form-based		true	true	0.7	5	0.833333313	1	1	6913.199707	2363.199707	2363.199707	0.933333
1540	025	2524	0.06	3400	4	65	100	3	6	2	7572	4172	RM-1	40	form-based			true	0.7	5	0.833333313	1	1	7067.199707	3667.199707	3667.199707	0.933333
1540	049	1353	0.03	1950	2	65	100	3	3	1	4059	2109	RM-1	40	form-based			true	0.7	3	1	1	1	3788.399902	1838.399902	1838.399902	0.933333
1543	014	3008	0.07	4288	5	65	100	3	7	2	9024	4736	RM-2	40	form-based			true	0.7	6	0.857142866	1	1	8422.399414	4134.399414	4134.399414	0.933333
1543	016A	500	0.01	0	0	65	100	3	1	1	1500	1500	RM-2	40	form-based			true	0.7	1	1	1	1	1400	1400	1400	0.933333
1543	020	2526	0.06	3480	4	65	100	3	6	2	7578	4098	RM-2	40	form-based			true	0.7	5	0.833333313	1	1	7072.799805	3592.799805	3592.799805	0.933333
1543	025	2143	0.05	3520	4	65	100	3	5	1	6429	2909	RH-2	40	form-based		true	true	0.7	5	1	1	1	6000.399902	2480.399902	2480.399902	0.933333
1543	069	3007	0.07	600	5	65	100	3	7	2	9021	8421	RM-2	40	form-based			true	0.7	6	0.857142866	1	1	8419.599609	7819.599609	7819.599609	0.933333
1544	005	2983	0.07	3824	5	65	100	3	7	2	8949	5125	RM-2	40	form-based			true	0.7	6	0.857142866	1	1	8352.399414	4528.399414	4528.399414	0.933333
1544	026	2646	0.06	6570	9	65	100	3	6	0	7938	1368	RTO-C	65	form-based		true	true	0.75	10	1.666666627	1	1	11907	5337	5337	1.5
1544	050	1792	0.04	1650	3	65	100	3	4	1	5376	3726	RM-2	40	form-based			true	0.7	4	1	1	1	5017.600098	3367.600098	3367.600098	0.933333
1544	054	5967	0.14	10572	12	65	100	3	14	2	17901	7329	RM-2	40	form-based			true	0.7	13	0.928571403	1	1	16707.59961	6135.599609	6135.599609	0.933333
1544	055	2983	0.07	874	5	65	100	3	7	2	8949	8075	RM-2	40	form-based			true	0.7	6	0.857142866	1	1	8352.399414	7478.399414	7478.399414	0.933333
1544	081	2358	0.05	531	4	65	100	3	5	1	7074	6543	RM-2	40	form-based			true	0.7	5	1	1	1	6602.399902	6071.399902	6071.399902	0.933333
1545	048	2398	0.06	3380	4	65	100	3	6	2	7194	3814	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	6714.399902	3334.399902	3334.399902	0.933333
1546	010	680	0.02	0	0	65	100	3	2	2	2040	2040	RH-2	40	form-based			true	0.7	1	0.5	1	1	1904	1904	1904	0.933333
1546	020	3407	0.08	8943	12	65	100	3	8	0	10221	1278	NCD-INNE	65	form-based		true	true	0.75	13	1.625	1	1	15331.5	6388.5	6388.5	1.5
1546	042	1360	0.03	902	2	65	100	3	3	1	4080	3178	RH-2	40	form-based			true	0.7	3	1	1	1	3808	2906	2906	0.933333
1547	049	2102	0.05	2932	3	65	100	3	5	2	6306	3374	RM-1	40	form-based		true	true	0.7	4	0.800000012	1	1	5885.600098	2953.600098	2953.600098	0.933333
1549	001	1748	0.04	4149	3	65	100	3	4	1	5244	1095	RM-1	40	form-based		true	true	0.7	4	1	1	1	4894.399902	745.3999023	745.3999023	0.933333
1550	001A	2196	0.05	3072	4	65	100	3	5	1	6588	3516	RM-1	40	form-based			true	0.7	5	1	1	1	6148.799805	3076.799805	3076.799805	0.933333
1550	023	1436	0.03	2874	4	55	80	2.5	2	0	3590	716	RTO-C	65	form-based		true	true	0.75	5	2.5	1	0	6462	3588	3588	1.8
1551	020	1992	0.05	6900	6	65	100	3	5	0	5976	0	RTO-C	65	form-based		true	true	0.75	7	1.399999976	1	1	8964	2064	2064	1.5
1553	044	2019	0.05	2625	3	65	100	3	5	2	6057	3432	RH-2	40	form-based			true	0.7	4	0.800000012	1	1	5653.199707	3028.199707	3028.199707	0.933333
1557	035	2368	0.05	4040	4	65	100	3	5	1	7104	3064	RM-1	40	form-based		true	true	0.7	5	1	1	1	6630.399902	2590.399902	2590.399902	0.933333
1558	001	2265	0.05	4080	4	65	100	3	5	1	6795	2715	RM-1	40	form-based		true	true	0.7	5	1	1	1	6342	2262	2262	0.933333
1558	044	2266	0.05	4380	4	65	100	3	5	1	6798	2418	RM-1	40	form-based		true	true	0.7	5	1	1	1	6344.799805	1964.799805	1964.799805	0.933333
1559	001	2467	0.06	4440	4	65	100	3	6	2	7401	2961	RM-1	40	form-based		true	true	0.7	5	0.833333313	1	1	6907.600098	2467.600098	2467.600098	0.933333
1559	038	2251	0.05	3060	4	65	100	3	5	1	6753	3693	RH-2	40	form-based			true	0.7	5	1	1	1	6302.799805	3242.799805	3242.799805	0.933333
1559	041	2383	0.05	4250	4	65	100	3	5	1	7149	2899	RM-1	40	form-based		true	true	0.7	5	1	1	1	6672.399902	2422.399902	2422.399902	0.933333
1560	001	2380	0.05	3640	4	65	100	3	5	1	7140	3500	RM-1	40	form-based		true	true	0.7	5	1	1	1	6664	3024	3024	0.933333
1560	045	2447	0.06	4370	4	65	100	3	6	2	7341	2971	RM-1	40	form-based		true	true	0.7	5	0.833333313	1	1	6851.600098	2481.600098	2481.600098	0.933333
1561	038	996	0.02	1833	1	65	100	3	2	1	2988	1155	RH-2	40	form-based			true	0.7	2	1	1	1	2788.800049	955.8000488	955.8000488	0.933333
1561	038A	2226	0.05	3396	4	65	100	3	5	1	6678	3282	RM-1	40	form-based		true	true	0.7	5	1	1	1	6232.799805	2836.799805	2836.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1561	039	2511	0.06	3640	4	65	100	3	6	2	7533	3893	RM-1	40	form-based			true	0.7	5	0.833333313	1	1	7030.799805	3390.799805	3390.799805	0.933333
1562	042	2513	0.06	3770	4	65	100	3	6	2	7539	3769	RM-1	40	form-based			true	0.7	5	0.833333313	1	1	7036.399902	3266.399902	3266.399902	0.933333
1563	001	2239	0.05	4030	4	65	100	3	5	1	6717	2687	RM-1	40	form-based		true	true	0.7	5	1	1	1	6269.199707	2239.199707	2239.199707	0.933333
1563	044B	2515	0.06	2686	4	65	100	3	6	2	7545	4859	RM-1	40	form-based			true	0.7	5	0.833333313	1	1	7042	4356	4356	0.933333
1564	043	2519	0.06	3360	4	65	100	3	6	2	7557	4197	RM-1	40	form-based			true	0.7	5	0.833333313	1	1	7053.199707	3693.199707	3693.199707	0.933333
1565	012B	4060	0.09	10500	14	65	100	3	9	0	12180	1680	RTO-C	65	form-based		true	true	0.75	15	1.666666627	1	1	18270	7770	7770	1.5
1565	031	2520	0.06	3406	4	65	100	3	6	2	7560	4154	RM-1	40	form-based			true	0.7	5	0.833333313	1	1	7056	3650	3650	0.933333
1567	031	2477	0.06	3450	4	65	100	3	6	2	7431	3981	RM-1	40	form-based		true	true	0.7	5	0.833333313	1	1	6935.600098	3485.600098	3485.600098	0.933333
1568	001	1872	0.04	2700	3	65	100	3	4	1	5616	2916	RM-1	40	form-based		true	true	0.7	4	1	1	1	5241.600098	2541.600098	2541.600098	0.933333
1568	001B	2584	0.06	3584	4	65	100	3	6	2	7752	4168	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	7235.199707	3651.199707	3651.199707	0.933333
1569	018	1929	0.04	3234	6	65	100	3	4	0	5787	2553	RTO-C	65	form-based			true	0.75	7	1.75	1	1	8680.5	5446.5	5446.5	1.5
1569	019	2104	0.05	5838	7	65	100	3	5	0	6312	474	RTO-C	65	form-based		true	true	0.75	8	1.600000024	1	1	9468	3630	3630	1.5
1569	033	2490	0.06	3500	4	65	100	3	6	2	7470	3970	RM-1	40	form-based		true	true	0.7	5	0.833333313	1	1	6972	3472	3472	0.933333
1571	016	2502	0.06	3632	4	65	100	3	6	2	7506	3874	RM-1	40	form-based		true	true	0.7	5	0.833333313	1	1	7005.600098	3373.600098	3373.600098	0.933333
1572	019	2154	0.05	3288	4	65	100	3	5	1	6462	3174	RM-1	40	form-based			true	0.7	5	1	1	1	6031.199707	2743.199707	2743.199707	0.933333
1572	020	2154	0.05	3288	4	65	100	3	5	1	6462	3174	RM-1	40	form-based			true	0.7	5	1	1	1	6031.199707	2743.199707	2743.199707	0.933333
1572	021	2154	0.05	2950	4	65	100	3	5	1	6462	3512	RM-1	40	form-based			true	0.7	5	1	1	1	6031.199707	3081.199707	3081.199707	0.933333
1575	001A	1438	0.03	2340	2	65	100	3	3	1	4314	1974	RH-2	40	form-based			true	0.7	3	1	1	1	4026.399902	1686.399902	1686.399902	0.933333
1575	001B	1437	0.03	2200	2	65	100	3	3	1	4311	2111	RH-2	40	form-based			true	0.7	3	1	1	1	4023.599854	1823.599854	1823.599854	0.933333
1575	001C	1437	0.03	2200	2	65	100	3	3	1	4311	2111	RH-2	40	form-based			true	0.7	3	1	1	1	4023.599854	1823.599854	1823.599854	0.933333
1576	005M	3000	0.07	3600	5	65	100	3	7	2	9000	5400	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8400	4800	4800	0.933333
1576	005Q	500	0.01	0	0	65	100	3	1	1	1500	1500	RH-2	40	form-based			true	0.7	1	1	1	1	1400	1400	1400	0.933333
1576	005R	500	0.01	0	0	65	100	3	1	1	1500	1500	RH-2	40	form-based			true	0.7	1	1	1	1	1400	1400	1400	0.933333
1577	001A	1875	0.04	1659	3	65	100	3	4	1	5625	3966	RH-2	40	form-based			true	0.7	4	1	1	1	5250	3591	3591	0.933333
1578	022B	1232	0.03	1180	2	65	100	3	3	1	3696	2516	RH-2	40	form-based			true	0.7	3	1	1	1	3449.599854	2269.599854	2269.599854	0.933333
1578	025	2524	0.06	3590	4	65	100	3	6	2	7572	3982	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	7067.199707	3477.199707	3477.199707	0.933333
1580	001	1585	0.04	2374	2	55	80	2.5	3	1	3962	1588	RH-2	40	form-based		true	true	0.7	3	1	1	1	4438	2064	2064	1.120141
1583	049	3171	0.07	3850	6	55	80	2.5	6	0	7928	4078	RH-2	40	form-based			true	0.7	7	1.166666627	1	1	8878.799805	5028.799805	5028.799805	1.119929
1584	020	2997	0.07	3414	5	55	80	2.5	6	1	7492	4078	RH-1	40	form-based			true	0.7	6	1	1	1	8391.599609	4977.599609	4977.599609	1.120075
1608	036	6156	0.14	12030	12	55	80	2.5	11	0	15390	3360	RH-3	40	form-based			true	0.7	13	1.181818128	1	1	17236.79883	5206.798828	5206.798828	1.12
1608	037	6156	0.14	12030	12	55	80	2.5	11	0	15390	3360	RH-3	40	form-based			true	0.7	13	1.181818128	1	1	17236.79883	5206.798828	5206.798828	1.12
1609	023A	350	0.01	1100	0	55	80	2.5	1	1	875	0	RH-2	40	form-based			true	0.7	1	1	1	1	980	0	0	1.12
1609	024A	700	0.02	0	0	55	80	2.5	2	2	1750	1750	RH-2	40	form-based			true	0.7	1	0.5	1	1	1960	1960	1960	1.12
1610	001A	1125	0.03	985	1	55	80	2.5	2	1	2812	1827	RH-2	40	form-based			true	0.7	2	1	1	1	3150	2165	2165	1.120199
1610	002	3000	0.07	3601	5	55	80	2.5	6	1	7500	3899	RH-2	40	form-based			true	0.7	6	1	1	1	8400	4799	4799	1.12
1610	017E	1650	0.04	2201	2	55	80	2.5	3	1	4125	1924	RH-2	40	form-based		true	true	0.7	3	1	1	1	4620	2419	2419	1.12
1617	032	1800	0.04	4170	3	55	80	2.5	3	0	4500	330	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	5040	870	870	1.12
1618	004E	2286	0.05	3820	4	55	80	2.5	4	0	5715	1895	RH-2	40	form-based		true	true	0.7	5	1.25	1	1	6400.799805	2580.799805	2580.799805	1.12
1620	012	1620	0.04	2420	2	55	80	2.5	3	1	4050	1630	RH-2	40	form-based			true	0.7	3	1	1	1	4536	2116	2116	1.12
1620	012A	2610	0.06	4680	4	55	80	2.5	5	1	6525	1845	RM-1	40	form-based		true	true	0.7	5	1	1	1	7308	2628	2628	1.12
1623	001	2357	0.05	5943	8	55	80	2.5	4	0	5892	0	NC-1	65	form-based		true	true	0.75	9	2.25	1	0	10606.5	4663.5	4663.5	1.800153
1624	006S	2507	0.06	3450	4	55	80	2.5	5	1	6268	2818	RH-2	40	form-based			true	0.7	5	1	1	1	7019.600098	3569.600098	3569.600098	1.119911
1626	015	250	0.01	0	0	55	80	2.5	1	1	625	625	RH-2	40	form-based			true	0.7	1	1	1	1	700	700	700	1.12
1629	012	1160	0.03	1920	1	55	80	2.5	2	1	2900	980	RH-2	40	form-based			true	0.7	2	1	1	1	3248	1328	1328	1.12
1629	051	2482	0.06	1498	4	55	80	2.5	5	1	6205	4707	RH-2	40	form-based		true	true	0.7	5	1	1	1	6949.600098	5451.600098	5451.600098	1.12
1630	023	2526	0.06	4300	4	55	80	2.5	5	1	6315	2015	RH-2	40	form-based		true	true	0.7	5	1	1	1	7072.799805	2772.799805	2772.799805	1.12
1634	012	2201	0.05	3750	4	55	80	2.5	4	0	5502	1752	NC-1	40	form-based		true	true	0.75	5	1.25	1	1	6603	2853	2853	1.200109
1635	012	800	0.02	1629	1	55	80	2.5	2	1	2000	371	RH-2	40	form-based			true	0.7	2	1	1	1	2240	611	611	1.12
1635	028H	3033	0.07	4890	5	55	80	2.5	6	1	7582	2692	RH-2	40	form-based			true	0.7	6	1	1	1	8492.399414	3602.399414	3602.399414	1.120074
1636	002	3521	0.08	6060	6	55	80	2.5	6	0	8802	2742	RH-2	40	form-based			true	0.7	7	1.166666627	1	1	9858.799805	3798.799805	3798.799805	1.120064
1636	015	3012	0.07	5295	5	55	80	2.5	6	1	7530	2235	RH-2	40	form-based			true	0.7	6	1	1	1	8433.599609	3138.599609	3138.599609	1.12
1636	029	1875	0.04	4470	6	55	80	2.5	3	0	4688	218	RTO-C	65	form-based			true	0.75	7	2.333333254	1	0	8437.5	3967.5	3967.5	1.799808
1637	017	1176	0.03	1750	1	55	80	2.5	2	1	2940	1190	RH-2	40	form-based			true	0.7	2	1	1	1	3292.800049	1542.800049	1542.800049	1.12
1637	017A	1662	0.04	2474	2	55	80	2.5	3	1	4155	1681	RH-2	40	form-based		true	true	0.7	3	1	1	1	4653.600098	2179.600098	2179.600098	1.12
1638	018	2360	0.05	3720	4	55	80	2.5	4	0	5900	2180	RH-2	40	form-based		true	true	0.7	5	1.25	1	1	6608	2888	2888	1.12
1638	019	2500	0.06	3350	4	55	80	2.5	5	1	6250	2900	RH-2	40	form-based			true	0.7	5	1	1	1	7000	3650	3650	1.12
1639	023	2415	0.06	4000	4	55	80	2.5	5	1	6038	2038	RH-2	40	form-based		true	true	0.7	5	1	1	1	6762	2762	2762	1.119907
1639	026	2406	0.06	3775	4	55	80	2.5	5	1	6015	2240	RH-2	40	form-based		true	true	0.7	5	1	1	1	6736.799805	2961.799805	2961.799805	1.12
1641	045	3000	0.07	2444	5	55	80	2.5	6	1	7500	5056	RH-2	40	form-based			true	0.7	6	1	1	1	8400	5956	5956	1.12
1642	001	2381	0.05	6325	8	55	80	2.5	4	0	5952	0	RTO-C	65	form-based		true	true	0.75	9	2.25	1	0	10714.5	4389.5	4389.5	1.800151
1642	050	2368	0.05	5430	8	55	80	2.5	4	0	5920	490	RTO-C	65	form-based		true	true	0.75	9	2.25	1	0	10656	5226	5226	1.8
1648	037	2250	0.05	3860	4	55	80	2.5	4	0	5625	1765	RH-3	40	form-based		true	true	0.7	5	1.25	1	1	6300	2440	2440	1.12
1648	042	2100	0.05	3785	3	55	80	2.5	4	1	5250	1465	RH-2	40	form-based			true	0.7	4	1	1	1	5880	2095	2095	1.12
1649	020	1625	0.04	2251	2	55	80	2.5	3	1	4062	1811	RH-2	40	form-based			true	0.7	3	1	1	1	4550	2299	2299	1.120138

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1649	032	2125	0.05	2900	3	55	80	2.5	4	1	5312	2412	RH-2	40	form-based		true	true	0.7	4	1	1	1	5950	3050	3050	1.120105
1649	032A	1500	0.03	2520	2	55	80	2.5	2	0	3750	1230	RH-2	40	form-based			true	0.7	3	1.5	1	1	4200	1680	1680	1.12
1649	051	2985	0.07	638	5	55	80	2.5	6	1	7462	6824	RH-3	40	form-based			true	0.7	6	1	1	1	8358	7720	7720	1.120075
1652	001	2360	0.05	4600	4	55	80	2.5	4	0	5900	1300	RH-2	40	form-based		true	true	0.7	5	1.25	1	1	6608	2008	2008	1.12
1652	010G	2985	0.07	4350	5	55	80	2.5	6	1	7462	3112	RH-2	40	form-based			true	0.7	6	1	1	1	8358	4008	4008	1.120075
1652	010H	2985	0.07	4000	5	55	80	2.5	6	1	7462	3462	RH-2	40	form-based			true	0.7	6	1	1	1	8358	4358	4358	1.120075
1653	004	1999	0.05	2562	3	55	80	2.5	4	1	4998	2436	RH-2	40	form-based			true	0.7	4	1	1	1	5597.199707	3035.199707	3035.199707	1.119888
1654	006	2995	0.07	4350	5	55	80	2.5	6	1	7488	3138	RH-2	40	form-based			true	0.7	6	1	1	1	8386	4036	4036	1.119925
1657	001	2535	0.06	4440	4	55	80	2.5	5	1	6338	1898	RH-2	40	form-based		true	true	0.7	5	1	1	1	7098	2658	2658	1.119912
1658	027	3190	0.07	7125	6	55	80	2.5	6	0	7975	850	RH-2	40	form-based			true	0.7	7	1.166666627	1	1	8932	1807	1807	1.12
1661	039	2500	0.06	3542	4	55	80	2.5	5	1	6250	2708	RH-2	40	form-based			true	0.7	5	1	1	1	7000	3458	3458	1.12
1668	013	3420	0.08	7660	6	55	80	2.5	6	0	8550	890	RM-1	40	form-based			true	0.7	7	1.166666627	1	1	9576	1916	1916	1.12
1669	045	1500	0.03	2584	2	55	80	2.5	2	0	3750	1166	RH-2	40	form-based			true	0.7	3	1.5	1	1	4200	1616	1616	1.12
1669	046	1500	0.03	2584	2	55	80	2.5	2	0	3750	1166	RH-2	40	form-based			true	0.7	3	1.5	1	1	4200	1616	1616	1.12
1669	049	1452	0.03	1174	2	55	80	2.5	2	0	3630	2456	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	4065.599854	2891.599854	2891.599854	1.12
1670	001	2216	0.05	3890	4	55	80	2.5	4	0	5540	1650	RH-2	40	form-based		true	true	0.7	5	1.25	1	1	6204.799805	2314.799805	2314.799805	1.12
1674	012	3000	0.07	3546	5	55	80	2.5	6	1	7500	3954	RH-2	40	form-based			true	0.7	6	1	1	1	8400	4854	4854	1.12
1677	001	1285	0.03	2280	2	55	80	2.5	2	0	3212	932	RH-2	40	form-based			true	0.7	3	1.5	1	1	3598	1318	1318	1.120174
1677	001D	1286	0.03	2280	2	55	80	2.5	2	0	3215	935	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	3600.800049	1320.800049	1320.800049	1.12
1679	001I	1868	0.04	3851	3	55	80	2.5	3	0	4670	819	RH-2	40	form-based		true	true	0.7	4	1.333333373	1	1	5230.399902	1379.399902	1379.399902	1.12
1702	001	1437	0.03	961	2	65	100	3	3	1	4311	3350	RH-2	40	form-based		true	true	0.7	3	1	1	1	4023.599854	3062.599854	3062.599854	0.933333
1702	027	1438	0.03	2225	2	65	100	3	3	1	4314	2089	RH-2	40	form-based			true	0.7	3	1	1	1	4026.399902	1801.399902	1801.399902	0.933333
1702	028	1438	0.03	2710	2	65	100	3	3	1	4314	1604	RH-2	40	form-based			true	0.7	3	1	1	1	4026.399902	1316.399902	1316.399902	0.933333
1702	034	1436	0.03	2276	2	65	100	3	3	1	4308	2032	RM-1	40	form-based		true	true	0.7	3	1	1	1	4020.800049	1744.800049	1744.800049	0.933333
1702	035	1436	0.03	2276	2	65	100	3	3	1	4308	2032	RM-1	40	form-based			true	0.7	3	1	1	1	4020.800049	1744.800049	1744.800049	0.933333
1702	036	1436	0.03	2276	2	65	100	3	3	1	4308	2032	RM-1	40	form-based			true	0.7	3	1	1	1	4020.800049	1744.800049	1744.800049	0.933333
1702	044	11993	0.28	854	24	65	100	3	28	4	35979	35125	RM-1	40	form-based			true	0.7	25	0.892857134	1	1	33580.39844	32726.39844	32726.39844	0.933333
1702	080	1438	0.03	978	2	65	100	3	3	1	4314	3336	RH-2	40	form-based		true	true	0.7	3	1	1	1	4026.399902	3048.399902	3048.399902	0.933333
1703	035	6000	0.14	6450	12	65	100	3	14	2	18000	11550	RH-2	40	form-based			true	0.7	13	0.928571403	1	1	16800	10350	10350	0.933333
1716	020	1631	0.04	1750	2	65	100	3	4	2	4893	3143	RH-2	40	form-based			true	0.7	3	0.75	1	1	4566.799805	2816.799805	2816.799805	0.933333
1716	021	1631	0.04	1750	2	65	100	3	4	2	4893	3143	RH-2	40	form-based		true	true	0.7	3	0.75	1	1	4566.799805	2816.799805	2816.799805	0.933333
1716	021A	1500	0.03	1750	2	65	100	3	3	1	4500	2750	RH-2	40	form-based			true	0.7	3	1	1	1	4200	2450	2450	0.933333
1723	027	2250	0.05	3104	4	65	100	3	5	1	6750	3646	RH-1	40	form-based		true	true	0.7	5	1	1	1	6300	3196	3196	0.933333
1738	020	1556	0.04	7720	7	65	100	3	4	0	4668	0	NCD-INNE	85	form-based		true	true	0.75	8	2	1	1	9336	1616	1616	2
1739	002	3119	0.07	4480	6	65	100	3	7	1	9357	4877	RH-2	40	form-based			true	0.7	7	1	1	1	8733.200195	4253.200195	4253.200195	0.933333
1740	001	3166	0.07	7812	11	65	100	3	7	0	9498	1686	RTO-C	65	form-based		true	true	0.75	12	1.714285731	1	1	14247	6435	6435	1.5
1742	002	3168	0.07	4490	6	65	100	3	7	1	9504	5014	RH-2	40	form-based			true	0.7	7	1	1	1	8870.399414	4380.399414	4380.399414	0.933333
1744	004	2994	0.07	2932	5	65	100	3	7	2	8982	6050	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8383.200195	5451.200195	5451.200195	0.933333
1745	028	2457	0.06	1187	4	65	100	3	6	2	7371	6184	RH-2	40	form-based		true	true	0.7	5	0.833333313	1	1	6879.600098	5692.600098	5692.600098	0.933333
1747	009	2370	0.05	4343	4	65	100	3	5	1	7110	2767	RH-2	40	form-based			true	0.7	5	1	1	1	6636	2293	2293	0.933333
1747	020	3010	0.07	8826	10	65	100	3	7	0	9030	204	RTO-C	65	form-based		true	true	0.75	11	1.571428537	1	1	13545	4719	4719	1.5
1747	024	2770	0.06	5775	9	65	100	3	6	0	8310	2535	RTO-C	65	form-based			true	0.75	10	1.666666627	1	1	12465	6690	6690	1.5
1748	009	3167	0.07	6990	6	65	100	3	7	1	9501	2511	RH-2	40	form-based		true	true	0.7	7	1	1	1	8867.599609	1877.599609	1877.599609	0.933333
1748	012	3150	0.07	6990	6	65	100	3	7	1	9450	2460	RH-2	40	form-based		true	true	0.7	7	1	1	1	8820	1830	1830	0.933333
1748	014	2700	0.06	3120	5	65	100	3	6	1	8100	4980	RH-2	40	form-based			true	0.7	6	1	1	1	7560	4440	4440	0.933333
1749	010	2388	0.05	3000	4	65	100	3	5	1	7164	4164	RH-2	40	form-based		true	true	0.7	5	1	1	1	6686.399902	3686.399902	3686.399902	0.933333
1749	012	2500	0.06	3000	4	65	100	3	6	2	7500	4500	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	7000	4000	4000	0.933333
1749	028	2375	0.05	868	4	65	100	3	5	1	7125	6257	RH-2	40	form-based		true	true	0.7	5	1	1	1	6650	5782	5782	0.933333
1750	019	2375	0.05	1900	4	85	140	4	7	3	9500	7600	RH-2	40	form-based			true	0.7	5	0.714285731	1	1	6650	4750	4750	0.7
1752	001	3322	0.08	6320	6	65	100	3	8	2	9966	3646	RH-2	40	form-based		true	true	0.7	7	0.875	1	1	9301.599609	2981.599609	2981.599609	0.933333
1752	002	2373	0.05	3158	4	65	100	3	5	1	7119	3961	RH-2	40	form-based			true	0.7	5	1	1	1	6644.399902	3486.399902	3486.399902	0.933333
1752	016	2373	0.05	3000	4	65	100	3	5	1	7119	4119	RH-2	40	form-based			true	0.7	5	1	1	1	6644.399902	3644.399902	3644.399902	0.933333
1752	019	2373	0.05	3482	4	65	100	3	5	1	7119	3637	RH-2	40	form-based			true	0.7	5	1	1	1	6644.399902	3162.399902	3162.399902	0.933333
1753	001A	1176	0.03	1055	1	65	100	3	3	2	3528	2473	RH-2	40	form-based			true	0.7	2	0.666666687	1	1	3292.800049	2237.800049	2237.800049	0.933333
1753	006	3015	0.07	3150	5	65	100	3	7	2	9045	5895	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8442	5292	5292	0.933333
1753	018	3000	0.07	4950	5	65	100	3	7	2	9000	4050	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8400	3450	3450	0.933333
1755	004	2372	0.05	3850	4	85	140	4	7	3	9488	5638	RH-2	40	form-based			true	0.7	5	0.714285731	1	1	6641.600098	2791.600098	2791.600098	0.7
1758	035	3000	0.07	3333	5	65	100	3	7	2	9000	5667	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8400	5067	5067	0.933333
1759	004	2390	0.05	3162	4	65	100	3	5	1	7170	4008	RH-2	40	form-based			true	0.7	5	1	1	1	6692	3530	3530	0.933333
1761	004	2369	0.05	3242	4	85	140	4	7	3	9476	6234	RH-2	40	form-based			true	0.7	5	0.714285731	1	1	6633.199707	3391.199707	3391.199707	0.7
1762	021	2757	0.06	4585	5	65	100	3	6	1	8271	3686	RH-2	40	form-based			true	0.7	6	1	1	1	7719.600098	3134.600098	3134.600098	0.933333
1763	019B	4676	0.11	13615	24	65	100	3	11	0	14028	413	NCD-INNE	85	form-based		true	true	0.75	25	2.272727251	1	0	28056	14441	14441	2
1763	019C	425	0.01	0	0	65	100	3	1	1	1275	1275	RH-2	40	form-based			true	0.7	1	1	1	1	1190	1190	1190	0.933333
1765	012	5958	0.14	7742	12	65	100	3	14	2	17874	10132	RH-2	40	form-based			true	0.7	13	0.928571403	1	1	16682.40039	8940.400391	8940.400391	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1765	015	3144	0.07	11476	16	65	100	3	7	0	9432	0	RTO-C	85	form-based		true	true	0.75	17	2.428571463	1	0	18864	7388	7388	2
1767	020A	1500	0.03	2350	2	85	140	4	4	2	6000	3650	RH-2	40	form-based			true	0.7	3	0.75	1	1	4200	1850	1850	0.7
1771	052	210	0	0	0	65	100	3	0	0	630	630	NCD-INNE	85	form-based			true	0.75	1		1	1	1260	1260	1260	2
1778	029A	600	0.01	0	0	65	100	3	1	1	1800	1800	RH-2	40	form-based			true	0.7	1	1	1	1	1680	1680	1680	0.933333
1779	013	1629	0.04	2410	2	65	100	3	4	2	4887	2477	RH-3	40	form-based			true	0.7	3	0.75	1	1	4561.199707	2151.199707	2151.199707	0.933333
1779	021A	1437	0.03	2276	2	85	140	4	4	2	5748	3472	RH-2	40	form-based			true	0.7	3	0.75	1	1	4023.599854	1747.599854	1747.599854	0.7
1780	026	2100	0.05	4200	3	65	100	3	5	2	6300	2100	RH-3	40	form-based			true	0.7	4	0.800000012	1	1	5880	1680	1680	0.933333
1780	044	5750	0.13	31010	29	65	100	3	13	0	17250	0	NCD-IRVIN	85	form-based		true	true	0.75	30	2.307692289	1	0	34500	3490	3490	2
1782	012B	3006	0.07	4573	5	85	140	4	10	5	12024	7451	RH-3	40	form-based			true	0.7	6	0.600000024	1	1	8416.799805	3843.799805	3843.799805	0.7
1783	020A	1438	0.03	2250	2	65	100	3	3	1	4314	2064	RH-3	40	form-based			true	0.7	3	1	1	1	4026.399902	1776.399902	1776.399902	0.933333
1785	033	3250	0.07	5352	6	65	100	3	7	1	9750	4398	RH-2	40	form-based		true	true	0.7	7	1	1	1	9100	3748	3748	0.933333
1785	034	2500	0.06	3456	4	65	100	3	6	2	7500	4044	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	7000	3544	3544	0.933333
1786	012	1440	0.03	2276	2	85	140	4	4	2	5760	3484	NCD-JUDA	40	form-based			true	0.75	3	0.75	1	1	4320	2044	2044	0.75
1786	028A	1544	0.04	1680	2	65	100	3	4	2	4632	2952	RH-2	40	form-based		true	true	0.7	3	0.75	1	1	4323.199707	2643.199707	2643.199707	0.933333
1786	029	2500	0.06	3220	4	65	100	3	6	2	7500	4280	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	7000	3780	3780	0.933333
1787	028	1105	0.03	1122	1	65	100	3	3	2	3315	2193	RH-2	40	form-based			true	0.7	2	0.666666687	1	1	3094	1972	1972	0.933333
1787	028A	910	0.02	930	1	65	100	3	2	1	2730	1800	RH-2	40	form-based			true	0.7	2	1	1	1	2548	1618	1618	0.933333
1787	041	1438	0.03	915	2	65	100	3	3	1	4314	3399	RH-3	40	form-based			true	0.7	3	1	1	1	4026.399902	3111.399902	3111.399902	0.933333
1788	001	1439	0.03	2250	2	65	100	3	3	1	4317	2067	RH-2	40	form-based		true	true	0.7	3	1	1	1	4029.199951	1779.199951	1779.199951	0.933333
1788	001B	1439	0.03	2250	2	65	100	3	3	1	4317	2067	RH-2	40	form-based			true	0.7	3	1	1	1	4029.199951	1779.199951	1779.199951	0.933333
1788	001C	1439	0.03	2250	2	65	100	3	3	1	4317	2067	RH-2	40	form-based			true	0.7	3	1	1	1	4029.199951	1779.199951	1779.199951	0.933333
1788	014	1438	0.03	2500	2	65	100	3	3	1	4314	1814	RH-3	40	form-based			true	0.7	3	1	1	1	4026.399902	1526.399902	1526.399902	0.933333
1788	051	1437	0.03	878	2	85	140	4	4	2	5748	4870	RH-3	40	form-based			true	0.7	3	0.75	1	1	4023.599854	3145.599854	3145.599854	0.7
1797	013	1131	0.03	878	1	65	100	3	3	2	3393	2515	RH-2	40	form-based			true	0.7	2	0.666666687	1	1	3166.800049	2288.800049	2288.800049	0.933333
1799	040	2375	0.05	2500	4	65	100	3	5	1	7125	4625	RH-2	40	form-based			true	0.7	5	1	1	1	6650	4150	4150	0.933333
1801	028	3000	0.07	3100	5	65	100	3	7	2	9000	5900	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8400	5300	5300	0.933333
1802	008	2983	0.07	3778	5	65	100	3	7	2	8949	5171	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8352.399414	4574.399414	4574.399414	0.933333
1802	047	3000	0.07	3510	5	65	100	3	7	2	9000	5490	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8400	4890	4890	0.933333
1803	038	3000	0.07	4644	5	65	100	3	7	2	9000	4356	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8400	3756	3756	0.933333
1803	039	6000	0.14	9594	12	85	140	4	20	8	24000	14406	RH-2	40	form-based			true	0.7	13	0.649999976	1	1	16800	7206	7206	0.7
1805	021A	1562	0.04	1393	2	65	100	3	4	2	4686	3293	RM-1	40	form-based			true	0.7	3	0.75	1	1	4373.600098	2980.600098	2980.600098	0.933333
1805	047	4355	0.1	5538	8	85	140	4	14	6	17420	11882	RM-1	40	form-based			true	0.7	9	0.642857134	1	1	12194	6656	6656	0.7
1805	051	2521	0.06	3850	4	85	140	4	8	4	10084	6234	RM-1	40	form-based			true	0.7	5	0.625	1	1	7058.799805	3208.799805	3208.799805	0.7
1806	013A	1437	0.03	1177	2	65	100	3	3	1	4311	3134	RH-1	40	form-based			true	0.7	3	1	1	1	4023.599854	2846.599854	2846.599854	0.933333
1816	015A	250	0.01	0	0	65	100	3	1	1	750	750	RH-1	40	form-based			true	0.7	1	1	1	1	700	700	700	0.933333
1818	018	1005	0.02	800	1	65	100	3	2	1	3015	2215	RH-1	40	form-based			true	0.7	2	1	1	1	2814	2014	2014	0.933333
1819	001C	1444	0.03	2250	2	85	140	4	4	2	5776	3526	RH-3	40	form-based			true	0.7	3	0.75	1	1	4043.199951	1793.199951	1793.199951	0.7
1821	001A	1446	0.03	2000	2	65	100	3	3	1	4338	2338	NCD-JUDA	40	form-based			true	0.75	3	1	1	1	4338	2338	2338	1
1824	001C	1424	0.03	2350	2	65	100	3	3	1	4272	1922	RH-1	40	form-based			true	0.7	3	1	1	1	3987.199951	1637.199951	1637.199951	0.933333
1825	001C	1469	0.03	2537	2	85	140	4	4	2	5876	3339	RH-1	40	form-based			true	0.7	3	0.75	1	1	4113.199707	1576.199707	1576.199707	0.7
1826	001C	1437	0.03	2250	2	65	100	3	3	1	4311	2061	RH-3	40	form-based			true	0.7	3	1	1	1	4023.599854	1773.599854	1773.599854	0.933333
1827	044	1461	0.03	2270	2	65	100	3	3	1	4383	2113	RH-3	40	form-based			true	0.7	3	1	1	1	4090.800049	1820.800049	1820.800049	0.933333
1828	005C	2079	0.05	3575	3	65	100	3	5	2	6237	2662	RH-2	40	form-based		true	true	0.7	4	0.800000012	1	1	5821.199707	2246.199707	2246.199707	0.933333
1828	013	1476	0.03	955	2	85	140	4	4	2	5904	4949	RH-3	40	form-based			true	0.7	3	0.75	1	1	4132.799805	3177.799805	3177.799805	0.7
1830	024A	605	0.01	0	0	65	100	3	1	1	1815	1815	RH-2	40	form-based			true	0.7	1	1	1	1	1694	1694	1694	0.933333
1831	023	1344	0.03	2000	2	65	100	3	3	1	4032	2032	RH-2	40	form-based			true	0.7	3	1	1	1	3763.199951	1763.199951	1763.199951	0.933333
1831	023A	1344	0.03	2000	2	65	100	3	3	1	4032	2032	RH-2	40	form-based		true	true	0.7	3	1	1	1	3763.199951	1763.199951	1763.199951	0.933333
1837	024	1519	0.03	1948	2	65	100	3	3	1	4557	2609	RH-2	40	form-based			true	0.7	3	1	1	1	4253.199707	2305.199707	2305.199707	0.933333
1837	025A	1469	0.03	2346	2	65	100	3	3	1	4407	2061	RH-2	40	form-based		true	true	0.7	3	1	1	1	4113.199707	1767.199707	1767.199707	0.933333
1840	016	1662	0.04	1850	2	65	100	3	4	2	4986	3136	RH-2	40	form-based		true	true	0.7	3	0.75	1	1	4653.600098	2803.600098	2803.600098	0.933333
1840	016A	1303	0.03	1850	2	65	100	3	3	1	3909	2059	RH-2	40	form-based			true	0.7	3	1	1	1	3648.399902	1798.399902	1798.399902	0.933333
1840	020	1380	0.03	1432	2	65	100	3	3	1	4140	2708	RH-2	40	form-based		true	true	0.7	3	1	1	1	3864	2432	2432	0.933333
1841	017	2301	0.05	3280	4	65	100	3	5	1	6903	3623	RH-2	40	form-based			true	0.7	5	1	1	1	6442.799805	3162.799805	3162.799805	0.933333
1842	018C	1437	0.03	3522	2	65	100	3	3	1	4311	789	RH-2	40	form-based		true	true	0.7	3	1	1	1	4023.599854	501.5998535	501.5998535	0.933333
1845	022	2500	0.06	3300	4	65	100	3	6	2	7500	4200	RH-1	40	form-based			true	0.7	5	0.833333313	1	1	7000	3700	3700	0.933333
1846	019	5810	0.13	14391	21	65	100	3	13	0	17430	3039	RTO-C	65	form-based		true	true	0.75	22	1.692307711	1	1	26145	11754	11754	1.5
1847	024	2375	0.05	3890	4	65	100	3	5	1	7125	3235	RH-1	40	form-based		true	true	0.7	5	1	1	1	6650	2760	2760	0.933333
1848	005	2953	0.07	3617	5	65	100	3	7	2	8859	5242	RH-2	40	form-based			true	0.7	6	0.857142866	1	1	8268.399414	4651.399414	4651.399414	0.933333
1848	027	2387	0.05	3350	4	65	100	3	5	1	7161	3811	RH-1	40	form-based		true	true	0.7	5	1	1	1	6683.600098	3333.600098	3333.600098	0.933333
1851	017	3383	0.08	4574	6	55	80	2.5	6	0	8458	3884	RH-1	40	form-based			true	0.7	7	1.166666627	1	1	9472.399414	4898.399414	4898.399414	1.119934
1852	002	2369	0.05	2644	4	65	100	3	5	1	7107	4463	RH-1	40	form-based			true	0.7	5	1	1	1	6633.199707	3989.199707	3989.199707	0.933333
1853	025	2500	0.06	3472	4	65	100	3	6	2	7500	4028	RH-1	40	form-based			true	0.7	5	0.833333313	1	1	7000	3528	3528	0.933333
1854	017	1440	0.03	2595	2	65	100	3	3	1	4320	1725	RH-2	40	form-based			true	0.7	3	1	1	1	4032	1437	1437	0.933333
1855	003	2500	0.06	3642	4	65	100	3	6	2	7500	3858	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	7000	3358	3358	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1855	017	1451	0.03	2200	2	65	100	3	3	1	4353	2153	RH-2	40	form-based			true	0.7	3	1	1	1	4062.800049	1862.800049	1862.800049	0.933333
1855	017A	1451	0.03	2200	2	65	100	3	3	1	4353	2153	RH-2	40	form-based			true	0.7	3	1	1	1	4062.800049	1862.800049	1862.800049	0.933333
1855	018	1451	0.03	2750	2	65	100	3	3	1	4353	1603	RH-2	40	form-based			true	0.7	3	1	1	1	4062.800049	1312.800049	1312.800049	0.933333
1855	018A	1513	0.03	2746	2	65	100	3	3	1	4539	1793	RH-2	40	form-based		true	true	0.7	3	1	1	1	4236.399902	1490.399902	1490.399902	0.933333
1855	043	2500	0.06	3626	4	65	100	3	6	2	7500	3874	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	7000	3374	3374	0.933333
1856	018	2262	0.05	3360	4	65	100	3	5	1	6786	3426	RH-2	40	form-based			true	0.7	5	1	1	1	6333.600098	2973.600098	2973.600098	0.933333
1856	019	1526	0.04	2250	2	65	100	3	4	2	4578	2328	RH-2	40	form-based			true	0.7	3	0.75	1	1	4272.799805	2022.799805	2022.799805	0.933333
1856	026A	1565	0.04	2632	2	65	100	3	4	2	4695	2063	RH-2	40	form-based			true	0.7	3	0.75	1	1	4382	1750	1750	0.933333
1856	043A	2367	0.05	4224	4	65	100	3	5	1	7101	2877	RH-2	40	form-based	true	true	true	0.7	5	1	1	1	6627.600098	2403.600098	2403.600098	0.933333
1857	001	2445	0.06	3652	4	65	100	3	6	2	7335	3683	RH-2	40	form-based	true	true	true	0.7	5	0.833333313	1	1	6846	3194	3194	0.933333
1857	032	3242	0.07	5930	6	65	100	3	7	1	9726	3796	RH-2	40	form-based	true	true	true	0.7	7	1	1	1	9077.599609	3147.599609	3147.599609	0.933333
1858	001	1534	0.04	2024	2	65	100	3	4	2	4602	2578	RH-2	40	form-based	true	true	true	0.7	3	0.75	1	1	4295.199707	2271.199707	2271.199707	0.933333
1858	025	1500	0.03	2024	2	65	100	3	3	1	4500	2476	RH-2	40	form-based			true	0.7	3	1	1	1	4200	2176	2176	0.933333
1858	026	1500	0.03	2024	2	65	100	3	3	1	4500	2476	RH-2	40	form-based			true	0.7	3	1	1	1	4200	2176	2176	0.933333
1858	027	1500	0.03	2024	2	65	100	3	3	1	4500	2476	RH-2	40	form-based			true	0.7	3	1	1	1	4200	2176	2176	0.933333
1866	001	1232	0.03	1980	2	65	100	3	3	1	3696	1716	RH-2	40	form-based	true	true	true	0.7	3	1	1	1	3449.599854	1469.599854	1469.599854	0.933333
1866	034	1330	0.03	1980	2	65	100	3	3	1	3990	2010	RH-2	40	form-based			true	0.7	3	1	1	1	3724	1744	1744	0.933333
1868	001	1473	0.03	1200	2	65	100	3	3	1	4419	3219	RH-2	40	form-based	true	true	true	0.7	3	1	1	1	4124.399902	2924.399902	2924.399902	0.933333
1868	038	1630	0.04	2310	2	65	100	3	4	2	4890	2580	RH-2	40	form-based			true	0.7	3	0.75	1	1	4564	2254	2254	0.933333
1869	043	1662	0.04	3400	2	65	100	3	4	2	4986	1586	RH-2	40	form-based			true	0.7	3	0.75	1	1	4653.600098	1253.600098	1253.600098	0.933333
1869	043A	1662	0.04	3130	2	65	100	3	4	2	4986	1856	RH-2	40	form-based	true	true	true	0.7	3	0.75	1	1	4653.600098	1523.600098	1523.600098	0.933333
1869	043B	500	0.01	0	0	65	100	3	1	1	1500	1500	RH-2	40	form-based			true	0.7	1	1	1	1	1400	1400	1400	0.933333
1871	001	1222	0.03	2444	2	65	100	3	3	1	3666	1222	RH-2	40	form-based	true	true	true	0.7	3	1	1	1	3421.599854	977.5998535	977.5998535	0.933333
1871	001A	1511	0.03	2128	2	65	100	3	3	1	4533	2405	RH-2	40	form-based			true	0.7	3	1	1	1	4230.799805	2102.799805	2102.799805	0.933333
1871	022	1405	0.03	2128	2	65	100	3	3	1	4215	2087	RH-2	40	form-based			true	0.7	3	1	1	1	3934	1806	1806	0.933333
1873	033A	1307	0.03	1850	2	65	100	3	3	1	3921	2071	RH-2	40	form-based	true	true	true	0.7	3	1	1	1	3659.599854	1809.599854	1809.599854	0.933333
1873	033B	1286	0.03	1850	2	65	100	3	3	1	3858	2008	RH-2	40	form-based			true	0.7	3	1	1	1	3600.800049	1750.800049	1750.800049	0.933333
1875	035	310	0.01	0	0	65	100	3	1	1	930	930	RH-1	40	form-based			true	0.7	1	1	1	1	868	868	868	0.933333
1892	001D	1059	0.02	648	1	65	100	3	2	1	3177	2529	RH-1	40	form-based			true	0.7	2	1	1	1	2965.199951	2317.199951	2317.199951	0.933333
1893	040A	3319	0.08	4302	6	65	100	3	8	2	9957	5655	RH-2	40	form-based			true	0.7	7	0.875	1	1	9293.200195	4991.200195	4991.200195	0.933333
1893	047	1650	0.04	1459	2	65	100	3	4	2	4950	3491	RH-2	40	form-based			true	0.7	3	0.75	1	1	4620	3161	3161	0.933333
1894	001	1890	0.04	2520	3	65	100	3	4	1	5670	3150	RM-1	40	form-based	true	true	true	0.7	4	1	1	1	5292	2772	2772	0.933333
1894	022B	1743	0.04	2298	3	65	100	3	4	1	5229	2931	RH-2	40	form-based			true	0.7	4	1	1	1	4880.399902	2582.399902	2582.399902	0.933333
1895	007	3000	0.07	4424	5	55	80	2.5	6	1	7500	3076	RH-2	40	form-based			true	0.7	6	1	1	1	8400	3976	3976	1.12
1896	001A	944	0.02	1274	1	55	80	2.5	2	1	2360	1086	RH-1	40	form-based			true	0.7	2	1	1	1	2643.199951	1369.199951	1369.199951	1.12
1896	020	3182	0.07	3603	6	55	80	2.5	6	0	7955	4352	RH-1	40	form-based	true	true	true	0.7	7	1.166666627	1	1	8909.599609	5306.599609	5306.599609	1.12
1896	046	6000	0.14	8934	12	55	80	2.5	11	0	15000	6066	RH-2	40	form-based			true	0.7	13	1.181818128	1	1	16800	7866	7866	1.12
1914	001	1580	0.04	1935	2	55	80	2.5	3	1	3950	2015	RH-1	40	form-based	true	true	true	0.7	3	1	1	1	4424	2489	2489	1.12
1917	030	1391	0.03	2714	4	55	80	2.5	2	0	3478	764	RTO-C	65	form-based	true	true	true	0.75	5	2.5	1	0	6259.5	3545.5	3545.5	1.799741
1923	015A	1399	0.03	2300	2	55	80	2.5	2	0	3498	1198	RH-2	40	form-based			true	0.7	3	1.5	1	1	3917.199951	1617.199951	1617.199951	1.11984
1923	016	1399	0.03	2300	2	55	80	2.5	2	0	3498	1198	RH-2	40	form-based			true	0.7	3	1.5	1	1	3917.199951	1617.199951	1617.199951	1.11984
1923	016A	1440	0.03	2300	2	55	80	2.5	2	0	3600	1300	RH-2	40	form-based	true	true	true	0.7	3	1.5	1	1	4032	1732	1732	1.12
1925	010H	135	0	0	0	55	80	2.5	0	0	338	338	RTO-C	85	form-based			true	0.75	1		1	1	810	810	676	2.39645
1931	022	3362	0.08	5928	6	55	80	2.5	6	0	8405	2477	RH-2	40	form-based	true	true	true	0.7	7	1.166666627	1	1	9413.599609	3485.599609	3485.599609	1.12
1931	041	1423	0.03	816	2	55	80	2.5	2	0	3558	2742	RH-2	40	form-based			true	0.7	3	1.5	1	1	3984.399902	3168.399902	3168.399902	1.119843
1931	051	1423	0.03	823	2	55	80	2.5	2	0	3558	2735	RH-2	40	form-based			true	0.7	3	1.5	1	1	3984.399902	3161.399902	3161.399902	1.119843
1933	018	3293	0.08	5759	6	55	80	2.5	6	0	8232	2473	RH-2	40	form-based	true	true	true	0.7	7	1.166666627	1	1	9220.399414	3461.399414	3461.399414	1.120068
1933	044	1116	0.03	1379	1	55	80	2.5	2	1	2790	1411	RH-2	40	form-based			true	0.7	2	1	1	1	3124.800049	1745.800049	1745.800049	1.12
1933	044A	1116	0.03	1164	1	55	80	2.5	2	1	2790	1626	RH-2	40	form-based			true	0.7	2	1	1	1	3124.800049	1960.800049	1960.800049	1.12
1933	044B	902	0.02	1472	1	55	80	2.5	2	1	2255	783	RH-2	40	form-based	true	true	true	0.7	2	1	1	1	2525.599854	1053.599854	1053.599854	1.12
1933	052	4200	0.1	5740	8	55	80	2.5	8	0	10500	4760	RH-2	40	form-based			true	0.7	9	1.125	1	1	11760	6020	6020	1.12
2015	031	2002	0.05	1225	3	55	80	2.5	4	1	5005	3780	RH-1	40	form-based	true	true	true	0.7	4	1	1	1	5605.600098	4380.600098	4380.600098	1.12
2021	030	1138	0.03	700	1	55	80	2.5	2	1	2845	2145	RH-1	40	form-based			true	0.7	2	1	1	1	3186.399902	2486.399902	2486.399902	1.12
2022	001D	315	0.01	0	0	55	80	2.5	1	1	788	788	RH-1	40	form-based			true	0.7	1	1	1	1	882	882	882	1.119289
2032	001	967	0.02	1472	1	55	80	2.5	2	1	2418	946	RH-1	40	form-based	true	true	true	0.7	2	1	1	1	2707.599854	1235.599854	1235.599854	1.119768
2032	001A	1129	0.03	1472	1	55	80	2.5	2	1	2822	1350	RH-1	40	form-based			true	0.7	2	1	1	1	3161.199951	1689.199951	1689.199951	1.120198
2032	001B	1129	0.03	1472	1	55	80	2.5	2	1	2822	1350	RH-1	40	form-based			true	0.7	2	1	1	1	3161.199951	1689.199951	1689.199951	1.120198
2037A	021	1457	0.03	2816	2	55	80	2.5	2	0	3642	826	RH-2	40	form-based			true	0.7	3	1.5	1	1	4079.599854	1263.599854	1263.599854	1.120154
2037A	028	593	0.01	0	0	55	80	2.5	1	1	1482	1482	RH-2	40	form-based			true	0.7	1	1	1	1	1660.400024	1660.400024	1660.400024	1.120378
2040	031	1417	0.03	2140	2	55	80	2.5	2	0	3542	1402	RH-2	40	form-based			true	0.7	3	1.5	1	1	3967.599854	1827.599854	1827.599854	1.120158
2041	015	1510	0.03	2602	2	55	80	2.5	2	0	3775	1173	RH-2	40	form-based			true	0.7	3	1.5	1	1	4228	1626	1626	1.12
2041	015A	1510	0.03	1680	2	55	80	2.5	2	0	3775	2095	RH-2	40	form-based			true	0.7	3	1.5	1	1	4228	2548	2548	1.12
2041	023	1450	0.03	1950	2	55	80	2.5	2	0	3625	1675	RH-2	40	form-based			true	0.7	3	1.5	1	1	4060	2110	2110	1.12
2041	023A	1450	0.03	1950	2	55	80	2.5	2	0	3625	1675	RH-2	40	form-based			true	0.7	3	1.5	1	1	4060	2110	2110	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2125	014	1545	0.04	882	2	55	80	2.5	3	1	3862	2980	RH-1	40	form-based			true	0.7	3	1	1	1	4326	3444	3444	1.120145
2128	005	562	0.01	0	0	55	80	2.5	1	1	1405	1405	RH-1(D)	40	form-based			true	0.7	1	1	1	1	1573.599976	1573.599976	1573.599976	1.12
2139	021I	625	0.01	0	0	55	80	2.5	1	1	1562	1562	RH-1	40	form-based			true	0.7	1	1	1	1	1750	1750	1750	1.120358
2169	005	2396	0.05	3450	4	55	80	2.5	4	0	5990	2540	RH-2	40	form-based			true	0.7	5	1.25	1	1	6708.799805	3258.799805	3258.799805	1.12
2201	004J	255	0.01	0	0	55	80	2.5	1	1	638	638	RH-1	40	form-based			true	0.7	1	1	1	1	714	714	714	1.119122
2206	042A	250	0.01	0	0	55	80	2.5	1	1	625	625	RH-1	40	form-based		true	true	0.7	1	1	1	1	700	700	700	1.12
2206	043A	251	0.01	0	0	55	80	2.5	1	1	628	628	RH-1	40	form-based		true	true	0.7	1	1	1	1	702.7999878	702.7999878	702.7999878	1.119108
2301	004	1454	0.03	2024	2	65	100	3	3	1	4362	2338	RH-2	40	form-based			true	0.7	3	1	1	1	4071.199951	2047.199951	2047.199951	0.933333
2306	001	1042	0.02	800	1	65	100	3	2	1	3126	2326	RH-1	40	form-based		true	true	0.7	2	1	1	1	2917.599854	2117.599854	2117.599854	0.933333
2306	027	1123	0.03	1200	1	65	100	3	3	2	3369	2169	RH-1	40	form-based			true	0.7	2	0.666666687	1	1	3144.399902	1944.399902	1944.399902	0.933333
2323	001	1985	0.05	3590	3	65	100	3	5	2	5955	2365	RH-1	40	form-based		true	true	0.7	4	0.800000012	1	1	5558	1968	1968	0.933333
2328	001	1532	0.04	2300	2	65	100	3	4	2	4596	2296	RH-1	40	form-based		true	true	0.7	3	0.75	1	1	4289.600098	1989.600098	1989.600098	0.933333
2330	001D	111	0	0	0	65	100	3	0	0	333	333	RTO-C	85	form-based			true	0.75	1		1	1	666	666	666	2
2336	026	2080	0.05	2073	3	55	80	2.5	4	1	5200	3127	RH-1	40	form-based		true	true	0.7	4	1	1	1	5824	3751	3751	1.12
2336	026B	1170	0.03	1250	1	65	100	3	3	2	3510	2260	RH-1	40	form-based			true	0.7	2	0.666666687	1	1	3276	2026	2026	0.933333
2345A	029	2005	0.05	2750	3	65	100	3	5	2	6015	3265	RH-1	40	form-based			true	0.7	4	0.800000012	1	1	5614	2864	2864	0.933333
2350	001C	1664	0.04	1890	2	65	100	3	4	2	4992	3102	RH-2	40	form-based			true	0.7	3	0.75	1	1	4659.199707	2769.199707	2769.199707	0.933333
2376	026	1440	0.03	2300	2	65	100	3	3	1	4320	2020	RM-1	40	form-based		true	true	0.7	3	1	1	1	4032	1732	1732	0.933333
2376	026A	1440	0.03	2322	2	65	100	3	3	1	4320	1998	RH-1	40	form-based			true	0.7	3	1	1	1	4032	1710	1710	0.933333
2376	026B	1440	0.03	2300	2	65	100	3	3	1	4320	2020	RH-1	40	form-based			true	0.7	3	1	1	1	4032	1732	1732	0.933333
2378	035	10100	0.23	11801	20	65	100	3	23	3	30300	18499	RM-1	40	form-based			true	0.7	21	0.913043499	1	1	28280	16479	16479	0.933333
2380	001A	1073	0.02	910	1	65	100	3	2	1	3219	2309	RH-1	40	form-based			true	0.7	2	1	1	1	3004.399902	2094.399902	2094.399902	0.933333
2381	026A	1095	0.03	877	1	65	100	3	3	2	3285	2408	RH-1	40	form-based			true	0.7	2	0.666666687	1	1	3066	2189	2189	0.933333
2383	027	1379	0.03	2050	2	65	100	3	3	1	4137	2087	RH-1	40	form-based			true	0.7	3	1	1	1	3861.199951	1811.199951	1811.199951	0.933333
2435	032	1438	0.03	2560	4	55	80	2.5	2	0	3595	1035	RTO-C	65	form-based		true	true	0.75	5	2.5	1	0	6471	3911	3911	1.8
2449	028	2520	0.06	4739	4	85	140	4	8	4	10080	5341	RH-1	40	form-based			true	0.7	5	0.625	1	1	7056	2317	2317	0.7
2474	047	3760	0.09	16612	13	55	80	2.5	7	0	9400	0	NC-1	65	form-based			true	0.75	14	2	1	1	16920	308	308	1.8
2482	031B	1172	0.03	1917	1	65	100	3	3	2	3516	1599	RH-1(D)	40	form-based			true	0.7	2	0.666666687	1	1	3281.599854	1364.599854	1364.599854	0.933333
2519	034A	378	0.01	0	0	55	80	2.5	1	1	945	945	RH-1	65	form-based			true	0.7	1	1	1	1	1587.599976	1587.599976	1587.599976	1.68
2607	030A	625	0.01	0	0	55	80	2.5	1	1	1562	1562	RH-2	40	form-based			true	0.7	1	1	1	1	1750	1750	1750	1.120358
2607	031A	625	0.01	0	0	55	80	2.5	1	1	1562	1562	RH-2	40	form-based			true	0.7	1	1	1	1	1750	1750	1750	1.120358
2603	011	1575	0.04	2462	2	55	80	2.5	3	1	3938	1476	RH-3	40	form-based		true	true	0.7	3	1	1	1	4410	1948	1948	1.119858
2603	013	1575	0.04	1150	2	55	80	2.5	3	1	3938	2788	RH-3	40	form-based			true	0.7	3	1	1	1	4410	3260	3260	1.119858
2607	050B	250	0.01	0	0	55	80	2.5	1	1	625	625	RH-2	40	form-based			true	0.7	1	1	1	1	700	700	700	1.12
2607	065	3097	0.07	5889	6	55	80	2.5	6	0	7742	1853	RH-3	40	form-based			true	0.7	7	1.166666627	1	1	8671.599609	2782.599609	2782.599609	1.120072
2607	272	1188	0.03	1920	1	55	80	2.5	2	1	2970	1050	RH-2	40	form-based			true	0.7	2	1	1	1	3326.399902	1406.399902	1406.399902	1.12
2608	032	337	0.01	0	0	55	80	2.5	1	1	842	842	RH-2	40	form-based			true	0.7	1	1	1	1	943.5999756	943.5999756	943.5999756	1.120665
2610	020	2664	0.06	6755	5	65	100	3	6	1	7992	1237	RM-1	40	form-based		true	true	0.7	6	1	1	1	7459.199707	704.199707	704.199707	0.933333
2614	001A	2553	0.06	3510	4	65	100	3	6	2	7659	4149	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	7148.399902	3638.399902	3638.399902	0.933333
2610	046	1914	0.04	2920	3	65	100	3	4	1	5742	2822	RH-3	40	form-based			true	0.7	4	1	1	1	5359.199707	2439.199707	2439.199707	0.933333
2611	016	3514	0.08	10350	6	65	100	3	8	2	10542	192	RM-1	40	form-based		true	true	0.7	7	0.875	1	1	9839.200195	0	0	0.933333
2611	019	3055	0.07	7576	5	65	100	3	7	2	9165	1589	RM-1	40	form-based		true	true	0.7	6	0.857142866	1	1	8554	978	978	0.933333
2611	033	2994	0.07	6052	5	65	100	3	7	2	8982	2930	RH-3	40	form-based			true	0.7	6	0.857142866	1	1	8383.200195	2331.200195	2331.200195	0.933333
2612	008B	1491	0.03	1900	2	65	100	3	3	1	4473	2573	RH-2	40	form-based			true	0.7	3	1	1	1	4174.799805	2274.799805	2274.799805	0.933333
2612	024	3271	0.08	5211	6	55	80	2.5	6	0	8178	2967	RH-2	40	form-based			true	0.7	7	1.166666627	1	1	9158.799805	3947.799805	3947.799805	1.119931
2612	036	2246	0.05	3740	4	55	80	2.5	4	0	5615	1875	RH-2	40	form-based			true	0.7	5	1.25	1	1	6288.799805	2548.799805	2548.799805	1.12
2612	037	2879	0.07	6276	5	55	80	2.5	6	1	7198	922	RH-2	40	form-based		true	true	0.7	6	1	1	1	8061.199707	1785.199707	1785.199707	1.119922
2612	042	2012	0.05	2830	3	55	80	2.5	4	1	5030	2200	RH-2	40	form-based		true	true	0.7	4	1	1	1	5633.600098	2803.600098	2803.600098	1.12
2612	084	1441	0.03	775	2	55	80	2.5	2	0	3602	2827	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	4034.800049	3259.800049	3259.800049	1.120155
2612	105	1647	0.04	1040	2	55	80	2.5	3	1	4118	3078	RH-2	40	form-based			true	0.7	3	1	1	1	4611.600098	3571.600098	3571.600098	1.119864
2612	053	930	0.02	650	1	55	80	2.5	2	1	2325	1675	RH-2	40	form-based			true	0.7	2	1	1	1	2604	1954	1954	1.12
2612	054	1467	0.03	1452	2	55	80	2.5	2	0	3668	2216	RH-2	40	form-based			true	0.7	3	1.5	1	1	4107.600098	2655.600098	2655.600098	1.119847
2612	077	2127	0.05	3094	3	55	80	2.5	4	1	5318	2224	RM-1	40	form-based			true	0.7	4	1	1	1	5955.600098	2861.600098	2861.600098	1.119895
2613	024	1257	0.03	1986	2	65	100	3	3	1	3771	1785	RH-2	40	form-based			true	0.7	3	1	1	1	3519.599854	1533.599854	1533.599854	0.933333
2613	030	1208	0.03	2465	2	65	100	3	3	1	3624	1159	RH-2	40	form-based			true	0.7	3	1	1	1	3382.399902	917.3999023	917.3999023	0.933333
2613	033	2830	0.06	3380	5	65	100	3	6	1	8490	5110	RH-2	40	form-based		true	true	0.7	6	1	1	1	7924	4544	4544	0.933333
2613	042	1257	0.03	525	2	65	100	3	3	1	3771	3246	RH-2	40	form-based			true	0.7	3	1	1	1	3519.599854	2994.599854	2994.599854	0.933333
2613	044	1585	0.04	953	2	65	100	3	4	2	4755	3802	RH-2	40	form-based			true	0.7	3	0.75	1	1	4438	3485	3485	0.933333
2614	082	1506	0.03	2280	2	65	100	3	3	1	4518	2238	RH-2	40	form-based			true	0.7	3	1	1	1	4216.799805	1936.799805	1936.799805	0.933333
2614	089	2173	0.05	2760	4	65	100	3	5	1	6519	3759	RH-2	40	form-based			true	0.7	5	1	1	1	6084.399902	3324.399902	3324.399902	0.933333
2616	019	1538	0.04	2860	2	55	80	2.5	3	1	3845	985	RH-3	40	form-based			true	0.7	3	1	1	1	4306.399902	1446.399902	1446.399902	1.12
2616	019A	1538	0.04	2360	2	55	80	2.5	3	1	3845	1485	RH-3	40	form-based			true	0.7	3	1	1	1	4306.399902	1946.399902	1946.399902	1.12
2616	059	2378	0.05	5420	4	55	80	2.5	4	0	5945	525	RH-2	40	form-based		true	true	0.7	5	1.25	1	1	6658.399902	1238.399902	1238.399902	1.12
2617A	001	2500	0.06	3600	4	55	80	2.5	5	1	6250	2650	RH-2	40	form-based		true	true	0.7	5	1	1	1	7000	3400	3400	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2618	017	2316	0.05	3215	4	55	80	2.5	4	0	5790	2575	RH-2	40	form-based		true	true	0.7	5	1.25	1	1	6484.799805	3269.799805	3269.799805	1.12
2618A	027	306	0.01	257	0	55	80	2.5	1	1	765	508	RH-1(D)	40	form-based			true	0.7	1	1	1	1	856.7999878	599.7999878	599.7999878	1.12
2618A	028	329	0.01	0	0	55	80	2.5	1	1	822	822	RH-1(D)	40	form-based			true	0.7	1	1	1	1	921.2000122	921.2000122	921.2000122	1.120681
2618A	029	327	0.01	0	0	55	80	2.5	1	1	818	818	RH-1(D)	40	form-based			true	0.7	1	1	1	1	915.5999756	915.5999756	915.5999756	1.119315
2618A	030	325	0.01	400	0	55	80	2.5	1	1	812	412	RH-1(D)	40	form-based			true	0.7	1	1	1	1	910	510	510	1.12069
2618A	031	299	0.01	0	0	55	80	2.5	1	1	748	748	RH-1(D)	40	form-based			true	0.7	1	1	1	1	837.2000122	837.2000122	837.2000122	1.119251
2620	093	1394	0.03	2165	2	55	80	2.5	2	0	3485	1320	RH-2	40	form-based			true	0.7	3	1.5	1	1	3903.199951	1738.199951	1738.199951	1.12
2620	095	1625	0.04	2128	2	55	80	2.5	3	1	4062	1934	RH-2	40	form-based			true	0.7	3	1	1	1	4550	2422	2422	1.120138
2625	015B	1819	0.04	2400	3	55	80	2.5	3	0	4548	2148	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	5093.199707	2693.199707	2693.199707	1.119877
2625	023	1210	0.03	891	2	65	100	3	3	1	3630	2739	RH-2	40	form-based			true	0.7	3	1	1	1	3388	2497	2497	0.933333
2626	018	2515	0.06	1965	4	55	80	2.5	5	1	6288	4323	RH-2	40	form-based			true	0.7	5	1	1	1	7042	5077	5077	1.119911
2626	022A	680	0.02	693	0	55	80	2.5	2	2	1700	1007	RH-2	40	form-based			true	0.7	1	0.5	1	1	1904	1211	1211	1.12
2626	043	1255	0.03	590	2	55	80	2.5	2	0	3138	2548	RH-2	40	form-based			true	0.7	3	1.5	1	1	3514	2924	2924	1.119822
2627	048	1850	0.04	2517	3	55	80	2.5	3	0	4625	2108	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	5180	2663	2663	1.12
2627	074	1443	0.03	803	2	55	80	2.5	2	0	3608	2805	RH-2	40	form-based			true	0.7	3	1.5	1	1	4040.399902	3237.399902	3237.399902	1.119845
2628	117	1845	0.04	1681	3	55	80	2.5	3	0	4612	2931	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	5166	3485	3485	1.120121
2629	009	2283	0.05	1738	4	55	80	2.5	4	0	5708	3970	RH-2	40	form-based			true	0.7	5	1.25	1	1	6392.399902	4654.399902	4654.399902	1.119902
2629A	027	10483	0.24	21383	21	55	80	2.5	19	0	26208	4825	RH-3	40	form-based			true	0.7	22	1.157894731	1	1	29352.40039	7969.400391	7969.400391	1.119979
2631	001	5000	0.11	13200	18	65	100	3	11	0	15000	1800	RTO-C	65	form-based		true	true	0.75	19	1.727272749	1	1	22500	9300	9300	1.5
2636	020	427	0.01	0	0	55	80	2.5	1	1	1068	1068	RM-1	40	form-based			true	0.7	1	1	1	1	1195.599976	1195.599976	1195.599976	1.119476
2645	027	1591	0.04	1650	2	55	80	2.5	3	1	3978	2328	RH-2	40	form-based			true	0.7	3	1	1	1	4454.799805	2804.799805	2804.799805	1.119859
2645	028	1816	0.04	2615	3	55	80	2.5	3	0	4540	1925	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	5084.799805	2469.799805	2469.799805	1.12
2646	082	2187	0.05	721	4	55	80	2.5	4	0	5468	4747	RH-2	40	form-based			true	0.7	5	1.25	1	1	6123.600098	5402.600098	5402.600098	1.119898
2648	022A	1871	0.04	4550	3	65	100	3	4	1	5613	1063	NCD-CAST	40	form-based		true	true	0.75	4	1	1	1	5613	1063	1063	1
2649	031A	783	0.02	1800	1	65	100	3	2	1	2349	549	RM-1	40	form-based			true	0.7	2	1	1	1	2192.399902	392.3999023	392.3999023	0.933333
2649	040	4199	0.1	6842	8	65	100	3	10	2	12597	5755	RM-1	40	form-based		true	true	0.7	9	0.899999976	1	1	11757.2002	4915.200195	4915.200195	0.933333
2650	014	1937	0.04	4014	3	65	100	3	4	1	5811	1797	RH-3	40	form-based		true	true	0.7	4	1	1	1	5423.600098	1409.600098	1409.600098	0.933333
2650	017	1937	0.04	4714	3	65	100	3	4	1	5811	1097	RH-3	40	form-based			true	0.7	4	1	1	1	5423.600098	709.6000977	709.6000977	0.933333
2650	073	2250	0.05	915	4	65	100	3	5	1	6750	5835	RH-3	40	form-based			true	0.7	5	1	1	1	6300	5385	5385	0.933333
2651	006A	1649	0.04	2800	2	55	80	2.5	3	1	4122	1322	RH-2	40	form-based			true	0.7	3	1	1	1	4617.199707	1817.199707	1817.199707	1.120136
2651	022	1650	0.04	2350	2	55	80	2.5	3	1	4125	1775	RH-2	40	form-based			true	0.7	3	1	1	1	4620	2270	2270	1.12
2652	007	1117	0.03	1100	1	55	80	2.5	2	1	2792	1692	RH-2	40	form-based			true	0.7	2	1	1	1	3127.599854	2027.599854	2027.599854	1.120201
2652	015A	1144	0.03	540	1	55	80	2.5	2	1	2860	2320	RH-2	40	form-based			true	0.7	2	1	1	1	3203.199951	2663.199951	2663.199951	1.12
2652	024	1774	0.04	2500	3	55	80	2.5	3	0	4435	1935	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	4967.199707	2467.199707	2467.199707	1.12
2653	013	2447	0.06	2065	4	55	80	2.5	5	1	6118	4053	RH-2	40	form-based			true	0.7	5	1	1	1	6851.600098	4786.600098	4786.600098	1.119908
2654	034	2304	0.05	3878	4	55	80	2.5	4	0	5760	1882	RH-2	40	form-based		true	true	0.7	5	1.25	1	1	6451.199707	2573.199707	2573.199707	1.12
2654	036	2525	0.06	3028	4	55	80	2.5	5	1	6312	3284	RH-2	40	form-based			true	0.7	5	1	1	1	7070	4042	4042	1.120089
2656	001	1824	0.04	3995	3	55	80	2.5	3	0	4560	565	RH-2	40	form-based		true	true	0.7	4	1.333333373	1	1	5107.199707	1112.199707	1112.199707	1.12
2656	002	1462	0.03	1750	2	55	80	2.5	2	0	3655	1905	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	4093.599854	2343.599854	2343.599854	1.12
2656	024	2038	0.05	2403	3	55	80	2.5	4	1	5095	2692	RH-2	40	form-based			true	0.7	4	1	1	1	5706.399902	3303.399902	3303.399902	1.12
2656	050	2027	0.05	2654	3	55	80	2.5	4	1	5068	2414	RH-2	40	form-based			true	0.7	4	1	1	1	5675.600098	3021.600098	3021.600098	1.119889
2656	052	1921	0.04	1950	3	55	80	2.5	3	0	4802	2852	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	5378.799805	3428.799805	3428.799805	1.120117
2656	055	1912	0.04	2002	3	55	80	2.5	3	0	4780	2778	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	5353.600098	3351.600098	3351.600098	1.12
2656	060	1666	0.04	2322	2	55	80	2.5	3	1	4165	1843	RH-2	40	form-based			true	0.7	3	1	1	1	4664.799805	2342.799805	2342.799805	1.12
2656	061	1615	0.04	1688	2	55	80	2.5	3	1	4038	2350	RH-2	40	form-based			true	0.7	3	1	1	1	4522	2834	2834	1.119861
2657	012	937	0.02	807	1	55	80	2.5	2	1	2342	1535	RH-2	40	form-based		true	true	0.7	2	1	1	1	2623.599854	1816.599854	1816.599854	1.120239
2657	030	937	0.02	573	1	55	80	2.5	2	1	2342	1769	RH-2	40	form-based		true	true	0.7	2	1	1	1	2623.599854	2050.599854	2050.599854	1.120239
2658	015	1950	0.04	3255	3	55	80	2.5	3	0	4875	1620	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	5460	2205	2205	1.12
2658	016	1503	0.03	2485	2	55	80	2.5	2	0	3758	1273	RH-2	40	form-based			true	0.7	3	1.5	1	1	4208.399902	1723.399902	1723.399902	1.119851
2658	016A	1493	0.03	2457	2	55	80	2.5	2	0	3732	1275	RH-2	40	form-based			true	0.7	3	1.5	1	1	4180.399902	1723.399902	1723.399902	1.12015
2658	017	1528	0.04	2485	2	55	80	2.5	3	1	3820	1335	RH-2	40	form-based			true	0.7	3	1	1	1	4278.399902	1793.399902	1793.399902	1.12
2658	020	2225	0.05	3194	4	55	80	2.5	4	0	5562	2368	RH-2	40	form-based			true	0.7	5	1.25	1	1	6230	3036	3036	1.120101
2658	024	1876	0.04	3450	3	55	80	2.5	3	0	4690	1240	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	5252.799805	1802.799805	1802.799805	1.12
2658	038	782	0.02	1309	1	55	80	2.5	2	1	1955	646	RH-2	40	form-based			true	0.7	2	1	1	1	2189.599854	880.5998535	880.5998535	1.12
2658	041	1593	0.04	1600	2	55	80	2.5	3	1	3982	2382	RH-2	40	form-based			true	0.7	3	1	1	1	4460.399902	2860.399902	2860.399902	1.120141
2658	043	1540	0.04	2840	2	55	80	2.5	3	1	3850	1010	RH-2	40	form-based			true	0.7	3	1	1	1	4312	1472	1472	1.12
2658	049	1583	0.04	2975	2	55	80	2.5	3	1	3958	983	RH-2	40	form-based			true	0.7	3	1	1	1	4432.399902	1457.399902	1457.399902	1.119859
2658	054	1467	0.03	1385	2	55	80	2.5	2	0	3668	2283	RH-2	40	form-based			true	0.7	3	1.5	1	1	4107.600098	2722.600098	2722.600098	1.119847
2658	055	1444	0.03	1688	2	55	80	2.5	2	0	3610	1922	RH-2	40	form-based			true	0.7	3	1.5	1	1	4043.199951	2355.199951	2355.199951	1.12
2658	056	1421	0.03	3640	2	55	80	2.5	2	0	3552	0	RH-2	40	form-based			true	0.7	3	1.5	1	1	3978.800049	338.8000488	338.8000488	1.120158
2658	078	1629	0.04	1039	2	55	80	2.5	3	1	4072	3033	RH-2	40	form-based			true	0.7	3	1	1	1	4561.199707	3522.199707	3522.199707	1.120137
2658	082	1676	0.04	1125	3	55	80	2.5	3	0	4190	3065	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	4692.799805	3567.799805	3567.799805	1.12
2659	009	324	0.01	0	0	55	80	2.5	1	1	810	810	RH-2	40	form-based		true	true	0.7	1	1	1	1	907.2000122	907.2000122	907.2000122	1.12
2659	048	2601	0.06	2946	4	55	80	2.5	5	1	6502	3556	RH-2	40	form-based			true	0.7	5	1	1	1	7282.799805	4336.799805	4336.799805	1.120086

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2659	056	1255	0.03	2498	2	55	80	2.5	2	0	3138	640	RH-2	40	form-based			true	0.7	3	1.5	1	1	3514	1016	1016	1.119822
2659	061	1296	0.03	1356	2	55	80	2.5	2	0	3240	1884	RH-2	40	form-based			true	0.7	3	1.5	1	1	3628.800049	2272.800049	2272.800049	1.12
2659	063	1606	0.04	1031	2	55	80	2.5	3	1	4015	2984	RH-2	40	form-based			true	0.7	3	1	1	1	4496.799805	3465.799805	3465.799805	1.12
2660	011B	1080	0.02	1155	1	55	80	2.5	2	1	2700	1545	RH-2	40	form-based			true	0.7	2	1	1	1	3024	1869	1869	1.12
2660	011D	1113	0.03	1550	1	55	80	2.5	2	1	2782	1232	RH-2	40	form-based			true	0.7	2	1	1	1	3116.399902	1566.399902	1566.399902	1.120201
2660	011I	256	0.01	0	0	55	80	2.5	1	1	640	640	RH-2	40	form-based			true	0.7	1	1	1	1	716.7999878	716.7999878	716.7999878	1.12
2660	021	1306	0.03	1650	2	55	80	2.5	2	0	3265	1615	RH-2	40	form-based			true	0.7	3	1.5	1	1	3656.800049	2006.800049	2006.800049	1.12
2661	001C	2504	0.06	3106	4	55	80	2.5	5	1	6260	3154	RH-1	40	form-based			true	0.7	5	1	1	1	7011.199707	3905.199707	3905.199707	1.12
2689	001	2588	0.06	4104	4	55	80	2.5	5	1	6470	2366	RH-2	40	form-based		true	true	0.7	5	1	1	1	7246.399902	3142.399902	3142.399902	1.12
2691	023	1550	0.04	3152	2	55	80	2.5	3	1	3875	723	RH-2	40	form-based			true	0.7	3	1	1	1	4340	1188	1188	1.12
2691	025	1528	0.04	1594	2	55	80	2.5	3	1	3820	2226	RH-2	40	form-based			true	0.7	3	1	1	1	4278.399902	2684.399902	2684.399902	1.12
2691	053	1286	0.03	1936	2	55	80	2.5	2	0	3215	1279	RH-2	40	form-based			true	0.7	3	1.5	1	1	3600.800049	1664.800049	1664.800049	1.12
2691	056	1500	0.03	957	2	55	80	2.5	2	0	3750	2793	RH-2	40	form-based			true	0.7	3	1.5	1	1	4200	3243	3243	1.12
2691	068	1624	0.04	1124	2	55	80	2.5	3	1	4060	2936	RH-2	40	form-based		true	true	0.7	3	1	1	1	4547.199707	3423.199707	3423.199707	1.12
2692	037	1978	0.05	4125	3	55	80	2.5	4	1	4945	820	RH-3	40	form-based		true	true	0.7	4	1	1	1	5538.399902	1413.399902	1413.399902	1.12
2692	045	2110	0.05	524	3	55	80	2.5	4	1	5275	4751	RH-2	40	form-based		true	true	0.7	4	1	1	1	5908	5384	5384	1.12
2693	029	1869	0.04	4443	3	65	100	3	4	1	5607	1164	RH-3	40	form-based			true	0.7	4	1	1	1	5233.199707	790.199707	790.199707	0.933333
2693	032	1875	0.04	1371	3	65	100	3	4	1	5625	4254	RH-3	40	form-based			true	0.7	4	1	1	1	5250	3879	3879	0.933333
2694	035	1875	0.04	4284	3	65	100	3	4	1	5625	1341	NCD-CAST	40	form-based		true	true	0.75	4	1	1	1	5625	1341	1341	1
2694	036	1875	0.04	1957	3	65	100	3	4	1	5625	3668	NCD-CAST	40	form-based			true	0.75	4	1	1	1	5625	3668	3668	1
2694	037	1875	0.04	2450	3	65	100	3	4	1	5625	3175	NCD-CAST	40	form-based			true	0.75	4	1	1	1	5625	3175	3175	1
2694	038	1875	0.04	1770	3	65	100	3	4	1	5625	3855	NCD-CAST	40	form-based			true	0.75	4	1	1	1	5625	3855	3855	1
2696	001	4283	0.1	8994	9	65	100	3	10	1	12849	3855	NCD-CAST	40	form-based		true	true	0.75	10	1	1	1	12849	3855	3855	1
2696	012A	976	0.02	1103	1	55	80	2.5	2	1	2440	1337	RH-3	40	form-based			true	0.7	2	1	1	1	2732.800049	1629.800049	1629.800049	1.12
2696	028	2849	0.07	4020	5	55	80	2.5	6	1	7122	3102	RH-3	40	form-based			true	0.7	6	1	1	1	7977.199707	3957.199707	3957.199707	1.120079
2696	030	1457	0.03	2454	2	55	80	2.5	2	0	3642	1188	RH-3	40	form-based			true	0.7	3	1.5	1	1	4079.599854	1625.599854	1625.599854	1.120154
2698	021	2619	0.06	3750	4	55	80	2.5	5	1	6548	2798	RH-2	40	form-based		true	true	0.7	5	1	1	1	7333.199707	3583.199707	3583.199707	1.119914
2698	045	1782	0.04	1254	3	55	80	2.5	3	0	4455	3201	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	4989.600098	3735.600098	3735.600098	1.12
2699	051	1875	0.04	1542	3	55	80	2.5	3	0	4688	3146	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	5250	3708	3708	1.119881
2700	007	2283	0.05	5110	4	55	80	2.5	4	0	5708	598	RH-2	40	form-based			true	0.7	5	1.25	1	1	6392.399902	1282.399902	1282.399902	1.119902
2701	016A	936	0.02	1692	1	55	80	2.5	2	1	2340	648	RH-2	40	form-based			true	0.7	2	1	1	1	2620.800049	928.8000488	928.8000488	1.12
2701	018	1560	0.04	2460	2	55	80	2.5	3	1	3900	1440	RH-2	40	form-based			true	0.7	3	1	1	1	4368	1908	1908	1.12
2701	021	1950	0.04	3300	3	55	80	2.5	3	0	4875	1575	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	5460	2160	2160	1.12
2701	048	1597	0.04	1582	2	55	80	2.5	3	1	3992	2410	RH-2	40	form-based			true	0.7	3	1	1	1	4471.600098	2889.600098	2889.600098	1.12014
2735	025	719	0.02	1485	1	55	80	2.5	2	1	1798	313	RH-1	40	form-based			true	0.7	2	1	1	1	2013.199951	528.1999512	528.1999512	1.119689
2735	026	719	0.02	1485	1	55	80	2.5	2	1	1798	313	RH-1	40	form-based			true	0.7	2	1	1	1	2013.199951	528.1999512	528.1999512	1.119689
2735	028	802	0.02	2163	1	55	80	2.5	2	1	2005	0	RH-1	40	form-based			true	0.7	2	1	1	1	2245.599854	82.59985352	82.59985352	1.12
2735	029	718	0.02	1485	1	55	80	2.5	2	1	1795	310	RH-1	40	form-based			true	0.7	2	1	1	1	2010.400024	525.4000244	525.4000244	1.12
2735	001	734	0.02	1763	1	55	80	2.5	2	1	1835	72	RH-1	40	form-based			true	0.7	2	1	1	1	2055.199951	292.1999512	292.1999512	1.12
2735	003	789	0.02	1731	1	55	80	2.5	2	1	1972	241	RH-1	40	form-based			true	0.7	2	1	1	1	2209.199951	478.1999512	478.1999512	1.120284
2735	004	727	0.02	1763	1	55	80	2.5	2	1	1818	55	RH-1	40	form-based			true	0.7	2	1	1	1	2035.599976	272.5999756	272.5999756	1.119692
2735	007	761	0.02	1763	1	55	80	2.5	2	1	1902	139	RH-1	40	form-based			true	0.7	2	1	1	1	2130.800049	367.8000488	367.8000488	1.120294
2735	008	752	0.02	1731	1	55	80	2.5	2	1	1880	149	RH-1	40	form-based			true	0.7	2	1	1	1	2105.599854	374.5998535	374.5998535	1.12
2735	010	801	0.02	1763	1	55	80	2.5	2	1	2002	239	RH-1	40	form-based			true	0.7	2	1	1	1	2242.800049	479.8000488	479.8000488	1.12028
2735	011	818	0.02	1763	1	55	80	2.5	2	1	2045	282	RH-1	40	form-based			true	0.7	2	1	1	1	2290.399902	527.3999023	527.3999023	1.12
2735	012	810	0.02	1731	1	55	80	2.5	2	1	2025	294	RH-1	40	form-based			true	0.7	2	1	1	1	2268	537	537	1.12
2735	013	789	0.02	1763	1	55	80	2.5	2	1	1972	209	RH-1	40	form-based			true	0.7	2	1	1	1	2209.199951	446.1999512	446.1999512	1.120284
2735	014	798	0.02	1731	1	55	80	2.5	2	1	1995	264	RH-1	40	form-based			true	0.7	2	1	1	1	2234.399902	503.3999023	503.3999023	1.12
2735	015	801	0.02	1763	1	55	80	2.5	2	1	2002	239	RH-1	40	form-based			true	0.7	2	1	1	1	2242.800049	479.8000488	479.8000488	1.12028
2735	017	761	0.02	1763	1	55	80	2.5	2	1	1902	139	RH-1	40	form-based			true	0.7	2	1	1	1	2130.800049	367.8000488	367.8000488	1.120294
2735	018	795	0.02	1731	1	55	80	2.5	2	1	1988	257	RH-1	40	form-based			true	0.7	2	1	1	1	2226	495	495	1.119718
2735	019	756	0.02	1763	1	55	80	2.5	2	1	1890	127	RH-1	40	form-based			true	0.7	2	1	1	1	2116.800049	353.8000488	353.8000488	1.12
2735	021	728	0.02	1485	1	55	80	2.5	2	1	1820	335	RH-1	40	form-based			true	0.7	2	1	1	1	2038.400024	553.4000244	553.4000244	1.12
2735	041	857	0.02	1763	1	55	80	2.5	2	1	2142	379	RH-1	40	form-based			true	0.7	2	1	1	1	2399.599854	636.5998535	636.5998535	1.120261
2735	042	876	0.02	1731	1	55	80	2.5	2	1	2190	459	RH-1	40	form-based			true	0.7	2	1	1	1	2452.800049	721.8000488	721.8000488	1.12
2735	043	843	0.02	1763	1	55	80	2.5	2	1	2108	345	RH-1	40	form-based			true	0.7	2	1	1	1	2360.399902	597.3999023	597.3999023	1.119734
2735	044	870	0.02	1763	1	55	80	2.5	2	1	2175	412	RH-1	40	form-based			true	0.7	2	1	1	1	2436	673	673	1.12
2735	045	859	0.02	1763	1	55	80	2.5	2	1	2148	385	RH-1	40	form-based			true	0.7	2	1	1	1	2405.199951	642.1999512	642.1999512	1.119739
2737	005	1018	0.02	1465	1	55	80	2.5	2	1	2545	1080	RH-1	40	form-based			true	0.7	2	1	1	1	2850.399902	1385.399902	1385.399902	1.12
2737	007	1088	0.02	2300	1	55	80	2.5	2	1	2720	420	RH-1	40	form-based			true	0.7	2	1	1	1	3046.399902	746.3999023	746.3999023	1.12
2737	010	1096	0.03	1465	1	55	80	2.5	2	1	2740	1275	RH-1	40	form-based			true	0.7	2	1	1	1	3068.800049	1603.800049	1603.800049	1.12
2737	011	861	0.02	1465	1	55	80	2.5	2	1	2152	687	RH-1	40	form-based			true	0.7	2	1	1	1	2410.800049	945.8000488	945.8000488	1.12026
2737	002	1063	0.02	1465	1	55	80	2.5	2	1	2658	1193	RH-1	40	form-based			true	0.7	2	1	1	1	2976.399902	1511.399902	1511.399902	1.119789
2737	004	1074	0.02	1465	1	55	80	2.5	2	1	2685	1220	RH-1	40	form-based			true	0.7	2	1	1	1	3007.199951	1542.199951	1542.199951	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2737	016	1145	0.03	1465	1	55	80	2.5	2	1	2862	1397	RH-1	40	form-based			true	0.7	2	1	1	1	3206	1741	1741	1.120196
2737	017	1078	0.02	1465	1	55	80	2.5	2	1	2695	1230	RH-1	40	form-based			true	0.7	2	1	1	1	3018.399902	1553.399902	1553.399902	1.12
2737	021	1104	0.03	1465	1	55	80	2.5	2	1	2760	1295	RH-1	40	form-based			true	0.7	2	1	1	1	3091.199951	1626.199951	1626.199951	1.12
2737	022	1044	0.02	1465	1	55	80	2.5	2	1	2610	1145	RH-1	40	form-based			true	0.7	2	1	1	1	2923.199951	1458.199951	1458.199951	1.12
2737	023	993	0.02	1465	1	55	80	2.5	2	1	2482	1017	RH-1	40	form-based			true	0.7	2	1	1	1	2780.399902	1315.399902	1315.399902	1.120226
2737	024	1012	0.02	1465	1	55	80	2.5	2	1	2530	1065	RH-1	40	form-based			true	0.7	2	1	1	1	2833.599854	1368.599854	1368.599854	1.12
2737	026	1034	0.02	2085	1	55	80	2.5	2	1	2585	500	RH-1	40	form-based			true	0.7	2	1	1	1	2895.199951	810.1999512	810.1999512	1.12
2737	031	1103	0.03	1465	1	55	80	2.5	2	1	2758	1293	RH-1	40	form-based			true	0.7	2	1	1	1	3088.399902	1623.399902	1623.399902	1.119797
2737	032	995	0.02	1465	1	55	80	2.5	2	1	2488	1023	RH-1	40	form-based			true	0.7	2	1	1	1	2786	1321	1321	1.119775
2737	033	1031	0.02	1465	1	55	80	2.5	2	1	2578	1113	RH-1	40	form-based			true	0.7	2	1	1	1	2886.800049	1421.800049	1421.800049	1.119783
2737	038	1067	0.02	1518	1	55	80	2.5	2	1	2668	1150	RH-1	40	form-based			true	0.7	2	1	1	1	2987.599854	1469.599854	1469.599854	1.11979
2737	040	1122	0.03	1465	1	55	80	2.5	2	1	2805	1340	RH-1	40	form-based			true	0.7	2	1	1	1	3141.599854	1676.599854	1676.599854	1.12
2737	041	1075	0.02	1465	1	55	80	2.5	2	1	2688	1223	RH-1	40	form-based			true	0.7	2	1	1	1	3010	1545	1545	1.119792
2737	044	1066	0.02	1465	1	55	80	2.5	2	1	2665	1200	RH-1	40	form-based			true	0.7	2	1	1	1	2984.800049	1519.800049	1519.800049	1.12
2737	047	1165	0.03	1465	1	55	80	2.5	2	1	2912	1447	RH-1	40	form-based			true	0.7	2	1	1	1	3262	1797	1797	1.120192
2737	048	985	0.02	1465	1	55	80	2.5	2	1	2462	997	RH-1	40	form-based			true	0.7	2	1	1	1	2758	1293	1293	1.120227
2737	055	1080	0.02	1465	1	55	80	2.5	2	1	2700	1235	RH-1	40	form-based			true	0.7	2	1	1	1	3024	1559	1559	1.12
2737	056	980	0.02	1465	1	55	80	2.5	2	1	2450	985	RH-1	40	form-based			true	0.7	2	1	1	1	2744	1279	1279	1.12
2737	057	1058	0.02	1465	1	55	80	2.5	2	1	2645	1180	RH-1	40	form-based			true	0.7	2	1	1	1	2962.399902	1497.399902	1497.399902	1.12
2737	069	1052	0.02	1465	1	55	80	2.5	2	1	2630	1165	RH-1	40	form-based			true	0.7	2	1	1	1	2945.599854	1480.599854	1480.599854	1.12
2737	072	1072	0.02	1465	1	55	80	2.5	2	1	2680	1215	RH-1	40	form-based			true	0.7	2	1	1	1	3001.599854	1536.599854	1536.599854	1.12
2737	073	1016	0.02	1465	1	55	80	2.5	2	1	2540	1075	RH-1	40	form-based			true	0.7	2	1	1	1	2844.800049	1379.800049	1379.800049	1.12
2737	074	1045	0.02	1465	1	55	80	2.5	2	1	2612	1147	RH-1	40	form-based			true	0.7	2	1	1	1	2926	1461	1461	1.120214
2737	077	1101	0.03	1465	1	55	80	2.5	2	1	2752	1287	RH-1	40	form-based			true	0.7	2	1	1	1	3082.800049	1617.800049	1617.800049	1.120203
2748	012	5145	0.12	9000	10	55	80	2.5	10	0	12862	3862	RM-1	40	form-based		true	true	0.7	11	1.100000024	1	1	14406	5406	5406	1.120044
2750	015	1906	0.04	2190	3	55	80	2.5	3	0	4765	2575	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	5336.799805	3146.799805	3146.799805	1.12
2750	036	2437	0.06	4625	4	55	80	2.5	5	1	6092	1467	RH-2	40	form-based		true	true	0.7	5	1	1	1	6823.600098	2198.600098	2198.600098	1.120092
2752	027	2611	0.06	4296	4	55	80	2.5	5	1	6528	2232	RH-3	40	form-based		true	true	0.7	5	1	1	1	7310.799805	3014.799805	3014.799805	1.119914
2768	016	1404	0.03	1848	2	55	80	2.5	2	0	3510	1662	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	3931.199951	2083.199951	2083.199951	1.12
2768	044	1381	0.03	904	2	55	80	2.5	2	0	3452	2548	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	3866.800049	2962.800049	2962.800049	1.120162
2771	051	4252	0.1	7238	8	55	80	2.5	8	0	10630	3392	RH-2	40	form-based		true	true	0.7	9	1.125	1	1	11905.59961	4667.599609	4667.599609	1.12
2772	001	1425	0.03	1973	2	55	80	2.5	2	0	3562	1589	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	3990	2017	2017	1.120157
2772	051	1380	0.03	1232	2	55	80	2.5	2	0	3450	2218	RH-2	40	form-based			true	0.7	3	1.5	1	1	3864	2632	2632	1.12
2804	005	1703	0.04	2376	3	55	80	2.5	3	0	4258	1882	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	4768.399902	2392.399902	2392.399902	1.119869
2804	021	350	0.01	0	0	55	80	2.5	1	1	875	875	RH-2	40	form-based			true	0.7	1	1	1	1	980	980	980	1.12
2804	055	1280	0.03	808	2	55	80	2.5	2	0	3200	2392	RH-2	40	form-based			true	0.7	3	1.5	1	1	3584	2776	2776	1.12
2830	001	1763	0.04	4160	3	55	80	2.5	3	0	4408	248	RH-2	40	form-based		true	true	0.7	4	1.333333373	1	1	4936.399902	776.3999023	776.3999023	1.119873
2916	037	435	0.01	0	0	55	80	2.5	1	1	1088	1088	RH-1(D)	40	form-based			true	0.7	1	1	1	1	1218	1218	1218	1.119485
2936A	026	2120	0.05	2394	3	55	80	2.5	4	1	5300	2906	RH-1(D)	40	form-based			true	0.7	4	1	1	1	5936	3542	3542	1.12
2979A	012A	246	0.01	0	0	65	100	3	1	1	738	738	RH-1(D)	40	form-based			true	0.7	1	1	1	1	688.7999878	688.7999878	688.7999878	0.933333
3011A	001	626	0.01	0	0	65	100	3	1	1	1878	1878	RH-1(D)	40	form-based		true	true	0.7	1	1	1	1	1752.799927	1752.799927	1752.799927	0.933333
3071	033	248	0.01	0	0	65	100	3	1	1	744	744	RH-1(D)	40	form-based			true	0.7	1	1	1	1	694.3999634	694.3999634	694.3999634	0.933333
3072A	029	342	0.01	0	0	65	100	3	1	1	1026	1026	RH-1(D)	40	form-based			true	0.7	1	1	1	1	957.5999756	957.5999756	957.5999756	0.933333
3076	031	440	0.01	0	0	65	100	3	1	1	1320	1320	RH-1(D)	40	form-based		true	true	0.7	1	1	1	1	1232	1232	1232	0.933333
3115	006	1124	0.03	660	1	55	80	2.5	2	1	2810	2150	RH-1	40	form-based		true	true	0.7	2	1	1	1	3147.199951	2487.199951	2487.199951	1.12
3118	028	1983	0.05	2384	3	55	80	2.5	4	1	4958	2574	RH-2	40	form-based		true	true	0.7	4	1	1	1	5552.399902	3168.399902	3168.399902	1.119887
3120	009	1875	0.04	1825	3	55	80	2.5	3	0	4688	2863	RH-1	40	form-based		true	true	0.7	4	1.333333373	1	1	5250	3425	3425	1.119881
3139	018A	1189	0.03	750	1	55	80	2.5	2	1	2972	2222	RH-1	40	form-based			true	0.7	2	1	1	1	3329.199951	2579.199951	2579.199951	1.120188
3143	002	2022	0.05	1600	3	65	100	3	5	2	6066	4466	RH-1	40	form-based			true	0.7	4	0.800000012	1	1	5661.600098	4061.600098	4061.600098	0.933333
3144B	013	2414	0.06	3475	2	65	100	3	6	4	7242	3767	NC-1	40	density-lim	800	true		0.75	3	0.5	1	1	7242	3767	3767	1
3144B	014	2525	0.06	2195	2	65	100	3	6	4	7575	5380	NC-1	40	density-lim	800			0.75	3	0.5	1	1	7575	5380	5380	1
3145	051	3652	0.08	1153	4	85	140	4	11	7	14608	13455	NC-1	40	density-lim	800			0.75	5	0.454545468	1	1	10956	9803	9803	0.75
3146	002	4507	0.1	1292	3	65	100	3	10	7	13521	12229	RH-1	40	density-lim	3000			0.7	4	0.400000006	1	1	12619.59961	11327.59961	11327.59961	0.933333
3145	001A	1584	0.04	2083	1	85	140	4	6	5	6336	4253	NC-1	40	density-lim	800			0.75	2	0.333333343	1	1	4752	2669	2669	0.75
3145	022	4120	0.09	3109	3	65	100	3	9	6	12360	9251	RH-1	40	density-lim	3000			0.7	4	0.444444448	1	1	11536	8427	8427	0.933333
3148	011	2500	0.06	2260	3	55	80	2.5	5	2	6250	3990	RH-1	40	density-lim	3000			0.7	4	0.800000012	1	1	7000	4740	4740	1.12
3148	012	2500	0.06	3135	3	55	80	2.5	5	2	6250	3115	RH-1	40	density-lim	3000			0.7	4	0.800000012	1	1	7000	3865	3865	1.12
3148	014A	2500	0.06	1928	3	55	80	2.5	5	2	6250	4322	RH-1	40	density-lim	3000			0.7	4	0.800000012	1	1	7000	5072	5072	1.12
3157	016A	625	0.01	0	0	65	100	3	1	1	1875	1875	RH-1	40	form-based			true	0.7	1	1	1	1	1750	1750	1750	0.933333
3157	049	253	0.01	0	0	65	100	3	1	1	759	759	RH-1	40	form-based			true	0.7	1	1	1	1	708.3999634	708.3999634	708.3999634	0.933333
3158	024A	1008	0.02	576	1	65	100	3	2	1	3024	2448	RH-1	40	form-based			true	0.7	2	1	1	1	2822.399902	2246.399902	2246.399902	0.933333
3173	019	405	0.01	0	0	65	100	3	1	1	1215	1215	RH-1(D)	40	form-based			true	0.7	1	1	1	1	1134	1134	1134	0.933333
3181	032	1025	0.02	875	1	65	100	3	2	1	3075	2200	RH-1	40	form-based			true	0.7	2	1	1	1	2870	1995	1995	0.933333
3202	032	3118	0.07	1729	3	65	100	3	7	4	9354	7625	RH-1	40	density-lim	3000			0.7	4	0.571428597	1	1	8730.399414	7001.399414	7001.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3211	008A	1647	0.04	1647	1	65	100	3	4	3	4941	3294	NC-1	40	density-lim	800			0.75	2	0.5	1	1	4941	3294	3294	1
3211	034	2600	0.06	5247	2	65	100	3	6	4	7800	2553	NC-1	40	density-lim	800			0.75	3	0.5	1	1	7800	2553	2553	1
3278	012I	186	0	0	0	65	100	3	0	0	558	558	RTO-C	65	form-based			true	0.75	1		1	1	837	837	837	1.5
3502	019	1875	0.04	2800	2	65	100	3	4	2	5625	2825	RTO-1	50	density-lim	600			0.7	3	0.75	1	1	6562.5	3762.5	3762.5	1.166667
3502	020	1875	0.04	2798	2	65	100	3	4	2	5625	2827	RTO-1	50	density-lim	600			0.7	3	0.75	1	1	6562.5	3764.5	3764.5	1.166667
3502	028	2500	0.06	5025	6	65	100	3	6	0	7500	2475	RTO-1	50	form-based			true	0.7	7	1.166666627	1	1	8750	3725	3725	1.166667
3502	047A	657	0.02	920	1	85	140	4	3	2	2628	1708	RTO-1	50	form-based			true	0.7	2	0.666666687	1	1	2299.5	1379.5	1379.5	0.875
3502	056	2600	0.06	7081	6	65	100	3	6	0	7800	719	RTO-1	50	form-based			true	0.7	7	1.166666627	1	1	9100	2019	2019	1.166667
3502	072	1893	0.04	2462	4	65	100	3	4	0	5679	3217	RTO-1	50	form-based			true	0.7	5	1.25	1	1	6625.5	4163.5	4163.5	1.166667
3502	074	1666	0.04	3392	4	65	100	3	4	0	4998	1606	RTO-1	50	form-based			true	0.7	5	1.25	1	1	5831	2439	2439	1.166667
3502	122	1744	0.04	612	4	65	100	3	4	0	5232	4620	RTO-1	50	form-based			true	0.7	5	1.25	1	1	6104	5492	5492	1.166667
3511	042	1904	0.04	1811	3	65	100	3	4	1	5712	3901	RED	40	form-based				0.75	4	1	1	1	5712	3901	3901	1
3511	065	1825	0.04	3600	3	65	100	3	4	1	5475	1875	RED	40	form-based				0.75	4	1	1	1	5475	1875	1875	1
3511	068A	745	0.02	492	1	65	100	3	2	1	2235	1743	RED	40	form-based				0.75	2	1	1	1	2235	1743	1743	1
3511	069A	745	0.02	492	1	65	100	3	2	1	2235	1743	RED	40	form-based				0.75	2	1	1	1	2235	1743	1743	1
3511	087	2100	0.05	726	4	65	100	3	5	1	6300	5574	RED	40	form-based				0.75	5	1	1	1	6300	5574	5574	1
3511	102	4182	0.1	831	8	65	100	3	10	2	12546	11715	RED	40	form-based		true		0.75	9	0.899999976	1	1	12546	11715	11715	1
3511	122	2003	0.05	1222	4	65	100	3	5	1	6009	4787	RED	40	form-based				0.75	5	1	1	1	6009	4787	4787	1
3511	180	2329	0.05	750	4	65	100	3	5	1	6987	6237	RED	40	form-based				0.75	5	1	1	1	6987	6237	6237	1
3513	050	2015	0.05	2614	4	65	100	3	5	1	6045	3431	NCT-3	40	form-based				0.75	5	1	1	1	6045	3431	3431	1
3513	052	5813	0.13	5860	12	65	100	3	13	1	17439	11579	NCT-3	40	form-based				0.75	13	1	1	1	17439	11579	11579	1
3513	057	2125	0.05	3238	10	65	100	3	5	0	6375	3137	NCT-3	85	form-based				0.75	11	2.200000048	1	0	12750	9512	9512	2
3513	209	2015	0.05	582	4	65	100	3	5	1	6045	5463	NCT-3	40	form-based				0.75	5	1	1	1	6045	5463	5463	1
3517	023	1575	0.04	2970	3	65	100	3	4	1	4725	1755	RED	40	form-based				0.75	4	1	1	1	4725	1755	1755	1
3519	041	2397	0.06	5034	6	65	100	3	6	0	7191	2157	RCD	55	form-based				0.75	7	1.166666627	1	1	8988.75	3954.75	3954.75	1.25
3519	060	3133	0.07	6219	6	65	100	3	7	1	9399	3180	RED	40	form-based				0.75	7	1	1	1	9399	3180	3180	1
3519	101	2146	0.05	6839	4	65	100	3	5	1	6438	0	RED	40	form-based				0.75	5	1	1	1	6438	0	0	1
3522	003	1953	0.04	4638	3	65	100	3	4	1	5859	1221	RED-MX	45	form-based				0.75	4	1	1	1	5859	1221	1221	1
3522	067	2007	0.05	3012	4	65	100	3	5	1	6021	3009	RED	40	form-based				0.75	5	1	1	1	6021	3009	3009	1
3522	068	1942	0.04	4711	3	65	100	3	4	1	5826	1115	RED	40	form-based				0.75	4	1	1	1	5826	1115	1115	1
3533	006	2391	0.05	6970	6	65	100	3	5	0	7173	203	NCT-3	50	form-based		true		0.75	7	1.399999976	1	1	8966.25	1996.25	1996.25	1.25
3533	038	1941	0.04	2318	2	65	100	3	4	2	5823	3505	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5434.799805	3116.799805	3116.799805	0.933333
3533	047	2000	0.05	1790	2	65	100	3	5	3	6000	4210	RTO-1	40	density-lim	600			0.7	3	0.600000024	1	1	5600	3810	3810	0.933333
3533	048	1500	0.03	2500	2	65	100	3	3	1	4500	2000	RTO-1	40	density-lim	600			0.7	3	1	1	1	4200	1700	1700	0.933333
3533	051A	784	0.02	735	1	65	100	3	2	1	2352	1617	RTO-1	40	form-based			true	0.7	2	1	1	1	2195.199951	1460.199951	1460.199951	0.933333
3533	058	2410	0.06	6150	6	65	100	3	6	0	7230	1080	RTO-1	50	form-based			true	0.7	7	1.166666627	1	1	8435	2285	2285	1.166667
3533	064	2500	0.06	3395	3	65	100	3	6	3	7500	4105	RTO-1	50	density-lim	600			0.7	4	0.666666687	1	1	8750	5355	5355	1.166667
3533	069	2250	0.05	3540	3	65	100	3	5	2	6750	3210	RTO-1	50	density-lim	600			0.7	4	0.800000012	1	1	7875	4335	4335	1.166667
3533	071	1890	0.04	2520	4	65	100	3	4	0	5670	3150	RTO-1	50	form-based			true	0.7	5	1.25	1	1	6615	4095	4095	1.166667
3534	006A	1501	0.03	3440	3	65	100	3	3	0	4503	1063	RTO-1	50	form-based			true	0.7	4	1.333333373	1	1	5253.5	1813.5	1813.5	1.166667
3534	013	1693	0.04	3108	3	65	100	3	4	1	5079	1971	RTO-1	40	form-based			true	0.7	4	1	1	1	4740.399902	1632.399902	1632.399902	0.933333
3534	015	2130	0.05	4512	3	65	100	3	5	2	6390	1878	RTO-1	40	form-based			true	0.7	4	0.800000012	1	1	5964	1452	1452	0.933333
3537	021	2500	0.06	7168	7	85	140	4	8	1	10000	2832	NCT-UPPE	50	form-based			true	0.75	8	1	1	1	9375	2207	2207	0.9375
3537	039	2937	0.07	3333	5	65	100	3	7	2	8811	5478	RTO-1	40	form-based			true	0.7	6	0.857142866	1	1	8223.599609	4890.599609	4890.599609	0.933333
3537	060	3136	0.07	4876	6	65	100	3	7	1	9408	4532	RTO-1	40	form-based			true	0.7	7	1	1	1	8780.799805	3904.799805	3904.799805	0.933333
3537	062	3136	0.07	4636	6	65	100	3	7	1	9408	4772	RTO-1	40	form-based			true	0.7	7	1	1	1	8780.799805	4144.799805	4144.799805	0.933333
3537	117	1148	0.03	908	2	65	100	3	3	1	3444	2536	NCT-UPPE	50	form-based			true	0.75	3	1	1	1	4305	3397	3397	1.25
3538	025	2223	0.05	2484	4	65	100	3	5	1	6669	4185	RTO-1	40	form-based			true	0.7	5	1	1	1	6224.399902	3740.399902	3740.399902	0.933333
3538	035	1243	0.03	2200	2	65	100	3	3	1	3729	1529	RTO-1	40	form-based			true	0.7	3	1	1	1	3480.399902	1280.399902	1280.399902	0.933333
3538	047	3746	0.09	6610	7	65	100	3	9	2	11238	4628	RTO-1	40	form-based			true	0.7	8	0.888888896	1	1	10488.7998	3878.799805	3878.799805	0.933333
3538	081	3125	0.07	6589	6	65	100	3	7	1	9375	2786	RTO-1	40	form-based			true	0.7	7	1	1	1	8750	2161	2161	0.933333
3538	117	2500	0.06	1152	4	65	100	3	6	2	7500	6348	RTO-1	40	form-based			true	0.7	5	0.833333313	1	1	7000	5848	5848	0.933333
3538	187	3249	0.07	381	6	65	100	3	7	1	9747	9366	RTO-1	40	form-based			true	0.7	7	1	1	1	9097.200195	8716.200195	8716.200195	0.933333
3540	010	2496	0.06	3496	4	65	100	3	6	2	7488	3992	RM-1	40	form-based			true	0.7	5	0.833333313	1	1	6988.799805	3492.799805	3492.799805	0.933333
3540	012	2496	0.06	3208	4	65	100	3	6	2	7488	4280	RM-1	40	form-based			true	0.7	5	0.833333313	1	1	6988.799805	3780.799805	3780.799805	0.933333
3540	093	4890	0.11	9990	9	65	100	3	11	2	14670	4680	RM-1	40	form-based			true	0.7	10	0.909090936	1	1	13692	3702	3702	0.933333
3541	007	2635	0.06	4074	6	65	100	3	6	0	7905	3831	RTO-1	50	form-based		true	true	0.7	7	1.166666627	1	1	9222.5	5148.5	5148.5	1.166667
3541	032	2149	0.05	5952	4	65	100	3	5	1	6447	495	RTO-1	40	form-based		true	true	0.7	5	1	1	1	6017.199707	65.19970703	65.19970703	0.933333
3541	034	4611	0.11	7680	12	65	100	3	11	0	13833	6153	RTO-1	50	form-based			true	0.7	13	1.181818128	1	1	16138.5	8458.5	8458.5	1.166667
3541	100	1506	0.03	1175	3	65	100	3	3	0	4518	3343	RTO-1	50	form-based			true	0.7	4	1.333333373	1	1	5271	4096	4096	1.166667
3542	034A	818	0.02	1044	1	65	100	3	2	1	2454	1410	RTO-1	50	form-based			true	0.7	2	1	1	1	2863	1819	1819	1.166667
3542	035B	783	0.02	1044	1	65	100	3	2	1	2349	1305	RTO-1	50	form-based			true	0.7	2	1	1	1	2740.5	1696.5	1696.5	1.166667
3542	040	162	0	0	0	85	140	4	0	0	648	648	NCT-UPPE	160	form-based			true	0.75	1		1	1	1458	1458	1296	2.25
3545	007	3296	0.08	4548	4	65	100	3	8	4	9888	5340	RTO-1	40	density-lim	600			0.7	5	0.625	1	1	9228.799805	4680.799805	4680.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3545	015	2517	0.06	6232	3	65	100	3	6	3	7551	1319	RTO-1	40	density-lim	600			0.7	4	0.666666687	1	1	7047.600098	815.6000977	815.6000977	0.933333
3545	017	2517	0.06	5210	3	65	100	3	6	3	7551	2341	RTO-1	40	density-lim	600			0.7	4	0.666666687	1	1	7047.600098	1837.600098	1837.600098	0.933333
3545	030	2839	0.07	4099	5	65	100	3	7	2	8517	4418	RTO-1	40	form-based			true	0.7	6	0.857142866	1	1	7949.199707	3850.199707	3850.199707	0.933333
3545	049	2564	0.06	3170	4	65	100	3	6	2	7692	4522	RTO-1	40	form-based			true	0.7	5	0.833333313	1	1	7179.199707	4009.199707	4009.199707	0.933333
3545	066	1875	0.04	2680	2	65	100	3	4	2	5625	2945	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	2570	2570	0.933333
3545	067	1875	0.04	2758	2	65	100	3	4	2	5625	2867	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	2492	2492	0.933333
3545	071	1875	0.04	2610	2	65	100	3	4	2	5625	3015	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	2640	2640	0.933333
3545	074	1875	0.04	2332	2	65	100	3	4	2	5625	3293	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	2918	2918	0.933333
3545	077	1875	0.04	2384	2	65	100	3	4	2	5625	3241	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	2866	2866	0.933333
3545	078	1875	0.04	2702	2	65	100	3	4	2	5625	2923	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	2548	2548	0.933333
3545	079	1875	0.04	2702	2	65	100	3	4	2	5625	2923	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	2548	2548	0.933333
3545	085	1875	0.04	2848	2	65	100	3	4	2	5625	2777	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	2402	2402	0.933333
3545	087	1875	0.04	2660	2	65	100	3	4	2	5625	2965	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	2590	2590	0.933333
3545	090	1875	0.04	2590	2	65	100	3	4	2	5625	3035	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	2660	2660	0.933333
3545	104	1875	0.04	1175	2	65	100	3	4	2	5625	4450	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	4075	4075	0.933333
3545	108	1875	0.04	1303	2	65	100	3	4	2	5625	4322	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	3947	3947	0.933333
3545	110	1875	0.04	1160	2	65	100	3	4	2	5625	4465	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	4090	4090	0.933333
3545	112	1875	0.04	1217	2	65	100	3	4	2	5625	4408	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	4033	4033	0.933333
3545	118	1875	0.04	1180	2	65	100	3	4	2	5625	4445	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	4070	4070	0.933333
3545	120	1875	0.04	1409	2	65	100	3	4	2	5625	4216	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	3841	3841	0.933333
3545	122	3296	0.08	822	4	65	100	3	8	4	9888	9066	RTO-1	40	density-lim	600			0.7	5	0.625	1	1	9228.799805	8406.799805	8406.799805	0.933333
3545	126	707	0.02	1550	0	65	100	3	2	2	2121	571	RTO-1	40	density-lim	600			0.7	1	0.5	1	1	1979.599976	429.5999756	429.5999756	0.933333
3545	130	1875	0.04	1445	2	65	100	3	4	2	5625	4180	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	3805	3805	0.933333
3545	132	1875	0.04	1151	2	65	100	3	4	2	5625	4474	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	4099	4099	0.933333
3545	157	1875	0.04	1255	2	65	100	3	4	2	5625	4370	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	3995	3995	0.933333
3545	162	1875	0.04	1800	2	65	100	3	4	2	5625	3825	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5250	3450	3450	0.933333
3546	020	3402	0.08	7707	6	65	100	3	8	2	10206	2499	RTO-M	45	form-based				0.7	7	0.875	1	1	9525.599609	1818.599609	1818.599609	0.933333
3546	047	3287	0.08	676	6	65	100	3	8	2	9861	9185	RTO-M	45	form-based				0.7	7	0.875	1	1	9203.599609	8527.599609	8527.599609	0.933333
3548	028	838	0.02	803	1	75	120	3.5	2	1	2933	2130	UMU	48	form-based				0.75	2	1	1	1	2514	1711	1711	0.857143
3548	044	1965	0.05	4230	3	75	120	3.5	6	3	6878	2648	RTO-M	40	form-based				0.7	4	0.666666687	1	1	5502	1272	1272	0.799942
3548	046	1973	0.05	3600	3	75	120	3.5	6	3	6906	3306	RTO-M	40	form-based				0.7	4	0.666666687	1	1	5524.399902	1924.399902	1924.399902	0.799942
3548	050	2368	0.05	2758	4	75	120	3.5	6	2	8288	5530	UMU	48	form-based				0.75	5	0.833333313	1	1	7104	4346	4346	0.857143
3548	055	1923	0.04	3560	4	75	120	3.5	5	1	6730	3170	RTO-M	55	form-based		true		0.7	5	1	1	1	6730.5	3170.5	3170.5	1.000074
3548	056	2411	0.06	3297	6	75	120	3.5	7	1	8438	5141	RTO-M	55	form-based				0.7	7	1	1	1	8438.5	5141.5	5141.5	1.000059
3548	094	4305	0.1	6015	9	75	120	3.5	12	3	15068	9053	UMU	48	form-based				0.75	10	0.833333313	1	1	12915	6900	6900	0.857114
3548	096	1973	0.05	1625	3	75	120	3.5	6	3	6906	5281	UMU	48	form-based				0.75	4	0.666666687	1	1	5919	4294	4294	0.857081
3548	099	2296	0.05	748	4	75	120	3.5	6	2	8036	7288	RTO-M	40	form-based				0.7	5	0.833333313	1	1	6428.799805	5680.799805	5680.799805	0.8
3548	111	4000	0.09	1143	8	75	120	3.5	11	3	14000	12857	UMU	48	form-based				0.75	9	0.818181813	1	1	12000	10857	10857	0.857143
3549	024	1758	0.04	3060	4	75	120	3.5	5	1	6153	3093	UMU	58	form-based				0.75	5	1	1	1	6592.5	3532.5	3532.5	1.071429
3549	026	2400	0.06	5636	6	75	120	3.5	7	1	8400	2764	UMU	58	form-based				0.75	7	1	1	1	9000	3364	3364	1.071429
3549	027	2355	0.05	6933	6	75	120	3.5	6	0	8242	1309	UMU	58	form-based		true		0.75	7	1.166666627	1	1	8831.25	1898.25	1898.25	1.071494
3549	051	3000	0.07	5252	8	75	120	3.5	8	0	10500	5248	UMU	58	form-based				0.75	9	1.125	1	1	11250	5998	5998	1.071429
3552	005	3066	0.07	2920	3	75	120	3.5	8	5	10731	7811	RH-3	55	density-lim	1000			0.7	4	0.5	1	1	10731	7811	7811	1
3552	029	2400	0.06	5456	6	75	120	3.5	7	1	8400	2944	UMU	58	form-based				0.75	7	1	1	1	9000	3544	3544	1.071429
3552	029A	1800	0.04	2306	4	75	120	3.5	5	1	6300	3994	UMU	58	form-based				0.75	5	1	1	1	6750	4444	4444	1.071429
3552	029B	2400	0.06	6342	6	75	120	3.5	7	1	8400	2058	UMU	58	form-based		true		0.75	7	1	1	1	9000	2658	2658	1.071429
3553	034	1500	0.03	1447	2	75	120	3.5	4	2	5250	3803	RTO-M	40	form-based				0.7	3	0.75	1	1	4200	2753	2753	0.8
3553	037	1502	0.03	2900	2	75	120	3.5	4	2	5257	2357	RTO-M	40	form-based				0.7	3	0.75	1	1	4205.600098	1305.600098	1305.600098	0.8
3553	050	2400	0.06	5970	6	75	120	3.5	7	1	8400	2430	RTO-M	55	form-based				0.7	7	1	1	1	8400	2430	2430	1
3553	058	1875	0.04	1631	3	75	120	3.5	5	2	6562	4931	RTO-M	40	form-based		true		0.7	4	0.800000012	1	1	5250	3619	3619	0.800061
3554	033A	1353	0.03	1824	2	75	120	3.5	4	2	4736	2912	RTO-M	45	form-based				0.7	3	0.75	1	1	3788.399902	1964.399902	1964.399902	0.799915
3554	043	3352	0.08	4664	6	75	120	3.5	10	4	11732	7068	RTO-M	45	form-based				0.7	7	0.699999988	1	1	9385.599609	4721.599609	4721.599609	0.8
3555	033	3458	0.08	5004	6	75	120	3.5	10	4	12103	7099	RTO-M	45	form-based				0.7	7	0.699999988	1	1	9682.399414	4678.399414	4678.399414	0.8
3555	049	2212	0.05	3507	4	75	120	3.5	6	2	7742	4235	RTO-M	45	form-based				0.7	5	0.833333313	1	1	6193.600098	2686.600098	2686.600098	0.8
3555	077	2018	0.05	1526	3	75	120	3.5	6	3	7063	5537	RTO-M	45	form-based				0.7	4	0.666666687	1	1	5650.399902	4124.399902	4124.399902	0.8
3556	003	1925	0.04	2560	2	65	100	3	4	2	5775	3215	RTO-1	40	density-lim	600			0.7	3	0.75	1	1	5390	2830	2830	0.933333
3556	004	2472	0.06	4434	3	65	100	3	6	3	7416	2982	RTO-1	40	density-lim	600			0.7	4	0.666666687	1	1	6921.600098	2487.600098	2487.600098	0.933333
3556	006	2531	0.06	3673	3	65	100	3	6	3	7593	3920	RTO-1	40	density-lim	600			0.7	4	0.666666687	1	1	7086.799805	3413.799805	3413.799805	0.933333
3556	060	4489	0.1	1175	6	65	100	3	10	4	13467	12292	RTO-1	40	density-lim	600			0.7	7	0.699999988	1	1	12569.2002	11394.2002	11394.2002	0.933333
3556	126	5445	0.13	1242	8	65	100	3	13	5	16335	15093	RTO-1	40	density-lim	600			0.7	9	0.692307711	1	1	15246	14004	14004	0.933333
3557	011	2484	0.06	5748	6	85	140	4	8	2	9936	4188	RTO-1	50	form-based			true	0.7	7	0.875	1	1	8694	2946	2946	0.875
3557	012	2452	0.06	5748	6	85	140	4	8	2	9808	4060	RTO-1	50	form-based			true	0.7	7	0.875	1	1	8582	2834	2834	0.875
3557	018	1275	0.03	2472	3	65	100	3	3	0	3825	1353	RTO-1	50	form-based			true	0.7	4	1.333333373	1	1	4462.5	1990.5	1990.5	1.166667
3557	056A	1593	0.04	2315	3	65	100	3	4	1	4779	2464	RTO-1	50	form-based		true	true	0.7	4	1	1	1	5575.5	3260.5	3260.5	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3557	148	2347	0.05	850	6	65	100	3	5	0	7041	6191	RTO-1	50	form-based			true	0.7	7	1.399999976	1	1	8214.5	7364.5	7364.5	1.166667
3558	070	2500	0.06	5283	6	65	100	3	6	0	7500	2217	RTO-1	50	form-based			true	0.7	7	1.166666627	1	1	8750	3467	3467	1.166667
3558	075	1319	0.03	1125	3	65	100	3	3	0	3957	2832	RTO-1	50	form-based		true	true	0.7	4	1.333333373	1	1	4616.5	3491.5	3491.5	1.166667
3558	157	1067	0.02	873	2	65	100	3	2	0	3201	2328	RTO-1	50	form-based			true	0.7	3	1.5	1	1	3734.5	2861.5	2861.5	1.166667
3561	001A	1450	0.03	3685	3	65	100	3	3	0	4350	665	RH-3	50	form-based			true	0.7	4	1.333333373	1	1	5075	1390	1390	1.166667
3561	008A	683	0.02	1058	1	65	100	3	2	1	2049	991	RH-2	50	form-based			true	0.7	2	1	1	1	2390.5	1332.5	1332.5	1.166667
3561	055	1250	0.03	2498	2	65	100	3	3	1	3750	1252	RH-3	50	form-based			true	0.7	3	1	1	1	4375	1877	1877	1.166667
3561	114	1250	0.03	1374	2	65	100	3	3	1	3750	2376	RH-3	50	form-based			true	0.7	3	1	1	1	4375	3001	3001	1.166667
3563	008	3250	0.07	4200	8	85	140	4	10	2	13000	8800	RH-3	50	form-based			true	0.7	9	0.899999976	1	1	11375	7175	7175	0.875
3564	041	1698	0.04	2630	4	65	100	3	4	0	5094	2464	RH-2	50	form-based			true	0.7	5	1.25	1	1	5943	3313	3313	1.166667
3564	074	2374	0.05	4122	6	65	100	3	5	0	7122	3000	RH-3	50	form-based		true	true	0.7	7	1.399999976	1	1	8309	4187	4187	1.166667
3564	106	1334	0.03	3465	3	65	100	3	3	0	4002	537	NCT-UPPE	50	form-based			true	0.75	4	1.333333373	1	1	5002.5	1537.5	1537.5	1.25
3564	141	2585	0.06	1600	6	65	100	3	6	0	7755	6155	RM-1	50	form-based			true	0.7	7	1.166666627	1	1	9047.5	7447.5	7447.5	1.166667
3564	143	2130	0.05	1580	5	65	100	3	5	0	6390	4810	NCT-UPPE	50	form-based		true	true	0.75	6	1.200000048	1	1	7987.5	6407.5	6407.5	1.25
3565	073	2726	0.06	8095	7	65	100	3	6	0	8178	83	NCT-UPPE	50	form-based		true	true	0.75	8	1.333333373	1	1	10222.5	2127.5	2127.5	1.25
3566	009	3907	0.09	8530	10	65	100	3	9	0	11721	3191	RH-3	50	form-based			true	0.7	11	1.222222209	1	1	13674.5	5144.5	5144.5	1.166667
3566	027	2109	0.05	3120	5	65	100	3	5	0	6327	3207	RH-2	50	form-based			true	0.7	6	1.200000048	1	1	7381.5	4261.5	4261.5	1.166667
3566	030A	783	0.02	800	1	65	100	3	2	1	2349	1549	RM-1	50	form-based			true	0.7	2	1	1	1	2740.5	1940.5	1940.5	1.166667
3566	056	264	0.01	0	0	65	100	3	1	1	792	792	RH-3	50	form-based			true	0.7	1	1	1	1	924	924	924	1.166667
3567	047	5135	0.12	1120	5	65	100	3	12	7	15405	14285	RM-1	40	density-lin	800			0.7	6	0.5	1	1	14378	13258	13258	0.933333
3567	071	3836	0.09	6152	4	65	100	3	9	5	11508	5356	RM-1	40	density-lin	800			0.7	5	0.555555582	1	1	10740.7998	4588.799805	4588.799805	0.933333
3568	036	1414	0.03	1928	2	75	120	3.5	4	2	4949	3021	RTO-M	45	form-based				0.7	3	0.75	1	1	3959.199951	2031.199951	2031.199951	0.8
3568	036A	1679	0.04	3314	4	75	120	3.5	5	1	5876	2562	RTO-M	55	form-based		true		0.7	5	1	1	1	5876.5	2562.5	2562.5	1.000085
3568	051	1248	0.03	2520	2	75	120	3.5	4	2	4368	1848	RTO-M	45	form-based				0.7	3	0.75	1	1	3494.399902	974.3999023	974.3999023	0.8
3568	052	1248	0.03	2440	2	75	120	3.5	4	2	4368	1928	RTO-M	45	form-based				0.7	3	0.75	1	1	3494.399902	1054.399902	1054.399902	0.8
3568	056	3427	0.08	7359	6	75	120	3.5	10	4	11994	4635	RTO-M	45	form-based				0.7	7	0.699999988	1	1	9595.599609	2236.599609	2236.599609	0.800033
3568	057	3567	0.08	9400	6	75	120	3.5	10	4	12484	3084	RTO-M	45	form-based		true		0.7	7	0.699999988	1	1	9987.599609	587.5996094	587.5996094	0.800032
3568	095	3474	0.08	776	6	75	120	3.5	10	4	12159	11383	RTO-M	45	form-based				0.7	7	0.699999988	1	1	9727.200195	8951.200195	8951.200195	0.8
3568	119	3474	0.08	968	6	75	120	3.5	10	4	12159	11191	RTO-M	45	form-based				0.7	7	0.699999988	1	1	9727.200195	8759.200195	8759.200195	0.8
3574	019	2353	0.05	3300	3	65	100	3	5	2	7059	3759	RH-3	55	density-lin	1000			0.7	4	0.800000012	1	1	8235.5	4935.5	4935.5	1.166667
3574	024	1825	0.04	2656	3	65	100	3	4	1	5475	2819	RH-3	50	density-lin	1000			0.7	4	1	1	1	6387.5	3731.5	3731.5	1.166667
3574	056	2940	0.07	3780	3	75	120	3.5	8	5	10290	6510	RH-3	50	density-lin	1000			0.7	4	0.5	1	1	10290	6510	6510	1
3574	092	3085	0.07	1072	3	75	120	3.5	8	5	10798	9726	RH-3	50	density-lin	1000			0.7	4	0.5	1	1	10797.5	9725.5	9725.5	0.999954
3574	097	2977	0.07	3924	3	75	120	3.5	8	5	10420	6496	RH-3	50	density-lin	1000			0.7	4	0.5	1	1	10419.5	6495.5	6495.5	0.999952
3574	099	3292	0.08	4125	3	75	120	3.5	10	7	11522	7397	RH-3	50	density-lin	1000			0.7	4	0.400000006	1	1	11522	7397	7397	1
3574	100	2879	0.07	1090	3	75	120	3.5	8	5	10076	8986	RH-3	50	density-lin	1000			0.7	4	0.5	1	1	10076.5	8986.5	8986.5	1.00005
3574	103	2977	0.07	1209	3	75	120	3.5	8	5	10420	9211	RH-3	50	density-lin	1000			0.7	4	0.5	1	1	10419.5	9210.5	9210.5	0.999952
3577	010	3119	0.07	6630	8	65	100	3	7	0	9357	2727	NCT-VALE	55	form-based		true		0.75	9	1.285714269	1	1	11696.25	5066.25	5066.25	1.25
3577	020	2550	0.06	5460	6	65	100	3	6	0	7650	2190	RTO-M	55	form-based				0.7	7	1.166666627	1	1	8925	3465	3465	1.166667
3577	020A	2550	0.06	5460	6	65	100	3	6	0	7650	2190	RTO-M	55	form-based				0.7	7	1.166666627	1	1	8925	3465	3465	1.166667
3577	020B	2550	0.06	5460	6	65	100	3	6	0	7650	2190	RTO-M	55	form-based				0.7	7	1.166666627	1	1	8925	3465	3465	1.166667
3577	050	2625	0.06	3150	5	75	120	3.5	7	2	9188	6038	RTO-M	45	form-based				0.7	6	0.857142866	1	1	7350	4200	4200	0.799956
3577	059	2381	0.05	2624	4	65	100	3	5	1	7143	4519	RTO-M	45	form-based				0.7	5	1	1	1	6666.799805	4042.799805	4042.799805	0.933333
3578	003	1995	0.05	3270	2	65	100	3	5	3	5985	2715	RM-2	40	density-lin	600			0.7	3	0.600000024	1	1	5586	2316	2316	0.933333
3578	004	1995	0.05	3160	2	65	100	3	5	3	5985	2825	RM-2	40	density-lin	600			0.7	3	0.600000024	1	1	5586	2426	2426	0.933333
3578	006	1995	0.05	1425	2	65	100	3	5	3	5985	4560	RM-2	40	density-lin	600			0.7	3	0.600000024	1	1	5586	4161	4161	0.933333
3578	007	1995	0.05	2700	2	65	100	3	5	3	5985	3285	RM-2	40	density-lin	600			0.7	3	0.600000024	1	1	5586	2886	2886	0.933333
3578	009	4171	0.1	10710	6	65	100	3	10	4	12513	1803	RM-2	40	density-lin	600	true		0.7	7	0.699999988	1	1	11678.7998	968.7998047	968.7998047	0.933333
3578	039A	2898	0.07	3142	3	65	100	3	7	4	8694	5552	RH-3	40	density-lin	1000			0.7	4	0.571428597	1	1	8114.399902	4972.399902	4972.399902	0.933333
3578	045	2500	0.06	3321	3	65	100	3	6	3	7500	4179	RH-3	40	density-lin	1000			0.7	4	0.666666687	1	1	7000	3679	3679	0.933333
3578	051	3426	0.08	3351	3	65	100	3	8	5	10278	6927	RH-3	40	density-lin	1000			0.7	4	0.5	1	1	9592.799805	6241.799805	6241.799805	0.933333
3578	076	3532	0.08	4855	3	65	100	3	8	5	10596	5741	RH-3	40	density-lin	1000			0.7	4	0.5	1	1	9889.599609	5034.599609	5034.599609	0.933333
3578	089	2928	0.07	5334	4	65	100	3	7	3	8784	3450	RM-2	40	density-lin	600			0.7	5	0.714285731	1	1	8198.399414	2864.399414	2864.399414	0.933333
3578	120	2500	0.06	1060	3	65	100	3	6	3	7500	6440	RH-3	40	density-lin	1000			0.7	4	0.666666687	1	1	7000	5940	5940	0.933333
3578	157	2050	0.05	1272	3	65	100	3	5	2	6150	4878	RH-3	40	density-lin	1000			0.7	4	0.800000012	1	1	5740	4468	4468	0.933333
3578	185	2479	0.06	1360	2	65	100	3	6	4	7437	6077	RM-1	40	density-lin	800			0.7	3	0.5	1	1	6941.199707	5581.199707	5581.199707	0.933333
3581	029	1872	0.04	2000	3	65	100	3	4	1	5616	3616	RH-3	40	form-based			true	0.7	4	1	1	1	5241.600098	3241.600098	3241.600098	0.933333
3581	029B	1500	0.03	2582	2	65	100	3	3	1	4500	1918	RH-3	40	form-based			true	0.7	3	1	1	1	4200	1618	1618	0.933333
3581	083	2836	0.07	3880	5	65	100	3	7	2	8508	4628	RH-3	40	form-based			true	0.7	6	0.857142866	1	1	7940.799805	4060.799805	4060.799805	0.933333
3581	088	1636	0.04	2400	2	65	100	3	4	2	4908	2508	RH-3	40	form-based			true	0.7	3	0.75	1	1	4580.799805	2180.799805	2180.799805	0.933333
3581	100	1385	0.03	1040	2	65	100	3	3	1	4155	3115	RH-3	40	form-based			true	0.7	3	1	1	1	3878	2838	2838	0.933333
3581	102	1510	0.03	732	2	65	100	3	3	1	4530	3798	RH-3	40	form-based		true	true	0.7	3	1	1	1	4228	3496	3496	0.933333
3581	123	2125	0.05	1430	3	65	100	3	5	2	6375	4945	RH-3	40	form-based			true	0.7	4	0.800000012	1	1	5950	4520	4520	0.933333
3582	001A	2475	0.06	5700	6	85	140	4	8	2	9900	4200	RH-3	50	form-based			true	0.7	7	0.875	1	1	8662.5	2962.5	2962.5	0.875

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3583	001	1876	0.04	3184	3	65	100	3	4	1	5628	2444	NCD-CAST	40	form-based		true	true	0.75	4	1	1	1	5628	2444	2444	1
3583	022	2850	0.07	5570	5	65	100	3	7	2	8550	2980	RH-3	40	form-based		true	true	0.7	6	0.857142866	1	1	7980	2410	2410	0.933333
3583	057	2375	0.05	6160	6	65	100	3	5	0	7125	965	NCD-CAST	50	form-based			true	0.75	7	1.399999976	1	1	8906.25	2746.25	2746.25	1.25
3583	081	1866	0.04	3845	3	65	100	3	4	1	5598	1753	NCD-CAST	40	form-based			true	0.75	4	1	1	1	5598	1753	1753	1
3583	087	1876	0.04	3750	3	65	100	3	4	1	5628	1878	NCD-CAST	40	form-based			true	0.75	4	1	1	1	5628	1878	1878	1
3583	127	1903	0.04	1300	3	65	100	3	4	1	5709	4409	NCD-CAST	40	form-based			true	0.75	4	1	1	1	5709	4409	4409	1
3584	001B	899	0.02	1367	1	65	100	3	2	1	2697	1330	RH-3	40	form-based			true	0.7	2	1	1	1	2517.199951	1150.199951	1150.199951	0.933333
3584	010	1464	0.03	2340	2	65	100	3	3	1	4392	2052	RH-3	40	form-based			true	0.7	3	1	1	1	4099.199707	1759.199707	1759.199707	0.933333
3584	010A	1330	0.03	2340	2	65	100	3	3	1	3990	1650	RH-3	40	form-based		true	true	0.7	3	1	1	1	3724	1384	1384	0.933333
3584	011	2625	0.06	5085	5	65	100	3	6	1	7875	2790	RH-3	40	form-based			true	0.7	6	1	1	1	7350	2265	2265	0.933333
3584	034	1359	0.03	2085	2	65	100	3	3	1	4077	1992	RH-2	40	form-based			true	0.7	3	1	1	1	3805.199951	1720.199951	1720.199951	0.933333
3584	077	2515	0.06	2990	4	65	100	3	6	2	7545	4555	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	7042	4052	4052	0.933333
3584	099	1507	0.03	1478	2	65	100	3	3	1	4521	3043	RH-3	40	form-based			true	0.7	3	1	1	1	4219.600098	2741.600098	2741.600098	0.933333
3585	001	1867	0.04	5210	6	85	140	4	6	0	7468	2258	RTO-C	65	form-based		true	true	0.75	7	1.166666627	1	1	8401.5	3191.5	3191.5	1.125
3587	040	3213	0.07	3949	4	65	100	3	7	3	9639	5690	RM-2	40	density-lim	600			0.7	5	0.714285731	1	1	8996.399414	5047.399414	5047.399414	0.933333
3587	047	1484	0.03	1785	1	65	100	3	3	2	4452	2667	RM-2	40	density-lim	600			0.7	2	0.666666687	1	1	4155.199707	2370.199707	2370.199707	0.933333
3587	052	1930	0.04	3160	3	65	100	3	4	1	5790	2630	RH-2	40	density-lim	1500			0.7	4	1	1	1	5404	2244	2244	0.933333
3587	053	2250	0.05	3600	3	65	100	3	5	2	6750	3150	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6300	2700	2700	0.933333
3587	058	5830	0.13	3855	3	65	100	3	13	10	17490	13635	RH-2	40	density-lim	1500			0.7	4	0.307692319	1	1	16324	12469	12469	0.933333
3587	060	2647	0.06	3000	3	65	100	3	6	3	7941	4941	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7411.600098	4411.600098	4411.600098	0.933333
3587	065	2284	0.05	2465	3	65	100	3	5	2	6852	4387	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6395.199707	3930.199707	3930.199707	0.933333
3587	097	2379	0.05	1367	3	65	100	3	5	2	7137	5770	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6661.199707	5294.199707	5294.199707	0.933333
3587	111	2716	0.06	1926	3	65	100	3	6	3	8148	6222	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7604.799805	5678.799805	5678.799805	0.933333
3587	154	2550	0.06	1060	3	65	100	3	6	3	7650	6590	RM-2	40	density-lim	600			0.7	4	0.666666687	1	1	7140	6080	6080	0.933333
3587	159	2500	0.06	1030	3	65	100	3	6	3	7500	6470	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	5970	5970	0.933333
3587	168	2488	0.06	1088	3	65	100	3	6	3	7464	6376	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6966.399902	5878.399902	5878.399902	0.933333
3588	001A	3875	0.09	5924	10	65	100	3	9	0	11625	5701	RTO-M	55	form-based				0.7	11	1.222222209	1	1	13562.5	7638.5	7638.5	1.166667
3588	027	2000	0.05	3210	3	65	100	3	5	2	6000	2790	RTO-M	45	form-based				0.7	4	0.800000012	1	1	5600	2390	2390	0.933333
3588	039	2000	0.05	2911	3	65	100	3	5	2	6000	3089	RTO-M	45	form-based				0.7	4	0.800000012	1	1	5600	2689	2689	0.933333
3588	042	2000	0.05	2264	3	65	100	3	5	2	6000	3736	RTO-M	45	form-based				0.7	4	0.800000012	1	1	5600	3336	3336	0.933333
3588	049C	1550	0.04	2500	2	65	100	3	4	2	4650	2150	RTO-M	45	form-based				0.7	3	0.75	1	1	4340	1840	1840	0.933333
3588	076	1535	0.04	2220	2	65	100	3	4	2	4605	2385	RTO-M	45	form-based				0.7	3	0.75	1	1	4298	2078	2078	0.933333
3588	086	1376	0.03	1021	2	65	100	3	3	1	4128	3107	RTO-M	45	form-based				0.7	3	1	1	1	3852.800049	2831.800049	2831.800049	0.933333
3588	092	1513	0.03	1241	2	65	100	3	3	1	4539	3298	RTO-M	45	form-based				0.7	3	1	1	1	4236.399902	2995.399902	2995.399902	0.933333
3588	148	1532	0.04	1836	2	65	100	3	4	2	4596	2760	RTO-M	45	form-based				0.7	3	0.75	1	1	4289.600098	2453.600098	2453.600098	0.933333
3588	150	1548	0.04	987	2	65	100	3	4	2	4644	3657	RTO-M	45	form-based				0.7	3	0.75	1	1	4334.399902	3347.399902	3347.399902	0.933333
3593	006	2375	0.05	4500	3	55	80	2.5	4	1	5938	1438	RH-3	45	density-lim	1000			0.7	4	1	1	1	6650	2150	2150	1.119906
3593	016	1772	0.04	3528	3	65	100	3	4	1	5316	1788	RH-3	65	density-lim	1000			0.7	4	1	1	1	7442.399902	3914.399902	3914.399902	1.4
3593	016A	1730	0.04	3210	3	65	100	3	4	1	5190	1980	RH-3	65	density-lim	1000			0.7	4	1	1	1	7266	4056	4056	1.4
3593	016B	1744	0.04	3471	3	65	100	3	4	1	5232	1761	RH-3	65	density-lim	1000			0.7	4	1	1	1	7324.799805	3853.799805	3853.799805	1.4
3593	019	2500	0.06	3630	3	65	100	3	6	3	7500	3870	RH-3	65	density-lim	1000			0.7	4	0.666666687	1	1	10500	6870	6870	1.4
3593	021	2500	0.06	5590	5	65	100	3	6	1	7500	1910	RH-3	65	density-lim	1000	true		0.7	6	1	1	1	10500	4910	4910	1.4
3593	051	2375	0.05	1269	3	55	80	2.5	4	1	5938	4669	RH-3	45	density-lim	1000			0.7	4	1	1	1	6650	5381	5381	1.119906
3593	054	2375	0.05	1316	3	55	80	2.5	4	1	5938	4622	RH-3	45	density-lim	1000			0.7	4	1	1	1	6650	5334	5334	1.119906
3594	008A	3664	0.08	4240	4	65	100	3	8	4	10992	6752	RM-1	55	density-lim	800			0.7	5	0.625	1	1	12824	8584	8584	1.166667
3594	021	2835	0.07	2994	3	65	100	3	7	4	8505	5511	RH-3	50	density-lim	1000			0.7	4	0.571428597	1	1	9922.5	6928.5	6928.5	1.166667
3594	027A	2629	0.06	4487	2	65	100	3	6	4	7887	3400	NC-1	55	density-lim	800	true		0.75	3	0.5	1	1	9858.75	5371.75	5371.75	1.25
3594	027B	1541	0.04	1020	1	65	100	3	4	3	4623	3603	RM-1	55	density-lim	800			0.7	2	0.5	1	1	5393.5	4373.5	4373.5	1.166667
3594	031	3675	0.08	3802	4	65	100	3	8	4	11025	7223	RM-1	50	density-lim	800			0.7	5	0.625	1	1	12862.5	9060.5	9060.5	1.166667
3594	034	3736	0.09	3200	4	65	100	3	9	5	11208	8008	RM-1	50	density-lim	800			0.7	5	0.555555582	1	1	13076	9876	9876	1.166667
3594	037A	1508	0.03	851	1	65	100	3	3	2	4524	3673	RM-1	50	density-lim	800			0.7	2	0.666666687	1	1	5278	4427	4427	1.166667
3594	037B	1440	0.03	818	1	65	100	3	3	2	4320	3502	RM-1	50	density-lim	800			0.7	2	0.666666687	1	1	5040	4222	4222	1.166667
3594	038	1991	0.05	1136	1	65	100	3	5	4	5973	4837	RM-1	50	density-lim	800			0.7	2	0.400000006	1	1	6968.5	5832.5	5832.5	1.166667
3594	092	8627	0.2	1076	8	65	100	3	20	12	25881	24805	RH-3	50	density-lim	1000			0.7	9	0.449999988	1	1	30194.5	29118.5	29118.5	1.166667
3594	108	3675	0.08	1322	4	65	100	3	8	4	11025	9703	RM-1	50	density-lim	800			0.7	5	0.625	1	1	12862.5	11540.5	11540.5	1.166667
3594	124	3081	0.07	5590	3	65	100	3	7	4	9243	3653	RH-3	50	density-lim	1000			0.7	4	0.571428597	1	1	10783.5	5193.5	5193.5	1.166667
3594	127	3665	0.08	796	4	65	100	3	8	4	10995	10199	RM-1	55	density-lim	800			0.7	5	0.625	1	1	12827.5	12031.5	12031.5	1.166667
3594	131	3663	0.08	904	4	65	100	3	8	4	10989	10085	RM-1	55	density-lim	800			0.7	5	0.625	1	1	12820.5	11916.5	11916.5	1.166667
3597	029	1875	0.04	4125	3	65	100	3	4	1	5625	1500	RTO-M	45	form-based				0.7	4	1	1	1	5250	1125	1125	0.933333
3597	034	2621	0.06	1635	5	65	100	3	6	1	7863	6228	RTO-M	45	form-based				0.7	6	1	1	1	7338.799805	5703.799805	5703.799805	0.933333
3597	053	1875	0.04	1252	3	65	100	3	4	1	5625	4373	RTO-M	45	form-based				0.7	4	1	1	1	5250	3998	3998	0.933333
3597	057	2502	0.06	5216	6	65	100	3	6	0	7506	2290	RTO-M	55	form-based				0.7	7	1.166666627	1	1	8757	3541	3541	1.166667
3597	059	1703	0.04	3663	4	65	100	3	4	0	5109	1446	RTO-M	55	form-based			true	0.7	5	1.25	1	1	5960.5	2297.5	2297.5	1.166667
3597	060	1217	0.03	1940	2	65	100	3	3	1	3651	1711	RTO-M	45	form-based				0.7	3	1	1	1	3407.599854	1467.599854	1467.599854	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3597	103	1875	0.04	975	3	65	100	3	4	1	5625	4650	RTO-M	45	form-based				0.7	4	1	1	1	5250	4275	4275	0.933333
3598	011	2850	0.07	4050	3	65	100	3	7	4	8550	4500	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7980	3930	3930	0.933333
3598	013	2850	0.07	2890	3	65	100	3	7	4	8550	5660	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7980	5090	5090	0.933333
3598	014	2850	0.07	3150	3	65	100	3	7	4	8550	5400	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7980	4830	4830	0.933333
3598	018	2850	0.07	4977	3	65	100	3	7	4	8550	3573	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7980	3003	3003	0.933333
3598	019	2850	0.07	5181	3	65	100	3	7	4	8550	3369	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7980	2799	2799	0.933333
3598	034	2877	0.07	3668	3	65	100	3	7	4	8631	4963	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8055.600098	4387.600098	4387.600098	0.933333
3598	038	2877	0.07	4110	3	65	100	3	7	4	8631	4521	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8055.600098	3945.600098	3945.600098	0.933333
3598	048	2500	0.06	3738	3	65	100	3	6	3	7500	3762	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	3262	3262	0.933333
3598	049	2500	0.06	3738	3	65	100	3	6	3	7500	3762	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	3262	3262	0.933333
3598	054B	2850	0.07	3810	3	65	100	3	7	4	8550	4740	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7980	4170	4170	0.933333
3598	065	2856	0.07	2950	3	65	100	3	7	4	8568	5618	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7996.799805	5046.799805	5046.799805	0.933333
3598	067	2855	0.07	4020	3	65	100	3	7	4	8565	4545	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7994	3974	3974	0.933333
3598	070	3206	0.07	4164	3	65	100	3	7	4	9618	5454	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8976.799805	4812.799805	4812.799805	0.933333
3598	076	2850	0.07	1530	3	65	100	3	7	4	8550	7020	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7980	6450	6450	0.933333
3598	087	2625	0.06	1240	3	65	100	3	6	3	7875	6635	RM-2	40	density-lim	600			0.7	4	0.666666687	1	1	7350	6110	6110	0.933333
3598	090	3206	0.07	1030	3	65	100	3	7	4	9618	8588	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8976.799805	7946.799805	7946.799805	0.933333
3598	099	2856	0.07	412	3	65	100	3	7	4	8568	8156	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7996.799805	7584.799805	7584.799805	0.933333
3598	108	2850	0.07	1368	3	65	100	3	7	4	8550	7182	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7980	6612	6612	0.933333
3598	111	2877	0.07	1102	3	65	100	3	7	4	8631	7529	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8055.600098	6953.600098	6953.600098	0.933333
3598	114	2877	0.07	1300	3	65	100	3	7	4	8631	7331	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8055.600098	6755.600098	6755.600098	0.933333
3598	129	2859	0.07	1190	3	65	100	3	7	4	8577	7387	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8005.199707	6815.199707	6815.199707	0.933333
3598	132	2625	0.06	1536	3	65	100	3	6	3	7875	6339	RM-2	40	density-lim	600			0.7	4	0.666666687	1	1	7350	5814	5814	0.933333
3598	176	2850	0.07	1239	3	65	100	3	7	4	8550	7311	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7980	6741	6741	0.933333
3600	073	264	0.01	0	0	65	100	3	1	1	792	792	RH-2	50	form-based			true	0.7	1	1	1	1	924	924	924	1.166667
3601	007	1042	0.02	1172	1	65	100	3	2	1	3126	1954	RH-1	40	form-based			true	0.7	2	1	1	1	2917.599854	1745.599854	1745.599854	0.933333
3602	045	3450	0.08	4758	6	55	80	2.5	6	0	8625	3867	RH-3	40	form-based			true	0.7	7	1.166666627	1	1	9660	4902	4902	1.12
3602	055	2065	0.05	2156	3	55	80	2.5	4	1	5162	3006	RH-2	40	form-based			true	0.7	4	1	1	1	5782	3626	3626	1.120108
3602	057	2065	0.05	2100	3	55	80	2.5	4	1	5162	3062	RH-2	40	form-based			true	0.7	4	1	1	1	5782	3682	3682	1.120108
3602	065	3790	0.09	7795	7	55	80	2.5	7	0	9475	1680	RH-3	40	form-based			true	0.7	8	1.142857194	1	1	10612	2817	2817	1.12
3602	073	2120	0.05	4292	3	55	80	2.5	4	1	5300	1008	RH-3	40	form-based			true	0.7	4	1	1	1	5936	1644	1644	1.12
3602	075	2101	0.05	4394	3	65	100	3	5	2	6303	1909	RH-3	40	form-based			true	0.7	4	0.800000012	1	1	5882.799805	1488.799805	1488.799805	0.933333
3602	077	3033	0.07	4945	5	65	100	3	7	2	9099	4154	RH-3	40	form-based		true	true	0.7	6	0.857142866	1	1	8492.399414	3547.399414	3547.399414	0.933333
3602	078	2411	0.06	3176	4	65	100	3	6	2	7233	4057	RH-3	40	form-based			true	0.7	5	0.833333313	1	1	6750.799805	3574.799805	3574.799805	0.933333
3602	084A	1177	0.03	1044	1	65	100	3	3	2	3531	2487	RH-3	40	form-based			true	0.7	2	0.666666687	1	1	3295.599854	2251.599854	2251.599854	0.933333
3602	132	1375	0.03	1180	2	55	80	2.5	2	0	3438	2258	RH-2	40	form-based			true	0.7	3	1.5	1	1	3850	2670	2670	1.119837
3602	140	1375	0.03	2226	2	55	80	2.5	2	0	3438	1212	RH-2	40	form-based			true	0.7	3	1.5	1	1	3850	1624	1624	1.119837
3603	093	1576	0.04	2450	2	55	80	2.5	3	1	3940	1490	RH-2	40	form-based		true	true	0.7	3	1	1	1	4412.799805	1962.799805	1962.799805	1.12
3603	104	1474	0.03	2867	2	55	80	2.5	2	0	3685	818	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	4127.199707	1260.199707	1260.199707	1.12
3605	076	1357	0.03	3011	2	65	100	3	3	1	4071	1060	RM-1	40	form-based			true	0.7	3	1	1	1	3799.599854	788.5998535	788.5998535	0.933333
3605	082	1425	0.03	930	2	65	100	3	3	1	4275	3345	RH-1	40	form-based			true	0.7	3	1	1	1	3990	3060	3060	0.933333
3606	023	3789	0.09	7056	10	85	140	4	13	3	15156	8100	RM-1	50	form-based			true	0.7	11	0.846153855	1	1	13261.5	6205.5	6205.5	0.875
3607	001	2934	0.07	3242	5	65	100	3	7	2	8802	5560	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	1	1	8215.200195	4973.200195	4973.200195	0.933333
3607	029	2312	0.05	3808	3	65	100	3	5	2	6936	3128	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	6473.600098	2665.600098	2665.600098	0.933333
3607	036A	2841	0.07	4931	3	65	100	3	7	4	8523	3592	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7954.799805	3023.799805	3023.799805	0.933333
3607	046	4560	0.1	4692	3	65	100	3	10	7	13680	8988	RH-2	40	density-lim	1500			0.7	4	0.400000006	1	1	12768	8076	8076	0.933333
3607	053	2850	0.07	3016	3	65	100	3	7	4	8550	5534	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	7980	4964	4964	0.933333
3607	079	3183	0.07	2485	3	65	100	3	7	4	9549	7064	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	8912.399414	6427.399414	6427.399414	0.933333
3607	084	2313	0.05	1643	3	65	100	3	5	2	6939	5296	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	6476.399902	4833.399902	4833.399902	0.933333
3607	091	2312	0.05	1804	3	65	100	3	5	2	6936	5132	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	6473.600098	4669.600098	4669.600098	0.933333
3608	021	2875	0.07	2580	3	65	100	3	7	4	8625	6045	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8050	5470	5470	0.933333
3608	026	2500	0.06	2670	2	65	100	3	6	4	7500	4830	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	4330	4330	0.933333
3608	027	2500	0.06	3215	2	65	100	3	6	4	7500	4285	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	3785	3785	0.933333
3608	030	2819	0.06	2900	3	65	100	3	6	3	8457	5557	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7893.199707	4993.199707	4993.199707	0.933333
3608	087	2875	0.07	1682	3	65	100	3	7	4	8625	6943	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8050	6368	6368	0.933333
3608	102	2875	0.07	1318	3	65	100	3	7	4	8625	7307	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8050	6732	6732	0.933333
3611	018	2250	0.05	1928	3	65	100	3	5	2	6750	4822	RH-3	50	density-lim	1000			0.7	4	0.800000012	1	1	7875	5947	5947	1.166667
3611	002	2439	0.06	2470	2	65	100	3	6	4	7317	4847	NC-2	40	density-lim	800			0.75	3	0.5	1	1	7317	4847	4847	1
3611	004	2438	0.06	2800	2	65	100	3	6	4	7314	4514	NC-2	40	density-lim	800			0.75	3	0.5	1	1	7314	4514	4514	1
3611	006	3656	0.08	5388	3	65	100	3	8	5	10968	5580	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	10236.7998	4848.799805	4848.799805	0.933333
3611	011	4287	0.1	2742	3	65	100	3	10	7	12861	10119	RH-3	40	density-lim	1000			0.7	4	0.400000006	1	1	12003.59961	9261.599609	9261.599609	0.933333
3611	016	4314	0.1	3360	5	65	100	3	10	5	12942	9582	RH-3	40	density-lim	1000	true		0.7	6	0.600000024	1	1	12079.2002	8719.200195	8719.200195	0.933333
3611	019	3675	0.08	3992	3	65	100	3	8	5	11025	7033	RH-3	50	density-lim	1000			0.7	4	0.5	1	1	12862.5	8870.5	8870.5	1.166667
3611	035	3650	0.08	4035	3	65	100	3	8	5	10950	6915	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	10220	6185	6185	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3611	046	3697	0.08	5505	3	65	100	3	8	5	11091	5586	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	10351.59961	4846.599609	4846.599609	0.933333
3611	047	3285	0.08	3318	3	65	100	3	8	5	9855	6537	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	9198	5880	5880	0.933333
3611	050	5114	0.12	5520	4	65	100	3	12	8	15342	9822	RH-3	40	density-lim	1000			0.7	5	0.416666657	1	1	14319.2002	8799.200195	8799.200195	0.933333
3611	051	2923	0.07	2144	3	65	100	3	7	4	8769	6625	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8184.399902	6040.399902	6040.399902	0.933333
3611	052	2923	0.07	3148	3	65	100	3	7	4	8769	5621	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8184.399902	5036.399902	5036.399902	0.933333
3611	053	2000	0.05	2373	3	65	100	3	5	2	6000	3627	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	5600	3227	3227	0.933333
3611	061	2565	0.06	2935	2	65	100	3	6	4	7695	4760	NC-2	45	density-lim	800			0.75	3	0.5	1	1	7695	4760	4760	1
3611	080	3675	0.08	1270	3	65	100	3	8	5	11025	9755	RH-3	50	density-lim	1000			0.7	4	0.5	1	1	12862.5	11592.5	11592.5	1.166667
3611	089	3286	0.08	1225	3	65	100	3	8	5	9858	8633	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	9200.799805	7975.799805	7975.799805	0.933333
3612	024	3295	0.08	5900	5	65	100	3	8	3	9885	3985	RH-3	40	density-lim	1000	true		0.7	6	0.75	1	1	9226	3326	3326	0.933333
3612	027	2379	0.05	3720	3	65	100	3	5	2	7137	3417	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	6661.199707	2941.199707	2941.199707	0.933333
3612	028	3063	0.07	4395	3	65	100	3	7	4	9189	4794	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8576.399414	4181.399414	4181.399414	0.933333
3612	030	3062	0.07	3905	3	65	100	3	7	4	9186	5281	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8573.599609	4668.599609	4668.599609	0.933333
3612	036	3063	0.07	4605	3	65	100	3	7	4	9189	4584	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8576.399414	3971.399414	3971.399414	0.933333
3612	041	2373	0.05	4275	3	65	100	3	5	2	7119	2844	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	6644.399902	2369.399902	2369.399902	0.933333
3612	053	3063	0.07	4350	3	65	100	3	7	4	9189	4839	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8576.399414	4226.399414	4226.399414	0.933333
3612	068	3063	0.07	2328	3	55	80	2.5	6	3	7658	5330	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	8576.399414	6248.399414	6248.399414	1.119927
3612	076	1290	0.03	2178	3	55	80	2.5	2	0	3225	1047	RH-3	40	density-lim	1000			0.7	4	2	1	1	3612	1434	1434	1.12
3612	078	3063	0.07	3560	3	65	100	3	7	4	9189	5629	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8576.399414	5016.399414	5016.399414	0.933333
3612	079	3063	0.07	2500	3	65	100	3	7	4	9189	6689	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8576.399414	6076.399414	6076.399414	0.933333
3612	110	3065	0.07	1311	3	65	100	3	7	4	9195	7884	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8582	7271	7271	0.933333
3612	134	2479	0.06	1159	3	65	100	3	6	3	7437	6278	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6941.199707	5782.199707	5782.199707	0.933333
3613	017	2375	0.05	1824	3	65	100	3	5	2	7125	5301	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	6650	4826	4826	0.933333
3613	018	1837	0.04	3636	3	65	100	3	4	1	5511	1875	RH-3	40	density-lim	1000			0.7	4	1	1	1	5143.600098	1507.600098	1507.600098	0.933333
3613	024	3028	0.07	3350	3	65	100	3	7	4	9084	5734	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8478.399414	5128.399414	5128.399414	0.933333
3613	028	3020	0.07	1688	3	65	100	3	7	4	9060	7372	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8456	6768	6768	0.933333
3613	031	2100	0.05	2472	3	65	100	3	5	2	6300	3828	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	5880	3408	3408	0.933333
3613	043	3430	0.08	1662	3	65	100	3	8	5	10290	8628	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	9604	7942	7942	0.933333
3613	045	3675	0.08	2987	3	65	100	3	8	5	11025	8038	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	10290	7303	7303	0.933333
3613	075	5079	0.12	1105	4	65	100	3	12	8	15237	14132	RH-3	40	density-lim	1000			0.7	5	0.416666657	1	1	14221.2002	13116.2002	13116.2002	0.933333
3613	079	1616	0.04	1169	3	65	100	3	4	1	4848	3679	RH-3	40	density-lim	1000			0.7	4	1	1	1	4524.799805	3355.799805	3355.799805	0.933333
3614	002	2700	0.06	4236	3	65	100	3	6	3	8100	3864	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7560	3324	3324	0.933333
3614	017A	1592	0.04	3915	3	65	100	3	4	1	4776	861	RH-3	40	density-lim	1000			0.7	4	1	1	1	4457.600098	542.6000977	542.6000977	0.933333
3614	030	2281	0.05	3100	3	65	100	3	5	2	6843	3743	RM-2	50	density-lim	600			0.7	4	0.800000012	1	1	7983.5	4883.5	4883.5	1.166667
3614	033	3675	0.08	2237	3	65	100	3	8	5	11025	8788	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	10290	8053	8053	0.933333
3614	038	2389	0.05	2500	3	65	100	3	5	2	7167	4667	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	6689.199707	4189.199707	4189.199707	0.933333
3614	038A	2327	0.05	2612	3	65	100	3	5	2	6981	4369	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	6515.600098	3903.600098	3903.600098	0.933333
3614	038B	2940	0.07	2230	3	65	100	3	7	4	8820	6590	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8232	6002	6002	0.933333
3614	050	3950	0.09	3316	3	65	100	3	9	6	11850	8534	RH-3	40	density-lim	1000			0.7	4	0.444444448	1	1	11060	7744	7744	0.933333
3614	054C	1440	0.03	2187	3	65	100	3	3	0	4320	2133	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	4032	1845	1845	0.933333
3614	056	2925	0.07	2248	3	65	100	3	7	4	8775	6527	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8190	5942	5942	0.933333
3614	067	3797	0.09	2790	3	65	100	3	9	6	11391	8601	RH-3	40	density-lim	1000			0.7	4	0.444444448	1	1	10631.59961	7841.599609	7841.599609	0.933333
3614	074	3235	0.07	1036	4	65	100	3	7	3	9705	8669	NC-3	40	density-lim	600			0.75	5	0.714285731	1	1	9705	8669	8669	1
3614	078	3697	0.08	971	5	65	100	3	8	3	11091	10120	RM-2	50	density-lim	600			0.7	6	0.75	1	1	12939.5	11968.5	11968.5	1.166667
3614	087	3675	0.08	1589	3	65	100	3	8	5	11025	9436	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	10290	8701	8701	0.933333
3614	090	1925	0.04	1430	2	65	100	3	4	2	5775	4345	NC-3	40	density-lim	600			0.75	3	0.75	1	1	5775	4345	4345	1
3617	017	2480	0.06	2888	3	65	100	3	6	3	7440	4552	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6944	4056	4056	0.933333
3617	023	2850	0.07	3770	3	65	100	3	7	4	8550	4780	NC-1	40	density-lim	800			0.75	4	0.571428597	1	1	8550	4780	4780	1
3617	026	2340	0.05	2100	2	65	100	3	5	3	7020	4920	NC-1	40	density-lim	800			0.75	3	0.600000024	1	1	7020	4920	4920	1
3617	030	2520	0.06	4320	3	65	100	3	6	3	7560	3240	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7056	2736	2736	0.933333
3617	048	2850	0.07	3162	3	65	100	3	7	4	8550	5388	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7980	4818	4818	0.933333
3617	049	2850	0.07	3008	3	65	100	3	7	4	8550	5542	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7980	4972	4972	0.933333
3617	054	2850	0.07	3331	3	65	100	3	7	4	8550	5219	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7980	4649	4649	0.933333
3617	063	2500	0.06	3372	3	65	100	3	6	3	7500	4128	RM-2	40	density-lim	600			0.7	4	0.666666687	1	1	7000	3628	3628	0.933333
3617	064	2500	0.06	3800	3	65	100	3	6	3	7500	3700	RM-2	40	density-lim	600			0.7	4	0.666666687	1	1	7000	3200	3200	0.933333
3617	080	2838	0.07	3258	3	65	100	3	7	4	8514	5256	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7946.399902	4688.399902	4688.399902	0.933333
3617	081	2838	0.07	3077	3	65	100	3	7	4	8514	5437	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7946.399902	4869.399902	4869.399902	0.933333
3617	082	2855	0.07	1574	3	65	100	3	7	4	8565	6991	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7994	6420	6420	0.933333
3617	086	2855	0.07	1498	3	65	100	3	7	4	8565	7067	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7994	6496	6496	0.933333
3617	089	2855	0.07	713	3	65	100	3	7	4	8565	7852	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7994	7281	7281	0.933333
3617	110	2520	0.06	1440	3	65	100	3	6	3	7560	6120	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7056	5616	5616	0.933333
3617	115	3100	0.07	1886	3	65	100	3	7	4	9300	7414	NC-1	40	density-lim	800			0.75	4	0.571428597	1	1	9300	7414	7414	1
3617	118	2670	0.06	1884	3	65	100	3	6	3	8010	6126	RM-2	40	density-lim	600	true		0.7	4	0.666666687	1	1	7476	5592	5592	0.933333
3617	135	2500	0.06	1465	3	65	100	3	6	3	7500	6035	RM-2	40	density-lim	600			0.7	4	0.666666687	1	1	7000	5535	5535	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3618	003	3172	0.07	3360	4	65	100	3	7	3	9516	6156	RM-2	40	density-lin	600			0.7	5	0.714285731	1	1	8881.599609	5521.599609	5521.599609	0.933333
3618	018	1408	0.03	4044	5	65	100	3	3	0	4224	180	RH-3	40	density-lin	1000	true		0.7	6	2	1	1	3942.399902	0	0	0.933333
3618	020	2343	0.05	2840	3	65	100	3	5	2	7029	4189	RH-3	40	density-lin	1000			0.7	4	0.800000012	1	1	6560.399902	3720.399902	3720.399902	0.933333
3618	022	3514	0.08	3438	5	65	100	3	8	3	10542	7104	RH-3	40	density-lin	1000	true		0.7	6	0.75	1	1	9839.200195	6401.200195	6401.200195	0.933333
3618	044	3568	0.08	1905	3	65	100	3	8	5	10704	8799	RH-3	40	density-lin	1000			0.7	4	0.5	1	1	9990.399414	8085.399414	8085.399414	0.933333
3618	068	3757	0.09	1263	3	65	100	3	9	6	11271	10008	RH-3	40	density-lin	1000			0.7	4	0.444444448	1	1	10519.59961	9256.599609	9256.599609	0.933333
3618	077	3642	0.08	1038	3	65	100	3	8	5	10926	9888	RH-3	40	density-lin	1000			0.7	4	0.5	1	1	10197.59961	9159.599609	9159.599609	0.933333
3618	082	3760	0.09	1577	3	65	100	3	9	6	11280	9703	RH-3	40	density-lin	1000			0.7	4	0.444444448	1	1	10528	8951	8951	0.933333
3618	084	3627	0.08	1599	3	65	100	3	8	5	10881	9282	RH-3	40	density-lin	1000			0.7	4	0.5	1	1	10155.59961	8556.599609	8556.599609	0.933333
3618	092	3642	0.08	1830	3	65	100	3	8	5	10926	9096	RH-3	40	density-lin	1000			0.7	4	0.5	1	1	10197.59961	8367.599609	8367.599609	0.933333
3618	094	3760	0.09	1357	3	65	100	3	9	6	11280	9923	RH-3	40	density-lin	1000			0.7	4	0.444444448	1	1	10528	9171	9171	0.933333
3618	101	3623	0.08	3045	3	65	100	3	8	5	10869	7824	RH-3	40	density-lin	1000			0.7	4	0.5	1	1	10144.39941	7099.399414	7099.399414	0.933333
3619	026A	992	0.02	1300	2	65	100	3	2	0	2976	1676	RH-2	50	form-based			true	0.7	3	1.5	1	1	3472	2172	2172	1.166667
3619	027	1560	0.04	4307	3	65	100	3	4	1	4680	373	RH-2	50	form-based		true	true	0.7	4	1	1	1	5460	1153	1153	1.166667
3619	058	194	0	0	0	85	140	4	0	0	776	776	RM-1	50	form-based			true	0.7	1		1	1	679	679	679	0.875
3619	127	217	0	1455	0	85	140	4	0	0	868	0	RM-1	50	form-based			true	0.7	1		1	1	759.5	0	0	0.875
3621	103	1742	0.04	1228	3	65	100	3	4	1	5226	3998	RH-2	40	form-based			true	0.7	4	1	1	1	4877.600098	3649.600098	3649.600098	0.933333
3621	106	1859	0.04	758	3	65	100	3	4	1	5577	4819	RH-2	40	form-based		true	true	0.7	4	1	1	1	5205.199707	4447.199707	4447.199707	0.933333
3622	027B	1353	0.03	2214	2	55	80	2.5	2	0	3382	1168	RH-2	40	form-based			true	0.7	3	1.5	1	1	3788.399902	1574.399902	1574.399902	1.120166
3622	028	1369	0.03	2184	2	55	80	2.5	2	0	3422	1238	RH-2	40	form-based			true	0.7	3	1.5	1	1	3833.199951	1649.199951	1649.199951	1.120164
3622	028A	1268	0.03	2062	2	55	80	2.5	2	0	3170	1108	RH-2	40	form-based			true	0.7	3	1.5	1	1	3550.399902	1488.399902	1488.399902	1.12
3622	036	1599	0.04	1614	2	55	80	2.5	3	1	3998	2384	RH-2	40	form-based			true	0.7	3	1	1	1	4477.199707	2863.199707	2863.199707	1.11986
3622	109	1416	0.03	1103	2	55	80	2.5	2	0	3540	2437	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	3964.800049	2861.800049	2861.800049	1.12
3623	025	2615	0.06	4650	4	55	80	2.5	5	1	6538	1888	RH-2	40	form-based		true	true	0.7	5	1	1	1	7322	2672	2672	1.119914
3624	001	1563	0.04	1250	2	55	80	2.5	3	1	3908	2658	RH-2	40	form-based		true	true	0.7	3	1	1	1	4376.399902	3126.399902	3126.399902	1.119857
3625	006B	994	0.02	1159	1	65	100	3	2	1	2982	1823	RH-3	40	form-based			true	0.7	2	1	1	1	2783.199951	1624.199951	1624.199951	0.933333
3624	023	1320	0.03	1500	2	55	80	2.5	2	0	3300	1800	RH-2	40	form-based			true	0.7	3	1.5	1	1	3696	2196	2196	1.12
3624	023A	1393	0.03	2110	2	55	80	2.5	2	0	3482	1372	RH-2	40	form-based		true	true	0.7	3	1.5	1	1	3900.399902	1790.399902	1790.399902	1.120161
3624	031	2092	0.05	2972	3	55	80	2.5	4	1	5230	2258	RH-2	40	form-based		true	true	0.7	4	1	1	1	5857.600098	2885.600098	2885.600098	1.12
3624	032	1287	0.03	2500	2	55	80	2.5	2	0	3218	718	RH-2	40	form-based			true	0.7	3	1.5	1	1	3603.599854	1103.599854	1103.599854	1.119826
3625	008	2907	0.07	3932	5	65	100	3	7	2	8721	4789	RH-3	40	form-based			true	0.7	6	0.857142866	1	1	8139.600098	4207.600098	4207.600098	0.933333
3627	018	1528	0.04	3650	3	65	100	3	4	1	4584	934	RH-3	50	form-based		true	true	0.7	4	1	1	1	5348	1698	1698	1.166667
3627	042A	1310	0.03	2148	3	65	100	3	3	0	3930	1782	RH-2	50	form-based		true	true	0.7	4	1.333333373	1	1	4585	2437	2437	1.166667
3627	043	1116	0.03	1728	2	65	100	3	3	1	3348	1620	RH-2	50	form-based			true	0.7	3	1	1	1	3906	2178	2178	1.166667
3628	016A	1097	0.03	1750	2	65	100	3	3	1	3291	1541	RH-3	50	form-based			true	0.7	3	1	1	1	3839.5	2089.5	2089.5	1.166667
3628	028A	266	0.01	0	0	85	140	4	1	1	1064	1064	RM-1	50	form-based			true	0.7	1	1	1	1	931	931	931	0.875
3628	032	1608	0.04	2976	4	65	100	3	4	0	4824	1848	RH-2	50	form-based		true	true	0.7	5	1.25	1	1	5628	2652	2652	1.166667
3628	046	1097	0.03	730	2	65	100	3	3	1	3291	2561	RH-3	50	form-based		true	true	0.7	3	1	1	1	3839.5	3109.5	3109.5	1.166667
3631	005	4313	0.1	6651	3	65	100	3	10	7	12939	6288	RH-3	40	density-lin	1000			0.7	4	0.400000006	1	1	12076.39941	5425.399414	5425.399414	0.933333
3629	037	1935	0.04	4785	6	85	140	4	6	0	7740	2955	RTO-C	65	form-based			true	0.75	7	1.166666627	1	1	8707.5	3922.5	3922.5	1.125
3630	014A	1450	0.03	4014	3	65	100	3	3	0	4350	336	RH-2	50	form-based			true	0.7	4	1.333333373	1	1	5075	1061	1061	1.166667
3630	018	1150	0.03	2655	2	65	100	3	3	1	3450	795	RH-2	50	form-based		true	true	0.7	3	1	1	1	4025	1370	1370	1.166667
3631	007	3555	0.08	2830	3	65	100	3	8	5	10665	7835	RH-3	40	density-lin	1000			0.7	4	0.5	1	1	9954	7124	7124	0.933333
3631	020	2948	0.07	4785	3	65	100	3	7	4	8844	4059	RM-1	40	density-lin	800			0.7	4	0.571428597	1	1	8254.399414	3469.399414	3469.399414	0.933333
3631	021	2948	0.07	5550	3	65	100	3	7	4	8844	3294	RM-1	40	density-lin	800			0.7	4	0.571428597	1	1	8254.399414	2704.399414	2704.399414	0.933333
3631	029	2948	0.07	2700	3	65	100	3	7	4	8844	6144	RM-1	40	density-lin	800			0.7	4	0.571428597	1	1	8254.399414	5554.399414	5554.399414	0.933333
3631	031	3538	0.08	4476	3	65	100	3	8	5	10614	6138	RM-1	40	density-lin	800			0.7	4	0.5	1	1	9906.399414	5430.399414	5430.399414	0.933333
3631	036	2948	0.07	1405	3	65	100	3	7	4	8844	7439	RM-1	40	density-lin	800			0.7	4	0.571428597	1	1	8254.399414	6849.399414	6849.399414	0.933333
3632	003	4219	0.1	3710	4	65	100	3	10	6	12657	8947	RM-1	40	density-lin	800			0.7	5	0.5	1	1	11813.2002	8103.200195	8103.200195	0.933333
3632	006	3575	0.08	5545	3	65	100	3	8	5	10725	5180	RM-1	40	density-lin	800			0.7	4	0.5	1	1	10010	4465	4465	0.933333
3632	017	2178	0.05	2535	3	65	100	3	5	2	6534	3999	RH-3	40	density-lin	1000			0.7	4	0.800000012	1	1	6098.399902	3563.399902	3563.399902	0.933333
3632	024	3590	0.08	3700	3	65	100	3	8	5	10770	7070	RH-3	40	density-lin	1000			0.7	4	0.5	1	1	10052	6352	6352	0.933333
3632	043	3590	0.08	1438	3	65	100	3	8	5	10770	9332	RH-3	40	density-lin	1000			0.7	4	0.5	1	1	10052	8614	8614	0.933333
3632	048	3516	0.08	1878	3	65	100	3	8	5	10548	8670	RM-1	40	density-lin	800			0.7	4	0.5	1	1	9844.799805	7966.799805	7966.799805	0.933333
3632	051	918	0.02	600	0	65	100	3	2	2	2754	2154	RM-1	40	density-lin	800			0.7	1	0.5	1	1	2570.399902	1970.399902	1970.399902	0.933333
3632	053	2813	0.06	1324	3	65	100	3	6	3	8439	7115	RM-1	40	density-lin	800			0.7	4	0.666666687	1	1	7876.399902	6552.399902	6552.399902	0.933333
3632	056	2813	0.06	1377	3	65	100	3	6	3	8439	7062	RM-1	40	density-lin	800			0.7	4	0.666666687	1	1	7876.399902	6499.399902	6499.399902	0.933333
3632	059	2813	0.06	1995	3	65	100	3	6	3	8439	6444	RM-1	40	density-lin	800			0.7	4	0.666666687	1	1	7876.399902	5881.399902	5881.399902	0.933333
3632	064	2832	0.07	4250	3	65	100	3	7	4	8496	4246	RM-1	40	density-lin	800			0.7	4	0.571428597	1	1	7929.600098	3679.600098	3679.600098	0.933333
3633	008	2850	0.07	3243	3	75	120	3.5	8	5	9975	6732	RH-3	40	density-lin	1000			0.7	4	0.5	1	1	7980	4737	4737	0.8
3633	010	2850	0.07	2660	3	65	100	3	7	4	8550	5890	RH-3	40	density-lin	1000			0.7	4	0.571428597	1	1	7980	5320	5320	0.933333
3633	020	2839	0.07	3432	3	65	100	3	7	4	8517	5085	NC-1	40	density-lin	800			0.75	4	0.571428597	1	1	8517	5085	5085	1
3633	030	2867	0.07	5262	3	75	120	3.5	8	5	10034	4772	RH-3	40	density-lin	1000			0.7	4	0.5	1	1	8027.600098	2765.600098	2765.600098	0.80004
3633	037	1998	0.05	3706	3	75	120	3.5	6	3	6993	3287	RH-3	40	density-lin	1000			0.7	4	0.666666687	1	1	5594.399902	1888.399902	1888.399902	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3633	042	2872	0.07	1420	3	75	120	3.5	8	5	10052	8632	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	8041.600098	6621.600098	6621.600098	0.8
3633	047	2869	0.07	1635	3	75	120	3.5	8	5	10042	8407	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	8033.199707	6398.199707	6398.199707	0.79996
3633	050	2862	0.07	1736	3	65	100	3	7	4	8586	6850	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8013.600098	6277.600098	6277.600098	0.933333
3633	053	2842	0.07	1979	3	65	100	3	7	4	8526	6547	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7957.600098	5978.600098	5978.600098	0.933333
3633	056	2864	0.07	1486	3	65	100	3	7	4	8592	7106	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8019.199707	6533.199707	6533.199707	0.933333
3633	074	2852	0.07	1315	3	65	100	3	7	4	8556	7241	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7985.600098	6670.600098	6670.600098	0.933333
3634	008	2850	0.07	3634	3	75	120	3.5	8	5	9975	6341	RM-1	40	density-lim	800			0.7	4	0.5	1	1	7980	4346	4346	0.8
3634	025	5695	0.13	4528	5	75	120	3.5	16	11	19932	15404	RH-3	40	density-lim	1000			0.7	6	0.375	1	1	15946	11418	11418	0.80002
3634	029	2851	0.07	708	3	75	120	3.5	8	5	9978	9270	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	7982.799805	7274.799805	7274.799805	0.80004
3634	049	2850	0.07	1678	3	75	120	3.5	8	5	9975	8297	RM-1	40	density-lim	800			0.7	4	0.5	1	1	7980	6302	6302	0.8
3635	005	6794	0.16	22114	19	75	120	3.5	19	0	23779	1665	NCT-VALEI	55	form-based				0.75	20	1.052631617	1	1	25477.5	3363.5	3363.5	1.071429
3635	009	2587	0.06	7648	7	75	120	3.5	7	0	9054	1406	NCT-VALEI	55	form-based				0.75	8	1.142857194	1	1	9701.25	2053.25	2053.25	1.071488
3636	017A	1532	0.04	2460	2	75	120	3.5	5	3	5362	2902	RTO-M	45	form-based				0.7	3	0.600000024	1	1	4289.600098	1829.600098	1829.600098	0.8
3636	025	1875	0.04	5150	5	75	120	3.5	5	0	6562	1412	NCT-VALEI	55	form-based				0.75	6	1.200000048	1	1	7031.25	1881.25	1881.25	1.07151
3637	003	3195	0.07	3786	8	75	120	3.5	8	0	11182	7396	RTO-M	50	form-based				0.7	9	1.125	1	1	11182.5	7396.5	7396.5	1.000045
3637	070	2603	0.06	2864	4	75	120	3.5	7	3	9110	6246	RTO-M	40	form-based				0.7	5	0.714285731	1	1	7288.399902	4424.399902	4424.399902	0.800044
3638	002	3321	0.08	4560	3	65	100	3	8	5	9963	5403	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	9298.799805	4738.799805	4738.799805	0.933333
3638	028	3675	0.08	1860	3	75	120	3.5	10	7	12862	11002	RH-3	50	density-lim	1000			0.7	4	0.400000006	1	1	12862.5	11002.5	11002.5	1.000039
3638	047	3081	0.07	3500	3	75	120	3.5	8	5	10784	7284	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	8626.799805	5126.799805	5126.799805	0.799963
3638	052	2438	0.06	3225	3	75	120	3.5	7	4	8533	5308	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	6826.399902	3601.399902	3601.399902	0.8
3638	062	2779	0.06	3136	3	65	100	3	6	3	8337	5201	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7781.199707	4645.199707	4645.199707	0.933333
3638	063	2494	0.06	2721	3	65	100	3	6	3	7482	4761	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6983.199707	4262.199707	4262.199707	0.933333
3638	064	1462	0.03	2422	3	65	100	3	3	0	4386	1964	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	4093.599854	1671.599854	1671.599854	0.933333
3638	066	3071	0.07	3306	3	75	120	3.5	8	5	10748	7442	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	8598.799805	5292.799805	5292.799805	0.800037
3638	075	1360	0.03	1226	3	65	100	3	3	0	4080	2854	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3808	2582	2582	0.933333
3638	077	1700	0.04	1079	3	65	100	3	4	1	5100	4021	RH-3	40	density-lim	1000			0.7	4	1	1	1	4760	3681	3681	0.933333
3638	080	1814	0.04	1152	3	65	100	3	4	1	5442	4290	RH-3	40	density-lim	1000			0.7	4	1	1	1	5079.199707	3927.199707	3927.199707	0.933333
3638	089	4930	0.11	1306	4	75	120	3.5	13	9	17255	15949	RH-3	40	density-lim	1000			0.7	5	0.384615391	1	1	13804	12498	12498	0.8
3638	091	2512	0.06	1355	3	75	120	3.5	7	4	8792	7437	RH-3	55	density-lim	1000			0.7	4	0.571428597	1	1	8792	7437	7437	1
3638	094	2512	0.06	1406	3	75	120	3.5	7	4	8792	7386	RH-3	55	density-lim	1000			0.7	4	0.571428597	1	1	8792	7386	7386	1
3638	097	2512	0.06	1413	3	75	120	3.5	7	4	8792	7379	RH-3	55	density-lim	1000			0.7	4	0.571428597	1	1	8792	7379	7379	1
3639	013	4288	0.1	6689	6	65	100	3	10	4	12864	6175	NC-3	55	density-lim	600	true		0.75	7	0.699999988	1	1	16080	9391	9391	1.25
3639	032	4288	0.1	3700	3	65	100	3	10	7	12864	9164	RH-2	40	density-lim	1500			0.7	4	0.400000006	1	1	12006.39941	8306.399414	8306.399414	0.933333
3642	047	1100	0.03	1568	1	75	120	3.5	4	3	3850	2282	RTO-M	40	form-based				0.7	2	0.5	1	1	3080	1512	1512	0.8
3642	048	1100	0.03	1568	2	75	120	3.5	4	2	3850	2282	RTO-M	55	form-based				0.7	3	0.75	1	1	3850	2282	2282	1
3642	049	1100	0.03	1568	2	75	120	3.5	4	2	3850	2282	NCT-MISSI	55	form-based				0.75	3	0.75	1	1	4125	2557	2557	1.071429
3642	062	2952	0.07	3092	5	75	120	3.5	8	3	10332	7240	RTO-M	40	form-based				0.7	6	0.75	1	1	8265.599609	5173.599609	5173.599609	0.8
3642	064	1060	0.02	1890	2	75	120	3.5	2	0	3710	1820	RTO-M	55	form-based				0.7	3	1.5	1	1	3710	1820	1820	1
3642	073	785	0.02	980	1	75	120	3.5	2	1	2748	1768	RTO-M	55	form-based				0.7	2	1	1	1	2747.5	1767.5	1767.5	0.999818
3643	012	1414	0.03	1780	3	95	160	4.5	5	2	6363	4583	NCT-MISSI	55	form-based				0.75	4	0.800000012	1	1	5302.5	3522.5	3522.5	0.833333
3644	015	2003	0.05	4453	3	75	120	3.5	6	3	7010	2557	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	5608.399902	1155.399902	1155.399902	0.800057
3644	015A	1640	0.04	4260	3	75	120	3.5	5	2	5740	1480	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	4592	332	332	0.8
3644	015B	1602	0.04	4125	3	75	120	3.5	5	2	5607	1482	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	4485.600098	360.6000977	360.6000977	0.8
3645	005	2288	0.05	3326	3	75	120	3.5	6	3	8008	4682	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6406.399902	3080.399902	3080.399902	0.8
3645	038	1895	0.04	1320	5	75	120	3.5	5	0	6632	5312	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	1	1	5306	3986	3986	0.80006
3646	003	2472	0.06	2350	3	75	120	3.5	7	4	8652	6302	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	6921.600098	4571.600098	4571.600098	0.8
3646	011	2850	0.07	3379	3	75	120	3.5	8	5	9975	6596	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	7980	4601	4601	0.8
3646	012	2850	0.07	2867	3	75	120	3.5	8	5	9975	7108	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	7980	5113	5113	0.8
3646	024	3450	0.08	3337	3	75	120	3.5	10	7	12075	8738	RH-3	40	density-lim	1000			0.7	4	0.400000006	1	1	9660	6323	6323	0.8
3646	027	2125	0.05	2880	3	75	120	3.5	6	3	7438	4558	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	5950	3070	3070	0.799946
3646	028	2125	0.05	2880	3	75	120	3.5	6	3	7438	4558	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	5950	3070	3070	0.799946
3646	033	2305	0.05	1280	3	75	120	3.5	6	3	8068	6788	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6454	5174	5174	0.79995
3647	002	2985	0.07	4665	3	65	100	3	7	4	8955	4290	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8358	3693	3693	0.933333
3647	026	3855	0.09	3628	3	65	100	3	9	6	11565	7937	RH-3	40	density-lim	1000			0.7	4	0.444444448	1	1	10794	7166	7166	0.933333
3647	029	4064	0.09	3280	3	65	100	3	9	6	12192	8912	RH-3	40	density-lim	1000			0.7	4	0.444444448	1	1	11379.2002	8099.200195	8099.200195	0.933333
3647	051	3070	0.07	1261	5	65	100	3	7	2	9210	7949	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	1	1	8596	7335	7335	0.933333
3647	057	3482	0.08	1685	3	65	100	3	8	5	10446	8761	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	9749.599609	8064.599609	8064.599609	0.933333
3647	060	2661	0.06	1616	3	65	100	3	6	3	7983	6367	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7450.799805	5834.799805	5834.799805	0.933333
3648	005	3613	0.08	3094	3	65	100	3	8	5	10839	7745	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	10116.39941	7022.399414	7022.399414	0.933333
3648	006	3613	0.08	3801	3	65	100	3	8	5	10839	7038	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	10116.39941	6315.399414	6315.399414	0.933333
3648	009	3497	0.08	4616	3	65	100	3	8	5	10491	5875	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	9791.599609	5175.599609	5175.599609	0.933333
3648	012	3613	0.08	2068	3	65	100	3	8	5	10839	8771	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	10116.39941	8048.399414	8048.399414	0.933333
3648	023	7194	0.17	7828	6	65	100	3	17	11	21582	13754	RH-3	40	density-lim	1000			0.7	7	0.411764711	1	1	20143.19922	12315.19922	12315.19922	0.933333
3648	031	2949	0.07	4750	3	65	100	3	7	4	8847	4097	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8257.200195	3507.200195	3507.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3648	047	4128	0.09	1426	3	65	100	3	9	6	12384	10958	RH-3	40	density-lim	1000			0.7	4	0.444444448	1	1	11558.39941	10132.39941	10132.39941	0.933333
3648	058	2914	0.07	1100	3	65	100	3	7	4	8742	7642	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8159.199707	7059.199707	7059.199707	0.933333
3649	015	2438	0.06	7191	6	65	100	3	6	0	7314	123	RM-1	50	form-based		true	true	0.7	7	1.166666627	1	1	8533	1342	1342	1.166667
3652	012	2125	0.05	5819	7	65	100	3	5	0	6375	556	NCD-24TH	65	form-based		true	true	0.75	8	1.600000024	1	1	9562.5	3743.5	3743.5	1.5
3652	042	2635	0.06	7506	6	65	100	3	6	0	7905	399	RH-3	50	form-based		true	true	0.7	7	1.166666627	1	1	9222.5	1716.5	1716.5	1.166667
3653	011	2850	0.07	3225	5	65	100	3	7	2	8550	5325	RH-3	40	form-based			true	0.7	6	0.857142866	1	1	7980	4755	4755	0.933333
3655	001	2614	0.06	3530	4	55	80	2.5	5	1	6535	3005	RH-3	40	form-based		true	true	0.7	5	1	1	1	7319.199707	3789.199707	3789.199707	1.12
3655	048	2483	0.06	650	4	55	80	2.5	5	1	6208	5558	RH-3	40	form-based			true	0.7	5	1	1	1	6952.399902	6302.399902	6302.399902	1.11991
3655	059	1646	0.04	1143	2	55	80	2.5	3	1	4115	2972	RH-3	40	form-based			true	0.7	3	1	1	1	4608.799805	3465.799805	3465.799805	1.12
3656	002	2614	0.06	5130	6	55	80	2.5	5	0	6535	1405	RH-3	50	form-based			true	0.7	7	1.399999976	1	1	9149	4019	4019	1.4
3656	008	1582	0.04	4265	5	65	100	3	4	0	4746	481	NCD-24TH	65	form-based		true	true	0.75	6	1.5	1	1	7119	2854	2854	1.5
3706	115	70	0	440000	0	75	120	3.5	0	0	245	0	C-3-R	400	form-based				0.8	1		1	1	630	0	0	2.571429
3726	038	1943	0.04	3985	3	65	100	3	4	1	5829	1844	RED	45	form-based				0.75	4	1	1	1	5829	1844	1844	1
3726	055	1828	0.04	3655	3	65	100	3	4	1	5484	1829	RED	45	form-based				0.75	4	1	1	1	5484	1829	1829	1
3726	059	1818	0.04	4140	3	65	100	3	4	1	5454	1314	RED	45	form-based				0.75	4	1	1	1	5454	1314	1314	1
3726	069	1829	0.04	4048	3	65	100	3	4	1	5487	1439	RED	45	form-based				0.75	4	1	1	1	5487	1439	1439	1
3726	070	1827	0.04	4063	3	65	100	3	4	1	5481	1418	RED	45	form-based				0.75	4	1	1	1	5481	1418	1418	1
3726	096	2036	0.05	3180	4	65	100	3	5	1	6108	2928	RED	45	form-based				0.75	5	1	1	1	6108	2928	2928	1
3726	097	2038	0.05	2760	4	65	100	3	5	1	6114	3354	RED	45	form-based				0.75	5	1	1	1	6114	3354	3354	1
3727	027	1902	0.04	4390	3	75	120	3.5	5	2	6657	2267	RED	40	form-based				0.75	4	0.800000012	1	1	5706	1316	1316	0.857143
3727	032	1900	0.04	3949	3	75	120	3.5	5	2	6650	2701	RED	40	form-based				0.75	4	0.800000012	1	1	5700	1751	1751	0.857143
3727	033	1900	0.04	4500	3	75	120	3.5	5	2	6650	2150	RED	40	form-based				0.75	4	0.800000012	1	1	5700	1200	1200	0.857143
3727	050	1950	0.04	3965	3	75	120	3.5	5	2	6825	2860	RED	40	form-based				0.75	4	0.800000012	1	1	5850	1885	1885	0.857143
3727	051	1950	0.04	4070	3	75	120	3.5	5	2	6825	2755	RED	40	form-based				0.75	4	0.800000012	1	1	5850	1780	1780	0.857143
3727	053	1950	0.04	4336	3	75	120	3.5	5	2	6825	2489	RED	40	form-based				0.75	4	0.800000012	1	1	5850	1514	1514	0.857143
3727	064	1337	0.03	1562	2	75	120	3.5	4	2	4680	3118	RED	40	form-based				0.75	3	0.75	1	1	4011	2449	2449	0.857051
3727	065A	1337	0.03	2120	2	75	120	3.5	4	2	4680	2560	RED	40	form-based				0.75	3	0.75	1	1	4011	1891	1891	0.857051
3727	066	1337	0.03	2166	2	75	120	3.5	4	2	4680	2514	RED	40	form-based				0.75	3	0.75	1	1	4011	1845	1845	0.857051
3727	072C	1945	0.04	5250	3	75	120	3.5	5	2	6808	1558	RED	40	form-based				0.75	4	0.800000012	1	1	5835	585	585	0.85708
3727	075	1946	0.04	5050	3	75	120	3.5	5	2	6811	1761	RED	40	form-based				0.75	4	0.800000012	1	1	5838	788	788	0.857143
3727	170	1947	0.04	1833	3	75	120	3.5	5	2	6814	4981	RED	40	form-based				0.75	4	0.800000012	1	1	5841	4008	4008	0.857206
3727	234	1950	0.04	1281	3	75	120	3.5	5	2	6825	5544	RED	40	form-based				0.75	4	0.800000012	1	1	5850	4569	4569	0.857143
3728	039	1875	0.04	4120	3	75	120	3.5	5	2	6562	2442	RED-MX	45	form-based				0.75	4	0.800000012	1	1	5625	1505	1505	0.857208
3728	044	1875	0.04	4275	3	75	120	3.5	5	2	6562	2287	RED-MX	45	form-based				0.75	4	0.800000012	1	1	5625	1350	1350	0.857208
3728	056	2318	0.05	1420	4	75	120	3.5	6	2	8113	6693	RED-MX	45	form-based				0.75	5	0.833333313	1	1	6954	5534	5534	0.857143
3728	091	3923	0.09	858	8	75	120	3.5	11	3	13730	12872	RED-MX	45	form-based				0.75	9	0.818181813	1	1	11769	10911	10911	0.857174
3728	139	8408	0.19	1295	18	75	120	3.5	23	5	29428	28133	RED-MX	45	form-based				0.75	19	0.826086938	1	1	25224	23929	23929	0.857143
3728	194	1856	0.04	1258	3	75	120	3.5	5	2	6496	5238	RED-MX	45	form-based				0.75	4	0.800000012	1	1	5568	4310	4310	0.857143
3729	125	6534	0.15	1390	14	65	100	3	15	1	19602	18212	RED-MX	45	form-based				0.75	15	1	1	1	19602	18212	18212	1
3729	139	1881	0.04	845	3	65	100	3	4	1	5643	4798	RED-MX	45	form-based				0.75	4	1	1	1	5643	4798	4798	1
3729	142	5886	0.14	637	17	65	100	3	14	0	17658	17021	RED-MX	55	form-based				0.75	18	1.285714269	1	1	22072.5	21435.5	21435.5	1.25
3729	170	2017	0.05	686	4	65	100	3	5	1	6051	5365	RED-MX	45	form-based				0.75	5	1	1	1	6051	5365	5365	1
3730	031	1900	0.04	2548	3	65	100	3	4	1	5700	3152	RED	40	form-based				0.75	4	1	1	1	5700	3152	3152	1
3730	040A	1450	0.03	2539	2	65	100	3	3	1	4350	1811	RED	40	form-based				0.75	3	1	1	1	4350	1811	1811	1
3730	041	1450	0.03	2460	2	65	100	3	3	1	4350	1890	RED	40	form-based				0.75	3	1	1	1	4350	1890	1890	1
3730	045	1450	0.03	2300	2	65	100	3	3	1	4350	2050	RED	40	form-based				0.75	3	1	1	1	4350	2050	2050	1
3730	056	1432	0.03	2500	2	65	100	3	3	1	4296	1796	RED	40	form-based				0.75	3	1	1	1	4296	1796	1796	1
3730	085	2800	0.06	6007	5	65	100	3	6	1	8400	2393	RED	40	form-based				0.75	6	1	1	1	8400	2393	2393	1
3730	101	1937	0.04	4200	3	65	100	3	4	1	5811	1611	RED	40	form-based				0.75	4	1	1	1	5811	1611	1611	1
3730	111	2000	0.05	2580	4	65	100	3	5	1	6000	3420	RED	40	form-based				0.75	5	1	1	1	6000	3420	3420	1
3730	124	1432	0.03	1044	2	65	100	3	3	1	4296	3252	RED	40	form-based				0.75	3	1	1	1	4296	3252	3252	1
3730	126	1432	0.03	1044	2	65	100	3	3	1	4296	3252	RED	40	form-based				0.75	3	1	1	1	4296	3252	3252	1
3730	188	2800	0.06	1366	5	65	100	3	6	1	8400	7034	RED	40	form-based				0.75	6	1	1	1	8400	7034	7034	1
3730	199	16836	0.39	1550	37	65	100	3	39	2	50508	48958	RED	40	form-based				0.75	38	0.974358976	1	1	50508	48958	48958	1
3730	250	1919	0.04	1090	3	65	100	3	4	1	5757	4667	RED	40	form-based				0.75	4	1	1	1	5757	4667	4667	1
3730	285	1955	0.04	1096	3	65	100	3	4	1	5865	4769	RED	40	form-based				0.75	4	1	1	1	5865	4769	4769	1
3730	288	1432	0.03	1053	2	65	100	3	3	1	4296	3243	RED	40	form-based				0.75	3	1	1	1	4296	3243	3243	1
3731	054	1958	0.04	4491	3	65	100	3	4	1	5874	1383	RED	45	form-based				0.75	4	1	1	1	5874	1383	1383	1
3731	069	1875	0.04	2450	3	65	100	3	4	1	5625	3175	RED	45	form-based				0.75	4	1	1	1	5625	3175	3175	1
3731	105	1833	0.04	3746	3	65	100	3	4	1	5499	1753	RED	45	form-based				0.75	4	1	1	1	5499	1753	1753	1
3731	127	2250	0.05	2750	4	85	140	4	7	3	9000	6250	RED	45	form-based				0.75	5	0.714285731	1	1	6750	4000	4000	0.75
3731	218	1875	0.04	1241	3	65	100	3	4	1	5625	4384	RED	45	form-based				0.75	4	1	1	1	5625	4384	4384	1
3732	091	2000	0.05	2454	4	65	100	3	5	1	6000	3546	MUR	45	form-based				0.75	5	1	1	1	6000	3546	3546	1
3732	096	2907	0.07	5455	6	65	100	3	7	1	8721	3266	MUR	45	form-based				0.75	7	1	1	1	8721	3266	3266	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3732	173	2000	0.05	762	4	65	100	3	5	1	6000	5238	MUR	45	form-based				0.75	5	1	1	1	6000	5238	5238	1
3732	192	1875	0.04	1782	3	65	100	3	4	1	5625	3843	MUR	45	form-based				0.75	4	1	1	1	5625	3843	3843	1
3733	098	176	0	0	0	85	140	4	0	0	704	704	RC-4	130	density-lim	200			0.75	1		1	1	1584	1584	1408	2.25
3733	109	3477	0.08	22300	30	85	140	4	11	0	13908	0	C-3-S	340	form-based				0.8	31	2.818181753	1	0	31293	8993	5516	2.25
3752	027	1705	0.04	1945	3	65	100	3	4	1	5115	3170	MUR	45	form-based				0.75	4	1	1	1	5115	3170	3170	1
3752	156	3255	0.07	915	6	65	100	3	7	1	9765	8850	MUR	45	form-based				0.75	7	1	1	1	9765	8850	8850	1
3753	077	1784	0.04	3850	3	65	100	3	4	1	5352	1502	MUR	45	form-based				0.75	4	1	1	1	5352	1502	1502	1
3753	097	1861	0.04	1440	3	65	100	3	4	1	5583	4143	MUR	45	form-based				0.75	4	1	1	1	5583	4143	4143	1
3753	158	4215	0.1	989	8	65	100	3	10	2	12645	11656	MUR	45	form-based				0.75	9	0.899999976	1	1	12645	11656	11656	1
3753	169	3963	0.09	1036	8	65	100	3	9	1	11889	10853	MUR	45	form-based				0.75	9	1	1	1	11889	10853	10853	1
3753	302	1875	0.04	1292	3	65	100	3	4	1	5625	4333	MUR	45	form-based				0.75	4	1	1	1	5625	4333	4333	1
3753	367	3971	0.09	1113	8	65	100	3	9	1	11913	10800	MUR	45	form-based				0.75	9	1	1	1	11913	10800	10800	1
3755	049	1382	0.03	3102	3	65	100	3	3	0	4146	1044	WMUG	55	form-based				0.75	4	1.333333373	1	1	5182.5	2080.5	2080.5	1.25
3755	071	1612	0.04	2478	3	65	100	3	4	1	4836	2358	RED	40	form-based				0.75	4	1	1	1	4836	2358	2358	1
3755	102	2031	0.05	3040	4	65	100	3	5	1	6093	3053	RED	40	form-based		true		0.75	5	1	1	1	6093	3053	3053	1
3755	106	1436	0.03	2200	2	65	100	3	3	1	4308	2108	RED	40	form-based				0.75	3	1	1	1	4308	2108	2108	1
3755	109	2000	0.05	2980	4	65	100	3	5	1	6000	3020	RED	40	form-based				0.75	5	1	1	1	6000	3020	3020	1
3755	110	2000	0.05	2334	4	65	100	3	5	1	6000	3666	RED	40	form-based				0.75	5	1	1	1	6000	3666	3666	1
3755	113	2000	0.05	2900	4	65	100	3	5	1	6000	3100	RED	40	form-based				0.75	5	1	1	1	6000	3100	3100	1
3755	138	1848	0.04	610	3	65	100	3	4	1	5544	4934	RED	40	form-based				0.75	4	1	1	1	5544	4934	4934	1
3755	141	1855	0.04	762	3	65	100	3	4	1	5565	4803	RED	40	form-based				0.75	4	1	1	1	5565	4803	4803	1
3755	144	1851	0.04	762	3	65	100	3	4	1	5553	4791	RED	40	form-based				0.75	4	1	1	1	5553	4791	4791	1
3755	147	1845	0.04	610	3	65	100	3	4	1	5535	4925	RED	40	form-based				0.75	4	1	1	1	5535	4925	4925	1
3755	172	2002	0.05	1000	4	65	100	3	5	1	6006	5006	RED	40	form-based				0.75	5	1	1	1	6006	5006	5006	1
3755	176	2016	0.05	1000	4	65	100	3	5	1	6048	5048	RED	40	form-based				0.75	5	1	1	1	6048	5048	5048	1
3755	180	1745	0.04	5586	3	65	100	3	4	1	5235	0	RED	40	form-based		true		0.75	4	1	1	1	5235	0	0	1
3756	019	1875	0.04	3750	3	65	100	3	4	1	5625	1875	RED-MX	45	form-based				0.75	4	1	1	1	5625	1875	1875	1
3756	027	1875	0.04	1600	3	65	100	3	4	1	5625	4025	RED-MX	45	form-based				0.75	4	1	1	1	5625	4025	4025	1
3756	491	1875	0.04	749	3	65	100	3	4	1	5625	4876	RED-MX	45	form-based				0.75	4	1	1	1	5625	4876	4876	1
3775	028	1806	0.04	2680	3	65	100	3	4	1	5418	2738	SPD	40	form-based				0.75	4	1	1	1	5418	2738	2738	1
3775	072	3667	0.08	10260	14	65	100	3	8	0	11001	741	CMUO	65	form-based		true		0.8	15	1.875	1	1	17601.59961	7341.599609	7341.599609	1.6
3775	122	1760	0.04	1138	3	65	100	3	4	1	5280	4142	CMUO	45	form-based				0.8	4	1	1	1	5632	4494	4494	1.066667
3777	023	2000	0.05	1625	4	75	120	3.5	6	2	7000	5375	CMUO	45	form-based				0.8	5	0.833333313	1	1	6400	4775	4775	0.914286
3777	029	2250	0.05	3345	4	85	140	4	7	3	9000	5655	MUG	45	form-based				0.75	5	0.714285731	1	1	6750	3405	3405	0.75
3779	147	1963	0.05	1034	3	65	100	3	5	2	5889	4855	RED-MX	45	form-based				0.75	4	0.800000012	1	1	5889	4855	4855	1
3784	143	1920	0.04	1473	3	65	100	3	4	1	5760	4287	RED-MX	45	form-based				0.75	4	1	1	1	5760	4287	4287	1
3786	036	129	0	0	0	75	120	3.5	0	0	452	452	CMUO	130	form-based				0.8	1		1	1	1161	1161	904	2.568584
3787	241	2088	0.05	836	7	75	120	3.5	6	0	7308	6472	CMUO	65	form-based				0.8	8	1.333333373	1	1	10022.40039	9186.400391	9186.400391	1.371429
3977	006	2500	0.06	2711	3	65	100	3	6	3	7500	4789	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	4289	4289	0.933333
3977	008	2500	0.06	3210	3	65	100	3	6	3	7500	4290	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	3790	3790	0.933333
3977	011	2500	0.06	6413	3	65	100	3	6	3	7500	1087	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	587	587	0.933333
3983	016	2508	0.06	2505	3	65	100	3	6	3	7524	5019	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7022.399902	4517.399902	4517.399902	0.933333
3983	021	2504	0.06	2350	3	65	100	3	6	3	7512	5162	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7011.199707	4661.199707	4661.199707	0.933333
3983	031	2500	0.06	3375	3	65	100	3	6	3	7500	4125	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	3625	3625	0.933333
3983	032	2500	0.06	1275	3	65	100	3	6	3	7500	6225	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	5725	5725	0.933333
3983	037	2500	0.06	1502	3	65	100	3	6	3	7500	5998	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	5498	5498	0.933333
3983	044	2500	0.06	1183	3	65	100	3	6	3	7500	6317	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	5817	5817	0.933333
3984	002	2506	0.06	2620	3	65	100	3	6	3	7518	4898	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7016.799805	4396.799805	4396.799805	0.933333
3985	002	1563	0.04	2090	3	65	100	3	4	1	4689	2599	RH-2	40	density-lim	1500			0.7	4	1	1	1	4376.399902	2286.399902	2286.399902	0.933333
3985	004	2473	0.06	2053	3	65	100	3	6	3	7419	5366	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6924.399902	4871.399902	4871.399902	0.933333
4000	012	2500	0.06	4080	3	65	100	3	6	3	7500	3420	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	2920	2920	0.933333
4000	018	2482	0.06	2960	3	65	100	3	6	3	7446	4486	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6949.600098	3989.600098	3989.600098	0.933333
4000	028	10821	0.25	1474	23	65	100	3	25	2	32463	30989	UMU	40	form-based		true		0.75	24	0.959999979	1	1	32463	30989	30989	1
4003	037	2527	0.06	770	3	65	100	3	6	3	7581	6811	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7075.600098	6305.600098	6305.600098	0.933333
4002	013A	2125	0.05	3698	2	65	100	3	5	3	6375	2677	NC-2	40	density-lim	800			0.75	3	0.600000024	1	1	6375	2677	2677	1
4002	013B	2125	0.05	2820	2	65	100	3	5	3	6375	3555	NC-2	40	density-lim	800			0.75	3	0.600000024	1	1	6375	3555	3555	1
4002	016	2500	0.06	3990	3	65	100	3	6	3	7500	3510	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	3010	3010	0.933333
4003	011	2527	0.06	3630	3	65	100	3	6	3	7581	3951	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7075.600098	3445.600098	3445.600098	0.933333
4003	034	2500	0.06	958	3	65	100	3	6	3	7500	6542	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	6042	6042	0.933333
4004	001	2862	0.07	4760	5	65	100	3	7	2	8586	3826	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	1	1	8013.600098	3253.600098	3253.600098	0.933333
4004	013	1801	0.04	1680	1	65	100	3	4	3	5403	3723	NC-2	40	density-lim	800			0.75	2	0.5	1	1	5403	3723	3723	1
4011	003	2466	0.06	2719	3	65	100	3	6	3	7398	4679	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6904.799805	4185.799805	4185.799805	0.933333
4011	005	2277	0.05	2740	3	65	100	3	5	2	6831	4091	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	6375.600098	3635.600098	3635.600098	0.933333
4011	016A	2820	0.06	3500	5	65	100	3	6	1	8460	4960	RH-3	40	density-lim	1000	true		0.7	6	1	1	1	7896	4396	4396	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4024	007B	2521	0.06	2480	3	65	100	3	6	3	7563	5083	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7058.799805	4578.799805	4578.799805	0.933333
4024	019	2500	0.06	3186	3	65	100	3	6	3	7500	4314	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	3814	3814	0.933333
4024	022	2850	0.07	2480	3	65	100	3	7	4	8550	6070	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	7980	5500	5500	0.933333
4028	001E	3682	0.08	6802	5	65	100	3	8	3	11046	4244	RH-3	40	density-lim	1000	true		0.7	6	0.75	1	1	10309.59961	3507.599609	3507.599609	0.933333
4028	001N	2466	0.06	2710	3	65	100	3	6	3	7398	4688	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6904.799805	4194.799805	4194.799805	0.933333
4028	031	2466	0.06	1331	3	65	100	3	6	3	7398	6067	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6904.799805	5573.799805	5573.799805	0.933333
4029	023	2933	0.07	3130	3	65	100	3	7	4	8799	5669	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	8212.399414	5082.399414	5082.399414	0.933333
4030	013	2500	0.06	2151	3	55	80	2.5	5	2	6250	4099	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7000	4849	4849	1.12
4030	028	2632	0.06	3807	3	65	100	3	6	3	7896	4089	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7369.600098	3562.600098	3562.600098	0.933333
4030	029	2163	0.05	3036	5	65	100	3	5	0	6489	3453	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	1	1	6056.399902	3020.399902	3020.399902	0.933333
4030	033	3112	0.07	950	3	55	80	2.5	6	3	7780	6830	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	8713.599609	7763.599609	7763.599609	1.12
4031	002	2500	0.06	2970	3	55	80	2.5	5	2	6250	3280	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7000	4030	4030	1.12
4037	023	2500	0.06	4500	3	65	100	3	6	3	7500	3000	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	2500	2500	0.933333
4037	032	2487	0.06	4114	3	65	100	3	6	3	7461	3347	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6963.600098	2849.600098	2849.600098	0.933333
4038	007	2511	0.06	3030	3	65	100	3	6	3	7533	4503	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7030.799805	4000.799805	4000.799805	0.933333
4039	025	2483	0.06	3659	3	65	100	3	6	3	7449	3790	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6952.399902	3293.399902	3293.399902	0.933333
4039	035	1753	0.04	523	3	65	100	3	4	1	5259	4736	RH-3	40	density-lim	1000			0.7	4	1	1	1	4908.399902	4385.399902	4385.399902	0.933333
4063	003B	2500	0.06	2940	3	65	100	3	6	3	7500	4560	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	4060	4060	0.933333
4064	018	2500	0.06	2994	3	65	100	3	6	3	7500	4506	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	4006	4006	0.933333
4064	019	3000	0.07	4454	3	65	100	3	7	4	9000	4546	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	8400	3946	3946	0.933333
4064	022	2500	0.06	4552	3	65	100	3	6	3	7500	2948	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	2448	2448	0.933333
4064	024	2500	0.06	4380	3	65	100	3	6	3	7500	3120	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	2620	2620	0.933333
4064	025	2500	0.06	4380	3	65	100	3	6	3	7500	3120	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	2620	2620	0.933333
4064	039	2500	0.06	4482	3	65	100	3	6	3	7500	3018	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	2518	2518	0.933333
4064	041	2700	0.06	1571	3	65	100	3	6	3	8100	6529	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7560	5989	5989	0.933333
4065	002	2345	0.05	3792	3	65	100	3	5	2	7035	3243	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6566	2774	2774	0.933333
4067	008	2502	0.06	3440	3	65	100	3	6	3	7506	4066	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7005.600098	3565.600098	3565.600098	0.933333
4067	012	2489	0.06	1390	2	65	100	3	6	4	7467	6077	NC-2	40	density-lim	800			0.75	3	0.5	1	1	7467	6077	6077	1
4067	030	1844	0.04	2085	1	65	100	3	4	3	5532	3447	NC-2	40	density-lim	800			0.75	2	0.5	1	1	5532	3447	3447	1
4067	033	3650	0.08	609	4	65	100	3	8	4	10950	10341	NC-2	40	density-lim	800	true		0.75	5	0.625	1	1	10950	10341	10341	1
4067	044	2489	0.06	1586	2	65	100	3	6	4	7467	5881	NC-2	40	density-lim	800			0.75	3	0.5	1	1	7467	5881	5881	1
4069	005	2500	0.06	2752	3	65	100	3	6	3	7500	4748	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	4248	4248	0.933333
4069	013	2500	0.06	4542	3	65	100	3	6	3	7500	2958	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	2458	2458	0.933333
4069	014	2500	0.06	3660	3	65	100	3	6	3	7500	3840	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	3340	3340	0.933333
4069	015	2500	0.06	3216	3	65	100	3	6	3	7500	4284	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	3784	3784	0.933333
4069	047	2500	0.06	1335	3	65	100	3	6	3	7500	6165	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	5665	5665	0.933333
4071	003	2467	0.06	2341	3	55	80	2.5	5	2	6168	3827	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6907.600098	4566.600098	4566.600098	1.119909
4071	013	2492	0.06	4175	2	65	100	3	6	4	7476	3301	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6977.600098	2802.600098	2802.600098	0.933333
4071	017	2492	0.06	1073	2	65	100	3	6	4	7476	6403	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6977.600098	5904.600098	5904.600098	0.933333
4071	019	2683	0.06	3433	2	55	80	2.5	5	3	6708	3275	RM-1	40	density-lim	800	true		0.7	3	0.600000024	1	1	7512.399902	4079.399902	4079.399902	1.119917
4072	023	2930	0.07	4064	3	55	80	2.5	6	3	7325	3261	RM-1	40	density-lim	800	true		0.7	4	0.666666687	1	1	8204	4140	4140	1.12
4072	024	2443	0.06	3142	3	55	80	2.5	5	2	6108	2966	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6840.399902	3698.399902	3698.399902	1.119908
4072	032	2129	0.05	3322	3	55	80	2.5	4	1	5322	2000	RH-2	40	density-lim	1500			0.7	4	1	1	1	5961.199707	2639.199707	2639.199707	1.120105
4072	036	2243	0.05	1135	2	55	80	2.5	4	2	5608	4473	RM-1	40	density-lim	800	true		0.7	3	0.75	1	1	6280.399902	5145.399902	5145.399902	1.1199
4075	001	2405	0.06	3668	5	65	100	3	6	1	7215	3547	RH-2	40	density-lim	1500	true		0.7	6	1	1	1	6734	3066	3066	0.933333
4073	018A	2500	0.06	2720	3	65	100	3	6	3	7500	4780	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	4280	4280	0.933333
4073	032	3620	0.08	1820	3	55	80	2.5	6	3	9050	7230	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	10136	8316	8316	1.12
4073	035	2516	0.06	1248	3	55	80	2.5	5	2	6290	5042	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7044.799805	5796.799805	5796.799805	1.12
4074	013	1410	0.03	1832	1	65	100	3	3	2	4230	2398	RM-1	40	density-lim	800			0.7	2	0.666666687	1	1	3948	2116	2116	0.933333
4074	013A	2067	0.05	1900	2	65	100	3	5	3	6201	4301	RM-1	40	density-lim	800			0.7	3	0.600000024	1	1	5787.600098	3887.600098	3887.600098	0.933333
4074	014	2227	0.05	1900	2	65	100	3	5	3	6681	4781	RM-1	40	density-lim	800			0.7	3	0.600000024	1	1	6235.600098	4335.600098	4335.600098	0.933333
4075	006	2466	0.06	2770	3	65	100	3	6	3	7398	4628	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6904.799805	4134.799805	4134.799805	0.933333
4075	007	2466	0.06	2770	3	65	100	3	6	3	7398	4628	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6904.799805	4134.799805	4134.799805	0.933333
4081	054	5094	0.12	9600	18	65	100	3	12	0	15282	5682	UMU	68	form-based				0.75	19	1.583333373	1	1	22923	13323	13323	1.5
4084	005	2602	0.06	2660	3	55	80	2.5	5	2	6505	3845	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7285.600098	4625.600098	4625.600098	1.12
4084	007	2598	0.06	2366	3	55	80	2.5	5	2	6495	4129	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7274.399902	4908.399902	4908.399902	1.12
4084	011	2591	0.06	2808	3	55	80	2.5	5	2	6478	3670	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7254.799805	4446.799805	4446.799805	1.119914
4084	016	2600	0.06	2810	3	55	80	2.5	5	2	6500	3690	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7280	4470	4470	1.12
4084	019	2606	0.06	4875	3	65	100	3	6	3	7818	2943	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7296.799805	2421.799805	2421.799805	0.933333
4084	020	2605	0.06	2838	3	65	100	3	6	3	7815	4977	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7294	4456	4456	0.933333
4084	021	2604	0.06	2768	3	55	80	2.5	5	2	6510	3742	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7291.199707	4523.199707	4523.199707	1.12
4085	010	2594	0.06	2667	3	65	100	3	6	3	7782	5115	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7263.199707	4596.199707	4596.199707	0.933333
4085	019	2600	0.06	2140	2	65	100	3	6	4	7800	5660	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7280	5140	5140	0.933333
4085	024	2600	0.06	3672	3	65	100	3	6	3	7800	4128	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7280	3608	3608	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4085	043	2616	0.06	1267	2	65	100	3	6	4	7848	6581	RM-1	45	density-lim	800			0.7	3	0.5	1	1	7324.799805	6057.799805	6057.799805	0.933333
4085	054	2600	0.06	1360	2	65	100	3	6	4	7800	6440	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7280	5920	5920	0.933333
4086	002	2500	0.06	2150	2	65	100	3	6	4	7500	5350	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	4850	4850	0.933333
4087	003	2508	0.06	2572	2	65	100	3	6	4	7524	4952	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7022.399902	4450.399902	4450.399902	0.933333
4087	009	2501	0.06	3490	3	65	100	3	6	3	7503	4013	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7002.799805	3512.799805	3512.799805	0.933333
4087	015	2495	0.06	3448	3	65	100	3	6	3	7485	4037	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6986	3538	3538	0.933333
4087	022	1761	0.04	1254	1	65	100	3	4	3	5283	4029	RM-1	40	density-lim	800			0.7	2	0.5	1	1	4930.799805	3676.799805	3676.799805	0.933333
4087	023	1761	0.04	1906	1	65	100	3	4	3	5283	3377	RM-1	40	density-lim	800			0.7	2	0.5	1	1	4930.799805	3024.799805	3024.799805	0.933333
4087	025	1875	0.04	1015	1	65	100	3	4	3	5625	4610	RM-1	40	density-lim	800			0.7	2	0.5	1	1	5250	4235	4235	0.933333
4087	026	2500	0.06	4350	2	65	100	3	6	4	7500	3150	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	2650	2650	0.933333
4087	029	2350	0.05	2565	2	65	100	3	5	3	7050	4485	RM-1	40	density-lim	800			0.7	3	0.600000024	1	1	6580	4015	4015	0.933333
4087	032	2500	0.06	3099	2	65	100	3	6	4	7500	4401	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	3901	3901	0.933333
4087	034	2500	0.06	3148	2	65	100	3	6	4	7500	4352	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	3852	3852	0.933333
4087	035	2500	0.06	3200	2	65	100	3	6	4	7500	4300	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	3800	3800	0.933333
4087	036	2500	0.06	2952	2	65	100	3	6	4	7500	4548	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	4048	4048	0.933333
4087	038	2500	0.06	3307	2	65	100	3	6	4	7500	4193	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	3693	3693	0.933333
4087	041	1872	0.04	2693	1	65	100	3	4	3	5616	2923	RM-1	45	density-lim	800			0.7	2	0.5	1	1	5241.600098	2548.600098	2548.600098	0.933333
4087	047	2500	0.06	1193	2	65	100	3	6	4	7500	6307	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	5807	5807	0.933333
4087	049	2500	0.06	1111	2	65	100	3	6	4	7500	6389	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	5889	5889	0.933333
4088	012	2500	0.06	2850	3	65	100	3	6	3	7500	4650	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	4150	4150	0.933333
4088	037C	1605	0.04	2760	3	65	100	3	4	1	4815	2055	RH-2	40	density-lim	1500			0.7	4	1	1	1	4494	1734	1734	0.933333
4093	018	2700	0.06	2795	3	65	100	3	6	3	8100	5305	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7560	4765	4765	0.933333
4093	065	5000	0.11	3046	3	65	100	3	11	8	15000	11954	RH-2	40	density-lim	1500			0.7	4	0.363636374	1	1	14000	10954	10954	0.933333
4093	071	2592	0.06	2528	3	65	100	3	6	3	7776	5248	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7257.600098	4729.600098	4729.600098	0.933333
4093	096	1860	0.04	1872	3	65	100	3	4	1	5580	3708	RH-2	40	density-lim	1500			0.7	4	1	1	1	5208	3336	3336	0.933333
4093	099	5400	0.12	1006	3	65	100	3	12	9	16200	15194	RH-2	40	density-lim	1500			0.7	4	0.333333343	1	1	15120	14114	14114	0.933333
4093	112	2334	0.05	1625	3	65	100	3	5	2	7002	5377	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	6535.199707	4910.199707	4910.199707	0.933333
4094	017	2500	0.06	1922	3	55	80	2.5	5	2	6250	4328	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7000	5078	5078	1.12
4094	025	2500	0.06	1250	3	65	100	3	6	3	7500	6250	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	5750	5750	0.933333
4094	120	2500	0.06	1525	3	55	80	2.5	5	2	6250	4725	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7000	5475	5475	1.12
4095	064	2500	0.06	2014	3	55	80	2.5	5	2	6250	4236	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	7000	4986	4986	1.12
4095	075	2519	0.06	1775	3	65	100	3	6	3	7557	5782	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7053.199707	5278.199707	5278.199707	0.933333
4095	082	2500	0.06	1024	3	65	100	3	6	3	7500	6476	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	5976	5976	0.933333
4096	012	2467	0.06	2720	3	65	100	3	6	3	7401	4681	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6907.600098	4187.600098	4187.600098	0.933333
4096	035	2500	0.06	2292	3	65	100	3	6	3	7500	5208	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	4708	4708	0.933333
4096	054	2500	0.06	1575	3	65	100	3	6	3	7500	5925	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	5425	5425	0.933333
4098	001A	2505	0.06	2454	3	65	100	3	6	3	7515	5061	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7014	4560	4560	0.933333
4098	005	2507	0.06	2616	3	65	100	3	6	3	7521	4905	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7019.600098	4403.600098	4403.600098	0.933333
4098	028	2600	0.06	3242	3	65	100	3	6	3	7800	4558	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7280	4038	4038	0.933333
4098	029	2600	0.06	3322	3	65	100	3	6	3	7800	4478	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7280	3958	3958	0.933333
4098	032	2600	0.06	3518	3	65	100	3	6	3	7800	4282	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7280	3762	3762	0.933333
4098	043	2509	0.06	933	3	65	100	3	6	3	7527	6594	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7025.199707	6092.199707	6092.199707	0.933333
4099	017	2509	0.06	3729	3	65	100	3	6	3	7527	3798	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7025.199707	3296.199707	3296.199707	0.933333
4099	050	3000	0.07	2238	3	65	100	3	7	4	9000	6762	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	8400	6162	6162	0.933333
4099	056C	1811	0.04	3145	1	65	100	3	4	3	5433	2288	NC-2	40	density-lim	800	true		0.75	2	0.5	1	1	5433	2288	2288	1
4100	030B	2463	0.06	4400	2	65	100	3	6	4	7389	2989	NC-2	40	density-lim	800	true		0.75	3	0.5	1	1	7389	2989	2989	1
4101	004	2516	0.06	3217	3	75	120	3.5	7	4	8806	5589	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	7044.799805	3827.799805	3827.799805	0.8
4101	162	2450	0.06	807	3	75	120	3.5	7	4	8575	7768	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	6860	6053	6053	0.8
4102	007	2539	0.06	2079	3	75	120	3.5	7	4	8886	6807	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	7109.199707	5030.199707	5030.199707	0.800045
4103	015	2500	0.06	2860	3	75	120	3.5	7	4	8750	5890	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	7000	4140	4140	0.8
4103	038	5047	0.12	2182	3	75	120	3.5	14	11	17664	15482	RH-2	40	density-lim	1500			0.7	4	0.285714298	1	1	14131.59961	11949.59961	11949.59961	0.800023
4104	007	2631	0.06	2378	3	75	120	3.5	7	4	9208	6830	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	7366.799805	4988.799805	4988.799805	0.800043
4104	011	3127	0.07	2466	3	75	120	3.5	8	5	10944	8478	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	8755.599609	6289.599609	6289.599609	0.800036
4104	045	2515	0.06	3600	3	75	120	3.5	7	4	8802	5202	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	7042	3442	3442	0.800045
4106	004	2500	0.06	3108	3	75	120	3.5	7	4	8750	5642	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7000	3892	3892	0.8
4106	013	2500	0.06	4800	3	75	120	3.5	7	4	8750	3950	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7000	2200	2200	0.8
4107	017	2500	0.06	3750	3	75	120	3.5	7	4	8750	5000	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7000	3250	3250	0.8
4107	048	4950	0.11	1184	10	75	120	3.5	13	3	17325	16141	UMU	40	form-based				0.75	11	0.846153855	1	1	14850	13666	13666	0.857143
4108	014	2500	0.06	3150	3	75	120	3.5	7	4	8750	5600	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7000	3850	3850	0.8
4143	009	2500	0.06	4170	3	65	100	3	6	3	7500	3330	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	2830	2830	0.933333
4143	010	2500	0.06	4170	3	65	100	3	6	3	7500	3330	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	2830	2830	0.933333
4143	019	2438	0.06	2600	2	65	100	3	6	4	7314	4714	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6826.399902	4226.399902	4226.399902	0.933333
4143	020	2437	0.06	2426	2	65	100	3	6	4	7311	4885	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6823.600098	4397.600098	4397.600098	0.933333
4143	022	2365	0.05	2880	3	65	100	3	5	2	7095	4215	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6622	3742	3742	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4143	027	2495	0.06	3760	3	65	100	3	6	3	7485	3725	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6986	3226	3226	0.933333
4143	037	2437	0.06	2720	2	65	100	3	6	4	7311	4591	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6823.600098	4103.600098	4103.600098	0.933333
4143	037A	2432	0.06	2720	2	65	100	3	6	4	7296	4576	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6809.600098	4089.600098	4089.600098	0.933333
4143	040	2438	0.06	1930	2	65	100	3	6	4	7314	5384	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6826.399902	4896.399902	4896.399902	0.933333
4144	003	2750	0.06	2067	3	65	100	3	6	3	8250	6183	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7700	5633	5633	0.933333
4144	006	2500	0.06	4124	3	65	100	3	6	3	7500	3376	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	2876	2876	0.933333
4144	021	2471	0.06	3160	2	65	100	3	6	4	7413	4253	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6918.799805	3758.799805	3758.799805	0.933333
4144	022	2472	0.06	2380	2	65	100	3	6	4	7416	5036	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6921.600098	4541.600098	4541.600098	0.933333
4144	026	2476	0.06	3002	2	65	100	3	6	4	7428	4426	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6932.799805	3930.799805	3930.799805	0.933333
4144	027	2476	0.06	2678	2	65	100	3	6	4	7428	4750	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6932.799805	4254.799805	4254.799805	0.933333
4144	028	2477	0.06	3225	2	65	100	3	6	4	7431	4206	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6935.600098	3710.600098	3710.600098	0.933333
4144	029	2478	0.06	4548	2	65	100	3	6	4	7434	2886	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6938.399902	2390.399902	2390.399902	0.933333
4144	033	2482	0.06	2520	2	65	100	3	6	4	7446	4926	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6949.600098	4429.600098	4429.600098	0.933333
4144	034	2483	0.06	2740	2	65	100	3	6	4	7449	4709	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6952.399902	4212.399902	4212.399902	0.933333
4144	038	2045	0.05	3360	2	65	100	3	5	3	6135	2775	RM-1	40	density-lim	800			0.7	3	0.600000024	1	1	5726	2366	2366	0.933333
4144	048	2961	0.07	1852	3	65	100	3	7	4	8883	7031	RM-1	40	density-lim	800	true		0.7	4	0.571428597	1	1	8290.799805	6438.799805	6438.799805	0.933333
4145	002	2500	0.06	2844	2	65	100	3	6	4	7500	4656	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	4156	4156	0.933333
4145	003	2500	0.06	2846	2	65	100	3	6	4	7500	4654	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	4154	4154	0.933333
4145	015	2500	0.06	1725	2	65	100	3	6	4	7500	5775	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	5275	5275	0.933333
4145	018	2500	0.06	3900	3	65	100	3	6	3	7500	3600	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	3100	3100	0.933333
4145	029	2497	0.06	2484	3	65	100	3	6	3	7491	5007	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6991.600098	4507.600098	4507.600098	0.933333
4146	017	2419	0.06	4416	3	65	100	3	6	3	7257	2841	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6773.199707	2357.199707	2357.199707	0.933333
4146	021	2600	0.06	4460	5	65	100	3	6	1	7800	3340	RH-3	40	density-lim	1000	true		0.7	6	1	1	1	7280	2820	2820	0.933333
4146	051	2639	0.06	1623	3	65	100	3	6	3	7917	6294	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7389.199707	5766.199707	5766.199707	0.933333
4147	018	2465	0.06	3900	3	65	100	3	6	3	7395	3495	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6902	3002	3002	0.933333
4147	020	2465	0.06	2124	5	65	100	3	6	1	7395	5271	RH-3	40	density-lim	1000	true		0.7	6	1	1	1	6902	4778	4778	0.933333
4148	029	4771	0.11	6600	5	65	100	3	11	6	14313	7713	RH-3	40	density-lim	1000	true		0.7	6	0.545454562	1	1	13358.7998	6758.799805	6758.799805	0.933333
4148	045	3000	0.07	6138	3	65	100	3	7	4	9000	2862	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8400	2262	2262	0.933333
4149	001A	1500	0.03	3150	3	65	100	3	3	0	4500	1350	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	4200	1050	1050	0.933333
4149	002	2597	0.06	2808	3	65	100	3	6	3	7791	4983	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7271.600098	4463.600098	4463.600098	0.933333
4149	008	2608	0.06	1598	3	65	100	3	6	3	7824	6226	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7302.399902	5704.399902	5704.399902	0.933333
4149	009	2609	0.06	3294	3	65	100	3	6	3	7827	4533	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7305.199707	4011.199707	4011.199707	0.933333
4149	010	2611	0.06	3525	3	65	100	3	6	3	7833	4308	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7310.799805	3785.799805	3785.799805	0.933333
4149	016	2600	0.06	4365	3	65	100	3	6	3	7800	3435	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7280	2915	2915	0.933333
4149	029	2600	0.06	2142	3	65	100	3	6	3	7800	5658	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7280	5138	5138	0.933333
4149	034A	2524	0.06	1932	3	65	100	3	6	3	7572	5640	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7067.199707	5135.199707	5135.199707	0.933333
4149	048	2600	0.06	1301	3	65	100	3	6	3	7800	6499	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7280	5979	5979	0.933333
4150	005	2500	0.06	2378	2	65	100	3	6	4	7500	5122	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	4622	4622	0.933333
4150	006	2500	0.06	2372	2	65	100	3	6	4	7500	5128	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	4628	4628	0.933333
4150	007	2500	0.06	2372	2	65	100	3	6	4	7500	5128	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	4628	4628	0.933333
4150	009	2600	0.06	1777	2	65	100	3	6	4	7800	6023	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7280	5503	5503	0.933333
4150	019	2629	0.06	3190	3	65	100	3	6	3	7887	4697	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7361.199707	4171.199707	4171.199707	0.933333
4151	011	1575	0.04	2450	1	65	100	3	4	3	4725	2275	RM-1	40	density-lim	800	true		0.7	2	0.5	1	1	4410	1960	1960	0.933333
4151	025	2125	0.05	2875	2	65	100	3	5	3	6375	3500	RM-1	40	density-lim	800			0.7	3	0.600000024	1	1	5950	3075	3075	0.933333
4151	027	2125	0.05	1212	2	65	100	3	5	3	6375	5163	RM-1	40	density-lim	800			0.7	3	0.600000024	1	1	5950	4738	4738	0.933333
4151	034	1725	0.04	885	1	65	100	3	4	3	5175	4290	RM-1	40	density-lim	800			0.7	2	0.5	1	1	4830	3945	3945	0.933333
4152	002	1250	0.03	1195	1	65	100	3	3	2	3750	2555	RM-1	40	density-lim	800			0.7	2	0.666666687	1	1	3500	2305	2305	0.933333
4152	003	1250	0.03	825	1	65	100	3	3	2	3750	2925	RM-1	40	density-lim	800			0.7	2	0.666666687	1	1	3500	2675	2675	0.933333
4152	007	2488	0.06	3290	3	65	100	3	6	3	7464	4174	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6966.399902	3676.399902	3676.399902	0.933333
4152	010	2487	0.06	3450	3	65	100	3	6	3	7461	4011	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6963.600098	3513.600098	3513.600098	0.933333
4152	021	1247	0.03	1814	1	65	100	3	3	2	3741	1927	RM-1	40	density-lim	800			0.7	2	0.666666687	1	1	3491.599854	1677.599854	1677.599854	0.933333
4152	021A	1270	0.03	1454	1	65	100	3	3	2	3810	2356	RM-1	40	density-lim	800			0.7	2	0.666666687	1	1	3556	2102	2102	0.933333
4152	030	2500	0.06	2900	3	65	100	3	6	3	7500	4600	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	4100	4100	0.933333
4152	033	2500	0.06	3100	3	65	100	3	6	3	7500	4400	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	3900	3900	0.933333
4152	047	2484	0.06	1866	3	65	100	3	6	3	7452	5586	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6955.199707	5089.199707	5089.199707	0.933333
4152	049	2459	0.06	903	2	65	100	3	6	4	7377	6474	RM-1	40	density-lim	800			0.7	3	0.5	1	1	6885.199707	5982.199707	5982.199707	0.933333
4152	051	2500	0.06	960	3	65	100	3	6	3	7500	6540	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	6040	6040	0.933333
4158	002	2501	0.06	1641	3	55	80	2.5	5	2	6252	4611	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7002.799805	5361.799805	5361.799805	1.12009
4158	050	2500	0.06	2050	3	65	100	3	6	3	7500	5450	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	4950	4950	0.933333
4158	051	2500	0.06	2121	3	65	100	3	6	3	7500	5379	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	4879	4879	0.933333
4158	060	2500	0.06	2769	3	65	100	3	6	3	7500	4731	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	4231	4231	0.933333
4159	006	2509	0.06	4458	3	65	100	3	6	3	7527	3069	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7025.199707	2567.199707	2567.199707	0.933333
4160	002	2475	0.06	1433	3	65	100	3	6	3	7425	5992	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6930	5497	5497	0.933333
4160	007	2476	0.06	2092	3	65	100	3	6	3	7428	5336	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6932.799805	4840.799805	4840.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4160	022	2481	0.06	2217	3	65	100	3	6	3	7443	5226	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6946.799805	4729.799805	4729.799805	0.933333
4160	036	2500	0.06	3081	3	65	100	3	6	3	7500	4419	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	3919	3919	0.933333
4160	041	2500	0.06	3420	3	65	100	3	6	3	7500	4080	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	3580	3580	0.933333
4160	057	2500	0.06	2318	3	65	100	3	6	3	7500	5182	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	4682	4682	0.933333
4161	039	4100	0.09	3195	3	65	100	3	9	6	12300	9105	RH-2	40	density-lim	1500			0.7	4	0.444444448	1	1	11480	8285	8285	0.933333
4161	067	2516	0.06	3702	3	65	100	3	6	3	7548	3846	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7044.799805	3342.799805	3342.799805	0.933333
4162	077	6825	0.16	1323	8	65	100	3	16	8	20475	19152	NC-1	40	density-lim	800			0.75	9	0.5625	1	1	20475	19152	19152	1
4171	002	2500	0.06	3300	3	75	120	3.5	7	4	8750	5450	RH-3	45	density-lim	1000			0.7	4	0.571428597	1	1	7000	3700	3700	0.8
4171	014	4863	0.11	3080	4	75	120	3.5	13	9	17020	13940	RH-3	40	density-lim	1000			0.7	5	0.384615391	1	1	13616.39941	10536.39941	10536.39941	0.800023
4171	025	2508	0.06	1204	3	75	120	3.5	7	4	8778	7574	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7022.399902	5818.399902	5818.399902	0.8
4171	028	2500	0.06	1492	3	75	120	3.5	7	4	8750	7258	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7000	5508	5508	0.8
4206	004	2610	0.06	3108	3	65	100	3	6	3	7830	4722	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7308	4200	4200	0.933333
4206	009	3915	0.09	3795	3	65	100	3	9	6	11745	7950	RH-2	40	density-lim	1500			0.7	4	0.444444448	1	1	10962	7167	7167	0.933333
4206	023	2600	0.06	2409	3	65	100	3	6	3	7800	5391	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7280	4871	4871	0.933333
4206	027	2600	0.06	2625	3	65	100	3	6	3	7800	5175	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7280	4655	4655	0.933333
4206	037	1123	0.03	2895	3	65	100	3	3	0	3369	474	RH-2	40	density-lim	1500			0.7	4	1.333333373	1	1	3144.399902	249.3999023	249.3999023	0.933333
4206	050	1977	0.05	1759	3	65	100	3	5	2	5931	4172	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	5535.600098	3776.600098	3776.600098	0.933333
4207	012	2596	0.06	3366	3	65	100	3	6	3	7788	4422	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7268.799805	3902.799805	3902.799805	0.933333
4207	013	2596	0.06	2690	3	65	100	3	6	3	7788	5098	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7268.799805	4578.799805	4578.799805	0.933333
4207	020	2067	0.05	5400	4	65	100	3	5	1	6201	801	NCT-24TH-	45	form-based		true		0.75	5	1	1	1	6201	801	801	1
4207	025	2500	0.06	2270	3	65	100	3	6	3	7500	5230	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	4730	4730	0.933333
4208	012	2585	0.06	4044	3	65	100	3	6	3	7755	3711	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7238	3194	3194	0.933333
4208	037	2620	0.06	905	2	65	100	3	6	4	7860	6955	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7336	6431	6431	0.933333
4209	006	2131	0.05	3510	3	65	100	3	5	2	6393	2883	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	5966.799805	2456.799805	2456.799805	0.933333
4209	016	2600	0.06	6259	5	65	100	3	6	1	7800	1541	NCT-24TH-	45	form-based				0.75	6	1	1	1	7800	1541	1541	1
4209	027	3075	0.07	2376	3	65	100	3	7	4	9225	6849	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	8610	6234	6234	0.933333
4209	031	2600	0.06	2923	3	65	100	3	6	3	7800	4877	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7280	4357	4357	0.933333
4210	001	2352	0.05	2886	2	65	100	3	5	3	7056	4170	RM-1	40	density-lim	800	true		0.7	3	0.600000024	1	1	6585.600098	3699.600098	3699.600098	0.933333
4210	028	2600	0.06	1762	3	65	100	3	6	3	7800	6038	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7280	5518	5518	0.933333
4210	034	2610	0.06	2212	2	65	100	3	6	4	7830	5618	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7308	5096	5096	0.933333
4211	004	2486	0.06	2500	3	65	100	3	6	3	7458	4958	RH-3	55	density-lim	1000			0.7	4	0.666666687	1	1	8701	6201	6201	1.166667
4211	013	2486	0.06	5225	3	65	100	3	6	3	7458	2233	RH-3	55	density-lim	1000			0.7	4	0.666666687	1	1	8701	3476	3476	1.166667
4211	041	2486	0.06	1315	3	65	100	3	6	3	7458	6143	RH-3	55	density-lim	1000			0.7	4	0.666666687	1	1	8701	7386	7386	1.166667
4212	007	2500	0.06	2760	3	65	100	3	6	3	7500	4740	RH-3	55	density-lim	1000			0.7	4	0.666666687	1	1	8750	5990	5990	1.166667
4212	023	2500	0.06	1471	3	65	100	3	6	3	7500	6029	RH-3	55	density-lim	1000			0.7	4	0.666666687	1	1	8750	7279	7279	1.166667
4214	009	2468	0.06	4410	3	65	100	3	6	3	7404	2994	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6910.399902	2500.399902	2500.399902	0.933333
4214	012	2500	0.06	2584	2	65	100	3	6	4	7500	4916	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	4416	4416	0.933333
4214	013	2500	0.06	3120	2	65	100	3	6	4	7500	4380	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	3880	3880	0.933333
4214	015	2500	0.06	2410	2	65	100	3	6	4	7500	5090	RM-1	40	density-lim	800			0.7	3	0.5	1	1	7000	4590	4590	0.933333
4214	017	2496	0.06	3000	2	65	100	3	6	4	7488	4488	RM-1	40	density-lim	800	true		0.7	3	0.5	1	1	6988.799805	3988.799805	3988.799805	0.933333
4214	018	2497	0.06	4565	3	65	100	3	6	3	7491	2926	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6991.600098	2426.600098	2426.600098	0.933333
4217	025	2500	0.06	2090	3	55	80	2.5	5	2	6250	4160	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7000	4910	4910	1.12
4217	030	2520	0.06	1981	3	65	100	3	6	3	7560	5579	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7056	5075	5075	0.933333
4218	002A	2500	0.06	3528	3	65	100	3	6	3	7500	3972	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	3472	3472	0.933333
4218	033	3333	0.08	3488	3	65	100	3	8	5	9999	6511	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	9332.399414	5844.399414	5844.399414	0.933333
4218	034	3333	0.08	3488	3	65	100	3	8	5	9999	6511	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	9332.399414	5844.399414	5844.399414	0.933333
4224	030	2500	0.06	4443	3	65	100	3	6	3	7500	3057	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	2557	2557	0.933333
4224	064	7500	0.17	945	16	75	120	3.5	20	4	26250	25305	UMU	40	form-based				0.75	17	0.850000024	1	1	22500	21555	21555	0.857143
4224	091	2500	0.06	1212	3	65	100	3	6	3	7500	6288	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	5788	5788	0.933333
4224	094	12058	0.28	1464	26	75	120	3.5	34	8	42203	40739	UMU	40	form-based				0.75	27	0.79411763	1	1	36174	34710	34710	0.857143
4224	122	2500	0.06	1364	3	65	100	3	6	3	7500	6136	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	5636	5636	0.933333
4224	173	2500	0.06	1630	3	65	100	3	6	3	7500	5870	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	5370	5370	0.933333
4259	019	2485	0.06	2980	3	55	80	2.5	5	2	6212	3232	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6958	3978	3978	1.12009
4260	006A	2500	0.06	2390	3	55	80	2.5	5	2	6250	3860	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7000	4610	4610	1.12
4260	032	2500	0.06	1305	3	65	100	3	6	3	7500	6195	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	5695	5695	0.933333
4262	017	2500	0.06	2447	3	65	100	3	6	3	7500	5053	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	4553	4553	0.933333
4263	002	2500	0.06	2275	3	65	100	3	6	3	7500	5225	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	4725	4725	0.933333
4263	003	2500	0.06	2848	3	65	100	3	6	3	7500	4652	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	4152	4152	0.933333
4263	012A	2618	0.06	3286	3	65	100	3	6	3	7854	4568	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7330.399902	4044.399902	4044.399902	0.933333
4263	013	3283	0.08	2780	3	65	100	3	8	5	9849	7069	RH-3	40	density-lim	1000			0.7	4	0.5	1	1	9192.399414	6412.399414	6412.399414	0.933333
4263	027	2492	0.06	3090	3	65	100	3	6	3	7476	4386	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6977.600098	3887.600098	3887.600098	0.933333
4264	021	2899	0.07	3284	3	85	140	4	10	7	11596	8312	RH-3	40	density-lim	1000			0.7	4	0.400000006	1	1	8117.199707	4833.199707	4833.199707	0.7
4264	029	5046	0.12	1209	4	85	140	4	17	13	20184	18975	RH-3	40	density-lim	1000			0.7	5	0.294117659	1	1	14128.7998	12919.7998	12919.7998	0.7
4264	035	2506	0.06	1116	3	65	100	3	6	3	7518	6402	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7016.799805	5900.799805	5900.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4264	038	2506	0.06	1240	3	65	100	3	6	3	7518	6278	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7016.799805	5776.799805	5776.799805	0.933333
4265	007A	4931	0.11	4140	4	65	100	3	11	7	14793	10653	RH-3	55	density-lim	1000			0.7	5	0.454545468	1	1	17258.5	13118.5	13118.5	1.166667
4266	011	1931	0.04	2394	3	65	100	3	4	1	5793	3399	RH-3	40	density-lim	1000			0.7	4	1	1	1	5406.799805	3012.799805	3012.799805	0.933333
4266	013	2458	0.06	5357	3	65	100	3	6	3	7374	2017	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6882.399902	1525.399902	1525.399902	0.933333
4266	039	2608	0.06	1065	3	65	100	3	6	3	7824	6759	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7302.399902	6237.399902	6237.399902	0.933333
4266	042	2508	0.06	1540	3	65	100	3	6	3	7524	5984	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7022.399902	5482.399902	5482.399902	0.933333
4267	011	2618	0.06	2272	3	65	100	3	6	3	7854	5582	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7330.399902	5058.399902	5058.399902	0.933333
4267	031	1570	0.04	2760	3	65	100	3	4	1	4710	1950	NCT-24TH-	45	form-based				0.75	4	1	1	1	4710	1950	1950	1
4267	032	1571	0.04	3480	3	65	100	3	4	1	4713	1233	NCT-24TH-	45	form-based				0.75	4	1	1	1	4713	1233	1233	1
4268	005	5169	0.12	1900	4	65	100	3	12	8	15507	13607	RH-3	40	density-lim	1000			0.7	5	0.416666657	1	1	14473.2002	12573.2002	12573.2002	0.933333
4268	007	2485	0.06	4239	3	65	100	3	6	3	7455	3216	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6958	2719	2719	0.933333
4268	007A	2485	0.06	4239	3	65	100	3	6	3	7455	3216	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6958	2719	2719	0.933333
4268	017	2600	0.06	2477	3	65	100	3	6	3	7800	5323	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7280	4803	4803	0.933333
4268	032	3144	0.07	5046	6	65	100	3	7	1	9432	4386	NCT-24TH-	45	form-based				0.75	7	1	1	1	9432	4386	4386	1
4268	039	2600	0.06	1584	3	65	100	3	6	3	7800	6216	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7280	5696	5696	0.933333
4269	007	2600	0.06	3374	3	65	100	3	6	3	7800	4426	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7280	3906	3906	0.933333
4269	029	2751	0.06	1650	5	65	100	3	6	1	8253	6603	NCT-24TH-	45	form-based				0.75	6	1	1	1	8253	6603	6603	1
4270	028	2600	0.06	2715	3	65	100	3	6	3	7800	5085	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7280	4565	4565	0.933333
4270	051	2606	0.06	4896	3	65	100	3	6	3	7818	2922	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7296.799805	2400.799805	2400.799805	0.933333
4271	006	2515	0.06	3174	3	65	100	3	6	3	7545	4371	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7042	3868	3868	0.933333
4271	012	2496	0.06	2873	3	65	100	3	6	3	7488	4615	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6988.799805	4115.799805	4115.799805	0.933333
4271	029	2500	0.06	4155	3	65	100	3	6	3	7500	3345	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	2845	2845	0.933333
4271	031	2500	0.06	3120	3	65	100	3	6	3	7500	4380	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	3880	3880	0.933333
4271	038	2587	0.06	4739	5	65	100	3	6	1	7761	3022	RH-2	40	density-lim	1500	true		0.7	6	1	1	1	7243.600098	2504.600098	2504.600098	0.933333
4271	063	2500	0.06	1096	3	65	100	3	6	3	7500	6404	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	5904	5904	0.933333
4271	068	2600	0.06	1458	5	65	100	3	6	1	7800	6342	RH-2	40	density-lim	1500	true		0.7	6	1	1	1	7280	5822	5822	0.933333
4272	001	3038	0.07	2790	5	65	100	3	7	2	9114	6324	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	1	1	8506.399414	5716.399414	5716.399414	0.933333
4272	016	2497	0.06	2105	3	65	100	3	6	3	7491	5386	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6991.600098	4886.600098	4886.600098	0.933333
4272	017	3241	0.07	4617	5	65	100	3	7	2	9723	5106	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	1	1	9074.799805	4457.799805	4457.799805	0.933333
4272	031	4000	0.09	3000	3	65	100	3	9	6	12000	9000	RH-2	40	density-lim	1500			0.7	4	0.444444448	1	1	11200	8200	8200	0.933333
4273	016	2000	0.05	1750	3	65	100	3	5	2	6000	4250	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	5600	3850	3850	0.933333
4273	026	2661	0.06	4310	5	65	100	3	6	1	7983	3673	RH-2	40	density-lim	1500	true		0.7	6	1	1	1	7450.799805	3140.799805	3140.799805	0.933333
4273	036	2485	0.06	1355	3	65	100	3	6	3	7455	6100	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6958	5603	5603	0.933333
4274	005	2618	0.06	2252	3	65	100	3	6	3	7854	5602	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7330.399902	5078.399902	5078.399902	0.933333
4274	016	2333	0.05	3540	3	65	100	3	5	2	6999	3459	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	6532.399902	2992.399902	2992.399902	0.933333
4274	020	2667	0.06	4005	3	65	100	3	6	3	8001	3996	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7467.600098	3462.600098	3462.600098	0.933333
4274	026	2750	0.06	3945	3	65	100	3	6	3	8250	4305	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7700	3755	3755	0.933333
4275	013A	4500	0.1	5762	5	65	100	3	10	5	13500	7738	RH-2	40	density-lim	1500	true		0.7	6	0.600000024	1	1	12600	6838	6838	0.933333
4275	021	3000	0.07	3327	3	65	100	3	7	4	9000	5673	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	8400	5073	5073	0.933333
4281A	003	2517	0.06	3328	3	55	80	2.5	5	2	6292	2964	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7047.600098	3719.600098	3719.600098	1.120089
4281A	008	2517	0.06	2482	3	55	80	2.5	5	2	6292	3810	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7047.600098	4565.600098	4565.600098	1.120089
4334	021	13524	0.31	960	8	65	100	3	31	23	40572	39612	RH-2	40	density-lim	1500			0.7	9	0.290322572	1	1	37867.19922	36907.19922	36907.19922	0.933333
4335	001D	2500	0.06	1636	3	65	100	3	6	3	7500	5864	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	5364	5364	0.933333
4335	001E	2500	0.06	1880	3	55	80	2.5	5	2	6250	4370	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7000	5120	5120	1.12
4336	002	2500	0.06	3338	3	55	80	2.5	5	2	6250	2912	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7000	3662	3662	1.12
4336	005	2500	0.06	2643	3	55	80	2.5	5	2	6250	3607	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7000	4357	4357	1.12
4336	007B	2918	0.07	4200	4	55	80	2.5	6	2	7295	3095	NC-3	40	density-lim	600	true		0.75	5	0.833333313	1	1	8754	4554	4554	1.2
4336	012	2485	0.06	4374	3	55	80	2.5	5	2	6212	1838	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6958	2584	2584	1.12009
4337	009A	1515	0.03	3336	3	55	80	2.5	2	0	3788	452	RH-2	40	density-lim	1500			0.7	4	2	1	1	4242	906	906	1.119852
5505	011	1960	0.04	2070	3	55	80	2.5	3	0	4900	2830	RH-2	40	density-lim	1500			0.7	4	1.333333373	1	1	5488	3418	3418	1.12
5505	017	2089	0.05	4490	5	55	80	2.5	4	0	5222	732	RH-2	40	density-lim	1500	true		0.7	6	1.5	1	1	5849.199707	1359.199707	1359.199707	1.120107
5506	002A	1646	0.04	2325	3	55	80	2.5	3	0	4115	1790	RH-2	40	density-lim	1500			0.7	4	1.333333373	1	1	4608.799805	2283.799805	2283.799805	1.12
5506	009	1989	0.05	2665	3	55	80	2.5	4	1	4972	2307	RH-2	40	density-lim	1500			0.7	4	1	1	1	5569.199707	2904.199707	2904.199707	1.120113
5506	012	1992	0.05	3059	3	55	80	2.5	4	1	4980	1921	RH-2	40	density-lim	1500			0.7	4	1	1	1	5577.600098	2518.600098	2518.600098	1.12
5513	015	2500	0.06	1338	3	55	80	2.5	5	2	6250	4912	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7000	5662	5662	1.12
5513	017	2500	0.06	2038	3	55	80	2.5	5	2	6250	4212	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7000	4962	4962	1.12
5514	014	4500	0.1	3222	3	55	80	2.5	8	5	11250	8028	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	12600	9378	9378	1.12
5514	023	2500	0.06	2925	3	55	80	2.5	5	2	6250	3325	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7000	4075	4075	1.12
5514	030	5242	0.12	3462	3	55	80	2.5	10	7	13105	9643	RH-2	40	density-lim	1500			0.7	4	0.400000006	1	1	14677.59961	11215.59961	11215.59961	1.12
5514	036	4504	0.1	3564	3	55	80	2.5	8	5	11260	7696	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	12611.2002	9047.200195	9047.200195	1.12
5515	029	3286	0.08	5406	3	55	80	2.5	6	3	8215	2809	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	9200.799805	3794.799805	3794.799805	1.12
5515	029C	2853	0.07	2394	3	55	80	2.5	6	3	7132	4738	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7988.399902	5594.399902	5594.399902	1.120079
5518	009	2500	0.06	2700	3	85	140	4	8	5	10000	7300	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	7000	4300	4300	0.7
5518	063	3249	0.07	547	3	85	140	4	10	7	12996	12449	RH-2	40	density-lim	1500			0.7	4	0.400000006	1	1	9097.200195	8550.200195	8550.200195	0.7

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5527	034	1863	0.04	1770	3	55	80	2.5	3	0	4658	2888	RH-1	40	density-lim	3000			0.7	4	1.333333373	1	1	5216.399902	3446.399902	3446.399902	1.11988
5534	044	1764	0.04	1475	3	55	80	2.5	3	0	4410	2935	RH-1	40	density-lim	3000			0.7	4	1.333333373	1	1	4939.199707	3464.199707	3464.199707	1.12
5537	025	1716	0.04	2773	3	55	80	2.5	3	0	4290	1517	RH-1	40	density-lim	3000			0.7	4	1.333333373	1	1	4804.799805	2031.799805	2031.799805	1.12
5538	005	3701	0.08	2786	3	55	80	2.5	6	3	9252	6466	RH-1	40	density-lim	3000			0.7	4	0.666666687	1	1	10362.7998	7576.799805	7576.799805	1.120061
5540	019	2000	0.05	2522	3	55	80	2.5	4	1	5000	2478	RH-1	40	density-lim	3000			0.7	4	1	1	1	5600	3078	3078	1.12
5609	028	4161	0.1	6770	6	85	140	4	14	8	16644	9874	NCD-MISSI	40	density-lim	600			0.75	7	0.5	1	1	12483	5713	5713	0.75
5609	032	1535	0.04	561	3	65	100	3	4	1	4605	4044	RH-2	40	density-lim	1500			0.7	4	1	1	1	4298	3737	3737	0.933333
5609	009	2700	0.06	3000	3	85	140	4	8	5	10800	7800	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	7560	4560	4560	0.7
5609	015	2080	0.05	2885	2	85	140	4	7	5	8320	5435	NCD-MISSI	40	density-lim	600			0.75	3	0.428571433	1	1	6240	3355	3355	0.75
5609	018	2521	0.06	2535	3	85	140	4	8	5	10084	7549	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	7058.799805	4523.799805	4523.799805	0.7
5609	020	2521	0.06	2315	3	85	140	4	8	5	10084	7769	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	7058.799805	4743.799805	4743.799805	0.7
5610	026	2100	0.05	4500	5	65	100	3	5	0	6300	1800	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	1	1	5880	1380	1380	0.933333
5610A	026	1750	0.04	3225	3	65	100	3	4	1	5250	2025	RH-2	40	density-lim	1500			0.7	4	1	1	1	4900	1675	1675	0.933333
5610A	029	1750	0.04	2420	3	65	100	3	4	1	5250	2830	RH-2	40	density-lim	1500			0.7	4	1	1	1	4900	2480	2480	0.933333
5610A	061	1750	0.04	2340	3	65	100	3	4	1	5250	2910	RH-2	40	density-lim	1500			0.7	4	1	1	1	4900	2560	2560	0.933333
5611	008	1750	0.04	2875	3	65	100	3	4	1	5250	2375	RH-2	40	density-lim	1500			0.7	4	1	1	1	4900	2025	2025	0.933333
5611	043	2432	0.06	2844	3	65	100	3	6	3	7296	4452	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6809.600098	3965.600098	3965.600098	0.933333
5611	070	1735	0.04	1424	3	65	100	3	4	1	5205	3781	RH-2	40	density-lim	1500			0.7	4	1	1	1	4858	3434	3434	0.933333
5615	005	2100	0.05	3300	3	65	100	3	5	2	6300	3000	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	5880	2580	2580	0.933333
5615	006	2130	0.05	3450	3	65	100	3	5	2	6390	2940	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	5964	2514	2514	0.933333
5615	008	4318	0.1	2720	3	65	100	3	10	7	12954	10234	RH-2	40	density-lim	1500			0.7	4	0.400000006	1	1	12090.39941	9370.399414	9370.399414	0.933333
5615	022	4484	0.1	5795	3	65	100	3	10	7	13452	7657	RH-2	40	density-lim	1500			0.7	4	0.400000006	1	1	12555.2002	6760.200195	6760.200195	0.933333
5615	035	1941	0.04	2016	2	65	100	3	4	2	5823	3807	NCD-MISSI	40	density-lim	600			0.75	3	0.75	1	1	5823	3807	3807	1
5615	050	3388	0.08	6835	5	85	140	4	11	6	13552	6717	NCD-MISSI	40	density-lim	600			0.75	6	0.545454562	1	1	10164	3329	3329	0.75
5615	062	2751	0.06	1770	3	85	140	4	8	5	11004	9234	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	7702.799805	5932.799805	5932.799805	0.7
5615	074	3045	0.07	2839	3	65	100	3	7	4	9135	6296	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	8526	5687	5687	0.933333
5615	082	5698	0.13	879	8	85	140	4	18	10	22792	21913	NCD-MISSI	40	density-lim	600			0.75	9	0.5	1	1	17094	16215	16215	0.75
5615	113	1851	0.04	647	2	85	140	4	6	4	7404	6757	NCD-MISSI	40	density-lim	600			0.75	3	0.5	1	1	5553	4906	4906	0.75
5616	054	1779	0.04	2543	3	65	100	3	4	1	5337	2794	RH-2	40	density-lim	1500			0.7	4	1	1	1	4981.199707	2438.199707	2438.199707	0.933333
5616	055	1779	0.04	2195	3	65	100	3	4	1	5337	3142	RH-2	40	density-lim	1500			0.7	4	1	1	1	4981.199707	2786.199707	2786.199707	0.933333
5617	054	1750	0.04	979	3	65	100	3	4	1	5250	4271	RH-2	40	density-lim	1500			0.7	4	1	1	1	4900	3921	3921	0.933333
5642	032	1200	0.03	2100	3	85	140	4	4	1	4800	2700	RH-2	40	density-lim	1500			0.7	4	1	1	1	3360	1260	1260	0.7
5642	040	1200	0.03	3358	3	65	100	3	3	0	3600	242	RH-2	40	density-lim	1500			0.7	4	1.333333373	1	1	3360	2	2	0.933333
5643	018	3267	0.07	4640	5	65	100	3	7	2	9801	5161	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	1	1	9147.599609	4507.599609	4507.599609	0.933333
5643	030	1750	0.04	2068	3	65	100	3	4	1	5250	3182	RH-2	40	density-lim	1500			0.7	4	1	1	1	4900	2832	2832	0.933333
5668	034	1768	0.04	2750	3	65	100	3	4	1	5304	2554	RH-1	40	density-lim	3000			0.7	4	1	1	1	4950.399902	2200.399902	2200.399902	0.933333
5669	009	1750	0.04	1755	3	65	100	3	4	1	5250	3495	RH-1	40	density-lim	3000			0.7	4	1	1	1	4900	3145	3145	0.933333
5671	039	1782	0.04	987	3	65	100	3	4	1	5346	4359	RH-2	40	density-lim	1500			0.7	4	1	1	1	4989.600098	4002.600098	4002.600098	0.933333
5673	004	1765	0.04	3500	3	65	100	3	4	1	5295	1795	RH-2	40	density-lim	1500			0.7	4	1	1	1	4942	1442	1442	0.933333
5673	029	1870	0.04	2525	3	65	100	3	4	1	5610	3085	RH-2	40	density-lim	1500			0.7	4	1	1	1	5236	2711	2711	0.933333
5674	022	2537	0.06	2584	3	65	100	3	6	3	7611	5027	NCD-MISSI	40	density-lim	600			0.75	4	0.666666687	1	1	7611	5027	5027	1
5676	018	1541	0.04	1650	3	65	100	3	4	1	4623	2973	RH-2	40	density-lim	1500			0.7	4	1	1	1	4314.799805	2664.799805	2664.799805	0.933333
5676	041	2250	0.05	3900	3	55	80	2.5	4	1	5625	1725	RH-3	40	density-lim	1000			0.7	4	1	1	1	6300	2400	2400	1.12
5678	023	2500	0.06	2376	2	55	80	2.5	5	3	6250	3874	NCD-CORT	40	density-lim	800			0.75	3	0.600000024	1	1	7500	5124	5124	1.2
5678	026	2792	0.06	3100	2	55	80	2.5	5	3	6980	3880	NCD-CORT	40	density-lim	800			0.75	3	0.600000024	1	1	8376	5276	5276	1.2
5678	028	2789	0.06	2500	2	55	80	2.5	5	3	6972	4472	NCD-CORT	40	density-lim	800			0.75	3	0.600000024	1	1	8367	5867	5867	1.200086
5712	001	2371	0.05	5000	5	65	100	3	5	0	7113	2113	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	1	1	6638.799805	1638.799805	1638.799805	0.933333
5712	022	1217	0.03	1384	3	85	140	4	4	1	4868	3484	RH-2	40	density-lim	1500			0.7	4	1	1	1	3407.599854	2023.599854	2023.599854	0.7
5712	024	3351	0.08	2150	3	85	140	4	11	8	13404	11254	RH-2	40	density-lim	1500			0.7	4	0.363636374	1	1	9382.799805	7232.799805	7232.799805	0.7
5712	030	3367	0.08	2617	3	85	140	4	11	8	13468	10851	RH-2	40	density-lim	1500			0.7	4	0.363636374	1	1	9427.599609	6810.599609	6810.599609	0.7
5712	033	3387	0.08	2250	3	85	140	4	11	8	13548	11298	RH-2	40	density-lim	1500			0.7	4	0.363636374	1	1	9483.599609	7233.599609	7233.599609	0.7
5712	034	2703	0.06	1500	3	85	140	4	8	5	10812	9312	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	7568.399902	6068.399902	6068.399902	0.7
5712	036	2700	0.06	2430	3	65	100	3	6	3	8100	5670	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7560	5130	5130	0.933333
5712	038	2697	0.06	2020	3	65	100	3	6	3	8091	6071	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7551.600098	5531.600098	5531.600098	0.933333
5712	043	2689	0.06	2990	3	65	100	3	6	3	8067	5077	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7529.199707	4539.199707	4539.199707	0.933333
5713	010	2500	0.06	2400	3	65	100	3	6	3	7500	5100	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	4600	4600	0.933333
5713	014	2072	0.05	4738	3	65	100	3	5	2	6216	1478	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	5801.600098	1063.600098	1063.600098	0.933333
5713	030	3143	0.07	2822	3	65	100	3	7	4	9429	6607	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	8800.399414	5978.399414	5978.399414	0.933333
5717	018	3760	0.09	2000	3	55	80	2.5	7	4	9400	7400	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	10528	8528	8528	1.12
5719	001	870	0.02	1546	0	65	100	3	2	2	2610	1064	NC-2	40	density-lim	800			0.75	1	0.5	1	1	2610	1064	1064	1
5719	013	2450	0.06	4875	3	65	100	3	6	3	7350	2475	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6860	1985	1985	0.933333
5719	016	2438	0.06	2750	2	65	100	3	6	4	7314	4564	NC-2	40	density-lim	800			0.75	3	0.5	1	1	7314	4564	4564	1
5720	030	2063	0.05	3675	5	65	100	3	5	0	6189	2514	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	1	1	5776.399902	2101.399902	2101.399902	0.933333
5720	034	2168	0.05	1066	3	65	100	3	5	2	6504	5438	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6070.399902	5004.399902	5004.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5720	038	2470	0.06	3686	3	65	100	3	6	3	7410	3724	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	6916	3230	3230	0.933333
5721	004	2500	0.06	2240	3	55	80	2.5	5	2	6250	4010	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7000	4760	4760	1.12
5721	008	2500	0.06	3931	5	55	80	2.5	5	0	6250	2319	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	1	1	7000	3069	3069	1.12
5721	010	2500	0.06	1750	3	55	80	2.5	5	2	6250	4500	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	7000	5250	5250	1.12
5721	075	2900	0.07	3000	3	55	80	2.5	6	3	7250	4250	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	8120	5120	5120	1.12
6469	007A	1527	0.04	2420	2	55	80	2.5	3	1	3818	1398	NCD-EXCE	40	density-lim	600			0.75	3	1	1	1	4581	2161	2161	1.199843
6469	016A	8799	0.2	6862	14	55	80	2.5	16	2	21998	15136	NCD-EXCE	40	density-lim	600			0.75	15	0.9375	1	1	26397	19535	19535	1.199973
6469	029	3034	0.07	3496	4	55	80	2.5	6	2	7585	4089	NCD-EXCE	40	density-lim	600			0.75	5	0.833333313	1	1	9102	5606	5606	1.2
6469	039	2541	0.06	709	3	55	80	2.5	5	2	6352	5643	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	1	1	7623	6914	6914	1.200094
6469	042	2971	0.07	778	4	55	80	2.5	6	2	7428	6650	NCD-EXCE	40	density-lim	600			0.75	5	0.833333313	1	1	8913	8135	8135	1.199919
6471	001B	4995	0.11	8348	7	55	80	2.5	9	2	12488	4140	NCD-EXCE	40	density-lim	600			0.75	8	0.888888896	1	1	14985	6637	6637	1.199952
6471	001D	3088	0.07	5528	4	55	80	2.5	6	2	7720	2192	NCD-EXCE	40	density-lim	600	true		0.75	5	0.833333313	1	1	9264	3736	3736	1.2
6472	055	6288	0.14	895	9	55	80	2.5	11	2	15720	14825	NCD-EXCE	40	density-lim	600			0.75	10	0.909090936	1	1	18864	17969	17969	1.2
6473	034	2253	0.05	3620	3	55	80	2.5	4	1	5632	2012	NCD-EXCE	40	density-lim	600			0.75	4	1	1	1	6759	3139	3139	1.200107
6473	048	4508	0.1	7640	7	55	80	2.5	8	1	11270	3630	NCD-EXCE	40	density-lim	600			0.75	8	1	1	1	13524	5884	5884	1.2
6474	014F	1845	0.04	1697	3	55	80	2.5	3	0	4612	2915	RH-1	40	density-lim	3000			0.7	4	1.333333373	1	1	5166	3469	3469	1.120121
6475	027	6388	0.15	3177	3	55	80	2.5	12	9	15970	12793	RH-1	40	density-lim	3000			0.7	4	0.333333343	1	1	17886.40039	14709.40039	14709.40039	1.12
6491	019	4200	0.1	2387	3	55	80	2.5	8	5	10500	8113	RH-1	40	density-lim	3000			0.7	4	0.5	1	1	11760	9373	9373	1.12
6509	003	3422	0.08	8323	12	85	140	4	11	0	13688	5365	RTO-C	65	form-based			true	0.75	13	1.181818128	1	1	15399	7076	7076	1.125
6510	032	1221	0.03	864	2	65	100	3	3	1	3663	2799	RH-3	50	form-based			true	0.7	3	1	1	1	4273.5	3409.5	3409.5	1.166667
6511	004	6169	0.14	3480	5	65	100	3	14	9	18507	15027	RH-3	40	density-lim	1000			0.7	6	0.428571433	1	1	17273.19922	13793.19922	13793.19922	0.933333
6511	022	3125	0.07	4500	3	65	100	3	7	4	9375	4875	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8750	4250	4250	0.933333
6511	039	3125	0.07	1584	3	65	100	3	7	4	9375	7791	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8750	7166	7166	0.933333
6511	051	2500	0.06	644	3	65	100	3	6	3	7500	6856	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	6356	6356	0.933333
6512	002	3117	0.07	3324	3	65	100	3	7	4	9351	6027	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8727.599609	5403.599609	5403.599609	0.933333
6512	005	3117	0.07	3000	3	65	100	3	7	4	9351	6351	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8727.599609	5727.599609	5727.599609	0.933333
6512	015	2500	0.06	3995	3	65	100	3	6	3	7500	3505	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	3005	3005	0.933333
6512	016	2500	0.06	2560	3	65	100	3	6	3	7500	4940	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	4440	4440	0.933333
6512	036	3125	0.07	1918	3	65	100	3	7	4	9375	7457	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8750	6832	6832	0.933333
6513	003	2167	0.05	2880	3	75	120	3.5	6	3	7584	4704	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6067.600098	3187.600098	3187.600098	0.800053
6513	018	3575	0.08	2261	3	75	120	3.5	10	7	12512	10251	RH-3	40	density-lim	1000			0.7	4	0.400000006	1	1	10010	7749	7749	0.800032
6513	027	2622	0.06	2010	3	75	120	3.5	7	4	9177	7167	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7341.600098	5331.600098	5331.600098	0.8
6513	029	2622	0.06	4575	3	75	120	3.5	7	4	9177	4602	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7341.600098	2766.600098	2766.600098	0.8
6513	031	1850	0.04	2874	3	75	120	3.5	5	2	6475	3601	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	5180	2306	2306	0.8
6513	034	2142	0.05	3258	5	75	120	3.5	6	1	7497	4239	RH-3	40	density-lim	1000	true		0.7	6	1	1	1	5997.600098	2739.600098	2739.600098	0.8
6513	035	3670	0.08	1258	3	75	120	3.5	10	7	12845	11587	RH-3	40	density-lim	1000			0.7	4	0.400000006	1	1	10276	9018	9018	0.8
6513	046	2530	0.06	1340	3	75	120	3.5	7	4	8855	7515	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7084	5744	5744	0.8
6513	069	3813	0.09	1402	3	75	120	3.5	11	8	13346	11944	RH-3	40	density-lim	1000			0.7	4	0.363636374	1	1	10676.39941	9274.399414	9274.399414	0.79997
6513	074	2250	0.05	1219	3	75	120	3.5	6	3	7875	6656	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	6300	5081	5081	0.8
6514	006	1953	0.04	4190	5	75	120	3.5	5	0	6836	2646	NCT-VALEI	55	form-based				0.75	6	1.200000048	1	1	7323.75	3133.75	3133.75	1.07135
6514	021	2253	0.05	4800	3	75	120	3.5	6	3	7886	3086	RM-2	40	density-lim	600			0.7	4	0.666666687	1	1	6308.399902	1508.399902	1508.399902	0.799949
6514	024B	2253	0.05	2416	3	75	120	3.5	6	3	7886	5470	RM-2	40	density-lim	600			0.7	4	0.666666687	1	1	6308.399902	3892.399902	3892.399902	0.799949
6514	038	2253	0.05	6919	3	75	120	3.5	6	3	7886	967	RM-2	40	density-lim	600			0.7	4	0.666666687	1	1	6308.399902	0	0	0.799949
6517	018	1627	0.04	4375	4	75	120	3.5	5	1	5694	1319	NCT-MISSI	55	form-based		true		0.75	5	1	1	1	6101.25	1726.25	1726.25	1.071523
6518	001	3462	0.08	7576	9	75	120	3.5	10	1	12117	4541	NCT-24TH-	55	form-based		true		0.75	10	1	1	1	12982.5	5406.5	5406.5	1.071429
6518	025	1494	0.03	1866	2	75	120	3.5	4	2	5229	3363	RTO-M	40	form-based				0.7	3	0.75	1	1	4183.199707	2317.199707	2317.199707	0.8
6518	025A	1445	0.03	1866	2	75	120	3.5	4	2	5058	3192	RTO-M	40	form-based				0.7	3	0.75	1	1	4046	2180	2180	0.799921
6518	025B	1287	0.03	1530	2	75	120	3.5	4	2	4504	2974	RTO-M	40	form-based				0.7	3	0.75	1	1	3603.599854	2073.599854	2073.599854	0.800089
6518	025C	1276	0.03	1530	2	75	120	3.5	4	2	4466	2936	RTO-M	40	form-based				0.7	3	0.75	1	1	3572.800049	2042.800049	2042.800049	0.8
6527	015	1219	0.03	2090	2	75	120	3.5	4	2	4266	2176	RTO-M	55	form-based		true		0.7	3	0.75	1	1	4266.5	2176.5	2176.5	1.000117
6527	015A	1235	0.03	1890	2	75	120	3.5	4	2	4322	2432	RTO-M	55	form-based				0.7	3	0.75	1	1	4322.5	2432.5	2432.5	1.000116
6527	071	3729	0.09	3737	7	75	120	3.5	11	4	13052	9315	RTO-M	40	form-based				0.7	8	0.727272749	1	1	10441.2002	6704.200195	6704.200195	0.799969
6528	003A	1250	0.03	1870	2	75	120	3.5	4	2	4375	2505	RTO-M	40	form-based				0.7	3	0.75	1	1	3500	1630	1630	0.8
6528	008A	2435	0.06	2450	4	75	120	3.5	7	3	8522	6072	RTO-M	40	form-based				0.7	5	0.714285731	1	1	6818	4368	4368	0.800047
6528	012A	3278	0.08	5025	6	75	120	3.5	10	4	11473	6448	RTO-M	40	form-based				0.7	7	0.699999988	1	1	9178.399414	4153.399414	4153.399414	0.8
6528	016	1952	0.04	2800	4	75	120	3.5	5	1	6832	4032	RTO-M	55	form-based		true		0.7	5	1	1	1	6832	4032	4032	1
6528	018	1842	0.04	2612	4	75	120	3.5	5	1	6447	3835	RTO-M	55	form-based				0.7	5	1	1	1	6447	3835	3835	1
6528	034	1882	0.04	3990	3	75	120	3.5	5	2	6587	2597	RTO-M	40	form-based				0.7	4	0.800000012	1	1	5269.600098	1279.600098	1279.600098	0.8
6529	020A	1286	0.03	1760	2	75	120	3.5	4	2	4501	2741	RTO-M	45	form-based				0.7	3	0.75	1	1	3600.800049	1840.800049	1840.800049	0.8
6530	002	2250	0.05	3795	4	75	120	3.5	6	2	7875	4080	RTO-M	45	form-based				0.7	5	0.833333313	1	1	6300	2505	2505	0.8
6531	022	2932	0.07	5939	4	75	120	3.5	8	4	10262	4323	RM-2	40	density-lim	600			0.7	5	0.625	1	1	8209.599609	2270.599609	2270.599609	0.8
6531	022A	2898	0.07	3632	4	75	120	3.5	8	4	10143	6511	RM-2	40	density-lim	600			0.7	5	0.625	1	1	8114.399902	4482.399902	4482.399902	0.8
6531	025	2131	0.05	3912	3	75	120	3.5	6	3	7458	3546	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	5966.799805	2054.799805	2054.799805	0.800054
6531	027B	3453	0.08	2444	3	75	120	3.5	10	7	12086	9642	RH-3	40	density-lim	1000			0.7	4	0.400000006	1	1	9668.399414	7224.399414	7224.399414	0.799967

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6532	031B	1207	0.03	2700	3	75	120	3.5	4	1	4224	1524	RH-3	40	density-lim	1000			0.7	4	1	1	1	3379.599854	679.5998535	679.5998535	0.800095
6532	032	2001	0.05	4950	3	75	120	3.5	6	3	7004	2054	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	5602.799805	652.7998047	652.7998047	0.799943
6532	034	3240	0.07	2394	4	65	100	3	7	3	9720	7326	RM-2	40	density-lim	600			0.7	5	0.714285731	1	1	9072	6678	6678	0.933333
6532	035	3000	0.07	3564	4	65	100	3	7	3	9000	5436	RM-2	40	density-lim	600			0.7	5	0.714285731	1	1	8400	4836	4836	0.933333
6532	037	4080	0.09	4090	3	65	100	3	9	6	12240	8150	RH-3	40	density-lim	1000			0.7	4	0.444444448	1	1	11424	7334	7334	0.933333
6532	039	2676	0.06	1735	3	65	100	3	6	3	8028	6293	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7492.799805	5757.799805	5757.799805	0.933333
6532	048	3685	0.08	1403	3	75	120	3.5	10	7	12898	11495	RH-3	40	density-lim	1000			0.7	4	0.400000006	1	1	10318	8915	8915	0.799969
6532	050	3125	0.07	1160	3	65	100	3	7	4	9375	8215	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8750	7590	7590	0.933333
6532	055	4236	0.1	925	6	65	100	3	10	4	12708	11783	RM-2	40	density-lim	600			0.7	7	0.699999988	1	1	11860.7998	10935.7998	10935.7998	0.933333
6533	009	3117	0.07	4500	3	65	100	3	7	4	9351	4851	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8727.599609	4227.599609	4227.599609	0.933333
6533	039	2789	0.06	5400	3	65	100	3	6	3	8367	2967	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7809.199707	2409.199707	2409.199707	0.933333
6533	058	2650	0.06	1133	3	65	100	3	6	3	7950	6817	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7420	6287	6287	0.933333
6534	011	3127	0.07	3625	3	65	100	3	7	4	9381	5756	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8755.599609	5130.599609	5130.599609	0.933333
6534	019	3125	0.07	3085	3	65	100	3	7	4	9375	6290	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8750	5665	5665	0.933333
6534	020	3125	0.07	3689	3	65	100	3	7	4	9375	5686	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8750	5061	5061	0.933333
6534	028	3125	0.07	2500	3	65	100	3	7	4	9375	6875	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8750	6250	6250	0.933333
6534	039	3125	0.07	647	3	65	100	3	7	4	9375	8728	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8750	8103	8103	0.933333
6534	052	1375	0.03	1071	3	65	100	3	3	0	4125	3054	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3850	2779	2779	0.933333
6534	058	3135	0.07	1305	3	65	100	3	7	4	9405	8100	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8778	7473	7473	0.933333
6534	065	2877	0.07	808	3	65	100	3	7	4	8631	7823	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8055.600098	7247.600098	7247.600098	0.933333
6534	070	3117	0.07	863	3	65	100	3	7	4	9351	8488	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8727.599609	7864.599609	7864.599609	0.933333
6535	050	2506	0.06	846	6	65	100	3	6	0	7518	6672	RH-3	50	form-based		true	true	0.7	7	1.166666627	1	1	8771	7925	7925	1.166667
6536	021	972	0.02	1440	2	65	100	3	2	0	2916	1476	RH-2	50	form-based			true	0.7	3	1.5	1	1	3402	1962	1962	1.166667
6537	048	2695	0.06	1560	5	65	100	3	6	1	8085	6525	RH-2	40	form-based		true	true	0.7	6	1	1	1	7546	5986	5986	0.933333
6538	022	4436	0.1	8400	8	55	80	2.5	8	0	11090	2690	RH-2	40	form-based		true	true	0.7	9	1.125	1	1	12420.7998	4020.799805	4020.799805	1.12
6538	043	1711	0.04	3480	3	55	80	2.5	3	0	4278	798	RH-2	40	form-based			true	0.7	4	1.333333373	1	1	4790.799805	1310.799805	1310.799805	1.119869
6539	033	3055	0.07	3264	5	55	80	2.5	6	1	7638	4374	RH-2	40	form-based			true	0.7	6	1	1	1	8554	5290	5290	1.119927
6546	025A	1472	0.03	1552	2	55	80	2.5	2	0	3680	2128	RH-2	40	form-based			true	0.7	3	1.5	1	1	4121.600098	2569.600098	2569.600098	1.12
6548	051	1639	0.04	1284	2	65	100	3	4	2	4917	3633	RH-2	40	form-based			true	0.7	3	0.75	1	1	4589.199707	3305.199707	3305.199707	0.933333
6548	053	1546	0.04	1047	2	65	100	3	4	2	4638	3591	RH-2	40	form-based			true	0.7	3	0.75	1	1	4328.799805	3281.799805	3281.799805	0.933333
6548	071	2165	0.05	664	4	65	100	3	5	1	6495	5831	RH-2	40	form-based			true	0.7	5	1	1	1	6062	5398	5398	0.933333
6548	075	1546	0.04	1592	2	65	100	3	4	2	4638	3046	RH-2	40	form-based			true	0.7	3	0.75	1	1	4328.799805	2736.799805	2736.799805	0.933333
6548	077	1980	0.05	996	3	65	100	3	5	2	5940	4944	RH-3	40	form-based			true	0.7	4	0.800000012	1	1	5544	4548	4548	0.933333
6551	001	2473	0.06	4700	6	65	100	3	6	0	7419	2719	RH-3	50	form-based		true	true	0.7	7	1.166666627	1	1	8655.5	3955.5	3955.5	1.166667
6553	024	1840	0.04	2605	3	65	100	3	4	1	5520	2915	RH-3	40	form-based			true	0.7	4	1	1	1	5152	2547	2547	0.933333
6562	046	17657	0.41	35100	36	55	80	2.5	33	0	44142	9042	RM-1	40	form-based			true	0.7	37	1.121212125	1	1	49439.59766	14339.59766	14339.59766	1.120013
6564	001	2043	0.05	3110	4	65	100	3	5	1	6129	3019	NC-1	40	form-based		true	true	0.75	5	1	1	1	6129	3019	3019	1
6566	030	636	0.01	1272	1	85	140	4	1	0	2544	1272	RTO-C	65	form-based			true	0.75	2	2	1	1	2862	1590	1590	1.125
6567	005	3067	0.07	3182	3	65	100	3	7	4	9201	6019	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8587.599609	5405.599609	5405.599609	0.933333
6567	022	1904	0.04	3180	5	65	100	3	4	0	5712	2532	RH-2	40	density-lim	1500	true		0.7	6	1.5	1	1	5331.199707	2151.199707	2151.199707	0.933333
6567	034	2539	0.06	1726	3	65	100	3	6	3	7617	5891	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7109.199707	5383.199707	5383.199707	0.933333
6568	013	2534	0.06	3825	3	65	100	3	6	3	7602	3777	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7095.199707	3270.199707	3270.199707	0.933333
6568	017A	1314	0.03	2014	3	65	100	3	3	0	3942	1928	RH-3	40	density-lim	1000			0.7	4	1.333333373	1	1	3679.199951	1665.199951	1665.199951	0.933333
6569	019	2990	0.07	5643	5	65	100	3	7	2	8970	3327	RTO-M	45	form-based				0.7	6	0.857142866	1	1	8372	2729	2729	0.933333
6569	028	1875	0.04	3500	4	75	120	3.5	5	1	6562	3062	RTO-M	55	form-based		true		0.7	5	1	1	1	6562.5	3062.5	3062.5	1.000076
6569	031A	250	0.01	0	0	85	140	4	1	1	1000	1000	NCT-MISSI	65	form-based				0.75	1	1	1	1	1125	1125	1125	1.125
6577	018	2841	0.07	3851	3	65	100	3	7	4	8523	4672	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	7954.799805	4103.799805	4103.799805	0.933333
6577	036	2850	0.07	4350	3	65	100	3	7	4	8550	4200	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	7980	3630	3630	0.933333
6577	040	2850	0.07	2786	3	65	100	3	7	4	8550	5764	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	7980	5194	5194	0.933333
6577	042	878	0.02	2055	3	65	100	3	2	0	2634	579	RH-2	40	density-lim	1500			0.7	4	2	1	1	2458.399902	403.3999023	403.3999023	0.933333
6577	063	2841	0.07	474	3	65	100	3	7	4	8523	8049	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	7954.799805	7480.799805	7480.799805	0.933333
6571	014	1696	0.04	2300	4	65	100	3	4	0	5088	2788	NCT-MISSI	55	form-based				0.75	5	1.25	1	1	6360	4060	4060	1.25
6574	011	3059	0.07	4590	4	85	140	4	10	6	12236	7646	NCD-MISSI	50	density-lim	600			0.75	5	0.5	1	1	11471.25	6881.25	6881.25	0.9375
6576	007	2495	0.06	1960	2	65	100	3	6	4	7485	5525	RM-1	50	density-lim	800			0.7	3	0.5	1	1	8732.5	6772.5	6772.5	1.166667
6576	011	2935	0.07	4989	3	65	100	3	7	4	8805	3816	RM-1	50	density-lim	800			0.7	4	0.571428597	1	1	10272.5	5283.5	5283.5	1.166667
6576	013B	1889	0.04	960	1	65	100	3	4	3	5667	4707	RM-1	50	density-lim	800			0.7	2	0.5	1	1	6611.5	5651.5	5651.5	1.166667
6580	007	1334	0.03	2260	2	65	100	3	3	1	4002	1742	RH-2	40	form-based			true	0.7	3	1	1	1	3735.199951	1475.199951	1475.199951	0.933333
6580	007A	1348	0.03	2260	2	65	100	3	3	1	4044	1784	RH-2	40	form-based		true	true	0.7	3	1	1	1	3774.399902	1514.399902	1514.399902	0.933333
6580	019	3288	0.08	4200	6	65	100	3	8	2	9864	5664	RH-2	40	form-based			true	0.7	7	0.875	1	1	9206.399414	5006.399414	5006.399414	0.933333
6580	022	1457	0.03	2100	2	65	100	3	3	1	4371	2271	RH-2	40	form-based			true	0.7	3	1	1	1	4079.599854	1979.599854	1979.599854	0.933333
6581	046	5700	0.13	6779	11	55	80	2.5	10	0	14250	7471	RM-1	40	form-based			true	0.7	12	1.200000048	1	1	15960	9181	9181	1.12
6581	049	2054	0.05	2780	3	55	80	2.5	4	1	5135	2355	RH-2	40	form-based			true	0.7	4	1	1	1	5751.199707	2971.199707	2971.199707	1.12
6581	050	2057	0.05	2788	3	55	80	2.5	4	1	5142	2354	RH-2	40	form-based			true	0.7	4	1	1	1	5759.600098	2971.600098	2971.600098	1.120109
6581	051	2061	0.05	2758	3	55	80	2.5	4	1	5152	2394	RH-2	40	form-based			true	0.7	4	1	1	1	5770.799805	3012.799805	3012.799805	1.120109

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6588	002	1174	0.03	2168	1	55	80	2.5	2	1	2935	767	RH-1	40	form-based			true	0.7	2	1	1	1	3287.199951	1119.199951	1119.199951	1.12
6589	009	419	0.01	0	0	55	80	2.5	1	1	1048	1048	RH-1	40	form-based			true	0.7	1	1	1	1	1173.199951	1173.199951	1173.199951	1.119466
6591	001	1873	0.04	2512	3	65	100	3	4	1	5619	3107	RH-2	40	form-based		true	true	0.7	4	1	1	1	5244.399902	2732.399902	2732.399902	0.933333
6591	023A	1544	0.04	2428	2	65	100	3	4	2	4632	2204	RH-2	40	form-based			true	0.7	3	0.75	1	1	4323.199707	1895.199707	1895.199707	0.933333
6591	041	3382	0.08	4578	6	65	100	3	8	2	10146	5568	RH-2	40	form-based			true	0.7	7	0.875	1	1	9469.599609	4891.599609	4891.599609	0.933333
6593	042	3968	0.09	5800	10	65	100	3	9	0	11904	6104	RH-2	50	form-based		true	true	0.7	11	1.222222209	1	1	13888	8088	8088	1.166667
6594	007	2893	0.07	4884	5	65	100	3	7	2	8679	3795	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	1	1	8100.399902	3216.399902	3216.399902	0.933333
6594	012	2849	0.07	2414	3	65	100	3	7	4	8547	6133	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	7977.199707	5563.199707	5563.199707	0.933333
6594	024	2500	0.06	1792	3	65	100	3	6	3	7500	5708	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	5208	5208	0.933333
6594	028	2625	0.06	2398	3	65	100	3	6	3	7875	5477	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7350	4952	4952	0.933333
6595	004	2138	0.05	2566	3	65	100	3	5	2	6414	3848	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	5986.399902	3420.399902	3420.399902	0.933333
6596	003	2421	0.06	4628	3	85	140	4	8	5	9684	5056	NCD-MISS	40	density-lim	600			0.75	4	0.5	1	1	7263	2635	2635	0.75
6596	004	2422	0.06	5665	3	85	140	4	8	5	9688	4023	NCD-MISS	40	density-lim	600			0.75	4	0.5	1	1	7266	1601	1601	0.75
6596	005	2422	0.06	3666	3	85	140	4	8	5	9688	6022	NCD-MISS	40	density-lim	600			0.75	4	0.5	1	1	7266	3600	3600	0.75
6596	007A	2423	0.06	3150	3	85	140	4	8	5	9692	6542	NCD-MISS	40	density-lim	600			0.75	4	0.5	1	1	7269	4119	4119	0.75
6597	018	2250	0.05	2860	3	65	100	3	5	2	6750	3890	NCD-MISS	40	density-lim	600	true		0.75	4	0.800000012	1	1	6750	3890	3890	1
6597	045	2268	0.05	1417	3	65	100	3	5	2	6804	5387	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6350.399902	4933.399902	4933.399902	0.933333
6599	001	2171	0.05	2990	5	65	100	3	5	0	6513	3523	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	1	1	6078.799805	3088.799805	3088.799805	0.933333
6599	025	2850	0.07	2332	3	65	100	3	7	4	8550	6218	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	7980	5648	5648	0.933333
6599	026	2850	0.07	3665	3	65	100	3	7	4	8550	4885	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	7980	4315	4315	0.933333
6602	001	2227	0.05	3449	4	65	100	3	5	1	6681	3232	RH-2	40	form-based		true	true	0.7	5	1	1	1	6235.600098	2786.600098	2786.600098	0.933333
6602	008A	1186	0.03	1350	1	65	100	3	3	2	3558	2208	RH-2	40	form-based			true	0.7	2	0.666666687	1	1	3320.800049	1970.800049	1970.800049	0.933333
6602	025	1575	0.04	2828	2	65	100	3	4	2	4725	1897	RH-2	40	form-based			true	0.7	3	0.75	1	1	4410	1582	1582	0.933333
6603	009	2000	0.05	3300	3	65	100	3	5	2	6000	2700	RH-2	40	form-based		true	true	0.7	4	0.800000012	1	1	5600	2300	2300	0.933333
6603	054	2013	0.05	1916	3	55	80	2.5	4	1	5032	3116	RM-1	40	form-based		true	true	0.7	4	1	1	1	5636.399902	3720.399902	3720.399902	1.120111
6605	032	306	0.01	0	0	55	80	2.5	1	1	765	765	RH-1	40	form-based		true	true	0.7	1	1	1	1	856.7999878	856.7999878	856.7999878	1.12
6612	030	2625	0.06	4410	5	55	80	2.5	5	0	6562	2152	RH-2	40	form-based			true	0.7	6	1.200000048	1	1	7350	2940	2940	1.120085
6613	001	2102	0.05	2914	3	65	100	3	5	2	6306	3392	RH-2	40	form-based		true	true	0.7	4	0.800000012	1	1	5885.600098	2971.600098	2971.600098	0.933333
6613	003	1875	0.04	1880	3	65	100	3	4	1	5625	3745	RH-2	40	form-based			true	0.7	4	1	1	1	5250	3370	3370	0.933333
6614	029	2660	0.06	5190	6	65	100	3	6	0	7980	2790	RH-2	50	form-based		true	true	0.7	7	1.166666627	1	1	9310	4120	4120	1.166667
6615	047	927	0.02	2180	2	65	100	3	2	0	2781	601	RH-2	50	form-based			true	0.7	3	1.5	1	1	3244.5	1064.5	1064.5	1.166667
6616	001	1820	0.04	5158	5	65	100	3	4	0	5460	302	RH-2	40	density-lim	1500	true		0.7	6	1.5	1	1	5096	0	0	0.933333
6616	015	3010	0.07	3058	3	65	100	3	7	4	9030	5972	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	8428	5370	5370	0.933333
6616	025	2372	0.05	2260	3	65	100	3	5	2	7116	4856	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	6641.600098	4381.600098	4381.600098	0.933333
6616	047	2530	0.06	4894	5	65	100	3	6	1	7590	2696	RH-2	40	density-lim	1500	true		0.7	6	1	1	1	7084	2190	2190	0.933333
6617	019	2500	0.06	3220	3	65	100	3	6	3	7500	4280	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	3780	3780	0.933333
6617	026	2630	0.06	5169	5	65	100	3	6	1	7890	2721	RH-2	40	density-lim	1500	true		0.7	6	1	1	1	7364	2195	2195	0.933333
6617	029	3082	0.07	3240	3	65	100	3	7	4	9246	6006	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	8629.599609	5389.599609	5389.599609	0.933333
6617	031	3080	0.07	2700	3	65	100	3	7	4	9240	6540	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	8624	5924	5924	0.933333
6617	033	3078	0.07	2520	3	65	100	3	7	4	9234	6714	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	8618.399414	6098.399414	6098.399414	0.933333
6617	047	3089	0.07	1132	3	65	100	3	7	4	9267	8135	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8649.200195	7517.200195	7517.200195	0.933333
6617	052	2500	0.06	1432	3	65	100	3	6	3	7500	6068	RH-2	40	density-lim	1500			0.7	4	0.666666687	1	1	7000	5568	5568	0.933333
6618	031E	284	0.01	0	0	65	100	3	1	1	852	852	RH-2	50	form-based			true	0.7	1	1	1	1	994	994	994	1.166667
6620	045	1659	0.04	2685	2	65	100	3	4	2	4977	2292	RH-2	40	form-based			true	0.7	3	0.75	1	1	4645.199707	1960.199707	1960.199707	0.933333
6621	052	3045	0.07	1338	5	55	80	2.5	6	1	7612	6274	RH-2	40	form-based		true	true	0.7	6	1	1	1	8526	7188	7188	1.120074
6630	001	3420	0.08	3732	6	55	80	2.5	6	0	8550	4818	RH-2	40	form-based		true	true	0.7	7	1.166666627	1	1	9576	5844	5844	1.12
6630	025	1119	0.03	993	1	55	80	2.5	2	1	2798	1805	RH-1	40	form-based			true	0.7	2	1	1	1	3133.199951	2140.199951	2140.199951	1.1198
6631	001	3423	0.08	4200	6	65	100	3	8	2	10269	6069	RM-1	40	form-based		true	true	0.7	7	0.875	1	1	9584.399414	5384.399414	5384.399414	0.933333
6631	045	2168	0.05	3266	4	65	100	3	5	1	6504	3238	RM-1	40	form-based			true	0.7	5	1	1	1	6070.399902	2804.399902	2804.399902	0.933333
6631	050	1568	0.04	1269	2	65	100	3	4	2	4704	3435	RH-2	40	form-based			true	0.7	3	0.75	1	1	4390.399902	3121.399902	3121.399902	0.933333
6632	048	1712	0.04	2762	4	65	100	3	4	0	5136	2374	RM-1	50	form-based			true	0.7	5	1.25	1	1	5992	3230	3230	1.166667
6632	049	1713	0.04	2762	4	65	100	3	4	0	5139	2377	RM-1	50	form-based			true	0.7	5	1.25	1	1	5995.5	3233.5	3233.5	1.166667
6634	007	2860	0.07	3615	3	65	100	3	7	4	8580	4965	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	8008	4393	4393	0.933333
6634	017	1875	0.04	3150	3	65	100	3	4	1	5625	2475	RH-3	40	density-lim	1000			0.7	4	1	1	1	5250	2100	2100	0.933333
6634	022	2850	0.07	3750	3	65	100	3	7	4	8550	4800	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7980	4230	4230	0.933333
6634	037	2065	0.05	1168	3	65	100	3	5	2	6195	5027	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	5782	4614	4614	0.933333
6634	043	2039	0.05	1096	3	65	100	3	5	2	6117	5021	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	5709.199707	4613.199707	4613.199707	0.933333
6634	046	2187	0.05	1146	3	65	100	3	5	2	6561	5415	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	6123.600098	4977.600098	4977.600098	0.933333
6634	049	2850	0.07	1717	3	65	100	3	7	4	8550	6833	RH-3	40	density-lim	1000			0.7	4	0.571428597	1	1	7980	6263	6263	0.933333
6634	061	2500	0.06	837	3	65	100	3	6	3	7500	6663	RH-3	40	density-lim	1000			0.7	4	0.666666687	1	1	7000	6163	6163	0.933333
6635	003	2415	0.06	4852	3	65	100	3	6	3	7245	2393	NCD-MISS	40	density-lim	600			0.75	4	0.666666687	1	1	7245	2393	2393	1
6635	026	2161	0.05	2640	3	65	100	3	5	2	6483	3843	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	6050.799805	3410.799805	3410.799805	0.933333
6635	029	2120	0.05	3450	3	65	100	3	5	2	6360	2910	RH-3	40	density-lim	1000			0.7	4	0.800000012	1	1	5936	2486	2486	0.933333
6635	044	2924	0.07	4620	4	65	100	3	7	3	8772	4152	NCD-MISS	40	density-lim	600	true		0.75	5	0.714285731	1	1	8772	4152	4152	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6635	047	3179	0.07	3312	4	65	100	3	7	3	9537	6225	NCD-MISS	40	density-lin	600			0.75	5	0.714285731	1	1	9537	6225	6225	1
6635	050	2694	0.06	3780	3	65	100	3	6	3	8082	4302	NCD-MISS	40	density-lin	600			0.75	4	0.666666687	1	1	8082	4302	4302	1
6637	001	3963	0.09	6900	10	65	100	3	9	0	11889	4989	RM-1	50	form-based		true	true	0.7	11	1.222222209	1	1	13870.5	6970.5	6970.5	1.166667
6637	003	3360	0.08	4912	8	85	140	4	11	3	13440	8528	RM-1	50	form-based			true	0.7	9	0.818181813	1	1	11760	6848	6848	0.875
6639	048	1041	0.02	1120	1	65	100	3	2	1	3123	2003	RH-2	40	form-based			true	0.7	2	1	1	1	2914.800049	1794.800049	1794.800049	0.933333
6651	016	956	0.02	875	1	55	80	2.5	2	1	2390	1515	RH-2	40	form-based			true	0.7	2	1	1	1	2676.800049	1801.800049	1801.800049	1.12
6651	018	1105	0.03	600	1	55	80	2.5	2	1	2762	2162	RH-2	40	form-based		true	true	0.7	2	1	1	1	3094	2494	2494	1.120203
6653	015	2074	0.05	1482	3	65	100	3	5	2	6222	4740	RH-2	40	form-based			true	0.7	4	0.800000012	1	1	5807.199707	4325.199707	4325.199707	0.933333
6653	029	1000	0.02	725	1	65	100	3	2	1	3000	2275	RH-2	40	form-based			true	0.7	2	1	1	1	2800	2075	2075	0.933333
6653	030	750	0.02	390	1	65	100	3	2	1	2250	1860	RH-2	40	form-based			true	0.7	2	1	1	1	2100	1710	1710	0.933333
6654	024	1100	0.03	1676	1	65	100	3	3	2	3300	1624	RH-2	40	form-based			true	0.7	2	0.666666687	1	1	3080	1404	1404	0.933333
6655	001	2412	0.06	3508	4	85	140	4	8	4	9648	6140	RH-2	40	form-based		true	true	0.7	5	0.625	1	1	6753.600098	3245.600098	3245.600098	0.7
6655	061	3162	0.07	4500	6	65	100	3	7	1	9486	4986	RH-2	40	form-based			true	0.7	7	1	1	1	8853.599609	4353.599609	4353.599609	0.933333
6656	048	2500	0.06	3356	4	85	140	4	8	4	10000	6644	RH-2	40	form-based		true	true	0.7	5	0.625	1	1	7000	3644	3644	0.7
6657	017	2570	0.06	3084	4	85	140	4	8	4	10280	7196	RH-2	40	form-based		true	true	0.7	5	0.625	1	1	7196	4112	4112	0.7
6657	040B	1380	0.03	1330	2	65	100	3	3	1	4140	2810	RH-2	40	form-based			true	0.7	3	1	1	1	3864	2534	2534	0.933333
6660	007	2593	0.06	2968	3	65	100	3	6	3	7779	4811	NCD-MISS	40	density-lin	600	true		0.75	4	0.666666687	1	1	7779	4811	4811	1
6660	008	2300	0.05	4362	3	65	100	3	5	2	6900	2538	NCD-MISS	40	density-lin	600	true		0.75	4	0.800000012	1	1	6900	2538	2538	1
6660	009	2019	0.05	3483	2	65	100	3	5	3	6057	2574	NCD-MISS	40	density-lin	600			0.75	3	0.600000024	1	1	6057	2574	2574	1
6660	059	442	0.01	0	0	85	140	4	1	1	1768	1768	NCD-MISS	40	density-lin	600			0.75	1	1	1	1	1326	1326	1326	0.75
6662	027	2062	0.05	3262	3	85	140	4	7	4	8248	4986	RH-2	40	form-based		true	true	0.7	4	0.571428597	1	1	5773.600098	2511.600098	2511.600098	0.7
6663	007	2117	0.05	2896	3	65	100	3	5	2	6351	3455	RH-2	40	form-based		true	true	0.7	4	0.800000012	1	1	5927.600098	3031.600098	3031.600098	0.933333
6663	019	1654	0.04	1914	2	65	100	3	4	2	4962	3048	RH-2	40	form-based		true	true	0.7	3	0.75	1	1	4631.199707	2717.199707	2717.199707	0.933333
6663	052	1957	0.04	646	3	65	100	3	4	1	5871	5225	RH-2	40	form-based		true	true	0.7	4	1	1	1	5479.600098	4833.600098	4833.600098	0.933333
6663	057	2053	0.05	1682	3	65	100	3	5	2	6159	4477	RH-2	40	form-based			true	0.7	4	0.800000012	1	1	5748.399902	4066.399902	4066.399902	0.933333
6664	012	1075	0.02	2074	1	65	100	3	2	1	3225	1151	RH-1	40	form-based		true	true	0.7	2	1	1	1	3010	936	936	0.933333
6665	052	2560	0.06	3224	4	65	100	3	6	2	7680	4456	RH-1	40	form-based			true	0.7	5	0.833333313	1	1	7168	3944	3944	0.933333
6665	053	2554	0.06	3224	4	65	100	3	6	2	7662	4438	RH-1	40	form-based			true	0.7	5	0.833333313	1	1	7151.199707	3927.199707	3927.199707	0.933333
6665	073	1960	0.04	4000	3	65	100	3	4	1	5880	1880	RH-2	40	form-based			true	0.7	4	1	1	1	5488	1488	1488	0.933333
6665	088	3411	0.08	1032	6	65	100	3	8	2	10233	9201	RH-2	40	form-based			true	0.7	7	0.875	1	1	9550.799805	8518.799805	8518.799805	0.933333
6684	017	980	0.02	756	1	65	100	3	2	1	2940	2184	RH-1	40	form-based			true	0.7	2	1	1	1	2744	1988	1988	0.933333
6685	011	1910	0.04	1194	3	65	100	3	4	1	5730	4536	RH-2	40	form-based			true	0.7	4	1	1	1	5348	4154	4154	0.933333
6685	043	1489	0.03	760	2	65	100	3	3	1	4467	3707	RH-2	40	form-based			true	0.7	3	1	1	1	4169.199707	3409.199707	3409.199707	0.933333
6689	031	2373	0.05	450	4	65	100	3	5	1	7119	6669	RH-2	40	form-based			true	0.7	5	1	1	1	6644.399902	6194.399902	6194.399902	0.933333
6690	036	1983	0.05	1855	3	65	100	3	5	2	5949	4094	RH-2	40	form-based			true	0.7	4	0.800000012	1	1	5552.399902	3697.399902	3697.399902	0.933333
6690	047	1785	0.04	2300	3	65	100	3	4	1	5355	3055	RH-2	40	form-based		true	true	0.7	4	1	1	1	4998	2698	2698	0.933333
6691	009	2535	0.06	2012	3	65	100	3	6	3	7605	5593	RH-2	40	density-lin	1500			0.7	4	0.666666687	1	1	7098	5086	5086	0.933333
6693	031	1453	0.03	999	2	65	100	3	3	1	4359	3360	RH-2	40	form-based		true	true	0.7	3	1	1	1	4068.399902	3069.399902	3069.399902	0.933333
6694	018A	958	0.02	765	1	65	100	3	2	1	2874	2109	RH-2	40	form-based			true	0.7	2	1	1	1	2682.399902	1917.399902	1917.399902	0.933333
6696	001	1604	0.04	1964	2	65	100	3	4	2	4812	2848	RH-1	40	form-based		true	true	0.7	3	0.75	1	1	4491.199707	2527.199707	2527.199707	0.933333
6696	004	963	0.02	2027	1	65	100	3	2	1	2889	862	RH-1	40	form-based			true	0.7	2	1	1	1	2696.399902	669.3999023	669.3999023	0.933333
6706	033A	1033	0.02	1850	1	65	100	3	2	1	3099	1249	RH-1	40	form-based			true	0.7	2	1	1	1	2892.399902	1042.399902	1042.399902	0.933333
6706	040	613	0.01	0	0	65	100	3	1	1	1839	1839	RH-1	40	form-based			true	0.7	1	1	1	1	1716.400024	1716.400024	1716.400024	0.933333
6713	037	1080	0.02	560	1	65	100	3	2	1	3240	2680	RH-1	40	form-based			true	0.7	2	1	1	1	3024	2464	2464	0.933333
6713	037B	1139	0.03	667	1	65	100	3	3	2	3417	2750	RH-1	40	form-based		true	true	0.7	2	0.666666687	1	1	3189.199951	2522.199951	2522.199951	0.933333
6718	002	1175	0.03	1616	1	65	100	3	3	2	3525	1909	RH-2	40	form-based			true	0.7	2	0.666666687	1	1	3290	1674	1674	0.933333
6718	014D	999	0.02	1324	1	75	120	3.5	2	1	3496	2172	RH-2	40	form-based		true	true	0.7	2	1	1	1	2797.199951	1473.199951	1473.199951	0.800114
6721	001	2867	0.07	3750	3	65	100	3	7	4	8601	4851	NC-1	40	density-lin	800	true		0.75	4	0.571428597	1	1	8601	4851	4851	1
6721	008	1368	0.03	1254	1	65	100	3	3	2	4104	2850	NC-1	40	density-lin	800			0.75	2	0.666666687	1	1	4104	2850	2850	1
6727	003	950	0.02	1055	1	75	120	3.5	2	1	3325	2270	RH-2	40	form-based			true	0.7	2	1	1	1	2660	1605	1605	0.8
6727	003A	950	0.02	950	1	75	120	3.5	2	1	3325	2375	RH-2	40	form-based		true	true	0.7	2	1	1	1	2660	1710	1710	0.8
6727	003C	950	0.02	690	1	75	120	3.5	2	1	3325	2635	RH-2	40	form-based			true	0.7	2	1	1	1	2660	1970	1970	0.8
6727	024	1474	0.03	2373	3	75	120	3.5	4	1	5159	2786	RH-1	50	form-based		true	true	0.7	4	1	1	1	5159	2786	2786	1
6729	001	1012	0.02	705	1	65	100	3	2	1	3036	2331	RH-1	40	form-based		true	true	0.7	2	1	1	1	2833.599854	2128.599854	2128.599854	0.933333
6729	015	2029	0.05	3450	3	75	120	3.5	6	3	7102	3652	RH-1	40	form-based			true	0.7	4	0.666666687	1	1	5681.199707	2231.199707	2231.199707	0.799944
6732	067	1322	0.03	1760	2	65	100	3	3	1	3966	2206	RH-1	40	form-based			true	0.7	3	1	1	1	3701.599854	1941.599854	1941.599854	0.933333
6735	054	278	0.01	0	0	65	100	3	1	1	834	834	RH-1	40	form-based			true	0.7	1	1	1	1	778.3999634	778.3999634	778.3999634	0.933333
6738	026	500	0.01	0	0	75	120	3.5	1	1	1750	1750	RH-1	50	form-based			true	0.7	1	1	1	1	1750	1750	1750	1
6740	014	785	0.02	680	1	75	120	3.5	2	1	2748	2068	RH-2	50	form-based			true	0.7	2	1	1	1	2747.5	2067.5	2067.5	0.999818
6742	027A	495	0.01	0	0	75	120	3.5	1	1	1732	1732	RH-2	50	form-based		true	true	0.7	1	1	1	1	1732.5	1732.5	1732.5	1.000289
6748	063	4925	0.11	7245	5	65	100	3	11	6	14775	7530	RH-2	40	density-lin	1500	true		0.7	6	0.545454562	1	1	13790	6545	6545	0.933333
6750	037	2500	0.06	3910	5	75	120	3.5	7	2	8750	4840	RH-2	40	density-lin	1500	true		0.7	6	0.857142866	1	1	7000	3090	3090	0.8
6753	046	2500	0.06	2100	3	75	120	3.5	7	4	8750	6650	RH-1	40	density-lin	3000			0.7	4	0.571428597	1	1	7000	4900	4900	0.8
6758	028B	1000	0.02	1750	2	75	120	3.5	2	0	3500	1750	RH-2	50	form-based			true	0.7	3	1.5	1	1	3500	1750	1750	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6766	029A	250	0.01	0	0	65	100	3	1	1	750	750	RH-1	40	form-based			true	0.7	1	1	1	1	700	700	700	0.933333
6769	025	9993	0.23	11320	20	65	100	3	23	3	29979	18659	RM-1	40	form-based		true	true	0.7	21	0.913043499	1	1	27980.40039	16660.40039	16660.40039	0.933333
6770	002	1584	0.04	2410	2	65	100	3	4	2	4752	2342	RH-1	40	form-based			true	0.7	3	0.75	1	1	4435.199707	2025.199707	2025.199707	0.933333
6770	005	1000	0.02	1024	1	65	100	3	2	1	3000	1976	RH-2	40	form-based			true	0.7	2	1	1	1	2800	1776	1776	0.933333
6770	005A	1442	0.03	1704	2	65	100	3	3	1	4326	2622	RH-2	40	form-based		true	true	0.7	3	1	1	1	4037.599854	2333.599854	2333.599854	0.933333
6770	006	2444	0.06	3000	4	65	100	3	6	2	7332	4332	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	6843.199707	3843.199707	3843.199707	0.933333
6770	026	1868	0.04	2018	3	65	100	3	4	1	5604	3586	RH-2	40	form-based			true	0.7	4	1	1	1	5230.399902	3212.399902	3212.399902	0.933333
6779	049	3327	0.08	2335	3	65	100	3	8	5	9981	7646	RH-1	40	density-lim	3000			0.7	4	0.5	1	1	9315.599609	6980.599609	6980.599609	0.933333
6784	004	2500	0.06	2703	3	75	120	3.5	7	4	8750	6047	RH-1	40	density-lim	3000			0.7	4	0.571428597	1	1	7000	4297	4297	0.8
6786	025	2246	0.05	2332	3	75	120	3.5	6	3	7861	5529	RH-1	40	density-lim	3000			0.7	4	0.666666687	1	1	6288.799805	3956.799805	3956.799805	0.8
6796	008	2500	0.06	3459	3	65	100	3	6	3	7500	4041	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	1	1	7500	4041	4041	1
6796	012	3769	0.09	2535	3	65	100	3	9	6	11307	8772	RH-1	40	density-lim	3000			0.7	4	0.444444448	1	1	10553.2002	8018.200195	8018.200195	0.933333
6796	047	3750	0.09	3400	3	65	100	3	9	6	11250	7850	RH-1	40	density-lim	3000			0.7	4	0.444444448	1	1	10500	7100	7100	0.933333
6797	044	2500	0.06	2540	3	65	100	3	6	3	7500	4960	RH-1	40	density-lim	3000			0.7	4	0.666666687	1	1	7000	4460	4460	0.933333
6798	008A	2500	0.06	3750	3	65	100	3	6	3	7500	3750	RH-1	40	density-lim	3000			0.7	4	0.666666687	1	1	7000	3250	3250	0.933333
6803	002	2250	0.05	2113	3	65	100	3	5	2	6750	4637	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	1	1	6750	4637	4637	1
6803	005	2250	0.05	2800	3	65	100	3	5	2	6750	3950	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	1	1	6750	3950	3950	1
6804	010	2250	0.05	2720	3	65	100	3	5	2	6750	4030	NCD-EXCE	40	density-lim	600	true		0.75	4	0.800000012	1	1	6750	4030	4030	1
6935	004	2463	0.06	3400	4	65	100	3	6	2	7389	3989	RH-2	40	form-based		true	true	0.7	5	0.833333313	1	1	6896.399902	3496.399902	3496.399902	0.933333
6936	004A	1500	0.03	1909	2	85	140	4	4	2	6000	4091	RH-2	40	form-based			true	0.7	3	0.75	1	1	4200	2291	2291	0.7
6937	003	2820	0.06	2000	5	65	100	3	6	1	8460	6460	RH-2	40	form-based			true	0.7	6	1	1	1	7896	5896	5896	0.933333
6938	043	1115	0.03	753	1	65	100	3	3	2	3345	2592	RH-1	40	form-based			true	0.7	2	0.666666687	1	1	3122	2369	2369	0.933333
6942	049	2500	0.06	3630	4	65	100	3	6	2	7500	3870	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	7000	3370	3370	0.933333
6943	025	2500	0.06	4100	4	65	100	3	6	2	7500	3400	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	7000	2900	2900	0.933333
6944	015	2419	0.06	2715	4	65	100	3	6	2	7257	4542	RH-2	40	form-based		true	true	0.7	5	0.833333313	1	1	6773.199707	4058.199707	4058.199707	0.933333
6944	018	2500	0.06	2475	4	65	100	3	6	2	7500	5025	RH-2	40	form-based			true	0.7	5	0.833333313	1	1	7000	4525	4525	0.933333
6947	008	641	0.01	0	0	75	120	3.5	1	1	2244	2244	RH-1	40	form-based		true	true	0.7	1	1	1	1	1794.799927	1794.799927	1794.799927	0.799822
6951	013	9512	0.22	2880	3	75	120	3.5	26	23	33292	30412	RH-1	40	density-lim	3000			0.7	4	0.15384616	1	1	26633.59961	23753.59961	23753.59961	0.8
6951	030	4012	0.09	6648	4	65	100	3	9	5	12036	5388	NC-1	40	density-lim	800			0.75	5	0.555555582	1	1	12036	5388	5388	1
6951	035	10191	0.23	1286	3	65	100	3	23	20	30573	29287	RH-1	40	density-lim	3000			0.7	4	0.173913047	1	1	28534.79883	27248.79883	27248.79883	0.933333
6954	021	3040	0.07	2805	3	65	100	3	7	4	9120	6315	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	8512	5707	5707	0.933333
6954	021A	2000	0.05	3390	3	65	100	3	5	2	6000	2610	RH-2	40	density-lim	1500			0.7	4	0.800000012	1	1	5600	2210	2210	0.933333
6955	013	2509	0.06	3219	3	55	80	2.5	5	2	6272	3053	NCD-EXCE	65	density-lim	600			0.75	4	0.800000012	1	1	11290.5	8071.5	8071.5	1.800143
6955	007	376	0.01	776	0	55	80	2.5	1	1	940	164	NCD-EXCE	65	density-lim	600			0.75	1	1	1	1	1692	916	916	1.8
6968	001	1973	0.05	2996	2	65	100	3	5	3	5919	2923	NCD-EXCE	40	density-lim	600			0.75	3	0.600000024	1	1	5919	2923	2923	1
6968	004	1955	0.04	2456	2	65	100	3	4	2	5865	3409	NCD-EXCE	40	density-lim	600			0.75	3	0.75	1	1	5865	3409	3409	1
6968	005	2040	0.05	3500	2	65	100	3	5	3	6120	2620	NCD-EXCE	40	density-lim	600			0.75	3	0.600000024	1	1	6120	2620	2620	1
6968	015	2457	0.06	2750	3	65	100	3	6	3	7371	4621	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	1	1	7371	4621	4621	1
6968	017	2458	0.06	4700	3	65	100	3	6	3	7374	2674	NCD-EXCE	40	density-lim	600	true		0.75	4	0.666666687	1	1	7374	2674	2674	1
6969	009	2844	0.07	2100	3	65	100	3	7	4	8532	6432	RH-1	40	density-lim	3000			0.7	4	0.571428597	1	1	7963.199707	5863.199707	5863.199707	0.933333
6970	002B	2011	0.05	2520	3	65	100	3	5	2	6033	3513	RH-1	40	density-lim	3000			0.7	4	0.800000012	1	1	5630.799805	3110.799805	3110.799805	0.933333
6976	010	243	0.01	0	0	75	120	3.5	1	1	850	850	RH-1	40	form-based			true	0.7	1	1	1	1	680.3999634	680.3999634	680.3999634	0.800471
6977	001	926	0.02	875	1	75	120	3.5	2	1	3241	2366	RH-1	40	form-based			true	0.7	2	1	1	1	2592.800049	1717.800049	1717.800049	0.8
6979	023	1625	0.04	950	2	65	100	3	4	2	4875	3925	RH-1	40	form-based			true	0.7	3	0.75	1	1	4550	3600	3600	0.933333
6980	001A	1675	0.04	2060	3	65	100	3	4	1	5025	2965	RH-2	40	form-based			true	0.7	4	1	1	1	4690	2630	2630	0.933333
6984	001	2505	0.06	2400	4	65	100	3	6	2	7515	5115	RH-2	40	form-based		true	true	0.7	5	0.833333313	1	1	7014	4614	4614	0.933333
6984	021	875	0.02	646	1	55	80	2.5	2	1	2188	1542	RH-1	40	form-based			true	0.7	2	1	1	1	2450	1804	1804	1.119744
7008	009	2530	0.06	1677	3	55	80	2.5	5	2	6325	4648	RH-1	40	density-lim	3000			0.7	4	0.800000012	1	1	7084	5407	5407	1.12
7008	038	2500	0.06	1732	3	55	80	2.5	5	2	6250	4518	RH-1	40	density-lim	3000			0.7	4	0.800000012	1	1	7000	5268	5268	1.12
7013	001D	1537	0.04	1385	2	55	80	2.5	3	1	3842	2457	RH-1	40	form-based			true	0.7	3	1	1	1	4303.600098	2918.600098	2918.600098	1.120146
7014	024	1875	0.04	1525	3	55	80	2.5	3	0	4688	3163	RH-1	40	form-based		true	true	0.7	4	1.333333373	1	1	5250	3725	3725	1.119881
7031	002	2370	0.05	2000	3	55	80	2.5	4	1	5925	3925	NCD-EXCE	40	density-lim	600			0.75	4	1	1	1	7110	5110	5110	1.2
7031	002D	2287	0.05	2184	3	55	80	2.5	4	1	5718	3534	NCD-EXCE	40	density-lim	600			0.75	4	1	1	1	6861	4677	4677	1.199895
7031	003F	2532	0.06	2820	3	55	80	2.5	5	2	6330	3510	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	1	1	7596	4776	4776	1.2
7043	001C	1881	0.04	2537	2	55	80	2.5	3	1	4702	2165	NCD-EXCE	40	density-lim	600			0.75	3	1	1	1	5643	3106	3106	1.200128
7043	001D	1937	0.04	2100	2	55	80	2.5	3	1	4842	2742	NCD-EXCE	40	density-lim	600			0.75	3	1	1	1	5811	3711	3711	1.200124
7043	001F	2049	0.05	2100	2	55	80	2.5	4	2	5122	3022	NCD-EXCE	40	density-lim	600			0.75	3	0.75	1	1	6147	4047	4047	1.200117
7043	001G	1920	0.04	2100	2	55	80	2.5	3	1	4800	2700	NCD-EXCE	40	density-lim	600			0.75	3	1	1	1	5760	3660	3660	1.2
7043	002A	2031	0.05	3486	2	55	80	2.5	4	2	5078	1592	NCD-EXCE	40	density-lim	600			0.75	3	0.75	1	1	6093	2607	2607	1.199882
7043	002B	2087	0.05	2100	2	55	80	2.5	4	2	5218	3118	NCD-EXCE	40	density-lim	600			0.75	3	0.75	1	1	6261	4161	4161	1.199885
7043	002E	1755	0.04	2100	2	55	80	2.5	3	1	4388	2288	NCD-EXCE	40	density-lim	600			0.75	3	1	1	1	5265	3165	3165	1.199863
7043	002F	1811	0.04	2100	2	55	80	2.5	3	1	4528	2428	NCD-EXCE	40	density-lim	600			0.75	3	1	1	1	5433	3333	3333	1.199867
7043	002G	1867	0.04	2760	2	55	80	2.5	3	1	4668	1908	NCD-EXCE	40	density-lim	600	true		0.75	3	1	1	1	5601	2841	2841	1.199871
7044A	018	2113	0.05	1750	3	55	80	2.5	4	1	5282	3532	RH-1	40	density-lim	3000			0.7	4	1	1	1	5916.399902	4166.399902	4166.399902	1.120106

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7046A	009	2125	0.05	1781	3	65	100	3	5	2	6375	4594	RH-1	40	density-lim	3000			0.7	4	0.800000012	1	1	5950	4169	4169	0.933333
7062	053	2260	0.05	1848	3	85	140	4	7	4	9040	7192	RH-1	40	density-lim	3000			0.7	4	0.571428597	1	1	6328	4480	4480	0.7
7064A	026	3083	0.07	2360	3	65	100	3	7	4	9249	6889	RH-1	40	density-lim	3000			0.7	4	0.571428597	1	1	8632.399414	6272.399414	6272.399414	0.933333
7066	010	2442	0.06	3000	3	55	80	2.5	5	2	6105	3105	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	1	1	7326	4326	4326	1.2
7066	031	1530	0.04	2836	2	55	80	2.5	3	1	3825	989	NCD-EXCE	40	density-lim	600			0.75	3	1	1	1	4590	1754	1754	1.2
7066	032	1900	0.04	2484	2	55	80	2.5	3	1	4750	2266	NCD-EXCE	40	density-lim	600			0.75	3	1	1	1	5700	3216	3216	1.2
7081A	004	2377	0.05	2536	2	85	140	4	7	5	9508	6972	NC-1	26	density-lim	800	true		0.75	3	0.428571433	1	1	3565.5	1029.5	1029.5	0.375
7085	048	1875	0.04	3055	3	65	100	3	4	1	5625	2570	RH-2	40	density-lim	1500			0.7	4	1	1	1	5250	2195	2195	0.933333
7086	006	2517	0.06	1445	3	65	100	3	6	3	7551	6106	RH-1	40	density-lim	3000			0.7	4	0.666666687	1	1	7047.600098	5602.600098	5602.600098	0.933333
7086	021	2500	0.06	1200	3	85	140	4	8	5	10000	8800	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	7000	5800	5800	0.7
7091	022	2500	0.06	1950	3	85	140	4	8	5	10000	8050	RH-2	40	density-lim	1500			0.7	4	0.5	1	1	7000	5050	5050	0.7
7091	024	2500	0.06	2700	2	85	140	4	8	6	10000	7300	NC-1	40	density-lim	800			0.75	3	0.375	1	1	7500	4800	4800	0.75
7092	003	5000	0.11	2450	3	65	100	3	11	8	15000	12550	RH-1	40	density-lim	3000			0.7	4	0.363636374	1	1	14000	11550	11550	0.933333
7099	009	2032	0.05	5569	2	55	80	2.5	4	2	5080	0	NCD-EXCE	40	density-lim	600			0.75	3	0.75	1	1	6096	527	527	1.2
7115	044	3961	0.09	4250	4	85	140	4	13	9	15844	11594	NC-1	40	density-lim	800			0.75	5	0.384615391	1	1	11883	7633	7633	0.75
7118	049	3960	0.09	7840	4	65	100	3	9	5	11880	4040	NC-1	40	density-lim	800			0.75	5	0.555555582	1	1	11880	4040	4040	1
7119	048	1975	0.05	2302	3	85	140	4	7	4	7900	5598	RH-2	40	density-lim	1500			0.7	4	0.571428597	1	1	5530	3228	3228	0.7
7178	014	1837	0.04	4098	3	75	120	3.5	5	2	6430	2332	RH-1	40	density-lim	3000			0.7	4	0.800000012	1	1	5143.600098	1045.600098	1045.600098	0.799938
7217	002	3800	0.09	2835	7	65	100	3	9	2	11400	8565	RH-1(D)	40	form-based			true	0.7	8	0.888888896	1	1	10640	7805	7805	0.933333
7243	014	346	0.01	0	0	65	100	3	1	1	1038	1038	RTO-C	40	form-based		true	true	0.75	1	1	1	1	1038	1038	1038	1
7352A	001	861	0.02	0	0	55	80	2.5	2	2	2152	2152	RM-1	40	density-lim	800			0.7	1	0.5	1	1	2410.800049	2410.800049	2410.800049	1.12026
7537	018	1063	0.02	673	1	55	80	2.5	2	1	2658	1985	RH-1	40	form-based			true	0.7	2	1	1	1	2976.399902	2303.399902	2303.399902	1.119789
0024	005	1695	0.04	2812	6	65	100	3	4	0	5085	2273	RTO-C	65	form-based			true	0.75	6	1.5	0	0	7627.5	4815.5	4815.5	1.5
0024	009	3151	0.07	7498	14	65	100	3	7	0	9453	1955	RTO-C	65	form-based			true	0.75	12	1.714285731	0	0	14179.5	6681.5	6681.5	1.5
0025	004A	2114	0.05	5520	5	65	100	3	5	0	6342	822	NC-1	40	form-based		true	true	0.75	5	1	0	0	6342	822	822	1
0025	023	3828	0.09	10080	12	65	100	3	9	0	11484	1404	C-2	40	form-based			true	0.8	9	1	0	0	12249.60059	2169.600586	2169.600586	1.066667
0026	003	1438	0.03	3711	3	65	100	3	3	0	4314	603	RH-3	40	form-based		true	true	0.7	3	1	0	0	4026.399902	315.3999023	315.3999023	0.933333
0026	004	1558	0.04	3711	3	65	100	3	4	1	4674	963	RH-3	40	form-based			true	0.7	3	0.75	0	0	4362.399902	651.3999023	651.3999023	0.933333
0026	005	1558	0.04	3711	3	65	100	3	4	1	4674	963	RH-3	40	form-based			true	0.7	3	0.75	0	0	4362.399902	651.3999023	651.3999023	0.933333
0026	007	2770	0.06	5099	7	65	100	3	6	0	8310	3211	RH-3	40	form-based			true	0.7	6	1	0	0	7756	2657	2657	0.933333
0026	048	1822	0.04	1176	8	65	100	3	4	0	5466	4290	RH-3	40	form-based			true	0.7	4	1	0	0	5101.600098	3925.600098	3925.600098	0.933333
0026	054	2143	0.05	5486	6	65	100	3	5	0	6429	943	RH-3	40	form-based			true	0.7	5	1	0	0	6000.399902	514.3999023	514.3999023	0.933333
0026T	001A	7850	0.18	22049	24	65	100	3	18	0	23550	1501	RH-3	40	form-based		true	true	0.7	16	0.888888896	0	0	21980	0	0	0.933333
0027	016A	2312	0.05	2781	11	65	100	3	5	0	6936	4155	RH-3	40	form-based			true	0.7	5	1	0	0	6473.600098	3692.600098	3692.600098	0.933333
0027	020	1925	0.04	2830	10	65	100	3	4	0	5775	2945	RH-3	40	form-based		true	true	0.7	4	1	0	0	5390	2560	2560	0.933333
0027	065	2951	0.07	1792	6	65	100	3	7	1	8853	7061	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8262.799805	6470.799805	6470.799805	0.933333
0029	008	48401	1.11	113004	240	65	100	3	111	0	145203	32199	C-2	85	form-based		true	true	0.55	186	1.675675631	0	0	212964.4063	99960.40625	99960.40625	1.466667
0032	001	57120	1.31	132536	514	65	100	3	131	0	171360	38824	RTO-C	85	form-based		true	true	0.55	220	1.679389358	0	0	251328	118792	118792	1.466667
0038	001A	44180	1.01	85272	96	65	100	3	101	5	132540	47268	C-2	40	form-base	800	true		0.55	73	0.7227723	0	0	97196	11924	11924	0.733333
0039	020	9756	0.22	24575	39	65	100	3	22	0	29268	4693	RM-3	40	density-lim	400	true		0.75	24	1.090909123	0	0	29268	4693	4693	1
0039	023	3714	0.09	7464	12	65	100	3	9	0	11142	3678	RM-3	40	density-lim	400	true		0.75	9	1	0	0	11142	3678	3678	1
0039	101	2062	0.05	750	4	65	100	3	5	1	6186	5436	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	5773.600098	5023.600098	5023.600098	0.933333
0039	114	2903	0.07	1030	4	65	100	3	7	3	8709	7679	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8128.399902	7098.399902	7098.399902	0.933333
0040	001	26570	0.61	59542	105	65	100	3	61	0	79710	20168	RM-3	40	density-lim	400	true		0.75	66	1.081967235	0	0	79710	20168	20168	1
0040	011	6302	0.14	15000	18	65	100	3	14	0	18906	3906	RM-3	40	density-lim	400			0.75	16	1.142857194	0	0	18906	3906	3906	1
0040	018	12037	0.28	27291	50	65	100	3	28	0	36111	8820	RM-3	40	density-lim	400			0.75	30	1.071428537	0	0	36111	8820	8820	1
0041	006	1676	0.04	2850	4	65	100	3	4	0	5028	2178	NCD-NORT	40	density-lim	400	true		0.75	4	1	0	0	5028	2178	2178	1
0041	014	1375	0.03	3498	3	65	100	3	3	0	4125	627	NCD-NORT	40	density-lim	400			0.75	3	1	0	0	4125	627	627	1
0041	015	1375	0.03	3556	6	65	100	3	3	0	4125	569	NCD-NORT	40	density-lim	400			0.75	3	1	0	0	4125	569	569	1
0041	017	1379	0.03	2420	3	65	100	3	3	0	4137	1717	NCD-NORT	40	density-lim	400			0.75	3	1	0	0	4137	1717	1717	1
0041	018	1375	0.03	4045	3	65	100	3	3	0	4125	80	NCD-NORT	40	density-lim	400			0.75	3	1	0	0	4125	80	80	1
0041	037	1375	0.03	3209	3	65	100	3	3	0	4125	916	NCD-NORT	40	density-lim	400	true		0.75	3	1	0	0	4125	916	916	1
0041	045	4541	0.1	665	13	65	100	3	10	0	13623	12958	NCD-NORT	40	density-lim	400			0.75	11	1.100000024	0	0	13623	12958	12958	1
0041	058	5095	0.12	611	15	65	100	3	12	0	15285	14674	NCD-NORT	40	density-lim	400			0.75	13	1.083333373	0	0	15285	14674	14674	1
0041	073	5099	0.12	550	15	65	100	3	12	0	15297	14747	NCD-NORT	40	density-lim	400			0.75	13	1.083333373	0	0	15297	14747	14747	1
0041	088	4530	0.1	602	12	65	100	3	10	0	13590	12988	NCD-NORT	40	density-lim	400			0.75	11	1.100000024	0	0	13590	12988	12988	1
0041	103	5152	0.12	12458	20	65	100	3	12	0	15456	2998	NCD-NORT	40	density-lim	400			0.75	13	1.083333373	0	0	15456	2998	2998	1
0042	022	112007	2.57	164148	341	65	100	3	257	0	336021	171873	RM-3	40	density-lim	400	true		0.55	280	1.089494109	0	0	246415.4063	82267.40625	82267.40625	0.733333
0044	012A	1478	0.03	2074	8	65	100	3	3	0	4434	2360	RTO-C	65	form-based			true	0.75	6	2	0	0	6651	4577	4577	1.5
0045	021	167	0	0	0	65	100	3	0	0	501	501	RH-3	40	form-based			true	0.7	0		0	0	467.6000061	467.6000061	467.6000061	0.933333
0045	002	1791	0.04	3656	10	65	100	3	4	0	5373	1717	RH-1(D)	40	form-based			true	0.7	4	1	0	0	5014.799805	1358.799805	1358.799805	0.933333
0045	010C	1542	0.04	2897	5	65	100	3	4	0	4626	1729	RH-3	40	form-based		true	true	0.7	3	0.75	0	0	4317.600098	1420.600098	1420.600098	0.933333
0045	010D	2002	0.05	4353	6	65	100	3	5	0	6006	1653	RH-3	40	form-based			true	0.7	4	0.800000012	0	0	5605.600098	1252.600098	1252.600098	0.933333
0045	022	187	0	1942	0	65	100	3	0	0	561	0	RH-3	40	form-based			true	0.7	0		0	0	523.5999756	0	0	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0045	023	187	0	1100	0	65	100	3	0	0	561	0	RH-3	40	form-based			true	0.7	0		0	0	523.5999756	0	0	0.933333
0045	024	187	0	0	0	65	100	3	0	0	561	561	RH-3	40	form-based			true	0.7	0		0	0	523.5999756	523.5999756	523.5999756	0.933333
0045	025	553	0.01	1500	1	65	100	3	1	0	1659	159	RH-3	40	form-based			true	0.7	1	1	0	0	1548.400024	48.40002441	48.40002441	0.933333
0045	028	187	0	183	0	65	100	3	0	0	561	378	RH-3	40	form-based			true	0.7	0		0	0	523.5999756	340.5999756	340.5999756	0.933333
0045	030	529	0.01	1800	1	65	100	3	1	0	1587	0	RH-3	40	form-based			true	0.7	1	1	0	0	1481.199951	0	0	0.933333
0045	032	201	0	183	0	65	100	3	0	0	603	420	RH-3	40	form-based			true	0.7	0		0	0	562.7999878	379.7999878	379.7999878	0.933333
0045	034	183	0	2066	0	65	100	3	0	0	549	0	RH-3	40	form-based			true	0.7	0		0	0	512.3999634	0	0	0.933333
0045	036	183	0	0	0	65	100	3	0	0	549	549	RH-3	40	form-based			true	0.7	0		0	0	512.3999634	512.3999634	512.3999634	0.933333
0045	052	9219	0.21	934	23	65	100	3	21	0	27657	26723	RH-3	40	form-based		true	true	0.7	19	0.90476191	0	0	25813.19922	24879.19922	24879.19922	0.933333
0047	002B	10009	0.23	88970	84	65	100	3	23	0	30027	0	RH-3	40	form-based		true	true	0.7	21	0.913043499	0	0	28025.19922	0	0	0.933333
0047	006	10889	0.25	1622	58	65	100	3	25	0	32667	31045	RM-3	40	form-based			true	0.75	25	1	0	0	32667	31045	31045	1
0048	015	13750	0.32	33429	35	55	80	2.5	26	0	34375	946	RM-1	40	form-based		true	true	0.7	29	1.115384579	0	0	38500	5071	5071	1.12
0050	002	903	0.02	3234	3	65	100	3	2	0	2709	0	NCD-NORT	65	form-based			true	0.75	3	1.5	0	0	4063.5	829.5	829.5	1.5
0050	007	2750	0.06	7440	8	55	80	2.5	5	0	6875	0	RM-1	50	form-based		true	true	0.7	8	1.600000024	0	0	9625	2185	2185	1.4
0050	009	2063	0.05	4520	6	65	100	3	5	0	6189	1669	RM-1	50	form-based			true	0.7	6	1.200000048	0	0	7220.5	2700.5	2700.5	1.166667
0050	012	1500	0.03	2150	4	65	100	3	3	0	4500	2350	RM-1	50	form-based			true	0.7	4	1.333333373	0	0	5250	3100	3100	1.166667
0050	019	1309	0.03	2026	11	65	100	3	3	0	3927	1901	RM-1	50	form-based			true	0.7	4	1.333333373	0	0	4581.5	2555.5	2555.5	1.166667
0050	033	893	0.02	2181	4	65	100	3	2	0	2679	498	RM-1	50	form-based			true	0.7	3	1.5	0	0	3125.5	944.5	944.5	1.166667
0051	008A	2025	0.05	4518	6	65	100	3	5	0	6075	1557	NCD-NORT	50	form-based			true	0.75	6	1.200000048	0	0	7593.75	3075.75	3075.75	1.25
0051	025	1395	0.03	2620	4	65	100	3	3	0	4185	1565	NCD-NORT	50	form-based			true	0.75	4	1.333333373	0	0	5231.25	2611.25	2611.25	1.25
0051	030	1280	0.03	3115	6	65	100	3	3	0	3840	725	NCD-NORT	50	form-based			true	0.75	4	1.333333373	0	0	4800	1685	1685	1.25
0052	008	3484	0.08	9150	15	55	80	2.5	6	0	8710	0	NCD-NORT	40	density-lim	400	true		0.75	9	1.5	0	0	10452	1302	1302	1.2
0052	022	4783	0.11	13089	12	65	100	3	11	0	14349	1260	NCD-NORT	40	density-lim	400	true		0.75	12	1.090909123	0	0	14349	1260	1260	1
0053	002A	2960	0.07	6600	6	65	100	3	7	1	8880	2280	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8288	1688	1688	0.933333
0053	002B	3200	0.07	6900	8	65	100	3	7	0	9600	2700	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8960	2060	2060	0.933333
0053	003	3000	0.07	8880	8	65	100	3	7	0	9000	120	RM-1	40	density-lim	800	true		0.7	4	0.571428597	0	0	8400	0	0	0.933333
0053	005	4727	0.11	6710	6	65	100	3	11	5	14181	7471	RM-1	40	density-lim	800			0.7	6	0.545454562	0	0	13235.59961	6525.599609	6525.599609	0.933333
0054	008	1160	0.03	1760	4	65	100	3	3	0	3480	1720	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	3248	1488	1488	0.933333
0054	016B	2600	0.06	4420	3	65	100	3	6	3	7800	3380	RM-1	40	density-lim	800	true		0.7	3	0.5	0	0	7280	2860	2860	0.933333
0054	016D	2000	0.05	3920	4	65	100	3	5	1	6000	2080	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	5600	1680	1680	0.933333
0054	017A	3358	0.08	7458	12	65	100	3	8	0	10074	2616	RH-3	40	density-lim	1000	true		0.7	6	0.75	0	0	9402.399414	1944.399414	1944.399414	0.933333
0054	019	1060	0.02	2100	4	65	100	3	2	0	3180	1080	RH-3	40	density-lim	1000			0.7	4	2	0	0	2968	868	868	0.933333
0054	024	2321	0.05	3925	4	65	100	3	5	1	6963	3038	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	6498.799805	2573.799805	2573.799805	0.933333
0054	026	1575	0.04	2296	4	65	100	3	4	0	4725	2429	RH-3	40	density-lim	1000			0.7	4	1	0	0	4410	2114	2114	0.933333
0054	027	1575	0.04	3100	4	65	100	3	4	0	4725	1625	RH-3	40	density-lim	1000			0.7	4	1	0	0	4410	1310	1310	0.933333
0054	029A	3754	0.09	9395	11	65	100	3	9	0	11262	1867	RH-3	40	density-lim	1000	true		0.7	6	0.666666687	0	0	10511.2002	1116.200195	1116.200195	0.933333
0054	030	1841	0.04	2660	2	65	100	3	4	2	5523	2863	RM-1	40	density-lim	800	true		0.7	2	0.5	0	0	5154.799805	2494.799805	2494.799805	0.933333
0054	031	1841	0.04	3048	2	65	100	3	4	2	5523	2475	RM-1	40	density-lim	800			0.7	2	0.5	0	0	5154.799805	2106.799805	2106.799805	0.933333
0054	033	1937	0.04	3097	2	65	100	3	4	2	5811	2714	RM-1	40	density-lim	800			0.7	2	0.5	0	0	5423.600098	2326.600098	2326.600098	0.933333
0054	034	2015	0.05	3771	3	65	100	3	5	2	6045	2274	RM-1	40	density-lim	800	true		0.7	3	0.600000024	0	0	5642	1871	1871	0.933333
0054	039	2131	0.05	5400	5	65	100	3	5	0	6393	993	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	5966.799805	566.7998047	566.7998047	0.933333
0054	040	2129	0.05	3731	5	65	100	3	5	0	6387	2656	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	5961.199707	2230.199707	2230.199707	0.933333
0054	045	3440	0.08	5080	11	65	100	3	8	0	10320	5240	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9632	4552	4552	0.933333
0054	060	2126	0.05	1367	4	65	100	3	5	1	6378	5011	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	5952.799805	4585.799805	4585.799805	0.933333
0054	070	1181	0.03	3960	4	65	100	3	3	0	3543	0	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	3306.800049	0	0	0.933333
0055	016	49721	1.14	111150	230	65	100	3	114	0	149163	38013	C-2	65	form-base	800	true		0.55	137	1.201754332	0	0	164079.2969	52929.29688	52929.29688	1.1
0060	007	4185	0.1	18844	10	65	100	3	10	0	12555	0	RM-2	40	form-based		true	true	0.7	9	0.899999976	0	0	11718	0	0	0.933333
0060	008	9802	0.23	38150	32	65	100	3	23	0	29406	0	RM-2	40	form-based			true	0.7	21	0.913043499	0	0	27445.59961	0	0	0.933333
0060	016	2750	0.06	1060	10	65	100	3	6	0	8250	7190	RM-2	40	form-based		true	true	0.7	6	1	0	0	7700	6640	6640	0.933333
0060	026	50188	1.15	648	282	65	100	3	115	0	150564	149916	C-2	84	form-base	800	true		0.55	193	1.678260922	0	0	220827.2031	220179.2031	220179.2031	1.466667
0061	008	1882	0.04	5354	5	65	100	3	4	0	5646	292	RH-3	40	form-based		true	true	0.7	4	1	0	0	5269.600098	0	0	0.933333
0061	009	1719	0.04	3646	4	65	100	3	4	0	5157	1511	RH-3	40	form-based		true	true	0.7	4	1	0	0	4813.199707	1167.199707	1167.199707	0.933333
0061	010	1547	0.04	1753	3	65	100	3	4	1	4641	2888	RH-3	40	form-based			true	0.7	3	0.75	0	0	4331.600098	2578.600098	2578.600098	0.933333
0061	012	2320	0.05	5721	6	65	100	3	5	0	6960	1239	RH-3	40	form-based			true	0.7	5	1	0	0	6496	775	775	0.933333
0061	017	1120	0.03	2736	2	65	100	3	3	1	3360	624	RH-3	40	form-based		true	true	0.7	2	0.666666687	0	0	3136	400	400	0.933333
0061	018	1120	0.03	1616	2	65	100	3	3	1	3360	1744	RH-3	40	form-based			true	0.7	2	0.666666687	0	0	3136	1520	1520	0.933333
0061	019	1120	0.03	1760	2	65	100	3	3	1	3360	1600	RH-3	40	form-based			true	0.7	2	0.666666687	0	0	3136	1376	1376	0.933333
0061	020A	1551	0.04	4533	3	65	100	3	4	1	4653	120	RH-3	40	form-based		true	true	0.7	3	0.75	0	0	4342.799805	0	0	0.933333
0061	021	1656	0.04	3588	6	65	100	3	4	0	4968	1380	RH-3	40	form-based			true	0.7	3	0.75	0	0	4636.799805	1048.799805	1048.799805	0.933333
0063	025	3534	0.08	4878	7	55	80	2.5	6	0	8835	3957	RM-2	40	form-based			true	0.7	7	1.166666627	0	0	9895.200195	5017.200195	5017.200195	1.12
0062	005	3454	0.08	7707	8	65	100	3	8	0	10362	2655	RH-3	40	form-based			true	0.7	7	0.875	0	0	9671.200195	1964.200195	1964.200195	0.933333
0062	013	5414	0.12	8771	12	65	100	3	12	0	16242	7471	RH-3	40	form-based			true	0.7	11	0.916666687	0	0	15159.2002	6388.200195	6388.200195	0.933333
0062	017B	4343	0.1	7425	10	55	80	2.5	8	0	10858	3433	RM-1	40	form-based		true	true	0.7	9	1.125	0	0	12160.39941	4735.399414	4735.399414	1.119948
0062	022	2613	0.06	6769	10	55	80	2.5	5	0	6532	0	RM-1	40	form-based		true	true	0.7	5	1	0	0	7316.399902	547.3999023	547.3999023	1.120086

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0062	028	2188	0.05	5010	5	65	100	3	5	0	6564	1554	RH-3	40	form-based			true	0.7	5	1	0	0	6126.399902	1116.399902	1116.399902	0.933333
0062	032	4400	0.1	1150	11	55	80	2.5	8	0	11000	9850	RH-3	40	form-based			true	0.7	9	1.125	0	0	12320	11170	11170	1.12
0062	059	1408	0.03	775	3	65	100	3	3	0	4224	3449	RH-3	40	form-based			true	0.7	3	1	0	0	3942.399902	3167.399902	3167.399902	0.933333
0062	062	1430	0.03	1210	3	65	100	3	3	0	4290	3080	RH-3	40	form-based		true	true	0.7	3	1	0	0	4004	2794	2794	0.933333
0062	065	1250	0.03	1174	3	65	100	3	3	0	3750	2576	RH-3	40	form-based			true	0.7	3	1	0	0	3500	2326	2326	0.933333
0063	001	2177	0.05	5778	6	55	80	2.5	4	0	5442	0	RM-1	40	form-based		true	true	0.7	5	1.25	0	0	6095.600098	317.6000977	317.6000977	1.120103
0063	005	2420	0.06	6800	8	55	80	2.5	5	0	6050	0	RM-1	40	form-based		true	true	0.7	5	1	0	0	6776	0	0	1.12
0063	019	3063	0.07	4870	7	55	80	2.5	6	0	7658	2788	RM-2	40	form-based			true	0.7	6	1	0	0	8576.399414	3706.399414	3706.399414	1.119927
0063	023	6376	0.15	8594	14	55	80	2.5	12	0	15940	7346	RM-2	40	form-based		true	true	0.7	13	1.083333373	0	0	17852.79883	9258.798828	9258.798828	1.12
0064	001	2796	0.06	7470	7	55	80	2.5	5	0	6990	0	RM-2	40	form-based		true	true	0.7	6	1.200000048	0	0	7828.799805	358.7998047	358.7998047	1.12
0064	006	3438	0.08	6538	8	55	80	2.5	6	0	8595	2057	RM-2	40	form-based			true	0.7	7	1.166666627	0	0	9626.399414	3088.399414	3088.399414	1.12
0064	007	2530	0.06	4551	5	55	80	2.5	5	0	6325	1774	RM-2	40	form-based			true	0.7	5	1	0	0	7084	2533	2533	1.12
0064	017	1669	0.04	4470	6	55	80	2.5	3	0	4172	0	RM-2	50	form-based		true	true	0.7	5	1.666666627	0	0	5841.5	1371.5	1371.5	1.400168
0064	026	1700	0.04	4385	6	55	80	2.5	3	0	4250	0	RM-2	50	form-based		true	true	0.7	5	1.666666627	0	0	5950	1565	1565	1.4
0065	002	3300	0.08	8493	14	55	80	2.5	6	0	8250	0	RM-2	50	form-based			true	0.7	9	1.5	0	0	11550	3057	3057	1.4
0065	003	1650	0.04	3588	12	55	80	2.5	3	0	4125	537	RM-2	50	form-based			true	0.7	5	1.666666627	0	0	5775	2187	2187	1.4
0065	015A	3622	0.08	10734	12	55	80	2.5	6	0	9055	0	NCD-NORT	50	form-based		true	true	0.75	11	1.833333373	0	0	13582.5	2848.5	2848.5	1.5
0065	017	1605	0.04	4672	6	55	80	2.5	3	0	4012	0	NCD-NORT	65	form-based		true	true	0.75	6	2	0	0	7222.5	2550.5	2550.5	1.800224
0065	026	2475	0.06	8151	9	55	80	2.5	5	0	6188	0	NCD-NORT	65	form-based			true	0.75	9	1.799999952	0	0	11137.5	2986.5	2986.5	1.799855
0066	002	4051	0.09	8964	12	55	80	2.5	7	0	10128	1164	RM-1	50	form-based			true	0.7	11	1.571428537	0	0	14178.5	5214.5	5214.5	1.399931
0066	012	2793	0.06	7200	6	55	80	2.5	5	0	6982	0	RM-1	40	form-based		true	true	0.7	6	1.200000048	0	0	7820.399902	620.3999023	620.3999023	1.12008
0067	013G	1694	0.04	2670	9	55	80	2.5	3	0	4235	1565	RH-2	40	form-based		true	true	0.7	4	1.333333373	0	0	4743.199707	2073.199707	2073.199707	1.12
0068	001	6037	0.14	30018	36	55	80	2.5	11	0	15092	0	RM-1	50	form-based		true	true	0.7	17	1.545454502	0	0	21129.5	0	0	1.400046
0069	012	3025	0.07	8969	8	65	100	3	7	0	9075	106	RH-3	50	form-based			true	0.7	8	1.142857194	0	0	10587.5	1618.5	1618.5	1.166667
0071	010	1582	0.04	5208	5	55	80	2.5	3	0	3955	0	RM-2	50	form-based		true	true	0.7	4	1.333333373	0	0	5537	329	329	1.4
0071	012	1400	0.03	19650	17	55	80	2.5	2	0	3500	0	RM-2	50	form-based			true	0.7	4	2	0	0	4900	0	0	1.4
0071	014B	1777	0.04	1294	6	55	80	2.5	3	0	4442	3148	RM-2	50	form-based			true	0.7	5	1.666666627	0	0	6219.5	4925.5	4925.5	1.400158
0071	016	1848	0.04	2880	6	55	80	2.5	3	0	4620	1740	RH-3	50	form-based			true	0.7	5	1.666666627	0	0	6468	3588	3588	1.4
0071	041	1582	0.04	1200	4	55	80	2.5	3	0	3955	2755	RM-2	50	form-based		true	true	0.7	4	1.333333373	0	0	5537	4337	4337	1.4
0071	083	3015	0.07	1376	15	55	80	2.5	6	0	7538	6162	RH-3	50	form-based			true	0.7	8	1.333333373	0	0	10552.5	9176.5	9176.5	1.399907
0072	003	1600	0.04	4833	4	55	80	2.5	3	0	4000	0	RM-1	40	form-based			true	0.7	3	1	0	0	4480	0	0	1.12
0072	003A	1600	0.04	4650	4	55	80	2.5	3	0	4000	0	RM-1	40	form-based			true	0.7	3	1	0	0	4480	0	0	1.12
0072	008	8607	0.2	37932	36	55	80	2.5	16	0	21518	0	RM-2	40	form-based		true	true	0.7	18	1.125	0	0	24099.59961	0	0	1.119974
0072	008B	3441	0.08	6735	7	55	80	2.5	6	0	8602	1867	RM-2	40	form-based			true	0.7	7	1.166666627	0	0	9634.799805	2899.799805	2899.799805	1.120065
0072	023	9442	0.22	22607	23	55	80	2.5	18	0	23605	998	RM-1	40	form-based			true	0.7	20	1.111111164	0	0	26437.59961	3830.599609	3830.599609	1.12
0072	024	6881	0.16	22932	25	55	80	2.5	13	0	17202	0	RM-2	40	form-based			true	0.7	14	1.076923132	0	0	19266.79883	0	0	1.120032
0073	003	4295	0.1	7486	20	55	80	2.5	8	0	10738	3252	RM-1	50	form-based			true	0.7	12	1.5	0	0	15032.5	7546.5	7546.5	1.399935
0073	016	3000	0.07	7125	9	55	80	2.5	6	0	7500	375	RM-1	40	form-based			true	0.7	6	1	0	0	8400	1275	1275	1.12
0073	017G	1031	0.02	2399	2	55	80	2.5	2	0	2578	179	RM-1	40	form-based			true	0.7	2	1	0	0	2886.800049	487.8000488	487.8000488	1.119783
0073	051	1932	0.04	1185	12	55	80	2.5	3	0	4830	3645	RM-1	50	form-based			true	0.7	5	1.666666627	0	0	6762	5577	5577	1.4
0074	003A	2103	0.05	5197	7	55	80	2.5	4	0	5258	61	RM-1	50	form-based			true	0.7	6	1.5	0	0	7360.5	2163.5	2163.5	1.399867
0074	005	3608	0.08	7618	13	55	80	2.5	6	0	9020	1402	RM-1	50	form-based		true	true	0.7	10	1.666666627	0	0	12628	5010	5010	1.4
0074	007	1233	0.03	4662	7	55	80	2.5	2	0	3082	0	RM-2	50	form-based		true	true	0.7	3	1.5	0	0	4315.5	0	0	1.400227
0074	022	1112	0.03	3018	3	55	80	2.5	2	0	2780	0	RM-1	50	form-based			true	0.7	3	1.5	0	0	3892	874	874	1.4
0074	026	520	0.01	1050	2	55	80	2.5	1	0	1300	250	NCD-NORT	65	form-based			true	0.75	2	2	0	0	2340	1290	1290	1.8
0074	027	848	0.02	1920	3	55	80	2.5	2	0	2120	200	NCD-NORT	65	form-based			true	0.75	3	1.5	0	0	3816	1896	1896	1.8
0074	038	2103	0.05	5197	7	55	80	2.5	4	0	5258	61	RM-1	50	form-based			true	0.7	6	1.5	0	0	7360.5	2163.5	2163.5	1.399867
0074	039	2103	0.05	5197	7	55	80	2.5	4	0	5258	61	RM-1	50	form-based			true	0.7	6	1.5	0	0	7360.5	2163.5	2163.5	1.399867
0074	042	20002	0.46	72912	84	55	80	2.5	37	0	50005	0	RM-2	50	form-based			true	0.7	56	1.513513565	0	0	70007	0	0	1.4
0076	001	2594	0.06	7219	7	55	80	2.5	5	0	6485	0	RM-1	40	form-based		true	true	0.7	5	1	0	0	7263.199707	44.19970703	44.19970703	1.12
0076	001A	3059	0.07	6810	6	55	80	2.5	6	0	7648	838	RM-1	40	form-based			true	0.7	6	1	0	0	8565.200195	1755.200195	1755.200195	1.119927
0076	006	6237	0.14	9030	14	55	80	2.5	11	0	15592	6562	RM-1	40	form-based			true	0.7	13	1.181818128	0	0	17463.59961	8433.599609	8433.599609	1.120036
0076	010	1508	0.03	3241	3	55	80	2.5	2	0	3770	529	RM-1	40	form-based			true	0.7	3	1.5	0	0	4222.399902	981.3999023	981.3999023	1.12
0076	022B	50	0	0	0	55	80	2.5	0	0	125	125	RM-2	40	form-based			true	0.7	0		0	0	140	140	140	1.12
0076	024	2239	0.05	4249	5	55	80	2.5	4	0	5598	1349	RM-2	40	form-based			true	0.7	5	1.25	0	0	6269.199707	2020.199707	2020.199707	1.1199
0076	025	2488	0.06	3440	5	55	80	2.5	5	0	6220	2780	RM-2	40	form-based			true	0.7	5	1	0	0	6966.399902	3526.399902	3526.399902	1.12
0076	030	1179	0.03	1915	2	55	80	2.5	2	0	2948	1033	RM-2	40	form-based		true	true	0.7	2	1	0	0	3301.199951	1386.199951	1386.199951	1.11981
0076	031	1934	0.04	3402	4	55	80	2.5	3	0	4835	1433	RM-2	40	form-based			true	0.7	4	1.333333373	0	0	5415.199707	2013.199707	2013.199707	1.12
0076	051	4190	0.1	5250	9	55	80	2.5	8	0	10475	5225	RM-1	40	form-based			true	0.7	9	1.125	0	0	11732	6482	6482	1.12
0077	001	1932	0.04	3428	4	55	80	2.5	3	0	4830	1402	RH-3	40	form-based		true	true	0.7	4	1.333333373	0	0	5409.600098	1981.600098	1981.600098	1.12
0077	006	1340	0.03	2806	4	55	80	2.5	2	0	3350	544	RH-3	40	form-based			true	0.7	3	1.5	0	0	3752	946	946	1.12
0077	007	1578	0.04	2910	5	55	80	2.5	3	0	3945	1035	RH-3	40	form-based			true	0.7	3	1	0	0	4418.399902	1508.399902	1508.399902	1.12
0077	008	1080	0.02	3720	4	55	80	2.5	2	0	2700	0	RH-3	40	form-based		true	true	0.7	2	1	0	0	3024	0	0	1.12
0077	010	1080	0.02	2160	2	55	80	2.5	2	0	2700	540	RH-3	40	form-based			true	0.7	2	1	0	0	3024	864	864	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0077	011	2160	0.05	5832	9	55	80	2.5	4	0	5400	0	RH-3	40	form-based		true	true	0.7	5	1.25	0	0	6048	216	216	1.12
0077	012	1800	0.04	3038	4	55	80	2.5	3	0	4500	1462	RH-3	40	form-based		true	true	0.7	4	1.333333373	0	0	5040	2002	2002	1.12
0077	014	1800	0.04	2676	4	55	80	2.5	3	0	4500	1824	RH-3	40	form-based			true	0.7	4	1.333333373	0	0	5040	2364	2364	1.12
0077	016	1800	0.04	3947	5	55	80	2.5	3	0	4500	553	RH-3	40	form-based			true	0.7	4	1.333333373	0	0	5040	1093	1093	1.12
0077	017	1800	0.04	3010	4	55	80	2.5	3	0	4500	1490	RH-3	40	form-based			true	0.7	4	1.333333373	0	0	5040	2030	2030	1.12
0077	018	1800	0.04	3300	4	55	80	2.5	3	0	4500	1200	RH-3	40	form-based			true	0.7	4	1.333333373	0	0	5040	1740	1740	1.12
0077	023	1455	0.03	4350	3	55	80	2.5	2	0	3638	0	RH-3	40	form-based			true	0.7	3	1.5	0	0	4074	0	0	1.119846
0077	023A	1895	0.04	5418	4	55	80	2.5	3	0	4738	0	RM-1	40	form-based		true	true	0.7	4	1.333333373	0	0	5306	0	0	1.119882
0077	030	1628	0.04	3885	6	55	80	2.5	3	0	4070	185	RM-1	40	form-based			true	0.7	3	1	0	0	4558.399902	673.3999023	673.3999023	1.12
0077	031	1260	0.03	2520	3	55	80	2.5	2	0	3150	630	RM-1	40	form-based			true	0.7	3	1.5	0	0	3528	1008	1008	1.12
0077	038	4500	0.1	9031	13	55	80	2.5	8	0	11250	2219	RH-3	40	form-based			true	0.7	9	1.125	0	0	12600	3569	3569	1.12
0077	040	3600	0.08	6606	9	55	80	2.5	6	0	9000	2394	RH-3	40	form-based			true	0.7	8	1.333333373	0	0	10080	3474	3474	1.12
0077	052	1562	0.04	1119	3	55	80	2.5	3	0	3905	2786	RM-1	40	form-based			true	0.7	3	1	0	0	4373.600098	3254.600098	3254.600098	1.12
0078	001C	2187	0.05	4956	6	65	100	3	5	0	6561	1605	RH-3	40	form-based			true	0.7	5	1	0	0	6123.600098	1167.600098	1167.600098	0.933333
0078	006	1204	0.03	2496	5	65	100	3	3	0	3612	1116	RH-3	40	form-based			true	0.7	3	1	0	0	3371.199951	875.1999512	875.1999512	0.933333
0078	008	1204	0.03	3400	6	55	80	2.5	2	0	3010	0	RH-3	40	form-based			true	0.7	3	1.5	0	0	3371.199951	0	0	1.12
0078	012	1194	0.03	1904	3	55	80	2.5	2	0	2985	1081	RH-3	40	form-based		true	true	0.7	3	1.5	0	0	3343.199951	1439.199951	1439.199951	1.12
0078	017	791	0.02	1940	2	55	80	2.5	2	0	1978	38	RH-3	40	form-based			true	0.7	2	1	0	0	2214.800049	274.8000488	274.8000488	1.119717
0078	019	791	0.02	1444	2	55	80	2.5	2	0	1978	534	RH-3	40	form-based			true	0.7	2	1	0	0	2214.800049	770.8000488	770.8000488	1.119717
0078	020	791	0.02	1420	2	55	80	2.5	2	0	1978	558	RH-3	40	form-based		true	true	0.7	2	1	0	0	2214.800049	794.8000488	794.8000488	1.119717
0078	026	1322	0.03	3295	3	55	80	2.5	2	0	3305	10	RH-3	40	form-based			true	0.7	3	1.5	0	0	3701.599854	406.5998535	406.5998535	1.12
0078	027	1763	0.04	2784	4	55	80	2.5	3	0	4408	1624	RH-3	40	form-based			true	0.7	4	1.333333373	0	0	4936.399902	2152.399902	2152.399902	1.119873
0078	038	1179	0.03	1936	2	55	80	2.5	2	0	2948	1012	RH-3	40	form-based			true	0.7	2	1	0	0	3301.199951	1365.199951	1365.199951	1.11981
0078	043A	150	0	0	0	65	100	3	0	0	450	450	RH-3	40	form-based			true	0.7	0		0	0	420	420	420	0.933333
0078	049	1581	0.04	1298	3	65	100	3	4	1	4743	3445	RH-3	40	form-based			true	0.7	3	0.75	0	0	4426.799805	3128.799805	3128.799805	0.933333
0078	052	3426	0.08	8220	9	55	80	2.5	6	0	8565	345	RH-3	40	form-based		true	true	0.7	7	1.166666627	0	0	9592.799805	1372.799805	1372.799805	1.12
0078	053	48	0	0	0	55	80	2.5	0	0	120	120	RH-3	40	form-based			true	0.7	0		0	0	134.3999939	134.3999939	134.3999939	1.12
0078	055	2554	0.06	917	6	65	100	3	6	0	7662	6745	RH-3	40	form-based			true	0.7	5	0.833333313	0	0	7151.199707	6234.199707	6234.199707	0.933333
0078	083	2250	0.05	860	7	65	100	3	5	0	6750	5890	RH-3	40	form-based			true	0.7	5	1	0	0	6300	5440	5440	0.933333
0078	095	1566	0.04	950	3	55	80	2.5	3	0	3915	2965	RH-3	40	form-based		true	true	0.7	3	1	0	0	4384.799805	3434.799805	3434.799805	1.12
0085	022	1406	0.03	2850	3	65	100	3	3	0	4218	1368	RH-3	40	form-based			true	0.7	3	1	0	0	3936.800049	1086.800049	1086.800049	0.933333
0085	026A	3331	0.08	3805	5	65	100	3	8	3	9993	6188	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9326.799805	5521.799805	5521.799805	0.933333
0085	026C	2828	0.06	4239	4	65	100	3	6	2	8484	4245	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7918.399902	3679.399902	3679.399902	0.933333
0085	026E	1381	0.03	3090	4	65	100	3	3	0	4143	1053	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	3866.800049	776.8000488	776.8000488	0.933333
0085	026H	1356	0.03	3378	4	65	100	3	3	0	4068	690	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	3796.800049	418.8000488	418.8000488	0.933333
0085	027	3312	0.08	2950	6	65	100	3	8	2	9936	6986	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9273.599609	6323.599609	6323.599609	0.933333
0085	051	1381	0.03	847	4	65	100	3	3	0	4143	3296	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	3866.800049	3019.800049	3019.800049	0.933333
0085	073	2062	0.05	623	4	65	100	3	5	1	6186	5563	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	5773.600098	5150.600098	5150.600098	0.933333
0086	005	2187	0.05	2445	5	65	100	3	5	0	6561	4116	RH-3	40	form-based			true	0.7	5	1	0	0	6123.600098	3678.600098	3678.600098	0.933333
0086	023	3285	0.08	1393	11	65	100	3	8	0	9855	8462	RH-3	40	form-based		true	true	0.7	7	0.875	0	0	9198	7805	7805	0.933333
0086	051	1856	0.04	843	6	65	100	3	4	0	5568	4725	RH-3	40	form-based			true	0.7	4	1	0	0	5196.799805	4353.799805	4353.799805	0.933333
0087	008	1550	0.04	2808	3	55	80	2.5	3	0	3875	1067	RH-3	40	form-based			true	0.7	3	1	0	0	4340	1532	1532	1.12
0087	009	1550	0.04	4101	3	55	80	2.5	3	0	3875	0	RH-3	40	form-based		true	true	0.7	3	1	0	0	4340	239	239	1.12
0087	010	1375	0.03	2886	3	55	80	2.5	2	0	3438	552	RH-3	40	form-based			true	0.7	3	1.5	0	0	3850	964	964	1.119837
0087	011	1244	0.03	2897	10	55	80	2.5	2	0	3110	213	RH-3	40	form-based			true	0.7	3	1.5	0	0	3483.199951	586.1999512	586.1999512	1.12
0087	012	1563	0.04	3054	4	55	80	2.5	3	0	3908	854	RH-3	40	form-based		true	true	0.7	3	1	0	0	4376.399902	1322.399902	1322.399902	1.119857
0087	015	1654	0.04	4793	7	55	80	2.5	3	0	4135	0	RH-3	40	form-based			true	0.7	3	1	0	0	4631.199707	0	0	1.12
0087	016	1342	0.03	2960	4	55	80	2.5	2	0	3355	395	RH-3	40	form-based			true	0.7	3	1.5	0	0	3757.599854	797.5998535	797.5998535	1.12
0087	017	1561	0.04	3000	4	55	80	2.5	3	0	3902	902	RH-3	40	form-based			true	0.7	3	1	0	0	4370.799805	1370.799805	1370.799805	1.120143
0087	018	3781	0.09	7398	9	55	80	2.5	7	0	9452	2054	RH-3	40	form-based			true	0.7	8	1.142857194	0	0	10586.7998	3188.799805	3188.799805	1.120059
0087	023	2813	0.06	4768	7	55	80	2.5	5	0	7032	2264	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7876.399902	3108.399902	3108.399902	1.12008
0087	025	2188	0.05	3798	5	65	100	3	5	0	6564	2766	RH-3	40	form-based			true	0.7	5	1	0	0	6126.399902	2328.399902	2328.399902	0.933333
0087	027	4210	0.1	5184	14	55	80	2.5	8	0	10525	5341	RH-3	40	form-based			true	0.7	9	1.125	0	0	11788	6604	6604	1.12
0087	029	5625	0.13	18159	18	55	80	2.5	10	0	14062	0	RH-3	40	form-based			true	0.7	12	1.200000048	0	0	15750	0	0	1.12004
0087	047	1645	0.04	1950	5	55	80	2.5	3	0	4112	2162	RH-3	40	form-based		true	true	0.7	3	1	0	0	4606	2656	2656	1.120136
0087	058	1125	0.03	1219	2	55	80	2.5	2	0	2812	1593	RH-3	40	form-based		true	true	0.7	2	1	0	0	3150	1931	1931	1.120199
0088	001	3840	0.09	14291	17	55	80	2.5	7	0	9600	0	RM-2	40	form-based		true	true	0.7	8	1.142857194	0	0	10752	0	0	1.12
0088	002	1200	0.03	3615	4	55	80	2.5	2	0	3000	0	RM-2	40	form-based		true	true	0.7	3	1.5	0	0	3360	0	0	1.12
0088	003	1200	0.03	3900	4	55	80	2.5	2	0	3000	0	RM-2	40	form-based			true	0.7	3	1.5	0	0	3360	0	0	1.12
0088	005	7778	0.18	12064	16	55	80	2.5	14	0	19445	7381	RM-2	40	form-based			true	0.7	16	1.142857194	0	0	21778.40039	9714.400391	9714.400391	1.12
0088	006	3936	0.09	10341	16	55	80	2.5	7	0	9840	0	RM-2	40	form-based		true	true	0.7	8	1.142857194	0	0	11020.7998	679.7998047	679.7998047	1.12
0088	009	6611	0.15	18060	18	55	80	2.5	12	0	16528	0	RM-2	40	form-based		true	true	0.7	14	1.166666627	0	0	18510.79883	450.7988281	450.7988281	1.119966
0088	011	5169	0.12	9540	15	55	80	2.5	10	0	12922	3382	RM-2	40	form-based			true	0.7	11	1.100000024	0	0	14473.2002	4933.200195	4933.200195	1.120043
0088	013	2884	0.07	6888	7	55	80	2.5	6	0	7210	322	RM-2	40	form-based			true	0.7	6	1	0	0	8075.199707	1187.199707	1187.199707	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0088	016	2126	0.05	4212	5	55	80	2.5	4	0	5315	1103	NCD-NORT	40	density-lin	400	true		0.75	5	1.25	0	0	6378	2166	2166	1.2
0088	025	4730	0.11	7918	10	55	80	2.5	9	0	11825	3907	RM-2	40	form-based			true	0.7	10	1.111111164	0	0	13244	5326	5326	1.12
0088	029	2750	0.06	5738	6	55	80	2.5	5	0	6875	1137	RM-2	40	form-based			true	0.7	6	1.200000048	0	0	7700	1962	1962	1.12
0088	031	1903	0.04	4458	6	55	80	2.5	3	0	4758	300	RM-2	40	form-based		true	true	0.7	4	1.333333373	0	0	5328.399902	870.3999023	870.3999023	1.119882
0089	001	1568	0.04	4422	5	55	80	2.5	3	0	3920	0	NCD-NORT	40	density-lin	400	true		0.75	4	1.333333373	0	0	4704	282	282	1.2
0089	007	2475	0.06	4702	8	55	80	2.5	5	0	6188	1486	NCD-NORT	40	density-lin	400			0.75	6	1.200000048	0	0	7425	2723	2723	1.199903
0089	008	2588	0.06	6318	6	55	80	2.5	5	0	6470	152	NCD-NORT	40	density-lin	400			0.75	6	1.200000048	0	0	7764	1446	1446	1.2
0089	009	1294	0.03	3362	4	55	80	2.5	2	0	3235	0	NCD-NORT	40	density-lin	400			0.75	3	1.5	0	0	3882	520	520	1.2
0089	010	1889	0.04	5199	7	55	80	2.5	3	0	4722	0	NCD-NORT	40	density-lin	400	true		0.75	5	1.666666627	0	0	5667	468	468	1.200127
0089	022B	1308	0.03	3207	3	55	80	2.5	2	0	3270	63	RM-1	40	form-based		true	true	0.7	3	1.5	0	0	3662.399902	455.3999023	455.3999023	1.12
0089	022C	3264	0.07	5430	8	55	80	2.5	6	0	8160	2730	RM-1	40	form-based		true	true	0.7	7	1.166666627	0	0	9139.200195	3709.200195	3709.200195	1.12
0089	022E	875	0.02	1650	3	55	80	2.5	2	0	2188	538	RM-1	40	form-based			true	0.7	2	1	0	0	2450	800	800	1.119744
0089	027	2550	0.06	5841	6	55	80	2.5	5	0	6375	534	RM-1	40	form-based			true	0.7	5	1	0	0	7140	1299	1299	1.12
0089	031	2188	0.05	717	6	55	80	2.5	4	0	5470	4753	RM-1	40	form-based			true	0.7	5	1.25	0	0	6126.399902	5409.399902	5409.399902	1.12
0090	003	1575	0.04	3730	5	55	80	2.5	3	0	3938	208	NCD-NORT	40	density-lin	400			0.75	4	1.333333373	0	0	4725	995	995	1.199848
0090	004	1575	0.04	5100	7	55	80	2.5	3	0	3938	0	NCD-NORT	40	density-lin	400			0.75	4	1.333333373	0	0	4725	0	0	1.199848
0090	007	1750	0.04	5250	6	55	80	2.5	3	0	4375	0	NCD-NORT	40	density-lin	400			0.75	4	1.333333373	0	0	5250	0	0	1.2
0090	008	5698	0.13	16398	27	55	80	2.5	10	0	14245	0	NCD-NORT	40	density-lin	400	true		0.75	14	1.399999976	0	0	17094	696	696	1.2
0090	012	2494	0.06	2736	4	55	80	2.5	5	1	6235	3499	RM-2	40	density-lin	600			0.7	4	0.800000012	0	0	6983.199707	4247.199707	4247.199707	1.12
0090	013	2538	0.06	4986	6	55	80	2.5	5	0	6345	1359	RM-2	40	density-lin	600	true		0.7	4	0.800000012	0	0	7106.399902	2120.399902	2120.399902	1.12
0090	014	2156	0.05	8264	9	55	80	2.5	4	0	5390	0	RM-2	40	density-lin	600	true		0.7	4	1	0	0	6036.799805	0	0	1.12
0090	014A	1438	0.03	2874	2	55	80	2.5	2	0	3595	721	RM-2	40	density-lin	600			0.7	2	1	0	0	4026.399902	1152.399902	1152.399902	1.12
0090	016	1438	0.03	4005	3	55	80	2.5	2	0	3595	0	RM-2	40	density-lin	600			0.7	2	1	0	0	4026.399902	21.39990234	21.39990234	1.12
0090	017	1438	0.03	4005	3	55	80	2.5	2	0	3595	0	RM-2	40	density-lin	600			0.7	2	1	0	0	4026.399902	21.39990234	21.39990234	1.12
0090	019	1438	0.03	3450	3	55	80	2.5	2	0	3595	145	RM-2	40	density-lin	600			0.7	2	1	0	0	4026.399902	576.3999023	576.3999023	1.12
0090	023	1438	0.03	2192	2	55	80	2.5	2	0	3595	1403	RM-2	40	density-lin	600			0.7	2	1	0	0	4026.399902	1834.399902	1834.399902	1.12
0090	025	1191	0.03	2736	3	55	80	2.5	2	0	2978	242	NCD-NORT	40	density-lin	400	true		0.75	3	1.5	0	0	3573	837	837	1.199798
0090	028	1358	0.03	4392	8	55	80	2.5	2	0	3395	0	NCD-NORT	40	density-lin	400			0.75	3	1.5	0	0	4074	0	0	1.2
0090	029	1433	0.03	2720	5	55	80	2.5	2	0	3582	862	NCD-NORT	40	density-lin	400	true		0.75	4	2	0	0	4299	1579	1579	1.200168
0090	031	1188	0.03	3015	3	55	80	2.5	2	0	2970	0	NCD-NORT	40	density-lin	400			0.75	3	1.5	0	0	3564	549	549	1.2
0090	033	3093	0.07	9582	8	55	80	2.5	6	0	7732	0	NCD-NORT	40	density-lin	400	true		0.75	8	1.333333373	0	0	9279	0	0	1.200078
0090	034	1419	0.03	3330	3	55	80	2.5	2	0	3548	218	RM-2	40	density-lin	600			0.7	2	1	0	0	3973.199951	643.1999512	643.1999512	1.119842
0090	038	1786	0.04	5300	7	55	80	2.5	3	0	4465	0	NCD-NORT	40	density-lin	400	true		0.75	4	1.333333373	0	0	5358	58	58	1.2
0090	039	2875	0.07	1003	6	55	80	2.5	6	0	7188	6185	RM-2	40	density-lin	600			0.7	5	0.833333313	0	0	8050	7047	7047	1.119922
0090	051	1438	0.03	600	5	55	80	2.5	2	0	3595	2995	RM-2	40	density-lin	600			0.7	2	1	0	0	4026.399902	3426.399902	3426.399902	1.12
0091	002	1364	0.03	3270	3	55	80	2.5	2	0	3410	140	RM-2	40	form-based			true	0.7	3	1.5	0	0	3819.199951	549.1999512	549.1999512	1.12
0091	003	1364	0.03	3558	3	55	80	2.5	2	0	3410	0	RM-2	40	form-based			true	0.7	3	1.5	0	0	3819.199951	261.1999512	261.1999512	1.12
0091	004	1364	0.03	2150	3	55	80	2.5	2	0	3410	1260	RM-2	40	form-based		true	true	0.7	3	1.5	0	0	3819.199951	1669.199951	1669.199951	1.12
0091	005	1586	0.04	3819	3	55	80	2.5	3	0	3965	146	RM-2	40	form-based		true	true	0.7	3	1	0	0	4440.799805	621.7998047	621.7998047	1.12
0091	006	3579	0.08	10200	9	55	80	2.5	6	0	8948	0	RM-2	40	form-based		true	true	0.7	8	1.333333373	0	0	10021.2002	0	0	1.119937
0091	009	1531	0.04	3609	4	55	80	2.5	3	0	3828	219	RM-1	40	form-based			true	0.7	3	1	0	0	4286.799805	677.7998047	677.7998047	1.119854
0091	009A	1109	0.03	1990	2	55	80	2.5	2	0	2772	782	RM-1	40	form-based			true	0.7	2	1	0	0	3105.199951	1115.199951	1115.199951	1.120202
0091	010	1403	0.03	3685	3	55	80	2.5	2	0	3508	0	RM-1	40	form-based			true	0.7	3	1.5	0	0	3928.399902	243.3999023	243.3999023	1.11984
0091	011	1610	0.04	4302	3	55	80	2.5	3	0	4025	0	RM-1	40	form-based			true	0.7	3	1	0	0	4508	206	206	1.12
0091	015	4140	0.1	7104	9	55	80	2.5	8	0	10350	3246	RM-1	40	form-based			true	0.7	9	1.125	0	0	11592	4488	4488	1.12
0091	018	1438	0.03	3528	3	55	80	2.5	2	0	3595	67	RM-1	40	form-based			true	0.7	3	1.5	0	0	4026.399902	498.3999023	498.3999023	1.12
0091	021	2046	0.05	3017	14	55	80	2.5	4	0	5115	2098	RM-1	40	form-based			true	0.7	4	1	0	0	5728.799805	2711.799805	2711.799805	1.12
0091	057	1354	0.03	1193	3	55	80	2.5	2	0	3385	2192	RM-1	40	form-based			true	0.7	3	1.5	0	0	3791.199951	2598.199951	2598.199951	1.12
0091	023	800	0.02	1600	2	55	80	2.5	2	0	2000	400	RM-1	40	form-based		true	true	0.7	2	1	0	0	2240	640	640	1.12
0091	024	564	0.01	1040	1	55	80	2.5	1	0	1410	370	RM-1	40	form-based			true	0.7	1	1	0	0	1579.199951	539.1999512	539.1999512	1.12
0091	026	1247	0.03	3204	3	55	80	2.5	2	0	3118	0	RM-1	40	form-based			true	0.7	3	1.5	0	0	3491.599854	287.5998535	287.5998535	1.11982
0091	027	1380	0.03	3840	6	55	80	2.5	2	0	3450	0	RM-1	40	form-based			true	0.7	3	1.5	0	0	3864	24	24	1.12
0091	029	1150	0.03	1947	2	55	80	2.5	2	0	2875	928	RM-1	40	form-based			true	0.7	2	1	0	0	3220	1273	1273	1.12
0091	031	1380	0.03	2014	3	55	80	2.5	2	0	3450	1436	RM-1	40	form-based			true	0.7	3	1.5	0	0	3864	1850	1850	1.12
0091	032	1380	0.03	2750	3	55	80	2.5	2	0	3450	700	RM-1	40	form-based			true	0.7	3	1.5	0	0	3864	1114	1114	1.12
0091	036	920	0.02	1622	2	55	80	2.5	2	0	2300	678	RM-1	40	form-based			true	0.7	2	1	0	0	2576	954	954	1.12
0091	039	1380	0.03	3000	3	55	80	2.5	2	0	3450	450	RM-1	40	form-based			true	0.7	3	1.5	0	0	3864	864	864	1.12
0091	040	1366	0.03	2720	5	55	80	2.5	2	0	3415	695	RM-1	40	form-based		true	true	0.7	3	1.5	0	0	3824.800049	1104.800049	1104.800049	1.12
0091	042	2351	0.05	8295	11	55	80	2.5	4	0	5878	0	RM-1	40	form-based		true	true	0.7	5	1.25	0	0	6582.799805	0	0	1.119905
0091	047A	1380	0.03	2655	3	55	80	2.5	2	0	3450	795	RM-1	40	form-based			true	0.7	3	1.5	0	0	3864	1209	1209	1.12
0091	048	1569	0.04	3683	3	55	80	2.5	3	0	3922	239	RM-1	40	form-based			true	0.7	3	1	0	0	4393.199707	710.199707	710.199707	1.120143
0091	048A	1166	0.03	1924	2	55	80	2.5	2	0	2915	991	RM-1	40	form-based			true	0.7	2	1	0	0	3264.800049	1340.800049	1340.800049	1.12
0091	049	2169	0.05	4845	6	55	80	2.5	4	0	5422	577	RM-1	40	form-based			true	0.7	5	1.25	0	0	6073.199707	1228.199707	1228.199707	1.120103
0091	051	1357	0.03	2250	4	55	80	2.5	2	0	3392	1142	RM-1	40	form-based			true	0.7	3	1.5	0	0	3799.599854	1549.599854	1549.599854	1.120165

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0091	052	1356	0.03	3435	3	55	80	2.5	2	0	3390	0	RM-1	40	form-based			true	0.7	3	1.5	0	0	3796.800049	361.8000488	361.8000488	1.12
0091	053	1357	0.03	3282	3	55	80	2.5	2	0	3392	110	RM-1	40	form-based			true	0.7	3	1.5	0	0	3799.599854	517.5998535	517.5998535	1.120165
0091	068	1353	0.03	910	3	55	80	2.5	2	0	3382	2472	RM-1	40	form-based			true	0.7	3	1.5	0	0	3788.399902	2878.399902	2878.399902	1.120166
0092	001	1909	0.04	5700	9	55	80	2.5	3	0	4772	0	RM-1	40	form-based		true	true	0.7	4	1.333333373	0	0	5345.199707	0	0	1.120117
0092	005	2478	0.06	6261	8	55	80	2.5	5	0	6195	0	RM-1	40	form-based			true	0.7	5	1	0	0	6938.399902	677.3999023	677.3999023	1.12
0092	012	1200	0.03	2604	3	55	80	2.5	2	0	3000	396	RM-1	40	form-based			true	0.7	3	1.5	0	0	3360	756	756	1.12
0092	013	1200	0.03	3240	3	55	80	2.5	2	0	3000	0	RM-1	40	form-based			true	0.7	3	1.5	0	0	3360	120	120	1.12
0092	014	1200	0.03	2976	3	55	80	2.5	2	0	3000	24	RM-1	40	form-based			true	0.7	3	1.5	0	0	3360	384	384	1.12
0092	016	2477	0.06	5566	5	55	80	2.5	5	0	6192	626	RM-1	40	form-based			true	0.7	5	1	0	0	6935.600098	1369.600098	1369.600098	1.12009
0092	017	2898	0.07	8193	10	55	80	2.5	6	0	7245	0	RM-1	40	form-based		true	true	0.7	6	1	0	0	8114.399902	0	0	1.12
0092	018	2125	0.05	4731	5	55	80	2.5	4	0	5312	581	RM-1	40	form-based		true	true	0.7	4	1	0	0	5950	1219	1219	1.120105
0092	021	1200	0.03	2310	4	55	80	2.5	2	0	3000	690	RM-1	40	form-based			true	0.7	3	1.5	0	0	3360	1050	1050	1.12
0092	023	1500	0.03	3600	6	55	80	2.5	2	0	3750	150	RM-1	40	form-based			true	0.7	3	1.5	0	0	4200	600	600	1.12
0092	025	1200	0.03	2370	3	55	80	2.5	2	0	3000	630	RM-1	40	form-based			true	0.7	3	1.5	0	0	3360	990	990	1.12
0092	026	1875	0.04	5745	6	55	80	2.5	3	0	4688	0	RM-1	40	form-based		true	true	0.7	4	1.333333373	0	0	5250	0	0	1.119881
0092	027	1875	0.04	4350	6	55	80	2.5	3	0	4688	338	RM-1	40	form-based			true	0.7	4	1.333333373	0	0	5250	900	900	1.119881
0092	032	1205	0.03	2890	3	55	80	2.5	2	0	3012	122	RM-1	40	form-based			true	0.7	3	1.5	0	0	3374	484	484	1.120186
0092	038	2139	0.05	4880	5	55	80	2.5	4	0	5348	468	RM-1	40	form-based		true	true	0.7	4	1	0	0	5989.199707	1109.199707	1109.199707	1.119895
0092	039	2400	0.06	4902	5	55	80	2.5	5	0	6000	1098	RM-1	40	form-based			true	0.7	5	1	0	0	6720	1818	1818	1.12
0092	045	1794	0.04	3164	5	55	80	2.5	3	0	4485	1321	RM-1	40	form-based			true	0.7	4	1.333333373	0	0	5023.199707	1859.199707	1859.199707	1.12
0092	046	1909	0.04	5188	5	55	80	2.5	3	0	4772	0	RM-1	40	form-based			true	0.7	4	1.333333373	0	0	5345.199707	157.199707	157.199707	1.120117
0092	054	2098	0.05	1198	4	55	80	2.5	4	0	5245	4047	RM-1	40	form-based			true	0.7	4	1	0	0	5874.399902	4676.399902	4676.399902	1.12
0092	061	1800	0.04	1675	4	55	80	2.5	3	0	4500	2825	RM-1	40	form-based		true	true	0.7	4	1.333333373	0	0	5040	3365	3365	1.12
0093	007	2655	0.06	5625	6	55	80	2.5	5	0	6638	1013	RM-1	40	form-based			true	0.7	6	1.200000048	0	0	7434	1809	1809	1.119916
0093	010	3560	0.08	8006	7	55	80	2.5	6	0	8900	894	RM-1	40	form-based		true	true	0.7	7	1.166666627	0	0	9968	1962	1962	1.12
0093	023C	3696	0.08	15910	18	55	80	2.5	6	0	9240	0	RM-1	40	form-based		true	true	0.7	8	1.333333373	0	0	10348.7998	0	0	1.12
0093	025	2121	0.05	5346	6	55	80	2.5	4	0	5302	0	RM-1	40	form-based			true	0.7	4	1	0	0	5938.799805	592.7998047	592.7998047	1.120106
0093	026	2117	0.05	5346	6	55	80	2.5	4	0	5292	0	RM-1	40	form-based			true	0.7	4	1	0	0	5927.600098	581.6000977	581.6000977	1.120106
0093	030	5156	0.12	899	15	55	80	2.5	10	0	12890	11991	RM-1	40	form-based			true	0.7	11	1.100000024	0	0	14436.7998	13537.7998	13537.7998	1.12
0094	017	2380	0.05	5790	7	55	80	2.5	4	0	5950	160	RM-2	50	form-based			true	0.7	7	1.75	0	0	8330	2540	2540	1.4
0094	018	4315	0.1	10782	13	55	80	2.5	8	0	10788	6	RM-2	50	form-based			true	0.7	12	1.5	0	0	15102.5	4320.5	4320.5	1.399935
0094	018A	3510	0.08	15440	12	55	80	2.5	6	0	8775	0	RM-2	50	form-based			true	0.7	10	1.666666627	0	0	12285	0	0	1.4
0094	026	2190	0.05	4575	15	55	80	2.5	4	0	5475	900	RH-3	50	form-based			true	0.7	6	1.5	0	0	7665	3090	3090	1.4
0095	001	3633	0.08	34900	23	55	80	2.5	6	0	9082	0	RM-2	50	form-based		true	true	0.7	10	1.666666627	0	0	12715.5	0	0	1.400077
0095	023	3250	0.07	9675	10	65	100	3	7	0	9750	75	RM-2	50	form-based		true	true	0.7	9	1.285714269	0	0	11375	1700	1700	1.166667
0096	005	1800	0.04	4915	8	55	80	2.5	3	0	4500	0	RH-3	65	form-based			true	0.7	6	2	0	0	7560	2645	2645	1.68
0096	007	1800	0.04	6792	8	55	80	2.5	3	0	4500	0	NC-1	65	form-based	true	true	true	0.75	7	2.333333254	0	0	8100	1308	1308	1.8
0096	025	2400	0.06	8700	12	65	100	3	6	0	7200	0	RH-3	65	form-based	true	true	true	0.7	8	1.333333373	0	0	10080	1380	1380	1.4
0096	026	1725	0.04	5028	6	65	100	3	4	0	5175	147	RH-3	65	form-based	true	true	true	0.7	6	1.5	0	0	7245	2217	2217	1.4
0096	027	1725	0.04	5028	6	65	100	3	4	0	5175	147	RH-3	65	form-based	true	true	true	0.7	6	1.5	0	0	7245	2217	2217	1.4
0096	051	8214	0.19	27595	36	65	100	3	19	0	24642	0	RM-2	65	form-based			true	0.7	29	1.526315808	0	0	34498.80078	6903.800781	6903.800781	1.4
0097	013	11602	0.27	61657	51	55	80	2.5	22	0	29005	0	RH-3	65	form-based			true	0.7	41	1.863636374	0	0	48728.39844	0	0	1.68
0097	018	3206	0.07	6882	11	55	80	2.5	6	0	8015	1133	RH-3	65	form-based			true	0.7	11	1.833333373	0	0	13465.2002	6583.200195	6583.200195	1.68
0097	028	1977	0.05	5211	9	55	80	2.5	4	0	4942	0	RH-3	65	form-based	true	true	true	0.7	7	1.75	0	0	8303.399414	3092.399414	3092.399414	1.68017
0098	002	6192	0.14	20624	31	55	80	2.5	11	0	15480	0	RM-2	40	form-based	true	true	true	0.7	13	1.181818128	0	0	17337.59961	0	0	1.12
0098	006	6270	0.14	13613	14	55	80	2.5	11	0	15675	2062	RM-2	40	form-based			true	0.7	13	1.181818128	0	0	17556	3943	3943	1.12
0098	007	5630	0.13	14215	14	55	80	2.5	10	0	14075	0	RM-2	40	form-based			true	0.7	12	1.200000048	0	0	15764	1549	1549	1.12
0098	009	2590	0.06	5407	5	55	80	2.5	5	0	6475	1068	RM-2	40	form-based	true	true	true	0.7	5	1	0	0	7252	1845	1845	1.12
0098	013A	2855	0.07	9200	11	55	80	2.5	6	0	7138	0	RM-1	40	form-based	true	true	true	0.7	6	1	0	0	7994	0	0	1.119922
0099	001	2329	0.05	6780	6	55	80	2.5	4	0	5822	0	RM-1	40	form-based	true	true	true	0.7	5	1.25	0	0	6521.199707	0	0	1.120096
0099	005	3432	0.08	6510	8	55	80	2.5	6	0	8580	2070	RM-2	40	form-based			true	0.7	7	1.166666627	0	0	9609.599609	3099.599609	3099.599609	1.12
0099	005D	3341	0.08	5881	8	55	80	2.5	6	0	8352	2471	RM-2	40	form-based	true	true	true	0.7	7	1.166666627	0	0	9354.799805	3473.799805	3473.799805	1.120067
0099	009	3100	0.07	8278	7	55	80	2.5	6	0	7750	0	RM-2	40	form-based			true	0.7	7	1.166666627	0	0	8680	402	402	1.12
0099	012	3783	0.09	6542	8	55	80	2.5	7	0	9458	2916	RM-1	40	form-based	true	true	true	0.7	8	1.142857194	0	0	10592.39941	4050.399414	4050.399414	1.119941
0099	028	3100	0.07	1170	7	55	80	2.5	6	0	7750	6580	RM-2	40	form-based	true	true	true	0.7	7	1.166666627	0	0	8680	7510	7510	1.12
0100	001	2098	0.05	4998	7	55	80	2.5	4	0	5245	247	RM-1	40	form-based	true	true	true	0.7	4	1	0	0	5874.399902	876.3999023	876.3999023	1.12
0100	003	1431	0.03	3990	3	55	80	2.5	2	0	3578	0	RM-1	40	form-based			true	0.7	3	1.5	0	0	4006.800049	16.80004883	16.80004883	1.119843
0100	006	1230	0.03	3105	3	55	80	2.5	2	0	3075	0	RM-1	40	form-based			true	0.7	3	1.5	0	0	3444	339	339	1.12
0100	007A	1072	0.02	2628	4	55	80	2.5	2	0	2680	52	RM-1	40	form-based			true	0.7	2	1	0	0	3001.599854	373.5998535	373.5998535	1.12
0100	011	1202	0.03	3240	3	55	80	2.5	2	0	3005	0	RM-1	40	form-based			true	0.7	3	1.5	0	0	3365.599854	125.5998535	125.5998535	1.12
0100	012	1200	0.03	3600	4	55	80	2.5	2	0	3000	0	RM-1	40	form-based	true	true	true	0.7	3	1.5	0	0	3360	0	0	1.12
0100	015	2236	0.05	6165	6	55	80	2.5	4	0	5590	0	RM-1	40	form-based			true	0.7	5	1.25	0	0	6260.799805	95.79980469	95.79980469	1.12
0100	021	1905	0.04	4526	4	55	80	2.5	3	0	4762	236	RM-1	40	form-based			true	0.7	4	1.333333373	0	0	5334	808	808	1.120118
0100	022A	1113	0.03	1680	2	55	80	2.5	2	0	2782	1102	RM-1	40	form-based			true	0.7	2	1	0	0	3116.399902	1436.399902	1436.399902	1.120201

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0100	025	1006	0.02	1438	2	55	80	2.5	2	0	2515	1077	RM-1	40	form-based			true	0.7	2	1	0	0	2816.800049	1378.800049	1378.800049	1.12
0100	026	1006	0.02	1910	2	55	80	2.5	2	0	2515	605	RM-1	40	form-based			true	0.7	2	1	0	0	2816.800049	906.8000488	906.8000488	1.12
0100	028	2479	0.06	6750	7	55	80	2.5	5	0	6198	0	RM-1	40	form-based		true	true	0.7	5	1	0	0	6941.199707	191.199707	191.199707	1.11991
0100	029	1519	0.03	3381	3	55	80	2.5	2	0	3798	417	RM-1	40	form-based			true	0.7	3	1.5	0	0	4253.199707	872.199707	872.199707	1.119852
0100	030	2096	0.05	4830	6	55	80	2.5	4	0	5240	410	RM-1	40	form-based			true	0.7	4	1	0	0	5868.799805	1038.799805	1038.799805	1.12
0100	038	2566	0.06	5206	5	55	80	2.5	5	0	6415	1209	RM-1	40	form-based			true	0.7	5	1	0	0	7184.799805	1978.799805	1978.799805	1.12
0100	040	1378	0.03	3660	3	55	80	2.5	2	0	3445	0	RM-1	40	form-based			true	0.7	3	1.5	0	0	3858.399902	198.3999023	198.3999023	1.12
0100	054	1204	0.03	1038	3	55	80	2.5	2	0	3010	1972	RM-1	40	form-based		true	true	0.7	3	1.5	0	0	3371.199951	2333.199951	2333.199951	1.12
0101	008	3086	0.07	5238	6	55	80	2.5	6	0	7715	2477	RM-2	40	density-lim	600			0.7	5	0.833333313	0	0	8640.799805	3402.799805	3402.799805	1.12
0101	009	1375	0.03	3720	3	55	80	2.5	2	0	3438	0	RM-2	40	density-lim	600			0.7	2	1	0	0	3850	130	130	1.119837
0101	011	3101	0.07	6688	5	55	80	2.5	6	1	7752	1064	RM-2	40	density-lim	600			0.7	5	0.833333313	0	0	8682.799805	1994.799805	1994.799805	1.120072
0101	012	2837	0.07	4708	5	55	80	2.5	6	1	7092	2384	RM-2	40	density-lim	600			0.7	5	0.833333313	0	0	7943.600098	3235.600098	3235.600098	1.120079
0101	014	1218	0.03	1906	2	55	80	2.5	2	0	3045	1139	RM-2	40	density-lim	600			0.7	2	1	0	0	3410.399902	1504.399902	1504.399902	1.12
0101	017	1895	0.04	5523	6	55	80	2.5	3	0	4738	0	RM-2	40	density-lim	600			0.7	3	1	0	0	5306	0	0	1.119882
0101	018	2582	0.06	5834	6	55	80	2.5	5	0	6455	621	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	7229.600098	1395.600098	1395.600098	1.12
0101	019	2582	0.06	3939	5	55	80	2.5	5	0	6455	2516	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	7229.600098	3290.600098	3290.600098	1.12
0101	020	2897	0.07	5600	5	55	80	2.5	6	1	7242	1642	RM-2	40	density-lim	600			0.7	5	0.833333313	0	0	8111.600098	2511.600098	2511.600098	1.120077
0101	022	2498	0.06	5020	6	55	80	2.5	5	0	6245	1225	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	6994.399902	1974.399902	1974.399902	1.12
0101	023	1872	0.04	3882	3	55	80	2.5	3	0	4680	798	RM-2	40	density-lim	600			0.7	3	1	0	0	5241.600098	1359.600098	1359.600098	1.12
0101	024	1701	0.04	4973	6	55	80	2.5	3	0	4252	0	RM-2	40	density-lim	600	true		0.7	3	1	0	0	4762.799805	0	0	1.120132
0101	025	1071	0.02	2670	3	55	80	2.5	2	0	2678	8	RM-2	40	density-lim	600			0.7	2	1	0	0	2998.800049	328.8000488	328.8000488	1.119791
0101	026	1238	0.03	3195	3	55	80	2.5	2	0	3095	0	RM-2	40	density-lim	600			0.7	2	1	0	0	3466.399902	271.3999023	271.3999023	1.12
0101	046	1102	0.03	773	2	55	80	2.5	2	0	2755	1982	RM-2	40	density-lim	600			0.7	2	1	0	0	3085.599854	2312.599854	2312.599854	1.12
0101	048	1435	0.03	2144	3	55	80	2.5	2	0	3588	1444	RM-2	40	density-lim	600	true		0.7	2	1	0	0	4018	1874	1874	1.119844
0103	005	1184	0.03	2619	3	55	80	2.5	2	0	2960	341	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	3552	933	933	1.2
0103	005A	872	0.02	1800	3	55	80	2.5	2	0	2180	380	NCD-NORT	40	density-lim	400			0.75	2	1	0	0	2616	816	816	1.2
0103	006	1531	0.04	4146	4	55	80	2.5	3	0	3828	0	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	0	0	4593	447	447	1.199843
0103	010	2421	0.06	7650	5	55	80	2.5	5	0	6052	0	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	6778.799805	0	0	1.120093
0103	011	1198	0.03	3204	3	55	80	2.5	2	0	2995	0	RM-2	40	density-lim	600	true		0.7	2	1	0	0	3354.399902	150.3999023	150.3999023	1.12
0103	012	2269	0.05	5580	6	55	80	2.5	4	0	5672	92	RM-2	40	density-lim	600	true		0.7	4	1	0	0	6353.199707	773.199707	773.199707	1.120099
0103	012A	2323	0.05	4356	6	55	80	2.5	4	0	5808	1452	RM-2	40	density-lim	600			0.7	4	1	0	0	6504.399902	2148.399902	2148.399902	1.119904
0103	013	7085	0.16	16246	24	55	80	2.5	13	0	17712	1466	RM-2	40	density-lim	600			0.7	12	0.923076928	0	0	19838	3592	3592	1.120032
0103	019	1137	0.03	3210	3	55	80	2.5	2	0	2842	0	RM-2	40	density-lim	600			0.7	2	1	0	0	3183.599854	0	0	1.120197
0103	020	1522	0.03	3684	3	55	80	2.5	2	0	3805	121	RM-2	40	density-lim	600			0.7	3	1.5	0	0	4261.600098	577.6000977	577.6000977	1.12
0103	021	1521	0.03	3990	3	55	80	2.5	2	0	3802	0	RM-2	40	density-lim	600			0.7	3	1.5	0	0	4258.799805	268.7998047	268.7998047	1.120147
0103	022	1870	0.04	3004	4	55	80	2.5	3	0	4675	1671	RM-2	40	density-lim	600			0.7	3	1	0	0	5236	2232	2232	1.12
0103	023	1905	0.04	5571	6	55	80	2.5	3	0	4762	0	RM-2	40	density-lim	600	true		0.7	3	1	0	0	5334	0	0	1.120118
0103	024	1507	0.03	3900	6	55	80	2.5	2	0	3768	0	RM-2	40	density-lim	600			0.7	3	1.5	0	0	4219.600098	319.6000977	319.6000977	1.119851
0103	025	2111	0.05	3560	4	55	80	2.5	4	0	5278	1718	RM-2	40	density-lim	600			0.7	4	1	0	0	5910.799805	2350.799805	2350.799805	1.119894
0103	026	2103	0.05	3560	4	55	80	2.5	4	0	5258	1698	RM-2	40	density-lim	600			0.7	4	1	0	0	5888.399902	2328.399902	2328.399902	1.119893
0103	027	1194	0.03	1344	2	55	80	2.5	2	0	2985	1641	RM-2	40	density-lim	600			0.7	2	1	0	0	3343.199951	1999.199951	1999.199951	1.12
0103	028	1206	0.03	2180	2	55	80	2.5	2	0	3015	835	RM-2	40	density-lim	600			0.7	2	1	0	0	3376.800049	1196.800049	1196.800049	1.12
0103	029	2340	0.05	6870	6	55	80	2.5	4	0	5850	0	RM-2	40	density-lim	600			0.7	4	1	0	0	6552	0	0	1.12
0103	030	2340	0.05	5016	10	55	80	2.5	4	0	5850	834	RM-2	40	density-lim	600			0.7	4	1	0	0	6552	1536	1536	1.12
0103	031	1200	0.03	2210	2	55	80	2.5	2	0	3000	790	RM-2	40	density-lim	600			0.7	2	1	0	0	3360	1150	1150	1.12
0103	033	2400	0.06	5820	6	55	80	2.5	5	0	6000	180	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	6720	900	900	1.12
0103	034	2250	0.05	5688	9	55	80	2.5	4	0	5625	0	RM-2	40	density-lim	600	true		0.7	4	1	0	0	6300	612	612	1.12
0103	035	3240	0.07	6705	6	55	80	2.5	6	0	8100	1395	RM-2	40	density-lim	600	true		0.7	5	0.833333313	0	0	9072	2367	2367	1.12
0103	037	1059	0.02	1646	2	55	80	2.5	2	0	2648	1002	RM-2	40	density-lim	600			0.7	2	1	0	0	2965.199951	1319.199951	1319.199951	1.119789
0103	041	1270	0.03	1306	2	55	80	2.5	2	0	3175	1869	RM-2	40	density-lim	600			0.7	2	1	0	0	3556	2250	2250	1.12
0104	001	2530	0.06	6849	9	55	80	2.5	5	0	6325	0	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	0	0	7084	235	235	1.12
0104	006	1192	0.03	2390	5	55	80	2.5	2	0	2980	590	RH-3	40	density-lim	1000			0.7	4	2	0	0	3337.599854	947.5998535	947.5998535	1.12
0104	007	2231	0.05	7438	12	55	80	2.5	4	0	5578	0	RH-3	40	density-lim	1000			0.7	4	1	0	0	6246.799805	0	0	1.1199
0104	008	2374	0.05	4710	6	55	80	2.5	4	0	5935	1225	RH-3	40	density-lim	1000			0.7	4	1	0	0	6647.199707	1937.199707	1937.199707	1.12
0104	009	2252	0.05	7396	11	55	80	2.5	4	0	5630	0	RH-3	40	density-lim	1000	true		0.7	6	1.5	0	0	6305.600098	0	0	1.12
0104	010	1150	0.03	2985	6	55	80	2.5	2	0	2875	0	RH-3	40	density-lim	1000	true		0.7	6	3	0	0	3220	235	235	1.12
0104	012	2240	0.05	4560	6	55	80	2.5	4	0	5600	1040	RH-3	40	density-lim	1000			0.7	4	1	0	0	6272	1712	1712	1.12
0104	019	1416	0.03	3864	6	55	80	2.5	2	0	3540	0	RH-3	40	density-lim	1000			0.7	4	2	0	0	3964.800049	100.8000488	100.8000488	1.12
0104	021	1581	0.04	3925	6	55	80	2.5	3	0	3952	27	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	4426.799805	501.7998047	501.7998047	1.120142
0104	022	1581	0.04	3312	5	55	80	2.5	3	0	3952	640	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	0	0	4743	1431	1431	1.200152
0104	023	2368	0.05	5730	6	55	80	2.5	4	0	5920	190	NCD-NORT	40	density-lim	400	true		0.75	6	1.5	0	0	7104	1374	1374	1.2
0104	024	787	0.02	2208	3	55	80	2.5	2	0	1968	0	NCD-NORT	40	density-lim	400	true		0.75	2	1	0	0	2361	153	153	1.199695
0104	025	1517	0.03	2970	4	55	80	2.5	2	0	3792	822	RH-3	40	density-lim	1000			0.7	4	2	0	0	4247.600098	1277.600098	1277.600098	1.120148
0104	027A	1538	0.04	2314	8	55	80	2.5	3	0	3845	1531	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	4306.399902	1992.399902	1992.399902	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0104	029	1369	0.03	3636	3	55	80	2.5	2	0	3422	0	NCD-NORT	40	density-lin	400			0.75	3	1.5	0	0	4107	471	471	1.200175
0104	030	1200	0.03	3240	3	55	80	2.5	2	0	3000	0	NCD-NORT	40	density-lin	400			0.75	3	1.5	0	0	3600	360	360	1.2
0104	032	1410	0.03	3420	5	55	80	2.5	2	0	3525	105	NCD-NORT	40	density-lin	400			0.75	4	2	0	0	4230	810	810	1.2
0104	034	1388	0.03	4098	5	55	80	2.5	2	0	3470	0	NCD-NORT	40	density-lin	400	true		0.75	3	1.5	0	0	4164	66	66	1.2
0104	036	2325	0.05	4016	5	55	80	2.5	4	0	5812	1796	RH-3	40	density-lin	1000			0.7	4	1	0	0	6510	2494	2494	1.120096
0104	037	1198	0.03	3180	6	55	80	2.5	2	0	2995	0	RH-3	40	density-lin	1000	true		0.7	6	3	0	0	3354.399902	174.3999023	174.3999023	1.12
0104	039	1383	0.03	2116	4	55	80	2.5	2	0	3458	1342	RH-3	40	density-lin	1000			0.7	4	2	0	0	3872.399902	1756.399902	1756.399902	1.119838
0104	040	1399	0.03	3780	6	55	80	2.5	2	0	3498	0	RH-3	40	density-lin	1000	true		0.7	6	3	0	0	3917.199951	137.1999512	137.1999512	1.11984
0104	041	1900	0.04	4289	4	55	80	2.5	3	0	4750	461	RH-3	40	density-lin	1000			0.7	4	1.333333373	0	0	5320	1031	1031	1.12
0104	044	1800	0.04	4530	6	55	80	2.5	3	0	4500	0	RH-3	40	density-lin	1000			0.7	4	1.333333373	0	0	5040	510	510	1.12
0104	046	1200	0.03	3306	6	55	80	2.5	2	0	3000	0	RH-3	40	density-lin	1000			0.7	4	2	0	0	3360	54	54	1.12
0104	051	2300	0.05	3084	5	55	80	2.5	4	0	5750	2666	RH-3	40	density-lin	1000			0.7	4	1	0	0	6440	3356	3356	1.12
0104	056	2135	0.05	4510	6	55	80	2.5	4	0	5338	828	RH-3	40	density-lin	1000	true		0.7	6	1.5	0	0	5978	1468	1468	1.119895
0104	068	2420	0.06	2460	4	55	80	2.5	5	1	6050	3590	RH-3	40	density-lin	1000			0.7	4	0.800000012	0	0	6776	4316	4316	1.12
0104	069	2095	0.05	3963	6	55	80	2.5	4	0	5238	1275	RH-3	40	density-lin	1000			0.7	4	1	0	0	5866	1903	1903	1.119893
0105	005	1632	0.04	3688	3	65	100	3	4	1	4896	1208	RH-3	40	form-based			true	0.7	3	0.75	0	0	4569.600098	881.6000977	881.6000977	0.933333
0105	006	1632	0.04	2016	3	65	100	3	4	1	4896	2880	RH-3	40	form-based			true	0.7	3	0.75	0	0	4569.600098	2553.600098	2553.600098	0.933333
0105	010	1554	0.04	3900	6	65	100	3	4	0	4662	762	RH-3	40	density-lin	1000	true		0.7	6	1.5	0	0	4351.199707	451.199707	451.199707	0.933333
0105	017	1238	0.03	2100	3	65	100	3	3	0	3714	1614	RH-3	40	form-based			true	0.7	3	1	0	0	3466.399902	1366.399902	1366.399902	0.933333
0105	019	18907	0.43	47650	90	65	100	3	43	0	56721	9071	RH-3	40	form-based			true	0.7	40	0.930232584	0	0	52939.59766	5289.597656	5289.597656	0.933333
0105	022	1838	0.04	5126	8	55	80	2.5	3	0	4595	0	RH-3	40	form-based			true	0.7	4	1.333333373	0	0	5146.399902	20.39990234	20.39990234	1.12
0105	024	1586	0.04	2979	3	55	80	2.5	3	0	3965	986	RH-3	40	form-based			true	0.7	3	1	0	0	4440.799805	1461.799805	1461.799805	1.12
0105	025	1856	0.04	5118	7	55	80	2.5	3	0	4640	0	RH-3	40	form-based		true	true	0.7	4	1.333333373	0	0	5196.799805	78.79980469	78.79980469	1.12
0105	031	770	0.02	2275	2	55	80	2.5	2	0	1925	0	RH-3	40	form-based			true	0.7	2	1	0	0	2156	0	0	1.12
0105	045	944	0.02	2130	3	65	100	3	2	0	2832	702	RH-3	40	form-based		true	true	0.7	2	1	0	0	2643.199951	513.1999512	513.1999512	0.933333
0105	045B	819	0.02	1304	2	65	100	3	2	0	2457	1153	RH-3	40	form-based		true	true	0.7	2	1	0	0	2293.199951	989.1999512	989.1999512	0.933333
0105	050	1452	0.03	2135	3	65	100	3	3	0	4356	2221	RH-3	40	form-based		true	true	0.7	3	1	0	0	4065.599854	1930.599854	1930.599854	0.933333
0105	051	4103	0.09	9095	10	65	100	3	9	0	12309	3214	RH-3	40	form-based		true	true	0.7	9	1	0	0	11488.39941	2393.399414	2393.399414	0.933333
0106	014	1750	0.04	3695	4	65	100	3	4	0	5250	1555	RH-3	40	density-lin	1000			0.7	4	1	0	0	4900	1205	1205	0.933333
0106	017B	1089	0.03	2412	3	65	100	3	3	0	3267	855	RH-3	40	form-based		true	true	0.7	2	0.666666687	0	0	3049.199951	637.1999512	637.1999512	0.933333
0106	017C	2188	0.05	4905	5	65	100	3	5	0	6564	1659	RH-3	40	density-lin	1000			0.7	4	0.800000012	0	0	6126.399902	1221.399902	1221.399902	0.933333
0106	023	1331	0.03	2179	4	65	100	3	3	0	3993	1814	RH-3	40	density-lin	1000			0.7	4	1.333333373	0	0	3726.800049	1547.800049	1547.800049	0.933333
0106	032	1481	0.03	3150	5	65	100	3	3	0	4443	1293	RH-3	40	density-lin	1000			0.7	4	1.333333373	0	0	4146.799805	996.7998047	996.7998047	0.933333
0106	034	1500	0.03	3461	6	65	100	3	3	0	4500	1039	RH-3	40	density-lin	1000			0.7	4	1.333333373	0	0	4200	739	739	0.933333
0106	034D	1500	0.03	3461	12	65	100	3	3	0	4500	1039	RH-3	40	density-lin	1000			0.7	4	1.333333373	0	0	4200	739	739	0.933333
0106	034E	1504	0.03	2435	4	65	100	3	3	0	4512	2077	RH-3	40	density-lin	1000			0.7	4	1.333333373	0	0	4211.199707	1776.199707	1776.199707	0.933333
0106	036	5400	0.12	7496	12	65	100	3	12	0	16200	8704	RH-3	40	density-lin	1000	true		0.7	6	0.5	0	0	15120	7624	7624	0.933333
0106	038	2993	0.07	6698	7	65	100	3	7	0	8979	2281	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	8380.399414	1682.399414	1682.399414	0.933333
0106	046	5246	0.12	19569	12	65	100	3	12	0	15738	0	RH-3	40	density-lin	1000	true		0.7	6	0.5	0	0	14688.7998	0	0	0.933333
0113	015	1574	0.04	4345	6	65	100	3	4	0	4722	377	RM-1	40	form-based			true	0.7	3	0.75	0	0	4407.199707	62.19970703	62.19970703	0.933333
0113	016A	3153	0.07	7250	12	65	100	3	7	0	9459	2209	RM-1	40	form-based		true	true	0.7	7	1	0	0	8828.399414	1578.399414	1578.399414	0.933333
0113	019	925	0.02	1240	2	65	100	3	2	0	2775	1535	RH-3	40	form-based			true	0.7	2	1	0	0	2590	1350	1350	0.933333
0113	020	2372	0.05	3580	6	65	100	3	5	0	7116	3536	RH-3	40	density-lin	1000	true		0.7	6	1.200000048	0	0	6641.600098	3061.600098	3061.600098	0.933333
0113	023	1800	0.04	2907	4	65	100	3	4	0	5400	2493	RH-3	40	density-lin	1000			0.7	4	1	0	0	5040	2133	2133	0.933333
0113	046	2501	0.06	5947	6	65	100	3	6	0	7503	1556	RH-3	40	form-based			true	0.7	5	0.833333313	0	0	7002.799805	1055.799805	1055.799805	0.933333
0113	049	1833	0.04	4055	4	65	100	3	4	0	5499	1444	RH-3	40	form-based			true	0.7	4	1	0	0	5132.399902	1077.399902	1077.399902	0.933333
0113	056	4868	0.11	10274	7	65	100	3	11	4	14604	4330	RH-3	40	density-lin	1000	true		0.7	6	0.545454562	0	0	13630.39941	3356.399414	3356.399414	0.933333
0113	062	4198	0.1	8768	10	65	100	3	10	0	12594	3826	RH-3	40	density-lin	1000			0.7	4	0.400000006	0	0	11754.39941	2986.399414	2986.399414	0.933333
0114	001	1853	0.04	4809	6	65	100	3	4	0	5559	750	RH-3	40	form-based		true	true	0.7	4	1	0	0	5188.399902	379.3999023	379.3999023	0.933333
0114	002	1656	0.04	3299	3	65	100	3	4	1	4968	1669	RH-3	40	form-based			true	0.7	3	0.75	0	0	4636.799805	1337.799805	1337.799805	0.933333
0114	008	1230	0.03	2682	3	55	80	2.5	2	0	3075	393	RH-3	40	form-based			true	0.7	3	1.5	0	0	3444	762	762	1.12
0114	011	2828	0.06	5208	8	55	80	2.5	5	0	7070	1862	RM-1	40	form-based		true	true	0.7	6	1.200000048	0	0	7918.399902	2710.399902	2710.399902	1.12
0114	017A	1175	0.03	2320	2	55	80	2.5	2	0	2938	618	RH-3	40	form-based			true	0.7	2	1	0	0	3290	970	970	1.119809
0114	019	1150	0.03	4400	8	55	80	2.5	2	0	2875	0	RM-1	40	form-based			true	0.7	2	1	0	0	3220	0	0	1.12
0114	020	2000	0.05	3378	7	55	80	2.5	4	0	5000	1622	RM-1	40	form-based		true	true	0.7	4	1	0	0	5600	2222	2222	1.12
0114	021	1283	0.03	2335	4	55	80	2.5	2	0	3208	873	RH-3	40	form-based			true	0.7	3	1.5	0	0	3592.399902	1257.399902	1257.399902	1.119825
0114	022	1668	0.04	4311	6	55	80	2.5	3	0	4170	0	RM-1	40	form-based		true	true	0.7	4	1.333333373	0	0	4670.399902	359.3999023	359.3999023	1.12
0114	026	1296	0.03	2720	5	55	80	2.5	2	0	3240	520	RH-3	40	form-based			true	0.7	3	1.5	0	0	3628.800049	908.8000488	908.8000488	1.12
0114	028C	2578	0.06	5250	6	55	80	2.5	5	0	6445	1195	RH-3	40	form-based			true	0.7	5	1	0	0	7218.399902	1968.399902	1968.399902	1.12
0114	030	1091	0.03	2088	6	55	80	2.5	2	0	2728	640	RH-3	40	form-based			true	0.7	2	1	0	0	3054.800049	966.8000488	966.8000488	1.119795
0114	031	1620	0.04	3900	6	55	80	2.5	3	0	4050	150	RH-3	40	form-based			true	0.7	3	1	0	0	4536	636	636	1.12
0114	032	1576	0.04	4218	6	55	80	2.5	3	0	3940	0	RH-3	40	form-based		true	true	0.7	3	1	0	0	4412.799805	194.7998047	194.7998047	1.12
0114	033	1510	0.03	3244	5	55	80	2.5	2	0	3775	531	RH-3	40	form-based			true	0.7	3	1.5	0	0	4228	984	984	1.12
0114	034	1944	0.04	3692	5	55	80	2.5	3	0	4860	1168	RH-3	40	form-based			true	0.7	4	1.333333373	0	0	5443.199707	1751.199707	1751.199707	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0114	037	1188	0.03	2356	2	55	80	2.5	2	0	2970	614	RH-3	40	form-based		true	true	0.7	2	1	0	0	3326.399902	970.3999023	970.3999023	1.12
0114	041	1150	0.03	2607	2	55	80	2.5	2	0	2875	268	RH-3	40	form-based			true	0.7	2	1	0	0	3220	613	613	1.12
0114	042	1175	0.03	2538	2	55	80	2.5	2	0	2938	400	RH-3	40	form-based			true	0.7	2	1	0	0	3290	752	752	1.119809
0114	043	1175	0.03	1746	2	55	80	2.5	2	0	2938	1192	RH-3	40	form-based			true	0.7	2	1	0	0	3290	1544	1544	1.119809
0114	044	1175	0.03	1960	3	55	80	2.5	2	0	2938	978	RH-3	40	form-based			true	0.7	2	1	0	0	3290	1330	1330	1.119809
0114	045	1175	0.03	1097	2	55	80	2.5	2	0	2938	1841	RH-3	40	form-based			true	0.7	2	1	0	0	3290	2193	2193	1.119809
0114	046	1175	0.03	1584	2	55	80	2.5	2	0	2938	1354	RH-3	40	form-based			true	0.7	2	1	0	0	3290	1706	1706	1.119809
0114	047	1116	0.03	1692	4	55	80	2.5	2	0	2790	1098	RH-3	40	form-based			true	0.7	2	1	0	0	3124.800049	1432.800049	1432.800049	1.12
0114	049	1175	0.03	2400	3	55	80	2.5	2	0	2938	538	RH-3	40	form-based			true	0.7	2	1	0	0	3290	890	890	1.119809
0114	050	1175	0.03	3252	3	55	80	2.5	2	0	2938	0	RH-3	40	form-based			true	0.7	2	1	0	0	3290	38	38	1.119809
0114	052	2313	0.05	4499	5	55	80	2.5	4	0	5782	1283	RH-3	40	form-based		true	true	0.7	5	1.25	0	0	6476.399902	1977.399902	1977.399902	1.120097
0114	055	1412	0.03	2062	3	55	80	2.5	2	0	3530	1468	RH-3	40	form-based			true	0.7	3	1.5	0	0	3953.599854	1891.599854	1891.599854	1.12
0114	058	1746	0.04	4912	4	65	100	3	4	0	5238	326	RH-3	40	form-based			true	0.7	4	1	0	0	4888.799805	0	0	0.933333
0114	066	1304	0.03	701	6	55	80	2.5	2	0	3260	2559	RM-1	40	form-based			true	0.7	3	1.5	0	0	3651.199951	2950.199951	2950.199951	1.12
0115	004	1600	0.04	3132	5	55	80	2.5	3	0	4000	868	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	4480	1348	1348	1.12
0115	005	1600	0.04	4087	4	55	80	2.5	3	0	4000	0	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	4480	393	393	1.12
0115	007	1600	0.04	3417	5	55	80	2.5	3	0	4000	583	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	4480	1063	1063	1.12
0115	009	1150	0.03	2664	6	55	80	2.5	2	0	2875	211	RM-1	40	density-lim	800	true		0.7	1	0.5	0	0	3220	556	556	1.12
0115	010	1150	0.03	3315	3	55	80	2.5	2	0	2875	0	RM-1	40	density-lim	800			0.7	1	0.5	0	0	3220	0	0	1.12
0115	011	1150	0.03	3688	8	55	80	2.5	2	0	2875	0	RM-1	40	density-lim	800			0.7	1	0.5	0	0	3220	0	0	1.12
0115	012	1150	0.03	3450	5	55	80	2.5	2	0	2875	0	RM-1	40	density-lim	800	true		0.7	1	0.5	0	0	3220	0	0	1.12
0115	013	1680	0.04	1295	2	55	80	2.5	3	1	4200	2905	RM-1	40	density-lim	800	true		0.7	2	0.666666687	0	0	4704	3409	3409	1.12
0115	014	1180	0.03	2490	3	55	80	2.5	2	0	2950	460	RM-1	40	density-lim	800			0.7	1	0.5	0	0	3304	814	814	1.12
0115	015	1032	0.02	1840	2	55	80	2.5	2	0	2580	740	RM-1	40	density-lim	800	true		0.7	1	0.5	0	0	2889.599854	1049.599854	1049.599854	1.12
0115	016	1304	0.03	3870	4	55	80	2.5	2	0	3260	0	RM-1	40	density-lim	800	true		0.7	2	1	0	0	3651.199951	0	0	1.12
0115	017	1320	0.03	3819	6	55	80	2.5	2	0	3300	0	RM-1	40	density-lim	800			0.7	2	1	0	0	3696	0	0	1.12
0115	018	1428	0.03	3930	7	55	80	2.5	2	0	3570	0	RM-1	40	density-lim	800			0.7	2	1	0	0	3998.399902	68.39990234	68.39990234	1.12
0115	022	1730	0.04	3600	6	55	80	2.5	3	0	4325	725	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	4844	1244	1244	1.12
0115	023	1582	0.04	3276	5	55	80	2.5	3	0	3955	679	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	4429.600098	1153.600098	1153.600098	1.12
0115	024	2400	0.06	5238	8	55	80	2.5	5	0	6000	762	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	6720	1482	1482	1.12
0115	026	2085	0.05	5100	8	55	80	2.5	4	0	5212	112	RH-3	40	density-lim	1000			0.7	4	1	0	0	5838	738	738	1.120107
0115	032	1215	0.03	2940	7	55	80	2.5	2	0	3038	98	RH-3	40	density-lim	1000			0.7	4	2	0	0	3402	462	462	1.119816
0115	033	1150	0.03	2967	5	55	80	2.5	2	0	2875	0	RH-3	40	density-lim	1000			0.7	4	2	0	0	3220	253	253	1.12
0115	036	2243	0.05	3954	6	55	80	2.5	4	0	5608	1654	RH-3	40	density-lim	1000			0.7	4	1	0	0	6280.399902	2326.399902	2326.399902	1.1199
0115	042	1200	0.03	2880	5	55	80	2.5	2	0	3000	120	RH-3	40	density-lim	1000			0.7	4	2	0	0	3360	480	480	1.12
0115	048	1406	0.03	3516	6	55	80	2.5	2	0	3515	0	RH-3	40	density-lim	1000			0.7	4	2	0	0	3936.800049	420.8000488	420.8000488	1.12
0115	051	750	0.02	1320	6	55	80	2.5	2	0	1875	555	RH-3	40	density-lim	1000			0.7	4	2	0	0	2100	780	780	1.12
0115	052	1569	0.04	4650	9	55	80	2.5	3	0	3922	0	RH-3	40	density-lim	1000	true		0.7	6	2	0	0	4393.199707	0	0	1.120143
0115	053	1569	0.04	2250	4	55	80	2.5	3	0	3922	1672	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	4393.199707	2143.199707	2143.199707	1.120143
0115	054	2906	0.07	6355	8	55	80	2.5	6	0	7265	910	RH-3	40	density-lim	1000	true		0.7	6	1	0	0	8136.799805	1781.799805	1781.799805	1.12
0115	055	3137	0.07	751	8	55	80	2.5	6	0	7842	7091	RH-3	40	density-lim	1000	true		0.7	6	1	0	0	8783.599609	8032.599609	8032.599609	1.120071
0116	001	1957	0.04	7800	8	55	80	2.5	3	0	4892	0	NCD-NORT	40	density-lim	400	true		0.75	5	1.666666627	0	0	5871	0	0	1.200123
0116	002	1588	0.04	3690	4	55	80	2.5	3	0	3970	280	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	0	0	4764	1074	1074	1.2
0116	003	1841	0.04	3306	6	55	80	2.5	3	0	4602	1296	NCD-NORT	40	density-lim	400			0.75	5	1.666666627	0	0	5523	2217	2217	1.20013
0116	004	1839	0.04	4406	5	55	80	2.5	3	0	4598	192	NCD-NORT	40	density-lim	400			0.75	5	1.666666627	0	0	5517	1111	1111	1.19987
0116	006	580	0.01	1080	2	55	80	2.5	1	0	1450	370	NCD-NORT	40	density-lim	400			0.75	1	1	0	0	1740	660	660	1.2
0116	007	562	0.01	1800	2	55	80	2.5	1	0	1405	0	NCD-NORT	40	density-lim	400			0.75	1	1	0	0	1686	0	0	1.2
0116	008	1142	0.03	3445	3	55	80	2.5	2	0	2855	0	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	3426	0	0	1.2
0116	009	1141	0.03	3095	4	55	80	2.5	2	0	2852	0	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	3423	328	328	1.20021
0116	010	1140	0.03	3390	3	55	80	2.5	2	0	2850	0	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	3420	30	30	1.2
0116	011	1608	0.04	5058	6	55	80	2.5	3	0	4020	0	NCD-NORT	40	density-lim	400	true		0.75	4	1.333333373	0	0	4824	0	0	1.2
0116	013	2195	0.05	6555	6	55	80	2.5	4	0	5488	0	NCD-NORT	40	density-lim	400	true		0.75	5	1.25	0	0	6585	30	30	1.199891
0116	014	1150	0.03	2880	5	55	80	2.5	2	0	2875	0	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	3450	570	570	1.2
0116	017	1814	0.04	5067	7	55	80	2.5	3	0	4535	0	NCD-NORT	40	density-lim	400	true		0.75	5	1.666666627	0	0	5442	375	375	1.2
0116	019	1372	0.03	3588	3	55	80	2.5	2	0	3430	0	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	4116	528	528	1.2
0116	021	1153	0.03	3420	3	55	80	2.5	2	0	2882	0	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	3459	39	39	1.200208
0116	026	2113	0.05	6189	6	55	80	2.5	4	0	5282	0	NCD-NORT	40	density-lim	400	true		0.75	5	1.25	0	0	6339	150	150	1.200114
0116	027	1407	0.03	2220	2	55	80	2.5	2	0	3518	1298	RM-2	40	density-lim	600			0.7	2	1	0	0	3939.599854	1719.599854	1719.599854	1.119841
0116	028	1495	0.03	2600	4	55	80	2.5	2	0	3738	1138	RM-2	40	density-lim	600			0.7	2	1	0	0	4186	1586	1586	1.11985
0116	030	1754	0.04	4974	6	55	80	2.5	3	0	4385	0	RM-2	40	density-lim	600	true		0.7	3	1	0	0	4911.199707	0	0	1.12
0116	031	2501	0.06	3240	4	55	80	2.5	5	1	6252	3012	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	7002.799805	3762.799805	3762.799805	1.12009
0116	032	2042	0.05	5514	5	55	80	2.5	4	0	5105	0	RM-2	40	density-lim	600			0.7	3	0.75	0	0	5717.600098	203.6000977	203.6000977	1.12
0116	033	1528	0.04	4176	3	55	80	2.5	3	0	3820	0	RM-2	40	density-lim	600	true		0.7	3	1	0	0	4278.399902	102.3999023	102.3999023	1.12
0116	035	1285	0.03	3360	3	55	80	2.5	2	0	3212	0	RM-2	40	density-lim	600			0.7	2	1	0	0	3598	238	238	1.120174

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0116	036	1527	0.04	3159	3	55	80	2.5	3	0	3818	659	RM-2	40	density-lim	600			0.7	3	1	0	0	4275.600098	1116.600098	1116.600098	1.119853
0116	037	958	0.02	3060	3	55	80	2.5	2	0	2395	0	RM-2	40	density-lim	600			0.7	2	1	0	0	2682.399902	0	0	1.12
0116	038	1198	0.03	3000	3	55	80	2.5	2	0	2995	0	RM-2	40	density-lim	600			0.7	2	1	0	0	3354.399902	354.3999023	354.3999023	1.12
0116	039	1198	0.03	3223	3	55	80	2.5	2	0	2995	0	RM-2	40	density-lim	600			0.7	2	1	0	0	3354.399902	131.3999023	131.3999023	1.12
0116	040	2603	0.06	7726	14	55	80	2.5	5	0	6508	0	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	7288.399902	0	0	1.119914
0116	041	1395	0.03	3879	3	55	80	2.5	2	0	3488	0	RM-2	40	density-lim	600			0.7	2	1	0	0	3906	27	27	1.119839
0116	042	1395	0.03	3411	3	55	80	2.5	2	0	3488	77	RM-2	40	density-lim	600			0.7	2	1	0	0	3906	495	495	1.119839
0116	043	2728	0.06	5748	6	55	80	2.5	5	0	6820	1072	RM-2	40	density-lim	600	true		0.7	5	1	0	0	7638.399902	1890.399902	1890.399902	1.12
0116	044	2613	0.06	5665	8	55	80	2.5	5	0	6532	867	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	7316.399902	1651.399902	1651.399902	1.120086
0116	045	1568	0.04	2346	4	55	80	2.5	3	0	3920	1574	RM-2	40	density-lim	600			0.7	3	1	0	0	4390.399902	2044.399902	2044.399902	1.12
0116	046	3134	0.07	5080	7	55	80	2.5	6	0	7835	2755	RM-2	40	density-lim	600	true		0.7	5	0.833333313	0	0	8775.200195	3695.200195	3695.200195	1.12
0116	047	1200	0.03	3235	3	55	80	2.5	2	0	3000	0	RM-2	40	density-lim	600			0.7	2	1	0	0	3360	125	125	1.12
0116	048	1200	0.03	3964	3	55	80	2.5	2	0	3000	0	RM-2	40	density-lim	600			0.7	2	1	0	0	3360	0	0	1.12
0116	049	1200	0.03	2796	3	55	80	2.5	2	0	3000	204	RM-2	40	density-lim	600			0.7	2	1	0	0	3360	564	564	1.12
0116	050	1175	0.03	2808	3	55	80	2.5	2	0	2938	130	RM-2	40	density-lim	600			0.7	2	1	0	0	3290	482	482	1.119809
0116	051	2350	0.05	4200	6	55	80	2.5	4	0	5875	1675	RM-2	40	density-lim	600			0.7	4	1	0	0	6580	2380	2380	1.12
0116	052	1175	0.03	2160	2	55	80	2.5	2	0	2938	778	RM-2	40	density-lim	600			0.7	2	1	0	0	3290	1130	1130	1.119809
0116	054	1169	0.03	3510	3	55	80	2.5	2	0	2922	0	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	3507	0	0	1.200205
0117	001	7906	0.18	23305	46	55	80	2.5	14	0	19765	0	NCD-NORT	40	density-lim	400	true		0.75	20	1.428571463	0	0	23718	413	413	1.2
0117	005	10797	0.25	24678	32	55	80	2.5	20	0	26992	2314	NCD-NORT	40	density-lim	400	true		0.75	27	1.350000024	0	0	32391	7713	7713	1.200022
0117	011	2100	0.05	5850	5	55	80	2.5	4	0	5250	0	NCD-NORT	40	density-lim	400	true		0.75	5	1.25	0	0	6300	450	450	1.2
0117	013	2100	0.05	4590	9	55	80	2.5	4	0	5250	660	NCD-NORT	40	density-lim	400			0.75	5	1.25	0	0	6300	1710	1710	1.2
0117	019	776	0.02	2070	3	55	80	2.5	2	0	1940	0	NCD-NORT	40	density-lim	400			0.75	2	1	0	0	2328	258	258	1.2
0117	020	1281	0.03	3945	7	55	80	2.5	2	0	3202	0	NCD-NORT	40	density-lim	400	true		0.75	3	1.5	0	0	3843	0	0	1.200187
0118	001	3400	0.08	8436	9	55	80	2.5	6	0	8500	64	NCD-NORT	40	density-lim	400	true		0.75	9	1.5	0	0	10200	1764	1764	1.2
0118	002	2016	0.05	5661	5	55	80	2.5	4	0	5040	0	NCD-NORT	40	density-lim	400			0.75	5	1.25	0	0	6048	387	387	1.2
0118	007	1562	0.04	3580	5	55	80	2.5	3	0	3905	325	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	0	0	4686	1106	1106	1.2
0118	011	2700	0.06	5532	6	55	80	2.5	5	0	6750	1218	RM-2	40	density-lim	600			0.7	5	1	0	0	7560	2028	2028	1.12
0118	012	4673	0.11	10670	13	55	80	2.5	9	0	11682	1012	RM-2	40	density-lim	600			0.7	8	0.888888896	0	0	13084.39941	2414.399414	2414.399414	1.120048
0118	013	1670	0.04	4080	3	55	80	2.5	3	0	4175	95	RM-2	40	density-lim	600	true		0.7	3	1	0	0	4676	596	596	1.12
0118	015	1358	0.03	1940	4	55	80	2.5	2	0	3395	1455	RM-2	40	density-lim	600			0.7	2	1	0	0	3802.399902	1862.399902	1862.399902	1.12
0118	016	1360	0.03	1902	2	55	80	2.5	2	0	3400	1498	RM-2	40	density-lim	600			0.7	2	1	0	0	3808	1906	1906	1.12
0118	018	3418	0.08	6789	15	55	80	2.5	6	0	8545	1756	RM-2	40	density-lim	600			0.7	6	1	0	0	9570.399414	2781.399414	2781.399414	1.12
0118	019	1286	0.03	3432	3	55	80	2.5	2	0	3215	0	RM-2	40	density-lim	600	true		0.7	2	1	0	0	3600.800049	168.8000488	168.8000488	1.12
0118	019A	593	0.01	485	1	55	80	2.5	1	0	1482	997	RM-2	40	density-lim	600			0.7	1	1	0	0	1660.400024	1175.400024	1175.400024	1.120378
0118	025A	49	0	0	0	55	80	2.5	0	0	122	122	RM-2	40	density-lim	600			0.7	0		0	0	137.1999969	137.1999969	137.1999969	1.12459
0118	026	2432	0.06	3625	4	55	80	2.5	5	1	6080	2455	RM-2	40	density-lim	600	true		0.7	4	0.800000012	0	0	6809.600098	3184.600098	3184.600098	1.12
0118	028	2117	0.05	4512	6	55	80	2.5	4	0	5292	780	RM-2	40	density-lim	600			0.7	4	1	0	0	5927.600098	1415.600098	1415.600098	1.120106
0118	029	1449	0.03	3666	3	55	80	2.5	2	0	3622	0	RM-2	40	density-lim	600	true		0.7	2	1	0	0	4057.199951	391.1999512	391.1999512	1.120155
0118	030	1266	0.03	1752	4	55	80	2.5	2	0	3165	1413	RM-2	40	density-lim	600			0.7	2	1	0	0	3544.800049	1792.800049	1792.800049	1.12
0118	031	1137	0.03	1918	3	55	80	2.5	2	0	2842	924	RM-2	40	density-lim	600			0.7	2	1	0	0	3183.599854	1265.599854	1265.599854	1.120197
0118	034	567	0.01	1625	1	55	80	2.5	1	0	1418	0	RM-2	40	density-lim	600			0.7	1	1	0	0	1587.599976	0	0	1.119605
0118	035	1365	0.03	3225	2	55	80	2.5	2	0	3412	187	RM-2	40	density-lim	600			0.7	2	1	0	0	3822	597	597	1.120164
0118	038	1856	0.04	4224	3	55	80	2.5	3	0	4640	416	RM-2	40	density-lim	600			0.7	3	1	0	0	5196.799805	972.7998047	972.7998047	1.12
0118	040	3355	0.08	8628	10	55	80	2.5	6	0	8388	0	RM-2	40	density-lim	600			0.7	6	1	0	0	9394	766	766	1.119933
0118	041	2422	0.06	4740	5	55	80	2.5	5	0	6055	1315	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	6781.600098	2041.600098	2041.600098	1.12
0118	043	4138	0.1	5460	8	55	80	2.5	8	0	10345	4885	RM-2	40	density-lim	600			0.7	7	0.875	0	0	11586.39941	6126.399414	6126.399414	1.12
0118	044	3673	0.08	7682	7	55	80	2.5	6	0	9182	1500	RM-2	40	density-lim	600			0.7	6	1	0	0	10284.39941	2602.399414	2602.399414	1.120061
0118	048	1500	0.03	800	3	55	80	2.5	2	0	3750	2950	RM-2	40	density-lim	600	true		0.7	3	1.5	0	0	4200	3400	3400	1.12
0119	001	3121	0.07	9350	15	55	80	2.5	6	0	7802	0	RM-2	40	form-based		true	true	0.7	7	1.166666627	0	0	8738.799805	0	0	1.120072
0119	002	1840	0.04	2924	4	55	80	2.5	3	0	4600	1676	RM-2	40	form-based			true	0.7	4	1.333333373	0	0	5152	2228	2228	1.12
0119	008	1662	0.04	3420	3	55	80	2.5	3	0	4155	735	RM-2	40	form-based			true	0.7	3	1	0	0	4653.600098	1233.600098	1233.600098	1.12
0119	009	1659	0.04	4716	6	55	80	2.5	3	0	4148	0	RM-2	40	form-based		true	true	0.7	3	1	0	0	4645.199707	0	0	1.119865
0119	010	1375	0.03	3300	3	55	80	2.5	2	0	3438	138	RM-2	40	form-based			true	0.7	3	1.5	0	0	3850	550	550	1.119837
0119	011	1650	0.04	3810	3	55	80	2.5	3	0	4125	315	RM-2	40	form-based			true	0.7	3	1	0	0	4620	810	810	1.12
0119	013	1633	0.04	3214	3	55	80	2.5	3	0	4082	868	RM-2	40	form-based			true	0.7	3	1	0	0	4572.399902	1358.399902	1358.399902	1.120137
0119	024	2404	0.06	6000	5	55	80	2.5	5	0	6010	10	RM-2	40	form-based		true	true	0.7	5	1	0	0	6731.199707	731.199707	731.199707	1.12
0119	026	1725	0.04	4230	4	55	80	2.5	3	0	4312	82	RM-2	40	form-based			true	0.7	4	1.333333373	0	0	4830	600	600	1.12013
0119	032	2750	0.06	5589	6	55	80	2.5	5	0	6875	1286	RM-2	40	form-based			true	0.7	6	1.200000048	0	0	7700	2111	2111	1.12
0119	035	4727	0.11	9228	10	55	80	2.5	9	0	11818	2590	RM-2	40	form-based			true	0.7	10	1.111111164	0	0	13235.59961	4007.599609	4007.599609	1.119953
0119	061	1500	0.03	1609	3	55	80	2.5	2	0	3750	2141	RM-2	40	form-based			true	0.7	3	1.5	0	0	4200	2591	2591	1.12
0120	014A	1436	0.03	3674	3	55	80	2.5	2	0	3590	0	RM-2	40	form-based			true	0.7	3	1.5	0	0	4020.800049	346.8000488	346.8000488	1.12
0120	015	2778	0.06	6188	6	55	80	2.5	5	0	6945	757	RM-2	40	form-based		true	true	0.7	6	1.200000048	0	0	7778.399902	1590.399902	1590.399902	1.12
0120	020	1906	0.04	2848	4	55	80	2.5	3	0	4765	1917	RM-2	40	form-based			true	0.7	4	1.333333373	0	0	5336.799805	2488.799805	2488.799805	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0120	068	1473	0.03	1900	4	55	80	2.5	2	0	3682	1782	RM-2	40	form-based			true	0.7	3	1.5	0	0	4124.399902	2224.399902	2224.399902	1.120152
0120	072	1128	0.03	1417	3	55	80	2.5	2	0	2820	1403	RM-2	40	form-based			true	0.7	2	1	0	0	3158.399902	1741.399902	1741.399902	1.12
0120	077	1547	0.04	1163	4	55	80	2.5	3	0	3868	2705	RM-2	40	form-based			true	0.7	3	1	0	0	4331.600098	3168.600098	3168.600098	1.119855
0120	081	1322	0.03	1613	3	55	80	2.5	2	0	3305	1692	RM-2	40	form-based			true	0.7	3	1.5	0	0	3701.599854	2088.599854	2088.599854	1.12
0120	084	1103	0.03	1983	2	55	80	2.5	2	0	2758	775	RM-2	40	form-based			true	0.7	2	1	0	0	3088.399902	1105.399902	1105.399902	1.119797
0121	001	2297	0.05	5400	6	55	80	2.5	4	0	5742	342	RM-2	40	form-based		true	true	0.7	5	1.25	0	0	6431.600098	1031.600098	1031.600098	1.120098
0121	002	2300	0.05	3156	6	55	80	2.5	4	0	5750	2594	RM-2	40	form-based			true	0.7	5	1.25	0	0	6440	3284	3284	1.12
0121	003	2997	0.07	10000	8	55	80	2.5	6	0	7492	0	RM-2	40	form-based		true	true	0.7	6	1	0	0	8391.599609	0	0	1.120075
0121	004	8273	0.19	96892	63	55	80	2.5	15	0	20682	0	RM-2	40	form-based		true	true	0.7	17	1.133333325	0	0	23164.40039	0	0	1.120027
0121	016	2198	0.05	5395	6	55	80	2.5	4	0	5495	100	RM-2	40	form-based		true	true	0.7	5	1.25	0	0	6154.399902	759.3999023	759.3999023	1.12
0121A	001	8721	0.2	1616	48	55	80	2.5	16	0	21802	20186	RM-2	40	form-based			true	0.7	18	1.125	0	0	24418.79883	22802.79883	22802.79883	1.120026
0122	001	3412	0.08	8226	15	55	80	2.5	6	0	8530	304	RH-3	65	form-based		true	true	0.7	12	2	0	0	14330.39941	6104.399414	6104.399414	1.68
0122	014	1542	0.04	4815	7	55	80	2.5	3	0	3855	0	NC-1	65	form-based		true	true	0.75	6	2	0	0	6939	2124	2124	1.8
0122	027A	6239	0.14	18296	24	55	80	2.5	11	0	15598	0	RH-3	65	form-based		true	true	0.7	22	2	0	0	26203.79883	7907.798828	7907.798828	1.679946
0123	041	1639	0.04	4378	9	65	100	3	4	0	4917	539	RH-3	65	form-based		true	true	0.7	6	1.5	0	0	6883.799805	2505.799805	2505.799805	1.4
0124	001	2664	0.06	6750	10	55	80	2.5	5	0	6660	0	NC-1	65	form-based		true	true	0.75	10	2	0	0	11988	5238	5238	1.8
0124	047	4264	0.1	10980	18	65	100	3	10	0	12792	1812	RM-1	65	form-based		true	true	0.7	15	1.5	0	0	17908.79883	6928.798828	6928.798828	1.4
0124	057	1638	0.04	1131	6	65	100	3	4	0	4914	3783	RH-3	65	form-based			true	0.7	6	1.5	0	0	6879.600098	5748.600098	5748.600098	1.4
0124	063	1110	0.03	2400	4	65	100	3	3	0	3330	930	RH-3	65	form-based			true	0.7	4	1.333333373	0	0	4662	2262	2262	1.4
0125	005C	3250	0.07	7935	14	55	80	2.5	6	0	8125	190	RH-3	65	form-based		true	true	0.7	11	1.833333373	0	0	13650	5715	5715	1.68
0125	011	1422	0.03	3960	6	55	80	2.5	2	0	3555	0	RM-1	65	form-based		true	true	0.7	5	2.5	0	0	5972.399902	2012.399902	2012.399902	1.68
0125	013	1389	0.03	2060	5	55	80	2.5	2	0	3472	1412	RM-1	65	form-based			true	0.7	5	2.5	0	0	5833.799805	3773.799805	3773.799805	1.680242
0125	026	5279	0.12	930	63	55	80	2.5	10	0	13198	12268	RH-3	65	form-based		true	true	0.7	18	1.799999952	0	0	22171.79883	21241.79883	21241.79883	1.679936
0126	005	3025	0.07	4490	4	55	80	2.5	6	2	7562	3072	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	8470	3980	3980	1.120074
0126	045	2734	0.06	788	10	55	80	2.5	5	0	6835	6047	RM-2	40	density-lim	600	true		0.7	5	1	0	0	7655.199707	6867.199707	6867.199707	1.12
0131	005	1375	0.03	4080	3	55	80	2.5	2	0	3438	0	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	4125	45	45	1.199826
0127	014	5597	0.13	3070	9	55	80	2.5	10	1	13992	10922	RM-2	40	density-lim	600			0.7	9	0.899999976	0	0	15671.59961	12601.59961	12601.59961	1.12004
0127	024	7981	0.18	22110	20	55	80	2.5	14	0	19952	0	RM-2	40	density-lim	600	true		0.7	13	0.928571403	0	0	22346.79883	236.7988281	236.7988281	1.120028
0127	029	14265	0.33	1400	112	55	80	2.5	26	0	35662	34262	RM-2	40	density-lim	600	true		0.7	24	0.923076928	0	0	39942	38542	38542	1.120016
0131	006	1375	0.03	3452	3	55	80	2.5	2	0	3438	0	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	4125	673	673	1.199826
0128	002	3437	0.08	4782	4	55	80	2.5	6	2	8592	3810	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	9623.599609	4841.599609	4841.599609	1.120065
0128	013	3246	0.07	3604	5	55	80	2.5	6	1	8115	4511	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	9088.799805	5484.799805	5484.799805	1.12
0128	020	8271	0.19	25199	38	55	80	2.5	15	0	20678	0	RM-2	40	density-lim	600	true		0.7	14	0.933333337	0	0	23158.79883	0	0	1.119973
0128	021	35707	0.82	1640	74	55	80	2.5	66	0	89268	87628	RM-2	40	density-lim	600			0.7	60	0.909090936	0	0	99979.60156	98339.60156	98339.60156	1.119994
0128	023	3126	0.07	5322	7	55	80	2.5	6	0	7815	2493	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	8752.799805	3430.799805	3430.799805	1.12
0129	002A	1372	0.03	2008	2	55	80	2.5	2	0	3430	1422	RM-2	40	density-lim	600			0.7	2	1	0	0	3841.599854	1833.599854	1833.599854	1.12
0129	007	3036	0.07	6990	10	55	80	2.5	6	0	7590	600	NCD-NORT	40	density-lim	400	true		0.75	8	1.333333373	0	0	9108	2118	2118	1.2
0129	008	3366	0.08	7320	14	55	80	2.5	6	0	8415	1095	RM-2	40	density-lim	600			0.7	6	1	0	0	9424.799805	2104.799805	2104.799805	1.12
0129	009	1530	0.04	3420	3	55	80	2.5	3	0	3825	405	RM-2	40	density-lim	600			0.7	3	1	0	0	4284	864	864	1.12
0129	011	3163	0.07	5399	6	55	80	2.5	6	0	7908	2509	RM-2	40	density-lim	600			0.7	5	0.833333313	0	0	8856.399414	3457.399414	3457.399414	1.119929
0129	013	1749	0.04	3876	3	55	80	2.5	3	0	4372	496	RM-2	40	density-lim	600			0.7	3	1	0	0	4897.199707	1021.199707	1021.199707	1.120128
0129	013B	1269	0.03	1270	2	55	80	2.5	2	0	3172	1902	RM-2	40	density-lim	600			0.7	2	1	0	0	3553.199951	2283.199951	2283.199951	1.120177
0129	014	3151	0.07	5398	5	55	80	2.5	6	1	7878	2480	RM-2	40	density-lim	600			0.7	5	0.833333313	0	0	8822.799805	3424.799805	3424.799805	1.119929
0129	015	1276	0.03	2050	2	55	80	2.5	2	0	3190	1140	RM-2	40	density-lim	600			0.7	2	1	0	0	3572.800049	1522.800049	1522.800049	1.12
0129	016	1135	0.03	1536	2	55	80	2.5	2	0	2838	1302	RM-2	40	density-lim	600			0.7	2	1	0	0	3178	1642	1642	1.119803
0129	017	2202	0.05	4878	6	55	80	2.5	4	0	5505	627	RM-2	40	density-lim	600			0.7	4	1	0	0	6165.600098	1287.600098	1287.600098	1.12
0129	018	3515	0.08	11000	12	55	80	2.5	6	0	8788	0	RM-2	40	density-lim	600	true		0.7	6	1	0	0	9842	0	0	1.119936
0129	019	8450	0.19	16350	28	55	80	2.5	15	0	21125	4775	RM-2	40	density-lim	600			0.7	14	0.933333337	0	0	23660	7310	7310	1.12
0129	020	2460	0.06	5286	6	55	80	2.5	5	0	6150	864	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	6888	1602	1602	1.12
0129	024	2400	0.06	3936	4	55	80	2.5	5	1	6000	2064	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	6720	2784	2784	1.12
0129	025	2400	0.06	6750	9	55	80	2.5	5	0	6000	0	RM-2	40	density-lim	600	true		0.7	4	0.800000012	0	0	6720	0	0	1.12
0129	026	1200	0.03	2200	2	55	80	2.5	2	0	3000	800	RM-2	40	density-lim	600	true		0.7	2	1	0	0	3360	1160	1160	1.12
0129	027	275	0.01	0	0	55	80	2.5	1	1	688	688	RM-2	40	density-lim	600			0.7	0	0	0	0	770	770	770	1.119186
0129	032	1463	0.03	2716	2	55	80	2.5	2	0	3658	942	RM-2	40	density-lim	600			0.7	2	1	0	0	4096.399902	1380.399902	1380.399902	1.119847
0130	005	1089	0.03	2310	3	55	80	2.5	2	0	2722	412	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	3267	957	957	1.20022
0130	006	1104	0.03	2310	3	55	80	2.5	2	0	2760	450	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	3312	1002	1002	1.2
0130	007	1104	0.03	3036	3	55	80	2.5	2	0	2760	0	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	3312	276	276	1.2
0130	010	4357	0.1	8259	39	55	80	2.5	8	0	10892	2633	NCD-NORT	40	density-lim	400	true		0.75	11	1.375	0	0	13071	4812	4812	1.200055
0130	012	4003	0.09	10686	33	55	80	2.5	7	0	10008	0	NCD-NORT	40	density-lim	400	true		0.75	10	1.428571463	0	0	12009	1323	1323	1.19994
0130	014	3001	0.07	5391	12	55	80	2.5	6	0	7502	2111	NCD-NORT	40	density-lim	400			0.75	8	1.333333373	0	0	9003	3612	3612	1.20008
0130	020	1375	0.03	3437	4	55	80	2.5	2	0	3438	1	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	4125	688	688	1.199826
0130	021	1607	0.04	3680	4	55	80	2.5	3	0	4018	338	NCD-NORT	40	density-lim	400			0.75	4	1.333333373	0	0	4821	1141	1141	1.199851
0130	026	2237	0.05	6678	10	55	80	2.5	4	0	5592	0	NCD-NORT	40	density-lim	400			0.75	6	1.5	0	0	6711	33	33	1.200107
0130	028	1140	0.03	3575	3	55	80	2.5	2	0	2850	0	NCD-NORT	40	density-lim	400			0.75	3	1.5	0	0	3420	0	0	1.2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0130	031	1581	0.04	3642	6	55	80	2.5	3	0	3952	310	NCD-NORT	40	density-lin	400			0.75	4	1.333333373	0	0	4743	1101	1101	1.200152
0131	001	1422	0.03	3978	8	55	80	2.5	2	0	3555	0	NCD-NORT	40	density-lin	400	true		0.75	4	2	0	0	4266	288	288	1.2
0131	004	2063	0.05	6120	5	55	80	2.5	4	0	5158	0	NCD-NORT	40	density-lin	400			0.75	5	1.25	0	0	6189	69	69	1.199884
0131	024	4723	0.11	12666	22	55	80	2.5	9	0	11808	0	NCD-NORT	40	density-lin	400			0.75	12	1.333333373	0	0	14169	1503	1503	1.199949
0132	001	1245	0.03	2140	2	55	80	2.5	2	0	3112	972	RM-2	40	density-lin	600	true		0.7	2	1	0	0	3486	1346	1346	1.12018
0132	001B	1707	0.04	3150	2	55	80	2.5	3	1	4268	1118	RM-1	40	density-lin	800			0.7	2	0.666666687	0	0	4779.600098	1629.600098	1629.600098	1.119869
0132	001H	880	0.02	1200	2	55	80	2.5	2	0	2200	1000	RM-2	40	density-lin	600			0.7	1	0.5	0	0	2464	1264	1264	1.12
0132	001I	547	0.01	880	1	55	80	2.5	1	0	1368	488	RM-2	40	density-lin	600			0.7	1	1	0	0	1531.599976	651.5999756	651.5999756	1.119591
0132	003	2420	0.06	5400	9	55	80	2.5	5	0	6050	650	RM-2	40	density-lin	600			0.7	4	0.800000012	0	0	6776	1376	1376	1.12
0132	004	1200	0.03	3240	5	55	80	2.5	2	0	3000	0	RM-2	40	density-lin	600			0.7	2	1	0	0	3360	120	120	1.12
0132	006	1323	0.03	4535	3	55	80	2.5	2	0	3308	0	RM-2	40	density-lin	600			0.7	2	1	0	0	3704.399902	0	0	1.119831
0132	007	1322	0.03	2975	3	55	80	2.5	2	0	3305	330	RM-1	40	density-lin	800			0.7	2	1	0	0	3701.599854	726.5998535	726.5998535	1.12
0132	009	1926	0.04	3713	4	55	80	2.5	3	0	4815	1102	RM-1	40	density-lin	800			0.7	2	0.666666687	0	0	5392.799805	1679.799805	1679.799805	1.12
0132	010A	1121	0.03	3420	4	55	80	2.5	2	0	2802	0	RM-1	40	density-lin	800			0.7	1	0.5	0	0	3138.800049	0	0	1.1202
0132	011	1121	0.03	1622	2	55	80	2.5	2	0	2802	1180	RM-1	40	density-lin	800			0.7	1	0.5	0	0	3138.800049	1516.800049	1516.800049	1.1202
0132	012	1121	0.03	2827	3	55	80	2.5	2	0	2802	0	RM-1	40	density-lin	800	true		0.7	1	0.5	0	0	3138.800049	311.8000488	311.8000488	1.1202
0132	013	2316	0.05	4707	7	55	80	2.5	4	0	5790	1083	RM-1	40	density-lin	800			0.7	3	0.75	0	0	6484.799805	1777.799805	1777.799805	1.12
0132	013A	396	0.01	0	0	55	80	2.5	1	1	990	990	RM-1	40	density-lin	800			0.7	0	0	0	0	1108.799927	1108.799927	1108.799927	1.12
0132	014	2769	0.06	6315	9	55	80	2.5	5	0	6922	607	RM-1	40	density-lin	800			0.7	3	0.600000024	0	0	7753.199707	1438.199707	1438.199707	1.120081
0132	015	1733	0.04	2625	5	55	80	2.5	3	0	4332	1707	RM-1	40	density-lin	800			0.7	2	0.666666687	0	0	4852.399902	2227.399902	2227.399902	1.120129
0132	016	1151	0.03	1412	2	55	80	2.5	2	0	2878	1466	RM-1	40	density-lin	800			0.7	1	0.5	0	0	3222.800049	1810.800049	1810.800049	1.119805
0132	021	2242	0.05	6726	8	55	80	2.5	4	0	5605	0	RM-1	40	density-lin	800	true		0.7	3	0.75	0	0	6277.600098	0	0	1.12
0132	023	1326	0.03	1980	2	55	80	2.5	2	0	3315	1335	RM-1	40	density-lin	800			0.7	2	1	0	0	3712.800049	1732.800049	1732.800049	1.12
0132	024	1194	0.03	3635	3	55	80	2.5	2	0	2985	0	RM-1	40	density-lin	800	true		0.7	1	0.5	0	0	3343.199951	0	0	1.12
0132	025	2545	0.06	4676	8	55	80	2.5	5	0	6362	1686	RM-1	40	density-lin	800			0.7	3	0.600000024	0	0	7126	2450	2450	1.120088
0132	029	4627	0.11	10472	12	55	80	2.5	9	0	11568	1096	NCD-NORT	40	density-lin	400			0.75	12	1.333333373	0	0	13881	3409	3409	1.199948
0132	032	1203	0.03	2579	4	55	80	2.5	2	0	3008	429	RM-1	40	density-lin	800			0.7	2	1	0	0	3368.399902	789.3999023	789.3999023	1.119814
0132	033	1203	0.03	2514	5	55	80	2.5	2	0	3008	494	RM-1	40	density-lin	800			0.7	2	1	0	0	3368.399902	854.3999023	854.3999023	1.119814
0132	038	1748	0.04	2920	4	55	80	2.5	3	0	4370	1450	RM-1	40	density-lin	800			0.7	2	0.666666687	0	0	4894.399902	1974.399902	1974.399902	1.12
0132	040	1110	0.03	1760	2	55	80	2.5	2	0	2775	1015	RM-1	40	density-lin	800			0.7	1	0.5	0	0	3108	1348	1348	1.12
0132	041	1692	0.04	3750	3	55	80	2.5	3	0	4230	480	RM-1	40	density-lin	800			0.7	2	0.666666687	0	0	4737.600098	987.6000977	987.6000977	1.12
0132	043	2572	0.06	4432	6	55	80	2.5	5	0	6430	1998	RM-1	40	density-lin	800			0.7	3	0.600000024	0	0	7201.600098	2769.600098	2769.600098	1.12
0132	044	2040	0.05	5190	6	55	80	2.5	4	0	5100	0	RM-1	40	density-lin	800			0.7	3	0.75	0	0	5712	522	522	1.12
0132	046	12584	0.29	18369	29	55	80	2.5	23	0	31460	13091	RM-1	40	density-lin	800			0.7	16	0.695652187	0	0	35235.19922	16866.19922	16866.19922	1.12
0132	047	2740	0.06	5232	8	55	80	2.5	5	0	6850	1618	RM-1	40	density-lin	800			0.7	3	0.600000024	0	0	7672	2440	2440	1.12
0132	051	3884	0.09	10311	12	55	80	2.5	7	0	9710	0	NCD-NORT	40	density-lin	400	true		0.75	10	1.428571463	0	0	11652	1341	1341	1.2
0132	052	1787	0.04	4590	3	55	80	2.5	3	0	4468	0	RM-1	40	density-lin	800			0.7	2	0.666666687	0	0	5003.600098	413.6000977	413.6000977	1.119875
0132	053	6301	0.14	13424	17	55	80	2.5	11	0	15752	2328	RM-2	40	density-lin	600			0.7	11	1	0	0	17642.79883	4218.798828	4218.798828	1.120036
0132	054	1459	0.03	1089	2	55	80	2.5	2	0	3648	2559	RM-2	40	density-lin	600	true		0.7	2	1	0	0	4085.199951	2996.199951	2996.199951	1.119846
0132	056	2460	0.06	787	6	55	80	2.5	5	0	6150	5363	RM-1	40	density-lin	800			0.7	3	0.600000024	0	0	6888	6101	6101	1.12
0132	070	1322	0.03	1044	2	55	80	2.5	2	0	3305	2261	RM-1	40	density-lin	800			0.7	2	1	0	0	3701.599854	2657.599854	2657.599854	1.12
0133	001	1604	0.04	2908	5	55	80	2.5	3	0	4010	1102	RM-1	40	form-based		true	true	0.7	3	1	0	0	4491.199707	1583.199707	1583.199707	1.12
0133	002	1239	0.03	2859	3	55	80	2.5	2	0	3098	239	RH-3	40	form-based			true	0.7	3	1.5	0	0	3469.199951	610.1999512	610.1999512	1.119819
0133	004	80	0	0	0	55	80	2.5	0	0	200	200	RH-3	40	form-based			true	0.7	0		0	0	224	224	224	1.12
0133	005	2700	0.06	5418	6	55	80	2.5	5	0	6750	1332	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7560	2142	2142	1.12
0133	006	2700	0.06	4450	6	55	80	2.5	5	0	6750	2300	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7560	3110	3110	1.12
0133	008	1688	0.04	2258	4	55	80	2.5	3	0	4220	1962	RH-3	40	form-based			true	0.7	4	1.333333373	0	0	4726.399902	2468.399902	2468.399902	1.12
0133	010	1390	0.03	3645	3	55	80	2.5	2	0	3475	0	RH-3	40	form-based			true	0.7	3	1.5	0	0	3892	247	247	1.12
0133	017	2750	0.06	5754	7	55	80	2.5	5	0	6875	1121	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7700	1946	1946	1.12
0133	023	1891	0.04	3652	5	55	80	2.5	3	0	4728	1076	RH-3	40	form-based			true	0.7	4	1.333333373	0	0	5294.799805	1642.799805	1642.799805	1.119882
0133	025B	2532	0.06	5400	6	55	80	2.5	5	0	6330	930	RM-2	40	form-based			true	0.7	5	1	0	0	7089.600098	1689.600098	1689.600098	1.12
0133	026	2671	0.06	5900	6	55	80	2.5	5	0	6678	778	RM-2	40	form-based			true	0.7	6	1.200000048	0	0	7478.799805	1578.799805	1578.799805	1.119916
0133	027	1368	0.03	3003	3	55	80	2.5	2	0	3420	417	RM-2	40	form-based			true	0.7	3	1.5	0	0	3830.399902	827.3999023	827.3999023	1.12
0133	028	1618	0.04	4674	5	55	80	2.5	3	0	4045	0	RM-2	40	form-based		true	true	0.7	3	1	0	0	4530.399902	0	0	1.12
0133	029	1641	0.04	3822	6	55	80	2.5	3	0	4102	280	RM-1	40	form-based			true	0.7	3	1	0	0	4594.799805	772.7998047	772.7998047	1.120136
0133	032	209	0	0	0	55	80	2.5	0	0	522	522	RM-1	40	form-based			true	0.7	0		0	0	585.2000122	585.2000122	585.2000122	1.121073
0133	033	957	0.02	2330	2	55	80	2.5	2	0	2392	62	RM-1	40	form-based			true	0.7	2	1	0	0	2679.599854	349.5998535	349.5998535	1.120234
0133	034	1595	0.04	3436	7	55	80	2.5	3	0	3988	552	RM-1	40	form-based			true	0.7	3	1	0	0	4466	1030	1030	1.11986
0133	036	2233	0.05	4987	6	55	80	2.5	4	0	5582	595	RM-1	40	form-based			true	0.7	5	1.25	0	0	6252.399902	1265.399902	1265.399902	1.1201
0133	042	5587	0.13	9725	12	55	80	2.5	10	0	13968	4243	RM-2	40	form-based		true	true	0.7	12	1.200000048	0	0	15643.59961	5918.599609	5918.599609	1.11996
0133	043	6893	0.16	9201	14	55	80	2.5	13	0	17232	8031	RM-1	40	form-based			true	0.7	14	1.076923132	0	0	19300.40039	10099.40039	10099.40039	1.120033
0133	057	2120	0.05	690	6	55	80	2.5	4	0	5300	4610	RH-3	40	form-based		true	true	0.7	4	1	0	0	5936	5246	5246	1.12
0134	008	667	0.02	902	1	55	80	2.5	2	1	1668	766	RM-1	40	form-based			true	0.7	1	0.5	0	0	1867.599976	965.5999756	965.5999756	1.119664
0134	009	1566	0.04	4194	6	55	80	2.5	3	0	3915	0	RM-1	40	form-based		true	true	0.7	3	1	0	0	4384.799805	190.7998047	190.7998047	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0134	010	678	0.02	1280	2	55	80	2.5	2	0	1695	415	RH-3	40	form-based			true	0.7	1	0.5	0	0	1898.400024	618.4000244	618.4000244	1.12
0134	014	1100	0.03	2700	3	55	80	2.5	2	0	2750	50	RH-3	40	form-based		true	true	0.7	2	1	0	0	3080	380	380	1.12
0134	015	900	0.02	1152	2	55	80	2.5	2	0	2250	1098	RH-3	40	form-based			true	0.7	2	1	0	0	2520	1368	1368	1.12
0134	016	1500	0.03	3710	6	55	80	2.5	2	0	3750	40	RH-3	40	form-based			true	0.7	3	1.5	0	0	4200	490	490	1.12
0134	017	1740	0.04	4707	6	55	80	2.5	3	0	4350	0	RH-3	40	form-based		true	true	0.7	4	1.333333373	0	0	4872	165	165	1.12
0134	018	1160	0.03	3546	3	55	80	2.5	2	0	2900	0	RH-3	40	form-based			true	0.7	2	1	0	0	3248	0	0	1.12
0134	019	2608	0.06	6789	6	55	80	2.5	5	0	6520	0	RH-3	40	form-based			true	0.7	5	1	0	0	7302.399902	513.3999023	513.3999023	1.12
0134	020	2000	0.05	4818	5	55	80	2.5	4	0	5000	182	RH-3	40	form-based			true	0.7	4	1	0	0	5600	782	782	1.12
0134	021	2640	0.06	7445	7	55	80	2.5	5	0	6600	0	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7392	0	0	1.12
0134	024	2738	0.06	4395	6	55	80	2.5	5	0	6845	2450	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7666.399902	3271.399902	3271.399902	1.12
0134	025	2310	0.05	4654	6	55	80	2.5	4	0	5775	1121	RH-3	40	form-based			true	0.7	5	1.25	0	0	6468	1814	1814	1.12
0134	026	3032	0.07	9250	14	55	80	2.5	6	0	7580	0	RH-3	40	form-based		true	true	0.7	6	1	0	0	8489.599609	0	0	1.12
0134	027	4770	0.11	11005	21	65	100	3	11	0	14310	3305	RH-3	40	form-based			true	0.7	10	0.909090936	0	0	13356	2351	2351	0.933333
0140	009	10856	0.25	0	53	65	100	3	25	0	32568	32568	C-2	65	density-lim	800			0.8	14	0.560000002	0	0	52108.80078	52108.80078	52108.80078	1.6
0140	012	37923	0.87	137500	125	65	100	3	87	0	113769	0	C-2	65	density-lim	800	true		0.8	47	0.540229857	0	0	182030.4063	44530.40625	44530.40625	1.6
0141	011	30931	0.71	96396	168	65	100	3	71	0	92793	0	C-2	65	density-lim	800	true		0.8	39	0.549295783	0	0	148468.7969	52072.79688	52072.79688	1.6
0143	011	928	0.02	2994	4	55	80	2.5	2	0	2320	0	RH-3	40	density-lim	1000			0.7	4	2	0	0	2598.399902	0	0	1.12
0143	012	2365	0.05	5222	5	55	80	2.5	4	0	5912	690	RH-3	40	density-lim	1000			0.7	4	1	0	0	6622	1400	1400	1.120095
0143	012A	2365	0.05	5222	5	55	80	2.5	4	0	5912	690	RH-3	40	density-lim	1000			0.7	4	1	0	0	6622	1400	1400	1.120095
0143	015	2918	0.07	9554	13	55	80	2.5	6	0	7295	0	RH-3	40	density-lim	1000	true		0.7	6	1	0	0	8170.399902	0	0	1.12
0143	031	1300	0.03	1640	5	65	100	3	3	0	3900	2260	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	3640	2000	2000	0.933333
0143	034	2477	0.06	6462	6	65	100	3	6	0	7431	969	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	6935.600098	473.6000977	473.6000977	0.933333
0143	035	4698	0.11	8059	9	55	80	2.5	9	0	11745	3686	RH-3	40	density-lim	1000			0.7	5	0.555555582	0	0	13154.39941	5095.399414	5095.399414	1.12
0143	036	2495	0.06	5310	10	55	80	2.5	5	0	6238	928	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	6986	1676	1676	1.11991
0143	037	1872	0.04	4686	5	55	80	2.5	3	0	4680	0	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	5241.600098	555.6000977	555.6000977	1.12
0144	007	5664	0.13	20468	118	55	80	2.5	10	0	14160	0	NCD-BROA	65	density-lim	400	true		0.75	14	1.399999976	0	0	25488	5020	5020	1.8
0144	009	3438	0.08	8156	14	55	80	2.5	6	0	8595	439	NCD-BROA	65	density-lim	400			0.75	9	1.5	0	0	15471	7315	7315	1.8
0144	013	1380	0.03	2764	4	55	80	2.5	2	0	3450	686	NCD-BROA	65	density-lim	400			0.75	3	1.5	0	0	6210	3446	3446	1.8
0144	023	2367	0.05	5421	5	55	80	2.5	4	0	5918	497	RM-2	40	density-lim	600			0.7	4	1	0	0	6627.600098	1206.600098	1206.600098	1.119905
0144	024	2346	0.05	5310	6	55	80	2.5	4	0	5865	555	RM-2	40	density-lim	600			0.7	4	1	0	0	6568.799805	1258.799805	1258.799805	1.12
0144	025	4805	0.11	7231	12	55	80	2.5	9	0	12012	4781	RM-2	40	density-lim	600	true		0.7	8	0.888888896	0	0	13454	6223	6223	1.120047
0144	027	4751	0.11	7952	8	55	80	2.5	9	1	11878	3926	RM-2	40	density-lim	600			0.7	8	0.888888896	0	0	13302.7998	5350.799805	5350.799805	1.119953
0144	034	20344	0.47	825	45	55	80	2.5	38	0	50860	50035	RM-2	40	density-lim	600			0.7	34	0.894736826	0	0	56963.19922	56138.19922	56138.19922	1.12
0145	001	1032	0.02	2008	6	55	80	2.5	2	0	2580	572	RM-2	40	density-lim	600	true		0.7	2	1	0	0	2889.599854	881.5998535	881.5998535	1.12
0145	002	2064	0.05	6423	7	55	80	2.5	4	0	5160	0	RM-2	40	density-lim	600	true		0.7	3	0.75	0	0	5779.199707	0	0	1.12
0145	003	2755	0.06	6189	9	55	80	2.5	5	0	6888	699	RM-2	40	density-lim	600	true		0.7	5	1	0	0	7714	1525	1525	1.119919
0145	004	1469	0.03	2816	5	55	80	2.5	2	0	3672	856	RM-2	40	density-lim	600			0.7	2	1	0	0	4113.199707	1297.199707	1297.199707	1.120152
0145	005	4921	0.11	6244	10	55	80	2.5	9	0	12302	6058	RM-2	40	density-lim	600			0.7	8	0.888888896	0	0	13778.7998	7534.799805	7534.799805	1.120046
0145	006	1375	0.03	6244	5	55	80	2.5	2	0	3438	0	RM-2	40	density-lim	600			0.7	2	1	0	0	3850	0	0	1.119837
0145	017	2300	0.05	6720	9	55	80	2.5	4	0	5750	0	RM-1	40	density-lim	800			0.7	3	0.75	0	0	6440	0	0	1.12
0145	020	2300	0.05	5460	6	55	80	2.5	4	0	5750	290	NCD-BROA	40	density-lim	400			0.75	6	1.5	0	0	6900	1440	1440	1.2
0145	023	3306	0.08	12129	15	55	80	2.5	6	0	8265	0	RM-1	40	density-lim	800	true		0.7	4	0.666666687	0	0	9256.799805	0	0	1.12
0145	026	1150	0.03	2120	2	55	80	2.5	2	0	2875	755	RM-1	40	density-lim	800			0.7	1	0.5	0	0	3220	1100	1100	1.12
0145	028	1039	0.02	3120	3	55	80	2.5	2	0	2598	0	RM-1	40	density-lim	800			0.7	1	0.5	0	0	2909.199951	0	0	1.119784
0145	033	1869	0.04	3682	5	55	80	2.5	3	0	4672	990	RM-1	40	density-lim	800			0.7	2	0.666666687	0	0	5233.199707	1551.199707	1551.199707	1.12012
0145	034	748	0.02	2148	3	55	80	2.5	2	0	1870	0	RM-1	40	density-lim	800			0.7	1	0.5	0	0	2094.399902	0	0	1.12
0145	037	1200	0.03	3600	3	55	80	2.5	2	0	3000	0	RM-1	40	density-lim	800	true		0.7	2	1	0	0	3360	0	0	1.12
0145	038	1260	0.03	3690	3	55	80	2.5	2	0	3150	0	RM-1	40	density-lim	800			0.7	2	1	0	0	3528	0	0	1.12
0145	038A	1260	0.03	4180	4	55	80	2.5	2	0	3150	0	RM-1	40	density-lim	800			0.7	2	1	0	0	3528	0	0	1.12
0145	039	1380	0.03	5664	5	55	80	2.5	2	0	3450	0	RM-1	40	density-lim	800			0.7	2	1	0	0	3864	0	0	1.12
0145	040	1200	0.03	4184	4	55	80	2.5	2	0	3000	0	RM-1	40	density-lim	800			0.7	2	1	0	0	3360	0	0	1.12
0145	042	1200	0.03	3240	6	55	80	2.5	2	0	3000	0	RM-1	40	density-lim	800			0.7	2	1	0	0	3360	120	120	1.12
0145	043	1200	0.03	3240	6	55	80	2.5	2	0	3000	0	RM-1	40	density-lim	800			0.7	2	1	0	0	3360	120	120	1.12
0145	045	1093	0.03	923	2	55	80	2.5	2	0	2732	1809	RM-1	40	density-lim	800			0.7	1	0.5	0	0	3060.399902	2137.399902	2137.399902	1.120205
0146	003	1028	0.02	3888	4	65	100	3	2	0	3084	0	NCD-BROA	65	density-lim	400			0.75	3	1.5	0	0	4626	738	738	1.5
0146	008	3080	0.07	7686	16	65	100	3	7	0	9240	1554	CCB	65	density-lim	200			0.75	15	2.142857075	0	0	13860	6174	6174	1.5
0146	011	4693	0.11	13363	47	65	100	3	11	0	14079	716	CCB	65	density-lim	200	true		0.75	23	2.090909004	0	0	21118.5	7755.5	7755.5	1.5
0146	013	1311	0.03	6900	13	65	100	3	3	0	3933	0	NCD-NORT	40	density-lim	400			0.75	3	1	0	0	3933	0	0	1
0146	024	1330	0.03	3460	3	65	100	3	3	0	3990	530	NCD-NORT	40	density-lim	400			0.75	3	1	0	0	3990	530	530	1
0146	025	2964	0.07	9628	31	65	100	3	7	0	8892	0	NCD-NORT	40	density-lim	400	true		0.75	7	1	0	0	8892	0	0	1
0146	026	2097	0.05	5557	6	65	100	3	5	0	6291	734	NCD-NORT	40	density-lim	400			0.75	5	1	0	0	6291	734	734	1
0147	015A	7146	0.16	20057	84	65	100	3	16	0	21438	1381	NCD-NORT	40	density-lim	400	true		0.75	18	1.125	0	0	21438	1381	1381	1
0147	022	2291	0.05	5905	6	65	100	3	5	0	6873	968	NCD-NORT	40	density-lim	400			0.75	6	1.200000048	0	0	6873	968	968	1
0147	027	1654	0.04	4299	5	65	100	3	4	0	4962	663	NCD-NORT	40	density-lim	400			0.75	4	1	0	0	4962	663	663	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0148	002	8746	0.2	48812	54	65	100	3	20	0	26238	0	NCD-NORT	40	density-lim	400			0.75	22	1.100000024	0	0	26238	0	0	1
0148	012	2367	0.05	6176	6	55	80	2.5	4	0	5918	0	RM-2	40	density-lim	600	true		0.7	4	1	0	0	6627.600098	451.6000977	451.6000977	1.119905
0148	014	1376	0.03	2020	2	55	80	2.5	2	0	3440	1420	RM-2	40	density-lim	600			0.7	2	1	0	0	3852.800049	1832.800049	1832.800049	1.12
0148	016	1342	0.03	2020	2	55	80	2.5	2	0	3355	1335	RM-2	40	density-lim	600			0.7	2	1	0	0	3757.599854	1737.599854	1737.599854	1.12
0148	017	2821	0.06	5250	6	55	80	2.5	5	0	7052	1802	RM-2	40	density-lim	600			0.7	5	1	0	0	7898.799805	2648.799805	2648.799805	1.120079
0148	018	3956	0.09	8672	8	55	80	2.5	7	0	9890	1218	RM-2	40	density-lim	600	true		0.7	7	1	0	0	11076.7998	2404.799805	2404.799805	1.12
0148	022	1860	0.04	6439	12	55	80	2.5	3	0	4650	0	RM-2	40	density-lim	600			0.7	3	1	0	0	5208	0	0	1.12
0148	023	1210	0.03	3126	3	55	80	2.5	2	0	3025	0	RM-2	40	density-lim	600			0.7	2	1	0	0	3388	262	262	1.12
0148	026	2032	0.05	4610	4	55	80	2.5	4	0	5080	470	RM-2	40	density-lim	600			0.7	3	0.75	0	0	5689.600098	1079.600098	1079.600098	1.12
0148	027	2032	0.05	5400	6	55	80	2.5	4	0	5080	0	RM-2	40	density-lim	600			0.7	3	0.75	0	0	5689.600098	289.6000977	289.6000977	1.12
0148	028	2541	0.06	8607	8	55	80	2.5	5	0	6352	0	NCD-NORT	40	density-lim	400	true		0.75	6	1.200000048	0	0	7623	0	0	1.200094
0148	031	4935	0.11	10875	35	55	80	2.5	9	0	12338	1463	NCD-NORT	40	density-lim	400			0.75	12	1.333333373	0	0	14805	3930	3930	1.199951
0148	032	1342	0.03	1385	2	55	80	2.5	2	0	3355	1970	RM-2	40	density-lim	600			0.7	2	1	0	0	3757.599854	2372.599854	2372.599854	1.12
0149	001	1581	0.04	4185	6	55	80	2.5	3	0	3952	0	RM-2	40	density-lim	600	true		0.7	3	1	0	0	4426.799805	241.7998047	241.7998047	1.120142
0149	003	1569	0.04	3547	3	55	80	2.5	3	0	3922	375	RM-2	40	density-lim	600			0.7	3	1	0	0	4393.199707	846.199707	846.199707	1.120143
0149	006	1160	0.03	2874	3	55	80	2.5	2	0	2900	26	RM-2	40	density-lim	600			0.7	2	1	0	0	3248	374	374	1.12
0149	007	1160	0.03	3012	3	55	80	2.5	2	0	2900	0	RM-2	40	density-lim	600			0.7	2	1	0	0	3248	236	236	1.12
0149	008	3185	0.07	8610	10	55	80	2.5	6	0	7962	0	RM-2	40	density-lim	600	true		0.7	5	0.833333313	0	0	8918	308	308	1.12007
0149	010	1699	0.04	5305	12	55	80	2.5	3	0	4248	0	RM-2	40	density-lim	600			0.7	3	1	0	0	4757.199707	0	0	1.119868
0149	016	1375	0.03	1821	3	55	80	2.5	2	0	3438	1617	RM-2	40	density-lim	600			0.7	2	1	0	0	3850	2029	2029	1.119837
0149	018	3157	0.07	7802	6	55	80	2.5	6	0	7892	90	RM-2	40	density-lim	600	true		0.7	5	0.833333313	0	0	8839.599609	1037.599609	1037.599609	1.120071
0149	018A	2534	0.06	5639	5	55	80	2.5	5	0	6335	696	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	7095.199707	1456.199707	1456.199707	1.12
0149	019	5149	0.12	8865	15	55	80	2.5	10	0	12872	4007	RM-2	40	density-lim	600			0.7	9	0.899999976	0	0	14417.2002	5552.200195	5552.200195	1.120044
0149	021	3650	0.08	12050	17	55	80	2.5	6	0	9125	0	RM-2	40	density-lim	600	true		0.7	6	1	0	0	10220	0	0	1.12
0149	028A	2531	0.06	3440	4	55	80	2.5	5	1	6328	2888	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	7086.799805	3646.799805	3646.799805	1.119911
0149	029	2153	0.05	6275	4	55	80	2.5	4	0	5382	0	RM-2	40	density-lim	600			0.7	4	1	0	0	6028.399902	0	0	1.120104
0149	032	3002	0.07	10500	7	55	80	2.5	6	0	7505	0	RM-2	40	density-lim	600	true		0.7	5	0.833333313	0	0	8405.599609	0	0	1.12
0149	034	21923	0.5	650	60	55	80	2.5	40	0	54808	54158	RM-2	40	density-lim	600	true		0.7	37	0.925000012	0	0	61384.39844	60734.39844	60734.39844	1.11999
0149	133	1453	0.03	1833	2	55	80	2.5	2	0	3632	1799	RM-2	40	density-lim	600			0.7	2	1	0	0	4068.399902	2235.399902	2235.399902	1.120154
0150	011	1807	0.04	7020	6	55	80	2.5	3	0	4518	0	RH-2	40	density-lim	1500			0.7	4	1.333333373	0	0	5059.600098	0	0	1.119876
0150	022	2800	0.06	2806	4	55	80	2.5	5	1	7000	4194	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	7840	5034	5034	1.12
0150	035	3500	0.08	330	6	55	80	2.5	6	0	8750	8420	RM-2	40	density-lim	600	true		0.7	6	1	0	0	9800	9470	9470	1.12
0151	008	2384	0.05	4087	4	55	80	2.5	4	0	5960	1873	RH-3	40	density-lim	1000			0.7	4	1	0	0	6675.199707	2588.199707	2588.199707	1.12
0151	025	4033	0.09	11700	12	55	80	2.5	7	0	10082	0	RH-3	65	density-lim	1000	true		0.7	6	0.857142866	0	0	16938.59961	5238.599609	5238.599609	1.680083
0151	027	2740	0.06	6000	18	55	80	2.5	5	0	6850	850	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	7672	1672	1672	1.12
0151	040	1380	0.03	1512	4	55	80	2.5	2	0	3450	1938	RH-2	40	density-lim	1500			0.7	4	2	0	0	3864	2352	2352	1.12
0152	007	1849	0.04	4620	6	55	80	2.5	3	0	4622	2	RH-3	50	form-based			true	0.7	5	1.666666627	0	0	6471.5	1851.5	1851.5	1.400151
0152	007A	3074	0.07	6750	15	55	80	2.5	6	0	7685	935	RH-3	65	form-based			true	0.7	11	1.833333373	0	0	12910.7998	6160.799805	6160.799805	1.68
0152	027	1846	0.04	5085	7	55	80	2.5	3	0	4615	0	RM-1	50	form-based			true	0.7	5	1.666666627	0	0	6461	1376	1376	1.4
0152	039	1846	0.04	569	6	55	80	2.5	3	0	4615	4046	RM-1	50	form-based		true	true	0.7	5	1.666666627	0	0	6461	5892	5892	1.4
0153	006	1372	0.03	3954	6	55	80	2.5	2	0	3430	0	RM-1	50	form-based			true	0.7	4	2	0	0	4802	848	848	1.4
0153	011	1372	0.03	4984	5	55	80	2.5	2	0	3430	0	RM-1	65	form-based			true	0.7	5	2.5	0	0	5762.399902	778.3999023	778.3999023	1.68
0153	012	1253	0.03	3200	4	55	80	2.5	2	0	3132	0	RM-1	65	form-based		true	true	0.7	4	2	0	0	5262.600098	2062.600098	2062.600098	1.680268
0153	021	3120	0.07	8649	12	65	100	3	7	0	9360	711	RH-3	65	form-based		true	true	0.7	11	1.571428537	0	0	13104	4455	4455	1.4
0153	030	1814	0.04	3500	5	65	100	3	4	0	5442	1942	RH-3	50	form-based			true	0.7	5	1.25	0	0	6349	2849	2849	1.166667
0154	007	1902	0.04	5214	7	55	80	2.5	3	0	4755	0	NCD-PACIF	65	form-based		true	true	0.75	7	2.333333254	0	0	8559	3345	3345	1.8
0154	009	1944	0.04	4605	7	55	80	2.5	3	0	4860	255	NCD-PACIF	65	form-based			true	0.75	7	2.333333254	0	0	8748	4143	4143	1.8
0154	012	1943	0.04	5075	8	65	100	3	4	0	5829	754	NCD-PACIF	65	form-based			true	0.75	7	1.75	0	0	8743.5	3668.5	3668.5	1.5
0154	013	1853	0.04	4905	7	65	100	3	4	0	5559	654	NCD-PACIF	65	form-based			true	0.75	7	1.75	0	0	8338.5	3433.5	3433.5	1.5
0154	014	2348	0.05	6288	11	65	100	3	5	0	7044	756	NCD-PACIF	65	form-based		true	true	0.75	9	1.799999952	0	0	10566	4278	4278	1.5
0154	021	3758	0.09	8475	16	65	100	3	9	0	11274	2799	NCD-PACIF	65	form-based		true	true	0.75	14	1.555555582	0	0	16911	8436	8436	1.5
0155	010	2190	0.05	3980	8	55	80	2.5	4	0	5475	1495	NCD-PACIF	65	form-based			true	0.75	8	2	0	0	9855	5875	5875	1.8
0155	037	1486	0.03	5250	6	55	80	2.5	2	0	3715	0	RM-1	65	form-based			true	0.7	5	2.5	0	0	6241.199707	991.199707	991.199707	1.68
0155	047	118	0	0	0	55	80	2.5	0	0	295	295	RH-3	65	form-based		true	true	0.7	0		0	0	495.6000061	495.6000061	495.6000061	1.68
0156	001	1561	0.04	4125	5	55	80	2.5	3	0	3902	0	RM-2	40	density-lim	600	true		0.7	3	1	0	0	4370.799805	245.7998047	245.7998047	1.120143
0156	003	4223	0.1	10428	15	55	80	2.5	8	0	10558	130	RM-2	40	density-lim	600	true		0.7	7	0.875	0	0	11824.39941	1396.399414	1396.399414	1.119947
0156	004	1372	0.03	3690	16	55	80	2.5	2	0	3430	0	RM-2	65	density-lim	600	true		0.7	2	1	0	0	5762.399902	2072.399902	2072.399902	1.68
0156	005	1372	0.03	2600	3	55	80	2.5	2	0	3430	830	RM-2	65	density-lim	600			0.7	2	1	0	0	5762.399902	3162.399902	3162.399902	1.68
0156	006	1372	0.03	2469	5	55	80	2.5	2	0	3430	961	RM-2	65	density-lim	600			0.7	2	1	0	0	5762.399902	3293.399902	3293.399902	1.68
0156	007	2316	0.05	4290	4	55	80	2.5	4	0	5790	1500	NCD-PACIF	40	density-lim	1000	true		0.75	2	0.5	0	0	6948	2658	2658	1.2
0156	008	1800	0.04	4470	4	55	80	2.5	3	0	4500	30	NCD-PACIF	40	density-lim	1000			0.75	2	0.666666687	0	0	5400	930	930	1.2
0156	009	1437	0.03	4033	7	55	80	2.5	2	0	3592	0	NCD-PACIF	40	density-lim	1000			0.75	1	0.5	0	0	4311	278	278	1.200167
0156	010	1380	0.03	3853	3	55	80	2.5	2	0	3450	0	NCD-PACIF	40	density-lim	1000			0.75	1	0.5	0	0	4140	287	287	1.2
0156	012	1380	0.03	2985	2	55	80	2.5	2	0	3450	465	NCD-PACIF	40	density-lim	1000			0.75	1	0.5	0	0	4140	1155	1155	1.2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0156	013	1380	0.03	3714	6	55	80	2.5	2	0	3450	0	NCD-PACIF	40	density-lim	1000			0.75	1	0.5	0	0	4140	426	426	1.2
0156	014	1380	0.03	2522	2	55	80	2.5	2	0	3450	928	NCD-PACIF	40	density-lim	1000			0.75	1	0.5	0	0	4140	1618	1618	1.2
0156	016	1380	0.03	2448	2	55	80	2.5	2	0	3450	1002	NCD-PACIF	40	density-lim	1000			0.75	1	0.5	0	0	4140	1692	1692	1.2
0156	019	2760	0.06	3140	3	55	80	2.5	5	2	6900	3760	NCD-PACIF	65	density-lim	1000			0.75	3	0.600000024	0	0	12420	9280	9280	1.8
0156	021	1380	0.03	3549	3	55	80	2.5	2	0	3450	0	NCD-PACIF	65	density-lim	1000			0.75	1	0.5	0	0	6210	2661	2661	1.8
0156	022	3114	0.07	9750	13	55	80	2.5	6	0	7785	0	NCD-PACIF	40	density-lim	1000	true		0.75	3	0.5	0	0	9342	0	0	1.2
0156	023	3937	0.09	10380	12	55	80	2.5	7	0	9842	0	RH-3	65	density-lim	1000	true		0.7	6	0.857142866	0	0	16535.40039	6155.400391	6155.400391	1.680085
0156	028	1380	0.03	2380	4	55	80	2.5	2	0	3450	1070	RH-3	65	density-lim	1000			0.7	4	2	0	0	5796	3416	3416	1.68
0156	029	1380	0.03	2380	4	55	80	2.5	2	0	3450	1070	RH-3	65	density-lim	1000			0.7	4	2	0	0	5796	3416	3416	1.68
0156	032	1380	0.03	2910	6	55	80	2.5	2	0	3450	540	RM-2	40	density-lim	600			0.7	2	1	0	0	3864	954	954	1.12
0156	032A	1380	0.03	1978	6	55	80	2.5	2	0	3450	1472	RH-3	65	density-lim	1000			0.7	4	2	0	0	5796	3818	3818	1.68
0156	044	2720	0.06	7500	12	55	80	2.5	5	0	6800	0	RH-3	65	density-lim	1000	true		0.7	6	1.200000048	0	0	11424	3924	3924	1.68
0156	049	2823	0.06	4400	12	55	80	2.5	5	0	7058	2658	RH-3	65	density-lim	1000			0.7	4	0.800000012	0	0	11856.59961	7456.599609	7456.599609	1.679881
0156	054	2826	0.06	7494	9	55	80	2.5	5	0	7065	0	RM-2	65	density-lim	600			0.7	5	1	0	0	11869.2002	4375.200195	4375.200195	1.68
0156	055	4232	0.1	9291	15	55	80	2.5	8	0	10580	1289	RM-2	40	density-lim	600			0.7	7	0.875	0	0	11849.59961	2558.599609	2558.599609	1.12
0156	073	1587	0.04	1162	3	55	80	2.5	3	0	3968	2806	NCD-PACIF	40	density-lim	1000			0.75	2	0.666666687	0	0	4761	3599	3599	1.199849
0157	001	1622	0.04	4176	4	55	80	2.5	3	0	4055	0	RM-2	40	density-lim	600	true		0.7	3	1	0	0	4541.600098	365.6000977	365.6000977	1.12
0157	002	1690	0.04	5160	6	55	80	2.5	3	0	4225	0	RM-2	40	density-lim	600			0.7	3	1	0	0	4732	0	0	1.12
0157	004	2400	0.06	6480	6	55	80	2.5	5	0	6000	0	RM-2	40	density-lim	600	true		0.7	4	0.800000012	0	0	6720	240	240	1.12
0157	005	2760	0.06	7020	7	55	80	2.5	5	0	6900	0	RM-2	65	density-lim	600	true		0.7	5	1	0	0	11592	4572	4572	1.68
0157	006	2208	0.05	5298	6	55	80	2.5	4	0	5520	222	RM-2	65	density-lim	600			0.7	4	1	0	0	9273.599609	3975.599609	3975.599609	1.68
0157	007	3314	0.08	7417	7	55	80	2.5	6	0	8285	868	RM-1	40	density-lim	800	true		0.7	4	0.666666687	0	0	9279.200195	1862.200195	1862.200195	1.12
0157	008	1380	0.03	2136	2	55	80	2.5	2	0	3450	1314	RM-1	40	density-lim	800			0.7	2	1	0	0	3864	1728	1728	1.12
0157	009	1380	0.03	3154	3	55	80	2.5	2	0	3450	296	RM-1	40	density-lim	800			0.7	2	1	0	0	3864	710	710	1.12
0157	010	1380	0.03	2474	4	55	80	2.5	2	0	3450	976	RM-1	40	density-lim	800			0.7	2	1	0	0	3864	1390	1390	1.12
0157	011	1380	0.03	3950	4	55	80	2.5	2	0	3450	0	RM-1	40	density-lim	800			0.7	2	1	0	0	3864	0	0	1.12
0157	013	1380	0.03	2158	2	55	80	2.5	2	0	3450	1292	RM-1	40	density-lim	800			0.7	2	1	0	0	3864	1706	1706	1.12
0157	014	1380	0.03	2822	2	55	80	2.5	2	0	3450	628	RM-1	40	density-lim	800			0.7	2	1	0	0	3864	1042	1042	1.12
0157	018	1278	0.03	3375	3	55	80	2.5	2	0	3195	0	RM-1	40	density-lim	800			0.7	2	1	0	0	3578.399902	203.3999023	203.3999023	1.12
0157	021	2700	0.06	8004	6	55	80	2.5	5	0	6750	0	NCD-PACIF	40	density-lim	1000	true		0.75	3	0.600000024	0	0	8100	96	96	1.2
0157	022	1600	0.04	4035	5	55	80	2.5	3	0	4000	0	RM-2	65	density-lim	600			0.7	3	1	0	0	6720	2685	2685	1.68
0157	023	2240	0.05	5625	8	55	80	2.5	4	0	5600	0	RM-2	65	density-lim	600	true		0.7	4	1	0	0	9408	3783	3783	1.68
0157	038	2309	0.05	4950	6	55	80	2.5	4	0	5772	822	RH-3	40	density-lim	1000			0.7	4	1	0	0	6465.199707	1515.199707	1515.199707	1.120097
0157	048	2856	0.07	9043	13	55	80	2.5	6	0	7140	0	RM-2	40	density-lim	600	true		0.7	5	0.833333313	0	0	7996.799805	0	0	1.12
0157	049	2820	0.06	10200	14	55	80	2.5	5	0	7050	0	RM-2	40	density-lim	600	true		0.7	5	1	0	0	7896	0	0	1.12
0157	055	2532	0.06	7590	15	55	80	2.5	5	0	6330	0	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	7089.600098	0	0	1.12
0157	058	1128	0.03	3552	4	55	80	2.5	2	0	2820	0	RH-3	40	density-lim	1000			0.7	4	2	0	0	3158.399902	0	0	1.12
0157	060	1398	0.03	2817	4	55	80	2.5	2	0	3495	678	RH-3	40	density-lim	1000			0.7	4	2	0	0	3914.399902	1097.399902	1097.399902	1.12
0157	063	1380	0.03	2300	2	55	80	2.5	2	0	3450	1150	RM-1	40	density-lim	800			0.7	2	1	0	0	3864	1564	1564	1.12
0157	082	1380	0.03	1600	2	55	80	2.5	2	0	3450	1850	RM-1	40	density-lim	800			0.7	2	1	0	0	3864	2264	2264	1.12
0158	002	2188	0.05	3870	6	55	80	2.5	4	0	5470	1600	RM-2	40	density-lim	600			0.7	4	1	0	0	6126.399902	2256.399902	2256.399902	1.12
0158	003	5432	0.12	14408	18	55	80	2.5	10	0	13580	0	RM-2	40	density-lim	600			0.7	9	0.899999976	0	0	15209.59961	801.5996094	801.5996094	1.12
0158	008	4868	0.11	6900	10	65	100	3	11	1	14604	7704	RM-2	40	density-lim	600			0.7	8	0.727272749	0	0	13630.39941	6730.399414	6730.399414	0.933333
0158	009	3606	0.08	9510	9	65	100	3	8	0	10818	1308	RC-3	65	density-lim	400	true		0.75	9	1.125	0	0	16227	6717	6717	1.5
0158	011	1550	0.04	2820	5	55	80	2.5	3	0	3875	1055	RC-3	65	density-lim	400			0.75	4	1.333333373	0	0	6975	4155	4155	1.8
0158	013	1550	0.04	6176	9	55	80	2.5	3	0	3875	0	RC-3	65	density-lim	400	true		0.75	4	1.333333373	0	0	6975	799	799	1.8
0158	014	3101	0.07	8100	11	55	80	2.5	6	0	7752	0	RC-3	65	density-lim	400	true		0.75	8	1.333333373	0	0	13954.5	5854.5	5854.5	1.800116
0158	016	1551	0.04	3104	4	55	80	2.5	3	0	3878	774	RC-3	65	density-lim	400	true		0.75	4	1.333333373	0	0	6979.5	3875.5	3875.5	1.799768
0158	017	1234	0.03	3010	5	55	80	2.5	2	0	3085	75	RC-3	65	density-lim	400	true		0.75	3	1.5	0	0	5553	2543	2543	1.8
0158	021	1800	0.04	4768	8	55	80	2.5	3	0	4500	0	RM-2	65	density-lim	600			0.7	3	1	0	0	7560	2792	2792	1.68
0158	024	5937	0.14	11426	12	55	80	2.5	11	0	14842	3416	RM-2	40	density-lim	600			0.7	10	0.909090936	0	0	16623.59961	5197.599609	5197.599609	1.120038
0158	025A	4500	0.1	7440	10	55	80	2.5	8	0	11250	3810	RM-2	40	density-lim	600			0.7	8	1	0	0	12600	5160	5160	1.12
0158	026	3438	0.08	7300	10	55	80	2.5	6	0	8595	1295	RM-2	40	density-lim	600	true		0.7	6	1	0	0	9626.399414	2326.399414	2326.399414	1.12
0158	031	1200	0.03	1930	2	55	80	2.5	2	0	3000	1070	RM-2	40	density-lim	600			0.7	2	1	0	0	3360	1430	1430	1.12
0158	032	1200	0.03	2000	4	55	80	2.5	2	0	3000	1000	RM-2	40	density-lim	600			0.7	2	1	0	0	3360	1360	1360	1.12
0158	033	1200	0.03	2730	2	55	80	2.5	2	0	3000	270	RM-2	40	density-lim	600			0.7	2	1	0	0	3360	630	630	1.12
0158	034	1200	0.03	2960	5	55	80	2.5	2	0	3000	40	RM-2	40	density-lim	600			0.7	2	1	0	0	3360	400	400	1.12
0158	035	1200	0.03	2640	5	55	80	2.5	2	0	3000	360	RM-2	40	density-lim	600			0.7	2	1	0	0	3360	720	720	1.12
0158	036	1200	0.03	3000	5	55	80	2.5	2	0	3000	0	RM-2	40	density-lim	600			0.7	2	1	0	0	3360	360	360	1.12
0158	038	3600	0.08	5960	8	55	80	2.5	6	0	9000	3040	RM-2	40	density-lim	600			0.7	6	1	0	0	10080	4120	4120	1.12
0158	041	2400	0.06	3660	6	55	80	2.5	5	0	6000	2340	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	6720	3060	3060	1.12
0158	043	1550	0.04	3160	6	55	80	2.5	3	0	3875	715	RC-3	65	density-lim	400			0.75	4	1.333333373	0	0	6975	3815	3815	1.8
0158	047	9375	0.22	1130	31	55	80	2.5	18	0	23438	22308	RM-2	65	density-lim	600			0.7	16	0.888888896	0	0	39375	38245	38245	1.679964
0158	078	11329	0.26	36761	70	55	80	2.5	21	0	28322	0	RM-4	40	density-lim	200			0.75	57	2.714285612	0	0	33987	0	0	1.200021

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0158	091	1200	0.03	699	3	55	80	2.5	2	0	3000	2301	RM-2	40	density-lim	600			0.7	2	1	0	0	3360	2661	2661	1.12
0158	095	2298	0.05	9798	7	65	100	3	5	0	6894	0	RC-3	65	density-lim	400			0.75	6	1.200000048	0	0	10341	543	543	1.5
0159	003	1165	0.03	4372	7	65	100	3	3	0	3495	0	CRNC	65	density-lim	200			0.75	6	2	0	0	5242.5	870.5	870.5	1.5
0159	004	1373	0.03	4355	8	65	100	3	3	0	4119	0	CRNC	65	density-lim	200			0.75	7	2.333333254	0	0	6178.5	1823.5	1823.5	1.5
0159	008	6300	0.14	17021	26	65	100	3	14	0	18900	1879	RC-3	65	density-lim	400	true		0.75	16	1.142857194	0	0	28350	11329	11329	1.5
0159	010	2912	0.07	6018	8	65	100	3	7	0	8736	2718	RC-3	65	density-lim	400	true		0.75	7	1	0	0	13104	7086	7086	1.5
0159	013	1190	0.03	3084	3	65	100	3	3	0	3570	486	RC-3	65	density-lim	400	true		0.75	3	1	0	0	5355	2271	2271	1.5
0159	014	560	0.01	560	1	65	100	3	1	0	1680	1120	RC-3	65	density-lim	400			0.75	1	1	0	0	2520	1960	1960	1.5
0159	019	2064	0.05	4455	6	65	100	3	5	0	6192	1737	RM-2	40	density-lim	600	true		0.7	3	0.600000024	0	0	5779.199707	1324.199707	1324.199707	0.933333
0159	026	1400	0.03	3330	4	65	100	3	3	0	4200	870	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	3920	590	590	0.933333
0159	040	2570	0.06	5300	7	65	100	3	6	0	7710	2410	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7196	1896	1896	0.933333
0159	044	18728	0.43	51872	92	65	100	3	43	0	56184	4312	RM-1	65	density-lim	800	true		0.7	23	0.534883738	0	0	78657.60156	26785.60156	26785.60156	1.4
0159	049	1858	0.04	4992	3	65	100	3	4	1	5574	582	RM-2	40	density-lim	600			0.7	3	0.75	0	0	5202.399902	210.3999023	210.3999023	0.933333
0160	012	2835	0.07	7350	16	65	100	3	7	0	8505	1155	CRNC	65	density-lim	200	true		0.75	14	2	0	0	12757.5	5407.5	5407.5	1.5
0160	017	3835	0.09	11325	32	65	100	3	9	0	11505	180	CCB	65	density-lim	200	true		0.75	19	2.111111164	0	0	17257.5	5932.5	5932.5	1.5
0160	018	2126	0.05	5066	21	65	100	3	5	0	6378	1312	CCB	65	density-lim	200			0.75	11	2.200000048	0	0	9567	4501	4501	1.5
0161	001	16907	0.39	52765	124	65	100	3	39	0	50721	0	CCB	50	density-lim	200	true		0.75	85	2.179487228	0	0	63401.25	10636.25	10636.25	1.25
0161	007	2067	0.05	6400	14	65	100	3	5	0	6201	0	CRNC	50	density-lim	200			0.75	10	2	0	0	7751.25	1351.25	1351.25	1.25
0161	013	4058	0.09	12222	36	65	100	3	9	0	12174	0	CRNC	65	density-lim	200			0.75	20	2.222222328	0	0	18261	6039	6039	1.5
0161	029	3780	0.09	11100	33	65	100	3	9	0	11340	240	CCB	85	density-lim	200	true		0.75	19	2.111111164	0	0	22680	11580	11580	2
0162	017	1670	0.04	6395	5	65	100	3	4	0	5010	0	NCD-BROA	65	density-lim	400	true		0.75	4	1	0	0	7515	1120	1120	1.5
0163	014	1434	0.03	1330	2	65	100	3	3	1	4302	2972	C-2	65	density-lim	800			0.8	2	0.666666687	0	0	6883.200195	5553.200195	5553.200195	1.6
0163	017	1098	0.03	3045	11	55	80	2.5	2	0	2745	0	NCD-BROA	65	density-lim	400			0.75	3	1.5	0	0	4941	1896	1896	1.8
0163	019	1699	0.04	6268	5	65	100	3	4	0	5097	0	NCD-BROA	65	density-lim	400	true		0.75	4	1	0	0	7645.5	1377.5	1377.5	1.5
0164	011A	7863	0.18	12292	19	65	100	3	18	0	23589	11297	C-2	65	density-lim	800			0.8	10	0.555555582	0	0	37742.40234	25450.40234	25450.40234	1.6
0164	014	4650	0.11	17205	42	65	100	3	11	0	13950	0	NCD-BROA	65	density-lim	400	true		0.75	12	1.090909123	0	0	20925	3720	3720	1.5
0164	022	1050	0.02	2880	6	65	100	3	2	0	3150	270	NCD-BROA	65	density-lim	400			0.75	3	1.5	0	0	4725	1845	1845	1.5
0164	023	2100	0.05	2600	5	65	100	3	5	0	6300	3700	NCD-BROA	65	density-lim	400			0.75	5	1	0	0	9450	6850	6850	1.5
0165	010	1350	0.03	5425	13	65	100	3	3	0	4050	0	C-2	65	form-base	800			0.8	5	1.666666627	0	0	6480	1055	1055	1.6
0165	020	2540	0.06	9365	39	65	100	3	6	0	7620	0	C-2	65	form-base	800			0.8	10	1.666666627	0	0	12192	2827	2827	1.6
0165	021	17990	0.41	87987	75	65	100	3	41	0	53970	0	C-2	65	form-base	800	true		0.8	72	1.756097555	0	0	86352	0	0	1.6
0176	030	6870	0.16	3452	13	65	100	3	16	3	20610	17158	C-2	65	density-lim	800			0.8	9	0.5625	0	0	32976	29524	29524	1.6
0177	011	1152	0.03	4525	13	65	100	3	3	0	3456	0	CVR	50	density-lim	200	true		0.75	6	2	0	0	4320	0	0	1.25
0177	013	2041	0.05	7174	11	65	100	3	5	0	6123	0	CRNC	50	density-lim	200			0.75	10	2	0	0	7653.75	479.75	479.75	1.25
0177	019	1200	0.03	4665	10	65	100	3	3	0	3600	0	CRNC	50	density-lim	200			0.75	6	2	0	0	4500	0	0	1.25
0177	020	2100	0.05	4530	12	65	100	3	5	0	6300	1770	CRNC	50	density-lim	200			0.75	11	2.200000048	0	0	7875	3345	3345	1.25
0179	014	3534	0.08	13980	21	65	100	3	8	0	10602	0	CRNC	65	density-lim	200	true		0.75	18	2.25	0	0	15903	1923	1923	1.5
0179	031A	57	0	0	0	65	100	3	0	0	171	171	CRNC	65	density-lim	200			0.75	0		0	0	256.5	256.5	256.5	1.5
0180	006	2144	0.05	7300	18	65	100	3	5	0	6432	0	CRNC	65	density-lim	200	true		0.75	11	2.200000048	0	0	9648	2348	2348	1.5
0180	007	1200	0.03	3330	24	65	100	3	3	0	3600	270	RH-3	65	density-lim	1000			0.7	4	1.333333373	0	0	5040	1710	1710	1.4
0180	009	1464	0.03	4244	4	65	100	3	3	0	4392	148	RH-3	65	density-lim	1000			0.7	4	1.333333373	0	0	6148.799805	1904.799805	1904.799805	1.4
0180	011	1183	0.03	3779	7	65	100	3	3	0	3549	0	RH-3	65	density-lim	1000			0.7	4	1.333333373	0	0	4968.600098	1189.600098	1189.600098	1.4
0180	012	1468	0.03	4254	4	65	100	3	3	0	4404	150	RH-3	65	density-lim	1000			0.7	4	1.333333373	0	0	6165.600098	1911.600098	1911.600098	1.4
0180	012A	1468	0.03	4362	4	65	100	3	3	0	4404	42	RH-3	65	density-lim	1000			0.7	4	1.333333373	0	0	6165.600098	1803.600098	1803.600098	1.4
0180	015	1725	0.04	4155	6	65	100	3	4	0	5175	1020	RH-3	65	density-lim	1000			0.7	4	1	0	0	7245	3090	3090	1.4
0180	016	1725	0.04	5140	4	65	100	3	4	0	5175	35	RH-3	65	density-lim	1000			0.7	4	1	0	0	7245	2105	2105	1.4
0180	024	1368	0.03	3480	4	65	100	3	3	0	4104	624	RH-3	65	density-lim	1000			0.7	4	1.333333373	0	0	5745.600098	2265.600098	2265.600098	1.4
0180	025	1363	0.03	3924	4	65	100	3	3	0	4089	165	RH-3	65	density-lim	1000			0.7	4	1.333333373	0	0	5724.600098	1800.600098	1800.600098	1.4
0180	027	1407	0.03	3914	7	65	100	3	3	0	4221	307	RH-3	65	density-lim	1000			0.7	4	1.333333373	0	0	5909.399902	1995.399902	1995.399902	1.4
0180	037	1922	0.04	3290	4	65	100	3	4	0	5766	2476	RH-3	65	density-lim	1000			0.7	4	1	0	0	8072.399902	4782.399902	4782.399902	1.4
0180	038	2351	0.05	3526	4	65	100	3	5	1	7053	3527	RH-3	65	density-lim	1000			0.7	4	0.800000012	0	0	9874.200195	6348.200195	6348.200195	1.4
0180	040	1943	0.04	4656	6	65	100	3	4	0	5829	1173	RH-3	65	density-lim	1000			0.7	4	1	0	0	8160.600098	3504.600098	3504.600098	1.4
0180	043	1890	0.04	4908	7	65	100	3	4	0	5670	762	RC-3	65	density-lim	400			0.75	5	1.25	0	0	8505	3597	3597	1.5
0180	045	1704	0.04	4445	6	65	100	3	4	0	5112	667	RC-3	65	density-lim	400			0.75	4	1	0	0	7668	3223	3223	1.5
0180	046	2111	0.05	4857	6	65	100	3	5	0	6333	1476	RC-3	65	density-lim	400			0.75	5	1	0	0	9499.5	4642.5	4642.5	1.5
0180	048	2420	0.06	6840	6	65	100	3	6	0	7260	420	RC-3	65	density-lim	400			0.75	6	1	0	0	10890	4050	4050	1.5
0180	049A	1227	0.03	3193	4	65	100	3	3	0	3681	488	RC-3	65	density-lim	400			0.75	3	1	0	0	5521.5	2328.5	2328.5	1.5
0180	050	972	0.02	3163	3	65	100	3	2	0	2916	0	RC-3	65	density-lim	400			0.75	2	1	0	0	4374	1211	1211	1.5
0180	052	1367	0.03	3637	3	65	100	3	3	0	4101	464	RC-3	65	density-lim	400			0.75	3	1	0	0	6151.5	2514.5	2514.5	1.5
0180	053	1374	0.03	4110	3	65	100	3	3	0	4122	12	RC-3	65	density-lim	400			0.75	3	1	0	0	6183	2073	2073	1.5
0180	054	1375	0.03	3924	3	65	100	3	3	0	4125	201	RC-3	65	density-lim	400			0.75	3	1	0	0	6187.5	2263.5	2263.5	1.5
0181	001	1517	0.03	3756	4	65	100	3	3	0	4551	795	RC-3	65	density-lim	400	true		0.75	4	1.333333373	0	0	6826.5	3070.5	3070.5	1.5
0181	003	5208	0.12	12090	16	65	100	3	12	0	15624	3534	RC-3	65	density-lim	400			0.75	13	1.083333373	0	0	23436	11346	11346	1.5
0181	004	5171	0.12	10743	16	65	100	3	12	0	15513	4770	RC-3	65	density-lim	400			0.75	13	1.083333373	0	0	23269.5	12526.5	12526.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0181	005	4357	0.1	8590	12	65	100	3	10	0	13071	4481	RC-3	65	density-lim	400			0.75	11	1.100000024	0	0	19606.5	11016.5	11016.5	1.5
0181	005A	4360	0.1	10075	12	65	100	3	10	0	13080	3005	RC-3	65	density-lim	400			0.75	11	1.100000024	0	0	19620	9545	9545	1.5
0181	008	1741	0.04	5693	12	65	100	3	4	0	5223	0	RC-3	65	density-lim	400	true		0.75	4	1	0	0	7834.5	2141.5	2141.5	1.5
0181	011	1372	0.03	3756	6	65	100	3	3	0	4116	360	RH-3	65	density-lim	1000			0.7	4	1.333333373	0	0	5762.399902	2006.399902	2006.399902	1.4
0181	012	1715	0.04	4365	6	65	100	3	4	0	5145	780	RH-3	65	density-lim	1000			0.7	4	1	0	0	7203	2838	2838	1.4
0181	020	1840	0.04	5459	4	55	80	2.5	3	0	4600	0	RH-3	65	density-lim	1000			0.7	4	1.333333373	0	0	7728	2269	2269	1.68
0181	021	1920	0.04	5050	7	55	80	2.5	3	0	4800	0	RM-3	65	density-lim	400			0.75	5	1.666666627	0	0	8640	3590	3590	1.8
0181	022	1988	0.05	5657	12	55	80	2.5	4	0	4970	0	RM-3	65	density-lim	400	true		0.75	5	1.25	0	0	8946	3289	3289	1.8
0181	023	4071	0.09	9925	14	55	80	2.5	7	0	10178	253	RM-3	65	density-lim	400			0.75	10	1.428571463	0	0	18319.5	8394.5	8394.5	1.799912
0181	027	2250	0.05	5636	7	55	80	2.5	4	0	5625	0	RM-3	65	density-lim	400			0.75	6	1.5	0	0	10125	4489	4489	1.8
0181	028	2250	0.05	5525	8	55	80	2.5	4	0	5625	100	RM-3	65	density-lim	400			0.75	6	1.5	0	0	10125	4600	4600	1.8
0181	029	2796	0.06	7050	10	55	80	2.5	5	0	6990	0	RC-3	65	density-lim	400	true		0.75	7	1.399999976	0	0	12582	5532	5532	1.8
0181	030	1937	0.04	4584	6	55	80	2.5	3	0	4842	258	RC-3	65	density-lim	400			0.75	5	1.666666627	0	0	8716.5	4132.5	4132.5	1.800186
0181	033	1875	0.04	4743	6	55	80	2.5	3	0	4688	0	RC-3	65	density-lim	400	true		0.75	5	1.666666627	0	0	8437.5	3694.5	3694.5	1.799808
0181	034	1905	0.04	4842	6	55	80	2.5	3	0	4762	0	RH-3	65	density-lim	1000			0.7	4	1.333333373	0	0	8001	3159	3159	1.680176
0181	044A	802	0.02	2250	3	65	100	3	2	0	2406	156	RC-3	65	density-lim	400			0.75	2	1	0	0	3609	1359	1359	1.5
0182	002	3680	0.08	7800	12	55	80	2.5	6	0	9200	1400	RM-3	65	density-lim	400			0.75	9	1.5	0	0	16560	8760	8760	1.8
0182	004	5956	0.14	15195	22	55	80	2.5	11	0	14890	0	RM-3	65	density-lim	400			0.75	15	1.363636374	0	0	26802	11607	11607	1.8
0182	006	8663	0.2	33720	42	55	80	2.5	16	0	21658	0	RM-3	65	density-lim	400			0.75	22	1.375	0	0	38983.5	5263.5	5263.5	1.799958
0182	006B	300	0.01	376	1	55	80	2.5	1	0	750	374	RM-3	65	density-lim	400			0.75	1	1	0	0	1350	974	974	1.8
0182	008	4284	0.1	10144	16	55	80	2.5	8	0	10710	566	RM-3	65	density-lim	400			0.75	11	1.375	0	0	19278	9134	9134	1.8
0182	015	2758	0.06	9170	8	55	80	2.5	5	0	6895	0	RM-3	65	density-lim	400	true		0.75	7	1.399999976	0	0	12411	3241	3241	1.8
0182	022	3233	0.07	6070	4	55	80	2.5	6	2	8082	2012	RM-1	40	density-lim	800			0.7	4	0.666666687	0	0	9052.399414	2982.399414	2982.399414	1.120069
0182	031	1132	0.03	3700	2	55	80	2.5	2	0	2830	0	RM-1	40	density-lim	800	true		0.7	1	0.5	0	0	3169.599854	0	0	1.12
0182	031C	1481	0.03	2360	2	55	80	2.5	2	0	3702	1342	RM-1	40	density-lim	800			0.7	2	1	0	0	4146.799805	1786.799805	1786.799805	1.120151
0182	032	3794	0.09	6330	7	55	80	2.5	7	0	9485	3155	RM-1	40	density-lim	800			0.7	5	0.714285731	0	0	10623.2002	4293.200195	4293.200195	1.12
0182	036	2980	0.07	10052	16	55	80	2.5	6	0	7450	0	RM-3	65	density-lim	400	true		0.75	7	1.166666627	0	0	13410	3358	3358	1.8
0182	037	2980	0.07	6639	9	55	80	2.5	6	0	7450	811	RM-3	65	density-lim	400			0.75	7	1.166666627	0	0	13410	6771	6771	1.8
0182	038	4839	0.11	841	12	55	80	2.5	9	0	12098	11257	RM-1	40	density-lim	800	true		0.7	6	0.666666687	0	0	13549.2002	12708.2002	12708.2002	1.119954
0182	061	1448	0.03	2144	2	55	80	2.5	2	0	3620	1476	RM-1	40	density-lim	800			0.7	2	1	0	0	4054.399902	1910.399902	1910.399902	1.12
0183	001	3140	0.07	4660	3	55	80	2.5	6	3	7850	3190	NCD-PACIF	40	density-lim	1000	true		0.75	3	0.5	0	0	9420	4760	4760	1.2
0183	002	1593	0.04	3451	7	55	80	2.5	3	0	3982	531	RM-3	65	density-lim	400			0.75	4	1.333333373	0	0	7168.5	3717.5	3717.5	1.800226
0183	003	5610	0.13	13470	15	55	80	2.5	10	0	14025	555	RM-3	65	density-lim	400			0.75	14	1.399999976	0	0	25245	11775	11775	1.8
0183	012	3903	0.09	6355	4	55	80	2.5	7	3	9758	3403	RH-3	50	density-lim	1000			0.7	4	0.571428597	0	0	13660.5	7305.5	7305.5	1.399928
0183	016	2085	0.05	4680	7	55	80	2.5	4	0	5212	532	RH-3	50	density-lim	1000			0.7	4	1	0	0	7297.5	2617.5	2617.5	1.400134
0183	016A	2077	0.05	5320	7	55	80	2.5	4	0	5192	0	RH-3	50	density-lim	1000			0.7	4	1	0	0	7269.5	1949.5	1949.5	1.400135
0183	017	1748	0.04	6420	15	55	80	2.5	3	0	4370	0	RM-3	65	density-lim	400	true		0.75	4	1.333333373	0	0	7866	1446	1446	1.8
0183	020	1580	0.04	4540	7	55	80	2.5	3	0	3950	0	RM-3	65	density-lim	400			0.75	4	1.333333373	0	0	7110	2570	2570	1.8
0183	022	3704	0.09	8175	12	55	80	2.5	7	0	9260	1085	RM-3	65	density-lim	400			0.75	9	1.285714269	0	0	16668	8493	8493	1.8
0183	026	1664	0.04	4956	3	55	80	2.5	3	0	4160	0	NCD-PACIF	40	density-lim	1000	true		0.75	2	0.666666687	0	0	4992	36	36	1.2
0183	027	1665	0.04	4300	3	55	80	2.5	3	0	4162	0	NCD-PACIF	40	density-lim	1000			0.75	2	0.666666687	0	0	4995	695	695	1.200144
0183	028	1333	0.03	1102	2	55	80	2.5	2	0	3332	2230	NCD-PACIF	40	density-lim	1000			0.75	1	0.5	0	0	3999	2897	2897	1.20018
0183	031	2537	0.06	3861	3	55	80	2.5	5	2	6342	2481	NCD-PACIF	40	density-lim	1000			0.75	3	0.600000024	0	0	7611	3750	3750	1.200095
0183	032	3226	0.07	5483	4	55	80	2.5	6	2	8065	2582	NCD-PACIF	40	density-lim	1000			0.75	3	0.5	0	0	9678	4195	4195	1.2
0183	034	3228	0.07	3538	3	55	80	2.5	6	3	8070	4532	NCD-PACIF	40	density-lim	1000			0.75	3	0.5	0	0	9684	6146	6146	1.2
0183	037	3161	0.07	4851	7	55	80	2.5	6	0	7902	3051	NCD-PACIF	40	density-lim	1000			0.75	3	0.5	0	0	9483	4632	4632	1.200076
0183	038	2913	0.07	6558	7	55	80	2.5	6	0	7282	724	NCD-PACIF	40	density-lim	1000			0.75	3	0.5	0	0	8739	2181	2181	1.200082
0183	039	4648	0.11	10860	11	55	80	2.5	9	0	11620	760	NCD-PACIF	40	density-lim	1000			0.75	5	0.555555582	0	0	13944	3084	3084	1.2
0183	051	3227	0.07	1169	3	55	80	2.5	6	3	8068	6899	NCD-PACIF	40	density-lim	1000			0.75	3	0.5	0	0	9681	8512	8512	1.199926
0184	003	1200	0.03	3405	6	55	80	2.5	2	0	3000	0	RM-3	65	form-based			true	0.75	5	2.5	0	0	5400	1995	1995	1.8
0184	006	3539	0.08	8376	13	55	80	2.5	6	0	8848	472	RM-3	65	form-based			true	0.75	13	2.166666746	0	0	15925.5	7549.5	7549.5	1.799898
0184	008	2843	0.07	10445	24	55	80	2.5	6	0	7108	0	RM-3	65	form-based		true	true	0.75	11	1.833333373	0	0	12793.5	2348.5	2348.5	1.799873
0184	009	2843	0.07	9426	21	55	80	2.5	6	0	7108	0	RM-3	65	form-based			true	0.75	11	1.833333373	0	0	12793.5	3367.5	3367.5	1.799873
0184	012	4673	0.11	9200	18	55	80	2.5	9	0	11682	2482	RM-3	65	form-based			true	0.75	18	2	0	0	21028.5	11828.5	11828.5	1.800077
0184	021	2740	0.06	7890	6	55	80	2.5	5	0	6850	0	NCD-PACIF	40	form-based		true	true	0.75	6	1.200000048	0	0	8220	330	330	1.2
0184	027	3124	0.07	10252	16	55	80	2.5	6	0	7810	0	NCD-PACIF	65	form-based		true	true	0.75	12	2	0	0	14058	3806	3806	1.8
0185	002	2019	0.05	5470	8	55	80	2.5	4	0	5048	0	NCD-PACIF	65	form-based			true	0.75	8	2	0	0	9085.5	3615.5	3615.5	1.799822
0185	003	2025	0.05	5545	8	55	80	2.5	4	0	5062	0	NCD-PACIF	65	form-based			true	0.75	8	2	0	0	9112.5	3567.5	3567.5	1.800178
0185	007	4791	0.11	12597	12	55	80	2.5	9	0	11978	0	NCD-PACIF	40	form-based		true	true	0.75	11	1.222222209	0	0	14373	1776	1776	1.19995
0185	021	1969	0.05	6594	7	65	100	3	5	0	5907	0	RM-1	65	form-based		true	true	0.7	7	1.399999976	0	0	8269.799805	1675.799805	1675.799805	1.4
0185	025	1719	0.04	4014	6	65	100	3	4	0	5157	1143	RM-1	65	form-based			true	0.7	6	1.5	0	0	7219.799805	3205.799805	3205.799805	1.4
0185	026	1719	0.04	4014	6	65	100	3	4	0	5157	1143	RM-1	65	form-based			true	0.7	6	1.5	0	0	7219.799805	3205.799805	3205.799805	1.4
0185	028	2414	0.06	6189	10	65	100	3	6	0	7242	1053	NCD-PACIF	65	form-based		true	true	0.75	9	1.5	0	0	10863	4674	4674	1.5
0186	001	3204	0.07	9333	13	55	80	2.5	6	0	8010	0	RM-3	65	form-based		true	true	0.75	12	2	0	0	14418	5085	5085	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0186	009	1811	0.04	4775	7	65	100	3	4	0	5433	658	RM-2	65	form-based			true	0.7	6	1.5	0	0	7606.199707	2831.199707	2831.199707	1.4
0186	011	2500	0.06	6837	12	65	100	3	6	0	7500	663	RM-2	65	form-based			true	0.7	9	1.5	0	0	10500	3663	3663	1.4
0187	001	2915	0.07	7308	16	55	80	2.5	6	0	7288	0	RM-3	65	form-based		true	true	0.75	11	1.833333373	0	0	13117.5	5809.5	5809.5	1.799876
0188	001	3150	0.07	8817	12	55	80	2.5	6	0	7875	0	RM-3	65	density-lim	400	true		0.75	8	1.333333373	0	0	14175	5358	5358	1.8
0188	002	2084	0.05	6500	7	55	80	2.5	4	0	5210	0	RM-3	65	density-lim	400			0.75	5	1.25	0	0	9378	2878	2878	1.8
0188	003	2085	0.05	4671	9	55	80	2.5	4	0	5212	541	RM-3	65	density-lim	400			0.75	5	1.25	0	0	9382.5	4711.5	4711.5	1.800173
0188	007	6354	0.15	14199	18	55	80	2.5	12	0	15885	1686	RM-3	65	density-lim	400			0.75	16	1.333333373	0	0	28593	14394	14394	1.8
0188	008	6531	0.15	22024	31	55	80	2.5	12	0	16328	0	RM-3	65	density-lim	400			0.75	16	1.333333373	0	0	29389.5	7365.5	7365.5	1.799945
0188	010	3000	0.07	5004	8	55	80	2.5	6	0	7500	2496	RM-3	65	density-lim	400			0.75	8	1.333333373	0	0	13500	8496	8496	1.8
0188	011	2748	0.06	7780	12	55	80	2.5	5	0	6870	0	RM-3	65	density-lim	400	true		0.75	7	1.399999976	0	0	12366	4586	4586	1.8
0188	028	2199	0.05	5560	7	55	80	2.5	4	0	5498	0	RM-3	65	density-lim	400			0.75	5	1.25	0	0	9895.5	4335.5	4335.5	1.799836
0189	001	2978	0.07	8068	7	55	80	2.5	6	0	7445	0	RM-3	65	density-lim	400	true		0.75	7	1.166666627	0	0	13401	5333	5333	1.8
0189	001A	2931	0.07	6162	8	55	80	2.5	6	0	7328	1166	RM-3	65	density-lim	400			0.75	7	1.166666627	0	0	13189.5	7027.5	7027.5	1.799877
0189	002	8884	0.2	14310	33	55	80	2.5	16	0	22210	7900	RM-3	65	density-lim	400			0.75	22	1.375	0	0	39978	25668	25668	1.8
0189	006	2282	0.05	5280	7	55	80	2.5	4	0	5705	425	RH-3	50	density-lim	1000			0.7	4	1	0	0	7987	2707	2707	1.4
0189	007	6912	0.16	4630	10	55	80	2.5	13	3	17280	12650	RH-3	50	density-lim	1000			0.7	7	0.538461566	0	0	24192	19562	19562	1.4
0189	012	4893	0.11	10113	17	55	80	2.5	9	0	12232	2119	RM-3	65	density-lim	400			0.75	12	1.333333373	0	0	22018.5	11905.5	11905.5	1.800074
0189	014	4186	0.1	8340	12	55	80	2.5	8	0	10465	2125	RM-3	65	density-lim	400			0.75	10	1.25	0	0	18837	10497	10497	1.8
0189	018	7326	0.17	22366	25	55	80	2.5	14	0	18315	0	RM-3	65	density-lim	400	true		0.75	18	1.285714269	0	0	32967	10601	10601	1.8
0189	024	5813	0.13	1071	9	55	80	2.5	10	1	14532	13461	RH-3	50	density-lim	1000			0.7	6	0.600000024	0	0	20345.5	19274.5	19274.5	1.400048
0189	033	6438	0.15	18150	21	55	80	2.5	12	0	16095	0	RM-3	65	density-lim	400	true		0.75	16	1.333333373	0	0	28971	10821	10821	1.8
0189	037	2877	0.07	5008	6	55	80	2.5	6	0	7192	2184	RH-3	50	density-lim	1000			0.7	4	0.666666687	0	0	10069.5	5061.5	5061.5	1.400097
0190	001	1380	0.03	4140	4	65	100	3	3	0	4140	0	RC-3	65	density-lim	400	true		0.75	3	1	0	0	6210	2070	2070	1.5
0190	002	1294	0.03	3771	3	65	100	3	3	0	3882	111	RC-3	65	density-lim	400			0.75	3	1	0	0	5823	2052	2052	1.5
0190	003	1349	0.03	3705	3	65	100	3	3	0	4047	342	RC-3	65	density-lim	400			0.75	3	1	0	0	6070.5	2365.5	2365.5	1.5
0190	004	1237	0.03	2910	3	65	100	3	3	0	3711	801	RC-3	65	density-lim	400			0.75	3	1	0	0	5566.5	2656.5	2656.5	1.5
0190	010	3575	0.08	11285	18	65	100	3	8	0	10725	0	RM-3	65	density-lim	400	true		0.75	9	1.125	0	0	16087.5	4802.5	4802.5	1.5
0190	015	4560	0.1	8760	35	65	100	3	10	0	13680	4920	RM-3	65	density-lim	400			0.75	11	1.100000024	0	0	20520	11760	11760	1.5
0190	021	5283	0.12	12222	24	65	100	3	12	0	15849	3627	RH-3	65	density-lim	1000	true		0.7	6	0.5	0	0	22188.59961	9966.599609	9966.599609	1.4
0191	006A	1788	0.04	5868	4	65	100	3	4	0	5364	0	RM-3	65	density-lim	400			0.75	4	1	0	0	8046	2178	2178	1.5
0191	007	1574	0.04	2814	4	65	100	3	4	0	4722	1908	RM-3	65	density-lim	400			0.75	4	1	0	0	7083	4269	4269	1.5
0191	008A	1774	0.04	5168	8	65	100	3	4	0	5322	154	RM-3	65	density-lim	400			0.75	4	1	0	0	7983	2815	2815	1.5
0191	016	4744	0.11	14200	26	65	100	3	11	0	14232	32	RC-3	65	density-lim	400	true		0.75	12	1.090909123	0	0	21348	7148	7148	1.5
0191	021	2126	0.05	7576	12	65	100	3	5	0	6378	0	RM-3	65	density-lim	400	true		0.75	5	1	0	0	9567	1991	1991	1.5
0191	022	4158	0.1	9570	13	65	100	3	10	0	12474	2904	RM-3	65	density-lim	400	true		0.75	10	1	0	0	18711	9141	9141	1.5
0192	013	1200	0.03	3712	8	65	100	3	3	0	3600	0	CRNC	65	density-lim	200			0.75	6	2	0	0	5400	1688	1688	1.5
0193	012	600	0.01	1885	3	65	100	3	1	0	1800	0	CVR	50	density-lim	200			0.75	3	3	0	0	2250	365	365	1.25
0193	022	1651	0.04	5496	14	65	100	3	4	0	4953	0	CRNC	85	density-lim	200			0.75	8	2	0	0	9906	4410	4410	2
0194	007	4618	0.11	14568	24	65	100	3	11	0	13854	0	CVR	50	density-lim	200			0.75	23	2.090909004	0	0	17317.5	2749.5	2749.5	1.25
0194	024	2893	0.07	5580	14	65	100	3	7	0	8679	3099	CRNC	50	density-lim	200			0.75	14	2	0	0	10848.75	5268.75	5268.75	1.25
0194	032	1755	0.04	4318	13	65	100	3	4	0	5265	947	CVR	50	density-lim	200			0.75	9	2.25	0	0	6581.25	2263.25	2263.25	1.25
0195	019	19145	0.44	65985	210	65	100	3	44	0	57435	0	CRNC	65	density-lim	200	true		0.75	96	2.181818247	0	0	86152.5	20167.5	20167.5	1.5
0196	032	5156	0.12	3213	9	65	100	3	12	3	15468	12255	C-2	65	density-lim	800	true		0.8	6	0.5	0	0	24748.80078	21535.80078	21535.80078	1.6
0196	058	4123	0.09	7981	6	65	100	3	9	3	12369	4388	C-2	65	density-lim	800			0.8	5	0.555555582	0	0	19790.40039	11809.40039	11809.40039	1.6
0199	022	75625	1.74	469890	378	65	100	3	174	0	226875	0	RC-4	275	density-lim	200			0.55	378	2.172413826	0	0	747156.25	277266.25	0	3.293251
0208	062	7613	0.17	24710	108	65	100	3	17	0	22839	0	CCB	65	density-lim	200			0.75	38	2.235294104	0	0	34258.5	9548.5	9548.5	1.5
0209	003	3963	0.09	18124	20	65	100	3	9	0	11889	0	CVR	50	density-lim	200			0.75	20	2.222222328	0	0	14861.25	0	0	1.25
0209	004	5099	0.12	18800	46	65	100	3	12	0	15297	0	CVR	50	density-lim	200			0.75	25	2.083333254	0	0	19121.25	321.25	321.25	1.25
0210	009	1313	0.03	3774	7	65	100	3	3	0	3939	165	CRNC	50	density-lim	200			0.75	7	2.333333254	0	0	4923.75	1149.75	1149.75	1.25
0210	018A	69	0	0	0	85	140	4	0	0	276	276	CRNC	50	density-lim	200			0.75	0		0	0	258.75	258.75	258.75	0.9375
0210	021	4631	0.11	11880	52	85	140	4	15	0	18524	6644	CRNC	50	density-lim	200			0.75	23	1.533333302	0	0	17366.25	5486.25	5486.25	0.9375
0210	023	1892	0.04	5052	11	65	100	3	4	0	5676	624	CRNC	50	density-lim	200			0.75	9	2.25	0	0	7095	2043	2043	1.25
0210	024	1006	0.02	2378	9	65	100	3	2	0	3018	640	CRNC	50	density-lim	200			0.75	5	2.5	0	0	3772.5	1394.5	1394.5	1.25
0210	038	3151	0.07	11816	27	65	100	3	7	0	9453	0	CRNC	50	density-lim	200			0.75	16	2.285714388	0	0	11816.25	0.25	0.25	1.25
0210A	002	10061	0.23	8700	72	85	140	4	32	0	40244	31544	CRNC	85	density-lim	200	true		0.75	50	1.5625	0	0	60366	51666	51666	1.5
0211	006	1338	0.03	3681	13	65	100	3	3	0	4014	333	CRNC	85	density-lim	200			0.75	7	2.333333254	0	0	8028	4347	4347	2
0211	015	4800	0.11	25920	48	65	100	3	11	0	14400	0	RC-4	65	density-lim	200	true		0.75	24	2.181818247	0	0	21600	0	0	1.5
0211	022	4526	0.1	20490	26	65	100	3	10	0	13578	0	RC-4	65	density-lim	200	true		0.75	23	2.299999952	0	0	20367	0	0	1.5
0212	001	2250	0.05	9990	17	65	100	3	5	0	6750	0	RC-4	65	density-lim	200	true		0.75	11	2.200000048	0	0	10125	135	135	1.5
0212	002	1200	0.03	9990	17	65	100	3	3	0	3600	0	RC-4	65	density-lim	200			0.75	6	2	0	0	5400	0	0	1.5
0212	006	3593	0.08	9000	18	65	100	3	8	0	10779	1779	RC-4	65	density-lim	200			0.75	18	2.25	0	0	16168.5	7168.5	7168.5	1.5
0212	008	4719	0.11	22695	72	65	100	3	11	0	14157	0	RC-4	65	density-lim	200	true		0.75	24	2.181818247	0	0	21235.5	0	0	1.5
0212	015	1673	0.04	3624	6	65	100	3	4	0	5019	1395	RM-3	65	density-lim	400	true		0.75	4	1	0	0	7528.5	3904.5	3904.5	1.5
0212	018	1625	0.04	5103	4	65	100	3	4	0	4875	0	RM-3	65	density-lim	400			0.75	4	1	0	0	7312.5	2209.5	2209.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0212	020A	2112	0.05	5344	5	65	100	3	5	0	6336	992	RM-3	65	density-lim	400	true		0.75	5	1	0	0	9504	4160	4160	1.5
0212	021	1800	0.04	6000	8	65	100	3	4	0	5400	0	RM-3	65	density-lim	400			0.75	5	1.25	0	0	8100	2100	2100	1.5
0212	022	1440	0.03	4744	4	65	100	3	3	0	4320	0	RM-3	65	density-lim	400	true		0.75	4	1.333333373	0	0	6480	1736	1736	1.5
0212	024	1375	0.03	2120	4	65	100	3	3	0	4125	2005	RM-3	65	density-lim	400			0.75	3	1	0	0	6187.5	4067.5	4067.5	1.5
0212	025A	1372	0.03	3309	3	65	100	3	3	0	4116	807	RM-3	65	density-lim	400			0.75	3	1	0	0	6174	2865	2865	1.5
0212	026	2324	0.05	6102	7	65	100	3	5	0	6972	870	RM-3	65	density-lim	400			0.75	6	1.200000048	0	0	10458	4356	4356	1.5
0212	027	3344	0.08	8451	23	65	100	3	8	0	10032	1581	RM-3	65	density-lim	400	true		0.75	8	1	0	0	15048	6597	6597	1.5
0212	027A	3385	0.08	6888	12	65	100	3	8	0	10155	3267	RM-3	65	density-lim	400			0.75	8	1	0	0	15232.5	8344.5	8344.5	1.5
0212	028	3016	0.07	7071	13	65	100	3	7	0	9048	1977	RM-3	65	density-lim	400			0.75	8	1.142857194	0	0	13572	6501	6501	1.5
0212	033	1876	0.04	4410	5	65	100	3	4	0	5628	1218	RM-3	65	density-lim	400			0.75	5	1.25	0	0	8442	4032	4032	1.5
0212	037	1563	0.04	4620	6	65	100	3	4	0	4689	69	RM-3	65	density-lim	400	true		0.75	4	1	0	0	7033.5	2413.5	2413.5	1.5
0212	038A	1328	0.03	3711	3	65	100	3	3	0	3984	273	RM-3	65	density-lim	400			0.75	3	1	0	0	5976	2265	2265	1.5
0212	041	1150	0.03	3000	6	65	100	3	3	0	3450	450	RM-3	65	density-lim	400	true		0.75	3	1	0	0	5175	2175	2175	1.5
0212	043	1197	0.03	2328	3	65	100	3	3	0	3591	1263	RM-3	65	density-lim	400			0.75	3	1	0	0	5386.5	3058.5	3058.5	1.5
0213	005	1212	0.03	3390	6	65	100	3	3	0	3636	246	RM-3	65	form-based		true	true	0.75	5	1.666666627	0	0	5454	2064	2064	1.5
0213	015A	3000	0.07	7470	12	65	100	3	7	0	9000	1530	RM-3	65	form-based			true	0.75	11	1.571428537	0	0	13500	6030	6030	1.5
0213	016	3000	0.07	10700	16	65	100	3	7	0	9000	0	RM-3	65	form-based			true	0.75	11	1.571428537	0	0	13500	2800	2800	1.5
0213	020	3000	0.07	12265	19	65	100	3	7	0	9000	0	RM-3	65	form-based			true	0.75	11	1.571428537	0	0	13500	1235	1235	1.5
0213	021	3250	0.07	9537	14	65	100	3	7	0	9750	213	RM-3	65	form-based		true	true	0.75	12	1.714285731	0	0	14625	5088	5088	1.5
0214	005	5775	0.13	17555	26	55	80	2.5	10	0	14438	0	RM-3	65	form-based			true	0.75	22	2.200000048	0	0	25987.5	8432.5	8432.5	1.799938
0214	006	4930	0.11	13470	18	55	80	2.5	9	0	12325	0	RM-3	65	form-based		true	true	0.75	18	2	0	0	22185	8715	8715	1.8
0214	013	9484	0.22	88688	62	55	80	2.5	18	0	23710	0	RM-4	65	form-based		true	true	0.75	36	2	0	0	42678	0	0	1.8
0214	013A	8115	0.19	35418	37	55	80	2.5	15	0	20288	0	RM-4	65	form-based			true	0.75	30	2	0	0	36517.5	1099.5	1099.5	1.799956
0214	016	4469	0.1	31900	40	55	80	2.5	8	0	11172	0	RM-4	65	form-based		true	true	0.75	17	2.125	0	0	20110.5	0	0	1.800081
0215	005	2739	0.06	8246	10	55	80	2.5	5	0	6848	0	RM-3	65	form-based		true	true	0.75	10	2	0	0	12325.5	4079.5	4079.5	1.799869
0215	016	2462	0.06	6492	10	55	80	2.5	5	0	6155	0	RM-3	65	form-based		true	true	0.75	9	1.799999952	0	0	11079	4587	4587	1.8
0216	001	4062	0.09	11430	23	55	80	2.5	7	0	10155	0	RM-3	65	form-based		true	true	0.75	15	2.142857075	0	0	18279	6849	6849	1.8
0216	002	10717	0.25	23387	48	55	80	2.5	20	0	26792	3405	RM-3	65	form-based			true	0.75	40	2	0	0	48226.5	24839.5	24839.5	1.800034
0216	006	4787	0.11	17740	24	55	80	2.5	9	0	11968	0	RM-3	65	form-based		true	true	0.75	18	2	0	0	21541.5	3801.5	3801.5	1.799925
0216	010	5499	0.13	10095	24	55	80	2.5	10	0	13748	3653	RM-3	65	form-based			true	0.75	21	2.099999905	0	0	24745.5	14650.5	14650.5	1.799935
0216	020	3430	0.08	9032	13	55	80	2.5	6	0	8575	0	RM-3	65	form-based		true	true	0.75	13	2.166666746	0	0	15435	6403	6403	1.8
0216	030	1687	0.04	4614	6	55	80	2.5	3	0	4218	0	RM-3	65	form-based			true	0.75	6	2	0	0	7591.5	2977.5	2977.5	1.799787
0216	031	1684	0.04	4614	6	55	80	2.5	3	0	4210	0	RM-3	65	form-based			true	0.75	6	2	0	0	7578	2964	2964	1.8
0217	006	3034	0.07	7813	13	65	100	3	7	0	9102	1289	RM-3	65	form-based			true	0.75	11	1.571428537	0	0	13653	5840	5840	1.5
0217	010	1615	0.04	4191	6	65	100	3	4	0	4845	654	RM-3	65	form-based			true	0.75	6	1.5	0	0	7267.5	3076.5	3076.5	1.5
0217	026	3680	0.08	9060	24	65	100	3	8	0	11040	1980	RM-3	65	form-based		true	true	0.75	14	1.75	0	0	16560	7500	7500	1.5
0218	003	2938	0.07	10659	12	65	100	3	7	0	8814	0	RM-3	65	form-based			true	0.75	11	1.571428537	0	0	13221	2562	2562	1.5
0218	004	4847	0.11	13527	19	65	100	3	11	0	14541	1014	RM-3	65	form-based		true	true	0.75	18	1.636363626	0	0	21811.5	8284.5	8284.5	1.5
0218	008	2926	0.07	7326	12	55	80	2.5	6	0	7315	0	RM-3	65	form-based		true	true	0.75	11	1.833333373	0	0	13167	5841	5841	1.8
0218	014	8766	0.2	26928	42	65	100	3	20	0	26298	0	RM-3	65	form-based			true	0.75	33	1.649999976	0	0	39447	12519	12519	1.5
0218	015	6970	0.16	25460	43	65	100	3	16	0	20910	0	RM-3	65	form-based		true	true	0.75	26	1.625	0	0	31365	5905	5905	1.5
0218	022	6911	0.16	17426	31	65	100	3	16	0	20733	3307	RM-3	65	form-based			true	0.75	26	1.625	0	0	31099.5	13673.5	13673.5	1.5
0218	024	3456	0.08	7143	17	65	100	3	8	0	10368	3225	RM-3	65	form-based			true	0.75	13	1.625	0	0	15552	8409	8409	1.5
0218	025	2700	0.06	8772	16	65	100	3	6	0	8100	0	RM-3	65	form-based			true	0.75	10	1.666666627	0	0	12150	3378	3378	1.5
0219	011	10132	0.23	34148	42	55	80	2.5	18	0	25330	0	RM-3	65	form-based			true	0.75	38	2.111111164	0	0	45594	11446	11446	1.8
0219	012	6707	0.15	21040	34	55	80	2.5	12	0	16768	0	RM-3	65	form-based		true	true	0.75	25	2.083333254	0	0	30181.5	9141.5	9141.5	1.799946
0219	013	2736	0.06	8912	15	55	80	2.5	5	0	6840	0	RM-3	65	form-based			true	0.75	10	2	0	0	12312	3400	3400	1.8
0219	024	1688	0.04	3645	6	55	80	2.5	3	0	4220	575	RM-3	65	form-based			true	0.75	6	2	0	0	7596	3951	3951	1.8
0220	008	4774	0.11	12263	22	55	80	2.5	9	0	11935	0	RM-4	65	form-based		true	true	0.75	18	2	0	0	21483	9220	9220	1.8
0220	009	3511	0.08	9336	20	55	80	2.5	6	0	8778	0	RM-3	65	form-based			true	0.75	13	2.166666746	0	0	15799.5	6463.5	6463.5	1.799897
0220	010	4197	0.1	11298	22	55	80	2.5	8	0	10492	0	RM-3	65	form-based		true	true	0.75	16	2	0	0	18886.5	7588.5	7588.5	1.800086
0220	019	1400	0.03	3900	7	55	80	2.5	2	0	3500	0	RM-3	65	form-based		true	true	0.75	5	2.5	0	0	6300	2400	2400	1.8
0220	029	3550	0.08	14438	26	55	80	2.5	6	0	8875	0	RM-3	65	form-based		true	true	0.75	13	2.166666746	0	0	15975	1537	1537	1.8
0220	032	3735	0.09	8875	14	55	80	2.5	7	0	9338	463	RM-3	65	form-based			true	0.75	14	2	0	0	16807.5	7932.5	7932.5	1.799904
0220	036	12412	0.28	75062	72	55	80	2.5	22	0	31030	0	RM-4	65	form-based			true	0.75	47	2.136363745	0	0	55854	0	0	1.8
0221	030	1386	0.03	3605	7	55	80	2.5	2	0	3465	0	RM-3	65	form-based			true	0.75	5	2.5	0	0	6237	2632	2632	1.8
0221	036	2006	0.05	5079	10	55	80	2.5	4	0	5015	0	RM-3	65	form-based			true	0.75	8	2	0	0	9027	3948	3948	1.8
0221	043	3590	0.08	16260	24	55	80	2.5	6	0	8975	0	RM-4	65	form-based		true	true	0.75	13	2.166666746	0	0	16155	0	0	1.8
0221	044	10278	0.24	1301	44	55	80	2.5	19	0	25695	24394	RM-4	65	form-based		true	true	0.75	39	2.052631617	0	0	46251	44950	44950	1.8
0221	092	3667	0.08	15146	22	55	80	2.5	6	0	9168	0	RM-4	65	form-based		true	true	0.75	14	2.333333254	0	0	16501.5	1355.5	1355.5	1.799902
0221	166	1335	0.03	2840	7	55	80	2.5	2	0	3338	498	RM-3	65	form-based			true	0.75	5	2.5	0	0	6007.5	3167.5	3167.5	1.79973
0222	001	2987	0.07	9918	18	65	100	3	7	0	8961	0	RM-3	65	form-based		true	true	0.75	11	1.571428537	0	0	13441.5	3523.5	3523.5	1.5
0222	016	1470	0.03	1519	11	55	80	2.5	2	0	3675	2156	RM-4	65	form-based		true	true	0.75	6	3	0	0	6615	5096	5096	1.8
0222	019	1840	0.04	6096	8	55	80	2.5	3	0	4600	0	RM-3	65	form-based			true	0.75	7	2.333333254	0	0	8280	2184	2184	1.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0222	023	2000	0.05	5492	15	55	80	2.5	4	0	5000	0	RM-3	65	form-based			true	0.75	8	2	0	0	9000	3508	3508	1.8
0222	024	2704	0.06	7067	13	55	80	2.5	5	0	6760	0	RM-3	65	form-based		true	true	0.75	10	2	0	0	12168	5101	5101	1.8
0222	029	2830	0.06	7596	12	65	100	3	6	0	8490	894	RM-3	65	form-based		true	true	0.75	11	1.833333373	0	0	12735	5139	5139	1.5
0222	042	1979	0.05	5076	9	65	100	3	5	0	5937	861	RM-3	65	form-based			true	0.75	7	1.399999976	0	0	8905.5	3829.5	3829.5	1.5
0222A	001	14529	0.33	2027	71	65	100	3	33	0	43587	41560	RM-4	65	form-based		true	true	0.75	54	1.636363626	0	0	65380.5	63353.5	63353.5	1.5
0223	025	2000	0.05	3094	8	65	100	3	5	0	6000	2906	RM-3	65	density-lim	400	true		0.75	5	1	0	0	9000	5906	5906	1.5
0223	026	2041	0.05	4860	6	65	100	3	5	0	6123	1263	RM-3	65	density-lim	400			0.75	5	1	0	0	9184.5	4324.5	4324.5	1.5
0223	010	3151	0.07	8481	14	65	100	3	7	0	9453	972	RM-3	65	density-lim	400			0.75	8	1.142857194	0	0	14179.5	5698.5	5698.5	1.5
0223	011	1018	0.02	4585	8	65	100	3	2	0	3054	0	RM-3	65	density-lim	400	true		0.75	3	1.5	0	0	4581	0	0	1.5
0223	016	5953	0.14	11392	16	65	100	3	14	0	17859	6467	RM-3	65	density-lim	400			0.75	15	1.071428537	0	0	26788.5	15396.5	15396.5	1.5
0223	019	1232	0.03	3606	3	65	100	3	3	0	3696	90	RM-3	65	density-lim	400			0.75	3	1	0	0	5544	1938	1938	1.5
0223	047	4585	0.11	1389	11	65	100	3	11	0	13755	12366	RM-3	65	density-lim	400			0.75	11	1	0	0	20632.5	19243.5	19243.5	1.5
0224	009	3220	0.07	14110	24	65	100	3	7	0	9660	0	RM-4	65	density-lim	200	true		0.75	16	2.285714388	0	0	14490	380	380	1.5
0224	013	2772	0.06	9220	14	65	100	3	6	0	8316	0	RM-4	65	density-lim	200	true		0.75	14	2.333333254	0	0	12474	3254	3254	1.5
0224	014	1232	0.03	5629	9	65	100	3	3	0	3696	0	RM-4	65	density-lim	200			0.75	6	2	0	0	5544	0	0	1.5
0224	016	2464	0.06	8908	17	65	100	3	6	0	7392	0	RM-4	65	density-lim	200			0.75	12	2	0	0	11088	2180	2180	1.5
0224	019	4076	0.09	10224	21	65	100	3	9	0	12228	2004	RC-4	65	density-lim	200	true		0.75	20	2.222222328	0	0	18342	8118	8118	1.5
0224	032	4676	0.11	21350	70	65	100	3	11	0	14028	0	RM-4	65	density-lim	200	true		0.75	23	2.090909004	0	0	21042	0	0	1.5
0224	034	5236	0.12	2400	42	65	100	3	12	0	15708	13308	RM-4	65	density-lim	200	true		0.75	26	2.166666746	0	0	23562	21162	21162	1.5
0224	078	13945	0.32	120000	97	65	100	3	32	0	41835	0	RC-4	65	density-lim	200			0.75	70	2.1875	0	0	62752.5	0	0	1.5
0224A	001	2464	0.06	1782	13	65	100	3	6	0	7392	5610	RM-4	65	density-lim	200			0.75	12	2	0	0	11088	9306	9306	1.5
0225	007	1781	0.04	14047	10	65	100	3	4	0	5343	0	CRNC	50	density-lim	200	true		0.75	9	2.25	0	0	6678.75	0	0	1.25
0225	017	5709	0.13	20440	30	65	100	3	13	0	17127	0	CRNC	85	density-lim	200	true		0.75	29	2.230769157	0	0	34254	13814	13814	2
0225	020	4932	0.11	25190	29	65	100	3	11	0	14796	0	CRNC	50	density-lim	200			0.75	25	2.272727251	0	0	18495	0	0	1.25
0225	029	1063	0.02	3435	5	65	100	3	2	0	3189	0	CRNC	50	density-lim	200			0.75	5	2.5	0	0	3986.25	551.25	551.25	1.25
0226	004	797	0.02	2800	5	65	100	3	2	0	2391	0	CCB	50	density-lim	200	true		0.75	4	2	0	0	2988.75	188.75	188.75	1.25
0226	006	731	0.02	4015	4	65	100	3	2	0	2193	0	CCB	50	density-lim	200			0.75	4	2	0	0	2741.25	0	0	1.25
0226	030	1752	0.04	6960	9	65	100	3	4	0	5256	0	CCB	50	density-lim	200			0.75	9	2.25	0	0	6570	0	0	1.25
0226	032	1208	0.03	4540	6	65	100	3	3	0	3624	0	CCB	50	density-lim	200			0.75	6	2	0	0	4530	0	0	1.25
0226	040	3050	0.07	8772	15	65	100	3	7	0	9150	378	CVR	50	density-lim	200	true		0.75	15	2.142857075	0	0	11437.5	2665.5	2665.5	1.25
0226	043	1210	0.03	4575	20	65	100	3	3	0	3630	0	CCB	50	density-lim	200			0.75	6	2	0	0	4537.5	0	0	1.25
0242	013	8304	0.19	28440	54	65	100	3	19	0	24912	0	RM-4	65	density-lim	200			0.75	42	2.210526228	0	0	37368	8928	8928	1.5
0242	014	3133	0.07	15024	28	65	100	3	7	0	9399	0	RM-4	65	density-lim	200	true		0.75	16	2.285714388	0	0	14098.5	0	0	1.5
0242	016	3289	0.08	11087	18	65	100	3	8	0	9867	0	RM-4	65	density-lim	200	true		0.75	16	2	0	0	14800.5	3713.5	3713.5	1.5
0242	017	2039	0.05	9520	12	65	100	3	5	0	6117	0	CRNC	65	density-lim	200	true		0.75	10	2	0	0	9175.5	0	0	1.5
0242	018	3000	0.07	12000	19	65	100	3	7	0	9000	0	CRNC	65	density-lim	200			0.75	15	2.142857075	0	0	13500	1500	1500	1.5
0242	022	2039	0.05	5056	11	65	100	3	5	0	6117	1061	CRNC	65	density-lim	200			0.75	10	2	0	0	9175.5	4119.5	4119.5	1.5
0242	023	1725	0.04	4740	9	65	100	3	4	0	5175	435	CRNC	65	density-lim	200			0.75	9	2.25	0	0	7762.5	3022.5	3022.5	1.5
0242	028	4847	0.11	23265	32	65	100	3	11	0	14541	0	CRNC	50	density-lim	200			0.75	24	2.181818247	0	0	18176.25	0	0	1.25
0242	030	3306	0.08	13386	18	65	100	3	8	0	9918	0	CRNC	65	density-lim	200			0.75	17	2.125	0	0	14877	1491	1491	1.5
0243	007A	4650	0.11	22410	46	65	100	3	11	0	13950	0	RM-4	65	density-lim	200	true		0.75	23	2.090909004	0	0	20925	0	0	1.5
0243	024	3280	0.08	220000	185	65	100	3	8	0	9840	0	RM-4	65	density-lim	200	true		0.75	16	2	0	0	14760	0	0	1.5
0243	056	4500	0.1	16669	30	65	100	3	10	0	13500	0	RM-4	65	density-lim	200	true		0.75	23	2.299999952	0	0	20250	3581	3581	1.5
0243	058	36184	0.83	220000	185	65	100	3	83	0	108552	0	RM-4	65	density-lim	200	true		0.75	181	2.180722952	0	0	162828	0	0	1.5
0247	001	6801	0.16	34164	60	55	80	2.5	13	0	17002	0	RM-4	65	form-based		true	true	0.75	26	2	0	0	30604.5	0	0	1.800053
0247	002	2910	0.07	7020	12	55	80	2.5	6	0	7275	255	RM-4	65	form-based			true	0.75	11	1.833333373	0	0	13095	6075	6075	1.8
0247	006	4049	0.09	9165	15	55	80	2.5	7	0	10122	957	RM-3	65	form-based			true	0.75	15	2.142857075	0	0	18220.5	9055.5	9055.5	1.800089
0247	025	1925	0.04	5194	7	55	80	2.5	3	0	4812	0	RM-3	65	form-based		true	true	0.75	7	2.333333254	0	0	8662.5	3468.5	3468.5	1.800187
0247	027	2761	0.06	8472	15	55	80	2.5	5	0	6902	0	RM-3	65	form-based			true	0.75	10	2	0	0	12424.5	3952.5	3952.5	1.80013
0247	033	2761	0.06	7290	10	55	80	2.5	5	0	6902	0	RM-3	65	form-based		true	true	0.75	10	2	0	0	12424.5	5134.5	5134.5	1.80013
0247	035	1381	0.03	3076	5	55	80	2.5	2	0	3452	376	RM-4	65	form-based			true	0.75	5	2.5	0	0	6214.5	3138.5	3138.5	1.800261
0247	041	19278	0.44	1850	98	55	80	2.5	35	0	48195	46345	RM-4	65	form-based		true	true	0.75	72	2.057142973	0	0	86751	84901	84901	1.8
0248	001	3360	0.08	10464	21	55	80	2.5	6	0	8400	0	RM-3	65	form-based		true	true	0.75	13	2.166666746	0	0	15120	4656	4656	1.8
0248	003	2100	0.05	6276	8	55	80	2.5	4	0	5250	0	RM-3	65	form-based			true	0.75	8	2	0	0	9450	3174	3174	1.8
0248	013	13565	0.31	32809	51	55	80	2.5	25	0	33912	1103	RM-3	65	form-based			true	0.75	51	2.039999962	0	0	61042.5	28233.5	28233.5	1.800027
0248	021	2406	0.06	7414	13	55	80	2.5	5	0	6015	0	RM-3	65	form-based		true	true	0.75	9	1.799999952	0	0	10827	3413	3413	1.8
0248	026	3151	0.07	6747	12	55	80	2.5	6	0	7878	1131	RM-3	65	form-based			true	0.75	12	2	0	0	14179.5	7432.5	7432.5	1.799886
0249	001	2287	0.05	7345	14	55	80	2.5	4	0	5718	0	RM-3	65	form-based		true	true	0.75	9	2.25	0	0	10291.5	2946.5	2946.5	1.799843
0249	022	2558	0.06	8925	10	65	100	3	6	0	7674	0	RM-3	65	form-based		true	true	0.75	10	1.666666627	0	0	11511	2586	2586	1.5
0249	023	2975	0.07	8075	24	65	100	3	7	0	8925	850	RM-3	65	form-based			true	0.75	11	1.571428537	0	0	13387.5	5312.5	5312.5	1.5
0249	028	2296	0.05	4337	10	65	100	3	5	0	6888	2551	RM-3	65	form-based			true	0.75	9	1.799999952	0	0	10332	5995	5995	1.5
0250	016	6133	0.14	21720	88	65	100	3	14	0	18399	0	NCD-POLK	120	form-based		true	true	0.75	55	3.928571463	0	0	55197	33477	15078	3
0252	001	14165	0.33	1760	77	55	80	2.5	26	0	35412	33652	RM-4	65	density-lim	200	true		0.75	71	2.730769157	0	0	63742.5	61982.5	61982.5	1.800025
0252	017	4155	0.1	11355	21	55	80	2.5	8	0	10388	0	RM-4	65	density-lim	200	true		0.75	21	2.625	0	0	18697.5	7342.5	7342.5	1.799913

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0252	021	7086	0.16	30600	48	55	80	2.5	13	0	17715	0	RM-4	65	density-lim	200			0.75	35	2.692307711	0	0	31887	1287	1287	1.8
0252	021A	7104	0.16	25752	36	55	80	2.5	13	0	17760	0	RM-4	65	density-lim	200			0.75	36	2.769230843	0	0	31968	6216	6216	1.8
0253	007	1875	0.04	6480	22	55	80	2.5	3	0	4688	0	RM-4	65	density-lim	200			0.75	9	3	0	0	8437.5	1957.5	1957.5	1.799808
0253A	001	31662	0.73	1866	254	55	80	2.5	58	0	79155	77289	RM-4	65	density-lim	200	true		0.75	158	2.724138021	0	0	142479	140613	140613	1.8
0253T	001C	3792	0.09	540	19	55	80	2.5	7	0	9480	8940	RM-4	40	density-lim	200	true		0.75	19	2.714285612	0	0	11376	10836	10836	1.2
0254	005	1438	0.03	4701	4	65	100	3	3	0	4314	0	RM-3	65	density-lim	400			0.75	4	1.333333373	0	0	6471	1770	1770	1.5
0254	007	1438	0.03	4788	4	65	100	3	3	0	4314	0	RM-3	65	density-lim	400			0.75	4	1.333333373	0	0	6471	1683	1683	1.5
0254	019	2352	0.05	5340	12	65	100	3	5	0	7056	1716	RM-4	65	density-lim	200			0.75	12	2.400000095	0	0	10584	5244	5244	1.5
0254	092	1755	0.04	1000	4	65	100	3	4	0	5265	4265	RM-3	65	density-lim	400	true		0.75	4	1	0	0	7897.5	6897.5	6897.5	1.5
0254	113	1437	0.03	1150	7	65	100	3	3	0	4311	3161	RM-3	65	density-lim	400			0.75	4	1.333333373	0	0	6466.5	5316.5	5316.5	1.5
0256	002	9607	0.22	58129	70	65	100	3	22	0	28821	0	RM-4	65	density-lim	200			0.75	48	2.181818247	0	0	43231.5	0	0	1.5
0256	020	1694	0.04	2616	4	65	100	3	4	0	5082	2466	RM-3	65	density-lim	400			0.75	4	1	0	0	7623	5007	5007	1.5
0256	023	1118	0.03	2664	6	65	100	3	3	0	3354	690	RM-3	65	density-lim	400			0.75	3	1	0	0	5031	2367	2367	1.5
0256	025	1290	0.03	3835	7	65	100	3	3	0	3870	35	RM-3	65	density-lim	400			0.75	3	1	0	0	5805	1970	1970	1.5
0256	026	3650	0.08	7383	13	65	100	3	8	0	10950	3567	RM-3	65	density-lim	400			0.75	9	1.125	0	0	16425	9042	9042	1.5
0256	029	6025	0.14	43006	58	65	100	3	14	0	18075	0	RM-4	65	density-lim	200	true		0.75	30	2.142857075	0	0	27112.5	0	0	1.5
0256	060	1981	0.05	480	5	65	100	3	5	0	5943	5463	RM-3	65	density-lim	400			0.75	5	1	0	0	8914.5	8434.5	8434.5	1.5
0257	009	4650	0.11	19380	66	65	100	3	11	0	13950	0	CCB	50	density-lim	200	true		0.75	23	2.090909004	0	0	17437.5	0	0	1.25
0257	011	3600	0.08	13200	30	65	100	3	8	0	10800	0	C-3-G	65	form-based				0.8	14	1.75	0	0	17280	4080	4080	1.6
0258	012	993	0.02	2964	5	65	100	3	2	0	2979	15	CCB	50	density-lim	200	true		0.75	5	2.5	0	0	3723.75	759.75	759.75	1.25
0269	005	4406	0.1	37895	118	75	120	3.5	12	0	15421	0	C-3-O	50	form-based		true		0.8	14	1.166666627	0	0	17624	0	0	1.142857
0271	015	6918	0.16	56954	107	85	140	4	22	0	27672	0	RC-4	65	density-lim	200	true		0.75	35	1.590909123	0	0	31131	0	0	1.125
0271	017	6463	0.15	25110	51	65	100	3	15	0	19389	0	RM-4	65	density-lim	200			0.75	32	2.133333445	0	0	29083.5	3973.5	3973.5	1.5
0271	019	3450	0.08	12500	21	65	100	3	8	0	10350	0	RM-4	65	density-lim	200	true		0.75	17	2.125	0	0	15525	3025	3025	1.5
0271	021	3576	0.08	23840	40	65	100	3	8	0	10728	0	RM-4	65	density-lim	200			0.75	18	2.25	0	0	16092	0	0	1.5
0272	001	6000	0.14	32460	46	65	100	3	14	0	18000	0	RM-4	65	density-lim	200	true		0.75	30	2.142857075	0	0	27000	0	0	1.5
0272	001A	4125	0.09	20368	38	65	100	3	9	0	12375	0	RM-4	65	density-lim	200			0.75	21	2.333333254	0	0	18562.5	0	0	1.5
0272	001B	6875	0.16	31980	46	65	100	3	16	0	20625	0	RM-4	65	density-lim	200	true		0.75	34	2.125	0	0	30937.5	0	0	1.5
0272	002	4140	0.1	15860	31	65	100	3	10	0	12420	0	RM-4	65	density-lim	200			0.75	21	2.099999905	0	0	18630	2770	2770	1.5
0272	004	4584	0.11	25160	52	85	140	4	15	0	18336	0	RC-4	65	density-lim	200	true		0.75	23	1.533333302	0	0	20628	0	0	1.125
0272	004A	3665	0.08	19120	38	85	140	4	11	0	14660	0	RC-4	65	density-lim	200			0.75	18	1.636363626	0	0	16492.5	0	0	1.125
0272	004B	3453	0.08	12479	27	65	100	3	8	0	10359	0	RC-4	65	density-lim	200			0.75	17	2.125	0	0	15538.5	3059.5	3059.5	1.5
0272	005	1381	0.03	7560	17	65	100	3	3	0	4143	0	RC-4	65	density-lim	200	true		0.75	7	2.333333254	0	0	6214.5	0	0	1.5
0272	008	4607	0.11	21750	45	65	100	3	11	0	13821	0	RC-4	65	density-lim	200	true		0.75	23	2.090909004	0	0	20731.5	0	0	1.5
0272	009	4658	0.11	15695	34	65	100	3	11	0	13974	0	RM-4	65	density-lim	200			0.75	23	2.090909004	0	0	20961	5266	5266	1.5
0272	014	4110	0.09	28185	42	65	100	3	9	0	12330	0	RM-4	65	density-lim	200	true		0.75	21	2.333333254	0	0	18495	0	0	1.5
0272	020	2736	0.06	9524	19	65	100	3	6	0	8208	0	RM-4	65	density-lim	200	true		0.75	14	2.333333254	0	0	12312	2788	2788	1.5
0272	023	3675	0.08	9162	35	65	100	3	8	0	11025	1863	RM-4	65	density-lim	200			0.75	18	2.25	0	0	16537.5	7375.5	7375.5	1.5
0273	001	6465	0.15	31790	48	65	100	3	15	0	19395	0	RM-4	65	density-lim	200	true		0.75	32	2.133333445	0	0	29092.5	0	0	1.5
0273	001B	3750	0.09	8865	25	65	100	3	9	0	11250	2385	RM-4	65	density-lim	200			0.75	19	2.111111164	0	0	16875	8010	8010	1.5
0273	001C	4950	0.11	10950	31	65	100	3	11	0	14850	3900	RM-4	65	density-lim	200			0.75	25	2.272727251	0	0	22275	11325	11325	1.5
0273	003	5839	0.13	19726	41	65	100	3	13	0	17517	0	RC-4	65	density-lim	200	true		0.75	29	2.230769157	0	0	26275.5	6549.5	6549.5	1.5
0273	005	3600	0.08	11400	19	65	100	3	8	0	10800	0	RC-4	65	density-lim	200			0.75	18	2.25	0	0	16200	4800	4800	1.5
0273	006	6839	0.16	33000	47	65	100	3	16	0	20517	0	RC-4	65	density-lim	200			0.75	34	2.125	0	0	30775.5	0	0	1.5
0273	008	9825	0.23	45515	61	65	100	3	23	0	29475	0	RC-4	65	density-lim	200			0.75	49	2.130434752	0	0	44212.5	0	0	1.5
0273	010	1800	0.04	9550	12	65	100	3	4	0	5400	0	RC-4	65	density-lim	200	true		0.75	9	2.25	0	0	8100	0	0	1.5
0273	013	18906	0.43	133696	206	65	100	3	43	0	56718	0	RM-4	65	density-lim	200	true		0.75	95	2.209302425	0	0	85077	0	0	1.5
0274	002	2725	0.06	10125	24	65	100	3	6	0	8175	0	RM-4	65	density-lim	200			0.75	14	2.333333254	0	0	12262.5	2137.5	2137.5	1.5
0274	006	6717	0.15	28440	37	65	100	3	15	0	20151	0	RC-4	65	density-lim	200			0.75	34	2.266666651	0	0	30226.5	1786.5	1786.5	1.5
0274	006A	4103	0.09	15750	21	65	100	3	9	0	12309	0	RC-4	65	density-lim	200			0.75	21	2.333333254	0	0	18463.5	2713.5	2713.5	1.5
0274	007	5573	0.13	18140	32	65	100	3	13	0	16719	0	RC-4	65	density-lim	200			0.75	28	2.153846264	0	0	25078.5	6938.5	6938.5	1.5
0274	009	4467	0.1	16850	39	65	100	3	10	0	13401	0	RC-4	65	density-lim	200			0.75	22	2.200000048	0	0	20101.5	3251.5	3251.5	1.5
0274	012	4571	0.1	23800	47	65	100	3	10	0	13713	0	RC-4	65	density-lim	200	true		0.75	23	2.299999952	0	0	20569.5	0	0	1.5
0274	016	4842	0.11	19000	29	65	100	3	11	0	14526	0	RM-4	65	density-lim	200	true		0.75	24	2.181818247	0	0	21789	2789	2789	1.5
0274	017	2526	0.06	7232	20	65	100	3	6	0	7578	346	RM-4	65	density-lim	200			0.75	13	2.166666746	0	0	11367	4135	4135	1.5
0274	018	4137	0.09	10062	24	65	100	3	9	0	12411	2349	RM-4	65	density-lim	200			0.75	21	2.333333254	0	0	18616.5	8554.5	8554.5	1.5
0274	023	4512	0.1	17800	30	65	100	3	10	0	13536	0	RM-4	65	density-lim	200			0.75	23	2.299999952	0	0	20304	2504	2504	1.5
0275	006	12162	0.28	48740	73	65	100	3	28	0	36486	0	RC-4	65	density-lim	200	true		0.75	61	2.178571463	0	0	54729	5989	5989	1.5
0275	010	5913	0.14	27592	38	65	100	3	14	0	17739	0	RM-4	65	density-lim	200			0.75	30	2.142857075	0	0	26608.5	0	0	1.5
0275	011	6753	0.16	30204	53	65	100	3	16	0	20259	0	RC-4	65	density-lim	200			0.75	34	2.125	0	0	30388.5	184.5	184.5	1.5
0275A	001	18906	0.43	815	160	65	100	3	43	0	56718	55903	RM-4	65	density-lim	200	true		0.75	95	2.209302425	0	0	85077	84262	84262	1.5
0275B	001	37816	0.87	842	192	65	100	3	87	0	113448	112606	RC-4	65	density-lim	200	true		0.75	189	2.172413826	0	0	170172	169330	169330	1.5
0276	001	3529	0.08	13185	22	65	100	3	8	0	10587	0	RM-4	65	density-lim	200	true		0.75	18	2.25	0	0	15880.5	2695.5	2695.5	1.5
0276	006	5156	0.12	18700	31	65	100	3	12	0	15468	0	RM-4	65	density-lim	200			0.75	26	2.166666746	0	0	23202	4502	4502	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0276	007	6250	0.14	20610	67	65	100	3	14	0	18750	0	RC-4	65	density-lim	200	true		0.75	31	2.214285612	0	0	28125	7515	7515	1.5
0276	010	2500	0.06	6900	13	65	100	3	6	0	7500	600	RC-4	65	density-lim	200			0.75	13	2.166666746	0	0	11250	4350	4350	1.5
0276	013	9453	0.22	28315	88	65	100	3	22	0	28359	44	RC-4	65	density-lim	200			0.75	47	2.136363745	0	0	42538.5	14223.5	14223.5	1.5
0276	014	12604	0.29	47075	75	65	100	3	29	0	37812	0	RC-4	65	density-lim	200			0.75	63	2.172413826	0	0	56718	9643	9643	1.5
0276	015	6257	0.14	24528	55	65	100	3	14	0	18771	0	RC-4	65	density-lim	200			0.75	31	2.214285612	0	0	28156.5	3628.5	3628.5	1.5
0276	017	4561	0.1	16352	24	65	100	3	10	0	13683	0	RC-4	65	density-lim	200	true		0.75	23	2.299999952	0	0	20524.5	4172.5	4172.5	1.5
0276	018	2578	0.06	6018	13	65	100	3	6	0	7734	1716	RM-4	65	density-lim	200			0.75	13	2.166666746	0	0	11601	5583	5583	1.5
0276	022	3314	0.08	12482	21	65	100	3	8	0	9942	0	RM-4	65	density-lim	200	true		0.75	17	2.125	0	0	14913	2431	2431	1.5
0279	003	5077	0.12	19543	48	65	100	3	12	0	15231	0	RC-4	130	density-lim	200			0.75	25	2.083333254	0	0	45693	26150	10919	3
0279	008	7792	0.18	32922	47	65	100	3	18	0	23376	0	RC-4	130	density-lim	200			0.75	39	2.166666746	0	0	70128	37206	13830	3
0279	010	2406	0.06	7688	15	65	100	3	6	0	7218	0	RC-4	130	density-lim	200			0.75	12	2	0	0	21654	13966	6748	3
0279	011A	5031	0.12	23053	41	65	100	3	12	0	15093	0	NCD-POLK	130	density-lim	400	true		0.75	13	1.083333373	0	0	45279	22226	7133	3
0279	011B	6875	0.16	18302	31	65	100	3	16	0	20625	2323	NCD-POLK	130	density-lim	400			0.75	17	1.0625	0	0	61875	43573	22948	3
0279	012	3677	0.08	8508	16	65	100	3	8	0	11031	2523	NCD-POLK	130	density-lim	400			0.75	9	1.125	0	0	33093	24585	13554	3
0279	017	3870	0.09	23666	35	65	100	3	9	0	11610	0	RC-4	80	density-lim	200			0.75	19	2.111111164	0	0	23220	0	0	2
0279	021	4140	0.1	12968	23	65	100	3	10	0	12420	0	RC-4	80	density-lim	200			0.75	21	2.099999905	0	0	24840	11872	11872	2
0279	023	2602	0.06	6694	15	65	100	3	6	0	7806	1112	RC-4	80	density-lim	200			0.75	13	2.166666746	0	0	15612	8918	8918	2
0279	024	5674	0.13	21790	34	65	100	3	13	0	17022	0	RC-4	80	density-lim	200			0.75	28	2.153846264	0	0	34044	12254	12254	2
0279	030	5170	0.12	1161	26	65	100	3	12	0	15510	14349	NCD-POLK	80	density-lim	400	true		0.75	13	1.083333373	0	0	31020	29859	29859	2
0279	057	7000	0.16	750	35	65	100	3	16	0	21000	20250	RC-4	130	density-lim	200			0.75	35	2.1875	0	0	63000	62250	41250	3
0280	001	5754	0.13	25727	46	65	100	3	13	0	17262	0	RC-4	65	density-lim	200	true		0.75	29	2.230769157	0	0	25893	166	166	1.5
0280	002	5022	0.12	21572	52	65	100	3	12	0	15066	0	RC-4	65	density-lim	200			0.75	25	2.083333254	0	0	22599	1027	1027	1.5
0280	003	2006	0.05	9184	12	65	100	3	5	0	6018	0	RC-4	80	density-lim	200			0.75	10	2	0	0	12036	2852	2852	2
0280	004	3394	0.08	13740	19	65	100	3	8	0	10182	0	RC-4	80	density-lim	200			0.75	17	2.125	0	0	20364	6624	6624	2
0280	007	7044	0.16	54005	100	65	100	3	16	0	21132	0	RC-4	80	density-lim	200	true		0.75	35	2.1875	0	0	42264	0	0	2
0280	008	6463	0.15	27840	47	65	100	3	15	0	19389	0	RC-4	80	density-lim	200			0.75	32	2.133333445	0	0	38778	10938	10938	2
0280	009	8181	0.19	51657	110	65	100	3	19	0	24543	0	RC-4	80	density-lim	200			0.75	41	2.15789485	0	0	49086	0	0	2
0280	011	10725	0.25	42365	64	65	100	3	25	0	32175	0	RC-4	80	density-lim	200			0.75	54	2.160000086	0	0	64350	21985	21985	2
0280	016	3281	0.08	17610	32	65	100	3	8	0	9843	0	RC-4	80	density-lim	200	true		0.75	16	2	0	0	19686	2076	2076	2
0280	025	5575	0.13	25160	43	65	100	3	13	0	16725	0	RC-4	80	density-lim	200			0.75	28	2.153846264	0	0	33450	8290	8290	2
0280	032	2826	0.06	12585	14	65	100	3	6	0	8478	0	RC-4	80	density-lim	200			0.75	14	2.333333254	0	0	16956	4371	4371	2
0281	001	6099	0.14	20616	30	65	100	3	14	0	18297	0	RC-4	65	density-lim	200	true		0.75	30	2.142857075	0	0	27445.5	6829.5	6829.5	1.5
0281	001A	2371	0.05	7364	17	65	100	3	5	0	7113	0	RC-4	65	density-lim	200			0.75	12	2.400000095	0	0	10669.5	3305.5	3305.5	1.5
0281	001B	3217	0.07	8896	16	65	100	3	7	0	9651	755	RC-4	65	density-lim	200			0.75	16	2.285714388	0	0	14476.5	5580.5	5580.5	1.5
0281	002	2856	0.07	10000	18	65	100	3	7	0	8568	0	RC-4	80	density-lim	200			0.75	14	2	0	0	17136	7136	7136	2
0281	002A	8372	0.19	34011	60	65	100	3	19	0	25116	0	RC-4	80	density-lim	200	true		0.75	42	2.210526228	0	0	50232	16221	16221	2
0281	006	6426	0.15	35292	87	65	100	3	15	0	19278	0	RC-4	80	density-lim	200			0.75	32	2.133333445	0	0	38556	3264	3264	2
0281	007	2067	0.05	9675	12	65	100	3	5	0	6201	0	RC-4	80	density-lim	200			0.75	10	2	0	0	12402	2727	2727	2
0281	008	4001	0.09	27009	49	65	100	3	9	0	12003	0	RC-4	80	density-lim	200			0.75	20	2.222222328	0	0	24006	0	0	2
0281	010	3413	0.08	17760	35	65	100	3	8	0	10239	0	RC-4	80	density-lim	200	true		0.75	17	2.125	0	0	20478	2718	2718	2
0281	013	12682	0.29	63852	99	65	100	3	29	0	38046	0	RC-4	65	density-lim	200	true		0.75	63	2.172413826	0	0	57069	0	0	1.5
0282	002	4148	0.1	9690	36	65	100	3	10	0	12444	2754	RC-4	65	density-lim	200			0.75	21	2.099999905	0	0	18666	8976	8976	1.5
0282	003	5316	0.12	26070	68	65	100	3	12	0	15948	0	RC-4	65	density-lim	200			0.75	27	2.25	0	0	23922	0	0	1.5
0282	007	9481	0.22	40695	51	65	100	3	22	0	28443	0	RC-4	80	density-lim	200			0.75	47	2.136363745	0	0	56886	16191	16191	2
0282	008	3790	0.09	14580	21	65	100	3	9	0	11370	0	RC-4	80	density-lim	200	true		0.75	19	2.111111164	0	0	22740	8160	8160	2
0282	008A	2756	0.06	12096	24	65	100	3	6	0	8268	0	RC-4	80	density-lim	200			0.75	14	2.333333254	0	0	16536	4440	4440	2
0282	009	2915	0.07	12083	21	65	100	3	7	0	8745	0	RC-4	80	density-lim	200			0.75	15	2.142857075	0	0	17490	5407	5407	2
0282	011	4703	0.11	24453	35	65	100	3	11	0	14109	0	RC-4	65	density-lim	200	true		0.75	24	2.181818247	0	0	21163.5	0	0	1.5
0282	012	8662	0.2	46692	93	65	100	3	20	0	25986	0	RC-4	65	density-lim	200			0.75	43	2.150000095	0	0	38979	0	0	1.5
0282	014	7488	0.17	31046	59	65	100	3	17	0	22464	0	RC-4	65	density-lim	200			0.75	37	2.176470518	0	0	33696	2650	2650	1.5
0282	015	1634	0.04	4928	8	65	100	3	4	0	4902	0	RC-4	65	density-lim	200			0.75	8	2	0	0	7353	2425	2425	1.5
0282	023	4727	0.11	23039	39	65	100	3	11	0	14181	0	RC-4	65	density-lim	200	true		0.75	24	2.181818247	0	0	21271.5	0	0	1.5
0283	001	5554	0.13	24110	50	65	100	3	13	0	16662	0	RC-4	65	density-lim	200	true		0.75	28	2.153846264	0	0	24993	883	883	1.5
0283	009	1893	0.04	10336	22	65	100	3	4	0	5679	0	C-3-G	160	form-based		true		0.8	17	4.25	0	0	17037	6701	1022	3
0283	013	8438	0.19	40950	70	65	100	3	19	0	25314	0	RC-4	65	density-lim	200	true		0.75	42	2.210526228	0	0	37971	0	0	1.5
0283	016	3472	0.08	11174	22	65	100	3	8	0	10416	0	RC-4	65	density-lim	200			0.75	17	2.125	0	0	15624	4450	4450	1.5
0283	020	6875	0.16	27378	43	65	100	3	16	0	20625	0	RC-4	65	density-lim	200			0.75	34	2.125	0	0	30937.5	3559.5	3559.5	1.5
0284	010	6823	0.16	41272	96	65	100	3	16	0	20469	0	C-3-R	130	form-based				0.8	61	3.8125	0	0	61407	20135	0	3
0284	015	5842	0.13	28920	46	65	100	3	13	0	17526	0	RC-4	65	density-lim	200	true		0.75	29	2.230769157	0	0	26289	0	0	1.5
0284	017	1848	0.04	6080	30	65	100	3	4	0	5544	0	RC-4	65	density-lim	200			0.75	9	2.25	0	0	8316	2236	2236	1.5
0284	020	6330	0.15	26945	75	65	100	3	15	0	18990	0	RC-4	65	density-lim	200			0.75	32	2.133333445	0	0	28485	1540	1540	1.5
0284	021	6326	0.15	20820	34	65	100	3	15	0	18978	0	RC-4	65	density-lim	200			0.75	32	2.133333445	0	0	28467	7647	7647	1.5
0284	023	3779	0.09	10924	20	65	100	3	9	0	11337	413	RC-4	65	density-lim	200			0.75	19	2.111111164	0	0	17005.5	6081.5	6081.5	1.5
0284	025	7395	0.17	31458	53	65	100	3	17	0	22185	0	RC-4	65	density-lim	200			0.75	37	2.176470518	0	0	33277.5	1819.5	1819.5	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0284	026	4468	0.1	900	39	65	100	3	10	0	13404	12504	RC-4	65	density-lim	200			0.75	22	2.200000048	0	0	20106	19206	19206	1.5
0285	003	5880	0.13	42540	78	85	140	4	18	0	23520	0	C-3-R	130	form-based				0.8	53	2.944444418	0	0	52920	10380	4500	2.25
0285	004	5180	0.12	37432	82	85	140	4	17	0	20720	0	C-3-R	130	form-based				0.8	47	2.764705896	0	0	46620	9188	4008	2.25
0285	010	3038	0.07	17301	29	65	100	3	7	0	9114	0	RC-4	130	density-lim	200	true		0.75	15	2.142857075	0	0	27342	10041	927	3
0285	014	6639	0.15	30900	55	65	100	3	15	0	19917	0	RC-4	130	density-lim	200	true		0.75	33	2.200000048	0	0	59751	28851	8934	3
0285	016	3259	0.07	16824	32	85	140	4	10	0	13036	0	RC-4	130	density-lim	200	true		0.75	16	1.600000024	0	0	29331	12507	9248	2.25
0285	018	9926	0.23	41250	98	85	140	4	32	0	39704	0	RC-4	130	density-lim	200	true		0.75	50	1.5625	0	0	89334	48084	38158	2.25
0286	001	4549	0.1	15355	54	75	120	3.5	12	0	15922	567	C-3-R	130	form-based		true		0.8	41	3.416666746	0	0	40941	25586	16489	2.571348
0286	022	2749	0.06	9556	26	65	100	3	6	0	8247	0	C-3-R	130	form-based				0.8	25	4.166666508	0	0	24741	15185	6938	3
0287	017	8280	0.19	67460	140	75	120	3.5	23	0	28980	0	C-3-R	130	form-based		true		0.8	75	3.260869503	0	0	74520	7060	0	2.571429
0287	020	4109	0.09	16590	51	85	140	4	13	0	16436	0	C-3-R	130	form-based				0.8	37	2.846153736	0	0	36981	20391	16282	2.25
0288	025	9208	0.21	61192	136	75	120	3.5	25	0	32228	0	C-3-O	130	form-based				0.8	83	3.319999933	0	0	82872	21680	3264	2.571429
0296	012A	2625	0.06	12504	32	65	100	3	6	0	7875	0	C-3-R	130	form-based				0.8	24	4	0	0	23625	11121	3246	3
0296	005	3792	0.09	48713	146	65	100	3	9	0	11376	0	C-3-R	130	form-based				0.8	34	3.777777672	0	0	34128	0	0	3
0296	012	3032	0.07	14945	30	65	100	3	7	0	9096	0	C-3-R	130	form-based				0.8	27	3.857142925	0	0	27288	12343	3247	3
0298	003	2419	0.06	9320	25	65	100	3	6	0	7257	0	C-3-G	130	form-based				0.8	22	3.666666746	0	0	21771	12451	5194	3
0298	004	2419	0.06	15225	37	65	100	3	6	0	7257	0	C-3-G	130	form-based		true		0.8	22	3.666666746	0	0	21771	6546	0	3
0298	005	2014	0.05	10800	33	65	100	3	5	0	6042	0	C-3-G	130	form-based		true		0.8	18	3.599999905	0	0	18126	7326	1284	3
0298	006	2357	0.05	14000	44	65	100	3	5	0	7071	0	C-3-G	130	form-based		true		0.8	21	4.199999809	0	0	21213	7213	142	3
0298	007	2634	0.06	13104	48	65	100	3	6	0	7902	0	C-3-G	130	form-based				0.8	24	4	0	0	23706	10602	2700	3
0298	008	2566	0.06	16590	57	65	100	3	6	0	7698	0	C-3-G	130	form-based		true		0.8	23	3.833333254	0	0	23094	6504	0	3
0298	009	2595	0.06	19560	40	65	100	3	6	0	7785	0	RC-4	80	density-lim	200	true		0.75	13	2.166666746	0	0	15570	0	0	2
0298	010	2592	0.06	15680	24	65	100	3	6	0	7776	0	RC-4	80	density-lim	200			0.75	13	2.166666746	0	0	15552	0	0	2
0298	012	3783	0.09	775	55	65	100	3	9	0	11349	10574	RC-4	80	density-lim	200	true		0.75	19	2.111111164	0	0	22698	21923	21923	2
0298	013	2583	0.06	15930	22	65	100	3	6	0	7749	0	RC-4	80	density-lim	200			0.75	13	2.166666746	0	0	15498	0	0	2
0298	014	2581	0.06	10260	26	65	100	3	6	0	7743	0	RC-4	80	density-lim	200	true		0.75	13	2.166666746	0	0	15486	5226	5226	2
0298	025	6613	0.15	22075	43	65	100	3	15	0	19839	0	RC-4	80	density-lim	200	true		0.75	33	2.200000048	0	0	39678	17603	17603	2
0298	027	4031	0.09	17850	34	65	100	3	9	0	12093	0	RC-4	80	density-lim	200			0.75	20	2.222222328	0	0	24186	6336	6336	2
0298	034	2645	0.06	13940	35	65	100	3	6	0	7935	0	C-3-G	130	form-based				0.8	24	4	0	0	23805	9865	1930	3
0298	037	5871	0.13	22572	33	65	100	3	13	0	17613	0	RC-4	80	density-lim	200			0.75	29	2.230769157	0	0	35226	12654	12654	2
0299	001	7477	0.17	37400	54	65	100	3	17	0	22431	0	RC-4	80	density-lim	200	true		0.75	37	2.176470518	0	0	44862	7462	7462	2
0299	002	12240	0.28	47150	80	65	100	3	28	0	36720	0	RC-4	80	density-lim	200			0.75	61	2.178571463	0	0	73440	26290	26290	2
0299	006	3609	0.08	12710	24	65	100	3	8	0	10827	0	RC-4	80	density-lim	200			0.75	18	2.25	0	0	21654	8944	8944	2
0299	009	5625	0.13	21081	36	65	100	3	13	0	16875	0	RC-4	80	density-lim	200			0.75	28	2.153846264	0	0	33750	12669	12669	2
0299	010	5469	0.13	30366	46	65	100	3	13	0	16407	0	RC-4	80	density-lim	200	true		0.75	27	2.076923132	0	0	32814	2448	2448	2
0299	011	2188	0.05	6355	14	65	100	3	5	0	6564	209	RC-4	80	density-lim	200			0.75	11	2.200000048	0	0	13128	6773	6773	2
0299	014	2812	0.06	9430	16	65	100	3	6	0	8436	0	RC-4	80	density-lim	200			0.75	14	2.333333254	0	0	16872	7442	7442	2
0299	015	5582	0.13	36025	33	65	100	3	13	0	16746	0	RC-4	80	density-lim	200	true		0.75	28	2.153846264	0	0	33492	0	0	2
0299	019	9546	0.22	39995	61	65	100	3	22	0	28638	0	RC-4	80	density-lim	200			0.75	48	2.181818247	0	0	57276	17281	17281	2
0299	020	9530	0.22	35965	58	65	100	3	22	0	28590	0	RC-4	80	density-lim	200			0.75	48	2.181818247	0	0	57180	21215	21215	2
0300	001	4060	0.09	18568	38	65	100	3	9	0	12180	0	RC-4	80	density-lim	200	true		0.75	20	2.222222328	0	0	24360	5792	5792	2
0300	002	3057	0.07	10435	18	65	100	3	7	0	9171	0	RC-4	80	density-lim	200			0.75	15	2.142857075	0	0	18342	7907	7907	2
0300	003B	4348	0.1	14702	35	65	100	3	10	0	13044	0	RC-4	80	density-lim	200	true		0.75	22	2.200000048	0	0	26088	11386	11386	2
0300	013	2188	0.05	9855	24	65	100	3	5	0	6564	0	RC-4	80	density-lim	200			0.75	11	2.200000048	0	0	13128	3273	3273	2
0300	018	6050	0.14	18902	30	65	100	3	14	0	18150	0	RC-4	80	density-lim	200			0.75	30	2.142857075	0	0	36300	17398	17398	2
0300	019	5156	0.12	15855	29	65	100	3	12	0	15468	0	RC-4	80	density-lim	200			0.75	26	2.166666746	0	0	30936	15081	15081	2
0300	025	31825	0.73	107900	185	65	100	3	73	0	95475	0	RC-4	80	density-lim	200			0.75	159	2.178082228	0	0	190950	83050	83050	2
0301	001	4307	0.1	23674	38	65	100	3	10	0	12921	0	RC-4	130	density-lim	200	true		0.75	22	2.200000048	0	0	38763	15089	2168	3
0301	001A	2901	0.07	12792	23	65	100	3	7	0	8703	0	RC-4	130	density-lim	200			0.75	15	2.142857075	0	0	26109	13317	4614	3
0301	002	4251	0.1	17030	26	65	100	3	10	0	12753	0	RC-4	130	density-lim	200			0.75	21	2.099999905	0	0	38259	21229	8476	3
0301	003	1631	0.04	4880	12	65	100	3	4	0	4893	13	RC-4	130	density-lim	200			0.75	8	2	0	0	14679	9799	4906	3
0301	004	1505	0.03	7520	13	65	100	3	3	0	4515	0	RC-4	130	density-lim	200			0.75	8	2.666666746	0	0	13545	6025	1510	3
0301	006	1565	0.04	5032	8	65	100	3	4	0	4695	0	RC-4	130	density-lim	200			0.75	8	2	0	0	14085	9053	4358	3
0301	007	2696	0.06	9778	30	65	100	3	6	0	8088	0	RC-4	130	density-lim	200	true		0.75	13	2.166666746	0	0	24264	14486	6398	3
0301	008	4699	0.11	19380	36	65	100	3	11	0	14097	0	RC-4	130	density-lim	200			0.75	23	2.090909004	0	0	42291	22911	8814	3
0301	009	7967	0.18	30675	44	65	100	3	18	0	23901	0	RC-4	130	density-lim	200			0.75	40	2.222222328	0	0	71703	41028	17127	3
0301	011	6935	0.16	21032	35	65	100	3	16	0	20805	0	RC-4	130	density-lim	200			0.75	35	2.1875	0	0	62415	41383	20578	3
0301	014	6890	0.16	33875	57	65	100	3	16	0	20670	0	NCD-POLK	130	density-lim	400	true		0.75	17	1.0625	0	0	62010	28135	7465	3
0301	015	2591	0.06	6988	16	65	100	3	6	0	7773	785	NCD-POLK	130	density-lim	400			0.75	6	1	0	0	23319	16331	8558	3
0301	016	9577	0.22	18975	41	65	100	3	22	0	28731	9756	NCD-POLK	130	density-lim	400	true		0.75	24	1.090909123	0	0	86193	67218	38487	3
0302	002	2220	0.05	7932	15	65	100	3	5	0	6660	0	RC-4	80	density-lim	200			0.75	11	2.200000048	0	0	13320	5388	5388	2
0302	008	5129	0.12	17333	26	65	100	3	12	0	15387	0	RC-4	80	density-lim	200	true		0.75	26	2.166666746	0	0	30774	13441	13441	2
0302	008A	2675	0.06	9575	20	65	100	3	6	0	8025	0	RC-4	80	density-lim	200			0.75	13	2.166666746	0	0	16050	6475	6475	2
0302	012	6606	0.15	25284	41	65	100	3	15	0	19818	0	RC-4	80	density-lim	200			0.75	33	2.200000048	0	0	39636	14352	14352	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0302	014A	3803	0.09	13295	27	85	140	4	13	0	15212	1917	RC-4	80	density-lim	200	true		0.75	19	1.461538434	0	0	22818	9523	9523	1.5
0302	016	2021	0.05	4553	11	85	140	4	7	0	8084	3531	RC-4	80	density-lim	200			0.75	10	1.428571463	0	0	12126	7573	7573	1.5
0302	024	2700	0.06	11800	24	65	100	3	6	0	8100	0	RC-4	80	density-lim	200			0.75	14	2.333333254	0	0	16200	4400	4400	2
0303	001	19069	0.44	68575	114	85	140	4	62	0	76276	7701	RC-4	80	density-lim	200	true		0.75	95	1.532258034	0	0	114414	45839	45839	1.5
0303	002	5145	0.12	20630	33	85	140	4	17	0	20580	0	RC-4	80	density-lim	200			0.75	26	1.529411793	0	0	30870	10240	10240	1.5
0303	002A	5141	0.12	20065	34	85	140	4	17	0	20564	499	RC-4	80	density-lim	200			0.75	26	1.529411793	0	0	30846	10781	10781	1.5
0303	003	4965	0.11	21776	37	85	140	4	15	0	19860	0	RC-4	80	density-lim	200	true		0.75	25	1.666666627	0	0	29790	8014	8014	1.5
0303	006	11000	0.25	43343	68	65	100	3	25	0	33000	0	RC-4	80	density-lim	200			0.75	55	2.200000048	0	0	66000	22657	22657	2
0303	007	4531	0.1	22176	29	65	100	3	10	0	13593	0	RC-4	80	density-lim	200			0.75	23	2.299999952	0	0	27186	5010	5010	2
0303	010	3281	0.08	17414	34	65	100	3	8	0	9843	0	RC-4	80	density-lim	200	true		0.75	16	2	0	0	19686	2272	2272	2
0303	013B	6103	0.14	20998	52	65	100	3	14	0	18309	0	RC-4	80	density-lim	200	true		0.75	31	2.214285612	0	0	36618	15620	15620	2
0303	014	4770	0.11	18382	50	65	100	3	11	0	14310	0	RC-4	80	density-lim	200			0.75	24	2.181818247	0	0	28620	10238	10238	2
0303	019	7630	0.18	35778	53	65	100	3	18	0	22890	0	RC-4	80	density-lim	200			0.75	38	2.111111164	0	0	45780	10002	10002	2
0304	001	10703	0.25	56971	92	85	140	4	35	0	42812	0	RC-4	130	density-lim	200	true		0.75	54	1.54285717	0	0	96327	39356	28653	2.25
0304	004	5477	0.13	22880	35	85	140	4	18	0	21908	0	RC-4	130	density-lim	200	true		0.75	27	1.5	0	0	49293	26413	20936	2.25
0304	006	3427	0.08	15925	54	85	140	4	11	0	13708	0	RC-4	130	density-lim	200			0.75	17	1.545454502	0	0	30843	14918	11491	2.25
0304	009	9376	0.22	35825	58	85	140	4	31	0	37504	1679	RC-4	130	density-lim	200			0.75	47	1.516129017	0	0	84384	48559	39183	2.25
0304	011	6207	0.14	24525	32	85	140	4	20	0	24828	303	RC-4	80	density-lim	200	true		0.75	31	1.549999952	0	0	37242	12717	12717	1.5
0304	024	29461	0.68	66645	249	85	140	4	95	0	117844	51199	RC-4	130	density-lim	200			0.75	147	1.547368407	0	0	208670.25	142025.25	142025.25	1.770733
0305	001	3208	0.07	19410	35	65	100	3	7	0	9624	0	RC-4	130	density-lim	200	true		0.75	16	2.285714388	0	0	28872	9462	0	3
0305	003	4439	0.1	24036	41	85	140	4	14	0	17756	0	RC-4	130	density-lim	200	true		0.75	22	1.571428537	0	0	39951	15915	11476	2.25
0305	006	9405	0.22	46919	81	85	140	4	31	0	37620	0	RC-4	130	density-lim	200	true		0.75	47	1.516129017	0	0	84645	37726	28321	2.25
0305	007	9405	0.22	44365	88	85	140	4	31	0	37620	0	RC-4	130	density-lim	200			0.75	47	1.516129017	0	0	84645	40280	30875	2.25
0305	013	4808	0.11	33635	97	85	140	4	15	0	19232	0	RC-4	130	density-lim	200	true		0.75	24	1.600000024	0	0	43272	9637	4829	2.25
0305	015	2263	0.05	6700	14	85	140	4	7	0	9052	2352	RC-4	130	density-lim	200			0.75	11	1.571428537	0	0	20367	13667	11404	2.25
0305	016	3168	0.07	17064	20	85	140	4	10	0	12672	0	RC-4	130	density-lim	200	true		0.75	16	1.600000024	0	0	28512	11448	8280	2.25
0305	018	3600	0.08	23648	36	65	100	3	8	0	10800	0	RC-4	130	density-lim	200	true		0.75	18	2.25	0	0	32400	8752	0	3
0305	029	8102	0.19	33967	98	65	100	3	19	0	24306	0	RC-4	130	density-lim	200	true		0.75	41	2.15789485	0	0	72918	38951	14645	3
0305	032	3127	0.07	18056	67	65	100	3	7	0	9381	0	RC-4	130	density-lim	200			0.75	16	2.285714388	0	0	28143	10087	706	3
0305	034	1604	0.04	4830	14	65	100	3	4	0	4812	0	RC-4	130	density-lim	200			0.75	8	2	0	0	14436	9606	4794	3
0305	036	8239	0.19	85619	167	85	140	4	27	0	32956	0	RC-4	130	density-lim	200			0.75	41	1.518518567	0	0	74151	0	0	2.25
0306	006	4125	0.09	31405	69	75	120	3.5	11	0	14438	0	C-3-G	130	form-based				0.8	37	3.363636255	0	0	37125	5720	0	2.57134
0306	007	9441	0.22	56064	238	75	120	3.5	26	0	33044	0	C-3-G	130	form-based				0.8	85	3.269230843	0	0	84969	28905	10024	2.57139
0306	015	4939	0.11	25820	43	85	140	4	15	0	19756	0	RC-4	130	density-lim	200	true		0.75	25	1.666666627	0	0	44451	18631	13692	2.25
0306	022	9401	0.22	57159	115	65	100	3	22	0	28203	0	C-3-G	130	form-based				0.8	85	3.863636255	0	0	84609	27450	0	3
0306	026	12029	0.28	167678	139	65	100	3	28	0	36087	0	C-3-G	130	form-based		true		0.8	117	4.178571224	0	0	117152.25	0	0	3.246384
0310	012	4593	0.11	23480	93	75	120	3.5	13	0	16076	0	C-3-R	130	form-based				0.8	41	3.153846264	0	0	41337	17857	8672	2.571349
0314	006	4305	0.1	23262	72	85	140	4	14	0	17220	0	C-3-R	130	form-based				0.8	39	2.785714388	0	0	38745	15483	11178	2.25
0314	010	4072	0.09	28444	90	85	140	4	13	0	16288	0	C-3-R	130	form-based				0.8	37	2.846153736	0	0	36648	8204	4132	2.25
0315	010	6883	0.16	47660	133	85	140	4	22	0	27532	0	C-3-G	130	form-based				0.8	62	2.818181753	0	0	61947	14287	7404	2.25
0315	015	1200	0.03	5790	24	75	120	3.5	4	0	4200	0	C-3-G	130	form-based		true		0.8	11	2.75	0	0	10800	5010	2610	2.571429
0317	004	2187	0.05	9159	17	85	140	4	7	0	8748	0	RC-4	130	density-lim	200			0.75	11	1.571428537	0	0	19683	10524	8337	2.25
0317	006	1750	0.04	10500	33	85	140	4	6	0	7000	0	RC-4	130	density-lim	200	true		0.75	9	1.5	0	0	15750	5250	3500	2.25
0317	012	4773	0.11	27937	89	85	140	4	15	0	19092	0	RC-4	130	density-lim	200			0.75	24	1.600000024	0	0	42957	15020	10247	2.25
0317	014	1991	0.05	17395	41	85	140	4	7	0	7964	0	RC-4	130	density-lim	200	true		0.75	10	1.428571463	0	0	17919	524	0	2.25
0317	015	2767	0.06	13896	19	85	140	4	8	0	11068	0	RC-4	130	density-lim	200			0.75	14	1.75	0	0	24903	11007	8240	2.25
0317	018	8020	0.18	37796	64	85	140	4	25	0	32080	0	RC-4	130	density-lim	200			0.75	40	1.600000024	0	0	72180	34384	26364	2.25
0317	026	2800	0.06	3034	63	85	140	4	8	0	11200	8166	C-3-G	130	form-based				0.8	25	3.125	0	0	25200	22166	19366	2.25
0317	027	4903	0.11	48340	63	85	140	4	15	0	19612	0	RC-4	130	density-lim	200	true		0.75	25	1.666666627	0	0	44127	0	0	2.25
0318	001	3840	0.09	20000	39	85	140	4	13	0	15360	0	RC-4	130	density-lim	200	true		0.75	19	1.461538434	0	0	34560	14560	10720	2.25
0318	007	7364	0.17	39609	136	65	100	3	17	0	22092	0	RC-4	130	density-lim	200	true		0.75	37	2.176470518	0	0	66276	26667	4575	3
0318	008	7150	0.16	28260	36	65	100	3	16	0	21450	0	RC-4	80	density-lim	200			0.75	36	2.25	0	0	42900	14640	14640	2
0318	012	4675	0.11	11985	38	85	140	4	15	0	18700	6715	RC-4	130	density-lim	200			0.75	23	1.533333302	0	0	42075	30090	25415	2.25
0318	013	4727	0.11	22550	71	85	140	4	15	0	18908	0	RC-4	130	density-lim	200			0.75	24	1.600000024	0	0	42543	19993	15266	2.25
0318	014	5500	0.13	27950	50	85	140	4	18	0	22000	0	RC-4	80	density-lim	200	true		0.75	28	1.555555582	0	0	33000	5050	5050	1.5
0318	015	3953	0.09	28235	63	85	140	4	13	0	15812	0	RC-4	80	density-lim	200			0.75	20	1.538461566	0	0	23718	0	0	1.5
0318	016	5842	0.13	21175	44	85	140	4	18	0	23368	2193	RC-4	80	density-lim	200			0.75	29	1.611111164	0	0	35052	13877	13877	1.5
0318	016A	3424	0.08	11889	26	85	140	4	11	0	13696	1807	RC-4	80	density-lim	200			0.75	17	1.545454502	0	0	20544	8655	8655	1.5
0318	016B	3808	0.09	19188	43	85	140	4	13	0	15232	0	RC-4	80	density-lim	200	true		0.75	19	1.461538434	0	0	22848	3660	3660	1.5
0318	019	5067	0.12	18617	39	65	100	3	12	0	15201	0	RC-4	130	density-lim	200			0.75	25	2.083333254	0	0	45603	26986	11785	3
0318	023	17660	0.41	133343	166	85	140	4	57	0	70640	0	RC-4	130	density-lim	200			0.75	88	1.543859601	0	0	146715	13372	7937	2.076939
0319	021	6679	0.15	34429	48	65	100	3	15	0	20037	0	RC-4	80	density-lim	200	true		0.75	33	2.200000048	0	0	40074	5645	5645	2
0319	022	7272	0.17	30660	36	65	100	3	17	0	21816	0	RC-4	80	density-lim	200			0.75	36	2.117647171	0	0	43632	12972	12972	2
0319	023	8352	0.19	24072	48	65	100	3	19	0	25056	984	RC-4	80	density-lim	200			0.75	42	2.210526228	0	0	50112	26040	26040	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0319	001	4720	0.11	23976	39	85	140	4	15	0	18880	0	RC-4	80	density-lim	200	true		0.75	24	1.600000024	0	0	28320	4344	4344	1.5
0319	003	4685	0.11	17736	24	85	140	4	15	0	18740	1004	RC-4	80	density-lim	200			0.75	23	1.533333302	0	0	28110	10374	10374	1.5
0319	004	4679	0.11	17170	24	85	140	4	15	0	18716	1546	RC-4	80	density-lim	200			0.75	23	1.533333302	0	0	28074	10904	10904	1.5
0319	007	2060	0.05	12360	30	85	140	4	7	0	8240	0	RC-4	80	density-lim	200	true		0.75	10	1.428571463	0	0	12360	0	0	1.5
0319	012	2250	0.05	5169	11	65	100	3	5	0	6750	1581	RC-4	80	density-lim	200			0.75	11	2.200000048	0	0	13500	8331	8331	2
0319	018	5850	0.13	29300	50	65	100	3	13	0	17550	0	RC-4	80	density-lim	200	true		0.75	29	2.230769157	0	0	35100	5800	5800	2
0319	019	3000	0.07	10200	19	65	100	3	7	0	9000	0	RC-4	80	density-lim	200	true		0.75	15	2.142857075	0	0	18000	7800	7800	2
0319	026	3371	0.08	4986	20	85	140	4	11	0	13484	8498	RC-4	80	density-lim	200			0.75	17	1.545454502	0	0	20226	15240	15240	1.5
0320	001	2110	0.05	10297	15	65	100	3	5	0	6330	0	RC-4	80	density-lim	200	true		0.75	11	2.200000048	0	0	12660	2363	2363	2
0320	005	2233	0.05	6544	14	65	100	3	5	0	6699	155	RC-4	80	density-lim	200			0.75	11	2.200000048	0	0	13398	6854	6854	2
0320	006	4642	0.11	20120	40	65	100	3	11	0	13926	0	RC-4	80	density-lim	200	true		0.75	23	2.090909004	0	0	27852	7732	7732	2
0320	011	9453	0.22	30200	60	85	140	4	31	0	37812	7612	RC-4	80	density-lim	200			0.75	47	1.516129017	0	0	56718	26518	26518	1.5
0320	012	6325	0.15	12486	38	85	140	4	21	0	25300	12814	RC-4	80	density-lim	200			0.75	32	1.523809552	0	0	37950	25464	25464	1.5
0320	014	4003	0.09	7236	23	85	140	4	13	0	16012	8776	RC-4	80	density-lim	200	true		0.75	20	1.538461566	0	0	24018	16782	16782	1.5
0320	020	7555	0.17	30690	41	65	100	3	17	0	22665	0	RC-4	80	density-lim	200			0.75	38	2.235294104	0	0	45330	14640	14640	2
0320	021	3930	0.09	37466	39	65	100	3	9	0	11790	0	RC-4	80	density-lim	200			0.75	20	2.222222328	0	0	23580	0	0	2
0320	023	3928	0.09	23249	62	65	100	3	9	0	11784	0	RC-4	80	density-lim	200			0.75	20	2.222222328	0	0	23568	319	319	2
0321	003	3899	0.09	29286	44	65	100	3	9	0	11697	0	RC-4	80	density-lim	200			0.75	19	2.111111164	0	0	23394	0	0	2
0321	006	1643	0.04	5998	12	65	100	3	4	0	4929	0	RC-4	80	density-lim	200			0.75	8	2	0	0	9858	3860	3860	2
0321	008	1512	0.03	6252	9	65	100	3	3	0	4536	0	RC-4	80	density-lim	200			0.75	8	2.666666746	0	0	9072	2820	2820	2
0321	009	3755	0.09	22679	39	65	100	3	9	0	11265	0	RC-4	80	density-lim	200	true		0.75	19	2.111111164	0	0	22530	0	0	2
0321	012	2188	0.05	6560	14	65	100	3	5	0	6564	4	RC-4	80	density-lim	200			0.75	11	2.200000048	0	0	13128	6568	6568	2
0321	016	4727	0.11	13593	30	65	100	3	11	0	14181	588	RC-4	80	density-lim	200			0.75	24	2.181818247	0	0	28362	14769	14769	2
0321	020	4297	0.1	33863	84	65	100	3	10	0	12891	0	RC-4	80	density-lim	200	true		0.75	21	2.099999905	0	0	25782	0	0	2
0321	022	1719	0.04	4840	10	85	140	4	6	0	6876	2036	RC-4	80	density-lim	200			0.75	9	1.5	0	0	10314	5474	5474	1.5
0321	025	4003	0.09	10286	20	85	140	4	13	0	16012	5726	RC-4	80	density-lim	200			0.75	20	1.538461566	0	0	24018	13732	13732	1.5
0321	030	4099	0.09	23600	34	85	140	4	13	0	16396	0	RC-4	80	density-lim	200			0.75	20	1.538461566	0	0	24594	994	994	1.5
0321	032	6574	0.15	16768	33	85	140	4	21	0	26296	9528	RC-4	80	density-lim	200			0.75	33	1.571428537	0	0	39444	22676	22676	1.5
0321	034	6828	0.16	23360	35	85	140	4	22	0	27312	3952	RC-4	80	density-lim	200			0.75	34	1.545454502	0	0	40968	17608	17608	1.5
0321	038	6848	0.16	18800	39	65	100	3	16	0	20544	1744	RC-4	80	density-lim	200			0.75	34	2.125	0	0	41088	22288	22288	2
0321	039	14180	0.33	63079	99	85	140	4	46	0	56720	0	RC-4	80	density-lim	200			0.75	71	1.543478251	0	0	85080	22001	22001	1.5
0322	001	8530	0.2	55350	82	85	140	4	28	0	34120	0	RC-4	80	density-lim	200	true		0.75	43	1.535714269	0	0	51180	0	0	1.5
0322	002	5774	0.13	24855	48	85	140	4	18	0	23096	0	RC-4	80	density-lim	200			0.75	29	1.611111164	0	0	34644	9789	9789	1.5
0322	003	4883	0.11	21855	38	65	100	3	11	0	14649	0	RC-4	80	density-lim	200	true		0.75	24	2.181818247	0	0	29298	7443	7443	2
0322	006A	8250	0.19	49430	69	65	100	3	19	0	24750	0	RC-4	80	density-lim	200	true		0.75	41	2.15789485	0	0	49500	70	70	2
0322	006B	3094	0.07	15339	25	65	100	3	7	0	9282	0	RC-4	80	density-lim	200			0.75	15	2.142857075	0	0	18564	3225	3225	2
0322	008	4425	0.1	16590	24	65	100	3	10	0	13275	0	RC-4	80	density-lim	200			0.75	22	2.200000048	0	0	26550	9960	9960	2
0322	009	5394	0.12	18800	38	65	100	3	12	0	16182	0	RC-4	80	density-lim	200	true		0.75	27	2.25	0	0	32364	13564	13564	2
0322	010	3863	0.09	12000	25	65	100	3	9	0	11589	0	RC-4	80	density-lim	200			0.75	19	2.111111164	0	0	23178	11178	11178	2
0322	011	2128	0.05	6769	14	65	100	3	5	0	6384	0	RC-4	80	density-lim	200			0.75	11	2.200000048	0	0	12768	5999	5999	2
0322	012	9455	0.22	54320	97	65	100	3	22	0	28365	0	RC-4	80	density-lim	200			0.75	47	2.136363745	0	0	56730	2410	2410	2
0322A	001	18438	0.42	520	193	85	140	4	59	0	73752	73232	RC-4	80	density-lim	200			0.75	92	1.559322	0	0	110628	110108	110108	1.5
0323	001	4972	0.11	28440	71	65	100	3	11	0	14916	0	RC-4	80	density-lim	200	true		0.75	25	2.272727251	0	0	29832	1392	1392	2
0323	003	4536	0.1	25896	47	65	100	3	10	0	13608	0	RC-4	80	density-lim	200			0.75	23	2.299999952	0	0	27216	1320	1320	2
0323	006	6600	0.15	37330	69	65	100	3	15	0	19800	0	RC-4	80	density-lim	200	true		0.75	33	2.200000048	0	0	39600	2270	2270	2
0323	007	9600	0.22	31459	64	65	100	3	22	0	28800	0	RC-4	80	density-lim	200			0.75	48	2.181818247	0	0	57600	26141	26141	2
0323	011	4560	0.1	21000	31	65	100	3	10	0	13680	0	RC-4	80	density-lim	200			0.75	23	2.299999952	0	0	27360	6360	6360	2
0323	014	4949	0.11	29987	42	65	100	3	11	0	14847	0	RC-4	80	density-lim	200			0.75	25	2.272727251	0	0	29694	0	0	2
0323	015	18883	0.43	65926	154	85	140	4	60	0	75532	9606	RC-4	80	density-lim	200	true		0.75	94	1.566666722	0	0	113298	47372	47372	1.5
0323	016	9433	0.22	34565	59	85	140	4	31	0	37732	3167	RC-4	80	density-lim	200			0.75	47	1.516129017	0	0	56598	22033	22033	1.5
0323	018	1682	0.04	4890	9	85	140	4	6	0	6728	1838	RC-4	80	density-lim	200	true		0.75	8	1.333333373	0	0	10092	5202	5202	1.5
0323	020	3060	0.07	26680	49	85	140	4	10	0	12240	0	RC-4	80	density-lim	200			0.75	15	1.5	0	0	18360	0	0	1.5
0323	022	6471	0.15	27500	48	85	140	4	21	0	25884	0	RC-4	80	density-lim	200			0.75	32	1.523809552	0	0	38826	11326	11326	1.5
0323	023	12591	0.29	48160	80	85	140	4	41	0	50364	2204	RC-4	80	density-lim	200			0.75	63	1.536585331	0	0	75546	27386	27386	1.5
0324	001	6374	0.15	41610	123	85	140	4	21	0	25496	0	RC-4	130	density-lim	200	true		0.75	32	1.523809552	0	0	57366	15756	9382	2.25
0324	002	7192	0.17	50403	114	85	140	4	24	0	28768	0	RC-4	130	density-lim	200			0.75	36	1.5	0	0	64728	14325	7133	2.25
0324	006	3440	0.08	13685	30	85	140	4	11	0	13760	75	RC-4	80	density-lim	200			0.75	17	1.545454502	0	0	20640	6955	6955	1.5
0324	009	3415	0.08	11800	28	85	140	4	11	0	13660	1860	RC-4	80	density-lim	200			0.75	17	1.545454502	0	0	20490	8690	8690	1.5
0324	010	3440	0.08	16585	33	65	100	3	8	0	10320	0	RC-4	80	density-lim	200			0.75	17	2.125	0	0	20640	4055	4055	2
0324	012	3281	0.08	12581	39	65	100	3	8	0	9843	0	RC-4	80	density-lim	200	true		0.75	16	2	0	0	19686	7105	7105	2
0324	013	4377	0.1	22460	41	65	100	3	10	0	13131	0	RC-4	80	density-lim	200	true		0.75	22	2.200000048	0	0	26262	3802	3802	2
0324	014	5662	0.13	31725	60	65	100	3	13	0	16986	0	RC-4	80	density-lim	200	true		0.75	28	2.153846264	0	0	33972	2247	2247	2
0324	021	7950	0.18	31016	101	85	140	4	25	0	31800	784	RC-4	130	density-lim	200			0.75	40	1.600000024	0	0	71550	40534	32584	2.25
0324	023	10346	0.24	56288	97	85	140	4	34	0	41384	0	RC-4	80	density-lim	200			0.75	52	1.529411793	0	0	62076	5788	5788	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0324	024	12519	0.29	85000	101	85	140	4	41	0	50076	0	RC-4	80	density-lim	200			0.75	63	1.536585331	0	0	75114	0	0	1.5
0324	025	6342	0.15	54614	52	85	140	4	21	0	25368	0	RC-4	130	density-lim	200			0.75	32	1.523809552	0	0	57078	2464	0	2.25
0326	005	3950	0.09	32228	72	75	120	3.5	11	0	13825	0	C-3-R	130	form-based		true		0.8	36	3.272727251	0	0	35550	3322	0	2.571429
0326	010	6875	0.16	51250	119	75	120	3.5	19	0	24062	0	C-3-G	225	form-based				0.8	62	3.263157845	0	0	61875	10625	0	2.571482
0326	023	13996	0.32	63450	151	85	140	4	45	0	55984	0	C-3-G	130	form-based		true		0.8	127	2.822222233	0	0	127479	64029	48518	2.277061
0327	057	10483	0.24	17152	111	85	140	4	34	0	41932	24780	C-3-R	130	form-based		true		0.8	94	2.764705896	0	0	94347	77195	66712	2.25
0330	004	12125	0.28	84345	198	95	160	4.5	45	0	54562	0	C-3-R	130	form-based				0.8	118	2.622222185	0	0	117656.25	33311.25	24779	2.156377
0330	013	1719	0.04	12440	31	75	120	3.5	5	0	6016	0	C-3-G	225	form-based				0.8	15	3	0	0	15471	3031	0	2.571642
0331	001	2280	0.05	6567	16	75	120	3.5	6	0	7980	1413	RC-4	130	density-lim	200	true		0.75	11	1.833333373	0	0	20520	13953	9393	2.571429
0331	008	5791	0.13	30750	92	75	120	3.5	16	0	20268	0	RC-4	130	density-lim	200			0.75	29	1.8125	0	0	52119	21369	9786	2.571492
0331	009	11621	0.27	41836	110	75	120	3.5	32	0	40674	0	RC-4	130	density-lim	200			0.75	58	1.8125	0	0	104589	62753	39512	2.571397
0331	012	3500	0.08	14400	24	75	120	3.5	10	0	12250	0	RC-4	130	density-lim	200			0.75	18	1.799999952	0	0	31500	17100	10100	2.571429
0331	013	4125	0.09	18300	36	75	120	3.5	11	0	14438	0	RC-4	130	density-lim	200	true		0.75	21	1.909090877	0	0	37125	18825	10576	2.57134
0331	017	6349	0.15	36804	137	75	120	3.5	18	0	22222	0	C-3-G	130	form-based				0.8	57	3.166666746	0	0	57141	20337	7640	2.571371
0331	028	20870	0.48	86488	113	75	120	3.5	58	0	73045	0	RC-4	130	density-lim	200	true		0.75	104	1.793103456	0	0	163567.5	77079.5	59602	2.23927
0332	001	18647	0.43	74719	93	75	120	3.5	52	0	65264	0	RC-4	80	density-lim	200	true		0.75	93	1.788461566	0	0	111882	37163	37163	1.714299
0332	002	3947	0.09	12825	24	75	120	3.5	11	0	13814	989	RC-4	80	density-lim	200			0.75	20	1.818181872	0	0	23682	10857	10857	1.714348
0332	003	6898	0.16	30701	90	75	120	3.5	19	0	24143	0	RC-4	80	density-lim	200	true		0.75	34	1.789473653	0	0	41388	10687	10687	1.714286
0332	004	7906	0.18	84026	180	75	120	3.5	22	0	27671	0	RC-4	80	density-lim	200			0.75	40	1.818181872	0	0	47436	0	0	1.714286
0332	014	3752	0.09	20221	65	65	100	3	9	0	11256	0	RC-4	80	density-lim	200			0.75	19	2.111111164	0	0	22512	2291	2291	2
0333	001	4203	0.1	16620	23	65	100	3	10	0	12609	0	RC-4	80	density-lim	200	true		0.75	21	2.099999905	0	0	25218	8598	8598	2
0333	002	4372	0.1	16230	30	65	100	3	10	0	13116	0	RC-4	80	density-lim	200			0.75	22	2.200000048	0	0	26232	10002	10002	2
0333	006	8549	0.2	61938	73	65	100	3	20	0	25647	0	RC-4	80	density-lim	200	true		0.75	43	2.150000095	0	0	51294	0	0	2
0333	007	3500	0.08	16030	25	65	100	3	8	0	10500	0	RC-4	80	density-lim	200			0.75	18	2.25	0	0	21000	4970	4970	2
0333	009	10313	0.24	47166	83	65	100	3	24	0	30939	0	RC-4	80	density-lim	200			0.75	52	2.166666746	0	0	61878	14712	14712	2
0333	011	5156	0.12	22630	86	65	100	3	12	0	15468	0	RC-4	80	density-lim	200			0.75	26	2.166666746	0	0	30936	8306	8306	2
0333	013	1815	0.04	10080	14	65	100	3	4	0	5445	0	RC-4	80	density-lim	200			0.75	9	2.25	0	0	10890	810	810	2
0333	014	4125	0.09	18115	25	65	100	3	9	0	12375	0	RC-4	80	density-lim	200			0.75	21	2.333333254	0	0	24750	6635	6635	2
0333	016	3734	0.09	23719	59	65	100	3	9	0	11202	0	RC-4	80	density-lim	200			0.75	19	2.111111164	0	0	22404	0	0	2
0333	018	3733	0.09	17150	58	65	100	3	9	0	11199	0	RC-4	80	density-lim	200			0.75	19	2.111111164	0	0	22398	5248	5248	2
0333	020	11195	0.26	50532	81	65	100	3	26	0	33585	0	RC-4	80	density-lim	200			0.75	56	2.153846264	0	0	67170	16638	16638	2
0334	002	4698	0.11	16600	31	65	100	3	11	0	14094	0	RC-4	80	density-lim	200			0.75	23	2.090909004	0	0	28188	11588	11588	2
0334	004	2038	0.05	6750	10	65	100	3	5	0	6114	0	RC-4	80	density-lim	200			0.75	10	2	0	0	12228	5478	5478	2
0334	005	3414	0.08	23470	65	65	100	3	8	0	10242	0	RC-4	80	density-lim	200	true		0.75	17	2.125	0	0	20484	0	0	2
0334	014	5651	0.13	18204	35	65	100	3	13	0	16953	0	RC-4	80	density-lim	200			0.75	28	2.153846264	0	0	33906	15702	15702	2
0334	016	3301	0.08	11248	19	65	100	3	8	0	9903	0	RC-4	80	density-lim	200	true		0.75	17	2.125	0	0	19806	8558	8558	2
0334	017	2188	0.05	5472	12	65	100	3	5	0	6564	1092	RC-4	80	density-lim	200			0.75	11	2.200000048	0	0	13128	7656	7656	2
0334	018	2188	0.05	4956	11	65	100	3	5	0	6564	1608	RC-4	80	density-lim	200			0.75	11	2.200000048	0	0	13128	8172	8172	2
0334	021	4841	0.11	26769	44	65	100	3	11	0	14523	0	RC-4	80	density-lim	200	true		0.75	24	2.181818247	0	0	29046	2277	2277	2
0334	022	2345	0.05	7052	17	65	100	3	5	0	7035	0	RC-4	80	density-lim	200			0.75	12	2.400000095	0	0	14070	7018	7018	2
0334	028A	7700	0.18	39900	114	65	100	3	18	0	23100	0	RC-4	80	density-lim	200			0.75	39	2.166666746	0	0	46200	6300	6300	2
0335	001	4843	0.11	24937	48	65	100	3	11	0	14529	0	RC-4	80	density-lim	200	true		0.75	24	2.181818247	0	0	29058	4121	4121	2
0335	002	2813	0.06	6786	14	65	100	3	6	0	8439	1653	RC-4	80	density-lim	200			0.75	14	2.333333254	0	0	16878	10092	10092	2
0335	002B	3125	0.07	12983	22	65	100	3	7	0	9375	0	RC-4	80	density-lim	200			0.75	16	2.285714388	0	0	18750	5767	5767	2
0335	002C	3954	0.09	21186	39	65	100	3	9	0	11862	0	RC-4	80	density-lim	200	true		0.75	20	2.222222328	0	0	23724	2538	2538	2
0335	018	2348	0.05	7047	16	65	100	3	5	0	7044	0	RC-4	80	density-lim	200			0.75	12	2.400000095	0	0	14088	7041	7041	2
0335	019	2363	0.05	7654	14	65	100	3	5	0	7089	0	RC-4	80	density-lim	200			0.75	12	2.400000095	0	0	14178	6524	6524	2
0335	022	3185	0.07	9736	18	65	100	3	7	0	9555	0	RC-4	80	density-lim	200			0.75	16	2.285714388	0	0	19110	9374	9374	2
0336	002	9704	0.22	52661	120	65	100	3	22	0	29112	0	RC-4	80	density-lim	200			0.75	49	2.227272749	0	0	58224	5563	5563	2
0336	004	4624	0.11	19780	28	65	100	3	11	0	13872	0	RC-4	80	density-lim	200			0.75	23	2.090909004	0	0	27744	7964	7964	2
0336	008	6333	0.15	42230	54	65	100	3	15	0	18999	0	RC-4	80	density-lim	200	true		0.75	32	2.133333445	0	0	37998	0	0	2
0336	011	7906	0.18	33964	53	65	100	3	18	0	23718	0	RC-4	80	density-lim	200			0.75	40	2.222222328	0	0	47436	13472	13472	2
0336	014	3500	0.08	14400	23	65	100	3	8	0	10500	0	RC-4	80	density-lim	200			0.75	18	2.25	0	0	21000	6600	6600	2
0336	014B	6874	0.16	30550	49	65	100	3	16	0	20622	0	RC-4	80	density-lim	200			0.75	34	2.125	0	0	41244	10694	10694	2
0336	014C	3500	0.08	12000	24	65	100	3	8	0	10500	0	RC-4	80	density-lim	200			0.75	18	2.25	0	0	21000	9000	9000	2
0337	001	2636	0.06	8529	26	65	100	3	6	0	7908	0	RC-4	80	density-lim	200	true		0.75	13	2.166666746	0	0	15816	7287	7287	2
0337	003	5256	0.12	26430	49	65	100	3	12	0	15768	0	RC-4	80	density-lim	200			0.75	26	2.166666746	0	0	31536	5106	5106	2
0337	004	3742	0.09	11960	23	65	100	3	9	0	11226	0	RC-4	80	density-lim	200			0.75	19	2.111111164	0	0	22452	10492	10492	2
0337	005	1875	0.04	4315	9	65	100	3	4	0	5625	1310	RC-4	80	density-lim	200			0.75	9	2.25	0	0	11250	6935	6935	2
0337	007A	6542	0.15	24550	50	65	100	3	15	0	19626	0	RC-4	80	density-lim	200			0.75	33	2.200000048	0	0	39252	14702	14702	2
0337	014	4375	0.1	22810	82	65	100	3	10	0	13125	0	RC-4	80	density-lim	200			0.75	22	2.200000048	0	0	26250	3440	3440	2
0337	019	4634	0.11	13296	29	65	100	3	11	0	13902	606	RC-4	80	density-lim	200			0.75	23	2.090909004	0	0	27804	14508	14508	2
0337	020	37529	0.86	247100	364	65	100	3	86	0	112587	0	RC-4	80	density-lim	200			0.75	188	2.1860466	0	0	225174	0	0	2
0337	022	4263	0.1	14196	32	65	100	3	10	0	12789	0	RC-4	80	density-lim	200			0.75	21	2.099999905	0	0	25578	11382	11382	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0338	001A	5130	0.12	30220	41	65	100	3	12	0	15390	0	RC-4	120	density-lim	200			0.75	26	2.166666746	0	0	46170	15950	560	3
0338	002	4072	0.09	9420	20	65	100	3	9	0	12216	2796	RC-4	120	density-lim	200			0.75	20	2.222222328	0	0	36648	27228	15012	3
0338	004	5316	0.12	31950	52	65	100	3	12	0	15948	0	RC-4	120	density-lim	200	true		0.75	27	2.25	0	0	47844	15894	0	3
0338	010	6911	0.16	47054	86	65	100	3	16	0	20733	0	RC-4	120	density-lim	200			0.75	35	2.1875	0	0	62199	15145	0	3
0338	014	4375	0.1	20040	36	65	100	3	10	0	13125	0	RC-4	120	density-lim	200			0.75	22	2.200000048	0	0	39375	19335	6210	3
0338	015	2217	0.05	8750	17	65	100	3	5	0	6651	0	RC-4	80	density-lim	200			0.75	11	2.200000048	0	0	13302	4552	4552	2
0338	017	3500	0.08	10220	37	65	100	3	8	0	10500	280	RC-4	80	density-lim	200	true		0.75	18	2.25	0	0	21000	10780	10780	2
0338	018	4156	0.1	25144	67	65	100	3	10	0	12468	0	RC-4	80	density-lim	200			0.75	21	2.099999905	0	0	24936	0	0	2
0338	019	6875	0.16	20400	37	65	100	3	16	0	20625	225	RC-4	80	density-lim	200			0.75	34	2.125	0	0	41250	20850	20850	2
0338	021	4970	0.11	23603	40	65	100	3	11	0	14910	0	RC-4	80	density-lim	200			0.75	25	2.272727251	0	0	29820	6217	6217	2
0338	021A	5112	0.12	24549	42	65	100	3	12	0	15336	0	RC-4	80	density-lim	200			0.75	26	2.166666746	0	0	30672	6123	6123	2
0339	003	9587	0.22	34500	105	75	120	3.5	26	0	33554	0	RC-4	120	density-lim	200	true		0.75	48	1.846153855	0	0	86283	51783	32608	2.571467
0339	005	2813	0.06	17800	54	75	120	3.5	7	0	9846	0	RC-4	120	density-lim	200			0.75	14	2	0	0	25317	7517	1892	2.571298
0339	009	3781	0.09	10020	19	65	100	3	9	0	11343	1323	RC-4	120	density-lim	200			0.75	19	2.111111164	0	0	34029	24009	12666	3
0339	011	2880	0.07	13464	18	65	100	3	7	0	8640	0	RC-4	120	density-lim	200			0.75	14	2	0	0	25920	12456	3816	3
0339	011A	5640	0.13	50538	134	65	100	3	13	0	16920	0	RC-4	120	density-lim	200	true		0.75	28	2.153846264	0	0	50760	222	0	3
0339	014	11066	0.25	59151	151	65	100	3	25	0	33198	0	RC-4	80	density-lim	200	true		0.75	55	2.200000048	0	0	66396	7245	7245	2
0339	015A	7027	0.16	30185	55	75	120	3.5	19	0	24594	0	RC-4	80	density-lim	200			0.75	35	1.842105269	0	0	42162	11977	11977	1.714321
0339	016	6333	0.15	15855	60	75	120	3.5	18	0	22166	6311	RC-4	80	density-lim	200			0.75	32	1.777777791	0	0	37998	22143	22143	1.714247
0339	017	9400	0.22	5443	105	75	120	3.5	26	0	32900	27457	RC-4	80	density-lim	200	true		0.75	47	1.807692289	0	0	56400	50957	50957	1.714286
0339	019	12929	0.3	83690	69	75	120	3.5	36	0	45252	0	RC-4	120	density-lim	200			0.75	65	1.805555582	0	0	109877.25	26187.25	6814	2.428119
0340	004	4722	0.11	37454	105	85	140	4	15	0	18888	0	C-3-G	120	form-based		true		0.8	42	2.799999952	0	0	42498	5044	322	2.25
0340	008	4727	0.11	28039	42	75	120	3.5	13	0	16544	0	RC-4	120	density-lim	200			0.75	24	1.846153855	0	0	42543	14504	5049	2.571506
0340	019	18775	0.43	59613	134	75	120	3.5	52	0	65712	6099	RC-4	120	density-lim	200	true		0.75	94	1.807692289	0	0	140568.75	80955.75	71811	2.139164
0341	015	5287	0.12	42822	61	85	140	4	17	0	21148	0	C-3-G	110	form-based		true		0.8	48	2.823529482	0	0	47583	4761	0	2.25
0342	042	34353	0.79	559	245	85	140	4	111	0	137412	136853	C-3-G	120	form-based				0.8	222	2	0	0	222353.25	221794.25	221794.25	1.61815
0343	001	19025	0.44	53805	116	75	120	3.5	53	0	66588	12783	RC-4	120	density-lim	200	true		0.75	95	1.792452812	0	0	141881.25	88076.25	79371	2.130733
0343	008	9459	0.22	54939	76	65	100	3	22	0	28377	0	RC-4	120	density-lim	200			0.75	47	2.136363745	0	0	85131	30192	1815	3
0343	013	4531	0.1	22410	60	65	100	3	10	0	13593	0	RC-4	120	density-lim	200			0.75	23	2.299999952	0	0	40779	18369	4776	3
0343	014	4744	0.11	0	70	65	100	3	11	0	14232	14232	RC-4	120	density-lim	200	true		0.75	24	2.181818247	0	0	42696	42696	28464	3
0343	017	5156	0.12	17400	27	65	100	3	12	0	15468	0	RC-4	120	density-lim	200			0.75	26	2.166666746	0	0	46404	29004	13536	3
0343	017A	6875	0.16	33940	52	65	100	3	16	0	20625	0	RC-4	120	density-lim	200			0.75	34	2.125	0	0	61875	27935	7310	3
0344	002	18707	0.43	126115	108	65	100	3	43	0	56121	0	RC-4	120	density-lim	200	true		0.75	94	2.1860466	0	0	140211.75	14096.75	0	2.498383
0344	006B	4744	0.11	24370	41	65	100	3	11	0	14232	0	RC-4	120	density-lim	200	true		0.75	24	2.181818247	0	0	42696	18326	4094	3
0344	007	7562	0.17	32385	66	65	100	3	17	0	22686	0	RC-4	120	density-lim	200			0.75	38	2.235294104	0	0	68058	35673	12987	3
0345	002	6757	0.16	0	98	75	120	3.5	19	0	23650	23650	C-3-G	80	form-based				0.8	38	2	0	0	43244.80078	43244.80078	43244.80078	1.828533
0345	006	1786	0.04	6760	14	75	120	3.5	5	0	6251	0	C-3-G	80	form-based				0.8	10	2	0	0	11430.40039	4670.400391	4670.400391	1.828571
0345	012B	3075	0.07	16100	25	75	120	3.5	8	0	10762	0	RC-4	80	density-lim	200			0.75	15	1.875	0	0	18450	2350	2350	1.714365
0345	012C	6150	0.14	13092	32	75	120	3.5	17	0	21525	8433	RC-4	80	density-lim	200			0.75	31	1.823529363	0	0	36900	23808	23808	1.714286
0345	017	10263	0.24	68900	146	75	120	3.5	29	0	35920	0	RC-4	80	density-lim	200			0.75	51	1.758620739	0	0	61578	0	0	1.71431
0345	018	8643	0.2	86920	231	75	120	3.5	24	0	30250	0	RC-4	80	density-lim	200			0.75	43	1.791666627	0	0	51858	0	0	1.714314
0345	031	18766	0.43	125425	277	75	120	3.5	52	0	65681	0	C-3-G	80	form-based		true		0.8	105	2.019230843	0	0	120102.3984	0	0	1.828571
0345	033	4869	0.11	17896	31	75	120	3.5	13	0	17042	0	RC-4	80	density-lim	200	true		0.75	24	1.846153855	0	0	29214	11318	11318	1.714235
0346	001	5175	0.12	29970	44	75	120	3.5	14	0	18112	0	RC-4	80	density-lim	200	true		0.75	26	1.857142806	0	0	31050	1080	1080	1.714333
0346	006	18874	0.43	74390	111	75	120	3.5	52	0	66059	0	RC-4	80	density-lim	200	true		0.75	94	1.807692289	0	0	113244	38854	38854	1.714286
0346	007	3354	0.08	15792	26	65	100	3	8	0	10062	0	RC-4	80	density-lim	200			0.75	17	2.125	0	0	20124	4332	4332	2
0346	013	4963	0.11	32908	95	75	120	3.5	13	0	17370	0	RC-4	80	density-lim	200			0.75	25	1.923076868	0	0	29778	0	0	1.714335
0346	023	1561	0.04	2400	9	65	100	3	4	0	4683	2283	RC-4	80	density-lim	200			0.75	8	2	0	0	9366	6966	6966	2
0346	024	18844	0.43	60989	363	75	120	3.5	52	0	65954	4965	C-3-G	80	form-based				0.8	106	2.038461447	0	0	120601.6016	59612.60156	59612.60156	1.828571
0347	005	3825	0.09	21600	62	75	120	3.5	11	0	13388	0	RC-4	80	density-lim	200	true		0.75	19	1.727272749	0	0	22950	1350	1350	1.714222
0347	006	4185	0.1	18635	63	75	120	3.5	12	0	14648	0	RC-4	80	density-lim	200	true		0.75	21	1.75	0	0	25110	6475	6475	1.714227
0347	006A	4185	0.1	17360	63	75	120	3.5	12	0	14648	0	RC-4	80	density-lim	200			0.75	21	1.75	0	0	25110	7750	7750	1.714227
0347	007	6975	0.16	21829	85	75	120	3.5	19	0	24412	2583	RC-4	80	density-lim	200			0.75	35	1.842105269	0	0	41850	20021	20021	1.714321
0347	009	4498	0.1	11789	24	75	120	3.5	12	0	15743	3954	RC-4	80	density-lim	200			0.75	22	1.833333373	0	0	26988	15199	15199	1.714286
0348	007	16351	0.38	69769	125	75	120	3.5	46	0	57228	0	C-3-G	80	form-based				0.8	92	2	0	0	104646.3984	34877.39844	34877.39844	1.828587
0349	002	4752	0.11	32494	82	75	120	3.5	13	0	16632	0	RC-4	120	density-lim	200			0.75	24	1.846153855	0	0	42768	10274	770	2.571429
0349	004	9453	0.22	59684	217	75	120	3.5	26	0	33086	0	RC-4	120	density-lim	200			0.75	47	1.807692289	0	0	85077	25393	6488	2.57139
0349	008	5507	0.13	18197	28	75	120	3.5	16	0	19274	1077	RC-4	120	density-lim	200	true		0.75	28	1.75	0	0	49563	31366	20351	2.571495
0349	021	14393	0.33	46233	90	75	120	3.5	40	0	50376	4143	RC-4	120	density-lim	200	true		0.75	72	1.799999952	0	0	117563.25	71330.25	54519	2.333715
0350	002	14846	0.34	124548	193	85	140	4	48	0	59384	0	C-3-G	120	form-based				0.8	120	2.5	0	0	119941.5	0	0	2.019761
0350	003	27432	0.63	194031	303	85	140	4	88	0	109728	0	C-3-G	120	form-based		true		0.8	186	2.113636255	0	0	186018	0	0	1.695265
0351	052	7498	0.17	283	60	85	140	4	24	0	29992	29709	C-3-G	80	form-based				0.8	42	1.75	0	0	47987.19922	47704.19922	47704.19922	1.6
0355	009	5000	0.11	22310	56	85	140	4	15	0	20000	0	C-3-G	80	form-based				0.8	28	1.866666675	0	0	32000	9690	9690	1.6
0451	007	26400	0.61	141744	125	65	100	3	61	0	79200	0	RTO-C	65	form-based		true	true	0.75	99	1.622950792	0	0	118800	0	0	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0451	133	26400	0.61	1166	136	85	140	4	85	0	105600	104434	RTO-C	65	form-based		true	true	0.75	99	1.164705873	0	0	118800	117634	117634	1.125
0452	002	113763	2.61	1953	521	65	100	3	261	0	341289	339336	C-2	40	form-base	800	true		0.55	188	0.720306516	0	0	250278.6094	248325.6094	248325.6094	0.733333
0453	002	14353	0.33	14697	72	65	100	3	33	0	43059	28362	NC-1	40	form-based			true	0.75	32	0.969696999	0	0	43059	28362	28362	1
0453	003A	4415	0.1	11745	14	65	100	3	10	0	13245	1500	RM-3	40	form-based		true	true	0.75	10	1	0	0	13245	1500	1500	1
0453	003B	4280	0.1	10800	12	65	100	3	10	0	12840	2040	RM-3	40	form-based			true	0.75	10	1	0	0	12840	2040	2040	1
0453	003C	2943	0.07	7260	9	65	100	3	7	0	8829	1569	RM-3	40	form-based			true	0.75	7	1	0	0	8829	1569	1569	1
0453	003D	2943	0.07	7260	9	65	100	3	7	0	8829	1569	RM-3	40	form-based			true	0.75	7	1	0	0	8829	1569	1569	1
0453	005	5545	0.13	9678	12	65	100	3	13	1	16635	6957	RM-3	40	form-based			true	0.75	12	0.923076928	0	0	16635	6957	6957	1
0453	005A	3000	0.07	6804	12	65	100	3	7	0	9000	2196	RM-3	40	form-based			true	0.75	7	1	0	0	9000	2196	2196	1
0453	005B	4300	0.1	9678	12	65	100	3	10	0	12900	3222	RM-3	40	form-based			true	0.75	10	1	0	0	12900	3222	3222	1
0453	005C	6611	0.15	37974	42	65	100	3	15	0	19833	0	RM-3	40	form-based		true	true	0.75	15	1	0	0	19833	0	0	1
0453	010	2844	0.07	9891	6	65	100	3	7	1	8532	0	NC-1	40	form-based		true	true	0.75	6	0.857142866	0	0	8532	0	0	1
0453	018	885	0.02	764	2	65	100	3	2	0	2655	1891	NC-1	40	form-based			true	0.75	2	1	0	0	2655	1891	1891	1
0459	005	63791	1.46	162597	241	55	80	2.5	117	0	159478	0	RM-4	40	form-based		true	true	0.55	105	0.897435904	0	0	140340.2031	0	0	0.879997
0459	008	7550	0.17	533	24	55	80	2.5	14	0	18875	18342	RM-4	40	form-based		true	true	0.75	17	1.214285731	0	0	22650	22117	22117	1.2
0459	034	12542	0.29	1154	28	55	80	2.5	23	0	31355	30201	NC-2	40	form-based		true	true	0.75	28	1.217391253	0	0	37626	36472	36472	1.2
0460A	003	5000	0.11	12380	13	55	80	2.5	9	0	12500	120	NC-2	40	form-based			true	0.75	11	1.222222209	0	0	15000	2620	2620	1.2
0460A	009	7563	0.17	13980	17	55	80	2.5	14	0	18908	4928	RM-3	40	form-based			true	0.75	17	1.214285731	0	0	22689	8709	8709	1.199968
0460A	011	8924	0.2	21180	24	55	80	2.5	16	0	22310	1130	RM-3	40	form-based			true	0.75	20	1.25	0	0	26772	5592	5592	1.2
0471	007	5000	0.11	1020	12	55	80	2.5	9	0	12500	11480	RM-1	40	form-based			true	0.7	10	1.111111164	0	0	14000	12980	12980	1.12
0471	001	3750	0.09	10350	12	55	80	2.5	7	0	9375	0	RM-1	40	form-based		true	true	0.7	8	1.142857194	0	0	10500	150	150	1.12
0471	001B	2500	0.06	5784	6	55	80	2.5	5	0	6250	466	RH-3	40	form-based			true	0.7	5	1	0	0	7000	1216	1216	1.12
0471	002	2500	0.06	5784	6	55	80	2.5	5	0	6250	466	RH-3	40	form-based			true	0.7	5	1	0	0	7000	1216	1216	1.12
0471	002B	2500	0.06	4710	5	55	80	2.5	5	0	6250	1540	RH-3	40	form-based			true	0.7	5	1	0	0	7000	2290	2290	1.12
0471	002D	2500	0.06	4134	5	55	80	2.5	5	0	6250	2116	RH-3	40	form-based			true	0.7	5	1	0	0	7000	2866	2866	1.12
0471	003	68167	1.56	83680	159	55	80	2.5	125	0	170418	86738	RM-1	40	density-lim	800	true		0.55	85	0.680000007	0	0	149967.4063	66287.40625	66287.40625	0.879997
0471	019	4771	0.11	760	11	55	80	2.5	9	0	11928	11168	RH-3	40	form-based		true	true	0.7	10	1.111111164	0	0	13358.7998	12598.7998	12598.7998	1.119953
0472	005	6875	0.16	14850	14	65	100	3	16	2	20625	5775	RH-3	40	form-based			true	0.7	14	0.875	0	0	19250	4400	4400	0.933333
0472	009	5469	0.13	13761	15	65	100	3	13	0	16407	2646	RH-3	40	form-based		true	true	0.7	11	0.846153855	0	0	15313.2002	1552.200195	1552.200195	0.933333
0472	020	5022	0.12	11748	12	65	100	3	12	0	15066	3318	RH-3	40	form-based		true	true	0.7	11	0.916666687	0	0	14061.59961	2313.599609	2313.599609	0.933333
0472	022	5000	0.11	14405	20	55	80	2.5	9	0	12500	0	RH-3	40	form-based			true	0.7	10	1.111111164	0	0	14000	0	0	1.12
0472	027	5000	0.11	11832	12	65	100	3	11	0	15000	3168	RM-1	40	form-based			true	0.7	10	0.909090936	0	0	14000	2168	2168	0.933333
0472	029	5000	0.11	13350	14	65	100	3	11	0	15000	1650	RM-1	40	form-based		true	true	0.7	10	0.909090936	0	0	14000	650	650	0.933333
0472	034	6875	0.16	15011	15	65	100	3	16	1	20625	5614	RM-1	40	form-based			true	0.7	14	0.875	0	0	19250	4239	4239	0.933333
0473	001	4521	0.1	11802	12	65	100	3	10	0	13563	1761	RM-1	40	form-based		true	true	0.7	9	0.899999976	0	0	12658.7998	856.7998047	856.7998047	0.933333
0473	001A	3938	0.09	9135	11	65	100	3	9	0	11814	2679	RM-1	40	form-based			true	0.7	8	0.888888896	0	0	11026.39941	1891.399414	1891.399414	0.933333
0473	001B	3937	0.09	9135	11	65	100	3	9	0	11811	2676	RM-1	40	form-based			true	0.7	8	0.888888896	0	0	11023.59961	1888.599609	1888.599609	0.933333
0473	013D	3757	0.09	8016	15	65	100	3	9	0	11271	3255	RH-3	40	form-based		true	true	0.7	8	0.888888896	0	0	10519.59961	2503.599609	2503.599609	0.933333
0473	014B	6256	0.14	15060	18	65	100	3	14	0	18768	3708	RM-1	40	form-based		true	true	0.7	13	0.928571403	0	0	17516.79883	2456.798828	2456.798828	0.933333
0473	019	6885	0.16	12840	14	65	100	3	16	2	20655	7815	RM-1	40	form-based			true	0.7	14	0.875	0	0	19278	6438	6438	0.933333
0474	016B	4134	0.09	10991	12	65	100	3	9	0	12402	1411	RM-1	40	form-based		true	true	0.7	9	1	0	0	11575.2002	584.2001953	584.2001953	0.933333
0474	022A	5094	0.12	9219	12	65	100	3	12	0	15282	6063	RM-1	40	form-based			true	0.7	11	0.916666687	0	0	14263.2002	5044.200195	5044.200195	0.933333
0476	013	4388	0.1	860	12	65	100	3	10	0	13164	12304	RM-1	40	form-based		true	true	0.7	9	0.899999976	0	0	12286.39941	11426.39941	11426.39941	0.933333
0476	005A	1757	0.04	2614	4	65	100	3	4	0	5271	2657	RM-1	40	form-based			true	0.7	4	1	0	0	4919.600098	2305.600098	2305.600098	0.933333
0476	005C	4580	0.11	10950	18	65	100	3	11	0	13740	2790	RM-1	40	form-based		true	true	0.7	10	0.909090936	0	0	12824	1874	1874	0.933333
0476	006	5156	0.12	6380	12	65	100	3	12	0	15468	9088	RM-1	40	form-based			true	0.7	11	0.916666687	0	0	14436.7998	8056.799805	8056.799805	0.933333
0477	005	7215	0.17	13020	17	65	100	3	17	0	21645	8625	RM-3	40	form-based		true	true	0.75	16	0.941176474	0	0	21645	8625	8625	1
0477	017B	1309	0.03	3086	3	65	100	3	3	0	3927	841	RM-1	40	form-based		true	true	0.7	3	1	0	0	3665.199951	579.1999512	579.1999512	0.933333
0478	001	3826	0.09	9258	15	65	100	3	9	0	11478	2220	RM-1	40	form-based		true	true	0.7	8	0.888888896	0	0	10712.7998	1454.799805	1454.799805	0.933333
0478	001B	4975	0.11	10200	15	65	100	3	11	0	14925	4725	RM-1	40	form-based			true	0.7	10	0.909090936	0	0	13930	3730	3730	0.933333
0478	001C	4975	0.11	10200	15	65	100	3	11	0	14925	4725	RM-1	40	form-based			true	0.7	10	0.909090936	0	0	13930	3730	3730	0.933333
0478	005	2847	0.07	7795	8	65	100	3	7	0	8541	746	RM-1	40	form-based		true	true	0.7	6	0.857142866	0	0	7971.600098	176.6000977	176.6000977	0.933333
0478	016	5987	0.14	12000	14	85	140	4	20	6	23948	11948	RM-1	40	form-based			true	0.7	13	0.649999976	0	0	16763.59961	4763.599609	4763.599609	0.7
0479	001	4664	0.11	12891	21	85	140	4	15	0	18656	5765	RTO-C	65	form-based		true	true	0.75	17	1.133333325	0	0	20988	8097	8097	1.125
0479	003	4543	0.1	29983	40	85	140	4	14	0	18172	0	RC-3	65	form-based		true	true	0.75	17	1.214285731	0	0	20443.5	0	0	1.125
0479	010	4125	0.09	8469	12	65	100	3	9	0	12375	3906	RH-3	40	form-based			true	0.7	9	1	0	0	11550	3081	3081	0.933333
0480	001C	3736	0.09	9810	12	65	100	3	9	0	11208	1398	RH-3	40	form-based			true	0.7	8	0.888888896	0	0	10460.7998	650.7998047	650.7998047	0.933333
0480	001D	3756	0.09	6278	8	65	100	3	9	1	11268	4990	RH-3	40	form-based			true	0.7	8	0.888888896	0	0	10516.7998	4238.799805	4238.799805	0.933333
0480	004A	2815	0.06	7011	11	65	100	3	6	0	8445	1434	RTO-C	65	form-based		true	true	0.75	11	1.833333373	0	0	12667.5	5656.5	5656.5	1.5
0481	001	3281	0.08	7332	12	65	100	3	8	0	9843	2511	RH-3	40	form-based		true	true	0.7	7	0.875	0	0	9186.799805	1854.799805	1854.799805	0.933333
0482	021A	4180	0.1	9993	12	55	80	2.5	8	0	10450	457	RM-2	40	form-based			true	0.7	9	1.125	0	0	11704	1711	1711	1.12
0482	021B	4180	0.1	9993	12	55	80	2.5	8	0	10450	457	RM-2	40	form-based			true	0.7	9	1.125	0	0	11704	1711	1711	1.12
0482	032	3435	0.08	5650	10	55	80	2.5	6	0	8588	2938	RH-3	40	form-based			true	0.7	7	1.166666627	0	0	9618	3968	3968	1.119935
0482	033	3792	0.09	5380	10	55	80	2.5	7	0	9480	4100	RH-3	40	form-based			true	0.7	8	1.142857194	0	0	10617.59961	5237.599609	5237.599609	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0493	024	1004	0.02	1017	7	55	80	2.5	2	0	2510	1493	RTO-C	65	form-based			true	0.75	4	2	0	0	4518	3501	3501	1.8
0494	013D	3052	0.07	7500	12	55	80	2.5	6	0	7630	130	RTO-C	65	form-based		true	true	0.75	11	1.833333373	0	0	13734	6234	6234	1.8
0494	020	1345	0.03	2436	6	55	80	2.5	2	0	3362	926	RTO-C	65	form-based			true	0.75	5	2.5	0	0	6052.5	3616.5	3616.5	1.800268
0495	001	3640	0.08	9084	15	55	80	2.5	6	0	9100	16	RTO-C	65	form-based		true	true	0.75	14	2.333333254	0	0	16380	7296	7296	1.8
0495	007	7696	0.18	20250	33	55	80	2.5	14	0	19240	0	RTO-C	65	form-based		true	true	0.75	29	2.071428537	0	0	34632	14382	14382	1.8
0495	007A	6846	0.16	13680	26	55	80	2.5	13	0	17115	3435	RTO-C	65	form-based			true	0.75	26	2	0	0	30807	17127	17127	1.8
0498	003	6480	0.15	28800	30	85	140	4	21	0	25920	0	RC-3	65	form-based			true	0.75	24	1.142857194	0	0	29160	360	360	1.125
0498	022C	6000	0.14	16850	26	65	100	3	14	0	18000	1150	RTO-C	65	form-based			true	0.75	23	1.642857194	0	0	27000	10150	10150	1.5
0499	001H	7634	0.18	15654	24	65	100	3	18	0	22902	7248	RM-1	50	form-based			true	0.7	21	1.166666627	0	0	26719	11065	11065	1.166667
0499	002B	6000	0.14	25800	33	65	100	3	14	0	18000	0	RM-3	65	form-based			true	0.75	23	1.642857194	0	0	27000	1200	1200	1.5
0500	041	1551	0.04	545	4	65	100	3	4	0	4653	4108	RH-3	50	form-based			true	0.7	4	1	0	0	5428.5	4883.5	4883.5	1.166667
0501	006	5376	0.12	24562	18	65	100	3	12	0	16128	0	RH-3	50	form-based			true	0.7	15	1.25	0	0	18816	0	0	1.166667
0501	073	9061	0.21	30128	36	65	100	3	21	0	27183	0	RM-2	65	form-based		true	true	0.7	32	1.523809552	0	0	38056.19922	7928.199219	7928.199219	1.4
0502	002	5732	0.13	29750	36	65	100	3	13	0	17196	0	RM-3	65	form-based			true	0.75	21	1.615384579	0	0	25794	0	0	1.5
0503	007	5182	0.12	9450	12	65	100	3	12	0	15546	6096	RH-3	40	form-based			true	0.7	11	0.916666687	0	0	14509.59961	5059.599609	5059.599609	0.933333
0503	011A	5487	0.13	11622	18	65	100	3	13	0	16461	4839	RH-3	40	form-based			true	0.7	12	0.923076928	0	0	15363.59961	3741.599609	3741.599609	0.933333
0504	003C	5000	0.11	13500	15	65	100	3	11	0	15000	1500	RM-2	40	form-based		true	true	0.7	10	0.909090936	0	0	14000	500	500	0.933333
0504	019	3766	0.09	1273	9	65	100	3	9	0	11298	10025	NC-3	40	density-lin	600			0.75	6	0.666666687	0	0	11298	10025	10025	1
0505	002	5400	0.12	13971	21	65	100	3	12	0	16200	2229	RM-2	40	form-based		true	true	0.7	11	0.916666687	0	0	15120	1149	1149	0.933333
0505	006	3000	0.07	6522	6	55	80	2.5	6	0	7500	978	RH-3	40	form-based			true	0.7	6	1	0	0	8400	1878	1878	1.12
0505	009A	100	0	0	0	55	80	2.5	0	0	250	250	RH-3	40	form-based			true	0.7	0		0	0	280	280	280	1.12
0506	018	3132	0.07	7725	8	55	80	2.5	6	0	7830	105	RH-2	40	form-based		true	true	0.7	7	1.166666627	0	0	8769.599609	1044.599609	1044.599609	1.12
0506	037	5000	0.11	10485	12	55	80	2.5	9	0	12500	2015	RH-2	40	form-based			true	0.7	10	1.111111164	0	0	14000	3515	3515	1.12
0506	039	2126	0.05	1240	6	55	80	2.5	4	0	5315	4075	RH-2	40	form-based			true	0.7	4	1	0	0	5952.799805	4712.799805	4712.799805	1.12
0507	012	3438	0.08	6590	8	55	80	2.5	6	0	8595	2005	RH-2	40	form-based			true	0.7	7	1.166666627	0	0	9626.399414	3036.399414	3036.399414	1.12
0507	017	3154	0.07	5760	8	55	80	2.5	6	0	7885	2125	RM-2	40	form-based		true	true	0.7	7	1.166666627	0	0	8831.200195	3071.200195	3071.200195	1.12
0507	040	5625	0.13	14167	14	55	80	2.5	10	0	14062	0	RH-2	40	form-based		true	true	0.7	12	1.200000048	0	0	15750	1583	1583	1.12004
0508	017	4091	0.09	10953	13	55	80	2.5	7	0	10228	0	RM-2	40	form-based		true	true	0.7	9	1.285714269	0	0	11454.7998	501.7998047	501.7998047	1.119945
0508	018	4029	0.09	9504	12	55	80	2.5	7	0	10072	568	RM-2	40	form-based		true	true	0.7	8	1.142857194	0	0	11281.2002	1777.200195	1777.200195	1.120056
0517	023	1151	0.03	1814	2	55	80	2.5	2	0	2878	1064	RH-2	40	form-based			true	0.7	2	1	0	0	3222.800049	1408.800049	1408.800049	1.119805
0518	037	2235	0.05	5511	6	55	80	2.5	4	0	5588	77	RH-2	40	form-based		true	true	0.7	5	1.25	0	0	6258	747	747	1.1199
0518	039	4014	0.09	5238	9	55	80	2.5	7	0	10035	4797	RH-2	40	form-based			true	0.7	8	1.142857194	0	0	11239.2002	6001.200195	6001.200195	1.12
0518	040	4014	0.09	5238	10	55	80	2.5	7	0	10035	4797	RH-2	40	form-based			true	0.7	8	1.142857194	0	0	11239.2002	6001.200195	6001.200195	1.12
0518	041	4092	0.09	5238	9	55	80	2.5	7	0	10230	4992	RH-2	40	form-based			true	0.7	9	1.285714269	0	0	11457.59961	6219.599609	6219.599609	1.12
0519	001	2526	0.06	4806	8	55	80	2.5	5	0	6315	1509	RH-2	40	form-based		true	true	0.7	5	1	0	0	7072.799805	2266.799805	2266.799805	1.12
0519	010	2500	0.06	2877	6	55	80	2.5	5	0	6250	3373	RH-2	40	form-based			true	0.7	5	1	0	0	7000	4123	4123	1.12
0519	016	2130	0.05	5025	6	55	80	2.5	4	0	5325	300	RH-2	40	form-based			true	0.7	4	1	0	0	5964	939	939	1.12
0519	017	1401	0.03	2720	3	55	80	2.5	2	0	3502	782	RH-2	40	form-based		true	true	0.7	3	1.5	0	0	3922.800049	1202.800049	1202.800049	1.12016
0520	001	2925	0.07	6168	6	65	100	3	7	1	8775	2607	RH-3	40	form-based		true	true	0.7	6	0.857142866	0	0	8190	2022	2022	0.933333
0520	004	3161	0.07	7917	9	65	100	3	7	0	9483	1566	RM-2	40	form-based		true	true	0.7	7	1	0	0	8850.799805	933.7998047	933.7998047	0.933333
0520	007	4134	0.09	5810	9	65	100	3	9	0	12402	6592	RH-3	40	form-based			true	0.7	9	1	0	0	11575.2002	5765.200195	5765.200195	0.933333
0520	015	1802	0.04	3344	5	55	80	2.5	3	0	4505	1161	RH-3	40	form-based		true	true	0.7	4	1.333333373	0	0	5045.600098	1701.600098	1701.600098	1.12
0520	015A	1923	0.04	4800	6	55	80	2.5	3	0	4808	8	RH-3	40	form-based			true	0.7	4	1.333333373	0	0	5384.399902	584.3999023	584.3999023	1.119884
0520	036	3438	0.08	5011	7	65	100	3	8	1	10314	5303	RH-3	40	form-based			true	0.7	7	0.875	0	0	9626.399414	4615.399414	4615.399414	0.933333
0522	010	3181	0.07	9186	31	65	100	3	7	0	9543	357	RTO-C	85	form-based		true	true	0.75	17	2.428571463	0	0	19086	9900	9900	2
0523	004	3025	0.07	7590	13	65	100	3	7	0	9075	1485	RM-2	65	form-based			true	0.7	11	1.571428537	0	0	12705	5115	5115	1.4
0524	001	3159	0.07	8824	12	65	100	3	7	0	9477	653	RH-3	50	form-based		true	true	0.7	9	1.285714269	0	0	11056.5	2232.5	2232.5	1.166667
0524	021B	3855	0.09	10590	15	65	100	3	9	0	11565	975	RM-2	65	form-based		true	true	0.7	13	1.444444418	0	0	16191	5601	5601	1.4
0525	009	5867	0.13	14067	23	65	100	3	13	0	17601	3534	RM-2	65	form-based			true	0.7	21	1.615384579	0	0	24641.40039	10574.40039	10574.40039	1.4
0525	016	2678	0.06	7685	10	65	100	3	6	0	8034	349	NCD-POLK	65	form-based		true	true	0.75	10	1.666666627	0	0	12051	4366	4366	1.5
0529	001	3131	0.07	6426	9	65	100	3	7	0	9393	2967	RM-2	40	form-based		true	true	0.7	7	1	0	0	8766.799805	2340.799805	2340.799805	0.933333
0529	018	2000	0.05	2896	4	55	80	2.5	4	0	5000	2104	RH-3	40	form-based			true	0.7	4	1	0	0	5600	2704	2704	1.12
0529	018B	1999	0.05	5162	4	55	80	2.5	4	0	4998	0	RH-3	40	form-based		true	true	0.7	4	1	0	0	5597.199707	435.199707	435.199707	1.119888
0530	001	2753	0.06	8280	7	55	80	2.5	5	0	6882	0	RH-2	40	form-based		true	true	0.7	6	1.200000048	0	0	7708.399902	0	0	1.120081
0530	019	2588	0.06	6540	6	55	80	2.5	5	0	6470	0	RH-2	40	form-based			true	0.7	5	1	0	0	7246.399902	706.3999023	706.3999023	1.12
0530	023A	3051	0.07	4790	8	55	80	2.5	6	0	7628	2838	RH-2	40	form-based			true	0.7	6	1	0	0	8542.799805	3752.799805	3752.799805	1.119927
0531	015	4850	0.11	10035	12	55	80	2.5	9	0	12125	2090	RH-2	40	form-based			true	0.7	10	1.111111164	0	0	13580	3545	3545	1.12
0531	023	7301	0.17	15174	15	55	80	2.5	14	0	18252	3078	RH-2	40	form-based			true	0.7	15	1.071428537	0	0	20442.79883	5268.798828	5268.798828	1.120031
0532	028	10312	0.24	20820	24	55	80	2.5	19	0	25780	4960	RH-2	40	form-based			true	0.7	22	1.157894731	0	0	28873.59961	8053.599609	8053.599609	1.12
0541	002	2549	0.06	2986	5	55	80	2.5	5	0	6372	3386	RM-1	40	form-based			true	0.7	5	1	0	0	7137.199707	4151.199707	4151.199707	1.120088
0541	003	3800	0.09	9810	9	55	80	2.5	7	0	9500	0	RM-1	40	form-based		true	true	0.7	8	1.142857194	0	0	10640	830	830	1.12
0541	004	3000	0.07	7508	7	55	80	2.5	6	0	7500	0	RM-1	40	form-based			true	0.7	6	1	0	0	8400	892	892	1.12
0541	005	4124	0.09	5985	9	55	80	2.5	7	0	10310	4325	RM-1	40	form-based			true	0.7	9	1.285714269	0	0	11547.2002	5562.200195	5562.200195	1.12
0542	010	2605	0.06	3105	5	55	80	2.5	5	0	6512	3407	RH-3	40	form-based			true	0.7	5	1	0	0	7294	4189	4189	1.120086

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0542	026	625	0.01	1350	2	55	80	2.5	1	0	1562	212	NCD-UNIO	65	form-based			true	0.75	2	2	0	0	2812.5	1462.5	1462.5	1.800576
0542	027	1870	0.04	1900	6	55	80	2.5	3	0	4675	2775	RH-2	40	form-based			true	0.7	4	1.333333373	0	0	5236	3336	3336	1.12
0542	046	7995	0.18	960	27	55	80	2.5	14	0	19988	19028	RM-1	40	form-based		true	true	0.7	17	1.214285731	0	0	22386	21426	21426	1.119972
0543	004	4661	0.11	12348	12	55	80	2.5	9	0	11652	0	RH-2	40	form-based			true	0.7	10	1.111111164	0	0	13050.7998	702.7998047	702.7998047	1.120048
0544	005	7461	0.17	30556	45	65	100	3	17	0	22383	0	RH-2	40	form-based			true	0.7	16	0.941176474	0	0	20890.79883	0	0	0.933333
0544	008A	2025	0.05	3000	4	55	80	2.5	4	0	5062	2062	RH-2	40	form-based			true	0.7	4	1	0	0	5670	2670	2670	1.120111
0545	008	3397	0.08	9900	12	65	100	3	8	0	10191	291	RM-2	40	form-based		true	true	0.7	7	0.875	0	0	9511.599609	0	0	0.933333
0545	017	2694	0.06	3807	6	65	100	3	6	0	8082	4275	RM-2	40	form-based			true	0.7	6	1	0	0	7543.199707	3736.199707	3736.199707	0.933333
0545	018	2188	0.05	3807	6	65	100	3	5	0	6564	2757	RM-2	40	form-based			true	0.7	5	1	0	0	6126.399902	2319.399902	2319.399902	0.933333
0545	019	2406	0.06	3864	6	65	100	3	6	0	7218	3354	RM-2	40	form-based			true	0.7	5	0.833333313	0	0	6736.799805	2872.799805	2872.799805	0.933333
0545	020	1719	0.04	3864	6	65	100	3	4	0	5157	1293	RM-2	40	form-based			true	0.7	4	1	0	0	4813.199707	949.199707	949.199707	0.933333
0545	021	1719	0.04	3864	6	65	100	3	4	0	5157	1293	RTO-C	65	form-based			true	0.75	6	1.5	0	0	7735.5	3871.5	3871.5	1.5
0545	022	1719	0.04	5260	7	65	100	3	4	0	5157	0	RTO-C	65	form-based		true	true	0.75	6	1.5	0	0	7735.5	2475.5	2475.5	1.5
0548	001	6302	0.14	13650	24	65	100	3	14	0	18906	5256	RM-2	65	form-based		true	true	0.7	22	1.571428537	0	0	26468.40039	12818.40039	12818.40039	1.4
0549	001	7352	0.17	25100	31	65	100	3	17	0	22056	0	RM-2	65	form-based		true	true	0.7	26	1.529411793	0	0	30878.40039	5778.400391	5778.400391	1.4
0549	006	2400	0.06	5400	8	65	100	3	6	0	7200	1800	RH-3	65	form-based			true	0.7	8	1.333333373	0	0	10080	4680	4680	1.4
0552	001	1655	0.04	3560	4	65	100	3	4	0	4965	1405	RH-2	40	form-based		true	true	0.7	3	0.75	0	0	4634	1074	1074	0.933333
0552	001A	1655	0.04	3560	4	65	100	3	4	0	4965	1405	RH-2	40	form-based			true	0.7	3	0.75	0	0	4634	1074	1074	0.933333
0552	005	3034	0.07	6600	6	65	100	3	7	1	9102	2502	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8495.200195	1895.200195	1895.200195	0.933333
0552	019	2550	0.06	7470	11	65	100	3	6	0	7650	180	RM-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7140	0	0	0.933333
0552	038	2459	0.06	751	6	65	100	3	6	0	7377	6626	RM-2	40	form-based			true	0.7	5	0.833333313	0	0	6885.199707	6134.199707	6134.199707	0.933333
0552	049	2641	0.06	1012	6	65	100	3	6	0	7923	6911	RM-2	40	form-based			true	0.7	6	1	0	0	7394.799805	6382.799805	6382.799805	0.933333
0554	005	6783	0.16	36128	29	55	80	2.5	13	0	16958	0	RM-1	40	form-based		true	true	0.7	14	1.076923132	0	0	18992.40039	0	0	1.119967
0554	019	2499	0.06	3924	5	55	80	2.5	5	0	6248	2324	RH-2	40	form-based		true	true	0.7	5	1	0	0	6997.199707	3073.199707	3073.199707	1.11991
0554	031	7975	0.18	17187	25	55	80	2.5	14	0	19938	2751	RM-2	40	form-based			true	0.7	17	1.214285731	0	0	22330	5143	5143	1.119972
0555	020	2816	0.06	6816	6	55	80	2.5	5	0	7040	224	RM-1	40	form-based		true	true	0.7	6	1.200000048	0	0	7884.799805	1068.799805	1068.799805	1.12
0555	027	7286	0.17	16662	21	55	80	2.5	14	0	18215	1553	RH-3	40	form-based			true	0.7	15	1.071428537	0	0	20400.79883	3738.798828	3738.798828	1.12
0557	001A	5620	0.13	12750	12	55	80	2.5	10	0	14050	1300	RM-1	40	form-based			true	0.7	12	1.200000048	0	0	15736	2986	2986	1.12
0558	001	2554	0.06	5769	6	55	80	2.5	5	0	6385	616	RH-3	40	form-based		true	true	0.7	5	1	0	0	7151.199707	1382.199707	1382.199707	1.12
0558	002	2500	0.06	3252	6	55	80	2.5	5	0	6250	2998	RH-3	40	form-based			true	0.7	5	1	0	0	7000	3748	3748	1.12
0558	003	2500	0.06	4835	6	55	80	2.5	5	0	6250	1415	RH-3	40	form-based			true	0.7	5	1	0	0	7000	2165	2165	1.12
0558	043	822	0.02	1348	2	55	80	2.5	2	0	2055	707	RH-2	40	form-based			true	0.7	2	1	0	0	2301.599854	953.5998535	953.5998535	1.12
0559	009	3025	0.07	5642	9	55	80	2.5	6	0	7562	1920	RH-2	40	form-based			true	0.7	6	1	0	0	8470	2828	2828	1.120074
0559	024A	5683	0.13	12000	12	55	80	2.5	10	0	14208	2208	RH-2	40	form-based		true	true	0.7	12	1.200000048	0	0	15912.39941	3912.399414	3912.399414	1.119961
0559	032	1594	0.04	2896	4	55	80	2.5	3	0	3985	1089	RH-2	40	form-based			true	0.7	3	1	0	0	4463.199707	1567.199707	1567.199707	1.12
0562	023	4195	0.1	7074	11	55	80	2.5	8	0	10488	3414	RH-1	40	form-based			true	0.7	9	1.125	0	0	11746	4672	4672	1.119947
0564	027	15135	0.35	830	43	55	80	2.5	28	0	37838	37008	RM-1	40	form-based		true	true	0.7	32	1.142857194	0	0	42378	41548	41548	1.119985
0565	018	2439	0.06	4734	8	55	80	2.5	5	0	6098	1364	RH-2	40	form-based		true	true	0.7	5	1	0	0	6829.199707	2095.199707	2095.199707	1.119908
0566	014A	9109	0.21	60419	41	55	80	2.5	17	0	22772	0	RTO-C	65	form-based		true	true	0.75	34	2	0	0	40990.5	0	0	1.80004
0566	024	22637	0.52	165485	222	55	80	2.5	42	0	56592	0	RTO-C	105	form-based		true	true	0.75	143	3.404761791	0	0	142844.25	0	0	2.524107
0567	001	2708	0.06	7481	8	55	80	2.5	5	0	6770	0	RH-2	40	form-based		true	true	0.7	6	1.200000048	0	0	7582.399902	101.3999023	101.3999023	1.12
0568	022	8160	0.19	36852	48	65	100	3	19	0	24480	0	RTO-C	85	form-based			true	0.75	43	2.263157845	0	0	48960	12108	12108	2
0573	012	7453	0.17	26682	95	65	100	3	17	0	22359	0	NCD-POLK	85	form-based		true	true	0.75	39	2.294117689	0	0	44718	18036	18036	2
0574	001A	2267	0.05	6144	12	65	100	3	5	0	6801	657	NCD-POLK	85	form-based			true	0.75	12	2.400000095	0	0	13602	7458	7458	2
0577	020	6822	0.16	9147	16	65	100	3	16	0	20466	11319	RH-2	40	form-based			true	0.7	14	0.875	0	0	19101.59961	9954.599609	9954.599609	0.933333
0578	010	8779	0.2	19806	24	55	80	2.5	16	0	21948	2142	RM-2	40	form-based			true	0.7	18	1.125	0	0	24581.19922	4775.199219	4775.199219	1.119974
0580	007A	5308	0.12	12138	12	55	80	2.5	10	0	13270	1132	RM-1	40	form-based			true	0.7	11	1.100000024	0	0	14862.39941	2724.399414	2724.399414	1.12
0580	011	6618	0.15	28614	25	55	80	2.5	12	0	16545	0	RM-1	40	form-based			true	0.7	14	1.166666627	0	0	18530.40039	0	0	1.12
0580	021	5308	0.12	730	12	55	80	2.5	10	0	13270	12540	RM-1	40	form-based			true	0.7	11	1.100000024	0	0	14862.39941	14132.39941	14132.39941	1.12
0580	037	14450	0.33	1526	65	55	80	2.5	26	0	36125	34599	RM-1	40	form-based		true	true	0.7	30	1.153846145	0	0	40460	38934	38934	1.12
0581	008A	5746	0.13	17464	24	55	80	2.5	10	0	14365	0	RM-1	40	form-based			true	0.7	12	1.200000048	0	0	16088.7998	0	0	1.12
0581	008B	8779	0.2	36075	21	55	80	2.5	16	0	21948	0	RM-1	40	form-based			true	0.7	18	1.125	0	0	24581.19922	0	0	1.119974
0581	009	3767	0.09	6000	8	55	80	2.5	7	0	9418	3418	RM-1	40	form-based			true	0.7	8	1.142857194	0	0	10547.59961	4547.599609	4547.599609	1.119941
0581	011	10215	0.23	39179	40	55	80	2.5	18	0	25538	0	RM-1	40	form-based		true	true	0.7	21	1.166666627	0	0	28602	0	0	1.119978
0581	021	11628	0.27	35639	60	55	80	2.5	22	0	29070	0	RM-1	40	form-based		true	true	0.7	24	1.090909123	0	0	32558.40039	0	0	1.12
0582	006	10269	0.24	50700	62	55	80	2.5	19	0	25672	0	RM-1	40	form-based		true	true	0.7	22	1.157894731	0	0	28753.19922	0	0	1.120022
0582	023	4510	0.1	11130	16	55	80	2.5	8	0	11275	145	RM-1	40	form-based		true	true	0.7	9	1.125	0	0	12628	1498	1498	1.12
0582	024	5019	0.12	13182	14	55	80	2.5	10	0	12548	0	RM-1	40	form-based			true	0.7	11	1.100000024	0	0	14053.2002	871.2001953	871.2001953	1.119955
0582	027	4405	0.1	870	10	55	80	2.5	8	0	11012	10142	RH-1	40	form-based			true	0.7	9	1.125	0	0	12334	11464	11464	1.120051
0587	003	2523	0.06	3150	6	55	80	2.5	5	0	6308	3158	RH-2	40	form-based			true	0.7	5	1	0	0	7064.399902	3914.399902	3914.399902	1.119911
0588	003	5082	0.12	13390	16	55	80	2.5	10	0	12705	0	RM-1	40	form-based			true	0.7	11	1.100000024	0	0	14229.59961	839.5996094	839.5996094	1.12
0588	015	5513	0.13	13845	16	55	80	2.5	10	0	13782	0	RM-1	40	form-based			true	0.7	12	1.200000048	0	0	15436.39941	1591.399414	1591.399414	1.120041
0588	018	5306	0.12	15000	18	55	80	2.5	10	0	13265	0	RM-1	40	form-based		true	true	0.7	11	1.100000024	0	0	14856.7998	0	0	1.12
0588	022	8229	0.19	36650	21	55	80	2.5	15	0	20572	0	RH-2	40	form-based			true	0.7	17	1.133333325	0	0	23041.19922	0	0	1.120027

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0589	001	7801	0.18	42594	38	55	80	2.5	14	0	19502	0	RM-1	40	form-based		true	true	0.7	16	1.142857194	0	0	21842.79883	0	0	1.120029
0589	002	4202	0.1	12036	18	55	80	2.5	8	0	10505	0	RM-1	40	form-based		true	true	0.7	9	1.125	0	0	11765.59961	0	0	1.12
0589	003	7475	0.17	40828	31	55	80	2.5	14	0	18688	0	RM-1	40	form-based			true	0.7	16	1.142857194	0	0	20930	0	0	1.11997
0589	012	2918	0.07	5352	6	55	80	2.5	6	0	7295	1943	RH-2	40	form-based			true	0.7	6	1	0	0	8170.399902	2818.399902	2818.399902	1.12
0589	016	2850	0.07	6372	9	55	80	2.5	6	0	7125	753	RM-1	40	form-based		true	true	0.7	6	1	0	0	7980	1608	1608	1.12
0589	018	2841	0.07	19500	16	55	80	2.5	6	0	7102	0	RM-1	40	form-based		true	true	0.7	6	1	0	0	7954.799805	0	0	1.120079
0590	004	8938	0.21	20532	21	55	80	2.5	17	0	22345	1813	RM-2	40	form-based			true	0.7	19	1.117647052	0	0	25026.40039	4494.400391	4494.400391	1.12
0590	004A	7661	0.18	17286	18	55	80	2.5	14	0	19152	1866	RM-2	40	form-based			true	0.7	16	1.142857194	0	0	21450.79883	4164.798828	4164.798828	1.120029
0590	007	3637	0.08	7243	11	55	80	2.5	6	0	9092	1849	RH-2	40	form-based		true	true	0.7	8	1.333333373	0	0	10183.59961	2940.599609	2940.599609	1.120062
0590	009	5735	0.13	14000	15	55	80	2.5	10	0	14338	338	RM-1	40	form-based		true	true	0.7	12	1.200000048	0	0	16058	2058	2058	1.119961
0590	012	8931	0.21	20818	20	55	80	2.5	17	0	22328	1510	RM-2	40	form-based			true	0.7	19	1.117647052	0	0	25006.79883	4188.798828	4188.798828	1.119975
0590	014A	3830	0.09	5432	8	55	80	2.5	7	0	9575	4143	RH-2	40	form-based			true	0.7	8	1.142857194	0	0	10724	5292	5292	1.12
0594	004K	49	0	0	0	65	100	3	0	0	147	147	RTO-C	240	form-based			true	0.75	0		0	0	441	441	294	3
0597	005	2450	0.06	6640	16	65	100	3	6	0	7350	710	RM-2	65	form-based		true	true	0.7	9	1.5	0	0	10290	3650	3650	1.4
0597	007	2450	0.06	4968	12	65	100	3	6	0	7350	2382	RM-2	65	form-based			true	0.7	9	1.5	0	0	10290	5322	5322	1.4
0597	019	4295	0.1	11939	26	65	100	3	10	0	12885	946	RM-2	85	form-based			true	0.7	21	2.099999905	0	0	24052	12113	12113	1.866667
0597	022	6035	0.14	11006	30	65	100	3	14	0	18105	7099	RM-2	85	form-based			true	0.7	30	2.142857075	0	0	33796	22790	22790	1.866667
0600	001	3691	0.08	8286	12	65	100	3	8	0	11073	2787	RH-2	40	form-based		true	true	0.7	8	1	0	0	10334.7998	2048.799805	2048.799805	0.933333
0600	004	5108	0.12	25920	32	65	100	3	12	0	15324	0	RM-3	40	form-based		true	true	0.75	11	0.916666687	0	0	15324	0	0	1
0600	005	4214	0.1	11136	18	65	100	3	10	0	12642	1506	RH-2	40	form-based			true	0.7	9	0.899999976	0	0	11799.2002	663.2001953	663.2001953	0.933333
0600	006	4278	0.1	8826	9	65	100	3	10	1	12834	4008	RH-2	40	form-based			true	0.7	9	0.899999976	0	0	11978.39941	3152.399414	3152.399414	0.933333
0600	013	6135	0.14	14375	14	65	100	3	14	0	18405	4030	RH-2	40	form-based			true	0.7	13	0.928571403	0	0	17178	2803	2803	0.933333
0601	004	4469	0.1	12100	11	65	100	3	10	0	13407	1307	RH-2	40	form-based			true	0.7	9	0.899999976	0	0	12513.2002	413.2001953	413.2001953	0.933333
0602	012	18906	0.43	160968	95	55	80	2.5	34	0	47265	0	RM-2	40	form-based		true	true	0.7	40	1.176470637	0	0	52936.80078	0	0	1.12
0602	013	7120	0.16	15780	15	55	80	2.5	13	0	17800	2020	RM-2	40	form-based		true	true	0.7	15	1.153846145	0	0	19936	4156	4156	1.12
0602	014	9198	0.21	1000	19	55	80	2.5	17	0	22995	21995	RM-2	40	form-based			true	0.7	19	1.117647052	0	0	25754.40039	24754.40039	24754.40039	1.12
0603	006	4877	0.11	10655	11	55	80	2.5	9	0	12192	1537	RM-1	40	form-based			true	0.7	10	1.111111164	0	0	13655.59961	3000.599609	3000.599609	1.120046
0603	008	6230	0.14	26660	25	55	80	2.5	11	0	15575	0	RM-1	40	form-based		true	true	0.7	13	1.181818128	0	0	17444	0	0	1.12
0603	012	3000	0.07	4180	6	55	80	2.5	6	0	7500	3320	RH-2	40	form-based			true	0.7	6	1	0	0	8400	4220	4220	1.12
0604	005	4093	0.09	9390	16	55	80	2.5	7	0	10232	842	RM-1	40	form-based			true	0.7	9	1.285714269	0	0	11460.39941	2070.399414	2070.399414	1.120055
0604	016	4850	0.11	7448	13	55	80	2.5	9	0	12125	4677	RH-2	40	form-based			true	0.7	10	1.111111164	0	0	13580	6132	6132	1.12
0604	020	5126	0.12	28840	31	55	80	2.5	10	0	12815	0	RH-2	40	form-based		true	true	0.7	11	1.100000024	0	0	14352.7998	0	0	1.12
0604	027	2040	0.05	5389	8	55	80	2.5	4	0	5100	0	RH-2	40	form-based		true	true	0.7	4	1	0	0	5712	323	323	1.12
0604	046	2068	0.05	1117	4	55	80	2.5	4	0	5170	4053	RM-1	40	form-based			true	0.7	4	1	0	0	5790.399902	4673.399902	4673.399902	1.12
0605	006	2408	0.06	5944	6	55	80	2.5	5	0	6020	76	RH-2	40	density-lin	1500			0.7	4	0.800000012	0	0	6742.399902	798.3999023	798.3999023	1.12
0605	008	2471	0.06	4880	6	55	80	2.5	5	0	6178	1298	RH-2	40	density-lin	1500	true		0.7	6	1.200000048	0	0	6918.799805	2038.799805	2038.799805	1.119909
0605	011	2246	0.05	4615	6	65	100	3	5	0	6738	2123	RH-2	40	form-based			true	0.7	5	1	0	0	6288.799805	1673.799805	1673.799805	0.933333
0605	018	3831	0.09	8832	15	65	100	3	9	0	11493	2661	RH-2	40	form-based			true	0.7	8	0.888888896	0	0	10726.7998	1894.799805	1894.799805	0.933333
0605	018A	5535	0.13	24345	51	65	100	3	13	0	16605	0	RTO-C	65	form-based		true	true	0.75	21	1.615384579	0	0	24907.5	562.5	562.5	1.5
0605	018B	3549	0.08	17417	24	65	100	3	8	0	10647	0	RTO-C	65	form-based			true	0.75	13	1.625	0	0	15970.5	0	0	1.5
0605	018F	3831	0.09	8688	15	65	100	3	9	0	11493	2805	RH-2	40	form-based			true	0.7	8	0.888888896	0	0	10726.7998	2038.799805	2038.799805	0.933333
0605	024	3203	0.07	6055	10	55	80	2.5	6	0	8008	1953	RH-2	40	form-based			true	0.7	7	1.166666627	0	0	8968.399414	2913.399414	2913.399414	1.11993
0605	027	3631	0.08	8658	12	55	80	2.5	6	0	9078	420	RH-2	40	form-based			true	0.7	8	1.333333373	0	0	10166.7998	1508.799805	1508.799805	1.119938
0606	005	2835	0.07	6552	11	65	100	3	7	0	8505	1953	NCD-UPPE	65	form-based			true	0.75	11	1.571428537	0	0	12757.5	6205.5	6205.5	1.5
0606	008	2650	0.06	5199	6	65	100	3	6	0	7950	2751	RH-2	40	form-based			true	0.7	6	1	0	0	7420	2221	2221	0.933333
0606	014	2982	0.07	3648	6	65	100	3	7	1	8946	5298	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8349.599609	4701.599609	4701.599609	0.933333
0606	016	4518	0.1	7332	12	65	100	3	10	0	13554	6222	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	12650.39941	5318.399414	5318.399414	0.933333
0606	029	4507	0.1	8817	12	65	100	3	10	0	13521	4704	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	12619.59961	3802.599609	3802.599609	0.933333
0606	030	4508	0.1	8817	12	65	100	3	10	0	13524	4707	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	12622.39941	3805.399414	3805.399414	0.933333
0611	006	2587	0.06	4140	6	65	100	3	6	0	7761	3621	RH-2	40	form-based			true	0.7	5	0.833333313	0	0	7243.600098	3103.600098	3103.600098	0.933333
0611	020	3979	0.09	7500	10	65	100	3	9	0	11937	4437	RM-1	40	form-based			true	0.7	8	0.888888896	0	0	11141.2002	3641.200195	3641.200195	0.933333
0611	022	4038	0.09	10770	9	65	100	3	9	0	12114	1344	RM-1	40	form-based		true	true	0.7	8	0.888888896	0	0	11306.39941	536.3994141	536.3994141	0.933333
0611	024	3188	0.07	6836	7	65	100	3	7	0	9564	2728	RH-2	40	form-based			true	0.7	7	1	0	0	8926.399414	2090.399414	2090.399414	0.933333
0612	006	2205	0.05	2944	5	65	100	3	5	0	6615	3671	RH-2	40	density-lin	1500			0.7	4	0.800000012	0	0	6174	3230	3230	0.933333
0613	022	3830	0.09	8925	15	55	80	2.5	7	0	9575	650	RM-1	40	form-based			true	0.7	8	1.142857194	0	0	10724	1799	1799	1.12
0613	022A	3830	0.09	8925	16	55	80	2.5	7	0	9575	650	RM-1	40	form-based			true	0.7	8	1.142857194	0	0	10724	1799	1799	1.12
0613	022B	3830	0.09	8925	15	55	80	2.5	7	0	9575	650	RM-1	40	form-based			true	0.7	8	1.142857194	0	0	10724	1799	1799	1.12
0613	023	3830	0.09	8925	15	55	80	2.5	7	0	9575	650	RM-1	40	form-based			true	0.7	8	1.142857194	0	0	10724	1799	1799	1.12
0614	002	10203	0.23	42486	29	55	80	2.5	18	0	25508	0	RM-2	40	form-based			true	0.7	21	1.166666627	0	0	28568.40039	0	0	1.119978
0614	003	9896	0.23	40776	57	55	80	2.5	18	0	24740	0	RM-2	40	form-based		true	true	0.7	21	1.166666627	0	0	27708.79883	0	0	1.12
0614	012	3132	0.07	6618	8	55	80	2.5	6	0	7830	1212	RM-1	40	form-based		true	true	0.7	7	1.166666627	0	0	8769.599609	2151.599609	2151.599609	1.12
0614	017	3332	0.08	5000	7	55	80	2.5	6	0	8330	3330	RH-2	40	form-based			true	0.7	7	1.166666627	0	0	9329.599609	4329.599609	4329.599609	1.12
0617	007	11714	0.27	20100	28	65	100	3	27	0	35142	15042	RM-3	40	form-based			true	0.75	26	0.962962985	0	0	35142	15042	15042	1
0617	013	6213	0.14	16978	15	65	100	3	14	0	18639	1661	RM-3	40	form-based		true	true	0.75	14	1	0	0	18639	1661	1661	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0617	015	1430	0.03	3022	3	65	100	3	3	0	4290	1268	RH-2	40	form-based			true	0.7	3	1	0	0	4004	982	982	0.933333
0617	061	17557	0.4	983	42	65	100	3	40	0	52671	51688	RM-3	40	form-based			true	0.75	40	1	0	0	52671	51688	51688	1
0620	002	3100	0.07	6900	13	65	100	3	7	0	9300	2400	RM-3	65	form-based			true	0.75	12	1.714285731	0	0	13950	7050	7050	1.5
0620	018	3440	0.08	9591	18	65	100	3	8	0	10320	729	NCD-POLK	85	form-based			true	0.75	18	2.25	0	0	20640	11049	11049	2
0621	001	3195	0.07	8118	12	65	100	3	7	0	9585	1467	RM-3	65	form-based		true	true	0.75	12	1.714285731	0	0	14377.5	6259.5	6259.5	1.5
0621	006	7410	0.17	21570	30	65	100	3	17	0	22230	660	RM-3	65	form-based		true	true	0.75	28	1.647058845	0	0	33345	11775	11775	1.5
0623	005	8805	0.2	31086	79	65	100	3	20	0	26415	0	RTO-C	240	form-based			true	0.75	79	3.950000048	0	0	79245	48159	21744	3
0624	012	3879	0.09	8187	9	65	100	3	9	0	11637	3450	RH-2	40	form-based			true	0.7	8	0.888888896	0	0	10861.2002	2674.200195	2674.200195	0.933333
0624	013	5173	0.12	11910	14	65	100	3	12	0	15519	3609	RM-3	40	form-based			true	0.75	12	1	0	0	15519	3609	3609	1
0627	013	2649	0.06	6009	6	55	80	2.5	5	0	6622	613	RM-1	40	form-based			true	0.7	6	1.200000048	0	0	7417.199707	1408.199707	1408.199707	1.120085
0627	014	3032	0.07	9474	19	55	80	2.5	6	0	7580	0	RM-1	40	form-based		true	true	0.7	6	1	0	0	8489.599609	0	0	1.12
0627	019	8776	0.2	21038	21	55	80	2.5	16	0	21940	902	RM-2	40	form-based			true	0.7	18	1.125	0	0	24572.79883	3534.798828	3534.798828	1.12
0627A	001	17550	0.4	947	128	55	80	2.5	32	0	43875	42928	RM-2	40	form-based		true	true	0.7	37	1.15625	0	0	49140	48193	48193	1.12
0629	019A	676	0.02	1875	3	65	100	3	2	0	2028	153	NCD-UPPE	65	form-based		true	true	0.75	3	1.5	0	0	3042	1167	1167	1.5
0630	009	2534	0.06	11480	19	65	100	3	6	0	7602	0	NCD-UPPE	65	form-based		true	true	0.75	10	1.666666627	0	0	11403	0	0	1.5
0630	018	4990	0.11	12627	14	65	100	3	11	0	14970	2343	RH-2	50	form-based		true	true	0.7	14	1.272727251	0	0	17465	4838	4838	1.166667
0630	023	4199	0.1	9174	12	65	100	3	10	0	12597	3423	RH-2	40	form-based			true	0.7	9	0.899999976	0	0	11757.2002	2583.200195	2583.200195	0.933333
0630	028	3131	0.07	4209	9	65	100	3	7	0	9393	5184	RH-2	40	form-based			true	0.7	7	1	0	0	8766.799805	4557.799805	4557.799805	0.933333
0630	033	3560	0.08	990	12	65	100	3	8	0	10680	9690	RH-2	40	form-based		true	true	0.7	7	0.875	0	0	9968	8978	8978	0.933333
0631	039	1058	0.02	2937	3	65	100	3	2	0	3174	237	RH-2	50	form-based		true	true	0.7	3	1.5	0	0	3703	766	766	1.166667
0632	001C	2707	0.06	4224	6	65	100	3	6	0	8121	3897	RH-3	40	form-based			true	0.7	6	1	0	0	7579.600098	3355.600098	3355.600098	0.933333
0632	001E	3543	0.08	4500	8	65	100	3	8	0	10629	6129	RH-3	40	form-based			true	0.7	7	0.875	0	0	9920.399414	5420.399414	5420.399414	0.933333
0632	001G	3603	0.08	5525	8	65	100	3	8	0	10809	5284	RH-3	40	form-based			true	0.7	8	1	0	0	10088.39941	4563.399414	4563.399414	0.933333
0632	002A	4749	0.11	11518	14	65	100	3	11	0	14247	2729	RM-2	50	form-based			true	0.7	13	1.181818128	0	0	16621.5	5103.5	5103.5	1.166667
0632	034	2883	0.07	886	6	65	100	3	7	1	8649	7763	RH-3	40	form-based		true	true	0.7	6	0.857142866	0	0	8072.399902	7186.399902	7186.399902	0.933333
0633	001L	3803	0.09	4355	11	85	140	4	13	2	15212	10857	RH-2	50	form-based			true	0.7	11	0.846153855	0	0	13310.5	8955.5	8955.5	0.875
0633	017	119	0	0	0	65	100	3	0	0	357	357	RH-2	50	form-based			true	0.7	0		0	0	416.5	416.5	416.5	1.166667
0634	022	5844	0.13	13983	18	65	100	3	13	0	17532	3549	RH-3	50	form-based			true	0.7	16	1.230769277	0	0	20454	6471	6471	1.166667
0635	004	8726	0.2	40539	52	65	100	3	20	0	26178	0	NCD-UPPE	85	form-based		true	true	0.75	46	2.299999952	0	0	52356	11817	11817	2
0635	010A	2380	0.05	6924	12	85	140	4	7	0	9520	2596	NCD-UPPE	85	form-based		true	true	0.75	12	1.714285731	0	0	14280	7356	7356	1.5
0636	001	2952	0.07	7096	12	65	100	3	7	0	8856	1760	RM-1	40	form-based		true	true	0.7	6	0.857142866	0	0	8265.599609	1169.599609	1169.599609	0.933333
0636	018	4346	0.1	18828	24	65	100	3	10	0	13038	0	NCD-UPPE	85	form-based			true	0.75	23	2.299999952	0	0	26076	7248	7248	2
0637	017	3989	0.09	8940	12	65	100	3	9	0	11967	3027	RM-1	40	form-based			true	0.7	8	0.888888896	0	0	11169.2002	2229.200195	2229.200195	0.933333
0638	011	7448	0.17	9880	22	55	80	2.5	14	0	18620	8740	RM-1	40	form-based			true	0.7	16	1.142857194	0	0	20854.40039	10974.40039	10974.40039	1.12
0638	011A	6366	0.15	13680	18	55	80	2.5	12	0	15915	2235	RM-1	40	form-based			true	0.7	13	1.083333373	0	0	17824.79883	4144.798828	4144.798828	1.12
0638	017	6875	0.16	1265	24	55	80	2.5	13	0	17188	15923	RM-2	40	form-based		true	true	0.7	14	1.076923132	0	0	19250	17985	17985	1.119967
0638	057	6381	0.15	30696	20	55	80	2.5	12	0	15952	0	RM-1	40	form-based		true	true	0.7	13	1.083333373	0	0	17866.79883	0	0	1.120035
0639	001	6031	0.14	30522	25	55	80	2.5	11	0	15078	0	RM-2	40	form-based		true	true	0.7	13	1.181818128	0	0	16886.79883	0	0	1.119963
0639	001A	7244	0.17	31968	24	55	80	2.5	14	0	18110	0	RM-2	40	form-based			true	0.7	15	1.071428537	0	0	20283.19922	0	0	1.12
0639	012	6920	0.16	23341	16	55	80	2.5	13	0	17300	0	RM-2	40	form-based		true	true	0.7	15	1.153846145	0	0	19376	0	0	1.12
0639	016	7242	0.17	28750	36	55	80	2.5	14	0	18105	0	RM-2	40	form-based			true	0.7	15	1.071428537	0	0	20277.59961	0	0	1.12
0639	017	5538	0.13	905	13	55	80	2.5	10	0	13845	12940	RM-2	40	form-based			true	0.7	12	1.200000048	0	0	15506.39941	14601.39941	14601.39941	1.12
0640	002	2754	0.06	5886	6	65	100	3	6	0	8262	2376	RM-3	40	form-based			true	0.75	6	1	0	0	8262	2376	2376	1
0640	010	9460	0.22	9980	12	55	80	2.5	18	6	23650	13670	RH-2	40	density-lim	1500	true		0.7	6	0.333333343	0	0	26488	16508	16508	1.12
0640	012	5796	0.13	22635	39	65	100	3	13	0	17388	0	RM-2	40	form-based		true	true	0.7	12	0.923076928	0	0	16228.7998	0	0	0.933333
0640	016	3403	0.08	6090	11	65	100	3	8	0	10209	4119	RM-2	40	form-based			true	0.7	7	0.875	0	0	9528.399414	3438.399414	3438.399414	0.933333
0640	017	3389	0.08	6800	8	65	100	3	8	0	10167	3367	RM-2	40	form-based			true	0.7	7	0.875	0	0	9489.200195	2689.200195	2689.200195	0.933333
0640	018	14541	0.33	78146	86	65	100	3	33	0	43623	0	RM-2	40	form-based			true	0.7	31	0.939393938	0	0	40714.80078	0	0	0.933333
0644	001	4020	0.09	13440	20	65	100	3	9	0	12060	0	RM-3	65	form-based		true	true	0.75	15	1.666666627	0	0	18090	4650	4650	1.5
0644	002	2760	0.06	7572	15	65	100	3	6	0	8280	708	RM-3	65	form-based			true	0.75	10	1.666666627	0	0	12420	4848	4848	1.5
0644	005	3010	0.07	8076	14	65	100	3	7	0	9030	954	RM-3	65	form-based			true	0.75	11	1.571428537	0	0	13545	5469	5469	1.5
0644	016	4829	0.11	14160	43	65	100	3	11	0	14487	327	NCD-POLK	120	form-based			true	0.75	43	3.909090996	0	0	43461	29301	14814	3
0648	009	9178	0.21	37170	48	65	100	3	21	0	27534	0	RM-3	80	density-lim	400			0.75	23	1.09523809	0	0	55068	17898	17898	2
0648	090	11172	0.26	550	41	65	100	3	26	0	33516	32966	RM-3	80	density-lim	400	true		0.75	28	1.076923132	0	0	67032	66482	66482	2
0649	013	5743	0.13	16127	15	55	80	2.5	10	0	14358	0	RM-2	40	density-lim	600	true		0.7	10	1	0	0	16080.39941	0	0	1.119961
0649	014	6341	0.15	18320	18	55	80	2.5	12	0	15852	0	RM-2	40	density-lim	600	true		0.7	11	0.916666687	0	0	17754.79883	0	0	1.120035
0649	014A	5091	0.12	11598	9	55	80	2.5	10	1	12728	1130	RM-2	40	density-lim	600			0.7	8	0.800000012	0	0	14254.7998	2656.799805	2656.799805	1.119956
0649	016	6580	0.15	8524	8	65	100	3	15	7	19740	11216	RH-2	40	density-lim	1500			0.7	4	0.266666681	0	0	18424	9900	9900	0.933333
0649	024	18769	0.43	70462	113	65	100	3	43	0	56307	0	RM-2	40	density-lim	600			0.7	31	0.720930219	0	0	52553.19922	0	0	0.933333
0650	008	5328	0.12	6824	10	55	80	2.5	10	0	13320	6496	RM-2	40	density-lim	600			0.7	9	0.899999976	0	0	14918.39941	8094.399414	8094.399414	1.12
0650	017A	5512	0.13	14034	16	55	80	2.5	10	0	13780	0	RM-2	40	density-lim	600			0.7	9	0.899999976	0	0	15433.59961	1399.599609	1399.599609	1.12
0650	018	5512	0.13	14034	16	55	80	2.5	10	0	13780	0	RM-2	40	density-lim	600			0.7	9	0.899999976	0	0	15433.59961	1399.599609	1399.599609	1.12
0650	019	5512	0.13	14034	16	55	80	2.5	10	0	13780	0	RM-2	40	density-lim	600			0.7	9	0.899999976	0	0	15433.59961	1399.599609	1399.599609	1.12
0650	020	5513	0.13	14034	16	55	80	2.5	10	0	13782	0	RM-2	40	density-lim	600			0.7	9	0.899999976	0	0	15436.39941	1402.399414	1402.399414	1.120041

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0650	021	4812	0.11	14444	16	55	80	2.5	9	0	12030	0	RM-2	40	density-lin	600			0.7	8	0.888888896	0	0	13473.59961	0	0	1.12
0650	022	5193	0.12	13650	12	55	80	2.5	10	0	12982	0	RM-2	40	density-lin	600			0.7	9	0.899999976	0	0	14540.39941	890.3994141	890.3994141	1.120043
0650	023	13849	0.32	52950	43	55	80	2.5	26	0	34622	0	RM-2	40	density-lin	600	true		0.7	23	0.884615362	0	0	38777.19922	0	0	1.120016
0650	024	13346	0.31	40595	47	55	80	2.5	25	0	33365	0	RM-2	40	density-lin	600	true		0.7	22	0.879999995	0	0	37368.80078	0	0	1.12
0650	025	9453	0.22	1180	16	55	80	2.5	18	2	23632	22452	RM-2	40	density-lin	600			0.7	16	0.888888896	0	0	26468.40039	25288.40039	25288.40039	1.120024
0651	001	5962	0.14	16076	15	55	80	2.5	11	0	14905	0	RM-2	40	density-lin	600	true		0.7	10	0.909090936	0	0	16693.59961	617.5996094	617.5996094	1.12
0651	003	2750	0.06	6138	6	55	80	2.5	5	0	6875	737	RM-1	40	density-lin	800			0.7	3	0.600000024	0	0	7700	1562	1562	1.12
0651	003B	2500	0.06	4000	4	55	80	2.5	5	1	6250	2250	RM-1	40	density-lin	800			0.7	3	0.600000024	0	0	7000	3000	3000	1.12
0651	003C	2500	0.06	4399	4	55	80	2.5	5	1	6250	1851	RM-1	40	density-lin	800			0.7	3	0.600000024	0	0	7000	2601	2601	1.12
0651	010	2350	0.05	5689	4	55	80	2.5	4	0	5875	186	RH-2	40	density-lin	1500			0.7	4	1	0	0	6580	891	891	1.12
0651	018	3793	0.09	8745	9	55	80	2.5	7	0	9482	737	RH-2	40	density-lin	1500			0.7	4	0.571428597	0	0	10620.39941	1875.399414	1875.399414	1.120059
0651	020	3794	0.09	7385	11	55	80	2.5	7	0	9485	2100	RH-2	40	density-lin	1500			0.7	4	0.571428597	0	0	10623.2002	3238.200195	3238.200195	1.12
0651	021	3816	0.09	4270	8	55	80	2.5	7	0	9540	5270	RH-2	40	density-lin	1500			0.7	4	0.571428597	0	0	10684.7998	6414.799805	6414.799805	1.12
0651	023	7611	0.17	15108	14	55	80	2.5	14	0	19028	3920	RH-2	40	density-lin	1500			0.7	5	0.357142866	0	0	21310.79883	6202.798828	6202.798828	1.119971
0651	032	6250	0.14	535	21	55	80	2.5	11	0	15625	15090	RM-1	40	density-lin	800	true		0.7	8	0.727272749	0	0	17500	16965	16965	1.12
0651	054	4047	0.09	5793	10	55	80	2.5	7	0	10118	4325	RH-2	40	density-lin	1500	true		0.7	6	0.857142866	0	0	11331.59961	5538.599609	5538.599609	1.119945
0651	060	3805	0.09	1367	5	55	80	2.5	7	2	9512	8145	RH-2	40	density-lin	1500			0.7	4	0.571428597	0	0	10654	9287	9287	1.120059
0652	001	4575	0.11	17124	19	55	80	2.5	9	0	11438	0	RM-2	40	density-lin	600	true		0.7	8	0.888888896	0	0	12810	0	0	1.119951
0652	005	2258	0.05	5148	6	55	80	2.5	4	0	5645	497	RH-2	40	density-lin	1500			0.7	4	1	0	0	6322.399902	1174.399902	1174.399902	1.12
0652	009	3609	0.08	5275	8	55	80	2.5	6	0	9022	3747	RH-2	40	density-lin	1500			0.7	4	0.666666687	0	0	10105.2002	4830.200195	4830.200195	1.120062
0652	013	3437	0.08	3820	10	65	100	3	8	0	10311	6491	RH-2	40	density-lin	1500			0.7	4	0.5	0	0	9623.599609	5803.599609	5803.599609	0.933333
0652	020	2438	0.06	2880	4	65	100	3	6	2	7314	4434	RH-2	40	density-lin	1500			0.7	4	0.666666687	0	0	6826.399902	3946.399902	3946.399902	0.933333
0652	021	2656	0.06	1950	4	65	100	3	6	2	7968	6018	RH-2	40	density-lin	1500			0.7	4	0.666666687	0	0	7436.799805	5486.799805	5486.799805	0.933333
0652	023	2316	0.05	2143	4	65	100	3	5	1	6948	4805	RH-2	40	density-lin	1500			0.7	4	0.800000012	0	0	6484.799805	4341.799805	4341.799805	0.933333
0652	023A	2194	0.05	2344	4	65	100	3	5	1	6582	4238	RH-2	40	density-lin	1500			0.7	4	0.800000012	0	0	6143.199707	3799.199707	3799.199707	0.933333
0652	024	4530	0.1	10626	21	65	100	3	10	0	13590	2964	RM-1	40	density-lin	800	true		0.7	6	0.600000024	0	0	12684	2058	2058	0.933333
0652	038	6915	0.16	16590	27	65	100	3	16	0	20745	4155	RM-2	40	density-lin	600			0.7	12	0.75	0	0	19362	2772	2772	0.933333
0652	067	3437	0.08	2420	6	65	100	3	8	2	10311	7891	RH-2	40	density-lin	1500			0.7	4	0.5	0	0	9623.599609	7203.599609	7203.599609	0.933333
0652	068	3438	0.08	4000	6	65	100	3	8	2	10314	6314	RH-2	40	density-lin	1500			0.7	4	0.5	0	0	9626.399414	5626.399414	5626.399414	0.933333
0652	077	2461	0.06	700	4	55	80	2.5	5	1	6152	5452	RH-2	40	density-lin	1500			0.7	4	0.800000012	0	0	6890.799805	6190.799805	6190.799805	1.120091
0653	006	2363	0.05	7208	9	65	100	3	5	0	7089	0	RH-2	40	density-lin	1500	true		0.7	6	1.200000048	0	0	6616.399902	0	0	0.933333
0653	013	2362	0.05	4875	6	65	100	3	5	0	7086	2211	RH-2	40	density-lin	1500	true		0.7	6	1.200000048	0	0	6613.600098	1738.600098	1738.600098	0.933333
0653	046	2225	0.05	412	4	65	100	3	5	1	6675	6263	RH-2	40	density-lin	1500			0.7	4	0.800000012	0	0	6230	5818	5818	0.933333
0653	050	2362	0.05	4711	4	65	100	3	5	1	7086	2375	RH-2	40	density-lin	1500			0.7	4	0.800000012	0	0	6613.600098	1902.600098	1902.600098	0.933333
0654	009	3088	0.07	3975	6	65	100	3	7	1	9264	5289	NCD-UPPE	40	density-lin	600			0.75	5	0.714285731	0	0	9264	5289	5289	1
0654	014	9848	0.23	17266	17	65	100	3	23	6	29544	12278	NCD-UPPE	40	density-lin	600	true		0.75	16	0.695652187	0	0	29544	12278	12278	1
0656	001A	4140	0.1	6442	12	85	140	4	14	2	16560	10118	RM-1	40	form-based			true	0.7	9	0.642857134	0	0	11592	5150	5150	0.7
0657	016A	535	0.01	400	1	65	100	3	1	0	1605	1205	RH-2	40	form-based			true	0.7	1	1	0	0	1498	1098	1098	0.933333
0657	018	7092	0.16	10572	16	65	100	3	16	0	21276	10704	RH-2	40	form-based		true	true	0.7	15	0.9375	0	0	19857.59961	9285.599609	9285.599609	0.933333
0659	014	3170	0.07	6785	4	65	100	3	7	3	9510	2725	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	8876	2091	2091	0.933333
0659	035	1309	0.03	1650	2	65	100	3	3	1	3927	2277	NCD-UPPE	40	density-lin	600			0.75	2	0.666666687	0	0	3927	2277	2277	1
0660	001	2676	0.06	9179	7	65	100	3	6	0	8028	0	RH-2	40	density-lin	1500	true		0.7	6	1	0	0	7492.799805	0	0	0.933333
0660	005	2700	0.06	4080	5	65	100	3	6	1	8100	4020	RH-2	40	density-lin	1500			0.7	4	0.666666687	0	0	7560	3480	3480	0.933333
0660	011	3188	0.07	2660	4	65	100	3	7	3	9564	6904	RH-2	40	density-lin	1500			0.7	4	0.571428597	0	0	8926.399414	6266.399414	6266.399414	0.933333
0660	016	3188	0.07	6199	13	65	100	3	7	0	9564	3365	RH-2	40	density-lin	1500			0.7	4	0.571428597	0	0	8926.399414	2727.399414	2727.399414	0.933333
0660	026	3160	0.07	4250	4	65	100	3	7	3	9480	5230	RH-2	40	density-lin	1500			0.7	4	0.571428597	0	0	8848	4598	4598	0.933333
0660	038	5799	0.13	7342	13	65	100	3	13	0	17397	10055	RH-2	40	density-lin	1500			0.7	4	0.307692319	0	0	16237.2002	8895.200195	8895.200195	0.933333
0660	039	9562	0.22	2804	8	65	100	3	22	14	28686	25882	RH-2	40	density-lin	1500			0.7	6	0.272727281	0	0	26773.59961	23969.59961	23969.59961	0.933333
0661	006A	5397	0.12	4460	5	65	100	3	12	7	16191	11731	RH-2	40	density-lin	1500			0.7	4	0.333333343	0	0	15111.59961	10651.59961	10651.59961	0.933333
0661	010	2062	0.05	4175	5	65	100	3	5	0	6186	2011	RH-2	40	density-lin	1500			0.7	4	0.800000012	0	0	5773.600098	1598.600098	1598.600098	0.933333
0661	017	2025	0.05	8852	9	65	100	3	5	0	6075	0	RH-2	40	density-lin	1500	true		0.7	6	1.200000048	0	0	5670	0	0	0.933333
0661	018	2576	0.06	7254	6	65	100	3	6	0	7728	474	RH-2	40	density-lin	1500			0.7	4	0.666666687	0	0	7212.799805	0	0	0.933333
0661	021	2463	0.06	5094	4	65	100	3	6	2	7389	2295	RH-2	40	density-lin	1500			0.7	4	0.666666687	0	0	6896.399902	1802.399902	1802.399902	0.933333
0662	012	2500	0.06	5352	6	65	100	3	6	0	7500	2148	RH-2	40	density-lin	1500			0.7	4	0.666666687	0	0	7000	1648	1648	0.933333
0662	014	3781	0.09	3800	5	65	100	3	9	4	11343	7543	RH-2	40	density-lin	1500			0.7	4	0.444444448	0	0	10586.7998	6786.799805	6786.799805	0.933333
0662	035	4950	0.11	10503	12	65	100	3	11	0	14850	4347	RH-2	40	density-lin	1500			0.7	4	0.363636374	0	0	13860	3357	3357	0.933333
0662	043	3525	0.08	2129	4	65	100	3	8	4	10575	8446	RH-2	40	density-lin	1500			0.7	4	0.5	0	0	9870	7741	7741	0.933333
0663	003	3000	0.07	7683	12	65	100	3	7	0	9000	1317	RH-2	40	density-lin	1500			0.7	4	0.571428597	0	0	8400	717	717	0.933333
0663	007	4485	0.1	5066	5	65	100	3	10	5	13455	8389	RH-2	40	density-lin	1500			0.7	4	0.400000006	0	0	12558	7492	7492	0.933333
0663	035	5500	0.13	1370	4	65	100	3	13	9	16500	15130	RH-2	40	density-lin	1500			0.7	4	0.307692319	0	0	15400	14030	14030	0.933333
0664	004	4272	0.1	3470	8	65	100	3	10	2	12816	9346	RH-3	40	density-lin	1000	true		0.7	6	0.600000024	0	0	11961.59961	8491.599609	8491.599609	0.933333
0664	007	3284	0.08	8730	15	65	100	3	8	0	9852	1122	RH-3	40	density-lin	1000	true		0.7	6	0.75	0	0	9195.200195	465.2001953	465.2001953	0.933333
0664	010A	1875	0.04	5328	4	65	100	3	4	0	5625	297	RH-2	40	density-lin	1500			0.7	4	1	0	0	5250	0	0	0.933333
0664	017	3600	0.08	22300	35	65	100	3	8	0	10800	0	RM-1	40	density-lin	800	true		0.7	5	0.625	0	0	10080	0	0	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0664	022	2934	0.07	5513	4	65	100	3	7	3	8802	3289	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8215.200195	2702.200195	2702.200195	0.933333
0664	028	5040	0.12	25662	30	65	100	3	12	0	15120	0	RH-3	40	density-lim	1000	true		0.7	6	0.5	0	0	14112	0	0	0.933333
0664	029	2284	0.05	4644	11	65	100	3	5	0	6852	2208	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6395.199707	1751.199707	1751.199707	0.933333
0664	031	21000	0.48	70835	108	65	100	3	48	0	63000	0	RM-1	40	density-lim	800			0.7	26	0.541666687	0	0	58800	0	0	0.933333
0664	036	4701	0.11	12526	20	65	100	3	11	0	14103	1577	RH-3	40	density-lim	1000	true		0.7	6	0.545454562	0	0	13162.7998	636.7998047	636.7998047	0.933333
0664	060	2792	0.06	5175	12	65	100	3	6	0	8376	3201	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7817.600098	2642.600098	2642.600098	0.933333
0664	061	2792	0.06	5175	6	65	100	3	6	0	8376	3201	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7817.600098	2642.600098	2642.600098	0.933333
0665	010	1500	0.03	3596	7	65	100	3	3	0	4500	904	RH-3	130	density-lim	1000			0.7	4	1.333333373	0	0	13500	9904	5404	3
0665	011	3000	0.07	6170	5	65	100	3	7	2	9000	2830	RH-3	130	density-lim	1000			0.7	4	0.571428597	0	0	27000	20830	11830	3
0665	023	2902	0.07	12150	19	65	100	3	7	0	8706	0	RM-4	80	density-lim	200	true		0.75	15	2.142857075	0	0	17412	5262	5262	2
0665	027	2115	0.05	5175	4	65	100	3	5	1	6345	1170	RH-3	80	density-lim	1000			0.7	4	0.800000012	0	0	11844	6669	6669	1.866667
0665	029	3362	0.08	13478	29	65	100	3	8	0	10086	0	RH-3	80	density-lim	1000			0.7	4	0.5	0	0	18827.19922	5349.199219	5349.199219	1.866667
0665	031	2923	0.07	7325	6	65	100	3	7	1	8769	1444	RH-3	80	density-lim	1000			0.7	4	0.571428597	0	0	16368.7998	9043.799805	9043.799805	1.866667
0665	036	2715	0.06	6975	12	65	100	3	6	0	8145	1170	RH-3	80	density-lim	1000			0.7	4	0.666666687	0	0	15204	8229	8229	1.866667
0669	006	4200	0.1	23220	45	65	100	3	10	0	12600	0	NCD-POLK	65	density-lim	400			0.75	11	1.100000024	0	0	18900	0	0	1.5
0669	007	5500	0.13	10778	15	65	100	3	13	0	16500	5722	NCD-POLK	65	density-lim	400			0.75	14	1.076923132	0	0	24750	13972	13972	1.5
0669	008	8250	0.19	37074	49	65	100	3	19	0	24750	0	NCD-POLK	65	density-lim	400			0.75	21	1.105263114	0	0	37125	51	51	1.5
0670	014	2769	0.06	15020	44	85	140	4	8	0	11076	0	RC-4	350	form-based		true	true	0.75	25	3.125	0	0	24921	9901	7132	2.25
0672	002	4590	0.11	23760	42	65	100	3	11	0	13770	0	NC-3	350	form-based		true	true	0.75	41	3.727272749	0	0	41310	17550	3780	3
0672	002A	4590	0.11	24060	42	65	100	3	11	0	13770	0	NC-3	350	form-based		true	true	0.75	41	3.727272749	0	0	41310	17250	3480	3
0672	004	6600	0.15	15015	15	65	100	3	15	0	19800	4785	NC-3	130	density-lim	600			0.75	11	0.733333349	0	0	59400	44385	24585	3
0672	005	3600	0.08	4260	6	65	100	3	8	2	10800	6540	NC-3	80	density-lim	600			0.75	6	0.75	0	0	21600	17340	17340	2
0672	006	3300	0.08	3465	15	65	100	3	8	0	9900	6435	NC-3	80	density-lim	600			0.75	6	0.75	0	0	19800	16335	16335	2
0672	007	3300	0.08	9510	15	65	100	3	8	0	9900	390	NC-3	80	density-lim	600			0.75	6	0.75	0	0	19800	10290	10290	2
0672	010	3272	0.08	18216	38	65	100	3	8	0	9816	0	RM-4	80	density-lim	200	true		0.75	16	2	0	0	19632	1416	1416	2
0672	010A	3424	0.08	18216	38	65	100	3	8	0	10272	0	RM-4	80	density-lim	200	true		0.75	17	2.125	0	0	20544	2328	2328	2
0672	017	16154	0.37	58798	68	65	100	3	37	0	48462	0	NC-3	80	density-lim	600	true		0.75	27	0.729729712	0	0	96924	38126	38126	2
0673	005	6875	0.16	33425	58	65	100	3	16	0	20625	0	RM-4	80	density-lim	200	true		0.75	34	2.125	0	0	41250	7825	7825	2
0673	007	9453	0.22	15505	62	65	100	3	22	0	28359	12854	RM-4	50	density-lim	200			0.75	47	2.136363745	0	0	35448.75	19943.75	19943.75	1.25
0676	036	7369	0.17	22412	19	65	100	3	17	0	22107	0	RM-3	40	density-lim	400	true		0.75	18	1.058823586	0	0	22107	0	0	1
0677	027	3791	0.09	2500	5	65	100	3	9	4	11373	8873	RM-1	40	density-lim	800			0.7	5	0.555555582	0	0	10614.7998	8114.799805	8114.799805	0.933333
0677	036	560	0.01	1000	1	65	100	3	1	0	1680	680	RM-1	40	density-lim	800			0.7	1	1	0	0	1568	568	568	0.933333
0677	037	560	0.01	1000	1	65	100	3	1	0	1680	680	RM-1	40	density-lim	800			0.7	1	1	0	0	1568	568	568	0.933333
0677	039	566	0.01	1650	1	65	100	3	1	0	1698	48	RM-1	40	density-lim	800			0.7	1	1	0	0	1584.799927	0	0	0.933333
0677	040	560	0.01	1406	1	65	100	3	1	0	1680	274	RM-1	40	density-lim	800			0.7	1	1	0	0	1568	162	162	0.933333
0677	041	560	0.01	1000	1	65	100	3	1	0	1680	680	RM-1	40	density-lim	800			0.7	1	1	0	0	1568	568	568	0.933333
0677	044	1665	0.04	2062	2	65	100	3	4	2	4995	2933	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4662	2600	2600	0.933333
0677	045	6762	0.16	16046	22	65	100	3	16	0	20286	4240	RM-3	40	density-lim	400			0.75	17	1.0625	0	0	20286	4240	4240	1
0677	047	560	0.01	1365	1	65	100	3	1	0	1680	315	RM-1	40	density-lim	800			0.7	1	1	0	0	1568	203	203	0.933333
0677	118	2231	0.05	700	3	65	100	3	5	2	6693	5993	RM-1	40	density-lim	800			0.7	3	0.600000024	0	0	6246.799805	5546.799805	5546.799805	0.933333
0677	122	2481	0.06	1532	5	65	100	3	6	1	7443	5911	RM-1	40	density-lim	800	true		0.7	3	0.5	0	0	6946.799805	5414.799805	5414.799805	0.933333
0678	003	2500	0.06	8446	13	65	100	3	6	0	7500	0	NCT-FILLM	40	form-based				0.75	6	1	0	0	7500	0	0	1
0678	165	7615	0.17	1580	23	65	100	3	17	0	22845	21265	NCT-FILLM	40	form-based				0.75	17	1	0	0	22845	21265	21265	1
0682	005	5132	0.12	22773	304	65	100	3	12	0	15396	0	RTO-C	85	form-based			true	0.75	27	2.25	0	0	30792	8019	8019	2
0682	006	18844	0.43	69909	344	65	100	3	43	0	56532	0	NC-2	50	density-lim	800			0.75	24	0.558139563	0	0	70665	756	756	1.25
0682	011	32312	0.74	69909	198	65	100	3	74	0	96936	27027	NC-2	85	form-based			true	0.75	170	2.297297239	0	0	193872	123963	123963	2
0683	016	3781	0.09	7626	12	65	100	3	9	0	11343	3717	RM-3	50	density-lim	400			0.75	9	1	0	0	14178.75	6552.75	6552.75	1.25
0683	034	14547	0.33	41415	51	65	100	3	33	0	43641	2226	NCT-FILLM	50	form-based		true		0.75	44	1.333333373	0	0	54551.25	13136.25	13136.25	1.25
0685	047	16229	0.37	42761	42	65	100	3	37	0	48687	5926	RM-3	50	density-lim	400	true		0.75	41	1.108108163	0	0	60858.75	18097.75	18097.75	1.25
0685	052	18978	0.44	2200	48	65	100	3	44	0	56934	54734	NCD-JAPAI	50	density-lim	400	true		0.75	47	1.068181872	0	0	71167.5	68967.5	68967.5	1.25
0686	042	136	0	0	0	65	100	3	0	0	408	408	NCD-JAPAI	50	density-lim	400			0.75	0		0	0	510	510	510	1.25
0688	001	27592	0.63	66886	138	65	100	3	63	0	82776	15890	RM-4	50	density-lim	200	true		0.75	138	2.190476179	0	0	103470	36584	36584	1.25
0688	042	26443	0.61	385	162	65	100	3	61	0	79329	78944	RM-4	50	density-lim	200			0.75	132	2.163934469	0	0	99161.25	98776.25	98776.25	1.25
0689	012	19031	0.44	61943	50	65	100	3	44	0	57093	0	NC-3	80	density-lim	600	true		0.75	32	0.727272749	0	0	114186	52243	52243	2
0689	033	48636	1.12	1024	164	65	100	3	112	0	145908	144884	NC-3	130	density-lim	600			0.55	81	0.723214269	0	0	241248.5938	240224.5938	240224.5938	1.65343
0692	004	3115	0.07	15375	32	65	100	3	7	0	9345	0	NCD-POLK	130	density-lim	400	true		0.75	8	1.142857194	0	0	28035	12660	3315	3
0692	005	5700	0.13	24862	44	65	100	3	13	0	17100	0	NCD-POLK	130	density-lim	400			0.75	14	1.076923132	0	0	51300	26438	9338	3
0692	007	7695	0.18	33300	64	65	100	3	18	0	23085	0	NCD-POLK	130	density-lim	400			0.75	19	1.055555582	0	0	69255	35955	12870	3
0692	009	5572	0.13	20840	40	65	100	3	13	0	16716	0	NCD-POLK	130	density-lim	400			0.75	14	1.076923132	0	0	50148	29308	12592	3
0692	011	3278	0.08	9234	15	65	100	3	8	0	9834	600	NCD-POLK	130	density-lim	400			0.75	8	1	0	0	29502	20268	10434	3
0692	011A	3278	0.08	9735	19	65	100	3	8	0	9834	99	NCD-POLK	130	density-lim	400			0.75	8	1	0	0	29502	19767	9933	3
0693	002	3800	0.09	10500	20	65	100	3	9	0	11400	900	RC-4	80	density-lim	200			0.75	19	2.111111164	0	0	22800	12300	12300	2
0693	007	2700	0.06	8305	26	85	140	4	8	0	10800	2495	RC-4	80	density-lim	200			0.75	14	1.75	0	0	16200	7895	7895	1.5
0693	009	3615	0.08	19680	32	85	140	4	11	0	14460	0	RC-4	80	density-lim	200			0.75	18	1.636363626	0	0	21690	2010	2010	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0693	012	3300	0.08	14100	31	65	100	3	8	0	9900	0	RC-4	80	density-lim	200			0.75	17	2.125	0	0	19800	5700	5700	2
0693	013	6900	0.16	19680	40	65	100	3	16	0	20700	1020	RC-4	80	density-lim	200			0.75	35	2.1875	0	0	41400	21720	21720	2
0693	022	3048	0.07	10638	29	65	100	3	7	0	9144	0	RC-4	80	density-lim	200			0.75	15	2.142857075	0	0	18288	7650	7650	2
0693	026	3048	0.07	10564	27	85	140	4	10	0	12192	1628	RC-4	80	density-lim	200			0.75	15	1.5	0	0	18288	7724	7724	1.5
0694	001	3076	0.07	9000	30	65	100	3	7	0	9228	228	RC-4	240	form-based		true	true	0.75	28	4	0	0	27684	18684	9456	3
0716	008	8461	0.19	35000	44	65	100	3	19	0	25383	0	RC-4	80	density-lim	200			0.75	42	2.210526228	0	0	50766	15766	15766	2
0711	021	5500	0.13	13984	15	65	100	3	13	0	16500	2516	RM-3	160	density-lim	400			0.75	14	1.076923132	0	0	49500	35516	19016	3
0716	001	9085	0.21	47357	104	85	140	4	29	0	36340	0	RC-4	80	density-lim	200	true		0.75	45	1.551724195	0	0	54510	7153	7153	1.5
0716	001A	5115	0.12	23500	48	85	140	4	17	0	20460	0	RC-4	80	density-lim	200			0.75	26	1.529411793	0	0	30690	7190	7190	1.5
0716	003	7772	0.18	30480	55	85	140	4	25	0	31088	608	RC-4	80	density-lim	200			0.75	39	1.559999943	0	0	46632	16152	16152	1.5
0715	010A	9061	0.21	38184	60	65	100	3	21	0	27183	0	NCD-LOWI	130	density-lim	600			0.75	15	0.714285731	0	0	81549	43365	16182	3
0714	018	7837	0.18	22608	31	85	140	4	25	0	31348	8740	NC-3	130	density-lim	600			0.75	13	0.519999981	0	0	70533	47925	40088	2.25
0716	011	4655	0.11	44440	117	85	140	4	15	0	18620	0	RC-4	80	density-lim	200			0.75	23	1.533333302	0	0	27930	0	0	1.5
0716	012	33850	0.78	704	786	65	100	3	78	0	101550	100846	RC-4	80	density-lim	200	true		0.75	169	2.166666746	0	0	203100	202396	202396	2
0716	280	13157	0.3	89653	220	65	100	3	30	0	39471	0	NCD-LOWI	130	density-lim	600	true		0.75	22	0.733333349	0	0	123074.25	33421.25	0	3.118093
0717	001	4046	0.09	19650	44	85	140	4	13	0	16184	0	RC-4	80	density-lim	200	true		0.75	20	1.538461566	0	0	24276	4626	4626	1.5
0717	004	5844	0.13	21252	44	65	100	3	13	0	17532	0	RC-4	80	density-lim	200	true		0.75	29	2.230769157	0	0	35064	13812	13812	2
0717	016	3254	0.07	13280	27	65	100	3	7	0	9762	0	RC-4	80	density-lim	200			0.75	16	2.285714388	0	0	19524	6244	6244	2
0717	017	3508	0.08	12800	24	65	100	3	8	0	10524	0	RC-4	80	density-lim	200			0.75	18	2.25	0	0	21048	8248	8248	2
0717	020	6109	0.14	5616	42	85	140	4	20	0	24436	18820	RC-4	80	density-lim	200	true		0.75	31	1.549999952	0	0	36654	31038	31038	1.5
0726	013	3437	0.08	4875	11	65	100	3	8	0	10311	5436	RM-3	130	density-lim	400			0.75	9	1.125	0	0	30933	26058	15747	3
0726	014A	5000	0.11	13500	16	65	100	3	11	0	15000	1500	RM-3	130	density-lim	400	true		0.75	13	1.181818128	0	0	45000	31500	16500	3
0726	014B	3250	0.07	7605	11	65	100	3	7	0	9750	2145	RM-3	130	density-lim	400			0.75	8	1.142857194	0	0	29250	21645	11895	3
0726	014C	5500	0.13	12645	24	65	100	3	13	0	16500	3855	RM-3	130	density-lim	400			0.75	14	1.076923132	0	0	49500	36855	20355	3
0729	045	4950	0.11	11850	18	65	100	3	11	0	14850	3000	RM-3	65	density-lim	400	true		0.75	12	1.090909123	0	0	22275	10425	10425	1.5
0730	044	102264	2.35	92347	211	65	100	3	235	24	306792	214445	RM-2	65	density-lim	600	true		0.55	170	0.723404229	0	0	337471.2188	245124.2188	245124.2188	1.1
0732	028	9144	0.21	17638	120	65	100	3	21	0	27432	9794	NCT-FILLM	160	form-based				0.75	82	3.904761791	0	0	82296	64658	37226	3
0733	041	959	0.02	1900	28	65	100	3	2	0	2877	977	NC-S	50	density-lim	800			0.75	1	0.5	0	0	3596.25	1696.25	1696.25	1.25
0734	005	1760	0.04	4710	6	65	100	3	4	0	5280	570	RM-3	50	density-lim	400	true		0.75	4	1	0	0	6600	1890	1890	1.25
0734	006	4451	0.1	19836	37	65	100	3	10	0	13353	0	RM-3	50	density-lim	400	true		0.75	11	1.100000024	0	0	16691.25	0	0	1.25
0734	008	43290	0.99	49383	193	65	100	3	99	0	129870	80487	RM-3	50	density-lim	400	true		0.75	108	1.090909123	0	0	162337.5	112954.5	112954.5	1.25
0735	023	8869	0.2	39800	48	65	100	3	20	0	26607	0	RM-3	80	density-lim	400			0.75	22	1.100000024	0	0	53214	13414	13414	2
0735	024	10038	0.23	47980	48	65	100	3	23	0	30114	0	RM-3	80	density-lim	400			0.75	25	1.086956501	0	0	60228	12248	12248	2
0735	026	9453	0.22	19727	26	65	100	3	22	0	28359	8632	RM-3	80	density-lim	400			0.75	24	1.090909123	0	0	56718	36991	36991	2
0735	030	54245	1.25	142355	182	65	100	3	125	0	162735	20380	RM-3	80	density-lim	400	true		0.55	136	1.088000059	0	0	238678	96323	96323	1.466667
0735	053	2575	0.06	779	4	65	100	3	6	2	7725	6946	NC-S	80	density-lim	800			0.75	3	0.5	0	0	15450	14671	14671	2
0735	057	2575	0.06	779	4	65	100	3	6	2	7725	6946	NC-S	80	density-lim	800			0.75	3	0.5	0	0	15450	14671	14671	2
0735	114	2575	0.06	934	4	65	100	3	6	2	7725	6791	NC-S	80	density-lim	800			0.75	3	0.5	0	0	15450	14516	14516	2
0735	118	2575	0.06	779	4	65	100	3	6	2	7725	6946	NC-S	80	density-lim	800			0.75	3	0.5	0	0	15450	14671	14671	2
0737	002	5425	0.12	24605	40	65	100	3	12	0	16275	0	RC-4	80	density-lim	200	true		0.75	27	2.25	0	0	32550	7945	7945	2
0738	005	4390	0.1	24490	42	85	140	4	14	0	17560	0	RC-4	350	form-based		true	true	0.75	40	2.857142925	0	0	39510	15020	10630	2.25
0738	020	8250	0.19	50480	57	65	100	3	19	0	24750	0	RM-4	130	density-lim	200	true		0.75	41	2.15789485	0	0	74250	23770	0	3
0739	001	9300	0.21	33958	55	65	100	3	21	0	27900	0	NCD-LOWI	130	density-lim	600	true		0.75	16	0.761904776	0	0	83700	49742	21842	3
0739	003	6300	0.14	23028	96	65	100	3	14	0	18900	0	RC-4	80	density-lim	200			0.75	32	2.285714388	0	0	37800	14772	14772	2
0739	017	9810	0.23	895	104	85	140	4	32	0	39240	38345	RC-4	300	form-based		true	true	0.75	88	2.75	0	0	88290	87395	77585	2.25
0740	009	6300	0.14	16363	36	65	100	3	14	0	18900	2537	RC-4	80	density-lim	200			0.75	32	2.285714388	0	0	37800	21437	21437	2
0740	013	6900	0.16	25913	96	65	100	3	16	0	20700	0	RC-4	80	density-lim	200			0.75	35	2.1875	0	0	41400	15487	15487	2
0740	014	6600	0.15	25440	84	65	100	3	15	0	19800	0	RC-4	80	density-lim	200	true		0.75	33	2.200000048	0	0	39600	14160	14160	2
0740	024	3300	0.08	12064	30	65	100	3	8	0	9900	0	RC-4	80	density-lim	200			0.75	17	2.125	0	0	19800	7736	7736	2
0740	025	6000	0.14	33600	53	65	100	3	14	0	18000	0	RC-4	80	density-lim	200			0.75	30	2.142857075	0	0	36000	2400	2400	2
0740	045	11250	0.26	63458	83	65	100	3	26	0	33750	0	RC-4	80	density-lim	200			0.75	56	2.153846264	0	0	67500	4042	4042	2
0741	002	18906	0.43	109396	108	65	100	3	43	0	56718	0	RC-4	80	density-lim	200	true		0.75	95	2.209302425	0	0	113436	4040	4040	2
0741	006A	7302	0.17	37277	108	65	100	3	17	0	21906	0	RC-4	80	density-lim	200	true		0.75	37	2.176470518	0	0	43812	6535	6535	2
0741	006B	4512	0.1	23378	83	65	100	3	10	0	13536	0	RC-4	80	density-lim	200			0.75	23	2.299999952	0	0	27072	3694	3694	2
0741	007	3712	0.09	20760	32	65	100	3	9	0	11136	0	RC-4	80	density-lim	200			0.75	19	2.111111164	0	0	22272	1512	1512	2
0741	010A	7702	0.18	28200	47	65	100	3	18	0	23106	0	RC-4	80	density-lim	200			0.75	39	2.166666746	0	0	46212	18012	18012	2
0742	014	26434	0.61	171508	202	65	100	3	61	0	79302	0	RC-4	80	density-lim	200	true		0.75	132	2.163934469	0	0	158604	0	0	2
0749	002D	4750	0.11	25868	48	65	100	3	11	0	14250	0	RM-3	50	density-lim	400	true		0.75	12	1.090909123	0	0	17812.5	0	0	1.25
0749	006A	5114	0.12	11625	15	65	100	3	12	0	15342	3717	RM-3	130	density-lim	400			0.75	13	1.083333373	0	0	46026	34401	19059	3
0749	006B	3835	0.09	8700	12	65	100	3	9	0	11505	2805	RM-3	130	density-lim	400			0.75	10	1.111111164	0	0	34515	25815	14310	3
0749	006C	3835	0.09	8700	12	65	100	3	9	0	11505	2805	RM-3	130	density-lim	400			0.75	10	1.111111164	0	0	34515	25815	14310	3
0753	003	4684	0.11	13023	25	55	80	2.5	9	0	11710	0	RM-1	40	density-lim	800	true		0.7	6	0.666666687	0	0	13115.2002	92.20019531	92.20019531	1.12
0753	004A	1023	0.02	1380	2	55	80	2.5	2	0	2558	1178	RM-1	40	density-lim	800			0.7	1	0.5	0	0	2864.399902	1484.399902	1484.399902	1.119781
0753	006	3180	0.07	6090	9	55	80	2.5	6	0	7950	1860	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	8904	2814	2814	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0753	007	2066	0.05	2564	4	55	80	2.5	4	0	5165	2601	RH-3	40	density-lim	1000			0.7	4	1	0	0	5784.799805	3220.799805	3220.799805	1.12
0753	008	3300	0.08	8430	12	55	80	2.5	6	0	8250	0	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	9240	810	810	1.12
0754	006	4812	0.11	10715	13	55	80	2.5	9	0	12030	1315	RM-3	40	density-lim	400			0.75	12	1.333333373	0	0	14436	3721	3721	1.2
0754	006A	4812	0.11	10515	12	55	80	2.5	9	0	12030	1515	RM-3	40	density-lim	400			0.75	12	1.333333373	0	0	14436	3921	3921	1.2
0754	006B	8250	0.19	17208	21	55	80	2.5	15	0	20625	3417	RM-3	40	density-lim	400			0.75	21	1.399999976	0	0	24750	7542	7542	1.2
0754	010	1716	0.04	2730	4	55	80	2.5	3	0	4290	1560	RM-3	40	density-lim	400	true		0.75	4	1.333333373	0	0	5148	2418	2418	1.2
0755	002	11000	0.25	35375	37	55	80	2.5	20	0	27500	0	NCT-FILLM	50	form-based		true		0.75	33	1.649999976	0	0	41250	5875	5875	1.5
0757	027	26191	0.6	74376	203	55	80	2.5	48	0	65478	0	RM-3	50	density-lim	400	true		0.75	65	1.354166627	0	0	98216.25	23840.25	23840.25	1.499989
0757	030	8621	0.2	9294	52	55	80	2.5	16	0	21552	12258	RM-3	50	density-lim	400			0.75	22	1.375	0	0	32328.75	23034.75	23034.75	1.500035
0761	016A	6900	0.16	36488	115	65	100	3	16	0	20700	0	NCT-3	85	form-based				0.75	36	2.25	0	0	41400	4912	4912	2
0767	008	16200	0.37	51240	75	65	100	3	37	0	48600	0	NC-3	130	density-lim	600	true		0.75	27	0.729729712	0	0	139050	87810	45960	2.861111
0771	001	4140	0.1	9150	15	55	80	2.5	8	0	10350	1200	RM-2	50	density-lim	600	true		0.7	7	0.875	0	0	14490	5340	5340	1.4
0774	014A	7858	0.18	40380	48	55	80	2.5	14	0	19645	0	RM-4	40	density-lim	200	true		0.75	39	2.785714388	0	0	23574	0	0	1.2
0774	020	22688	0.52	87470	107	55	80	2.5	42	0	56720	0	NCT-FILLM	50	form-based		true		0.75	68	1.619047642	0	0	85080	0	0	1.5
0775	001	3093	0.07	6505	10	55	80	2.5	6	0	7732	1227	RH-3	40	density-lim	1000	true		0.7	6	1	0	0	8660.399414	2155.399414	2155.399414	1.120072
0775	003	5973	0.14	5352	12	55	80	2.5	11	0	14932	9580	RM-1	40	density-lim	800			0.7	7	0.636363626	0	0	16724.40039	11372.40039	11372.40039	1.120038
0775	004	2678	0.06	8727	12	55	80	2.5	5	0	6695	0	RM-1	40	density-lim	800	true		0.7	3	0.600000024	0	0	7498.399902	0	0	1.12
0775	005	2393	0.05	6330	6	55	80	2.5	4	0	5982	0	RM-1	40	density-lim	800			0.7	3	0.75	0	0	6700.399902	370.3999023	370.3999023	1.120094
0775	006	2392	0.05	6330	6	55	80	2.5	4	0	5980	0	RM-1	40	density-lim	800			0.7	3	0.75	0	0	6697.600098	367.6000977	367.6000977	1.12
0775	014	2750	0.06	7530	3	55	80	2.5	5	2	6875	0	RM-1	40	density-lim	800			0.7	3	0.600000024	0	0	7700	170	170	1.12
0775	015	2750	0.06	7770	3	55	80	2.5	5	2	6875	0	RM-1	40	density-lim	800			0.7	3	0.600000024	0	0	7700	0	0	1.12
0775	019A	3407	0.08	7575	11	55	80	2.5	6	0	8518	943	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	9539.599609	1964.599609	1964.599609	1.119934
0775	019B	5093	0.12	13389	22	55	80	2.5	10	0	12732	0	RH-3	40	density-lim	1000	true		0.7	6	0.600000024	0	0	14260.39941	871.3994141	871.3994141	1.120044
0775	024	2641	0.06	5160	6	55	80	2.5	5	0	6602	1442	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	7394.799805	2234.799805	2234.799805	1.120085
0777	002	1500	0.03	3900	3	55	80	2.5	2	0	3750	0	RM-1	40	density-lim	800			0.7	2	1	0	0	4200	300	300	1.12
0775	036	2500	0.06	1540	3	55	80	2.5	5	2	6250	4710	RM-1	40	density-lim	800			0.7	3	0.600000024	0	0	7000	5460	5460	1.12
0775	039	2500	0.06	2300	4	55	80	2.5	5	1	6250	3950	RM-1	40	density-lim	800	true		0.7	3	0.600000024	0	0	7000	4700	4700	1.12
0775	043	2500	0.06	1950	3	55	80	2.5	5	2	6250	4300	RM-1	40	density-lim	800			0.7	3	0.600000024	0	0	7000	5050	5050	1.12
0775	052	3781	0.09	2418	18	55	80	2.5	7	0	9452	7034	RM-1	40	density-lim	800			0.7	5	0.714285731	0	0	10586.7998	8168.799805	8168.799805	1.120059
0776	001	3025	0.07	8661	14	55	80	2.5	6	0	7562	0	RH-3	40	density-lim	1000	true		0.7	6	1	0	0	8470	0	0	1.120074
0776	002	5981	0.14	13830	18	55	80	2.5	11	0	14952	1122	RM-1	40	density-lim	800			0.7	7	0.636363626	0	0	16746.79883	2916.798828	2916.798828	1.120037
0776	004	6050	0.14	15600	19	55	80	2.5	11	0	15125	0	RM-1	40	density-lim	800	true		0.7	8	0.727272749	0	0	16940	1340	1340	1.12
0776	013	3073	0.07	6570	5	55	80	2.5	6	1	7682	1112	RM-1	40	density-lim	800	true		0.7	4	0.666666687	0	0	8604.399414	2034.399414	2034.399414	1.120073
0776	014	3298	0.08	6942	6	55	80	2.5	6	0	8245	1303	RM-1	40	density-lim	800			0.7	4	0.666666687	0	0	9234.399414	2292.399414	2292.399414	1.12
0776	015	3297	0.08	6942	6	55	80	2.5	6	0	8242	1300	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	9231.599609	2289.599609	2289.599609	1.120068
0776	020	3438	0.08	2165	4	55	80	2.5	6	2	8595	6430	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	9626.399414	7461.399414	7461.399414	1.12
0776	026	3437	0.08	8945	9	55	80	2.5	6	0	8592	0	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	9623.599609	678.5996094	678.5996094	1.120065
0776	032	6995	0.16	13155	15	55	80	2.5	13	0	17488	4333	RH-3	40	density-lim	1000			0.7	7	0.538461566	0	0	19586	6431	6431	1.119968
0776	036	3025	0.07	966	4	55	80	2.5	6	2	7562	6596	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	8470	7504	7504	1.120074
0776	045	2951	0.07	2000	6	55	80	2.5	6	0	7378	5378	RM-1	40	density-lim	800			0.7	4	0.666666687	0	0	8262.799805	6262.799805	6262.799805	1.119924
0777	003	5156	0.12	7075	14	55	80	2.5	10	0	12890	5815	RM-1	40	density-lim	800			0.7	6	0.600000024	0	0	14436.7998	7361.799805	7361.799805	1.12
0777	005	5208	0.12	14112	12	55	80	2.5	10	0	13020	0	RM-1	40	density-lim	800	true		0.7	7	0.699999988	0	0	14582.39941	470.3994141	470.3994141	1.12
0777	039	3314	0.08	3020	6	55	80	2.5	6	0	8285	5265	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	9279.200195	6259.200195	6259.200195	1.12
0777	061	2250	0.05	1767	3	55	80	2.5	4	1	5625	3858	RM-1	40	density-lim	800	true		0.7	3	0.75	0	0	6300	4533	4533	1.12
0778	007	7563	0.17	16752	24	55	80	2.5	14	0	18908	2156	RH-3	40	density-lim	1000			0.7	8	0.571428597	0	0	21176.40039	4424.400391	4424.400391	1.11997
0778	009	3781	0.09	6486	6	55	80	2.5	7	1	9452	2966	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	10586.7998	4100.799805	4100.799805	1.120059
0778	011	3600	0.08	3633	4	55	80	2.5	6	2	9000	5367	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	10080	6447	6447	1.12
0778	012	3206	0.07	5636	4	55	80	2.5	6	2	8015	2379	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	8976.799805	3340.799805	3340.799805	1.12
0778	012A	3206	0.07	6633	8	55	80	2.5	6	0	8015	1382	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	8976.799805	2343.799805	2343.799805	1.12
0778	012B	3337	0.08	9282	12	55	80	2.5	6	0	8342	0	RM-1	40	density-lim	800	true		0.7	4	0.666666687	0	0	9343.599609	61.59960938	61.59960938	1.120067
0778	015	3438	0.08	6252	5	55	80	2.5	6	1	8595	2343	RM-1	40	density-lim	800			0.7	4	0.666666687	0	0	9626.399414	3374.399414	3374.399414	1.12
0778	016	3437	0.08	5850	4	55	80	2.5	6	2	8592	2742	RM-1	40	density-lim	800			0.7	4	0.666666687	0	0	9623.599609	3773.599609	3773.599609	1.120065
0778	017	3437	0.08	7770	6	55	80	2.5	6	0	8592	822	RM-1	40	density-lim	800			0.7	4	0.666666687	0	0	9623.599609	1853.599609	1853.599609	1.120065
0778	019	3437	0.08	4875	6	55	80	2.5	6	0	8592	3717	RM-1	40	density-lim	800			0.7	4	0.666666687	0	0	9623.599609	4748.599609	4748.599609	1.120065
0779	014	5696	0.13	25100	35	55	80	2.5	10	0	14240	0	RM-4	40	density-lim	200	true		0.75	28	2.799999952	0	0	17088	0	0	1.2
0783	024	205467	4.72	152583	382	65	100	3	472	90	616401	463818	RTO-1	50	density-lim	600	true		0.55	342	0.724576294	0	0	565034.25	412451.25	412451.25	0.916667
0785	013	6600	0.15	18050	29	65	100	3	15	0	19800	1750	NCT-3	50	form-based		true		0.75	20	1.333333373	0	0	24750	6700	6700	1.25
0780	036	12375	0.28	25155	25	55	80	2.5	22	0	30938	5783	RTO-1	50	density-lim	600	true		0.7	21	0.954545438	0	0	43312.5	18157.5	18157.5	1.399977
0785	052	15840	0.36	56165	69	65	100	3	36	0	47520	0	NCT-3	65	form-based				0.75	59	1.638888836	0	0	71280	15115	15115	1.5
0792	007A	5362	0.12	16152	29	65	100	3	12	0	16086	0	NCT-3	65	form-based				0.75	20	1.666666627	0	0	24129	7977	7977	1.5
0792	007D	5500	0.13	21850	36	65	100	3	13	0	16500	0	NCT-3	65	form-based				0.75	21	1.615384579	0	0	24750	2900	2900	1.5
0792	007E	8044	0.18	24428	41	65	100	3	18	0	24132	0	NCT-3	65	form-based				0.75	30	1.666666627	0	0	36198	11770	11770	1.5
0792	032	18906	0.43	141911	120	65	100	3	43	0	56718	0	NCT-3	65	form-based		true		0.75	71	1.651162744	0	0	85077	0	0	1.5
0792T	001A	3781	0.09	20445	48	65	100	3	9	0	11343	0	NCT-3	65	form-based				0.75	14	1.555555582	0	0	17014.5	0	0	1.5

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0793	017	1895	0.04	2694	4	55	80	2.5	3	0	4738	2044	NCT-HAYE	40	form-based				0.75	4	1.333333373	0	0	5685	2991	2991	1.199873
0793	018	1895	0.04	3375	6	55	80	2.5	3	0	4738	1363	NCT-HAYE	40	form-based				0.75	4	1.333333373	0	0	5685	2310	2310	1.199873
0793	019	1895	0.04	5670	20	55	80	2.5	3	0	4738	0	NCT-HAYE	40	form-based		true		0.75	4	1.333333373	0	0	5685	15	15	1.199873
0793	021	2506	0.06	7260	9	55	80	2.5	5	0	6265	0	NCT-HAYE	40	form-based				0.75	6	1.200000048	0	0	7518	258	258	1.2
0793	022	2506	0.06	3140	9	55	80	2.5	5	0	6265	3125	NCT-HAYE	40	form-based				0.75	6	1.200000048	0	0	7518	4378	4378	1.2
0793	025	2184	0.05	3100	6	55	80	2.5	4	0	5460	2360	NCT-HAYE	40	form-based				0.75	5	1.25	0	0	6552	3452	3452	1.2
0793	026	5617	0.13	16055	25	55	80	2.5	10	0	14042	0	NCT-HAYE	40	form-based				0.75	13	1.299999952	0	0	16851	796	796	1.200043
0793	031	1650	0.04	4650	6	65	100	3	4	0	4950	300	NCT-3	40	form-based				0.75	4	1	0	0	4950	300	300	1
0793	073	1895	0.04	639	4	55	80	2.5	3	0	4738	4099	NCT-HAYE	40	form-based				0.75	4	1.333333373	0	0	5685	5046	5046	1.199873
0793	080	12788	0.29	2909	60	65	100	3	29	0	38364	35455	NCT-3	50	form-based				0.75	38	1.310344815	0	0	47955	45046	45046	1.25
0793	104	11271	0.26	2000	34	65	100	3	26	0	33813	31813	NCT-3	50	form-based		true		0.75	34	1.307692289	0	0	42266.25	40266.25	40266.25	1.25
0794	004	3296	0.08	9105	19	55	80	2.5	6	0	8240	0	RTO-1	40	form-based			true	0.7	7	1.166666627	0	0	9228.799805	123.7998047	123.7998047	1.12
0794	005A	1664	0.04	2430	4	55	80	2.5	3	0	4160	1730	RTO-1	40	form-based			true	0.7	3	1	0	0	4659.199707	2229.199707	2229.199707	1.12
0794	011	3890	0.09	8280	10	55	80	2.5	7	0	9725	1445	RTO-1	40	form-based			true	0.7	8	1.142857194	0	0	10892	2612	2612	1.12
0794	013	3844	0.09	7102	20	55	80	2.5	7	0	9610	2508	RTO-1	40	form-based			true	0.7	8	1.142857194	0	0	10763.2002	3661.200195	3661.200195	1.12
0794	014	4950	0.11	14100	31	55	80	2.5	9	0	12375	0	RTO-1	40	form-based		true	true	0.7	10	1.111111164	0	0	13860	0	0	1.12
0794	022	3555	0.08	5700	10	55	80	2.5	6	0	8888	3188	RTO-1	40	form-based			true	0.7	7	1.166666627	0	0	9954	4254	4254	1.119937
0794	023	3325	0.08	6210	10	55	80	2.5	6	0	8312	2102	RTO-1	40	form-based			true	0.7	7	1.166666627	0	0	9310	3100	3100	1.120067
0794	024	2226	0.05	3500	7	55	80	2.5	4	0	5565	2065	NCT-HAYE	40	form-based		true		0.75	5	1.25	0	0	6678	3178	3178	1.2
0794	026	2988	0.07	5010	7	55	80	2.5	6	0	7470	2460	NCT-HAYE	40	form-based		true		0.75	7	1.166666627	0	0	8964	3954	3954	1.2
0794	034	1890	0.04	1860	4	55	80	2.5	3	0	4725	2865	RTO-1	40	form-based			true	0.7	4	1.333333373	0	0	5292	3432	3432	1.12
0794	035	1926	0.04	2460	4	55	80	2.5	3	0	4815	2355	RTO-1	40	form-based			true	0.7	4	1.333333373	0	0	5392.799805	2932.799805	2932.799805	1.12
0794	036	1114	0.03	2090	2	55	80	2.5	2	0	2785	695	RTO-1	40	form-based			true	0.7	2	1	0	0	3119.199951	1029.199951	1029.199951	1.12
0794	051	1740	0.04	571	4	55	80	2.5	3	0	4350	3779	RTO-1	40	form-based			true	0.7	4	1.333333373	0	0	4872	4301	4301	1.12
0794	059	44250	1.02	152900	139	55	80	2.5	82	0	110625	0	RTO-1	50	form-based		true	true	0.55	97	1.182926774	0	0	121687.5	0	0	1.1
0797	002	1691	0.04	3850	4	55	80	2.5	3	0	4228	378	RH-3	50	density-lim	1000			0.7	4	1.333333373	0	0	5918.5	2068.5	2068.5	1.399834
0797	014	5087	0.12	5984	10	55	80	2.5	10	0	12718	6734	RH-3	50	density-lim	1000			0.7	5	0.5	0	0	17804.5	11820.5	11820.5	1.399945
0797	017	5524	0.13	7138	13	55	80	2.5	10	0	13810	6672	RH-3	50	density-lim	1000			0.7	6	0.600000024	0	0	19334	12196	12196	1.4
0797	021	2200	0.05	1648	4	55	80	2.5	4	0	5500	3852	RH-3	50	density-lim	1000			0.7	4	1	0	0	7700	6052	6052	1.4
0797	022	5362	0.12	6932	8	55	80	2.5	10	2	13405	6473	RH-3	50	density-lim	1000	true		0.7	6	0.600000024	0	0	18767	11835	11835	1.4
0797	028	3781	0.09	5985	6	55	80	2.5	7	1	9452	3467	RH-3	50	density-lim	1000			0.7	4	0.571428597	0	0	13233.5	7248.5	7248.5	1.400074
0797	030	3781	0.09	7236	9	55	80	2.5	7	0	9452	2216	RH-3	50	density-lim	1000			0.7	4	0.571428597	0	0	13233.5	5997.5	5997.5	1.400074
0797	033	7563	0.17	5514	8	55	80	2.5	14	6	18908	13394	RH-3	50	density-lim	1000			0.7	8	0.571428597	0	0	26470.5	20956.5	20956.5	1.399963
0797	051	2722	0.06	899	4	55	80	2.5	5	1	6805	5906	RH-3	50	density-lim	1000			0.7	4	0.800000012	0	0	9527	8628	8628	1.4
0798	003	4727	0.11	6825	10	55	80	2.5	9	0	11818	4993	RH-3	50	density-lim	1000			0.7	5	0.555555582	0	0	16544.5	9719.5	9719.5	1.399941
0798	005	2688	0.06	5437	4	55	80	2.5	5	1	6720	1283	RH-3	50	density-lim	1000			0.7	4	0.800000012	0	0	9408	3971	3971	1.4
0798	016	2269	0.05	4525	4	55	80	2.5	4	0	5672	1147	RH-3	40	density-lim	1000			0.7	4	1	0	0	6353.199707	1828.199707	1828.199707	1.120099
0798	031	12006	0.28	8220	13	55	80	2.5	22	9	30015	21795	RH-3	40	density-lim	1000			0.7	12	0.545454562	0	0	33616.80078	25396.80078	25396.80078	1.12
0803	015	5300	0.12	23886	36	55	80	2.5	10	0	13250	0	RM-2	40	density-lim	600	true		0.7	9	0.899999976	0	0	14840	0	0	1.12
0803	003	4121	0.09	7700	17	55	80	2.5	7	0	10302	2602	RM-2	50	form-based			true	0.7	12	1.714285731	0	0	14423.5	6723.5	6723.5	1.400068
0803	005	5076	0.12	11286	24	55	80	2.5	10	0	12690	1404	RM-2	50	form-based			true	0.7	14	1.399999976	0	0	17766	6480	6480	1.4
0803	006	2537	0.06	4390	7	55	80	2.5	5	0	6342	1952	RM-2	50	form-based			true	0.7	7	1.399999976	0	0	8879.5	4489.5	4489.5	1.40011
0803	008	11687	0.27	25294	40	55	80	2.5	22	0	29218	3924	RM-2	40	form-based			true	0.7	25	1.136363626	0	0	32723.59961	7429.599609	7429.599609	1.119981
0803	038	5520	0.13	1157	4	55	80	2.5	10	6	13800	12643	RH-2	40	density-lim	1500			0.7	4	0.400000006	0	0	15456	14299	14299	1.12
0804	002	3269	0.08	5810	10	55	80	2.5	6	0	8172	2362	RH-3	50	form-based			true	0.7	9	1.5	0	0	11441.5	5631.5	5631.5	1.400086
0804	005	2546	0.06	5202	8	55	80	2.5	5	0	6365	1163	RM-1	50	form-based		true	true	0.7	7	1.399999976	0	0	8911	3709	3709	1.4
0804	009	8486	0.19	18168	24	55	80	2.5	15	0	21215	3047	RM-1	50	form-based			true	0.7	24	1.600000024	0	0	29701	11533	11533	1.4
0804	018	2750	0.06	5936	10	55	80	2.5	5	0	6875	939	RH-3	50	density-lim	1000			0.7	4	0.800000012	0	0	9625	3689	3689	1.4
0804	020	4031	0.09	7371	6	55	80	2.5	7	1	10078	2707	RH-3	50	density-lim	1000			0.7	4	0.571428597	0	0	14108.5	6737.5	6737.5	1.399931
0805	017	3525	0.08	7698	18	55	80	2.5	6	0	8812	1114	RH-3	50	form-based			true	0.7	10	1.666666627	0	0	12337.5	4639.5	4639.5	1.400079
0805	020	2549	0.06	7075	17	55	80	2.5	5	0	6372	0	RH-3	50	form-based		true	true	0.7	7	1.399999976	0	0	8921.5	1846.5	1846.5	1.40011
0805	021	1327	0.03	1800	4	55	80	2.5	2	0	3318	1518	RH-3	50	form-based			true	0.7	4	2	0	0	4644.5	2844.5	2844.5	1.399789
0805	023	825	0.02	1324	2	55	80	2.5	2	0	2062	738	RH-3	50	form-based			true	0.7	2	1	0	0	2887.5	1563.5	1563.5	1.400339
0805	034	1500	0.03	2255	4	55	80	2.5	2	0	3750	1495	RH-3	50	form-based			true	0.7	4	2	0	0	5250	2995	2995	1.4
0806	008	2025	0.05	3770	4	55	80	2.5	4	0	5062	1292	RTO-1	40	form-based			true	0.7	4	1	0	0	5670	1900	1900	1.120111
0806	011	1313	0.03	3375	3	55	80	2.5	2	0	3282	0	RTO-1	40	form-based			true	0.7	3	1.5	0	0	3676.399902	301.3999023	301.3999023	1.120171
0806	013	1650	0.04	3345	4	55	80	2.5	3	0	4125	780	RTO-1	40	form-based			true	0.7	3	1	0	0	4620	1275	1275	1.12
0806	015A	1100	0.03	2070	3	55	80	2.5	2	0	2750	680	RTO-1	40	form-based			true	0.7	2	1	0	0	3080	1010	1010	1.12
0806	018	2250	0.05	6956	5	55	80	2.5	4	0	5625	0	RTO-1	40	form-based		true	true	0.7	5	1.25	0	0	6300	0	0	1.12
0806	040	2700	0.06	5100	6	55	80	2.5	5	0	6750	1650	RTO-1	40	form-based			true	0.7	6	1.200000048	0	0	7560	2460	2460	1.12
0806	049	975	0.02	818	2	55	80	2.5	2	0	2438	1620	RTO-1	40	form-based			true	0.7	2	1	0	0	2730	1912	1912	1.11977
0806	062	1050	0.02	1444	2	55	80	2.5	2	0	2625	1181	RTO-1	40	form-based			true	0.7	2	1	0	0	2940	1496	1496	1.12
0807	001	2634	0.06	5134	10	55	80	2.5	5	0	6585	1451	NCT-HAYE	40	form-based		true		0.75	6	1.200000048	0	0	7902	2768	2768	1.2
0807	002	776	0.02	2235	2	55	80	2.5	2	0	1940	0	NCT-HAYE	40	form-based		true		0.75	2	1	0	0	2328	93	93	1.2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0807	002B	777	0.02	2082	3	55	80	2.5	2	0	1942	0	NCT-HAYE	40	form-based				0.75	2	1	0	0	2331	249	249	1.200309
0807	002C	528	0.01	596	1	55	80	2.5	1	0	1320	724	NCT-HAYE	40	form-based				0.75	1	1	0	0	1584	988	988	1.2
0807	003	1987	0.05	4870	14	55	80	2.5	4	0	4968	98	NCT-HAYE	40	form-based				0.75	4	1	0	0	5961	1091	1091	1.199879
0807	004	4768	0.11	17520	20	55	80	2.5	9	0	11920	0	NCT-HAYE	50	form-based	true			0.75	14	1.555555582	0	0	17880	360	360	1.5
0807	005	9000	0.21	24600	41	55	80	2.5	17	0	22500	0	NCT-HAYE	40	form-based				0.75	20	1.176470637	0	0	27000	2400	2400	1.2
0807	007	4185	0.1	6120	10	55	80	2.5	8	0	10462	4342	NCT-HAYE	40	form-based				0.75	9	1.125	0	0	12555	6435	6435	1.200057
0807	008	4215	0.1	7389	12	55	80	2.5	8	0	10538	3149	NCT-HAYE	40	form-based				0.75	9	1.125	0	0	12645	5256	5256	1.199943
0807	009	2756	0.06	5646	6	55	80	2.5	5	0	6890	1244	NCT-HAYE	40	form-based				0.75	6	1.200000048	0	0	8268	2622	2622	1.2
0807	016	1160	0.03	3242	3	55	80	2.5	2	0	2900	0	RTO-1	40	form-based	true	true		0.7	2	1	0	0	3248	6	6	1.12
0807	016A	766	0.02	1536	2	55	80	2.5	2	0	1915	379	RTO-1	40	form-based		true		0.7	2	1	0	0	2144.800049	608.8000488	608.8000488	1.12
0807	020	3000	0.07	4220	6	55	80	2.5	6	0	7500	3280	RTO-1	40	form-based		true		0.7	6	1	0	0	8400	4180	4180	1.12
0807	030	1923	0.04	4166	5	55	80	2.5	3	0	4808	642	RTO-1	40	form-based		true		0.7	4	1.333333373	0	0	5384.399902	1218.399902	1218.399902	1.119884
0807	041	3899	0.09	1070	9	55	80	2.5	7	0	9748	8678	NCT-HAYE	40	form-based	true			0.75	9	1.285714269	0	0	11697	10627	10627	1.199938
0808	017	4590	0.11	13770	21	55	80	2.5	9	0	11475	0	NCT-HAYE	50	form-based	true			0.75	14	1.555555582	0	0	17212.5	3442.5	3442.5	1.5
0808	019	1998	0.05	3550	6	55	80	2.5	4	0	4995	1445	NCT-HAYE	40	form-based	true			0.75	4	1	0	0	5994	2444	2444	1.2
0808	046	2395	0.05	740	10	65	100	3	5	0	7185	6445	NCT-HAYE	40	form-based				0.75	5	1	0	0	7185	6445	6445	1
0808	063	4545	0.1	10714	37	65	100	3	10	0	13635	2921	NCT-HAYE	50	form-based	true			0.75	14	1.399999976	0	0	17043.75	6329.75	6329.75	1.25
0808	135	1530	0.04	2996	4	55	80	2.5	3	0	3825	829	NCT-HAYE	40	form-based				0.75	3	1	0	0	4590	1594	1594	1.2
0808	146	17406	0.4	955	41	65	100	3	40	0	52218	51263	NCT-HAYE	40	form-based				0.75	39	0.975000024	0	0	52218	51263	51263	1
0809	003A	975	0.02	2811	6	65	100	3	2	0	2925	114	NCT-3	50	form-based				0.75	3	1.5	0	0	3656.25	845.25	845.25	1.25
0809	004	4500	0.1	9690	19	65	100	3	10	0	13500	3810	NCT-HAYE	50	form-based	true			0.75	14	1.399999976	0	0	16875	7185	7185	1.25
0809	004A	4500	0.1	11310	23	65	100	3	10	0	13500	2190	NCT-HAYE	50	form-based	true			0.75	14	1.399999976	0	0	16875	5565	5565	1.25
0809	007	6000	0.14	29460	47	65	100	3	14	0	18000	0	NCT-HAYE	50	form-based				0.75	18	1.285714269	0	0	22500	0	0	1.25
0809	015	3293	0.08	7047	13	65	100	3	8	0	9879	2832	NCT-HAYE	50	form-based				0.75	10	1.25	0	0	12348.75	5301.75	5301.75	1.25
0809	016	3293	0.08	11973	15	65	100	3	8	0	9879	0	NCT-HAYE	50	form-based				0.75	10	1.25	0	0	12348.75	375.75	375.75	1.25
0809	017	3293	0.08	9560	15	65	100	3	8	0	9879	319	NCT-HAYE	50	form-based				0.75	10	1.25	0	0	12348.75	2788.75	2788.75	1.25
0809	019	3305	0.08	6786	10	65	100	3	8	0	9915	3129	NCT-HAYE	50	form-based				0.75	10	1.25	0	0	12393.75	5607.75	5607.75	1.25
0809	061	1650	0.04	518	4	65	100	3	4	0	4950	4432	NCT-HAYE	40	form-based				0.75	4	1	0	0	4950	4432	4432	1
0811	031	13075	0.3	155218	162	75	120	3.5	36	0	45762	0	C-3-G	120	form-based	true			0.8	111	3.083333254	0	0	110643.75	0	0	2.417809
0811	203	13080	0.3	40249	146	65	100	3	30	0	39240	0	C-3-G	96	form-based	true			0.8	82	2.733333349	0	0	81870	41621	38231	2.086391
0811	204	13777	0.32	0	112	75	120	3.5	38	0	48220	48220	C-3-G	70	form-based				0.8	66	1.736842155	0	0	77151.20313	77151.20313	77151.20313	1.599983
0813	007	64430	1.48	655612	445	85	140	4	207	0	257720	0	C-3-G	200	form-based	true			0.55	386	1.864734292	0	0	386055.5	0	0	1.497965
0814	251	15500	0.36	337664	430	65	100	3	36	0	46500	0	C-3-G	200	form-based	true			0.8	219	6.083333492	0	0	219375	0	0	4.717742
0814A	001	46927	1.08	450000	420	75	120	3.5	130	0	164244	0	C-3-G	120	form-based	true			0.55	223	1.715384603	0	0	222668.9531	0	0	1.355721
0816	006	6600	0.15	28290	46	65	100	3	15	0	19800	0	NCT-HAYE	50	form-based				0.75	20	1.333333373	0	0	24750	0	0	1.25
0816	009	9954	0.23	23340	32	65	100	3	23	0	29862	6522	NCT-HAYE	50	form-based	true			0.75	30	1.304347873	0	0	37327.5	13987.5	13987.5	1.25
0816	021	1567	0.04	2504	4	65	100	3	4	0	4701	2197	NCT-HAYE	40	form-based				0.75	4	1	0	0	4701	2197	2197	1
0816	024	786	0.02	1817	2	65	100	3	2	0	2358	541	NCT-HAYE	40	form-based				0.75	2	1	0	0	2358	541	541	1
0817	003	3300	0.08	7250	10	65	100	3	8	0	9900	2650	NCT-HAYE	50	form-based				0.75	10	1.25	0	0	12375	5125	5125	1.25
0817	006A	1406	0.03	2420	4	65	100	3	3	0	4218	1798	NCT-HAYE	40	form-based				0.75	3	1	0	0	4218	1798	1798	1
0817	024	4221	0.1	11880	22	65	100	3	10	0	12663	783	NCT-HAYE	40	form-based				0.75	9	0.899999976	0	0	12663	783	783	1
0817	034	2092	0.05	4704	6	65	100	3	5	0	6276	1572	NCT-HAYE	40	form-based				0.75	5	1	0	0	6276	1572	1572	1
0817	049	7841	0.18	1320	29	65	100	3	18	0	23523	22203	NCT-HAYE	50	form-based	true			0.75	24	1.333333373	0	0	29403.75	28083.75	28083.75	1.25
0817	066	67	0	0	0	55	80	2.5	0	0	168	168	NCT-HAYE	40	form-based				0.75	0		0	0	201	201	201	1.196429
0818	001	4758	0.11	15692	19	55	80	2.5	9	0	11895	0	NCT-HAYE	50	form-based	true			0.75	14	1.555555582	0	0	17842.5	2150.5	2150.5	1.5
0818	002	3392	0.08	9123	15	65	100	3	8	0	10176	1053	NCT-HAYE	50	form-based	true			0.75	10	1.25	0	0	12720	3597	3597	1.25
0818	006A	1650	0.04	2260	4	65	100	3	4	0	4950	2690	RTO-1	40	form-based		true		0.7	3	0.75	0	0	4620	2360	2360	0.933333
0818	007	1650	0.04	2640	4	65	100	3	4	0	4950	2310	RTO-1	40	form-based		true		0.7	3	0.75	0	0	4620	1980	1980	0.933333
0818	008	1788	0.04	2490	4	65	100	3	4	0	5364	2874	RTO-1	40	form-based		true		0.7	4	1	0	0	5006.399902	2516.399902	2516.399902	0.933333
0818	010	3300	0.08	8745	12	65	100	3	8	0	9900	1155	RTO-1	40	form-based		true		0.7	7	0.875	0	0	9240	495	495	0.933333
0818	013	3300	0.08	8091	12	55	80	2.5	6	0	8250	159	RTO-1	40	form-based		true		0.7	7	1.166666627	0	0	9240	1149	1149	1.12
0818	016	3331	0.08	9564	8	55	80	2.5	6	0	8328	0	NCT-HAYE	40	form-based	true			0.75	7	1.166666627	0	0	9993	429	429	1.199928
0818	025	1375	0.03	3258	3	55	80	2.5	2	0	3438	180	RTO-1	40	form-based		true		0.7	3	1.5	0	0	3850	592	592	1.119837
0818	026	1375	0.03	3258	3	55	80	2.5	2	0	3438	180	RTO-1	40	form-based		true		0.7	3	1.5	0	0	3850	592	592	1.119837
0818	028	1184	0.03	2200	2	55	80	2.5	2	0	2960	760	RTO-1	40	form-based		true		0.7	2	1	0	0	3315.199951	1115.199951	1115.199951	1.12
0818	029	1142	0.03	2200	2	55	80	2.5	2	0	2855	655	RTO-1	40	form-based		true		0.7	2	1	0	0	3197.599854	997.5998535	997.5998535	1.12
0818	033	1402	0.03	2532	4	65	100	3	3	0	4206	1674	RTO-1	40	form-based		true		0.7	3	1	0	0	3925.599854	1393.599854	1393.599854	0.933333
0818	037	1540	0.04	1870	4	55	80	2.5	3	0	3850	1980	RTO-1	40	form-based		true		0.7	3	1	0	0	4312	2442	2442	1.12
0818	044	2500	0.06	3720	9	55	80	2.5	5	0	6250	2530	RTO-1	40	form-based		true		0.7	5	1	0	0	7000	3280	3280	1.12
0818	045	800	0.02	1376	2	55	80	2.5	2	0	2000	624	RTO-1	40	form-based		true		0.7	2	1	0	0	2240	864	864	1.12
0818	081	1375	0.03	1066	8	55	80	2.5	2	0	3438	2372	RTO-1	40	form-based		true		0.7	3	1.5	0	0	3850	2784	2784	1.119837
0819	002	1488	0.03	3795	3	55	80	2.5	2	0	3720	0	NCT-HAYE	40	form-based	true			0.75	3	1.5	0	0	4464	669	669	1.2
0819	004	3300	0.08	3924	8	55	80	2.5	6	0	8250	4326	RTO-1	40	form-based		true		0.7	7	1.166666627	0	0	9240	5316	5316	1.12
0819	005	1705	0.04	3480	6	55	80	2.5	3	0	4262	782	RTO-1	40	form-based		true		0.7	4	1.333333373	0	0	4774	1294	1294	1.120131

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0819	005A	1595	0.04	2370	4	55	80	2.5	3	0	3988	1618	RTO-1	40	form-based			true	0.7	3	1	0	0	4466	2096	2096	1.11986
0819	006	1884	0.04	3300	6	55	80	2.5	3	0	4710	1410	RTO-1	40	form-based			true	0.7	4	1.333333373	0	0	5275.199707	1975.199707	1975.199707	1.12
0819	006A	1416	0.03	2082	3	55	80	2.5	2	0	3540	1458	RTO-1	40	form-based			true	0.7	3	1.5	0	0	3964.800049	1882.800049	1882.800049	1.12
0819	008A	1524	0.03	2324	4	55	80	2.5	2	0	3810	1486	RTO-1	40	form-based			true	0.7	3	1.5	0	0	4267.199707	1943.199707	1943.199707	1.12
0819	009	3300	0.08	7100	15	55	80	2.5	6	0	8250	1150	RTO-1	40	form-based			true	0.7	7	1.166666627	0	0	9240	2140	2140	1.12
0819	010	2062	0.05	2850	4	55	80	2.5	4	0	5155	2305	RTO-1	40	form-based			true	0.7	4	1	0	0	5773.600098	2923.600098	2923.600098	1.12
0819	012	6600	0.15	12400	22	55	80	2.5	12	0	16500	4100	RTO-1	40	form-based			true	0.7	14	1.166666627	0	0	18480	6080	6080	1.12
0819	015	1656	0.04	2785	3	55	80	2.5	3	0	4140	1355	RTO-1	40	form-based		true	true	0.7	3	1	0	0	4636.799805	1851.799805	1851.799805	1.12
0819	021	3312	0.08	7728	7	55	80	2.5	6	0	8280	552	RTO-1	40	form-based			true	0.7	7	1.166666627	0	0	9273.599609	1545.599609	1545.599609	1.12
0819	028	1772	0.04	3060	5	55	80	2.5	3	0	4430	1370	RTO-1	40	form-based			true	0.7	4	1.333333373	0	0	4961.600098	1901.600098	1901.600098	1.12
0819	032	2970	0.07	4400	8	55	80	2.5	6	0	7425	3025	RTO-1	40	form-based			true	0.7	6	1	0	0	8316	3916	3916	1.12
0819	034	1388	0.03	4755	4	55	80	2.5	2	0	3470	0	NCT-HAYE	40	form-based		true		0.75	3	1.5	0	0	4164	0	0	1.2
0819	035	1944	0.04	3300	4	55	80	2.5	3	0	4860	1560	NCT-HAYE	40	form-based		true		0.75	4	1.333333373	0	0	5832	2532	2532	1.2
0819	042	1256	0.03	880	3	55	80	2.5	2	0	3140	2260	RTO-1	40	form-based			true	0.7	3	1.5	0	0	3516.800049	2636.800049	2636.800049	1.12
0819	045	1513	0.03	2750	3	55	80	2.5	2	0	3782	1032	RTO-1	40	form-based			true	0.7	3	1.5	0	0	4236.399902	1486.399902	1486.399902	1.120148
0819	054	1312	0.03	1563	3	55	80	2.5	2	0	3280	1717	RTO-1	40	form-based			true	0.7	3	1.5	0	0	3673.599854	2110.599854	2110.599854	1.12
0819	061	1254	0.03	838	3	55	80	2.5	2	0	3135	2297	RTO-1	40	form-based			true	0.7	3	1.5	0	0	3511.199951	2673.199951	2673.199951	1.12
0819	064	1272	0.03	737	3	55	80	2.5	2	0	3180	2443	RTO-1	40	form-based		true	true	0.7	3	1.5	0	0	3561.599854	2824.599854	2824.599854	1.12
0819	069	1655	0.04	792	3	55	80	2.5	3	0	4138	3346	RTO-1	40	form-based			true	0.7	3	1	0	0	4634	3842	3842	1.119865
0820	002	6600	0.15	37296	51	55	80	2.5	12	0	16500	0	RM-2	50	form-based		true	true	0.7	18	1.5	0	0	23100	0	0	1.4
0821	001	2538	0.06	9109	15	55	80	2.5	5	0	6345	0	RM-1	50	form-based		true	true	0.7	7	1.399999976	0	0	8883	0	0	1.4
0821	018	3767	0.09	13592	53	55	80	2.5	7	0	9418	0	RM-1	50	form-based		true	true	0.7	11	1.571428537	0	0	13184.5	0	0	1.399926
0821	038	863	0.02	1296	2	55	80	2.5	2	0	2158	862	RM-1	50	form-based			true	0.7	2	1	0	0	3020.5	1724.5	1724.5	1.399676
0822	002	2684	0.06	8750	13	55	80	2.5	5	0	6710	0	RM-1	50	form-based			true	0.7	8	1.600000024	0	0	9394	644	644	1.4
0822	019	4500	0.1	4564	9	55	80	2.5	8	0	11250	6686	RM-1	40	form-based			true	0.7	9	1.125	0	0	12600	8036	8036	1.12
0822	021	3125	0.07	5116	4	55	80	2.5	6	2	7812	2696	RM-1	40	density-lim	800	true		0.7	4	0.666666687	0	0	8750	3634	3634	1.120072
0822	022	2656	0.06	5865	8	55	80	2.5	5	0	6640	775	RM-1	40	density-lim	800			0.7	3	0.600000024	0	0	7436.799805	1571.799805	1571.799805	1.12
0822	023	2656	0.06	5850	6	55	80	2.5	5	0	6640	790	RM-1	40	density-lim	800			0.7	3	0.600000024	0	0	7436.799805	1586.799805	1586.799805	1.12
0822	037	5328	0.12	890	8	55	80	2.5	10	2	13320	12430	RM-1	40	density-lim	800	true		0.7	7	0.699999988	0	0	14918.39941	14028.39941	14028.39941	1.12
0823	001	4992	0.11	13020	18	55	80	2.5	9	0	12480	0	RH-3	40	density-lim	1000	true		0.7	6	0.666666687	0	0	13977.59961	957.5996094	957.5996094	1.12
0823	002	3025	0.07	3832	4	55	80	2.5	6	2	7562	3730	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	8470	4638	4638	1.120074
0824	001	6522	0.15	32400	37	55	80	2.5	12	0	16305	0	RM-2	40	density-lim	600	true		0.7	11	0.916666687	0	0	18261.59961	0	0	1.12
0824	001A	7245	0.17	17391	18	55	80	2.5	14	0	18112	721	RH-3	40	form-based			true	0.7	15	1.071428537	0	0	20286	2895	2895	1.120031
0824	001E	3769	0.09	9801	12	55	80	2.5	7	0	9422	0	RH-3	40	form-based		true	true	0.7	8	1.142857194	0	0	10553.2002	752.2001953	752.2001953	1.120059
0824	001G	3437	0.08	6300	9	55	80	2.5	6	0	8592	2292	RH-3	40	form-based			true	0.7	7	1.166666627	0	0	9623.599609	3323.599609	3323.599609	1.120065
0824	002B	6000	0.14	13605	24	55	80	2.5	11	0	15000	1395	RM-1	40	form-based			true	0.7	13	1.181818128	0	0	16800	3195	3195	1.12
0824	005A	3768	0.09	8811	12	55	80	2.5	7	0	9420	609	RM-1	40	form-based			true	0.7	8	1.142857194	0	0	10550.39941	1739.399414	1739.399414	1.12
0824	006B	4430	0.1	8616	12	55	80	2.5	8	0	11075	2459	RM-1	40	form-based			true	0.7	9	1.125	0	0	12404	3788	3788	1.12
0824	007	2741	0.06	6944	9	55	80	2.5	5	0	6852	0	RM-2	40	density-lim	600			0.7	5	1	0	0	7674.799805	730.7998047	730.7998047	1.120082
0824	008	2640	0.06	6671	7	55	80	2.5	5	0	6600	0	RM-2	40	density-lim	600			0.7	4	0.800000012	0	0	7392	721	721	1.12
0824	009	3758	0.09	7171	8	55	80	2.5	7	0	9395	2224	RM-2	40	density-lim	600			0.7	6	0.857142866	0	0	10522.39941	3351.399414	3351.399414	1.12
0824	009A	3733	0.09	7455	7	55	80	2.5	7	0	9332	1877	RM-2	40	density-lim	600			0.7	6	0.857142866	0	0	10452.39941	2997.399414	2997.399414	1.12006
0824	010	3733	0.09	6671	7	55	80	2.5	7	0	9332	2661	RM-2	40	density-lim	600			0.7	6	0.857142866	0	0	10452.39941	3781.399414	3781.399414	1.12006
0824	012	3187	0.07	8382	18	55	80	2.5	6	0	7968	0	RM-2	40	density-lim	600	true		0.7	5	0.833333313	0	0	8923.599609	541.5996094	541.5996094	1.11993
0825	015	3750	0.09	7282	12	55	80	2.5	7	0	9375	2093	RH-3	40	form-based			true	0.7	8	1.142857194	0	0	10500	3218	3218	1.12
0825	020	2689	0.06	6180	6	55	80	2.5	5	0	6722	542	RM-1	40	form-based		true	true	0.7	6	1.200000048	0	0	7529.199707	1349.199707	1349.199707	1.120083
0825	023	5430	0.12	8076	12	55	80	2.5	10	0	13575	5499	RM-1	40	form-based			true	0.7	11	1.100000024	0	0	15204	7128	7128	1.12
0825	024	4073	0.09	5527	9	55	80	2.5	7	0	10182	4655	RM-1	40	form-based			true	0.7	9	1.285714269	0	0	11404.39941	5877.399414	5877.399414	1.120055
0825	034	2841	0.07	7317	6	55	80	2.5	6	0	7102	0	RM-1	40	form-based			true	0.7	6	1	0	0	7954.799805	637.7998047	637.7998047	1.120079
0825	035	2239	0.05	7506	24	55	80	2.5	4	0	5598	0	RM-1	40	form-based		true	true	0.7	5	1.25	0	0	6269.199707	0	0	1.1199
0825	038	4934	0.11	8292	10	55	80	2.5	9	0	12335	4043	RM-1	40	form-based			true	0.7	10	1.111111164	0	0	13815.2002	5523.200195	5523.200195	1.12
0825	039	3611	0.08	7500	10	55	80	2.5	6	0	9028	1528	RM-1	40	form-based			true	0.7	8	1.333333373	0	0	10110.7998	2610.799805	2610.799805	1.119938
0825	040	5667	0.13	11785	17	55	80	2.5	10	0	14168	2383	RM-1	40	form-based		true	true	0.7	12	1.200000048	0	0	15867.59961	4082.599609	4082.599609	1.11996
0826	008	5746	0.13	9270	12	55	80	2.5	10	0	14365	5095	RM-1	40	form-based			true	0.7	12	1.200000048	0	0	16088.7998	6818.799805	6818.799805	1.12
0826	008A	5746	0.13	9270	12	55	80	2.5	10	0	14365	5095	RM-1	40	form-based			true	0.7	12	1.200000048	0	0	16088.7998	6818.799805	6818.799805	1.12
0826	018	7473	0.17	19046	16	55	80	2.5	14	0	18682	0	RM-1	40	form-based			true	0.7	16	1.142857194	0	0	20924.40039	1878.400391	1878.400391	1.12003
0826	020	4403	0.1	7964	16	55	80	2.5	8	0	11008	3044	RM-3	40	form-based		true	true	0.75	10	1.25	0	0	13209	5245	5245	1.199945
0826	021	2309	0.05	3040	6	55	80	2.5	4	0	5772	2732	RM-1	40	form-based			true	0.7	5	1.25	0	0	6465.199707	3425.199707	3425.199707	1.120097
0826	023	3863	0.09	6357	11	55	80	2.5	7	0	9658	3301	RM-1	40	form-based			true	0.7	8	1.142857194	0	0	10816.39941	4459.399414	4459.399414	1.119942
0826	024	4696	0.11	14092	19	55	80	2.5	9	0	11740	0	RM-1	40	form-based		true	true	0.7	10	1.111111164	0	0	13148.7998	0	0	1.12
0826	027	2994	0.07	7743	9	55	80	2.5	6	0	7485	0	RM-1	40	form-based		true	true	0.7	6	1	0	0	8383.200195	640.2001953	640.2001953	1.12
0827	001	1601	0.04	6300	8	55	80	2.5	3	0	4002	0	RM-1	40	form-based		true	true	0.7	3	1	0	0	4482.799805	0	0	1.12014
0827	002	3006	0.07	5850	6	55	80	2.5	6	0	7515	1665	RM-1	40	form-based			true	0.7	6	1	0	0	8416.799805	2566.799805	2566.799805	1.12
0827	007	4053	0.09	10500	12	55	80	2.5	7	0	10132	0	RM-1	40	form-based			true	0.7	9	1.285714269	0	0	11348.39941	848.3994141	848.3994141	1.120055

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0827	009	3817	0.09	5630	8	55	80	2.5	7	0	9542	3912	RM-1	40	form-based			true	0.7	8	1.142857194	0	0	10687.59961	5057.599609	5057.599609	1.120059
0827	018	2500	0.06	4376	5	55	80	2.5	5	0	6250	1874	RM-1	40	form-based			true	0.7	5	1	0	0	7000	2624	2624	1.12
0827	037	3344	0.08	1096	8	55	80	2.5	6	0	8360	7264	RM-3	40	form-based		true	true	0.75	8	1.333333373	0	0	10032	8936	8936	1.2
0828	001	4873	0.11	13125	18	55	80	2.5	9	0	12182	0	RM-3	40	form-based		true	true	0.75	11	1.222222209	0	0	14619	1494	1494	1.200049
0828	001A	5014	0.12	11700	15	55	80	2.5	10	0	12535	835	RM-3	40	form-based			true	0.75	11	1.100000024	0	0	15042	3342	3342	1.2
0828	005	5128	0.12	11520	18	55	80	2.5	10	0	12820	1300	RM-1	40	form-based		true	true	0.7	11	1.100000024	0	0	14358.39941	2838.399414	2838.399414	1.12
0828	006A	2547	0.06	3000	5	55	80	2.5	5	0	6368	3368	RM-1	40	form-based			true	0.7	5	1	0	0	7131.600098	4131.600098	4131.600098	1.119912
0828	018	2235	0.05	8748	19	55	80	2.5	4	0	5588	0	RM-1	40	form-based		true	true	0.7	5	1.25	0	0	6258	0	0	1.1199
0828	027	4083	0.09	841	9	55	80	2.5	7	0	10208	9367	RM-3	40	form-based			true	0.75	9	1.285714269	0	0	12249	11408	11408	1.199941
0829	005	7425	0.17	19875	27	55	80	2.5	14	0	18562	0	RM-2	40	form-based		true	true	0.7	16	1.142857194	0	0	20790	915	915	1.12003
0829	015	1475	0.03	2769	3	55	80	2.5	2	0	3688	919	RH-3	40	form-based			true	0.7	3	1.5	0	0	4130	1361	1361	1.119848
0829	015A	559	0.01	992	1	55	80	2.5	1	0	1398	406	RH-3	40	form-based			true	0.7	1	1	0	0	1565.199951	573.1999512	573.1999512	1.119599
0829	015B	548	0.01	992	1	55	80	2.5	1	0	1370	378	RH-3	40	form-based			true	0.7	1	1	0	0	1534.400024	542.4000244	542.4000244	1.12
0829	015C	548	0.01	1392	1	55	80	2.5	1	0	1370	0	RH-3	40	form-based			true	0.7	1	1	0	0	1534.400024	142.4000244	142.4000244	1.12
0829	015D	558	0.01	992	1	55	80	2.5	1	0	1395	403	RH-3	40	form-based			true	0.7	1	1	0	0	1562.400024	570.4000244	570.4000244	1.12
0829	018	1788	0.04	6360	4	55	80	2.5	3	0	4470	0	RH-3	40	form-based		true	true	0.7	4	1.333333373	0	0	5006.399902	0	0	1.12
0829	020A	1375	0.03	3375	6	55	80	2.5	2	0	3438	63	RH-3	40	form-based			true	0.7	3	1.5	0	0	3850	475	475	1.119837
0829	021	3263	0.07	4094	8	55	80	2.5	6	0	8158	4064	RH-3	40	form-based			true	0.7	7	1.166666627	0	0	9136.399414	5042.399414	5042.399414	1.119931
0829	029A	1650	0.04	3024	3	55	80	2.5	3	0	4125	1101	RH-3	40	form-based			true	0.7	3	1	0	0	4620	1596	1596	1.12
0829	032	1758	0.04	2314	4	55	80	2.5	3	0	4395	2081	RH-3	40	form-based			true	0.7	4	1.333333373	0	0	4922.399902	2608.399902	2608.399902	1.12
0830	004	3422	0.08	10980	14	65	100	3	8	0	10266	0	RTO-1	40	form-based		true	true	0.7	7	0.875	0	0	9581.599609	0	0	0.933333
0830	014	2795	0.06	7760	14	55	80	2.5	5	0	6988	0	RTO-1	40	form-based		true	true	0.7	6	1.200000048	0	0	7826	66	66	1.11992
0830	015	4047	0.09	10830	19	55	80	2.5	7	0	10118	0	RTO-1	40	form-based		true	true	0.7	8	1.142857194	0	0	11331.59961	501.5996094	501.5996094	1.119945
0830	016	1540	0.04	2550	3	55	80	2.5	3	0	3850	1300	RTO-1	40	form-based		true	true	0.7	3	1	0	0	4312	1762	1762	1.12
0830	017	2495	0.06	8475	6	55	80	2.5	5	0	6238	0	RTO-1	40	form-based		true	true	0.7	5	1	0	0	6986	0	0	1.11991
0830	021	1891	0.04	3567	6	55	80	2.5	3	0	4728	1161	RTO-1	40	form-based			true	0.7	4	1.333333373	0	0	5294.799805	1727.799805	1727.799805	1.119882
0830	022	2018	0.05	3150	4	55	80	2.5	4	0	5045	1895	RTO-1	40	form-based			true	0.7	4	1	0	0	5650.399902	2500.399902	2500.399902	1.12
0830	024	4900	0.11	7851	12	55	80	2.5	9	0	12250	4399	RTO-1	40	form-based			true	0.7	10	1.111111164	0	0	13720	5869	5869	1.12
0830	029	2101	0.05	2735	4	55	80	2.5	4	0	5252	2517	RTO-1	40	form-based			true	0.7	4	1	0	0	5882.799805	3147.799805	3147.799805	1.120107
0830	031	1074	0.02	2270	4	55	80	2.5	2	0	2685	415	RTO-1	40	form-based			true	0.7	2	1	0	0	3007.199951	737.1999512	737.1999512	1.12
0830	032	1181	0.03	3120	3	55	80	2.5	2	0	2952	0	RTO-1	40	form-based			true	0.7	2	1	0	0	3306.800049	186.8000488	186.8000488	1.12019
0830	037	1969	0.05	801	4	65	100	3	5	1	5907	5106	RTO-1	40	form-based			true	0.7	4	0.800000012	0	0	5513.199707	4712.199707	4712.199707	0.933333
0830	053	2145	0.05	600	11	65	100	3	5	0	6435	5835	RTO-1	40	form-based		true	true	0.7	5	1	0	0	6006	5406	5406	0.933333
0831	001	4860	0.11	12960	21	65	100	3	11	0	14580	1620	NCT-HAYE	50	form-based		true	true	0.75	15	1.363636374	0	0	18225	5265	5265	1.25
0831	001A	4950	0.11	13950	24	65	100	3	11	0	14850	900	NCT-HAYE	50	form-based		true	true	0.75	15	1.363636374	0	0	18562.5	4612.5	4612.5	1.25
0831	023	49481	1.14	170072	365	65	100	3	114	0	148443	0	RTO-1	50	form-based		true	true	0.55	109	0.956140339	0	0	136072.75	0	0	0.916667
0831	024	37060	0.85	1436	108	65	100	3	85	0	111180	109744	RTO-1	40	form-based		true	true	0.7	78	0.917647064	0	0	103768	102332	102332	0.933333
0832	004	7700	0.18	25480	37	65	100	3	18	0	23100	0	NCT-HAYE	50	form-based		true		0.75	23	1.277777791	0	0	28875	3395	3395	1.25
0832	005	6600	0.15	15100	22	65	100	3	15	0	19800	4700	NCT-HAYE	40	form-based				0.75	15	1	0	0	19800	4700	4700	1
0832	006	1925	0.04	4518	6	65	100	3	4	0	5775	1257	NCT-HAYE	40	form-based				0.75	4	1	0	0	5775	1257	1257	1
0832	009	1650	0.04	3765	6	65	100	3	4	0	4950	1185	NCT-HAYE	40	form-based				0.75	4	1	0	0	4950	1185	1185	1
0832	009A	1650	0.04	3765	6	65	100	3	4	0	4950	1185	NCT-HAYE	40	form-based				0.75	4	1	0	0	4950	1185	1185	1
0833	014	3274	0.08	9517	20	65	100	3	8	0	9822	305	NCT-HAYE	50	form-based		true		0.75	10	1.25	0	0	12277.5	2760.5	2760.5	1.25
0833	018	5954	0.14	30000	48	65	100	3	14	0	17862	0	NCT-HAYE	50	form-based				0.75	18	1.285714269	0	0	22327.5	0	0	1.25
0833	021	3573	0.08	9900	21	65	100	3	8	0	10719	819	NCT-HAYE	50	form-based				0.75	11	1.375	0	0	13398.75	3498.75	3498.75	1.25
0834	013	3873	0.09	6680	34	65	100	3	9	0	11619	4939	C-3-G	85	form-based				0.8	22	2.444444418	0	0	24787.20117	18107.20117	16558	2.133333
0834	018	4916	0.11	18780	41	65	100	3	11	0	14748	0	C-3-G	85	form-based				0.8	28	2.545454502	0	0	31462.40039	12682.40039	10716	2.133333
0835	001	8828	0.2	35921	109	75	120	3.5	24	0	30898	0	C-3-G	320	form-based		true		0.8	79	3.291666746	0	0	79452	43531	25875	2.571429
0836	007	10538	0.24	95848	109	65	100	3	24	0	31614	0	C-3-G	120	form-based				0.8	95	3.958333254	0	0	94842	0	0	3
0836	010	9785	0.22	61553	72	65	100	3	22	0	29355	0	C-3-G	85	form-based		true		0.8	55	2.5	0	0	62624	1071	0	2.133333
0837	010	1650	0.04	3840	6	65	100	3	4	0	4950	1110	NCT-3	50	form-based				0.75	5	1.25	0	0	6187.5	2347.5	2347.5	1.25
0837	013	3300	0.08	9540	12	65	100	3	8	0	9900	360	NCT-HAYE	50	form-based		true		0.75	10	1.25	0	0	12375	2835	2835	1.25
0837	026	3300	0.08	13200	18	65	100	3	8	0	9900	0	NCT-3	50	form-based		true		0.75	10	1.25	0	0	12375	0	0	1.25
0837	081	1650	0.04	3046	5	65	100	3	4	0	4950	1904	NCT-3	40	form-based				0.75	4	1	0	0	4950	1904	1904	1
0837	095	6606	0.15	1129	35	65	100	3	15	0	19818	18689	NCT-3	85	form-based		true		0.75	35	2.333333254	0	0	39636	38507	38507	2
0838	003	2625	0.06	5970	10	65	100	3	6	0	7875	1905	NCT-HAYE	50	form-based				0.75	8	1.333333373	0	0	9843.75	3873.75	3873.75	1.25
0838	004	2625	0.06	7000	9	65	100	3	6	0	7875	875	NCT-HAYE	50	form-based		true		0.75	8	1.333333373	0	0	9843.75	2843.75	2843.75	1.25
0838	005	6450	0.15	23220	41	65	100	3	15	0	19350	0	NCT-3	50	form-based		true		0.75	19	1.266666651	0	0	24187.5	967.5	967.5	1.25
0838	007	6450	0.15	16860	51	65	100	3	15	0	19350	2490	NCT-3	50	form-based		true		0.75	19	1.266666651	0	0	24187.5	7327.5	7327.5	1.25
0838	008	3600	0.08	9035	12	65	100	3	8	0	10800	1765	NCT-3	40	form-based				0.75	8	1	0	0	10800	1765	1765	1
0838	009	3300	0.08	8766	12	65	100	3	8	0	9900	1134	NCT-3	40	form-based				0.75	7	0.875	0	0	9900	1134	1134	1
0838	021	1783	0.04	3382	6	65	100	3	4	0	5349	1967	NCT-HAYE	50	form-based				0.75	5	1.25	0	0	6686.25	3304.25	3304.25	1.25
0838	026	1100	0.03	2310	3	65	100	3	3	0	3300	990	NCT-HAYE	40	form-based				0.75	2	0.666666687	0	0	3300	990	990	1
0838	028	3721	0.09	9099	12	65	100	3	9	0	11163	2064	NCT-HAYE	40	form-based				0.75	8	0.888888896	0	0	11163	2064	2064	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0838	031	4651	0.11	13047	27	65	100	3	11	0	13953	906	NCT-HAYE	40	form-based				0.75	10	0.909090936	0	0	13953	906	906	1
0838	037	7200	0.17	571	33	65	100	3	17	0	21600	21029	NCT-3	40	form-based				0.75	16	0.941176474	0	0	21600	21029	21029	1
0839	006	2779	0.06	7392	9	65	100	3	6	0	8337	945	NCT-HAYE	50	form-based		true		0.75	8	1.333333373	0	0	10421.25	3029.25	3029.25	1.25
0839	006A	1000	0.02	1784	2	65	100	3	2	0	3000	1216	RTO-1	40	form-based			true	0.7	2	1	0	0	2800	1016	1016	0.933333
0839	007A	1306	0.03	1642	4	65	100	3	3	0	3918	2276	RTO-1	40	form-based			true	0.7	3	1	0	0	3656.800049	2014.800049	2014.800049	0.933333
0839	010	4800	0.11	12300	32	65	100	3	11	0	14400	2100	RTO-1	40	form-based			true	0.7	10	0.909090936	0	0	13440	1140	1140	0.933333
0839	012	3600	0.08	7041	13	65	100	3	8	0	10800	3759	RTO-1	40	form-based			true	0.7	8	1	0	0	10080	3039	3039	0.933333
0839	018	4300	0.1	12000	25	65	100	3	10	0	12900	900	RTO-1	40	form-based		true	true	0.7	9	0.899999976	0	0	12040	40	40	0.933333
0839	025	3698	0.08	13286	16	65	100	3	8	0	11094	0	RTO-1	40	form-based			true	0.7	8	1	0	0	10354.39941	0	0	0.933333
0839	028	1838	0.04	3207	5	65	100	3	4	0	5514	2307	RTO-1	40	form-based			true	0.7	4	1	0	0	5146.399902	1939.399902	1939.399902	0.933333
0839	029	4717	0.11	16645	15	65	100	3	11	0	14151	0	NCT-HAYE	50	form-based		true		0.75	14	1.272727251	0	0	17688.75	1043.75	1043.75	1.25
0839	034	1754	0.04	2538	4	65	100	3	4	0	5262	2724	RTO-1	40	form-based			true	0.7	4	1	0	0	4911.199707	2373.199707	2373.199707	0.933333
0839	062	2559	0.06	4050	10	65	100	3	6	0	7677	3627	RTO-1	40	form-based			true	0.7	5	0.833333313	0	0	7165.199707	3115.199707	3115.199707	0.933333
0840	001	2350	0.05	7350	13	65	100	3	5	0	7050	0	RTO-1	40	form-based		true	true	0.7	5	1	0	0	6580	0	0	0.933333
0840	004	6600	0.15	16800	20	65	100	3	15	0	19800	3000	RTO-1	40	form-based			true	0.7	14	0.933333337	0	0	18480	1680	1680	0.933333
0840	006	6900	0.16	18900	22	65	100	3	16	0	20700	1800	RTO-1	40	form-based			true	0.7	14	0.875	0	0	19320	420	420	0.933333
0840	014A	1075	0.02	1700	2	55	80	2.5	2	0	2688	988	RTO-1	40	form-based			true	0.7	2	1	0	0	3010	1310	1310	1.119792
0840	015A	950	0.02	1700	2	65	100	3	2	0	2850	1150	RTO-1	40	form-based			true	0.7	2	1	0	0	2660	960	960	0.933333
0840	022A	1047	0.02	1924	2	65	100	3	2	0	3141	1217	RTO-1	40	form-based			true	0.7	2	1	0	0	2931.599854	1007.599854	1007.599854	0.933333
0840	023A	1031	0.02	1225	2	65	100	3	2	0	3093	1868	RTO-1	40	form-based			true	0.7	2	1	0	0	2886.800049	1661.800049	1661.800049	0.933333
0840	026	1000	0.02	1460	2	65	100	3	2	0	3000	1540	RTO-1	40	form-based			true	0.7	2	1	0	0	2800	1340	1340	0.933333
0840	027	2790	0.06	5313	9	65	100	3	6	0	8370	3057	RTO-1	40	form-based			true	0.7	6	1	0	0	7812	2499	2499	0.933333
0840	028	3255	0.07	4522	9	65	100	3	7	0	9765	5243	RTO-1	40	form-based		true	true	0.7	7	1	0	0	9114	4592	4592	0.933333
0840	029	1755	0.04	2976	4	65	100	3	4	0	5265	2289	RTO-1	40	form-based		true	true	0.7	4	1	0	0	4914	1938	1938	0.933333
0840	031	1100	0.03	1472	2	65	100	3	3	1	3300	1828	RTO-1	40	form-based			true	0.7	2	0.666666687	0	0	3080	1608	1608	0.933333
0840	043	1500	0.03	1158	3	55	80	2.5	2	0	3750	2592	RTO-1	40	form-based		true	true	0.7	3	1.5	0	0	4200	3042	3042	1.12
0840	046	2524	0.06	964	14	65	100	3	6	0	7572	6608	RTO-1	40	form-based			true	0.7	5	0.833333313	0	0	7067.199707	6103.199707	6103.199707	0.933333
0840	051	4466	0.1	968	14	65	100	3	10	0	13398	12430	RTO-1	40	form-based			true	0.7	9	0.899999976	0	0	12504.7998	11536.7998	11536.7998	0.933333
0841	003	6840	0.16	20580	27	65	100	3	16	0	20520	0	RTO-1	40	form-based	true	true	true	0.7	14	0.875	0	0	19152	0	0	0.933333
0841	004A	5825	0.13	15825	25	65	100	3	13	0	17475	1650	RTO-1	40	form-based	true	true	true	0.7	12	0.923076928	0	0	16310	485	485	0.933333
0841	023	2093	0.05	2400	4	55	80	2.5	4	0	5232	2832	RTO-1	40	form-based			true	0.7	4	1	0	0	5860.399902	3460.399902	3460.399902	1.120107
0841	024A	1121	0.03	3423	2	55	80	2.5	2	0	2802	0	RTO-1	40	form-based			true	0.7	2	1	0	0	3138.800049	0	0	1.1202
0841	030	1036	0.02	2886	3	55	80	2.5	2	0	2590	0	RTO-1	40	form-based			true	0.7	2	1	0	0	2900.800049	14.80004883	14.80004883	1.12
0841	041	1410	0.03	3456	3	55	80	2.5	2	0	3525	69	RTO-1	40	form-based			true	0.7	3	1.5	0	0	3948	492	492	1.12
0841	044	4950	0.11	1843	24	55	80	2.5	9	0	12375	10532	RTO-1	40	form-based		true	true	0.7	10	1.111111164	0	0	13860	12017	12017	1.12
0841	061	1720	0.04	1999	4	55	80	2.5	3	0	4300	2301	RTO-1	40	form-based			true	0.7	4	1.333333373	0	0	4816	2817	2817	1.12
0842	002	2511	0.06	5157	6	55	80	2.5	5	0	6278	1121	RM-1	40	form-based			true	0.7	5	1	0	0	7030.799805	1873.799805	1873.799805	1.119911
0842	003	3074	0.07	4650	6	55	80	2.5	6	0	7685	3035	RM-1	40	form-based			true	0.7	6	1	0	0	8607.200195	3957.200195	3957.200195	1.12
0842	005	3048	0.07	11130	8	55	80	2.5	6	0	7620	0	RM-1	40	form-based		true	true	0.7	6	1	0	0	8534.399414	0	0	1.12
0842	006	3000	0.07	5508	6	55	80	2.5	6	0	7500	1992	RM-1	40	form-based			true	0.7	6	1	0	0	8400	2892	2892	1.12
0842	019	2500	0.06	7790	18	55	80	2.5	5	0	6250	0	RM-1	40	form-based		true	true	0.7	5	1	0	0	7000	0	0	1.12
0842	023	4765	0.11	10920	12	55	80	2.5	9	0	11912	992	RM-1	40	form-based			true	0.7	10	1.111111164	0	0	13342	2422	2422	1.120047
0842	024	4765	0.11	9600	13	55	80	2.5	9	0	11912	2312	RM-1	40	form-based			true	0.7	10	1.111111164	0	0	13342	3742	3742	1.120047
0842	026	4099	0.09	6750	9	55	80	2.5	7	0	10248	3498	RM-1	40	form-based			true	0.7	9	1.285714269	0	0	11477.2002	4727.200195	4727.200195	1.119945
0843	001	1966	0.05	4780	4	55	80	2.5	4	0	4915	135	RM-1	40	form-based	true	true	true	0.7	4	1	0	0	5504.799805	724.7998047	724.7998047	1.12
0843	008	5514	0.13	13950	21	55	80	2.5	10	0	13785	0	RM-1	40	form-based	true	true	true	0.7	12	1.200000048	0	0	15439.2002	1489.200195	1489.200195	1.12
0843	020	3651	0.08	15374	20	55	80	2.5	6	0	9128	0	RM-1	40	form-based	true	true	true	0.7	8	1.333333373	0	0	10222.7998	0	0	1.119939
0844	001	3448	0.08	8480	14	55	80	2.5	6	0	8620	140	RM-1	40	form-based	true	true	true	0.7	7	1.166666627	0	0	9654.399414	1174.399414	1174.399414	1.12
0844	004	2485	0.06	7926	13	55	80	2.5	5	0	6212	0	RM-1	40	form-based	true	true	true	0.7	5	1	0	0	6958	0	0	1.12009
0844	006	2048	0.05	4950	6	65	100	3	5	0	6144	1194	RM-1	40	form-based			true	0.7	4	0.800000012	0	0	5734.399902	784.3999023	784.3999023	0.933333
0844	015	3047	0.07	9556	15	65	100	3	7	0	9141	0	RH-3	40	form-based		true	true	0.7	6	0.857142866	0	0	8531.599609	0	0	0.933333
0844	018	2656	0.06	5250	8	55	80	2.5	5	0	6640	1390	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7436.799805	2186.799805	2186.799805	1.12
0844	021	3025	0.07	5196	6	55	80	2.5	6	0	7562	2366	RM-1	40	form-based			true	0.7	6	1	0	0	8470	3274	3274	1.120074
0844	023	3025	0.07	6180	6	55	80	2.5	6	0	7562	1382	RM-1	40	form-based			true	0.7	6	1	0	0	8470	2290	2290	1.120074
0844	024	2920	0.07	8625	13	55	80	2.5	6	0	7300	0	RM-1	40	form-based		true	true	0.7	6	1	0	0	8176	0	0	1.12
0844	025	2999	0.07	5775	6	55	80	2.5	6	0	7498	1723	RM-1	40	form-based			true	0.7	6	1	0	0	8397.200195	2622.200195	2622.200195	1.119925
0844	035	2527	0.06	5725	7	55	80	2.5	5	0	6318	593	RM-1	40	form-based			true	0.7	5	1	0	0	7075.600098	1350.600098	1350.600098	1.119911
0845	002	2656	0.06	4755	6	55	80	2.5	5	0	6640	1885	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7436.799805	2681.799805	2681.799805	1.12
0845	018	2439	0.06	6390	7	65	100	3	6	0	7317	927	RH-3	40	form-based		true	true	0.7	5	0.833333313	0	0	6829.199707	439.199707	439.199707	0.933333
0845	025	3311	0.08	8280	8	55	80	2.5	6	0	8278	0	RH-3	40	form-based		true	true	0.7	7	1.166666627	0	0	9270.799805	990.7998047	990.7998047	1.119932
0845	033A	3457	0.08	5252	8	55	80	2.5	6	0	8642	3390	RH-3	40	form-based			true	0.7	7	1.166666627	0	0	9679.599609	4427.599609	4427.599609	1.120065
0847	001	2560	0.06	8020	22	65	100	3	6	0	7680	0	RM-1	50	form-based		true	true	0.7	7	1.166666627	0	0	8960	940	940	1.166667
0847	025	2810	0.06	7440	9	65	100	3	6	0	8430	990	RH-3	50	form-based		true	true	0.7	8	1.333333373	0	0	9835	2395	2395	1.166667
0848	001	3472	0.08	7695	14	65	100	3	8	0	10416	2721	RM-1	50	form-based			true	0.7	10	1.25	0	0	12152	4457	4457	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0848	001A	3383	0.08	9216	15	65	100	3	8	0	10149	933	RM-1	50	form-based		true	true	0.7	9	1.125	0	0	11840.5	2624.5	2624.5	1.166667
0848	003	4297	0.1	9525	13	65	100	3	10	0	12891	3366	RM-1	50	form-based			true	0.7	12	1.200000048	0	0	15039.5	5514.5	5514.5	1.166667
0848	016	2868	0.07	6734	8	65	100	3	7	0	8604	1870	RM-1	50	form-based			true	0.7	8	1.142857194	0	0	10038	3304	3304	1.166667
0849	020	5985	0.14	17750	30	65	100	3	14	0	17955	205	NCD-LOWI	65	form-based		true	true	0.75	22	1.571428537	0	0	26932.5	9182.5	9182.5	1.5
0849	022A	2692	0.06	6900	8	65	100	3	6	0	8076	1176	RM-1	50	form-based		true	true	0.7	8	1.333333373	0	0	9422	2522	2522	1.166667
0849	024	2819	0.06	8136	9	65	100	3	6	0	8457	321	RM-1	50	form-based			true	0.7	8	1.333333373	0	0	9866.5	1730.5	1730.5	1.166667
0850	003E	4340	0.1	10041	12	65	100	3	10	0	13020	2979	RTO-1	40	form-based		true	true	0.7	9	0.899999976	0	0	12152	2111	2111	0.933333
0850	003G	3505	0.08	6800	7	65	100	3	8	1	10515	3715	RTO-1	40	form-based			true	0.7	7	0.875	0	0	9814	3014	3014	0.933333
0851	010	5492	0.13	4950	15	65	100	3	13	0	16476	11526	RTO-1	40	form-based			true	0.7	12	0.923076928	0	0	15377.59961	10427.59961	10427.59961	0.933333
0851	013	10487	0.24	65241	68	65	100	3	24	0	31461	0	RTO-1	40	form-based		true	true	0.7	22	0.916666687	0	0	29363.59961	0	0	0.933333
0851	061	2210	0.05	545	7	65	100	3	5	0	6630	6085	RTO-1	40	form-based		true	true	0.7	5	1	0	0	6188	5643	5643	0.933333
0852	005A	3533	0.08	8970	12	65	100	3	8	0	10599	1629	RTO-1	40	form-based			true	0.7	7	0.875	0	0	9892.399414	922.3994141	922.3994141	0.933333
0852	006	4800	0.11	25080	42	65	100	3	11	0	14400	0	RTO-1	40	form-based			true	0.7	10	0.909090936	0	0	13440	0	0	0.933333
0852	008	3300	0.08	6762	12	65	100	3	8	0	9900	3138	RTO-1	40	form-based			true	0.7	7	0.875	0	0	9240	2478	2478	0.933333
0852	010A	1303	0.03	2580	4	65	100	3	3	0	3909	1329	RTO-1	40	form-based			true	0.7	3	1	0	0	3648.399902	1068.399902	1068.399902	0.933333
0852	013	1677	0.04	4860	4	65	100	3	4	0	5031	171	RTO-1	40	form-based		true	true	0.7	4	1	0	0	4695.600098	0	0	0.933333
0852	020	3597	0.08	5445	9	65	100	3	8	0	10791	5346	RTO-1	40	form-based			true	0.7	8	1	0	0	10071.59961	4626.599609	4626.599609	0.933333
0852	052	791	0.02	800	2	65	100	3	2	0	2373	1573	RTO-1	40	form-based			true	0.7	2	1	0	0	2214.800049	1414.800049	1414.800049	0.933333
0852	068	6255	0.14	6677	22	65	100	3	14	0	18765	12088	NCT-HAYE	50	form-based		true	true	0.75	19	1.357142806	0	0	23456.25	16779.25	16779.25	1.25
0853	002	4603	0.11	12375	26	85	140	4	15	0	18412	6037	NCT-3	50	form-based		true		0.75	14	0.933333337	0	0	17261.25	4886.25	4886.25	0.9375
0853	004	6312	0.14	16350	26	85	140	4	20	0	25248	8898	NCT-3	50	form-based				0.75	19	0.949999988	0	0	23670	7320	7320	0.9375
0853	017A	1507	0.03	3150	6	65	100	3	3	0	4521	1371	NCT-3	40	form-based				0.75	3	1	0	0	4521	1371	1371	1
0853	018	1929	0.04	4560	8	65	100	3	4	0	5787	1227	NCT-3	40	form-based				0.75	4	1	0	0	5787	1227	1227	1
0853	018A	1380	0.03	2094	4	65	100	3	3	0	4140	2046	NCT-3	40	form-based				0.75	3	1	0	0	4140	2046	2046	1
0853	034	5552	0.13	20635	27	65	100	3	13	0	16656	0	NCT-HAYE	50	form-based		true		0.75	17	1.307692289	0	0	20820	185	185	1.25
0853	065	5581	0.13	0	63	65	100	3	13	0	16743	16743	NCT-HAYE	50	form-based		true		0.75	17	1.307692289	0	0	20928.75	20928.75	20928.75	1.25
0854	004	2062	0.05	9610	33	85	140	4	7	0	8248	0	NCT-3	85	form-based				0.75	11	1.571428537	0	0	12372	2762	2762	1.5
0854	005	5744	0.13	31200	42	85	140	4	18	0	22976	0	NCT-3	85	form-based		true		0.75	30	1.666666627	0	0	34464	3264	3264	1.5
0855	103	3445	0.08	26146	42	85	140	4	11	0	13780	0	NCT-3	140	form-based		true	true	0.75	31	2.818181753	0	0	31005	4859	1414	2.25
0856	002	3281	0.08	12448	12	65	100	3	8	0	9843	0	NCT-HAYE	50	form-based			true	0.75	10	1.25	0	0	12303.75	0	0	1.25
0856	009	3438	0.08	6500	10	65	100	3	8	0	10314	3814	RTO-1	50	form-based			true	0.7	10	1.25	0	0	12033	5533	5533	1.166667
0856	012	3065	0.07	8630	24	65	100	3	7	0	9195	565	RTO-1	50	form-based		true	true	0.7	9	1.285714269	0	0	10727.5	2097.5	2097.5	1.166667
0856	019	9452	0.22	19284	33	65	100	3	22	0	28356	9072	RTO-1	50	form-based			true	0.7	26	1.181818128	0	0	33082	13798	13798	1.166667
0856	021	5155	0.12	13150	30	65	100	3	12	0	15465	2315	RTO-1	50	form-based			true	0.7	14	1.166666627	0	0	18042.5	4892.5	4892.5	1.166667
0856	023	4199	0.1	10400	17	65	100	3	10	0	12597	2197	RTO-1	50	form-based			true	0.7	12	1.200000048	0	0	14696.5	4296.5	4296.5	1.166667
0857	002	255700	5.87	308189	449	85	140	4	822	373	1022800	714611	NC-3	85	density-lim	600	true		0.55	426	0.5182482	0	0	1125080	816891	816891	1.1
0858	013A	1208	0.03	2200	3	65	100	3	3	0	3624	1424	RTO-1	40	form-based			true	0.7	3	1	0	0	3382.399902	1182.399902	1182.399902	0.933333
0858	015A	1155	0.03	1926	2	65	100	3	3	1	3465	1539	RTO-1	40	form-based			true	0.7	2	0.666666687	0	0	3234	1308	1308	0.933333
0858	015B	1145	0.03	1710	2	65	100	3	3	1	3435	1725	RTO-1	40	form-based			true	0.7	2	0.666666687	0	0	3206	1496	1496	0.933333
0858	016	1143	0.03	1710	2	65	100	3	3	1	3429	1719	RTO-1	40	form-based			true	0.7	2	0.666666687	0	0	3200.399902	1490.399902	1490.399902	0.933333
0858	017	2500	0.06	6500	9	65	100	3	6	0	7500	1000	RTO-1	40	form-based		true	true	0.7	5	0.833333313	0	0	7000	500	500	0.933333
0858	019	2375	0.05	2750	7	65	100	3	5	0	7125	4375	RTO-1	40	form-based			true	0.7	5	1	0	0	6650	3900	3900	0.933333
0858	022	2023	0.05	4690	4	65	100	3	5	1	6069	1379	RTO-1	40	form-based			true	0.7	4	0.800000012	0	0	5664.399902	974.3999023	974.3999023	0.933333
0858	022A	977	0.02	1870	2	65	100	3	2	0	2931	1061	RTO-1	40	form-based			true	0.7	2	1	0	0	2735.599854	865.5998535	865.5998535	0.933333
0858	031	5718	0.13	7544	12	65	100	3	13	1	17154	9610	RTO-1	40	form-based		true	true	0.7	12	0.923076928	0	0	16010.39941	8466.399414	8466.399414	0.933333
0858	032	2193	0.05	3400	6	65	100	3	5	0	6579	3179	RTO-1	40	form-based		true	true	0.7	5	1	0	0	6140.399902	2740.399902	2740.399902	0.933333
0858	043	1250	0.03	782	4	65	100	3	3	0	3750	2968	RTO-1	40	form-based			true	0.7	3	1	0	0	3500	2718	2718	0.933333
0859	001	3032	0.07	8250	11	65	100	3	7	0	9096	846	NCD-LOWI	65	form-based		true	true	0.75	11	1.571428537	0	0	13644	5394	5394	1.5
0859	008	2600	0.06	7400	12	65	100	3	6	0	7800	400	RH-3	50	form-based			true	0.7	7	1.166666627	0	0	9100	1700	1700	1.166667
0859	009	3350	0.08	12800	20	65	100	3	8	0	10050	0	RH-3	50	form-based		true	true	0.7	9	1.125	0	0	11725	0	0	1.166667
0859	025	7904	0.18	23700	31	65	100	3	18	0	23712	12	NCD-LOWI	65	form-based		true	true	0.75	30	1.666666627	0	0	35568	11868	11868	1.5
0859	031	3032	0.07	8580	12	65	100	3	7	0	9096	516	NCD-LOWI	65	form-based			true	0.75	11	1.571428537	0	0	13644	5064	5064	1.5
0860	048	2250	0.05	600	9	65	100	3	5	0	6750	6150	RH-3	50	form-based		true	true	0.7	6	1.200000048	0	0	7875	7275	7275	1.166667
0860	104	1200	0.03	1750	4	65	100	3	3	0	3600	1850	NCD-LOWI	50	form-based			true	0.75	4	1.333333373	0	0	4500	2750	2750	1.25
0861	001	3079	0.07	16872	24	65	100	3	7	0	9237	0	NCD-LOWI	65	form-based		true	true	0.75	12	1.714285731	0	0	13855.5	0	0	1.5
0862	008	2124	0.05	4764	6	65	100	3	5	0	6372	1608	RH-3	50	form-based		true	true	0.7	6	1.200000048	0	0	7434	2670	2670	1.166667
0862	025	8613	0.2	19798	36	65	100	3	20	0	25839	6041	RTO-C	65	form-based			true	0.75	32	1.600000024	0	0	38758.5	18960.5	18960.5	1.5
0862	027	2415	0.06	6578	10	65	100	3	6	0	7245	667	RTO-C	65	form-based			true	0.75	9	1.5	0	0	10867.5	4289.5	4289.5	1.5
0863	005	3176	0.07	3450	4	65	100	3	7	3	9528	6078	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8892.799805	5442.799805	5442.799805	0.933333
0863	013	1954	0.04	2029	3	65	100	3	4	1	5862	3833	RTO-1	40	density-lim	600	true		0.7	3	0.75	0	0	5471.199707	3442.199707	3442.199707	0.933333
0864	024	2040	0.05	3282	3	65	100	3	5	2	6120	2838	RTO-1	40	density-lim	600			0.7	3	0.600000024	0	0	5712	2430	2430	0.933333
0864	025	2072	0.05	3610	4	65	100	3	5	1	6216	2606	RTO-1	40	density-lim	600			0.7	3	0.600000024	0	0	5801.600098	2191.600098	2191.600098	0.933333
0864	026	1944	0.04	1136	3	65	100	3	4	1	5832	4696	RTO-1	40	density-lim	600	true		0.7	3	0.75	0	0	5443.199707	4307.199707	4307.199707	0.933333
0865	001	2367	0.05	5071	4	65	100	3	5	1	7101	2030	RTO-1	40	density-lim	600	true		0.7	4	0.800000012	0	0	6627.600098	1556.600098	1556.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0865	003	2250	0.05	4652	4	65	100	3	5	1	6750	2098	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6300	1648	1648	0.933333
0865	009	2250	0.05	4800	4	65	100	3	5	1	6750	1950	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6300	1500	1500	0.933333
0865	029	2340	0.05	954	4	65	100	3	5	1	7020	6066	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6552	5598	5598	0.933333
0866	007	2210	0.05	5400	6	65	100	3	5	0	6630	1230	RTO-1	40	density-lim	600			0.7	4	0.800000012	0	0	6188	788	788	0.933333
0866	018	3018	0.07	5982	7	65	100	3	7	0	9054	3072	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8450.399414	2468.399414	2468.399414	0.933333
0866	020	1473	0.03	3543	3	65	100	3	3	0	4419	876	RTO-1	40	density-lim	600	true		0.7	2	0.666666687	0	0	4124.399902	581.3999023	581.3999023	0.933333
0866	020A	1500	0.03	4350	3	65	100	3	3	0	4500	150	RTO-1	40	density-lim	600			0.7	3	1	0	0	4200	0	0	0.933333
0866	024	2068	0.05	5445	6	65	100	3	5	0	6204	759	RTO-1	40	density-lim	600			0.7	3	0.600000024	0	0	5790.399902	345.3999023	345.3999023	0.933333
0866	048	1644	0.04	1067	3	65	100	3	4	1	4932	3865	RTO-1	40	density-lim	600			0.7	3	0.75	0	0	4603.199707	3536.199707	3536.199707	0.933333
0867	010A	1183	0.03	2000	2	65	100	3	3	1	3549	1549	RTO-1	40	form-based			true	0.7	2	0.666666687	0	0	3312.399902	1312.399902	1312.399902	0.933333
0867	011	1700	0.04	4350	4	65	100	3	4	0	5100	750	RTO-1	40	form-based			true	0.7	4	1	0	0	4760	410	410	0.933333
0867	013	1500	0.03	2500	4	65	100	3	3	0	4500	2000	RTO-1	40	form-based			true	0.7	3	1	0	0	4200	1700	1700	0.933333
0867	017	3000	0.07	6415	7	65	100	3	7	0	9000	2585	RTO-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	1985	1985	0.933333
0867	023	1920	0.04	5228	6	65	100	3	4	0	5760	532	RTO-1	40	form-based		true	true	0.7	4	1	0	0	5376	148	148	0.933333
0867	026	1951	0.04	4380	6	65	100	3	4	0	5853	1473	RTO-1	40	form-based			true	0.7	4	1	0	0	5462.799805	1082.799805	1082.799805	0.933333
0867	034A	1130	0.03	2250	3	65	100	3	3	0	3390	1140	RTO-1	40	form-based			true	0.7	2	0.666666687	0	0	3164	914	914	0.933333
0867	035A	1163	0.03	2250	2	65	100	3	3	1	3489	1239	RTO-1	40	form-based			true	0.7	2	0.666666687	0	0	3256.399902	1006.399902	1006.399902	0.933333
0867	038	1573	0.04	5085	3	65	100	3	4	1	4719	0	RTO-1	40	form-based			true	0.7	3	0.75	0	0	4404.399902	0	0	0.933333
0867	041	1951	0.04	800	6	65	100	3	4	0	5853	5053	RTO-1	40	form-based		true	true	0.7	4	1	0	0	5462.799805	4662.799805	4662.799805	0.933333
0867	043	2982	0.07	828	9	65	100	3	7	0	8946	8118	RTO-1	40	form-based			true	0.7	6	0.857142866	0	0	8349.599609	7521.599609	7521.599609	0.933333
0867	069	1129	0.03	2000	2	65	100	3	3	1	3387	1387	RTO-1	40	form-based			true	0.7	2	0.666666687	0	0	3161.199951	1161.199951	1161.199951	0.933333
0868	007	1971	0.05	3069	4	65	100	3	5	1	5913	2844	RTO-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5518.799805	2449.799805	2449.799805	0.933333
0868	011	1750	0.04	3050	4	65	100	3	4	0	5250	2200	RTO-1	40	form-based			true	0.7	4	1	0	0	4900	1850	1850	0.933333
0868	016	1625	0.04	3750	3	65	100	3	4	1	4875	1125	RTO-1	40	form-based			true	0.7	3	0.75	0	0	4550	800	800	0.933333
0868	017	1951	0.04	4455	4	65	100	3	4	0	5853	1398	RTO-1	40	form-based		true	true	0.7	4	1	0	0	5462.799805	1007.799805	1007.799805	0.933333
0868	023	3902	0.09	8640	9	65	100	3	9	0	11706	3066	NC-1	40	form-based			true	0.75	9	1	0	0	11706	3066	3066	1
0868	025	1951	0.04	2976	4	65	100	3	4	0	5853	2877	NC-1	40	form-based			true	0.75	4	1	0	0	5853	2877	2877	1
0868	027	3725	0.09	7285	10	65	100	3	9	0	11175	3890	RTO-1	40	form-based			true	0.7	8	0.888888896	0	0	10430	3145	3145	0.933333
0868	027A	1125	0.03	2000	2	65	100	3	3	1	3375	1375	RTO-1	40	form-based			true	0.7	2	0.666666687	0	0	3150	1150	1150	0.933333
0868	027B	1125	0.03	2000	2	65	100	3	3	1	3375	1375	RTO-1	40	form-based			true	0.7	2	0.666666687	0	0	3150	1150	1150	0.933333
0868	030	1990	0.05	4630	4	65	100	3	5	1	5970	1340	RTO-1	40	form-based			true	0.7	4	0.800000012	0	0	5572	942	942	0.933333
0868	031	1000	0.02	2625	3	65	100	3	2	0	3000	375	RTO-1	40	form-based			true	0.7	2	1	0	0	2800	175	175	0.933333
0868	032	1000	0.02	2625	3	65	100	3	2	0	3000	375	RTO-1	40	form-based			true	0.7	2	1	0	0	2800	175	175	0.933333
0868	033	1990	0.05	5170	5	65	100	3	5	0	5970	800	RTO-1	40	form-based			true	0.7	4	0.800000012	0	0	5572	402	402	0.933333
0868	078	1000	0.02	912	2	65	100	3	2	0	3000	2088	RTO-1	40	form-based			true	0.7	2	1	0	0	2800	1888	1888	0.933333
0868	086	1971	0.05	1280	4	65	100	3	5	1	5913	4633	RTO-1	40	form-based			true	0.7	4	0.800000012	0	0	5518.799805	4238.799805	4238.799805	0.933333
0868	097	1300	0.03	1605	4	65	100	3	3	0	3900	2295	RTO-1	40	form-based			true	0.7	3	1	0	0	3640	2035	2035	0.933333
0868	106	1691	0.04	1212	4	65	100	3	4	0	5073	3861	RTO-1	40	form-based			true	0.7	4	1	0	0	4734.799805	3522.799805	3522.799805	0.933333
0868	110	1951	0.04	5290	5	65	100	3	4	0	5853	563	RTO-1	40	form-based		true	true	0.7	4	1	0	0	5462.799805	172.7998047	172.7998047	0.933333
0868	113	1970	0.05	850	6	65	100	3	5	0	5910	5060	RTO-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5516	4666	4666	0.933333
0869	001	2705	0.06	6030	6	65	100	3	6	0	8115	2085	RTO-1	40	form-based		true	true	0.7	6	1	0	0	7574	1544	1544	0.933333
0871	005	3589	0.08	12600	32	85	140	4	11	0	14356	1756	NCT-3	120	form-based			true	0.75	32	2.909090996	0	0	32301	19701	16112	2.25
0871	012	8352	0.19	38461	63	65	100	3	19	0	25056	0	RTO-1	85	form-based		true	true	0.7	41	2.15789485	0	0	46771.19922	8310.199219	8310.199219	1.866667
0872	001	6075	0.14	43415	65	85	140	4	20	0	24300	0	NCT-3	120	form-based		true	true	0.75	55	2.75	0	0	54675	11260	5185	2.25
0872	009	7200	0.17	41040	36	85	140	4	24	0	28800	0	RTO-1	85	form-based		true	true	0.7	35	1.458333373	0	0	40320	0	0	1.4
0872	010	6000	0.14	20500	34	85	140	4	20	0	24000	3500	RTO-1	85	form-based			true	0.7	29	1.450000048	0	0	33600	13100	13100	1.4
0872	012	6543	0.15	28188	43	65	100	3	15	0	19629	0	RTO-1	85	form-based			true	0.7	32	2.133333445	0	0	36640.80078	8452.800781	8452.800781	1.866667
0874	008	2430	0.06	5979	8	85	140	4	8	0	9720	3741	RTO-1	40	form-based		true	true	0.7	5	0.625	0	0	6804	825	825	0.7
0874	009	1996	0.05	3122	6	85	140	4	7	1	7984	4862	RTO-1	40	form-based			true	0.7	4	0.571428597	0	0	5588.799805	2466.799805	2466.799805	0.7
0874	010	1996	0.05	2680	4	85	140	4	7	3	7984	5304	RTO-1	40	form-based			true	0.7	4	0.571428597	0	0	5588.799805	2908.799805	2908.799805	0.7
0874	014	44333	1.02	100997	96	85	140	4	143	47	177332	76335	NCT-3	40	form-based		true	true	0.55	73	0.510489523	0	0	97532.60156	0	0	0.55
0875	012	3356	0.08	7325	11	65	100	3	8	0	10068	2743	RTO-1	40	form-based			true	0.7	7	0.875	0	0	9396.799805	2071.799805	2071.799805	0.933333
0875	013	5130	0.12	16771	19	65	100	3	12	0	15390	0	RTO-1	40	form-based		true	true	0.7	11	0.916666687	0	0	14364	0	0	0.933333
0955	001	3609	0.08	8400	12	55	80	2.5	6	0	9022	622	RH-1	40	form-based		true	true	0.7	8	1.333333373	0	0	10105.2002	1705.200195	1705.200195	1.120062
0955	022	3609	0.08	9450	12	55	80	2.5	6	0	9022	0	RH-1	40	form-based		true	true	0.7	8	1.333333373	0	0	10105.2002	655.2001953	655.2001953	1.120062
0959	003	2548	0.06	4581	7	55	80	2.5	5	0	6370	1789	RH-1(D)	40	form-based			true	0.7	5	1	0	0	7134.399902	2553.399902	2553.399902	1.12
0975	004	4150	0.1	6840	15	55	80	2.5	8	0	10375	3535	RH-3	40	form-based			true	0.7	9	1.125	0	0	11620	4780	4780	1.12
0975	011	3533	0.08	8783	7	55	80	2.5	6	0	8832	49	RH-3	40	form-based			true	0.7	7	1.166666627	0	0	9892.399414	1109.399414	1109.399414	1.120063
0976	017A	2061	0.05	7544	8	55	80	2.5	4	0	5152	0	RH-3	40	form-based			true	0.7	4	1	0	0	5770.799805	0	0	1.120109
0976	021	6785	0.16	15505	17	55	80	2.5	13	0	16962	1457	RM-2	40	form-based			true	0.7	14	1.076923132	0	0	18998	3493	3493	1.120033
0976	059	1439	0.03	1435	3	55	80	2.5	2	0	3598	2163	RH-3	40	form-based		true	true	0.7	3	1.5	0	0	4029.199951	2594.199951	2594.199951	1.119844
0977	013	5671	0.13	12240	15	55	80	2.5	10	0	14178	1938	RM-1	40	form-based		true	true	0.7	12	1.200000048	0	0	15878.7998	3638.799805	3638.799805	1.119961
0979	001	2709	0.06	7140	7	65	100	3	6	0	8127	987	RM-1	40	form-based		true	true	0.7	6	1	0	0	7585.199707	445.199707	445.199707	0.933333
0979	010	3010	0.07	5750	6	65	100	3	7	1	9030	3280	RH-2	40	form-based		true	true	0.7	6	0.857142866	0	0	8428	2678	2678	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
0979	033	5437	0.12	12757	18	65	100	3	12	0	16311	3554	RM-1	40	form-based			true	0.7	11	0.916666687	0	0	15223.59961	2466.599609	2466.599609	0.933333
0979	036	4078	0.09	11661	10	65	100	3	9	0	12234	573	RM-1	40	form-based			true	0.7	9	1	0	0	11418.39941	0	0	0.933333
0980	007	2735	0.06	4107	8	65	100	3	6	0	8205	4098	RM-1	40	form-based			true	0.7	6	1	0	0	7658	3551	3551	0.933333
0980	019	3233	0.07	6458	10	65	100	3	7	0	9699	3241	RM-1	40	form-based		true	true	0.7	7	1	0	0	9052.399414	2594.399414	2594.399414	0.933333
0980	030	4403	0.1	7342	10	65	100	3	10	0	13209	5867	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	12328.39941	4986.399414	4986.399414	0.933333
0980	034	4129	0.09	1115	9	65	100	3	9	0	12387	11272	RM-1	40	form-based			true	0.7	9	1	0	0	11561.2002	10446.2002	10446.2002	0.933333
0980	076	5465	0.13	475	11	65	100	3	13	2	16395	15920	RM-1	40	form-based			true	0.7	11	0.846153855	0	0	15302	14827	14827	0.933333
0981	028	6428	0.15	28584	23	65	100	3	15	0	19284	0	RH-3	40	form-based			true	0.7	13	0.866666675	0	0	17998.40039	0	0	0.933333
0981	052	1628	0.04	1420	4	65	100	3	4	0	4884	3464	RH-3	40	form-based		true	true	0.7	3	0.75	0	0	4558.399902	3138.399902	3138.399902	0.933333
0982	039	6811	0.16	1089	24	65	100	3	16	0	20433	19344	RH-3	40	form-based			true	0.7	14	0.875	0	0	19070.79883	17981.79883	17981.79883	0.933333
0982	066	5776	0.13	1287	14	65	100	3	13	0	17328	16041	RH-3	40	form-based		true	true	0.7	12	0.923076928	0	0	16172.7998	14885.7998	14885.7998	0.933333
0982	080	3209	0.07	3716	8	65	100	3	7	0	9627	5911	RH-3	40	form-based		true	true	0.7	7	1	0	0	8985.200195	5269.200195	5269.200195	0.933333
0983	031	3430	0.08	8280	9	65	100	3	8	0	10290	2010	RH-2	40	form-based			true	0.7	7	0.875	0	0	9604	1324	1324	0.933333
0991	026	2714	0.06	5556	6	55	80	2.5	5	0	6785	1229	RH-2	40	form-based			true	0.7	6	1.200000048	0	0	7599.199707	2043.199707	2043.199707	1.12
0997	033	1502	0.03	3003	4	65	100	3	3	0	4506	1503	RM-1	40	form-based			true	0.7	3	1	0	0	4205.600098	1202.600098	1202.600098	0.933333
0998	001	4096	0.09	13880	17	65	100	3	9	0	12288	0	RM-1	40	form-based		true	true	0.7	9	1	0	0	11468.7998	0	0	0.933333
0998	016B	5215	0.12	15561	15	65	100	3	12	0	15645	84	RM-1	40	form-based		true	true	0.7	11	0.916666687	0	0	14602	0	0	0.933333
0998	016C	4717	0.11	11337	10	65	100	3	11	1	14151	2814	RM-1	40	form-based			true	0.7	10	0.909090936	0	0	13207.59961	1870.599609	1870.599609	0.933333
0998	021	2986	0.07	804	6	65	100	3	7	1	8958	8154	RM-1	40	form-based		true	true	0.7	6	0.857142866	0	0	8360.799805	7556.799805	7556.799805	0.933333
0998	031	2986	0.07	964	6	65	100	3	7	1	8958	7994	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8360.799805	7396.799805	7396.799805	0.933333
0999	001	1348	0.03	3246	3	65	100	3	3	0	4044	798	RH-3	40	form-based		true	true	0.7	3	1	0	0	3774.399902	528.3999023	528.3999023	0.933333
0999	008	2625	0.06	6648	9	65	100	3	6	0	7875	1227	RH-2	40	form-based			true	0.7	6	1	0	0	7350	702	702	0.933333
0999	009	2625	0.06	6660	6	65	100	3	6	0	7875	1215	RH-3	40	form-based			true	0.7	6	1	0	0	7350	690	690	0.933333
0999	056	2724	0.06	760	6	65	100	3	6	0	8172	7412	RH-3	40	form-based		true	true	0.7	6	1	0	0	7627.199707	6867.199707	6867.199707	0.933333
1000	026	5321	0.12	13274	30	65	100	3	12	0	15963	2689	RH-2	40	form-based		true	true	0.7	11	0.916666687	0	0	14898.7998	1624.799805	1624.799805	0.933333
1001	002	6000	0.14	26700	24	65	100	3	14	0	18000	0	RM-1	40	form-based			true	0.7	13	0.928571403	0	0	16800	0	0	0.933333
1001	017	2500	0.06	3348	6	65	100	3	6	0	7500	4152	RH-3	40	form-based			true	0.7	5	0.833333313	0	0	7000	3652	3652	0.933333
1001	021	2769	0.06	6585	20	65	100	3	6	0	8307	1722	RH-2	40	form-based			true	0.7	6	1	0	0	7753.199707	1168.199707	1168.199707	0.933333
1001	023	1812	0.04	5675	17	65	100	3	4	0	5436	0	RH-2	40	form-based			true	0.7	4	1	0	0	5073.600098	0	0	0.933333
1002	003	2769	0.06	6375	6	65	100	3	6	0	8307	1932	RH-2	40	form-based			true	0.7	6	1	0	0	7753.199707	1378.199707	1378.199707	0.933333
1002	027	3485	0.08	7755	9	65	100	3	8	0	10455	2700	RM-1	40	form-based		true	true	0.7	7	0.875	0	0	9758	2003	2003	0.933333
1003	001	2043	0.05	4040	6	65	100	3	5	0	6129	2089	RH-3	40	form-based		true	true	0.7	4	0.800000012	0	0	5720.399902	1680.399902	1680.399902	0.933333
1003	035	3131	0.07	6720	9	65	100	3	7	0	9393	2673	RH-3	40	form-based			true	0.7	7	1	0	0	8766.799805	2046.799805	2046.799805	0.933333
1004	018	2105	0.05	4180	10	65	100	3	5	0	6315	2135	RH-2	50	form-based		true	true	0.7	6	1.200000048	0	0	7367.5	3187.5	3187.5	1.166667
1004	020	3063	0.07	6348	8	65	100	3	7	0	9189	2841	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8576.399414	2228.399414	2228.399414	0.933333
1004	021	2766	0.06	7907	7	65	100	3	6	0	8298	391	RH-3	40	form-based		true	true	0.7	6	1	0	0	7744.799805	0	0	0.933333
1004	027	3461	0.08	7561	7	65	100	3	8	1	10383	2822	RH-2	40	form-based			true	0.7	7	0.875	0	0	9690.799805	2129.799805	2129.799805	0.933333
1004	030	2734	0.06	6021	6	65	100	3	6	0	8202	2181	RH-2	40	form-based			true	0.7	6	1	0	0	7655.199707	1634.199707	1634.199707	0.933333
1004	040	1390	0.03	484	4	65	100	3	3	0	4170	3686	RH-2	50	form-based			true	0.7	4	1.333333373	0	0	4865	4381	4381	1.166667
1005	033	6317	0.15	1029	13	65	100	3	15	2	18951	17922	RH-3	40	form-based			true	0.7	13	0.866666675	0	0	17687.59961	16658.59961	16658.59961	0.933333
1006	010	2633	0.06	7293	12	65	100	3	6	0	7899	606	RH-2	50	form-based		true	true	0.7	7	1.166666627	0	0	9215.5	1922.5	1922.5	1.166667
1006	018	2361	0.05	6402	12	65	100	3	5	0	7083	681	RH-2	40	form-based		true	true	0.7	5	1	0	0	6610.799805	208.7998047	208.7998047	0.933333
1006	023	2976	0.07	1118	6	65	100	3	7	1	8928	7810	RH-2	40	form-based		true	true	0.7	6	0.857142866	0	0	8332.799805	7214.799805	7214.799805	0.933333
1007	018	2827	0.06	6399	9	65	100	3	6	0	8481	2082	RM-1	50	form-based			true	0.7	8	1.333333373	0	0	9894.5	3495.5	3495.5	1.166667
1007	019	3198	0.07	7832	10	65	100	3	7	0	9594	1762	RM-1	40	form-based			true	0.7	7	1	0	0	8954.399414	1122.399414	1122.399414	0.933333
1007	024	7732	0.18	21668	18	65	100	3	18	0	23196	1528	RM-1	40	form-based			true	0.7	16	0.888888896	0	0	21649.59961	0	0	0.933333
1008	001	5908	0.14	29592	31	65	100	3	14	0	17724	0	RM-1	40	form-based		true	true	0.7	12	0.857142866	0	0	16542.40039	0	0	0.933333
1009	001	5625	0.13	35315	32	65	100	3	13	0	16875	0	RH-2	40	form-based		true	true	0.7	12	0.923076928	0	0	15750	0	0	0.933333
1009	006	2050	0.05	5201	6	65	100	3	5	0	6150	949	RH-2	50	form-based			true	0.7	6	1.200000048	0	0	7175	1974	1974	1.166667
1010	016A	1854	0.04	4479	6	55	80	2.5	3	0	4635	156	RH-1	50	form-based			true	0.7	5	1.666666627	0	0	6489	2010	2010	1.4
1010	043	2033	0.05	701	6	55	80	2.5	4	0	5082	4381	RH-1	50	form-based			true	0.7	6	1.5	0	0	7115.5	6414.5	6414.5	1.400138
1011	021	2566	0.06	6051	6	55	80	2.5	5	0	6415	364	RH-1	40	form-based		true	true	0.7	5	1	0	0	7184.799805	1133.799805	1133.799805	1.12
1012	019	3040	0.07	8356	9	55	80	2.5	6	0	7600	0	RM-1	50	form-based		true	true	0.7	9	1.5	0	0	10640	2284	2284	1.4
1013	012	2505	0.06	6225	7	55	80	2.5	5	0	6262	37	RM-1	50	form-based			true	0.7	7	1.399999976	0	0	8767.5	2542.5	2542.5	1.400112
1015	001	2801	0.06	8190	9	55	80	2.5	5	0	7002	0	RH-2	50	form-based		true	true	0.7	8	1.600000024	0	0	9803.5	1613.5	1613.5	1.4001
1015	032	5170	0.12	9776	15	55	80	2.5	10	0	12925	3149	RM-1	50	form-based		true	true	0.7	14	1.399999976	0	0	18095	8319	8319	1.4
1020	012	2893	0.07	7068	20	65	100	3	7	0	8679	1611	RTO-C	85	form-based		true	true	0.75	15	2.142857075	0	0	17358	10290	10290	2
1021	030	49697	1.14	153150	151	65	100	3	114	0	149091	0	NCD-SACR	65	form-based		true	true	0.55	137	1.201754332	0	0	164000.1094	10850.10938	10850.10938	1.1
1024	001	2820	0.06	4180	9	65	100	3	6	0	8460	4280	RH-2	50	form-based		true	true	0.7	8	1.333333373	0	0	9870	5690	5690	1.166667
1024	025	3664	0.08	5929	10	85	140	4	11	1	14656	8727	RH-2	50	form-based			true	0.7	10	0.909090936	0	0	12824	6895	6895	0.875
1024	026	3664	0.08	5850	11	65	100	3	8	0	10992	5142	RH-2	50	form-based			true	0.7	10	1.25	0	0	12824	6974	6974	1.166667
1025	019	5821	0.13	29682	36	65	100	3	13	0	17463	0	RTO-C	85	form-based		true	true	0.75	31	2.384615421	0	0	34926	5244	5244	2
1025	032	4000	0.09	9720	12	85	140	4	13	1	16000	6280	RH-2	50	form-based			true	0.7	11	0.846153855	0	0	14000	4280	4280	0.875
1026	026	5674	0.13	13950	16	65	100	3	13	0	17022	3072	RH-3	50	form-based			true	0.7	16	1.230769277	0	0	19859	5909	5909	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1028	017	9116	0.21	21225	21	65	100	3	21	0	27348	6123	RM-1	40	form-based		true	true	0.7	19	0.90476191	0	0	25524.79883	4299.798828	4299.798828	0.933333
1029	039	4761	0.11	663	36	85	140	4	15	0	19044	18381	RTO-C	85	form-based		true	true	0.75	25	1.666666627	0	0	28566	27903	27903	1.5
1030	008	1825	0.04	3274	4	65	100	3	4	0	5475	2201	RH-2	40	form-based		true	true	0.7	4	1	0	0	5110	1836	1836	0.933333
1030	059	1151	0.03	806	2	65	100	3	3	1	3453	2647	RH-2	40	form-based			true	0.7	2	0.666666687	0	0	3222.800049	2416.800049	2416.800049	0.933333
1030	070	1731	0.04	668	4	65	100	3	4	0	5193	4525	RH-2	40	form-based			true	0.7	4	1	0	0	4846.799805	4178.799805	4178.799805	0.933333
1031	011	2500	0.06	5475	6	65	100	3	6	0	7500	2025	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7000	1525	1525	0.933333
1036	019	6188	0.14	15240	18	65	100	3	14	0	18564	3324	RM-2	40	form-based		true	true	0.7	13	0.928571403	0	0	17326.40039	2086.400391	2086.400391	0.933333
1036	020	4995	0.11	10575	12	65	100	3	11	0	14985	4410	RM-2	40	form-based			true	0.7	10	0.909090936	0	0	13986	3411	3411	0.933333
1036	022	3427	0.08	6718	8	65	100	3	8	0	10281	3563	RH-2	40	form-based			true	0.7	7	0.875	0	0	9595.599609	2877.599609	2877.599609	0.933333
1036	034	5670	0.13	13632	12	55	80	2.5	10	0	14175	543	RM-2	40	form-based			true	0.7	12	1.200000048	0	0	15876	2244	2244	1.12
1036	035	4361	0.1	9090	12	55	80	2.5	8	0	10902	1812	RM-2	40	form-based			true	0.7	9	1.125	0	0	12210.7998	3120.799805	3120.799805	1.120051
1039	026	4015	0.09	7629	10	65	100	3	9	0	12045	4416	RM-1	40	form-based			true	0.7	8	0.888888896	0	0	11242	3613	3613	0.933333
1040	038	8897	0.2	20112	25	65	100	3	20	0	26691	6579	RM-2	40	form-based			true	0.7	19	0.949999988	0	0	24911.59961	4799.599609	4799.599609	0.933333
1040	039	5928	0.14	13965	39	55	80	2.5	11	0	14820	855	RTO-C	85	form-based			true	0.75	31	2.818181753	0	0	35568	21603	15675	2.4
1041	010	4767	0.11	9678	12	65	100	3	11	0	14301	4623	RM-1	40	form-based			true	0.7	10	0.909090936	0	0	13347.59961	3669.599609	3669.599609	0.933333
1041	011	4826	0.11	9678	12	65	100	3	11	0	14478	4800	RM-1	40	form-based			true	0.7	10	0.909090936	0	0	13512.7998	3834.799805	3834.799805	0.933333
1041	012	4955	0.11	9678	12	65	100	3	11	0	14865	5187	RM-1	40	form-based			true	0.7	10	0.909090936	0	0	13874	4196	4196	0.933333
1041	014	4506	0.1	7560	18	65	100	3	10	0	13518	5958	RM-1	40	form-based		true	true	0.7	9	0.899999976	0	0	12616.7998	5056.799805	5056.799805	0.933333
1042	016	7780	0.18	13315	20	65	100	3	18	0	23340	10025	RM-1	40	form-based		true	true	0.7	16	0.888888896	0	0	21784	8469	8469	0.933333
1046	001	2190	0.05	6775	7	65	100	3	5	0	6570	0	RH-3	40	form-based		true	true	0.7	5	1	0	0	6132	0	0	0.933333
1048	001	2619	0.06	6750	12	65	100	3	6	0	7857	1107	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7333.199707	583.199707	583.199707	0.933333
1048	011	2600	0.06	5030	5	65	100	3	6	1	7800	2770	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7280	2250	2250	0.933333
1048	028	2554	0.06	4950	6	65	100	3	6	0	7662	2712	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7151.199707	2201.199707	2201.199707	0.933333
1049	022	2142	0.05	6578	12	65	100	3	5	0	6426	0	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5997.600098	0	0	0.933333
1049	038	3507	0.08	828	12	65	100	3	8	0	10521	9693	RM-1	40	form-based			true	0.7	7	0.875	0	0	9819.599609	8991.599609	8991.599609	0.933333
1049	064	2517	0.06	1471	6	65	100	3	6	0	7551	6080	RM-1	40	form-based		true	true	0.7	5	0.833333313	0	0	7047.600098	5576.600098	5576.600098	0.933333
1050	004	4400	0.1	4500	9	65	100	3	10	1	13200	8700	RH-2	40	form-based			true	0.7	9	0.899999976	0	0	12320	7820	7820	0.933333
1050	006D	673	0.02	640	1	65	100	3	2	1	2019	1379	RH-2	40	form-based			true	0.7	1	0.5	0	0	1884.400024	1244.400024	1244.400024	0.933333
1050	026	4754	0.11	7410	12	65	100	3	11	0	14262	6852	RH-2	40	form-based			true	0.7	10	0.909090936	0	0	13311.2002	5901.200195	5901.200195	0.933333
1053	001	3415	0.08	8100	12	65	100	3	8	0	10245	2145	RH-3	40	form-based		true	true	0.7	7	0.875	0	0	9562	1462	1462	0.933333
1053	022	663	0.02	1148	1	65	100	3	2	1	1989	841	RH-3	40	form-based			true	0.7	1	0.5	0	0	1856.400024	708.4000244	708.4000244	0.933333
1054	001	2395	0.05	4228	5	65	100	3	5	0	7185	2957	RH-2	40	form-based		true	true	0.7	5	1	0	0	6706	2478	2478	0.933333
1054	027	5044	0.12	5760	17	65	100	3	12	0	15132	9372	RH-2	40	form-based			true	0.7	11	0.916666687	0	0	14123.2002	8363.200195	8363.200195	0.933333
1055	005	2812	0.06	5025	6	65	100	3	6	0	8436	3411	RH-3	40	form-based			true	0.7	6	1	0	0	7873.600098	2848.600098	2848.600098	0.933333
1055	011	5491	0.13	14550	21	65	100	3	13	0	16473	1923	RM-2	65	form-based		true	true	0.7	19	1.461538434	0	0	23062.19922	8512.199219	8512.199219	1.4
1061	006	4360	0.1	8499	10	65	100	3	10	0	13080	4581	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	12208	3709	3709	0.933333
1057	013	3894	0.09	9342	18	65	100	3	9	0	11682	2340	RH-3	40	form-based		true	true	0.7	8	0.888888896	0	0	10903.2002	1561.200195	1561.200195	0.933333
1061	042	2971	0.07	4716	6	65	100	3	7	1	8913	4197	RM-2	40	form-based			true	0.7	6	0.857142866	0	0	8318.799805	3602.799805	3602.799805	0.933333
1058	001	13131	0.3	22872	30	65	100	3	30	0	39393	16521	RH-3	40	form-based		true	true	0.7	28	0.933333337	0	0	36766.80078	13894.80078	13894.80078	0.933333
1058	012	8221	0.19	166005	30	65	100	3	19	0	24663	0	RH-3	40	form-based			true	0.7	17	0.894736826	0	0	23018.79883	0	0	0.933333
1061	005	6000	0.14	11700	13	65	100	3	14	1	18000	6300	RM-1	40	form-based			true	0.7	13	0.928571403	0	0	16800	5100	5100	0.933333
1061	034	2973	0.07	4734	6	65	100	3	7	1	8919	4185	RM-2	40	form-based			true	0.7	6	0.857142866	0	0	8324.399414	3590.399414	3590.399414	0.933333
1061	035	2972	0.07	4652	6	65	100	3	7	1	8916	4264	RM-2	40	form-based			true	0.7	6	0.857142866	0	0	8321.599609	3669.599609	3669.599609	0.933333
1061	037	4993	0.11	11427	12	65	100	3	11	0	14979	3552	RM-2	40	form-based			true	0.7	10	0.909090936	0	0	13980.39941	2553.399414	2553.399414	0.933333
1061	039	2971	0.07	4246	6	65	100	3	7	1	8913	4667	RM-2	40	form-based			true	0.7	6	0.857142866	0	0	8318.799805	4072.799805	4072.799805	0.933333
1061	040	2971	0.07	4734	6	65	100	3	7	1	8913	4179	RM-2	40	form-based			true	0.7	6	0.857142866	0	0	8318.799805	3584.799805	3584.799805	0.933333
1062	050	3326	0.08	7680	7	65	100	3	8	1	9978	2298	RM-1	40	form-based		true	true	0.7	7	0.875	0	0	9312.799805	1632.799805	1632.799805	0.933333
1065	030	5761	0.13	11850	12	65	100	3	13	1	17283	5433	RH-2	40	form-based			true	0.7	12	0.923076928	0	0	16130.7998	4280.799805	4280.799805	0.933333
1065	051	10930	0.25	19293	24	65	100	3	25	1	32790	13497	RM-2	40	form-based		true	true	0.7	23	0.920000017	0	0	30604	11311	11311	0.933333
1065	054	6877	0.16	1237	15	65	100	3	16	1	20631	19394	RM-2	40	form-based		true	true	0.7	14	0.875	0	0	19255.59961	18018.59961	18018.59961	0.933333
1066	050	6293	0.14	13110	24	65	100	3	14	0	18879	5769	RM-2	40	form-based		true	true	0.7	13	0.928571403	0	0	17620.40039	4510.400391	4510.400391	0.933333
1066	051	5633	0.13	9684	12	65	100	3	13	1	16899	7215	RM-2	40	form-based			true	0.7	12	0.923076928	0	0	15772.39941	6088.399414	6088.399414	0.933333
1066	052	5777	0.13	9684	12	65	100	3	13	1	17331	7647	RM-2	40	form-based			true	0.7	12	0.923076928	0	0	16175.59961	6491.599609	6491.599609	0.933333
1067	046	8097	0.19	15783	18	65	100	3	19	1	24291	8508	RM-2	40	form-based			true	0.7	17	0.894736826	0	0	22671.59961	6888.599609	6888.599609	0.933333
1067	047	7721	0.18	15436	34	65	100	3	18	0	23163	7727	RM-2	40	form-based			true	0.7	16	0.888888896	0	0	21618.79883	6182.798828	6182.798828	0.933333
1067	048	7853	0.18	14508	18	65	100	3	18	0	23559	9051	RM-2	40	form-based			true	0.7	16	0.888888896	0	0	21988.40039	7480.400391	7480.400391	0.933333
1067	049	8099	0.19	13764	18	65	100	3	19	1	24297	10533	RM-2	40	form-based			true	0.7	17	0.894736826	0	0	22677.19922	8913.199219	8913.199219	0.933333
1069	009B	1162	0.03	1680	2	65	100	3	3	1	3486	1806	RH-2	40	form-based			true	0.7	2	0.666666687	0	0	3253.599854	1573.599854	1573.599854	0.933333
1073	002	2981	0.07	5915	7	65	100	3	7	0	8943	3028	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8346.799805	2431.799805	2431.799805	0.933333
1073	007B	1538	0.04	2970	3	65	100	3	4	1	4614	1644	RH-3	40	form-based		true	true	0.7	3	0.75	0	0	4306.399902	1336.399902	1336.399902	0.933333
1073	017	5103	0.12	10191	13	65	100	3	12	0	15309	5118	RH-3	40	form-based			true	0.7	11	0.916666687	0	0	14288.39941	4097.399414	4097.399414	0.933333
1074	016	3437	0.08	4680	9	65	100	3	8	0	10311	5631	RH-3	40	form-based			true	0.7	7	0.875	0	0	9623.599609	4943.599609	4943.599609	0.933333
1074	022	1410	0.03	1292	3	65	100	3	3	0	4230	2938	RH-3	40	form-based			true	0.7	3	1	0	0	3948	2656	2656	0.933333
1076	021	2621	0.06	6930	12	65	100	3	6	0	7863	933	RM-1	40	form-based		true	true	0.7	6	1	0	0	7338.799805	408.7998047	408.7998047	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1080	031	2256	0.05	5550	12	65	100	3	5	0	6768	1218	RH-3	40	form-based			true	0.7	5	1	0	0	6316.799805	766.7998047	766.7998047	0.933333
1082	035	1000	0.02	607	2	65	100	3	2	0	3000	2393	RH-3	40	form-based			true	0.7	2	1	0	0	2800	2193	2193	0.933333
1082	051	2427	0.06	511	12	65	100	3	6	0	7281	6770	RH-3	40	form-based			true	0.7	5	0.833333313	0	0	6795.600098	6284.600098	6284.600098	0.933333
1082	055	2909	0.07	511	12	65	100	3	7	0	8727	8216	RH-3	40	form-based		true	true	0.7	6	0.857142866	0	0	8145.199707	7634.199707	7634.199707	0.933333
1100	042	2010	0.05	5052	8	65	100	3	5	0	6030	978	RTO-C	65	form-based			true	0.75	8	1.600000024	0	0	9045	3993	3993	1.5
1101	018	4417	0.1	11160	18	65	100	3	10	0	13251	2091	RM-3	50	form-based		true	true	0.75	13	1.299999952	0	0	16563.75	5403.75	5403.75	1.25
1102	001	4595	0.11	9425	18	65	100	3	11	0	13785	4360	RM-1	40	form-based		true	true	0.7	10	0.909090936	0	0	12866	3441	3441	0.933333
1102	012	2529	0.06	3489	6	65	100	3	6	0	7587	4098	RM-1	40	form-based			true	0.7	5	0.833333313	0	0	7081.199707	3592.199707	3592.199707	0.933333
1102	015	6059	0.14	10433	15	65	100	3	14	0	18177	7744	RM-1	40	form-based			true	0.7	13	0.928571403	0	0	16965.19922	6532.199219	6532.199219	0.933333
1103	013	12271	0.28	22035	33	65	100	3	28	0	36813	14778	RM-2	40	form-based			true	0.7	26	0.928571403	0	0	34358.80078	12323.80078	12323.80078	0.933333
1103	016	12530	0.29	22035	31	65	100	3	29	0	37590	15555	RM-2	40	form-based			true	0.7	26	0.896551728	0	0	35084	13049	13049	0.933333
1103	019	3710	0.09	8262	10	65	100	3	9	0	11130	2868	RM-2	40	form-based		true	true	0.7	8	0.888888896	0	0	10388	2126	2126	0.933333
1104	008	4432	0.1	6146	9	65	100	3	10	1	13296	7150	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	12409.59961	6263.599609	6263.599609	0.933333
1125	001	2610	0.06	5875	5	65	100	3	6	1	7830	1955	RM-1	40	form-based		true	true	0.7	5	0.833333313	0	0	7308	1433	1433	0.933333
1104	014	3653	0.08	5120	8	65	100	3	8	0	10959	5839	RM-1	40	form-based		true	true	0.7	8	1	0	0	10228.39941	5108.399414	5108.399414	0.933333
1112	013	5508	0.13	6450	39	65	100	3	13	0	16524	10074	RH-2	40	form-based			true	0.7	12	0.923076928	0	0	15422.39941	8972.399414	8972.399414	0.933333
1112	014	5505	0.13	6450	12	65	100	3	13	1	16515	10065	RH-2	40	form-based			true	0.7	12	0.923076928	0	0	15414	8964	8964	0.933333
1112	032	5850	0.13	7584	13	65	100	3	13	0	17550	9966	RH-2	40	form-based			true	0.7	12	0.923076928	0	0	16380	8796	8796	0.933333
1112	033	5072	0.12	8860	11	65	100	3	12	1	15216	6356	RH-2	40	form-based		true	true	0.7	11	0.916666687	0	0	14201.59961	5341.599609	5341.599609	0.933333
1139	011B	1189	0.03	2240	2	65	100	3	3	1	3567	1327	RH-2	40	form-based			true	0.7	2	0.666666687	0	0	3329.199951	1089.199951	1089.199951	0.933333
1116	015	5032	0.12	7980	12	65	100	3	12	0	15096	7116	RH-1	40	form-based		true	true	0.7	11	0.916666687	0	0	14089.59961	6109.599609	6109.599609	0.933333
1130	001	634	0.01	840	1	65	100	3	1	0	1902	1062	RM-1	40	form-based		true	true	0.7	1	1	0	0	1775.199951	935.1999512	935.1999512	0.933333
1130	008	3580	0.08	10836	12	65	100	3	8	0	10740	0	RM-1	40	form-based		true	true	0.7	8	1	0	0	10024	0	0	0.933333
1134	001	1121	0.03	2060	2	65	100	3	3	1	3363	1303	RH-2	40	form-based		true	true	0.7	2	0.666666687	0	0	3138.800049	1078.800049	1078.800049	0.933333
1134	001A	1113	0.03	2600	2	65	100	3	3	1	3339	739	RH-2	40	form-based			true	0.7	2	0.666666687	0	0	3116.399902	516.3999023	516.3999023	0.933333
1140	006B	1134	0.03	2168	2	65	100	3	3	1	3402	1234	RH-2	40	form-based			true	0.7	2	0.666666687	0	0	3175.199951	1007.199951	1007.199951	0.933333
1141	030	2381	0.05	3764	5	65	100	3	5	0	7143	3379	RM-2	40	form-based			true	0.7	5	1	0	0	6666.799805	2902.799805	2902.799805	0.933333
1142	004	2500	0.06	5155	6	55	80	2.5	5	0	6250	1095	RH-2	40	form-based			true	0.7	5	1	0	0	7000	1845	1845	1.12
1142	013	3385	0.08	4032	8	55	80	2.5	6	0	8462	4430	RH-2	40	form-based			true	0.7	7	1.166666627	0	0	9478	5446	5446	1.120066
1142	021	1778	0.04	5250	4	55	80	2.5	3	0	4445	0	RH-2	40	form-based		true	true	0.7	4	1.333333373	0	0	4978.399902	0	0	1.12
1142	043	6782	0.16	14760	16	55	80	2.5	13	0	16955	2195	RM-1	40	form-based			true	0.7	14	1.076923132	0	0	18989.59961	4229.599609	4229.599609	1.12
1143	015	3865	0.09	5752	13	55	80	2.5	7	0	9662	3910	RH-2	40	form-based			true	0.7	8	1.142857194	0	0	10822	5070	5070	1.120058
1143	018	1794	0.04	3196	4	55	80	2.5	3	0	4485	1289	RH-2	40	form-based			true	0.7	4	1.333333373	0	0	5023.199707	1827.199707	1827.199707	1.12
1143	019	1396	0.03	1700	6	55	80	2.5	2	0	3490	1790	RH-2	40	form-based			true	0.7	3	1.5	0	0	3908.800049	2208.800049	2208.800049	1.12
1145A	009	2865	0.07	7560	10	55	80	2.5	6	0	7162	0	RM-1	40	form-based		true	true	0.7	6	1	0	0	8022	462	462	1.120078
1145A	023	5000	0.11	10584	18	55	80	2.5	9	0	12500	1916	RM-1	40	form-based			true	0.7	10	1.111111164	0	0	14000	3416	3416	1.12
1146	001	6806	0.16	14625	18	55	80	2.5	13	0	17015	2390	RH-2	40	form-based		true	true	0.7	14	1.076923132	0	0	19056.79883	4431.798828	4431.798828	1.12
1150	023	2500	0.06	7125	6	55	80	2.5	5	0	6250	0	RH-3	40	form-based		true	true	0.7	5	1	0	0	7000	0	0	1.12
1150	029	2777	0.06	4634	10	55	80	2.5	5	0	6942	2308	RH-3	40	form-based		true	true	0.7	6	1.200000048	0	0	7775.600098	3141.600098	3141.600098	1.120081
1151	007	4890	0.11	13050	18	55	80	2.5	9	0	12225	0	RM-1	40	form-based		true	true	0.7	10	1.111111164	0	0	13692	642	642	1.12
1151	018	2500	0.06	2715	12	55	80	2.5	5	0	6250	3535	RH-3	40	form-based			true	0.7	5	1	0	0	7000	4285	4285	1.12
1151	019	4602	0.11	9579	12	55	80	2.5	9	0	11505	1926	RH-3	40	form-based		true	true	0.7	10	1.111111164	0	0	12885.59961	3306.599609	3306.599609	1.12
1152	001	3519	0.08	9561	12	55	80	2.5	6	0	8798	0	RM-1	40	form-based		true	true	0.7	7	1.166666627	0	0	9853.200195	292.2001953	292.2001953	1.119936
1152	008A	3411	0.08	9630	12	55	80	2.5	6	0	8528	0	RM-1	40	form-based		true	true	0.7	7	1.166666627	0	0	9550.799805	0	0	1.119934
1152	019	4897	0.11	13806	15	55	80	2.5	9	0	12242	0	RM-1	40	form-based		true	true	0.7	10	1.111111164	0	0	13711.59961	0	0	1.120046
1152	024	2500	0.06	3750	8	55	80	2.5	5	0	6250	2500	RH-3	40	form-based			true	0.7	5	1	0	0	7000	3250	3250	1.12
1153	008	4863	0.11	10196	16	55	80	2.5	9	0	12158	1962	RM-1	50	form-based			true	0.7	14	1.555555582	0	0	17020.5	6824.5	6824.5	1.399942
1153	008A	4488	0.1	8412	14	55	80	2.5	8	0	11220	2808	RM-1	50	form-based			true	0.7	13	1.625	0	0	15708	7296	7296	1.4
1153	012	3551	0.08	11414	13	55	80	2.5	6	0	8878	0	RM-1	50	form-based		true	true	0.7	10	1.666666627	0	0	12428.5	1014.5	1014.5	1.399921
1153	013	1137	0.03	2594	3	55	80	2.5	2	0	2842	248	RM-1	50	form-based			true	0.7	3	1.5	0	0	3979.5	1385.5	1385.5	1.400246
1154	001	4520	0.1	12138	18	55	80	2.5	8	0	11300	0	RH-3	50	form-based		true	true	0.7	13	1.625	0	0	15820	3682	3682	1.4
1154	006	3015	0.07	6888	12	55	80	2.5	6	0	7538	650	RH-3	50	form-based			true	0.7	8	1.333333373	0	0	10552.5	3664.5	3664.5	1.399907
1154	006A	4759	0.11	12906	18	55	80	2.5	9	0	11898	0	RM-1	50	form-based		true	true	0.7	13	1.444444418	0	0	16656.5	3750.5	3750.5	1.399941
1154	006B	4706	0.11	10887	23	55	80	2.5	9	0	11765	878	RM-1	50	form-based			true	0.7	13	1.444444418	0	0	16471	5584	5584	1.4
1154	007	2235	0.05	6406	7	55	80	2.5	4	0	5588	0	RM-1	50	form-based		true	true	0.7	6	1.5	0	0	7822.5	1416.5	1416.5	1.399875
1154	012	2966	0.07	5925	8	55	80	2.5	6	0	7415	1490	RM-1	50	form-based			true	0.7	8	1.333333373	0	0	10381	4456	4456	1.4
1154	031	4000	0.09	8940	15	55	80	2.5	7	0	10000	1060	RH-3	50	form-based			true	0.7	11	1.571428537	0	0	14000	5060	5060	1.4
1155	005	3391	0.08	11175	9	55	80	2.5	6	0	8478	0	RM-1	40	density-lin	800	true		0.7	4	0.666666687	0	0	9494.799805	0	0	1.119934
1155	006	2179	0.05	4950	7	55	80	2.5	4	0	5448	498	RM-1	50	form-based			true	0.7	6	1.5	0	0	7626.5	2676.5	2676.5	1.399871
1155	013	6817	0.16	10800	24	55	80	2.5	13	0	17042	6242	RM-1	50	form-based			true	0.7	19	1.461538434	0	0	23859.5	13059.5	13059.5	1.400041
1156	023	13063	0.3	30727	47	55	80	2.5	24	0	32658	1931	RM-1	50	form-based		true	true	0.7	37	1.541666627	0	0	45720.5	14993.5	14993.5	1.399979
1156	028	4583	0.11	9651	14	55	80	2.5	9	0	11458	1807	RM-1	50	form-based			true	0.7	13	1.444444418	0	0	16040.5	6389.5	6389.5	1.399939
1156	029	3437	0.08	7274	10	55	80	2.5	6	0	8592	1318	RM-1	50	form-based			true	0.7	10	1.666666627	0	0	12029.5	4755.5	4755.5	1.400082
1157	002A	4125	0.09	10430	16	55	80	2.5	7	0	10312	0	RM-1	40	form-based			true	0.7	9	1.285714269	0	0	11550	1120	1120	1.120054

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1157	002B	4125	0.09	9513	12	55	80	2.5	7	0	10312	799	RM-1	40	form-based			true	0.7	9	1.285714269	0	0	11550	2037	2037	1.120054
1157	006	2516	0.06	6766	8	55	80	2.5	5	0	6290	0	RM-1	50	form-based		true	true	0.7	7	1.399999976	0	0	8806	2040	2040	1.4
1157	006A	2516	0.06	6659	10	55	80	2.5	5	0	6290	0	RM-1	50	form-based			true	0.7	7	1.399999976	0	0	8806	2147	2147	1.4
1157	007	2813	0.06	59775	97	55	80	2.5	5	0	7032	0	RM-1	50	form-based			true	0.7	8	1.600000024	0	0	9845.5	0	0	1.4001
1157	009A	2180	0.05	4362	6	55	80	2.5	4	0	5450	1088	RM-1	50	form-based		true	true	0.7	6	1.5	0	0	7630	3268	3268	1.4
1157	014	3633	0.08	9591	12	55	80	2.5	6	0	9082	0	RM-1	40	form-based		true	true	0.7	8	1.333333373	0	0	10172.39941	581.3994141	581.3994141	1.120062
1158	056	2500	0.06	1694	6	55	80	2.5	5	0	6250	4556	RH-3	40	form-based		true	true	0.7	5	1	0	0	7000	5306	5306	1.12
1159	016A	1173	0.03	3360	3	55	80	2.5	2	0	2932	0	RH-3	50	form-based			true	0.7	3	1.5	0	0	4105.5	745.5	745.5	1.400239
1160	001	1842	0.04	3800	4	55	80	2.5	3	0	4605	805	RH-3	40	form-based		true	true	0.7	4	1.333333373	0	0	5157.600098	1357.600098	1357.600098	1.12
1160	019	3114	0.07	8349	12	55	80	2.5	6	0	7785	0	RTO-C	65	form-based		true	true	0.75	12	2	0	0	14013	5664	5664	1.8
1163	009	5512	0.13	13626	18	55	80	2.5	10	0	13780	154	RH-2	40	form-based		true	true	0.7	12	1.200000048	0	0	15433.59961	1807.599609	1807.599609	1.12
1166	026A	1157	0.03	1884	2	55	80	2.5	2	0	2892	1008	RH-2	40	form-based		true	true	0.7	2	1	0	0	3239.599854	1355.599854	1355.599854	1.120194
1166	025	5305	0.12	11595	12	55	80	2.5	10	0	13262	1667	RH-2	40	form-based			true	0.7	11	1.100000024	0	0	14854	3259	3259	1.120042
1167	042	6988	0.16	13252	17	55	80	2.5	13	0	17470	4218	RH-3	40	form-based			true	0.7	15	1.153846145	0	0	19566.40039	6314.400391	6314.400391	1.12
1167	043	5515	0.13	14469	18	55	80	2.5	10	0	13788	0	RM-2	40	form-based		true	true	0.7	12	1.200000048	0	0	15442	973	973	1.119959
1168	001	4300	0.1	11424	19	55	80	2.5	8	0	10750	0	RM-1	40	form-based		true	true	0.7	9	1.125	0	0	12040	616	616	1.12
1168	003	2029	0.05	4305	4	55	80	2.5	4	0	5072	767	RM-1	40	form-based			true	0.7	4	1	0	0	5681.199707	1376.199707	1376.199707	1.12011
1168	032	2361	0.05	4500	5	55	80	2.5	4	0	5902	1402	RM-2	40	form-based			true	0.7	5	1.25	0	0	6610.799805	2110.799805	2110.799805	1.120095
1169	021	2069	0.05	5475	6	55	80	2.5	4	0	5172	0	RH-2	40	form-based		true	true	0.7	4	1	0	0	5793.199707	318.199707	318.199707	1.120108
1169	024	1963	0.05	3436	4	55	80	2.5	4	0	4908	1472	RH-2	40	form-based		true	true	0.7	4	1	0	0	5496.399902	2060.399902	2060.399902	1.119886
1169	037	2375	0.05	5700	9	55	80	2.5	4	0	5938	238	RH-2	40	form-based		true	true	0.7	5	1.25	0	0	6650	950	950	1.119906
1176	005	3196	0.07	5362	7	55	80	2.5	6	0	7990	2628	RH-3	40	form-based		true	true	0.7	7	1.166666627	0	0	8948.799805	3586.799805	3586.799805	1.12
1176	019	5752	0.13	15000	24	55	80	2.5	10	0	14380	0	RM-1	40	form-based		true	true	0.7	12	1.200000048	0	0	16105.59961	1105.599609	1105.599609	1.12
1177	022	2746	0.06	6300	6	55	80	2.5	5	0	6865	565	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7688.799805	1388.799805	1388.799805	1.12
1177	025	4946	0.11	12900	18	55	80	2.5	9	0	12365	0	RM-1	50	form-based		true	true	0.7	14	1.555555582	0	0	17311	4411	4411	1.4
1177	058	3852	0.09	985	8	55	80	2.5	7	0	9630	8645	RM-1	40	form-based		true	true	0.7	8	1.142857194	0	0	10785.59961	9800.599609	9800.599609	1.12
1178	012	7687	0.18	14700	24	55	80	2.5	14	0	19218	4518	RM-1	40	form-based			true	0.7	16	1.142857194	0	0	21523.59961	6823.599609	6823.599609	1.119971
1178	027	9944	0.23	20194	30	55	80	2.5	18	0	24860	4666	RM-1	50	form-based			true	0.7	28	1.555555582	0	0	34804	14610	14610	1.4
1179	024B	4812	0.11	6720	13	55	80	2.5	9	0	12030	5310	RM-1	50	form-based			true	0.7	13	1.444444418	0	0	16842	10122	10122	1.4
1180	001	4475	0.1	11019	12	55	80	2.5	8	0	11188	169	RM-1	40	density-lim	800	true		0.7	6	0.75	0	0	12530	1511	1511	1.11995
1180	002	2700	0.06	6180	3	55	80	2.5	5	2	6750	570	RM-1	40	density-lim	800			0.7	3	0.600000024	0	0	7560	1380	1380	1.12
1180	005	8822	0.2	41400	59	55	80	2.5	16	0	22055	0	RM-1	40	density-lim	800	true		0.7	11	0.6875	0	0	24701.59961	0	0	1.12
1181	014B	6719	0.15	32100	36	55	80	2.5	12	0	16798	0	NCT-DIVIS.	85	form-based		true	true	0.75	35	2.916666746	0	0	40314	8214	1496	2.399929
1181	023	3511	0.08	5175	9	55	80	2.5	6	0	8778	3603	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	9830.799805	4655.799805	4655.799805	1.119936
1181	025	5156	0.12	6414	6	55	80	2.5	10	4	12890	6476	RH-3	40	density-lim	1000			0.7	5	0.5	0	0	14436.7998	8022.799805	8022.799805	1.12
1181	037	3781	0.09	5783	5	55	80	2.5	7	2	9452	3669	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	10586.7998	4803.799805	4803.799805	1.120059
1182	021	1906	0.04	6638	6	55	80	2.5	3	0	4765	0	RM-1	50	form-based		true	true	0.7	5	1.666666627	0	0	6671	33	33	1.4
1183	001	2500	0.06	6225	8	55	80	2.5	5	0	6250	25	RM-1	40	form-based		true	true	0.7	5	1	0	0	7000	775	775	1.12
1183	011	3421	0.08	6965	9	55	80	2.5	6	0	8552	1587	RM-1	40	form-based			true	0.7	7	1.166666627	0	0	9578.799805	2613.799805	2613.799805	1.120065
1183	025	4600	0.11	10386	12	55	80	2.5	9	0	11500	1114	RM-1	40	form-based			true	0.7	10	1.111111164	0	0	12880	2494	2494	1.12
1184	001	2500	0.06	7980	12	55	80	2.5	5	0	6250	0	RM-1	40	form-based		true	true	0.7	5	1	0	0	7000	0	0	1.12
1184	019	4657	0.11	10775	12	55	80	2.5	9	0	11642	867	RH-3	40	form-based		true	true	0.7	10	1.111111164	0	0	13039.59961	2264.599609	2264.599609	1.120048
1185	018	2500	0.06	3975	6	55	80	2.5	5	0	6250	2275	RH-3	40	form-based			true	0.7	5	1	0	0	7000	3025	3025	1.12
1185	020	3221	0.07	9375	9	55	80	2.5	6	0	8052	0	RM-1	40	form-based		true	true	0.7	7	1.166666627	0	0	9018.799805	0	0	1.12007
1185	021	2611	0.06	4950	6	55	80	2.5	5	0	6528	1578	RM-1	40	form-based			true	0.7	5	1	0	0	7310.799805	2360.799805	2360.799805	1.119914
1185	025	2250	0.05	6314	7	55	80	2.5	4	0	5625	0	RM-1	40	form-based		true	true	0.7	5	1.25	0	0	6300	0	0	1.12
1185	027	2596	0.06	4905	6	55	80	2.5	5	0	6490	1585	RH-3	40	form-based			true	0.7	5	1	0	0	7268.799805	2363.799805	2363.799805	1.12
1185	030	3437	0.08	5084	10	55	80	2.5	6	0	8592	3508	RH-3	40	form-based			true	0.7	7	1.166666627	0	0	9623.599609	4539.599609	4539.599609	1.120065
1186	008	2378	0.05	6383	8	55	80	2.5	4	0	5945	0	RM-1	40	form-based		true	true	0.7	5	1.25	0	0	6658.399902	275.3999023	275.3999023	1.12
1186	009M	210	0	0	0	55	80	2.5	0	0	525	525	RH-2	40	form-based			true	0.7	0		0	0	588	588	588	1.12
1188	002C	2386	0.05	6507	6	55	80	2.5	4	0	5965	0	RH-2	40	form-based		true	true	0.7	5	1.25	0	0	6680.799805	173.7998047	173.7998047	1.12
1189	015	2057	0.05	3346	4	55	80	2.5	4	0	5142	1796	RH-3	40	form-based			true	0.7	4	1	0	0	5759.600098	2413.600098	2413.600098	1.120109
1190	001A	3220	0.07	6594	9	55	80	2.5	6	0	8050	1456	RH-3	40	form-based			true	0.7	7	1.166666627	0	0	9016	2422	2422	1.12
1190	001R	3037	0.07	7068	6	55	80	2.5	6	0	7592	524	RH-3	40	form-based			true	0.7	6	1	0	0	8503.599609	1435.599609	1435.599609	1.120074
1201	023	2842	0.07	7350	8	55	80	2.5	6	0	7105	0	RM-1	50	form-based		true	true	0.7	8	1.333333373	0	0	9947	2597	2597	1.4
1202	001	5548	0.13	15045	12	55	80	2.5	10	0	13870	0	RM-2	40	density-lim	600	true		0.7	9	0.899999976	0	0	15534.39941	489.3994141	489.3994141	1.12
1202	001A	5293	0.12	12084	16	55	80	2.5	10	0	13232	1148	RM-2	40	density-lim	600			0.7	9	0.899999976	0	0	14820.39941	2736.399414	2736.399414	1.120042
1202	001B	3793	0.09	5170	10	55	80	2.5	7	0	9482	4312	RM-2	40	density-lim	600			0.7	6	0.857142866	0	0	10620.39941	5450.399414	5450.399414	1.120059
1202	001D	6747	0.15	30060	42	55	80	2.5	12	0	16868	0	RM-2	40	density-lim	600			0.7	11	0.916666687	0	0	18891.59961	0	0	1.119967
1202	001E	3149	0.07	7800	9	55	80	2.5	6	0	7872	72	RM-2	40	density-lim	600			0.7	5	0.833333313	0	0	8817.200195	1017.200195	1017.200195	1.120071
1202	002G	3800	0.09	8544	12	55	80	2.5	7	0	9500	956	RM-2	50	form-based			true	0.7	11	1.571428537	0	0	13300	4756	4756	1.4
1203	001	5668	0.13	10260	12	55	80	2.5	10	0	14170	3910	RM-2	40	density-lim	600	true		0.7	9	0.899999976	0	0	15870.39941	5610.399414	5610.399414	1.12
1204	020	2656	0.06	7425	10	55	80	2.5	5	0	6640	0	RM-1	50	form-based		true	true	0.7	7	1.399999976	0	0	9296	1871	1871	1.4
1204	027	3125	0.07	9375	9	55	80	2.5	6	0	7812	0	RM-1	50	form-based		true	true	0.7	9	1.5	0	0	10937.5	1562.5	1562.5	1.40009

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1204	032	5156	0.12	11017	18	55	80	2.5	10	0	12890	1873	RM-1	50	form-based			true	0.7	14	1.399999976	0	0	18046	7029	7029	1.4
1205	021	5000	0.11	10980	12	55	80	2.5	9	0	12500	1520	RM-1	40	form-based			true	0.7	10	1.111111164	0	0	14000	3020	3020	1.12
1205	055	1184	0.03	998	2	55	80	2.5	2	0	2960	1962	RH-3	40	form-based			true	0.7	2	1	0	0	3315.199951	2317.199951	2317.199951	1.12
1210	016	3431	0.08	5300	9	55	80	2.5	6	0	8578	3278	RH-3	40	form-based			true	0.7	7	1.166666627	0	0	9606.799805	4306.799805	4306.799805	1.119935
1210	008	5653	0.13	14651	14	55	80	2.5	10	0	14132	0	RH-3	40	form-based		true	true	0.7	12	1.200000048	0	0	15828.39941	1177.399414	1177.399414	1.12004
1210	010	2491	0.06	4500	5	55	80	2.5	5	0	6228	1728	RH-3	40	form-based			true	0.7	5	1	0	0	6974.799805	2474.799805	2474.799805	1.11991
1210	011	2491	0.06	5625	6	55	80	2.5	5	0	6228	603	RH-3	40	form-based			true	0.7	5	1	0	0	6974.799805	1349.799805	1349.799805	1.11991
1210	014	3430	0.08	4650	12	55	80	2.5	6	0	8575	3925	RH-3	40	form-based			true	0.7	7	1.166666627	0	0	9604	4954	4954	1.12
1211	006	2663	0.06	6225	6	55	80	2.5	5	0	6658	433	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7456.399902	1231.399902	1231.399902	1.119916
1211	007	2662	0.06	6225	8	55	80	2.5	5	0	6655	430	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7453.600098	1228.600098	1228.600098	1.12
1211	017	3438	0.08	4524	10	55	80	2.5	6	0	8595	4071	RH-3	40	form-based			true	0.7	7	1.166666627	0	0	9626.399414	5102.399414	5102.399414	1.12
1211	023	3128	0.07	8775	7	55	80	2.5	6	0	7820	0	RH-3	40	form-based		true	true	0.7	7	1.166666627	0	0	8758.399414	0	0	1.12
1212	007	2837	0.07	8697	9	55	80	2.5	6	0	7092	0	RM-1	40	form-based		true	true	0.7	6	1	0	0	7943.600098	0	0	1.120079
1212	011	8004	0.18	15186	70	55	80	2.5	14	0	20010	4824	RM-1	40	form-based			true	0.7	17	1.214285731	0	0	22411.19922	7225.199219	7225.199219	1.12
1212	011F	15	0	0	0	55	80	2.5	0	0	38	38	RH-3	40	form-based			true	0.7	0		0	0	42	42	42	1.105263
1212	017	2500	0.06	4670	5	55	80	2.5	5	0	6250	1580	RH-3	40	form-based			true	0.7	5	1	0	0	7000	2330	2330	1.12
1212	017A	2500	0.06	4670	5	55	80	2.5	5	0	6250	1580	RH-3	40	form-based			true	0.7	5	1	0	0	7000	2330	2330	1.12
1213	002	3341	0.08	7500	9	55	80	2.5	6	0	8352	852	RM-1	40	form-based			true	0.7	7	1.166666627	0	0	9354.799805	1854.799805	1854.799805	1.120067
1213	002A	3807	0.09	9786	14	55	80	2.5	7	0	9518	0	RM-1	40	form-based		true	true	0.7	8	1.142857194	0	0	10659.59961	873.5996094	873.5996094	1.119941
1213	002B	5175	0.12	9000	12	55	80	2.5	10	0	12938	3938	RM-3	40	form-based			true	0.75	12	1.200000048	0	0	15525	6525	6525	1.199954
1213	002C	3342	0.08	7500	9	55	80	2.5	6	0	8355	855	RM-1	40	form-based			true	0.7	7	1.166666627	0	0	9357.599609	1857.599609	1857.599609	1.12
1213	002D	3342	0.08	7500	9	55	80	2.5	6	0	8355	855	RM-1	40	form-based			true	0.7	7	1.166666627	0	0	9357.599609	1857.599609	1857.599609	1.12
1213	003A	5176	0.12	9825	12	55	80	2.5	10	0	12940	3115	RM-3	40	form-based			true	0.75	12	1.200000048	0	0	15528	5703	5703	1.2
1213	003B	5177	0.12	9825	12	55	80	2.5	10	0	12942	3117	RM-3	40	form-based			true	0.75	12	1.200000048	0	0	15531	5706	5706	1.200046
1213	003C	5178	0.12	9825	12	55	80	2.5	10	0	12945	3120	RM-3	40	form-based			true	0.75	12	1.200000048	0	0	15534	5709	5709	1.2
1213	033	3749	0.09	1171	33	55	80	2.5	7	0	9372	8201	RTO-C	65	form-based		true	true	0.75	14	2	0	0	16870.5	15699.5	15699.5	1.800096
1214	001	2500	0.06	7500	12	55	80	2.5	5	0	6250	0	RH-3	40	form-based		true	true	0.7	5	1	0	0	7000	0	0	1.12
1216	001E	3280	0.08	5630	9	55	80	2.5	6	0	8200	2570	RH-3	50	form-based		true	true	0.7	9	1.5	0	0	11480	5850	5850	1.4
1216	015	4066	0.09	8550	12	55	80	2.5	7	0	10165	1615	RH-3	50	form-based			true	0.7	11	1.571428537	0	0	14231	5681	5681	1.4
1217	033	3412	0.08	5160	13	55	80	2.5	6	0	8530	3370	RH-3	50	form-based			true	0.7	10	1.666666627	0	0	11942	6782	6782	1.4
1219	001	5102	0.12	12210	18	55	80	2.5	10	0	12755	545	RM-2	40	form-based		true	true	0.7	11	1.100000024	0	0	14285.59961	2075.599609	2075.599609	1.12
1219	003	2521	0.06	4050	6	55	80	2.5	5	0	6302	2252	RM-2	40	form-based			true	0.7	5	1	0	0	7058.799805	3008.799805	3008.799805	1.120089
1219	008	2500	0.06	4254	5	55	80	2.5	5	0	6250	1996	RM-2	40	form-based			true	0.7	5	1	0	0	7000	2746	2746	1.12
1219	017	2422	0.06	3460	5	55	80	2.5	5	0	6055	2595	RM-2	40	form-based		true	true	0.7	5	1	0	0	6781.600098	3321.600098	3321.600098	1.12
1219	019	2422	0.06	3450	5	55	80	2.5	5	0	6055	2605	RH-3	40	form-based			true	0.7	5	1	0	0	6781.600098	3331.600098	3331.600098	1.12
1219	020	2422	0.06	4560	6	55	80	2.5	5	0	6055	1495	RH-3	40	form-based			true	0.7	5	1	0	0	6781.600098	2221.600098	2221.600098	1.12
1219	026	2422	0.06	5025	6	55	80	2.5	5	0	6055	1030	RM-2	40	form-based			true	0.7	5	1	0	0	6781.600098	1756.600098	1756.600098	1.12
1219	027	2468	0.06	6914	6	55	80	2.5	5	0	6170	0	RM-2	40	form-based		true	true	0.7	5	1	0	0	6910.399902	0	0	1.12
1219	050	2193	0.05	2375	5	55	80	2.5	4	0	5482	3107	RM-2	40	form-based			true	0.7	5	1.25	0	0	6140.399902	3765.399902	3765.399902	1.120102
1219	051	2024	0.05	2875	5	55	80	2.5	4	0	5060	2185	RM-2	40	form-based			true	0.7	4	1	0	0	5667.199707	2792.199707	2792.199707	1.12
1220	002	2521	0.06	5850	12	55	80	2.5	5	0	6302	452	RH-3	40	form-based			true	0.7	5	1	0	0	7058.799805	1208.799805	1208.799805	1.120089
1220	015	2500	0.06	3600	5	55	80	2.5	5	0	6250	2650	RH-3	40	form-based			true	0.7	5	1	0	0	7000	3400	3400	1.12
1222	003	2793	0.06	2250	6	55	80	2.5	5	0	6982	4732	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7820.399902	5570.399902	5570.399902	1.12008
1222	011	3773	0.09	8020	12	55	80	2.5	7	0	9432	1412	RH-3	40	form-based			true	0.7	8	1.142857194	0	0	10564.39941	2544.399414	2544.399414	1.120059
1222	016	2500	0.06	3350	5	55	80	2.5	5	0	6250	2900	RH-3	40	form-based			true	0.7	5	1	0	0	7000	3650	3650	1.12
1222	023	2000	0.05	5040	6	55	80	2.5	4	0	5000	0	RH-3	40	form-based			true	0.7	4	1	0	0	5600	560	560	1.12
1222	025	1824	0.04	5201	9	55	80	2.5	3	0	4560	0	RM-2	40	form-based		true	true	0.7	4	1.333333373	0	0	5107.199707	0	0	1.12
1222	028	5072	0.12	8646	13	55	80	2.5	10	0	12680	4034	RM-2	40	form-based			true	0.7	11	1.100000024	0	0	14201.59961	5555.599609	5555.599609	1.12
1222	028A	6001	0.14	11280	15	55	80	2.5	11	0	15002	3722	RM-2	40	form-based			true	0.7	13	1.181818128	0	0	16802.79883	5522.798828	5522.798828	1.120037
1223	001	3300	0.08	8064	12	55	80	2.5	6	0	8250	186	RM-1	40	form-based		true	true	0.7	7	1.166666627	0	0	9240	1176	1176	1.12
1223	004	5418	0.12	14880	17	55	80	2.5	10	0	13545	0	RM-1	55	form-based		true	true	0.7	15	1.5	0	0	18963	4083	4083	1.4
1223	017A	2885	0.07	6600	7	55	80	2.5	6	0	7212	612	RM-1	40	form-based		true	true	0.7	6	1	0	0	8078	1478	1478	1.120078
1223	020	3387	0.08	4524	7	55	80	2.5	6	0	8468	3944	RM-1	40	form-based			true	0.7	7	1.166666627	0	0	9483.599609	4959.599609	4959.599609	1.119934
1223	037	2063	0.05	1379	6	55	80	2.5	4	0	5158	3779	RH-3	40	form-based		true	true	0.7	4	1	0	0	5776.399902	4397.399902	4397.399902	1.119891
1224	007	2666	0.06	2700	8	55	80	2.5	5	0	6665	3965	RH-3	40	form-based		true	true	0.7	6	1.200000048	0	0	7464.799805	4764.799805	4764.799805	1.12
1224	062	1953	0.04	3234	4	55	80	2.5	3	0	4882	1648	RH-3	40	form-based		true	true	0.7	4	1.333333373	0	0	5468.399902	2234.399902	2234.399902	1.120115
1225	003	1388	0.03	2300	5	55	80	2.5	2	0	3470	1170	RH-3	40	form-based			true	0.7	3	1.5	0	0	3886.399902	1586.399902	1586.399902	1.12
1225	026	2656	0.06	6858	10	55	80	2.5	5	0	6640	0	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7436.799805	578.7998047	578.7998047	1.12
1225	027	3078	0.07	9300	7	55	80	2.5	6	0	7695	0	RM-2	40	form-based		true	true	0.7	6	1	0	0	8618.399414	0	0	1.12
1225	030	2462	0.06	5010	6	55	80	2.5	5	0	6155	1145	RM-2	40	form-based			true	0.7	5	1	0	0	6893.600098	1883.600098	1883.600098	1.12
1225	031	5098	0.12	9186	12	55	80	2.5	10	0	12745	3559	RM-2	40	form-based			true	0.7	11	1.100000024	0	0	14274.39941	5088.399414	5088.399414	1.12
1225	034	6795	0.16	15755	16	55	80	2.5	13	0	16988	1233	RM-2	40	form-based			true	0.7	14	1.076923132	0	0	19026	3271	3271	1.119967
1225	036	3397	0.08	5750	12	55	80	2.5	6	0	8492	2742	RM-2	40	form-based			true	0.7	7	1.166666627	0	0	9511.599609	3761.599609	3761.599609	1.120066
1226	004	2678	0.06	7300	11	55	80	2.5	5	0	6695	0	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7498.399902	198.3999023	198.3999023	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1226	005	3220	0.07	8391	12	55	80	2.5	6	0	8050	0	RM-2	40	form-based		true	true	0.7	7	1.166666627	0	0	9016	625	625	1.12
1226	015	3405	0.08	7635	14	55	80	2.5	6	0	8512	877	RM-2	40	form-based			true	0.7	7	1.166666627	0	0	9534	1899	1899	1.120066
1226	016	2467	0.06	5464	5	55	80	2.5	5	0	6168	704	RM-2	40	form-based			true	0.7	5	1	0	0	6907.600098	1443.600098	1443.600098	1.119909
1226	017	3455	0.08	9590	18	55	80	2.5	6	0	8638	0	RM-2	40	form-based			true	0.7	7	1.166666627	0	0	9674	84	84	1.119935
1226	018	4566	0.1	5685	12	55	80	2.5	8	0	11415	5730	RM-2	40	form-based		true	true	0.7	10	1.25	0	0	12784.7998	7099.799805	7099.799805	1.12
1226	020	3984	0.09	10266	12	55	80	2.5	7	0	9960	0	RM-2	40	form-based			true	0.7	8	1.142857194	0	0	11155.2002	889.2001953	889.2001953	1.12
1226	036	2464	0.06	4620	8	55	80	2.5	5	0	6160	1540	RM-2	40	form-based			true	0.7	5	1	0	0	6899.199707	2279.199707	2279.199707	1.12
1226	037	3155	0.07	9000	8	55	80	2.5	6	0	7888	0	RM-2	40	form-based		true	true	0.7	7	1.166666627	0	0	8834	0	0	1.119929
1226	038	8125	0.19	18780	24	55	80	2.5	15	0	20312	1532	RM-2	40	form-based		true	true	0.7	17	1.133333325	0	0	22750	3970	3970	1.120028
1227	005	3823	0.09	9827	9	55	80	2.5	7	0	9558	0	RM-2	40	form-based		true	true	0.7	8	1.142857194	0	0	10704.39941	877.3994141	877.3994141	1.119941
1227	006	2500	0.06	3520	6	55	80	2.5	5	0	6250	2730	RM-2	40	form-based			true	0.7	5	1	0	0	7000	3480	3480	1.12
1227	028	6820	0.16	12300	18	55	80	2.5	13	0	17050	4750	RM-2	40	form-based			true	0.7	14	1.076923132	0	0	19096	6796	6796	1.12
1227	040	3408	0.08	4995	12	55	80	2.5	6	0	8520	3525	RM-2	40	form-based			true	0.7	7	1.166666627	0	0	9542.399414	4547.399414	4547.399414	1.12
1229	001	3220	0.07	8550	12	55	80	2.5	6	0	8050	0	RM-2	50	form-based		true	true	0.7	9	1.5	0	0	11270	2720	2720	1.4
1229	017	2656	0.06	6150	7	55	80	2.5	5	0	6640	490	RM-2	50	form-based			true	0.7	7	1.399999976	0	0	9296	3146	3146	1.4
1229	032	3219	0.07	25000	22	55	80	2.5	6	0	8048	0	NCD-HAIG	50	form-based			true	0.75	10	1.666666627	0	0	12071.25	0	0	1.499907
1229	033	4477	0.1	22200	22	55	80	2.5	8	0	11192	0	NCD-HAIG	65	form-based		true	true	0.75	17	2.125	0	0	20146.5	0	0	1.80008
1230	006	2922	0.07	7869	10	55	80	2.5	6	0	7305	0	RH-3	50	form-based			true	0.7	8	1.333333373	0	0	10227	2358	2358	1.4
1231	055	983	0.02	662	3	55	80	2.5	2	0	2458	1796	RH-3	50	form-based			true	0.7	3	1.5	0	0	3440.5	2778.5	2778.5	1.399715
1232	021	2250	0.05	5400	6	55	80	2.5	4	0	5625	225	RH-3	50	form-based			true	0.7	6	1.5	0	0	7875	2475	2475	1.4
1232	022	2277	0.05	6570	11	55	80	2.5	4	0	5692	0	RH-3	50	form-based		true	true	0.7	6	1.5	0	0	7969.5	1399.5	1399.5	1.400123
1233	007	2952	0.07	3750	8	55	80	2.5	6	0	7380	3630	RH-3	50	form-based			true	0.7	8	1.333333373	0	0	10332	6582	6582	1.4
1233	030	2355	0.05	6450	9	55	80	2.5	4	0	5888	0	RH-3	50	form-based		true	true	0.7	7	1.75	0	0	8242.5	1792.5	1792.5	1.399881
1234	017	3315	0.08	14400	18	55	80	2.5	6	0	8288	0	RTO-C	65	form-based		true	true	0.75	12	2	0	0	14917.5	517.5	517.5	1.799891
1234	026	2189	0.05	4500	6	55	80	2.5	4	0	5472	972	RM-1	50	form-based		true	true	0.7	6	1.5	0	0	7661.5	3161.5	3161.5	1.400128
1236	006	4002	0.09	8550	14	55	80	2.5	7	0	10005	1455	RM-2	50	form-based			true	0.7	11	1.571428537	0	0	14007	5457	5457	1.4
1236	008	6050	0.14	20400	28	55	80	2.5	11	0	15125	0	RTO-C	65	form-based		true	true	0.75	23	2.090909004	0	0	27225	6825	6825	1.8
1237	019	5344	0.12	27000	35	55	80	2.5	10	0	13360	0	RTO-C	65	form-based		true	true	0.75	20	2	0	0	24048	0	0	1.8
1238	001	3731	0.09	10913	21	65	100	3	9	0	11193	280	RH-3	50	form-based	true	true	true	0.7	10	1.111111164	0	0	13058.5	2145.5	2145.5	1.166667
1239	001	2257	0.05	5600	9	65	100	3	5	0	6771	1171	RTO-C	65	form-based	true	true	true	0.75	8	1.600000024	0	0	10156.5	4556.5	4556.5	1.5
1239	026	2544	0.06	6108	7	65	100	3	6	0	7632	1524	RH-3	50	form-based			true	0.7	7	1.166666627	0	0	8904	2796	2796	1.166667
1240	007	4000	0.09	10194	14	65	100	3	9	0	12000	1806	RH-3	50	form-based		true	true	0.7	11	1.222222209	0	0	14000	3806	3806	1.166667
1240	036	1900	0.04	5070	8	65	100	3	4	0	5700	630	RTO-C	65	form-based			true	0.75	7	1.75	0	0	8550	3480	3480	1.5
1241	009	4406	0.1	25252	37	55	80	2.5	8	0	11015	0	RH-3	50	form-based		true	true	0.7	12	1.5	0	0	15421	0	0	1.4
1241	009B	3312	0.08	9657	15	55	80	2.5	6	0	8280	0	RH-3	50	form-based			true	0.7	9	1.5	0	0	11592	1935	1935	1.4
1242	004	1918	0.04	4611	8	55	80	2.5	3	0	4795	184	RH-3	50	form-based			true	0.7	5	1.666666627	0	0	6713	2102	2102	1.4
1242	005	2156	0.05	4950	7	55	80	2.5	4	0	5390	440	RH-3	50	form-based			true	0.7	6	1.5	0	0	7546	2596	2596	1.4
1242	021	1210	0.03	829	3	55	80	2.5	2	0	3025	2196	RH-3	50	form-based			true	0.7	3	1.5	0	0	4235	3406	3406	1.4
1243	007	3766	0.09	12600	15	55	80	2.5	7	0	9415	0	RH-3	50	form-based		true	true	0.7	11	1.571428537	0	0	13181	581	581	1.4
1244	003	2989	0.07	6150	14	55	80	2.5	6	0	7472	1322	RH-3	50	form-based			true	0.7	8	1.333333373	0	0	10461.5	4311.5	4311.5	1.400094
1245	003	2536	0.06	7900	8	55	80	2.5	5	0	6340	0	RH-3	50	form-based			true	0.7	7	1.399999976	0	0	8876	976	976	1.4
1245	015	2885	0.07	9825	12	65	100	3	7	0	8655	0	RH-3	50	form-based			true	0.7	8	1.142857194	0	0	10097.5	272.5	272.5	1.166667
1245	016	4050	0.09	11400	12	65	100	3	9	0	12150	750	RH-3	50	form-based		true	true	0.7	11	1.222222209	0	0	14175	2775	2775	1.166667
1246	017	2500	0.06	7500	8	65	100	3	6	0	7500	0	RH-3	50	form-based		true	true	0.7	7	1.166666627	0	0	8750	1250	1250	1.166667
1246	018	3086	0.07	4560	10	65	100	3	7	0	9258	4698	RH-3	50	form-based			true	0.7	9	1.285714269	0	0	10801	6241	6241	1.166667
1247	015	2401	0.06	4650	8	65	100	3	6	0	7203	2553	RH-3	50	form-based			true	0.7	7	1.166666627	0	0	8403.5	3753.5	3753.5	1.166667
1247	024	5021	0.12	9800	19	65	100	3	12	0	15063	5263	NCD-HAIG	65	form-based			true	0.75	19	1.583333373	0	0	22594.5	12794.5	12794.5	1.5
1247	025	3394	0.08	8550	20	65	100	3	8	0	10182	1632	NCD-HAIG	65	form-based			true	0.75	13	1.625	0	0	15273	6723	6723	1.5
1248	018	2500	0.06	6240	10	65	100	3	6	0	7500	1260	NCD-HAIG	50	form-based			true	0.75	8	1.333333373	0	0	9375	3135	3135	1.25
1248	019	3477	0.08	9182	14	65	100	3	8	0	10431	1249	NCD-HAIG	65	form-based		true	true	0.75	13	1.625	0	0	15646.5	6464.5	6464.5	1.5
1249	005A	1804	0.04	3776	5	65	100	3	4	0	5412	1636	RH-3	50	form-based		true	true	0.7	5	1.25	0	0	6314	2538	2538	1.166667
1249	024	37871	0.87	3476	160	65	100	3	87	0	113613	110137	NCD-HAIG	65	form-based		true	true	0.75	142	1.632183909	0	0	170419.5	166943.5	166943.5	1.5
1251	001	1968	0.05	3925	6	65	100	3	5	0	5904	1979	RH-3	50	form-based		true	true	0.7	6	1.200000048	0	0	6888	2963	2963	1.166667
1252	023	3422	0.08	8595	12	65	100	3	8	0	10266	1671	RH-3	50	form-based		true	true	0.7	10	1.25	0	0	11977	3382	3382	1.166667
1252	048	3206	0.07	9405	13	65	100	3	7	0	9618	213	RH-3	50	form-based		true	true	0.7	9	1.285714269	0	0	11221	1816	1816	1.166667
1254	001	1539	0.04	2606	6	55	80	2.5	3	0	3848	1242	RH-3	40	form-based		true	true	0.7	3	1	0	0	4309.199707	1703.199707	1703.199707	1.119854
1254	005	5595	0.13	8297	13	65	100	3	13	0	16785	8488	RH-3	40	form-based			true	0.7	12	0.923076928	0	0	15666	7369	7369	0.933333
1254	008	2500	0.06	2700	9	65	100	3	6	0	7500	4800	RH-3	40	form-based			true	0.7	5	0.833333313	0	0	7000	4300	4300	0.933333
1254	018	3393	0.08	9900	10	65	100	3	8	0	10179	279	RH-3	40	form-based		true	true	0.7	7	0.875	0	0	9500.399414	0	0	0.933333
1254	045A	6360	0.15	16110	21	65	100	3	15	0	19080	2970	RH-3	40	form-based		true	true	0.7	13	0.866666675	0	0	17808	1698	1698	0.933333
1254	057	2006	0.05	2750	4	65	100	3	5	1	6018	3268	RH-2	40	form-based			true	0.7	4	0.800000012	0	0	5616.799805	2866.799805	2866.799805	0.933333
1254	071	1586	0.04	2606	6	65	100	3	4	0	4758	2152	RH-3	40	form-based		true	true	0.7	3	0.75	0	0	4440.799805	1834.799805	1834.799805	0.933333
1254	072	1550	0.04	2606	4	65	100	3	4	0	4650	2044	RH-3	40	form-based			true	0.7	3	0.75	0	0	4340	1734	1734	0.933333
1254	073	1550	0.04	2606	4	65	100	3	4	0	4650	2044	RH-3	40	form-based			true	0.7	3	0.75	0	0	4340	1734	1734	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1254	074	1550	0.04	2606	4	65	100	3	4	0	4650	2044	RH-3	40	form-based			true	0.7	3	0.75	0	0	4340	1734	1734	0.933333
1254	075	1550	0.04	2606	4	55	80	2.5	3	0	3875	1269	RH-3	40	form-based			true	0.7	3	1	0	0	4340	1734	1734	1.12
1254	077	2498	0.06	679	5	65	100	3	6	1	7494	6815	RH-3	40	form-based			true	0.7	5	0.833333313	0	0	6994.399902	6315.399902	6315.399902	0.933333
1255	001A	800	0.02	1104	5	55	80	2.5	2	0	2000	896	RH-3	40	form-based			true	0.7	2	1	0	0	2240	1136	1136	1.12
1255	003	2612	0.06	5310	6	55	80	2.5	5	0	6530	1220	RH-3	40	form-based			true	0.7	5	1	0	0	7313.600098	2003.600098	2003.600098	1.12
1255	003A	2611	0.06	5310	6	55	80	2.5	5	0	6528	1218	RH-3	40	form-based			true	0.7	5	1	0	0	7310.799805	2000.799805	2000.799805	1.119914
1255	018	2635	0.06	5395	6	55	80	2.5	5	0	6588	1193	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7378	1983	1983	1.119915
1255	019	13725	0.32	39466	50	55	80	2.5	26	0	34312	0	RH-3	40	form-based		true	true	0.7	29	1.115384579	0	0	38430	0	0	1.120016
1255	021	8676	0.2	24834	23	65	100	3	20	0	26028	1194	RH-3	40	form-based		true	true	0.7	18	0.899999976	0	0	24292.79883	0	0	0.933333
1255	023	2650	0.06	6710	13	65	100	3	6	0	7950	1240	RH-3	40	form-based		true	true	0.7	6	1	0	0	7420	710	710	0.933333
1255	043	2617	0.06	7275	6	55	80	2.5	5	0	6542	0	RH-3	40	form-based		true	true	0.7	5	1	0	0	7327.600098	52.60009766	52.60009766	1.120086
1255	045	2750	0.06	5175	6	55	80	2.5	5	0	6875	1700	RH-3	40	form-based			true	0.7	6	1.200000048	0	0	7700	2525	2525	1.12
1255	049	2000	0.05	2500	4	55	80	2.5	4	0	5000	2500	RH-2	40	form-based			true	0.7	4	1	0	0	5600	3100	3100	1.12
1255	053	2000	0.05	2550	4	55	80	2.5	4	0	5000	2450	RH-2	40	form-based			true	0.7	4	1	0	0	5600	3050	3050	1.12
1255	060	2133	0.05	2964	4	65	100	3	5	1	6399	3435	RH-2	40	form-based			true	0.7	4	0.800000012	0	0	5972.399902	3008.399902	3008.399902	0.933333
1255	076	1020	0.02	1980	2	55	80	2.5	2	0	2550	570	RH-3	40	form-based			true	0.7	2	1	0	0	2856	876	876	1.12
1255	105	1120	0.03	1067	2	55	80	2.5	2	0	2800	1733	RH-3	40	form-based			true	0.7	2	1	0	0	3136	2069	2069	1.12
1255	109	2000	0.05	1130	4	55	80	2.5	4	0	5000	3870	RH-2	40	form-based			true	0.7	4	1	0	0	5600	4470	4470	1.12
1255	120	2610	0.06	1536	5	55	80	2.5	5	0	6525	4989	RH-3	40	form-based			true	0.7	5	1	0	0	7308	5772	5772	1.12
1256	009	6124	0.14	12252	15	55	80	2.5	11	0	15310	3058	RH-3	40	form-based			true	0.7	13	1.181818128	0	0	17147.19922	4895.199219	4895.199219	1.12
1256	044	3447	0.08	10125	7	55	80	2.5	6	0	8618	0	RH-3	40	form-based		true	true	0.7	7	1.166666627	0	0	9651.599609	0	0	1.119935
1258	001	4422	0.1	9816	15	65	100	3	10	0	13266	3450	RH-3	40	form-based		true	true	0.7	9	0.899999976	0	0	12381.59961	2565.599609	2565.599609	0.933333
1258	020	2605	0.06	6100	6	55	80	2.5	5	0	6512	412	RH-3	40	form-based			true	0.7	5	1	0	0	7294	1194	1194	1.120086
1258	040	3113	0.07	1029	7	65	100	3	7	0	9339	8310	RH-3	40	form-based			true	0.7	7	1	0	0	8716.399414	7687.399414	7687.399414	0.933333
1258	043	3953	0.09	701	9	55	80	2.5	7	0	9882	9181	RH-3	40	form-based			true	0.7	8	1.142857194	0	0	11068.39941	10367.39941	10367.39941	1.120057
1259	013	4911	0.11	11600	12	65	100	3	11	0	14733	3133	RH-3	40	form-based		true	true	0.7	10	0.909090936	0	0	13750.7998	2150.799805	2150.799805	0.933333
1259	016	2132	0.05	3500	4	65	100	3	5	1	6396	2896	RH-3	40	form-based		true	true	0.7	4	0.800000012	0	0	5969.600098	2469.600098	2469.600098	0.933333
1259	029	2240	0.05	3650	5	65	100	3	5	0	6720	3070	RH-3	40	form-based		true	true	0.7	5	1	0	0	6272	2622	2622	0.933333
1259	081	1610	0.04	905	3	65	100	3	4	1	4830	3925	RH-3	40	form-based			true	0.7	3	0.75	0	0	4508	3603	3603	0.933333
1260	005	2900	0.07	5003	7	65	100	3	7	0	8700	3697	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8120	3117	3117	0.933333
1260	015	3304	0.08	6420	7	65	100	3	8	1	9912	3492	RH-3	40	form-based		true	true	0.7	7	0.875	0	0	9251.200195	2831.200195	2831.200195	0.933333
1260	019	1749	0.04	2391	4	65	100	3	4	0	5247	2856	RH-3	40	form-based		true	true	0.7	4	1	0	0	4897.199707	2506.199707	2506.199707	0.933333
1260	054	2943	0.07	5421	6	65	100	3	7	1	8829	3408	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8240.399414	2819.399414	2819.399414	0.933333
1260	099	3046	0.07	1354	6	65	100	3	7	1	9138	7784	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8528.799805	7174.799805	7174.799805	0.933333
1261	006	3367	0.08	7940	12	65	100	3	8	0	10101	2161	RH-3	50	form-based			true	0.7	9	1.125	0	0	11784.5	3844.5	3844.5	1.166667
1263	006	7161	0.16	26400	42	65	100	3	16	0	21483	0	NC-1	50	form-based			true	0.75	21	1.3125	0	0	26853.75	453.75	453.75	1.25
1265	015	2468	0.06	6150	11	85	140	4	8	0	9872	3722	RTO-C	65	form-based	true		true	0.75	9	1.125	0	0	11106	4956	4956	1.125
1266	001	3275	0.08	13750	21	65	100	3	8	0	9825	0	NC-1	65	form-based	true		true	0.75	12	1.5	0	0	14737.5	987.5	987.5	1.5
1267	040	3237	0.07	8850	12	65	100	3	7	0	9711	861	NC-1	65	form-based	true		true	0.75	12	1.714285731	0	0	14566.5	5716.5	5716.5	1.5
1268	001	2577	0.06	7678	11	65	100	3	6	0	7731	53	RH-3	50	form-based	true		true	0.7	7	1.166666627	0	0	9019.5	1341.5	1341.5	1.166667
1268	011	2500	0.06	6000	7	65	100	3	6	0	7500	1500	RH-3	50	form-based	true		true	0.7	7	1.166666627	0	0	8750	2750	2750	1.166667
1268	035	2233	0.05	5265	6	65	100	3	5	0	6699	1434	RH-3	50	form-based	true		true	0.7	6	1.200000048	0	0	7815.5	2550.5	2550.5	1.166667
1269	002	2656	0.06	4050	6	65	100	3	6	0	7968	3918	RH-3	40	form-based			true	0.7	6	1	0	0	7436.799805	3386.799805	3386.799805	0.933333
1269	006	2500	0.06	6620	6	65	100	3	6	0	7500	880	RH-3	40	form-based			true	0.7	5	0.833333313	0	0	7000	380	380	0.933333
1269	023	3188	0.07	4548	7	65	100	3	7	0	9564	5016	RH-3	40	form-based			true	0.7	7	1	0	0	8926.399414	4378.399414	4378.399414	0.933333
1269	037	3714	0.09	6212	11	65	100	3	9	0	11142	4930	RH-2	40	form-based			true	0.7	8	0.888888896	0	0	10399.2002	4187.200195	4187.200195	0.933333
1269	083	3059	0.07	7950	7	65	100	3	7	0	9177	1227	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8565.200195	615.2001953	615.2001953	0.933333
1269	117	2000	0.05	4752	5	65	100	3	5	0	6000	1248	RH-2	40	form-based			true	0.7	4	0.800000012	0	0	5600	848	848	0.933333
1269	147	2348	0.05	5931	7	65	100	3	5	0	7044	1113	RH-2	40	form-based			true	0.7	5	1	0	0	6574.399902	643.3999023	643.3999023	0.933333
1269	150	1985	0.05	2760	5	65	100	3	5	0	5955	3195	RH-2	40	form-based			true	0.7	4	0.800000012	0	0	5558	2798	2798	0.933333
1269	151	1985	0.05	2946	5	65	100	3	5	0	5955	3009	RH-2	40	form-based			true	0.7	4	0.800000012	0	0	5558	2612	2612	0.933333
1269	153	1786	0.04	3786	5	65	100	3	4	0	5358	1572	RH-2	40	form-based			true	0.7	4	1	0	0	5000.799805	1214.799805	1214.799805	0.933333
1269	155	3533	0.08	5090	8	65	100	3	8	0	10599	5509	RH-2	40	form-based			true	0.7	7	0.875	0	0	9892.399414	4802.399414	4802.399414	0.933333
1269	160	2550	0.06	4380	5	65	100	3	6	1	7650	3270	RH-3	40	form-based			true	0.7	5	0.833333313	0	0	7140	2760	2760	0.933333
1269	165	4796	0.11	8657	11	65	100	3	11	0	14388	5731	RH-2	40	form-based		true	true	0.7	10	0.909090936	0	0	13428.7998	4771.799805	4771.799805	0.933333
1269	188	1982	0.05	742	4	65	100	3	5	1	5946	5204	RH-2	40	form-based			true	0.7	4	0.800000012	0	0	5549.600098	4807.600098	4807.600098	0.933333
1269	231	2132	0.05	685	4	65	100	3	5	1	6396	5711	RH-2	40	form-based			true	0.7	4	0.800000012	0	0	5969.600098	5284.600098	5284.600098	0.933333
1269	237	2000	0.05	645	4	65	100	3	5	1	6000	5355	RH-2	40	form-based			true	0.7	4	0.800000012	0	0	5600	4955	4955	0.933333
1270	001B	2500	0.06	3600	5	55	80	2.5	5	0	6250	2650	RH-2	40	form-based			true	0.7	5	1	0	0	7000	3400	3400	1.12
1270	030	2656	0.06	4961	6	65	100	3	6	0	7968	3007	RH-3	40	form-based			true	0.7	6	1	0	0	7436.799805	2475.799805	2475.799805	0.933333
1270	033	3015	0.07	6050	6	65	100	3	7	1	9045	2995	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8442	2392	2392	0.933333
1270	037	3015	0.07	5430	7	65	100	3	7	0	9045	3615	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8442	3012	3012	0.933333
1270	038	2813	0.06	6450	9	65	100	3	6	0	8439	1989	RH-3	40	form-based			true	0.7	6	1	0	0	7876.399902	1426.399902	1426.399902	0.933333
1270	040	7036	0.16	19925	29	65	100	3	16	0	21108	1183	RH-3	40	form-based	true		true	0.7	15	0.9375	0	0	19700.79883	0	0	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1271	002	2500	0.06	4935	7	65	100	3	6	0	7500	2565	RH-2	50	form-based			true	0.7	7	1.166666627	0	0	8750	3815	3815	1.166667
1274	037	5375	0.12	14790	23	65	100	3	12	0	16125	1335	RTO-C	65	form-based		true	true	0.75	20	1.666666627	0	0	24187.5	9397.5	9397.5	1.5
1274	065	7915	0.18	18302	40	65	100	3	18	0	23745	5443	RTO-C	65	form-based			true	0.75	30	1.666666627	0	0	35617.5	17315.5	17315.5	1.5
1275	001	4640	0.11	12564	21	65	100	3	11	0	13920	1356	RTO-C	65	form-based		true	true	0.75	17	1.545454502	0	0	20880	8316	8316	1.5
1275	005	4485	0.1	13770	23	65	100	3	10	0	13455	0	RTO-C	65	form-based		true	true	0.75	17	1.700000048	0	0	20182.5	6412.5	6412.5	1.5
1275	008	2390	0.05	4575	10	65	100	3	5	0	7170	2595	RTO-C	65	form-based			true	0.75	9	1.799999952	0	0	10755	6180	6180	1.5
1278	008A	56	0	0	0	65	100	3	0	0	168	168	RH-2	50	form-based			true	0.7	0		0	0	196	196	196	1.166667
1278	014	2750	0.06	5111	10	65	100	3	6	0	8250	3139	RH-3	50	form-based		true	true	0.7	8	1.333333373	0	0	9625	4514	4514	1.166667
1279	089	2526	0.06	4126	6	55	80	2.5	5	0	6315	2189	RH-2	40	form-based		true	true	0.7	5	1	0	0	7072.799805	2946.799805	2946.799805	1.12
1279	090	2401	0.06	3550	5	55	80	2.5	5	0	6002	2452	RH-2	40	form-based			true	0.7	5	1	0	0	6722.799805	3172.799805	3172.799805	1.120093
1280	007	2509	0.06	2902	5	65	100	3	6	1	7527	4625	RH-2	40	form-based			true	0.7	5	0.833333313	0	0	7025.199707	4123.199707	4123.199707	0.933333
1280	040	1826	0.04	715	6	65	100	3	4	0	5478	4763	RH-3	40	form-based		true	true	0.7	4	1	0	0	5112.799805	4397.799805	4397.799805	0.933333
1281	001	2676	0.06	7200	6	65	100	3	6	0	8028	828	RH-3	40	form-based		true	true	0.7	6	1	0	0	7492.799805	292.7998047	292.7998047	0.933333
1281	010	2583	0.06	7476	9	65	100	3	6	0	7749	273	RH-3	40	form-based		true	true	0.7	5	0.833333313	0	0	7232.399902	0	0	0.933333
1281	016	1875	0.04	2735	4	65	100	3	4	0	5625	2890	RH-3	40	form-based			true	0.7	4	1	0	0	5250	2515	2515	0.933333
1281	018	2591	0.06	939	6	65	100	3	6	0	7773	6834	RH-3	40	form-based			true	0.7	5	0.833333313	0	0	7254.799805	6315.799805	6315.799805	0.933333
1282	024	2763	0.06	8930	11	65	100	3	6	0	8289	0	RH-3	40	form-based		true	true	0.7	6	1	0	0	7736.399902	0	0	0.933333
1285	006	2437	0.06	4500	6	65	100	3	6	0	7311	2811	RH-2	40	form-based			true	0.7	5	0.833333313	0	0	6823.600098	2323.600098	2323.600098	0.933333
1285	019	2760	0.06	5325	6	65	100	3	6	0	8280	2955	RH-2	40	form-based			true	0.7	6	1	0	0	7728	2403	2403	0.933333
1286	001	2446	0.06	4350	5	65	100	3	6	1	7338	2988	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	6848.799805	2498.799805	2498.799805	0.933333
1288	009	2399	0.06	4800	5	55	80	2.5	5	0	5998	1198	RH-2	40	form-based		true	true	0.7	5	1	0	0	6717.199707	1917.199707	1917.199707	1.119907
1289	068	7212	0.17	11970	18	55	80	2.5	14	0	18030	6060	RH-2	40	form-based			true	0.7	15	1.071428537	0	0	20193.59961	8223.599609	8223.599609	1.12
1293	001A	997	0.02	2320	2	55	80	2.5	2	0	2492	172	RH-2	40	form-based			true	0.7	2	1	0	0	2791.599854	471.5998535	471.5998535	1.120225
1293	029	1319	0.03	3108	3	55	80	2.5	2	0	3298	190	RH-2	40	form-based		true	true	0.7	3	1.5	0	0	3693.199951	585.1999512	585.1999512	1.11983
1294	001	2767	0.06	4624	6	55	80	2.5	5	0	6918	2294	RH-2	40	form-based		true	true	0.7	6	1.200000048	0	0	7747.600098	3123.600098	3123.600098	1.119919
1332	019	2500	0.06	5600	6	55	80	2.5	5	0	6250	650	RM-1	40	form-based			true	0.7	5	1	0	0	7000	1400	1400	1.12
1333	022	2249	0.05	4788	6	55	80	2.5	4	0	5622	834	RM-1	40	form-based		true	true	0.7	5	1.25	0	0	6297.199707	1509.199707	1509.199707	1.1201
1333	044	3782	0.09	1416	12	55	80	2.5	7	0	9455	8039	RM-1	40	form-based		true	true	0.7	8	1.142857194	0	0	10589.59961	9173.599609	9173.599609	1.12
1333	075	2700	0.06	781	6	55	80	2.5	5	0	6750	5969	RM-1	40	form-based			true	0.7	6	1.200000048	0	0	7560	6779	6779	1.12
1346	002	2123	0.05	5845	8	55	80	2.5	4	0	5308	0	RH-2	40	form-based			true	0.7	4	1	0	0	5944.399902	99.39990234	99.39990234	1.119895
1346	007	2831	0.06	7308	6	55	80	2.5	5	0	7078	0	RH-2	40	form-based		true	true	0.7	6	1.200000048	0	0	7926.799805	618.7998047	618.7998047	1.119921
1347	005	2475	0.06	7110	6	55	80	2.5	5	0	6188	0	RH-2	40	form-based			true	0.7	5	1	0	0	6930	0	0	1.11991
1347	008	2061	0.05	5286	5	55	80	2.5	4	0	5152	0	RH-2	40	form-based		true	true	0.7	4	1	0	0	5770.799805	484.7998047	484.7998047	1.120109
1349	006	2825	0.06	7335	6	55	80	2.5	5	0	7062	0	RM-1	40	form-based		true	true	0.7	6	1.200000048	0	0	7910	575	575	1.120079
1350	003	2752	0.06	4303	6	55	80	2.5	5	0	6880	2577	RM-1	40	form-based			true	0.7	6	1.200000048	0	0	7705.600098	3402.600098	3402.600098	1.12
1350	005	2047	0.05	3060	4	55	80	2.5	4	0	5118	2058	RM-1	40	form-based			true	0.7	4	1	0	0	5731.600098	2671.600098	2671.600098	1.119891
1350	006	2117	0.05	3573	4	55	80	2.5	4	0	5292	1719	RM-1	40	form-based			true	0.7	4	1	0	0	5927.600098	2354.600098	2354.600098	1.120106
1351	015	2590	0.06	5154	6	55	80	2.5	5	0	6475	1321	RM-2	40	form-based			true	0.7	5	1	0	0	7252	2098	2098	1.12
1351	016	2310	0.05	5730	6	55	80	2.5	4	0	5775	45	RM-2	40	form-based		true	true	0.7	5	1.25	0	0	6468	738	738	1.12
1351	017	2100	0.05	4665	4	55	80	2.5	4	0	5250	585	RM-2	40	form-based			true	0.7	4	1	0	0	5880	1215	1215	1.12
1351	021	2880	0.07	7965	11	55	80	2.5	6	0	7200	0	RM-2	40	form-based			true	0.7	6	1	0	0	8064	99	99	1.12
1351	022	4364	0.1	10881	12	55	80	2.5	8	0	10910	29	RM-2	40	form-based		true	true	0.7	9	1.125	0	0	12219.2002	1338.200195	1338.200195	1.12
1351	023	2380	0.05	781	6	55	80	2.5	4	0	5950	5169	RM-2	40	form-based			true	0.7	5	1.25	0	0	6664	5883	5883	1.12
1352	021	3750	0.09	8775	12	55	80	2.5	7	0	9375	600	RM-2	40	form-based			true	0.7	8	1.142857194	0	0	10500	1725	1725	1.12
1352	021A	4503	0.1	10098	16	55	80	2.5	8	0	11258	1160	RH-2	40	form-based			true	0.7	9	1.125	0	0	12608.39941	2510.399414	2510.399414	1.11995
1352	021L	5750	0.13	14043	15	55	80	2.5	10	0	14375	332	RM-2	40	form-based		true	true	0.7	12	1.200000048	0	0	16100	2057	2057	1.12
1353	018B	2600	0.06	4350	6	55	80	2.5	5	0	6500	2150	RM-2	40	form-based			true	0.7	5	1	0	0	7280	2930	2930	1.12
1353	040	2184	0.05	700	5	55	80	2.5	4	0	5460	4760	RM-2	40	form-based		true	true	0.7	5	1.25	0	0	6115.199707	5415.199707	5415.199707	1.12
1355	012	5868	0.13	14900	16	55	80	2.5	10	0	14670	0	RM-1	40	form-based		true	true	0.7	12	1.200000048	0	0	16430.40039	1530.400391	1530.400391	1.12
1355	015	5343	0.12	11130	12	55	80	2.5	10	0	13358	2228	RM-1	40	form-based			true	0.7	11	1.100000024	0	0	14960.39941	3830.399414	3830.399414	1.119958
1361	017	6595	0.15	15981	20	55	80	2.5	12	0	16488	507	RM-2	40	form-based		true	true	0.7	14	1.166666627	0	0	18466	2485	2485	1.119966
1361	036	3000	0.07	6540	6	55	80	2.5	6	0	7500	960	RH-2	40	form-based			true	0.7	6	1	0	0	8400	1860	1860	1.12
1361	038	3064	0.07	6210	6	55	80	2.5	6	0	7660	1450	RM-1	40	form-based		true	true	0.7	6	1	0	0	8579.200195	2369.200195	2369.200195	1.12
1361	047	5726	0.13	393	15	55	80	2.5	10	0	14315	13922	RM-1	40	form-based			true	0.7	12	1.200000048	0	0	16032.7998	15639.7998	15639.7998	1.12
1362	001	3249	0.07	8888	12	55	80	2.5	6	0	8122	0	RM-1	40	form-based		true	true	0.7	7	1.166666627	0	0	9097.200195	209.2001953	209.2001953	1.120069
1362	029	3004	0.07	4600	6	55	80	2.5	6	0	7510	2910	RH-2	40	form-based			true	0.7	6	1	0	0	8411.200195	3811.200195	3811.200195	1.12
1363	007	2964	0.07	4600	6	55	80	2.5	6	0	7410	2810	RH-2	40	form-based			true	0.7	6	1	0	0	8299.200195	3699.200195	3699.200195	1.12
1364	012	3028	0.07	4064	6	55	80	2.5	6	0	7570	3506	RH-2	40	form-based			true	0.7	6	1	0	0	8478.399414	4414.399414	4414.399414	1.12
1364	032	2969	0.07	4340	6	55	80	2.5	6	0	7422	3082	RH-2	40	form-based			true	0.7	6	1	0	0	8313.200195	3973.200195	3973.200195	1.120075
1364	036	3260	0.07	8006	9	55	80	2.5	6	0	8150	144	RH-2	40	form-based		true	true	0.7	7	1.166666627	0	0	9128	1122	1122	1.12
1364	082	2969	0.07	4436	6	55	80	2.5	6	0	7422	2986	RH-2	40	form-based			true	0.7	6	1	0	0	8313.200195	3877.200195	3877.200195	1.120075
1365	001	6137	0.14	13575	15	55	80	2.5	11	0	15342	1767	RH-2	40	form-based		true	true	0.7	13	1.181818128	0	0	17183.59961	3608.599609	3608.599609	1.120036
1365	022	3004	0.07	5206	6	55	80	2.5	6	0	7510	2304	RH-2	40	form-based			true	0.7	6	1	0	0	8411.200195	3205.200195	3205.200195	1.12
1366	048	3204	0.07	7764	8	55	80	2.5	6	0	8010	246	RH-2	40	form-based		true	true	0.7	7	1.166666627	0	0	8971.200195	1207.200195	1207.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1367	001	2321	0.05	6867	10	55	80	2.5	4	0	5802	0	RH-2	40	form-based		true	true	0.7	5	1.25	0	0	6498.799805	0	0	1.120096
1368	032	6055	0.14	12711	15	55	80	2.5	11	0	15138	2427	RH-2	40	form-based			true	0.7	13	1.181818128	0	0	16954	4243	4243	1.119963
1368	036	6055	0.14	12990	15	55	80	2.5	11	0	15138	2148	RH-2	40	form-based			true	0.7	13	1.181818128	0	0	16954	3964	3964	1.119963
1369	001	2544	0.06	4264	5	55	80	2.5	5	0	6360	2096	RH-2	40	form-based		true	true	0.7	5	1	0	0	7123.199707	2859.199707	2859.199707	1.12
1369	049	2761	0.06	1164	6	55	80	2.5	5	0	6902	5738	RH-2	40	form-based		true	true	0.7	6	1.200000048	0	0	7730.799805	6566.799805	6566.799805	1.120081
1370	027	3018	0.07	7653	10	55	80	2.5	6	0	7545	0	RH-2	40	form-based			true	0.7	6	1	0	0	8450.399414	797.3994141	797.3994141	1.12
1370	041	3018	0.07	5110	8	55	80	2.5	6	0	7545	2435	RH-2	40	form-based			true	0.7	6	1	0	0	8450.399414	3340.399414	3340.399414	1.12
1371	001	1730	0.04	4194	6	55	80	2.5	3	0	4325	131	RH-2	40	form-based		true	true	0.7	4	1.333333373	0	0	4844	650	650	1.12
1371	001A	1686	0.04	2560	4	55	80	2.5	3	0	4215	1655	RH-2	40	form-based			true	0.7	4	1.333333373	0	0	4720.799805	2160.799805	2160.799805	1.12
1371	013	2982	0.07	4300	6	55	80	2.5	6	0	7455	3155	RH-2	40	form-based			true	0.7	6	1	0	0	8349.599609	4049.599609	4049.599609	1.12
1371	015	2982	0.07	4332	6	55	80	2.5	6	0	7455	3123	RH-2	40	form-based			true	0.7	6	1	0	0	8349.599609	4017.599609	4017.599609	1.12
1371	025	3037	0.07	4342	6	55	80	2.5	6	0	7592	3250	RH-2	40	form-based			true	0.7	6	1	0	0	8503.599609	4161.599609	4161.599609	1.120074
1371	026	3037	0.07	4342	6	55	80	2.5	6	0	7592	3250	RH-2	40	form-based			true	0.7	6	1	0	0	8503.599609	4161.599609	4161.599609	1.120074
1371	042	4351	0.1	11166	9	55	80	2.5	8	0	10878	0	RH-2	40	form-based		true	true	0.7	9	1.125	0	0	12182.7998	1016.799805	1016.799805	1.119949
1372	012	3011	0.07	4342	6	55	80	2.5	6	0	7528	3186	RH-2	40	form-based			true	0.7	6	1	0	0	8430.799805	4088.799805	4088.799805	1.119926
1372	016	3011	0.07	4240	6	55	80	2.5	6	0	7528	3288	RH-2	40	form-based			true	0.7	6	1	0	0	8430.799805	4190.799805	4190.799805	1.119926
1372	052	2798	0.06	1164	7	55	80	2.5	5	0	6995	5831	RH-2	40	form-based		true	true	0.7	6	1.200000048	0	0	7834.399902	6670.399902	6670.399902	1.12
1374	018A	3257	0.07	4000	8	55	80	2.5	6	0	8142	4142	RH-2	40	form-based			true	0.7	7	1.166666627	0	0	9119.599609	5119.599609	5119.599609	1.120069
1375	049	5000	0.11	10536	12	55	80	2.5	9	0	12500	1964	RH-2	40	form-based			true	0.7	10	1.111111164	0	0	14000	3464	3464	1.12
1377	043	2346	0.05	4688	5	55	80	2.5	4	0	5865	1177	RH-2	40	form-based		true	true	0.7	5	1.25	0	0	6568.799805	1880.799805	1880.799805	1.12
1378	001	3207	0.07	7980	9	55	80	2.5	6	0	8018	38	RH-2	40	form-based		true	true	0.7	7	1.166666627	0	0	8979.599609	999.5996094	999.5996094	1.11993
1378	004	3000	0.07	4426	8	55	80	2.5	6	0	7500	3074	RH-2	40	form-based			true	0.7	6	1	0	0	8400	3974	3974	1.12
1378	032	2500	0.06	3973	7	55	80	2.5	5	0	6250	2277	RH-2	40	form-based			true	0.7	5	1	0	0	7000	3027	3027	1.12
1378	036	2500	0.06	4848	6	55	80	2.5	5	0	6250	1402	RH-2	40	form-based			true	0.7	5	1	0	0	7000	2152	2152	1.12
1378	041	910	0.02	1168	2	55	80	2.5	2	0	2275	1107	RH-2	40	form-based			true	0.7	2	1	0	0	2548	1380	1380	1.12
1379	006	4500	0.1	8775	9	55	80	2.5	8	0	11250	2475	RH-2	40	form-based			true	0.7	9	1.125	0	0	12600	3825	3825	1.12
1379	030	8537	0.2	18870	18	55	80	2.5	16	0	21342	2472	RH-2	40	form-based			true	0.7	18	1.125	0	0	23903.59961	5033.599609	5033.599609	1.120026
1379	034	3250	0.07	7848	9	55	80	2.5	6	0	8125	277	RH-2	40	form-based		true	true	0.7	7	1.166666627	0	0	9100	1252	1252	1.12
1379	034A	2500	0.06	6845	6	55	80	2.5	5	0	6250	0	RH-2	40	form-based			true	0.7	5	1	0	0	7000	155	155	1.12
1379	041	6252	0.14	13350	15	55	80	2.5	11	0	15630	2280	RH-2	40	form-based			true	0.7	13	1.181818128	0	0	17505.59961	4155.599609	4155.599609	1.12
1379	042	5000	0.11	10650	12	55	80	2.5	9	0	12500	1850	RH-2	40	form-based			true	0.7	10	1.111111164	0	0	14000	3350	3350	1.12
1380	003A	3495	0.08	5076	7	55	80	2.5	6	0	8738	3662	RH-2	40	form-based			true	0.7	7	1.166666627	0	0	9786	4710	4710	1.119936
1381	001	4850	0.11	7480	10	55	80	2.5	9	0	12125	4645	RH-2	40	form-based		true	true	0.7	10	1.111111164	0	0	13580	6100	6100	1.12
1381	011	3000	0.07	6270	6	55	80	2.5	6	0	7500	1230	RH-2	40	form-based			true	0.7	6	1	0	0	8400	2130	2130	1.12
1381	022	2962	0.07	4282	6	55	80	2.5	6	0	7405	3123	RH-2	40	form-based			true	0.7	6	1	0	0	8293.599609	4011.599609	4011.599609	1.12
1381	028	2962	0.07	4740	6	55	80	2.5	6	0	7405	2665	RH-2	40	form-based			true	0.7	6	1	0	0	8293.599609	3553.599609	3553.599609	1.12
1381	029	2962	0.07	4342	6	55	80	2.5	6	0	7405	3063	RH-2	40	form-based			true	0.7	6	1	0	0	8293.599609	3951.599609	3951.599609	1.12
1382	029	3056	0.07	5185	8	55	80	2.5	6	0	7640	2455	RH-2	40	form-based			true	0.7	6	1	0	0	8556.799805	3371.799805	3371.799805	1.12
1382	062	3056	0.07	896	6	55	80	2.5	6	0	7640	6744	RH-2	40	form-based			true	0.7	6	1	0	0	8556.799805	7660.799805	7660.799805	1.12
1383	001	5734	0.13	14670	12	55	80	2.5	10	0	14335	0	RM-1	40	form-based		true	true	0.7	12	1.200000048	0	0	16055.2002	1385.200195	1385.200195	1.12
1383	015	3000	0.07	4450	6	55	80	2.5	6	0	7500	3050	RH-2	40	form-based			true	0.7	6	1	0	0	8400	3950	3950	1.12
1383	041	5750	0.13	14670	12	55	80	2.5	10	0	14375	0	RM-1	40	form-based		true	true	0.7	12	1.200000048	0	0	16100	1430	1430	1.12
1383	044	2500	0.06	5850	6	55	80	2.5	5	0	6250	400	RM-1	40	form-based			true	0.7	5	1	0	0	7000	1150	1150	1.12
1384	002	5216	0.12	11376	12	55	80	2.5	10	0	13040	1664	RM-1	40	form-based			true	0.7	11	1.100000024	0	0	14604.7998	3228.799805	3228.799805	1.12
1385	001	3487	0.08	7935	12	55	80	2.5	6	0	8718	783	RM-1	40	form-based		true	true	0.7	7	1.166666627	0	0	9763.599609	1828.599609	1828.599609	1.119936
1385	012	3037	0.07	5254	10	55	80	2.5	6	0	7592	2338	RH-2	40	form-based			true	0.7	6	1	0	0	8503.599609	3249.599609	3249.599609	1.120074
1385	020	4500	0.1	6460	10	55	80	2.5	8	0	11250	4790	RM-1	40	form-based			true	0.7	9	1.125	0	0	12600	6140	6140	1.12
1385	021	4500	0.1	10440	10	55	80	2.5	8	0	11250	810	RM-1	40	form-based			true	0.7	9	1.125	0	0	12600	2160	2160	1.12
1385	026	3000	0.07	4350	6	55	80	2.5	6	0	7500	3150	RM-1	40	form-based			true	0.7	6	1	0	0	8400	4050	4050	1.12
1385	028	3000	0.07	3658	10	55	80	2.5	6	0	7500	3842	RM-1	40	form-based			true	0.7	6	1	0	0	8400	4742	4742	1.12
1385	032	4550	0.1	12020	14	55	80	2.5	8	0	11375	0	RM-1	40	form-based		true	true	0.7	10	1.25	0	0	12740	720	720	1.12
1385	039	3037	0.07	4230	6	55	80	2.5	6	0	7592	3362	RM-1	40	form-based			true	0.7	6	1	0	0	8503.599609	4273.599609	4273.599609	1.120074
1385	074	3375	0.08	1288	8	55	80	2.5	6	0	8438	7150	RM-1	40	form-based			true	0.7	7	1.166666627	0	0	9450	8162	8162	1.119934
1386	007	5874	0.13	11334	12	55	80	2.5	10	0	14685	3351	RM-1	40	form-based			true	0.7	12	1.200000048	0	0	16447.19922	5113.199219	5113.199219	1.12
1386	025	3000	0.07	4230	6	55	80	2.5	6	0	7500	3270	RM-1	40	form-based			true	0.7	6	1	0	0	8400	4170	4170	1.12
1386	035	3000	0.07	4450	6	55	80	2.5	6	0	7500	3050	RM-1	40	form-based			true	0.7	6	1	0	0	8400	3950	3950	1.12
1386	039	3250	0.07	5550	7	55	80	2.5	6	0	8125	2575	RM-1	40	form-based		true	true	0.7	7	1.166666627	0	0	9100	3550	3550	1.12
1386	042	2500	0.06	4650	5	55	80	2.5	5	0	6250	1600	RM-1	40	form-based			true	0.7	5	1	0	0	7000	2350	2350	1.12
1387	001	3216	0.07	7806	11	55	80	2.5	6	0	8040	234	RM-1	40	form-based		true	true	0.7	7	1.166666627	0	0	9004.799805	1198.799805	1198.799805	1.12
1387	012	3756	0.09	8163	8	55	80	2.5	7	0	9390	1227	RM-1	40	form-based			true	0.7	8	1.142857194	0	0	10516.7998	2353.799805	2353.799805	1.12
1387	013	3000	0.07	4236	6	55	80	2.5	6	0	7500	3264	RM-1	40	form-based			true	0.7	6	1	0	0	8400	4164	4164	1.12
1387	016	3000	0.07	3702	6	55	80	2.5	6	0	7500	3798	RM-1	40	form-based			true	0.7	6	1	0	0	8400	4698	4698	1.12
1401	022	4400	0.1	10410	12	65	100	3	10	0	13200	2790	RM-1	40	form-based		true	true	0.7	9	0.899999976	0	0	12320	1910	1910	0.933333
1404	040	3000	0.07	6356	6	65	100	3	7	1	9000	2644	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	2044	2044	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1404	045	2129	0.05	3830	4	65	100	3	5	1	6387	2557	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5961.199707	2131.199707	2131.199707	0.933333
1405	028	4276	0.1	11274	16	65	100	3	10	0	12828	1554	RTO-C	65	form-based		true	true	0.75	16	1.600000024	0	0	19242	7968	7968	1.5
1405	052	2447	0.06	4596	6	65	100	3	6	0	7341	2745	RM-1	40	form-based			true	0.7	5	0.833333313	0	0	6851.600098	2255.600098	2255.600098	0.933333
1406	002	2989	0.07	6102	6	65	100	3	7	1	8967	2865	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8369.200195	2267.200195	2267.200195	0.933333
1406	005	2989	0.07	5068	8	65	100	3	7	0	8967	3899	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8369.200195	3301.200195	3301.200195	0.933333
1406	040	2959	0.07	6150	6	65	100	3	7	1	8877	2727	RH-2	40	form-based		true	true	0.7	6	0.857142866	0	0	8285.200195	2135.200195	2135.200195	0.933333
1407	008	2997	0.07	4542	6	65	100	3	7	1	8991	4449	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8391.599609	3849.599609	3849.599609	0.933333
1407	049	6355	0.15	13215	14	65	100	3	15	1	19065	5850	RM-1	40	form-based			true	0.7	13	0.866666675	0	0	17794	4579	4579	0.933333
1408	027	2940	0.07	6246	9	65	100	3	7	0	8820	2574	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8232	1986	1986	0.933333
1409	007	3038	0.07	4334	6	65	100	3	7	1	9114	4780	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8506.399414	4172.399414	4172.399414	0.933333
1409	010	3038	0.07	4464	6	65	100	3	7	1	9114	4650	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8506.399414	4042.399414	4042.399414	0.933333
1409	015	3038	0.07	3430	6	65	100	3	7	1	9114	5684	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8506.399414	5076.399414	5076.399414	0.933333
1409	016	3038	0.07	3430	6	65	100	3	7	1	9114	5684	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8506.399414	5076.399414	5076.399414	0.933333
1409	028	3000	0.07	3818	6	65	100	3	7	1	9000	5182	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4582	4582	0.933333
1409	030	3000	0.07	4252	6	65	100	3	7	1	9000	4748	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4148	4148	0.933333
1409	041	3000	0.07	4392	6	65	100	3	7	1	9000	4608	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4008	4008	0.933333
1409	042	3000	0.07	3832	7	65	100	3	7	0	9000	5168	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4568	4568	0.933333
1409	052	6077	0.14	12318	15	65	100	3	14	0	18231	5913	RM-1	40	form-based			true	0.7	13	0.928571403	0	0	17015.59961	4697.599609	4697.599609	0.933333
1410	047	5940	0.14	12867	12	65	100	3	14	2	17820	4953	RM-1	40	form-based			true	0.7	12	0.857142866	0	0	16632	3765	3765	0.933333
1412	004	3557	0.08	7428	7	65	100	3	8	1	10671	3243	RM-1	40	form-based			true	0.7	7	0.875	0	0	9959.599609	2531.599609	2531.599609	0.933333
1412	021	3030	0.07	4390	6	65	100	3	7	1	9090	4700	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8484	4094	4094	0.933333
1413	012	3021	0.07	3890	6	65	100	3	7	1	9063	5173	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8458.799805	4568.799805	4568.799805	0.933333
1413	017	3021	0.07	4220	6	65	100	3	7	1	9063	4843	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8458.799805	4238.799805	4238.799805	0.933333
1413	017A	2906	0.07	4220	6	65	100	3	7	1	8718	4498	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8136.799805	3916.799805	3916.799805	0.933333
1413	030	3000	0.07	4882	6	65	100	3	7	1	9000	4118	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	3518	3518	0.933333
1413	035	3000	0.07	4272	6	65	100	3	7	1	9000	4728	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4128	4128	0.933333
1413	047	6000	0.14	12855	15	65	100	3	14	0	18000	5145	RM-1	40	form-based			true	0.7	13	0.928571403	0	0	16800	3945	3945	0.933333
1414	005	3004	0.07	4270	6	65	100	3	7	1	9012	4742	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8411.200195	4141.200195	4141.200195	0.933333
1414	008	3004	0.07	4270	6	65	100	3	7	1	9012	4742	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8411.200195	4141.200195	4141.200195	0.933333
1414	014	3004	0.07	5253	10	65	100	3	7	0	9012	3759	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8411.200195	3158.200195	3158.200195	0.933333
1414	017	3266	0.07	9093	13	65	100	3	7	0	9798	705	NCD-OUTE	65	form-based		true	true	0.75	12	1.714285731	0	0	14697	5604	5604	1.5
1415	020	3000	0.07	4398	6	65	100	3	7	1	9000	4602	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4002	4002	0.933333
1416	024	3030	0.07	4216	6	65	100	3	7	1	9090	4874	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8484	4268	4268	0.933333
1418	003	3050	0.07	4312	6	65	100	3	7	1	9150	4838	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8540	4228	4228	0.933333
1418	004	3050	0.07	4782	6	65	100	3	7	1	9150	4368	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8540	3758	3758	0.933333
1418	016	3015	0.07	2125	6	65	100	3	7	1	9045	6920	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8442	6317	6317	0.933333
1418	026	2606	0.06	7620	10	65	100	3	6	0	7818	198	RTO-C	65	form-based		true	true	0.75	10	1.666666627	0	0	11727	4107	4107	1.5
1422	004	3046	0.07	6779	10	65	100	3	7	0	9138	2359	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8528.799805	1749.799805	1749.799805	0.933333
1422	007	3046	0.07	4370	6	65	100	3	7	1	9138	4768	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8528.799805	4158.799805	4158.799805	0.933333
1422	009	3046	0.07	7595	16	65	100	3	7	0	9138	1543	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8528.799805	933.7998047	933.7998047	0.933333
1422	025	2992	0.07	4095	6	65	100	3	7	1	8976	4881	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8377.599609	4282.599609	4282.599609	0.933333
1422	026	2992	0.07	4095	6	65	100	3	7	1	8976	4881	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8377.599609	4282.599609	4282.599609	0.933333
1422	027	2992	0.07	4320	6	65	100	3	7	1	8976	4656	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8377.599609	4057.599609	4057.599609	0.933333
1422	028	2992	0.07	4322	6	65	100	3	7	1	8976	4654	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8377.599609	4055.599609	4055.599609	0.933333
1422	033	2991	0.07	4300	6	65	100	3	7	1	8973	4673	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8374.799805	4074.799805	4074.799805	0.933333
1422	045	5981	0.14	12081	15	65	100	3	14	0	17943	5862	RM-1	40	form-based			true	0.7	13	0.928571403	0	0	16746.79883	4665.798828	4665.798828	0.933333
1423	011	2965	0.07	4228	6	65	100	3	7	1	8895	4667	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8302	4074	4074	0.933333
1424	011	3839	0.09	7674	12	65	100	3	9	0	11517	3843	RM-1	40	form-based			true	0.7	8	0.888888896	0	0	10749.2002	3075.200195	3075.200195	0.933333
1424	031	3000	0.07	4366	6	65	100	3	7	1	9000	4634	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4034	4034	0.933333
1424	046	3000	0.07	4472	6	65	100	3	7	1	9000	4528	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	3928	3928	0.933333
1425	029	2296	0.05	4117	24	65	100	3	5	0	6888	2771	RM-1	40	form-based			true	0.7	5	1	0	0	6428.799805	2311.799805	2311.799805	0.933333
1426	003	3065	0.07	6924	6	65	100	3	7	1	9195	2271	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8582	1658	1658	0.933333
1426	028	3600	0.08	5200	8	65	100	3	8	0	10800	5600	RM-1	40	form-based			true	0.7	8	1	0	0	10080	4880	4880	0.933333
1426	048	6480	0.15	8208	14	65	100	3	15	1	19440	11232	RM-1	40	form-based			true	0.7	14	0.933333337	0	0	18144	9936	9936	0.933333
1427	011	5850	0.13	12072	15	65	100	3	13	0	17550	5478	RM-1	40	form-based			true	0.7	12	0.923076928	0	0	16380	4308	4308	0.933333
1427	022A	3840	0.09	7650	12	65	100	3	9	0	11520	3870	RM-1	40	form-based			true	0.7	8	0.888888896	0	0	10752	3102	3102	0.933333
1427	023	3840	0.09	4042	8	65	100	3	9	1	11520	7478	RM-1	40	form-based			true	0.7	8	0.888888896	0	0	10752	6710	6710	0.933333
1429	010	3015	0.07	4226	8	65	100	3	7	0	9045	4819	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8442	4216	4216	0.933333
1429	015	3009	0.07	4400	6	65	100	3	7	1	9027	4627	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8425.200195	4025.200195	4025.200195	0.933333
1429	018	2015	0.05	5812	7	65	100	3	5	0	6045	233	RM-1	40	form-based			true	0.7	4	0.800000012	0	0	5642	0	0	0.933333
1429	040	3203	0.07	9630	9	65	100	3	7	0	9609	0	RM-1	40	form-based		true	true	0.7	7	1	0	0	8968.399414	0	0	0.933333
1430	001	2350	0.05	2656	5	65	100	3	5	0	7050	4394	RM-1	40	form-based		true	true	0.7	5	1	0	0	6580	3924	3924	0.933333
1430	017	3019	0.07	4358	6	65	100	3	7	1	9057	4699	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8453.200195	4095.200195	4095.200195	0.933333
1430	037	2985	0.07	4296	6	65	100	3	7	1	8955	4659	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8358	4062	4062	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1430	043	5863	0.13	14800	12	65	100	3	13	1	17589	2789	RM-1	40	form-based			true	0.7	12	0.923076928	0	0	16416.40039	1616.400391	1616.400391	0.933333
1430	046	5400	0.12	11052	14	65	100	3	12	0	16200	5148	RM-1	40	form-based			true	0.7	11	0.916666687	0	0	15120	4068	4068	0.933333
1431	001	3250	0.07	8109	9	65	100	3	7	0	9750	1641	RM-1	40	form-based		true	true	0.7	7	1	0	0	9100	991	991	0.933333
1431	007	3000	0.07	4292	6	65	100	3	7	1	9000	4708	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4108	4108	0.933333
1431	026	4830	0.11	11555	13	65	100	3	11	0	14490	2935	RM-1	40	form-based			true	0.7	10	0.909090936	0	0	13524	1969	1969	0.933333
1432	028	3000	0.07	4464	6	65	100	3	7	1	9000	4536	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	3936	3936	0.933333
1432	044	2500	0.06	4340	5	65	100	3	6	1	7500	3160	RM-1	40	form-based		true	true	0.7	5	0.833333313	0	0	7000	2660	2660	0.933333
1432	049	15177	0.35	30240	69	65	100	3	35	0	45531	15291	RTO-C	65	form-based			true	0.75	57	1.628571391	0	0	68296.5	38056.5	38056.5	1.5
1433	007	3044	0.07	4430	6	65	100	3	7	1	9132	4702	RM-2	40	form-based			true	0.7	6	0.857142866	0	0	8523.200195	4093.200195	4093.200195	0.933333
1433	029	2977	0.07	4414	6	65	100	3	7	1	8931	4517	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8335.599609	3921.599609	3921.599609	0.933333
1434	006	3000	0.07	4482	6	65	100	3	7	1	9000	4518	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	3918	3918	0.933333
1434	008	4425	0.1	5790	10	65	100	3	10	0	13275	7485	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	12390	6600	6600	0.933333
1434	009	3600	0.08	5740	8	65	100	3	8	0	10800	5060	RM-1	40	form-based			true	0.7	8	1	0	0	10080	4340	4340	0.933333
1434	033	3019	0.07	5847	14	65	100	3	7	0	9057	3210	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8453.200195	2606.200195	2606.200195	0.933333
1434	047	3000	0.07	922	6	65	100	3	7	1	9000	8078	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	7478	7478	0.933333
1437	027	4220	0.1	8838	12	65	100	3	10	0	12660	3822	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	11816	2978	2978	0.933333
1437	033	3014	0.07	4151	6	65	100	3	7	1	9042	4891	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8439.200195	4288.200195	4288.200195	0.933333
1437	045	9138	0.21	18054	24	65	100	3	21	0	27414	9360	RM-1	40	form-based			true	0.7	19	0.90476191	0	0	25586.40039	7532.400391	7532.400391	0.933333
1438	053	16690	0.38	9368	98	85	140	4	53	0	66760	57392	NCD-GEAR	85	form-based		true	true	0.75	88	1.660377383	0	0	100140	90772	90772	1.5
1439	025	3024	0.07	4392	6	65	100	3	7	1	9072	4680	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8467.200195	4075.200195	4075.200195	0.933333
1439	030	3024	0.07	4318	6	65	100	3	7	1	9072	4754	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8467.200195	4149.200195	4149.200195	0.933333
1439	031	3024	0.07	4344	6	65	100	3	7	1	9072	4728	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8467.200195	4123.200195	4123.200195	0.933333
1440	001A	870	0.02	1846	3	65	100	3	2	0	2610	764	NCD-INNE	65	form-based			true	0.75	3	1.5	0	0	3915	2069	2069	1.5
1441	002	4500	0.1	8901	12	65	100	3	10	0	13500	4599	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	12600	3699	3699	0.933333
1441	004	4500	0.1	9462	12	65	100	3	10	0	13500	4038	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	12600	3138	3138	0.933333
1441	036	3000	0.07	4755	6	65	100	3	7	1	9000	4245	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	3645	3645	0.933333
1441	037	3000	0.07	4370	6	65	100	3	7	1	9000	4630	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4030	4030	0.933333
1442	008	4144	0.1	9669	15	65	100	3	10	0	12432	2763	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	11603.2002	1934.200195	1934.200195	0.933333
1442	014	2960	0.07	1950	6	65	100	3	7	1	8880	6930	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8288	6338	6338	0.933333
1442	015	2960	0.07	4216	6	65	100	3	7	1	8880	4664	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8288	4072	4072	0.933333
1442	039	3025	0.07	4330	6	65	100	3	7	1	9075	4745	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8470	4140	4140	0.933333
1443	013	2985	0.07	4164	6	65	100	3	7	1	8955	4791	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8358	4194	4194	0.933333
1443	027	3036	0.07	4334	6	65	100	3	7	1	9108	4774	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8500.799805	4166.799805	4166.799805	0.933333
1443	029	3036	0.07	4372	6	65	100	3	7	1	9108	4736	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8500.799805	4128.799805	4128.799805	0.933333
1443	034	3036	0.07	4394	6	65	100	3	7	1	9108	4714	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8500.799805	4106.799805	4106.799805	0.933333
1444	012	3000	0.07	4416	6	65	100	3	7	1	9000	4584	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	3984	3984	0.933333
1446	019	6515	0.15	15390	18	85	140	4	21	3	26060	10670	RH-3	40	form-based			true	0.7	14	0.666666687	0	0	18242	2852	2852	0.7
1446	028	1666	0.04	6700	9	65	100	3	4	0	4998	0	NCD-GEAR	85	form-based		true	true	0.75	9	2.25	0	0	9996	3296	3296	2
1447	012	3050	0.07	4541	6	65	100	3	7	1	9150	4609	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8540	3999	3999	0.933333
1447	042	7019	0.16	34920	37	65	100	3	16	0	21057	0	RTO-C	65	form-based		true	true	0.75	26	1.625	0	0	31585.5	0	0	1.5
1448	038	1875	0.04	4012	7	65	100	3	4	0	5625	1613	NC-1	65	form-based			true	0.75	7	1.75	0	0	8437.5	4425.5	4425.5	1.5
1450	021	3000	0.07	4456	6	65	100	3	7	1	9000	4544	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	3944	3944	0.933333
1451	013	3360	0.08	4802	8	65	100	3	8	0	10080	5278	RM-1	40	form-based			true	0.7	7	0.875	0	0	9408	4606	4606	0.933333
1451	028	6618	0.15	10771	25	85	140	4	21	0	26472	15701	RM-1	40	form-based			true	0.7	14	0.666666687	0	0	18530.40039	7759.400391	7759.400391	0.7
1452	002	3000	0.07	4342	6	65	100	3	7	1	9000	4658	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4058	4058	0.933333
1452	017	3000	0.07	4280	6	85	140	4	10	4	12000	7720	RM-1	40	form-based			true	0.7	6	0.600000024	0	0	8400	4120	4120	0.7
1452	039	3022	0.07	4484	6	65	100	3	7	1	9066	4582	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8461.599609	3977.599609	3977.599609	0.933333
1452	046	6043	0.14	13107	15	65	100	3	14	0	18129	5022	RM-1	40	form-based			true	0.7	13	0.928571403	0	0	16920.40039	3813.400391	3813.400391	0.933333
1452	047	6000	0.14	12471	15	65	100	3	14	0	18000	5529	RM-1	40	form-based			true	0.7	13	0.928571403	0	0	16800	4329	4329	0.933333
1453	001	2042	0.05	5980	10	65	100	3	5	0	6126	146	NCD-OUTE	65	form-based		true	true	0.75	8	1.600000024	0	0	9189	3209	3209	1.5
1453	008	3000	0.07	4360	6	65	100	3	7	1	9000	4640	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4040	4040	0.933333
1453	011	3000	0.07	5440	11	65	100	3	7	0	9000	3560	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	2960	2960	0.933333
1453	012	3000	0.07	4300	6	65	100	3	7	1	9000	4700	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4100	4100	0.933333
1453	032	2991	0.07	4324	6	65	100	3	7	1	8973	4649	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8374.799805	4050.799805	4050.799805	0.933333
1454	006	4040	0.09	6591	8	65	100	3	9	1	12120	5529	RM-1	40	form-based			true	0.7	8	0.888888896	0	0	11312	4721	4721	0.933333
1454	007	3921	0.09	8187	12	65	100	3	9	0	11763	3576	RM-1	40	form-based			true	0.7	8	0.888888896	0	0	10978.7998	2791.799805	2791.799805	0.933333
1454	014	2095	0.05	2750	4	65	100	3	5	1	6285	3535	RM-1	40	form-based			true	0.7	4	0.800000012	0	0	5866	3116	3116	0.933333
1454	015	2970	0.07	4392	6	65	100	3	7	1	8910	4518	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8316	3924	3924	0.933333
1455	027	2994	0.07	4318	6	65	100	3	7	1	8982	4664	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8383.200195	4065.200195	4065.200195	0.933333
1456	006	4500	0.1	8688	11	65	100	3	10	0	13500	4812	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	12600	3912	3912	0.933333
1456	007	4500	0.1	7136	10	65	100	3	10	0	13500	6364	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	12600	5464	5464	0.933333
1456	025	3008	0.07	3956	12	85	140	4	10	0	12032	8076	RM-1	40	form-based			true	0.7	6	0.600000024	0	0	8422.399414	4466.399414	4466.399414	0.7
1456	032	3008	0.07	4038	6	65	100	3	7	1	9024	4986	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8422.399414	4384.399414	4384.399414	0.933333
1456	048	3008	0.07	4360	6	65	100	3	7	1	9024	4664	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8422.399414	4062.399414	4062.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1457	015A	3082	0.07	4650	6	85	140	4	10	4	12328	7678	RM-1	40	form-based			true	0.7	6	0.600000024	0	0	8629.599609	3979.599609	3979.599609	0.7
1457	016	3000	0.07	4650	6	85	140	4	10	4	12000	7350	RM-1	40	form-based			true	0.7	6	0.600000024	0	0	8400	3750	3750	0.7
1457	031	2727	0.06	4482	6	65	100	3	6	0	8181	3699	RM-1	40	form-based			true	0.7	6	1	0	0	7635.600098	3153.600098	3153.600098	0.933333
1457	042	8010	0.18	15288	18	65	100	3	18	0	24030	8742	RM-1	40	form-based			true	0.7	17	0.944444418	0	0	22428	7140	7140	0.933333
1458	002	3555	0.08	5310	8	65	100	3	8	0	10665	5355	RM-1	40	form-based			true	0.7	7	0.875	0	0	9954	4644	4644	0.933333
1458	023	6115	0.14	27900	41	65	100	3	14	0	18345	0	NCD-GEAR	85	form-based		true	true	0.75	32	2.285714388	0	0	36690	8790	8790	2
1458	024A	3339	0.08	4896	7	65	100	3	8	1	10017	5121	RH-2	40	form-based			true	0.7	7	0.875	0	0	9349.200195	4453.200195	4453.200195	0.933333
1458	052	8472	0.19	23183	18	65	100	3	19	1	25416	2233	RM-1	40	form-based			true	0.7	18	0.947368443	0	0	23721.59961	538.5996094	538.5996094	0.933333
1459	026	3167	0.07	8436	12	65	100	3	7	0	9501	1065	RTO-C	65	form-based		true	true	0.75	12	1.714285731	0	0	14251.5	5815.5	5815.5	1.5
1460	040	8076	0.19	20978	20	65	100	3	19	0	24228	3250	RM-1	40	form-based			true	0.7	17	0.894736826	0	0	22612.79883	1634.798828	1634.798828	0.933333
1465	001D	3321	0.08	8025	12	65	100	3	8	0	9963	1938	RTO-C	65	form-based			true	0.75	12	1.5	0	0	14944.5	6919.5	6919.5	1.5
1465	018	6000	0.14	13650	21	65	100	3	14	0	18000	4350	RH-2	40	form-based			true	0.7	13	0.928571403	0	0	16800	3150	3150	0.933333
1466	003	3000	0.07	4196	6	65	100	3	7	1	9000	4804	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4204	4204	0.933333
1466	006	6000	0.14	8963	16	65	100	3	14	0	18000	9037	RH-2	40	form-based			true	0.7	13	0.928571403	0	0	16800	7837	7837	0.933333
1472	011C	24	0	0	0	55	80	2.5	0	0	60	60	RH-1	40	form-based			true	0.7	0		0	0	67.19999695	67.19999695	67.19999695	1.12
1504	001L	2950	0.07	4452	9	55	80	2.5	6	0	7375	2923	RH-2	40	form-based			true	0.7	6	1	0	0	8260	3808	3808	1.12
1504	021	2125	0.05	3878	14	55	80	2.5	4	0	5312	1434	RH-2	40	form-based			true	0.7	4	1	0	0	5950	2072	2072	1.120105
1509	021	2631	0.06	6000	7	65	100	3	6	0	7893	1893	RH-2	40	form-based		true	true	0.7	6	1	0	0	7366.799805	1366.799805	1366.799805	0.933333
1510	021	2502	0.06	4520	5	65	100	3	6	1	7506	2986	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7005.600098	2485.600098	2485.600098	0.933333
1510	024	2501	0.06	6123	9	65	100	3	6	0	7503	1380	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7002.799805	879.7998047	879.7998047	0.933333
1515	042	8432	0.19	23193	23	85	140	4	27	4	33728	10535	RM-2	40	form-based			true	0.7	18	0.666666687	0	0	23609.59961	416.5996094	416.5996094	0.7
1516	002	3000	0.07	4362	6	85	140	4	10	4	12000	7638	RM-1	40	form-based			true	0.7	6	0.600000024	0	0	8400	4038	4038	0.7
1517	006A	4200	0.1	9454	10	65	100	3	10	0	12600	3146	RH-2	40	form-based			true	0.7	9	0.899999976	0	0	11760	2306	2306	0.933333
1517	019	2896	0.07	5860	6	65	100	3	7	1	8688	2828	RM-1	40	form-based		true	true	0.7	6	0.857142866	0	0	8108.799805	2248.799805	2248.799805	0.933333
1517	027	3048	0.07	4166	6	65	100	3	7	1	9144	4978	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8534.399414	4368.399414	4368.399414	0.933333
1518	016	1841	0.04	3320	4	65	100	3	4	0	5523	2203	RM-1	40	form-based		true	true	0.7	4	1	0	0	5154.799805	1834.799805	1834.799805	0.933333
1519	024	3388	0.08	8460	11	65	100	3	8	0	10164	1704	RM-1	40	form-based		true	true	0.7	7	0.875	0	0	9486.399414	1026.399414	1026.399414	0.933333
1519	025	2986	0.07	7455	12	65	100	3	7	0	8958	1503	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8360.799805	905.7998047	905.7998047	0.933333
1519	028	3462	0.08	5000	8	65	100	3	8	0	10386	5386	RM-1	40	form-based			true	0.7	7	0.875	0	0	9693.599609	4693.599609	4693.599609	0.933333
1519	035A	6277	0.14	24833	36	65	100	3	14	0	18831	0	NCD-GEAR	85	form-based		true	true	0.75	33	2.357142925	0	0	37662	12829	12829	2
1520	004	3000	0.07	4400	6	65	100	3	7	1	9000	4600	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4000	4000	0.933333
1520	005	3000	0.07	4312	6	65	100	3	7	1	9000	4688	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4088	4088	0.933333
1520	007E	3000	0.07	4625	6	65	100	3	7	1	9000	4375	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	3775	3775	0.933333
1520	009	3000	0.07	4820	6	65	100	3	7	1	9000	4180	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	3580	3580	0.933333
1520	010	3000	0.07	4450	6	65	100	3	7	1	9000	4550	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	3950	3950	0.933333
1520	030	2987	0.07	5091	6	65	100	3	7	1	8961	3870	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8363.599609	3272.599609	3272.599609	0.933333
1520	033	2987	0.07	4348	6	85	140	4	10	4	11948	7600	RM-1	40	form-based			true	0.7	6	0.600000024	0	0	8363.599609	4015.599609	4015.599609	0.7
1521	017	2059	0.05	3550	4	65	100	3	5	1	6177	2627	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5765.199707	2215.199707	2215.199707	0.933333
1521	021	2076	0.05	3900	4	65	100	3	5	1	6228	2328	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5812.799805	1912.799805	1912.799805	0.933333
1521	039	3020	0.07	722	6	65	100	3	7	1	9060	8338	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8456	7734	7734	0.933333
1522	020A	2078	0.05	3362	4	65	100	3	5	1	6234	2872	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5818.399902	2456.399902	2456.399902	0.933333
1522	024	3036	0.07	4204	6	65	100	3	7	1	9108	4904	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8500.799805	4296.799805	4296.799805	0.933333
1522	025	3036	0.07	5533	6	65	100	3	7	1	9108	3575	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8500.799805	2967.799805	2967.799805	0.933333
1522	028	3036	0.07	4316	6	65	100	3	7	1	9108	4792	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8500.799805	4184.799805	4184.799805	0.933333
1523	027	2985	0.07	4872	10	65	100	3	7	0	8955	4083	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8358	3486	3486	0.933333
1523	031	2985	0.07	5416	10	65	100	3	7	0	8955	3539	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8358	2942	2942	0.933333
1523	032	3169	0.07	4950	7	65	100	3	7	0	9507	4557	RM-1	40	form-based			true	0.7	7	1	0	0	8873.200195	3923.200195	3923.200195	0.933333
1523	036	2985	0.07	4372	6	65	100	3	7	1	8955	4583	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8358	3986	3986	0.933333
1523	040	2985	0.07	4360	6	65	100	3	7	1	8955	4595	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8358	3998	3998	0.933333
1524	019	2695	0.06	5985	6	65	100	3	6	0	8085	2100	RM-1	40	form-based			true	0.7	6	1	0	0	7546	1561	1561	0.933333
1525	009	3000	0.07	4458	6	65	100	3	7	1	9000	4542	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	3942	3942	0.933333
1525	013	3000	0.07	4434	6	65	100	3	7	1	9000	4566	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	3966	3966	0.933333
1525	019A	2104	0.05	3460	4	65	100	3	5	1	6312	2852	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5891.199707	2431.199707	2431.199707	0.933333
1525	020	2510	0.06	2074	7	65	100	3	6	0	7530	5456	RM-1	40	form-based			true	0.7	5	0.833333313	0	0	7028	4954	4954	0.933333
1525	026	3037	0.07	4376	6	65	100	3	7	1	9111	4735	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8503.599609	4127.599609	4127.599609	0.933333
1525	031	3037	0.07	4174	6	65	100	3	7	1	9111	4937	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8503.599609	4329.599609	4329.599609	0.933333
1525	033	3037	0.07	4224	6	65	100	3	7	1	9111	4887	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8503.599609	4279.599609	4279.599609	0.933333
1525	039	4556	0.1	5960	10	85	140	4	14	4	18224	12264	RM-1	40	form-based			true	0.7	10	0.714285731	0	0	12756.7998	6796.799805	6796.799805	0.7
1526	004	2962	0.07	7020	12	65	100	3	7	0	8886	1866	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8293.599609	1273.599609	1273.599609	0.933333
1526	014A	2074	0.05	3590	4	65	100	3	5	1	6222	2632	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5807.199707	2217.199707	2217.199707	0.933333
1527	025	2127	0.05	3550	4	65	100	3	5	1	6381	2831	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5955.600098	2405.600098	2405.600098	0.933333
1529	004A	4117	0.09	7584	10	65	100	3	9	0	12351	4767	RM-1	40	form-based			true	0.7	9	1	0	0	11527.59961	3943.599609	3943.599609	0.933333
1529	005	4596	0.11	8478	12	65	100	3	11	0	13788	5310	RM-1	40	form-based			true	0.7	10	0.909090936	0	0	12868.7998	4390.799805	4390.799805	0.933333
1529	006	5006	0.11	9624	12	65	100	3	11	0	15018	5394	RM-1	40	form-based			true	0.7	11	1	0	0	14016.7998	4392.799805	4392.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1529	012	14	0	0	0	65	100	3	0	0	42	42	RH-2	40	form-based			true	0.7	0		0	0	39.20000076	39.20000076	39.20000076	0.933333
1530	005	2589	0.06	5800	6	85	140	4	8	2	10356	4556	RH-2	40	form-based			true	0.7	5	0.625	0	0	7249.199707	1449.199707	1449.199707	0.7
1530	012C	3813	0.09	10164	9	65	100	3	9	0	11439	1275	RM-1	40	form-based		true	true	0.7	8	0.888888896	0	0	10676.39941	512.3994141	512.3994141	0.933333
1530	017C	89	0	0	0	65	100	3	0	0	267	267	RH-2	40	form-based			true	0.7	0		0	0	249.1999969	249.1999969	249.1999969	0.933333
1530	023	3465	0.08	7062	13	65	100	3	8	0	10395	3333	RH-2	40	form-based			true	0.7	7	0.875	0	0	9702	2640	2640	0.933333
1530	034	10652	0.24	18870	24	65	100	3	24	0	31956	13086	RM-1	40	form-based			true	0.7	22	0.916666687	0	0	29825.59961	10955.59961	10955.59961	0.933333
1532	020	5971	0.14	15688	15	65	100	3	14	0	17913	2225	RH-2	40	form-based			true	0.7	13	0.928571403	0	0	16718.79883	1030.798828	1030.798828	0.933333
1533	030	3039	0.07	4028	6	65	100	3	7	1	9117	5089	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8509.200195	4481.200195	4481.200195	0.933333
1533	034	3039	0.07	4296	6	65	100	3	7	1	9117	4821	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8509.200195	4213.200195	4213.200195	0.933333
1533	044	7517	0.17	36809	60	65	100	3	17	0	22551	0	NCD-GEAR	85	form-based			true	0.75	39	2.294117689	0	0	45102	8293	8293	2
1534	020	2520	0.06	3640	5	65	100	3	6	1	7560	3920	RH-2	40	form-based			true	0.7	5	0.833333313	0	0	7056	3416	3416	0.933333
1534	022	2520	0.06	5730	6	65	100	3	6	0	7560	1830	RH-2	40	form-based			true	0.7	5	0.833333313	0	0	7056	1326	1326	0.933333
1534	023	2520	0.06	5730	6	65	100	3	6	0	7560	1830	RH-2	40	form-based			true	0.7	5	0.833333313	0	0	7056	1326	1326	0.933333
1534	043	3750	0.09	7011	9	65	100	3	9	0	11250	4239	RH-2	40	form-based			true	0.7	8	0.888888896	0	0	10500	3489	3489	0.933333
1534	044	3750	0.09	7011	9	65	100	3	9	0	11250	4239	RH-2	40	form-based			true	0.7	8	0.888888896	0	0	10500	3489	3489	0.933333
1535	006	3011	0.07	4312	6	65	100	3	7	1	9033	4721	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8430.799805	4118.799805	4118.799805	0.933333
1536	009	3000	0.07	5496	8	65	100	3	7	0	9000	3504	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	2904	2904	0.933333
1536	014	3278	0.08	8516	12	65	100	3	8	0	9834	1318	RM-1	40	form-based		true	true	0.7	7	0.875	0	0	9178.399414	662.3994141	662.3994141	0.933333
1536	017	2521	0.06	5484	6	65	100	3	6	0	7563	2079	RM-1	40	form-based			true	0.7	5	0.833333313	0	0	7058.799805	1574.799805	1574.799805	0.933333
1536	021	3094	0.07	6175	6	65	100	3	7	1	9282	3107	RM-1	40	form-based		true	true	0.7	6	0.857142866	0	0	8663.200195	2488.200195	2488.200195	0.933333
1536	028	3447	0.08	5020	8	65	100	3	8	0	10341	5321	RM-1	40	form-based			true	0.7	7	0.875	0	0	9651.599609	4631.599609	4631.599609	0.933333
1536	029	2954	0.07	3712	7	65	100	3	7	0	8862	5150	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8271.200195	4559.200195	4559.200195	0.933333
1536	032	4432	0.1	7302	12	85	140	4	14	2	17728	10426	RM-1	40	form-based			true	0.7	9	0.642857134	0	0	12409.59961	5107.599609	5107.599609	0.7
1536	046	5909	0.14	11670	18	65	100	3	14	0	17727	6057	RM-1	40	form-based			true	0.7	12	0.857142866	0	0	16545.19922	4875.199219	4875.199219	0.933333
1536	047	5909	0.14	13338	15	85	140	4	20	5	23636	10298	RM-1	40	form-based			true	0.7	12	0.600000024	0	0	16545.19922	3207.199219	3207.199219	0.7
1537	011	2970	0.07	4348	6	65	100	3	7	1	8910	4562	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8316	3968	3968	0.933333
1537	017A	2168	0.05	5781	5	65	100	3	5	0	6504	723	RM-1	40	form-based		true	true	0.7	5	1	0	0	6070.399902	289.3999023	289.3999023	0.933333
1537	021	2070	0.05	4980	4	65	100	3	5	1	6210	1230	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5796	816	816	0.933333
1538	008	3000	0.07	4348	6	65	100	3	7	1	9000	4652	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4052	4052	0.933333
1538	013A	2012	0.05	3200	4	65	100	3	5	1	6036	2836	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5633.600098	2433.600098	2433.600098	0.933333
1538	039	6028	0.14	12456	15	65	100	3	14	0	18084	5628	RM-1	40	form-based			true	0.7	13	0.928571403	0	0	16878.40039	4422.400391	4422.400391	0.933333
1540	033	9099	0.21	13181	25	65	100	3	21	0	27297	14116	RH-3	40	form-based			true	0.7	19	0.90476191	0	0	25477.19922	12296.19922	12296.19922	0.933333
1540	048	2061	0.05	3760	4	65	100	3	5	1	6183	2423	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5770.799805	2010.799805	2010.799805	0.933333
1541	004	2977	0.07	4378	6	85	140	4	10	4	11908	7530	RH-3	40	form-based			true	0.7	6	0.600000024	0	0	8335.599609	3957.599609	3957.599609	0.7
1541	017	3200	0.07	7068	12	65	100	3	7	0	9600	2532	RH-2	40	form-based		true	true	0.7	7	1	0	0	8960	1892	1892	0.933333
1541	024	2086	0.05	3750	4	65	100	3	5	1	6258	2508	RH-2	40	form-based			true	0.7	4	0.800000012	0	0	5840.799805	2090.799805	2090.799805	0.933333
1542	021	2124	0.05	3600	4	65	100	3	5	1	6372	2772	RH-2	40	form-based		true	true	0.7	4	0.800000012	0	0	5947.199707	2347.199707	2347.199707	0.933333
1542	027	3438	0.08	5468	9	65	100	3	8	0	10314	4846	RH-2	40	form-based		true	true	0.7	7	0.875	0	0	9626.399414	4158.399414	4158.399414	0.933333
1543	008	3007	0.07	4480	6	65	100	3	7	1	9021	4541	RM-2	40	form-based			true	0.7	6	0.857142866	0	0	8419.599609	3939.599609	3939.599609	0.933333
1543	010	6014	0.14	13494	15	65	100	3	14	0	18042	4548	RM-2	40	form-based			true	0.7	13	0.928571403	0	0	16839.19922	3345.199219	3345.199219	0.933333
1543	012	3007	0.07	4420	6	65	100	3	7	1	9021	4601	RM-2	40	form-based			true	0.7	6	0.857142866	0	0	8419.599609	3999.599609	3999.599609	0.933333
1543	016	2508	0.06	4744	6	65	100	3	6	0	7524	2780	RM-2	40	form-based			true	0.7	5	0.833333313	0	0	7022.399902	2278.399902	2278.399902	0.933333
1543	017	3063	0.07	5240	8	65	100	3	7	0	9189	3949	RM-2	40	form-based		true	true	0.7	6	0.857142866	0	0	8576.399414	3336.399414	3336.399414	0.933333
1543	035	3009	0.07	4312	6	65	100	3	7	1	9027	4715	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8425.200195	4113.200195	4113.200195	0.933333
1543	048	9020	0.21	19782	24	65	100	3	21	0	27060	7278	RM-2	40	form-based			true	0.7	19	0.90476191	0	0	25256	5474	5474	0.933333
1543	049	5304	0.12	11622	13	65	100	3	12	0	15912	4290	RM-2	40	form-based			true	0.7	11	0.916666687	0	0	14851.2002	3229.200195	3229.200195	0.933333
1544	001	2042	0.05	5150	5	65	100	3	5	0	6126	976	RM-2	40	form-based		true	true	0.7	4	0.800000012	0	0	5717.600098	567.6000977	567.6000977	0.933333
1544	013	2984	0.07	4480	7	65	100	3	7	0	8952	4472	RM-2	40	form-based			true	0.7	6	0.857142866	0	0	8355.200195	3875.200195	3875.200195	0.933333
1544	020	2985	0.07	4282	6	65	100	3	7	1	8955	4673	RM-2	40	form-based			true	0.7	6	0.857142866	0	0	8358	4076	4076	0.933333
1544	049	2078	0.05	4000	5	65	100	3	5	0	6234	2234	RH-2	40	form-based		true	true	0.7	4	0.800000012	0	0	5818.399902	1818.399902	1818.399902	0.933333
1544	053	8951	0.21	19443	25	65	100	3	21	0	26853	7410	RM-2	40	form-based			true	0.7	19	0.90476191	0	0	25062.79883	5619.798828	5619.798828	0.933333
1545	001	2047	0.05	3875	4	65	100	3	5	1	6141	2266	RH-2	40	form-based		true	true	0.7	4	0.800000012	0	0	5731.600098	1856.600098	1856.600098	0.933333
1545	004	2372	0.05	4640	5	65	100	3	5	0	7116	2476	RH-2	40	form-based			true	0.7	5	1	0	0	6641.600098	2001.600098	2001.600098	0.933333
1545	041	3023	0.07	4328	6	65	100	3	7	1	9069	4741	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8464.399414	4136.399414	4136.399414	0.933333
1545	061	2076	0.05	838	4	65	100	3	5	1	6228	5390	RH-2	40	form-based		true	true	0.7	4	0.800000012	0	0	5812.799805	4974.799805	4974.799805	0.933333
1546	037	1077	0.02	2400	2	65	100	3	2	0	3231	831	RH-2	40	form-based		true	true	0.7	2	1	0	0	3015.599854	615.5998535	615.5998535	0.933333
1546	040	5219	0.12	11220	12	65	100	3	12	0	15657	4437	RH-2	40	form-based			true	0.7	11	0.916666687	0	0	14613.2002	3393.200195	3393.200195	0.933333
1547	001	2068	0.05	5850	9	65	100	3	5	0	6204	354	RH-2	40	form-based		true	true	0.7	4	0.800000012	0	0	5790.399902	0	0	0.933333
1547	033	3607	0.08	5225	10	65	100	3	8	0	10821	5596	RH-3	40	form-based			true	0.7	8	1	0	0	10099.59961	4874.599609	4874.599609	0.933333
1547	036	3011	0.07	4663	6	65	100	3	7	1	9033	4370	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8430.799805	3767.799805	3767.799805	0.933333
1547	037	3013	0.07	4370	6	65	100	3	7	1	9039	4669	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8436.399414	4066.399414	4066.399414	0.933333
1548	001	2052	0.05	3800	4	65	100	3	5	1	6156	2356	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5745.600098	1945.600098	1945.600098	0.933333
1548	006	2976	0.07	4320	6	65	100	3	7	1	8928	4608	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8332.799805	4012.799805	4012.799805	0.933333
1548	017	2993	0.07	4330	6	65	100	3	7	1	8979	4649	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8380.399414	4050.399414	4050.399414	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1548	035	4513	0.1	9924	10	65	100	3	10	0	13539	3615	RH-3	40	form-based			true	0.7	9	0.899999976	0	0	12636.39941	2712.399414	2712.399414	0.933333
1548	036	4513	0.1	9336	11	65	100	3	10	0	13539	4203	RH-3	40	form-based			true	0.7	9	0.899999976	0	0	12636.39941	3300.399414	3300.399414	0.933333
1548	045	2384	0.05	3458	5	65	100	3	5	0	7152	3694	RH-3	40	form-based			true	0.7	5	1	0	0	6675.199707	3217.199707	3217.199707	0.933333
1548	048	2092	0.05	3650	4	65	100	3	5	1	6276	2626	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5857.600098	2207.600098	2207.600098	0.933333
1549	004	2985	0.07	4880	6	65	100	3	7	1	8955	4075	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8358	3478	3478	0.933333
1549	037	3030	0.07	4420	6	65	100	3	7	1	9090	4670	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8484	4064	4064	0.933333
1549	044	3725	0.09	6057	9	65	100	3	9	0	11175	5118	RM-1	40	form-based		true	true	0.7	8	0.888888896	0	0	10430	4373	4373	0.933333
1550	001	1628	0.04	3100	4	65	100	3	4	0	4884	1784	RM-1	40	form-based		true	true	0.7	3	0.75	0	0	4558.399902	1458.399902	1458.399902	0.933333
1550	043	3024	0.07	4336	6	65	100	3	7	1	9072	4736	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8467.200195	4131.200195	4131.200195	0.933333
1550	046	3024	0.07	4336	6	65	100	3	7	1	9072	4736	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8467.200195	4131.200195	4131.200195	0.933333
1550	049	2089	0.05	2311	4	65	100	3	5	1	6267	3956	RH-2	40	form-based			true	0.7	4	0.800000012	0	0	5849.199707	3538.199707	3538.199707	0.933333
1550	050	1849	0.04	5015	5	65	100	3	4	0	5547	532	RH-2	40	form-based		true	true	0.7	4	1	0	0	5177.199707	162.199707	162.199707	0.933333
1551	047	1807	0.04	5106	6	65	100	3	4	0	5421	315	RH-2	40	form-based		true	true	0.7	4	1	0	0	5059.600098	0	0	0.933333
1551	055	6000	0.14	12258	15	65	100	3	14	0	18000	5742	RH-2	40	form-based			true	0.7	13	0.928571403	0	0	16800	4542	4542	0.933333
1554	029	2252	0.05	4050	5	65	100	3	5	0	6756	2706	RH-2	40	form-based		true	true	0.7	5	1	0	0	6305.600098	2255.600098	2255.600098	0.933333
1555	001	2131	0.05	4200	4	65	100	3	5	1	6393	2193	RH-2	40	form-based		true	true	0.7	4	0.800000012	0	0	5966.799805	1766.799805	1766.799805	0.933333
1555	019	2986	0.07	4050	6	65	100	3	7	1	8958	4908	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8360.799805	4310.799805	4310.799805	0.933333
1555	051	3289	0.08	800	12	65	100	3	8	0	9867	9067	RTO-C	65	form-based		true	true	0.75	12	1.5	0	0	14800.5	14000.5	14000.5	1.5
1557	001	4409	0.1	11485	12	65	100	3	10	0	13227	1742	RM-1	40	form-based		true	true	0.7	9	0.899999976	0	0	12345.2002	860.2001953	860.2001953	0.933333
1557	012	4225	0.1	9630	12	65	100	3	10	0	12675	3045	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	11830	2200	2200	0.933333
1559	042	40	0	0	0	65	100	3	0	0	120	120	RM-1	40	form-based			true	0.7	0		0	0	112	112	112	0.933333
1561	001	2058	0.05	3540	4	65	100	3	5	1	6174	2634	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5762.399902	2222.399902	2222.399902	0.933333
1563	001B	10	0	0	0	65	100	3	0	0	30	30	RM-1	40	form-based			true	0.7	0		0	0	28	28	28	0.933333
1563	028	3025	0.07	4800	6	65	100	3	7	1	9075	4275	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8470	3670	3670	0.933333
1563	042	2119	0.05	3550	4	65	100	3	5	1	6357	2807	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5933.199707	2383.199707	2383.199707	0.933333
1564	001	2084	0.05	3620	4	65	100	3	5	1	6252	2632	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5835.199707	2215.199707	2215.199707	0.933333
1564	046	2518	0.06	3616	5	65	100	3	6	1	7554	3938	RM-1	40	form-based			true	0.7	5	0.833333313	0	0	7050.399902	3434.399902	3434.399902	0.933333
1565	012G	3964	0.09	10185	15	65	100	3	9	0	11892	1707	RTO-C	65	form-based		true	true	0.75	15	1.666666627	0	0	17838	7653	7653	1.5
1565	027A	2114	0.05	3530	4	65	100	3	5	1	6342	2812	RM-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5919.199707	2389.199707	2389.199707	0.933333
1566	026H	227	0.01	0	0	65	100	3	1	1	681	681	RH-2	40	form-based			true	0.7	0	0	0	0	635.5999756	635.5999756	635.5999756	0.933333
1566	026K	227	0.01	0	0	65	100	3	1	1	681	681	RH-2	40	form-based			true	0.7	0	0	0	0	635.5999756	635.5999756	635.5999756	0.933333
1566	036	2920	0.07	7800	9	65	100	3	7	0	8760	960	RM-1	40	form-based		true	true	0.7	6	0.857142866	0	0	8176	376	376	0.933333
1567	001	2811	0.06	6264	7	65	100	3	6	0	8433	2169	RM-1	40	form-based		true	true	0.7	6	1	0	0	7870.799805	1606.799805	1606.799805	0.933333
1568	001C	2941	0.07	5586	10	65	100	3	7	0	8823	3237	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8234.799805	2648.799805	2648.799805	0.933333
1568	010	4229	0.1	9012	9	65	100	3	10	1	12687	3675	RH-2	40	form-based			true	0.7	9	0.899999976	0	0	11841.2002	2829.200195	2829.200195	0.933333
1568	030	2101	0.05	3276	4	65	100	3	5	1	6303	3027	RM-1	40	form-based			true	0.7	4	0.800000012	0	0	5882.799805	2606.799805	2606.799805	0.933333
1569	001	2867	0.07	5038	6	65	100	3	7	1	8601	3563	RH-2	40	form-based		true	true	0.7	6	0.857142866	0	0	8027.600098	2989.600098	2989.600098	0.933333
1569	038	4169	0.1	7680	10	65	100	3	10	0	12507	4827	RM-1	40	form-based			true	0.7	9	0.899999976	0	0	11673.2002	3993.200195	3993.200195	0.933333
1571	005L	1936	0.04	5532	9	65	100	3	4	0	5808	276	RTO-C	65	form-based		true	true	0.75	7	1.75	0	0	8712	3180	3180	1.5
1571	016A	3042	0.07	5640	7	65	100	3	7	0	9126	3486	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8517.599609	2877.599609	2877.599609	0.933333
1575	001	1475	0.03	2600	3	65	100	3	3	0	4425	1825	RH-2	40	form-based		true	true	0.7	3	1	0	0	4130	1530	1530	0.933333
1575	026A	3746	0.09	4780	8	65	100	3	9	1	11238	6458	RH-2	40	form-based			true	0.7	8	0.888888896	0	0	10488.7998	5708.799805	5708.799805	0.933333
1575	027	3746	0.09	7140	12	65	100	3	9	0	11238	4098	RH-2	40	form-based			true	0.7	8	0.888888896	0	0	10488.7998	3348.799805	3348.799805	0.933333
1575	029	3191	0.07	5898	7	65	100	3	7	0	9573	3675	RH-2	40	form-based		true	true	0.7	7	1	0	0	8934.799805	3036.799805	3036.799805	0.933333
1576	004	3000	0.07	6015	6	65	100	3	7	1	9000	2985	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	2385	2385	0.933333
1576	006	3000	0.07	4300	6	65	100	3	7	1	9000	4700	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4100	4100	0.933333
1576	006E	3000	0.07	4366	6	65	100	3	7	1	9000	4634	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4034	4034	0.933333
1576	015	3196	0.07	8340	12	65	100	3	7	0	9588	1248	NCD-OUTE	65	form-based		true	true	0.75	12	1.714285731	0	0	14382	6042	6042	1.5
1576	018	3266	0.07	8220	12	65	100	3	7	0	9798	1578	RH-2	40	form-based		true	true	0.7	7	1	0	0	9144.799805	924.7998047	924.7998047	0.933333
1583	046	2587	0.06	6741	9	55	80	2.5	5	0	6468	0	RH-2	40	form-based		true	true	0.7	5	1	0	0	7243.600098	502.6000977	502.6000977	1.119913
1583	050	3170	0.07	4450	7	55	80	2.5	6	0	7925	3475	RH-2	40	form-based			true	0.7	7	1.166666627	0	0	8876	4426	4426	1.12
1606	002	2989	0.07	4526	6	55	80	2.5	6	0	7472	2946	RH-2	40	form-based			true	0.7	6	1	0	0	8369.200195	3843.200195	3843.200195	1.120075
1606	021	4477	0.1	9840	12	55	80	2.5	8	0	11192	1352	RH-2	40	form-based		true	true	0.7	9	1.125	0	0	12535.59961	2695.599609	2695.599609	1.12005
1610	033	3402	0.08	7575	13	55	80	2.5	6	0	8505	930	NCD-OUTE	65	form-based		true	true	0.75	13	2.166666746	0	0	15309	7734	7734	1.8
1613	007E	5500	0.13	12120	12	55	80	2.5	10	0	13750	1630	RH-2	40	form-based			true	0.7	12	1.200000048	0	0	15400	3280	3280	1.12
1614	005	179	0	0	0	55	80	2.5	0	0	448	448	RH-2	40	form-based			true	0.7	0		0	0	501.1999817	501.1999817	501.1999817	1.11875
1615	014	103	0	0	0	55	80	2.5	0	0	258	258	RH-2	40	form-based			true	0.7	0		0	0	288.3999939	288.3999939	288.3999939	1.117829
1616	019	3800	0.09	9692	12	55	80	2.5	7	0	9500	0	RH-2	40	form-based		true	true	0.7	8	1.142857194	0	0	10640	948	948	1.12
1618	002	238	0.01	0	0	55	80	2.5	1	1	595	595	RH-2	40	form-based			true	0.7	0	0	0	0	666.3999634	666.3999634	666.3999634	1.12
1618	017B	56	0	0	0	55	80	2.5	0	0	140	140	RTO-C	65	form-based			true	0.75	0		0	0	252	252	252	1.8
1619	003	60	0	0	0	55	80	2.5	0	0	150	150	RH-2	40	form-based			true	0.7	0		0	0	168	168	168	1.12
1619	010A	2065	0.05	3590	4	55	80	2.5	4	0	5162	1572	RM-1	40	form-based		true	true	0.7	4	1	0	0	5782	2192	2192	1.120108
1624	006R	3007	0.07	7380	9	55	80	2.5	6	0	7518	138	RH-2	40	form-based		true	true	0.7	6	1	0	0	8419.599609	1039.599609	1039.599609	1.119925
1629	012A	2735	0.06	4920	8	55	80	2.5	5	0	6838	1918	RH-2	40	form-based		true	true	0.7	6	1.200000048	0	0	7658	2738	2738	1.119918

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1630	013A	188	0	0	0	55	80	2.5	0	0	470	470	RH-2	40	form-based			true	0.7	0		0	0	526.3999634	526.3999634	526.3999634	1.12
1630	013B	24	0	0	0	55	80	2.5	0	0	60	60	RH-2	40	form-based			true	0.7	0		0	0	67.19999695	67.19999695	67.19999695	1.12
1634	017	2600	0.06	5355	6	55	80	2.5	5	0	6500	1145	RH-2	40	form-based			true	0.7	5	1	0	0	7280	1925	1925	1.12
1634	018	4195	0.1	9690	14	55	80	2.5	8	0	10488	798	RH-2	40	form-based		true	true	0.7	9	1.125	0	0	11746	2056	2056	1.119947
1634	018A	4195	0.1	9780	12	55	80	2.5	8	0	10488	708	RH-2	40	form-based			true	0.7	9	1.125	0	0	11746	1966	1966	1.119947
1635	012A	2401	0.06	6258	6	55	80	2.5	5	0	6002	0	RH-2	40	form-based		true	true	0.7	5	1	0	0	6722.799805	464.7998047	464.7998047	1.120093
1636	012	3012	0.07	5975	6	55	80	2.5	6	0	7530	1555	RH-2	40	form-based			true	0.7	6	1	0	0	8433.599609	2458.599609	2458.599609	1.12
1636	046	2157	0.05	728	5	55	80	2.5	4	0	5392	4664	RH-2	40	form-based		true	true	0.7	5	1.25	0	0	6039.600098	5311.600098	5311.600098	1.120104
1637	026	3150	0.07	5172	8	55	80	2.5	6	0	7875	2703	RH-2	40	form-based			true	0.7	7	1.166666627	0	0	8820	3648	3648	1.12
1638	010	2985	0.07	4400	6	55	80	2.5	6	0	7462	3062	RH-2	40	form-based			true	0.7	6	1	0	0	8358	3958	3958	1.120075
1638	024	3912	0.09	5408	8	55	80	2.5	7	0	9780	4372	RH-2	40	form-based			true	0.7	8	1.142857194	0	0	10953.59961	5545.599609	5545.599609	1.12
1640	045	3000	0.07	4500	6	55	80	2.5	6	0	7500	3000	RH-2	40	form-based			true	0.7	6	1	0	0	8400	3900	3900	1.12
1640	053	4744	0.11	10810	10	55	80	2.5	9	0	11860	1050	RH-2	40	form-based		true	true	0.7	10	1.111111164	0	0	13283.2002	2473.200195	2473.200195	1.12
1641	023	4786	0.11	12390	15	55	80	2.5	9	0	11965	0	RH-2	40	form-based		true	true	0.7	10	1.111111164	0	0	13400.7998	1010.799805	1010.799805	1.12
1641	027	3040	0.07	5925	6	55	80	2.5	6	0	7600	1675	RH-2	40	form-based		true	true	0.7	6	1	0	0	8512	2587	2587	1.12
1643	007	2986	0.07	4496	6	55	80	2.5	6	0	7465	2969	RM-2	40	form-based			true	0.7	6	1	0	0	8360.799805	3864.799805	3864.799805	1.12
1643	017	3982	0.09	7875	8	55	80	2.5	7	0	9955	2080	RM-2	40	form-based			true	0.7	8	1.142857194	0	0	11149.59961	3274.599609	3274.599609	1.12
1643	052	5971	0.14	12369	15	55	80	2.5	11	0	14928	2559	RM-2	40	form-based			true	0.7	13	1.181818128	0	0	16718.79883	4349.798828	4349.798828	1.119962
1643	053	7966	0.18	14664	21	55	80	2.5	14	0	19915	5251	RM-2	40	form-based			true	0.7	17	1.214285731	0	0	22304.79883	7640.798828	7640.798828	1.12
1644	006	3085	0.07	4518	6	55	80	2.5	6	0	7712	3194	RM-2	40	form-based			true	0.7	6	1	0	0	8638	4120	4120	1.120073
1644	010	3052	0.07	6600	6	55	80	2.5	6	0	7630	1030	RM-2	40	form-based			true	0.7	6	1	0	0	8545.599609	1945.599609	1945.599609	1.12
1644	011	1641	0.04	3189	4	55	80	2.5	3	0	4102	913	RM-2	40	form-based			true	0.7	3	1	0	0	4594.799805	1405.799805	1405.799805	1.120136
1644	030	3500	0.08	5110	8	55	80	2.5	6	0	8750	3640	RH-3	40	form-based			true	0.7	7	1.166666627	0	0	9800	4690	4690	1.12
1644	033	8129	0.19	16109	21	55	80	2.5	15	0	20322	4213	RH-3	40	form-based			true	0.7	17	1.133333325	0	0	22761.19922	6652.199219	6652.199219	1.120028
1644	034	7764	0.18	18690	23	55	80	2.5	14	0	19410	720	RM-2	40	form-based		true	true	0.7	16	1.142857194	0	0	21739.19922	3049.199219	3049.199219	1.12
1648	007	3009	0.07	4532	6	55	80	2.5	6	0	7522	2990	RH-3	40	form-based			true	0.7	6	1	0	0	8425.200195	3893.200195	3893.200195	1.120075
1648	011	6018	0.14	13926	15	55	80	2.5	11	0	15045	1119	RH-3	40	form-based			true	0.7	13	1.181818128	0	0	16850.40039	2924.400391	2924.400391	1.12
1648	014	3009	0.07	3590	6	55	80	2.5	6	0	7522	3932	RH-3	40	form-based			true	0.7	6	1	0	0	8425.200195	4835.200195	4835.200195	1.120075
1648	015	3009	0.07	4390	6	55	80	2.5	6	0	7522	3132	RH-3	40	form-based			true	0.7	6	1	0	0	8425.200195	4035.200195	4035.200195	1.120075
1648	026	3000	0.07	4884	10	55	80	2.5	6	0	7500	2616	RH-3	40	form-based			true	0.7	6	1	0	0	8400	3516	3516	1.12
1648	028	3000	0.07	5046	8	55	80	2.5	6	0	7500	2454	RH-3	40	form-based			true	0.7	6	1	0	0	8400	3354	3354	1.12
1649	001	2485	0.06	4210	6	55	80	2.5	5	0	6212	2002	RH-3	40	form-based		true	true	0.7	5	1	0	0	6958	2748	2748	1.12009
1649	004	2985	0.07	2838	6	55	80	2.5	6	0	7462	4624	RH-3	40	form-based			true	0.7	6	1	0	0	8358	5520	5520	1.120075
1649	011A	2985	0.07	3920	8	55	80	2.5	6	0	7462	3542	RH-3	40	form-based			true	0.7	6	1	0	0	8358	4438	4438	1.120075
1650	011	2450	0.06	5658	6	55	80	2.5	5	0	6125	467	RM-3	40	form-based			true	0.75	6	1.200000048	0	0	7350	1692	1692	1.2
1650	037	3000	0.07	4340	6	55	80	2.5	6	0	7500	3160	RH-3	40	form-based			true	0.7	6	1	0	0	8400	4060	4060	1.12
1651	039	6000	0.14	5180	13	55	80	2.5	11	0	15000	9820	RH-2	40	form-based			true	0.7	13	1.181818128	0	0	16800	11620	11620	1.12
1654	043	3050	0.07	9606	14	55	80	2.5	6	0	7625	0	RH-2	40	form-based		true	true	0.7	6	1	0	0	8540	0	0	1.12
1654	044	2400	0.06	7787	10	55	80	2.5	5	0	6000	0	RH-2	40	form-based			true	0.7	5	1	0	0	6720	0	0	1.12
1658	032A	1940	0.04	3420	4	55	80	2.5	3	0	4850	1430	RH-2	40	form-based		true	true	0.7	4	1.333333373	0	0	5432	2012	2012	1.12
1659	001A	1136	0.03	1588	2	55	80	2.5	2	0	2840	1252	RH-2	40	form-based			true	0.7	2	1	0	0	3180.800049	1592.800049	1592.800049	1.12
1659	044	2065	0.05	3550	4	55	80	2.5	4	0	5162	1612	RH-2	40	form-based		true	true	0.7	4	1	0	0	5782	2232	2232	1.120108
1660	001	2035	0.05	3650	4	55	80	2.5	4	0	5088	1438	RH-2	40	form-based		true	true	0.7	4	1	0	0	5698	2048	2048	1.11989
1660	043A	2101	0.05	3550	4	55	80	2.5	4	0	5252	1702	RH-2	40	form-based		true	true	0.7	4	1	0	0	5882.799805	2332.799805	2332.799805	1.120107
1662	001	2002	0.05	3650	4	55	80	2.5	4	0	5005	1355	RH-2	40	form-based		true	true	0.7	4	1	0	0	5605.600098	1955.600098	1955.600098	1.12
1662	037	1860	0.04	2480	4	55	80	2.5	3	0	4650	2170	RH-2	40	form-based			true	0.7	4	1.333333373	0	0	5208	2728	2728	1.12
1662	039	3971	0.09	8838	9	55	80	2.5	7	0	9928	1090	RH-2	40	form-based			true	0.7	8	1.142857194	0	0	11118.7998	2280.799805	2280.799805	1.119944
1663	004	2953	0.07	4328	6	55	80	2.5	6	0	7382	3054	RH-2	40	form-based			true	0.7	6	1	0	0	8268.399414	3940.399414	3940.399414	1.120076
1664	001	2850	0.07	7428	6	55	80	2.5	6	0	7125	0	RH-2	40	form-based		true	true	0.7	6	1	0	0	7980	552	552	1.12
1664	043	4318	0.1	9405	12	55	80	2.5	8	0	10795	1390	RH-2	40	form-based		true	true	0.7	9	1.125	0	0	12090.39941	2685.399414	2685.399414	1.12
1666	001	2683	0.06	6450	6	55	80	2.5	5	0	6708	258	RH-2	40	form-based		true	true	0.7	6	1.200000048	0	0	7512.399902	1062.399902	1062.399902	1.119917
1666	034	4794	0.11	10200	12	55	80	2.5	9	0	11985	1785	RH-2	40	form-based			true	0.7	10	1.111111164	0	0	13423.2002	3223.200195	3223.200195	1.12
1666	056	2887	0.07	809	6	55	80	2.5	6	0	7218	6409	RH-2	40	form-based		true	true	0.7	6	1	0	0	8083.600098	7274.600098	7274.600098	1.119922
1667	001	2383	0.05	6375	6	55	80	2.5	4	0	5958	0	RH-2	40	form-based		true	true	0.7	5	1.25	0	0	6672.399902	297.3999023	297.3999023	1.119906
1667	030	6037	0.14	13110	13	55	80	2.5	11	0	15092	1982	RM-1	40	form-based			true	0.7	13	1.181818128	0	0	16903.59961	3793.599609	3793.599609	1.120037
1667	032	3000	0.07	4506	6	55	80	2.5	6	0	7500	2994	RM-1	40	form-based			true	0.7	6	1	0	0	8400	3894	3894	1.12
1667	049	2375	0.05	6225	6	55	80	2.5	4	0	5938	0	RM-1	40	form-based		true	true	0.7	5	1.25	0	0	6650	425	425	1.119906
1668	001	5899	0.14	13860	19	55	80	2.5	11	0	14748	888	RM-1	40	form-based		true	true	0.7	12	1.090909123	0	0	16517.19922	2657.199219	2657.199219	1.119962
1668	002	4500	0.1	10185	12	55	80	2.5	8	0	11250	1065	RM-1	40	form-based			true	0.7	9	1.125	0	0	12600	2415	2415	1.12
1668	014	4800	0.11	10710	12	55	80	2.5	9	0	12000	1290	RM-1	40	form-based			true	0.7	10	1.111111164	0	0	13440	2730	2730	1.12
1668	019	3001	0.07	5865	6	55	80	2.5	6	0	7502	1637	RH-2	40	form-based			true	0.7	6	1	0	0	8402.799805	2537.799805	2537.799805	1.120075
1668	034	3001	0.07	6460	7	55	80	2.5	6	0	7502	1042	RH-2	40	form-based			true	0.7	6	1	0	0	8402.799805	1942.799805	1942.799805	1.120075
1668	035	3106	0.07	8484	12	55	80	2.5	6	0	7765	0	RH-2	40	form-based		true	true	0.7	7	1.166666627	0	0	8696.799805	212.7998047	212.7998047	1.12
1671	001	4414	0.1	11220	18	55	80	2.5	8	0	11035	0	RH-2	40	form-based		true	true	0.7	9	1.125	0	0	12359.2002	1139.200195	1139.200195	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1671	015	7409	0.17	17100	24	55	80	2.5	14	0	18522	1422	RH-2	40	form-based			true	0.7	16	1.142857194	0	0	20745.19922	3645.199219	3645.199219	1.12003
1673	001	2232	0.05	3352	6	55	80	2.5	4	0	5580	2228	RH-2	40	form-based		true	true	0.7	5	1.25	0	0	6249.600098	2897.600098	2897.600098	1.12
1675	026	2244	0.05	3796	5	55	80	2.5	4	0	5610	1814	RH-2	40	form-based		true	true	0.7	5	1.25	0	0	6283.199707	2487.199707	2487.199707	1.12
1702	010N	3129	0.07	2597	8	65	100	3	7	0	9387	6790	RM-1	40	form-based			true	0.7	7	1	0	0	8761.200195	6164.200195	6164.200195	0.933333
1702	010P	5997	0.14	13860	19	65	100	3	14	0	17991	4131	RM-1	40	form-based			true	0.7	13	0.928571403	0	0	16791.59961	2931.599609	2931.599609	0.933333
1702	011	2998	0.07	4510	6	65	100	3	7	1	8994	4484	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8394.399414	3884.399414	3884.399414	0.933333
1702	029	1437	0.03	2571	3	65	100	3	3	0	4311	1740	RH-2	40	form-based			true	0.7	3	1	0	0	4023.599854	1452.599854	1452.599854	0.933333
1702	042	8995	0.21	20115	24	65	100	3	21	0	26985	6870	RM-1	40	form-based			true	0.7	19	0.90476191	0	0	25186	5071	5071	0.933333
1702	043	5997	0.14	12726	15	65	100	3	14	0	17991	5265	RM-1	40	form-based			true	0.7	13	0.928571403	0	0	16791.59961	4065.599609	4065.599609	0.933333
1703	017	3182	0.07	8028	16	65	100	3	7	0	9546	1518	RTO-C	65	form-based		true	true	0.75	12	1.714285731	0	0	14319	6291	6291	1.5
1703	032	3000	0.07	4070	6	65	100	3	7	1	9000	4930	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4330	4330	0.933333
1703	033	3000	0.07	3850	6	65	100	3	7	1	9000	5150	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4550	4550	0.933333
1704	006	3000	0.07	3432	6	65	100	3	7	1	9000	5568	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4968	4968	0.933333
1704	037	3003	0.07	3432	6	65	100	3	7	1	9009	5577	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8408.399414	4976.399414	4976.399414	0.933333
1705	026	3005	0.07	4490	6	65	100	3	7	1	9015	4525	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8414	3924	3924	0.933333
1705	050	2575	0.06	2716	5	65	100	3	6	1	7725	5009	RH-2	40	form-based			true	0.7	5	0.833333313	0	0	7210	4494	4494	0.933333
1706	071	6000	0.14	9944	28	65	100	3	14	0	18000	8056	RTO-C	65	form-based			true	0.75	23	1.642857194	0	0	27000	17056	17056	1.5
1709	014B	72	0	0	0	65	100	3	0	0	216	216	RH-2	40	form-based			true	0.7	0		0	0	201.5999908	201.5999908	201.5999908	0.933333
1717	022	2380	0.05	4750	5	65	100	3	5	0	7140	2390	RH-2	40	form-based		true	true	0.7	5	1	0	0	6664	1914	1914	0.933333
1717	025	2375	0.05	4181	5	65	100	3	5	0	7125	2944	RH-2	40	form-based		true	true	0.7	5	1	0	0	6650	2469	2469	0.933333
1726	017	3002	0.07	3954	6	65	100	3	7	1	9006	5052	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8405.599609	4451.599609	4451.599609	0.933333
1726	026	3000	0.07	4030	6	65	100	3	7	1	9000	4970	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4370	4370	0.933333
1734	001	5778	0.13	27950	35	65	100	3	13	0	17334	0	RTO-C	65	form-based		true	true	0.75	22	1.692307711	0	0	26001	0	0	1.5
1734	005	3010	0.07	4308	6	65	100	3	7	1	9030	4722	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8428	4120	4120	0.933333
1734	006	3010	0.07	3868	6	65	100	3	7	1	9030	5162	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8428	4560	4560	0.933333
1734	008	3010	0.07	4442	6	65	100	3	7	1	9030	4588	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8428	3986	3986	0.933333
1734	009	3010	0.07	4360	6	65	100	3	7	1	9030	4670	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8428	4068	4068	0.933333
1734	024	3000	0.07	4308	6	65	100	3	7	1	9000	4692	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4092	4092	0.933333
1734	037	3260	0.07	5650	12	65	100	3	7	0	9780	4130	RTO-C	65	form-based		true	true	0.75	12	1.714285731	0	0	14670	9020	9020	1.5
1736	002	4762	0.11	5024	12	65	100	3	11	0	14286	9262	RH-2	40	form-based			true	0.7	10	0.909090936	0	0	13333.59961	8309.599609	8309.599609	0.933333
1736	034	4779	0.11	11460	18	65	100	3	11	0	14337	2877	RTO-C	65	form-based		true	true	0.75	18	1.636363626	0	0	21505.5	10045.5	10045.5	1.5
1736	041	11223	0.26	19854	30	65	100	3	26	0	33669	13815	RH-2	40	form-based			true	0.7	24	0.923076928	0	0	31424.40039	11570.40039	11570.40039	0.933333
1737	008	12000	0.28	18858	126	65	100	3	28	0	36000	17142	RTO-C	65	form-based		true	true	0.75	45	1.607142806	0	0	54000	35142	35142	1.5
1738	028	3000	0.07	4344	6	65	100	3	7	1	9000	4656	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4056	4056	0.933333
1738	029	3000	0.07	4344	6	65	100	3	7	1	9000	4656	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4056	4056	0.933333
1739	001	3002	0.07	6508	18	65	100	3	7	0	9006	2498	RTO-C	65	form-based		true	true	0.75	11	1.571428537	0	0	13509	7001	7001	1.5
1739	012	3000	0.07	4298	6	65	100	3	7	1	9000	4702	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4102	4102	0.933333
1739	013	3000	0.07	4296	6	65	100	3	7	1	9000	4704	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4104	4104	0.933333
1739	014	3000	0.07	4360	6	65	100	3	7	1	9000	4640	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4040	4040	0.933333
1739	016	3000	0.07	4576	6	65	100	3	7	1	9000	4424	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	3824	3824	0.933333
1739	038	3000	0.07	3910	6	65	100	3	7	1	9000	5090	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4490	4490	0.933333
1739	052	6001	0.14	11850	15	65	100	3	14	0	18003	6153	RH-2	40	form-based			true	0.7	13	0.928571403	0	0	16802.79883	4952.798828	4952.798828	0.933333
1740	010	2979	0.07	4416	6	65	100	3	7	1	8937	4521	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8341.200195	3925.200195	3925.200195	0.933333
1740	011	2979	0.07	4280	6	65	100	3	7	1	8937	4657	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8341.200195	4061.200195	4061.200195	0.933333
1740	012	2979	0.07	4280	6	65	100	3	7	1	8937	4657	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8341.200195	4061.200195	4061.200195	0.933333
1740	013	2979	0.07	4416	6	65	100	3	7	1	8937	4521	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8341.200195	3925.200195	3925.200195	0.933333
1740	015	2979	0.07	4368	6	65	100	3	7	1	8937	4569	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8341.200195	3973.200195	3973.200195	0.933333
1740	044	3250	0.07	8250	12	65	100	3	7	0	9750	1500	RTO-C	65	form-based		true	true	0.75	12	1.714285731	0	0	14625	6375	6375	1.5
1740	052	5958	0.14	13518	14	65	100	3	14	0	17874	4356	RH-2	40	form-based			true	0.7	13	0.928571403	0	0	16682.40039	3164.400391	3164.400391	0.933333
1741	033	3000	0.07	4332	6	65	100	3	7	1	9000	4668	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4068	4068	0.933333
1741	041	3000	0.07	4416	6	65	100	3	7	1	9000	4584	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	3984	3984	0.933333
1741	053	9000	0.21	20100	36	65	100	3	21	0	27000	6900	RTO-C	65	form-based			true	0.75	34	1.619047642	0	0	40500	20400	20400	1.5
1742	008	2963	0.07	4260	6	65	100	3	7	1	8889	4629	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8296.399414	4036.399414	4036.399414	0.933333
1742	010	4445	0.1	10365	12	65	100	3	10	0	13335	2970	RH-2	40	form-based			true	0.7	9	0.899999976	0	0	12446	2081	2081	0.933333
1742	011	2963	0.07	4452	6	65	100	3	7	1	8889	4437	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8296.399414	3844.399414	3844.399414	0.933333
1742	014	11490	0.26	17500	24	85	140	4	36	12	45960	28460	RH-2	40	form-based			true	0.7	24	0.666666687	0	0	32172	14672	14672	0.7
1742	015D	38	0	2783	0	85	140	4	0	0	152	0	RH-2	85	form-based			true	0.7	0		0	0	212.8000031	0	0	1.4
1742	046	5927	0.14	12975	15	65	100	3	14	0	17781	4806	RH-2	40	form-based			true	0.7	12	0.857142866	0	0	16595.59961	3620.599609	3620.599609	0.933333
1745	008	2458	0.06	6075	6	65	100	3	6	0	7374	1299	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	6882.399902	807.3999023	807.3999023	0.933333
1745	012	2375	0.05	3457	5	65	100	3	5	0	7125	3668	RH-2	40	form-based			true	0.7	5	1	0	0	6650	3193	3193	0.933333
1745	014	2375	0.05	3220	6	65	100	3	5	0	7125	3905	RH-2	40	form-based			true	0.7	5	1	0	0	6650	3430	3430	0.933333
1745	015	3000	0.07	4206	6	65	100	3	7	1	9000	4794	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4194	4194	0.933333
1746	008	2629	0.06	6500	7	65	100	3	6	0	7887	1387	RH-2	40	form-based		true	true	0.7	6	1	0	0	7361.199707	861.199707	861.199707	0.933333
1746	011	1531	0.04	3456	3	65	100	3	4	1	4593	1137	RH-2	40	form-based			true	0.7	3	0.75	0	0	4286.799805	830.7998047	830.7998047	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1747	010	2681	0.06	5625	6	65	100	3	6	0	8043	2418	RH-2	40	form-based		true	true	0.7	6	1	0	0	7506.799805	1881.799805	1881.799805	0.933333
1747	013	2691	0.06	5850	6	65	100	3	6	0	8073	2223	RH-2	40	form-based		true	true	0.7	6	1	0	0	7534.799805	1684.799805	1684.799805	0.933333
1749	004	3013	0.07	4100	6	65	100	3	7	1	9039	4939	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8436.399414	4336.399414	4336.399414	0.933333
1749	006	2388	0.05	3930	5	65	100	3	5	0	7164	3234	RH-2	40	form-based			true	0.7	5	1	0	0	6686.399902	2756.399902	2756.399902	0.933333
1749	007	4776	0.11	10895	12	65	100	3	11	0	14328	3433	RH-2	40	form-based			true	0.7	10	0.909090936	0	0	13372.7998	2477.799805	2477.799805	0.933333
1749	014	2375	0.05	5036	6	65	100	3	5	0	7125	2089	RH-2	40	form-based			true	0.7	5	1	0	0	6650	1614	1614	0.933333
1750	022	3325	0.08	5782	7	65	100	3	8	1	9975	4193	RH-2	40	form-based		true	true	0.7	7	0.875	0	0	9310	3528	3528	0.933333
1751	006	3006	0.07	6000	6	85	140	4	10	4	12024	6024	RH-2	40	form-based			true	0.7	6	0.600000024	0	0	8416.799805	2416.799805	2416.799805	0.7
1751	014	2381	0.05	3300	14	65	100	3	5	0	7143	3843	RTO-C	85	form-based			true	0.75	13	2.599999905	0	0	14286	10986	10986	2
1751	022	3334	0.08	8880	12	65	100	3	8	0	10002	1122	RH-2	40	form-based		true	true	0.7	7	0.875	0	0	9335.200195	455.2001953	455.2001953	0.933333
1751	023	2750	0.06	6525	12	65	100	3	6	0	8250	1725	RH-2	40	form-based			true	0.7	6	1	0	0	7700	1175	1175	0.933333
1753	001	2170	0.05	6030	6	65	100	3	5	0	6510	480	RH-2	40	form-based		true	true	0.7	5	1	0	0	6076	46	46	0.933333
1753	022	2100	0.05	3750	5	65	100	3	5	0	6300	2550	RH-2	40	form-based		true	true	0.7	4	0.800000012	0	0	5880	2130	2130	0.933333
1754	022	3328	0.08	8064	9	65	100	3	8	0	9984	1920	RH-2	40	form-based		true	true	0.7	7	0.875	0	0	9318.399414	1254.399414	1254.399414	0.933333
1758	005	2995	0.07	4590	6	65	100	3	7	1	8985	4395	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8386	3796	3796	0.933333
1762	022	2697	0.06	5022	7	65	100	3	6	0	8091	3069	RH-2	40	form-based			true	0.7	6	1	0	0	7551.600098	2529.600098	2529.600098	0.933333
1762	027	3000	0.07	4308	6	65	100	3	7	1	9000	4692	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4092	4092	0.933333
1762	029	3000	0.07	4308	6	65	100	3	7	1	9000	4692	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4092	4092	0.933333
1762	037	3000	0.07	4254	6	65	100	3	7	1	9000	4746	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4146	4146	0.933333
1762	041	3000	0.07	5589	8	85	140	4	10	2	12000	6411	RH-2	40	form-based			true	0.7	6	0.600000024	0	0	8400	2811	2811	0.7
1763	022	4749	0.11	26130	34	85	140	4	15	0	18996	0	NCD-INNE	85	form-based		true	true	0.75	25	1.666666627	0	0	28494	2364	2364	1.5
1764	046	6000	0.14	12744	15	85	140	4	20	5	24000	11256	RH-2	40	form-based			true	0.7	13	0.649999976	0	0	16800	4056	4056	0.7
1765	011	2979	0.07	4300	6	65	100	3	7	1	8937	4637	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8341.200195	4041.200195	4041.200195	0.933333
1765	013	2979	0.07	4158	6	65	100	3	7	1	8937	4779	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8341.200195	4183.200195	4183.200195	0.933333
1765	014	5958	0.14	14780	18	65	100	3	14	0	17874	3094	RH-2	40	form-based			true	0.7	13	0.928571403	0	0	16682.40039	1902.400391	1902.400391	0.933333
1765	024	3000	0.07	4380	6	65	100	3	7	1	9000	4620	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4020	4020	0.933333
1765	062	1048	0.02	1829	6	65	100	3	2	0	3144	1315	RTO-C	85	form-based			true	0.75	6	3	0	0	6288	4459	4459	2
1766	006	3000	0.07	4324	6	65	100	3	7	1	9000	4676	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8400	4076	4076	0.933333
1770	032F	4781	0.11	10014	12	65	100	3	11	0	14343	4329	RM-1	40	form-based			true	0.7	10	0.909090936	0	0	13386.7998	3372.799805	3372.799805	0.933333
1771	022	3452	0.08	4032	20	65	100	3	8	0	10356	6324	RTO-C	85	form-based		true	true	0.75	18	2.25	0	0	20712	16680	16680	2
1771	026	3441	0.08	4032	8	65	100	3	8	0	10323	6291	RM-1	40	form-based			true	0.7	7	0.875	0	0	9634.799805	5602.799805	5602.799805	0.933333
1778	005	3021	0.07	4260	6	65	100	3	7	1	9063	4803	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8458.799805	4198.799805	4198.799805	0.933333
1778	017	2062	0.05	1645	4	85	140	4	7	3	8248	6603	RH-2	40	form-based			true	0.7	4	0.571428597	0	0	5773.600098	4128.600098	4128.600098	0.7
1784	001Y	237	0.01	0	0	65	100	3	1	1	711	711	RH-1	40	form-based			true	0.7	0	0	0	0	663.5999756	663.5999756	663.5999756	0.933333
1784	020	1756	0.04	2436	4	65	100	3	4	0	5268	2832	NCD-JUDA	40	form-based			true	0.75	4	1	0	0	5268	2832	2832	1
1792	017	3000	0.07	4350	6	65	100	3	7	1	9000	4650	RH-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4050	4050	0.933333
1793	049	1879	0.04	3106	4	65	100	3	4	0	5637	2531	NC-1	40	form-based			true	0.75	4	1	0	0	5637	2531	2531	1
1799	014	2379	0.05	3480	5	65	100	3	5	0	7137	3657	RH-2	40	form-based			true	0.7	5	1	0	0	6661.199707	3181.199707	3181.199707	0.933333
1802	040	3841	0.09	4075	8	65	100	3	9	1	11523	7448	RH-2	40	form-based			true	0.7	8	0.888888896	0	0	10754.7998	6679.799805	6679.799805	0.933333
1803	001A	6934	0.16	10085	21	65	100	3	16	0	20802	10717	RM-1	40	form-based		true	true	0.7	15	0.9375	0	0	19415.19922	9330.199219	9330.199219	0.933333
1803	001B	4869	0.11	9473	10	65	100	3	11	1	14607	5134	RH-2	40	form-based			true	0.7	10	0.909090936	0	0	13633.2002	4160.200195	4160.200195	0.933333
1803	001E	1789	0.04	2460	8	65	100	3	4	0	5367	2907	RH-2	40	form-based			true	0.7	4	1	0	0	5009.199707	2549.199707	2549.199707	0.933333
1803	001F	3448	0.08	4542	8	65	100	3	8	0	10344	5802	RH-2	40	form-based			true	0.7	7	0.875	0	0	9654.399414	5112.399414	5112.399414	0.933333
1803	014	3000	0.07	4860	7	85	140	4	10	3	12000	7140	RM-1	40	form-based		true	true	0.7	6	0.600000024	0	0	8400	3540	3540	0.7
1803	016	2500	0.06	3716	6	85	140	4	8	2	10000	6284	RM-1	40	form-based			true	0.7	5	0.625	0	0	7000	3284	3284	0.7
1803	016A	2500	0.06	3716	6	85	140	4	8	2	10000	6284	RM-1	40	form-based			true	0.7	5	0.625	0	0	7000	3284	3284	0.7
1804	001	12964	0.3	21250	37	85	140	4	42	5	51856	30606	RM-1	40	form-based		true	true	0.7	27	0.642857134	0	0	36299.19922	15049.19922	15049.19922	0.7
1805	015	3000	0.07	4554	6	65	100	3	7	1	9000	4446	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	3846	3846	0.933333
1805	016	3000	0.07	4370	6	65	100	3	7	1	9000	4630	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4030	4030	0.933333
1805	018	3000	0.07	2040	8	65	100	3	7	0	9000	6960	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	6360	6360	0.933333
1805	028	3021	0.07	4498	6	65	100	3	7	1	9063	4565	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8458.799805	3960.799805	3960.799805	0.933333
1805	032	3021	0.07	4654	6	65	100	3	7	1	9063	4409	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8458.799805	3804.799805	3804.799805	0.933333
1805	048	2100	0.05	3000	4	85	140	4	7	3	8400	5400	RM-1	40	form-based		true	true	0.7	4	0.571428597	0	0	5880	2880	2880	0.7
1805	049	2100	0.05	2844	4	85	140	4	7	3	8400	5556	RM-1	40	form-based			true	0.7	4	0.571428597	0	0	5880	3036	3036	0.7
1805	055	9814	0.23	20430	24	65	100	3	23	0	29442	9012	RM-1	40	form-based			true	0.7	21	0.913043499	0	0	27479.19922	7049.199219	7049.199219	0.933333
1806	043	3000	0.07	4370	6	65	100	3	7	1	9000	4630	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4030	4030	0.933333
1806	044	3000	0.07	4370	6	65	100	3	7	1	9000	4630	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4030	4030	0.933333
1806	045	10682	0.25	18708	30	65	100	3	25	0	32046	13338	RM-1	40	form-based		true	true	0.7	22	0.879999995	0	0	29909.59961	11201.59961	11201.59961	0.933333
1823	021	98	0	0	0	65	100	3	0	0	294	294	RH-1	40	form-based			true	0.7	0		0	0	274.3999939	274.3999939	274.3999939	0.933333
1823	021B	196	0	0	0	65	100	3	0	0	588	588	RH-1	40	form-based			true	0.7	0		0	0	548.7999878	548.7999878	548.7999878	0.933333
1826	035F	1165	0.03	2010	2	85	140	4	4	2	4660	2650	RH-1	40	form-based			true	0.7	2	0.5	0	0	3262	1252	1252	0.7
1827	021A	1083	0.02	2144	2	65	100	3	2	0	3249	1105	RH-2	40	form-based			true	0.7	2	1	0	0	3032.399902	888.3999023	888.3999023	0.933333
1827	021B	1083	0.02	2144	2	65	100	3	2	0	3249	1105	RH-2	40	form-based			true	0.7	2	1	0	0	3032.399902	888.3999023	888.3999023	0.933333
1827	045	1156	0.03	1118	2	65	100	3	3	1	3468	2350	RH-2	40	form-based		true	true	0.7	2	0.666666687	0	0	3236.800049	2118.800049	2118.800049	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
1830	033M	114	0	0	0	65	100	3	0	0	342	342	RH-1	40	form-based			true	0.7	0		0	0	319.1999817	319.1999817	319.1999817	0.933333
1831	018	3283	0.08	6048	9	65	100	3	8	0	9849	3801	RH-2	40	form-based		true	true	0.7	7	0.875	0	0	9192.399414	3144.399414	3144.399414	0.933333
1839	023	2874	0.07	4464	6	65	100	3	7	1	8622	4158	RH-2	40	form-based		true	true	0.7	6	0.857142866	0	0	8047.199707	3583.199707	3583.199707	0.933333
1842	028	3023	0.07	4826	6	65	100	3	7	1	9069	4243	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8464.399414	3638.399414	3638.399414	0.933333
1843	012	2997	0.07	4338	6	65	100	3	7	1	8991	4653	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8391.599609	4053.599609	4053.599609	0.933333
1843	017	3323	0.08	5570	8	65	100	3	8	0	9969	4399	RH-2	40	form-based		true	true	0.7	7	0.875	0	0	9304.399414	3734.399414	3734.399414	0.933333
1843	051	7209	0.17	16014	23	65	100	3	17	0	21627	5613	RH-2	40	form-based			true	0.7	15	0.882352948	0	0	20185.19922	4171.199219	4171.199219	0.933333
1844	005	3013	0.07	4470	6	65	100	3	7	1	9039	4569	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8436.399414	3966.399414	3966.399414	0.933333
1844	050	2435	0.06	4005	6	65	100	3	6	0	7305	3300	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	6818	2813	2813	0.933333
1845	025	3250	0.07	5745	8	65	100	3	7	0	9750	4005	RH-1	40	form-based		true	true	0.7	7	1	0	0	9100	3355	3355	0.933333
1845	050	6000	0.14	12273	14	65	100	3	14	0	18000	5727	RH-2	40	form-based			true	0.7	13	0.928571403	0	0	16800	4527	4527	0.933333
1846	015	3015	0.07	12408	15	65	100	3	7	0	9045	0	RTO-C	65	form-based			true	0.75	11	1.571428537	0	0	13567.5	1159.5	1159.5	1.5
1846	016	3015	0.07	12408	15	65	100	3	7	0	9045	0	RTO-C	65	form-based			true	0.75	11	1.571428537	0	0	13567.5	1159.5	1159.5	1.5
1854	001	3028	0.07	5907	6	65	100	3	7	1	9084	3177	RH-1	40	form-based		true	true	0.7	6	0.857142866	0	0	8478.399414	2571.399414	2571.399414	0.933333
1854	023	3960	0.09	6775	12	65	100	3	9	0	11880	5105	RH-2	40	form-based			true	0.7	8	0.888888896	0	0	11088	4313	4313	0.933333
1855	001	3250	0.07	5730	8	65	100	3	7	0	9750	4020	RH-2	40	form-based		true	true	0.7	7	1	0	0	9100	3370	3370	0.933333
1856	001	3260	0.07	5610	8	65	100	3	7	0	9780	4170	RH-2	40	form-based		true	true	0.7	7	1	0	0	9128	3518	3518	0.933333
1865	021	5275	0.12	7172	12	65	100	3	12	0	15825	8653	RH-2	40	form-based			true	0.7	11	0.916666687	0	0	14770	7598	7598	0.933333
1865	021A	2525	0.06	5196	6	65	100	3	6	0	7575	2379	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7070	1874	1874	0.933333
1865	021B	2750	0.06	5196	6	65	100	3	6	0	8250	3054	RH-2	40	form-based			true	0.7	6	1	0	0	7700	2504	2504	0.933333
1866	035	1010	0.02	1980	2	65	100	3	2	0	3030	1050	RH-2	40	form-based			true	0.7	2	1	0	0	2828	848	848	0.933333
1868	038A	1630	0.04	2729	3	65	100	3	4	1	4890	2161	RH-2	40	form-based		true	true	0.7	3	0.75	0	0	4564	1835	1835	0.933333
1871	020	815	0.02	1874	3	65	100	3	2	0	2445	571	RH-2	40	form-based		true	true	0.7	2	1	0	0	2282	408	408	0.933333
1871	020F	935	0.02	1624	2	65	100	3	2	0	2805	1181	RH-2	40	form-based			true	0.7	2	1	0	0	2618	994	994	0.933333
1871	020G	940	0.02	1600	2	65	100	3	2	0	2820	1220	RH-2	40	form-based			true	0.7	2	1	0	0	2632	1032	1032	0.933333
1875	001	1027	0.02	1263	2	65	100	3	2	0	3081	1818	RH-1	40	form-based		true	true	0.7	2	1	0	0	2875.599854	1612.599854	1612.599854	0.933333
1875	001A	1133	0.03	1263	2	65	100	3	3	1	3399	2136	RH-1	40	form-based			true	0.7	2	0.666666687	0	0	3172.399902	1909.399902	1909.399902	0.933333
1875	001B	1055	0.02	1263	2	65	100	3	2	0	3165	1902	RH-1	40	form-based			true	0.7	2	1	0	0	2954	1691	1691	0.933333
1875	032	3000	0.07	1769	8	65	100	3	7	0	9000	7231	RH-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	6631	6631	0.933333
1881	047A	37	0	0	0	65	100	3	0	0	111	111	RH-1	40	form-based			true	0.7	0		0	0	103.5999985	103.5999985	103.5999985	0.933333
1891	050	2480	0.06	2814	7	65	100	3	6	0	7440	4626	RH-1	40	form-based			true	0.7	5	0.833333313	0	0	6944	4130	4130	0.933333
1893	049	1947	0.04	2575	4	65	100	3	4	0	5841	3266	RH-2	40	form-based		true	true	0.7	4	1	0	0	5451.600098	2876.600098	2876.600098	0.933333
1894	044	1890	0.04	2208	4	65	100	3	4	0	5670	3462	RM-1	40	form-based			true	0.7	4	1	0	0	5292	3084	3084	0.933333
1894	051	4038	0.09	4356	8	65	100	3	9	1	12114	7758	RM-1	40	form-based			true	0.7	8	0.888888896	0	0	11306.39941	6950.399414	6950.399414	0.933333
1894	053	16241	0.37	19391	37	65	100	3	37	0	48723	29332	RM-1	40	form-based			true	0.7	34	0.918918908	0	0	45474.80078	26083.80078	26083.80078	0.933333
1894	055	6000	0.14	12438	16	65	100	3	14	0	18000	5562	RM-1	40	form-based			true	0.7	13	0.928571403	0	0	16800	4362	4362	0.933333
1894	056	6281	0.14	7500	16	65	100	3	14	0	18843	11343	RM-1	40	form-based			true	0.7	13	0.928571403	0	0	17586.79883	10086.79883	10086.79883	0.933333
1894	057	9337	0.21	19881	24	65	100	3	21	0	28011	8130	RM-1	40	form-based			true	0.7	20	0.952380955	0	0	26143.59961	6262.599609	6262.599609	0.933333
1894	058	3033	0.07	1024	6	65	100	3	7	1	9099	8075	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8492.399414	7468.399414	7468.399414	0.933333
1895	069	3625	0.08	2385	8	55	80	2.5	6	0	9062	6677	RH-2	40	form-based		true	true	0.7	8	1.333333373	0	0	10150	7765	7765	1.120062
1920	050	2137	0.05	3150	7	55	80	2.5	4	0	5342	2192	RH-1	40	form-based		true	true	0.7	4	1	0	0	5983.600098	2833.600098	2833.600098	1.120105
1923	028	1153	0.03	1264	2	55	80	2.5	2	0	2882	1618	RH-1	40	form-based			true	0.7	2	1	0	0	3228.399902	1964.399902	1964.399902	1.120194
1923	028A	1153	0.03	1264	2	55	80	2.5	2	0	2882	1618	RH-1	40	form-based			true	0.7	2	1	0	0	3228.399902	1964.399902	1964.399902	1.120194
1923	028B	919	0.02	1264	2	55	80	2.5	2	0	2298	1034	RH-1	40	form-based		true	true	0.7	2	1	0	0	2573.199951	1309.199951	1309.199951	1.119756
2001	037	2602	0.06	4930	5	55	80	2.5	5	0	6505	1575	RH-2	40	form-based			true	0.7	5	1	0	0	7285.600098	2355.600098	2355.600098	1.12
2001	049	3750	0.09	5434	8	55	80	2.5	7	0	9375	3941	RH-1	40	form-based			true	0.7	8	1.142857194	0	0	10500	5066	5066	1.12
2038A	032A	2077	0.05	4000	4	55	80	2.5	4	0	5192	1192	RH-2	40	form-based		true	true	0.7	4	1	0	0	5815.600098	1815.600098	1815.600098	1.120108
2040	032	3900	0.09	4956	8	55	80	2.5	7	0	9750	4794	RH-1	40	form-based			true	0.7	8	1.142857194	0	0	10920	5964	5964	1.12
2041	001	2223	0.05	4080	6	55	80	2.5	4	0	5558	1478	RH-2	40	form-based		true	true	0.7	5	1.25	0	0	6224.399902	2144.399902	2144.399902	1.119899
2041	027	4506	0.1	9429	11	55	80	2.5	8	0	11265	1836	RH-2	40	form-based			true	0.7	9	1.125	0	0	12616.7998	3187.799805	3187.799805	1.12
2045	009	4506	0.1	9963	11	55	80	2.5	8	0	11265	1302	RH-2	40	form-based			true	0.7	9	1.125	0	0	12616.7998	2653.799805	2653.799805	1.12
2045	017	3306	0.08	5978	8	55	80	2.5	6	0	8265	2287	RH-2	40	form-based		true	true	0.7	7	1.166666627	0	0	9256.799805	3278.799805	3278.799805	1.12
2168	022	8226	0.19	726	18	55	80	2.5	15	0	20565	19839	RH-2	40	form-based		true	true	0.7	17	1.133333325	0	0	23032.79883	22306.79883	22306.79883	1.12
2169	004	2033	0.05	2502	4	55	80	2.5	4	0	5082	2580	RH-2	40	form-based			true	0.7	4	1	0	0	5692.399902	3190.399902	3190.399902	1.12011
2169	021	2098	0.05	762	4	55	80	2.5	4	0	5245	4483	RH-2	40	form-based			true	0.7	4	1	0	0	5874.399902	5112.399902	5112.399902	1.12
2171	033A	120	0	0	0	55	80	2.5	0	0	300	300	RH-1	40	form-based			true	0.7	0		0	0	336	336	336	1.12
2197	003I	127	0	0	0	55	80	2.5	0	0	318	318	RH-1	40	form-based			true	0.7	0		0	0	355.6000061	355.6000061	355.6000061	1.118239
2333A	032	94	0	0	0	65	100	3	0	0	282	282	RH-1	40	form-based			true	0.7	0		0	0	263.1999817	263.1999817	263.1999817	0.933333
2350	001G	2704	0.06	4520	8	65	100	3	6	0	8112	3592	RH-2	40	form-based		true	true	0.7	6	1	0	0	7571.199707	3051.199707	3051.199707	0.933333
2355	009	2500	0.06	14480	13	85	140	4	8	0	10000	0	NCD-TARA	85	form-based			true	0.75	13	1.625	0	0	15000	520	520	1.5
2356	007	3009	0.07	4500	7	65	100	3	7	0	9027	4527	RH-1	40	form-based			true	0.7	6	0.857142866	0	0	8425.200195	3925.200195	3925.200195	0.933333
2358	012	3202	0.07	12367	17	85	140	4	10	0	12808	441	NCD-TARA	85	form-based		true	true	0.75	17	1.700000048	0	0	19212	6845	6845	1.5
2369	009A	1744	0.04	2850	4	85	140	4	6	2	6976	4126	NC-1	40	form-based			true	0.75	4	0.666666687	0	0	5232	2382	2382	0.75
2378	038	3000	0.07	4156	6	65	100	3	7	1	9000	4844	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8400	4244	4244	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2409	036	3206	0.07	8023	17	85	140	4	10	0	12824	4801	NCD-INNE	85	form-based		true	true	0.75	17	1.700000048	0	0	19236	11213	11213	1.5
2423	019	3600	0.08	15262	15	65	100	3	8	0	10800	0	NC-1	65	form-based			true	0.75	14	1.75	0	0	16200	938	938	1.5
2449	026	8895	0.2	21423	21	65	100	3	20	0	26685	5262	RH-1	40	form-based		true	true	0.7	19	0.949999988	0	0	24906	3483	3483	0.933333
2603	011A	1575	0.04	2396	3	55	80	2.5	3	0	3938	1542	RH-3	40	form-based			true	0.7	3	1	0	0	4410	2014	2014	1.119858
2607	057	3846	0.09	8436	11	55	80	2.5	7	0	9615	1179	RH-3	40	form-based			true	0.7	8	1.142857194	0	0	10768.7998	2332.799805	2332.799805	1.12
2607	281	1797	0.04	805	4	55	80	2.5	3	0	4492	3687	RH-2	40	form-based			true	0.7	4	1.333333373	0	0	5031.600098	4226.600098	4226.600098	1.120125
2608	033	21	0	0	0	55	80	2.5	0	0	52	52	RH-2	40	form-based		true	true	0.7	0		0	0	58.79999924	58.79999924	58.79999924	1.130769
2613	002B	3010	0.07	6600	6	65	100	3	7	1	9030	2430	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8428	1828	1828	0.933333
2609	014	2250	0.05	2960	5	65	100	3	5	0	6750	3790	RH-2	40	form-based			true	0.7	5	1	0	0	6300	3340	3340	0.933333
2609	039	2800	0.06	4370	7	65	100	3	6	0	8400	4030	RH-2	40	form-based			true	0.7	6	1	0	0	7840	3470	3470	0.933333
2612	131	2875	0.07	654	6	65	100	3	7	1	8625	7971	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8050	7396	7396	0.933333
2610	022	1794	0.04	4461	6	65	100	3	4	0	5382	921	RM-1	40	form-based		true	true	0.7	4	1	0	0	5023.199707	562.199707	562.199707	0.933333
2610	062	2928	0.07	804	6	65	100	3	7	1	8784	7980	RM-1	40	form-based			true	0.7	6	0.857142866	0	0	8198.399414	7394.399414	7394.399414	0.933333
2611	005	2413	0.06	2793	7	65	100	3	6	0	7239	4446	RM-1	40	form-based			true	0.7	5	0.833333313	0	0	6756.399902	3963.399902	3963.399902	0.933333
2611	035	3474	0.08	7807	7	65	100	3	8	1	10422	2615	RH-3	40	form-based			true	0.7	7	0.875	0	0	9727.200195	1920.200195	1920.200195	0.933333
2611	042	2571	0.06	7500	8	65	100	3	6	0	7713	213	RM-1	40	form-based		true	true	0.7	5	0.833333313	0	0	7198.799805	0	0	0.933333
2611	057	2290	0.05	1370	5	65	100	3	5	0	6870	5500	RH-3	40	form-based			true	0.7	5	1	0	0	6412	5042	5042	0.933333
2612	074	8881	0.2	16242	23	55	80	2.5	16	0	22202	5960	RM-1	40	form-based		true	true	0.7	19	1.1875	0	0	24866.79883	8624.798828	8624.798828	1.120025
2613	001	2851	0.07	6960	12	65	100	3	7	0	8553	1593	RH-3	40	form-based		true	true	0.7	6	0.857142866	0	0	7982.799805	1022.799805	1022.799805	0.933333
2613	022	3923	0.09	6278	8	65	100	3	9	1	11769	5491	RH-2	40	form-based		true	true	0.7	8	0.888888896	0	0	10984.39941	4706.399414	4706.399414	0.933333
2613	029	1016	0.02	1632	2	65	100	3	2	0	3048	1416	RH-2	40	form-based			true	0.7	2	1	0	0	2844.800049	1212.800049	1212.800049	0.933333
2614	001	3016	0.07	6787	9	65	100	3	7	0	9048	2261	RH-3	40	form-based		true	true	0.7	6	0.857142866	0	0	8444.799805	1657.799805	1657.799805	0.933333
2614	008	3539	0.08	5300	8	65	100	3	8	0	10617	5317	RH-3	40	form-based		true	true	0.7	7	0.875	0	0	9909.200195	4609.200195	4609.200195	0.933333
2614	081B	1126	0.03	1926	2	65	100	3	3	1	3378	1452	RH-2	40	form-based		true	true	0.7	2	0.666666687	0	0	3152.800049	1226.800049	1226.800049	0.933333
2616	019B	2123	0.05	3773	4	55	80	2.5	4	0	5308	1535	RH-3	40	form-based		true	true	0.7	4	1	0	0	5944.399902	2171.399902	2171.399902	1.119895
2616	042	4238	0.1	7290	9	55	80	2.5	8	0	10595	3305	RH-3	40	form-based			true	0.7	9	1.125	0	0	11866.39941	4576.399414	4576.399414	1.12
2616	050	10671	0.24	39040	41	55	80	2.5	19	0	26678	0	RH-3	40	form-based			true	0.7	22	1.157894731	0	0	29878.79883	0	0	1.119979
2617	027	2976	0.07	5141	7	65	100	3	7	0	8928	3787	RM-1	40	form-based		true	true	0.7	6	0.857142866	0	0	8332.799805	3191.799805	3191.799805	0.933333
2618	097	2120	0.05	1324	4	55	80	2.5	4	0	5300	3976	RH-2	40	form-based			true	0.7	4	1	0	0	5936	4612	4612	1.12
2618A	044	4739	0.11	9248	10	55	80	2.5	9	0	11848	2600	RH-2	40	form-based		true	true	0.7	10	1.111111164	0	0	13269.2002	4021.200195	4021.200195	1.119953
2619	001A	212	0	0	0	65	100	3	0	0	636	636	RH-2	40	form-based			true	0.7	0		0	0	593.5999756	593.5999756	593.5999756	0.933333
2619	076	788	0.02	1868	2	55	80	2.5	2	0	1970	102	RH-2	40	form-based			true	0.7	2	1	0	0	2206.399902	338.3999023	338.3999023	1.12
2619	086	70	0	0	0	55	80	2.5	0	0	175	175	RH-2	40	form-based			true	0.7	0		0	0	196	196	196	1.12
2620	061	3684	0.08	7268	8	55	80	2.5	6	0	9210	1942	RH-2	40	form-based			true	0.7	8	1.333333373	0	0	10315.2002	3047.200195	3047.200195	1.12
2623	081	2588	0.06	5748	7	65	100	3	6	0	7764	2016	RH-2	50	form-based			true	0.7	7	1.166666627	0	0	9058	3310	3310	1.166667
2623	219	2508	0.06	921	6	65	100	3	6	0	7524	6603	RH-3	40	form-based			true	0.7	5	0.833333313	0	0	7022.399902	6101.399902	6101.399902	0.933333
2625	014B	1725	0.04	2700	4	55	80	2.5	3	0	4312	1612	RH-2	40	form-based			true	0.7	4	1.333333373	0	0	4830	2130	2130	1.12013
2628	026	1302	0.03	2973	4	55	80	2.5	2	0	3255	282	RH-2	40	form-based			true	0.7	3	1.5	0	0	3645.599854	672.5998535	672.5998535	1.12
2628	073	1698	0.04	2404	4	55	80	2.5	3	0	4245	1841	RH-2	40	form-based			true	0.7	4	1.333333373	0	0	4754.399902	2350.399902	2350.399902	1.12
2629A	001A	1607	0.04	3400	3	55	80	2.5	3	0	4018	618	RH-3	40	form-based		true	true	0.7	3	1	0	0	4499.600098	1099.600098	1099.600098	1.119861
2629A	001E	5502	0.13	9750	12	55	80	2.5	10	0	13755	4005	RH-3	40	form-based			true	0.7	12	1.200000048	0	0	15405.59961	5655.599609	5655.599609	1.12
2630	043A	1484	0.03	4125	6	65	100	3	3	0	4452	327	RTO-C	65	form-based		true	true	0.75	6	2	0	0	6678	2553	2553	1.5
2630	049	2788	0.06	3969	8	65	100	3	6	0	8364	4395	RH-3	50	form-based			true	0.7	8	1.333333373	0	0	9758	5789	5789	1.166667
2633	006	1788	0.04	1850	10	65	100	3	4	0	5364	3514	RTO-C	65	form-based			true	0.75	7	1.75	0	0	8046	6196	6196	1.5
2634	106	8514	0.2	15435	18	55	80	2.5	16	0	21285	5850	RM-2	40	form-based		true	true	0.7	18	1.125	0	0	23839.19922	8404.199219	8404.199219	1.12
2635	046	69895	1.6	76000	126	55	80	2.5	128	2	174738	98738	RM-4	40	form-based		true	true	0.55	115	0.8984375	0	0	153769	77769	77769	0.879997
2636	003	139985	3.21	205770	244	55	80	2.5	257	13	349962	144192	RM-4	40	form-based			true	0.55	231	0.898832679	0	0	307967	102197	102197	0.880001
2644	003	22	0	0	0	65	100	3	0	0	66	66	RH-2	40	form-based			true	0.7	0		0	0	61.59999847	61.59999847	61.59999847	0.933333
2645	026	1613	0.04	2527	3	55	80	2.5	3	0	4032	1505	RH-2	40	form-based			true	0.7	3	1	0	0	4516.399902	1989.399902	1989.399902	1.120139
2645	038	1172	0.03	2050	2	55	80	2.5	2	0	2930	880	RH-2	40	form-based			true	0.7	2	1	0	0	3281.599854	1231.599854	1231.599854	1.12
2646	003	2187	0.05	3500	6	55	80	2.5	4	0	5468	1968	RH-2	40	form-based			true	0.7	5	1.25	0	0	6123.600098	2623.600098	2623.600098	1.119898
2646	030	1153	0.03	3300	3	55	80	2.5	2	0	2882	0	RH-2	40	form-based		true	true	0.7	2	1	0	0	3228.399902	0	0	1.120194
2646	088	2104	0.05	2756	4	55	80	2.5	4	0	5260	2504	RH-2	40	form-based		true	true	0.7	4	1	0	0	5891.199707	3135.199707	3135.199707	1.12
2648	019	1875	0.04	2460	15	65	100	3	4	0	5625	3165	NCD-CAST	40	form-based			true	0.75	4	1	0	0	5625	3165	3165	1
2648	027	2989	0.07	5154	6	65	100	3	7	1	8967	3813	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8369.200195	3215.200195	3215.200195	0.933333
2648	033	3460	0.08	9750	15	65	100	3	8	0	10380	630	RH-3	40	form-based		true	true	0.7	7	0.875	0	0	9688	0	0	0.933333
2649	001	2821	0.06	7122	12	65	100	3	6	0	8463	1341	RH-3	40	form-based		true	true	0.7	6	1	0	0	7898.799805	776.7998047	776.7998047	0.933333
2649	003	598	0.01	2337	2	65	100	3	1	0	1794	0	RM-1	40	form-based			true	0.7	1	1	0	0	1674.400024	0	0	0.933333
2649	005	3285	0.08	5792	8	65	100	3	8	0	9855	4063	RM-1	40	form-based		true	true	0.7	7	0.875	0	0	9198	3406	3406	0.933333
2649	011	3000	0.07	7087	12	65	100	3	7	0	9000	1913	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8400	1313	1313	0.933333
2649	016A	39	0	0	0	65	100	3	0	0	117	117	RH-3	40	form-based			true	0.7	0		0	0	109.1999969	109.1999969	109.1999969	0.933333
2649	027	3077	0.07	4778	6	65	100	3	7	1	9231	4453	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8615.599609	3837.599609	3837.599609	0.933333
2649	031	982	0.02	1600	2	65	100	3	2	0	2946	1346	RM-1	40	form-based			true	0.7	2	1	0	0	2749.599854	1149.599854	1149.599854	0.933333
2649	033	1875	0.04	3468	4	65	100	3	4	0	5625	2157	RH-3	40	form-based		true	true	0.7	4	1	0	0	5250	1782	1782	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2649	034	3375	0.08	7065	8	65	100	3	8	0	10125	3060	RH-3	40	form-based			true	0.7	7	0.875	0	0	9450	2385	2385	0.933333
2649	044	1875	0.04	1568	5	65	100	3	4	0	5625	4057	RH-3	40	form-based			true	0.7	4	1	0	0	5250	3682	3682	0.933333
2649	051	1143	0.03	737	2	65	100	3	3	1	3429	2692	RM-1	40	form-based		true	true	0.7	2	0.666666687	0	0	3200.399902	2463.399902	2463.399902	0.933333
2650	001	2100	0.05	7350	7	65	100	3	5	0	6300	0	RH-3	40	form-based		true	true	0.7	4	0.800000012	0	0	5880	0	0	0.933333
2650	007	6774	0.16	16641	18	65	100	3	16	0	20322	3681	RM-1	40	form-based		true	true	0.7	14	0.875	0	0	18967.19922	2326.199219	2326.199219	0.933333
2650	022	2675	0.06	5190	7	65	100	3	6	0	8025	2835	RH-3	40	form-based		true	true	0.7	6	1	0	0	7490	2300	2300	0.933333
2650	043	3207	0.07	8536	11	65	100	3	7	0	9621	1085	RM-1	40	form-based		true	true	0.7	7	1	0	0	8979.599609	443.5996094	443.5996094	0.933333
2650	044	8926	0.2	23761	38	65	100	3	20	0	26778	3017	RM-1	40	form-based		true	true	0.7	19	0.949999988	0	0	24992.79883	1231.798828	1231.798828	0.933333
2651	008	829	0.02	1228	2	55	80	2.5	2	0	2072	844	RH-2	40	form-based			true	0.7	2	1	0	0	2321.199951	1093.199951	1093.199951	1.12027
2651	010	39	0	0	0	55	80	2.5	0	0	98	98	RH-2	40	form-based		true	true	0.7	0		0	0	109.1999969	109.1999969	109.1999969	1.114286
2651	016	2125	0.05	5450	6	55	80	2.5	4	0	5312	0	RH-2	40	form-based		true	true	0.7	4	1	0	0	5950	500	500	1.120105
2651	021	2150	0.05	4720	5	55	80	2.5	4	0	5375	655	RH-2	40	form-based		true	true	0.7	5	1.25	0	0	6020	1300	1300	1.12
2651	023	1700	0.04	2300	4	55	80	2.5	3	0	4250	1950	RH-2	40	form-based			true	0.7	4	1.333333373	0	0	4760	2460	2460	1.12
2651	027	1485	0.03	694	4	55	80	2.5	2	0	3712	3018	RH-2	40	form-based		true	true	0.7	3	1.5	0	0	4158	3464	3464	1.120151
2652	020	2111	0.05	3400	4	55	80	2.5	4	0	5278	1878	RH-2	40	form-based			true	0.7	4	1	0	0	5910.799805	2510.799805	2510.799805	1.119894
2652	029	1187	0.03	712	2	55	80	2.5	2	0	2968	2256	RH-2	40	form-based			true	0.7	2	1	0	0	3323.599854	2611.599854	2611.599854	1.119811
2652	031	832	0.02	746	3	55	80	2.5	2	0	2080	1334	RH-2	40	form-based			true	0.7	2	1	0	0	2329.599854	1583.599854	1583.599854	1.12
2653	003	1721	0.04	2700	4	55	80	2.5	3	0	4302	1602	RH-2	40	form-based			true	0.7	4	1.333333373	0	0	4818.799805	2118.799805	2118.799805	1.12013
2653	016	934	0.02	3213	2	55	80	2.5	2	0	2335	0	RH-2	40	form-based			true	0.7	2	1	0	0	2615.199951	0	0	1.12
2654	001	2780	0.06	4810	6	55	80	2.5	5	0	6950	2140	RH-2	40	form-based		true	true	0.7	6	1.200000048	0	0	7784	2974	2974	1.12
2654	038	2522	0.06	4069	5	55	80	2.5	5	0	6305	2236	RH-2	40	form-based			true	0.7	5	1	0	0	7061.600098	2992.600098	2992.600098	1.12
2655	029	2755	0.06	5210	8	55	80	2.5	5	0	6888	1678	RM-1	40	form-based			true	0.7	6	1.200000048	0	0	7714	2504	2504	1.119919
2655	044	2000	0.05	2202	6	55	80	2.5	4	0	5000	2798	RH-2	40	form-based			true	0.7	4	1	0	0	5600	3398	3398	1.12
2656	032	1243	0.03	2259	4	55	80	2.5	2	0	3108	849	RH-2	40	form-based			true	0.7	3	1.5	0	0	3480.399902	1221.399902	1221.399902	1.11982
2656	033	1952	0.04	1390	6	55	80	2.5	3	0	4880	3490	RH-2	40	form-based		true	true	0.7	4	1.333333373	0	0	5465.600098	4075.600098	4075.600098	1.12
2656	047	2114	0.05	2694	4	55	80	2.5	4	0	5285	2591	RH-2	40	form-based			true	0.7	4	1	0	0	5919.199707	3225.199707	3225.199707	1.12
2657	008A	82	0	0	0	55	80	2.5	0	0	205	205	RH-2	40	form-based			true	0.7	0		0	0	229.5999908	229.5999908	229.5999908	1.12
2657	016	1702	0.04	2400	4	55	80	2.5	3	0	4255	1855	RH-2	40	form-based			true	0.7	4	1.333333373	0	0	4765.600098	2365.600098	2365.600098	1.12
2657	020	104	0	0	0	55	80	2.5	0	0	260	260	RH-2	40	form-based			true	0.7	0		0	0	291.1999817	291.1999817	291.1999817	1.12
2658	001	1398	0.03	2714	4	55	80	2.5	2	0	3495	781	RH-2	40	form-based		true	true	0.7	3	1.5	0	0	3914.399902	1200.399902	1200.399902	1.12
2658	011	2135	0.05	3100	4	55	80	2.5	4	0	5338	2238	RH-2	40	form-based			true	0.7	4	1	0	0	5978	2878	2878	1.119895
2658	027	1049	0.02	2300	6	55	80	2.5	2	0	2622	322	RH-2	40	form-based		true	true	0.7	2	1	0	0	2937.199951	637.1999512	637.1999512	1.120214
2658	035	2	0	0	0	55	80	2.5	0	0	5	5	RH-2	40	form-based			true	0.7	0		0	0	5.599999905	5.599999905	5.599999905	1.12
2658	039	1077	0.02	1458	2	55	80	2.5	2	0	2692	1234	RH-2	40	form-based			true	0.7	2	1	0	0	3015.599854	1557.599854	1557.599854	1.120208
2659	001	1539	0.04	3276	3	55	80	2.5	3	0	3848	572	RH-2	40	form-based		true	true	0.7	3	1	0	0	4309.199707	1033.199707	1033.199707	1.119854
2660	011E	174	0	1	0	55	80	2.5	0	0	435	434	RH-2	40	form-based			true	0.7	0		0	0	487.1999817	486.1999817	486.1999817	1.12
2660	011G	164	0	0	0	55	80	2.5	0	0	410	410	RH-2	40	form-based			true	0.7	0		0	0	459.1999817	459.1999817	459.1999817	1.12
2660	017	1160	0.03	2267	3	55	80	2.5	2	0	2900	633	RH-2	40	form-based			true	0.7	2	1	0	0	3248	981	981	1.12
2691	054	1587	0.04	1840	3	55	80	2.5	3	0	3968	2128	RH-2	40	form-based		true	true	0.7	3	1	0	0	4443.600098	2603.600098	2603.600098	1.119859
2692	001	2646	0.06	5460	6	65	100	3	6	0	7938	2478	RH-3	40	form-based		true	true	0.7	6	1	0	0	7408.799805	1948.799805	1948.799805	0.933333
2692	071	1650	0.04	2326	4	55	80	2.5	3	0	4125	1799	RH-3	40	form-based			true	0.7	3	1	0	0	4620	2294	2294	1.12
2693	004	3083	0.07	10518	20	65	100	3	7	0	9249	0	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8632.399414	0	0	0.933333
2693	021	1730	0.04	5199	7	55	80	2.5	3	0	4325	0	RH-2	40	form-based		true	true	0.7	4	1.333333373	0	0	4844	0	0	1.12
2693	024A	3387	0.08	5326	8	65	100	3	8	0	10161	4835	RH-2	40	form-based			true	0.7	7	0.875	0	0	9483.599609	4157.599609	4157.599609	0.933333
2693	028	1739	0.04	4637	5	65	100	3	4	0	5217	580	RH-3	40	form-based		true	true	0.7	4	1	0	0	4869.199707	232.199707	232.199707	0.933333
2693	043	1875	0.04	1349	4	65	100	3	4	0	5625	4276	RH-3	40	form-based		true	true	0.7	4	1	0	0	5250	3901	3901	0.933333
2695	016	2388	0.05	6540	9	65	100	3	5	0	7164	624	NCD-CAST	50	form-based		true	true	0.75	7	1.399999976	0	0	8955	2415	2415	1.25
2695	041	3705	0.09	9750	15	65	100	3	9	0	11115	1365	NCD-CAST	50	form-based		true	true	0.75	11	1.222222209	0	0	13893.75	4143.75	4143.75	1.25
2696	007	3850	0.09	5711	10	55	80	2.5	7	0	9625	3914	RH-3	40	form-based			true	0.7	8	1.142857194	0	0	10780	5069	5069	1.12
2696	018	1875	0.04	3042	5	55	80	2.5	3	0	4688	1646	RH-3	40	form-based			true	0.7	4	1.333333373	0	0	5250	2208	2208	1.119881
2696	058	1782	0.04	1085	4	55	80	2.5	3	0	4455	3370	RH-3	40	form-based		true	true	0.7	4	1.333333373	0	0	4989.600098	3904.600098	3904.600098	1.12
2698	004	3750	0.09	7848	9	55	80	2.5	7	0	9375	1527	RH-3	40	form-based			true	0.7	8	1.142857194	0	0	10500	2652	2652	1.12
2698	042	1288	0.03	927	3	55	80	2.5	2	0	3220	2293	RH-2	40	form-based		true	true	0.7	3	1.5	0	0	3606.399902	2679.399902	2679.399902	1.12
2699	043	1905	0.04	2601	4	55	80	2.5	3	0	4762	2161	RH-2	40	form-based			true	0.7	4	1.333333373	0	0	5334	2733	2733	1.120118
2700	001	8235	0.19	7980	16	55	80	2.5	15	0	20588	12608	RH-2	40	density-lin	1500	true		0.7	6	0.400000006	0	0	23058	15078	15078	1.119973
2701	001	2476	0.06	2894	5	55	80	2.5	5	0	6190	3296	RH-2	40	form-based			true	0.7	5	1	0	0	6932.799805	4038.799805	4038.799805	1.12
2701	017A	852	0.02	2175	2	55	80	2.5	2	0	2130	0	RH-2	40	form-based			true	0.7	2	1	0	0	2385.599854	210.5998535	210.5998535	1.12
2702	024	2513	0.06	4440	6	55	80	2.5	5	0	6282	1842	RH-2	40	form-based			true	0.7	5	1	0	0	7036.399902	2596.399902	2596.399902	1.120089
2714	004A	2589	0.06	4314	5	55	80	2.5	5	0	6472	2158	RH-2	40	form-based			true	0.7	5	1	0	0	7249.199707	2935.199707	2935.199707	1.120086
2714	023	2879	0.07	5093	6	55	80	2.5	6	0	7198	2105	RH-2	40	form-based			true	0.7	6	1	0	0	8061.199707	2968.199707	2968.199707	1.119922
2714	024	10492	0.24	19289	22	55	80	2.5	19	0	26230	6941	RH-2	40	form-based		true	true	0.7	22	1.157894731	0	0	29377.59961	10088.59961	10088.59961	1.12
2715	016	1960	0.05	2868	4	55	80	2.5	4	0	4900	2032	RH-2	40	form-based			true	0.7	4	1	0	0	5488	2620	2620	1.12
2715	038	2112	0.05	3354	4	55	80	2.5	4	0	5280	1926	RH-2	40	form-based			true	0.7	4	1	0	0	5913.600098	2559.600098	2559.600098	1.12
2735	027	706	0.02	1583	1	55	80	2.5	2	1	1765	182	RH-1	40	form-based			true	0.7	1	0.5	0	0	1976.799927	393.7999268	393.7999268	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
2735	030	703	0.02	1485	1	55	80	2.5	2	1	1758	273	RH-1	40	form-based			true	0.7	1	0.5	0	0	1968.400024	483.4000244	483.4000244	1.119681
2735	031	691	0.02	1485	1	55	80	2.5	2	1	1728	243	RH-1	40	form-based			true	0.7	1	0.5	0	0	1934.799927	449.7999268	449.7999268	1.119676
2735	032	691	0.02	1485	1	55	80	2.5	2	1	1728	243	RH-1	40	form-based			true	0.7	1	0.5	0	0	1934.799927	449.7999268	449.7999268	1.119676
2735	033	691	0.02	1583	1	55	80	2.5	2	1	1728	145	RH-1	40	form-based			true	0.7	1	0.5	0	0	1934.799927	351.7999268	351.7999268	1.119676
2735	034	647	0.01	1534	1	55	80	2.5	1	0	1618	84	RH-1	40	form-based			true	0.7	1	1	0	0	1811.599976	277.5999756	277.5999756	1.119654
2735	035	679	0.02	1485	1	55	80	2.5	2	1	1698	213	RH-1	40	form-based			true	0.7	1	0.5	0	0	1901.199951	416.1999512	416.1999512	1.11967
2735	036	679	0.02	1485	1	55	80	2.5	2	1	1698	213	RH-1	40	form-based			true	0.7	1	0.5	0	0	1901.199951	416.1999512	416.1999512	1.11967
2735	037	701	0.02	1485	1	55	80	2.5	2	1	1752	267	RH-1	40	form-based			true	0.7	1	0.5	0	0	1962.799927	477.7999268	477.7999268	1.12032
2735	038	679	0.02	1485	1	55	80	2.5	2	1	1698	213	RH-1	40	form-based			true	0.7	1	0.5	0	0	1901.199951	416.1999512	416.1999512	1.11967
2735	039	651	0.01	1485	1	55	80	2.5	1	0	1628	143	RH-1	40	form-based			true	0.7	1	1	0	0	1822.799927	337.7999268	337.7999268	1.119656
2735	040	646	0.01	1534	1	55	80	2.5	1	0	1615	81	RH-1	40	form-based			true	0.7	1	1	0	0	1808.799927	274.7999268	274.7999268	1.12
2735	022	662	0.02	1485	1	55	80	2.5	2	1	1655	170	RH-1	40	form-based			true	0.7	1	0.5	0	0	1853.599976	368.5999756	368.5999756	1.12
2735	023	629	0.01	1583	1	55	80	2.5	1	0	1572	0	RH-1	40	form-based			true	0.7	1	1	0	0	1761.199951	178.1999512	178.1999512	1.120356
2735	024	709	0.02	1485	1	55	80	2.5	2	1	1772	287	RH-1	40	form-based			true	0.7	1	0.5	0	0	1985.199951	500.1999512	500.1999512	1.120316
2735	002	581	0.01	1763	1	55	80	2.5	1	0	1452	0	RH-1	40	form-based			true	0.7	1	1	0	0	1626.799927	0	0	1.120386
2735	005	682	0.02	1763	1	55	80	2.5	2	1	1705	0	RH-1	40	form-based			true	0.7	1	0.5	0	0	1909.599976	146.5999756	146.5999756	1.12
2735	006	700	0.02	1731	1	55	80	2.5	2	1	1750	19	RH-1	40	form-based			true	0.7	1	0.5	0	0	1960	229	229	1.12
2735	009	677	0.02	1763	1	55	80	2.5	2	1	1692	0	RH-1	40	form-based			true	0.7	1	0.5	0	0	1895.599976	132.5999756	132.5999756	1.120331
2735	016	670	0.02	1763	1	55	80	2.5	2	1	1675	0	RH-1	40	form-based			true	0.7	1	0.5	0	0	1876	113	113	1.12
2735	020	628	0.01	1485	1	55	80	2.5	1	0	1570	85	RH-1	40	form-based			true	0.7	1	1	0	0	1758.400024	273.4000244	273.4000244	1.12
2749	044	3039	0.07	4602	6	55	80	2.5	6	0	7598	2996	RH-2	40	form-based		true	true	0.7	6	1	0	0	8509.200195	3907.200195	3907.200195	1.119926
2750	001	2327	0.05	6101	7	55	80	2.5	4	0	5818	0	RH-3	40	form-based		true	true	0.7	5	1.25	0	0	6515.600098	414.6000977	414.6000977	1.119904
2750	039	2437	0.06	2622	6	55	80	2.5	5	0	6092	3470	RH-2	40	form-based			true	0.7	5	1	0	0	6823.600098	4201.600098	4201.600098	1.120092
2751	020	2481	0.06	4433	6	55	80	2.5	5	0	6202	1769	RH-3	40	form-based		true	true	0.7	5	1	0	0	6946.799805	2513.799805	2513.799805	1.12009
2751	028	4875	0.11	10229	12	55	80	2.5	9	0	12188	1959	RH-3	40	form-based			true	0.7	10	1.111111164	0	0	13650	3421	3421	1.119954
2752	034	2537	0.06	4064	8	55	80	2.5	5	0	6342	2278	RH-3	40	form-based			true	0.7	5	1	0	0	7103.600098	3039.600098	3039.600098	1.120088
2752	035	3205	0.07	7665	12	55	80	2.5	6	0	8012	347	RH-3	40	form-based		true	true	0.7	7	1.166666627	0	0	8974	1309	1309	1.12007
2769	041	2306	0.05	4086	8	55	80	2.5	4	0	5765	1679	RH-3	40	form-based			true	0.7	5	1.25	0	0	6456.799805	2370.799805	2370.799805	1.12
2771	001	1622	0.04	3192	4	55	80	2.5	3	0	4055	863	RH-2	40	form-based		true	true	0.7	3	1	0	0	4541.600098	1349.600098	1349.600098	1.12
2771	042	2136	0.05	3192	4	55	80	2.5	4	0	5340	2148	RH-2	40	form-based			true	0.7	4	1	0	0	5980.799805	2788.799805	2788.799805	1.12
2771	043	1659	0.04	3192	4	55	80	2.5	3	0	4148	956	RH-2	40	form-based			true	0.7	3	1	0	0	4645.199707	1453.199707	1453.199707	1.119865
2771	059	9600	0.22	21060	28	55	80	2.5	18	0	24000	2940	RM-2	40	form-based			true	0.7	20	1.111111164	0	0	26880	5820	5820	1.12
2805	007	2511	0.06	6435	12	55	80	2.5	5	0	6278	0	RH-2	40	form-based		true	true	0.7	5	1	0	0	7030.799805	595.7998047	595.7998047	1.119911
2831	044	1682	0.04	750	5	55	80	2.5	3	0	4205	3455	RH-2	50	form-based		true	true	0.7	5	1.666666627	0	0	5887	5137	5137	1.4
2842	008	46105	1.06	79469	219	65	100	3	106	0	138315	58846	RTO-C	85	form-based			true	0.55	178	1.679245234	0	0	202862	123393	123393	1.466667
3013A	011A	133	0	0	0	65	100	3	0	0	399	399	RH-1(D)	40	form-based		true	true	0.7	0		0	0	372.3999939	372.3999939	372.3999939	0.933333
3059	010A	73	0	0	0	65	100	3	0	0	219	219	RH-1	40	form-based			true	0.7	0		0	0	204.3999939	204.3999939	204.3999939	0.933333
3092	066	7633	0.18	11075	18	55	80	2.5	14	0	19082	8007	RM-1	40	form-based		true	true	0.7	16	1.142857194	0	0	21372.40039	10297.40039	10297.40039	1.120029
3117	033	1297	0.03	2532	3	55	80	2.5	2	0	3242	710	RH-2	40	form-based		true	true	0.7	3	1.5	0	0	3631.599854	1099.599854	1099.599854	1.120173
3117	049A	1271	0.03	1310	3	55	80	2.5	2	0	3178	1868	RH-2	40	form-based			true	0.7	3	1.5	0	0	3558.800049	2248.800049	2248.800049	1.119824
3118	001	2527	0.06	4271	6	65	100	3	6	0	7581	3310	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7075.600098	2804.600098	2804.600098	0.933333
3143	019A	165	0	0	0	65	100	3	0	0	495	495	RH-1	40	form-based			true	0.7	0		0	0	462	462	462	0.933333
3144A	041	7415	0.17	1612	10	85	140	4	24	14	29660	28048	NC-1	40	density-lim	800	true		0.75	9	0.375	0	0	22245	20633	20633	0.75
3144A	051	7473	0.17	695	9	85	140	4	24	15	29892	29197	NC-1	40	density-lim	800	true		0.75	9	0.375	0	0	22419	21724	21724	0.75
3144B	015	1979	0.05	3349	2	65	100	3	5	3	5937	2588	NC-1	40	density-lim	800			0.75	2	0.400000006	0	0	5937	2588	2588	1
3145	049	3112	0.07	2128	4	85	140	4	10	6	12448	10320	NC-1	40	density-lim	800			0.75	4	0.400000006	0	0	9336	7208	7208	0.75
3144B	034	2357	0.05	3160	3	65	100	3	5	2	7071	3911	NC-1	40	density-lim	800			0.75	3	0.600000024	0	0	7071	3911	3911	1
3144B	035	2544	0.06	4883	3	65	100	3	6	3	7632	2749	NC-1	40	density-lim	800	true		0.75	3	0.5	0	0	7632	2749	2749	1
3147	030	7500	0.17	21000	21	55	80	2.5	14	0	18750	0	NCD-EXCE	40	density-lim	600	true		0.75	13	0.928571403	0	0	22500	1500	1500	1.2
3148	006	2500	0.06	4875	5	55	80	2.5	5	0	6250	1375	NCD-EXCE	40	density-lim	600	true		0.75	4	0.800000012	0	0	7500	2625	2625	1.2
3202	001	3118	0.07	4010	5	65	100	3	7	2	9354	5344	RH-1	40	density-lim	3000			0.7	4	0.571428597	0	0	8730.399414	4720.399414	4720.399414	0.933333
3207	010	3117	0.07	3645	5	55	80	2.5	6	1	7792	4147	NCD-EXCE	65	density-lim	600			0.75	5	0.833333313	0	0	14026.5	10381.5	10381.5	1.800115
3207	028	12224	0.28	3444	20	55	80	2.5	22	2	30560	27116	NCD-EXCE	65	density-lim	600	true		0.75	20	0.909090936	0	0	55008	51564	51564	1.8
3211	007D	1601	0.04	2000	2	65	100	3	4	2	4803	2803	NC-1	40	density-lim	800	true		0.75	2	0.5	0	0	4803	2803	2803	1
3211	008	1701	0.04	1351	2	65	100	3	4	2	5103	3752	NC-1	40	density-lim	800			0.75	2	0.5	0	0	5103	3752	3752	1
3211	009	4065	0.09	12058	5	65	100	3	9	4	12195	137	NC-1	40	density-lim	800			0.75	5	0.555555582	0	0	12195	137	137	1
3211	017A	9766	0.22	5738	4	65	100	3	22	18	29298	23560	RH-1	40	density-lim	3000			0.7	4	0.181818187	0	0	27344.79883	21606.79883	21606.79883	0.933333
3211	038	4318	0.1	10085	10	65	100	3	10	0	12954	2869	NC-1	40	density-lim	800			0.75	5	0.5	0	0	12954	2869	2869	1
3211	039	2353	0.05	3732	4	65	100	3	5	1	7059	3327	NC-1	40	density-lim	800	true		0.75	3	0.600000024	0	0	7059	3327	3327	1
3211	040	1778	0.04	3228	3	65	100	3	4	1	5334	2106	NC-1	40	density-lim	800			0.75	2	0.5	0	0	5334	2106	2106	1
3211	057	4510	0.1	9790	6	65	100	3	10	4	13530	3740	NC-1	40	density-lim	800			0.75	6	0.600000024	0	0	13530	3740	3740	1
3212	022	3384	0.08	5286	8	75	120	3.5	10	2	11844	6558	RH-1	40	density-lim	3000	true		0.7	6	0.600000024	0	0	9475.200195	4189.200195	4189.200195	0.8
3502	021	1875	0.04	3650	4	65	100	3	4	0	5625	1975	RTO-1	50	density-lim	600	true		0.7	3	0.75	0	0	6562.5	2912.5	2912.5	1.166667
3502	024	3750	0.09	9240	23	65	100	3	9	0	11250	2010	RTO-1	50	form-based			true	0.7	10	1.111111164	0	0	13125	3885	3885	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3502	026	3000	0.07	8100	11	65	100	3	7	0	9000	900	RTO-1	50	form-based		true	true	0.7	8	1.142857194	0	0	10500	2400	2400	1.166667
3502	047	1338	0.03	3270	6	85	140	4	4	0	5352	2082	RTO-1	50	form-based		true	true	0.7	4	1	0	0	4683	1413	1413	0.875
3502	055	2600	0.06	6543	8	65	100	3	6	0	7800	1257	RTO-1	50	form-based			true	0.7	7	1.166666627	0	0	9100	2557	2557	1.166667
3502	059	2160	0.05	4683	6	65	100	3	5	0	6480	1797	RTO-1	50	form-based			true	0.7	6	1.200000048	0	0	7560	2877	2877	1.166667
3502	061	2000	0.05	4065	6	65	100	3	5	0	6000	1935	RTO-1	50	form-based			true	0.7	6	1.200000048	0	0	7000	2935	2935	1.166667
3502	063	2320	0.05	5541	13	65	100	3	5	0	6960	1419	RTO-1	50	form-based			true	0.7	6	1.200000048	0	0	8120	2579	2579	1.166667
3502	066	2000	0.05	5755	6	65	100	3	5	0	6000	245	RTO-1	50	form-based			true	0.7	6	1.200000048	0	0	7000	1245	1245	1.166667
3502	084	3334	0.08	8422	13	65	100	3	8	0	10002	1580	RTO-1	50	form-based			true	0.7	9	1.125	0	0	11669	3247	3247	1.166667
3502	086	1667	0.04	4290	6	65	100	3	4	0	5001	711	RTO-1	50	form-based			true	0.7	5	1.25	0	0	5834.5	1544.5	1544.5	1.166667
3502	106	3810	0.09	10260	15	65	100	3	9	0	11430	1170	RTO-1	50	form-based		true	true	0.7	11	1.222222209	0	0	13335	3075	3075	1.166667
3502	107	4041	0.09	7050	11	65	100	3	9	0	12123	5073	RTO-1	50	form-based		true	true	0.7	11	1.222222209	0	0	14143.5	7093.5	7093.5	1.166667
3502	134	3190	0.07	4925	23	65	100	3	7	0	9570	4645	RTO-1	50	form-based			true	0.7	9	1.285714269	0	0	11165	6240	6240	1.166667
3502	149	9018	0.21	662	29	65	100	3	21	0	27054	26392	NCT-3	50	form-based		true		0.75	27	1.285714269	0	0	33817.5	33155.5	33155.5	1.25
3504	001	9111	0.21	41544	72	85	140	4	29	0	36444	0	NCT-3	85	form-based		true		0.75	48	1.655172467	0	0	54666	13122	13122	1.5
3505	041	2503	0.06	758	6	65	100	3	6	0	7509	6751	NCT-3	40	form-based				0.75	6	1	0	0	7509	6751	6751	1
3505	054	4084	0.09	2105	24	65	100	3	9	0	12252	10147	NCT-3	50	form-based				0.75	12	1.333333373	0	0	15315	13210	13210	1.25
3505	083	32	0	0	0	65	100	3	0	0	96	96	C-3-G	85	form-based				0.8	0		0	0	204.8000031	204.8000031	192	2.133333
3505	084	35925	0.82	291522	418	65	100	3	82	0	107775	0	C-3-G	250	form-based		true		0.8	387	4.719511986	0	0	386606.25	95084.25	0	3.587161
3505	516	58894	1.35	170420	544	65	100	3	135	0	176682	6262	NCT-3	140	form-based		true	true	0.55	293	2.17037034	0	0	292741.9063	122321.9063	122321.9063	1.656886
3507	821	24546	0.56	420	422	85	140	4	78	0	98184	97764	C-3-G	200	form-based		true		0.8	267	3.423076868	0	0	266866.5	266446.5	195948	2.718024
3507A	001	24546	0.56	420	422	85	140	4	78	0	98184	97764	C-3-G	200	form-based		true		0.8	267	3.423076868	0	0	266866.5	266446.5	195948	2.718024
3508	054	12880	0.3	83813	243	85	140	4	42	0	51520	0	C-3-G	120	form-based		true		0.8	110	2.619047642	0	0	109620	25807	19227	2.127717
3509	043	9230	0.21	93594	160	85	140	4	29	0	36920	0	C-3-S	120	form-based		true		0.8	83	2.862068892	0	0	83070	0	0	2.25
3509	044	2833	0.07	5600	25	75	120	3.5	8	0	9916	4316	RED-MX	45	form-based				0.75	6	0.75	0	0	8499	2899	2899	0.8571
3509	071	1511	0.03	1119	4	65	100	3	3	0	4533	3414	RED-MX	45	form-based				0.75	3	1	0	0	4533	3414	3414	1
3509	078	2699	0.06	5747	22	75	120	3.5	7	0	9446	3699	RED-MX	45	form-based				0.75	6	0.857142866	0	0	8097	2350	2350	0.857188
3510	001	11274	0.26	138512	121	85	140	4	36	0	45096	0	C-3-G	130	form-based		true		0.8	101	2.805555582	0	0	101466	0	0	2.25
3510	008	3998	0.09	8604	12	65	100	3	9	0	11994	3390	RCD	55	form-based				0.75	12	1.333333373	0	0	14992.5	6388.5	6388.5	1.25
3510	028	1877	0.04	4070	6	65	100	3	4	0	5631	1561	RED-MX	45	form-based				0.75	4	1	0	0	5631	1561	1561	1
3510	034	1875	0.04	2388	4	65	100	3	4	0	5625	3237	RED-MX	45	form-based				0.75	4	1	0	0	5625	3237	3237	1
3510	061	3744	0.09	717	8	65	100	3	9	1	11232	10515	RED-MX	45	form-based				0.75	8	0.888888896	0	0	11232	10515	10515	1
3510	069	1875	0.04	850	4	65	100	3	4	0	5625	4775	RED-MX	45	form-based				0.75	4	1	0	0	5625	4775	4775	1
3510	201	11651	0.27	25294	49	65	100	3	27	0	34953	9659	RED-MX	45	form-based				0.75	26	0.962962985	0	0	34953	9659	9659	1
3511	018	2891	0.07	7764	34	65	100	3	7	0	8673	909	WMUG	85	form-based		true	true	0.75	15	2.142857075	0	0	17346	9582	9582	2
3511	044	2326	0.05	4680	6	65	100	3	5	0	6978	2298	RED	40	form-based				0.75	5	1	0	0	6978	2298	2298	1
3511	048	2105	0.05	4740	6	65	100	3	5	0	6315	1575	RED	40	form-based				0.75	5	1	0	0	6315	1575	1575	1
3511	066	5144	0.12	10497	16	65	100	3	12	0	15432	4935	RED	40	form-based		true		0.75	12	1	0	0	15432	4935	4935	1
3511	068	664	0.02	492	5	65	100	3	2	0	1992	1500	RED	40	form-based				0.75	1	0.5	0	0	1992	1500	1500	1
3511	069	657	0.02	492	1	65	100	3	2	1	1971	1479	RED	40	form-based				0.75	1	0.5	0	0	1971	1479	1479	1
3511	094	3719	0.09	1067	8	65	100	3	9	1	11157	10090	RED	40	form-based				0.75	8	0.888888896	0	0	11157	10090	10090	1
3511	111	3921	0.09	1260	12	65	100	3	9	0	11763	10503	RED	40	form-based				0.75	9	1	0	0	11763	10503	10503	1
3511	128	2125	0.05	1468	6	65	100	3	5	0	6375	4907	RED	40	form-based				0.75	5	1	0	0	6375	4907	4907	1
3511	187	2004	0.05	5334	15	65	100	3	5	0	6012	678	WMUG	85	form-based			true	0.75	11	2.200000048	0	0	12024	6690	6690	2
3513	022	2000	0.05	22622	8	65	100	3	5	0	6000	0	NCT-3	50	form-based		true		0.75	6	1.200000048	0	0	7500	0	0	1.25
3513	030	2430	0.06	5907	6	65	100	3	6	0	7290	1383	NCT-3	40	form-based				0.75	5	0.833333313	0	0	7290	1383	1383	1
3513	044	1938	0.04	2772	4	65	100	3	4	0	5814	3042	NCT-3	40	form-based				0.75	4	1	0	0	5814	3042	3042	1
3513	047	2170	0.05	4882	8	65	100	3	5	0	6510	1628	NCT-3	40	form-based				0.75	5	1	0	0	6510	1628	1628	1
3513	196	2475	0.06	925	6	65	100	3	6	0	7425	6500	NCT-3	40	form-based				0.75	6	1	0	0	7425	6500	6500	1
3513	208	6770	0.16	92505	76	65	100	3	16	0	20310	0	C-3-G	160	form-based			true	0.8	61	3.8125	0	0	60930	0	0	3
3516	005	3840	0.09	12894	15	65	100	3	9	0	11520	0	RED	40	form-based		true		0.75	9	1	0	0	11520	0	0	1
3516	069	3311	0.08	4098	7	65	100	3	8	1	9933	5835	RED	40	form-based				0.75	7	0.875	0	0	9933	5835	5835	1
3516	070	6803	0.16	12900	24	65	100	3	16	0	20409	7509	RED	40	form-based		true		0.75	15	0.9375	0	0	20409	7509	7509	1
3518	011	5006	0.11	12728	24	65	100	3	11	0	15018	2290	RCD	55	form-based				0.75	15	1.363636374	0	0	18772.5	6044.5	6044.5	1.25
3518	042	6375	0.15	4680	14	65	100	3	15	1	19125	14445	RED-MX	45	form-based				0.75	14	0.933333337	0	0	19125	14445	14445	1
3518	045	25405	0.58	79152	98	65	100	3	58	0	76215	0	RED-MX	65	form-based		true		0.75	95	1.637930989	0	0	114322.5	35170.5	35170.5	1.5
3518	046	8500	0.2	485	42	65	100	3	20	0	25500	25015	RED-MX	45	form-based				0.75	19	0.949999988	0	0	25500	25015	25015	1
3518	088	20372	0.47	88757	135	65	100	3	47	0	61116	0	NCT-FOLSO	65	form-based		true		0.75	76	1.617021322	0	0	91674	2917	2917	1.5
3518	101	5104	0.12	2729	15	65	100	3	12	0	15312	12583	RCD	55	form-based				0.75	15	1.25	0	0	19140	16411	16411	1.25
3518	119	8924	0.2	5496	28	65	100	3	20	0	26772	21276	RCD	55	form-based				0.75	27	1.350000024	0	0	33465	27969	27969	1.25
3519	035A	2521	0.06	4272	6	65	100	3	6	0	7563	3291	RED	40	form-based				0.75	6	1	0	0	7563	3291	3291	1
3519	062	2318	0.05	4380	6	65	100	3	5	0	6954	2574	RED	40	form-based				0.75	5	1	0	0	6954	2574	2574	1
3519	088	2521	0.06	762	6	65	100	3	6	0	7563	6801	RED	40	form-based				0.75	6	1	0	0	7563	6801	6801	1
3519	106	5700	0.13	30407	53	65	100	3	13	0	17100	0	NCT-FOLSO	65	form-based		true		0.75	21	1.615384579	0	0	25650	0	0	1.5
3521	095	24874	0.57	220000	200	65	100	3	57	0	74622	0	WMUG	85	form-based			true	0.75	131	2.298245668	0	0	149244	0	0	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3521	298	22712	0.52	149600	136	65	100	3	52	0	68136	0	WMUG	85	form-based		true	true	0.75	119	2.288461447	0	0	136272	0	0	2
3522	004	1395	0.03	5526	10	65	100	3	3	0	4185	0	RED-MX	45	form-based		true		0.75	3	1	0	0	4185	0	0	1
3522	044	3539	0.08	5436	9	65	100	3	8	0	10617	5181	RED	40	form-based				0.75	8	1	0	0	10617	5181	5181	1
3522	048	1834	0.04	2928	4	65	100	3	4	0	5502	2574	RED	40	form-based				0.75	4	1	0	0	5502	2574	2574	1
3522	065	3861	0.09	7608	12	65	100	3	9	0	11583	3975	RED	40	form-based				0.75	9	1	0	0	11583	3975	3975	1
3522	077	1924	0.04	3078	16	65	100	3	4	0	5772	2694	RED-MX	45	form-based				0.75	4	1	0	0	5772	2694	2694	1
3522	079	1774	0.04	943	4	65	100	3	4	0	5322	4379	RED	40	form-based				0.75	4	1	0	0	5322	4379	4379	1
3522	086	5719	0.13	1445	16	65	100	3	13	0	17157	15712	RED-MX	45	form-based		true		0.75	13	1	0	0	17157	15712	15712	1
3522	102	1816	0.04	975	4	65	100	3	4	0	5448	4473	RED-MX	45	form-based				0.75	4	1	0	0	5448	4473	4473	1
3522	106	2512	0.06	788	8	65	100	3	6	0	7536	6748	RED	40	form-based				0.75	6	1	0	0	7536	6748	6748	1
3525	074	1205	0.03	3150	3	55	80	2.5	2	0	3012	0	RED-MX	45	form-based		true		0.75	3	1.5	0	0	3615	465	465	1.200199
3525	074A	1735	0.04	5118	6	55	80	2.5	3	0	4338	0	RED	40	form-based				0.75	4	1.333333373	0	0	5205	87	87	1.199862
3526	005	4974	0.11	15954	12	55	80	2.5	9	0	12435	0	UMU	48	form-based				0.75	11	1.222222209	0	0	14922	0	0	1.2
3532	063	1750	0.04	2200	2	65	100	3	4	2	5250	3050	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4900	2700	2700	0.933333
3532	006	2500	0.06	5190	10	65	100	3	6	0	7500	2310	UMU	68	form-based				0.75	9	1.5	0	0	11250	6060	6060	1.5
3532	008	4577	0.11	11333	27	65	100	3	11	0	13731	2398	UMU	68	form-based				0.75	17	1.545454502	0	0	20596.5	9263.5	9263.5	1.5
3532	009	2250	0.05	5970	9	65	100	3	5	0	6750	780	UMU	68	form-based				0.75	8	1.600000024	0	0	10125	4155	4155	1.5
3532	019B	9095	0.21	9210	40	65	100	3	21	0	27285	18075	NCT-3	50	form-based		true		0.75	27	1.285714269	0	0	34106.25	24896.25	24896.25	1.25
3532	043	2279	0.05	4770	6	65	100	3	5	0	6837	2067	RM-1	40	density-lim	800			0.7	3	0.600000024	0	0	6381.199707	1611.199707	1611.199707	0.933333
3532	044	1779	0.04	2482	2	65	100	3	4	2	5337	2855	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4981.199707	2499.199707	2499.199707	0.933333
3532	049	1654	0.04	2760	3	65	100	3	4	1	4962	2202	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4631.199707	1871.199707	1871.199707	0.933333
3532	050	1654	0.04	2970	6	65	100	3	4	0	4962	1992	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4631.199707	1661.199707	1661.199707	0.933333
3532	051	1654	0.04	4514	6	65	100	3	4	0	4962	448	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4631.199707	117.199707	117.199707	0.933333
3532	052	1654	0.04	3370	3	65	100	3	4	1	4962	1592	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4631.199707	1261.199707	1261.199707	0.933333
3532	053	1654	0.04	3876	3	65	100	3	4	1	4962	1086	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4631.199707	755.199707	755.199707	0.933333
3532	055	1588	0.04	2582	2	75	120	3.5	5	3	5558	2976	RM-1	40	density-lim	800			0.7	2	0.400000006	0	0	4446.399902	1864.399902	1864.399902	0.8
3532	056	1750	0.04	4004	6	75	120	3.5	5	0	6125	2121	RM-1	40	density-lim	800			0.7	2	0.400000006	0	0	4900	896	896	0.8
3532	056A	1750	0.04	4004	6	75	120	3.5	5	0	6125	2121	RM-1	40	density-lim	800			0.7	2	0.400000006	0	0	4900	896	896	0.8
3532	057	1750	0.04	2554	4	65	100	3	4	0	5250	2696	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4900	2346	2346	0.933333
3532	058	1680	0.04	2440	4	65	100	3	4	0	5040	2600	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4704	2264	2264	0.933333
3532	059	1820	0.04	4163	6	65	100	3	4	0	5460	1297	RM-1	40	density-lim	800			0.7	2	0.5	0	0	5096	933	933	0.933333
3532	060	3983	0.09	8280	9	65	100	3	9	0	11949	3669	RM-1	40	density-lim	800			0.7	5	0.555555582	0	0	11152.39941	2872.399414	2872.399414	0.933333
3532	061	1587	0.04	2066	3	65	100	3	4	1	4761	2695	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4443.600098	2377.600098	2377.600098	0.933333
3532	062	1750	0.04	3474	3	65	100	3	4	1	5250	1776	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4900	1426	1426	0.933333
3532	064	3407	0.08	11746	53	65	100	3	8	0	10221	0	RM-1	40	density-lim	800			0.7	4	0.5	0	0	9539.599609	0	0	0.933333
3532	065	1750	0.04	4200	3	65	100	3	4	1	5250	1050	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4900	700	700	0.933333
3532	065A	1750	0.04	4200	3	65	100	3	4	1	5250	1050	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4900	700	700	0.933333
3532	093	1750	0.04	1639	2	65	100	3	4	2	5250	3611	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4900	3261	3261	0.933333
3532	101	11075	0.25	532	40	75	120	3.5	30	0	38762	38230	NCT-3	50	form-based		true		0.75	33	1.100000024	0	0	41531.25	40999.25	40999.25	1.071442
3532	140	1654	0.04	1264	3	65	100	3	4	1	4962	3698	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4631.199707	3367.199707	3367.199707	0.933333
3532	143	1654	0.04	4673	3	65	100	3	4	1	4962	289	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4631.199707	0	0	0.933333
3533	001	2875	0.07	9212	10	65	100	3	7	0	8625	0	NCT-3	50	form-based		true		0.75	9	1.285714269	0	0	10781.25	1569.25	1569.25	1.25
3533	002	2291	0.05	7752	7	65	100	3	5	0	6873	0	NCT-3	50	form-based				0.75	7	1.399999976	0	0	8591.25	839.25	839.25	1.25
3533	010	6989	0.16	28600	37	65	100	3	16	0	20967	0	NCT-3	50	form-based		true		0.75	21	1.3125	0	0	26208.75	0	0	1.25
3533	011	2625	0.06	6860	11	65	100	3	6	0	7875	1015	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	7350	490	490	0.933333
3533	015	2625	0.06	3461	5	65	100	3	6	1	7875	4414	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	7350	3889	3889	0.933333
3533	018	2625	0.06	4693	4	65	100	3	6	2	7875	3182	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	7350	2657	2657	0.933333
3533	020	2625	0.06	5475	9	65	100	3	6	0	7875	2400	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	7350	1875	1875	0.933333
3533	021	2418	0.06	5642	11	65	100	3	6	0	7254	1612	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	6770.399902	1128.399902	1128.399902	0.933333
3533	022	3219	0.07	7800	24	65	100	3	7	0	9657	1857	RTO-1	40	density-lim	600			0.7	5	0.714285731	0	0	9013.200195	1213.200195	1213.200195	0.933333
3533	023	3223	0.07	7800	12	65	100	3	7	0	9669	1869	RTO-1	40	density-lim	600			0.7	5	0.714285731	0	0	9024.399414	1224.399414	1224.399414	0.933333
3533	028	2100	0.05	4108	5	65	100	3	5	0	6300	2192	RTO-1	40	form-based			true	0.7	4	0.800000012	0	0	5880	1772	1772	0.933333
3533	031	2296	0.05	3656	4	65	100	3	5	1	6888	3232	RTO-1	40	density-lim	600			0.7	4	0.800000012	0	0	6428.799805	2772.799805	2772.799805	0.933333
3533	034	1473	0.03	1480	3	65	100	3	3	0	4419	2939	RTO-1	40	density-lim	600			0.7	2	0.666666687	0	0	4124.399902	2644.399902	2644.399902	0.933333
3533	037	44745	1.03	88402	110	65	100	3	103	0	134235	45833	RTO-1	40	form-based		true	true	0.55	74	0.718446612	0	0	98439	10037	10037	0.733333
3533	040	2204	0.05	5220	6	65	100	3	5	0	6612	1392	RTO-1	40	density-lim	600			0.7	4	0.800000012	0	0	6171.199707	951.199707	951.199707	0.933333
3533	041	2204	0.05	6471	6	65	100	3	5	0	6612	141	RTO-1	40	density-lim	600			0.7	4	0.800000012	0	0	6171.199707	0	0	0.933333
3533	042	2203	0.05	6068	10	65	100	3	5	0	6609	541	RTO-1	40	density-lim	600			0.7	4	0.800000012	0	0	6168.399902	100.3999023	100.3999023	0.933333
3533	043	2202	0.05	4632	6	65	100	3	5	0	6606	1974	RTO-1	40	density-lim	600			0.7	4	0.800000012	0	0	6165.600098	1533.600098	1533.600098	0.933333
3533	044	2064	0.05	6985	9	65	100	3	5	0	6192	0	RTO-1	40	density-lim	600			0.7	3	0.600000024	0	0	5779.199707	0	0	0.933333
3533	044A	1209	0.03	2060	2	65	100	3	3	1	3627	1567	RTO-1	40	density-lim	600			0.7	2	0.666666687	0	0	3385.199951	1325.199951	1325.199951	0.933333
3533	050	2000	0.05	3396	6	65	100	3	5	0	6000	2604	RTO-1	50	form-based			true	0.7	6	1.200000048	0	0	7000	3604	3604	1.166667
3533	051	1106	0.03	2016	2	65	100	3	3	1	3318	1302	RTO-1	40	form-based		true	true	0.7	2	0.666666687	0	0	3096.800049	1080.800049	1080.800049	0.933333
3533	052	1890	0.04	4911	9	65	100	3	4	0	5670	759	RTO-1	50	form-based			true	0.7	5	1.25	0	0	6615	1704	1704	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3533	057	2410	0.06	5895	9	65	100	3	6	0	7230	1335	RTO-1	50	form-based			true	0.7	7	1.166666627	0	0	8435	2540	2540	1.166667
3533	061	2764	0.06	7471	14	65	100	3	6	0	8292	821	RTO-1	50	form-based			true	0.7	8	1.333333373	0	0	9674	2203	2203	1.166667
3533	063	2848	0.07	4222	8	65	100	3	7	0	8544	4322	RTO-1	50	density-lim	600			0.7	5	0.714285731	0	0	9968	5746	5746	1.166667
3533	065	2250	0.05	3836	4	65	100	3	5	1	6750	2914	RTO-1	50	density-lim	600			0.7	4	0.800000012	0	0	7875	4039	4039	1.166667
3533	066	3000	0.07	3476	6	65	100	3	7	1	9000	5524	RTO-1	50	density-lim	600			0.7	5	0.714285731	0	0	10500	7024	7024	1.166667
3533	067	3000	0.07	7542	6	65	100	3	7	1	9000	1458	RTO-1	50	density-lim	600			0.7	5	0.714285731	0	0	10500	2958	2958	1.166667
3533	068	3000	0.07	7125	6	65	100	3	7	1	9000	1875	RTO-1	50	density-lim	600			0.7	5	0.714285731	0	0	10500	3375	3375	1.166667
3533	070	2475	0.06	5291	6	65	100	3	6	0	7425	2134	RTO-1	50	density-lim	600			0.7	4	0.666666687	0	0	8662.5	3371.5	3371.5	1.166667
3533	070A	2475	0.06	5291	6	65	100	3	6	0	7425	2134	RTO-1	50	density-lim	600			0.7	4	0.666666687	0	0	8662.5	3371.5	3371.5	1.166667
3533	073	5143	0.12	9390	12	65	100	3	12	0	15429	6039	RTO-1	40	density-lim	600			0.7	9	0.75	0	0	14400.39941	5010.399414	5010.399414	0.933333
3533	074	4029	0.09	9264	14	65	100	3	9	0	12087	2823	RTO-1	40	density-lim	600			0.7	7	0.777777791	0	0	11281.2002	2017.200195	2017.200195	0.933333
3533	076	2625	0.06	753	6	65	100	3	6	0	7875	7122	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	7350	6597	6597	0.933333
3533	082	1875	0.04	1173	3	65	100	3	4	1	5625	4452	RTO-1	40	density-lim	600			0.7	3	0.75	0	0	5250	4077	4077	0.933333
3533	136	9577	0.22	1039	52	65	100	3	22	0	28731	27692	NCT-3	50	form-based				0.75	29	1.318181872	0	0	35913.75	34874.75	34874.75	1.25
3533	167	1940	0.04	630	4	65	100	3	4	0	5820	5190	RTO-1	40	density-lim	600			0.7	3	0.75	0	0	5432	4802	4802	0.933333
3533	171	2625	0.06	1360	4	65	100	3	6	2	7875	6515	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	7350	5990	5990	0.933333
3533	187	2625	0.06	620	4	65	100	3	6	2	7875	7255	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	7350	6730	6730	0.933333
3533	191	1875	0.04	615	4	65	100	3	4	0	5625	5010	RTO-1	40	density-lim	600			0.7	3	0.75	0	0	5250	4635	4635	0.933333
3533	204	2296	0.05	1526	15	65	100	3	5	0	6888	5362	RTO-1	40	density-lim	600			0.7	4	0.800000012	0	0	6428.799805	4902.799805	4902.799805	0.933333
3533	207	2000	0.05	1080	3	65	100	3	5	2	6000	4920	RTO-1	40	density-lim	600			0.7	3	0.600000024	0	0	5600	4520	4520	0.933333
3534	002	5850	0.13	11739	17	65	100	3	13	0	17550	5811	RTO-1	50	form-based			true	0.7	16	1.230769277	0	0	20475	8736	8736	1.166667
3534	006	2554	0.06	7164	12	65	100	3	6	0	7662	498	RTO-1	50	form-based		true	true	0.7	7	1.166666627	0	0	8939	1775	1775	1.166667
3534	012	1712	0.04	3819	7	65	100	3	4	0	5136	1317	RTO-1	40	form-based			true	0.7	4	1	0	0	4793.600098	974.6000977	974.6000977	0.933333
3534	017	5647	0.13	12846	12	65	100	3	13	1	16941	4095	RTO-1	40	form-based			true	0.7	12	0.923076928	0	0	15811.59961	2965.599609	2965.599609	0.933333
3534	017A	5050	0.12	11010	16	65	100	3	12	0	15150	4140	RTO-1	40	form-based		true	true	0.7	11	0.916666687	0	0	14140	3130	3130	0.933333
3534	017E	4085	0.09	8328	9	65	100	3	9	0	12255	3927	RTO-1	40	form-based			true	0.7	9	1	0	0	11438	3110	3110	0.933333
3534	027	5434	0.12	23025	30	65	100	3	12	0	16302	0	RTO-1	85	form-based		true	true	0.7	27	2.25	0	0	30430.40039	7405.400391	7405.400391	1.866667
3534	034	1801	0.04	4822	9	65	100	3	4	0	5403	581	RTO-1	50	form-based			true	0.7	5	1.25	0	0	6303.5	1481.5	1481.5	1.166667
3534	036	1803	0.04	5634	7	65	100	3	4	0	5409	0	RTO-1	50	form-based			true	0.7	5	1.25	0	0	6310.5	676.5	676.5	1.166667
3534	063	2543	0.06	4140	12	65	100	3	6	0	7629	3489	RTO-1	50	form-based			true	0.7	7	1.166666627	0	0	8900.5	4760.5	4760.5	1.166667
3534	067	3135	0.07	6327	12	65	100	3	7	0	9405	3078	RTO-1	50	form-based			true	0.7	9	1.285714269	0	0	10972.5	4645.5	4645.5	1.166667
3534	095	1800	0.04	547	6	65	100	3	4	0	5400	4853	RTO-1	50	form-based			true	0.7	5	1.25	0	0	6300	5753	5753	1.166667
3537	025	5042	0.12	13873	18	65	100	3	12	0	15126	1253	RTO-1	50	form-based		true	true	0.7	14	1.166666627	0	0	17647	3774	3774	1.166667
3538	011	3249	0.07	6447	12	65	100	3	7	0	9747	3300	RTO-1	40	form-based			true	0.7	7	1	0	0	9097.200195	2650.200195	2650.200195	0.933333
3538	017	3249	0.07	4733	17	65	100	3	7	0	9747	5014	RTO-1	40	form-based			true	0.7	7	1	0	0	9097.200195	4364.200195	4364.200195	0.933333
3538	022	2700	0.06	4698	6	65	100	3	6	0	8100	3402	RTO-1	40	form-based			true	0.7	6	1	0	0	7560	2862	2862	0.933333
3538	026	2281	0.05	7143	8	65	100	3	5	0	6843	0	RTO-1	40	form-based		true	true	0.7	5	1	0	0	6386.799805	0	0	0.933333
3538	026A	2350	0.05	6102	6	65	100	3	5	0	7050	948	RTO-1	40	form-based			true	0.7	5	1	0	0	6580	478	478	0.933333
3538	027	2904	0.07	8160	9	65	100	3	7	0	8712	552	RTO-1	40	form-based		true	true	0.7	6	0.857142866	0	0	8131.199707	0	0	0.933333
3538	028	2420	0.06	5745	6	65	100	3	6	0	7260	1515	RTO-1	40	form-based			true	0.7	5	0.833333313	0	0	6776	1031	1031	0.933333
3538	029	2420	0.06	5745	6	65	100	3	6	0	7260	1515	RTO-1	40	form-based			true	0.7	5	0.833333313	0	0	6776	1031	1031	0.933333
3538	030	8311	0.19	11799	29	65	100	3	19	0	24933	13134	RTO-1	40	form-based			true	0.7	17	0.894736826	0	0	23270.79883	11471.79883	11471.79883	0.933333
3538	083	3125	0.07	3074	10	65	100	3	7	0	9375	6301	RTO-1	40	form-based			true	0.7	7	1	0	0	8750	5676	5676	0.933333
3538	098	2999	0.07	8730	7	65	100	3	7	0	8997	267	RTO-1	40	form-based		true	true	0.7	6	0.857142866	0	0	8397.200195	0	0	0.933333
3538	162	2200	0.05	4012	5	65	100	3	5	0	6600	2588	RTO-1	40	form-based			true	0.7	5	1	0	0	6160	2148	2148	0.933333
3540	003	3737	0.09	6822	8	65	100	3	9	1	11211	4389	RM-1	40	form-based			true	0.7	8	0.888888896	0	0	10463.59961	3641.599609	3641.599609	0.933333
3540	029	2760	0.06	4152	6	65	100	3	6	0	8280	4128	RH-3	40	form-based			true	0.7	6	1	0	0	7728	3576	3576	0.933333
3540	033	2076	0.05	4400	4	65	100	3	5	1	6228	1828	RH-3	40	form-based		true	true	0.7	4	0.800000012	0	0	5812.799805	1412.799805	1412.799805	0.933333
3540	034	1780	0.04	2832	6	65	100	3	4	0	5340	2508	RH-3	40	form-based			true	0.7	4	1	0	0	4984	2152	2152	0.933333
3540	035	2022	0.05	1920	4	65	100	3	5	1	6066	4146	RH-3	40	form-based			true	0.7	4	0.800000012	0	0	5661.600098	3741.600098	3741.600098	0.933333
3540	037	1999	0.05	5520	8	65	100	3	5	0	5997	477	RH-3	40	form-based			true	0.7	4	0.800000012	0	0	5597.199707	77.19970703	77.19970703	0.933333
3540	044	4035	0.09	7398	10	65	100	3	9	0	12105	4707	RH-3	40	form-based			true	0.7	8	0.888888896	0	0	11298	3900	3900	0.933333
3540	051A	2997	0.07	5889	8	65	100	3	7	0	8991	3102	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8391.599609	2502.599609	2502.599609	0.933333
3540	072	1542	0.04	4260	6	65	100	3	4	0	4626	366	RH-3	40	form-based		true	true	0.7	3	0.75	0	0	4317.600098	57.60009766	57.60009766	0.933333
3540	073	1992	0.05	3625	4	65	100	3	5	1	5976	2351	RH-3	40	form-based			true	0.7	4	0.800000012	0	0	5577.600098	1952.600098	1952.600098	0.933333
3540	092	3198	0.07	5643	8	65	100	3	7	0	9594	3951	RH-3	40	form-based		true	true	0.7	7	1	0	0	8954.399414	3311.399414	3311.399414	0.933333
3540	111	1985	0.05	8645	4	65	100	3	5	1	5955	0	RH-3	40	form-based			true	0.7	4	0.800000012	0	0	5558	0	0	0.933333
3540	115	1479	0.03	493	6	65	100	3	3	0	4437	3944	RH-3	40	form-based			true	0.7	3	1	0	0	4141.199707	3648.199707	3648.199707	0.933333
3540	147	1064	0.02	2386	3	65	100	3	2	0	3192	806	RH-3	40	form-based			true	0.7	2	1	0	0	2979.199951	593.1999512	593.1999512	0.933333
3541	001	5808	0.13	14625	18	65	100	3	13	0	17424	2799	RTO-1	50	form-based		true	true	0.7	16	1.230769277	0	0	20328	5703	5703	1.166667
3541	030	2125	0.05	5796	8	65	100	3	5	0	6375	579	RTO-1	40	form-based			true	0.7	4	0.800000012	0	0	5950	154	154	0.933333
3541	081	2871	0.07	5610	9	65	100	3	7	0	8613	3003	RTO-1	50	form-based			true	0.7	8	1.142857194	0	0	10048.5	4438.5	4438.5	1.166667
3542	027	2985	0.07	5050	8	65	100	3	7	0	8955	3905	RTO-1	50	form-based			true	0.7	8	1.142857194	0	0	10447.5	5397.5	5397.5	1.166667
3542	028	6380	0.15	20005	20	65	100	3	15	0	19140	0	RTO-1	50	form-based		true	true	0.7	18	1.200000048	0	0	22330	2325	2325	1.166667

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3542	035A	785	0.02	1324	2	65	100	3	2	0	2355	1031	RTO-1	50	form-based			true	0.7	2	1	0	0	2747.5	1423.5	1423.5	1.166667
3542	037	2016	0.05	5190	6	85	140	4	7	1	8064	2874	RTO-1	50	form-based			true	0.7	6	0.857142866	0	0	7056	1866	1866	0.875
3542	038	1853	0.04	4140	6	85	140	4	6	0	7412	3272	RTO-1	50	form-based			true	0.7	5	0.833333313	0	0	6485.5	2345.5	2345.5	0.875
3542	042	3064	0.07	6675	12	65	100	3	7	0	9192	2517	RTO-1	50	form-based			true	0.7	9	1.285714269	0	0	10724	4049	4049	1.166667
3542	043	3100	0.07	6675	12	65	100	3	7	0	9300	2625	RTO-1	50	form-based			true	0.7	9	1.285714269	0	0	10850	4175	4175	1.166667
3544	014	2297	0.05	3700	6	65	100	3	5	0	6891	3191	RTO-1	50	form-based		true	true	0.7	6	1.200000048	0	0	8039.5	4339.5	4339.5	1.166667
3544	055	2490	0.06	3150	12	65	100	3	6	0	7470	4320	RTO-1	85	form-based			true	0.7	12	2	0	0	13944	10794	10794	1.866667
3545	001	11938	0.27	25995	46	65	100	3	27	0	35814	9819	RTO-1	40	form-based		true	true	0.7	25	0.92592591	0	0	33426.39844	7431.398438	7431.398438	0.933333
3545	008	3296	0.08	4798	6	65	100	3	8	2	9888	5090	RTO-1	40	density-lim	600			0.7	5	0.625	0	0	9228.799805	4430.799805	4430.799805	0.933333
3545	009	3296	0.08	4804	6	65	100	3	8	2	9888	5084	RTO-1	40	density-lim	600			0.7	5	0.625	0	0	9228.799805	4424.799805	4424.799805	0.933333
3545	016	2517	0.06	6390	4	65	100	3	6	2	7551	1161	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	7047.600098	657.6000977	657.6000977	0.933333
3545	018	2120	0.05	5204	4	65	100	3	5	1	6360	1156	RTO-1	40	density-lim	600	true		0.7	4	0.800000012	0	0	5936	732	732	0.933333
3545	018A	900	0.02	2387	2	65	100	3	2	0	2700	313	RTO-1	40	density-lim	600			0.7	2	1	0	0	2520	133	133	0.933333
3545	019	2500	0.06	5160	6	65	100	3	6	0	7500	2340	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	7000	1840	1840	0.933333
3545	023	1860	0.04	4974	6	65	100	3	4	0	5580	606	RTO-1	40	density-lim	600	true		0.7	3	0.75	0	0	5208	234	234	0.933333
3545	025	4533	0.1	6200	8	65	100	3	10	2	13599	7399	RTO-1	40	density-lim	600			0.7	8	0.800000012	0	0	12692.39941	6492.399414	6492.399414	0.933333
3545	026	2767	0.06	7020	12	65	100	3	6	0	8301	1281	RTO-1	40	form-based		true	true	0.7	6	1	0	0	7747.600098	727.6000977	727.6000977	0.933333
3545	027	2250	0.05	5250	5	65	100	3	5	0	6750	1500	RTO-1	40	form-based			true	0.7	5	1	0	0	6300	1050	1050	0.933333
3545	028	2475	0.06	4099	5	65	100	3	6	1	7425	3326	RTO-1	40	form-based			true	0.7	5	0.833333313	0	0	6930	2831	2831	0.933333
3545	029	2839	0.07	5249	8	65	100	3	7	0	8517	3268	RTO-1	40	form-based			true	0.7	6	0.857142866	0	0	7949.199707	2700.199707	2700.199707	0.933333
3545	031	2200	0.05	4896	7	65	100	3	5	0	6600	1704	RTO-1	40	form-based			true	0.7	5	1	0	0	6160	1264	1264	0.933333
3545	032	2200	0.05	4252	5	65	100	3	5	0	6600	2348	RTO-1	40	form-based			true	0.7	5	1	0	0	6160	1908	1908	0.933333
3545	033	2030	0.05	4310	5	65	100	3	5	0	6090	1780	RTO-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5684	1374	1374	0.933333
3545	046	2122	0.05	4386	6	65	100	3	5	0	6366	1980	RTO-1	40	form-based		true	true	0.7	4	0.800000012	0	0	5941.600098	1555.600098	1555.600098	0.933333
3545	047	1983	0.05	5450	7	65	100	3	5	0	5949	499	RTO-1	40	form-based			true	0.7	4	0.800000012	0	0	5552.399902	102.3999023	102.3999023	0.933333
3545	048	1983	0.05	3348	4	65	100	3	5	1	5949	2601	RTO-1	40	form-based			true	0.7	4	0.800000012	0	0	5552.399902	2204.399902	2204.399902	0.933333
3545	053	2564	0.06	6105	7	65	100	3	6	0	7692	1587	RTO-1	50	form-based			true	0.7	7	1.166666627	0	0	8974	2869	2869	1.166667
3545	062	1953	0.04	3390	4	65	100	3	4	0	5859	2469	RTO-1	40	form-based		true	true	0.7	4	1	0	0	5468.399902	2078.399902	2078.399902	0.933333
3545	068	2608	0.06	6525	6	65	100	3	6	0	7824	1299	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	7302.399902	777.3999023	777.3999023	0.933333
3545	069	2625	0.06	4140	4	65	100	3	6	2	7875	3735	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	7350	3210	3210	0.933333
3545	070	1875	0.04	2610	3	65	100	3	4	1	5625	3015	RTO-1	40	density-lim	600			0.7	3	0.75	0	0	5250	2640	2640	0.933333
3545	082	2250	0.05	5445	6	65	100	3	5	0	6750	1305	RTO-1	40	density-lim	600			0.7	4	0.800000012	0	0	6300	855	855	0.933333
3545	083	1875	0.04	2858	4	65	100	3	4	0	5625	2767	RTO-1	40	density-lim	600			0.7	3	0.75	0	0	5250	2392	2392	0.933333
3545	089	1875	0.04	2740	4	65	100	3	4	0	5625	2885	RTO-1	40	density-lim	600			0.7	3	0.75	0	0	5250	2510	2510	0.933333
3545	091	1875	0.04	5052	5	65	100	3	4	0	5625	573	RTO-1	40	density-lim	600			0.7	3	0.75	0	0	5250	198	198	0.933333
3545	092	1875	0.04	3120	4	65	100	3	4	0	5625	2505	RTO-1	40	density-lim	600			0.7	3	0.75	0	0	5250	2130	2130	0.933333
3545	092A	1875	0.04	3633	5	65	100	3	4	0	5625	1992	RTO-1	40	density-lim	600			0.7	3	0.75	0	0	5250	1617	1617	0.933333
3545	094	2625	0.06	4758	6	65	100	3	6	0	7875	3117	RTO-1	40	form-based			true	0.7	6	1	0	0	7350	2592	2592	0.933333
3545	096	2293	0.05	6090	6	65	100	3	5	0	6879	789	RTO-1	40	form-based		true	true	0.7	5	1	0	0	6420.399902	330.3999023	330.3999023	0.933333
3545	097	2467	0.06	3388	4	65	100	3	6	2	7401	4013	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	6907.600098	3519.600098	3519.600098	0.933333
3545	098	2825	0.06	4314	6	65	100	3	6	0	8475	4161	RTO-1	40	density-lim	600			0.7	5	0.833333313	0	0	7910	3596	3596	0.933333
3545	127	2118	0.05	5505	7	65	100	3	5	0	6354	849	RTO-1	40	density-lim	600	true		0.7	4	0.800000012	0	0	5930.399902	425.3999023	425.3999023	0.933333
3546	008	2100	0.05	5670	8	65	100	3	5	0	6300	630	RTO-M	45	form-based		true		0.7	4	0.800000012	0	0	5880	210	210	0.933333
3546	017	3000	0.07	5556	6	65	100	3	7	1	9000	3444	RTO-M	45	form-based				0.7	6	0.857142866	0	0	8400	2844	2844	0.933333
3546	019	2893	0.07	6933	11	65	100	3	7	0	8679	1746	NC-1	45	form-based			true	0.75	7	1	0	0	8679	1746	1746	1
3546	025	3250	0.07	5230	8	65	100	3	7	0	9750	4520	RTO-M	45	form-based				0.7	7	1	0	0	9100	3870	3870	0.933333
3546	053	2400	0.06	1761	5	65	100	3	6	1	7200	5439	RTO-M	45	form-based				0.7	5	0.833333313	0	0	6720	4959	4959	0.933333
3546	056	3250	0.07	591	7	75	120	3.5	8	1	11375	10784	RTO-M	45	form-based				0.7	7	0.875	0	0	9100	8509	8509	0.8
3546	061	1500	0.03	784	5	65	100	3	3	0	4500	3716	RTO-M	45	form-based				0.7	3	1	0	0	4200	3416	3416	0.933333
3547	009	11946	0.27	47300	52	75	120	3.5	32	0	41811	0	NCT-VALEI	55	form-based		true		0.75	36	1.125	0	0	44797.5	0	0	1.071429
3547	018A	7500	0.17	14854	26	75	120	3.5	20	0	26250	11396	NCT-VALEI	55	form-based		true		0.75	23	1.149999976	0	0	28125	13271	13271	1.071429
3547	019	6735	0.15	10636	20	75	120	3.5	18	0	23572	12936	NCT-VALEI	55	form-based		true		0.75	20	1.111111164	0	0	25256.25	14620.25	14620.25	1.071451
3547	054	52075	1.2	225851	202	75	120	3.5	144	0	182262	0	NCT-MISSI	65	form-based		true		0.55	143	0.993055582	0	0	171847.5	0	0	0.94286
3548	021	2115	0.05	4684	6	75	120	3.5	6	0	7402	2718	UMU	58	form-based		true		0.75	6	1	0	0	7931.25	3247.25	3247.25	1.071501
3548	027	1316	0.03	2906	8	75	120	3.5	4	0	4606	1700	UMU	58	form-based		true		0.75	4	1	0	0	4935	2029	2029	1.071429
3548	036	2932	0.07	6870	12	85	140	4	10	0	11728	4858	NCT-MISSI	65	form-based				0.75	11	1.100000024	0	0	13194	6324	6324	1.125
3548	036A	1860	0.04	2916	4	85	140	4	6	2	7440	4524	NCT-MISSI	40	form-based				0.75	4	0.666666687	0	0	5580	2664	2664	0.75
3548	038	17966	0.41	45945	126	85	140	4	57	0	71864	25919	NCT-MISSI	65	form-based				0.75	67	1.175438643	0	0	80847	34902	34902	1.125
3548	040	3518	0.08	10200	22	85	140	4	11	0	14072	3872	RTO-M	55	form-based				0.7	10	0.909090936	0	0	12313	2113	2113	0.875
3548	041	2111	0.05	6188	6	75	120	3.5	6	0	7388	1200	RTO-M	55	form-based		true		0.7	6	1	0	0	7388.5	1200.5	1200.5	1.000068
3548	045	3954	0.09	8508	9	75	120	3.5	11	2	13839	5331	RTO-M	40	form-based				0.7	8	0.727272749	0	0	11071.2002	2563.200195	2563.200195	0.8
3548	047	1973	0.05	3150	4	75	120	3.5	6	2	6906	3756	RTO-M	40	form-based				0.7	4	0.666666687	0	0	5524.399902	2374.399902	2374.399902	0.799942
3548	053	3947	0.09	8850	9	75	120	3.5	11	2	13814	4964	RTO-M	40	form-based				0.7	8	0.727272749	0	0	11051.59961	2201.599609	2201.599609	0.800029
3548	060	2000	0.05	5110	6	75	120	3.5	6	0	7000	1890	RTO-M	40	form-based				0.7	4	0.666666687	0	0	5600	490	490	0.8

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3548	061	2000	0.05	2304	4	75	120	3.5	6	2	7000	4696	RTO-M	40	form-based				0.7	4	0.666666687	0	0	5600	3296	3296	0.8
3548	070	2000	0.05	3272	4	75	120	3.5	6	2	7000	3728	RTO-M	40	form-based				0.7	4	0.666666687	0	0	5600	2328	2328	0.8
3548	071	2000	0.05	3947	7	75	120	3.5	6	0	7000	3053	RTO-M	40	form-based				0.7	4	0.666666687	0	0	5600	1653	1653	0.8
3548	072	2008	0.05	3947	5	75	120	3.5	6	1	7028	3081	RTO-M	40	form-based				0.7	4	0.666666687	0	0	5622.399902	1675.399902	1675.399902	0.8
3548	077	1919	0.04	2978	5	75	120	3.5	5	0	6716	3738	RTO-M	40	form-based				0.7	4	0.800000012	0	0	5373.199707	2395.199707	2395.199707	0.800059
3548	079	1919	0.04	2194	5	75	120	3.5	5	0	6716	4522	RTO-M	40	form-based				0.7	4	0.800000012	0	0	5373.199707	3179.199707	3179.199707	0.800059
3548	088	1924	0.04	4935	15	75	120	3.5	5	0	6734	1799	UMU	58	form-based				0.75	6	1.200000048	0	0	7215	2280	2280	1.071429
3548	124	2000	0.05	3665	5	75	120	3.5	6	1	7000	3335	UMU	48	form-based				0.75	5	0.833333313	0	0	6000	2335	2335	0.857143
3548	174	3617	0.08	13077	17	85	140	4	11	0	14468	1391	UMU	68	form-based		true		0.75	14	1.272727251	0	0	16276.5	3199.5	3199.5	1.125
3548	193	7987	0.18	0	37	85	140	4	25	0	31948	31948	NCT-MISSI	65	form-based				0.75	30	1.200000048	0	0	35941.5	35941.5	35941.5	1.125
3549	043	5449	0.13	13165	16	75	120	3.5	16	0	19072	5907	UMU	58	form-based		true		0.75	16	1	0	0	20433.75	7268.75	7268.75	1.071401
3549	050A	1329	0.03	2294	4	65	100	3	3	0	3987	1693	UMU	58	form-based				0.75	4	1.333333373	0	0	4983.75	2689.75	2689.75	1.25
3549	094	2125	0.05	1490	4	75	120	3.5	6	2	7438	5948	RH-3	50	density-lim	1000			0.7	4	0.666666687	0	0	7437.5	5947.5	5947.5	0.999933
3552	002	2755	0.06	4875	6	75	120	3.5	7	1	9642	4767	RH-3	55	density-lim	1000			0.7	4	0.571428597	0	0	9642.5	4767.5	4767.5	1.000052
3552	003	2754	0.06	4650	6	75	120	3.5	7	1	9639	4989	RH-3	55	density-lim	1000			0.7	4	0.571428597	0	0	9639	4989	4989	1
3552	004	2754	0.06	5325	6	75	120	3.5	7	1	9639	4314	RH-3	55	density-lim	1000			0.7	4	0.571428597	0	0	9639	4314	4314	1
3552	007	3065	0.07	5625	6	75	120	3.5	8	2	10728	5103	RH-3	55	density-lim	1000			0.7	4	0.5	0	0	10727.5	5102.5	5102.5	0.999953
3552	015	3534	0.08	8640	14	75	120	3.5	10	0	12369	3729	UMU	58	form-based				0.75	11	1.100000024	0	0	13252.5	4612.5	4612.5	1.071429
3552	041	3062	0.07	4875	6	75	120	3.5	8	2	10717	5842	RH-3	50	density-lim	1000			0.7	4	0.5	0	0	10717	5842	5842	1
3552	042	6025	0.14	14300	19	75	120	3.5	17	0	21088	6788	RH-3	50	density-lim	1000	true		0.7	6	0.352941185	0	0	21087.5	6787.5	6787.5	0.999976
3552	044	2511	0.06	4710	12	75	120	3.5	7	0	8788	4078	RH-3	50	density-lim	1000			0.7	4	0.571428597	0	0	8788.5	4078.5	4078.5	1.000057
3553	007	3779	0.09	9990	18	75	120	3.5	11	0	13226	3236	RTO-M	55	form-based		true		0.7	11	1	0	0	13226.5	3236.5	3236.5	1.000038
3553	008	14341	0.33	50039	81	75	120	3.5	40	0	50194	155	UMU	68	form-based		true		0.75	54	1.350000024	0	0	64534.5	14495.5	14495.5	1.285702
3553	014	13546	0.31	55560	0	75	120	3.5	37	37	47411	0	PDR-1-G	68			true		0.75	0	0	0	0	60957	5397	5397	1.285714
3553	022	6125	0.14	16200	63	75	120	3.5	17	0	21438	5238	NCT-MISSI	80	form-based				0.75	32	1.882352948	0	0	36750	20550	20550	1.714246
3553	026	2755	0.06	12250	14	75	120	3.5	7	0	9642	0	NCT-MISSI	80	form-based				0.75	14	2	0	0	16530	4280	4280	1.714375
3553	032	2625	0.06	7100	6	75	120	3.5	7	1	9188	2088	RTO-M	40	form-based				0.7	6	0.857142866	0	0	7350	250	250	0.799956
3553	036	1500	0.03	3161	3	75	120	3.5	4	1	5250	2089	RTO-M	40	form-based				0.7	3	0.75	0	0	4200	1039	1039	0.8
3553	040	1878	0.04	2590	4	75	120	3.5	5	1	6573	3983	RTO-M	40	form-based				0.7	4	0.800000012	0	0	5258.399902	2668.399902	2668.399902	0.8
3553	042	1875	0.04	2500	4	75	120	3.5	5	1	6562	4062	RTO-M	40	form-based				0.7	4	0.800000012	0	0	5250	2750	2750	0.800061
3553	051	2800	0.06	6555	8	75	120	3.5	7	0	9800	3245	RTO-M	55	form-based				0.7	8	1.142857194	0	0	9800	3245	3245	1
3554	012	3013	0.07	9000	21	95	160	4.5	11	0	13558	4558	NCT-MISSI	65	form-based		true		0.75	11	1	0	0	13558.5	4558.5	4558.5	1.000037
3554	013	7996	0.18	30120	88	75	120	3.5	22	0	27986	0	RTO-M	65	form-based		true		0.7	28	1.272727251	0	0	33583.19922	3463.199219	3463.199219	1.2
3554	032A	7307	0.17	15360	21	75	120	3.5	20	0	25574	10214	RTO-M	45	form-based				0.7	15	0.75	0	0	20459.59961	5099.599609	5099.599609	0.800016
3554	033	1650	0.04	3561	3	75	120	3.5	5	2	5775	2214	RTO-M	45	form-based				0.7	3	0.600000024	0	0	4620	1059	1059	0.8
3554	037	3003	0.07	4260	6	75	120	3.5	8	2	10510	6250	RTO-M	45	form-based				0.7	6	0.75	0	0	8408.399414	4148.399414	4148.399414	0.800038
3554	040	2514	0.06	6960	27	75	120	3.5	7	0	8799	1839	RTO-M	45	form-based				0.7	5	0.714285731	0	0	7039.199707	79.19970703	79.19970703	0.8
3554	041	2514	0.06	5382	6	75	120	3.5	7	1	8799	3417	RTO-M	45	form-based				0.7	5	0.714285731	0	0	7039.199707	1657.199707	1657.199707	0.8
3554	042	4190	0.1	10680	12	75	120	3.5	12	0	14665	3985	RTO-M	45	form-based				0.7	9	0.75	0	0	11732	1052	1052	0.8
3554	044	2514	0.06	6498	8	75	120	3.5	7	0	8799	2301	RTO-M	45	form-based				0.7	5	0.714285731	0	0	7039.199707	541.199707	541.199707	0.8
3554	045	2514	0.06	6060	8	75	120	3.5	7	0	8799	2739	RTO-M	45	form-based				0.7	5	0.714285731	0	0	7039.199707	979.199707	979.199707	0.8
3554	046	2514	0.06	5634	6	75	120	3.5	7	1	8799	3165	RTO-M	45	form-based				0.7	5	0.714285731	0	0	7039.199707	1405.199707	1405.199707	0.8
3554	046A	2514	0.06	6547	8	75	120	3.5	7	0	8799	2252	RTO-M	45	form-based				0.7	5	0.714285731	0	0	7039.199707	492.199707	492.199707	0.8
3554	049	2095	0.05	3782	5	75	120	3.5	6	1	7332	3550	RTO-M	45	form-based				0.7	4	0.666666687	0	0	5866	2084	2084	0.800055
3554	050	2720	0.06	4372	8	75	120	3.5	7	0	9520	5148	RTO-M	55	form-based		true		0.7	8	1.142857194	0	0	9520	5148	5148	1
3554	053	1800	0.04	3600	4	75	120	3.5	5	1	6300	2700	NCT-MISSI	45	form-based				0.75	4	0.800000012	0	0	5400	1800	1800	0.857143
3554	091	4962	0.11	1056	16	75	120	3.5	13	0	17367	16311	NCT-VALEI	55	form-based				0.75	15	1.153846145	0	0	18607.5	17551.5	17551.5	1.071429
3555	004	6908	0.16	24016	80	75	120	3.5	19	0	24178	162	NCT-VALEI	55	form-based				0.75	21	1.105263114	0	0	25905	1889	1889	1.071429
3555	015	9835	0.23	27626	31	85	140	4	32	1	39340	11714	NCT-VALEI	55	form-based		true		0.75	30	0.9375	0	0	36881.25	9255.25	9255.25	0.9375
3555	027	2870	0.07	9105	10	75	120	3.5	8	0	10045	940	NCT-VALEI	55	form-based		true		0.75	9	1.125	0	0	10762.5	1657.5	1657.5	1.071429
3555	028	1201	0.03	3176	3	75	120	3.5	4	1	4204	1028	NCT-VALEI	45	form-based				0.75	3	0.75	0	0	3603	427	427	0.857041
3555	034	2133	0.05	6139	8	75	120	3.5	6	0	7466	1327	RTO-M	45	form-based				0.7	4	0.666666687	0	0	5972.399902	0	0	0.799946
3555	051	2142	0.05	5200	4	75	120	3.5	6	2	7497	2297	RTO-M	45	form-based				0.7	4	0.666666687	0	0	5997.600098	797.6000977	797.6000977	0.8
3555	053	1923	0.04	5025	6	75	120	3.5	5	0	6730	1705	RTO-M	45	form-based				0.7	4	0.800000012	0	0	5384.399902	359.3999023	359.3999023	0.800059
3555	080	2915	0.07	9025	9	75	120	3.5	8	0	10202	1177	RTO-M	55	form-based				0.7	8	1	0	0	10202.5	1177.5	1177.5	1.000049
3556	001	2454	0.06	5787	9	65	100	3	6	0	7362	1575	RTO-1	40	density-lim	600	true		0.7	4	0.666666687	0	0	6871.199707	1084.199707	1084.199707	0.933333
3556	005	2530	0.06	4122	6	65	100	3	6	0	7590	3468	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	7084	2962	2962	0.933333
3556	007	2529	0.06	4164	5	65	100	3	6	1	7587	3423	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	7081.199707	2917.199707	2917.199707	0.933333
3556	008	2014	0.05	3012	3	65	100	3	5	2	6042	3030	RTO-1	40	density-lim	600			0.7	3	0.600000024	0	0	5639.199707	2627.199707	2627.199707	0.933333
3556	017	2067	0.05	5120	6	65	100	3	5	0	6201	1081	RTO-1	40	density-lim	600			0.7	3	0.600000024	0	0	5787.600098	667.6000977	667.6000977	0.933333
3556	018	2892	0.07	7608	17	65	100	3	7	0	8676	1068	RTO-1	40	density-lim	600	true		0.7	5	0.714285731	0	0	8097.600098	489.6000977	489.6000977	0.933333
3556	019	2646	0.06	5777	6	65	100	3	6	0	7938	2161	RTO-1	40	density-lim	600			0.7	4	0.666666687	0	0	7408.799805	1631.799805	1631.799805	0.933333
3556	020	3105	0.07	9856	8	65	100	3	7	0	9315	0	RTO-1	40	density-lim	600			0.7	5	0.714285731	0	0	8694	0	0	0.933333
3556	038	3141	0.07	8712	20	65	100	3	7	0	9423	711	RTO-1	40	form-based		true	true	0.7	7	1	0	0	8794.799805	82.79980469	82.79980469	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3556	048	2024	0.05	5098	7	65	100	3	5	0	6072	974	RTO-1	40	density-lim	600			0.7	3	0.600000024	0	0	5667.199707	569.199707	569.199707	0.933333
3556	053	4926	0.11	7569	12	65	100	3	11	0	14778	7209	RTO-1	40	form-based			true	0.7	10	0.909090936	0	0	13792.7998	6223.799805	6223.799805	0.933333
3556	054	4306	0.1	7574	16	65	100	3	10	0	12918	5344	RTO-1	40	form-based			true	0.7	9	0.899999976	0	0	12056.7998	4482.799805	4482.799805	0.933333
3556	072	45288	1.04	933	125	65	100	3	104	0	135864	134931	RTO-1	40	density-lim	600			0.55	75	0.721153855	0	0	99633.60156	98700.60156	98700.60156	0.733333
3556	127	3635	0.08	753	6	65	100	3	8	2	10905	10152	RTO-1	40	density-lim	600			0.7	6	0.75	0	0	10178	9425	9425	0.933333
3556	132	3916	0.09	1053	9	65	100	3	9	0	11748	10695	RTO-1	40	density-lim	600			0.7	7	0.777777791	0	0	10964.7998	9911.799805	9911.799805	0.933333
3556	230	3043	0.07	1738	5	65	100	3	7	2	9129	7391	RTO-1	40	density-lim	600	true		0.7	5	0.714285731	0	0	8520.399414	6782.399414	6782.399414	0.933333
3556	259	4767	0.11	1288	11	65	100	3	11	0	14301	13013	RTO-1	40	form-based			true	0.7	10	0.909090936	0	0	13347.59961	12059.59961	12059.59961	0.933333
3556	276	25641	0.59	44165	90	65	100	3	59	0	76923	32758	RTO-1	40	form-based			true	0.7	54	0.915254235	0	0	71794.79688	27629.79688	27629.79688	0.933333
3556	277	1938	0.04	1269	9	65	100	3	4	0	5814	4545	RTO-1	40	density-lim	600			0.7	3	0.75	0	0	5426.399902	4157.399902	4157.399902	0.933333
3557	004	11933	0.27	25560	39	65	100	3	27	0	35799	10239	RTO-1	50	form-based		true	true	0.7	33	1.222222209	0	0	41765.5	16205.5	16205.5	1.166667
3557	015	2253	0.05	5748	6	65	100	3	5	0	6759	1011	RTO-1	50	form-based			true	0.7	6	1.200000048	0	0	7885.5	2137.5	2137.5	1.166667
3557	016	1201	0.03	2781	3	65	100	3	3	0	3603	822	RTO-1	50	form-based			true	0.7	3	1	0	0	4203.5	1422.5	1422.5	1.166667
3557	017	1225	0.03	2868	3	65	100	3	3	0	3675	807	RTO-1	50	form-based		true	true	0.7	3	1	0	0	4287.5	1419.5	1419.5	1.166667
3557	028	2248	0.05	6018	6	65	100	3	5	0	6744	726	RTO-1	50	form-based		true	true	0.7	6	1.200000048	0	0	7868	1850	1850	1.166667
3557	029	2314	0.05	5961	6	85	140	4	7	1	9256	3295	RTO-1	50	form-based			true	0.7	6	0.857142866	0	0	8099	2138	2138	0.875
3557	030	2314	0.05	5961	6	85	140	4	7	1	9256	3295	RTO-1	50	form-based			true	0.7	6	0.857142866	0	0	8099	2138	2138	0.875
3557	055	2258	0.05	5166	6	65	100	3	5	0	6774	1608	RTO-1	50	form-based			true	0.7	6	1.200000048	0	0	7903	2737	2737	1.166667
3557	061	39721	0.91	76828	120	65	100	3	91	0	119163	42335	RTO-1	50	form-based			true	0.7	111	1.219780207	0	0	139023.5	62195.5	62195.5	1.166667
3557	156	2278	0.05	916	6	65	100	3	5	0	6834	5918	RTO-1	50	form-based			true	0.7	6	1.200000048	0	0	7973	7057	7057	1.166667
3558	016	3288	0.08	11780	16	65	100	3	8	0	9864	0	RTO-1	50	form-based		true	true	0.7	9	1.125	0	0	11508	0	0	1.166667
3558	033	3150	0.07	5990	10	85	140	4	10	0	12600	6610	RTO-1	50	form-based			true	0.7	9	0.899999976	0	0	11025	5035	5035	0.875
3559	012A	1705	0.04	3240	6	65	100	3	4	0	5115	1875	NCT-UPPE	50	form-based			true	0.75	5	1.25	0	0	6393.75	3153.75	3153.75	1.25
3561	060	5750	0.13	4639	6	65	100	3	13	7	17250	12611	RH-2	40	density-lim	1500			0.7	4	0.307692319	0	0	16100	11461	11461	0.933333
3561	073	2283	0.05	5082	5	65	100	3	5	0	6849	1767	RH-2	40	form-based		true	true	0.7	5	1	0	0	6392.399902	1310.399902	1310.399902	0.933333
3563	003	2000	0.05	4665	6	85	140	4	7	1	8000	3335	RH-3	50	form-based			true	0.7	6	0.857142866	0	0	7000	2335	2335	0.875
3563	006	3250	0.07	7200	9	65	100	3	7	0	9750	2550	RH-3	50	form-based			true	0.7	9	1.285714269	0	0	11375	4175	4175	1.166667
3564	024	2287	0.05	4034	6	65	100	3	5	0	6861	2827	RH-3	40	form-based		true	true	0.7	5	1	0	0	6403.600098	2369.600098	2369.600098	0.933333
3564	080	1745	0.04	5073	6	85	140	4	6	0	6980	1907	RH-3	50	form-based		true	true	0.7	5	0.833333313	0	0	6107.5	1034.5	1034.5	0.875
3564	080A	1000	0.02	2919	3	85	140	4	3	0	4000	1081	RH-3	50	form-based			true	0.7	3	1	0	0	3500	581	581	0.875
3564	128	2500	0.06	791	5	65	100	3	6	1	7500	6709	RH-3	40	form-based			true	0.7	5	0.833333313	0	0	7000	6209	6209	0.933333
3565	077	2689	0.06	7365	16	65	100	3	6	0	8067	702	RM-1	50	form-based		true	true	0.7	8	1.333333373	0	0	9411.5	2046.5	2046.5	1.166667
3565	079	2555	0.06	8100	8	65	100	3	6	0	7665	0	RM-1	50	form-based		true	true	0.7	7	1.166666627	0	0	8942.5	842.5	842.5	1.166667
3566	013A	694	0.02	1700	2	65	100	3	2	0	2082	382	RH-2	50	form-based			true	0.7	2	1	0	0	2429	729	729	1.166667
3566	071	1375	0.03	1221	4	65	100	3	3	0	4125	2904	RM-1	50	form-based		true	true	0.7	4	1.333333373	0	0	4812.5	3591.5	3591.5	1.166667
3567	008	2026	0.05	5105	4	65	100	3	5	1	6078	973	RM-2	40	density-lim	600			0.7	3	0.600000024	0	0	5672.799805	567.7998047	567.7998047	0.933333
3567	009	2079	0.05	4920	6	65	100	3	5	0	6237	1317	RM-2	40	density-lim	600			0.7	3	0.600000024	0	0	5821.199707	901.199707	901.199707	0.933333
3567	010	2934	0.07	8022	8	65	100	3	7	0	8802	780	RM-2	40	density-lim	600			0.7	5	0.714285731	0	0	8215.200195	193.2001953	193.2001953	0.933333
3567	011	2432	0.06	7095	6	65	100	3	6	0	7296	201	NC-1	40	density-lim	800	true		0.75	3	0.5	0	0	7296	201	201	1
3567	017	4026	0.09	6270	5	65	100	3	9	4	12078	5808	RM-1	40	density-lim	800			0.7	5	0.555555582	0	0	11272.7998	5002.799805	5002.799805	0.933333
3567	020	2913	0.07	7025	10	65	100	3	7	0	8739	1714	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8156.399902	1131.399902	1131.399902	0.933333
3567	021	3361	0.08	5400	5	65	100	3	8	3	10083	4683	RM-1	40	density-lim	800			0.7	4	0.5	0	0	9410.799805	4010.799805	4010.799805	0.933333
3567	022	3374	0.08	4344	6	65	100	3	8	2	10122	5778	RM-1	40	density-lim	800			0.7	4	0.5	0	0	9447.200195	5103.200195	5103.200195	0.933333
3567	026	4316	0.1	8340	8	65	100	3	10	2	12948	4608	RM-1	40	density-lim	800			0.7	5	0.5	0	0	12084.7998	3744.799805	3744.799805	0.933333
3567	027	2129	0.05	3896	4	65	100	3	5	1	6387	2491	RM-1	40	density-lim	800			0.7	3	0.600000024	0	0	5961.199707	2065.199707	2065.199707	0.933333
3567	028	2582	0.06	5625	3	65	100	3	6	3	7746	2121	RM-1	40	density-lim	800	true		0.7	3	0.5	0	0	7229.600098	1604.600098	1604.600098	0.933333
3567	028A	2281	0.05	5625	3	65	100	3	5	2	6843	1218	RM-1	40	density-lim	800			0.7	3	0.600000024	0	0	6386.799805	761.7998047	761.7998047	0.933333
3567	029	3304	0.08	3410	4	65	100	3	8	4	9912	6502	RM-1	40	density-lim	800			0.7	4	0.5	0	0	9251.200195	5841.200195	5841.200195	0.933333
3567	038	3560	0.08	3812	8	65	100	3	8	0	10680	6868	NCT-VALEI	40	form-based				0.75	8	1	0	0	10680	6868	6868	1
3567	039	3683	0.08	5567	10	65	100	3	8	0	11049	5482	NCT-VALEI	40	form-based				0.75	8	1	0	0	11049	5482	5482	1
3567	041	2697	0.06	6407	6	65	100	3	6	0	8091	1684	NCT-VALEI	40	form-based				0.75	6	1	0	0	8091	1684	1684	1
3567	042	2838	0.07	1400	7	65	100	3	7	0	8514	7114	NCT-VALEI	40	form-based				0.75	6	0.857142866	0	0	8514	7114	7114	1
3567	052	3432	0.08	1248	4	65	100	3	8	4	10296	9048	RM-1	40	density-lim	800			0.7	4	0.5	0	0	9609.599609	8361.599609	8361.599609	0.933333
3567	074	3004	0.07	1439	5	65	100	3	7	2	9012	7573	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8411.200195	6972.200195	6972.200195	0.933333
3568	001	8195	0.19	22350	78	85	140	4	27	0	32780	10430	NCT-VALEI	55	form-based		true		0.75	25	0.92592591	0	0	30731.25	8381.25	8381.25	0.9375
3568	010	2672	0.06	5990	9	75	120	3.5	7	0	9352	3362	NCT-VALEI	55	form-based				0.75	8	1.142857194	0	0	10020	4030	4030	1.071429
3568	012	5368	0.12	15404	24	75	120	3.5	14	0	18788	3384	NCT-VALEI	55	form-based		true		0.75	16	1.142857194	0	0	20130	4726	4726	1.071429
3568	024	3600	0.08	7380	12	85	140	4	11	0	14400	7020	RTO-M	45	form-based				0.7	8	0.727272749	0	0	10080	2700	2700	0.7
3568	027	2752	0.06	4926	6	75	120	3.5	7	1	9632	4706	RTO-M	45	form-based				0.7	6	0.857142866	0	0	7705.600098	2779.600098	2779.600098	0.8
3568	030	2393	0.05	6030	6	75	120	3.5	6	0	8376	2346	RTO-M	45	form-based				0.7	5	0.833333313	0	0	6700.399902	670.3999023	670.3999023	0.799952
3568	031	2349	0.05	7038	6	75	120	3.5	6	0	8222	1184	RTO-M	45	form-based		true		0.7	5	0.833333313	0	0	6577.199707	0	0	0.799951
3568	034A	3247	0.07	5118	8	75	120	3.5	8	0	11364	6246	RTO-M	45	form-based				0.7	7	0.875	0	0	9091.599609	3973.599609	3973.599609	0.800035
3568	039A	3450	0.08	6857	13	75	120	3.5	10	0	12075	5218	RTO-M	55	form-based				0.7	10	1	0	0	12075	5218	5218	1
3568	042	1290	0.03	2686	2	65	100	3	3	1	3870	1184	NC-1	55	density-lim	800	true		0.75	2	0.666666687	0	0	4837.5	2151.5	2151.5	1.25

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3568	042A	1281	0.03	2122	3	75	120	3.5	4	1	4484	2362	NC-1	45	density-lim	800			0.75	2	0.5	0	0	3843	1721	1721	0.857047
3568	042B	1265	0.03	2220	3	75	120	3.5	4	1	4428	2208	NC-1	45	density-lim	800			0.75	2	0.5	0	0	3795	1575	1575	0.857046
3568	042C	1290	0.03	2616	2	75	120	3.5	4	2	4515	1899	NC-1	45	density-lim	800			0.75	2	0.5	0	0	3870	1254	1254	0.857143
3568	043	2756	0.06	4414	4	75	120	3.5	7	3	9646	5232	NC-1	45	density-lim	800			0.75	3	0.428571433	0	0	8268	3854	3854	0.857143
3568	045	2756	0.06	6015	6	75	120	3.5	7	1	9646	3631	RTO-M	45	form-based				0.7	6	0.857142866	0	0	7716.799805	1701.799805	1701.799805	0.8
3568	064	1740	0.04	4783	20	75	120	3.5	5	0	6090	1307	NCT-VALEI	55	form-based		true		0.75	5	1	0	0	6525	1742	1742	1.071429
3568	065	2970	0.07	8140	12	85	140	4	10	0	11880	3740	NCT-VALEI	55	form-based		true		0.75	9	0.899999976	0	0	11137.5	2997.5	2997.5	0.9375
3568	113	2123	0.05	819	6	75	120	3.5	6	0	7430	6611	RTO-M	45	form-based				0.7	4	0.666666687	0	0	5944.399902	5125.399902	5125.399902	0.800054
3574	040	2958	0.07	5100	4	75	120	3.5	8	4	10353	5253	RH-3	50	density-lim	1000			0.7	4	0.5	0	0	10353	5253	5253	1
3574	041	2958	0.07	6560	4	75	120	3.5	8	4	10353	3793	RH-3	50	density-lim	1000			0.7	4	0.5	0	0	10353	3793	3793	1
3574	065	3103	0.07	3120	4	65	100	3	7	3	9309	6189	RH-3	50	density-lim	1000			0.7	4	0.571428597	0	0	10860.5	7740.5	7740.5	1.166667
3574	089	3505	0.08	4560	4	65	100	3	8	4	10515	5955	RH-3	55	density-lim	1000			0.7	4	0.5	0	0	12267.5	7707.5	7707.5	1.166667
3577	005	9619	0.22	23237	50	75	120	3.5	26	0	33666	10429	NCT-VALEI	55	form-based				0.75	29	1.115384579	0	0	36071.25	12834.25	12834.25	1.071445
3577	022	2362	0.05	6450	10	65	100	3	5	0	7086	636	NC-3	55	density-lim	600	true		0.75	4	0.800000012	0	0	8857.5	2407.5	2407.5	1.25
3577	030	3846	0.09	8523	12	65	100	3	9	0	11538	3015	RTO-M	45	form-based				0.7	8	0.888888896	0	0	10768.7998	2245.799805	2245.799805	0.933333
3577	031	2902	0.07	4160	12	65	100	3	7	0	8706	4546	RTO-M	45	form-based				0.7	6	0.857142866	0	0	8125.600098	3965.600098	3965.600098	0.933333
3577	032	2925	0.07	6595	6	65	100	3	7	1	8775	2180	RTO-M	45	form-based				0.7	6	0.857142866	0	0	8190	1595	1595	0.933333
3577	034	2869	0.07	6585	12	65	100	3	7	0	8607	2022	RTO-M	45	form-based				0.7	6	0.857142866	0	0	8033.199707	1448.199707	1448.199707	0.933333
3577	036	2970	0.07	5112	8	65	100	3	7	0	8910	3798	RTO-M	55	form-based		true		0.7	8	1.142857194	0	0	10395	5283	5283	1.166667
3577	041	2889	0.07	7635	9	75	120	3.5	8	0	10112	2477	RTO-M	55	form-based		true		0.7	8	1	0	0	10111.5	2476.5	2476.5	0.999951
3577	047	3099	0.07	4784	8	65	100	3	7	0	9297	4513	RTO-M	45	form-based				0.7	7	1	0	0	8677.200195	3893.200195	3893.200195	0.933333
3577	075	3370	0.08	41995	50	75	120	3.5	10	0	11795	0	NCT-VALEI	55	form-based				0.75	10	1	0	0	12637.5	0	0	1.071429
3578	001	2794	0.06	5000	5	65	100	3	6	1	8382	3382	NC-1	40	density-lim	800	true		0.75	3	0.5	0	0	8382	3382	3382	1
3578	002	1995	0.05	3155	4	65	100	3	5	1	5985	2830	RM-2	40	density-lim	600			0.7	3	0.600000024	0	0	5586	2431	2431	0.933333
3578	005	3991	0.09	13264	30	65	100	3	9	0	11973	0	RM-2	40	density-lim	600			0.7	7	0.777777791	0	0	11174.7998	0	0	0.933333
3578	008	2504	0.06	6690	6	65	100	3	6	0	7512	822	RM-2	40	density-lim	600	true		0.7	4	0.666666687	0	0	7011.199707	321.199707	321.199707	0.933333
3578	010	3110	0.07	4731	6	65	100	3	7	1	9330	4599	RM-2	40	density-lim	600			0.7	5	0.714285731	0	0	8708	3977	3977	0.933333
3578	012	6178	0.14	10350	12	65	100	3	14	2	18534	8184	RM-2	40	density-lim	600			0.7	10	0.714285731	0	0	17298.40039	6948.400391	6948.400391	0.933333
3578	013	1985	0.05	3635	6	65	100	3	5	0	5955	2320	NC-1	40	density-lim	800			0.75	2	0.400000006	0	0	5955	2320	2320	1
3578	014	1985	0.05	4260	3	65	100	3	5	2	5955	1695	NC-1	40	density-lim	800			0.75	2	0.400000006	0	0	5955	1695	1695	1
3578	015	2144	0.05	5940	6	65	100	3	5	0	6432	492	NC-1	40	density-lim	800	true		0.75	3	0.600000024	0	0	6432	492	492	1
3578	016	2783	0.06	5264	5	65	100	3	6	1	8349	3085	NC-1	40	density-lim	800			0.75	3	0.5	0	0	8349	3085	3085	1
3578	023	2492	0.06	3094	4	65	100	3	6	2	7476	4382	RM-2	40	density-lim	600			0.7	4	0.666666687	0	0	6977.600098	3883.600098	3883.600098	0.933333
3578	025	3360	0.08	5584	5	65	100	3	8	3	10080	4496	NC-1	40	density-lim	800			0.75	4	0.5	0	0	10080	4496	4496	1
3578	026	2800	0.06	3420	4	65	100	3	6	2	8400	4980	NC-1	40	density-lim	800			0.75	4	0.666666687	0	0	8400	4980	4980	1
3578	027	3600	0.08	10282	13	65	100	3	8	0	10800	518	NC-1	40	density-lim	800	true		0.75	5	0.625	0	0	10800	518	518	1
3578	028	3000	0.07	6724	10	65	100	3	7	0	9000	2276	RM-2	40	density-lim	600			0.7	5	0.714285731	0	0	8400	1676	1676	0.933333
3578	030	3500	0.08	8178	10	65	100	3	8	0	10500	2322	RM-2	40	density-lim	600			0.7	6	0.75	0	0	9800	1622	1622	0.933333
3578	031	3800	0.09	7398	13	65	100	3	9	0	11400	4002	RM-2	40	density-lim	600			0.7	6	0.666666687	0	0	10640	3242	3242	0.933333
3578	033	2898	0.07	3570	5	65	100	3	7	2	8694	5124	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8114.399902	4544.399902	4544.399902	0.933333
3578	038	5932	0.14	5253	6	65	100	3	14	8	17796	12543	RH-3	40	density-lim	1000			0.7	6	0.428571433	0	0	16609.59961	11356.59961	11356.59961	0.933333
3578	039	2898	0.07	3440	4	65	100	3	7	3	8694	5254	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8114.399902	4674.399902	4674.399902	0.933333
3578	046	3300	0.08	3834	4	65	100	3	8	4	9900	6066	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9240	5406	5406	0.933333
3578	065	2479	0.06	4140	4	65	100	3	6	2	7437	3297	RM-1	40	density-lim	800			0.7	3	0.5	0	0	6941.199707	2801.199707	2801.199707	0.933333
3578	066	2479	0.06	3822	4	65	100	3	6	2	7437	3615	RM-1	40	density-lim	800			0.7	3	0.5	0	0	6941.199707	3119.199707	3119.199707	0.933333
3578	068	2479	0.06	3070	4	65	100	3	6	2	7437	4367	RM-1	40	density-lim	800			0.7	3	0.5	0	0	6941.199707	3871.199707	3871.199707	0.933333
3578	071	3060	0.07	6309	6	65	100	3	7	1	9180	2871	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8568	2259	2259	0.933333
3578	071A	1397	0.03	1720	2	65	100	3	3	1	4191	2471	RM-1	40	density-lim	800			0.7	2	0.666666687	0	0	3911.599854	2191.599854	2191.599854	0.933333
3578	071B	1008	0.02	1630	2	65	100	3	2	0	3024	1394	RM-1	40	density-lim	800			0.7	1	0.5	0	0	2822.399902	1192.399902	1192.399902	0.933333
3578	071C	1003	0.02	1900	2	65	100	3	2	0	3009	1109	RM-1	40	density-lim	800			0.7	1	0.5	0	0	2808.399902	908.3999023	908.3999023	0.933333
3578	073A	1953	0.04	2806	4	65	100	3	4	0	5859	3053	RH-3	40	density-lim	1000			0.7	4	1	0	0	5468.399902	2662.399902	2662.399902	0.933333
3578	073C	1988	0.05	2806	4	65	100	3	5	1	5964	3158	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	5566.399902	2760.399902	2760.399902	0.933333
3578	074	9034	0.21	11800	17	65	100	3	21	4	27102	15302	RM-2	40	density-lim	600			0.7	15	0.714285731	0	0	25295.19922	13495.19922	13495.19922	0.933333
3578	077	3226	0.07	3062	6	65	100	3	7	1	9678	6616	RM-2	40	density-lim	600			0.7	5	0.714285731	0	0	9032.799805	5970.799805	5970.799805	0.933333
3578	079	5368	0.12	9723	12	65	100	3	12	0	16104	6381	RM-2	40	density-lim	600			0.7	9	0.75	0	0	15030.39941	5307.399414	5307.399414	0.933333
3578	086	1785	0.04	1055	3	65	100	3	4	1	5355	4300	RM-2	40	density-lim	600	true		0.7	3	0.75	0	0	4998	3943	3943	0.933333
3578	097	1875	0.04	1241	3	65	100	3	4	1	5625	4384	RM-1	40	density-lim	800			0.7	2	0.5	0	0	5250	4009	4009	0.933333
3578	100	1812	0.04	1232	3	65	100	3	4	1	5436	4204	RM-1	40	density-lim	800	true		0.7	2	0.5	0	0	5073.600098	3841.600098	3841.600098	0.933333
3578	105	1875	0.04	1241	3	65	100	3	4	1	5625	4384	RM-1	40	density-lim	800			0.7	2	0.5	0	0	5250	4009	4009	0.933333
3578	108	1444	0.03	936	3	65	100	3	3	0	4332	3396	RM-1	40	density-lim	800			0.7	2	0.666666687	0	0	4043.199951	3107.199951	3107.199951	0.933333
3578	110	1035	0.02	1996	1	65	100	3	2	1	3105	1109	RM-1	40	density-lim	800			0.7	1	0.5	0	0	2898	902	902	0.933333
3578	113	2663	0.06	1450	4	65	100	3	6	2	7989	6539	RM-2	40	density-lim	600	true		0.7	4	0.666666687	0	0	7456.399902	6006.399902	6006.399902	0.933333
3578	117	1875	0.04	1197	3	65	100	3	4	1	5625	4428	RM-1	40	density-lim	800	true		0.7	2	0.5	0	0	5250	4053	4053	0.933333
3578	123	2931	0.07	475	4	65	100	3	7	3	8793	8318	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8206.799805	7731.799805	7731.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3578	139	1332	0.03	3654	5	65	100	3	3	0	3996	342	RM-1	40	density-lim	800			0.7	2	0.666666687	0	0	3729.599854	75.59985352	75.59985352	0.933333
3578	140	1147	0.03	2546	2	65	100	3	3	1	3441	895	RM-1	40	density-lim	800			0.7	1	0.333333343	0	0	3211.599854	665.5998535	665.5998535	0.933333
3578	141	2855	0.07	841	4	65	100	3	7	3	8565	7724	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7994	7153	7153	0.933333
3578	147	1168	0.03	717	2	65	100	3	3	1	3504	2787	RM-1	40	density-lim	800			0.7	1	0.333333343	0	0	3270.399902	2553.399902	2553.399902	0.933333
3578	149	2479	0.06	612	5	65	100	3	6	1	7437	6825	RM-1	40	density-lim	800			0.7	3	0.5	0	0	6941.199707	6329.199707	6329.199707	0.933333
3578	154	1870	0.04	1221	3	65	100	3	4	1	5610	4389	RM-2	40	density-lim	600			0.7	3	0.75	0	0	5236	4015	4015	0.933333
3578	169	2479	0.06	1107	4	65	100	3	6	2	7437	6330	RM-1	40	density-lim	800			0.7	3	0.5	0	0	6941.199707	5834.199707	5834.199707	0.933333
3578	173	1870	0.04	1267	3	65	100	3	4	1	5610	4343	RM-2	40	density-lim	600			0.7	3	0.75	0	0	5236	3969	3969	0.933333
3579	001	3224	0.07	9000	12	65	100	3	7	0	9672	672	RM-1	50	form-based		true	true	0.7	9	1.285714269	0	0	11284	2284	2284	1.166667
3579	001B	2150	0.05	5172	6	65	100	3	5	0	6450	1278	RM-1	50	form-based			true	0.7	6	1.200000048	0	0	7525	2353	2353	1.166667
3579	022	3409	0.08	7942	13	85	140	4	11	0	13636	5694	RTO-C	65	form-based		true	true	0.75	13	1.181818128	0	0	15340.5	7398.5	7398.5	1.125
3579	022A	4984	0.11	11652	18	85	140	4	15	0	19936	8284	RM-2	50	form-based			true	0.7	14	0.933333337	0	0	17444	5792	5792	0.875
3580	030	2736	0.06	5839	8	65	100	3	6	0	8208	2369	RM-1	50	form-based			true	0.7	8	1.333333373	0	0	9576	3737	3737	1.166667
3580	196	29212	0.67	69629	107	65	100	3	67	0	87636	18007	RM-1	50	form-based			true	0.7	82	1.223880649	0	0	102242	32613	32613	1.166667
3581	001	1374	0.03	2800	3	65	100	3	3	0	4122	1322	RH-3	40	form-based		true	true	0.7	3	1	0	0	3847.199951	1047.199951	1047.199951	0.933333
3581	009A	1000	0.02	1278	2	65	100	3	2	0	3000	1722	RH-3	40	form-based			true	0.7	2	1	0	0	2800	1522	1522	0.933333
3581	010	2474	0.06	4252	5	65	100	3	6	1	7422	3170	RH-3	40	form-based		true	true	0.7	5	0.833333313	0	0	6927.199707	2675.199707	2675.199707	0.933333
3581	029A	2993	0.07	7595	10	65	100	3	7	0	8979	1384	NCD-CAST	40	form-based		true	true	0.75	7	1	0	0	8979	1384	1384	1
3581	034	2760	0.06	4830	6	65	100	3	6	0	8280	3450	RH-3	40	form-based			true	0.7	6	1	0	0	7728	2898	2898	0.933333
3581	063	3080	0.07	3994	8	65	100	3	7	0	9240	5246	RH-3	40	form-based		true	true	0.7	6	0.857142866	0	0	8624	4630	4630	0.933333
3581	086	1941	0.04	3328	4	65	100	3	4	0	5823	2495	RH-3	40	form-based			true	0.7	4	1	0	0	5434.799805	2106.799805	2106.799805	0.933333
3582	001	2338	0.05	6144	12	85	140	4	7	0	9352	3208	RH-3	50	form-based		true	true	0.7	7	1	0	0	8183	2039	2039	0.875
3583	002	1875	0.04	4423	4	65	100	3	4	0	5625	1202	RH-3	40	form-based			true	0.7	4	1	0	0	5250	827	827	0.933333
3583	016	5810	0.13	9652	14	65	100	3	13	0	17430	7778	RH-3	40	form-based		true	true	0.7	12	0.923076928	0	0	16268	6616	6616	0.933333
3583	019	6043	0.14	15753	15	65	100	3	14	0	18129	2376	RH-3	40	form-based			true	0.7	13	0.928571403	0	0	16920.40039	1167.400391	1167.400391	0.933333
3583	031	3117	0.07	4410	7	65	100	3	7	0	9351	4941	RH-3	40	form-based			true	0.7	7	1	0	0	8727.599609	4317.599609	4317.599609	0.933333
3583	080	1866	0.04	4276	4	65	100	3	4	0	5598	1322	NCD-CAST	40	form-based		true	true	0.75	4	1	0	0	5598	1322	1322	1
3584	001A	643	0.01	1000	1	65	100	3	1	0	1929	929	RH-3	40	form-based			true	0.7	1	1	0	0	1800.400024	800.4000244	800.4000244	0.933333
3584	009	1265	0.03	2252	3	65	100	3	3	0	3795	1543	RH-3	40	form-based		true	true	0.7	3	1	0	0	3542	1290	1290	0.933333
3584	034A	1449	0.03	3777	3	65	100	3	3	0	4347	570	RH-3	40	form-based		true	true	0.7	3	1	0	0	4057.199951	280.1999512	280.1999512	0.933333
3584	085	2835	0.07	4059	6	65	100	3	7	1	8505	4446	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	7938	3879	3879	0.933333
3584	086	2835	0.07	5010	6	65	100	3	7	1	8505	3495	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	7938	2928	2928	0.933333
3585	007	2854	0.07	12053	12	65	100	3	7	0	8562	0	RTO-C	65	form-based		true	true	0.75	11	1.571428537	0	0	12843	790	790	1.5
3585	088	5678	0.13	10587	17	65	100	3	13	0	17034	6447	RH-3	50	form-based			true	0.7	16	1.230769277	0	0	19873	9286	9286	1.166667
3585	120	2849	0.07	1091	30	65	100	3	7	0	8547	7456	RH-3	50	form-based			true	0.7	8	1.142857194	0	0	9971.5	8880.5	8880.5	1.166667
3587	002	2500	0.06	2806	4	65	100	3	6	2	7500	4694	RM-2	40	density-lim	600			0.7	4	0.666666687	0	0	7000	4194	4194	0.933333
3587	004	3500	0.08	8460	12	65	100	3	8	0	10500	2040	RM-2	40	density-lim	600			0.7	6	0.75	0	0	9800	1340	1340	0.933333
3587	006	3500	0.08	5791	6	65	100	3	8	2	10500	4709	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9800	4009	4009	0.933333
3587	010	4200	0.1	4680	4	65	100	3	10	6	12600	7920	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	11760	7080	7080	0.933333
3587	013	2952	0.07	6480	6	65	100	3	7	1	8856	2376	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8265.599609	1785.599609	1785.599609	0.933333
3587	014	2460	0.06	5565	10	65	100	3	6	0	7380	1815	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	6888	1323	1323	0.933333
3587	015	2553	0.06	5920	9	65	100	3	6	0	7659	1739	RH-3	40	density-lim	1000	true		0.7	6	1	0	0	7148.399902	1228.399902	1228.399902	0.933333
3587	021	3000	0.07	5298	6	65	100	3	7	1	9000	3702	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8400	3102	3102	0.933333
3587	029	3399	0.08	9525	15	65	100	3	8	0	10197	672	RM-2	40	density-lim	600	true		0.7	6	0.75	0	0	9517.200195	0	0	0.933333
3587	030	2957	0.07	7555	12	65	100	3	7	0	8871	1316	RM-2	40	density-lim	600			0.7	5	0.714285731	0	0	8279.599609	724.5996094	724.5996094	0.933333
3587	031	2953	0.07	6144	6	65	100	3	7	1	8859	2715	RM-2	40	density-lim	600			0.7	5	0.714285731	0	0	8268.399414	2124.399414	2124.399414	0.933333
3587	035	3563	0.08	7014	6	65	100	3	8	2	10689	3675	RM-2	40	density-lim	600			0.7	6	0.75	0	0	9976.399414	2962.399414	2962.399414	0.933333
3587	038	3330	0.08	5670	6	65	100	3	8	2	9990	4320	RM-2	40	density-lim	600			0.7	6	0.75	0	0	9324	3654	3654	0.933333
3587	041	3209	0.07	5011	5	65	100	3	7	2	9627	4616	RM-2	40	density-lim	600			0.7	5	0.714285731	0	0	8985.200195	3974.200195	3974.200195	0.933333
3587	042	3205	0.07	4464	6	65	100	3	7	1	9615	5151	RM-2	40	density-lim	600			0.7	5	0.714285731	0	0	8974	4510	4510	0.933333
3587	044	3198	0.07	5232	6	65	100	3	7	1	9594	4362	RM-2	40	density-lim	600			0.7	5	0.714285731	0	0	8954.399414	3722.399414	3722.399414	0.933333
3587	049	3112	0.07	3720	6	65	100	3	7	1	9336	5616	RM-2	40	density-lim	600			0.7	5	0.714285731	0	0	8713.599609	4993.599609	4993.599609	0.933333
3587	050	3112	0.07	5315	6	65	100	3	7	1	9336	4021	RM-2	40	density-lim	600			0.7	5	0.714285731	0	0	8713.599609	3398.599609	3398.599609	0.933333
3587	054	4950	0.11	6580	8	65	100	3	11	3	14850	8270	RH-2	40	density-lim	1500			0.7	4	0.363636374	0	0	13860	7280	7280	0.933333
3587	056A	3300	0.08	5446	5	65	100	3	8	3	9900	4454	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9240	3794	3794	0.933333
3587	061	3334	0.08	7338	4	65	100	3	8	4	10002	2664	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9335.200195	1997.200195	1997.200195	0.933333
3587	067	3396	0.08	3676	4	65	100	3	8	4	10188	6512	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9508.799805	5832.799805	5832.799805	0.933333
3587	071	2987	0.07	9480	14	65	100	3	7	0	8961	0	RM-2	40	density-lim	600	true		0.7	5	0.714285731	0	0	8363.599609	0	0	0.933333
3587	072	2503	0.06	3564	4	65	100	3	6	2	7509	3945	RM-2	40	density-lim	600			0.7	4	0.666666687	0	0	7008.399902	3444.399902	3444.399902	0.933333
3587	076	2132	0.05	5790	6	65	100	3	5	0	6396	606	RM-2	40	density-lim	600	true		0.7	4	0.800000012	0	0	5969.600098	179.6000977	179.6000977	0.933333
3587	078	3300	0.08	3400	4	65	100	3	8	4	9900	6500	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9240	5840	5840	0.933333
3587	088	2603	0.06	1563	4	65	100	3	6	2	7809	6246	NC-1	40	density-lim	800			0.75	3	0.5	0	0	7809	6246	6246	1
3587	092	2403	0.06	1460	3	65	100	3	6	3	7209	5749	NC-1	40	density-lim	800			0.75	3	0.5	0	0	7209	5749	5749	1
3587	113	39396	0.9	1136	78	65	100	3	90	12	118188	117052	RH-3	40	density-lim	1000			0.7	39	0.433333337	0	0	110308.7969	109172.7969	109172.7969	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3587	162	3500	0.08	1196	6	65	100	3	8	2	10500	9304	RM-2	40	density-lin	600			0.7	6	0.75	0	0	9800	8604	8604	0.933333
3588	001C	3523	0.08	8658	12	65	100	3	8	0	10569	1911	RTO-M	55	form-based		true		0.7	10	1.25	0	0	12330.5	3672.5	3672.5	1.166667
3588	021A	2000	0.05	4860	6	65	100	3	5	0	6000	1140	RTO-M	45	form-based				0.7	4	0.800000012	0	0	5600	740	740	0.933333
3588	022	2000	0.05	4125	6	65	100	3	5	0	6000	1875	RTO-M	45	form-based				0.7	4	0.800000012	0	0	5600	1475	1475	0.933333
3588	028	2000	0.05	3110	4	65	100	3	5	1	6000	2890	RTO-M	45	form-based				0.7	4	0.800000012	0	0	5600	2490	2490	0.933333
3588	029	2000	0.05	5065	7	65	100	3	5	0	6000	935	RTO-M	45	form-based				0.7	4	0.800000012	0	0	5600	535	535	0.933333
3588	031	2000	0.05	4665	6	65	100	3	5	0	6000	1335	RTO-M	45	form-based				0.7	4	0.800000012	0	0	5600	935	935	0.933333
3588	032	2000	0.05	3112	4	65	100	3	5	1	6000	2888	RTO-M	45	form-based				0.7	4	0.800000012	0	0	5600	2488	2488	0.933333
3588	050	6661	0.15	16590	39	65	100	3	15	0	19983	3393	RTO-M	55	form-based		true		0.7	19	1.266666651	0	0	23313.5	6723.5	6723.5	1.166667
3588	062	3982	0.09	8598	12	65	100	3	9	0	11946	3348	RTO-M	45	form-based				0.7	8	0.888888896	0	0	11149.59961	2551.599609	2551.599609	0.933333
3588	063	3915	0.09	10432	15	65	100	3	9	0	11745	1313	RTO-M	45	form-based				0.7	8	0.888888896	0	0	10962	530	530	0.933333
3588	063A	2778	0.06	3856	6	65	100	3	6	0	8334	4478	RTO-M	45	form-based				0.7	6	1	0	0	7778.399902	3922.399902	3922.399902	0.933333
3588	065	5256	0.12	12475	20	65	100	3	12	0	15768	3293	RTO-M	45	form-based				0.7	11	0.916666687	0	0	14716.7998	2241.799805	2241.799805	0.933333
3588	070	2829	0.06	5640	8	65	100	3	6	0	8487	2847	RTO-M	55	form-based		true		0.7	8	1.333333373	0	0	9901.5	4261.5	4261.5	1.166667
3588	073	2097	0.05	3120	4	65	100	3	5	1	6291	3171	RTO-M	45	form-based				0.7	4	0.800000012	0	0	5871.600098	2751.600098	2751.600098	0.933333
3588	080	1797	0.04	4200	6	65	100	3	4	0	5391	1191	RTO-M	45	form-based				0.7	4	1	0	0	5031.600098	831.6000977	831.6000977	0.933333
3588	144	2004	0.05	668	4	65	100	3	5	1	6012	5344	RTO-M	45	form-based				0.7	4	0.800000012	0	0	5611.199707	4943.199707	4943.199707	0.933333
3591	024	17702	0.41	1966	75	65	100	3	41	0	53106	51140	NC-3	55	density-lin	600	true		0.75	30	0.731707335	0	0	66382.5	64416.5	64416.5	1.25
3593	007	4750	0.11	12730	8	55	80	2.5	9	1	11875	0	NC-2	45	density-lin	800	true		0.75	6	0.666666687	0	0	14250	1520	1520	1.2
3593	008	4275	0.1	11950	16	65	100	3	10	0	12825	875	NC-2	45	density-lin	800			0.75	5	0.5	0	0	12825	875	875	1
3594	016A	2375	0.05	3966	3	65	100	3	5	2	7125	3159	NC-2	45	density-lin	800			0.75	3	0.600000024	0	0	7125	3159	3159	1
3594	020	2711	0.06	4495	5	65	100	3	6	1	8133	3638	RH-3	50	density-lin	1000			0.7	4	0.666666687	0	0	9488.5	4993.5	4993.5	1.166667
3594	025	4057	0.09	2800	5	65	100	3	9	4	12171	9371	RH-3	50	density-lin	1000			0.7	4	0.444444448	0	0	14199.5	11399.5	11399.5	1.166667
3594	026	3697	0.08	5020	5	65	100	3	8	3	11091	6071	RH-3	50	density-lin	1000			0.7	4	0.5	0	0	12939.5	7919.5	7919.5	1.166667
3594	027C	2000	0.05	3000	4	65	100	3	5	1	6000	3000	RH-3	50	density-lin	1000			0.7	4	0.800000012	0	0	7000	4000	4000	1.166667
3594	028	2154	0.05	4386	6	65	100	3	5	0	6462	2076	RM-1	55	density-lin	800			0.7	3	0.600000024	0	0	7539	3153	3153	1.166667
3594	029	892	0.02	665	1	65	100	3	2	1	2676	2011	RM-1	55	density-lin	800			0.7	1	0.5	0	0	3122	2457	2457	1.166667
3594	029A	2374	0.05	4272	4	65	100	3	5	1	7122	2850	RM-1	55	density-lin	800	true		0.7	3	0.600000024	0	0	8309	4037	4037	1.166667
3594	030	2700	0.06	3300	4	65	100	3	6	2	8100	4800	RM-1	50	density-lin	800			0.7	3	0.5	0	0	9450	6150	6150	1.166667
3594	033	3797	0.09	5338	8	65	100	3	9	1	11391	6053	RM-1	50	density-lin	800			0.7	5	0.555555582	0	0	13289.5	7951.5	7951.5	1.166667
3594	040	3675	0.08	5040	13	65	100	3	8	0	11025	5985	RM-1	50	density-lin	800			0.7	5	0.625	0	0	12862.5	7822.5	7822.5	1.166667
3594	044	3675	0.08	5884	13	65	100	3	8	0	11025	5141	RM-1	50	density-lin	800			0.7	5	0.625	0	0	12862.5	6978.5	6978.5	1.166667
3594	086	3081	0.07	1369	4	65	100	3	7	3	9243	7874	NC-2	50	density-lin	800			0.75	4	0.571428597	0	0	11553.75	10184.75	10184.75	1.25
3594	100	4513	0.1	509	6	65	100	3	10	4	13539	13030	NC-2	45	density-lin	800	true		0.75	6	0.600000024	0	0	13539	13030	13030	1
3597	009	5000	0.11	17880	24	65	100	3	11	0	15000	0	NCT-VALEI	55	form-based				0.75	15	1.363636374	0	0	18750	870	870	1.25
3597	012	10140	0.23	40294	52	65	100	3	23	0	30420	0	NCT-VALEI	55	form-based		true		0.75	30	1.304347873	0	0	38025	0	0	1.25
3597	030	2498	0.06	5970	6	65	100	3	6	0	7494	1524	RTO-M	45	form-based				0.7	5	0.833333313	0	0	6994.399902	1024.399902	1024.399902	0.933333
3597	031	3180	0.07	5672	7	65	100	3	7	0	9540	3868	RTO-M	45	form-based				0.7	7	1	0	0	8904	3232	3232	0.933333
3597	031A	2844	0.07	5672	8	65	100	3	7	0	8532	2860	RTO-M	45	form-based				0.7	6	0.857142866	0	0	7963.199707	2291.199707	2291.199707	0.933333
3597	032	2184	0.05	4050	6	65	100	3	5	0	6552	2502	RTO-M	45	form-based				0.7	5	1	0	0	6115.199707	2065.199707	2065.199707	0.933333
3597	042	2184	0.05	6000	6	65	100	3	5	0	6552	552	RTO-M	45	form-based				0.7	5	1	0	0	6115.199707	115.199707	115.199707	0.933333
3597	046	1875	0.04	4427	6	65	100	3	4	0	5625	1198	RTO-M	45	form-based				0.7	4	1	0	0	5250	823	823	0.933333
3597	048	1875	0.04	4419	6	65	100	3	4	0	5625	1206	RTO-M	45	form-based				0.7	4	1	0	0	5250	831	831	0.933333
3597	050	1875	0.04	3166	4	65	100	3	4	0	5625	2459	RTO-M	45	form-based				0.7	4	1	0	0	5250	2084	2084	0.933333
3597	052	1875	0.04	4575	6	65	100	3	4	0	5625	1050	RTO-M	45	form-based				0.7	4	1	0	0	5250	675	675	0.933333
3597	054	1875	0.04	3000	4	65	100	3	4	0	5625	2625	RTO-M	45	form-based				0.7	4	1	0	0	5250	2250	2250	0.933333
3597	095	1875	0.04	590	4	65	100	3	4	0	5625	5035	RTO-M	45	form-based				0.7	4	1	0	0	5250	4660	4660	0.933333
3597	115	1875	0.04	799	6	65	100	3	4	0	5625	4826	RTO-M	45	form-based				0.7	4	1	0	0	5250	4451	4451	0.933333
3598	001A	1931	0.04	4374	3	65	100	3	4	1	5793	1419	RM-1	40	density-lin	800			0.7	2	0.5	0	0	5406.799805	1032.799805	1032.799805	0.933333
3598	003A	1573	0.04	2448	2	65	100	3	4	2	4719	2271	RM-1	40	density-lin	800			0.7	2	0.5	0	0	4404.399902	1956.399902	1956.399902	0.933333
3598	003B	2668	0.06	7466	12	65	100	3	6	0	8004	538	RM-2	40	density-lin	600	true		0.7	4	0.666666687	0	0	7470.399902	4.399902344	4.399902344	0.933333
3598	004	5515	0.13	10215	12	65	100	3	13	1	16545	6330	RM-2	40	density-lin	600	true		0.7	9	0.692307711	0	0	15442	5227	5227	0.933333
3598	008	4900	0.11	12321	13	65	100	3	11	0	14700	2379	RM-2	40	density-lin	600			0.7	8	0.727272749	0	0	13720	1399	1399	0.933333
3598	009	3833	0.09	15369	26	65	100	3	9	0	11499	0	RM-2	40	density-lin	600	true		0.7	6	0.666666687	0	0	10732.39941	0	0	0.933333
3598	017	2850	0.07	3054	4	65	100	3	7	3	8550	5496	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	7980	4926	4926	0.933333
3598	027	3915	0.09	9033	12	65	100	3	9	0	11745	2712	RH-3	40	density-lin	1000			0.7	4	0.444444448	0	0	10962	1929	1929	0.933333
3598	044	2877	0.07	3680	4	65	100	3	7	3	8631	4951	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	8055.600098	4375.600098	4375.600098	0.933333
3598	046A	2447	0.06	3700	5	65	100	3	6	1	7341	3641	RH-3	40	density-lin	1000			0.7	4	0.666666687	0	0	6851.600098	3151.600098	3151.600098	0.933333
3598	047	3420	0.08	4110	6	65	100	3	8	2	10260	6150	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	9576	5466	5466	0.933333
3598	056	1685	0.04	3050	4	65	100	3	4	0	5055	2005	RH-3	40	density-lin	1000			0.7	4	1	0	0	4718	1668	1668	0.933333
3598	057	1535	0.04	2858	5	65	100	3	4	0	4605	1747	RH-3	40	density-lin	1000			0.7	4	1	0	0	4298	1440	1440	0.933333
3598	062	2856	0.07	5102	4	65	100	3	7	3	8568	3466	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	7996.799805	2894.799805	2894.799805	0.933333
3598	063	2856	0.07	5434	5	65	100	3	7	2	8568	3134	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	7996.799805	2562.799805	2562.799805	0.933333
3598	074	2856	0.07	3800	4	65	100	3	7	3	8568	4768	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	7996.799805	4196.799805	4196.799805	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3598	075	5711	0.13	12369	12	65	100	3	13	1	17133	4764	RH-3	40	density-lim	1000			0.7	6	0.461538464	0	0	15990.7998	3621.799805	3621.799805	0.933333
3598	079	1710	0.04	1900	2	65	100	3	4	2	5130	3230	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4788	2888	2888	0.933333
3598	083	2856	0.07	710	4	65	100	3	7	3	8568	7858	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7996.799805	7286.799805	7286.799805	0.933333
3598	119	1710	0.04	1219	2	65	100	3	4	2	5130	3911	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4788	3569	3569	0.933333
3598	135	1847	0.04	1392	3	65	100	3	4	1	5541	4149	RM-1	40	density-lim	800			0.7	2	0.5	0	0	5171.600098	3779.600098	3779.600098	0.933333
3598	138	2850	0.07	1308	5	65	100	3	7	2	8550	7242	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7980	6672	6672	0.933333
3598	142	2964	0.07	732	4	65	100	3	7	3	8892	8160	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8299.200195	7567.200195	7567.200195	0.933333
3598	157	3088	0.07	639	6	65	100	3	7	1	9264	8625	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8646.399414	8007.399414	8007.399414	0.933333
3600	001	7588	0.17	17007	30	65	100	3	17	0	22764	5757	RTO-C	65	form-based		true	true	0.75	28	1.647058845	0	0	34146	17139	17139	1.5
3600	010	6410	0.15	17007	30	85	140	4	21	0	25640	8633	RTO-C	65	form-based		true	true	0.75	24	1.142857194	0	0	28845	11838	11838	1.125
3601	061	3020	0.07	5600	9	65	100	3	7	0	9060	3460	RH-3	40	form-based		true	true	0.7	6	0.857142866	0	0	8456	2856	2856	0.933333
3601	074	1568	0.04	1712	3	65	100	3	4	1	4704	2992	RH-2	40	form-based			true	0.7	3	0.75	0	0	4390.399902	2678.399902	2678.399902	0.933333
3601	075	2625	0.06	3905	7	65	100	3	6	0	7875	3970	RH-2	40	form-based		true	true	0.7	6	1	0	0	7350	3445	3445	0.933333
3602	054	2065	0.05	2750	4	55	80	2.5	4	0	5162	2412	RH-2	40	form-based			true	0.7	4	1	0	0	5782	3032	3032	1.120108
3602	060	1910	0.04	3640	4	55	80	2.5	3	0	4775	1135	RH-3	40	form-based		true	true	0.7	4	1.333333373	0	0	5348	1708	1708	1.12
3602	084	1941	0.04	3202	4	65	100	3	4	0	5823	2621	RH-3	40	form-based		true	true	0.7	4	1	0	0	5434.799805	2232.799805	2232.799805	0.933333
3602	091	2080	0.05	2444	4	65	100	3	5	1	6240	3796	RH-3	40	form-based			true	0.7	4	0.800000012	0	0	5824	3380	3380	0.933333
3602	136	2101	0.05	650	4	65	100	3	5	1	6303	5653	RH-3	40	form-based			true	0.7	4	0.800000012	0	0	5882.799805	5232.799805	5232.799805	0.933333
3603	082	3080	0.07	4778	6	55	80	2.5	6	0	7700	2922	RH-2	40	form-based			true	0.7	6	1	0	0	8624	3846	3846	1.12
3603	103	1114	0.03	1208	2	55	80	2.5	2	0	2785	1577	RH-2	40	form-based			true	0.7	2	1	0	0	3119.199951	1911.199951	1911.199951	1.12
3604	009	1765	0.04	2939	4	65	100	3	4	0	5295	2356	RH-1	40	form-based			true	0.7	4	1	0	0	4942	2003	2003	0.933333
3605	001A	2203	0.05	5945	11	85	140	4	7	0	8812	2867	RTO-C	65	form-based		true	true	0.75	8	1.142857194	0	0	9913.5	3968.5	3968.5	1.125
3605	051A	5096	0.12	12548	14	65	100	3	12	0	15288	2740	RH-1	40	form-based		true	true	0.7	11	0.916666687	0	0	14268.7998	1720.799805	1720.799805	0.933333
3605	063	2850	0.07	4438	6	65	100	3	7	1	8550	4112	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	7980	3542	3542	0.933333
3606	001	7600	0.17	17552	25	65	100	3	17	0	22800	5248	RM-1	50	form-based		true	true	0.7	21	1.235294104	0	0	26600	9048	9048	1.166667
3606	003	2625	0.06	5400	7	65	100	3	6	0	7875	2475	RM-1	50	form-based			true	0.7	7	1.166666627	0	0	9187.5	3787.5	3787.5	1.166667
3607	003	1225	0.03	2330	4	65	100	3	3	0	3675	1345	RH-3	40	density-lim	1000			0.7	4	1.333333373	0	0	3430	1100	1100	0.933333
3607	004	2982	0.07	3213	7	65	100	3	7	0	8946	5733	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8349.599609	5136.599609	5136.599609	0.933333
3607	007	2883	0.07	7695	7	65	100	3	7	0	8649	954	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	0	0	8072.399902	377.3999023	377.3999023	0.933333
3607	009	2298	0.05	3000	4	65	100	3	5	1	6894	3894	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6434.399902	3434.399902	3434.399902	0.933333
3607	011	2573	0.06	2800	4	65	100	3	6	2	7719	4919	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7204.399902	4404.399902	4404.399902	0.933333
3607	015	2850	0.07	3952	5	65	100	3	7	2	8550	4598	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	7980	4028	4028	0.933333
3607	016	2850	0.07	3200	4	65	100	3	7	3	8550	5350	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	7980	4780	4780	0.933333
3607	021	4788	0.11	3350	4	65	100	3	11	7	14364	11014	RH-2	40	density-lim	1500			0.7	4	0.363636374	0	0	13406.39941	10056.39941	10056.39941	0.933333
3607	027	2313	0.05	4650	6	65	100	3	5	0	6939	2289	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	6476.399902	1826.399902	1826.399902	0.933333
3607	030	2313	0.05	5691	8	65	100	3	5	0	6939	1248	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	6476.399902	785.3999023	785.3999023	0.933333
3607	032	2840	0.07	2288	4	65	100	3	7	3	8520	6232	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7952	5664	5664	0.933333
3607	034	5680	0.13	12600	12	65	100	3	13	1	17040	4440	RH-3	40	density-lim	1000			0.7	6	0.461538464	0	0	15904	3304	3304	0.933333
3607	037	3409	0.08	3320	4	65	100	3	8	4	10227	6907	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9545.200195	6225.200195	6225.200195	0.933333
3607	045	3990	0.09	6375	4	65	100	3	9	5	11970	5595	RH-2	40	density-lim	1500			0.7	4	0.444444448	0	0	11172	4797	4797	0.933333
3607	050	2850	0.07	4770	6	65	100	3	7	1	8550	3780	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	7980	3210	3210	0.933333
3607	060	7858	0.18	11381	20	65	100	3	18	0	23574	12193	RH-2	40	density-lim	1500			0.7	5	0.277777791	0	0	22002.40039	10621.40039	10621.40039	0.933333
3607	075	3638	0.08	3490	5	65	100	3	8	3	10914	7424	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	10186.39941	6696.399414	6696.399414	0.933333
3608	008	4399	0.1	15432	20	65	100	3	10	0	13197	0	NCT-VALEI	50	form-based				0.75	13	1.299999952	0	0	16496.25	1064.25	1064.25	1.25
3608	010	4499	0.1	10200	19	65	100	3	10	0	13497	3297	NCT-VALEI	50	form-based		true		0.75	13	1.299999952	0	0	16871.25	6671.25	6671.25	1.25
3608	011	3760	0.09	4215	4	65	100	3	9	5	11280	7065	RH-3	40	density-lim	1000			0.7	4	0.444444448	0	0	10528	6313	6313	0.933333
3608	017	2875	0.07	5210	4	65	100	3	7	3	8625	3415	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8050	2840	2840	0.933333
3608	018	2875	0.07	4075	4	65	100	3	7	3	8625	4550	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8050	3975	3975	0.933333
3608	023	2875	0.07	3910	4	65	100	3	7	3	8625	4715	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8050	4140	4140	0.933333
3608	024	4413	0.1	8562	9	65	100	3	10	1	13239	4677	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	12356.39941	3794.399414	3794.399414	0.933333
3608	025A	3060	0.07	4200	4	65	100	3	7	3	9180	4980	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8568	4368	4368	0.933333
3608	029	5026	0.12	10727	14	65	100	3	12	0	15078	4351	RM-1	40	density-lim	800	true		0.7	6	0.5	0	0	14072.7998	3345.799805	3345.799805	0.933333
3608	032	8460	0.19	16100	21	65	100	3	19	0	25380	9280	RH-3	40	density-lim	1000			0.7	8	0.421052635	0	0	23688	7588	7588	0.933333
3608	039	2821	0.06	4019	4	65	100	3	6	2	8463	4444	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7898.799805	3879.799805	3879.799805	0.933333
3608	043	2875	0.07	3810	7	65	100	3	7	0	8625	4815	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8050	4240	4240	0.933333
3608	044	2875	0.07	4066	5	65	100	3	7	2	8625	4559	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8050	3984	3984	0.933333
3608	047	7187	0.17	5080	7	65	100	3	17	10	21561	16481	RH-3	40	density-lim	1000			0.7	7	0.411764711	0	0	20123.59961	15043.59961	15043.59961	0.933333
3608	048	7187	0.17	6876	8	65	100	3	17	9	21561	14685	RH-3	40	density-lim	1000			0.7	7	0.411764711	0	0	20123.59961	13247.59961	13247.59961	0.933333
3608	060	11211	0.26	12814	20	65	100	3	26	6	33633	20819	RH-3	40	density-lim	1000			0.7	11	0.423076928	0	0	31390.79883	18576.79883	18576.79883	0.933333
3608	064	2803	0.06	3956	5	65	100	3	6	1	8409	4453	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7848.399902	3892.399902	3892.399902	0.933333
3608	071	2803	0.06	2926	4	65	100	3	6	2	8409	5483	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7848.399902	4922.399902	4922.399902	0.933333
3608	075	7580	0.17	20247	24	65	100	3	17	0	22740	2493	NCT-VALEI	50	form-based		true		0.75	23	1.352941155	0	0	28425	8178	8178	1.25
3608	110	3949	0.09	648	4	65	100	3	9	5	11847	11199	RH-3	40	density-lim	1000			0.7	4	0.444444448	0	0	11057.2002	10409.2002	10409.2002	0.933333
3611	001	4268	0.1	10415	9	65	100	3	10	1	12804	2389	NC-2	45	density-lim	800	true		0.75	5	0.5	0	0	12804	2389	2389	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3611	003	2438	0.06	3494	3	65	100	3	6	3	7314	3820	NC-2	40	density-lin	800			0.75	3	0.5	0	0	7314	3820	3820	1
3611	005	3656	0.08	5177	7	65	100	3	8	1	10968	5791	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	10236.7998	5059.799805	5059.799805	0.933333
3611	007	8660	0.2	7526	12	65	100	3	20	8	25980	18454	RH-3	40	density-lin	1000			0.7	9	0.449999988	0	0	24248	16722	16722	0.933333
3611	017	5638	0.13	8341	7	65	100	3	13	6	16914	8573	RH-3	55	density-lin	1000	true		0.7	6	0.461538464	0	0	19733	11392	11392	1.166667
3611	018A	3750	0.09	2914	4	65	100	3	9	5	11250	8336	RH-3	50	density-lin	1000			0.7	4	0.444444448	0	0	13125	10211	10211	1.166667
3611	020	3675	0.08	2612	4	65	100	3	8	4	11025	8413	RH-3	50	density-lin	1000			0.7	4	0.5	0	0	12862.5	10250.5	10250.5	1.166667
3611	025	4165	0.1	4675	16	65	100	3	10	0	12495	7820	RH-3	50	density-lin	1000			0.7	4	0.400000006	0	0	14577.5	9902.5	9902.5	1.166667
3611	032	4216	0.1	8384	6	65	100	3	10	4	12648	4264	NC-2	55	density-lin	800	true		0.75	5	0.5	0	0	15810	7426	7426	1.25
3611	034	3944	0.09	7833	8	65	100	3	9	1	11832	3999	RH-3	40	density-lin	1000			0.7	4	0.444444448	0	0	11043.2002	3210.200195	3210.200195	0.933333
3611	036	3745	0.09	3476	7	65	100	3	9	2	11235	7759	RH-3	40	density-lin	1000			0.7	4	0.444444448	0	0	10486	7010	7010	0.933333
3611	056	3675	0.08	6034	5	65	100	3	8	3	11025	4991	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	10290	4256	4256	0.933333
3611	058	2375	0.05	5385	4	65	100	3	5	1	7125	1740	NC-2	45	density-lin	800	true		0.75	3	0.600000024	0	0	7125	1740	1740	1
3611	059	3325	0.08	4426	4	65	100	3	8	4	9975	5549	NC-2	45	density-lin	800			0.75	4	0.5	0	0	9975	5549	5549	1
3611	060	3372	0.08	3945	10	65	100	3	8	0	10116	6171	NC-2	45	density-lin	800			0.75	4	0.5	0	0	10116	6171	6171	1
3611	063	6155	0.14	1335	8	65	100	3	14	6	18465	17130	NC-2	45	density-lin	800			0.75	8	0.571428597	0	0	18465	17130	17130	1
3611	076	1789	0.04	902	3	65	100	3	4	1	5367	4465	NC-2	45	density-lin	800	true		0.75	2	0.5	0	0	5367	4465	4465	1
3611	092	3430	0.08	1001	4	65	100	3	8	4	10290	9289	RH-3	50	density-lin	1000			0.7	4	0.5	0	0	12005	11004	11004	1.166667
3611	105	3675	0.08	678	6	65	100	3	8	2	11025	10347	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	10290	9612	9612	0.933333
3612	019	2741	0.06	4695	6	65	100	3	6	0	8223	3528	RH-3	40	density-lin	1000			0.7	4	0.666666687	0	0	7674.799805	2979.799805	2979.799805	0.933333
3612	026	2380	0.05	4170	6	65	100	3	5	0	7140	2970	RH-3	40	density-lin	1000			0.7	4	0.800000012	0	0	6664	2494	2494	0.933333
3612	035	3062	0.07	3954	4	65	100	3	7	3	9186	5232	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	8573.599609	4619.599609	4619.599609	0.933333
3612	063	6125	0.14	8765	6	65	100	3	14	8	18375	9610	RH-3	40	density-lin	1000			0.7	6	0.428571433	0	0	17150	8385	8385	0.933333
3612	077	2492	0.06	3144	4	65	100	3	6	2	7476	4332	RH-3	40	density-lin	1000			0.7	4	0.666666687	0	0	6977.600098	3833.600098	3833.600098	0.933333
3612	120	5693	0.13	634	12	65	100	3	13	1	17079	16445	NC-2	45	density-lin	800	true		0.75	7	0.538461566	0	0	17079	16445	16445	1
3612	133	3063	0.07	975	5	65	100	3	7	2	9189	8214	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	8576.399414	7601.399414	7601.399414	0.933333
3612	141	1911	0.04	1206	7	65	100	3	4	0	5733	4527	RH-3	40	density-lin	1000	true		0.7	6	1.5	0	0	5350.799805	4144.799805	4144.799805	0.933333
3613	016	2275	0.05	6600	6	65	100	3	5	0	6825	225	RH-3	40	density-lin	1000	true		0.7	6	1.200000048	0	0	6370	0	0	0.933333
3613	022	4356	0.1	5228	6	65	100	3	10	4	13068	7840	RH-3	40	density-lin	1000			0.7	4	0.400000006	0	0	12196.7998	6968.799805	6968.799805	0.933333
3613	025	3869	0.09	5410	8	65	100	3	9	1	11607	6197	RH-3	40	density-lin	1000			0.7	4	0.444444448	0	0	10833.2002	5423.200195	5423.200195	0.933333
3613	030A	1715	0.04	3593	5	65	100	3	4	0	5145	1552	RH-3	40	density-lin	1000			0.7	4	1	0	0	4802	1209	1209	0.933333
3613	036	3063	0.07	3150	6	65	100	3	7	1	9189	6039	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	8576.399414	5426.399414	5426.399414	0.933333
3613	040	3675	0.08	3612	6	65	100	3	8	2	11025	7413	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	10290	6678	6678	0.933333
3613	044	3675	0.08	2648	7	65	100	3	8	1	11025	8377	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	10290	7642	7642	0.933333
3613	046	3675	0.08	6840	6	65	100	3	8	2	11025	4185	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	10290	3450	3450	0.933333
3613	052	7350	0.17	7910	8	65	100	3	17	9	22050	14140	RH-3	40	density-lin	1000			0.7	7	0.411764711	0	0	20580	12670	12670	0.933333
3613	084	7350	0.17	3319	7	65	100	3	17	10	22050	18731	RH-3	40	density-lin	1000			0.7	7	0.411764711	0	0	20580	17261	17261	0.933333
3614	001	5999	0.14	10213	14	65	100	3	14	0	17997	7784	RH-3	40	density-lin	1000	true		0.7	6	0.428571433	0	0	16797.19922	6584.199219	6584.199219	0.933333
3614	014	2325	0.05	2623	4	65	100	3	5	1	6975	4352	RH-3	40	density-lin	1000			0.7	4	0.800000012	0	0	6510	3887	3887	0.933333
3614	017	3185	0.07	8607	6	65	100	3	7	1	9555	948	RH-3	40	density-lin	1000	true		0.7	6	0.857142866	0	0	8918	311	311	0.933333
3614	018	5708	0.13	8700	9	65	100	3	13	4	17124	8424	RH-3	40	density-lin	1000			0.7	6	0.461538464	0	0	15982.39941	7282.399414	7282.399414	0.933333
3614	022	3697	0.08	5880	6	65	100	3	8	2	11091	5211	RM-2	50	density-lin	600			0.7	6	0.75	0	0	12939.5	7059.5	7059.5	1.166667
3614	032B	2925	0.07	2940	4	65	100	3	7	3	8775	5835	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	8190	5250	5250	0.933333
3614	034	7350	0.17	5502	11	65	100	3	17	6	22050	16548	RH-3	40	density-lin	1000			0.7	7	0.411764711	0	0	20580	15078	15078	0.933333
3614	039	4410	0.1	3156	4	65	100	3	10	6	13230	10074	RH-3	40	density-lin	1000			0.7	4	0.400000006	0	0	12348	9192	9192	0.933333
3614	040	2021	0.05	4773	6	65	100	3	5	0	6063	1290	RH-3	40	density-lin	1000			0.7	4	0.800000012	0	0	5658.799805	885.7998047	885.7998047	0.933333
3614	055	4513	0.1	4740	7	65	100	3	10	3	13539	8799	RH-3	40	density-lin	1000			0.7	5	0.5	0	0	12636.39941	7896.399414	7896.399414	0.933333
3614	059	2101	0.05	2794	4	65	100	3	5	1	6303	3509	RH-3	40	density-lin	1000			0.7	4	0.800000012	0	0	5882.799805	3088.799805	3088.799805	0.933333
3614	060	2101	0.05	2794	4	65	100	3	5	1	6303	3509	RH-3	40	density-lin	1000			0.7	4	0.800000012	0	0	5882.799805	3088.799805	3088.799805	0.933333
3614	062	3283	0.08	8301	5	65	100	3	8	3	9849	1548	RM-2	55	density-lin	600	true		0.7	5	0.625	0	0	11490.5	3189.5	3189.5	1.166667
3614	064	11955	0.27	20100	30	65	100	3	27	0	35865	15765	RM-2	50	density-lin	600			0.7	20	0.740740716	0	0	41842.5	21742.5	21742.5	1.166667
3614	065	11092	0.25	22650	30	65	100	3	25	0	33276	10626	RM-2	50	density-lin	600			0.7	18	0.720000029	0	0	38822	16172	16172	1.166667
3614	073	3718	0.09	4820	7	65	100	3	9	2	11154	6334	RM-2	50	density-lin	600			0.7	6	0.666666687	0	0	13013	8193	8193	1.166667
3614	094	3697	0.08	570	6	65	100	3	8	2	11091	10521	RM-2	50	density-lin	600			0.7	6	0.75	0	0	12939.5	12369.5	12369.5	1.166667
3617	012	2565	0.06	4445	6	65	100	3	6	0	7695	3250	NCT-VALEI	40	form-based				0.75	6	1	0	0	7695	3250	3250	1
3617	015	4959	0.11	4884	9	65	100	3	11	2	14877	9993	RH-3	40	density-lin	1000			0.7	5	0.454545468	0	0	13885.2002	9001.200195	9001.200195	0.933333
3617	016	2451	0.06	3569	5	65	100	3	6	1	7353	3784	RH-3	40	density-lin	1000			0.7	4	0.666666687	0	0	6862.799805	3293.799805	3293.799805	0.933333
3617	017A	2480	0.06	2510	4	65	100	3	6	2	7440	4930	RH-3	40	density-lin	1000			0.7	4	0.666666687	0	0	6944	4434	4434	0.933333
3617	021	2850	0.07	5850	10	65	100	3	7	0	8550	2700	NC-1	40	density-lin	800			0.75	4	0.571428597	0	0	8550	2700	2700	1
3617	025	2340	0.05	3582	4	65	100	3	5	1	7020	3438	NC-1	40	density-lin	800			0.75	3	0.600000024	0	0	7020	3438	3438	1
3617	027	2340	0.05	3056	3	65	100	3	5	2	7020	3964	NC-1	40	density-lin	800			0.75	3	0.600000024	0	0	7020	3964	3964	1
3617	028	2428	0.06	5532	4	65	100	3	6	2	7284	1752	NC-1	40	density-lin	800	true		0.75	3	0.5	0	0	7284	1752	1752	1
3617	036	4541	0.1	4366	5	65	100	3	10	5	13623	9257	RH-3	40	density-lin	1000			0.7	5	0.5	0	0	12714.7998	8348.799805	8348.799805	0.933333
3617	037	3973	0.09	3834	12	65	100	3	9	0	11919	8085	RH-3	40	density-lin	1000			0.7	4	0.444444448	0	0	11124.39941	7290.399414	7290.399414	0.933333
3617	041	2724	0.06	2413	4	65	100	3	6	2	8172	5759	RH-3	40	density-lin	1000			0.7	4	0.666666687	0	0	7627.199707	5214.199707	5214.199707	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3617	042	3405	0.08	1712	4	65	100	3	8	4	10215	8503	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	9534	7822	7822	0.933333
3617	046	3771	0.09	3954	7	65	100	3	9	2	11313	7359	RH-3	40	density-lin	1000			0.7	4	0.444444448	0	0	10558.7998	6604.799805	6604.799805	0.933333
3617	059	3239	0.07	10308	12	65	100	3	7	0	9717	0	RM-2	40	density-lin	600	true		0.7	5	0.714285731	0	0	9069.200195	0	0	0.933333
3617	060A	2879	0.07	4908	6	65	100	3	7	1	8637	3729	RM-2	40	density-lin	600			0.7	5	0.714285731	0	0	8061.199707	3153.199707	3153.199707	0.933333
3617	061	4999	0.11	10038	12	65	100	3	11	0	14997	4959	RM-2	40	density-lin	600			0.7	8	0.727272749	0	0	13997.2002	3959.200195	3959.200195	0.933333
3618	042	3510	0.08	3008	4	65	100	3	8	4	10530	7522	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	9828	6820	6820	0.933333
3617	067	2250	0.05	3101	4	65	100	3	5	1	6750	3649	RH-3	40	density-lin	1000			0.7	4	0.800000012	0	0	6300	3199	3199	0.933333
3617	075	2855	0.07	2733	4	65	100	3	7	3	8565	5832	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	7994	5261	5261	0.933333
3617	079	5368	0.12	5776	12	65	100	3	12	0	16104	10328	RH-3	40	density-lin	1000			0.7	5	0.416666657	0	0	15030.39941	9254.399414	9254.399414	0.933333
3617	102	2855	0.07	651	4	65	100	3	7	3	8565	7914	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	7994	7343	7343	0.933333
3617	122	3274	0.08	16182	12	65	100	3	8	0	9822	0	NCT-VALEI	55	form-based		true		0.75	10	1.25	0	0	12277.5	0	0	1.25
3618	005	7167	0.16	13443	21	65	100	3	16	0	21501	8058	RM-2	40	density-lin	600			0.7	12	0.75	0	0	20067.59961	6624.599609	6624.599609	0.933333
3618	014	3633	0.08	10515	15	65	100	3	8	0	10899	384	NC-1	40	density-lin	800	true		0.75	5	0.625	0	0	10899	384	384	1
3618	021	2812	0.06	5160	6	65	100	3	6	0	8436	3276	RH-3	40	density-lin	1000			0.7	4	0.666666687	0	0	7873.600098	2713.600098	2713.600098	0.933333
3618	023	2590	0.06	2958	4	65	100	3	6	2	7770	4812	RH-3	40	density-lin	1000			0.7	4	0.666666687	0	0	7252	4294	4294	0.933333
3618	024	3613	0.08	6810	6	65	100	3	8	2	10839	4029	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	10116.39941	3306.399414	3306.399414	0.933333
3618	037	2340	0.05	6114	6	65	100	3	5	0	7020	906	RH-3	40	density-lin	1000	true		0.7	6	1.200000048	0	0	6552	438	438	0.933333
3618	038	2778	0.06	7595	7	65	100	3	6	0	8334	739	RH-3	40	density-lin	1000	true		0.7	6	1	0	0	7778.399902	183.3999023	183.3999023	0.933333
3618	039	2367	0.05	3968	6	65	100	3	5	0	7101	3133	RH-3	40	density-lin	1000	true		0.7	6	1.200000048	0	0	6627.600098	2659.600098	2659.600098	0.933333
3618	039B	2589	0.06	5548	8	65	100	3	6	0	7767	2219	RH-3	40	density-lin	1000	true		0.7	6	1	0	0	7249.199707	1701.199707	1701.199707	0.933333
3618	043	3568	0.08	4005	6	65	100	3	8	2	10704	6699	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	9990.399414	5985.399414	5985.399414	0.933333
3618	053	4110	0.09	6360	5	65	100	3	9	4	12330	5970	RH-3	40	density-lin	1000			0.7	4	0.444444448	0	0	11508	5148	5148	0.933333
3618	064	5212	0.12	8864	10	65	100	3	12	2	15636	6772	RH-2	40	density-lin	1500	true		0.7	6	0.5	0	0	14593.59961	5729.599609	5729.599609	0.933333
3618	067	7162	0.16	12948	17	65	100	3	16	0	21486	8538	RH-2	40	density-lin	1500			0.7	5	0.3125	0	0	20053.59961	7105.599609	7105.599609	0.933333
3619	026	1725	0.04	3000	5	65	100	3	4	0	5175	2175	RH-2	50	form-based		true	true	0.7	5	1.25	0	0	6037.5	3037.5	3037.5	1.166667
3620	077	5928	0.14	11898	14	85	140	4	20	6	23712	11814	RH-2	40	form-based			true	0.7	12	0.600000024	0	0	16598.40039	4700.400391	4700.400391	0.7
3621	085	2293	0.05	5235	6	65	100	3	5	0	6879	1644	RH-2	40	form-based		true	true	0.7	5	1	0	0	6420.399902	1185.399902	1185.399902	0.933333
3622	012	2903	0.07	6690	7	55	80	2.5	6	0	7258	568	RH-2	40	form-based		true	true	0.7	6	1	0	0	8128.399902	1438.399902	1438.399902	1.119923
3622	037	1982	0.05	2718	4	55	80	2.5	4	0	4955	2237	RH-2	40	form-based		true	true	0.7	4	1	0	0	5549.600098	2831.600098	2831.600098	1.12
3622	071	1907	0.04	2224	4	55	80	2.5	3	0	4768	2544	RH-2	40	form-based		true	true	0.7	4	1.333333373	0	0	5339.600098	3115.600098	3115.600098	1.119883
3625	007	2896	0.07	4210	6	65	100	3	7	1	8688	4478	RH-3	40	form-based			true	0.7	6	0.857142866	0	0	8108.799805	3898.799805	3898.799805	0.933333
3628	016	1544	0.04	4088	4	65	100	3	4	0	4632	544	RH-3	50	form-based			true	0.7	4	1	0	0	5404	1316	1316	1.166667
3630	014	1400	0.03	2456	4	65	100	3	3	0	4200	1744	RM-1	50	form-based		true	true	0.7	4	1.333333373	0	0	4900	2444	2444	1.166667
3630	016	1043	0.02	3240	6	65	100	3	2	0	3129	0	RH-2	50	form-based		true	true	0.7	3	1.5	0	0	3650.5	410.5	410.5	1.166667
3630	019	1150	0.03	2594	3	65	100	3	3	0	3450	856	RH-2	50	form-based			true	0.7	3	1	0	0	4025	1431	1431	1.166667
3630	025	3691	0.08	8248	10	65	100	3	8	0	11073	2825	RH-2	50	form-based			true	0.7	10	1.25	0	0	12918.5	4670.5	4670.5	1.166667
3630	026	1200	0.03	434	4	65	100	3	3	0	3600	3166	RH-2	50	form-based			true	0.7	3	1	0	0	4200	3766	3766	1.166667
3631	002	3497	0.08	3912	6	65	100	3	8	2	10491	6579	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	9791.599609	5879.599609	5879.599609	0.933333
3631	024	3774	0.09	6408	8	65	100	3	9	1	11322	4914	RM-1	40	density-lin	800			0.7	5	0.555555582	0	0	10567.2002	4159.200195	4159.200195	0.933333
3631	026	2948	0.07	3842	5	65	100	3	7	2	8844	5002	RM-1	40	density-lin	800			0.7	4	0.571428597	0	0	8254.399414	4412.399414	4412.399414	0.933333
3631	027	4246	0.1	6238	7	65	100	3	10	3	12738	6500	RM-1	40	density-lin	800			0.7	5	0.5	0	0	11888.7998	5650.799805	5650.799805	0.933333
3631	030B	2388	0.05	4257	3	65	100	3	5	2	7164	2907	RM-1	40	density-lin	800			0.7	3	0.600000024	0	0	6686.399902	2429.399902	2429.399902	0.933333
3631	032	3704	0.09	7200	8	65	100	3	9	1	11112	3912	RM-1	40	density-lin	800	true		0.7	5	0.555555582	0	0	10371.2002	3171.200195	3171.200195	0.933333
3631	033	4806	0.11	10458	14	65	100	3	11	0	14418	3960	RM-1	40	density-lin	800			0.7	6	0.545454562	0	0	13456.7998	2998.799805	2998.799805	0.933333
3631	041	2948	0.07	900	4	65	100	3	7	3	8844	7944	RM-1	40	density-lin	800			0.7	4	0.571428597	0	0	8254.399414	7354.399414	7354.399414	0.933333
3631	047	1610	0.04	919	2	65	100	3	4	2	4830	3911	RM-1	40	density-lin	800	true		0.7	2	0.5	0	0	4508	3589	3589	0.933333
3631	049	2046	0.05	1682	3	65	100	3	5	2	6138	4456	RM-1	40	density-lin	800	true		0.7	3	0.600000024	0	0	5728.799805	4046.799805	4046.799805	0.933333
3631	052	3538	0.08	5487	8	65	100	3	8	0	10614	5127	RM-1	40	density-lin	800			0.7	4	0.5	0	0	9906.399414	4419.399414	4419.399414	0.933333
3632	001	7198	0.17	20844	21	65	100	3	17	0	21594	750	NC-1	40	density-lin	800	true		0.75	9	0.529411793	0	0	21594	750	750	1
3632	002	2930	0.07	2744	4	65	100	3	7	3	8790	6046	RM-1	40	density-lin	800			0.7	4	0.571428597	0	0	8204	5460	5460	0.933333
3632	004	3633	0.08	6123	11	65	100	3	8	0	10899	4776	RM-1	40	density-lin	800			0.7	5	0.625	0	0	10172.39941	4049.399414	4049.399414	0.933333
3632	005	3575	0.08	5351	8	65	100	3	8	0	10725	5374	RM-1	40	density-lin	800			0.7	4	0.5	0	0	10010	4659	4659	0.933333
3632	014	7181	0.16	10905	9	65	100	3	16	7	21543	10638	RH-3	40	density-lin	1000	true		0.7	7	0.4375	0	0	20106.79883	9201.798828	9201.798828	0.933333
3632	015	4238	0.1	3780	4	65	100	3	10	6	12714	8934	RH-3	40	density-lin	1000			0.7	4	0.400000006	0	0	11866.39941	8086.399414	8086.399414	0.933333
3632	016	3590	0.08	5976	6	65	100	3	8	2	10770	4794	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	10052	4076	4076	0.933333
3632	018	4355	0.1	8229	12	65	100	3	10	0	13065	4836	RH-3	40	density-lin	1000			0.7	4	0.400000006	0	0	12194	3965	3965	0.933333
3632	021	3590	0.08	4350	5	65	100	3	8	3	10770	6420	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	10052	5702	5702	0.933333
3632	025	3590	0.08	5530	7	65	100	3	8	1	10770	5240	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	10052	4522	4522	0.933333
3632	026	3590	0.08	10320	12	65	100	3	8	0	10770	450	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	10052	0	0	0.933333
3632	035	3838	0.09	5536	8	65	100	3	9	1	11514	5978	RH-3	40	density-lin	1000	true		0.7	6	0.666666687	0	0	10746.39941	5210.399414	5210.399414	0.933333
3632	042	1792	0.04	2005	4	65	100	3	4	0	5376	3371	RH-3	40	density-lin	1000			0.7	4	1	0	0	5017.600098	3012.600098	3012.600098	0.933333
3632	070	3590	0.08	760	4	65	100	3	8	4	10770	10010	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	10052	9292	9292	0.933333
3633	009	2850	0.07	5055	6	65	100	3	7	1	8550	3495	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	7980	2925	2925	0.933333
3633	011	2850	0.07	4725	5	65	100	3	7	2	8550	3825	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	7980	3255	3255	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3633	012	2850	0.07	4810	4	65	100	3	7	3	8550	3740	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7980	3170	3170	0.933333
3633	022	2844	0.07	4140	5	65	100	3	7	2	8532	4392	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7963.199707	3823.199707	3823.199707	0.933333
3633	026	2854	0.07	4095	4	65	100	3	7	3	8562	4467	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7991.199707	3896.199707	3896.199707	0.933333
3633	077	2850	0.07	733	4	65	100	3	7	3	8550	7817	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7980	7247	7247	0.933333
3634	003	2850	0.07	4022	4	75	120	3.5	8	4	9975	5953	RM-1	40	density-lim	800			0.7	4	0.5	0	0	7980	3958	3958	0.8
3634	006	2850	0.07	4587	7	75	120	3.5	8	1	9975	5388	RM-1	40	density-lim	800			0.7	4	0.5	0	0	7980	3393	3393	0.8
3634	010	3648	0.08	8268	6	75	120	3.5	10	4	12768	4500	RM-1	40	density-lim	800			0.7	5	0.5	0	0	10214.39941	1946.399414	1946.399414	0.8
3634	011	2964	0.07	5346	7	75	120	3.5	8	1	10374	5028	RM-1	40	density-lim	800			0.7	4	0.5	0	0	8299.200195	2953.200195	2953.200195	0.8
3634	012	4788	0.11	7530	8	75	120	3.5	13	5	16758	9228	RM-1	40	density-lim	800			0.7	6	0.461538464	0	0	13406.39941	5876.399414	5876.399414	0.8
3634	013	5700	0.13	9492	8	75	120	3.5	16	8	19950	10458	RH-3	40	density-lim	1000	true		0.7	6	0.375	0	0	15960	6468	6468	0.8
3634	020	4298	0.1	4938	5	75	120	3.5	12	7	15043	10105	RH-3	40	density-lim	1000			0.7	4	0.333333343	0	0	12034.39941	7096.399414	7096.399414	0.8
3634	041	4293	0.1	841	4	75	120	3.5	12	8	15026	14185	RH-3	40	density-lim	1000			0.7	4	0.333333343	0	0	12020.39941	11179.39941	11179.39941	0.799973
3635	032	14316	0.33	953	49	75	120	3.5	40	0	50106	49153	NCT-VALEI	55	form-based		true		0.75	43	1.075000048	0	0	53685	52732	52732	1.071429
3636	036	2200	0.05	4302	7	75	120	3.5	6	0	7700	3398	NCT-VALEI	55	form-based				0.75	7	1.166666627	0	0	8250	3948	3948	1.071429
3636	040	5000	0.11	8910	20	75	120	3.5	13	0	17500	8590	RTO-M	45	form-based				0.7	10	0.769230783	0	0	14000	5090	5090	0.8
3636	043A	7125	0.16	11922	22	75	120	3.5	19	0	24938	13016	RTO-M	45	form-based				0.7	15	0.789473712	0	0	19950	8028	8028	0.799984
3637	001	4372	0.1	9770	11	75	120	3.5	12	1	15302	5532	NC-1	55	density-lim	800	true		0.75	5	0.416666657	0	0	16395	6625	6625	1.071429
3637	018B	1713	0.04	4266	6	75	120	3.5	5	0	5996	1730	RTO-M	55	form-based				0.7	5	1	0	0	5995.5	1729.5	1729.5	0.999917
3637	019C	2700	0.06	6940	10	75	120	3.5	7	0	9450	2510	NCT-MISSI	55	form-based		true		0.75	8	1.142857194	0	0	10125	3185	3185	1.071429
3637	026	6125	0.14	12708	24	85	140	4	20	0	24500	11792	NCT-MISSI	65	form-based				0.75	23	1.149999976	0	0	27562.5	14854.5	14854.5	1.125
3637	048	3059	0.07	3500	6	75	120	3.5	8	2	10706	7206	RTO-M	40	form-based				0.7	6	0.75	0	0	8565.200195	5065.200195	5065.200195	0.800037
3637	063	9840	0.23	15382	14	75	120	3.5	28	14	34440	19058	NC-1	55	density-lim	800	true		0.75	12	0.428571433	0	0	36900	21518	21518	1.071429
3638	001	3221	0.07	6312	8	65	100	3	7	0	9663	3351	NC-3	55	density-lim	600	true		0.75	5	0.714285731	0	0	12078.75	5766.75	5766.75	1.25
3638	003	4309	0.1	4908	9	65	100	3	10	1	12927	8019	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	12065.2002	7157.200195	7157.200195	0.933333
3638	012	7331	0.17	6492	10	75	120	3.5	20	10	25658	19166	RH-3	40	density-lim	1000			0.7	7	0.349999994	0	0	20526.79883	14034.79883	14034.79883	0.800016
3638	017	1193	0.03	2790	4	75	120	3.5	4	0	4176	1386	RH-3	40	density-lim	1000			0.7	4	1	0	0	3340.399902	550.3999023	550.3999023	0.799904
3638	021	2695	0.06	5862	6	75	120	3.5	7	1	9432	3570	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	0	0	7546	1684	1684	0.800042
3638	025	3675	0.08	9736	7	75	120	3.5	10	3	12862	3126	RH-3	55	density-lim	1000	true		0.7	6	0.600000024	0	0	12862.5	3126.5	3126.5	1.000039
3638	030	3736	0.09	6936	6	75	120	3.5	11	5	13076	6140	RH-3	50	density-lim	1000			0.7	4	0.363636374	0	0	13076	6140	6140	1
3638	031	3736	0.09	4878	9	75	120	3.5	11	2	13076	8198	RH-3	50	density-lim	1000			0.7	4	0.363636374	0	0	13076	8198	8198	1
3638	033	4702	0.11	5020	10	75	120	3.5	13	3	16457	11437	RH-3	50	density-lim	1000			0.7	5	0.384615391	0	0	16457	11437	11437	1
3638	035	5251	0.12	7718	12	75	120	3.5	14	2	18378	10660	RH-3	55	density-lim	1000			0.7	5	0.357142866	0	0	18378.5	10660.5	10660.5	1.000027
3638	039	3081	0.07	3562	5	75	120	3.5	8	3	10784	7222	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	8626.799805	5064.799805	5064.799805	0.799963
3638	041	4455	0.1	6030	7	75	120	3.5	12	5	15592	9562	RH-3	40	density-lim	1000			0.7	4	0.333333343	0	0	12474	6444	6444	0.800026
3638	042	3675	0.08	2992	5	75	120	3.5	10	5	12862	9870	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	10290	7298	7298	0.800031
3638	045	3759	0.09	2430	5	75	120	3.5	11	6	13156	10726	RH-3	40	density-lim	1000			0.7	4	0.363636374	0	0	10525.2002	8095.200195	8095.200195	0.80003
3638	046	4375	0.1	3152	5	75	120	3.5	12	7	15312	12160	RH-3	40	density-lim	1000			0.7	4	0.333333343	0	0	12250	9098	9098	0.800026
3638	065	7227	0.17	13620	12	75	120	3.5	20	8	25294	11674	RH-3	50	density-lim	1000			0.7	7	0.349999994	0	0	25294.5	11674.5	11674.5	1.00002
3639	011	7350	0.17	14367	18	65	100	3	17	0	22050	7683	RH-3	40	density-lim	1000			0.7	7	0.411764711	0	0	20580	6213	6213	0.933333
3639	034	4813	0.11	10188	15	65	100	3	11	0	14439	4251	RH-2	40	density-lim	1500	true		0.7	6	0.545454562	0	0	13476.39941	3288.399414	3288.399414	0.933333
3639	039	18601	0.43	60537	54	65	100	3	43	0	55803	0	UMU	48	form-based		true		0.75	42	0.976744175	0	0	55803	0	0	1
3639	093	8644	0.2	17219	20	65	100	3	20	0	25932	8713	UMU	48	form-based				0.75	19	0.949999988	0	0	25932	8713	8713	1
3639	115	7842	0.18	7473	20	65	100	3	18	0	23526	16053	UMU	48	form-based				0.75	18	1	0	0	23526	16053	16053	1
3642	001	6637	0.15	16830	28	75	120	3.5	18	0	23230	6400	RTO-M	55	form-based		true		0.7	19	1.055555582	0	0	23229.5	6399.5	6399.5	0.999978
3642	016	2312	0.05	4650	9	75	120	3.5	6	0	8092	3442	NCT-24TH-	55	form-based		true		0.75	7	1.166666627	0	0	8670	4020	4020	1.071429
3642	017	1100	0.03	2700	4	75	120	3.5	4	0	3850	1150	NCT-MISSI	55	form-based		true		0.75	3	0.75	0	0	4125	1425	1425	1.071429
3642	040	4042	0.09	6690	9	75	120	3.5	11	2	14147	7457	RTO-M	40	form-based				0.7	8	0.727272749	0	0	11317.59961	4627.599609	4627.599609	0.8
3642	046	1100	0.03	1861	2	75	120	3.5	4	2	3850	1989	RTO-M	40	form-based				0.7	2	0.5	0	0	3080	1219	1219	0.8
3642	057	2829	0.06	3598	6	75	120	3.5	7	1	9902	6304	RTO-M	40	form-based				0.7	6	0.857142866	0	0	7921.199707	4323.199707	4323.199707	0.79996
3642	064A	1060	0.02	1736	4	75	120	3.5	2	0	3710	1974	RTO-M	55	form-based				0.7	3	1.5	0	0	3710	1974	1974	1
3642	065	3690	0.08	8292	12	75	120	3.5	10	0	12915	4623	RTO-M	55	form-based				0.7	10	1	0	0	12915	4623	4623	1
3643	011	1497	0.03	4361	4	95	160	4.5	5	1	6736	2375	NCT-MISSI	55	form-based		true		0.75	4	0.800000012	0	0	5613.75	1252.75	1252.75	0.833395
3643	049	1891	0.04	4701	6	75	120	3.5	5	0	6618	1917	NCT-MISSI	55	form-based				0.75	6	1.200000048	0	0	7091.25	2390.25	2390.25	1.071509
3643	050	1328	0.03	3845	5	75	120	3.5	4	0	4648	803	NCT-MISSI	55	form-based		true		0.75	4	1	0	0	4980	1135	1135	1.071429
3644	012	2457	0.06	6189	6	75	120	3.5	7	1	8600	2411	RH-3	40	density-lim	1000	true		0.7	6	0.857142866	0	0	6879.600098	690.6000977	690.6000977	0.799954
3644	013	4190	0.1	11580	13	75	120	3.5	12	0	14665	3085	RH-3	40	density-lim	1000	true		0.7	6	0.5	0	0	11732	152	152	0.8
3644	016	1920	0.04	2850	4	75	120	3.5	5	1	6720	3870	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	5376	2526	2526	0.8
3644	019	4220	0.1	9947	14	75	120	3.5	12	0	14770	4823	NCT-VALEI	40	form-based		true		0.75	9	0.75	0	0	12660	2713	2713	0.857143
3644	020	6200	0.14	19632	21	75	120	3.5	17	0	21700	2068	NCT-VALEI	55	form-based		true		0.75	19	1.117647052	0	0	23250	3618	3618	1.071429
3645	002	2142	0.05	3345	4	75	120	3.5	6	2	7497	4152	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	5997.600098	2652.600098	2652.600098	0.8
3645	003	2448	0.06	2664	4	75	120	3.5	7	3	8568	5904	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	6854.399902	4190.399902	4190.399902	0.8
3645	014	2094	0.05	5490	6	75	120	3.5	6	0	7329	1839	RH-3	40	density-lim	1000	true		0.7	6	1	0	0	5863.199707	373.199707	373.199707	0.8
3645	015	2438	0.06	6390	6	75	120	3.5	7	1	8533	2143	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	6826.399902	436.3999023	436.3999023	0.8
3645	018	2047	0.05	3056	5	75	120	3.5	6	1	7164	4108	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	5731.600098	2675.600098	2675.600098	0.800056

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3646	008	2850	0.07	2176	4	75	120	3.5	8	4	9975	7799	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	7980	5804	5804	0.8
3646	014	3000	0.07	5856	6	75	120	3.5	8	2	10500	4644	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	8400	2544	2544	0.8
3646	015	3000	0.07	7800	6	75	120	3.5	8	2	10500	2700	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	8400	600	600	0.8
3646	016	2500	0.06	4728	5	75	120	3.5	7	2	8750	4022	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7000	2272	2272	0.8
3646	017	2500	0.06	5184	6	75	120	3.5	7	1	8750	3566	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7000	1816	1816	0.8
3646	018A	2500	0.06	4908	6	75	120	3.5	7	1	8750	3842	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7000	2092	2092	0.8
3646	022	2870	0.07	4578	5	75	120	3.5	8	3	10045	5467	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	8036	3458	3458	0.8
3646	038	2500	0.06	1429	5	75	120	3.5	7	2	8750	7321	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7000	5571	5571	0.8
3647	001	9365	0.21	20400	12	65	100	3	21	9	28095	7695	RH-3	40	density-lim	1000	true		0.7	9	0.428571433	0	0	26222	5822	5822	0.933333
3647	003	3972	0.09	5313	9	65	100	3	9	0	11916	6603	RH-3	40	density-lim	1000			0.7	4	0.444444448	0	0	11121.59961	5808.599609	5808.599609	0.933333
3647	004	3547	0.08	6030	8	65	100	3	8	0	10641	4611	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9931.599609	3901.599609	3901.599609	0.933333
3647	005	3657	0.08	3888	4	65	100	3	8	4	10971	7083	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	10239.59961	6351.599609	6351.599609	0.933333
3647	007	3875	0.09	4133	5	65	100	3	9	4	11625	7492	RH-3	40	density-lim	1000			0.7	4	0.444444448	0	0	10850	6717	6717	0.933333
3647	008	3985	0.09	3792	5	65	100	3	9	4	11955	8163	RH-3	40	density-lim	1000			0.7	4	0.444444448	0	0	11158	7366	7366	0.933333
3647	011	9570	0.22	20868	27	65	100	3	22	0	28710	7842	RH-3	40	density-lim	1000			0.7	10	0.454545468	0	0	26796	5928	5928	0.933333
3647	013	4996	0.11	14219	9	65	100	3	11	2	14988	769	RH-3	40	density-lim	1000	true		0.7	6	0.545454562	0	0	13988.7998	0	0	0.933333
3647	016	2047	0.05	4590	6	65	100	3	5	0	6141	1551	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	5731.600098	1141.600098	1141.600098	0.933333
3647	017	2038	0.05	4428	6	65	100	3	5	0	6114	1686	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	5706.399902	1278.399902	1278.399902	0.933333
3647	024	3561	0.08	5700	7	65	100	3	8	1	10683	4983	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9970.799805	4270.799805	4270.799805	0.933333
3648	004	3613	0.08	4463	4	65	100	3	8	4	10839	6376	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	10116.39941	5653.399414	5653.399414	0.933333
3648	007	3613	0.08	5312	8	65	100	3	8	0	10839	5527	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	10116.39941	4804.399414	4804.399414	0.933333
3648	008	3613	0.08	3964	6	65	100	3	8	2	10839	6875	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	10116.39941	6152.399414	6152.399414	0.933333
3648	020	4246	0.1	3070	5	65	100	3	10	5	12738	9668	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	11888.7998	8818.799805	8818.799805	0.933333
3648	022	3597	0.08	5340	4	65	100	3	8	4	10791	5451	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	10071.59961	4731.599609	4731.599609	0.933333
3648	036	3523	0.08	4882	6	65	100	3	8	2	10569	5687	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9864.399414	4982.399414	4982.399414	0.933333
3648	038	2948	0.07	859	4	65	100	3	7	3	8844	7985	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8254.399414	7395.399414	7395.399414	0.933333
3648	054	4246	0.1	675	4	65	100	3	10	6	12738	12063	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	11888.7998	11213.7998	11213.7998	0.933333
3649	007	4665	0.11	14650	16	65	100	3	11	0	13995	0	RM-1	50	form-based			true	0.7	13	1.181818128	0	0	16327.5	1677.5	1677.5	1.166667
3649	013	2152	0.05	5130	6	65	100	3	5	0	6456	1326	RM-1	50	form-based		true	true	0.7	6	1.200000048	0	0	7532	2402	2402	1.166667
3649	029	1793	0.04	2356	5	65	100	3	4	0	5379	3023	RH-2	50	form-based			true	0.7	5	1.25	0	0	6275.5	3919.5	3919.5	1.166667
3650	010	149	0	0	0	65	100	3	0	0	447	447	RH-2	50	form-based			true	0.7	0		0	0	521.5	521.5	521.5	1.166667
3650	018	1950	0.04	5795	9	65	100	3	4	0	5850	55	NCD-24TH	50	form-based		true	true	0.75	6	1.5	0	0	7312.5	1517.5	1517.5	1.25
3651	036	1390	0.03	2900	4	65	100	3	3	0	4170	1270	RH-3	50	form-based		true	true	0.7	4	1.333333373	0	0	4865	1965	1965	1.166667
3652	051	2267	0.05	738	7	65	100	3	5	0	6801	6063	RH-3	50	form-based		true	true	0.7	6	1.200000048	0	0	7934.5	7196.5	7196.5	1.166667
3652	071	1198	0.03	950	3	65	100	3	3	0	3594	2644	RH-3	50	form-based		true	true	0.7	3	1	0	0	4193	3243	3243	1.166667
3653	016	3420	0.08	4894	8	65	100	3	8	0	10260	5366	RH-3	40	form-based			true	0.7	7	0.875	0	0	9576	4682	4682	0.933333
3655	009	3474	0.08	7443	24	55	80	2.5	6	0	8685	1242	RH-3	40	form-based		true	true	0.7	7	1.166666627	0	0	9727.200195	2284.200195	2284.200195	1.12
3656	008A	1193	0.03	2820	4	55	80	2.5	2	0	2982	162	NCD-24TH	65	form-based			true	0.75	4	2	0	0	5368.5	2548.5	2548.5	1.800302
3701	022	7432	0.17	27072	105	85	140	4	24	0	29728	2656	C-3-G	120	form-based		true		0.8	67	2.791666746	0	0	66888	39816	32384	2.25
3701	023	4848	0.11	22670	62	85	140	4	15	0	19392	0	C-3-G	120	form-based				0.8	44	2.933333397	0	0	43632	20962	16114	2.25
3701	059	57513	1.32	257526	459	95	160	4.5	211	0	258808	1282	C-3-G	150	form-based		true		0.55	299	1.417061567	0	0	299425.0625	41899.0625	41899.0625	1.156939
3702A	002	126980	2.92	398200	1848	95	160	4.5	467	0	571410	173210	C-3-G	240	form-based		true		0.55	1047	2.241970062	0	0	1046873	648673	648673	1.832087
3703	001	6125	0.14	29473	93	85	140	4	20	0	24500	0	C-3-G	120	form-based		true		0.8	55	2.75	0	0	55125	25652	19527	2.25
3703	004	7851	0.18	46320	204	75	120	3.5	22	0	27478	0	NCT-SOMA	85	form-based		true		0.75	41	1.863636374	0	0	47106	786	786	1.714317
3703	006	6000	0.14	15780	40	75	120	3.5	17	0	21000	5220	NCT-SOMA	85	form-based		true		0.75	32	1.882352948	0	0	36000	20220	20220	1.714286
3703	027	2400	0.06	8712	32	85	140	4	8	0	9600	888	NCT-SOMA	85	form-based		true		0.75	13	1.625	0	0	14400	5688	5688	1.5
3703	029	10400	0.24	44568	152	85	140	4	34	0	41600	0	NCT-SOMA	85	form-based		true		0.75	55	1.617647052	0	0	62400	17832	17832	1.5
3703	101	10776	0.25	37067	121	65	100	3	25	0	32328	0	C-3-G	120	form-based				0.8	97	3.880000114	0	0	96984	59917	27589	3
3703	248	12287	0.28	488	90	85	140	4	39	0	49148	48660	C-3-G	90	form-based				0.8	71	1.820512772	0	0	70506.75	70018.75	70018.75	1.43458
3703	341	50844	1.17	15181	258	75	120	3.5	140	0	177954	162773	C-3-G	90	form-based				0.55	202	1.442857146	0	0	201749.4063	186568.4063	186568.4063	1.133717
3704	050	3750	0.09	24150	24	75	120	3.5	11	0	13125	0	NCT-SOMA	85	form-based				0.75	20	1.818181872	0	0	22500	0	0	1.714286
3704	052	1763	0.04	4635	15	75	120	3.5	5	0	6170	1535	NCT-SOMA	85	form-based				0.75	9	1.799999952	0	0	10578	5943	5943	1.714425
3705	021	14229	0.33	66700	192	85	140	4	46	0	56916	0	C-3-R	160	form-based		true		0.8	165	3.586956501	0	0	164702.25	98002.25	47132	2.893778
3722	083	12848	0.29	409	166	75	120	3.5	35	0	44968	44559	C-3-O(SD)	150	form-based		true		0.8	145	4.142857075	0	0	145452	145043	89527	3.234567
3725	025	8400	0.19	15360	106	65	100	3	19	0	25200	9840	NCT-SOMA	85	form-based		true		0.75	44	2.315789461	0	0	50400	35040	35040	2
3725	079	9958	0.23	39536	76	85	140	4	32	0	39832	296	NCT-SOMA	85	form-based		true		0.75	52	1.625	0	0	59748	20212	20212	1.5
3725	088	12936	0.3	56910	265	75	120	3.5	36	0	45276	0	C-3-S	160	form-based				0.8	158	4.388888836	0	0	157914	101004	33642	3.487808
3725	094	10637	0.24	0	302	75	120	3.5	29	0	37230	37230	C-3-S	85	form-based				0.8	60	2.068965435	0	0	68076.80469	68076.80469	68076.80469	1.828547
3725	102	11750	0.27	46655	30	65	100	3	27	0	35250	0	MUR	45	form-based				0.75	26	0.962962985	0	0	35250	0	0	1
3725	124	34	0	0	0	75	120	3.5	0	0	119	119	C-3-S	85	form-based				0.8	0		0	0	217.6000061	217.6000061	217.6000061	1.828571
3725	125	81	0	0	0	75	120	3.5	0	0	284	284	C-3-S	85	form-based		true		0.8	0		0	0	518.4000244	518.4000244	518.4000244	1.825352
3725	126	26	0	0	0	75	120	3.5	0	0	91	91	C-3-S	85	form-based				0.8	0		0	0	166.4000092	166.4000092	166.4000092	1.828572
3726	002	4500	0.1	28054	121	85	140	4	14	0	18000	0	NCT-SOMA	85	form-based				0.75	24	1.714285731	0	0	27000	0	0	1.5
3726	005	2250	0.05	6750	13	65	100	3	5	0	6750	0	NCT-SOMA	85	form-based		true		0.75	12	2.400000095	0	0	13500	6750	6750	2

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3726	010	7884	0.18	38850	76	65	100	3	18	0	23652	0	NCT-SOMA	85	form-based				0.75	41	2.277777672	0	0	47304	8454	8454	2
3726	011	8480	0.19	31680	50	65	100	3	19	0	25440	0	NCT-SOMA	85	form-based		true		0.75	45	2.368421078	0	0	50880	19200	19200	2
3726	025	2250	0.05	6250	16	65	100	3	5	0	6750	500	MUG	85	form-based				0.75	12	2.400000095	0	0	13500	7250	7250	2
3726	033	1875	0.04	37567	29	85	140	4	6	0	7500	0	MUG	85	form-based				0.75	10	1.666666627	0	0	11250	0	0	1.5
3726	034	1875	0.04	37567	29	65	100	3	4	0	5625	0	MUG	85	form-based				0.75	10	2.5	0	0	11250	0	0	2
3726	035	2160	0.05	37567	29	65	100	3	5	0	6480	0	MUG	85	form-based		true		0.75	11	2.200000048	0	0	12960	0	0	2
3726	036	1959	0.04	37567	29	65	100	3	4	0	5877	0	RED	45	form-based				0.75	4	1	0	0	5877	0	0	1
3726	037	1954	0.04	37567	29	65	100	3	4	0	5862	0	RED	45	form-based				0.75	4	1	0	0	5862	0	0	1
3726	037A	2039	0.05	37567	29	65	100	3	5	0	6117	0	RED	45	form-based				0.75	5	1	0	0	6117	0	0	1
3726	039	1926	0.04	4100	6	65	100	3	4	0	5778	1678	RED	45	form-based				0.75	4	1	0	0	5778	1678	1678	1
3726	040	1921	0.04	2130	4	65	100	3	4	0	5763	3633	RED	45	form-based				0.75	4	1	0	0	5763	3633	3633	1
3726	045	1894	0.04	5195	6	65	100	3	4	0	5682	487	RED	45	form-based		true		0.75	4	1	0	0	5682	487	487	1
3726	046	2708	0.06	7280	6	65	100	3	6	0	8124	844	RED	45	form-based		true		0.75	6	1	0	0	8124	844	844	1
3726	050	1895	0.04	3050	4	65	100	3	4	0	5685	2635	RED	45	form-based				0.75	4	1	0	0	5685	2635	2635	1
3726	052	1844	0.04	2570	4	65	100	3	4	0	5532	2962	RED	45	form-based				0.75	4	1	0	0	5532	2962	2962	1
3726	053	1839	0.04	2700	4	65	100	3	4	0	5517	2817	RED	45	form-based				0.75	4	1	0	0	5517	2817	2817	1
3726	054	1833	0.04	3030	4	65	100	3	4	0	5499	2469	RED	45	form-based				0.75	4	1	0	0	5499	2469	2469	1
3726	057	1527	0.04	3676	3	65	100	3	4	1	4581	905	RED	45	form-based				0.75	3	0.75	0	0	4581	905	905	1
3726	058	2399	0.06	5715	12	65	100	3	6	0	7197	1482	RED	45	form-based				0.75	5	0.833333313	0	0	7197	1482	1482	1
3726	060	1818	0.04	4430	6	65	100	3	4	0	5454	1024	RED	45	form-based				0.75	4	1	0	0	5454	1024	1024	1
3726	061	1818	0.04	2590	4	65	100	3	4	0	5454	2864	RED	45	form-based				0.75	4	1	0	0	5454	2864	2864	1
3726	063	1818	0.04	4100	6	65	100	3	4	0	5454	1354	RED	45	form-based				0.75	4	1	0	0	5454	1354	1354	1
3726	067	2472	0.06	4420	6	65	100	3	6	0	7416	2996	RED	45	form-based		true		0.75	6	1	0	0	7416	2996	2996	1
3726	073	1902	0.04	4263	5	65	100	3	4	0	5706	1443	RED	45	form-based				0.75	4	1	0	0	5706	1443	1443	1
3726	074	1817	0.04	3606	5	65	100	3	4	0	5451	1845	RED	45	form-based				0.75	4	1	0	0	5451	1845	1845	1
3726	088	2203	0.05	4947	6	65	100	3	5	0	6609	1662	RED	45	form-based				0.75	5	1	0	0	6609	1662	1662	1
3726	091	1876	0.04	3038	4	65	100	3	4	0	5628	2590	RED	45	form-based				0.75	4	1	0	0	5628	2590	2590	1
3726	094	9710	0.22	30640	40	65	100	3	22	0	29130	0	RED	45	form-based		true		0.75	22	1	0	0	29130	0	0	1
3726	095	8126	0.19	28600	26	65	100	3	19	0	24378	0	RED	45	form-based				0.75	18	0.947368443	0	0	24378	0	0	1
3726	105	6449	0.15	28480	72	85	140	4	21	0	25796	0	MUG	85	form-based		true		0.75	34	1.619047642	0	0	38694	10214	10214	1.5
3726	109	62173	1.43	147331	278	85	140	4	200	0	248692	101361	MUG	85	form-based				0.55	239	1.195000052	0	0	273561.2188	126230.2188	126230.2188	1.1
3726	118	4500	0.1	311	32	85	140	4	14	0	18000	17689	MUG	85	form-based		true		0.75	24	1.714285731	0	0	27000	26689	26689	1.5
3726	163	2295	0.05	1257	5	65	100	3	5	0	6885	5628	RED	45	form-based				0.75	5	1	0	0	6885	5628	5628	1
3726	202	5399	0.12	918	13	65	100	3	12	0	16197	15279	RED	45	form-based				0.75	12	1	0	0	16197	15279	15279	1
3727	001	21948	0.5	45945	117	85	140	4	70	0	87792	41847	WMUG	65	form-based		true		0.75	82	1.171428561	0	0	98766	52821	52821	1.125
3727	029	1901	0.04	2260	4	75	120	3.5	5	1	6654	4394	RED	40	form-based				0.75	4	0.800000012	0	0	5703	3443	3443	0.857078
3727	030	1901	0.04	2880	4	75	120	3.5	5	1	6654	3774	RED	40	form-based				0.75	4	0.800000012	0	0	5703	2823	2823	0.857078
3727	038	1928	0.04	2570	4	75	120	3.5	5	1	6748	4178	RED	40	form-based				0.75	4	0.800000012	0	0	5784	3214	3214	0.857143
3727	040	1896	0.04	2880	4	75	120	3.5	5	1	6636	3756	RED	40	form-based				0.75	4	0.800000012	0	0	5688	2808	2808	0.857143
3727	044	1950	0.04	5385	4	75	120	3.5	5	1	6825	1440	RED	40	form-based				0.75	4	0.800000012	0	0	5850	465	465	0.857143
3727	045	1950	0.04	3630	5	75	120	3.5	5	0	6825	3195	RED	40	form-based				0.75	4	0.800000012	0	0	5850	2220	2220	0.857143
3727	054	3900	0.09	9200	12	75	120	3.5	11	0	13650	4450	RED	40	form-based				0.75	9	0.818181813	0	0	11700	2500	2500	0.857143
3727	056	1950	0.04	3100	4	75	120	3.5	5	1	6825	3725	RED	40	form-based				0.75	4	0.800000012	0	0	5850	2750	2750	0.857143
3727	063	2990	0.07	5980	88	75	120	3.5	8	0	10465	4485	WMUG	55	form-based		true		0.75	9	1.125	0	0	11212.5	5232.5	5232.5	1.071429
3727	073	1946	0.04	3032	4	75	120	3.5	5	1	6811	3779	RED	40	form-based				0.75	4	0.800000012	0	0	5838	2806	2806	0.857143
3727	074	1946	0.04	2750	4	75	120	3.5	5	1	6811	4061	RED	40	form-based				0.75	4	0.800000012	0	0	5838	3088	3088	0.857143
3727	084	1949	0.04	3158	4	75	120	3.5	5	1	6822	3664	RED	40	form-based				0.75	4	0.800000012	0	0	5847	2689	2689	0.85708
3727	085	1950	0.04	4704	6	75	120	3.5	5	0	6825	2121	RED	40	form-based				0.75	4	0.800000012	0	0	5850	1146	1146	0.857143
3727	086	1950	0.04	4740	14	75	120	3.5	5	0	6825	2085	RED	40	form-based				0.75	4	0.800000012	0	0	5850	1110	1110	0.857143
3727	108	3200	0.07	7782	12	85	140	4	10	0	12800	5018	MUO	65	form-based				0.75	12	1.200000048	0	0	14400	6618	6618	1.125
3727	113	1392	0.03	5720	7	85	140	4	4	0	5568	0	WMUG	65	form-based		true		0.75	5	1.25	0	0	6264	544	544	1.125
3727	138	11374	0.26	574	26	85	140	4	36	10	45496	44922	RED-MX	45	form-based		true		0.75	26	0.722222209	0	0	34122	33548	33548	0.75
3727	202	45696	1.05	132656	162	75	120	3.5	126	0	159936	27280	RED-MX	45	form-based		true		0.55	75	0.59523809	0	0	100531.2031	0	0	0.628571
3727	215	1950	0.04	722	4	75	120	3.5	5	1	6825	6103	RED	40	form-based				0.75	4	0.800000012	0	0	5850	5128	5128	0.857143
3727	219	1950	0.04	575	6	75	120	3.5	5	0	6825	6250	RED	40	form-based				0.75	4	0.800000012	0	0	5850	5275	5275	0.857143
3727	224	1899	0.04	2069	4	75	120	3.5	5	1	6646	4577	RED	40	form-based				0.75	4	0.800000012	0	0	5697	3628	3628	0.857207
3727	228	2106	0.05	820	5	75	120	3.5	6	1	7371	6551	RED	40	form-based				0.75	5	0.833333313	0	0	6318	5498	5498	0.857143
3728	006	3769	0.09	10290	13	75	120	3.5	11	0	13192	2902	RED-MX	45	form-based		true		0.75	8	0.727272749	0	0	11307	1017	1017	0.85711
3728	016	2250	0.05	5075	6	75	120	3.5	6	0	7875	2800	RED-MX	45	form-based				0.75	5	0.833333313	0	0	6750	1675	1675	0.857143
3728	026	1965	0.05	3118	4	75	120	3.5	6	2	6878	3760	RED-MX	45	form-based				0.75	4	0.666666687	0	0	5895	2777	2777	0.857081
3728	032	1971	0.05	2884	4	75	120	3.5	6	2	6898	4014	RED-MX	45	form-based				0.75	4	0.666666687	0	0	5913	3029	3029	0.857205
3728	034	1875	0.04	4440	6	75	120	3.5	5	0	6562	2122	RED-MX	45	form-based				0.75	4	0.800000012	0	0	5625	1185	1185	0.857208
3728	038	1875	0.04	3120	4	75	120	3.5	5	1	6562	3442	RED-MX	45	form-based				0.75	4	0.800000012	0	0	5625	2505	2505	0.857208
3728	045	1875	0.04	3441	6	75	120	3.5	5	0	6562	3121	RED-MX	45	form-based				0.75	4	0.800000012	0	0	5625	2184	2184	0.857208

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3728	050	5002	0.11	3840	11	75	120	3.5	13	2	17507	13667	RED-MX	45	form-based				0.75	11	0.846153855	0	0	15006	11166	11166	0.857143
3728	053	1928	0.04	5755	22	75	120	3.5	5	0	6748	993	RED-MX	45	form-based				0.75	4	0.800000012	0	0	5784	29	29	0.857143
3728	054	1929	0.04	3010	4	75	120	3.5	5	1	6752	3742	RED-MX	45	form-based				0.75	4	0.800000012	0	0	5787	2777	2777	0.857079
3728	055	1930	0.04	2844	4	75	120	3.5	5	1	6755	3911	RED-MX	45	form-based				0.75	4	0.800000012	0	0	5790	2946	2946	0.857143
3728	059	1548	0.04	2120	3	75	120	3.5	5	2	5418	3298	RED-MX	45	form-based				0.75	3	0.600000024	0	0	4644	2524	2524	0.857143
3728	099	1958	0.04	1165	4	75	120	3.5	5	1	6853	5688	RED-MX	45	form-based				0.75	4	0.800000012	0	0	5874	4709	4709	0.857143
3728	103	2659	0.06	5468	12	85	140	4	8	0	10636	5168	MUO	65	form-based				0.75	10	1.25	0	0	11965.5	6497.5	6497.5	1.125
3728	117	9654	0.22	1177	22	75	120	3.5	26	4	33789	32612	RED-MX	45	form-based	true			0.75	22	0.846153855	0	0	28962	27785	27785	0.857143
3728	171	5427	0.12	663	20	85	140	4	17	0	21708	21045	RCD	55	form-based	true			0.75	16	0.941176474	0	0	20351.25	19688.25	19688.25	0.9375
3728	198	38112	0.87	141900	129	75	120	3.5	104	0	133392	0	WMUG	55	form-based	true			0.75	114	1.096153855	0	0	142920	1020	1020	1.071429
3729	029	1907	0.04	1880	4	65	100	3	4	0	5721	3841	RED-MX	45	form-based				0.75	4	1	0	0	5721	3841	3841	1
3729	041	1902	0.04	4070	6	65	100	3	4	0	5706	1636	RED-MX	45	form-based				0.75	4	1	0	0	5706	1636	1636	1
3729	042	1875	0.04	2901	6	65	100	3	4	0	5625	2724	RED-MX	45	form-based				0.75	4	1	0	0	5625	2724	2724	1
3729	048	1875	0.04	4702	6	65	100	3	4	0	5625	923	RED-MX	45	form-based				0.75	4	1	0	0	5625	923	923	1
3729	049	1875	0.04	5620	4	65	100	3	4	0	5625	5	RED-MX	45	form-based				0.75	4	1	0	0	5625	5	5	1
3729	050	1875	0.04	2200	4	65	100	3	4	0	5625	3425	RED-MX	45	form-based				0.75	4	1	0	0	5625	3425	3425	1
3729	051	1875	0.04	5625	4	65	100	3	4	0	5625	0	RED-MX	45	form-based				0.75	4	1	0	0	5625	0	0	1
3729	057	1866	0.04	7300	18	65	100	3	4	0	5598	0	RCD	55	form-based				0.75	6	1.5	0	0	6997.5	0	0	1.25
3729	062	1882	0.04	4305	6	65	100	3	4	0	5646	1341	RED-MX	45	form-based				0.75	4	1	0	0	5646	1341	1341	1
3729	063	1862	0.04	4219	8	65	100	3	4	0	5586	1367	RED-MX	45	form-based				0.75	4	1	0	0	5586	1367	1367	1
3729	078	2002	0.05	8000	20	65	100	3	5	0	6006	0	RCD	55	form-based	true			0.75	6	1.200000048	0	0	7507.5	0	0	1.25
3729	161	1554	0.04	883	3	65	100	3	4	1	4662	3779	RED-MX	45	form-based				0.75	3	0.75	0	0	4662	3779	3779	1
3730	042	1450	0.03	2050	4	65	100	3	3	0	4350	2300	RED	40	form-based				0.75	3	1	0	0	4350	2300	2300	1
3730	044	1450	0.03	2300	4	65	100	3	3	0	4350	2050	RED	40	form-based				0.75	3	1	0	0	4350	2050	2050	1
3730	046	2847	0.07	4760	6	65	100	3	7	1	8541	3781	RED	40	form-based				0.75	6	0.857142866	0	0	8541	3781	3781	1
3730	061	5600	0.13	12270	18	65	100	3	13	0	16800	4530	WMUG	55	form-based	true			0.75	17	1.307692289	0	0	21000	8730	8730	1.25
3730	064	2854	0.07	4940	10	65	100	3	7	0	8562	3622	RED	40	form-based				0.75	6	0.857142866	0	0	8562	3622	3622	1
3730	065	2854	0.07	4940	9	65	100	3	7	0	8562	3622	RED	40	form-based				0.75	6	0.857142866	0	0	8562	3622	3622	1
3730	067	2855	0.07	5015	8	65	100	3	7	0	8565	3550	RED	40	form-based				0.75	6	0.857142866	0	0	8565	3550	3550	1
3730	094	1999	0.05	3300	6	65	100	3	5	0	5997	2697	RED	40	form-based				0.75	4	0.800000012	0	0	5997	2697	2697	1
3730	096	1981	0.05	5795	5	65	100	3	5	0	5943	148	RED	40	form-based				0.75	4	0.800000012	0	0	5943	148	148	1
3730	098	1964	0.05	2760	4	65	100	3	5	1	5892	3132	RED	40	form-based				0.75	4	0.800000012	0	0	5892	3132	3132	1
3730	100	1946	0.04	3999	4	65	100	3	4	0	5838	1839	RED	40	form-based				0.75	4	1	0	0	5838	1839	1839	1
3730	102	1928	0.04	3080	4	65	100	3	4	0	5784	2704	RED	40	form-based				0.75	4	1	0	0	5784	2704	2704	1
3730	162	5970	0.14	1614	16	65	100	3	14	0	17910	16296	RED	40	form-based	true			0.75	13	0.928571403	0	0	17910	16296	16296	1
3730	276	3222	0.07	941	37	65	100	3	7	0	9666	8725	RED	40	form-based				0.75	7	1	0	0	9666	8725	8725	1
3730	408	8047	0.18	7273	42	65	100	3	18	0	24141	16868	NCT-FOLS(	65	form-based				0.75	30	1.666666627	0	0	36211.5	28938.5	28938.5	1.5
3731	001	9878	0.23	47655	142	65	100	3	23	0	29634	0	NCT-SOMA	85	form-based	true			0.75	52	2.260869503	0	0	59268	11613	11613	2
3731	019	4000	0.09	10440	52	65	100	3	9	0	12000	1560	NCT-SOMA	65	form-based				0.75	15	1.666666627	0	0	18000	7560	7560	1.5
3731	033	5760	0.13	17550	34	65	100	3	13	0	17280	0	MUG	65	form-based				0.75	22	1.692307711	0	0	25920	8370	8370	1.5
3731	040	4160	0.1	4000	18	85	140	4	14	0	16640	12640	MUG	65	form-based				0.75	16	1.142857194	0	0	18720	14720	14720	1.125
3731	044	1875	0.04	2930	4	85	140	4	6	2	7500	4570	RED	45	form-based				0.75	4	0.666666687	0	0	5625	2695	2695	0.75
3731	053	1958	0.04	4266	5	65	100	3	4	0	5874	1608	RED	45	form-based				0.75	4	1	0	0	5874	1608	1608	1
3731	054A	1959	0.04	4536	6	65	100	3	4	0	5877	1341	RED	45	form-based				0.75	4	1	0	0	5877	1341	1341	1
3731	062A	2250	0.05	4632	6	65	100	3	5	0	6750	2118	RED	45	form-based				0.75	5	1	0	0	6750	2118	2118	1
3731	063	1350	0.03	2724	3	65	100	3	3	0	4050	1326	RED	45	form-based				0.75	3	1	0	0	4050	1326	1326	1
3731	070	1875	0.04	2750	4	65	100	3	4	0	5625	2875	RED	45	form-based				0.75	4	1	0	0	5625	2875	2875	1
3731	074	4206	0.1	8500	25	65	100	3	10	0	12618	4118	MUG	85	form-based	true			0.75	22	2.200000048	0	0	25236	16736	16736	2
3731	104	1911	0.04	5360	4	65	100	3	4	0	5733	373	RED	45	form-based				0.75	4	1	0	0	5733	373	373	1
3731	110	2005	0.05	4860	8	65	100	3	5	0	6015	1155	MUG	45	form-based				0.75	5	1	0	0	6015	1155	1155	1
3731	113	3750	0.09	8850	18	65	100	3	9	0	11250	2400	MUG	45	form-based				0.75	8	0.888888896	0	0	11250	2400	2400	1
3731	115	1875	0.04	3590	6	65	100	3	4	0	5625	2035	MUG	45	form-based				0.75	4	1	0	0	5625	2035	2035	1
3731	116	1500	0.03	2700	3	65	100	3	3	0	4500	1800	MUG	45	form-based				0.75	3	1	0	0	4500	1800	1800	1
3731	117	6067	0.14	42614	88	65	100	3	14	0	18201	0	MUG	85	form-based	true			0.75	32	2.285714388	0	0	36402	0	0	2
3731	125	4538	0.1	12870	40	65	100	3	10	0	13614	744	NCT-SOMA	65	form-based	true			0.75	17	1.700000048	0	0	20421	7551	7551	1.5
3731	168	1876	0.04	1382	4	65	100	3	4	0	5628	4246	RED	45	form-based				0.75	4	1	0	0	5628	4246	4246	1
3731	186	6664	0.15	628	16	65	100	3	15	0	19992	19364	MUG	45	form-based				0.75	15	1	0	0	19992	19364	19364	1
3731	221	5674	0.13	770	14	65	100	3	13	0	17022	16252	RED	45	form-based				0.75	13	1	0	0	17022	16252	16252	1
3732	062	5625	0.13	22291	20	65	100	3	13	0	16875	0	MUR	45	form-based				0.75	13	1	0	0	16875	0	0	1
3731	236	1875	0.04	690	4	65	100	3	4	0	5625	4935	RED	45	form-based				0.75	4	1	0	0	5625	4935	4935	1
3731	243	3761	0.09	11775	23	65	100	3	9	0	11283	0	RED	45	form-based				0.75	8	0.888888896	0	0	11283	0	0	1
3732	067	1875	0.04	3650	6	65	100	3	4	0	5625	1975	MUR	45	form-based				0.75	4	1	0	0	5625	1975	1975	1
3732	078	8000	0.18	54450	140	65	100	3	18	0	24000	0	NCT-SOMA	85	form-based	true			0.75	42	2.333333254	0	0	48000	0	0	2
3732	088	3000	0.07	3974	10	65	100	3	7	0	9000	5026	MUR	45	form-based				0.75	7	1	0	0	9000	5026	5026	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3732	089	4000	0.09	7653	11	65	100	3	9	0	12000	4347	MUR	45	form-based				0.75	9	1	0	0	12000	4347	4347	1
3732	106	1875	0.04	3600	6	65	100	3	4	0	5625	2025	MUR	45	form-based				0.75	4	1	0	0	5625	2025	2025	1
3732	123	1879	0.04	10880	32	65	100	3	4	0	5637	0	NCT-SOMA	85	form-based				0.75	10	2.5	0	0	11274	394	394	2
3732	130	2020	0.05	7456	20	65	100	3	5	0	6060	0	MUR	85	form-based				0.75	11	2.200000048	0	0	12120	4664	4664	2
3732	153	7800	0.18	622	20	65	100	3	18	0	23400	22778	MUR	45	form-based				0.75	18	1	0	0	23400	22778	22778	1
3732	195	1875	0.04	644	6	65	100	3	4	0	5625	4981	MUR	45	form-based				0.75	4	1	0	0	5625	4981	4981	1
3732	202	2000	0.05	695	6	65	100	3	5	0	6000	5305	MUR	45	form-based				0.75	5	1	0	0	6000	5305	5305	1
3732	208	4000	0.09	24464	12	65	100	3	9	0	12000	0	MUR	45	form-based				0.75	9	1	0	0	12000	0	0	1
3732	220	3990	0.09	13200	12	65	100	3	9	0	11970	0	MUR	45	form-based				0.75	9	1	0	0	11970	0	0	1
3732	234	2430	0.06	807	6	65	100	3	6	0	7290	6483	MUR	45	form-based				0.75	5	0.833333313	0	0	7290	6483	6483	1
3732	272	55925	1.28	444649	282	65	100	3	128	0	167775	0	MUR	85	form-based		true		0.55	215	1.6796875	0	0	246070	0	0	1.466667
3732	562	28414	0.65	324590	182	65	100	3	65	0	85242	0	MUR	85	form-based		true		0.75	149	2.292307615	0	0	170484	0	0	2
3732	747	3271	0.08	9762	13	65	100	3	8	0	9813	51	MUR	45	form-based				0.75	7	0.875	0	0	9813	51	51	1
3733	107	19221	0.44	117338	206	65	100	3	44	0	57663	0	C-3-S	130	form-based		true		0.8	155	3.522727251	0	0	154910.25	37572.25	0	2.686476
3733	159	64336	1.48	81353	361	85	140	4	207	0	257344	175991	RC-4	130	density-lin	200	true		0.55	322	1.555555582	0	0	301693.5938	220340.5938	220340.5938	1.172336
3736A	001	31034	0.71	965617	545	75	120	3.5	85	0	108619	0	TB DTR	400	form-based		true		0.8	541	6.364706039	0	0	540928.5	0	0	4.980054
3738	016	50193	1.15	295875	600	75	120	3.5	138	0	175676	0	TB DTR	300	form-based		true		0.55	451	3.268115997	0	0	451243.0625	155368.0625	55477	2.56861
3745	012	76210	1.75	1158996	651	65	100	3	175	0	228630	0	RC-4	400	density-lin	200	true		0.55	381	2.177142859	0	0	1049408.5	0	0	4.589986
3746	008	75406	1.73	1178	647	65	100	3	173	0	226218	225040	RC-4	400	density-lin	200	true		0.55	377	2.179190636	0	0	1046313.125	1045135.125	451258	4.625243
3749	187	20082	0.46	1065	82	75	120	3.5	55	0	70287	69222	RH DTR	65	form-based				0.8	80	1.454545498	0	0	96393.60156	95328.60156	95328.60156	1.371429
3749	503	17298	0.4	74750	120	75	120	3.5	48	0	60543	0	TB DTR	85	form-based		true		0.8	97	2.020833254	0	0	110707.2031	35957.20313	35957.20313	1.828571
3751	420	6880	0.16	71341	98	65	100	3	16	0	20640	0	CMUO	85	form-based				0.8	39	2.4375	0	0	44032	0	0	2.133333
3751	523	6400	0.15	42149	79	65	100	3	15	0	19200	0	CMUO	85	form-based				0.8	36	2.400000095	0	0	40960	0	0	2.133333
3752	107	46520	1.07	159975	258	65	100	3	107	0	139560	0	MUR	45	form-based				0.55	77	0.719626188	0	0	102344	0	0	0.733333
3752	501	10313	0.24	675	205	65	100	3	24	0	30939	30264	MUR	85	form-based				0.75	54	2.25	0	0	61878	61203	61203	2
3753	008	5190	0.12	15106	50	65	100	3	12	0	15570	464	MUR	85	form-based		true		0.75	27	2.25	0	0	31140	16034	16034	2
3753	041	1987	0.05	3076	4	65	100	3	5	1	5961	2885	MUR	45	form-based				0.75	4	0.800000012	0	0	5961	2885	2885	1
3753	083	1866	0.04	2880	8	65	100	3	4	0	5598	2718	MUR	45	form-based				0.75	4	1	0	0	5598	2718	2718	1
3753	084	1866	0.04	2580	5	65	100	3	4	0	5598	3018	MUR	45	form-based				0.75	4	1	0	0	5598	3018	3018	1
3753	094	1862	0.04	4083	14	65	100	3	4	0	5586	1503	MUR	45	form-based				0.75	4	1	0	0	5586	1503	1503	1
3753	115	1725	0.04	2288	4	65	100	3	4	0	5175	2887	MUR	45	form-based				0.75	4	1	0	0	5175	2887	2887	1
3753	119	1875	0.04	2500	4	65	100	3	4	0	5625	3125	MUR	45	form-based				0.75	4	1	0	0	5625	3125	3125	1
3753	148	12909	0.3	1610	90	65	100	3	30	0	38727	37117	MUR	85	form-based		true		0.75	68	2.266666651	0	0	77454	75844	75844	2
3753	287	7927	0.18	1366	30	65	100	3	18	0	23781	22415	MUR	45	form-based				0.75	18	1	0	0	23781	22415	22415	1
3753	328	5541	0.13	869	15	65	100	3	13	0	16623	15754	MUR	45	form-based		true		0.75	12	0.923076928	0	0	16623	15754	15754	1
3753	345	3722	0.09	7622	21	65	100	3	9	0	11166	3544	MUR	45	form-based				0.75	8	0.888888896	0	0	11166	3544	3544	1
3753	493	12683	0.29	122506	104	65	100	3	29	0	38049	0	MUR	85	form-based		true		0.75	67	2.310344934	0	0	76098	0	0	2
3753	598	9336	0.21	88606	102	65	100	3	21	0	28008	0	MUR	85	form-based		true		0.75	49	2.333333254	0	0	56016	0	0	2
3753	703	3720	0.09	11497	9	65	100	3	9	0	11160	0	MUR	45	form-based				0.75	8	0.888888896	0	0	11160	0	0	1
3755	023	74959	1.72	152537	371	65	100	3	172	0	224877	72340	WMUG	65	form-based		true		0.55	206	1.197674394	0	0	247364.7031	94827.70313	94827.70313	1.1
3755	097	3749	0.09	12400	25	65	100	3	9	0	11247	0	NCT-FOLSO	65	form-based		true		0.75	14	1.555555582	0	0	16870.5	4470.5	4470.5	1.5
3755	107	2000	0.05	3945	6	65	100	3	5	0	6000	2055	RED	40	form-based				0.75	5	1	0	0	6000	2055	2055	1
3755	117	1875	0.04	3312	10	85	140	4	6	0	7500	4188	RED	40	form-based				0.75	4	0.666666687	0	0	5625	2313	2313	0.75
3755	155	3761	0.09	1056	9	65	100	3	9	0	11283	10227	RED	40	form-based				0.75	8	0.888888896	0	0	11283	10227	10227	1
3755	164	1991	0.05	1000	4	65	100	3	5	1	5973	4973	RED	40	form-based				0.75	4	0.800000012	0	0	5973	4973	4973	1
3755	168	1992	0.05	1000	4	65	100	3	5	1	5976	4976	RED	40	form-based				0.75	4	0.800000012	0	0	5976	4976	4976	1
3755	183	1750	0.04	4015	4	65	100	3	4	0	5250	1235	RED	40	form-based				0.75	4	1	0	0	5250	1235	1235	1
3755	206	6353	0.15	1621	24	85	140	4	21	0	25412	23791	WMUG	55	form-based				0.75	19	0.90476191	0	0	23823.75	22202.75	22202.75	0.9375
3755	221	1603	0.04	538	4	65	100	3	4	0	4809	4271	RED	40	form-based				0.75	4	1	0	0	4809	4271	4271	1
3755	234	2730	0.06	5277	17	65	100	3	6	0	8190	2913	NCT-FOLSO	65	form-based		true		0.75	10	1.666666627	0	0	12285	7008	7008	1.5
3755	237	1949	0.04	4095	6	65	100	3	4	0	5847	1752	RED	40	form-based				0.75	4	1	0	0	5847	1752	1752	1
3755	243	2000	0.05	616	6	65	100	3	5	0	6000	5384	RED	40	form-based				0.75	5	1	0	0	6000	5384	5384	1
3755	256	10212	0.23	0	38	65	100	3	23	0	30636	30636	WMUG	55	form-based				0.75	31	1.347826123	0	0	38295	38295	38295	1.25
3756	003	144838	3.33	500902	408	65	100	3	333	0	434514	0	WMUG	65	form-based		true		0.55	398	1.195195198	0	0	477965.4063	0	0	1.1
3756	020	1875	0.04	2280	4	65	100	3	4	0	5625	3345	RED-MX	45	form-based				0.75	4	1	0	0	5625	3345	3345	1
3756	021	1875	0.04	2120	5	65	100	3	4	0	5625	3505	RED-MX	45	form-based				0.75	4	1	0	0	5625	3505	3505	1
3756	030	1875	0.04	2800	4	65	100	3	4	0	5625	2825	RED-MX	45	form-based				0.75	4	1	0	0	5625	2825	2825	1
3763	116	25516	0.59	6560	257	65	100	3	59	0	76548	69988	CMUO	130	form-based		true		0.8	188	3.186440706	0	0	187959	181399	146536	2.45544
3764	071	56167	1.29	664	127	65	100	3	129	2	168501	167837	MUO	50	form-based		true		0.55	124	0.961240292	0	0	154459.25	153795.25	153795.25	0.916667
3766	012	27581	0.63	686	486	65	100	3	63	0	82743	82057	RH DTR	65	form-based		true		0.8	110	1.746031761	0	0	132388.7969	131702.7969	131702.7969	1.6
3766	262	80761	1.85	194850	326	65	100	3	185	0	242283	47433	RH DTR	65	form-based				0.55	222	1.200000048	0	0	266511.3125	71661.3125	71661.3125	1.1
3767	014	38449	0.88	107760	288	65	100	3	88	0	115347	7587	RH DTR	105	form-based		true		0.8	226	2.568181753	0	0	225857.25	118097.25	118097.25	1.958068
3771	004	22594	0.52	1259	272	65	100	3	52	0	67782	66523	SB-DTR	200	form-based		true		0.8	257	4.942307472	0	0	256618.5	255359.5	134305	3.785939
3773	010	112327	2.58	243570	863	85	140	4	361	0	449308	205738	SB-DTR	45	form-based		true		0.55	185	0.512465358	0	0	247119.4063	3549.40625	3549.40625	0.55

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
3775	048	4809	0.11	12729	44	65	100	3	11	0	14427	1698	SPD	40	form-based				0.75	11	1	0	0	14427	1698	1698	1
3775	062	2169	0.05	3630	5	65	100	3	5	0	6507	2877	SPD	40	form-based				0.75	5	1	0	0	6507	2877	2877	1
3776	040	9263	0.21	35732	500	75	120	3.5	25	0	32420	0	CMUO	130	form-based				0.8	83	3.319999933	0	0	83367	47635	29108	2.571468
3776	153	63237	1.45	694	300	75	120	3.5	174	0	221330	220636	CMUO	85	form-based		true		0.55	243	1.396551728	0	0	278242.8125	277548.8125	277548.8125	1.25714
3776	456	4330	0.1	402	19	65	100	3	10	0	12990	12588	CMUO	55	form-based				0.8	14	1.399999976	0	0	17320	16918	16918	1.333333
3777	026	2000	0.05	4500	6	75	120	3.5	6	0	7000	2500	CMUO	45	form-based				0.8	5	0.833333313	0	0	6400	1900	1900	0.914286
3777	030	2400	0.06	6560	11	85	140	4	8	0	9600	3040	CMUO	65	form-based		true		0.8	10	1.25	0	0	11520	4960	4960	1.2
3777	073	12086	0.28	80843	173	75	120	3.5	34	0	42301	0	CMUO	65	form-based				0.8	48	1.411764741	0	0	58012.80078	0	0	1.371429
3779	087	3033	0.07	6000	8	65	100	3	7	0	9099	3099	RED-MX	45	form-based				0.75	7	1	0	0	9099	3099	3099	1
3779	151	6048	0.14	1260	14	65	100	3	14	0	18144	16884	RED-MX	45	form-based				0.75	14	1	0	0	18144	16884	16884	1
3780	032	925	0.02	1332	2	65	100	3	2	0	2775	1443	UMU	48	form-based				0.75	2	1	0	0	2775	1443	1443	1
3780	033	1500	0.03	5320	8	65	100	3	3	0	4500	0	UMU	48	form-based				0.75	3	1	0	0	4500	0	0	1
3780	044	51987	1.19	32407	185	65	100	3	119	0	155961	123554	UMU	48	form-based		true		0.55	86	0.722689092	0	0	114371.4063	81964.40625	81964.40625	0.733333
3780	088	2280	0.05	921	6	65	100	3	5	0	6840	5919	UMU	48	form-based		true		0.75	5	1	0	0	6840	5919	5919	1
3780	094	6944	0.16	958	16	65	100	3	16	0	20832	19874	UMU	48	form-based				0.75	16	1	0	0	20832	19874	19874	1
3780	110	4000	0.09	8535	16	85	140	4	13	0	16000	7465	UMU	48	form-based		true		0.75	9	0.692307711	0	0	12000	3465	3465	0.75
3783	010	37800	0.87	8490	655	85	140	4	122	0	151200	142710	UMU	68	form-based		true		0.75	142	1.163934469	0	0	170100	161610	161610	1.125
3784	018	6125	0.14	29653	56	85	140	4	20	0	24500	0	RED-MX	45	form-based		true		0.75	14	0.699999988	0	0	18375	0	0	0.75
3786	161	8257	0.19	239	204	75	120	3.5	23	0	28900	28661	CMUO	130	form-based				0.8	74	3.217391253	0	0	74313	74074	57561	2.571384
3788	131	21043	0.48	70000	94	75	120	3.5	58	0	73650	3650	CMUO	65	form-based		true		0.8	84	1.448275805	0	0	101006.3984	31006.39844	31006.39844	1.371438
3799	007	88856	2.04	266911	296	65	100	3	204	0	266568	0	UMU	68	form-based		true		0.55	244	1.19607842	0	0	293224.8125	26313.8125	26313.8125	1.1
3800	006	95280	2.19	1142	428	65	100	3	219	0	285840	284698	UMU	68	form-based		true		0.55	262	1.196346998	0	0	314424	313282	313282	1.1
3803	006	19	0	0	0	75	120	3.5	0	0	66	66	MUO	90	form-based				0.75	0		0	0	171	171	132	2.590909
3833	016	120295	2.76	347857	388	85	140	4	386	0	481180	133323	UMU	68	form-based		true		0.55	331	0.857512951	0	0	396973.5	49116.5	49116.5	0.825
3834	004	16220	0.37	55760	65	65	100	3	37	0	48660	0	UMU	68	form-based		true		0.75	61	1.64864862	0	0	72990	17230	17230	1.5
3911	014	72127	1.66	0	241	65	100	3	166	0	216381	216381	UMU	68	form-based		true		0.55	198	1.192771077	0	0	238019.1094	238019.1094	238019.1094	1.1
3834	ROWB	90	0	0	0	65	100	3	0	0	270	270	UMU	68	form-based		true		0.75	0		0	0	405	405	405	1.5
3977	010	2500	0.06	3373	6	65	100	3	6	0	7500	4127	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7000	3627	3627	0.933333
3977	013	2500	0.06	3060	4	65	100	3	6	2	7500	4440	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7000	3940	3940	0.933333
3977	028	2625	0.06	1966	4	65	100	3	6	2	7875	5909	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7350	5384	5384	0.933333
3978	002	80311	1.84	663	165	65	100	3	184	19	240933	240270	MUR	45	form-based		true		0.55	133	0.722826064	0	0	176684.2031	176021.2031	176021.2031	0.733333
3980	004	21850	0.5	19586	0	65	100	3	50	50	65550	45964	PDR-1-G	40			true		0.75	0	0	0	0	65550	45964	45964	1
3980	009	32478	0.75	3034	0	65	100	3	75	75	97434	94400	PDR-1-G	45			true		0.75	0	0	0	0	97434	94400	94400	1
3980	090	12724	0.29	1170	61	65	100	3	29	0	38172	37002	UMU	48	form-based		true		0.75	29	1	0	0	38172	37002	37002	1
3983	008	5000	0.11	8821	16	65	100	3	11	0	15000	6179	RH-3	40	density-lim	1000			0.7	5	0.454545468	0	0	14000	5179	5179	0.933333
3983	019	2506	0.06	3336	4	65	100	3	6	2	7518	4182	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7016.799805	3680.799805	3680.799805	0.933333
3983	020	2505	0.06	2553	4	65	100	3	6	2	7515	4962	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7014	4461	4461	0.933333
3983	022	2504	0.06	3349	4	65	100	3	6	2	7512	4163	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7011.199707	3662.199707	3662.199707	0.933333
3983	024	2706	0.06	2895	5	65	100	3	6	1	8118	5223	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7576.799805	4681.799805	4681.799805	0.933333
3984	004	2508	0.06	3587	9	65	100	3	6	0	7524	3937	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7022.399902	3435.399902	3435.399902	0.933333
3984	007A	4421	0.1	5500	4	65	100	3	10	6	13263	7763	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	12378.7998	6878.799805	6878.799805	0.933333
3986	011	2772	0.06	3500	6	65	100	3	6	0	8316	4816	UMU	40	form-based		true		0.75	6	1	0	0	8316	4816	4816	1
3987	017	2768	0.06	1355	10	65	100	3	6	0	8304	6949	UMU	40	form-based				0.75	6	1	0	0	8304	6949	6949	1
3987	036	2611	0.06	1625	8	65	100	3	6	0	7833	6208	UMU	40	form-based		true		0.75	6	1	0	0	7833	6208	6208	1
3987	025	4083	0.09	852	10	65	100	3	9	0	12249	11397	UMU	48	form-based				0.75	9	1	0	0	12249	11397	11397	1
3987	087	6057	0.14	8909	37	65	100	3	14	0	18171	9262	UMU	48	form-based				0.75	14	1	0	0	18171	9262	9262	1
3994	084	19239	0.44	110913	93	85	140	4	62	0	76956	0	UMU	68	form-based				0.75	72	1.161290288	0	0	86575.5	0	0	1.125
3995	035	3363	0.08	1035	20	65	100	3	8	0	10089	9054	UMU	68	form-based				0.75	13	1.625	0	0	15133.5	14098.5	14098.5	1.5
3995	073	6700	0.15	1015	16	65	100	3	15	0	20100	19085	UMU	45	form-based				0.75	15	1	0	0	20100	19085	19085	1
3995	163	3705	0.09	25000	20	85	140	4	13	0	14820	0	UMU	58	form-based		true		0.75	11	0.846153855	0	0	13893.75	0	0	0.9375
3995	183	6200	0.14	19780	24	85	140	4	20	0	24800	5020	UMU	58	form-based				0.75	19	0.949999988	0	0	23250	3470	3470	0.9375
3996	004	2497	0.06	2160	6	65	100	3	6	0	7491	5331	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6991.600098	4831.600098	4831.600098	0.933333
3996	005	4994	0.11	5620	4	65	100	3	11	7	14982	9362	RH-2	40	density-lim	1500			0.7	4	0.363636374	0	0	13983.2002	8363.200195	8363.200195	0.933333
3997	003	36483	0.84	15200	279	65	100	3	84	0	109449	94249	UMU	58	form-based		true		0.75	109	1.297619104	0	0	136811.25	121611.25	121611.25	1.25
4000	011	1625	0.04	2660	4	65	100	3	4	0	4875	2215	RH-2	40	density-lim	1500			0.7	4	1	0	0	4550	1890	1890	0.933333
4000	011B	1750	0.04	4365	5	65	100	3	4	0	5250	885	RH-2	40	density-lim	1500			0.7	4	1	0	0	4900	535	535	0.933333
4000	053	11513	0.26	809	27	65	100	3	26	0	34539	33730	UMU	40	form-based				0.75	26	1	0	0	34539	33730	33730	1
4001	004	2500	0.06	2500	4	65	100	3	6	2	7500	5000	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	4500	4500	0.933333
4001	011	2500	0.06	2480	4	65	100	3	6	2	7500	5020	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7000	4520	4520	0.933333
4001	017	2511	0.06	2514	4	65	100	3	6	2	7533	5019	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7030.799805	4516.799805	4516.799805	0.933333
4002	002	2686	0.06	2430	4	65	100	3	6	2	8058	5628	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7520.799805	5090.799805	5090.799805	0.933333
4002	013	2968	0.07	6700	9	65	100	3	7	0	8904	2204	NC-2	40	density-lim	800	true		0.75	4	0.571428597	0	0	8904	2204	2204	1
4002	022	2800	0.06	1904	4	65	100	3	6	2	8400	6496	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7840	5936	5936	0.933333
4003	006	2527	0.06	4260	4	65	100	3	6	2	7581	3321	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7075.600098	2815.600098	2815.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4003	016	2357	0.05	4840	5	65	100	3	5	0	7071	2231	NC-2	40	density-lim	800	true		0.75	3	0.600000024	0	0	7071	2231	2231	1
4003	030	4500	0.1	5390	12	65	100	3	10	0	13500	8110	RH-3	40	density-lim	1000	true		0.7	6	0.600000024	0	0	12600	7210	7210	0.933333
4003	033	2380	0.05	4355	4	65	100	3	5	1	7140	2785	NC-2	40	density-lim	800	true		0.75	3	0.600000024	0	0	7140	2785	2785	1
4003	042	2500	0.06	1026	3	65	100	3	6	3	7500	6474	NC-2	40	density-lim	800			0.75	3	0.5	0	0	7500	6474	6474	1
4004	007	2730	0.06	5556	6	65	100	3	6	0	8190	2634	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7644	2088	2088	0.933333
4004	011	2730	0.06	5847	6	65	100	3	6	0	8190	2343	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7644	1797	1797	0.933333
4004	014	1839	0.04	3129	3	65	100	3	4	1	5517	2388	NC-2	40	density-lim	800	true		0.75	2	0.5	0	0	5517	2388	2388	1
4004	025	2500	0.06	2500	4	65	100	3	6	2	7500	5000	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7000	4500	4500	0.933333
4004	028	2500	0.06	2920	4	65	100	3	6	2	7500	4580	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7000	4080	4080	0.933333
4004	034	1903	0.04	3810	4	65	100	3	4	0	5709	1899	RH-3	40	density-lim	1000			0.7	4	1	0	0	5328.399902	1518.399902	1518.399902	0.933333
4004	051	2500	0.06	5001	4	65	100	3	6	2	7500	2499	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7000	1999	1999	0.933333
4005A	002	145117	3.33	210036	299	65	100	3	333	34	435351	225315	UMU	40	form-based		true		0.55	239	0.717717707	0	0	319257.4063	109221.4063	109221.4063	0.733333
4007	001	15849	0.36	55870	0	65	100	3	36	36	47547	0	PDR-1-G	40			true		0.75	0	0	0	0	47547	0	0	1
4007	001A	24128	0.55	33760	0	65	100	3	55	55	72384	38624	PDR-1-G	40					0.75	0	0	0	0	72384	38624	38624	1
4007	002	40214	0.92	49946	0	65	100	3	92	92	120642	70696	PDR-1-G	40			true		0.75	0	0	0	0	120642	70696	70696	1
4008	009	2515	0.06	2353	8	65	100	3	6	0	7545	5192	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7042	4689	4689	0.933333
4008	012	2515	0.06	1911	8	65	100	3	6	0	7545	5634	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7042	5131	5131	0.933333
4008	015	1890	0.04	1700	8	65	100	3	4	0	5670	3970	RH-2	40	density-lim	1500			0.7	4	1	0	0	5292	3592	3592	0.933333
4008	018	1919	0.04	1947	8	65	100	3	4	0	5757	3810	RH-2	40	density-lim	1500	true		0.7	6	1.5	0	0	5373.199707	3426.199707	3426.199707	0.933333
4010	016	1875	0.04	1743	11	65	100	3	4	0	5625	3882	RH-3	40	density-lim	1000			0.7	4	1	0	0	5250	3507	3507	0.933333
4010	019	3770	0.09	6483	4	65	100	3	9	5	11310	4827	RH-3	40	density-lim	1000			0.7	4	0.444444448	0	0	10556	4073	4073	0.933333
4010	035	3770	0.09	873	4	65	100	3	9	5	11310	10437	RH-3	40	density-lim	1000			0.7	4	0.444444448	0	0	10556	9683	9683	0.933333
4021	002	79414	1.82	11742	336	65	100	3	182	0	238242	226500	UMU	68	form-based		true		0.55	218	1.197802186	0	0	262066.2031	250324.2031	250324.2031	1.1
4022	011	1838	0.04	1778	5	65	100	3	4	0	5514	3736	RH-2	65	density-lim	1500			0.7	4	1	0	0	7719.600098	5941.600098	5941.600098	1.4
4022	239	18956	0.44	19275	324	65	100	3	44	0	56868	37593	UMU	68	form-based				0.75	71	1.613636374	0	0	85302	66027	66027	1.5
4023	004A	15000	0.34	86518	63	65	100	3	34	0	45000	0	UMU	68	form-based		true		0.75	56	1.647058845	0	0	67500	0	0	1.5
4024	007C	7418	0.17	7500	8	65	100	3	17	9	22254	14754	RH-2	40	density-lim	1500	true		0.7	6	0.352941185	0	0	20770.40039	13270.40039	13270.40039	0.933333
4024	025	5649	0.13	1270	6	65	100	3	13	7	16947	15677	RH-2	40	density-lim	1500	true		0.7	6	0.461538464	0	0	15817.2002	14547.2002	14547.2002	0.933333
4027	012	3000	0.07	4386	8	65	100	3	7	0	9000	4614	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8400	4014	4014	0.933333
4028	001	5032	0.12	9958	15	65	100	3	12	0	15096	5138	RH-3	40	density-lim	1000	true		0.7	6	0.5	0	0	14089.59961	4131.599609	4131.599609	0.933333
4030	005	2512	0.06	2663	5	55	80	2.5	5	0	6280	3617	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	7033.600098	4370.600098	4370.600098	1.12
4030	031	13146	0.3	20073	39	65	100	3	30	0	39438	19365	RH-2	40	density-lim	1500			0.7	9	0.300000012	0	0	36808.80078	16735.80078	16735.80078	0.933333
4031	003	2623	0.06	2274	4	55	80	2.5	5	1	6558	4284	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	7344.399902	5070.399902	5070.399902	1.119915
4031	024	3898	0.09	5484	8	55	80	2.5	7	0	9745	4261	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	10914.39941	5430.399414	5430.399414	1.12
4031	028	3335	0.08	5454	4	55	80	2.5	6	2	8338	2884	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	9338	3884	3884	1.119933
4031	030	3462	0.08	4472	5	55	80	2.5	6	1	8655	4183	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	9693.599609	5221.599609	5221.599609	1.12
4035	004	3750	0.09	4950	4	65	100	3	9	5	11250	6300	RH-2	40	density-lim	1500			0.7	4	0.444444448	0	0	10500	5550	5550	0.933333
4035	005	3750	0.09	4810	6	65	100	3	9	3	11250	6440	RH-2	40	density-lim	1500			0.7	4	0.444444448	0	0	10500	5690	5690	0.933333
4036	001	2601	0.06	4900	8	65	100	3	6	0	7803	2903	NC-2	40	density-lim	800	true		0.75	3	0.5	0	0	7803	2903	2903	1
4036	036	2500	0.06	1215	4	65	100	3	6	2	7500	6285	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	5785	5785	0.933333
4037	001	3289	0.08	8660	9	65	100	3	8	0	9867	1207	NC-2	40	density-lim	800	true		0.75	4	0.5	0	0	9867	1207	1207	1
4037	029	3226	0.07	7325	7	65	100	3	7	0	9678	2353	NC-2	40	density-lim	800	true		0.75	4	0.571428597	0	0	9678	2353	2353	1
4038	027	2601	0.06	4152	6	65	100	3	6	0	7803	3651	NC-2	40	density-lim	800	true		0.75	3	0.5	0	0	7803	3651	3651	1
4039	030	4167	0.1	5190	8	65	100	3	10	2	12501	7311	RH-2	40	density-lim	1500			0.7	4	0.400000006	0	0	11667.59961	6477.599609	6477.599609	0.933333
4039	031	4167	0.1	5190	8	65	100	3	10	2	12501	7311	RH-2	40	density-lim	1500			0.7	4	0.400000006	0	0	11667.59961	6477.599609	6477.599609	0.933333
4039	032	4166	0.1	6222	12	65	100	3	10	0	12498	6276	RH-2	40	density-lim	1500			0.7	4	0.400000006	0	0	11664.7998	5442.799805	5442.799805	0.933333
4041	011	26610	0.61	83810	115	65	100	3	61	0	79830	0	UMU	58	form-based		true		0.75	80	1.311475396	0	0	99787.5	15977.5	15977.5	1.25
4042	006	80019	1.84	162891	318	65	100	3	184	0	240057	77166	UMU	58	form-based		true		0.55	176	0.956521749	0	0	220052.25	57161.25	57161.25	0.916667
4043	003	2511	0.06	4630	6	65	100	3	6	0	7533	2903	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7030.799805	2400.799805	2400.799805	0.933333
4043	006	5021	0.12	4200	4	65	100	3	12	8	15063	10863	RH-2	40	density-lim	1500			0.7	4	0.333333343	0	0	14058.7998	9858.799805	9858.799805	0.933333
4044	013	15101	0.35	11424	59	65	100	3	35	0	45303	33879	UMU	58	form-based		true		0.75	45	1.285714269	0	0	56628.75	45204.75	45204.75	1.25
4045	041	22292	0.51	117198	105	65	100	3	51	0	66876	0	UMU	68	form-based				0.75	84	1.647058845	0	0	100314	0	0	1.5
4045	148	29581	0.68	119900	120	65	100	3	68	0	88743	0	UMU	68	form-based		true		0.75	111	1.632352948	0	0	133114.5	13214.5	13214.5	1.5
4058	010	50095	1.15	157256	196	85	140	4	161	0	200380	43124	UMU	68	form-based				0.55	138	0.857142866	0	0	165313.5	8057.5	8057.5	0.825
4059	009	13935	0.32	4218	73	85	140	4	45	0	55740	51522	UMU	68	form-based		true		0.75	52	1.155555606	0	0	62707.5	58489.5	58489.5	1.125
4059	013	19972	0.46	857	69	65	100	3	46	0	59916	59059	UMU	58	form-based		true		0.75	60	1.304347873	0	0	74895	74038	74038	1.25
4063	019	3300	0.08	3284	4	65	100	3	8	4	9900	6616	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9240	5956	5956	0.933333
4063	020	3300	0.08	3284	4	65	100	3	8	4	9900	6616	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9240	5956	5956	0.933333
4063	021	3300	0.08	3284	4	65	100	3	8	4	9900	6616	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9240	5956	5956	0.933333
4067	010	2478	0.06	4860	3	65	100	3	6	3	7434	2574	NC-2	40	density-lim	800	true		0.75	3	0.5	0	0	7434	2574	2574	1
4067	021	2500	0.06	2941	5	65	100	3	6	1	7500	4559	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	4059	4059	0.933333
4067	032	1975	0.05	1166	2	65	100	3	5	3	5925	4759	NC-2	40	density-lim	800			0.75	2	0.400000006	0	0	5925	4759	4759	1
4068	009	3730	0.09	4840	7	65	100	3	9	2	11190	6350	RH-2	40	density-lim	1500	true		0.7	6	0.666666687	0	0	10444	5604	5604	0.933333
4069	012A	1250	0.03	1946	2	65	100	3	3	1	3750	1804	NC-2	40	density-lim	800	true		0.75	2	0.666666687	0	0	3750	1804	1804	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4069	033	2500	0.06	2175	4	65	100	3	6	2	7500	5325	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	4825	4825	0.933333
4071	043	2361	0.05	1009	6	65	100	3	5	0	7083	6074	RM-1	40	density-lim	800	true		0.7	3	0.600000024	0	0	6610.799805	5601.799805	5601.799805	0.933333
4072	025	1986	0.05	2993	2	55	80	2.5	4	2	4965	1972	RM-1	40	density-lim	800			0.7	2	0.5	0	0	5560.799805	2567.799805	2567.799805	1.12
4072	026	1633	0.04	1860	2	55	80	2.5	3	1	4082	2222	RM-1	40	density-lim	800			0.7	2	0.666666687	0	0	4572.399902	2712.399902	2712.399902	1.120137
4072	027	1749	0.04	2300	2	55	80	2.5	3	1	4372	2072	RM-1	40	density-lim	800			0.7	2	0.666666687	0	0	4897.199707	2597.199707	2597.199707	1.120128
4072	034	5000	0.11	3157	4	55	80	2.5	9	5	12500	9343	RH-2	40	density-lim	1500			0.7	4	0.444444448	0	0	14000	10843	10843	1.12
4073	007	3186	0.07	2820	4	65	100	3	7	3	9558	6738	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8920.799805	6100.799805	6100.799805	0.933333
4073	012	2480	0.06	4156	7	65	100	3	6	0	7440	3284	RM-1	40	density-lim	800	true		0.7	3	0.5	0	0	6944	2788	2788	0.933333
4073	018B	2500	0.06	4869	6	65	100	3	6	0	7500	2631	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	2131	2131	0.933333
4073	026	12537	0.29	14719	20	65	100	3	29	9	37611	22892	RH-2	40	density-lim	1500			0.7	8	0.275862068	0	0	35103.59766	20384.59766	20384.59766	0.933333
4074	011	4916	0.11	5672	8	65	100	3	11	3	14748	9076	RH-2	40	density-lim	1500			0.7	4	0.363636374	0	0	13764.7998	8092.799805	8092.799805	0.933333
4074	015	2192	0.05	1413	3	65	100	3	5	2	6576	5163	RM-1	40	density-lim	800	true		0.7	3	0.600000024	0	0	6137.600098	4724.600098	4724.600098	0.933333
4074	016	1569	0.04	1880	2	65	100	3	4	2	4707	2827	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4393.199707	2513.199707	2513.199707	0.933333
4079	020	2500	0.06	1600	4	65	100	3	6	2	7500	5900	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	5400	5400	0.933333
4084	028	2599	0.06	6465	6	55	80	2.5	5	0	6498	33	UMU	48	form-based				0.75	6	1.200000048	0	0	7797	1332	1332	1.199908
4085	001	2515	0.06	3900	3	65	100	3	6	3	7545	3645	RM-1	45	density-lim	800	true		0.7	3	0.5	0	0	7042	3142	3142	0.933333
4085	014	1502	0.03	2434	4	65	100	3	3	0	4506	2072	RM-1	40	density-lim	800			0.7	2	0.666666687	0	0	4205.600098	1771.600098	1771.600098	0.933333
4085	015	1865	0.04	3500	2	65	100	3	4	2	5595	2095	RM-1	40	density-lim	800	true		0.7	2	0.5	0	0	5222	1722	1722	0.933333
4085	016	2600	0.06	5085	3	65	100	3	6	3	7800	2715	RM-1	40	density-lim	800			0.7	3	0.5	0	0	7280	2195	2195	0.933333
4085	018	2600	0.06	5000	3	65	100	3	6	3	7800	2800	RM-1	40	density-lim	800			0.7	3	0.5	0	0	7280	2280	2280	0.933333
4085	020	5200	0.12	9226	12	65	100	3	12	0	15600	6374	RM-1	40	density-lim	800	true		0.7	7	0.583333313	0	0	14560	5334	5334	0.933333
4085	028	2600	0.06	2750	4	65	100	3	6	2	7800	5050	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7280	4530	4530	0.933333
4085	037	2616	0.06	4200	3	65	100	3	6	3	7848	3648	RM-1	45	density-lim	800			0.7	3	0.5	0	0	7324.799805	3124.799805	3124.799805	0.933333
4085	039	2617	0.06	3350	3	65	100	3	6	3	7851	4501	RM-1	45	density-lim	800			0.7	3	0.5	0	0	7327.600098	3977.600098	3977.600098	0.933333
4085	040	2616	0.06	1058	3	65	100	3	6	3	7848	6790	RM-1	45	density-lim	800			0.7	3	0.5	0	0	7324.799805	6266.799805	6266.799805	0.933333
4085	045	2617	0.06	1439	3	65	100	3	6	3	7851	6412	RM-1	45	density-lim	800			0.7	3	0.5	0	0	7327.600098	5888.600098	5888.600098	0.933333
4085	048	1850	0.04	935	2	65	100	3	4	2	5550	4615	RM-1	40	density-lim	800			0.7	2	0.5	0	0	5180	4245	4245	0.933333
4085	056	2615	0.06	1210	3	55	80	2.5	5	2	6538	5328	RM-1	45	density-lim	800			0.7	3	0.600000024	0	0	7322	6112	6112	1.119914
4086	001	2700	0.06	5400	4	65	100	3	6	2	8100	2700	RM-1	45	density-lim	800	true		0.7	3	0.5	0	0	7560	2160	2160	0.933333
4086	004	15000	0.34	36264	48	65	100	3	34	0	45000	8736	RM-1	40	density-lim	800			0.7	19	0.558823526	0	0	42000	5736	5736	0.933333
4086	006	3000	0.07	5550	6	65	100	3	7	1	9000	3450	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8400	2850	2850	0.933333
4086	006A	3000	0.07	5550	6	65	100	3	7	1	9000	3450	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8400	2850	2850	0.933333
4086	006B	3000	0.07	5550	6	65	100	3	7	1	9000	3450	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8400	2850	2850	0.933333
4086	006C	3000	0.07	5550	6	65	100	3	7	1	9000	3450	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8400	2850	2850	0.933333
4086	006D	1667	0.04	2124	2	65	100	3	4	2	5001	2877	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4667.600098	2543.600098	2543.600098	0.933333
4086	008	2347	0.05	5220	6	65	100	3	5	0	7041	1821	RM-1	40	density-lim	800	true		0.7	3	0.600000024	0	0	6571.600098	1351.600098	1351.600098	0.933333
4086	027	1675	0.04	1478	2	65	100	3	4	2	5025	3547	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4690	3212	3212	0.933333
4086	029	1646	0.04	1469	2	65	100	3	4	2	4938	3469	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4608.799805	3139.799805	3139.799805	0.933333
4086	031	3000	0.07	2025	5	65	100	3	7	2	9000	6975	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8400	6375	6375	0.933333
4087	004	2507	0.06	3611	3	65	100	3	6	3	7521	3910	RM-1	40	density-lim	800			0.7	3	0.5	0	0	7019.600098	3408.600098	3408.600098	0.933333
4087	007	4005	0.09	4800	4	65	100	3	9	5	12015	7215	RH-2	40	density-lim	1500			0.7	4	0.444444448	0	0	11214	6414	6414	0.933333
4087	024	1761	0.04	3175	2	65	100	3	4	2	5283	2108	RM-1	40	density-lim	800	true		0.7	2	0.5	0	0	4930.799805	1755.799805	1755.799805	0.933333
4087	030	5000	0.11	7341	8	65	100	3	11	3	15000	7659	RM-1	40	density-lim	800			0.7	6	0.545454562	0	0	14000	6659	6659	0.933333
4087	040	1330	0.03	2292	2	65	100	3	3	1	3990	1698	RM-1	45	density-lim	800			0.7	2	0.666666687	0	0	3724	1432	1432	0.933333
4087	040B	1981	0.05	4971	5	65	100	3	5	0	5943	972	RM-1	45	density-lim	800	true		0.7	2	0.400000006	0	0	5546.799805	575.7998047	575.7998047	0.933333
4087	045	1889	0.04	2144	2	65	100	3	4	2	5667	3523	RM-1	40	density-lim	800			0.7	2	0.5	0	0	5289.199707	3145.199707	3145.199707	0.933333
4087	051	3507	0.08	922	4	65	100	3	8	4	10521	9599	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9819.599609	8897.599609	8897.599609	0.933333
4087	057	1612	0.04	1047	3	65	100	3	4	1	4836	3789	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4513.600098	3466.600098	3466.600098	0.933333
4087	060	1736	0.04	1411	3	65	100	3	4	1	5208	3797	RM-1	45	density-lim	800	true		0.7	2	0.5	0	0	4860.799805	3449.799805	3449.799805	0.933333
4087	067	2500	0.06	1300	3	65	100	3	6	3	7500	6200	RM-1	40	density-lim	800			0.7	3	0.5	0	0	7000	5700	5700	0.933333
4088	005	2500	0.06	3630	4	65	100	3	6	2	7500	3870	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	3370	3370	0.933333
4093	017	2500	0.06	2800	4	65	100	3	6	2	7500	4700	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	4200	4200	0.933333
4093	080	4942	0.11	9739	11	65	100	3	11	0	14826	5087	RH-2	40	density-lim	1500			0.7	4	0.363636374	0	0	13837.59961	4098.599609	4098.599609	0.933333
4093	106	4939	0.11	1434	4	65	100	3	11	7	14817	13383	RH-2	40	density-lim	1500			0.7	4	0.363636374	0	0	13829.2002	12395.2002	12395.2002	0.933333
4093	121	5492	0.13	1711	4	65	100	3	13	9	16476	14765	RH-2	40	density-lim	1500			0.7	4	0.307692319	0	0	15377.59961	13666.59961	13666.59961	0.933333
4093	125	9206	0.21	1714	6	65	100	3	21	15	27618	25904	RH-2	40	density-lim	1500			0.7	6	0.285714298	0	0	25776.79883	24062.79883	24062.79883	0.933333
4093	153	2500	0.06	1073	4	65	100	3	6	2	7500	6427	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	5927	5927	0.933333
4094	014	2500	0.06	4666	4	55	80	2.5	5	1	6250	1584	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	7000	2334	2334	1.12
4094	024	2500	0.06	1015	4	65	100	3	6	2	7500	6485	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7000	5985	5985	0.933333
4094	033	2494	0.06	2195	4	55	80	2.5	5	1	6235	4040	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	6983.199707	4788.199707	4788.199707	1.12
4094	065	2507	0.06	4945	6	65	100	3	6	0	7521	2576	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7019.600098	2074.600098	2074.600098	0.933333
4094	067	2507	0.06	1900	3	65	100	3	6	3	7521	5621	RM-1	40	density-lim	800	true		0.7	3	0.5	0	0	7019.600098	5119.600098	5119.600098	0.933333
4095	015	2518	0.06	3863	4	65	100	3	6	2	7554	3691	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7050.399902	3187.399902	3187.399902	0.933333
4095	038	2500	0.06	4927	6	55	80	2.5	5	0	6250	1323	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	0	0	7000	2073	2073	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4095	049	2133	0.05	1788	4	55	80	2.5	4	0	5332	3544	RH-3	40	density-lin	1000			0.7	4	1	0	0	5972.399902	4184.399902	4184.399902	1.120105
4096	093	2500	0.06	754	6	65	100	3	6	0	7500	6746	RM-1	40	density-lin	800			0.7	3	0.5	0	0	7000	6246	6246	0.933333
4097	002	5059	0.12	3855	4	65	100	3	12	8	15177	11322	RH-2	40	density-lin	1500			0.7	4	0.333333343	0	0	14165.2002	10310.2002	10310.2002	0.933333
4097	042A	3700	0.08	6858	11	65	100	3	8	0	11100	4242	RH-2	40	density-lin	1500			0.7	4	0.5	0	0	10360	3502	3502	0.933333
4099	001	1855	0.04	1375	2	65	100	3	4	2	5565	4190	NC-2	40	density-lin	800	true		0.75	2	0.5	0	0	5565	4190	4190	1
4100	001	2500	0.06	4730	4	65	100	3	6	2	7500	2770	NC-2	40	density-lin	800	true		0.75	3	0.5	0	0	7500	2770	2770	1
4100	045	5219	0.12	5805	9	75	120	3.5	14	5	18266	12461	RH-2	40	density-lin	1500	true		0.7	6	0.428571433	0	0	14613.2002	8808.200195	8808.200195	0.800022
4100	086	2533	0.06	1313	3	65	100	3	6	3	7599	6286	NC-2	40	density-lin	800			0.75	3	0.5	0	0	7599	6286	6286	1
4101	037	2500	0.06	3550	3	65	100	3	6	3	7500	3950	NC-2	40	density-lin	800	true		0.75	3	0.5	0	0	7500	3950	3950	1
4102	072	32000	0.73	675	91	75	120	3.5	88	0	112000	111325	MUR	40	form-based		true		0.75	72	0.818181813	0	0	96000	95325	95325	0.857143
4104	054	5047	0.12	2840	4	75	120	3.5	14	10	17664	14824	RH-2	40	density-lin	1500			0.7	4	0.285714298	0	0	14131.59961	11291.59961	11291.59961	0.800023
4104	066	3397	0.08	1872	12	75	120	3.5	10	0	11890	10018	RH-2	40	density-lin	1500			0.7	4	0.400000006	0	0	9511.599609	7639.599609	7639.599609	0.799966
4104	079	4500	0.1	971	10	75	120	3.5	12	2	15750	14779	MUR	40	form-based		true		0.75	10	0.833333313	0	0	13500	12529	12529	0.857143
4105	009	109273	2.51	333244	326	75	120	3.5	301	0	382456	49212	UMU	58	form-based		true		0.55	240	0.797342181	0	0	300500.75	0	0	0.785713
4106	030	85458	1.96	835	284	75	120	3.5	235	0	299103	298268	UMU	40	form-based		true		0.55	141	0.600000024	0	0	188007.6094	187172.6094	187172.6094	0.628571
4107	062	35914	0.82	466	100	75	120	3.5	98	0	125699	125233	UMU	40	form-based				0.75	81	0.826530635	0	0	107742	107276	107276	0.857143
4108	003A	2400	0.06	5850	6	85	140	4	8	2	9600	3750	UMU	45	form-based				0.75	5	0.625	0	0	7200	1350	1350	0.75
4108	003F	2002	0.05	0	9	75	120	3.5	6	0	7007	7007	UMU	45	form-based				0.75	5	0.833333313	0	0	6006	6006	6006	0.857143
4108	013	2500	0.06	3581	4	75	120	3.5	7	3	8750	5169	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	7000	3419	3419	0.8
4108	020	5054	0.12	11904	30	75	120	3.5	14	0	17689	5785	NCT-2	45	form-based				0.75	11	0.785714269	0	0	15162	3258	3258	0.857143
4108	041	10000	0.23	9005	40	85	140	4	32	0	40000	30995	UMU	40	form-based		true		0.75	23	0.71875	0	0	30000	20995	20995	0.75
4143	001	2432	0.06	2726	5	65	100	3	6	1	7296	4570	RM-1	40	density-lin	800	true		0.7	3	0.5	0	0	6809.600098	4083.600098	4083.600098	0.933333
4143	015	2407	0.06	4206	4	65	100	3	6	2	7221	3015	RM-1	40	density-lin	800	true		0.7	3	0.5	0	0	6739.600098	2533.600098	2533.600098	0.933333
4143	018A	1617	0.04	2147	2	65	100	3	4	2	4851	2704	RM-1	40	density-lin	800			0.7	2	0.5	0	0	4527.600098	2380.600098	2380.600098	0.933333
4143	018B	1625	0.04	2758	3	65	100	3	4	1	4875	2117	RM-1	40	density-lin	800			0.7	2	0.5	0	0	4550	1792	1792	0.933333
4143	021	2438	0.06	3937	3	65	100	3	6	3	7314	3377	RM-1	40	density-lin	800	true		0.7	3	0.5	0	0	6826.399902	2889.399902	2889.399902	0.933333
4143	026	2495	0.06	2796	4	65	100	3	6	2	7485	4689	RH-2	40	density-lin	1500			0.7	4	0.666666687	0	0	6986	4190	4190	0.933333
4143	035	2438	0.06	4075	3	65	100	3	6	3	7314	3239	RM-1	40	density-lin	800	true		0.7	3	0.5	0	0	6826.399902	2751.399902	2751.399902	0.933333
4143	039	2438	0.06	3848	4	65	100	3	6	2	7314	3466	RM-1	40	density-lin	800			0.7	3	0.5	0	0	6826.399902	2978.399902	2978.399902	0.933333
4143	045	1633	0.04	1312	2	65	100	3	4	2	4899	3587	RM-1	40	density-lin	800			0.7	2	0.5	0	0	4572.399902	3260.399902	3260.399902	0.933333
4144	005	2750	0.06	5404	4	65	100	3	6	2	8250	2846	RH-2	40	density-lin	1500			0.7	4	0.666666687	0	0	7700	2296	2296	0.933333
4144	008	2500	0.06	3490	4	65	100	3	6	2	7500	4010	RH-2	40	density-lin	1500			0.7	4	0.666666687	0	0	7000	3510	3510	0.933333
4144	015	2500	0.06	3867	3	65	100	3	6	3	7500	3633	RM-1	40	density-lin	800			0.7	3	0.5	0	0	7000	3133	3133	0.933333
4144	017	1927	0.04	3717	3	65	100	3	4	1	5781	2064	RM-1	40	density-lin	800			0.7	2	0.5	0	0	5395.600098	1678.600098	1678.600098	0.933333
4144	019	2468	0.06	3894	3	65	100	3	6	3	7404	3510	RM-1	40	density-lin	800			0.7	3	0.5	0	0	6910.399902	3016.399902	3016.399902	0.933333
4144	024	2474	0.06	4065	3	65	100	3	6	3	7422	3357	RM-1	40	density-lin	800			0.7	3	0.5	0	0	6927.199707	2862.199707	2862.199707	0.933333
4144	025	2474	0.06	5304	3	65	100	3	6	3	7422	2118	RM-1	40	density-lin	800			0.7	3	0.5	0	0	6927.199707	1623.199707	1623.199707	0.933333
4144	031	2480	0.06	4814	3	65	100	3	6	3	7440	2626	RM-1	40	density-lin	800			0.7	3	0.5	0	0	6944	2130	2130	0.933333
4144	032	2481	0.06	3930	6	65	100	3	6	0	7443	3513	RM-1	40	density-lin	800			0.7	3	0.5	0	0	6946.799805	3016.799805	3016.799805	0.933333
4144	035	1875	0.04	2556	2	65	100	3	4	2	5625	3069	RM-1	40	density-lin	800			0.7	2	0.5	0	0	5250	2694	2694	0.933333
4144	036	1875	0.04	2460	2	65	100	3	4	2	5625	3165	RM-1	40	density-lin	800			0.7	2	0.5	0	0	5250	2790	2790	0.933333
4144	037	2529	0.06	6732	5	65	100	3	6	1	7587	855	RM-1	40	density-lin	800	true		0.7	3	0.5	0	0	7081.199707	349.199707	349.199707	0.933333
4144	042	3073	0.07	900	6	65	100	3	7	1	9219	8319	RM-1	40	density-lin	800			0.7	4	0.571428597	0	0	8604.399414	7704.399414	7704.399414	0.933333
4145	004	2500	0.06	1838	3	65	100	3	6	3	7500	5662	RM-1	40	density-lin	800			0.7	3	0.5	0	0	7000	5162	5162	0.933333
4145	011	3500	0.08	5064	6	65	100	3	8	2	10500	5436	RM-1	40	density-lin	800			0.7	4	0.5	0	0	9800	4736	4736	0.933333
4145	012	2500	0.06	2998	4	65	100	3	6	2	7500	4502	RM-1	40	density-lin	800			0.7	3	0.5	0	0	7000	4002	4002	0.933333
4145	013	2500	0.06	4020	3	65	100	3	6	3	7500	3480	RM-1	40	density-lin	800			0.7	3	0.5	0	0	7000	2980	2980	0.933333
4145	014	2500	0.06	4020	3	65	100	3	6	3	7500	3480	RM-1	40	density-lin	800			0.7	3	0.5	0	0	7000	2980	2980	0.933333
4145	021	4986	0.11	6580	6	65	100	3	11	5	14958	8378	RH-3	40	density-lin	1000	true		0.7	6	0.545454562	0	0	13960.7998	7380.799805	7380.799805	0.933333
4145	025	2896	0.07	3876	4	65	100	3	7	3	8688	4812	RH-2	40	density-lin	1500			0.7	4	0.571428597	0	0	8108.799805	4232.799805	4232.799805	0.933333
4145	039	3096	0.07	983	4	65	100	3	7	3	9288	8305	RH-2	40	density-lin	1500			0.7	4	0.571428597	0	0	8668.799805	7685.799805	7685.799805	0.933333
4146	001	6375	0.15	15810	17	65	100	3	15	0	19125	3315	RM-1	40	density-lin	800	true		0.7	8	0.533333361	0	0	17850	2040	2040	0.933333
4146	015	3567	0.08	5520	6	65	100	3	8	2	10701	5181	RH-3	40	density-lin	1000			0.7	4	0.5	0	0	9987.599609	4467.599609	4467.599609	0.933333
4146	015A	1814	0.04	5106	6	65	100	3	4	0	5442	336	RH-3	40	density-lin	1000	true		0.7	6	1.5	0	0	5079.199707	0	0	0.933333
4146	016	2600	0.06	3840	6	65	100	3	6	0	7800	3960	RH-3	40	density-lin	1000			0.7	4	0.666666687	0	0	7280	3440	3440	0.933333
4146	019	2600	0.06	4575	4	65	100	3	6	2	7800	3225	RH-3	40	density-lin	1000			0.7	4	0.666666687	0	0	7280	2705	2705	0.933333
4146	031	3532	0.08	5896	5	65	100	3	8	3	10596	4700	RH-2	40	density-lin	1500			0.7	4	0.5	0	0	9889.599609	3993.599609	3993.599609	0.933333
4147	014	2465	0.06	2365	4	65	100	3	6	2	7395	5030	RH-3	40	density-lin	1000			0.7	4	0.666666687	0	0	6902	4537	4537	0.933333
4147	016	2676	0.06	2849	4	65	100	3	6	2	8028	5179	RH-3	40	density-lin	1000			0.7	4	0.666666687	0	0	7492.799805	4643.799805	4643.799805	0.933333
4147	031	3701	0.08	3560	4	65	100	3	8	4	11103	7543	RH-2	40	density-lin	1500			0.7	4	0.5	0	0	10362.7998	6802.799805	6802.799805	0.933333
4148	024	5400	0.12	6192	8	65	100	3	12	4	16200	10008	RH-3	40	density-lin	1000			0.7	5	0.416666657	0	0	15120	8928	8928	0.933333
4148	025A	2425	0.06	4791	6	65	100	3	6	0	7275	2484	RH-3	40	density-lin	1000			0.7	4	0.666666687	0	0	6790	1999	1999	0.933333
4148	028	3000	0.07	4200	5	65	100	3	7	2	9000	4800	RH-3	40	density-lin	1000			0.7	4	0.571428597	0	0	8400	4200	4200	0.933333
4148	031	2387	0.05	4957	5	65	100	3	5	0	7161	2204	RH-3	40	density-lin	1000			0.7	4	0.800000012	0	0	6683.600098	1726.600098	1726.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4149	003	2598	0.06	3288	4	65	100	3	6	2	7794	4506	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7274.399902	3986.399902	3986.399902	0.933333
4149	006	2604	0.06	1368	4	65	100	3	6	2	7812	6444	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7291.199707	5923.199707	5923.199707	0.933333
4149	028	2600	0.06	3870	4	65	100	3	6	2	7800	3930	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7280	3410	3410	0.933333
4149	038	2600	0.06	904	4	65	100	3	6	2	7800	6896	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7280	6376	6376	0.933333
4150	003	3000	0.07	6479	8	65	100	3	7	0	9000	2521	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8400	1921	1921	0.933333
4150	008	5200	0.12	9324	12	65	100	3	12	0	15600	6276	RM-1	40	density-lim	800			0.7	7	0.583333313	0	0	14560	5236	5236	0.933333
4150	010	2600	0.06	3190	3	65	100	3	6	3	7800	4610	RM-1	40	density-lim	800			0.7	3	0.5	0	0	7280	4090	4090	0.933333
4150	011	2600	0.06	2130	4	65	100	3	6	2	7800	5670	RM-1	40	density-lim	800			0.7	3	0.5	0	0	7280	5150	5150	0.933333
4150	014	4000	0.09	6720	6	65	100	3	9	3	12000	5280	RM-1	40	density-lim	800			0.7	5	0.555555582	0	0	11200	4480	4480	0.933333
4150	015	3000	0.07	3450	4	65	100	3	7	3	9000	5550	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8400	4950	4950	0.933333
4150	037	1875	0.04	1872	2	65	100	3	4	2	5625	3753	RM-1	40	density-lim	800			0.7	2	0.5	0	0	5250	3378	3378	0.933333
4151	001	2251	0.05	4450	4	65	100	3	5	1	6753	2303	RM-1	40	density-lim	800	true		0.7	3	0.600000024	0	0	6302.799805	1852.799805	1852.799805	0.933333
4151	001A	5100	0.12	9216	9	65	100	3	12	3	15300	6084	RM-1	40	density-lim	800			0.7	6	0.5	0	0	14280	5064	5064	0.933333
4151	016	2273	0.05	2610	3	65	100	3	5	2	6819	4209	RM-1	40	density-lim	800			0.7	3	0.600000024	0	0	6364.399902	3754.399902	3754.399902	0.933333
4151	018	2272	0.05	3758	4	65	100	3	5	1	6816	3058	RM-1	40	density-lim	800	true		0.7	3	0.600000024	0	0	6361.600098	2603.600098	2603.600098	0.933333
4151	021	3450	0.08	4164	4	65	100	3	8	4	10350	6186	RM-1	40	density-lim	800			0.7	4	0.5	0	0	9660	5496	5496	0.933333
4151	022A	2500	0.06	4275	6	65	100	3	6	0	7500	3225	RM-1	40	density-lim	800			0.7	3	0.5	0	0	7000	2725	2725	0.933333
4151	024	2089	0.05	5565	8	65	100	3	5	0	6267	702	RM-1	40	density-lim	800	true		0.7	3	0.600000024	0	0	5849.199707	284.199707	284.199707	0.933333
4151	029	2421	0.06	1226	3	65	100	3	6	3	7263	6037	RM-1	40	density-lim	800			0.7	3	0.5	0	0	6778.799805	5552.799805	5552.799805	0.933333
4151	032	1725	0.04	1226	2	65	100	3	4	2	5175	3949	RM-1	40	density-lim	800			0.7	2	0.5	0	0	4830	3604	3604	0.933333
4152	001	1250	0.03	2160	3	65	100	3	3	0	3750	1590	RM-1	40	density-lim	800	true		0.7	2	0.666666687	0	0	3500	1340	1340	0.933333
4152	008	2488	0.06	3450	4	65	100	3	6	2	7464	4014	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6966.399902	3516.399902	3516.399902	0.933333
4152	018	1913	0.04	3478	4	65	100	3	4	0	5739	2261	RM-1	40	density-lim	800	true		0.7	2	0.5	0	0	5356.399902	1878.399902	1878.399902	0.933333
4152	019	1272	0.03	1372	2	65	100	3	3	1	3816	2444	RM-1	40	density-lim	800			0.7	2	0.666666687	0	0	3561.599854	2189.599854	2189.599854	0.933333
4152	022	733	0.02	1252	1	65	100	3	2	1	2199	947	RM-1	40	density-lim	800			0.7	1	0.5	0	0	2052.399902	800.3999023	800.3999023	0.933333
4152	022A	733	0.02	1252	1	65	100	3	2	1	2199	947	RM-1	40	density-lim	800			0.7	1	0.5	0	0	2052.399902	800.3999023	800.3999023	0.933333
4152	022B	1793	0.04	4076	5	65	100	3	4	0	5379	1303	RM-1	40	density-lim	800	true		0.7	2	0.5	0	0	5020.399902	944.3999023	944.3999023	0.933333
4152	034	2500	0.06	3300	4	65	100	3	6	2	7500	4200	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	3700	3700	0.933333
4152	037	2606	0.06	2850	4	65	100	3	6	2	7818	4968	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7296.799805	4446.799805	4446.799805	0.933333
4152	038	2500	0.06	4050	3	65	100	3	6	3	7500	3450	RM-1	40	density-lim	800	true		0.7	3	0.5	0	0	7000	2950	2950	0.933333
4152	039	2758	0.06	3864	5	65	100	3	6	1	8274	4410	RM-1	40	density-lim	800			0.7	3	0.5	0	0	7722.399902	3858.399902	3858.399902	0.933333
4152	043	1875	0.04	1850	2	65	100	3	4	2	5625	3775	RM-1	40	density-lim	800			0.7	2	0.5	0	0	5250	3400	3400	0.933333
4152	044	1875	0.04	2055	2	65	100	3	4	2	5625	3570	RM-1	40	density-lim	800			0.7	2	0.5	0	0	5250	3195	3195	0.933333
4152	054	1251	0.03	1388	2	65	100	3	3	1	3753	2365	RM-1	40	density-lim	800			0.7	2	0.666666687	0	0	3502.800049	2114.800049	2114.800049	0.933333
4158	033	2500	0.06	5880	4	65	100	3	6	2	7500	1620	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	1120	1120	0.933333
4158	036	2500	0.06	4800	6	65	100	3	6	0	7500	2700	RH-2	40	density-lim	1500	true		0.7	6	1	0	0	7000	2200	2200	0.933333
4159	003	2510	0.06	3598	4	65	100	3	6	2	7530	3932	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7028	3430	3430	0.933333
4160	058	2500	0.06	2513	4	65	100	3	6	2	7500	4987	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	4487	4487	0.933333
4160	062	2500	0.06	2867	4	65	100	3	6	2	7500	4633	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	4133	4133	0.933333
4160	066	4800	0.11	1088	4	65	100	3	11	7	14400	13312	RH-2	40	density-lim	1500			0.7	4	0.363636374	0	0	13440	12352	12352	0.933333
4161	024	2537	0.06	3060	3	65	100	3	6	3	7611	4551	NC-1	40	density-lim	800	true		0.75	3	0.5	0	0	7611	4551	4551	1
4161	048	2500	0.06	2184	4	65	100	3	6	2	7500	5316	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	4816	4816	0.933333
4161	074	4121	0.09	3510	5	65	100	3	9	4	12363	8853	RH-2	40	density-lim	1500			0.7	4	0.444444448	0	0	11538.7998	8028.799805	8028.799805	0.933333
4162	034	2275	0.05	2900	4	65	100	3	5	1	6825	3925	NC-1	40	density-lim	800	true		0.75	3	0.600000024	0	0	6825	3925	3925	1
4162	047	2526	0.06	4839	8	65	100	3	6	0	7578	2739	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7072.799805	2233.799805	2233.799805	0.933333
4162	048	2526	0.06	3358	4	65	100	3	6	2	7578	4220	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7072.799805	3714.799805	3714.799805	0.933333
4162	085	9187	0.21	983	11	65	100	3	21	10	27561	26578	NC-1	40	density-lim	800	true		0.75	11	0.523809552	0	0	27561	26578	26578	1
4162	098	2500	0.06	870	4	65	100	3	6	2	7500	6630	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	6130	6130	0.933333
4162	104	3000	0.07	5387	4	65	100	3	7	3	9000	3613	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8400	3013	3013	0.933333
4171	001	2010	0.05	5144	5	75	120	3.5	6	1	7035	1891	NCT-2	45	form-based		true		0.75	5	0.833333313	0	0	6030	886	886	0.857143
4171	031	2500	0.06	2865	4	75	120	3.5	7	3	8750	5885	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7000	4135	4135	0.8
4172	001	3925	0.09	13950	18	75	120	3.5	11	0	13738	0	NCT-2	45	form-based		true		0.75	9	0.818181813	0	0	11775	0	0	0.857112
4172	022	68679	1.58	243176	263	85	140	4	221	0	274716	31540	UMU	68	form-based		true		0.55	189	0.855203629	0	0	226640.7031	0	0	0.825
4172	062	8652	0.2	1980	19	75	120	3.5	24	5	30282	28302	NCT-2	45	form-based				0.75	19	0.791666687	0	0	25956	23976	23976	0.857143
4206	010	1460	0.03	2357	4	65	100	3	3	0	4380	2023	RH-2	40	density-lim	1500			0.7	4	1.333333373	0	0	4088	1731	1731	0.933333
4206	030	2600	0.06	1544	4	65	100	3	6	2	7800	6256	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7280	5736	5736	0.933333
4206	040	2600	0.06	9600	11	65	100	3	6	0	7800	0	NCT-24TH-	55	form-based		true		0.75	8	1.333333373	0	0	9750	150	150	1.25
4207	003	2497	0.06	3134	4	65	100	3	6	2	7491	4357	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6991.600098	3857.600098	3857.600098	0.933333
4207	022	3950	0.09	6091	6	65	100	3	9	3	11850	5759	RH-2	40	density-lim	1500			0.7	4	0.444444448	0	0	11060	4969	4969	0.933333
4207	023	3950	0.09	7031	6	65	100	3	9	3	11850	4819	RH-2	40	density-lim	1500			0.7	4	0.444444448	0	0	11060	4029	4029	0.933333
4208	001	2657	0.06	3250	4	65	100	3	6	2	7971	4721	RM-1	40	density-lim	800	true		0.7	3	0.5	0	0	7439.600098	4189.600098	4189.600098	0.933333
4208	035	2621	0.06	4430	3	65	100	3	6	3	7863	3433	RM-1	40	density-lim	800	true		0.7	3	0.5	0	0	7338.799805	2908.799805	2908.799805	0.933333
4208	038	2619	0.06	2890	4	65	100	3	6	2	7857	4967	RM-1	40	density-lim	800			0.7	3	0.5	0	0	7333.199707	4443.199707	4443.199707	0.933333
4209	007	3105	0.07	4896	4	65	100	3	7	3	9315	4419	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8694	3798	3798	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4209	012	2618	0.06	3376	4	65	100	3	6	2	7854	4478	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7330.399902	3954.399902	3954.399902	0.933333
4209	041	10459	0.24	21950	19	65	100	3	24	5	31377	9427	RM-1	40	density-lim	800	true		0.7	13	0.541666687	0	0	29285.19922	7335.199219	7335.199219	0.933333
4210	023	2600	0.06	3457	4	65	100	3	6	2	7800	4343	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7280	3823	3823	0.933333
4210	032A	1611	0.04	2800	2	65	100	3	4	2	4833	2033	RM-1	40	density-lim	800	true		0.7	2	0.5	0	0	4510.799805	1710.799805	1710.799805	0.933333
4210	036	2609	0.06	3713	3	65	100	3	6	3	7827	4114	RM-1	40	density-lim	800			0.7	3	0.5	0	0	7305.199707	3592.199707	3592.199707	0.933333
4210	042	2608	0.06	812	4	65	100	3	6	2	7824	7012	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7302.399902	6490.399902	6490.399902	0.933333
4211	012A	2785	0.06	3796	4	65	100	3	6	2	8355	4559	RH-3	55	density-lim	1000			0.7	4	0.666666687	0	0	9747.5	5951.5	5951.5	1.166667
4211	038	2486	0.06	2915	5	65	100	3	6	1	7458	4543	RH-3	55	density-lim	1000			0.7	4	0.666666687	0	0	8701	5786	5786	1.166667
4212	002	2489	0.06	3892	7	65	100	3	6	0	7467	3575	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6969.199707	3077.199707	3077.199707	0.933333
4212	013	2500	0.06	5769	11	65	100	3	6	0	7500	1731	RH-3	55	density-lim	1000	true		0.7	6	1	0	0	8750	2981	2981	1.166667
4212	026	3750	0.09	4509	22	65	100	3	9	0	11250	6741	RH-2	40	density-lim	1500			0.7	4	0.444444448	0	0	10500	5991	5991	0.933333
4214	010	2366	0.05	4364	5	65	100	3	5	0	7098	2734	RM-1	40	density-lim	800	true		0.7	3	0.600000024	0	0	6624.799805	2260.799805	2260.799805	0.933333
4214	011	2500	0.06	3160	4	65	100	3	6	2	7500	4340	RM-1	40	density-lim	800			0.7	3	0.5	0	0	7000	3840	3840	0.933333
4214	032	2500	0.06	1239	3	65	100	3	6	3	7500	6261	RM-1	40	density-lim	800			0.7	3	0.5	0	0	7000	5761	5761	0.933333
4217	012	2500	0.06	5014	6	55	80	2.5	5	0	6250	1236	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	7000	1986	1986	1.12
4217	013	2500	0.06	5014	6	55	80	2.5	5	0	6250	1236	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	7000	1986	1986	1.12
4217	046	2500	0.06	905	4	55	80	2.5	5	1	6250	5345	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	7000	6095	6095	1.12
4218	059	4367	0.1	785	4	65	100	3	10	6	13101	12316	RH-2	40	density-lim	1500			0.7	4	0.400000006	0	0	12227.59961	11442.59961	11442.59961	0.933333
7308	003	1116	0.03	0	0	55	80	2.5	2	2	2790	2790	PM-R	130	form-based				0.75	10	5	10	4	10044	10044	5580	3.6
7308	009	27443	0.63	0	0	55	80	2.5	50	50	68608	68608	PM-R	85	form-based				0.75	144	2.880000114	144	100	164658	164658	137216	2.399982
7308	010	38470	0.88	0	0	55	80	2.5	70	70	96175	96175	PM-R	130	form-based				0.75	256	3.657142878	256	140	255967.5	255967.5	192350	2.661476
4219	062	2500	0.06	5263	5	65	100	3	6	1	7500	2237	NC-1	40	density-lim	800			0.75	3	0.5	0	0	7500	2237	2237	1
4219	063	2711	0.06	4674	3	65	100	3	6	3	8133	3459	NC-1	40	density-lim	800	true		0.75	3	0.5	0	0	8133	3459	3459	1
4259	018	2485	0.06	4110	7	55	80	2.5	5	0	6212	2102	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6958	2848	2848	1.12009
4260	009	1875	0.04	2423	4	55	80	2.5	3	0	4688	2265	RH-2	40	density-lim	1500			0.7	4	1.333333373	0	0	5250	2827	2827	1.119881
4260	013	3785	0.09	5150	8	65	100	3	9	1	11355	6205	RH-2	40	density-lim	1500	true		0.7	6	0.666666687	0	0	10598	5448	5448	0.933333
4260	021	2517	0.06	2500	4	65	100	3	6	2	7551	5051	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7047.600098	4547.600098	4547.600098	0.933333
4262	022	2494	0.06	6310	5	65	100	3	6	1	7482	1172	RM-1	40	density-lim	800	true		0.7	3	0.5	0	0	6983.199707	673.199707	673.199707	0.933333
4262	023	2493	0.06	3906	3	65	100	3	6	3	7479	3573	RM-1	40	density-lim	800			0.7	3	0.5	0	0	6980.399902	3074.399902	3074.399902	0.933333
4262	025	2489	0.06	5220	6	65	100	3	6	0	7467	2247	RM-1	40	density-lim	800			0.7	3	0.5	0	0	6969.199707	1749.199707	1749.199707	0.933333
4262	026	2488	0.06	4140	3	65	100	3	6	3	7464	3324	RM-1	40	density-lim	800			0.7	3	0.5	0	0	6966.399902	2826.399902	2826.399902	0.933333
4262	028	7397	0.17	6868	6	65	100	3	17	11	22191	15323	RH-2	40	density-lim	1500			0.7	5	0.294117659	0	0	20711.59961	13843.59961	13843.59961	0.933333
4262	029	2485	0.06	3450	3	65	100	3	6	3	7455	4005	RM-1	40	density-lim	800			0.7	3	0.5	0	0	6958	3508	3508	0.933333
7295	038	958267	22	0	0	85	140	4	3080	3080	3833068	3833068	C-2	190	density-lim	800	true		0.55	1198	0.388961047	1198	1198	4067328	4067328	4067328	1.061116
7308	011	60217	1.38	209884	0	55	80	2.5	110	110	150542	0	PM-R	130	form-based				0.55	286	2.599999905	286	220	285835.4375	75951.4375	75951.4375	1.898709
7308	002	3084	0.07	0	0	55	80	2.5	6	6	7710	7710	PM-R	130	form-based				0.75	28	4.666666508	28	12	27756	27756	15420	3.6
4262	030	2346	0.05	4960	4	65	100	3	5	1	7038	2078	RM-1	40	density-lim	800	true		0.7	3	0.600000024	0	0	6568.799805	1608.799805	1608.799805	0.933333
4263	008	2813	0.06	3300	4	65	100	3	6	2	8439	5139	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7876.399902	4576.399902	4576.399902	0.933333
4263	010	2500	0.06	2620	4	65	100	3	6	2	7500	4880	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7000	4380	4380	0.933333
4263	012	3134	0.07	2310	4	65	100	3	7	3	9402	7092	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8775.200195	6465.200195	6465.200195	0.933333
4263	043	2813	0.06	863	4	65	100	3	6	2	8439	7576	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7876.399902	7013.399902	7013.399902	0.933333
4264	001	5079	0.12	9550	16	65	100	3	12	0	15237	5687	NCT-24TH-	40	form-based		true		0.75	11	0.916666687	0	0	15237	5687	5687	1
7308	012	28901	0.66	209884	0	55	80	2.5	53	53	72252	0	PM-R	130	form-based				0.75	206	3.886792421	206	106	205730.25	0	0	2.847399
7308	113	50975	1.17	209884	0	55	80	2.5	94	94	127438	0	PM-R	130	form-based				0.55	250	2.659574509	250	188	250253.75	40369.75	40369.75	1.963729
7309	001	161242	3.7	66247	0	55	80	2.5	296	296	403105	336858	PM-R	85	form-based		true		0.55	621	2.09797287	621	592	709464.8125	643217.8125	643217.8125	1.76
7310	001	185211	4.25	74507	0	55	80	2.5	340	340	463028	388521	PM-R	105	form-based		true		0.55	785	2.308823586	785	680	785062.375	710555.375	710555.375	1.695497
7321	001	120398	2.76	49761	0	65	100	3	276	276	361194	311433	PM-MU1	95	form-based		true		0.55	500	1.811594248	500	500	499532.3125	449771.3125	449771.3125	1.383003
7311	001	119530	2.74	51107	0	55	80	2.5	219	219	298825	247718	PM-MU2	105	form-based		true		0.55	532	2.429223776	532	438	532190.5	481083.5	481083.5	1.780944
4264	007	2500	0.06	5073	4	65	100	3	6	2	7500	2427	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7000	1927	1927	0.933333
7320	003	37475	0.86	14162	0	65	100	3	86	86	112425	98263	PM-MU1	115	form-based		true		0.75	233	2.709302425	233	172	232743.75	218581.75	210688	2.070214
4264	019A	2500	0.06	3618	6	65	100	3	6	0	7500	3882	NCT-24TH-	40	form-based				0.75	6	1	0	0	7500	3882	3882	1
4265	004	4973	0.11	1972	25	85	140	4	15	0	19892	17920	RM-3	55	density-lim	400			0.75	12	0.800000012	0	0	18648.75	16676.75	16676.75	0.9375
7319	001	14783	0.34	9779	0	65	100	3	34	34	44349	34570	PM-MU1	65	form-based		true		0.75	55	1.617647052	55	55	66523.5	56744.5	56744.5	1.5
7316	001	15914	0.37	10573	0	65	100	3	37	37	47742	37169	PM-MU1	65	form-based		true		0.75	60	1.621621609	60	60	71613	61040	61040	1.5
7317	001	120280	2.76	51913	0	65	100	3	276	276	360840	308927	PM-R	145	form-based		true		0.55	679	2.460144997	679	552	679078	627165	627165	1.881937
7318	001	119618	2.75	50602	0	65	100	3	275	275	358854	308252	PM-R	105	form-based		true		0.55	533	1.938181877	533	533	532529.3125	481927.3125	481927.3125	1.483972
7320	002	635	0.01	0	0	65	100	3	1	1	1905	1905	PM-MU1	65	form-based				0.75	2	2	2	2	2857.5	2857.5	2857.5	1.5
7322	001	120356	2.76	80131	0	65	100	3	276	276	361068	280937	PM-R	95	form-based		true		0.55	499	1.807971001	499	499	499370.5938	419239.5938	419239.5938	1.383038
7323	001	100542	2.31	43434	0	65	100	3	231	231	301626	258192	PM-R	105	form-based		true		0.55	459	1.987012982	459	459	459086.6875	415652.6875	415652.6875	1.52204
7335	002	5256	0.12	0	0	55	80	2.5	10	10	13140	13140	PM-R	115	form-based		true		0.75	47	4.699999809	47	20	47304	47304	26280	3.6
7335	009	41974	0.96	0	0	55	80	2.5	77	77	104935	104935	PM-R	130	form-based				0.75	274	3.558441639	274	154	274363.5	274363.5	209870	2.614604
7335	010	46100	1.06	209884	0	55	80	2.5	85	85	115250	0	PM-R	130	form-based				0.55	231	2.717647076	231	170	231485	21601	20616	2.008547
7335	011	41346	0.95	0	0	55	80	2.5	76	76	103365	103365	PM-R	115	form-based				0.75	253	3.328947306	253	152	253066.5	253066.5	206730	2.44828
7335	012	46631	1.07	209884	0	55	80	2.5	86	86	116578	0	PM-R	130	form-based				0.55	234	2.720930338	234	172	233529.3438	23645.34375	23272	2.003202

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7355	001	501	0.01	0	0	55	80	2.5	1	1	1252	1252	PM-R	65	form-based				0.75	2	2	2	2	2254.5	2254.5	2254.5	1.800719
7358	001	19887	0.46	0	0	55	80	2.5	37	37	49718	49718	PM-R	105	form-based				0.75	128	3.459459543	128	74	128406.75	128406.75	99436	2.582701
7345A	001	33296	0.76	0	0	65	100	3	76	76	99888	99888	PM-MU1	45	form-based		true		0.75	75	0.986842096	75	75	99888	99888	99888	1
4265	008	7650	0.18	6030	8	65	100	3	18	10	22950	16920	RH-3	40	density-lim	1000	true		0.7	8	0.444444448	0	0	21420	15390	15390	0.933333
4266	001	3985	0.09	10098	16	65	100	3	9	0	11955	1857	NCT-24TH-	55	form-based		true		0.75	12	1.333333373	0	0	14943.75	4845.75	4845.75	1.25
4266	008	2508	0.06	2812	4	65	100	3	6	2	7524	4712	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7022.399902	4210.399902	4210.399902	0.933333
4266	010	3084	0.07	3460	4	65	100	3	7	3	9252	5792	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8635.200195	5175.200195	5175.200195	0.933333
4266	017	2450	0.06	2310	4	65	100	3	6	2	7350	5040	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6860	4550	4550	0.933333
4266	026	2300	0.05	1986	4	65	100	3	5	1	6900	4914	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6440	4454	4454	0.933333
4266	051	2300	0.05	4476	4	65	100	3	5	1	6900	2424	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6440	1964	1964	0.933333
7356	001	9913	0.23	0	0	55	80	2.5	18	18	24782	24782	PM-R	40	form-based				0.75	22	1.222222209	22	22	29739	29739	29739	1.200024
7357	001	3848	0.09	0	0	55	80	2.5	7	7	9620	9620	PM-R	65	form-based				0.75	14	2	14	14	17316	17316	17316	1.8
7368	001	1134	0.03	0	0	55	80	2.5	2	2	2835	2835	PM-R	45	form-based				0.75	3	1.5	3	3	3402	3402	3402	1.2
4266	067	2450	0.06	677	4	65	100	3	6	2	7350	6673	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6860	6183	6183	0.933333
4267	015	2703	0.06	2200	4	65	100	3	6	2	8109	5909	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7568.399902	5368.399902	5368.399902	0.933333
4267	017	2600	0.06	8445	10	65	100	3	6	0	7800	0	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7280	0	0	0.933333
4267	018	2575	0.06	8445	6	65	100	3	6	0	7725	0	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7210	0	0	0.933333
4267	021A	2600	0.06	3066	4	65	100	3	6	2	7800	4734	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7280	4214	4214	0.933333
4267	029	3000	0.07	2036	4	65	100	3	7	3	9000	6964	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8400	6364	6364	0.933333
4267	034	3750	0.09	8970	8	65	100	3	9	1	11250	2280	RH-3	40	density-lim	1000	true		0.7	6	0.666666687	0	0	10500	1530	1530	0.933333
4267	035	2175	0.05	2896	4	65	100	3	5	1	6525	3629	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	6090	3194	3194	0.933333
4268	009A	2228	0.05	2680	4	65	100	3	5	1	6684	4004	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	6238.399902	3558.399902	3558.399902	0.933333
4268	011	1840	0.04	2644	4	65	100	3	4	0	5520	2876	RH-3	40	density-lim	1000			0.7	4	1	0	0	5152	2508	2508	0.933333
4269	011A	2243	0.05	7397	6	65	100	3	5	0	6729	0	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	0	0	6280.399902	0	0	0.933333
4270	004	2996	0.07	3620	4	65	100	3	7	3	8988	5368	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8388.799805	4768.799805	4768.799805	0.933333
4270	027	2600	0.06	3070	4	65	100	3	6	2	7800	4730	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7280	4210	4210	0.933333
4271	004	2798	0.06	4072	4	65	100	3	6	2	8394	4322	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7834.399902	3762.399902	3762.399902	0.933333
4271	014	2495	0.06	2768	4	65	100	3	6	2	7485	4717	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6986	4218	4218	0.933333
4271	016	2495	0.06	4066	5	65	100	3	6	1	7485	3419	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6986	2920	2920	0.933333
4271	025	4400	0.1	6924	6	65	100	3	10	4	13200	6276	RH-2	40	density-lim	1500			0.7	4	0.400000006	0	0	12320	5396	5396	0.933333
4272	021	5000	0.11	5400	6	65	100	3	11	5	15000	9600	RH-2	40	density-lim	1500	true		0.7	6	0.545454562	0	0	14000	8600	8600	0.933333
4273	011	4374	0.1	6894	6	65	100	3	10	4	13122	6228	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	12247.2002	5353.200195	5353.200195	0.933333
4273	013	6461	0.15	10773	11	65	100	3	15	4	19383	8610	RH-2	40	density-lim	1500	true		0.7	6	0.400000006	0	0	18090.79883	7317.798828	7317.798828	0.933333
4273	033	2982	0.07	6300	6	65	100	3	7	1	8946	2646	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8349.599609	2049.599609	2049.599609	0.933333
4274	018	2652	0.06	5162	4	65	100	3	6	2	7956	2794	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7425.600098	2263.600098	2263.600098	0.933333
4274	030	2148	0.05	3024	6	65	100	3	5	0	6444	3420	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	6014.399902	2990.399902	2990.399902	0.933333
4275	004	3009	0.07	3076	4	65	100	3	7	3	9027	5951	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8425.200195	5349.200195	5349.200195	0.933333
4275	005	3009	0.07	3040	4	65	100	3	7	3	9027	5987	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8425.200195	5385.200195	5385.200195	0.933333
4275	012E	3053	0.07	6090	10	65	100	3	7	0	9159	3069	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	0	0	8548.399414	2458.399414	2458.399414	0.933333
4275	019	4000	0.09	2040	4	65	100	3	9	5	12000	9960	RH-2	40	density-lim	1500			0.7	4	0.444444448	0	0	11200	9160	9160	0.933333
4275	024	4503	0.1	8090	9	65	100	3	10	1	13509	5419	RH-2	40	density-lim	1500	true		0.7	6	0.600000024	0	0	12608.39941	4518.399414	4518.399414	0.933333
4275	027	2875	0.07	3850	4	65	100	3	7	3	8625	4775	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8050	4200	4200	0.933333
4275	028	5000	0.11	3680	4	65	100	3	11	7	15000	11320	RH-2	40	density-lim	1500			0.7	4	0.363636374	0	0	14000	10320	10320	0.933333
4275	033	2251	0.05	795	4	65	100	3	5	1	6753	5958	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6302.799805	5507.799805	5507.799805	0.933333
4276	004A	2000	0.05	2350	4	65	100	3	5	1	6000	3650	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	5600	3250	3250	0.933333
4276	004B	2460	0.06	3477	6	65	100	3	6	0	7380	3903	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6888	3411	3411	0.933333
4276	013	2770	0.06	4182	4	65	100	3	6	2	8310	4128	NC-2	55	density-lim	800			0.75	3	0.5	0	0	10387.5	6205.5	6205.5	1.25
4276	019	3171	0.07	4832	8	65	100	3	7	0	9513	4681	RH-2	55	density-lim	1500			0.7	4	0.571428597	0	0	11098.5	6266.5	6266.5	1.166667
4276	023	2763	0.06	2593	4	65	100	3	6	2	8289	5696	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7736.399902	5143.399902	5143.399902	0.933333
4276	032	2870	0.07	4084	8	65	100	3	7	0	8610	4526	RH-2	55	density-lim	1500			0.7	4	0.571428597	0	0	10045	5961	5961	1.166667
4276	045	2961	0.07	2484	6	65	100	3	7	1	8883	6399	RH-2	55	density-lim	1500			0.7	4	0.571428597	0	0	10363.5	7879.5	7879.5	1.166667
4276	046	1740	0.04	2217	6	65	100	3	4	0	5220	3003	RH-2	40	density-lim	1500			0.7	4	1	0	0	4872	2655	2655	0.933333
4276	047	3500	0.08	1139	4	65	100	3	8	4	10500	9361	NC-2	40	density-lim	800			0.75	4	0.5	0	0	10500	9361	9361	1
4280	026	3248	0.07	4016	8	65	100	3	7	0	9744	5728	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	9094.399414	5078.399414	5078.399414	0.933333
4281A	004	2517	0.06	7278	14	55	80	2.5	5	0	6292	0	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	7047.600098	0	0	1.120089
4285B	006	49	0	0	0	65	100	3	0	0	147	147	RM-2	65	density-lim	600	true		0.7	0		0	0	205.8000031	205.8000031	205.8000031	1.4
4287	076	30000	0.69	0	72	65	100	3	69	0	90000	90000	RM-2	65	density-lim	600	true		0.7	50	0.724637687	0	0	126000	126000	126000	1.4
4335	003G	1418	0.03	2664	2	55	80	2.5	2	0	3545	881	NC-3	40	density-lim	600			0.75	2	1	0	0	4254	1590	1590	1.2
4335	003I	1685	0.04	3333	3	55	80	2.5	3	0	4212	879	NC-3	40	density-lim	600	true		0.75	3	1	0	0	5055	1722	1722	1.200143
4335	003J	2250	0.05	2556	4	55	80	2.5	4	0	5625	3069	RH-2	40	density-lim	1500			0.7	4	1	0	0	6300	3744	3744	1.12
4335	004	2686	0.06	4207	5	65	100	3	6	1	8058	3851	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7520.799805	3313.799805	3313.799805	0.933333
4335	006	2274	0.05	2515	8	65	100	3	5	0	6822	4307	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6367.199707	3852.199707	3852.199707	0.933333
4336	001	2825	0.06	7350	8	55	80	2.5	5	0	7062	0	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	0	0	7910	560	560	1.120079
4336	002A	2500	0.06	4237	4	55	80	2.5	5	1	6250	2013	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	7000	2763	2763	1.12

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
4336	007I	2231	0.05	2324	4	55	80	2.5	4	0	5578	3254	RH-2	40	density-lim	1500			0.7	4	1	0	0	6246.799805	3922.799805	3922.799805	1.1199
4336	015	1976	0.05	4560	8	55	80	2.5	4	0	4940	380	RH-2	40	density-lim	1500			0.7	4	1	0	0	5532.799805	972.7998047	972.7998047	1.12
4336	026	2237	0.05	3550	4	55	80	2.5	4	0	5592	2042	RH-2	40	density-lim	1500			0.7	4	1	0	0	6263.600098	2713.600098	2713.600098	1.1201
4337	001	2250	0.05	3760	8	55	80	2.5	4	0	5625	1865	RH-2	40	density-lim	1500	true		0.7	6	1.5	0	0	6300	2540	2540	1.12
4337	012	4719	0.11	5106	6	55	80	2.5	9	3	11798	6692	RH-2	40	density-lim	1500			0.7	4	0.444444448	0	0	13213.2002	8107.200195	8107.200195	1.119953
4337	014A	3256	0.07	4910	4	65	100	3	7	3	9768	4858	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	9116.799805	4206.799805	4206.799805	0.933333
4337	015	3256	0.07	1650	4	65	100	3	7	3	9768	8118	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	9116.799805	7466.799805	7466.799805	0.933333
4338	001	5000	0.11	7520	6	65	100	3	11	5	15000	7480	RH-2	40	density-lim	1500	true		0.7	6	0.545454562	0	0	14000	6480	6480	0.933333
4338	026	1868	0.04	3840	6	65	100	3	4	0	5604	1764	RH-2	40	density-lim	1500	true		0.7	6	1.5	0	0	5230.399902	1390.399902	1390.399902	0.933333
4338	026A	625	0.01	825	4	65	100	3	1	0	1875	1050	RH-2	40	density-lim	1500			0.7	4	4	0	0	1750	925	925	0.933333
4338	027	4983	0.11	5125	8	65	100	3	11	3	14949	9824	RH-2	40	density-lim	1500			0.7	4	0.363636374	0	0	13952.39941	8827.399414	8827.399414	0.933333
5505	012	1960	0.04	2441	4	55	80	2.5	3	0	4900	2459	RH-2	40	density-lim	1500			0.7	4	1.333333373	0	0	5488	3047	3047	1.12
5506	001	2259	0.05	4300	3	55	80	2.5	4	1	5648	1348	NC-1	40	density-lim	800	true		0.75	3	0.75	0	0	6777	2477	2477	1.199894
5507	001A	71	0	0	0	55	80	2.5	0	0	178	178	NC-1	40	density-lim	800			0.75	0		0	0	213	213	213	1.196629
5512	030	5845	0.13	3795	7	55	80	2.5	10	3	14612	10817	RH-2	40	density-lim	1500			0.7	4	0.400000006	0	0	16366	12571	12571	1.120038
5514	033	4499	0.1	5828	8	55	80	2.5	8	0	11248	5420	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	12597.2002	6769.200195	6769.200195	1.11995
5518	011	2500	0.06	3060	4	85	140	4	8	4	10000	6940	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	7000	3940	3940	0.7
5518	016	2088	0.05	3578	3	85	140	4	7	4	8352	4774	NCD-MISSI	50	density-lim	600			0.75	3	0.428571433	0	0	7830	4252	4252	0.9375
5518	017	2088	0.05	4125	3	85	140	4	7	4	8352	4227	NCD-MISSI	50	density-lim	600			0.75	3	0.428571433	0	0	7830	3705	3705	0.9375
5518	021	3220	0.07	4390	6	85	140	4	10	4	12880	8490	RH-2	40	density-lim	1500			0.7	4	0.400000006	0	0	9016	4626	4626	0.7
5518	031	4121	0.09	4121	7	85	140	4	13	6	16484	12363	NCD-MISSI	50	density-lim	600	true		0.75	7	0.538461566	0	0	15453.75	11332.75	11332.75	0.9375
5518	039	4229	0.1	709	7	85	140	4	14	7	16916	16207	NCD-MISSI	50	density-lim	600			0.75	7	0.5	0	0	15858.75	15149.75	15149.75	0.9375
5527	061	5000	0.11	2062	4	55	80	2.5	9	5	12500	10438	RH-1	40	density-lim	3000			0.7	4	0.444444448	0	0	14000	11938	11938	1.12
5529	051	1749	0.04	3408	7	55	80	2.5	3	0	4372	964	RH-2	40	density-lim	1500	true		0.7	6	2	0	0	4897.199707	1489.199707	1489.199707	1.120128
5538	027	3362	0.08	1975	4	55	80	2.5	6	2	8405	6430	RH-1	40	density-lim	3000			0.7	4	0.666666687	0	0	9413.599609	7438.599609	7438.599609	1.12
5609	027	1750	0.04	3072	6	65	100	3	4	0	5250	2178	RH-2	40	density-lim	1500			0.7	4	1	0	0	4900	1828	1828	0.933333
5609	004	2700	0.06	2799	4	65	100	3	6	2	8100	5301	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7560	4761	4761	0.933333
5609	007	2296	0.05	1990	4	65	100	3	5	1	6888	4898	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6428.799805	4438.799805	4438.799805	0.933333
5609	012	2081	0.05	2331	3	85	140	4	7	4	8324	5993	NCD-MISSI	40	density-lim	600			0.75	3	0.428571433	0	0	6243	3912	3912	0.75
5609	016	1976	0.05	1680	3	85	140	4	7	4	7904	6224	NCD-MISSI	40	density-lim	600			0.75	3	0.428571433	0	0	5928	4248	4248	0.75
5609	017	2251	0.05	3500	4	85	140	4	7	3	9004	5504	NCD-MISSI	40	density-lim	600	true		0.75	4	0.571428597	0	0	6753	3253	3253	0.75
5610A	046	7085	0.16	7210	12	65	100	3	16	4	21255	14045	RH-2	40	density-lim	1500	true		0.7	6	0.375	0	0	19838	12628	12628	0.933333
5611	029A	2651	0.06	1212	5	65	100	3	6	1	7953	6741	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7422.799805	6210.799805	6210.799805	0.933333
5615	026	1750	0.04	2345	4	65	100	3	4	0	5250	2905	RH-2	40	density-lim	1500			0.7	4	1	0	0	4900	2555	2555	0.933333
5615	036	2093	0.05	2080	3	65	100	3	5	2	6279	4199	NCD-MISSI	40	density-lim	600			0.75	3	0.600000024	0	0	6279	4199	4199	1
5615	038	4661	0.11	6480	10	65	100	3	11	1	13983	7503	NCD-MISSI	40	density-lim	600			0.75	8	0.727272749	0	0	13983	7503	7503	1
5615	051	1965	0.05	4875	3	85	140	4	7	4	7860	2985	NCD-MISSI	40	density-lim	600			0.75	3	0.428571433	0	0	5895	1020	1020	0.75
5615	052	4357	0.1	10494	12	85	140	4	14	2	17428	6934	NCD-MISSI	40	density-lim	600	true		0.75	7	0.5	0	0	13071	2577	2577	0.75
5615	070	8274	0.19	11152	18	65	100	3	19	1	24822	13670	RH-2	40	density-lim	1500			0.7	6	0.315789461	0	0	23167.19922	12015.19922	12015.19922	0.933333
5615	102	3330	0.08	1674	6	65	100	3	8	2	9990	8316	NCD-MISSI	40	density-lim	600			0.75	6	0.75	0	0	9990	8316	8316	1
5616	020	1750	0.04	1800	4	65	100	3	4	0	5250	3450	RH-2	40	density-lim	1500			0.7	4	1	0	0	4900	3100	3100	0.933333
5617	019	4783	0.11	5144	7	65	100	3	11	4	14349	9205	RH-2	40	density-lim	1500	true		0.7	6	0.545454562	0	0	13392.39941	8248.399414	8248.399414	0.933333
5642	007	2100	0.05	3240	4	65	100	3	5	1	6300	3060	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	5880	2640	2640	0.933333
5642	008	3000	0.07	4563	5	65	100	3	7	2	9000	4437	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8400	3837	3837	0.933333
5642	009	3000	0.07	4477	5	65	100	3	7	2	9000	4523	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8400	3923	3923	0.933333
5642	033	3929	0.09	2575	4	85	140	4	13	9	15716	13141	RH-2	40	density-lim	1500			0.7	4	0.307692319	0	0	11001.2002	8426.200195	8426.200195	0.7
5642	037	1799	0.04	2800	4	65	100	3	4	0	5397	2597	RH-2	40	density-lim	1500			0.7	4	1	0	0	5037.199707	2237.199707	2237.199707	0.933333
5642	044	2400	0.06	5400	6	65	100	3	6	0	7200	1800	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6720	1320	1320	0.933333
5642	063	2618	0.06	4000	4	85	140	4	8	4	10472	6472	NCD-MISSI	40	density-lim	600	true		0.75	4	0.5	0	0	7854	3854	3854	0.75
5668	019	1976	0.05	3937	4	65	100	3	5	1	5928	1991	NCD-CORT	40	density-lim	800			0.75	2	0.400000006	0	0	5928	1991	1991	1
5668	020	2334	0.05	3860	4	65	100	3	5	1	7002	3142	NCD-CORT	40	density-lim	800	true		0.75	3	0.600000024	0	0	7002	3142	3142	1
5669	014	1805	0.04	3200	4	65	100	3	4	0	5415	2215	NCD-CORT	40	density-lim	800	true		0.75	2	0.5	0	0	5415	2215	2215	1
5672	009	3495	0.08	4860	4	65	100	3	8	4	10485	5625	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9786	4926	4926	0.933333
5673	001	2443	0.06	6898	8	65	100	3	6	0	7329	431	RH-2	40	density-lim	1500	true		0.7	6	1	0	0	6840.399902	0	0	0.933333
5673	002	2443	0.06	4340	4	65	100	3	6	2	7329	2989	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6840.399902	2500.399902	2500.399902	0.933333
5673	003	1765	0.04	3595	4	65	100	3	4	0	5295	1700	RH-2	40	density-lim	1500			0.7	4	1	0	0	4942	1347	1347	0.933333
5673	007	2471	0.06	4188	4	65	100	3	6	2	7413	3225	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6918.799805	2730.799805	2730.799805	0.933333
5673	014	2000	0.05	3496	4	65	100	3	5	1	6000	2504	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	5600	2104	2104	0.933333
5673	019	2739	0.06	5466	12	65	100	3	6	0	8217	2751	NCD-MISSI	40	density-lim	600			0.75	5	0.833333313	0	0	8217	2751	2751	1
5673	025	3541	0.08	4130	6	65	100	3	8	2	10623	6493	NCD-MISSI	40	density-lim	600	true		0.75	6	0.75	0	0	10623	6493	6493	1
5673	039	2678	0.06	1950	5	85	140	4	8	3	10712	8762	NCD-MISSI	40	density-lim	600			0.75	4	0.5	0	0	8034	6084	6084	0.75
5673	051	2760	0.06	1063	5	65	100	3	6	1	8280	7217	NCD-MISSI	40	density-lim	600	true		0.75	5	0.833333313	0	0	8280	7217	7217	1
5674	020	2537	0.06	2300	4	65	100	3	6	2	7611	5311	NCD-MISSI	40	density-lim	600	true		0.75	4	0.666666687	0	0	7611	5311	5311	1
5674	023	2394	0.05	8000	6	65	100	3	5	0	7182	0	NCD-MISSI	40	density-lim	600	true		0.75	4	0.800000012	0	0	7182	0	0	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
5675	006	2486	0.06	2468	5	65	100	3	6	1	7458	4990	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6960.799805	4492.799805	4492.799805	0.933333
5676	016	3436	0.08	3000	4	65	100	3	8	4	10308	7308	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9620.799805	6620.799805	6620.799805	0.933333
5676	034	3220	0.07	4410	6	65	100	3	7	1	9660	5250	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	9016	4606	4606	0.933333
5677	001	1908	0.04	2900	5	55	80	2.5	3	0	4770	1870	NCD-CORT	40	density-lim	800	true		0.75	2	0.666666687	0	0	5724	2824	2824	1.2
5677	015	2342	0.05	4223	5	55	80	2.5	4	0	5855	1632	RH-2	40	density-lim	1500			0.7	4	1	0	0	6557.600098	2334.600098	2334.600098	1.12
5677	024	1925	0.04	1889	6	55	80	2.5	3	0	4812	2923	RH-2	40	density-lim	1500	true		0.7	6	2	0	0	5390	3501	3501	1.120116
5677	031	1618	0.04	1065	3	55	80	2.5	3	0	4045	2980	NCD-CORT	40	density-lim	800			0.75	2	0.666666687	0	0	4854	3789	3789	1.2
5678	025	2500	0.06	2800	3	55	80	2.5	5	2	6250	3450	NCD-CORT	40	density-lim	800			0.75	3	0.600000024	0	0	7500	4700	4700	1.2
5678	027	2790	0.06	2856	3	55	80	2.5	5	2	6975	4119	NCD-CORT	40	density-lim	800			0.75	3	0.600000024	0	0	8370	5514	5514	1.2
5678	029	2787	0.06	3522	4	55	80	2.5	5	1	6968	3446	NCD-CORT	40	density-lim	800			0.75	3	0.600000024	0	0	8361	4839	4839	1.199914
5708	003	2503	0.06	3527	5	55	80	2.5	5	0	6258	2731	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	7008.399902	3481.399902	3481.399902	1.11991
5712	002	2500	0.06	2000	4	65	100	3	6	2	7500	5500	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	5000	5000	0.933333
5712	016	2500	0.06	2750	4	65	100	3	6	2	7500	4750	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	4250	4250	0.933333
5712	037	2698	0.06	2500	4	65	100	3	6	2	8094	5594	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7554.399902	5054.399902	5054.399902	0.933333
5712	039	2695	0.06	1840	4	65	100	3	6	2	8085	6245	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7546	5706	5706	0.933333
5712	045	2686	0.06	5171	8	65	100	3	6	0	8058	2887	NCD-MISS	40	density-lim	600	true		0.75	4	0.666666687	0	0	8058	2887	2887	1
5713	013	2059	0.05	3750	5	65	100	3	5	0	6177	2427	NC-2	40	density-lim	800	true		0.75	3	0.600000024	0	0	6177	2427	2427	1
5713	025	2088	0.05	2932	5	65	100	3	5	0	6264	3332	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	5846.399902	2914.399902	2914.399902	0.933333
5713	029	3661	0.08	4570	4	65	100	3	8	4	10983	6413	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	10250.7998	5680.799805	5680.799805	0.933333
5717	009	3000	0.07	3300	5	55	80	2.5	6	1	7500	4200	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	8400	5100	5100	1.12
5717	037	4061	0.09	3640	4	55	80	2.5	7	3	10152	6512	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	11370.7998	7730.799805	7730.799805	1.120055
5718	030	1991	0.05	2748	4	65	100	3	5	1	5973	3225	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	5574.799805	2826.799805	2826.799805	0.933333
5718	031	2432	0.06	3037	5	65	100	3	6	1	7296	4259	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6809.600098	3772.600098	3772.600098	0.933333
5718	033	1918	0.04	2215	3	65	100	3	4	1	5754	3539	NC-2	40	density-lim	800			0.75	2	0.5	0	0	5754	3539	3539	1
5718	034	2285	0.05	3064	4	65	100	3	5	1	6855	3791	NC-2	40	density-lim	800			0.75	3	0.600000024	0	0	6855	3791	3791	1
5718	035	3366	0.08	7171	5	65	100	3	8	3	10098	2927	NC-2	40	density-lim	800	true		0.75	4	0.5	0	0	10098	2927	2927	1
5718	039	2500	0.06	1750	4	65	100	3	6	2	7500	5750	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7000	5250	5250	0.933333
5719	001A	998	0.02	2500	2	65	100	3	2	0	2994	494	NC-2	40	density-lim	800			0.75	1	0.5	0	0	2994	494	494	1
5719	002	1615	0.04	2750	3	65	100	3	4	1	4845	2095	NC-2	40	density-lim	800	true		0.75	2	0.5	0	0	4845	2095	2095	1
5719	015	2438	0.06	6735	9	65	100	3	6	0	7314	579	NC-2	40	density-lim	800	true		0.75	3	0.5	0	0	7314	579	579	1
5719	019	2437	0.06	3288	3	65	100	3	6	3	7311	4023	NC-2	40	density-lim	800			0.75	3	0.5	0	0	7311	4023	4023	1
5719	022	1902	0.04	2500	2	65	100	3	4	2	5706	3206	NC-2	40	density-lim	800			0.75	2	0.5	0	0	5706	3206	3206	1
5720	010	3750	0.09	4100	6	55	80	2.5	7	1	9375	5275	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	10500	6400	6400	1.12
5720	036	4908	0.11	5040	7	65	100	3	11	4	14724	9684	RH-2	40	density-lim	1500	true		0.7	6	0.545454562	0	0	13742.39941	8702.399414	8702.399414	0.933333
5721	028	3800	0.09	3600	4	55	80	2.5	7	3	9500	5900	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	10640	7040	7040	1.12
5745	027	1938	0.04	5450	7	55	80	2.5	3	0	4845	0	RH-2	40	density-lim	1500	true		0.7	6	2	0	0	5426.399902	0	0	1.12
5745	031	2176	0.05	3730	5	55	80	2.5	4	0	5440	1710	RH-2	40	density-lim	1500			0.7	4	1	0	0	6092.799805	2362.799805	2362.799805	1.12
6469	006	1860	0.04	2794	3	55	80	2.5	3	0	4650	1856	NCD-EXCE	40	density-lim	600			0.75	3	1	0	0	5580	2786	2786	1.2
6469	011	2757	0.06	4450	5	55	80	2.5	5	0	6892	2442	NCD-EXCE	40	density-lim	600			0.75	5	1	0	0	8271	3821	3821	1.200087
6469	015	3120	0.07	5272	8	55	80	2.5	6	0	7800	2528	NCD-EXCE	40	density-lim	600	true		0.75	5	0.833333313	0	0	9360	4088	4088	1.2
6469	016	6089	0.14	1161	12	55	80	2.5	11	0	15222	14061	NCD-EXCE	40	density-lim	600			0.75	10	0.909090936	0	0	18267	17106	17106	1.200039
6469	019	4821	0.11	8300	11	55	80	2.5	9	0	12052	3752	NCD-EXCE	40	density-lim	600	true		0.75	8	0.888888896	0	0	14463	6163	6163	1.20005
6469	028	2414	0.06	2874	4	55	80	2.5	5	1	6035	3161	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	0	0	7242	4368	4368	1.2
6469	036	1201	0.03	1806	2	55	80	2.5	2	0	3002	1196	NCD-EXCE	40	density-lim	600			0.75	2	1	0	0	3603	1797	1797	1.2002
6469	038	1146	0.03	1806	2	55	80	2.5	2	0	2865	1059	NCD-EXCE	40	density-lim	600			0.75	2	1	0	0	3438	1632	1632	1.2
6470	001B	1567	0.04	2440	4	55	80	2.5	3	0	3918	1478	NCD-EXCE	40	density-lim	600			0.75	3	1	0	0	4701	2261	2261	1.199847
6470	001C	3290	0.08	6044	8	55	80	2.5	6	0	8225	2181	NCD-EXCE	40	density-lim	600			0.75	5	0.833333313	0	0	9870	3826	3826	1.2
6473	030	4787	0.11	8352	13	55	80	2.5	9	0	11968	3616	NCD-EXCE	40	density-lim	600	true		0.75	8	0.888888896	0	0	14361	6009	6009	1.19995
6473	044	4938	0.11	6050	8	55	80	2.5	9	1	12345	6295	NCD-EXCE	40	density-lim	600			0.75	8	0.888888896	0	0	14814	8764	8764	1.2
6490	003	7126	0.16	4251	6	55	80	2.5	13	7	17815	13564	RH-1	40	density-lim	3000			0.7	4	0.307692319	0	0	19952.79883	15701.79883	15701.79883	1.12
6509	020A	425	0.01	375	1	65	100	3	1	0	1275	900	NCD-24TH	50	form-based			true	0.75	1	1	0	0	1593.75	1218.75	1218.75	1.25
6510	008A	1132	0.03	1660	3	65	100	3	3	0	3396	1736	RH-2	50	form-based			true	0.7	3	1	0	0	3962	2302	2302	1.166667
6510	029D	2479	0.06	4248	7	65	100	3	6	0	7437	3189	RM-1	50	form-based		true	true	0.7	7	1.166666627	0	0	8676.5	4428.5	4428.5	1.166667
6511	001	1977	0.05	5175	9	65	100	3	5	0	5931	756	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	0	0	5535.600098	360.6000977	360.6000977	0.933333
6511	001B	2627	0.06	2270	4	65	100	3	6	2	7881	5611	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7355.600098	5085.600098	5085.600098	0.933333
6511	001C	3313	0.08	5822	8	65	100	3	8	0	9939	4117	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9276.399414	3454.399414	3454.399414	0.933333
6511	019	2500	0.06	3060	4	65	100	3	6	2	7500	4440	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7000	3940	3940	0.933333
6511	027	3125	0.07	3950	5	65	100	3	7	2	9375	5425	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8750	4800	4800	0.933333
6511	030	6250	0.14	14410	15	65	100	3	14	0	18750	4340	RH-3	40	density-lim	1000			0.7	6	0.428571433	0	0	17500	3090	3090	0.933333
6511	031	3375	0.08	3580	4	65	100	3	8	4	10125	6545	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9450	5870	5870	0.933333
6511	031A	3375	0.08	3580	4	65	100	3	8	4	10125	6545	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9450	5870	5870	0.933333
6511	036	3836	0.09	5134	8	65	100	3	9	1	11508	6374	RH-3	40	density-lim	1000			0.7	4	0.444444448	0	0	10740.7998	5606.799805	5606.799805	0.933333
6512	004	3117	0.07	3500	4	65	100	3	7	3	9351	5851	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8727.599609	5227.599609	5227.599609	0.933333
6512	013	6000	0.14	30810	36	65	100	3	14	0	18000	0	RH-3	40	density-lim	1000	true		0.7	6	0.428571433	0	0	16800	0	0	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6512	026	4983	0.11	5674	9	65	100	3	11	2	14949	9275	RH-3	40	density-lim	1000			0.7	5	0.454545468	0	0	13952.39941	8278.399414	8278.399414	0.933333
6512	031	5500	0.13	11600	12	65	100	3	13	1	16500	4900	RH-3	40	density-lim	1000			0.7	6	0.461538464	0	0	15400	3800	3800	0.933333
6513	009	10850	0.25	20265	34	75	120	3.5	30	0	37975	17710	RM-2	40	density-lim	600			0.7	18	0.600000024	0	0	30380	10115	10115	0.8
6513	010	12134	0.28	8640	20	75	120	3.5	34	14	42469	33829	RH-3	40	density-lim	1000			0.7	12	0.352941185	0	0	33975.19922	25335.19922	25335.19922	0.8
6513	017	3224	0.07	3384	4	75	120	3.5	8	4	11284	7900	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9027.200195	5643.200195	5643.200195	0.8
6513	025	2020	0.05	4950	4	75	120	3.5	6	2	7070	2120	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	5656	706	706	0.8
6513	028	2622	0.06	4865	4	75	120	3.5	7	3	9177	4312	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7341.600098	2476.600098	2476.600098	0.8
6513	032	3623	0.08	6272	8	75	120	3.5	10	2	12680	6408	RH-3	40	density-lim	1000	true		0.7	6	0.600000024	0	0	10144.39941	3872.399414	3872.399414	0.800031
6513	057	2621	0.06	922	4	75	120	3.5	7	3	9174	8252	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7338.799805	6416.799805	6416.799805	0.799956
6513	065	4084	0.09	2020	4	75	120	3.5	11	7	14294	12274	RH-3	40	density-lim	1000			0.7	4	0.363636374	0	0	11435.2002	9415.200195	9415.200195	0.8
6514	001	3154	0.07	11105	18	75	120	3.5	8	0	11039	0	NCT-VALEI	55	form-based		true		0.75	9	1.125	0	0	11827.5	722.5	722.5	1.071429
6514	010	2929	0.07	10928	14	75	120	3.5	8	0	10252	0	NCT-VALEI	55	form-based				0.75	9	1.125	0	0	10983.75	55.75	55.75	1.071376
6514	013	3334	0.08	4920	8	75	120	3.5	10	2	11669	6749	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	9335.200195	4415.200195	4415.200195	0.8
6514	014	3334	0.08	4884	8	75	120	3.5	10	2	11669	6785	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	9335.200195	4451.200195	4451.200195	0.8
6514	015	3334	0.08	3132	4	75	120	3.5	10	6	11669	8537	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	9335.200195	6203.200195	6203.200195	0.8
6514	016	3334	0.08	4030	6	75	120	3.5	10	4	11669	7639	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	9335.200195	5305.200195	5305.200195	0.8
6514	017	3334	0.08	4948	8	75	120	3.5	10	2	11669	6721	RM-2	40	density-lim	600			0.7	6	0.600000024	0	0	9335.200195	4387.200195	4387.200195	0.8
6514	018	3334	0.08	3720	8	75	120	3.5	10	2	11669	7949	RM-2	40	density-lim	600			0.7	6	0.600000024	0	0	9335.200195	5615.200195	5615.200195	0.8
6514	019	2704	0.06	7034	6	75	120	3.5	7	1	9464	2430	RM-2	40	density-lim	600			0.7	5	0.714285731	0	0	7571.199707	537.199707	537.199707	0.8
6514	020	2253	0.05	4800	5	75	120	3.5	6	1	7886	3086	RM-2	40	density-lim	600			0.7	4	0.666666687	0	0	6308.399902	1508.399902	1508.399902	0.799949
6514	023	2253	0.05	5670	4	75	120	3.5	6	2	7886	2216	RM-2	40	density-lim	600			0.7	4	0.666666687	0	0	6308.399902	638.3999023	638.3999023	0.799949
6514	024	2478	0.06	4290	6	75	120	3.5	7	1	8673	4383	RM-2	40	density-lim	600			0.7	4	0.571428597	0	0	6938.399902	2648.399902	2648.399902	0.8
6514	024A	3605	0.08	5950	8	75	120	3.5	10	2	12618	6668	RM-2	40	density-lim	600			0.7	6	0.600000024	0	0	10094	4144	4144	0.799968
6514	024C	3379	0.08	9411	18	75	120	3.5	10	0	11826	2415	RM-2	40	density-lim	600	true		0.7	6	0.600000024	0	0	9461.200195	50.20019531	50.20019531	0.800034
6514	030	5227	0.12	21911	32	75	120	3.5	14	0	18294	0	NCT-VALEI	55	form-based				0.75	16	1.142857194	0	0	19601.25	0	0	1.071458
6515	007	2933	0.07	4920	7	75	120	3.5	8	1	10266	5346	RTO-M	45	form-based				0.7	6	0.75	0	0	8212.399414	3292.399414	3292.399414	0.799961
6515	008	7978	0.18	13851	30	75	120	3.5	22	0	27923	14072	RTO-M	45	form-based				0.7	17	0.772727251	0	0	22338.40039	8487.400391	8487.400391	0.8
6515	013	4344	0.1	9186	15	75	120	3.5	12	0	15204	6018	RTO-M	55	form-based		true		0.7	12	1	0	0	15204	6018	6018	1
6515	015	647	0.01	1170	3	75	120	3.5	1	0	2264	1094	NCT-VALEI	55	form-based		true		0.75	2	2	0	0	2426.25	1256.25	1256.25	1.071665
6515	023	6101	0.14	16530	32	75	120	3.5	17	0	21354	4824	NCT-VALEI	55	form-based				0.75	18	1.058823586	0	0	22878.75	6348.75	6348.75	1.071404
6516	001A	3322	0.08	3239	0	85	140	4	11	11	13288	10049	NCT-MISSI	0	form-based				0.75	-2	0	0	0	0	0	0	0
6516	010	7269	0.17	37572	55	75	120	3.5	20	0	25442	0	RTO-M	55	form-based		true		0.7	20	1	0	0	25441.5	0	0	0.99998
6516	016	1893	0.04	4305	6	75	120	3.5	5	0	6626	2321	RTO-M	45	form-based				0.7	4	0.800000012	0	0	5300.399902	995.3999023	995.3999023	0.79994
6516	023	2890	0.07	5840	9	75	120	3.5	8	0	10115	4275	NCT-MISSI	55	form-based		true		0.75	9	1.125	0	0	10837.5	4997.5	4997.5	1.071429
6516	026	2402	0.06	4400	4	95	160	4.5	10	6	10809	6409	NCT-MISSI	0	form-based		true		0.75	-2	0	0	0	0	0	0	0
6517	005	1299	0.03	2775	6	75	120	3.5	4	0	4546	1771	RTO-M	40	form-based				0.7	3	0.75	0	0	3637.199951	862.1999512	862.1999512	0.800088
6517	017A	1440	0.03	5760	8	75	120	3.5	4	0	5040	0	RTO-M	55	form-based		true		0.7	4	1	0	0	5040	0	0	1
6518	015	1495	0.03	3000	4	75	120	3.5	4	0	5232	2232	RTO-M	55	form-based		true		0.7	4	1	0	0	5232.5	2232.5	2232.5	1.000096
6518	016	3729	0.09	3952	8	75	120	3.5	11	3	13052	9100	RTO-M	40	form-based				0.7	8	0.727272749	0	0	10441.2002	6489.200195	6489.200195	0.799969
6518	018	4590	0.11	7790	14	75	120	3.5	13	0	16065	8275	RTO-M	40	form-based				0.7	10	0.769230783	0	0	12852	5062	5062	0.8
6518	019	7459	0.17	17475	30	75	120	3.5	20	0	26106	8631	RTO-M	40	form-based				0.7	16	0.800000012	0	0	20885.19922	3410.199219	3410.199219	0.800015
6518	027	3660	0.08	11068	17	75	120	3.5	10	0	12810	1742	NCT-24TH-	55	form-based		true		0.75	11	1.100000024	0	0	13725	2657	2657	1.071429
6518	029	1724	0.04	3222	6	75	120	3.5	5	0	6034	2812	NCT-24TH-	55	form-based		true		0.75	5	1	0	0	6465	3243	3243	1.071429
6527	002	4711	0.11	7137	17	75	120	3.5	13	0	16488	9351	RTO-M	55	form-based		true		0.7	13	1	0	0	16488.5	9351.5	9351.5	1.00003
6527	046	7459	0.17	24489	30	75	120	3.5	20	0	26106	1617	RTO-M	40	form-based				0.7	16	0.800000012	0	0	20885.19922	0	0	0.800015
6528	003	1626	0.04	3300	3	75	120	3.5	5	2	5691	2391	RTO-M	40	form-based				0.7	3	0.600000024	0	0	4552.799805	1252.799805	1252.799805	0.8
6528	005	2876	0.07	3442	6	75	120	3.5	8	2	10066	6624	RTO-M	40	form-based				0.7	6	0.75	0	0	8052.799805	4610.799805	4610.799805	0.8
6528	013	1691	0.04	3660	5	75	120	3.5	5	0	5918	2258	RTO-M	40	form-based				0.7	4	0.800000012	0	0	4734.799805	1074.799805	1074.799805	0.800068
6528	013A	802	0.02	940	2	75	120	3.5	2	0	2807	1867	RTO-M	40	form-based				0.7	2	1	0	0	2245.599854	1305.599854	1305.599854	0.8
6531	018	1313	0.03	2520	3	65	100	3	3	0	3939	1419	RM-2	40	density-lim	600	true		0.7	2	0.666666687	0	0	3676.399902	1156.399902	1156.399902	0.933333
6529	035	3960	0.09	9210	35	75	120	3.5	11	0	13860	4650	RTO-M	55	form-based		true		0.7	11	1	0	0	13860	4650	4650	1
6530	001	4700	0.11	11451	21	75	120	3.5	13	0	16450	4999	RTO-M	55	form-based		true		0.7	13	1	0	0	16450	4999	4999	1
6530	001A	4672	0.11	11271	27	75	120	3.5	13	0	16352	5081	RTO-M	55	form-based		true		0.7	13	1	0	0	16352	5081	5081	1
6530	003	2343	0.05	1900	5	75	120	3.5	6	1	8200	6300	RTO-M	45	form-based				0.7	5	0.833333313	0	0	6560.399902	4660.399902	4660.399902	0.800049
6530	007	7498	0.17	15043	18	75	120	3.5	20	2	26243	11200	RTO-M	45	form-based				0.7	16	0.800000012	0	0	20994.40039	5951.400391	5951.400391	0.8
6531	006	2926	0.07	6593	9	75	120	3.5	8	0	10241	3648	NCT-VALEI	55	form-based				0.75	9	1.125	0	0	10972.5	4379.5	4379.5	1.071429
6531	014	5402	0.12	13920	23	75	120	3.5	14	0	18907	4987	NCT-VALEI	55	form-based				0.75	16	1.142857194	0	0	20257.5	6337.5	6337.5	1.071429
6531	019	1950	0.04	2080	4	65	100	3	4	0	5850	3770	RM-2	40	density-lim	600			0.7	3	0.75	0	0	5460	3380	3380	0.933333
6531	019A	1300	0.03	1965	4	65	100	3	3	0	3900	1935	RM-2	40	density-lim	600	true		0.7	2	0.666666687	0	0	3640	1675	1675	0.933333
6531	019B	1300	0.03	1758	2	65	100	3	3	1	3900	2142	RM-2	40	density-lim	600			0.7	2	0.666666687	0	0	3640	1882	1882	0.933333
6531	023	2966	0.07	4560	6	75	120	3.5	8	2	10381	5821	RM-2	40	density-lim	600			0.7	5	0.625	0	0	8304.799805	3744.799805	3744.799805	0.8
6531	024	2932	0.07	4164	6	75	120	3.5	8	2	10262	6098	RM-2	40	density-lim	600			0.7	5	0.625	0	0	8209.599609	4045.599609	4045.599609	0.8
6531	045	3157	0.07	6525	16	65	100	3	7	0	9471	2946	RM-2	40	density-lim	600			0.7	5	0.714285731	0	0	8839.599609	2314.599609	2314.599609	0.933333
6531	046	3157	0.07	6525	16	65	100	3	7	0	9471	2946	RM-2	40	density-lim	600			0.7	5	0.714285731	0	0	8839.599609	2314.599609	2314.599609	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6532	014	2700	0.06	5220	7	65	100	3	6	0	8100	2880	RM-2	40	density-lim	600	true		0.7	5	0.833333313	0	0	7560	2340	2340	0.933333
6532	015A	1800	0.04	2624	4	65	100	3	4	0	5400	2776	RM-2	40	density-lim	600			0.7	3	0.75	0	0	5040	2416	2416	0.933333
6532	016	3388	0.08	2763	9	65	100	3	8	0	10164	7401	RM-1	40	density-lim	800			0.7	4	0.5	0	0	9486.399414	6723.399414	6723.399414	0.933333
6532	017	3025	0.07	4480	5	65	100	3	7	2	9075	4595	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8470	3990	3990	0.933333
6532	018	3200	0.07	4260	4	65	100	3	7	3	9600	5340	RM-1	40	density-lim	800			0.7	4	0.571428597	0	0	8960	4700	4700	0.933333
6532	021	4418	0.1	1426	7	65	100	3	10	3	13254	11828	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	12370.39941	10944.39941	10944.39941	0.933333
6532	038	3640	0.08	3944	6	65	100	3	8	2	10920	6976	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	10192	6248	6248	0.933333
6532	067	7134	0.16	2250	13	65	100	3	16	3	21402	19152	RM-2	40	density-lim	600			0.7	12	0.75	0	0	19975.19922	17725.19922	17725.19922	0.933333
6533	007	6233	0.14	9000	6	65	100	3	14	8	18699	9699	RH-3	40	density-lim	1000			0.7	6	0.428571433	0	0	17452.40039	8452.400391	8452.400391	0.933333
6533	010	3117	0.07	3290	4	65	100	3	7	3	9351	6061	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8727.599609	5437.599609	5437.599609	0.933333
6533	016	3389	0.08	3190	4	65	100	3	8	4	10167	6977	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9489.200195	6299.200195	6299.200195	0.933333
6533	022	4250	0.1	5252	7	65	100	3	10	3	12750	7498	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	11900	6648	6648	0.933333
6533	023	3125	0.07	4386	6	65	100	3	7	1	9375	4989	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8750	4364	4364	0.933333
6533	036	2650	0.06	4345	6	65	100	3	6	0	7950	3605	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7420	3075	3075	0.933333
6533	040	2117	0.05	5145	6	65	100	3	5	0	6351	1206	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	5927.600098	782.6000977	782.6000977	0.933333
6533	042	2875	0.07	2634	4	65	100	3	7	3	8625	5991	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8050	5416	5416	0.933333
6533	043	2875	0.07	2734	4	65	100	3	7	3	8625	5891	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8050	5316	5316	0.933333
6533	061	3117	0.07	4070	4	65	100	3	7	3	9351	5281	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8727.599609	4657.599609	4657.599609	0.933333
6534	021	3125	0.07	3828	6	65	100	3	7	1	9375	5547	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8750	4922	4922	0.933333
6534	021A	3125	0.07	3828	6	65	100	3	7	1	9375	5547	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8750	4922	4922	0.933333
6534	035	2165	0.05	4874	8	65	100	3	5	0	6495	1621	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	0	0	6062	1188	1188	0.933333
6534	037	5093	0.12	7192	8	65	100	3	12	4	15279	8087	RH-3	40	density-lim	1000			0.7	5	0.416666657	0	0	14260.39941	7068.399414	7068.399414	0.933333
6534	044	3750	0.09	827	4	65	100	3	9	5	11250	10423	RH-3	40	density-lim	1000			0.7	4	0.444444448	0	0	10500	9673	9673	0.933333
6535	031A	3600	0.08	8539	15	65	100	3	8	0	10800	2261	RTO-C	65	form-based		true	true	0.75	14	1.75	0	0	16200	7661	7661	1.5
6537	002	1923	0.04	2640	4	65	100	3	4	0	5769	3129	RH-2	40	form-based			true	0.7	4	1	0	0	5384.399902	2744.399902	2744.399902	0.933333
6537	004	2230	0.05	4680	6	65	100	3	5	0	6690	2010	RH-2	40	form-based			true	0.7	5	1	0	0	6244	1564	1564	0.933333
6537	043	2850	0.07	3200	8	65	100	3	7	0	8550	5350	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	7980	4780	4780	0.933333
6538	003A	126	0	0	0	55	80	2.5	0	0	315	315	RH-2	40	form-based			true	0.7	0		0	0	352.7999878	352.7999878	352.7999878	1.12
6539	004	7090	0.16	13965	25	55	80	2.5	13	0	17725	3760	RH-2	40	form-based		true	true	0.7	15	1.153846145	0	0	19852	5887	5887	1.12
6539	010	4559	0.1	8355	12	55	80	2.5	8	0	11398	3043	RH-2	40	form-based			true	0.7	10	1.25	0	0	12765.2002	4410.200195	4410.200195	1.119951
6540	001	2372	0.05	5070	5	55	80	2.5	4	0	5930	860	RH-2	40	form-based		true	true	0.7	5	1.25	0	0	6641.600098	1571.600098	1571.600098	1.12
6548	006A	1975	0.05	4674	6	65	100	3	5	0	5925	1251	RH-2	40	form-based		true	true	0.7	4	0.800000012	0	0	5530	856	856	0.933333
6548	019	2716	0.06	5760	6	65	100	3	6	0	8148	2388	RH-3	40	form-based			true	0.7	6	1	0	0	7604.799805	1844.799805	1844.799805	0.933333
6548	020	1986	0.05	4340	4	65	100	3	5	1	5958	1618	RH-3	40	form-based			true	0.7	4	0.800000012	0	0	5560.799805	1220.799805	1220.799805	0.933333
6548	020A	1267	0.03	2700	3	65	100	3	3	0	3801	1101	RH-3	40	form-based			true	0.7	3	1	0	0	3547.599854	847.5998535	847.5998535	0.933333
6548	021	1272	0.03	3060	3	65	100	3	3	0	3816	756	RH-3	40	form-based		true	true	0.7	3	1	0	0	3561.599854	501.5998535	501.5998535	0.933333
6548	045	1528	0.04	986	3	65	100	3	4	1	4584	3598	RH-3	40	form-based			true	0.7	3	0.75	0	0	4278.399902	3292.399902	3292.399902	0.933333
6548	048	1532	0.04	979	3	65	100	3	4	1	4596	3617	RH-3	40	form-based			true	0.7	3	0.75	0	0	4289.600098	3310.600098	3310.600098	0.933333
6548	057	1528	0.04	1041	3	65	100	3	4	1	4584	3543	RH-3	40	form-based			true	0.7	3	0.75	0	0	4278.399902	3237.399902	3237.399902	0.933333
6548	060	1667	0.04	753	4	65	100	3	4	0	5001	4248	RH-2	40	form-based		true	true	0.7	4	1	0	0	4667.600098	3914.600098	3914.600098	0.933333
6548	064	1218	0.03	836	3	65	100	3	3	0	3654	2818	RH-3	40	form-based		true	true	0.7	3	1	0	0	3410.399902	2574.399902	2574.399902	0.933333
6549	029	1808	0.04	2584	6	65	100	3	4	0	5424	2840	RH-2	50	form-based		true	true	0.7	5	1.25	0	0	6328	3744	3744	1.166667
6553	021	2553	0.06	7188	6	65	100	3	6	0	7659	471	RH-3	40	form-based		true	true	0.7	5	0.833333313	0	0	7148.399902	0	0	0.933333
6553	022	2080	0.05	2732	4	65	100	3	5	1	6240	3508	RH-3	40	form-based			true	0.7	4	0.800000012	0	0	5824	3092	3092	0.933333
6554	001	2691	0.06	7500	10	65	100	3	6	0	8073	573	RH-3	40	form-based		true	true	0.7	6	1	0	0	7534.799805	34.79980469	34.79980469	0.933333
6554	019	2136	0.05	3836	4	55	80	2.5	4	0	5340	1504	RH-2	40	form-based		true	true	0.7	4	1	0	0	5980.799805	2144.799805	2144.799805	1.12
6554	019A	2640	0.06	2740	6	55	80	2.5	5	0	6600	3860	RH-2	40	form-based			true	0.7	6	1.200000048	0	0	7392	4652	4652	1.12
6554	024	3120	0.07	7635	8	55	80	2.5	6	0	7800	165	RH-2	40	form-based		true	true	0.7	7	1.166666627	0	0	8736	1101	1101	1.12
6554	030	2850	0.07	4520	6	55	80	2.5	6	0	7125	2605	RH-2	40	form-based			true	0.7	6	1	0	0	7980	3460	3460	1.12
6555	001	2098	0.05	5106	5	55	80	2.5	4	0	5245	139	RH-2	40	form-based		true	true	0.7	4	1	0	0	5874.399902	768.3999023	768.3999023	1.12
6555	009	2114	0.05	3915	4	55	80	2.5	4	0	5285	1370	RH-2	40	form-based		true	true	0.7	4	1	0	0	5919.199707	2004.199707	2004.199707	1.12
6563	009	2957	0.07	3896	6	55	80	2.5	6	0	7392	3496	RH-2	40	form-based			true	0.7	6	1	0	0	8279.599609	4383.599609	4383.599609	1.120076
6564	038	2100	0.05	3480	4	65	100	3	5	1	6300	2820	RH-2	40	form-based		true	true	0.7	4	0.800000012	0	0	5880	2400	2400	0.933333
6565	031	775	0.02	992	2	65	100	3	2	0	2325	1333	RH-2	50	form-based			true	0.7	2	1	0	0	2712.5	1720.5	1720.5	1.166667
6565	055	1705	0.04	615	5	65	100	3	4	0	5115	4500	NC-1	50	form-based		true	true	0.75	5	1.25	0	0	6393.75	5778.75	5778.75	1.25
6566	008B	2063	0.05	5010	6	65	100	3	5	0	6189	1179	RH-3	50	form-based		true	true	0.7	6	1.200000048	0	0	7220.5	2210.5	2210.5	1.166667
6567	002	2888	0.07	4080	4	65	100	3	7	3	8664	4584	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8086.399902	4006.399902	4006.399902	0.933333
6567	003	3630	0.08	5338	6	65	100	3	8	2	10890	5552	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	10164	4826	4826	0.933333
6567	004	3817	0.09	5602	6	65	100	3	9	3	11451	5849	RH-3	40	density-lim	1000			0.7	4	0.444444448	0	0	10687.59961	5085.599609	5085.599609	0.933333
6567	006	2485	0.06	4950	6	65	100	3	6	0	7455	2505	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	6958	2008	2008	0.933333
6567	008	1519	0.03	2850	6	65	100	3	3	0	4557	1707	RH-3	40	density-lim	1000	true		0.7	6	2	0	0	4253.199707	1403.199707	1403.199707	0.933333
6567	010	2303	0.05	2352	4	65	100	3	5	1	6909	4557	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	6448.399902	4096.399902	4096.399902	0.933333
6568	011B	3333	0.08	5346	4	65	100	3	8	4	9999	4653	RH-3	40	density-lim	1000			0.7	4	0.5	0	0	9332.399414	3986.399414	3986.399414	0.933333
6568	022	2218	0.05	3342	4	65	100	3	5	1	6654	3312	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	6210.399902	2868.399902	2868.399902	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6568	040	6492	0.15	584	24	65	100	3	15	0	19476	18892	NCT-VALEI	65	form-based				0.75	24	1.600000024	0	0	29214	28630	28630	1.5
6569	003	8567	0.2	40505	30	85	140	4	28	0	34268	0	NCT-MISSI	55	form-based				0.75	26	0.928571403	0	0	32126.25	0	0	0.9375
6569	035	1777	0.04	8565	6	65	100	3	4	0	5331	0	NCT-VALEI	55	form-based		true		0.75	5	1.25	0	0	6663.75	0	0	1.25
6577	025	2780	0.06	4410	4	65	100	3	6	2	8340	3930	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7784	3374	3374	0.933333
6577	032	3420	0.08	5598	9	65	100	3	8	0	10260	4662	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9576	3978	3978	0.933333
6577	046	2850	0.07	3880	4	65	100	3	7	3	8550	4670	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	7980	4100	4100	0.933333
6570	001	2202	0.05	6912	11	75	120	3.5	6	0	7707	795	NCT-MISSI	55	form-based		true		0.75	7	1.166666627	0	0	8257.5	1345.5	1345.5	1.071429
6570	005	1803	0.04	7077	5	85	140	4	6	1	7212	135	NCT-MISSI	55	form-based		true		0.75	5	0.833333313	0	0	6761.25	0	0	0.9375
6571	017C	295	0.01	514	1	65	100	3	1	0	885	371	NCT-MISSI	55	form-based				0.75	1	1	0	0	1106.25	592.25	592.25	1.25
6574	005	3208	0.07	4932	5	65	100	3	7	2	9624	4692	NCD-MISS	50	density-lim	600			0.75	5	0.714285731	0	0	12030	7098	7098	1.25
6574	006	3049	0.07	4932	9	85	140	4	10	1	12196	7264	NCD-MISS	50	density-lim	600			0.75	5	0.5	0	0	11433.75	6501.75	6501.75	0.9375
6574	007	2890	0.07	4932	5	85	140	4	10	5	11560	6628	NCD-MISS	50	density-lim	600			0.75	5	0.5	0	0	10837.5	5905.5	5905.5	0.9375
6574	012	2979	0.07	4891	6	85	140	4	10	4	11916	7025	NCD-MISS	50	density-lim	600			0.75	5	0.5	0	0	11171.25	6280.25	6280.25	0.9375
6574	031	2021	0.05	1317	3	65	100	3	5	2	6063	4746	NCD-MISS	50	density-lim	600			0.75	3	0.600000024	0	0	7578.75	6261.75	6261.75	1.25
6574	035	1928	0.04	1278	3	65	100	3	4	1	5784	4506	NCD-MISS	50	density-lim	600			0.75	3	0.75	0	0	7230	5952	5952	1.25
6574	039	3729	0.09	7897	16	65	100	3	9	0	11187	3290	NCD-MISS	50	density-lim	600	true		0.75	6	0.666666687	0	0	13983.75	6086.75	6086.75	1.25
6574	068	43007	0.99	7014	146	65	100	3	99	0	129021	122007	NCD-MISS	50	density-lim	600	true		0.75	72	0.727272749	0	0	161276.25	154262.25	154262.25	1.25
6577	010	3191	0.07	5762	5	65	100	3	7	2	9573	3811	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8934.799805	3172.799805	3172.799805	0.933333
6574	047	12199	0.28	1168	20	85	140	4	39	19	48796	47628	NCD-MISS	40	density-lim	600	true		0.75	20	0.512820542	0	0	36597	35429	35429	0.75
6576	008	2229	0.05	4157	6	65	100	3	5	0	6687	2530	RM-1	50	density-lim	800	true		0.7	3	0.600000024	0	0	7801.5	3644.5	3644.5	1.166667
6576	009	2064	0.05	3450	3	65	100	3	5	2	6192	2742	RM-1	50	density-lim	800			0.7	3	0.600000024	0	0	7224	3774	3774	1.166667
6576	010	1940	0.04	2920	2	65	100	3	4	2	5820	2900	RM-1	50	density-lim	800			0.7	2	0.5	0	0	6790	3870	3870	1.166667
6576	012	1899	0.04	2520	2	65	100	3	4	2	5697	3177	RM-1	50	density-lim	800			0.7	2	0.5	0	0	6646.5	4126.5	4126.5	1.166667
6576	013C	1881	0.04	1830	2	65	100	3	4	2	5643	3813	RM-1	50	density-lim	800			0.7	2	0.5	0	0	6583.5	4753.5	4753.5	1.166667
6576	014	2566	0.06	4513	4	65	100	3	6	2	7698	3185	RM-1	50	density-lim	800			0.7	3	0.5	0	0	8981	4468	4468	1.166667
6576	020	2625	0.06	4162	8	65	100	3	6	0	7875	3713	RM-1	50	density-lim	800	true		0.7	3	0.5	0	0	9187.5	5025.5	5025.5	1.166667
6576	030	2064	0.05	1382	6	65	100	3	5	0	6192	4810	RM-1	50	density-lim	800			0.7	3	0.600000024	0	0	7224	5842	5842	1.166667
6580	026	3420	0.08	4750	13	65	100	3	8	0	10260	5510	RH-2	40	form-based		true	true	0.7	7	0.875	0	0	9576	4826	4826	0.933333
6580	051	2806	0.06	2264	9	65	100	3	6	0	8418	6154	RH-2	40	form-based			true	0.7	6	1	0	0	7856.799805	5592.799805	5592.799805	0.933333
6581	029	2950	0.07	4410	6	55	80	2.5	6	0	7375	2965	RH-2	40	form-based			true	0.7	6	1	0	0	8260	3850	3850	1.12
6581	045	8550	0.2	18209	18	55	80	2.5	16	0	21375	3166	RM-1	40	form-based			true	0.7	18	1.125	0	0	23940	5731	5731	1.12
6581	065	5700	0.13	1282	12	55	80	2.5	10	0	14250	12968	RM-1	40	form-based			true	0.7	12	1.200000048	0	0	15960	14678	14678	1.12
6582	027	2806	0.06	3964	6	55	80	2.5	5	0	7015	3051	RM-1	40	form-based			true	0.7	6	1.200000048	0	0	7856.799805	3892.799805	3892.799805	1.12
6582	028	47	0	0	0	55	80	2.5	0	0	118	118	RM-1	40	form-based			true	0.7	0		0	0	131.5999908	131.5999908	131.5999908	1.115254
6590	065	2850	0.07	1124	6	55	80	2.5	6	0	7125	6001	RH-3	40	form-based			true	0.7	6	1	0	0	7980	6856	6856	1.12
6592	052	2626	0.06	4100	7	65	100	3	6	0	7878	3778	RH-2	50	form-based		true	true	0.7	7	1.166666627	0	0	9191	5091	5091	1.166667
6594	001	2809	0.06	7830	12	65	100	3	6	0	8427	597	RH-2	40	density-lim	1500	true		0.7	6	1	0	0	7865.199707	35.19970703	35.19970703	0.933333
6594	006A	2629	0.06	3550	4	65	100	3	6	2	7887	4337	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7361.199707	3811.199707	3811.199707	0.933333
6594	011	2848	0.07	4070	6	65	100	3	7	1	8544	4474	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	7974.399902	3904.399902	3904.399902	0.933333
6594	016	2855	0.07	4112	6	65	100	3	7	1	8565	4453	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	7994	3882	3882	0.933333
6594	022	2852	0.07	4630	10	65	100	3	7	0	8556	3926	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	0	0	7985.600098	3355.600098	3355.600098	0.933333
6594	034A	2850	0.07	3692	4	65	100	3	7	3	8550	4858	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	7980	4288	4288	0.933333
6594	035	2850	0.07	3874	6	65	100	3	7	1	8550	4676	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	7980	4106	4106	0.933333
6594	036	3420	0.08	3600	4	65	100	3	8	4	10260	6660	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9576	5976	5976	0.933333
6594	046	3994	0.09	1066	4	65	100	3	9	5	11982	10916	RH-2	40	density-lim	1500			0.7	4	0.444444448	0	0	11183.2002	10117.2002	10117.2002	0.933333
6595	001A	1588	0.04	4590	6	65	100	3	4	0	4764	174	RH-2	40	density-lim	1500			0.7	4	1	0	0	4446.399902	0	0	0.933333
6595	015A	1584	0.04	3498	4	65	100	3	4	0	4752	1254	RH-2	40	density-lim	1500			0.7	4	1	0	0	4435.199707	937.199707	937.199707	0.933333
6596	015	4498	0.1	8886	10	85	140	4	14	4	17992	9106	NCD-MISS	40	density-lim	600			0.75	7	0.5	0	0	13494	4608	4608	0.75
6596	016	4500	0.1	5820	6	65	100	3	10	4	13500	7680	RH-2	40	density-lim	1500			0.7	4	0.400000006	0	0	12600	6780	6780	0.933333
6597	005	6129	0.14	8996	16	65	100	3	14	0	18387	9391	RH-2	40	density-lim	1500			0.7	4	0.285714298	0	0	17161.19922	8165.199219	8165.199219	0.933333
6597	007S	10215	0.23	8420	12	65	100	3	23	11	30645	22225	RH-2	40	density-lim	1500			0.7	7	0.304347813	0	0	28602	20182	20182	0.933333
6597	011	2080	0.05	2242	4	65	100	3	5	1	6240	3998	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	5824	3582	3582	0.933333
6597	029	2950	0.07	3264	4	65	100	3	7	3	8850	5586	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8260	4996	4996	0.933333
6597	030	3361	0.08	3584	4	65	100	3	8	4	10083	6499	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9410.799805	5826.799805	5826.799805	0.933333
6597	032	5008	0.11	4926	6	65	100	3	11	5	15024	10098	RH-2	40	density-lim	1500			0.7	4	0.363636374	0	0	14022.39941	9096.399414	9096.399414	0.933333
6597	037	2520	0.06	4850	4	65	100	3	6	2	7560	2710	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7056	2206	2206	0.933333
6597	048	1992	0.05	4221	9	65	100	3	5	0	5976	1755	NCD-MISS	40	density-lim	600			0.75	3	0.600000024	0	0	5976	1755	1755	1
6597	049	2540	0.06	5672	5	65	100	3	6	1	7620	1948	NCD-MISS	40	density-lim	600	true		0.75	4	0.666666687	0	0	7620	1948	1948	1
6597	073	3676	0.08	1307	4	65	100	3	8	4	11028	9721	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	10292.7998	8985.799805	8985.799805	0.933333
6597	077	2266	0.05	840	4	65	100	3	5	1	6798	5958	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6344.799805	5504.799805	5504.799805	0.933333
6599	001C	2188	0.05	3594	5	65	100	3	5	0	6564	2970	RH-3	40	density-lim	1000			0.7	4	0.800000012	0	0	6126.399902	2532.399902	2532.399902	0.933333
6599	010	3417	0.08	4710	6	65	100	3	8	2	10251	5541	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9567.599609	4857.599609	4857.599609	0.933333
6599	016C	3140	0.07	3620	4	65	100	3	7	3	9420	5800	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8792	5172	5172	0.933333
6599	016D	3144	0.07	6316	4	65	100	3	7	3	9432	3116	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8803.200195	2487.200195	2487.200195	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6599	019	2251	0.05	3500	4	65	100	3	5	1	6753	3253	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6302.799805	2802.799805	2802.799805	0.933333
6599	022	2850	0.07	4275	4	65	100	3	7	3	8550	4275	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	7980	3705	3705	0.933333
6599	032	4902	0.11	4616	4	65	100	3	11	7	14706	10090	RH-2	40	density-lim	1500			0.7	4	0.363636374	0	0	13725.59961	9109.599609	9109.599609	0.933333
6599	036	1821	0.04	2684	4	65	100	3	4	0	5463	2779	RH-3	40	density-lim	1000			0.7	4	1	0	0	5098.799805	2414.799805	2414.799805	0.933333
6599	037	2157	0.05	2894	6	65	100	3	5	0	6471	3577	RH-3	40	density-lim	1000	true		0.7	6	1.200000048	0	0	6039.600098	3145.600098	3145.600098	0.933333
6599	039	2443	0.06	639	4	65	100	3	6	2	7329	6690	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	6840.399902	6201.399902	6201.399902	0.933333
6599	051	3121	0.07	623	4	65	100	3	7	3	9363	8740	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8738.799805	8115.799805	8115.799805	0.933333
6600	001	2200	0.05	5010	9	65	100	3	5	0	6600	1590	RH-2	50	form-based		true	true	0.7	6	1.200000048	0	0	7700	2690	2690	1.166667
6612	015	2849	0.07	3938	6	55	80	2.5	6	0	7122	3184	RH-2	40	form-based			true	0.7	6	1	0	0	7977.199707	4039.199707	4039.199707	1.120079
6612	040	2850	0.07	4400	6	55	80	2.5	6	0	7125	2725	RH-2	40	form-based			true	0.7	6	1	0	0	7980	3580	3580	1.12
6613	013	2848	0.07	4424	6	65	100	3	7	1	8544	4120	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	7974.399902	3550.399902	3550.399902	0.933333
6613	035	2891	0.07	4400	6	65	100	3	7	1	8673	4273	RH-2	40	form-based			true	0.7	6	0.857142866	0	0	8094.799805	3694.799805	3694.799805	0.933333
6614	001	3474	0.08	8966	13	85	140	4	11	0	13896	4930	NC-1	65	form-based		true	true	0.75	13	1.181818128	0	0	15633	6667	6667	1.125
6615	039	1387	0.03	4379	8	65	100	3	3	0	4161	0	RTO-C	65	form-based			true	0.75	5	1.666666627	0	0	6241.5	1862.5	1862.5	1.5
6615	040	1263	0.03	3426	6	65	100	3	3	0	3789	363	RTO-C	65	form-based		true	true	0.75	5	1.666666627	0	0	5683.5	2257.5	2257.5	1.5
6615	050	1716	0.04	5199	9	65	100	3	4	0	5148	0	RH-2	50	form-based		true	true	0.7	5	1.25	0	0	6006	807	807	1.166667
6616	006	2011	0.05	1427	4	65	100	3	5	1	6033	4606	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	5630.799805	4203.799805	4203.799805	0.933333
6616	014	3010	0.07	6630	12	65	100	3	7	0	9030	2400	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8428	1798	1798	0.933333
6616	043	2947	0.07	4740	6	65	100	3	7	1	8841	4101	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8251.599609	3511.599609	3511.599609	0.933333
6616	052	2941	0.07	4867	4	65	100	3	7	3	8823	3956	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8234.799805	3367.799805	3367.799805	0.933333
6617	008	7769	0.18	7575	9	65	100	3	18	9	23307	15732	RH-3	40	density-lim	1000	true		0.7	8	0.444444448	0	0	21753.19922	14178.19922	14178.19922	0.933333
6617	011	3089	0.07	4470	6	65	100	3	7	1	9267	4797	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8649.200195	4179.200195	4179.200195	0.933333
6617	013	3089	0.07	5716	5	65	100	3	7	2	9267	3551	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8649.200195	2933.200195	2933.200195	0.933333
6617	015	3089	0.07	3005	6	65	100	3	7	1	9267	6262	NC-1	40	density-lim	800			0.75	4	0.571428597	0	0	9267	6262	6262	1
6617	040	3124	0.07	1098	4	65	100	3	7	3	9372	8274	NC-1	40	density-lim	800			0.75	4	0.571428597	0	0	9372	8274	8274	1
6617	044	3943	0.09	1049	4	65	100	3	9	5	11829	10780	RH-2	40	density-lim	1500			0.7	4	0.444444448	0	0	11040.39941	9991.399414	9991.399414	0.933333
6617	055	3089	0.07	920	4	65	100	3	7	3	9267	8347	NC-1	40	density-lim	800			0.75	4	0.571428597	0	0	9267	8347	8347	1
6617	064	2660	0.06	500	4	65	100	3	6	2	7980	7480	NC-1	40	density-lim	800	true		0.75	3	0.5	0	0	7980	7480	7480	1
6620	026	3048	0.07	7290	9	65	100	3	7	0	9144	1854	RH-2	40	form-based		true	true	0.7	6	0.857142866	0	0	8534.399414	1244.399414	1244.399414	0.933333
6620	030A	2000	0.05	3266	4	65	100	3	5	1	6000	2734	RH-2	40	form-based			true	0.7	4	0.800000012	0	0	5600	2334	2334	0.933333
6631	003	1636	0.04	4242	6	65	100	3	4	0	4908	666	RH-2	40	form-based			true	0.7	3	0.75	0	0	4580.799805	338.7998047	338.7998047	0.933333
6631	004	1691	0.04	3200	4	65	100	3	4	0	5073	1873	RH-2	40	form-based		true	true	0.7	4	1	0	0	4734.799805	1534.799805	1534.799805	0.933333
6631	044	3538	0.08	5244	8	65	100	3	8	0	10614	5370	RM-1	40	form-based			true	0.7	7	0.875	0	0	9906.399414	4662.399414	4662.399414	0.933333
6631	049	2266	0.05	3891	5	65	100	3	5	0	6798	2907	RH-2	40	form-based		true	true	0.7	5	1	0	0	6344.799805	2453.799805	2453.799805	0.933333
6631	059	2219	0.05	719	6	65	100	3	5	0	6657	5938	RH-2	40	form-based			true	0.7	5	1	0	0	6213.199707	5494.199707	5494.199707	0.933333
6632	029A	80	0	0	0	65	100	3	0	0	240	240	RH-2	50	form-based			true	0.7	0		0	0	280	280	280	1.166667
6632	050	1557	0.04	2794	4	65	100	3	4	0	4671	1877	RM-1	50	form-based		true	true	0.7	4	1	0	0	5449.5	2655.5	2655.5	1.166667
6634	001B	2581	0.06	4590	5	65	100	3	6	1	7743	3153	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7226.799805	2636.799805	2636.799805	0.933333
6634	002A	3812	0.09	5760	6	65	100	3	9	3	11436	5676	RH-3	40	density-lim	1000	true		0.7	6	0.666666687	0	0	10673.59961	4913.599609	4913.599609	0.933333
6634	011	2861	0.07	4078	6	65	100	3	7	1	8583	4505	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	8010.799805	3932.799805	3932.799805	0.933333
6634	024	2850	0.07	4845	4	65	100	3	7	3	8550	3705	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	7980	3135	3135	0.933333
6634	030	3223	0.07	5964	6	65	100	3	7	1	9669	3705	RH-3	40	density-lim	1000			0.7	4	0.571428597	0	0	9024.399414	3060.399414	3060.399414	0.933333
6634	066	1987	0.05	1468	3	65	100	3	5	2	5961	4493	NC-1	40	density-lim	800	true		0.75	2	0.400000006	0	0	5961	4493	4493	1
6635	022	3199	0.07	3240	5	85	140	4	10	5	12796	9556	RH-3	40	density-lim	1000			0.7	4	0.400000006	0	0	8957.200195	5717.200195	5717.200195	0.7
6635	051	1675	0.04	4500	3	65	100	3	4	1	5025	525	NCD-MISS	40	density-lim	600			0.75	3	0.75	0	0	5025	525	525	1
6635	053	1164	0.03	3541	4	65	100	3	3	0	3492	0	NCD-MISS	40	density-lim	600			0.75	2	0.666666687	0	0	3492	0	0	1
6635	058	1377	0.03	971	2	65	100	3	3	1	4131	3160	NCD-MISS	40	density-lim	600			0.75	2	0.666666687	0	0	4131	3160	3160	1
6635	060	2506	0.06	815	6	65	100	3	6	0	7518	6703	RH-3	40	density-lim	1000			0.7	4	0.666666687	0	0	7016.799805	6201.799805	6201.799805	0.933333
6635	066	4338	0.1	2005	11	65	100	3	10	0	13014	11009	NCD-MISS	40	density-lim	600			0.75	7	0.699999988	0	0	13014	11009	11009	1
6636	001	3639	0.08	5700	8	65	100	3	8	0	10917	5217	RH-3	40	density-lim	1000	true		0.7	6	0.75	0	0	10189.2002	4489.200195	4489.200195	0.933333
6636	009	3072	0.07	5768	8	85	140	4	10	2	12288	6520	RH-3	40	density-lim	1000	true		0.7	6	0.600000024	0	0	8601.599609	2833.599609	2833.599609	0.7
6636	011	2853	0.07	3720	4	85	140	4	10	6	11412	7692	RH-2	40	density-lim	1500			0.7	4	0.400000006	0	0	7988.399902	4268.399902	4268.399902	0.7
6637	021	3444	0.08	11104	15	85	140	4	11	0	13776	2672	NC-1	65	form-based		true	true	0.75	13	1.181818128	0	0	15498	4394	4394	1.125
6638	043	2360	0.05	6886	10	85	140	4	7	0	9440	2554	NC-1	65	form-based		true	true	0.75	9	1.285714269	0	0	10620	3734	3734	1.125
6639	024	2784	0.06	5250	11	65	100	3	6	0	8352	3102	RH-2	40	form-based		true	true	0.7	6	1	0	0	7795.199707	2545.199707	2545.199707	0.933333
6651	015	637	0.01	570	1	55	80	2.5	1	0	1592	1022	RH-2	40	form-based			true	0.7	1	1	0	0	1783.599976	1213.599976	1213.599976	1.120352
6651	033	2710	0.06	4600	6	65	100	3	6	0	8130	3530	RH-2	40	form-based		true	true	0.7	6	1	0	0	7588	2988	2988	0.933333
6652	016	1665	0.04	2060	3	65	100	3	4	1	4995	2935	RH-1	40	form-based		true	true	0.7	3	0.75	0	0	4662	2602	2602	0.933333
6653	001	1886	0.04	4015	5	65	100	3	4	0	5658	1643	RH-2	40	form-based		true	true	0.7	4	1	0	0	5280.799805	1265.799805	1265.799805	0.933333
6655	033	1875	0.04	3650	4	65	100	3	4	0	5625	1975	RH-2	40	form-based		true	true	0.7	4	1	0	0	5250	1600	1600	0.933333
6655	058	2247	0.05	4267	5	65	100	3	5	0	6741	2474	RH-2	40	form-based		true	true	0.7	5	1	0	0	6291.600098	2024.600098	2024.600098	0.933333
6656	019	5231	0.12	9940	16	65	100	3	12	0	15693	5753	RH-2	40	form-based		true	true	0.7	11	0.916666687	0	0	14646.7998	4706.799805	4706.799805	0.933333
6657	040A	1430	0.03	2674	4	65	100	3	3	0	4290	1616	RH-2	40	form-based		true	true	0.7	3	1	0	0	4004	1330	1330	0.933333
6657	011	2072	0.05	3040	4	65	100	3	5	1	6216	3176	RH-2	40	form-based			true	0.7	4	0.800000012	0	0	5801.600098	2761.600098	2761.600098	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6657	075	1197	0.03	835	6	85	140	4	4	0	4788	3953	RH-2	40	form-based			true	0.7	3	0.75	0	0	3351.599854	2516.599854	2516.599854	0.7
6657	079	1663	0.04	1235	6	85	140	4	6	0	6652	5417	RH-2	40	form-based		true	true	0.7	3	0.5	0	0	4656.399902	3421.399902	3421.399902	0.7
6660	010	2010	0.05	3250	3	65	100	3	5	2	6030	2780	NCD-MISS	40	density-lim	600			0.75	3	0.600000024	0	0	6030	2780	2780	1
6660	048	3514	0.08	5274	8	65	100	3	8	0	10542	5268	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9839.200195	4565.200195	4565.200195	0.933333
6660	049	3094	0.07	4330	4	65	100	3	7	3	9282	4952	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8663.200195	4333.200195	4333.200195	0.933333
6660	050	2455	0.06	5842	5	65	100	3	6	1	7365	1523	NCD-MISS	40	density-lim	600			0.75	4	0.666666687	0	0	7365	1523	1523	1
6660	051	2548	0.06	3564	4	65	100	3	6	2	7644	4080	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7134.399902	3570.399902	3570.399902	0.933333
6660	052	2372	0.05	3380	4	65	100	3	5	1	7116	3736	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6641.600098	3261.600098	3261.600098	0.933333
6660	053	2584	0.06	3380	4	65	100	3	6	2	7752	4372	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7235.199707	3855.199707	3855.199707	0.933333
6660	061	2194	0.05	2870	4	65	100	3	5	1	6582	3712	NCD-MISS	40	density-lim	600			0.75	4	0.800000012	0	0	6582	3712	3712	1
6661	015	2054	0.05	4988	5	65	100	3	5	0	6162	1174	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	5751.199707	763.199707	763.199707	0.933333
6662	018	1558	0.04	3036	3	65	100	3	4	1	4674	1638	RH-2	40	form-based		true	true	0.7	3	0.75	0	0	4362.399902	1326.399902	1326.399902	0.933333
6665	021A	1718	0.04	3546	4	65	100	3	4	0	5154	1608	RH-2	40	form-based			true	0.7	4	1	0	0	4810.399902	1264.399902	1264.399902	0.933333
6687	008	2007	0.05	4185	5	65	100	3	5	0	6021	1836	NC-2	40	density-lim	800	true		0.75	3	0.600000024	0	0	6021	1836	1836	1
6687	009	2511	0.06	2670	4	65	100	3	6	2	7533	4863	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7030.799805	4360.799805	4360.799805	0.933333
6687	018	3792	0.09	4394	5	65	100	3	9	4	11376	6982	RH-2	40	density-lim	1500			0.7	4	0.444444448	0	0	10617.59961	6223.599609	6223.599609	0.933333
6687	021	3190	0.07	4010	5	65	100	3	7	2	9570	5560	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	8932	4922	4922	0.933333
6687	022	3427	0.08	4956	6	65	100	3	8	2	10281	5325	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9595.599609	4639.599609	4639.599609	0.933333
6688	008	2984	0.07	7477	9	65	100	3	7	0	8952	1475	NC-2	40	density-lim	800			0.75	4	0.571428597	0	0	8952	1475	1475	1
6688	025	4211	0.1	4028	4	65	100	3	10	6	12633	8605	RH-2	40	density-lim	1500			0.7	4	0.400000006	0	0	11790.7998	7762.799805	7762.799805	0.933333
6688	030	5003	0.11	7076	10	65	100	3	11	1	15009	7933	RH-2	40	density-lim	1500			0.7	4	0.363636374	0	0	14008.39941	6932.399414	6932.399414	0.933333
6688	033	3384	0.08	352	5	65	100	3	8	3	10152	9800	RH-2	40	density-lim	1500			0.7	4	0.5	0	0	9475.200195	9123.200195	9123.200195	0.933333
6688	038	2507	0.06	3842	3	65	100	3	6	3	7521	3679	NC-2	40	density-lim	800			0.75	3	0.5	0	0	7521	3679	3679	1
6688	039	1828	0.04	3645	3	65	100	3	4	1	5484	1839	NC-2	40	density-lim	800	true		0.75	2	0.5	0	0	5484	1839	1839	1
6688	040	1897	0.04	3368	3	65	100	3	4	1	5691	2323	NC-2	40	density-lim	800			0.75	2	0.5	0	0	5691	2323	2323	1
6688	041	1897	0.04	3368	3	65	100	3	4	1	5691	2323	NC-2	40	density-lim	800			0.75	2	0.5	0	0	5691	2323	2323	1
6688	042	1897	0.04	3343	3	65	100	3	4	1	5691	2348	NC-2	40	density-lim	800			0.75	2	0.5	0	0	5691	2348	2348	1
6691	001	2371	0.05	4767	3	65	100	3	5	2	7113	2346	NC-2	40	density-lim	800	true		0.75	3	0.600000024	0	0	7113	2346	2346	1
6691	002	2403	0.06	2372	3	65	100	3	6	3	7209	4837	NC-2	40	density-lim	800			0.75	3	0.5	0	0	7209	4837	4837	1
6691	005	2535	0.06	2602	3	65	100	3	6	3	7605	5003	NC-2	40	density-lim	800			0.75	3	0.5	0	0	7605	5003	5003	1
6691	006	2535	0.06	2648	3	65	100	3	6	3	7605	4957	NC-2	40	density-lim	800			0.75	3	0.5	0	0	7605	4957	4957	1
6691	007	2535	0.06	2460	11	65	100	3	6	0	7605	5145	NC-2	40	density-lim	800			0.75	3	0.5	0	0	7605	5145	5145	1
6691	008	2535	0.06	10222	8	65	100	3	6	0	7605	0	NC-2	40	density-lim	800	true		0.75	3	0.5	0	0	7605	0	0	1
6691	019	2535	0.06	3650	4	65	100	3	6	2	7605	3955	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7098	3448	3448	0.933333
6718	016	3310	0.08	10202	12	75	120	3.5	10	0	11585	1383	RH-2	40	form-based		true	true	0.7	7	0.699999988	0	0	9268	0	0	0.8
6719	009	1923	0.04	2995	5	75	120	3.5	5	0	6730	3735	RH-2	40	form-based		true	true	0.7	4	0.800000012	0	0	5384.399902	2389.399902	2389.399902	0.800059
6721	002	9961	0.23	15130	14	65	100	3	23	9	29883	14753	NC-1	40	density-lim	800	true		0.75	12	0.521739125	0	0	29883	14753	14753	1
6722	041	1875	0.04	2629	5	65	100	3	4	0	5625	2996	RH-2	40	density-lim	1500			0.7	4	1	0	0	5250	2621	2621	0.933333
6740	007B	65	0	0	0	75	120	3.5	0	0	228	228	RH-2	50	form-based			true	0.7	0		0	0	227.5	227.5	227.5	0.997807
6748	001	1252	0.03	2346	2	65	100	3	3	1	3756	1410	NC-1	40	density-lim	800	true		0.75	2	0.666666687	0	0	3756	1410	1410	1
6748	002	1954	0.04	3846	4	65	100	3	4	0	5862	2016	NC-1	40	density-lim	800			0.75	2	0.5	0	0	5862	2016	2016	1
6748	003	2545	0.06	4030	6	65	100	3	6	0	7635	3605	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7126	3096	3096	0.933333
6748	052	2184	0.05	3340	4	65	100	3	5	1	6552	3212	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	6115.199707	2775.199707	2775.199707	0.933333
6748	057	2808	0.06	4302	6	65	100	3	6	0	8424	4122	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7862.399902	3560.399902	3560.399902	0.933333
6750	001	2696	0.06	3679	6	65	100	3	6	0	8088	4409	RH-1	40	density-lim	3000	true		0.7	6	1	0	0	7548.799805	3869.799805	3869.799805	0.933333
6758	028A	831	0.02	1750	2	75	120	3.5	2	0	2908	1158	RH-2	50	form-based		true	true	0.7	2	1	0	0	2908.5	1158.5	1158.5	1.000172
6760	028	100	0	0	0	65	100	3	0	0	300	300	RH-1	40	form-based			true	0.7	0		0	0	280	280	280	0.933333
6769	023	2494	0.06	4768	5	65	100	3	6	1	7482	2714	RM-1	40	form-based			true	0.7	5	0.833333313	0	0	6983.199707	2215.199707	2215.199707	0.933333
6771	028	2502	0.06	5392	7	65	100	3	6	0	7506	2114	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7005.600098	1613.600098	1613.600098	0.933333
6776	007	1888	0.04	955	4	65	100	3	4	0	5664	4709	RH-1	40	form-based			true	0.7	4	1	0	0	5286.399902	4331.399902	4331.399902	0.933333
6792	038	11271	0.26	13158	13	85	140	4	36	23	45084	31926	RH-1	40	density-lim	3000	true		0.7	6	0.166666672	0	0	31558.79883	18400.79883	18400.79883	0.7
6793	007	3208	0.07	5316	8	85	140	4	10	2	12832	7516	NC-1	40	density-lim	800	true		0.75	4	0.400000006	0	0	9624	4308	4308	0.75
6793	027	5286	0.12	5730	7	85	140	4	17	10	21144	15414	NC-1	40	density-lim	800	true		0.75	7	0.411764711	0	0	15858	10128	10128	0.75
6796	002	2500	0.06	4908	5	65	100	3	6	1	7500	2592	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	0	0	7500	2592	2592	1
6796	009	2500	0.06	5057	4	65	100	3	6	2	7500	2443	NCD-EXCE	40	density-lim	600			0.75	4	0.666666687	0	0	7500	2443	2443	1
6797	014	2512	0.06	3320	4	65	100	3	6	2	7536	4216	RH-1	40	density-lim	3000			0.7	4	0.666666687	0	0	7033.600098	3713.600098	3713.600098	0.933333
6798	001	3866	0.09	11536	8	65	100	3	9	1	11598	62	NCD-EXCE	40	density-lim	600	true		0.75	6	0.666666687	0	0	11598	62	62	1
6799	006	2534	0.06	4316	5	65	100	3	6	1	7602	3286	NCD-EXCE	40	density-lim	600	true		0.75	4	0.666666687	0	0	7602	3286	3286	1
6802	001	4500	0.1	6200	8	65	100	3	10	2	13500	7300	NCD-EXCE	40	density-lim	600	true		0.75	8	0.800000012	0	0	13500	7300	7300	1
6803	001	2250	0.05	5049	6	65	100	3	5	0	6750	1701	NCD-EXCE	40	density-lim	600	true		0.75	4	0.800000012	0	0	6750	1701	1701	1
6803	008	2250	0.05	3000	4	65	100	3	5	1	6750	3750	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	0	0	6750	3750	3750	1
6803	009	2250	0.05	3000	4	65	100	3	5	1	6750	3750	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	0	0	6750	3750	3750	1
6803	010	2129	0.05	3846	6	65	100	3	5	0	6387	2541	NCD-EXCE	40	density-lim	600	true		0.75	4	0.800000012	0	0	6387	2541	2541	1
6804	002	1910	0.04	4064	3	65	100	3	4	1	5730	1666	NCD-EXCE	40	density-lim	600			0.75	3	0.75	0	0	5730	1666	1666	1

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
6804	003	2070	0.05	4353	3	65	100	3	5	2	6210	1857	NCD-EXCE	40	density-lim	600			0.75	3	0.600000024	0	0	6210	1857	1857	1
6804	009	2250	0.05	3575	5	65	100	3	5	0	6750	3175	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	0	0	6750	3175	3175	1
6934	029	3288	0.08	6997	10	65	100	3	8	0	9864	2867	RH-2	40	form-based		true	true	0.7	7	0.875	0	0	9206.399414	2209.399414	2209.399414	0.933333
6937	025	2700	0.06	4390	14	65	100	3	6	0	8100	3710	RH-2	40	form-based		true	true	0.7	6	1	0	0	7560	3170	3170	0.933333
6939	026	2500	0.06	5415	8	65	100	3	6	0	7500	2085	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7000	1585	1585	0.933333
6940	021	1750	0.04	3076	4	65	100	3	4	0	5250	2174	NC-1	40	form-based			true	0.75	4	1	0	0	5250	2174	2174	1
6940	022	3250	0.07	5576	7	65	100	3	7	0	9750	4174	NC-1	40	form-based		true	true	0.75	7	1	0	0	9750	4174	4174	1
6941	033	2500	0.06	2712	5	65	100	3	6	1	7500	4788	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7000	4288	4288	0.933333
6941	066	1950	0.04	3300	4	65	100	3	4	0	5850	2550	RH-2	40	form-based			true	0.7	4	1	0	0	5460	2160	2160	0.933333
6943	026	2500	0.06	5612	7	65	100	3	6	0	7500	1888	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7000	1388	1388	0.933333
6944	022	2542	0.06	3326	5	65	100	3	6	1	7626	4300	RH-2	40	form-based			true	0.7	5	0.833333313	0	0	7117.600098	3791.600098	3791.600098	0.933333
6945	020	2500	0.06	3545	6	65	100	3	6	0	7500	3955	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7000	3455	3455	0.933333
6951	001	2995	0.07	4700	6	65	100	3	7	1	8985	4285	RH-2	40	density-lim	1500	true		0.7	6	0.857142866	0	0	8386	3686	3686	0.933333
6951	019	2424	0.06	2760	4	65	100	3	6	2	7272	4512	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	6787.199707	4027.199707	4027.199707	0.933333
6952	004	2681	0.06	3612	4	65	100	3	6	2	8043	4431	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	7506.799805	3894.799805	3894.799805	0.933333
6952	007	3459	0.08	7045	7	65	100	3	8	1	10377	3332	NC-1	40	density-lim	800	true		0.75	4	0.5	0	0	10377	3332	3332	1
6952	010	3634	0.08	6984	7	65	100	3	8	1	10902	3918	NC-1	40	density-lim	800	true		0.75	5	0.625	0	0	10902	3918	3918	1
6954	018	39918	0.92	25071	193	65	100	3	92	0	119754	94683	NCD-EXCE	40	density-lim	600	true		0.75	67	0.728260875	0	0	119754	94683	94683	1
6954	021B	2025	0.05	3350	5	65	100	3	5	0	6075	2725	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	5670	2320	2320	0.933333
6954	021C	2125	0.05	3150	4	65	100	3	5	1	6375	3225	RH-2	40	density-lim	1500			0.7	4	0.800000012	0	0	5950	2800	2800	0.933333
6955	016	2509	0.06	4155	4	55	80	2.5	5	1	6272	2117	NCD-EXCE	65	density-lim	600			0.75	4	0.800000012	0	0	11290.5	7135.5	7135.5	1.800143
6954	030	4250	0.1	8326	10	65	100	3	10	0	12750	4424	RH-2	40	density-lim	1500	true		0.7	6	0.600000024	0	0	11900	3574	3574	0.933333
6955	010	2045	0.05	3905	6	55	80	2.5	4	0	5112	1207	NCD-EXCE	65	density-lim	600	true		0.75	3	0.75	0	0	9202.5	5297.5	5297.5	1.800176
6954	040	31685	0.73	12555	116	65	100	3	73	0	95055	82500	NCD-EXCE	65	density-lim	600			0.75	53	0.726027369	0	0	142582.5	130027.5	130027.5	1.5
6955	017	2688	0.06	7320	8	55	80	2.5	5	0	6720	0	NCD-EXCE	65	density-lim	600	true		0.75	4	0.800000012	0	0	12096	4776	4776	1.8
6956	002	2565	0.06	3280	4	55	80	2.5	5	1	6412	3132	NCD-EXCE	65	density-lim	600			0.75	4	0.800000012	0	0	11542.5	8262.5	8262.5	1.80014
6956	003	2565	0.06	2950	4	55	80	2.5	5	1	6412	3462	NCD-EXCE	65	density-lim	600			0.75	4	0.800000012	0	0	11542.5	8592.5	8592.5	1.80014
6955	050	3213	0.07	4440	6	55	80	2.5	6	0	8032	3592	RH-2	40	density-lim	1500			0.7	4	0.666666687	0	0	8996.399414	4556.399414	4556.399414	1.12007
6955	051	6347	0.15	1838	11	55	80	2.5	12	1	15868	14030	NCD-EXCE	65	density-lim	600	true		0.75	11	0.916666687	0	0	28561.5	26723.5	26723.5	1.799943
6956	036	17846	0.41	25528	40	55	80	2.5	33	0	44615	19087	NCD-EXCE	65	density-lim	600	true		0.75	30	0.909090936	0	0	80307	54779	54779	1.8
6956	037	13764	0.32	31200	42	55	80	2.5	26	0	34410	3210	NCD-EXCE	65	density-lim	600			0.75	23	0.884615362	0	0	61938	30738	30738	1.8
6956	080	7340	0.17	5407	46	55	80	2.5	14	0	18350	12943	NCD-EXCE	65	density-lim	600			0.75	12	0.857142866	0	0	33030	27623	27623	1.8
6959	032	2933	0.07	4266	5	55	80	2.5	6	1	7332	3066	NCD-EXCE	40	density-lim	600			0.75	5	0.833333313	0	0	8799	4533	4533	1.200082
6959	033	11992	0.28	30600	28	65	100	3	28	0	35976	5376	NCD-EXCE	40	density-lim	600			0.75	20	0.714285731	0	0	35976	5376	5376	1
6959	035	64233	1.47	15870	137	65	100	3	147	10	192699	176829	NCD-EXCE	40	density-lim	600			0.55	107	0.727891147	0	0	141312.6094	125442.6094	125442.6094	0.733333
6968	002	1856	0.04	4035	3	65	100	3	4	1	5568	1533	NCD-EXCE	40	density-lim	600	true		0.75	3	0.75	0	0	5568	1533	1533	1
6968	003	1700	0.04	2850	3	65	100	3	4	1	5100	2250	NCD-EXCE	40	density-lim	600	true		0.75	3	0.75	0	0	5100	2250	2250	1
6968	008	2221	0.05	3728	5	65	100	3	5	0	6663	2935	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	0	0	6663	2935	2935	1
6969	020	25254	0.58	89274	61	65	100	3	58	0	75762	0	NCD-EXCE	65	density-lim	600	true		0.75	42	0.724137902	0	0	113643	24369	24369	1.5
6980	039	2406	0.06	4495	5	65	100	3	6	1	7218	2723	NC-1	40	form-based		true	true	0.75	5	0.833333313	0	0	7218	2723	2723	1
6981	041	2596	0.06	4587	6	65	100	3	6	0	7788	3201	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7268.799805	2681.799805	2681.799805	0.933333
6983	042	2335	0.05	3912	8	65	100	3	5	0	7005	3093	RH-2	40	form-based		true	true	0.7	5	1	0	0	6538	2626	2626	0.933333
6984	041	2545	0.06	3500	5	65	100	3	6	1	7635	4135	RH-2	40	form-based		true	true	0.7	5	0.833333313	0	0	7126	3626	3626	0.933333
7006	051	5038	0.12	2149	4	55	80	2.5	10	6	12595	10446	RH-1	40	density-lim	3000			0.7	4	0.400000006	0	0	14106.39941	11957.39941	11957.39941	1.12
7029A	008	2389	0.05	4740	4	65	100	3	5	1	7167	2427	RH-1	40	density-lim	3000			0.7	4	0.800000012	0	0	6689.199707	1949.199707	1949.199707	0.933333
7029A	009	2393	0.05	4740	4	65	100	3	5	1	7179	2439	RH-1	40	density-lim	3000			0.7	4	0.800000012	0	0	6700.399902	1960.399902	1960.399902	0.933333
7030	003	129	0	100	0	65	100	3	0	0	387	287	NCD-EXCE	65	density-lim	600			0.75	0		0	0	580.5	480.5	480.5	1.5
7030	007	2525	0.06	4160	4	65	100	3	6	2	7575	3415	NCD-EXCE	65	density-lim	600			0.75	4	0.666666687	0	0	11362.5	7202.5	7202.5	1.5
7030	009	2005	0.05	3400	4	65	100	3	5	1	6015	2615	NCD-EXCE	65	density-lim	600			0.75	3	0.600000024	0	0	9022.5	5622.5	5622.5	1.5
7030	025	15209	0.35	9620	27	65	100	3	35	8	45627	36007	NCD-EXCE	65	density-lim	600			0.75	25	0.714285731	0	0	68440.5	58820.5	58820.5	1.5
7030	064	1711	0.04	1964	3	65	100	3	4	1	5133	3169	NCD-EXCE	40	density-lim	600			0.75	3	0.75	0	0	5133	3169	3169	1
7030	065	1714	0.04	1943	3	65	100	3	4	1	5142	3199	NCD-EXCE	40	density-lim	600			0.75	3	0.75	0	0	5142	3199	3199	1
7031	002A	2449	0.06	3164	4	55	80	2.5	5	1	6122	2958	NCD-EXCE	40	density-lim	600			0.75	4	0.800000012	0	0	7347	4183	4183	1.200098
7031	002B	1909	0.04	5848	3	55	80	2.5	3	0	4772	0	NCD-EXCE	40	density-lim	600			0.75	3	1	0	0	5727	0	0	1.200126
7043	001A	1960	0.04	2610	3	55	80	2.5	3	0	4900	2290	NCD-EXCE	40	density-lim	600			0.75	3	1	0	0	5880	3270	3270	1.2
7043	001B	2015	0.05	2100	3	55	80	2.5	4	1	5038	2938	NCD-EXCE	40	density-lim	600			0.75	3	0.75	0	0	6045	3945	3945	1.199881
7043	002	1976	0.05	2100	3	55	80	2.5	4	1	4940	2840	NCD-EXCE	40	density-lim	600			0.75	3	0.75	0	0	5928	3828	3828	1.2
7058	007	2500	0.06	3787	6	65	100	3	6	0	7500	3713	RH-1	40	density-lim	3000			0.7	4	0.666666687	0	0	7000	3213	3213	0.933333
7065	007	2800	0.06	3881	4	55	80	2.5	5	1	7000	3119	RH-1	40	density-lim	3000			0.7	4	0.800000012	0	0	7840	3959	3959	1.12
7066	009	6637	0.15	8020	12	55	80	2.5	12	0	16592	8572	NCD-EXCE	40	density-lim	600			0.75	11	0.916666687	0	0	19911	11891	11891	1.200036
7066	030	2932	0.07	4110	6	55	80	2.5	6	0	7330	3220	NCD-EXCE	40	density-lim	600	true		0.75	5	0.833333313	0	0	8796	4686	4686	1.2
7066	033	11622	0.27	15240	25	55	80	2.5	22	0	29055	13815	NCD-EXCE	40	density-lim	600			0.75	19	0.863636374	0	0	34866	19626	19626	1.2
7066	034	4229	0.1	5372	10	55	80	2.5	8	0	10572	5200	NCD-EXCE	40	density-lim	600			0.75	7	0.875	0	0	12687	7315	7315	1.200057
7081A	001	4589	0.11	6537	6	85	140	4	15	9	18356	11819	NC-1	26	density-lim	800			0.75	6	0.400000006	0	0	6883.5	346.5	346.5	0.375

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7084	047	7690	0.18	5910	9	85	140	4	25	16	30760	24850	RH-2	40	density-lim	1500			0.7	5	0.200000003	0	0	21532	15622	15622	0.7
7084	048	7683	0.18	6038	16	65	100	3	18	2	23049	17011	RH-2	40	density-lim	1500	true		0.7	6	0.333333343	0	0	21512.40039	15474.40039	15474.40039	0.933333
7089	024	1757	0.04	1434	2	65	100	3	4	2	5271	3837	NC-1	40	density-lim	800	true		0.75	2	0.5	0	0	5271	3837	3837	1
7089	049	12511	0.29	17582	15	65	100	3	29	14	37533	19951	RH-2	40	density-lim	1500	true		0.7	8	0.275862068	0	0	35030.80078	17448.80078	17448.80078	0.933333
7091	023	2500	0.06	2664	4	85	140	4	8	4	10000	7336	NC-1	40	density-lim	800			0.75	3	0.375	0	0	7500	4836	4836	0.75
7091	025	2500	0.06	2197	3	85	140	4	8	5	10000	7803	NC-1	40	density-lim	800	true		0.75	3	0.375	0	0	7500	5303	5303	0.75
7098	001C	2000	0.05	3300	4	55	80	2.5	4	0	5000	1700	NCD-EXCE	40	density-lim	600			0.75	3	0.75	0	0	6000	2700	2700	1.2
7098	001D	2000	0.05	3300	4	55	80	2.5	4	0	5000	1700	NCD-EXCE	40	density-lim	600			0.75	3	0.75	0	0	6000	2700	2700	1.2
7098	001E	6340	0.15	10618	16	55	80	2.5	12	0	15850	5232	NCD-EXCE	40	density-lim	600	true		0.75	11	0.916666687	0	0	19020	8402	8402	1.2
7098	004	4781	0.11	4950	8	55	80	2.5	9	1	11952	7002	NCD-EXCE	40	density-lim	600			0.75	8	0.888888896	0	0	14343	9393	9393	1.20005
7099	004A	688	0.02	530	1	55	80	2.5	2	1	1720	1190	NCD-EXCE	40	density-lim	600			0.75	1	0.5	0	0	2064	1534	1534	1.2
7099	008	1431	0.03	3790	3	55	80	2.5	2	0	3578	0	NCD-EXCE	40	density-lim	600			0.75	2	1	0	0	4293	503	503	1.199832
7099	014	1889	0.04	3068	3	55	80	2.5	3	0	4722	1654	NCD-EXCE	40	density-lim	600			0.75	3	1	0	0	5667	2599	2599	1.200127
7104	050	6875	0.16	7191	8	65	100	3	16	8	20625	13434	RH-2	40	density-lim	1500	true		0.7	6	0.375	0	0	19250	12059	12059	0.933333
7117	048	1974	0.05	4579	6	65	100	3	5	0	5922	1343	RH-2	40	density-lim	1500	true		0.7	6	1.200000048	0	0	5527.199707	948.199707	948.199707	0.933333
7118	001	1980	0.05	2840	3	65	100	3	5	2	5940	3100	NC-1	40	density-lim	800	true		0.75	2	0.400000006	0	0	5940	3100	3100	1
7119	044	1975	0.05	2916	4	85	140	4	7	3	7900	4984	RH-2	40	density-lim	1500			0.7	4	0.571428597	0	0	5530	2614	2614	0.7
7121	030	3890	0.09	3950	8	65	100	3	9	1	11670	7720	RH-2	40	density-lim	1500	true		0.7	6	0.666666687	0	0	10892	6942	6942	0.933333
7122	001	1341	0.03	3242	3	85	140	4	4	1	5364	2122	NC-1	26	density-lim	800	true		0.75	2	0.5	0	0	2011.5	0	0	0.375
7122	002	1289	0.03	2386	3	65	100	3	3	0	3867	1481	NC-1	26	density-lim	800			0.75	2	0.666666687	0	0	1933.5	0	0	0.5
7122	003	1269	0.03	2386	3	65	100	3	3	0	3807	1421	NC-1	26	density-lim	800			0.75	2	0.666666687	0	0	1903.5	0	0	0.5
7122	005	2468	0.06	2568	4	65	100	3	6	2	7404	4836	NC-1	26	density-lim	800			0.75	3	0.5	0	0	3702	1134	1134	0.5
7237	008A	194	0	0	0	65	100	3	0	0	582	582	RH-1(D)	40	form-based			true	0.7	0		0	0	543.2000122	543.2000122	543.2000122	0.933333
7544	109	440	0.01	1360	1	65	100	3	1	0	1320	0	RM-1	40	form-based			true	0.7	1	1	0	0	1232	0	0	0.933333
7544	110	454	0.01	1360	1	65	100	3	1	0	1362	2	RM-1	40	form-based			true	0.7	1	1	0	0	1271.199951	0	0	0.933333
7544	127	515	0.01	1605	1	65	100	3	1	0	1545	0	RM-1	40	form-based			true	0.7	1	1	0	0	1442	0	0	0.933333
7544	128	527	0.01	1605	1	65	100	3	1	0	1581	0	RM-1	40	form-based			true	0.7	1	1	0	0	1475.599976	0	0	0.933333
7544	129	512	0.01	1605	1	65	100	3	1	0	1536	0	RM-1	40	form-based			true	0.7	1	1	0	0	1433.599976	0	0	0.933333
7544	101	438	0.01	1360	1	65	100	3	1	0	1314	0	RM-1	40	form-based			true	0.7	1	1	0	0	1226.400024	0	0	0.933333
7544	102	439	0.01	1360	1	65	100	3	1	0	1317	0	RM-1	40	form-based			true	0.7	1	1	0	0	1229.199951	0	0	0.933333
7544	103	439	0.01	1360	1	65	100	3	1	0	1317	0	RM-1	40	form-based			true	0.7	1	1	0	0	1229.199951	0	0	0.933333
7544	104	434	0.01	1360	1	65	100	3	1	0	1302	0	RM-1	40	form-based			true	0.7	1	1	0	0	1215.199951	0	0	0.933333
7544	105	445	0.01	1360	1	65	100	3	1	0	1335	0	RM-1	40	form-based			true	0.7	1	1	0	0	1246	0	0	0.933333
7544	106	448	0.01	1360	1	65	100	3	1	0	1344	0	RM-1	40	form-based			true	0.7	1	1	0	0	1254.400024	0	0	0.933333
7544	107	455	0.01	1360	1	65	100	3	1	0	1365	5	RM-1	40	form-based			true	0.7	1	1	0	0	1274	0	0	0.933333
7544	108	442	0.01	1360	1	65	100	3	1	0	1326	0	RM-1	40	form-based			true	0.7	1	1	0	0	1237.599976	0	0	0.933333
7544	111	432	0.01	1452	1	65	100	3	1	0	1296	0	RM-1	40	form-based			true	0.7	1	1	0	0	1209.599976	0	0	0.933333
7544	112	457	0.01	1360	1	65	100	3	1	0	1371	11	RM-1	40	form-based			true	0.7	1	1	0	0	1279.599976	0	0	0.933333
7544	113	444	0.01	1360	1	65	100	3	1	0	1332	0	RM-1	40	form-based			true	0.7	1	1	0	0	1243.199951	0	0	0.933333
7544	114	458	0.01	1360	1	65	100	3	1	0	1374	14	RM-1	40	form-based			true	0.7	1	1	0	0	1282.400024	0	0	0.933333
7544	115	454	0.01	1360	1	65	100	3	1	0	1362	2	RM-1	40	form-based			true	0.7	1	1	0	0	1271.199951	0	0	0.933333
7544	116	524	0.01	1421	1	65	100	3	1	0	1572	151	RM-1	40	form-based			true	0.7	1	1	0	0	1467.199951	46.19995117	46.19995117	0.933333
7544	117	497	0.01	1605	1	65	100	3	1	0	1491	0	RM-1	40	form-based			true	0.7	1	1	0	0	1391.599976	0	0	0.933333
7544	118	523	0.01	1605	1	65	100	3	1	0	1569	0	RM-1	40	form-based			true	0.7	1	1	0	0	1464.400024	0	0	0.933333
7544	119	514	0.01	1605	1	65	100	3	1	0	1542	0	RM-1	40	form-based			true	0.7	1	1	0	0	1439.199951	0	0	0.933333
7544	120	498	0.01	1605	1	65	100	3	1	0	1494	0	RM-1	40	form-based			true	0.7	1	1	0	0	1394.400024	0	0	0.933333
7544	121	524	0.01	1605	1	65	100	3	1	0	1572	0	RM-1	40	form-based			true	0.7	1	1	0	0	1467.199951	0	0	0.933333
7544	122	524	0.01	1605	1	65	100	3	1	0	1572	0	RM-1	40	form-based			true	0.7	1	1	0	0	1467.199951	0	0	0.933333
7544	123	516	0.01	1605	1	65	100	3	1	0	1548	0	RM-1	40	form-based			true	0.7	1	1	0	0	1444.799927	0	0	0.933333
7544	124	515	0.01	1605	1	65	100	3	1	0	1545	0	RM-1	40	form-based			true	0.7	1	1	0	0	1442	0	0	0.933333
7544	125	521	0.01	1605	1	65	100	3	1	0	1563	0	RM-1	40	form-based			true	0.7	1	1	0	0	1458.799927	0	0	0.933333
7544	126	515	0.01	1605	1	65	100	3	1	0	1545	0	RM-1	40	form-based			true	0.7	1	1	0	0	1442	0	0	0.933333
7544	130	512	0.01	1605	1	65	100	3	1	0	1536	0	RM-1	40	form-based			true	0.7	1	1	0	0	1433.599976	0	0	0.933333
7544	131	689	0.02	1916	1	65	100	3	2	1	2067	151	RM-1	40	form-based			true	0.7	1	0.5	0	0	1929.199951	13.19995117	13.19995117	0.933333
7544	132	671	0.02	1916	1	65	100	3	2	1	2013	97	RM-1	40	form-based			true	0.7	1	0.5	0	0	1878.799927	0	0	0.933333
7544	133	679	0.02	1916	1	65	100	3	2	1	2037	121	RM-1	40	form-based			true	0.7	1	0.5	0	0	1901.199951	0	0	0.933333
7544	134	663	0.02	1900	1	65	100	3	2	1	1989	89	RM-1	40	form-based			true	0.7	1	0.5	0	0	1856.400024	0	0	0.933333
7544	135	667	0.02	1900	1	65	100	3	2	1	2001	101	RM-1	40	form-based			true	0.7	1	0.5	0	0	1867.599976	0	0	0.933333
7544	136	669	0.02	1900	1	65	100	3	2	1	2007	107	RM-1	40	form-based			true	0.7	1	0.5	0	0	1873.199951	0	0	0.933333
7544	137	662	0.02	1900	1	65	100	3	2	1	1986	86	RM-1	40	form-based			true	0.7	1	0.5	0	0	1853.599976	0	0	0.933333
7544	138	687	0.02	1900	1	65	100	3	2	1	2061	161	RM-1	40	form-based			true	0.7	1	0.5	0	0	1923.599976	23.59997559	23.59997559	0.933333
7544	139	695	0.02	1900	1	65	100	3	2	1	2085	185	RM-1	40	form-based			true	0.7	1	0.5	0	0	1946	46	46	0.933333
7544	140	675	0.02	1900	1	65	100	3	2	1	2025	125	RM-1	40	form-based			true	0.7	1	0.5	0	0	1890	0	0	0.933333
7544	141	689	0.02	1900	1	65	100	3	2	1	2067	167	RM-1	40	form-based			true	0.7	1	0.5	0	0	1929.199951	29.19995117	29.19995117	0.933333

block_num	lot_num	Lot Size Feet	Lot Size Acres	Existing Bldg Sqft	Existing Units	sb79_MaxHeight	sb79_MaxDensity	sb79_MaxFAR	SB79-Gross Unit Capacity	SB79- Net Unit Capacity	SB79-Gross GSF Capacity	SB79- Net GSF Capacity	Existing SF Zoning	Existing SF Height Limit	Density Limit?	Density Limit ratio	Corner Parcel?	In R4	Max Lot Coverage	SF Unit Capacity Gross	% Gross Unit-SF vs SB79	SF Zoning-Net Unit Capacity	SF Zoning - Net Unit Capacity Limited by 200% SB79	SF Zoning-Gross GSF Capacity	SF Zoning- Net GSF Capacity	SF Zoning - Net GSF Capacity Limited by 200% SB79	% Gross GSF- SF vs SB79
7544	142	677	0.02	1900	1	65	100	3	2	1	2031	131	RM-1	40	form-based			true	0.7	1	0.5	0	0	1895.599976	0	0	0.933333
7544	143	658	0.02	1900	1	65	100	3	2	1	1974	74	RM-1	40	form-based			true	0.7	1	0.5	0	0	1842.400024	0	0	0.933333
7544	144	689	0.02	1900	1	65	100	3	2	1	2067	167	RM-1	40	form-based			true	0.7	1	0.5	0	0	1929.199951	29.19995117	29.19995117	0.933333
7544	145	680	0.02	1900	1	65	100	3	2	1	2040	140	RM-1	40	form-based			true	0.7	1	0.5	0	0	1904	4	4	0.933333
7544	146	710	0.02	1900	1	65	100	3	2	1	2130	230	RM-1	40	form-based			true	0.7	1	0.5	0	0	1988	88	88	0.933333
7544	147	692	0.02	1900	1	65	100	3	2	1	2076	176	RM-1	40	form-based			true	0.7	1	0.5	0	0	1937.599976	37.59997559	37.59997559	0.933333
7544	148	684	0.02	1900	1	65	100	3	2	1	2052	152	RM-1	40	form-based			true	0.7	1	0.5	0	0	1915.199951	15.19995117	15.19995117	0.933333
7544	149	656	0.02	1900	1	65	100	3	2	1	1968	68	RM-1	40	form-based			true	0.7	1	0.5	0	0	1836.799927	0	0	0.933333
7544	150	694	0.02	1916	1	65	100	3	2	1	2082	166	RM-1	40	form-based			true	0.7	1	0.5	0	0	1943.199951	27.19995117	27.19995117	0.933333
7544	151	686	0.02	1916	1	65	100	3	2	1	2058	142	RM-1	40	form-based			true	0.7	1	0.5	0	0	1920.799927	4.799926758	4.799926758	0.933333
7554	103	107630	2.47	47526	275	65	100	3	247	0	322890	275364	RH-1	40	form-based	true		true	0.55	178	0.720647752	0	0	236786	189260	189260	0.733333
VACST	JES1	11737	0.27	0	250	85	140	4	38	0	46948	46948	C-3-G	240	form-based				0.8	106	2.789473772	0	0	105633	105633	93896	2.25
										644,515		***757,580,256***										***940,640***	***767,944***		***1,049,726,969***	***945,593,113***	